

Energizer®

BATTERY AND TORCH CATALOGUE



Makers of the
WORLD'S LONGEST LASTING

AA & AAA Battery in High Tech Devices




* In high-tech devices; use less batteries, create less waste

Longest lasting, less waste*. **that's positivenergy™**

Energizer®

Worlds N°1
Recharge Brand*



The INNOVATION
that lies at the
heart of our strategy

ENERGIZER
chooses only the
best technology.



LED illumination



ANSI standards



Torches at the heart
of innovation



1st miniature multi-impedance battery with 0% mercury

1st AA and AAA lithium batteries

*According to market survey data

Energizer®



BATTERIES

A GUIDE TO: CHOOSING THE RIGHT BATTERY P. 2 PRIMARY BATTERIES

 **Lithium** P. 3

 **Advanced** P. 5

 **Max** P. 7

RECHARGEABLE BATTERIES

 **Rechargeable** P. 11

 **Chargers** P. 13

TORCHES

FOR ALL OF YOUR LIGHTING NEEDS P. 14-18

 **Household Torches** P. 19-21

 **Camping and
Outdoor Torches** P. 22-25

 **Work and Heavy
Duty Torches** P. 26-30

 **Emergency and
Safety Torches** P. 31-34

 **Novelty Torches** P. 35-37

APPENDIX

POS GENERIC PLANOGRAM P. 38-43

**PRODUCT CONFIGURATION DETAILS &
CROSS REFERENCE TABLE** P. 44-48

**BARCODE DETAILS –
BATTERIES AND TORCHES** P. 49-52

BATTERIES



Save money – choose the right battery!

Don't be fooled by appearances – they may all look the same, but each offers a unique performance



Lithium Ultimate – lithium technology: ideal for intensive use and for energy-intensive devices. Lasts 9x longer than the ENERGIZER Standard Alkaline. Can be used in wide temperature ranges: -40 °C to +60 °C.



Advanced: Advanced technology up to 50% longer lasting in Digital Still Camera's* with Power Boost technology which results in better discharge performance; improved discharge efficiency resulting in an improved performance. Ideal for medium drain devices. Can be used in medium temperature ranges: -18 to 55.

*vs Improved Energizer Max. Based on ANSI test. Results vary by device.



Max: Now with Power seal Technology. New shape results in optimal performance; stronger lock enhancements give the battery can and cap a stronger lock, holding power for 10 years*; better barrier - the addition of a new form fitting seal results in a stronger barrier which helps to prevent leakage. Operating temperature ranges: -18% to 55.

*shelf life



Rechargeable batteries – NiMH technology: cost-effective, high-performance energy source for regular use. Can be used in smaller temperature ranges: +5 °C to +25 °C.



Choosing the right battery is the most cost-effective way to optimise the performance of your devices.

Each of these technologies has a voltage and a discharge capacity of its own.

Energizer®

ULTIMATE
LITHIUM

9x

LONGER LASTING*
& LESS WASTE**

VS ENERGIZER MAX*



ULTIMATE LITHIUM

Energizer
ULTIMATE
LITHIUM

9X

LONGER LASTING*
& LESS WASTE**

VS ENERGIZER MAX*

that's positivenergy



Replace Batteries fewer times, less waste



- Can withstand extreme conditions of -40 °C to +60 °C
- 26% to 33% lighter than alkaline batteries
- AA and AAA can be stored for up to 20 years
- The most environmentally friendly battery: a recycling rate of 90% compared to 70% for standard alkaline batteries

**WORLD'S
LONGEST
LASTING**

AA & AAA Battery in High Tech Devices



**Energizer Ultimate Lithium:
AAA - 2 Pack**

Product Code XL92BP2-E2
Unit Bar Code 039800079305
Voltage 1.5V



**Energizer Ultimate Lithium:
AA - 2 Pack**

Product Code XL91BP2-E2
Unit Bar Code 9312931540380
Voltage 1.5V



**Energizer Ultimate Lithium:
AA - 4 Pack**

Product Code XL91BP4-E2
Unit Bar Code 8888021300611
Voltage 1.5V

**Lasts up to
65% longer
in smoke
detectors*****



*** Using fewer batteries generates less waste.

Energizer

advanced

UP TO

50%

LONGER LASTING*



ADVANCED

* vs Energizer Max.

Energizer

advanced

UP TO
50%
 LONGER LASTING*
 that's positivenergy



Replace Batteries fewer times, less waste



Energizer Advanced is a superior battery design that combines 4 elements to release a boost of power

- More active inputs
- Better discharge performance
- Improved discharge efficiency
- More efficient use of active materials

WITH
**POWER
 BOOST
 TECHNOLOGY**



**Energizer Advanced:
 AAA - 2 Pack**
 Product Code X92RP2
 Unit Bar Code 8888021201567
 Voltage 1.5V



**Energizer Advanced:
 AAA - 4 Pack**
 Product Code X92RP4
 Unit Bar Code 039800027047
 Voltage 1.5V



**Energizer Advanced:
 AA - 2 Pack**
 Product Code X91RP2
 Unit Bar Code 8888021201550
 Voltage 1.5V



**Energizer Advanced:
 AA - 4 Pack**
 Product Code X91RP4
 Unit Bar Code 039800027078
 Voltage 1.5V

* vs Energizer Max.

Energizer

max

**POWER
SEAL
TECHNOLOGY**



MAX

Energizer

max

POWER SEAL TECHNOLOGY



The construction of our cells means Energizer batteries **hold power longer than ever before.**

New shape: For optimal performance, we changed a portion of the cell's shape near the can cap.

Stronger lock: Enhancements give the battery can and cap a stronger lock, allowing to hold power for 10 years.

Better barrier: The addition of a new form fitting seal creates a stronger barrier, that helps prevent leakage.



Energizer Max:
AAA - 2 Pack

Product Code E92BP2-MAX
Unit Bar Code 8888021200157
Voltage 1.5V



Energizer Max:
AAA - 4 Pack

Product Code E92BP4-MAX
Unit Bar Code 8888021200164
Voltage 1.5V



Energizer Max:
AA - 2 Pack

Product Code E91BP2-MAX
Unit Bar Code 8888021200119
Voltage 1.5V



Energizer Max:
AA - 4 Pack

Product Code E91BP4-MAX
Unit Bar Code 8888021200126
Voltage 1.5V

Other pack sizes are available



**Energizer Max:
AA - 6 Pack**
Product Code E91BP6-MAX
Unit Bar Code 8888021200188
Voltage 1.5V



**Energizer Max:
AA - 8 Pack**
Product Code E91BP8-MAX
Unit Bar Code 8888021200256
Voltage 1.5V



**Energizer Max:
9V - 1 Pack**
Product Code 522BP1-MAX
Unit Bar Code 8888021200171
Voltage 9V



**Energizer Max:
C - 2 Pack**
Product Code E93BP2-MAX
Unit Bar Code 8888021200133
Voltage 1.5V




**Energizer Max:
D - 2 Pack**
Product Code E95BP2-MAX
Unit Bar Code 8888021200140
Voltage 1.5V



**Energizer Max:
D - 4 Pack**
Product Code E95HP4-MAX
Unit Bar Code 8999002668924
Voltage 1.5V



**Energizer Max:
AA - 10 Pack**
Product Code E91HP10-MAX
Unit Bar Code 8999002556047
Voltage 1.5V




**Energizer Lithium Coin:
2032**

Product Code CR2032BP1
Unit Bar Code 9312931540366
Voltage 3V



**Energizer Lithium Coin:
2025**

Product Code CR2025BP1
Unit Bar Code 9312931540359
Voltage 3V



**Energizer Lithium Coin:
2016**

Product Code CR2016BP1
Unit Bar Code 9312931540342
Voltage 3V




**Energizer Lithium Coin:
1620**

Product Code CR1620BP1
Unit Bar Code 039800038593
Voltage 3V



**Energizer Lithium Coin:
1220**

Product Code CR1220BP1
Unit Bar Code 039800006752
Voltage 3V



**Energizer Miniature Alkaline:
A76 - 2 Pack**

Product Code A76BP2-12
Unit Bar Code 039800038586
Voltage 3V



**Energizer Miniature Alkaline:
A27**

Product Code A27BP1
Unit Bar Code 8888021300369
Voltage 12V



**Energizer Miniature Alkaline:
A23**

Product Code A23BP1
Unit Bar Code 8888021300116
Voltage 12V



**Energizer Miniature Alkaline:
A23 - 2 Pack**

Product Code A23BP2
Unit Bar Code 8888021300574
Voltage 12V

Energizer

RECHARGE

WORLD'S NO.1

Recharge Brand *



*According to market survey data.

WORLD'S NO.1

Recharge Brand *



How do I know which rechargeable battery I need?

- Milliamperage (mAh): The higher the mAh value, the better suited the battery is to being used in energy-intensive devices, and the longer it will last.
- Charge retention: A conventional rechargeable battery naturally loses its power even when not in use. Our new range of batteries has a charge retention that is greater than those of conventional rechargeable batteries. They are therefore suitable to be used when only needed occasionally, because they are always ready.



Positive electrode:
Runtime per charge

Separator:
Charge retention

Negative electrode:
Number of cycles per charge

A new high performance range

- **More efficient**
With purified materials, they last longer in high-tech devices.
- **More cost-effective**
They have a longer life cycle than conventional NiMH batteries.
- **Ready for use**
Pre-charged with a very low self-discharge.



Energizer Recharge :
9V - 1 Pack
Product Code NH22NBP1
Unit Bar Code 0039800009166
Voltage 1.2V



Energizer Recharge :
AAA - 2 Pack
Product Code NH12RP2 700
Unit Bar Code 8888021301502
Voltage 1.2V



Energizer Recharge :
AAA - 4 Pack
Product Code NH12RP4 700
Unit Bar Code 8888021301526
Voltage 1.2V



Energizer Recharge :
AA - 2 Pack
Product Code NH15RP2 1400
Unit Bar Code 8888021301410
Voltage 1.2V



Energizer Recharge :
AA - 4 Pack
Product Code NH15RP4 1400
Unit Bar Code 8888021301434
Voltage 1.2V



Energizer Recharge :
AA - 2 Pack 6x longer
Product Code NH15RP2 2300
Unit Bar Code 8888021301366
Voltage 1.2V



Energizer Recharge :
AA - 4 Pack 6x longer
Product Code NH15RP4 2300
Unit Bar Code 8888021301373
Voltage 1.2V

*According to market survey data.

To optimise your batteries and ensure that they last longer, these chargers all come with:

- Individual charge channels and safety switch
If one battery is fully charged and the others are still charging, the charged battery is no longer powered by the electrical current. There is thus no overheating, resulting in a longer operating life for the batteries.
- Protection against reversed polarity
- Battery charge status indicator



Energizer Charger: Mini Charger (with 2 x 700mAh AAA)

Product Code CH2PC-700
Unit Bar Code 8888021300819
Voltage 700



Energizer Charger: Mini Charger (with 2 x 1300mAh AA)

Product Code CH2PC-1300
Unit Bar Code 8888021300994
Voltage 1300



Energizer Charger : Value Charger (with 4 x 1300mAh AA)

Product Code CHVC-SK-4MBC
Unit Bar Code 8888021300741
Voltage 700 & 1300



Energizer Charger : Overnight Charger (with 4 x 1400mAh AA)

Product Code CHM4A-SK14BC
Unit Bar Code 4891138860347
Voltage 1400



Energizer Charger: Smart Charger (with 4 x 1400mAh AA)

Product Code CHP42
Unit Bar Code 4891138932648
Voltage 1400

TORCHES



Energizer Torch Range

Energizer a global leader in the dynamic business of providing portable power geared toward the new digital age, have developed an extensive range of technologically advanced torches.

Energizer has spent a considerable amount of time researching and developing torches for consumers various needs, be it for general household needs; camping lights for those adventurous outdoor activities; rechargeable lights for those emergency situations; lights for those DIY situations and speciality lights which have designed with specific needs in mind for various environments.

Household Torches



Camping and Outdoor Torches



Work and Heavy Duty Torches



Emergency and Safety Torches



Novelty Torches



Choose your Torch wisely:

Suitable illumination to meet your needs.

Why is it so important to choose the correct illumination device?

It provides you with more comfort

- ▶ A uniform illuminating beam without spots or shaded areas for better visual comfort.
- ▶ Ergonomic products: lightweight, easy-to-handle, non-slip straps that adjust to fit your helmet.
- ▶ Various illuminating angles to avoid glare.



It makes your work easier

- ▶ There are 3 types of LED: the “standard” Nichia for short-distance illumination and the “high-intensity” CREE and Luxeon for long-distance illumination.
- ▶ Different beams for different work situations.
- ▶ Smart devices to light up even the least accessible areas.



It ensures your safety

- ▶ Hard Case Pro products, resistant to shocks and falls due to their very robust ABS plastic bodies.
- ▶ Immersion protection certified by IPX standards.
- ▶ A range of standardised ATEX products for working in potentially explosive environments.



ATEX 



Choosing the appropriate energy source will optimise the performance of your torch (see guide on page 2).

We have marked all our products to indicate the type of battery we recommend:



Lithium



Advanced



Max



Rechargeable

Energizer®



Let ENERGI^ZER cast light on the features of their torches



The ANSI standard

If one battery is fully charged and the others are still charging, the charged battery is no longer powered by the electrical current. There is thus no overheating, resulting in a longer operating life for the batteries.



RUNTIME



Operating time of the light until the beam has less than 10% of initial illumination. Example: HARD CASE PRO 4 AA provides illumination 10% stronger than its initial illumination for 23 hours long.

LUMINOUS POWER



Illumination output, expressed in lumens, emitted from the light source in all directions. The higher the lumens, the brighter the light.

COMPACT LED
16 lumens

HARD CASE PRO 4 AA
35 lumens


ATEX/
INTRINSICALLY
SAFE HEADLIGHT
70 lumens

HOUSEHOLD
ILLUMINATION
200 – 300 lumens

LUMINOUS INTENSITY



The intensity of the beam at its brightest point, expressed in candela. The candela measures the amount of light emitted at a specific point. Whatever the distance, the intensity will be the same.




IMPORTANCE OF THE ANGLE OF THE LIGHT

The angle of illumination has a direct influence on the candela. Where the luminous power is the same for two light sources, the source with the greater angle of light will produce the weakest light.



REACH




The projection distance of a light beam on a surface, expressed in metre. Example: HARD CASE PRO 4 AA lights up to 55 metres.

IMMERSION PROTECTION



Water resistance is measured against IEC 60529 IPXX standards. These standards define the Immersion protection levels for torches.



Example: HARD CASE PRO 4 AA is resistant to water splashes; it is assigned the standard IPX4.

Immersion standards:

- IPX4: resistant to water spray from all angles, 10 l/min at a pressure of 80/100kN/m² for 5 minutes.
- IPX7: resistant to immersion for 30 minutes at a depth of 1 metre.
- IPX8: equipment suitable for continuous immersion in water under conditions as identified by the manufacturer.

DURABILITY



After falling 6 times in a row, the torch must continue to perform in every way as described above. Example: HARD CASE 4 AA PRO can withstand a 2 metre fall and still maintain all its characteristics.

HOUSEHOLD TORCHES



Household Torches

Now there's no excuse to ever be without power in your home with the Energizer range of household torches. Energizer has easy-to-use, dependable torches for the whole family.

Energizer have designed a range of high quality, performing torches which are perfect for everyday home use as well as for that unexpected emergency.

What you need to know:

- Dependable and easy to use.
- General use for everyday situations.
- Perfect for unexpected power emergencies.



Energizer LED Metal Light (with 2AA Batteries)

Product Code LCM2AA
Unit Bar Code 4891138926043

Features & Benefits:

- Reliable Nichia LEDs (Japan technology)
- Textured surface for firm grip
- Handy - torch fits nicely in hand
- Strong metal casing that lasts.
- Great for rugged use
- Bright white light = 55 lumens light output 1.35 hours* of bright light per set of batteries
- Using 2 x Energizer Max AA batteries



Energizer Compact LED Metal Light

Product Code ML33AV1
Unit Bar Code 4891138931245

Features & Benefits:

- Stylish and smart looking.
- Energizer compact LED metal light is the choice when it comes to pocket size handheld torch.
- Equipped with 6 reliable Nichia white LEDs (Japan technology) you can ensure long hours of bright light where ever you go – suitable for in-door and outdoor use.




Energizer Longlife LED

Product Code ECLED4AA
Unit Bar Code 4891138904546

Features & Benefits:

- Runs over 100 hours between battery changes (when used with Energizer MAX Alkaline batteries)
- LED bulb never needs replacing
- LED bulb uses less energy, so batteries last longer
- Barrel rubber grip for secure handling
- Perfect for in-house use, short range lighting
- Use 4AA Energizer batteries



Energizer LED Easy Light

Product Code PL314
Unit Bar Code 4891138930620

Features & Benefits:

- 1 x Nichia white LED
 - Practically never needs replacing
 - Virtually unbreakable
 - Energy saving so batteries last longer
- Easy ON/OFF – Simply press on center piece to switch light ON and OFF
- Versatile – Comes with 2 mounting plates for easy attachment to any surfaces
- Stainless steel casing
- Multi-reflector lens
- For wide & smooth illumination
- Compact and sleek design
- 55 hours runtime per set of batteries
- Uses 3 x AAA batteries
- Will now be coming with double-sided tape (magnet removed)



Household Torches

New Featuring Products



Energizer Torchers (Medium)

Product Code 638667

Unit Bar Code 7638900386677

Features & Benefits:

- New with LED technology
- Extremely lightweight, you can take it anywhere
- Lanyard attached - easy to carry with you
- 26 Lumens
- 35m beam distance
- Works with 2x AA batteries (not included)



Energizer Torchers (Large)

Product Code 638666

Unit Bar Code 7638900386660

Features & Benefits:

- New with LED technology
- Extremely lightweight, you can take it anywhere
- Lanyard attached - easy to carry with you
- 175 Lumens
- 40m beam distance
- Works with 2x D batteries (not included)



COMPACT LED METAL LIGHT

Product Code 632265

Unit Bar Code 7638900307504

Features & Benefits:

- The great pocket LED torch 2 LED
- Morse signal
- Metal stand on the back
- Available in 3 colours: Blue, Metal & Pink
- 3 x AA Alkaline batteries included



CAMPING AND OUTDOOR TORCHES

CAMPING AND OUTDOOR



Camping and Outdoor Torches - Headlights

IMPROVED!

Now more stylish and easier to use

Features and benefits

- Improved head strap for comfort & style
 - Wider strap for more comfort
 - Strap is now removable and washable
 - Stylish new design
- Smaller headlight size for a more comfortable wear softer push button switch for easier on/off
- Easier battery replacement without any need for tools flip-latch battery compartment



3 LED	5 Light Modes					
	Light Mode	SPOT 2 white LEDs	FLOOD 2 white LEDs	FULL 4 white LEDs	STROBE 4 white LEDs	NIGHT VISION 2 red LEDs
	Lumens	60 lumens	30 lumens	80 lumens	100 hours	25 Hours
	Runtime	13 hours	26 hours	8.5 hours	100 hours	25 Hours

6 LED	2 Light Modes		
	Light Mode	FLOOD 2 white LEDs	NIGHT VISION 1 red LED
	Lumens	30 lumens	2 lumens
	Runtime	28 hours	58 hours

Illumination at your fingertips



Energizer Headlight Silver (3 LED) (with 3 x AAA batteries)

Product Code HDL33A
Unit Bar Code 4891138860248

Features & Benefits:

- LED Bulb : 2 x White LEDs & 1 x Red LED
- Light Output : 18 Lumens
- Number of Modes : 2
- Runtime : 30 Hours on Optimal
- On/Off Switch : Slide Button
- Dimension of headlight (excl strap) : 44.5 (H) x 77 (W) mm
- Battery Requirement : 3 x AAA Energizer Batteries



Energizer Headlight Gold (6 LED) (with 3 x AAA batteries)

Product Code HDL33A2
Unit Bar Code 4891138887740

Features & Benefits:

- LED Bulb : 4 x White LEDs & 2 x Red LED
- Light Output : 36 Lumens
- Number of Modes : 3
- Runtime : 19 Hours on Optimal & 30 Hours on Flood
- On/Off Switch : Slide Button
- Dimension of headlight (excl strap) : 44.5 (H) x 77 (W) mm
- Battery Requirement : 3 x AAA Energizer Batteries



Camping and Outdoor Torches

Energizer has an entire range of leisure and outdoor torches to suit your every need.

So, whether you're camping out under the stars or going for a short hike, let Energizer light your way. From battery-powered torches that turn into lanterns to hands free headlights that last for hours, our outdoor lighting is tough, dependable and convenient.

For best results use during:

- Camping and hiking.
- Hunting and fishing.
- General outdoor activities.



Energizer Mini Area Lantern

Product Code AV428

Unit Bar Code 4891138912640

Features & Benefits:

- Approximately 5 hours on 1 set of Energizer alkaline batteries
- 360° illumination
- Wide reflector for maximum light output
- Lantern can stand, hang or hook onto other objects (retractable hanging hook)
- Easy to use ON/OFF dial switch
- Ideal for outdoor use
- Use with 4AA Energizer batteries



Energizer High Tech Combo Pack

Product Code MPLED5

Unit Bar Code 4891138929242


Features & Benefits:

- Comes with LED43A1 hi-tech 2-in-1 torch
- Comes with LED2BU2 Hi-tech metal keyring
- Comes with HD4L3AE 4LED headlight
- Ideal lighting combination for all your lighting needs



Camping and Outdoor Torches

New Featuring Products




3LED Headlight

Product Code 632648
Unit Bar Code 7638900336566

Features & Benefits:

- 3 white LEDs
- Comfort Cushion for a truly comfortable ergonomic fit
- Pivoting head for adjustable beam direction
- On/off slide switch
- Adjustable elastic headband
- 3 x AAA Alkaline batteries included
- 7638900336566



6LED Headlight

Product Code 638164
Unit Bar Code 7638900270228

Features & Benefits:

- High/ Spot /Area Flood/Strobe modes
- 4 white LEDs & 2 Red LEDs
- Comfort switching
- Strap width increased for stability
- Improved battery access
- Pivoting head for adjustable beam direction
- 80 Lumens, 8H 30M Runtime, 19m beam distance (high mode)
- 3 x AAA Alkaline batteries included
- 7638900270228



ML33AV2

Product Code ENCML32
Unit Bar Code 48911389 46690

Features & Benefits:

- Runs 8hrs* per set of batteries
- Compact size that fits easily into pocket and bag
- End tail push button switch for easy on/off
- Durable metal casing



FOLDING LANTERN

Product Code 638666
Unit Bar Code 7638900381207

Features & Benefits:

- Sleek, versatile and powerful area light
- Light Fusion Technology
- Ratchets open and closed for 360° lighting
- Stand on back for added stability when open
- Smart dimming technology
- Runs on 4 or 8 AA batteries
- 4 x AA alkaline batteries included
- Opens for 360 degree lighting
- Folds closed for task light or compact transport
- Dimming button for a variable brightness control
- Stand on back for added stability
- Comfortable, non slip grip



FUSION 2 IN 1 STANDING LIGHT

Product Code 638161
Unit Bar Code 7638900381610

Features & Benefits:

- Light Fusion Technology
- Sturdy, Fold out legs for multiple applications
- Pivoting head helps aim directional light up or down
- Smart dimming technology
- Directional and area light all in one
- 4 x AA alkaline batteries included



IMPACT STANDING LIGHT BIG ANYWHERE LIGHT

Product Code 637730
Unit Bar Code 7638900377309

Features & Benefits:

- Tough, weatherproof and floating area light
- 4 LEDs Area lighting with wide beam angle
- Rotating stand for a flexible use
- The compact format is perfect for storage and designed to suit a broader range of usage applications
- Easy push push button, high/low modes
- 4 x AA alkaline batteries included

WORK AND HEAVY DUTY TORCHES



WORK AND HEAVY DUTY

Work and Heavy Duty Torches

Tough working conditions need even tougher tools.

Whether you need something waterproof, shatter-proof or hands-free, Energizer's dependable and hard working industrial torches and battery powered portable work lights will suit all of your needs on the work site. From small inspection jobs to long-distance lighting needs, light your work with durable battery-powered industrial grade lighting from Energizer.

What you need to know:

- Designed for use in a rugged environment.
- Waterproof, shatter-proof and hands-free products.
- Also perfect for use in any work site.
- Perfectly suited for Do-it-yourself jobs at home.
- Energizer has a wide range of tactical torches for all of your relevant needs.
- Industrial applications, including hands free, handheld and area lighting.

Heavy-duty tactical torches and lighting for industrial, safety and police use.

People and projects are counting on you. Depend on Energizer tactical torches to light the road ahead. Whether your tactical use is for search and rescue, police and law enforcement, industrial and rebuilding or keeping a project moving forward, we understand that with your job, there are no compromises.

Rubber Torches



Energizer Rubber Light (2xAAA)

Product Code RBR23A
Unit Bar Code 4891138935342
Features & Benefits:

No. of Nichia LEDs	2
Runtime*	16hrs
Beam distance	34m
Lumens	11
Battery requirements	2AAA
Equivalent product size	2AA

- Nichia LED that practically never needs replacing
- Built in stand provides convenience
- Tough and Durable -made with high Impact resistant rubber



Energizer Rubber Light (2XAA)

Product Code RBR22A
Unit Bar Code 4891138935243
Features & Benefits:

No. of Nichia LEDs	2
Runtime*	16hrs
Beam distance	40m
Lumens	22
Battery requirements	2AA
Equivalent product size	2D

- Nichia LED that practically never needs replacing
- Built in stand provides convenience
- Tough and Durable -made with high Impact resistant rubber



Work and Heavy Duty Torches



- Metal frame**
- + ABS reinforced plastic parts
 - + Reinforced with rubber parts
 - = Highly shock resistant



• Concentrated beam
• 90m of reach vs 38

• Concentrated beam
• 265m of reach vs 55

• New beam large to short distance



Energizer Hardcase Professional Headlamp (with 3 x AA batteries)
 Product Code PROHL3A
 Unit Bar Code 4891138918062
 Features & Benefits:

- Brightness : High mode - 160 lumens, Low mode - 75 lumens
- Runtime : High mode - 7hrs 45mins, Low mode - 26hrs
- Beam Distance : 120m
- Survives 6 meter drop
- Weatherproof : ANSI FL1 IP X 4



Energizer Hardcase Professional Inspection Light (with 2 x AAA batteries)
 Product Code PROI23A
 Unit Bar Code 4891138918369
 Features & Benefits:

- 30 Lumens
- 1.25 Hours Runtime
- Survives 4.6m drop
- 0.5 - Watt White LED
- Impact resistant ABS plastic
- Weatherproof, rated to IEC standard IPX4
- Shatterproof lens
- Use 2AAA Energizer batteries



Energizer Hardcase Professional Flashlight
 Product Code PR02AA
 Unit Bar Code 4891138918161
 Features & Benefits:

- Brightness : High mode - 125 lumens, Low mode - 30 lumens
- Runtime : High mode - 10 hours, Low mode - 60hours
- Beam Distance : 90m
- Survives 5 meter drop
- Weatherproof : ANSI FL IP X 4



Energizer Hardcase Professional Flashlight
 Product Code PRO4AA
 Unit Bar Code 7638900287448
 Features & Benefits:

- Estimated 150 Lumens
- Estimated 20h runtime
- 200m beam distance
- 2m drop resistant
- IPX4
- 4 AA batteries included



Work and Heavy Duty Torches

Atex / Intrinsically Safe



Energizer Industrial Intrinsically Safe Light

Product Code MS2DLED
Unit Bar Code 4891138911414

Features & Benefits:

- 45 lumens
- 70 hrs runtime per set of 2D batteries
- IP67 rated**
- 63m beam distance
- Survives 2.1m drop
- Super bright 1W luxeon LED
- Anti-roll
- Anti-static chemical resistant polypropylene construction
- Large push button switch for use with gloves
- Lanyard for easy carrying around and storage
- Shatterproof lens
- Use 2D Energizer batteries



Energizer Industrial Intrinsically Safe Light

Product Code MS2ALED
Unit Bar Code 4891138911315

Features & Benefits:

- 18 lumens
- 17 hrs runtime per set of 2AA batteries
- IP67 rated**
- 19m beam distance
- Survives 2.1m drop
- 3 lifetime Nichia LEDs that practically never need replacing
- Anti-roll
- Anti-static chemical resistant polypropylene construction
- Large push button switch for use with gloves
- Lanyard for easy carrying around and storage
- Shatterproof lens
- Use 2AA Energizer batteries



Energizer Industrial Intrinsically Safe Headlight Light


Product Code MSHD3AA
Unit Bar Code 4891138926845

Features & Benefits:

- 75 lumens
- 15 hrs runtime per set of 3AA batteries
- IP64 rated*
- 60m beam distance
- Survives 4m drop
- 4 light modes:
 - High white (CREE LED)
 - Low white (CREE LED)
 - Red for night vision
 - Green for inspection
- Flip-up lens diffuses spot to area light
- Light pivots to direct beam where needed
- Rear mount battery pack distributes weight evenly
- Non-slip, comfort-wear strap

Work and Heavy Duty Torches

New Featuring Products



LED Hardcase Headlight

Product Code 638867
Unit Bar Code 638900388671

Features & Benefits:

- Brightness : High mode - 160 lumens. Low mode - 75 lumens
- Runtime : High mode - 7hrs 45mins. Low mode - 26hrs
- Beam Distance : 120m
- Survives 6 meter drop
- Weatherproof : ANSI FL1 IP X 4




Energizer Hardcase Professional Flashlight

Product Code 638531
Unit Bar Code 7638900287424

Features & Benefits:

- Brightness : High mode - 125 lumens. Low mode - 30 lumens
- Runtime : High mode - 10 hours. Low mode - 60hours
- Beam Distance : 90m
- Survives 5 meter drop
- Weatherproof : ANSI FL IP X 4



ATEX Headlight

Product Code 632026
Unit Bar Code 7638900320268

Features & Benefits:

- New LED
- Designed to last 15 years
- 75 Lumens
- 20h Runtime
- 125m beam distance



Atex 2AA

Product Code 638574
Unit Bar Code 7638900289084

Features & Benefits:

- Upgrade LED Output - Intrinsically safe light
- Improved optics
- Estimated 40 Lumens
- Estimated 12h Runtime
- Estimated 52m beam distance
- Class I, Division I rated
- Extremely impact resistant
- Built-in carabineer belt clip
- Easy to use, anti-static push-button switch
- Oil & grease resistant
- Shatterproof
- Waterproof
- Anti-roll feature
- Designed to last 15 years
- Works with 2 x AA alkaline batteries



Atex 2D

Product Code 638575
Unit Bar Code 7638900289091

Features & Benefits:

- Upgrade LED Output
- Improvement in optics
- Estimated 66 Lumens, Estimated 68h Runtime
- Estimated 213m beam distance
- Class I, Division I rated. Extremely impact resistant
- Built-in carabineer belt clip
- Easy to use, anti-static push-button switch
- Oil & grease resistant
- Shatterproof lens . Waterproof
- Works with 2 x D alkaline batteries
- Anti-roll feature Designed to last 15 years
- Barcode change required

EMERGENCY AND SAFETY TORCHES



EMERGENCY AND SAFETY

Emergency and Safety Torches

You can light a whole room with Energizer area lights and lanterns if the power goes out.

No more groping your way around a dark house when the power goes out. Not with Energizer range of Emergency torches and compact lights showing you the way.

What you need to know:

- Perfect for household safety.
- For prolonged power outage.
- Everyday lighting ideal for any room in the house.
- Easy to use, energy efficient LED lighting



Energizer LED Recharge Light

Product Code RCL2AA2
Unit Bar Code 4891138935847

Features & Benefits:

- Provides longer runtime compared to incandescent model
- Nichia LED bulb practically never needs replacing
- Wall mount bracket for easy storage
- Never be left in the dark with the LED locator
- Soft touch PVC grips for non slip and firm grip



Energizer LED Rechargeable Spotlight

Product Code TUFRC2
Unit Bar Code 4891138941312

Features & Benefits:

- Runtime* : 4hrs
- Beam distance : 385m
- Lumens : 110
- Battery requirement : 4 x AA NiMH Rechargeable Batteries
- Battery replacement : Replaceable
- Weatherproof
- Durable and Impact Resistant
- Shatterproof Lens
- Easy operation
- Convenience

Emergency and Safety Torches



Energizer Rechargeable Fluorescent Lantern

Product Code RC102
Unit Bar Code 4891138842411

Features & Benefits:

- Runtime is approximately 6 hours when fully charged
- During charging the LED will show red, once fully charged this will change to green
- 7 Watt U shaped fluorescent tube
- AC & DC 12V car adaptor with cord included
- Non-slip heavy duty rubber base
- Over charge and over discharge protection to extend battery and tube life
- Suitable for outdoor and indoor use



Energizer Prodigy Recharge Flashlight

Product Code RCLED2D
Unit Bar Code 4891138917515

Features & Benefits:

- Light mode : High/Low Spot Beam
- Light output (in lumens) : High : 130 Low : 50
- Runtime : High : 1.5 Hours Low : 10 Hours
- Beam Distance : High : 218m Low : 116m
- Weatherproof IPX4
- Drop Test : 3 Feet
- Dual push button
- Non slip/rubber grip
- Aircraft aluminum alloy/ High intensity CREE LED
- NiMh (Trickle charge after 16 hours)



Energizer Rechargeable Emergency Lantern

Product Code RC110
Unit Bar Code 4891138894618

Features & Benefits:

- AUTO ON power facility automatically turns the light on when the power fails if charging in the ON position
- Two light settings - normal bright to prolong battery use and extra bright for when you need that extra illumination
- Ergonomically designed carry handle
- High output 11watt U shaped tube
- Over charge and over discharge protection

Emergency and Safety Torches

New Featuring Products



RECHARGEABLE 2LED LIGHT

Product Code 636805

Unit Bar Code 7638900368055

Features & Benefits:

- The ingenious little rechargeable LED torch
- Built-in retractable wall plug
- Plugs directly into the wall, no wires, no mess
- 2 bright white LEDs
- Extremely light weight
- Power discharge protection system
- No batteries required

NOVELTY TORCHES



Energizer have designed a range of personal lights which are ideally suited to fit into your handbag or pocket.

A great security product which provides you with bright light when you need it the most.

What you need to know:

- Portable lighting.
- Ideal for purse or pocket.
- Small, compact size perfect for travel.
- Bright white Nichia LED bulb.



Energizer Hi-Tech LED Key Ring

Product Code LED2BU1NA-M1C

Unit Bar Code 4891138879943

Features & Benefits:

- Bright white light from Nichia LED bulb - 14 lumens
- Durable, metal casing
- Sturdy clip secures keys firmly to light
- Compact size - fits easily into pocket, purse and bag
- Energy saving - runs up to 30 hours on one set of batteries
- Lifetime lamp life - saves the hassle of bulb changing



Energizer LED Penlite

Product Code LP212

Unit Bar Code 4891138928245

Features & Benefits:

- Nichia LED Bright white light (12 lumens)
- Practically never needs replacing
- Stainless steel casing
- Compact, fits easily in pocket, purse and bag
- Tail end push button for easy on/off
- Sturdy clip secures penlight to to pocket, file or objects
- 30 hours of bright white light when and where you need it
- Using Energizer Max AAA batteries



Energizer Booklite


Product Code BKFN2BU

Unit Bar Code 4891138933447

Features & Benefits:

- Light output : 14 Lumens
- Runtime : 10hrs (per battery change)
- Wide beam angle for whole page coverage
- Flexible neck for adjustable light output
- Wider clip for thicker books or laptops
- No memory effect
- Runs on 2 x CR2032 Lithium coin batteries

Novelty Torches New Featuring Products



BOOKLIGHT

Product Code 638391
Unit Bar Code 7638900274622

Features & Benefits:

- Totally hands free
- Flexible rubber neck to easily adjust light
- Sleek and Compact design, you can carry it with you wherever you go Clips together for easy storage
- Suitable for books, laptops & e-readers 2 light modes: high and energy saver
- Diffuser lens delivers broad even light making it easy to read books of all sizes
- 2x 2032 Speciality batteries included



MAGNET LIGHT

Product Code 638668
Unit Bar Code 7638900386684

Features & Benefits:

- Power full magnet for hand free convenience
- Compact and lightweight
- Area light
- Designed to last 10 years
- Available in 3 different colours: Blue, Green and Pink
- 2xCR2032 included



APPENDIX



GENERIC PLANOGRAMS



POS Generic Planogram

9 Prong CTU



Merchandising Guidelines:

- 1) Energizer Lithium to be merchandised on the top section of the unit
- 2) Energizer Max AA 4 Pack & AAA 4 Pack & 2 Pack to be merchandised in the middle section and bottom section of the unit

POS Generic Planogram

6 Prong CTU



Merchandising Guidelines:

- 1) Energizer Max AA & AAA 2 Pack is to be merchandised on the top section of the unit
- 2) Energizer Max AA 4 Pack to be merchandised on the middle section of the unit
- 3) Energizer Max AAA 4 Pack & D's 2 Pack are to be merchandised on the bottom section of the unit

POS Generic Planogram

BDC Unit



Merchandising Guidelines:

- 1) Energizer Torches to be merchandised on the left section of the unit
- 2) Energizer Batteries to be merchandised on the middle section of the unit
 - Energizer Lithium – 1 row on the top
 - Energizer Advanced – 2 rows after Lithium
 - Energizer Max – 5 rows after Advanced
 - Energizer Chargers are to be merchandised on the top right section of the unit
- 3) Energizer Rechargeable Batteries are to be merchandised on the bottom left section of the unit

POS Generic Planogram

Tillpoint Unit



Merchandising Guidelines:

- 1) Energizer Lithium & Energizer Advanced to be merchandised on the first row of the unit
- 2) Energizer Max to be merchandised on the following 4 rows
 - AA & AAA 4 Pack and 2 Pack on the second; third & fourth row
 - C's 2 Pack; D's 2 Pack & 9V on the fourth row

POS Generic Planogram

Side panel Unit



Merchandising Guidelines:

- 1) Energizer Lithium to be merchandised on the first row of the unit
- 2) Energizer Advanced to be merchandised on the second row
- 3) Energizer Rechargeable Batteries to be merchandised on the third row
- 4) Energizer Max to be merchandised on the following 4 rows
 - AA & AAA 4 Pack on the fourth and fifth row
 - AA & AAA 2 Pack on the sixth row
 - C's; D's & 9V on the seventh row

CROSS REFERENCE TABLES



PRODUCT CONFIGURATION DETAILS & CROSS REFERENCE TABLE

BATTERIES & SPECIFICATIONS					BRAND REPLACEMENT CHART		
ENERGIZER BATTERY	IEe NO.	CHEMICAL SYSTEM	VOLT.	DIMENSIONS (MM) LxWxH	DURACELL	PANASONIC	OTHER
Energizer Alkaline Batteries							
E90	LR1	Alk.	1.5	11.9 Dia. x 29.3	MN9100	LR1	KN, LR1N, GP910A
E91	LR6	Alk.	1.5	14.3 Dia. x 50.5	MN1500	LR6	KAA, LR6N, 7524, B15A, GP15A
E92	LR03	Alk.	1.5	10.5 Dia. x 44.5	MN2400	LR03	K3A, LR03N, 7526, B24A, GP24A
E93	LR14	Alk.	1.5	26.2 Dia. x 50.0	MN1400	LR14	KC, LR14N, 7522, B14A, GP14A
E95	LR20	Alk.	1.5	34.1 Dia. x 61.1	MN1300	LR20	KD, LR20N, GP13A
521	-	Alk.	6.0	138.5 x 73.0 x 125.4	MH918	-	-
528	4LR25	Alk.	6.0	66.7 x 66.7 x 109.5	-	-	-
529	4LR25	Alk.	6.0	66.7 x 66.7 x 115.0	MN908	-	-
522	6LR61	Alk.	9.0	48.5 x 26.5 x 17.5	MNI604	6LR61	K9V, 6LF22, 7590, B1604A, GP1604A

BATTERIES & SPECIFICATIONS					BRAND REPLACEMENT CHART							
ENERGIZER BATTERY	IEe NO.	CHEMICAL SYSTEM	VOLT.	DIMENSIONS (MM) LxWxH	DURACELL (EASY TAB)	PANASONIC	PHONAX	VARTA	RAY-O-VAC EXTRA	SIEMENS	POWER ONE	ZENI POWER
ENERGIZER ZINC AIR HEARING AID												
AC10	PR70	Zn-Air	1.4	5.8 Dia. x 3.6	DA10	PR536	10	V10	10AE	10SA	P10	A10
AC13	PR48	Zn-Air	1.4	7.8 Dia. x 5.4	DA13	PR4B	13	V13	13AE	13SA	P13	A13
AC312	PR41	Zn-Air	1.4	7.8 Dia. x 3.6	DA312	PR41	312	V312	312AE	312SA	P312	A312
AC675	PR44	Zn-Air	1.4	11.6 Dia. x 5.4	DA675	PR44	675	V675	675AE	675SA	P675	A675

ENERGIZER LITHIUM COIN					DURACELL	MAXELL	PANASONIC	VARTA	OTHER
ECR1025	CR1025	Li	3.0	10.0 Dia. x 2.5	DL1025	CR1025	CR1025	-	-
ECR1218	CR1218	Li	3.0	12.5 Dia. x 1.8	DL1216	CR1216	CR1216	CR1216	-
ECR1220	CR1220	Li	3.0	12.5 Dia. x 2.0	DL1220	CR1220	CR1220	CR1220	-
ECR1616	CR1616	Li	3.0	16.0 Dia. x 1.6	DL1616	CR1616	CR1616	CR1616	-
ECR1620	CR1820	Li	3.0	16.0 Dia. x 2.0	DL1620	CR2016	CR2016	CR2016	-
ECR1632	CR1820	Li	3.0	16.0 Dia. x 2.0	DL1632	ECR1632	ECR1632	ECR1632	-
ECR2012	CR1820	Li	3.0	16.0 Dia. x 2.0	DL2012	ECR2012	ECR2012	ECR2012	-
ECR2016	CR2016	Li	3.0	12.0 Dia. x 1.2	DL2016	CR2016	CR2015	CR2016	-
ECR2025	CR2025	Li	3.0	20.0 Dia. x 2.5	DL2025	CR2025	CR2025	CR2025	-
ECR2032	CR2032	Li	3.0	20.0 Dia. x 3.2	DL2032	CR2032	CR2032	CR2032	-
ECR2320	CR2320	Li	3.0	23.0 Dia. x 2.0	DL2320	CR2320	BR2320	CR2320	-
ECR2430	CR2430	Li	3.0	24.0 Dia. x 3.0	DL2430	CR2430	CR2430	CR2430	-
ECR2450	CR2450	Li	3.0	24.5 Dia. x 5.0	DL2450	CR2450	CR2450	CR2450	-

ENERGIZER ELECTRONIC					DURACELL	MAXELL	PANASONIC	VARTA	OTHER
A76	LR44	MnO ₂	1.5	11.6 Dia. x 5.4	PX78A	LR44	LR44	V13GA	AG13 LR1154 GPA76
186	LR43	MnO ₂	1.5	11.6 Dia. x 4.2	0188A	LR43	LR43	V12GA	AG12 LR1142 GP186
189	LR54	MnO ₂	1.5	11.6 Dia. x 3.0	D1B9A	LR1130	LR1130	V10GA	AG10 LR1130 GP189
192	LR41	MnO ₂	1.5	7.9 Dia. x 3.6	-	-	-	-	AG3 LR41 GP192
A23	LRV08	MnO ₂	12.0	10.3 Dia. x 28.5	MN21	LRV08	-	V23GA	GP23A
A27	-	MnO ₂	12.0	8.0 Dia. x 28.2	MN27	-	-	-	GP27A

'Abbreviations Are; C-Z - Carbon-Zinc, Alk. - Alkaline, SII. Ox. • Silver Oxide, Li. Lithium. MnO₂ - Manganese Dioxide, Zn-Air - Zinc-Air

Note: Millimeters x 0.039 - Inches

CROSS REFERENCE BASED UPON DIMENSIONS. VOLTAGE. AND ELECTRICAL DRAIN RATE ONLY.

PRODUCT CONFIGURATION DETAILS & CROSS REFERENCE TABLE

BATTERIES & SPECIFICATIONS

BRAND REPLACEMENT CHART

ENERGIZER BATTERY	IEE NO.	CHEMICAL SYSTEM	VOLT.	DIMENSIONS (MM) LxWxH	RENATA	SONY	MAXELL	SEIKO	VARTA
ENERGIZER WATCH BATTERIES									
-	SR43	SII. Ox.	1.55	11.6 x 4.2	301	SR43SW	SR435W	SB-OS/SR43SW	V301/V354
-	SR1158SW	SII. Ox.	1.55	11.6 x 5.6	303	SR44SW	SR44SW	SR44SW	V303
-	SR46	SII. Ox.	1.55	7.9 x 5.3	309	-	SR754SW	S8-C3	V309/V323
-	SR910SW	SII. Ox.	1.55	9.5 x 1.05	-	-	-	-	-
-	SR716W	SII. Ox.	1.55	7.9 x 1.65	-	SR716W	SR716W	-	-
315	SR67	SII. Ox.	1.55	7.9 x 1.6	315	SR716SW	SR716SW	SR716SW	V315
317	SR62	SII. Ox.	1.55	5.8 x 1.8	317	SR516SW	SR516SW	SR516SW	V317
319	SR64	SII. Ox.	1.55	5.8 x 2.7	319	SR527SW	SR527SW	SR/TR527SW	V319
321	SR65	SII. Ox.	1.55	6.8 x 1.6	321	SR616SW	SR616SW	SR/TR616SW	V321
329	SR731SW	SII. Ox.	1.55	7.9 x 3.1	329	SR731SW	SR731SW	SR/731SW	V329
333	SR610SW	SII. Ox.	1.55	6.8 1.05	333	-	-	-	-
335	SR512SW	SII. Ox.	1.55	5.8 x 1.2	335	SR512SW	SR512SW	SR512SW	V335
337	SR416SW	SII. Ox.	1.55	4.8 x 1.5	337	SR416SW	SR416SW	-	-
339	SR614SW	SII. Ox.	1.55	6.8 x 1.4	339	SR614SW	SR614SW	-	V339
341	SR714SW	SII. Ox.	1.55	7.9 x 1.4	341	SR714SW	SR714SW	-	V341
344/350	SR42	SII. Ox.	1.55	11.6 x 3.6	344	-	SR1136SW	-	V344/V343
346	SR712SW	SII. Ox.	1.55	7.9 x 1.3	346	SR712SW	SR712SW	SR/TR712SW	V346
-	SR42	SII. Ox.	1.55	11.6 x 3.5	350	-	-	-	V350
357/303	SR44	SII. Ox.	1.55	11.6 x 5.3	357	SR44W	SR44W	SR44W	V357/V313
361	SR58	SII. Ox.	1.55	7.9 x 2.1	361	SR721W	SR721W	SR/TR721W	V361
362/	SR58	SII. Ox.	1.55	7.9 X 2.1	362	SR721SW	SR721SW	SR/TR721SW	V362
364/343	SR60	SII. Ox.	1.55	6.8 x 2.1	364	SR621SW	SR621SW	SR/TR621SW	V364
365	SR1116W	SII. Ox.	1.55	11.6 x 1.5	365	SR1116W	SR1116W	SR/TR1116W	-
-	SR1116SW	SII. Ox.	1.55	11.6 x 1.5	366	SR1116SW	SR1116SW	SR116SW	-
-	SR69	SII. Ox.	1.55	9.5 x 2.1	370	SR920W	SR920W	SR920W	V370
371/370	SR69	SII. Ox.	1.55	9.5 x 2.1	371	SR920SW	SR920SW	SR/TR920SW	V371
373	SR68	SII. Ox.	1.55	9.5 Dia. x 1.6	373	SR916SW	SR916SW	SR/TR916SW	V373
-	SR66	SII. Ox.	1.55	6.8 Dia. x 2.6	376	-	SR626W	SR/TR626W	-
377/376	SR66	SII. Ox.	1.55	5.8 Dia. x 2.6	377	SR626SW	SR626SW	SR626SW	V377
379	-	SII. Ox.	1.55	5.6 Dia. x 2.1	379	SR521SW	SR521SW	SR/TR521SW	V379
-	SR55	SII. Ox.	1.55	11.6 Dia. x 2.0	381	SR1120SW	SR1120SW	SR/TR1120SW	V381
-	SR41	SII. Ox.	1.55	7.9 Dia. x 3.6	384	SR41SW	SR41SW	SB-C1 SR/TR415SW	V384 V325
386	SR43	SII. Ox.	1.55	11.6 Dia. x 4.2	386	SR43W	SR43W	SR43W	V386
387S	-	SII. Ox.	1.55	11.6 Dia. x 3.6	-	-	-	-	-
389	SR54	SII. Ox.	1.55	11.6 Dia. x 3.0	389	SR1130W	SR1130W	SR1130W	V389
390	SR55	SII. Ox.	1.55	11.6 Dia. x 3.0	390	SR1130SW	SR1130SW	TR1130W	V390
391	SR55	SII. Ox.	1.55	11.6 Dia. x 2.0	391	SR1120W	SR1120W	SR/TR1120SW	V391
392/384	SR41	SII. Ox.	1.55	7.9 Dia. x 3.5	392	SR41W	SR41W	SR/TR41W	V392
393	SR48	SII. Ox.	1.55	7.9 Dia. x 5.3	393	SR48W	SR754W	SR48W	V393
394/380	SR54	SII. Ox.	1.55	9.5 Dia. x 3.6	394	SR936SW SR936W	SR936SW	SR936SW/ SR936W	V394
395/399	SR57	SII. Ox.	1.55	9.5 Dia. x 2.7	395	SR927SW	SR927SW	SR/TR927SW	V395
-	SR59	SII. Ox.	1.55	7.9 Dia. x 2.7	396	SR726W	SR726W	SR/TR726W	V396
397/396	SA59	SII. Ox.	1.55	7.9 Dia. x 2.7	397	SR726SW	SR726SW	SR/TR920SW	V397
-	SR57	SII. Ox.	1.55	9.5 Dia. x 2.7	398	SR927W	SR927W	SR/TR927W	V399

'Abbreviations Are; C-Z - Carbon-Zinc, Alk. - Alkaline, SII. Ox. • Silver Oxide, Li. Lithium, MnO₂ - Manganese Dioxide, Zn-Air - Zinc-Air

Note: Millimeters x 0.039 - Inches
CROSS REFERENCE BASED UPON DIMENSIONS, VOLTAGE, AND ELECTRICAL DRAIN RATE ONLY.

PRODUCT CONFIGURATION DETAILS & CROSS REFERENCE TABLE

ALKALINE	Duracell	IEC	Energizer	Varta	Kodak	Panasonic	Rayovac	Philips	RECHARGEABLES	Duracell	IEC	Germany	Italy	Others
	AA MN1500	LR6		E91	4206/4006	KAA	AM3	815		LR6	HR6	HR6	MICRO	STILO
AAA MN2400	LR03		E92	4203/4003	K3A	AM4	824	LR03	HR03	HR03	MIGNON	MINI-STILO	4003, E92, K3A, R0, UM4	
C MN1400	LR14		E93	4014	KC	AM2	814	LR14	HR14	HR14	BABY	MEZZA-TORCIA	4014, E93, KC, R14, UM2	
D MN1300	LR20		E95	4020	KD	AM1	813	LR20	HR20	HR20	MONO	TORCIA	4020, E95, KD, R20, UM1	
9V MN1604	6LR61		522	4022	K9V	6AM6	A1604	6LR61	HR9V	HR9V	E-BLOCK	TRANSISTOR	422, 4022, 6F22, K9V	
4.5V MN1203	3LR12		-	-	-	-	-	-						

PHOTO	Duracell	IEC	Energizer	Varta	Kodak	Panasonic	Rayovac/Vidor	Seiko	Sony	Philips	Renata	Others
	123	CR17345		EL123AP, EL123A, EL123	CR123A, V123	K123LA KL123LA	CR123A	CR123R	-	CR123	-	-
223	CR-P2		EL223AP, EL223	VL223	K223L K223LA	CRP2P	PC223	-	CR2PS	-	-	DL223 CR-P2S CR-P2
245	2CR5		2CR5, EL2CR5	2CR5	KL2CR5	2CR5M	2CR5R	-	2CR5	-	-	DL245
CR2	CR17355		CR2, ELCR2	CR2	KCR2	CR2	-	-	CR2B	-	-	DLCR2 RLCR2
CR-V3	-		CR-V3	-	CR-V3	CR-V3	-	-	-	-	-	CR-V3, ELCRV3
625A	LR9		EPX625G, V625U, (V625UPX)	625A	KA625 (KX625)	LR9/H-D	R625, (RPX625)	625A	-	-	-	EPX625, EPX625A, KX625, MR9
28L	2CR11108		L544, E23A-A23	V28PXL	K28L	-	-	-	-	-	-	4G13, 7H34, PS28L, 2CR1/3N
1/3N	CR11108		2L76	CR1/3N	K58L	-	-	-	CR1/3	CR1/3N	-	DL1/3N, VCR1/3N

ELECTRONIC	Duracell	IEC	Energizer	Varta	Kodak	Panasonic	Rayovac/Vidor	Seiko	Sony	Philips	Renata	Others
	1220	CR1220		ECR1220	CR1220	-	CR1220	-	-	CR1220	-	-
1616	CR1616		ECR1616	CR1616	-	CR1616	CR1616	-	CR1616	-	-	DL1616
1620	CR1620		ECR1620	CR1620	-	CR1620	1620	-	-	-	-	DL1620
2016	CR2016		ECR2016	CR2016	KCR2016	CR2016	KECR2016-1	CR2016	CR2016	CR2016	-	DL2016, LF-1/4V, KL2016, BR2016
2025	CR2025		ECR2025	CR2025	KCR2025	CR2025	KECR2025-1	CR2025	CR2025	CR2025	-	DL2025, KL2025
2032	CR2032		ECR2032	CR2032	KCR2032	CR2032	KECR2032-1	CR2032	CR2032	CR2032	-	DL2032, LF-1/2V, KL2032
2430	CR2430		ECR2430	CR2430	K2430L	CR2430	CR2430	-	-	CR2430	-	DL2430, LF-1/2W
2450	CR2450		ECR2450	CR2450	-	CR2450	CR2450	-	-	-	-	DL2450, CR2450
357/303	SR44		357									
R357/7			303	V357,V76PX	KS35, KS76	SR44W	357, RS76	SR44W,SB-B9	SR44W	357	357	D357, SR44W, SB-B9, 10L14, J
LR43	LR43		186	V12GA	KA43	LR43	RW84	LR43	LR43	186	-	-
LR44	LR44		A76	V13GA	KA76	LR44	RW82, 303/357-1W	LR44	LR44	A76	-	904, G13, LR1154, PX76A
LR54	LR54		189	V10GA	KA54	LR54	RW89	-	LR1130	-	-	LR1130, AG10
GP89A												
AAAA	-		-	-	-	-	-	-	-	-	-	MN2500, E96

PRODUCT CONFIGURATION DETAILS & CROSS REFERENCE TABLE

WATCH	Duracell	IEC	Energizer	Varta	Kodak	Panasonic	Rayovac/Vidor	Seiko	Citizen	Philips	Renata	Others
	362/361	SR58	362	V362	KS362	SR721SW	362, RW310	TR721SW SB-AK	280-29	362	362	D362, R362/12
	364	SR60	364	V364	KS364	SR621SW	364, RW320, 354-1W	TR621SW	280-34 SB-AG	364	364	D364, R364/31
	371/370	SR69	371	V371	KS371	SR920SW	371, RW415 RW315	SR920SW SB-AN TR920SW SB-BN	280-31	-	371	D371, R371, R370
	377	SR66	377	V377	KS377	SR626SW	377, RW329 376/377-1W	SR626SW SB-AW	280-39	377	377	D377, R377/37, BA
	386/301	SR43	386	V386	KS386	SR43W SR43SW	386 RW44	SR43W SB-B8	280-11 280-41	-	386	D386, R386/6, H
	389/390	SR54	389, 390	V389, V390	KS389, KS390	SR1130W SR1130SW	389 RW49 390 RW39	SR1130W SB-BU SR1130SW SB-AU	280-15 280-24	389	389	D389, D390 R389/17, M, R390/11, 10L122
	391/381	SR55	391	V391			391	TR1120W	280-30	391	391	D391, R391/23, L
	392/384	SR41	392, 384	V392, V384	K392, K384	SR41W SR41SW	392, RW47, 384, RW37 392-1	SR41W, SB-B1, TR41SW, SB-A1,	280-13 280-18	392	392	D392, D384, R392/2, K, R384/10
	394	SR45	394	V394	KS394	SR36SW SR936SW	394, RW33	SR936SW SB-A4	17	-	394	D394, R394/15
399/395	SR57	399, 395	V399, V395	KS399 KS385	SR927SW SR927(926)SW SR9327W	399, RW413 395, RW313	TR927(926)W SB-BP TR927(926SW) SB-AP	280-44 280-48	-	399	D399, D395, R399/35, W, R395/25	

SECURITY	Duracell	IEC	Energizer	Varta	Kodak	Panasonic	Rayovac/Vidor	Toshiba	Sony	Philips	Others
	N	LR1	E90	4001	KN	AM5	810-2	LR1G	LR1SG	LR1	MN9100, 114, 810, 910A, 5500, AM5, E90, LR1, N, R1S
	J	4LR61	539	4018	KJ	4LR61	RJ-1	4LR61	-	539	867, 1412P, J, V76PX, 7K67
	MN21	8LR932	A23	V23GA	K23, K23A	LRV08PA LRV08	R23A	-	-	-	3LR50, A23, E23A, GP23A
	MN27	MN27	-	-	-	-	-	-	-	-	-

SILVER OXIDE BATTERY CROSS REFERENCE CHART	IEC	IEC	ANSI	JIS	DURACELL(D) VARTA (V)	ENERGIZER	PANASONIC	RAYOVAC/VIDOR	SEIKO	CITIZEN	OTHERS	MOPLIN CODE
	SR63	SR521SW	-	-	379	379	SP379	RW327	SB-AC, SB-OC	280-59	CX521	JK33L
	SR80	SR521SW	17550	GS1	364	364	SP364	RW320	SB-AG, SB-DG	280-34	SG1	FM36P
	SR66	SR626W	-	G4 G54	377	397	SP397	RW329	SB-AW, SB-BW	280-29	CX626	JG83E
	SR58	SR721E	115850	G11	361, 362	361, 362	SP361, SP362	RW310, RW410	SB-AK	280-29	CX721	FM33L
	SR59	SR726W	1163S0, 1164S0	G2 G32	396, 397	396, 397	SP369, SP399	RW 411, RW311	SB-AL, SB-BL	280-52, 280-28	SG2	FM350
	SR41	SR736SW	13450, 113550	G3 G53	384, 325, 392	384, 392	SP384, SP392	RW37, RW47	SB-A1, SB-B1	280-18, 280-13	SG3	FM30H
	SR48	SR754SW	13450, 1137S0	G5 G55	393	309, 393	WH-6, SP393	RW48	SB-BS	-	SG5	FM432K
	SR69	SR920W	-	G7 G57	370, 371	370, 371	SP370, RW315	RW315 RW415	SB-AN, SB-BN	280-31, 280-51	CX921	FS70
	SR57	SR927SW	116250, 116550	G6 G57	395, 399	395, 399	SP395, SP399	RW313, RW413	SB-AP	280-45, 280-44	CX926	FS755
	SR45	SR936SW	-	G59	394	394	SP936SW	RW33	SB-A4	280-V	CX956	FS74R
	SR55	SR1120SW	1160S0	G59	381, 391 V8GA	381, 391	SR1120W, SPJB1	RW40, RW30	SB-BS, SB-AO	280-30, 290-27	SG8	FS73Q
	SR54	SR1130SW	113850	G10 G510	389, 390	389, 390	SP389, WS-10	RW39, RW29	SB-BU, AB-AJ	280-15, 280-24	SG10	FM31J
	SR43	SR1142SW	1132S0, 1133S0	G12 G512	301, 354, 386	301, 386	SP301, SP366	RW34, RW44	SB-AB, SB-BB	280-21, 290-01	SG12	FM29G
SR44	SR1154W	119150	G13	357, 313, 303	357	NP313, SP357	RW32, RW42	SB-A9, SB-B9	280-08	SG13	FM28F	
4SR44	-	-	-	PX28S, V28PX	544	4SR44	-	V4034PX	GP476	K528	QR47B	

* Silver Oxide Watch Batteries - all 1.5V (except 4SR44 - 6V)

BARCODE DETAILS



BARCODE DETAILS

BARCODE DETAILS - BATTERIES

PRODUCT CODE	PRODUCT DESCRIPTION	BATTERY VOLTAGE	IEC CODE	CELLS PER CARD	CARDS PER INNER	INNERS PER OUTER	UNIT BAR CODE	INNER BAR CODE	OUTER BAR CODE
ENERGIZER ULTIMATE LITHIUM									
XL91BP4-E2	Energizer Ultimate Lithium: AA - 4 Pack	1.5v	FR6	4	6	4	8 888021 300611	8 888021 700725	1 888802 1300618
XL91BP2-E2	Energizer Ultimate Lithium: AA - 2 Pack	1.5v	FR6	2	6	4	9 312931 540380	8 888021 700350	2 931293 1540384
XL92BP2-E2	Energizer Ultimate Lithium: AAA - 2 Pack	1.5v	FR03	2	6	4	0 39800 07930 5	10 039800 079302	3 003980 0079306
ENERGIZER ADVANCED									
X91RP6B4G2-E2	Energizer Advanced: AA - 6 Pack 4+2 Free	1.5v	LR6	6	6	4	8 888021 203516	8 888021 1901771	1 8888021 203513
X91RP4	Energizer Advanced: AA - 4 Pack	1.5v	LR6	4	12	4	0 398000 2707 8	8 888021 900897	10 039800 027075
X91RP2	Energizer Advanced: AA - 2 Pack	1.5v	LR6	2	12	4	8 888021 201550	8 888021 900873	1 8888021 201557
X92RP4	Energizer Advanced: AAA - 4 Pack	1.5v	LR03	4	12	4	0 39800 02704 7	8 888021 900910	10 039800 027044
X92RP2	Energizer Advanced: AAA - 2 Pack	1.5v	LR03	2	12	4	8 888021 201567	8 888021 900880	1 8888021 201564
ENERGIZER MAX									
E91HP16-Max	Energizer Max: AA - 16 Pack	1.5v	LR6	16	6	2	8 999002 556139	1 8999002 556129	2 8999002 556157
E91BP1X12	Energizer Max: AA - 12 Pack Strip	1.5v	LR6	1		20	8 888021 201581		1 8888021 201588
E91HP10-Max	Energizer Max: AA - 10 Pack	1.5v	LR6	10	12	2	8 999002 556047	1 899900 2556099	2 8999002 556065
E91BP8-MAX	Energizer Max: AA - 8 Pack	1.5v	LR6	8	12	6	8 888021 200256	8 888021 900156	1 8888021 200253
E91BP6-MAX	Energizer Max: AA - 6 Pack	1.5v	LR6	6	12	8	8 888021 200188	8 888021 900149	1 8888021 200185
E91BP4-MAX	Energizer Max: AA - 4 Pack	1.5v	LR6	4	20	10	8 888021 200126	8 888021 900408	3 8888021 200127
E91BP3B2G1	Energizer Max: AA - 3 Pack 2+1 Free	1.5v	LR6	3	12		8 888021 200539	8 888021 900514	
E91BP2-MAX	Energizer Max: AA - 2 Pack	1.5v	LR6	2	20	10	8 888021 200119	8 888021 900392	2 8888021 200113
E92BP6(4+2)	Energizer Max: AAA - 6 Pack 4+2 Free	1.5v	LR03	6	12	8	8 888021 200423	8 888021 901160	1 8888021 200420
E92BP4-MAX	Energizer Max: AAA - 4 Pack	1.5v	LR03	4	12	10	8 888021 200164	8 888021 900354	2 8888021 200168
E92BP3(2+1)	Energizer Max: AAA - 3 Pack 2+1 Free	1.5v	LR03	3	12	18	8 888021 200546	8 888021 901153	1 8888021 200543
E92BP2-MAX	Energizer Max: AAA - 2 Pack	1.5v	LR03	2	20	10	8 888021 200157	8 888021 900347	2 8888021 200151
E93BP2-MAX	Energizer Max: C - 2 Pack	1.5v	LR14	2	6	18	8 888021 200133	8 888021 900064	1 8888021 200130
E95HP4-MAX	Energizer Max: D - 4 Pack	1.5v	LR20	4	6	2	8 999002 668924	1 899900 2668907	2 8999002 668980
E95BP2-MAX	Energizer Max: D - 2 Pack	1.5v	LR20	2	6	12	8 888021 200140	8 888021 900057	1 8888021 200147
522BP1-MAX	Energizer Max: 9V - 1 Pack	9v	6LR61	1	12	12	8 888021 200171	8 888021 900095	1 8888021 200178
ENERGIZER MINIATURE BATTERIES									
CR2032BP1	Energizer Lithium Coin: 2032	3v	CR2032	1	12	24	9 312931 540366	8 888021 700107	1 8888021 700107
CR2025BP1	Energizer Lithium Coin: 2025	3v	CR2025	1	12	24	9 312931 540359	8 888021 700329	1 8888021 700326
CR2016BP1	Energizer Lithium Coin: 2016	3v	CR2016	1	12	24	9 312931 540342	8 888021 700312	1 8888021 700319
CR1620BP1	Energizer Lithium Coin: 1620	3v	CR1620	1	12	24	0 39800 03859 3	8 888021 700442	2 8888021 700446
CR1616BP1	Energizer Lithium Coin: 1616	3v	CR1616	1	12	24	0 39800 03858 6	8 888021 700411	2 8888021 700415
CR1220BP1	Energizer Lithium Coin: 1220	3v	CR1220	1	12	24	0 39800 00675 2	8 888021 700435	2 8888021 700439
E90BP2-MAX	Energizer Miniature Alkaline: N	1.5v	LR1	2	6	20	9 312931 530015	8 888021 900088	1 9312931 530012
E96BP2	Energizer Miniature Alkaline: AAAA	1.5v	LR8D425	2	12	4	8 888021 200980	8 888021 900811	1 8888021 200987
A76BP2-12	Energizer Miniature Alkaline: A76 - 2 Pack	1.5v	LR44	2	12	20	9 312931 540076	8 888021 700091	1 9312931 540073
A27BP1	Energizer Miniature Alkaline: A27	12v	LR44	1	12	40	8 888021 300369	8 888021 700367	1 8888021 300366
A23BP2	Energizer Miniature Alkaline: A23 - 2 Pack	12v	LRV08	2	20	10	8 888021 300574	8 888021 700695	1 8888021 300571
A23BP1	Energizer Miniature Alkaline: A23	12v	LRV08	1	12	40	8 888021 300116	8 888021 700077	1 8888021 300113
A544BP1	Energizer Miniature alkaline: A544	6v	4LR44	1	6	20	9 312931 540243	8 888021 700633	1 9312931 540240
2L76BP	Energizer Specialty Battery: 2L76	3v	CR11108	1	6	12	0 39800 09252 6	0 003980 025845	6 003980 025847
EPX625G	Energizer Specialty Battery: EPX625G	1.5v	LR9	1	10	10	7 638900 011104	7 638900 995121	0 7638900 995114
EPX76BP1	Energizer Specialty Battery: EPX76	1.5v	SR44	1	6	12	0 39800 03722 0	3 003980 037221	5 003980 037225

BARCODE DETAILS - BATTERIES

ENERGIZER PHOTO BATTERIES										
X123ABP1-E2	Energizer Lithium Photo: 123	3v	CR17345	1	6	48	8 888021 300086	8 888021 700114	2 8888021 300080	
X223ABP1-E2	Energizer Lithium Photo: 223	6v	CRP2	1	6	48	8 888021 300079	8 888021 700084	2 8888021 300073	
X1CR2BP1-E2	Energizer Lithium Photo: CR2	3v	CR16H270	1	6	48	8 888021 300208	8 888021 700169	3 8888021 300209	
X2CR5BP1-E2	Energizer Lithium Photo: 2CR5	6v	2CR5	1	6	36	8 888021 300093	8 888021 700121	3 8888021 300094	
ENERGIZER HEARING AID BATTERIES										
AZ10DPA-4	Energizer Zero Mercury Hearing Aid Battery: 10	1.4v	PR70	4	10	10	8 888021 300413	8 888021 700558	188 88021 300410	
AZ13DPA-4	Energizer Zero Mercury Hearing Aid Battery: 13	1.4v	PR48	4	10	10	8 888021 300420	8 888021 700565	188 88021 300427	
AZ312DPA-4	Energizer Zero Mercury Hearing Aid Battery: 312	1.4v	PR41	4	10	10	8 888021 300437	8 888021 700572	188 88021 300434	
AZ675DPA-4	Energizer Zero Mercury Hearing Aid Battery: 675	1.4v	PR44	4	10	10	8 888021 300444	8 888021 700589	188 88021 300441	
ENERGIZER RECHARGE										
NH22BP1	Energizer Recharge : 9V - 1 Pack	175	8.4v	1	6	36	039800009166	30039800009167	50039800009161	
NH12RP2 700	Energizer Recharge : AAA - 2 Pack	700	1.2v	2	6	12	8888021301502	8888021701289	18888021301509	
NH12RP4 700	Energizer Recharge : AAA - 4 Pack	700	1.2v	4	6	24	8888021301526	8888021701302	18888021301523	
NH15RP4 1300	Energizer Recharge : AA - 4 Pack	1300	1.2v	4	6	24	8888021301472	8888021701258	18888021301479	
NH15RP2 1400	Energizer Recharge : AA - 2 Pack	1400	1.2v	2	6	12	8888021301410	8888021701197	18888021301417	
NH15RP4 1400	Energizer Recharge : AA - 4 Pack	1400	1.2v	4	6	24	8888021301434	8888021701210	18888021301431	
NH15RP2 2300	Energizer Recharge : AA - 2 Pack	2300	1.2v	2	6	12	8888021301366	8888021701135	18888021301363	
NH15RP4 2300	Energizer Recharge : AA - 4 Pack	2300	1.2v	4	6	24	8888021301373	8888021701142	18888021301370	
ENERGIZER CHARGES										
CH2PC-700	Energizer Charger : Mini Charger (with 2 x 700mAh AAA)	700		2	6	24	8888021300819	28888021300820	18888021300816	
CH2PC-1300	Energizer Charger : Mini Charger (with 2 x 1300mAh AA)	1300		2	6	24	8888021300994	18888021300991	28888021300998	
CHVC-SK-MBC	Energizer Charger : Value Charger (with 4 x 1300mAh AA & 2 x 700mAh AAA)	1300 & 700		6	6	24	8888021300741	28888021300745	18888021300748	
CHM4A-SK14BC	Energizer Charger : Overnight Charger (with 4 x 1400mAh AA)	1400		4	3	24	4891138860347	14891138860344	24891138860341	
CHP41	Energizer Charger : Smart Charger (with 4 x 1400mAh AA)	1400		4	3	24	4891138932648	14891138932645	24891138932642	

BARCODE DETAILS - TORCHES

PRODUCT CODE	PRODUCT DESCRIPTION	Product Status	Units Per Inner	Inner Per Case	UNIT BAR CODE	INNER BAR CODE	OUTER BAR CODE
HOUSEHOLD/EMERGENCY RANGE							
ECL1D2AA	Energizer® Longlife Led	Standard	4	6	4891138900447	1489113890444	24891138904441
ECL1D4AA	Energizer® Longlife Led	Standard	4	4	4891138904546	1489113890454	24891138904540
LED4AA4	Energizer® Household LED (with 4 AA batteries)	Standard	4	9	039800079480	14891138877441	248911388877448
ML33AV1	Energizer® Compact LED Metal Light	Standard	6	36	4891138931245	14891138931242	24891138931249
LCM2AA	Energizer® LED Metal Light (with 2AA Batteries)	Standard	4	16	4891138926043	14891138926040	24891138926047
PL314	Energizer® LED Easy Light	Standard	4	48	4891138930620	14891138930627	24891138930624
RC102	Energizer® Rechargeable Fluorescent Lantern	Standard	6	n/a	4891138842411	n/a	24891138868514
RC105	Energizer® Rechargeable Utility Lantern	Non-Std	6	n/a	4891138848512	n/a	24891138848516
RC110	Energizer® Rechargeable Emergency Lantern	Standard	4	n/a	4891138894618	n/a	24891138848516
RCL2AA2	Energizer® LED Recharge Light	Standard	4	6	4891138935847	14891138935844	24891138935841
LEISURE/OUTDOOR RANGE							
HDL33A	Energizer® Headlight Silver (3 LED) (with 3 x AAA batteries)	Standard	6	12	4891138860248	14891138860245	24891138860242
HDL33A2	Energizer® Headlight Gold (6 LED) (with 3 x AAA batteries)	Standard	4	12	4891138887740	14891138897340	24891138897347
MPHL-NF-MBC	Headlight® Combo Pack	Standard	1	6	4891138913548	14891138913545	24891138913542
AV428	Energizer® Mini Area Lantern	Standard	4	6	4891138912640	14891138912647	n/a
TUFR2	Energizer® LED Rechargeable Spotlight	Standard	4	n/a	4891138941312	n/a	14891138941319
MPLED5	Energizer® High Tech Combo Pack	Standard	4	16	4891138929242	14891138929249	24891138929246
BIKFB	Energizer® Bike Light	Standard	4	n/a	7638900344578	n/a	17638900344575
WORK/HEAVY DUTY RANGE							
RBR23A	Energizer® Rubber Light (2xAAA)	Standard	4	6	4891138935342	14891138935349	24891138935346
RBR22A	Energizer® Rubber Light (2XAA)	Standard	4	12	4891138935243	14891138935240	24891138935247
PROHL3A	Energizer® Hardcase Professional Headlamp (with 3 x AA batteries)	Standard	4	4	4891138918062	14891138918069	24891138918066
PROI23A	Energizer® Hardcase Professional Inspection Light (with 2 x AAA batteries)	Standard	4	8	4891138918369	14891138918366	24891138918165
PRO2AA1	Energizer® Hardcase Professional Flashlight	Standard	4	8	4891138918161	14891138918168	24891138918165
G38532	Energizer® Harcase Professional Flashlight	Standard	4	4	7638900287448	17638900300601	17638900300601
MSHD3AA	Energizer® Industrial Intrinsicly Safe Headlight Light	Standard	4	48	4891138926845	14891138926842	24891138926849
MS2AL1ED	Energizer® Industrial Intrinsicly Safe Light	Standard	6	12	4891138911315	14891138911312	24891138911319
MS2D1ED	Energizer® Industrial Intrinsicly Safe Light	Standard	6	8	4891138911414	14891138911411	24891138911418
RCLD2D	Energizer® Prodigy Recharge Flashlight	Standard	4	12	4891138917515	14891138917512	24891138917519
PERSONAL RANGE							
BKFN2BU	Energizer® Booklite	Standard	4	16	4891138933447	1481138933444	24891138933441
LED2BU1NA-M1C	Energizer® Hi-Tech LED Key Ring	Standard	12	8	4891138879943	14891138879940	24891138879947
LP212	Energizer® LED Penlite	Standard	12	96	4891138928245	14891138928242	24891138928249

CONTACT US

Johannesburg office

21B Polo Crescent
Woodmead Office Park
Van Reenans Avenue
Woodmead
Gauteng
2157

Tel: +2711 802 2424

Fax: +2711 802 2414

Cape Town office

Unit G7A
Sunrise Park
Sunrise Circle
Prestige Drive
Ndabeni
7405

Tel: +2721 531 4436

Fax: +2721 531 4816

Durban office

23A Ennisdale Drive
Durban North
Durban
4001

Tel: +2731 563 2079

Fax: +2731 563 2038

Product queries email address

SouthAfricaInfo@Energizer.com

Website

www.energizer.co.za

Twitter

[@Energizer](https://twitter.com/Energizer)

Facebook

www.facebook.com/EnergizerSouthAfrica





Energizer®