

Cornell University Insect Collection

Geometridae

Compiled by Jacob A. Gorneau

Curated by Jacob A. Gorneau, Leah Richardson,
Joseph Giulian, Annika Salzberg, Kyhl Austin, Milena Blue Spruce

Determined Species and subspecies: 3563

Updated: September 2019

Cornell University Insect Collection

Geometridae: Larentiinae

Compiled by Jacob A. Gorneau

Curated by Jacob A. Gorneau, Leah Richardson,
Joseph Giulian, Annika Salzberg, Kyhl Austin, Milena Blue Spruce

Determined Species and subspecies: 789

Updated: September 2019

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
Geometridae	Larentiinae	Cidariini	<i>Callabraxas</i>	<i>maculata</i>	(Swinhoe 1894)	PAL
			<i>Coenotephria</i>	<i>nebulata</i>	(Treitschke 1828)	PAL
			<i>Colostygia</i>	<i>aptata</i>	(Hübner 1813)	PAL
			<i>Colostygia</i>	<i>jemeza</i>	(Butler 1878)	ORI
			<i>Colostygia</i>	<i>pectinaria</i>	(Knoch 1781)	PAL
			<i>Colostygia</i>	<i>salicata</i>	(Hübner 1799)	PAL
			<i>Cosmorhoe</i>	<i>ocellata</i>	(Linnaeus 1758)	PAL
			<i>Dysstroma</i>	<i>brunneata brunneata</i>	(Packard 1867)	NEA
			<i>Dysstroma</i>	<i>brunneata ethela</i>	(Hulst 1896)	NEA
			<i>Dysstroma</i>	<i>calamistrata</i>	(Moore 1868)	ORI
			<i>Dysstroma</i>	<i>cinereata</i>	(Moore 1868)	ORI
			<i>Dysstroma</i>	<i>citrata</i>	(Linnaeus 1761)	NEA/ORI/PAL
			<i>Dysstroma</i>	<i>formosa formosa</i>	(Hulst 1896)	NEA
			<i>Dysstroma</i>	<i>formosa occidentata</i>	(Taylor 1910)	NEA
			<i>Dysstroma</i>	<i>hersiliata hersiliata</i>	(Guenée 1858)	NEA
			<i>Dysstroma</i>	<i>hersiliata cervinifascia</i>	(Walker 1862)	NEA
			<i>Dysstroma</i>	<i>hersiliata manitoba</i>	McDunnough 1939	NEA
			<i>Dysstroma</i>	nr. <i>hewlettaria</i>	Wright 1927	NEA
			<i>Dysstroma</i>	<i>infuscata</i>	(Tengstrom 1869)	PAL
			<i>Dysstroma</i>	<i>mancipata decorata</i>	(Taylor 1910)	NEA
			<i>Dysstroma</i>	<i>mancipata hulstata</i>	(Taylor 1907)	NEA
			<i>Dysstroma</i>	<i>mancipata mancipata</i>	(Guenée 1858)	NEA
			<i>Dysstroma</i>	<i>siterata</i>	(Hufnagel 1767)	PAL
			<i>Dysstroma</i>	<i>sobria</i>	Barnes & McDunnough	NEA
			<i>Dysstroma</i>	<i>suspectata suspectata</i>	(Möschler 1874)	NEA
			<i>Dysstroma</i>	<i>suspectata mackieata</i>	Cassino & Swett 1923	NEA
			<i>Dysstroma</i>	<i>truncata truncata</i>	(Hufnagel 1767)	NEA/PAL
			<i>Dysstroma</i>	<i>truncata transversata</i>	(Kellicott 1866)	NEA
			<i>Dysstroma</i>	<i>walkerata</i>	(Pearsall 1909)	NEA
			<i>Ecliptopera</i>	<i>delecta</i>	(Butler 1880)	ORI
			<i>Ecliptopera</i>	<i>dentifera</i>	Moore 1888	ORI
			<i>Ecliptopera</i>	<i>dissecta</i>	Moore 1888	ORI

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Ecliptopera muscicolor</i>	(Moore 1888)	ORI
			<i>Ecliptopera sagittatoides</i>	Pagenstecher 1900	AUS
			<i>Ecliptopera silaceata silaceata</i>	(Denis & Schiffermuller 1775)	NEA/PAL
			<i>Ecliptopera silaceata albolineata</i>	(Denis & Schiffermuller 1775)	NEA/PAL
			<i>Ecliptopera triangulifera</i>	(Moore 1888)	ORI
			<i>Electrophaes corylata</i>	(Thunberg 1792)	PAL
			<i>Eulithis destinata destinata</i>	(Möschler 1860)	NEA
			<i>Eulithis destinata schistacea</i>	(Warren 1901)	NEA
			<i>Eulithis diversilineata</i>	(Hübner 1813)	NEA
			<i>Eulithis explanata</i>	(Walker 1862)	NEA
			<i>Eulithis explanata</i> fm. <i>cunigerata</i>	(Walker 1862)	NEA
			<i>Eulithis flavibrunneata</i>	(McDunnough 1943)	NEA
			<i>Eulithis gracilineata</i>	(Guenée 1858)	NEA
			<i>Eulithis ledereri</i>	(Bremer 1864)	PAL
			<i>Eulithis luteolata</i>	(Hulst 1896)	NEA
			<i>Eulithis molliculata</i>	(Walker 1862)	NEA
			<i>Eulithis populata</i>	(Linnaeus 1758)	PAL
			<i>Eulithis propulsata</i>	(Walker 1862)	NEA
			<i>Eulithis prunata</i>	(Linnaeus 1758)	PAL
			<i>Eulithis pyropata</i>	(Hübner 1809)	PAL
			<i>Eulithis serrataria</i>	(Barnes and McDunnough 1917)	NEA
			<i>Eulithis testata</i>	(Linnaeus 1761)	NEA
			<i>Eulithis xyliina</i>	(Hulst 1896)	NEA
			<i>Eurhinosea flavaria</i>	Packard 1873	NEA
			<i>Eustroma atrifasciata</i>	(Hulst 1888)	NEA
			<i>Eustroma melancholica</i>	(Butler 1878)	PAL
			<i>Eustroma semiatrata</i>	(Hulst 1881)	NEA
			<i>Evecliptopera decurrens decurrens</i>	(Moore 1888)	ORI
			<i>Gandaritis agnes</i>	(Butler 1878)	PAL
			<i>Gandaritis atricolorata</i>	(Grote & Robinson 1866)	NEA
			<i>Gandaritis evanescens</i>	(Butler 1881)	ORI
			<i>Gandaritis fixseni</i>	(Bremer 1864)	PAL

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Gandaritis flavata</i>	Moore 1867	ORI
			<i>Gandaritis sinicaria</i>	Leech 1897	ORI
			<i>Lampropteryx chalybearia</i>	(Moore 1868)	ORI
			<i>Lampropteryx suffumata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Lobogonodes multristriata</i>	(Butler 1889)	PAL
			<i>Nebula corticalis</i>	(Butler 1882)	NEO
			<i>Nebula cynthia</i>	(Butler 1882)	NEO
			<i>Nebula diana</i>	(Butler 1882)	NEO
			<i>Nebula emilia</i>	(Butler 1882)	NEO
			<i>Nebula macidata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Nebula mathewi</i>	(Butler 1883)	NEO
			<i>Nebula misera</i>	(Butler 1882)	NEO
			<i>Nebula pseudohalia</i>	(Butler 1882)	NEO
			<i>Nebula pusilla</i>	(Butler 1882)	NEO
			<i>Nebula taczanowskiaria</i>	(Oberthür 1880)	PAL
			<i>Polythrena coloraria</i>	(Herrich-Schäffer 1855)	PAL
			<i>Sibatania mactata</i>	(Felder 1875)	PAL
		Hydriomenini	<i>Anticlea badiiplaga</i>	(Fletcher 1953)	NEO
			<i>Anticlea chilanensis</i>	(Butler 1882)	NEO
			<i>Anticlea derivata</i>	(Denis & Schiffermüller 1775)	NEO
			<i>Anticlea implicata multilineata</i>	(Packard 1871)	NEA
			<i>Anticlea multiferata</i>	(Walker 1863)	NEA
			<i>Anticlea vasilata</i>	(Guenée 1858)	NEA
			<i>Anticlea vasilata</i> fm. <i>niveifasciata</i>	(Hulst)	NEA
			<i>Archirhoe indefinata</i>	(Grossbeck 1907)	NEA
			<i>Archirhoe neomexicana</i>	(Hulst 1896)	NEA
			<i>Carptima hydriomenata</i>	Pearsall 1906	NEA
			<i>Ceratodalia gueneata</i>	Packard 1876	NEA
			<i>Cophocerotis cinerea</i>	Warren 1907	NEO
			<i>Coryphista meadii</i>	(Packard 1874)	NEA
			<i>Coryphista meadii</i> fm. <i>badiaria</i>	(Hy. Edwards)	NEA
			<i>Cyclica frondraria</i>	Grote 1882	NEA

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Dasyuris anceps</i>	Butler 1877	AUS
			<i>Dasyuris partheniata</i>	Guenee 1868	AUS
			<i>Entephria aurata</i>	(Packard 1867)	NEA
			<i>Entephria bradorata</i>	(Munroe 1951)	NEA
			<i>Entephria caesiata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Entephria cyanata</i>	(Hübner 1809)	PAL
			<i>Entephria flavicinctata</i>	(Hübner 1813)	PAL
			<i>Entephria kidluitata</i>	(Munroe 1951)	NEA
			<i>Entephria multivagata</i>	(Hulst 1881)	NEA
			<i>Entephria polata</i>	(Duponchel 1830)	NEA
			<i>Entephria punctipes</i>	(Curtis 1835)	NEA
			<i>Ersephila grandipennis</i>	Hulst 1896	NEA
			<i>Ersephila indistincta</i>	Hulst 1898	NEA
			<i>Eutrepisia inconstans</i>	(Geyer 1837)	NEA
			<i>Grossbeckia semimaculata</i>	Barnes & McDunnough 1912	NEA
			<i>Hagnagora amicata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Hagnagora croceitincta</i>	(Dognin 1892)	NEO
			<i>Hagnagora ephestris</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Hagnagora mesenata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Hagnagora mortipax mortipax</i>	(Butler 1872)	NEO
			<i>Hammaptera ignifera</i>	(Thierry-Mieg 1894)	NEO
			<i>Hammaptera parinotata</i>	(Zeller 1872)	NEA
			<i>Hammaptera repandaria</i>	Schaus 1901	NEO
			<i>Hammaptera requisitata</i>	Warren 1900	NEO
			<i>Hammaptera tenera</i>	Warren	NEO
			<i>Hammaptera vanonaria</i>	(Schaus 1901)	NEO
			<i>Hammaptera viridifusata</i>	Walker 1862	NEO
			<i>Hydriomena albifasciata albifasciata</i>	(Packard 1874)	NEA
			<i>Hydriomena albifasciata reflata</i>	Grote 1882	NEA
			<i>Hydriomena arida</i>	Butler 1879	AUS
			<i>Hydriomena arizonata</i>	Barnes & McDunnough 1917	NEA
			<i>Hydriomena barnesata</i>	Swett 1909	NEA

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Hydriomena bistriolata</i>	(Zeller 1872)	NEA
			<i>Hydriomena californiata</i>	Packard 1871	NEA
			<i>Hydriomena chiricahuata</i>	Swett 1909	NEA
			<i>Hydriomena crockeri</i>	Swett 1910	NEA
			<i>Hydriomena deltoidata</i>	(Walker 1862)	AUS
			<i>Hydriomena divisaria divisaria</i>	(Walker 1860)	NEA
			<i>Hydriomena divisaria brunnescens</i>	McDunnough 1954	NEA
			<i>Hydriomena divisaria frigidata</i>	(Walker 1863)	NEA
			<i>Hydriomena edenata</i>	Swett 1909	NEA
			<i>Hydriomena furcata</i>	(Thunberg 1784)	NEA/PAL
			<i>Hydriomena furcata</i> fm. <i>fuscoundata</i>	(Donovan)	NEA
			<i>Hydriomena impluviata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Hydriomena irata</i>	Swett 1910	NEA
			<i>Hydriomena manzanita</i>	Taylor 1906	NEA
			<i>Hydriomena morosata</i>	Barnes & McDunnough 1917	NEA
			<i>Hydriomena muscata</i>	Barnes & McDunnough 1917	NEA
			<i>Hydriomena nevadae</i>	Barnes & McDunnough 1917	NEA
			<i>Hydriomena nubilofasciata</i>	(Packard 1871)	NEA
			<i>Hydriomena perfracta</i>	Swett 1910	NEA
			<i>Hydriomena pluviata</i>	(Guenée 1858)	NEA
			<i>Hydriomena purpurifera</i>	Fereday 1883	AUS
			<i>Hydriomena purpurissa</i>	(Warren 1907)	NEO
			<i>Hydriomena quinquefasciata</i>	(Packard 1871)	NEA
			<i>Hydriomena renunciata columbiata</i>	(Walker 1862)	NEA
			<i>Hydriomena renunciata renunciata</i>	(Walker 1863)	NEA
			<i>Hydriomena ruberata</i>	(Freyer 1831)	NEA/PAL
			<i>Hydriomena sierrae</i>	Barnes & McDunnough 1917	NEA
			<i>Hydriomena similis similis</i>	Hulst 1896	NEA
			<i>Hydriomena similis terminipunctata</i>	Barnes & McDunnough 1916	NEA
			<i>Hydriomena speciosata</i>	(Packard 1873)	NEA
			<i>Hydriomena transfigurata transfigurata</i>	Swett 1912	NEA
			<i>Hydriomena transfigurata</i> fm. <i>manitoba</i>	Barnes & McDunnough 1917	NEA

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Hymenodria mediodentata</i>	Barnes & McDunnough 1911	NEA
			<i>Idiotephria amelia</i>	(Butler 1878)	PAL
			<i>Mesoleuca albicillata</i>	(Linnaeus 1758)	PAL
			<i>Mesoleuca gratulata</i>	(Walker 1862)	NEA
			<i>Mesoleuca ruficillata</i>	(Guenée 1858)	NEA
			<i>Monostoecha semiptectinata</i>	(Hulst 1898)	NEA
			<i>Notoreas chrysopeda</i>	(Meyrick 1885)	AUS
			<i>Notoreas mechanitis</i>	Meyrick 1883	AUS
			<i>Notoreas paradelpha</i>	Meyrick 1883	AUS
			<i>Notoreas perornata</i>	Walker 1863	AUS
			<i>Oligopleura macrocephalata</i>	Guenée 1858	NEO
			<i>Paranotoreas brephosata</i>	(Walker 1862)	AUS
			<i>Pareulype berberata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Pelurga comitata</i>	(Linnaeus 1758)	PAL
			<i>Perizoma actuata</i>	(Pearsall 1909)	NEA
			<i>Perizoma alchemillata</i>	(Linnaeus 1758)	PAL
			<i>Perizoma arcillata</i>	(Dognin 1893)	NEO
			<i>Perizoma basaliata</i>	(Walker 1862)	NEA
			<i>Perizoma costiguttata</i>	(Hulst 1896)	NEA
			<i>Perizoma curvilinea</i>	(Hulst 1896)	NEA
			<i>Perizoma custodiata</i>	(Guenée 1858)	NEA
			<i>Perizoma custodiata</i> fm. <i>carinata</i>	(Packard)	NEA
			<i>Perizoma custodiata</i> fm. <i>polygrammata</i>	(Hulst)	NEA
			<i>Perizoma epiperona</i>	(Prout 1913)	ETH
			<i>Perizoma fasciolata</i>	(Vorbodt 1917)	NEO
			<i>Perizoma grandis</i>	(Hulst 1896)	NEA
			<i>Perizoma impromissata</i>	(Walker 1862)	NEO
			<i>Perizoma minorata</i>	Treitschke 1828	PAL
			<i>Perizoma oxygramma</i>	(Hulst 1896)	NEA
			<i>Perizoma parallelolineata</i>	(Retzius 1783)	PAL
			<i>Perizoma seriata</i>	(Moore 1888)	ORI
			<i>Perizoma verberata</i>	(Scopoli 1763)	PAL

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Perizoma zenobia</i>	(Thierry-Mieg 1893)	NEO
			<i>Plemyria georgii georgii</i>	Hulst 1896	NEA
			<i>Plemyria georgii benesignata</i>	(Barnes & McDunnough 1917)	NEA
			<i>Plemyria rubiginata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Priapodes longipalpata</i>	(Thierry-Mieg 1892)	NEO
			<i>Psaliodes adhaesiata</i>	Felder, 1875	NEO
			<i>Psaliodes aurantivena</i>	Warren 1904	NEO
			<i>Psaliodes brunneata</i>	(Warren 1904)	NEO
			<i>Psaliodes cronia</i>	Druce 1893	NEO
			<i>Psaliodes electa</i>	Schaus 1912	NEO
			<i>Psaliodes endotrichiata</i>	Snellen 1874	NEO
			<i>Psaliodes fervescens</i>	Dyar 1920	NEA
			<i>Psaliodes laticlara</i>	Dognin 1904	NEO
			<i>Psaliodes magniplagata</i>	Dognin 1901	NEO
			<i>Psaliodes multilinea</i>	Schaus 1901	NEO
			<i>Psaliodes ocreata</i>	Snellen 1874	NEO
			<i>Psaliodes olivescens</i>	Dognin 1911	NEO
			<i>Psaliodes pallida</i>	Schaus 1901	NEO
			<i>Psaliodes picta</i>	Warren 1904	NEO
			<i>Psaliodes plumbescens</i>	(Warren 1904)	NEO
			<i>Psaliodes quinquelatera</i>	Prout 1916	NEO
			<i>Pterocypha gibbosaria</i>	Herrich-Schäffer 1855	NEO
			<i>Pterocypha occultaria</i>	Schaus	NEO
			<i>Rheumaptera cervinalis</i>	(Scopoli 1763)	PAL
			<i>Rheumaptera cunctata</i>	(Snellen 1874)	NEO
			<i>Rheumaptera exacta</i>	(Butler 1882)	NEO
			<i>Rheumaptera hastata hastata</i>	(Linnaeus 1758)	NEA/PAL
			<i>Rheumaptera hastata gothicata</i>	(Guenée 1857)	NEA
			<i>Rheumaptera hecate</i>	(Butler 1878)	PAL
			<i>Rheumaptera inepta</i>	(Dognin 1900)	NEO
			<i>Rheumaptera interrupta</i>	(Dognin 1900)	NEO
			<i>Rheumaptera hedemannaria</i>	(Oberthür 1880)	PAL

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Rheumaptera prunivorata</i>	(Ferguson 1955)	NEA
			<i>Rheumaptera subhastata albodecorata</i>	(Blackmore 1920)	NEA
			<i>Rheumaptera subhastata subhastata</i>	(Nolcken 1870)	NEA
			<i>Rheumaptera thalearia</i>	Herrich-Schäffer	PAL
			<i>Rheumaptera undulata</i>	(Linnaeus 1758)	NEA
			<i>Rucana marmorata</i>	Dognin 1913	NEO
			<i>Spargania angustaria</i>	Herrich-Schäffer 1855	NEO
			<i>Spargania aurata</i>	(Grote 1882)	NEA
			<i>Spargania bellpicta</i>	Warren 1901	NEA
			<i>Spargania cultata</i>	Guenée 1858	NEO
			<i>Spargania cyllene</i>	Druce 1893	NEO
			<i>Spargania denguenta</i>	(Dognin 1893)	NEO
			<i>Spargania flavolimbarioides</i>	(Dognin 1894)	NEO
			<i>Spargania lichenea</i>	(Oberthür 1883)	NEO
			<i>Spargania luctuata</i>	(Denis & Schiffermüller 1775)	NEA
			<i>Spargania magnoliata</i>	Guenée 1858	NEA
			<i>Spargania narangilla</i>	(Dognin 1893)	NEO
			<i>Spargania nigrifasciata</i>	Warren	NEO
			<i>Spargania ochreibasis</i>	Warren	NEO
			<i>Spargania perpendiculata</i>	(Dognin 1910)	NEO
			<i>Spargania privenaria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Spargania radiosa</i>	(Dognin 1893)	NEO
			<i>Spargania satanica</i>	(Thierry-Mieg 1894)	NEO
			<i>Spargania subdecorata</i>	Dognin 1911	NEO
			<i>Spargania unifata</i>	Dognin	NEO
			<i>Spargania viridescens</i>	(Grossbeck 1910)	NEA
			<i>Spargania viridissima</i>	Dognin 1907	NEO
			<i>Thera britannica</i>	(Turner 1925)	PAL
			<i>Thera contractata</i>	(Packard 1873)	NEA
			<i>Thera latens</i>	Barnes & McDunnough 1917	NEA
			<i>Thera juniperata</i>	(Linnaeus 1758)	NEA
			<i>Thera otisi</i>	(Dyar 1904)	NEA

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Thera procteri</i>	Brower 1940	NEA
			<i>Thera variata variata</i>	(Denis & Schiffermüller 1775)	NEA
			<i>Triphosa affirmata</i>	(Guenée 1858)	NEO/NEA
			<i>Triphosa bipectinata</i>	Barnes & McDunnough 1917	NEA
			<i>Triphosa californiata</i>	(Packard 1871)	NEA
			<i>Triphosa dubitata</i>	(Linnaeus 1758)	PAL
			<i>Triphosa gavara</i>	(Druce 1899)	NEO
			<i>Triphosa haesitata haesitata</i>	(Guenée 1858)	NEA
			<i>Triphosa haesitata affirmaria</i>	(Walker 1860)	NEA
			<i>Triphosa pallidivittata</i>	(Snellen 1874)	NEO
			<i>Triphosa sabaudiata</i>	Duponchel 1830	PAL
			<i>Triphosa uniplaga</i>	Warren 1904	NEO
		Stamnodini	<i>Callipia constantinaria</i>	Oberthür 1881	NEO
			<i>Callipia flagrans</i>	Warren 1904	NEO
			<i>Callipia fulvida</i>	Warren 1907	NEO
			<i>Callipia parrhasiata</i>	Guenée 1858	NEO
			<i>Callipia rosetta</i>	Thierry-Mieg 1904	NEO
			<i>Heterusia colmala</i>	Thierry-Mieg 1893	NEO
			<i>Heterusia columbi</i>	Thierry-Mieg 1893	NEO
			<i>Heterusia conduplicaria</i>	Hübner 1831	NEO
			<i>Heterusia conflictata conflictata</i>	Guenée 1858	NEO
			<i>Heterusia conflictata melaleucata</i>	(Maassen 1890)	NEO
			<i>Heterusia eruptiva</i>	Bastelberger 1908	NEO
			<i>Heterusia flavocellata</i>	Warren 1897	NEO
			<i>Heterusia gratulata</i>	Guenée 1858	NEO
			<i>Heterusia hippomenata</i>	Snellen 1874	NEO
			<i>Heterusia humeraria</i>	Walker 1862	NEO
			<i>Heterusia jelskiaria</i>	Oberthür 1881	NEO
			<i>Heterusia morvena</i>	Thierry-Mieg 1910	NEO
			<i>Heterusia obtusa</i>	Dognin 1911	NEO
			<i>Heterusia particolor</i>	Warren 1897	NEO
			<i>Heterusia quadruplicaria</i>	Geyer 1832	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Heterusia ruffimbria</i> ab. <i>angustimargo</i>	Prout	NEO
			<i>Heterusia simulatrix</i>	Dognin 1907	NEO
			<i>Heterusia subangulata</i>	Dognin 1907	NEO
			<i>Heterusia triffavata</i>	Dognin 1903	NEO
			<i>Spiloctenia whiteleyi</i>	Druce 1892	NEO
			<i>Stamnoctenis morrisata</i>	(Hulst 1887)	NEA
			<i>Stamnoctenis pearsalli</i>	(Swett 1914)	NEA
			<i>Stamnoctenis rubrosuffusa</i>	(Grossbeck 1912)	NEA
			<i>Stamnoctenis vernon</i>	Guedet 1939	NEA
			<i>Stamnodes affiliata</i>	Pearsall 1911	NEA
			<i>Stamnodes albiapicata</i>	Grossbeck 1910	NEA
			<i>Stamnodes animata</i>	(Pearsall 1906)	NEA
			<i>Stamnodes anthocharidaria</i>	(Oberthür 1881)	NEO
			<i>Stamnodes apollo</i>	Cassino 1920	NEA
			<i>Stamnodes artemis</i>	Rindge 1958	NEA
			<i>Stamnodes blackmorei</i>	Swett 1915	NEA
			<i>Stamnodes coenonymphata</i>	(Hulst 1900)	NEA
			<i>Stamnodes danilovi</i>	Erschov 1877	PAL
			<i>Stamnodes deceptiva</i>	Barnes & McDunnough 1918	NEA
			<i>Stamnodes fervefactaria</i>	(Grote 1881)	NEA
			<i>Stamnodes formosata</i>	(Strecker 1878)	NEA
			<i>Stamnodes franckata</i>	(Pearsall 1909)	NEA
			<i>Stamnodes gibbicostata</i>	(Walker 1862)	NEA
			<i>Stamnodes lampra</i>	Rindge 1958	NEA
			<i>Stamnodes marmorata</i>	(Packard 1871)	NEA
			<i>Stamnodes modocata</i>	Wright 1920	NEA
			<i>Stamnodes seiferti</i>	(Neumoegen 1882)	NEA
			<i>Stamnodes tessellata</i>	(Packard 1874)	NEA
			<i>Stamnodes topazata albida</i>	Barnes & McDunnough 1912	NEA
			<i>Stamnodes topazata topazata</i>	(Strecker 1899)	NEA
			<i>Stamnodes ululata</i>	(Pearsall 1912)	NEA
			<i>Stamnodes uniformata</i>	(Berg 1877)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
		Xanthorhoini	<i>Asaphodes</i>	<i>adonis</i>	(Hudson 1898)	AUS
			<i>Asaphodes</i>	<i>aegrota</i>	(Butler 1879)	AUS
			<i>Asaphodes</i>	<i>beata</i>	(Butler 1877)	AUS
			<i>Asaphodes</i>	<i>clarata</i>	(Walker 1862)	AUS
			<i>Asaphodes</i>	<i>philpotti</i>	(Prout 1927)	AUS
			<i>Asaphodes</i>	<i>prasinias</i>	(Meyrick 1883)	AUS
			<i>Austrocidaria</i>	<i>gobiata</i>	(Felder & Rogenhofer 1875)	AUS
			<i>Austrocidaria</i>	<i>similata</i>	(Walker 1862)	AUS
			<i>Campptogramma</i>	<i>bilineata</i>	(Linnaeus 1758)	PAL
			<i>Catarhoe</i>	<i>cuculata</i>	(Hufnagel 1767)	PAL
			<i>Costaconvexa</i>	<i>centrostrigaria</i>	(Wollaston 1858)	NEA
			<i>Disclisioprocta</i>	<i>natalata</i>	(Walker 1862)	ETH
			<i>Disclisioprocta</i>	<i>stellata</i>	(Guenée 1858)	NEA/NEO
			<i>Enchoria</i>	<i>lacteata</i>	(Packard 1876)	NEA
			<i>Epirrhoe</i>	<i>alternata</i>	(Müller 1764)	PAL/NEA
			<i>Epirrhoe</i>	<i>hastulata</i>	(Hübner 1790)	PAL
			<i>Epirrhoe</i>	<i>medeifascia</i>	(Grossbeck 1908)	NEA
			<i>Epirrhoe</i>	<i>plebeculata</i>	(Guenée 1858)	NEA
			<i>Epirrhoe</i>	<i>sperryi</i>	Herbulot 1951	NEA
			<i>Epirrhoe</i>	<i>trappa</i>	(Schaus 1901)	NEO
			<i>Epirrhoe</i>	<i>tristata</i>	(Linnaeus 1758)	PAL
			<i>Euphyia</i>	<i>acerbata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Euphyia</i>	<i>albipennis</i>	(Prout 1910)	NEO
			<i>Euphyia</i>	<i>biangulata</i>	(Haworth 1809)	PAL
			<i>Euphyia</i>	<i>cinerascens</i>	(Dognin 1900)	NEO
			<i>Euphyia</i>	<i>circumcidata</i>	(Snellen 1874)	NEO
			<i>Euphyia</i>	<i>consequata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Euphyia</i>	<i>crocaria</i>	(Schaus 1901)	NEO
			<i>Euphyia</i>	<i>emberizata</i>	(Guenée 1858)	NEO
			<i>Euphyia</i>	<i>extensata</i>	(Walker 1862)	NEO
			<i>Euphyia</i>	<i>halisma</i>	(Schaus 1901)	NEO
			<i>Euphyia</i>	<i>hydriata</i>	(Guenée 1858)	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Euphyia implicata implicata</i>	(Guenée 1858)	NEA
			<i>Euphyia implicata multilineata</i>	(Packard 1871)	NEA
			<i>Euphyia infundibulata</i>	(Guenée 1858)	NEO
			<i>Euphyia infundibulata</i> ab. <i>vinosata</i>	(Guenée 1858)	NEO
			<i>Euphyia intermediata</i>	(Guenée 1858)	NEA
			<i>Euphyia jugurtharia</i>	(Guenée 1858)	NEO
			<i>Euphyia kirschi</i>	(Maassen 1890)	NEO
			<i>Euphyia kirschioides</i>	(Dognin 1896)	NEO
			<i>Euphyia laodice</i>	(Thierry-Mieg 1894)	NEO
			<i>Euphyia molluginata</i>	(Hübner 1813)	PAL
			<i>Euphyia nivesecta</i>	(Warren 1905)	NEO
			<i>Euphyia ochreatea</i>	Moore 1888	ORI
			<i>Euphyia perturbata</i>	(Walker 1862)	NEA/NEO
			<i>Euphyia pipiata</i>	Guenée 1858	NEO
			<i>Euphyia porraceata</i>	(Snellen 1874)	NEO
			<i>Euphyia rojiza</i>	(Dognin 1893)	NEO
			<i>Euphyia scortea</i>	(Swinhoe 1891)	ORI
			<i>Euphyia scripturata</i>	(Hübner 1799)	PAL
			<i>Euphyia sturnularia</i>	(Herrich-Schäffer 1855)	NEO
			<i>Euphyia subalbata</i>	(Warren 1904)	NEO
			<i>Euphyia subangulata</i>	(Kollar 1844)	ORI
			<i>Euphyia subguttaria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Euphyia subtersignata</i>	(Prout 1916)	NEO
			<i>Euphyia trajectata</i>	(Walker 1862)	NEO
			<i>Euphyia unangulata</i>	(Haworth 1809)	NEA
			<i>Euphyia unda</i>	(Oberthür 1883)	NEO
			<i>Euphyia yerba</i>	(Schaus 1901)	NEO
			<i>Euphyia zara</i>	(Thierry-Mieg 1893)	NEO
			<i>Euphyia zona</i>	Dognin 1901	NEO
			<i>Glaucorhoe unduliferaria</i>	(Motschulsky 1861)	PAL
			<i>Loxofidonia cingala</i>	(Moore 1887)	ORI
			<i>Orthonama corteza</i>	Dognin 1896	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Orthonama effluata</i>	Snellen 1874	NEO
			<i>Orthonama evansi</i>	(McDunnough 1920)	NEA
			<i>Orthonama majorata</i>	Dognin 1916	NEO
			<i>Orthonama obstipata</i>	(Fabricius 1794)	PAL/NEA/NEO
			<i>Orthonama vittulata</i>	(Schaus 1901)	NEO
			<i>Psychophora phocata</i>	(Möschler 1862)	NEA
			<i>Psychophora sabini</i>	Kirby 1824	NEA
			<i>Scotopteryx bipunctaria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Scotopteryx chenopodiata</i>	(Linnaeus 1758)	PAL
			<i>Scotopteryx crypsichroma</i>	(Warren 1907)	NEO
			<i>Scotopteryx luridata</i>	(Hufnagel 1767)	PAL
			<i>Xanthorhoe abrasaria abrasaria</i>	(Herrich-Schäffer 1855)	NEA
			<i>Xanthorhoe abrasaria congregata</i>	(Walker 1862)	NEA
			<i>Xanthorhoe abraxina</i>	(Butler 1879)	ORI
			<i>Xanthorhoe algidata</i>	(Möschler 1874)	NEA
			<i>Xanthorhoe ansorgei</i>	(Warren 1899)	ETH
			<i>Xanthorhoe biriviata</i>	(Borkhausen 1794)	PAL
			<i>Xanthorhoe decoloraria convallaria</i>	(Guenée 1858)	NEA/NEO
			<i>Xanthorhoe decoloraria decoloraria</i>	(Esper 1806)	NEA
			<i>Xanthorhoe defensaria</i>	(Guenée 1858)	NEA
			<i>Xanthorhoe defensaria f.m. conciliaria</i>	Swett	NEA
			<i>Xanthorhoe defensaria f.m. mephistaria</i>	(Swett)	NEA
			<i>Xanthorhoe edmonsii</i>	(Butler 1882)	NEO
			<i>Xanthorhoe exorista</i>	Prout 1922	ETH
			<i>Xanthorhoe ferrugata</i>	(Clerck 1759)	PAL/NEA
			<i>Xanthorhoe ferrugata f.m. infumata</i>	Barnes & McDunnough	NEA
			<i>Xanthorhoe ferrugata f.m. unidentaria</i>	(Haworth)	NEA
			<i>Xanthorhoe fluctuata</i>	(Linnaeus 1758)	PAL
			<i>Xanthorhoe iduata</i>	(Guenée 1858)	NEA
			<i>Xanthorhoe incurmata</i>	(Hübner 1813)	NEA
			<i>Xanthorhoe labradorensis</i>	(Packard 1867)	NEA
			<i>Xanthorhoe lacustrata</i>	(Guenée 1858)	NEA
			<i>Xanthorhoe mirabilata</i>	(Grote 1883)	NEA

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Xanthorhoe montanata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Xanthorhoe offensaria</i>	(McDunnough 1941)	NEA
			<i>Xanthorhoe orophylla</i>	(Meyrick 1883)	AUS
			<i>Xanthorhoe pontiaria</i>	Taylor 1906	NEA
			<i>Xanthorhoe packardata</i>	McDunnough 1945	NEA
			<i>Xanthorhoe quadrifasciata ignobilis</i>	(Butler 1881)	PAL
			<i>Xanthorhoe ramaria</i>	Swett & Cassino 1920	NEA
			<i>Xanthorhoe saturata</i>	(Guenée 1858)	ETH/ORI
			<i>Xanthorhoe spadicearia</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Zenophleps lignicolorata</i>	(Packard 1874)	NEA
			<i>Zenophleps obscurata</i>	Hulst 1896	NEA
			<i>Zenophleps pallescens</i>	McDunnough 1938	NEA
		Asthenini	<i>Asthenia albulata</i>	(Hufnagel 1767)	PAL
			<i>Asthenia melanosticta</i>	Wehrli 1924	PAL
			<i>Eois apyraria</i>	(Guenée 1858)	NEO
			<i>Eois aurata</i>	(Warren 1897)	NEO
			<i>Eois bifilata</i>	(Warren 1895)	NEO
			<i>Eois binaria</i>	(Guenée 1858)	NEO
			<i>Eois cervina</i>	(Warren 1901)	NEO
			<i>Eois fucosa</i>	(Dognin 1912)	NEO
			<i>Eois golosata</i>	(Dognin 1893)	NEO
			<i>Eois grataria</i>	(Walker 1861)	ORI
			<i>Eois heliadararia</i>	(Guenée 1858)	NEO
			<i>Eois hyperythraria</i>	(Guenée 1858)	NEO
			<i>Eois isographata</i>	(Walker 1863)	NEO
			<i>Eois lilacea</i>	(Dognin 1909)	NEO
			<i>Eois marcearia</i>	(Guenée 1858)	NEO
			<i>Eois memorata</i>	(Walker 1861)	ORI
			<i>Eois mexicaria</i>	(Walker 1866)	NEO
			<i>Eois muscosa</i>	(Dognin 1910)	NEO
			<i>Eois necula</i>	(Druce 1892)	NEO
			<i>Eois numida</i>	(Druce 1892)	NEO
			<i>Eois olivacea</i>	(Felder & Rogenhofer 1875)	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Eois ops</i>	(Druce 1892)	NEO
			<i>Eois platearia</i>	(Schaus 1901)	NEO
			<i>Eois relaxaria</i>	(Snellen 1874)	NEO
			<i>Eois russearia</i>	(Hübner 1818)	NEO
			<i>Eois tegularia</i>	(Guenée 1858)	NEO
			<i>Eois veniliata</i>	(Walker 1861)	NEO
			<i>Eois xanthoperata</i>	(Warren 1897)	NEO
			<i>Hydrelia albifera</i>	(Walker 1866)	NEA
			<i>Hydrelia bicolorata</i>	Moore 1868	ORI
			<i>Hydrelia brunneifasciata</i>	(Packard 1876)	NEA
			<i>Hydrelia cingulata</i>	Hampson 1896	ORI
			<i>Hydrelia condensata</i>	(Walker 1862)	NEA
			<i>Hydrelia inornata</i>	(Hulst 1896)	NEA
			<i>Hydrelia lucata</i>	(Guenée 1858)	NEA
			<i>Hydrelia subobliquaria</i>	Moore 1868	ORI
			<i>Minoa murinata</i>	(Scopoli 1763)	PAL
			<i>Poecilasthena pulcherraria</i>	(Doubleday 1843)	AUS
			<i>Pomasia</i> -	-	ORI
			<i>Trichodezia albovittata</i>	(Guenée 1858)	NEA
			<i>Trichodezia californiata</i>	(Packard 1871)	NEA
			<i>Trichodezia kindermanni</i>	(Bremer 1864)	PAL
			<i>Venusia blomeri</i>	(Curtis 1832)	PAL
			<i>Venusia cambrica</i>	Curtis 1839	NEA
			<i>Venusia comptaria</i>	(Walker 1860)	NEA
			<i>Venusia duodecemlineata</i>	(Packard 1873)	NEA
			<i>Venusia duodecemlineata secunda</i>	(Pearsall 1906)	NEA
			<i>Venusia obsoleta</i>	(Swett 1916)	NEA
			<i>Venusia pearsalli</i>	(Dyar 1906)	NEA
		Operophterini	<i>Epirrita autumnata autumnata</i>	(Borkhausen 1794)	NEA
			<i>Epirrita autumnata henshawi</i>	(Swett 1917)	NEA
			<i>Operophtera bruceata bruceata</i>	(Hulst 1886)	NEA
			<i>Operophtera bruceata occidentalis</i>	(Hulst 1896)	NEA
			<i>Operophtera brumata</i>	(Linnaeus 1758)	NEA/NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Operophtera</i>	<i>fagata</i>	Scharfenberg 1805	PAL
			<i>Operophtera</i>	<i>relegata</i>	Prout 1908	PAL
		Eudulini	<i>Eubaphe</i>	<i>conformis</i>	(Walker 1854)	NEO
			<i>Eubaphe</i>	<i>hesperina</i>	Burmeister 1878	NEO
			<i>Eubaphe</i>	<i>lobula</i>	Hübner 1823	NEO
			<i>Eubaphe</i>	<i>mendica</i>	(Walker 1854)	NEA
			<i>Eubaphe</i>	<i>meridiana</i>	(Slosson 1889)	NEA
			<i>Eubaphe</i>	<i>rotundata</i>	(Cassino & Swett 1922)	NEA
			<i>Eubaphe</i>	<i>unicolor</i>	(Robinson 1869)	NEA
			<i>Eudule</i>	<i>amica</i>	(Druce 1898)	NEO
			<i>Eudule</i>	<i>austria</i>	(Maassen 1890)	NEO
			<i>Eudule</i>	<i>ficulnea</i>	(Druce 1885)	NEO
			<i>Eudule</i>	<i>limbata</i>	(Burmeister 1878)	NEO
			<i>Eudule</i>	<i>pulchricolora</i>	(Hübner 1823)	NEO
			<i>Eudulophasia</i>	<i>invaria</i>	(Walker 1854)	NEO
		Eupitheciini	<i>Chloroclystis</i>	<i>v-ata</i>	(Haworth 1809)	PAL
			<i>Chrysoclystis</i>	<i>perornata</i>	Warren 1896	AUS
			<i>Eupithecia</i>	<i>abbreviata</i>	Stephens 1831	PAL
			<i>Eupithecia</i>	<i>abietaria</i>	(Goeze 1781)	PAL
			<i>Eupithecia</i>	<i>absinthiata</i>	(Clerck 1759)	NEA/PAL
			<i>Eupithecia</i>	<i>acidaliodes</i>	Kaye 1901	NEO
			<i>Eupithecia</i>	<i>acutipennis</i>	(Hulst 1898)	NEA
			<i>Eupithecia</i>	<i>adequata</i>	Pearsall 1910	NEA
			<i>Eupithecia</i>	<i>affinata</i>	Pearsall 1908	NEA
			<i>Eupithecia</i>	<i>albicapitata</i>	Packard 1876	NEA
			<i>Eupithecia</i>	<i>albimontanata</i>	(McDunnough 1940)	NEA
			<i>Eupithecia</i>	<i>alogista</i>	Dyar 1918	NEO
			<i>Eupithecia</i>	<i>annulata</i>	(Hulst 1896)	NEA
			<i>Eupithecia</i>	<i>anticaria</i>	Walker 1862	NEA
			<i>Eupithecia</i>	<i>behrensata</i>	Packard 1876	NEA
			<i>Eupithecia</i>	<i>bialbata</i>	Warren 1901	NEO
			<i>Eupithecia</i>	<i>bicubitata</i>	Prout 1916	NEO
			<i>Eupithecia</i>	<i>bifasciata</i>	Warren 1900	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Eupithecia bivittata</i>	(Hulst 1896)	NEA
			<i>Eupithecia bohatschi</i>	Staudinger, 1897	PAL
			<i>Eupithecia bolterii</i>	(Hulst 1900)	NEA
			<i>Eupithecia borealis</i>	(Hulst 1898)	NEA
			<i>Eupithecia bryanti</i>	Taylor 1906	NEA
			<i>Eupithecia canisparsa</i>	(Warren 1904)	NEO
			<i>Eupithecia casloata</i>	(Dyar 1904)	NEA
			<i>Eupithecia catalinata</i>	McDunnough 1944	NEA
			<i>Eupithecia centaureata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Eupithecia cerynea</i>	Druce 1893	NEO
			<i>Eupithecia cimicifugata</i>	Pearsall 1908	NEA
			<i>Eupithecia coetulata</i>	Prout 1916	NEO
			<i>Eupithecia columbiata</i>	(Dyar 1904)	NEA
			<i>Eupithecia costirufaria</i>	Warren 1907	NEO
			<i>Eupithecia cretaceata</i>	(Packard 1874)	NEA
			<i>Eupithecia denotata</i>	(Hübner 1813)	PAL
			<i>Eupithecia deserticola</i>	McDunnough 1946	NEA
			<i>Eupithecia dormita</i>	(Warren 1906)	NEO
			<i>Eupithecia duena</i>	Dognin 1899	NEO
			<i>Eupithecia edna</i>	(Hulst 1896)	NEA
			<i>Eupithecia exiguata</i>	(Hübner 1813)	PAL
			<i>Eupithecia fletcherata</i>	Taylor 1907	NEA
			<i>Eupithecia frequens</i>	Butler 1882	NEO
			<i>Eupithecia gelidata</i>	Möschler 1860	NEA
			<i>Eupithecia gilata</i>	Cassino 1925	NEA
			<i>Eupithecia gilvipennata</i>	Cassino & Swett 1922	NEA
			<i>Eupithecia graeffi graeffi</i>	(Taylor 1906)	NEA
			<i>Eupithecia herefordaria</i>	Cassino & Swett 1923	NEA
			<i>Eupithecia hormiga</i>	Dognin 1899	NEO
			<i>Eupithecia inconclusaria</i>	Walker 1862	ETH
			<i>Eupithecia indistincta</i>	Taylor 1910	NEA
			<i>Eupithecia innotata</i>	(Hufnagel 1767)	PAL
			<i>Eupithecia intricata arceuthata</i>	(Freyer 1841)	NEA

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Eupithecia intricata taylorata</i>	Swett 1907	NEA
			<i>Eupithecia lariciata</i>	(Freyer 1841)	NEA/PAL
			<i>Eupithecia laterata</i>	Dietze 1904	NEA
			<i>Eupithecia linariata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Eupithecia longipalpata</i>	Packard 1876	NEA
			<i>Eupithecia lugubris</i>	Warren 1907	NEO
			<i>Eupithecia madura</i>	Dognin 1899	NEO
			<i>Eupithecia maestosa</i>	(Dyar 1905)	NEA
			<i>Eupithecia maleformata</i>	(Warren 1895)	NEO
			<i>Eupithecia miamata</i>	Cassino 1925	NEA
			<i>Eupithecia miserulata</i>	Grote 1863	NEA
			<i>Eupithecia misturata</i>	(Hulst 1896)	NEA
			<i>Eupithecia mutata</i>	Pearsall 1908	NEA
			<i>Eupithecia nanata nanata</i>	(Hübner 1813)	PAL
			<i>Eupithecia nanata angusta</i>	Prout 1938	PAL
			<i>Eupithecia nevadata</i>	Packard 1871	NEA
			<i>Eupithecia nimbicolor</i>	(Hulst 1896)	NEA
			<i>Eupithecia nimbosea</i>	(Hulst 1896)	NEA
			<i>Eupithecia niveifascia</i>	(Hulst 1898)	NEA
			<i>Eupithecia oenone</i>	Butler 1882	NEO
			<i>Eupithecia ornata</i>	(Hulst 1896)	NEA
			<i>Eupithecia owenata</i>	(McDunnough 1944)	NEA
			<i>Eupithecia palpata</i>	Packard 1873	NEA
			<i>Eupithecia peckorum</i>	Heitzman & Enns 1977	NEA
			<i>Eupithecia penumbrata</i>	(Pearsall 1912)	NEA
			<i>Eupithecia perfusca</i>	(Hulst 1898)	NEA
			<i>Eupithecia pieria</i>	Druce 1893	NEO
			<i>Eupithecia placidata</i>	Taylor 1908	NEA
			<i>Eupithecia planiscripta</i>	(Warren 1902)	NEA
			<i>Eupithecia pulgata</i>	Dognin 1899	NEO
			<i>Eupithecia pupila</i>	Dognin 1899	NEO
			<i>Eupithecia pusillata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Eupithecia pygmaeata pygmaeata</i>	(Hübner 1799)	PAL

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Eupithecia pygmaeata obumbrata</i>	Taylor 1906	NEA
			<i>Eupithecia ravocostaliata</i>	Packard 1876	NEA
			<i>Eupithecia rotundopuncta</i>	Packard 1871	NEA
			<i>Eupithecia russeliata brauneata</i>	Swett 1908	NEA
			<i>Eupithecia russeliata russeliata</i>	Swett 1908	NEA
			<i>Eupithecia satyrata</i>	(Hübner 1813)	NEA/PAL
			<i>Eupithecia scabrogata</i>	Pearsall 1912	NEA
			<i>Eupithecia segregata</i>	Pearsall 1910	NEA
			<i>Eupithecia selinata</i>	Herrich-Schäffer 1861	PAL
			<i>Eupithecia seminigra</i>	Warren 1904	NEO
			<i>Eupithecia sheppardata</i>	McDunnough 1938	NEA
			<i>Eupithecia sibylla</i>	Butler 1882	NEO
			<i>Eupithecia sinuata</i>	(McDunnough 1946)	NEA
			<i>Eupithecia sinuosaria</i>	Eversmann 1848	PAL
			<i>Eupithecia strattonata</i>	Packard 1873	NEA
			<i>Eupithecia subapicata</i>	Guenée 1858	NEA
			<i>Eupithecia subcolorata</i>	(Hulst 1898)	NEA
			<i>Eupithecia subfuscata</i>	(Haworth 1809)	NEA/PAL
			<i>Eupithecia subumbrata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Eupithecia subvirens</i>	Dietze 1875	NEA
			<i>Eupithecia succenturiata</i>	(Linnaeus 1758)	PAL
			<i>Eupithecia swettii</i>	Grossbeck 1907	NEA
			<i>Eupithecia sylpharia</i>	Warren 1906	NEO
			<i>Eupithecia transcandata</i>	Mackay 1951	NEA
			<i>Eupithecia trinotata</i>		PAL
			<i>Eupithecia tripunctaria</i>	Herrich-Schäffer 1852	NEA/PAL
			<i>Eupithecia unicolor</i>	(Hulst 1896)	NEA
			<i>Eupithecia venosata</i>	(Fabricius 1787)	PAL
			<i>Eupithecia vulgata</i>	(Haworth 1809)	PAL
			<i>Eupithecia zygadeniata</i>	Packard 1876	NEA
			<i>Horisme incana</i>	Swett 1917	NEA
			<i>Horisme intestinata</i>	(Guenée 1858)	NEA
			<i>Horisme polygrammaria</i>	Borkhausen	PAL

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Horisme rectilineata</i>	(Taylor 1907)	NEA
			<i>Horisme tersata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Horisme vitalbata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Nasusina inferior</i>	(Hulst 1896)	NEA
			<i>Nasusina mendicata</i>	(Barnes & McDunnough 1918)	NEA
			<i>Nasusina vaporata</i>	(Pearsall 1912)	NEA
			<i>Pasiphila bilineolata</i>	(Walker 1862)	AUS
			<i>Pasiphila chloerata</i>	(Mabille 1870)	PAL
			<i>Pasiphila palpata</i>	(Walker 1862)	ORI
			<i>Pasiphila rectangulata</i>	(Linnaeus 1758)	NEA/PAL
			<i>Pasiphilodes testulata</i>	(Guenée 1858)	AUS
			<i>Prorella albida</i>	(Cassino & Swett 1923)	NEA
			<i>Prorella discoidalis</i>	(Grossbeck 1908)	NEA
			<i>Prorella gypsata</i>	(Grote 1882)	NEA
			<i>Prorella leucata</i>	(Hulst 1896)	NEA
			<i>Prorella opinata</i>	(Pearsall 1909)	NEA
			<i>Prorella remorata</i>	(Grossbeck 1907)	NEA
			<i>Tripteridia olivaceata</i>	(Warren 1899)	AUS
			<i>Ziridava xylinaria</i>	(Walker 1863)	AUS
		Trichopterygini	<i>Acasis viridata</i>	(Packard 1873)	NEA
			<i>Aplocera plagiata</i>	(Linnaeus 1758)	PAL
			<i>Aplocera praeformata</i>	(Hübner 1826)	NEA
			<i>Brabira artemidora</i>	(Oberthür 1884)	ORI
			<i>Butleriana minor</i>	(Butler 1882)	NEO
			<i>Carsia sororiata</i>	(Hübner 1813)	NEA
			<i>Chrioloba apicata</i>	(Prout 1914)	PAL
			<i>Cladara anguilineata</i>	(Grote & Robinson 1867)	NEA
			<i>Cladara atroliturata</i>	(Walker 1863)	NEA
			<i>Cladara limitaria limitaria</i>	(Walker 1860)	NEA
			<i>Cladara limitaria nigroangulata</i>	(Strecker 1899)	NEA
			<i>Dyspteris abortivaria</i>	(Herrich-Schäffer 1855)	NEA
			<i>Dyspteris aequivirgata</i>	Warren 1907	NEO
			<i>Dyspteris breviataria</i>	Hübner 1818	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Dyspteris deminutaria</i>	Hübner 1818	NEO
			<i>Dyspteris naiadaria</i>	Guenée 1858	NEO
			<i>Dyspteris parvula</i>	Warren 1904	NEO
			<i>Dyspteris trifilaria</i>	Walker 1866	NEO
			<i>Dyspteris vecinaria</i>	Schaus 1901	NEO
			<i>Episteira nigrilinearia nigrilinearia</i>	(Leech 1897)	PAL
			<i>Hoplosauris granitata</i>	Fletcher 1953	NEO
			<i>Hoplosauris indistincta</i>	Butler 1882	NEO
			<i>Hoplosauris schausi</i>	Warren 1908	NEO
			<i>Hoplosauris valeria</i>	(Butler 1893)	NEO
			<i>Heterophleps confusa</i>	(Wileman 1911)	ORI
			<i>Heterophleps fusca</i>	(Butler 1878)	PAL
			<i>Heterophleps ocyptaria</i>	Swinhoe 1893	ORI
			<i>Heterophleps refusaria</i>	(Walker 1861)	NEA
			<i>Heterophleps sinuosaria</i>	Leech 1897	PAL
			<i>Heterophleps triguttaria</i>	Herrich-Schäffer 1854	NEA
			<i>Isosauris cymatophora</i>	Felder & Rogenhofer 1875	NEO
			<i>Lithostege elegans</i>	(Grossbeck 1909)	NEA
			<i>Lithostege farinata</i>	(Hufnagel 1767)	PAL
			<i>Lithostege fuscata</i>	(Grossbeck 1906)	NEA
			<i>Lithostege griseata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Lithostege marcata</i>	Barnes & McDunnough 1916	NEA
			<i>Lithostege rotundata</i>	Packard 1874	NEA
			<i>Lobogonia ambusta</i>	Warren 1893	ORI
			<i>Lobophora halterata</i>	(Hufnagel 1767)	PAL
			<i>Lobophora magnoliatoidata</i>	(Dyar 1904)	NEA
			<i>Lobophora montanata</i>	Packard 1874	NEA
			<i>Lobophora nivigerata nivigerata</i>	Walker 1862	NEA
			<i>Lobophora nivigerata tabulata</i>	(Hulst 1896)	NEA
			<i>Lobophora simsata</i>	Swett 1920	NEA
			<i>Nothocasis sertata</i>	(Hübner 1817)	PAL
			<i>Pachrophylla linearia</i>	Blanchard 1852	NEO
			<i>Phthonoloba violacea</i>	(Warren 1906)	AUS

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Rhopalodes</i> <i>argentina</i>	Berg 1833	NEO
			<i>Rhopalodes</i> <i>castniata</i>	Guenée 1857	NEO
			<i>Rhopalodes</i> <i>ligereza</i>	(Dognin 1893)	NEO
			<i>Rhopalodes</i> <i>patrata</i>	Snellen 1874	NEO
			<i>Rhopalodes</i> <i>rosula</i>	(Dognin 1892)	NEO
			<i>Rhopalodes</i> <i>uniformis</i>	Dognin 1923	NEO
			<i>Sauris</i> <i>hirundinata</i>	Guenée 1858	ORI
			<i>Sauris</i> <i>ignobilis</i>	Butler 1880	ORI
			<i>Sauris</i> <i>lineosa</i>	(Moore 1888)	ORI
			<i>Sauris</i> <i>melanoceros</i>	Meyrick 1889	AUS
			<i>Scelidacantha</i> <i>triseriata</i>	(Packard 1874)	NEA
			<i>Tatosoma</i> <i>transitaria</i>	(Walker 1862)	AUS
			<i>Trichopterigia</i> <i>decorata</i>	(Moore 1888)	ORI
			<i>Trichopteryx</i> <i>hemana</i>	(Butler 1878)	PAL
			<i>Trichopteryx</i> <i>ustata</i>	(Christoph 1881)	PAL
			<i>Triptila</i> <i>virescens</i>	(Philippi 1873)	NEO
			<i>Triptiloides</i> <i>fissa</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Tristeirometa</i> <i>decussata</i>	(Moore 1868)	ORI
			<i>Tyloptera</i> <i>bella</i>	(Butler 1878)	ORI
		Cataclysmiini	<i>Cataclysmes</i> <i>riguata</i>	(Hübner 1813)	PAL
			<i>Mimoclystia</i> <i>explanata</i>	(Walker 1862)	ETH
			<i>Mimoclystia</i> <i>pudicata</i>	(Walker 1862)	ETH
			<i>Phibalapteryx</i> <i>virgata</i>	(Hufnagel 1767)	PAL
		Chesiadini	<i>Chesias</i> <i>legatella</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Docirava</i> <i>fulgurata</i>	(Guenée 1858)	PAL
			<i>Docirava</i> <i>pudicata</i>	(Guenée 1858)	ORI
			<i>Neochesias</i> <i>opistholeuca</i>	Prout 1910	NEO
			<i>Odezia</i> <i>atrata</i>	(Linnaeus 1758)	PAL
		Larentiini	<i>Larentia</i> <i>feliciaria</i>	Lucas 1907	ORI
			<i>Larentia</i> <i>omphacina</i>	Dognin 1901	NEO
			<i>Larentia</i> <i>scarata</i>	Felder & Rogenhofer 1875	NEO
			<i>Photoscotosia</i> <i>amplicata</i>	Walker 1862	ORI
			<i>Photoscotosia</i> <i>atrostrigata</i>	(Bremer 1864)	PAL

Family	Subfamily	Tribe	<i>Genus (Subgenus) species subspecies</i>	(Author Date)	Zoogeographic Region
			<i>Photoscotosia miniosta</i>	(Walker 1893)	ORI/PAL
			<i>Plesioscotosia pulchrata</i>	(Alphéraky 1883)	PAL
		Melanthiini	<i>Anticollix sparsata</i>	(Treitschke 1828)	PAL
			<i>Collix ghosha</i>	Walker 1862	ORI
			<i>Eccymatoge aorista</i>	(Turner 1907)	AUS
			<i>Melanthis procellata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Pseudocollix hyperythra</i>	(Hampson 1895)	ORI
		Phileremiini	<i>Philereme transversata</i>	(Hufnagel 1767)	PAL
			<i>Philereme vetulata</i>	(Denis & Schiffermüller 1775)	PAL
		Solitaneini	<i>Trichobaptria exsecuta exsecuta</i>	(Felder & Rogenhofer 1875)	PAL
			<i>Trichobaptria exsecuta latifasciaria</i>	(Leech 1897)	PAL
			<i>Baptria tibiale</i>	(Esper 1804)	PAL
		Erateinini	<i>Erateina drucei</i>	Thierry-Mieg 1893	NEO
			<i>Erateina julia</i>	Doubleday 1848	NEO
			<i>Erateina lineata</i>	Saunders 1860	NEO
			<i>Erateina radiaria</i>	(Herrich-Schäffer 1853)	NEO
			<i>Erateina subjunctaria</i>	(Walker 1892)	NEO
			<i>Erateina zoraida</i>	Doubleday 1848	NEO
			<i>Trocherateina hermaea</i>	(Druce 1892)	NEO
		incertae sedis	<i>Acolutha pictaria</i>	(Moore 1888)	ORI
			<i>Aloba cinereus</i>	(Bartlett-Calvert 1893)	NEO
			<i>Anomozela cirriata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Baynia dismutata</i>	(Warren 1904)	NEO
			<i>Anemplocia grandis</i>	(Druce 1883)	AUS
			<i>Callygris compositata</i>	(Guenee 1857)	PAL
			<i>Chalyboclydon marginata</i>	(Warren 1893)	ORI
			<i>Chrimopteryx triangularia</i>	Blanchard 1852	NEO
			<i>Chrimopteryx undularia</i>	Blanchard 1852	NEO
			<i>Cirrhorheuma androconiata</i>	(Prout 1923)	NEO
			<i>Conchylia ditissimaria</i>	Guenée 1858	ETH
			<i>Conchylia nitidula</i>	(Stoll 1782)	ETH
			<i>Crocypus perlucidaria</i>	Herrich-Schäffer 1855	NEO
			<i>Deinoptila penicula</i>	(Dognin 1893)	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Elvia glaucata</i>	Walker 1862	AUS
			<i>Ennada deustata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Ennada pellicata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Epiphryne undosata</i>	(Felder & Rogenhofer 1875)	AUS
			<i>Epiphryne verriculata</i>	(Felder & Rogenhofer 1875)	AUS
			<i>Erebochlora apiciflava</i>	Dognin 1892	NEO
			<i>Erebochlora cerasii</i>	(Maassen 1890)	NEO
			<i>Erebochlora ruficostaria</i>	Warren 1904	NEO
			<i>Erebochlora tesserulata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Erebochlora tima</i>	Thierry-Mieg 1892	NEO
			<i>Eschatarchia lineata</i>	Warren 1894	PAL
			<i>Graphidipus graphidiparia</i>	Oberthür 1883	NEO
			<i>Graphidipus puncticulata</i>	Guenée 1858	NEO
			<i>Haplopteryx anomala</i>	Butler 1882	NEO
			<i>Hastina caeruleolineata</i>	Moore 1888	ORI
			<i>Helastia semisignata</i>	(Walker 1862)	AUS
			<i>Homospora rufescens</i>	(Butler 1879)	AUS
			<i>Hoplolygris circatricula</i>	(Berg 1875)	NEO
			<i>Hypocometa praeeminens</i>	(Prout 1916)	AUS
			<i>Laciniodes plurilinearia</i>	(Moore 1868)	ORI
			<i>Lagynopteryx</i>		NEO
			<i>Naxidia punctata</i>	(Butler 1880)	PAL
			<i>Obila celerata</i>	(Walker 1862)	NEO
			<i>Obila chama</i>	(Shaus 1901)	NEO
			<i>Obila floccosaria</i>	(Walker 1866)	NEO
			<i>Obila umbrinata</i>	(Guenée 1858)	NEO
			<i>Orthoclydon praefectata</i>	(Walker 1861)	AUS
			<i>Paradetis porphyrias</i>	Meyrick 1884	AUS
			<i>Paralygris contorta</i>	Warren 1900	PAL
			<i>Pardodes flavimaculata</i>	Warren 1896	AUS
			<i>Phyllia triangularia</i>	Blanchard 1852	NEO
			<i>Praeapodroma obscura</i>	Heimlich 1958	NEO
			<i>Pseudeuchlora kafebera</i>	(Swinhoe 1894)	ORI

Family	Subfamily	Tribe	<i>Genus (Subgenus) species subspecies</i>	(Author Date)	Zoogeographic Region
			<i>Pseudolarentia megalaria</i>	(Guenée 1858)	ETH
			<i>Pseudomennis bipennis</i>	(Walker 1854)	NEO
			<i>Ptychorrhoe blosyrata blosyrata</i>	(Guenée 1858)	NEO
			<i>Ptychorrhoe rayada</i>	(Dognin 1893)	NEO
			<i>Sarracena chlamydaria</i>	(Herrich-Schäffer 1853)	NEO
			<i>Scordyliodes preciosa</i>	(Maassen 1890)	NEO
			<i>Telenomeuta punctimarginaria</i>	(Leech 1891)	ORI
			<i>Trichozoma picaria</i>	Bastelberger 1909	NEO
			<i>Visiana excentrata</i>	(Guenée 1858)	AUS

Cornell University Insect Collection

Geometridae: Sterrhinae

Compiled by Jacob A. Gorneau

Curated by Jacob A. Gorneau, Leah Richardson,
Joseph Giulian, Annika Salzberg, Kyhl Austin, Milena Blue Spruce

Determined Species and subspecies: 386

Updated: September 2019

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region	
Geometridae	Sterrhinae	Rhodostrophiini	<i>Rhodostrophia</i>	<i>calabra</i>	(Petagna 1786)	PAL	
			<i>Rhodostrophia</i>	<i>chilenaria</i>	(Blanchard 1852)	NEO	
			<i>Rhodostrophia</i>	<i>pelloniaria</i>	Guenée 1858	ORI	
			<i>Rhodostrophia</i>	<i>vibicaria</i>	(Clerck 1759)	PAL	
			<i>Symmacra</i>	<i>solidaria solidaria</i>	(Guenée 1857)	ORI	
			<i>Symmacra</i>	<i>solidaria validaria</i>	(Walker 1866)	AUS	
			<i>Tricentra</i>	<i>albiguttata</i>	Warren 1906	NEO	
			<i>Tricentra</i>	<i>aurilimbata</i>	Warren 1906	NEO	
			<i>Tricentra</i>	<i>brunneomarginata</i>	Warren 1906	NEO	
			<i>Tricentra</i>	<i>cambogiata</i>	Warren 1897	NEO	
			<i>Tricentra</i>	<i>curviplena</i>	Warren 1895	NEO	
			<i>Tricentra</i>	<i>divaricata</i>	Warren 1897	NEO	
			<i>Tricentra</i>	<i>gavisata</i>	Walker 1863	NEO	
			<i>Tricentra</i>	<i>ignefumosa</i>	Warren 1906	NEO	
			<i>Tricentra</i>	<i>mimula</i>	Warren 1907	NEO	
			<i>Tricentra</i>	<i>percrocea</i>	Warren 1906	NEO	
			<i>Tricentra</i>	<i>quadrigata</i>	Felder & Rogenhofer 1875	NEO	
			<i>Tricentra</i>	<i>subplumbea</i>	Bastelberger 1908	NEO	
			<i>Tricentra</i>	<i>vinosata</i>	Warren 1906	NEO	
			No genus	<i>ferruginaria</i>	(Blanchard 1852)	NEO	
		No genus	<i>chilenaria</i>	(Blanchard 1852)	NEO		
			Cyllopodini	<i>Atyria</i>	<i>allogaster</i>	Prout 1918	NEO
				<i>Atyria</i>	<i>basina basina</i>	(Boisduval 1870)	NEO
				<i>Atyria</i>	<i>chibcha</i>	(Schaus 1892)	NEO
				<i>Atyria</i>	<i>durnfordi</i>	(Druce 1889)	NEO
				<i>Atyria</i>	<i>isis</i>	(Hübner 1823)	NEO
				<i>Atyria</i>	<i>matutina</i>	(Warren 1865)	NEO
				<i>Atyria</i>	<i>mnemosyne</i>	Prout 1916	NEO
				<i>Atyria</i>	<i>nanipennis</i>	(Warren 1900)	NEO
				<i>Paratyria</i>	<i>darna</i>	(Schaus 1892)	NEO
				<i>Smicropus</i>	<i>laeta</i>	(Walker 1865)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Smicropus</i>	<i>longalis</i>	(Hübner 1818)	NEO
			<i>Xanthyris</i>	<i>flaveolata</i>	(Linnaeus 1758)	NEO
			<i>Xanthyris</i>	<i>superba</i>	Druce 1903	NEO
			<i>Xanthyris</i>	<i>supergressa</i>	Bastelberger 1909	NEO
		Sterrhini	<i>Anthometra</i>	<i>plumularia</i>	Boisduval 1840	PAL
			<i>Arcobara</i>	<i>multilineata</i>	(Hulst 1887)	NEA
			<i>Arcobara</i>	<i>tergeminaria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Euacidalia</i>	<i>quakerata</i>	(Cassino, 1927)	NEA
			<i>Euacidalia</i>	<i>rosea</i>	(Warren 1897)	NEO
			<i>Euacidalia</i>	<i>sericearia</i>	Packard 1873	NEA
			<i>Eumacrodes</i>	<i>excilinea</i>	(Warren 1906)	NEO
			<i>Idaea</i>	<i>adipata</i>	(Schaus 1913)	NEO
			<i>Idaea</i>	<i>allardiata</i>	(Mabille 1869)	PAL
			<i>Idaea</i>	<i>aversata</i>	(Linnaeus 1758)	PAL
			<i>Idaea</i>	<i>balmata</i>	(Dyar 1914)	NEO
			<i>Idaea</i>	<i>basinta</i>	(Schaus 1901)	NEA
			<i>Idaea</i>	<i>biselata</i>	(Hufnagel 1767)	PAL
			<i>Idaea</i>	<i>bonifata</i>	(Hulst 1887)	NEA
			<i>Idaea</i>	<i>celtima</i>	(Schaus 1901)	NEA/NEO
			<i>Idaea</i>	<i>complexaria</i>	(Schaus 1901)	NEO
			<i>Idaea</i>	<i>conifer</i>	(Warren 1906)	NEO
			<i>Idaea</i>	<i>curvicauda</i>	(Schaus 1940)	NEO
			<i>Idaea</i>	<i>degeneraria degeneraria</i>	(Hübner 1799)	PAL
			<i>Idaea</i>	<i>degeneraria erschoffi</i>	(Cristoph 1872)	PAL
			<i>Idaea</i>	<i>demissaria</i>	(Hübner 1831)	NEA
			<i>Idaea</i>	<i>deversaria</i>	Herrich-Schäffer 1847	PAL
			<i>Idaea</i>	<i>dimidiata</i>	(Hufnagel 1767)	PAL
			<i>Idaea</i>	<i>elizabetharia</i>	Covell 2015	NEA
			<i>Idaea</i>	<i>emarginata</i>	(Linnaeus 1758)	PAL
			<i>Idaea</i>	<i>eremiata</i>	(Hulst 1887)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Idaea</i>	<i>expolitata</i>	(Guenée 1858)	NEO
			<i>Idaea</i>	<i>exquisita</i>	(Warren 1897)	ETH
			<i>Idaea</i>	<i>falcipennis</i>	Warren 1893	NEO
			<i>Idaea</i>	<i>fernaria</i>	(Schaus 1940)	NEO
			<i>Idaea</i>	<i>fervens</i>	(Butler 1881)	NEO
			<i>Idaea</i>	<i>finita</i>	(Warren 1906)	NEO
			<i>Idaea</i>	<i>furciferata</i>	(Packard 1873)	NEA
			<i>Idaea</i>	<i>fuscovenosa</i>	(Goeze 1781)	PAL
			<i>Idaea</i>	<i>gemmata</i>	(Packard 1876)	NEA
			<i>Idaea</i>	<i>hilliata</i>	(Hulst 1887)	NEA
			<i>Idaea</i>	<i>infantula</i>	(Warren 1900)	NEO
			<i>Idaea</i>	<i>insulensis</i>	(Rindge 1958)	NEA
			<i>Idaea</i>	<i>macouma cocinna</i>	(Prout 1922)	NEO
			<i>Idaea</i>	<i>merklaria</i>	(Oberthür 1884)	PAL
			<i>Idaea</i>	<i>micropterata</i>	(Hulst 1900)	NEA
			<i>Idaea</i>	<i>monata</i>	(Ramos 1946)	NEO
			<i>Idaea</i>	<i>muricata</i>	(Hufnagel 1767)	PAL
			<i>Idaea</i>	<i>nibseata</i>	(Cassino 1931)	NEA
			<i>Idaea</i>	<i>obfusaria</i>	(Walker 1861)	NEA
			<i>Idaea</i>	<i>occidentaria</i>	(Packard 1873)	NEA
			<i>Idaea</i>	<i>ocellata</i>	(Warren 1906)	NEO
			<i>Idaea</i>	<i>ochrata</i>	(Scopoli 1763)	PAL
			<i>Idaea</i>	<i>oedipus</i>	(Warren 1900)	NEO
			<i>Idaea</i>	<i>orilochia</i>	(Druce 1893)	NEO
			<i>Idaea</i>	<i>ostentaria</i>	(Walker 1861)	NEA
			<i>Idaea</i>	<i>paulesca</i>	(Dyar 1914)	NEO
			<i>Idaea</i>	<i>pervertipennis</i>	(Hulst 1900)	NEA
			<i>Idaea</i>	<i>placitaria</i>	(Schaus 1940)	NEO
			<i>Idaea</i>	<i>praetextaria</i>	(Guenée 1858)	NEO
			<i>Idaea</i>	<i>productata</i>	(Packard 1876)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Idaea</i>	<i>retractaria</i>	(Walker 1861)	NEA
			<i>Idaea</i>	<i>rotundopennata</i>	(Pachard 1876)	NEA
			<i>Idaea</i>	<i>rubrisuffusata</i>	(Warren 1879)	NEO
			<i>Idaea</i>	<i>scintillularia</i>	(Hulst 1888)	NEA
			<i>Idaea</i>	<i>semilinea</i>	(Warren 1896)	NEO
			<i>Idaea</i>	<i>seriata</i>	(Schrank 1802)	NEA
			<i>Idaea</i>	<i>sericeata</i>	(Hübner 1813)	PAL
			<i>Idaea</i>	<i>serpentata</i>	(Hufnagel 1767)	PAL
			<i>Idaea</i>	<i>similinea</i>	(Warren 1906)	NEO
			<i>Idaea</i>	<i>skinnerata</i>	(Grossbeck 1907)	NEA
			<i>Idaea</i>	<i>spernata</i>	(Walker 1861)	NEO
			<i>Idaea</i>	<i>subsericeata</i>	(Haworth 1809)	NEO
			<i>Idaea</i>	<i>sugillata</i>	(Bastelberger 1911)	ORI
			<i>Idaea</i>	<i>tacturata</i>	(Walker 1861)	NEA
			<i>Idaea</i>	<i>tenebrica</i>	(Warren 1906)	NEO
			<i>Idaea</i>	<i>triangularia</i>	(Guenée 1858)	NEO
			<i>Idaea</i>	<i>umbrimargo</i>	(Dyar 1914)	NEO
			<i>Idaea</i>	<i>violacearia</i>	(Walker 1861)	NEA
			<i>Lobocleta</i>	<i>dativaria</i>	Schaus 1940	NEO
			<i>Lobocleta</i>	<i>figurinata</i>	(Guenée 1858)	NEO
			<i>Lobocleta</i>	<i>granitaria</i>	(Packard 1871)	NEA
			<i>Lobocleta</i>	<i>jamaicensis</i>	(Warren 1897)	NEO
			<i>Lobocleta</i>	<i>monogrammata</i>	(Guenée 1858)	NEO
			<i>Lobocleta</i>	<i>mutuataria</i>	(Möschler 1890)	NEO
			<i>Lobocleta</i>	<i>ossularia</i>	(Geyer 1837)	NEA
			<i>Lobocleta</i>	<i>peralbata</i>	(Packard 1873)	NEA
			<i>Lobocleta</i>	<i>plemyraria</i>	(Guenée 1858)	NEA
			<i>Lobocleta</i>	<i>porphyrinata</i>	(Walker 1863)	NEO
			<i>Lobocleta</i>	<i>triangularis</i>	(Warren 1897)	NEO
			<i>Neonemoria</i>	<i>thalassinata</i>	(Snellen 1874)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Odontoptila</i>	<i>brunnea</i>	Warren 1897	NEO
			<i>Odontoptila</i>	<i>obrimo</i>	(Druce 1892)	NEA
			<i>Ptychamalia</i>	<i>cumana</i>	(Schaus 1901)	NEO
			<i>Ptychamalia</i>	<i>grisescens</i>	(Warren 1905)	NEO
			<i>Ptychamalia</i>	<i>ligys</i>	(Prout 1926)	NEO
			<i>Ptychamalia</i>	<i>nigromarginata</i>	(Dognin 1890)	NEO
			<i>Ptychamalia</i>	<i>perbrunneata</i>	(Prout 1920)	NEO
			<i>Ptychamalia</i>	<i>perlata</i>	(Warren 1900)	NEO
			<i>Ptychamalia</i>	<i>pulverea</i>	(Butler 1881)	NEO
			<i>Tricentrogyna</i>	<i>colligata</i>	Warren 1906	NEO
			<i>Tricentrogyna</i>	<i>flexivitta</i>	Warren 1906	NEO
			<i>Tricentrogyna</i>	<i>floridora</i>	Schaus 1940	NEO
			<i>Tricentrogyna</i>	<i>vinacea</i>	Butler 1878	NEO
			<i>Tricentrogyna</i>	<i>violescens</i>	(Schaus 1901)	NEO
		Cosymbiini	<i>Chrysocraspeda</i>	<i>aurimargo</i>	Warren 1897	AUS
			<i>Chrysocraspeda</i>	<i>abhadraca</i>	(Walker 1861)	ORI
			<i>Chrysocraspeda</i>	<i>faganaria</i>	(Guenée 1858)	ORI
			<i>Chrysocraspeda</i>	<i>miniosa</i>	Warren 1899	ORI
			<i>Cyclophora</i>	<i>acutaria</i>	(Walker 1863)	NEO
			" <i>Cyclophora</i> "	<i>aequalipunctata</i>	(Dognin 1901)	NEO
			<i>Cyclophora</i>	<i>annularia</i>	(Fabricius 1775)	PAL
			" <i>Cyclophora</i> "	<i>annularis</i>	(Felder & Rogenhofer 1875)	NEO
			" <i>Cyclophora</i> "	<i>aurantiata aurantiata</i>	(Warren 1904)	NEO
			" <i>Cyclophora</i> "	<i>bipartita</i>	(Warren 1900)	NEO
			<i>Cyclophora</i>	<i>culicaria</i>	(Guenée 1858)	NEA
			<i>Cyclophora</i>	<i>dataria</i>	(Hulst 1887)	NEA
			<i>Cyclophora</i>	<i>decussata decussata</i>	(Sepp 1855)	NEO
			<i>Cyclophora</i>	<i>discofera</i>	Swinhoe 1864	ORI
			<i>Cyclophora</i>	<i>fastidiosa</i>	Dognin 1900	NEO
			<i>Cyclophora</i>	<i>flavidiscata</i>	Warren 1904	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Cyclophora flavispila</i>	(Warren 1896)	ORI
			<i>Cyclophora gigantula</i>	Warren 1904	NEO
			<i>Cyclophora insigniata</i>	Warren 1900	NEO
			<i>Cyclophora jonaria</i>	Schaus 1901	NEO
			<i>Cyclophora linearia</i>	Hübner 1799	PAL
			<i>Cyclophora maroniensis</i>	Dognin 1906	NEO
			<i>Cyclophora metamorpha</i>	Prout 1925	ETH
			<i>Cyclophora myrtaria/myrtaria</i>	(Guenée 1858)	NEO/NEA
			<i>Cyclophora nanaria</i>	(Walker 1861)	NEO/NEA
			<i>Cyclophora nodigera</i>	Butler 1881	NEO
			<i>Cyclophora obrinaria</i>	Guenée 1858	ORI
			<i>Cyclophora packardi</i>	(Prout 1936)	NEA
			<i>Cyclophora pendularia</i>	(Clerk 1759)	PAL
			<i>Cyclophora pendulinaria</i>	(Guenée 1858)	NEA
			<i>Cyclophora porata</i>	Linnaeus 1767	PAL
			<i>Cyclophora pruneliaria</i>	(Herrich-Schaffer 1855)	NEO
			<i>Cyclophora punctaria</i>	Linnaeus 1758	PAL
			<i>Cyclophora puppillaria</i>	Hübner 1799	PAL
			<i>Cyclophora ruficosta</i>	Warren 1905	NEO
			<i>Cyclophora semirosea</i>	(Butler 1882)	NEO
			<i>Cyclophora spissata</i>	Warren 1900	NEO
			<i>Cyclophora subpallida</i>	Warren 1900	NEO
			<i>Cyclophora sypharia</i>	Guenée 1858	NEO
			<i>Cyclophora tharossa</i>	(Druce 1889)	NEO
			<i>Cyclophora umbrata</i>	(Butler 1882)	NEO
			<i>Cyclophora urcearia</i>	Guenée 1857	NEO
			<i>Dithecodes distracta</i>	(Walker 1861)	NEO
			<i>Dithecodes erasa</i>	Warren 1900	PAL
			<i>Dithecodes inconspicua</i>	Warren 1899	AUS
			<i>Dithecodes rufipuncta</i>	(Warren 1906)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Perixera</i>	<i>arenosaria cretacea</i>	(Warren 1898)	AUS
			<i>Perixera</i>	<i>absconditaria</i>	(Walker 1863)	ORI
			<i>Perixera</i>	<i>argyromma</i>	(Warren 1896)	AUS
			<i>Perixera</i>	<i>ceramis</i>	(Meyrick 1886)	AUS
			<i>Perixera</i>	<i>decretaria</i>	(Walker 1861)	ORI
			<i>Pleuroprucha</i>	<i>archigetes</i>	Prout 1932	NEO
			<i>Pleuroprucha</i>	<i>asthenaria</i>	(Walker 1861)	NEO
			<i>Pleuroprucha</i>	<i>insulsaria</i>	(Guenée 1858)	NEO/NEA
			<i>Pleuroprucha</i>	<i>ochrea atomaria</i>	(Schaus 1901)	NEO
			<i>Pleuroprucha</i>	<i>protopages</i>	Prout 1932	NEO
			<i>Pleuroprucha</i>	<i>rudimentaria</i>	(Guenée 1858)	NEO
			<i>Pleuroprucha</i>	<i>yunkearia</i>	Schaus 1940	NEO
			<i>Semaeopus</i>	<i>alicia</i>	(Schaus 1901)	NEO
			<i>Semaeopus</i>	<i>ascia</i>	Prout 1918	NEO
			<i>Semaeopus</i>	<i>bimacula</i>	(Warren 1897)	NEO
			<i>Semaeopus</i>	<i>caecaria</i>	(Hübner 1823)	NEO
			<i>Semaeopus</i>	<i>calavera</i>	(Dognin 1897)	NEO
			<i>Semaeopus</i>	<i>castaria</i>	(Guenée 1858)	NEO
			<i>Semaeopus</i>	<i>decorata</i>	(Dognin 1909)	NEO
			<i>Semaeopus</i>	<i>dentilinea</i>	(Warren 1900)	NEO
			<i>Semaeopus</i>	<i>ella</i>	(Hulst 1896)	NEA
			<i>Semaeopus</i>	<i>enodiflexa</i>	Prout 1931	NEO
			<i>Semaeopus</i>	<i>exquistitata</i>	(Möschler 1882)	NEO
			<i>Semaeopus</i>	<i>gracilata</i>	(Grossbeck 1912)	NEO
			<i>Semaeopus</i>	<i>hypoderis</i>	Prout 1917	NEO
			<i>Semaeopus</i>	<i>illimitata</i>	(Warren 1900)	NEO
			<i>Semaeopus</i>	<i>indignaria</i>	(Guenée 1858)	NEO
			<i>Semaeopus</i>	<i>masinissa</i>	(Schaus 1912)	NEO
			<i>Semaeopus</i>	<i>miniata</i>	(Druce 1899)	NEO
			<i>Semaeopus</i>	<i>nisa</i>	(Druce 1892)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Semaeopus</i>	<i>oenopodiata</i>	(Guenée 1858)	NEO
			<i>Semaeopus</i>	<i>perfusaria</i>	(Walker 1861)	NEO
			<i>Semaeopus</i>	<i>perpolitaria</i>	(Möschler 1882)	NEO
			<i>Semaeopus</i>	<i>petumna</i>	(Schaus 1901)	NEO
			<i>Semaeopus</i>	<i>punctigera</i>	(Dognin 1900)	NEO
			<i>Semaeopus</i>	<i>redundata</i>	Prout 1918	NEO
			<i>Semaeopus</i>	<i>subtincta</i>	(Warren 1897)	NEO
			<i>Semaeopus</i>	<i>viridipunctata</i>	(Warren 1900)	NEO
			<i>Traminda</i>	<i>aventiaria</i>	(Guenée 1858)	AUS
			<i>Traminda</i>	<i>neptunaria</i>	Guenée 1858	ETH
			<i>Traminda</i>	<i>obversata</i>	(Walker 1861)	ETH
			<i>Traminda</i>	<i>subochrea</i>	(Butler 1887)	AUS
			<i>Traminda</i>	<i>viudaria</i>	Walker 1861	ETH
		Timandrini	<i>Haematopis</i>	<i>grataria</i>	(Fabricius 1798)	NEA
			<i>Timandra</i>	<i>amaturaria</i>	(Walker 1866)	NEA
			<i>Timandra</i>	<i>comptaria</i>	(Walker 1863)	ORI
			<i>Timandra</i>	<i>extremaria</i>	(Walker 1861)	PAL
			<i>Timandra</i>	<i>griseata</i>	(Peterson 1902)	PAL
		Scopulini	<i>Acratodes</i>	<i>suavata</i>	(Hulst 1900)	NEO
			<i>Acratodes</i>	<i>virigota</i>	(Schaus)	NEO
			<i>Aletis</i>	<i>erici</i>	Kirby 1896	ETH
			<i>Aletis</i>	<i>helcita</i>	(Linnaeus 1763)	ETH
			<i>Cartaletis</i>	<i>concolor</i>	Warren 1905	ETH
			<i>Cartaletis</i>	<i>gracilis</i>	(Möschler 1887)	ETH
			<i>Cartaletis</i>	<i>libyssa libyssa</i>	(Druce 1883)	ETH
			<i>Cartaletis</i>	<i>libyssa natalensis</i>	Prout 1917	ETH
			<i>Dithalama</i>	<i>cosmospila</i>	Meyrick 1888	AUS
			<i>Leptostales</i>	<i>adela</i>	(Dognin 1890)	NEO
			<i>Leptostales</i>	<i>admirabilis</i>	(Oberthür 1883)	NEO
			<i>Leptostales</i>	near <i>crossii</i>	(Hulst 1900)	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Leptostales delectabiliaria</i>	(Möschler 1890)	NEO
			<i>Leptostales delila</i>	(Schaus 1912)	NEO
			<i>Leptostales laevitaria</i>	(Geyer 1837)	NEA
			<i>Leptostales nycteis ignifera</i>	(Warren 1906)	NEO
			<i>Leptostales oslinaria</i>	(Schaus 1940)	NEO
			<i>Leptostales pannaria</i>	(Guenée 1858)	NEO
			<i>Leptostales pappasaria</i>	(Dyar 1913)	NEO
			<i>Leptostales phorcaria</i>	(Guenée 1858)	NEO
			<i>Leptostales praepeditaria</i>	(Möschler 1890)	NEO
			<i>Leptostales pulida</i>	(Dognin 1893)	NEO
			<i>Leptostales randaria</i>	(Schaus 1940)	NEO
			<i>Leptostales rubromarginaria</i>	(Packard 1871)	NEA
			<i>Leptostales rubrotincta</i>	(Hulst 1900)	NEA
			<i>Leptostales subrubella</i>	(Warren 1906)	NEO
			<i>Leptostales terminata</i>	(Guenée 1858)	NEO
			<i>Leptostales turbata</i>	(Walker 1863)	NEO
			<i>Lipomelia subusta</i>	Warren 1893	ORI
			<i>Lophosis labeculata</i>	(Hulst 1887)	NEA
			<i>Problepsis delphiaria</i>	(Guenée 1858)	ORI
			<i>Problepsis eucircota</i>	Prout 1913	ORI
			<i>Problepsis magna</i>	Warren 1906	AUS
			<i>Problepsis plagiata</i>	(Butler 1881)	PAL
			<i>Scopula abornata</i>	(Guenée 1858)	NEO
			<i>Scopula acutangulata</i>	Swinhoe 1909	ETH
			<i>Scopula aemulata</i>	(Hulst 1896)	NEA/NEO
			<i>Scopula aequifasciata</i>	(Christoph 1881)	NEO
			<i>Scopula agrata</i>	(Felder & Rogenhofer 1875)	AUS
			<i>Scopula albida</i>	(Warren 1899)	ETH
			<i>Scopula albidulata</i>	(Warren 1897)	NEO
			<i>Scopula ancellata</i>	(Hulst 1887)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Scopula</i>	<i>annularia</i>	(Swinhoe 1890)	ORI
			<i>Scopula</i>	<i>ansorgei</i>	(Warren 1899)	ETH
			<i>Scopula</i>	<i>attentata</i>	Walker 1861	ORI
			<i>Scopula</i>	<i>cacuminaria</i>	(Morrison 1874)	NEA
			<i>Scopula</i>	<i>caesaria</i>	(Walker 1861)	ETH
			<i>Scopula</i>	<i>callibotrys</i>	(Prout 1918)	ETH
			<i>Scopula</i>	<i>castissima</i>	(Warren 1897)	AUS
			<i>Scopula</i>	<i>compensata</i>	(Walker 1861)	NEA
			<i>Scopula</i>	<i>oblivaria</i>	(Walker 1861)	NEO
			<i>Scopula</i>	<i>cuneilinea</i>	(Walker 1863)	ORI
			<i>Scopula</i>	<i>defixaria</i>	(Walker 1861)	NEO
			<i>Scopula</i>	<i>deiliniata</i>	(Warren 1897)	NEO
			<i>Scopula</i>	<i>deserta</i>	(Warren 1897)	ETH
			<i>Scopula</i>	<i>divisaria</i>	(Walker 1861)	ORI
			<i>Scopula</i>	<i>donovani</i>	(Distant 1892)	ETH
			<i>Scopula</i>	<i>eburneata</i>	(Guenée 1858)	NEO
			<i>Scopula</i>	<i>emissaria</i>	(Walker 1861)	ORI
			<i>Scopula</i>	<i>fernaria</i>	Schaus 1940	NEO
			<i>Scopula</i>	<i>frigidaria</i>	(Möschler 1860)	NEA
			<i>Scopula</i>	<i>fuscata</i>	(Hulst 1887)	NEA
			<i>Scopula</i>	<i>fuscobrunnea</i>	(Warren 1901)	ETH
			<i>Scopula</i>	<i>habilis</i>	(Warren 1899)	ETH
			<i>Scopula</i>	<i>haemaleata</i>	(Warren 1898)	ETH
			<i>Scopula</i>	<i>imitaria</i>	Hübner 1799	PAL
			<i>Scopula</i>	<i>immutata</i>	(Linnaeus 1758)	PAL
			<i>Scopula</i>	<i>impicta</i>	Prout 1922	ETH
			<i>Scopula</i>	<i>impropriaria</i>	(Walker 1861)	NEO
			<i>Scopula</i>	<i>inductata</i>	(Guenée 1858)	NEA
			<i>Scopula</i>	<i>innominata</i>	Schaus 1940	NEO
			<i>Scopula</i>	<i>inscervireatus</i>	Schaus	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Scopula</i>	<i>junctaria junctaria</i>	(Walker 1861)	NEA
			<i>Scopula</i>	<i>junctaria quinquelinearia</i>	(Packard 1871)	NEA
			<i>Scopula</i>	<i>laevipennis</i>	(Warren 1897)	ETH
			<i>Scopula</i>	<i>laesaria</i>	Schaus 1940	NEO
			<i>Scopula</i>	<i>lautaria</i>	(Hübner 1831)	NEA
			<i>Scopula</i>	<i>limboundata</i>	(Haworth 1809)	NEA
			<i>Scopula</i>	<i>luteolata</i>	(Hulst 1880)	NEA
			<i>Scopula</i>	<i>mecysma</i>	Swinhoe 1894	AUS
			<i>Scopula</i>	<i>minorata</i>	Boisduval 1833	ETH
			<i>Scopula</i>	<i>misera</i>	Walker 1866	AUS
			<i>Scopula</i>	<i>mooraria</i>	(Dyar 1914)	NEO
			<i>Scopula</i>	<i>moorei</i>	Cotes and Swinhoe 1888	ORI
			<i>Scopula</i>	<i>napariata</i>	Guenée 1858	NEO
			<i>Scopula</i>	<i>nigropunctata</i>	(Hufnagel 1767)	PAL
			<i>Scopula</i>	<i>opicatata</i>	(Fabricius 1798)	ORI
			<i>Scopula</i>	<i>ordinata</i>	(Walker 1861)	NEA
			<i>Scopula</i>	<i>pallida</i>	(Warren 1895)	ORI
			<i>Scopula</i>	<i>plantagenaria</i>	(Hulst 1887)	NEA
			<i>Scopula</i>	<i>privata</i>	Walker 1867	NEO
			<i>Scopula</i>	<i>pulchellata pulchellata</i>	Fabricius 1794	ORI
			<i>Scopula</i>	<i>punctilineata</i>	Warren 1897	ETH
			<i>Scopula</i>	<i>purata</i>	(Guenée 1857)	NEA/NEO
			<i>Scopula</i>	<i>pyraliata</i>	Warren 1898	ETH
			<i>Scopula</i>	<i>quadrilineata</i>	(Packard 1876)	NEA
			<i>Scopula</i>	<i>recusataria</i>	Walker 1861	NEO
			<i>Scopula</i>	<i>remotata</i>	Guenée 1858	ORI
			<i>Scopula</i>	<i>rostrilinea</i>	Warren 1900	NEO
			<i>Scopula</i>	<i>rubraria</i>	(Doubleday 1843)	AUS
			<i>Scopula</i>	<i>rufistigma</i>	(Warren 1895)	ORI
			<i>Scopula</i>	<i>siccata</i>	McDunnough 1939	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Scopula</i>	<i>sideraria</i>	(Guenée 1857)	NEA
			<i>Scopula</i>	<i>spoliata</i>	Walker 1861	ETH
			<i>Scopula</i>	<i>stenopila</i>	(Prout 1916)	ETH
			<i>Scopula</i>	<i>stigmata</i>	Moore 1888	PAL
			<i>Scopula</i>	<i>subnictata</i>	Snellen 1874	NEO
			<i>Scopula</i>	<i>subperlaria</i>	Warren 1897	ETH
			<i>Scopula</i>	<i>subpunctaria</i>	(Herrich-Schaffer 1847)	PAL
			<i>Scopula</i>	<i>subquadrata</i>	Guenée 1857	NEO
			<i>Scopula</i>	<i>timandrata</i>	(Walker 1861)	NEA
			<i>Scopula</i>	<i>umbelaria umbelaria</i>	Hübner	PAL
			<i>Scopula</i>	<i>umbelaria majoraria</i>	Leech	PAL
			<i>Scopula</i>	<i>umbilicata</i>	(Fabricius 1794)	NEA
			<i>Scopula</i>	<i>unicornata</i>	Warren 1900	NEO
			<i>Scopula</i>	<i>virigota</i>	Dennis and Schiffermuller	PAL
			<i>Somatina</i>	<i>anthophilata</i>	Guenée 1858	ORI
			<i>Somatina</i>	<i>irregularis</i>	(Warren 1898)	ETH
			<i>Somatina</i>	<i>omicraria</i>	(Fabricius 1798)	ORI
			<i>Somatina</i>	<i>plynusaria</i>	(Walker 1863)	ORI
			<i>Somatina</i>	<i>vestalis</i>	(Butler 1875)	ETH
			<i>Zyθος</i>	<i>aphrodite</i>	(Prout 1932)	ORI
			<i>Zyθος</i>	<i>avellanea</i>	(Prout 1932)	ORI
			<i>Zyθος</i>	<i>turbata</i>	(Walker 1862)	ORI
		Rhodometrini	<i>Rhodometra</i>	<i>sacraria</i>	(Linnaeus 1767)	ETH
			<i>Rhodometra</i>	<i>virgenpamba</i>	(Dognin 1892)	NEO
		Lythriini	<i>Lythria</i>	<i>cruentaria sanguinaria</i>	(Duponchel 1842)	PAL
			<i>Lythria</i>	<i>purpuraria</i>	(Linnaeus 1758)	PAL
		incertae sedis	<i>Anisephyra</i>	<i>ocularia</i>	Fabricius 1775	AUS
			<i>Aphanophleps</i>	<i>vinosaria</i>	Warren 1906	NEO
			<i>Atyriodes</i>	<i>cyrene</i>	(Druce 1885)	NEO
			<i>Atyriodes</i>	<i>figulatum</i>	Dognin 1906	NEO

Family	Subfamily	Tribe	Genus (Subgenus) species subspecies	(Author Date)	Zoogeographic Region
			<i>Cyllopoda jatropharia jatropharia</i>	Linnaeus 1758	NEO
			<i>Cyllopoda ovata</i>	Warren 1907	NEO
			<i>Discoglypha hampsoni</i>	(Swinhoe 1892)	ORI
			<i>Formiana maenades</i>	Druce 1885	NEO
			<i>Haemalea delotaria</i>	(Hübner 1823)	NEO
			<i>Haemalea imitans</i>	(Dognin 1900)	NEO
			<i>Isoplenia trisinuata</i>	Warren 1897	ETH
			<i>Lipotaxia segmentata</i>	(Warren 1907)	NEO
			<i>Organopoda carnearia</i>	(Walker 1861)	ORI
			<i>Organopoda locaplatala</i>	Prout	ORI
			<i>Prasinochrysa quadriplaga</i>	Felder 1875	NEO
			<i>Pseudasellodes constellata</i>	Warren 1904	NEO
			<i>Pseudasellodes fenestraria</i>	(Guenée 1858)	NEO
			<i>Pseudasellodes hebetior</i>	(Warren 1906)	NEO
			<i>Pseudasellodes lacunata</i>	Dognin 1906	NEO
			<i>Pseudasellodes vitraria</i>	(Schaus 1901)	NEO
			<i>Pylargosceles steganioides</i>	(Butler 1878)	PAL
			<i>Synegiodes diffusifascia</i>	Swinhoe 1892	ORI
			<i>Synegiodes histrionaria</i>	Swinhoe 1892	ORI
			<i>Synegiodes hyriaria</i>	(Walker 1866)	ORI
			<i>Tanaotrichia prasonaria</i>	(Swinhoe 1892)	ORI
			<i>Trygodes amphion</i>	Schaus 1912	NEO
			<i>Trygodes musivaria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Trygodes niobe</i>	Druce 1892	NEO
			<i>Trygodes spoliataria</i>	Möschler 1882	NEO

Cornell University Insect Collection

Geometridae: Geometrinae

Compiled by Jacob A. Gorneau

Curated by Jacob A. Gorneau, Leah Richardson,
Joseph Giulian, Annika Salzberg, Kyhl Austin, Milena Blue Spruce

Determined Species and subspecies: 352

Updated: September 2019

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
Geometridae	Geometrinae	Nemoriini	<i>Cathydata</i>	<i>battina</i>	(Druce 1892)	NEO
			<i>Chloractis</i>	<i>pulcherrima</i>	(Butler 1881)	NEO
			<i>Chlorosea</i>	<i>banksaria</i>	Sperry 1944	NEA
			<i>Chlorosea</i>	<i>margaretaria</i>	Sperry 1944	NEA
			<i>Chlorosea</i>	<i>nevadaria</i>	Packard 1874	NEA
			<i>Chlorosea</i>	<i>roseitacta</i>	Prout 1912	NEA
			<i>Dichorda</i>	<i>consequaria</i>	(H. Edwards 1884)	NEA
			<i>Dichorda</i>	<i>consquaria perpendiculata</i>	Warren 1904	NEO
			<i>Dichorda</i>	<i>illustraria</i>	(Hulst 1886)	NEA
			<i>Dichorda</i>	<i>iridaria iridaria</i>	(Guenée 1857)	NEA
			<i>Dichorda</i>	<i>iridaria remotaria</i>	(Walker 1861)	NEA
			<i>Dichorda</i>	<i>rectaria rectaria</i>	(Grote 1877)	NEA
			<i>Nemoria</i>	<i>albaria</i>	(Grote 1883)	NEA
			<i>Nemoria</i>	<i>albineatea</i>	Cassino 1927	NEA
			<i>Nemoria</i>	<i>arizonaria</i>	(Grote 1883)	NEA
			<i>Nemoria</i>	<i>aturia</i>	(Dognin 1892)	NEO
			<i>Nemoria</i>	<i>bifilata bifilata</i>	(Walker 1863)	NEA
			<i>Nemoria</i>	<i>bifilata planuscula</i>	Ferguson 1969	NEA
			<i>Nemoria</i>	<i>bistriaria bistriaria</i>	Hübner, 1818	NEA
			<i>Nemoria</i>	<i>bistriaria siccifolia</i>	(Fitch 1857)	NEA
			<i>Nemoria</i>	<i>caerulescens</i>	Prout 1912	NEA
			<i>Nemoria</i>	<i>catachloa</i>	(Hulst 1898)	NEA
			<i>Nemoria</i>	<i>conspersa</i>	(Warren 1904)	NEO
			<i>Nemoria</i>	<i>cosmeta</i>	(Prout 1912)	NEO
			<i>Nemoria</i>	<i>daedalea</i>	Ferguson 1969	NEA
			<i>Nemoria</i>	<i>darwiniata</i>	(Dyar 1904)	NEA
			<i>Nemoria</i>	<i>dentilinea</i>	(Warren 1897)	NEO
			<i>Nemoria</i>	<i>diamesa</i>	Ferguson 1969	NEA
			<i>Nemoria</i>	<i>elfa</i>	Ferguson 1969	NEA
			<i>Nemoria</i>	<i>erina</i>	(Dognin 1896)	NEO
			<i>Nemoria</i>	<i>extremaria</i>	(Walker 1861)	NEA
			<i>Nemoria</i>	<i>festaria</i>	(Hulst 1886)	NEA
			<i>Nemoria</i>	<i>glaucomarginaria</i>	(Barnes & McDunnough 1917)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Nemoria</i>	<i>integra</i>	(Warren 1897)	NEO
			<i>Nemoria</i>	<i>intensaria</i>	(Pearsall 1911)	NEA
			<i>Nemoria</i>	<i>latirosaria</i>	(Pearsall 1906)	NEA
			<i>Nemoria</i>	<i>leptalea</i>	Ferguson 1969	NEA
			<i>Nemoria</i>	<i>lixaria</i>	(Guenée 1857)	NEA
			<i>Nemoria</i>	<i>mimosaria</i>	(Guenée 1857)	NEA
			<i>Nemoria</i>	<i>morbiliata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Nemoria</i>	<i>mutaticolor</i>	Prout 1912	NEA
			<i>Nemoria</i>	<i>obliqua hennei</i>	(Sperry 1953)	NEA
			<i>Nemoria</i>	<i>obliqua obliqua</i>	(Hulst 1898)	NEA
			<i>Nemoria</i>	<i>pacificaria</i>	(Möschler 1882)	NEO
			<i>Nemoria</i>	<i>pistacearia</i>	(Packard 1876)	NEA
			<i>Nemoria</i>	<i>pulcherrima</i>	(Barnes & McDunnough 1916)	NEA
			<i>Nemoria</i>	<i>punctilinea</i>	(Dognin 1902)	NEO
			<i>Nemoria</i>	<i>rubifrontaria</i>	(Packard 1873)	NEA
			<i>Nemoria</i>	<i>saturiba</i>	Ferguson 1969	NEA
			<i>Nemoria</i>	<i>sigillaria</i>	Guenée 1858	NEO
			<i>Nemoria</i>	<i>strigataria</i>	(Grossbeck 1910)	NEA
			<i>Nemoria</i>	<i>subsequens</i>	Ferguson 1969	NEA
			<i>Nemoria</i>	<i>tuscarora</i>	Ferguson 1969	NEA
			<i>Nemoria</i>	<i>unitaria</i>	(Packard 1873)	NEA
			<i>Nemoria</i>	<i>zelotes</i>	Ferguson 1969	NEA
			<i>Phrudocentra</i>	<i>centrifugaria</i>	(Herrich-Schäffer 1870)	NEA
			<i>Phrudocentra</i>	<i>condensata</i>	(Warren 1907)	NEO
			<i>Phrudocentra</i>	<i>hydatodes</i>	Warren 1906	NEO
			<i>Phrudocentra</i>	<i>janeira janeira</i>	(Schaus 1897)	NEO
			<i>Phrudocentra</i>	<i>obnubilata</i>	(Warren 1906)	NEO
			<i>Phrudocentra</i>	<i>opaca</i>	(Butler 1881)	NEO
			<i>Phrudocentra</i>	<i>pupillata</i>	Warren 1897	NEO
			<i>Phrudocentra</i>	<i>vagilinea</i>	Warren 1906	NEO
			<i>Pyrochlora</i>	<i>rhanis</i>	(Cramer 1777)	NEO
			<i>Rhodochlora</i>	<i>brunneipalpis brunneipalpis</i>	Warren 1894	NEO
			<i>Rhodochlora</i>	<i>brunneipalpis minor</i>	Prout 1932	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Rhodochlora</i>	<i>brunneipalpis rufaria</i>	Warren 1909	NEO
			<i>Rhodochlora</i>	<i>roseipalpis</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Tachychlora</i>	<i>flavicoma</i>	(Warren 1906)	NEO
			<i>Tachychlora</i>	<i>subfulvata</i>	(Warren 1906)	NEO
		Dichordophorini	<i>Dichordophora</i>	<i>phoenix</i>	Prout 1912	NEA
		Synchlorini	<i>Cheteoscelis</i>	<i>bistriaria</i>	(Packard 1876)	NEA
			<i>Cheteoscelis</i>	<i>faseolaria</i>	(Guenée 1857)	NEA
			<i>Cheteoscelis</i>	<i>graeffaria</i>	(Hulst 1886)	NEA
			<i>Cheteoscelis</i>	<i>pectinaria</i>	(Grossbeck 1910)	NEA
			<i>Synchlora</i>	<i>aerata</i>	(Fabricius 1798)	NEA
			<i>Synchlora</i>	<i>astraeoides</i>	(Warren 1901)	NEO
			<i>Synchlora</i>	<i>bistriata</i>	(Warren 1897)	NEO
			<i>Synchlora</i>	<i>cupedinaria</i>	(Grote 1880)	NEA/NEO
			<i>Synchlora</i>	<i>dependens dependens</i>	(Warren 1904)	NEO
			<i>Synchlora</i>	<i>dependens tumefacta</i>	(Prout 1910)	NEO
			<i>Synchlora</i>	<i>expulsata</i>	(Walker 1861)	NEO
			<i>Synchlora</i>	<i>frondaria avidaria</i>	Pearsall 1917	NEA
			<i>Synchlora</i>	<i>frondaria frondaria</i>	Guenée 1857	NEO
			<i>Synchlora</i>	<i>gerularia</i>	(Hübner 1823)	NEA/NEO
			<i>Synchlora</i>	<i>herbaria herbaria</i>	(Fabricius 1794)	NEA/NEO
			<i>Synchlora</i>	<i>pulchrifimbria</i>	(Warren 1907)	NEO
			<i>Synchlora</i>	<i>tenuimargo</i>	(Warren 1905)	NEO
			<i>Synchlora</i>	<i>xysteraria</i>	Hulst 1886	NEA
		Lophochoristini	<i>Oospila</i>	<i>albicoma</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Oospila</i>	<i>altonaria</i>	Jones 1921	NEO
			<i>Oospila</i>	<i>arpata</i>	(Schaus 1897)	NEO
			<i>Oospila</i>	<i>ciliaria</i>	(Hübner 1823)	NEO
			<i>Oospila</i>	<i>concinna</i>	Warren 1900	NEO
			<i>Oospila</i>	<i>confluaria</i>	Warren 1906	NEO
			<i>Oospila</i>	<i>confundaria</i>	(Möschler 1890)	NEO
			<i>Oospila</i>	<i>delphinata</i>	(Warren 1900)	NEO
			<i>Oospila</i>	<i>ecuadorata</i>	(Dognin 1892)	NEO
			<i>Oospila</i>	<i>florepecta</i>	Warren 1906	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Oospila</i>	<i>includaria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Oospila</i>	<i>marginata</i>	Warren 1897	NEO
			<i>Oospila</i>	<i>miccularia</i>	(Guenée 1857)	NEO
			<i>Oospila</i>	<i>obeliscata</i>	(Warren 1906)	NEO
			<i>Oospila</i>	<i>pallidaria</i>	(Schaus 1897)	NEO
			<i>Oospila</i>	<i>pellucida</i>	Prout 1916	NEO
			<i>Oospila</i>	<i>rubescens</i>	Warren 1906	NEO
			<i>Oospila</i>	<i>rufilimes</i>	(Warren 1905)	NEO
			<i>Oospila</i>	<i>tricamerata</i>	Prout 1916	NEO
		Hemitheini	<i>Acollesis</i>	<i>fraudulenta</i>	Warren 1898	ETH
			<i>Acollesis</i>	<i>umbrata</i>	Warren 1899	ETH
			<i>Aeolochroma</i>	<i>albifusaria</i>	(Walker 1866)	AUS
			<i>Aeolochroma</i>	<i>prasina</i>	(Warren 1896)	AUS
			<i>Aeolochroma</i>	<i>suffusa</i>	(Prout 1932)	AUS
			<i>Aeolochroma</i>	<i>turneri</i>	(T.P. Lucas 1890)	AUS
			<i>Berta</i>	<i>albiplaga</i>	Warren 1893	AUS
			<i>Berta</i>	<i>apopempta</i>	Prout 1935	PAL
			<i>Berta</i>	<i>chrysolineata</i>	Walker 1863	AUS
			<i>Berta</i>	<i>persimilis</i>	(Warren 1897)	ETH
			<i>Chlorissa</i>	<i>albistrigulata</i>	Warren 1897	ETH
			<i>Chlorissa</i>	<i>approximans</i>	(Warren 1897)	ETH
			<i>Chlorissa</i>	<i>cloraria</i>	(Hübner 1813)	PAL
			<i>Chlorissa</i>	<i>viridata</i>	(Linnaeus 1758)	PAL
			<i>Chlorochlamys</i>	<i>appellaria</i>	Pearsall 1911	NEA
			<i>Chlorochlamys</i>	<i>chloroleucaria</i>	(Guenée 1858)	NEA
			<i>Chlorochlamys</i>	<i>phyllinaria</i>	(Zeller 1872)	NEA
			<i>Chlorochlamys</i>	<i>triangularis</i>	Prout 1912	NEA
			<i>Chloropteryx</i>	<i>glaucoptera</i>	(Hampson 1895)	NEO
			<i>Chloropteryx</i>	<i>hemithearia</i>	(Warren 1900)	NEO
			<i>Chloropteryx</i>	<i>opalaria</i>	(Guenée 1857)	NEO
			<i>Chloropteryx</i>	<i>paularia</i>	(Möschler 1886)	NEA/NEO
			<i>Chloropteryx</i>	<i>productaria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Chloropteryx</i>	<i>stigmatica</i>	(Warren 1904)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Chloropteryx</i>	<i>subrufescens</i>	(Warren 1906)	NEO
			<i>Chloropteryx</i>	<i>tepperaria</i>	(Hulst 1886)	NEA
			<i>Comostola</i>	<i>maculata unanimitis</i>	(Moore 1868)	ORI
			<i>Comostola</i>	<i>nereidaria</i>	(Snellen 1881)	AUS
			<i>Comostola</i>	<i>subtiliaria</i>	(Bremer 1864)	PAL
			<i>Comostola</i>	<i>subtiliaria nympha</i>	(Butler 1881)	ORI
			<i>Comostola</i>	<i>viridula</i>	(Warren 1903)	AUS
			<i>Episothalma</i>	<i>robustaria</i>	(Guenée 1858)	ORI
			<i>Eucrotes</i>	<i>disparata</i>	Walker 1861	AUS
			<i>Hemithea</i>	<i>aestivaria</i>	(Hübner 1799)	PAL
			<i>Hemithea</i>	<i>wuka</i>	(Pagenstecher 1886)	AUS
			<i>Hethemia</i>	<i>pistasciaria</i>	(Guenée 1858)	NEA
			<i>Idiochlora</i>	<i>ussuriaria</i>	(Bremer 1864)	PAL
			<i>Jodis</i>	<i>lactearia</i>	(Linnaeus 1758)	PAL
			<i>Jodis</i>	<i>putata</i>	(Linnaeus 1758)	PAL
			<i>Jodis</i>	<i>sinuosaria</i>	(Leech 1897)	PAL
			<i>Maxates</i>	<i>acutissima</i>	(Walker 1861)	ORI
			<i>Maxates</i>	<i>coelataria</i>	(Walker 1861)	ORI
			<i>Maxates</i>	<i>eumixis</i>	(Prout 1911)	AUS
			<i>Maxates</i>	<i>illiturata</i>	(Walker 1863)	PAL
			<i>Maxates</i>	<i>orthodesma</i>	(Lower 1894)	AUS
			<i>Maxates</i>	<i>versicauda</i>	(Prout 1920)	ORI
			<i>Mesothea</i>	<i>incertata</i>	(Walker 1863)	NEA
			<i>Mesothea</i>	<i>incertata incertata</i>	(Walker 1863)	NEA
			<i>Mesothea</i>	<i>incertata viridipennata</i>	(Hulst 1896)	NEA
			<i>Metallochloa</i>	<i>lineata tetralopha</i>	(Lower 1898)	AUS
			<i>Metallochloa</i>	<i>venusta</i>	(Warren 1896)	AUS
			<i>Oenospila</i>	<i>flavifusata</i>	(Walker 1861)	AUS
			<i>Pelagodes</i>	<i>veraria</i>	(Guenée 1857)	AUS
			<i>Phaiogramma</i>	<i>etruscaria</i>	(Zeller 1849)	PAL
			<i>Phaiogramma</i>	<i>stibolepida</i>	(Butler 1879)	ETH
			<i>Thalassodes</i>	<i>aucta</i>	Prout 1912	ORI
			<i>Thalassodes</i>	<i>depulsata</i>	Walker 1861	ORI

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Thalassodes</i>	<i>dorsilinea</i>	Warren 1903	AUS
			<i>Thalassodes</i>	<i>dorsipunctata</i>	Warren 1903	AUS
			<i>Thalassodes</i>	<i>dorsipunctata</i> ab. <i>minor</i>	Warren 1903	AUS
			<i>Thalassodes</i>	<i>immissaria</i>	Walker 1861	AUS
			<i>Thalassodes</i>	<i>nivestrota</i>	Warren 1903	AUS
			<i>Thalassodes</i>	<i>quadraria</i>	Guenée 1858	ETH/ORI
			<i>Thalassodes</i>	<i>rhytiphorus</i>	(Lower 1893)	AUS
			<i>Thalassodes</i>	<i>umbrimedia</i>	Warren 1903	AUS
			<i>Thalera</i>	<i>fimbrialis</i>	(Scopoli 1763)	PAL
			<i>Xerochlora</i>	<i>inveterascaria</i>	(Swett 1907)	NEA
			<i>Xerochlora</i>	<i>martinaria</i>	(Sperry 1948)	NEA
			<i>Xerochlora</i>	<i>masonaria</i>	(Schaus 1897)	NEA
			<i>Xerochlora</i>	<i>mesotheides</i>	Ferguson 1969	NEA
			<i>Xerochlora</i>	<i>viridipallens</i>	(Hulst 1896)	NEA
		Pseudoterpnini	<i>Actenochroma</i>	<i>muscoloraria</i>	(Walker 1863)	ORI
			<i>Aplasta</i>	<i>ononaria</i>	(Fuessly 1783)	PAL
			<i>Crypsiphona</i>	<i>ocultaria</i>	(Donovan 1805)	AUS
			<i>Dindica</i>	<i>para</i>	Swinhoe 1891	ORI
			<i>Dindica</i>	<i>polyphaenaria</i>	(Guenée 1858)	ORI
			<i>Dindica</i>	<i>purpurata</i>	Bastelberger 1911	ORI
			<i>Dindica</i>	<i>wilemani</i>	Prout 1927	ORI
			<i>Epipristis</i>	<i>nelearia</i>	(Guenée 1858)	AUS
			<i>Herochroma</i>	<i>baibarana</i>	(Matsumara 1931)	ORI
			<i>Herochroma</i>	<i>cristata cristata</i>	(Warren 1894)	ORI
			<i>Herochroma</i>	<i>subtepens</i>	(Walker 1860)	ORI
			<i>Herochroma</i>	<i>viridaria</i>	(Moore 1868)	ORI
			<i>Holoterpna</i>	<i>errata</i>	Prout 1922	ETH
			<i>Lophophelma</i>	<i>erionoma subrubigosa</i>	(Prout 1927)	PAL
			<i>Lophophelma</i>	<i>vigens</i>	(Butler 1880)	ORI
			<i>Pachista</i>	<i>superans</i>	(Butler 1878)	ORI
			<i>Pachyodes</i>	<i>haemataria</i>	(Herrich-Schäffer 1854)	ORI
			<i>Pachyodes</i>	<i>subtrita</i>	(Prout 1914)	ORI
			<i>Pachyodes</i>	<i>varicoloraria</i>	(Moore 1868)	ORI

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Pingasa</i>	<i>aravensis</i>	Prout 1916	AUS
			<i>Pingasa</i>	<i>blanda</i>	(Pagenstecher 1900)	AUS
			<i>Pingasa</i>	<i>chlora chlora</i>	(Stoll 1782)	AUS
			<i>Pingasa</i>	<i>chlora crenaria</i>	Guenée 1858	ORI
			<i>Pingasa</i>	<i>chlora javensis</i>	Warren 1894	ORI
			<i>Pingasa</i>	<i>chlora sublimbata</i>	(Butler 1882)	AUS
			<i>Pingasa</i>	<i>dispensata</i>	(Walker 1860)	AUS
			<i>Pingasa</i>	<i>grandidieri</i>	(Butler 1879)	ETH
			<i>Pingasa</i>	<i>lariaria</i>	(Walker 1860)	ORI
			<i>Pingasa</i>	<i>pseudoterpnaria</i>	(Guenée 1858)	PAL
			<i>Pingasa</i>	<i>rhadamaria</i>	(Guenée 1858)	ETH
			<i>Pingasa</i>	<i>rubicunda</i>	Warren 1894	ORI
			<i>Pingasa</i>	<i>rufofasciata</i>	Moore 1888	ORI
			<i>Pingasa</i>	<i>ruginaria ruginaria</i>	(Guenée 1858)	ORI
			<i>Pingasa</i>	<i>ruginaria communicans</i>	(Walker 1860)	ETH
			<i>Pingasa</i>	<i>ruginaria commutata</i>	(Walker 1860)	ETH
			<i>Prasinocyma</i>	<i>congrua</i>	(Walker 1869)	ETH
			<i>Prasinocyma</i>	<i>consobrina</i>	Warren 1912	AUS
			<i>Prasinocyma</i>	<i>floresaria</i>	(Walker 1866)	AUS
			<i>Prasinocyma</i>	<i>immaculata</i>	(Thunberg 1784)	ETH
			<i>Prasinocyma</i>	<i>niveisticta</i>	Prout 1912	ETH
			<i>Prasinocyma</i>	<i>punctulata</i>	(Warren 1903)	AUS
			<i>Prasinocyma</i>	<i>vermicularia</i>	(Guenée 1858)	ETH
			<i>Pseudoterpna</i>	<i>pruinata</i>	(Hufnagel 1767)	PAL
		Geometrini	<i>Eucyclodes</i>	<i>absona</i>	(Warren 1896)	AUS
			<i>Eucyclodes</i>	<i>albilauta</i>	(Warren 1897)	AUS
			<i>Eucyclodes</i>	<i>difficta</i>	(Walker 1861)	PAL
			<i>Eucyclodes</i>	<i>divapala</i>	(Walker 1861)	ORI
			<i>Eucyclodes</i>	<i>fascinans</i>	(Lucas 1894)	AUS
			<i>Eucyclodes</i>	<i>fragmentata</i>	(Warren 1907)	AUS
			<i>Eucyclodes</i>	<i>gavissima</i>	(Walker 1861)	ORI
			<i>Eucyclodes</i>	<i>infracta</i>	(Wileman 1911)	ORI
			<i>Eucyclodes</i>	<i>nigrimaculata</i>	(Warren 1897)	AUS

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Eucyclodes</i>	<i>pieroides</i>	(Walker 1861)	AUS
			<i>Eucyclodes</i>	<i>subfasciata</i>	(Warren 1909)	ORI
			<i>Eucyclodes</i>	<i>subliturata</i>	(Warren 1899)	AUS
			<i>Geometra</i>	<i>dieckmanni</i>	(Graeser 1889)	PAL
			<i>Geometra</i>	<i>glaucaria</i>	Ménétrières 1858	PAL
			<i>Geometra</i>	<i>papilionaria</i>	(Linnaeus 1758)	PAL
			<i>Geometra</i>	<i>taiwana</i>	(Wileman)	ORI
			<i>Geometra</i>	<i>valida</i>	(Felder & Rogenhofer 1875)	PAL
			<i>Mixochlora</i>	<i>radiata</i>	(Warren 1912)	AUS
			<i>Mixochlora</i>	<i>vittata</i>	(Moore 1868)	ORI
			<i>Ornithospila</i>	<i>avicularia</i>	(Guenée 1858)	ORI
			<i>Ornithospila</i>	<i>bipunctata</i>	Prout 1916	ORI
			<i>Ornithospila</i>	<i>esmeralda</i>	(Hampson 1895)	ORI
			<i>Ornithospila</i>	<i>lineata</i>	(Moore 1872)	ORI
			<i>Ornithospila</i>	<i>psittacina</i>	(Felder & Rogenhofer 1875)	AUS
			<i>Ornithospila</i>	<i>submonstrans moluccensis</i>	Prout 1916	AUS
			<i>Tanaorhinus</i>	<i>confuciaris</i>	(Walker 1861)	PAL
			<i>Tanaorhinus</i>	<i>kina</i>	Swinhoe 1893	ORI
			<i>Tanaorhinus</i>	<i>rafflesii</i>	(Moore 1860)	ORI
			<i>Tanaorhinus</i>	<i>reciprocata</i>	(Walker 1861)	ORI
			<i>Tanaorhinus</i>	<i>unipuncta</i>	Warren 1899	AUS
		Neohipparchini	<i>Neohipparchus</i>	<i>vallata</i>	(Butler 1878)	ORI
		Aracimini	<i>Aracima</i>	<i>muscosa</i>	Butler 1878	PAL
			<i>Chlorodontopera</i>	<i>chalybeata</i>	(Moore 1872)	ORI
			<i>Paramaxates</i>	<i>polygrapharia</i>	(Walker 1860)	ORI
		Rhomboristini	<i>Spaniocentra</i>	<i>lyra</i>	(Swinhoe 1892)	ORI
			<i>Spaniocentra</i>	<i>gibbosa</i>	(Prout 1911)	AUS
			<i>Spaniocentra</i>	<i>pannosa</i>	(Moore 1887)	ORI
		Comibaenini	<i>Argyrocosma</i>	<i>inductaria</i>	(Guenée 1858)	AUS
			<i>Comibaena</i>	<i>argentataria</i>	(Leech 1897)	PAL
			<i>Comibaena</i>	<i>bajularia</i>	(Denis & Schiffermueller 1775)	PAL/ORI
			<i>Comibaena</i>	<i>esmeralda</i>	(Warren 1898)	ETH
			<i>Comibaena</i>	<i>mariae</i>	(Lucas 1888)	AUS

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Comibaena</i>	<i>nigromacularia</i>	(Leech 1897)	ORI
			<i>Comibaena</i>	<i>quadrinotata</i>	Butler 1889	ORI
			<i>Protuliocnemis</i>	<i>castalaria</i>	(Oberthür 1916)	ORI
			<i>Protuliocnemis</i>	<i>partita</i>	(Walker 1861)	ORI
			<i>Thetidia</i>	<i>albocostaria</i>	(Bremer 1864)	PAL
			<i>Thetidia</i>	<i>chlorophyllaria</i>	(Hedemann 1879)	PAL
			<i>Thetidia</i>	<i>smaragdaria</i>	(Fabricius 1787)	PAL
		Dysphaniini	<i>Dysphania</i>	<i>andamana</i>	(Moore 1877)	ORI
			<i>Dysphania</i>	<i>glaucescens</i>	(Walker 1862)	ORI
			<i>Dysphania</i>	<i>malayanus recessa</i>	(Walker 1861)	ORI
			<i>Dysphania</i>	<i>militaris</i>	(Linnaeus 1758)	ORI
			<i>Dysphania</i>	<i>numana</i>	Cramer 1779	AUS
			<i>Dysphania</i>	<i>palmyra</i>	(Stoll 1790)	ORI
			<i>Dysphania</i>	<i>percota</i>	(Swinhoe 1891)	ORI
			<i>Dysphania</i>	<i>pilosa</i>	(Butler 1887)	AUS
			<i>Dysphania</i>	<i>sagana</i>	(Druce 1883)	ORI
			<i>Dysphania</i>	<i>snelleni</i>	(Pagenstecher 1886)	AUS
			<i>Dysphania</i>	<i>subrepleta</i>	Walker 1854	ORI
			<i>Dysphania</i>	<i>tentans schoutenis</i>	Joicey & Talbot 1916	AUS
			<i>Dysphania</i>	<i>tentans tentans</i>	(Walker 1865)	AUS
			<i>Dysphania</i>	<i>transducta</i>	(Walker 1862)	ORI
		incertae sedis	<i>Agathia</i>	<i>carissima</i>	Butler 1878	AUS
			<i>Agathia</i>	<i>hemithearia</i>	Guenée 1857	ORI
			<i>Agathia</i>	<i>hilarata</i>	(Guenée 1858)	ORI
			<i>Agathia</i>	<i>laetata</i>	(Fabricius 1794)	ORI
			<i>Agathia</i>	<i>lycaenaria</i>	(Kollar 1844)	ORI
			<i>Agathia</i>	<i>pisina</i>	Butler 1887	AUS
			<i>Agathia</i>	<i>prasinapsis</i>	Meyrick 1889	AUS
			<i>Agathiopsis</i>	<i>basipuncta</i>	Warren 1896	AUS
			<i>Agathiopsis</i>	<i>maculata unanimitis</i>	Warren 1912	AUS
			<i>Allochrostes</i>	<i>impunctata</i>	Warren 1897	ETH
			<i>Allochrostes</i>	<i>saliata</i>	(Felder & Rogenhofer 1875)	ETH
			<i>Antharmostes</i>	<i>interalbicans</i>	Warren 1902	ETH

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Archichlora</i>	<i>marginata</i>	(Warren 1902)	ETH
			<i>Archichlora</i>	<i>pulveriplaga</i>	(Warren 1898)	ETH
			<i>Archichlora</i>	<i>viridimacula</i>	Warren 1898	ETH
			<i>Bathycolopodes</i>	<i>kabaria</i>	(Swinhoe 1904)	ETH
			<i>Bathycolopodes</i>	<i>marginata</i>	(Warren 1897)	ETH
			<i>Bathycolopodes</i>	<i>subfuscata</i>	(Warren 1902)	ETH
			<i>Cheroscelis</i>	<i>oospila</i>	Prout 1912	ETH
			<i>Chrysochloroma</i>	<i>megaloptera</i>	(Lower 1894)	AUS
			<i>Cyclothea</i>	<i>disjuncta</i>	(Walker 1861)	ORI
			<i>Cymatoplex</i>	<i>halcyone</i>	(Meyrick 1889)	AUS
			<i>Dioscore</i>	<i>bicolor</i>	(Warren 1896)	AUS
			<i>Dioscore</i>	<i>melanomma</i>	Warren 1907	AUS
			<i>Dooabia</i>	<i>virescens</i>	(Marumo 1923)	ORI
			<i>Eualloea</i>	<i>subbifasciata</i>	Warren 1909	NEO
			<i>Euloxia</i>	<i>meandrarina</i>	(Guenée 1858)	AUS
			<i>Gigantothoe</i>	<i>gigas</i>	(Warren 1903)	AUS
			<i>Heliothea</i>	<i>discoïdaria</i>	Boisduval 1840	PAL
			<i>Heliothea</i>	<i>iliensis</i>	Alphéraky 1883	PAL
			<i>Hemistola</i>	<i>chrysoprasaria</i>	(Esper 1795)	PAL
			<i>Heteresthes</i>	<i>subaureata</i>	Warren 1902	AUS
			<i>Heterorachis</i>	<i>diaphana</i>	(Warren 1899)	NEO
			<i>Heterorachis</i>	<i>prouti</i>	Bethune-Baker 1913	ETH
			<i>Hydata</i>	<i>apicata</i>	(Schaus 1901)	NEO
			<i>Hydata</i>	<i>canducata</i>	(Felder)	NEO
			<i>Hydata</i>	<i>satisfacta</i>	(Walker 1861)	NEO
			<i>Hydata</i>	<i>stigmatica</i>	(Warren 1904)	NEO
			<i>Hydata</i>	<i>translucidaria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Hypodoxa</i>	<i>emiliaria</i>	(Guenée 1858)	AUS
			<i>lotaphora</i>	<i>admirabilis</i>	(Oberthür 1884)	PAL
			<i>Lissochlora</i>	<i>albociliaria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Lissochlora</i>	<i>hena</i>	(Dognin 1898)	NEO
			<i>Lissochlora</i>	<i>nortia</i>	(Druce 1892)	NEO
			<i>Lissochlora</i>	<i>latuta</i>	(Dognin 1898)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Lissochlora</i>	<i>venilineata</i>	Warren 1907	NEO
			<i>Lophorrhachia</i>	<i>rubricorpus</i>	Warren 1898	ETH
			<i>Mixocera</i>	<i>albistrigata</i>	(Pagenstecher 1893)	ETH
			<i>Mixocera</i>	<i>latilineata</i>	(Walker 1866)	AUS
			<i>Neagathia</i>	<i>corruptata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Neurotoxa</i>	<i>endorhoda</i>	Hampson 1910	ETH
			<i>Nothoterpna</i>	<i>pallida</i>	(Warren 1904)	ETH
			<i>Omphax</i>	<i>bacoti</i>	Prout 1912	ETH
			<i>Omphax</i>	<i>plantaria</i>	Guenée 1858	ETH
			<i>Paragathia</i>	<i>albimarginata</i>	Warren 1902	ETH
			<i>Racheospila</i>	<i>merlinata</i>	Schaus	NEO
			<i>Racheospila</i>	<i>sanctaejohannis</i>	Möschler	NEO
			<i>Rhodesia</i>	<i>viridalbata</i>	Warren 1905	ETH
			<i>Sterictopsis</i>	<i>inconsequens</i>	Warren 1898	AUS
			<i>Syndromodes</i>	<i>invenusta</i>	(Wallengren 1863)	ETH
			<i>Tachyphyle</i>	<i>albisparsa</i>	Warren 1907	NEO
			<i>Tachyphyle</i>	<i>basiplaga</i>	(Walker 1861)	NEO
			<i>Tachyphyle</i>	<i>olivia</i>	(Schaus 1901)	NEO
			<i>Telotheta</i>	<i>muscipunctata</i>	(Dognin 1892)	NEO
			<i>Thelycera</i>	<i>hemithales</i>	(Prout 1912)	ETH
			<i>Thelycera</i>	<i>xanthostephana</i>	(Prout 1912)	ETH
			<i>Victoria</i>	<i>gordoni</i>	Prout 1912	ETH

Cornell University Insect Collection

**Geometridae:
Oenochrominae, Desmobathrinae,
Archiearinae**

Compiled by Jacob A. Gorneau

Curated by Jacob A. Gorneau, Leah Richardson,
Joseph Giulian, Annika Salzberg, Kyhl Austin, Milena Blue Spruce

Determined Species and subspecies: 66

Updated: September 2019

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region		
Geometridae	Oenochrominae	Oenochromini	<i>Abraxaphantes</i>	<i>perampla</i>	(Swinhoe 1890)	ORI		
			<i>Circopetes</i>	<i>obtusata</i>	(Walker 1860)	AUS		
			<i>Epidesmia</i>	<i>tryxaria</i>	(Guenée 1858)	AUS		
			<i>Ergavia</i>	<i>liraria</i>	(Guenée 1858)	NEO		
			<i>Ergavia</i>	<i>merops</i>	(Cramer 1775)	NEO		
			<i>Ergavia</i>	<i>roseivena diphora</i>	Prout 1916	NEO		
			<i>Macrotetes</i>	<i>commatica</i>	Prout 1916	NEO		
			<i>Macrotetes</i>	<i>netrix</i>	(Cramer 1777)	NEO		
			<i>Nearcha</i>	<i>benecristata</i>	Warren 1895	AUS		
			<i>Nearcha</i>	<i>caronia</i>	Swinhoe 1902	AUS		
			<i>Nearcha</i>	<i>ophla</i>	Swinhoe 1902	AUS		
			<i>Oenochroma</i>	<i>hieroglyphica</i>	(Warren 1906)	AUS		
			<i>Petovia</i>	<i>marginata</i>	Walker 1854	ETH		
			<i>Racasta</i>	<i>spatiaria</i>	(Guenée 1858)	NEO		
			<i>Samana</i>	<i>acutata</i>	Butler 1877	AUS		
			<i>Sarcinodes</i>	<i>aequilinearia</i>	(Walker 1860)	PAL		
			<i>Sarcinodes</i>	<i>carnearia</i>	Guenée 1857	PAL		
			<i>Sarcinodes</i>	<i>debitaria</i>	Walker 1863	PAL		
			<i>Sarcinodes</i>	<i>lilacina</i>	Moore 1888	PAL		
			<i>Sarcinodes</i>	<i>restitutaria</i>	Walker 1862	PAL		
			<i>Xyridacma</i>	<i>veronicae</i>	Prout 1934	AUS		
			<i>Zanclopteryx</i>	<i>aculeataria</i>	Herrich-Schäffer 1855	NEO		
			<i>Zanclopteryx</i>	<i>venata</i>	Warren 1897	NEO		
			Desmobathrinae	Desmobathrini	<i>Alex</i>	<i>aurantiata</i>	Warren 1904	AUS
					<i>Alex</i>	<i>continuaria</i>	Walker 1866	AUS
					<i>Apatadelpha</i>	<i>biocellaria</i>	(Walker 1863)	ETH
					<i>Celerena</i>	<i>commutata</i>	Walker 1865	AUS
					<i>Celerena</i>	<i>divisa</i>	Walker 1862	ORI
					<i>Celerena</i>	<i>lerne</i>	(Boisduval 1832)	AUS
					<i>Celerena</i>	<i>mitis evitans</i>	Prout 1916	AUS
					<i>Celerena</i>	<i>mutata</i>	Walker 1865	AUS
					<i>Celerena</i>	<i>obiana</i>	Prout 1910	AUS

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Celerena</i>	<i>pallidicolor</i>	Warren 1894	AUS
			<i>Celerena</i>	<i>proxima</i>	Walker 1865	ORI
			<i>Celerena</i>	<i>recurvata</i>	(Walker 1865)	AUS
			<i>Celerena</i>	<i>reversa</i>	Warren 1897	AUS
			<i>Celerena</i>	<i>spretta</i>	Walker 1865	AUS
			<i>Conolophia</i>	<i>conscitaria</i>	Prout 1929	ETH
			<i>Conolophia</i>	<i>nigripuncta</i>	(Hampson 1891)	ORI
			<i>Derambila</i>	<i>dentiscripta</i>	Bastelberger 1909	ORI
			<i>Derambila</i>	<i>lumenaria</i>	(Geyer 1832)	ORI
			<i>Derambila</i>	<i>satelliata</i>	Walker 1866	ORI
			<i>Derambila</i>	<i>syllaria</i>	(Swinhoe 1904)	ETH
			<i>Derambila</i>	<i>synecdema</i>	Prout 1910	ETH
			<i>Derambila</i>	<i>thearia</i>	(Swinhoe 1904)	ETH
			<i>Dolichoneura</i>	<i>convergens</i>	Warren 1904	NEO
			<i>Entogonia</i>	<i>cuprinaria</i>	Guenée 1858	NEO
			<i>Ophiogramma</i>	<i>injunctaria</i>	Hübner 1825	NEO
			<i>Ophiogramma</i>	<i>perigearia</i>	Guenée 1858	NEO
			<i>Pycnoneura</i>	<i>protrusilinea protrusilinea</i>	(Prout 1916)	NEO
			<i>Pycnoneura</i>	<i>protrusilinea psycteria</i>	(Prout 1932)	NEO
		Eumeleini	<i>Eumelea</i>	<i>duponchelii</i>	(Montrouzier 1856)	ORI/AUS
			<i>Eumelea</i>	<i>feliciata</i>	(Guenée 1858)	ORI
			<i>Eumelea</i>	<i>florinata</i>	(Guenée 1858)	ORI
			<i>Eumelea</i>	<i>fumicosta</i>	Warren 1896	AUS
			<i>Eumelea</i>	<i>ludovicata</i>	(Guenée 1858)	ORI/AUS
			<i>Eumelea</i>	<i>praeusta</i>	Warren 1896	AUS
			<i>Eumelea</i>	<i>rosalia</i>	(Stoll 1781)	AUS
			<i>Eumelea</i>	<i>rubrifusa</i>	Warren 1896	ORI
			<i>Eumelea</i>	<i>sanguinifusa</i>	Warren 1896	AUS
	Archiearinae		<i>Archiearis</i>	<i>infans</i>	(Möschler 1862)	NEA
			<i>Archiearis</i>	<i>notha</i>	(Hübner 1803)	PAL
			<i>Archiearis</i>	<i>parthenias</i>	(Linnaeus 1761)	PAL
			<i>Archiearis</i>	<i>puella</i>	(Esper 1787)	PAL

Family	Subfamily	Tribe	<i>Genus (Subgenus)</i>	<i>species subspecies</i>	(Author Date)	Zoogeographic Region
			<i>Caenosynteles</i>	<i>haploaria</i>	Dyar 1912	NEO
			<i>Leucobrephos</i>	<i>brephoides</i>	(Walker 1857)	PAL

Cornell University Insect Collection

Geometridae: Ennominae

Compiled by Jacob A. Gorneau

Curated by Jacob A. Gorneau, Leah Richardson,
Joseph Giulian, Annika Salzberg, Kyhl Austin, Milena Blue Spruce

Determined Species and subspecies: 1970

Updated: September 2019

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region	
Geometridae	Ennominae	Alsophilini	<i>Almodes</i>	<i>terraria</i>	Guenée 1858	NEO	
			<i>Alsophila</i>	<i>aceraria</i>	(Denis & Schiffermüller 1775)	PAL	
			<i>Alsophila</i>	<i>aescularia</i>	(Denis & Schiffermüller 1775)	PAL	
			<i>Alsophila</i>	<i>pometaria</i>	(Harris 1841)	NEA	
		Abraxini	<i>Ametris</i>	<i>nitocris</i>	(Cramer 1780)	NEA/NEO	
			<i>Abraxas</i>	<i>albiquadrata</i>	(Warren 1897)	AUS	
			<i>Abraxas</i>	<i>etridoides</i>	Hampson 1895	ORI	
			<i>Abraxas</i>	<i>fulvobasalis</i>	Warren 1894	PAL	
			<i>Abraxas</i>	<i>grossulariata</i>	(Linnaeus 1758)	PAL	
			<i>Abraxas</i>	<i>intermedia</i>	Warren 1888	ORI	
			<i>Abraxas</i>	<i>invasata</i>	Warren 1897	ORI	
			<i>Abraxas</i>	<i>leopardina</i>	Kollar 1844	ORI	
			<i>Abraxas</i>	<i>luteolaria</i>	Swinhoe 1889	ORI	
			<i>Abraxas</i>	<i>martaria</i>	Guenée 1857	ORI	
			<i>Abraxas</i>	<i>miranda</i>	Butler 1878	PAL	
			<i>Abraxas</i>	<i>paucinotata</i>	Warren 1894	ORI	
			<i>Abraxas</i>	<i>poliaria</i>	Swinhoe 1889	ORI	
			<i>Abraxas</i>	<i>privata</i>	Bastelberger 1905	AUS	
			<i>Abraxas</i>	<i>pusilla</i>	Butler 1880	ORI	
			<i>Abraxas</i>	<i>sinicaria</i>	Leech 1897	ORI	
			<i>Abraxas</i>	<i>stictotaenia</i>	Wehrli 1932	ORI	
			<i>Abraxas</i>	<i>suspecta</i>	(Warren 1894)	PAL	
			<i>Abraxas</i>	<i>sylvata</i>	(Scopoli 1763)	PAL	
			<i>Abraxas</i>	<i>viduata</i>	Warren 1898	AUS	
			<i>Abraxas</i>	<i>wehrlii</i>	Bytinsky-Salz & Brandt 1937	PAL	
			Cassymini	<i>Ligdia</i>	<i>adustata</i>	(Denis & Schiffermüller 1775)	PAL
				<i>Xanthabraxas</i>	<i>hemionata</i>	(Guenée 1858)	PAL
				<i>Ballantiophora</i>	<i>gibbiferata</i>	Guenée 1858	NEO
		<i>Berberodes</i>		<i>fulvicomosa</i>	Warren 1907	NEO	
		<i>Berberodes</i>		<i>pohli</i>	Schaus 1927	NEO	
		<i>Cassyma</i>		<i>deletaria</i>	(Moore 1888)	ORI	
		<i>Cassyma</i>		<i>lucifera</i>	(Warren 1903)	AUS	
		<i>Gyostega</i>		<i>simplex</i>	(Warren 1906)	NEO	

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Heterostegane</i>	<i>subtesselata</i>	(Walker 1863)	ORI
			<i>Heterostegane</i>	<i>urbica</i>	(Swinhoe 1885)	ORI
			<i>Hypometalla</i>	<i>purpurea</i>	Warren 1906	NEO
			<i>Hypometalla</i>	<i>scintillans</i>	Warren 1906	NEO
			<i>Leuciris</i>	<i>beneciliata</i>	Prout 1910	NEO
			<i>Leuciris</i>	<i>fimbriaria?</i>	(Stoll 1781)	NEO
			<i>Lomaspilis</i>	<i>marginata</i>	(Linnaeus 1758)	PAL
			<i>Narragodes</i>	<i>fuscata</i>	Warren 1900	NEO
			<i>Narragodes</i>	<i>laevis</i>	Warren 1906	NEO
			<i>Nematocampa</i>	<i>arenosa</i>	Butler 1881	NEO
			<i>Nematocampa</i>	<i>brehmeata</i>	(Grossbeck 1907)	NEA
			<i>Nematocampa</i>	<i>confusa</i>	Warren 1904	NEO
			<i>Nematocampa</i>	<i>resistaria</i>	(Herrich-Shäffer 1856)	NEA
			<i>Nematocampa</i>	<i>reticulata</i>	Butler 1881	NEO
			<i>Ninodes</i>	<i>splendens</i>	(Butler 1878)	ORI
			<i>Peratophyga</i>	<i>hyalinata</i>	(Kollar 1884)	PAL/ORI
			<i>Protitame</i>	<i>cervula</i>	(Rindge 1958)	NEA
			<i>Protitame</i>	<i>subalbaria</i>	(Packard 1873)	NEA
			<i>Protitame</i>	<i>virginalis</i>	(Hulst 1900)	NEA
			<i>Stegania</i>	<i>trimaculata</i>	(Villers 1789)	PAL
			<i>Taeniogramma</i>	<i>mendicata</i>	(Hulst 1887)	NEA
			<i>Taeniogramma</i>	<i>octolineata</i>	(Hulst 1887)	NEA
			<i>Taeniogramma</i>	<i>tenebrosata</i>	(Hulst 1887)	NEA
			<i>Zamarada</i>	<i>euerces</i>	Prout 1928	ETH
			<i>Zamarada</i>	<i>flavicosta</i>	Warren 1897	ETH
			<i>Zamarada</i>	<i>glareosa</i>	Bastelberger 1909	ETH
			<i>Zamarada</i>	<i>ixiaria</i>	Swinhoe 1904	ETH
			<i>Zamarada</i>	<i>nasuta</i>	Warren 1897	ETH
			<i>Zamarada</i>	<i>protrusa</i>	Warren 1897	ETH
			<i>Zamarada</i>	<i>pulverosa</i>	Warren 1895	ETH
			<i>Zamarada</i>	<i>reflexaria</i>	Walker 1862	ETH
			<i>Zamarada</i>	<i>rufilinearia</i>	Swinhoe 1904	ETH
			<i>Zamarada</i>	<i>scintillans</i>	Bastelberger 1909	ETH

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Zamarada</i>	<i>transvisaria</i>	Guenée 1858	ETH
		Macariini	<i>Chiasmia</i>	<i>amarata amarata</i>	(Guenée 1858)	ETH
			<i>Chiasmia</i>	<i>amarata lataria</i>	(Walker 1861)	ETH
			<i>Chiasmia</i>	<i>brongusaria</i>	(Walker 1860)	ETH
			<i>Chiasmia</i>	<i>clathrata</i>	(Linnaeus 1758)	PAL
			<i>Chiasmia</i>	<i>johnstoni</i>	(Butler 1893)	ETH
			<i>Chiasmia</i>	<i>kirbyi</i>	(Wallengren 1875)	ETH
			<i>Chiasmia</i>	<i>normata</i>	(Walker 1861)	ETH/ORI
			<i>Chiasmia</i>	<i>nubilata</i>	(Warren 1897)	ETH
			<i>Chiasmia</i>	<i>observata</i>	Walker 1861	ETH
			<i>Chiasmia</i>	<i>procidata</i>	(Guenée 1858)	ETH
			<i>Chiasmia</i>	<i>rectistriaria</i>	(Herrich-Schäffer 1854)	ETH
			<i>Chiasmia</i>	<i>separata</i>	(Druce 1883)	AUS
			<i>Chiasmia</i>	<i>simplicilinea</i>	(Warren 1905)	ETH
			<i>Chiasmia</i>	<i>streniata</i>	(Guenée 1858)	ETH
			<i>Chiasmia</i>	<i>subcretata</i>	(Warren 1905)	ETH
			<i>Chiasmia</i>	<i>umbrata</i>	(Warren 1897)	ETH
			<i>Chiasmia</i>	<i>vacuna</i>	(Druce 1889)	AUS
			<i>Chiasmia</i>	<i>zombina</i>	(Butler 1893)	ETH
			<i>Digrammia</i>	<i>atofasciata</i>	(Packard 1876)	NEA
			<i>Digrammia</i>	<i>burneyata</i>	(McDunnough 1939)	NEA
			<i>Digrammia</i>	<i>californiaria</i>	(Packard 1871)	NEA
			<i>Digrammia</i>	<i>cinereola septemberata</i>	(Barnes & McDunnough 1917)	NEA
			<i>Digrammia</i>	<i>colorata</i>	(Grote 1883)	NEA
			<i>Digrammia</i>	<i>continuata</i>	(Walker 1862)	NEA
			<i>Digrammia</i>	<i>curvata</i>	(Grote 1880)	NEA
			<i>Digrammia</i>	<i>decorata</i>	(Grossbeck 1907)	NEA
			<i>Digrammia</i>	<i>delectata</i>	(Hulst 1887)	NEA
			<i>Digrammia</i>	<i>denticulata</i>	(Grote 1883)	NEA
			<i>Digrammia</i>	<i>eremiata</i>	(Guenée 1858)	NEA
			<i>Digrammia</i>	<i>excurvata</i>	(Packard 1874)	NEA
			<i>Digrammia</i>	<i>gnophosaria</i>	(Guenée 1858)	NEA
			<i>Digrammia</i>	<i>hebetata</i>	(Hulst 1881)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Digrammia</i>	<i>irrorata irrorata</i>	(Packard 1876)	NEA
			<i>Digrammia</i>	<i>irrorata venosata</i>	(McDunnough 1939)	NEA
			<i>Digrammia</i>	<i>mellistrigata</i>	(Grote 1873)	NEA
			<i>Digrammia</i>	<i>muscaria muscaria</i>	(Guenée 1858)	NEA
			<i>Digrammia</i>	<i>muscaria respersata</i>	(Hulst 1880)	NEA
			<i>Digrammia</i>	<i>muscaria teucaria</i>	(Strecker 1899)	NEA
			<i>Digrammia</i>	<i>neptaria neptaria</i>	(Guenée 1858)	NEA
			<i>Digrammia</i>	<i>neptaria trifasciata</i>	(Packard 1874)	NEA
			<i>Digrammia</i>	<i>nubiculata</i>	(Packard 1876)	NEA
			<i>Digrammia</i>	<i>ocellinata</i>	(Guenée 1858)	NEA
			<i>Digrammia</i>	<i>ordinata</i>	(Walker 1862)	NEA
			<i>Digrammia</i>	<i>pallidata</i>	(Packard 1873)	NEA
			<i>Digrammia</i>	<i>pertinata</i>	(McDunnough 1939)	NEA
			<i>Digrammia</i>	<i>pervolata</i>	(Hulst 1880)	NEA
			<i>Digrammia</i>	<i>pictipennata</i>	(Hulst 1898)	NEA
			<i>Digrammia</i>	<i>puertata</i>	(Grossbeck 1912)	NEA
			<i>Digrammia</i>	<i>sexpunctata</i>	(Bates 1886)	NEA
			<i>Digrammia</i>	<i>subminiata</i>	(Packard 1873)	NEA
			<i>Digrammia</i>	<i>triviata</i>	(Barnes & McDunnough 1917)	NEA
			<i>Digrammia</i>	<i>yavapai</i>	(Grossbeck 1907)	NEA
			<i>Oxymacaria</i>	<i>australiaria</i>	Guenée 1857	AUS
			<i>Epelis</i>	<i>truncataria</i>	(Walker 1862)	NEA
			<i>Eumacaria</i>	<i>madopata</i>	(Guenée 1858)	NEA
			<i>Fernaldella</i>	<i>fimetaria</i>	(Grote & Robinson 1870)	NEA
			<i>Fernaldella</i>	<i>stalachtaria</i>	(Strecker 1878)	NEA
			<i>Gnopharmia</i>	<i>stevenaria</i>	(Boisduval 1840)	PAL
			<i>Godonela</i>	<i>avitusaria</i>	(Walker 1860)	ORI
			<i>Heliomata</i>	<i>cycladata</i>	Grote & Robinson 1866	NEA
			<i>Heliomata</i>	<i>infulata</i>	(Grote 1863)	NEA
			<i>Isturgia</i>	<i>arenacearia</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Isturgia</i>	<i>catalaunaria</i>	(Guenée 1858)	ETH
			<i>Isturgia</i>	<i>dislocaria</i>	(Packard 1876)	NEA
			<i>Isturgia</i>	<i>famula</i>	(Esper 1787)	PAL

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Isturgia</i>	<i>limbaria</i>	(Fabricius 1775)	PAL
			<i>Isturgia</i>	<i>miniosaria</i>	(Duponchel 1829)	PAL
			<i>Isturgia</i>	<i>murinaria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Isturgia</i>	<i>pulinda</i>	(Walker 1860)	ETH
			<i>Isturgia</i>	<i>spissata</i>	(Walker 1862)	ETH
			<i>Itame</i>	<i>vincularia</i>	(Hübner 1809/13)	PAL
			<i>Itame</i>	<i>wauaria</i>	(Linnaeus 1758)	PAL
			<i>Letispe</i>	<i>metanemaria</i>	(Hulst 1887)	NEA
			<i>Macaria</i>	<i>abruptata</i>	(Walker 1862)	NEA
			<i>Macaria</i>	<i>achetata</i>	(Guenée 1858)	NEO
			<i>Macaria</i>	<i>acutaria</i>	Walker 1869	ORI
			<i>Macaria</i>	<i>adonis</i>	Barnes & McDunnough 1918	NEA
			<i>Macaria</i>	<i>aemulataria</i>	Walker 1861	NEA
			<i>Macaria</i>	<i>aequiferaria</i>	Walker 1861	NEA
			<i>Macaria</i>	<i>alternata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Macaria</i>	<i>amboflava</i>	(Ferguson 1953)	NEA
			<i>Macaria</i>	<i>anataria</i>	(Swett 1913)	NEA
			<i>Macaria</i>	<i>angulata</i>	(Warren 1897)	NEO
			<i>Macaria</i>	<i>approximaria</i>	Walker 1861	NEO
			<i>Macaria</i>	<i>argillacearia</i>	(Packard 1874)	NEA
			<i>Macaria</i>	<i>artesiaria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Macaria</i>	<i>bicolorata</i>	(Fabricius 1798)	NEA
			<i>Macaria</i>	<i>bisignata</i>	Walker 1866	NEA
			<i>Macaria</i>	<i>bitactata</i>	(Walker 1862)	NEA
			<i>Macaria</i>	<i>brunneata</i>	(Thunberg 1784)	NEA
			<i>Macaria</i>	<i>carbonaria</i>	(Clerck 1759)	PAL
			<i>Macaria</i>	<i>cardinea</i>	(Druce 1893)	NEO
			<i>Macaria</i>	<i>carpo</i>	(Druce 1893)	NEA
			<i>Macaria</i>	<i>catualda</i>	(Druce 1893)	NEO
			<i>Macaria</i>	<i>colata</i>	(Grote 1881)	NEA
			<i>Macaria</i>	<i>confederata</i>	Barnes & McDunnough 1917	NEA
			<i>Macaria</i>	<i>coortaria</i>	(Hulst 1887)	NEA
			<i>Macaria</i>	<i>crepuscularia</i>	(Warren 1897)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Macaria</i>	<i>deceptrix</i>	(Dyar 1913)	NEA
			<i>Macaria</i>	<i>decorata</i>	(Hulst 1896)	NEA
			<i>Macaria</i>	<i>distribuaria</i>	(Hübner 1825)	NEA
			<i>Macaria</i>	<i>doriteata</i>	(Guenée 1858)	NEO
			<i>Macaria</i>	<i>emersaria</i>	(Walker 1861)	ORI
			<i>Macaria</i>	<i>evagaria</i>	(Hulst 1900)	NEA
			<i>Macaria</i>	<i>exauspicata</i>	(Walker 1861)	NEA
			<i>Macaria</i>	<i>exonerata</i>	(Ferguson 2008)	NEA
			<i>Macaria</i>	<i>festivata</i>	(Guenée 1858)	NEO
			<i>Macaria</i>	<i>finaria</i>	(Schaus 1901)	NEO
			<i>Macaria</i>	<i>fissinotata</i>	(Walker 1862)	NEA
			<i>Macaria</i>	<i>flavicaria</i>	(Packard 1876)	NEA
			<i>Macaria</i>	<i>fusca</i>	(Thunberg 1792)	PAL
			<i>Macaria</i>	<i>gambarina</i>	(Stoll 1781)	NEO
			<i>Macaria</i>	<i>gentilaria</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Macaria</i>	<i>granitata</i>	(Guenée 1858)	NEA
			<i>Macaria</i>	<i>graphidaria</i>	(Hulst 1887)	NEA
			<i>Macaria</i>	<i>guenearia</i>	(Packard 1876)	NEA
			<i>Macaria</i>	<i>imitatrix</i>	(Thierry-Mieg 1895)	NEO
			<i>Macaria</i>	<i>indentata</i>	(Warren 1904)	NEO
			<i>Macaria</i>	<i>inextricata</i>	(Walker 1861)	NEA
			<i>Macaria</i>	<i>infusata</i>	(Guenée 1858)	NEO
			<i>Macaria</i>	<i>liturata</i>	(Clerck 1759)	PAL
			<i>Macaria</i>	<i>loricaria</i>	(Eversmann 1837)	NEA
			<i>Macaria</i>	<i>lorquinaria</i>	(Guenée 1857)	NEA
			<i>Macaria</i>	<i>marcescaria</i>	(Guenée 1858)	NEA
			<i>Macaria</i>	<i>minorata</i>	Packard 1873	NEA
			<i>Macaria</i>	<i>multilineata</i>	(Packard 1873)	NEA
			<i>Macaria</i>	<i>nigrescens</i>	(Warren 1905)	NEO
			<i>Macaria</i>	<i>notata</i>	(Linnaeus 1758)	NEA/PAL
			<i>Macaria</i>	<i>nundinata</i>	(Guenée 1858)	NEO
			<i>Macaria</i>	<i>occiduaria</i>	(Packard 1874)	NEA
			<i>Macaria</i>	<i>ostia</i>	(Druce 1893)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Macaria</i>	<i>oweni</i>	(Swett 1907)	NEA
			<i>Macaria</i>	<i>paleolata</i>	(Guenée 1858)	NEO
			<i>Macaria</i>	<i>pallipennata</i>	(Barnes & McDunnough 1912)	NEA
			<i>Macaria</i>	<i>pernicata</i>	(Guenée 1858)	NEO
			<i>Macaria</i>	<i>pinistrobata</i>	(Ferguson 1972)	NEA
			<i>Macaria</i>	<i>plumosata</i>	(Barnes & McDunnough 1917)	NEA
			<i>Macaria</i>	<i>promiscuata</i>	(Ferguson 1974)	NEA
			<i>Macaria</i>	<i>pustularia</i>	(Guenée 1857)	NEA
			<i>Macaria</i>	<i>quadrilineararia</i>	(Packard 1873)	NEA
			<i>Macaria</i>	<i>ramparia</i>	(Schaus 1901)	NEO
			<i>Macaria</i>	<i>regulata</i>	(Fabricius 1775)	NEO
			<i>Macaria</i>	<i>ribearia</i>	(Fitch 1848)	NEA
			<i>Macaria</i>	<i>rigidata</i>	(Guenée 1858)	NEO
			<i>Macaria</i>	<i>sanfordi</i>	(Rindge 1958)	NEA
			<i>Macaria</i>	<i>sexmaculata incolorata</i>	(Dyar 1904)	NEA
			<i>Macaria</i>	<i>sexmaculata sexmaculata</i>	Packard 1867	NEA
			<i>Macaria</i>	<i>signaria</i>	(Hübner 1809)	NEA/PAL
			<i>Macaria</i>	<i>simplex</i>	(Dyar 1907)	NEA
			<i>Macaria</i>	<i>subcessaria</i>	(Walker 1861)	NEA
			<i>Macaria</i>	<i>subumbrata</i>	(Dognin 1906)	NEO
			<i>Macaria</i>	<i>sulphurea</i>	(Packard 1878)	NEA
			<i>Macaria</i>	<i>transitaria</i>	(Walker 1861)	NEA
			<i>Macaria</i>	<i>triplicaria</i>	Herrich-Schäffer 1858	NEO
			<i>Macaria</i>	<i>tristaria</i>	Schaus 1901	NEO
			<i>Macaria</i>	<i>umbriferata</i>	(Hulst 1887)	NEA
			<i>Macaria</i>	<i>varadaria</i>	(Walker 1860)	NEA
			<i>Mellilla</i>	<i>xanthometata</i>	(Walker 1862)	NEA
			<i>Narraga</i>	<i>fasciolaria</i>	(Hufnagel 1767)	PAL
			<i>Oxymacaria</i>	<i>temeraria</i>	(Swinhoe 1891)	ORI
			<i>Oxymacaria</i>	<i>tessellata</i>	Warren 1899	AUS
			<i>Psamatodes</i>	<i>abydata</i>	(Guenée 1858)	NEO
			<i>Psamatodes</i>	<i>everiata errata</i>	(McDunnough 1939)	NEA
			<i>Psamatodes</i>	<i>everiata everiata</i>	(Guenée 1858)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Psamatodes</i>	<i>pallidata</i>	(Warren 1897)	NEO
			<i>Psamatodes</i>	<i>rectilineata</i>	Warren 1900	NEO
			<i>Psamatodes</i>	<i>trientata</i>	(Herrich-Schäffer 1870)	NEO
			<i>Ringdea</i>	<i>ballandrata</i>	(Wright 1923)	NEA
			<i>Ringdea</i>	<i>cyda</i>	(Druce 1893)	NEA
			<i>Rindgea</i>	<i>hypoethrata</i>	(Grote 1881)	NEA
			<i>Ringdea</i>	<i>maricopa</i>	(Hulst 1898)	NEA
			<i>Rindgea</i>	<i>nigricomma</i>	(Warren 1904)	NEA/NEO
			<i>Rindgea</i>	<i>parcata</i>	(Grossbeck 1908)	NEA
			<i>Rindgea</i>	<i>prolificata</i>	(Ferguson 2008)	NEA
			<i>Rindgea</i>	<i>s-signata</i>	(Packard 1873)	NEA
			<i>Semiothisa</i>	<i>abbreviata</i>	Warren 1897	AUS
			<i>Semiothisa</i>	<i>arenisca</i>	Dognin 1896	NEO
			<i>Semiothisa</i>	<i>arenosa</i>	Butler 1875	ETH
			<i>Semiothisa</i>	<i>augustimargo</i>	Warren	AUS
			<i>Semiothisa</i>	<i>cellulata</i>	(Herrich-Schäffer 1870)	NEO
			<i>Semiothisa</i>	<i>conturbata</i>	(Warren 1898)	ETH
			<i>Semiothisa</i>	<i>cyrilaria</i>	Schaus 1923	NEO
			<i>Semiothisa</i>	<i>debiliata</i>	Warren 1897	NEO
			<i>Semiothisa</i>	<i>defixaria</i>	(Walker 1861)	PAL
			<i>Semiothisa</i>	<i>diffusata</i>	(Guenée)	NEO
			<i>Semiothisa</i>	<i>dilanta</i>	Felderer?	NEO
			<i>Semiothisa</i>	<i>divergentata</i>	Snellen 1874	NEO
			<i>Semiothisa</i>	<i>effusata</i>	Guenée 1857	ORI
			<i>Semiothisa</i>	<i>elata</i>	Prout 1916	ETH
			<i>Semiothisa</i>	<i>elongaria</i>	Leech 1897	PAL
			<i>Semiothisa</i>	<i>elvirata</i>	Guenée 1858	ORI
			<i>Semiothisa</i>	<i>fasciata</i>	(Stoll 1780)	ORI
			<i>Semiothisa</i>	<i>feraliata</i>	Guenée 1858	ETH
			<i>Semiothisa</i>	<i>frugaliata</i>	Guenée 1858	ORI
			<i>Semiothisa</i>	<i>funnebris</i>	Warren 1899	AUS
			<i>Semiothisa</i>	<i>gambaria</i>	Hübner 1818	NEO
			<i>Semiothisa</i>	<i>goramata</i>	Röber 1891	AUS

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Semiothisa</i>	<i>gigantata</i>	Guenée 1858	NEO
			<i>Semiothisa</i>	<i>helioluidata</i>	Guenée?	NEO
			<i>Semiothisa</i>	<i>inchoata</i>	Walker 1861	ORI
			<i>Semiothisa</i>	<i>insistaria</i>	Walker 1861	NEO
			<i>Semiothisa</i>	<i>josefaria</i>	Schaus 1901	NEO
			<i>Semiothisa</i>	<i>latimarginata</i>	Dognin	NEO
			<i>Semiothisa</i>	<i>lignata</i>	Warren	NEO
			<i>Semiothisa</i>	<i>liturata</i>	Clerck 1759	NEO
			<i>Semiothisa</i>	<i>multistrigata</i>	Warren 1897	ETH
			<i>Semiothisa</i>	<i>myandaria</i>	Walker 1863	ETH
			<i>Semiothisa</i>	<i>nora</i>	Walker 1861	PAL/AUS
			<i>Semiothisa</i>	<i>occultata</i>	Warren 1897	NEO
			<i>Semiothisa</i>	<i>ornataria</i>	Leech 1897	PAL
			<i>Semiothisa</i>	<i>peltigerata</i>	Guenée 1858	NEO
			<i>Semiothisa</i>	<i>perfusaria</i>	Walker 1866	ORI
			<i>Semiothisa</i>	<i>phanerophleps</i>	Dyar 1913	NEO
			<i>Semiothisa</i>	<i>pluviata</i>	Fabricius 1775	PAL
			<i>Semiothisa</i>	<i>prae flavida</i>	Dognin 1924	NEA
			<i>Semiothisa</i>	<i>proximaria</i>	Leech 1897	PAL
			<i>Semiothisa</i>	<i>radiata</i>	Maassen 1890	NEO
			<i>Semiothisa</i>	<i>salsa</i>	Warren 1905	NEO
			<i>Semiothisa</i>	<i>santaremaria</i>	Walker 1861	NEO
			<i>Semiothisa</i>	<i>shanghaisaria</i>	Walker 1861	PAL
			<i>Semiothisa</i>	<i>stimulata</i>	Walker 1866	NEO
			<i>Semiothisa</i>	<i>sufflata</i>	Guenée 1858	ORI
			<i>Semiothisa</i>	<i>tenuiscripta</i>	Hua & Scoble 1908	NEO
			<i>Semiothisa</i>	<i>transvisata</i>	Warren 1904	NEO
			<i>Semiothisa</i>	<i>trirecurva confuscata</i>	(Warren 1899)	ETH
			<i>Semiothisa</i>	<i>xanthonora</i>	Walker 1861	ORI
			<i>Trigrammia</i>	<i>quadrinotaria</i>	(Herrich-Schäffer 1855)	NEA
		Boarmiini	<i>Abaciscus</i>	<i>tristis tristis</i>	Butler 1889	ORI
			<i>Acrotomodes</i>	<i>casta</i>	Prout 1910	NEO
			<i>Acrotomodes</i>	<i>chiriquensis</i>	Schaus 1901	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Acrotomodes</i>	<i>hemixantha</i>	(Prout 1910)	NEO
			<i>Acrotomodes</i>	<i>hepaticata</i>	Warren 1895	NEO
			<i>Acrotomodes</i>	<i>puma</i>	Warren 1895	NEO
			<i>Acrotomodes</i>	<i>sporadata</i>	Warren 1905	NEO
			<i>Aethalura</i>	<i>ignobilis</i>	(Butler 1878)	PAL
			<i>Aethalura</i>	<i>intertexta</i>	(Walker 1860)	NEA
			<i>Aethalura</i>	<i>punctulata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Alcis</i>	<i>admissaria admissaria</i>	(Guenée 1858)	PAL/ORI
			<i>Alcis</i>	<i>angulifera</i>	(Butler 1878)	ORI
			<i>Alcis</i>	<i>jubata</i>	(Thunberg 1788)	PAL
			<i>Alcis</i>	<i>latifasciata</i>	(Warren 1893)	ORI
			<i>Alcis</i>	<i>picata</i>	(Butler 1881)	PAL
			<i>Alcis</i>	<i>repandata</i>	(Linnaeus 1758)	PAL
			<i>Alcis</i>	<i>semiclarata</i>	(Walker 1862)	ORI
			<i>Amblychia</i>	<i>angeronaria</i>	(Guenée 1857)	ORI/PAL/AUS
			<i>Amblychia</i>	<i>hymenaria</i>	(Guenée 1857)	ORI
			<i>Amblychia</i>	<i>insueta</i>	(Butler 1878)	PAL
			<i>Amblychia</i>	<i>moltrechti</i>	(Bastelberger 1909)	ORI
			<i>Amblychia</i>	<i>pardicelata</i>	(Walker 1896)	ORI
			<i>Amblychia</i>	<i>pardicelata</i> var. <i>megaspilata</i>	(Warren 1894)	ORI
			<i>Anavitrinella</i>	<i>addendaria</i>	(Grossbeck 1908)	NEA
			<i>Anavitrinella</i>	<i>atristrigaria</i>	(Barnes & McDunnough 1913)	NEA
			<i>Anavitrinella</i>	<i>ocularia</i>	(Barnes & McDunnough 1917)	NEA
			<i>Anavitrinella</i>	<i>pampinaria</i>	(Guenée 1857)	NEA
			<i>Anavitrinella</i>	<i>pampinaria</i> fm. <i>stygia</i>	Françlemont	NEA
			<i>Arichanna</i>	<i>epiphanes</i>	Wehrli 1933	ORI
			<i>Arichanna</i>	<i>fumigata</i>	(Bastelberger 1909)	ORI
			<i>Arichanna</i>	<i>melanaria</i>	(Linnaeus 1758)	PAL
			<i>Arichanna</i>	<i>pryeraria</i>	Leech 1891	PAL
			<i>Arichanna</i>	<i>taiwanica</i>	Bastelberger 1909	PAL
			<i>Arichanna</i>	<i>hamiltonia</i>	Swinhoe 1895	ORI
			<i>Arichanna</i>	<i>jaguararia</i>	(Guenée 1858)	PAL
			<i>Ascotis</i>	<i>imparata</i>	(Walker 1860)	ORI

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Ascotis</i>	<i>margarita margarita</i>	Warren 1894	AUS
			<i>Ascotis</i>	<i>selenaria</i>	(Denis & Schiffermüller 1775)	PAL/ETH/ORI
			<i>Athroolopha</i>	<i>chrysitaria</i>	(Geyer 1831)	PAL
			<i>Athroolopha</i>	<i>pennigeraria</i>	(Hübner 1813)	PAL
			<i>Bracca</i>	<i>bajularia</i>	(Clerk 1764)	AUS
			<i>Bracca</i>	<i>disrupta</i>	(Warren 1899)	AUS
			<i>Bracca</i>	<i>emolliens</i>	(Walker 1864)	ORI
			<i>Bracca</i>	<i>georgiata georgiata</i>	(Guenee 1858)	ORI
			<i>Bracca</i>	<i>maculosa</i>	(Walker 1856)	ORI
			<i>Bracca</i>	<i>rosenbergi</i>	(Pagenstecher 1886)	AUS
			<i>Bracca</i>	<i>rotundata</i>	(Butler 1877)	AUS
			<i>Bracca</i>	<i>woodfordii</i>	(Butler 1887)	AUS
			<i>Bryoptera</i>	<i>basisignata</i>	Warren 1904	NEO
			<i>Bryoptera</i>	<i>discata</i>	Guenée 1858	NEO
			<i>Bryoptera</i>	<i>infuscaria</i>	Guenée 1858	NEO
			<i>Bryoptera</i>	<i>leprosata</i>	Guenée 1858	NEO
			<i>Catoria</i>	<i>sublavaria</i>	(Guenée 1857)	ORI
			<i>Chalastra</i>	<i>aristarcha</i>	(Meyrick 1892)	AUS
			<i>Chesiadodes</i>	<i>coniferaria</i>	(Grossbeck 1912)	NEA
			<i>Chorodna</i>	<i>vulpinaria</i>	Moore 1867	ORI
			<i>Cleora</i>	<i>acaciaria</i>	(Boisduval 1833)	AUS
			<i>Cleora</i>	<i>alienaria</i>	(Walker 1860)	ORI
			<i>Cleora</i>	<i>callicrossa</i>	(Meyrick 1889)	AUS
			<i>Cleora</i>	<i>cinctaria</i>	(Denis & Schiffermüller 1775)	PAL/ORI
			<i>Cleora</i>	<i>compectinata</i>	(Warren 1906)	AUS
			<i>Cleora</i>	<i>concentraria</i>	(Snellen 1877)	ORI
			<i>Cleora</i>	<i>contiguata contiguata</i>	(Moore 1868)	ORI
			<i>Cleora</i>	<i>costiplaga costiplaga</i>	(Fletcher 1953)	AUS
			<i>Cleora</i>	<i>decisaria</i>	(Walker 1866)	AUS
			<i>Cleora</i>	<i>determinata</i>	(Walker 1860)	ORI
			<i>Cleora</i>	<i>diphasia diphasia</i>	Prout 1937	ORI
			<i>Cleora</i>	<i>diphasia refota</i>	(Prout 1937)	AUS
			<i>Cleora</i>	<i>fraterna</i>	(Moore 1888)	ORI

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Cleora</i>	<i>hermaea</i>	Prout 1929	ORI
			<i>Cleora</i>	<i>hospita</i>	Prout 1916	AUS
			<i>Cleora</i>	<i>illustraria illustraria</i>	(Walker 1863)	ORI
			<i>Cleora</i>	<i>injectaria</i>	(Walker 1860)	AUS
			<i>Cleora</i>	<i>inoffensa cinereomarginata</i>	(Fletcher 1953)	AUS
			<i>Cleora</i>	<i>lacteata</i>	(Warren 1897)	AUS
			<i>Cleora</i>	<i>leucophaea</i>	(Butler 1878)	PAL
			<i>Cleora</i>	<i>mecistoscia</i>	Prout 1929	ORI
			<i>Cleora</i>	<i>minutaria</i>	(Leech 1891)	ORI
			<i>Cleora</i>	<i>monodactyla</i>	(Fletcher 1953)	AUS
			<i>Cleora</i>	<i>onycha acuata</i>	(Fletcher 1953)	AUS
			<i>Cleora</i>	<i>perfumosa extendata</i>	(Fletcher 1953)	AUS
			<i>Cleora</i>	<i>perlepidaria</i>	(Warren 1900)	AUS
			<i>Cleora</i>	<i>projecta</i>	(Walker 1860)	NEA
			<i>Cleora</i>	<i>propulsaria</i>	(Walker 1860)	ORI
			<i>Cleora</i>	<i>repetita</i>	(Butler 1882)	AUS
			<i>Cleora</i>	<i>repulsaria</i>	(Walker 1860)	ORI
			<i>Cleora</i>	<i>sabulata sabulata</i>	(Fletcher 1953)	AUS
			<i>Cleora</i>	<i>samoana</i>	(Butler 1886)	AUS
			<i>Cleora</i>	<i>scriptaria</i>	Walker 1860	AUS
			<i>Cleora</i>	<i>sevocata</i>	Prout 1929	ORI
			<i>Cleora</i>	<i>subbarbaria</i>	Prout 1929	ORI
			<i>Cleora</i>	<i>sublunaria</i>	(Guenée 1858)	NEA
			<i>Cleora</i>	<i>tenebrata fumata</i>	(Fletcher 1953)	AUS
			<i>Cleora</i>	<i>tenebrata tenebrata</i>	(Fletcher 1953)	ORI
			<i>Cleora</i>	<i>tulbaghata</i>	(Felder & Rogenhofer 1875)	ETH
			<i>Cleora</i>	<i>xanthorrhages</i>	Prout 1929	ORI
			<i>Cleorodes</i>	<i>lichenaria</i>	(Hufnagel 1767)	PAL
			<i>Colocleora</i>	<i>divisaria</i>	Walker 1860	ETH
			<i>Colocleora</i>	<i>simulatrix</i>	Warren 1899	ETH
			<i>Craspedosis</i>	<i>alternata</i>	Warren 1903	AUS
			<i>Craspedosis</i>	<i>cincta</i>	Walker 1865	AUS
			<i>Craspedosis</i>	<i>cyanoxantha</i>	(Meyrick 1889)	AUS

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Craspedosis</i>	<i>ernestina</i>	(Stoll 1781)	AUS
			<i>Craspedosis</i>	<i>flavimedia</i>	Warren 1899	AUS
			<i>Craspedosis</i>	<i>flexilinea</i>	Warren 1896	AUS
			<i>Craspedosis</i>	<i>hypanis hypanis</i>	(Cramer 1779)	AUS
			<i>Craspedosis</i>	<i>leucosticta</i>	Warren 1896	AUS
			<i>Craspedosis</i>	<i>obsoleta</i>	Warren 1896	AUS
			<i>Craspedosis</i>	<i>tricolor</i>	(Felder & Rogenhofer 1875)	AUS
			<i>Crocota</i>	<i>tinctaria</i>	(Hübner 1799)	PAL
			<i>Crocota</i>	<i>peletieraria</i>	(Duponchel 1830)	PAL
			<i>Crocota</i>	<i>niveata</i>	Scopoli 1763	PAL
			<i>Ctenognophos</i>	<i>aexaria</i>	(Walker 1860)	PAL
			<i>Ctenognophos</i>	<i>eolaria</i>	(Guenée 1858)	PAL
			<i>Cusiala</i>	<i>semiumbrata</i>	Warren 1896	AUS
			<i>Dalima</i>	<i>schistacearia</i>	Moore 1868	ORI
			<i>Dasyfidonia</i>	<i>avuncularia</i>	(Guenée 1857)	NEA
			<i>Dasyfidonia</i>	<i>macdunnoughi</i>	Guedet 1935	NEA
			<i>Deileptenia</i>	<i>ribeata</i>	(Clerk 1759)	PAL
			<i>Descoreba</i>	<i>simplex</i>	Butler 1878	PAL
			<i>Diaprepesilla</i>	<i>flavomarginaria flavomarginaria</i>	(Bremer 1864)	PAL
			<i>Dilophodes</i>	<i>elegans</i>	(Butler 1878)	PAL
			<i>Diplurodes</i>	<i>parvularia</i>	Leech 1891	PAL
			<i>Dyscia</i>	<i>conspersaria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Ectephrina</i>	<i>semilutata pruinosa</i>	(Bremer 1864)	PAL
			<i>Ectephrina</i>	<i>semilutata semilutata</i>	(Lederer 1853)	ORI
			<i>Ectropidia</i>	-	-	AUS
			<i>Ectropis</i>	<i>albipunctata</i>	Inoue 1955	ORI
			<i>Ectropis</i>	<i>bhurmitra</i>	(Walker 1860)	ORI
			<i>Ectropis</i>	<i>bistortata</i>	(Goeze 1781)	PAL
			<i>Ectropis</i>	<i>crepuscularia</i>	(Denis & Schiffermüller 1775)	NEA/PAL
			<i>Ectropis</i>	<i>crepuscularia</i> fm. <i>abraxaria</i>	(Walker _)	NEA
			<i>Ectropis</i>	<i>delosaria</i>	Walker	NEA
			<i>Ectropis</i>	<i>excellens</i>	(Butler 1884)	PAL
			<i>Ectropis</i>	<i>grisescens</i>	Warren 1894	PAL

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Ectropis</i>	<i>simplex</i>	(Warren 1914)	ETH
			<i>Ectropis</i>	<i>undularia</i>	Blanchard	NEO
			<i>Elophos</i>	<i>caelibaria</i>	(Heydenreich 1851)	PAL
			<i>Elophos</i>	<i>dilucidaria dilucidaria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Ematurga</i>	<i>amitaria</i>	(Guenée 1858)	NEA
			<i>Ematurga</i>	<i>atomaria</i>	(Linnaeus 1758)	PAL
			<i>Epimecis</i>	<i>anonaria</i>	(Felder 1874)	NEO
			<i>Epimecis</i>	<i>conjugaria</i>	Guenée 1857	NEO
			<i>Epimecis</i>	<i>detexta</i>	(Walker 1860)	NEA/NEO
			<i>Epimecis</i>	<i>fraternaria</i>	(Guenée 1857)	NEO
			<i>Epimecis</i>	<i>hortaria</i>	(Fabricius 1794)	NEA
			<i>Epimecis</i>	<i>hortaria</i> fm. <i>carbonaria</i>	Haimbach	NEA
			<i>Epimecis</i>	<i>hortaria</i> fm. <i>dendaria</i>	(Guenée)	NEA
			<i>Epimecis</i>	<i>marcida</i>	Warren 1906	NEO
			<i>Epimecis</i>	<i>matronaria</i>	(Guenée 1857)	NEO
			<i>Epimecis</i>	<i>plumbilinea</i>	Warren 1905	NEO
			<i>Epimecis</i>	<i>puellaria</i>	Guenée 1857	NEO
			<i>Epimecis</i>	<i>scolopaiae</i>	Drury 1773	NEO
			<i>Epimecis</i>	<i>subalbida</i>	Warren 1900	NEO
			<i>Erebomorpha</i>	<i>fulguraria consors</i>	Butler 1860	PAL
			<i>Erebomorpha</i>	<i>fulguraria fulguraria</i>	Walker 1860	PAL
			<i>Eubarnesia</i>	<i>ritaria arida</i>	Rindge 1959	NEA
			<i>Eubarnesia</i>	<i>ritaria ritaria</i>	(Grossbeck 1910)	NEA
			<i>Eurranthis</i>	<i>plummistaria</i>	(de Villers 1789)	PAL
			<i>Exelis</i>	<i>ophiurus</i>	Rindge 1952	NEA
			<i>Exelis</i>	<i>pyrolaria</i>	(Guenée 1858)	NEA
			<i>Fagivorina</i>	<i>arenaria</i>	(Hufnagel 1767)	PAL
			<i>Gellonia</i>	<i>dejectaria</i>	(Walker 1860)	AUS
			<i>Genussa</i>	<i>canescens</i>	(Walker 1862)	NEO
			<i>Glacies</i>	<i>alpinata</i>	(Scopoli 1763)	PAL
			<i>Glaucina</i>	<i>anomala</i>	Rindge 1959	NEA
			<i>Glaucina</i>	<i>baea</i>	Rindge 1959	NEA
			<i>Glaucina</i>	<i>denticularia</i>	(Dyar 1907)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Glaucina</i>	<i>elongata</i>	(Hulst 1896)	NEA
			<i>Glaucina</i>	<i>erroraria</i>	Dyar 1907	NEA
			<i>Glaucina</i>	<i>eupetheciaria escariola</i>	Rindge 1959	NEA
			<i>Glaucina</i>	<i>eupetheciaria eupetheciaria</i>	(Grote 1883)	NEA
			<i>Glaucina</i>	<i>eupetheciaria lucida</i>	Rindge 1959	NEA
			<i>Glaucina</i>	<i>eupetheciaria osiana</i>	(Druce 1893)	NEO
			<i>Glaucina</i>	<i>eureka agnesae</i>	Rindge 1959	NEA
			<i>Glaucina</i>	<i>golgolata</i>	(Strecker 1899)	NEA
			<i>Glaucina</i>	<i>ignavaria</i>	(Pearsall 1906)	NEA
			<i>Glaucina</i>	<i>interruptaria alboceptata</i>	(Dyar 1915)	NEA
			<i>Glaucina</i>	<i>macdunnoughi</i>	(Grossbeck 1912)	NEA
			<i>Glaucina</i>	<i>magnifica</i>	Grossbeck 1912	NEA
			<i>Glaucina</i>	<i>ochrofuscaria indistincta</i>	(Grossbeck 1912)	NEA
			<i>Glaucina</i>	<i>spaldingata</i>	(Cassino & Swett 1923)	NEA
			<i>Glaucina</i>	<i>utahensis</i>	(Cassino & Swett 1924)	NEA
			<i>Glena</i>	<i>agria</i>	Rindge 1967	NEO
			<i>Glena</i>	<i>bipennaria</i>	(Guenée 1858)	NEO
			<i>Glena</i>	<i>bisulca</i>	Rindge 1967	NEO
			<i>Glena</i>	<i>brachia</i>	Rindge 1967	NEO
			<i>Glena</i>	<i>cognataria</i>	(Hübner 1831)	NEA
			<i>Glena</i>	<i>cribrataria</i>	(Guenée 1858)	NEA
			<i>Glena</i>	<i>effusa</i>	Rindge 1967	NEO
			<i>Glena</i>	<i>gampsia</i>	Rindge 1967	NEO
			<i>Glena</i>	<i>granillosa</i>	(Dognin 1902)	NEO
			<i>Glena</i>	<i>grisearia</i>	(Grote 1883)	NEA
			<i>Glena</i>	<i>interpunctata</i>	(Barnes & McDunnough 1917)	NEA
			<i>Glena</i>	<i>mcdunnougharia</i>	Sperry 1952	NEA
			<i>Glena</i>	<i>megale</i>	Rindge 1967	NEO
			<i>Glena</i>	<i>nigricaria</i>	(Barnes & McDunnough 1913)	NEA
			<i>Glena</i>	<i>plumosaria</i>	(Packard 1874)	NEA
			<i>Glena</i>	<i>quinquelinearia</i>	(Packard 1874)	NEA
			<i>Glena</i>	<i>subannulata</i>	(Prout 1910)	NEO
			<i>Glena</i>	<i>unipennaria</i>	(Guenée 1858)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Glenoides</i>	<i>texanaria</i>	(Hulst 1888)	NEA
			<i>Gnophos</i>	<i>accipitraria superba</i>	Prout 1915	NEO
			<i>Gnophos</i>	<i>obfuscata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Gnophos</i>	<i>obscuratus</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Gnophos</i>	<i>pullatus</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Gnophos</i>	<i>furvatus</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Gnophos</i>	<i>oreas</i>	Prout 1910	NEO
			<i>Harutalcis</i>	<i>megaspilaria</i>	(Moore 1868)	ORI
			<i>Hesperumia</i>	<i>fumosaria</i>	Comstock 1937	NEA
			<i>Hesperumia</i>	<i>latipennis</i>	(Hulst 1896)	NEA
			<i>Hesperumia</i>	<i>sulphuraria</i>	Packard 1873	NEA
			<i>Hesperumia</i>	<i>sulphuraria</i> fm. <i>baltearia</i>	(Hulst 1880)	NEA
			<i>Hesperumia</i>	<i>sulphuraria</i> fm. <i>ochreata</i>	Packard?	NEA
			<i>Hesperumia</i>	<i>sulphuraria</i> fm. <i>unicoloraria</i>	(Hulst 1886)	NEA
			<i>Hirasa</i>			ORI
			<i>Hulstina</i>	<i>aridata</i>	Barnes & Benjamin 1929	NEA
			<i>Hulstina</i>	<i>exhumata</i>	(Swett 1918)	NEA
			<i>Hulstina</i>	<i>formostata</i>	(Hulst 1896)	NEA
			<i>Hulstina</i>	<i>wrightiaria</i>	(Hulst 1888)	NEA
			<i>Hymenomima</i>	<i>amberia</i>	(Schaus 1901)	NEO
			<i>Hymenomima</i>	<i>camerata</i>	Warren 1900	NEO
			<i>Hymenomima</i>	<i>carneata</i>	Warren 1904	NEO
			<i>Hymenomima</i>	<i>caudata</i>	Warren?	NEO
			<i>Hymenomima</i>	<i>cogigaria</i>	(Möschler 1882)	NEO
			<i>Hymenomima</i>	<i>extersaria</i>	Warren 1897	NEO
			<i>Hymenomima</i>	<i>inceptaria</i>	(Walker 1860)	NEO
			<i>Hymenomima</i>	<i>inceptaria</i> var. <i>camerata</i>	(Warren)	NEO
			<i>Hymenomima</i>	<i>memor</i>	(Warren 1906)	NEO
			<i>Hymenomima</i>	<i>nephalia</i>	(Druce 1892)	NEO
			<i>Hymenomima</i>	<i>semialba</i>	(Warren 1897)	NEO
			<i>Hymenomima</i>	<i>seriata</i>	(Prout 1933)	NEO
			<i>Hypomecis</i>	<i>atilla</i>	(Schaus 1901)	NEO
			<i>Hypomecis</i>	<i>buchholzaria</i>	(Lemmer 1937)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Hypomecis</i>	<i>costaria</i>	(Guenée 1858)	ORI
			<i>Hypomecis</i>	<i>definita</i>	(Butler 1881)	PAL
			<i>Hypomecis</i>	<i>dimidiaria</i>	(Walker 1860)	NEO
			<i>Hypomecis</i>	<i>gnopharia</i>	(Guenée 1858)	NEA
			<i>Hypomecis</i>	<i>lunifera</i>	(Butler 1878)	PAL
			<i>Hypomecis</i>	<i>luridula</i>	(Hulst 1896)	NEA
			<i>Hypomecis</i>	<i>punctinalis conferenda</i>	(Butler 1878)	PAL
			<i>Hypomecis</i>	<i>punctinalis punctinalis</i>	(Scopoli 1763)	PAL
			<i>Hypomecis</i>	<i>roboraria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Hypomecis</i>	<i>separata</i>	(Walker 1863)	ORI
			<i>Hypomecis</i>	<i>umbrosaria</i>	(Hübner 1813)	NEA
			<i>Hyposidra</i>	<i>incomptaria</i>	Walker 1866	AUS
			<i>Hyposidra</i>	<i>infixaria</i>	Walker 1860	ORI
			<i>Hyposidra</i>	<i>janiaria</i>	Guenée 1858	AUS
			<i>Hyposidra</i>	<i>leucomela</i>	Walker 1866	ORI
			<i>Hyposidra</i>	<i>talaca</i>	(Walker 1860)	AUS/ORI
			<i>Hypoxystis</i>	<i>pluviaria</i>	(Fabricius 1775)	PAL
			<i>Iridopsis</i>	<i>alternata</i>	Warren 1904	NEO
			<i>Iridopsis</i>	<i>anaisaria</i>	Oberthür 1883	NEO
			<i>Iridopsis</i>	<i>angulata</i>	(Rindge 1966)	NEA
			<i>Iridopsis</i>	<i>bolinaria</i>	Guenée 1858	NEO
			<i>Iridopsis</i>	<i>clivinaria</i>	(Guenée 1858)	NEA
			<i>Iridopsis</i>	<i>dataria</i>	Grote 1882	NEA
			<i>Iridopsis</i>	<i>defectaria</i>	(Guenée 1858)	NEA
			<i>Iridopsis</i>	<i>emasculatum</i>	(Dyar 1904)	NEA
			<i>Iridopsis</i>	<i>ephyraria</i>	(Walker 1860)	NEA
			<i>Iridopsis</i>	<i>fragilaria</i>	(Grossbeck 1909)	NEA
			<i>Iridopsis</i>	<i>fuscolimbaria</i>	(Snellen 1874)	NEO
			<i>Iridopsis</i>	<i>gitanaria</i>	Schaus 1901	NEO
			<i>Iridopsis</i>	<i>huamani</i>	(Dognin 1905)	NEO
			<i>Iridopsis</i>	<i>huambaria</i>	(Oberthür 1883)	NEO
			<i>Iridopsis</i>	<i>humaria</i>	(Guenée 1858)	NEA
			<i>Iridopsis</i>	<i>insolita</i>	(Warren 1901)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Iridopsis</i>	<i>larvaria</i>	(Guenée 1858)	NEA
			<i>Iridopsis</i>	<i>litharia</i>	Guenée 1858	NEO
			<i>Iridopsis</i>	<i>lurida</i>	(Schaus 1913)	NEO
			<i>Iridopsis</i>	<i>muscinaria</i>	Snellen 1874	NEO
			<i>Iridopsis</i>	<i>nephotessares</i>	Prout 1910	NEO
			<i>Iridopsis</i>	<i>obliquaria</i>	(Grote 1883)	NEA
			<i>Iridopsis</i>	<i>pandrosos</i>	Schaus 1912	NEO
			<i>Iridopsis</i>	<i>panopla</i>	Prout 1932	NEO
			<i>Iridopsis</i>	<i>pergracilis</i>	(Hulst 1900)	NEA
			<i>Iridopsis</i>	<i>provedentia</i>	(Rindge 1966)	NEA
			<i>Iridopsis</i>	<i>pseudoherse</i>	(Rindge 1966)	NEA
			<i>Iridopsis</i>	<i>roccaria</i>	(Oberthür 1883)	NEO
			<i>Iridopsis</i>	<i>salmonearia</i>	(Oberthür 1883)	NEO
			<i>Iridopsis</i>	<i>sancta</i>	(Rindge 1966)	NEA
			<i>Iridopsis</i>	<i>sanctissima</i>	(Barnes & McDunnough 1917)	NEA
			<i>Iridopsis</i>	<i>scolancala</i>	Prout 1932	NEO
			<i>Iridopsis</i>	<i>sonicaria</i>	(Schaus 1901)	NEO
			<i>Iridopsis</i>	<i>submarginata</i>	Warren 1907	NEO
			<i>Iridopsis</i>	<i>subnigrata</i>	Warren 1905	NEO
			<i>Iridopsis</i>	<i>syrniaria</i>	(Guenée 1857)	NEO
			<i>Iridopsis</i>	<i>syrniaria oberthuri</i>	Prout 1932	NEO
			<i>Iridopsis</i>	<i>transvisata</i>	Warren 1906	NEO
			<i>Iridopsis</i>	<i>vacillaria</i>	Druce 1892	NEO
			<i>Iridopsis</i>	<i>validaria</i>	Guenée 1858	NEO
			<i>Iridopsis</i>	<i>vellivolata</i>	(Hulst 1881)	NEA
			<i>lthysia</i>	<i>pravata</i>	(Hübner 1813)	PAL
			<i>Jankowskia</i>	<i>athleta</i>	Oberthür 1884	PAL
			<i>Krananda</i>	<i>oliveomarginata</i>	Swinhoe 1894	ORI/PAL
			<i>Krananda</i>	<i>semihyalina</i>	Moore 1867	ORI/PAL
			<i>Loxaspilates</i>	<i>arrizanaria</i>	Bastelberger 1909	ORI
			<i>Loxaspilates</i>	<i>obliquaria</i>	(Moore 1868)	ORI
			<i>Medasina</i>	<i>albidaria</i>	Walker 1866	PAL/ORI
			<i>Medasina</i>	<i>basistrigaria</i>	Moore 1867	ORI

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Medasina</i>	<i>creataria</i>	Guenée 1858	ORI
			<i>Medasina</i>	<i>mauraria</i>	Guenée 1858	ORI
			<i>Medasina</i>	<i>mucidaria</i>	Walker 1896	ORI
			<i>Medasina</i>	<i>nikkonis</i>	(Butler 1881)	PAL
			<i>Medasina</i>	<i>pallidimargo</i>	Warren 1904	ORI
			<i>Medasina</i>	<i>strixaria</i>	Guenée 1858	ORI
			<i>Melanchroia</i>	<i>chephise</i>	(Cramer 1782)	NEA
			<i>Mericisca</i>	<i>gracea</i>	Hulst 1896	NEA
			<i>Mericisca</i>	<i>perpictaria</i>	(Barnes & McDunnough 1916)	NEA
			<i>Mericisca</i>	<i>scobina</i>	Rindge 1958	NEA
			<i>Microcalicha</i>	<i>melanosticta</i>	Hampson 1895	PAL
			<i>Microcalicha</i>	<i>sordida</i>	(Butler 1878)	ORI
			<i>Milionia</i>	<i>assimilis</i>	Rothschild 1897	AUS
			<i>Milionia</i>	<i>basalis pryeri</i>	(Druce 1888)	PAL
			<i>Milionia</i>	<i>diva</i>	Rothschild 1904	AUS
			<i>Milionia</i>	<i>dohertyi</i>	Rothschild 1897	AUS
			<i>Milionia</i>	<i>fulgida</i>	Vollenhoven 1863	ORI
			<i>Milionia</i>	<i>obiensis</i>	Rothschild 1898	AUS
			<i>Milionia</i>	<i>pulchrinervis</i>	Felder 1874	ORI
			<i>Milionia</i>	<i>rawakensis</i>	(Quoy & Gaimard 1825)	AUS
			<i>Milionia</i>	<i>stellata</i>	Semper 1901	ORI
			<i>Monocerotesa</i>	<i>lutearia</i>	(Leech 1891)	PAL
			<i>Myrioblephara</i>	<i>simplaria submarginata</i>	Warren 1906	AUS
			<i>Nealcis</i>	<i>californiaria</i>	(Packard 1871)	NEA
			<i>Nepterotaea</i>	<i>memoriata</i>	(Pearsall 1906)	NEA
			<i>Nepterotaea</i>	<i>obliviscata</i>	(Barnes & McDunnough 1918)	NEA
			<i>Neopaniasis</i>	<i>aleopetra</i>	(Druce 1890)	NEO
			<i>Nychiodes</i>	<i>obscuraria</i>	(de Villers 1789)	PAL
			<i>Odysia</i>	<i>molaria</i>	(Guenée 1858)	NEO
			<i>Odysia</i>	<i>subnigrata</i>	(Warren 1906)	NEO
			<i>Odysia</i>	<i>venusta</i>	(Warren 1900)	NEO
			<i>Ophthalmitis</i>	<i>diurnaria</i>	(Guenée 1858)	ORI
			<i>Ophthalmitis</i>	<i>herbidaria</i>	(Guenée 1858)	ORI

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Ophthalmitis</i>	<i>irrorataria</i>	(Bremer & Grey 1853)	ORI/PAL
			<i>Ophthalmitis</i>	<i>pertusaria</i>	(Felder & Rogenhofer 1875)	ORI
			<i>Orbamia</i>	<i>octomaculata</i>	(Wallengren 1872)	ETH
			<i>Orthofidonia</i>	<i>exornata</i>	(Walker 1862)	NEA
			<i>Orthofidonia</i>	<i>flaviventa</i>	(Hulst 1898)	NEA
			<i>Orthofidonia</i>	<i>tinctaria</i>	(Walker 1860)	NEA
			<i>Paradarisa</i>	<i>comparataria</i>	(Walker 1866)	ORI
			<i>Parapheromia</i>	<i>cassinoi</i>	McDunnough 1927	NEA
			<i>Parapheromia</i>	<i>configurata</i>	(Hulst 1898)	NEA
			<i>Parapheromia</i>	<i>falsata</i>	McDunnough 1920	NEA
			<i>Parapheromia</i>	<i>lichenaria</i>	(Pearsall 1906)	NEA
			<i>Parapholodes</i>	<i>fuliginea</i>	(Hampson 1891)	ORI
			<i>Parectropis</i>	<i>similaria similaria</i>	(Hufnagel 1767)	PAL
			<i>Perconia</i>	<i>strigillaria</i>	(Hübner 1787)	PAL
			<i>Peribatodes</i>	<i>rhomboidaria</i>	(Dennis & Schiffermüller 1775)	PAL
			<i>Perigramma</i>	<i>famulata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Perigramma</i>	<i>semipleata</i>	(Warren 1904)	NEO
			<i>Perigramma</i>	<i>albivena</i>	Dognin 1906	NEO
			<i>Perigramma</i>	<i>religiosa</i>	(Thierry-Mieg 1892)	NEO
			<i>Phthonosema</i>	<i>invenustaria</i>	Leech 1891	PAL
			<i>Phyllometra</i>	<i>culminaria</i>	(Eversmann 1843)	PAL
			<i>Physocleora</i>	<i>taeniata</i>	Warren 1907	NEO
			<i>Physocleora</i>	<i>accessilinea</i>	(Prout 1910)	NEO
			<i>Physocleora</i>	<i>albibrunnea</i>	Warren 1906	NEO
			<i>Physocleora</i>	<i>cariaria</i>	(Schaus 1897)	NEO
			<i>Physocleora</i>	<i>congruata</i>	(Walker 1863)	NEO
			<i>Physocleora</i>	<i>curvifera</i>	(Dognin 1906)	NEO
			<i>Physocleora</i>	<i>defimaria</i>	(Guenée 1858)	NEO
			<i>Physocleora</i>	<i>fulgurata</i>	Warren 1906	NEO
			<i>Physocleora</i>	<i>grosica</i>	(Schaus 1901)	NEO
			<i>Physocleora</i>	<i>invenusta</i>	(Dognin 1904)	NEO
			<i>Physocleora</i>	<i>micaya</i>	(Dognin 1900)	NEO
			<i>Physocleora</i>	<i>mniophilaria</i>	(Guenée 1858)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Physocleora</i>	<i>pauper</i>	Warren 1897	NEO
			<i>Physocleora</i>	<i>pergriseata</i>	(Warren 1901)	NEO
			<i>Physocleora</i>	<i>plumosa</i>	(Warren 1908)	NEO
			<i>Physocleora</i>	<i>punctilla</i>	Schaus 1898	NEO
			<i>Physocleora</i>	<i>quisquiliaria</i>	(Guenée 1858)	NEO
			<i>Physocleora</i>	<i>russula</i>	(Dognin 1916)	NEO
			<i>Physocleora</i>	<i>sanguistellata</i>	(Schaus 1933)	NEO
			<i>Physocleora</i>	<i>santosia</i>	Schaus 1927	NEO
			<i>Physocleora</i>	<i>sericea</i>	(Bastelberger 1907)	NEO
			<i>Physocleora</i>	<i>tristaria</i>	(Schaus 1901)	NEO
			<i>Pimaphera</i>	<i>sparsaria</i>	(Walker 1863)	NEA
			<i>Planociampa</i>	<i>modesta</i>	(Butler 1878)	PAL
			<i>Pogonopygia</i>	<i>nigralbata</i>	Warren 1864	PAL
			<i>Prionomelia</i>	<i>spododea</i>	(Hulst 1896)	NEA
			<i>Protoarmia</i>	<i>porcelaria</i>	(Guenée 1858)	NEA
			<i>Pseudocoremia</i>	<i>suavis</i>	Butler 1879	AUS
			<i>Psilalcis</i>	<i>bisinuata</i>	(Hampson 1895)	ORI
			<i>Psilalcis</i>	<i>breta rantaizana</i>	Wileman 1911	ORI
			<i>Psilalcis</i>	<i>conspicuata</i>	(Moore 1888)	ORI
			<i>Psilalcis</i>	<i>pallidaria</i>	(Moore 1888)	ORI
			<i>Psodos</i>	<i>alticolaria</i>	Mann 1853	PAL
			<i>Psodos</i>	<i>quadrifaria</i>	(Sulzer 1776)	PAL
			<i>Pterotaea</i>	<i>lamiaria</i>	(Strecker 1899)	NEA
			<i>Racotis</i>	<i>boarmiaria</i>	(Guenée 1857)	ORI
			<i>Racotis</i>	<i>maculata</i>	Lucas 1889	AUS
			<i>Racotis</i>	<i>squalida</i>	(Butler 1878)	ETH
			<i>Racotis</i>	<i>zebrina</i>	Warren 1899	ETH
			<i>Rikiosatoa</i>	<i>grisea</i>	(Butler 1878)	PAL
			<i>Ruttelerona</i>	<i>cessaria</i>	Walker 1860	ORI
			<i>Sciadia</i>	<i>tenebraria</i>	(Esper 1806)	PAL
			<i>Sciadia</i>	<i>wockearia</i>	(Staudinger 1871)	PAL
			<i>Scioglyptis</i>	<i>lyciaria</i>	(Guenée 1857)	ORI
			<i>Selidosema</i>	<i>ambustaria</i>	Geyer 1831	PAL

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Selidosema</i>	<i>brunnearia</i>	(de Villers 1789)	PAL
			<i>Siona</i>	<i>fortificata</i>	(Treitschke 1828)	PAL
			<i>Siona</i>	<i>lineata</i>	(Scopoli 1763)	PAL
			<i>Siosta</i>	<i>bifasciata</i>	(Latreille 1817)	NEO
			<i>Stenoporpia</i>	<i>anastomosaria</i>	(Grossbeck 1908)	NEA
			<i>Stenoporpia</i>	<i>anellula</i>	(Barnes & McDunnough 1917)	NEA
			<i>Stenoporpia</i>	<i>asymmetra</i>	Rindge 1959	NEA
			<i>Stenoporpia</i>	<i>blanchardi</i>	Rindge 1968	NEA
			<i>Stenoporpia</i>	<i>dionaria</i>	(Barnes & McDunnough 1918)	NEA
			<i>Stenoporpia</i>	<i>dissonaria</i>	(Hulst 1896)	NEA
			<i>Stenoporpia</i>	<i>excelsaria</i>	(Strecker 1899)	NEA
			<i>Stenoporpia</i>	<i>excelsaria pullata</i>	Rindge 1968	NEA
			<i>Stenoporpia</i>	<i>glaucomarginaria</i>	McDunnough 1945	NEA
			<i>Stenoporpia</i>	<i>graciella</i>	McDunnough 1940	NEA
			<i>Stenoporpia</i>	<i>lea</i>	Rindge 1968	NEA
			<i>Stenoporpia</i>	<i>macdunnoughi</i>	Sperry 1938	NEA
			<i>Stenoporpia</i>	<i>margueritae</i>	Rindge 1968	NEA
			<i>Stenoporpia</i>	<i>polygrammaria</i>	(Packard 1876)	NEA
			<i>Stenoporpia</i>	<i>pulchella</i>	(Grossbeck 1909)	NEA
			<i>Stenoporpia</i>	<i>pulmonaria</i>	(Grote 1881)	NEA
			<i>Stenoporpia</i>	<i>purpuraria</i>	(Barnes & McDunnough 1913)	NEA
			<i>Stenoporpia</i>	<i>separataria</i>	(Grote 1883)	NEA
			<i>Stenoporpia</i>	<i>vermalella</i>	McDunnough 1940	NEA
			<i>Stenoporpia</i>	<i>vernata</i>	(Barnes & McDunnough 1917)	NEA
			<i>Synecta</i>	<i>muda</i>	(Dognin 1895)	NEO
			<i>Synglochis</i>	<i>perumbraria</i>	Hulst 1896	NEA
			<i>Synopsia</i>	<i>sociaria</i>	(Hübner 1799)	PAL
			<i>Tephronia</i>	<i>sepiaria</i>	(Hufnagel 1767)	PAL
			<i>Tornos</i>	<i>abjectarius</i>	Hulst 1887	NEA
			<i>Tornos</i>	<i>abjectarius calcasiatus</i>	Cassino & Swett 1923	NEA
			<i>Tornos</i>	<i>cinctarius</i>	Hulst 1887	NEA
			<i>Tornos</i>	<i>erectarius</i>	Grossbeck 1909	NEA
			<i>Tornos</i>	<i>erectarius fieldi</i>	Grossbeck 1909	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Tornos</i>	<i>scolopacinaria</i>	(Guenée 1858)	NEA
			<i>Tracheops</i>	<i>bolteri</i>	Hulst 1896	NEA
			<i>Trigonoptila</i>	<i>latimarginaria</i>	Leech 1891	ORI
			<i>Xandrames</i>	<i>dholaria</i>	Moore 1868	ORI/PAL
			<i>Xandrames</i>	<i>latiferaria</i>	(Walker 1860)	PAL
			<i>Xerodes</i>	<i>albisparsa</i>	(Warren 1896)	AUS
			<i>Xerodes</i>	<i>contiguaria</i>	(Leech 1897)	ORI
			<i>Xerodes</i>	<i>rufescentaria</i>	(Motchulsky 1861)	PAL
			<i>Xerodes</i>	<i>ypsaria</i>	Guenée 1857	ORI
			<i>Zanclopera</i>	<i>falcata</i>	Warren 1894	ORI
			<i>Zanclopera</i>	<i>straminearia</i>	Leech 1897	ORI
			<i>Zeuctoboarmia</i>	<i>contortilinea</i>	(Warren 1897)	ETH
		Melanolophiini	<i>Carphoides</i>	<i>inconspicuaria</i>	(Barnes & McDunnough 1916)	NEA
			<i>Carphoides</i>	<i>incopriarius</i>	(Hulst 1887)	NEA
			<i>Eufidonia</i>	<i>convergaria</i>	(Walker 1860)	NEA
			<i>Eufidonia</i>	<i>discospilata</i>	(Walker 1862)	NEA
			<i>Eufidonia</i>	<i>notataria</i>	(Walker 1860)	NEA
			<i>Galenara</i>	<i>glaucaria</i>	(Grossbeck 1912)	NEA
			<i>Galenara</i>	<i>lallata</i>	(Hulst 1898)	NEA
			<i>Galenara</i>	<i>lixaria</i>	(Grote 1882)	NEA
			<i>Galenara</i>	<i>lixarioides</i>	(McDunnough 1945)	NEA
			<i>Melanolophia</i>	<i>agnataria</i>	Snellen 1874	NEO
			<i>Melanolophia</i>	<i>apicalis</i>	(Warren 1900)	NEO
			<i>Melanolophia</i>	<i>bugnathos</i>	Rindge 1964	NEO
			<i>Melanolophia</i>	<i>canadaria</i>	(Guenée 1858)	NEA
			<i>Melanolophia</i>	<i>delinquaria</i>	(Walker 1860)	NEO
			<i>Melanolophia</i>	<i>dislocata</i>	(Warren 1904)	NEO
			<i>Melanolophia</i>	<i>distracta</i>	Poole 1970	NEO
			<i>Melanolophia</i>	<i>eudoxa</i>	Rindge 1964	NEO
			<i>Melanolophia</i>	<i>flexilinea</i>	(Warren 1906)	NEO
			<i>Melanolophia</i>	<i>imitata</i>	(Walker 1860)	NEA
			<i>Melanolophia</i>	<i>inatrata</i>	Rindge 1964	NEO
			<i>Melanolophia</i>	<i>musara</i>	(Dognin 1896)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Melanolophia</i>	<i>minca</i>	Rindge 1964	NEO
			<i>Melanolophia</i>	<i>misma</i>	Poole 1970	NEO
			<i>Melanolophia</i>	<i>modica</i>	Rindge 1964	NEO
			<i>Melanolophia</i>	<i>nebularia</i>	(Schaus 1897)	NEO
			<i>Melanolophia</i>	<i>olivescens</i>	(Warren 1904)	NEO
			<i>Melanolophia</i>	<i>praeapicata</i>	(Warren 1900)	NEO
			<i>Melanolophia</i>	<i>pseudovallata</i>	Rindge 1964	NEO
			<i>Melanolophia</i>	<i>reducta</i>	Warren 1904	NEO
			<i>Melanolophia</i>	<i>reducta</i> race <i>meridiana</i>	Rindge	NEO
			<i>Melanolophia</i>	<i>signataria</i>	(Walker 1860)	NEA
			<i>Melanolophia</i>	<i>signataria carbonata</i>	(Walker 1860)	NEA
			<i>Melanolophia</i>	<i>subatrata</i>	Dognin 1902	NEO
			<i>Melanolophia</i>	<i>trisorca</i>	Dognin 1895	NEO
			<i>Minyolophia</i>	<i>commaculata</i>	(Warren 1900)	NEO
			<i>Pherotesia</i>	<i>condensaria</i>	Guenée 1858	NEO
			<i>Pherotesia</i>	<i>malinaria</i>	Schaus 1901	NEO
			<i>Vinemina</i>	<i>catalina</i>	McDunnough 1945	NEA
			<i>Vinemina</i>	<i>opacaria</i>	(Hulst 1881)	NEA
			<i>Vinemina</i>	<i>perdita</i>	Guedet 1939	NEA
		Bistonini	<i>Amraica</i>	<i>superans</i>	(Butler 1878)	PAL/ORI
			<i>Agriopis</i>	<i>aurantiaria</i>	(Hübner 1799)	PAL
			<i>Agriopis</i>	<i>leucophaeria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Agriopis</i>	<i>marginaria</i>	(Fabricius 1776)	PAL
			<i>Apocheima</i>	<i>cinerarius</i>	(Erschoff 1874)	PAL
			<i>Apocheima</i>	<i>hispidaria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Apochima</i>	<i>flabellaria</i>	(Heeger 1838)	PAL
			<i>Biston</i>	<i>abruptaria</i>	(Walker 1869)	ETH
			<i>Biston</i>	<i>bengaliaria</i>	(Guenée 1858)	ORI
			<i>Biston</i>	<i>betularia</i>	(Linnaeus 1758)	PAL/ORI
			<i>Biston</i>	<i>betularia cognataria</i>	(Guenée 1857)	NEA
			<i>Biston</i>	<i>bistonaria</i>	(Walker 1866)	PAL
			<i>Biston</i>	<i>contectaria</i>	(Walker 1863)	ORI
			<i>Biston</i>	<i>fasciaria</i>	Motschulsky 1866	ORI

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Biston</i>	<i>panterinaria</i>	(Bremer & Grey 1855)	ORI
			<i>Biston</i>	<i>perclara</i>	(Warren 1899)	ORI
			<i>Biston</i>	<i>regalis regalis</i>	(Moore 1888)	ORI
			<i>Biston</i>	<i>regalis comitata</i>	(Warren 1899)	PAL
			<i>Biston</i>	<i>robustum</i>	Butler 1879	PAL
			<i>Biston</i>	<i>stratiaria</i>	(Hufnagel 1767)	PAL
			<i>Biston</i>	<i>suppressaria</i>	(Guenée 1858)	PAL/ORI
			<i>Biston</i>	<i>thoracicaria</i>	(Oberthür 1884)	PAL
			<i>Biston</i>	<i>subocularia</i>	(Mabille 1893)	ETH
			<i>Chemerina</i>	<i>caliginearia</i>	(Rambur 1833)	PAL
			<i>Cochisea</i>	<i>barnesi</i>	Cassino & Swett 1922	NEA
			<i>Cochisea</i>	<i>rigidaria</i>	Barnes & McDunnough 1916	NEA
			<i>Cochisea</i>	<i>sinuaria</i>	Barnes & McDunnough 1916	NEA
			<i>Cochisea</i>	<i>sonomensis</i>	McDunnough 1941	NEA
			<i>Cochisea</i>	<i>unicoloris</i>	Rindge 1975	NEA
			<i>Erranis</i>	<i>defoliaria</i>	(Clerck 1759)	PAL
			<i>Erranis</i>	<i>tiliaria</i>	(Harris 1841)	NEA
			<i>Erranis</i>	<i>vancouverensis</i>	Hulst 1896	NEA
			<i>Hypagyrtis</i>	<i>brendae</i>	Heitzman 1975	NEA
			<i>Hypagyrtis</i>	<i>esther</i>	(Barnes 1928)	NEA
			<i>Hypagyrtis</i>	<i>piniata</i>	(Packard 1870)	NEA
			<i>Hypagyrtis</i>	<i>unipunctata</i>	(Haworth 1809)	NEA
			<i>Lycia</i>	<i>hirtaria</i>	(Clerks 1759)	PAL
			<i>Lycia</i>	<i>lapponaria</i>	(Boisduval 1840)	PAL
			<i>Lycia</i>	<i>pomonaria</i>	Hübner 1790	PAL
			<i>Lycia</i>	<i>rachelae</i>	(Hulst 1896)	NEA
			<i>Lycia</i>	<i>ursaria</i>	(Walker 1860)	NEA
			<i>Lycia</i>	<i>ypsilon</i>	(Forbes 1885)	NEA
			<i>Lycia</i>	<i>zonaria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Pachyerannis</i>	<i>obliquaria</i>	(Motschulsky 1860)	PAL
			<i>Palaeonyssia</i>	<i>trisecta</i>	(Waaren 1897)	ETH
			<i>Paleacrita</i>	<i>longiciliata</i>	Hulst 1898	NEA
			<i>Paleacrita</i>	<i>mericcata</i>	(Dyar 1903)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Paleacrita</i>	<i>vernata</i>	(Peck 1795)	NEA
			<i>Phigalia</i>	<i>denticulata</i>	Hulst 1900	NEA
			<i>Phigalia</i>	<i>pilosaria</i>	(Denis & Schiffermüller 1775)	PAL/NEA
			<i>Phigalia</i>	<i>plumogeraria</i>	(Hulst 1888)	NEA
			<i>Phigalia</i>	<i>strigataria</i>	(Minot 1869)	NEA
			<i>Phigalia</i>	<i>titea</i>	(Cramer 1780)	NEA
		Baptini	<i>Acrosemia</i>	<i>undilinea</i>	Warren 1897	NEO
			<i>Acrosemia</i>	<i>vulpecularia</i>	Herrich-Shäeffer 1855	NEO
			<i>Aleucis</i>	<i>distinctata</i>	(Herrich-Schäffer 1839)	PAL
			<i>Bulonga</i>	<i>schistacearia</i>	(Walker 1859)	ORI
			<i>Bulonga</i>	<i>griseosericea</i>	(Pagenstecher 1886)	AUS
			<i>Lomographa</i>	<i>bicineta</i>	(Dognin 1892)	NEO
			<i>Lomographa</i>	<i>bimaculata</i>	(Fabricius 1775)	PAL
			<i>Lomographa</i>	<i>chartularia</i>	(Dognin 1892)	NEO
			<i>Lomographa</i>	<i>circumvallaria</i>	(Snellen 1874)	NEO
			<i>Lomographa</i>	<i>conspersa</i>	Wileman 1914	ORI
			<i>Lomographa</i>	<i>distans</i>	(Warren 1894)	PAL/ORI
			<i>Lomographa</i>	<i>elsinora</i>	(Hulst 1900)	NEA
			<i>Lomographa</i>	<i>extremata</i>	Warren 1905	NEO
			<i>Lomographa</i>	<i>glomeraria</i>	(Grote 1881)	NEA
			<i>Lomographa</i>	<i>inamata</i>	(Walker 1860)	AUS/ORI
			<i>Lomographa</i>	<i>innoma</i>	(Schaus 1901)	NEO
			<i>Lomographa</i>	<i>molesta</i>	(Schaus 1911)	NEO
			<i>Lomographa</i>	<i>nigropunctaria</i>	Leech 1897	ORI
			<i>Lomographa</i>	<i>nubimargo</i>	(Warren 1897)	NEO
			<i>Lomographa</i>	<i>platyleucata</i>	(Walker 1866)	PAL/ORI
			<i>Lomographa</i>	<i>pulverata</i>	(Bang-Haas 1910)	ORI
			<i>Lomographa</i>	<i>sectinota</i>	(Hampson 1895)	ORI
			<i>Lomographa</i>	<i>semiclarata</i>	(Walker 1866)	NEA
			<i>Lomographa</i>	<i>temerata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Lomographa</i>	<i>tributaria</i>	(Walker 1863)	NEO
			<i>Lomographa</i>	<i>vestaliata</i>	(Guenée 1858)	NEA
			<i>Micronia</i>	<i>simpliciata</i>	(Moore 1868)	ORI

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Myrteta</i>	<i>moupinaria</i>	(Oberthür 1911)	PAL
			<i>Myrteta</i>	<i>tinagmaria</i>	(Guenée 1857)	PAL/ORI
			<i>Myrteta</i>	<i>sericea</i>	(Butler 1879)	ORI
			<i>Myrteta</i>	<i>unio</i>	(Oberthür 1880)	PAL
			<i>Palyas</i>	<i>divitaria</i>	Oberthür 1916	NEO
			<i>Palyas</i>	<i>palligosta</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Parabapta</i>	<i>clarissa</i>	(Bulter 1878)	PAL/ORI
			<i>Phrygionis</i>	<i>argentata</i>	(Drury 1773)	NEA
			<i>Phrygionis</i>	<i>auriferaria</i>	(Hulst 1887)	NEA
			<i>Phrygionis</i>	<i>paradoxata incolorata</i>	(Prout 1910)	NEO
			<i>Phrygionis</i>	<i>platinata</i>	(Guenée 1857)	NEO
			<i>Phrygionis</i>	<i>polita</i>	(Cramer 1780)	NEO
			<i>Plectoneura</i>	<i>albida</i>	Warren 1896	AUS
			<i>Rhynchobapta</i>	<i>flaviceps</i>	(Butler 1881)	PAL/ORI
			No genus	<i>perampla</i>	(Warren 1909)	NEO
		Caberini	<i>Apodrepanulatrix</i>	<i>liberaria</i>	(Walker 1860)	NEA
			<i>Apodrepanulatrix</i>	<i>liberaria</i> fm. <i>helena</i>	(Hulst 1896)	NEA
			<i>Apodrepanulatrix</i>	<i>litaria</i>	(Hulst 1887)	NEA
			<i>Astegania</i>	<i>honesta</i>	(Prout 1908)	PAL
			<i>Borbacha</i>	<i>pardaria</i>	(Guenée 1857)	ORI/AUS
			<i>Cabera</i>	<i>erythemaria</i>	(Guenée 1858)	NEA
			<i>Cabera</i>	<i>exanthemata</i>	(Scopoli 1763)	PAL
			<i>Cabera</i>	<i>pusaria</i>	(Linnaeus 1758)	PAL
			<i>Cabera</i>	<i>quadrifasciaria</i>	(Packard 1873)	NEA
			<i>Cabera</i>	<i>strigataria</i>	(Warren 1897)	ETH
			<i>Cabera</i>	<i>variolaria</i>	(Guenée 1858)	NEA
			<i>Chloraspilates</i>	<i>bicoloraria</i>	Packard 1876	NEA
			<i>Chloraspilates</i>	<i>minima</i>	(Hulst 1898)	NEA
			<i>Drepanulatrix</i>	<i>bifiliata</i>	(Hulst 1880)	NEA
			<i>Drepanulatrix</i>	<i>carnearia</i>	(Hulst 1888)	NEA
			<i>Drepanulatrix</i>	<i>falcataria</i>	(Packard 1873)	NEA
			<i>Drepanulatrix</i>	<i>foeminaria</i>	(Guenée 1858)	NEA
			<i>Drepanulatrix</i>	<i>hulstii</i>	(Dyar 1903)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Drepanulatrix</i>	<i>hulstii verdiaria</i>	(Grossbeck 1912)	NEA
			<i>Drepanulatrix</i>	<i>monicaria</i>	(Guenée 1857)	NEA
			<i>Drepanulatrix</i>	<i>nevadaria</i>	(Hulst 1888)	NEA
			<i>Drepanulatrix</i>	<i>quadraria</i>	(Grote 1882)	NEA
			<i>Drepanulatrix</i>	<i>secundaria</i>	Barnes & McDunnough 1916	NEA
			<i>Drepanulatrix</i>	<i>unicalcararia</i>	(Guenée 1857)	NEA
			<i>Episemasia</i>	<i>solitaria</i>	(Walker 1861)	NEA
			<i>Erastria</i>	<i>coloraria</i>	(Fabricius 1798)	NEA
			<i>Erastria</i>	<i>coloraria dissimilaria</i>	Hübner	NEA
			<i>Erastria</i>	<i>cruentaria</i>	(Hübner 1799)	NEA
			<i>Erastria</i>	<i>decrepitaria esperanza</i>	Barnes & McDunnough 1916	NEA/NEO
			<i>Erastria</i>	<i>madecassaria madecassaria</i>	(Boisduval 1833)	ETH
			<i>Erastria</i>	<i>madecassaria natalensis</i>	(Warren 1897)	ETH
			<i>Erastria</i>	<i>viridirufaria</i>	(Neumogen 1881)	NEA
			<i>Eudrepanulatrix</i>	<i>rectifascia</i>	(Hulst 1896)	NEA
			<i>Erastria</i>	<i>gibbosa</i>	(Warren 1903)	AUS
			<i>Hyperythra</i>	<i>lutea</i>	(Stoll 1781)	ORI
			<i>Illexia</i>	<i>intractata</i>	(Walker 1863)	NEA
			<i>Ixala</i>	<i>desperaria</i>	(Hulst 1887)	NEA
			<i>Numia</i>	<i>terebintharia</i>	Guenée 1858	NEO
			<i>Oenoptila</i>	<i>perrubra</i>	(Kaye 1901)	NEO
			<i>Oenoptila</i>	<i>mixtata</i>	(Guenée 1858)	NEO
			<i>Oenoptila</i>	<i>leprosata</i>	Warren 1904	NEO
			<i>Oenoptila</i>	<i>transitaria</i>	Guenée 1858	NEO
			<i>Parasyngia</i>	<i>diffusaria</i>	Moore 1868	ORI
			<i>Perissopteryx</i>	<i>divisaria</i>	(Walker 1861)	NEO
			<i>Petelia</i>	<i>binigrata</i>	Warren 1904	NEO
			<i>Petelia</i>	<i>medardaria</i>	Herrich-Shäffer 1856	ORI/AUS
			<i>Petelia</i>	<i>purpurea</i>	Warren 1904	NEO
			<i>Pterospoda</i>	<i>kunzei</i>	(Hulst 1898)	NEA
			<i>Pterospoda</i>	<i>nigrescens</i>	(Hulst 1898)	NEA
			<i>Pterospoda</i>	<i>opuscularia</i>	(Hulst 1887)	NEA
			<i>Sericosema</i>	<i>immaculata</i>	(Barnes & McDunnough 1913)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Sericosema</i>	<i>immaculata argentata</i>	Cassino & Swett 1922	NEA
			<i>Sericosema</i>	<i>juturnaria</i>	(Guenée 1858)	NEA
			<i>Sericosoma</i>	<i>simularia</i>	(Taylor 1906)	NEA
			<i>Sericosoma</i>	<i>wilsonensis</i>	Cassino & Swett 1922	NEA
			<i>Spododes</i>	<i>adumbrata</i>	(Warren 1895)	NEO
			<i>Spododes</i>	<i>albipunctata</i>	(Walker 1863)	NEO
			<i>Spododes</i>	<i>chaon</i>	Druce	NEO
			<i>Stergamataea</i>	<i>delicatum dolliata</i>	Grossbeck 1908	NEA
			<i>Stergamataea</i>	<i>inornata</i>	Hulst 1896	NEA
			<i>Synegia</i>	<i>camptogrammaria</i>	(Guenée 1858)	ORI
			<i>Synegia</i>	<i>hadassa</i>	(Butler 1878)	PAL/ORI
			<i>Synegia</i>	<i>limitata</i>	(Warren 1897)	PAL
			<i>Synegia</i>	<i>unitaria</i>	Walker	AUS
			<i>Synegia</i>	<i>varians</i>	(Warren 1894)	AUS
			<i>Thysanopyga</i>	<i>abdominaria</i>	(Guenée 1858)	NEO
			<i>Thysanopyga</i>	<i>bipunctifera</i>	Dognin 1913	NEO
			<i>Thysanopyga</i>	<i>carfinia</i>	(Druce 1893)	NEO
			<i>Thysanopyga</i>	<i>caspiria</i>	(Druce 1893)	NEO
			<i>Thysanopyga</i>	<i>lapidea</i>	(Butler 1882)	NEO
			<i>Thysanopyga</i>	<i>niceataria</i>	(Guenée 1858)	NEO
			<i>Thysanopyga</i>	<i>picturata</i>	(Schaus 1911)	NEO
			<i>Thysanopyga</i>	<i>pygaria</i>	(Guenée 1858)	NEO
			<i>Thysanopyga</i>	<i>varians</i>	(Butler 1882)	NEO
		Caberini/Baptini :	<i>Opisthoxia</i>	<i>argenticincta</i>	Warren 1905	NEO
			<i>Opisthoxia</i>	<i>cabima</i>	Schaus 1923	NEO
			<i>Opisthoxia</i>	<i>claudiaria</i>	Schaus 1901	NEO
			<i>Opisthoxia</i>	<i>corinnaria</i>	Guenée 1858	NEO
			<i>Opisthoxia</i>	<i>croesaria</i>	Schaus 1901	NEO
			<i>Opisthoxia</i>	<i>crontrariata</i>	Warren 1904	NEO
			<i>Opisthoxia</i>	<i>fasciata</i>	Schaus 1898	NEO
			<i>Opisthoxia</i>	<i>formosante</i>	Cramer 1779	NEO
			<i>Opisthoxia</i>	<i>metargyria</i>	(Walker 1867)	NEO
			<i>Opisthoxia</i>	<i>orion</i>	Warren 1904	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
		Cystidiini	<i>Cystidia</i>	<i>couaggaria</i>	(Guenée 1858)	PAL
			<i>Cystidia</i>	<i>stratonice</i>	(Stoll 1782)	PAL
			<i>Metabraxas</i>	<i>clerica</i>	Butler 1881	PAL
		Angeronini	<i>Angerona</i>	<i>prunaria</i>	(Linnaeus 1758)	PAL
			<i>Aspitates</i>	<i>aberratus</i>	(Edwards 1884)	NEA
			<i>Aspitates</i>	<i>acuminaria</i>	(Eversman 1851)	NEA
			<i>Aspitates</i>	<i>conspersarius</i>	Staudinger 1901	NEA
			<i>Aspitates</i>	<i>gilvaria</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Aspitates</i>	<i>ochrearia</i>	(Rossi 1794)	PAL
			<i>Aspitates</i>	<i>orciferaria</i>	(Walker 1863)	NEA
			<i>Chariaspilates</i>	<i>formosaria</i>	(Eversman 1837)	PAL
			<i>Cymatophora</i>	<i>approximaria</i>	Hübner 1812	NEA
			<i>Euchlaena</i>	<i>amoenaria</i>	(Guenée 1857)	NEA
			<i>Euchlaena</i>	<i>amoenaria astylusaria</i>	(Walker 1860)	NEA
			<i>Euchlaena</i>	<i>effecta</i>	(Walker 1860)	NEA
			<i>Euchlaena</i>	<i>irraria</i>	(Barnes & McDunnough 1916)	NEA
			<i>Euchlaena</i>	<i>johnsonaria</i>	(Fitch 1853)	NEA
			<i>Euchlaena</i>	<i>johnsonaria minoraria</i>	(Hulst 1886)	NEA
			<i>Euchlaena</i>	<i>madusaria</i>	(Walker 1860)	NEA
			<i>Euchlaena</i>	<i>marginaria</i>	(Minot 1869)	NEA
			<i>Euchlaena</i>	<i>milnei</i>	McDunnough 1945	NEA
			<i>Euchlaena</i>	<i>mollisaria</i>	(Hulst 1886)	NEA
			<i>Euchlaena</i>	<i>muzaria</i>	(Walker 1860)	NEA
			<i>Euchlaena</i>	<i>obtusaria</i>	(Hübner 1809)	NEA
			<i>Euchlaena</i>	<i>pectinaria</i>	(Denis & Schiffermüller 1775)	NEA
			<i>Euchlaena</i>	<i>serrata</i>	(Drury 1773)	NEA
			<i>Euchlaena</i>	<i>tigrinaria</i>	(Guenée 1858)	NEA
			<i>Lytrosis</i>	<i>heizmanorum</i>	Rindge 1971	NEA
			<i>Lytrosis</i>	<i>permagnaria</i>	(Packard 1876)	NEA
			<i>Lytrosis</i>	<i>sinuosa</i>	Rindge 1971	NEA
			<i>Lytrosis</i>	<i>unitaria</i>	(Herrich-Schäffer 1858)	NEA
			<i>Megaspilates</i>	<i>mundataria</i>	(Stoll 1782)	PAL
			<i>Menophra</i>	<i>abruptaria</i>	(Thunberg 1792)	PAL

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Menophra</i>	<i>atrilineata</i>	(Butler 1881)	PAL
			<i>Menophra</i>	<i>conjuctaria</i>	Leech 1897	PAL
			<i>Menophra</i>	<i>obtusata</i>	(Warren 1902)	ETH
			<i>Menophra</i>	<i>serrataria</i>	Walker 1860	ETH
			<i>Menophra</i>	<i>subplagiata</i>	(Walker 1860)	PAL
			<i>Xanthotype</i>	<i>rufaria</i>	Swett 1918	NEA
			<i>Xanthotype</i>	<i>sospeta</i>	(Drury 1773)	NEA
			<i>Xanthotype</i>	<i>urticaria</i>	Swett 1918	NEA
		Azelinini	<i>Nepitia</i>	<i>detractaria</i>	Walker 1866	NEO
			<i>Pero</i>	<i>acopa</i>	Poole 1987	NEO
			<i>Pero</i>	<i>aeniasaria</i>	Walker 1860	NEO
			<i>Pero</i>	<i>afuera</i>	Poole 1987	NEO
			<i>Pero</i>	<i>albocolata</i>	Dognin 1907	NEO
			<i>Pero</i>	<i>alticola</i>	Prout 1928	NEO
			<i>Pero</i>	<i>amanda</i>	Druce 1989	NEO
			<i>Pero</i>	<i>amica</i>	Butler 1881	NEO
			<i>Pero</i>	<i>anceta</i>	(Stoll 1781)	NEO
			<i>Pero</i>	<i>ancetaria</i>	(Hübner 1806)	NEA
			<i>Pero</i>	<i>aragua</i>	Poole 1987	NEO
			<i>Pero</i>	<i>arciogona</i>	Prout 1933	NEO
			<i>Pero</i>	<i>beatricaria</i>	Oberthür 1883	NEO
			<i>Pero</i>	<i>behrensaria</i>	(Packard 1871)	NEA
			<i>Pero</i>	<i>behrensaria smithii</i>	(Grossbeck)	NEA
			<i>Pero</i>	<i>binasta</i>	Warren 1906	NEO
			<i>Pero</i>	<i>boa</i>	Poole 1987	NEO
			<i>Pero</i>	<i>brynhilda</i>	Prout 1928	NEO
			<i>Pero</i>	<i>buckleyi</i>	Butler 1881	NEO
			<i>Pero</i>	<i>cama</i>	Poole 1987	NEO
			<i>Pero</i>	<i>castanea</i>	Warren 1904	NEO
			<i>Pero</i>	<i>caustomeris</i>	Prout 1928	NEO
			<i>Pero</i>	<i>chapela</i>	Poole 1987	NEO
			<i>Pero</i>	<i>clana</i>	Poole 1987	NEO
			<i>Pero</i>	<i>consimilis</i>	Warren 1907	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Pero</i>	<i>constrictifascia</i>	Warren 1897	NEO
			<i>Pero</i>	<i>cristila</i>	Poole 1987	NEO
			<i>Pero</i>	<i>cyclodaria</i>	Felder & Rogenhofer 1875	NEO
			<i>Pero</i>	<i>cynopsioides</i>	Dognin	NEO
			<i>Pero</i>	<i>denticulata</i>	Butler 1881	NEO
			<i>Pero</i>	<i>derecha</i>	Poole 1987	NEO
			<i>Pero</i>	<i>dularia</i>	Poole 1987	NEO
			<i>Pero</i>	<i>electra</i>	Poole 1987	NEO
			<i>Pero</i>	<i>exquisita</i>	Thierry-Mieg 1894	NEO
			<i>Pero</i>	<i>externa</i>	Warren 1886	NEO
			<i>Pero</i>	<i>flavisaria</i>	(Grossbeck 1906)	NEA
			<i>Pero</i>	<i>fortunata</i>	Dognin 1892	NEO
			<i>Pero</i>	<i>fragila</i>	Poole 1987	NEO
			<i>Pero</i>	<i>fraterna</i>	Warren 1907	NEO
			<i>Pero</i>	<i>fusaria</i>	Walker 1860	NEO
			<i>Pero</i>	<i>giganteus</i>	Grossbeck 1910	NEA
			<i>Pero</i>	<i>gonopteraria</i>	Guenée 1858	NEO
			<i>Pero</i>	<i>guacamaya</i>	Poole 1987	NEO
			<i>Pero</i>	<i>guruparia</i>	Felder & Rogenhofer 1875	NEO
			<i>Pero</i>	<i>hoedularia</i>	Guenée 1858	NEO
			<i>Pero</i>	<i>homodoxa</i>	Prout 1928	NEO
			<i>Pero</i>	<i>honestaria</i>	(Walker 1860)	NEA
			<i>Pero</i>	<i>immundaria</i>	Walker 1866	NEO
			<i>Pero</i>	<i>incisa</i>	Dognin 1889	NEO
			<i>Pero</i>	<i>incompta</i>	Warren 1900	NEO
			<i>Pero</i>	<i>inconstans</i>	Butler 1881	NEO
			<i>Pero</i>	<i>infantilis</i>	Warren 1897	NEO
			<i>Pero</i>	<i>inferna</i>	Warren 1907	NEO
			<i>Pero</i>	<i>inviolata</i>	(Hulst 1898)	NEA
			<i>Pero</i>	<i>isotenes</i>	Prout 1928	NEO
			<i>Pero</i>	<i>jimenezria</i>	Dognin 1890	NEO
			<i>Pero</i>	<i>juvana</i>	Butler 1881	NEO
			<i>Pero</i>	<i>lara</i>	Poole 1987	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Pero</i>	<i>lastima</i>	Poole 1987	NEA
			<i>Pero</i>	<i>latifascia</i>	Poole 1987	NEO
			<i>Pero</i>	<i>leptoina</i>	Prout 1928	NEO
			<i>Pero</i>	<i>lignata</i>	Warren 1897	NEO
			<i>Pero</i>	<i>lindigi</i>	Felder & Rogenhofer 1875	NEO
			<i>Pero</i>	<i>lucena</i>	Poole 1987	NEO
			<i>Pero</i>	<i>macdunnoughi</i>	Cassino & Swett 1922	NEA
			<i>Pero</i>	<i>maculicosta</i>	Warren 1897	NEO
			<i>Pero</i>	<i>mathanaria</i>	Oberthür 1883	NEO
			<i>Pero</i>	<i>mathilda</i>	Butler 1881	NEO
			<i>Pero</i>	<i>matucana</i>	Poole 1987	NEO
			<i>Pero</i>	<i>meskaria</i>	(Packard 1876)	NEA
			<i>Pero</i>	<i>mesidora</i>	Thierry-Mieg 1894	NEO
			<i>Pero</i>	<i>minopenaria</i>	Oberthür 1912	NEO
			<i>Pero</i>	<i>morrisonaria</i>	(H. Edwards 1881)	NEA
			<i>Pero</i>	<i>muza</i>	Poole 1987	NEO
			<i>Pero</i>	<i>naranja</i>	Poole 1987	NEO
			<i>Pero</i>	<i>nigra</i>	Warren 1904	NEO
			<i>Pero</i>	<i>occidentalis</i>	(Hulst 1896)	NEA
			<i>Pero</i>	<i>occidentalis peplariodes</i>	(Hulst 1896)	NEA
			<i>Pero</i>	<i>odonaria</i>	Oberthür 1883	NEO
			<i>Pero</i>	<i>otra</i>	Poole 1987	NEO
			<i>Pero</i>	<i>pallidior</i>	Thierry-Mieg 1916	NEO
			<i>Pero</i>	<i>pelota</i>	Poole 1987	NEO
			<i>Pero</i>	<i>periculosaria</i>	Oberthür 1883	NEO
			<i>Pero</i>	<i>pima</i>	Poole 1987	NEA
			<i>Pero</i>	<i>pinsa</i>	Poole 1987	NEO
			<i>Pero</i>	<i>plagodiata</i>	Warren 1897	NEO
			<i>Pero</i>	<i>plenilunata</i>	Warren 1904	NEO
			<i>Pero</i>	<i>poaphilaria</i>	Guenée 1858	NEO
			<i>Pero</i>	<i>polygonaria</i>	Herrich-Shäffer 1855	NEO
			<i>Pero</i>	<i>pretensa</i>	Poole 1987	NEO
			<i>Pero</i>	<i>protea</i>	Poole 1987	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Pero</i>	<i>pumaria</i>	Felder & Rogenhofer 1875	NEO
			<i>Pero</i>	<i>radiosaria</i>	(Hulst 1886)	NEA
			<i>Pero</i>	<i>ramulata</i>	Bastelberger 1908	NEO
			<i>Pero</i>	<i>rapta</i>	Prout 1928	NEO
			<i>Pero</i>	<i>rectisectaria</i>	Herrich-Shäffer 1855	NEO
			<i>Pero</i>	<i>refellaria</i>	Guenée 1858	NEO
			<i>Pero</i>	<i>rumina</i>	Druce 1892	NEO
			<i>Pero</i>	<i>saturata</i>	Walker 1867	NEO
			<i>Pero</i>	<i>scitaria</i>	Oberthür 1883	NEO
			<i>Pero</i>	<i>semiusta</i>	Butler 1881	NEO
			<i>Pero</i>	<i>spectrata</i>	Felder & Rogenhofer 1875	NEO
			<i>Pero</i>	<i>spina</i>	Poole 1987	NEO
			<i>Pero</i>	<i>spongiata</i>	Guenée 1858	NEO
			<i>Pero</i>	<i>steinbachi</i>	Prout 1928	NEO
			<i>Pero</i>	<i>stolidata</i>	Guenée 1858	NEO
			<i>Pero</i>	<i>stuoposaria</i>	Guenée 1858	NEO
			<i>Pero</i>	<i>tabitha</i>	Maassen 1890	NEO
			<i>Pero</i>	<i>teleclyta</i>	Prout 1928	NEO
			<i>Pero</i>	<i>tongisecta</i>		NEO
			<i>Pero</i>	<i>trena</i>	Dognin 1899	NEO
			<i>Pero</i>	<i>tricaria</i>	Poole 1987	NEO
			<i>Pero</i>	<i>turba</i>	Poole 1987	NEO
			<i>Pero</i>	<i>uniformis</i>	Warren 1897	NEO
			<i>Pero</i>	<i>xylinaria</i>	Guenée 1858	NEO
			<i>Pero</i>	<i>yahua</i>	Poole 1987	NEO
			<i>Pero</i>	<i>zalissaria</i>	(Walker 1860)	NEA
			<i>Stenaspilatodes</i>	<i>antidiscaria</i>	(Walker 1863)	NEO
		Nacophorini	<i>Aethaloida</i>	<i>packardaria</i>	(Hulst 1888)	NEA
			<i>Ceratonyx</i>	<i>arizonensis</i>	(Capps 1950)	NEA
			<i>Ceratonyx</i>	<i>permagnaria</i>	(Grossbeck 1912)	NEA
			<i>Ceratonyx</i>	<i>satanaria</i>	Guenée [1858]	NEA
			<i>Cidariophanes</i>	<i>brigitta</i>	Thierry-Mieg 1895	NEA
			<i>Cidariophanes</i>	<i>indentata</i>	Warren 1900	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Dentinalia</i>	<i>forsteri</i>	Heimlich 1960	NEA
			<i>Drepanogynis</i>	<i>mixtaria</i>	Guenée 1858	ETH
			<i>Drepanogynis</i>	<i>tripartita</i>	Warren 1898	ETH
			<i>Gabriola</i>	<i>dyari</i>	Taylor 1904	NEA
			<i>Gonodontis</i>	<i>clelia</i>	(Cramer 1780)	AUS
			<i>Hasodima</i>	<i>elegans</i>	Butler 1882	NEO
			<i>Hebdomophruda</i>	<i>curvilinea</i>	Warren 1897	ETH
			<i>Holochroa</i>	<i>dissociarius</i>	(Hulst 1887)	NEA
			<i>Ischnopteris</i>	<i>abnormipalpis</i>	Warren 1904	NEA
			<i>Ischnopteris</i>	<i>chlorata</i>	Hübner 1823	NEA
			<i>Ischnopteris</i>	<i>chloroclystata</i>	Guenée 1858	NEO
			<i>Ischnopteris</i>	<i>fabiana</i>	Stoll 1782	NEA
			<i>Ischnopteris</i>	<i>marmorata</i>	(Dognin 1913)	NEO
			" <i>Ischnopteris</i> "	<i>cythereata</i>	(Guenée 1858)	NEO
			<i>Mallomus</i>	<i>aenea</i>	(Butler 1882)	NEO
			<i>Mallomus</i>	<i>chilenarius</i>	Felder & Rogenhofer 1875	NEO
			<i>Mallomus</i>	<i>clarkei</i>	Sperry 1951	NEO
			<i>Mallomus</i>	<i>glaber</i>	Rindge 1971	NEO
			<i>Mallomus</i>	<i>infelix</i>	(Butler 1882)	NEO
			<i>Mallomus</i>	<i>lancea</i>	Rindge 1971	NEO
			<i>Mallomus</i>	<i>occulta</i>	Rindge 1971	NEO
			<i>Mallomus</i>	<i>penai</i>	Rindge 1971	NEO
			<i>Mallomus</i>	<i>tumidus</i>	Rindge 1971	NEO
			<i>Mnesampela</i>	<i>privata</i>	Guenée 1858	AUS
			<i>Mnesipenthe</i>	<i>lunata</i>	(Warren 1895)	NEO
			<i>Mnesipenthe</i>	<i>ilione</i>	(Thierry-Mieg 1893)	NEO
			<i>Mnesipenthe</i>	<i>subcana</i>	(Walker 1854)	NEO
			<i>Oratha</i>	<i>boreas</i>	(Butler 1882)	NEO
			<i>Oratha</i>	<i>sericea</i>	Butler 1882	NEO
			<i>Oratha</i>	<i>significata</i>	Walker 1863	NEO
			<i>Phaeoura</i>	<i>belua</i>	Rindge 1961	NEA
			<i>Phaeoura</i>	<i>crebraria</i>	(Guenée)	NEA
			<i>Phaeoura</i>	<i>cristifera</i>	Hulst 1896	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Phaeoura</i>	<i>mexicanaria</i>	(Grote 1883)	NEA
			<i>Phaeoura</i>	<i>perfidaria</i>	Barnes & McDunnough 1917	NEA
			<i>Phaeoura</i>	<i>quernaria</i>	(J.E Smith 1797)	NEA
			<i>Tarma</i>	<i>theodora</i>	(Thierry-Mieg 1892)	NEO
			<i>Thalaina</i>	<i>iliare</i>		AUS
			<i>Thalaina</i>	<i>serena</i>		AUS
			<i>Thyrinteina</i>	<i>arnobia</i>	(Stoll 1782)	NEA
			<i>Thyrinteina</i>	<i>arnobia phala</i>	(Rindge 1961)	NEA
			<i>Xenimpia</i>	<i>erosa</i>	Warren 1895	ETH
			<i>Xylinophylla</i>	<i>maculata</i>	Warren 1897	AUS
			<i>Zerenopsis</i>	<i>leopardina</i>	Felder 1874	ETH
		Gonodontini	<i>Colotois</i>	<i>pennaria</i>	(Linnaeus 1761)	PAL
		Campaeini	<i>Bupalus</i>	<i>pinaria</i>	(Linnaeus 1758)	PAL
			<i>Campaea</i>	<i>haliaria</i>	Walker 1861	ORI
			<i>Campaea</i>	<i>honoraria</i>	(Denis & Schiffmüller 1775)	PAL
			<i>Campaea</i>	<i>margaritaria</i>	(Linnaeus 1761)	PAL
			<i>Campaea</i>	<i>perlata</i>	(Guenée 1858)	NEA
			<i>Hylaea</i>	<i>fasciaria</i>	(Linnaeus 1758)	PAL
			<i>Pungeleria</i>	<i>capreolaria</i>	(Denis & Schiffmüller 1775)	PAL
			<i>Theria</i>	<i>rupicaprararia</i>	(Denis & Schiffmüller 1775)	PAL
		Ennomini	<i>Apeira</i>	<i>latimarginaria</i>	Leech 1897	PAL
			<i>Apeira</i>	<i>syringaria</i>	(Linnaeus 1758)	PAL
			<i>Artiora</i>	<i>evonymaria</i>	(Denis & Schiffmüller 1775)	PAL
			<i>Coenina</i>	<i>poeciliaria</i>	(Herrich-Schäffer 1854)	ETH
			<i>Cotta</i>	<i>incongruaria</i>	Walker 1860	PAL
			<i>Crocallis</i>	<i>elinguaria</i>	(Linnaeus 1758)	PAL
			<i>Ennomos</i>	<i>alniaria</i>	(Linnaeus 1758)	PAL
			<i>Ennomos</i>	<i>autumnaria</i>	(Werneburg 1859)	PAL
			<i>Ennomos</i>	<i>erosaria</i>	(Denis & Schiffmüller 1775)	PAL
			<i>Ennomos</i>	<i>fuscantaria</i>	(Haworth 1809)	PAL
			<i>Ennomos</i>	<i>magnaria</i>	Guenée 1858	NEA
			<i>Ennomos</i>	<i>nephotropa</i>	(Prout 1930)	PAL
			<i>Ennomos</i>	<i>quercinaria</i>	(Hufnagel 1767)	PAL

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Ennomos</i>	<i>subsignaria</i>	(Hübner 1823)	NEA
			<i>Epholca</i>	<i>arenosa</i>	(Butler 1878)	PAL
			<i>Epigynopteryx</i>	<i>fimosa</i>	(Warren 1905)	ETH
			<i>Epigynopteryx</i>	<i>maeviaria</i>	(Guenée 1858)	ETH
			<i>Epione</i>	<i>repandaria</i>	(Hufnagel 1767)	PAL
			<i>Epione</i>	<i>vespertina</i>	(Linnaeus 1767)	PAL
			<i>Eumera</i>	<i>regina</i>	Staudinger 1892	PAL
			<i>Nothomiza</i>	<i>costalis</i>	(Moore 1867)	ORI
			<i>Nothomiza</i>	<i>formosa</i>	(Butler 1878)	PAL
			<i>Nothomiza</i>	<i>submediostrigata</i>	(Wehrli 1939)	ORI
			<i>Odontopera</i>	<i>acutaria</i>	Leech 1897	PAL
			<i>Odontopera</i>	<i>albiguttulata</i>	Bastelberger 1909	ORI
			<i>Odontopera</i>	<i>arida arida</i>	(Butler 1878)	PAL
			<i>Odontopera</i>	<i>bidentata</i>	(Clerk 1759)	PAL
			<i>Odontopera</i>	<i>lentiginosaria</i>	Moore 1867	ORI
			<i>Opisthograptis</i>	<i>luteolata</i>	(Linnaeus 1758)	PAL
			<i>Opisthograptis</i>	<i>mimulina</i>	Butler 1886	ORI
			<i>Opisthograptis</i>	<i>tridentifera</i>	Moore 1888	ORI
			<i>Pachycnemia</i>	<i>hippocastanaria</i>	(Hübner 1799)	PAL
			<i>Plutodes</i>	<i>costatus</i>	Butler 1886	ORI
			<i>Plutodes</i>	<i>flavescens</i>	Butler 1880	ORI
			<i>Plutodes</i>	<i>subcaudata</i>	Butler 1880	ORI
			<i>Proteostrenia</i>	<i>costimaculata ochripila</i>	Wehrli 1936	ORI
			<i>Proteostrenia</i>	<i>leda</i>	(Butler 1878)	PAL
			<i>Pseudopanthera</i>	<i>himalayica</i>	(Swinhoe 1888)	ORI
			<i>Pseudopanthera</i>	<i>macularia</i>	(Linnaeus 1758)	PAL
			<i>Psyra</i>	<i>anglifera</i>	Walker 1866	PAL
			<i>Psyra</i>	<i>cuneata</i>	Walker 1860	ORI
			<i>Psyra</i>	<i>rufolinearia</i>	Walker 1863	PAL
			<i>Psyra</i>	<i>spurcataria</i>	Walker 1863	ORI
			<i>Scardamia</i>	<i>aurantiacaria</i>	Bremer 1864	AUS/PAL/ORI
			<i>Scardamia</i>	<i>fasciata</i>	Warren	AUS
			<i>Scionomia</i>	<i>sinuosa</i>	(Wileman 1910)	ORI

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Zethenia</i>	<i>albonotaria</i>	(Bremer 1864)	PAL
		Epirranthini	<i>Epirranthis</i>	<i>diversata</i>	(Denis & Schiffermüller 1775)	PAL
			<i>Hygrochroma</i>	<i>nondina</i>	Druce 1892	NEO
			<i>Hygrochroma</i>	<i>olivinaria</i>	Herrich-Shäffer 1858	NEO
			<i>Spodolepis</i>	<i>substriataria</i>	Hulst 1896	NEA
			<i>Spodolepis</i>	<i>substriataria danbyi</i>	Hulst 1898	NEA
		Eutoeini	<i>Anoetomychus</i>	<i>pudens</i>	(Swinhoe 1904)	ETH
			<i>Eutoea</i>	<i>heteroneurata</i>	Guenée 1858	AUS
			<i>Luxiaria</i>	<i>consimilaria</i>	Leech 1897	ORI
			<i>Luxiaria</i>	<i>excisa</i>	Walker 1891	AUS
			<i>Luxiaria</i>	<i>hypaphanes</i>	Hampson 1891	ORI
			<i>Luxiaria</i>	<i>mitorrhaphes</i>	Prout 1925	ORI
			<i>Luxiaria</i>	<i>obliquata</i>	Moore 1888	ORI
			<i>Luxiaria</i>	<i>submonstrata</i>	(Walker 1861)	AUS
			<i>Luxiaria</i>	<i>subrasata</i>	(Walker 1861)	AUS
			<i>Luxiaria</i>	<i>subrasata ab. enotata</i>	Warren	AUS
			<i>Luxiaria</i>	<i>turpisaria</i>	Walker 1891	ORI
			<i>Nadagarodes</i>	<i>mysolata</i>	Walker 1866	AUS
			<i>Orthotmeta</i>	<i>dentata</i>	Warren 1896	AUS
			<i>Probithia</i>	<i>exclusa</i>	(Walker 1860)	ORI
			<i>Zeheba</i>	<i>lucidata</i>	(Walker 1862)	ORI
		Sphacelodini	<i>Sphacelodes</i>	<i>cruciaria</i>	Forbes	NEO
			<i>Sphacelodes</i>	<i>haitiaria</i>	Oberthür 1923	NEO
			<i>Sphacelodes</i>	<i>haitiaria badiaria</i>	Forbes	NEO
			<i>Sphacelodes</i>	<i>studiosa</i>	Dognin 1891	NEO
			<i>Sphacelodes</i>	<i>vulneraria</i>	(Hübner 1823)	NEO
		Lithinini	<i>Entomopteryx</i>	<i>combusta</i>	(Warren 1893)	ORI
			<i>Entomopteryx</i>	<i>obliquilinea obliquilinea</i>	(Moore 1888)	ORI
			<i>Euclidiodes</i>	<i>agitata</i>	Butler 1882	NEO
			<i>Euclidiodes</i>	<i>ophiusina</i>	Butler 1882	NEO
			<i>Euclidiodes</i>	<i>stygiaria</i>	Butler 1882	NEO
			<i>Franciscoia</i>	<i>morenoi</i>	Orfila & Schajovski 1963	NEO
			<i>Gueneria</i>	<i>similaria</i>	(Walker 1860)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Homochlodes</i>	<i>disconventa</i>	(Walker 1860)	NEA
			<i>Homochlodes</i>	<i>fritillaria</i>	(Guenée 1858)	NEA
			<i>Homochlodes</i>	<i>lactispargaria</i>	(Walker 1861)	NEA
			<i>Ischalis</i>	<i>fortinata</i>	(Guenée 1868)	AUS
			<i>Ischalis</i>	<i>nelsonaria</i>	(Felder & Rogenhofer 1875)	AUS
			<i>Ischalis</i>	<i>variabilis</i>	(Warren 1895)	AUS
			<i>Lacaria</i>	--	-- --	NEO
			<i>Odontothera</i>	<i>mixta</i>	Butler 1882	NEO
			<i>Odontothera</i>	<i>valdiviata</i>	Felder & Rogenhofer 1875	NEO
			<i>Odontothera</i>	<i>virescens</i>	Butler 1882	NEO
			<i>Petrophora</i>	<i>chlorosata</i>	(Scopoli 1763)	PAL
			<i>Petrophora</i>	<i>divisata</i>	Hübner 1811	NEA
			<i>Petrophora</i>	<i>subaequaria</i>	(Walker 1860)	NEA
			<i>Philedia</i>	<i>punctomacularia</i>	(Hulst 1888)	NEA
			<i>Pseudomiza</i>	<i>flava</i>	Moore 1888	ORI
			<i>Pseudomiza</i>	<i>obliquaria</i>	(Leech 1897)	ORI
			<i>Psilaspilates</i>	<i>butyrosa</i>	Butler 1882	NEO
			<i>Psilaspilates</i>	<i>cavifasciata</i>	Butler 1882	NEO
			<i>Tacparia</i>	<i>atropunctata</i>	(Packard 1874)	NEA
			<i>Tacparia</i>	<i>detersata</i>	(Guenée 1858)	NEA
			<i>Tacparia</i>	<i>zalissaria</i>	Walker 1860	NEA
			<i>Thallophaga</i>	<i>hyperborea</i>	(Hulst 1900)	NEA
			<i>Thallophaga</i>	<i>nigroseriata</i>	(Packard 1873)	NEA
			<i>Thallophaga</i>	<i>taylorata</i>	(Hulst 1896)	NEA
		Anagolini	<i>Achrosis</i>	<i>incitata</i>	(Walker 1862)	ORI
		Anagolini	<i>Achrosis</i>	<i>lithosiararia</i>	(Walker 1862)	ORI
		Anagolini	<i>Achrosis</i>	<i>paupera</i>	(Butler 1881)	ORI
		Anagolini	<i>Achrosis</i>	<i>rondelaria</i>	(Fabricius 1775)	ORI
		Anagolini	<i>Achrosis</i>	<i>rosearia</i>	Leech 1891	ORI
		Anagolini	<i>Achrosis</i>	<i>semifulva</i>	Pagenstecher 1886	AUS
		Anagolini	<i>Achrosis</i>	<i>squalidaria</i>	Guenée 1858	ORI
		Anagolini	<i>Capasa</i>	<i>festivaria</i>	(Fabricius 1794)	PAL/ORI
		Anagolini	<i>Cepphis</i>	<i>advenaria</i>	(Hübner 1790)	PAL

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Cepphis</i>	<i>armataria</i>	(Herrich-Shäffer 1855)	NEA
			<i>Cepphis</i>	<i>decoloraria</i>	(Hulst 1886)	NEA
			<i>Corymica</i>	<i>arnearia</i>	Walker 1860	ORI
			<i>Corymica</i>	<i>specularia</i>	(Moore 1867)	ORI
			<i>Corymica</i>	<i>specularia pryeri</i>	Butler	ORI
			<i>Ctimene</i>	<i>basistriga</i>	(Walker 1865)	AUS
			<i>Ctimene</i>	<i>hyaloplaga</i>	(Warren 1896)	AUS
			<i>Ctimene</i>	<i>salamandra</i>	(Kirsch 1877)	AUS
			<i>Ctimene</i>	<i>tricinctaria</i>	(Linnaeus 1758)	AUS
			<i>Fascellina</i>	<i>castenea</i>	Moore 1877	AUS
			<i>Fascellina</i>	<i>chromataria</i>	Walker 1860	AUS/ORI
			<i>Fascellina</i>	<i>plagiata</i>	(Walker 1866)	ORI
			<i>Fascellina</i>	<i>rectimarginata</i>	Warren 1894	ORI
			<i>Garaeus</i>	<i>apicata</i>	Moore 1867	ORI
			<i>Garaeus</i>	<i>specularis</i>	Moore 1867	ORI/PAL
			<i>Genusa</i>	<i>bigutta</i>	Walker 1855	ORI
			<i>Heterolocha</i>	<i>falconaria</i>	Walker 1866	ORI
			<i>Heterolocha</i>	<i>latifasciaria</i>	Leech 1897	ORI
			<i>Heterolocha</i>	<i>phoenicotaeniata</i>	Kollar 1844	ORI
			<i>Heterolocha</i>	<i>subroseata</i>	Warren 1894	PAL
			<i>Hypochrosis</i>	<i>cryptopyrrhata</i>	Walker 1863	AUS
			<i>Hypochrosis</i>	<i>hyadaria</i>	Guenée 1857	ORI
			<i>Hypochrosis</i>	<i>hyadaria</i> var. <i>flavifusata</i>	Guenée 1857	ORI
			<i>Hypochrosis</i>	<i>hyadaria sulphurescens</i>	Moore	ORI
			<i>Hypochrosis</i>	<i>iris</i>	Butler 1880	ORI
			<i>Hypochrosis</i>	<i>pachiararia</i>	Walker	ORI
			<i>Hypochrosis</i>	<i>pulchraria</i>	Roth	ORI
			<i>Hypochrosis</i>	<i>pyrrhularia</i>	Guenée	ORI
			<i>Hypochrosis</i>	<i>sternaria</i>	Guenée 1857	ORI
			<i>Neotherina</i>	<i>callas</i>	(Druce 1892)	NEO
			<i>Metanema</i>	<i>determinata</i>	Walker 1866	NEA
			<i>Metanema</i>	<i>inatomaria</i>	Guenée 1858	NEA
			<i>Metanema</i>	<i>simplex</i>	Dyar 1938	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Metarranthis</i>	<i>amyrisaria</i>	(Walker 1860)	NEA
			<i>Metarranthis</i>	<i>angularia</i>	Barnes & McDunnough 1917	NEA
			<i>Metarranthis</i>	<i>apiciaria</i>	(Packard 1876)	NEA
			<i>Metarranthis</i>	<i>duaria duaria</i>	(Guenée 1858)	NEA
			<i>Metarranthis</i>	<i>duaria hamaria</i>	(Guenée 1857)	NEA
			<i>Metarranthis</i>	<i>homuraria</i>	(Grote & Robinson 1868)	NEA
			<i>Metarranthis</i>	<i>hypocharia</i>	(Herrich-Shäffer 1854)	NEA
			<i>Metarranthis</i>	<i>indeclinata</i>	(Walker 1861)	NEA
			<i>Metarranthis</i>	<i>lateritiaria</i>	(Guenée 1858)	NEA
			<i>Metarranthis</i>	<i>obfirmaria</i>	(Hübner 1823)	NEA
			<i>Metarranthis</i>	<i>pilosaria</i>	(Packard 1876)	NEA
			<i>Metarranthis</i>	<i>refractaria</i>	(Guenée 1858)	NEA
			<i>Metarranthis</i>	<i>warnerae</i>	(Harvey 1874)	NEA
			<i>Miantochora</i>	<i>gumpfenbergi</i>	(Moschler 1887)	ETH
			<i>Miantochora</i>	<i>interrupta</i>	Bastelberger 1907	ETH
			<i>Pitthea</i>	<i>continua</i>	Walker 1854	ETH
			<i>Pitthea</i>	<i>trifasciata</i>	Dewitz 1881	ETH
			<i>Plagodis</i>	<i>alcoolaria</i>	(Guenée 1858)	NEA
			<i>Plagodis</i>	<i>dolabraria</i>	(Linnaeus 1767)	PAL
			<i>Plagodis</i>	<i>fervidaria</i>	(Herrich-Shäffer 1855)	NEA
			<i>Plagodis</i>	<i>fervidaria</i> fm. <i>arrogaria</i>		
			<i>Plagodis</i>	<i>kuetzingi</i>	(Grote 1876)	NEA
			<i>Plagodis</i>	<i>phlogosaria phlogosaria</i>	(Guenée 1858)	NEA
			<i>Plagodis</i>	<i>phlogosaria approximaria</i>	Dyar 1899	NEA
			<i>Plagodis</i>	<i>phlogosaria iris</i>	Rupert 1949	NEA
			<i>Plagodis</i>	<i>phlogosaria keutzingaria</i>	Packard 1876	NEA
			<i>Plagodis</i>	<i>phlogosaria purpuraria</i>	Pearsall 1907	NEA
			<i>Plagodis</i>	<i>pulveraria pulveraria</i>	(Linnaeus 1758)	PAL
			<i>Plagodis</i>	<i>pulveraria japonica</i>	(Butler)	PAL
			<i>Plagodis</i>	<i>pulveraria occiduaria</i>	(Walker 1861)	NEA
			<i>Plagodis</i>	<i>serinaria</i>	Herrich-Shäffer 1855	NEA
			<i>Plegapteryx</i>	<i>anomalus</i>	Herrich-Schäffer 1856	ETH
			<i>Probole</i>	<i>alienaria</i>	Herrich-Shäffer 1855	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Probole</i>	<i>amicaria</i>	(Herrich-Shäffer 1855)	NEA
			<i>Probole</i>	<i>nepiasaria</i>	(Walker 1860)	NEA
			<i>Probole</i>	<i>pullaria</i>	(Dognin 1890)	NEO
			<i>Pseudeuchromia</i>	<i>maculifera</i>	(Felder & Rogenhofer 1875)	AUS
			<i>Selenia</i>	<i>alciphearia</i>	Walker 1860	NEA
			<i>Selenia</i>	<i>alciphearia</i> fm. <i>ornata</i>	Barnes & McDunnough	NEA
			<i>Selenia</i>	<i>dentaria</i>	(Fabricius 1775)	PAL
			<i>Selenia</i>	<i>kentaria</i>	(Grote & Robinson 1867)	NEA
			<i>Selenia</i>	<i>kentaria</i> fm. <i>glaucaria</i>	Barnes & McDunnough	NEA
			<i>Selenia</i>	<i>lunularia</i>	(Hübner 1788)	PAL
			<i>Selenia</i>	<i>tetralunaria</i>	(Hufnagel 1767)	PAL
			<i>Slossonia</i>	<i>rubrotincta</i>	Hulst 1898	NEA
			<i>Synnomos</i>	<i>apicistrigata</i>	Warren 1895	NEO
		Nephodiini	<i>Carpella</i>	<i>aequidistans</i>	Thierry-Mieg 1893	NEO
			<i>Carpella</i>	<i>districta</i>	Walker 1894	NEO
			<i>Carpella</i>	<i>interrupta</i>	Schaus 1901	NEO
			<i>Carpella</i>	<i>marginata</i>	Dognin 1902	NEO
			<i>Carpella</i>	<i>semigrisea</i>	(Thierry-Mieg 1892)	NEO
			<i>Fulgurodes</i>	<i>aculearia</i>	Guenée 1858	NEO
			<i>Fulgurodes</i>	<i>ahumata</i>	Dognin 1893	NEO
			<i>Fulgurodes</i>	<i>mayor</i>	Dognin 1893	NEO
			<i>Fulgurodes</i>	<i>parcitata</i>	Dognin 1893	NEO
			<i>Hyalostenele</i>	<i>lutescens neuromelas</i>	Prout 1934	NEO
			<i>Locha</i>	<i>panopea</i>	(Thierry-Mieg 1892)	NEO
			<i>Nephodia</i>	<i>albida</i>	(Dognin 1900)	NEO
			<i>Nephodia</i>	<i>approximata</i>	(Dognin 1900)	NEO
			<i>Nephodia</i>	<i>astychoioides</i>	(Warren 1904)	NEO
			<i>Nephodia</i>	<i>discoloraria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Nephodia</i>	<i>cassaria</i>	Guenée 1857	ORI
			<i>Nephodia</i>	<i>cissoessa</i>	(Druce 1893)	NEO
			<i>Nephodia</i>	<i>claribrunnea</i>	(Warren 1901)	NEO
			<i>Nephodia</i>	<i>cleona</i>	(Druce 1893)	NEO
			<i>Nephodia</i>	<i>chthonia</i>	(Druce 1893)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Nephodia</i>	<i>cucula</i>	(Dognin 1900)	NEO
			<i>Nephodia</i>	<i>deformata</i>	(Dognin 19130)	NEO
			<i>Nephodia</i>	<i>directa</i>	(Warren 1905)	NEO
			<i>Nephodia</i>	<i>discoloraria discoloraria</i>	(Herrich-Schäffer 1855)	NEO
			<i>Nephodia</i>	<i>erigone</i>	(Thierry-Mieg 1892)	NEO
			<i>Nephodia</i>	<i>exularia</i>	Walker 1862	NEO
			<i>Nephodia</i>	<i>favaria</i>	(Guenée 1858)	NEO
			<i>Nephodia</i>	<i>flebilis</i>	(Warren 1904)	NEO
			<i>Nephodia</i>	<i>fumosata</i>	Warren 1905	NEO
			<i>Nephodia</i>	<i>funeralis</i>	(Warren 1900)	NEO
			<i>Nephodia</i>	<i>hija</i>	(Dognin 1898)	NEO
			<i>Nephodia</i>	<i>impunctata</i>	(Thierry-Mieg 1892)	NEO
			<i>Nephodia</i>	<i>incoloraria</i>	(Guenée 1858)	NEO
			<i>Nephodia</i>	<i>inversa</i>	(Dognin 1914)	NEO
			<i>Nephodia</i>	<i>legata</i>	(Dognin 1893)	NEO
			<i>Nephodia</i>	<i>luxuria</i>	(Dognin 1898)	NEO
			<i>Nephodia</i>	<i>mundaoides</i>	(Dognin 1898)	NEO
			<i>Nephodia</i>	<i>obeliscata</i>	(Warren 1909)	NEO
			<i>Nephodia</i>	<i>orcipennata</i>	(Walker 1863)	NEO
			<i>Nephodia</i>	<i>panacea</i>	(Thierry-Mieg 1892)	NEO
			<i>Nephodia</i>	<i>parva</i>	(Dognin 1921)	NEO
			<i>Nephodia</i>	<i>pecalba</i>	(Dognin 1893)	NEO
			<i>Nephodia</i>	<i>pellucida</i>	(Dognin 1900)	NEO
			<i>Nephodia</i>	<i>perilla</i>	(Druce 1893)	NEO
			<i>Nephodia</i>	<i>philomela</i>	(Druce 1893)	NEO
			<i>Nephodia</i>	<i>peria</i>	Warren 1907	NEO
			<i>Nephodia</i>	<i>pseuderna</i>	(Dognin 1907)	NEO
			<i>Nephodia</i>	<i>sericea</i>	(Warren 1897)	NEO
			<i>Nephodia</i>	<i>sororcula</i>	(Dognin 1892)	NEO
			<i>Nephodia</i>	<i>styracaria</i>	Warren 1894	NEO
			<i>Nephodia</i>	<i>subplagiata</i>	(Dognin 1908)	NEO
			<i>Nephodia</i>	<i>tironaria</i>	(Dognin 1892)	NEO
		Ourapterygini	<i>Antepione</i>	<i>thisoaria</i>	(Guenée 1858)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Besma</i>	<i>endropiaria</i>	(Grote & Robinson 1867)	NEA
			<i>Besma</i>	<i>quercivoraria</i>	(Guenée 1858)	NEA
			<i>Besma</i>	<i>rubritincta</i>	(Cassino & Swett 1925)	NEA
			<i>Besma</i>	<i>sesquilinearia</i>	(Grote 1883)	NEA
			<i>Brachurapteryx</i>	<i>tesserata tesserata</i>	(Guenée 1858)	NEO
			<i>Callipseustes</i>	<i>reflexa</i>	Prout 1910	NEO
			<i>Callipseustes</i>	<i>ursula</i>	Thierry-Mieg 1910	NEO
			<i>Caripeta</i>	<i>aequaliaria</i>	Grote 1883	NEA
			<i>Caripeta</i>	<i>angustiorata</i>	Walker 1863	NEA
			<i>Caripeta</i>	<i>aretaria</i>	(Walker 1860)	NEA
			<i>Caripeta</i>	<i>divisata</i>	Walker 1863	NEA
			<i>Caripeta</i>	<i>divisata</i> fm. <i>nigricaria</i>	Forbes	NEA
			<i>Caripeta</i>	<i>hilumaria</i>	(Hulst 1886)	NEA
			<i>Caripeta</i>	<i>interalbicans</i>	Warren 1904	NEA
			<i>Caripeta</i>	<i>laticornata</i>	Walker 1863	NEA
			<i>Caripeta</i>	<i>macularia</i>	(Barnes & McDunnough 1916)	NEA
			<i>Caripeta</i>	<i>ocellaria</i>	(Grossbeck 1907)	NEA
			<i>Caripeta</i>	<i>piniata</i>	(Packard 1870)	NEA
			<i>Caripeta</i>	<i>pulcherrima</i>	(Guedet 1941)	NEA
			<i>Caripeta</i>	<i>suffusata</i>	Guedet 1939	NEA
			<i>Caripeta</i>	<i>triangulata</i>	(Barnes & McDunnough 1916)	NEA
			<i>Certima</i>	<i>albilunata</i>	Dognin 1910	NEO
			<i>Certima</i>	<i>bottgeri</i>	Warren 1904	NEO
			<i>Certima</i>	<i>distans</i>	(Dognin 1912)	NEO
			<i>Certima</i>	<i>espuma</i>	(Dognin 1896)	NEO
			<i>Certima</i>	<i>esquina</i>	(Dognin 1900)	NEO
			<i>Certima</i>	<i>eximia</i>	(Warren 1901)	NEO
			<i>Certima</i>	<i>jelskii</i>	(Oberthür 1883)	NEO
			<i>Certima</i>	<i>lojanata</i>	(Dognin 1892)	NEO
			<i>Certima</i>	<i>nivisparsa</i>	(Thierry-Mieg 1896)	NEO
			<i>Certima</i>	<i>unilineata</i>	Warren 1897	NEO
			<i>Certima</i>	<i>xylinochroma</i>	(Dognin 1892)	NEO
			<i>Cingilia</i>	<i>catenaria</i>	(Drury 1773)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Destutia</i>	<i>excelsa</i>	(Strecker 1878)	NEA
			<i>Destutia</i>	<i>flumenata</i>	(Pearsall 1906)	NEA
			<i>Enypia</i>	<i>coolidgi</i>	Cassino & Swett 1923	NEA
			<i>Enypia</i>	<i>griseata</i>	Grossbeck 1908	NEA
			<i>Enypia</i>	<i>packardata</i>	Taylor 1906	NEA
			<i>Enypia</i>	<i>venata</i>	(Grote 1883)	NEA
			<i>Eriplatymetra</i>	<i>coloradaria</i>	(Grote & Robinson 1867)	NEA
			<i>Eriplatymetra</i>	<i>grotearia</i>	(Packard 1876)	NEA
			<i>Erycinopsis</i>	<i>diaphana</i>	Felder 1874	NEO
			<i>Euaspilates</i>	<i>spinataria</i>	Packard 1874	NEA
			<i>Eucaterva</i>	<i>variaria</i>	Grote 1882	NEA
			<i>Eugonobapta</i>	<i>nivosaria</i>	(Guenée 1858)	NEA
			<i>Eusarca</i>	<i>alteraria</i>	(Guenée)	NEO
			<i>Eusarca</i>	<i>argillaria</i>	(Hulst 1886)	NEA
			<i>Eusarca</i>	<i>ascendaria</i>	(Walker)	NEO
			<i>Eusarca</i>	<i>catenulata</i>	(Warren)	NEO
			<i>Eusarca</i>	<i>citrina</i>	(Warren, 1904)	NEO
			<i>Eusarca</i>	<i>confusaria</i>	Hübner 1813	NEA
			<i>Eusarca</i>	<i>crameraria</i>	(Guenée 1858)	NEA/NEO
			<i>Eusarca</i>	<i>distycharia</i>	(Guenée 1858)	NEA
			<i>Eusarca</i>	<i>falcata</i>	(Packard 1873)	NEA
			<i>Eusarca</i>	<i>fasciata</i>	(Warren 1895)	NEO
			<i>Eusarca</i>	<i>fundaria</i>	(Guenée 1858)	NEA
			<i>Eusarca</i>	<i>graceiaria</i>	(Kirkwood 1951)	NEA
			<i>Eusarca</i>	<i>inaequaria</i>	(Walker)	NEO
			<i>Eusarca</i>	<i>juncturaria</i>	(Guenée)	NEO
			<i>Eusarca</i>	<i>linteraria</i>	(Guenée)	NEO
			<i>Eusarca</i>	<i>minutia</i>	(Druce)	NEO
			<i>Eusarca</i>	<i>nemora</i>	(Druce 1892)	NEO
			<i>Eusarca</i>	<i>spinetaria</i>	(Guenée 1858)	NEO
			<i>Eusarca</i>	<i>terraria</i>	(McDunnough 1940)	NEA
			<i>Eusarca</i>	<i>trifilaria</i>	(Herrich-Shäffer 1855)	NEO
			<i>Eusarca</i>	<i>trifilaria exararia</i>	(Guenée 1858)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Eusarca</i>	<i>umbrilineata</i>	(Warren 1900)	NEO
			<i>Eusarca</i>	<i>valdiviana</i>	(Butler 1882)	NEO
			<i>Eutrapela</i>	<i>clemataria</i>	(J.E. Smith 1797)	NEA
			<i>Evita</i>	<i>hyalinaria</i>	(Grossback 1908)	NEA
			<i>Gonora</i>	<i>hyelosiodes</i>	(Walker 1865)	NEO
			<i>Gonora</i>	<i>paphia</i>	Druce 1893	NEO
			<i>Gonora</i>	<i>puhites</i>	(Druce 1885)	NEO
			<i>Isochromodes</i>	<i>brumosa brumosa</i>	(Dognin 1896)	NEO
			<i>Isochromodes</i>	<i>extimaria</i>	(Walker 1860)	NEO
			<i>Isochromodes</i>	<i>granula</i>	(Dognin 1896)	NEO
			<i>Isochromodes</i>	<i>pectinicornata</i>	(Guenée 1858)	NEO
			<i>Isochromodes</i>	<i>sabularia</i>	(Dognin 1900)	NEO
			<i>Isochromodes</i>	<i>straminea</i>	Warren 1905	NEO
			<i>Isochromodes</i>	<i>undilinea</i>	(Warren 1904)	NEO
			<i>Lambdina</i>	<i>canitiaria</i>	Rupert 1944	NEA
			<i>Lambdina</i>	<i>fervidaria athasaria</i>	(Walker 1860)	NEA
			<i>Lambdina</i>	<i>fervidaria fervidaria</i>	(Hübner 1831)	NEA
			<i>Lambdina</i>	<i>fiscellaria</i>	(Guenée 1858)	NEA
			<i>Lambdina</i>	<i>flavilinearia</i>	(Barnes & McDunnough 1913)	NEA
			<i>Lambdina</i>	<i>laeta</i>	(Hulst 1900)	NEA
			<i>Lambdina</i>	<i>pellucidaria</i>	(Grote & Robinson 1867)	NEA
			<i>Lambdina</i>	<i>phantoma</i>	(Barnes & McDunnough 1916)	NEA
			<i>Lambdina</i>	<i>pultaria</i>	(Guenée 1858)	NEA
			<i>Lambdina</i>	<i>vittraria</i>	(Grote 1883)	NEA
			<i>Leptomiza</i>	<i>calcearia</i>	(Walker 1860)	PAL
			<i>Lychnosea</i>	<i>helveolaria</i>	(Hulst 1881)	NEA
			<i>Lychnosea</i>	<i>intermicata</i>	(Walker 1862)	NEA
			<i>Melemaea</i>	<i>magdalena</i>	Hulst 1896	NEA
			<i>Melemaea</i>	<i>virgata</i>	Taylor 1906	NEA
			<i>Melinoessa</i>	<i>aemonia</i>	Swinhoe 1904	ETH
			<i>Melinoessa</i>	<i>amplissimata</i>	Walker 1863	ETH
			<i>Melinoessa</i>	<i>croesaria</i>	Herrich-Schäffer 1855	ETH
			<i>Melinoessa</i>	<i>fulvata</i>	Prout 1916	ETH

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Melinoessa</i>	<i>perlimbata</i>	Guenée 1858	ETH
			<i>Meris</i>	<i>alticola</i>	Hulst 1896	NEA
			<i>Meris</i>	<i>patula</i>	Rindge 1981	NEA
			<i>Myrmecophantes</i>	<i>assimilis</i>	Warren 1905	NEO
			<i>Myrmecophantes</i>	<i>valens</i>	Thierry-Mieg 1892	NEO
			<i>Nemeris</i>	<i>percne</i>	Rindge 1981	NEA
			<i>Nemeris</i>	<i>speciosa</i>	(Hulst 1896)	NEA
			<i>Neodora</i>	<i>cretacea</i>	Warren 1901	NEO
			<i>Neodora</i>	<i>glaucularia</i>	(Snellen 1874)	NEO
			<i>Neodora</i>	<i>tambillaria</i>	(Oberthür 1881)	NEO
			<i>Neoterpes</i>	<i>edwardsata</i>	(Packard 1871)	NEA
			<i>Neoterpes</i>	<i>ephelidaria</i>	(Hulst 1886)	NEA
			<i>Neoterpes</i>	<i>graeffaria</i>	(Hulst 1887)	NEA
			<i>Neoterpes</i>	<i>trianguliferata</i>	(Packard 1871)	NEA
			<i>Nepheloleuca</i>	<i>floridata</i>	(Grote 1883)	NEA
			<i>Nepheloleuca</i>	<i>politia</i>	(Cramer 1777)	NEA/NEO
			<i>Nepytia</i>	<i>canosaria</i>	(Walker 1863)	NEA
			<i>Nepytia</i>	<i>juabata</i>	Cassino & Swett 1923	NEA
			<i>Nepytia</i>	<i>pellucidaria</i>	(Packard 1873)	NEA
			<i>Nepytia</i>	<i>phantasmaria</i>	(Strecker 1899)	NEA
			<i>Nepytia</i>	<i>regulata</i>	Barnes & McDunnough 1916	NEA
			<i>Nepytia</i>	<i>semiclusaria</i>	(Walker 1863)	NEA
			<i>Nepytia</i>	<i>umbrosaria nigrovenaria</i>	(Packard 1876)	NEA
			<i>Nepytia</i>	<i>umbrosaria umbrosaria</i>	(Packard 1873)	NEA
			<i>Ourapteryx</i>	<i>ebuleata</i>	(Guenée 1858)	ORI
			<i>Ourapteryx</i>	<i>latimarginaria</i>	Leech 1897	PAL
			<i>Ourapteryx</i>	<i>maculicaudaria</i>	(Motschulsky 1866)	PAL
			<i>Ourapteryx</i>	<i>nigrociliaria</i>	Leech 1891	PAL
			<i>Ourapteryx</i>	<i>obtusicauda</i>	(Warren 1894)	PAL
			<i>Ourapteryx</i>	<i>persica</i>	(Ménétriés 1832)	PAL
			<i>Ourapteryx</i>	<i>picticaudata</i>	Walker 1860	ORI
			<i>Ourapteryx</i>	<i>sambucaria sambucaria</i>	(Linnaeus 1758)	PAL
			<i>Ourapteryx</i>	<i>sambucaria citrinaria</i>	Prout	PAL

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Ourapteryx</i>	<i>sciticaudaria</i>	(Walker 1862)	ORI
			<i>Ourapteryx</i>	<i>similaria horishana</i>	(Matsumura 1910)	ORI
			<i>Ourapteryx</i>	<i>similaria similaria</i>	(Matsumura 1910)	ORI
			<i>Ourapteryx</i>	<i>subpunctaria</i>	Leech 1891	PAL
			<i>Oxydia</i>	<i>affinis</i>	Warren 1897	NEO
			<i>Oxydia</i>	<i>agliata</i>	Guenée	NEO
			<i>Oxydia</i>	<i>apidania</i>	Cramer 1779	NEO
			<i>Oxydia</i>	<i>augusta</i>	Druce 1892	NEO
			<i>Oxydia</i>	<i>chalybeata</i>	Warren 1897	NEO
			<i>Oxydia</i>	<i>cubana</i>	(Warren 1906)	NEA
			<i>Oxydia</i>	<i>falcaturata</i>	Oberthür 1911	NEO
			<i>Oxydia</i>	<i>foedaria</i>	Warren 1906	NEO
			<i>Oxydia</i>	<i>herbertina</i>	Dognin 1891	NEO
			<i>Oxydia</i>	<i>hispata</i>	Guenée 1858	NEO
			<i>Oxydia</i>	<i>mexicata</i>	Guenée 1858	NEO
			<i>Oxydia</i>	<i>mundata</i>	Guenée 1858	NEA/NEO
			<i>Oxydia</i>	<i>nimbata</i>	Guenée 1858	NEO
			<i>Oxydia</i>	<i>olivata</i>	Dognin 1900	NEO
			<i>Oxydia</i>	<i>peosinata</i>	Guenée 1858	NEO
			<i>Oxydia</i>	<i>platypterata</i>	Guenée 1858	NEO
			<i>Oxydia</i>	<i>recurvata</i>	Herrich-Shäffer	NEO
			<i>Oxydia</i>	<i>scriptipennaria</i>	(Walker 1860)	NEO
			<i>Oxydia</i>	<i>subdentilinea</i>	Warren 1904	NEO
			<i>Oxydia</i>	<i>translinquens</i>	Walker 1860	NEO
			<i>Oxydia</i>	<i>trychiata</i>	Guenée 1858	NEO
			<i>Oxydia</i>	<i>vesulia</i>	(Cramer 1779)	NEA/NEO
			<i>Paragonia</i>	<i>tasima</i>	Cramer 1779	NEO
			<i>Patalene</i>	<i>abrasata</i>	(Guenée 1858)	NEO
			<i>Patalene</i>	<i>aemitusalis</i>	(Walker)	NEO
			<i>Patalene</i>	<i>carinaria</i>	(Oberthür)	NEO
			<i>Patalene</i>	<i>excavaria</i>	(Walker 1860)	NEO
			<i>Patalene</i>	<i>hamulata</i>	Guenée 1858	NEA
			<i>Patalene</i>	<i>luciata</i>	(Stoll 1790)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Patalene</i>	<i>incoaria</i>	(Walker)	NEO
			<i>Patalene</i>	<i>infensata</i>	(Guenée 1859)	NEO
			<i>Patalene</i>	<i>maculata</i>	(Stoll)	NEO
			<i>Patalene</i>	<i>olyzonaria</i>	(Walker 1860)	NEA/NEO
			<i>Patalene</i>	<i>pholata</i>	(Guenée 1858)	NEO
			<i>Patalene</i>	<i>santiago</i>	Schaus 1923	NEO
			<i>Patalene</i>	<i>siculata</i>	(Guenée 1858)	NEO
			<i>Patalene</i>	<i>valeria</i>	Thierry-Mieg 1892	NEO
			<i>Penthophlebia</i>	<i>nigriceps</i>	Dognin 1910	NEO
			<i>Penthophlebia</i>	<i>radiata</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Pherne</i>	<i>parallela</i>	(Packard 1873)	NEA
			<i>Pherne</i>	<i>placalaria</i>	(Guenée 1858)	NEA
			<i>Pherne</i>	<i>sperryi</i>	McDunnough 1935	NEA
			<i>Pherne</i>	<i>subpunctata subpunctata</i>	(Hulst 1898)	NEA
			<i>Pherne</i>	<i>subpunctata vernalaria</i>	Wright 1917	NEA
			<i>Philtraea</i>	<i>elegantaria</i>	(H. Edwards 1881)	NEA
			<i>Phyllodonta</i>	<i>angulosa</i>	Stoll 1781	NEO
			<i>Phyllodonta</i>	<i>caninata</i>	(Guenée 1858)	NEO
			<i>Phyllodonta</i>	<i>columbipennis</i>	(Walker)	NEO
			<i>Phyllodonta</i>	<i>indeforminata</i>	Schaus	NEO
			<i>Phyllodonta</i>	<i>indeterminata</i>	Schaus	NEO
			<i>Phyllodonta</i>	<i>informis</i>	Warren 1894	NEO
			<i>Phyllodonta</i>	<i>latrata</i>	(Guenée 1857)	NEO
			<i>Phyllodonta</i>	<i>matalia</i>	Druce 1891	NEO
			<i>Phyllodonta</i>	<i>muscilinea</i>	Dognin 1911	NEO
			<i>Phyllodonta</i>	<i>peccataria</i>	(Barnes & McDunnough 1916)	NEA
			<i>Pionenta</i>	<i>ochreata</i>	(Hulst 1898)	NEA
			<i>Pityeja</i>	<i>histrionaria</i>	(Herrich-Shäffer 1853)	NEO
			<i>Pityeja</i>	<i>ornata</i>	(Rindge 1958)	NEA
			<i>Plataea</i>	<i>calcaria</i>	(Pearsall 1911)	NEA
			<i>Plataea</i>	<i>californiaria</i>	Herrich-Shäffer 1856	NEA
			<i>Plataea</i>	<i>diva</i>	Hulst 1896	NEA
			<i>Plataea</i>	<i>personaria</i>	(H. Edwards 1881)	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Plataea</i>	<i>trilinearis</i>	(Packard 1873)	NEA
			<i>Prochoerodes</i>	<i>accentuata</i>	(Barnes & McDunnough 1918)	NEA
			<i>Prochoerodes</i>	<i>amplicineraria</i>	(Pearsall 1906)	NEA
			<i>Prochoerodes</i>	<i>forficaria catenulata</i>	Grote 1883	NEA
			<i>Prochoerodes</i>	<i>forficaria forficaria</i>	(Guenée 1858)	NEA
			<i>Prochoerodes</i>	<i>lineola</i>	(Goeze 1781)	NEA
			<i>Prochoerodes</i>	<i>marhinia</i>	(Druce)	NEO
			<i>Prochoerodes</i>	<i>onustaria</i>	(Hübner 1832)	NEO
			<i>Prochoerodes</i>	<i>striata</i>	(Stoll 1798)	NEO
			<i>Prochoerodes</i>	<i>tetragonata</i>	(Guenée 1858)	NEO
			<i>Prochoerodes</i>	<i>tiselaaria</i>	Dyar	NEO
			<i>Prochoerodes</i>	<i>truxaliata</i>	(Guenée 1858)	NEA
			<i>Psiloseitia</i>	<i>cillenaria</i>	(Guenée 1858)	NEO
			<i>Psiloseitia</i>	<i>pura</i>	(Warren 1900)	NEO
			<i>Sabulodes</i>	<i>aegrotata</i>	(Guenée 1858)	NEA/NEO
			<i>Sabulodes</i>	<i>atropesaria</i>	Walker 1860	NEO
			<i>Sabulodes</i>	<i>boarmidaria</i>	Oberthür 1883	NEO
			<i>Sabulodes</i>	<i>canispersa</i>	Warren	NEO
			<i>Sabulodes</i>	<i>cleodora</i>	Dognin 1908	NEO
			<i>Sabulodes</i>	<i>colombiata</i>	Guenée 1857	NEO
			<i>Sabulodes</i>	<i>dissimilis</i>	(Hulst 1898)	NEA
			<i>Sabulodes</i>	<i>edwardsata</i>	(Hulst 1886)	NEA
			<i>Sabulodes</i>	<i>franciscata</i>	Dognin 1892	NEO
			<i>Sabulodes</i>	<i>glaucularia</i>	(Snellen 1874)	NEO
			<i>Sabulodes</i>	<i>huachuca</i>	Rindge 1978	NEA
			<i>Sabulodes</i>	<i>mabelata</i>	(Sperry 1948)	NEA
			<i>Sabulodes</i>	<i>mima</i>	Thierry-Mieg 1894	NEO
			<i>Sabulodes</i>	<i>musciatrigata</i>	Guenée 1858	NEO
			<i>Sabulodes</i>	<i>niveostriata</i>	(Cockerell 1893)	NEA
			<i>Sabulodes</i>	<i>nubifera</i>	Schaus 1911	NEO
			<i>Sabulodes</i>	<i>olifata</i>	(Guedet 1939)	NEA
			<i>Sabulodes</i>	<i>ornatissima</i>	Thierry-Mieg 1892	NEO
			<i>Sabulodes</i>	<i>sericeata</i>	Barnes & McDunnough 1917	NEA

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Sangalopsis</i>	<i>diasia</i>	Druce 1899	NEO
			<i>Sangalopsis</i>	<i>fulvimedia</i>	Warren 1904	NEO
			<i>Sangalopsis</i>	<i>hermaea</i>	Druce 1899	NEO
			<i>Sangalopsis</i>	<i>ino</i>	Thierry-Mieg 1893	NEO
			<i>Sangalopsis</i>	<i>racilia</i>	(Druce 1899)	NEO
			<i>Sangalopsis</i>	<i>versicolor</i>	Druce	NEO
			<i>Scoriopsis</i>	<i>infumata</i>	Warren 1906	NEO
			<i>Sericoptera</i>	<i>mahometaria</i>	Herrich-Shäffer 1856	NEO
			<i>Sericoptera</i>	<i>virginaria</i>	(Hulst 1886)	NEA/NEO
			<i>Sicya</i>	<i>crocearia</i>	Packard 1873	NEA
			<i>Sicya</i>	<i>directaria</i>	Guenée 1858	NEO
			<i>Sicya</i>	<i>dognini</i>	Thierry-Mieg 1895	NEO
			<i>Sicya</i>	<i>laetula</i>	Barnes & McDunnough 1917	NEA
			<i>Sicya</i>	<i>macularia</i>	(Harris & Cabot 1850)	NEA
			<i>Sicya</i>	<i>morsicaria</i>	(Hulst 1886)	NEA
			<i>Sicya</i>	<i>obscurissima</i>	Thierry-Mieg 1894	NEO
			<i>Sicya</i>	<i>pomona</i>	Oberthür 1883	NEO
			<i>Simopteryx</i>	<i>liodesaria liodesaria</i>	Walker 1860	NEO
			<i>Simopteryx</i>	<i>subflavata</i>	Warren 1897	NEO
			<i>Simopteryx</i>	<i>torquataria</i>	(Walker 1860)	NEO
			<i>Sirinopteryx</i>	<i>rufivinctata</i>	(Walker 1863)	ORI
			<i>Snowia</i>	<i>montanaria</i>	Neumoegen 1884	NEA
			<i>Somatolophia</i>	<i>ectrapelaria</i>	(Grossbeck 1908)	NEA
			<i>Somatolophia</i>	<i>haydenata</i>	(Packard 1876)	NEA
			<i>Somatolophia</i>	<i>pallescens</i>	McDunnough 1940	NEA
			<i>Somatolophia</i>	<i>petila</i>	Rindge 1980	NEA
			<i>Somatolophia</i>	<i>simplicius</i>	(Barnes & McDunnough 1918)	NEA
			<i>Spilopera</i>	<i>debilis</i>	(Butler 1878)	PAL
			<i>Spilopera</i>	<i>gracilis</i>	(Hampson 1895)	ORI
			<i>Stenele</i>	<i>aletis</i>	(Felder 1862)	NEO
			<i>Stenele</i>	<i>ruberrima</i>	Warren 1900	NEO
			<i>Stenele</i>	<i>translata</i>	Walker 1854	NEO
			<i>Terina</i>	<i>renifera</i>	(Warren 1897)	ETH

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Terina</i>	<i>circumdata</i>	(Walker 1865)	ETH
			<i>Tetracis</i>	<i>cachexiata</i>	Guenée 1858	NEA
			<i>Tetracis</i>	<i>cervinaria</i>	(Packard 1871)	NEA
			<i>Tetracis</i>	<i>chilenaria</i>	Blanchard 1852	NEO
			<i>Tetracis</i>	<i>crocallata</i>	Guenée 1858	NEA
			<i>Tetracis</i>	<i>emilia</i>	(Dognin)	NEO
			<i>Tetracis</i>	<i>formosa</i>	(Hulst 1896)	NEA
			<i>Tetracis</i>	<i>hirsutaria</i>	(Barnes & McDunnough 1913)	NEA
			<i>Tetracis</i>	<i>jubararia</i>	Hulst 1886	NEA
			<i>Tetracis</i>	<i>matilda</i>	(Thierry-Mieg)	NEO
			<i>Tetracis</i>	<i>mosesiani</i>	(Sala 1971)	NEA
			<i>Tetracis</i>	<i>pallulata</i>	Hulst 1887	NEA
			<i>Thinopteryx</i>	<i>crocoptera crocoptera</i>	(Kollar 1844)	ORI/PAL
			<i>Thinopteryx</i>	<i>crocoptera praetoraria</i>	Felder	ORI
			<i>Thinopteryx</i>	<i>delectans</i>	Butler 1878	PAL
			<i>Thinopteryx</i>	<i>fimbriata</i>	Cramer	ORI
			<i>Thinopteryx</i>	<i>nebulosa</i>	Butler 1883	ORI
			<i>Thinopteryx</i>	<i>praetoraria</i>	Felder & Rogenhofer 1875	ORI
			<i>Tristrophis</i>	<i>veneris</i>	(Butler 1878)	PAL
			<i>Tristrophis</i>	<i>new species? near veneris</i>		ORI
			<i>Xeropteryx</i>	<i>columbicola</i>	Walker 1860	ORI
			<i>Xeropteryx</i>	<i>optima</i>	(Dognin 1900)	NEO
		Prosoplophini	<i>Compsoptera</i>	<i>jourdanaria</i>	(Serres 1826)	PAL
			<i>Compsoptera</i>	<i>opacaria ab. rubra</i>	(Staudinger 1871)	PAL
		Scardamiini	<i>Aplochloa</i>	<i>vivilaca</i>	(Walker 1861)	ORI
		incertae sedis	<i>Acanthovalva</i>	<i>inconspicuaris</i>	(Hübner 1819)	ETH
			<i>Acrotomia</i>	<i>viminaria</i>	Herrich-Schäffer 1855	NEO
			<i>Aenictes</i>	<i>sororcula</i>	(Warren 1904)	NEO
			<i>Anisoperas</i>	<i>atropunctaria</i>	(Walker 1863)	NEO
			<i>Anisoperas</i>	<i>tessellata</i>	Walker 1863	NEO
			<i>Anonychia</i>	<i>lativitta</i>	Moore 1888	ORI
			<i>Aphilopota</i>	<i>semiusta</i>	(Distant 1888)	ETH
			<i>Aphilopota</i>	<i>phanerostigma phanerostigma</i>	Prout 1917	ETH

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Apiciopsis</i>	<i>angusta</i>	Warren 1904	NEO
			<i>Apiciopsis</i>	<i>rufa</i>	Warren	NEO
			<i>Apiciopsis</i>	<i>stephania</i>	(Dognin 1894)	NEO
			<i>Aplogompha</i>	<i>biseriata</i>	Warren 1897	NEO
			<i>Aplogompha</i>	<i>chotaria</i>	Schaus 1898	NEO
			<i>Aplogompha</i>	<i>frena</i>	Dognin 1899	NEO
			<i>Aplogompha</i>	<i>lafayi</i>	Dognin 1889	NEO
			<i>Aplogompha</i>	<i>minuta</i>	Druce	NEO
			<i>Aplogompha</i>	<i>opulenta</i>	(Thierry-Mieg 1892)	NEO
			<i>Aplogompha</i>	<i>riofrio</i>	Dognin 1889	NEO
			<i>Argyrotome</i>	<i>melae</i>	Druce 1892	NEO
			<i>Argyrotome</i>	<i>mexicaria</i>	Schaus 1901	NEO
			<i>Argyrotome</i>	<i>ferruginia</i>	Warren	NEO
			<i>Argyrotome</i>	<i>mira</i>	Oberthür 1883	NEO
			<i>Argyrotome</i>	<i>prospectata</i>	Snellen 1874	NEO
			<i>Argyrotome</i>	<i>tenebrosa</i>	Warren 1897	NEO
			<i>Argyrotome</i>	<i>tenebrosa</i> var. <i>extrema</i>	Warren 1897	NEO
			<i>Aspilatopsis</i>	<i>admiranda</i>	(Warren 1905)	ETH
			<i>Astyochia</i>	<i>cetaria</i>	Druce 1893	NEO
			<i>Astyochia</i>	<i>cloelia</i>	Druce 1893	NEO
			<i>Astyochia</i>	<i>emphanes</i>	Prout 1910	NEO
			<i>Astyochia</i>	<i>lechula</i>	Dognin 1893	NEO
			<i>Astyochia</i>	<i>marginea</i>	Dognin 1907	NEO
			<i>Astyochia</i>	<i>nigrivenata</i>	(Warren 1900)	NEO
			<i>Astyochia</i>	<i>paulina</i>	Druce 1893	NEO
			<i>Astyochia</i>	<i>signata</i>	Warren 1906	NEO
			<i>Astyochia</i>	<i>vaporaria</i>	(Hübner 1831)	NEO
			<i>Astyochia</i>	<i>vitrea</i>	(Walker 1866)	NEO
			<i>Auaxa</i>	<i>cesadaria</i>	Walker 1860	PAL
			<i>Bagodares</i>	<i>prosa</i>	Druce 1893	NEO
			<i>Bassania</i>	<i>amethystata</i>	Walker 1860	NEO
			<i>Bassania</i>	<i>crocallinaria</i>	Oberthür 1883	NEO
			<i>Bassania</i>	<i>foingi</i>	Dognin 1897	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Bonatea</i>	<i>duciata</i>	Maassen 1890	NEO
			<i>Bursadopsis</i>	<i>apicipuncta</i>	Warren 1901	AUS
			<i>Cargolia</i>	<i>arana</i>	(Dognin 1895)	NEO
			<i>Cargolia</i>	<i>pruna</i>	Dognin 1892	NEO
			<i>Cartellodes</i>	<i>levis</i>	(Thierry-Mieg 1893)	NEO
			<i>Cassephyra</i>	<i>plenimargo</i>	(Warren 1903)	AUS
			<i>Cataspilates</i>	<i>candidata</i>	Warren 1897	NEO
			<i>Cataspilates?</i>	<i>"new sp. near candidata"</i>	Warren	NEO
			<i>Cataspilates</i>	<i>plurilineata</i>	(Warren 1897)	NEO
			<i>Catophoenissa</i>	<i>baynei</i>	Prout 1910	NEO
			<i>Cimicodes</i>	<i>clisthena clisthena</i>	(Stoll 1782)	NEO
			<i>Cimicodes</i>	<i>clisthena pallicostata</i>	(Guenée 1858)	NEO
			<i>Cirsodes</i>	<i>acuminata</i>	Guenée 1858	NEO
			<i>Cosmophyga</i>	<i>monastica</i>	Dognin 1893	NEO
			<i>Cosmophyga</i>	<i>privataria</i>	Walker 1863	NEO
			<i>Cratoptera</i>	<i>arvina</i>	(Druce 1892)	NEO
			<i>Cratoptera</i>	<i>vestianaria</i>	Herrich-Schaeffer 1855	NEO
			<i>Cratoptera</i>	<i>viliaria ab. obscuraria</i>	Warren	NEO
			<i>Cyclomia</i>	<i>fidoniata</i>	Warren 1901	NEO
			<i>Cyclomia</i>	<i>mopsaria</i>	Guenée 1858	NEO
			<i>Cyclomia</i>	<i>vinosa</i>	Dognin 1890	NEO
			<i>Cyphoedema</i>	<i>mirafloresia</i>	(Dognin 1892)	NEO
			<i>Cypra</i>	<i>delicatula</i>	Boisduval 1832	AUS
			<i>Declana</i>	<i>atronivea</i>	Walker 1865	AUS
			<i>Declana</i>	<i>floccosa</i>	Walker 1858	AUS
			<i>Devarodes</i>	<i>bupaloides</i>	(Walker 1854)	NEO
			<i>Devarodes</i>	<i>charisia</i>	(Druce 1893)	NEO
			<i>Devarodes</i>	<i>emplociaria</i>	(Guenée 1858)	NEO
			<i>Devarodes</i>	<i>pizarra</i>	(Dognin 1893)	NEO
			<i>Devarodes</i>	<i>simulans</i>	Walker	NEO
			<i>Devarodes</i>	<i>semidolens</i>	(Druce 1903)	NEO
			<i>Devarodes</i>	<i>subvaria</i>	(Walker 1854)	NEO
			<i>Digonis</i>	<i>aspersa</i>	Butler 1882	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Digonis</i>	<i>cuprea</i>	Butler 1882	NEO
			<i>Digonodes</i>	<i>ovaria</i>	(Guenée 1858)	NEO
			<i>Drymoea</i>	<i>alcera</i>	(Boisduval 1870)	NEO
			<i>Drymoea</i>	<i>beata</i>	(Walker 1856)	NEO
			<i>Drymoea</i>	<i>chrysomela</i>	(Butler & Druce 1872)	NEO
			<i>Drymoea</i>	<i>cydrara</i>	(Druce 1907)	NEO
			<i>Drymoea</i>	<i>darthula</i>	(Thierry-Mieg 1893)	NEO
			<i>Drymoea</i>	<i>hesperoides hesperoides</i>	Walker 1854	NEO
			<i>Drymoea</i>	<i>hesperoides parambensis</i>	Prout 1925	NEO
			<i>Drymoea</i>	<i>mediata</i>	(Warren 1906)	NEO
			<i>Drymoea</i>	<i>unimaculata</i>	Butler 1876	NEO
			<i>Eilicrinia</i>	<i>flava</i>	Moore 1888	ORI
			<i>Emplocia</i>	<i>erycinoides</i>	(Walker 1854)	NEO
			<i>Endropiodes</i>	<i>abjecta</i>	(Butler 1879)	PAL
			<i>Erilophodes</i>	<i>colorata</i>	Warren 1894	NEO
			<i>Erilophodes</i>	<i>spinosa</i>	Covell 1963	NEO
			<i>Erosina</i>	<i>cervinaria</i>	Butler 1882	NEO
			<i>Erosina</i>	<i>hyberniata</i>	Guenée 1858	NEO
			<i>Euangerona</i>	<i>umbrosa</i>	Warren 1901	NEO
			<i>Euangerona</i>	<i>valdiviae</i>	Butler 1882	NEO
			<i>Euclysia</i>	<i>ochrivitta</i>	Warren 1905	NEO
			<i>Euryobeidia</i>	<i>largetai</i>	(Oberthür 1884)	ORI
			<i>Euipe</i>	<i>fictaria</i>	Prout 1926	AUS
			<i>Eustenophasma</i>	<i>galeopsis</i>	Warren 1897	NEO
			<i>Eutomopepla</i>	<i>annulipes</i>	(Felder & Rogenhofer 1875)	NEO
			<i>Eutomopepla</i>	<i>rogenhoferi</i>	Oberthür 1883	NEO
			<i>Eutomopepla</i>	<i>vorda</i>	Schaus 1901	NEO
			<i>Geodena</i>	<i>auridisca</i>	Warren 1904	ETH
			<i>Geodena</i>	<i>discinota</i>	(Warren 1899)	ETH
			<i>Hemicopha</i>	<i>lilacina</i>	(Warren 1904)	NEO
			<i>Hemiloxia</i>	<i>maditata</i>	Felder & Rogenhofer 1875	NEO
			<i>Hemiphricta</i>	<i>albicosta</i>	Warren 1906	NEO
			<i>Herbita</i>	<i>capnodiata</i>	Guenée 1858	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Herbita</i>	<i>capona</i>	Dognin 1900	NEO
			<i>Herbita</i>	<i>cyclopeata</i>	Moeschler 1882	NEO
			<i>Herbita</i>	<i>decurtaria</i>	Herrich-Shäeffer 1856	NEO
			<i>Herbita</i>	<i>dognini</i>	Thierry-Mieg 1892	NEO
			<i>Herbita</i>	<i>lilacina</i>	Warren 1897	NEO
			<i>Herbita</i>	<i>nedusia</i>	Druce 1892	NEO
			<i>Herbita</i>	<i>ochriplaga</i>	Warren 1904	NEO
			<i>Herbita</i>	<i>praeditaria</i>	Herrich-Schaeffer 1855	NEO
			<i>Herbita</i>	<i>quinquemaculata</i>	Dognin 1910	NEO
			<i>Herbita</i>	<i>subcostata</i>	(Warren 1900)	NEO
			<i>Herbita</i>	<i>tenebrica</i>	Dognin 1892	NEO
			<i>Herbita</i>	<i>versilinea</i>	Warren 1904	NEO
			<i>Herbita</i>	<i>zarina</i>	Dognin 1893	NEO
			<i>Heteroleuca</i>	<i>albida</i>	Warren 1904	NEO
			<i>Leptoctenopsis</i>	<i>melusina</i>	Prout 1910	NEO
			<i>Leucolithodes</i>	<i>lecideata</i>	Felder & Rogenhofer 1875	NEO
			<i>Leucolithodes</i>	<i>paulina</i>	Ureta 1956	NEO
			<i>Leucula</i>	<i>ablinearia</i>	(Guenée 1858)	NEO
			<i>Leucula</i>	<i>empusaria</i>	(Guenée 1858)	NEO
			<i>Leucula</i>	<i>festiva</i>	(Cramer 1775)	NEO
			<i>Leucula</i>	<i>impositoria</i>	(Walker 1862)	NEO
			<i>Leucula</i>	<i>meganira</i>	Druce 1892	NEO
			<i>Leucula</i>	<i>tiresiaria</i>	(Guenée 1858)	NEO
			<i>Leuculopsis</i>	<i>bilineata</i>	Warren 1904	NEO
			<i>Lissoplaga</i>			NEO
			<i>Loxorhombia</i>	<i>idea</i>	(Swinhoe 1890)	ORI
			<i>Melinoides</i>	<i>amandaria</i>	Guenée 1858	NEO
			<i>Melinoides</i>	<i>angasmarcata</i>	Dognin 1918	NEO
			<i>Melinoides</i>	<i>conspicua</i>	Schaus 1901	NEO
			<i>Melinoides</i>	<i>detersaria</i>	Herrich-Schäeffer 1855	NEO
			<i>Melinoides</i>	<i>furva</i>	Warren 1900	NEO
			<i>Melinoides</i>	<i>polydora</i>	Thierry-Mieg	NEO
			<i>Melinoides</i>	<i>saeta</i>	(Dognin 1893)	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Microclysia</i>	<i>reticulata</i>	Butler 1882	NEO
			<i>Microgonia</i>	<i>obrundata</i>	Guenée 1858	NEO
			<i>Microgonia</i>	<i>rhodaria rhodaria</i>	Herrich-Schaeffer 1855	NEO
			<i>Microsema</i>	<i>gladiaria gladiaria</i>	(Guenée 1858)	NEO
			<i>Microsema</i>	<i>gladaria rhombaria</i>	(Guenée 1858)	NEO
			<i>Microsema</i>	<i>gladaria ustimacula</i>	(Prout 1910)	NEO
			<i>Microsema</i>	<i>quadripunctaria</i>	Hübner 1823	NEO
			<i>Microsema</i>	<i>subcarnea</i>	(Warren 1895)	NEO
			<i>Microxydia</i>	<i>orsitaria</i>	(Guenée 1858)	NEO
			<i>Microxydia</i>	<i>pumaria</i>	Warren 1905	NEO
			<i>Mimaletis</i>	<i>albipennis</i>	Warren 1905	ETH
			<i>Mimochroa</i>	<i>albifrons</i>	Moore 1888	ORI
			<i>Mimochroa</i>	<i>hypoxantha</i>	Kollar 1828	ORI
			<i>Mimosema</i>	<i>sobrina</i>	Druce	NEO
			<i>Mychonia</i>	<i>bityla</i>	Druce 1892	NEO
			<i>Mychonia</i>	<i>corticinaria</i>	Herrich-Schaeffer 1855	NEO
			<i>Mychonia</i>	<i>graphica</i>	Warren 1904	NEO
			<i>Mychonia</i>	<i>violacea</i>	Warren 1907	NEO
			<i>Narthecusa</i>	<i>perplexata</i>	Walker 1862	ETH
			<i>Narthecusa</i>	<i>tenuiorata</i>	Walker 1862	ETH
			<i>Naxa</i>	<i>seriaria</i>	Motschulsky 1866	PAL
			<i>Naxa</i>	<i>textilis</i>	Preyer 1884	ORI
			<i>Neorumia</i>	<i>gracilis</i>	Bartlett-Calvert 1893	NEO
			<i>Neorumia</i>	<i>lutea</i>	Bartlett-Calvert 1893	NEO
			<i>Neuromelia</i>	<i>selectata</i>	(Guenée 1858)	NEO
			<i>Obeidia</i>	<i>gigantearia</i>	Leech 1897	ORI
			<i>Obeidia</i>	<i>horishana</i>	Matsumura 1931	ORI
			<i>Obeidia</i>	<i>lucifera</i>	(Leech 1897)	PAL
			<i>Obeidia</i>	<i>tigrata decipiens</i>	Thierry-Mieg 1899	PAL
			<i>Obeidia</i>	<i>tigrata neglecta</i>	Thierry-Mieg 1899	PAL
			<i>Obeidia</i>	<i>tigrata leopardaria</i>	Oberthür 1881	PAL
			<i>Obeidia</i>	<i>tigrata tigrata</i>	Guenée 1858	ORI
			<i>Obeidia</i>	<i>vagipardata</i>	Walker 1862	PAL

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Ochroplutodes</i>	<i>haturata</i>	(Walker 1860)	ETH
			<i>Orthostixis</i>	<i>cribraria</i>	(Hübner 1799)	PAL
			<i>Pantherodes</i>	<i>conglomerata conglomerata</i>	Warren 1894	NEO
			<i>Pantherodes</i>	<i>conglomerata semiconfluens</i>	Warren 1905	NEO
			<i>Pantherodes</i>	<i>leonaria</i>	Guenée 1858	NEO
			<i>Pantherodes</i>	<i>pardalaria</i>	(Hübner 1823)	NEO
			<i>Paragonia</i>	<i>cruraria</i>	Herrich-Schaeffer 1854	NEO
			<i>Parallage</i>	<i>diaphanata</i>	Maassen 1890	NEO
			<i>Pareclipsis</i>	<i>gracilis</i>	(Butler 1879)	PAL
			<i>Parourapteryx</i>	<i>sulphuraria</i>	(Maassen 1890)	NEO
			<i>Percnia</i>	<i>albinigrata</i>	Warren 1896	PAL
			<i>Percnia</i>	<i>belluaria</i>	Guenée 1858	ORI/PAL
			<i>Percnia</i>	<i>ductaria</i>	Walker 1862	ORI
			<i>Percnia</i>	<i>felinaria</i>	Guenée 1857	ORI
			<i>Percnia</i>	<i>foraria</i>	Guenée 1858	ORI/PAL
			<i>Percnia</i>	<i>fumidaria</i>	Leech 1897	ORI
			<i>Percnia</i>	<i>giraffata</i>	Guenée 1858	PAL
			<i>Percnia</i>	<i>luridaria</i>	Leech 1897	ORI/PAL
			<i>Periclina</i>	<i>apricaria</i>	(Herrich-Schaeffer 1855)	NEO
			<i>Periclina</i>	<i>pompoleata</i>	Guenée 1858	NEO
			<i>Periclina</i>	<i>syctaria</i>	(Walker 1860)	NEO
			<i>Periclina</i>	<i>yvonina</i>	Dognin 1900	NEO
			<i>Perusia</i>	<i>aurantiacaria</i>	Blanchard 1852	NEO
			<i>Perusia</i>	<i>inusta</i>	Felder & Rogenhofer 1875	NEO
			<i>Perusia</i>	<i>lacticinea</i>	Butler 1882	NEO
			<i>Perusia</i>	<i>maculata</i>	Butler 1882	NEO
			<i>Perusia</i>	<i>maculata ab. flava</i>	Butler 1882	NEO
			<i>Perusia</i>	<i>praecisaria citrinata</i>	(Snellen 1874)	NEO
			<i>Perusia</i>	<i>variomacula</i>	(Warren 1897)	NEO
			<i>Perusia</i>	<i>verticata</i>	Warren 1905	NEO
			<i>Phyle</i>	<i>arcuosaria</i>	(Herrich-Schaeffer 1855)	NEO
			<i>Phyle</i>	<i>cartago</i>	Rindge 1990	NEO
			<i>Phyle</i>	<i>herbuloti</i>	Rindge 1990	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Phyle</i>	<i>schausaria</i>	(Edwards 1884)	NEO
			<i>Phyle</i>	<i>transglauca</i>	Rindge 1990	NEO
			<i>Plateoplia</i>	<i>acrobelia</i>	Wallengren 1875	ETH
			<i>Polla</i>	<i>aristaria</i>	Oberthür 1883	NEO
			<i>Polla</i>	<i>aristariodes</i>	Dognin 1900	NEO
			<i>Polla</i>	<i>avellana</i>	Thierry-Mieg 1892	NEO
			<i>Polla</i>	<i>celeraria</i>	Walker 1860	NEO
			<i>Polla</i>	<i>inquinata</i>	Warren 1907	NEO
			<i>Polla</i>	<i>ochreicosta</i>	Warren 1895	NEO
			<i>Polla</i>	<i>optimaria</i>	Dognin 1901	NEO
			<i>Polla</i>	<i>pallidoplaga</i>	Warren 1895	NEO
			<i>Polla</i>	<i>varipes</i>	Felder & Rogenhofer 1875	NEO
			<i>Polla</i>	<i>voraria</i>	Schaus 1901	NEO
			<i>Pseudapicia</i>	<i>muscosaria</i>	Warren	NEO
			<i>Pseudeusemia</i>	<i>tricolor</i>	(Warren 1896)	AUS
			<i>Pseudeusemia</i>	<i>lemnica</i>	(Boisduval 1832)	AUS
			<i>Pseudosoloe</i>	<i>thalassina</i>	(Warren 1909)	ETH
			<i>Pucaraia</i>	<i>izquierdii</i>	(Bartlett-Calvert 1893)	NEO
			<i>Pyrinia</i>	<i>aemula</i>	Warren	NEO
			<i>Pyrinia</i>	<i>atrilineata</i>	Warren	NEO
			<i>Pyrinia</i>	<i>albilineata</i>	Warren	NEO
			<i>Pyrinia</i>	<i>aroaria</i>	Schaus	NEO
			<i>Pyrinia</i>	<i>aurantiaca</i>	Butler 1881	NEO
			<i>Pyrinia</i>	<i>callioparia</i>	Oberthür 1883	NEO
			<i>Pyrinia</i>	<i>cerocampata</i>	Guenée 1858	NEO
			<i>Pyrinia</i>	<i>discata</i>	Schaus 1901	NEO
			<i>Pyrinia</i>	<i>formosa</i>	Warren	NEO
			<i>Pyrinia</i>	<i>gallaria</i>	(Walker 1860)	NEO
			<i>Pyrinia</i>	<i>grata</i>	Walker	NEO
			<i>Pyrinia</i>	<i>humerata</i>	Warren	NEO
			<i>Pyrinia</i>	<i>itunaria</i>	Walker 1860	NEO
			<i>Pyrinia</i>	<i>mephisaria</i>	Walker 1860	NEO
			<i>Pyrinia</i>	<i>resignata</i>	Guenée 1858	NEO

Family	Subfamily	Tribe	Genus (Subgenus)	species subspecies	(Author Date)	Zoogeographic Region
			<i>Pyrinia</i>	<i>rufa</i>	Dognin	NEO
			<i>Pyrinia</i>	<i>solata</i>	Guenée 1858	NEO
			<i>Pyrinia</i>	<i>yerna</i>	Dognin 1896	NEO
			<i>Pyrinia</i>	<i>zizana</i>	Dognin 1896	NEO
			<i>Rhodophthitus</i>	<i>simplex</i>	Warren 1897	ETH
			<i>Rhomboptila</i>	<i>brantsiata</i>	(Snellen 1874)	NEO
			<i>Rhomboptila</i>	<i>conscripta</i>	(Warren 1900)	NEO
			<i>Rhomboptila</i>	<i>siccifolia</i>	Warren 1893	NEO
			<i>Rhomboptila</i>	<i>tipaldii</i>	Thierry-Mieg 1893	NEO
			<i>Sangala</i>	<i>sacrata uxisama</i>	(Druce 1885)	NEO
			<i>Sigmathyris</i>	<i>scriptipennaria</i>	(Walker 1860)	NEO
			<i>Sphingomima</i>	<i>cinereomarginata</i>	(Holland 1893)	ETH
			<i>Synegia</i>	<i>parallelaria</i>	(Walker 1902)	AUS
			<i>Tetragonodes</i>	<i>anopsaria</i>	Guenée 1858	NEO
			<i>Tetragonodes</i>	<i>rufata</i>	Dognin 1900	NEO
			<i>Tolmera</i>	<i>albibasalis</i>	Warren 1903	AUS
			<i>Trotogonia</i>	<i>pallidata</i>	Warren 1905	NEO
			<i>Trotopera</i>	<i>arrhapa</i>	Druce 1891	NEO
			<i>Uranodoxa</i>	<i>longicornis</i>	Butler 1887	AUS
			<i>Urepione</i>	<i>contorta</i>	Thierry-Mieg 1892	NEO
			<i>Vindusara</i>	<i>moorei</i>	(Thierry-Mieg 1899)	ORI
			<i>Xylolocha</i>	<i>capucina</i>	Thierry-Mieg 1892	NEO
			<i>Xyloscia</i>	<i>subspersata</i>	(Felder 1875)	ORI