

# Flowers of Italy's Gargano Peninsula

Naturetrek Tour Report

20 - 27 April 2008



From the hotel, Monte Sant'Angelo



*Iris pseudopumila*



*Legousia speculum-veneris*



Shepherd's hut

Report compiled by Jessica Turner and Richard Turnell  
Images by Jessica Turner



Naturetrek Cheriton Mill Cheriton Alresford Hampshire SO24 0NG England

T: +44 (0)1962 733051

F: +44 (0)1962 736426

E: [info@naturetrek.co.uk](mailto:info@naturetrek.co.uk)

W: [www.naturetrek.co.uk](http://www.naturetrek.co.uk)

Tour Leaders: Jessica Turner  
Richard Turnell

Participants: Judith Clark  
Mary Homfray  
Colin Hughes  
Michael McKeon  
Hilary McKeon  
Murray McLaggan  
Jennifer McLaggan  
Chas Shaw  
Judy Shaw  
Ernst Sondheimer  
John Taylor  
Betty Taylor  
John Vaughan  
Chris Ward

## Day 1

Sunday 20th April

Weather: warm and sunny

Richard met most of the group at Gatwick, catching the 7.45 flight to Naples, where we met up with Michael and Hilary, and Jessica. We collected the minibuses, and were soon on the road, heading east across Italy, noting the groves of Walnuts (*Juglans regia*) and Hazels (*Corylus avellana*), which gave way to arable and pasture. Some group members noted their first of many orchids, with large spikes of Lady Orchid (*Orchis purpurea*) on the verges. Leaving the autostrada, our route took us past some muddy pools where Black-winged Stilts, Little Egrets and Spoonbills made a good start to the bird list. Passing Manfredonia, we climbed slowly up to Monte St Angelo, high on the Gargano massif, and arrived in good time to settle into our hotel before dinner.

## Day 2

Monday 21st April

Weather: Grey at first, becoming bright. Windy

After a leisurely breakfast, we left shortly after 9am to begin our first full day botanising the meadows along the road from the hotel. Our first stop was all of 300m away, where we were impressed by the array of orchids, especially the yellow *Ophrys*, both *O. lutea* and, in greater quantity, *O. sicula*, told by its brown V on the margin. We also started to find the dark Ophryses: the Gargano Ophrys (*O. garganica*), the endemic Promontory Ophrys (*O. promontoria*), the dark Ophrys (*O. incubacea*), and the delightful Bertoloni's Ophrys (*O. bertolonii*) with its 'ski-slope' lip, and the endemic, closely-related *O. bertoloniiiformis*, and our introduction to the various hybrid forms.

A stunning specimen of the Apulian Ophrys (*O. apulica*), with its bright pink sepals and petals, and large patterned brown lip, was also found. The diversity of the other plants equally caught our attention, especially the Pink Hawksbeard (*Crepis rubra*), the blue Dyer's Alkanet (*Alkanna lehmannii*), yellow Horseshoe Vetch (*Hippocrepis glauca*) and the silver-leaved *Sideritis syriaca*.

Dragging ourselves away from this meadow, we proceeded a little further down the road, stopping by a track to a radio mast. Here we found a magnificent specimen of the Giant Orchid (*Himantoglossum robertianum*): an unusual sight, as it is a very early flowerer, and spikes of Lady Orchid (*Orchis purpurea*) coming into bloom. Pink Butterfly Orchid (*Orchis papilionacea*), Green-winged Orchids (*Orchis morio*), Man Orchid (*Orchis anthropophorum*), and Naked Man Orchid (*Orchis italica*) were in profusion, together with spikes of Milky Orchid (*O. lactea*), Four-spotted orchid (*Orchis quadripunctata*) and more *Ophrys* specimens. As we wandered through this bounty, Burnt tip Orchid (*Orchis ustulata*) and the dainty yellow iris, *Iris pseudopumila*, were also found, with three species of rock rose, Common, Hoary and White (*Helianthemum nummularium*, *H. oelandicum* ssp *canum*, and *H. apenninum*).

After our picnic lunch of local hams and cheeses, we continued our slow progress along the road. A climb over a fence gave us the opportunity to admire pure white *O. quadripunctata* and an unusual hybrid between Man and Naked Man orchids. Driving through fields of Asphodel (*Asphodelus aestivus*) we came to the monastery of St. Madre di Dio at Pulsano. Here on the rocks, we found the endemic Pale Goldendrop (*Onosma lucana*), together with the Ploughshare Tongue Orchid (*Serapias vomeracea*), the white *Allium subhirsutum*, and the tiny blue iris Barbary Nut (*Gynandriris sisyrinchium*). Some of the group visited the abbey church, built into the cliff, with its fine carvings and large plant of White Henbane (*Hyoscyamus albus*) near the door.

Dinner this evening included gargantuan pizzas.

## Day 3

Tuesday 22nd April

Weather: Early rain, becoming bright. Windy

Bright sun but thick black clouds greeted the morning, resulting in a stunning rainbow over the hills. However, the rain was short-lived and today we set out to explore the wooded interior of Gargano: the Bosco Quarto. Our first stop was at some rocky meadows by a road junction, where we reacquainted ourselves with some species from Monday, including some fine *Iris pumila* and *Ophrys* species, but also found new ones, including the Spectacled Ophrys, *Ophrys speculum*, the tiny Bumblebee Orchid, *Ophrys bombyliflora*, and the Black Vetch, *Vicia melanops*.

Moving on from here, we entered the wooded area, dominated by Downy Oak, *Quercus pubescens*, and drove along forest tracks, admiring the blue and white *Anemone apennina*, and yellow Heart-leaved Leopardsbane (*Doronicum columnae*). Stopping to explore further we could find only dead spikes of the Bird's nest Orchid (*Neottia nidus-avis*) from last year, but did find fine examples of Lungwort (*Pulmonaria* sp. probably *P. saccharata*), Coralroot Bittercress (*Cardamine bulbifera*) with its black bulbils in the leaf axils, and its smaller relative, Ivy-leaved Bittercress (*Cardamine plumieri*), and Bird-in-a-Bush (*Corydalis solida*).

Our picnic site was by some lovely old Eastern Hornbeams (*Carpinus orientalis*), where we were serenaded by Garden Warblers and Blackcaps.

Setting off after lunch we stopped to admire cream Roman Orchids (*Dactylorhiza romana*) and the charming pansy *Viola heterophylla ssp graeca*, which occurs in Gargano, Albania and Greece. At the wood edge we found Green Hairstreak and Southern Festoon butterflies, before crossing a field onto a track, where we were serenaded by a nightingale, as ever heard rather than seen. We paused to enjoy a rocky hillside covered with *Iris lutescens* mainly in purple, but also cream, before returning to the buses. En route home we stopped to look at a bank covered with the Poet's Narcissus (*Narcissus poeticus*).

## Day 4

Wednesday 23rd April

Weather: mainly sunny but windy

Today our destination was the Sacred Mountain, Monte Sacro. Following the twisty road out of Monte St Angelo, we descended to Mattinata, before starting the ascent to Monte Sacro, where we met with Giovanni, the author of the local orchid book. We set out up the rocky path, soon finding new species including the Dense-flowered Orchid (*Orchis intacta*, was *Neotinia maculata*) and the Toothed Orchid (*Orchis tridentata*), and fine specimens of Apulian Orchid (*Ophrys apulica*). Continuing up the path, through light woodland of Holm Oak, *Quercus ilex*, we encountered another new species, the yellow Sparse-flowered Orchid (*Orchis pauciflora*), together with stands of Four-spotted Orchid (*Orchis quadripunctata*). We also saw the delicate blue *Anchusa cretica*, and the unusual flowered *Aristolochia rotunda* with its pipe-shaped flowers. We eventually reached a little shrine with benches, for a well-deserved rest.

Some of the group continued to the top of the mountain, to the ruined monastery, finding on the way up some early specimens of Sword-leaved Helleborine, *Cephalanthera longifolia*. On the walls of the monastery we found the leaves of the endemic bellflower *Campanula garganica*, and the tiny Spring Rockcress, *Arabis verna*. Descending to the buses, we enjoyed a late picnic, before returning to Monte St Angelo, where group members had the opportunity to explore the ancient town with its castle and medieval church.

## Day 5

Thursday 24th April

Weather: Mainly bright, showers around midday

Today we decided on a new venture, descending to the plains beyond Manfredonia. Our first stop was a field full of *Gladiolus italicus*, with verge flowers including the golden Crown Daisies (*Glebionis (Chrysanthemum) coronarium*), poppies (*Papaver rhoeas*) and the blue large-flowered storksbill *Erodium ciconium*. We proceeded to the Salines di Margherita, where we focussed more on the birds, seeing among other species, Spoonbill, Little Egret, Avocet, Black-winged stilt, Curlew Sandpiper and wonderful flocks of flamingos. Among the plants were Squirtng Cucumber (*Ecballium elaterium*), and several saltmarsh plants we could not get close enough to identify. On the sea side of the road was a magnificent bank of yellow Hottentot Fig (*Carpobrotus edulis*).

Lunch was taken in the grounds of an environmental centre, where we were able to explore arable field margins with more *Gladiolus italicus*, Bellardia (*Bellardia trixago*) and Large Venus' Looking Glass (*Legousia speculum-veneris*) while Marsh and Montagu's Harriers flew past.

In the afternoon we returned to the uplands of Gargano, enjoying en route the fine specimens of Giant Fennel, *Ferula communis*.

We were searching for Paeony which sadly was not in flower, but found another new orchid, the Elderflowered Orchid, *Dactylorhiza sambucina*, along with more Roman Orchids, *Dactylorhiza romana*. We also found a fine specimen of the Wild Service Tree, *Sorbus torminalis*.

## Day 6

Friday 25th April

Weather: bright, some sun, but a very strong wind

Today it was time to pack and move on to our second hotel at Peschici. It was Liberation Day and everyone was out to enjoy the holiday. In the morning, we walked part of the Pilgrim's Path, down from Monte St Angelo, enjoying the shelter of the hillside. The rocks along the way were covered in patches of Aubretia (*Aubretia columnae*) and the contrasting Rockcresses: *Arabis caucasica*, with its large white flowers, probably naturalized, and Spring Rockcress, *Arabis verna*.

There were plenty of orchids along the path, including specimens of *Ophrys gorganica*, *Ophrys incubacea*, *Ophrys promontorii*, and many hybrids. We were intrigued by some multi-petalled, ball shaped flowers of the buttercup *Ranunculus millefoliatus*, as well as the usual single flowers, but the star of the walk was a fine specimen of the green and black Widow Iris, *Hermodactylus tuberosus*. It is unusual to find it still in flower, and we had seen many seedpods.

Richard had taken one of the buses down to meet the group, and soon we had both vehicles, and were on our way north. Our route took us through the Foresta Umbra, which is predominantly Beech, with some ancient Yews. We stopped in the middle of the forest for our picnic, finding eventually a reasonably quiet picnic site, and the familiar Ransoms (*Allium ursinum*) and Snowdrop leaves (*Galanthus reginae-olgae*) were found, while birds included Song Thrush, Blackcap and Firecrest.

After a leisurely break, we journeyed onwards to Peschici, and were soon settled into our hotel, with time to explore the beach or the town, in the afternoon sunshine.

## Day 7

Saturday 26th April

Weather: Early cloud and rain, then bright and quite sunny, but with a strong wind

For our last day in the field, we headed westwards from Peschici along the coast and inland along the shores of Lago di Varano. It was disappointing for bird life, but a stop in a neglected olive grove gave fine examples of such plants as Rosy Garlic (*Allium rosea*), *Urospermum dalechampii*, and more Pink Hawksbeard (*Crepis rubra*). A stop along the road gave the opportunity to see Pyramidal Orchid (*Anacamptis pyramidalis*).

We then headed for the hills, to the 'Bosco di Spinipulci', up an extremely steep and pot-holed track, where we stopped for further exploration and, later, lunch. Here, among the rocky boulders, we found a treasure trove of new species including the Fragrant Orchid (*Orchis fragrans*), closely related to the Bug Orchid (*Orchis coriophora*), the Small-flowered Serapias (*Serapias parviflora*), and the beautiful and dramatic Heart-flowered Serapias (*Serapias cordigera*). There were more Ophrys specimens, mainly hybrids, but including a 'fairly pure' endemic *Ophrys parvimaculata*. The crimson spotted form of Small-flowered Catchfly (*Silene gallica var quinquevulnera*) was also found.

The thorny scrub was mainly Mediterranean Buckthorn (*Rhamnus alaternus*) and Christ's Thorn (*Paliurus spina-christi*), while we noted the small red-foliaged trees, which were found to be Turpentine Trees (*Pistacia terebinthus*). Serenaded by Golden Orioles, some of the group explored the woodland, finding Provence orchid (*Orchis provincialis*) and Spring Cyclamen (*Cyclamen repandum*).

After a rather windswept lunch we retraced our steps, and a short drive took us to a dolina: a collapsed underground cavern, the largest in Italy. Sadly we were unable to walk into it, but along the track we found various interesting plants including a fine patch of the Wild Pea, *Pisum sativum*, and Hairy Lupin, *Lupinus micranthus*. Returning to the buses (some were picked up along the way) we made our way back to Peschici, for our final evening.

## Day 8

Sunday 27th April

Weather: bright and sunny

A very early start saw us winding our way up to the main road, with the sun rising over the sea. We headed west back towards Naples, passing a white stork in a field by the motorway.

Jessica said goodbye to the group in Naples airport, and the rest returned to Gatwick, after a week full of flowers.

## Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit [www.naturetrek.co.uk](http://www.naturetrek.co.uk) to sign up.

## Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at [www.facebook.com](http://www.facebook.com) is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!

## Species Lists

### Plants

| <b>Scientific Name</b>                                | <b>Common name</b>     | <b>Location</b>                   |
|---|------------------------|-----------------------------------|
| <b>PTERIDOPHYTES (Ferns)</b>                          |                        |                                   |
| <b>Aspleniaceae</b>                                   |                        |                                   |
| <i>Asplenium trichomanes</i>                          | Maidenhair Spleenwort  | Castle walls, Monte Sant' Angelo  |
| <i>Ceterach officinarum</i>                           | Rustyback              | Rocks and walls in pastures       |
| <i>Phyllitis scolopendrium</i>                        | Hart's-tongue Fern     | Foresta Umbra                     |
| <b>Dennstaedtiaceae</b>                               |                        |                                   |
| <i>Pteridium aquilinum</i>                            | Bracken                | Pastures                          |
| <b>Dryopteridaceae</b>                                |                        |                                   |
| <i>Polystichum setiferum</i>                          | Soft-shield Fern       | Foresta Umbra                     |
| <b>PINOPSIDA (Gymnosperms - Conifers)</b>             |                        |                                   |
| <b>Cupressaceae</b>                                   |                        |                                   |
| <i>Cupressus sempervirens</i>                         | Italian Cypress        | Widespread                        |
| <i>Juniperus oxycedrus</i>                            | Prickly Juniper        | Rocky pastures Monte Sant' Angelo |
| <b>Pinaceae</b>                                       |                        |                                   |
| <i>Pinus halapensis</i>                               | Aleppo Pine            | Widespread                        |
| <i>Pinus pinaster</i>                                 | Maritime Pine          | En route                          |
| <i>Pinus pinea</i>                                    | Stone or Umbrella Pine | En route                          |
| <b>Taxaceae</b>                                       |                        |                                   |
| <i>Taxus baccata</i>                                  | Yew                    | Foresta Umbra                     |
| <b>MAGNOLIOPSIDA (Angiosperms - Flowering Plants)</b> |                        |                                   |
| <b>Magnoliidae (Dicotyledons)</b>                     |                        |                                   |
| <b>Aceraceae</b>                                      |                        |                                   |
| <i>Acer pseudoplatanus</i>                            | Maple Family           | Sycamore                          |
| <i>Acer obtusatum</i>                                 |                        | Bosco Quarto                      |
| <i>Acer opalus</i>                                    |                        | Monte Sant' Angelo                |
|   |                        | Bosco Quarto                      |
| <b>Aizoaceae</b>                                      |                        |                                   |
| <i>Carpobrotus acinaciformis</i>                      | Dew-plant Family       | Hottentot Fig                     |
|   |                        | Salines                           |
| <b>Anacardiaceae</b>                                  |                        |                                   |
| <i>Pistacia lentiscus</i>                             | Sumach Family          | Mastic Tree                       |
| <i>Pistacia terebinthus</i>                           |                        | Monte Sacro                       |
|   |                        | Bosci di Spinipulchi              |

| <b>Scientific Name</b>                  | <b>Common name</b>        | <b>Location</b>                    |
|---|---------------------------|------------------------------------|
| <b>Apiaceae (Umbelliferae)</b>          | <b>Carrot Family</b>      |                                    |
| <i>Daucus carota</i>                    | Wild Carrot               | Rocky pastures, Monte Sant' Angelo |
| <i>Eryngium campestre</i>               | Field Eryngo              | Rocky pastures, Monte Sant' Angelo |
| <i>Ferrula communis</i>                 | Giant Fennel              | Widespread, roadsides              |
| <i>Laserpitium latifolium</i>           | Broad-leaved Sermountain  | Bosco Quarto roadside              |
| <i>Orlaya grandiflora</i>               | Orlaya                    | Pulsano Monastery                  |
| <i>Sanicula europaea</i>                | Sanicle                   | Bosco Quarto                       |
| <i>Scandix pecten-veneris</i>           | Shepherd's Needle         | Rocky pastures, Monte Sant' Angelo |
| <i>Smyrnium perfoliatum</i>             | Perfoliate Alexanders     | Monte Sacro                        |
| <i>Smyrnium rotundifolium</i>           |                           | Monte Sacro                        |
| <i>Thapsia garganica</i>                | Thapsia                   | Rocky pastures, Monte Sant' Angelo |
| <i>Tordylium apulum</i>                 | Tordylium                 | Pulsano Monastery                  |
| <b>Apocynaceae</b>                      | <b>Periwinkle Family</b>  |                                    |
| <i>Nerium oleander</i>                  | Oleander                  | Roadsides en route                 |
| <i>Vinca major</i>                      | Periwinkle                | Dolina                             |
| <b>Aquifoliaceae</b>                    | <b>Holly Family</b>       |                                    |
| <i>Ilex aquifolium</i>                  | Holly                     | Foresta Umbra                      |
| <b>Aralaceae</b>                        | <b>Ivy Family</b>         |                                    |
| <i>Hedera helix</i>                     | Ivy                       | Bosco Quarto                       |
| <b>Aristolochiaceae</b>                 | <b>Birthwort Family</b>   |                                    |
| <i>Aristolochia rotunda</i>             | A Birthwort               | Monte Sacro                        |
| <b>Asclepiadaceae</b>                   | <b>Milkweed Family</b>    |                                    |
| <i>Vincetoxicum hirundinaria</i>        | Swallow-wort              | Rocky pastures Monte Sant' Angelo  |
| <b>Asteraceae (Compositae)</b>          | <b>Daisy Family</b>       |                                    |
| <i>Andryala integrifolia</i>            | Andryala                  | Rocky pastures Monte Sant' Angelo  |
| <i>Bellis perennis</i>                  | Daisy                     | Rocky pastures Monte Sant' Angelo  |
| <i>Bellis sylvestris</i>                | Southern Daisy            | Rocky pastures Monte Sant' Angelo  |
| <i>Calendula arvensis</i>               | Field Marigold            | Pulsano Monastery                  |
| <i>Carduus chrysacanthus</i>            | Apennine Thistle          | Rocky pastures Monte Sant' Angelo  |
| <i>Cirsium eriophorum</i> (Leaves only) | Woolly Thistle            | Bosco Quarto                       |
| <i>Crepis rubra</i>                     | Pink Hawksbeard           | Rocky pastures Monte Sant' Angelo  |
| <i>Crupina crupinastrum</i>             | Crupina                   | Monte Sacro road                   |
| <i>Dittrichia viscosa</i>               | Woody Fleabane            | Monte Sacro road                   |
| <i>Doronicum columnae</i>               | Heart-leaved Leopardsbane | Bosco Quarto                       |
| <i>Doronicum plantagenum</i>            | A Leopardsbane            | Bosco Quarto pasture               |
| <i>Evax pygmaea</i>                     |                           | Pulsano Monastery                  |

| <b>Scientific Name</b>                          | <b>Common name</b>          | <b>Location</b>                      |
|---|-----------------------------|--------------------------------------|
| <i>Galactites tomentosa</i>                     | Galacitites                 | Pulsano Monastery                    |
| <i>Glebionis (Chrysanthemum) coronarium</i>     | Crown Daisy                 | Roadside near Salines                |
| <i>Glebionis (Chrysanthemum segetum)</i>        | Corn Marigold               | Roadside near Salines                |
| <i>Helichrysum stoechas</i>                     | A Curry Plant               | Rocky pastures Monte Sant' Angelo    |
| <i>Hyoseris radiata</i>                         |                             | Rocky pastures Monte Sant' Angelo    |
| <i>Inula verbascifolia</i>                      |                             | Castle walls Monte Sant' Angelo      |
| <i>Rhagadolius edulis</i>                       |                             | Dolina                               |
| <i>Scorzonera lacinata</i>                      | Cut-leaved Viper's-grass    | Rocky pastures Monte Sant' Angelo    |
| <i>Scorzonera villosa</i>                       | Hairy Viper's Grass         | Rocky pastures Monte Sant' Angelo    |
| <i>Silybum marianum</i>                         | Milk Thistle                | Pulsano Monastery                    |
| <i>Taraxacum agg.</i>                           | A Dandelion                 | Bosco Quarto                         |
| <i>Tragopogon sinuatus</i>                      |                             | Rocky pastures Monte Sant' Angelo    |
| <i>Urospermum dalechampii</i>                   |                             | Rocky pastures Monte Sant' Angelo    |
| <br>  |                             |                                      |
| <b>Betulaceae</b>                               | <b>Birch Family</b>         |                                      |
| <i>Corylus avellana</i>                         | Hazel                       | En route                             |
| <i>Carpinus orientalis</i>                      | Eastern Hornbeam            | Bosco Quarto                         |
| <i>Ostrya carpinifolia</i>                      | Hop Hornbeam                | Roadside Monte Sant' Angelo          |
| <br>  |                             |                                      |
| <b>Boraginaceae</b>                             | <b>Forget-me-not Family</b> |                                      |
| <i>Alkanna lehmanii</i>                         | Dyer's Alkanet              | Rocky pastures Monte Sant' Angelo    |
| <i>Anchusa cretica</i>                          |                             | Monte Sacro                          |
| <i>Borago officinalis</i>                       | Borage                      | En route                             |
| <i>Echium vulgare</i>                           | Vipers Bugloss              | Roadside near Manfredonia            |
| <i>Lithodora (Buglossoides) purpurocaerulea</i> | Purple Gromwell             | Road towards S Marco, day 5          |
| <i>Myosotis arvensis</i>                        | Field Forget-me-not         | Road towards S Marco, day 5          |
| <i>Myosotis sp.</i>                             | A Forget-me-not             | Rocky pastures Monte Sant' Angelo    |
| <i>Onosma lucana (endemic)</i>                  | a Goldendrop                | Pulsano Monastery                    |
| <i>Pulmonaria officinalis</i>                   | Common Lungwort             | Bosco Quarto                         |
| <br>  |                             |                                      |
| <b>Brassicaceae (Cruciferae)</b>                | <b>Cabbage Family</b>       |                                      |
| <i>Aethionema saxatile</i>                      |                             | Rocky pastures Monte Sant' Angelo    |
| <i>Alliaria petiolata</i>                       | Garlic Mustard              | Bosco Quarto                         |
| <i>Alyssum montanum</i>                         | Mountain Alyssum            | Rocky pastures Monte Sant' Angelo    |
| <i>Alyssum saxatile</i>                         | Yellow Alyssum              | Rocky pastures Monte Sant' Angelo    |
| <i>Arabis caucasica</i>                         | Garden Rockcress            | Monte Sant'Angelo and Pilgrims Path  |
| <i>Arabis hirsuta</i>                           | Hairy Rockcress             | Monte Sacro                          |
| <i>Arabis verna</i>                             | Spring Rockcress            | Monte Sant'Angelo, Pilgrims Path     |
| <i>Arabis turrita</i>                           | Tower Mustard               | Dolina                               |
| <i>Aubretia columnae</i>                        | An Aubretia                 | Monte Sant' Angelo and Pilgrims Path |
| <i>Biscutella didyma</i>                        | Biscutella                  | Rocky pastures Monte Sant' Angelo    |
| <i>Capsella bursa-pastoris</i>                  | Shepherd's Purse            | Pulsano Monastery                    |

| <b>Scientific Name</b>                   | <b>Common name</b>          | <b>Location</b>                   |
|--|-----------------------------|-----------------------------------|
| <i>Cardamine bulbifera</i>               | Coralroot                   | Bosco Quarto                      |
| <i>Cardamine plumieri</i>                | Ivy-leaved Bittercress      | Bosco Quarto                      |
| <i>Isatis tinctoria</i>                  | Woad                        | En route                          |
| <i>Lepidium (Cardaria) draba</i>         | Hoary Cress                 | Pulsano Monastery                 |
| <i>Lepidium latifolium</i>               | Dittander                   | Pulsano Monastery                 |
| <i>Sinapis arvensis</i>                  | Charlock                    | Rocky pastures Monte Sant' Angelo |
| <i>Sisymbrium officinale</i>             | Hedge Mustard               | Roadside near Manfredonia         |
| <b>Cactaceae</b>                         | <b>Cactus Family</b>        |                                   |
| <i>Opuntia ficus-indica</i>              | Prickly Pear                | En route                          |
| <b>Campanulaceae</b>                     | <b>Bellflower Family</b>    |                                   |
| <i>Campanula gaganica (endemic)</i>      | a Bellflower                | Leaves onle Monte Sacro Monastery |
| <i>Legousia speculum-veneris</i>         | Large Venus's Looking Glass | Field margin, Salines             |
| <i>Legousia hybrida</i>                  | Venus's Looking Glass       | Road verge Monte Sant' Angelo     |
| <b>Caprifoliaceae</b>                    | <b>Honeysuckle Family</b>   |                                   |
| <i>Lonicera etrusca</i>                  | Etruscan Honeysuckle        | Wood nr S Marco in Lamis          |
| <i>Lonicera periclymenum</i>             | Honeysuckle                 | Bosco Quarto                      |
| <i>Sambucus nigra</i>                    | Elder                       | En route                          |
| <b>Caryophyllaceae</b>                   | <b>Pink Family</b>          |                                   |
| <i>Cerastium fontanum</i>                | Common Mouse-ear            | Rocky pastures Monte Sant' Angelo |
| <i>Kohlrauschia velutina</i>             | Kohlrauschia                | Pulsano Monastery                 |
| <i>Minuartia sp.</i>                     | A Sandwort                  | Rocky pastures Monte Sant' Angelo |
| <i>Silene colorata</i>                   |                             | Rocky pastures Monte Sant' Angelo |
| <i>Silene conica</i>                     | Sand Catchfly               | Rocky pastures Monte Sant' Angelo |
| <i>Silene galica var. quinquevulnera</i> |                             | Bosco di Spinapulci               |
| <i>Silene italica</i>                    | Italian Catchfly            | Pilgrims Path, Monte Sant' Angelo |
| <i>Silene latifolia</i>                  | White Campion               | Monte Sacro                       |
| <i>Silene vulgaris</i>                   | Bladder Campion             | Pulsano Monastery                 |
| <i>Stellaria media</i>                   | Common Chickweed            | Bosco Quarto                      |
| <i>Stellaria nemorum</i>                 | Wood Stitchwort             | Bosco Quarto                      |
| <b>Celastraceae</b>                      | <b>Spindle Family</b>       |                                   |
| <i>Euonymus europaeus</i>                | Spindle                     | Dolina                            |
| <b>Cistaceae</b>                         | <b>Rock-rose Family</b>     |                                   |
| <i>Cistus creticus</i>                   | Pink Cistus                 | Roadside en route Monte Sacro     |
| <i>Cistus monspeliensis</i>              | Narrow-leaved Cistus        | Roadside en route Monte Sacro     |
| <i>Cistus salvifolius</i>                | Sage-leaved Cistus          | Roadside en route Monte Sacro     |
| <i>Helianthemum apenninum</i>            | White Rockrose              | Rocky pastures Monte Sant' Angelo |
| <i>Helianthemum oelandicum (canum)</i>   | Hoary Rockrose              | Rocky pastures Monte Sant' Angelo |

| <b>Scientific Name</b>                        | <b>Common name</b>           | <b>Location</b>                   |
|---|------------------------------|-----------------------------------|
| <i>Helianthemum nummularium</i>               | Rockrose                     | Rocky pastures Monte Sant'Angelo  |
| <b>Convolvulaceae</b>                         | <b>Bindweed Family</b>       |                                   |
| <i>Calystegia sp.</i>                         | A Bindweed                   | Peschici                          |
| <i>Convolvulus althaeoides</i>                | Mallow-leaved Bindweed       | Pulsano Monastery                 |
| <i>Cuscuta epithymum</i>                      | Common Dodder                | Rocky pastures Monte Sant' Angelo |
| <b>Crassulaceae</b>                           | <b>Stonecrop Family</b>      |                                   |
| <i>Sedum rubens</i>                           | Reddish Stonecrop            | En route                          |
| <i>Umbilicus rupestris</i>                    | Wall Pennywort               | Dolina                            |
| <b>Cucurbitaceae</b>                          | <b>Cucumber family</b>       |                                   |
| <i>Ecballium elaterium</i>                    | Squirting Cucumber           | Salines                           |
| <b>Dipsacaceae</b>                            | <b>Teasel Family</b>         |                                   |
| <i>Dipsacus fullonum</i>                      | Wild Teasel                  | Road verge Monte Sant'Angelo      |
| <b>Euphorbiaceae</b>                          | <b>Spurge Family</b>         |                                   |
| <i>Euphorbia amygdaloides</i>                 | Wood Spurge                  | Bosco Quarto                      |
| <i>Euphorbia cyparisseus</i>                  | Cypress Spurge               | Nr Peschici                       |
| <i>Euphorbia characias</i>                    | Mediterranean Spurge         | Monte Sacro                       |
| <i>Euphorbia helioscopia</i>                  | Sun Spurge                   | Rocky pastures Monte Sant' Angelo |
| <i>Euphorbia myrsinites</i>                   | Broad-leaved Glaucous Spurge | Rocky pastures Monte Sant' Angelo |
| <i>Euphorbia segetalis</i>                    |                              | Rocky pastures Monte Sant' Angelo |
| <i>Euphorbia spinosa</i>                      |                              | Pulsano                           |
| <i>Mercurialis perennis</i>                   | Dog's Mercury                | Bosco Quarto                      |
| <b>Fabaceae (Leguminosae)</b>                 | <b>Pea Family</b>            |                                   |
| <i>Anthyllis vulneraria ssp. praeproperta</i> | Kidney Vetch (pink)          | Rocky pastures Monte Sant' Angelo |
| <i>Astragalus hamosus</i>                     | A Milk Vetch                 | Iris meadow Bosco Quarto          |
| <i>Calicotome infesta</i>                     | Spiny Broom                  | En route Monte Sacro              |
| <i>Cercis siliquastrum</i>                    | Judas Tree                   | Pulsano                           |
| <i>Coronilla emerus</i>                       | False Senna                  | En route Monte Sacro              |
| <i>Coronilla scorpioides</i>                  | Annual Scorpion Vetch        | Rocky pastures Monte Sant' Angelo |
| <i>Cytisus decumbens ssp. elatior</i>         |                              | Rocky pastures Monte Sant' Angelo |
| <i>Dorycnium hirsutum</i>                     | Dorycnium                    | Pulsano                           |
| <i>Hedysarum coronarium</i>                   | Italian Sainfoin             | En route                          |
| <i>Hippocrepis glauca</i>                     | A Horseshoe Vetch            | Rocky pastures Monte Sant' Angelo |
| <i>Lathyrus aphaca</i>                        | Yellow Vetchling             | Bosco Quarto                      |
| <i>Lathyrus cicera</i>                        | A Vetchling                  | Road verge Monte Sant' Angelo     |
| <i>Lathyrus setifolius</i>                    | Red Grass Vetchling          | Rocky pastures Monte Sant' Angelo |
| <i>Lotus corniculatus</i>                     | Bird's-foot Trefoil          | Monte Sacro                       |
| <i>Lupinus micranthus</i>                     | Hairy Lupin                  | Dolina                            |

| <b>Scientific Name</b>                   | <b>Common name</b>      | <b>Location</b>                     |
|--|-------------------------|-------------------------------------|
| <i>Medicago arabica</i>                  | Spotted Medick          | Bosco Quarto                        |
| <i>Medicago orbiculare</i>               | Large Disk Medick       | Rocky pastures Monte Sant' Angelo   |
| <i>Medicago polymorpha</i>               |                         | Rocky pastures Monte Sant' Angelo   |
| <i>Onobrychis aquidentata</i>            |                         | Rocky pastures Monte Sant' Angelo   |
| <i>Onobrychis caput-galli</i>            | Cockscomb Sainfoin      | Pulsano                             |
| <i>Onobrychis crista-galli</i>           |                         | Rocky pastures Monte Sant' Angelo   |
| <i>Onobrychis saxatilis</i>              | Rock Sainfoin           | Rocky pastures Monte Sant' Angelo   |
| <i>Pisum sativum</i> ssp. <i>elatior</i> | Cultivated Pea          | Dolina                              |
| <i>Psoralea bituminosa</i>               | Pitch Trefoil           | Salines                             |
| <i>Robinia pseudacacia</i>               | False Acacia            | En route                            |
| <i>Securigera (Coronilla) varia</i>      | Crown Vetch             | Rocky pastures Monte Sant' Angelo   |
| <i>Spartium junceum</i>                  | Spanish Broom           | En route                            |
| <i>Trifolium campestre</i>               | Hop Trefoil             | Pulsano                             |
| <i>Trifolium incarnatum</i>              | Crimson Clover          | Road verges                         |
| <i>Trifolium repens</i>                  | White Clover            | Pulsano                             |
| <i>Trifolium resupinatum</i>             | Reversed Clover         | Roadside stop nr S Giovanni Rotondo |
| <i>Trifolium stellatum</i>               | Star Clover             | Very common                         |
| <i>Trifolium subterraneum</i>            | Burrowing clover        | Iris meadow Bosco Quarto            |
| <i>Trifolium tomentosum</i>              | Woolly Trefoil          | Pulsano                             |
| <i>Vicia bithynica</i>                   |                         | Rocky pastures Monte Sant' Angelo   |
| <i>Vicia cracca</i>                      | Tufted Vetch            | Nr Peschici                         |
| <i>Vicia hirsuta</i>                     | Hairy Tare              | Bosco Quarto                        |
| <i>Vicia lutea</i>                       | Yellow Vetch            | Bosco Quarto                        |
| <i>Vicia melanops</i>                    |                         | Pilgrims Path Monte Sant' Angelo    |
| <i>Vicia narbonensis</i>                 |                         | Roadside nr S Marco in Lamis        |
| <i>Vicia peregrina</i>                   | Broad pod vetch         | Road verges Monte Sant' Angelo      |
| <i>Vicia sativa</i>                      | Common Vetch            | Bosco Quarto                        |
| <i>Vicia villosa</i>                     | Fodder Vetch            | Rocky pastures Monte Sant' Angelo   |
| <b>Fagaceae</b>                          |                         |                                     |
|  | <b>Beech Family</b>     |                                     |
| <i>Castanea sativa</i>                   | Sweet Chestnut          |                                     |
| <i>Quercus coccifera</i>                 | Spanish Oak             | Monte Sacro                         |
| <i>Quercus cerris</i>                    | Turkey Oak              | Bosco Quarto                        |
| <i>Quercus ilex</i>                      | Holm Oak                | Monte Sacro                         |
| <i>Quercus pubescens</i>                 | Downy Oak               | Monte Sacro                         |
| <i>Fagus sylvatica</i>                   | Beech                   | Foresta Umbra                       |
| <b>Fumariaceae</b>                       |                         |                                     |
|  | <b>Fumitory Family</b>  |                                     |
| <i>Corydalis solida</i>                  | Bird-in-a-bush          | Bosco Quarto                        |
| <i>Fumaria capreolata</i>                | Tall Ramping Fumitory   | Monte Sacro                         |
| <i>Fumaria muralis</i>                   | Common Ramping Fumitory | Monte Sacro                         |
| <i>Fumaria officinalis</i>               | Common Fumitory         | Rocky pastures Monte Sant' Angelo   |

| <b>Scientific Name</b>        | <b>Common name</b>         | <b>Location</b>                      |
|-------------------------------|----------------------------|--------------------------------------|
| <b>Gentianaceae</b>           | <b>Gentian Family</b>      |                                      |
| <i>Blackstonia perfoliata</i> | Yellow-wort                |                                      |
| <b>Geraniaceae</b>            | <b>Crane's-bill Family</b> |                                      |
| <i>Erodium ciconium</i>       | A Stork's-bill             | Roadside verge nr Manfredonia        |
| <i>Erodium cicutarium</i>     | Common Stork's-bill        | Common                               |
| <i>Erodium malacoides</i>     | Mallow-leaved Stork's-bill | Rocky pastures Monte Sant' Angelo    |
| <i>Geranium columbinum</i>    | Long-stalked Crane's-bill  | Monte Sacro                          |
| <i>Geranium lucidum</i>       | Shining Crane's-bill       | Common                               |
| <i>Geranium molle</i>         | Dove's-foot Crane's-bill   | Common                               |
| <i>Geranium purpureum</i>     | Little Robin               | Pilgrims Path Monte Sant' Angelo     |
| <i>Geranium robertianum</i>   | Herb Robert                | Walls Monte Sant' Angelo             |
| <i>Geranium rotundifolium</i> | Round-leaved Crane's-bill  | Rocky pastures Monte Sant' Angelo    |
| <i>Geranium sanguineum</i>    | Bloody Crane's-bill        | Bosco Quarto first stop              |
| <b>Lamiaceae (Labiatae)</b>   | <b>Deadnettle Family</b>   |                                      |
| <i>Ajuga chamaepitys</i>      | Ground Pine                | Pulsano                              |
| <i>Ajuga genevensis</i>       | Blue Bugle                 | Bosco Quarto                         |
| <i>Clinopodium acinos</i>     | Basil-thyme                | Rocky pastures Monte Sant' Angelo    |
| <i>Lamium bifidum</i>         |                            | Bosco Quarto                         |
| <i>Lamium garganicum</i>      | Large Red Deadnettle       | Bosco Quarto                         |
| <i>Lamium maculatum</i>       | Spotted Deadnettle         | Bosco Quarto                         |
| <i>Marrubium vulgare</i>      | White Horehound            | Bosco Quarto                         |
| <i>Origanum vulgare</i>       | Oregano                    | Rocky pastures Monte Sant' Angelo    |
| <i>Prasium majus</i>          | Prasium                    | Monte Sacro                          |
| <i>Rosmarinus officinalis</i> | Rosemary                   | Roadsides east of Monte Sant' Angelo |
| <i>Salvia argentea</i>        | Silver Sage                | Rocky pastures Monte Sant' Angelo    |
| <i>Salvia verbenaca</i>       | Wild Clary                 | Rocky pastures Monte Sant' Angelo    |
| <i>Satureja hortensis</i>     | Savory                     | Monte Sacro                          |
| <i>Sideritis cretica</i>      | Sideritis                  | Rocky pastures Monte Sant' Angelo    |
| <i>Stachys cretica</i>        | Mediterranean Woundwort    | Dolina                               |
| <i>Thymus capitatus</i>       | A Thyme                    | Rocky pastures Monte Sant' Angelo    |
| <b>Linaceae</b>               | <b>Flax Family</b>         |                                      |
| <i>Linum bienne</i>           | Pale Flax                  | Rocky pastures Monte Sant' Angelo    |
| <i>Linum narbonense</i>       | Beautiful Flax             | Bosco Quarto                         |
| <i>Linum perenne</i>          | Perennial Flax             | Rocky pastures Monte Sant' Angelo    |
| <b>Malvaceae</b>              | <b>Mallow Family</b>       |                                      |
| <i>Lavatera arborea</i>       | Tree Mallow                | Nr Peschici                          |
| <i>Malva neglecta</i>         | Dwarf Mallow               | Bosco Quarto                         |
| <i>Malva sylvestris</i>       | Common Mallow              | Rocky pastures Monte Sant' Angelo    |

| <b>Scientific Name</b>          | <b>Common name</b>      | <b>Location</b>                         |
|---------------------------------|-------------------------|---|
| <b>Moraceae</b>                 | <b>Mulberry Family</b>  |   |
| <i>Ficus carica</i>             | Fig                     | En route                                |
| <b>Oleaceae</b>                 | <b>Olive Family</b>     |   |
| <i>Fraxinus ornus</i>           | Flowering Ash           | Bosco di Spinapulci                     |
| <i>Ligustrum vulgare</i>        | Privet                  | Bosco Quarto                            |
| <i>Olea europaea</i>            | Olive                   | Rocky pastures Monte Sant' Angelo       |
| <b>Orobanchaceae</b>            | <b>Broomrape Family</b> |   |
| <i>Orobanche minor</i>          | Common Broomrape        | Monte Sacro                             |
| <i>Orobanche ramosa</i>         | Branched Broomrape      | Bosco di Spinapulci                     |
| <b>Paeoniaceae</b>              | <b>Paeony Family</b>    |   |
| <i>Paeonia mascula</i>          | A Paeony                | Roadside nr S Marco in Lamis (lvs only) |
| <b>Papaveraceae</b>             | <b>Poppy Family</b>     |   |
| <i>Papaver apulum</i>           |                         | Pulsano                                 |
| <i>Papaver rhoes</i>            | Common Poppy            | Meadow nr Manfredonia                   |
| <b>Plantaginaceae</b>           | <b>Plantain Family</b>  |   |
| <i>Plantago lanceolata</i>      | Ribwort Plantain        | Monte Sant' Angelo                      |
| <i>Plantago maritima</i>        | Sea Plantain            | Bosco Quarto                            |
| <b>Polygalaceae</b>             | <b>Milkwort Family</b>  |   |
| <i>Polygala nicaeensis</i>      | Nice Milkwort           | Roadside nr S Marco in Lamis            |
| <b>Primulaceae</b>              | <b>Primrose Family</b>  |   |
| <i>Anagallis arvensis</i>       | Scarlet Pimpernel       | Rocky pastures Monte Sant' Angelo       |
| <i>Cyclamen hederifolium</i>    | Ivy-leaved Sowbread     | Bosco Quarto (lvs)                      |
| <i>Cyclamen repandum</i>        | Spring Cyclamen         | Bosco di Spinapulci                     |
| <b>Ranunculaceae</b>            | <b>Buttercup Family</b> |   |
| <i>Anemone apennina</i>         | Blue Anemone            | Bosco Quarto                            |
| <i>Anemone hortensis</i>        |                         | Rocky pastures Monte Sant' Angelo       |
| <i>Clematis sp.</i>             | a Clematis              | Rocky pastures Monte Sant' Angelo       |
| <i>Nigella damascina</i>        | Love-in-a-mist          | Roadside stop nr Sanicandro Garganico   |
| <i>Ranunculus acris</i>         | Meadow Buttercup        | Bosco Quarto                            |
| <i>Ranunculus aquatilis</i>     | Common Water-crowfoot   | Bosco Quarto                            |
| <i>Ranunculus arvensis</i>      | Corn Buttercup          | Bosco Quarto                            |
| <i>Ranunculus bulbosus</i>      | Bulbous Buttercup       | Bosco Quarto                            |
| <i>Ranunculus ficaria</i>       | Lesser Celandine        | Pilgrim's Path Monte Sant' Angelo       |
| <i>Ranunculus millefoliatus</i> |                         | Rocky pastures Monte Sant' Angelo       |

| <b>Scientific Name</b>        | <b>Common name</b>                  | <b>Location</b>                   |
|-------------------------------|-------------------------------------|-----------------------------------|
| <i>Ranunculus peltatus</i>    | Pond Water-crowfoot                 | Bosco Quarto                      |
| <i>Ranunculus sceleratus</i>  | Celery-leaved Buttercup             | Bosco Quarto                      |
| <i>Ranunculus velutinus</i>   |                                     | Roadside stop nr S Marco in Lamis |
| <b>Resedaceae</b>             | <b>Mignonette Family</b>            |                                   |
| <i>Reseda alba</i>            | White Mignonette                    | Rocky pastures Monte Sant' Angelo |
| <i>Reseda lutea</i>           | Wild Mignonette                     | Rocky pastures Monte Sant' Angelo |
| <i>Reseda phytisma</i>        | Corn Mignonette                     | Rocky pastures Monte Sant' Angelo |
| <b>Rhamnaceae</b>             | <b>Buckthorn Family</b>             |                                   |
| <i>Paliurus spina-christi</i> | Christ's Thorn                      | Bosco di Spinapulci               |
| <i>Rhamnus alaternus</i>      | Mediterranean Buckthorn             | Bosco di Spinapulci               |
| <b>Rosaceae</b>               | <b>Rose Family</b>                  |                                   |
| <i>Artemisia agrimonoides</i> | (Yellow Geum/Strawberry like plant) | Bosco Quarto                      |
| <i>Crataegus monogyna</i>     | Hawthorn                            | Rocky pastures                    |
| <i>Cydonia oblonga</i>        | Quince                              | Rocky pastures Monte Sant' Angelo |
| <i>Filipendula vulgaris</i>   | Dropwort                            | Roadside stop nr S Marco in Lamis |
| <i>Fragaria vesca</i>         | Wild Strawberry                     | Bosco Quarto                      |
| <i>Geum urbanum</i>           | Wood Avens                          | Bosco Quarto                      |
| <i>Malus sylvestris</i>       | Crab Apple                          | Bosco Quarto open ground          |
| <i>Potentilla hirta</i>       | Hairy Cinquefoil                    | Rocky pastures Monte Sant' Angelo |
| <i>Poterium verrucosum</i>    | Mediterranean Salad Burnet          | Rocky pastures Monte Sant' Angelo |
| <i>Prunus dulcis</i>          | Almond                              | Rocky pastures Monte Sant' Angelo |
| <i>Prunus spinosa</i>         | Blackthorn                          | Bosco Quarto                      |
| <i>Pyrus amygdaliformis</i>   | Almond-leaved Pear                  | Rocky pastures Monte Sant' Angelo |
| <i>Rosa sp.</i>               | A Rose                              | Bosco Quarto                      |
| <i>Rubus sanctus</i>          | Bramble                             | Bosco Quarto                      |
| <i>Sorbus aucuparia</i>       | Rowan                               | Roadside Monte Sant' Angelo       |
| <i>Sorbus torminalis</i>      | Wild Service Tree                   | Roadside stop nr S Marco in Lamis |
| <b>Rubiaceae</b>              | <b>Bedstraw Family</b>              |                                   |
| <i>Asperula arvensis</i>      | Blue Woodruff                       | Rocky pastures Monte Sant' Angelo |
| <i>Cruciata laevipes</i>      | Crosswort                           | Roadside stop nr S Marco in Lamis |
| <i>Galium aparine</i>         | Cleavers                            | Rocky pastures Monte Sant' Angelo |
| <i>Galium odoratum</i>        | Woodruff                            | Foresta Umbra                     |
| <i>Galium verum</i>           | Lady's Bedstraw                     | Rocky pastures Monte Sant' Angelo |
| <i>Rubia peregrina</i>        | Wild Madder                         | Monte Sacro                       |
| <i>Sherardia arvensis</i>     | Field Madder                        | Rocky pastures Monte Sant' Angelo |
| <b>Rutaceae</b>               | <b>Rue Family</b>                   |                                   |
| <i>Ruta chalepensis</i>       | Fringed Rue                         | Pulsano                           |

| <b>Scientific Name</b>               | <b>Common name</b>              | <b>Location</b>                   |
|--------------------------------------|---------------------------------|-----------------------------------|
| <b>Saxifragaceae</b>                 | <b>Saxifrage Family</b>         |                                   |
| <i>Saxifraga bulbifera</i>           | Bulbous Saxifrage               | Rocky pastures Monte Sant' Angelo |
| <i>Saxifraga granulata</i>           | Meadow Saxifrage                | Bosco Quarto                      |
| <i>Saxifraga tridactylites</i>       | Rue-leaved Saxifrage            | Rocky pastures Monte Sant' Angelo |
| <b>Scrophulariaceae</b>              | <b>Figwort Family</b>           |                                   |
| <i>Antirrhinum siculum</i>           | Sicilian Snapdragon             | Peschici                          |
| <i>Bellardia trixago</i>             | Bellardia                       | Roadside stop nr Manfredonia      |
| <i>Cymbalaria muralis</i>            | Ivy-leaved Toadflax             | Rocky pastures Monte Sant' Angelo |
| <i>Euphrasia agg.</i>                | An Eyebright                    | Bosco Quarto open ground          |
| <i>Linaria pelisseriana</i>          | Jersey Toadflax                 | Rocky pastures Monte Sant' Angelo |
| <i>Parentucella latifolia</i>        | Southern Red Bartsia            | Rocky pastures Monte Sant' Angelo |
| <i>Scrophularia canina</i>           | Dog (French) Figwort            | Bosco Quarto                      |
| <i>Scrophularia peregrina</i>        | Italian (Nettle-leaved) Figwort | Bosco di Spinapulci               |
| <i>Verbascum thapsus</i>             | Aaron's Rod                     | En route                          |
| <i>Verbascum undulatum</i>           |                                 | Peschici                          |
| <i>Veronica cymbalaria</i>           | Cymbalaria-leaved Speedwell     | Rocky pastures Monte Sant' Angelo |
| <i>Veronica hederifolia</i>          | Ivy-leaved Speedwell            | Bosco Quarto                      |
| <i>Veronica serpyllifolia</i>        | Thyme-leaved Speedwell          | Bosco Quarto                      |
| <b>Solanaceae</b>                    | <b>Nightshade Family</b>        |                                   |
| <i>Hyoscyamus alba</i>               | White Henbane                   | Pulsano                           |
| <b>Thymelaeaceae</b>                 | <b>Daphne Family</b>            |                                   |
| <i>Daphne laureola</i>               | Spurge Laurel                   | Bosco Quarto                      |
| <b>Ulmaceae</b>                      | <b>Elm Family</b>               |                                   |
| <i>Ulmus sp.</i>                     | An Elm                          | Monte Sant' Angelo                |
| <b>Urticaceae</b>                    | <b>Nettle Family</b>            |                                   |
| <i>Parientaria judaica</i>           | Pellitory of the Wall           | Pulsano                           |
| <i>Urtica dioica</i>                 | Nettle                          | Monte Sant' Angelo                |
| <b>Valerianaceae</b>                 | <b>Valerian Family</b>          |                                   |
| <i>Centranthus ruber</i>             | Red Valerian                    | En route                          |
| <i>Valeriana tuberosa</i>            |                                 | Rocky pastures Monte Sant' Angelo |
| <i>Valerianella sp.</i>              | A Cornsalad                     | Rocky pastures Monte Sant' Angelo |
| <b>Violaceae</b>                     | <b>Violet Family</b>            |                                   |
| <i>Viola arvensis</i>                | Field Pansy                     | Bosco Quarto                      |
| <i>Viola heterophylla ssp. greca</i> |                                 | Bosco Quarto                      |
| <i>Viola riviniana</i>               | Common Dog Violet               | Bosco Quarto                      |

| <b>Scientific Name</b>                  | <b>Common name</b>         | <b>Location</b>                    |
|---|----------------------------|------------------------------------|
| <b>Vitaceae</b>                         | <b>Grape-vine Family</b>   |                                    |
| <i>Vitis vinifera</i>                   | Grape                      | En route                           |
| <b>MONOCOTYLEDONS</b>                   |                            |                                    |
| <b>Liliidae (Monocotyledons)</b>        |                            |                                    |
| <b>Araceae</b>                          | <b>Arum Family</b>         |                                    |
| <i>Arum italicum</i>                    | Large Cuckoo Pint          | Bosco di Spinapulci                |
| <i>Arum maculatum</i>                   | Cuckoo Pint                | Monte Sacro                        |
| <b>Cyperaceae</b>                       | <b>Sedge Family</b>        |                                    |
| <i>Luzula campestris</i>                | Field Wood-rush            | Monte Sacro                        |
| <i>Luzula forsteri</i>                  | Southern Wood-rush         | Bosco Quarto                       |
| <b>Dioscoreaceae</b>                    | <b>Black Bryony Family</b> |                                    |
| <i>Tamus communis</i>                   | Black Bryony               | Bosco Quarto                       |
| <b>Iridaceae</b>                        | <b>Iris Family</b>         |                                    |
| <i>Crocus sp.</i>                       | A Crocus                   | Monte Sacro                        |
| <i>Gladiolus italicus</i>               | Field Gladiolus            | Field nr Manfredonia               |
| <i>Gynandriris sisyrinchium</i>         | Barbary Nut Iris           | Pulsano                            |
| <i>Hermodactylus tuberosus</i>          | Widow or Snake's-head Iris | Pilgrims' Path, Monte Sant' Angelo |
| <i>Iris lutescens</i>                   |                            | Bosco Quarto open ground           |
| <i>Iris pseudopumilla</i>               |                            | Rocky pastures Monre Sant' Angelo  |
| <b>Liliaceae</b>                        | <b>Lily Family</b>         |                                    |
| <i>Allium pendulinum</i>                |                            | Bosco di Spinapulci                |
| <i>Allium roseum</i>                    | Rose Garlic                | Old Olive Grove, Lago di Varano    |
| <i>Allium subhirsutum</i>               |                            | Pulsano                            |
| <i>Allium ursinum</i>                   | Ramsons                    | Foresta Umbra                      |
| <i>Asparagus sp.</i>                    | An Asparagus               | Bosco di Spinapulci                |
| <i>Asphodeline lutea</i>                | Yellow Asphodel            | Pulsano                            |
| <i>Asphodelus aestivus</i>              | Common Asphodel            | Pulsano                            |
| <i>Asphodelus fistulosus</i>            | Hollow-leaved Asphodel     | Salines                            |
| <i>Galanthus reginae-olgae (leaves)</i> | Autumn Snowdrop            | Foresta Umbra                      |
| <i>Muscari comosum</i>                  | Tassel Hyacinth            | Rocky pastures Monte Sant' Angelo  |
| <i>Muscari neglecta</i>                 | Dark Grape Hyacinth        | Rocky pastures Monte Sant' Angelo  |
| <i>Narcissus poeticus</i>               | Pheasant's-eye Daffodil    | Bosco Quarto                       |
| <i>Ornithogalum montanum</i>            | A Star of Bethlehem        | Rocky pastures Monte Sant' Angelo  |
| <i>Ornithogalum umbellatum</i>          | Common Star of Bethlehem   | Rocky pastures Monte Sant' Angelo  |
| <i>Polygonatum multiflorum</i>          | Solomon's Seal             | Bosco Quarto                       |
| <i>Ruscus aculeatus</i>                 | Butcher's Broom            | Bosco Quarto                       |

| <b>Scientific Name</b>   | <b>Common name</b>           | <b>Location</b>                        |
|--|------------------------------|--|
| <i>Smilax aspera</i>   | Common Smilax                | Bosco Quarto                           |
| <i>Urginea maritima (leaves)</i>                               | Sea Squill                   | Bosco di Spinapulci                    |
| <b>Orchidaceae</b>   | <b>Orchid Family</b>         |  |
| <i>Anacamptis pyramidalis</i>                                  | Pyramidal Orchid             | Roadside stop nr Sannicandro Garganico |
| <i>Cephalanthera longifolia</i>                                | Sword-leaved Helleborine     | Monte Sacro                            |
| <i>Dactylorhiza fuchsii (leaves)</i>                           | Common Spotted-orchid        | Roadside stop nr S Marco in Lamis      |
| <i>Dactylorhiza romana</i>                                     | Roman Orchid                 | Bosco Quarto                           |
| <i>Dactylorhiza sambucina</i>                                  | Elderflower Orchid           | Roadside stop nr S Marco in Lamis      |
| <i>Gymnadenia conopsea</i>                                     | Fragrant Orchid              | Bosco di Spinapulci                    |
| <i>Himantoglossum robertianum (Barlia robertiana)</i>          | Giant Orchid                 | Rocky pastures Monte Sant' Angelo      |
| <i>Neottia nidus-avis</i>                                      | Bird's Nest Orchid           | Bosco Quarto (old stems only)          |
| <i>Ophrys apulica (endemic)</i>                                | Apulian Ophrys               | Monte Sacro                            |
| <i>Ophrys bertoloniformis (endemic)</i>                        |                              | Rocky pastures Monte Sant' Angelo      |
| <i>Ophrys bertoloni</i>  | Bertoloni's Ophrys           | Rocky pastures Monte Sant' Angelo      |
| <i>Ophrys biscutella</i>                                       | Spectacled Ophrys            | Bosco Quarto pasture                   |
| <i>Ophrys bombyliflora</i>                                     | Bumblebee Ophrys             | Bosco Quarto pasture                   |
| <i>Ophrys fuciflora</i>  |                              | Rocky pastures Monte Sant' Angelo ?    |
| <i>Ophrys fusca</i>  | Dull Ophrys                  | Rocky pastures Monte Sant' Angelo      |
| <i>Ophrys passionis var.garganica (O. garganica - endemic)</i> | Gargano Ophrys               | Rocky pastures Monte Sant' Angelo      |
| <i>Ophrys incubacea</i>  | Dark Ophrys                  | Rocky pastures Monte Sant' Angelo      |
| <i>Ophrys lutea</i>  | Yellow Ophrys                | Rocky pastures Monte Sant' Angelo      |
| <i>Ophrys promontorii (endemic)</i>                            |                              | Rocky pastures Monte Sant' Angelo      |
| <i>Ophrys sicula</i>   |                              | Rocky pastures Monte Sant' Angelo      |
| <i>Ophrys tenthredinifera</i>                                  | Sawfly Ophrys                | Rocky pastures Monte Sant' Angelo      |
| <i>Orchis anthropophorum</i>                                   | Man Orchid                   | Rocky pastures Monte Sant' Angelo      |
| <i>Orchis fragrans</i>   | Bug Orchid                   | Bosco di Spinapulci                    |
| <i>Orchis intacta (Neotinea maculata)</i>                      | Dense-flowered Orchid        | Monte Sacro                            |
| <i>Orchis italica</i>  | Naked Man Orchid             | Rocky pastures Monte Sant' Angelo      |
| <i>Orchis lactea</i>   | Milky Orchid                 | Rocky pastures Monte Sant' Angelo      |
| <i>Orchis morio</i>  | Green-winged Orchid          | Rocky pastures Monte Sant' Angelo      |
| <i>Orchis picta (O. morio var. picta)</i>                      |                              | Bosco Quarto pasture                   |
| <i>Orchis papilionacea</i>                                     | Pink Butterfly Orchid        | Rocky pastures Monte Sant' Angelo      |
| <i>Orchis pauciflora</i>                                       | Sparse Flowered Orchid       | Monte Sacro                            |
| <i>Orchis provincialis</i>                                     | Provence Orchid              | Bosco di Spinapulci                    |
| <i>Orchis purpurea</i>   | Lady Orchid                  | Rocky pastures Monte Sant' Angelo      |
| <i>Orchis quadripunctata</i>                                   | Four-spotted Orchid          | Rocky pastures Monte Sant' Angelo      |
| <i>Orchis tridentata</i>                                       | Toothed Orchid               | Rocky pastures Monte Sant' Angelo      |
| <i>Orchis ustulata</i>   | Burnt Tip Orchid             | Rocky pastures Monte Sant' Angelo      |
| <i>Serapias cordigera</i>                                      | Heart-flowered Tongue Orchid | Bosco di Spinapulci                    |
| <i>Serapias lingua</i>   | Tongue Orchid                | Monte Sacro                            |

| <b>Scientific Name</b>                        | <b>Common name</b>           | <b>Location</b>                   |
|---|------------------------------|-----------------------------------|
| <i>Serapias parviflora</i>                    | Small-flowered Tongue Orchid | Bosco di Spinapulci               |
| <i>Serapias vomeracea</i>                     | Plough-share Tongue Orchid   | Pulsano                           |
| <b>Hybrids (a selection)</b>                  |                              |                                   |
| <i>Ophrys incubacea x Ophrys gorganica</i>    |                              | Rocky pastures Monte Sant' Angelo |
| <i>Ophrys incubacea x Ophrys bertolonii</i>   |                              | Bosco Quarto pasture              |
| <i>Orchis anthropophorum x Orchis italica</i> |                              | Rocky pastures Monte Sant' Angelo |
| <i>Orchis morio x Orchis papilionacea</i>     |                              | Rocky pastures Monte Sant' Angelo |
| <br><b>Poaceae</b>                            |                              |                                   |
|   | <b>Grass Family</b>          |                                   |
| <i>Aegilops geniculata</i>                    |                              | Monte Sacro                       |
| <i>Anisantha sterilis</i>                     | Barren Brome                 |                                   |
| <i>Arundo donax</i>                           | Giant Reed                   | Salines                           |
| <i>Avena sp.</i>                              | A Wild Oat                   | Monte Sacro                       |
| <i>Briza maxima</i>                           | Large Quaking Grass          | Rocky pastures Monte Sant' Angelo |
| <i>Briza media</i>                            | Quaking grass                | Dolina                            |
| <i>Catapodium rigidum</i>                     | Fern Grass                   | Monte Sacro                       |
| <i>Festuca vivipera</i>                       | Viviparous Fescue            | Rocky pastures Monte Sant' Angelo |
| <i>Hordeum sp.</i>                            | A Barley                     | Dolina                            |
| <i>Lagurus ovatus</i>                         | Hare's-foot Grass            | Rocky pastures Monte Sant' Angelo |
| <i>Melica uniflora</i>                        | Wood Melick                  | Bosco Quarto                      |
| <i>Phragmites australis</i>                   | Common Reed                  | Salines                           |
| <i>Stipa sp.</i>                              | A Feather Grass              | Roadside nr Monte Sant' Angelo    |

## Birds (H = heard only)

|    | Common name              | Scientific name                | April |    |    |    |    |    |    |    |
|----|--------------------------|--------------------------------|-------|----|----|----|----|----|----|----|
|    |                          |                                | 20    | 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| 1  | Great Crested Grebe      | <i>Pociceps cristatus</i>      |       |    |    |    | X  |    | X  |    |
| 2  | Shearwater sp            |                                |       |    |    |    |    |    | X  |    |
| 3  | Little Egret             | <i>Egretta garzetta</i>        | X     |    |    |    | X  |    |    |    |
| 4  | White stork              | <i>Ciconia ciconia</i>         |       |    |    |    |    |    |    | X  |
| 5  | Spoonbill                | <i>Platalea leucorodia</i>     | X     |    |    |    | X  |    |    |    |
| 6  | Greater Flamingo         | <i>Phoenicopterus ruber</i>    |       |    |    |    | X  |    |    |    |
| 7  | Shelduck                 | <i>Tadorna tadorna</i>         |       |    |    |    | X  |    |    |    |
| 8  | Garganey                 | <i>Anas querquedula</i>        |       |    |    |    | X  |    |    |    |
| 9  | Marsh Harrier            | <i>Circus aeruginosus</i>      |       |    |    |    | X  |    |    |    |
| 10 | Montagu's Harrier        | <i>Circus pygargus</i>         |       |    |    |    | XL |    |    |    |
| 11 | Buzzard                  | <i>Buteo buteo</i>             |       | X  |    |    |    |    | X  | X  |
| 12 | Kestrel                  | <i>Falco tinnunculus</i>       | X     |    | X  | X  | X  |    |    |    |
| 13 | Peregrine Falcon         | <i>Falco peregrinus</i>        |       |    |    |    |    |    | X  |    |
| 14 | Moorhen                  | <i>Gallinula chloropus</i>     |       |    |    |    | X  |    |    |    |
| 15 | Avocet                   | <i>Recurvirostra avosetta</i>  | X     |    |    |    | X  |    |    |    |
| 16 | Black-winged Stilt       | <i>Himantopus himantopus</i>   | X     |    |    |    | X  |    |    |    |
| 17 | Kentish Plover           | <i>Charadrius alexandrinus</i> |       |    |    |    | X  |    |    |    |
| 18 | Grey Plover              | <i>Pluvialis squatarola</i>    |       |    |    |    | X  |    |    |    |
| 19 | Turnstone                | <i>Arenaria interpres</i>      | X     |    |    |    |    |    |    |    |
| 20 | Dunlin                   | <i>Calidris alpina</i>         |       |    |    |    | X  |    |    |    |
| 21 | Curlew Sandpiper         | <i>Calidris ferruginea</i>     |       |    |    |    | X  |    |    |    |
| 22 | Redshank                 | <i>Tringa totanus</i>          |       |    |    |    | X  |    |    |    |
| 23 | Spotted Redshank         | <i>Tringa erythropus</i>       |       |    |    |    | X  |    |    |    |
| 24 | Whimbrel                 | <i>Numenius phaeopus</i>       |       |    |    |    | X  |    |    |    |
| 25 | Slender-billed Gull      | <i>Larus genei</i>             |       |    |    |    | X  |    |    |    |
| 26 | Yellow-legged Gull       | <i>Larus cachinnans</i>        |       |    |    |    | X  | X  | X  |    |
| 27 | Sandwich Tern            | <i>Sterna sandvicensis</i>     |       |    |    |    | X  |    |    |    |
| 28 | Wood Pigeon              | <i>Columba palumbus</i>        |       | X  | X  | X  | X  | X  | X  |    |
| 29 | Collared Dove            | <i>Streptopelia decaocto</i>   |       |    |    |    |    |    | X  |    |
| 30 | Cuckoo                   | <i>Cuculus canorus</i>         |       | H  | H  | H  | X  | H  | H  |    |
| 31 | Common Swift             | <i>Apus apus</i>               | X     | X  | X  | X  | X  | X  | X  | X  |
| 32 | Hoopoe                   | <i>Upupa epops</i>             |       | X  |    | X  | H  | H  | H  |    |
| 33 | Green Woodpecker         | <i>Picus viridis</i>           |       |    |    | X  | X  | H  | H  |    |
| 34 | Great Spotted Woodpecker | <i>Dendrocopos major</i>       |       |    | X  |    |    |    |    |    |
| 35 | Woodlark                 | <i>Lullula arborea</i>         |       | X  |    |    |    |    |    |    |
| 36 | Crested Lark             | <i>Galerida cristata</i>       | X     | X  | X  | X  | X  | X  | X  |    |
| 37 | Barn Swallow             | <i>Hirundo rustica</i>         | X     | X  | X  | X  | X  | X  | X  | X  |
| 38 | House Martin             | <i>Delichon urbica</i>         | X     | X  | X  | X  | X  |    |    | X  |
| 39 | White Wagtail            | <i>Motacilla alba</i>          |       |    | X  |    | X  | X  |    |    |
| 40 | Wren                     | <i>Troglodytes troglodytes</i> |       |    |    | X  |    | H  |    |    |
| 41 | Robin                    | <i>Erithacus rubecula</i>      |       |    | X  |    |    | X  |    |    |
| 42 | Nightingale              | <i>Luscinia megarhynchos</i>   |       |    | H  |    | H  |    | H  |    |
| 43 | Northern Wheatear        | <i>Oenanthe oenanthe</i>       |       |    | X  | X  |    |    |    |    |
| 44 | Stonechat                | <i>Saxicola torquata</i>       |       | X  | X  | X  | X  |    | X  |    |
| 45 | Blackbird                | <i>Turdus merula</i>           |       | X  | X  |    | X  |    |    |    |
| 46 | Blackcap                 | <i>Sylvia atricapilla</i>      |       |    | X  |    | X  | X  | H  |    |

|    | Common name        | Scientific name               | April |    |    |    |    |    |    |    |
|----|--------------------|-------------------------------|-------|----|----|----|----|----|----|----|
|    |                    |                               | 20    | 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| 47 | Lesser Whitethroat | <i>Sylvia curruca</i>         |       |    | X  |    |    |    |    |    |
| 48 | Whitethroat        | <i>Sylvia communis</i>        |       |    | X  | X  | X  | X  |    |    |
| 49 | Subalpine Warbler  | <i>Sylvia cantillans</i>      |       | X  |    | X  | X  | X  |    |    |
| 50 | Chiffchaff         | <i>Phylloscopus collybita</i> |       |    | X  |    |    |    |    |    |
| 51 | Firecrest          | <i>Regulus ignicapillus</i>   |       |    | X  |    |    |    | X  |    |
| 52 | Great Tit          | <i>Parus major</i>            |       | H  | X  | X  | H  | H  |    |    |
| 53 | Nuthatch           | <i>Sitta europaea</i>         |       |    | X  |    |    |    |    |    |
| 54 | Magpie             | <i>Pica pica</i>              | X     | X  | X  | X  | X  | X  | X  | X  |
| 55 | Jay                | <i>Garrulus glandarius</i>    |       |    | X  | X  | X  | X  |    |    |
| 56 | Jackdaw            | <i>Corvus monedula</i>        |       | X  | X  |    | X  | X  | X  |    |
| 57 | Hooded Crow        | <i>Corvus corone</i>          |       | X  | X  |    | X  | X  | X  | X  |
| 58 | Starling           | <i>Sturnus vulgaris</i>       | X     |    |    |    |    |    |    | X  |
| 59 | Golden Oriole      | <i>Oriolus oriolus</i>        |       |    |    |    |    |    | H  |    |
| 60 | Italian Sparrow    | <i>Passer x italicus</i>      | X     | X  | X  | X  | X  | X  | X  | X  |
| 61 | Chaffinch          | <i>Fringilla coelebs</i>      |       |    | X  |    | X  | X  |    |    |
| 62 | Linnet             | <i>Carduelis cannabina</i>    | X     | X  |    | X  |    |    |    |    |
| 63 | Goldfinch          | <i>Carduelis carduelis</i>    | X     | X  | X  |    |    |    | X  |    |
| 64 | Serin              | <i>Serinus serinus</i>        | X     | X  | X  | X  | X  | X  | X  | X  |
| 65 | Cirl Bunting       | <i>Emberiza cirlus</i>        |       |    | X  | X  | X  | X  | X  |    |
| 66 | Corn Bunting       | <i>Miliaria calandra</i>      |       |    | X  | X  | X  | X  | X  |    |

## Butterflies

|    | Common name           | Scientific name               | April |    |    |    |    |    |    |    |
|----|-----------------------|-------------------------------|-------|----|----|----|----|----|----|----|
|    |                       |                               | 20    | 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| 1  | Swallowtail           | <i>Papilio machaon</i>        |       |    |    |    | X  |    |    |    |
| 2  | Southern Festoon      | <i>Zerynthia polyxena</i>     |       |    | X  |    |    |    |    |    |
| 3  | Large White           | <i>Pieris brassicae</i>       |       | X  |    |    |    |    |    |    |
| 4  | Small White           | <i>Artogeia rapae</i>         |       | X  |    |    |    |    |    |    |
| 5  | Green-veined White    | <i>Artogeia napi</i>          |       | X  |    | X  |    |    |    | X  |
| 6  | Eastern Bath White    | <i>Pontia edusa</i>           |       |    |    |    |    | X  |    |    |
| 7  | Eastern Dappled White | <i>Euchloe ausonia</i>        |       | X  |    |    |    |    |    |    |
| 8  | Orange Tip            | <i>Anthocharis cardamines</i> |       | X  |    | X  | X  | X  |    |    |
| 9  | Clouded Yellow        | <i>Colias croceus</i>         |       | X  |    |    | X  |    |    |    |
| 10 | Brimstone             | <i>Gonepteryz rhamni</i>      |       | X  |    |    |    |    |    |    |
| 11 | Wood White            | <i>Leptidea sinapis</i>       |       |    |    | X  |    |    |    |    |
| 12 | Green Hairstreak      | <i>Callophrys rubi</i>        |       |    | X  |    |    |    | X  |    |
| 13 | Little Blue           | <i>Cupido minimus</i>         |       | X  |    | X  | X  |    |    |    |
| 14 | Green-underside Blue  | <i>Glaucopsyche alexis</i>    |       | X  |    |    |    |    |    |    |
| 15 | Baton Blue            | <i>Pseudophilotes baton</i>   |       |    |    |    |    | X  |    |    |
| 16 | Brown Argus           | <i>Aricia agestis</i>         |       | X  |    |    |    |    |    |    |
| 17 | Common Blue           | <i>Polyommatus icarus</i>     |       | X  |    |    |    |    |    |    |
| 18 | Red Admiral           | <i>Vanessa atalanta</i>       |       |    | X  | X  | X  | X  |    |    |
| 19 | Painted Lady          | <i>Vanessa cardui</i>         |       | X  | X  |    |    |    |    | X  |
| 20 | Small Heath           | <i>Coehonympha pamphilus</i>  |       | X  | X  | X  | X  |    |    |    |
| 21 | Speckled Wood         | <i>Pararge aegeria</i>        |       |    |    |    |    |    |    |    |
| 22 | Wall Brown            | <i>Lasiommata megera</i>      |       | X  |    |    |    |    |    |    |

## Other Insects

|                                 |                               |   |
|---------------------------------|-------------------------------|---|
| Field Cricket                   | <i>Gryllus campestris</i>     | Heard   |
| Day-flying Burnet moth          | <i>Syntomis phegea</i>        | Bosco di Spinapulci                                     |
| cf. Transparent Burnet          | <i>Zygaena purpuralis</i>     | Bosco di Spinapulci                                     |
| cf Brown-tail Moth Caterpillars | <i>Euproctis chrysorrhoea</i> | Abundant colonies, rocky pastures,<br>Monte Sant'Angelo |
| Dung Beetle                     | <i>Scarabaeus sp.</i>         | Rocky pastures, Monte Sant'Angelo                       |

## Bibliography

- Aeschimann, D. et al. (2004) *Flora Alpina - Vols 1-3* Haupt.
- Blamey, M. & Grey-Wilson, C. (2004) *Wild Flowers of the Mediterranean* A & C Black
- Chinery, M. (1993). *Field Guide to the Insects of Britain and Northern Europe*. 3<sup>rd</sup> Ed. Harper Collins.
- Chinery, M. (2007). Domino *Guide to Insects of Britain and Western Europe*. A & C Black.
- Delforge, P. (2006) *Orchids of Europe, North Africa and the Middle East*. A & C Black
- Del Fuoco, C. (2003) *Orchidee del Gargano* Parco Naz del Gargano
- Fitter, R., Fitter, A & Farrer, A. (1984). *Guide to the Grasses, Sedges, Rushes and Ferns of Britain and Northern Europe*. Collins
- Lafranchis, T. (2004) *Butterflies of Europe - New Field Guide and Key*. Diathee
- MacDonald, D. & Barrett, P. (1993). *Field Guide to Mammals of Britain and Europe*. Harper Collins.
- Mullarney, K., Svensson, L., Zetterstrom, D. & Grant, P.J. (1999). *Bird Guide*. Collins.
- Pignatti, S. (2003). *Flora D'Italia – Vol. Primo, Secondo & Terzo*. Edagricole, Bologna.
- Polunin, O (1969) *Flowers of Europe* OUP.
- Rossini, A. & Quitadamo, G. (2003) *Orchidee Spontanee nel Parco Nazionale del Gargano* Claudio Grenzi
- Tutin, T.G. et.al (1964). *Flora Europaea – Various Vols.* Cambridge University Press