

Slovenia – Alpine Flowers of Lake Bohinj and the Julian Alps

Naturetrek Tour Report

22 - 29 June 2017



Gentiana pumila



Dianthus tergestinus



Pedicularis rostratocapitata



Potentilla aurea

Report and images by Paul Harnes & Paul Tout



Naturetrek

Wolf's Lane

Chawton

Alton

Hampshire

GU34 3HJ

T: +44 (0)1962 733051

E: info@naturetrek.co.uk

W: www.naturetrek.co.uk

Tour participants: Paul Harmes and Paul Tout (leaders) with 16 Naturetrek clients

Day 1

Thursday 22nd June

Stansted to Ljubljana.

Fourteen tour participants met with Paul H at the departures gate at Stansted Airport for the Easyjet EZY3245 flight to Ljubljana. Upon our arrival, we completed immigration formalities and collected our luggage, before making our way to the arrivals hall, where we met up with Paul T, our local guide, and Kay and Celia, both of whom had arrived on a different flight. With luggage loaded into our two minibuses, we set off travelling towards Kranj, before joining the motorway north-west to the exit for Bled. Passing through the town we soon had spectacular views of Lake Bled and the imposing Castle Bled, perched some 130 metres above the lake on the north shore. As we continued on, the road ran beside the Sava Bohinjka river. Before long, we passed through the small town of Bohinjska Bistrica and the villages of Savica and Polje, before arriving in Ribcev Laz, situated at the eastern end of the beautiful Lake Bohinj, and the Alpinum Hotel Jezero, our base for the duration of the tour. Having settled into our rooms, we gathered in reception, where our leaders outlined some of the programme for the week, before going to dinner.

Day 2

Friday 23rd June

Lake Bohinj - Ukanc

After breakfast from 7.30am, we met in reception at 9am, before embarking on our first full day. As we were preparing to leave, a Spotted Flycatcher was seen hunting food from its vantage point in a tree just outside the hotel.

Our objective today, was to walk the path along the north side of Lake Bohinj. This route would take us through natural woodland, pastures and planted woodland of *Fagus sylvatica* (Beech) and *Picea abies* (Norway Spruce). We began making our way through natural forest, comprised of *Fagus sylvatica* (Beech), *Ostrya carpinifolia* (Hop Hornbeam), *Corylus avellana* (Hazel) and *Fraxinus excelsior* (Ash). Early finds included *Petrorhagia saxifraga* (Tunic Flower), *Salvia pratensis* (Meadow Clary), *Genista tinctoria* (Dyer's Greenweed), *Anthyllis vulneraria* subsp. *alpestris* (Kidney-vetch), *Clematis recta* (Upright Clematis) and *Epipactis atrorubens* (Dark Red Helleborine). Insects had also started to appear. These included Rose Chafer and Great Green Bush-cricket, as well as Common Blue, Small White, Small Skipper and Large Skipper butterflies.

The birds were generally quiet, although Common Chaffinch and Coal Tit were heard, but the highlight was a Hawfinch, a new bird for this trip, which was seen quite well by most of the group. Moving on, *Knautia drymeia* (a Scabious), *Cornus sanguineum* (Dogwood) *Dactylorhiza fuchsii* (Common Spotted Orchid), *Rhamnus fallax* (an Alpine Buckthorn) and *Rhamnus saxatilis* (Rock Buckthorn) were added, as well as Pearly Heath, Painted Lady, Blue Spot Hairstreak, Woodland Brown, Arran Brown and False Heath Fritillary butterflies.

We took lunch where a stream would normally empty into the lake. By now the sun was rather warm and more butterfly species were active. These included Silver-washed Fritillary, High Brown Fritillary, Comma Butterfly, Wood White and Common Blue. Moving on, we found *Cephalanthera damasonium* (White Helleborine), *Hacquetia epipactis* (Hacquetia), *Asplenium trichomanes* subsp. *quadrialeans* (Maidenhair Spleenwort), *Dryopteris filix-mas* (Male-

fern) and *Cirsium oleraceum* (Cabbage Thistle). After crossing a boulder-filled dry river bed, we added *Astrantia bavarica* (Bavarian Masterwort), *Dianthus sternbergii* (Sternberg's Pink), *Cirsium erisithales* (Yellow Melancholy Thistle), *Astrantia carniolica* (Carnic Masterwort) and the leaves of *Maianthemum bifolia* (May Lily).

We were now nearing the village of Ukanc, our destination, and the point where we planned to catch the boat back to Ribcev Laz. We ended the day with well-earned refreshments, before catching the boat back to the jetty at Ribcev Laz, near our hotel.

Day 3

Saturday 24th June

Pokljuka – Barje Sijec – Goreljek – North of Mrzli Studenec

An early bird walk produced Hawfinch, Crested Tit, Bonelli's Warbler and Grey Heron. We also heard Golden Oriole and Grey-headed Woodpecker.

Today, we boarded the buses at the hotel after breakfast, for the journey to the Pokljuka plateau, situated northeast of Ribcev Laz. We made our way up through Bohinjska Bistrica, before turning left and beginning to climb. We drove up through Jereka and Gorjuse, before stopping at the Barje Sijec Reserve. We began by exploring the verges and some coniferous woodland on the north side of the road. Early finds included *Corallorhiza trifida* (Coralroot Orchid), *Gymnocarpium dryopteris* (Oak Fern), *Phegopteris connectilis* (Beech Fern), *Equisetum sylvaticum* (Wood Horsetail), *Ranunculus aconitifolius* (Aconite-leaved Buttercup), *Neottia cordata* (Lesser Twayblade) and *Luzula nivea* (Snowy Woodrush).

At this point we moved to the other side of the road, and an extensive area of peat bog, one of the southernmost in Europe. Here, we found *Dactylorhiza incarnata* subsp. *pulchella* (an Early Marsh Orchid), *Andromeda polifolia* (Bog Rosemary), *Drosera rotundifolia* (Round-leaved Sundew), *Vaccinium oxycoccos* (Cranberry) and *Eriophorum angustifolium* (Common Cotton-grass), among many more. We also recorded False Heath Fritillary, Green-underside Blue and Clouded Apollo butterflies.

We now moved on to Goreljek, to visit the Sotno Barje peat-bog, passing summer cottages and meadows. Here we found *Veratrum lobelianum* (Green False-helleborine), *Melampyrum sylvaticum* (Wood Cow-wheat), *Homogyne sylvestris* (a purple Colt's-foot), *Pinus mugo* (Dwarf Mountain Pine) and *Arctostaphylos vitis-idaea* (Cowberry). Searching a small meadow adjacent to the bog, we found *Campanula barbata* (Bearded Bellflower), *Pseudorchis albida* (Small White Orchid) and *Arnica montana* (Arnica). We also recorded Goldcrest and European Crested Tit. It was now time to return to the bus, where we took our picnic in an adjacent meadow. During lunch, several Red Crossbills were seen flying over.

After our meal, we set off the short distance to explore another area of conifer woodland. The wood produced *Moneses uniflora* (One-flowered Wintergreen), *Maianthemum bifolia* (May Lily), *Neottia cordata* (Lesser Twayblade), and two small clumps of *Corallorhiza trifida* (Coralroot Orchid).

We now moved on to an area of forest and meadows to the north of the village of Mrzli Studenec. The route took us along a forest track for about three kilometres. Here, we added *Phyteuma ovatum* (Dark Rampion), *Phyteuma orbiculare* (Round-headed Rampion), *Veronica urticifolia* (Nettle-leaved Speedwell), *Pedicularis verticillata*

(Verticillate Lousewort), *Campanula mitasekiana* (Paniculate Bellflower), *Gentiana cruciata* (Cross Gentian) and *Gymnadenia conopsea* (Fragrant Orchid) in several colour forms. We also found a rather late specimen of Orange Tip butterfly.

It was now time to make the return journey, to Ribcev Laz, in time for dinner.

Day 4

Sunday 25th June

Vogar – Slap Slavica.

Following breakfast, we took our minibuses up to the mountain meadows at Vogar (1,054 metres), high above the Bohinj Lake, on the north side. Two-thirds of the way to the top, we stopped to explore some cliffs beside the quiet mountain road. Here we saw *Primula auricula* (Bear's-ear), although it was well past its best, *Saxifraga cuneifolia* (Spoon-leaved Saxifrage), *Rhamnus alpinus* (Alpine Buckthorn), *Campanula rotundifolia* (Harebell) and *Saxifraga crustata* (Encrusted Saxifrage). A Scarlet Tiger moth was also seen. We now moved up to a rough car park in the forest, from where we began to explore. By now it had begun to rain; nevertheless, we began in the first meadow. Here we examined *Gymnadenia conopsea* (Fragrant Orchid), *Eriophorum angustifolium* (Common Cotton-grass), *Dactylorhiza fuchsii* (Common Spotted Orchid) and *Carex demissa* (Common Yellow Sedge). Moving down the track, we found our first, solitary *Lilium carniolicum* (Carnic Lily). European Crested Tit, Barn Swallow and Great Tit were also seen, and Common Chiffchaff and Eurasian Blackcap were heard. As we progressed, we added *Vicia sylvatica* (Wood Vetch), *Lilium martagon* (Martagon Lily) and *Trifolium montanum* (Mountain Clover). We now moved on, through more forest, towards a splendid view-point overlooking the lake and across the valley to Vogel. However, the weather took a turn for the worse, and we were hit by a torrential thunderstorm, so we took refuge in the nearby rifugio and indulged in coffee and hot chocolate, before returning to our vehicles.

From here, we made our way to the Refugio at Koca na Vojah, where we partook of bowls of their wonderful homemade soups (vegetable, mushroom or goulash).

For the afternoon, we now moved back down to Stara Fuzina, and up to Studor, where we stopped to photograph the typical hay-drying racks, followed by a brief stop at the hotel, before continuing on up to Ukanc and the Slap Savica Waterfall. At the waterfall car park, we left the minibuses and made the short wall up to the waterfall, which, due to the recent rain, was a spectacular sight. As we progressed, White-throated Dipper and Grey Wagtail were seen on the river.

Day 5

Monday 26th June

The Mangart Saddle

Today, we planned to explore the Mangart Saddle. After an early breakfast at 6.30am, we joined the buses and were on the road by 7am. Leaving Ribcev Laz, we made our way via Bohinjska Bistrica to Bled, and north to the motorway, which we joined westwards to Jesenice and then on to Kranjska Gora and Podkoren, where we had a brief leg-stretch at the Zelenci wetland reserve on the Sava Dolinka river. We also stopped for a comfort break to the west of Ratece, before crossing the border into Italy. Along the way Jay, Barn Swallow, Raven and Hooded Crow were seen. Continuing on, we passed through Tarvisio before turning east at Cave di Predil, and

making a stop at the Passo de Predil. Here, we now moved on upwards, above the tree-line, to the Mangart Saddle (c.2,400 metres), a pass set below the imposing Mangart peak (2,679 metres). As we ascended, we made a short stop to see *Physoplexis comosa* (Devil's Claw), which was in bud, *Veronica bonarota* (Bluish Paederota), *Genista radiata* (Southern Greenweed), *Thesium linophyllum* (Fine-leaved Bastard Toadflax) and *Prunella grandiflora* (Large-flowered Selfheal). Dark-veined White and Small Tortoiseshell butterflies were also seen.

Moving up higher, we made our way to the upper car park. Leaving the bus, we set off to explore an area of rocky limestone outcrops and grassland, beside the road, and below the Saddle. Here we found *Dryas octopetala* (Mountain Avens), *Sedum roseum* (Roseroot), *Veronica lutea* (Yellow Paederota), *Gentiana pumila*, *Pedicularis rostratocapitata* (Beaked Lousewort), *Gentiana brachyphylla* subsp. *favratii* (a Short-leaved Gentian), *Veronica fruticans* (Rock Speedwell), *Viola biflora* (Yellow Wood Violet) and many more. For the birders, there were Water Pipit, Northern Wheatear, White-winged Snowfinch and Alpine Chough, and Alpine Accentor was also heard.

Beginning our descent towards the car park and our picnic lunch, we added *Dianthus tergestinus*, *Parnassia palustris* (Grass-of-Parnassus), *Pseudorchis albida* (Small White Orchid), *Dactylorhiza viridis* (Frog Orchid), *Campanula scheuchzeri* (Scheuchzer's Bellflower) and *Phyteuma sieberi* (Sieber's Rampion)

After enjoying our picnic in the warm sunshine, we did a little further exploration of the surrounding area, finding *Homogyne discolor* (an Alpine Colt's-foot), *Rhododendron hirsutus* (Hairy Alpenrose), *Traunsteinera globosa* (Round-headed Orchid) and *Leontopodium nivale* subsp. *alpinum* (Edelweiss), before some of the group took the bus up to the top of the saddle, where they enjoyed the views, and added *Arenaria ciliata* (Ciliate-leaved Sandwort) and *Ranunculus alpestris* subsp. *traunfellneri*, before re-joining the group to start on the homeward journey.

We made a short stop on the Italian/Slovenian boarder to photograph a field with *Lilium bulbiferum* (Orange Lily) in it, before one final stop for refreshments east of Kranjska Gora. From here we made our way back to our hotel.

Day 6

Tuesday 27th June

Mostnice Gorge.

After breakfast, we boarded the minibuses for the short journey to the car park above Stara Fuzina. Here we prepared ourselves for the morning's walk, whilst our leaders took one minibus up to a parking point further up the valley. Upon their return we took the track up the beautiful Korita Mostnice Gorge, passing through forest, past wet rocks and also open areas of scrub. Before leaving the car park, we found Italian Marbled White, Wood White and Large Skipper butterflies. As we began to ascend the path, Eurasian Blackcap was heard, and Red-backed Shrike seen. *Vinca minor* (Lesser Periwinkle), *Potentilla caulescens* (Lax Potentilla), *Viburnum lantana* (Wayfaring Tree), *Genista tinctoria* (Dyer's Greenweed) and *Astrantia carniolica* were all recorded. We paused to admire the river gorge, at the Devil's Bridge, before continuing on up through the forest, on the east side of the gorge. *Aconitum lamarckii* (a Wolf's-bane), *Hacquetia epipactis* (Hacquetia), *Sanicula europaea* (Sanicle), *Acer negundo* (Box Elder), *Cotoneaster tomentosa* and *Polypodium vulgare* (Common Polypody), were all added before we reached our lunch stop, by the Pl. Koca na Vojah refugio.

After our picnic we continued up the gently ascending path, in light, but persistent rain, passing *Phyteuma nigra* (Black Rampion), *Campanula glomerata* (Clustered Bellflower) and *Stachys sylvatica* (Hedge Woundwort). Hay meadows now opened up before us and, in the margins, we found *Gymnadenia conopsea* (Fragrant Orchid), *Dianthus barbatus* (Sweet William), *Epipactis atrorubens* (Dark Red Helleborine), *Epipactis palustris* (Marsh Helleborine) and *Dactylorhiza fuchsii* (Common Spotted Orchid). Unfortunately, the inclement weather meant that butterflies were not in evidence. We did, however, see Rose Chafer, Garden Chafer, three Longhorn Beetles, *Morimus funereus*, *Pachyta quadrimaculata* and *Strangalia maculata*, and two other Chafers, *Gnorimus nobilis* and *Cetonia aerugineus*.

From the pastures, the lead group re-entered the woodland, where the path took them up to the Slap Mostnice (Mostnice Waterfall). After admiring the falls, they made the descent back to where we had lunch, where we took refreshments, and the minibus was waiting to return some of us to the hotel, whilst some chose to walk back.

Day 7

Wednesday 28th June

Vintgar Gorge - Ravne

An early bird walk produced good views of Grey-headed Woodpecker, as well as Hawfinch, Grey Heron, Blackcap and Common House Martin.

After breakfast, we joined our vehicles for the drive to the Vintgar Gorge. We drove eastwards to Bohinjska Bistrica, and then we took the road to Bled, before turning left towards the villages of Podhom and Vintgar, to the north of the town.

Leaving the vehicles in the car park, where we found *Salvia viscosa* (Jupiter's Distaff), *Melampyrum nemorosum*, *Impatiens parviflora* (Small Balsam) and *Campanula patula* (Spreading Bellflower), we set off along the paths and walkways alongside the Radovna River. Initially, the route took us mainly through forest, but it was not long before imposing limestone cliffs were rising above us. Due to the recent rain, the river was quite high, and the white water, spectacular. As we went, we recorded *Stellaria nemorum* (Wood Stitchwort), *Polystichum setiferum* (Soft Shield-fern), *Aruncus dioicus* (Goat's-beard Spiraea) and *Asplenium scolopendrium* (Hart's-tongue Fern). Wren was heard and Common Chaffinch, Robin and Eurasian Blackcap, all seen. Further into the gorge, White-throated Dipper was seen feeding young and Grey Wagtail were very active. At the bottom of the walk, there was a waterfall and a small refugio. On the return leg of the walk, we added *Campanula trachelium* (Nettle-leaved Bellflower), *Valeriana saxatilis* (Rock Valerian) and *Adenostyles glabra*, (Smooth Adenostyles). Further views were had of the Dippers and Grey Wagtails.

Moving back through Bled, we stopped for a picnic by the Sava Bohinjka river. Crag Martin, Horvath's Rock Lizard and *Cephalanthera rubra* (Red Helleborine) were all recorded as we took our picnic lunch.

Following our meal, we made our way to the hamlet of Ravne, above the town of Bohinjska Bistrica, where we explored the meadows and forest tracks. A short period of sunshine produced Small and Wood White, Meadow Brown, a female Purple-edged Copper, Small Skipper, Arran Brown and Comma butterflies, as well as Silver-Y, Striped Wainscot and Six-spot Burnet moths. Barn Swallow, Blackcap, Tree Pipit, Red Crossbill and Mistle Thrush were also present. *Ononis spinosa* (Spiny Restharrow), *Epipactis palustris* (Marsh Helleborine), *Gentianella*

germanica (Chiltern Gentian), *Gentiana cruciata* (Cross Gentian) and emerging *Centaurea phrygia* subsp. *pseudophrygia* (Wig Knapweed) were the botanical highlights.

It was now beginning to spot with rain, so we began to make our way back to Ribcev Laz. As we drove through Bohijska Bistrica, the rain became very heavy with rather large hailstones. This lasted about five minutes before it began to ease.

Day 8

Thursday 29th June

Ribcev Laz to Lububijana

Our final day in Slovenia began with a leisurely breakfast, and time for packing. Some of the group chose to spend time around the hotel, others spent a leisurely couple of hours exploring the village, the lake bank and the adjacent meadows and woodland. Common House Martins, Spotted Flycatchers, Golden Oriole, Hawfinch and Barn Swallow feeding young were all seen.

We re-grouped at the hotel, before returning to Stara Fuzina and the 'Domaca Gostilna Mihovc', a traditional Slovenian guesthouse/restaurant, where we had our lunch. It was now time to re-join the vehicle for the journey back to Ljubijana Airport. Here, we bid farewell to Kay and Celia, as well as Paul T, before catching our Easyjet flight EZY 3246 to Stansted.

Receive our e-newsletter

Join the Naturetrek e-mailing list and be the first to hear about new tours, additional departures and new dates, tour reports and special offers. Visit www.naturetrek.co.uk to sign up.

Naturetrek Facebook

We are delighted to launch the Naturetrek Facebook page so that participants of Naturetrek tours can remain in touch after the holiday and share photos, comments and future travel plans.

Setting up a personal profile at www.facebook.com is quick, free and easy. The [Naturetrek Facebook page](#) is now live; do please pay us a visit!



Veronica fruticans

Species Lists

Plants (* = Very localised distribution or endemic)

Nomenclature contained within this list follows the taxonomic amendments, based on DNA analysis, made by the Royal Botanic Gardens, Kew and the Missouri Botanic Garden, and following The Plant List, an internationally accepted list of vascular plant families, published and maintained by these two Institutions.

Scientific name	Common name	Location
PTERIDOPHYTES		
FERNS & ALLIES		
Lycophytes		
Clubmosses & Quillworts		
Lycopodiaceae		
<i>Huperzia selago</i>	Fir Clubmoss	Goreljek woods
<i>Lycopodium annotinum</i>	Interrupted Clubmoss	Barje Sijec woods
<i>Lycopodium clavatum</i>	Stag's-horn Clubmoss	Barje Sijec woods
Selaginellaceae		
<i>Selaginella selaginoides</i>	Lesser Clubmoss	N of Mrzli Studenec
Eusporangiate Ferns		
Adder's-tongues & Moonworts		
<i>Botrychium lunaria</i>	Moonwort	Mangart Saddle
Calamophytes		
Horsetails		
Equisetaceae		
<i>Equisetum palustre</i>	Marsh Horsetail	Barje Sijec bog
<i>Equisetum pratense</i>	Shade Horsetail	Barje Sijec woods
<i>Equisetum telmateia</i>	Great Horsetail	Ravne
Leptosporangiate Ferns		
True Ferns		
Aspleniaceae		
<i>Asplenium ruta-muraria</i>	Wall Rue	Vogar cliffs
<i>Asplenium scolopendrium</i>	Hart's-tongue Fern	Vintgar Gorge
<i>Asplenium trichomanes</i> ssp. <i>quadri-valens</i>	Maidenhair Spleenwort	Lake Bohinj
<i>Asplenium trichomanes</i> ssp. <i>pachyrachis</i>	Maidenhair Spleenwort	Vintgar Gorge
<i>Asplenium viride</i>	Green Spleenwort	Vogar cliffs
Athyriaceae		
<i>Athyrium alpestre</i> (<i>A. distentifolium</i>)	Alpine Lady-fern	Mangart Saddle
<i>Athyrium filix-femina</i>	Lady-fern	Barje Sijec woods
Blechnaceae		
<i>Blechnum spicant</i>	Hard-fern	Barje Sijec woods
Cystopteridaceae		
<i>Cystopteris fragilis</i>	Brittle Bladder-fern	Vogar cliffs
<i>Cystopteris montana</i>	Mountain Bladder-fern	Mangart Saddle
<i>Gymnocarpium dryopteris</i>	Oak Fern	Barje Sijec woods

Scientific name	Common name	Location
Dennstaedtiaceae <i>Pteridium aquilinum</i>	Bracken Family Bracken	Lake Bohinj
Dryopteridaceae <i>Dryopteris dilatata</i> <i>Dryopteris filix-mas</i> <i>Dryopteris submontana</i> <i>Polystichum aculeatum</i> <i>Polystichum lonchitis</i> <i>Polystichum setiferum</i>	Buckler-fern Family Broad Buckler-fern Male-fern Rigid Buckler-fern Hard Shield-fern Holly Fern Soft Shield-fern	Barje Sijec woods Lake Bohinj Mangart Saddle Vogar cliffs Mangart Saddle Vintgar Gorge
Polypodiaceae <i>Polypodium vulgare</i>	Polypody Family Common Polypody	Mostnice Gorge
Thelypteridaceae <i>Phegopteris connectilis</i>	Marsh Fern Family Beech Fern	Barje Sijec woods

GYMNOSPERMS**CONIFERS**

Pinaceae <i>Abies alba</i> <i>Picea abies</i> subsp. <i>abies</i> <i>Pinus mugo</i>	Pine Family European Silver Fir Spruce Dwarf Mountain Pine	Near Tavisno Lake Bohinj Barje Sijec bog
Taxaceae <i>Taxus baccata</i>	Yew Family Yew	

ANGIOSPERMS**FLOWERING PLANTS**

Pre-Dicots	Primitive Angiosperms	
Aristolochiaceae <i>Asarum europaeum</i>	Birthwort Family Asarabacca	Lake Bohinj
Eu-dicots	True Dicotyledons	
Adoxaceae <i>Sambucus ebulus</i> <i>Sambucus nigra</i> <i>Sambucus racemosus</i> <i>Viburnum lantana</i>	Moschatel Family Dwarf Elder Elder Red-berried Elder Wayfaring Tree	Slap Savica Vogar Vogar Lake Bohinj
Amaranthaceae <i>Chenopodium bonus-henricus</i> <i>Chenopodium album</i>	Amaranth Family Good King Henry Fat Hen	N of Mrzli Studenec Lake Bohinj
Apiaceae <i>Aegopodium podagraria</i> <i>Angelica sylvestris</i> <i>Anthriscus sylvestris</i>	Carrot Family Ground Elder Wild Angelica Cow Parsley	Lake Bohinj Barje Sijec bog Ravne

Scientific name	Common name	Location
<i>Astrantia bavarica</i>	Bavarian Masterwort	Lake Bohinj
<i>Astrantia carniolica</i> *	Carnic Masterwort	Lake Bohinj
<i>Astrantia major</i>	Great Masterwort	Lake Bohinj
<i>Carum carvi</i>	Coriander	Ravne
<i>Conium maculatum</i>	Hemlock	Lake Bohinj
<i>Daucus carota</i>	Wild Carrot	Lake Bohinj
<i>Hacquetia epipactis</i>	Hacquetia	Lake Bohinj (over)
<i>Heracleum austriacum</i> subsp. <i>siifolium</i>	Pink Hogweed	Vogar
<i>Heracleum sphondylium</i>	Hogweed	Vogar
<i>Laserpitium latifolium</i>	Broad-leaved Sermountain	Lake Bohinj (leaves)
<i>Laserpitium siler</i>	a Sermountain	Lake Bohinj (leaves)
<i>Ligusticum mutellina</i>	Mountain Lovage	Mangart Saddle
<i>Myrrhis odorata</i>	Sweet Cicely	Vogar
<i>Peucedanum carvifolia</i>	-	Lake Bohinj
<i>Pimpinella major</i>	Greater Burnet Saxifrage	Barje Sijec bog & woods
<i>Pimpinella saxifraga</i>	Burnet Saxifrage	Lake Bohinj
<i>Sanicula europaea</i>	Sanicle	Mostnice Gorge
Apocynaceae	Periwinkle Family	
<i>Vinca minor</i>	Lesser Periwinkle	Lake Bohinj
<i>Vincetoxicum hirundinaria</i>	Swallow-wort	Lake Bohinj
Araliaceae	Ivy Family	
<i>Hedera helix</i> agg.	Ivy	Stara Fuzina
Balsaminaceae	Balsam Family	
<i>Impatiens parviflora</i>	Small Balsam	Vintgar Gorge
Berberidaceae	Barberry Family	
<i>Berberis vulgaris</i>	Barberry	Lake Bohinj
Betulaceae	Birch Family	
<i>Alnus incana</i>	Italian Alder	Zelenci bog
<i>Carpinus betulus</i>	Hornbeam	Lake Bohinj
<i>Corylus avellana</i>	Hazel	Lake Bohinj
<i>Ostrya carpinifolia</i>	Hop Hornbeam	Lake Bohinj
Boraginaceae	Forget-me-not Family	
<i>Echium vulgare</i>	Viper's-bugloss	Lake Bohinj
<i>Myosotis alpestris</i>	Alpine Wood Forget-me-not	Mangart Saddle
<i>Pulmonaria officinalis</i>	Lungwort	Mostnice Gorge
Brassicaceae	Cabbage Family	
<i>Arabis alpina</i>	Alpine Rock-cress	Mangart Saddle
<i>Arabis turrita</i>	Tower-cress	Vogar
<i>Armoracia rusticana</i>	Horse-radish	Lake Bohinj
<i>Capsella bursa-pastoris</i>	Shepherd's-purse	Lake Bohinj
<i>Cardamine enneaphyllos</i>	Drooping Bitter-cress	Barje Sijec woods (fruit)
<i>Cardamine impatiens</i>	Narrow-leaved Bitter-cress	Lake Bohinj
<i>Draba aizoides</i>	Yellow Whitlow-grass	Mangart Saddle (fruit)
<i>Kernera saxatilis</i>	Kernera	Mangart Saddle (fruit)
<i>Lunaria redivida</i>	Perennial Honesty	Vogar

Scientific name	Common name	Location
<i>Pritzelago alpina</i>	Chamois Cress	Mangart Saddle
<i>Rorippa sylvestris</i>	Creeping Yellow-cress	Lake Bohinj
Campanulaceae	Bellflower Family	
<i>Campanula barbata</i>	Bearded Bellflower	Goreljek
<i>Campanula cochlearifolia</i>	Fairy's Thimbles	Mangart Saddle
<i>Campanula glomerata</i>	Clustered Bellflower	Mostnice Gorge
<i>Campanula patula</i>	Spreading Bellflower	Vintgar Gorge
<i>Campanula persicifolia</i>	Peach-leaved Bellflower	Ukanc
<i>Campanula rapunculoides</i>	Creeping Bellflower	Lake Bohinj
<i>Campanula rapunculus</i>	Rampion Bellflower	Vintgar Gorge
<i>Campanula rotundifolia</i>	Harebell	Lake Bohinj
<i>Campanula scheuchzeri</i>	Scheuchzer's Bellflower	Mangart Saddle
<i>Campanula trachelium</i>	Nettle-leaved Bellflower	Lake Bohinj
<i>Campanula witasekiana</i>	Paniculate Bellflower	N of Mrzli Studenec
<i>Physoplexis comosa</i>	Devil's Claw	Mangart Saddle
<i>Phyteuma nigra</i>	Black Rampion	Mostnice Gorge
<i>Phyteuma orbiculare</i>	Round-headed Rampion	Lake Bohinj
<i>Phyteuma ovatum</i>	Dark Rampion	N of Mrzli Studenec
<i>Phyteuma sieberi</i>	Sieber's Rampion	Mangart Saddle
<i>Phyteuma zahlbruckneri</i>	a Rampion	Goreljek
Cannabaceae	Hop Family	
<i>Humulus lupulus</i>	Hop Family	Zelenci Bog
Caprifoliaceae	Honeysuckle Family	
<i>Knautia dipsacifolia</i>	Wood Scabious	Goreljek
<i>Knautia drymeia</i>	-	Lake Bohinj
<i>Lonicera alpigena</i>	Alpine Honeysuckle	Ravne
<i>Lonicera xylostium</i>	Fly Honeysuckle	Lake Bohinj (leaves)
<i>Scabiosa lucida</i>	-	Vogar
<i>Valeriana dioica</i>	Marsh Valerian	Barje Sijec bog
<i>Valeriana elongata</i>	Elongated Valerian	Mangart Saddle
<i>Valeriana montana</i>	Mountain Valerian	Mangart Saddle
<i>Valeriana officinalis</i>	Common Valerian	Roadsides
<i>Valeriana saxatilis</i>	Rock Valerian	Vintgar Gorge
<i>Valeriana tripteris</i>	Three-leaved Valerian	Vogar cliffs (over)
Caryophyllaceae	Pink Family	
<i>Arenaria ciliata</i>	Ciliate Sandwort	Mangart Saddle
<i>Arenaria serpyllifolia</i> subsp. <i>serpyllifolia</i>	Thyme-leaved Sandwort	Lake Bohinj
<i>Cerastium arvense</i>	Field Mouse-ear	Mangart Saddle
<i>Cerastium fontanum</i>	Common Mouse-ear	Goreljek
<i>Dianthus barbatus</i>	Sweet William	Mostnice Gorge
<i>Dianthus sternbergii</i>	a Fringed Pink	Lake Bohinj
<i>Dianthus sylvestris</i>	Wood Pink	Vogar cliffs
<i>Dianthus tergestinus</i>	-	Mangart Saddle
<i>Minuartia sedoides</i>	Mossy Cyphel	Mangart Saddle
<i>Minuartia verna</i>	Spring Sandwort	Mangart Saddle
<i>Moehringia muscosa</i>	Mossy Sandwort	Lake Bohinj
<i>Petrorhagia saxifraga</i>	Tunic Flower	Lake Bohinj
<i>Silene acaulis</i>	Moss Campion	Mangart Saddle

Scientific name	Common name	Location
<i>Silene alpestris</i>	Alpine Catchfly	N of Mrzli Studenec
<i>Silene dioica</i>	Red Campion	Goreljek
<i>Silene (Lychnis) flos-cuculi</i>	Ragged Robin	Lake Bohinj
<i>Silene latifolia</i>	White Campion	Lake Bohinj
<i>Silene nutans</i>	Nottingham Catchfly	Lake Bohinj
<i>Silene saxifraga</i>	-	Vogar cliffs
<i>Silene vulgaris</i>	Bladder Campion	Lake Bohinj
<i>Stellaria nemorum</i>	Wood Stitchwort	Vintgar Gorge
Celastraceae	Spindle Family	
<i>Euonymus latifolius</i>	Broad-leaved Spindle	Lake Bohinj
<i>Euonymus verrucosus</i>	Eastern Spindle	Vintgar Gorge
<i>Parnassia palustris</i>	Grass-of-Parnassus	Mangart Saddle
Cistaceae	Rock-rose Family	
<i>Helianthemum nummularium</i>	Common Rock-rose	Lake Bohinj
<i>H.oelandicum</i> subsp. <i>alpestre</i>	Alpine Rock-rose	Mangart Saddle
Compositae (Asteraceae)	Daisy Family	
<i>Achillea atrata</i>	-	Mangart Saddle
<i>Achillea clavennae</i>	Silvery Millfoil	Mangart Saddle
<i>Achillea millefolium</i>	Yarrow	Lake Bohinj
<i>Adenostyles glabra</i>	Adenostyles	Vintgar Gorge
<i>Antennaria dioica</i>	Mountain Everlasting	Goreljek
<i>Aposeris radiata</i>	Aposeris	Lake Bohinj
<i>Arnica montana</i>	Arnica	Goreljek
<i>Artemisia vulgaris</i>	Mugwort	Vintgar Gorge
<i>Bellidiastrum michelii</i>	False Aster	Mangart Saddle
<i>Bellis perennis</i>	Daisy	N of Mrzli Studenec
<i>Bupthalmum salicifolium</i>	Yellow Ox-eye	Lake Bohinj
<i>Carduus carduelis</i>	-	Lake Bohinj
<i>Carduus defloratus</i>	Alpine Thistle	Lake Bohinj
<i>Carlina acaulis</i>	Stemless Carlina Thistle	Mangart Saddle
<i>Centaurea carniolica*</i>	Carnic Knapweed	Lake Bohinj
<i>Centaurea phrygiasubsp. pseudophrygia</i>	Wig Knapweed	Ravne
<i>Cicerbita alpina</i>	Alpine Sowthistle	Vogar
<i>Cichorium intybus</i>	Chicory	Roadside near Ribcev Laz
<i>Cirsium erisithales</i>	Yellow Melancholy Thistle	Lake Bohinj
<i>Cirsium oleraceum</i>	Cabbage Thistle	Lake Bohinj
<i>Cirsium rivulare</i>	-	Mostnice Gorge
<i>Cirsium spinosissimum</i>	Spiniest Thistle	Mostnice Gorge
<i>Crepis aurea</i>	Golden Hawksbeard	Goreljek
<i>Doronicum grandiflorum</i>	a Leopard's-bane	Mangart Saddle
<i>Erigeron annuus</i>	Annual Fleabane	Lake Bohinj
<i>Erigeron uniflorum</i>	One-flowered Fleabane	Mangart Saddle
<i>Eupatorium cannabinum</i>	Hemp Agrimony	Lake Bohinj
<i>Galinsoga quadriradiata</i>	Gallant Soldier	Studor
<i>Hieracium villosum</i>	Alpine Hawkweed	Mangart Saddle
<i>Homogyne alpina</i>	Alpine Colts-foot	Mangart Saddle
<i>Homogyne discolor</i>	a Colt's-foot	Mangart Saddle
<i>Homogyne sylvestris</i>	a Colt's-foot	Goreljek
<i>Leontopodium nivale</i> subsp. <i>alpinum</i>	Eidlewiss	Mangart Saddle

Scientific name	Common name	Location
<i>Leucanthemum vulgare</i>	Ox-eye Daisy	Goreljek
<i>Mycelis muralis</i>	Wall Lettuce	Lake Bohinj
<i>Petasites paradoxus</i>	Alpine Butterbur	Lake Bohinj
<i>Pilosella officinarum</i>	Mouse-eared Hawkweed	Goreljek
<i>Prenanthes purpurealis</i>	Purple Lettuce	Lake Bohinj
<i>Senecio doricum</i>	Chamois Ragwort	Goreljek
<i>Senecio nemoralis</i>	-	N of Mrzli Studenec
<i>Solidago virgaurea</i>	Goldenrod	Lake Bohinj
<i>Telekia speciosa</i>	Yellow Ox-eye	Lake Bohinj
<i>Tragopogon pratensis</i> subsp. <i>orientalis</i>	Goat's-beard	Vogar
<i>Tussilago farfara</i>	Colt's-foot	Goreljek (leaves)
<i>Xanthium italicum</i>	a Cockle-bur	Lake Bohinj
Convolvulaceae	Bindweed Family	
<i>Convolvulus arvensis</i>	Field Bindweed	Lake Bohinj
Cornaceae	Dogwood Family	
<i>Cornus sanguinea</i>	Dogwood	Lake Bohinj
Crassulaceae	Stonecrop Family	
<i>Sedum atratum</i>	Dark Stonecrop	Mangart Saddle
<i>Sedum roseum</i> (<i>Rhodiola rosea</i>)	Roseroot	Mangart Saddle
<i>Sedum sexangulare</i>	Tasteless Stonecrop	Lake Bohinj
Ericaceae	Heath family	
<i>Andromeda polifolia</i>	Bog Rosemary	Barje Sijec bog
<i>Erica carnea</i>	Spring Heath	Lake Bohinj (leaves)
<i>Moneses uniflora</i>	One-flowered Wintergreen	Barjr Sijec woods
<i>Rhododendron hirsutum</i>	Hairy Alpenrose	Mangart Saddle
<i>Vaccinium myrtillus</i>	Bilberry	Barje Sijec woods
<i>Vaccinium oxycoccus</i>	Cranberry	Barje Sijec bog
<i>Vaccinium uliginosum</i>	Bog Whortleberry	Barje Sijec bog
<i>Vaccinium vitis-idaea</i>	Cowberry	Goreljek
Euphorbiaceae	Spurge Family	
<i>Euphorbia amygdaloides</i>	Wood Spurge	Lake Bohinj
<i>Euphorbia cyparissias</i>	Cypress Spurge	Lake Bohinj
<i>Euphorbia helioscopia</i>	Sun Spurge	Lake Bohinj
<i>Mercurialis perennis</i>	Dog's Mercury	Vogar
Fagaceae	Oak & Beech Family	
<i>Fagus sylvatica</i>	Beech	Lake Bohinj
Gentianaceae	Gentian Family	
<i>Gentiana asclepiadea</i>	Willow-leaved Gentian	Lake Bohinj (leaves)
<i>Gentiana brachyphylla</i> subsp. <i>favratii</i>	-	Mangart Saddle
<i>Gentiana clusii</i>	Clusius' Gentian	Mangart Saddle (over)
<i>Gentiana cruciata</i>	Cross Gentian	N of Mrzli Studenec
<i>Gentiana pumila</i>	a Gentian	Mangart Saddle
<i>Gentiana verna</i>	Spring Gentian	Mangart Saddle (over)
<i>Gentianella germanica</i>	Chiltern Gentian	Ravne

Scientific name	Common name	Location
Geraniaceae	Geranium Family	
<i>Geranium phaeum</i>	Dusky Crane's-bill	W of Kranjska Gora
<i>Geranium robertianum</i>	Herb Robert	Lake Bohinj
<i>Geranium sylvaticum</i>	Wood Crane's-bill	Mangart Saddle
<i>Geranium purpureum</i>	Little Robin	
<i>Geranium pyrenaicum</i>	Hedgerow Crane's-bill	
Grossulariaceae	Gooseberry Family	
<i>Ribes uva-crispa</i>	Wild Gooseberry	N of Mrzli Studenec
Hypericaceae	St. John's-wort Family	
<i>Hypericum hirsutum</i>	Hairy St. John's-wort	Vintgar Gorge
<i>Hypericum maculosum</i>	Imperforate St. John's-wort	Lake Bohinj
<i>Hypericum montanum</i>	Pale St. John's-wort	Lake Bohinj
<i>Hypericum perforatum</i>	Perforate St. John's-wort	Lake Bohinj
Juglandaceae	Walnut Family	
[<i>Juglans regia</i>]	Walnut	Lake Bohinj
Lamiaceae	Dead-nettle Family	
<i>Ajuga genevensis</i>	Blue Bugle	N of Mrzli Studenec
<i>Ajuga pyramidalis</i>	Pyramidal Bugle	Goreljek
<i>Ajuga reptans</i>	Bugle	Mostnice Gorge
<i>Betonica officinalis</i>	Betony	Lake Bohinj
<i>Clinopodium alpinum</i>	Alpine Basil Thyme	N of Mrzli Studenec
<i>Galeopsis speciosa</i>	Large-flowered Hemp-nettle	Ravne
<i>Lamium galeobdolon</i> agg.	Yellow Archangel	Vogar
<i>Lamium garganicum</i>	Large Red Dead-nettle	N of Mrzli Studenec
<i>Lamium orvala</i>	Balm-leaved Archangel	Vogar (over)
<i>Melittis melissophyllum</i>	Bastard Balm	Lake Bohinj (over)
<i>Mentha longifolia</i>	Horse Mint	Ravne
<i>Origanum vulgare</i>	Wild Marjoram	Vogar
<i>Prunella grandiflora</i>	Large-flowered Selfheal	Lake Bohinj
<i>Prunella vulgaris</i>	Selfheal	Lake Bohinj
<i>Salvia glutinosa</i>	Jupiter's Distaff	Lake Bohinj (leaves)
<i>Salvia pratensis</i>	Meadow Clary	Lake Bohinj
<i>Scutellaria galericulata</i>	Skullcap	Lake Bohinj
<i>Stachys alopecuroides</i>	Yellow Betony	Lake Bohinj
<i>Stachys alpina</i>	Alpine Woundwort	Vintgar Gorge
<i>Stachys recta</i>	Yellow Woundwort	Lake Bohinj
<i>Teucrium chamaedrys</i>	Wall Germander	Lake Bohinj
<i>Teucrium montanum</i>	Mountain Germander	Lake Bohinj
<i>Thymus polytrichus</i>	Wild Thyme	Goneljek
<i>Thymus serpyllum</i>	A Thyme	Mangart Saddle
Leguminosae (Fabaceae)	Pea Family	
<i>Anthyllis vulneraria</i> subsp. <i>alpestris</i>	Kidney-vetch	Lake Bohinj
<i>Astragalus depressus</i>	False vetch	Mangart Saddle
<i>Dorycnium pentaphyllum</i>	-	Lake Bohinj
<i>Genista radiata</i>	Southern Greenweed	Lake Bohinj
<i>Genista tinctoria</i>	Dyers Greenweed	Lake Bohinj
<i>Hedysarum hedysaroides</i>	Alpine Sainfoin	Mangart Saddle

Scientific name	Common name	Location
<i>Hippocrepis comosa</i>	Horseshoe Vetch	Lake Bohinj
<i>Laburnum anagyroides</i>	Laburnum	Vogar
<i>Lathyrus occidentalis</i>	-	Mostnice Gorge (fruit)
<i>Lathyrus pratensis</i>	Yellow Vetchling	Barje Sijec bog
<i>Lathyrus vernus</i>	Spring Vetchling	Lake Bohinj (leaves)
<i>Lotus alpinus</i>	Alpine Bird's-foot Trefoil	Mangart Saddle
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	Lake Bohinj
<i>Medicago falcata</i>	Sickle Medick	Mostnice Gorge
<i>Medicago lupulina</i>	Black Medick	Lake Bohinj
<i>Ononis spinosa</i>	Spiny Restharrow	Ravne
<i>Oxytropis jacquini</i>	Mountain Milk-vetch	Mangart Saddle
<i>Trifolium medium</i>	Zigzag Clover	Lake Bohinj
<i>Trifolium montanum</i>	Mountain Clover	Vogar
<i>Trifolium pratense</i>	Red Clover	Lake Bohinj
<i>Trifolium repens</i>	White Clover	Lake Bohinj
<i>Vicia cracca</i>	Tufted vetch	Lake Bohinj
<i>Vicia sepium</i>	Bush Vetch	N of Mrzli Studenec
<i>Vicia sylvatica</i>	Wood Vetch	Vogar
Lentibulariaceae	Bladderwort Family	
<i>Pinguicula vulgaris</i>	Common Butterwort	Barje Sijec bog
Linaceae	Flax Family	
<i>Linum austriacum</i>	-	Mangart Saddle
<i>Linum viscosum</i>	Sticky Flax	Vogar
Lythraceae	Purple-loosestrife Family	
<i>Lythrum salicaria</i>	Purple-loosestrife	Lake Bohinj
Oleaceae	Olive Family	
<i>Fraxinus excelsior</i>	Ash	Lake Bohinj
<i>Fraxinus ornus</i>	Manna or Flowering Ash	Mostnice Gorge
<i>Ligustrum vulgare</i>	Wild Privet	Lake Bohinj
Onagraceae	Willowherb Family	
<i>Oenothera glazioviana</i>	Common Evening Primrose	Roadsides
Orobanchaceae	Broomrape Family	
<i>Bartsia alpina</i>	Alpine Bartsia	Mangart Saddle
<i>Melampyrum nemorosum</i>	a Cow-wheat	Vintgar Gorge
<i>Melampyrum pratense</i>	Common Cow-wheat	Lake Bohinj
<i>Melampyrum sylvaticum</i>	Wood Cow-wheat	Goneljek
<i>Orobanche gracilis</i>	Slender Broomrape	Mostnice Gorge
<i>Pedicularis rostratocapitata</i>	Beaked Lousewort	Mangart Saddle
<i>Pedicularis verticillata</i>	Verticillate Lousewort	N of Mrzli Studenec
<i>Rhinanthus aristatus</i> agg.	Aristate Yellow Rattle	Mostnice Gorge
<i>Rhinanthus minor</i> agg.	Rattle	N of Mrzli Studenec
Oxalidaceae	Wood-sorrel Family	
<i>Oxalis acetosella</i>	Wood-sorrel	Lake Bohinj

Scientific name	Common name	Location
Papaveraceae	Poppy Family	
<i>Chelidonium majus</i>	Greater Celandine	Studor
Plantaginaceae	Plantain Family	
<i>Digitalis grandiflora</i> (<i>D. ambigua</i>)	Large Yellow Foxglove	Roadsides
<i>Plantago lanceolata</i>	Ribwort Plantain	Lake Bohinj
<i>Plantago major</i>	Greater Plantain	Lake Bohinj
<i>Plantago media</i>	Hoary or Lamb's-tail Plantain	Ribcev Laz
<i>Veronica aphylla</i>	Leafless-stemmed Speedwell	Mangart Saddle
<i>Veronica austriaca</i> subsp. <i>teucrium</i>	Large Speedwell	Mostnice Gorge
<i>Veronica bonarota</i>	Bluish Paederota	Mangart Saddle
<i>Veronica chamaedrys</i>	Germander Speedwell	Barje Sijec woods
<i>Veronica fruticans</i>	Rock Speedwell	Mangart Saddle
<i>Veronica longifolia</i>	-	Barje Sijec bog
<i>Veronica lutea</i>	Yellow Paederota	Mangart Saddle
<i>Veronica officinalis</i>	Heath Speedwell	Goneljek
<i>Veronica persica</i>	Common Field Speedwell	Lake Bohinj
<i>Veronica urticifolia</i>	Nettle-leaved Speedwell	Lake Bohinj (leaves)
Plumbaginaceae	Thrift Family	
<i>Armeria alpina</i>	Mountain Thrift	
Polygalaceae	Milkwort Family	
<i>Polygala serpyllifolia</i>	Heath Milkwort	Barje Sijec woods
Polygonaceae	Knotweed Family	
<i>Persicaria maculosa</i>	Red-shank	Lake Bohinj
<i>Rumex obtusifolius</i>	Broad-leaved Dock	Lake Bohinj
<i>Rumex scutatus</i>	French Sorrel	Lake Bohinj
Primulaceae	Primrose Family	
<i>Cyclamen purpurescens</i>	a Cyclamen	Lake Bohinj
<i>Lysimachia nummularia</i>	Creeping-jenny	
<i>Lysimachia vulgaris</i>	Yellow Loosestrife	Lake Bohinj
<i>Primula auricula</i>	Bear's-ear Primrose	Vogar cliffs
<i>Primula elatior</i>	Oxlip	Mangart Saddle
Ranunculaceae	Buttercup Family	
<i>Aconitum lamarckii</i>	a Wolf's-bane	Lake Bohinj
<i>Aconitum paniculatum</i>	a Monk's-hood	Vogar
<i>Actaea spicata</i>	Baneberry	Ravne
<i>Anemone (Pulsatilla) alpina</i> subsp. <i>alpina</i>	Alpine Pasque-flower	Mangart Saddle (over)
<i>Anemone trifolia</i>	Three-leaved Anemone	Lake Bohinj (leaves)
<i>Anemone nemorosa</i>	Wood Anemone	Barje Sijec woods
<i>Aquilegia atrata</i>	Dark Columbine	Mangart Saddle
<i>Aquilegia vulgaris</i>	Columbine	Vogar
<i>Caltha palustris</i>	Marsh Marigold	Goneljek
<i>Clematis recta</i>	Upright Clematis	Lake Bohinj
<i>Clematis vitalba</i>	Old-Man's-Beard	Mostnice Gorge
<i>Heleborus niger</i>	Christmas Rose	Lake Bohinj (leaves)
<i>Hepatica nobilis</i>	Hepatica	Lake Bohinj (leaves)
<i>Ranunculus aconitifolius</i>	Aconite-leaved Buttercup	Barje Sijec woods

Scientific name	Common name	Location
<i>Ranunculus acris</i>	Meadow Buttercup	Lake Bohinj
<i>Ranunculus alpestris</i> subsp. <i>traunfellneri</i>	an Alpine Buttercup	Mangart Saddle
<i>Ranunculus hybridus</i>	Hybrid Buttercup	Mangart Saddle
<i>Ranunculus montanus</i>	Mountain Buttercup	Mangart Saddle
<i>Thalictrum aquilegifolium</i>	Great Meadow-rue	Mangart Saddle
<i>Thalictrum minus</i>	Lesser Meadow-rue	Lake Bohinj
<i>Trollius europaeus</i>	Globeflower	Barje Sijec bog
Rhamnaceae	Buckthorn Family	
<i>Rhamnus alpinus</i>	Alpine Buckthorn	Vogar cliffs
<i>Rhamnus catharticus</i>	Buckthorn	Lake Bohinj
<i>Rhamnus fallax</i>	an Alpine Buckthorn	Lake Bohinj
<i>Rhamnus saxatilis</i>	Rock Buckthorn	Lake Bohinj
Rosaceae	Rose Family	
<i>Alchemilla alpina</i>	Alpine Lady's-mantle	Mangart Saddle
<i>Alchemilla glabra</i>	Smooth Lady's-mantle	N of Mrzli Studenec
<i>Aruncus dioicus</i>	Goat's-beard Spiraea	Lake Bohinj
<i>Crataegus monogyna</i>	Hawthorn	Lake Bohinj
<i>Filipendula ulmaria</i>	Meadowsweet	Lake Bohinj
<i>Fragaria vesca</i>	Wild Strawberry	Lake Bohinj
<i>Geum montanum</i>	Alpine Avens	Mangart Saddle
<i>Geum urbanum</i>	Wood Avens or Herb Bennet	Lake Bohinj
<i>Potentilla aurea</i>	Golden Cinquefoil	Lake Bohinj
<i>Potentilla crantzii</i>	Alpine Cinquefoil	Mangart Saddle
<i>Potentilla erecta</i>	Tormentil	Lake Bohinj
<i>Potentilla nitida</i>	Pink Cinquefoil	Mangart Saddle
<i>Rosa canina</i> agg.	Dog Rose	Lake Bohinj
<i>Rosa glauca</i>	Blue-leaved Rose	Lake Bohinj
<i>Rosa pendulina</i>	Alpine Rose	Goneljek
<i>Rubus fruticosus</i> agg.	Bramble	Lake Bohinj
<i>Rubus idaeus</i>	Raspberry	Lake Bohinj
<i>Rubus saxatilis</i>	Stone Bramble	Lake Bohinj
<i>Sorbus aria</i> agg.	Whitebeam	Vogar
<i>Sorbus aucuparia</i>	Rowan	Goneljek
Rubiaceae	Bedstraw Family	
<i>Galium aristatum</i>	-	Lake Bohinj
<i>Galium boreale</i>	Northern Bedstraw	Lake Bohinj
<i>Galium mollugo</i>	Hedge Bedstraw	Lake Bohinj
<i>Galium odoratum</i>	Woodruff	Slap Savica
<i>Galium lucidum</i>	-	Mangart Saddle
<i>Galium palustre</i> agg.	Marsh Bedstraw	Vogar
<i>Galium verum</i>	Lady's Bedstraw	Lake Bohinj
Salicaceae	Willow & Poplar Family	
<i>Populus tremula</i>	Aspen	Vogar
<i>Salix eleagnos</i>	Rosemary Willow	N of Mrzli Studenec
<i>Salix herbacea</i>	Least Willow	Mangart Saddle
<i>Salix viminalis</i>	Osier	Lake Bohinj
<i>Salix waldsteiniana</i>	a Mountain Willow	Vogar

Scientific name	Common name	Location
Santalaceae <i>Thesium linophyllum</i>	Sandalwood Family Flax-leaved Bastard Toadflax	Mangart Saddle
Sapindaceae <i>Acer campestre</i> <i>Acer negundo</i> <i>Acer pseudoplatanus</i>	Maple Family Field Maple Box Elder Sycamore	Lake Bohinj Lake Bohinj Slap Savica
Saxifragaceae <i>Saxifraga aizoides</i> <i>Saxifraga burseriana</i> <i>Saxifraga crustata</i> <i>Saxifraga cuneifolia</i> <i>Saxifraga paniculata</i> <i>Saxifraga rotundifolia</i> <i>Saxifraga squarrosa</i> <i>Saxifraga stellaris</i>	Saxifrage Family Yellow Mountain Saxifrage One-flowered Cushion Saxifrage Encrusted Saxifrage Spoon-leaved Saxifrage Live-long Saxifrage Round-leaved saxifrage - Starry Saxifrage	Mangart Saddle Mangart Saddle (leaves) Vogar cliffs Vogar cliffs (over) Mangart Saddle Vintgar Gorge Mangart Saddle Mangart Saddle
Scrophulariaceae <i>Scrophularia scopolii</i> <i>Verbascum nigrum</i> <i>Verbascum pulverulentum</i>	Figwort Family Scopoli's Figwort Dark Mullein Hoary Mullein	Lake Bohinj Vogar
Solanaceae <i>Atropa belladonna</i> <i>Solanum dulcamara</i>	Nightshade Family Deadly Nightshade Bittersweet	Vogar Vogar
Thymelaeaceae <i>Daphne mezereum</i>	Mezereon Family Mezereon	Barje Sijec bog
Urticaceae <i>Urtica dioica</i>	Nettle Family Common Nettle	Lake Bohinj
Violaceae <i>Viola biflora</i> <i>Viola riviniana</i>	Violet Family Yellow Violet Common Dog Violet	Mangart Saddle Vintgar Gorge
Monocots	Monocotyledons	
Amaryllidaceae <i>Allium carinatum</i> <i>Allium suaveolens</i> <i>Allium vineale</i>	Daffodil Family Keel'd Garlic Fragrant Onion Crow Garlic	Ravne Lake Bohinj Studor
Asparagaceae <i>Anthericum ramosum</i> <i>Convallaria majalis</i> <i>Maianthemum bifolium</i> <i>Polygonatum multiflorum</i> <i>Polygonatum odoratum</i> <i>Polygonatum verticillatum</i>	Asparagus Family Branched St. Bernard's Lily Lily-of-the-Valley May Lily Solomon's-seal Angular Solomon's-seal Whorled Solomon's-seal	Lake Bohinj Lake Bohinj Lake Bohinj Lake Bohinj (fruit) Mostnice Gorge Goreljek

Scientific name	Common name	Location
Colchicaceae	Meadow Saffron Family	
<i>Colchicum autumnale</i>	Autumn Crocus	Lake Bohinj (fruit)
Cyperaceae	Sedge Family	
<i>Carex acutiformis</i>	Lesser Pond-sedge	Zelenci bog
<i>Carex atrata</i>	Black Alpine-sedge	Mangart Saddle
<i>Carex capillaris</i>	Hair Sedge	N of Mrzli Studenec
<i>Carex demissa</i>	Common Yellow -sedge	Vogar
<i>Carex digitata</i>	Fingered Sedge	Lake Bohinj
<i>Carex echinata</i>	Star Sedge	Barje Sijec bog
<i>Carex flava</i>	Large Yellow-sedge	Vogar
<i>Carex leporina</i> (<i>C. ovalis</i>)	Oval Sedge	Goreljek
<i>Carex otrubae</i>	False Fox Sedge	Ravne
<i>Carex sylvatica</i>	Wood Sedge	Lake Bohinj
<i>Carex vesicaria</i>	Bladder Sedge	Barje Sijec bog
<i>Eriophorum angustifolium</i>	Common Cotton-grass	Barje Sijec bog
<i>Eriophorum vaginatum</i>	Hare's-tail Cotton-grass	Goreljek bog
Juncaceae	Rush Family	
<i>Juncus acutiflorus</i>	Sharp-flowered Rush	Mostnice Gorge
<i>Juncus jacquinii</i> *		Mangart Saddle
<i>Juncus tenuis</i>	Slender Rush	Between Bled & Bohinjska Bistrica
<i>Juncus trifidus</i>	Three-leaved Rush	Mangart Saddle
<i>Luzula luzuloides</i>	White Woodrush	Vintgar Gorge
<i>Luzula multiflorum</i> agg.	Heath Woodrush	N of Mrzli Studenec
<i>Luzula nivea</i>	Snowy Woodrush	Lake Bohinj
<i>Luzula pilosa</i>	Hairy Woodrush	Goreljek
<i>Luzula spicata</i>	Spicked Woodrush	Mangart Saddle
Liliaceae	Lily Family	
<i>Lilium bulbiferum</i>	Orange Lily	Italian Border on Strada 54
<i>Lilium carnolicum</i> *	Carnic Lily	Vogar
<i>Lilium martagon</i>	Martagon Lily	Vogar
Melanthiaceae	Herb-Paris Family	
<i>Paris quadrifolia</i>	Herb-Paris	Barje Sijec woods
<i>Veratrum album</i>	White False-helleborine	N of Mrzli Studenec
<i>Veratrum lobelianum</i>	Green False-helleborine	Barje Sijec bog
Orchidaceae	Orchid Family	
<i>Cephalanthera damasonium</i>	White Helleborine	Lake Bohinj (over)
<i>Cephalanthera longifolia</i>	Narrow-leaved Helleborine	Lake Bohinj (over)
<i>Cephalanthera rubra</i>	Red Helleborine	Between Bled & Bohinjska Bistrica
<i>Corallorhiza trifida</i>	Coralroot Orchid	Barje Sijec woods (fruit)
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	Lake Bohinj
<i>Dactylorhiza incarnata</i> subsp. <i>pulchella</i>	an Early Marsh Orchid	Barje Sijec bog
<i>Dactylorhiza viridis</i> (<i>Coeloglossum viride</i>)	Frog Orchid	N of Mrzli Studenec
<i>Epipactis atrorubens</i>	Dark Red Helleborine	Lake Bohinj
<i>Epipactis palustris</i>	Marsh Helleborine	Mostnice Gorge
<i>Gymnadenia conopsea</i>	Fragrant Orchid	N of Mrzli Studenec
<i>Gymnadenia odoratissima</i>	Short-spurred Fragrant Orchid	Lake Bohinj
<i>Neottia cordata</i>	Lesser Twayblade	Goreljek

Scientific name	Common name	Location
<i>Neottia ovata</i>	Twayblade	Lake Bohinj
<i>Platanthera bifolia</i>	Lesser Butterfly Orchid	Vogar
<i>Pseudorchis (Gymnadenia) albida</i>	Small White Orchid	N of Mrzli Studenec
<i>Traunsteinera globosa</i>	Round-headed Orchid	Mangart Saddle
Poaceae	Grass Family	
<i>Brachypodium pinnatum</i>	Tor-grass	Lake Bohinj
<i>Briza media</i>	Quaking Grass	Lake Bohinj
<i>Dactylis glomerata</i>	Cock's-foot	Lake Bohinj
<i>Deschampsia cespitosa</i>	Tufted Hair-grass	Lake Bohinj
<i>Festuca altissima</i>	Wood Fescue	Vintgar Gorge
<i>Festuca arundinacea</i>	Tall Fescue	Lake Bohinj
<i>Lolium perenne</i>	Perennial Rye-grass	Lake Bohinj
<i>Melica nutans</i>	Mountain Melick	Lake Bohinj
<i>Milium effusum</i>	Wood Millet	Vintgar Gorge
<i>Poa alpina</i>	Alpine Meadow-grass	Mangart Saddle
<i>Poa alpina</i> var. <i>vivipara</i>	Viviparous Alpine Meadow-grass	Mangart Saddle
<i>Poa annua</i>	Annual Meadow-grass	Lake Bohinj
<i>Sesleria caerulea</i>	Blue Moor-grass	Mangart Saddle
Tofieldiaceae	Scottish Asphodel Family	
<i>Tofieldia calyculata</i>	Tofield's Asphodel	N of Mrzli Studenec

Birds (✓=recorded but not counted; H = heard only; LO = Leader Only)

	Common name	Scientific name	June							
			22	23	24	25	26	27	28	29
1	Mute Swan	<i>Cygnus olor</i>	✓				✓		✓	
2	Mallard	<i>Anas platyrhynchos</i>	✓	✓	✓	✓	✓	✓	✓	✓
3	White Stork	<i>Ciconia ciconia</i>			✓					
4	Grey Heron	<i>Ardea cinerea</i>	✓	✓	✓	✓	✓	H	✓	
5	European Honey Buzzard	<i>Pernis apivorus</i>					✓			
6	Common Buzzard	<i>Buteo buteo</i>	✓	✓			✓		✓	
7	Black-headed Gull	<i>Chroicocephalus ridibundus</i>		✓						
8	Yellow-legged Gull	<i>Larus michahellis</i>		✓						
9	Rock Dove [Feral]	<i>Columba livia (feral)</i>	✓				✓			
10	Common Cuckoo	<i>Cuculus canorus</i>			H	H	H	H		
11	Tawny Owl	<i>Strix aluco</i>					H			
12	Alpine Swift	<i>Tachymarptis melba</i>					✓			
13	Common Swift	<i>Apus apus</i>			✓					
14	Lesser Spotted Woodpecker	<i>Dendrocopos minor</i>							H	
15	Great Spotted Woodpecker	<i>Dendrocopos major</i>			✓				✓	
16	Grey-headed Woodpecker	<i>Picus canus</i>			H				✓	
17	Common Kestrel	<i>Falco tinnunculus</i>	✓	✓			✓		✓	
18	Red-backed Shrike	<i>Lanius collurio</i>				✓		✓		
19	Eurasian Golden Oriole	<i>Oriolus oriolus</i>			H	LO				
20	Eurasian Jay	<i>Garrulus glandarius</i>	✓			✓	✓	✓		
21	Spotted Nutcracker	<i>Nucifraga caryocatactes</i>			H				H	
22	Carrion Crow	<i>Corvus corone</i>					✓			
23	Hooded Crow	<i>Corvus cornix</i>	✓	✓	✓	✓			✓	✓
24	Northern Raven	<i>Corvus corax</i>		✓			✓	✓		
25	Coal Tit	<i>Parus ater</i>		H	✓		✓	✓		

	Common name	Scientific name	June								
			22	23	24	25	26	27	28	29	
26	European Crested Tit	<i>Lophophanes cristatus</i>			✓	✓				H	
27	Marsh Tit	<i>Poecile palustris</i>			✓					H	
28	Eurasian Blue Tit	<i>Cyanistes caeruleus</i>		✓	✓	✓					
29	Great Tit	<i>Parus major</i>		✓	✓					✓	
30	Barn Swallow	<i>Hirundo rustica</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
31	Eurasian Crag Martin	<i>Ptyonoprogne rupestris</i>					✓				
32	Common House Martin	<i>Delichon urbicum</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
33	Common Chiffchaff	<i>Phylloscopus collybita</i>		✓	H	H			H		
34	Western Bonelli's Warbler	<i>Phylloscopus bonelli</i>			✓	H			H		
35	Eurasian Blackcap	<i>Sylvia atricapilla</i>		H	H	H	✓		H	✓	
36	Goldcrest	<i>Regulus regulus</i>		H	✓						
37	Eurasian Wren	<i>Troglodytes troglodytes</i>	H	H	H	✓			✓	H	
38	Eurasian Nuthatch	<i>Sitta europaea</i>		✓	✓	✓	✓	✓	✓	H	
39	Common Blackbird	<i>Turdus merula</i>		✓	✓	✓	✓	✓	✓	✓	
40	Song Thrush	<i>Turdus philomelos</i>		✓	H	H	H	H	H	H	
41	Mistle Thrush	<i>Turdus viscivorus</i>			✓				✓	✓	
42	Spotted Flycatcher	<i>Muscicapa striata</i>	✓	✓	✓	✓	✓	✓	✓	✓	
43	European Robin	<i>Erithacus rubecula</i>		✓	✓	✓	H		✓	✓	
44	Black Redstart	<i>Phoenicurus ochruros</i>		✓	H	✓	✓	✓	✓	✓	
45	Northern Wheatear	<i>Oenanthe oenanthe</i>					✓				
46	White-throated Dipper	<i>Cinclus cinclus</i>		✓		✓			✓	✓	
47	House Sparrow	<i>Passer domesticus</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
48	White-winged Snowfinch	<i>Montifringilla nivalis</i>					✓				
49	Alpine Accentor	<i>Prunella collaris</i>					H				
50	Dunnock	<i>Prunella modularis</i>			H						
51	Grey Wagtail	<i>Motacilla cinerea</i>			✓	✓			✓	✓	
52	White Wagtail	<i>Motacilla alba</i>	✓	✓	✓	✓	✓	✓	✓	✓	✓
53	Tree Pipit	<i>Anthus trivialis</i>								✓	
54	Water Pipit	<i>Anthus spinoletta</i>					✓				
55	Common Chaffinch	<i>Fringilla coelebs</i>	H	✓	✓	✓	✓	✓	✓	✓	✓
56	Hawfinch	<i>Coccothraustes coccothraustes</i>		✓	✓	✓	✓	✓	✓	✓	✓
57	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>		H	✓				H		
58	European Greenfinch	<i>Chloris chloris</i>			✓		H			✓	
59	Red Crossbill	<i>Loxia curvirosta</i>			✓					H	
60	European Goldfinch	<i>Carduelis carduelis</i>		✓	✓		✓	✓	✓	✓	
61	European Serin	<i>Serinus serinus</i>								✓	

Mammals (D=dead)

1	European Mole	<i>Talpa europaea</i>				D					
2	Eastern Hedgehog	<i>Erinaceus roumanicus</i>					✓				
3	Stone or Beech Marten	<i>Martes foina</i>			D						
4	European Roe Deer	<i>Capreolus capreolus</i>	✓		✓						
5	Red Squirrel	<i>Sciurus vulgaris</i>		✓	✓	✓				✓	
6	Bank Vole	<i>Clethrionomys glareolus</i>		✓	✓						

Amphibians & Reptiles (T = Tadpoles)

1	Alpine Newt	<i>Ichthyosaura alpestris</i>			✓			✓			
2	Yellow-bellied Toad	<i>Bombina variegata</i>		✓							
3	Common Toad	<i>Bufo bufo</i>		T							

	Common name	Scientific name	June							
			22	23	24	25	26	27	28	29
4	Common Frog	<i>Rana temporaria</i>			✓			✓	✓	
5	Common Lizard	<i>Zootoca vivipara</i>			✓					
6	Horvath's Rock Lizard	<i>Iberolacerta horvathi</i>		✓	✓				✓	
7	Slow Worm	<i>Anguis fragilis</i>		✓						
8	Grass Snake	<i>Natrix natrix</i>		✓						

Butterflies

1	Clouded Apollo	<i>Parnassius mnemosyne</i>			✓					
2	Black-veined White	<i>Aporia crataegi</i>		✓						
3	Large White	<i>Pieris brassicae</i>				✓				
4	Small White	<i>Pieris rapae</i>		✓	✓	✓	✓	✓	✓	
5	Dark-veined White	<i>Pieris bryoniae</i>			✓		✓			
6	Orange Tip	<i>Anthocharis cardamines</i>			✓					
7	Clouded Yellow	<i>Colias crocea</i>							✓	
8	Berger's Clouded Yellow	<i>Colias alfacariensis</i>		✓						
9	Brimstone	<i>Gonepteryx rhamni</i>		✓	✓			✓		
10	Wood White	<i>Leptidea sinapis</i>		✓			✓	✓	✓	
11	Blue-spot Hairstreak	<i>Satyrium spini</i>		✓						
12	Scarce Copper	<i>Lycaena virgaureae</i>							✓	
13	Purple-edged Copper	<i>Lycaena hippothoe</i>							✓	
14	Small Blue	<i>Cupido minimus</i>							✓	
15	Green-underside Blue	<i>Glaucopsyche alexis</i>			✓					
16	Mazarine Blue	<i>Cyaniris semiargus</i>					✓			
17	Chalkhill Blue	<i>Polyommatus coridon</i>		✓						
18	Common Blue	<i>Polyommatus icarus</i>		✓	✓				✓	
19	Southern White Admiral	<i>Limenitis reducta</i>						✓		
20	White Admiral	<i>Limenitis camilla</i>		✓					✓	
21	Red Admiral	<i>Vanessa atalanta</i>							✓	
22	Painted Lady	<i>Vanessa cardui</i>		✓						
23	Small Tortoiseshell	<i>Aglais urticae</i>					✓			
24	Comma Butterfly	<i>Polygonum c-album</i>		✓					✓	
25	Silver-washed Fritillary	<i>Argynnis paphia</i>		✓	✓			✓	✓	
26	Dark Geen Fritillary	<i>Argynnis aglaja</i>								
27	High Brown Fritillary	<i>Argynnis adippe</i>		✓						
28	Shepherd's Fritillary	<i>Boloria pales</i>					✓			
29	Pearl-bordered Fritillary	<i>Clossiana euphrosyne</i>					✓			
30	False Heath Fritillary	<i>Melitaea diamina</i>		✓	✓			✓		
31	Heath Fritillary	<i>Mellicta athalia</i>		✓	✓		✓	✓		
32	Marbled White	<i>Melanargia galathea f. procida</i>		✓		✓	✓	✓	✓	
33	Woodland Ringlet	<i>Erebia medusa</i>					✓			
34	Silky Ringlet	<i>Erebia gorge</i>					✓			
35	Meadow Brown	<i>Maniola jurtina</i>		✓				✓	✓	
36	Pearly Heath	<i>Coenonympha arcania</i>		✓						
37	Speckled Wood	<i>Pararge aegeria aegeria</i>			✓					
38	Large Wall Brown	<i>Lasiommata maera</i>			✓					
39	Woodland Brown	<i>Lopinga achine</i>		✓						
40	Small Skipper	<i>Thymelicus sylvestris</i>		✓				✓	✓	
41	Large Skipper	<i>Ochlodes venatus</i>		✓			✓	✓	✓	

	Common name	Scientific name	June						
			22	23	24	25	26	27	28

Micros Moths

1	Thistle Conch	<i>Aethes cnicana</i>				✓				
2	Garden Grass Veneer	<i>Chrysoteuchia culmella</i>			✓				✓	
3	Crambid	<i>Crambus uliginosellus</i>			✓					
4	Crambid	<i>Crambus perlilla</i>							✓	

Macros Moths

1	Forester	<i>Adscita statures</i>		✓						
2	Six-spot Burnet	<i>Zygaena filipendulae</i>							✓	
3	Five-spot Burnet	<i>Zygaena trifolii</i>		✓						
4	Small Emerald	<i>Hemistola chrysoprasaria</i>			✓					
5	Riband Wave	<i>Idaea aversata</i>			✓					
6	Small Argent and Sable	<i>Epirrhoetristata</i>					✓			
7	Common Carpet	<i>Epirrhoe alternata</i>			✓		✓			
8	Barred Carpet	<i>Perizoma taeniata</i>			✓					
9	Speckled Yellow	<i>Pseudopanthera macularia</i>						✓		
10	Mottled Beauty	<i>Alcis repandata</i>			✓					
11	Common Heath	<i>Ematurga atomaria</i>		✓						
12	Black Mountain Moth	<i>Glacies coracina</i>					✓			
13	Geometrid	<i>Psodos quarifaria</i>					✓			
14	Privet Hawk-moth	<i>Sphinx ligustri</i>					✓			
15	Humming-bird Hawk-moth	<i>Macroglossum stellatarum</i>		✓				✓		
16	Scarlet Tiger	<i>Callimorpha dominula</i>				✓				
17	Nine-spotted	<i>Amata phegea</i>		✓	✓			✓	✓	
18	Striped Wainscot	<i>Mythimna pudorina</i>							✓	
19	Shoulder-striped Wainscot	<i>Mythimna comma</i>							✓	
20	Spiny Bollworm	<i>Earias biplaga</i>				✓				
21	Silver Y	<i>Autographa gamma</i>							✓	
22	Burnet Companion	<i>Euclidia glyphica</i>					✓			
23	Straw Dot	<i>Rivula sericealis</i>							✓	

Other Invertebrates

1	May Fly	<i>Ephemeroptera danica</i>					✓			
2	Common Blue Damselfly	<i>Coenagrion puella</i>		✓						
3	Broad-bodied Chaser	<i>Libellula depressa</i>							✓	
4	Sombre Goldenring	<i>Cordlegaster bidentata</i>		✓						
5	Brilliant Emerald	<i>Somatochlora metallica</i>		✓						
6	Green Mountain Grasshopper	<i>Miramella alpina</i>		✓	✓				✓	
7	Great Green Bush-cricket	<i>Tettigonia viridissima</i>		✓					✓	
8	Wart-biter Cricket	<i>Decticus verrucivorus</i>							✓	
9	Roesel's Bush-cricket	<i>Metrioptera roeselii</i>							✓	
10	Dark Bush-cricket	<i>Pholidoptera griseopaptera</i>		✓					✓	
11	Shield Bug	<i>Graphosoma lineatum</i>							✓	
12	Marmalade Hover-fly	<i>Episyrphus balteatus</i>			✓			✓	✓	
13	Wood Ant	<i>Formica rufa</i>		✓	✓			✓		
14	Buff-tailed Bumblebee	<i>Bombus terrestris</i>			✓				✓	
15	Red-tailed Bumblebee	<i>Bombus lapidarius</i>						✓	✓	
16	Honey Bee	<i>Apis mellifera</i>			✓			✓		

	Common name	Scientific name	June							
			22	23	24	25	26	27	28	29
17	Chafer	<i>Hoplia caerulea</i>			✓		✓	✓		
18	Chafer	<i>Hoplia argentea</i>			✓					
19	Garden Chafer	<i>Phyllopertha horticola</i>			✓			✓		
20	Chafer	<i>Gnorimus nobilis</i>						✓		
21	Rose Chafer	<i>Cetonia aurata</i>		✓	✓			✓	✓	
22	Chafer	<i>Cetonia aeruginosa</i>						✓	✓	
23	Glow-worm	<i>Lampyris noctiluca</i>			✓			✓		
24	Soldier Beetle	<i>Cantharis rustica</i>			✓					
25	Soldier Beetle	<i>Trichodes alvearus</i>					✓			
26	Seven-spot Ladybird	<i>Coccinella 7-punctata</i>			✓				✓	
27	Eyed Ladybird	<i>Anatis ocellata</i>					✓			
28	Longhorn Beetle	<i>Morimus funereus</i>						✓		
29	Longhorn Beetle	<i>Pachyta quadrimaculata</i>						✓		
30	Longhorn Beetle	<i>Strangalia maculata</i>						✓		
31	Flat-backed Millipede	<i>Polydesmus collaris</i>							✓	

Gastropods & Molluscs

1	Roman Snail	<i>Helix pomatia</i>		✓				✓		
2	White-lipped Banded Snail	<i>Cepaea hortensis</i>							✓	
3	Copse Snail	<i>Arianta arbustorum</i>							✓	

*Phyteuma sieberi*