SPORts WOMEN

ARCTIC CAT FLEECE TUNIC

- Slim fit with longer length ▶ Longer length for added comfort
- Fleece interior for extra warmth and softness
- ▶ 52% cotton, 48% polyester 5283-63* S-2XL

TEAM ARCTIC

Shaver



TEAM ARCTIC HOODED TUNIC

- ▶ Relaxed fit with longer length
- Tri-blend gives soft feel and looks great on many body types
- Slight stretch fit for free movement
- Non-fleece interior for warmer weather
- No drawcord on XS ▶ 50% polyester, 37% cotton,
- 13% rayon

5283-14* XS-2XL

States and a state

TEAM ARCTIC LOUNGE TOP

▶ Slim fit

- Contrast sweater-knit terry features reversed-out fabric sleeves and pouch pocket
- Also features contrast stitch and drawstrings
- Non-fleece interior for warmer weather
- See coordinating 5283-35* Team Arctic Lounge Pants
- ▶ 65% cotton, 35% polyester

LUNA SCRIPT

HOODIE

5283-33* S-2XL

EXTRA-LONG **TRAIL CREW**

- Relaxed fit with longer length
- Vintage wash creates a soft feel for added comfort
- Fleece interior for extra warmth and softness
- ▶ 55% cotton, 45% polyester
- 5283-50* S-XL



- Slim fit
- Polyester is wrinkle resistant for on-the-go convenience
- Moisture-wicking fabric breathes and keeps you dry
- ▶ 100% polyester
- 5273-66* S-2XL

TEAM ARCTIC LOUNGE PANTS

Slim fit

- Contrast sweater-knit terry features reversedout fabric on waist and contrast drawstrings
- Non-fleece interior for warmer weather
- See coordinating 5283-33* Team Arctic Lounge Top
- ▶ 65% cotton, 35% polyester

5283-35* S-2XL

*ADD CORRESPONDING SIZE NUMBER AT END OF 6-DIGIT CODE XS 0 S 1 M 2 L 4 XL 6 2XL 8

TEAM ARCTIC

CAPS





JERSEYS



YOUTH



 Fleece interior for extra warmth and softness
 50% cotton, 50% polyester

5283-60* LIME | 5283-61* PINK

TEAM ARCTIC

FAST

Fleece interior for extra warmth and softness

80% cotton, 20% polyester

5273-34* S-L

*ADD CORRESPONDING SIZE NUMBER AT END OF 6-DIGIT CODE S (6-8) 0 M (10-12) 1 L (14-16) 2 XL 3





ETTC

LECTIC CA

AIRCAT STRIPE

Durable, heavyweight fabric 100% cotton

5283-28* PINK 5283-29* CHARCOAL 3, 6, 12, 18 MO.





ARCTIC CAT LONG-SLEEVE ONESIE

Durable, heavyweight fabric ▶ 100% cotton

5273-14* PINK 5273-15* GREEN 3, 6, 12, 18, 24 MO.



*ADD CORRESPONDING SIZE NUMBER AT END OF 6-DIGIT CODE 3M 1 6M 3 12M 4 18 5 24 2 2T 6 3T 7 4T 8 5/6 9 TODDLER

INFANT



AIRCAT LOGO Structured fit holds cap shape Snapback

WOOL WIDE BRIM

Structured fit holds cap shape

▶ 68% acrylic, 30% wool, 2% spandex

Metal Aircat logo

Snapback

5283-100

▶ 100% cotton

5283-098



PLAID

- Unstructured and soft foam liner behind front crown panels for added comfort
- Super-soft mesh with snapback closure
- ▶ 60% wool, 40% rayon

5283-096





ARCTIC CAT STRIPE

Structured fit holds cap shape

- Snapback
 - ▶ 85% acrylic, 15% wool front crown
 - ▶ 100% cotton back
 - 5273-103

100



Structured fit holds cap shape

- Moisture-wicking fabric breathes well
- Elasticized fitted band
- ▶ 97% polyester, 3% elastane
- 5273-054 S/M | 5273-055 L/XL



A REAL PROPERTY AND A REAL

- Moisture-wicking fabric breathes well
- Hook-and-loop closure
- ▶ 97% polyester, 3% elastane

5283-099



- Hook-and-loop closure
- 100% cotton

5273-047 LIME | 5273-046 ORANGE



UNSTRUCTURED RETRO

Section and the section of the

- Unstructured fit for added comfort
- Hook-and-loop closure
- 100% cotton

5283-105 GREEN | 5283-106 NAVY





CAPS



OUTDOOR

- Structured fit holds cap shape
- Mesh back with snapback closure
- ▶ 65% cotton, 35% polyester

5283-097

VINTAGE TRUCKER

- Structured foam fit holds cap shape with vintage look and feel
- Mesh back with snapback closure
- ▶ 100% polyester

5283-107





ARCTIC CAT CAMO

- Structured fit holds cap shape
- Black rhinestone and stud accents
- Mesh back with snapback closure
- ▶ 65% cotton, 35% polyester
- 5273-105



UCKER HIBBERT COLLECTION

JERSEYS





CAPS

KNIT HATS

Knit Hats Sports Weak

TEAM ARCTIC RACE

Non-fleece interior for breathability
 100% acrylic

a sund is along the set of a set

5279-564

TEAM ARCTIC FLAG > Fleece lined for extra warmth

▶ 50% polyester, 50% acrylic

5273-075

GRAY STRIPE

▶ Non-fleece interior for breathability

▶ 100% acrylic

5283-110

TEAM ARCTIC REVERSIBLE

- Reversible design for two hats in on
- ▶ Non-fleece
- ▶ 100% acrylic

ADULT 5273-071

<mark>YOUTH</mark> 5283-118

WINTER WATCHMAN

ARCTIC GAT

- ▶ Non-fleece interior for breathability
- ▶ 100% acrylic
- 5283-111









ARCTIC CAT BLACK SEQUINS

- Black sequins woven throughout
 Non-fleece interior for breathability
- ▶ 50% polyester, 50% acrylic
- 5273-093



AIRCAT GRAY W/ POM Non-fleece interior for breathability

- Non-fleece interior for breathability
 100% acrylic
- 5273-092



SLOUCH

- Slouchy fit for comfort with non-fleece interior for breathability
- ▶ 100% acrylic

5283-113



NOISE POM

- ▶ Fleece lined for extra warmth
- Marled knit adds depth and texture
- ▶ 100% acrylic
- 5283-114 FOREST | 5283-115 PURPLE | 5283-116 CHARCOAL



ARCTIC CAT

- ▶ Fleece lined for extra warmth
- ▶ 50% polyester, 50% acrylic
- 5273-072 GRAY | 5273-074 ORANGE | 5283-112 LIME



TEAM ARCTIC STRIPES W/ POM

- ▶ Non-fleece interior for breathability
- ▶ 100% acrylic

5273-085 LIME | 5283-108 ORANGE | 5283-109 BLUE

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.







YOUTH GLOW IN-THE-DARK SNOWFLAKES

- Snowflakes glow in the dark after being in light
- ▶ Non-fleece interior for breathability
- ▶ 100% acrylic

5273-089



YOUTH CHUNKY POM

- Chunky knit with silver metallic thread woven throughout for subtle shimmer
- ▶ Non-fleece interior for breathability
- ▶ 100% acrylic

5283-117





Non-fleece interior for breathability

▶ 100% acrylic


5279-565

CAPS

KNIT HATS







OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.

			1000			
RA	GE COLL	ECTION	0			LECTION
	C CAT			ARCTI	CCAT	TUCKER HIBBERT COLLECTIO
um i	M SEAT		GARA STOO	ar stool		MEN
	nts logo Drums		 Chrome Feature 7639-872 	s Aircat logo	7	JERSEYS
	LED GAR 28 in. x 12 ir Edge-lit LED Cord with st plug include	sign andard	5		2	WOMEN
	7639-870	•	1	RCTIC C	AT?	YOUTH
T	DECAL WHITE	ORANGE	CHROME	LIME	and the second se	TODDLER
4 5	4299-738 4299-739	4299-742 4299-743	4299-746 4299-747	4299-750 4299-751		
6	4299-740 4299-741	4299-744 4299-745	4299-748 4299-749	4299-752 4299-753		
	4277-741	4277-743	4277-747	4277-733		INFANT
TIC	C FLAG D	ECAL			1	
4E -012	ORAN 2 5273-		HROME 73-015	PINK 5273-006		CAPS

(1) 10 中世世世界

E	ORANGE	CHROME	PINK
012	5273-009	5273-015	5273-006
013	5273-010	5273-016	5273-007
014	5273-011		5273-008

E	ORANGE	WHITE
725	4299-728	4299-731
726	4299-729	4299-732
727	4299-730	4299-733

COLLECTIBLES



ARCTIC CAT CANVAS

- Excellent longevity from specially treated canvas
- Adjustable windshield strap provides a custom windshield/mirror fit (not included on 2-up Touring models)
- ▶ Four cinch-down side straps Adjustable hook-and-loop front fasteners
- Easy-access, zippered gas cap panel
- Trailerable
- Fits low, mid and high windshields and mirrors

7639-736 '14-'18 ZR: '17-'18 TC: '14-'15 XF: '12-'13 F 129-IN.-137-IN. 7639-738 '16-'18 XF CTK 7639-739 '16-'18 XF 7000 CT; '18 XF CT 6/9000 7639-740 '16-'18 M, XF HC; '17-'18 XF CC; '12-'15 XF 137-IN.-141-IN. 7639-742 '12-'18 M; '18 KC; '17-'18 XF HC 153-IN.-162-IN. 7639-240 '15-'18 LYNX; '12-'14 F5, F570; '07-'11 F; '09-'11 Z1, Z1 TURBO

7639-241 '15-'18 LYNX LT, BC LT 2000; '08-'14 T570, TZ1; '09-'14 BC 570 7639-747 '18 NOR 3/6000 LT; '16-'17 BC 3000 LT 146-IN.-154-IN. 7639-737 '14-'18 ZR; '17-'18 TC; '14-'15 XF; '13-'15 XF CT; '12-'13 F 129-IN.-141-IN. W/ 2-UP SEAT

7639-744 '15-'18 PTA 7000; '18 PTA 6000; '16-'18 PTA 3000 7639-745 '16-'18 PTA 7000 XT LTD 7639-746 '18 BC XT 7639-242 '15-'18 BC 2000 XT; '09-'15 BC XT; '12-'15 BC XT GS 7639-778 '16-'18 BC 7000 XT 7639-245 '16-'18 BC 7000 XT GS

7639-748 '18 ZR 200 7639-749 '18 ZR 120 7639-246 '00-'17 ZR 120

ARCTIC CAT POLYESTER

- Provides excellent outdoor storage
- ▶ Fade-resistant, UV-protected polyester fabric
- Water-repellent coating
- Lycra[®] panel allows for low to high windshield/mirror options
- Adjustable hook-and-loop front fasteners
- ▶ Easy-access, zippered gas cap panel
- ▶ Four cinch-down side straps
- Trailerable

7639-751 '14-'18 ZR; '17-'18 TC; '14-'15 XF; '12-'13 F 129-IN.-137-IN. 7639-752 '12-'18 M. XF HC 141-IN.-162-IN.

7639-753 '15-'18 PTA 7000; '18 PTA 6000; '16-'18 PTA 3000 7639-754 '16-'18 BC 7000 XT

PREMIUM COVERS

- The ultimate outdoor storage cover
- ▶ Fade-resistant, UV-protected, long-lasting premium Surlast[™] fabric
- Water-repellent coating
- ▶ Adjustable windshield strap provides a custom windshield/mirror fit (not included on 2-up Touring models)
- Adjustable hook-and-loop front fasteners
- Easy-access, zippered gas cap panel

▶ Four cinch-down side straps

Trailerable

PREMIUM KING CAT

▶ Fits low and mid windshields

7639-761 '17-'18 KC

PREMIUM MOUNTAIN CA

▶ Fits low and mid windshields 7639-760 '12-'18 M 153-IN.-162-IN.

PREMIUM ZR RR

Fits low and mid windshields

NEW

7639-755 '14-'18 ZR; '17-'18 TC; '14-'15 XF; '12-'13 F 129-IN.-137-IN.

PREMIUM EL TIGRÉ®

Fits low and mid windshields 7639-756 '14-'18 ZR; '17-'18 TC; '14-'15 XF; '12-'13 F 129-IN, -137-IN.

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.





PREMIUM COVERS

- The ultimate outdoor storage cover
- ▶ Fade-resistant, UV-protected, long-lasting premium Surlast fabric
- Water-repellent coating
- Adjustable windshield strap provides a custom windshield/mirror fit (not included on 2-up Touring models)
- Adjustable hook-and-loop front fasteners
- ▶ Easy-access, zippered gas cap panel
- Four cinch-down side straps
- Trailerable

PREMIUM THUNDERCAT

Fits low and mid windshields
 7639-757 I'17-'18 TC 129-IN.-137-IN.

PREMIUM ZR LTD

Fits low, mid and high windshields and mirrors
 7639-758 '14-'18 ZR; '11-'18 TC; '14-'15 XF; '12-'13 F 129-IN.-137-IN.

198

 PREMIUM XF LTD

 Fits low, mid and high windshields and mirrors

 7639-759
 '16-'18 XF HC; '17-'18 XF CC 137-IN.-153-IN.

CUSTOM COVERS

- ▶ Custom-fit options for non-current sled models
- Excellent longevity from specially treated canvas
- Supersnug cinch-down straps
- Adjustable hook-and-loop front fasteners
- ▶ Easy-access, zippered gas cap panel
- ▶ Trailerable

 5639-017
 '03-'06 FC, SC 128-IN.

 5639-018
 '99-'06 CO, EXT, T660, TC, Z, ZL, ZR, ZRT 121-IN.

 6639-044
 '06-'11 CF; '06-'07 M 141-IN.

 7639-141
 '10-'14 SP 500

 5639-241
 '05-'11 M 153-IN.-162-IN.

 5639-286
 '15-'18 LYNX; '12-'14 F5, F570; '07-'11 F; '09-'11 Z1, Z1 TURBO W/ 2-UP SEAT

 5639-019
 '02-'04 MC; '04-'06 KC

 5639-020
 '00-'06 PA, PTA, T660, 2-UP TOURING

 5639-021
 '03-'08 BC WT

SHOP COVER

 Lightweight nylon cover is ideal for storage or overnight trips

Secure-fitting elastic bottom cord

Not recommended for trailering

7639-249 14-18 ZR; 17-18 TC; 14-15 XF; 12-13 F 129-IN.-137-IN. **7639-250** 12-18 M 153-IN.-162-IN.



UNDERCOVER

Use with Arctic Cat Canvas, Polyester and Premium covers 6639-996 '14-'18 ZR; '12-'18 M, XF; '12-'13 F ALL MODELS

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.



- A lightweight cover that protects from ski tip to rear bumper
- For use in the garage or at the track
- Elastic bottom cord and hook-and-loop running board strap
- Not recommended for trailering

***8639-762** 14-18 ZR; 17-18 TC; 14-15 XF; 12-13 F 129-IN.-137-IN. ***8639-763** 12-18 M; 18 KC; 17-18 XF HC 153-IN.-162-IN.

1 Pathin

A EPAR IN

ARCTIC CAT





I carry a lot of extra gear when I ride: spare gloves and goggles, a couple of bottles of water, jacket liner, tow rope, tools and some snacks. With 21 liters of capacity, the tunnel gear bag lets me bring it all while still looking sleek and sporty. — TROY HALVORSON Arctic Cat Snowmobile Product Manager



TUNNEL PACK

Convenient, mid-size storage

- > Cam-lock attachment with quarter-turn lock system eliminates straps and hooks
- 14-liter capacity

7639-283 '14-'18 ZR; '17-'18 TC; '14-'15 XF; '12-'13 F 129-IN.-137-IN.



TUNNEL GEAR BAG

- Large storage capacity
- Built-in cinch straps keep cargo secure
- > Cam-lock attachment with quarter-turn lock system eliminates straps and hooks (7639-284)
- 21-liter capacity

7639-284 '14-'18 ZR; '17-'18 TC; '12-'18 M; '12-'15 XF; '13 F

6639-704 '15-'18 LYNX; '12-'14 F5, F570; '10-'11 F, Z1, Z1 TURBO, Z1 TURBO EXT; '11 F8 EXT

TUNNEL CARGO BAG

- **•** Extra-large capacity for the long-distance touring rider
- Includes center bag with attached saddlebags
- 33-liter capacity
- 7639-286 '14-'18 ZR; '17-'18 TC; '12-'15 XF; '12-'13 F (EXCEPT XF CC, CT)



TOURING GEAR BAG

- ▶ Large-capacity storage fits behind passenger seat and rear gas tank
- Installs easily with quick-fasten straps
- ▶ Requires removal of rear storage lid
- 43-liter capacity

6639-706 '15-'18 PTA 7000; '16-'18 PTA 3000, XF 7000 CT; '18 XF CT 6/9000

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.

PROCROSS[™] SADDLEBAGS

- Large storage capacity
- Leaves tunnel open for rack or gas storage
- Mounting harness fits between seat and gas tank
- ▶ Includes removable liner bags for easy gear access
- 30-liter capacity

7639-285 '14-'18 ZR; '17-'18 TC; '12-'15 XF; '12-'13 F

HARD SADDLEBAGS

- Premium injection-molded saddlebags provide clean, lockable storage
- ▶ Features large-capacity storage and quick-release attachment
- Includes right- and left-side bags
- ► XF and ZR models require 8-pocket Hitch Kit or SpeedRack[®] Base and Saddlebag Carrier
- ▶ BC XT requires Tunnel Flares and Rear Rack
- 7639-568 115-18 PTA; 16-18 BC 7000 XT, XF 7000 CT, ZR 137-IN.; 18 XF CT 6/9000; 13-15 XF

103





SADDLEBAG LINERS

- ▶ Keep your gear clean with these custom-fit liner bags
- ▶ Liners for right and left saddlebags included
- 6639-708 '15-'18 PTA 7000; '16-'18 PTA 7000 XT LTD



TOURING LINER BAG

- ▶ Keeps gear separate from spare belt and tools
- Soft-sided bag

6639-707 '15-'18 PTA 7000; '16-'18 PTA 3000, XF 7000 CT; '18 XF CT 6/9000



WINDSHIELD BAG

- Offers out-of-the-way storage for smaller items
- Fits neatly behind windshield
- 7639-691 '18 ZR, M, XF 6/8000, NOR 3/6000; '14-'18 ZR, M, XF 7000; '17-'18 ZR 3/9000, TC, XF CTK, XF HC 9000; '15-'18 PTA 7000; '16-'17 BC LT; '16-'18 PTA 3000, XF CT 6/7/9000

7639-289 '14-'17 ZR, M, XF 4/5/6/8000; '14-'16 ZR, M, XF 9000; '12-'13 F

4639-714 '15-'18 LYNX, LYNX LT, BC LT 2000; '08-'14 T570, TZ1; '09-'15 BC: '09-'11 F. Z1 (NON-TURBO)

6639-888 '16-'18 BC 7000 XT. PTA 7000 XT LTD

7639-832 '18 BC XT



▶ 5-watt heating element

- Includes harness to accessory plug
- Second outlet for heated shield



FITS HANDLEBAR BAGS 7639-294, 7639-295, 7639-296, 7639-831, 6639-887



TANK BAG

- Convenient, easy-access storage
- Easily removes for refueling
- Large map window
 - 7639-287 '14-'18 ZR; '16-'18 XF CT, XF CTK; '15-'18 PTA; '18 NOR; '16-'17 BC 3000 LT; '12-'13 F ALL MODELS



I always keep my smartphone in the accessory goggle holder, usually plugged in using the 12V source so it's ready for taking photos. But cold phones automatically shut down. So I use a bag heater kit, which I wrap in fleece so the heating element won't scratch my phone. - JOHN SANDBERG ArcticInsider



GOGGLE HOLDER

> Engine heat dries goggles, masks or gloves while you ride NOTE: Do not leave goggles in holder for extended periods; heat may damage goggles.

7639-591 '18 ZR, M, MC, XF, XF CC, XF HC, XF CT, XF CTK, NOR, PTA 6/8000; '17-'18 ZR, TC, XF CC, XF CTK, XF HC 9000 5639-767 '14-'17 ZR, M, XF 4/5/6/8000; '18 NOR 3000; '14-'18 ZR 3/7000; '14-'16 ZR, M, XF 9000; '17-'18 XF CT, XF CTK 7000; '15-'18 PTA 3/7000; '16-'17 BC 3000 LT: '12-'13 F

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES. SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT, COM



Adding a handlebar bag is the first thing Arctic Cat mountain development engineers do when setting up their sleds for a day of testing. It's easily accessible when sitting on the sled and doesn't get in the way or move around while riding in the backcountry. — TROY HALVORSON Arctic Cat Snowmobile Product Mana

7639-294

7639-296

HANDLEBAR BAG

▶ Large enough for a cap, cellphone, wallet, etc.

7639-294 '07-'18 MODELS W/ TRAIL HANDLEBAR

7639-295 '05-'18 MODELS W/ MOUNTAIN HANDLEBAR 7639-296 '15-'18 PTA 7000; '16-'18 PTA 3000; '18 PTA 6000

6639-887 '16-'18 BC 7000 XT, PTA 7000 XT LTD

ALLEN WEIGHT MET MET MEN MEN AF

7639-831 '18 BC XT

CUSTOM HANDLEBAR BAG

Lightweight storage for any sled

6639-716 UNIVERSAL







SPORT MUFFS

Easy-on/easy-off

▶ Warmth without the weight

- > Quick hook-and-loop attachment mounts directly to handlebars
- Interior pocket slides over hand guards

7639-445 '14-'18 ZR; '17-'18 TC; '12-'18 M, XF; '12-'13 F ALL MODELS

SEMI-RIGID MUFFS

▶ Keep your hands warm and free from debris

- Reinforced design holds its shape
- > Easy-attach hook-and-loop straps with an elastic grip strap

7639-112 UNIVERSAL



We often ride when the temperature is below 0°F, which makes it tough to keep your hands warm, no matter how hot the handlebar heaters. The solution is Soft Muffs, which keep the wind off your hands and retain maximum hand warmer heat. A bonus: If it's too warm, you can just roll them up out of the way

htil you need them again. — **TROY HALVORSON** Arctic Cat Snowmobile Product Manager



SOFT MUFFS

- ▶ Water- and wind-resistant nylon outer with a quilted lining
- ▶ Rolls up on handlebar when not in use
- Easy-attach hook-and-loop straps with an elastic grip strap

7639-113 UNIVERSAL



PASSENGER MUFFS

- ▶ Water- and wind-resistant nylon outer
- Easy-attach hook-and-loop straps
- Mounts with or without standard wind deflectors

7639-361 '15-'18 PTA, LYNX LT, BC LT 2000; '08-'14 T570, TZ1; '09-'14 BC 570



HAND WARMER KIT

- Adds passenger warmers for 2-Up Seat
- > Includes wiring harness with disconnect coupler and passenger control switch

6639-281 FITS 2-UP SEAT KITS 7639-358, 7639-359, 7639-826

- '12-'18 XF HC; '15 XF CC models require an XF Trail Seat.

'14-'16 ZR 9000; '12-'15 XF, XF CT 6/8000; '12-'13 F



OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES. SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT, COM

FITS ALL MODEL VARIATIONS AND ENGINE PACKAGES UNLESS A SPECIFIC MODEL OR ENGINE DESIGNATION IS LISTED. FOR MODEL ABBREVIATION KEY, SEE PAGE 162

BATTERY CHARGERS

IRACTION &

GENERAL MAINTENANCE



SPEEDRACK II SYSTEM

The simplest, fastest and strongest accessory system in the industry. Accessories can be added or removed in seconds.

Attach in two easy steps: 1. Position the accessory 2. Insert SpeedLock™ and press down thumb lock







SPEEDRACK GEAR RACK

- ▶ Lightweight aluminum rack attaches to SpeedRack Base Kit
- Fits 2.5-gallon fuel can
- ▶ Required SpeedLock is included in SpeedRack Base Kit
- ▶ 11 in. x 10 in.

7639-344 BLACK | **7639-345** TEAM ARCTIC GREEN **7639-346** ORANGE | **7639-347** WHITE | **7639-348** MED GREEN WORKS WITH SPEEDRACK BASE KIT

SPEEDRACK BASE KIT

 Mounting system provides the "rack" for attaching SpeedRack accessories

▶ Includes front and rear SpeedRack base mounts and one SpeedLock

7639-342 '14-'18 ZR; '17-'18 TC; '12-'18 M, XF HC; '13-'17 XF; '13 F W/ FLAT TUNNEL



SPEEDRACK CARGO RACK

- Tubular steel rack provides added storage capacity
- Attaches to SpeedRack Base Kit
- ▶ Required SpeedLock is included in SpeedRack Base Kit
- 🕨 13 in. x 15 in.

7639-350 WORKS WITH SPEEDRACK BASE KIT



SPEEDRACK CARGO BOX

- Durable molded polyethylene construction
- ▶ Removable lid with foam seal
- Built-in cinch strap keeps cargo secure
- Attaches to SpeedRack Base
- Required SpeedLock is included in SpeedRack Base Kit
- Accepts Saddlebag Carrier
- > 20 in. L x 12 in. W x 10 in. H, 25-liter capacity

7639-351 WORKS WITH SPEEDRACK BASE KIT

SPEEDLOCK

- Drop-in system quickly attaches with easy-to-use thumb locks
- Durable cast-aluminum components with one-click unlocking for fast removal
- 2436-501 WORKS WITH SPEEDRACK BASE KIT



SPEEDRACK SADDLEBAG CARRIER

- ▶ Lightweight, powder-coated steel carrier attaches to SpeedRack Base Kit
- ▶ Features mounts for Hard Saddlebags (7639-568)
- Includes two SpeedLocks

7639-355 WORKS WITH SPEEDRACK BASE KIT

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE Quantities, specifications and materials may change without notice. For a dealer near you, visit arcticcat.com.



SPEEDRACK GEAR BAG

- Compact storage bag attaches to SpeedRack Base
- Required SpeedLock is included in SpeedRack Base Kit
- 12-liter capacity

7639-352 WORKS WITH SPEEDRACK BASE KIT

SPEEDLOCK COVER

 Slip-on rubber cover retains mechanical mobility of SpeedLock in cold weather

2436-540

SPEEDRACK DECK PLATE

- Provides a universal mounting point for accessories
- \blacktriangleright Lightweight steel, attaches to SpeedRack Base Kit
- \blacktriangleright Required SpeedLock is included in SpeedRack Base Kit
- ▶ 11 in. x 8.5 in.

7639-354 WORKS WITH SPEEDRACK BASE KIT

NEW

NEW





PRO MTN BUMPER

- Lightweight aluminum bumper features an aggressive design
- Open design minimizes snow buildup
- Durable powder-coat finish
- ▶ 3.0 lbs.

'18 ZR, M, XF CC, XF CT, XF CTK, XF HC, NOR, PTA 6/8000; '17 ZR RS, ZR R XC 6000 7639-788 BLACK | 7639-789 TEAM ARCTIC GREEN | 7639-790 ORANGE 7639-791 WHITE | 7639-792 MED GREEN

'18 ZR. XF CT. XF CTK. NOR 3/7000: '14-'17 ZR. M. XF 4/5/6/7/8000: '14-'16 ZR. M. XF 9000: '12-'13 F 7639-308 BLACK | 7639-309 TEAM ARCTIC GREEN | 7639-310 ORANGE 7639-311 WHITE | 7639-312 MED GREEN



PROCLIMB[™] BUMPER

- Large-diameter top tube provides added protection
- Open-tube design lets snow drop through
- Durable powder-coat finish
- ▶ 3.5 lbs.

'18 ZR, M, XF CC, XF CT, XF CTK, XF HC, NOR, PTA 6/8000; '17 ZR RS, ZR R XC 6000 7639-794 BLACK | 7639-795 TEAM ARCTIC GREEN | 7639-796 ORANGE 7639-797 WHITE | 7639-798 MED GREEN

'18 ZR, XF CT, XF CTK, NOR 3/7000; '14-'17 ZR, M, XF 4/5/6/7/8000; '14-'16 ZR, M, XF 9000; '12-'13 F 6639-286 BLACK | 6639-287 TEAM ARCTIC GREEN | 6639-288 ORANGE 6639-289 WHITE | 7639-314 MED GREEN

'17-'18 ZR, KC, TC, XF CTK, XF HC 9000; '18 M, XF CC, XF CT 9000 7639-800 BLACK | 7639-801 TEAM ARCTIC GREEN | 7639-802 ORANGE 7639-803 WHITE | 7639-804 MED GREEN



PRO BUMPER

- Aluminum bumper provides added protection
- Durable powder-coat finish
- ▶ 4.5 lbs.

'18 ZR, M, XF CC, XF CT, XF CTK, XF HC, NOR, PTA 6/8000; '17 ZR RS, ZR R XC 6000 7639-782 BLACK | 7639-783 TEAM ARCTIC GREEN | 7639-784 ORANGE 7639-785 WHITE | 7639-786 MED GREEN

'18 ZR. XF CT. XF CTK. NOR 3/7000: '14-'17 ZR. M. XF 4/5/6/7/8000: '14-'16 ZR, M, XF 9000; '12-'13 F 6639-724 BLACK | 6639-725 TEAM ARCTIC GREEN | 6639-726 ORANGE 6639-727 WHITE | 7639-299 MED GREEN

'17-'18 ZR, KC, TC, XF CTK, XF HC 9000; '18 M, XF CC, XF CT 9000 7639-301 BLACK | 7639-302 TEAM ARCTIC GREEN | 7639-303 ORANGE 7639-304 WHITE | 7639-305 MED GREEN



PROCROSS REAR BUMPER

- Aluminum bumper features stylish side plates and a tubular grab handle
- Durable powder-coat finish

'14-'18 ZR; '17-'18 TC; '13 F 129-IN. 7639-316 BLACK | 7639-317 TEAM ARCTIC GREEN | 7639-318 ORANGE 7639-319 WHITE | 7639-320 MED GREEN

'17-'18 ZR. TC. XF CC. XF CTK 9000: '18 ZR. XF CC. XF CTK 6/8000 137-IN. 7639-323 BLACK | 7639-324 TEAM ARCTIC GREEN | 7639-325 ORANGE 7639-326 WHITE | 7639-327 MED GREEN

'16-'18 ZR, XF CTK 7000; '16-'17 ZR, XF CTK 6/8000; '17 ZR 5000, XF CC 6/8000; '16 ZR 9000; '16-'18 M, XF HC; '14-'15 XF; '13-'15 XF 137-IN./141-IN. 7639-330 BLACK | 7639-331 TEAM ARCTIC GREEN | 7639-332 ORANGE 7639-333 WHITE | 7639-334 MED GREEN



TUNNEL RACK

- Stylish, lightweight, powder-coated aluminum
- Multiple rod positions allow adjustment for various sizes of fuel cans ▶ 11 in. x 14 in.

'14-'18 ZR; '17-'18 TC; '12-'18 M, XF HC; '13-'17 XF; '13 F W/ FLAT TUNNEL 7639-336 BLACK | 7639-338 ORANGE | 7639-339 WHITE 7639-337 TEAM ARCTIC GREEN | 7639-340 MED GREEN



SADDLEBAG CARRIER

- Lightweight, powder-coated steel
- ▶ Features mounts for Hard Saddlebags (7639-568)
- Quick-attach mounting

6639-844 '14-'18 ZR 129-IN.-137-IN.; '17-'18 TC, XF CC; '16-'18 M, XF HC 141-IN.; '14-'15 XF 137-IN.: '12-'15 XF 141-IN. (REQUIRES 8-POCKET HITCH KIT)









TOW HITCH

- Quick and easy installation
- Mounts to standard bumper
- For light-duty use

6639-541 '14-'18 ZR; '17-'18 TC; '12-'18 M, XF; '12-'13 F ALL MODELS

5639-324 '15-'18 LYNX; '12-'14 F5, F570; '09-'11 CF, CFR, M; '10-'11 F, Z1



ELECTRIC START KIT

HEATED SHIELD OUTLET Dash-mounted outlet for heated shield

7639-041 '14-'18 ZR; '12-'18 M, XF; '12-'13 F ALL MODELS

- Start your sled with ease
- Includes high-torque starter motor, hardware, battery and wiring
- M 6000 and 8000 non-electric start models with a short gas tank will also require adding the long gas tank and seat from an electric start model

7639-846 '18 XF HC 8000 7639-126 '14-'17 ZR, XF HC, M 8000 (LONG TANK); '12-'13 F, M (STD), XF 800

7639-501 '14-'17 ZR 6000; '15-'17 XF HC; '15-'17 M 6000 (LONG TANK)



LED HEADLIGHT

- > Delivers significantly greater performance than a halogen system
- When the high beam is activated, the low beam also stays on to deliver a light pattern with great range and width
- ▶ Features stylish accent lighting
- Includes headlight assembly and wiring harness
- 0709-096 '18 ZR, M, XF CT, XF CTK, XF HC, NOR, PTA 6/8000 MODELS W/ HALOGEN HEADLIGHT

COOLANT HEATER

Improves startup in extreme weather 7639-584 '16-'18 BC 7000 XT **7639-509** '18 NOR 3000: '16-'18 PTA 3000: '17-'18 ZR 3000; '16-'17 BC LT 3000



TETHER SWITCH

> Stops engine in the event you fall off your sled Attaches to your jacket D-ring 7639-849 '18 ZR, M, XF 6/8000; '17 ZR 6000 RS 7639-850 '18 ZR, M, XF 9000

5639-859 '14-'17 6/8000; '12-'13 800 5639-860 '14-'17 5/9000; '14-'18 7000; '16-'18 3000; '12-'13 1100, 1100T

HEATED SHIELD ADAPTER

Quickly adapts a heated shield cord to the sled's accessory outlet

MID PERFORMANCE: 12" **EXTREME LOW: 2.5"**

HIGH TOURING: 18"



LOW SNO PRO® 5" HIGH / 20" WIDE

Accepts hand guards

7639-696 BLACK | 7639-697 GREEN 7639-698 ORANGE | 7639-699 WHITE '18 ZR, M, XF 6/8000, NOR 3/6000; '14-'18 ZR, M, XF 7000; '17-'18 ZR 3/9000, KC, TC, XF CTK, XF HC 9000; '15-'18 PTA 7000; '16-'17 BC LT; '16-'18 PTA 3000, XF CT 6/7/9000

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.

5639-645



EXTREME LOW 2.5" HIGH / 16" WIDE

Accepts hand guards

7639-692 BLACK | 7639-693 GREEN 7639-694 ORANGE | 7639-695 WHITE '18 ZR. M. XF 6/8000. NOR 3/6000: '14-'18 ZR, M, XF 7000; '17-'18 ZR 3/9000, KC, TC, XF CTK, XF HC 9000; '15-'18 PTA 7000; '16-'17 BC LT; '16-'18 PTA 3000, XF CT 6/7/9000



COVERS

FITS ALL MODEL VARIATIONS AND ENGINE PACKAGES UNLESS A SPECIFIC MODEL OR ENGINE DESIGNATION IS LISTED. FOR MODEL ABBREVIATION KEY, SEE PAGE 162.



MID PERFORMANCE 12" HIGH / 21" WIDE

Accepts hand guards

7639-700 BLACK | 7639-701 GREEN 7639-702 ORANGE **||** 7639-703 WHITE 18 ZR, M, XF 6/8000, NOR 3/6000; 14-18 ZR, M, XF 7000; 17-18 ZR 3/9000, KC, TC, XF CTK, XF HC 9000; 15-18 PTA 7000; 16-17 BC LT; 16-18 PTA 3000, XF CT 6/7/9000





MID TOURING 15" HIGH / 27" WIDE

Accepts windshield mirrors 6639-630, 6639-770

7639-688 BLACK | **7639-689** GREEN **7639-690** ORANGE '18 ZR, XF 6/8000, NOR 3/6000; '14-'18 ZR, XF 7000; '17-'18 ZR 3/9000, TC, XF CTK, XF HC 9000; '15-'18 PTA 7000; '16-'17 BC LT; '16-'18 PTA 3000, XF CT 6/7/9000

7639-368 BLACK | **7639-369** GREEN **7639-370** ORANGE '14-'17 ZR, XF 4/5/6/8000; '14-'16 ZR, XF 9000; '12-'13 F 800, 1100, 1100T



Accepts windshield mirrors 6639-630, 6639-770

7639-383 BLACK

[•]18 ZR, XF 6/8000, NOR 3/6000; [•]14-[•]18 ZR, XF 7000; [•]17-[•]18 ZR 3/9000, TC, XF CTK, XF HC 9000; [•]15-[•]18 PTA 7000; [•]16-[•]17 BC LT; [•]16-[•]18 PTA 3000, XF CT 6/7/9000

7639-371 BLACK '14-'17 ZR, XF 4/5/6/8000; '14-'16 ZR, XF 9000; '12-'13 F 800, 1100, 1100T





LOW SNO PRO[®] 9.5" HIGH / 18" WIDE

Accepts hand guards

7639-364 BLACK | **7639-365** GREEN | **7639-366** ORANGE '14-'17 ZR, M, XF 4/5/6/8000; '14-'16 ZR, M, XF 9000; '12-'13 F 800, 1100, 1100T

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE Quantities, specifications and materials may change without notice. For a dealer near you, visit arcticcat.com.





EXTREME LOW 5" HIGH / 15" WIDE

Accepts hand guards

7639-362 BLACK | **7639-363** WHITE '14-'17 ZR, M, XF 4/5/6/8000; '14-'16 ZR, M, XF 9000; '12-'13 F 800, 1100, 1100T



115





PROCROSS HAND GUARDS

- > Stylish, injection-molded guards add style and protection
- Models with mountain handlebars require trimming
- Sold in pairs; includes mounting arms
- ▶ See windscreen applications on pages 113-115 for compatibility

7639-388 BLACK | 7639-389 TEAM ARCTIC GREEN 7639-390 ORANGE | 7639-391 WHITE '14-'18 ZR; '17-'18 TC; '12-'18 M, XF CC, XF HC; '12-'13 F ALL MODELS



PROCROSS HAND GUARDS – LIGHTED

- > Stylish, injection-molded guards with LED accent lighting
- Lighted guards include LED caps and wiring
- Models with mountain handlebars require trimming
- Sold in pairs; includes mounting arms
- See windscreen applications on pages 113-115 for compatibility

7639-770 BLACK | 7639-771 TEAM ARCTIC GREEN 7639-772 ORANGE | 7639-773 WHITE 14-18 ZR; 17-18 TC; 12-18 M, XF CC, XF HC; 12-13 F ALL MODELS

HAND GUARD LIGHT KIT

- Adds LED accent lighting to standard ProCross Hand Guards
 Includes LED caps and wiring
- Sold in pairs
- **7639-779** '14-'18 ZR; '17-'18 TC; '12-'18 M, XF CC, XF HC; '12-'13 F ALL MODELS

SNO PRO® MOUNT KITS

- 🕨 Available in flexible nylon or rigid aluminum
- Fits Sno Pro[®] Hand Guards
- Models with mountain handlebars require trimming
- Sold in pairs
- See windscreen applications on pages 113-115 for compatibility
- '14-'18 ZR; '17-'18 TC; '12-'18 M, XF CC, XF HC; '12-'13 F ALL MODELS **7639-619** NYLON

6639-072 ALUMINUM





FLEX-TEC GUARDS

- > Handles the toughest conditions while keeping your hands warm and protected
- > Tested by pros on the snocross circuit
- ▶ Rigid yet flexible backbone design
- Models with mountain handlebars require trimming
- ▶ Sold in pairs; includes machined aluminum mounts
- ▶ See windscreen applications on pages 113-115 for compatibility

7639-394 BLACK | **7639-395** TEAM ARCTIC GREEN **7639-396** ORANGE | **7639-397** WHITE '14-'18 ZR; '17-'18 TC; '12-'18 M, XF CC, XF HC; '12-'13 F ALL MODELS



BILLET RACK

- Durable billet aluminum with anodized finish
- Low-profile design
- Fits 2.5-gallon fuel can
- ▶ 8 in. x 13 in.

7639-842 BLACK | 7639-843 SILVER 14-18 ZR; 17-18 TC; 12-18 M, XF HC; 13-17 XF; 13 F W/ FLAT TUNNEL

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.

- SNO PRO[®] HAND GUARDS
- Durable, injection-molded plastic
- Sold in pairs; mounts sold separately
- ▶ Fits mounts 7639-619 and 6639-072
- See windscreen applications on pages 113-115 for compatibility

6639-379 BLACK | 6639-380 TEAM ARCTIC GREEN 6639-381 ORANGE | 6639-382 WHITE '14-'18 ZR; '17-'18 TC; '12-'18 M, XF CC, XF HC; '12-'13 F ALL MODELS



RUFFIAN GRIPS

> Soft compound grips offer better shock absorption

- Includes two 8-in. grips, cut to length
- 5639-655 UNIVERSAL

PROCROSS GRIPS

Slim, comfortable design

Includes two 6.2-in. grips

7639-398 UNIVERSAL

SUSPENSION BLOCKS

- > Durable, heavy-duty anodized aluminum
- Damage resistant during preload changes
- Sold in pairs

7639-401 BLACK | 7639-402 SILVER

PROCROSS CAP

Billet aluminum for a custom look

7639-405 BLACK **7639-406** SILVER 14-18 ZR; 17-18 TC; 12-18 M, XF; 12-13 F ALL MODELS



FITS ALL MODEL VARIATIONS AND ENGINE PACKAGES UNLESS A SPECIFIC MODEL OR ENGINE DESIGNATION IS LISTED. FOR MODEL ABBREVIATION KEY, SEE PAGE 162.





HOOD-MOUNTED MIRRORS

- Mounts to the hood panel
- Adjustable shaft for optimum view
- Works with all production or accessory windshields

Sold in pairs

5639-832

'18 ZR 3/7000; '14-'17 ZR, M, XF 4/5/6/7/8000; '16-'17 BC LT 3000; '14-'16 ZR, M, XF 9000; '12-'13 F



SNOW MESH

- Prevents snow and water infiltration
- Screens install over vents/openings
- Screens feature a coarse mesh to maximize airflow

HOOD

6639-106 '14-'17 ZR 6/8000: '12-'17 M, XF 6/8000: '12-'13 F 800, 1100

6639-111 '14-'18 ZR. XF CT 7000: '15-'18 PTA 7000: '16-'18 XF CTK 7000: '15-'16 XF HC 7000: '14-'15 XF, XF CC 7000; '14-'16 ZR, XF 9000; '12-'13 F, M 1100T

6639-10/

BUMPER 5639-836 '14-'18 ZR. XF 7000: '14-'16 ZR. M. XF 9000: '12-'13 F. M. XF 1100. 1100T

5639-332 '15-'18 LYNX, LYNX LT, BC LT 2000; '12-'14 F5, F570; '07-'11 F; '08-'14 T570, TZ1: '09-'14 BC 570

WINDSHIELD MIRRORS

- Mounts to the outside of the windshield
- ▶ 6639-630, 6639-770 fit accessory mid touring and high touring windshields shown on page 114
- ▶ 6639-902 fits '12-'17 Production LXR windshields
- Sold in pairs

6639-630 '15-'18 LYNX, LYNX LT, BC LT 2000; '12-'14 F5, F570; '07-'11 F; '08-'14 T570, TZ1; '09-'14 BC 570; '09-'11 Z1 6639-770 '12-'18 ACCESSORY MID TOURING & HIGH TOURING WINDSHIELDS

6639-902 '12-'17 PRODUCTION LXR WINDSHIELDS



6639-902

6639-630

Smaller design mounts to the inside of the windshield Sold individually

COMPACT MIRROR

4639-565 '15-'18 LYNX, LYNX LT, BC LT 2000; '12-'14 F5, F570; '07-'11 F; '08-'14 T570, TZ1; '09-'14 BC 570; '09-'11 Z1

HAND MIRROR Easy on/off with hook-and-loop strap 4992-810

TANK PADS

Provides comfort and grip Sold in pairs

7639-413 BLACK 7639-414 TEAM ARCTIC GREEN 7639-415 ORANGE 7639-416 WHITE '18 ZR, XF CT, XF CTK, NOR 3/7000 '14-'17 ZR, M, XF 4/5/6/7/8000; '16-'17 BC LT 3000; '14-'16 ZR. M. XF 9000: '12-'13 F

7639-774 BLACK '18 M 6/8000, MC 8000

7639-417 BLACK '18 ZR. XF CC. XF CT. XF CTK, XF HC, NOR, PTA 6/8000; '17-18 ZR. KC. TC. XF CTK. XF HC 9000: '17 ZR RS. ZR R XC 6000

RECOIL HANDLE

Custom anodized billet aluminum 7639-407 BLACK | 7639-408 SILVER UNIVERSAL





SKID PLATES

Absolute impact protection from bumper to heat exchanger

> Super-rugged polyethylene protects vital components

NOTE: Some models require trimming around exhaust outlet

7639-676 BLACK | 7639-678 ORANGE 7639-677 TEAM ARCTIC GREEN | 7639-679 WHITE '18 ZR, XF CC, XF CT, XF CTK, XF HC, NOR 6/8000; '17 ZR RS, ZR R XC 6000

7639-421 BLACK | 7639-423 ORANGE 7639-422 TEAM ARCTIC GREEN | 7639-424 WHITE '17-'18 ZR, TC, XF CC, XF CTK, XF HC 9000; '18 XF CT 9000

7639-680 BLACK | 7639-682 ORANGE 7639-681 TEAM ARCTIC GREEN | 7639-683 WHITE '18 M 6/8000, MC 8000

7639-684 BLACK | 7639-686 ORANGE 7639-685 TEAM ARCTIC GREEN | 7639-687 WHITE '17-'18 KC: '18 M 9000

7639-720 BLACK | 7639-721 TEAM ARCTIC GREEN | 7639-722 ORANGE '14-'17 ZR 4/5/6/8000; '13-'17 M, XF 6/8000; '13-'16 ZR, M, XF 9000; '13 F 800, 1100

7639-425 BLACK '17 MC 8000 LTD

7639-089 BLACK '14-'18 ZR, XF CT 7000; '15-'18 PTA 7000; '16-'18 XF CTK 7000; '15-'16 XF HC 7000; '14-'15 XF, XF CC 7000









TUNNEL FLARES

▶ Helps keep snow spray from being thrown up on the rider

Sold in pairs

5639-809 BLACK 5639-810 TEAM ARCTIC GREEN '14-'18 ZR: '12-'18 M. XF: '13 F ALL MODELS



- Lightweight, stylish deflectors add wind protection
- Sold as a pair. with right and left deflectors

7639-816 BLACK

'18 ZR, XF CC, XF CT, XF CTK, XF HC, NOR, PTA 6/8000: '17-18 ZR. KC. TC. XF CTK. XF HC 9000; '17 ZR RS, ZR R XC 6000

6639-453 BLACK

'18 ZR, XF CT, XF CTK, NOR 3/7000; '14-'17 ZR, M, XF 4/5/6/7/8000; '16-'17 BC LT 3000; '14-'16 ZR, M, XF 9000; '12-'13 F



CUSTOM



HEADLIGHT COVER

- Protects valuable headlights from damage
- Easy-to-attach hook-and-loop fasteners
- **NOTE:** Some states and regions may prohibit the use of colored headlight covers. Please check with local and state laws. Arctic Cat Sales Inc. shall not be liable for any claims resulting from the use of illegal headlight covers.
- 5639-755 '14-'18 ZR: '12-'18 M. XF: '16-'18 XF CC. XF CT. XF CTK. BC LT: '15-'18 PTA: '12-'13 F ALL MODELS

SNOWFLAP


6639-398 GREEN 5639-843 ORANGE '14-'18 ZR: '12-'18 M. XF: '16-'18 XF CC. XF CTK: '13 F W/ FLAT TUNNEL



CUSTOMIZE YOUR RIDE WITH



YOUR RIDE. YOUR STYLE.



THROTTLE

VIEW SOME OF OUR WORK | f 🔂 😏

CONTACT US TODAY AT (605) 213-8343 or visit online to learn more About what we can do for you. WITH SLED WRAPS FROM OCTANE INK, YOU CAN CUSTOMIZE YOUR SLED TO LOOK THE WAY YOU WANT. WITH A DEEP HISTORY IN RACING AND A LOVE FOR ANYTHING FAST, OCTANE INK HAS BECOME THE FIRST CHOICE FOR CUSTOM RACING GRAPHICS. WE CAN PROVIDE READY-2-RACE DESIGNS, OR CREATE A CUSTOM LOOK AND FEEL THAT IS UNIQUE AND PERSONAL TO YOU. OUR TEAM OF INNOVATIVE DESIGNERS WILL PUSH THEIR LIMITS TO HELP YOU PUSH YOURS! NOT ONLY DO OUR WRAPS LOOK GREAT, THEY ARE HIGH-QUALITY WITH A 6 MM VINYL OVERLAID WITH 10 MM UV PROTECTIVE LAMINATE — AND WILL PERFORM WELL IN THE TOUGHEST CONDITIONS YOU OR MOTHER NATURE CAN THROW AT THEM.



ARCTIC CAT SADDLELESS SKIS

- Lightweight plastic
- Available in three widths
- Ideal for trails or boondocking
- Includes 4-in. carbide wearbars

PROCROSS-6 SKIS

 6-in. ski kit (pair)
 6639-206 BLACK | 6639-385 WHITE '14-'18 ZR; '12-'15 M, XF; '12-'13 F ALL MODELS

PROCLIMB-7 SKIS

7-in. ski kit (pair)
 6639-875 BLACK | 6639-876 WHITE

14-'18 ZR; '12-'15 M, XF; '12-'13 F ALL MODE

PROUTE-10/8 SKIS

8-in. center width with 10-in. tip (pair)
 7639-032 BLACK

14-'18 ZR; '12-'15 M, XF; '12-'13 F ALL MODELS

ARCTIC CAT SKI HANDLES

- Fits Arctic Cat Saddleless Skis
- Sold in pairs

6639-388 TEAM ARCTIC GREEN 7639-820 MED GREEN 5639-744 ORANGE 6639-095 WHITE

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE Quantities, specifications and materials may change without notice. For a dealer near you, visit arcticcat.com.

.

CUSTOM

C&A PRO XCS SKIS

- A crossover ski that performs both on and off trail
- Outboard keels reduce trail darting and deliver extra flotation in deep snow
- Handles and mounting hardware included
- 6.75-in. ski kit sold in pairs; wearbars sold separately

114-'18 ZR; '12-'15 M, XF; '12-'13 F ALL MODELS 7639-498 BLACK

C&A PRO Wearbars (Pair)

6639-851 HARDWELD

6639-852 4-IN. CARBIDE

7639-499 WHITE

5639-604 6-IN. CARBIDE

SLP MOHAWK SKIS™

Provides predictable handling and great flotation
 Includes handles, saddles and mounting hardware
 7-in. ski kit sold in pairs; wearbars sold separately

7639-093 BLACK | 7639-094 WHITE '14-'18 ZR; '12-'15 M, XF; '12-'13 F ALL MODELS

SLP POWDER PRO[™] SKIS

- Exceptional float and control in deep, loose snow
- Includes handles, saddles and mounting hardware
- > 7-in. ski kit sold in pairs; wearbars sold separately

7639-095 BLACK | 7639-096 WHITE '14-'18 ZR; '12-'15 M, XF; '12-'13 F ALL MODELS


SLP WEARBARS (PAIR)

6639-928 HARDWELD

3639-420 4-IN. CARBIDE

3639-421 6-IN. CARBIDE

121



OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.

NEW

COVERS

IAGS

RUNNING BOARD GRIPS

▶ Traction grippers provide added boot grip

 Includes aluminum foot grips and nylon edge-roll grips

7639-728 '18 ZR 200

NEW




NEW

TETHER SWITCH

- Stops engine in the event that you fall off your sled
- Attaches to your jacket D-ring

7639-732 '18 ZR 200



FITS ALL MODEL VARIATIONS AND ENGINE PACKAGES UNLESS A SPECIFIC MODEL OR ENGINE DESIGNATION IS LISTED. FOR MODEL ABBREVIATION KEY, SEE PAGE 162.



SPEEDVERX AND ARCICCUT®

76+ WORLD & NATIONAL CHAMPIONSHIPS

31 X-GAMES MEDALS 11 GOLD MEDALS

A WINNING COMBINATION









fb 🕥 Witte






100% MADE IN THE USA



- Developed and trusted by Team Arctic racers
- Designed for the demands of the highperformance rider
- Provides smooth, hard-pulling acceleration with excellent back shifting and throttle response
- Some models may see improved top speed
- ▶ Kits vary by application, but most include adjustable machined weights, H5 alloy primary and secondary springs, and a custom-cut helix

7639-856 '17 ZR 8000, 0-5,000 ALT 7639-857 '17 M 8000, 3,000-6,000 ALT 7639-858 '17 M 8000, 6,000-8,000 ALT 7639-859 '17 M 8000, 8,000-10,000 ALT

7639-855 '17 ZR 6000, 0-5,000 ALT 7639-860 '18 ZR 6000. 0-5.000 ALT 7639-861 '18 ZR 8000, 0-5,000 ALT 7639-862 '18 M 8000, 3,000-6,000 ALT 7639-863 '18 M 8000, 6,000-8,000 ALT 7639-864 '18 M 8000, 8,000-10,000 ALT



FOUR WHEEL KIT

- Replaces the stock tri-hub idler wheels and adds outside wheels
- Helps keep track in proper alignment and spread the traction load evenly
- Includes wheels, machined aluminu spacers and hardware

7.12-IN. WHEELS 7639-865 '14-'18 ZR 129-IN

8.0-IN. WHEELS 7639-866 '16-'18 ZR 137-IN. '17-'18 TC, XF CC 137-IN.; '15 XF 137-IN.



OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE NTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.



OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.

IRACKS **FRACTION & CONTROL SENERAL MAINTENANCE BATTERY CHARGERS**



FOX[®] ZERO QS3-R

POSITION: Front ski shock (pair) **TYPE:** Trail, mountain or crossover sleds SPRING: Coil

ADJUSTMENT

- 3-position quick switch
- Wide-range rebound adjustment

Spring preload

FEATURES

- ▶ 1.5-in. shock body
- Genuine Kashima Coat
- ► FOX Ice Scraper Technology (FIST)
- Aerospace-grade PTFE-lined spherical bearings
- High-flow velocity-sensitive damping
- ▶ Fully rebuildable and revalveable

7639-430 '14-'18 ZR; '14-'15 XF; '12-'13 F 42-IN. 7639-078 '16-'18 M 36-IN.



AIRSHOX[™] GUARDS

- Protect your FLOAT Shocks from any debris you may encounter Fits all FLOAT 3. EVOL and EVOL R shocks with
- the air sleeve mounted up Sold in pairs

7639-640 BLACK | 7639-641 TEAM ARCTIC GREEN 7639-642 ORANGE | 7639-643 WHITE

DIGITAL PUMP

Easily adjust FOX FLOAT air pressure in the shop or on the trail Reads 0-300 psi

7639-121

FOX FACTORY SERIES TRACK SHOCKS

Take your riding to a world-class level with the lightweight performance and adjustability of the new Factory Series Track Shocks. Developed and tuned in collaboration with backcountry experts, these Factory Series shocks will allow you to fine tune the skid to help absorb anything you may encounter on the mountain.

POSITION: Rear track shock (pair) **TYPE:** Mountain SPRING: Air or coil

ADJUSTMENT (COIL)

- ▶ 3-position quick switch
- Spring preload
- ▶ Wide-range rebound (QS3-R)

FEATURES (COIL)

- Custom tuned specifically for M sleds
- Genuine Kashima Coat
- High-flow velocity-sensitive damping
- ▶ Fully rebuildable and revalveable
- 1.5-in. bore shock body
- ▶ FOX Ice Scraper Technology (FIST)
- Aerospace-grade PTFE-lined spherical bearings

ADJUSTMENT (FLOAT)

- FLOAT 3 EVOL (front arm) Infinitely adjustable dual air spring
- ► FLOAT 3 EVOL QS3-R (rear arm)
- MAIN air chamber (ride height)
- EVOL air chamber (bottom-out control)
- Wide-range rebound adjustment Three-position quick switch

FEATURES (FLOAT)

- Custom tuned specifically for M sleds 🕨 Genuine Kashima Coat
- High-flow velocity-sensitive damping
- ▶ Fully rebuildable and revalveable
- Samurai Sealing System (SSS)
- EVOL air technology
- Ultra-lightweight

AIR FLOAT 3 EVOL FRONT ARM

FLOAT 3 EVOL QS3-R REAR ARM

7639-017 '16-'17 M 141-162-IN., XF HC 141-153-IN.

COIL 1.5 ZERO QS3 FRONT ARM 1.5 ZERO QS3-R REAR ARM

7639-582 16-17 M 141-162-IN., XF HC 141-153-IN.

WHEEL KITS ▶ Wheels provide increased performance in low snow conditions Includes two 5.63" wheels with mounts and hardware

6639-808 '15-'18 ZR 129-IN. '16-'18 ZR 137-IN.: '15 XF 137-IN.

6639-184 '14 ZR: '12-'13 F 129-IN.: '14 XF 137-IN.

WEAR STRIPS

Sold individually

121-IN.-129-IN. MODELS 2604-819 GREEN | 2604-289 ORANGE

2604-543 WHITE

137-IN.-162-IN. MODELS 2604-821 GREEN | 1604-769 ORANGE | 3604-832 WHITE

6639-184

Sold in pairs

7.12-IN. WHEELS

6639-617 BLACK | 6639-618 GREEN 6639-619 ORANGE | 6639-620 WHITE '14-'18 ZR: '12-'13 F 129-IN.

8.0-IN. WHEELS 6639-621 BLACK | 6639-622 GREEN

6639-623 ORANGE | 6639-624 WHITE XF HC 141-IN .: '12-'18 M 153-162-IN.

- increased performance Sold individually

6639-864 153-IN.-162-IN. MODELS

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.







Outside idler wheels help keep track in proper alignment and spread load evenly across entire track Recommended when adding studs to the models listed Kit includes wheels, spacer blocks and hardware

'16-'18 ZR 137-IN.: '17-'18 TC. XF CC 137-IN.: '16-'18 M.





6639-622

PERFORMANCE WEAR STRIPS

▶ Wear Strips feature DuPont[™] Vespel[®] inserts for greater durability Inserts are placed at a 45° angle across the strip for constant contact and even wear

▶ Wide-profile Wear Strips keep the track running true for

6639-448 121-IN.-141-IN. MODELS



PRO MTN ACCESSORIES

You thrive in tough conditions. So do these accessories. Each of our accessories is tested and proven worthy by legendary backcountry riders Dave McClure and Rob Kincaid in the most rugged terrains possible. Because the way we see it, your accessories should be just as at home in the backcountry as you are.

Good footing is key to being able to move from side to side on your Mountain Cat while boondocking through the trees and deep snow. We developed the Pro Mtn running boards for extra-aggressive foot traction and a further foot positioning than the stock boards. Plus, the open-air design eliminates snow buildup.

- DAVE MCCLURE Pro Black Cats Backcountry Rider



PRO MTN RUNNING BOARDS

- Aluminum running boards feature an open-tube design that eliminates snow buildup
- Includes aggressive, injection-molded rail grippers
- ▶ 6.25-in. front stirrup width is 1 in. narrower per side than production boards
- Front support tube allows a more forward foot position when sidehilling
- ▶ Installation requires removal of stock running boards
- Includes right-hand and left-hand boards and rail grippers
- Accepts Pro Mtn Rear Bumper
- ▶ 8.5 lbs.

'12-'18 M 153-162-IN., XF HC 141-153-IN.; '17-'18 MC, KC 153-162-IN.; '16-'18 M 141-IN. 7639-808 BLACK | 7639-809 TEAM ARCTIC GREEN 7639-810 ORANGE | 7639-811 WHITE | 7639-812 MED GREEN



PRO MTN MACHINED BOARDS

- ▶ Rugged, extruded aluminum boards adds strength and reduces snow buildup
- Aggressive edge grip traction
- ▶ Installation requires removal of stock running boards
- Includes right-hand and left-hand boards
- ▶ 6.5 lbs.

'18 M 141-162-IN.:'17-'18 MC. KC 153-162-IN. 7639-437 BLACK | 7639-438 SILVER

'12-'17 M 153-162-IN.; '12-'18 XF HC 141-153-IN.; '16-'17 M 141-IN. 7639-435 BLACK | 7639-436 SILVER



PRO MTN BUMPER

- Lightweight aluminum bumper features an aggressive design
- Open design minimizes snow buildup
- Durable powder-coat finish
- 3 A lhs


18 ZR, M, XF CC, XF CT, XF CTK, XF HC, NOR, PTA 6/8000; 17 ZR RS, ZR R XC 6000 7639-788 BLACK | 7639-789 TEAM ARCTIC GREEN 7639-790 ORANGE | 7639-791 WHITE | 7639-792 MED GREEN

'18 ZR, XF CT, XF CTK, NOR 3/7000; '14-'17 ZR, M, XF 4/5/6/7/8000; '14-'16 ZR, M, XF 9000; '12-'13 F 7639-308 BLACK | 7639-309 TEAM ARCTIC GREEN 7639-310 ORANGE | 7639-311 WHITE | 7639-312 MED GREEN



l don't want to worry about the front of my sled when I'm getting gnarly in the trees. The Pro Mtn front bumper is extra burly without being overweight. And along with the Pro Mtn rear bumper, it's easy to grab onto McClure's sled for all those times he gets stuck and I have to help him.

- ROB KINCAID Pro Black Cats Backcountry Rider



PRO MTN REAR BUMPER

- Aluminum bumper features stylish side plates and a tubular grab handle
- Durable powder-coat finish
- Accepts Pro Mtn Running Boards
- ▶ 153 in., 3.3 lbs.: 162 in., 3.8 lbs.

'12-'18 M 153-IN., '17-'18 XF HC 153-IN.; '13-'15 XF HC 141-IN. 7639-451 BLACK | 7639-452 TEAM ARCTIC GREEN | 7639-453 ORANGE 7639-454 WHITE | 7639-455 MED GREEN

'12-'18 M; '17-'18 KC 162-IN

7639-457 BLACK | 7639-458 TEAM ARCTIC GREEN | 7639-459 ORANGE 7639-460 WHITE | 7639-461 MED GREEN

NEW

NEW



- Unique design acts as a low-profile windscreen while providing glove/goggle storage
- Semi-rigid construction holds its shape

7639-293

'18 ZR, M, XF 6/8000; '14-'18 ZR, M, XF 7000; '17-'18 ZR 3/9000. KC. TC. XF HC 9000

7639-292

'14-'17 ZR, M, XF 4/5/6/8000; '14-'16 ZR, M, XF 9000; '12-'13 F

PRO MTN CAP

Lightweight, stylish billet aluminum

7639-844 BLACK | 7639-845 SILVER '14-'18 ZR; '17-'18 TC; '12-'18 M, XF; '12-'13 F ALL MODELS

FITS ALL MODEL VARIATIONS AND ENGINE PACKAGES UNLESS A SPECIFIC MODEL OR ENGINE DESIGNATION IS LISTED. FOR MODEL ABBREVIATION KEY, SEE PAGE 162





MOUNTAIN PACK

Compact tool/gear storage

- Cam-lock attachment features an internal quarter-turn lock system that eliminates the need for straps and hooks
- 14-liter capacity
- 7639-432 '12-'18 M; '17-'18 MC, KC; '16-'18 XF HC; '13-'15 XF; '09-'11 M



SHOVEL PACK

- > This low-profile bag offers mid-capacity storage and provides quick access to your shovel
- Accepts all BCA shovels shown on page 138
- Cam-lock attachment features an internal quarter-turn lock system that eliminates the need for straps and hooks
- 12-liter capacity
- **NOTE:** When using an avalanche airbag, avalanche experts recommend carrying a shovel in the backpack and a second shovel on the sled.

7639-434 12-18 M; 17-18 MC, KC; 16-18 XF HC; 13-15 XF; 09-11 M

TUNNEL PACK

- Mid-capacity storage with quick-attach straps
- Secure, easy-to-use quick-fasten straps
- 10-liter capacity
- 6639-798 14-'18 M 6/8000 W/ SHORT SEAT





MOUNTAIN GEAR BAG

- Large heavy-duty storage
- Built-in cinch straps keep cargo secure
- Cam-lock attachment with quarter-turn lock system eliminates the need for straps and hooks
- ▶ Removable compression-molded lid
- Internal adjustable dividers
- 18-liter capacity

7639-433 '12-'18 M; '17-'18 MC, KC; '16-'18 XF HC; '13-'15 XF; '09-'11 M





GOGGLE HOLDER

Engine heat dries goggles, masks or gloves while you ride
 NOTE: Do not leave goggles in holder for extended periods; heat may damage goggles.

7639-591 [.]18 ZR, M, MC, XF, XF CC, XF HC, XF CT, XF CTK, NOR, PTA 6/8000; .17-18 ZR, KC, TC, XF CC, XF CTK, XF HC 9000

5639-767 '14-'17 ZR, M, XF 4/5/6/8000; '18 NOR 3000; '14-'18 ZR 3/7000; '14-'16 ZR, M, XF 9000; '17-'18 XF CT, XF CTK 7000; '15-'18 PTA 3/7000; '16-'17 BC 3000 LT; '12-'13 F

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.

132



HANDLEBAR BAG

- > Conveniently holds cap, cellphone, wallet, etc.
- Easy-access, zippered-top flap
- ▶ Accepts Bag Heater Kit shown on page 104

7639-295 '05-'18 MODELS W/ MOUNTAIN HANDLEBAR





ARCTIC MOUNTAIN SUSPENSION™ A-ARM KITS

- ▶ The Arctic Mountain Suspension, with its single-post spindles and A-arms, boasts a narrower stance and steeper caster angle. This suspension design makes it easier to carve, easier to initiate a sidehill and easier to navigate through the trees.
- ▶ 38-in. kits do not require shock modification. 36-in. kits require shock rebuilding to add shortening spacer
- > Arctic Cat recommends sending shocks to an authorized FOX service center

38-IN, A-ARM KIT

Includes upper A-arms and spindles

Accepts standard 38-in. shocks

WHITE A-ARMS, COLORED SPINDLES 7639-570 BLACK | 7639-571 TEAM ARCTIC GREEN 7639-572 ORANGE | 7639-573 WHITE **BLACK A-ARMS, COLORED SPINDLES** 7639-574 BLACK | 7639-575 TEAM ARCTIC GREEN 7639-576 ORANGE | 7639-577 WHITE '13-'15 M 38-IN. MODELS

36-IN. A-ARM KIT

▶ Includes upper and lower A-arms, spindles, tie-rod tubes and shock spacers shocks must be shortened

WHITE A-ARMS, COLORED SPINDLES 7639-020 BLACK | 7639-021 TEAM ARCTIC GREEN 7639-022 ORANGE | 7639-023 WHITE

BLACK A-ARMS, COLORED SPINDLES 7639-161 BLACK | 7639-162 TEAM ARCTIC GREEN 7639-163 ORANGE | 7639-164 WHITE '13-'15 M 38-IN. MODELS

2.5-GAL FUEL CAN

21 2 A.T. 255 2 10 15 - 50 100 1

- Lightweight, polyethylene plastic helps prevent fuel permeation
- Includes spout with automatic shut-off and overflow protection
- Meets or exceeds current U.S. and Canadian standards



TUNNEL RACK

Stylish, lightweight, powder-coated aluminum

- Fits 2.5-gallon fuel can
- ▶ 11 in. x 14 in.

'14-'18 ZR; '17-'18 TC; '12-'18 M, XF HC; '13-'17 XF; '13 F W/ FLAT TUNNEL 7639-336 BLACK | 7639-337 TEAM ARCTIC GREEN 7639-338 ORANGE | 7639-339 WHITE | 7639-340 MED GREEN



BILLET RACK

- Durable billet aluminum with anodized finish
- Low-profile design
- Fits 2.5-gallon fuel can
- ▶ 8 in. x 13 in.

7639-842 BLACK | 7639-843 SILVER 14-'18 ZR: '17-'18 TC: '12-'18 M. XF HC: '13-'17 XF: '13 F W/ FLAT TUNNEL

MOUNTING TRACK KIT

- Raised rail design helps keep your tunnel from being damaged
- ▶ Includes two 14-in. tracks and mounting hardware
- Fit models with a flat-top tunnel
- 7639-204 '12-'18 M; '13-'18 XF; '14-'18 ZR; '13 F



RAIL PACK

- Compact bag can be used alone or with 1.3-gallon utility jug
- Includes a zippered interior storage pocket
- ▶ 9.75 in. x 6 in. x 8.5 in.
- 7639-209 FITS MOUNTING TRACK KIT



LOW-PROFILE BAG

- Includes a zippered interior storage pocket and elastic tie-down straps
- Exterior straps hold your shovel or gear
- ▶ 9.75 in. x 13 in. x 6.5 in.

7639-210 FITS MOUNTING TRACK KIT

RACK STRAP

- Strong, heavy-duty nylon straps
- Quick-release buckle

14

C SEA

Easily secures gear and gas cans

7639-463 '14-'18 ZR; '12-'18 M; '13-'15 XF; '12-'13 F; '09-'11 M, M8 HCR

TRACK RACK SYSTEM

Unique design allows you to easily slide a Utility Jug or Gear Bag on and off your tunnel. A raised mounting track keeps the gear away from your tunnel. Mounting tracks are made of HDPE plastic for durability plus resistance to snow and ice buildup. Heavy-duty Utility Jugs are UV-protected. Hard-sided Gear Bags are made of water-resistant polyester with a urethane-coated outer shell and feature padded foam lining. The Utility Jug and Gear Bag base slides easily onto the mounting track. Mounting Track, Utility Jugs and Gear Bags are sold separately.

Note: Utility Jugs are not intended for fuel storage.

7639-207

UTILITY JUG

- Available in two sizes
- ▶ 1.3 gallon, 9.75 in. x 6 in. x 9 in.
- ▶ 3.3 gallon, 9.75 in. x 13 in. x 9 in.
- NOTE: Not intended for fuel storage.
- 7639-205 1.3 GALLON (FITS MOUNTING TRACK KIT)

7639-207 3.3 GALLON (FITS MOUNTING TRACK KIT)

GEAR BAG

- Includes two zippered interior storage pockets and elastic tie-down straps
- Exterior straps hold your shovel or gear
- ▶ 9.75 in. x 13 in. x 8.5 in.

7639-211 FITS MOUNTING TRACK KIT

Fast enough for a pro.

Intuitive enough for the rest of us.

There's a reason the majority of North American avalanche pros use Tracker: **It's fast**. For the rest of us, there's an even better reason: **It's easy**.



TRACKER3[™] avalanche transceiver

Legendary speed and ease of use, now in a smaller package.




The most trusted name in backcountry safety.™

www.backcountryaccess.com

VALANCHE PROBES

BCA Quick-Lock probes save valuable seconds when time matters. They offer the easiest and fastest assembly on the market, all while freeing up valuable storage space in your pack.



AVALANCHE BEACONS

In an on-mountain emergency, these easy-to-use and efficient beacons are a necessity among your supplies



TRACKER3™

- BCA's most efficient, progressive design and most precise pinpointing
- Instantaneous, real-time display
 Smaller and lighter than the Tracker2, has three antennas and no-nonsense multiple burial searching
- Includes harness

6639-406

TRACKER2[™]

- The fastest, most precise pinpointing, with triple receiver antenna
- Instantaneous real-time display and easy-to-use interface
- Intuitive search/transmit switch makes it easier to use
- Features special mode and multiple burial indicator lights
- 🔰 Includes harness
- 5639-610



AVALANCHE AIRBAGS

The Float avalanche airbag system is designed to keep you at or near the surface during an avalanche. It is the most proactive snow safety tool you can carry into avalanche terrain. Our Float avalanche airbags are both affordable and easily reusable.

- Features a small 2,700-psi (186 bar) compressed-air cylinder, single-chamber 150-liter airbag and super-efficient venturi system
- Trigger is located on right shoulder strap, allowing you to keep your right hand on the throttle

FLOOT

- Includes pressurized air cylinder
- Hazardous-shipping charges may apply

FLOAT MTNPRO VEST

- Lightweight, protective vest with airbag
- Full front, side and back protection
- Zippered front beacon pocket
- Adjustable waist belt and side straps
- ▶ Fits most riders
- ▶ 7.5 lbs., 12-liter capacity

7639-115



5.6 lbs., 8-liter capacity 7639-065

FLOAT 25 TURBO[™] ► 6.6 lbs., 25-liter capacity 7639-066



10

OGIO CORNICE

A backcountry pack with easy access to safety gear

- Fleece-lined goggle pocket
- Internal and external shovel and probe pockets
- Comfortable waist and sternum straps
- Hydration compatible with an insulated sleeve in shoulder strap
- 3.3 lbs.. 37-liter capacity, 24-in. height
- 6639-445

1



1.7 lbs., 25-liter capacity, 16.5-in. height

7639-467

Country Country E

BC LINK RADIO

Group communication is the key to any successful day riding the mountains. Find separated riders, communicate plans and share observations in real time with the BC Link communication system. The Smart Mic user interface is located at your fingertips, meaning you never need to dig your two-way radio out of your pack to change settings. Glove-friendly controls include: on/off and volume control, channel control, push-to-talk button, loudspeaker, earphone jack and battery indicator. Rechargeable 3.7V lithium ion battery pack provides up to four days of battery life in cold weather. BC Link two-way radios operate on 22 FRS GMRS channels + 121 sub-channels to ensure minimal interference.

7639-466

The second second

B-1 EXT SHOVEL

- ▶ Extendable handle shovel with an unbeatable strength-to-weight ratio
- Tough oval shaft with an ergonomic grip
- Extends up to 28.75 in. long, 9-in. x 10-in. blade, 1.3 lbs.

and the second

5639-770

D-2 EXT SHOVEL

- Converts from a traditional shovel to a hoe
- Move more snow without lifting it
- Includes a 6.5-in. snow/wood saw stowed inside the shaft
- Extends to 32 in. long, 10-in. x 11-in. blade, 2.1 lbs.

7639-765

POCKET SAW

- High-strength, heat-treated steel
- Rust-resistant coating
- Retains sharpness
- Storage bag included 4639-979



COLOR STREET

60

A-2 EXT SHOVEL

- > An integrated shovel system with a larger blade and extendable handle
- Includes a 11.4-in. snow/wood saw stowed inside the grip
- Extends up to 30.5 in. long, 10-in. x 11-in. blade, 1.9 lbs.
- 5639-786

HYDRATION PACK

- Stay hydrated with this light, comfortable pack
- ▶ Large main compartment with a separate hydration pocket
- Adjustable padded shoulder strap with sternum strap
- Includes 2-liter reservoir system
- ▶ 8 in. H x 9 in. W x 18 in. D, 1 lb.
- 6639-446

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.



BACKCOUNTRY KIT BCA Stash Throttle 25 B-1 Ext Shovel

Stealth 270 Probe 7639-465



- Keep your tools or spares organized and packed away
- ▶ Front flip-down tool organizer pouch
- Adjustable waist strap
- ▶ 4 in. H x 26 in. W x 6 in. D, 1.4 lbs.

5242-905

BATTERY CHARGERS





COBRA

- Sled-to-sled pulling tool
- Made of stretch cords bundled in a corrugated vinyl tube with a hook on both ends
- Creates 300 to 400 lbs. of static pulling force

5639-640




RATTLER

- Maximizes the pulling force of your body
- Made of strong stretch cords bundled in a corrugated vinyl tube
- Safety strap hook attaches to the ski of the stuck sled with a grab handle on the other end

140





ELVI ALLAN 10.00

SLICKTAPE 20

▶ 2,500 lbs. tensile strength

Includes storage bag

5639-643

▶ Ultrastrong, lightweight 20-ft. towline

Use in conjunction with Rattler or Cobra

ICE SCRATCHERS

- Helps prevent wear strip "wear" and overheating when on ice and hardpack
- Use caution when operating sled in reverse
- Sold in pairs

5639-897 '12-'15 M, XF; '05-'11 M

VENTED SIDE PANELS

- Releases underhood heat in extreme conditions
- ▶ Includes right- and left-routed side panels with Snow Mesh screens
- Decals not included
- Saves 1.0 lb.
- NOTE: This accessory may not be trail legal in all areas. It might amplify or otherwise increase total noise emissions to a level greater than that emitted by the snowmobile as originally constructed. Check your local snowmobile regulations before installation.

7639-817 BLACK | 7639-818 WHITE 18 M 6/8000. MC 8000

5639-865 BLACK | 6639-580 TEAM ARCTIC GREEN '14-'17 ZR, M, XF 4/5/6/8000; '14-'18 ZR, M, XF 7000; '14-'16 ZR, M, XF 9000; '12-'13 F

SCREEN SET (SET OF 7) 5639-949 '14-'17 ZR, M, XF 4/5/6/8000; '14-'18 ZR, M, XF 7000; '14-'16 ZR, M, XF 9000; '12-'13 F

SWITCH GUARDS

- ▶ Helps prevent accidental bumping of control switches Includes hand/thumb warmer guard, stop switch guard and adhesive
- **5639-580** '14-'18 ZR; '12-'18 M, XF; '12-'13 F ALL MODELS



Strong, extruded aluminum

- ▶ Improved comfort from a custom fit
- Powder-coat finish

NOTE: Due to control cable and brake line restrictions, 7.5-in. and 8.5-in. risers are recommended for '12-'18 M models only.

'14-'18 ZR; '17-'18 KC, TC; '12-'18 M, XF; '12-'13 F W/ FIXED STEERING POST

6639-421 2.0-IN.

6639-422 3.5-IN.

5639-881 4.5-IN.

5639-882 5.5-IN.

5639-883 6.5-IN.

5639-884 7.5-IN

5639-885 8.5-IN.

TELESCOPIC STEERING POST

- ▶ Raise it up in the powder, drop it down on the trail
- ▶ Features easy one-hand adjustment with 12 positions

7639-848 '16-'18 M 6/8000: '17-'18 MC 8000: '14-'17 M 8000 HCR

Saves 1.1 lbs 6639-419 '16-'18 XF HC 6/8000; '15 M SP, XF HC 6000; '14-'15 M SP. XF HC 8000; '12-'13 M SP, M HCR, XF HC 800

Converts models with

telescopic steering to a fixed post

Includes upper

steering post with a 4.5-in.

riser block

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.



'12-'18 M; '14-'18 XF HC; '12-'15 XF ALL MODELS 7639-489 LIGHTWEIGHT, 2.0 LBS.



MOUNTAIN HANDLEBAR

Includes over-molded grab strap, grips and heating elements

7639-490 HEAVY-DUTY, 2.9 LBS.



FITS ALL MODEL VARIATIONS AND ENGINE PACKAGES UNLESS A SPECIFIC MODEL OR ENGINE DESIGNATION IS LISTED. FOR MODEL ABBREVIATION KEY, SEE PAGE 162





CARGO BAG

▶ Large main storage area

Quick-attach mounting straps

6639-886 '16-'17 BC 7000 XT, 18 IN. L X 16 IN. W X 23 IN. H, (57-liter capacity)

7639-764 '18 NOR 3/6000, 11 IN. L X 13 IN. W X 11 IN. H, (45-liter capacity)

7639-190 '16-'17 BC 3000 LT, 22 IN. L X 13 IN. W X 11 IN. H, (45-liter capacity)

7639-830 '18 BC XT, 13 IN. L X 20 IN. W X 12 IN. H, (43-liter capacity)



HANDLEBAR BAG

▶ Large enough for a cap, cellphone, wallet, etc. ▶ 6639-887 includes window pocket for GPS or phone 6639-887 '16-'18 BC 7000 XT, PTA 7000 XT LTD

7639-831 '18 BC XT



WINDSHIELD BAG

- Offers out-of-the-way storage for smaller items
- Fits neatly behind windshield

6639-888 '16-'18 BC 7000 XT, PTA 7000 XT LTD

7639-832 '18 BC XT






GEAR BAG

- Mid-capacity storage
- Three interior pockets
- Quick-attach mounting straps
- ▶ 18 in. L x 16 in. W x 10 in. H, 50-liter capacity

6639-885 '16-'18 BC 7000 XT



PASSENGER SEAT

- Passenger seat with backrest, handholds and footrests
- Includes seat assembly and tunnel-mounted storage box
- 7639-833 '18 BC 7000 XT



PASSENGER PAD

- > A quick-attach pad that provides a light-duty passenger option
- Includes seat pad and nylon web grab strap
- 7639-144 '18 NOR 3/6000 LT: '16-'17 BC 3000 LT

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT.COM.



CARGO BOX

- Durable molded polyethylene construction
- Lid hinges forward for easy access
- Adjustable hinges hold lid open
- > Threaded inserts and screws attach box to tunnel

and the second

> 22 in. L x 21 in. W x 18 in. H, 64-liter capacity

6639-878 '16-'18 BC 7000 XT

SNOW MESH

- Prevents snow and water infiltration
- Installs over intake vents/openings

7639-033 '16-'18 BC 7000 XT

5639-522 '15-'18 BC 2000 XT: '09-'15 BC XT: '14-'15 BC XTE

THIRD SEAT

- Allows for a third passenger
- Easy to install/remove

6639-889 '16-'18 BC 7000 XT

5639-063 '15-'18 BC 2000 XT; '09-'15 BC XT; '14-'15 BC XTE

> FITS ALL MODEL VARIATIONS AND ENGINE PACKAGES UNLESS A SPECIFIC MODEL OR ENGINE DESIGNATION IS LISTED. FOR MODEL ABBREVIATION KEY, SEE PAGE 162.

1 2 2


6639-889



REAR RACK

- Steel construction Provides added
- cargo capacity
- Includes mounts for Hard Saddlebags
- ▶ 20 in. L x 18 in. W x 6 in. H
- 4-bolt attachment

6639-892 '16-'18 BC 7000 XT



RADIATOR GUARD

> Tough, powder-coated steel plate protects the radiator from sticks and debris 7639-192 '16-'18 BC 7000 XT



HEAVY-DUTY BUMPER

- Steel tube construction
- Provides added protection
- Accepts Winch Kit (6639-894)

6639-890 '16-'18 BC 7000 XT, PTA 7000 XT LTD



SIDE BUMPERS

Steel tube construction

Provides protection for side of sled

▶ Right and left bumpers included

- Arctic Cat/WARN[®] designed and engineered
- ▶ Powerful permanent magnet motor with 3,000 lbs. of pulling capacity

6639-891 '16-'18 BC 7000 XT, BC 7000 XT GS, PTA 7000 XT LTD

- Convenient handlebar-mounted switch
- Solenoid controller for key-only operation
- > Includes winch with mounting plate, roller fairlead, solenoid, handlebar switch and front harness
- ▶ Includes 50 ft. of durable wire cable
- Requires Heavy-Duty Bumper











> Cupped lugs for superior handling, acceleration and braking on soft, loose trails > Excellent off-trail performance without sacrificing top speed



RIPSAW II

- ▶ Lug design combines the best features of Ripsaw and Cobra tracks for excellent all-around performance
- Less track noise for quieter operation on hard-packed trails



HACKSAW[™]

Crescent lug design with recessed tips and cutting edges provides grip on hard-packed trails > Narrow lug base provides less rolling resistance for maximum top speed



RIPSAW[™]

> Aggressive angled lug profiles for outstanding traction on groomed trails Rigid lugs provide excellent durability



POWER CLAW

- > This lightweight single-ply track sets the standard for deep snow performance
- > Stagger-set, curved-forward paddle towers won't fold over or take a set
- ▶ Available in 2.25-in. and 2.6-in. lug heights with 80 or 85 durometer




ICE RIPPER[™]

- > Ultimate crossover performance from factory pre-studded Ripsaw trail track
- Phenomenal traction from Camso's Ice Control Enhancement Technology



BACKCOUNTRY X

- Snocross-inspired, arched lugs are staggered for outstanding traction in soft snow
- ▶ Rigid lug support columns for on- and off-trail performance



3-IN. POWER CLAW

- Full 3-in. lug height brings maximum control to even the deepest snow
- Lightweight single-ply track features stagger-set, curved-forward paddle towers that won't fold over or take a set

- 80 durometer hardness rating for rugged performance
- Requires 7-tooth driveshaft

Part Number	Dimensions	Wt (Lbs.)	Clips	Price
PERFORMANC	E 2.52 P			
*1602-976	15 in. x 121 in. x 1.00 in. — Hacksaw — 80/70 Duro	33	Every 3rd	
*2602-268	15 in. x 121 in. x 1.352 in. — Cobra (Single-Ply) — 80 Duro	32	Every Other	
*2602-002	15 in. x 121 in. x 1.25 in. — Ripsaw — 80/70 Duro	36	Every 3rd	
*2602-047	14 in. x 128 in. x 1.00 in. — Hacksaw — 80/70 Duro	34	Every 3rd	
*2602-019	15 in. x 128 in. x 1.00 in. — Hacksaw — 80/70 Duro	36	Every 3rd	
*2602-162	15 in. x 128 in. x 1.352 in. — Cobra — 80 Duro	37	Every Other	
*2602-255	15 in. x 128 in. x 1.352 in. — Cobra (Single-Ply) — 80 Duro	34	Every 3rd	
2602-046	15 in. x 128 in. x 1.25 in. — Ripsaw — 80/70 Duro	41	Every 3rd	
*2602-835	15 in. x 128 in. x 1.50 in. — Ripsaw — 80/70 Duro	42	Every 3rd	
1602-997	15 in. x 136 in. x 1.25 in. — Ripsaw — 80/70 Duro	42	Every 3rd	
PERFORMANC				
2602-575	15 in. x 129 in. x 1.00 in. — Ripsaw II — 80/70 Duro	36	Every Other	
2602-503	15 in. x 129 in. x 1.00 in. — Ripsaw II — 80/70 Duro	34	Every Other	
2602-576	15 in. x 129 in. x 1.25 in. — Ripsaw — 80/70 Duro	38	Every Other	
2602-474	15 in. x 129 in. x 1.25 in. — Ripsaw — 80/70 Duro	38	Every Other	
2602-490	15 in. x 129 in. x 1.25 in. — Ripsaw II — 80/70 Duro	40	Every Other	
2602-491	15 in. x 129 in. x 1.352 in. — Cobra — 80/70 Duro	36	Every Other	
2602-861	15 in. x 129 in. x 1.60 in. — Cobra — 80/70 Duro	40	Every Other	
2602-865	15 in. x 129 in. x 1.70 in. — Sno Pro® — 80/70 Duro	42	Every Other	
2602-627	15 in. x 137 in. x 1.25 in. — Ripsaw II — 80/70 Duro	42	Every Other	
*2602-628 2602-909	15 in. x 137 in. x 1.50 in. — Ripsaw — 80/70 Duro 15 in. x 137 in. x 1.60 in. — Cobra — 80/70 Duro		Every Other	
2602-909	15 in. x 137 in. x 1.75 in. — Coola — 60/70 Dolo 15 in. x 137 in. x 1.75 in. — Backcountry X — 80/70 Duro	44 45	Every Other Every Other	
	15 III. X 157 III. X 1.75 III. — Backcoulici y X — 60776 Buro	40	Every other	
TOURING		0.5	5 0 1	
2602-528	15 in. x 136 in. x 1.00 in. — Hacksaw 2.52 P — 80/70 Duro	37	Every 3rd	
2602-101	15 in. x 144 in. x 1.00 in. — Hacksaw 2.52 P — 80/70 Duro	40	Every 3rd	
*2602-163 *2602-350	15 in. x 144 in. x 1.352 in. — Cobra 2.52 P — 80 Duro	<u>41</u> 47	Every Other	-
2602-350	15 in. x 144 in. x 1.50 in. — Crossover 2.52 P (Single-Ply) — 80 Duro	47 42	Every 3rd	
2602-521	15 in. x 146 in. x 1.00 in. — Ripsaw II 2.86 P — 80/70 Duro 15 in. x 146 in. x 1.25 in. — Ripsaw 2.86 P — 80/70 Duro	42	Every Other Every Other	
2602-912 *2602-933	15 in. x 146 in. x 1.352 in. — Kipsaw 2.30 F — 80/70 Duto	44 44	Every Other	-
3602-067	15 in. x 154 in. x 1.60 in. — Cobra 2.86 P (Single-Ply) — 80/70 Duro	44	Every Other	
MOUNTAIN TR		40		
2602-169	15 in. x 141 in. x 1.352 in. — Cobra (Single-Ply) — 80 Duro	38	Every Other	
2602-107	15 in. x 141 in. x 1.60 in. — Cobra (Single-Ply) — 80 Duro	40	Every Other	
3602-143	15 in. x 141 in. x 2.25 in. — Power Claw (Single-Ply) — 80 Duro	40	Every Other	
3602-141	15 in. x 141 in. x 2.60 in. — Power Claw (Single-Ply) — 80 Duro	48	Every Other	
3602-145	15 in. x 153 in. x 1.75 in. — Backcountry X — 80/70 Duro	50	Every Other	
3602-142	15 in. x 153 in. x 2.25 in. — Power Claw (Single-Ply) — 80 Duro	51	Every Other	
2602-399	15 in. x 153 in. x 2.25 in. — Power Claw (Single-Ply) — 85 Duro	48	Every Other	1
3602-140	15 in. x 153 in. x 2.60 in. — Power Claw (Single-Ply) — 80 Duro	56	Every Other	
2602-482	15 in. x 153 in. x 2.60 in. — Power Claw (Single-Ply) — 85 Duro	56	Every Other	
3602-138	15 in. x 153 in. x 3.00 in. — Power Claw (Single-Ply) — 80 Duro	53	Every Other	
2602-168	15 in. x 162 in. x 2.25 in. — Power Claw (Single-Ply) — 80 Duro	50	Every Other	
2602-438	15 in. x 162 in. x 2.25 in. — Power Claw (Single-Ply) — 85 Duro	50	Every Other	
2602-483	15 in. x 162 in. x 2.60 in. — Power Claw (Single-Ply) — 80 Duro	58	Every Other	
2602-484	15 in. x 162 in. x 2.60 in. — Power Claw (Single-Ply) — 85 Duro	58	Every Other	
3602-137	15 in. x 162 in. x 3.00 in. — Power Claw (Single-Ply) — 80 Duro	56	Every Other	
UTILITY 2.52 P				
2602-314	15 in. x 151 in. x 1.25 in. — Ripsaw (Single-Ply) — 80/70 Duro	46	Every Other	
0602-962	20 in. x 156 in. x 1.00 in. — 60 Duro	63	Fully Clipped	
1602-869	20 in. x 156 in. x 1.25 in. — 80 Duro	67	Fully Clipped	
UTILITY 2.86 P				
2602-358	20 in. x 154 in. x 1.375 in. (Single-Ply) — 80/70 Duro	60	Every 3rd	
2602-358 2602-639	20 in. x 154 in. x 1.375 in. (Single-Pty) — 60770 buro 20 in. x 154 in. x 1.375 in. (Single-Pty) — 60 Duro	61	Every Other	
3602-058	20 m. x 154 m. x 1.375 m. — Bear Claw (Single-Ply) — 80/70 Duro	54	Every Other	
*3602-059	20 in. x 154 in. x 1.60 in. — Bear Claw (Single-Ply) — 80/70 Duro	56	Every Other	

All tracks listed feature an "All Open" window configuration with 2-ply construction (unless noted as Single-Ply). Price per month ranges from . *ACT Quiet Tracks are for use on '03 and newer models only. *Requires 7-tooth drive shaft.

TRACKS

147

FITS ALL MODEL VARIATIONS AND ENGINE PACKAGES UNLESS A SPECIFIC MODEL OR ENGINE DESIGNATION IS LISTED. FOR MODEL ABBREVIATION KEY, SEE PAGE 162.



MAXIMIZE STEERING CONTROL

The length of the turning carbide (carbide inserted directly under the steering spindle) is the determining factor on steering control. The longer the turning carbide, the more positive turning becomes. Too few studs with long turning carbides can result in the situation shown in Illustration 1 below.

MAXIMIZE TRACTION CONTROL

Sector and the sector of the s

The quantity and types of studs inserted through the track can have several effects. If installed improperly, track and/or stud damage can result. If the pushing force from an excessive number of studs exceeds the ability of the steering to control the force, the effect could be like that in Illustration 2. In this case, the studs tend to "push" the skis in a straight line.

and the second

- 1 Back end loose. Too much carbide, not enough steering control.
- 2 Front end pushes. Weak steering from worn wearbars, turning carbides too short or overstudding on track.
- **3** Steering control and stud quantity are in balance for proper setup.

TUNE YOUR SLED'S HANDLING TO YOUR RIDING STYLE

Determining the proper traction and control is simple. What's your riding style: Are you a conservative trail rider or a performance trail rider? Look at the chart below. Find the line with the horsepower of your sled. Look under your riding category. Here you will discover the number of studs and the length of the carbide wearbar you should use. This is a baseline guide for stud and wearbar selection. See your dealer for specific model applications.

STUD QUANTITY / INCHES OF TURNING CARBIDE

SLED	TRAIL	PERFORMANCE
50-75 HP	48/4 in.	48/6 in.
75–125 HP	102/6 in.	153/8 in.
125-150 HP	153/8 in.	153/10 in.
150-200 HP	153/8 in.	153/10 in.

FOR STUD PLACEMENT, USE ONLY ARCTIC CAT-APPROVED STUD TEMPLATES SHOWN ON PAGE 151.

TR

TO PROTECT THE TUNNEL FROM POSSIBLE

ON THOSE MODELS NOT SO EQUIPPED

'09-'11 CROSSFIRE AND CFR

DAMAGE FROM THE STUDS, IT IS RECOMMENDED

A SHORT SNOWFLAP IS REQUIRED WHEN INSTALLING STUDS ON '07-'09 F SERIES; '09 Z1, Z1 TURBO;

SEE YOUR DEALER FOR ADDITIONAL INFORMATION

THAT A TUNNEL PROTECTOR KIT BE INSTALLED

CAUTION

Arctic Cat traction products are available in package quantities that will give you the best combinations for 121-in., 128-in., 129-in. and 137-in. tracks.

RECOMMENDED STUD LENGTH (IN.)

ACK LUG	WOODY'S	STUD BOY	
HEIGHT	STUD LENGTH	STUD LENGTH	
1.000	1.075	1.080	
1.250	1.325	1.375	
1.352	1.325	1.375	
1.375	1.450	1.500	
1.500	1.575		
1.600	1.575		

For stud lengths 1.325 in. and longer, we recommend the use of a Big Nut (page 150) or Power Tower Support Nut (page 151). Cobra 1.352-in. tracks have a standard lug height of 1.25 in. The overall lug height including the extended "towers" is 1.352 in. Because the towers will flex, Cobra 1.352-in. tracks use the same stud length as a 1.25-in. track.

STUD PLACEMENT

- **DO NOT use studs that are longer than recommended**
- DO NOT place studs in line with the heat exchanger or tunnel protector strip, and factor in the amount of suspension travel to avoid tunnel damage
- Studs MUST NOT extend more than 3/8-in. beyond the rubber track lugs
- > Verify adequate clearance between the track, tunnel and heat exchanger to avoid serious damage
- > Confirm that your machine has adequate tunnel protection before installing studs
- Use only Arctic Cat-approved Stud Templates shown on page 151
- > The length of carbide and number of studs must coordinate to result in balanced handling and proper control

'05-'18 ARCTIC CAT SADDLELESS SKI WEARBARS

NOTE: The accessory wearbars use a 4-bolt stud pattern. When using accessory wearbars on '05 and newer models with Saddleless Skis and a 3-bolt stud pattern, it will be necessary to drill another mounting hole in the ski.

SINGLE RUNNER WEARBARS (PAIR)

SINGLE RUNNER

Ideal on ice and hardpack, but works well anywhere
 May provide a noted speed increase compared

with a dual or Shaper wearbar Sold in pairs

3639-309 7/16-IN, DIAMETER ROUND HOST BAR

3639-310 4-IN. CARBIDE WITH HARDWELD

3639-311 6-IN. CARBIDE WITH HARDWELD

3639-312 8-IN. CARBIDE WITH HARDWELD

3639-313 10-IN. CARBIDE WITH HARDWELD

A STATE OF THE OWNER OF THE

ACE[™] RUNNER

Utilizes a preformed, square steel bar with a tall, aggressive profile

Provides excellent control

Sold in pairs

6639-850 6-IN. CARBIDE

6639-799 8-IN. CARBIDE

SHAPER[™]

- > Offers more precise turning than conventional wearbars
- > 20% lighter than round wearbars
- Sold in pairs

4639-949 4.5-IN. CARBIDE

4639-950 6-IN. CARBIDE

4639-951 9-IN. CARBIDE



DUAL RUNNER WEARBARS

STAGGERED

- > Features a single carbide runner and an offset hardweld runner
- ▶ Lighter steering than a dual carbide runner
- Reduces darting and plugging
- > Available with a standard (.312) or aggressive (.500) bar
- Sold individually

2703-598 4-IN. CARBIDE (RH) 3-BOLT (STANDARD) **2703-599** 4-IN. CARBIDE (LH) 3-BOLT (STANDARD) **2603-988** 4-IN. CARBIDE (RH) 3-BOLT (AGGRESSIVE) **2603-989** 4-IN. CARBIDE (LH) 3-BOLT (AGGRESSIVE)

2603-930 4-IN. CARBIDE (RH) 4-BOLT (AGGRESSIVE) **2603-931** 4-IN. CARBIDE (LH) 4-BOLT (AGGRESSIVE)

A REAL PROPERTY OF THE PROPERT

DOOLY[™]

- Great, all-trail performance
- Reduces darting
- Features two carbide runners
- Sold individually

5639-879 HARDWELD WEARBAR

3639-343 4-IN. CARBIDE WITH HARDWELD

3639-344 6-IN. CARBIDE WITH HARDWELD

3639-345 8-IN. CARBIDE WITH HARDWELD

DEUCE™

- ▶ The best-performing dual runner available
- ▶ Reduces darting and eliminates dual-runner-type drag
- Durable one-piece design
- ▶ Features two carbide runners
- Sold individually

5639-251 4.5-IN. CARBIDE WITH HARDWELD

5639-252 6-IN. CARBIDE WITH HARDWELD

5639-253 8-IN. CARBIDE WITH HARDWELD

ALC: NO



ARCTIC CAT TRACTION BY WOODY'S®

SINGLE-PLY TRACKS

'15-'18 BC 2000 LT '15-'18 BC 2000 XT, 20<u>00 XTE</u> 16-'18 BC 7000 XT, 7000 XT GS 16-'18 PTA 7000 XT LTD 15 BC 5000 XT, 5000 XT GS 14-'15 XF CC 6/7/8/9000 14-'15 XF CT 6/7/8/9000 12-'13 XF 800, 1100, 1100T 0-'14 BC 570 11-'14 BC 570 XT, 71 XT

2-PLY TRACKS

15-'18 LYNX 2000 '15-'18 LYNX 2000 LT '16-'18 PTA 3000 '15-'18 PTA 7000 17-'18 TC 9000 '17-'18 XF CC 6/8/9000 '16-'18 XF 6/7/9000 CT '16-'18 XF 6/7/8/9000 CTK 17-'18 7R 300 14-'18 7R 4/6/7/8/9000 LXR, SP, RR 16-'17 BC 3000 LT '12-'13 F 800, 1100, 1100T 11-'14 SP 500 '09-'14 T570, TZ1

MALEREN ROOM

GRAND MASTER® (SINGLE-PLY) TRACTION KITS

- Studs feature a larger head design required for use on models with a single-ply track
- Includes studs, support plates, big nuts, template, drill and track marker
- ▶ 60° carbide, ‰-in. thread, 1.20-in. head, 1.50-in. support plates

'13-'15 XF CT: '12-'13 XF LXR 141-IN X 1.352-IN. 3.0 P (1.325-IN. STUDS) 5639-144 94/PK

'14-'15 XF CC; '12-'13 XF SP 141-IN. X 1.60-IN. 3.0 P (1.575-IN, STUDS) 6639-198 94/PK

'11-'17 BC XT 154-IN. X 1.375-IN. 2.86 P (1.450-IN STUDS) 5639-626 108/PK

SINGLE-PLY TRACK WARNING

WHEN INSTALLING STUDS ON A SINGLE-PLY TRACK. IT IS IMPORTANT TO USE ARCTIC CAT-APPROVED STUDS AND BACKER PLATES WITH THE PROPER DIAMETER. IF APPROVED STUDS AND BACKER PLATES ARE NOT USED, STUDS COULD TEAR FREE OF THE TRACK, CAUSING POSSIBLE INJURY OR EVEN DEATH.



NOTE: A REAR WHEEL KIT (PAGE 129) IS RECOMMENDED WHEN ADDING STUDS TO MODELS NOT EQUIPPED. STUDS AND SUPPORT PLATES ARE AVAILABLE IN 90, 96, 102, 135, 144 AND 153 QUANTITIES. SEE DEALER FOR SPECIFIC PART NUMBERS AND APPLICATIONS

ARCTIC CAT TRACTION BY STUD BOY®

your riding style

STUD DRILL

1639-629

IT THE REPORT OF A DESCRIPTION OF A

POWFR POINT" (2-PLY) TRACTION KITS

▶ Includes studs, support plates, standard or Power Tower Support Nuts, template, drill and track marker

'14-'18 ZR LXR, SP, RR (EXCLUDES 5000) '13 F SP 129-IN. X 1.25-IN. 2.86 P (1.375-IN. STUDS) 6639-141 90/PK 6639-142 135/PK

'16-'18 ZR LXR. SP. RR: '14-'15 XF LXR. XF SP 137-IN. X 1.25-IN. 2.86 P (1.375-IN. STUDS) 6639-458 96/PK 6639-459 144/PK

15-17 ZR 4000 LXR: 14-16 ZR 5000 LXR: 13 F 800 LXR F 1100 LXR 129-IN X 1 00-IN 2 86 P (1.080-IN, STUDS) 6639-139 90/PK 6639-140 135/PK

POWER PLATE[™] (2-PLY) BACKERS

- Innovative, nearly unbendable design Excellent stud support
- ▶ 1.270 in.

POWER POINT (2-PLY) 60° CARBIDE, ⁵/₁₆-IN. THREAD, 1-IN. HEAD

- ► Offers lightweight performance and excellent durability
- Track-trapping head design
- Backers sold separately

POWER TOWER SUPPORT NUTS

► Lightweight, durable stud support ▶ Recommended when using studs 1.375 in. and longer

TRACK TENSION TOOL • Maintain your track tension for optimum performance

'13 F 129-IN.

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE QUANTITIES. SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT, COM







CAT CADDY

▶ Superior mobility from 2¹/₂-in. swivel casters Includes two ski dollies and a track dolly

PLASTIC 5639-873 BLACK | 5639-874 GREEN

ALUMINUM 4639-766 BLACK



SLED STANDS

Supports machine on its side for easy maintenance

- Prevents sled damage
- Adjustable height

5639-152 HANDLEBAR STAND 5639-946 STEERING POST STAND






JACK STAND

▶ 33 in. high

7639-494

Ideal for service work or warming up engines



RATCHET TIE-DOWNS

- Spring-loaded retainer clips prevent S-hooks from falling off
- Comfortable ratchet-handle grip
- ▶ Large grab handle for easy length adjustment
- ▶ 1.125 in. x 102 in., 1,200-lb. rating; sold in pairs

7639-183




DELUXE TIE-DOWNS

Protects against scratching with integrated soft end loop

- ▶ Heavy-duty nylon straps with dual S-hook retainer clips
- ▶ 1.125 in. x 78 in., 1,200-lb. rating; sold in pairs

7639-182





5639-103 ORANGE



TOW STRAP

- ▶ Safe, easy towing with even weight distribution
- Durable nylon strap
- Handy storage pouch included
- ▶ For towing disabled vehicles only never use to tow or transport people; use a solid hitch when towing or transporting people

4639-247

TOW ROPE

- Easy-attach spring-clip buckles
- Heavy-duty nylon rope
- For towing disabled vehicles only never use to tow or transport people; use a solid hitch when towing or transporting people

0636-577

4639-579 BLACK | 4639-580 GREEN

TOUCH-UP PAINT

- Retain a showroom finish while filling in scratches and chips
- Available in colors to match most '05–'18 models
- ▶ 1/2-oz. and 12-oz. bottles available

SEE DEALER FOR SPECIFIC PART NUMBERS AND APPLICATIONS.







0.8A BATTERY CHARGER

- ▶ The ideal maintenance charger for 12V batteries
- ▶ Full automatic for charging and maintenance
- ▶ Takes its own readings and begins to charge
- Once finished charging, will switch to a maintenance phase
- ▶ Features a patented method for reconditioning sulfated batteries
- Spark-free, making connection safer and easier
- Extends batterv life
- Includes alligator clips and ring terminal leads
- ▶ 12V. 0.8A

7639-503

4.3A BATTERY CHARGER

- ▶ A great all-around charger every household should have
- Special cold-weather performance and adapted AC and DC cables to handle severe cold down to -22°F (-30°C)
- Features four modes: LOW CURRENT MODE for smaller 12V batteries used in snowmobiles and ATV/UTV HIGH CURRENT MODE for automotive or marine applications WINTER MODE aimed at charging and maintenance in cold weather
- RECONDITIONING MODE for deeply discharged batteries
- Fully automatic for charging and maintenance
- Takes its own readings and begins to charge
- Once finished charging, will switch to a maintenance phase
- Features a patented method for reconditioning sulfated batteries
- Spark-free, making connection safer and easier
- Extends battery life
- Includes alligator clips
- and ring terminal leads ▶ 12V, 4.3A
- 7639-504

YOUR BATTERY SHOULD BE READY WHEN YOU ARE

Your Arctic Cat vehicle is designed to deliver power & performance, so that you can sit back and enjoy the thrill of the ride. Here at Arctic Cat we understand the importance of the battery - the very heart of the vehicle. This is why we have partnered with CTEK, global manufacturer of the most awarded battery maintainers in the industry, to develop a battery charger specifically for your Arctic Cat.

- Made specifically for your Arctic Cat vehicle.
- Fully automatic 0.8 and 4.3 Amp Smart Charger.
- Suitable for all types of 12V lead acid batterv.
- Why waste valuable riding time replacing a battery?
- Use the 4.3A charger for your sled, off-road vehicle or car.
- Convenient connection options make it easy to charge without opening the cowling.
- Properly maintained batteries last up to 3 times longer.
- Unlike trickle chargers, the Arctic Cat charger will never over-charge vour batterv.
- Perfect for long-term storage.



ADDITIONAL BATTERY LEADS

Comfort indicator features a three-LED battery condition indicator









5639-485 COMFORT INDICATOR - RING TERMINALS

BELTS

- Custom fit to match each Arctic Cat sled and specific use
- Better contact with clutch surface and faster acceleration from double coas
- ▶ Increased belt life by running 15° cooler than aftermarket belts
- Reinforced with Aramax[®] aramid fibers for strength and durability
- ▶ Increased power transmission with less slip from aramid-fiber rubber compounds
- ▶ Kevlar[®] drive belts available for F, M, ZR and XF models, which dramatically extend belt life and sustain belt length better than steel cords
- **NOTE:** Proper break-in period required.

PREMIUM ARCTIC CAT "EXTENDED-LIFE" **ORIGINAL EQUIPMENT REPLACEMENT BELTS**

Don't settle for anything less than a drive belt built specifically for your sled. Proven through extensive lab and field testing, original equipment Arctic Cat replacement belts are precision-engineered for each Arctic Cat snowmohile

CUSTOM-ENGINEERED FIT

While non-OEM aftermarket belts offer "one construction fits all," Arctic Cat Research & Development custom engineers each genuine Arctic Cat belt to match the specific performance characteristics of your sled. This produces the best combination of strength. durability and responsiveness for lower-horsepower, fan-cooled sleds all the way up to high-horsepower muscle sleds. Each one is built using only state-of-the-art materials, incorporating precision manufacturing techniques to meet exacting tolerances.

ARCTIC CAT KEVLAR DRIVE BELTS

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE ANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT, COM,

2A BATTERY MAINTAINER

▶ 12V. 2A 7639-834

BATTERY JUMP PACK

- Quickly start your snowmobile or ATV/UTV Lightweight, long-lasting 8000 mAh lithium
- ion power source

ports and a powerful three-mode LED light

- ▶ Includes smart cables. AC and 12V car charging adapter
- 7639-835





▶ Features LCD display, two USB charging Cranking current: 400A peak, 200A cranking



TOP & BOTTOM COGS

Arctic Cat original equipment belts are double cogged, so more of the belt contacts the clutch surfaces. This results in faster acceleration, maximum efficiency and superb overall performance. Double-cog design provides structure while adding surface area for greater cooling and longer life. In fact, our belt runs up to 15° cooler than flat-top aftermarket belts.

ARAMAX HIGH-MODULUS (LOW-STRETCH) ARAMID-FIBER TENSILE MEMBER

The Aramax inner cord provides incredible strength and durability for high-horsepower, high-performance sleds. In addition, each belt is reinforced with top-grade, high-flexibility, shock-resistant Aramax aramid-fiber cords, and chemically treated for maximum power transmission and length stability.

HIGH-PERFORMANCE PREMIUM COMPOUNDS

Arctic Cat's OEM belts incorporate advanced "premium" compound materials that ensure optimum belt performance under all riding conditions. The advanced aramid-fiber-loaded rubber compound resists wear and delivers consistent power while minimizing slippage over a broad range of operating temperatures. The thicker, highly flexible design increases grip to clutch surfaces for increased power transmission.

These ultimate-performance Arctic Cat Kevlar drive belts are custom engineered for F, M, ZR and XF models. Extended-life belts feature top- and bottom-molded cog construction and highperformance compounds. Inside, the Kevlar cord provides increased belt life. Please note that proper belt "break-in" is required.





4-CYCLE OILS

Arctic Cat synthetic C-TEC4™ engine oil is purpose-built and proven for Arctic Cat 4-cycle snowmobile engines, and is the ONLY oil recommended by Arctic Cat engineering. The unique synthetic formulation of C-TEC4 allows your engine to deliver optimum performance and provides the ideal viscosity for easy cold weather starting and protection.

C-TEC4 SYNTHETIC OIL

- > Provides superior performance in ALL operating conditions including in the extreme cold
- > Synthetic base stocks offer high lubricity that protects engine from wear and scuffing
- > Exclusive formulation includes additives that help prevent deposit formations, ring sticking and engine wear

6639-524 QUART | 6639-525 GALLON

▶ For use in ALL Arctic Cat 4-cycle snowmobiles including turbo engines

6639-528 SYNTHETIC OIL CHANGE KIT FOR THE 1056CC TWIN ENGINE ▶ Includes one gallon of synthetic C-TEC4 oil, oil filter, o-ring, washer and disposable funnel

6639-529 SYNTHETIC OIL CHANGE KIT FOR THE 1049CC AND 998CC (2017 9000) TRIPLE ENGINE Includes one gallon of synthetic C-TEC4 oil, oil filter, gaskets and disposable funnel

7939-042 SYNTHETIC OIL CHANGE KIT FOR THE 700CC TWIN ENGINE Includes one gallon of synthetic C-TEC4 oil, oil filter and disposable funnel



BECAUSE OF THIS: LAB TESTING

BASE STOCK CHEMISTRY

ITUERSPHENOXI ITTANIAN DICHLORIDE CATALISIS. PETROLEUM IGH HYDROCRACHING, CATALIST DEWAXING, ISODEWAXING, WAX ID SOLVENT EXTRACTION.

CYCLE OIL

43 E.mt. / 1.4 Libert

FORMULATION DEVELOPMENT

DYNO TESTING

FIELD TESTING

ADDITIVE DEVELOPMENT

OU CAN **DO THIS!**

ARCTIC CAT LUBRICANTS ARE THE ONLY LUBRICANTS APPROVED FOR ARCTIC CAT ENGINES.



2-CYCLE OILS

Arctic Cat lubricants are designed and developed in conjunction with our engines and are proven through thousands of hours of dyno and field testing. They deliver the ultimate performance and protection for your Arctic Cat engine, and the peace of mind you expect.

C-TEC2 SYNTHETIC OIL

The C-TEC2™ revolutionary clean-burning engine technology demands an entirely unique oil formulation. This lubrication system effectively delivers oil where it is required - as a result using significantly less oil compared with traditional 2-cycle engines. This technology requires a unique viscosity and blend of additives and base stocks. After several years of intense testing, numerous formulations, thousands of dyno hours and hundreds of thousands of field test miles, we landed on this unique oil technology.

- ▶ The ONLY oil recommended for the C-TEC2 engine, but approved for ALL Arctic Cat 2-cycle engines
- Reduction in recoil pull-effort during cold weather starting
- Convenient C-TEC2 oil packaging provides easier pourability and less waste
- ▶ Fully synthetic formulation provides ultimate engine protection
- ▶ Detergent additives maximize Arctic Power Valve™ and engine cleanliness
- > Smokeless formulation burns extremely clean with a fresher scent

6639-520 48-0Z. BAG | 7639-840 1 GALLON | 6639-521 2.5 GALLON



APV[™] SYNTHETIC OIL

- > Outstanding performance for all non-C-TEC2 Arctic Cat 2-cycle engines
- Protects against engine wear with excellent lubricity
- Provides excellent Arctic Power Valve cleanliness
- Smokeless formulation burns clean
- Helps prevent piston scuffing, varnish formation and deposit buildup

4639-349 QUART | 5639-469 GALLON | 4639-347 2.5 GALLON

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE ANTITIES, SPECIFICATIONS AND MATERIALS MAY CHANGE WITHOUT NOTICE. FOR A DEALER NEAR YOU, VISIT ARCTICCAT, COM,

FORMULA 50

- Recommended for non-Arctic Power Valve 2-cycle engines
- Performs well over a wide range of operating temperatures
- Minimizes engine wear
- Prevents rust/deposit formation

5639-475 QUART | 5639-476 GALLON | 5639-477 2.5 GALLON

ormula 50





4639-368 MEDIUM WEIGHT — QUART

5639-530 QUART

4639-366 QUART

158

639-916 GALLON

OUR MANUFACTURER'S SUGGESTED RETAIL PRICES EXCLUDE FREIGHT, HANDLING AND INSTALLATION. PRICES, PACKAGE Quantities, specifications and materials may change without notice. For a dealer near you, visit arcticcat.com.

0436-907 8 OZ.

7639-517 10 OZ.

DOT 4 BRAKE FLUID

- Premium fluid designed with corrosion and oxidation inhibitors
- Optimizes brake performance if moisture is introduced into the brake system

5639-848 12 0Z.



- Removes oil, grease and grime from vinyl, metal and paint
- Sprays on and wipes off quickly

Won't alter finishes

4639-371 22 0Z.



 Scrub-free cleanser eliminates grease and dirt

5639-872 24 0Z. 5639-789 GALLON



HIGH TEMP RACING BRAKE FLUID

- The high boiling point of Arctic Cat DOT 4 Racing Fluid means consistent performance in demanding race conditions
- For use in all applications where DOT 4 brake fluid is recommended

7639-518 12 0Z.



- Polishes and protects for showroom-quality shine
- Resists finger markings
- Greaseless finish
 5639-849 16 0Z.

Sizing Information

MEN'S

Fits closer to

Fits loosely (

Fits closer to body

Fits loosely on body

WOMEN'S

Sizing charts should be used as general guides for determining approximate size. Differences in individual body shape, as well as the type of cut and style of each garment, should be considered to ensure appropriate fit. Please visit your local Authorized Arcticwear Dealer to try on your selection.

	CHEST	WAIST
S	36'' - 38''	28'' - 30''
М	40'' - 42''	32'' - 34''
MT	40'' - 42''	32'' - 34''
L	44'' - 46''	36" - 40"
LT	44'' - 46''	36'' - 40''
XL	48'' - 50''	42'' - 44''
XLT	48'' - 50''	42'' - 44''
2XL	52'' - 54''	46'' - 48''
2XLT	52'' - 54''	46'' - 48'
3XL	56'' - 58''	50'' - 52''
3XLT	56'' - 58''	50'' - 52''
4XL	60'' - 62''	54'' - 56''
5XL	64'' - 66''	58'' - 60''

WOMEN'S OUTERWEAR sizing chart

SIZE	CHEST	WAIST	HIPS	INSEAM	
XS	26'' - 30''	19'' - 23''	30" - 34"	31''	
S	30'' - 34''	23'' - 26''	34'' - 37''	31"	
М	34'' - 37''	26'' - 30''	37'' - 40''	31''	
MT	34'' - 37''	26'' - 30''	37'' - 40''	33''	
L	37'' - 40''	30'' - 34''	40'' - 43''	31''	
LT	37'' - 40''	30'' - 34''	40'' - 43''	33''	
XL	40'' - 43''	34'' - 38''	43'' - 46''	31"	
XLT	40'' - 43''	34'' - 38''	43'' - 46''	33''	
2XL	43'' - 46''	38'' - 41''	46'' - 49''	31"	
3XL	46'' - 49''	41'' - 45''	49'' - 52''	31"	
4XL	49'' - 52''	45'' - 49''	52'' - 55''	31''	

Tall jackets are 2" longer in sleeve and body length.

Women's Premium Short Bib has a 29" inseam.

YOUTH ONE-PIECE sizing chart

SIZE	HEIGHT	CHEST	WAIST	INSEAM
2	33'' - 35''	21'' - 22''	19'' - 20''	16''
3	36" - 38"	22'' - 23''	20" - 21"	17"
4	39'' - 41''	23'' - 24''	21''	18''
5	42" - 44"	24'' - 25''	21'' - 22''	19''
6	45'' - 46''	25'' - 26''	22''	20''
7	47'' - 49''	26" - 27"	22'' - 23''	21''

YOUTH OUTERWEAR sizing chart

I					
	INSEAM	WAIST	CHEST	HEIGHT	SIZE
	17''	20'' - 22''	23'' - 25''	45'' - 47''	4
	19''	22'' - 23''	25'' - 26''	47'' - 49''	6
	21"	23'' - 24''	26'' - 27''	49'' - 50''	8
	23''	24'' - 25''	27'' - 28''	51'' - 54''	10
	25''	25'' - 26''	29'' - 30''	55'' - 58''	12
	26''	26'' - 27''	30'' - 32''	59'' - 61''	14
	27''	27'' - 28''	32'' - 33''	62'' - 64''	16

CONTRACTOR OF

ADDITIONAL SIZING INFORMATION IS FOUND BY PRODUCT ON OUR WEBSITE

Ace," Dooly," Digger,[®] Double Digger,[®] Gold Digger,[®] Grand Master,[®] Signature Series," Traction Master[®] and Woody's[®] are trademarks of International Engineering and Manufacturing, Inc. Aramax[®] is a trademark of Carlisle Power Transmission Products, Inc. Clarino" is a trademark of the Kurarav Company, Cobra", Hacksaw," Ice Ripper" and Ripsaw" are trademarks of Camso Inc. CTEK® is a trademark of CTEK Power. Inc. Deuce" Power Plate" Power Point," Shaper" and Stud Bov® are trademarks of Liberty Products Inc. DuPont, Kevlar, Lycra® and Vespel® are trademarks of E.I. du Pont de Nemours and Company. eVent® is a registered trademark of Clarcor, Inc. F.A.T.* and Smith® are trademarks of Smith Sport Optics, Inc. Float 87; Float 25; Float 25; Turbo, The Most Trusted Name in Backcountry Safety," Tracker?" and Tracker?" and Tracker?" are trademarks of Backcountry Access, Inc. FOX® EVOL," FOX FLOAT,® FOX FLOAT,® FOX Shox," FOX® 053 and FOX® ZERO are registered trademarks of FOX Racing Shox, iPad® is a trademark of Apple Inc. Lexan® is a trademark of the General Electric Company. MoHawk Ski* and Powder Pro* are trademarks of Starting Line Products, Inc. Octane Ink® is a registered trademark of Octane Ink, LLC. OGIO® and SLED* are trademarks of Ogio International. Primaloft® is a registered trademark of Primaloft, Inc. TekVest[®] is a trademark of Tekrider. True Timber[®] is a registered trademark of Banrick, Inc. Speedwerx^{*} is a trademark of Speedwerx, Inc. Surlast^{*} is a trademark of Surlast, LLC. Viloft[®] is a trademark of Kelheim Fibres GmbH. Zylex[®] is a trademark of Kamik,[®] which is a division of Genfoot Inc. 3M," Thinsulate" and Scotchlite" are trademarks of 3M Company. ACT," Arctic Cat,[®] Arctic Mountain Suspension," Arctic Power Valve," APV," Arcticwear,[®] A-Tex," Bearcat,[®] Black Magic," Boss Cat," Cat's Pride," C-TEC2" C-TEC4" CrossTrek" Cross Country," EL Tioré® Fashion Fit," Mountain Cat@ Norseman," Pantera® Power Claw," ProClimb," ProCross," Share Our Passion," Sno-Cross,® Sno-Pro@ Sno-Lock," SpeedLock," SpeedRock@ Team Arctic@ Thundercat@ TriBalance," WARN," XT™ and ZR[®] are trademarks or registered trademarks of Arctic Cat Inc.

about the sport. That club is Cat's Pride[™] featuring unique club gear for members only. For more information, go to store.arcticcat.com. Click on "Garments & Gear," then "Cat's Pride Club Membership Kit." Contact Kathy Johnson at kjohnson@arcticcat.com with questions.

ANNUAL MEMBERSHIP



WOODY'S LIMITED WARRANTY

International Engineering & Manufacturing, Inc. warrants each product manufactured by it to be free from defects in material part thereof, which may be returned to the factory, transportation charges, prepaid within one (1) year after delivery to the original purchaser. Proof of purchase is also required. The Company shall be the sole judge of the existence of any defect in the article so returned. No claims for charges incurred in the removal, disassembly or reinstallation of such article shall STUD BOY LIMITED WARRANTY be allowed. Product manufactured for consumer use on snowmobiles is designed for snow or ice only; use on any other surface voids warranty

This Warranty shall not cover any article which has been misused or neglected or damaged by accident or any article which has been altered outside the Company's factory. The Warranty for studs is void unless the studs are installed with Woody's installation tools, support plates and lock nuts; according to the recommendations set forth in Woody's Instructions and Template Patterns. This Warranty does not cover bending, chipping, flaking or carbide pin breakage or pin loss from stud wear, stud replacement labor or shipping.

The Company shall, in no event, be liable for consequential damage or contingent liability arising out of any total or partial failure to function of any article manufactured by it or of any equipment on or in which it is used. Failure of a user to give notice to claim as to defect claimed under the provisions of the Warranty within one (1) year after delivery to original use, such claim shall constitute a waiver by consumer of all claims with respect to goods and equipment. No express, implied, or statutory warranty other than that herein set forth is made or authorized to be made by the Company. All returned warranties will not be accepted without a return authorization number

OCTANE INK WARRANTY INFORMATION

Octane lnk, LLC warrants each product manufactured by it to be free of defects in workmanship and material while used for the purpose for which it is designed. Octane Ink, LLC shall not be liable for damages or delays as a result of defects caused by defective workmanship or materials. Warranty is limited to the repair or replace of any defective part or product (not including shipping), within one (1) year that starts on the date of purchase from the authorized re-seller/retailer or online through Octane Ink, LLC. Your original purchase invoice, showing the date of purchase of the product is your proof of the date of purchase. If you find an issue with an Octane product, call us immediately. This warranty does not cover any failure resulting from Improper Installation and/or any incidental damages, gasoline exposure or other economic consequential damages due to accident, abuse, misuse, negligence and acts of God. Octane Ink, LLC shall be the sole judge of any defect. No other charges may be claimed in conjunction with the removal, reinstallation of such product. Warranty will be void if product has not been installed right, misused, neglected, damaged or modified.

No returns on custom wrap kits, we will extend a discount on the correct wrap design. Please email or call 605-213-8343 for a resolution.

Octane Ink, LLC will not be liable for consequential damage or contingent liability arising from any total or partial failure to function of any product manufactured by it or any equipment on or in which it is used. No further warranty of any type is intended or implied or will be authorized to be made by Octane Ink, LLC.

WOODY'S MANUFACTURER WARRANTY RETURNS

Call our customer service department for a Return Authorization Number. This number must be visible on the outside of the and workmanship under use for the purpose for which it is intended. The Company shall not be liable for damage or delays box. The product must be inspected by a Woody's technician to determine if the product is defective due to material, quality caused by defective materials or workmanship; is limited to the repair or replacement at its factory of defective article or or workmanship before a final warranty determination is made. Proof of purchase is required. All returns to the manufacturer are for exchange only

Liberty Products, Inc. warrants each product manufactured by it to be free of defects in workmanship and material while used for the purpose for which it is designed. Liberty Products, Inc. shall not be liable for damages or delays as a result of defects caused by defective workmanship or materials. Warranty is limited to the repair or replacement at liberty Products of any defective part or product, within one (1) year of the delivery to the original purchaser, proof of purchase must accompany the product returned (freight prepaid). Liberty Products, Inc. shall be the sole judge of any defect, which might be claimed on the returned product. No other charges may be claimed in conjunction with the removal, reinstallation of such product. These products are designed and manufactured for use on snowmobiles on snow and ice only, use on other surfaces voids warranty. Warranty will be void if product has been misused, neglected, damaged or modified outside of Liberty Products, Inc. Does not cover bending, chipping, flaking or carbide breakage or loss from wear. Liberty Products, Inc. will not be liable for consequential damage or contingent liability arising from any total or partial failure to function of any product manufactured by it or any equipment on or in which it is used. No further warranty of any type is intended or implied or will be authorized to be made by Liberty Products. Inc.

Snowmobiling is serious fun. Be sure to read and understand your owner's manual and please pay special attention to the safety instructions. Arctic Cat Inc. endorses and encourages the safe use of all snowmobiles. Be careful, you can get hurt. Wear a helmet and don't drink and ride. Be aware of natural hazards you may encounter, allow yourself plenty of room to safely stop your snowmobile under all conditions, and maintain your equipment. Your safety is in your hands, so take care. All scenes depicted or described in this brochure were performed by professional riders under carefully controlled conditions. Leave the fancy riding to the pros; they practice for years and train very hard to make it look easy. Never attempt to duplicate these maneuvers or encourage others to do so. We care about your safety and enjoyment of the sport.

PROPOSITION 65 WARNING

To our knowledge, all Arctic Cat parts and fabrics are in full compliance with federal laws for product safety and are made from durable and safe materials. Out of an abundance of caution, Arctic Cat has elected to place the following warning on its products to comply with California law: Warning: This product can expose you to chemicals which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



* Consumers purchasing a new Arctic Cat snowmobile have the option to include any of the 2018 Arctic Cat accessories in this catalog into the purchase price and will earn the retail financing promotion offered on the new Arctic Cat snowmobile at time of purchase. See dealer for details. Financing programs are offered by FreedomRoad Financial or Sheffield Financial, a Division of Branch Banking and Trust Company, Member FDIC. Subject to credit approval, Approval, and any rates and terms provided, are based on creditworthiness. Other financing offers are available. Consumer's using Sheffield Financial will be charged a \$50 consumer document fee. See your local dealer for details. Rate advertised is based on minimum bureau risk score of 660 and debi-to-income ratio of 45% or less. Minimum Amount Financed \$700; Maximum Amount Financed \$50,000. Other qualifications and restrictions may apply. An origination fee of \$50 will be added to the amount financed. Financing promotions void where prohibited. Offer effective on eligible Arctic Cat snowmobile accessories financed with a qualifying purchase on all new and unused 2013–2018 Arctic Cat snownobiles, excluding racing, rental and special service units purchased from a participating U.S. Arctic Cat dealer between 2/1/2017 and 3/31/2018. Offer subject to change without notice. Financing promotions void where prohibited. Monthly payment excludes tax, freight, interest and dealer setup. See dealer for details. All specifications, claims, prices and information contained within are based upon current knowledge as of February 1, 2017, and are subject to change without notice. Prices do not include freight, handling of setup charges.

^{© 2017} Arctic Cat Sales Inc., 601 Brooks Ave. South, Thief River Falls, MN 56701. Printed in the U.S.A. At Arctic Cat, we're always improving our snowmobiles to provide the best performance and experience. That's why the specifications for 2018 model Arctic Cat snowmobiles in this brochure at the time of printing are subject to change without notice. See your dealer for details

NdEX

Α

ACCESSORY LOCATOR 4–5 ACCESSORIES . 102–105 Bags Battery Chargers & Belts 154–155 . 98–101 Covers 116–121 Custom General Maintenance 152–153 .. 130–141 Mountain Oil & Care . 156–159 ... 127–129 Performance Speedwerx 125 . 106–112 Touring .. 146–147 Tracks .. Traction & Control .. 148–151 Utility . . 142–145 . 113–115 Windscreens .. 122–123 ZR 200 ACT FLUIDS 158 ARCTICWEAR Advantage 30-31 44-45 Casual Snow 33 Flex Liners . Layering Guide ... 6–7 Layers . 40-41 Base Layers Mid-Layers 42-43 . 26-29 Mountain . Pants & Bibs Men 34-35 36-37 Women . 24–25 Premium . 10-23 Pro Flex 32 Sno-Cross™ Technology . 9 . 11–13, 38–39 Women 46-49 Youth

ABBREVIATION KEY

BC	BEARCAT [®]
CC	CROSS COUNTRY™
CF	CROSSFIRE™
CT	CROSSTOUR
CTK	CROSSTREK™
GS	GROOMER SPECIAL
HC	HIGH COUNTRY™
KC	KING CAT
MC	MOUNTAIN CAT®
NOR	NORSEMAN™
PTA	PANTERA®
SP	SNO PRO®
TC	THUNDERCAT®
1100T	1100 TURBO

AMS A-ARM KITS	134
ANTIFREEZE	158
AVALANCHE GEAR	
Avalanche Beacons	137
Avalanche Probes	137
Avalanche Airbags	137
AXLE WASHERS	119
D	

В BACK SUPPORT 66 BAGS. SNOWMOBILE Backpacks 138 .. 103, 109, 142 Cargo Gear 102–103, 109, 132, 135, 142 Goggle Holder 105, 133 Handlebar 105. 133. 142 104 Bag Heater Kit Hydration Pack 139 132–133 Mountain 103 Saddlebags . Saddlebag Carriers 109, 111 Tank 105 Tool Pack 139 . 103–104 Touring 102-103, 132 Tunnel . Windshield . .. 104, 142 BAGS, TRAVEL/CASUAL Backpacks . . 65 Duffle . 65 Helmet Bag . 65 Roller . 64 BAG LINERS 104 BALACLAVAS . 58 Adult .. 51 Youth . 40-41 BASE LAYERS BATTERY .. 154 Chargers 155 Jump Pack Leads . . 155 ... 155 Maintainer BEANIES Adult . 69, 91-93 . 69, 93 Youth 155 BELTS **BIBS & PANTS** .. 35, 37 Advantage Champion 35 13, 27, 29, 32, 34–35 Men 27. 29. 35. 37 Mountain 34, 36 Premium 13 Pro Flex 32 Sno-Cross® .. 13. 36–37 Women

Youth .

BOOTS	
Adult 62–63	3
Youth	1
BRAKE FLUID 159	9
BUMPERS	
Front 110, 131, 144	4
Rear 110, 13	1
Side 144	4

С

CAPS Adult 69,88-90 69 Youth CARBURETOR CLEANER . 159 109, 143 CARGO BOX CASUAL SNOW 44-45 CAT'S PRIDE . 161 CHAIN LUBRICANT 158 66 CHEST PROTECTOR 159 CLEANERS . . 125 CLUTCH KITS 94-97 COLLECTIBLES COOLANT HEATER ... 112 COVERS, SLED 98-101 D DECALS 69,97 DETAILER . 159 DOLLIES . 152 DRINKWARE . 94–95 Ε ELECTRIC START KIT . 112 ENGINE PRESERVER 159 F FACE MASKS Adult . 58 . 51 Youth FLAGS . 69,94 FLANNEL SHIRTS ... 73 FLEECE 42-43 FLEX LINERS . 33 127-128 FOX SHOCKS . FRONT END LIFT . 152 FUEL 159 De-icer Injector Cleaner 159 Stabilizer 159 FUEL CAN . 134 G GARAGE COLLECTION . 97 . 117, 131 GAS CAPS ..

GLASSWARE 94-	-95
GLOVES	
Adult 59-	
Youth	51
GOGGLES	
Adult 56-	-57
Youth	50
Lens Cleaner/Defogger	57
Replacement Lenses 56-	-57
GREASE, EXTREME LOW TEMP	
н	
HAND GUARDS 116–7	117
HAND MUFFS	
HANDLEBAR	100
Bar Risers	1/1
Grips	
•	
Mountain Handlebar	
Mountain Steering Posts	4
Adult 69, 88-	-93
Youth	
HEADGEAR	/0
Adult	58
Youth	
HEADLIGHT	JI
	110
Headlight Cover	
LED Headlight	
HEATED SHIELD ADAPTER	
HEATED SHIELD OUTLET	112
HELMETS	
Adult 52-	-55
Youth	
HITCH KITS 107, 1	112
HOODIES	
Infant	87
Men 68, 74,	76
Toddler	86
Women 80,	82
Youth	
ICE SCRATCHERS	140
INFANT APPAREL	
J	
JACKETS	
Descriptions	0
Men	/
Advantage	31
Casual Snow 44-	
Flex Liners	
Mountain	
Pro Flex 10-	
Sno-Cross®	32

GLASSWARE .

. 94-95

JACKETS (cont.)
Tall Sizes 11–12, 18, 32–33
Women 11–12, 33, 38–39
Youth
JACK STAND 152
JERSEYS
Adult
Youth
JUGS, UTILITY 135
K
KNIT HATS
Adult 69, 91–93
Youth 69, 93
L
– LAYERING GUIDE
LAYERS. BASE
LAYERS. MID
LED HEADLIGHT 112
LIFTS
LUBRICANTS
LUGGAGE
Backpacks
Helmet Bag 65
Roller
м
M
MEN
Outerwear 10-35
Sportswear
Boots
Layers
MID-LATERS 42-43 MIRRORS 118
MITTS
Adult 60, 61
Youth
MUGS
N
NO FOG MASKS 58
0
OIL & CARE
2-Cycle Synthetic Oil 157
4-Cycle Synthetic Oil 156
Antifreeze 158
Brake Fluid 159
Cat Cleaner 159
Grease 159
Shock Oil 158

2, 18, 32-33 2, 33, 38-39 46-48 152 68, 77 68, 84 135

..... 157 156 158 159 159 159 . 158 Shock Oil ONESIES 87

Ρ PAINT. TOUCH-UP 153 PANTS & BIBS .. 35, 37 Advantage ... 35 Champion . 13, 27, 29, 32, 34-35 Men Mountain 27, 29, 35, 37 Premium 34. 36 Pro Flex . . 13 Sno-Cross™ . 32 . 13, 36–37 Women ... Youth 47. 49 PASSENGER MUFFS 106 106 Hand Warmer Kit PASSENGER SEATS 2-Up Seat Kit 107 143 Passenger Pad 107, 143 Passenger Seat . 143 Third Seat . . 73 POLO SHIRT PROTECTION . 66

R

RACK SYSTEMS	
SpeedRack II	108-109
Track Rack System	135
RACK STRAP	
RACKS, REAR 108, 111, 117,	134, 144
RADIATOR GUARD	144
RADIO, BC LINK	138
RAIL CAP WHEEL KIT	141
RECOIL HANDLE	119
RIDEGEAR	
Bags	64-65
Boots	62-63
Gloves	
Goggles	56-57
Headgear	58
Helmets	52-55
Protection	66
Youth	50-51
RUNNING BOARDS	130
S	

SADDLEBAG CARRIERS	109, 111
SAW, POCKET	138
SHIRTS	
Infant	
Men	68–73, 77
Toddler	
Women	77–80, 82
Youth	84–85
SHOCKS	
	128
Guards	128

GEARCASE FLUID .

. 158

.... 47, 49

SHOCKS	oont

Ski	
Track	
SHOVELS	
SHOVEL PACK	
SKIS	
SKI HANDLES	
SKID PLATES	
SLED STANDS	
SNOW MESH	118, 143
SNOWFLAPS	119
SOCKS	41
SPEEDRACK II	108-109
SPEEDWERX	125
SPORTSWEAR	
Caps	88–90
Infant	87
Jerseys	
Knit Hats	
Men	70-76
Toddler	
Tucker Hibbert Collection	
Women	
Youth	
STANDS	
STICKERS	
01101(EI(0	
STUDS 148	
STUDS 148, Waady's	150-151
Woody's	150-151 150
Woody's Stud Boy	150–151 150 151
Woody's Stud Boy Stud Drill	150-151 150 151 151
Woody's Stud Boy Stud Drill Stud Templates	150–151 150 151 151 151
Woody's Stud Boy Stud Drill Stud Templates Track Marker	150–151 150 151 151 151 151
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit	150–151 150 151 151 151 151 151
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE	150–151 150 151 151 151 151 151
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain	150–151 150 151 151 151 151 151
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth	150–151 150 151 151 151 151 151 151 27 49
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth SUNGLASSES	150–151 150 151 151 151 151 151 27 49 95
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth SUNGLASSES SUSPENSION BLOCKS	150–151 150 151 151 151 151 151 27 49 95
Woody's	150–151 150 151
Woody's	150–151 150 151
Woody's	150–151 150 151 151 151 151 151 151 151 151 27 95 117 87 87
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth SUNGLASSES SUSPENSION BLOCKS SWEATPANTS Infant Men Women	150–151 150 151 151 151 151 151 151 27
Woody's	150–151
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth SUNGLASSES SUSPENSION BLOCKS SWEATPANTS Infant Men Women Youth SWEATSHIRTS & LONG-SLEEVE SHI	150–151 150 151 151 151 151 151 27 49 99 117 87 87 82 RTS
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth SUNGLASSES SUSPENSION BLOCKS SWEATPANTS Infant Women Youth SWEATSHIRTS & LONG-SLEEVE SHI Infant	150–151 150 151
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth SUNGLASSES SUSPENSION BLOCKS SWEATPANTS Infant Women Youth SWEATSHIRTS & LONG-SLEEVE SHI Infant Men SWEATSHIRTS & LONG-SLEEVE SHI Infant Men Youth	150–151
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth SUNGLASSES SUSPENSION BLOCKS SWEATPANTS Infant Women Youth SWEATSHIRTS & LONG-SLEEVE SHI Infant Men Youth	150–151
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth SUNGLASSES SUSPENSION BLOCKS SWEATPANTS Infant Men Youth SWEATSHIRTS & LONG-SLEEVE SHI Infant Men 42, 68, 7 Toddler Women Women 42	150–151
Woody's Stud Boy Stud Drill Stud Templates Track Marker Tunnel Protector Kit SUITS, ONE-PIECE Mountain Youth SUNGLASSES SUSPENSION BLOCKS SWEATPANTS Infant Women Youth SWEATSHIRTS & LONG-SLEEVE SHI Infant Men Youth	150–151

Т

-SHIRTS				
Infant				87
Men	. 41,	68,	70-	-71

T-SHIRTS (cont.)
Toddler 86
Women 41, 68, 78–79
Youth
TANK PADS 118
TAPE, RACING 153
TEKVESTS
TETHER SWITCH 112
TIE-DOWNS 153
TODDLER APPAREL
TOW HITCH 112
TOW STRAPS/ROPE 140, 153
TRAIL GROOMER 145
TRACKS 146-147
TRACK DRIVE KIT, 7-TOOTH 141
TRACK RACK SYSTEM 135
TUCKER HIBBERT 11, 48, 59, 67-69
TUNNEL FLARES 119
TUNNEL PROTECTOR 151
TURTLENECKS 41
TWO-UP SEAT 107

U

UNDERGARMENTS	 40

V

VENTED SIDE PANELS	 140
VESTS	 . 43

W

WATER BOTTLES	
WEARBARS	121, 149
WEAR STRIPS	
WHEEL KITS	125, 129
WINCH KIT	
WIND DEFLECTORS	119
WINDSCREENS	113–115, 131
WOMEN	
Outerwear	11–13, 33, 36–39
Sportswear	68, 78–83
Boots	63
Layers	40-43

Y YOUTH

00111	
Arcticwear	46-49
Ridegear	50-51
Sportswear	84-85

Ζ

ZR	200	ACCESSORIES	 122-	-123



