

blacktail shiner

Cyprinella venusta

Kingdom: Animalia
Phylum: Chordata
Class: Actinopterygii
Order: Cypriniformes
Family: Cyprinidae

ILLINOIS STATUS
common, native



© William N. Roston

adult

FEATURES

The blacktail shiner is a slender fish that is compressed side to side. A dark blotch is present on the last two to three membranes of the dorsal fin, while the other dorsal fin membranes have dark speckles. The large, dark spot at the base of the tail fin is distinctive. This fish averages two and one-half to four and one-half inches in length. Its back is yellow-green, and the sides are silver with blue reflections. The scales are edged in dark pigment, forming a diamond-shaped pattern on the sides.

BEHAVIORS

The blacktail shiner lives in open channels of large ditches and streams in extreme southern Illinois. It is most often found where there is a noticeable current and a sand and gravel bottom. This fish swims in schools in midwater or near the surface. Most individuals mature in their second year. Spawning occurs from June to August. The female deposits about 130 to 460 eggs under the bark of submerged trees, in tree roots or in other crevices. The blacktail shiner eats mainly insects but takes in some plant materials, too.

ILLINOIS RANGE



© Illinois Department of Natural Resources. 2020. *Biodiversity of Illinois*.

Unless otherwise noted, photos and images © Illinois Department of Natural Resources.



Aquatic Habitats

rivers and streams

Woodland Habitats

none

Prairie and Edge Habitats

none