


PRICE LIST

EFFECTIVE DATE:
01 MARCH 2024

SUPERCEDES:
KLP-2023-2

Bulletin KLP-2024-1-AEE

Part # 1090869-1-AEE



Prices are F.O.B. shipping point. Freight is allowed via lowest common carrier to nearest freight station in Canada and U.S.A. (except to Alaska or Hawaii) on shipments of \$4800 NET or more.

Shipments of less than \$4800 NET are F.O.B. shipping point and are not freight allowed.



Prices, weights and specifications subject to change without notice.

Terms: Net 30 days.

Subject to Terms and Conditions of Sale / General Warranty / Claims Procedures




**INCLUDES MODELS FOR DOE & NRCAN
AWEF-EXEMPT APPLICATIONS**



Contents


KTL - Line, Two-Way Evaporators.....	2 - 4
KTM - Line, Two-Way Evaporators.....	5 - 6
KLV - Line, Low Velocity Evaporators.....	7 - 8
KLP - Line, Low Profile Evaporators.....	9 - 14
KMP - Line, Medium Profile Evaporators.....	15 - 24
KEP - Line, Extended Profile Evaporators.....	25 - 35
KHP - Line, High Profile Evaporators.....	36 - 43
Optional Evaporator Accessories.....	44 - 48
Thermosaver System.....	49
Lead-Lag Control Panel.....	50
Product Support Resources.....	BACK

KTL-LINE, TWO WAY EVAPORATORS




 web: www.k-rp.com/ktl
 email: evaps@k-rp.com
 call: 1-844-893-3222 x520

NOMENCLATURE



STANDARD FEATURES

- Compatible with Low GWP Refrigerants
- Low height compact size maximizes usable storage space
- Dual refrigeration coils and two-way air distribution reduces air velocities to minimize product dehydration
- Air enters through fan and discharges two ways out of each coil side
- Rugged heavy duty motor mount reduces vibration and noise
- Electric defrost models include factory installed defrost termination and fan delay thermostat
- NSF approved "flush to ceiling mount"
- Internally enhanced tube

AVAILABLE OPTIONS

- Additional options available, please contact factory

KTL-LINE, TWO WAY EVAPORATORS (cont'd)

MEDIUM TEMP - AIR DEFROST

SHADED POLE MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KTL010MA-S1A	115/1/60	1114	11.6	5.3
KTL010MA-S2A	208-230/1/60	1169	11.6	5.3
KTL010MA-S6A	200-220/1/50	1169	11.6	5.3
KTL015MA-S1A	115/1/60	1174	12.6	5.7
KTL015MA-S2A	208-230/1/60	1255	12.6	5.7
KTL015MA-S6A	200-220/1/50	1255	12.6	5.7
KTL020MA-S1A	115/1/60	1364	13.7	6.2
KTL020MA-S2A	208-230/1/60	1457	13.7	6.2
KTL020MA-S6A	200-220/1/50	1457	13.7	6.2
KTL025MA-S1A	115/1/60	1676	14.7	6.7
KTL025MA-S2A	208-230/1/60	1785	14.7	6.7
KTL025MA-S6A	200-220/1/50	1785	14.7	6.7
KTL032MA-S1A	115/1/60	1941	18.9	8.6
KTL032MA-S2A	208-230/1/60	2070	18.9	8.6
KTL032MA-S6A	200-220/1/50	2070	18.9	8.6
KTL038MA-S1A	115/1/60	2172	20	9.1
KTL038MA-S2A	208-230/1/60	2321	20	9.1
KTL038MA-S6A	200-220/1/50	2321	20	9.1
KTL060MA-S1A	115/1/60	2754	37.8	17.2
KTL060MA-S2A	208-230/1/60	2971	37.8	17.2
KTL060MA-S6A	200-220/1/50	2971	37.8	17.2
KTL077MA-S1A	115/1/60	3356	39.9	18.1
KTL077MA-S2A	208-230/1/60	3622	39.9	18.1
KTL077MA-S6A	200-220/1/50	3622	39.9	18.1
KTL115MA-S1A	115/1/60	4191	59.9	27.2
KTL115MA-S2A	208-230/1/60	4468	59.9	27.2
KTL115MA-S6A	200-220/1/50	4468	59.9	27.2

MEDIUM TEMP - ELECTRIC DEFROST


SHADED POLE MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KTL010ME-S1A	115/1/60	1593	11.6	5.3
KTL010ME-S2A	208-230/1/60	1695	11.6	5.3
KTL010ME-S6A	200-220/1/50	1695	11.6	5.3
KTL015ME-S1A	115/1/60	1701	12.6	5.7
KTL015ME-S2A	208-230/1/60	1818	12.6	5.7
KTL015ME-S6A	200-220/1/50	1818	12.6	5.7
KTL020ME-S1A	115/1/60	2005	13.7	6.2
KTL020ME-S2A	208-230/1/60	2111	13.7	6.2
KTL020ME-S6A	200-220/1/50	2111	13.7	6.2
KTL025ME-S1A	115/1/60	2465	14.7	6.7
KTL025ME-S2A	208-230/1/60	2588	14.7	6.7
KTL025ME-S6A	200-220/1/50	2588	14.7	6.7
KTL032ME-S1A	115/1/60	2859	18.9	8.6
KTL032ME-S2A	208-230/1/60	3000	18.9	8.6
KTL032ME-S6A	200-220/1/50	3000	18.9	8.6
KTL038ME-S1A	115/1/60	3148	20	9.1
KTL038ME-S2A	208-230/1/60	3363	20	9.1
KTL038ME-S6A	200-220/1/50	3363	20	9.1
KTL060ME-S1A	115/1/60	4231	37.8	17.2
KTL060ME-S2A	208-230/1/60	4274	37.8	17.2
KTL060ME-S6A	200-220/1/50	4274	37.8	17.2
KTL077ME-S1A	115/1/60	4825	39.9	18.1
KTL077ME-S2A	208-230/1/60	4873	39.9	18.1
KTL077ME-S6A	200-220/1/50	4873	39.9	18.1
KTL115ME-S1A	115/1/60	5870	59.9	27.2
KTL115ME-S2A	208-230/1/60	5930	59.9	27.2
KTL115ME-S6A	200-220/1/50	5930	59.9	27.2

KTL-LINE, TWO WAY EVAPORATORS (cont'd)

LOW TEMP - ELECTRIC DEFROST

SHADED POLE MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KTL009LE-S1A	115/1/60	1593	11.6	5.3
KTL009LE-S2A	208-230/1/60	1695	11.6	5.3
KTL009LE-S6A	200-220/1/50	1695	11.6	5.3
KTL013LE-S1A	115/1/60	1701	12.6	5.7
KTL013LE-S2A	208-230/1/60	1818	12.6	5.7
KTL013LE-S6A	200-220/1/50	1818	12.6	5.7
KTL017LE-S1A	115/1/60	2005	13.7	6.2
KTL017LE-S2A	208-230/1/60	2111	13.7	6.2
KTL017LE-S6A	200-220/1/50	2111	13.7	6.2
KTL021LE-S1A	115/1/60	2465	14.7	6.7
KTL021LE-S2A	208-230/1/60	2588	14.7	6.7
KTL021LE-S6A	200-220/1/50	2588	14.7	6.7
KTL028LE-S1A	115/1/60	2859	18.9	8.6
KTL028LE-S2A	208-230/1/60	3000	18.9	8.6
KTL028LE-S6A	200-220/1/50	3000	18.9	8.6
KTL033LE-S1A	115/1/60	3148	20	9.1
KTL033LE-S2A	208-230/1/60	3363	20	9.1
KTL033LE-S6A	200-220/1/50	3363	20	9.1
KTL052LE-S1A	115/1/60	4231	37.8	17.2
KTL052LE-S2A	208-230/1/60	4274	37.8	17.2
KTL052LE-S6A	200-220/1/50	4274	37.8	17.2
KTL066LE-S1A	115/1/60	4825	39.9	18.1
KTL066LE-S2A	208-230/1/60	4873	39.9	18.1
KTL066LE-S6A	200-220/1/50	4873	39.9	18.1
KTL099LE-S1A	115/1/60	5870	59.9	27.2
KTL099LE-S2A	208-230/1/60	5930	59.9	27.2
KTL099LE-S6A	200-220/1/50	5930	59.9	27.2


KTM-LINE, TWO WAY EVAPORATORS




 web: www.k-rp.com/ktm
 email: evaps@k-rp.com
 call: 1-844-893-3222 x520



NOMENCLATURE



STANDARD FEATURES

- Compatible with Low GWP Refrigerants
- Heavy gauge textured aluminum cabinet construction resists scratches/corrosion and minimizes weight for shipment, installation and service.
- Capacity up to 29,500 BTUH nominal @ 10F TD.
- Dual refrigeration coils with two-way air distribution reduces air velocities to minimize product dehydration.
- Air enters through fan and discharges two ways out of each coil side.
- Low height compact size usable storage space.
- Internally enhanced tube.
- Attractive and durable high - density polyethylene fan guards.
- Standard PSC motors
- Hinged drain pan provides convenient access for cleaning.
- Terminal board allows for easy electrical connections.
- Reduced operating charge with 3/8" OD tubing

AVAILABLE OPTIONS

- Factory mounted solenoid valve, TXV and Thermostat on air and electric defrost models.
- **ESP+ Intuitive Evaporator Control Technology.**
- Corrosion protection: alternate fin materials and coatings
- Additional options available, please consult factory.

KTM-LINE, TWO WAY EVAPORATORS (cont'd)

MEDIUM TEMP - AIR DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KTM115MA-S1A-C	115/1/60	4144	110	50.0
KTM115MA-S2A-C	208-230/1/60	4450	110	50.0
KTM115MA-S4A-C	460/1/60	5117	110	50.0
KTM115MA-S6A-C	200-220/1/50	4450	110	50.0
KTM115MA-S9A-C	380-400/1/50	5117	110	50.0
KTM139MA-S1A-C	115/1/60	4790	116	52.7
KTM139MA-S2A-C	208-230/1/60	5084	116	52.7
KTM139MA-S4A-C	460/1/60	5846	116	52.7
KTM139MA-S6A-C	200-220/1/50	5084	116	52.7
KTM139MA-S9A-C	380-400/1/50	5846	116	52.7
KTM172MA-S1A-C	115/1/60	5950	150	68.2
KTM172MA-S2A-C	208-230/1/60	6291	150	68.2
KTM172MA-S4A-C	460/1/60	7235	150	68.2
KTM172MA-S6A-C	200-220/1/50	6291	150	68.2
KTM172MA-S9A-C	380-400/1/50	7235	150	68.2
KTM208MA-S1A-C	115/1/60	6680	157	71.4
KTM208MA-S2A-C	208-230/1/60	7031	157	71.4
KTM208MA-S4A-C	460/1/60	8086	157	71.4
KTM208MA-S6A-C	200-220/1/50	7031	157	71.4
KTM208MA-S9A-C	380-400/1/50	8086	157	71.4
KTM236MA-S1A-C	115/1/60	7459	164	74.5
KTM236MA-S2A-C	208-230/1/60	7831	164	74.5
KTM236MA-S4A-C	460/1/60	9005	164	74.5
KTM236MA-S6A-C	200-220/1/50	7831	164	74.5
KTM236MA-S9A-C	380-400/1/50	9005	164	74.5
KTM260MA-S1A-C	115/1/60	8129	191	86.8
KTM260MA-S2A-C	208-230/1/60	8514	191	86.8
KTM260MA-S4A-C	460/1/60	9791	191	86.8
KTM260MA-S6A-C	200-220/1/50	8514	191	86.8
KTM260MA-S9A-C	380-400/1/50	9791	191	86.8
KTM295MA-S1A-C	115/1/60	9223	198	90.0
KTM295MA-S2A-C	208-230/1/60	9660	198	90.0
KTM295MA-S4A-C	460/1/60	11109	198	90.0
KTM295MA-S6A-C	200-220/1/50	9660	198	90.0
KTM295MA-S9A-C	380-400/1/50	11109	198	90.0

MEDIUM TEMP - HOT GAS DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KTM115MG-S2A-C	208-230/1/60	5606	110	50.0
KTM115MG-S6A-C	200-220/1/50	5606	110	50.0
KTM139MG-S2A-C	208-230/1/60	6481	116	52.7
KTM139MG-S6A-C	200-220/1/50	6481	116	52.7
KTM172MG-S2A-C	208-230/1/60	8050	150	68.2
KTM172MG-S6A-C	200-220/1/50	8050	150	68.2
KTM208MG-S2A-C	208-230/1/60	9037	157	71.4
KTM208MG-S6A-C	200-220/1/50	9037	157	71.4
KTM236MG-S2A-C	208-230/1/60	10092	164	74.5
KTM236MG-S6A-C	200-220/1/50	10092	164	74.5
KTM260MG-S2A-C	208-230/1/60	10997	191	86.8
KTM260MG-S6A-C	200-220/1/50	10997	191	86.8
KTM295MG-S2A-C	208-230/1/60	12478	198	90.0
KTM295MG-S6A-C	200-220/1/50	12478	198	90.0

LOW TEMP - ELECTRIC DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KTM105LE-S2A-C	208-230/1/60	6118	110	50.0
KTM105LE-S6A-C	200-220/1/50	6118	110	50.0
KTM124LE-S2A-C	208-230/1/60	6371	116	52.7
KTM124LE-S6A-C	200-220/1/50	6371	116	52.7
KTM153LE-S2A-C	208-230/1/60	7400	150	68.2
KTM153LE-S6A-C	200-220/1/50	7400	150	68.2
KTM188LE-S2A-C	208-230/1/60	8208	157	71.4
KTM188LE-S6A-C	200-220/1/50	8208	157	71.4
KTM210LE-S2A-C	208-230/1/60	10057	164	74.5
KTM210LE-S6A-C	200-220/1/50	10057	164	74.5
KTM235LE-S2A-C	208-230/1/60	11254	191	86.8
KTM235LE-S6A-C	200-220/1/50	11254	191	86.8
KTM265LE-S2A-C	208-230/1/60	12691	198	90.0
KTM265LE-S6A-C	200-220/1/50	12691	198	90.0

MEDIUM TEMP - ELECTRIC DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KTM115ME-S2A-C	208-230/1/60	6118	110	50.0
KTM115ME-S6A-C	200-220/1/50	6118	110	50.0
KTM139ME-S2A-C	208-230/1/60	6371	116	52.7
KTM139ME-S6A-C	200-220/1/50	6371	116	52.7
KTM172ME-S2A-C	208-230/1/60	7400	150	68.2
KTM172ME-S6A-C	200-220/1/50	7400	150	68.2
KTM208ME-S2A-C	208-230/1/60	8208	157	71.4
KTM208ME-S6A-C	200-220/1/50	8208	157	71.4
KTM236ME-S2A-C	208-230/1/60	10057	164	74.5
KTM236ME-S6A-C	200-220/1/50	10057	164	74.5
KTM260ME-S2A-C	208-230/1/60	11254	191	86.8
KTM260ME-S6A-C	200-220/1/50	11254	191	86.8
KTM295ME-S2A-C	208-230/1/60	12691	198	90.0
KTM295ME-S6A-C	200-220/1/50	12691	198	90.0


KLV-LINE, LOW VELOCITY EVAPORATORS




 web: www.k-rp.com/ktm
 email: evaps@k-rp.com
 call: 1-844-893-3222 x520

ESP+

NOMENCLATURE



STANDARD FEATURES

- EC motors with patented SmartSpeed® Technology.
- Compatible with Low GWP Refrigerants
- Heavy gauge textured aluminum cabinet construction resists scratches/corrosion and minimizes weight for shipment, installation and service.
- Specially designed for quiet operation - ideal for prep. rooms.
- Dual refrigeration coils with two-way air distribution reduces air velocities to minimize product dehydration.
- Reduced operating charge with 3/8" OD tubing
- Spacious end compartment allows for easy component installation.
- Attractive and durable high-density polypropylene fan guards.
- Hinged drain pan provides convenient access for cleaning.
- Terminal board allows for easy electrical connections.
- Internally enhanced tube

AVAILABLE OPTIONS

- **ESP+ Intuitive Evaporator Control Technology.**
- Hot gas loop pan with hot gas defrost models
- Factory installed expansion valve, solenoid valve and room thermostat
- Painted cabinet
- Corrosion protection: alternate fin materials and coatings
- **PSC Motors (115, 230 + 460V) - For AWEF-Exempted applications - contact factory**
- Additional options available, please contact factory

KLV-LINE, LOW VELOCITY EVAPORATORS (cont'd)

MEDIUM TEMP - AIR DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLV106MA-S1D-C	115/1/60	4768	90	41
KLV106MA-S2D-C	208-230/1/60	5301	90	41
KLV106MA-S4D-C	460/1/60	6097	90	41
KLV109MA-S1D-C	115/1/60	5495	105	48
KLV109MA-S2D-C	208-230/1/60	5819	105	48
KLV109MA-S4D-C	460/1/60	6691	105	48
KLV212MA-S1D-C	115/1/60	6551	139	63
KLV212MA-S2D-C	208-230/1/60	6937	139	63
KLV212MA-S4D-C	460/1/60	7977	139	63
KLV217MA-S1D-C	115/1/60	7848	158	72
KLV217MA-S2D-C	208-230/1/60	8319	158	72
KLV217MA-S4D-C	460/1/60	9567	158	72
KLV325MA-S1D-C	115/1/60	9993	235	107
KLV325MA-S2D-C	208-230/1/60	10581	235	107
KLV325MA-S4D-C	460/1/60	12168	235	107
KLV331MA-S1D-C	115/1/60	11475	257	117
KLV331MA-S2D-C	208-230/1/60	12161	257	117
KLV331MA-S4D-C	460/1/60	13985	257	117
KLV437MA-S1D-C	115/1/60	12892	270	123
KLV437MA-S2D-C	208-230/1/60	13654	270	123
KLV437MA-S4D-C	460/1/60	15702	270	123
KLV441MA-S1D-C	115/1/60	14781	280	127
KLV441MA-S2D-C	208-230/1/60	15663	280	127
KLV441MA-S4D-C	460/1/60	18012	280	127
KLV546MA-S1D-C	115/1/60	16195	290	132
KLV546MA-S2D-C	208-230/1/60	17151	290	132
KLV546MA-S4D-C	460/1/60	19724	290	132

MEDIUM TEMP - ELECTRIC DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLV106ME-S1D-C	115/1/60	4768	90	41
KLV106ME-S2D-C	208-230/1/60	5301	90	41
KLV109ME-S1D-C	115/1/60	5495	105	48
KLV109ME-S2D-C	208-230/1/60	5819	105	48
KLV212ME-S2D-C	208-230/1/60	6937	139	63
KLV217ME-S2D-C	208-230/1/60	8319	158	72
KLV325ME-S2D-C	208-230/1/60	10581	235	107
KLV331ME-S2D-C	208-230/1/60	12161	257	117
KLV437ME-S2D-C	208-230/1/60	13654	270	123
KLV441ME-S2D-C	208-230/1/60	15663	280	127
KLV546ME-S2D-C	208-230/1/60	17151	290	132

MEDIUM TEMP - HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLV106M^S1D-C	115/1/60	4768	90	41
KLV106M^S2D-C	208-230/1/60	5301	90	41
KLV109M^S1D-C	115/1/60	5495	105	48
KLV109M^S2D-C	208-230/1/60	5819	105	48
KLV212M^S1D-C	115/1/60	6551	139	63
KLV212M^S2D-C	208-230/1/60	6937	139	63
KLV217M^S1D-C	115/1/60	7848	158	72
KLV217M^S2D-C	208-230/1/60	8319	158	72
KLV325M^S1D-C	115/1/60	9993	235	107
KLV325M^S2D-C	208-230/1/60	10581	235	107
KLV331M^S1D-C	115/1/60	11475	257	117
KLV331M^S2D-C	208-230/1/60	12161	257	117
KLV437M^S1D-C	115/1/60	12892	270	123
KLV437M^S2D-C	208-230/1/60	13654	270	123
KLV441M^S1D-C	115/1/60	14781	280	127
KLV441M^S2D-C	208-230/1/60	15663	280	127
KLV546M^S1D-C	115/1/60	16195	290	132
KLV546M^S2D-C	208-230/1/60	17151	290	132

KLP-LINE, LOW PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - AIR DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLP104MA-S1B	115/1/60	1694	45	20
KLP104MA-S2B	208-230/1/60	1830	45	20
KLP104MA-S6B	200-220/1/50	1830	45	20
KLP106MA-S1B	115/1/60	1820	47	21
KLP106MA-S2B	208-230/1/60	1848	47	21
KLP106MA-S6B	200-220/1/50	1848	47	21
KLP107MA-S1B	115/1/60	2130	49	22
KLP107MA-S2B	208-230/1/60	2293	49	22
KLP107MA-S6B	200-220/1/50	2293	49	22
KLP209MA-S1B	115/1/60	2732	70	32
KLP209MA-S2B	208-230/1/60	2773	70	32
KLP209MA-S4B	460/1/60	3205	70	32
KLP209MA-S6B	200-220/1/50	2773	70	32
KLP209MA-S9B	380-400/1/50	3205	70	32
KLP211MA-S1B	115/1/60	3130	74	33
KLP211MA-S2B	208-230/1/60	3173	74	33
KLP211MA-S4B	460/1/60	3595	74	33
KLP211MA-S6B	200-220/1/50	3173	74	33
KLP211MA-S9B	380-400/1/50	3595	74	33
KLP214MA-S1B	115/1/60	3921	78	35
KLP214MA-S2B	208-230/1/60	3975	78	35
KLP214MA-S4B	460/1/60	4645	78	35
KLP214MA-S6B	200-220/1/50	3975	78	35
KLP214MA-S9B	380-400/1/50	4645	78	35
KLP317MA-S1B	115/1/60	4618	101	46
KLP317MA-S2B	208-230/1/60	4682	101	46
KLP317MA-S4B	460/1/60	5296	101	46
KLP317MA-S6B	200-220/1/50	4682	101	46
KLP317MA-S9B	380-400/1/50	5296	101	46
KLP320MA-S1B	115/1/60	5414	107	48
KLP320MA-S2B	208-230/1/60	5843	107	48
KLP320MA-S4B	460/1/60	6707	107	48
KLP320MA-S6B	200-220/1/50	5843	107	48
KLP320MA-S9B	380-400/1/50	6707	107	48
KLP423MA-S1B	115/1/60	6227	117	53
KLP423MA-S2B	208-230/1/60	6719	117	53
KLP423MA-S4B	460/1/60	7713	117	53
KLP423MA-S6B	200-220/1/50	6719	117	53
KLP423MA-S9B	380-400/1/50	7713	117	53
KLP426MA-S1B	115/1/60	6996	135	61
KLP426MA-S2B	208-230/1/60	7555	135	61
KLP426MA-S4B	460/1/60	8673	135	61
KLP426MA-S6B	200-220/1/50	7555	135	61
KLP426MA-S9B	380-400/1/50	8673	135	61
KLP532MA-S1B	115/1/60	7986	163	74
KLP532MA-S2B	208-230/1/60	8625	163	74
KLP532MA-S4B	460/1/60	9976	163	74
KLP532MA-S6B	200-220/1/50	8625	163	74
KLP532MA-S9B	380-400/1/50	9976	163	74
KLP639MA-S1B	115/1/60	9309	192	87
KLP639MA-S2B	208-230/1/60	9893	192	87
KLP639MA-S4B	460/1/60	11241	192	87
KLP639MA-S6B	200-220/1/50	9893	192	87
KLP639MA-S9B	380-400/1/50	11241	192	87

MEDIUM TEMP - ELECTRIC DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLP104ME-S2B	208-230/1/60	2677	49	22
KLP104ME-S6B	200-220/1/50	2677	49	22
KLP104ME-T3B	208-230/3/60	2824	49	22
KLP104ME-T7B	200-220/3/50	2824	49	22
KLP106ME-S2B	208-230/1/60	3172	51	23
KLP106ME-S6B	200-220/1/50	3172	51	23
KLP106ME-T3B	208-230/3/60	3379	51	23
KLP106ME-T7B	200-220/3/50	3379	51	23
KLP107ME-S2B	208-230/1/60	3276	53	24
KLP107ME-S6B	200-220/1/50	3276	53	24
KLP107ME-T3B	208-230/3/60	3582	53	24
KLP107ME-T7B	200-220/3/50	3582	53	24
KLP209ME-S2B	208-230/1/60	3922	76	35
KLP209ME-S4B	460/1/60	4644	76	35
KLP209ME-S6B	200-220/1/50	3922	76	35
KLP209ME-S9B	380-400/1/50	4644	76	35
KLP209ME-T3B	208-230/3/60	4200	76	35
KLP209ME-T7B	200-220/3/50	4200	76	35
KLP211ME-S2B	208-230/1/60	4275	80	36
KLP211ME-S4B	460/1/60	5076	80	36
KLP211ME-S6B	200-220/1/50	4275	80	36
KLP211ME-S9B	380-400/1/50	5076	80	36
KLP211ME-T3B	208-230/3/60	4628	80	36
KLP211ME-T7B	200-220/3/50	4628	80	36
KLP214ME-S2B	208-230/1/60	5120	84	38
KLP214ME-S4B	460/1/60	6079	84	38
KLP214ME-S6B	200-220/1/50	5120	84	38
KLP214ME-S9B	380-400/1/50	6079	84	38
KLP214ME-T3B	208-230/3/60	5543	84	38
KLP214ME-T7B	200-220/3/50	5543	84	38
KLP317ME-S2B	208-230/1/60	6246	109	50
KLP317ME-S4B	460/1/60	7296	109	50
KLP317ME-S6B	200-220/1/50	6246	109	50
KLP317ME-S9B	380-400/1/50	7296	109	50
KLP317ME-T3B	208-230/3/60	6623	109	50
KLP317ME-T7B	200-220/3/50	6623	109	50
KLP320ME-S2B	208-230/1/60	7376	115	52
KLP320ME-S4B	460/1/60	8669	115	52
KLP320ME-S6B	200-220/1/50	7376	115	52
KLP320ME-S9B	380-400/1/50	8669	115	52
KLP320ME-T3B	208-230/3/60	7738	115	52
KLP320ME-T7B	200-220/3/50	7738	115	52
KLP423ME-S2B	208-230/1/60	8252	127	58
KLP423ME-S4B	460/1/60	9636	127	58
KLP423ME-S6B	200-220/1/50	8252	127	58
KLP423ME-S9B	380-400/1/50	9636	127	58
KLP423ME-T3B	208-230/3/60	8720	127	58
KLP423ME-T7B	200-220/3/50	8720	127	58
KLP426ME-S2B	208-230/1/60	9581	145	66
KLP426ME-S4B	460/1/60	11137	145	66
KLP426ME-S6B	200-220/1/50	9581	145	66
KLP426ME-S9B	380-400/1/50	11137	145	66
KLP426ME-T3B	208-230/3/60	9955	145	66
KLP426ME-T7B	200-220/3/50	9955	145	66
KLP532ME-S2B	208-230/1/60	11282	176	80
KLP532ME-S4B	460/1/60	13155	176	80
KLP532ME-S6B	200-220/1/50	11282	176	80
KLP532ME-S9B	380-400/1/50	13155	176	80
KLP532ME-T3B	208-230/3/60	11673	176	80
KLP532ME-T7B	200-220/3/50	11673	176	80
KLP639ME-S2B	208-230/1/60	12549	207	94
KLP639ME-S4B	460/1/60	14550	207	94
KLP639ME-S6B	200-220/1/50	12549	207	94
KLP639ME-S9B	380-400/1/50	14550	207	94
KLP639ME-T3B	208-230/3/60	13121	207	94
KLP639ME-T7B	200-220/3/50	13121	207	94



2024 Refrigeration Products Price List

KLP-2024- EFFECTIVE DATE: 01 MARCH 2024 - SUPERCEDES: KLP-2023-2



KLP-LINE, LOW PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLP209M^S1B	115/1/60	3999	70	32
KLP209M^S2B	208-230/1/60	4285	70	32
KLP209M^S4B	460/1/60	4736	70	32
KLP209M^S6B	200-220/1/50	4285	70	32
KLP209M^S9B	380-400/1/50	4736	70	32
KLP211M^S1B	115/1/60	4517	74	33
KLP211M^S2B	208-230/1/60	4877	74	33
KLP211M^S4B	460/1/60	5335	74	33
KLP211M^S6B	200-220/1/50	4877	74	33
KLP211M^S9B	380-400/1/50	5335	74	33
KLP214M^S1B	115/1/60	5134	78	35
KLP214M^S2B	208-230/1/60	5544	78	35
KLP214M^S4B	460/1/60	6064	78	35
KLP214M^S6B	200-220/1/50	5544	78	35
KLP214M^S9B	380-400/1/50	6064	78	35
KLP317M^S1B	115/1/60	6308	101	46
KLP317M^S2B	208-230/1/60	6582	101	46
KLP317M^S4B	460/1/60	7266	101	46
KLP317M^S6B	200-220/1/50	6582	101	46
KLP317M^S9B	380-400/1/50	7266	101	46
KLP320M^S1B	115/1/60	6961	107	48
KLP320M^S2B	208-230/1/60	7516	107	48
KLP320M^S4B	460/1/60	8467	107	48
KLP320M^S6B	200-220/1/50	7516	107	48
KLP320M^S9B	380-400/1/50	8467	107	48
KLP423M^S1B	115/1/60	7859	117	53
KLP423M^S2B	208-230/1/60	8579	117	53
KLP423M^S4B	460/1/60	9501	117	53
KLP423M^S6B	200-220/1/50	8579	117	53
KLP423M^S9B	380-400/1/50	9501	117	53
KLP426M^S1B	115/1/60	8812	135	61
KLP426M^S2B	208-230/1/60	9517	135	61
KLP426M^S4B	460/1/60	10664	135	61
KLP426M^S6B	200-220/1/50	9517	135	61
KLP426M^S9B	380-400/1/50	10664	135	61
KLP532M^S1B	115/1/60	10433	163	74
KLP532M^S2B	208-230/1/60	11426	163	74
KLP532M^S4B	460/1/60	12940	163	74
KLP532M^S6B	200-220/1/50	11426	163	74
KLP532M^S9B	380-400/1/50	12940	163	74
KLP639M^S1B	115/1/60	11718	192	87
KLP639M^S2B	208-230/1/60	12866	192	87
KLP639M^S4B	460/1/60	14326	192	87
KLP639M^S6B	200-220/1/50	12866	192	87
KLP639M^S9B	380-400/1/50	14326	192	87

LOW TEMP 6 FPI - ELECTRIC DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLP104LE-S2B	208-230/1/60	2664	49	22
KLP104LE-S6B	200-220/1/50	2664	49	22
KLP104LE-T3B	208-230/3/60	2811	49	22
KLP104LE-T7B	200-220/3/50	2811	49	22
KLP105LE-S2B	208-230/1/60	3157	51	23
KLP105LE-S6B	200-220/1/50	3157	51	23
KLP105LE-T3B	208-230/3/60	3363	51	23
KLP105LE-T7B	200-220/3/50	3363	51	23
KLP106LE-S2B	208-230/1/60	3276	53	24
KLP106LE-S6B	200-220/1/50	3276	53	24
KLP106LE-T3B	208-230/3/60	3582	53	24
KLP106LE-T7B	200-220/3/50	3582	53	24
KLP207LE-S2B	208-230/1/60	3747	76	35
KLP207LE-S4B	460/1/60	4437	76	35
KLP207LE-S6B	200-220/1/50	3747	76	35
KLP207LE-S9B	380-400/1/50	4437	76	35
KLP207LE-T3B	208-230/3/60	4096	76	35
KLP207LE-T7B	200-220/3/50	4096	76	35
KLP209LE-S2B	208-230/1/60	4230	80	36
KLP209LE-S4B	460/1/60	5022	80	36
KLP209LE-S6B	200-220/1/50	4230	80	36
KLP209LE-S9B	380-400/1/50	5022	80	36
KLP209LE-T3B	208-230/3/60	4578	80	36
KLP209LE-T7B	200-220/3/50	4578	80	36
KLP211LE-S2B	208-230/1/60	5144	84	38
KLP211LE-S4B	460/1/60	6108	84	38
KLP211LE-S6B	200-220/1/50	5144	84	38
KLP211LE-S9B	380-400/1/50	6108	84	38
KLP211LE-T3B	208-230/3/60	5570	84	38
KLP211LE-T7B	200-220/3/50	5570	84	38
KLP314LE-S2B	208-230/1/60	6180	109	50
KLP314LE-S4B	460/1/60	7219	109	50
KLP314LE-S6B	200-220/1/50	6180	109	50
KLP314LE-S9B	380-400/1/50	7219	109	50
KLP314LE-T3B	208-230/3/60	6554	109	50
KLP314LE-T7B	200-220/3/50	6554	109	50
KLP317LE-S2B	208-230/1/60	7046	115	52
KLP317LE-S4B	460/1/60	8282	115	52
KLP317LE-S6B	200-220/1/50	7046	115	52
KLP317LE-S9B	380-400/1/50	8282	115	52
KLP317LE-T3B	208-230/3/60	7392	115	52
KLP317LE-T7B	200-220/3/50	7392	115	52
KLP419LE-S2B	208-230/1/60	8292	127	58
KLP419LE-S4B	460/1/60	9682	127	58
KLP419LE-S6B	200-220/1/50	8292	127	58
KLP419LE-S9B	380-400/1/50	9682	127	58
KLP419LE-T3B	208-230/3/60	8761	127	58
KLP419LE-T7B	200-220/3/50	8761	127	58
KLP422LE-S2B	208-230/1/60	9627	145	66
KLP422LE-S4B	460/1/60	11190	145	66
KLP422LE-S6B	200-220/1/50	9627	145	66
KLP422LE-S9B	380-400/1/50	11190	145	66
KLP422LE-T3B	208-230/3/60	10002	145	66
KLP422LE-T7B	200-220/3/50	10002	145	66
KLP527LE-S2B	208-230/1/60	11336	176	80
KLP527LE-S4B	460/1/60	13218	176	80
KLP527LE-S6B	200-220/1/50	11336	176	80
KLP527LE-S9B	380-400/1/50	13218	176	80
KLP527LE-T3B	208-230/3/60	11729	176	80
KLP527LE-T7B	200-220/3/50	11729	176	80
KLP631LE-S2B	208-230/1/60	12609	207	94
KLP631LE-S4B	460/1/60	14619	207	94
KLP631LE-S6B	200-220/1/50	12609	207	94
KLP631LE-S9B	380-400/1/50	14619	207	94
KLP631LE-T3B	208-230/3/60	13183	207	94
KLP631LE-T7B	200-220/3/50	13183	207	94

KLP-LINE, LOW PROFILE EVAPORATORS (cont'd)

LOW TEMP 4 FPI - ELECTRIC DEFROST

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLP103VE-S2B	208-230/1/60	1835	49	22
KLP103VE-S6B	200-220/1/50	1835	49	22
KLP103VE-T3B	208-230/3/60	1947	49	22
KLP103VE-T7B	200-220/3/50	1947	49	22
KLP104VE-S2B	208-230/1/60	2533	51	23
KLP104VE-S6B	200-220/1/50	2533	51	23
KLP104VE-T3B	208-230/3/60	2686	51	23
KLP104VE-T7B	200-220/3/50	2686	51	23
KLP105VE-S2B	208-230/1/60	3028	53	24
KLP105VE-S6B	200-220/1/50	3028	53	24
KLP105VE-T3B	208-230/3/60	3211	53	24
KLP105VE-T7B	200-220/3/50	3211	53	24
KLP206VE-S2B	208-230/1/60	3925	76	35
KLP206VE-S4B	460/1/60	4328	76	35
KLP206VE-S6B	200-220/1/50	3925	76	35
KLP206VE-S9B	380-400/1/50	4328	76	35
KLP206VE-T3B	208-230/3/60	4118	76	35
KLP206VE-T7B	200-220/3/50	4118	76	35
KLP208VE-S2B	208-230/1/60	4427	80	36
KLP208VE-S4B	460/1/60	4792	80	36
KLP208VE-S6B	200-220/1/50	4427	80	36
KLP208VE-S9B	380-400/1/50	4792	80	36
KLP208VE-T3B	208-230/3/60	4575	80	36
KLP208VE-T7B	200-220/3/50	4575	80	36
KLP209VE-S2B	208-230/1/60	4746	84	38
KLP209VE-S4B	460/1/60	5667	84	38
KLP209VE-S6B	200-220/1/50	4746	84	38
KLP209VE-S9B	380-400/1/50	5667	84	38
KLP209VE-T3B	208-230/3/60	5062	84	38
KLP209VE-T7B	200-220/3/50	5062	84	38
KLP312VE-S2B	208-230/1/60	6034	109	50
KLP312VE-S4B	460/1/60	7117	109	50
KLP312VE-S6B	200-220/1/50	6034	109	50
KLP312VE-S9B	380-400/1/50	7117	109	50
KLP312VE-T3B	208-230/3/60	6343	109	50
KLP312VE-T7B	200-220/3/50	6343	109	50
KLP315VE-S2B	208-230/1/60	7567	115	52
KLP315VE-S4B	460/1/60	8828	115	52
KLP315VE-S6B	200-220/1/50	7567	115	52
KLP315VE-S9B	380-400/1/50	8828	115	52
KLP315VE-T3B	208-230/3/60	7869	115	52
KLP315VE-T7B	200-220/3/50	7869	115	52
KLP416VE-S2B	208-230/1/60	8155	127	58
KLP416VE-S4B	460/1/60	9514	127	58
KLP416VE-S6B	200-220/1/50	8155	127	58
KLP416VE-S9B	380-400/1/50	9514	127	58
KLP416VE-T3B	208-230/3/60	8480	127	58
KLP416VE-T7B	200-220/3/50	8480	127	58
KLP419VE-S2B	208-230/1/60	9294	145	66
KLP419VE-S4B	460/1/60	10893	145	66
KLP419VE-S6B	200-220/1/50	9294	145	66
KLP419VE-S9B	380-400/1/50	10893	145	66
KLP419VE-T3B	208-230/3/60	9639	145	66
KLP419VE-T7B	200-220/3/50	9639	145	66
KLP523VE-S2B	208-230/1/60	11202	176	80
KLP523VE-S4B	460/1/60	12937	176	80
KLP523VE-S6B	200-220/1/50	11202	176	80
KLP523VE-S9B	380-400/1/50	12937	176	80
KLP523VE-T3B	208-230/3/60	11633	176	80
KLP523VE-T7B	200-220/3/50	11633	176	80
KLP627VE-S2B	208-230/1/60	12619	207	94
KLP627VE-S4B	460/1/60	14573	207	94
KLP627VE-S6B	200-220/1/50	12619	207	94
KLP627VE-S9B	380-400/1/50	14573	207	94
KLP627VE-T3B	208-230/3/60	13104	207	94
KLP627VE-T7B	200-220/3/50	13104	207	94

LOW TEMP 6 FPI- HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLP207L^A-S1B	115/1/60	4018	70	32
KLP207L^A-S2B	208-230/1/60	4305	70	32
KLP207L^A-S4B	460/1/60	4759	70	32
KLP207L^A-S6B	200-220/1/50	4305	70	32
KLP207L^A-S9B	380-400/1/50	4759	70	32
KLP209L^A-S1B	115/1/60	4538	74	33
KLP209L^A-S2B	208-230/1/60	4900	74	33
KLP209L^A-S4B	460/1/60	5360	74	33
KLP209L^A-S6B	200-220/1/50	4900	74	33
KLP209L^A-S9B	380-400/1/50	5360	74	33
KLP211L^A-S1B	115/1/60	5158	78	35
KLP211L^A-S2B	208-230/1/60	5570	78	35
KLP211L^A-S4B	460/1/60	6093	78	35
KLP211L^A-S6B	200-220/1/50	5570	78	35
KLP211L^A-S9B	380-400/1/50	6093	78	35
KLP314L^A-S1B	115/1/60	6338	101	46
KLP314L^A-S2B	208-230/1/60	6613	101	46
KLP314L^A-S4B	460/1/60	7301	101	46
KLP314L^A-S6B	200-220/1/50	6613	101	46
KLP314L^A-S9B	380-400/1/50	7301	101	46
KLP317L^A-S1B	115/1/60	6994	107	48
KLP317L^A-S2B	208-230/1/60	7552	107	48
KLP317L^A-S4B	460/1/60	8507	107	48
KLP317L^A-S6B	200-220/1/50	7552	107	48
KLP317L^A-S9B	380-400/1/50	8507	107	48
KLP419L^A-S1B	115/1/60	7896	117	53
KLP419L^A-S2B	208-230/1/60	8619	117	53
KLP419L^A-S4B	460/1/60	9547	117	53
KLP419L^A-S6B	200-220/1/50	8619	117	53
KLP419L^A-S9B	380-400/1/50	9547	117	53
KLP422L^A-S1B	115/1/60	8854	135	61
KLP422L^A-S2B	208-230/1/60	9562	135	61
KLP422L^A-S4B	460/1/60	10715	135	61
KLP422L^A-S6B	200-220/1/50	9562	135	61
KLP422L^A-S9B	380-400/1/50	10715	135	61
KLP527L^A-S1B	115/1/60	10483	163	74
KLP527L^A-S2B	208-230/1/60	11480	163	74
KLP527L^A-S4B	460/1/60	13002	163	74
KLP527L^A-S6B	200-220/1/50	11480	163	74
KLP527L^A-S9B	380-400/1/50	13002	163	74
KLP631L^A-S1B	115/1/60	11774	192	87
KLP631L^A-S2B	208-230/1/60	12927	192	87
KLP631L^A-S4B	460/1/60	14394	192	87
KLP631L^A-S6B	200-220/1/50	12927	192	87
KLP631L^A-S9B	380-400/1/50	14394	192	87

KLP-LINE, LOW PROFILE EVAPORATORS (cont'd)

LOW TEMP 4 FPI - HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLP206V [^] -S1B	115/1/60	4076	70	32
KLP206V [^] -S2B	208-230/1/60	4200	70	32
KLP206V [^] -S4B	460/1/60	4523	70	32
KLP206V [^] -S6B	200-220/1/50	4200	70	32
KLP206V [^] -S9B	380-400/1/50	4523	70	32
KLP208V [^] -S1B	115/1/60	4517	74	33
KLP208V [^] -S2B	208-230/1/60	4669	74	33
KLP208V [^] -S4B	460/1/60	5001	74	33
KLP208V [^] -S6B	200-220/1/50	4669	74	33
KLP208V [^] -S9B	380-400/1/50	5001	74	33
KLP209V [^] -S1B	115/1/60	4756	78	35
KLP209V [^] -S2B	208-230/1/60	5136	78	35
KLP209V [^] -S4B	460/1/60	5616	78	35
KLP209V [^] -S6B	200-220/1/50	5136	78	35
KLP209V [^] -S9B	380-400/1/50	5616	78	35
KLP312V [^] -S1B	115/1/60	5741	101	46
KLP312V [^] -S2B	208-230/1/60	6196	101	46
KLP312V [^] -S4B	460/1/60	6784	101	46
KLP312V [^] -S6B	200-220/1/50	6196	101	46
KLP312V [^] -S9B	380-400/1/50	6784	101	46

Continues at top of next column >>>

LOW TEMP 4 FPI - HOT GAS DEFROST (cont'd)

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT	
MODEL	VOLTAGE	\$	lbs.	kg
KLP315V [^] -S1B	115/1/60	7218	107	48
KLP315V [^] -S2B	208-230/1/60	7788	107	48
KLP315V [^] -S4B	460/1/60	8542	107	48
KLP315V [^] -S6B	200-220/1/50	7788	107	48
KLP315V [^] -S9B	380-400/1/50	8542	107	48
KLP416V [^] -S1B	115/1/60	7699	117	53
KLP416V [^] -S2B	208-230/1/60	8307	117	53
KLP416V [^] -S4B	460/1/60	9112	117	53
KLP416V [^] -S6B	200-220/1/50	8307	117	53
KLP416V [^] -S9B	380-400/1/50	9112	117	53
KLP419V [^] -S1B	115/1/60	8682	135	61
KLP419V [^] -S2B	208-230/1/60	9372	135	61
KLP419V [^] -S4B	460/1/60	10306	135	61
KLP419V [^] -S6B	200-220/1/50	9372	135	61
KLP419V [^] -S9B	380-400/1/50	10306	135	61
KLP523V [^] -S1B	115/1/60	10814	163	74
KLP523V [^] -S2B	208-230/1/60	11714	163	74
KLP523V [^] -S4B	460/1/60	12716	163	74
KLP523V [^] -S6B	200-220/1/50	11714	163	74
KLP523V [^] -S9B	380-400/1/50	12716	163	74
KLP627V [^] -S1B	115/1/60	12314	192	87
KLP627V [^] -S2B	208-230/1/60	13339	192	87
KLP627V [^] -S4B	460/1/60	14480	192	87
KLP627V [^] -S6B	200-220/1/50	13339	192	87
KLP627V [^] -S9B	380-400/1/50	14480	192	87

NOTES:

- ELECTRIC DRAIN PAN IS A STANDARD FEATURE ON ALL HOT GAS DEFROST LOW PROFILE EVAPORATORS
- HOT GAS LOOP IN DRAIN PAN IS A **NO CHARGE** OPTION
- REFER TO PRODUCT CATALOG ON EXTENT OF STANDARD FACTORY PIPING. OPTIONAL HOT GAS KITS ARE AVAILABLE - SEE NEXT PAGE
- FOR APPROX. SHIPPING WEIGHTS FOR HOT GAS LOOP IN DRAIN PAN MODELS, REFER TO INSTALLATION MANUAL

KLP-LINE, LOW PROFILE EVAPORATORS - WATER / GLYCOL COILS

MODEL	VOLTAGE	LIST	Shipping Weight	
			lbs.	Kgs
KLP104WA-S1B	115/1/60	2946	46.5	21
KLP106WA-S1B	115/1/60	3490	46.5	21
KLP107WA-S1B	115/1/60	3605	46.5	21
KLP209WA-S1B	115/1/60	4399	69.5	32
KLP211WA-S1B	115/1/60	4968	69.5	32
KLP214WA-S1B	115/1/60	5647	69.5	32
KLP317WA-S1B	115/1/60	6939	100.5	46
KLP320WA-S1B	115/1/60	7657	100.5	46
KLP423WA-S1B	115/1/60	8645	134.5	61
KLP426WA-S1B	115/1/60	9694	134.5	61
KLP532WA-S1B	115/1/60	11477	163	74
KLP639WA-S1B	115/1/60	12890	192	87
KLP104WA-S2B	208-230/1/60	2946	46.5	21
KLP106WA-S2B	208-230/1/60	3490	46.5	21
KLP107WA-S2B	208-230/1/60	3605	46.5	21
KLP209WA-S2B	208-230/1/60	4399	69.5	32
KLP211WA-S2B	208-230/1/60	4968	69.5	32
KLP214WA-S2B	208-230/1/60	5647	69.5	32

MODEL	VOLTAGE	LIST	Shipping Weight	
			lbs.	Kgs
KLP317WA-S2B	208-230/1/60	6939	100.5	46
KLP320WA-S2B	208-230/1/60	7657	100.5	46
KLP423WA-S2B	208-230/1/60	8645	134.5	61
KLP426WA-S2B	208-230/1/60	9694	134.5	61
KLP532WA-S2B	208-230/1/60	11477	163	74
KLP639WA-S2B	208-230/1/60	12890	192	87
KLP104WA-S4B	460/1/60	2946	46.5	21
KLP106WA-S4B	460/1/60	3490	46.5	21
KLP107WA-S4B	460/1/60	3605	46.5	21
KLP209WA-S4B	460/1/60	4399	69.5	32
KLP211WA-S4B	460/1/60	4968	69.5	32
KLP214WA-S4B	460/1/60	5647	69.5	32
KLP317WA-S4B	460/1/60	6939	100.5	46
KLP320WA-S4B	460/1/60	7657	100.5	46
KLP423WA-S4B	460/1/60	8645	134.5	61
KLP426WA-S4B	460/1/60	9694	134.5	61
KLP532WA-S4B	460/1/60	11477	163	74
KLP639WA-S4B	460/1/60	12890	192	87

KLP-LINE, LOW PROFILE EVAPORATORS (cont'd) OPTIONAL HOT GAS KITS

FOR 3-PIPE UNITS WITH ELECTRIC DRAIN PAN HEATER

OPT1-T: TXV + BYPASS CHECK VALVE KIT
INCLUDES QTY. ONE BYPASS CHECK VALVE + TXV
FACTORY INSTALLED

MODEL			LIST
M	L	V	
KLP209	KLP207	KLP206	853
KLP211	KLP209	KLP208	
KLP214	KLP211	KLP209	
		KLP312	883
KLP317	KLP314	KLP315	
KLP320	KLP317	KLP416	
		KLP419	889
	KLP419		
	KLP422		
KLP532	KLP527	KLP523	
KLP639	KLP631	KLP627	

FOR 3-PIPE UNITS WITH HOT GAS LOOP

OPT1-H: TXV + BYPASS CHECK VALVE KIT
INCLUDES QTY. ONE TXV, BYPASS CHECK VALVE AND
PIPING FROM DRAIN LOOP TO CHECKVALVE

MODEL			LIST
M	L	V	
KLP209	KLP207	KLP206	1027
KLP211	KLP209	KLP208	
KLP214	KLP211	KLP209	
		KLP312	1057
KLP317	KLP314	KLP315	
KLP320	KLP317	KLP416	
		KLP419	1108
	KLP419		
	KLP422		
KLP532	KLP527	KLP523	
KLP639	KLP631	KLP627	

FOR REVERSE CYCLE UNITS WITH ELECTRIC DRAIN PAN HEATER

OPT1-G: TXV + BYPASS CHECK VALVE KIT
INCLUDES QTY. ONE TXV, BYPASS CHECK VALVE
AND BYPASS PIPING

MODEL			LIST
M	L	V	
KLP209	KLP207	KLP206	891
KLP211	KLP209	KLP208	
KLP214	KLP211	KLP209	
		KLP312	927
KLP317	KLP314	KLP315	
KLP320	KLP317	KLP416	
		KLP419	927
	KLP419		
	KLP422		
KLP532	KLP527	KLP523	
KLP639	KLP631	KLP627	

FOR REVERSE CYCLE UNITS WITH HOT GAS LOOP


OPT1-R: TXV + BYPASS CHECK VALVE KIT INCLUDES
QTY. ONE TXV, BYPASS CHECK VALVE AND BYPASS PIPING
PIPING FROM DRAIN LOOP TO CHECKVALVE

**OPT2-R: DRAIN PAN LOOP CHECK VALVE AND
SUCTION LINE CHECK VALVE KIT**

INCLUDES QTY. ONE DRAIN PAN CHECK VALVE, QTY. ONE
SUCTION LINE CHECK VALVE AND CONNECTED PIPING

MODEL			TXV KYPASS CHECK VALVE KIT	DRAIN PAN + SUCT. LINE CHECK VALVE KIT
M	L	V		
KLP209	KLP207	KLP206	919	2125
KLP211	KLP209	KLP208		
KLP214	KLP211	KLP209		
		KLP312	953	2299
KLP317	KLP314	KLP315		
KLP320	KLP317	KLP416		
		KLP419	953	2312
	KLP419			
	KLP422			
KLP532	KLP527	KLP523		
KLP639	KLP631	KLP627		

KMP-LINE, MEDIUM PROFILE EVAPORATORS




 web: www.k-rp.com/kmp
 email: evaps@k-rp.com
 call: 1-844-893-3222 x520

SMARTSPEED™
 FAN MOTOR TECHNOLOGY
 AVAILABLE WITH OPTIONAL EC MOTORS



NOMENCLATURE

KMP 3 48 L E - T5 A - T

Medium Profile Evaporator

Number of Fans

Nominal Capacity:

x 1000 @ 10°F TD, Btu/H

Application Range:

M = Medium to High Temp 6 FPI (10°F to 35°F Evap Temp) *

L = Low Temp 6 FPI (-40°F to 0°F Evap Temp)

V = Low Temp 4 FPI (-40°F to 0°F Evap Temp)

W = Fluid Air Cooler (with water or glycol)

* except "488M", which is 8 FPI

Motor:

C = PSC Motors

T = SmartSpeed ECM

V = Variable Speed EC Motors (Requires a Controller)

Generation: A = 1st

Voltage:

S2 = 208-230/1/60

S4 = 460/1/60

S5 = 575/1/60

T3 = 208-230/3/60

T4 = 460/3/60

T5 = 575/3/60

Defrost:

A = Air

E = Electric

T = 3 Pipe Hot Gas w/ Electric Heater Pan

or Warm Fluid w/ Electric Heater Pan for Fluid Air Coolers

H = 3 Pipe Hot Gas w/ Hot Gas Loop Pan

G = Reverse Cycle w/ Electric Heater Pan

R = Reverse Cycle w/ Hot Gas Loop Pan

STANDARD FEATURES

- Compatible with Low GWP Refrigerants
- Totally enclosed high efficiency PSC motors
- High efficiency and high strength fan guard
- Hinged access panels
- Internally enhanced tubing
- Ample electrical and header compartments
- Adjustable Fan Delay on medium temp. Electric Defrost units
- Liquid line solenoid valve wire harness factory installed
- Schrader valve on suction header
- Positive slope, hinged drain pan
- Central drain connections (approximate)
- Universal drain fitting
- Large 3/4" ID (3/4" MPT) drain hole
- Factory installed distributor nozzle

AVAILABLE OPTIONS

- EC motors with patented SmartSpeed® Technology.
- **ESP+ Intuitive Evaporator Control Technology.**
- Hot gas loop pan with hot gas defrost models
- 230/460V Variable Speed EC Motors
- Wire fan guard
- Factory installed expansion valve, solenoid valve and room thermostat
- Corrosion protection: alternate fin materials and coatings
- Additional options available, please contact factory

KMP-LINE, MEDIUM PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - AIR DEFROST

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED™		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP118MA-S2A-C	208-230/1/60	6381	154	70	KMP118MA-S2A-T	6804	KMP118MA-S2A-V	6867
KMP118MA-S4A-C	460/1/60	6647	154	70	#	#	KMP118MA-S4A-V	7619
KMP118MA-S5A-C	575/1/60	6780	154	70	#	#	#	#
KMP118MA-S6A-C	200-220/1/50	6381	154	70	KMP118MA-S6A-T	6804	KMP118MA-S6A-V	6867
KMP118MA-S9A-C	380-400/1/50	6647	154	70	#	#	KMP118MA-S9A-V	7619
KMP122MA-S2A-C	208-230/1/60	7430	161	73	KMP122MA-S2A-T	7853	KMP122MA-S2A-V	7916
KMP122MA-S4A-C	460/1/60	7740	161	73	#	#	KMP122MA-S4A-V	8711
KMP122MA-S5A-C	575/1/60	7894	161	73	#	#	#	#
KMP122MA-S6A-C	200-220/1/50	7430	161	73	KMP122MA-S6A-T	7853	KMP122MA-S6A-V	7916
KMP122MA-S9A-C	380-400/1/50	7740	161	73	#	#	KMP122MA-S9A-V	8711
KMP228MA-S2A-C	208-230/1/60	10009	224	102	KMP228MA-S2A-T	10855	KMP228MA-S2A-V	10980
KMP228MA-S4A-C	460/1/60	10426	224	102	#	#	KMP228MA-S4A-V	12369
KMP228MA-S5A-C	575/1/60	10634	224	102	#	#	#	#
KMP228MA-S6A-C	200-220/1/50	10009	224	102	KMP228MA-S6A-T	10855	KMP228MA-S6A-V	10980
KMP228MA-S9A-C	380-400/1/50	10426	224	102	#	#	KMP228MA-S9A-V	12369
KMP236MA-S2A-C	208-230/1/60	13112	240	109	KMP236MA-S2A-T	13958	KMP236MA-S2A-V	14083
KMP236MA-S4A-C	460/1/60	13658	240	109	#	#	KMP236MA-S4A-V	15601
KMP236MA-S5A-C	575/1/60	13931	240	109	#	#	#	#
KMP236MA-S6A-C	200-220/1/50	13112	240	109	KMP236MA-S6A-T	13958	KMP236MA-S6A-V	14083
KMP236MA-S9A-C	380-400/1/50	13658	240	109	#	#	KMP236MA-S9A-V	15601
KMP245MA-S2A-C	208-230/1/60	15497	254	116	KMP245MA-S2A-T	16343	KMP245MA-S2A-V	16469
KMP245MA-S4A-C	460/1/60	16246	254	116	#	#	KMP245MA-S4A-V	18189
KMP245MA-S5A-C	575/1/60	16571	254	116	#	#	#	#
KMP245MA-S6A-C	200-220/1/50	15497	254	116	KMP245MA-S6A-T	16343	KMP245MA-S6A-V	16469
KMP245MA-S9A-C	380-400/1/50	16246	254	116	#	#	KMP245MA-S9A-V	18189
KMP355MA-S2A-C	208-230/1/60	18041	326	148	KMP355MA-S2A-T	19310	KMP355MA-S2A-V	19499
KMP355MA-S4A-C	460/1/60	19039	326	148	#	#	KMP355MA-S4A-V	21954
KMP355MA-S5A-C	575/1/60	19421	326	148	#	#	#	#
KMP355MA-S6A-C	200-220/1/50	18041	326	148	KMP355MA-S6A-T	19310	KMP355MA-S6A-V	19499
KMP355MA-S9A-C	380-400/1/50	19039	326	148	#	#	KMP355MA-S9A-V	21954
KMP368MA-S2A-C	208-230/1/60	19151	349	159	KMP368MA-S2A-T	20419	KMP368MA-S2A-V	20608
KMP368MA-S4A-C	460/1/60	20148	349	159	#	#	KMP368MA-S4A-V	23063
KMP368MA-S5A-C	575/1/60	20549	349	159	#	#	#	#
KMP368MA-S6A-C	200-220/1/50	19151	349	159	KMP368MA-S6A-T	20419	KMP368MA-S6A-V	20608
KMP368MA-S9A-C	380-400/1/50	20148	349	159	#	#	KMP368MA-S9A-V	23063
KMP480MA-S2A-C	208-230/1/60	21716	414	188	KMP480MA-S2A-T	23408	KMP480MA-S2A-V	23660
KMP480MA-S4A-C	460/1/60	22965	414	188	#	#	KMP480MA-S4A-V	26851
KMP480MA-S5A-C	575/1/60	23423	414	188	#	#	#	#
KMP480MA-S6A-C	200-220/1/50	21716	414	188	KMP480MA-S6A-T	23408	KMP480MA-S6A-V	23660
KMP480MA-S9A-C	380-400/1/50	22965	414	188	#	#	KMP480MA-S9A-V	26851
KMP488MA-S2A-C	208-230/1/60	23193	433	197	KMP488MA-S2A-T	24885	KMP488MA-S2A-V	25136
KMP488MA-S4A-C	460/1/60	24159	433	197	#	#	KMP488MA-S4A-V	28046
KMP488MA-S5A-C	575/1/60	24642	433	197	#	#	#	#
KMP488MA-S6A-C	200-220/1/50	23193	433	197	KMP488MA-S6A-T	24885	KMP488MA-S6A-V	25136
KMP488MA-S9A-C	380-400/1/50	24159	433	197	#	#	KMP488MA-S9A-V	28046

• OPTIONAL WIRE FAN GUARD - \$255 LIST / FAN SECTION

KMP-LINE, MEDIUM PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - ELECTRIC DEFROST

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP118ME-S2A-C	208-230/1/60	7875	163	74	KMP118ME-S2A-T	8298	KMP118ME-S2A-V	8360
KMP118ME-S4A-C	460/1/60	8272	163	74	#	#	KMP118ME-S4A-V	9244
KMP118ME-S5A-C	575/1/60	8436	163	74	#	#	#	#
KMP118ME-S6A-C	200-220/1/50	7875	163	74	KMP118ME-S6A-T	8298	KMP118ME-S6A-V	8360
KMP118ME-S9A-C	380-400/1/50	8272	163	74	#	#	KMP118ME-S9A-V	9244
KMP118ME-T3A-C	208-230/3/60	7875	163	74	KMP118ME-T3A-T	8298	KMP118ME-T3A-V	8360
KMP118ME-T4A-C	460/3/60	8272	163	74	#	#	KMP118ME-T4A-V	9244
KMP118ME-T5A-C	575/3/60	8436	163	74	#	#	#	#
KMP118ME-T7A-C	200-220/3/50	7875	163	74	KMP118ME-T7A-T	8298	KMP118ME-T7A-V	8360
KMP118ME-T9A-C	380-400/3/50	8272	163	74	#	#	KMP118ME-T9A-V	9244
KMP122ME-S2A-C	208-230/1/60	9462	171	78	KMP122ME-S2A-T	9885	KMP122ME-S2A-V	9947
KMP122ME-S4A-C	460/1/60	10163	171	78	#	#	KMP122ME-S4A-V	11135
KMP122ME-S5A-C	575/1/60	10367	171	78	#	#	#	#
KMP122ME-S6A-C	200-220/1/50	9462	171	78	KMP122ME-S6A-T	9885	KMP122ME-S6A-V	9947
KMP122ME-S9A-C	380-400/1/50	10163	171	78	#	#	KMP122ME-S9A-V	11135
KMP122ME-T3A-C	208-230/3/60	9462	171	78	KMP122ME-T3A-T	9885	KMP122ME-T3A-V	9947
KMP122ME-T4A-C	460/3/60	10163	171	78	#	#	KMP122ME-T4A-V	11135
KMP122ME-T5A-C	575/3/60	10367	171	78	#	#	#	#
KMP122ME-T7A-C	200-220/3/50	9462	171	78	KMP122ME-T7A-T	9885	KMP122ME-T7A-V	9947
KMP122ME-T9A-C	380-400/3/50	10163	171	78	#	#	KMP122ME-T9A-V	11135
KMP228ME-S2A-C	208-230/1/60	12481	241	109	KMP228ME-S2A-T	13327	KMP228ME-S2A-V	13453
KMP228ME-S4A-C	460/1/60	13161	241	109	#	#	KMP228ME-S4A-V	15104
KMP228ME-S5A-C	575/1/60	13426	241	109	#	#	#	#
KMP228ME-S6A-C	200-220/1/50	12481	241	109	KMP228ME-S6A-T	13327	KMP228ME-S6A-V	13453
KMP228ME-S9A-C	380-400/1/50	13161	241	109	#	#	KMP228ME-S9A-V	15104
KMP228ME-T3A-C	208-230/3/60	12481	241	109	KMP228ME-T3A-T	13327	KMP228ME-T3A-V	13453
KMP228ME-T4A-C	460/3/60	13161	241	109	#	#	KMP228ME-T4A-V	15104
KMP228ME-T5A-C	575/3/60	13426	241	109	#	#	#	#
KMP228ME-T7A-C	200-220/3/50	12481	241	109	KMP228ME-T7A-T	13327	KMP228ME-T7A-V	13453
KMP228ME-T9A-C	380-400/3/50	13161	241	109	#	#	KMP228ME-T9A-V	15104
KMP236ME-S2A-C	208-230/1/60	14045	257	117	KMP236ME-S2A-T	14891	KMP236ME-S2A-V	15017
KMP236ME-S4A-C	460/1/60	15100	257	117	#	#	KMP236ME-S4A-V	17043
KMP236ME-S5A-C	575/1/60	15403	257	117	#	#	#	#
KMP236ME-S6A-C	200-220/1/50	14045	257	117	KMP236ME-S6A-T	14891	KMP236ME-S6A-V	15017
KMP236ME-S9A-C	380-400/1/50	15100	257	117	#	#	KMP236ME-S9A-V	17043
KMP236ME-T3A-C	208-230/3/60	14045	257	117	KMP236ME-T3A-T	14891	KMP236ME-T3A-V	15017
KMP236ME-T4A-C	460/3/60	15100	257	117	#	#	KMP236ME-T4A-V	17043
KMP236ME-T5A-C	575/3/60	15403	257	117	#	#	#	#
KMP236ME-T7A-C	200-220/3/50	14045	257	117	KMP236ME-T7A-T	14891	KMP236ME-T7A-V	15017
KMP236ME-T9A-C	380-400/3/50	15100	257	117	#	#	KMP236ME-T9A-V	17043
KMP245ME-S2A-C	208-230/1/60	17295	270	123	KMP245ME-S2A-T	18141	KMP245ME-S2A-V	18266
KMP245ME-S4A-C	460/1/60	18355	270	123	#	#	KMP245ME-S4A-V	20299
KMP245ME-S5A-C	575/1/60	18723	270	123	#	#	#	#
KMP245ME-S6A-C	200-220/1/50	17295	270	123	KMP245ME-S6A-T	18141	KMP245ME-S6A-V	18266
KMP245ME-S9A-C	380-400/1/50	18355	270	123	#	#	KMP245ME-S9A-V	20299
KMP245ME-T3A-C	208-230/3/60	17295	270	123	KMP245ME-T3A-T	18141	KMP245ME-T3A-V	18266
KMP245ME-T4A-C	460/3/60	18355	270	123	#	#	KMP245ME-T4A-V	20299
KMP245ME-T5A-C	575/3/60	18723	270	123	#	#	#	#
KMP245ME-T7A-C	200-220/3/50	17295	270	123	KMP245ME-T7A-T	18141	KMP245ME-T7A-V	18266
KMP245ME-T9A-C	380-400/3/50	18355	270	123	#	#	KMP245ME-T9A-V	20299
KMP355ME-S2A-C	208-230/1/60	19597	349	159	KMP355ME-S2A-T	20866	KMP355ME-S2A-V	21055
KMP355ME-S4A-C	460/1/60	20897	349	159	#	#	KMP355ME-S4A-V	23813
KMP355ME-S5A-C	575/1/60	21315	349	159	#	#	#	#
KMP355ME-S6A-C	200-220/1/50	19597	349	159	KMP355ME-S6A-T	20866	KMP355ME-S6A-V	21055
KMP355ME-S9A-C	380-400/1/50	20897	349	159	#	#	KMP355ME-S9A-V	23813
KMP355ME-T3A-C	208-230/3/60	19597	349	159	KMP355ME-T3A-T	20866	KMP355ME-T3A-V	21055
KMP355ME-T4A-C	460/3/60	20897	349	159	#	#	KMP355ME-T4A-V	23813
KMP355ME-T5A-C	575/3/60	21315	349	159	#	#	#	#
KMP355ME-T7A-C	200-220/3/50	19597	349	159	KMP355ME-T7A-T	20866	KMP355ME-T7A-V	21055
KMP355ME-T9A-C	380-400/3/50	20897	349	159	#	#	KMP355ME-T9A-V	23813

Continues on next page >>>

NOTE: Fixed defrost termination is a standard feature. Optional adjustable defrost termination available.

KMP-LINE, MEDIUM PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - ELECTRIC DEFROST (cont'd)

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP368ME-S2A-C	208-230/1/60	21720	372	169	KMP368ME-S2A-T	22989	KMP368ME-S2A-V	23178
KMP368ME-S4A-C	460/1/60	23405	372	169	#	#	KMP368ME-S4A-V	26320
KMP368ME-S5A-C	575/1/60	23873	372	169	#	#	#	#
KMP368ME-S6A-C	200-220/1/50	21720	372	169	KMP368ME-S6A-T	22989	KMP368ME-S6A-V	23178
KMP368ME-S9A-C	380-400/1/50	23405	372	169	#	#	KMP368ME-S9A-V	26320
KMP368ME-T3A-C	208-230/3/60	21720	372	169	KMP368ME-T3A-T	22989	KMP368ME-T3A-V	23178
KMP368ME-T4A-C	460/3/60	23405	372	169	#	#	KMP368ME-T4A-V	26320
KMP368ME-T5A-C	575/3/60	23873	372	169	#	#	#	#
KMP368ME-T7A-C	200-220/3/50	21720	372	169	KMP368ME-T7A-T	22989	KMP368ME-T7A-V	23178
KMP368ME-T9A-C	380-400/3/50	23405	372	169	#	#	KMP368ME-T9A-V	26320
KMP480ME-S2A-C	208-230/1/60	27696	441	200	KMP480ME-S2A-T	29388	KMP480ME-S2A-V	29640
KMP480ME-S4A-C	460/1/60	27865	441	200	#	#	KMP480ME-S4A-V	31752
KMP480ME-S5A-C	575/1/60	28136	441	200	#	#	#	#
KMP480ME-S6A-C	200-220/1/50	27696	441	200	KMP480ME-S6A-T	29388	KMP480ME-S6A-V	29640
KMP480ME-S9A-C	380-400/1/50	27865	441	200	#	#	KMP480ME-S9A-V	31752
KMP480ME-T3A-C	208-230/3/60	27696	441	200	KMP480ME-T3A-T	29388	KMP480ME-T3A-V	29640
KMP480ME-T4A-C	460/3/60	27865	441	200	#	#	KMP480ME-T4A-V	31752
KMP480ME-T5A-C	575/3/60	28136	441	200	#	#	#	#
KMP480ME-T7A-C	200-220/3/50	27696	441	200	KMP480ME-T7A-T	29388	KMP480ME-T7A-V	29640
KMP480ME-T9A-C	380-400/3/50	27865	441	200	#	#	KMP480ME-T9A-V	31752
KMP488ME-S2A-C	208-230/1/60	30466	460	209	KMP488ME-S2A-T	32158	KMP488ME-S2A-V	32409
KMP488ME-S4A-C	460/1/60	30651	460	209	#	#	KMP488ME-S4A-V	34538
KMP488ME-S5A-C	575/1/60	30950	460	209	#	#	#	#
KMP488ME-S6A-C	200-220/1/50	30466	460	209	KMP488ME-S6A-T	32158	KMP488ME-S6A-V	32409
KMP488ME-S9A-C	380-400/1/50	30651	460	209	#	#	KMP488ME-S9A-V	34538
KMP488ME-T3A-C	208-230/3/60	30466	460	209	KMP488ME-T3A-T	32158	KMP488ME-T3A-V	32409
KMP488ME-T4A-C	460/3/60	30651	460	209	#	#	KMP488ME-T4A-V	34538
KMP488ME-T5A-C	575/3/60	30950	460	209	#	#	#	#
KMP488ME-T7A-C	200-220/3/50	30466	460	209	KMP488ME-T7A-T	32158	KMP488ME-T7A-V	32409
KMP488ME-T9A-C	380-400/3/50	30651	460	209	#	#	KMP488ME-T9A-V	34538

MEDIUM TEMP - HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP118M [^] -S2A-C	208-230/1/60	7367	156	71	KMP118MG-S2A-T	7790	KMP118MG-S2A-V	7853
KMP118M [^] -S4A-C	460/1/60	7961	156	71	#	#	KMP118MG-S4A-V	8932
KMP118M [^] -S5A-C	575/1/60	8120	156	71	#	#	#	#
KMP118M [^] -S6A-C	200-220/1/50	7367	156	71	KMP118MG-S6A-T	7790	KMP118MG-S6A-V	7853
KMP118M [^] -S9A-C	380-400/1/50	7961	156	71	#	#	KMP118MG-S9A-V	8932
KMP122M [^] -S2A-C	208-230/1/60	8927	164	75	KMP122MG-S2A-T	9350	KMP122MG-S2A-V	9413
KMP122M [^] -S4A-C	460/1/60	9646	164	75	#	#	KMP122MG-S4A-V	10618
KMP122M [^] -S5A-C	575/1/60	9839	164	75	#	#	#	#
KMP122M [^] -S6A-C	200-220/1/50	8927	164	75	KMP122MG-S6A-T	9350	KMP122MG-S6A-V	9413
KMP122M [^] -S9A-C	380-400/1/50	9646	164	75	#	#	KMP122MG-S9A-V	10618
KMP228M [^] -S2A-C	208-230/1/60	11778	228	104	KMP228MG-S2A-T	12624	KMP228MG-S2A-V	12750
KMP228M [^] -S4A-C	460/1/60	12466	228	104	#	#	KMP228MG-S4A-V	14410
KMP228M [^] -S5A-C	575/1/60	12716	228	104	#	#	#	#
KMP228M [^] -S6A-C	200-220/1/50	11778	228	104	KMP228MG-S6A-T	12624	KMP228MG-S6A-V	12750
KMP228M [^] -S9A-C	380-400/1/50	12466	228	104	#	#	KMP228MG-S9A-V	14410
KMP236M [^] -S2A-C	208-230/1/60	13248	244	111	KMP236MG-S2A-T	14094	KMP236MG-S2A-V	14220
KMP236M [^] -S4A-C	460/1/60	14327	244	111	#	#	KMP236MG-S4A-V	16271
KMP236M [^] -S5A-C	575/1/60	14615	244	111	#	#	#	#
KMP236M [^] -S6A-C	200-220/1/50	13248	244	111	KMP236MG-S6A-T	14094	KMP236MG-S6A-V	14220
KMP236M [^] -S9A-C	380-400/1/50	14327	244	111	#	#	KMP236MG-S9A-V	16271
KMP245M [^] -S2A-C	208-230/1/60	16318	258	117	KMP245MG-S2A-T	17164	KMP245MG-S2A-V	17290
KMP245M [^] -S4A-C	460/1/60	17426	258	117	#	#	KMP245MG-S4A-V	19369
KMP245M [^] -S5A-C	575/1/60	17774	258	117	#	#	#	#
KMP245M [^] -S6A-C	200-220/1/50	16318	258	117	KMP245MG-S6A-T	17164	KMP245MG-S6A-V	17290
KMP245M [^] -S9A-C	380-400/1/50	17426	258	117	#	#	KMP245MG-S9A-V	19369

Continues on next page >>>

KMP-LINE, MEDIUM PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - HOT GAS DEFROST (cont'd)

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP355M [^] -S2A-C	208-230/1/60	18488	332	151	KMP355MG-S2A-T	19757	KMP355MG-S2A-V	19946
KMP355M [^] -S4A-C	460/1/60	19814	332	151	#	#	KMP355MG-S4A-V	22729
KMP355M [^] -S5A-C	575/1/60	20211	332	151	#	#	#	#
KMP355M [^] -S6A-C	200-220/1/50	18488	332	151	KMP355MG-S6A-T	19757	KMP355MG-S6A-V	19946
KMP355M [^] -S9A-C	380-400/1/50	19814	332	151	#	#	KMP355MG-S9A-V	22729
KMP368M [^] -S2A-C	208-230/1/60	20707	355	161	KMP368MG-S2A-T	21976	KMP368MG-S2A-V	22164
KMP368M [^] -S4A-C	460/1/60	22192	355	161	#	#	KMP368MG-S4A-V	25107
KMP368M [^] -S5A-C	575/1/60	22636	355	161	#	#	#	#
KMP368M [^] -S6A-C	200-220/1/50	20707	355	161	KMP368MG-S6A-T	21976	KMP368MG-S6A-V	22164
KMP368M [^] -S9A-C	380-400/1/50	22192	355	161	#	#	KMP368MG-S9A-V	25107
KMP480M [^] -S2A-C	208-230/1/60	26516	421	191	KMP480MG-S2A-T	28208	KMP480MG-S2A-V	28459
KMP480M [^] -S4A-C	460/1/60	27009	421	191	#	#	KMP480MG-S4A-V	30896
KMP480M [^] -S5A-C	575/1/60	27549	421	191	#	#	#	#
KMP480M [^] -S6A-C	200-220/1/50	26516	421	191	KMP480MG-S6A-T	28208	KMP480MG-S6A-V	28459
KMP480M [^] -S9A-C	380-400/1/50	27009	421	191	#	#	KMP480MG-S9A-V	30896
KMP488M [^] -S2A-C	208-230/1/60	29167	440	200	KMP488MG-S2A-T	30859	KMP488MG-S2A-V	31111
KMP488M [^] -S4A-C	460/1/60	29710	440	200	#	#	KMP488MG-S4A-V	33597
KMP488M [^] -S5A-C	575/1/60	30304	440	200	#	#	#	#
KMP488M [^] -S6A-C	200-220/1/50	29167	440	200	KMP488MG-S6A-T	30859	KMP488MG-S6A-V	31111
KMP488M [^] -S9A-C	380-400/1/50	29710	440	200	#	#	KMP488MG-S9A-V	33597

LOW TEMP 6 FPI - ELECTRIC DEFROST

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP116LE-S2A-C	208-230/1/60	7837	164	75	KMP116LE-S2A-T	8260	KMP116LE-S2A-V	8323
KMP116LE-S4A-C	460/1/60	8233	164	75	#	#	KMP116LE-S4A-V	9205
KMP116LE-S5A-C	575/1/60	8396	164	75	#	#	#	#
KMP116LE-S6A-C	200-220/1/50	7837	164	75	KMP116LE-S6A-T	8260	KMP116LE-S6A-V	8323
KMP116LE-S9A-C	380-400/1/50	8233	164	75	#	#	KMP116LE-S9A-V	9205
KMP116LE-T3A-C	208-230/3/60	7837	164	75	KMP116LE-T3A-T	8260	KMP116LE-T3A-V	8323
KMP116LE-T4A-C	460/3/60	8233	164	75	#	#	KMP116LE-T4A-V	9205
KMP116LE-T5A-C	575/3/60	8396	164	75	#	#	#	#
KMP116LE-T7A-C	200-220/3/50	7837	164	75	KMP116LE-T7A-T	8260	KMP116LE-T7A-V	8323
KMP116LE-T9A-C	380-400/3/50	8233	164	75	#	#	KMP116LE-T9A-V	9205
KMP119LE-S2A-C	208-230/1/60	9363	171	78	KMP119LE-S2A-T	9786	KMP119LE-S2A-V	9848
KMP119LE-S4A-C	460/1/60	10058	171	78	#	#	KMP119LE-S4A-V	11029
KMP119LE-S5A-C	575/1/60	10258	171	78	#	#	#	#
KMP119LE-S6A-C	200-220/1/50	9363	171	78	KMP119LE-S6A-T	9786	KMP119LE-S6A-V	9848
KMP119LE-S9A-C	380-400/1/50	10058	171	78	#	#	KMP119LE-S9A-V	11029
KMP119LE-T3A-C	208-230/3/60	9363	171	78	KMP119LE-T3A-T	9786	KMP119LE-T3A-V	9848
KMP119LE-T4A-C	460/3/60	10058	171	78	#	#	KMP119LE-T4A-V	11029
KMP119LE-T5A-C	575/3/60	10258	171	78	#	#	#	#
KMP119LE-T7A-C	200-220/3/50	9363	171	78	KMP119LE-T7A-T	9786	KMP119LE-T7A-V	9848
KMP119LE-T9A-C	380-400/3/50	10058	171	78	#	#	KMP119LE-T9A-V	11029
KMP225LE-S2A-C	208-230/1/60	12541	243	110	KMP225LE-S2A-T	13387	KMP225LE-S2A-V	13512
KMP225LE-S4A-C	460/1/60	13224	243	110	#	#	KMP225LE-S4A-V	15167
KMP225LE-S5A-C	575/1/60	13489	243	110	#	#	#	#
KMP225LE-S6A-C	200-220/1/50	12541	243	110	KMP225LE-S6A-T	13387	KMP225LE-S6A-V	13512
KMP225LE-S9A-C	380-400/1/50	13224	243	110	#	#	KMP225LE-S9A-V	15167
KMP225LE-T3A-C	208-230/3/60	12541	243	110	KMP225LE-T3A-T	13387	KMP225LE-T3A-V	13512
KMP225LE-T4A-C	460/3/60	13224	243	110	#	#	KMP225LE-T4A-V	15167
KMP225LE-T5A-C	575/3/60	13489	243	110	#	#	#	#
KMP225LE-T7A-C	200-220/3/50	12541	243	110	KMP225LE-T7A-T	13387	KMP225LE-T7A-V	13512
KMP225LE-T9A-C	380-400/3/50	13224	243	110	#	#	KMP225LE-T9A-V	15167

Continues on next page >>>

NOTES:

- Fixed defrost termination is a standard feature. Optional adjustable defrost termination available.
- Electric heater in drain pan is standard. OPTIONAL HOT GAS LOOP IN DRAIN PAN:
1 FAN = \$742, 2 FAN = \$901, 3 FAN = \$1081, 4 FAN = \$1272
- For approx. shipping weights for hot gas loop in drain pan models, refer to installation bulletin K30-KMP-PDI
- All hot gas evaps include TXV bypass check valve shipped loose.

KMP-LINE, MEDIUM PROFILE EVAPORATORS (cont'd)

LOW TEMP 6 FPI - ELECTRIC DEFROST (cont'd)

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP232LE-S2A-C	208-230/1/60	13880	257	117	KMP232LE-S2A-T	14726	KMP232LE-S2A-V	14852
KMP232LE-S4A-C	460/1/60	14924	257	117	#	#	KMP232LE-S4A-V	16867
KMP232LE-S5A-C	575/1/60	15223	257	117	#	#	#	#
KMP232LE-S6A-C	200-220/1/50	13880	257	117	KMP232LE-S6A-T	14726	KMP232LE-S6A-V	14852
KMP232LE-S9A-C	380-400/1/50	14924	257	117	#	#	KMP232LE-S9A-V	16867
KMP232LE-T3A-C	208-230/3/60	13880	257	117	KMP232LE-T3A-T	14726	KMP232LE-T3A-V	14852
KMP232LE-T4A-C	460/3/60	14924	257	117	#	#	KMP232LE-T4A-V	16867
KMP232LE-T5A-C	575/3/60	15223	257	117	#	#	#	#
KMP232LE-T7A-C	200-220/3/50	13880	257	117	KMP232LE-T7A-T	14726	KMP232LE-T7A-V	14852
KMP232LE-T9A-C	380-400/3/50	14924	257	117	#	#	KMP232LE-T9A-V	16867
KMP240LE-S2A-C	208-230/1/60	17027	273	124	KMP240LE-S2A-T	17873	KMP240LE-S2A-V	17999
KMP240LE-S4A-C	460/1/60	18073	273	124	#	#	KMP240LE-S4A-V	20016
KMP240LE-S5A-C	575/1/60	18434	273	124	#	#	#	#
KMP240LE-S6A-C	200-220/1/50	17027	273	124	KMP240LE-S6A-T	17873	KMP240LE-S6A-V	17999
KMP240LE-S9A-C	380-400/1/50	18073	273	124	#	#	KMP240LE-S9A-V	20016
KMP240LE-T3A-C	208-230/3/60	17027	273	124	KMP240LE-T3A-T	17873	KMP240LE-T3A-V	17999
KMP240LE-T4A-C	460/3/60	18073	273	124	#	#	KMP240LE-T4A-V	20016
KMP240LE-T5A-C	575/3/60	18434	273	124	#	#	#	#
KMP240LE-T7A-C	200-220/3/50	17027	273	124	KMP240LE-T7A-T	17873	KMP240LE-T7A-V	17999
KMP240LE-T9A-C	380-400/3/50	18073	273	124	#	#	KMP240LE-T9A-V	20016
KMP348LE-S2A-C	208-230/1/60	18522	352	160	KMP348LE-S2A-T	19791	KMP348LE-S2A-V	19980
KMP348LE-S4A-C	460/1/60	19917	352	160	#	#	KMP348LE-S4A-V	22832
KMP348LE-S5A-C	575/1/60	20319	352	160	#	#	#	#
KMP348LE-S6A-C	200-220/1/50	18522	352	160	KMP348LE-S6A-T	19791	KMP348LE-S6A-V	19980
KMP348LE-S9A-C	380-400/1/50	19917	352	160	#	#	KMP348LE-S9A-V	22832
KMP348LE-T3A-C	208-230/3/60	18522	352	160	KMP348LE-T3A-T	19791	KMP348LE-T3A-V	19980
KMP348LE-T4A-C	460/3/60	19917	352	160	#	#	KMP348LE-T4A-V	22832
KMP348LE-T5A-C	575/3/60	20319	352	160	#	#	#	#
KMP348LE-T7A-C	200-220/3/50	18522	352	160	KMP348LE-T7A-T	19791	KMP348LE-T7A-V	19980
KMP348LE-T9A-C	380-400/3/50	19917	352	160	#	#	KMP348LE-T9A-V	22832
KMP356LE-S2A-C	208-230/1/60	21010	377	171	KMP356LE-S2A-T	22279	KMP356LE-S2A-V	22468
KMP356LE-S4A-C	460/1/60	22404	377	171	#	#	KMP356LE-S4A-V	25319
KMP356LE-S5A-C	575/1/60	22851	377	171	#	#	#	#
KMP356LE-S6A-C	200-220/1/50	21010	377	171	KMP356LE-S6A-T	22279	KMP356LE-S6A-V	22468
KMP356LE-S9A-C	380-400/1/50	22404	377	171	#	#	KMP356LE-S9A-V	25319
KMP356LE-T3A-C	208-230/3/60	21010	377	171	KMP356LE-T3A-T	22279	KMP356LE-T3A-V	22468
KMP356LE-T4A-C	460/3/60	22404	377	171	#	#	KMP356LE-T4A-V	25319
KMP356LE-T5A-C	575/3/60	22851	377	171	#	#	#	#
KMP356LE-T7A-C	200-220/3/50	21010	377	171	KMP356LE-T7A-T	22279	KMP356LE-T7A-V	22468
KMP356LE-T9A-C	380-400/3/50	22404	377	171	#	#	KMP356LE-T9A-V	25319
KMP471LE-S2A-C	208-230/1/60	27564	443	201	KMP471LE-S2A-T	29256	KMP471LE-S2A-V	29508
KMP471LE-S4A-C	460/1/60	27732	443	201	#	#	KMP471LE-S4A-V	31619
KMP471LE-S5A-C	575/1/60	28002	443	201	#	#	#	#
KMP471LE-S6A-C	200-220/1/50	27564	443	201	KMP471LE-S6A-T	29256	KMP471LE-S6A-V	29508
KMP471LE-S9A-C	380-400/1/50	27732	443	201	#	#	KMP471LE-S9A-V	31619
KMP471LE-T3A-C	208-230/3/60	27564	443	201	KMP471LE-T3A-T	29256	KMP471LE-T3A-V	29508
KMP471LE-T4A-C	460/3/60	27732	443	201	#	#	KMP471LE-T4A-V	31619
KMP471LE-T5A-C	575/3/60	28002	443	201	#	#	#	#
KMP471LE-T7A-C	200-220/3/50	27564	443	201	KMP471LE-T7A-T	29256	KMP471LE-T7A-V	29508
KMP471LE-T9A-C	380-400/3/50	27732	443	201	#	#	KMP471LE-T9A-V	31619

KMP-LINE, MEDIUM PROFILE EVAPORATORS (cont'd)

LOW TEMP 4 FPI - ELECTRIC DEFROST

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP113VE-S2A-C	208-230/1/60	7656	160	73	KMP113VE-S2A-T	8079	KMP113VE-S2A-V	8142
KMP113VE-S4A-C	460/1/60	8093	160	73	#	#	KMP113VE-S4A-V	9064
KMP113VE-S5A-C	575/1/60	8255	160	73	#	#	#	#
KMP113VE-S6A-C	200-220/1/50	7656	160	73	KMP113VE-S6A-T	8079	KMP113VE-S6A-V	8142
KMP113VE-S9A-C	380-400/1/50	8093	160	73	#	#	KMP113VE-S9A-V	9064
KMP113VE-T3A-C	208-230/3/60	7656	160	73	KMP113VE-T3A-T	8079	KMP113VE-T3A-V	8142
KMP113VE-T4A-C	460/3/60	8093	160	73	#	#	KMP113VE-T4A-V	9064
KMP113VE-T5A-C	575/3/60	8255	160	73	#	#	#	#
KMP113VE-T7A-C	200-220/3/50	7656	160	73	KMP113VE-T7A-T	8079	KMP113VE-T7A-V	8142
KMP113VE-T9A-C	380-400/3/50	8093	160	73	#	#	KMP113VE-T9A-V	9064
KMP117VE-S2A-C	208-230/1/60	8431	166	76	KMP117VE-S2A-T	8854	KMP117VE-S2A-V	8917
KMP117VE-S4A-C	460/1/60	9129	166	76	#	#	KMP117VE-S4A-V	10100
KMP117VE-S5A-C	575/1/60	9307	166	76	#	#	#	#
KMP117VE-S6A-C	200-220/1/50	8431	166	76	KMP117VE-S6A-T	8854	KMP117VE-S6A-V	8917
KMP117VE-S9A-C	380-400/1/50	9129	166	76	#	#	KMP117VE-S9A-V	10100
KMP117VE-T3A-C	208-230/3/60	8431	166	76	KMP117VE-T3A-T	8854	KMP117VE-T3A-V	8917
KMP117VE-T4A-C	460/3/60	9129	166	76	#	#	KMP117VE-T4A-V	10100
KMP117VE-T5A-C	575/3/60	9307	166	76	#	#	#	#
KMP117VE-T7A-C	200-220/3/50	8431	166	76	KMP117VE-T7A-T	8854	KMP117VE-T7A-V	8917
KMP117VE-T9A-C	380-400/3/50	9129	166	76	#	#	KMP117VE-T9A-V	10100
KMP222VE-S2A-C	208-230/1/60	11560	238	108	KMP222VE-S2A-T	12405	KMP222VE-S2A-V	12531
KMP222VE-S4A-C	460/1/60	12260	238	108	#	#	KMP222VE-S4A-V	14204
KMP222VE-S5A-C	575/1/60	12506	238	108	#	#	#	#
KMP222VE-S6A-C	200-220/1/50	11560	238	108	KMP222VE-S6A-T	12405	KMP222VE-S6A-V	12531
KMP222VE-S9A-C	380-400/1/50	12260	238	108	#	#	KMP222VE-S9A-V	14204
KMP222VE-T3A-C	208-230/3/60	11560	238	108	KMP222VE-T3A-T	12405	KMP222VE-T3A-V	12531
KMP222VE-T4A-C	460/3/60	12260	238	108	#	#	KMP222VE-T4A-V	14204
KMP222VE-T5A-C	575/3/60	12506	238	108	#	#	#	#
KMP222VE-T7A-C	200-220/3/50	11560	238	108	KMP222VE-T7A-T	12405	KMP222VE-T7A-V	12531
KMP222VE-T9A-C	380-400/3/50	12260	238	108	#	#	KMP222VE-T9A-V	14204
KMP228VE-S2A-C	208-230/1/60	13896	250	114	KMP228VE-S2A-T	14742	KMP228VE-S2A-V	14868
KMP228VE-S4A-C	460/1/60	14825	250	114	#	#	KMP228VE-S4A-V	16769
KMP228VE-S5A-C	575/1/60	15119	250	114	#	#	#	#
KMP228VE-S6A-C	200-220/1/50	13896	250	114	KMP228VE-S6A-T	14742	KMP228VE-S6A-V	14868
KMP228VE-S9A-C	380-400/1/50	14825	250	114	#	#	KMP228VE-S9A-V	16769
KMP228VE-T3A-C	208-230/3/60	13896	250	114	KMP228VE-T3A-T	14742	KMP228VE-T3A-V	14868
KMP228VE-T4A-C	460/3/60	14825	250	114	#	#	KMP228VE-T4A-V	16769
KMP228VE-T5A-C	575/3/60	15119	250	114	#	#	#	#
KMP228VE-T7A-C	200-220/3/50	13896	250	114	KMP228VE-T7A-T	14742	KMP228VE-T7A-V	14868
KMP228VE-T9A-C	380-400/3/50	14825	250	114	#	#	KMP228VE-T9A-V	16769
KMP234VE-S2A-C	208-230/1/60	16345	263	120	KMP234VE-S2A-T	17191	KMP234VE-S2A-V	17317
KMP234VE-S4A-C	460/1/60	17395	263	120	#	#	KMP234VE-S4A-V	19338
KMP234VE-S5A-C	575/1/60	17742	263	120	#	#	#	#
KMP234VE-S6A-C	200-220/1/50	16345	263	120	KMP234VE-S6A-T	17191	KMP234VE-S6A-V	17317
KMP234VE-S9A-C	380-400/1/50	17395	263	120	#	#	KMP234VE-S9A-V	19338
KMP234VE-T3A-C	208-230/3/60	16345	263	120	KMP234VE-T3A-T	17191	KMP234VE-T3A-V	17317
KMP234VE-T4A-C	460/3/60	17395	263	120	#	#	KMP234VE-T4A-V	19338
KMP234VE-T5A-C	575/3/60	17742	263	120	#	#	#	#
KMP234VE-T7A-C	200-220/3/50	16345	263	120	KMP234VE-T7A-T	17191	KMP234VE-T7A-V	17317
KMP234VE-T9A-C	380-400/3/50	17395	263	120	#	#	KMP234VE-T9A-V	19338
KMP339VE-S2A-C	208-230/1/60	17782	346	157	KMP339VE-S2A-T	19051	KMP339VE-S2A-V	19239
KMP339VE-S4A-C	460/1/60	19175	346	157	#	#	KMP339VE-S4A-V	22090
KMP339VE-S5A-C	575/1/60	19559	346	157	#	#	#	#
KMP339VE-S6A-C	200-220/1/50	17782	346	157	KMP339VE-S6A-T	19051	KMP339VE-S6A-V	19239
KMP339VE-S9A-C	380-400/1/50	19175	346	157	#	#	KMP339VE-S9A-V	22090
KMP339VE-T3A-C	208-230/3/60	17782	346	157	KMP339VE-T3A-T	19051	KMP339VE-T3A-V	19239
KMP339VE-T4A-C	460/3/60	19175	346	157	#	#	KMP339VE-T4A-V	22090
KMP339VE-T5A-C	575/3/60	19559	346	157	#	#	#	#
KMP339VE-T7A-C	200-220/3/50	17782	346	157	KMP339VE-T7A-T	19051	KMP339VE-T7A-V	19239
KMP339VE-T9A-C	380-400/3/50	19175	346	157	#N/A	#	KMP339VE-T9A-V	22090

Continues on next page >>>

KMP-LINE, MEDIUM PROFILE EVAPORATORS (cont'd)

LOW TEMP 4 FPI - ELECTRIC DEFROST (cont'd)

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP350VE-S2A-C	208-230/1/60	20122	362	165	KMP350VE-S2A-T	21391	KMP350VE-S2A-V	21580
KMP350VE-S4A-C	460/1/60	21514	362	165	#	#	KMP350VE-S4A-V	24429
KMP350VE-S5A-C	575/1/60	21943	362	165	#	#	#	#
KMP350VE-S6A-C	200-220/1/50	20122	362	165	KMP350VE-S6A-T	21391	KMP350VE-S6A-V	21580
KMP350VE-S9A-C	380-400/1/50	21514	362	165	#	#	KMP350VE-S9A-V	24429
KMP350VE-T3A-C	208-230/3/60	20122	362	165	KMP350VE-T3A-T	21391	KMP350VE-T3A-V	21580
KMP350VE-T4A-C	460/3/60	21514	362	165	#	#	KMP350VE-T4A-V	24429
KMP350VE-T5A-C	575/3/60	21943	362	165	#	#	#	#
KMP350VE-T7A-C	200-220/3/50	20122	362	165	KMP350VE-T7A-T	21391	KMP350VE-T7A-V	21580
KMP350VE-T9A-C	380-400/3/50	21514	362	165	#	#	KMP350VE-T9A-V	24429
KMP459VE-S2A-C	208-230/1/60	21677	425	193	KMP459VE-S2A-T	23369	KMP459VE-S2A-V	23620
KMP459VE-S4A-C	460/1/60	23420	425	193	#	#	KMP459VE-S4A-V	27307
KMP459VE-S5A-C	575/1/60	23885	425	193	#	#	#	#
KMP459VE-S6A-C	200-220/1/50	21677	425	193	KMP459VE-S6A-T	23369	KMP459VE-S6A-V	23620
KMP459VE-S9A-C	380-400/1/50	23420	425	193	#	#	KMP459VE-S9A-V	27307
KMP459VE-T3A-C	208-230/3/60	21677	425	193	KMP459VE-T3A-T	23369	KMP459VE-T3A-V	23620
KMP459VE-T4A-C	460/3/60	23420	425	193	#	#	KMP459VE-T4A-V	27307
KMP459VE-T5A-C	575/3/60	23885	425	193	#	#	#	#
KMP459VE-T7A-C	200-220/3/50	21677	425	193	KMP459VE-T7A-T	23369	KMP459VE-T7A-V	23620
KMP459VE-T9A-C	380-400/3/50	23420	425	193	#	#	KMP459VE-T9A-V	27307

LOW TEMP 6 FPI - HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP116L^S2A-C	208-230/1/60	7367	157	71	KMP116LG-S2A-T	7790	KMP116LG-S2A-V	7853
KMP116L^S4A-C	460/1/60	7961	157	71	#	#	KMP116LG-S4A-V	8932
KMP116L^S5A-C	575/1/60	8120	157	71	#	#	#	#
KMP116L^S6A-C	200-220/1/50	7367	157	71	KMP116LG-S6A-T	7790	KMP116LG-S6A-V	7853
KMP116L^S9A-C	380-400/1/50	7961	157	71	#	#	KMP116LG-S9A-V	8932
KMP119L^S2A-C	208-230/1/60	8835	164	75	KMP119LG-S2A-T	9258	KMP119LG-S2A-V	9321
KMP119L^S4A-C	460/1/60	9547	164	75	#	#	KMP119LG-S4A-V	10519
KMP119L^S5A-C	575/1/60	9737	164	75	#	#	#	#
KMP119L^S6A-C	200-220/1/50	8835	164	75	KMP119LG-S6A-T	9258	KMP119LG-S6A-V	9321
KMP119L^S9A-C	380-400/1/50	9547	164	75	#	#	KMP119LG-S9A-V	10519
KMP225L^S2A-C	208-230/1/60	12121	230	105	KMP225LG-S2A-T	12967	KMP225LG-S2A-V	13093
KMP225L^S4A-C	460/1/60	12832	230	105	#	#	KMP225LG-S4A-V	14775
KMP225L^S5A-C	575/1/60	13087	230	105	#	#	#	#
KMP225L^S6A-C	200-220/1/50	12121	230	105	KMP225LG-S6A-T	12967	KMP225LG-S6A-V	13093
KMP225L^S9A-C	380-400/1/50	12832	230	105	#	#	KMP225LG-S9A-V	14775
KMP232L^S2A-C	208-230/1/60	13093	245	112	KMP232LG-S2A-T	13939	KMP232LG-S2A-V	14065
KMP232L^S4A-C	460/1/60	14161	245	112	#	#	KMP232LG-S4A-V	16104
KMP232L^S5A-C	575/1/60	14445	245	112	#	#	#	#
KMP232L^S6A-C	200-220/1/50	13093	245	112	KMP232LG-S6A-T	13939	KMP232LG-S6A-V	14065
KMP232L^S9A-C	380-400/1/50	14161	245	112	#	#	KMP232LG-S9A-V	16104
KMP240L^S2A-C	208-230/1/60	16067	261	119	KMP240LG-S2A-T	16913	KMP240LG-S2A-V	17039
KMP240L^S4A-C	460/1/60	17155	261	119	#	#	KMP240LG-S4A-V	19098
KMP240L^S5A-C	575/1/60	17500	261	119	#	#	#	#
KMP240L^S6A-C	200-220/1/50	16067	261	119	KMP240LG-S6A-T	16913	KMP240LG-S6A-V	17039
KMP240L^S9A-C	380-400/1/50	17155	261	119	#	#	KMP240LG-S9A-V	19098
KMP348L^S2A-C	208-230/1/60	17480	335	152	KMP348LG-S2A-T	18749	KMP348LG-S2A-V	18937
KMP348L^S4A-C	460/1/60	18897	335	152	#	#	KMP348LG-S4A-V	21812
KMP348L^S5A-C	575/1/60	19277	335	152	#	#	#	#
KMP348L^S6A-C	200-220/1/50	17480	335	152	KMP348LG-S6A-T	18749	KMP348LG-S6A-V	18937
KMP348L^S9A-C	380-400/1/50	18897	335	152	#	#	KMP348LG-S9A-V	21812
KMP356L^S2A-C	208-230/1/60	19820	360	164	KMP356LG-S2A-T	21089	KMP356LG-S2A-V	21278
KMP356L^S4A-C	460/1/60	21243	360	164	#	#	KMP356LG-S4A-V	24158
KMP356L^S5A-C	575/1/60	21668	360	164	#	#	#	#
KMP356L^S6A-C	200-220/1/50	19820	360	164	KMP356LG-S6A-T	21089	KMP356LG-S6A-V	21278
KMP356L^S9A-C	380-400/1/50	21243	360	164	#	#	KMP356LG-S9A-V	24158

Continues on next page >>>

KMP-LINE, MEDIUM PROFILE EVAPORATORS (cont'd)

LOW TEMP 6 FPI - HOT GAS DEFROST (cont'd)

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP471L [^] -S2A-C	208-230/1/60	26516	423	192	KMP471LG-S2A-T	28208	KMP471LG-S2A-V	28459
KMP471L [^] -S4A-C	460/1/60	27009	423	192	#	#	KMP471LG-S4A-V	30896
KMP471L [^] -S5A-C	575/1/60	27549	423	192	#	#	#	#
KMP471L [^] -S6A-C	200-220/1/50	26516	423	192	KMP471LG-S6A-T	28208	KMP471LG-S6A-V	28459
KMP471L [^] -S9A-C	380-400/1/50	27009	423	192	#	#	KMP471LG-S9A-V	30896

LOW TEMP 4 FPI - HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KMP113V [^] -S2A-C	208-230/1/60	6853	153	70	KMP113VH-S2A-T	7244	KMP113VH-S2A-V	7307
KMP113V [^] -S4A-C	460/1/60	7418	153	70	#	#	KMP113VH-S4A-V	8355
KMP113V [^] -S5A-C	575/1/60	7567	153	70	#	#	#	#
KMP113V [^] -S6A-C	200-220/1/50	6853	153	70	KMP113VH-S6A-T	7244	KMP113VH-S6A-V	7307
KMP113V [^] -S9A-C	380-400/1/50	7418	153	70	#	#	KMP113VH-S9A-V	8355
KMP117V [^] -S2A-C	208-230/1/60	8738	160	73	KMP117VH-S2A-T	9119	KMP117VH-S2A-V	9182
KMP117V [^] -S4A-C	460/1/60	9458	160	73	#	#	KMP117VH-S4A-V	10385
KMP117V [^] -S5A-C	575/1/60	9648	160	73	#	#	#	#
KMP117V [^] -S6A-C	200-220/1/50	8738	160	73	KMP117VH-S6A-T	9119	KMP117VH-S6A-V	9182
KMP117V [^] -S9A-C	380-400/1/50	9458	160	73	#	#	KMP117VH-S9A-V	10385
KMP222V [^] -S2A-C	208-230/1/60	11935	226	103	KMP222VH-S2A-T	12724	KMP222VH-S2A-V	12850
KMP222V [^] -S4A-C	460/1/60	12661	226	103	#	#	KMP222VH-S4A-V	14544
KMP222V [^] -S5A-C	575/1/60	12915	226	103	#	#	#	#
KMP222V [^] -S6A-C	200-220/1/50	11935	226	103	KMP222VH-S6A-T	12724	KMP222VH-S6A-V	12850
KMP222V [^] -S9A-C	380-400/1/50	12661	226	103	#	#	KMP222VH-S9A-V	14544
KMP228V [^] -S2A-C	208-230/1/60	13093	238	108	KMP228VH-S2A-T	14758	KMP228VH-S2A-V	14884
KMP228V [^] -S4A-C	460/1/60	14161	238	108	#	#	KMP228VH-S4A-V	16935
KMP228V [^] -S5A-C	575/1/60	14445	238	108	#	#	#	#
KMP228V [^] -S6A-C	200-220/1/50	13093	238	108	KMP228VH-S6A-T	14758	KMP228VH-S6A-V	14884
KMP228V [^] -S9A-C	380-400/1/50	14161	238	108	#	#	KMP228VH-S9A-V	16935
KMP234V [^] -S2A-C	208-230/1/60	15893	252	114	KMP234VH-S2A-T	16663	KMP234VH-S2A-V	16789
KMP234V [^] -S4A-C	460/1/60	17013	252	114	#	#	KMP234VH-S4A-V	18875
KMP234V [^] -S5A-C	575/1/60	17352	252	114	#	#	#	#
KMP234V [^] -S6A-C	200-220/1/50	15893	252	114	KMP234VH-S6A-T	16663	KMP234VH-S6A-V	16789
KMP234V [^] -S9A-C	380-400/1/50	17013	252	114	#	#	KMP234VH-S9A-V	18875
KMP339V [^] -S2A-C	208-230/1/60	17480	329	150	KMP339VH-S2A-T	18694	KMP339VH-S2A-V	18883
KMP339V [^] -S4A-C	460/1/60	18897	329	150	#	#	KMP339VH-S4A-V	21805
KMP339V [^] -S5A-C	575/1/60	19277	329	150	#	#	#	#
KMP339V [^] -S6A-C	200-220/1/50	17480	329	150	KMP339VH-S6A-T	18694	KMP339VH-S6A-V	18883
KMP339V [^] -S9A-C	380-400/1/50	18897	329	150	#	#	KMP339VH-S9A-V	21805
KMP350V [^] -S2A-C	208-230/1/60	19820	346	157	KMP350VH-S2A-T	21867	KMP350VH-S2A-V	22056
KMP350V [^] -S4A-C	460/1/60	21243	346	157	#	#	KMP350VH-S4A-V	24586
KMP350V [^] -S5A-C	575/1/60	21668	346	157	#	#	#	#
KMP350V [^] -S6A-C	200-220/1/50	19820	346	157	KMP350VH-S6A-T	21867	KMP350VH-S6A-V	22056
KMP350V [^] -S9A-C	380-400/1/50	21243	346	157	#	#	KMP350VH-S9A-V	24586
KMP459V [^] -S2A-C	208-230/1/60	23200	406	185	KMP459VH-S2A-T	24891	KMP459VH-S2A-V	25143
KMP459V [^] -S4A-C	460/1/60	23946	406	185	#	#	KMP459VH-S4A-V	27833
KMP459V [^] -S5A-C	575/1/60	24425	406	185	#	#	#	#
KMP459V [^] -S6A-C	200-220/1/50	23200	406	185	KMP459VH-S6A-T	24891	KMP459VH-S6A-V	25143
KMP459V [^] -S9A-C	380-400/1/50	23946	406	185	#	#	KMP459VH-S9A-V	27833

NOTES:

- Fixed defrost termination is a standard feature. Optional adjustable defrost termination available.
- Electric heater in drain pan is standard. OPTIONAL HOT GAS LOOP IN DRAIN PAN:
1 FAN = \$742, 2 FAN = \$901, 3 FAN = \$1081, 4 FAN = \$1272
- For approx. shipping weights for hot gas loop in drain pan models, refer to installation bulletin K30-KMP-PDI
- All hot gas evaps include TXV bypass check valve shipped loose.

KMP-LINE, MEDIUM PROFILE EVAPORATORS (cont'd) OPTIONAL HOT GAS KITS

FOR 3-PIPE UNITS WITH ELECTRIC DRAIN PAN HEATER

OPT1-T: TXV + BYPASS CHECK VALVE KIT
INCLUDES QTY. ONE BYPASS CHECK VALVE
+ TXV FACTORY INSTALLED

MODEL	LIST
1 FAN UNITS	1257
2 FAN UNITS	1613
3 FAN UNITS	1762
4 FAN UNITS	1886

FOR REVERSE CYCLE UNITS WITH ELECTRIC DRAIN PAN HEATER

OPT1-G: TXV + BYPASS CHECK VALVE KIT
INCLUDES QTY. ONE TXV, BYPASS CHECK VALVE
AND BYPASS PIPING

MODEL	LIST
1 FAN UNITS	1323
2 FAN UNITS	1698
3 FAN UNITS	1854
4 FAN UNITS	1985

FOR 3-PIPE UNITS WITH HOT GAS LOOP

OPT1-H: TXV + BYPASS CHECK VALVE KIT
INCLUDES QTY. ONE TXV, BYPASS CHECK VALVE AND
PIPING FROM DRAIN LOOP TO CHECKVALVE

MODEL	LIST
1 FAN UNITS	1431
2 FAN UNITS	1786
3 FAN UNITS	1980
4 FAN UNITS	2103

Kit does not include Hot Gas Loop option price.

FOR REVERSE CYCLE UNITS WITH ELECTRIC DRAIN PAN HEATER

OPT1-R: TXV + BYPASS CHECK VALVE KIT INCLUDES
QTY. ONE TXV, BYPASS CHECK VALVE AND BYPASS PIPING
PIPING FROM DRAIN LOOP TO CHECKVALVE

**OPT2-R: DRAIN PAN LOOP CHECK VALVE AND
SUCTION LINE CHECK VALVE KIT**

INCLUDES QTY. ONE DRAIN PAN CHECK VALVE, QTY. ONE
SUCTION LINE CHECK VALVE AND CONNECTED PIPING

MODEL	TXV BY-PASS CHECK VALVE KIT	DRAIN PAN + SUCTION LINE CHECK VALVE KIT
1 FAN UNITS	1323	3526
2 FAN UNITS	1698	3874
3 FAN UNITS	1854	3998
4 FAN UNITS	1985	4167

Kit does not include Hot Gas Loop option price.

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

HIGH TEMP - AIR DEFROST

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP028HA-S2A-C	208-230/1/60	12127	200	91	KEP028HA-S2A-T	12810	KEP028HA-S2A-V	12939
KEP028HA-S4A-C	460/1/60	12854	200	91	#	#	KEP028HA-S4A-V	14195
KEP028HA-S5A-C	575/1/60	13097	200	91	#	#	#	#
KEP028HA-S6A-C	200-220/1/50	12127	200	91	KEP028HA-S6A-T	12810	KEP028HA-S6A-V	12939
KEP028HA-S9A-C	380-400/1/50	12854	200	91	#	#	KEP028HA-S9A-V	14195
KEP033HA-S2A-C	208-230/1/60	12678	210	95	KEP033HA-S2A-T	13362	KEP033HA-S2A-V	13491
KEP033HA-S4A-C	460/1/60	13439	210	95	#	#	KEP033HA-S4A-V	14779
KEP033HA-S5A-C	575/1/60	13692	210	95	#	#	#	#
KEP033HA-S6A-C	200-220/1/50	12678	210	95	KEP033HA-S6A-T	13362	KEP033HA-S6A-V	13491
KEP033HA-S9A-C	380-400/1/50	13439	210	95	#	#	KEP033HA-S9A-V	14779
KEP043HA-S2A-C	208-230/1/60	15648	290	132	KEP043HA-S2A-T	17016	KEP043HA-S2A-V	17273
KEP043HA-S4A-C	460/1/60	16587	290	132	#	#	KEP043HA-S4A-V	19268
KEP043HA-S5A-C	575/1/60	16900	290	132	#	#	#	#
KEP043HA-S6A-C	200-220/1/50	15648	290	132	KEP043HA-S6A-T	17016	KEP043HA-S6A-V	17273
KEP043HA-S9A-C	380-400/1/50	16587	290	132	#	#	KEP043HA-S9A-V	19268
KEP056HA-S2A-C	208-230/1/60	17103	310	141	KEP056HA-S2A-T	18470	KEP056HA-S2A-V	18728
KEP056HA-S4A-C	460/1/60	18129	310	141	#	#	KEP056HA-S4A-V	20810
KEP056HA-S5A-C	575/1/60	18471	310	141	#	#	#	#
KEP056HA-S6A-C	200-220/1/50	17103	310	141	KEP056HA-S6A-T	18470	KEP056HA-S6A-V	18728
KEP056HA-S9A-C	380-400/1/50	18129	310	141	#	#	KEP056HA-S9A-V	20810
KEP065HA-S2A-C	208-230/1/60	18209	330	150	KEP065HA-S2A-T	19577	KEP065HA-S2A-V	19835
KEP065HA-S4A-C	460/1/60	19302	330	150	#	#	KEP065HA-S4A-V	21983
KEP065HA-S5A-C	575/1/60	19666	330	150	#	#	#	#
KEP065HA-S6A-C	200-220/1/50	18209	330	150	KEP065HA-S6A-T	19577	KEP065HA-S6A-V	19835
KEP065HA-S9A-C	380-400/1/50	19302	330	150	#	#	KEP065HA-S9A-V	21983
KEP084HA-S2A-C	208-230/1/60	23231	425	193	KEP084HA-S2A-T	25282	KEP084HA-S2A-V	25669
KEP084HA-T3A-C	208-230/3/60	23231	425	193				
KEP084HA-S4A-C	460/1/60	24625	425	193	#	#	KEP084HA-S4A-V	28646
KEP084HA-S5A-C	575/1/60	25089	425	193	#	#	#	#
KEP084HA-S6A-C	200-220/1/50	23231	425	193	KEP084HA-S6A-T	25282	KEP084HA-S6A-V	25669
KEP084HA-S9A-C	380-400/1/50	24625	425	193	#	#	KEP084HA-S9A-V	28646
KEP098HA-S2A-C	208-230/1/60	27275	455	207	KEP098HA-S2A-T	29326	KEP098HA-S2A-V	29713
KEP098HA-T3A-C	208-230/3/60	27275	455	207				
KEP098HA-S4A-C	460/1/60	28911	455	207	#	#	KEP098HA-S4A-V	32933
KEP098HA-S5A-C	575/1/60	29457	455	207	#	#	#	#
KEP098HA-S6A-C	200-220/1/50	27275	455	207	KEP098HA-S6A-T	29326	KEP098HA-S6A-V	29713
KEP098HA-S9A-C	380-400/1/50	28911	455	207	#	#	KEP098HA-S9A-V	32933
KEP124HA-S2A-C	208-230/1/60	29737	565	257	KEP124HA-S2A-T	32473	KEP124HA-S2A-V	32988
KEP124HA-T3A-C	208-230/3/60	29737	565	257				
KEP124HA-S4A-C	460/1/60	31521	565	257	#	#	KEP124HA-S4A-V	36883
KEP124HA-S5A-C	575/1/60	32116	565	257	#	#	#	#
KEP124HA-S6A-C	200-220/1/50	29737	565	257	KEP124HA-S6A-T	32473	KEP124HA-S6A-V	32988
KEP124HA-S9A-C	380-400/1/50	31521	565	257	#	#	KEP124HA-S9A-V	36883

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - AIR DEFROST

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP026MA-S2A-C	208-230/1/60	11549	210	95	KEP026MA-S2A-T	12233	KEP026MA-S2A-V	12362
KEP026MA-S4A-C	460/1/60	12242	210	95	#	#	KEP026MA-S4A-V	13583
KEP026MA-S5A-C	575/1/60	12473	210	95	#	#	#	#
KEP026MA-S6A-C	200-220/1/50	11549	210	95	KEP026MA-S6A-T	12233	KEP026MA-S6A-V	12362
KEP026MA-S9A-C	380-400/1/50	12242	210	95	#	#	KEP026MA-S9A-V	13583
KEP031MA-S2A-C	208-230/1/60	12074	220	100	KEP031MA-S2A-T	12758	KEP031MA-S2A-V	12887
KEP031MA-S4A-C	460/1/60	12799	220	100	#	#	KEP031MA-S4A-V	14139
KEP031MA-S5A-C	575/1/60	13040	220	100	#	#	#	#
KEP031MA-S6A-C	200-220/1/50	12074	220	100	KEP031MA-S6A-T	12758	KEP031MA-S6A-V	12887
KEP031MA-S9A-C	380-400/1/50	12799	220	100	#	#	KEP031MA-S9A-V	14139
KEP038MA-S2A-C	208-230/1/60	14903	315	143	KEP038MA-S2A-T	16271	KEP038MA-S2A-V	16528
KEP038MA-S4A-C	460/1/60	15797	315	143	#	#	KEP038MA-S4A-V	18478
KEP038MA-S5A-C	575/1/60	16095	315	143	#	#	#	#
KEP038MA-S6A-C	200-220/1/50	14903	315	143	KEP038MA-S6A-T	16271	KEP038MA-S6A-V	16528
KEP038MA-S9A-C	380-400/1/50	15797	315	143	#	#	KEP038MA-S9A-V	18478
KEP052MA-S2A-C	208-230/1/60	16288	335	152	KEP052MA-S2A-T	17656	KEP052MA-S2A-V	17914
KEP052MA-S4A-C	460/1/60	17266	335	152	#	#	KEP052MA-S4A-V	19947
KEP052MA-S5A-C	575/1/60	17591	335	152	#	#	#	#
KEP052MA-S6A-C	200-220/1/50	16288	335	152	KEP052MA-S6A-T	17656	KEP052MA-S6A-V	17914
KEP052MA-S9A-C	380-400/1/50	17266	335	152	#	#	KEP052MA-S9A-V	19947
KEP062MA-S2A-C	208-230/1/60	18209	350	159	KEP062MA-S2A-T	19577	KEP062MA-S2A-V	19835
KEP062MA-S4A-C	460/1/60	19302	350	159	#	#	KEP062MA-S4A-V	21983
KEP062MA-S5A-C	575/1/60	19666	350	159	#	#	#	#
KEP062MA-S6A-C	200-220/1/50	18209	350	159	KEP062MA-S6A-T	19577	KEP062MA-S6A-V	19835
KEP062MA-S9A-C	380-400/1/50	19302	350	159	#	#	KEP062MA-S9A-V	21983
KEP079MA-S2A-C	208-230/1/60	22124	455	207	KEP079MA-S2A-T	24176	KEP079MA-S2A-V	24563
KEP079MA-T3A-C	208-230/3/60	22124	455	207				
KEP079MA-S4A-C	460/1/60	23452	455	207	#	#	KEP079MA-S4A-V	27473
KEP079MA-S5A-C	575/1/60	23894	455	207	#	#	#	#
KEP079MA-S6A-C	200-220/1/50	22124	455	207	KEP079MA-S6A-T	24176	KEP079MA-S6A-V	24563
KEP079MA-S9A-C	380-400/1/50	23452	455	207	#	#	KEP079MA-S9A-V	27473
KEP093MA-S2A-C	208-230/1/60	25976	485	220	KEP093MA-S2A-T	28028	KEP093MA-S2A-V	28414
KEP093MA-T3A-C	208-230/3/60	25976	485	220				
KEP093MA-S4A-C	460/1/60	27535	485	220	#	#	KEP093MA-S4A-V	31556
KEP093MA-S5A-C	575/1/60	28054	485	220	#	#	#	#
KEP093MA-S6A-C	200-220/1/50	25976	485	220	KEP093MA-S6A-T	28028	KEP093MA-S6A-V	28414
KEP093MA-S9A-C	380-400/1/50	27535	485	220	#	#	KEP093MA-S9A-V	31556
KEP115MA-S2A-C	208-230/1/60	28321	600	273	KEP115MA-S2A-T	31056	KEP115MA-S2A-V	31572
KEP115MA-T3A-C	208-230/3/60	28321	600	273				
KEP115MA-S4A-C	460/1/60	30020	600	273	#	#	KEP115MA-S4A-V	35382
KEP115MA-S5A-C	575/1/60	30587	600	273	#	#	#	#
KEP115MA-S6A-C	200-220/1/50	28321	600	273	KEP115MA-S6A-T	31056	KEP115MA-S6A-V	31572
KEP115MA-S9A-C	380-400/1/50	30020	600	273	#	#	KEP115MA-S9A-V	35382

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - ELECTRIC DEFROST

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP026ME-S2A-C	208-230/1/60	13167	210	95	KEP026ME-S2A-T	13851	KEP026ME-S2A-V	13979
KEP026ME-S4A-C	460/1/60	13957	210	95	#	#	KEP026ME-S4A-V	15297
KEP026ME-S5A-C	575/1/60	14220	210	95	#	#	#	#
KEP026ME-S6A-C	200-220/1/50	13167	210	95	KEP026ME-S6A-T	13851	KEP026ME-S6A-V	13979
KEP026ME-S9A-C	380-400/1/50	13957	210	95	#	#	KEP026ME-S9A-V	15297
KEP026ME-T3A-C	208-230/3/60	13167	210	95	KEP026ME-T3A-T	13851	KEP026ME-T3A-V	13979
KEP026ME-T4A-C	460/3/60	13957	210	95	#	#	KEP026ME-T4A-V	15297
KEP026ME-T5A-C	575/3/60	14220	210	95	#	#	#	#
KEP026ME-T7A-C	200-220/3/50	13167	210	95	KEP026ME-T7A-T	13851	KEP026ME-T7A-V	13979
KEP026ME-T9A-C	380-400/3/50	13957	210	95	#	#	KEP026ME-T9A-V	15297
KEP031ME-S2A-C	208-230/1/60	14421	220	100	KEP031ME-S2A-T	15105	KEP031ME-S2A-V	15233
KEP031ME-S4A-C	460/1/60	15286	220	100	#	#	KEP031ME-S4A-V	16626
KEP031ME-S5A-C	575/1/60	15574	220	100	#	#	#	#
KEP031ME-S6A-C	200-220/1/50	14421	220	100	KEP031ME-S6A-T	15105	KEP031ME-S6A-V	15233
KEP031ME-S9A-C	380-400/1/50	15286	220	100	#	#	KEP031ME-S9A-V	16626
KEP031ME-T3A-C	208-230/3/60	14421	220	100	KEP031ME-T3A-T	15105	KEP031ME-T3A-V	15233
KEP031ME-T4A-C	460/3/60	15286	220	100	#	#	KEP031ME-T4A-V	16626
KEP031ME-T5A-C	575/3/60	15574	220	100	#	#	#	#
KEP031ME-T7A-C	200-220/3/50	14421	220	100	KEP031ME-T7A-T	15105	KEP031ME-T7A-V	15233
KEP031ME-T9A-C	380-400/3/50	15286	220	100	#	#	KEP031ME-T9A-V	16626
KEP038ME-S2A-C	208-230/1/60	16656	315	143	KEP038ME-S2A-T	18024	KEP038ME-S2A-V	18282
KEP038ME-S4A-C	460/1/60	17656	315	143	#	#	KEP038ME-S4A-V	20337
KEP038ME-S5A-C	575/1/60	17989	315	143	#	#	#	#
KEP038ME-S6A-C	200-220/1/50	16656	315	143	KEP038ME-S6A-T	18024	KEP038ME-S6A-V	18282
KEP038ME-S9A-C	380-400/1/50	17656	315	143	#	#	KEP038ME-S9A-V	20337
KEP038ME-T3A-C	208-230/3/60	16656	315	143	KEP038ME-T3A-T	18024	KEP038ME-T3A-V	18282
KEP038ME-T4A-C	460/3/60	17656	315	143	#	#	KEP038ME-T4A-V	20337
KEP038ME-T5A-C	575/3/60	17989	315	143	#	#	#	#
KEP038ME-T7A-C	200-220/3/50	16656	315	143	KEP038ME-T7A-T	18024	KEP038ME-T7A-V	18282
KEP038ME-T9A-C	380-400/3/50	17656	315	143	#	#	KEP038ME-T9A-V	20337
KEP052ME-S2A-C	208-230/1/60	19059	335	152	KEP052ME-S2A-T	20426	KEP052ME-S2A-V	20684
KEP052ME-S4A-C	460/1/60	20202	335	152	#	#	KEP052ME-S4A-V	22883
KEP052ME-S5A-C	575/1/60	20583	335	152	#	#	#	#
KEP052ME-S6A-C	200-220/1/50	19059	335	152	KEP052ME-S6A-T	20426	KEP052ME-S6A-V	20684
KEP052ME-S9A-C	380-400/1/50	20202	335	152	#	#	KEP052ME-S9A-V	22883
KEP052ME-T3A-C	208-230/3/60	19059	335	152	KEP052ME-T3A-T	20426	KEP052ME-T3A-V	20684
KEP052ME-T4A-C	460/3/60	20202	335	152	#	#	KEP052ME-T4A-V	22883
KEP052ME-T5A-C	575/3/60	20583	335	152	#	#	#	#
KEP052ME-T7A-C	200-220/3/50	19059	335	152	KEP052ME-T7A-T	20426	KEP052ME-T7A-V	20684
KEP052ME-T9A-C	380-400/3/50	20202	335	152	#	#	KEP052ME-T9A-V	22883
KEP062ME-S2A-C	208-230/1/60	21807	350	159	KEP062ME-S2A-T	23175	KEP062ME-S2A-V	23433
KEP062ME-S4A-C	460/1/60	23116	350	159	#	#	KEP062ME-S4A-V	25797
KEP062ME-S5A-C	575/1/60	23552	350	159	#	#	#	#
KEP062ME-S6A-C	200-220/1/50	21807	350	159	KEP062ME-S6A-T	23175	KEP062ME-S6A-V	23433
KEP062ME-S9A-C	380-400/1/50	23116	350	159	#	#	KEP062ME-S9A-V	25797
KEP062ME-T3A-C	208-230/3/60	21807	350	159	KEP062ME-T3A-T	23175	KEP062ME-T3A-V	23433
KEP062ME-T4A-C	460/3/60	23116	350	159	#	#	KEP062ME-T4A-V	25797
KEP062ME-T5A-C	575/3/60	23552	350	159	#	#	#	#
KEP062ME-T7A-C	200-220/3/50	21807	350	159	KEP062ME-T7A-T	23175	KEP062ME-T7A-V	23433
KEP062ME-T9A-C	380-400/3/50	23116	350	159	#	#	KEP062ME-T9A-V	25797
KEP079ME-S2A-C	208-230/1/60	28533	455	207	KEP079ME-S2A-T	30585	KEP079ME-S2A-V	30971
KEP079ME-S4A-C	460/1/60	30245	455	207	#	#	KEP079ME-S4A-V	34267
KEP079ME-S5A-C	575/1/60	30816	455	207	#	#	#	#
KEP079ME-S6A-C	200-220/1/50	28533	455	207	KEP079ME-S6A-T	30585	KEP079ME-S6A-V	30971
KEP079ME-S9A-C	380-400/1/50	30245	455	207	#	#	KEP079ME-S9A-V	34267
KEP079ME-T3A-C	208-230/3/60	28533	455	207	KEP079ME-T3A-T	30585	KEP079ME-T3A-V	30971
KEP079ME-T4A-C	460/3/60	30245	455	207	#	#	KEP079ME-T4A-V	34267
KEP079ME-T5A-C	575/3/60	30816	455	207	#	#	#	#
KEP079ME-T7A-C	200-220/3/50	28533	455	207	KEP079ME-T7A-T	30585	KEP079ME-T7A-V	30971
KEP079ME-T9A-C	380-400/3/50	30245	455	207	#	#	KEP079ME-T9A-V	34267

Continues on next page >>>

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - ELECTRIC DEFROST (cont'd)

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP093ME-S2A-C	208-230/1/60	33333	485	220	KEP093ME-S2A-T	35306	KEP093ME-S2A-V	35677
KEP093ME-S4A-C	460/1/60	35333	485	220			KEP093ME-S4A-V	39200
KEP093ME-S5A-C	575/1/60	36000	485	220				
KEP093ME-S6A-C	200-220/1/50	33333	485	220	KEP093ME-S6A-T	35306	KEP093ME-S6A-V	35677
KEP093ME-S9A-C	380-400/1/50	35333	485	220			KEP093ME-S9A-V	39200
KEP093ME-T3A-C	208-230/3/60	33333	485	220	KEP093ME-T3A-T	35306	KEP093ME-T3A-V	35677
KEP093ME-T4A-C	460/3/60	35333	485	220			KEP093ME-T4A-V	39200
KEP093ME-T5A-C	575/3/60	36000	485	220				
KEP093ME-T7A-C	200-220/3/50	33333	485	220	KEP093ME-T7A-T	35306	KEP093ME-T7A-V	35677
KEP093ME-T9A-C	380-400/3/50	35333	485	220			KEP093ME-T9A-V	39200
KEP115ME-S2A-C	208-230/1/60	37060	600	273	KEP115ME-S2A-T	39690	KEP115ME-S2A-V	40186
KEP115ME-S4A-C	460/1/60	39283	600	273			KEP115ME-S4A-V	44439
KEP115ME-S5A-C	575/1/60	40025	600	273				
KEP115ME-S6A-C	200-220/1/50	37060	600	273	KEP115ME-S6A-T	39690	KEP115ME-S6A-V	40186
KEP115ME-S9A-C	380-400/1/50	39283	600	273			KEP115ME-S9A-V	44439
KEP115ME-T3A-C	208-230/3/60	37060	600	273	KEP115ME-T3A-T	39690	KEP115ME-T3A-V	40186
KEP115ME-T4A-C	460/3/60	39283	600	273			KEP115ME-T4A-V	44439
KEP115ME-T5A-C	575/3/60	40025	600	273				
KEP115ME-T7A-C	200-220/3/50	37060	600	273	KEP115ME-T7A-T	39690	KEP115ME-T7A-V	40186
KEP115ME-T9A-C	380-400/3/50	39283	600	273			KEP115ME-T9A-V	44439

LOW TEMP 6 FPI - ELECTRIC DEFROST

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP023LE-S2A-C	208-230/1/60	13167	215	98	KEP023LE-S2A-T	13851	KEP023LE-S2A-V	13979
KEP023LE-S4A-C	460/1/60	13957	215	98	#	#	KEP023LE-S4A-V	15297
KEP023LE-S5A-C	575/1/60	14220	215	98	#	#	#	#
KEP023LE-S6A-C	200-220/1/50	13167	215	98	KEP023LE-S6A-T	13851	KEP023LE-S6A-V	13979
KEP023LE-S9A-C	380-400/1/50	13957	215	98	#	#	KEP023LE-S9A-V	15297
KEP023LE-T3A-C	208-230/3/60	13167	215	98	KEP023LE-T3A-T	13851	KEP023LE-T3A-V	13979
KEP023LE-T4A-C	460/3/60	13957	215	98	#	#	KEP023LE-T4A-V	15297
KEP023LE-T5A-C	575/3/60	14220	215	98	#	#	#	#
KEP023LE-T7A-C	200-220/3/50	13167	215	98	KEP023LE-T7A-T	13851	KEP023LE-T7A-V	13979
KEP023LE-T9A-C	380-400/3/50	13957	215	98	#	#	KEP023LE-T9A-V	15297
KEP028LE-S2A-C	208-230/1/60	14421	220	100	KEP028LE-S2A-T	15105	KEP028LE-S2A-V	15233
KEP028LE-S4A-C	460/1/60	15286	220	100	#	#	KEP028LE-S4A-V	16626
KEP028LE-S5A-C	575/1/60	15574	220	100	#	#	#	#
KEP028LE-S6A-C	200-220/1/50	14421	220	100	KEP028LE-S6A-T	15105	KEP028LE-S6A-V	15233
KEP028LE-S9A-C	380-400/1/50	15286	220	100	#	#	KEP028LE-S9A-V	16626
KEP028LE-T3A-C	208-230/3/60	14421	220	100	KEP028LE-T3A-T	15105	KEP028LE-T3A-V	15233
KEP028LE-T4A-C	460/3/60	15286	220	100	#	#	KEP028LE-T4A-V	16626
KEP028LE-T5A-C	575/3/60	15574	220	100	#	#	#	#
KEP028LE-T7A-C	200-220/3/50	14421	220	100	KEP028LE-T7A-T	15105	KEP028LE-T7A-V	15233
KEP028LE-T9A-C	380-400/3/50	15286	220	100	#	#	KEP028LE-T9A-V	16626
KEP035LE-S2A-C	208-230/1/60	16656	315	143	KEP035LE-S2A-T	18024	KEP035LE-S2A-V	18282
KEP035LE-S4A-C	460/1/60	17656	315	143	#	#	KEP035LE-S4A-V	20337
KEP035LE-S5A-C	575/1/60	17989	315	143	#	#	#	#
KEP035LE-S6A-C	200-220/1/50	16656	315	143	KEP035LE-S6A-T	18024	KEP035LE-S6A-V	18282
KEP035LE-S9A-C	380-400/1/50	17656	315	143	#	#	KEP035LE-S9A-V	20337
KEP035LE-T3A-C	208-230/3/60	16656	315	143	KEP035LE-T3A-T	18024	KEP035LE-T3A-V	18282
KEP035LE-T4A-C	460/3/60	17656	315	143	#	#	KEP035LE-T4A-V	20337
KEP035LE-T5A-C	575/3/60	17989	315	143	#	#	#	#
KEP035LE-T7A-C	200-220/3/50	16656	315	143	KEP035LE-T7A-T	18024	KEP035LE-T7A-V	18282
KEP035LE-T9A-C	380-400/3/50	17656	315	143	#	#	KEP035LE-T9A-V	20337

Continues on next page >>>

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

LOW TEMP 6 FPI - ELECTRIC DEFROST (cont'd)

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP047LE-S2A-C	208-230/1/60	19059	335	152	KEP047LE-S2A-T	20426	KEP047LE-S2A-V	20684
KEP047LE-S4A-C	460/1/60	20202	335	152	#	#	KEP047LE-S4A-V	22883
KEP047LE-S5A-C	575/1/60	20583	335	152	#	#	#	#
KEP047LE-S6A-C	200-220/1/50	19059	335	152	KEP047LE-S6A-T	20426	KEP047LE-S6A-V	20684
KEP047LE-S9A-C	380-400/1/50	20202	335	152	#	#	KEP047LE-S9A-V	22883
KEP047LE-T3A-C	208-230/3/60	19059	335	152	KEP047LE-T3A-T	20426	KEP047LE-T3A-V	20684
KEP047LE-T4A-C	460/3/60	20202	335	152	#	#	KEP047LE-T4A-V	22883
KEP047LE-T5A-C	575/3/60	20583	335	152	#	#	#	#
KEP047LE-T7A-C	200-220/3/50	19059	335	152	KEP047LE-T7A-T	20426	KEP047LE-T7A-V	20684
KEP047LE-T9A-C	380-400/3/50	20202	335	152	#	#	KEP047LE-T9A-V	22883
KEP056LE-S2A-C	208-230/1/60	21807	355	161	KEP056LE-S2A-T	23175	KEP056LE-S2A-V	23433
KEP056LE-S4A-C	460/1/60	23116	355	161	#	#	KEP056LE-S4A-V	25797
KEP056LE-S5A-C	575/1/60	23552	355	161	#	#	#	#
KEP056LE-S6A-C	200-220/1/50	21807	355	161	KEP056LE-S6A-T	23175	KEP056LE-S6A-V	23433
KEP056LE-S9A-C	380-400/1/50	23116	355	161	#	#	KEP056LE-S9A-V	25797
KEP056LE-T3A-C	208-230/3/60	21807	355	161	KEP056LE-T3A-T	23175	KEP056LE-T3A-V	23433
KEP056LE-T4A-C	460/3/60	23116	355	161	#	#	KEP056LE-T4A-V	25797
KEP056LE-T5A-C	575/3/60	23552	355	161	#	#	#	#
KEP056LE-T7A-C	200-220/3/50	21807	355	161	KEP056LE-T7A-T	23175	KEP056LE-T7A-V	23433
KEP056LE-T9A-C	380-400/3/50	23116	355	161	#	#	KEP056LE-T9A-V	25797
KEP070LE-S2A-C	208-230/1/60	28533	460	209	KEP070LE-S2A-T	30585	KEP070LE-S2A-V	30971
KEP070LE-S4A-C	460/1/60	30245	460	209	#	#	KEP070LE-S4A-V	34267
KEP070LE-S5A-C	575/1/60	30816	460	209	#	#	#	#
KEP070LE-S6A-C	200-220/1/50	28533	460	209	KEP070LE-S6A-T	30585	KEP070LE-S6A-V	30971
KEP070LE-S9A-C	380-400/1/50	30245	460	209	#	#	KEP070LE-S9A-V	34267
KEP070LE-T3A-C	208-230/3/60	28533	460	209	KEP070LE-T3A-T	30585	KEP070LE-T3A-V	30971
KEP070LE-T4A-C	460/3/60	30245	460	209	#	#	KEP070LE-T4A-V	34267
KEP070LE-T5A-C	575/3/60	30816	460	209	#	#	#	#
KEP070LE-T7A-C	200-220/3/50	28533	460	209	KEP070LE-T7A-T	30585	KEP070LE-T7A-V	30971
KEP070LE-T9A-C	380-400/3/50	30245	460	209	#	#	KEP070LE-T9A-V	34267
KEP084LE-S2A-C	208-230/1/60	34666	490	223	KEP084LE-S2A-T	36718	KEP084LE-S2A-V	37104
KEP084LE-S4A-C	460/1/60	36746	490	223	#	#	KEP084LE-S4A-V	40768
KEP084LE-S5A-C	575/1/60	37440	490	223	#	#	#	#
KEP084LE-S6A-C	200-220/1/50	34666	490	223	KEP084LE-S6A-T	36718	KEP084LE-S6A-V	37104
KEP084LE-S9A-C	380-400/1/50	36746	490	223	#	#	KEP084LE-S9A-V	40768
KEP084LE-T3A-C	208-230/3/60	34666	490	223	KEP084LE-T3A-T	36718	KEP084LE-T3A-V	37104
KEP084LE-T4A-C	460/3/60	36746	490	223	#	#	KEP084LE-T4A-V	40768
KEP084LE-T5A-C	575/3/60	37440	490	223	#	#	#	#
KEP084LE-T7A-C	200-220/3/50	34666	490	223	KEP084LE-T7A-T	36718	KEP084LE-T7A-V	37104
KEP084LE-T9A-C	380-400/3/50	36746	490	223	#	#	KEP084LE-T9A-V	40768
KEP100LE-S2A-C	208-230/1/60	38542	575	261	KEP100LE-S2A-T	41278	KEP100LE-S2A-V	41793
KEP100LE-S4A-C	460/1/60	40855	575	261	#	#	KEP100LE-S4A-V	46217
KEP100LE-S5A-C	575/1/60	41626	575	261	#	#	#	#
KEP100LE-S6A-C	200-220/1/50	38542	575	261	KEP100LE-S6A-T	41278	KEP100LE-S6A-V	41793
KEP100LE-S9A-C	380-400/1/50	40855	575	261	#	#	KEP100LE-S9A-V	46217
KEP100LE-T3A-C	208-230/3/60	38542	575	261	KEP100LE-T3A-T	41278	KEP100LE-T3A-V	41793
KEP100LE-T4A-C	460/3/60	40855	575	261	#	#	KEP100LE-T4A-V	46217
KEP100LE-T5A-C	575/3/60	41626	575	261	#	#	#	#
KEP100LE-T7A-C	200-220/3/50	38542	575	261	KEP100LE-T7A-T	41278	KEP100LE-T7A-V	41793
KEP100LE-T9A-C	380-400/3/50	40855	575	261	#	#	KEP100LE-T9A-V	46217

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

LOW TEMP 4 FPI - ELECTRIC DEFROST

PSC MOTORS			WEIGHT		EC MOTORS - SMART ^{SPEED}		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP020VE-S2A-C	208-230/1/60	13871	210	95	KEP020VE-S2A-T	14554	KEP020VE-S2A-V	14683
KEP020VE-S4A-C	460/1/60	14703	210	95	#	#	KEP020VE-S4A-V	16043
KEP020VE-S5A-C	575/1/60	14980	210	95	#	#	#	#
KEP020VE-S6A-C	200-220/1/50	13871	210	95	KEP020VE-S6A-T	14554	KEP020VE-S6A-V	14683
KEP020VE-S9A-C	380-400/1/50	14703	210	95	#	#	KEP020VE-S9A-V	16043
KEP020VE-T3A-C	208-230/3/60	13871	210	95	KEP020VE-T3A-T	14554	KEP020VE-T3A-V	14683
KEP020VE-T4A-C	460/3/60	14703	210	95	#	#	KEP020VE-T4A-V	16043
KEP020VE-T5A-C	575/3/60	14980	210	95	#	#	#	#
KEP020VE-T7A-C	200-220/3/50	13871	210	95	KEP020VE-T7A-T	14554	KEP020VE-T7A-V	14683
KEP020VE-T9A-C	380-400/3/50	14703	210	95	#	#	KEP020VE-T9A-V	16043
KEP024VE-S2A-C	208-230/1/60	15286	215	98	KEP024VE-S2A-T	15970	KEP024VE-S2A-V	16099
KEP024VE-S4A-C	460/1/60	16203	215	98	#	#	KEP024VE-S4A-V	17544
KEP024VE-S5A-C	575/1/60	16509	215	98	#	#	#	#
KEP024VE-S6A-C	200-220/1/50	15286	215	98	KEP024VE-S6A-T	15970	KEP024VE-S6A-V	16099
KEP024VE-S9A-C	380-400/1/50	16203	215	98	#	#	KEP024VE-S9A-V	17544
KEP024VE-T3A-C	208-230/3/60	15286	215	98	KEP024VE-T3A-T	15970	KEP024VE-T3A-V	16099
KEP024VE-T4A-C	460/3/60	16203	215	98	#	#	KEP024VE-T4A-V	17544
KEP024VE-T5A-C	575/3/60	16509	215	98	#	#	#	#
KEP024VE-T7A-C	200-220/3/50	15286	215	98	KEP024VE-T7A-T	15970	KEP024VE-T7A-V	16099
KEP024VE-T9A-C	380-400/3/50	16203	215	98	#	#	KEP024VE-T9A-V	17544
KEP030VE-S2A-C	208-230/1/60	16345	310	141	KEP030VE-S2A-T	17713	KEP030VE-S2A-V	17970
KEP030VE-S4A-C	460/1/60	17326	310	141	#	#	KEP030VE-S4A-V	20007
KEP030VE-S5A-C	575/1/60	17653	310	141	#	#	#	#
KEP030VE-S6A-C	200-220/1/50	16345	310	141	KEP030VE-S6A-T	17713	KEP030VE-S6A-V	17970
KEP030VE-S9A-C	380-400/1/50	17326	310	141	#	#	KEP030VE-S9A-V	20007
KEP030VE-T3A-C	208-230/3/60	16345	310	141	KEP030VE-T3A-T	17713	KEP030VE-T3A-V	17970
KEP030VE-T4A-C	460/3/60	17326	310	141	#	#	KEP030VE-T4A-V	20007
KEP030VE-T5A-C	575/3/60	17653	310	141	#	#	#	#
KEP030VE-T7A-C	200-220/3/50	16345	310	141	KEP030VE-T7A-T	17713	KEP030VE-T7A-V	17970
KEP030VE-T9A-C	380-400/3/50	17326	310	141	#	#	KEP030VE-T9A-V	20007
KEP040VE-S2A-C	208-230/1/60	17757	325	148	KEP040VE-S2A-T	19125	KEP040VE-S2A-V	19383
KEP040VE-S4A-C	460/1/60	18822	325	148	#	#	KEP040VE-S4A-V	21504
KEP040VE-S5A-C	575/1/60	19178	325	148	#	#	#	#
KEP040VE-S6A-C	200-220/1/50	17757	325	148	KEP040VE-S6A-T	19125	KEP040VE-S6A-V	19383
KEP040VE-S9A-C	380-400/1/50	18822	325	148	#	#	KEP040VE-S9A-V	21504
KEP040VE-T3A-C	208-230/3/60	17757	325	148	KEP040VE-T3A-T	19125	KEP040VE-T3A-V	19383
KEP040VE-T4A-C	460/3/60	18822	325	148	#	#	KEP040VE-T4A-V	21504
KEP040VE-T5A-C	575/3/60	19178	325	148	#	#	#	#
KEP040VE-T7A-C	200-220/3/50	17757	325	148	KEP040VE-T7A-T	19125	KEP040VE-T7A-V	19383
KEP040VE-T9A-C	380-400/3/50	18822	325	148	#	#	KEP040VE-T9A-V	21504
KEP048VE-S2A-C	208-230/1/60	21613	340	155	KEP048VE-S2A-T	22980	KEP048VE-S2A-V	23238
KEP048VE-S4A-C	460/1/60	22910	340	155	#	#	KEP048VE-S4A-V	25591
KEP048VE-S5A-C	575/1/60	23342	340	155	#	#	#	#
KEP048VE-S6A-C	200-220/1/50	21613	340	155	KEP048VE-S6A-T	22980	KEP048VE-S6A-V	23238
KEP048VE-S9A-C	380-400/1/50	22910	340	155	#	#	KEP048VE-S9A-V	25591
KEP048VE-T3A-C	208-230/3/60	21613	340	155	KEP048VE-T3A-T	22980	KEP048VE-T3A-V	23238
KEP048VE-T4A-C	460/3/60	22910	340	155	#	#	KEP048VE-T4A-V	25591
KEP048VE-T5A-C	575/3/60	23342	340	155	#	#	#	#
KEP048VE-T7A-C	200-220/3/50	21613	340	155	KEP048VE-T7A-T	22980	KEP048VE-T7A-V	23238
KEP048VE-T9A-C	380-400/3/50	22910	340	155	#	#	KEP048VE-T9A-V	25591

Continues on next page >>>

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

LOW TEMP 4 FPI - ELECTRIC DEFROST (cont'd)

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED [®]		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP060VE-S2A-C	208-230/1/60	26104	450	205	KEP060VE-S2A-T	28156	KEP060VE-S2A-V	28543
KEP060VE-S4A-C	460/1/60	27671	450	205	#	#	KEP060VE-S4A-V	31692
KEP060VE-S5A-C	575/1/60	28193	450	205	#	#	#	#
KEP060VE-S6A-C	200-220/1/50	26104	450	205	KEP060VE-S6A-T	28156	KEP060VE-S6A-V	28543
KEP060VE-S9A-C	380-400/1/50	27671	450	205	#	#	KEP060VE-S9A-V	31692
KEP060VE-T3A-C	208-230/3/60	26104	450	205	KEP060VE-T3A-T	28156	KEP060VE-T3A-V	28543
KEP060VE-T4A-C	460/3/60	27671	450	205	#	#	KEP060VE-T4A-V	31692
KEP060VE-T5A-C	575/3/60	28193	450	205	#	#	#	#
KEP060VE-T7A-C	200-220/3/50	26104	450	205	KEP060VE-T7A-T	28156	KEP060VE-T7A-V	28543
KEP060VE-T9A-C	380-400/3/50	27671	450	205	#	#	KEP060VE-T9A-V	31692
KEP072VE-S2A-C	208-230/1/60	28533	470	214	KEP072VE-S2A-T	30585	KEP072VE-S2A-V	30971
KEP072VE-S4A-C	460/1/60	30245	470	214	#	#	KEP072VE-S4A-V	34267
KEP072VE-S5A-C	575/1/60	30816	470	214	#	#	#	#
KEP072VE-S6A-C	200-220/1/50	28533	470	214	KEP072VE-S6A-T	30585	KEP072VE-S6A-V	30971
KEP072VE-S9A-C	380-400/1/50	30245	470	214	#	#	KEP072VE-S9A-V	34267
KEP072VE-T3A-C	208-230/3/60	28533	470	214	KEP072VE-T3A-T	30585	KEP072VE-T3A-V	30971
KEP072VE-T4A-C	460/3/60	30245	470	214	#	#	KEP072VE-T4A-V	34267
KEP072VE-T5A-C	575/3/60	30816	470	214	#	#	#	#
KEP072VE-T7A-C	200-220/3/50	28533	470	214	KEP072VE-T7A-T	30585	KEP072VE-T7A-V	30971
KEP072VE-T9A-C	380-400/3/50	30245	470	214	#	#	KEP072VE-T9A-V	34267
KEP088VE-S2A-C	208-230/1/60	38113	555	252	KEP088VE-S2A-T	40848	KEP088VE-S2A-V	41364
KEP088VE-S4A-C	460/1/60	40400	555	252	#	#	KEP088VE-S4A-V	45762
KEP088VE-S5A-C	575/1/60	41162	555	252	#	#	#	#
KEP088VE-S6A-C	200-220/1/50	38113	555	252	KEP088VE-S6A-T	40848	KEP088VE-S6A-V	41364
KEP088VE-S9A-C	380-400/1/50	40400	555	252	#	#	KEP088VE-S9A-V	45762
KEP088VE-T3A-C	208-230/3/60	38113	555	252	KEP088VE-T3A-T	40848	KEP088VE-T3A-V	41364
KEP088VE-T4A-C	460/3/60	40400	555	252	#	#	KEP088VE-T4A-V	45762
KEP088VE-T5A-C	575/3/60	41162	555	252	#	#	#	#
KEP088VE-T7A-C	200-220/3/50	38113	555	252	KEP088VE-T7A-T	40848	KEP088VE-T7A-V	41364
KEP088VE-T9A-C	380-400/3/50	40400	555	252	#	#	KEP088VE-T9A-V	45762

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP026M [^] -S2A-C	208-230/1/60	1	205	93	KEP026MG-S2A-T	1	KEP026MG-S2A-V	1
KEP026M [^] -S4A-C	460/1/60	13957	205	93	#	#	KEP026MG-S4A-V	15297
KEP026M [^] -S5A-C	575/1/60	14220	205	93	#	#	#	#
KEP026M [^] -S6A-C	200-220/1/50	13167	205	93	KEP026MG-S6A-T	13851	KEP026MG-S6A-V	13979
KEP026M [^] -S9A-C	380-400/1/50	13957	205	93	#	#	KEP026MG-S9A-V	15297
KEP031M [^] -S2A-C	208-230/1/60	14421	215	98	KEP031MG-S2A-T	15105	KEP031MG-S2A-V	15233
KEP031M [^] -S4A-C	460/1/60	15286	215	98	#	#	KEP031MG-S4A-V	16626
KEP031M [^] -S5A-C	575/1/60	15574	215	98	#	#	#	#
KEP031M [^] -S6A-C	200-220/1/50	14421	215	98	KEP031MG-S6A-T	15105	KEP031MG-S6A-V	15233
KEP031M [^] -S9A-C	380-400/1/50	15286	215	98	#	#	KEP031MG-S9A-V	16626
KEP038M [^] -S2A-C	208-230/1/60	16656	295	134	KEP038MG-S2A-T	18024	KEP038MG-S2A-V	18282
KEP038M [^] -S4A-C	460/1/60	17656	295	134	#	#	KEP038MG-S4A-V	20337
KEP038M [^] -S5A-C	575/1/60	17989	295	134	#	#	#	#
KEP038M [^] -S6A-C	200-220/1/50	16656	295	134	KEP038MG-S6A-T	18024	KEP038MG-S6A-V	18282
KEP038M [^] -S9A-C	380-400/1/50	17656	295	134	#	#	KEP038MG-S9A-V	20337
KEP052M [^] -S2A-C	208-230/1/60	19059	315	143	KEP052MG-S2A-T	20426	KEP052MG-S2A-V	20684
KEP052M [^] -S4A-C	460/1/60	20202	315	143	#	#	KEP052MG-S4A-V	22883
KEP052M [^] -S5A-C	575/1/60	20583	315	143	#	#	#	#
KEP052M [^] -S6A-C	200-220/1/50	19059	315	143	KEP052MG-S6A-T	20426	KEP052MG-S6A-V	20684
KEP052M [^] -S9A-C	380-400/1/50	20202	315	143	#	#	KEP052MG-S9A-V	22883
KEP062M [^] -S2A-C	208-230/1/60	21807	335	152	KEP062MG-S2A-T	23175	KEP062MG-S2A-V	23433
KEP062M [^] -S4A-C	460/1/60	23116	335	152	#	#	KEP062MG-S4A-V	25797
KEP062M [^] -S5A-C	575/1/60	23552	335	152	#	#	#	#
KEP062M [^] -S6A-C	200-220/1/50	21807	335	152	KEP062MG-S6A-T	23175	KEP062MG-S6A-V	23433
KEP062M [^] -S9A-C	380-400/1/50	23116	335	152	#	#	KEP062MG-S9A-V	25797
KEP079M [^] -S2A-C	208-230/1/60	28533	430	195	KEP079MG-S2A-T	30585	KEP079MG-S2A-V	30971
KEP079M [^] -S4A-C	460/1/60	30245	430	195	#	#	KEP079MG-S4A-V	34267
KEP079M [^] -S5A-C	575/1/60	30816	430	195	#	#	#	#
KEP079M [^] -S6A-C	200-220/1/50	28533	430	195	KEP079MG-S6A-T	30585	KEP079MG-S6A-V	30971
KEP079M [^] -S9A-C	380-400/1/50	30245	430	195	#	#	KEP079MG-S9A-V	34267
KEP093M [^] -S2A-C	208-230/1/60	34666	460	209	KEP093MG-S2A-T	36718	KEP093MG-S2A-V	37104
KEP093M [^] -S4A-C	460/1/60	36746	460	209	#	#	KEP093MG-S4A-V	40768
KEP093M [^] -S5A-C	575/1/60	37440	460	209	#	#	#	#
KEP093M [^] -S6A-C	200-220/1/50	34666	460	209	KEP093MG-S6A-T	36718	KEP093MG-S6A-V	37104
KEP093M [^] -S9A-C	380-400/1/50	36746	460	209	#	#	KEP093MG-S9A-V	40768
KEP115M [^] -S2A-C	208-230/1/60	38542	545	248	KEP115MG-S2A-T	41278	KEP115MG-S2A-V	41793
KEP115M [^] -S4A-C	460/1/60	40855	545	248	#	#	KEP115MG-S4A-V	46217
KEP115M [^] -S5A-C	575/1/60	41626	545	248	#	#	#	#
KEP115M [^] -S6A-C	200-220/1/50	38542	545	248	KEP115MG-S6A-T	41278	KEP115MG-S6A-V	41793
KEP115M [^] -S9A-C	380-400/1/50	40855	545	248	#	#	KEP115MG-S9A-V	46217

NOTES:

- Fixed defrost termination is a standard feature. Optional adjustable defrost termination available.
- Electric heater in drain pan is standard. OPTIONAL HOT GAS LOOP IN DRAIN PAN:
1 FAN = **\$3526**, 2 FAN = **\$3875**, 3 FAN = **\$3988**, 4 FAN = **\$4167**
- For approx. shipping weights for hot gas loop in drain pan models, refer to installation bulletin K30-KEP-PDI
- All hot gas evaps include TXV bypass check valve shipped loose.

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

LOW TEMP 6 FPI - HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP023L^S2A-C	208-230/1/60	13167	205	93	KEP023LG-S2A-T	13851	KEP023LG-S2A-V	13979
KEP023L^S4A-C	460/1/60	13957	205	93	#	#	KEP023LG-S4A-V	15297
KEP023L^S5A-C	575/1/60	14220	205	93	#	#	#	#
KEP023L^S6A-C	200-220/1/50	13167	205	93	KEP023LG-S6A-T	13851	KEP023LG-S6A-V	13979
KEP023L^S9A-C	380-400/1/50	13957	205	93	#	#	KEP023LG-S9A-V	15297
KEP028L^S2A-C	208-230/1/60	14421	215	98	KEP028LG-S2A-T	15105	KEP028LG-S2A-V	15233
KEP028L^S4A-C	460/1/60	15286	215	98	#	#	KEP028LG-S4A-V	16626
KEP028L^S5A-C	575/1/60	15574	215	98	#	#	#	#
KEP028L^S6A-C	200-220/1/50	14421	215	98	KEP028LG-S6A-T	15105	KEP028LG-S6A-V	15233
KEP028L^S9A-C	380-400/1/50	15286	215	98	#	#	KEP028LG-S9A-V	16626
KEP035L^S2A-C	208-230/1/60	16656	300	136	KEP035LG-S2A-T	18024	KEP035LG-S2A-V	18282
KEP035L^S4A-C	460/1/60	17656	300	136	#	#	KEP035LG-S4A-V	20337
KEP035L^S5A-C	575/1/60	17989	300	136	#	#	#	#
KEP035L^S6A-C	200-220/1/50	16656	300	136	KEP035LG-S6A-T	18024	KEP035LG-S6A-V	18282
KEP035L^S9A-C	380-400/1/50	17656	300	136	#	#	KEP035LG-S9A-V	20337
KEP047L^S2A-C	208-230/1/60	19059	320	145	KEP047LG-S2A-T	20426	KEP047LG-S2A-V	20684
KEP047L^S4A-C	460/1/60	20202	320	145	#	#	KEP047LG-S4A-V	22883
KEP047L^S5A-C	575/1/60	20583	320	145	#	#	#	#
KEP047L^S6A-C	200-220/1/50	19059	320	145	KEP047LG-S6A-T	20426	KEP047LG-S6A-V	20684
KEP047L^S9A-C	380-400/1/50	20202	320	145	#	#	KEP047LG-S9A-V	22883
KEP056L^S2A-C	208-230/1/60	21807	340	155	KEP056LG-S2A-T	23175	KEP056LG-S2A-V	23433
KEP056L^S4A-C	460/1/60	23116	340	155	#	#	KEP056LG-S4A-V	25797
KEP056L^S5A-C	575/1/60	23552	340	155	#	#	#	#
KEP056L^S6A-C	200-220/1/50	21807	340	155	KEP056LG-S6A-T	23175	KEP056LG-S6A-V	23433
KEP056L^S9A-C	380-400/1/50	23116	340	155	#	#	KEP056LG-S9A-V	25797
KEP070L^S2A-C	208-230/1/60	28533	435	198	KEP070LG-S2A-T	30585	KEP070LG-S2A-V	30971
KEP070L^S4A-C	460/1/60	30245	435	198	#	#	KEP070LG-S4A-V	34267
KEP070L^S5A-C	575/1/60	30816	435	198	#	#	#	#
KEP070L^S6A-C	200-220/1/50	28533	435	198	KEP070LG-S6A-T	30585	KEP070LG-S6A-V	30971
KEP070L^S9A-C	380-400/1/50	30245	435	198	#	#	KEP070LG-S9A-V	34267
KEP084L^S2A-C	208-230/1/60	34666	470	214	KEP084LG-S2A-T	36718	KEP084LG-S2A-V	37104
KEP084L^S4A-C	460/1/60	36746	470	214	#	#	KEP084LG-S4A-V	40768
KEP084L^S5A-C	575/1/60	37440	470	214	#	#	#	#
KEP084L^S6A-C	200-220/1/50	34666	470	214	KEP084LG-S6A-T	36718	KEP084LG-S6A-V	37104
KEP084L^S9A-C	380-400/1/50	36746	470	214	#	#	KEP084LG-S9A-V	40768
KEP100L^S2A-C	208-230/1/60	38542	550	250	KEP100LG-S2A-T	41278	KEP100LG-S2A-V	41793
KEP100L^S4A-C	460/1/60	40855	550	250	#	#	KEP100LG-S4A-V	46217
KEP100L^S5A-C	575/1/60	41626	550	250	#	#	#	#
KEP100L^S6A-C	200-220/1/50	38542	550	250	KEP100LG-S6A-T	41278	KEP100LG-S6A-V	41793
KEP100L^S9A-C	380-400/1/50	40855	550	250	#	#	KEP100LG-S9A-V	46217

NOTES:

- Fixed defrost termination is a standard feature. Optional adjustable defrost termination available.
- Electric heater in drain pan is standard. OPTIONAL HOT GAS LOOP IN DRAIN PAN:
1 FAN = **\$3526**, 2 FAN = **\$3875**, 3 FAN = **\$3988**, 4 FAN = **\$4167**
- For approx. shipping weights for hot gas loop in drain pan models, refer to installation bulletin K30-KEP-PDI
- All hot gas evaps include TXV bypass check valve shipped loose.

KEP-LINE, EXTENDED PROFILE EVAPORATORS (cont'd)

LOW TEMP 4 FPI - HOT GAS DEFROST


^ Insert appropriate code for hot gas defrost type

PSC MOTORS			WEIGHT		EC MOTORS - SMARTSPEED		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KEP020V [^] -S2A-C	208-230/1/60	13871	200	91	KEP020VG-S2A-T	14554	KEP020VG-S2A-V	14683
KEP020V [^] -S4A-C	460/1/60	14703	200	91	#	#	KEP020VG-S4A-V	16043
KEP020V [^] -S5A-C	575/1/60	14980	200	91	#	#	#	#
KEP020V [^] -S6A-C	200-220/1/50	13871	200	91	KEP020VG-S6A-T	14554	KEP020VG-S6A-V	14683
KEP020V [^] -S9A-C	380-400/1/50	14703	200	91	#	#	KEP020VG-S9A-V	16043
KEP024V [^] -S2A-C	208-230/1/60	15286	210	95	KEP024VG-S2A-T	15970	KEP024VG-S2A-V	16099
KEP024V [^] -S4A-C	460/1/60	16203	210	95	#	#	KEP024VG-S4A-V	17544
KEP024V [^] -S5A-C	575/1/60	16509	210	95	#	#	#	#
KEP024V [^] -S6A-C	200-220/1/50	15286	210	95	KEP024VG-S6A-T	15970	KEP024VG-S6A-V	16099
KEP024V [^] -S9A-C	380-400/1/50	16203	210	95	#	#	KEP024VG-S9A-V	17544
KEP030V [^] -S2A-C	208-230/1/60	16345	395	180	KEP030VG-S2A-T	17713	KEP030VG-S2A-V	17970
KEP030V [^] -S4A-C	460/1/60	17326	395	180	#	#	KEP030VG-S4A-V	20007
KEP030V [^] -S5A-C	575/1/60	17653	395	180	#	#	#	#
KEP030V [^] -S6A-C	200-220/1/50	16345	395	180	KEP030VG-S6A-T	17713	KEP030VG-S6A-V	17970
KEP030V [^] -S9A-C	380-400/1/50	17326	395	180	#	#	KEP030VG-S9A-V	20007
KEP040V [^] -S2A-C	208-230/1/60	17757	310	141	KEP040VG-S2A-T	19125	KEP040VG-S2A-V	19383
KEP040V [^] -S4A-C	460/1/60	18822	310	141	#	#	KEP040VG-S4A-V	21504
KEP040V [^] -S5A-C	575/1/60	19178	310	141	#	#	#	#
KEP040V [^] -S6A-C	200-220/1/50	17757	310	141	KEP040VG-S6A-T	19125	KEP040VG-S6A-V	19383
KEP040V [^] -S9A-C	380-400/1/50	18822	310	141	#	#	KEP040VG-S9A-V	21504
KEP048V [^] -S2A-C	208-230/1/60	21613	330	150	KEP048VG-S2A-T	22980	KEP048VG-S2A-V	23238
KEP048V [^] -S4A-C	460/1/60	22910	330	150	#	#	KEP048VG-S4A-V	25591
KEP048V [^] -S5A-C	575/1/60	23342	330	150	#	#	#	#
KEP048V [^] -S6A-C	200-220/1/50	21613	330	150	KEP048VG-S6A-T	22980	KEP048VG-S6A-V	23238
KEP048V [^] -S9A-C	380-400/1/50	22910	330	150	#	#	KEP048VG-S9A-V	25591
KEP060V [^] -S2A-C	208-230/1/60	26104	430	195	KEP060VG-S2A-T	28156	KEP060VG-S2A-V	28543
KEP060V [^] -S4A-C	460/1/60	27671	430	195	#	#	KEP060VG-S4A-V	31692
KEP060V [^] -S5A-C	575/1/60	28193	430	195	#	#	#	#
KEP060V [^] -S6A-C	200-220/1/50	26104	430	195	KEP060VG-S6A-T	28156	KEP060VG-S6A-V	28543
KEP060V [^] -S9A-C	380-400/1/50	27671	430	195	#	#	KEP060VG-S9A-V	31692
KEP072V [^] -S2A-C	208-230/1/60	28533	450	205	KEP072VG-S2A-T	30585	KEP072VG-S2A-V	30971
KEP072V [^] -S4A-C	460/1/60	30245	450	205	#	#	KEP072VG-S4A-V	34267
KEP072V [^] -S5A-C	575/1/60	30816	450	205	#	#	#	#
KEP072V [^] -S6A-C	200-220/1/50	28533	450	205	KEP072VG-S6A-T	30585	KEP072VG-S6A-V	30971
KEP072V [^] -S9A-C	380-400/1/50	30245	450	205	#	#	KEP072VG-S9A-V	34267
KEP088V [^] -S2A-C	208-230/1/60	38113	530	241	KEP088VG-S2A-T	40848	KEP088VG-S2A-V	41364
KEP088V [^] -S4A-C	460/1/60	40400	530	241	#	#	KEP088VG-S4A-V	45762
KEP088V [^] -S5A-C	575/1/60	41162	530	241	#	#	#	#
KEP088V [^] -S6A-C	200-220/1/50	38113	530	241	KEP088VG-S6A-T	40848	KEP088VG-S6A-V	41364
KEP088V [^] -S9A-C	380-400/1/50	40400	530	241	#	#	KEP088VG-S9A-V	45762

NOTES:

- Fixed defrost termination is a standard feature. Optional adjustable defrost termination available.
- Electric heater in drain pan is standard. OPTIONAL HOT GAS LOOP IN DRAIN PAN:
1 FAN = \$3526, 2 FAN = \$3875, 3 FAN = \$3988, 4 FAN = \$4167
- For approx. shipping weights for hot gas loop in drain pan models, refer to installation bulletin K30-KEP-PDI
- All hot gas evaps include TXV bypass check valve shipped loose.


KHP-LINE, HIGH PROFILE EVAPORATORS



web: www.k-rp.com/khp
 email: evaps@k-rp.com
 call: 1-844-893-3222 x520



NOMENCLATURE



STANDARD FEATURES

- EC motors with patented SmartSpeed® Technology.
- Compatible with Low GWP Refrigerants
- Totally enclosed high efficiency EC motors
- High efficiency and high strength fan guard
- Hinged access panels
- Internally enhanced tubing
- Ample electrical and header compartments
- Adjustable Fan Delay on medium temperature Electric Defrost and Hot Gas units
- Fixed fan delay on all low temperature units
- Electronic defrost termination on all electric and hot gas defrost units
- Liquid line solenoid valve wire harness factory installed
- Schrader valve on suction header
- Quiet swept wing fan blade
- 1-1/4" NPT drain fitting
- Unit shipped with dry air holding charge
- Factory installed distributor nozzle

AVAILABLE OPTIONS

- ESP+ Intuitive Evaporator Control Technology.
- Hot gas loop pan with hot gas defrost models
- Factory installed expansion valve, solenoid valve and room thermostat
- Corrosion protection: alternate fin materials and coatings
- Wire fan guard
- Additional options available, please contact factory

KHP-LINE, HIGH PROFILE EVAPORATORS (cont'd)

HIGH TEMP - AIR DEFROST

ODP MOTORS			WEIGHT		TEFC MOTORS		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KHP054HA-T3B-SN	208-230/3/60	18009	374	170	KHP054HA-T3B-T	18374	KHP054HA-T3B-M	20919
KHP054HA-T4B-SN	460/3/60	18009	374	170	KHP054HA-T4B-T	18374	KHP054HA-T4B-M	20919
KHP054HA-T5B-SN	575/3/60	18370	374	170	KHP054HA-T5B-T	18734	#	#
KHP054HA-T7B-SN	200-220/3/50	18009	374	170	KHP054HA-T7B-T	18374	KHP054HA-T7B-M	20919
KHP054HA-T9B-SN	380-400/3/50	18009	374	170	KHP054HA-T9B-T	18374	KHP054HA-T9B-M	20919
KHP062HA-T3B-SN	208-230/3/60	19353	397	180	KHP062HA-T3B-T	19717	KHP062HA-T3B-M	22263
KHP062HA-T4B-SN	460/3/60	19353	397	180	KHP062HA-T4B-T	19717	KHP062HA-T4B-M	22263
KHP062HA-T5B-SN	575/3/60	19740	397	180	KHP062HA-T5B-T	20105	#	#
KHP062HA-T7B-SN	200-220/3/50	19353	397	180	KHP062HA-T7B-T	19717	KHP062HA-T7B-M	22263
KHP062HA-T9B-SN	380-400/3/50	19353	397	180	KHP062HA-T9B-T	19717	KHP062HA-T9B-M	22263
KHP077HA-T3B-SN	208-230/3/60	20819	420	191	KHP077HA-T3B-T	21184	KHP077HA-T3B-M	23730
KHP077HA-T4B-SN	460/3/60	20819	420	191	KHP077HA-T4B-T	21184	KHP077HA-T4B-M	23730
KHP077HA-T5B-SN	575/3/60	21236	420	191	KHP077HA-T5B-T	21600	#	#
KHP077HA-T7B-SN	200-220/3/50	20819	420	191	KHP077HA-T7B-T	21184	KHP077HA-T7B-M	23730
KHP077HA-T9B-SN	380-400/3/50	20819	420	191	KHP077HA-T9B-T	21184	KHP077HA-T9B-M	23730
KHP109HA-T3B-SN	208-230/3/60	30459	656	298	KHP109HA-T3B-T	31188	KHP109HA-T3B-M	36279
KHP109HA-T4B-SN	460/3/60	30459	656	298	KHP109HA-T4B-T	31188	KHP109HA-T4B-M	36279
KHP109HA-T5B-SN	575/3/60	31068	656	298	KHP109HA-T5B-T	31797	#	#
KHP109HA-T7B-SN	200-220/3/50	30459	656	298	KHP109HA-T7B-T	31188	KHP109HA-T7B-M	36279
KHP109HA-T9B-SN	380-400/3/50	30459	656	298	KHP109HA-T9B-T	31188	KHP109HA-T9B-M	36279
KHP126HA-T3B-SN	208-230/3/60	32793	702	319	KHP126HA-T3B-T	33521	KHP126HA-T3B-M	38613
KHP126HA-T4B-SN	460/3/60	32793	702	319	KHP126HA-T4B-T	33521	KHP126HA-T4B-M	38613
KHP126HA-T5B-SN	575/3/60	33449	702	319	KHP126HA-T5B-T	34177	#	#
KHP126HA-T7B-SN	200-220/3/50	32793	702	319	KHP126HA-T7B-T	33521	KHP126HA-T7B-M	38613
KHP126HA-T9B-SN	380-400/3/50	32793	702	319	KHP126HA-T9B-T	33521	KHP126HA-T9B-M	38613
KHP154HA-T3B-SN	208-230/3/60	38358	748	340	KHP154HA-T3B-T	39087	KHP154HA-T3B-M	44178
KHP154HA-T4B-SN	460/3/60	38358	748	340	KHP154HA-T4B-T	39087	KHP154HA-T4B-M	44178
KHP154HA-T5B-SN	575/3/60	39125	748	340	KHP154HA-T5B-T	39854	#	#
KHP154HA-T7B-SN	200-220/3/50	38358	748	340	KHP154HA-T7B-T	39087	KHP154HA-T7B-M	44178
KHP154HA-T9B-SN	380-400/3/50	38358	748	340	KHP154HA-T9B-T	39087	KHP154HA-T9B-M	44178
KHP190HA-T3B-SN	208-230/3/60	40477	1007	458	KHP190HA-T3B-T	41570	KHP190HA-T3B-M	49207
KHP190HA-T4B-SN	460/3/60	40477	1007	458	KHP190HA-T4B-T	41570	KHP190HA-T4B-M	49207
KHP190HA-T5B-SN	575/3/60	41286	1007	458	KHP190HA-T5B-T	42379	#	#
KHP190HA-T7B-SN	200-220/3/50	40477	1007	458	KHP190HA-T7B-T	41570	KHP190HA-T7B-M	49207
KHP190HA-T9B-SN	380-400/3/50	40477	1007	458	KHP190HA-T9B-T	41570	KHP190HA-T9B-M	49207
KHP229HA-T3B-SN	208-230/3/60	47686	1076	489	KHP229HA-T3B-T	48779	KHP229HA-T3B-M	56416
KHP229HA-T4B-SN	460/3/60	47686	1076	489	KHP229HA-T4B-T	48779	KHP229HA-T4B-M	56416
KHP229HA-T5B-SN	575/3/60	48639	1076	489	KHP229HA-T5B-T	49733	#	#
KHP229HA-T7B-SN	200-220/3/50	47686	1076	489	KHP229HA-T7B-T	48779	KHP229HA-T7B-M	56416
KHP229HA-T9B-SN	380-400/3/50	47686	1076	489	KHP229HA-T9B-T	48779	KHP229HA-T9B-M	56416
KHP282HA-T3B-SN	208-230/3/60	59972	1592	724	KHP282HA-T3B-T	61430	KHP282HA-T3B-M	71613
KHP282HA-T4B-SN	460/3/60	59972	1592	724	KHP282HA-T4B-T	61430	KHP282HA-T4B-M	71613
KHP282HA-T5B-SN	575/3/60	61172	1592	724	KHP282HA-T5B-T	62629	#	#
KHP282HA-T7B-SN	200-220/3/50	59972	1592	724	KHP282HA-T7B-T	61430	KHP282HA-T7B-M	71613
KHP282HA-T9B-SN	380-400/3/50	59972	1592	724	KHP282HA-T9B-T	61430	KHP282HA-T9B-M	71613
KHP308HA-T3B-SN	208-230/3/60	62235	1144	520	KHP308HA-T3B-T	63693	KHP308HA-T3B-M	73876
KHP308HA-T4B-SN	460/3/60	62235	1144	520	KHP308HA-T4B-T	63693	KHP308HA-T4B-M	73876
KHP308HA-T5B-SN	575/3/60	63480	1144	520	KHP308HA-T5B-T	64938	#	#
KHP308HA-T7B-SN	200-220/3/50	62235	1144	520	KHP308HA-T7B-T	63693	KHP308HA-T7B-M	73876
KHP308HA-T9B-SN	380-400/3/50	62235	1144	520	KHP308HA-T9B-T	63693	KHP308HA-T9B-M	73876

KHP-LINE, HIGH PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP - ELECTRIC DEFROST

ODP MOTORS			WEIGHT		TEFC MOTORS		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KHP050ME-T3B-SN	208-230/3/60	24928	370	168	KHP050ME-T3B-T	25292	KHP050ME-T3B-M	27838
KHP050ME-T4B-SN	460/3/60	24928	370	168	KHP050ME-T4B-T	25292	KHP050ME-T4B-M	27838
KHP050ME-T5B-SN	575/3/60	25427	370	168	KHP050ME-T5B-T	25791	#	#
KHP050ME-T7B-SN	200-220/3/50	24928	370	168	KHP050ME-T7B-T	25292	KHP050ME-T7B-M	27838
KHP050ME-T9B-SN	380-400/3/50	24928	370	168	KHP050ME-T9B-T	25292	KHP050ME-T9B-M	27838
KHP059ME-T3B-SN	208-230/3/60	26241	391	178	KHP059ME-T3B-T	26605	KHP059ME-T3B-M	29151
KHP059ME-T4B-SN	460/3/60	26241	391	178	KHP059ME-T4B-T	26605	KHP059ME-T4B-M	29151
KHP059ME-T5B-SN	575/3/60	26765	391	178	KHP059ME-T5B-T	27130	#	#
KHP059ME-T7B-SN	200-220/3/50	26241	391	178	KHP059ME-T7B-T	26605	KHP059ME-T7B-M	29151
KHP059ME-T9B-SN	380-400/3/50	26241	391	178	KHP059ME-T9B-T	26605	KHP059ME-T9B-M	29151
KHP073ME-T3B-SN	208-230/3/60	29481	412	187	KHP073ME-T3B-T	29845	KHP073ME-T3B-M	32391
KHP073ME-T4B-SN	460/3/60	29481	412	187	KHP073ME-T4B-T	29845	KHP073ME-T4B-M	32391
KHP073ME-T5B-SN	575/3/60	30071	412	187	KHP073ME-T5B-T	30435	#	#
KHP073ME-T7B-SN	200-220/3/50	29481	412	187	KHP073ME-T7B-T	29845	KHP073ME-T7B-M	32391
KHP073ME-T9B-SN	380-400/3/50	29481	412	187	KHP073ME-T9B-T	29845	KHP073ME-T9B-M	32391
KHP101ME-T3B-SN	208-230/3/60	33002	647	294	KHP101ME-T3B-T	33731	KHP101ME-T3B-M	38822
KHP101ME-T4B-SN	460/3/60	33002	647	294	KHP101ME-T4B-T	33731	KHP101ME-T4B-M	38822
KHP101ME-T5B-SN	575/3/60	33662	647	294	KHP101ME-T5B-T	34391	#	#
KHP101ME-T7B-SN	200-220/3/50	33002	647	294	KHP101ME-T7B-T	33731	KHP101ME-T7B-M	38822
KHP101ME-T9B-SN	380-400/3/50	33002	647	294	KHP101ME-T9B-T	33731	KHP101ME-T9B-M	38822
KHP118ME-T3B-SN	208-230/3/60	42117	690	314	KHP118ME-T3B-T	42846	KHP118ME-T3B-M	47937
KHP118ME-T4B-SN	460/3/60	42117	690	314	KHP118ME-T4B-T	42846	KHP118ME-T4B-M	47937
KHP118ME-T5B-SN	575/3/60	42960	690	314	KHP118ME-T5B-T	43688	#	#
KHP118ME-T7B-SN	200-220/3/50	42117	690	314	KHP118ME-T7B-T	42846	KHP118ME-T7B-M	47937
KHP118ME-T9B-SN	380-400/3/50	42117	690	314	KHP118ME-T9B-T	42846	KHP118ME-T9B-M	47937
KHP146ME-T3B-SN	208-230/3/60	43593	732	333	KHP146ME-T3B-T	44322	KHP146ME-T3B-M	49414
KHP146ME-T4B-SN	460/3/60	43593	732	333	KHP146ME-T4B-T	44322	KHP146ME-T4B-M	49414
KHP146ME-T5B-SN	575/3/60	44465	732	333	KHP146ME-T5B-T	45194	#	#
KHP146ME-T7B-SN	200-220/3/50	43593	732	333	KHP146ME-T7B-T	44322	KHP146ME-T7B-M	49414
KHP146ME-T9B-SN	380-400/3/50	43593	732	333	KHP146ME-T9B-T	44322	KHP146ME-T9B-M	49414
KHP177ME-T3B-SN	208-230/3/60	48105	989	450	KHP177ME-T3B-T	49198	KHP177ME-T3B-M	56835
KHP177ME-T4B-SN	460/3/60	48105	989	450	KHP177ME-T4B-T	49198	KHP177ME-T4B-M	56835
KHP177ME-T5B-SN	575/3/60	49067	989	450	KHP177ME-T5B-T	50160	#	#
KHP177ME-T7B-SN	200-220/3/50	48105	989	450	KHP177ME-T7B-T	49198	KHP177ME-T7B-M	56835
KHP177ME-T9B-SN	380-400/3/50	48105	989	450	KHP177ME-T9B-T	49198	KHP177ME-T9B-M	56835
KHP218ME-T3B-SN	208-230/3/60	62304	1052	478	KHP218ME-T3B-T	63397	KHP218ME-T3B-M	71034
KHP218ME-T4B-SN	460/3/60	62304	1052	478	KHP218ME-T4B-T	63397	KHP218ME-T4B-M	71034
KHP218ME-T5B-SN	575/3/60	63550	1052	478	KHP218ME-T5B-T	64643	#	#
KHP218ME-T9B-SN	380-400/3/50	62304	1052	478	KHP218ME-T9B-T	63397	KHP218ME-T9B-M	71034
KHP266ME-T3B-SN	208-230/3/60	73315	1550	705	KHP266ME-T3B-T	74772	KHP266ME-T3B-M	84955
KHP266ME-T4B-SN	460/3/60	73315	1550	705	KHP266ME-T4B-T	74772	KHP266ME-T4B-M	84955
KHP266ME-T5B-SN	575/3/60	74781	1550	705	KHP266ME-T5B-T	76239	#	#
KHP266ME-T9B-SN	380-400/3/50	73315	1550	705	KHP266ME-T9B-T	74772	KHP266ME-T9B-M	84955
KHP291ME-T4B-SN	460/3/60	76076	1670	759	KHP291ME-T4B-T	77534	KHP291ME-T4B-M	87716
KHP291ME-T5B-SN	575/3/60	77598	1670	759	KHP291ME-T5B-T	79055	#	#
KHP291ME-T9B-SN	380-400/3/50	76076	1670	759	KHP291ME-T9B-T	77534	KHP291ME-T9B-M	87716

OPTIONS:

- Adjustable defrost termination / fan delay is a standard feature - included in list price.
- THROW BOOSTER **\$628** LIST PER FAN SECTION (derate capacity by 0.92 & CFM by 0.85)

KHP-LINE, HIGH PROFILE EVAPORATORS (cont'd)

MEDIUM TEMP 6 FPI - HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

ODP MOTORS			WEIGHT		TEFC MOTORS		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KHP050M^T3B-SN	208-230/3/60	24928	373	170	KHP050M^T3B-TN	25292	KHP050M^T3B-MN	27838
KHP050M^T4B-SN	460/3/60	24928	373	170	KHP050M^T4B-TN	25292	KHP050M^T4B-MN	27838
KHP050M^T5B-SN	575/3/60	25427	373	170	KHP050M^T5B-TN	25791	#	#
KHP050M^T7B-SN	200-220/3/50	24928	373	170	KHP050M^T7B-TN	25292	KHP050M^T7B-MN	27838
KHP050M^T9B-SN	380-400/3/50	24928	373	170	KHP050M^T9B-TN	25292	KHP050M^T9B-MN	27838
KHP059M^T3B-SN	208-230/3/60	26241	394	179	KHP059M^T3B-TN	26605	KHP059M^T3B-MN	29151
KHP059M^T4B-SN	460/3/60	26241	394	179	KHP059M^T4B-TN	26605	KHP059M^T4B-MN	29151
KHP059M^T5B-SN	575/3/60	26765	394	179	KHP059M^T5B-TN	27130	#	#
KHP059M^T7B-SN	200-220/3/50	26241	394	179	KHP059M^T7B-TN	26605	KHP059M^T7B-MN	29151
KHP059M^T9B-SN	380-400/3/50	26241	394	179	KHP059M^T9B-TN	26605	KHP059M^T9B-MN	29151
KHP073M^T3B-SN	208-230/3/60	29481	415	189	KHP073M^T3B-TN	29845	KHP073M^T3B-MN	32391
KHP073M^T4B-SN	460/3/60	29481	415	189	KHP073M^T4B-TN	29845	KHP073M^T4B-MN	32391
KHP073M^T5B-SN	575/3/60	30071	415	189	KHP073M^T5B-TN	30435	#	#
KHP073M^T7B-SN	200-220/3/50	29481	415	189	KHP073M^T7B-TN	29845	KHP073M^T7B-MN	32391
KHP073M^T9B-SN	380-400/3/50	29481	415	189	KHP073M^T9B-TN	29845	KHP073M^T9B-MN	32391
KHP101M^T3B-SN	208-230/3/60	33002	654	297	KHP101M^T3B-TN	33731	KHP101M^T3B-MN	38822
KHP101M^T4B-SN	460/3/60	33002	654	297	KHP101M^T4B-TN	33731	KHP101M^T4B-MN	38822
KHP101M^T5B-SN	575/3/60	33662	654	297	KHP101M^T5B-TN	34391	#	#
KHP101M^T7B-SN	200-220/3/50	33002	654	297	KHP101M^T7B-TN	33731	KHP101M^T7B-MN	38822
KHP101M^T9B-SN	380-400/3/50	33002	654	297	KHP101M^T9B-TN	33731	KHP101M^T9B-MN	38822
KHP118M^T3B-SN	208-230/3/60	42117	696	316	KHP118M^T3B-TN	42846	KHP118M^T3B-MN	47937
KHP118M^T4B-SN	460/3/60	42117	696	316	KHP118M^T4B-TN	42846	KHP118M^T4B-MN	47937
KHP118M^T5B-SN	575/3/60	42960	696	316	KHP118M^T5B-TN	43688	#	#
KHP118M^T7B-SN	200-220/3/50	42117	696	316	KHP118M^T7B-TN	42846	KHP118M^T7B-MN	47937
KHP118M^T9B-SN	380-400/3/50	42117	696	316	KHP118M^T9B-TN	42846	KHP118M^T9B-MN	47937
KHP146M^T3B-SN	208-230/3/60	43593	739	336	KHP146M^T3B-TN	44322	KHP146M^T3B-MN	49414
KHP146M^T4B-SN	460/3/60	43593	739	336	KHP146M^T4B-TN	44322	KHP146M^T4B-MN	49414
KHP146M^T5B-SN	575/3/60	44465	739	336	KHP146M^T5B-TN	45194	#	#
KHP146M^T7B-SN	200-220/3/50	43593	739	336	KHP146M^T7B-TN	44322	KHP146M^T7B-MN	49414
KHP146M^T9B-SN	380-400/3/50	43593	739	336	KHP146M^T9B-TN	44322	KHP146M^T9B-MN	49414
KHP177M^T3B-SN	208-230/3/60	48105	998	454	KHP177M^T3B-TN	49198	KHP177M^T3B-MN	56835
KHP177M^T4B-SN	460/3/60	48105	998	454	KHP177M^T4B-TN	49198	KHP177M^T4B-MN	56835
KHP177M^T5B-SN	575/3/60	49067	998	454	KHP177M^T5B-TN	50160	#	#
KHP177M^T7B-SN	200-220/3/50	48105	998	454	KHP177M^T7B-TN	49198	KHP177M^T7B-MN	56835
KHP177M^T9B-SN	380-400/3/50	48105	998	454	KHP177M^T9B-TN	49198	KHP177M^T9B-MN	56835
KHP218M^T3B-SN	208-230/3/60	62304	1062	483	KHP218M^T3B-TN	63397	KHP218M^T3B-MN	71034
KHP218M^T4B-SN	460/3/60	62304	1062	483	KHP218M^T4B-TN	63397	KHP218M^T4B-MN	71034
KHP218M^T5B-SN	575/3/60	63550	1062	483	KHP218M^T5B-TN	64643	#	#
KHP218M^T7B-SN	200-220/3/50	62304	1062	483	KHP218M^T7B-TN	63397	KHP218M^T7B-MN	71034
KHP218M^T9B-SN	380-400/3/50	62304	1062	483	KHP218M^T9B-TN	63397	KHP218M^T9B-MN	71034
KHP266M^T3B-SN	208-230/3/60	73315	1563	710	KHP266M^T3B-TN	74772	KHP266M^T3B-MN	84955
KHP266M^T4B-SN	460/3/60	73315	1563	710	KHP266M^T4B-TN	74772	KHP266M^T4B-MN	84955
KHP266M^T5B-SN	575/3/60	74781	1563	710	KHP266M^T5B-TN	76239	#	#
KHP266M^T7B-SN	200-220/3/50	73315	1563	710	KHP266M^T7B-TN	74772	KHP266M^T7B-MN	84955
KHP266M^T9B-SN	380-400/3/50	73315	1563	710	KHP266M^T9B-TN	74772	KHP266M^T9B-MN	84955
KHP291M^T3B-SN	208-230/3/60	76076	1683	765	KHP291M^T3B-TN	77534	KHP291M^T3B-MN	87716
KHP291M^T4B-SN	460/3/60	76076	1683	765	KHP291M^T4B-TN	77534	KHP291M^T4B-MN	87716
KHP291M^T5B-SN	575/3/60	77598	1683	765	KHP291M^T5B-TN	79055	#	#
KHP291M^T7B-SN	200-220/3/50	76076	1683	765	KHP291M^T7B-TN	77534	KHP291M^T7B-MN	87716
KHP291M^T9B-SN	380-400/3/50	76076	1683	765	KHP291M^T9B-TN	77534	KHP291M^T9B-MN	87716

HOT GAS DEFROST OPTIONS:

- Adjustable defrost termination / fan delay is a standard feature - included in list price.
- Electric drain pan heater w/ factory mounted check valve, distributor side port is standard.
- LIST ADD \$447 PER FAN SECTION FOR HOT GAS LOOP
- LIST ADD FOR REVERSE CYCLE KITS ON HOT GAS UNITS:(NOT AVAILABLE ON 4 FAN MODELS) (INCLUDES 2 CHECK VALVES & SUCTION PIPING ASSEMBLY-KITS DO NOT INCLUDE HOT GAS LOOP PRICE): - 1 FAN MODELS: LIST \$5483 - 2 FAN MODELS: LIST \$6514 - 3 FAN MODELS: LIST \$7544

KHP-LINE, HIGH PROFILE EVAPORATORS (cont'd)

LOW TEMP 6 FPI- ELECTRIC DEFROST

ODP MOTORS			WEIGHT		TEFC MOTORS		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KHP047LE-T3B-SN	208-230/3/60	24928	370	168	KHP047LE-T3B-T	25292	KHP047LE-T3B-M	27838
KHP047LE-T4B-SN	460/3/60	24928	370	168	KHP047LE-T4B-T	25292	KHP047LE-T4B-M	27838
KHP047LE-T5B-SN	575/3/60	25427	370	168	KHP047LE-T5B-T	25791	#	#
KHP047LE-T7B-SN	200-220/3/50	24928	370	168	KHP047LE-T7B-T	25292	KHP047LE-T7B-M	27838
KHP047LE-T9B-SN	380-400/3/50	24928	370	168	KHP047LE-T9B-T	25292	KHP047LE-T9B-M	27838
KHP056LE-T3B-SN	208-230/3/60	26241	391	178	KHP056LE-T3B-T	26605	KHP056LE-T3B-M	29151
KHP056LE-T4B-SN	460/3/60	26241	391	178	KHP056LE-T4B-T	26605	KHP056LE-T4B-M	29151
KHP056LE-T5B-SN	575/3/60	26765	391	178	KHP056LE-T5B-T	27130	#	#
KHP056LE-T7B-SN	200-220/3/50	26241	391	178	KHP056LE-T7B-T	26605	KHP056LE-T7B-M	29151
KHP056LE-T9B-SN	380-400/3/50	26241	391	178	KHP056LE-T9B-T	26605	KHP056LE-T9B-M	29151
KHP063LE-T3B-SN	208-230/3/60	29481	412	187	KHP063LE-T3B-T	29845	KHP063LE-T3B-M	32391
KHP063LE-T4B-SN	460/3/60	29481	412	187	KHP063LE-T4B-T	29845	KHP063LE-T4B-M	32391
KHP063LE-T5B-SN	575/3/60	30071	412	187	KHP063LE-T5B-T	30435	#	#
KHP063LE-T7B-SN	200-220/3/50	29481	412	187	KHP063LE-T7B-T	29845	KHP063LE-T7B-M	32391
KHP063LE-T9B-SN	380-400/3/50	29481	412	187	KHP063LE-T9B-T	29845	KHP063LE-T9B-M	32391
KHP091LE-T3B-SN	208-230/3/60	33002	647	294	KHP091LE-T3B-T	33731	KHP091LE-T3B-M	38822
KHP091LE-T4B-SN	460/3/60	33002	647	294	KHP091LE-T4B-T	33731	KHP091LE-T4B-M	38822
KHP091LE-T5B-SN	575/3/60	33662	647	294	KHP091LE-T5B-T	34391	#	#
KHP091LE-T7B-SN	200-220/3/50	33002	647	294	KHP091LE-T7B-T	33731	KHP091LE-T7B-M	38822
KHP091LE-T9B-SN	380-400/3/50	33002	647	294	KHP091LE-T9B-T	33731	KHP091LE-T9B-M	38822
KHP110LE-T3B-SN	208-230/3/60	42117	690	314	KHP110LE-T3B-T	42846	KHP110LE-T3B-M	47937
KHP110LE-T4B-SN	460/3/60	42117	690	314	KHP110LE-T4B-T	42846	KHP110LE-T4B-M	47937
KHP110LE-T5B-SN	575/3/60	42960	690	314	KHP110LE-T5B-T	43688	#	#
KHP110LE-T7B-SN	200-220/3/50	42117	690	314	KHP110LE-T7B-T	42846	KHP110LE-T7B-M	47937
KHP110LE-T9B-SN	380-400/3/50	42117	690	314	KHP110LE-T9B-T	42846	KHP110LE-T9B-M	47937
KHP126LE-T3B-SN	208-230/3/60	43593	732	333	KHP126LE-T3B-T	44322	KHP126LE-T3B-M	49414
KHP126LE-T4B-SN	460/3/60	43593	732	333	KHP126LE-T4B-T	44322	KHP126LE-T4B-M	49414
KHP126LE-T5B-SN	575/3/60	44465	732	333	KHP126LE-T5B-T	45194	#	#
KHP126LE-T7B-SN	200-220/3/50	43593	732	333	KHP126LE-T7B-T	44322	KHP126LE-T7B-M	49414
KHP126LE-T9B-SN	380-400/3/50	43593	732	333	KHP126LE-T9B-T	44322	KHP126LE-T9B-M	49414
KHP138LE-T3B-SN	208-230/3/60	45070	925	420	KHP138LE-T3B-T	46163	KHP138LE-T3B-M	53800
KHP138LE-T4B-SN	460/3/60	45070	925	420	KHP138LE-T4B-T	46163	KHP138LE-T4B-M	53800
KHP138LE-T5B-SN	575/3/60	45971	925	420	KHP138LE-T5B-T	47064	#	#
KHP138LE-T7B-SN	200-220/3/50	45070	925	420	KHP138LE-T7B-T	46163	KHP138LE-T7B-M	53800
KHP138LE-T9B-SN	380-400/3/50	45070	925	420	KHP138LE-T9B-T	46163	KHP138LE-T9B-M	53800
KHP167LE-T3B-SN	208-230/3/60	48105	989	450	KHP167LE-T3B-T	49198	KHP167LE-T3B-M	56835
KHP167LE-T4B-SN	460/3/60	48105	989	450	KHP167LE-T4B-T	49198	KHP167LE-T4B-M	56835
KHP167LE-T5B-SN	575/3/60	49067	989	450	KHP167LE-T5B-T	50160	#	#
KHP167LE-T7B-SN	200-220/3/50	48105	989	450	KHP167LE-T7B-T	49198	KHP167LE-T7B-M	56835
KHP167LE-T9B-SN	380-400/3/50	48105	989	450	KHP167LE-T9B-T	49198	KHP167LE-T9B-M	56835
KHP190LE-T3B-SN	208-230/3/60	62304	1052	478	KHP190LE-T3B-T	63397	KHP190LE-T3B-M	71034
KHP190LE-T4B-SN	460/3/60	62304	1052	478	KHP190LE-T4B-T	63397	KHP190LE-T4B-M	71034
KHP190LE-T5B-SN	575/3/60	63550	1052	478	KHP190LE-T5B-T	64643	#	#
KHP190LE-T7B-SN	200-220/3/50	62304	1052	478	KHP190LE-T7B-T	63397	KHP190LE-T7B-M	71034
KHP190LE-T9B-SN	380-400/3/50	62304	1052	478	KHP190LE-T9B-T	63397	KHP190LE-T9B-M	71034
KHP202LE-T3B-SN	208-230/3/60	67809	1431	650	KHP202LE-T3B-T	69267	KHP202LE-T3B-M	79450
KHP202LE-T4B-SN	460/3/60	67809	1431	650	KHP202LE-T4B-T	69267	KHP202LE-T4B-M	79450
KHP202LE-T5B-SN	575/3/60	69166	1431	650	KHP202LE-T5B-T	70623	#	#
KHP202LE-T9B-SN	380-400/3/50	67809	1431	650	KHP202LE-T9B-T	69267	KHP202LE-T9B-M	79450
KHP229LE-T3B-SN	208-230/3/60	73315	1550	705	KHP229LE-T3B-T	74772	KHP229LE-T3B-M	84955
KHP229LE-T4B-SN	460/3/60	73315	1550	705	KHP229LE-T4B-T	74772	KHP229LE-T4B-M	84955
KHP229LE-T5B-SN	575/3/60	74781	1550	705	KHP229LE-T5B-T	76239	#	#
KHP229LE-T9B-SN	380-400/3/50	73315	1550	705	KHP229LE-T9B-T	74772	KHP229LE-T9B-M	84955
KHP252LE-T4B-SN	460/3/60	76076	1670	759	KHP252LE-T4B-T	77534	KHP252LE-T4B-M	87716
KHP252LE-T5B-SN	575/3/60	77598	1670	759	KHP252LE-T5B-T	79055	#	#
KHP252LE-T9B-SN	380-400/3/50	76076	1670	759	KHP252LE-T9B-T	77534	KHP252LE-T9B-M	87716

KHP-LINE, HIGH PROFILE EVAPORATORS (cont'd)

LOW TEMP 4 FPI- ELECTRIC DEFROST

ODP MOTORS			WEIGHT		TEFC MOTORS		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	Model	\$
KHP040VE-T3B-SN	208-230/3/60	23049	360	164	KHP040VE-T3B-T	23414	KHP040VE-T3B-M	25959
KHP040VE-T4B-SN	460/3/60	23049	360	164	KHP040VE-T4B-T	23414	KHP040VE-T4B-M	25959
KHP040VE-T5B-SN	575/3/60	23510	360	164	KHP040VE-T5B-T	23875	#	#
KHP040VE-T7B-SN	200-220/3/50	23049	360	164	KHP040VE-T7B-T	23414	KHP040VE-T7B-M	25959
KHP040VE-T9B-SN	380-400/3/50	23049	360	164	KHP040VE-T9B-T	23414	KHP040VE-T9B-M	25959
KHP049VE-T3B-SN	208-230/3/60	24511	379	172	KHP049VE-T3B-T	24875	KHP049VE-T3B-M	27421
KHP049VE-T4B-SN	460/3/60	24511	379	172	KHP049VE-T4B-T	24875	KHP049VE-T4B-M	27421
KHP049VE-T5B-SN	575/3/60	25001	379	172	KHP049VE-T5B-T	25366	#	#
KHP049VE-T7B-SN	200-220/3/50	24511	379	172	KHP049VE-T7B-T	24875	KHP049VE-T7B-M	27421
KHP049VE-T9B-SN	380-400/3/50	24511	379	172	KHP049VE-T9B-T	24875	KHP049VE-T9B-M	27421
KHP056VE-T3B-SN	208-230/3/60	26117	397	180	KHP056VE-T3B-T	26482	KHP056VE-T3B-M	29027
KHP056VE-T4B-SN	460/3/60	26117	397	180	KHP056VE-T4B-T	26482	KHP056VE-T4B-M	29027
KHP056VE-T5B-SN	575/3/60	26640	397	180	KHP056VE-T5B-T	27004	#	#
KHP056VE-T7B-SN	200-220/3/50	26117	397	180	KHP056VE-T7B-T	26482	KHP056VE-T7B-M	29027
KHP056VE-T9B-SN	380-400/3/50	26117	397	180	KHP056VE-T9B-T	26482	KHP056VE-T9B-M	29027
KHP080VE-T3B-SN	208-230/3/60	33798	629	286	KHP080VE-T3B-T	34527	KHP080VE-T3B-M	39618
KHP080VE-T4B-SN	460/3/60	33798	629	286	KHP080VE-T4B-T	34527	KHP080VE-T4B-M	39618
KHP080VE-T5B-SN	575/3/60	34474	629	286	KHP080VE-T5B-T	35203	#	#
KHP080VE-T7B-SN	200-220/3/50	33798	629	286	KHP080VE-T7B-T	34527	KHP080VE-T7B-M	39618
KHP080VE-T9B-SN	380-400/3/50	33798	629	286	KHP080VE-T9B-T	34527	KHP080VE-T9B-M	39618
KHP097VE-T3B-SN	208-230/3/60	41479	665	302	KHP097VE-T3B-T	42208	KHP097VE-T3B-M	47299
KHP097VE-T4B-SN	460/3/60	41479	665	302	KHP097VE-T4B-T	42208	KHP097VE-T4B-M	47299
KHP097VE-T5B-SN	575/3/60	42309	665	302	KHP097VE-T5B-T	43037	#	#
KHP097VE-T7B-SN	200-220/3/50	41479	665	302	KHP097VE-T7B-T	42208	KHP097VE-T7B-M	47299
KHP097VE-T9B-SN	380-400/3/50	41479	665	302	KHP097VE-T9B-T	42208	KHP097VE-T9B-M	47299
KHP111VE-T3B-SN	208-230/3/60	43078	701	319	KHP111VE-T3B-T	43807	KHP111VE-T3B-M	48898
KHP111VE-T4B-SN	460/3/60	43078	701	319	KHP111VE-T4B-T	43807	KHP111VE-T4B-M	48898
KHP111VE-T5B-SN	575/3/60	43940	701	319	KHP111VE-T5B-T	44668	#	#
KHP111VE-T7B-SN	200-220/3/50	43078	701	319	KHP111VE-T7B-T	43807	KHP111VE-T7B-M	48898
KHP111VE-T9B-SN	380-400/3/50	43078	701	319	KHP111VE-T9B-T	43807	KHP111VE-T9B-M	48898
KHP120VE-T3B-SN	208-230/3/60	44677	897	408	KHP120VE-T3B-T	45770	KHP120VE-T3B-M	53407
KHP120VE-T4B-SN	460/3/60	44677	897	408	KHP120VE-T4B-T	45770	KHP120VE-T4B-M	53407
KHP120VE-T5B-SN	575/3/60	45571	897	408	KHP120VE-T5B-T	46664	#	#
KHP120VE-T7B-SN	200-220/3/50	44677	897	408	KHP120VE-T7B-T	45770	KHP120VE-T7B-M	53407
KHP120VE-T9B-SN	380-400/3/50	44677	897	408	KHP120VE-T9B-T	45770	KHP120VE-T9B-M	53407
KHP146VE-T3B-SN	208-230/3/60	47686	951	432	KHP146VE-T3B-T	48779	KHP146VE-T3B-M	56416
KHP146VE-T4B-SN	460/3/60	47686	951	432	KHP146VE-T4B-T	48779	KHP146VE-T4B-M	56416
KHP146VE-T5B-SN	575/3/60	48639	951	432	KHP146VE-T5B-T	49733	#	#
KHP146VE-T7B-SN	200-220/3/50	47686	951	432	KHP146VE-T7B-T	48779	KHP146VE-T7B-M	56416
KHP146VE-T9B-SN	380-400/3/50	47686	951	432	KHP146VE-T9B-T	48779	KHP146VE-T9B-M	56416
KHP168VE-T3B-SN	208-230/3/60	60184	1006	457	KHP168VE-T3B-T	61278	KHP168VE-T3B-M	68914
KHP168VE-T4B-SN	460/3/60	60184	1006	457	KHP168VE-T4B-T	61278	KHP168VE-T4B-M	68914
KHP168VE-T5B-SN	575/3/60	61388	1006	457	KHP168VE-T5B-T	62481	#	#
KHP168VE-T9B-SN	380-400/3/50	60184	1006	457	KHP168VE-T9B-T	61278	KHP168VE-T9B-M	68914
KHP204VE-T3B-SN	208-230/3/60	66435	1467	667	KHP204VE-T3B-T	67892	KHP204VE-T3B-M	78075
KHP204VE-T4B-SN	460/3/60	66435	1467	667	KHP204VE-T4B-T	67892	KHP204VE-T4B-M	78075
KHP204VE-T5B-SN	575/3/60	67764	1467	667	KHP204VE-T5B-T	69221	#	#
KHP204VE-T9B-SN	380-400/3/50	66435	1467	667	KHP204VE-T9B-T	67892	KHP204VE-T9B-M	78075
KHP230VE-T4B-SN	460/3/60	72685	1570	714	KHP230VE-T4B-T	74143	KHP230VE-T4B-M	84326
KHP230VE-T5B-SN	575/3/60	74139	1570	714	KHP230VE-T5B-T	75597	#	#
KHP230VE-T9B-SN	380-400/3/50	72685	1570	714	KHP230VE-T9B-T	74143	KHP230VE-T9B-M	84326

KHP-LINE, HIGH PROFILE EVAPORATORS (cont'd)

LOW TEMP 6 FPI- HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

ODP MOTORS			WEIGHT		TEFC MOTORS		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs	kg	MODEL	\$	MODEL	\$
KHP047L^A-T3B-SN	208-230/3/60	24928	373	170	KHP047L^A-T3B-TN	25292	KHP047L^A-T3B-MN	27838
KHP047L^A-T4B-SN	460/3/60	24928	373	170	KHP047L^A-T4B-TN	25292	KHP047L^A-T4B-MN	27838
KHP047L^A-T5B-SN	575/3/60	25427	373	170	KHP047L^A-T5B-TN	25791	#	#
KHP047L^A-T7B-SN	200-220/3/50	24928	373	170	KHP047L^A-T7B-TN	25292	KHP047L^A-T7B-MN	27838
KHP047L^A-T9B-SN	380-400/3/50	24928	373	170	KHP047L^A-T9B-TN	25292	KHP047L^A-T9B-MN	27838
KHP056L^A-T3B-SN	208-230/3/60	26241	394	179	KHP056L^A-T3B-TN	26605	KHP056L^A-T3B-MN	29151
KHP056L^A-T4B-SN	460/3/60	26241	394	179	KHP056L^A-T4B-TN	26605	KHP056L^A-T4B-MN	29151
KHP056L^A-T5B-SN	575/3/60	26765	394	179	KHP056L^A-T5B-TN	27130	#	#
KHP056L^A-T7B-SN	200-220/3/50	26241	394	179	KHP056L^A-T7B-TN	26605	KHP056L^A-T7B-MN	29151
KHP056L^A-T9B-SN	380-400/3/50	26241	394	179	KHP056L^A-T9B-TN	26605	KHP056L^A-T9B-MN	29151
KHP063L^A-T3B-SN	208-230/3/60	29481	415	189	KHP063L^A-T3B-TN	29845	KHP063L^A-T3B-MN	32391
KHP063L^A-T4B-SN	460/3/60	29481	415	189	KHP063L^A-T4B-TN	29845	KHP063L^A-T4B-MN	32391
KHP063L^A-T5B-SN	575/3/60	30071	415	189	KHP063L^A-T5B-TN	30435	#	#
KHP063L^A-T7B-SN	200-220/3/50	29481	415	189	KHP063L^A-T7B-TN	29845	KHP063L^A-T7B-MN	32391
KHP063L^A-T9B-SN	380-400/3/50	29481	415	189	KHP063L^A-T9B-TN	29845	KHP063L^A-T9B-MN	32391
KHP091L^A-T3B-SN	208-230/3/60	33002	654	297	KHP091L^A-T3B-TN	33731	KHP091L^A-T3B-MN	38822
KHP091L^A-T4B-SN	460/3/60	33002	654	297	KHP091L^A-T4B-TN	33731	KHP091L^A-T4B-MN	38822
KHP091L^A-T5B-SN	575/3/60	33662	654	297	KHP091L^A-T5B-TN	34391	#	#
KHP091L^A-T7B-SN	200-220/3/50	33002	654	297	KHP091L^A-T7B-TN	33731	KHP091L^A-T7B-MN	38822
KHP091L^A-T9B-SN	380-400/3/50	33002	654	297	KHP091L^A-T9B-TN	33731	KHP091L^A-T9B-MN	38822
KHP110L^A-T3B-SN	208-230/3/60	42117	696	316	KHP110L^A-T3B-TN	42846	KHP110L^A-T3B-MN	47937
KHP110L^A-T4B-SN	460/3/60	42117	696	316	KHP110L^A-T4B-TN	42846	KHP110L^A-T4B-MN	47937
KHP110L^A-T5B-SN	575/3/60	42960	696	316	KHP110L^A-T5B-TN	43688	KHP110L^A-T7B-MN	47937
KHP110L^A-T7B-SN	200-220/3/50	42117	696	316	KHP110L^A-T7B-TN	42846	#	#
KHP110L^A-T9B-SN	380-400/3/50	42117	696	316	KHP110L^A-T9B-TN	42846	KHP110L^A-T9B-MN	47937
KHP126L^A-T3B-SN	208-230/3/60	43593	739	336	KHP126L^A-T3B-TN	44322	KHP126L^A-T3B-MN	49414
KHP126L^A-T4B-SN	460/3/60	43593	739	336	KHP126L^A-T4B-TN	44322	KHP126L^A-T4B-MN	49414
KHP126L^A-T5B-SN	575/3/60	44465	739	336	KHP126L^A-T5B-TN	45194	KHP126L^A-T7B-MN	49414
KHP126L^A-T7B-SN	200-220/3/50	43593	739	336	KHP126L^A-T7B-TN	44322	#	#
KHP126L^A-T9B-SN	380-400/3/50	43593	739	336	KHP126L^A-T9B-TN	44322	KHP126L^A-T9B-MN	49414
KHP138L^A-T3B-SN	208-230/3/60	45070	934	425	KHP138L^A-T3B-TN	46163	KHP138L^A-T3B-MN	53800
KHP138L^A-T4B-SN	460/3/60	45070	934	425	KHP138L^A-T4B-TN	46163	KHP138L^A-T4B-MN	53800
KHP138L^A-T5B-SN	575/3/60	45971	934	425	KHP138L^A-T5B-TN	47064	KHP138L^A-T7B-MN	53800
KHP138L^A-T7B-SN	200-220/3/50	45070	934	425	KHP138L^A-T7B-TN	46163	#	#
KHP138L^A-T9B-SN	380-400/3/50	45070	934	425	KHP138L^A-T9B-TN	46163	KHP138L^A-T9B-MN	53800
KHP167L^A-T3B-SN	208-230/3/60	48105	998	454	KHP167L^A-T3B-TN	49198	KHP167L^A-T3B-MN	56835
KHP167L^A-T4B-SN	460/3/60	48105	998	454	KHP167L^A-T4B-TN	49198	KHP167L^A-T4B-MN	56835
KHP167L^A-T5B-SN	575/3/60	49067	998	454	KHP167L^A-T5B-TN	50160	KHP167L^A-T7B-MN	56835
KHP167L^A-T7B-SN	200-220/3/50	48105	998	454	KHP167L^A-T7B-TN	49198	#	#
KHP167L^A-T9B-SN	380-400/3/50	48105	998	454	KHP167L^A-T9B-TN	49198	KHP167L^A-T9B-MN	56835
KHP190L^A-T3B-SN	208-230/3/60	62304	1065	484	KHP190L^A-T3B-TN	63397	KHP190L^A-T3B-MN	71034
KHP190L^A-T4B-SN	460/3/60	62304	1065	484	KHP190L^A-T4B-TN	63397	KHP190L^A-T4B-MN	71034
KHP190L^A-T5B-SN	575/3/60	63550	1065	484	KHP190L^A-T5B-TN	64643	KHP190L^A-T7B-MN	71034
KHP190L^A-T7B-SN	200-220/3/50	62304	1065	484	KHP190L^A-T7B-TN	63397	#	#
KHP190L^A-T9B-SN	380-400/3/50	62304	1065	484	KHP190L^A-T9B-TN	63397	KHP190L^A-T9B-MN	71034
KHP202L^A-T3B-SN	208-230/3/60	67809	1443	656	KHP202L^A-T3B-TN	69267	KHP202L^A-T3B-MN	79450
KHP202L^A-T4B-SN	460/3/60	67809	1443	656	KHP202L^A-T4B-TN	69267	KHP202L^A-T4B-MN	79450
KHP202L^A-T5B-SN	575/3/60	69166	1443	656	KHP202L^A-T5B-TN	70623	KHP202L^A-T7B-MN	79450
KHP202L^A-T7B-SN	200-220/3/50	67809	1443	656	KHP202L^A-T7B-TN	69267	#	#
KHP202L^A-T9B-SN	380-400/3/50	67809	1443	656	KHP202L^A-T9B-TN	69267	KHP202L^A-T9B-MN	79450
KHP229L^A-T3B-SN	208-230/3/60	73315	1563	710	KHP229L^A-T3B-TN	74772	KHP229L^A-T3B-MN	84955
KHP229L^A-T4B-SN	460/3/60	73315	1563	710	KHP229L^A-T4B-TN	74772	KHP229L^A-T4B-MN	84955
KHP229L^A-T5B-SN	575/3/60	74781	1563	710	KHP229L^A-T5B-TN	76239	#	#
KHP229L^A-T7B-SN	200-220/3/50	73315	1563	710	KHP229L^A-T7B-TN	74772	KHP229L^A-T7B-MN	84955
KHP229L^A-T9B-SN	380-400/3/50	73315	1563	710	KHP229L^A-T9B-TN	74772	KHP229L^A-T9B-MN	84955
KHP252L^A-T3B-SN	208-230/3/60	76076	1683	765	KHP252L^A-T3B-TN	77534	KHP252L^A-T3B-MN	87716
KHP252L^A-T4B-SN	460/3/60	76076	1683	765	KHP252L^A-T4B-TN	77534	KHP252L^A-T4B-MN	87716
KHP252L^A-T5B-SN	575/3/60	77598	1683	765	KHP252L^A-T5B-TN	79055	#	#
KHP252L^A-T7B-SN	200-220/3/50	76076	1683	765	KHP252L^A-T7B-TN	77534	KHP252L^A-T7B-MN	87716
KHP252L^A-T9B-SN	380-400/3/50	76076	1683	765	KHP252L^A-T9B-TN	77534	KHP252L^A-T9B-MN	87716

KHP-LINE, HIGH PROFILE EVAPORATORS (cont'd)

LOW TEMP 4 FPI- HOT GAS DEFROST

^ Insert appropriate code for hot gas defrost type

ODP MOTORS			WEIGHT		TEFC MOTORS		EC MOTORS - VARIABLE SPEED	
MODEL	VOLTAGE	\$	lbs.	kg	MODEL	\$	MODEL	\$
KHP040V [^] -T3B-SN	208-230/3/60	23049	364	165	KHP040V [^] -T3B-TN	23414	KHP040V [^] -T3B-MN	25959
KHP040V [^] -T4B-SN	460/3/60	23049	364	165	KHP040V [^] -T4B-TN	23414	KHP040V [^] -T4B-MN	25959
KHP040V [^] -T5B-SN	575/3/60	23510	364	165	KHP040V [^] -T5B-TN	23875	#	#
KHP040V [^] -T7B-SN	200-220/3/50	23049	364	165	KHP040V [^] -T7B-TN	23414	KHP040V [^] -T7B-MN	25959
KHP040V [^] -T9B-SN	380-400/3/50	23049	364	165	KHP040V [^] -T9B-TN	23414	KHP040V [^] -T9B-MN	25959
KHP049V [^] -T3B-SN	208-230/3/60	24511	382	174	KHP049V [^] -T3B-TN	24875	KHP049V [^] -T3B-MN	27421
KHP049V [^] -T4B-SN	460/3/60	24511	382	174	KHP049V [^] -T4B-TN	24875	KHP049V [^] -T4B-MN	27421
KHP049V [^] -T5B-SN	575/3/60	25001	382	174	KHP049V [^] -T5B-TN	25366	#	#
KHP049V [^] -T7B-SN	200-220/3/50	24511	382	174	KHP049V [^] -T7B-TN	24875	KHP049V [^] -T7B-MN	27421
KHP049V [^] -T9B-SN	380-400/3/50	24511	382	174	KHP049V [^] -T9B-TN	24875	KHP049V [^] -T9B-MN	27421
KHP056V [^] -T3B-SN	208-230/3/60	26117	400	182	KHP056V [^] -T3B-TN	26482	KHP056V [^] -T3B-MN	29027
KHP056V [^] -T4B-SN	460/3/60	26117	400	182	KHP056V [^] -T4B-TN	26482	KHP056V [^] -T4B-MN	29027
KHP056V [^] -T5B-SN	575/3/60	26640	400	182	KHP056V [^] -T5B-TN	27004	#	#
KHP056V [^] -T7B-SN	200-220/3/50	26117	400	182	KHP056V [^] -T7B-TN	26482	KHP056V [^] -T7B-MN	29027
KHP056V [^] -T9B-SN	380-400/3/50	26117	400	182	KHP056V [^] -T9B-TN	26482	KHP056V [^] -T9B-MN	29027
KHP080V [^] -T3B-SN	208-230/3/60	33798	635	289	KHP080V [^] -T3B-TN	34527	KHP080V [^] -T3B-MN	39618
KHP080V [^] -T4B-SN	460/3/60	33798	635	289	KHP080V [^] -T4B-TN	34527	KHP080V [^] -T4B-MN	39618
KHP080V [^] -T5B-SN	575/3/60	34474	635	289	KHP080V [^] -T5B-TN	35203	#	#
KHP080V [^] -T7B-SN	200-220/3/50	33798	635	289	KHP080V [^] -T7B-TN	34527	KHP080V [^] -T7B-MN	39618
KHP080V [^] -T9B-SN	380-400/3/50	33798	635	289	KHP080V [^] -T9B-TN	34527	KHP080V [^] -T9B-MN	39618
KHP097V [^] -T3B-SN	208-230/3/60	41479	671	305	KHP097V [^] -T3B-TN	42208	KHP097V [^] -T3B-MN	47299
KHP097V [^] -T4B-SN	460/3/60	41479	671	305	KHP097V [^] -T4B-TN	42208	KHP097V [^] -T4B-MN	47299
KHP097V [^] -T5B-SN	575/3/60	42309	671	305	KHP097V [^] -T5B-TN	43037	#	#
KHP097V [^] -T7B-SN	200-220/3/50	41479	671	305	KHP097V [^] -T7B-TN	42208	KHP097V [^] -T7B-MN	47299
KHP097V [^] -T9B-SN	380-400/3/50	41479	671	305	KHP097V [^] -T9B-TN	42208	KHP097V [^] -T9B-MN	47299
KHP111V [^] -T3B-SN	208-230/3/60	43078	708	322	KHP111V [^] -T3B-TN	43807	KHP111V [^] -T3B-MN	48898
KHP111V [^] -T4B-SN	460/3/60	43078	708	322	KHP111V [^] -T4B-TN	43807	KHP111V [^] -T4B-MN	48898
KHP111V [^] -T5B-SN	575/3/60	43940	708	322	KHP111V [^] -T5B-TN	44668	#	#
KHP111V [^] -T7B-SN	200-220/3/50	43078	708	322	KHP111V [^] -T7B-TN	43807	KHP111V [^] -T7B-MN	48898
KHP111V [^] -T9B-SN	380-400/3/50	43078	708	322	KHP111V [^] -T9B-TN	43807	KHP111V [^] -T9B-MN	48898
KHP120V [^] -T3B-SN	208-230/3/60	44677	906	412	KHP120V [^] -T3B-TN	45770	KHP120V [^] -T3B-MN	53407
KHP120V [^] -T4B-SN	460/3/60	44677	906	412	KHP120V [^] -T4B-TN	45770	KHP120V [^] -T4B-MN	53407
KHP120V [^] -T5B-SN	575/3/60	45571	906	412	KHP120V [^] -T5B-TN	46664	#	#
KHP120V [^] -T7B-SN	200-220/3/50	44677	906	412	KHP120V [^] -T7B-TN	45770	KHP120V [^] -T7B-MN	53407
KHP120V [^] -T9B-SN	380-400/3/50	44677	906	412	KHP120V [^] -T9B-TN	45770	KHP120V [^] -T9B-MN	53407
KHP146V [^] -T3B-SN	208-230/3/60	47686	961	437	KHP146V [^] -T3B-TN	48779	KHP146V [^] -T3B-MN	56416
KHP146V [^] -T4B-SN	460/3/60	47686	961	437	KHP146V [^] -T4B-TN	48779	KHP146V [^] -T4B-MN	56416
KHP146V [^] -T5B-SN	575/3/60	48639	961	437	KHP146V [^] -T5B-TN	49733	#	#
KHP146V [^] -T7B-SN	200-220/3/50	47686	961	437	KHP146V [^] -T7B-TN	48779	KHP146V [^] -T7B-MN	56416
KHP146V [^] -T9B-SN	380-400/3/50	47686	961	437	KHP146V [^] -T9B-TN	48779	KHP146V [^] -T9B-MN	56416
KHP168V [^] -T3B-SN	208-230/3/60	60184	1015	461	KHP168V [^] -T3B-TN	61278	KHP168V [^] -T3B-MN	68914
KHP168V [^] -T4B-SN	460/3/60	60184	1015	461	KHP168V [^] -T4B-TN	61278	KHP168V [^] -T4B-MN	68914
KHP168V [^] -T5B-SN	575/3/60	61388	1015	461	KHP168V [^] -T5B-TN	62481	#	#
KHP168V [^] -T7B-SN	200-220/3/50	60184	1015	461	KHP168V [^] -T7B-TN	61278	KHP168V [^] -T7B-MN	68914
KHP168V [^] -T9B-SN	380-400/3/50	60184	1015	461	KHP168V [^] -T9B-TN	61278	KHP168V [^] -T9B-MN	68914
KHP204V [^] -T3B-SN	208-230/3/60	66435	1480	673	KHP204V [^] -T3B-TN	67892	KHP204V [^] -T3B-MN	78075
KHP204V [^] -T4B-SN	460/3/60	66435	1480	673	KHP204V [^] -T4B-TN	67892	KHP204V [^] -T4B-MN	78075
KHP204V [^] -T5B-SN	575/3/60	67764	1480	673	KHP204V [^] -T5B-TN	69221	#	#
KHP204V [^] -T7B-SN	200-220/3/50	66435	1480	673	KHP204V [^] -T7B-TN	67892	KHP204V [^] -T7B-MN	78075
KHP204V [^] -T9B-SN	380-400/3/50	66435	1480	673	KHP204V [^] -T9B-TN	67892	KHP204V [^] -T9B-MN	78075
KHP230V [^] -T3B-SN	208-230/3/60	72685	1583	720	KHP230V [^] -T3B-TN	74143	KHP230V [^] -T3B-MN	84326
KHP230V [^] -T4B-SN	460/3/60	72685	1583	720	KHP230V [^] -T4B-TN	74143	KHP230V [^] -T4B-MN	84326
KHP230V [^] -T5B-SN	575/3/60	74139	1583	720	KHP230V [^] -T5B-TN	75597	#	#
KHP230V [^] -T7B-SN	200-220/3/50	72685	1583	720	KHP230V [^] -T7B-TN	74143	KHP230V [^] -T7B-MN	84326
KHP230V [^] -T9B-SN	380-400/3/50	72685	1583	720	KHP230V [^] -T9B-TN	74143	KHP230V [^] -T9B-MN	84326


OPTIONAL EVAPORATOR ACCESSORIES

ESP+

INTUITIVE EVAPORATOR CONTROL TECHNOLOGY

- Adaptive control for air and electric defrost models
- Provides enhanced system performance, energy savings and improved product integrity
- Includes: Adaptive Control Board, Electronic Expansion Valve, Liquid Line Solenoid and On-Board Display


NOW AVAILABLE AS AN OPTION ON MOST OF OUR EXTENSIVE LINE OF EVAPORATORS




**KTM-LINE TWO-WAY
MEDIUM PROFILE**




**KLV-LINE
LOW VELOCITY**



**KLP-LINE
LOW PROFILE**



**KMP-LINE
MEDIUM PROFILE**



**KEP-LINE
EXTENDED PROFILE**



**KHP-LINE
HIGH PROFILE**

LIST PRICE ADDER *

	MODEL	ADD-ON LIST PRICE
KTM	207M, 209M, 313M	NOT AVAILABLE
	204L, 206L, 209L	NOT AVAILABLE
	ALL OTHER MODELS	2566
KLV	ALL	2566
KLP	ALL	2566
KMP	ALL	3665
KEP	ALL	5505
KHP	1 - 3 FANS	6151
	4 FANS	8361

**visit www.k-rp.com/esp
for product information, manuals, FAQ, videos and more!**



web: www.k-rp.com/esp
email: evaps@k-rp.com
call: 1-844-893-3222 x520

OPTIONAL EVAPORATOR ACCESSORIES

MODEL	SOLVLV & COIL	TXV	PRE-ASSEMBLED EVAP		
			W/ TXV	* KE2 EVAP EFFICIENCY +TXV	* KE2 EVAP EFFICIENCY +EEV
KTM	384	545	1325	4201	5984
KLV 1-4 fan	384	545	1325	4201	5984
KLV 5 fan	440	545	1381	4257	6039
KLP 1-5 Fan	384	545	1325	4201	5984
KLP 6 Fan	440	545	1381	4257	6039
KMP - 1 Fan Models	384	741	1521	4396	6386
KMP - 2 Fan Models	384	741	1521	4396	6386
KMP - 3 Fan Models	601	999	1996	4872	7313
KMP - 4 Fan Models	769	1453	2618	5494	8729
KEP - 1 Fan Models	741	1328	2464	4396	6386
KEP - 2 Fan Models	741	1328	2464	4396	6386
KEP - 3 Fan Models	922	1579	2897	4872	7313
KEP - 4 Fan Models	922	1579	2897	5494	8729
KHP055, 059	741	1328	2464	5339	8025
KHP066, 072	922	1579	2897	5773	8835
KHP065, 068	922	1579	2897	5773	8835
KHP076, 083	1034	1733	3163	6039	9330
KHP078, 081, 087, 091	712	1277	2369	5134	7716
KHP100, 109	887	1518	2786	5551	8495
KHP073, 089, 092	712	1277	2369	5134	7716
KHP114, 122	887	1518	2786	5551	8495
KHP086, 094, 108	712	1277	2369	5134	7716
KHP118, 123, 137	887	1518	2786	5551	8495
KHP113, 130, 150	887	1518	2786	5551	8495
KHP134, 135	887	1518	2786	5551	8495
KHP127, 145, 154, 164	887	1518	2786	5551	8495
KHP143, 162	887	1518	2786	5551	8495
KHP172, 200	887	1518	2786	5551	8495
KHP170, 175, 187, 222	994	1666	3041	5806	8971
KHP161, 181, 189	887	1518	2786	5551	8495
KHP198, 221, 233	994	1666	3041	5806	8971
KHP217, 256	994	1666	3041	5806	8971
KHP216, 243	994	1666	3041	5806	8971
KHP252	994	1666	3041	5806	8971
KHP228, 271	994	1666	3041	5806	8971
KHP287	994	1666	3041	5806	8971

PRE-ASSEMBLED EVAPORATOR ACCESSORIES

- All pre-assembled remote evaporators are shipped with a factory mounted expansion valve, liquid line solenoid and thermostat.
- A 115 volt coil is supplied with a 115 volt evaporator, all other evaporators are shipped with a 230 volt coil

KE2 THERM ACCESSORIES- Factory Installed Sensors (Not available on all models)

DESCRIPTION	PRICE
KE2TEMP + DEFROST (Air Defrost)	1180
KE2TEMP ADAPTIVE (Demand Electric Defrost)	1420

Controllers may be shipped loose or factory installed depending on evaporator model

KE2 THERM ACCESSORIES

PART NUMBER	DESCRIPTION	PRICE
1049507	KE2 ROUTER	1607
1049612	KE2 8 PORT SWITCH	708
1049508	50' ETHERNET CABLE	174
1049509	50A CONTACTOR KIT	6550

* KE2 Therm Demand Defrost Pre Assembled Packages:

- Demand Defrost with TXV package includes TXV, solenoid valve and coil, KE2 Controller and 3 KE2 temperature sensors (1x RA, 2x Coil temp)
- Demand Defrost with EEV package includes EEV, solenoid valve and coil, KE2 Controller, 4 KE2 temperature sensors (1x RA, 2x Suction Line temp) and 1 KE2 pressure transducer
- Demand Defrost Controller is Shipped Loose on KTM
- † Sensors for EEV are ordered separately as the sensor MFR must match the controller. As a result they are priced separately and MUST be added to the EEV option

OPTIONAL EVAPORATOR ACCESSORIES (cont'd)

ROOM THERMOSTATS

PART NUMBER	DESCRIPTION	PRICE
1096563	MECHANICAL JOHNSON A19ABC-97C - FACTORY INSTALLED	484
	MECHANICAL JOHNSON A19ABC-97C - SHIPPED LOOSE	228
1077861	ELECTRONIC JOHNSON A421ABC-1 - FACTORY INSTALLED	679
	ELECTRONIC JOHNSON A421ABC-1 - SHIPPED LOOSE	462

DEFROST TERMINATION/ FAN DELAY THERMOSTATS

PART NUMBER	DESCRIPTION	PRICE
1048610	Combination fan delay and defrost termination thermostat. Ranco F25-209-00. Fixed fan delay setting 20 °F, adjustable termination range from 40 °F to 75 °F. 20 F.L.A. @ 240 VAC. - FACTORY INSTALLED	612
1096563	MECHANICAL JOHNSON A19ABC-97C - FACTORY INSTALLED	494

“HXR” LIQUID / SUCTION HEAT EXCHANGERS (SHIPPED LOOSE with EVAP)

PART #	PACKLESS #	BTUH @ +25°F			PRICE
		R22 R448A R407A R407C	R404A	R404A	
1062814	HXR - 25	5,400	4,000	3,000	221
1062815	HXR - 50	9,900	8,500	5,000	239
500317	HXR - 75	14,850	12,000	7,500	296
1062816	HXR - 100	20,250	16,000	10,500	348
500318	HXR - 150	29,700	23,500	15,000	380
1045700	HXR - 250	45,900	38,000	23,000	632
1061195	HXR - 350	64,800	56,000	33,000	698
1062431	HXR - 500	88,200	74,000	45,000	1070
1062432	LHXR - 15	130,500	110,000	67,500	1505
1070420	LHXR - 20	173,250	145,000	87,500	2068
1095411	LHXR - 25	220,500	175,000	105,000	2315
1106207	LHXR - 30	254,250	220,000	135,000	2364
1095412	LHXR - 35	292,500	245,000	150,000	2508
1065492	LHXR - 40	344,250	290,000	175,000	2884

Capacities shown are approximate

OPTIONAL EVAPORATOR ACCESSORIES (cont'd)

OPTIONAL FIN MATERIALS AND COATINGS

MODEL		EVAPORATOR FIN MATERIALS AND COATINGS		PAINTED CABINET	STAINLESS STEEL CABINET
		COPPER	E-COAT		
KTL010M	KTL009L	Consult Factory for Pricing	3670	356	Not Available
KTL015M	KTL013L		3670	356	
KTL020M	KTL017L		3670	356	
KTL025M	KTL021L		3670	356	
KTL032M	KTL028L		3670	356	
KTL038M	KTL033L		3670	356	
KTL060M	KTL052L		3670	791	
KTL077M	KTL066L		3670	791	
KTL115M	KTL099L		3670	1053	
KTM105	KTM115	Consult Factory for Pricing	3670	1411	2973
KTM124	KTM139		3670	1411	2973
KTM153	KTM172		3670	1874	3866
KTM188	KTM208		3670	1874	3866
KTM210	KTM236		3670	1874	3866
KTM235	KTM260		3670	2230	4564
KTM265	KTM295		3670	2230	4564

COIL COATINGS

KeepRite Refrigeration offers various optional coil coatings as service to our customers. As equipment can be exposed to a variety of atmospheric conditions that are beyond KeepRite Refrigeration's control, customers need to decide which coating best suits their application needs. All coil coatings are sold and applied by third party suppliers and while these products can extend the life and integrity of the equipment, KeepRite Refrigeration cannot recommend, endorse or warrant any of these products. For more information on coil coatings contact your local KeepRite Refrigeration representative for assistance.

Stainless Steel Cabinet Pricing includes exterior cabinet and drain pan. Internal parts that have corrosion availability may have addition cost added. Consult factory for details.

Insulated Drain Pan consists of a second outer drain pan with insulation between the pans.

OPTIONAL EVAPORATOR ACCESSORIES (cont'd)

OPTIONAL FIN MATERIALS AND COATINGS (cont'd)

MODEL	EVAPORATOR FIN MATERIALS AND COATINGS		PAINTED CABINET	STAINLESS STEEL CABINET	INSULATED DRAIN PAN
	COPPER	E-COAT			
KLV106	Consult Factory for Pricing	3529	1381	3872	2047
KLV109		3529	1381	3872	2047
KLV212		3529	1514	3951	2078
KLV217		3888	1514	3951	2078
KLV325		4805	2021	5124	2608
KLV331		5412	2021	5124	2608
KLV437		5412	2363	5339	2608
KLV441		6258	2363	5605	2983
KLV546		6258	2363	5805	2983

Different model #'s

KLP104M	KLP104L	KLP103V	Consult Factory for Pricing	3499	556	1892	174
KLP106M	KLP105L	KLP104V		3499	556	1892	174
KLP107M	KLP106L	KLP105V		3499	556	1892	174
KLP209M	KLP207L	KLP206V		3499	778	2220	235
KLP211M	KLP209L	KLP208V		3499	778	2220	235
KLP214M	KLP211L	KLP209V		3499	778	2220	235
KLP317M	KLP314L	KLP312V		3499	1000	2694	294
KLP320M	KLP317L	KLP315V		3499	1000	2694	294
KLP423M	KLP419L	KLP416V		5490	1221	3300	366
KLP426M	KLP422L	KLP419V		5554	1221	3300	366
KLP532M	KLP527L	KLP523V		5995	1443	3730	392
KLP639M	KLP631L	KLP627V		6435	1665	4189	453

KMP118M	KMP116L	KMP113V	Consult Factory for Pricing	5661	1324	2664	478
KMP122M	KMP119L	KMP117V		5661	1324	2664	478
KMP228M	KMP225L	KMP222V		6127	2012	3616	637
KMP236M	KMP232L	KMP228V		6542	2012	3616	637
KMP245M	KMP240L	KMP234V		6805	2012	3616	637
KMP355M	KMP348L	KMP339V		8700	2700	4490	765
KMP368M	KMP356L	KMP350V		9084	2700	4490	765
KMP480M	KMP471L	KMP459V		12760	3064	4819	828
KMP488M	-	-		12760	3064	4819	828

KEP026M	KEP023L	KEP020V	Consult Factory for Pricing	5688	1655	3382	478
KEP031M	KEP028L	KEP054V		5887	1655	3382	478
KEP038M	KEP035L	KEP030V		6941	1831	4563	637
KEP052M	KEP047L	KEP040V		7523	1831	4563	637
KEP062M	KEP056L	KEP048V		7891	1831	4563	637
KEP079M	KEP070L	KEP060V		10132	3375	5612	765
KEP093M	KEP084L	KEP072V		10669	3375	5612	765
KEP115M	KEP100L	KEP088V		15197	3830	6024	828

KHP 2 FAN UNITS	Consult Factory for Pricing	Consult Factory for Pricing	4174	8877	1181
KHP 3 FAN UNITS			5352	10042	1335
KHP 3+ FAN UNITS			7053	11554	1622
KHP 4 FAN UNITS			9367	12883	2003

COIL COATINGS

KeepRite Refrigeration offers various optional coil coatings as service to our customers. As equipment can be exposed to a variety of atmospheric conditions that are beyond KeepRite Refrigeration's control, customers need to decide which coating best suits their application needs. All coil coatings are sold and applied by third party suppliers and while these products can extend the life and integrity of the equipment, KeepRite Refrigeration cannot recommend, endorse or warrant any of these products. For more information on coil coatings contact your local KeepRite Refrigeration representative for assistance.

Stainless Steel Cabinet Pricing includes exterior cabinet and drain pan. Internal parts that have corrosion availability may have addition cost added. Consult factory for details.

Insulated Drain Pan consists of a second outer drain pan with insulation between the pans.



2024 Refrigeration Products Price List

KLP-2024- EFFECTIVE DATE: 01 MARCH 2024 - SUPERCEDES: KLP-2023-2



THERMOSAVER SYSTEM OPTION PRICE LIST

Note: Refer to the regular Condensing Unit and Evaporator standard price list and add on as listed below:

THERMOSAVER EVAPORATOR

Hot Gas Thermosaver evaporators include the following factory installed components:

- Hot Gas solenoid valve
- Check valve • Drain pan heater
- Service access Schrader fittings

Hot Gas Thermosaver evaporators require the following components, which are priced separately:

- Liquid line solenoid valve • TXV
- Includes fan motor contactor for three phase evap. (mounted in condensing unit panel and priced with condensing unit)
- Room thermostat

MODEL		ADD-ON LIST PRICE
KLP	1 & 2 Fan Models	CONSULT FACTORY FOR PRICING
	3 & 4 Fan Models	
	5 & 6 Fan Models	
KMP	1 Fan Models	
	2 Fan Models	
	3 Fan Models	
	4 Fan Models	
KEP	1 Fan Models	
	2 Fan Models	
	3 Fan Models	
	4 Fan Models	
KHP	2 Fan Models	
	3 Fan Models	
	4 Fan Models	

NOTE:

For further information, refer to Bulletin K40-THERM-PDI

KLC LEAD LAG CONTROL PANEL

- For use on TWO independent refrigeration systems (one system used for back-up) using pumpdown control mode. (Thermostat wired into liquid line solenoid valve).
- Panel can be mounted at the first condensing unit on indoor installations or be mounted remote inside on a wall when used with outdoor condensing units.
- The panel is designed to operate each system automatically every 24 hours or can be manually set to run either system independently.
- A shipped loose thermostat will bring the lag unit on for auxiliary cooling if the room temperature rises above it's setpoint. Alarm will activate if room temp does not lower within the specified time period.
- Indicator lights show if the system is in auxiliary cooling mode and/or if in alarm. Dry contact (10A 230V) for alarm circuit can be field wired to remote indicator (buzzer).
- The remote control panel can be easily installed and wired by installing a contactor (provided loose) to each system. Each contactor interrupts the power to the defrost clock /thermostat and liquid solenoid circuits which enables the condensing unit to pumpdown and shut down the system.
- The panel is suitable for Air defrost (with or without clock) or Hot gas systems as well as Electric defrost evaporator systems.
- Refer to the Product Data & Installation brochure for further information.

MODEL	ELECTRICAL	PRICE
KLC1-S1A	115/1/60	2961
KLC1-S2A	208-230/1/60	
KLC1-S6A	200-220/1/50	

MODEL	ELECTRICAL	PRICE
KLC2-S1A	115/1/60	5922
KLC2-S2A	208-230/1/60	
KLC2-S6A	200-220/1/50	

NOTE:

- Additional lead-lag control panels available (consult factory for details)
- Lead-lag control panels available for KE2 controllers (consult factory for details)



2024 Refrigeration Products Price List

KLP-2024- EFFECTIVE DATE: 01 MARCH 2024 - SUPERCEDES: KLP-2023-2



NOTES

PRODUCT SUPPORT RESOURCES

 <p>PRODUCT SUPPORT</p>	<p><i>web:</i> www.k-rp.com/support <i>email:</i> evaps@k-rp.com <i>call:</i> 1-844-893-3222 x520</p>
 <p>TROUBLESHOOTING</p>	<p><i>email:</i> troubleshooting@k-rp.com <i>call:</i> 1-844-893-3222 x529</p>
 <p>SERVICE PARTS</p>	<p><i>web:</i> www.k-rp.com/parts <i>email:</i> parts@k-rp.com <i>call:</i> 1-844-893-3222 x504</p>
 <p>WARRANTY</p>	<p><i>web:</i> www.k-rp.com/warranty <i>email:</i> warranty@k-rp.com <i>call:</i> 1-844-893-3222 x507</p>
 <p>ORDERS</p>	<p><i>email:</i> orders@k-rp.com <i>call:</i> 1-844-893-3222 x501</p>
 <p>SHIPPING</p>	<p><i>email:</i> shipping@k-rp.com <i>call:</i> 1-844-893-3222 x503</p>

