



Catalogue 2014-2015





Contents

Introduction		
Project catalogue		
M	ultitool System	13
	DREMEL® 200 Series	15
	DREMEL® 3000	17
	DREMEL® 4000	20
	DREMEL® 4200	23
	DREMEL® 7700	25
	DREMEL® 8100	27
	DREMEL® 8200	29
M	ultitool Accessories	35
	DREMEL® EZ SpeedClic	37
	Carving / Engraving / Routing	38
	Grinding/Sharpening	41
	Cleaning / Polishing	44
	Cutting	49
	Sanding	54
	Collets / Mandrels / Miscellaneous	57
	Accessory Kits	60
M	ultitool Attachments	69
	Attachments to Control	70
	Attachments to Cut	73
	Attachments to Reach	75
	Attachments to Rout	76
	Attachments to Saw	77
	Attachments to Sharpen	78
Co	Compact Tool System	

Contents

DSM20 System			82
		DREMEL® DSM20	82
		DSM20 Accessories	84
		DSM20 Attachments	85
	\sim	1ulti-Max System	86
		DREMEL® Multi-Max 8300	86
		DREMEL® Multi-Max MM20	88
		DREMEL® Multi-Max MM40	90
		Multi-Max Accessories	92
		Multi-Max Attachments	95
	T	RIO System	96
		TRIO Accessories	96
	G	lue Gun System	99
		DREMEL® Glue Gun 910	99
		DREMEL® Glue Gun 940	101
		Glue sticks	103
	V	ersaTip System	104
		DREMEL® VersaTip	104
		Butane Tool Accessories	106
	V	ersaFlame System	107
		DREMEL® VersaFlame	107
		Butane Tool Accessories	109
	E	ngraver System	110
		DREMEL® Engraver	110
		Engraver Accessories	112
enchtop Tool System		115	
	\sim	loto-Saw System	116

в

Contents

F		DREMEL® Moto-Saw	116
		Moto-Saw Accessories	118
	Fo	ntiflex System	119
		DREMEL [®] Fortiflex	119
		Fortiflex Attachments	121
lco	ns		122
Index by numbers		by numbers	125

Introduction

Recognizing the changing consumer needs, Dremel has recently introduced more products outside of its core segment, the multitools. This expansion led the Dremel brand from the makers of a Multitool System to the makers of Versatile Tool Systems . These different systems create value and benefit to our consumers, as the innovative tools along with a wide range of available accessories and attachments will allow for many project applications, making them truly versatile.

These are the different Versatile Tool Systems : Multitool System Compact Tool System Benchtop Tool System

In this brochure the different Dremel systems will be explained, to guide you to the right tools, accessories & attachments for every project for a successful outcome.

There is truly no limit on the amount of projects you can do with the Dremel Versatile Tool Systems .







This section of the catalogue provides ideas on the inspiring projects you can do using Dremel's Versatile Tool Systems. All projects that are shown have the following things in common: They are inspiring, fun to do and require an eye for detail. These are just examples; discover the endless possibilities when using your Dremel tool.

1. Home Décor	
2. Arts and Craft	
3. Seasonal Ideas	
4. DIY/Restoration	

Home Décor

Lounge seat for balcony



Stylish Dining Table



Wooden Bowl with Filigree Pattern Rim



Stylish Bookshelf



For further details, step by step guides and more project ideas visit www.dremel.com.dremel.com

Arts and Craft

Statement Necklace



Wedding Present: Champagne Flutes



Friendly Snake Jigsaw



Make Your Own Family Kite



For further details, step by step guides and more project ideas visit www.dremel.com

Seasonal Ideas

Easter Vase



Halloween Masks



Snowflake Window



Advent Calendar



For further details, step by step guides and more project ideas visit www.dremel.com

DIY/Restoration

Insetting Lighting into your Garden Decking



Creating a Stylish Wine Rack



Installing a vent into flooring



Repair Scratches on Wing Mirror Casings



For further details, step by step guides and more project ideas visit www.dremel.com



Dremel is the inventor of the world famous Multitool System that can be used for a great number of projects both indoor and outdoor. Whether you are an experienced craftsman or beginner this system is perfect for anyone looking for precision for a wide variety of applications such as: engraving, carving, routing, cutting, sanding, polishing and more. The Dremel Multitool System comprises of tools, accessories (including EZ SpeedClic) and attachments.

Corded

DREMEL® 200 Series	DREMEL® 200 Series (200-5)	
DREMEL® 3000	DREMEL* 3000 (3000-15) DREMEL* 3000 (3000-1/25)	
DREMEL® 4000	DREMEL* 4000 (4000-1/45) DREMEL* 4000 (4000-4/65) DREMEL* 4000 Platinum Edition (4000-6/128)	
DREMEL® 4200	Dremel® 4200 (4200-4/75)	
Cordless		
DREMEL® 7700	DREMEL® 7700 (7700-30)	

DREMEL® 8100	DREMEL* 8100 (8100-1/15)

Multitool System

DREMEL® 8200

DREMEL® 8200 (8200-1/35) DREMEL® 8200 (8200-2/45) DREMEL® 8200 Platinum Edition (8200-5/65)



DREMEL® 200 Series



Technical Specification

Weight	0,55 kg
No load speed	15.000 - 35.000 1/min
Voltage	230 V
Rated power input	125 W

The Dremel 200 Series is the ideal multitool to get started with Dremel. It's easy and comfortable to use and offers trusted Dremel quality and reliability at an affordable price point. The tool is compatible with all accessories and attachments, and with the enclosed accessories for sanding, metal cutting and grinding the user can start working with Dremel immediately.

Features and Benefits

Powerful 125W motor Allows working with all Dremel accessories and attachments comfortably.

Hanger bail

To hang the tool on the Dremel Tool holder.

2 speed settings (15.000 & 35.000 1/min) Making it the ideal multitool for first time users to do most DIY and Hobby projects.



DREMEL® 200 Series (200-5)


For this tool the following kit execution is available:

Contents

Dremel 200 Series 5 high quality Dremel accessories Instruction manual



Included accessories



Order information

Ordernumber: F0130200JA

EAN: 8710364049677

DREMEL[®] 3000



Technical Specification

Weight	0,55 kg
No load speed	10.000 - 33.000 1/min
Voltage	230 V
Rated power input	130 W

The Dremel 3000 is the perfect all-round multitool with the new innovative EZ Twist Nose cap. With this new feature there is no need for a wrench to tighten and loosen the collet when changing accessories, the wrench mechanism is integrated in the nose cap of the tool. The tool offers the user a comfortable grip with its convenient lightweight housing. The Dremel 3000 is the ideal tool for users that like to carry out detailed tasks, such as cutting, sanding, engraving etc, whether occasionally or regularly. With the Dremel 3000, Dremel offers great quality at an affordable price.

Features and Benefits

- Variable speed 10.000 33.000 RPM more comfortable and better control when handling.
- 2 Collet lock
- for assisting accessory changes. Innovative EZ Twist Nose Cap
- no wrench required for changing accessories. **Integrated hang hook**
- for hanging the tool on the Tool holder or near the project.
- 6 Replacable brushes.
- 3 130W motor
 - for optimal performance.
- Soft grip
 - for reduced vibration and a better handling



DREMEL® 3000 (3000-15)


This kit includes the Dremel 3000 multitool and 15 genuine Dremel accessories, all packed in a convenient bag. This execution is the entry level kit, offering the Dremel 3000 with a small selection of useful accessories.

Contents

Dremel 3000 15 high quality Dremel accessories Instruction manual Soft bag



Included accessories



Order information

Ordernumber: F0133000JA

EAN: 8710364060856


DREMEL® 3000 (3000-1/25)

This kit includes the Dremel 3000 multitool, the high quality Dremel Flexible Shaft and 25 genuine Dremel accessories including EZ SpeedClic. All this is packed in a convenient case. This is a high value kit, offering great value for money for the more demanding user.

Contents

Dremel 3000 25 high quality Dremel accessories (including EZ SpeedClic accessories) High quality Flex Shaft Instruction manual Spacious and sturdy storage case





DREMEL[®] 4000

Technical Specification

F7 T

WIST

Weight	0,66 kg
No load speed	5.000 - 35.000 1/min
Voltage	230 V
Rated power input	175 W

The powerful and precise Dremel 4000 multitool delivers maximum all-round performance. Thanks to it's electronic feedback the tool always delivers maximum force when the job gets tougher. Together with the soft grip and precise speed setting you are in perfect control of every situation. With the innovative EZ Twist Nose Cap there is no need for a wrench to tighten and loosen the collet when changing accessories, the wrench mechanism is integrated in the nose cap of the tool. The collet lock out function prevents you from accidentally blocking the output shaft of the tool. This tool is an absolute must for the most demanding craftsman. The Dremel 4000: maximum all-round performance.

Features and Benefits

High power 175W motor for high performance

DREMEL

- Soft grip in all gripping areas for better handling
- Full variable speed control (5.000-35.000 RPM) for maximum precision
- Electronic feedback for enhanced torgue and performance
- Separate on/off switch with integrated collet lock out function



DREMEL® 4000 (4000-1/45)


This kit includes the high performance 4000 multitool, with innovative features like the EZ Twist nose cap, electronic feedback, collet lock out function and an RPM bandwidth of 5.000 to 35.000. Additionally the kit includes the Flexshaft attachment, which is the ideal attachment for detailed work on hard to reach places. Next to the Flex Shaft attachment the kit includes 45 original Dremel accessories including EZ SpeedClic.

Contents

Dremel 4000

45 high quality Dremel accessories (including EZ SpeedClic starter set) High quality Flex Shaft Instruction manual Soft bag






DREMEL® 4000 (4000-4/65)

This Dremel kit includes the high performance 4000 multitool with the new EZ Twist Nose Cap. This means no wrench is needed anymore when changing accessories. It comes in a practical carrying case which contains the Flex Shaft, the Line & Circle Cutter, the detailer's grip and the shaping platform attachment. Furthermore 65 original Dremel accessories are included.



Contents

- Dremel 4000
- 65 high quality Dremel accessories in Mini Accessory Case (including EZ SpeedClic starter set) High quality Flex Shaft Pencil grip nose cap Line & Circle Cutter Shaping Platform Detailer's Grip Instruction manual Spacious and sturdy storage case



DREMEL® 4200



Technical Specification

Weight	0,66 kg
No load speed	5.000 - 33.000 1/min
Voltage	230 V
Rated power input	175 W

The powerful Dremel 4200 is the first multitool with an integrated accessory quick change mechanism: EZ Change. This innovative feature ensures keyless accessory change within seconds. Thanks to it's electronic feedback and powerful motor the tool always delivers maximum force when the job gets tougher. Together with the soft grip and precise speed setting you are in perfect control of every situation. The Dremel 4200: top technology and maximum performance.

Features and Benefits

EZ Change

The world's first accessory quick change system for multitools

- 2 175W motor for high performance
- Electronic feedback
- for enhanced torque and performance **Full variable speed control (5.000** –
- 33.000 RPM) for maximum precision
- Soft grip in all gripping areas for excellent handling
- 6 Separate on/off switch for easy handling
- Not compatible with the 628, 4485 and 4486 accessories



Dremel® 4200 (4200-4/75)




This kit includes the top of the line Dremel 4200 with EZ Change, the world's first accessory quick change system for multitools. Additionally, the kit includes 4 attachment: Cutting Guide, Line & Circle Cutter, Shaping Platform and the Comfort Guard attachment. Next to these attachments also 75 original Dremel accessories are included. The Dremel 4200: innovation and maximum performance.



Contents

Dremel 4200 75 high quality Dremel accessories

- Cutting Guide attachment
- Line & Circle Cutter
- Shaping Platform attachment Comfort Guard attachment
- Spacious and sturdy storage case



DREMEL[®] 7700



Technical Specification

Battery voltage	7,2 V
Weight	0,280 kg
No load speed	10.000 - 20.000 1/min
Battery capacity	0,7 Ah
Battery technology	NiCd

The CORDLESS Dremel 7.2V with it's go anywhere convenience, can easily be used indoor as well as outdoor. This tool has the ideal performance for small craft projects and light DIY tasks. Together with its comfortable handling and ease of use it's a great tool to have ready to go at any time for carving, grinding, cutting, sanding and more in all kind of materials.

Features and Benefits

- Cordless 7.2V Ni-Cad For inside and outside use with all Dremel accessories.
- Dual speed (10.000 & 20.000 1/min) For quick DIY & Hobby applications.
- Compact and lightweight design Makes the tool easy and comfortable to use.
- Exchangeable battery For easy charging.




DREMEL® 7700 (7700-30)

For this tool the following kit execution is available:

Contents

- Dremel 7700 30 high quality Dremel accessories Charger Instruction manual
- Soft case





DREMEL[®] 8100



Technical Specification

Battery voltage	7,2 V
Weight	0,413 kg
No load speed	5.000 - 30.000 1/min
Charging time	1 h
Battery capacity	1,3 Ah
Battery technology	Lithium-Ion / ECP

The Dremel 8100 is the perfect all-round cordless Li-ion multitool with the new innovative EZ Twist Nose cap. With this new feature there is no need for a wrench to tighten and loosen the collet. The Dremel 8100 has a powerful 7,2V motor and Li-ion battery pack is fully charged in 1-hour. The Dremel 8100 is the ideal tool for users that like to carry out detailed tasks, indoor/outdoor, such as cutting and engraving. The Dremel 8100, the most comfortable and easy to use cordless multitool.

Features and Benefits

- Variable speed 5.000 – 30.000 RPM more comfortable when handling and better control
- Innovative EZ Twist Nose Cap no wrench required for changing accessories
- No nuisance tripping tools doesn't stop after stalling it
- Compact and Powerfull 7,2V motor for optimal performance
- 6 Fast charging

with a 1-hour charger

6 Soft grip for reduced vibration and better grip



DREMEL® 8100 (8100-1/15)

The Dremel 8100 tool kit includes a 1-hour Li-ion battery charger, the Dremel Detailer's Grip attachment and 15 genuine Dremel accessories. All these items are packed in a convenient soft bag.

Contents


Dremel 8100 15 high quality Dremel accessories Detailer's Grip attachment (577)

- 1-Hour battery charger
- Instruction manual

Soft bag



Included accessories



Order information

Ordernumber: F0138100JA

EAN: 8710364065707

DREMEL® 8200



Technical Specification

Weight	0,600 kg
No load speed	5.000 - 30.000 1/min
Battery voltage	10,8 V
Charging time	1 h
Battery technology	Lithium-Ion / ECP
Battery capacity	1,5 Ah

The Dremel 8200 is the most powerfull cordless multitool for the more demanding DIY'er. Especially for maximum performance jobs, like cutting and grinding both indoor as well as outdoor in all sorts of materials. With the innovative EZ Twist Nose Cap there is no need for a wrench to tighten and loosen the collet when changing accessories, the wrench mechanism is integrated in the nose cap of the tool. The 8200 has a 10.8V Li-ion battery with ECP technology and a quick 1-hour charger. Together with the compact and efficient electric motor you can tackle any projects with greater ease and effectiveness which makes the speed of the cut even 2x faster! The Dremel 8200 does it all better. Cordless.

Features and Benefits

- 3 LED battery gauge to monitor battery power.
- Separate on/off switch with collet lockout function prevents from accidentally activating the collet

lock.

Slide speed switch

for full variable speed control up to 30.000 RPM.

4 Soft grip

for comfortable handling.

- Compact and powerful 10.8V Li-ion battery with 1 hour charging time.
- High power 36mm electric motor for all your high demanding cutting jobs and more.
- Motor brake

stops spinning of the accessory immediately.




DREMEL® 8200 (8200-1/35)

This kit includes the high performance 8200 Li-lon cordless multitool, with features like the EZ Twist nose cap, collet lock out function, a motor brake and a RPM bandwidth of 5.000 to 30.000. The kit includes the Detailer's Grip attachment for optimal tool control. Next to this attachment the kit includes a 1-hour battery charger and 35 original Dremel accessories including EZ SpeedClic.



Contents

- Dremel 8200
- 35 high quality Dremel accessories Detailer's Grip attachment 1-Hour battery charger Instruction manual Soft bag



DREMEL® 8200 (8200-2/45)


This Dremel kit is the premium offer in the cordless multitool range. The high performance 8200 Li-ion cordless multitool with EZ Twist nose cap, comes in a practical carrying case which contains a 1-hour battery charger, the Shaping Platform attachment, allowing you to sand or grind perfectly at 90° and 45°, the Line & Circle Cutter attachment and 45 original Dremel accessories including EZ SpeedClic. With this supreme kit even the most demanding craftsman will be satisfied.



Contents

Dremel 8200

45 high quality Dremel accessories
Shaping platform attachment
Line & Circle Cutter
1-Hour battery charger
Instruction manual
Spacious and sturdy storage case



DREMEL[®] 8200 Platinum Edition (8200-5/65)




The Dremel 8200 Platinum Edition is the ultimate Dremel cordless multitool kit. Besides the top of the line Dremel 8200 10.8V Li-ion powered tool you get a second Battery Pack, 5 useful attachments and 65 genuine Dremel accessories all packed in a high quality aluminum tool case.

Contents

Dremel 8200

- 65 high quality Dremel accessories 2x 10.8V Battery pack (875) Detailer's Grip attachment (577)
- Line & Circle Cutter attachment (678)
- Multipurpose Cutting Guide attachment (565)
- Shaping Platform attachment (576)
- Comfort Guard attachment (550)

Instruction manual







Dremel has created a range of multi tool accessories to suit all your needs, including the EZ SpeedClic system to change your accessories quick, easy and keyless. To help you select the right accessories, Dremel has created a colour coding system: every colour represents a category of applications. No matter which materials you want to work with, Dremel has a solution for you.

DREMEL® EZ SpeedClic	Dremel, the inventor of the Multitool, now brings you EZ SpeedClic - an innovation that makes changing cut-off wheels quick and easy. Through a patented mandrel and wheel design, Dremel has found a way that enables you to change your accessory in 3 simple steps - Pull, Click, Twist - without using any tools.
Carving / Engraving / Routing	Dremel offers high quality carving, engraving and routing accessories for many different applications. Their sharpness and durability allow them to last a long time.
Grinding / Sharpening	The accessories in this category can deburr, smooth, grind and clean a variety of materials in any kind of job.
Cleaning / Polishing	Dremel cleaning and polishing accessories include brushes, felt accessories and rubber points to work on steel, aluminium, brass, silver, gold and plastics.
Cutting	Dremel provides two types of cutting accessories for any cutting job; Cut-off wheels and cutting bits. Cut-off wheels cut metal,wood and plastic along their edge. Cutting bits are used with the Dremel cutting guide and cut in any direction.
Sanding	Dremel sanding accessories include sanding drums, bands, discs, flapwheels and abrasive buffs to remove and smoothen material.

Multitool Accessories

Collets / Mandrels / Miscellaneous This category features the miscellaneous extras, like drill bits, collets, mandrels and a multi-chuck.

1994		SALA SALA

4

DREMEL® EZ SpeedClic


EZ SpeedClic



Dremel, the inventor of the Multitool, now brings you EZ SpeedClic - an innovation that makes changing cut-off wheels quick and easy. Through a patented mandrel and wheel design, Dremel has found a way that enables you to change your accessory in 3 simple steps - Pull, Click, Twist - without using any tools.



Carving / Engraving / Routing




High speed cutters can be used for shaping, hollowing, grooving, slotting, making tappered holes in soft metals, plastics and woods.

				M 🖉 🖉	
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
114	2	7,8	3,2	26150114JA	8710364044702
115	2	7,8	3,2	26150115JA	8710364044641
117	2	6,4	3,2	26150117JA	8710364044672
118	2	3,2	3,2	26150118JA	8710364044689
125	2	6,4	3,2	26150125JA	8710364044696
134	2	7,2	3,2	26150134JA	8710364044719
144	2	7,8	3,2	26150144JA	8710364044726
192	2	4,8	3,2	26150192JA	8710364044733
193	2	2,0	3,2	26150193JA	8710364044740
194	2	3,2	3,2	26150194JA	8710364044658
196	2	5,6	3,2	26150196JA	8710364044665
199	2	9,5	3,2	26150199JA	8710364044757
2. Engr	aving Cutte	rs			
105	106 107	108 110	111	113	

Quality cutters for detail engraving, carving, routing in wood, fiberglass, plastic and soft metals.

				a 🎺 🌌 🤶	
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
105	0		0.0	0015010514	0740004044704
105	3	0,8	3,2	26150105JA	8710364044764
106	3	1,6	3,2	26150106JA	8710364044771
107	3	2,4	3,2	26150107JA	8710364044788
108	3	0,8	3,2	26150108JA	8710364044795
110	3	1,9	3,2	26150110JA	8710364044801
111	3	0,8	3,2	26150111JA	8710364044818
113	3	1,6	3,2	26150113JA	8710364044825

Carving / Engraving / Routing



For fine detail work, cutting, engraving, carving, touch-up and finishing. Use on wood, jade, ceramic, glass, hardened steel, semi-precious stones and other hard materials. Bits are covered with diamond particles.

		V 🕅) 🥪	1	1
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
7103	2	2,0	3,2	26157103JA	8710364044832
7105	2	4,4	3,2	26157105JA	8710364044849
7122	2	2,4	3,2	26157122JA	8710364044856
7134	2	2,0	3,2	26157134JA	8710364044863
7144	2	2,4	3,2	26157144JA	8710364044870

4. Tungsten Carbide Cutters



Use for shaping, smoothing and material removal. Use on hardened steel, stainless steel, cast iron, nonferrous metals, fired ceramics, plastics, hardwoods and other hard materials.

				€. 💐 💐 🗖	1
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
9901	1	3,2	3,2	2615990132	8710364008605
9903	1	3,2	3,2	2615990332	8710364008629
9905	1	3,2	3,2	2615990532	8710364008643
9910	1	3,2	3,2	2615991032	8710364008674
9911	1	3,2	3,2	2615991132	8710364008681


Carving / Engraving / Routing

5. Structured Tooth Tungsten Carbide Cutters



Fast cutting sharp teeth for greater material removal. Use on fiberglass,wood, plastic, epoxy, rubber, laminates, particle board, soft metals, ceramic tile.

b		P		€ 🥰 🐔 🖉	i 🞅 🔘 黨
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
9931	1	6,4	3,2	2615993132	8710364008544
9934	1	7,8	3,2	2615993432	8710364008575
9936	1	19,0	3,2	2615993632	8710364008599



For routing, inlaying and mortising in wood and other soft materials. Use with Dremel Router Attachment 335 or Shaper/Router Table 231.

				0 🚬 🤦	
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
612	1	9,5	3,2	2615061232	8710364008254
615	1	9,5	3,2	2615061532	8710364008285
640	1	6,4	3,2	2615064032	8710364008308
650	1	3,2	3,2	2615065032	8710364007417
652	1	4,8	3,2	2615065232	8710364008315
654	1	6,4	3,2	2615065432	8710364008322
655	1	8,0	3,2	26150655JA	8710364023042

Grinding / Sharpening

1. DREMEL® EZ SpeedClic Grinding Wheel



SC541



The Dremel SC541 Grinding Wheel is ideal for grinding and deburring different types of metal. Because of the glass fibre reinforced 38mm diameter wheel you can grind faster and more efficiently. The EZ SpeedClic system enables quick, easy and keyless accessory change.

	1	🔊 ┣		🤌 🔒 📢	×
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
SC541	2	38,0	3,2	2615S541JA	8710364054879

2. Alur	minum	Oxide	Grindi	ng Sto	nes				
I			I			T			
932	952	953	997	8153	8193	8215			

Use on metals, castings,welded joints, rivets and rust. Ideal for sharpening, deburring and general purpose grinding of most materials.

8			M 餐 😣	
Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
3	9.5	3.2	26150932JA	8710364044887
3	9,5	3,2	26150952JA	8710364044894
3	6,4	3,2	26150953JA	8710364044900
3	3,4	3,2	26150997JA	8710364044924
3	4,8	3,2	26158153JA	8710364044931
2	15,9	3,2	26158193JA	8710364044917
1	25,4	3,2	2615821532	8710364008148
	Quantity 3 3 3 3 3 3 3 3 3	Weiling Working Quantity Working Ø mm 3 9,5 3 9,5 3 6,4 3 3,4 3 4,8 2 15,9	Quantity Working Ø mm Shank Ø mm 3 9,5 3,2 3 9,5 3,2 3 6,4 3,2 3 3,4 3,2 3 4,8 3,2 2 15,9 3,2	Quantity Working Ø mm Shank Ø mm Ordernumber 3 9,5 3,2 26150932JA 3 9,5 3,2 26150952JA 3 6,4 3,2 26150953JA 3 3,4 3,2 26150997JA 3 4,8 3,2 2615097JA 2 15,9 3,2 26158193JA

Grinding / Sharpening

3. Silicon Carbide Grinding Stones



83322 84922 85422 85602

Designed to work well on stone, glass, ceramics, porcelain and non-ferrous metals.

e 関 🛃 🖉 🌚 🕼 📔 🔮 🖉 🤋

Model	Quantity	Ø mm	Ømm	Ordernumber	EAN
83322	3	3,2	3,2	26153322JA	8710364044948
84922	3	4,8	3,2	26154922JA	8710364044955
85422	1	19,8	3,2	2615542232	8710364016853
85602	3	10,3	3.2	26155602JA	8710364044979

4. Abrasive Points



Use for finishing work and light deburring. For paint and rust removal without removing any of the base material.

S 🖗 S 🐚 의 C 😂 S							
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN		
516	1	13,0	3,2	2615051632	8710364015238		

Grinding / Sharpening

5. Chainsaw Sharpening Grinding Stones



Precision ground for quick, easy sharpening of chain saw blades. Use with Dremel Chainsaw sharpening attachment No. 1453



Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
453	3	4,0	3,2	26150453JA	8710364044986
454	3	4,8	3,2	26150454JA	8710364044993
455	3	5,6	3,2	26150455JA	8710364045006
457	3	4,5	3,2	26150457JA	8710364045013

1. Rubber Polishing Points



462

Blue points for finishing and polishing all ferrous metals. Removes small burrs and scratch marks left by grinding and sanding, and cleans and defines grooves. Also effective on many stones and ceramics.

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN	
462	3	6,4	3,2	26150462JA	8710364045020	

2. DREMEL® EZ SpeedClic: Polishing Cloth Wheel





This wheel is ideal for polishing metals and plastics. Can also be used with mandrel 402. Quick, Easy, Keyless.

\$		1		1	
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
423S	1	25,0	3,2	2615S423JA	8710364037124

3. Impregnated Polishing Wheel



520

Impregnated polishing wheel for light stock removal and high luster polishing. Works on various surfaces like steel, aluminium, brass, silver, gold, hard plastic etc. The polishing wheel is impregnated with a silicon carbide abrasive and cooling lubricant, so polishing compound is not needed.

b	١							
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN			
520	1	13,2	3,2	2615052065	8710364023035			

4. Polishing Wheels

Ideal for polishing metals and plastics. Using polishing compound no. 421 with wheels produces a high luster. Use 414, 422 and 429 with mandrel 401. Use 425 with mandrel 402.

\$		1	<u>></u>	1	
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
414 421	6	13,0	3,2	2615041432 2615042132	8710364007141 8710364008452
422	4	10,0	3,2	26150422JA	8710364045051
425 429	4 3	22,5 26,0	3,2 3,2	26150425JA 26150429JA	8710364045075 8710364045044

5. Bristle Brushes



Use for light deburring, cleaning, polishing of silverware, jewelry and other precious metals. Can be used with polishing compound (421).

	×
--	---

Model	Quantity	Working Ømm	Shank Ø mm	Ordernumber	EAN
403	1	19.0	3.2	2615040332	8710364007127
403	2	19,0	3,2	26150403JA	8710364070329
404	1	13,0	3,2	2615040432	8710364007134
404	2	13,0	3,2	26150404JA	8710364070336
405	3	3.2	3.2	26150405JA	8710364045082

6. Carbon Steel Brushes



Versatile brush for removing rust and corrosion, polish metal surfaces, deburr and blend surface junctures or clean electrical components.

si 🚱 🔊 🐚 의 🥌 🛸									
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN				
428 428 442 442	1 2 1 2	19,0 19,0 13,0 13,0	3,2 3,2 3,2 3,2 3,2	2615042832 26150428JA 2615044232 26150442JA	8710364007196 8710364070343 8710364007202 87103640070350				
443	3	3,2	3,2	26150443JA	8710364045099				

7. High-Performance Abrasive Brush



538

High performance abrasive brush for deburring, cleaning, rust and corrosion removal. Can be used at higher speed than other brushes (max. 20.000 RPM)

Ø 🌔								
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN			
538	1	26,0	3,2	26150538JA	8710364023066			

8. Stainless Steel Brushes



Stainless steel brushes do not cause "after rust" when used on corrosiveresistant materials like pewter, aluminum and stainless steel.

si 🚱 🔊 🐚 의 🥯 🗐 🚱									
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN				
530 530 531 531 532	1 2 1 2 3	19,0 19,0 13,0 13,0 3,2	3,2 3,2 3,2 3,2 3,2 3,2	2615053032 26150530JA 2615053132 26150531JA 26150532JA	8710364010561 8710364070367 8710364010578 8710364070374 8710364045105				

9. Brass Brushes



Brass brushes are non-sparking and softer than steel. They will not scratch soft metals like gold, copper, brass.

	×
--	---

Model	Quantity	Working Ømm	Shank Ø mm	Ordernumber	EAN
535	1	19,0	3,2	2615053532	8710364010530
535	2	19,0	3,2	26150535JA	8710364070381
536	1	13,0	3,2	2615053632	8710364010547
536	2	13,0	3,2	26150536JA	8710364070398
537	3	3,2	3,2	26150537JA	8710364045112



1. DREMEL® EZ SpeedClic: Starter Set and Cutting Wheels





SC406 SC409 SC456 SC456B

Dremel, the inventor of the EZ SpeedClic quick-change system for rotary tool accessories, now offers an extended line of EZ SpeedClic metal cutting accessories. The Starter Set SC406 includes the unique EZ SpeedClic mandrel and two fiberglass reinforced metal cutting wheels. The SC456, SC456B and SC409 are replacement metal cutting wheels, whereby the SC409 wheels have a thickness of just 0,75 mm.

🟓 🙆 🍝			A 🔒 🔒	X
-------	--	--	-------	----------

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
SC406	2	38,0	3,2	2615S406JC	8710364042814
SC409	5	38,0	3,2	2615S409JB	8710364042869
SC456	5	38,0	3,2	2615S456JC	8710364042821
SC456B	12	38,0	3,2	2615S456JD	8710364042845

2. DREMEL® EZ SpeedClic: Plastic Cutting Wheels 5-Pack



SC476



These cutting wheels are specially designed for cutting in all sorts of plastics. Quick, Easy, Keyless.

44		\mathbf{z}

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
SC476	5	38,0	3,2	2615S476JB	8710364042852



3. DREMEL® EZ SpeedClic: Wood Cutting Wheel



SC544



Cut faster through wood. With this ø 38 mm EZ SpeedClic wood cutting wheel 544 you can cut both hard and soft types of wood and also laminate. The carbide coating makes this wheel very durable. Quick, Easy, Keyless.

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
SC544	1	38,0	3,2	2615S544JB	8710364042876

4. DREMEL® EZ SpeedClic: Diamond Cutting Wheel




DREMEĽ EZ SpeedClič

A unique accessory designed for cutting hard materials. For example concrete, stone, porcelain, ceramic and hard epoxies. The diamond wheel produces a fine cut, is extremely durable, does not break and retains it shape. Quick, Easy, Keyless.

	b				
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
SC545	1	38,0	3,2	2615S545JB	8710364042883



5. Cut-Off Wheels



For slicing and cutting in metal,wood and plastic. Cut-off wheels make it easy to cut or slot bolts, screws, sheet metal, thin wood and plastic. Fiberglass reinforced cut-off wheels (456, 426, 426B) are for tough applications. The cut-off wheel cuts only along its edge. Do not attempt to sand or cut curved holes. Use Dremel cut-off wheels with mandrel 402.

		🔊 ┣		🤌 🔒 📢 🍕	
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
409	36	24,0	3,2	2615040932	8710364007424
420	20	24,0	3,2	2615042032	8710364007431
426	5	32,0	3,2	2615042632	8710364007448
540		32,0	3,2	2615054032	8710364010516

6. Cutting/Shaping Wheel



The ultimate solution for wood. The special design of the cutting/shaping wheel 542 ensures that you can cut both hard and soft types of wood, cut grooves and shape wood. The carbide coating makes the wheel especially durable.

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
542	1	25,4	3,2	2615054265	8710364017119



7. Rip/Cross-Cut Blade



546

Precision saw blade for fine, clean and straight cuts in all sorts of wood. Perfect for laminate and wood flooring or thin wood plates. Use only with Dremel Mini Saw attachment 670. Made of carbon steel, 48 offset teeth guarantee precise, fast cuts up to 6.35 mm.

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
546	2	31,8	3,2	26150546JB	8710364045143


8. Spiral Cutting Bits



561 562

The multipurpose cutting bit 561 cuts wood, plastic, fiberglass, drywall, laminate & vinyl siding. The tile cutting bit 562 cuts ceramic wall tile, cement board and plaster. (Not for use on floor tile)

🏁 🎑 🛃 😭 🌄 🔛 🖉 💽 🔇						
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN	
561	3	3,2	3,2	26150561JA	8710364045150	
562	1	3,2	3,2	2615056232	8710364010608	





569 570

Ideal for cleaning wall and floor grout or removing grout to replace broken tiles. Use with the Dremel Grout Removal attachment 568.



Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
569	1	1,6	3,2	2615056932	8710364014125
570	1	3,2	3,2	2615057032	8710364016624

Sanding

1. DREMEL® EZ SpeedClic: Detail Abrasive Brushes





The Detail Abrasive Brushes have very flexible bristles which allow removal of the exterior "surface layer" without damaging the base layer below. This can be used for deburring, cleaning, finishing, and polising of detailed parts, tiny areas and irregular places.

)	e.	X 🔊	
Model	Quantity	Working Ø mm	Shank Ø mm	Grit	Ordernumber	EAN
471S	1	25,0	3,2	36	2615S471JA	8710364050314
472S	1	25,0	3,2	120	2615S472JA	8710364050321
473S	1	25,0	3,2	220	2615S473JA	8710364050338

2. DREMEL® EZ SpeedClic: Abrasive Buffs



511S 512S



511S: 1x Finishing abrasive buff medium + 1x course. 512S: 2x Finishing abrasive buffs fine. For precise and delicate material removal on metal, glass, wood and plastic. The flexible material enables to work on tight and irregularly shaped areas. These buffs can be used with mandrels 402 as well as SC402. EZ SpeedClic. Quick, Easy, Keyless.

					 	
Model	Quantity	Working Ø mm	Shank Ø mm	Grit	Ordernumber	EAN
511S	2	25,0	3,2	180 / 280	2615S511JA	8710364037100
512S	2	25,0	3,2	320	2615S512JA	8710364037117



3. DREMEL® EZ SpeedClic: Sanding Discs



SC411 SC413



The EZ SpeedClic Sanding Discs are great for light sanding and shaping. The discs are available in 60 and 240 grit with a diameter of 30mm and are compatible with the SC402 mandrel. Change discs without using a wrench! The EZ SpeedClic sanding discs last 2x longer and remove 2x more material than the Dremel 411 and 413 sanding discs. Quick, Easy, Keyless.

				"En	ی 🙀 🖗	i i i i i i i i i i i i i i i i i i i
Model	Quantity	Working Ø mm	Shank Ø mm	Grit	Ordernumber	EAN
SC411	6	30,0	3,2	60	2615S411JA	8710364060917
SC413	6	30,0	3,2	240	2615S413JA	8710364060931

4. DREMEL® EZ SpeedClic: Sanding Mandrel & Sanding Band





The EZ SpeedClic sanding mandrel & sanding band are ideal for quick material removal. The quick change EZ SpeedClic mandrel enables fast sanding band change. Pull, Place, Push.

	8		E			
Model	Quantity	Working Ømm	Shank Ø mm	Grit	Ordernumber	EAN
SC407	3	13,0	3,2	60 / 120	2615S407JA	8710364060948



5. Sanding Bands



For rough shaping and smoothing wood and fiberglass, removing rust from metal surfaces and shaping rubber surfaces. Sanding bands are easily replaceable.

		8	8	e.	M 餐 🐔	
Model	Quantity	Working Ø mm	Shank Ø mm	Grit	Ordernumber	EAN
408 430 431 432 438	6 2 6 6	13,0 6,4 6,4 13,0 6,4	3,2 3,2 3,2 3,2 3,2 3,2	60 60 60 120 120	2615040832 26150430JA 2615043132 2615043232 2615043232	8710364007233 8710364045167 8710364007257 8710364007264 8710364007271

6. Flapwheels



Perfect for sanding flat or contoured surfaces on metal,wood, rubber or plastic.

		Ø [8		M 餐 🖗	
Model	Quantity	Working Ø mm	Shank Ø mm	Grit	Ordernumber	EAN
502	1	28,6	3,2	80	2615050232	8710364015252
504	1	28,6	3,2	80	2615050432	8710364015269

Collets / Mandrels / Miscellaneous

1. Glass Drilling Bits



The Dremel Glass Drilling Bits are ideal for cutting holes in glass.

6	7
_	

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
662	1	3,2	3,2	26150662JA	8710364054541
663	1	6,4	3,2	26150663JA	8710364054558

2. Collets

.....

4485

Collets offer the most precise way to hold an accessory in a multitool. The collet kit 4485 is an assortment of the different available collets (0,8 / 1,6 / 2,4 / 3,2 mm) including a collet nut.

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
4485	1			2615448532	8710364007592

Collets / Mandrels / Miscellaneous

3. Multi Chuck



4486

The Dremel multi chuck (4486) allows you to quickly and easily change accessories on your Dremel multitool without using collets. It accepts accessories from 0,4mm to 3,4mm shank. Not compatible with the Dremel 4200.

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
4486	1			2615448632	8710364012978



Mandrels are used to mount different accessories, like felt polishing wheels or cut-off wheels. SC402 Mandrel for the EZ SpeedClic accessories. Quick, Easy, Keyless.

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
401	3		3,2	26150401JA	8710364045068
402	4		3,2	26150402JA	8710364045198
SC402	1		3,2	2615S402JB	8710364042838

Collets / Mandrels / Miscellaneous

5. Precision Drill Bit Set (7 pcs) (628)





628

The Dremel precision drill bit set (628) contains 7 drill bits for drilling into wood or soft metal. The different diameters included are 0.8 / 1.2 / 1.6 / 2.0 / 2.4 / 2.8 and 3.2 mm. Not compatible with the Dremel 4200.



Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
628	7			2615062832	8710364009381



636

The Dremel wood drill bit set contains 4 drill bits with centering point for drilling into wood. The different drilling diameters included are 3, 4, 5 and 6 mm. The titanium coating offers high performance and longer lifetime.




Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
636	4		3,2	26150636JA	8710364026289

100 Piece Multipurpose Modular Accessory Set (720)

This 100 piece Multipurpose Dremel Accessory Set contains a basic collection of genuine Dremel accessories (including EZ SpeedClic) which are packed in a high quality storage case. This modular storage case can be connected to similar Dremel storage cases, to create and expand your own storage system.



Included accessories



165 Piece Multipurpose Modular Accessory Set (722)

This 165 piece Multipurpose Dremel Accessory Set contains an extended collection of genuine Dremel accessories (including EZ SpeedClic). With accessories from all categories, this set gives you the ability to work on numerous different projects and materials with your Dremel. These accessories are packed in two high quality storage cases. These modular storage cases can be connected to similar Dremel storage cases, to create and expand your own storage system.



Included accessories


Carving/ Engraving/Routing	191
Grinding/ sharpening	₹ • • • • • • • • • •
Cleaning/polishing	1 1
Cutting	 3 409(36) SCA86 (2) 420(20) 456(2)
Sanding	Image: Constraint of the state of
Collets/Mandrels/ Miscellaneous	() 402 401 SC402 150
Order information	Ordernumber: 26150722JA EAN: 8710364050772

Woodworking Modular Accessory Set (730)

This Dremel Wood Working Set contains a special selection of genuine Dremel accessories (including EZ SpeedClic); all you need for all your wood working projects. It also includes two attachments: Shaping Platform (for excellent control when sanding) and Detailer's Grip (for increased control), especially designed with wood working in mind. The accessories and attachments are packed in two unique and connectable modular storage cases. These modular storage cases can be connected to similar Dremel storage cases, to create and expand your own storage system.



Included accessories



Included Attachments



Order information

Ordernumber: 26150730JA

Cutting & Grinding Modular Accessory Set (731)

This Dremel Cutting & Grinding Set contains the most popular Dremel cutting & grinding accessories (including EZ SpeedClic) and two useful attachments: Line & Circle Cutter and Cutting Guide, perfect for all your cutting & grinding jobs in metal, stone and plastic. The accessories and attachments are packed in two unique and connectable modular storage cases. These modular storage cases can be connected to similar Dremel storage cases, to create and expand your own storage system.



Grinding/ sharpening	997	8215	9 32	7 85602	J 84922	5 41(4)			
Cutting		•	Q						
	562	420(20)	SC476 (2)	SC456 (3)	561				
Collets/Mandrels/ Miscellaneous	 402	6 SC402							
ncluded Attachments									
Included Attachments	×								

678 565

Included accessories

Order information

In

Ordernumber: 26150731JA

EZ SpeedClic Accessory Set (SC690)

Assortment of 10 EZ SpeedClic cutting wheels and the special EZ SpeedClic mandrel. Besides 6 regular 38 mm metal cutting wheels the kit includes 2 special thin cutting wheels and 2 unique plastic cutting wheels. EZ SpeedClic is the unique quick-change system for rotary tool accessories. EZ SpeedClic. Quick, Easy, Keyless.



Included accessories



Order information

Ordernumber: 2615S690JA

Cleaning / Polishing Set (684)

All you need for cleaning and polishing in a convenient box. Removable accessory tray and 3 dividers provide perfect storage solution. Dremel Quick Start leaflet explains the included accessories.



Included accessories


Cleaning/polishing	403	T 404	405	428	520	414(6)	421	422	425(2) 42	29(3)
Collets/Mandrels/ Miscellaneous	† 401	402								

Multipurpose Set (687)

Assortment of best selling accessories in a convenient box. Removable accessory tray and 3 dividers provide perfect storage solution. Dremel Quick Start leaflet explains the included accessories.



Included accessories



Cutting Set (688)

Assortment of 68 cut-off wheels in a convenient box. Removable accessory tray and 3 dividers provide perfect storage solution. Dremel Quick Start leaflet explains the included accessories.



Included accessories

Cutting	409(36) 420(24) 426(3) 540(5)
Collets/Mandrels/ Miscellaneous	402



The Dremel attachments expand the usability of your multitool, so you can do your job with even more precision and ease. Dremel offers attachments to rout, control, cut, saw, sharpen and to reach.

Attachments to Control	DREMEL® Workstation (220) DREMEL® Shaping Platform Attachment (576) DREMEL® Detailer's Grip Attachment (577) Flex-Shaft Tool Holder (2222) DREMEL® Multi-Vise (2500)	<i>.</i>
Attachments to Cut	Multipurpose Cutting Kit (565) Wall Tile Cutting Kit (566) Wall & Floor Grout Removal Kit (568) Line & Circle Cutter (678)	*
Attachments to Reach	Flexible Shaft (225) Right Angle Attachment (575)	
Attachments to Rout	Shaper / Router Table (231) Plunge Router Attachment (335)	4 4
Attachments to Saw	Mini Saw Attachment (670)	
Attachments to Sharpen	Chainsaw Sharpening Attachment (1453)	

Attachments to Control

DREMEL® Workstation (220)

- This is the perfect solution for stationary working with your Dremel.
- Drill vertically or in an angle, adjustable in increments of 15 degrees.
- Holds tool horizontally for polishing and sanding.
- Integrated, telescoping tool stand holds tool with Flex Shaft (225).
- On-board accessory storage.
- Cord management keeps cord safely stowed.
- Depth markings for consistent depth adjustment.
- · Base markings (metric and inches).



Contents

Combined Drill Press and Tool Holder





Order information

Ordernumber: 26150220JB

EAN: 8710364032426

DREMEL® Shaping Platform Attachment (576)

 The Dremel Shaping Platform enables you to sand and grind at perfect 90 and 45 degree angles. With the included sanding mandrel, sanding band and grinding stone you can start working straight away. DRIEMEL

Contents

407 Sanding Mandrel and Band 932 Grinding Stone Shaping Platform Attachment



Ordernumber: 26150576JA



Attachments to Control

DREMEL® Detailer's Grip Attachment (577)

 The Dremel Detailer's Grip attachment enables you to have even better control of your multitool when doing DIY, hobby and craft projects. With the included stencil template and engraving cutter you can begin working with the detailer's Grip attachment and your multitool straight away.



Contents

Detailer's Grip Attachment Stencil Template 107 Engraving Cutter 481 Collet 2.4 mm





Order information

Ordernumber: 26150577JA

EAN: 8710364054206

Flex-Shaft Tool Holder (2222)

- Conveniently suspends your Dremel multitool above your workbench.
- Perfect for use with the Flexible Shaft attachment.
- Clamps to workbenches up to 42 mm thick, and adjusts in height from 300 to 1070 mm.
- · Store extra bits on base.



Contents

Flex-Shaft Tool Holder





EAN: 8710364016822

Order information

Ordernumber: 2615222232

Attachments to Control

DREMEL® Multi-Vise (2500)

- The Dremel 3-in1 Multi-Vise. Stationary vise, stand alone clamp & Toolholder.
- Clamps to any workbench, table or countertop
- Rotates 360° and tilts 50°. Allows approaching the workpiece from a comfortable angle.
- Jaws may be used with base unit or detached for use as a stand-alone bar clamp.
- Easily accommodates larger work pieces.
- Stabilises oversize objects and protect delicate pieces from damage.
- Allows round and odd-shaped objects to be held securely.
- Allows quick removal of objects from jaws.
- Resists twisting and bowing for solid stability.

Contents

Dremel Multi-Vise Removable soft-pads Tool holder adapter

Order information

Ordernumber: 26152500JA







Attachments to Cut

Multipurpose Cutting Kit (565)

- Provides controlled cutting in a variety of materials.
- Easily attaches to your Dremel tool.
- Easy depth adjustment up to 19 mm material thickness.



Contents

Cutting Guide

- 2 Drywall Cutting Bits 560
- 1 Multipurpose Cutting Bit 561





Order information

Ordernumber: 2615056532

EAN: 8710364010622

Wall Tile Cutting Kit (566)

- Provides controlled cutting in ceramic wall tiles.
- · Easily attaches to your Dremel tool.
- Easy depth adjustment up to 19 mm material thickness.



Contents

Order information

Cutting Guide 1 Tile Cutting Bit 562 (not for use on ceramic floor tiles)





EAN: 8710364010639

Ordernumber: 2615056632

Attachments to Cut

Wall & Floor Grout Removal Kit (568)

- Specially developed for removing grout from between wall and floor tiles.
- The risk of chipping your tiles is greatly reduced compared with manual chiselling.
- Easy depth adjustment.
- Guide keeps bit centered between tiles.
- For compatibility with the Dremel 4200 please check the compatibility overview on the rear of the packaging.



Contents

Angled Cutting Guide 1.6 mm Grout Removal Bit 569





EAN: 8710364013982

Order information

Ordernumber: 2615056832

Line & Circle Cutter (678)

- · Makes perfect holes and straight cuts
- Easily connects to your Dremel tool
- Included cutting bits are perfect for cuts in drywall, wood and laminate
- · Maximum cutting diameter is 30 cm



Contents

Circle cutter Straight edge guide 1 Multipurpose cutting bit 561

Order information

Ordernumber: 26150678JA



Attachments to Reach

Flexible Shaft (225)

- Ideal attachment for precise, detailed work or hard to reach places.
- Comfort grip handpiece allows fingertip control to cut, grind, sand, polish and more.
- Integrated shaft lock button for quick and easy accessory changes.
- 127 mm bend radius provides more comfort and flexibility during use.
- Quick connect attaches your Dremel tool in seconds.



Contents

Flexible Shaft - length 1070 mm Driver Cap





Order information

Ordernumber: 26150225JA

EAN: 8710364054992

Right Angle Attachment (575)

- Designed to use accessories in right angle for hard to reach places.
- Ball bearings and bevel gears provide smooth and cool operation and guarantee longer lifetime.
- Coupling system allows to place the attachment in 12 different directions on your Dremel tool.
- Quick connect attaches your Dremel tool in seconds.



Contents

Right Angle Attachment Driver Cap





Order information

Ordernumber: 2615057532

EAN: 8710364016983

Attachments to Rout

Shaper / Router Table (231)

- Converts your Dremel tool into a bench mounted tool for precise routing, shaping and sanding.
- Plastic knobs for easy tool assembly and depth adjustment.
- Smooth table surface to slide your workpiece easily over the table.
- Slot, groove, sand and trim edges.
- 3-way adjustable fence for accurate working result.
- Worktable 203 x 152 mm.
- Adjustable, transparent router bit guard enables safe working.



Contents

Shaper/Router Table

Order information





Ordernumber: 2615023132

EAN: 8710364016891

Plunge Router Attachment (335)

- Converts your Dremel tool into a plunge router to rout circles, signs and inlay work, decorative edges and to rout parallel to an edge.
- Plunge-lock in handle simply turn handle to lock/unlock.
- Two depth stops for quick, consistent adjustment of depth.
- Edge guide and circle guide to rout straight lines and perfect circles.
- Guide bushing set for letter and pattern template routing.



Contents

Plunge Router Attachment Edge Guide Circle Guide Guide Bushing Set Wrench

Order information

Ordernumber: 26150335JA



Attachments to Saw

Mini Saw Attachment (670)

- Transforms your Dremel tool into a precision circular saw for fine, clear and straight cuts in all sorts of wood.
- Perfect for laminate and wood flooring or thin wood plates.
- The safety guard and lower guard make it safe to use the circular saw blade.
- The guide allows to make straight cuts.
 Quick connect attaches your Dremel tool in seconds.
- This Mini SawAttachment is easier to use than a hand saw, more precise than a jig saw and fits in tighter spaces than a circular saw.



Contents

Mini SawAttachment Rip/Cross-Cut Blade (546) Driver Cap





Order information

Ordernumber: 26150670JA

EAN: 8710364023196

Attachments to Sharpen

Chainsaw Sharpening Attachment (1453)

- The fastest, easiest way to sharpen dull, slow-cutting chain saws.
- · Easily attaches to your Dremel tool.
- Works with a variety of different chain sizes.
- For compatibility with the Dremel 4200 please check the compatibility overview on the rear of the packaging.



Contents

Order information

Sharpening Angle Guide Adjustment Gauge Chainsaw Sharpening Grinding Stones





Ordernumber: 26151453PA

EAN: 8710364021499





Next to the Multitool System, Dremel has developed other Versatile Tool Systems that help you see your project through to completion. The systems that can be found in this category either bridge the gap between the very detailed tasks and the traditional DIY jobs, or surround a certain type of project category, like engraving, gluing or soldering. These tools are typically more compact than traditional DIY tools and use their own unique accessories and attachments to ensure the best results.

DSM20 System	DREMEL® DSM20 DSM20 Accessories DSM20 Attachments	6 nº
Multi-Max System	DREMEL® Multi-Max 8300 DREMEL® Multi-Max MM20 DREMEL® Multi-Max MM40 Multi-Max Accessories Multi-Max Attachments	
TRIO System	TRIO Accessories	IN THE SECOND
Glue Gun System	DREMEL® Glue Gun 910 DREMEL® Glue Gun 940 Glue sticks	ST.
VersaTip System	DREMEL® VersaTip Butane Tool Accessories	Test
VersaFlame System	DREMEL® VersaFlame Butane Tool Accessories	
Engraver System	DREMEL® Engraver Engraver Accessories	

DREMEL® DSM20



Technical Specification

Weight	1,70 kg
No load speed	17.000 1/min
Voltage	220 - 240 V
Rated power input	710 W

The Dremel DSM20 is the ultimate compact saw with an excellent line of sight. With its clear line of sight, powerful motor and use of abrasive wheels, this saw can easily perform precise straight, plunge and flush cuts in materials up to 20mm thick. The product comes with a wide variety of non-intimidating abrasive cutting wheels, which in combination with the dust extraction port allows for clean and accurate work in wood, metal, plastics, stoneware and tiles. This kit includes three attachments which help to enhance the cutting capabilities of the Dremel DSM20. Cutting parallel to the edge of the work is simple with the edge guide, while the 2x4 cutting guide can be used to quickly and accuratelly make cuts in 2x4 timber. Dremel DSM20 the ultimate cutting solution.

Features and Benefits

- Excellent line of sight for accurate cutting.
- Abrasive wheel technology for straight cuts, plunge cuts and flush cuts in wood, metal, tile, plastic and masonry.
- **Worm drive gearing** for durability and power.
- Powerful 710W motor for tough applications.
- 6 Adjustable depth guide for precision and control.
- Oust extraction port for clean working environment.



DREMEL® DSM20 (DSM20-3/4)

For this tool the following kit execution is available:

Contents

Dremel DSM20 1x DSM500 Multipurpose Carbide Cutting Wheel 3x DSM510 Metal and Plastic Cutting Wheel Vacuum Cleaner Attachment Straight Edge Guide 2x4 Cutting Guide Sturdy and spacious storage case



Included accessories





Order information

Ordernumber: F013SM20JA

DSM20 Accessories

1. Cutting



DSM500 DSM600

DSM500: The DSM500 is a multipurpose carbide cutting disc. This abrasive cutting wheel with carbide grit is designed for doing straight and plunge cuts in wood and other soft materials. DSM600: The DSM600 is a multipurpose carbide flush cutting disc. This offset abrasive cutting wheel with carbide grit is designed to cut (straight, plunge and flush) wood and other soft materials.



Model	Quantity	Ø mm	Shank Ø mm	Ordernumber	EAN
DSM500	1	20,0		2615S500JA	8710364060764
DSM600	1	20,0		2615S600JA	8710364060818

2. Cutting



DSM510 DSM520 DSM540

DSM510: The DSM510 is a reinforced type 1 abrasive cutting wheel which is designed to cut a variety of materials such as metal and plastic. DSM520: The DSM520 is a masonry cutting wheel. This reinforced type 1 abrasive cut-off wheel is intended to make cuts in masonry and stone. DSM540: The DSM540 is a diamond abrasive wheel which is designed for cutting hard materials such as marble, concrete, brick, porcelain and ceramic tile.

				8	
Model	Quantity	Working Ø mm	Shank Ømm	Ordernumber	EAN
DSM510	3	20,0		2615S510JA	8710364060771
DSM520	2	20,0		2615S520JA	8710364060795
DSM540	1	20,0		2615S540JA	8710364060801

DSM20 Attachments

DREMEL® DSM20 Cutting Guide (DSM840)

 This attachment helps to enhance the cutting capabilities of the Dremel DSM20. Mitre, bevel and straight cuts are easily achieved in baseboard, trim or molding using the DSM840 Cutting Guide.

Contents

DSM840





Order information

Ordernumber: 2615S840JA

EAN: 8710364060825

DREMEL® Multi-Max 8300



Technical Specification

Battery voltage	10,8 V
Weight	0,825 kg
No load speed	3.000 - 21.000 1/min
Charging time	1 h
Battery capacity	1,5 Ah
Battery technology	Lithium-Ion / ECP
Oscillating Angle	L/R1.5

With the new Multi-Max. Dremel brings a superior consumer experience to the cordless oscillating tool category. The ideal tool to repair, remodel and or restore. Its quick change accessory system allows a fast change of accessory to suit any situation, while the 2 batteries ensure enough endurance to tackle any (light) DIY and hobby task. Combined with superb ergonomics, the Dremel Multi-Max is the oscillating tool for quick fixes and smaller restorations projects. There are accessories available for the Multi-Max to cut and sand wood, metal, plastic & drywall, grind cement & mortar and remove grout. Multi-Max, the most comfortable and user friendly oscillating tool.

Features and Benefits

- Ergonomic design compact tool, soft grip area at front and balanced weight for increased comfort
- Smaller Accessories more precise, longer battery lifetime, lower vibration and sound level
- Quick fit change system allows to change accessories quick and easy
- One Hour Charger plus extra battery for reduced down time
- 3.000-21.000 RPM with smooth start for optimal performance in different applications
- 10.8V Lithium-Ion Battery with ECP technology for optimal battery performance
- Fuel Gauge indicating battery charge
- Separate On/Off Switch

maintains speed setting & provides easy access



DREMEL® Multi-Max 8300 (8300-9)

The Dremel Multi-Max Kit contains the most relevant accessories focussing minily on wood working applications while not leaving out other materials: The Hook and Loop Sanding Pad along with the Sanding Papers, the Wood and Metal Flush Cut Blade and the Wood and Drywall Saw blade are all included. This kit also includes 2x 10.8V Li-Ion Batteries with ECP technology for longer working.

Contents	
Dremel Multi-Max 8300	
Wood & Metal Flush Cut Blade	
Wood & Drywall Saw Blade	
Hook and Loop Pad	
6x Sanding Paper	
2x 10.8V Li-Ion 1.3Ah battery pack	
1 Hour Charger	
Instruction manual	
Sturdy and spacious storage case	



Included accessories



DREMEL[®] Multi-Max MM20



Technical Specification

Weight	1,35 kg
No load speed	10.000 - 21.000 1/min
Voltage	220 - 240 V
Battery technology	
Rated power input	250 W
Oscillating Angle	L/R1.5

Dremel Multi-Max MM20 is an oscillating tool with high performance motor and Quick-Fit accessory mechanism. Ideal tool to repair, remodel and restore. The MM20 is capable of handling a wide range of applications including cutting in wood, plastic or metal, sanding wooden or painted surfaces, scraping, grout removal and more. Dremel Multi-Max MM20 is the more powerfull oscillating tool for the frequent user.

Features and Benefits

- Faster and more efficient cutting 250W high performance motor combined with electronic feedback and soft start.
- Precise working in different materials and applications
 - 10,000-21,000 OPM variable speed.
- Basy Accessory Change Quick Fit Accessories.
- Comfortable Handling ergonomic design and longer (2.1m) power cord.



DREMEL® Multi-Max MM20 (MM20-1/9)

For this tool the following kit execution is available:

Contents

Dremel Multi-Max MM20 1x Hook and Loop Sanding Pad (MM11) 6x Sanding Paper (3x MM70P, 3x MM70W) 1x Wood Flush Cut Blade (MM480) 1x Wood & Metal Flush Cut Blade (MM482) Vacuum cleaner attachment Sturdy and spacious storage case



Included accessories

Cutting	T T MM482 MM480
Sanding	▲ ▲ ▲ MM/TOW MM11 MMTOP (3)

DREMEL[®] Multi-Max MM40



Technical Specification

Weight	1,47 kg
No load speed	10.000 - 21.000 1/min
Voltage	220 - 240 V
Battery technology	
Rated power input	270 W
Oscillating Angle	L/R 1.5

The Dremel Multi-Max MM40 is the best performing oscillating tool with Quick Lock: quick and keyless accessory change mechanism. Equipped with electronic feedback and soft start this best in class oscillating multitool can comfortably handle a wide range of applications including cutting in wood, plastic or metal, sanding wooden or painted surfaces, scraping, grout removal and more. The Dremel Multi-Max MM40 is the best in class oscillating tool for the more demanding jobs.

Features and Benefits

- Keyless quick accessory change Quick Lock accessory change interface.
- Paster and more efficient cutting 270W high performance motor combined with soft start.
- Maintains speed under load electronic feedback.
- Precise working in different materials and applications 10000-21000 OPM Variable speed.
- Comfortable Handling ergonomic design and longer (2.1m) power cord.



DREMEL® Multi-Max MM40 (MM40-1/9)

For this tool the following kit execution is available:

Contents

Dremel Multi-Max MM40 1x Quick Fit Hook and Loop Sanding Pad (MM14)

- 6x Sanding Paper (3x MM70P, 3x MM70W)
 - 1x Wood Flush Cut Blade (MM480)
- 1x Wood & Metal Flush Cut Blade (MM482)
- Vacuum cleaner attachment
- Sturdy and spacious storage case



Included accessories

Cutting	V7 V7 MM482 MM480
Sanding	

Multi-Max Accessories

1. Grinding



MM900 MM14

MM900: Diamond paper accessory for grinding cement, plaster or thin-set mortar. Requires MM11 or M14 Hook and Loop Pad accessory. For rough grinding, shaping and smoothing of masonry, stone, cement and mortar.



60

2615M900JA

8710364055296

2. Cutting

MM900



1

MM411 MM422 MM470 MM480 MM482

MM411: 10mm wood flush cutting blade used to make precise cuts to allow for installation of flooring or wall trim. MM422: 20mm metal flush cutting blade used to make precise cuts and plunge cuts. MM470: 19mm HCS wood flush cutting blade with long blade design for fast and precise cutting. MM480: 32mm wood flush cutting blade with the ability to perform precise plunge and flush cuts. MM482: 32mm metal flush cutting blade with the ability to perform precise plunge and flush cuts. Flush cut blades can be used in many different materials.

				X X 2
--	--	--	--	-------

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
MM411	1	10,0		2615M411JA	8710364055333
MM422	1	20,0		2615M422JA	8710364055258
MM470	1	19,0		2615M470JA	8710364055364
MM480	1	32,0		2615M480JA	8710364064274
MM482	1	32,0		2615M482JA	8710364064281

Multi-Max Accessories

3. Cutting



MM430 MM435 MM450 MM501

MM430: The Multi-Knife offers users a powered push and pull cutting solution which can easily cut through a variety of materials including; carpet, cardbord, outdoor turf, asphalt shingles and vinyl tile. MM435: The Jab Saw Blade offers users a powered cutting solution which can easily perform straight, curved and plunge drywall cuts. MM450: Wood & Drywall Saw Blades are ideal for making precise cuts in wood, plaster and drywall material. MM501: Grout removal blade for removing grout between wall and or floor tiles.

				<u>?</u> 🗩 💌 🛡	•
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
				00151440044	0710001001050
MM430	1			2615M430JA	8710364064250
MM435	1			2615M435JA	8710364064267
MM450	1	75,0		2615M450JA	8710364055265
MM501	1	1,6		2615M501JA	8710364055272

4. Cutting



MM721 MM722

MM721: Spiral Cutting Blades are used to do intricate and very detailed cuts and trims. These blades can be used only with the MM720 Multi-Flex. MM722: Flat Cutting Blades are used for general straight cutting of a variety of materials. These blades can be used only with the MM720 Multi-Flex.

2 🚩 🔛 🧝	
Working Chan	

Model	Quantity	Ømm	Ømm	Ordernumber	EAN
MM721	3			2615M721JA	8710364056026
MM722	3			2615M722JA	8710364056033

Multi-Max Accessories

5. Sanding



MM14 MM70P MM70W

MM14: The Quick Fit Hook & Loop Pad accessory allows Multi-Max oscillating tools to accept sand papers and diamond paper. MM70P: Sand paper accessory to sand paint, varnish and filling compound on a variety of surfaces. Requires Hook and Loop Pad accessory. MM70W: Sand paper accessory for sanding hardwood, softwood, chipboard, rusted metal, fibreglass and plastics. Requires MM11 or MM14 book and Loop Pad accessory.

	e.	S.	¥	

Model	Quantity	Working Ø mm	Grit	Ordernumber	EAN
MM14	1			2615M014JA	8710364064243
MM70P	6		80 / 120 / 240	2615M70PJA	8710364055241
MM70W	6		60 / 120 / 240	2615M70WJA	8710364055234

6. Miscellaneous



MM300 MM600

MM300: Multi-Max Universal Adapter allows all Multi-Max accessories to fit all current oscillating tools in the market (Including Fein, Rockwell, Bosch, Craftsman, Mastercraft, and Masterforce).Not compatible with MM40. MM600: Rigid scraper for large area removal of harder materials such as vinyl flooring, carpeting and tile adhesives.

H	2	
1 1		

Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
MM300 MM600	1 1			2615M300JA 2615M600JA	8710364055357 8710364055319

Multi-Max Attachments

DREMEL® Multi-Max Multi-Flex (MM720)

 First oscillating attachment in the market designed for detailed cutting. The innovative design with the special cutting blades ensures the widest cutting capability of all oscillating tools. Variety of blades allows for use in wood, metal, and plastic. Not compatible with MM40.



Contents

Multi-Flex 3 spiral cutting blades

3 saw cutting blades





Order information

Ordernumber: 2615M720JA

TRIO Accessories

1. Routing



TR615 TR618 TR654

TR615: Dremel TRIO Corner Rounding Routing Bit for routing in wood and other soft materials. TR618: Dremel TRIO Chamfer Router Bit for routing in wood and other soft materials. TR654: The Dremel TRIO Straight Router Bit for routing and inlaying in wood and other soft materials.



Model	Quantity	Working Ømm	Shank Ø mm	Ordernumber	EAN
TR615	1	9,5	4,8	2615T615JA	8710364053742
TR618	1	9,5	4,8	2615T618JA	8710364053735
TR654	1	6,5	4,8	2615T654JA	8710364053711

2. DREMEL® TRIO Straight Router Bit Set (TR673)






A set of various size carbide straight router bits for routing and inlaying in wood.



Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
TR673	3	12,7 / 6,3 / 3,2	4,8	2615T673JA	8710364058006

TRIO Accessories

3. DREMEL® TRIO Router Bit Set (TR675)





A set of various size special carbide router bits. These router bits have been specially engineered to work with the Dremel® TRIO. Kit includes a beading, a rabbet, a flush trim, a cove and a V-groove bit.



Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
TR675	5	4,8 / 6,3 / 6,3 / 6,3 / 12,7	4,8	2615T675JA	8710364058013

4. Cutting



TR562 TR563

TR562: The Dremel TRIO Wall Tile Cutting Bit cuts ceramic wall tiles, plaster and cement board easily. TR563: The Dremel TRIO Multipurpose Carbide Cutting Bit cuts wood, drywall, plastic, fiberglass, laminate and sheet metal. Carbide bits last longer than traditional HSS bits.

W D				>	
Model	Quantity	Working Ø mm	Shank Ø mm	Ordernumber	EAN
TR562	1	3,2	4,8	2615T562JA	8710364053704
TR563	1	3,2	4,8	2615T563JA	8710364053698

TRIO Accessories

5. Sanding



TR407 TR408 TR432

TR407: TRIO Sanding Mandrel for rough shaping and smoothing wood and fibreglass, removing rust from metal surfaces and shaping rubber surfaces. Sanding bands are easily replaceable. TR408: TRIO P60 Sanding Band for rough (Grit 60) shaping and smoothing wood and fibreglass, removing rust from metal surfaces and shaping rubber surfaces. TR432: TRIO P120 Sanding Band for fine (Grit 120) shaping and smoothing wood and fibreglass, removing rust from metal surfaces and shaping rubber surfaces.

🛞 🦹	ß	X	H.		\swarrow	0
 · ·		100		Factor	Pina	

Model	Quantity	Working Ø mm	Shank Ø mm	Grit	Ordernumber	EAN
TR407	3	13,0	4,8	60	2615T407JA	8710364053667
TR408	4	13,0		60	2615T408JA	8710364053643
TR432	4	13,0		120	2615T432JA	8710364053650

DREMEL® Glue Gun 910



Technical Specification

Weight	0,24 kg
High temperature	165 °C
Voltage	100 - 240 V
Glue stick diameter	7 mm

The Dremel 910 is a high temperature (165 °C) glue gun with a drip-control precision tip. Because of its compact size and good ergonomics (T-handle, stable base, extendable stand) it is ideal for quick light DN jobs around the house, such as gluing ceramics, wood, plastics, glass, etc.

Suitable for 7mm glue sticks.

Features and Benefits

Drip control

to prevent dripping glue onto the project High temperature setting (165 °C)

- for usage with high melt glue sticks Precision tip
- for intricate gluing
- Silicon nozzle sleeves
 to prevent from burning
- **6** Extendable plastic stand to easily position glue gun in a stable way
- Heat-up time of 5mins for quick operation
- Ergonomic T-handle
 a good tool balance makes operating the tool easy and comfortable
- Beasy to push trigger little force needed to press the trigger for constant flow of glue
- Glue output +- 5g/min
- O Suitable for 7 mm glue sticks



DREMEL[®] Glue Gun 910 (910-3)

For this tool the following kit execution is available:

Contents

Dremel Glue Gun 910 3x Dremel 7 mm Multipurpose High Temp Glue Sticks Instruction manual



Included accessories



Order information

Ordernumber: F0130910JA

DREMEL® Glue Gun 940



Technical Specification

Weight	0,30 kg
High temperature	195 °C
Voltage	100 - 240 V
Glue stick diameter	11 mm

The Dremel 940 is a high temperature (195 °C) glue gun with a drip-control exchangeable tip. With its removable cord the 940 can be used at any place without available power. Because of its good ergonomics (on/off switch, T-handle, stable base, extendable kickstand) and replaceable tip it is ideal for light DIY jobs around the house and outdoors, such as repairing furniture, gluing wood, ceramics, etc.

Suitable for 11/12mm glue sticks.

Features and Benefits

Drip control

to prevent dripping glue onto the project 2 High temperature setting (195 °C)

- for usage with high melt glue sticks
- **3 Silicon nozzle sleeves** to prevent from burning
- Extendable plastic kickstand to easily position glue gun in a stable way by pressing a button
- Easy to push trigger handle little force needed to press the trigger for constant flow of glue
- Glue output 18 g/min for more demanding gluing jobs
- Ergonomic T-handle with softgrip for comfortable and easy operation
- 8 Power indicator light shows if the tool is turned on
- On-Off switch to manually turn the tool on and off
- Removable cord to enable limited operation without power
- Heat-up time of 5 mins for guick operation
- Ø Suitable for 11/12 mm glue sticks



DREMEL® Glue Gun 940 (940-3)

For this tool the following kit execution is available:

Contents

Dremel Glue Gun 940 3x Dremel 11 mm Multipurpose High Temp Glue Sticks Instruction manual



Included accessories



Order information

Ordernumber: F0130940JA

Glue sticks

1. Multipurpose Glue Sticks (7 + 11 mm)

GG01 GG11

GG01: To be used with Dremel glue gun model 910 (165 °C). Glues a variety of materials, such as wood, plastics, ceramics, textile, etc. GG11: To be used with Dremel glue gun model 940 (195 °C). Glues a variety of materials, such as wood, plastics, ceramics, carton, textile, etc.

Model	Quantity	Length	ø	Operating Temp.	Ordernumber	EAN
			_			
GG01	12	100	1	165-195	2615GG01JA	8710364052424
GG11	12	100	11	165-195	2615GG11JA	8710364052479

2. Wood Glue Sticks (7 + 11 mm)



GG03 GG13

GG03: To be used with Dremel glue gun model 910 (165 $^\circ$ C). To glue wooden materials. GG13: To be used with Dremel glue gun model 940 (195 $^\circ$ C). To glue wooden materials.

Model	Quantity	Length	ø	Operating Temp.	Ordernumber	EAN
0000	10	100	7	105 105	00450000 14	0740004050440
GG03	12	100	1	165-195	2615GG03JA	8710364052448
GG13	12	100	11	165-195	2615GG13JA	8710364052486

3. Glue Pad



GG40

A flexible heat resistant mat that can be used to catch excessive glue and to create decorative glue design patterns: allow glue to cool and peel it off easily. The pad is suitable for all types of melted glue.

Model Q	uantity	Length	Ø	Operating Temp.	Ordernumber	EAN
GG40	1				2615GG40JA	8710364054220

DREMEL[®] VersaTip



The cordless 6 in one gastorch. The perfect tool for soldering, melting, shrinking, pyrography, hot cutting & paint removing. The only soldering iron that combines a multitude of applications in one tool, thanks to its ability to use 6 interchangeable tips.

Examples of usage

Soldering For soldering electronic parts of your computer/ remote control model cars/planes etc.

Hot cutting Make a clean cut in wood











- Shrinking For effective shrinking of cables from your computer or anywhere else
- Paint Removing Easily remove paints from small areas with precision







Features and Benefits

Versatile

- one tool for 6 different applications **Powered by liquid butane gas**
- use anytime anywhere
- Very short heat-up time and quick recharge always ready to use
- Child safety lock mechanism children can't turn on the tool
- Precise allows for detailed and intricate work
 Durable guality
- long lifetime
- Variable temperature setting select the right temperature for your project

Technical Specification

Weight	0,135 kg
Ignition	Piëzo
Burn time	90 min



DREMEL® VersaTip (2000-6)

For this tool the following kit execution is available:

Contents

Dremel VersaTip Soldering Tip Cutting Knife Hot Knife Flat Wide Flame Head Reflector Hot Blower Head Soldering Tin with Blue Cap Soldering Sponge + sponge box Instruction manual Tin storage case



Included accessories













Order information

Ordernumber: F0132000JA


1. Butane Tool Accessories



201: Soldering Tips. For the Dremel VersaTip 2000 and the VersaFlame 2200. 202: Cutting knives. For the Dremel VersaTip 2000. 203: Shaping knives. For the Dremel VersaTip 2000.



Model	Quantity	Ordernumber	EAN
201	2	26150201JA	8710364039708
202	2	26150202JA	8710364049400
203	2	26150203JA	8710364049394



DREMEL[®] VersaFlame



Technical Specification

Weight	0,227 kg
Tank capacity	42ml / 22g
Ignition	Piëzo
Burn time	75 min
Temperature	1200C (open air)680 -
	1000C (hot air)550C
	(tips)

The Dremel VersaFlame is the only stationary burner that safely combines open flame use with a catalyst and soldering head, making it the most versatile stationary burner in the market today, especially for DIY applications. The Dremel VersaFlame is powered by liquid butane gas for quick heat-up and fast recharge. Applications for use include: soldering, shrinking, welding, etc.

Features and Benefits

- Tank capacity of 22 grams Longer use; full tank lasts up to 75 min at maximum capacity
- Child safety lock mechanism Children can't turn on the tool
- Flame lock button For continuous hands-free use
- Stationary use By attaching removable foot
- Precise flame Allows for detailed open flame work
 Powered by liquid butane gas
- Use anytime anywhere Very short heat-up time and quick
- very short neat-up time and quick recharge Always ready to use
- Ourable quality
- Long lifetime
- 9 Variable temperature setting Select the right temperature for your project



DREMEL® VersaFlame (2200-4)

For this tool the following kit execution is available:

Contents

- Dremel VersaFlame Catalyst
- Soldering tip
- Flame extension piece
- Deflector
- Soldering tin with blue cap
- Soldering sponge + sponge box
- Instruction manual
- Tin storage case



Included accessories









Order information

Ordernumber: F0132200JA

EAN: 8710364042081

Butane Tool Accessories

1. Butane Tool Accessories



201

201: Soldering Tips. For the Dremel VersaTip 2000 and the VersaFlame 2200.

8-			
Model	Quantity	Ordernumber	EAN
201	2	26150201JA	8710364039708

DREMEL[®] Engraver



Technical Specification

Weight	0,31 kg
Voltage	230 V
Strokes per minute	6000
Rated power input	35 W

Engrave or decorate a wide variety of materials like, metal, plastic, glass, ceramic, wood and leather. Including a letter & number template for easy engraving of letters & numbers.

Features and Benefits

- Reciprocating action for optimal engraving control
- Variable stroke depth for various engraving effect
- Soft grip for comfortable handling
- A Replaceable carbide for use on a wide variety of materials
- Seperate on/off switch to keep depth setting



DREMEL® Engraver (290-1)

Engraving tool with variable depth control, for engraving on a wide variety of materials like metal, glass, wood, plastics, ceramics, etc.

This kit also includes a letter & number template for easy engraving of letters & numbers.

Contents

Dremel Engraver Replaceable carbide engraving point Creative engraving templates Instruction manual



Included accessories



Order information

Ordernumber: F0130290JM

EAN: 8710364046850

Engraver Accessories

1. Engraver Accessories



9924 9929

Carbide engraving tips and Diamond Engraving Point. For usage with the Dremel Engraver 290. The Diamond Engraving Point 9929 has a longer lifespan and is for use on harder materials such as glass.

Model	Quantity	Ordernumber	EAN
9924	3	26159924JA	8710364039692
9929	1	26159929JA	8710364042906





Benchtop Tool System

The Benchtop Tool System consists of tools especially designed for stationary use.

Moto-Saw System	DREMEL [®] Moto-Saw Moto-Saw Accessories	
Fortiflex System	DREMEL® Fortiflex Fortiflex Attachments	

DREMEL[®] Moto-Saw



Technical Specification

Weight	1,10 kg
No load speed	1.500 - 2.250 1/min
Voltage	220 - 240 V
Rated power input	70 W

The Dremel Moto-Saw is a compact and easy-to-use scroll saw for making detailed cuts in different materials. With its range of different saw blades, the Dremel Moto-Saw can handle many different materials easily. Thanks to its detachable fretsaw, it can be used not only stationary but inhand anywhere. This userfriendly scroll saw is not only easy to store and set-up, but also easy to operate. The Dremel Moto-Saw is the most user-friendly scroll saw.

Features and Benefits

Easy to use

quick accessory change combined with effortless set-up and storage due to its compact size.

- 2 Dual functioning stationary mode for precision work and handheld mode for larger work pieces.
- 8 Reduced vibration hold down foot.
- Precise straight cuts guide rails and parallel guide to assist cutting up to 18 mm.
- Match speed to project at hand Full variable speed control (1.500-2.250 RPM).



DREMEL® Moto-Saw (MS20-1/5)

For this tool the following kit execution is available:

Contents

Dremel Moto-Saw 2x General Purpose Wood Cutting Saw Blade (MS51) 2x Fine Wood Cutting Saw Blade (MS52)

- 1 x Metal Cutting Saw Blade (MS53)
- Parallel Guide attachment
- Instruction manual
- Sturdy and spacious storage case




Included accessories



Ordernumber: F013MS20JA

EAN: 8710364062775

Moto-Saw Accessories



The Moto-Saw blades have been designed to tackle a range of different materials including laminate, soft wood, hard wood, PVC or soft sheet metal. Depending on the application and the material, there is always a right selection of blade to achieve the best results.

	M M 🖉 🤶
--	---------

N	lodel	Quantity	Cutting depth mm	Teeth per cm	Length mm	Ordernumber	EAN
N	VIS20	5	12	6	100	2615MS50JA	8710364062812
ľ	MS51	5	18	6	100	2615MS51JA	8710364062829
N	MS52	5	12	7	100	2615MS52JA	8710364062836
Ν	NS53	5	3	10	100	2615MS53JA	8710364062843

DREMEL® Fortiflex



Technical Specification

Weight	1,50 kg
No load speed	0 - 20.000 1/min
Voltage	230 V
Rated power input	300 W

The Dremel Fortiflex is a high quality precision tool, consisting of a powerful hanging motor (300W), a patented heavy duty flexible shaft, an exchangeable precision hand piece and a foot pedal for variable speed control (0-20.000rpm). This makes it the ideal tool for stationary projects, like woodworking, jewellery making, stone working, car restoration, or any project where a combination of power and precision is required. The Dremel Fortiflex: power meets precision.

Features and Benefits

- High powered 300W motor for optimal performance.
- Variable speed 0-20.000 RPM for better control.
- High torque at lower speed ranges for precision projects where high power is needed with lower RPM's.
- Foot pedal allows hands-free speed control.
- Bobust long life Flex Shaft, with patented system to reduce rotation heat and increase its life time.
- 6 Exchangeable precision hand piece through 'click' system.
- **Easy change of accessories** through drill-bit chuck.
- Output Stress Stress
- Variable shank diameter (0.3 4.0mm), suitable for all high quality Dremel accessories.



DREMEL® Fortiflex (9100-21)


For this tool the following kit execution is available:

Contents

Dremel Fortiflex motor Heavy Duty Flex Shaft Hand piece (9102) Foot pedal 21 high quality Dremel accessories Hanging hook Instruction manual




Included accessories



Fortiflex Attachments

Fortiflex Handpiece Small (9101)

 Smaller handpiece for the Dremel Fortiflex. Consists of 1 handpiece, 2.4mm and 3.2mm collet, spanner and wrench.



Order information

Ordernumber: 2615910200

EAN: 8710364051472

8.8

lcons

Stone



Concrete



Ceramic



Marble

Floor Tile



Drywall/ Plasterboard



Porcelain



Wall Tile



Aerated Concrete



Brick



Granite

Wood



Veneered woods



Laminates



Chipboard



Plywood



Fiberboard



Softwood



Hardwood

Icons

Metal



Steel-general



Aluminium



Gold



Sheet Metal



Brass



Hardened Steel



Steel profiles



Cast iron



Silver



Metal pipes



Copper



Soft Metal



Stainless Steel

Other



Soldering rope



Sandwich material



Chainsaw chain



PE sheet



Nylon



Polystyrene



Foam boards



Glass fibre reinforced plastics

lcons



Carbon



Rubber



Cardboard



Varnish



Glass



Vinyl



Asphalt Shingles



Carpet



Plastic



Leather



Paint layers



Cement



Plexiglass



Rubber Backing Outdoor Turf



Grout



Caulk

Product	Ordernumber	page	Product	Ordernumber	page
105	26150105JA	38	457	26150457JA	43
		38			
106	26150106JA		462	26150462JA	44 37
107	26150107JA	38	471S	2615S471JA	
108	26150108JA	38	472S	2615S472JA	37
110	26150110JA	38	473S	2615S473JA	37
111	26150111JA	38	502	2615050232	56
113	26150113JA	38	504	2615050432	56
114	26150114JA	38	511S	2615S511JA	37
115	26150115JA	38	512S	2615S512JA	37
117	26150117JA	38	516	2615051632	42
118	26150118JA	38	520	2615052065	45
125	26150125JA	38	530	26150530JA	47
134	26150134JA	38	531	26150531JA	47
144	26150144JA	38	532	26150532JA	47
192	26150192JA	38	535	26150535JA	48
193	26150193JA	38	536	26150536JA	48
194	26150194JA	38	537	26150537JA	48
196	26150196JA	38	538	26150538JA	47
199	26150199JA	38	540	2615054032	51
200-5	F0130200JA	16	542	2615054265	51
201	26150201JA	106	546	26150546JB	52
202	261502013A	106	561	261505400D	52
202	26150202JA	106	562	2615056232	52
203		106	565		73
	26150204JA			2615056532	
220	26150220JB	70	566	2615056632	73
225	26150225JA	75	568	2615056832	74
231	2615023132	76	569	2615056932	53
290-1	F0130290JM	111	570	2615057032	53
335	26150335JA	76	575	2615057532	75
401	26150401JA	58	576	26150576JA	70
402	26150402JA	58	577	26150577JA	71
403	26150403JA	46	612	2615061232	40
404	26150404JA	46	615	2615061532	40
405	26150405JA	46	628	2615062832	59
408	2615040832	56	636	26150636JA	59
409	2615040932	51	640	2615064032	40
414	2615041432	45	650	2615065032	40
420	2615042032	51	652	2615065232	40
421	2615042132	45	654	2615065432	40
422	26150422JA	45	655	26150655JA	40
423S	2615S423JA	37	662	26150662JA	57
425	26150425JA	45	663	26150663JA	57
426	2615042632	51	670	26150670JA	77
428	26150428JA	46	678	26150678JA	74
429	26150429JA	45	684	26150684JA	65
430	26150430JA	56	687	26150687JA	66
431	261504303A	56	688	26150687JA	67
432					
	2615043232	56	720	26150720JA	60
438	2615043832	56	722	26150722JA	61
442	26150442JA	46	730	26150730JA	62
443	26150443JA	46	731	26150731JA	63
453	26150453JA	43	910-3	F0130910JA	100
454	26150454JA	43	932	26150932JA	41
455	26150455JA	43	940-3	F0130940JA	102

Index by numbers

Product	Ordernumber	page	Product	Ordernumber	page
·····		page			page
952	26150952JA	41	GG03	2615GG03JA	103
953	26150953JA	41	GG11	2615GG11JA	103
997	26150997JA	41	GG13	2615GG13JA	103
1453	26151453PA	78	GG40	2615GG40JA	103
2000-6	F0132000JA	105	MM14	2615M014JA	92
2200-4	F0132200JA	108	MM20-1/9	F013MM20JA	89
2222	2615222232	71	MM40-1/9	F013MM40JA	91
2500	26152500JA	72	MM70P	2615M70PJA	94
3000-1/25	F0133000JD	19	MM70W	2615M70WJA	94
3000-15	F0133000JA	18	MM300	2615M300JA	94
4000-1/45	F0134000JA	21	MM411	2615M411JA	92
4000-4/65	F0134000JD	22	MM422	2615M422JA	92
4200-4/75	F0134200JA	24	MM430	2615M430JA	93
4485	2615448532	57	MM435	2615M435JA	93
4486	2615448632	58	MM450	2615M450JA	93
7103	26157103JA	39	MM470	2615M470JA	92
7105	26157105JA	39	MM480	2615M480JA	92
7122	26157122JA	39	MM482	2615M482JA	92
7134	26157134JA	39	MM501	2615M501JA	93
7144	26157144JA	39	MM600	2615M600JA	94
7700-30	F0137700JA	26	MM720	2615M720JA	95
8100-1/15	F0138100JA	28	MM721	2615M721JA	93
8153	26158153JA	41	MM722	2615M722JA	93
8193	26158193JA	41	MM900	2615M900JA	92
8200-1/35	F0138200JA	30	MS20-1/5	F013MS20JA	117
8200-2/45	F0138200JD	31	MS50	2615MS50JA	118
8200-5/65	F0138200KN	32	MS51	2615MS51JA	118
8215	2615821532	41	MS52	2615MS52JA	118
8300-9	F0138300JA	87	MS53	2615MS53JA	118
9100-21	F0139100JA	120	SC402	2615S402JB	58
9101	2615910100	121	SC406	2615S406JC	37
9102	2615910200	121	SC407	2615S407JA	37
9901	2615990132	39	SC409	2615S409JB	37
9903	2615990332	39	SC411	2615S411JA	37
9905	2615990532	39	SC413	2615S413JA	37
9910	2615991032	39	SC456	2615S456JC	49
9911	2615991132	39	SC456B	2615S456JD	49
9924	26159924JA	112	SC476	2615S476JB	37
9929	26159929JA	112	SC541	2615S541JA	37
9931	2615993132	40	SC544	2615S544JB	37
9934	2615993432	40	SC545	2615S545JB	37
9936	2615993632	40	SC690	2615S690JA	64
83322	26153322JA	42	TR407	2615T407JA	98
84922	26154922JA	42	TR408	2615T408JA	98
85422	2615542232	42	TR432	2615T432JA	98
85602	26155602JA	42	TR562	2615T562JA	97
DSM20-3/4		83	TR563	2615T563JA	97
DSM500	2615S500JA	84	TR615	2615T615JA	96
DSM510	2615S510JA	84	TR618	2615T618JA	96
DSM520	2615S520JA	84	TR654	2615T654JA	96
DSM540	2615S540JA	84	TR673	2615T673JA	96
DSM600	2615S600JA	84	TR675	2615T675JA	97
DSM840	2615S840JA	85			
GG01	2615GG01JA	103			

Notes	
	-
	-
	-
	-
	-

Notes	



Robert Bosch (Pty) Ltd. Bosch Power Tools Dremel Private Bag X118 Halfway House Midrand 1685 Republic of South Africa

Tel:	0027 (0)11
	651-9600
Fax:	0027 (0)11
	651-9880
Email:	rbsa-hq.pts@za.bosch.
	com



DREMEL BIG ON DETAIL

www.dremel.com