



*Guaranteed Performance
and Reliability*

Industrial SDHC/SD™ Cards

Transcend's industrial grade SD cards are specifically designed for use in demanding industrial environments. Built extra-rugged with wide-band operating temperatures, low power consumption, and excellent resistance to vibration and shock, our industrial series SD cards are extremely reliable high-quality storage solutions.



Now Available in **Ultra Speed**

Hardware Error Correction Code



Wide-range operating temperature



Shock and vibration resistant



Multi-platform compatibility




What's more

- Rugged design
- Exceptional reliability
- Resistant to shock and vibration
- Ultra speed transfer rates
- Built with superior quality SLC flash memory (SDHC10I excluded)
- Hardware ECC (Error Correction Code)
- Dynamic defect management
- Standard interface for multi-platform compatibility
- Supports auto-standby, power-off and sleep modes
- Mechanical write-protection switch
- Operates in fixed-disk or standard configuration
- Advanced wear leveling algorithm
- Low power consumption
- 2-year limited warranty



Industrial SDHC/SD™ Cards



Specifications

Capacity	SD:128MB~2GB, SDHC:4GB~8GB
Dimensions (LxWxH)	24mm x 32mm x 2.1mm
Weight	2.0g
Connector Interface	9pin
Operating Voltage (V)	2.7V~3.6V
Operating Temperature (°C)	SD80/SD150/SDHC150: -25°C (-13°F) to 85°C (185°F) SD80I/SDHC10I/SDHC80I: -40°C (-40°F) to 85°C (185°F)
Storage Temperature (°C)	-40°C (-40°F) to 85°C (185°F)
MTBF (hours)	SDHC10I: >2,000,000 hrs SD80I/SD80/SDHC80I: >4,000,000 hrs
Connector Durability	>10,000 insertions/removals
Max. Transfer Speed*	Read: up to 13MB/s, Write: up to 8MB/s (SD80/SD80I) Read: up to 18MB/s, Write: up to 16MB/s (SDHC10I) Read: up to 18MB/s, Write: up to 18MB/s (SDHC80I)
Certificates	CE, FCC, BSMI

*Based on internal Transcend testing. Actual speeds may vary depending upon host hardware, software and usage.

Ordering Information

Transcend P/N	Capacity	Transcend P/N	Capacity
TS4GSDHC10I	4GB	TS8GSDHC10I	8GB
Transcend P/N	Capacity	Transcend P/N	Capacity
TS4GSDHC80I	4GB	TS4GSDHC150	4GB
Transcend P/N	Capacity	Transcend P/N	Capacity
TS1GSD80I	1GB	TS2GSD80I	2GB
Transcend P/N	Capacity	Transcend P/N	Capacity
TS128MSD80	128MB	TS512MSD80	512MB
TS256MSD80	256MB	TS1GSD80	1GB

* Please contact sales for custom requests



© Transcend 2011. All rights reserved. Transcend and the Transcend logo are registered trademarks of Transcend Information, Inc. Product offerings and specifications are subject to change without notice. All other products, brand names, company names and logos are trademarks of their respective owners.

www.transcend-info.com