



# NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),  
Proposed Sites for Community Importance (pSCI),  
Sites of Community Importance (SCI) and  
for Special Areas of Conservation (SAC)

SITE IT3120126

SITENAME Val Noana

## TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

## 1. SITE IDENTIFICATION

1.1 Type C	1.2 Site code IT3120126	<a href="#">Back to top</a>
---------------	----------------------------	-----------------------------

### 1.3 Site name

Val Noana
-----------

1.4 First Compilation date 1995-08	1.5 Update date 2022-12
---------------------------------------	----------------------------

### 1.6 Respondent:

Name/Organisation:	Provincia Autonoma di Trento Ufficio Biotopi e Rete Natura 2000
Address:	Via Gardini, 75 - 38121 TRENTO
Email:	uff.biotopi@provincia.tn.it

### 1.7 Site indication and designation / classification dates

Date site classified as SPA:	2007-02
National legal reference of SPA designation	delibera Giunta Provinciale n.328 del 22.02.2007
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2014-03
National legal reference of SAC designation:	DM 28/03/2014 - G.U. 94 del 23-04-2014

## 2. SITE LOCATION

### 2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 11.850278	Latitude 46.118333
------------------------	-----------------------

2.2 Area [ha]:

2.3 Marine area [%]

## 2.4 Sitelength [km]:

0.0

## 2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITD2	Provincia Autonoma Trento
------	---------------------------

## 2.6 Biogeographical Region(s)

Alpine (100.0  
%)

## 3. ECOLOGICAL INFORMATION

[Back to top](#)

## 3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
4060 <b>B</b>			0.01		G	D			
4070 <b>B</b>			137.2		G	B	C	B	B
6170 <b>B</b>			38.97		G	A	C	B	B
6430 <b>B</b>			0.01		G	D			
8120 <b>B</b>			25.3		G	B	C	B	B
8210 <b>B</b>			197.83		G	A	C	A	A
8240 <b>B</b>			0.01		G	D			
9130 <b>B</b>			291.14		G	B	C	C	C
9140 <b>B</b>			6.76		G	A	C	B	B
9420 <b>B</b>			26.04		G	A	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

## 3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A085	<a href="#">Accipiter gentilis</a>			p				R	DD	D			
B	A086	<a href="#">Accipiter nisus</a>			p				C	DD	D			
B	A223	<a href="#">Aegolius funereus</a>			p				C	DD	C	A	C	A
B	A412	<a href="#">Alectoris graeca saxatilis</a>			r				P	DD	D			
B	A256	<a href="#">Anthus trivialis</a>			r				C	DD	D			

B	A091	<a href="#">Aquila chrysaetos</a>			p	1	1	p		G	C	A	C	A
B	A104	<a href="#">Bonasa bonasia</a>			p				C	DD	C	A	C	A
B	A215	<a href="#">Bubo bubo</a>			p	1	1	p		G	C	A	C	A
B	A264	<a href="#">Cinclus cinclus</a>			r				C	DD	D			
B	A122	<a href="#">Crex crex</a>			r				V	DD	C	B	B	A
P	1902	<a href="#">Cypripedium calceolus</a>			p				R	DD	C	B	C	C
B	A236	<a href="#">Dryocopus martius</a>			p				C	DD	C	A	C	A
B	A217	<a href="#">Glaucidium passerinum</a>			p				C	DD	C	A	C	A
B	A713	<a href="#">Lagopus muta helvetica</a>			p				R	DD	C	A	C	B
B	A876	<a href="#">Lyrurus tetrix tetrix</a>			p				R	DD	C	A	C	A
B	A358	<a href="#">Montifringilla nivalis</a>			p				R	DD	C	A	C	A
B	A319	<a href="#">Muscicapa striata</a>			r				R	DD	D			
B	A344	<a href="#">Nucifraga caryocatactes</a>			p				C	DD	C	A	C	A
B	A277	<a href="#">Oenanthe oenanthe</a>			r				C	DD	C	A	C	A
B	A072	<a href="#">Pernis apivorus</a>			r				P	DD	D			
B	A234	<a href="#">Picus canus</a>			p				C	DD	C	A	C	A
B	A267	<a href="#">Prunella collaris</a>			p				R	DD	C	A	C	A
B	A574	<a href="#">Sylvia curruca</a>			r				C	DD	C	A	C	A
B	A108	<a href="#">Tetrao urogallus</a>			p				R	DD	C	A	C	A
B	A333	<a href="#">Tichodroma muraria</a>			p				R	DD	C	A	C	A

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

### 3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		<a href="#">Allium victorialis</a>						R						X
P		<a href="#">Anemone narcissiflora</a>						R						X
P	1762	<a href="#">Arnica montana</a>						P		X				
A		<a href="#">Bufo bufo</a>						C					X	
P	1750	<a href="#">Campanula morettiana</a>						C	X					
P		<a href="#">Carduus carduelis</a>						C						X
P		<a href="#">Coeloglossum viride</a>						P					X	
P		<a href="#">Cortusa matthioli</a>						R			X			
P		<a href="#">Delphinium dubium</a>						R						X
P		<a href="#">Dianthus deltoides</a>						R						X
P		<a href="#">Epipactis helleborine</a>						P					X	
P		<a href="#">Festuca stenantha</a>						P						X

P	1657	<a href="#">Gentiana lutea</a>						P		X				
M		<a href="#">Glis glis</a>						C			X			
P		<a href="#">Gymnadenia conopsea</a>						P					X	
P		<a href="#">Gymnadenia odoratissima</a>						P					X	
P		<a href="#">Gymnadenia odoratissima</a> X <a href="#">Nigritella rhellicani</a>						P					X	
P		<a href="#">Gymnocarpium dryopteris</a>						P					X	
P		<a href="#">Leontopodium alpinum</a>						P			X			
P		<a href="#">Listera cordata</a>						P					X	
P		<a href="#">Listera ovata</a>						P					X	
M	1341	<a href="#">Muscardinus avellanarius</a>						C	X					
M		<a href="#">Neomys fodiens</a>						C					X	
P		<a href="#">Neottia nidus-avis</a>						P					X	
P		<a href="#">Nigritella rhellicani</a>						P					X	
P		<a href="#">Orobanche lutea</a>						P						X
P		<a href="#">Paederota lutea</a>						R						X
P		<a href="#">Phleum hirsutum</a>						P						X
P	1749	<a href="#">Physoplexis comosa</a>						P	X					
P		<a href="#">Pleurospermum austriacum</a>						P						X
P		<a href="#">Poa remota</a>						R			X			
P		<a href="#">Primula tyrolensis</a>						R						X
P		<a href="#">Pseudorchis albida</a>						P					X	
A	1213	<a href="#">Rana temporaria</a>						P		X				
M	1369	<a href="#">Rupicapra rupicapra</a>						C		X				
P		<a href="#">Saxifraga burserana</a>						P						X
P		<a href="#">Saxifraga petraea</a>						R						X
M		<a href="#">Sciurus vulgaris</a>						C			X			
P		<a href="#">Sedum hispanicum</a>						R						X
P		<a href="#">Silene alpestris</a>						R						X
P		<a href="#">Silene veselskyi</a>						R						X
M		<a href="#">Sorex alpinus</a>						C					X	
M		<a href="#">Sorex araneus</a>						C					X	
M		<a href="#">Sorex minutus</a>						C					X	
P		<a href="#">Thlaspi minimum</a>						P						X
R		<a href="#">Vipera berus</a>						P					X	

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

## 4. SITE DESCRIPTION

[Back to top](#)

### 4.1 General site character

Habitat class	% Cover
N16	41.0
N08	19.0
N22	31.0
N17	4.0
N11	5.0
Total Habitat Cover	100

### Other Site Characteristics

Il sito occupa il versante nord delle Vette di Feltre, sulla sinistra idrografica della Val Noana. Nella parte bassa si trovano estese abetine, solcate da selvaggi valloni occupate da cespuglieti subalpini e da consorzi di alte erbe. In alto praterie alpine con rupi e ghiaioni completano il quadro del paesaggio. Sono presenti habitat di particolare interesse

### 4.2 Quality and importance

Area a notevole grado di naturalità, pochissimo antropizzata (è attraversata solo un sentiero poco battuto) e ricca di specie endemiche, di specie al limite occidentale del loro areale e di altre rarità floristiche. Il sito è di rilevante interesse nazionale e/o provinciale per la presenza e la riproduzione di specie animali in via di estinzione, importanti relitti glaciali, esclusive e/o tipiche delle Alpi.

### 4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	A04.03		I
M	F04		I
M	A03.03		I
M	G05		I
M	K02.01		I

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

### 4.4 Ownership (optional)

### 4.5 Documentation

## 5. SITE PROTECTION STATUS (optional)

[Back to top](#)

### 5.1 Designation types at national and regional level:

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

### 5.2 Relation of the described site with other sites:

### 5.3 Site designation (optional)

## 6. SITE MANAGEMENT

[Back to top](#)

### 6.1 Body(ies) responsible for the site management:

Organisation:	PAT - Ufficio Biotopi e Rete Natura2000
Address:	via Gardini, 75 - 38121 Trento

Email: uff.biotopi@provincia.tn.it

## 6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

## 6.3 Conservation measures (optional)

## 7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes  No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

145 1:100000 Gauss-Boaga