

PARAGON Technologie GmbH, Systemprogrammierung

Heinrich-von-Stephan-Str. 5c ● 79100 Freiburg, Germany

Tel. +49 (0) 761 59018201 • Fax +49 (0) 761 59018130

Internet www.paragon-software.com 

Email sales@paragon-software.com

# Partition Manager™ 11 Free

User Manual

# Contents

Introduction4
What's New in Partition Manager 11 Free 4
Product Components4
Features Overview5
Key Features
Supported Technologies
Supported File Systems
Supported Media 8
Getting Started8
Distribution
Contacting Paragon Technology GmbH10
System Requirements
Installation11
First Start12
Booting from the Linux/DOS Recovery Media13
Basic Concepts15
System and Data Protection15
Paragon Hot Processing & Volume Shadow Copy Service16
GPT versus MBR17
Apple Boot Camp17
64-bit Support18
Copy Operations
Drive Partitioning18
Windows Components

Interface Overview
Settings Overview
Getting Information on Disks
Data Backup and Rescue
Copy Tasks41
Boot Management45
Partition Management46
Hard Disk Management69
Extra Functionality70
Typical Scenarios77
Backup Scenarios77
Recovery Scenarios
Resize Scenarios101
Creating Dual Boot Systems115
System Migration Scenarios
Hard Disk Optimization
Troubleshooter
Glossary130

# Introduction

Paragon Partition Manager<sup>™</sup> 11 Free is an integrated set of powerful tools that is specially designed to tackle most of the problems the user might face while using PC. A highly intelligent program engine together with built-in advanced recovery facilities make it possible to securely carry out partitioning operations of any complexity, optimize performance of NTFS and FAT file systems, migrate the system to another hard disk, etc. without fear to lose precious data.



# Partition Manager 11 Free is distributed for free, so not all the functionality is available.

In this manual you will find the answers to many of the technical questions, which might arise while using the program.



Our company is constantly releasing new versions and updates to its software, that's why images shown in this manual may be different from what you see on your screen.

# What's New in Partition Manager 11 Free

- The latest Linux kernel to enjoy support of a wider range of hardware configurations, including the brand new Intel ICH9 chipset.
- More flexibility for online data processing techniques to provide for easier configuration for both, Paragon Hot
  Processing and Microsoft Volume Shadow Copy Service (VSS).
- Better support for 64-bit platforms to reboot your computer to one of the three special modes (Windows native, Linux, or DOS) to automatically complete operations, which cannot be accomplished under 64-bit Windows.
- Better support for GUID Partition Table (GPT) to back up and restore not only single GPT volumes but entire disks, including the option of resize during the restore operation.
- Better support for the Apple Boot Camp Configuration with the option not only to back up and restore this kind of configurations, but to copy single volumes or entire disks with resize.
- Better support for Linux ExtFS starting from Ext2FS up to the brand new Ext4FS.

# **Product Components**

In order to cope with different tasks, the product contains several components:

- <u>Windows based set of utilities</u> is the crucial part of the product. With the help of an easy to use launcher you may find and run tasks of any complexity in the field of data and system protection, hard disk partitioning and cloning, etc.
- Linux/DOS based recovery environment is a multi-platform bootable media that enables to run utilities under Linux or PTS DOS, and that way to get access to your hard disk for maintenance or recovery purposes. Both platforms have their strong sides, for instance Linux can boast support of FireWire (i.e. IEEE1394) or USB devices. It enables to burn CD/DVD disks. However there can be some difficulties with detecting new hardware.

DOS in its turn has no problems of that kind but is limited in features. The Linux/DOS recovery environment Copyright© 1994-2010 Paragon Software Group. All rights reserved.

requires no installation and can be of great help when the system fails to boot. Besides it offers a Windows XP like environment.

# **Features Overview**

This chapter dwells upon key benefits and technical highlights of the product.

# **Key Features**

Let us list some of the key features:

**User Friendly Fault Minimizing Interface** 

- Graphical representation of the data to gain a better understanding.
- <u>A handy Launcher</u> to easily find and run the required tasks.
- <u>Comprehensive wizards</u> to simplify even the most complex operations.
- **Resize partitions directly on the Disk Map** with the drag-and-drop technique.
- A context sensitive hint system for all functions of the program.
- Previewing the resulting layout of hard disks before actually executing operations (so-called virtual operations).

# **Backup Facilities**

- <u>Support of basic techniques to store backup images</u>:
  - Backup to local mounted partitions;

- *Backup to an external mounted storage* to provide for a higher level of data protection and system independence;

- Backup to a network drive to stand a better chance of success in case of a hard disk failure.

### **Restore Facilities**

• **<u>Restore an entire disk</u>**, <u>separate partitions</u> or <u>only files you need</u> from the previously created backup image.



Restore Wizard is only available for the Linux/DOS bootable recovery environment.

# **Copy Facilities**

• <u>Partition/hard disk copy</u> to successfully transfer all on-disk information including standard bootstrap code and other system service structures, thus maintaining the operating system's working capability.



Copy functionality can also be used as an alternative way of data protection.

### **Boot Management Facilities**

<u>Boot Manager Setup Wizard</u> to easily manage several operating systems on one computer.

## **Partition/Hard Disk Management Facilities**

- <u>Basic functions for initializing, partitioning and formatting hard disks</u> (create, format, delete). Instead of the standard Windows disk tools, the program supports all popular file systems.
- **Express Create Partition Wizard** to create a new partition in the most appropriate place of a hard disk, format it to NTFS and then make it available in the system by assigning a drive letter.
- Merge Partitions Wizard to consolidate the disk space, which originally belongs to two adjacent partitions (NTFS, FAT16/FAT32), into a single, larger partition.
- **<u>Redistribute Free Space Wizard</u>** to increase free space on one partition by up-taking the on-disk unallocated space and the unused space of other partitions.
- **Express Resize Partitions Wizard** to increase free space on one partition by up-taking the unused space of an adjacent partition of a hard disk (including partitions of Apple Boot Camp).
- NTFS hot resize upward to enlarge an NTFS partition (system, locked) without rebooting Windows and interrupting its work.
- <u>Convert a file system</u> (FAT16/32, NTFS, Ext2/Ext3) without reformatting.
- Mount a partition (assign a drive letter) of any file system type to make it available for your operating system.
- Modify file system parameters (make active/inactive, hide/unhide, volume label).
- Install New OS Wizard to make a system ready to install a new operating system.
- <u>Undelete Partitions Wizard</u> to recover an accidentally deleted partition.

### **File System Optimization Facilities**

- **<u>27 defragmentation strategies</u>** available to defragment FAT and NTFS file systems.
- Safe Defragmentation Mode to guarantee data loss free defragmentation of any version of NTFS and FAT.
- Low free space defragmentation (less than 1% of the free space required) to successfully defragment almost full disks.

### **Auxiliary Facilities**

• <u>File Transfer Wizard</u> to make such operations as transferring of files/directories or burning of them to CD/DVD as easy and convenient as possible. Providing access to Paragon backups as regular folders, it may also help to replace corrupted data from a previously created image in case of an operating system failure.



### File Transfer Wizard is only available for the Linux/DOS bootable recovery environment.

- <u>Volume Explorer</u> is a handy tool when you have different file systems on the disk, whether they contain an
  operating system or just data. Volume Explorer will let you explore a file system of any type and provide access
  to the necessary files and directories regardless of their security attributes.
- Recovery Media Builder to create a bootable recovery media based on Linux/DOS on a CD, DVD disc, or flash memory, which can later be used to boot and recover your computer in case of an operating system failure. Moreover, with its help you can save data from partitions of your hard disk directly to compact discs or burn

ISO-images. The utility supports various formats of laser discs: CD-R/RW, DVD-R/RW, DVD+R/RW, DVD-R, DVD+R double layer, Blu-ray and can handle multi-session burning.

- Network Configuration Wizard to establish a network connection under Linux either to save a backup of a partition/hard disk or just several files on a network computer or retrieve a previously made backup from a network computer for recovery purposes.
- <u>Boot Corrector</u> to fix most of the system boot problems that can be a result of a human factor, program error or a boot virus activity.



Boot Corrector is only available for the Linux/DOS bootable recovery environment.

# **Supported Technologies**

Along with using innovative technologies from outside, Paragon has developed a number of its own original technologies that make its products unique and attractive for customers:

- **Paragon Hot Backup™** technology to back up locked partitions and hard disks under Windows NT+ family operating systems providing both high operating efficiency as well as low hardware requirements.
- **Paragon Power Shield™** technology to provide data consistency in case of a hardware malfunction, power outages or an operating system failure.
- **Paragon UFSD™** technology to browse partitions of any file system including hidden and unmounted, modify and copy files and folders, etc.
- **Paragon Hot Resize™** technology to enlarge NTFS partitions (system, locked) without rebooting Windows and interrupting its work.
- **Paragon Smart Partition™** technology to securely perform hard disk partitioning operations of any complexity.
- **Paragon BTE™** technology to set tasks for execution in the Windows blue screen mode, thus saving from the need to use a bootable media when modifying system partitions.
- Microsoft Volume Shadow Copy Service (VSS) to provide the copy/backup infrastructure for the Microsoft Windows XP/Vista/7/Server 2003/2008 operating systems. It offers a reliable mechanism to create consistent point-in-time copies of data known as shadow copies. Developed by Microsoft in close cooperation with the leading copy/backup solution vendors on the market, it is based on a snapshot technology concept.
- **GUID Partition Table** (GPT). It is the next generation of a hard disk partitioning scheme developed to lift restrictions of the old MBR. GPT disks are now supported by Windows Vista/7, Server 2008, Mac OS X and Linux.

# **Supported File Systems**

- Full read/write access to FAT16/FAT32 partitions.
- Full read/write access to NTFS under Windows 95/98/ME, Linux and PTS DOS. Compressed NTFS files are also supported.
- Full read/write access to Ext2FS/Ext3FS/Ext4FS partitions under all versions of Windows, DOS 5.0 and later.
- Limited read/write access to Apple HFS+ partitions.

Copyright© 1994-2010 Paragon Software Group. All rights reserved.



Unfortunately, support of non-Roman characters for the HFS+ file system is unavailable at the moment. The company is about to implement it in the nearest future.

# **Supported Media**

- Support of both MBR and GPT hard disks (up to 1,5 TB tested)
- IDE, SCSI and SATA hard disks
- CD-R, CD-RW, DVD-R, DVD+R, DVD-RW, DVD+RW, DVD-R, DVD+R double layer and also Blu-ray discs
- FireWire (i.e. IEEE1394), USB 1.0, USB 2.0 hard disks
- PC card storage devices (MBR and GPT flash memory, etc.)

# **Getting Started**

In this chapter you will find all the information necessary to get the product ready to use.

# **Distribution**

Paragon Partition Manager 11 Free is distributed in two ways:

- Boxed package from Paragon Technology GmbH and resellers
- Downloadable package over the Internet at the company's web-site

### **Distributive CD**

The boxed package includes a distributive CD that is in fact a bootable Linux/DOS recovery environment with auto-run of the Windows installation, thus it can be used as a ready-made solution (see <u>Booting from the Linux/DOS Recovery</u> <u>Media</u>). But if you're going to run the Windows components, you need to install them first (see <u>Installation</u>).

If you want to download an update/upgrade of the product, it will be in form of the downloadable installation package as described in <u>Online Distribution</u>).

### **Online Distribution**

Partition Manager 11 Free purchased over the Internet will be in form of an MSI package. After installing the product you can launch the Recovery Media Builder to build the Linux/DOS recovery media.

### Registration

Paragon Technology GmbH provides a wide range of online services through its web-portal - <u>www.paragon-software.com/support/</u>:

- Registration of new users;
- Registration of purchased products for registered users;
- Available around-the-clock downloading center, where registered users can get product updates/upgrades as well as all the necessary documentation;
- Downloadable free demo versions and open documentation for all users.



It is recommended to use Internet Explorer 5+ or any compatible browser.

#### To register as a new user

To register as a new user, please do the following:

- 1. Run an Internet browser and visit the page: www.paragon-software.com/my-account/;
- 2. Click Create of the Create a Paragon Account section;
- 3. Fill out a registration form;
- 4. Click **Register**.

The most important field in the form is an E-mail address, as it serves as a login to enter the system. Besides your access password will be sent to this address as well.

### To register a new product

If you are a registered user and would like to register Partition Manager 11 Free, please do the following:

- 1. Run an Internet browser and visit the page: <u>www.paragon-software.com/my-account/;</u>
- 2. In the Email field of the Authorization section, enter an E-mail used for registration;
- 3. In the **Password** field enter a password received after registration;
- 4. Click Sign in;
- 5. If the user name and password are valid, you will get to your account;
- 6. Click Register new product of the Products section;
- 7. Enter your product serial number in the **Serial Number** field. You can find it in the product box or obtain from your reseller. Click **Next**;
- 8. On the next page you will be asked to provide some additional data. Also you will need to decide whether you want to get confirmation on registering the product by E-mail or not. Click **Next**, and then click **Finish**.

That is all. The product is now registered.

### How to Download Updates/Upgrades

Downloading of updates/upgrades can be fulfilled in the following way:

- 1. Run an Internet browser and visit the page: <a href="http://www.paragon-software.com/my-account/">www.paragon-software.com/my-account/;</a>
- 2. In the Email field of the Authorization section, enter an E-mail used for registration;
- 3. In the Password field enter a password received after registration;
- 4. Click Sign in;
- 5. If the user name and password are valid, you will get to your account;
- 6. Select My Downloads of the Products section to see what updates are available for you;

7. Select the desired update and click **Download**.

# **Contacting Paragon Technology GmbH**

If you have any questions about the company products, please do not hesitate to contact Paragon Technology GmbH.

Service	Contact
Visit Paragon GmbH web site	www.paragon-software.com
Registration & updates web-service	<u>www.paragon-</u> software.com/support
Knowledge Base & Technical Support	kb.paragon-software.com
Pre-sale information	sales@paragon-software.com

# **System Requirements**

### Windows based set of utilities

To use the Windows utilities, you should install them first. But before that, please make sure your computer meets the following minimum system requirements:

- Operating systems: Windows 2000/XP/Vista/7 and XP SP2/Vista/7 64-bit
- Internet Explorer 5.0 or higher
- Intel Pentium CPU or its equivalent, with 300 MHz processor clock speed
- 128 MB of RAM (256+ recommended)
- Hard disk drive with 100 MB of available space
- SVGA video adapter and monitor
- Mouse

### Linux/DOS based recovery environment

To use the Linux/DOS recovery environment on your computer (it doesn't matter what operating system is installed), please make sure that it meets the following minimum system requirements:

- IBM AT compatible computer with i486 or higher CPU
- 256 MB of RAM
- SVGA-compatible monitor
- Mouse (recommended)

### **Additional requirements**

There may be additional requirements if you want to use advanced features:

• Network card to send/retrieve data to/from a network computer

- Recordable CD/DVD drive to burn data to compact discs
- External USB hard drive to store backup data.

# Installation

As we have already mentioned only Windows components of the product require installation. So to install Paragon Partition Manager 11 Free under Windows, please do the following:

1. **Run Setup Application**. Click on the \*.MSI file. This application will guide you through the process of the program installation. The setup utility is compiled with the InstallShield SDK, hence it contains the standard user interface and set of installation steps.



In case there is some previous version of the program installed on the computer, the program will offer the user to uninstall it first.

- 2. **Starting Setup**. The Welcome page informs that the application is being installed. Click the Next button to continue.
- 3. **Confirm License Agreement**. The License Agreement page displays the Paragon License Agreement. Read the agreement and then select the appropriate option to accept. If you do not agree with any conditions stated there, the installation process will be interrupted. By clicking the Print button, the License Agreement may also be printed out.
- 4. **Provide Registration Information**. On the Registration page you are to provide your product key and serial number.
- 5. **Provide Customer Information**. On the Customer Information page you are to provide the standard information, i.e. a user name and an organization. Besides you need to decide whether to make the program available for all users of this computer (if several) or only for the current one.
- 6. **Select an Installation Folder**. The Destination Folder page allows you to choose a folder where the program will be installed. By default, the installation folder will be created as:

**C:\Program Files\Paragon Software\Paragon Partition Manager Free**. To select another folder, click the Change... button.

After you have selected the required folder, click the Next button to continue.



Do not install the program on network drives. Do not use Terminal Server sessions to install and run the program. In both cases, the program functionality will be limited.

- 7. **Confirm Installation**. On the Ready to Install the Program page click the Install button to start the installation or the Back button to return to any of the previous pages and modify the installation settings.
- 8. **Copying Files**. The Copying Files page shows the overall progress of the installation. Click the Cancel button to abort the setup.
- 9. **Finishing the Installation**. The Final page reports the end of the setup process. Click the Finish button to complete the wizard.



To accomplish online backup/copy of locked partitions/hard disks the program uses a kernel mode hotcore driver, thus the system reboot is required to complete the installation procedure.

# **First Start**

To start Paragon Partition Manager 11 Free under Windows, please click the Windows Start button and then select **Programs > Paragon Partition Manager™ Free > Paragon Partition Manager™**.



The program provides wide opportunities in the field of hard disk structure modification, so just to be on the safe side, please make a backup of your data before carrying out any operation.

The first component that will be displayed is called the Express Launcher. Thanks to a well thought-out categorization and hint system, it provides quick and easy access to wizards and utilities that we consider worth using on a regular basis. With its help you can also start up the traditional launcher, the help system or go to the program's home page.





To start up the traditional Launcher, please click the Partition Manager button and then Partition Manager.

To know more on how to handle the product's interface and accomplish typical operations,

### please consult the Windows Components chapter.

# **Booting from the Linux/DOS Recovery Media**

The Linux/DOS recovery environment can be used to boot your computer into Linux or PTS DOS to get access to your hard disk for maintenance or recovery purposes. It also has the PTS DOS safe mode, which may help in a number of non-standard situations such as interfering hardware settings or serious problems on the hardware level. In this case, only basic files and drivers (such as hard disk drivers, a monitor driver, and a keyboard driver) will be loaded.

### Startup

To start working with the Linux/DOS recovery environment, please take the following steps:

1. Start up the computer from our Linux/DOS recovery media.



Recovery Media Builder can help you prepare the Linux/DOS recovery environment either on a CD/DVD disc or a thumb drive.

To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.

2. Launch a boot mode you need (Normal, Safe, Low-Graphics Safe) in the Boot menu.



By default the Normal Mode will be automatically initiated after a 10 second idle period.

- 3. Click on the required operation to start. Hints on the selected at the moment item will help you make the right choice.
- 4. Consult the help system by pressing **ALT+F1** to know more on the subject.

### **Boot menu**

The Boot menu contains the following commands:

🔊 Normal Mode	Main recovery
ẩ Safe Mode ẩ Low-Graphics Safe Mode ■ Floppy disk	environment
<ul> <li>➡ Hard disk Ø MBR</li> <li>➡ Find OSes on your hard disks</li> </ul>	

- Normal Mode. Boot into the Linux normal mode. This mode uses the full set of drivers (recommended);
- **Safe Mode**. Boot into the PTS DOS mode. This mode can be used as an alternative of the Linux normal mode if it fails to work properly;
- Low-Graphics Safe Mode. Boot into the PTS DOS safe mode. In this case, only the minimal set of drivers will be included, like hard disk, monitor, and keyboard drivers. This mode has simple graphics and a simple menu;
- Floppy Disk. Reboot the computer from a system floppy disk;

Copyright© 1994-2010 Paragon Software Group. All rights reserved.

- Hard Disk 0. Boot from the primary hard disk;
- Find OS(s) on your hard disks. The program will scan hard disks of your computer to find any bootable operating system.


To move within the menu, please use the arrow keys of the computer keyboard.



While working with the recovery environment you might experience some inconvenience caused by possible video artifacts. It is just a result of changing video modes and in no way will affect the program functionality. If this is the case, please wait a bit and everything will be OK.

# Normal Mode

When the Normal mode is selected, the Linux launch menu appears:



- **Partition Manager** (enables to copy and back up separate partitions or entire hard disks, carry out partitioning operations, etc.);
- Simple Restore Wizard (allows restoring hard disks and partitions);
- **Express Resize Wizard** (enables to increase free space on one partition by up-taking the unused space of an adjacent partition);
- File Transfer Wizard (allows coping files/folders to another disk or a partition as well as recording them to CD/DVD);
- Boot Corrector (helps to correct the Windows System Registry without Windows being loaded);
- Network Configurator (enables to establish a network connection under Linux);



If you are going to use network resources, first launch the Network Configuration Wizard to establish a network connection.

- Log Saver (helps to collect and send the necessary log files to the Technical Support);
- View the mounted partitions (the list of all mounted partitions will be displayed);



The Linux/DOS recovery environment assigns drive letters to partitions the way it is done in DOS, i.e. one after another, primary partitions at first. Thus mounted partitions may have different drive letters from Windows.

- Eject CD/DVD;
- Command Line (allows experienced users to execute any operation);
- Reboot the computer;
- Power off the computer.

To move within the menu, please use the arrow keys of the computer keyboard.

# Safe Mode

When the Safe mode is selected, the PTS DOS launch menu appears. It has nearly the same functionality as for the Normal mode except the **Network Configurator** and **Log Saver** commands. Besides due to certain limitations of the PTS DOS environment, there is no possibility to burn CD/DVD discs.

# Low Graphics Safe Mode

When the Low Graphics mode is selected, the PTS DOS launch menu appears. It has the same functionality and looks similar to the Safe mode but graphically simpler.

Partition Manager 11 Simple Restore Wizard File Transfer Wizard Boot Corrector Start the command line Reboot the computer	You can create, delete and format hard disk partitions using this program, which will start now. Upon the start, please select the drive and one of its partitions or its free space. Then activate the 'Partition' pull-down menu
	space. Then activate the 'Partition' pull-down menu
	and select one of the partitioning operations.

# **Basic Concepts**

This chapter explains terms and ideas that show how the program works. To understand these helps to obtain a general notion of the operation performance and makes it easier for the user to operate the program.

# **System and Data Protection**

The data protection issue is a growing cause of worrying for more and more people today. Indeed, it is hardly to find a person who will be particularly happy when all precious information on the hard disk is irreversible lost as a result of its malfunction. So how this tragedy can be prevented? Copyright© 1994-2010 Paragon Software Group. All rights reserved.

### **Backup Storage**

Our program supports basic present day techniques of storing backup images. Let's take a closer look at them all to understand what kind of storage is able to provide better security:

- You can place a backup image to a local mounted partition. Despite the fact that it is the most convenient way, try not to use it. You can delete your backup just by accident or lose it as a result of a hardware malfunction, or a virus attack;
- You can place a backup image to an external mounted storage to provide for a higher level of data protection and system independence;
- You can place a backup image to a network drive to stand a better chance of success in case of a hard disk failure. Moreover, by storing it on a special-purpose server you may be pretty sure nothing will happen to it.

# Paragon Hot Processing & Volume Shadow Copy Service

### **Offline versus Online Data Processing**

In the course of time there have been developed various methods of data processing. Despite different work concept, all of them can be divided into two principal groups: offline (cold) and online (hot) data processing techniques.

As the name infers, offline data processing can only be accomplished when the data is in consistent state (the operating system and all the applications are completely shut down). Actually it is the most preferable way of image creation or data cloning, since software can obtain an exclusive right to process data that guaranties high level of operating efficiency. However, the offline data processing is absolutely out of question when dealing with 24/7 production environments.

In contrast, online data processing enables to create a consistent snapshot even as the data is currently modified. It is particularly useful for systems with high availability requirements, but it won't be accomplished until all active transactions are complete. The point is to provide a coherent state of all open files and databases involved in a process, taking into account that applications may still keep writing to disks. As a result an online data processing cannot boast high operating speed.

Our program supports both offline and online methods of data processing. As far as online method is concerned it offers its own hot processing algorithm together with the possibility to use snapshot technologies provided by the Microsoft VSS framework.

### Paragon Hot Processing Technology

Paragon Hot Processing is an online copy/backup technology for Windows NT+ family operating systems. Developed back in 2001, nowadays it is integrated with all copy/backup solutions offered by the company.

Paragon Hot Processing is not exactly a snapshot technology, though it has much in common with it. During an online copy/backup, the program uses the kernel mode driver HOTCORE.SYS to intercept and control disk write activity of applications and the operating system. The hotcore driver as an integral part of the program is installed during the setup procedure (that's why the system reboot is required to complete the setup procedure). For the most part the driver is in the idle mode until it is activated with the program. While in this mode it bypasses any calls having no effect on the overall system performance, but a few kilobytes of the system memory.

Paragon Hot Processing technology offers copy/backup of locked partitions and hard disks under Windows NT+ family operating systems providing both high operating efficiency as well as low hardware requirements.



It is not recommended to use Paragon Hot Processing with active SQL Server, Exchange or Oracle databases since the backup image contents may be corrupted.

# Volume Shadow Copy Service

Microsoft Volume Shadow Copy Service (VSS) is designed to provide the copy/backup infrastructure for the Microsoft Windows XP/Vista/Server 2003/2008 operating systems. It offers a reliable mechanism to create consistent point-in-time copies of data known as shadow copies. Developed by Microsoft in close cooperation with the leading copy/backup solution vendors on the market, it is based on a snapshot technology concept.

Initiated by a VSS aware copy/backup utility, VSS creates snapshots for the selected volumes and represents them as virtual read-only devices, called volume shadow copies. Once the shadow copies are created, the copy/backup utility starts processing the data while applications keep writing to original volumes.

Unlike Paragon Hot Processing the VSS technology provides a unique possibility to make a synchronous snapshot of multiple volumes. This very feature can be particularly beneficial when backing up active SQL Server 2003, Exchange 2003 or Oracle databases located on multiple volumes the way it is recommended by Microsoft to improve the level of database performance and reliability, thus providing 100-percent data consistency.



To use VSS it is necessary to have a mounted 300 MB+ NTFS partition.

# **GPT versus MBR**

GUID Partition Table (GPT) is the next generation of a hard disk partitioning scheme developed to lift restrictions of the old MBR. Being a part of the Extensible Firmware Interface (EFI) standard proposed by Intel to replace the outdated PC BIOS, it offers a number of crucial benefits:

- Up to 128 primary partitions for the Windows implementation (only 4 in MBR);
- The maximum allowed partition size is 18 exabytes (only 2 terabytes in MBR);
- More reliable thanks to replication and cyclic redundancy check (CRC) protection of the partition table;
- A well defined and fully self-identifying partition format (data critical to the platform operation is located in partitions, but not in un-partitioned or hidden sectors as this is the case with MBR).

# **Apple Boot Camp**

Boot Camp is a special utility to help you set up a dual boot system (Mac OS X and 32-bit Windows XP/Vista) on Intelbased Macs. It enables to securely re-partition your hard disk (resize an existing HFS+ partition to create a separate partition for Windows) and then launch the installation process. With Boot Camp all the necessary drivers will be at your disposal. Moreover after Windows has been installed it will serve as a boot manager to choose what operating system to start up.



It is strongly recommended not to modify the hard disk configuration with Windows Disk Manager. Otherwise it may lead to unexpected consequences, right up to BSOD and inability to boot in Windows XP/Vista. Please use our program to correctly update both MBR and GPT.

# **64-bit Support**

The bulk of software today is written for a 32-bit processor. It can meet the requirements of almost any end user. However that is not the case when dealing with servers processing large amounts of data with complex calculations of very large numbers. That is where 64-bit architecture comes into play.

It can boast improved scalability for business applications that enables to support more customer databases and more simultaneous users on each server. Besides a 64-bit kernel can access more system resources, such as memory allocation per user. A 64-bit processor can handle over 4 billion times more memory addresses than a 32-bit processor. With these resources, even a very large database can be cached in memory.

Although many business applications run without problems on 32-bit systems, others have grown so complex that they use up the 4 GB memory limitation of a 32-bit address space. With this large amount of data, fewer memory resources are available to meet memory needs. On a 64-bit server, most queries are able to perform in the buffers available to the database.

Some 32-bit applications make the transition to the 64-bit environment seamlessly others do not. For instance, systemlevel utilities and programs that provide direct hardware access are likely to fail. Our program offers a full-fledged support of the 64-bit architecture providing fault-tolerant work for such system dependent modules as Hot Processing.

# **Copy Operations**

Hard drive duplication nowadays is becoming highly popular among PC users. That is due to some definite advantages it can offer. First of all, many people clone hard disks just to back up data for security reasons. The present day copy utilities enable to successfully transfer all on-disk information including standard bootstrap code and other system service structures, thus maintaining the operating system's working capability. In case of a system malfunction, the user can get the system back on track in minutes. No additional configuration is required, what is very convenient.

The second possible application is the upgrade of a hard disk to a new one. The capacity of a modern hard drive doubles every two years, thus opening up new possibilities for software developers. As a result programs become more complicated and require considerable amount of free space. One day the user realizes that there is no more free space left on the hard disk and the only way out is to upgrade. Usually that means that besides purchasing a new hard disk, the user is to face a large re-installation procedure spanning several days of tedious work. But all of this can be avoided just by copying the contents of the old hard disk to a new one proportionally resizing the partitions.

And the last but not least is the copying of hard disks for cloning purposes. It may be of great use when setting up similar computers. There is no need for a system administrator to install an operating system from scratch on every one of them. It is enough just to configure one and then clone it to the others.

# **Drive Partitioning**

As you probably know a hard drive is to be split into one or more partitions, since it cannot hold data until it is carved up and space is set aside for an operating system. Until recently most PCs used to have just one partition, which filled the entire hard disk and contained an OS. The situation has changed however, thanks to new cost-effective high capacity hard drives, thus opening up numerous possibilities for PC users, such as editing video, archiving music, backing up CD images, etc. Huge increase in space is great, but it poses a number of problems, most important of which are effective data organization and speed.

Large drives are always going to take longer to search than smaller volumes, and an operating system is going to have its work cut out both finding and organizing files. It is for this reason that many people decide to invest in multiple hard drives, but there is an easy solution – drive partitioning. Partitioning lets you divide a single physical drive into a number of logical drives, each of which servers as a container with its own drive letter and volume label, thus enabling the

operating system to process data more efficiently. Besides partitioning makes it possible to organize data so that it is easy to find and manage. You can set aside, for instance, 40 GB of a 160 GB hard drive for the OS, 70 GB for storing video and another 50 GB for your favorite music collections to provide transparent data storage.

It is also worth mentioning to that with a hard drive properly partitioned, such routine operations as files defragmentation or consistency check will not be that annoying and time-consuming any more.

By detaching the OS from the rest of the data you can tackle one more crucial issue – in case of a system malfunction, you can get the system back on track in minutes by recovering it from a backup image located on the other partition of the hard drive.

But that is not all drive partitioning may be used for. If you are willing to play games in Windows while browsing the Internet in Linux, 100-percent sure that no virus will attack your PC, drive partitioning is a necessity. In order to run several OSs on a single hard drive you are to create a corresponding number of partitions to effectively delineate the boundaries of each OS.

# **Windows Components**

In the given section you can find all the information necessary to successfully work with the Windows version of the product.


# **Interface Overview**

This chapter introduces the graphical interface of the program. The design of the interface precludes any mistake being made on the part of the user. Most operations are performed through the system of wizards. Buttons and menus are accompanied by easy understandable icons. Nevertheless, any problems that might occur while managing the program can be tackled by reading this very chapter.

# **General Layout**

When you start the program, the first component that is displayed is called the Launcher. It enables to run wizards and dialogs, to specify program settings, to visualize the operating environment and the hard disk configuration.

The Launcher's window can be conditionally subdivided into several sections that differ in their purpose and functionality:



- 6. Disk Map
- 7. Partition List
- 8. Properties Bar

9. Legend Bar

10. <u>Status Bar</u>

A number of panels offer similar functionality with a synchronized layout. The program enables to conceal some of them to simplify the interface management.

All panels are separated by vertical and horizontal expandable sliders, allowing the user to customize the screen layout.

### Main Menu

The Main Menu provides access to the entire functionality of the program. The available functions are as listed below:

MENU ITEM	FUNCTIONALITY
Tools	
View Log Files	View logs on the carried out operations
Send Log Files	Compress and send the log to the Paragon Support Team
Setup Boot Manager	Manage several operating systems on one computer
Recovery Media Builder	Restore the system even when the current operating system cannot boot anymore
Settings	Edit the general settings of the program
Exit	Exit the program
Changes	
Undo `the last virtual operation`	Cancel the last virtual operation on the List of Pending Operations
Redo `the last virtual operation`	Cancel the last undo virtual operation on the List of Pending Operations
View Changes	Display the List of Pending Operations
Apply Changes	Launch the real execution of virtual operations
Discard All Changes	Cancel all virtual operations on the List of Pending Operations
Reload Disk Info	Refresh the current information about disks
Wizards	
Express Create Partition	Create an NTFS partition and make it ready for work
Create Partition	Create a partition of any file system
Format Partition	Format a partition of any file system
Delete Partition	Delete a partition of any file system

Copyright© 1994-2010 Paragon Software Group. All rights reserved.

Express Resize Partitions	Increase free space on one partition by up-taking the unused space of an adjacent partition
Undelete Partitions	Recover an accidentally deleted partition
Merge Partitions	Merge adjacent partitions of NTFS, FAT or FAT32 file systems
Redistribute Free Space	Redistribute available disk space of existed partitions
Install New OS	Make your system ready to install a new operating system
Back up Disk or Partition	Create a sector-based archive of an entire hard disk or separate partitions
Copy Hard Disk	Create a hard disk copy
Copy Partition	Create a partition copy
Hard Disk	
Update MBR	Update MBR (Master Boot Record) of the selected hard disk
View Sectors	View sectors of the selected hard disk
Properties	Get in-depth information on the properties of selected hard disk
Partition	
Create Partition	Create a partition
Format Partition	Format a partition
Delete Partition	Delete a partition
Move/Resize	Move/Resize the selected partition
Convert File System	Convert file system of the selected partition
Assign Drive Letter	Assign drive letter to the selected partition
<b><u>Remove Drive Letter</u></b>	Remove drive letter for the selected partition
Hide Partition	Make the selected partition unavailable for the operating system
Unhide Partition	Make the selected partition available for the operating system
Mark Partition as Active	Make the selected partition bootable by default
Mark Partition as Inactive	Make the selected partition non-bootable by default
Change Volume Label	Change volume label of the selected partition
Make Partition Primary	Make the selected partition Primary
Make Partition Logical	Make the selected partition Logical

Test Surface	Test surface of the selected partition/block of free space
Check File System	Check the selected partition for possible file system errors
Integrity	
View Sectors	View sectors of the selected partition
Properties	Get in-depth information on the properties of selected partition
View	
Layouts	Manage the Launcher layout with several predefined profiles
Toolbar	Manage the Tool Bar representation: show / hide standard and navigation
	buttons, text labels and large icons
Status Bar	Display the Status Bar
Common Tasks Bar	Display the Common Tasks Bar
Disk Map Legend	Display the Disk Map legend
Properties and Commands	Display the Explorer Bar
Disk Map Location	Select whether the Disk Map will be located on the top of the main window or
	at the bottom
Help	
Help	Open the Help system (you can also do it by pressing F1)
About	Open the dialog with information about the program



The Main Menu contents available at the moment may vary depending on the selected object.

# **Tool Bar**

The Toolbar provides fast access to the most frequently used operations:

BUTTON	FUNCTIONALITY
<b>F</b>	Create an image of a hard disk or partition
S.	Resize two adjacent partitions
<b>U</b>	Copy a hard disk



Defragment the selected partition

Open the Help system

### **Virtual Operations Bar**

The program supports previewing the resulting layout of hard disks before actually executing operations (so-called virtual mode of execution). In fact, when the virtual mode is enabled, the program does not accomplish operations immediately, but places them on the List of Pending Operations for later execution.

The Virtual Operations Bar enables to manage pending operations.

BUTTON	FUNCTIONALITY
5	Cancel the last virtual operation on the List of Pending Operations
C	Cancel the last undo virtual operation on the List of Pending Operations
Q	Display the List of Pending Operations
<b>~</b>	Launch the real execution of virtual operations
×	Cancel all virtual operations on the List of Pending Operations

Virtual mode is an effective way of protection from any troubles, since no operations will be executed until clicking the Apply button for confirmation, thus giving a second chance to weigh all pros and cons of this or that particular operation. The program politely reminds the user that there are unsaved changes by showing the following window:



There are unsaved changes.	×
Please use $\checkmark$ Apply command to commit them and $symp Discard$ command to permanently undo the changes.	1
You can view changes history via 🤍 View Changes command and temporat undo or redo the operation by means of 🍎 Undo and C Redo commands.	у
Don't show this notification again	

# **Common Tasks Bar**

The Common Tasks Bar is located on the left side of the main window. It is intended for easy access to the program's wizards.

The bar contains several tabs named **Basic Partitioning Tasks, Advanced Partitioning Tasks, Copy and Migration Tasks, Backup Tasks, Tools and News and Documentation**. Each of these contains a separate button bar which can be folded by clicking it.

Basic Partitioning Tasks	
💩 Express Create	Starting the Express Create Partition Wizard to create an NTFS partition and make it ready for work.
Create Partition	Starting the Create Partition Wizard to create a partition of any file system.
Format Partition	Starting the Format Partition Wizard to format an existing partition to one of the file systems supported by the program.
Delete Partition	Starting the Delete Partition Wizard to delete a partition of any file system.
Advanced Partitioning Tasks	
Express Resize	Starting the Express Resize Partitions Wizard to redistribute free space between two adjacent partitions.
Merge Partitions	Starting the Merge Partitions Wizard to merge adjacent partitions of NTFS, FAT, FAT32 file systems.
🔗 Redistribute Free Space	Starting the Redistribute Free Space Wizard to redistribute available disk space of existing partitions.
Windelete Partitions	Starting the Undelete Partitions Wizard to recover accidentally deleted partitions.
Copy and Migration Tasks	
Copy Hard Disk	Starting the Copy Hard Disk Wizard to copy a hard disk.
Copy Partition	Starting the Copy Partition Wizard to copy a partition.
Backup Tasks	
8 Back up Disk or Partition	Starting the Sector Backup Wizard to create an archive of a hard disk or separate partitions.
Fools	
Boot Manager Wizard	Starting the Boot Manager Setup Wizard to easily manage several operating systems on one computer.
install new OS wizard	Starting the Install New OS Wizard to install a new operating system.
Help and Documentation	
Partition Manager <sup>**</sup> Help	Launching the help system (you can also do it by pressing F1).

About Partition Manager <sup>™</sup>	Opening the page which contains information about the program. This page will be displayed in the Explorer Bar.

### **Disk Map**

The Disk Map is displayed in the Explorer Bar when the Disk View tab is selected. It is located either at the top or at the bottom of the window, depending on the state of the Disk Map Location option (Main Menu: View > Disk Map Location).

As the name infers, the Disk Map displays the layout of physical and logical disks. Physical disks are represented with rectangle bars that contain small-sized bars. These small-sized bars represent logical disks. Their color depends on the file system of the appropriate partition.

Jok Map	
Basic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev)	- C
Local Disk (C:)	
499.9 GB NTFS	
	· •

Large-sized bars display the following information about physical disks:

- Manufacturer,
- Model.


Small-sized bars display the following information about logical disks:

- Serial number,
- Drive letter,
- Total size,
- File system.

Furthermore, it is possible to estimate the used disk space by looking at the size of the bar's shaded area. The program offers to choose from several types of the disk layout scaling. It's done especially to increase the program usability. For instance, if you've got a high capacity hard drive containing both very large (more than 100 GB) and rather small (less than 10 GB) partitions, you can select the logarithmic type to make all partitions readable, otherwise (selecting the linear type) you won't be able to see small partitions at all, but thing strips. On the other hand, if the proportional disk layout is critical for you, the linear type is exactly what you need.

Nevertheless there's a compromise solution – linear scaling with the minimal limit to small partitions. So if a partition is too small it will remain readable.

Just click on the arrow icon on the top right side of the Disk Map to select the desired scaling type.



Copyright© 1994-2010 Paragon Software Group. All rights reserved.

Disk Map is synchronized with the Explorer Bar. Thus by selecting a disk on the Disk Map, the Explorer Bar will automatically display detailed information on it.



The drag-and-drop functionality is not available when the logarithmic type of the disk layout is selected.

# **Explorer Bar**

The Explorer Bar is located in the center of the main window which emphasizes its importance. The bar displays reference information including:

- The help system;
- General information on the product including its name, version and a list of helpful links;
- Detailed information about disks selected on the <u>Disk Map</u>;
- Volume Explorer utility.

According to these categories the Explorer Bar has several tabs:

- **Disk View**, which offers the user the following options:
  - Partition List to get a clear-cut picture of the current state of the system hard disks/partitions;
  - Volume Explorer to browse and export contents of the selected partition/hard disk;
  - *Properties* to view detailed information on the selected partition/hard disk in the bright graphical form.



You can switch between these three components by clicking tabs on the left side of the Explorer Bar.

• Help, which contains the program help and general information on the product.

You can access the desired information by clicking on the appropriate tab.

The Explorer Bar is a fully-functional embedded HTML browser, which offers the possibility to address, for example, the company's website to look through important technical notes or download the latest updates without having to close the program.

The program help is also HTML-oriented. You can read it and follow external links from to get additional information.

To easily navigate through browsed pages, the program provides the following functionality:

BUTTON	FUNCTIONALITY
	Return to the previously browsed page
	Open the next browsed page
*	Stop loading the current page

Copyright© 1994-2010 Paragon Software Group. All rights reserved.

6


Refresh the contents of the current page

# **Partition List**

The Partition List is another helpful tool that enables you to get a clear-cut picture of the current state of the system hard disks/partitions. Partitions are sorted according to their starting position. For every item of the list there is the possibility to call the context-sensitive popup menu with available operations. Besides, the program provides detailed information on all hard disks/partitions found in the system including the following properties:

- Name,
- Volume label (if exists),
- Partition type (Primary/Extended /Logical),
- File system type,
- Size,
- Amount of used and unused (free) space,
- Start/End cylinder,
- Start/End head,
- Start/End sector
- Free size in sectors/bytes
- Active/Inactive attribute
- Hidden/Unhidden attribute

You may customize outlook of the Partition List by clicking on the arrow icon on the top right side of the panel.



lame	Move up
ize (sectors)	
S Size (sectors)	Mave down
Jsed (sectors)	
itart (sectors)	
ind (sectors)	
Rat CHS(hex)	
nd CHS(hex)	
ype	
ile system	
/olume label	
arttion size	
lize	
Jsed	
iree (sectors)	
ree	
ctive	
lidden	
etter	
arttion ID	
ectors per Cluster	
Not	

By marking a checkbox opposite the required item you can choose whether to display it or not. Besides, you can change its order by pressing the Move up or Move down buttons.

If you don't need the Disk Map, please click the shown below icon to disable it:

Disk	Map	5
Ba	sic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev)	h
	Local Disk (C:)	
	39.9 GB NTFS	
	39.9 GB NTFS	

# **Properties Bar**

The Properties Bar provides information on the selected at the moment partition/hard disk:

### For a hard disk

- Model, •
- Serial number,
- Type of hard disk (basic or dynamic), •
- Total size (in GB), •
- Information on geometry of the disk (amount of sectors per track, heads and cylinders). •

# For a partition

Drive letter assigned to the disk, •

Copyright© 1994-2010 Paragon Software Group. All rights reserved.

- Volume label (if available),
- Type of the logical disk,
- File system (represented by the color of the graph and the selected bar),
- Total size, used space and free space (in GB or MB).

Besides you can modify practically any partition property by clicking on the required value.

### **Legend Bar**

The Legend Bar explains the color scheme used for disk and partition presentation. You can hide (or show) the bar with the appropriate Main Menu item: View > Disk Map Legend. When it is activated it can be found at the bottom of the Explorer Bar.

The program distinguishes between the following types of known file systems:

- FAT16/32,
- NTFS,
- Linux Ext2/3/4,
- Linux ReiserFS,
- Apple HFS.

### **Status Bar**

This is the bottom part of the main window. The Status Bar displays menu hints, for each item the cursor points to.

The user can hide (or show) the bar with the appropriate Main Menu item: View > Status Bar.

# **Settings Overview**

The Settings dialog is available from the Main Menu: Tools > Settings. All the settings are grouped into several sections, which functions are described in the following paragraphs. The list of sections is placed on the left side of the dialog. By selecting a section from the list, you can open a set of options.



To get a detailed description to any setting, control, or field of the program just click the hint button and then the object you need.

# **General Options**

General options Backup image options	Seneral options
Copy and backup options Hot processing options CD/DVD recording options Partitioning options Operation dependency options Virtual mode options File system conversion options E-mail options Defragmentation options	<ul> <li>Enable data loss protection Choose this option to ensure that no data will be lost if system unexpectedly goes down (because of power shortage etc.)</li> <li>Enable Initial Backup reminders Choose this option to enable Initial Backup reminders. Initial Backup guarantee the safety of your data by backing up all on-disk information including standard bootstrap code and other system service structures before performing any critical partitioning operation.</li> </ul>
	OK Cancel

This section contains a set of general options that will be taken into account during any operation carried out with the program:

• Enable data loss protection. Mark the checkbox to make the program work in the fail-safe mode (also referred to as the data-loss protection mode), which ensures reliability for operations by maintaining a special journal. In case of a hardware malfunction, power outage or an OS failure happened in the middle of a data-sensitive operation (resize, move, merge, redistribute, change cluster size, etc.), the program will ask to insert the bootable recovery media and automatically complete the interrupted operation, thus reviving the corrupted partition.



It is strongly recommended to enable this option.

• Enable Initial Backup reminders. If this option is marked, the program will automatically offer to make a backup before accomplishing any critical partitioning operation, thus minimizing the risk of data loss.

### **Partitioning Options**

Sedit settings General options Backup image options	Partitioning Options
Copy and backup options Hot processing options CD/DVD recording options Partitioning options Operation dependency options Virtual mode options File system conversion options E-mail options Defragmentation options	<ul> <li>Enable 64 KB clusters for FAT16</li> <li>Choose this option to enable 64 KB clusters for FAT16 partitions. With this setting, you will be able to create FAT16 partitions with capacity up to 4 GB. Please note that only Windows NT family systems will be able to access such partitions.</li> <li>Confirmations</li> <li>✓ Ask for volume label before partition delete</li> <li>✓ Ask confirmation when converting FAT16 to FAT32.</li> </ul>
	OK Cancel

This section contains a set of options that will be taken into account during partitioning operations:


• Enable 64 KB cluster size for FAT16. Mark the checkbox to enable 64KB clusters for FAT16 partitions. Thus you will be able to create FAT16 partitions up to 4GB in size



Due to the maximum cluster size of 32KB for Windows 95/98/ME or MS DOS, FAT16 partitions larger than 2GB are not reliably accessible under these operating systems.

- **Request confirmation before partition deletion**. Mark the checkbox to activate an additional security mechanism. Thus when going to delete a partition you will be automatically requested to enter its label.
- Request confirmation when converting FAT16 to FAT32. Mark the checkbox to automatically request confirmation before converting FAT16 to FAT32. There are a number of situations when this kind of conversion is the only way out to accomplish the operation. For instance, you are going to migrate your system to a larger hard disk with the proportional resize of existing partitions, what is very convenient. As a result you can get original FAT16 partitions go beyond the 4GB limit. Thus without conversion to FAT32, this operation will in no way be possible to accomplish. The same goes for any copy hard disk/partition or restore hard disk/partition operation involving an extra upsizing.

# **General Copy and Backup Options**



This section contains a set of options that will be taken into account during copy and backup operations:

- **Partition raw processing**. Mark the checkbox to copy a partition in the sector-by-sector mode to successfully process unknown file systems. However it is not recommended to enable this option when working with supported file systems as it takes more time to accomplish the operation.
- Skip OS auxiliary files. Mark the checkbox to skip OS auxiliary files (like pagefile.sys, hiberfil.sys, etc.), thus reducing the operation time and the resulted size of the backup image.

### **Hot Processing Options**

Seneral options Backup image options	Hot processing options
Copy and backup options Hot processing options CD/DVD recording options Partitioning options Operation dependency options Virtual mode options File system conversion options E-mail options Defragmentation options	<ul> <li>Enable hot processing</li> <li>Hot processing technology</li> <li>Microsoft Volume Shadow Copy Service</li> <li>Incrosoft Volume Shadow Copy Service is a reliable technology designed to back up volumes being locked by numerous active transactions of VSS supporting applications. Microsoft VSS technology requires over 300 MB of free space on any mounted NTFS volume for temporary data. This technology is provided for Windows XP and newest Windows versions, but unavailable for old versions of Windows (98/ME/NT/2000).</li> <li>Additional options         <ul> <li>Additional options</li> <li>Use hot processing only when partition is locked</li> <li>Hot processing temporary drive:</li> <li>Imout petween attempts to start VSS:</li> <li>Imout between attempts (in seconds):</li> <li>I20</li> <li>Switch between Hot Processing technologies</li> </ul> </li> </ul>
	OK Cancel

In this section you may configure the hot processing mode:

- **Enable hot processing**. Mark the checkbox to enable the so called hot data processing mode that is specially designed to process data without restarting your operating system.
- Hot processing technology. From the pull-down list you can select the required hot processing technology.
- Always use hot processing. Select the option to process partitions without making them locked. Thus you will be able to keep working with them as usual.
- Use hot processing only when partition is locked. Select the option to use the hot processing only when partitions are locked and cannot be processed without restarting the computer. Please keep in mind, that once you start any operation on a partition in this mode, it will automatically be locked by the program, thus you won't be able to keep working with it as usual.
- Hot processing temporary drive. Here you can select a disk drive that will be used to store the temporary hot backup data (by default C:).
- Attempts to start VSS. Here you can set how many attempts to start Microsoft VSS the program is to do before automatically rebooting the system and accomplishing the operation in a special boot-up mode.
- Timeout between attempts (in seconds). Here you can set a time period between different attempts to start Microsoft VSS.

• Switch between hot processing technologies. Mark the checkbox to automatically switch between Paragon Hot Processing and Microsoft VSS if one of them is unavailable at the moment.

### **E-Mail Options**

📎 Edit settings	
General options Backup image options	E-mail options
Copy and backup options Hot processing options CD/DVD recording options	Specify your e-mail account options: Outgoing mail server (SMTP): Enter a server name h
Partitioning options Operation dependency options Virtual mode options	User e-mail address: Enter an e-mail addres
File system conversion options E-mail options	SMTP port number: 25
Defragmentation options	User name: Enter an user name here
	Password: Enter a password here
	Specify e-mail notification options:
	Send E-Mail notification on apply
	To: Enter an e-mail address here
	Send mail in HTML format
	Send complete report after applying operations
	Send graphical view of the disk sub-system before and after apply
	Select the operations you would like to be notified about
	or local
	OK Cancel

This section contains a set of options that will be taken into account during the Send log files and Send e-mail notification operations:

- **Outgoing mail server (SMTP)**. To send messages by using the built-in mail client, it is necessary to have access to a computer running an SMTP (Simple Mail Transfer Protocol) server. All outgoing messages are first sent to the SMTP server, which in its turn delivers them to the required recipients. The address may be represented as a traditional Internet host name (e.g.: mail.com) or as an IP numeric address (e.g. xxx.xxx.xxx).
- User e-mail address. Specify an e-mail address that has been assigned by the Internet Service Provider or organization's e-mail administrator.
- **My outgoing server requires authentication**. Activate the option to allow the program to make authentication on the server before sending messages.
  - User name. Enter the name that will be used to log in to the e-mail account.
  - Password. Enter the password that will be used to access the mail server.

# **Virtual Mode Options**

Edit settings General options Backup image options	Virtual mode options
Copy and backup options Hot processing options CD/DVD recording options Partitioning options Operation dependency options Virtual mode options File system conversion options E-mail options Defragmentation options	Operations mode ✓ Allow virtual mode Set this option on to cany out all the operations virtually. You will be able to commit the changes or rollback all of them or the last one. If you switch this option off, the operations will be carried out immediately. Close progress dialog automatically Set this option on to automatically close the progress dialog after committing the changes.
	OK Cancel

In this section you may configure the virtual mode:

• Allow virtual mode. Mark the checkbox to enable the virtual mode. It is an effective way of protection from any troubles, since no operation will be executed until confirmation, thus giving you a second chance to weigh all pros and cons of this or that particular operation.



We strongly recommend you to enable this mode.

 Close progress dialog automatically. Mark the checkbox to automatically close the progress dialog after accomplishing operations.

### **File System Conversion Options**

🗞 Edit settings	? <b>**</b>
General options Backup image options Copy and backup options Hot processing options CD/DVD recording options Partitioning options Operation dependency options Virtual mode options File system conversion options E-mail options Defragmentation options	<ul> <li>File system conversion options</li> <li>Select a time zone:         <ul> <li>(GMT) Greenwich Mean Time; Dublin, Edinburgh, London, Lisbon</li> <li>Get language for file names:</li> </ul> </li> <li>Select language for file names:         <ul> <li>English (CP-850)</li> <li>This language will be used to specify national symbols in file names.</li> </ul> </li> <li>Confirm settings before NTFS &lt;-&gt; FAT/FAT32 conversion. Choose this option to make the program to allow to customize these settings each time when converting file systems.</li> </ul>
	OK Cancel

This section contains a set of options that will be taken into account when converting FAT and NTFS file systems. By default, the program takes locale (regional) settings from the system. Problems might occur however because of

different standards for file names and file time stamps (Created, Modified and Last Access Time) of NTFS and FATxx file systems.

To tackle problems of that kind you can manually set:

• **Time zone** to use during the convert operation. NTFS keeps file timestamps in GMT (Greenwich Mean Time) while FAT uses a fixed local date and time. The program takes proper account of these differences and enables to adjust timestamp values.



An incorrectly chosen time zone might lead to inability to launch certain software.

• Language for file names to use during the convert operation. NTFS stores file names in Unicode while FAT/FAT32 uses ANSI to save short file names (also called the DOS aliases). The codepage information is required for the correct conversion of non-English file names from Unicode to ANSI and vice versa.



An incorrectly chosen codepage will certainly result in corruption of non-English file names.

Request confirmation of settings before NTFS < - > FAT/FAT32 conversion. Mark the checkbox to automatically
display the local settings dialog to check and modify (if necessary) the default parameters before launching the
convert file system operation.

# **Defragmentation Options**

🗞 Edit settings	
General options Backup image options Copy and backup options Hot processing options CD/DVD recording options Partitioning options Operation dependency options Virtual mode options File system conversion options E-mail options Defragmentation options	Defragmentation options Defragmentation mode Safe mode (recommended)  Slow but reliable. In this mode the program requires free space on the defragmented at the moment partition to guarantee protection of your data in case of a power outage, hardware malfunction or a system failure.
	OK Cancel

In this section you may set the preferable defragmentation mode:

- **Fast mode**. Partitions will be defragmented rather fast (a 10-30% gain depending on the fragmentation level), but a power outage, hardware malfunction or a system failure during the operation might lead to the data loss.
- **Safe mode**. To guarantee protection of your data during the operation, the program will allocate some free space (not less than the on-disk largest file) on the defragmented at the moment partition to make a duplicate of every processed file. Thus we strongly recommend you to use this very mode.

# **Getting Information on Disks**

The main tool to view in-depth information on the properties of hard disks is the <u>Disk Map</u>. It represents the actual state of the computer's hard disks.

Generally the hard disks are represented on the map by rectangular bars, which also contain small-sized bars. The smallsized bars represent logical disks (partitions). When you select a large-sized bar, the <u>Explorer Bar</u> displays information about the disk in a bright, graphical form.

Basic	Hard Disk 1 (FUJITSU MPF3102AT)
	Type: Basic Hard Disk Drive Total size: 9.5 GB Sectors per track: 63 Heads: 255 Cylinders: 1245
<b>C</b> _2	Create an image of the entire disk Back up all the data this hard disk contains. All the partitions on this disk will be added to the archive.
	Restore an image of the entire disk. Warning: This operation will delete all the data on this hard disk. All the partitions will be replaced with ones from the image you have chosen. You may also be asked to restart your computer during this operation.
	Copy the entire hard disk Create a copy of the entire hard disk All the partitions on this disk will be copied on the specified target disk.

The model and serial number of the disk serve as the title of the browsed page. The disk layout is shown in form of a circular graph, where the color of a sector corresponds to a file system of an appropriate partition. On the right you may see a table, which contains the following information:

- Type of hard disk (basic or dynamic),
- Total size (in GB),
- Information on geometry of the disk (amount of sectors per track, heads and cylinders).

Below there is a list of available wizards. If you click a corresponding record the appropriate wizard will be started. All default values for the operation parameters will correspond to the disk's settings. The list of wizards contains a detailed description of tasks that can be performed by the wizard. This nullifies the possibility of selecting the wrong wizard.

ogic	al Disk (G:)			
	Volume letter: Volume label: Tune:	the second s	Serial number: Partition ID: Total size:	0x0B FAT32
	File system:		Used space:	
-	Sectors per boot:		Free space:	1 GB
_	Sectors per cluster:	8	Activity:	
			Hidden state:	Nothiggen
a <b>h</b>	Create an image of the logical disk			
	Back up all the data this logical disk contains.			
50	Restore the logical disk from an image Warning: This operation will delete all the data chosen. You may also be asked to restart your con			m the image you have
Ş	Copy the selected partition Create a copy of the partition. A new partition will b You can create an exact copy, or copy only the an			here.

When you select a small-sized bar (i.e. corresponding to a logical disk) the Explorer Bar will display information on it as well. The page title will contain a drive letter, which is assigned to the disk. The disk layout graph will be colored in accordance with the volume ratio of the used space to the free space (the light colored sector). The table on the right will contain the following information:

- Volume label (if available),
- Type of the logical disk,
- File system (represented by the color of the graph and the selected bar),
- Total size, used space and free space (in GB or MB).

Below there is a list of wizards, which may be called for this disk. All default values of parameters will correspond to the disk settings.

# **Data Backup and Rescue**

In this chapter you will find all the information necessary to establish a reliable data protection system.

## **Creating Backup Images**

We have already mentioned that the most prevalent way to protect valuable data is to create backup copies (backup images in terms of the program) of it.

## Startup

There are several ways to start the Sector Backup Wizard:

#### **Express Launcher**

• Click the **Backup and Rescue** button and then select **Backup**.


- In the Main Menu: select Wizards > Back up a Disk or Partition...
- On the Common Tasks Bar: click the Back up a Disk or Partition item of the Wizards menu.

• In the Toolbar: click the Back up a Disk or Partition button.

#### Setup

The wizard offers the following steps to accomplish the backup operation:

• The object to back up. You can back up either an entire disk or separate partitions of the disk (primary, extended or logical). In case of backing up an entire disk, you've got the possibility to include into the image such disk elements as the Master Boot Record (MBR) and the first track of the hard disk. This can be very helpful for serious disk recovery procedures.



• **Backup destination**. The wizard allows saving backup archives to local or network drives. You need to select a destination, taking the estimated archive size and available space on the backup destination into account.



• Name and location of the resulted image. Provide a file name for the new image and its exact location. The program automatically offers an easy to understand name containing the date and the time of the archive creation, which can anyway be modified.

Archive location:	:/arc_test/	<b>\$ X</b>
Name		Size Date
E Local C     E Local C     E Cocal C	isk (E:)	
Archive details	14. 14. 14. 14.	
Archive details Archive name:	arc_test	

The program automatically calculates size of the future archive and informs the user about space available on the selected destination.

• Archive Comment. You can add some additional description to the archive that will later help to distinguish it from the others.

ease	inter a short comment to describe the archive	
2	No comment	

#### Result

After the backup operation is completed you receive an image of the selected disk (or the selected partition). This image is placed into the specified destination, its features defined by the wizard.

## Available operation scenarios:

- Backing up a hard disk or partition to a network drive
- Backing up a dual boot Mac to an external USB drive

## **Restoring System and Data**

The program includes a convenient and reliable restore wizard. With its help you can restore all types of backup images created with the program. It provides easy to understand instructions to configure and perform all the necessary settings. Moreover you can get an in-depth description to any setting, control, or field of the wizard just by clicking the hint button and then the object you need.



Restore Wizard is only available for the Linux/DOS bootable recovery environment.

## Available operation scenarios:

- <u>Restoring a dual boot Mac from an external USB drive</u>
- Copying of data from the corrupted system disk to another hard disk
- Burning of data from the corrupted system disk to CD/DVD
- <u>Copying of data from a backup to the corrupted system partition</u>
- <u>Restoring separate files and folders from a backup</u>

# **Copy Tasks**

In this chapter you will find all the information necessary to make a copy of a hard disk or a separate partition.

## **Cloning Hard Disks**

You can clone a hard disk of any file system. During the hard disk copying process, the program moves controlling records of used partitioning scheme, the bootstrap code and on-disk partitions. That's why this operation cannot be substituted by simply copying all on-disk partitions.

The program offers the <u>Copy Hard Disk Wizard</u> that can help to clone a hard disk.

# **Copy Hard Disk Wizard**

The Copy Hard Disk Wizard is a traditional-like wizard. By going through its steps, you configure all the necessary settings to launch the copy operation. To minimize the possibility of making any mistake, the wizard provides auxiliary

information on every single option. Moreover you can get an in-depth description to any setting, control, or field of the wizard just by clicking the hint button and then the object you need.



You need at least two hard disks to carry out this operation.

## Startup

There are several ways to start the Copy Hard Disk Wizard:

## **Express Launcher**

• Click the Copying and Migration button and then select Disk Migration.

#### Launcher

- In the Main Menu: select Wizards > Copy Hard Disk...
- On the Common Tasks Bar: click the **Copy Hard Disk** item of the Wizards menu.
- In the Toolbar: click the **Copy Hard Disk** button.

#### Setup

The wizard offers the following steps to accomplish the copy hard disk operation:

• The hard disk to copy. Select a hard disk you want to copy.


he destination you will choose on th	ie next page.
Basic Hard Disk 0 (VMware, 1	/Mware Virtual S SCSI Disk Dev)
(C:)	
499.9 GB NTFS	
Basic Hard Disk 1 (VMware, )	/Mware Virtual S SCSI Disk Dev)
() Local Disk (E:)	
	Loc Basic Hard Disk 1 (VMware, VMware Virtual S States)

• The target hard disk. Select a hard disk (if several) where all data of the source disk will be copied to.

Select a target hard disk. All data f disk content will be <b>deleted</b> .	rom the source hard disk will be copied there. During copy operation, target
	e VMware Virtual S SCSI Disk Dev)
(C:) 499.9 GB NTFS	Basic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev)

• Copy parameters. The wizard enables to specify the following options:

Choose copy options that suit best your task:



#### **Copy options**

- **HDD** raw copy to copy the hard disk in the sector-by-sector mode, thus ignoring its information structure (e.g. unallocated space or unused sectors of existing partitions will be processed as well). This can help to avoid problems with hidden data created by certain applications or the system administrator. However, it will take more time to accomplish the operation.

- **Partition raw copy** to copy the on-disk partitions in the sector-by-sector mode to successfully process unknown file systems. However it is not recommended to enable this option when working with supported file systems as it takes more time to accomplish the operation.

#### **Resize options**

- **Remove free blocks between partitions** not to keep blocks of free space between partitions on the targeted hard disk.

- **Copy data and resize partitions proportionally** to make the program proportionally change the size of partitions keeping their relative order intact. The option can be useful when upgrading the hard disk to a larger one.

#### **Verification options**

This section allows you to define whether the **Surface** and/or the **Writing verification** tests will be accomplished during the operation.

#### Result

After the operation is completed, you receive a fully functional duplicate of the existing hard disk.

#### Available operation scenarios:

• Migrating system to another hard disk (Clone HDD)

#### **Cloning Partitions**

You can duplicate partitions to protect oneself from downtime in case of a system malfunction or for cloning sample partitions. The program enables to duplicate all partition data including files, the exact structure of directories and file system metadata (location of files, security information, access quotas, etc.).

The Copy Partition Wizard will help you copy a partition of any file system. To minimize the possibility of making any mistake, the wizard provides auxiliary information on every single option. Moreover you can get an in-depth description to any setting, control, or field of the wizard just by clicking the hint button and then the object you need.

## Startup

There are several ways to start the Copy Partition Wizard:

#### **Express Launcher**

• Click the Copying and Migration button and then select Copy Partition.

#### Launcher

- In the Main Menu: select Wizards > Copy Partition...
- On the Common Tasks Bar: click the **Copy Partition** item of the Wizards menu.
- In the Toolbar: click the **Copy Partition** button.

#### Setup

The wizard offers the following steps to accomplish the copy partition operation:

• The partition to copy. Select a partition you want to copy.

On this page you can choose a volume to copy.



• Destination disk. Select a hard disk with enough unallocated space to perform the operation.





.

The program enables to copy a partition to a block of free space, which is smaller than the partition itself, taking into account only actual amount of data.

**Copy parameters**. The wizard enables to specify the following options:

45

our hard disk after changes:			
Basic Hard Disk 3 (VMware, VMware Virtual	S SCS	51 1	Disk Dev)
Unallocated)			
35GB 16.4GB			
Where to place a copy		-	
Please specify the size of the new partition:	3624	IA.	39 MB - 20,473 MB.
	Located and		
Please specify size of free space before the partition:	0	÷.	0 MB - 20,434 MB.
Please specify size of free space after the partition:	16949	-	0 MB - 20,426 MB

- Partition size. Define the size (in Mb) of the copied partition.

- **Free space before**. Define the position (in Mb) of the copied partition relative to the beginning of the available range of disk space.

- Free space after. Define the amount of trailing free space (in Mb) at the end of the available range of disk space.



Partition size and position may also be defined by using the drag-and-drop technique. To do that, just carry out the required operation on the Disk Map.

# Result

After the operation is completed you receive a fully functional duplicate of the existing partition.

# **Boot Management**

Our program enables to easily manage several operating systems on one computer with the help of the Boot Manager Setup Wizard. Among the key features of the wizard the following should be mentioned:

- Up to 16 operating systems on one PC;
- Secure adding/removing of the Boot Manager startup record to/from the MBR;
- Auto Boot option to automatically start up the previously chosen OS after a certain time period;
- Hiding of any primary partition except selected at the moment.

## Startup

## **Express Launcher**

• Click the Boot Management button and then select Boot Manager.

## Launcher

- In the Main menu: select Tools > Setup Boot Manager...
- On the Common Tasks Bar: click the Boot Manager Wizard item of the Wizards menu.

# Setup

The wizard offers the following steps to accomplish the operation:


• Hiding other primary partitions. By marking this checkbox the program will automatically assign the hidden flag to all primary partitions of the hard disk(s) except the one selected to boot. This will help to avoid any problems

when dealing with different operating systems or different versions of one and the same OS, as they will be unaware of each other.

• Boot menu options. In this section you can switch between the following modes:

- **Normal mode**. Choose this mode to display the boot menu every time the computer starts up and define a timeout on the expiry of which the program will automatically select the previously chosen item of the menu.

- **Hidden mode**. Choose this mode not to display the boot menu until pressing a hot key. For this mode you should define a hot key used to enable the Boot Manager and a time period in seconds the startup message will be displayed.



• **Deactivating/Configuring the Boot Manager**. These two options will only be available once the wizard has been completed and launched again. Select the Deactivate option to remove the Boot Manager from the MBR (Master Boot Record) or Configure to modify the previously set parameters of the startup process.

0	Configure
	Choose this option to enter Settings page. You will be able to configure BootManager appearances and Boot Menu options.
0	Deactivate
	Choose this option to deactivate BootManager. This will remove BootManager and restore boot process to its previous state.

#### Result

After the Boot Manager Setup Wizard is completed the program updates the original record in the MBR to get control of the booting process and to be able to display the boot menu.

## Available operation scenarios:

<u>Creating Dual Boot Systems</u>

## **Partition Management**

In this chapter you will find all the information necessary to carry out partitioning operations supported by the program.

## **Basic Partitioning Operations**

Here you can learn how to accomplish basic partitioning operations (create, format, delete).

## **Creating Partitions**

The program provides the ability to create a new partition by using the DOS partitioning scheme. This operation can be accomplished either with the <u>Create Partition Wizard</u> or the <u>Create Partition Dialog</u>.

Besides there's the Express Create Partition Wizard that will analyze your disk subsystem to help you create an NTFS partition in the most appropriate place of your hard disk by up-taking all the unallocated disk space (if any) and/or an innocuous slice of the unused space of an adjacent partition, and then make it available in the system by assigning a drive letter.

## Restrictions

- 1. Do not use the Create Partition function in order to undelete the last deleted partition.
- 2. The program cannot create new partitions on Dynamic Disks. The current version of the program supports only hard disks that use the DOS partitioning scheme (in Windows 2000 and XP these disks are named Basic Disks).
- 3. According to the rules of the DOS partitioning scheme, the following combinations of partitions cannot be created:
  - Two Extended Partitions on one hard disk
  - Five or more Primary partitions on one hard disk
  - If there is an Extended Partition on the disk, only three Primary partitions are allowed
- 4. The program allows creating new partitions only within blocks of un-partitioned space. It cannot convert a free space on an existing partition to a new partition.

## **Express Create Partition Wizard Startup**

There are several ways to start the Express Create Partition Wizard:

## Launcher

- In the Main menu: select Wizards > Express Create Partition...
- On the Common Tasks bar: click the Express Create item of the Wizards menu.

## Create Partition Wizard Startup

There are several ways to start the Create Partition Wizard:

## **Express Launcher**

• Click the **Partitioning** button and then select **Create Partition**.

## Launcher

- In the Main menu: select Wizards > Create Partition...
- On the Common Tasks bar: click the **Create Partition** item of the Wizards menu.


## **Dialog Startup**

In order to start the operation you should take the following steps:

- 1. Select a block of free space on the Disk Map;
- 2. Call the Create Partition Dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Partition > Create Partition.
  - Call the popup menu for the block of free space (right click of the mouse button) then select the menu item: Create Partition.

Thanks to a highly intelligent work algorithm, the wizard requires minimal involvement in the operation, thus you only need to choose a method you find the most suitable to create the partition (if several available), which actually differ in the amount of space to allocate. For easy perception, you can see the resulted disk layout on the disk map by selecting this or that mode.

Basic Hard Disk 0 (VMware, VMware Virtu	al S SCSI Disk Dev)	
Local Disk (C:) 282.9 GB NTFS	0 data (Z:) 108.5 GB NT	New V 108 5 GB NT.
ease select the method of new partition creation		




To learn more on the way the wizard works, please click the corresponding link on the first page of the wizard.

## Create Partition Wizard Setup

The wizard offers the following steps to accomplish the operation:

• **Partition destination**. Select a hard disk (if the computer has several hard disks) and then choose position for the future partition on the disk: at the end (preferable), at the beginning or somewhere in the middle between other partitions.





By default, the program allows you to create a new partition only as the last primary or as the last logical drive within the extended partition. However, by activating the advance mode on the first page of the wizard you can remove this restriction that in its turn might result in some boot problems. • **Partition size**. There is no restriction on size of the future partition, merely depending on space available on the hard disk.

If there is not enough free space in one block, the wizard enables to redistribute free space, joining all free space blocks together into one united block and moving partitions when necessary. If the total amount of free space is still not enough, it is possible to split a fragment of space from one of the existing partitions, thus resizing it.


Basic GPT Hard Disk 2 (VMware, VMware	Virtual S SCSI Disk Dev)
(Unallocated)	
569.8 GB	
r hard disk after the changes:	
Sasic GPT Hard Disk 2 (VMware, VMware	Virtual S SCSI Disk Dev)
Local Disk (*)	
569.8 GB Not formatted	
ew volume - current size is 569.8 GB	
In Volume Size: 0 Bytes	Max Volume Size: 569.8 GE



If a partition to resize is locked and cannot be processed, the wizard makes the system reboot to create the partition and then automatically boots the system again. (The rebooting mechanism is different for different versions of Windows.)

You can also choose whether the future partition will be primary or logical by marking the appropriate checkbox.

• **Partition properties**. On the next page of the wizard you can set a number of additional parameters:



- **Partition type**. From the pull-down list select a file system the newly created partition will be formatted to, otherwise the partition will remain unformatted (so that it will not be ready to use).

- Volume label. Enter a label for the selected partition in this textual field. It is an irrelevant parameter usually used for drive identification.

- **Surface test level**. Define the level of the surface check to make the program find bad and unstable sectors and mark them unusable in the file system metadata.

## **Dialog Setup**

Initially the program suggests some consistent values for all parameters. In most cases, you can just press the Yes button to confirm the operation.

Are you sure you want to crea	ate a nev	v partitio	n on disk	37		
You are about to create a new par position and file system of the new	tition in <b>(U</b>				ease select :	size,
Basic Hard Disk 3 (VMware, VMw	are Virtu	al S SCS	l Disk De	rv)		
New Volume (H:)     19.9 GB NTFS						
Create new partition as:		Primary p	attion			
Please specify new partition size:		20479	7 MB - 2	0,479 MB		
Please specify size of free space before the	partition:	0 0	0 MB - 20	0,465 MB		
Please specify size of free space after the p	artition:	0	0 MB - 20	0,472 MB		
Please select file system for new partition:	NTFS					
Please enter new volume label:	New Volu	me				
Please specify drive letter:	H:					
(S) More options				Yes		No

- **Define whether the partition will be Primary, Extended or Logical**. You can choose the desired partition type from the pull-down list. As a matter of fact, the available alternatives fundamentally depend on the selected block of free space within the Logical free space, only Logical partitions can be created; Within the Primary free space, both Primary partitions or the Extended Partition can be created.
- Partition Size. Define the size (in Mb) of the new partition.
- Free space before. Define the position (in Mb) of the new partition relative to the beginning of the block of free space.
- Free space after. Define the amount of trailing free space (in Mb) at the end of the new partition.



Partition size and position may also be defined by using the drag-and-drop technique. To do that, just carry out the required operation on the Disk Map. The virtual operations are to be available.

- **File system for new partition**. From the pull-down list select a file system the newly created partition will be formatted to, otherwise the partition will remain unformatted (so that it will not be ready to use).
- Volume label. Enter a label for the selected partition in this textual field. It is an irrelevant parameter usually used for drive identification.
- **Drive letter assignment**. The pull-down list contains vacant drive letters that can be associated with the newly formatted partition.

In addition, there is the possibility to make further detailed settings (although the default values will do in most cases). To activate the advance mode, you need to click the More options button at the foot of the dialog page. Depending on the chosen file system, the following options become available:

Please select number of sectors per cluster:	8	
Please select number of sectors per boot:	8	(A) (V)
Please select number of root entries:	0	(A) (V)

- Use OS built-in routine. Mark the option to restrict the available values according to the used OS.
- Whether the surface test will be performed. Define the level of the surface check to make the program find bad and unstable sectors and mark them unusable in the file system metadata.
- The amount of sectors per boot. This parameter is available exclusively for FAT16 and FAT32 file systems. Set the number of sectors to be reserved for the boot area on the partition with this spinner control.
- **The amount of root entries**. This parameter is available exclusively for FAT16 file system. Set the maximum amount of files/directories to be placed in the Root Directory on the FAT16 partition.
- The amount of sectors per cluster. Define the Cluster Size for the formatted partition with this spinner control.



Number of available options depends on the selected file system type.

# Result

After the operation is completed you receive a fully functional partition.

## Available operation scenarios:

• Creating a new partition to detach operating system from the rest of data

# **Formatting Partitions**

Any partition should contain some file system to be used for keeping data. The process of installing a file system is commonly known as formatting. A huge variety of file systems have been developed these days.

## Supported File Systems

The program provides the ability to format partitions of the following file systems:

- FAT12 & FAT16
- FAT32
- NTFS
- Ext2
- Ext3
- Ext4

#### - Linux Swap v. 2

This operation can be accomplished either with the Format Partition Wizard or the Format Partition Dialog.

## Wizard Startup

There are several ways to start the Format Partition Wizard:

#### **Express Launcher**

• Click the **Partitioning** button and then select **Format Partition**.

#### Launcher

- In the Main menu: select Wizards > Format Partition...
- On the Common Tasks bar: click the Format Partition item of the Wizards menu.

#### **Dialog Startup**

In order to start the operation you should take the following steps:


#### Launcher

- 1. Select a partition on the Disk Map;
- 2. Call the Format Partition Dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Partition > Format Partition.
  - Call the popup menu for the selected partition (right click of the mouse button) then select the menu item: Format Partition.

## Wizard Setup

The wizard offers the following steps to accomplish the operation:

• **Partition to format**. Select a hard disk (if the computer has several hard disks) and then the required partition to format.





As a result of this operation contents of the selected partition will be lost.

• Partition properties. On the next page of the wizard you can set the following partition parameters:

Basic Har	d Disk 0 (VMware, VMware	Virtual S SCSI Disk Dev)
282.9	.ocal Disk (C:) GB NTFS	data (Z:) 217 GB NTFS
artition type:	NTFS 🗾	
lume label:	New Volume	

- **Partition type**. From the pull-down list select the desired file system type. In fact, the program displays only those file systems that can correctly be placed to the selected partition, taking its capacity into account.

- **Volume label**. Enter a label for the selected partition in this textual field. It is an irrelevant parameter usually used for drive identification.

- **Drive letter assignment**. The pull-down list contains vacant drive letters that can be associated with the newly formatted partition.

In addition, there is the possibility to make further detailed settings (although the default values will do in most cases). To activate the advance mode, you need to mark the appropriate option at the foot of the page. When it is marked, the next page enables to define:

1	Us	e OS	built in format routine
Ple	ase	selec	t sectors per cluster:
	8		


- Use OS built-in routine. Mark the checkbox to restrict the available values according to the used OS.
- Whether the surface test will be performed. Define the level of the surface check to make the program find bad and unstable sectors and mark them unusable in the file system metadata.
- **The amount of sectors per boot**. This parameter is available exclusively for FAT16 and FAT32 file systems. Set the number of sectors to be reserved for the boot area on the partition with this spinner control.
- **The amount of root entries**. This parameter is available exclusively for FAT16 file system. Set the maximum amount of files/directories to be placed in the Root Directory on the FAT16 partition.
- The amount of sectors per cluster. Define the Cluster Size for the formatted partition with this spinner control.



Number of available options depends on the selected file system type.

## **Dialog Setup**

Initially the program suggests some consistent values for all parameters. In most cases, you can just press the Format button to confirm the operation.



- **File system**. From the pull-down list select the desired file system type. In fact, the program displays only those file systems that can correctly be placed to the selected partition, taking its capacity into account.
- Volume label. Enter a label for the selected partition in this textual field. It is an irrelevant parameter usually used for drive identification.

In addition, there is the possibility to make further detailed settings (although the default values will do in most cases). To activate the advance mode, you need to click the More options button at the foot of the dialog page. Depending on the chosen file system, the following options become available:

Please select number of sectors per cluster:	128	
Please select number of sectors per boot:	0	4
Please select number of root entries:	0	14

- Use OS built-in routine. Mark the checkbox to restrict the available values according to the used OS.
- Whether the surface test will be performed. Define the level of the surface check to make the program find bad and unstable sectors and mark them unusable in the file system metadata.
- **The amount of sectors per boot**. This parameter is available exclusively for FAT16 and FAT32 file systems. Set the number of sectors to be reserved for the boot area on the partition with this spinner control.
- **The amount of root entries**. This parameter is available exclusively for FAT16 file system. Set the maximum amount of files/directories to be placed in the Root Directory on the FAT16 partition.
- The amount of sectors per cluster. Define the Cluster Size for the formatted partition with this spinner control.



Number of available options depends on the selected file system type.

## Result

After the operation is completed you receive a fully functional partition formatted to the specified file system.

# **Deleting Partitions**

With the Delete Partition Wizard or the Delete Partition Dialog you can delete a partition on a hard disk partitioned with the DOS partitioning scheme. Unlike the majority of other utilities (Windows Disk Manager included), the program can not only remove references to the deleted partition from the Partition Table, thus making it unavailable for the

operating system, but also enables to irreversibly destroy its data. This feature will guarantee security of your personal information.

## Wizard Startup

There are several ways to start the Delete Partition Wizard:

# **Express Launcher**

• Click the **Partitioning** button and then select **Delete Partition**.

# Launcher

- In the Main menu: select Wizards > Delete Partition...
- On the Common Tasks bar: click the **Delete Partition** item of the Wizards menu.

# **Dialog Startup**

In order to start the operation you should take the following steps:

# Launcher

- 1. Select a partition on the Disk Map;
- 2. Call the Delete Partition Dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Partition > Delete Partition.
  - Call the popup menu for the selected partition (right click of the mouse button) then select the menu item: **Delete Partition**.

## Wizard Setup

The wizard offers the following steps to accomplish the operation:


• **Partition to delete**. Select a hard disk (if the computer has several hard disks) and then the required partition to delete.

🕑 data (Z:)	
217 GB NTFS	
SI Disk Dev)	
S SCSI Disk Dev)	2



As a result of this operation contents of the selected partition will be lost.

• Merge free blocks. As a result of the operation you may get several blocks of the unallocated space on the hard disk. So choose whether to merge them all and place at the beginning of the disk or at the end by selecting the required operation from the pull-down list.



# **Dialog Setup**

Initially the program suggests you just to remove references to the selected partition from the Partition Table.

				? ×
22 Are you sure you want to delete volu	ume (F	:)?		
You are about to delete volume (F:) [No I no longer boot or work correctly.	abel].	NTFS.	Your con	nputer may
Please enter the volume label to confirm deleting:				- ú
Do not ask volume label next time				
		Yes		No
		163		NU

- Enter the volume label to confirm deleting. To confirm deletion of the selected partition, enter its Volume Label. The current volume label is displayed above.
- Do not ask volume label next time. Mark the option to inhibit confirmation next time you start the dialog.

#### Result

By default, the operation takes only a fraction of a second. However, the program waits until Windows completes the modification of the disk layout.

## **Advanced Partitioning Operations**

Here you can learn how to accomplish advanced partitioning operations (merge, redistribute free space, undelete, etc.).

## **Merging Partitions**

The Merge Partitions Wizard enables to consolidate the disk space, which originally belongs to two adjacent partitions, into a single, larger partition. The order, in which two partitions have been chosen, is important since all contents of the second selected partition will be placed in a folder on the resulted joined partition.

The program provides the ability to merge only NTFS, FAT16 or FAT32 partitions.

#### Startup

There are several ways to start the Merge Partitions Wizard:

#### **Express Launcher**

• Click the **Partitioning** button and then select **Merge Partitions**.

- In the Main menu: select Wizards > Merge Partitions...
- On the Common Tasks bar: click the **Merge Partitions** item of the Wizards menu.

#### Setup

The wizard offers the following steps to accomplish the operation:

• **The partition to expand**. Select a partition, the size of which you need to increase by up-taking contents of an adjacent partition.



• The partition to merge with. Choose the second partition for the merge operation, the contents of which will be placed in a folder on the resulted joined partition. By default, the program offers an easy-to-understand folder name to store files of the second partition, which however can be customized.

	Virtual S SCSI Disk Dev)
Local Disk (C:)     282.9 GB NTFS	217 GB NTFS



Be particularly careful when selecting system partitions to process, since the incorrect order, in which two partitions have been chosen, will result in inability to boot the operating system.

#### Result

After the operation is completed the disk space of the two adjacent partitions will be consolidated.

#### **Redistributing Unused Space between Partitions**

This operation can be accomplished either with the <u>Express Resize Partitions Wizard</u> or the <u>Redistribute Free Space</u> <u>Wizard</u>.

#### **Express Resize Partitions Wizard**

The Express Resize Partitions Wizard enables to easily increase free space on one partition by up-taking the unused space of an adjacent partition of your hard disk.

## Startup

There are several ways to start the Express Resize Partitions Wizard:

#### **Express Launcher**

• Click the Partitioning button and then select Resize Partitions.

#### Launcher

- In the Main menu: select Wizards > Express Resize Partitions...
- On the Common Tasks Bar: click the Express Resize item of the Wizards menu.


#### Setup

The wizard offers the following steps to accomplish the operation:

• Adjacent partitions to resize. Click on the left partition of the pair of partitions you need to redistribute the unused space between, as the right one will be selected automatically.

he wizard will resize space between Local Disk VMware, VMware Virtual S SCSI Disk De	
elect left partition from a pair of adjacent partition elected automatically.	ns you would like to resize. Right adjacent partition will be
Basic Hard Disk 0 (VMware, VMware V	Artual S SCSI Disk Dev)
Local Disk (C:) 282.9 GB NTFS	data (Z:) 217 GB NTFS

• **Resulted size of partitions.** Redistribute the unused space between the partitions with the slider or manually by entering the required value.



#### Result

After the operation is completed the unused space between the specified partitions will be redistributed according to your needs.

## Available operation scenarios:

- Increasing size of a system partition by taking unused space of an adjacent partition
- <u>Resizing partitions of Apple Boot Camp</u>

## Redistribute Free Space Wizard

The Redistribute Free Space Wizard helps to increase free space on one partition by up-taking the on-disk unallocated space and the unused space of other partitions. By default, the wizard adds to the target partition all existing blocks of the free space. Besides you can specify partitions to act as a space donor. The wizard will automatically recalculate positions of the partitions and move their contents to new locations.

## Startup

There are several ways to start the Redistribute Free Space Wizard:

## Launcher

- In the Main menu: select Wizards > Redistribute Free Space...
- On the Common Tasks bar: click the **Redistribute Free Space** item of the Wizards menu.

## Setup

The wizard offers the following steps to accomplish the operation:

• **Partition to enlarge**. Select a partition, the size of which will be increased at the expense of other partitions. Blocks of the free space (if any) will be automatically added to the target partition.



• Partition to donate. Choose any partition(s) (not only adjacent) to donate free space.

Select volumes to take space from. Free space from that volume will be used to enlarge the volume you have selected on the previous page.

Volume	File system	Туре	Capacity	Used space	Free space	% Free
🗐 🕞 (Z:)	NTFS	Primary	217 GB	14.6 GB	202.3 GB	94
) There is no unalloc	ated space on the hard d	isk you ha	ve selected.	The wizard car	n only expand t	he

• **Partition size**. By default, the program leaves 50% of the unused space on a partition and removes another 50% to add it to the target partition. However, the size to take can be customized by moving the slider or by manually entering the exact value.



## Result

After the operation is completed free space of the specified partition will be increased by up-taking the on-disk unallocated space and the unused space of other partitions.

## **Undeleting Partitions**

When simply deleting a partition (without additional wiping) disk management software only removes references to it in the Partition Table, thus leaving the possibility to recover it later.

The program enables to find and recover these partitions. A restored partition will be fully functional, as long as other partitions were not created, moved or exceeded the disk space occupied by that partition. That is why the program offers this function only for blocks of free space.

The operation can be accomplished with the Undelete Partition Wizard.

## Startup

There are several ways to start the Undelete Partition Wizard:

- In the Main Menu: select Wizards > Undelete Partitions...
- On the Common Tasks Bar: click the **Undelete Partition** item of the Wizards menu.
- Select a block of free space on the Disk Map and click the **Recover Lost Partitions** item on the page that appears in the Explorer Bar.
- Call the popup menu for the block of free space (right click of the mouse button) then select the menu item: **Recover Lost Partitions...**

#### Setup

The wizard offers the following steps to accomplish the undelete partition operation:

• Free blocks to scan for lost partitions. Choose a free block from a tree-like list of available hard disks.

Click the check box next to any hard disk drive or free block you want to examine

Name	Туре
E Basic Hard Disk 3 (VMware, VMware Virtual S SCSI Disk Dev)	My Computer Internal Hard D Free space
The summary size of fragment(s) to analyze is 19.9 GB.	,

• Search method. By default, the wizard selects the fastest search method for your operating system. In most cases that will do to find any accidentally deleted partition. However if you're under Windows XP for instance (the Conventional Search option is selected), but the deleted partition you're looking for has been created with the Disk Management utility under Vista, the wizard won't be able to find this partition, unless you manually select the appropriate option (Quick Search for Partitions Created by Vista or Later OS). Moreover if the wizard still fails to find the partition you need, you can select the Thorough Search option to scan every single sector in the specified search area to get the most accurate results.


Choose how to look for the deleted partitions:

- Quick search for partitions, created by Vista or later OS
- Conventional search
- Thorough search
- Show file systems search options



# To know more on the available search methods, please use the context sensitive hint system.

• File system filter. By default, the wizard will search for all known file systems. However, by clicking on the appropriate option on the second page of the wizard, you can specify only those file systems you need.



• A partition to undelete (if several). By default, the program searches records of any deleted partition ever existed on the selected block of free space. So you can get several partitions to choose from.

ITFS Primary 19.9 GB 86.3 MB
Tro Friday Tota do Tro

Most likely the required partition will be found first. If so, you may abort the search operation by pressing the Stop search button.

# Result

After the operation is completed you receive a fully functional partition.

# Installing a New Operating System

Getting your computer ready to install a new operating system, especially when it is going to be an additional OS in the system, is a rather complicated task that implies quite a number of operations, from allocating space to create a new partition (resize, redistribution of free space) to formatting of the newly created partition to a particular file system and checking its surface for bad sectors to avoid possible data loss. Operating systems today are being supplied with basic tools of partitioning that only enable to create a partition (in case there is enough unallocated space on the disk) and then format it to the specified file system type. Our program offers a handy Install New OS Wizard to easily carry out all the necessary operations to install a new operating system.

# Startup

There are several ways to start the Install New OS Wizard:

## **Express Launcher**

• Click the Boot Management button and then select Install New OS.

## Launcher

- In the Main menu: select Wizards > Install New OS...
- On the Common Tasks bar: click the **Install New OS** item of the Wizards menu.

## Setup

The wizard offers the following steps to accomplish the operation:

• **Partition to install a new operating system**. The program offers two ways of installing a new OS, i.e. to create a new primary partition for it or use an existing one.





Only primary partitions can be used to install an operating system.

- In case the first option has been marked, the wizard enables to specify:

A hard disk (if several) where a new partition will be created. Thanks to an advanced program engine it is possible to use unallocated space of the disk (if any) and unused space of existing partitions to create a new partition;

Basic Hard Disk 0 (Maxtor 7Y250P0)		
() 193.9 GB NTF5	8	39.7
Basic Hard Disk 1 (ST3160815AS)	Total size: 193.9 GB Used: 77.2 GB Free: 116.7 GB	
0 0 (D:) 19	(E:) 66 GB NTFS	




To avoid any possible problems, the new partition will in no way be created as the first partition of the disk which already contains at least one partition.

**And its size**. If there are blocks of the free space on the disk, the wizard will merge them all and allocate the resulted space for a new partition in the first place. If not, it will take 50% of the unused space of an adjacent partition. However, the size to take can be customized by moving the slider.


Basic Hard Disk 0 (Maxtor	Y250P0)	
(*) 182.1 GB NTFS		(*) 51.6 GB Not

- In case the second option has been marked, the wizard enables to choose an existing primary partition to install a new operating system.



Your computer may fail if any other OS has already been installed on the selected partition.

#### • Partition properties.



- **Partition type**. From the pull-down list select the desired file system type. In fact, the program displays only file systems that can be correctly placed to the selected partition, taking its capacity into account.

- **Drive letter assignment**. The pull-down list contains vacant drive letters that can be associated with the newly formatted partition.

- **Surface test level**. Define the level of the surface check to make the program find bad and unstable sectors and mark them unusable in the file system metadata.

• **OS Label**. Enter a label for the selected partition in the textual field. It will later be used for the drive identification.

OS labels wi system.	II be displayed in the Boot Manager's startup menu to help you boot the required operating
OS labet W	/indows 7

#### Result

As the final step the wizard will offer you to insert a distributive CD/DVD of the new operating system and restart the computer to launch the installation procedure.



The program will update your MBR, so most likely you won't be able to start up any of the previously installed operating systems. Please launch the Boot Manager Setup Wizard after the installation has been completed to fix this issue.

#### Available operation scenarios:

• Creating Dual Boot Systems

## Moving/Resizing Partition

The Move/Resize Partition function allows you to resize or change location of any partition without destroying its data.

In order to move/resize a partition you should take the following steps:

## Launcher

- 1. Select a partition on the Disk Map.
- 2. Call the Move/Resize Partition dialog to set up the operation. There are several ways to do it:
  - Select in the Main menu: Partition > Move/Resize Partition...
  - On the Explorer bar: click on the current total size value.
  - Call the popup menu for the selected partition (right click of the mouse button) on the Disk Map or on the Partition List, then select the menu item: **Move/Resize Partition...**
- 3. Define parameters of the operation.

asic Hard Disk	0 (VMware, VI	Mware \	firtual S SCSI Disk Dev)	
🕜 Local Di				
282.9 GB NTF	S	_		_
Volume size:	289,776 MB	÷	11,923 MB - 289,781 MB	
Free space before	0.97 MB	٠.	0 bytes - 277,850.73 MB	
Free space after:	4.85 MB	÷.	0 bytes - 277,850.76 MB	

- Volume size. Define size (in Mb) of the modified partition.
- Free space before. Define the partition position (in Mb) relative to the beginning of the available range of disk space.
- Free space after. Define the amount of trailing free space (in Mb) at the end of the available range of disk space.
- Sector to sector move. Mark the checkbox to move the partition in the sector-by-sector mode to process its unused space as well. This can help to avoid problems with hidden data created by certain applications or the system administrator. However, it will take more time to accomplish the operation.



Partition size and position may also be defined by using the drag-and-drop technique. To do that, just carry out the required operation on the Disk Map. The virtual operations are to be available.

## When resizing a FAT16 partition beyond the 2GB limit (maximum file system size), the

## partition will automatically be converted to FAT32.

The program enables to enlarge NTFS partitions (system, locked) without rebooting Windows and interrupting its work, providing 100 percent guarantee that your data is kept intact.

4. The operation will be performed immediately after confirmation.

## Available operation scenarios:

- Increasing size of a system partition by taking unused space from any other
- Shrinking a system partition to increase size of a data partition

## **Converting File System**

With our program you can change type of the used file system without destroying its data. While performing the operation, it first checks the current file system for consistency and then verifies whether the on-partition data meet the requirements of the desired file system or not. After having passed the testing, the program re-organizes the file system metadata and user files.

The program enables to convert the following file system types:

- FAT16 > NTFS, FAT32
- FAT32 > NTFS, FAT16
- NTFS > FAT16, FAT32
- Ext2 > Ext3

In order to convert a file system you should take the following steps:

- 1. Select a partition on the Disk Map.
- 2. Call the Convert File System of Partition dialog to set up the operation. There are several ways to do it:
  - Select in the Main menu: Partition > Convert file system...
  - On the Explorer bar: click on the current file system type.
  - Call the popup menu for the selected partition (right click of the mouse button) on the Disk Map or on the Partition List, then select the menu item: **Convert File System...**
- 3. Initially the program suggests some consistent values for all parameters. In most cases, you can just press the Convert button to confirm the operation.

				2 🔀
🚳 Are you sure you w	ant to co	nvert sy	tem volume (C	:)?
You are about to conv Your computer may no				bel], NTFS
Please select new file system:	FAT32	+		
	8			

- **New file system**. From the pull-down list choose a file system you would like to convert to. Actually the program only displays variants available for the operation, taking into account the current parameters of the selected partition and limitations of the used file system.
- **New cluster size**. Define the cluster size for the partition. This parameter can have a profound effect on the overall performance. In a nutshell, larger clusters waste more space, but generally provide for slightly better performance, because of less fragmentation. So be particularly careful with it.



The cluster size value is expressed in sectors per cluster. To get it in Kbytes, please divide it into half.

You may only decrease the current cluster size.

- **Surface test level**. Define the level of the surface check to make the program find bad and unstable sectors and mark them unusable in the file system metadata.
- 4. The operation will be performed immediately after confirmation.

## Making Logical/Primary

The program allows you to include a primary partition in the extended partition.

In order to change a partition type you should take the following steps:

- 1. Select a primary or logical partition on the Disk Map.
- 2. Call the Make Partition Logical/Primary dialog to set up the operation. There are several ways to do it:
  - Select in the Main menu: **Partition > Modify > Make Partition Logical/Primary**.
  - On the Explorer bar: click on the current partition type.



The Make Primary > Logical option is only available when the selected partition is adjacent to the extended partition and vice versa.



The Make Primary > Logical option of the system partition will result in inability to boot the operating system.

The operation will be performed immediately after confirmation.

## **Changing Partition Attributes**

This chapter explains how you can change partition attributes (Active flag, Hidden flag, Partition ID, Volume Label, etc.).


## Mark Partition Active/Inactive

The program enables to set an active/inactive flag for primary partitions of a hard disk. By default, an operating system will boot only if its partition is active or bootable.

In order to mark a partition active/inactive you should take the following steps:

#### Launcher

- 1. Select a primary partition on the Disk Map.
- 2. Call the Mark Partition Active/Inactive Dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Partition > Mark Partition as Active/Inactive.
  - Call the popup menu for the selected partition (right click of the mouse button) on the Disk Map, then select the menu item: **Mark Partition as Active/Inactive**.



3. The operation will be performed immediately after confirmation.



There can only be one active partition on a hard disk, otherwise your operating system will fail to boot.

# Hide/Unhide Partition

The program allows you to hide/unhide primary and logical partitions. By default, an operating system does not mount hidden partitions, thus preventing access to their contents.

In order to hide/unhide a partition you should take the following steps:

- 1. Select a partition on the Disk Map.
- 2. Call the Hide/Unhide Partition Dialog to set up the operation. There are several ways to do it:

- Select in the Main Menu: **Partition > Hide/Unhide Partition**.
- Call the popup menu for the selected partition (right click of the mouse button) on the Disk Map, then select the menu item: **Hide/Unhide Partition**.
- 3. The operation will be performed immediately after confirmation.



It is strongly recommended not to hide the system partition. Otherwise your operating system will fail to boot.

## Set Label of a Partition

The Partition Label is a small textual field (up to 11 characters) that is located in the partition's boot sector. It is detectable by any partitioning tool and is used for notification purposes only.

In order to change a partition label you should take the following steps:

## Launcher

- 1. Select a partition on the Disk Map.
- 2. Call the Change Volume Label dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Partition > Modify > Change Volume Label.
  - On the Explorer Bar: click on the current volume label.
  - Call the popup menu for the selected partition (right click of the mouse button) on the Disk Map, then select the menu item: **Change Volume Label**.
- 3. Enter a label for the selected partition.



4. The operation will be performed immediately after confirmation.

# Hard Disk Management

In this chapter you will find all the information necessary to carry hard disk operations supported by the program.

# **Updating MBR**

The program enables to overwrite the current bootable code in the MBR (Master Boot Record) by the standard bootstrap code. This can help to repair a corrupted bootable code of a hard disk resulted from a boot virus attack or a malfunction of boot management software.

In order to update MBR of a hard disk you should take the following steps:

- 1. Select a hard disk on the Disk Map.
- 2. Call the Update MBR dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Hard Disk > Update MBR.
  - Call the popup menu for the selected hard disk (right click of the mouse button) on the Disk Map, then select the menu item: **Update MBR**.

				2
1	Are you sure you wa	ant to update master	boot record?	
	Current MBR contents computer may no longe	for hard disk number <b>0</b> v ar boot correctly.	vill be lost after this op	eration. Your
			Var	No

3. The operation will be performed immediately after confirmation.

# **Extra Functionality**

This chapter describes the supplementary functionality available in the program.

## **View Partition/Hard Disk Properties**

The program enables to obtain in-depth information on the properties of hard disks and partitions. Besides the general information, such as capacity, used space or file system type it provides the possibility to get info on hard disk geometry, cluster size, exact partition location, etc.

There are several ways to get properties on a partition/hard disk:

- 1. Choose a partition/hard disk on the Disk Map, then select in the Main Menu: Partition/Hard Disk > Properties...;
- 2. Call the popup menu for the selected partition/hard disk (right click of the mouse button) on the Disk Map, then select the menu item: **Properties...**

eneral	File System Info Advanced		
Loca	I Disk (C:)		
	(		
		1	
	الالباديد		
	Volume label:		
	File system:		
		Primary	
	Capacity:		
		536.868.814.848 Bytes 1.048.571.904 Sectors	
	Used by data:		
	Used by data:	10,016,497,664 Bytes	
		19,563,472 Sectors	
	Eren enaces	490.6 GB (99%)	
	rice apace.	526,852,317,184 Bytes	
		1.029.008.432 Sectors	
		1,023,000,432,300,013	

In the opened dialog information will be grouped according to its properties, thus by clicking tabs you can get information you need.

# **Volume Explorer**

Volume Explorer is a special tool to browse and export contents of the local mounted/unmounted volumes formatted to FAT16, FAT32, NTFS, Ext2FS, Ext3FS, ReiserFS file systems. Besides it enables to access Paragon backups as regular folders to explorer their contents or to retrieve certain files.

## Launcher

To launch the Volume Explorer you should click **Disk View** tab in the Explorer Bar and then choose **Volume Explorer**:

Name	Size	Modified	4
È- 🛃 CD/DVD Drives			
	k Devi 40 GB		
. Primary NTFS (C:)	39.9 GB		
🗄 - 🧮 \$Recycle.Bin		4/15/2010 3:40:55 PM	
🔁 - 🧫 arc_2		4/20/2010 7:08:34 PM	
arc_N Export		4/20/2010 7:42:40 PM	
🗐 🚾 arc_1 Refresh		4/20/2010 7:15:14 PM	
Boot		4/15/2010 4:11:30 PM	
🗄 💳 Documents and Settings		11/2/2006 5:02:03 AM	
🗄 - 💳 Program Files		4/20/2010 4:18:27 PM	
		4/19/2010 12:40:49 AM	
🗐 🖅 System Volume Information		4/20/2010 9:24:08 PM	

Copyright© 1994-2010 Paragon Software Group. All rights reserved.

Call the popup menu for the selected file/folder (right click of the mouse button) to export it to some other location (local or network drive, etc.).

Look in:	🔁 Local Disk (C:) 🔄 🧔 💥 💈	
2	Address: C:/	
isk Drives	Name  Local Disk (C:)  Control Disk (D:)	Date
work Places	<ul> <li>E Local Disk (E:)</li> <li>E Local Disk (F:)</li> <li>E Archives (G:)</li> <li>E New Volume (H:)</li> </ul>	

#### Available operation scenarios:

<u>Restoring separate files and folders from a backup</u>

#### **Mount Partition**

The program enables to assign or remove drive letters of existing formatted partitions.

## Assign Drive Letter

In order to mount a partition you should take the following steps:

- 1. Select a partition on the Disk Map.
- 2. Call the Add Drive Letter dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Partition > Assign Drive Letter...
  - Call the popup menu for the selected partition (right click of the mouse button) on the Disk Map, then select the menu item: **Assign Drive Letter...**
- 3. Specify a drive letter for the selected partition. Initially the program suggests some consistent value for this parameter. So you may just press the Yes button to confirm the operation.



However you can manually define the required letter by selecting it from the pull-down list of available drive letters.

4. The operation will be performed immediately after confirmation.

# **Remove Drive Letter**

In order to un-mount a partition you should take the following steps:

# Launcher

- 1. Select a partition on the Disk Map.
- 2. Call the Remove Drive Letter dialog to define appropriate settings. There are several ways to do it:
  - Select in the Main Menu: Partition > Remove Drive Letter.
  - Call the popup menu for the selected partition (right click of the mouse button) on the Disk Map, then select the menu item: **Remove Drive Letter**.
- 3. The operation will be performed immediately after confirmation.

Modifying drive letter of the system partition will result in inability to boot the operating system.

After having processed partitions with installed software, some programs may not run properly.

# **Test Surface**

The program enables to test surface of existing partitions and blocks of free space for bad or unstable sectors. If found any it automatically marks them unusable in the file system metadata, thus minimizing the risk of data loss.

In order to start the surface test you should take the following steps:

#### Launcher

- 1. Select a partition or a block of free space on the Disk Map.
- 2. Call the Test Surface dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Partition > Test Surface...
  - Call the popup menu for the selected partition (right click of the mouse button) on the Disk Map, then select the menu item: **Test Surface...**

3. From the pull-down list choose the level of the surface check.



4. The operation will be performed immediately after confirmation.

# **Check File System Integrity**

The program allows you to check integrity of a file system. It can be used to detect possible file system errors before performing any operation on a partition.

To start the system integrity check you should take the following steps:

#### Launcher

- 1. Select a partition on the Disk Map
- 2. Call the Check File System Integrity dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Partition > Check File System Integrity
  - Call the popup menu for the selected partition (right click of the mouse button) on the Disk Map, then select the menu item: **Check File System Integrity**.
- 3. Initially the program suggests some consistent values for all parameters. In most cases, you can just press the Yes button to confirm the operation.



- Scan for and attempt to recover bad sectors. Mark the checkbox to additionally process sectors marked bad in the file system metadata for the purpose of their possible recovery.
- 4. The operation will be performed immediately after confirmation.

# **View Sectors**

With the built-in View Sectors tool you can view sectors on existing partitions/hard disks providing the possibility to navigate through the system metadata.

In order to view sectors of a hard disk/partition you should take the following steps:

#### Launcher

- 1. Select a hard disk/partition on the Disk Map.
- 2. Call the View Sectors dialog to set up the operation. There are several ways to do it:
  - Select in the Main Menu: Partition/Hard Disk > View Sectors.
  - Call the popup menu for the selected partition/hard disk (right click of the mouse button) on the Disk Map, then select the menu item: **View Sectors**.

						-		F	-				0		ACC.	0	400			0
lease select sector numb	er: 0	)			÷	1	4	6	1	≥		1	9		0	€ √	""	G		9
0x00000000000	33	c0	8e	d0	bc	00	7c	8e	c0	8e	d8	be	00	7c	bf	00	3Å.Đ%	. <b> </b> . <b>A</b> . (	Ø%á. č.	
0x0000000010	06	Ъ9	00	02	fc	£3	a4	50	68	1c	06	cb	fЪ	Ъ9	04	00	. <sup>1</sup> ü	ó¤Ph.	.Ëû¹	
0x0000000020	bd	be	07	80	7e	00	00	7c	0Ъ	0f	85	0e	01	83	c5	10	¥%~		Å.	
0x000000030	e2	f1	cd	18	88	56	00	55	с6	46	11	05	с6	46	10	00	âñÍ	V.UÆF	ÆF	
0x000000040	b4	41	bb	aa	55	cd	13	5d	72	0f	81	fb	55	aa	75	09	´A≫≇U	Í.]r.	.ûU≇u.	
0x0000000050	£7	c1	01	00	74	03	fe	46	10	66	60	80	7e	10	00	74	ևt	.þF.f	`.~t	
0x0000000060	26	66	68	00	00	00	00	66	ff	76	80	68	00	00	68	00	$\delta_c f  h$	fÿv	.hh.	
0x0000000070	7c	68	01	00	68	10	00	Ъ4	42	8a	56	00	8Ъ	£4	cd	13	hh	'B.	VôÍ.	
0x000000080	9f	83	c4	10	9e	eb	14	b8	01	02	bb	00	7c	8a	56	00	Ă	ë.,	». .∀.	
0x000000090	8a	76	01	8a	4e	02	8a	6e	03	$\operatorname{cd}$	13	66	61	73	1c	fe	.v.N	n.İ	fas.þ	
0x00000000a0	4e	11	75	0c	80	7e	00	80	0f	84	8a	00	Ъ2	80	eb	84	N.u	~	².ë.	
0x0000000B0	55	32	e4	8a	56	00	cd	13	5d	eb	9e	81	3e	fe	7d	55	U2ä.V	.1.]ë	>þ}Մ	
0x00000000C0	aa	75	6e	ff	76	00	e8	8d	00	75	17	fa	Ъ0	d1	e6	64	≇unÿv	.èu	. ú* Næd	
0x00000000D0	e8	83	00	Ъ0	df	e6	60	e8	7c	00	Ъ0	ff	e6	64	e8	75	è*ß	»`è .	*ÿædèu	
0x0000000E0	00	fЪ	Ъ8	00	Ъb	cd	1a	66	23	c0	75	3Ъ	66	81	fЪ	54	.û,.»	1.f#Å	u;f.ûT	
0x00000000F0	43	50	41	75	32	81	f9	02	01	72	2c	66	68	07	bb	00	CPAu2	.ùr	,fh.».	
0x0000000100	00	66	68	00	02	00	00	66	68	08	00	00	00	66	53	66	.fh	fh.	fSf	
0x0000000110	53	66	55	66	68	00	00	00	00	66	68	00	7c	00	00	66	SfUfh	fl	h. f	
0x0000000120	61	68	00	00	07	cd	1a	5a	32	£6	ea	00	7c	00	00	cd	ah	Í.Z2ö	ê. Í	
0x000000130	18	a0	ь7	07	eb	08	a0	b6	07	eb	03	a0	Ъ5	07	32	e4	. •.ë	. ¶.ë	. µ.2ä	
0x000000140	05	00	07	8Ъ	£0	ac	3c	00	74	09	bb	07	00	Ъ4	0e	cd	ð	-<.t.;	»′.Í	
0x0000000150	10	eb	£2	£4	eb	fd	2Ъ	с9	e4	64	eb	00	24	02	e0	£8		-	ë.\$.àø	
0x0000000160	24	02	с3	49	6e	76	61	6c	69	64	20	70	61	72	74	69	\$.ÃIn	valid	parti	
0x0000000170	74	69	6f	6e	20	74	61	62	6c	65	00	45	72	72	6f	72			Error	
0x0000000180							6e												perati	
0x0000000190	6e	67	20				74										ng sy	sten.l	Missin	
0x00000001A0		20	6f				61												g syst	
0x00000001B0	65						7Ь										ea			
0x00000001C0	21	00	07	fe	ff	ff	00	80	00	00	00	£0	7£	3e	00	00	!þÿ	ÿ	.ð.>	
0x00000001D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00				
0x00000001E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00				
0x00000001F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	55	aa				

# **Send Log Files**

The program enables to simplify the procedure of sending support requests to the Paragon Support Team. In case of having difficulties with handling the program, you, with the help of this very function, can address the company support engineers and provide them with all the information they need such as the disk layout, performed operations, etc. in order to tackle the encountered problem. Information of that kind is stored in Log files.

In order to send log files to the Paragon Support Team you should take the following steps:

#### Launcher

1. Call the Send Log Files dialog in the Main Menu: **Tools > Send Log Files**; Copyright© 1994-2010 Paragon Software Group. All rights reserved.

- 2. Provide a customer name and a product serial number;
- 3. Give a detailed description on the encountered problem.

end log files	
Please enter short descript Customer Name:	tion of your problem and send log files to support.
John Smith	
Serial Number:	
09fde-654ec-a49fc-7daf8-237a2	
Content of inquiry:	
Help!	
	Send Cancel

By clicking the Send button the built-in mail client will generate a template request with attached compressed log files and then send it to the Paragon Support Team.

# Log Files

Log files are simple textual files that can be opened by any text editor. There are several log files automatically generated by the program:

Stubact.log	Contains in-depth information on parameters and performance of all operations carried out by the program
Pwlog.txt	Besides brief overview on operations it also contains detailed information about the state of all hard disks <sup>2</sup>
Cdb.log	Contains low-level information on the CD/DVD devices used in the system
BioNTlog.txt or Bio95log.txt	It is an OS-dependent supplementary log file derived from Bioxx.dll. It may contain valuable information on Windows family operating systems

Log files do not contain any confidential information on the operating system settings or the user documents.

The Send Log Files function is only available when outgoing mail server (SMTP) and the user e-mail address are properly set. To learn more about it please consult the <u>Settings</u> <u>Overview chapter</u>.

# **View Logs**

With a handy dialog you can study logs on any operation carried by the program. To make this job as easy as possible, all the information is structurally divided, besides there is the possibility to see the disk layout before and after an operation, what is very convenient.

2 ..... 🛎 🔁 💈 🔤 🖓 🕞 Session event Started 9/3/2009 at 12:40:45 AM. Finished at 12:41:21. Started 9/3/2009 at 12:42:11 AM. Finished at 12:44:29. Started 9/3/2009 at 12:45:04 AM, Enished at 12:45:12 Started 9/3/2009 at 12:45:39 AM. Finished at 1:28:51. Started 9/2/2009 at 9:17:40 AM. Finished at 9:21:28 AM No operations have been found for the selected session. B- Started 9/2/2009 at 9:30:36 AM. Finished at 9:41:04 AM Started 9/2/2009 at 9:41:05 AM B Started 9/2/2009 at 12:19:48 PM. Finished at 12:20:26... Started 9/2/2009 at 12:20:26 PM. Finished at 12:24:46. Started 9/2/2009 at 12:24:46 PM B Started 9/2/2009 at 12:06:15 PM. Finished at 12:07:47... B Started 9/2/2009 at 12:07:47 PM. Finished at 12:21:18... Started 9/2/2009 at 12:21:18 PM. Finished at 12:30:15. Started 9/2/2009 at 12:30:15 PM. Finished at 12:31:33. Started 9/2/2009 at 12:31:33 PM. Finished at 12:41:47. Started 9/2/2009 at 12:44:44 PM. Finished at 12:58:38. Started 9/2/2009 at 1:08:03 PM Disk System Configuration Before Session Disk System Configuration After Session Basic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev) - Off Basic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev) - Off (C:) (C:) NTES NTES Basic Hard Disk 1 (VMware, VMware Virtual S SCSI Disk Dev) - Off Basic Hard Disk 1 (VMware, VMware Virtual S SCSI Disk Dev) - Off (Unallocated) (Unallocated) FREE FREE Basic Hard Disk 2 (VMware, VMware Virtual S SCSI Disk Dev) - Off Basic Hard Disk 2 (VMware, VMware Virtual S SCSI Disk Dev) - Off (Unallocated) (Unallocated) FREE FREE

In order to view logs on carried out operations call the View Logs dialog in the Main Menu: Tools > View Log Files

# **Typical Scenarios**

This chapter lists a number of the most frequently used scenarios that may be accomplished with the program. You can find here useful recommendations and descriptions of operations.

# **Backup Scenarios**

# Backing up a hard disk or partition to a network drive

To back up an entire hard disk or a separate partition and then place the resulted image to a network share, please do the following:

# Launcher

- 1. Click the **Back up a Disk or Partition** item of the Wizards menu (any of the ways described earlier can also be used here).
- 2. On the Wizard's Welcome page, click the Next button.
- 3. On the What to back up page, mark the appropriate option opposite a hard disk's name or a partition's name depending on the chosen task.

Click the check box next to any hard disk drive or partition you want to back up

Name	Туре	*
My Computer  My Computer  Sasic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev)  Signature First Hard Disk Track  Signature Boot Record  Signature Disk (C)	My Computer Internal Hard Disk Driv First Track MBR Primary	11
Basic Hard Disk 1 (VMware, VMware Virtual S SCSI Disk Dev)     B      Birst Hard Disk Track     Be Master Boot Record	Internal Hard Disk Driv First Track MBR	
	Primary Primary Primary Primary	
Basic Hard Disk 2 (VMware, VMware Virtual S SCSI Disk Dev)	Internal Hard Disk Driv	*

4. On the Backup Destination page, select the Save data to local/network drives option.



- 5. Map a network disk to place your backup image to:
  - Call the Map Network Drive dialog by clicking the appropriate button;

rchive	location: C:/arc_030909071551273/			<b></b>	٤ ۽
Name	Map Network Drive			8 3	Date
	Remote location mapping A network share : Map to drive letter : Z: •				
æ-9	Make permanent connection				
	S Connect as user	Î	OK	Cancel	

- Click the standard browse button [...] to browse for the required network share or manually enter a path to it;
- Define a letter from the pull-down list of available drive letters;
- Mark the checkbox to make this connection permanent. Otherwise it will only be available for the current Windows session;
- Click the Connect as user button at the foot of the dialog page to specify a user name and password to access the selected network share if necessary.
- 6. Edit the archive name if necessary.

Please specify the archive name. Archive name will be used as a sub-folder where backup data files will be stored.

rchive name:	arc_03090907100	1085
Estimated archive	size:	4.4 GB
Space available o	n backup destination:	38 GB



Please take into account values of the parameters Estimated archive size and Space available on backup destination - if the archive size exceeds the available space, another network drive needs to be selected.

7. Add comments to your backup describing its contents.



8. On the Backup Summary page review all parameters of the operation and modify them if necessary. Click the Next button to start the backup process.



This operation can also be accomplished with the Linux/DOS recovery environment.

# Backing up a dual boot Mac to an external USB drive


To back up a dual boot Mac (Mac OS X and Windows XP/Vista/7) and then place the resulted image to an external USB drive, please do the following:

1. Start up the computer from our Linux/DOS recovery media.

Recovery Media Builder can help you prepare the Linux/DOS recovery environment either on a CD/DVD disc or a thumb drive.

To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.

- 2. Connect an external USB drive to the computer.
- 3. Restart the computer. It will be automatically started up into the Linux recovery environment (**Normal Mode**), since it's the only mode that provides support for Mac computers.
- 4. In the Linux launch menu select Partition Manager.



5. Launch the Backup Wizard by selecting in the Main Menu of the program: Wizards > Backup Wizard.


ard Disk	Partition	Changes	Wizards	Help		
ion on CD c		lard Disk 0 (VN T 32 WINXP	Backup	lard Disk Wizard Wizard	B D: FAT 32	
>n  ≥r Size	Basic Ha	ard Disk 0		te Partitions s Resize Wizard	rtual IDE Ha	urd Drive,
on 'artition.		Hard Disk 0 (S		ansfer Wizard prrector		
ystem vn	0 C: 1 D:	Primar Primar		k Configurator	 2.9 GB 79.2 MB	16.7 G 20.4 G
ions						

- 6. On the Wizard's Welcome page, click the Next button.
- 7. On the What to back up page, select your Mac hard disk.

Re	tained GPT	Disk 0	Model VMware	Model VMware Virtual IDE Hard Drive, Size 112 Gb							
N	Volume	Type	File System	Size	Used	Volume label	Active				
	letained G	PT Disk 0 (Sk	ze 112 Gb)								
	ie initia e		the second se								
1	*:	Primary	Apple HFS	54.9 Gb	14.2 Gb	leopard	No				

8. On the Backup Destination page, select the Save data to any local drive or a network share option.

Please select how would you like to save the archive:



#### Burn data to CD/DVD

Choose this option if you want the Wizard to burn the archive to CD or DVD. You will be prompted to choose a CD or DVD RW drive.

9. Select an external USB drive as a backup destination.

Specify image file to create	
Look in: H:\ (NTFS, 2 on Disk 1) (UFSD disk - 4bp)	rchive
SRECYCLE.BIN  STrashes  Backup Storage	
Backup Storage     RECYCLER     System Volume Information     head     f9	
Rename (F6)     New folder (F7)     Delete (F8)       File name:     Img. D0.nbf     Save	
File name:     Img_D0.pbf     Save       File type:     Image files (*.pbf)     Cancel	
< <u>B</u> ack <u>N</u> ext > <u>C</u> ance	el

10. Edit the archive name if necessary.





Please take into account values of the parameters Estimated archive size and Space available on backup destination - if the archive size exceeds the available space, another drive needs to be selected.

11. Add comments to your backup describing its contents.



12. On the Backup Summary page review all parameters of the operation and modify them if necessary. Click the Next button to start the backup process.

# **Recovery Scenarios**

# Fixing MBR after a boot virus attack

Let's assume that the MBR (Master Boot Record) of your hard disk has been corrupted as a result of a boot virus attack, thus your system fails to boot.

To fix the MBR of your hard disk, please do the following:

1. Start up the computer from our Linux/DOS recovery media.

Recovery Media Builder can help you prepare the Linux/DOS recovery environment either on a CD/DVD disc or a thumb drive.



To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.

2. In the boot menu select Normal Mode to use the Linux recovery environment (more preferable) or Safe Mode to use the PTS DOS recovery environment (in case you've got problems with Linux). Moreover you've got the option to boot into the Low-Graphics Safe Mode (PTS DOS safe mode) to cope with a serious hardware incompatibility. In this case, only the minimal set of drivers will be included, like hard disk, monitor, and keyboard drivers. This mode has simple graphics and a simple menu.


🔊 Normal Mode
🏽 Safe Mode
ಿ Low-Graphics Safe Mode
📾 Floppy disk
📾 Hard disk Ø MBR
📾 Find OSes on your hard disks

Main recovery environment




By default the Normal Mode will be automatically initiated after a 10 second idle period.


3. In the Linux launch menu select Boot Corrector. You can find it in PTS DOS as well.



4. On the Wizard's Welcome page, select the Correct the Master Boot Record (MBR) option.



5. On the next page choose the required hard disk from the pull-down list (if several) and then select the **Update the MBR executable code** option.



6. Confirm the operation.



7. After the operation is completed click the Report button to see a well informative summary page. The program also enables to store the resulted report. To do that, just press the Save button and choose the exact location in the opened dialog.

/	Reporting
	You have successfully completed boot correction. To view the report on the operations performed, click Report.
	Report
)_	Report 🔀
4	Paragon Boot Corrector's Report Operations performed: Operation #1: Correct the Master Boot Record Hard disk targeted: Basic Disk 0 Status: Successful Date and Time: 2009 Jan 14 Wed 14:01:09
	<u>Save</u>

- 8. Click the Finish button to close Boot Corrector.
- 9. Reboot the computer.

# **Fixing Windows startup ability**

Let's assume that due to an unknown reason your Windows fails to complete the startup procedure. At first everything seems quite OK, you can see the standard startup messages on the screen, but at some moment it hangs up.

To fix your Windows startup ability, please do the following:


1. Start up the computer from our Linux/DOS recovery media.



Recovery Media Builder can help you prepare the Linux/DOS recovery environment either on a CD/DVD disc or a thumb drive.

To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.


2. In the boot menu select Normal Mode to use the Linux recovery environment (more preferable) or Safe Mode to use the PTS DOS recovery environment (in case you've got problems with Linux). Moreover you've got the option to boot into the Low-Graphics Safe Mode (PTS DOS safe mode) to cope with a serious hardware incompatibility. In this case, only the minimal set of drivers will be included, like hard disk, monitor, and keyboard drivers. This mode has simple graphics and a simple menu.






By default the Normal Mode will be automatically initiated after a 10 second idle period.

3. In the Linux launch menu select Boot Corrector. You can find it in PTS DOS as well.



4. On the Wizard's Welcome page, select the Search for Windows installations to correct option.



5. On the next page choose the required Windows installation from the list of found installations (if several), then select the **Edit the Boot.ini file** option. If you're not sure which installation you need, please use the Properties button to get more info on the selected item.

Correct Windows in	stallati	ions	
Program has searched for v computer. The results of the to a system partition (you ca (you can correct the System	search y an edit the	ou can see belo e Boot.ini file), B	w. Status S refe
N Partition	Status	System root	Туре
1 Disk 0, Partition 0	S+B	WINDOWS	WinXP
For the highlighted Windows point out the operation to pe		ion, please	Properties
Correct drive letters in t	the Syster	m Registry	
<ul> <li>Edit the Boot.ini file</li> </ul>			
Correct the partition bo	ot record		
<ul> <li>Adjust OS to boot on ne</li> </ul>	w hardwa	are	

6. Examine the file – maybe that's where the problem is. If it contains a mistake, correct it by using the appropriate buttons.

Edit the Boot.ini file on Hard Disk 0, Partition 0							
[boot loader]							
timeout=10							
default=multi(0)disk(0)rdisk(0)partition(1)\WINDOWS							
[operating systems]							
multi(0)disk(0)rdisk(0)partition(1)\WINDOWS="Paragon VMWare Windows XP Partition 01" /fastdetect /l							
Copy Insert Add Delete							
Edit Insert the sample Add the sample							

7. If the Boot.ini file does not contain any mistake, please return to the Correct Windows Installations page to correct drive letters in the Windows System Registry.

Correct Windows in	istallati	ions	
Program has searched for v computer. The results of the to a system partition (you ca (you can correct the System	search yean edit the	ou can see belo Boot.ini file), B	w. Status S refer
N Partition	Status	System root	Туре
1 Disk 0, Partition 0	S+B	WINDOWS	WinXP
For the highlighted Windows point out the operation to pe		ion, please	Properties
<ul> <li>Correct drive letters in t</li> </ul>	he Syster	n Registry	
Edit the Boot.ini file			
Correct the partition bo	ot record		
<ul> <li>Adjust OS to boot on ne</li> </ul>	w hardwa	лге	

8. On the next page choose a hard disk from the pull-down list (if several), then the required partition. If you're not sure which installation you need, please use the Properties button to get more info on the selected item.

Part	itions List	Letters M	lap					
Below you can choose a hard disk drive and see all partitions on it. Information about drive letters assigned to these partitions is taken from the System Registry of the Windows installation selected.								
Basic Disk 0 40.0 Gb, VMware Virtual IDE Hard Drive								
N	Туре	Active	File System	Volume label	Size	Drive letters		
0	Primary	Yes	NTFS	WinXP	3.0 Gb	C:		
1	Primary	No	NTFS	Applic ation	9.8Gb	E:		
2	Primary	No	BackupCapsul	[No label]	10.0 Gb	<none></none>		
3	Primary	No	Free		17.2 Gb	<none></none>		
Pr	operties						Edit letters	

9. Click the Edit Letters button to correct an existing drive letter or assign a new one in the Windows System Registry.

Partitions List L	etters Man	
Below you can cl assigned to these		n it. Information about drive letters f the Windows installation selected.
Basic Disk 0	Letters: Change	Drive Drive letters
0 Primary 1 Primary	Release	ib <none> ib E:</none>
2 Primary 3 Primary	Add Recommended to try - C:. If used,	Gb <none> Gb <none></none></none>
	you can release it in Letters Map.	
Properties	Close	Edit letters

10. Once you've assigned the appropriate drive letter, close the dialog, then click the Apply button.

87

Copyright© 1994-2010 Paragon Software Group. All rights reserved.

11. Confirm the operation.



12. After the operation is completed click the Report button to see a well informative summary page. The program also enables to store the resulted report. To do that, just press the Save button and choose the exact location in the opened dialog.

Reporting	
Report 🛛 🛛	the report
Paragon Boot Corrector's Report Operations performed: Operation #1: Change drive letters Partition targeted: Hard disk 0, Partition 0 Info: System Root folder is ** Status: Successful Date and Time: 2009 Jan 14 Wed 16:14:16	nputer. If and make
<u>Save</u> <u>Close</u>	
To go to the beginning, click here.	-

- 13. Click the Finish button to close Boot Corrector.
- 14. Reboot the computer.

# Restoring a dual boot Mac from an external USB drive

Let's assume that your Mac fails to boot because of a hard disk malfunction. But you've got a backup of your hard disk on an external USB drive. Just replace the failed disk with a new one and carry out a bare metal restore.

To restore a dual boot Mac from a backup image located on an external USB drive, please do the following:


1. Start up the computer from our Linux/DOS recovery media.



Recovery Media Builder can help you prepare the Linux/DOS recovery environment either on a CD/DVD disc or a thumb drive.

To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.


- 2. Connect an external USB drive to the computer.
- 3. Restart the computer.
- 4. In the boot menu select **Normal Mode** to use the Linux recovery environment, since it's the only mode that enables to work with USB devices.





By default the Normal Mode will be automatically initiated after a 10 second idle period.

5. In the Linux launch menu select the Restore Wizard.



- 6. On the Wizard's Welcome page, click the Next button.
- 7. On the What to Restore page, click the standard browse button [...] to find the required archive. When done, double click on it to select.

Look in:	leo_vista		v 🗈	1
<b>D</b>				1
nen_vist	upbf			
	2			
File name:	leo_vista.pbf		Open	
	Archive files (*.pbf)		Cancel	
File type:	Contraction of the state of the state			

8. On the Image Properties page, make sure that you select the correct image by viewing the provided information about the archive.

*: Apple HFS leopard			*: NTFS [No label]			
Volume	Туре	File System	Size	Used	Volume label	
Basic	Disk 0 (Size 1	112 Gb)				
*:	Primary	FAT16	200 Mb	15.0 Mb	[No label]	
#-	Primary	Apple HFS	54.9 Gb	14.2 Gb	leopard	
<u>م</u>	Primary	NTFS	56.6 Gb	10.9 Gb	[No label]	
Archive d	etails:					
Type: Archive n Created:	ame:	/r9/0	ge of the hard 1528/hdd/leo_v 8 May 29 Thd	vista/leo_vist	a.pbf	

To continue restore process, click Next.

9. On the next page specify a hard disk to restore the image to.

ľ	: Free		~	ŝ			
в	asic Disk 1	(2A) - 279 Gb					
	-	": NTFS ntfs	4backup	*: NTFS	4bp		FAT32
L							
30	sic Disk 0		Model VMware	Virtual IDE H	lard Drive, Size 11	12 Gb	
_	sic Disk 0 Volume	Туре	Model VMware File System	Virtual IDE H	lard Drive, Size 11 Volume label	12 Gb	Hidden
N	Volume		File System				Hidden



All contents on disk selected for restoring purposes will be deleted during the operation.

10. On the Restore Summary page you can see your hard disk layout before and after the operation. Click the Next button to initiate the restore process.

View changes on	Basic Disk 0
Your pa	utitions before operations:
Free	
Your p	artitions after operations:

11. In the Progress window you can see in real-time a detailed report on all actions carried out by the program.


Operations list:	Suboperation progress
1: Restore partition or disk	
	Operation progress
	Time elapsed: 00:00:16 Time to finish: 00:26:24
	Copied so far: 192.0 Mb Read so far: 192.0 Mb (24.0 Mb/s)
	To copy: 14.0 Gb Write so far: 192.0 Mb (38.4 Mb/s)
	Over all progress
Converting disk 0 to GPT	^
Opening archive leo_vista_0000p	000
Restore Primary partition 0 (disk	) from file: /r9/0528/hdd/leo_vista/leo_vista_0000p.000
Data writing	
Opening archive leo_vista_0001p	000
Restore Primary partition 1 (disk (	) from file: /r9/0528/hdd/leo_vista/leo_vista_0001p.000
Data writing	
	<u>\</u>
	Cancel

12. After completing the operation close the wizard, and then reboot the computer.

# Copying of data from the corrupted system disk to another hard disk

To retrieve valuable information from your hard disk and copy it to another hard disk when the system fails to boot, please do the following:


- 1. Connect the second hard disk to the computer.
- 2. Start up the computer from our Linux/DOS recovery media.






To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.

3. In the boot menu select **Normal Mode** to use the Linux recovery environment (more preferable) or **Safe Mode** to use the PTS DOS recovery environment (in case you've got problems with Linux). Moreover you've got the option to boot into the **Low-Graphics Safe Mode** (PTS DOS safe mode) to cope with a serious hardware



By default the Normal Mode will be automatically initiated after a 10 second idle period.

4. In the Linux launch menu select the File Transfer Wizard. You can find the same wizard in PTS DOS as well.



- 5. On the Wizard's Welcome page, click the Next button.
- 6. Select a disk where the files you need are stored from the pull-down list in the right pane of the page.



7. Select files you want to copy and place them to Clipboard by pressing the left arrow-button.

Clipboard		Source	
/mnt/disk/hda1/Documents and Settin		User	<
📋 /mnt/disk/ħda1/Documents and Settin		►	^
		Application Data	
		Cookies	
		C Desktop	
	19	🗀 E-Mail Database	
		E Favorites	
		🗀 Local Settings	
		Documents	
		C NetHood	
		C PrintHood	
<	J	C Recent	~
Total data size: n/a Cak	)	Rename (F6) Delete (F8)	

Click the Calc button to estimate the resulted data size.

8. On the Select Destination Type, choose the way the data will be stored. Select the **Save data to any local drive or a network share** item.

Please select how would you like to save the data:
 Save data to any local drives or a network share
 Choose this option if you want to save your data to local mounted or physical partition, to USB or FireWare external drives and to a mounted network share. You will be prompted to choose a location you want to save the archive to.

 Burn data to CD/DVD
 Choose this option if you want the Wiz ard to burn the data to CD or DVD. You will be prompted to choose a CD or DVD RW drive.

9. On the Select Destination Path page, select a hard disk to copy the data to by pressing the standard browse button [...].

~ Select path	
/mnt/disk/hda2	
Space available on destination: 8.6 Gb	
Total data size: n/a	Cak

93

Copyright© 1994-2010 Paragon Software Group. All rights reserved.

- 10. On the Transfer Summary page check all parameters of the operation. Click the Next button to accomplish the operation.
- 11. In the Progress window you can see in real-time a detailed report on all actions carried out by the program.

Suboperation progress				
Operation progress				
Time elapsed: 00:00:03 Time to finish: 00:00:00				
Copied so far: 17.0 Mb				
Overall progress				
ocuments and Settings/User/E-Mail Database to "/mnt/disk/hda2/E-Mail Data ocuments and Settings/User/My Documents" to "/mnt/disk/hda2/My Document				
hed				

- 12. After the operation is completed, close the wizard by pressing the appropriate button.
- 13. Turn off the computer.

# Burning of data from the corrupted system disk to CD/DVD

To retrieve valuable information from your hard disk and burn it to CD/DVD when the system fails to boot, please do the following:


1. Start up the computer from our Linux/DOS recovery media.



Recovery Media Builder can help you prepare the Linux/DOS recovery environment either on a CD/DVD disc or a thumb drive.

To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.


2. In the boot menu select **Normal Mode** to use the Linux recovery environment, since it's the only mode that enables to burn CD/DVD discs.





By default the Normal Mode will be automatically initiated after a 10 second idle period.

3. In the Linux launch menu select the File Transfer Wizard. You can find the same wizard in PTS DOS as well.



- 4. On the Wizard's Welcome page, click the Next button.
- 5. Select a disk where the files you need are stored from the pull-down list in the right pane of the page.



6. Select files you want to copy and place them to Clipboard by pressing the left arrow-button.

Clipboard	Source	
mnt/disk/hda1/Documents and Settin	User	<
mnt/disk/hda1/Documents and Settin	🔁	^
	C Application Data	
	Cookies	
	Contraction Desktop	-
	 🗀 E-Mail Database	
	E Favorites	
	🚞 Local Settings	
	Documents	
	C NetHood	
	C PrintHood	
<	C Recent	~
Total data size: n/a Cak	Rename (F6) Delete (F8)	

 $Copyright @ \ 1994-2010 \ Paragon \ Software \ Group. \ All \ rights \ reserved.$ 

Click the Calc button to estimate the resulted data size.

7. On the Select Destination Type, choose the way the data will be stored. Select the **Burn data to CD/DVD** item.

Please select how would you like to save the data:

Save data to any local drives or a network share Choose this option if you want to save your data to local mounted or physical partition, to USB or FireWare external drives and to a mounted network share. You will be prompted to choose a location you want to save the archive to.

۲	Burn data to CD/DVD
	Choose this option if you want the Wizard to burn the data to CD or DVD. You will be prompted to choose a CD or DVD RW drive.

8. On the Choose a Recorder page, select a recorder from the list of available devices and then set a volume label by entering it in the appropriate field.

Vendor	Product	Type
Optiarc	DVD RW AD-7170A	CD-R; CD-RW; DVD-F

- 9. On the Transfer Summary page check all parameters of the operation. Click the Next button to accomplish the operation.
- 10. In the Progress window you can see in real-time a detailed report on all actions carried out by the program.

Operations list:	Suboperation progress				
1: Transfer user data					
	Operation progress				
	[				
	Time elapsed: 00:00:07 Time to finish: 00:00:16				
	Copied so far: 5.0 Mb				
	To copy: 12.0 Mb				
	Overall progress				
	**********				

- 11. After the operation is completed, close the wizard by pressing the appropriate button.
- 12. Turn off the computer.

# Copying of data from a backup to the corrupted system partition

The system fails to boot since some files are damaged. If you have a backup of the system partition, you can recopy these files to make the system be operable again:

1. Start up the computer from our Linux/DOS recovery media.

 $\label{eq:copyright} Copyright @ 1994-2010 \ Paragon \ Software \ Group. \ All \ rights \ reserved.$ 



Recovery Media Builder can help you prepare the Linux/DOS recovery environment either on a CD/DVD disc or a thumb drive.

To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.

2. In the boot menu select **Normal Mode** to use the Linux recovery environment (more preferable) or **Safe Mode** to use the PTS DOS recovery environment (in case you've got problems with Linux). Moreover you've got the option to boot into the **Low-Graphics Safe Mode** (PTS DOS safe mode) to cope with a serious hardware incompatibility. In this case, only the minimal set of drivers will be included, like hard disk, monitor, and keyboard drivers. This mode has simple graphics and a simple menu.

🔊 Normal Mode


Safe Mode
 Safe Mode
 Low-Graphics Safe Mode
 Floppy disk
 Hard disk Ø MBR
 Find OSes on your hard disks

Main recovery environment




By default the Normal Mode will be automatically initiated after a 10 second idle period.

3. In the Linux launch menu select the File Transfer Wizard. You can find the same wizard in PTS DOS as well.



- 4. On the Wizard's Welcome page, click the Next button.
- 5. Select a disk where the system backup is stored from the pull-down list in the right pane of the page.




6. Double click on the required backup to open.

Source			
Image (arc_280508134627531.PBF)	$\sim$		
🗀 🔨	^		
Documents and Settings			
Program Files			
C RECYCLER			
System Volume Information			
C WINDOWS			
🖬 .cfiles.sv.tgz			
AUTOEXEC.BAT			
INTDETECT.COM			
🖬 boot.ini			
🗐 ntidr	~		

7. Select files you want to copy and place them to Clipboard by pressing the left arrow-button.


Clipboard	 Source	
/WINDOWS/system (/mnt/disk/hda2/B	WINDOWS	~
	C provisioning	^
	🚞 pss	
	🚞 repair	
	security	
	 🚞 srchasst	
	🚞 system	
	system32	
	🚞 twain_32	
	🖬 0.log	
	🖬 001947tmp	
<	ARJ.PIF	~



Click the Calc button to estimate the resulted data size.

8. On the Select Destination Type, choose the way the data will be stored. Select the **Save data to any local drive or a network share** item.

Please select how would you like to save the data:



#### Burn data to CD/DVD Choose this option if you want the Wiz ard to burn the data to CD or DVD. You will be prompted to choose a CD or DVD RW drive.

9. On the Select Destination Path page, select your system disk to copy the data to by pressing the standard browse button [...].

ook in:	WINDOWS	E     E
2	8	^
AppPate	cePackUninstall\$ <sup>1%</sup>	
Config		
	ion Wizard	
Cursors		
Debug Downloa	ded Program Files	
Driver C		
EHome		~
Renan	e (F6) New folder (F7) Dele	ete (Fil)
ile name:	/mnt/disk/hda1/WINDOWS	Select

- 10. On the Transfer Summary page check all parameters of the operation. Click the Next button to accomplish the operation.
- 11. In the Progress window you can see in real-time a detailed report on all actions carried out by the program.

Operations list:	Suboperation progress				
1: Transfer user data					
	Operation progress				
	Time elapsed: 00:00:04 Time to finish: 00:00:00				
	Copied so far: 0.9 Mb				
	Overall progress				
Transfering "/WINDOWS/syst	em" to "/mnt/disk/hda1/WINDOWS/system" - Item 1 of 1				
All operations have been finis	ihed				

- 12. After the operation is completed, close the wizard by pressing the appropriate button.
- 13. Turn off the computer.

# Restoring separate files and folders from a backup

The program provides a very convenient option to access backup archives and restore only data you need (the so called selective restore functionality). This operation can be accomplished either with the File Transfer Wizard or Volume Explorer.

# Volume Explorer

To restore separate files and folders from a backup image with Volume Explorer, please do the following:

# Launcher

1. Click the Disk View tab and then choose Volume Explorer;

Dis	sk View Help			
-	Name	Size	Modified	<u> </u>
Ť	🗄 - 🛃 CD/DVD Drives			
Disk Edi	🗄 🖳 Hard Disks			
Dis	🗄 📴 1. VMware, VMware Virtual S SCSI Disk Devi	40 GB		
$\geq$	🗄 💽 1. Primary NTFS (C:)	39.9 GB		
Explorer	🗄 🚾 \$Recycle.Bin		4/15/2010 3:40:55 PM	
1.	🗄 - 🧮 arc_210410030357578		4/20/2010 7:08:34 PM	
e	🚉 - 🚾 arc_NEW		4/20/2010 7:42:40 PM	
Volume	🕂 - 🚾 arc_TEST		4/20/2010 7:15:14 PM	
5	🔃 - 🚾 Boot		4/15/2010 4:11:30 PM	
8	🗄 💳 Documents and Settings		11/2/2006 5:02:03 AM	
ertie	🗈 🚾 Program Files		4/20/2010 4:18:27 PM	
Properties	💽 - 🧫 Program Data		4/19/2010 12:40:49 AM	
9	🗐 🚾 System Volume Information		4/20/2010 9:24:08 PM	-

2. Browse for the required archive and then open it by double click of the left mouse button.

Dis	sk View Help			
-	Name	Size	Modified	<u> </u>
ř	🗄 - 🛃 CD/DVD Drives			
Disk Edi	🗄 🔜 Hard Disks			
Dis	🗄 🖅 🔄 1. VMware, VMware Virtual S SCSI Disk Devi	40 GB		
$\geq$	🗄 🕞 1. Primary NTFS (C:)	39.9 GB		
Jan 1	🛊 - 🧫 \$Recycle.Bin		4/15/2010 3:40:55 PM	
Explorer	🚾 arc_210410030357578		4/20/2010 7:08:34 PM	
e	🖹 🚾 arc_NEW		4/20/2010 7:42:40 PM	
Volume	arc_NEW.001	1.9 GB	4/20/2010 7:32:03 PM	
5	in arc_NEW.002	1.9 GB	4/20/2010 7:37:04 PM	
8	arc_NEW.003	1.8 GB	4/20/2010 7:42:40 PM	
Properties	arc_NEW.PBF	1.9 GB	4/20/2010 7:26:52 PM	
Pop	in marc_NEW.pfm	82.9 KB	4/20/2010 7:42:40 PM	
$\leq$	🕀 🚾 arc_TEST		4/20/2010 7:15:14 PM	<u> </u>

3. Call the popup menu (right click of the mouse button) for a file/folder you need and then select the Export item.

Dis	sk View	Help			
1	Name		Size	Modified	<u> </u>
ies Volume Explorer Disk Edi 4	÷	/DVD Drives rd Disks 1. VMware, VMware Virtual S SCSI Disk Devi 		Modified 4/15/2010 3:40:55 PM 4/20/2010 7:08:34 PM 4/20/2010 7:42:40 PM 4/20/2010 7:15:14 PM 4/15/2010 4:11:30 PM 11/2/2006 5:02:03 AM 4/20/2010 4:18:27 PM	
Properties		€ Corporam Files 		4/20/2010 4:18:27 PM 4/19/2010 12:40:49 AM 4/20/2010 9:24:08 PM	-

4. Select a place on the disk where the file/folder will be extracted to.

Look in:	Coca	Disk (C:)	× 2
	Address:	C:/	
Disk Drives	Name		Date
		al Disk (C) arc_images	9/3/2
6		arc_new	9/2/2
letwork Places	œ 🔒	archdb	9/2/2
	æ ]	archive_db	9/2/2
		PerfLogs	7/13/
	· •	Program Files	9/2/2
	· · ·	Users	8/11/
	æ 🌡	Ubis	8/11/
	œ- ]	Windows	9/2/2

5. Click the OK button to accomplish the operation.

Z	•	7

The current version of the program does not enable to access file archives with Volume Explorer.

# **Resize Scenarios**

# Creating a new partition to detach operating system from the rest of data


Let's assume that you're a rank and file user who is most likely to have only one hard disk with only one partition (the only partition is always system). To secure yourself against a system malfunction or a virus attack you've got nothing to do, but make a backup of the whole partition, which besides the operating system itself contains all your family photos, favorite films and music, program distributives, whatever. As a result you'll get a very huge backup image. You can easily tackle this issue however by detaching your operating system from the rest of data.

To create a new partition on your hard disk, please do the following:

# **Express Launcher**

Click the Partition Manager button and then Partition Manager in the Express Launcher.

- 1. Click the **Express Create Partition** item of the Wizards menu (any of the ways described earlier can also be used here).
- 2. On the Wizard's Welcome page, click the Next button.
- 3. Choose a method you find the most suitable to create the partition. The wizard is especially designed to minimize your participation in finding an appropriate place for it and its resulted size. The only thing you're to do is to choose between several modes. The most relevant thing here is the amount of space that will be allocated for that partition. For easy perception, you can see the resulted disk layout on the disk map by selecting this or that mode.



The number of available methods depends on your disk layout.



To learn more on the way the wizard works, please click the corresponding link on the first page of the wizard.

4. That's basically it. By clicking the Next button the wizard will start modifying your disk layout. If you've got to do with the system partition resize, like we do in our case, you will be asked to restart your computer in a special boot-up mode to accomplish the operation. So click the appropriate button to agree.



5. In the Progress window you can see in real-time a detailed report on all actions carried out at the moment.

	Subope	eration progress
	Mo	ve partition
	Work time00:01:53	Time to finish00:02:49
	Done:0.2 MB	Read: 99 MB(1.0 MB/s)
	All: 0 MB	Write:0.0 MB(0.0 MB/s)
	Overall progres	s
Getting partitions info		
Flushing system buffers, Flushing system buffers, 	please wait. d disk 0	
To avoid data loss, plea Operation in progress		turn off the computer. rl-C' to interrupt operation

After completing the operation your computer will be automatically restarted back to Windows where you can see the newly created NTFS partition. Now you've got a place to keep your stuff apart from Windows.

# Increasing size of a system partition by taking unused space of an adjacent partition

Let's assume you've got several partitions on your hard disk. After installing a number of resource-consuming applications and system updates your system partition has started to suffer from the lack of free space. But an adjacent partition has a plenty of redundant space. That's just enough to make your system partition suffer no more.

To increase size of a system partition by taking unused space from an adjacent partition, please do the following:

#### **Express Launcher**

- 1. Click the Partitioning button and then select Resize Partitions.
- 2. On the Wizard's Welcome page, click the Next button.
- 3. Click on your system partition. By doing that, the wizard will automatically select an adjacent partition as well. This partition will later act as a space donor.






If you've got more than two partitions on your hard disk and a partition you need to increase is surrounded by other partitions, you've got the choice to choose which partition will act as a space donor. Just click on the left partition of the pair, as the right one will be selected automatically.


4. Increase size of the system partition with the slider or manually by entering the required value. Please note, when you change size of one partition the size of the other will be changed as well, thus redistributing the unused space between the partitions.



5. On the next page of the wizard you need to confirm the operation by selecting the appropriate option.



6. That's basically it. By clicking the Next button the wizard will start modifying your disk layout. If you've got to do with the system partition resize, like we do in our case, you will be asked to restart your computer in a special boot-up mode to accomplish the operation. So click the appropriate button to agree.



7. In the Progress window you can see in real-time a detailed report on all actions carried out at the moment.

		eration progress ribute partitions
·	Work time00:01:15	Time to finish00:00:05
	Done:0.77 Mb All: 0 Mb	Read: 72 Mb(4.0 Mb/s) Write:0.0 Mb(0.0 Mb/s)
	Overall progres	55
Quick data moving		
Flushing system buffers,	please wait.	
Modifying drive *: on har Checking parameters Scanning dir structure Scanning data structure ( step 1 step 2		
o not reset or turn of		o avoid the data loss. crl-C' to interrupt operation

After completing the operation your computer will be automatically restarted back to Windows where you can see that your system partition is bigger now.

#### Increasing size of a system partition by taking unused space from any other

Let's assume you've got several partitions on your hard disk. After installing a number of resource-consuming applications and system updates your system partition has started to suffer from the lack of free space. But one of your partitions has a plenty of redundant space. That's just enough to make your system partition suffer no more.


To increase size of a system partition by taking unused space from any other on-disk partition, please do the following:

#### **Express Launcher**


# Click the Partition Manager button and then Partition Manager.

1. In the main window select the required hard disk (if several) on the Disk Map.

Copyright© 1994-2010 Paragon Software Group. All rights reserved.



2. Choose a space donor partition and then call the context menu for it (right click of the mouse button) to launch the Move/Resize dialog.



3. In the opened dialog shift the edge of the partition to the right by the drag-and-drop technique. While doing this, free space from the partition will be released (displayed in aqua-green). You can also do it manually by entering the exact size of free space. Click the Yes button to continue.

106

asic Hard Disk 0	(VMware, VMv	vare Vi	rtual S SCSI Disk Dev)
(Unalloca	ted)	🕑 TE	MP (G:)
59.5 GB		100.7 G	B FAT32
Volume size:	103.167.39 MB	0	86 MB - 164,156 MB
Free space before:	60.988.95 MB	٠.	0 bytes - 164,070.09 MB
Free space after:	0 Bytes		0 bytes - 164,070.09 MB

4. Now you've got a block of free space to add to the system partition. You cannot do it directly however, but by carrying out a number of extra move/resize operations.



5. Since the block of free space is within the extended partition, you need to take it out first. The program enables to resize the extended partition only when there's a block of free space adjoining its borders. In our case it's between two logical disks. So we need to move it. To do that, please select the first logical partition and then call the context menu for it (right click of the mouse button) to launch the Move/Resize dialog.

V \*• 🖏 🖏 6 风 ッピ **Disk Vie** Help Name Size (se Basic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev) 🕞 Local Disk (0 Partition List Format Partition... **Delete Partition...** Convert File System ... Disk Editor Defragment Partition... Defragment MFT... Compact MFT... Emlore Change Volume Label... Partition List **Hide Partition** Loc Name Mark Partition as Inactive F Basic Hard Disk 0 (VI Make Partition Logical 4 Change Cluster Size... Disk Map Change Serial Number... Basic Hard Disk 0 Change Partition ID... Local Disk (C Downgrade NTFS version... Se 39.9 GB NTFS Change SID... Test Surface... Check File System Integrity NTFS Ext2 Edit/View Sectors... Properties... Move or resize the sele.

6. At first shift the right edge of the partition to the right, then do the same with the left edge. Make sure the partition size has been left unchanged.

asic Hard Disk 0	(VMware, VMw	rare Vir	tual S SCSI Disk Dev)
(Unalloca	ted)		🜒 Data (F:)
119 GB			140.4 GB NTFS
Volume size:	143,871.14 MB	٠.	94 MB - 265,794 MB
Free space before:	121,923.00 MB	•-	0 bytes - 265,700.04 MB
Free space after:	0 Bytes		0 bytes - 265,700.04 MB

- 7. Now you can resize the extended partition to take the block of free space out of it. Call the context menu for it (right click of the mouse button) to launch the Move/Resize dialog.
- 8. In the opened dialog shift the edge of the extended partition to the right.

Rasic Hard Disk 0	(VMware, VM	fware Vi	rtual S SCSI D	sk Dev)
(Unalloca 119 GB		) Data ( 0.4 GB N		(G:) 100.7 GB FAT32
Volume size:	247,038.60 MI	3 ¢.	247,038 MB - 34	58,969 MB
Free space before:	121,930.84 M	3 🛊 📼	0 bytes - 121,93	0.84 MB
Free space after:	0 Bytes	10	0 MB	

9. The block of free space has been released.



10. Now you need to move the second primary partition just the way we did it with the logical partition to make the block of free space adjoin the system partition.



- 11. Finally increase size of the system partition. Call the context menu for it (right click of the mouse button) to launch the Move/Resize dialog.
- 12. In the opened dialog shift the edge of the partition to the right, thus increasing its size.

asic Hard Disk 0	(VMware, VM	Aware V	firtual S SCSI Disk Dev)
🕑 Local Dis			
158.7 GB NTFS			
Volume size:	162.547.31 M	8 🛊 📼	11,680 MB - 162,548 MB
Free space before:	0.97 MB	•	0 bytes - 150,868.20 MB
Free space after:	0 Bytes	-	0 bytes - 150,860.39 MB

13. Apply all introduced changes. By default, our program works in the virtual mode of execution, so you have to confirm all operations to let the program accomplish them. To do that, just click the Apply button on the Virtual Operations Bar.

109

8		8 🕱
Apply pending changes ?		
Do not show this message again	Yes	No

14. The program will require the system restart to accomplish the operation in a special boot-up mode. Click the appropriate button to agree.

#### Shrinking a system partition to increase size of a data partition

Let's assume you've got two partitions on your hard disk, the first one takes about 40% of all the disk space and is exclusively used for Vista 64-bit, while the second servers as a data storage. One day you realize that your system partition doesn't need so much disk space, that's what your data partition really requires at the moment. You can easily tackle this problem with Paragon Linux/DOS Recovery CD.

To increase size of a data partition by taking unused space from a system partition, please do the following:

1. Start up the computer from our Linux/DOS recovery media.

Recovery Media Builder can help you prepare the Linux/DOS recovery environment either on a CD/DVD disc or a thumb drive.

To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.


2. In the boot menu select Normal Mode to use the Linux recovery environment (more preferable) or Safe Mode to use the PTS DOS recovery environment (in case you've got problems with Linux). Moreover you've got the option to boot into the Low-Graphics Safe Mode (PTS DOS safe mode) to cope with a serious hardware incompatibility. In this case, only the minimal set of drivers will be included, like hard disk, monitor, and keyboard drivers. This mode has simple graphics and a simple menu.

<ul> <li>Normal Mode</li> <li>Safe Mode</li> <li>Low-Graphics Safe Mode</li> <li>Floppy disk</li> <li>Hard disk Ø MBR</li> <li>Find OSes on your hard disks</li> </ul>	Main recovery environment
--	------------------------------



By default the Normal Mode will be automatically initiated after a 10 second idle period.

3. In the Linux launch menu select **Partition Manager**. You can find it in PTS DOS as well.



4. In the main window select the required hard disk (if several) on the Disk Map.

		and the second second	(VMware Vir	ual) - 120 Gb	-	_	
f ha hard		: NTFS V	ista 64		D: NTFS Da	ta	
fron					-		
	Ba	Basic Disk 0		Model VMware Virtual, Size 120 Gb			
	_						
_	N	Volume	Туре	File System	Size	Used	Free
	N	1	Type 0 (Size 120 G		Size	Used	Free
	N	1			Size 44.4 Gb	Used 8.1 Gb	Free 36.2 Gb

5. Choose your system partition and then call the context menu for it (right click of the mouse button) to launch the Move/Resize dialog.

Basic Disk 0 (VMwar	e Virtual) - 120 Gb	
C: NTFS Vista 64	D: NTFS Data	
3	Create an image of partition Burn an image of partition to CD/DVD	Alt-B
Basic Disk 0 N Volume Type	Restore partition from image	Alt-R
Basic Disk 0 (Size I 0 C: Prima	Copy partition	Alt-C
1 D: Prima	Create	Alt-N
	Format	Alt-F
	Delete	Alt-D
	Wipe partition Clear free space	Alt-W
	Resize/Move	Alt-Z
	Unmount	
	Modify	

 In the opened dialog set a new size for the partition by moving the slider or by entering the exact value in the appropriate field. While doing this, free space from the partition will be released (displayed in aqua-green). Click OK to continue.

C: NTFS Vista 64 *: Free	2
New size: (8323 - 45434) Mb	
Q	20022 C Mb
ree space before: (0 - 37111) Mb	
]	0 😂 Mb
ree space after: (0 - 37111) Mb	
	25412 🗘 Mb


7. Now you've got a block of free space to add to your data partition.

Basic Disk 0 (VM	Aware Virtual) - 120 (	Gb	
C: NTFS	*: Free	D: NTFS Data	


- 8. Choose the data partition and then call the context menu for it (right click of the mouse button) to launch the Move/Resize dialog.
- 9. Move the slider to the right to increase size of the partition. Click OK to continue.

D: NTFS Data		
lew size: (8 - 102101) Mb	102101	С мь
ree space before: (0 - 102093) Mb	~	
]	0	C Mb
ree space after: (0 - 102093) Mb		
]	0	C Mb

10. Apply the pending changes.



11. In the Progress window you can see in real-time a detailed report on all actions carried out by the program. Copyright© 1994-2010 Paragon Software Group. All rights reserved.




### **Resizing partitions of Apple Boot Camp**

Let's assume you're a Boot Camp user who's got Windows XP as the second operating system. Initially allocated space for the Windows partition has turned out to be insufficient for your current needs. The only way out is to take some space from your Mac partition, thus redistributing the unused space between the partitions.

To increase size of the Windows partition by taking unused space from the Mac partition, please do the following:

#### **Express Launcher**

- 1. Click the Partitioning button and then select Resize Partitions.
- 2. On the Wizard's Welcome page, click the Next button.
- 3. The wizard will automatically select Windows (the NTFS file system) and Mac (the Apple HFS file system) partitions of your Boot Camp configuration.






On the disk map you can also see the GPT service partition (called EFI) as well as a 128megabyte free block between Mac and Windows partitions made with Boot Camp. It's just for your information.

4. Increase size of your Windows partition with the slider or manually by entering the required value. Please note, when you change size of one partition the size of the other will be changed as well, thus redistributing the unused space between the partitions.



5. On the next page of the wizard you need to confirm the operation by selecting the appropriate option.



6. That's basically it. By clicking the Next button the wizard will start modifying your disk layout. If you've got to do with the system partition resize, like we do in our case, you will be asked to restart your computer in a special boot-up mode to accomplish the operation. So click the appropriate button to agree.

System restart is required to complete the operation. What would you like to do?
The operation <b>Redistribute partitions</b> needs exclusive access to the volume <b>C</b> : and cannot be completed without system restart. After restart, the operation will continue in boot-time mode. <b>Do not turn off the computer until the operation</b> <b>completes</b> .
Restart the computer Please confirm restart of your computer. The operation will be continued after system restart.
Retry Manually close used files and retry the operation
Cancel

7. In the Progress window you can see in real-time a detailed report on all actions carried out at the moment.

Paragon		eration progress ribute partitions
	Work time00:01:15	Time to finish00:00:05
	Done:0.77 Mb	Read: 72 Mb(4.0 Mb/s)
	All: 0 Mb Overall progres	Write:0.0 Mb(0.0 Mb/s)
Quick data moving Flushing system buffers,	please wait.	
Modifying drive *: on ha Checking parameters Scanning dir structure . Scanning data structure step 1 step 2		
)o not reset or turn of Operation in progress		) avoid the data loss. rl-C' to interrupt operation

After completing the operation your computer will be automatically restarted back to Windows where you can see that your system partition is bigger now.

# **Creating Dual Boot Systems**

#### **For Windows computers**

Release of Windows Vista has given a new impetus to the problem of establishing a dual boot system. In this connection we decided to consider two the most frequently used situations a rank and file user may face, i.e. Windows Vista + Windows XP and Windows XP + Windows Vista. Please note that for reasons of better security and system independence these operating systems will be installed on different partitions. That is why we need to hide the first system partition before installation of the second OS.

#### Windows Vista + Windows XP

Suppose you have got Windows Vista coming with your brand new computer. Everything is great except one thing – your favourite applications simply reject to work correctly on it. Software updates are expected to release in the near future, but you cannot wait any more. Thus the best way out is to leave Windows Vista intact and install the time-proved Windows XP.

Most likely you have only one hard disk with only one partition (the only partition is always system). To install the second operating system you need to repartition your drive first, as it requires a separate primary partition. If this is the case, you can do your job either with the Install New OS Wizard (a specially designed tool for that) or traditionally with a number of the corresponding wizards and dialogs.

#### Install New OS Wizard




This scenario implies that operating systems will be installed on different partitions to provide better security and system independence.

#### **Express Launcher**

- 1. Click Boot Management and then select Install New OS in the Express Launcher.
- 2. On the Wizard's Welcome page, click the Next button.

3. Select the appropriate option to create a new primary partition on your hard disk.




4. On the next page of the wizard, define size of the new partition. If the selected hard disk contains blocks of free space, the wizard will automatically merge them all and allocate the resulted space to create the partition. If not, it will take 50% of the unused space of an adjacent partition, thus resizing it.

Basic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev)		
🕜 Vista (C:)	(Unallocated)	
158.7 GB NTFS	341.2 GB	
	a tana sara	
ew volume - current size is 341	.2 GB	

You can select either a block of unallocated enace of the dick or an existion nation, unused enace of which will

5. The next page enables to specify a file system and a number of additional parameters. Since we are going to install Windows XP, the most preferable file systems are NTFS and FAT32. Click the Yes button to continue.





On this page you can specify a number of additional parameters that can also be of help. However here we pay attention to the most relevant to fulfill our task.

6. Enter a label for the future partition in the textual field. It will later be used for the drive identification.

OS labels will be displayed in the Boot Manager's startup menu to help you boot the requir	red operating
system.	
OS label: Windows XP	

- 7. The program will carry out all the necessary operations and then automatically restart the computer to initiate the installation process.
- 8. Install Windows XP on the newly created partition. We won't go into details as for its installation, as you can find all the necessary information in documentation that comes with the product. However to avoid any problems, we consider it necessary to draw your attention on the following issues:

- You need a bootable distributive CD of Windows XP to install it;

- To automatically start your computer from this CD, make sure the on-board BIOS is set up to boot from CD first or press F12 during startup to select a bootable device;

- Do not forget to select the newly created partition as destination.

					shows on t				rtition	s an	d		
lse t	he l	UP a	ind 1	DOWN	ARRO	/ key	s to	select	; an ite	n in	the	list.	
-	To	set	։ սթ	Win	dows 3	(Pon	the	select	ed item	, pr	ess E	NTER.	
-	To	C P 6	ate	a p	artit	ion i	n the	unpai	titione	d sp	ace,	press	с.
•	Τo	del	lete	the	sele	ted	parti	ition,	press D				
23859	1 M	R Di	isk (	at	TA 0	on h	us Ø	on ata	opi [MBR	1			

- 9. So if everything is OK, you've got to have by this moment Windows XP successfully installed. Your Windows Vista however is still non-bootable. To fix this issue you need to launch the Boot Manager Setup wizard. To do that, please install our program once again, but this time in Windows XP to activate Boot Manager.
- 10. Click Boot Management and then select Boot Manager in the Express Launcher.
- 11. Set up the Boot Manager wizard. The most relevant option here is the possibility to hide other primary partitions except the one selected to boot and it is by all means should be activated to make Windows Vista and Windows XP unaware of each other. The rest of the parameters offered by default will do in our case, so just complete the wizard and it will automatically find the two operating systems and update the MBR.



12. Now restart the computer to make sure you have got a dual boot system.

#### Traditional way

This scenario implies that operating systems will be installed on different partitions to provide better security and system independence.

#### **Express Launcher**

Click the Partition Manager button and then Partition Manager.

1. In the main window select your hard disk on the Disk Map to make a block of free space on it.

C		Volume letter: (E:) Volume label: <u>[No label]</u> Type: <u>Ptimary</u>	Serial number Partition ID: NTFS version:
	1	File system: NTES	Volume Size:
		Root entries: 32	Partition size:
	_	Sectors per boot: 8	Used space:
		Sectors per cluster: §	Free space Activity Hidden state
8	Move/Resize Pa Resize or Move part		
d	Format Partition This wizard helps yo	u to format the selected partition,	
CU VICE			÷
isk Map		VMware Virtual S SCSI Disk Dev)	
	Disk 1 (VMware,	VINNAIC VIITUAI 5 5651 DIAK DEV	
Basic Har	d Disk 1 (VMware, I Disk (E:)	Tinkale Tillai 5 5051 blak bety	

2. Release some free space (not less than 10 GB to install Windows XP) from the partition. To do that, please call the context menu for the selected partition (right click of the mouse button) and launch the Move/Resize dialog.

S								
Are you sure you want to move/resize system volume (C:)? You are about to move/resize NTFS volume [No label], (C:).								
Basic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev)								
Local Disk (C:) 39.9 GB NTFS								
Volume size: 40,958 MB + 18,261 MB - 40,958 MB								
Free space before:         0.97 MB         ▼         0 bytes - 22,693.35 MB           Free space after:         0 Bytes         ◆         0 bytes - 22,689.77 MB								
Sector to sector move Select this option to move partition areas that don't contain any data. This allows you to keep the partition's content after move exactly as it was, but will require more time.								
Yes No								

3. In the opened dialog shift the edge of the partition to the left by the drag-and-drop technique. While doing this, free space from the partition will be released (displayed in aqua-green). You can also do it manually by entering the exact size of free space. Click the Yes button to continue.

asic Hard Disk 1	(VMware, VMware	e Virtual S SCSI Disk Dev)
268.3 GB NTFS		(Unallocated)
200.0 00 1111		
Volume size:	274,790.513 MB	■ 101 MB - 511,993 MB
Free space before:	0.97 MB	💌 0 bytes - 511,891.43 MB
Free space after:	237.201.92 MB	C bytes - 511,883.61 MB



The Move/Resize dialog offers a number of additional parameters that can also be of help. However here we pay attention to the most relevant to fulfill our task.

4. Now you have a block of free space sufficient in size to hold a new partition.



5. Create a new partition to install Windows XP. To do that, please call the context menu for a newly created block of free space (right click of the mouse button) and launch the Create Partition dialog.

S
Are you sure you want to create a new partition on disk 0? You are about to create a new partition in (Unallocated), 18.3 GB area. Please select size, position and file system of the new partition.
Basic Hard Disk 0 (VMware, VMware Virtual S SCSI Disk Dev)
Create new partition as:       Primary partition         Please specify new partition size:       18834 ÷ 7 MB - 18,834 MB         Please specify size of free space before the partition:       0 ÷ 0 MB - 18,826 MB         Please specify size of free space after the partition:       0 ÷ 0 MB - 18,826 MB         Please specify size of free space after the partition:       0 ÷ 0 MB - 18,826 MB         Please select file system for new partition:       NTFS ▼         Please enter new volume label:       New Volume         Please specify drive letter:       E: ▼
S More options     Yes   No

6. Define parameters of the future partition. By all means it has to be primary and since we are going to install Windows XP, the most preferable file systems are NTFS and FAT32. Click the Yes button to continue.

Create new partition as:	Primary	par	tition 💌		
Please specify new partition size:	349451	-	7 MB - 349,451 MB		
Please specify size of free space before th	0	4	0 MB - 349,437 MB		
Please specify size of free space after the	partition:	0	1	0 MB - 349,443 MB	
Please select file system for new partition:					
Please enter new volume label:	me				
Please specify drive letter:	F:				
(3) More options				Yes	No




The Create Partition dialog offers a number of additional parameters that can also be of help. However here we pay attention to the most relevant to fulfill our task.

7. As a result of the operation we have got a newly created FAT32 partition just enough in size to comfortably work with Windows XP.

Basic Hard Disk 0 (VMv	vare, VMware Virtual S SCSI Disk Dev)
Vista (C:)	New Volume (F:)
158.7 GB NTFS	341.2 GB NTFS


8. Hide the Windows Vista partition to avoid writing any data on it during the Windows XP installation, as it is the best way to provide system independence. To do that, please call the context menu for it (right click of the mouse button) and launch the Hide Partition dialog. Click the Yes button to continue.





Hiding of the system partition will make OS non-bootable, what is quite normal.

 Apply all introduced changes. By default, our program works in the virtual mode of execution, so you have to confirm all operations to let the program accomplish them. To do that, just click the Apply button on the Virtual Operations Bar.



Copyright© 1994-2010 Paragon Software Group. All rights reserved.

10. The program will require the system restart to accomplish the operation in a special boot-up mode. Click the appropriate button to agree.

After all the operations are completed you will not be able to restart the system, what is quite normal. Nevertheless if you do try it, the following error will occur:




STOP: c000021a {Fatal System Error} The initial session process or system process terminated unexpectedly with a st tus of 0x00000000 (0xc0000034 0x0010037c). The system has been shut down.

- 11. Install Windows XP on the newly created partition. We won't go into details as for its installation, as you can find all the necessary information in documentation that comes with the product. However to avoid any problems, we consider it necessary to draw your attention on the following issues:
  - You need a bootable distributive CD of Windows XP to install it;

- To automatically start your computer from this CD, make sure the on-board BIOS is set up to boot from CD first or press F12 during startup to select a bootable device;


- Do not forget to select the newly created partition as destination.





Installation of Windows XP will make Windows Vista non-bootable.

- 12. Launch the Boot Manager Setup wizard. As your Windows Vista is non-bootable any more, you need to install our program once again, but this time in Windows XP to activate Boot Manager.
- 13. Click Boot Management and then select Boot Manager in the Express Launcher.
- 14. Set up the Boot Manager wizard. The most relevant option here is the possibility to hide other primary partitions except the one selected to boot and it is by all means should be activated to make Windows Vista and Windows XP unaware of each other. The rest of the parameters offered by default will do in our case, so just complete the wizard and it will automatically find the two operating systems and update the MBR.



15. Now restart the computer to make sure you have got a dual boot system.

#### Windows XP + Windows Vista

If you've got Windows XP and are willing to try the latest Windows Vista but not sure your favorite applications will flawlessly work on it, the best way out is to leave the time-proved Windows XP intact and install Windows Vista for studying purposes.

As this very situation is very close to the previous one, please use the <u>Windows Vista + Windows XP</u> scenario. However please take into consideration one more step you need to accomplish if you decide to use the traditional scenario:

 Besides hiding of the system partition before installation of the second OS you need to make it inactive as well. To do that, please call the context menu for it (right click of the mouse button) and launch the corresponding dialog. Click the Yes button to continue;

8	?
	Are you sure you want to set the volume as inactive? You are about to set the volume (C:) [No label], NTFS as inactive. You computer
	may no longer boot correctly.

#### Reviving the system partition

In case you are not able or not willing to complete the mentioned above scenarios, but have already reached the point when all changes are applied and everything is ready to install the second OS, please do the following to make your system bootable once again (only relevant for the traditional scenario):


1. Start up the computer from our Linux/DOS recovery media.



Recovery Media Builder can help you prepare the Linux/DOS recovery environment either on a CD/DVD disc or a thumb drive.

To automatically boot from the recovery media please make sure the on-board BIOS is set up to boot from CD/USB first.

2. In the Linux launch menu select Partition Manager.



3. In the main window select your non-bootable Windows partition on the Disk Map.

1.00	isic Disk 0		ual IDE Hard Drive	e) - 250 Gb			P
Ba	sic Disk 0	-	Model VMware	Virtual IDE H	ard Drive, St	ze 250 Gb	
N	Volume	Type	File System	Size	Used	Free	Volume label
8	asic Disk	0 (Size 250 G	b)				
0	C:	Primary	NTFS	200 Gb	1.7 Gb	199 Gb	Vista
1	D:	Primary	FAT32	49.7 Gb	24.9 Mb	49.6 Gb	[No label]


4. Unhide the partition by calling the context menu for it (right click of the mouse button) and then selecting **Unhide**.

124

urd Disk 0 (Size 40.0 GB)

F	Back Up Partition	Alt-B	2.9 GB	16.7 GB		
F	Burn Partition on CD or DVD		79.2 MB	20.4 GB		
	Restore Partition	Alt-R				
-						
	Copy Partition	Alt-C				
	Format Partition	Alt-F				
	Delete Partition	Alt-D				
-	Move/Resize Partition	Alt-Z				
	Convert File System				_	
	Unmount	Unhide	-			
-		Set ina	ctive			
	Modify	Chang	e Cluster Siz		-	
-						
	Test Surface	Change Volume Label Change Serial Number				
	Check File System Integrity	Change Partition ID Change SID				
-						
	Edit/View Sectors	Criange	e SID		_	
-	Browse Partition	Make k	Make logical			
-	Properties				-	
L_	riopenies	Defrage	nentation			
	Navigate through 'TAB' and '				-	
	intrigate through 17to and	Merge v	vith			

5. Only for the Windows XP + Windows Vista scenario you need to make the system partition active as well by calling the context menu for it (right click of the mouse button) and then selecting **Set Active**.



6. You will be notified after the operations are completed.

Operations list:	Suboperation progress				
1: Set partition flags					
	Operation progress				
	Time elapsed: 00:00:26 Time to finish:				
Rebuilding partitions info					
All operations have been finis	shed				

7. Restart the computer.

## **System Migration Scenarios**

#### Migrating system to another hard disk (Clone HDD)

Let's assume that you've bought a new hard disk. It's faster and of much higher capacity than your current system disk, so it's quite natural you start thinking about system migration. We can help you do that.

To migrate your system from one hard disk to another, please do the following:

#### Launcher

- 1. Connect both source and destination disks to the computer.
- 2. Turn on the computer.
- 3. Click the **Copy Disk** item of the Wizards menu (any of the ways described earlier can also be used here).
- 4. On the Wizard's Welcome page, click the Next button.
- 5. On the Select Hard Disk to Copy page, select a source disk (a hard disk you want to copy).

Basic Hard Disk 0 (VM	ware, VMware Virtual S SCSI Disk I	Dev)
🚺 🕜 Local Disk (C	)	
499.9 GB NTF5		
basic Hard Disk 1 (VM	ware, VMware Virtual S SCSI Disk I	Dev)
sasic naru bisk i (vi	Mare, VMWare Villuar 5 5C51 Disk i	Jev)

6. On the Select Target Hard Disk page, select a destination disk (a hard disk to copy contents of the source disk).


Select a target hard disk.	All data from the	source hard dis	sk will be a	copied there.	During copy operation	, target
disk content will be delet	ted.					

499.9 GB NTFS	
Basic Hard Disk 2 (VMware, VMware	Virtual S SCSI Disk Dev)
Archives (G:) 41.9 GB NTFS	Backup Capsule     38 GB
Basic Hard Disk 🔏 (VMware, VMware	Virtual S SCSI Disk Dev)
(Unalloc Basic Hard Disk 3 (VM	ware, VMware Virtual S SCSI Disk Dev)



During the operation all contents of the destination disk will be deleted.

7. On the next page of the wizard, define the copy options. In our case we'd rather copy data with a proportional resize to occupy the entire disk. Besides we recommend you to enable the surface test to make sure your new hard disk is flawless.



8. On the Revise Copy Results page review all parameters of the operation.

Basic Hard Disk 1 (VMware, 1	VMware Virtual S SCSI I	Disk Dev)	
Cocal Disk (E:) 3.4 GB FAT32	Local Dis 2.4 GB NTFS	(	(Unailo) 2.2 GB
ard disk copy:			
Basic Hard Disk 3 (VMware, 1	VMware Virtual S SCSI I	Disk Dev)	
Local Disk (*)     173 GB FAT32	Local Di 120.5 GB NTFS	<b>2</b> - 71.2	(Unallocat 134.6 GB
Proportional resize - the copy will tak	e 500 GB (100 % of target di	sk space)	1
Min Copy Size: 627.5 MB			Max Copy Size: 500 GE

9. Complete the wizard and then apply the pending changes.

8		? 🛛
Apply pending changes ?		
De not show this message again		No
Do not show this message again	Yes	No

- 10. When copying is completed, shut down the computer.
- 11. Disconnect (physically) the source hard disk.
- 12. Boot the computer from the destination hard disk.

### **Hard Disk Optimization**


To defragment an NTFS or FAT partition, please do the following:

#### Launcher




You must have administrator's privileges to accomplish defragmentation of the system partition.

- 1. Click the **Partition Manager** button and then **Partition Manager** in the Express Launcher.
- 2. In the main window, select a partition you want to defragment on the Disk Map.



3. Launch the Defragment Partition dialog by calling the popup menu for the selected partition (right click of the mouse button) and then selecting the menu item: **Defragment Partition**...



4. In the opened dialog define settings of the operation. To improve the performance we recommend you to mark the **Do not save content of the Pagefile.sys or (and) Hiberfile.sys** checkbox as these files are only needed for the current Windows session.





The Defragment Partition dialog offers a number of additional parameters that can also be of help. However here we pay attention to the most relevant to fulfill our task.

128

5. Start the operation by clicking the Yes button.

# Troubleshooter

Here you can find answers to the most frequently asked questions that might arise while using the program.

1. I try to run an operation, but the program claims my partition is in use and suggests restarting the computer.

There are a number of operations that cannot be performed while your partition is in use (or locked in other words). Please agree to reboot your machine to make the program accomplish the operation in a special bootup mode.

2. I run an operation and restart the machine as required, but it just boots back into Windows without accomplishing the operation.

Please run 'chkdsk /f' for the partition in question.

3. I cannot create a new partition on the disk.

There can be a number of reasons for that:

- The program cannot create a new partition on a dynamic disk, but only on a hard disk that uses the DOS partitioning scheme.
- According to the rules of the DOS partitioning scheme, the following combinations of partitions cannot be created:
  - Two Extended Partitions on one hard disk;
  - Five or more Primary partitions on one hard disk;
  - If there is an Extended Partition on the disk, only three Primary partitions are allowed.
- The program allows creating new partitions only within blocks of un-partitioned space. It cannot convert a free space on an existing partition to a new partition.
- 4. I cannot copy a partition.

There can be a number of reasons for that:

- The source or target disk you select is a dynamic disk;
- 4 primary partitions (or three primary partitions and an extended one) already exist on the target disk.
- 5. I need to copy a partition. But when selecting a place where to make a copy, I always get a crossed circle sign no matter which partition is selected.

The program enables to copy a partition only to a block of un-partitioned space. If you don't have a block of free space on your hard disk, please delete or reduce an existing partition to accomplish the operation.

6. I cannot do anything with my USB flash drive. I get a crossed circle sign when trying to select any area on it.

Some USB flash drives don't have the MBR (Master Boot Record), that's the cause of your problem. To fix the issue please use the Update MBR function of our program or 'fixmbr' of the Windows installation disc to write a standard code to your flash drive.

7. When trying to back up my system the program asks to restart the computer.

Most likely the Hot Processing mode is disabled. Please make it active in the program settings.

8. When backing up a partition with the VSS (Volume Shadow Copy Service) mode, the program throws "VSS could not be started for processed volume".

Most likely you try to back up a FAT32 partition, which is not supported by VSS. Please use the Paragon Hot Processing mode instead.

9. I cannot back up my hard disk to an external hard drive. Once started, the operation is aborted with the following error: Hard Disk management, Error Code 0x1100a. What is wrong here?

The problem is that the Microsoft VSS service is set as the default Hot Processing mode in the program. But this service has not been started in your WindowsXP/Windows2003/Vista. Please start this service (right click on My Computer > Manage > Services > find Microsoft Volume Shadow Copy Service and make it active. Set also to start it automatically).

10. When running a backup operation with the Paragon Hot Processing mode enabled, I get an error: error code 0x1200e "Internal error during Hot Backup"

Most likely your hard disk contains bad blocks. Please fix the issue with your HDD manufacturer's tool.

You can find a name of the tool you need here: http://kb.paragon-software.com

11. When running a backup operation with the Microsoft VSS mode enabled, I get the following error: error code 0x12016 "VSS: can't read volume data"

Most likely your hard disk contains bad blocks. Please fix the issue with your HDD manufacturer's tool.

You can find a name of the tool you need here: http://kb.paragon-software.com

12. When trying to back up to a network share, I get the following error: "i/o error" or "can't open/create file"

Please check whether you've got a permission to write to the selected destination or not.

13. When trying to restore a backup archive, I get the following error: "Can't restore to current selection" or "Archive does not fit"

Copyright© 1994-2010 Paragon Software Group. All rights reserved.

Most likely you're trying to restore a backup of the whole hard disk to a partition or vice versa.

14. I set up a timetable for a task, but it fails to execute.

There can be a number of reasons for that:

- Windows Task Scheduler does not work properly. Check whether it is so or not by scheduling a simple task (call Notepad through scheduling);

- You don't have permission to write to the selected backup destination.

## Glossary

**Active Partition** is a partition from which an x86-based computer starts up. The active partition must be a primary partition on a basic disk. If you use Windows exclusively, the active partition can be the same as the system volume.

In the DOS partitioning scheme, only primary partitions can be active due to limitations of the standard bootstrap.

The term **backup** originates from the time when the best way to protect valuable information was to store it in form of archives on external media. It's become now a general notion to mean making duplications of data for protection purposes.

**Bootable Archive** is created by adding a special bootable section when backing up the data to CD/DVDs. Thus you will be able to restore the data from these archives without having to run the program, but by simply booting from these CD/DVDs.

**Cluster** is the smallest amount of disk space that can be allocated to hold a file. All file systems used by Windows organize hard disks based on clusters, which consist of one or more contiguous sectors. The smaller the cluster size, the more efficiently a disk stores information. If no cluster size is specified during formatting, Windows picks defaults based on the size of the volume. These defaults are selected to reduce the amount of space that is lost and the amount of fragmentation on the volume. A cluster is also called an allocation unit.

**Extended Partition** is a partition type you create only on a basic MBR (Master Boot Record) disk. Extended partition is used if you want to create more than four volumes on a disk, since it may contain multiple logical drives.

**File System Metadata**. The servicing structures of a file system, which contain information about allocating files and directories, security information etc, are named the file system metadata. It is invisible for users and regular applications because its accidental modification usually makes a partition unusable.

**Hard Disk Geometry**. Traditionally, the usable space of a hard disk is logically divided into cylinders, cylinders are divided into tracks (or heads), and tracks are divided into sectors.

The triad of values {[Sectors-per-Track], [Tracks-per-Cylinder], [Amount-of-Cylinders]} is usually named the Hard Disk Geometry or C/H/S geometry.

Tracks and cylinders are enumerated from "0", while sectors are enumerated from "1". These disk parameters play an essential role in the DOS Partitioning scheme.

Modern hardware uses an advanced scheme for the linear addressing of sectors, which assumes that all on-disk sectors are continuously enumerated from "0". To allow backward compatibility with older standards, modern hard disks can additionally emulate the C/H/S geometry.

**Hidden Partition**. The concept of a "hidden" partition was introduced in the IBM OS/2 Boot Manager. By default, an operating system does not mount a hidden partition, thus preventing access to its contents.

A method of hiding a partition consists in changing the partition ID value saved in the Partition Table. This is achieved by XOR-ing the partition ID with a 0x10 hexadecimal value.

131

**Master File Table** (MFT) is a relational database that consists of rows of file records and columns of file attributes. It contains at least one entry for every file on an NTFS volume, including the MFT itself. MFT is similar to a FAT table in a FAT file system.

**MBR & 1st track of the hard disk** is the 0th sector of the disk. MBR (Master Boot Record) contains important information about the disk layout:

- The used partitioning scheme;

- The starting records of the Partition Table;

- The standard bootstrap code (or the initial code of boot managers, disk overlay software or boot viruses).

Generally, the 0th sector is used for similar purposes in all existing partitioning schemes.

The MBR capacity is not sufficient to contain sophisticated boot programs. That's why the on-boot software is allowed to use the entire 0th track of the disk. For example, boot managing utilities such as LILO, GRUB and Paragon Boot Manager are located in the 0th track.

**Partition ID** (or File system ID) is a file system identifier that is placed in the partition. It is used to quickly detect partitions of supported types. A number of operating systems completely rely on it to distinguish supported partitions.

Partition ID is saved in appropriate entries of the Partition Table and takes only 1 byte of space.

**Partition Label** (or Volume Label) is a small textual field (up to 11 characters) that is located in the partition's boot sector. This value is used for notification purposes only. It is detectable by any partitioning tool including the DOS FDISK utility.

Modern operating systems save it within a file system, e.g. as a special hidden file. Thus it is able to contain a relatively large amount of text in multiple languages.

**Partitioning Scheme** is a set of rules, constraints and format of the on-disk structures to keep information on partitions located on a hard disk.

There are known several partitioning schemes. The most popular of them is the so-called DOS partitioning scheme. It was introduced by IBM and Microsoft to use multiple partitions in the disk subsystems on IBM PC compatible computers.

Another popular partitioning scheme is the so-called Logical Disks Model (LDM) that originates from the UNIX mainframe systems. Veritas Executive accommodates a simplified version of LDM to the Windows 2000 operating system.

Windows 2000 and XP support two quite different partitioning schemes: the old DOS partitioning scheme and the new Dynamic Disk Management (DDM). The problem is that earlier versions of Windows do not support DDM. In addition, most hard disk utilities do not support it as well.

**Recovery Media** is a CD/DVD disc, a USB flash card or even a floppy disk from which you can boot for maintenance or recovery purposes.

**Root Directory** is the top-level directory of a formatted logical drive to include other files and directories. In modern file systems (Ext2/Ext3, NTFS and even FAT32) it does not differ from other directories. This is not the case for old FAT12 and FAT16 file systems.

**Serial Number**. In the DOS partitioning scheme, every hard disk and every partition has a 32-bit serial number represented by an 8-figure hexadecimal value. It is stored in the MBR and its value is assigned when the MBR sector is initialized by Microsoft standard disk managing tools, such as Windows Disk Administrator and the FDISK utility.

In fact, a hard disk's serial number is not important for most operating systems and software. It is known that Windows NT, 2000 and XP store its value in the database of assigned drive letters.

A partition's serial number is stored in its boot sector (in FAT16, FAT32 and NFTS file systems). Its value is assigned when the partition is formatted. It does not play an important role for most operating systems and software as well.