



Modes

Specifications

Copyright © 2014 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell™ and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies

2014 - 07 Rev. A00

Regulatory model: P57G | Type: P57G001

Computer model: Inspiron 13-7347



Front

Front

.

Left



Right



Base



Display

Power/Battery status light

Indicates the power state and battery state of the computer.

Solid white light — Power adapter is connected to the computer and the battery is being charged.

Solid yellow light — Battery charge is low or critical.

Off— Power adapter is connected to the computer and battery is fully charged or power adapter is not connected to the computer.



- .---

Front

Left



Right




Base



Display

Left



Security-cable slot

Connect a security cable to prevent unauthorized movement of your computer.

Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

HDMI port

Connect a TV or another HDMI-in enabled device. Provides video and audio output.

USB 3.0 port with PowerShare

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

PowerShare allows you to charge your USB devices even when your computer is turned off.

USB 3.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

Headset port

Connect a headphone, a microphone, or a headphone and microphone combo (headset).

7 Left speaker

Provides audio output from your computer.



Right

Front

.

Left



Right



Base



Display



1 **Power button**

Press to turn on the computer if it is turned off or in Sleep state.

Press to put the computer in Sleep state if it is turned on.

Press and hold for 4 seconds to force shut-down the computer.

NOTE: You can customize the power-button behavior in Power Options. For more information, see Me and My Dell at dell.com/support.

2 Volume-control buttons (2)

Press to increase or decrease the volume

Right speaker

Provides audio output from your computer.

USB 2.0 port 4

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.

Media-card reader

Reads from and writes to media cards.

Passive stylus

Allows you to draw shapes, select items, and perform touch gestures on the screen.

Base

Front

.

Left




Right



Base



Display



Left-click area

Press to left click.

2 Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left click and two finger tap to right click. Right-click area Press to right click.

Display

Front



Left




Right



Base



Display



1 Left microphone

Provides high-quality digital sound input for audio recording, voice calls, and so on.

Ambient-light sensor

Detects the ambient light and automatically adjusts the display brightness.

Camera

Allows you to video chat, capture photos, and record videos.

Camera-status light

Turns on when the camera is in use.

5 **Right microphone**

Provides high-quality digital sound input for audio recording, voice calls, and so on.

6 Windows button

Press to go to the Start screen.



Modes

Notebook



Tablet



Tablet Stand



Tent





Dimensions and Weight

19 mm (0.75 in) Height Width 330 mm (13 in) 222 mm (8.74 in) Depth Weight (maximum) 1.66 kg (3.66 lb) **NOTE**: The weight of your computer varies depending on the configuration ordered and the manufacturing variability.

















Connectors











Media-Card Reader









System Information

Computer model	Inspiron 7347
Processor	 4th Generation Intel Core™ i3 Processor
	 4th Generation Intel Core™ i5 Processor
Chipset	Integrated in the processor

















Audio





















Memory

Slot One SODIMM slot

Type DDR3L

Speed 1600 MHz

Configurations supported 4 GB and 8 GB

























Media-Card Reader









Battery

Power Adapter



Ports and Connectors

External:

USB

• One USB 3.0 port

• One USB 2.0 port

• One USB 3.0 port with PowerShare

Audio/Video

• One HDMI port

• One headset port

Internal:

M.2 card

One M.2 card slot for Wi-Fi and Bluetooth combo card



Weight





Ports and Connectors







Video



Audio



Storage







Keyboard













Communications

Wireless

- Wi-Fi 802.11 b/g/n
- Wi-Fi 802.11 ac
- Bluetooth 4.0
- WiDi

















Audio





Media-Card Reader



Keyboard















Video

Controller Intel HD Graphics

Memory Shared system memory



































Audio

Controller Realtek Al C3234 with Waves MaxxAudio

Speakers Two

Speaker output:

2 watt Average Peak 2.5 watt

Microphone Digital-array microphones in camera assembly

Volume controls Media-control shortcut keys and volume-control buttons.







Information



Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display

Keyboard







Touchpad









Storage

Interface SATA 3 Gbps

Hard drive One 2.5-inch drive



































Media-Card Reader

One 2-in-1 slot Type

Cards supported • SD Card

• MultiMedia Card (MMC)



















Video



Media-Card Reader



Keyboard













Display

Type

• 13.3-inch HD WLED touch

• 13.3-inch Full HD WLED touch

	10.0 WELD COUCH	
	HD	Full HD
Resolution (maximum)	1366 x 768	1920 x 1080
Dimensions:		
Height	164.97 mm (6.49 in)	165.10 mm (6.50 in)
Width	293.42 mm (11.55 in)	293.60 mm (11.55 in)
Diagonal	337.82 mm (13.30 in)	337.82 mm (13.30 in)
Pixel pitch	0.2148 mm	0.1529 mm
Refresh rate	60 Hz	
Operating angle	0 degrees (closed) to 360 degrees	
\ P = 1	460	

Viewing angle 160 degrees

Controls Brightness can be controlled using shortcut keys.













Battery





Ports and Communicat





















Keyboard

Type Backlit keyboard

Shortcut keys

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.

NOTE: You can define the primary behavior of the function keys (F1–F12) by changing **Function Key Behavior** in BIOS setup program.

List of shortcut keys.









Connectors


























Shortcut Keys

F1 ◀×	Mute audio
F2 ◀₁	Decrease volume
F3 ◄ ")	Increase volume
F4	Play previous track/chapter
F5 ▶II	Play/Pause
F6 ►►►	Play next track/chapter
F8	Switch to external display
F9 p	Open Search charm
F10	Toggle keyboard backlight
(F11 .⇔	Decrease brightness
F12	Increase brightness





Camera

Resolution:

Still image 0.92 megapixel

1280 x 720 (HD) at 30 fps (maximum) Video

Diagonal viewing angle 74 degrees





















Storage



Media-Card Reader



Keyboard















Touchpad

Resolution:

Horizontal 304.8 dpi

Vertical 304.8 dpi

Dimensions:

Width 102 mm (4.01 in)

Height 62 mm (2.44 in)







Memory

Ports and Connectors

















Reader

















Battery

3 cell Type

Dimensions:

Width 77.20 mm (3.04 in)

254 mm (10 in) Depth

6.80 mm (0.27 in) Height

Weight (maximum) 0.25 kg (0.55 lb)

11.4 VDC Voltage

Charging time when the computer is off

(approximate)

Within 4 hours

Operating time Varies depending on operating conditions and can significantly reduce under

certain power-intensive conditions.

300 discharge/charge cycles Life span (approximate)

Temperature range:

0°C to 35°C (32°F to 95°F) Operating

Storage -40°C to 65°C (-40°F to 149°F)

Coin-cell battery CR-2032



Dimensions and Weight



System Information



Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display



Keyboard



Camera



Touchpad



Battery



Power Adapter



Computer Environment



Power Adapter

65 W Type

Input voltage 100 VAC-240 VAC

50 Hz-60 Hz Input frequency

Input current (maximum) 1.70 A

Output current (maximum) 3.34 A

19.50 VDC Rated output voltage

Temperature range:

Operating 0°C to 40°C (32°F to 104°F)

Storage -40°C to 70°C (-40°F to 158°F)



Dimensions and Weight



Information



Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display



Keyboard











Power Adapter





Computer Environment

Airborne contaminant level	G1 as defined by ISA-S71.04-1985	
	Operating	Storage
Temperature range	0°C to 40°C (32°F to 104°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G [†]	160 G [‡]
Altitude (maximum)	-15.2 m to 3048 m (-50 ft to 10,000 ft)	-15.2 m to 10,668 m (-50 ft to 35,000 ft)

^{*} Measured using a random vibration spectrum that simulates user environment.



































[†] Measured using a 2 ms half-sine pulse when the hard drive is in use.

[‡] Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.