# Appendix 3: Current Name Evidence Documents

Attached are files of recent use of name evidence.

The first is from a webpage entitled "Flora & Fauna Northwest" (<a href="http://science.halleyhosting.com/nature/index.htm">http://science.halleyhosting.com/nature/index.htm</a>) which Gresham, OR, High School teacher Paul Slichter uses for his biology classes. Please note the title below the photo which species that the area where the material is from is The Burn.

The second is from the current website that Klickitat County uses for information for the general public for recreation and other activities. The Burn is clearly identified as an area within the county and a place to go.

[Wildflower Bloom in the Columbia River Gorge: 2011]

### Wildflowers Currently in Bloom in the Columbia River Gorge

### Washington State Highway SR 14

### BLM Parcel at T3N R20E S20 NW1/4

**April 20, 2011** 



A view southwest towards the Columbia River of slopes densely covered with fiddlenecks (Amsinckia lycopsoides and Amsinckia tessellata) from hillsides in an area of south-central Klickitat County known as Th Burn.......April 20, 2011.

\* indicates the wildflower is currently blooming.

This parcel can only be accessed by crossing private property, so permission needs to be obtained by the land owners. It should be pointed out that most of the plants listed on this page can be seen by driving along both Washington Highway 14 as well as in the public right of way along the secondary roads in this area.

Netleaf Hackberry: Celtis reticulata

<u>Poison Ivy</u>: Toxicodendron rydbergii

\* Crested Wheatgrass: Agropyron cristatum

Intermediate Wheatgrass: Thinopyrum intermedium?

\* Cheatgrass: Bromus tectorum

Bottlebrush Squirreltail: Elymus elymoides

Basin Wildrye: Leymus cinereus

\* Bulbous Bluegrass: Poa bulbosa

\* Leiberg's Bluegrass: Poa leibergii

\* Sandberg Bluegrass: Poa secunda

Bluebunch Wheatgrass: Pseudoroegneria spicata

Medusa-head: Taenitherum caput-medusae - Dried stalks from last year present.

Rat-tail Fescue: Vulpia sp.

Bastard Toadflax: Comandra californica (var. pallida?) ???

Sagebrush Mariposa: Calochortus macrocarpus var. macrocarpus

Yellow Bells: Fritillaria pudica - Pods forming, numerous.

- \* Bicolored Cluster Lily: Triteleia grandiflora ssp. howellii
- \* Northern Buckwheat: Eriogonum compositum (var. compositum?)

Parsnipflower Buckwheat: Eriogonum heracleoides var. heracleoides - Several plants in bud.

Strict Buckwheat: Eriogonum strictum (var. proliferum?)

Wiry Knotweed: Polygonum majus - Last year's stems.

- \* Pallid Claytonia: Claytonia exigua (ssp. glauca?)
- \* Cushion Miner's Lettuce: Claytonia rubra ssp. depressa

**Lineleaf Montia**: Montia linearis

- \* <u>Jagged Chickweed</u>: Holosteum umbellatum
- \* Upland Larkspur: Delphinium nuttallianum var. nuttallianum

Hornseed: Ranunculus testiculatus - Spiny fruits forming.

- \* Spring Whitlow-grass: Draba verna
- \* Pale Wallflower: Erysimum occidentale
- \* Tumble Mustard: Sisymbrium altissimum
- \* Thick-leaf Thelypody: Thelypodium laciniatum var. laciniatum Just beginning to bloom.
- \* Fringepods: Thysanocarpus curvipes
- \* Smooth Prairie Star: Lithophragma glabrum
- \* Small-flowered Prairie Star: Lithophragma parviflorum
- \* Woollypod Milkvetch: Astragalus purshii (var. glareosus?) Woolly pods present too.

Lupine: Lupinus sp.

- \* Filaree: Erodium cicutarium
- \* Burr Chervil: Anthriscus caucalis

Gorman's Desert Parsley: Lomatium gormanii? - Past bloom.

- \* Pungent Desert Parsley: Lomatium grayi
- \* Nineleaf Desert Parsley: Lomatium triternatum (var. triternatum?)
- \* False Hedge-parsley: Yabea microcarpa

Desert Shooting Star: Dodecatheon conjugens - Past bloom.

- \* Midget Phlox: Microsteris gracilis
- \* Longleaf Phlox: Phlox longifolia large swaths of pink covering much of the more naturalized ground.

Silverleaf Phacelia: Phacelia hastata var. hastata - In bud.

- \* Tarweed Fiddleneck: Amsinckia lycopsoides
- \* Rigid Fiddleneck: Amsinckia retrorsa
- \* Bristly Fiddleneck: Amsinckia tessellata
- \* Weakstem Cryptanth: Cryptantha flaccida Small flowers, very thin linear leaves that spread from stem at right angles.
- \* Slender Popcornflower: Plagiobothrys tenellus

Sand Penstemon: Penstemon acuminatus var. acuminatus - In bud.

Suksdorf's Broomrape: Orobanche ludoviciana - Last year's dried stems.

- \* Naked Broomrape: Orobanche uniflora
- \* White Plectritis: Plectritis macrocera

Yarrow: Achillea millefolium - In bud.

- \* Annual Agoseris: Agoseris heterophylla
- \* Low Pussytoes: Antennaria dimorpha

<u>Dragon Wormwood</u>: Artemisia dracunculus

Big Sagebrush: Artemisia tridentata (ssp. tridentata ?)

- \* Carey's Balsamroot: Balsamorhiza careyana
- \* Hybrid Balsamroot: Balsamorhiza careyana x serrata?
- \* Serrate Balsamroot: Balsamorhiza serrata

Spotted Knapweed: Centaurea (maculosa?)

Green Rabbitbrush: Chrysothamnus viscidiflorus

Wavyleaf Thistle: Cirsium undulatum

Horseweed: Conyza canadensis - Dried stalks from last year.

Hawksbeard: Crepis sp.

\* Gold Stars: Crocidium multicaule - Beginning to fade out of bloom.

Gray Rabbitbrush: Ericameria nauseosa var. speciosa

Match Brush: Gutierrezia sarothrae

Hairy Goldaster: Heterotheca villosa

Tarweed: Madia sp.

- \* Narrowleaf Goldenweed: Nestotus stenophyllus Beginning to bloom.
- \* False Agoseris: Nothocalais troximoides

Salsify: Tragopogon dubius

#### Animals Seen at this Site:

Turkey Vultures

Long-billed Curlews

Chukar

White-crowned Sparrows

Horned Larks

Canyon Wren







# Klickitat County, Washington





Home Page Washington Page - Choose a Washington County State Pages

# Klickitat County, Washington Basics:

### Klickitat County Washington - Government Site

Population: 20,629 Area: 1871 square miles County seat: Goldendale Area code(s) in use: <u>509</u>

Time zone: PST

High school graduate or higher: 87.6% Bachelor's degree or higher: 18.9% Median household income: \$40,171 Persons in poverty: 19.1%

Home ownership rate: 67.9%

Mean travel time to work: 20.8 minutes

Find out more about Klickitat County, Washington

Washington population by County

Washington income by County

Cust Search

### Adjacent counties:

Benton Gilliam (OR) Hood River (OR) Morrow (OR) Sherman (OR) Skamania Wasco (OR) Yakima

Find in Washington Go

Map of the Klickitat County area Toppenish YAKAMA INDIAN RESERVATION Prosser Gifford **Pinchot** National Forest Umatill Boardman Hermi Goldendale Arlington St Hood River The Dalles Biggs Junction (197) Ione sham Heppner Map dReporta map errore **National Forest** 

1 of 2 10/10/17, 3:17 PM

Our <u>detail map of Klickitat County</u> shows the Klickitat County, Washington boundary lines and other interesting items.

# Places in Klickitat County, Washington

## Airports show all on map

Aerostone Ranch Airport, Bob's Field Airport, Columbia Gorge Regional/The Dalles Municipal Airport, Flying L Ranch Airport, Goldendale Airport, Hillcrest Airport, Hollenbeck Landing Strip, Mercer Ranch Airport, Piper Canyon Airport, Port Elsner Airport, Port Elsner Airport, Spring Creek Ranch Airport, The Dalles Municipal Airport, Trout Lake Airport, Warwick Airport

Arches show all on map

Lava Bridge

Areas show all on map

Devils Hole, The Burn

**Basins show all on map** 

Devils Pocket, Klickitat Valley, Schafer Pocket

**Bridges** show all on map

Sam Hill Memorial Bridge, The Dalles Bridge

### Klickitat County, Washington Population By Race (2012 estimate)

Race	Population	
White		19,164
Mixed	<b>■</b> 598	
American Indian	<b>■</b> 577	
Asian	144	
Black	103	
Hawaiian & Pacific Islander	41	

Additional population tables :

State population table

Washington population by county

© US-Places.com <u>Contact</u>

2 of 2 10/10/17, 3:17 PM