

7 APPENDICES

APPENDIX 7.1 - List of 125 lichen taxa reported from the Tristan da Cunha archipelago.

NOTE: * endemic; **endemic to Tristan da Cunha and St. Helena. Distribution within the archipelago: T – Tristan da Cunha Island, N – Nightingale Is., I – Inaccessible Is., S – Stoltenhoff Is., G – Gough Is., M – Middle (Alex) Is.

TAXON NAME	DISTRIBUTION
* <i>Buellia acunhana</i> (Nyl.) Zahlbr. - Wace & Dickson (1965: 353)	
* <i>Caloplaca austroatlantica</i> Øvstedal sp. nov. - Øvstedal & Gremmen (2010: 44)	T
<i>Cladonia balfourii</i> Cromb. - des Abbayes (1940: 4), Wace & Dickson (1965: 353)	
<i>C. capitellata</i> (Tayl.) Bab. f. - des Abbayes (1940: 3), Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. ceratophylla</i> (Sw.) Spreng. - des Abbayes (1940: 3), Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. coccifera</i> Willd. - Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. coccifera</i> var. <i>aberrans</i> des Abb. - des Abbayes (1940: 1)	
<i>C. didyma</i> (Fée) Vain. - Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. didyma</i> var. <i>vulcanica</i> f. <i>minor</i> - des Abbayes (1940: 2)	
<i>C. fallax</i> f. <i>condensata</i> - des Abbayes (1940: 1)	
<i>C. gracilis</i> (L.) Willd. - Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. gracilis</i> var. <i>chordalis</i> - des Abbayes (1940: 3)	
<i>C. chlorophaea</i> (Flörke ex Sommerf.) Spreng. - des Abbayes (1940: 4 as <i>C. pyxidata</i> var. <i>chlorophaea</i>)	
<i>C. laevigata</i> (Wain.) Gyeln. - Wace & Dickson (1965: 353 as <i>Cladonia mitis</i>), Jørgensen (1977: 11)	
<i>C. macilenta</i> Nyl. - Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. macilenta</i> var. <i>styracella</i> - des Abbayes (1940: 3)	
<i>C. mitis</i> f. <i>laevata</i> - des Abbayes (1940: 1)	
<i>C. ochrochlora</i> - des Abbayes (1940: 4), Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. pityrea</i> (Flk.) Fr. - Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. pycnoclada</i> (Pers.) Nyl. - Jørgensen (1979: 2281); as <i>Cladonia fallax</i> - des Abbayes (1940: 1), Wace & Dickson (1965: 353)	
<i>C. pyxidata</i> (L.) Fr. - Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. pyxidata</i> var. <i>neglecta</i> - des Abbayes (1940: 4)	
<i>C. scabriuscula</i> (Del.) Sandst. - Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>C. squamosa</i> Hoffm. - Christophersen (1934: 13), Wace & Dickson (1965: 353)	G
* <i>Cresponea soredata</i> Elix, Øvstedal & Gremmen, sp. nov. - Elix, Øvstedal & Gremmen (2011: 134)	G
<i>Dirinaria applanata</i> (Fée) Awasthi - Jørgensen (1977: 11), Jørgensen (1979: 2281)	N,I,M
<i>Erioderma groendalianum</i> (Ach.) Wain. - Jørgensen (1977: 12), Jørgensen (1979: 2281)	I
* <i>Gyalidea goughensis</i> Øvstedal sp. nov. - Øvstedal & Gremmen (2010: 44)	G
<i>Heterodermia casarettiana</i> (Mass.) Trevis. - Jørgensen (1977: 10 as <i>Anaptychia casarettiana</i>), Jørgensen (1979: 2281)	N
<i>H. leucomela</i> (L.) Poelt - Jørgensen (1977: 10 as <i>Anaptychia leucomela</i>), Jørgensen (1979: 2281)	N
<i>H. speciosa</i> (Wulf.) Trevis. - Jørgensen (1977: 10 as <i>Anaptychia speciosa</i>), Jørgensen (1979: 2281)	I
<i>Hypotrachyna bogotensis</i> (Vain.) Hale - Elix & Gremmen (2002: 259)	G
<i>H. endochlora</i> (Leight.) Hale - Elix & Gremmen (2002: 260); as <i>Parmelia endochlora</i> - Jørgensen (1977: 15), Jørgensen (1979: 2281)	G, N, I
<i>H. gondylophora</i> (Hale) Hale - Ryan et al. (2007: 59)	
<i>H. microblasta</i> (Vain.) Hale - Elix & Gremmen (2002: 260); as <i>Parmelia microblasta</i> Wain. - Jørgensen (1977: 16), Jørgensen (1979: 2281)	G, T, I
<i>H. revoluta</i> Flörke - as <i>Parmelia revoluta</i> - Wace & Dickson (1965: 353), Jørgensen (1977: 17), Jørgensen (1979: 2281)	I
<i>Lecanora subfusca</i> Ach. - Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
* <i>Lepraria goughensis</i> Elix & Øvstedal, sp.nov. - Elix, Øvstedal & Gremmen (2005: 274)	G

APPENDIX 7.1 – (continued)

TAXON NAME	DISTRIBUTION
<i>Leptogium</i> cf. <i>azureum</i> (Ach.) Mont. (Syn. <i>L. tremelloides</i>) - Jørgensen (1977: 12), Jørgensen (1979: 2281)	I
<i>L. brebissonii</i> Mont. - Jørgensen (1977: 13), Jørgensen (1979: 2281)	T,I
<i>L. denticulatum</i> auct. non. Nyl. - Jørgensen (1977: 13)	T,I
<i>L. laceroides</i> B. de Lesd. - Jørgensen (1977: 14), Jørgensen (1979: 2281)	I
* <i>Massalongia griseolobulata</i> Øvstedal sp. nov. - Øvstedal & Gremmen (2010: 45)	G
<i>Normandina pulchella</i> (Borr.) Nyl. - Jørgensen (1979: 2281)	
<i>Parmelia cetrata</i> Ach. Coll. - Christophersen (1934: 13), Wace & Dickson (1965: 353), Jørgensen (1977: 14), Jørgensen (1979: 2281)	T,N,S,G
<i>P. dilatata</i> Wain. coll. - Jørgensen (1977: 15), Jørgensen (1979: 2281)	N
<i>P. dissecta</i> Nyl. - Jørgensen (1977: 15), Jørgensen (1979: 2281)	N,S
<i>P. formosana</i> Zahlbr. coll. - Jørgensen (1977: 16), Jørgensen (1979: 2281)	N
<i>P. maura</i> Pers. (Syn. <i>P. reticulata</i>) - Jørgensen (1977: 16), Jørgensen (1979: 2281)	T,N,I
<i>P. microspora</i> Müll. Arg. - Jørgensen (1977: 16), Jørgensen (1979: 2281)	T,N
<i>P. reddenda</i> Stirt. - Jørgensen (1977: 17), Jørgensen (1979: 2281)	S
** <i>P. revolutella</i> Nyl. - Wace & Dickson (1965: 353), Jørgensen (1977: 18), Jørgensen (1979: 2281)	T,S
<i>P. rockii</i> Zahlbr. - Jørgensen (1977: 18), Jørgensen (1979: 2281)	N
<i>P. rudecta</i> Ach. - Jørgensen (1977: 18), Jørgensen (1979: 2281)	N
<i>P. saxatilis</i> (L.) Ach. - Christophersen (1934: 13), Wace & Dickson (1965: 353)	G
<i>P. sphaerosporella</i> Müll. (syn. <i>Ahtiana sphaerosporella</i>) - Christophersen (1934: 13), Wace & Dickson (1965: 353)	G
<i>Parmeliella nigrocincta</i> (Mont.) Müll. Arg. - Jørgensen (1977: 18), Jørgensen (1979: 2281)	T
<i>P. parvula</i> P. M. Jørg. N. sp. - Jørgensen (1977: 19), Jørgensen (1979: 2281)	I
<i>P. pycnophora</i> (Nyl.) R. Sant. - Jørgensen (1977: 20), Jørgensen (1979: 2281)	T,I
<i>Parmelinopsis afrorevoluta</i> (Krog & Swinsc.) Elix & Hale - Elix & Gremmen (2002: 260)	G
<i>Parmotrema arnoldii</i> (Du Rietz) Hale - Elix & Gremmen (2002: 261)	G
<i>P. crinitum</i> (Ach.) M. Choisy - Elix & Gremmen (2002: 261); as <i>Parmelia crinita</i> - Jørgensen (1977: 15), Jørgensen (1979: 2281); as <i>Parmelia proboscidea</i> in Wace & Dickson (1965: 353)	G,T,N,S
<i>P. gardneri</i> (C. W. Dodge) Sérus. - Elix & Gremmen (2002: 261)	G
<i>P. perforatum</i> (Wulf.) xxx - Wace & Dickson (1965: 353)	
<i>P. perlatum</i> (Huds.) Ach. - Wace & Dickson (1965: 353); as <i>Parmelia perlata</i> (Huds.) Ach. - Jørgensen (1977: 17), Jørgensen (1979: 2281)	T,N,I
<i>P. reticulatum</i> (Taylor) M.Choisy - Elix & Gremmen (2002: 262 as <i>Rimelia reticulata</i>)	G
<i>Peltigera dolichorhiza</i> Nyl. - Jørgensen (1977: 20), Jørgensen (1979: 2281)	T,I
<i>P. friesiorum</i> Gyeln. - Jørgensen (1977: 20), Jørgensen (1979: 2281)	T
<i>P. polydactyla</i> (L.) Hoffm. - Wace & Dickson (1965: 354)	
<i>Physcia erosula</i> Nyl. - Jørgensen (1977: 21), Jørgensen (1979: 2281)	I
<i>P. stellaris</i> Nyl. - Christophersen (1934: 13), Wace & Dickson (1965: 353)	G
<i>P. tribacioides</i> Nyl. (syn. <i>P. sorediata</i>) - Jørgensen (1977: 21), Jørgensen (1979: 2281)	
<i>Physciopsis adglutinata</i> (Flk.) Choisy - Jørgensen (1977: 22), Jørgensen (1979: 2281)	N
<i>Placopsis cribellans</i> (Nyl.) M. Lamb - Lamb (1940: 1), Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	T
<i>P. fuscidula</i> M. Lamb - Lamb (1940: 1), Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	T
<i>P. gelida</i> (L.) Linds. - Lamb (1940: 2), Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	T
<i>P. parellina</i> (Nyl.) M. Lamb - Lamb (1940: 3), Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	
<i>P. parellina</i> var. <i>carnea</i> (Räs.) M. Lamb - Lamb (1940: 3)	I
<i>P. parellina</i> var. <i>rhodocarpa</i> (Nyl.) M. Lamb - Lamb (1940: 3)	T
<i>P. perrugosa</i> (Nyl.) - Lamb (1940: 4), Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	T

APPENDIX 7.1 – (continued)

TAXON NAME	DISTRIBUTION
<i>P. rhodophalma</i> (Müll. Arg.) Räs. - Lamb (1940: 4), Wace & Dickson (1965: 353), Jørgensen (1979: 2281)	T
<i>Polychidium dendriscum</i> (Nyl.) A. Henssen - Jørgensen (1977: 22), Jørgensen (1979: 2281)	T,I
<i>Pseudocyphellaria aurata</i> Vain. -Wace & Dickson (1965:353),Jørgensen (1977:22),Jørgensen (1979:2281),Ryan(2007:59)	T,N,I
<i>P. gilva</i> (Ach.) Malme - Jørgensen (1977: 23), Jørgensen (1979: 2281)	T
<i>P. intricata</i> (Del.) Vain. (syn. <i>P. thouarsii</i>) - Wace & Dickson (1965: 354), Jørgensen (1977: 23), Jørgensen (1979: 2281)	T,I
<i>Psoroma hypnorum</i> (Vahl) S. F. Gray var. <i>paleaceum</i> (Fr.) Rostr. - Jørgensen (1977: 24), Jørgensen (1979: 2281)	T
<i>Punctelia canaliculata</i> (Lynge) Krog - Elix & Gremmen (2002: 262)	G
<i>Pyxine</i> cf. <i>cocoës</i> (Sw.) Nyl. - Jørgensen (1977: 24), Jørgensen (1979: 2281)	I
<i>Ramalina celastri</i> (Spreng.) Krog & Swinscow (syn. <i>R. ecklonii</i>) - Jørgensen (1977: 24), Jørgensen (1979: 2281)	N
*R. elegantula P. M. Jørg. - Jørgensen (1977: 25), Jørgensen (1979: 2281)	I
<i>R. cf. laevigata</i> Fr. - Jørgensen (1977: 26), Jørgensen (1979: 2281)	N,S
<i>R. peruviana</i> Ach. coll. - Jørgensen (1977: 26), Jørgensen (1979: 2281)	N
<i>R. cf. linearis</i> (Sw.) Ach. - Jørgensen (1977: 26), Jørgensen (1979: 2281)	T
<i>R. intermedia</i> Del. - Wace & Dickson (1965: 354)	I
<i>R. scopulorum</i> Ach. (Syn. <i>R. siliquosa</i>) - Christophersen (1934: 13), Wace & Dickson (1965: 354)	G
<i>R. tayloriana</i> Zahlbr. - Jørgensen (1977: 27), Jørgensen (1979: 2281)	N
<i>R. yemenensis</i> (Ach.) Nyl. - Wace & Dickson (1965: 354)	I
<i>Stereocaulon antarcticum</i> Vain. - Wace & Dickson (1965: 354)	
<i>S. atlanticum</i> - Ryan et al. (2007: 59)	
<i>S. corticatulum</i> Nyl. - Jørgensen (1977: 27), Jørgensen (1979: 2281)	T,I
<i>S. glabrum</i> (Müll. Arg.) Wain. - Jørgensen (1977: 28), Jørgensen (1979: 2281)	T
<i>S. implexum</i> Th. Fr. - Wace & Dickson (1965: 354), Jørgensen (1977: 28), Jørgensen (1979: 2281)	T
<i>S. meyeri</i> Stein - Jørgensen (1977: 29), Jørgensen (1979: 2281)	T,I
<i>S. ramulosum</i> (Sw.) Rausch. - Wace & Dickson (1965: 354 as <i>S. mixtum</i>)	
<i>S. cf. myriocarpum</i> Th. Fr. - Jørgensen (1977: 29), Jørgensen (1979: 2281)	T
<i>S. vesuvianum</i> Pers. - Jørgensen (1979: 2281)	T
<i>Stictia ambavillaria</i> (Bory) Ach. - Wace & Dickson (1965: 354), Jørgensen (1977: 30), Jørgensen (1979: 2281)	T,I
<i>S. fuliginosa</i> Nyl. (Dicks.) Ach. - Christophersen (1934: 13), Wace & Dickson (1965: 354), Jørgensen (1977: 30), Jørgensen (1979: 2281)	I,G
<i>S. limbata</i> (Sm.) Ach. - Jørgensen (1977: 30), Jørgensen (1979: 2281)	I
*S. tessellata Øvstedal sp. nov. - Øvstedal & Gremmen (2010: 46)	G
*Szcawinskia phyllicae Øvstedal sp. nov. - Øvstedal & Gremmen (2010: 47)	T
<i>Teloschistes flavicans</i> (Ew.) Norm. - Wace & Dickson (1965: 354), Jørgensen (1977: 30), Jørgensen (1979: 2281), Ryan et al. (2007: 59)	N,I
<i>Tephromela atra</i> - Ryan et al. (2007: 59)	
*Tephromela rimosula Øvstedal sp. nov. - Øvstedal & Gremmen (2010: 47)	T
<i>T. lepabinum</i> (Ach.) Ach. - Jørgensen (1979: 2281)	
*T. tristanense Øvstedal sp. nov. - Øvstedal & Gremmen (2010: 48)	T
<i>Usnea articulata</i> Hoffm. - Wace & Dickson (1965: 354)	
<i>U. barbata</i> (L.) Wigg. em. Mot. - Christophersen (1934: 13), Wace & Dickson (1965: 354)	G
<i>U. ceratina</i> Ach. - Jørgensen (1977: 31), Jørgensen (1979: 2281), Wace & Dickson (1965: 354 as <i>U. plicata</i>)	T,N
<i>U. dasycera</i> (Nyl.) Mot. - Jørgensen (1977: 32)	T,N,I
*U. nigropapillosa P. M. Jørg. N. sp. - Jørgensen (1977: 32), Jørgensen (1979: 2281)	N,S

APPENDIX 7.1 – (continued)

TAXON NAME	DISTRIBUTION
<i>U. rubicunda</i> Stirt.coll. - Jørgensen (1979: 2281), Wace & Dickson (1965: 354 as <i>U.rubigena</i>)	
<i>U. strigosa</i> subsp. <i>rubiginea</i> (Michaux) I. Tav. - Jørgensen (1977: 34 as <i>U. rubiginea</i>)	N
* <i>U. vermicularis</i> P. M. Jørg. - Jørgensen (1977: 35), Jørgensen (1979: 2281)	I
<i>Verrucaria durietzii</i> I.M. Lamb - Ryan et al. (2007: 59)	

APPENDIX 7.2 - List of 156 moss taxa reported from the Tristan da Cunha archipelago.

NOTE: * Endemic; ? Doubtful records. Distribution within the archipelago: T – Tristan da Cunha Island, N – Nightingale Island, I – Inaccessible Island, G – Gough Island.

TAXON NAME	DISTRIBUTION
* <i>Amblystegium patenti-flexuosum</i> Dixon - Dixon (1960: 41)	I
* <i>A. stricto-serpens</i> Dixon - Dixon (1960: 40)	T
* <i>Andreaea atlantica</i> Dixon - Dixon (1960: 9)	T
<i>A. grimmoides</i> Dus. - Dixon (1960: 8)	T
<i>A. nitida</i> var. <i>aquatica</i> (R. Br. bis) W. Martin - Dixon (1960: 9 as <i>Andreaea aquatica</i>)	T
<i>A. parallela</i> C. M. - Dixon (1960: 9); Wace & Dickson (1965: 342)	
<i>A. regularis</i> C. M. - Dixon (1960: 9)	T
<i>A. rupestris</i> Hedw. - Wace & Dickson (1965: 342 as <i>A. loricata</i> Dus.)	G
* <i>A. squarriifolia</i> Dixon - Dixon (1960: 10)	T
<i>Androcryphia confluens</i> - Bartram (1959: 210)	G
<i>Anomobryum julaceum</i> W. P. Schimper - Dixon (1960: 30 as <i>A. filiforme</i>)	T
* <i>Bartramia inconspicua</i> Mitt. - Dixon (1960: 7)	T
<i>B. ithyphylla</i> Brid. - Dixon (1960: 35 as <i>B. stenobasis</i> Card.) Ochyra (1999: 515)	T,G
* <i>B. obscura</i> Dixon - Dixon (1960: 35)	T
<i>B. patens</i> Brid. - Dixon (1960: 35)	T,I
<i>B. robusta</i> H. f. & W. - Dixon (1960: 7 as <i>B. radicata</i> Mitt.)	T
<i>Bazzania skottsbergii</i> (St.) Fulford. - Bartram (1959: 210)	G
* <i>Blindia brachystegia</i> Dixon - Dixon (1960: 14)	T
* <i>B. subcapillifolia</i> Dixon - Dixon (1960: 14)	T
<i>Brachymenium megalacrion</i> (Schwägr.) Jaeg. - Wace & Dickson (1965: 344)	
<i>Brachythecium austroglareosum</i> (Müll. Hal.) Kindb. - Ochyra (1999: 514); as <i>Brachythecium subpilosum</i> (H. f. & W.) Jaeg. - Bartram (1959: 210), Dixon (1960: 43); Wace & Dickson (1965: 345 as <i>Brachythecium pallidoflavens</i> Card.)	T,G
<i>Brachythecium subplicatum</i> (Hampe) Jaeg. - Wace & Dickson (1965: 345)	G
<i>Braunia humboldtii</i> (Hook.) Hook. f. - Wace & Dickson (1965: 345 as <i>Rhacocarpus humboldtii</i> (Hook.) Lindb.)	G
? <i>Breutelia dumosa</i> Mitt. - Christophersen (1934: 10); Wace & Dickson (1965: 344)	G
<i>B. integrifolia</i> (Tayl.) Jaeg. - Dixon (1960: 37)	T
<i>B. popinqua</i> Kaal. - Dixon (1960: 37)	T,I
* <i>B. tenuifolia</i> (Mitt.) Par. - Dixon (1960: 37); Bartram (1959: 210)	T,I,G
* <i>Bryum amplifolium</i> Dixon - Dixon (1960: 31)	T
* <i>B. cymbifoliellum</i> Dixon - Dixon (1960: 32)	T
* <i>B. flaccidifolium</i> Dixon - Dixon (1960: 6)	T
? * <i>B. fluitans</i> Dixon - Dixon (1960: 33)	I

APPENDIX 7.2 – (continued)

TAXON NAME	DISTRIBUTION
<i>B. laevigatum</i> H. f. & W. - Dixon (1960: 33 as <i>B. incurvifolium</i>)	T
* <i>B. subantarcticum</i> Dixon - Dixon (1960: 33)	T,I
* <i>B. subulinerve</i> Card. - Dixon (1960: 33)	I,G
* <i>B. tenellicaule</i> Card. - Dixon (1960: 31); Bartram (1959: 210)	T,I,G
* <i>B. tristaniense</i> Dixon - Dixon (1960: 30)	T
? <i>B. truncorum</i> Brid. - Dixon (1960: 34)	T,I,N
? <i>Campylium polygamum</i> (Bry. Eur.) Bryhn - Dixon (1960: 42)	T
* <i>Campylopus alienus</i> Dixon - Dixon (1960: 19)	T,I,N
<i>C. arcuatus</i> Mitt. - Wace & Dickson (1965: 343)	T
<i>C. pyriformis</i> (Schultz) Brid. - Dixon (1960: 19 as <i>C. calvatus</i> ; 20 as <i>C. lusciniialis</i>)	T,I,N
<i>C. incrassatus</i> Müll. Hal. - Wace & Dickson (1965: 343 as <i>C. alvarezianus</i> Card.)	G
<i>C. introflexus</i> (Hedw.) Brid. - Dixon (1960: 19)	T,I,N
<i>C. vesticaulis</i> Mitt. (Syn. <i>C. saddleanus</i>) - Dixon (1960: 18); Bartram (1959: 209)	T,G,N
<i>C. richardii</i> Brid. - Wace & Dickson (1965: 343 as <i>Thysanomitrium richardii</i> Schwaegr.)	G
<i>Catagonium nitidum</i> (H. f. & W.) Broth. - Dixon (1960: 45)	T
<i>Chorisodontium aciphyllum</i> (Hook. f. & Wilson) Broth. - Dixon (1960: 18 as <i>Dicranum aciphyllum</i> H. f. & W.)	T,I
<i>Chrysoblastella chilensis</i> (Mont.) Reimers - Dixon (1960: 16 as <i>Dichodontium opacifolium</i> Dixon)	T
* <i>Ceratodon plano-marginatus</i> Dixon - Dixon (1960: 13)	N
<i>C. purpureus</i> (Hedw.) Brid. - Dixon (1960: 23 as <i>Barbula validinervia</i> C. M.)	T,N
<i>Cratoneuron</i> sp. - Dixon (1960: 42)	T
<i>Cyclodictyon laete-virens</i> (Hook. & Tayl.) Mitt. - Dixon (1960: 39)	T,I,G
* <i>Daltonia tristaniensis</i> Dixon - Dixon (1960: 39)	T,G
<i>Dicranella fuegiana</i> Card. & Broth - Dixon (1960: 15)	T
<i>D. hookeri</i> (C. M.) Card. (Syn. <i>Anisothecium hookeri</i>) - Dixon (1960: 15); Bartram (1959: 209)	T
<i>D. vaginata</i> (Hook.) Card. (Syn. <i>Anisothecium vaginatum</i>) - Dixon (1960: 15)	T
* <i>Dicranodontium insularum</i> Bartr. sp. nov. - Bartram (1959: 209)	G
* <i>D. tristaniense</i> Dixon & Thér. - Dixon (1960: 21); Bartram (1959: 209)	T
* <i>Dicranoloma atlanticum</i> Bartr. Sp. nov. - Bartram (1959: 209); Wace & Dickson (1965: 343)	
<i>D. hariotii</i> (C. M.) Par. - Dixon (1960: 17); Bartram (1959: 209)	T,I,G
<i>D. imponens</i> (Mont.) Broth. - Dixon (1960: 17); Bartram (1959: 209)	T,I,G
* <i>D. perdecurrens</i> Dixon - Dixon (1960: 17); Bartram (1959: 209)	T
* <i>Dicranoweisia falcifolia</i> Dixon - Dixon (1960: 16)	T
<i>Didymodon austroalpigena</i> (C. M.) Broth. - Dixon (1960: 23)	T
<i>Distichophyllum fasciculatum</i> Mitt. - Dixon (1960: 39)	T
<i>Ditrichum conicum</i> (Mont.) Par. - Dixon (1960: 12)	T
<i>D. flexifolium</i> (Hook.) Hampe. - Dixon (1960: 13)	T,I,N
<i>D. hyalinum</i> (Mitt.) Par. - Dixon (1960: 12)	T
<i>D. strictum</i> (H. f. & W.) Hampe - Dixon (1960: 12)	T,I
* <i>D. tenuinerve</i> Dixon - Dixon (1960: 12)	T
<i>Drepanocladus fluitans</i> (Hedw.) Warnst. - Dixon (1960: 42 as <i>Calliergon acuminatum</i> Dixon)	T
<i>Eustichia longirostris</i> (Brid.) C. M. - Dixon (1960: 34)	T,G
<i>Fissidens asplenioides</i> Hedw. - Dixon (1960: 11)	T,I
* <i>F. fluitans</i> Dixon - Dixon (1960: 10)	T
<i>F. leptochaete</i> Dus. - Dixon (1950: 12)	I

APPENDIX 7.2 – (continued)

TAXON NAME	DISTRIBUTION
* <i>Funaria euryloma</i> Dixon - Dixon (1960: 28)	T,I
<i>F. hygrometrica</i> Hedw. - Wace & Dickson (1965: 344)	T
<i>Grimmia kidderi</i> James - Dixon (1960: 23 as <i>Grimmia kerguelensis</i>)	T,G
* <i>G. stenobasis</i> Dixon - Dixon (1960: 23)	T
<i>Gymnostomum calcareum</i> Nees & Hornsch. - Wace & Dickson (1965: 343)	T
<i>Henediella kunzeana</i> (Müll. Hal.) Zander - Dixon (1960: 23 as <i>Tortula kunzeana</i>)	T
? <i>Hygroamblystegium fuegianum</i> (Besch.) Reimers, forma. - Dixon (1960: 41)	I
<i>Hypnum cupressiforme</i> Hedw. - Dixon (1960: 46); Bartram (1959: 210)	T,I,G
<i>H. cupressiforme</i> var. <i>subjulaceum</i> Mol. - Dixon (1960: 46); Bartram (1959: 210)	T,G
<i>H. chrysogaster</i> Müll. Hal. - Dixon (1960: 46 as <i>Hypnum elatum</i> Dixon)	T,I,N,G
* <i>Isopterygium ambiguum</i> Card. - Dixon (1960: 45)	T,N,G
<i>I. brownii</i> Card. - Wace & Dickson (1965: 345)	G
* <i>I. tristaniense</i> Dixon - Dixon (1960: 45)	T,N
<i>Leptodontium interruptum</i> (Mitt.) Broth. - Dixon (1960: 23)	T
<i>Leptotheca gaudichaudii</i> (Spreng.) Schwaegr. - Wace & Dickson (1965: 345)	G
? * <i>Lepydoron alaris</i> Dixon - Dixon (1960: 38)	T,G
<i>Macromitrium</i> sp. Brid. - Dixon (1960: 28)	
* <i>M. acutirameum</i> Mitt. - Dixon (1960: 6)	T
* <i>M. antarcticum</i> C. H. Wright - Dixon (1960: 28)	T,I,N,G
<i>M. fimbriatum</i> Schwaegr. - Dixon (1960: 28)	T
<i>Meiothecium urceolatum</i> (Schwaegr.) Broth. - Wace & Dickson (1965: 345)	T
<i>Neohodgsonia mirabilis</i> H. Persson - Bartram (1959: 210)	G
* <i>Oligotrichum tristaniense</i> Dixon - Dixon (1960: 47)	T
<i>Oncophorus fuegianus</i> Card. - Christopherson (1934: 9)	G
<i>Orthostichopsis subimbricata</i> (Hampe) Broth. - Wace & Dickson (1965: 345)	T
<i>Orthotheciella varia</i> (Hedw.) Ochyra - Dixon (1960: 40 as <i>Amblystegium excurrens</i> Broth. & Card.)	T
? <i>Pleuropus bonplandi</i> (Hook.) Broth. - Dixon (1960: 43)	T,I
* <i>Philonotis capillata</i> Mitt. - Dixon (1960: 36); Bartram (1959: 210)	T,G
<i>P. scabrifolia</i> (H. f. & W.) Mitt. - Dixon (1960: 36)	T
<i>P. tenuis</i> (Tayl.) Jaeg. - Dixon (1960: 36)	T,I,G
<i>P. vagans</i> (H. & W.) Mitt. - Christophersen (1934: 10); Dixon (1960: 36)	T,G
<i>Phyllogonium fulgens</i> (Sw.) Brid. - Wace & Dickson (1965: 345)	G
<i>P. viscosum</i> (Beauv.) Mont. - Bartram (1950: 210)	T,G
* <i>Physcomitrium aubertii</i> Besch. - Dixon (1960: 2)	T,I
<i>Pohlia elongata</i> Hedw. - Dixon (1960: 29)	T
* <i>Pohlia excurrens</i> (Dixon) E.B. Bartram - Christophersen (1934: 9 as <i>Webera excurrens</i> Dixon); Dixon (1960: 30)	T,I,G
<i>P. nutans</i> (Hedw.) Lindb. - Dixon (1960: 29)	T,G
<i>P. wahlenbergii</i> (Web. & Mohr) Andrews - Christophersen (1934: 10 as <i>Mniobryum albicans</i> (Wahlenb.) Limpr.); Dixon (1960: 30 as <i>Mniobryum wahlenbergii</i>)	T,G
<i>Polytrichadelphus magellanicus</i> (Hedw.) Mitt. - Dixon (1960: 49); Bartram (1959: 210)	T,I,G
? <i>Polytrichum gracile</i> Sm. - Wace & Dickson (1965: 345)	G
<i>P. juniperinum</i> Hedw. - Dixon (1960: 49)	T,I,N,G
<i>P. piliferum</i> - Ryan et al. (2007: 57)	
* <i>Porotrichum atlanticum</i> Dixon - Dixon (1960: 7)	T

APPENDIX 7.2 – (continued)

TAXON NAME	DISTRIBUTION
? <i>Pseudoscleropodium purum</i> (Limpr.) Fleisch. - Dickson (1967)	T
<i>Psilopilum antarcticum</i> (C. Muell) Par. - Wace & Dickson (1965: 345)	T
* <i>P. laxifolium</i> Dixon - Dixon (1960: 48)	T,I
* <i>P. tristaniense</i> Dixon - Dixon (1960: 48)	T
<i>Ptychomnion densifolium</i> (Brid.) Jaeg. - Dixon (1960: 38); Bartram (1959: 210)	T,I,G
<i>Pyrrhobryum spiniforme</i> (Hedw.) Mitt. - Dixon (1960: 34 as <i>Rhizogonium spiniforme</i>)	T,N
<i>Racomitrium</i> Brid. - Dixon (1960: 24 as <i>Rhacomitrium</i>)	
<i>R. crispulum</i> (H. f. & W.) H. f. & W. - Dixon (1960: 24; 25 as <i>R. heterostichoides</i> Card.)	T,I,G
* <i>R. decurrens</i> Dixon - Dixon (1960: 26)	T
* <i>R. gracillimum</i> Dixon - Dixon (1960: 26)	T
<i>R. laevigatum</i> A. Jae. - Dixon (1960: 26 as <i>R. breuteloides</i> Dixon); Wace & Dickson (1965: 344 as <i>Racomitrium loriforme</i> Dus.)	T,G
<i>R. lamprocarpum</i> (Müll. Hal.) Jaeg. - Dixon (1960: 25 as <i>R. subnigratum</i>); Ochyra (1999: 515)	T,G
<i>R. lanuginosum</i> (Hedw.) Brid. - Dixon (1960: 27); Bartram (1959: 209); Ryan et al. (2007: 57)	T,I,G
<i>R. nigratum</i> (C. M.) Jaeg. - Dixon (1960: 25)	T
? <i>R. symphyodontum</i> (C. Muell) Jaeg. - Wace & Dickson (1965: 344)	G
<i>Rhizogonium spiniforme</i> (Hedw.) Brunch. - Bartram (1959: 210)	T,N,G
* <i>Rhynchostegium irriguum</i> Dixon - Dixon (1960: 44)	T
* <i>R. isopterygioides</i> Card. - Dixon (1960: 44); Bartram (1959: 210)	T,I,N,G
? * <i>Rigodium crassicastrum</i> (Dix.) Bartr. - Dixon (1960: 43); Wace & Dickson (1965: 345)	T
<i>Sanionia uncinata</i> (Hedw.) Loeske - Dixon (1960: 41 as <i>Drepanocladus uncinatus</i> (Hedw.) Warnst.)	T
* <i>Schlotheimia atlantica</i> Dixon - Dixon (1960: 28)	T
<i>Sematophyllum crassiusculum</i> (Brid.) Broth. - Dixon (1960: 44)	T,I,N
<i>Sphagnum fimbriatum</i> Wils. - Bartram (1959: 208); Christophersen (1934: 10)	G
<i>S. magellanicum</i> Brid. - Bartram (1959: 208); Wace & Dickson (1965: 342)	G
<i>S. recurvum</i> Beauv. - Dixon (1960: 8); Bartram (1959: 208)	T,G,I
<i>S. violascens</i> Müll. Hal. - as <i>Sphagnum scotiae</i> Card. - Bartram (1959: 208), Christophersen (1934: 10)	G
<i>Syrrophodon gaudichaudii</i> Mont. - Dixon (1960: 22 as <i>S. atlanticus</i> Dixon)	T,N,G
<i>Thuidium alvarezianum</i> Card. - Wace & Dickson (1965: 345)	G
<i>T.furfurosum</i> (H. f. & W.) Reich. - as <i>Thuidium curvatum</i> Mitt. - Dixon (1960: 40) and Bartram (1959: 209)	T,I,N,G
<i>Tortula kunzeana</i> (C. M.) Mitt. - Dixon (1960: 23)	T
<i>T. muralis</i> - Ryan et al. (2007: 57)	
* <i>Trematodon intermixtus</i> Card. - Dixon (1960: 15)	T,I
<i>Trichostomum</i> sp. - Dixon (1960: 22)	T
<i>T. aequatoriale</i> Spr. (Syn. <i>T. quitense</i> Hampe) - Dixon (1960: 22)	T
? <i>Weisia</i> sp. - Dixon (1960: 22)	T
* <i>Zygodon insularum</i> Dixon - Dixon (1960: 27)	T

