

California Department of Fish and Game
Natural Diversity Database
CNDDB Wide Tabular Report
Madera County, 2/12

| Name (Scientific/Common) | CNDDB Ranks | Other Lists | Listing Status | Total EO's | Element Occ Ranks | | | | | | Population Status | | Presence | | |
|--|---------------------|-------------|------------------------------------|--------------|-------------------|----|---|---|---|----|-------------------|----------------|--------------|---------------|---------|
| | | | | | A | B | C | D | X | U | Historic >20 yr | Recent <=20 yr | Pres. Extant | Poss. Extirp. | Extirp. |
| <i>Agelaius tricolor</i> tricolored blackbird | G2G3 S2 | CDFG: SC | Fed: None Cal: None | 428 S:2 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | 2 | 0 | 0 |
| <i>Agrostis humilis</i> mountain bent grass | G4 S1.3 | CNPS: 2.3 | Fed: None Cal: None | 16 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 |
| <i>Ambystoma californiense</i> California tiger salamander | G2G3 S2S3 | CDFG: SC | Fed: Threatened Cal: Threatened | 1055 S:67 | 2 | 23 | 2 | 2 | 8 | 30 | 24 | 43 | 59 | 6 | 2 |
| <i>Anaxyrus canorus</i> Yosemite toad | G2 S2 | CDFG: SC | Fed: Candidate Cal: None | 226 S:17 | 0 | 0 | 0 | 0 | 0 | 17 | 1 | 16 | 17 | 0 | 0 |
| <i>Andrena macswaini</i> An andrenid bee | G1G3 S1S3 | CDFG: | Fed: None Cal: None | 7 S:3 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 3 | 0 | 0 |
| <i>Anniella pulchra pulchra</i> silvery legless lizard | G3G4T3T4 Q S3 | CDFG: SC | Fed: None Cal: None | 91 S:1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| <i>Antrozous pallidus</i> pallid bat | G5 S3 | CDFG: SC | Fed: None Cal: None | 402 S:2 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 2 | 0 | 0 |
| <i>Aquila chrysaetos</i> golden eagle | G5 S3 | CDFG: | Fed: None Cal: None | 141 S:2 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 |
| <i>Athene cunicularia</i> burrowing owl | G4 S2 | CDFG: SC | Fed: None Cal: None | 1808 S:5 | 1 | 2 | 0 | 0 | 1 | 1 | 0 | 5 | 4 | 1 | 0 |
| <i>Atriplex cordulata</i> heartscale | G2? S2.2? | CNPS: 1B.2 | Fed: None Cal: None | 64 S:10 | 3 | 0 | 1 | 0 | 3 | 3 | 4 | 6 | 7 | 0 | 3 |
| <i>Atriplex minuscula</i> lesser saltscale | G1 S1.1 | CNPS: 1B.1 | Fed: None Cal: None | 37 S:10 | 4 | 0 | 1 | 0 | 1 | 4 | 4 | 6 | 9 | 0 | 1 |
| <i>Atriplex persistsens</i> vernal pool smallscale | G2 S2.2 | CNPS: 1B.2 | Fed: None Cal: None | 39 S:4 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 4 | 4 | 0 | 0 |
| <i>Atriplex subtilis</i> subtle orache | G2 S2.2 | CNPS: 1B.2 | Fed: None Cal: None | 24 S:5 | 2 | 0 | 0 | 0 | 1 | 2 | 1 | 4 | 4 | 0 | 1 |
| <i>Big Tree Forest</i> | G3 S3.2 | | Fed: None Cal: None | 68 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Boechera tularensis</i> Tulare rockcress | G2 S2 | CNPS: 1B.3 | Fed: None Cal: None | 28 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Branchinecta lynchi</i> vernal pool fairy shrimp | G3 S2S3 | CDFG: | Fed: Threatened Cal: None | 608 S:43 | 0 | 15 | 5 | 5 | 0 | 18 | 6 | 37 | 43 | 0 | 0 |

California Department of Fish and Game
Natural Diversity Database
CNDDB Wide Tabular Report
Madera County, 2/12

| Name (Scientific/Common) | CNDDB Ranks | Other Lists | Listing Status | Total EO's | Element Occ Ranks | | | | | | Population Status | | Presence | | |
|---|---------------|-------------|------------------------------------|--------------|-------------------|----|---|---|---|---|-------------------|----------------|--------------|---------------|---------|
| | | | | | A | B | C | D | X | U | Historic >20 yr | Recent <=20 yr | Pres. Extant | Poss. Extirp. | Extirp. |
| <i>Branchinecta mesovallensis</i> midvalley fairy shrimp | G2 S2 | CDFG: | Fed: None Cal: None | 99 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Bruchia bolanderi</i> Bolander's bruchia | G3 S2 | CNPS: 2.2 | Fed: None Cal: None | 28 S:5 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 5 | 5 | 0 | 0 |
| <i>Buteo swainsoni</i> Swainson's hawk | G5 S2 | CDFG: | Fed: None Cal: Threatened | 1730 S:28 | 0 | 17 | 3 | 0 | 1 | 7 | 5 | 23 | 27 | 1 | 0 |
| <i>Calasellus longus</i> An isopod | G1 S1 | CDFG: | Fed: None Cal: None | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Calycadenia hooveri</i> Hoover's calycadenia | G2 S2.2 | CNPS: 1B.3 | Fed: None Cal: None | 35 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Calyptridium pulchellum</i> Mariposa pussypaws | G1 S1.1 | CNPS: 1B.1 | Fed: Threatened Cal: None | 9 S:5 | 0 | 2 | 3 | 0 | 0 | 0 | 2 | 3 | 5 | 0 | 0 |
| <i>Camissonia sierrae ssp. alticola</i> Mono Hot Springs evening-primrose | G3T2 S2.2 | CNPS: 1B.2 | Fed: None Cal: None | 19 S:4 | 1 | 2 | 0 | 0 | 0 | 1 | 1 | 3 | 4 | 0 | 0 |
| <i>Carpenteria californica</i> tree-anemone | G2 S2.2 | CNPS: 1B.2 | Fed: None Cal: Threatened | 13 S:3 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 2 | 2 | 0 | 1 |
| <i>Castilleja campestris ssp. succulenta</i> succulent owl's-clover | G4?T2 S2.2 | CNPS: 1B.2 | Fed: Threatened Cal: Endangered | 90 S:12 | 1 | 4 | 1 | 1 | 0 | 5 | 5 | 7 | 12 | 0 | 0 |
| <i>Central Valley Drainage Hardhead/Squawfish Stream</i> | G? SNR | | Fed: None Cal: None | 11 S:3 | 0 | 1 | 2 | 0 | 0 | 0 | 3 | 0 | 3 | 0 | 0 |
| <i>Central Valley Drainage Rainbow Trout/Cyprinid Stream</i> | G? SNR | | Fed: None Cal: None | 2 S:1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| <i>Central Valley Drainage Resident Rainbow Trout Stream</i> | G? SNR | | Fed: None Cal: None | 5 S:1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| <i>Chloropyron palmatum</i> palmate-bracted bird's-beak | G1 S1 | CNPS: 1B.1 | Fed: Endangered Cal: Endangered | 26 S:5 | 0 | 2 | 0 | 0 | 3 | 0 | 1 | 4 | 2 | 3 | 0 |
| <i>Clarkia australis</i> Small's southern clarkia | G2 S2.2 | CNPS: 1B.2 | Fed: None Cal: None | 40 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Clarkia rostrata</i> beaked clarkia | G2 S2 | CNPS: 1B.3 | Fed: None Cal: None | 36 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |

California Department of Fish and Game
Natural Diversity Database
CNDDB Wide Tabular Report
Madera County, 2/12

| Name (Scientific/Common) | CNDDB Ranks | Other Lists | Listing Status | Total EO's | Element Occ Ranks | | | | | | Population Status | | Presence | | |
|---|------------------|-------------|------------------------------------|--------------|-------------------|----|---|---|---|----|-------------------|----------------|--------------|---------------|---------|
| | | | | | A | B | C | D | X | U | Historic >20 yr | Recent <=20 yr | Pres. Extant | Poss. Extirp. | Extirp. |
| <i>Claytonia megarhiza</i> fell-fields claytonia | G4G5 S2S3 | CNPS: 2.3 | Fed: None Cal: None | 14 S:3 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 3 | 0 | 0 |
| <i>Coccyzus americanus occidentalis</i> western yellow-billed cuckoo | G5T3Q S1 | CDFG: | Fed: Candidate Cal: Endangered | 117 S:1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 |
| <i>Collomia rawsoniana</i> Rawson's flaming trumpet | G2 S2 | CNPS: 1B.2 | Fed: None Cal: None | 24 | 2 | 4 | 1 | 0 | 0 | 17 | 21 | 3 | 24 | 0 | 0 |
| <i>Cryptantha hooveri</i> Hoover's cryptantha | GH SH | CNPS: 1A | Fed: None Cal: None | 3 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Delphinium recurvatum</i> recurved larkspur | G3 S3 | CNPS: 1B.2 | Fed: None Cal: None | 91 S:3 | 0 | 1 | 0 | 0 | 0 | 2 | 1 | 2 | 3 | 0 | 0 |
| <i>Desmocerus californicus dimorphus</i> valley elderberry longhorn beetle | G3T2 S2 | CDFG: | Fed: Threatened Cal: None | 201 S:6 | 1 | 1 | 2 | 1 | 0 | 1 | 3 | 3 | 6 | 0 | 0 |
| <i>Didymodon norrisii</i> Norris' beard moss | G3G4 S3S4 | CNPS: 2.2 | Fed: None Cal: None | 40 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 |
| <i>Dipodomys heermanni dixonii</i> Merced kangaroo rat | G3G4T2T3 S2S3 | CDFG: | Fed: None Cal: None | 21 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 |
| <i>Dipodomys nitratoides exilis</i> Fresno kangaroo rat | G3T1 S1 | CDFG: | Fed: Endangered Cal: Endangered | 12 S:2 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 1 | 1 | 0 |
| <i>Efferia antiochi</i> Antioch efferian robberfly | G1G3 S1S3 | CDFG: | Fed: None Cal: None | 4 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Empidonax traillii</i> willow flycatcher | G5 S1S2 | CDFG: | Fed: None Cal: Endangered | 87 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Emys marmorata</i> western pond turtle | G3G4 S3 | CDFG: SC | Fed: None Cal: None | 1133 S:16 | 2 | 1 | 2 | 0 | 0 | 11 | 10 | 6 | 16 | 0 | 0 |
| <i>Epilobium howellii</i> subalpine fireweed | G4 S4 | CNPS: 4.3 | Fed: None Cal: None | 99 S:24 | 1 | 15 | 6 | 0 | 0 | 2 | 0 | 24 | 24 | 0 | 0 |
| <i>Eremophila alpestris actia</i> California horned lark | G5T3Q S3 | CDFG: | Fed: None Cal: None | 76 S:1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| <i>Eriophyllum nubigenum</i> Yosemite woolly sunflower | G2 S2.3 | CNPS: 1B.3 | Fed: None Cal: None | 14 S:2 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 2 | 0 | 0 |
| <i>Eryngium spinosepalum</i> spiny-sepaled button-celery | G2 S2.2 | CNPS: 1B.2 | Fed: None Cal: None | 70 S:6 | 3 | 2 | 0 | 0 | 0 | 1 | 1 | 5 | 6 | 0 | 0 |

California Department of Fish and Game
Natural Diversity Database
CNDDB Wide Tabular Report
Madera County, 2/12

| Name (Scientific/Common) | CNDDB Ranks | Other Lists | Listing Status | Total EO's | Element Occ Ranks | | | | | | Population Status | | Presence | | |
|--|-------------|-------------|------------------------------------|-------------|-------------------|---|---|---|---|----|--------------------|-------------------|-----------------|------------------|---------|
| | | | | | A | B | C | D | X | U | Historic >20 yr | Recent <=20 yr | Pres. Extant | Poss. Extirp. | Extirp. |
| <i>Erythronium pluriflorum</i> Shuteye Peak fawn lily | G1 S1.3 | CNPS: 1B.3 | Fed: None Cal: None | 6 | 3 | 2 | 1 | 0 | 0 | 0 | 5 | 1 | 6 | 0 | 0 |
| <i>Euderma maculatum</i> spotted bat | G4 S2S3 | CDFG: SC | Fed: None Cal: None | 68 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Eumops perotis californicus</i> western mastiff bat | G5T4 S3? | CDFG: SC | Fed: None Cal: None | 293 S:3 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | 3 | 0 | 0 |
| <i>Falco mexicanus</i> prairie falcon | G5 S3 | CDFG: | Fed: None Cal: None | 456 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Fissidens aphelotaxifolius</i> brook pocket moss | G1G2 S1 | CNPS: 2.2 | Fed: None Cal: None | 2 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Gambelia sila</i> blunt-nosed leopard lizard | G1 S1 | CDFG: | Fed: Endangered Cal: Endangered | 301 S:30 | 0 | 0 | 1 | 0 | 0 | 29 | 29 | 1 | 30 | 0 | 0 |
| <i>Gratiola heterosepala</i> Boggs Lake hedge-hyssop | G2 S2 | CNPS: 1B.2 | Fed: None Cal: Endangered | 89 S:2 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 0 | 0 |
| <i>Great Valley Mixed Riparian Forest</i> | G2 S2.2 | | Fed: None Cal: None | 68 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Gulo gulo</i> California wolverine | G4 S1 | CDFG: | Fed: Candidate Cal: Threatened | 173 S:4 | 0 | 0 | 0 | 0 | 0 | 4 | 3 | 1 | 4 | 0 | 0 |
| <i>Haliaeetus leucocephalus</i> bald eagle | G5 S2 | CDFG: | Fed: Delisted Cal: Endangered | 306 S:4 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 4 | 4 | 0 | 0 |
| <i>Hulsea brevifolia</i> short-leaved hulsea | G3 S3 | CNPS: 1B.2 | Fed: None Cal: None | 64 S:11 | 1 | 4 | 0 | 0 | 0 | 6 | 2 | 9 | 11 | 0 | 0 |
| <i>Hydromantes platycephalus</i> Mount Lyell salamander | G3 S3 | CDFG: SC | Fed: None Cal: None | 43 S:3 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 3 | 0 | 0 |
| <i>Hydroporus leechi</i> Leech's skyline diving beetle | G1? S1? | CDFG: | Fed: None Cal: None | 13 S:3 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 3 | 0 | 0 |
| <i>Ivesia unguiculata</i> Yosemite ivesia | G3 S3.2 | CNPS: 4.2 | Fed: None Cal: None | 26 S:3 | 1 | 0 | 0 | 0 | 0 | 2 | 3 | 0 | 3 | 0 | 0 |
| <i>Lasionycteris noctivagans</i> silver-haired bat | G5 S3S4 | CDFG: | Fed: None Cal: None | 138 S:3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 0 |
| <i>Lasiurus cinereus</i> hoary bat | G5 S4? | CDFG: | Fed: None Cal: None | 235 S:3 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 3 | 0 | 0 |

California Department of Fish and Game
Natural Diversity Database
CNDDDB Wide Tabular Report
Madera County, 2/12

| Name (Scientific/Common) | CNDDDB Ranks | Other Lists | Listing Status | Total EO's | Element Occ Ranks | | | | | | Population Status | | Presence | | |
|---|----------------|-------------|-----------------------------|-------------|-------------------|----|---|---|---|----|-------------------|----------------|--------------|---------------|---------|
| | | | | | A | B | C | D | X | U | Historic >20 yr | Recent <=20 yr | Pres. Extant | Poss. Extirp. | Extirp. |
| <i>Layia munzii</i> Munz's tidy-tips | G1 S1.1 | CNPS: 1B.2 | Fed: None Cal: None | 28 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Leptosiphon serrulatus</i> Madera leptosiphon | G1? S1? | CNPS: 1B.2 | Fed: None Cal: None | 27 S:7 | 0 | 1 | 0 | 0 | 0 | 6 | 6 | 1 | 7 | 0 | 0 |
| <i>Lewisia disepala</i> Yosemite lewisia | G2 S2.2 | CNPS: 1B.2 | Fed: None Cal: None | 22 S:4 | 3 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 4 | 0 | 0 |
| <i>Lindieriella occidentalis</i> California lindieriella | G3 S2S3 | CDFG: | Fed: None Cal: None | 382 S:49 | 1 | 24 | 3 | 0 | 0 | 21 | 2 | 47 | 49 | 0 | 0 |
| <i>Lupinus citrinus</i> var. <i>citrinus</i> orange lupine | G2T2 S2.2 | CNPS: 1B.2 | Fed: None Cal: None | 57 S:10 | 2 | 1 | 2 | 3 | 0 | 2 | 4 | 6 | 10 | 0 | 0 |
| <i>Lupinus gracilentus</i> slender lupine | G2 S2 | CNPS: 1B.3 | Fed: None Cal: None | 13 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 |
| <i>Lytta moesta</i> moestan blister beetle | G2 S2 | CDFG: | Fed: None Cal: None | 12 S:2 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 2 | 0 |
| <i>Lytta molesta</i> molestan blister beetle | G2 S2 | CDFG: | Fed: None Cal: None | 17 S:2 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 1 | 1 | 0 |
| <i>Martes americana sierrae</i> Sierra marten | G5T3T4 S3S4 | CDFG: | Fed: None Cal: None | 111 S:2 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 2 | 0 | 0 |
| <i>Martes pennanti (pacifica)</i> DPS Pacific fisher | G5 S2S3 | CDFG: SC | Fed: Candidate Cal: None | 646 S:2 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 2 | 0 | 0 |
| <i>Mimulus gracilipes</i> slender-stalked monkeyflower | G2G3 S2S3 | CNPS: 1B.2 | Fed: None Cal: None | 13 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 |
| <i>Minuartia stricta</i> bog sandwort | G5 S2 | CNPS: 2.3 | Fed: None Cal: None | 18 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Mylopharodon conocephalus</i> hardhead | G3 S3 | CDFG: SC | Fed: None Cal: None | 32 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Myotis evotis</i> long-eared myotis | G5 S4? | CDFG: | Fed: None Cal: None | 107 S:2 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 0 | 0 |
| <i>Myotis volans</i> long-legged myotis | G5 S4? | CDFG: | Fed: None Cal: None | 113 S:1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| <i>Myotis yumanensis</i> Yuma myotis | G5 S4? | CDFG: | Fed: None Cal: None | 256 S:3 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 0 |

California Department of Fish and Game
Natural Diversity Database
CNDDB Wide Tabular Report
Madera County, 2/12

| Name (Scientific/Common) | CNDDB Ranks | Other Lists | Listing Status | Total EO's | Element Occ Ranks | | | | | | Population Status | | Presence | | |
|--|----------------|-------------|---|-------------|-------------------|---|---|---|---|----|-------------------|----------------|--------------|---------------|---------|
| | | | | | A | B | C | D | X | U | Historic >20 yr | Recent <=20 yr | Pres. Extant | Poss. Extirp. | Extirp. |
| <i>Neothremma genella</i> golden-horned caddisfly | G1G2 S1S2 | CDFG: | Fed: None Cal: None | 2 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Northern Claypan Vernal Pool</i> | G1 S1.1 | | Fed: None Cal: None | 21 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Northern Hardpan Vernal Pool</i> | G3 S3.1 | | Fed: None Cal: None | 126 S:10 | 0 | 2 | 1 | 2 | 0 | 5 | 10 | 0 | 10 | 0 | 0 |
| <i>Ochotona princeps schisticeps</i> gray-headed pika | G5T2T4 S2S4 | CDFG: | Fed: None Cal: None | 328 S:8 | 0 | 0 | 0 | 0 | 0 | 8 | 6 | 2 | 8 | 0 | 0 |
| <i>Oncorhynchus clarkii henshawi</i> Lahontan cutthroat trout | G4T3 S2 | CDFG: | Fed: Threatened Cal: None | 27 S:1 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| <i>Oncorhynchus clarkii seleniris</i> Paiute cutthroat trout | G4T1T2 S1S2 | CDFG: | Fed: Threatened Cal: None | 12 S:1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| <i>Orcuttia inaequalis</i> San Joaquin Valley Orcutt grass | G1 S1 | CNPS: 1B.1 | Fed: Threatened Cal: Endangered | 47 S:10 | 1 | 3 | 1 | 1 | 4 | 0 | 6 | 4 | 6 | 1 | 3 |
| <i>Orcuttia pilosa</i> hairy Orcutt grass | G2 S2.1 | CNPS: 1B.1 | Fed: Endangered Cal: Endangered | 35 S:12 | 0 | 4 | 2 | 4 | 2 | 0 | 6 | 6 | 10 | 0 | 2 |
| <i>Peltigera hydrothyria</i> aquatic felt lichen | G4 S3.2 | CNPS: | Fed: None Cal: None | 26 S:7 | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 7 | 7 | 0 | 0 |
| <i>Perognathus inornatus inornatus</i> San Joaquin pocket mouse | G4T2T3 S2S3 | CDFG: | Fed: None Cal: None | 109 S:2 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 2 | 0 | 0 |
| <i>Phrynosoma blainvillii</i> coast horned lizard | G4G5 S3S4 | CDFG: SC | Fed: None Cal: None | 658 S:1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| <i>Potamogeton epihydrus</i> Nuttall's ribbon-leaved pondweed | G5 S2.2? | CNPS: 2.2 | Fed: None Cal: None | 16 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 0 |
| <i>Potamogeton robbinsii</i> Robbins' pondweed | G5 S2.3? | CNPS: 2.3 | Fed: None Cal: None | 10 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Pseudobahia bahiifolia</i> Hartweg's golden sunburst | G2 S2 | CNPS: 1B.1 | Fed: Endangered Cal: Endangered | 27 S:2 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 1 | 0 |
| <i>Rana boylei</i> foothill yellow-legged frog | G3 S2S3 | CDFG: SC | Fed: None Cal: None | 804 S:5 | 0 | 1 | 1 | 0 | 0 | 3 | 4 | 1 | 5 | 0 | 0 |
| <i>Rana sierrae</i> Sierra Nevada yellow-legged frog | G1 S1 | CDFG: SC | Fed: Candidate Cal: unknown code... | 512 S:40 | 0 | 0 | 0 | 0 | 0 | 40 | 10 | 30 | 40 | 0 | 0 |

California Department of Fish and Game
Natural Diversity Database
CNDDDB Wide Tabular Report
Madera County, 2/12

| Name (Scientific/Common) | CNDDDB Ranks | Other Lists | Listing Status | Total EO's | Element Occ Ranks | | | | | | Population Status | | Presence | | |
|---|----------------|-------------|------------------------------------|-------------|-------------------|---|---|---|---|----|-------------------|----------------|--------------|---------------|---------|
| | | | | | A | B | C | D | X | U | Historic >20 yr | Recent <=20 yr | Pres. Extant | Poss. Extirp. | Extirp. |
| <i>Riparia riparia</i> bank swallow | G5 S2S3 | CDFG: | Fed: None Cal: Threatened | 248 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Sagittaria sanfordii</i> Sanford's arrowhead | G3 S3 | CNPS: 1B.2 | Fed: None Cal: None | 88 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Spea hammondi</i> western spadefoot | G3 S3 | CDFG: SC | Fed: None Cal: None | 408 S:30 | 3 | 6 | 2 | 1 | 0 | 18 | 7 | 23 | 30 | 0 | 0 |
| <i>Strix nebulosa</i> great gray owl | G5 S1 | CDFG: | Fed: None Cal: Endangered | 75 S:3 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 3 | 0 | 0 |
| <i>Taxidea taxus</i> American badger | G5 S4 | CDFG: SC | Fed: None Cal: None | 454 S:6 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 0 | 6 | 0 | 0 |
| <i>Tetrix sierrana</i> Sierra pygmy grasshopper | G1G2 S1S2 | CDFG: | Fed: None Cal: None | 2 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Thamnophis gigas</i> giant garter snake | G2G3 S2S3 | CDFG: | Fed: Threatened Cal: Threatened | 268 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Trifolium bolanderi</i> Bolander's clover | G2G3 S2S3 | CNPS: 1B.2 | Fed: None Cal: None | 32 S:18 | 0 | 8 | 3 | 0 | 0 | 7 | 18 | 0 | 18 | 0 | 0 |
| <i>Tuctoria greenei</i> Greene's tuctoria | G1 S1 | CNPS: 1B.1 | Fed: Endangered Cal: Rare | 46 S:1 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 |
| <i>Valley Sacaton Grassland</i> | G1 S1.1 | | Fed: None Cal: None | 9 S:2 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 0 |
| <i>Valley Sink Scrub</i> | G1 S1.1 | | Fed: None Cal: None | 29 S:1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 |
| <i>Vulpes macrotis mutica</i> San Joaquin kit fox | G4T2T3 S2S3 | CDFG: | Fed: Endangered Cal: Threatened | 959 S:8 | 0 | 0 | 0 | 0 | 0 | 8 | 6 | 2 | 8 | 0 | 0 |
| <i>Vulpes vulpes necator</i> Sierra Nevada red fox | G5T3 S1 | CDFG: | Fed: None Cal: Threatened | 179 S:4 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | 0 | 4 | 0 | 0 |