# CATALOGUE 2023

BARBECUES
PATIO HEATERS
CAMPING ITEMS
ALUMINIUM BOXES

Enders

### **BARBECUES GAS**



UNIQ® PRO 3 I CRUSTER® P. 14



KANSAS II PRO 3 SIK TURBO P. 20



KANSAS II PRO 4 SIK PROFI TURBO P. 20



UNIQ® PRO 3 IK KITCHEN

MONROE PROX 3 S TURBO P. 26



MONROE BLACK PRO 3 K TURBO P. 26

MONROE PRO 4 SIK TURBO

0 0 0 00000

COLORADO 6 IK TURBO II

P. 26



MONROE PRO 3 SIK TURBO P. 26



MONROE PRO 4 SIK TURBO SHADOW P. 27



BOSTON BLACK 3 K TURBO P. 40



MONROE PRO 3 SIK TURBO SHADOW



COLORADO 3 I TURBO P. 34

BOSTON BLACK 4 IK TURBO

P. 40



P. 26

P. 34



MONROE BLACK PRO 4 IK TURBO



BOSTON BLACK 6 KR TURBO P. 40



CUBIQ® PROX 3 TURBO P. 46



CHICAGO 3 R TURBO P. 52



SAN DIEGO 2 P. 64



URBAN TROLLEY P. 70



CUBIQ® PRO 3 R TURBO

P. 46

CHICAGO 4 K

URBAN PRO TROLLEY P. 70



CHICAGO 3 P. 52



**BROOKLYN NEXT 2** P. 58



**BROOKLYN NEXT 3** P. 58



SAN DIEGO 4 P. 64



URBAN & URBAN PRO P. 70



EXPLORER NEXT P. 136



EXPLORER NEXT PRO P. 136

### **ELECTRIC**



P. 82

eFLOW® PRO 2 TURBO P. 76

### **CHARCOAL**



AURORA® P. 86

AURORA® MIRROR





NOVA® LED M/L



### **GAS PATIO HEATERS**







COMMERCIAL P. 125

### **ELECTRIC PATIO HEATERS**



ORON P. 132

NEW

LOOM P. 131



MOOW P. 131



OXEO BLACK / OXEO WHITE



**BBQ-TECHNOLOGY** FROM P. 6



**BBQ ACCESSORIES** FROM P. 90



**ECO-TECHNOLOGY** FROM P. 104



**CAMPING ITEMS** FROM P. 142



**ALUMINIUM BOXES** FROM P. 156



**BARBECUE** 

TURBO ZONE

This electric grill doesn't just get BBQ fans all fired up, it also captures their imagination. The sophisticated features - making it in no way inferior to its siblings - are reflected in its modern design. The cast aluminium elements contribute their part to this exciting look. At the same time, however, they also give the eFLOW® its unparalelled stability, which lies rooted in its compact design. The combination of design and performance thus predestines it for use on small balconies. And now brand new: The eFLOW® in a matt graphite finish of the Shadow series. A new look that once again will be sure to WOW anyone who sets eyes on it.



# FASTER, HOTTER, SIMPLY DELICIOUS.

### THE ENDERS TURBO BURNER

The TURBO ZONE™ allows you to grill using infrared heat like a real professional. With a top temperature of up to 400 °C on the grill, it will help you achieve the perfect barbecue aroma and flavour for excellent steaks.

300 °C IN THE COOKING CHAMBER

400°C ON THE GRILL

800°C
TURBO ZONE™

### TURBO ZONE

- Freely adjustable and turbo-fast from the lowest to the highest temperature
- Simply turn the red knob and the TURBO ZONE™ delivers max performance straight away
- Clearly recognisable by the visible red glowing stainless steel mesh of the flame tamer
- Hot frying at maximum temperature gives meat that delicious smoky flavour
- Meat stays much juicier and much tastier

**TURBO CONTROL** 

# TEMPERATURE CONTROL HEAT RANGE

While previously, many years of barbecue experience may have ensured a passable barbecue result, today, Enders HEAT RANGE technology and its professional heat control and distribution features guarantee your barbecue will be an all-round success. From the stainless steel burner to the flame tamer to the grill grate, the barbecue features are perfectly coordinated to guarantee that temperature is perfectly controlled, from low cooking at approx. 80 °C to the maximum heat of 400°C on the grill to sear your steak to perfection.

**BRENNERSYSTEM** 

Constant temperatures from 80 °C up to 300 °C in the cooking chamber, up to 400 °C directly on the grill

Reaches the maximum grill temperature is significantly faster Even heat distribution over the entire grilling surface including the front section

New flame tamers minimise flare-ups

UNIQ PRO, KANSAS II PRO, MONROE PRO, COLORADO, BOSTON BLACK and CUBIQ PRO model series all equipped with HEAT RANGE technology





# EFFORTLESS CLEANING



Enders' patent-pending, innovative solution for quick and easy cleaning of your barbecue in just a few steps:

- The entire combustion chamber and the fat trays have smooth surfaces – without corners and edges – and can be removed without tools
- All removable components are made of stainless steel and are dishwasher-proof or easy to clean by hand
- Kiss goodbye to annoying grill cleaning of hard-to-reach corners
- The UNIQ PRO, KANSAS II PRO, MONROE PRO, eFLOW PRO as well as the eCRAVE, feauture SIMPLE CLEAN system







The Cruster® can be freely adjusted in height and angle of inclination via two T-buttons.

The Cruster®. Conceived, designed and built to turn the concept of barbecue on its head. A world first that will henceforth be enthroned at the very top of the food preparation chain and leave everything else for dust. It's raining fire. And the principle behind this natural spectacle? Anything but half-baked. The Cruster® uses the proven technology of the backburner and reaches peak temperatures of up to 800° C through infrared radiant heat. What makes it unique, however, is its versatility. Disguised as a back burner, the Cruster® can be converted into a top-heat grill within seconds. It can be adjusted almost freely in height and in its angle of inclination and thus offers unlimited possibilities for the preparation of various dishes. Whether pizza, thicker pieces of meat, casseroles or crème brûlée - the Cruster® turns the art of barbecue on its head.



The ceramic burner in a vertical powhether gyros, kebabs, grilled chicken or a crispy duck - the cruster® always produces an incredibly good crust.



Baking is also easy for the cruster®. sition is ideal for rotating skewers: In the angled position, it acts as the crispy steaks, a pork belly and for perfect source of top heat. Combining the burning power of the crus- caramelising food. Due to the enorter with bottom heat and a pizza stone, it is possible to bake pizzas in less than two minutes, even with the lid open.



This position is ideal for preparing general gratinating, roasting and mously hot temperatures, an excellent crust is created within a very short time without drying out the grilled food.

10 BARBECUES | GAS BARBECUES | GAS 11



### UNIQ® PRO **SERIES**



FIND HERE HOSE AND EGULATOR KITS PAGE 149



· CRUSTER®

· 800 °C TURBO ZONE™

· 3 stainless steel burner

· SWITCH GRID™

ITEM NO. 860733

19.7 kW / 30 mbar

64 kg

W 150.5 x D 66.5 x H 120.6 cm W 70 x D 48 cm

· 800 °C TURBO ZONE™ · 3 stainless steel burner

· Dual side cooker

· SWITCH GRID™

· Slider grill grate

· CRUSTER®



3 IK CRUSTER®

ITEM NO. 860933

W 150.5 x D 66.5 x H 120.6 cm

W 70 x D 48 cm

24.9 kW / 30 mbar

72 kg





### 3 IK KITCHEN CRUSTER® ITEM NO. 860833

W 150.5 x D 66.5 x H 120.6 cm

W 70 x D 48 cm

**(A)** 24.9 kW / 30 mbar

96 kg

- · CRUSTER®
- · 800 °C TURBO ZONE™
- · 3 stainless steel burner
- · Dual side cooker
- · SWITCH GRID™
- · Slider grill grate



### 3 IKO KITCHEN CRUSTER®

3 stainless steel burner

Dual side cooker


SWITCH GRID™


CRUSTER®

800 °C TURBO ZONE™

Slider grill grate Delicater™ Oven

#### W 150.5 x D 66.5 x H 120.6 cm





106 kg



# UNIQ® PRO 3 IKO KITCHEN CRUSTER® TOP FEATURES

TWO-PART **WARMING GRATE** made from stainless steel

11-KG-GAS BOTTLE can remain in the

cabinet when in use

**2 ADDITIONAL BASE CABINETS** with storage shelves



DOUBLE-WALLED, **ENAMELLED LID** 

with integrated thermometer

HIGH-QUALITY CAST ALUMINIUM SIDE PANELS

on the lid and cooking chamber

**3 STAINLESS STEEL-BURNER** for powerful direct and indirect grilling/baking



CRUSTER (6.7 KW): from backburner to top heat: infinitely adjustable in height and angle of inclination, the ceramic burner provides 800 °C infrared top heat in the grill



SIMPLE CLEAN: simple cleaning with individual combustion chamber components that can be removed without tools



**DELICATER™ OVEN:** Offers constant temperatures of 80 °C - 180 °C in the cooking chamber ideal for gentle low cooking of several pieces of meat



800 °C TURBO ZONE (4.6 KW) with infrared mesh: reaches extra high temperatures for turbo-fast searing



SWITCH GRID: enamelled cast grate offers versatile grilling options



LEVELLING FUNCTION: can be conveniently adjusted inside the base cabinet to compensate for unevenness on the floor surface



**HEAT RANGE:** constant temperatures for cooking on a low or high flame



DUAL SIDE COOKER (0.5-5.2 KW): for preparing side dishes, can also be used as a storage surface when folded closed



SLIDER GRILL GRATE: stainless steel rails with support tray and grill grate make it easy to slide the food back and forth under the Cruster®

14 BARBECUES | GAS BARBECUES | GAS 15 UNIQ® PRO PRODUCT OVERVIEW



UNIQ PRO	3 I CRUSTER	3 IK CRUSTER	3 IK KITCHEN CRUSTER	3 IKO KITCHEN CRUSTER
Item number	860733	860933	860833	860633
Stock goods	-	-	-	-
Total output in kW	19.7	24.9	24.9	24.9
Stainless steel burners x kW	2 x 4.2 / 1 x 4.6	2 x 4.2 / 1 x 4.6	2 x 4.2 / 1 x 4.6	2 x 4.2 / 1 x 4.6
Dual side cooker kW	-	0.5 - 5.2	0,5 - 5.2	0.5 - 5.2
Cruster®	•	•	•	•
800 °C TURBO ZONE™	•	•	•	•
HEAT RANGE™	•	•	•	•
SIMPLE CLEAN™	•	•	•	•
Slider grill grate	-	•	•	•
SWITCH GRID™	•	•	•	•
Delicater™ Oven	-	-	-	•
Double-walled lid	Enamelled steel / Cast aluminium	Enamelled steel / Cast aluminium	Enamelled steel / Cast aluminium	Enamelled steel / Cast aluminium
Thermometer	•	•	•	•
Combustion chamber	Stainless steel / Cast aluminium	Stainless steel / Cast aluminium	Stainless steel / Cast aluminium	Stainless steel / Cast aluminium
Combustion chamber Ignition	Stainless steel / Cast aluminium Piezo	Stainless steel / Cast aluminium Piezo	Stainless steel / Cast aluminium Piezo	Stainless steel / Cast aluminium Piezo
	Cast aluminium	Cast aluminium	Cast aluminium	Cast aluminium
Ignition	Cast aluminium Piezo	Cast aluminium Piezo	Cast aluminium Piezo	Cast aluminium Piezo
Ignition  Grill surface cm / cm <sup>2</sup>	Cast aluminium Piezo 70 x 48 cm / 3.360 Enamelled cast iron /	Cast aluminium Piezo 70 x 48 cm / 3.360 Enamelled cast iron /	Cast aluminium Piezo 70 x 48 cm / 3.360 Enamelled cast iron /	Cast aluminium Piezo 70 x 48 cm / 3.360 Enamelled cast iron /
Ignition  Grill surface cm / cm²  Grill grate  Warming grate cm / cm² /	Cast aluminium Piezo 70 x 48 cm / 3.360 Enamelled cast iron / four-part 2 x (11 x 22) / 484 /	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 /	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 /	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 /
Ignition  Grill surface cm / cm²  Grill grate  Warming grate cm / cm² / Material  Flame tamers  Removable fat trays	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel
Ignition  Grill surface cm / cm²  Grill grate  Warming grate cm / cm² / Material  Flame tamers	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel
Ignition  Grill surface cm / cm²  Grill grate  Warming grate cm / cm² / Material  Flame tamers  Removable fat trays with fat collection tray	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel
Ignition  Grill surface cm / cm²  Grill grate  Warming grate cm / cm² / Material  Flame tamers  Removable fat trays with fat collection tray  Side shelves / foldable	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0
Ignition  Grill surface cm / cm²  Grill grate  Warming grate cm / cm² / Material  Flame tamers  Removable fat trays with fat collection tray  Side shelves / foldable  Double-walled doors  Gas bottle stowable (max.)  Hose and gas pressure	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0  powder coated steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0  powder coated steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0  powder coated steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  4 2 / 0  powder coated steel
Ignition  Grill surface cm / cm²  Grill grate  Warming grate cm / cm² / Material  Flame tamers  Removable fat trays with fat collection tray  Side shelves / foldable  Double-walled doors  Gas bottle stowable (max.)	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0  powder coated steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0  powder coated steel  11 kg	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0  powder coated steel	Cast aluminium Piezo  70 x 48 cm / 3.360  Enamelled cast iron / four-part  2 x (11 x 22) / 484 / Stainless steel  Stainless steel  •  2 / 0  powder coated steel  11 kg



### UNIQ® PRO ACCESSORIES



SWITCH GRID DUTCH OVEN ITEM NO. 7795



SWITCH GRID ADDITIONAL INSERTS ITEM NO. 7793/7792/7790/7791

NEW



SWITCH GRID WOK ITEM NO. 7797



ROTISSERIE PRO UNIQ PRO 3 ITEM NO. 7908



DELICATER™ OVEN
UNIQ PRO 3 IK
KITCHEN CRUSTER
ITEM NO. 8603

NEW



SLIDER GRILL GRATE UNIQ PRO 3 ITEM NO. 8683



PREMIUM WEATHER COVER
UNIQ PRO 3
ITEM NO. 5696



**KANSAS II PRO SERIES** 

FIND HERE HOSE AND REGULATOR KITS PAGE 149



3 SIK TURBO

- · 800 °C TURBO ZONE™
- · 3 stainless steel burners
- · Infrared back burner
- · Side cooker · SWITCH GRID™
- W 142 x D 64 x H 118 cm

ITEM NO. 871333

- W 60 x D 45 cm
- **18.6 kW / 30 mbar**
- **k** 55 kg



### **4 SIK PROFI TURBO**

ITEM NO. 871433

- · 800 °C TURBO ZONE™
- · 4 stainless steel burners
- · Infrared back burner
- · Side cooker
- · SWITCH GRID™
- · Washbasin

- W 153 x D 64 x H 118 cm
- W 70 x D 45 cm
- **6** 22.3 kW / 30 mbar
- 80 kg

# KANSAS II PRO 4 SIK PROFI TURBO TOP FEATURES

LARGE WARMING GRATE made of stainless steel

**WASHBASIN AND CHOPPING BOARD** 

**VIEWING WINDOW** heat-resistant

**3 BASE UNITS AND 4 DOUBLE-WALLED DOORS** made of stainless steel

11 KG GAS BOTTLE can remain in the base unit during use



DOUBLE-WALLED LID stainless steel with integrated thermometer

**HIGH-QUALITY CAST ALUMINIUM** SIDE PANELS on the lid

> INTEGRATED **BOTTLE OPENER** made of stainless

**4 STAINLESS STEEL BURNERS** for powerful direct and indirect

grilling/baking



800 °C TURBO ZONE (4.2 kW) with infrared mesh: reaches extra high temperatures for turbo-fast searing



SWITCH GRID: enamelled cast grate offers versatile grilling options



**HEAT RANGE**: constant temperatures for cooking on a low or high flame



SIMPLE CLEAN: simple cleaning with individual combustion chamber components that can be removed without tools



INFRARED BACK BURNER (3.5 KW): for juicy crispy meat on the rotisserie



SIDE COOKER (3.5 KW): for preparing side dishes, can also be used as a storage surface when folded closed



# KANSAS II PRO PRODUCT OVERVIEW





	9 9	0 0 0	
KANSAS II PRO	3 SIK TURBO	4 SIK PROFI TURBO	
Item number	871333	871433	
Stock goods	•	•	
Total output in kW	18.6	22.3	
Stainless steel burners x kW	2 x 3.7 / 1 x 4.2	3 x 3.7 / 1 x 4.2	
Side cooker kW	3.5	3.5	
Infrared back burner kW	3.5	3.5	
800 °C TURBO ZONE™	•	•	
HEAT RANGE™	•	•	
SIMPLE CLEAN™	•	•	
SWITCH GRID™	•	•	
Double-walled lid	Stainless steel / cast aluminium	Stainless steel / cast aluminium	
Viewing window	•	•	
Thermometer	•	•	
Combustion chamber	Stainless steel	Stainless steel	
Ignition	Piezo	Piezo	
Grill surface cm / cm²	60 x 45 / 2,700	70 x 45 / 3,150	
Grill grate	Enamelled cast iron / three sections	Enamelled cast iron / four sections	
Warming grate cm / cm² / material	57 x 13 / 741 / Stainless steel	67 x 13 / 871 / Stainless steel	
Flame tamers	Stainless steel	Stainless steel	
2 removable fat trays	Stainless steel	Stainless steel	
Integrated bottle opener	Stainless steel	Stainless steel	
Side shelves / foldable	2/0	2/0	
Washbasin	-	Stainless steel	
Chopping board	-	Plastic	
Storable gas bottle (max.)	11 kg	11 kg	
Double-walled doors	Stainless steel	Stainless steel	
Swivel castors / lockable	4/2	8 / 4	
Hose and gas pressure regulator	-	-	
Working height in cm	89	89	
Dimensions in cm	W 142 x D 64 x H 118 cm	W 153 x D 64 x H 118 cm	



NEW

### KANSAS II PRO ACCESSORIES







SWITCH GRID

ADDITIONAL INSERTS
ITEM NO. 7793/7792/7790/7791

NEW



SWITCH GRID DUTCH OVEN ITEM NO. 7795



PLANCHA H CAST IRON PLATE ITEM NO. 7799



REVERSIBLE CAST IRON GRILL PAN 1/3 KANSAS II PRO 3 ITEM NO. 7880



SWITCH GRID REVERSIBLE CAST IRON GRILL PAN 1/2 KANSAS II PRO 4 ITEM NO. 7789



STAINLESS STEEL
ROTISSERIE
KANSAS II PRO 3 + PRO 4
ITEM NO. 7901 / 7976



ROTISSERIE PRO KANSAS II PRO 3 + PRO 4 ITEM NO. 7908



STAINLESS STEEL GRILL PAN FOR SIDE COOKER KANSAS II PRO 3 + 4 ITEM NO. 7885



PREMIUM WEATHER COVER KANSAS II PRO 3 + 4 ITEM NO. 5696



### **MONROE PRO SERIES**











#### FIND HERE HOSE AND REGULATOR KITS PAGE 149

### X3STURBO

· 800 °C TURBO ZONE™

· 3 stainless steel burners

Stainless steel grate

· 2 fold-down side shelves

· viewing window

ITEM NO. 837433

W 136 x D 57 x H 118.5 cm

W 62 x D 43 cm 11.2 kW / 30 mbar

48 kg

### **BLACK 3 K TURBO**

· 800 °C TURBO ZONE™

· 3 stainless steel burners

· Side cooker

· SWITCH GRID™

· Enamelled lid

#### ITEM NO. 837133

W 143.5 x D 57 x H 118.5 cm

W 62 x D 43 cm

(b)14.1 kW / 30 mbar

49.5 kg

### 3 SIK TURBO

· 800 °C TURBO ZONE™

· 3 stainless steel burners

· Infrared back burner

· Side cooker

· SWITCH GRID™

· viewing window

W 143.5 x D 58 x H 118.5 cm

W 62 x D 43 cm

17.6 kW / 30 mbar

### **4 SIK TURBO**

· 800 °C TURBO ZONE™

· 4 stainless steel burners

· Infrared back burner

· Side cooker

· SWITCH GRID™

· viewing window

21.1 kW / 30 mbar

55 kg

800 °C TURBO ZONE™

· 4 stainless steel burners

· Infrared back burner

· Side cooker

· SWITCH GRID™

· Enamelled lid

W 153.5 x D 58 x H 118.5 cm

W 74 x D 43 cm

21.1 kW / 30 mbar

# MONROE PRO **SERIES**

#### ITEM NO. 837633

KG 50 kg

#### ITEM NO. 837833

W 153.5 x D 58 x H 118.5 cm

W 74 x D 43 cm 

KG

### **BLACK 4 IK TURBO**

ITEM NO. 837033









### **3 SIK TURBO SHADOW**

· 800 °C TURBO ZONE™

· 3 stainless steel burners

· Infrared back burner

· Side cooker

SWITCH GRID™ with Sear Grate

· viewing window

· Enamelled lid

ITEM NO. 838133

W 143,5 x D 58 x H 118,5 cm

W 62 x D 43 cm

**17.6 kW / 30 mbar** 

кс 52 kg



**4 SIK TURBO SHADOW** 

· 800 °C TURBO ZONE™ 4 stainless steel burners

Infrared back burner Side cooker

SWITCH GRID™ with Sear Grate

viewing window

· Enamelled lid

W 153,5 x D 58 x H 118,5 cm

ITEM NO. 838533

W 74 x D 43 cm **1** 21.1 kW / 30 mbar

кс 57 kg

### MONROE PRO 4 SIK TURBO **TOP FEATURES**





800 °C TURBO ZONE (4.2 kW) with infrared mesh: reaches extra high temperatures for turbo-fast searing



SWITCH GRID: enamelled cast grate offers versatile grilling options



**HEAT RANGE:** constant temperatures for cooking on a low or high flame



INFRARED BACK BURNER (3.5 KW): for juicy crispy meat on the rotisserie



Uiew AR

SIMPLE CLEAN: simple cleaning with individual combustion chamber components that can be removed without tools



SIDE COOKER (2.9 KW): for preparing side dishes, can also be used as a storage surface when folded closed

### **MONROE PRO ACCESSORIES**



SWITCH GRID WOK

NEW

ITEM NO. 7797



SWITCH GRID ADDITIONAL INSERTS ITEM NO. 7793/7792/7790/7791



**PLANCHA H CAST IRON PLATE** ITEM NO. 7799



**SWITCH GRID DUTCH OVEN** ITEM NO. 7795



**SWITCH GRID REVERSIBLE CAST IRON GRILL PAN 1/2** MONROE PRO 4



REVERSIBLE **CAST IRON GRILL PAN 1/3** MONROE PRO 3

ITEM NO. 7882



SWITCH GRID MONROE PRO 3 ITEM NO. 7784

ITEM NO. 7893



STAINLESS STEEL GRILL PAN FOR SIDE COOKER MONROE PRO 3 + 4

ITEM NO. 7712



STAINLESS STEEL ROTISSERIE

MONROE PRO 3 + 4

ITEM NO. 7903



ROTISSERIE PRO MONROE PRO 3 + 4

ITEM NO. 7908



**PREMIUM WEATHER COVER** 

MONROE PROX 3

ITEM NO. 5693



**MODULAR TROLLEY** 

MONROE PRO 3 + 4 ITEM NO. 88186

More information from page 101



PREMIUM WEATHER COVER

MONROE PRO 3 + 4

ITEM NO. 5696

28 BARBECUES | GAS BARBECUES | GAS 29

# MONROE PRO PRODUCT OVERVIEW



MONROE PRO	X 3 S TURBO	BLACK 3 K TURBO	3 SIK TURBO
Item number	837433	837133	837633
Stock goods	•	•	•
Total output in kW	11.2	14.1	17.6
Stainless steel burners x kW	2 x 3.5 / 1 x 4.2	2 x 3.5 / 1 x 4.2	2 x 3.5 / 1 x 4.2
Side cooker kW	-	2.9	2.9
Infrared back burner kW	-	-	3.5
800 °C TURBO ZONE™	•	•	•
HEAT RANGE™	•	•	•
SIMPLE CLEAN™	•	•	•
SWITCH GRID™	-	•	•
Double-walled lid	Stainless steel / Cast aluminium	Enamelled steel / Cast aluminium	Stainless steel / Cast aluminium
Viewing window	•	-	•
Thermometer	•	•	•
Combustion chamber	Stainless steel / Cast aluminium	Stainless steel / Cast aluminium	Stainless steel / Cast aluminium
Ignition	Piezo	Piezo	Piezo
Grill surface cm / cm²	62 x 43 / 2,666	62 x 43 / 2,666	62 x 43 / 2,666
Grill grate	Stainless steel / three sections	Enamel. cast iron / three sections	Enamel. cast iron / three sections
Warming grate (opens with the lid) cm / cm² / material	58 x 16.5 / 957 / Stainless steel	58 x 16.5 / 957 / Stainless steel	58 x 16.5 / 957 / Stainless steel
Flame tamers	Stainless steel	Stainless steel	Stainless steel
Removable fat tray with fat collector	•	•	•
Side shelves / foldable	2/2	2/0	2/0
Storable gas bottle (max.)	11 kg	11 kg	11 kg
Double-walled doors	Stainless steel	Painted steel	Stainless steel
Swivel castors / lockable	4/4	4 / 4	4 / 4
Hose and gas pressure regulator	-	-	-
Working height in cm	90	90	90
Dimensions in cm (W x D x H)	136 x 57 x 118.5	143.5 x 57 x 118.5	143.5 x 58 x 118.5
Dimensions with side shelves folded down cm (W x D x H)	86 x 57 x 118.5	-	-



MONROE PRO	3 SIK TURBO Shadow	BLACK 4 IK TURBO	4 SIK TURBO	BLACK 4 IK TURBO SHADOW
Item number	838133	837033	837833	838533
Stock goods	•	•	•	•
Total output in kW	17.6	21.1	21.1	21.1
Stainless steel burners x kW	2 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2
Side cooker kW	2.9	2.9	2.9	2.9
Infrared back burner kW	3.5	3.5	3.5	3.5
800 °C TURBO ZONE™	•	•	•	•
HEAT RANGE™	•	•	•	•
SIMPLE CLEAN™	•	•	•	•
SWITCH GRID™	•	•	•	•
Double-walled lid	enamelled steel / Cast aluminium	Enamelled steel / Cast aluminium	Stainless steel / Cast aluminium	enamelled steel / Cast aluminium
Viewing window	•	-	•	•
Thermometer	•	•	•	•
Combustion chamber	enamelled steel / Cast aluminium	Stainless steel / Cast aluminium	Stainless steel / Cast aluminium	enamelled steel / Cast aluminium
Ignition	Piezo	Piezo	Piezo	Piezo
Grill surface cm / cm²	62 x 43 / 2,666	74 x 43 / 3,182	74 x 43 / 3,182	74 x 43 / 3,182
Grill grate	enamelled cast iron / three-part	Enamel. cast iron / four sections	Enamel. cast iron / four sections	enamelled cast iron , four-part
Warming grate (opens with the lid) cm / cm² / material	58 x 16.5 / 957 / Stainless steel	67.5 x 16.5 / 1113.75 / Stainless steel	67.5 x 16.5 / 1113.75 / Stainless steel	67.5 x 16.5 / 1,114 / stainless steel
Flame tamers	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Removable fat tray with fat collector	•	•	•	•
Side shelves / foldable	2/0	2/0	2/0	2/0
Storable gas bottle (max.)	11 kg	11 kg	11 kg	11 kg
Double-walled doors	powder-coated steel	Painted steel	Stainless steel	powder-coated steel
Swivel castors / lockable	4 / 4	4 / 4	4 / 4	4 / 4
Hose and gas pressure regulator	-	-	-	-
Working height in cm	90	90	90	90
Dimensions in cm (W x D x H) Dimensions with side shelves folded down cm (W x D x H)	143.5 x 58 x 118.5	153.5 x 58 x 118.5	153.5 x 58 x 118.5	153.5 x 58 x 118.5



### **COLORADO SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 149



· 800 °C TURBO ZONE™

· 3 stainless steel burners

· Infrared back burner

· SWITCH GRID™

· 2 fold-down side shelves

ITEM NO. 8520633

W 135 x D 58 x H 118 cm

W 62 x D 43 cm

14.7 kW / 30 mbar

KG 45 kg



骨

W 145 x D 58 x H 118 cm

W 74 x D 43 cm

50 kg

18.2 kW / 30 mbar

4 I TURBO

800 °C TURBO ZONE™

· 4 stainless steel burners

· Infrared back burner

· SWITCH GRID™

· 2 fold-down side shelves



#### **6 IK TURBO II** ITEM NO. 8521633

2 x 800 °C TURBO ZONE™

6 stainless steel burners

Infrared back burner

Side cooker

SWITCH GRID™

· 1 fold-down side shelf

ITEM NO. 852333

骨 W 167 x D 58 x H 118 cm

W 94 x D 43 cm

27.05 kW / 30 mbar KG

61 kg

### CE

### COLORADO 6 IK TURBO II **TOP FEATURES**





2 x 800 °C TURBO ZONE (4.2 kW each) with infrared mesh: reaches extra-high temperatures for turbo-fast searing



**HEAT RANGE:** constant temperatures for cooking on a low or high flame



SWITCH GRID: enamelled cast grate offers versatile grilling options



**INFRARED BACK BURNER (3.5 KW):** for juicy crispy meat on the rotisserie



SIDE COOKER (3.15 KW): for preparing side dishes, can also be used as a storage surface when folded closed



11 KG GAS BOTTLE can remain in the base unit during use



# COLORADO PRODUCT OVERVIEW



	,	•	4
COLORADO	3 I TURBO	4 I TURBO	6 IK TURBO II
Item number	8520633	8521633	852333
Stock goods	•	•	•
Total output in kW	14.7	18.2	27.05
Stainless steel burners x kW	2 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2	4 x 3 / 2 x 4.2
Side cooker kW	-	-	3.15
Infrared back burner kW	3.5	3.5	3.5
800 °C TURBO ZONE™	•	•	•
HEAT RANGE™	•	•	•
SWITCH GRID™	•	•	•
Double-walled lid	Enamelled steel / Powder-coated steel	Enamelled steel / Powder-coated steel	Enamelled steel / Powder-coated steel
Thermometer	•	•	•
Combustion chamber	Cast aluminium / enamelled steel	Cast aluminium / enamelled steel	Cast aluminium / enamelled steel
Ignition	Piezo	Piezo	Piezo
Grill surface cm / cm²	62 x 43 / 2,666	74 x 43 / 3,182	94 x 43 / 4,042
Grill grate	Enamelled cast iron / three sections	Enamelled cast iron / four sections	Enamelled cast iron / four sections
Warming grate (opens with the lid) cm / cm² / material	59.5 x 16 / 952 / Stainless steel	69.5 x 16 / 1,112 / Stainless steel	91.5 x 16 / 1,464 / Stainless steel
Flame tamers	Enamelled steel / Stainless steel	Enamelled steel / Stainless steel	Enamelled steel / Stainless steel
Removable fat tray with fat collector	•	•	•
Side shelves / foldable	2/2	2/2	2/1
Double-walled doors	Painted steel	Painted steel	Painted steel
Storable gas bottle (max.)	11 kg	11 kg	11 kg
Swivel castors / lockable	4 / 4	4 / 4	4 / 4
Hose and gas pressure regulator	-	-	-
Working height in cm	90	90	90
Dimensions in cm	W 135 x D 58 x H 118	W 145 x D 58 x H 118	W 167 x D 58 x H 118
Dimensions with side shelves folded down cm	W 86 x D 58 x H 118	W 95 x D 58 x H 118	W 142 x D 58 x H 118

# COLORADO ACCESSORIES



SWITCH GRID WOK NEW

NEW

ITEM NO. 7797



SWITCH GRID
ADDITIONAL INSERTS
ITEM NO. 7793/7792/7790/7791



PLANCHA H
CAST IRON PLATE
ITEM NO. 7799

SWITCH GRID DUTCH OVEN

ITEM NO. 7795



SWITCH GRID REVERSIBLE CAST IRON GRILL PAN 1/3 COLORADO 3 ITEM NO. 7882



SWITCH GRID REVERSIBLE CAST IRON GRILL PAN 1/2 | 1/3 COLORADO 4 / COLORADO 6

NEW

ITEM NO. 7893



STAINLESS STEEL
ROTISSERIE
COLORADO 3 + 4 / COLORADO 6
ITEM NO. 7903 / 7909



ROTISSERIE PRO

COLORADO 3 + 4 ITEM NO. 7908



STAINLESS STEEL GRILL PAN FOR SIDE COOKER COLORADO 6 ITEM NO. 7712



MODULAR TROLLEY

COLORADO-SERIE ITEM NO. 88186

More information from page 101



PREMIUM WEATHER COVER
COLORADO 4
ITEM NO. 5696



PREMIUM WEATHER COVER

COLORADO 3

ITEM NO. 5693



PREMIUM WEATHER COVER COLORADO 6 ITEM NO. 5697



### **BOSTON BLACK SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 149



### 3 K TURBO

- · 800 °C TURBO ZONE™
- · 3 stainless steel burners
- · Side cooker
- · Stainless steel grate
- · 1 fold-down side shelf

W 144 x D 61 x H 115 cm

21.85 kW / 30 mbar

W 74 x D 43 cm

47.5 kg

#### ITEM NO. 8862633

- W 134 x D 59 x H 115 cm
- W 62 x D 43 cm
- 14.35 kW / 30 mbar
- KG 45.5 kg



#### 4 IK TURBO

- 800 °C TURBO ZONE™
- · 4 stainless steel burners
- · Infrared back burner
- · Side cooker
- · Stainless steel grate
- · 1 fold-down side shelf



#### **6 KR TURBO** ITEM NO. 8863633

- 2 x 800 °C TURBO ZONE™
- · 6 stainless steel burners
- Side cooker
- SWITCH GRID™ made of solid stainless steel
- · Stainless steel smoker box
- · 1 fold-down side shelf

#### ITEM NO. 886433

- W 166.5 x D 60 x H 115 cm
- W 94 x D 43 cm
- 23.55 kW / 30 mbar
- KG 60 kg

### $\epsilon$

# BOSTON BLACK 4 IK TURBO TOP FEATURES





800 °C TURBO ZONE (4.2 kW) with infrared mesh: reaches extra high temperatures for turbo-fast searing



**HEAT RANGE:** constant temperatures for cooking on a low or high flame



INFRARED BACK BURNER (4 KW): for juicy crispy meat on the rotisserie



SIDE COOKER (3.15 KW): for preparing side dishes, can also be used as a storage surface when folded closed



# BOSTON BLACK PRODUCT OVERVIEW



BOSTON BLACK	3 K TURBO	4 IK TURBO	6 KR TURBO
Item number	8862633	8863633	886433
Stock goods	•	•	•
Total output in kW	14.35	21.85	23.55
Stainless steel burners x kW	2 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2	4 x 3 / 2 x 4.2
Side cooker kW	3.15	3.15	3.15
Infrared back burner kW	-	4	-
800 °C TURBO ZONE™	•	•	•
HEAT RANGE™	•	•	•
SWITCH GRID™	-	-	made of solid stainless steel
Double-walled lid	en. steel / powd. steel	en. steel / powd. steel	en. steel / powd. steel
Thermometer	•	•	•
Combustion chamber	Enamelled steel	Enamelled steel	Enamelled steel
Ignition	Piezo	Piezo	Piezo
Grill surface cm / cm²	62 x 43 / 2,666	74 x 43 / 3,182	94 x 43 / 4,042
Grill grate	Stainless steel / three sections	Stainless steel / four sections	Stainless steel / three sections
Stainless steel smoker box	-	-	•
Warming grate (opens with the lid) cm / cm² / material	56 x 19.5 / 1,092 / Stainless steel	66 x 19.5 / 1,287 / Stainless steel	88 x 19.5 / 1,716 / Stainless steel
Flame tamers	Enamelled steel	Enamelled steel	Enamelled steel
Removable fat tray with fat collector	•	•	•
Side shelves / foldable	2/1	2/1	2/1
Storable gas bottle (max.)	5 kg	5 kg	11 kg
Double-walled doors	Powder-coated steel	Powder-coated steel	Powder-coated steel
Outdoor wheels / swivel castors / lockable	2/2/2	2/2/2	0 / 4 / 4
Hose and gas pressure regulator	-	-	-
Working height in cm	90	90	90
Dimensions in cm	W 134 x D 59 x H 115	W 144 x D 61 x H 115	W 166.5 x D 60 x H 115
Dimensions with side shelves folded down cm	W 109 x D 59 x H 115	W 119 x D 61 x H 115	W 142 x D 60 x H 115

## BOSTON BLACK ACCESSORIES



SWITCH GRID Wok NEW

NEW

ITEM NO. 7797



SWITCH GRID ADDITIONAL INSERTS

ITEM NO. 7793/7792/7790/7791



PLANCHA H Cast Iron Plate

ITEM NO. 7799




SWITCH GRID DUTCH OVEN

ITEM NO. 7795



SWITCH GRID BOSTON 3

ITEM NO. 7784



SWITCH GRID BOSTON 4

ITEM NO. 7785



REVERSIBLE CAST IRON GRILL PAN 1/3 BOSTON 3

ITEM NO. 7882



SWITCH GRID REVERSIBLE CAST IRON GRILL PAN 1/2 | 1/3 BOSTON 4 / BOSTON 6

NEW

ITEM NO. 7893



STAINLESS STEEL ROTISSERIE BOSTON 3 + 4 / BOSTON 6

ITEM NO. 7903 / 7909



ROTISSERIE PRO BOSTON 3 + 4 ITEM NO. 7908



PREMIUM WEATHER COVER

BOSTON 3K

ITEM NO. 5694



STAINLESS STEEL GRILL PAN FOR SIDE COOKER

BOSTON 3 + 4 ITEM NO. 7712



**PREMIUM WEATHER COVER** BOSTON 6 KR

ITEM NO. 5697



**PREMIUM WEATHER COVER** BOSTON 4 IK

ITEM NO. 5696



**DOUBLE-WALLED** 

**ENAMELLED LID** 

### **CUBIQ® PRO SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 149



- · 800 °C TURBO ZONE™
- · 3 stainless steel burners
- · enamelled cast grate
- · 2 fold-down side shelves
- - W 122 x D 58,5 x H 115 cm
- W 54,5 x D 42 cm
- 10.7 kW / 30 mbar
- KG 39 kg



### **3 R TURBO**

- · 800 °C TURBO ZONE™
- · 3 stainless steel burners
- · SWITCH GRID™
- · 2 fold-down side shelves
- · Tilting compartment

- ITEM NO. 842333
- W 122 x D 58,5 x H 115 cm
- W 54,5 x D 42 cm
- 10.7 kW / 30 mbar
- KG 42 kg

# CUBIQ® PRO 3 R TURBO TOP FEATURES





800 °C TURBO ZONE (4.2 kW) with infrared mesh: reaches extra high temperatures for turbo-fast searing



**FOLD-DOWN SIDE SHELVES:** for compact storage



**HEAT RANGE:** constant temperatures for cooking on a low or high flame



SWITCH GRID: enamelled cast grate offers versatile grilling options



TILTING COMPARTMENT: for storing barbecue utensils in the base unit



11 KG GAS BOTTLE can remain in the base unit during use

# CUBIQ® PRO PRODUCT OVERVIEW



CUBIQ PRO	X 3 TURBO	3 R TURBO
Item number	842733	8423633
Stock goods	-	•
Total output in kW	10.7	10.7
Stainless steel burners x kW	2 x 3.25 / 1 x 4.2	2 x 3.25 / 1 x 4.2
Side cooker kW	-	-
800 °C TURBO ZONE™	•	•
HEAT RANGE™	•	•
SWITCH GRID™	-	•
Double-walled lid	enamelled steel / cast alu- minium	Enamelled steel / Cast aluminium
Thermometer	•	•
Combustion chamber	Cast aluminium / enamelled steel	Cast aluminium / enamelled steel
Ignition	Piezo	Piezo
Grill surface cm / cm²	54.5 x 42 / 2,289	54.5 x 42 / 2,289
Grill grate	enamelled cast iron / two-part	Enamelled cast iron / two sections
warming grate (opens with the lid) cm / cm² / material	50 x 16 / 800 / Stainless steel	50 x 16 / 800 / Stainless steel
Flame tamers	enamelled steel / stainless steel	Stainless steel
Removable fat tray with fat collector	•	•
Side shelves / foldable	2/2	2/2
Storable gas bottle (max.)	11 kg	11 kg
Tilting compartment	-	•
Swivel castors / lockable	4 / 4	4 / 4
Hose and gas pressure regulator	-	-
Working height in cm	89	89
Dimensions in cm	W 122 x D 54.5 x H 115	W 122 x D 54.5 x H 115
Dimensions with side shelves folded down cm	W 72.5 x D 54.5 x H 115	W 72.5 x D 54.5 x H 115



### CUBIQ® PRO ACCESSORIES



SWITCH GRID WOK ITEM NO. 7797 NEW



SWITCH GRID
ADDITIONAL INSERTS
ITEM NO. 7793/7792/7790/7791



SWITCH GRID DUTCH OVEN ITEM NO. 7795



PLANCHA H CAST IRON PLATE ITEM NO. 7799



STAINLESS STEEL
ROTISSERIE
CUBIQ PRO 3
ITEM NO. 7905



PREMIUM WEATHER COVER
CUBIQ PROX 3 + 3 R
ITEM NO. 5700



### **CHICAGO SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 149



3

· 3 stainless steel burners · Stainless steel grate

· Stainless steel warming grate

· 2 fold-down side shelves



W 124 x D 51 x H 108 cm

W 60 x D 42 cm

9.6 kW / 30 mbar

скс 26.5 kg

**3 R TURBO** ITEM NO. 8937633

· 800 °C TURBO ZONE™

· 3 stainless steel burners

· SWITCH GRID™

· Stainless steel warming grate

· 2 fold-down side shelves



ITEM NO. 8937733

W 124 x D 51 x H 108 cm

W 60 x D 42 cm

**1**0.5 kW / 30 mbar

© 32.5 kg



**4 K** 

ITEM NO. 8129630

· 4 stainless steel burners

· Side cooker

· Stainless steel grate

· Stainless steel warming grate kg 30 kg

· 1 fold-down side shelf

■ B 71 x T 42 cm **6** 16 kW / 30 mbar

B 134,5 x T 51 x H 108 cm

### CE

# CHICAGO 3 R TURBO TOP FEATURES





800 °C TURBO ZONE (4.2 kW) with infrared mesh: reaches extra high temperatures for turbo-fast searing



SWITCH GRID: enamelled cast grate offers versatile grilling options



**5 KG GAS BOTTLE** can remain in the base unit during use



**FOLD-DOWN SIDE SHELVES** for compact storage

# CHICAGO PRODUCT OVERVIEW



CHICAGO	3	3 R TURBO	4 K
Item number	8937633	8937733	8129630
Stock goods	•	•	•
Total output in kW	9.6	10.5	16
Stainless steel burners x kW	3 x 3.2	2 x 3.2 / 1 x 4.1	4 x 3.2
Side cooker kW	1+	-	3.2
800 °C TURBO ZONE™	+	•	+
SWITCH GRID™	+	•	+
Double-walled lid	Stainless steel	Stainless steel	Stainless steel
Thermometer	•	•	•
Combustion chamber	Powder-coated steel	Enamelled steel	Powder-coated steel
Ignition	Piezo	Piezo	Piezo
Grill surface cm / cm²	60 x 42 / 2,520	60 x 42 / 2,520	71 x 42 / 2,982
Grill grate	Stainless steel / three sections	Cast enamelled / three sections	Stainless steel / four sections
Warming grate cm / cm² / material	56 x 11 / 616 / Stainless steel	56 x 11 / 616 / Stainless steel	66 x 11 / 726 / Stainless steel
Flame tamers	Enamelled steel	Stainless steel	Enamelled steel
Removable fat tray with fat collector	•	•	•
Side shelves / foldable	2/2	2/2	2/1
Storable gas bottle (max.)	5 kg	5 kg	5 kg
Swivel castors / lockable	4 / 4	4 / 4	4 / 4
Hose and gas pressure regulator	-	-	-
Working height in cm	85	85	85
Dimensions in cm	W 124 x D 51 x H 108	W 124 x D 51 x H 108	W 134.5 x D 51 x H 108
Dimensions with side shelves folded down cm	W 92 x D 51 x H 108	W 92 x D 51 x H 108	W 119 x D 51 x H 108



NEW

### CHICAGO ACCESSORIES



SWITCH GRID
ADDITIONAL INSERTS
ITEM NO. 7793/7792/7790/7791




SWITCH GRID WOK ITEM NO. 7797



SWITCH GRID DUTCH OVEN ITEM NO. 7795



SWITCH GRID CHICAGO 3 ITEM NO. 7756




SWITCH GRID CHICAGO 4 ITEM NO. 7794



REVERSIBLE CAST IRON GRILL PAN 1/3 CHICAGO 3 ITEM NO. 7899



SWITCH GRID REVERSIBLE CAST IRON GRILL PAN 1/2 CHICAGO 4 ITEM NO. 7894



STAINLESS STEEL ROTISSERIE CHICAGO 3 + 4 ITEM NO. 7904



ROTISSERIE PRO CHICAGO 3 + 4

ITEM NO. 7908



PREMIUM WEATHER COVER CHICAGO 4 K ITEM NO. 5695



PREMIUM WEATHER COVER CHICAGO 3 ITEM NO. 5700



**BROOKLYN NEXT SERIES** 

FIND HERE HOSE AND REGULATOR KITS PAGE 149



ITEM NO. 8645630

- · 2 stainless steel burners
- · Stainless steel grate
- · Stainless steel warming grate
- · 2 fold-down side shelves
- W 100 x D 54 x H 106.5 cm W 37.5 x D 33 cm
  - **6** 5.6 kW / 30 mbar

17.5 kg



3

ITEM NO. 8646630

- · 3 stainless steel burners
- · Stainless steel grate
- · Stainless steel warming grate
- · 2 fold-down side shelves
- W 113 x D 54 x H 106.5 cm
- W 50.5 x D 33 cm
- $\bigcirc$ 7.05 kW / 30 mbar
- **kg** 20 kg

# BROOKLYN NEXT 3 TOP FEATURES





3 STAINLESS STEEL BURNERS for powerful direct and indirect grilling



STAINLESS STEEL GRATE for even heat distribution and easy cleaning



**FOLD-DOWN SIDE SHELVES** for compact storage




SIDE POCKET to store barbecue utensils

### BROOKLYN NEXT PRODUCT OVERVIEW

Dimensions with

side shelves folded down cm



W 62 x D 54 x H 106.5

W 75 x D 54 x H 106.5



### BROOKLYN NEXT ACCESSORIES



SWITCH GRID DUTCH OVEN ITEM NO. 7795



SWITCH GRID
ADDITIONAL INSERTS
ITEM NO. 7793/7792/7790/7791



BROOKLYN NEXT 2
ITEM NO. 7808



BROOKLYN NEXT 3
ITEM NO. 7809



STAINLESS STEEL GRILL PAN BROOKLYN NEXT 2 ITEM NO. 7887



STAINLESS STEEL GRILL PAN BROOKLYN NEXT 3 ITEM NO. 7888



STAINLESS STEEL ROTISSERIE BROOKLYN NEXT 2 + 3 ITEM NO. 7911



PREMIUM WEATHER COVER BROOKLYN NEXT 2 + 3 ITEM NO. 5691



GAS BOTTLE COVER STYLE 5 KG RED/BLACK

ITEM NO. 5114/5115



### **SAN DIEGO SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 149



- · 2 stainless steel burners
- · Stainless steel grate
- · Stainless steel warming grate




- W 93.5 x D 52 x H 97 cm
- W 37.5 x D 33 cm
- 5.6 kW / 30 mbar
- кс 13 kg
- · 3 stainless steel burners
- Stainless steel grate
- Stainless steel warming grate
- W 102 x D 52 x H 97 cm
- W 50.5 x D 33 cm
- $\bigcirc$ 7.05 kW / 30 mbar





- · 4 stainless steel burners
- · Stainless steel grate
- · Stainless steel warming grate
- · Space for 5 kg gas bottle



W 112 x D 52 x H 100 cm

W 61.5 x D 33 cm

**6** 9 kW / 30 mbar

#### кс 22 kg

# SAN DIEGO 4 TOP FEATURES





4 STAINLESS STEEL BURNERS for powerful direct and indirect grilling



STAINLESS STEEL GRATE for even heat distribution and easy cleaning



STAINLESS STEEL WARMING GRATE opens with the lid



PLENTY OF STORAGE SPACE: 5 kg gas bottle can remain in the base unit during use



# SAN DIEGO PRODUCT OVERVIEW



SAN DIEGO	2	3	4
Item number	8114633	8116633	8121630
Stock goods	•	•	•
Total output in kW	5.6	7.05	9
Stainless steel burners x kW	2 x 2.8	3 x 2.35	4 x 2.25
Lid	Powder-coated steel	Powder-coated steel	Powder-coated steel
Thermometer	•	•	•
Combustion chamber	Powder-coated steel	Powder-coated steel	Powder-coated steel
Ignition	Piezo	Piezo	Piezo
Grill surface cm / cm²	37.5 x 33 / 1,237.5	50.5 x 33 / 1,666.5	61.5 x 33 / 2,029.5
Grill grate	Stainless steel / two sections	Stainless steel / three sections	Stainless steel / four sections
Warming grate (opens with the lid) cm / cm² / material	32 x 14.5 / 464 / Stainless steel	45 x 14.5 / 652.5 / Stainless steel	56 x 14.5 / 812 / Stainless steel
Flame tamers	FAL	FAL	FAL
Removable fat tray with fat collector	•	•	•
Side shelves / foldable	2/0	2/0	2/0
Storable gas bottle (max.)	-	-	5 kg
Outdoor wheels	2	2	2
Hose and gas pressure regulator	+	-	F
Working height in cm	81	81	85
Dimensions in cm	W 93.5 x D 52 x H 97	W 102 x D 52 x H 97	W 112 x D 52 x H 100



NEW

NEW

## SAN DIEGO ACCESSORIES



SWITCH GRID WOK ITEM NO. 7797



SWITCH GRID ADDITIONAL INSERTS ITEM NO. 7792/7790/7791



SWITCH GRID SAN DIEGO 2 ITEM NO. 7808



SWITCH GRID SAN DIEGO 3 ITEM NO. 7809



STAINLESS STEEL GRILL PAN SAN DIEGO 2 ITEM NO. 7887



STAINLESS STEEL GRILL PAN SAN DIEGO 3 + 4 ITEM NO. 7888



PREMIUM WEATHER COVER SAN DIEGO 2 + 3 ITEM NO. 5690



PREMIUM WEATHER COVER SAN DIEGO 4 ITEM NO. 5689



GAS BOTTLE COVER STYLE 5 KG RED/BLACK ITEM NO. 5114/5115



GAS BOTTLE COVER STYLE
11 KG
RED/BLACK
ITEM NO. 5116/5117

66 BARBECUES | GAS BARBECUES | GAS 67



### **URBAN SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 149



#### **URBAN**

- · 2 stainless steel burners
- · Enamelled cast grate
- · Chrome-plated pot grates
- · Powder-coated steel lid



#### ITEM NO. 209533

- W 94 x D 42 x H 34 cm
- W 48 x D 32 cm

ITEM NO. 208133

W 94 x D 55 x H 95.5 cm

W 48 x D 32 cm

4.4 kW / 30 mbar

18.5 kg

 $(\mathbf{h})$ 

- 4.4 kW / 30 mbar
- KG\ 13 kg



- · 2 stainless steel burners
- · Enamelled cast grate
- · Chrome-plated pot grates
- · Powder-coated cast aluminium lid

#### ITEM NO. 206033

- W 94 x D 42 x H 38 cm
- W 48 x D 32 cm
- **6** 4.4 kW / 30 mbar
- кс 13 kg



#### **URBAN TROLLEY**

- · 2 stainless steel burners
- · Enamelled cast grate
- · Chrome-plated pot grates
- · Powder-coated steel lid
- · Robust trolley



### **URBAN PRO TROLLEY**

- · 2 stainless steel burners
- · Enamelled cast grate
- Chrome-plated pot grates
- Powder-coated cast aluminium lid
- Robust trolley

W 94 x D 55 x H 99.5 cm

ITEM NO. 208033

- W 48 x D 32 cm
- (A) 4.4 kW / 30 mbar
- KG 18.5 kg



### **URBAN PRO TROLLEY TOP FEATURES**

**ROBUST HOUSING** made of durable, lightweight cast aluminium

**2 REMOVABLE FAT TRAYS** for easy and quick cleaning

**5 KG GAS BOTTLE** can remain in the base unit during use



**HIGH-VOLUME LID** made of study cast aluminium, optimised for low-temperature cooking

> **2 STAINLESS STEEL BURNERS** for powerful direct and indirect grilling, cooking and baking

> > **ROBUST TROLLEY** for maximum stability and easy transport









SOLID, ENAMELLED CAST GRATE with integrated flame tamers



**CHROME-PLATED, REMOVABLE POT GRATES** for perfect cooking results and easy cleaning



**3 DIFFERENT COOKING FUNCTIONS:** Grilling, cooking and baking



SLIDER SYSTEM for easy connection and disconnection of barbecue and trolley



REMOVABLE SIDE SHELVES can be stored on the side of the trolley to save space



**OPERATION** with gas bottle or threaded gas cartridge



# URBAN **PRODUCT OVERVIEW**



	URBAN	URBAN TROLLEY	URBAN PRO	URBAN PRO TROLLEY
Item number	209533	208133	206033	208033
Stock goods	•	•	•	•
Total output in kW	4.4	4.4	4.4	4.4
Stainless steel burners x kW	2 x 2.2	2 x 2.2	2 x 2.2	2 x 2.2
Lid	Powder-coated steel	Powder-coated steel	Powder-coated cast aluminium	Powder-coated cast aluminium
Thermometer	•	•	•	•
Housing	Powder-coated cast aluminium	Powder-coated cast aluminium	Powder-coated cast aluminium	Powder-coated cast aluminium
Ignition	Piezo	Piezo	Piezo	Piezo
Grill surface cm / cm²	48 x 32 / 1,536			
Grill grate	Enamelled cast iron / two sections			
Chrome-plated, removable pot grates	•	•	•	•
Removable fat trays	2	2	2	2
Storable gas bottle (max.)	-	5 kg	+	5 kg
Side shelves / foldable	2/2	2/2	2/2	2/2
Outdoor wheels	-	2	-	2
Operation	Gas bottle & threaded cartridge			
Hose and gas pressure regulator	-	-	-	-
Working height in cm	23	86	23	86
Dimensions in cm	W 94 x D 42 x H 34	W 94 x D 55 x H 95.5	W 94 x D 42 x H 38	W 94 x D 55 x H 99.5
Dimensions with side shelves removed cm	W 70 x D 42 x H 34	W 70 x D 55 x H 95.5	W 70 x D 42 x H 38	W 70 x D 55 x H 99.5

<sup>\*</sup>for Gasflaschenbetrieb



# URBAN **ACCESSORIES**



REVERSIBLE CAST IRON GRILL PAN 1/2 ITEM NO. 2075



STAINLESS STEEL **GRILL PAN** 

ITEM NO. 2076



PIZZA STONE INCL. HOLDER ITEM NO. 8602



TROLLEY ITEM NO. 2065



CARTRIDGE HOLDER SET

ITEM NO. 2082 (30 MBAR / Ø 8MM NOZZLE) ITEM NO. 2083 (30 MBAR / Ø 10MM NOZZLE)



THREADED CARTRIDGE 450 G

ITEM NO. 6322



PREMIUM WEATHER COVER URBAN + URBAN PRO

GAS BOTTLE COVER STYLE

ITEM NO. 5681

5 KG

RED/BLACK

ITEM NO. 5114/5115



PREMIUM WEATHER COVER URBAN TROLLEY +

URBAN PRO TROLLEY ITEM NO. 5699



**GAS BOTTLE COVER STYLE** 11 KG

RED/BLACK

ITEM NO. 5116/5117



72 BARBECUES | GAS BARBECUES | GAS 73



NEW

# reddot winner 2022 ITEM NO. 9710 eFLOW PRO 2 TURBO

eFLOW PRO 2 TURBO	STAINLESS STEEL	SHADOW
Item number	9710	9712
Stock goods	•	•
Total output in kW	3	3
Heating elements x kW	3 x 1.5 (max. 2 usable)	3 x 1.5 (max. 2 usable)
TURBO ZONE™	•	•
SWITCH GRID™	•	•
SIMPLE CLEAN™	•	•
double-walled lid	Stainless steel	enamelled steel
Combustion chamber	Stainless steel / cast aluminium	Stainless steel / cast aluminium
Grill surface cm / cm²	50 x 39 / 1.950	50 x 39 / 1.950
Grill grate	Cast iron grate / 2-section	Cast iron grate / 2-section
Warming grate (opens with the lid) cm / cm² / material	45,5 x 16,5 / 751 / Stainless steel	45,5 x 16,5 / 751 / Stainless steel
Removable fat tray	•	•
Side shelves / foldable	2/2	2/2
Double-walled doors	Stainless steel	Powder coated steel
Working height in cm	89	89
Dimensions in cm (W x D x H)	W 112.5 x D 57 x H 111.5	W 112.5 x D 57 x H 111.5
Dimensions with side shelves folded down cm (W x D x H)	W 76 x D 57 x H 111.5	W 76 x D 57 x H 111.5
Cable length	220	220







ITEM NO. 9712



ELECTRIC BARBECUE

Enders

Full on power: the eFLOW® PRO 2 TURBO. It is the first of its kind and equipped to the brim with innovative features. Our e-grill doesn't do things by half, but gives you the full charge straight away: TURBO ZONE™ and SWITCH GRID™. Simply everything that makes your BBQ heart beat faster and hotter. Speaking of hotter: The two heating elements are infinitely adjustable with the help of LED-illuminated controls and allow you to barbecue and bake both directly and indirectly. Whatever you have in mind - with almost 2,000 cm<sup>2</sup> of grill surface, you have more than enough space for it. And that's just on the top, because the base cabinet offers further storage space and an additional shelf. This amazing barbecue is simply a work of art: Cast aluminium elements, such as parts of the barbecue hood and the cooking chamber, not only give the eFLOW® a fascinating look, but also ensure resounding stability. A justified question indeed:

THE ELECTRICS.

What more could you want?

eFLOW PRO 2 TURBO SHADOW

DIRECT AND INDIRECT GRILLING AND BAKING

**BOTH ZONES** LEFT ZONE 1,500 WATT

TURBO ZONE

SEARING AT THE

TOUCH OF A BUTTON





RIGHT ZONE 1,500 WATT

3,000 WATT



**⊕.~.⊕** 

TURBO ZONE (3 kW): turbo-fast extra high temperatures for searing at the touch of a button



3,000 WATT

SIMPLE CLEAN: individual parts of the combustion chamber can be removed without tools for easy cleaning



SWITCH GRID: enamelled cast grate offers versatile grilling options



2 FOLD-DOWN SIDE SHELVES for compact storage



**CONTROLLER AND MAIN SWITCH** with LED lighting



**SPACIOUS BASE UNIT** with additional shelf

#### **WARMING GRATE** (OPENS WITH LID)

made of stainless steel

#### LARGE GRILLING SURFACE OF ALMOST 2,000 CM<sup>2</sup>

for maximum BBQ enjoyment

#### REMOVABLE **FAT TRAY**

for easy cleaning



#### **DOUBLE-WALLED LID**

made of stainless steel with integrated thermometer

#### HIGH-QUALITY CAST **ALUMINIUM SIDE PANELS**

on the lid and combustion chamber

#### CONTROL PANEL AND **DOUBLE-WALLED DOOR**

made of stainless steel

# THE FUTURE OF HERE TODAY BBQ



STAINLESS STEEL ROTISSERIE eFLOW PRO ITEM NO. 7905

**SWITCH GRID** 

**DUTCH OVEN** 

ITEM NO. 7795





ITEM NO. 7793/7792/7790/7791

ITEM NO. 5691



# eCRAVE



- 2 Adjustable heating elements
- enamelled cast iron grate
- Warming grate made from stainless steel
- 2 fold-down side shelves
- W 103 x D 51.5 x H 99 cm
  - W 50 x D 33.5 cm
  - **6** 2.6 kW
  - кс 24.5 kg

#### eCRAVE 2

Item number	97116
Stock goods	•
Total output kW	2,6
Heating elements x kW	2 x 1.3
Grill surface cm / cm²	51 x 33.5 / 1.709
Warming grate cm / cm² / material	48 x 12 / 576 / Stainless steel
Working height cm	83
Mounting dimension cm	W 103 x D 51.5 x H 99
Dimensions with side shelves folded down cm	W 63 x D 51.5 x H 99
Cable length cm	180

# **eCRAVE ACCESSORIES**



PREMIUM WEATHER COVER eCRAVE 2 ITEM NO. 5690

# eCRAVE 2 **TOP FEATURES**


2 POWERFUL, **HEATING ELEMENTS** Separately adjustable

GRILL SURFACE FROM 1,675 CM<sup>2</sup> for maximum barbecue fun



STABLE BARBECUE HOOD with integrated thermometer

WITH PLENTY OF storage space in the base cabinet



SIMPLE CLEAN: individual parts of the combustion chamber can be removed without tools for easy cleaning



ENAMELLED CAST IRON GRATE with varied barbecuing options



SWINGING WARMING GRATE made of stainless steel



2 FOLD-DOWN SIDE SHELVES that offer space-saving storage



CONTROLLER AND MAIN SWITCH with LED illumination



REMOVABLE FAT TRAY for easy cleaning





# **AURORA® SERIES**











# **AURORA** MINT/TAUPE/GREY

- · Enamelled grill grate
- · Outer casing made of coated steel

#### ITEM NO. 1360/1363/1364



W 47 x D 26 x H 13.5 cm



W 37 x D 25 cm

\_\_\_\_ 3.7 kg

· Practical grill grate lifting aid

**AURORA® MIRROR SERIE** 





# AURORA MIRROR Copper/black/mat silver

ITEM NO. 1368/1365/1380

- · Solid, enamelled cast grate
- · Mirrored surface
- · LED mood lighting can be switched on under the barbecue
- · Practical grill grate lifting aid

- W 47 x D 26 x H 13.5 cm
- W 37 x D 25 cm
- **kg** 5.7 kg

# AURORA® MIRROR TOP FEATURES

#### **CAST GRATE**

- 925 cm<sup>2</sup> grill surface
- Unique branding

#### **CHARCOAL COMPARTMENT**

- Easy to fill
- Long-lasting burn

#### **CARRYING RECESSES** for easy transport

#### **EXTREMELY FLAT** perfect for tabletop use

#### **HYBRID CONCEPT**

- Battery compartment Powerbank connection
- (USB cable supplied)



## DISTRIBUTION

· Right up to the edges

# E-FAN-BBQ-VENTILATION TECHNOLOGY

- Extremely quietInfinitely variableGrill ready to use very quickly and with low smoke emissions

#### MOOD LIGHTING for atmospheric LED

illumination

# **AURORA® ACCESSORIES**



**BEECH CHARCOAL 1 KG** 

ITEM NO. 1383



**IGNITION PASTE 200 ML** 

ITEM NO. 1386





**CAST IRON GRATE** ITEM NO. 1388

86 BARBECUES | CHARCOAL BARBECUES | CHARCOAL 87









PREMIUM BBQ TONGS MADE OF STAINLESS STEEL ITEM NO. 8787



PREMIUM BBQ FORK MADE OF STAINLESS STEEL ITEM NO. 8789



**BURGER PRESS** MADE OF PLASTIC ITEM NO. 8813

ITEM NO. 8819

PREMIUM BURGER SET



**CAST IRON BURGER PRESS** 

ITEM NO. 8816



**CHICKEN WINGS HOLDER** MADE OF STAINLESS STEEL W 41.5 x D 14.5 x H 12 CM ITEM NO. 8806



PREMIUM BBQ SPATULA MADE OF STAINLESS STEEL ITEM NO. 8788



PREMIUM BBQ CUTLERY SET OF 3 INCL. BAG ITEM NO. 8786



NEW **RIB HOLDER** MADE OF STAINLESS STEEL B 33 X T 21 X H 10,5 CM ITEM NO. 8823



**FISH AND** VEGETABLE HOLDER MADE OF STAINLESS STEEL W 44 x D 25.5 x H 6.5 CM ITEM NO. 8807



PREMIUM BBQ BRUSH WITH STAINLESS STEEL **BRISTLES** ITEM NO. 8817



**BBQ BRUSH** WITH STAINLESS STEEL **BRISTLES** 

ITEM NO. 8814



BBQ BASKET S MADE OF STAINLESS STEEL W 25.5 x D 21 x H 5.5 CM ITEM NO. 8821



BBQ BASKET L MADE OF STAINLESS STEEL W 34.5 x D 30 x H 6 CM ITEM NO. 8822



**BBQ TONGS** WITH LOCK FUNCTION MADE OF STAINLESS STEEL ITEM NO. 8782



**BBQ SPATULA** WITH SHORT HANDLE MADE OF STAINLESS STEEL ITEM NO. 8784



**BBQ TRAY** MADE OF STAINLESS STEEL W 32 x D 19 x H 1.5 CM ITEM NO. 8804



SILICONE CUTLERY TRAY W 30 x D 19.5 x H 2.5 CM ITEM NO. 8815



PIZZA STONE, SET OF 4 W 19 x D 19 x H 1 CM ITEM NO. 8811



PIZZA STONE Ø 31.5 x H 1 CM ITEM NO. 8791



PREMIUM MEAT THERMOMETER ITEM NO. 8601



SHASHLIK SKEWER SET MADE OF STAINLESS STEEL W 38 x D 28 x H 4.5 CM ITEM NO. 8802



PIZZA STONE W 40 x D 30 x H 1.5 CM ITEM NO. 8775

NEW



PREMIUM PIZZA CUTTER MADE OF STAINLESS STEEL W 35.5 x D 11 x H 2.5 CM ITEM NO. 8771



**VEGETABLE PAN** WITH NON-STICK COATING W 32.5 x D 27.5 x H 8.5 CM ITEM NO. 8790



**BBQ GLOVES** MADE OF FIREPROOF ARAMID ITEM NO. 8785



PREMIUM PIZZA SHOVEL MADE OF STAINLESS STEEL W 20 x D 53 x H 3.5 CM ITEM NO. 8770



MELTING DOME MADE OF STAINLESS STEEL Ø 16 x H 10 CM ITEM NO. 8783



SMOKER BOX MADE OF STAINLESS STEEL W 21 x D 13 x H 3.5 CM ITEM NO. 8812



**GRILL GRATE CLEANER BBQ CLEANER** 500 ML ITEM NO. 4974 / 4975





# **STAINLESS STEEL GRILL PAN**

#### for the combustion chamber

- · for BROOKLYN NEXT 2, SAN DIEGO 2
- · for BROOKLYN NEXT 3, SAN DIEGO 3 + 4
- · for URBAN-/EXPLORER NEXT series

ITEM NO. 7887

ITEM NO. 7888

ITEM NO. 2076



# **STAINLESS STEEL GRILL PAN**

#### for the side cooker

- · for KANSAS II PRO 3 + 4 with side cooker
- for MONROE PRO 3 + 4 with side cooker, COLORADO 6 with side cooker,

BOSTON 3 + 4 + 6 with side cooker

ITEM NO. 7885

ITEM NO. 7712



# **REVERSIBLE CAST IRON GRILL PANN**

#### Reversible cast iron grill pan 1/2

- · for SWITCH GRID KANSAS II PRO 4
- · for SWITCH GRID MONROE PRO 4, COLORADO 4, BOSTON 4
- · for SWITCH GRID CHICAGO 4
- · for URBAN-/EXPLORER NEXT series

ITEM NO. 7789 ITEM NO. 7893

ITEM NO. 7894

ITEM NO. 2075

# **REVERSIBLE CAST IRON GRILL PANN**

#### Reversible cast iron grill pan 1/3

- · for KANSAS II PRO 3
- · for MONROE PRO 3,
  - SWITCH GRID COLORADO 3, BOSTON 3
- · for SWITCH GRID COLORADO 6, BOSTON 6
- · for CHICAGO 3

ITEM NO. 7880 ITEM NO. 7882

ITEM NO. 7893 ITEM NO. 7899

92 BBQ ACCESSORIES | GAS AND ELECTRIC BARBECUE



# A TASTE SENSATION AS EXOTIC AS IT SOUNDS

With the plancha, you'll enjoy a slice of Mediterranean cuisine on your Enders barbecue. The grill plate boasts a huge grill surface made of enamelled cast iron, and optimally stores and distributes the heat of your BBQ. Thanks to the second feature, in particular, the plancha is ideal for a wide range of dishes - from fish and vegetables to burgers, bacon, fried eggs or pancakes. The practical grease gutter will keep your grill clean. The same applies to the comparatively high edge line: With this, turning food is as easy as ABC, and you won't miss a thing. Thanks to the adjustable feet, the grill plate fits on almost every Enders grill, with which you can conjure up dishes that will be all the more exotic with every bite And why, do you ask? Because they just taste like that!

# PLANCHA H NEW



ITEM NO. 7799

#### for the cooking chamber

- · for KANSAS II PRO
- · for MONROE PRO
- · for COLORADO for BOSTON
- · for CUBIQ PRO





- · with integrated grease gutter
- · optimal heat storage and distribution thanks to the use of massive, enamelled cast-iron
- · Extra high rim for ease of turning
- Two handles for comfortable transport
- Large grilling surface of just under 1,100 cm<sup>2</sup> for extra space and convenient barbecuing

# A PROFESSIONAL PLAYER

Turning heads around the world: the ROTISSERIE PRO made of stainless steel. Thanks to its clever universal holder made of cast aluminium, it is guaranteed to run smoothly. The skewer is attached to your barbecue in no time and without the use of tools. Its dual motor runs either on batteries or on electricity from the socket. The ROTISSERIE PRO also impresses all with its easy handling and space-saving storage. A professional skewer solution and a real all-rounder to boot.

# **ROTISSERIE PRO**



ITEM NO. 7908

ITEM NO. 7911

- · universal barbecue skewer made from stainless steel with cast aluminium holder
- · Quick and easy attachment of the cast aluminium adapters thanks to easy assembly without the use of tools
- quiet electric motor can be powered by batteries or mains electricity
- made of durable materials for a load-bearing capacity of approx. 10 kg

#### Rotisserie Pro for 3 + 4 burners


ITEM NO. 7908

- · for UNIO PRO
- · for KANSAS II PRO 3 + 4
- · for MONROE PRO 3 + 4

· for BROOKLYN NEXT 2 + 3

- · for COLORADO 3 + 4
- · for BOSTON 3 + 4
- · for CHICAGO 3 + 4

# STAINLESS STEEL ROTISSERIE



· CUBIQ PRO 2 + 3, eFLOW PRO ITEM NO. 7905 · for CHICAGO 3 + 4 ITEM NO. 7904



94 BBQ ACCESSORIES | GAS AND ELECTRIC BARBECUE

# SWITCH GRID AN INSERT FOR ANY SITUATION





# **DUTCH OVEN**

ITEM NO. 7795

- For making braised dishes, stews, ribs or even for baking bread
- Unique lid design for even condensation distribution and juicy cooking results
- Stainless steel insertable rib rack
- Additional opening on the lid enables temperature measurement with closed lid
- · Capacity: 5.5 L / Weight: 8 kg



# **SEAR GRATE**

ITEM NO. 7791

- For quick and hot searing
- · Brands a unique seared pattern on the grilled food
- · Solid, enamelled cast iron



## **PIZZA STONE**

ITEM NO. 7790

- For easy preparation of a crispy pizza or sweet pastries
- Ceramic pizza stone (Ø 31.5 cm)
- Enamelled cast iron holder



## PAN

ITEM NO. 7792

- · For frying potatoes or vegetables
- Extra-high rim (4 cm) to help flip food in the pan
- · Solid, enamelled cast iron



# **POULTRY ROASTER**

ITEM NO. 7793

- For simultaneous cooking of poultry and vegetables
- Stainless steel body with sturdy enamelled cast iron handles
- Screw-on and screw-off poultry holder for easy cleaning





## WOK



ITEM NO. 7797

- · for the unique wok taste sensation on your Enders gas barbecue
- · made of solid, enamelled cast iron for effective heat distribution
- the practical foot enables use directly on the grill grate and other suitable heat sources
- · versatile use: as a pot or pan for numerous culinary Courts
- · Two side handles for easy and convenient handling
- Suitable for all Enders Switch Grid grates (except eFlow Pro & Brooklyn Next Series)
- · W 38 x L 35 x H 10 cm / Weight: 4.5 kg

# **ADAPTABLE? SWITCH, PLEASE!**

Turn your barbecue into a true all-purpose weapon – meatball-proof. Whether it's hearty braised dishes with the **Dutch Oven**, intense searing with the **Sear Grate**, hot baking sessions on the **Pizza Stone**, crispy meat fun thanks to the **Poultry Roaster**, fast and healthy cooking from the **Wok** or delicious side dishes in the **Pan** — thanks to the **SWITCH GRID** you are well-prepared for any and all uses. Quick and easy to replace, you can equip the enamelled cast-iron grill with a removable round element to suit your taste. A full selection of barbecue options at your fingertips.



SWITCH GRID 2-BURNER GAS BARBECUE

SAN DIEGO 2 /

BROOKLYN NEXT 2 ITEM NO. 7808



#### SWITCH GRID

3-BURNER GAS BARBECUE
MONROE PROX 3 ITEM NO. 7784


BOSTON 3

CHICAGO 3

SAN DIEGO 3 /

BROOKLYN NEXT 3 ITEM NO. 7809

ITEM NO. 7756



SWITCH GRID

4-BURNER GAS BARBECUE

CHICAGO 4 ITEM NO. 7794
BOSTON 4 ITEM NO. 7785

96 BBQ ACCESSORIES | SWITCH GRID 97



# MAGNETIC MOUNTS FOR BARBECUE ACCESSORIES **GRILL MAGS®**







# **BOTTLE HOLDER**

ITEM NO. 7814

- · For bottles up to Ø 9.5 cm
- · Integrated bottle opener
- · Two strong magnets ensure a secure hold
- · Robust steel frame with black lacquer finish
- · Dimensions: W 11 x D 10.5 x H 17 cm

# KITCHEN ROLL HOLDER

- · Two strong magnets ensure a secure hold
- · Robust steel frame with black lacquer finish
- · Dimensions: W 31 x D 7 x H 3 cm

# ITEM NO. 7811





# **BBQ CUTLERY HOLDER**

ITEM NO. 7812

- · Two strong magnets ensure a secure hold
- · Robust steel frame with black lacquer finish
- · Dimensions: W 30 x D 7.5 x H 3 cm

# **GRATE HOLDER**

ITEM NO. 7816

- Four strong magnets ensure a secure hold (up to 7 kg)
- Robust steel frame with non-slip black rubber coating
- · Dimensions: 2 x W 3 x D 10 x H 39.5 cm

When things get a bit heated around the barbecue, it's important to keep on top of things. And we have the perfect solution: GRILL MAGS®. This ingenious yet simple solution delivers exactly what it promises. These exclusive and practical holders keep everything organised and within easy reach. Strong, silicone-coated magnets connect the MAGS to your barbecue quickly and without damaging the surface.





# **SPICE HOLDER**

ITEM NO. 7818

- · Two strong magnets ensure a secure hold
- Robust steel frame with black lacquer finish
- · External dimensions: W 22.5 x D 10.5 x H 5 cm
- Internal dimensions: W 20.5 x D 7.5 x H 5 cm

# **CHOPPING BOARD**

ITEM NO. 7824

- Strong magnet prevents slipping
- Removable drip tray (750 ml)
- Deep drainage channels for clean drainage into the drip tray
- Dishwasher-proof
- Material: food-grade polypropylene (PP)
- Dimensions: W 30 x D 6.5 x H 46.5 cm





# **WASTE BIN XL**

ITEM NO. 7815

**BBQ UTENSIL HOLDER** 

ITEM NO. 7817

- Capacity: 8 L
- · Two strong magnets ensure a secure hold
- Robust steel frame with black lacquer finish
- · Dimensions: W 29 x D 14.5 x H 26 cm

- · Capacity: 2.8 L
- · Two strong magnets ensure a secure hold
- · Robust steel frame with black lacquer finish
- · Dimensions: W 21.5 x D 10.5 x H 19 cm



# **ROLL YOUR STORAGE SPACE TO WHERE IT'S NEEDED.**

Our modular trolley makes storage dreams come true. The rolling space-saving miracle provides you with additional storage options. With two strong magnets, you can attach the variable mobile container to your BBQ. Whether on the left or right side is entirely up to you. The only thing you can be sure of is that you do it in the most convenient way possible with four flexible castors. Aside: Maximum convenience also awaits you when it comes to tidiness. Thanks to the unit's subdivision by way of an additional shelf, you won't have to search long, but you'll find it faster.



# **MODULAR TROLLEY**

- $\cdot \hspace{0.1in}$  additional storage space for the outdoor kitchen
- · two strong magnets attach the trolley to the barbecue
- · can be positioned to the left or right of the grill
- · increased organisation with an additional shelf
- · four flexible castors

ITEM NO. 88186

W 34 x D 47 x H 76 cm

KG 11 kg

**MATCHING GRILLS** 





**COLORADO** Series



# **PREMIUM WEATHER PROTECTION COVERS**

# **WEATHER PROTECTION COVERS**

· UNIQ PRO 3, KANSAS II PRO 3 + 4, ITEM NO. 5696 MONROE PRO 3 + 4, COLORADO 4, BOSTON BLACK 4 K

· COLORADO 6 K, BOSTON BLACK 6 K ITEM NO. 5697 · BOSTON BLACK 3 K ITEM NO. 5694

· MONROE PROX 3, COLORADO 3 ITEM NO. 5693 · CHICAGO 4 K ITEM NO. 5695

· CUBIQ PRO, CHICAGO 3 ITEM NO. 5700 Today it may rain, hail or snow  $\dots$  but who cares? This is not the end of the journey for your barbecue. Our PRE-MIUM weather protection covers shield your barbecue buddy from all the elements. Heavy rain, sunlight, blizzards or dirt can no longer do any harm at all. The lightweight fabric made of UV-resistant special fibre is extremely tear-resistant and colourfast. And thanks to the breathable PU coating, it is also really smart: waterproof on the outside and permeable to water vapour on the inside, thereby completely excluding the formation of condensation. Because of these solid features and the ease of handling, you will always be able to cover your barbecue with the PREMIUM weather protection cover quickly!

#### ITEM NO. 5692 CUBIQ PRO 3 K BROOKLYN NEXT 2 + 3, ITEM NO. 5691

ITEM NO. 5689

ITEM NO. 5690

SAN DIEGO 4 SAN DIEGO 2 + 3, eCRAVE 2

eFLOW PRO

**URBAN-Serie** mit Trolley ITEM NO. 5699 · URBAN/EXPLORER NEXT-Serie ITEM NO. 5681

# **GAS BOTTLE COVER STYLE**



**GAS BOTTLE COVER STYLE** 5 KG / 11 KG



GAS BOTTLE COVER STYLE 5 KG / 11 KG ITEM NO. 5115/5117

# HINOLOGY

# EFFICIENCY IN EVERY WAY

Efficiency starts with the fact that Enders patio heaters not only heat up the ambient air, but also deliver their heat directly to you and your friends thanks to infrared rays. But Enders would not be the global pioneer in the development of efficient patio heaters if we left it at that: For example, we have succeeded in reducing gas consumption by up to 83 % compared to a conventional 12 kW burner while generating the same amount of heat.

That means for you: 83 % less emissions, 83 % less costs and 83 % more enjoyment of the outdoors.

But see for yourself what's in it for you with our innovative technology solutions!



83 % SAVINGS in CO<sub>2</sub> emissions and costs\*.



50% savings in CO<sub>2</sub> emissions and costs\*.



30% savings in CO<sub>2</sub> emissions and costs\*.

\*compared to conventional 12 kW standard burners

The Enders NOVA® LED fireplaces

also feature ECO GREEN technolo-

The NOVA LED M with a burning time of 111 hours (8 kg gas bot-

tle) and the NOVA LED L with 152

hours (11 kg gas bottle) also prove

gy in addition to a stunning design.

Finally, you're sitting together with your friends once more. Of course, in the fresh air on the patio or the balcony and, of course, in the best of moods. Who wants to let the weather throw a spanner in the works and sacrifice a beautiful evening to a low-pressure zone or a cold front? Time for the ECO patio heaters from Enders. Why Enders? It's simple! That's because patio heaters from Enders get more radiant heat out of every kilowatt with intelligent technology. And because Enders delivers the heat where you want it.





# NOVA® LED SERIES

FIND HERE HOSE AND REGULATOR KITS PAGE 149



#### **BLACK/SILVER M/L**

ITEM NO. 560033/560133

- · ECO burner
- · Mirror reflector with glass cylinder
- Ambient light in the top and bottom
- · 5- and 8 kg /11 kg gas bottle stowable
- □ □ □ □ □ □
  - H 88 x Ø 36 cm/ H 102 x Ø 36 cm
  - (6) 1 2.5 kW / 30 mbar

11.5 kg/ 12.5 kg



### **GREY/BLACK M/L**

ITEM NO. 560430/560530

- · ECO burner
- Mirror reflector with coloured coordinated glass cylinder
- Ambient light in the top and bottom
- · 5- and 8 kg /11 kg gas bottle stowable
- ₽ H 88 x Ø 36 cm/
- H 88 x Ø 36 cm/ H 102 x Ø 36 cm
- (h) 1 2.5 kW / 30 mbar
- 11.5 kg/
- · ·

# NOVA® LED M GREY/BLACK TOP FEATURES

MIRROR REFLECTOR AND FLAME form a harmonious unity

FIREPROOF GLASS CYLINDER

protects the flame from the wind

**CONVENIENT CHANGE OF LOCATION** thanks to a compact design



FLAME HEIGHT IS infinitely variable

OPTIMALLY PROTECTED CONTROLS inside the housing

IGNITION AND ANTI-TIP PROTECTION for optimum safety





**INFINITELY ADJUSTABLE ECO BURNER** (2.5 kW) for an extra long burn time



LED MOOD LIGHTING IN THE UPPER PART can be switched on and off independently



INDIRECT MOOD LIGHTING IN THE BASE can be switched on and off independently



MIRROR REFLECTOR WITH COLOUR-COORDINATED GLASS CYLINDER



**SPACE FOR 5- AND 8 KG GAS BOTTLE** 



TABLETOP ELEMENTS (Set of 3) available as accessories



# NOVA® LED PRODUCT OVERVIEW





NOVA LED	BLACK/SILVER M GREY/BLACK M	BLACK/SILVER L GREY/BLACK L
Article number	560033 560430	560133 560530
Stock items	•	•
stepless power regulation kW	1 - 2.5	1 - 2.5
ECO burner	Stainless steel	Stainless steel
Burning time in hrs.	44-111 (8 kg gas bottle)	61-152 (11 kg gas bottle)
Ignition	Battery*	Battery*
Ignition fuse	•	•
Anti-tilt device	•	•
Glass cylinder	fireproof	fireproof
Reflector	Mirror	Mirror
Table shelf set of 3	-	-
LED ambient light top**	•	•
Housing	powder-coated Steel	powder-coated Steel
Gas bottle stowable (max.)	8 kg	11 kg
Plastic feet	•	•
Ambient light floor**	•	•
Hose and gas pressure regulator	•	•
Mounting dimension cm	H 88, Ø 36	H 102, Ø 36

<sup>\*</sup>included in scope of delivery



# NOVA® LED ACCESSORIES



TABLE SHELF SET OF 3 NOVA LED ITEM NO. 5608



PREMIUM WEATHER
PROTECTION COVER M
NOVA LED
ITEM NO. 5610



PREMIUM WEATHER
PROTECTION COVER L
NOVA LED
ITEM NO. 5609

110 FIRE PITS | GAS 111


<sup>\*\*3</sup> C batteries required for operation, not included in the scope of delivery.





steel spiral

controller



ITEM NO. 5589 H 182 x Ø 53 cm



**6** 8.5 - 11 kW



impressive fire lance shine bright and can be seen from far away

Pleasant radiant heat thanks to diathermic, fireproof special glass

· 8.5 - 11 kW stepless power

Brushed stainless steel housing with door complete with robust clamp lock

**READY FOR IMMEDIATE USE** 100 % pre-assembled



C€

50 mbar

#### **VULANO**

Article number	5589 (50 mbar)
Stock items	•
stepless power regulation kW	8.5 - 11
Burner	Ceramic
Spiral	Stainless steel
Burning time in hrs. (11-kg gas bottle)	14 - 18
Ignition	Battery*
Ignition fuse	•
Anti-tilt device	•
Housing	Stainless steel
Gas bottle stowable (max.)	11 kg
Base	powder-coated steel
Transport rollers	•
Hose & gas pressure regulator	•
Mounting dimension cm	H 182, Ø 53
ACCESSORIES	
PREMIUM weather protection cover	5679

# **FEATURES**



**RETRACTABLE** for space-saving stowage and transport



11-KG GAS BOTTLE stowable

FIRE PITS | GAS 113 \*included in scope of delivery





ITEM NO. 937622\* / 937623\*\*



H 218 x Ø 76 cm



**6** 3.5 - 8 kW / 30 mbar

ر 11.5 kg

FIND HERE HOSE AND **REGULATOR KITS** PAGE 149





#### **ELEGANCE**

Article number	937622* / 937623**
Stock items	•
stepless power regulation kW	3.5 - 8
Stainless steel burner	ECO PLUS
Burning time in hrs. (11-kg gas bottle)	19 - 43
Ignition	Piezo
Ignition fuse	•
Anti-tilt device	•
Ø reflector cm	76
Column	Stainless steel
Housing	Stainless steel
Gas bottle stowable (max.)	11 kg
Base	powder-coated steel
Transport rollers	•
Hose & gas pressure regulator	• / -
ACCESSORIES	
Premium weather protection cover	5675
Height adjustable table	5062

<sup>\* 937622:</sup> hose Ø 10 mm (PL, BG, EE, LT, LV, HU, TR, FI, NO, PT, DE, UA)

# **ACCESSORIES**



HEIGHT-ADJUSTABLE TABLE as accessory, Ø 37 cm, 5 mm safety glass

<sup>\*\* 937623:</sup> hose Ø 8 mm (IS, NL, BE, LU, CZ, SL, SI, HR, RO, IT, GR, GB, SE, IE, CY, FR)





H 218 x Ø 76 cm

**6** 3.5 – 8 kW / 30 mbar


ITEM NO. 544123\*

кс 11 kg

FIND HERE HOSE AND REGULATOR KITS PAGE 149

#### **FANCY**

	IANOI
Item number	544123*
Stock goods	•
stepless power regulation kW	3.5 - 8
Stainless steel burner	ECO PLUS
Burning time in hrs. (11-kg gas bottle)	19 - 43
Ignition	Piezo
Ignition fuse	•
Anti-tilt device	•
Ø reflector cm	76
retractable column	Stainless steel
Storage table	Plastic
Housing	Polyester
Gas bottle stowable (max.)	11 kg
Base	Powder-coated steel
Transport rollers	•
Hose and gas pressure regulator	•/-
ACCESSORIES	
Premium weather protection cover	5683









MAGNETIC POLYESTER COVER quick to remove for uncomplicated gas bottle replacement



RETRACTABLE COLUMN for space-saving storage and transport





# **ECOLINE PURE**

· 2 individually ignitable

ECO ULTRA burners (2 x 2 kW)

made from stainless steel
targeted heat radiation thanks to adjustable burner systems
slim housing with door and stable clamping lock ITEM NO. 5640

Ŧ

H 213 x W 42 x D 45 cm

**6** 2/4kW

с 27 kg

50 mbar









#### **ECOLINE PURE**

Article number	5640 (50 mbar)
Stock items	•
Power regulation kW	2/4
2 ECO ULTRA burners	Stainless steel
Burning time in hrs. (11-kg gas bottle)	38 - 76
Ignition	Piezo
Ignition fuse	•
Anti-tilt device	•
Reflector	Aluminium
Frame	Aluminium
Housing	powder-coated steel
Gas bottle stowable (max.)	11 kg
Transport rollers	•
Hose & gas pressure regulator	•
Mounting dimension cm	H 213 x W 42 x D 45
ACCESSORIES	
Premium weather protection cover	5677



▶ Play MP4

# **FEATURES**



**TARGETED THERMAL RADIATION** in 90 degree angle





Item number

Stock goods

stepless power

(11-kg gas bottle) Ignition

Ignition fuse Anti-tilt device

Reflector

Housing

Base

cover

Transport rollers

**ACCESSORIES** 

ENDUR reflection system Burning time in hrs.

Gas bottle stowable (max.)

Hose & gas pressure regulator

PREMIUM weather protection

Mounting dimension cm

regulation kW

Burner

# POLO® 2.0 / POLO® BLACK 2.0

- Stainless steel burner
- 3 6 kW infinitely variable power controller
- ENDUR Reflection system: infrared heat rays are reflected over a wide area and with maximum efficiency
- heats in a targeted way and without scatter losses, precisely where it is needed
- optimally protected operating elements within the housing

ITEM NO. 546033/ ITEM NO. 546233

H 115, Ø 42 cm 3 - 6 kW / 30 mbar

12.5 kg

FIND HERE HOSE AND REGULATOR KITS PAGE 149







#### POLO® 2.0 POLO® BLACK 2.0

546233

•

3 - 6

Stainless steel

25 - 50

Piezo

Stainless steel

powder-coated

11 kg

powder-coated

steel

H 115, Ø 42

5676

546033

3 - 6

Stainless steel

25 - 50

Piezo

Stainless steel

Stainless steel

11 kg

powder-coated

steel

H 115, Ø 42

5676

<b>X</b> XXXXX	\\\\\\\
*****	
	ADJUSTA

TOR for targeted heat radiation and individually adjustable heat protection



INTEGRATED TRANSPORT HANDLE



SLIM, STABLE HOUSING made of brushed stainless steel with door and sturdy clamp lock








- Stainless steel burner
- · 4 14 kW infinitely variable output
- Practical storage table
- Ultra-stable with robust cast aluminium body parts and base
- Brushed stainless steel casing with lockable door

ITEM NO. 580023



H 223, Ø 88 cm











#### SOLID

Item number	580023*
Stock goods	•
Continuous output adjustment kW	4 - 14
Burner	Stainless steel
Burning time hrs. (11 kg gas bottle)	11 - 38
Ignition	Battery (supplied)
Ignition safety device	•
Tip-over protection	•
Reflector	FAL
Ø Reflector cm	88
Retractable column	Stainless steel
Storage table	Stainless steel
Housing	Stainless steel
Storable gas bottle (max.)	11 kg
Base	Powder-coated cast aluminium
Transport rollers	•
Hose / gas pressure regulator	• / -
Dimensions in cm	H 223, Ø 88
ACCESSORIES	
PREMIUM weather protection	5683

<sup>\* 580023:</sup> hose Ø 8 mm (IS, NL, BE, LU, CZ, SL, SI, HR, RO, IT, GR, GB, SE, IE, CY, FR)

# **FEATURES**



RETRACTABLE COLUMN for spacesaving storage and transport



CHAIN for additional securing of the door





Item number Stock good stepless power

regulation kW

Burning time in hrs.

(11-kg gas bottle) Ignition

Ignition fuse Anti-tilt device Reflector

Ø reflector cm

Storage table Housing

Base

retractable column

Transport rollers

**ACCESSORIES** 

Gas bottle stowable (max.)

Hose & gas pressure regulator

PREMIUM weather protection

Burner

# **COMMERCIAL**

- · Stainless steel burner
- · 4 14 kW stepless power regulation
- · practical storage table
- · Brushed stainless steel housing with lockable door
- · Large brushed stainless steel base for extra stability

- ITEM NO. 5500623
- H 223, Ø 88 cm
- **6** 4 14 kW / 30 mbar
- кс 29 kg

FIND HERE HOSE AND **REGULATOR KITS** PAGE 149



RETRACTABLE COLUMN for space-saving storage and transport.



**PULL-OUT GAS BOTTLE SHELF** 



LOCKABLE DOOR with sturdy clamp lock



CHAIN for additional securing of the door



<sup>\* 5500623:</sup> hose Ø 8 mm (IS, NL, BE, LU, CZ, SL, SI, HR, RO, IT, GR, GB, SE, IE, CY, FR)

COMMERCIAL

5500623

4 - 14

Stainless steel

11 - 38

Battery (supplied)

FAL

88

Stainless steel

Stainless steel

11 kg Stainless steel

•/-

5678



PREMIUM weather covers from Enders provide lasting protection against all outdoor influences such as rain, sun, snow and dirt. The fabric - made of a UV-resistant special fibre - is permanently tear-resistant and colourfast. The breathable PU coating is not only waterproof, but also permeable to water vapour, preventing the formation of condensation.

Enders PREMIUM weather covers are lightweight, odourless and are impressively easy to use with clever details, such as being able to secure them in place with magnets integrated in the hem, making the cover windproof.





UV RESISTANT, COLOURFAST, TEAR-PROOF



///// WATERPROOF





**WEATHER PROTECTION COVER** 

**WEATHER PROTECTION COVER** 

# PATIO HEATER **ACCESSORIES**



PREMIUM **WEATHER PROTECTION COVER** NOVA LED M

ITEM NO. 5610



**PREMIUM WEATHER PROTECTION COVER** 

**VULANO** ITEM NO. 5679

PREMIUM

SOLID + FANCY

ITEM NO. 5683





PREMIUM

NOVA LED L

PREMIUM

ELEGANCE

ITEM NO. 5675

ITEM NO. 5609



WEATHER PROTECTION COVER

WEATHER PROTECTION COVER

**PREMIUM** WEATHER PROTECTION COVER COMMERCIAL

ITEM NO. 5678



# **ELECTRIC HEATERS.** Loom, Moow, Oron and Oxeo. Fantastic names that truly redefine the status quo under an starlit sky: the electric patio heaters from Enders. A perfectly coordinated family of models in terms of their design and range of functions, consisting of freestanding, suspended and wall-mounted heaters, that complement each other ideally, but also deliver outstanding performance independently of one another. When incorporated into a modern design setting, the electric patio heaters stand out above all due to their variability. Be it intensity, angle of inclination, height or alignment: The four heaters can be individually configured and thus always guarantee the best possible heat radiation. Thanks to Plug & Heat and wind-resistant infrared technology, this is achieved almost instantly. Simply heavenly. 128 PATIO HEATERS | ELECTRIC PATIO HEATERS | ELECTRIC 129

# Enders



# LOOM

• 2 power settings possible: 1,000 W and 2,000 W

incl. remote control

incl. height-adjustable Suspension device made of wire with screw carabiner

#### ITEM NO. 49266

H 11.5 x Ø 45.5 cm

2 kW

6 2.1 kg

**₩** 1.9 m

#### LOOM

Article number	49266
Stock items	•
Total output kW	2
Heating element	Halogen
Material	powder-coat. Steel, plastic
Protection class	IP 45
Remote control incl. battery	•
Mounting dimension cm	H 11.5 Ø 45.5 cm



wonderfully safe infrared radiant heat



Height-adjustable





plug type

# MOOW

• 2 power settings possible: 450 W and 900 W

With transport handle

With tilt protection

#### ITEM NO. 49246

H 75 x Ø 30 cm

**6** 0.9 kW 2.5 kg

₩ 1.55 m

#### MOOW

Article number	49246
Stock items	•
Total output kW	0.9
Heating element	Carbon
Material	powder-coat. Steel, plastic
Protection class	IP 34
Remote control	-
Mounting dimension cm (vertical)	H 75, Ø 30
Mounting dimension cm (horizontal)	H 54 x W 63 x D 32



Switchable oscillation function (approx. 60°)



Horizontal and vertical alignment possible





130 PATIO HEATERS | ELECTRIC





# ORON

telescopic

• 2 power settings possible: 1,000 W and 2,000 W

· incl. anti-tilt device

#### ITEM NO. 49076

H 226, Ø 55 cm

2 kW kg 14.5 kg 1.3 m



#### ORON

Article number	49076
Stock items	•
Total output kW	2
Heating element	Halogen
Material	Stainless steel, aluminium, plastic
Protection class	IP 44
Remote control	_
Mounting dimension cm	H 226, Ø 55



wonderfully safe infrared radiant heat



Height adjustable by means of locking sleeve (min. height 1.90 -2.26 m)





plug type F

# OXEO BLACK / WHITE

ART NO. 49276/49286

• 3 power settings possible: 700 W, 1,300 W and 2,000 W

with remote control and Wall mount

Adjustable tilt angle



2 kW 2 kg

1.5 m

#### OXEO

Article number	49276 / 49286
Colour	black / white
Stock items	•
Total output kW	2
Heating element	Halogen
Material	powder-coat. Steel, plastic
Protection class	IP 55
Remote control incl. battery	•
Mounting dimension cm	H 10.5 x W 72.5 x D 20



3 power settings possible







132 PATIO HEATERS | ELECTRIC PATIO HEATERS | ELECTRIC 133



# **EXPLORER NEXT SERIES**


FIND HERE HOSE AND REGULATOR KITS PAGE 149



# **NEXT**

- · 2 stainless steel burners
- · Stainless steel grate
- · Chrome-plated pot grates
- · Powder-coated steel lid

ITEM NO. 210333



W 48 x D 32 cm

**6** 4.4 kW / 30 mbar

кс 10 kg



# **NEXT PRO**

- · 2 stainless steel burners
- · Stainless steel grate
- · Chrome-plated pot grates
- · Lid made of powder-coated cast aluminium
- · Stable storage tray

#### ITEM NO. 210233

- W 59 x D 47 x H 80 cm
- W 48 x D 32 cm
- **6** 4.4 kW / 30 mbar
- кс 11 kg

# **EXPLORER NEXT PRO TOP FEATURES**

#### **ROBUST HOUSING**

made of durable, lightweight cast aluminium

**2 REMOVABLE FAT TRAYS** for easy and quick cleaning



#### **HIGH-VOLUME LID**

made of study cast aluminium, optimised for low-temperature

#### 2 STAINLESS STEEL **BURNERS**

for powerful direct and indirect grilling, cooking and baking

STABLE STORAGE TRAY

easy to mount









STAINLESS STEEL GRATE with integrated flame tamers



CHROME-PLATED, REMOVABLE POT **GRATES** for perfect cooking results and easy cleaning



**3 DIFFERENT COOKING FUNCTIONS:** Grilling, cooking and baking (pizza stone available as accessory)



**EASY TO TRANSPORT** (Bag available as accessory)



TABLE AND STAND in one



**OPERATION** with gas bottle or threaded gas cartridge

# **EXPLORER NEXT PRODUCT OVERVIEW**



EXPLORER	NEXT	NEXT PRO
Item number	210333	210233
Stock goods	•	•
Total output in kW	4.4	4.4
Stainless steel burners x kW	2 x 2.2	2 x 2.2
Lid	Powder-coated steel	Powder-coated cast aluminium
Thermometer	•	•
Housing	Powder-coated cast aluminium	Powder-coated cast aluminium
Ignition	Piezo	Piezo
Grill surface cm / cm²	48 x 32 / 1,536	48 x 32 / 1,536
Grill grate	Stainless steel / two sections	Stainless steel / two sections
Chrome-plated, removable pot grates	•	•
Removable fat trays	2	2
Storage tray	-	•
Operation	Gas bottle & threaded cartridge	Gas bottle & threaded cartridge
Hose and gas pressure regulator	-	-
Working height of standing barbecue in cm	66	66
Working height of tabletop barbecue in cm	23	23
Dimensions of standing barbecue in cm	W 59 x D 47 x H 76	W 59 x D 47 x H 80
Dimensions of tabletop barbecue in cm	W 48 x D 42 x H 34	W 48 x D 42 x H 38



# **EXPLORER NEXT ACCESSORIES**



REVERSIBLE CAST IRON GRILL PAN 1/2 ITEM NO. 2075



STAINLESS STEEL **GRILL PAN** 

ITEM NO. 2076



PIZZA STONE INCL. HOLDER ITEM NO. 8602



BAG

ITEM NO. 2101



PREMIUM WEATHER COVER ITEM NO. 5681



CARTRIDGE HOLDER SET

ITEM NO. 2082 (30 MBAR / Ø 8MM NOZZLE) ITEM NO. 2083 (30 MBAR / Ø 10MM NOZZLE)



THREADED CARTRIDGE 450 G

ITEM NO. 6322



**GAS BOTTLE COVER STYLE** 5 KG

RED/BLACK ITEM NO. 5114/5115



GAS BOTTLE COVER STYLE 11 KG

RED/BLACK

ITEM NO. 5116/5117

138 CAMPING | BARBECUES CAMPING | BARBECUES 139





# **PRODUCT OVERVIEW**



# **NELSON**

· Cast aluminium burner

· Overheating protection

· Overpressure safety shut-off value

#### ITEM NO. 1880

W 37 x D 28 x H 13 cm

**6** 2.2 kW

1.8 kg



incl. carrying case made of shock-resistant plastic

#### NELSON

Item number	1880
Stock goods	•
Burner capacity kW	2.2
Burner	Cast aluminium
Operation	Valve cartridge
Burn time per car- tridge at full load	85 minutes
Ignition	Piezo
Overheating protection	•
Overpressure safety shut-off	•
Maximum Ø pot	26 cm
Pot grate & housing	Stainless steel
Carrying case	Plastic
Mounting dimension cm	W 37 x D 28 x H 13
Case dimension cm	W 39 x D 32 x H 13
ACCESSORIES	
Valve cartridge	1881

# **PRODUCT OVERVIEW**



# **CANBERRA**

- 2 stainless steel hurner
- · Robust, chrome-plated and removable pot grate
- removable lid and Smooth surfaces for easy cleaning
- Rubber studs for more stability

#### ITEM NO. 179033

- W 43 x D 26 x H 10 cm
- 4.6 kWκω2.3 kg



practical rubber studs



durable stainless steel burners

#### **CANBERRA**

Item number	179033
Stock goods	-
Burner capacity kW	2 x 2.3
Burner	Stainless steel
Operation	Gas bottle
Ignition	manual
Maximum Ø pot	20 cm
Pot grate	Chrome-plated steel
Cover & Housing	powder-coated steel
Mounting dimension cm	W 43 x D 26 x H 10





142 CAMPING | COOKERS 143





DALGETY BLACK 2 Z



DALGETY BLACK 3



### **DALGETY BLACK**

ITEM NO. 185533 / 185633 / 185733

- · 2/3 Stainless steel burner
- · Robust, chrome-plated and removable pot grate
- · Removable lid and smooth surfaces for easy cleaning
- · Rubber studs for more stability

DALGETY BLACK	2	2 Z	3
Item number	185533	185633	185733
Stock goods	-	-	
Burner capacity kW	2 x 2.3	2 x 2.3	3 x 2.3
Burner	Stainless steel	Stainless steel	Stainless steel
Operation	Gas bottle	Gas bottle	Gas bottle
Ignition	manual	manual	manual
Ignition fuse	-	•	-
Maximum Ø pot	20 cm	20 cm	20 cm
Pot grate	Chrome-plated steel	Chrome-plated steel	Chrome-plated steel
Cover & Housing	powder-coated steel	powder-coated steel	powder-coated steel
Mounting dimension cm	W 49 x D 32 x H 9	W 49 x D 32 x H 9	W 59 x D 32 x H 9
Weight	3.6 kg	3.7 kg	4.2 kg







BRISBANE 3 Z

RISBANE 2 Z

ITEM NO. 186033 / 186133

### **BRISBANE**

- 2/3 Stainless steel burner
- · Robust, chrome-plated and removable pot grate
- · Removable lid and smooth surfaces for easy cleaning
- · integrated ignition fuse

BRISBANE	2 Z	3 Z
Item number	186033	186133
Stock goods	-	-
Burner capacity kW	2 x 2.3	3 x 2.3
Burner	Stainless steel	Stainless steel
Operation	Gas bottle	Gas bottle
Ignition	manual	manual
Ignition fuse	•	•
Maximum Ø pot	20 cm	20 cm
Pot grate	Chrome-plated steel	Chrome-plated steel
Cover & Housing	Stainless steel	Stainless steel
Mounting dimension cm	W 49 x D 32 x H 9	W 59 x D 32 x H 9
Weight	4 kg	4.8 kg



durable stainless steel burners



Level control in the feet





144 CAMPING | COOKERS 145







**OLYMP** ITEM NO. 6510

· Stainless steel burner · Chromed pot grate

· Lightweight and easy to stow

H 21.5, Ø 13.5 cm **6** 1.4 kW

### б 510 g

#### **OLYMP**

Article number	6510
Stock items	•
Burner capacity kW	1.4
Burner	Stainless steel
Operation	Valve cartridge
Burn time per cartridge at full power	112 minutes
Ignition	manual
Maximum Ø pot	17 cm
Pot grate	Chrome-plated steel
Housing	Plastic
Mounting dimension cm	H 21.5, Ø 13.5
ACCESSORIES	
Valve cartridge 190 g	6320







кg 1.2 kg

NEW

### **TREKKING SET**

ITEM NO. 6431

3-piece set, consisting of:

- · Camping light SHINE LED
- Gas cooker OLYMP
- · Valve cartridge 190 g



# PUNCTURE CARTRIDGE 190 G

ITEM NO. 6320

- · ideal for gas cooker OLYMP (Art.-No. 6510)
- · with Internal Leakage Limiter: Should cartridge and appliance become separated unintentionally, this system keeps the gas back predominantly in the cartridge
- · Butane
- · complies with standard EN 417:2012



## THREADED CARTRIDGE 450 G

ITEM NO. 6322

- · ideal for mobile use with the URBAN- and **EXPLORER NEXT series**
- · Butane/propane mixture in the ratio 70/30
- · complies with standard EN 417:2012
- · Screw thread: 7/16"





# VALVE CARTRIDGE 227 G

ITEM NO. 1881

- · ideal for gas cooker NELSON (Art.-No. 1880)
- Complies with standard EN 417:2012

**OLYMP-SET** 3-piece set, consisting of: · Gas cooker OLYMP

· Set of 2 puncture cartridge 190 g






ITEM NO. 651030



CE min max 112 146 CAMPING | COOKERS CAMPING | COOKERS 147



HOSE AND REGULATOR KITS for GAS BBQs							
		REGULATOR		HOSE			
Item-No.	Countries	Output pressure	Flow	Length	Inner Ø	Hose ends	Winterproof
1201	SI, SK, CZ, RO, HR, LV, LI	29 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C
1202	HU	29 mbar	1.5 kg/h	80 cm	10 mm	Both sides open with clamp	up to -20°C
1203	PL	37 mbar	1.5 kg/h	80 cm	10 mm	Both sides open with clamp	up to -20°C
1204	SE	29 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C
1205	СН	30 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C
1206	ES, DK, PT, NO, FI, BG,CY	29 mbar	1.5 kg/h	80 cm	10 mm	Both sides open with clamp	up to -20°C
1208	FR	37 mbar	1.5 kg/h	75 cm	8 mm	Both sides G 1/2" RH	up to -20°C
1210	IT, GR	29 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C
1211	NL	29 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C
1212	BE, LU	37 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C
1213	GB	37 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C

		REGULATOR		HOSE			
Item-No.	Countries	Output pressure	Flow	Length	Inner Ø	Hose ends	Winterproof
1207	PL	37 mbar	1.5 kg/h	40 cm	10 mm	Both sides open with clamp	up to -20°C
1220	SI, SK, CZ, RO, HR, LV, LI	29 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1221	HU	29 mbar	1.5 kg/h	40 cm	10 mm	Both sides open with clamp	up to -20°C
1222	SE	29 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1223	СН	30 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1224	ES, DK, PT, NO, FI, CY, BG	29 mbar	1.5 kg/h	40 cm	10 mm	Both sides open with clamp	up to -20°C
1225	FR	37 mbar	1.5 kg/h	50 cm	8 mm	Both sides G 1/2" RH	up to -20°C
1227	IT, GR	29 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1228	NL	29 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1229	BE, LU	37 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1230	GB	37 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C

#### **REGULATOR** for Elegance, Fancy, Solid and Commercial

HOSE AND REGULATOR KITS for Nova LED and Polo 2.0

Item-No.	Countries	Output pressure	Flow
1101	SE	29 mbar	1.5 kg/h
1104	IR, PT, CY	29 mbar	1.5 kg/h
1105	NO, FI	29 mbar	1.5 kg/h
1111	GB	37 mbar	1.5 kg/h
1112	ES, DK, PT, CY, BG	29 mbar	1.5 kg/h
1121	IT, GR	29 mbar	1.5 kg/h
1123	NL	29 mbar	1.5 kg/h
1124	BE, LU	37 mbar	1.5 kg/h
1126	PL	37 mbar	1.5 kg/h
1127	SI, SK, CZ, RO, HR, LV, LI	29 mbar	1.5 kg/h
1128	HU	29 mbar	1.5 kg/h





### **CULINA**

ITEM NO. 6832

- · Cooking pot set made from stainless steel
- · Pot 1: Ø 18 cm, H 9 cm (approx. 1.5 L) & lid
- · Pot 2: Ø 16 cm, H 8 cm (approx. 1 L) & lid
- · Pan: Ø 17.5 cm, H 4 cm
- · incl. nylon carrier bag
- · Weight: 1 kg



Practical bag for transport and storage



stackable into each other to save space



# Enclose SOLAR SHOWER 1 SALIONS OF LITTLE TO STATE OF THE PROPERTY OF THE PROPE

### **SHINE LED**

 Casing made of robust and impact-resistant plastic for durability

24 white LEDs deliver
 a high level of luminosity

- Folding handle can be used as a carrying handle
- Hooks included for easy hanging

#### ITEM NO. 6487

Battery-operated (batteries not included)

Dimensions: 20 x Ø 9.5 cm

· Weight: 350 g

### **SOLAR SHOWER**

· Volume: 20 L

· Adjustable flow rate

 Stable fabric for long service life

· For camping or the garden

#### ITEM NO. 7497

0 L The sun's rays heat the water

· 2 m cord for fastening

**3** 

· Weight: 310 g







IEN UAINIO ITEM NO. 7452/7453

 Water container with drain valve and outlet pipe

 Integrated ventilation in drain valve and outlet pipe

 Outlet pipe is stored inside the container to protect against contamination and loss

· Food-safe

 Easy to carry with sturdy handle · Sturdy and impact-resistant

 Cap has fastening strap to prevent loss

· Large base for high stability

· Stackable to save space

10 L container:
 W 35.5 x D 16.5 x H 36.5 cm
 Weight: 610 g

· 20 L container:

W 39 x D 19 x H 50.5 cm

Weight: 1 kg



### FOLDABLE Water Canister

ITEM NO. 7599

- · Volume: 15 L
- · With drain valve
- · Sturdy carrying handle

150 CAMPING | UNIVERSAL 151



### **SUPREME**

- · Comfortable seat height of 44 cm - just like at home
- · Integrated toilet paper holder
- · Toilet lid and seat can be removed without tools for easy cleaning and quick, uncomplicated filling of the flush water
- · Piston pump flushing
- · Quick separation of flush and wastewater tank
- · 1 ergonomic carrying handle each for flush and wastewater tank

#### ITEM NO. 4999

Transport roller for easy
transport when the tank
is full
Fill level indicator for the

- wastewater tank
- Swivelling pipe for hassle-free emptying of the wastewater tank
- · With ventilation button
- · Very smooth and hygienic surface

#### THAT "AT HOME" FEELING WHEN TRAVELLING

Most people share the unspoken agreement that they rank their toilet at home above all others. The SUPREME camping toilet from Enders is allows you to take that feeling of home comfort with nomic seat shape and practical toilet roll holder just as easy to keep clean as it is to maintain without tools: The toilet lid and seat are easy to remove and the extra-large flush water tank is quickly

#### **SUPREME**

Item number	4999
Flush water tank	21 L
Wastewater tank	22 L
Load capacity	130 kg
Weight	4.7 kg
Dimensions (W x D x H)	38 x 44.5 x 44 cm



Comfortable toilet seat



Integrated toilet roll holder



Tool-free removal of cover and seat



Ergonomic handles



Fill level indicator



Swivelling drainage pipe



Ventilation button





### **DELUXE**

- · Seat height: 35 cm
- · Piston pump flushing
- · Quick separation of flush and wastewater tank
- · Ergonomic carrying handle for the wastewater tank
- · Transport roller for easy transport when the tank is full
- · Fill level indicator for the

ITEM NO. 4950

- Swivelling pipe for hassle-free emptying of the wastewater tank
- · With ventilation button

wastewater tank

· Very smooth and hygienic surface







# DELUXE STARTER-SET

ITEM NO. 4940

#### Includes:

- · 1 x Mobile WC DELUXE
- · 1 x ENSAN BLUE 250 ml
- · 1 x ENSAN RINSE 250 ml
  - · 1 x roll soft toilet paper

#### **DELUXE**

Item number	4950
Flush water tank	15 L
Wastewater tank	17 L
Load capacity	130 kg
Weight	3.7 kg
Dimensions (W x D x H)	38 x 44.5 x 36.5 cm



### **COMFORT**

- · Seat height: 32 cm
- · Piston pump flushing
- · Quick separation of flush and wastewater tank
- · Ergonomic carrying handle for the wastewater tank
- ITEM NO. 49429
- · Level indicator on the trans
- parent screw cap of the wastewater tank
- Very smooth and
- hygienic surface

#### COMFORT

Item number	49429
Flush water tank	15 L
Wastewater tank	14 L
Load capacity	130 kg
Weight	3.4 kg
Dimensions (W x D x H)	38 x 44.5 x 33.5 cm

152 CAMPING | MOBILE TOILETS CAMPING | MOBILE TOILETS 153



#### **MICROBIOLOGICAL SANITARY ADDITIVES**





· Powerful with microorganisms

· Awarded the BLAUER ENGEL **Environmental Label** 

- · Easily bio-degradable
- · Non-hazardous and compatible with sewage treatment plants
- · Facilitates the breakdown of organic waste and the decomposition of toilet paper

- Keeps the wastewater tank hygienically clean
- Gives the air a pleasant
- For approx. 200 L of wastewater per 1 L sanitary liquid
- For approx. 500 L of waste per 2.5 L sanitary liquid
- Removes plaque, prevents limescale build-up and keeps the toilet hygienically clean

valve when flushing

ENSAN RINSE 1L

FOR THE RINSING WATER TANK

· Powerful with

microorganisms

Easily bio-degradable

Non-hazardous and

treatment plants

compatible with sewage

Cleans the bowl and slide

- and fresh at temperatures up to 40 °C
- · Gives the air a pleasant
- water per 1 L sanitary liquid

### · Flushing water stays clean

ITEM NO. 497898

- · For approx. 200 L of flushing

### PRODUCT OVERVIEW

#### **CONVENTIONAL SANITARY ADDITIVES**



### ENSAN BLUE 2,5 L/5 L ITEM NO. 501798/501898

· Facilitates the breakdown of organic waste and the decomposition of toilet paper

Prevents unpleasant odours and reduces the formation of gas

For approx. 250 L waste water per 2.5 L sanitary

For approx. 500 L of waste water per 5 L sanitary liquid



#### **ENSAN GREEN 11** FOR THE WASTEWATER TANK

ITEM NO. 498098

· Facilitates the breakdown of organic waste and the decomposition of toilet paper

Prevents the formation of unpleasant odours

· For approx. 130 L of waste water per 1 L sanitary liquid



### **ENSAN RINSE 1L**

FOR THE FLUSH WATER TANK

- Cleans the bowl and slide valve with every flush
- Removes water scale prevents limescale build-up and ensures the smooth functioning of the stop valve ·
- Protects all rubber seals and keeps the toilet

ITEM NO. 498498

hygienically clean Pleasant and long-lasting

citrus scent

For approx. 150 L of flushing water per 1 L sanitary liquid

### **ENSAN TABS BLUE**

ITEM NO. 501398

FOR THE WASTEWATER TANK

- · Tablet form for easy, safe and accurate dosing
- · Facilitates the breakdown of organic waste and the decom  $\,\cdot\,$ position of toilet paper
- Prevents unpleasant odours and reduces the formation of gas
- · Essential oils provide a pleasant fragrance
- (spruce) 15 tablets per tin

### **ENSAN WHITE**

SOFT-TOILET-PAPER

· Easily degradable special toilet paper

· 4 rolls per bag, 2-ply

· 300 sheets per roll

· 9 x 11.5 cm



ITEM NO. 5005 Extremely soft and strong

154 CAMPING | WC HYGIENE

is twice as efficient as

conventional additives for wastewater tanks.

**ENSAN** BLUE+





VANCOUVER	S	M	L
Item number	1352	1351	1350
Volume L	123	170	236
Weight kg	6.5	8.1	9.2
Material thickness in mm	1	1	1
External dimensions in cm	W 66 x D 44.5 x H 51	W 79 x D 58.5 x H 44	W 79 x D 58.5 x H 60
Internal dimensions in cm	W 63 x D 41 x H 48	W 76 x D 55 x H 41	W 76 x D 55 x H 57

### **TOP FEATURES**



STURDY INDUSTRY PRO BOX made of 1 mm thick aluminium

### **FEATURES**

HINGES AND

**HANDLES** for easy transport

SPRING-LOADED



**ROBUST STACKING CORNERS** made of cast aluminium



STAINLESS STEEL HANGTAG to help identify the contents of the box.



2 CORRUGATIONS for extra stability and



STURDY HINGED LATCHES made of stainless steel



HIGH STABILITY with solid lid, edges and



2 STURDY LID STRAPS hold the lid open



### **TOP FEATURES**

#### **EXTRA STABLE FRAME** CONSTRUCTION

for very high dimensional stability

#### **FOAM RUBBER SEAL IN**

THE LID protects against dust and splash water

#### **2 SIDE SAFETY HANDLES** for ergonomic handling and high durability



**SELF-RETAINING LID** 

#### FRONT HANDLE

made of plastic, also usable as a suitcase-style handle

> SEALABLE LEVER **TENSION LOCKS**

### PRODUCT OVERVIEW









**SET 1, ITEM NO. 3903** 

**SET 2,** ITEM NO. 3902

**SET 3, ITEM NO. 3915** 

TORONTO	S	M	L	XL	XXL
Item number	3888	3890	3893	3900	3910
Volume L	29	47	63	80	130
Weight kg	3	3.6	4.2	5	6.6
Material thickness in mm	0.8	1	1	1	1
External dimensions in cm	W 46 x D 32 x H 26	W 58.5 x D 38.5 x H 26.5	W 57 x D 38 x H 36	W 69 x D 45.5 x H 32	W 80 x D 54 x H 36.5
Internal dimensions	W 43 x D 29.5 x H 23	W 56 x D 36 x H 23	W 54 x D 35 x H 32.5	W 67 x D 43 x H 28.5	W 77.5 x D 51 x H 33



STACKABLE INSIDE EACH OTHER



STAINLESS STEEL HANGTAG to help identify the contents of the box



STACKABLE with corrugations in the lid frame

### **ACCESSORIES**



TRANSPORT CASTOR SET 4 swivel castors with brakes Item No. 3585



LOCK SET I 2 built-in locks with 2 keys (per set keyed alike) Item No. 3750



LOCK SET II 2 built-in locks with 2 keys (always keyed alike) Item No. 3751

### POS RANGE SHOP-IN-SHOP-SYSTEMS

Modular shop-in-shop system with a variety of presentation options, consisting of multifunctional tower, partition walls with highlight function and floor covering



SHOP-IN-SHOP S 1 (300 x 200 CM)

ITEM NO. 4934130

Consisting of a partition wall and an accessory tower



Consisting of two partition walls and an accessory tower



SHOP-IN-SHOP M (400 x 200 CM)

ITEM NO. 4934230

Consisting of two partition walls and an accessory tower



SHOP-IN-SHOP L (700 x 200 CM)

ITEM NO. 4934330

Consisting of three partitions and two accessory towers

160 POS RANGE POS RANGE 161

# POS-SORTIMENT **TOOLS**











NOVA® COLUMN

Dimensions: W 43 x H 190 cm

ITEM NO. 5040

ITEM NO. 9903

Dimensions: W 28 x H 55 cm









ITEM NO. 5109







**E-TICALER UISPLAY**Dimensions: 1x W 80 x H 210 cm, 1x W 80 x H 160 cm

162 POS RANGE POS RANGE



PRODUCT OV GAS GRILLS		UNIQ PRO 3 IK CRUSTER	UNIQ PRO 3 ik kitchen cruster	UNIQ PRO 3 iko kitchen cruster	KANSAS II PRO 3 SIK TURBO	KANSAS II PRO 4 SIK PROFI TURBO	MONROE PROX 3 S TURBO	MONROE BLACK PRO 3 K TURBO	MONROE PRO 3 SIK TURBO	MONROE PRO 3 SIK TURBO SHADOW
Item number	860733	860933	860833	860633	871333	871433	837433	837133	837633	838133
Stock goods	-	-	-	-			•			
Total output in kW	19,7	24,9	24,9	24,9	18,6	22,3	11,2	14,1	17,6	17,6
Stainless steel burner	3	3	3	3	3	4	3	3	3	3
Cooker	-	-	-	-			-			
Dual side cooker	-				-	-	-	-	-	-
Infrared back burner	-	-	-	-	•		-	-		
800 °C TURBO ZONE"			•		•		•		•	
CRUSTER®					-	-	-	-	-	-
HEAT RANGE™					•		•			
SIMPLE CLEAN <sup>™</sup>										
SWITCH GRID <sup>™</sup>							-			
Delicater <sup>™</sup> Oven	-	-	-		-	-	-	-	-	-
Double-walled lid			•							
Viewing window	-	-	-	-				-		
Thermometer	•		•		•		•		•	
Piezo ignition										
Grill surface cm <sup>2</sup>	3.360	3.360	3.360	3.360	2.700	3.150	2.666	2.666	2.666	2.666
Enamelled cast grate			•				-			
Stainless steel grate	-	-	-	-	-	-		-	-	-
Warming grate										
Removable fat drawers	2	2	2	2	2	2	1	1	1	1
Integrated bottle opener	-	-	-	-			-	-	-	-
Fixed side shelves	2	2	2	2	2	2	-	2	2	2
Fold-down side shelves	-	-	-	-	-	-	2	-	-	-
Removable side shelves	-	-	-	-	-	-	-	-	-	-
Storage tray	-	-	-	-	-	-	-	-	-	-
Washbasin	-	-	-	-	-		-	-	-	-
Storable gas bottle (max.)	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg
Optional cartridge operation	-	-	-	-	-	-	-	-	-	-
Tilting compartment	-	-	-	-	-	-	-	-	-	-
Double-walled doors			•				•		•	
Outdoor wheels	-	-	-	-	-	-	-	-	-	-
Swivel castors / lockable	4/2	4/2	8 / 4	8 / 4	4/2	8 / 4	4/4	4/4	4/4	4/4
Hose & gas pressure regulator	-	-	-	-	-	-	-	-	-	-
Working height in cm	93	93	93	93	89	89	90	90	90	90
Catalogue page	14	14	14	14	20	20	26	26	26	27

MONROE BLACK PRO 4 IK TURBO	MONROE PRO 4 SIK TURBO	MONROE PRO 4 IK TURBO SHADOW	COLORADO 3 I TURBO	COLORADO 4 I TURBO	COLORADO 6 IK TURBO II	BOSTON BLACK 3 K TURBO	BOSTON BLACK 4 IK TURBO	BOSTON BLACK 6 KR TURBO	CUBIQ PROX 3 TURBO	CUBIQ PRO 3 R TURBO	CHICAGO 3	CHICAGO 3 R TURBO	CHICAGO 4 K
837033	837833	838533	8520633	8521633	852333	8862633	8863633	886433	842733	842333	8937633	8937733	8129630
•					•			•	-	•			•
21,1	21,1	21,1	14,7	18,2	27,05	14.35	21.85	23.55	10,7	10,7	9,6	10,5	16
4	4	4	3	4	6	3	4	6	3	3	3	3	4
•		•	-	-	•	•		•	-	-	-	-	•
-	-	-	-	-	-	-		-	-	-	-	-	-
•	•	•		•	•	•	•	•	-	-	-	-	-
•		•		•	•	•	•	•	•	•	-	•	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
•	•	•		•	•	•	•	•	•	•	-	-	-
•	•	•	-	-	-	-	-	-	-	-	-	-	-
•	•	•	•	•	•	-	-	•	-	•	-	•	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•	•	-	•	•	•	•
-	•	•	-	-	-	-	-	-	-	-	-	-	-
•	•	•	٠	•	•	•	•	•	•	•	٠	•	•
•	•	٠	٠	٠	•	٠	•	•	•	•	٠	•	•
3.182	3.182	3.182	2.666	3.182	4.042	2,666	3,182	4,042	2.289	2.289	2.520	2.520	2.982
•	•	•	٠	•	•	-	-	-	•	•	-	•	-
-	-	-	-	-	-	•	•	•	-	-	•	-	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•
1	1	1	1	1	1	1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	2	-	-	1	1	1	1	-	-	-	-	1
-	-	-	2	2	1	1	1	1	2	2	2	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	5 kg	5 kg	11 kg	11 kg	11 kg	5 kg	5 kg	5 kg
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	•	-	-	-
•	•	•	•	•	•	•	•	•	-	-	-	-	-
-	-	-	-	-	-	2	2	-	-	-	-	-	-
4/4	4 / 4	4/4	4 / 4	4/4	4 / 4	2/2	2/2	4/4	4/4	4/4	4 / 4	4/4	4/4
-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	90	90	90	90	90	90	90	90	89	89	85	85	85
26	26	27	34	34	34	40	40	40	46	46	52	52	52



PRODUCT OV GAS GRILLS		BROOKLYN NEXT 3	SAN DIEGO 2	SAN DIEGO 3	SAN DIEGO 4	URBAN	URBAN PRO	URBAN TROLLEY	URBAN PRO TROLLEY	EXPLORER NEXT	EXPLORER NEXT PRO
Item number	8645630	8646630	8114633	8116633	8121630	209533	206033	208133	208033	210333	210233
Stock goods	-		•		•	•	•		•		•
Total output in kW	5,6	7,05	5.6	7.05	9	4,4	4,4	4,4	4,4	4,4	4,4
Stainless steel burner	2	3	2	3	4	2	2	2	2	2	2
Cooker	-	-	-	-	-	•	•		•		
Dual side cooker	-	-	-	-	-	-	-	-	-	-	-
Infrared back burner	-	-	-	-	-	-	-	-	-	-	-
800 °C TURBO ZONE™	-	-	-	-	-	-	-	-	-	-	-
CRUSTER®	-	-	-	-	-	-	-	-	-	-	-
HEAT RANGE <sup>™</sup>	-	-	-	-	-	-	-	-	-	-	-
SIMPLE CLEAN™	-	-	-	-	-	-	-	-	-	-	-
SWITCH GRID <sup>™</sup>	-	-	-	-	-	-	-	-	-	-	-
Delicater <sup>™</sup> Oven	-	-	-	-	-	-	-	-	-	-	-
Double-walled lid	-	-	-	-	-	-	-	-	-	-	-
Viewing window	-	-	-	-	-	-	-	-	-	-	-
Thermometer	•				•	•					•
Piezo ignition						•					
Grill surface cm²	1.237,5	1.666,5	1,237.5	1,666.5	2,029.5	1.536	1.536	1.536	1.536	1.536	1.536
Enamelled cast grate	-	-	-	-	-	•				-	-
Stainless steel grate						-	-	-	-		
Warming grate			•			-	-	-	-	-	-
Removable fat drawers	1	1	1	1	1	2	2	2	2	2	2
Integrated bottle opener	-	-	-	-	-	-	-	-	-	-	-
Fixed side shelves	-	-	2	2	2	-	-	-	-	-	-
Fold-down side shelves	2	2	-	-	-	-	-	-	-	-	-
Removable side shelves	-	-	-	-	-	2	2	2	2	-	-
Storage tray	•				-	-	-	-	-	-	•
Washbasin	-	-	-	-	-	-	-	-	-	-	-
Storable gas bottle (max.)	5 kg	5 kg	-	-	5 kg	-	-	5 kg	5 kg	-	-
Optional cartridge operation	-	-	-	-	-				•		•
Tilting compartment	-	-	-	-	-	-	-	-	-	-	-
Double-walled doors	-	-	-	-	-	-	-	-	-	-	-
Outdoor wheels	2	2	2	2	2	-	-	2	2	-	-
Swivel castors / lockable	-	-	-	-	-	-	-	-	-	-	-
Hose & gas pressure regulator	-	-	-	-	-	-	-	-	-	-	-

Working height in cm

Catalogue page

# PRODUCT OVERVIEW GAS FIRE PITS

GAS FIRE PITS	NOVA LED M BLACK/SILVER	NOVA LED L Black/silver	NOVA LED M GREY/BLACK	<b>NOVA LED L</b> GREY/BLACK	VULANO
Item number	560033	560133	560433	560533	5589
Stock goods		•		•	•
Continuous output adjustment kW	1 - 2.5	1 - 2.5	1 - 2.5	1 - 2.5	8.5 - 11
ECO burner	Stainless steel	Stainless steel	Stainless steel	Stainless steel	-
Burner	-	-	-	-	Ceramic
Spiral	-	-	-	-	Stainless steel
Burning duration in hrs.	44 - 111 (8 kg gas bottle)	44 - 111 (8 kg gas bottle)	61 - 152 (11 kg gas bottle)	61 - 152 (11 kg gas bottle)	14 - 18 (11 kg gas bottle)
Ignition	Battery	Battery	Battery	Battery	Battery
Ignition safety device				•	•
Tip-over protection				•	•
Glass cylinder	Fireproof	Fireproof	Fireproof	Fireproof	Fireproof
Reflector	Mirror	Mirror	Mirror	Mirror	-
LED mood lighting top		•		•	-
Housing	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel	Stainless steel
Storable gas bottle (max.)	8 kg	8 kg	11 kg	11 kg	11 kg
Base	-	-	-	-	Powder-coated steel
Plastic feet				•	-
Mood lighting base	•	•	•	•	-
Transport rollers	-	-	-	-	•
Hose and gas pressure regulator	-	-	-	-	• (50 mbar)
Dimensions in cm	H 88, Ø 36	H 88, Ø 36	H 102, Ø 36	H 102, Ø 36	H 182, Ø 53
Catalogue page	108	108	108	108	113

166 PRODUCT OVERVIEW 167

86 23 / 66 23 / 66



# PRODUCT OVERVIEW GAS PATIO HEATERS

GAS PATIO HEATERS	ELEGANCE	FANCY	ECOLINE PURE	POLO <sup>®</sup> 2.0	POLO® BLACK 2.0	OITOS	COMMERCIAL
Item number	937622/937633	544123	5640	546033	546233	580023	5500623
Stock goods		•					
Continuous output adjustment kW	3.5 - 8	3.5 - 8	2/4	3 - 6	3 - 6	4 - 14	4 - 14
ECO PLUS burner	Stainless steel	Stainless steel	-	-	-	-	-
ECO GREEN burner		-	-	-	-	-	-
2 ECO ULTRA burners	-	-	Stainless steel	-	-	-	-
Burner		-	-	Stainless steel	Stainless steel	Stainless steel	Stainless steel
ENDUR reflection system	-	-	-	•	•	-	-
Burning time hrs. (11 kg gas bottle)	19 - 43	19 - 43	38 - 76	25 - 50	25 - 50	11 - 38	11 - 38
Ignition	Piezo	Piezo	Piezo	Piezo	Piezo	Battery	Battery
Ignition safety device		•		•	•		
Tip-over protection	•	•	•		•		•
Reflector	FAL	FAL	Aluminium	Stainless steel	Stainless steel	FAL	FAL
Ø Reflector cm	76	76	-	-	-	88	88
Column / retractable	Stainless steel / -	Stainless steel	-	-	+	Stainless steel	Stainless steel
Frame	-	-	Aluminium	-	+	-	-
Storage table	-	Plastic	-	-	-	Stainless steel	
Housing	Stainless steel	Polyester	Powder-coated steel	Stainless steel	Powder-coated steel	Stainless steel	Stainless steel
Storable gas bottle (max.)	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg
Pull-out gas bottle shelf	-	-	-	-	-	-	•
Lockable door	-	-	-	-	-		
Base	Powder-coated steel	Powder-coated steel	-	Powder-coated steel		Powder-coated cast aluminium	Stainless steel
Transport rollers		•	•	•	•		
Hose and gas pressure regulator	•/-	•/-	• (50 mbar)	-	1+	•/-	•/-
Dimensions in cm	H 218, Ø 76	H 218, Ø 76	W 42 x D 45 x H 213 cm	H 115, Ø 42	H 115, Ø 42	H 223, Ø 88	H 223, Ø 88
Catalogue page	114	117	119	121	121	123	125

# PRODUCT OVERVIEW ELECTRIC PATIO HEATERS & CAMPING COOKERS

ELECTRIC PATIO HEATERS	ORON	LOOM	OXEO BLACK/WHITE	мооw
Item number	49076	49266	49276 / 49286	4923
Stock goods	•	•	•	
Total output in kW	2	2	2	0.9
Heating element	Halogen	Halogen	Halogen	Carbon
Material	Stainless steel, aluminium, plastic	Powder-coated steel, plastic	Powder-coated steel, plastic	Powder-coated steel, plastic
Protection class	IP 44	IP 45	IP 55	IP 34
Remote control	-	•	•	-
Height-adjustable		•	-	-
Oscillation	-	-	-	
Horizontal and vertical alignment	-	-	-	•
Dimensions in cm	H 226, Ø 55	H 11,5, Ø 45,5	B 72,5 x T 20 x H 10,5	H 75, Ø 30
Cable length m	1.3	1.9	1.5	1.55
Catalogue page	132	131	133	131

CAMPING COOKER	OLYMP	NELSON	CANBERRA	DALGETY BLACK 2	DALGETY Black 2 Z	DALGETY BLACK 3	BRISBANE 2 Z	BRISBANE 3 Z
Item number	6510	1880	179033	185533	185633	185733	186033	186133
Stock goods	•			•		•	•	•
Output kW	1.4	2.2	2 x 2.3	2 x 2.3	2 x 2.3	3 x 2.3	2 x 2.3	3 x 2.3
Burner	Stainless steel	Cast aluminium	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Operation	Cartridge	Cartridge	Gas bottle	Gas bottle	Gas bottle	Gas bottle	Gas bottle	Gas bottle
Burn time per car- tridge at full capacity	112 minutes	85 minutes	-	-	-	-	-	-
Ignition	manual	Piezo	manual	manual	manual	manual	manual	manual
Ignition safety device	-	-	-	-	•	-	•	•
Overheating protection	-	•	-	-	-	-	-	-
Overpressure safety shut-off	-	•	-	-	-	-	-	-
Maximum Ø pot	17 cm	26 cm	20 cm	20 cm	20 cm	20 cm	20 cm	20 cm
Pot grate	chrome-plated	Stainless steel	chrome-plated	chrome-plated	chrome-plated	chrome-plated	chrome-plated	chrome-plated
Lid	-	-	powder- coated	powder- coated	powder- coated	powder- coated	Stainless steel	Stainless steel
Housing	Plastic	Stainless steel	powder- coated	powder- coated	powder- coated	powder- coated	Stainless steel	Stainless steel
Carrying case	-	Plastic	-	-	-	-	-	-
Dimensions in cm	H 21.5, Ø 13.5	W 37 x D 28 x H 13	W 43 x D 26 x H 10	W 49 x D 32 x H 9	W 49 x D 32 x H 9	W 59 x D 32 x H 9	W 49 x D 32 x H 9	W 59 x D 32 x H 9
Catalogue page	146	142	143	144	144	144	145	145

168 PRODUCT OVERVIEW 169



### **LEGEND**

EXPLANATION
with infrared back burner
with infrared back burner and side cooker
with side cooker
with side cooker and SWITCH GRID grate
with viewing window
with viewing window, infrared back burner and side burner
with ignition safety device
with Delicater™ Oven

<b>CRUSTER</b>	CRUSTER From backburner to top heat: infinitely adjustable in height and angle of inclination, the ceramic burner provides 800 °C infrared top heat in the grill.
TURBO SO TURBO ZONE	TURBO ZONE  Your grilling zone for hot searing at maximum temperature on gas and electric grills.
HEAT RANGE BRENNERSYSTEM	HEAT RANGE Precise grilling with temperature control from 80 °C up to 400 °C.
SWITCH	SWITCH GRID With this smart grill grate system, you can simply switch to the right insert for each dish.
SIMPLE CLEAN	SIMPLE CLEAN Simply remove the individual parts of your grill combustion chamber without tools and conveniently clean them in the dishwasher.
CCO 6	ECO ULTRA burner technology 83 % saving in CO <sub>2</sub> emissions and costs compared to a standard 12 kW burner.
GREEN 6KW	ECO GREEN burner technology 50 % saving in CO <sub>2</sub> emissions and costs compared to a standard 12 kW burner.
PLUS 8kW	ECO PLUS burner technology 30% saving in ${\rm CO_2}$ emissions and costs compared to a standard 12 kW burner.
EN	ENDUR reflection system Infrared heat rays are radiated efficiently over a wide area.
DVOW	The industry association "Deutscher Verein des Gas- und Wasserfaches" (DVGW) is an independent and neutral industry certification body in the European single market. All audits focus on the technical safety, hygiene and environmental harmlessness of a product. These are based on the DVGW rules and regulations, as well as nationally and internationally recognised guidelines, standards and certification schemes.
C Bickerson	Seal of quality ("GS-Siegel") This seal of quality certifies that a ready-to-use product meets the requirements of the German Product Safety Act (ProdSG).
CE	The <b>CE marking</b> states that the product to which it is affixed, meets the requirements of all EC directives applicable to this product.



#### **Enders Colsman AG**

Brauck 1 58791 Werdohl info@enders-germany.com www.enders-germany.com

### Order Processing/

**Orders** 

Tel.: +492392 / 9782-31 Fax: +492392 / 9782-70 export@enders-germany.com

#### **FOLLOW US HERE**