

Energizer

PROFESSIONAL CHANNEL CATALOGUE

TABLE OF CONTENTS Energizer

BATTERIES	P6
ULTIMATE LITHIUM™	P10
MAX PLUS™	P12
INDUSTRIAL™	P16
MAX TM	P18
ALKALINE POWER™	P20
SPECIAL BATTERIES	P21
RECHARGEABLE	P22
CHARGERS	P26
SPECIALTY	P28
ELECTRONIC DEVICES	P29
CAMERA	P31
HEARING AIDS	P31
WATCH	P32

LIGHTING	P34
DAILY PROFESSIONAL USE	
PRO SERIES	P39
ATEX LIGHTS	P46
HARD CASE PROFESSIONAL LIGHTS	P48
TACTICAL LIGHTS	P54
OCCASIONAL PROFESSIONAL USE	
METAL LIGHTS	P56
VISION HEADLIGHTS	P58
EXPERT PRO	P62
DIY LIGHTS	P63
SMART LIGHTS	P65



Energizer® is leading the power and portable lighting categories worldwide with a powerful portfolio of groundbreaking products and consumer-led innovation.

Our battery and light products are sold in more than 140 markets around the globe.

Innovation at the heart of our strategy

From the first dry cell battery back in the 1890's, **Energizer**® has continuously built a rich history of powerful advancements with innovation always at the heart of the strategy.



→ A unique full line portfolio

The *Energizer*® portfolio counts with best-in-class product specifications and professional dedicated solutions designed to be used in the most technical work environments.

Our strong claim "Makers of the world's longest lasting battery (Ultimate Lithium™ AA)" reinforces our position of technologically advanced brand, capitalizing on the outstanding and unique performances of our Ultimate Lithium™ AA & AAA batteries.





www.energizerprofessional.eu



- → Access to all professional products in one place
- → Find our product data sheets, battery data sheets and conversion charts available
- → Product Specifications
- → Multi language for European markets

CHECK OUT OUR LATEST RESOURCE!

HOW TO CHOOSE THE RIGHT BATTERY?









Specific formats

Product advantages

- Type of devices
- **Formats**

Usage

Pack size

- Zero added mercury
- Wide range to power all kinds of small devices





SPECIFIC FORMATS

X12, X6, X4, X2, X1 (DEPENDING ON FORMATS)

RECHARGEABLE

For frequently used and power-hungry devices

- Environmentally-friendly: made with 22% recycled materials on AA and AAA only
- Economical: can be recharged 100s of times
- 7% Recycled Batteries on C, D and 9V









X10, X4, X2 (AA,AAA), X2 (C,D), X1 (9V)

ALKALINE INDUSTRIAL

For standard industrial usage. volume offers and tenders

- 10 years shelf life (AA/AAA/C/D)

- 5 years shelf life (9V)



X10 (AA,AAA), X12 (C,D,9V)

ALKALINE MAX PLUSTM

For everyday usage and demanding devices

- Our longest lasting alkaline (AA/AAA)
- Made to Last. Not to Leak
- 12 years shelf life (AA/AAA)



AA, AAA, C, D, 9V

X50, X20, X8, X4 (AA, AAA), X2 (C, D), X1 (9V)

LITHIUMTM

For critical devices and outdoor usage

- World's longest lasting AA battery
- Performs in extreme temperatures from -40°C to 60°C
- 25 years shelf life (AA/AAA)



AA, AAA, 9V

X10, X4 (AA,AAA), X1 (9V)





MORE BATTERIES: UP TO 50 PER PACK*



PRACTICAL: EASY TO STORE AND RECLOSABLE



CARDBOARD PACKAGING





At Energizer, we are focusing on reducing the impact our company and products have on the environment. Our purpose is to responsibly create products to make people lives easier and more enjoyable. We ensure consumers enjoy our products today without sacrificing tomorrow.





6.4 million litres of WATER SAVED per year

per year from our Asheboro, North Carolina site



Energizer invites you to join our long-lasting journey to a better future, and as part of this journey we look forward to extending recycled content to more of our battery range in the near future.

Product Introduced PLASTIC FREE* Longer lasting products generates less waste* battery retail packaging *Excluding Seals on select packaging Makers of the World's Longest Lasting AA Rechargeable Batteries** made **Primary packaging supports** battery: Energizer® Ultimate Lithium™ with 22% recycled materials *AA, AAA only **Energizer* rechargeable batteries can be reused 100s of times to create less waste PowerSeal technology gives excellent shelf life and leakage protection +POWER SEAL)

Battery labels changed from PVC to PETG

responsible forestry

Packaging

100% of Energizer's corrugated packaging are fully recyclable



Conversion of lighting products to LED

World's 1st to manufacture Zero mercury batteries

*AA/AAA sizes available. C/D/9V only available for Max Plus™

AA x10	
Minimum order	12
Voltage	1,5v
EAN	7638900 343 526



AAA x10	
Minimum order 12	
Voltage	1,5v
EAN	7638900 343 533

ULTIMATE LITHIUM™ WORLD'S LONGEST LASTING BATTERY⁽¹⁾

HIGH ENERGY & LONGEST LASTING

Energizer.

Includes recycled materials⁽²⁾









OUTDOOR USAGE

Performs in extreme temperatures(3)



from -40°c...




IDEAL FOR PORTABLE DEVICES

25% (9V) to 33% (AA/AAA) lighter than standard Alkaline

BEST PERFORMANCE The best AA battery for peak performance in all devices(4) 25 years shelf life (AA/AAA) **10** years shelf life (9V) 100% leak proof (5)









9V x10		
Minimum order	4	
Voltage	9v	
EAN	7638900 332 889	

OTHER FORMATS



AA x4	
Minimum order	6
Voltage	1,5v
EAN	7638900 262 643



AAA x4		
Minimum order 6		
Voltage	1,5v	
EAN	7638900 273 267	



9V X1		
Minimum order 12		
Voltage	9V	
EAN	7638900 332 872	





LONGEST ALKALINE BATTERIES OPTIMIZED FOR DEMANDING DEVICES AND WORK TOOLS

OUR LONGEST LASTING ALKALINE (AA/AAA)

Lasting power for demanding devices For everyday usage













from today's devices. Longer lasting power means fewer battery replacements for more efficiency

MADE TO LAST. **NOT TO LEAK**

Reduces damaging risks for devices and work tools

RELIABLE & RESISTANT

Ready to use when you need them 10 years shelf life (C and D) 5 years shelf life (9V) Ready to use when you need them

12 years shelf life (AA/AAA)



A positive impact on the environment: with Max Plus, More power, less waste⁽³⁾









LASTING POWER
FOR DEMANDING DEVICES

INTRODUCING NOW BUSINESS PACKS OF 50 AND 20 BATTERIES DEDICATED TO PROFESSIONALS

X50







AA x50	
Minimum order	2
Voltage	1,5v
EAN	7638900 444 933



AAA x50	
Minimum order	2
Voltage	1,5v
EAN	7638900 444 940

X20



AA x20		
Minimum order 6		
Voltage	1,5v	
EAN	7638900 423 372	



AAA x20	
Minimum order	6
Voltage	1,5v
EAN	7638900 423 174



	C x20		
	Minimum order 8		
	Voltage	1,5v	
14	EAN	7638900 423 341	



D X20	
Minimum order 8	
Voltage	1,5v
EAN	7638900 423 365



9V x20		
Minimum order	8	
Voltage	9v	
EAN	7638900 423 204	

X8



AA x8		
Minimum order	2	
Voltage	1,5v	
EAN	7638900 437 362	



8x AAA		
Minimum order 2		
Voltage	1,5v	
EAN	638900 437 522	

X6



AA x6		
Minimum order	2	
Voltage	1,5v	
EAN	7638900 437 461	



AA x6		
Minimum order	2	
Voltage	1,5v	
EAN	7638900 437 508	



AA x4		
Minimum order 2		
Voltage	1,5v	
EAN	7638900 437 300	



AA x4		
2		
1,5v		
7 638 900 437 461		

OTHER FORMATS



C x2	
Minimum order 6	
Voltage	1,5v
EAN	7638900 423 334



D x2	
6	
1,5v	
7638900 423 358	



9V x1	
Minimum order	12
Voltage	9v
EAN	7638900 423 38915



ALKALINE INDUSTRIAL: BATTERIES FOR TENDERS AND VOLUME OFFERS

IMPORTANT NEWS FOR TENDERS: INDUSTRIAL batteries include recycled materials*



INDUSTRIAL AND COMMERCIAL USE

Ideal for everyday devices used at work or on the job







RELIABLE

10 YEARS SHELF LIFE (AA/AAA/C/D)

5 years shelf life (9V)







AA x10	
Minimum order	12
Voltage	1,5v
EAN	7638900 361 056



AAA x10	
Minimum order	12
Voltage	1,5v
EAN	7638900 361 063

X12

X10



C x12	
Minimum order	6
Voltage	1,5v
EAN	7638900 361 070



D x12	
Minimum order	6
Voltage	1,5v
EAN	7638900 361 087



9V x12	
Minimum order	6
Voltage	1,5v
EAN	7638900 361 094



RELIABLE

10 years shelf life (AA/AAA/C/D) 5 years shelf life (9V) MAX batteries include recycled materials* (*AA and AAA only)

Energizer MAX® AA Technology: delivers long runtime, protects devices from leakage



Up to 100% Longer Lasting*



PowerSeal technology gives excellent shelf life and leakage protection



X12



AA x12	
Minimum order	6
Voltage	1,5v
EAN	7638900 437 782



AAA x12	
Minimum order	6
Voltage	1,5v
EAN	7638900 438 031

X8



AA x8	
Minimum order	12
Voltage	1,5v
EAN	7638000 437 720



8x AAA	
Minimum order	12
Voltage	1,5v
EAN	7638900 437 980

X4



AA x4	
Minimum order	24
Voltage	1,5v
EAN	7 638 900 437 645



AAA x4	
Minimum order	12
Voltage	1,5v
EAN	7 638 900 438 147



AA x6	
Minimum order	24
Voltage	1,5v
EAN	7 638 900 437 645



AAA x6	
Minimum order	12
Voltage	1,5v
EAN	7 638 900 438 147

OTHER FORMATS



C x2		
Minimum order	6	
Voltage	1,5v	
EAN	7638900 426 809	



D x2	
Minimum order	6
Voltage	1,5v
EAN	7638900 426 823



	9V x1	9V x2	
Minimum order	12	12	
Voltage	1,5v	1,5v	•
EAN	7638 900 426 663	7638900 426 533	1


ALKALINE STANDARD ENERGIZER® QUALITY AT LOW PRICE WITH RECYCLED MATERIALS*!



X4



AA x4		
Minimum order	24	
Voltage	1,5v	
EAN	7638900 246 599	



AAA x4	
Minimum order	12
Voltage	1,5v
EAN	7638900 247 893

X10



AA x10		
Minimum order	12	
Voltage	1,5v	
EAN	7638900 433 623	



AAA x10		
Minimum order	12	
Voltage	1,5v	
EAN	7638900 433 630	

X16



AA x16	
Minimum order	12
Voltage	1,5v
EAN	7638900 438 604



AAA x16		
Minimum order	12	
Voltage	1,5v	
EAN	7638900 438 628	



AA x24 Value Box	
Minimum order 12	
Voltage	1,5v
EAN	7638900 435 849



AAA x24 Value Box	
Minimum order	8
Voltage	1,5v
EAN	7638900 435 832

OTHER FORMATS



C x2		
Minimum order	6	
Voltage	1,5v	
EAN	7638900 297 324	



Dx2	
Minimum order	6
Voltage	1,5v
EAN	77638900 297 331



9V x1	
Minimum order	12
Voltage	9v
EAN	7638900 297 409

SPECIAL BATTERIES



X1

Alkaline 4,5V	
Minimum order	12
Voltage	4,5v
EAN	7638900 426 519



Alkaline 6V	
Minimum order	6
Voltage	6v
EAN	3147290 013 581



Eveready PJ996/4R25-2 VP Saline		
Minimum order	12	
Voltage	6v	
EAN	5010419 043 517	
	:	

EVEREADY .
6V 4R25-2 · 1231 · 991 0% Mercury-Cadmium

Eveready 991/4R25-2 VP Saline	
Minimum order	6
Voltage	6v
EAN	3147290 507 028





RECHARGEABLE: REUSABLE POWER

ECONOMICAL & ECOLOGICAL

For frequently used devices
 Can be recharged 100s of times











· Made with up to 22 % recycled material*

*Accu Recharge Extreme & Accu Recharge Power Plus AA/AAA only

UNCOMPROMISING PERFORMANCE

Lasts up to 6x longer**
 the more it can be used in high drain devices,
 the longer it lasts

**in digital cameras vs. Energizer® basic alkaline, results vary by device. Energizer® Accu Recharge Extreme AA only)

EASY TO USE

Pre-charged (AA/AAA)
 Ready to use from purchase
 Holds charge for up to 1 year***



***in storage (Energizer® Accu Recharge Power Plus AA/AAA)

Energizer Accu Recharge Extreme & Accu Recharge Power Plus AA/AAA only.
 Based on scanned sales.
 2024 Energizer. Trademarks and certain designs are owned by Energizer.

AA 2000mAh X10			
Minimum order 12			
Voltage	1,2v		
EAN	7638900 417 029		



AAA 700mAh X10		
Minimum order	12	
Voltage	1,2v	
EAN	7638900 416 985	

POWER PLUS - LAST 4X LONGER*

RECHARGEABLE BATTERIES

Energizer_®



AA 2000mAh X4	
Minimum order	12
Voltage	1,2v
EAN	7638900 417 012



AAA 700mAh X4	
Minimum order	12
Voltage	1,2v
EAN	7638900 417 005

EXTREME - LAST 6X LONGER*



AA 2300mAh X4	
Minimum order	12
Voltage	1,2v
EAN	7638900 416 893

EXTREME - LAST 5X LONGER



AAA 800mAh X4		
Minimum order	12	
Voltage	1,2v	
EAN	7638900 416 879	

OTHER FORMATS



C 2500mAh X2	
Minimum order 6	
Voltage	1,2v
EAN	7638900 138 740



D 2500mAh X2	
Minimum order 6	
Voltage	1,2v
EAN	7638900 138 757



9V 175mAhX1		
Minimum order 6		
Voltage	9V	
EAN	7638900 138 771	

X2

X10



AA 2300mAh X2	
Minimum order 12	
Voltage	1,2v
EAN	7638900 416 886



AAA 800mAh X2		
Minimum order 12		
Voltage	1,2v	
EAN	7638900 416 862	



Energizer chargers are equipped with:

- Reverse polarity protection
- Battery charging status indicator

1 HOUR CHARGER



- · Fast charging
- · Individual battery charge available
- · Power level gauge
- · Charged formats: AA/AAA
- · Detection of defective batteries
- · Safety timer to prevent overcharge
- · Charging time: 1h
- · Number of batteries capable of charging: 1-4

1H CHARGER	
Minimum order	4
EAN	7638900 421 248

PRO CHARGER



- · Light and sound charging status indicator
- · Charged formats: AA/AAA
- · Detection of defective batteries
- · Safety timer to prevent overcharge
- Over charge protection
- · Charging time: AA/AAA: 3-5h
- · Number of batteries capable of charging: 2-4

PRO CHARGER	
Minimum order	4
EAN	7638900 398 373

MAXI CHARGER



- · LED indicators
- · Charged formats: AA/AAA
- · Detection of defective batteries
- · Safety timer to prevent overcharge
- · Charging time: 5h to 10h
- · Number of batteries capable of charging: 2 or 4

MAXI CHARGER + 4AA 2000MAH	
Minimum order	4
EAN 7638900 321 401	

MINI 2000 / MINI 700 CHARGER



- · Compact and light
- · Charged formats: AA/AAA
- · Ideal for traveling
- · Charging time: 7 12h
- · Number of batteries capable of charging: 1 or 2

MINI CHARGER + 2AA 2000MAH		MINI CHARGER + 2AAA 700MAH
Minimum order	4	4
EAN	7638900 421 439	7638900 421 446

UNIVERSAL CHARGER



- · Versatile charger
- Charges all standard sizes of batteries: AA/AAA/C/D/9V
- · LED indicator when charging
- · Detection of defective batteries
- · Safety timer to prevent overcharge
- · Charging time 3-5h / 9V: 8h
- Number of batteries capable of charging: 2 or 4 for AA/AAA/C/D 1 or 2 for 9V

UNIVERSAL CHARGER		
Minimum order 4		
EAN	7638900 423 716	



SPECIALTY: SMALL IN SIZE, BIG ON PERFORMANCE

WIDE PORTFOLIO

A battery for every need

Full range of specialty batteries adapted to numerous small size devices









Electronic devices

Watch

Camera Hearing

SAFE SOLUTIONS

Zero added Mercury
on 100% of the portfolio



MULTIPACKS



Value packs: 12-packs available













ELECTRONIC DEVICES

LITHIUM - PREMIUM












Minimum order	10
CR2032 x1	7638900 083 040
CR2032 x2	7638900 248 357
CR2032 x4	7638900 377 620
CR2032 x6	7638900 428 025
CR2032 x12	7638900 441 901

Minimum order	10	Minimum order	10
CR2025 x1	7638900 083 002	CR2016 x1	7638900 083 002
CR2016 x2	7638900 248 333	CR2016 x2	7638900 248 340
CR2016 x4	7638900 415 360	CR2016 x4	7638900 415 353
CR2016 x12	7638900 441 895	CR2016 x12	7638900 441 888

Minimum order	10	Minimum order	10
CR2430 x2	7638900 379 914	CR2450 x2	7638900 381 795







Minimum order	10	
CR1025 x1	7638900 411 515	



Minimum order	10
CR1220 x1	7638900 411 522



Minimum order	10
CR1225 x1	7638900 411 560



Minimum order	10
CR1616 x1	7638900 411 539



Minimum order	10
CR1620 x1	7638900 411 546



Minimum order	10
CR1632 x1	7638900 411 553



Minimum order	10
CR2012 x1	7638900 411 577


29

28

*hased on scan sales

ALKALINE







Minimum order	10
A544/ 4LR44 x2	7638900 393 3



	Minimum order	10
4	A11/E11A x2	7638900 394 4



	Minimum order	10
8	A23/E23A x1	7638900 083 05
	A23/E23A	7638900 295 64



	Minimum order	10
7	A27 x2	7638900 393 330



Minimum order	10
LR44 /A76 x2	7638900 083 071
LR44 /A76 x4	7638900 411 164
LR44 /A76 x12	7638900 441 918



Minimum order	10
LR9/ EPX625Gx1	7638900 393 18



order	10
LR43/186 x2	7638900 393 194



	Minimum order	10
4	LR54/189 x2	7638900 083 088



	order	10
38	LR1/E90 x1	7638900 083 064
	LR1/E90 x2	7638900 295 634

LITHIUM - PERFORMANCE



Minimum order	10
CR2016 X2	7638900 423 020



Minimum order	10
CR2025 X2	7638900 423 013



Minimum order	10
CR2032 X2	7638900 423 006



Minimum order	10
CR2032 X4	7638900 422 993

Energizer







ELECTRONIC DEVICES / CAMERA

LITHIUM





7638900 052 008

7638900 168 495

Minimum order

123 X1 123 X2



Minimum order	6
CR2 X1	7638900 026 429
CR2 X2	7638900 169 331



Minimum order	6
2CR5 x1	7638900 057 003



Minimum order	6
223 x1	7638900 052 503

Туре	H (mm)	D (mm)	٧	I.E.C	DURACELL	MAXELL-VARTA	PANASONIC	SONY
123	34,5	17	3	CR17345	DL123A	CR123	CR123A	CR123A
CR2	27	15,6	3	CR15H270	DLCR2	CR2	CR2	CR2
2CR5	45	17x34	6	2CR5	DL245	2CR5M	2CR5M	2CR5
223	36	35x19,5	6	CR-P2	DL223A	CRP2P	CRP2P	CR-P2S





HEARING AIDS

ZINC AIR



Minimum order	6
13 X8	7638900 425 734
13 X16	7638900444964



Minimum order	6
312 X8	7638900 425 734
312 X16	7638900444971



Minimum order	6
10 X8	7638900 425 734
10 X16	7638900444957



Minimum order	6
675 x4	7638900 349 252

31








WATCH

SILVER OXIDE

WIDE CARD FORMAT - ALSO EXIST IN MINI BLISTER







Minimum order	10
357/303 x2	7638900 422 962



Minimum order	10
364/363 x1	7638900 107 753



Minimum order	10
377/376 v1	7638900 107 777



Minimum order	10
390/389 x1	7638900 083 118



Minimum order	10
392/384 x1	7638900 083 095



Mini Blister (batteries 10-pack)

Multi-drain batteries allow storage optimization: 1 reference instead of 2

TYPE LITHIUM PREMIUM	H (mm)	D (mm)	V	I.E.C	DURACELL	GOLD PEAK	KODAK	RENETA	VARTA-PANASONIC RAYOVAC
CR 1025	2,5	10	3	CR1025	DL1025	-	-	CR1025	CR1025
CR 1216	1,6	12,5	3	CR1216	DL1216	-	-	CR1216	CR1216
CR 1220	2	12,5	3	CR1220	DL1220	GPCR1220	-	CR1220	CR1220
CR 1616	1,6	16	3	CR1616	DL1616	GPCR1616	-	CR1616	CR1616
CR 1620	2	16	3	CR1620	DL1620	-	-	CR1620	CR1620
CR 1632	3,2	16	3	-	-	-	-	-	-
CR 2016	1,6	20	3	CR2016	DL2016	GPCR2016	KCR2016	CR2016	CR2016
CR 2025	2,5	20	3	CR2025	DL2025	GPCR2025	KCR2025	CR2025	CR2025
CR 2032	3,2	20	3	CR2032	DL2032	GPCR2032	KCR2032	CR2032	CR2032
CR 2430	3	24,5	3	CR2430	DL2430	-	-	CR2430	CR2430
CR 2450	5	24,5	3	CR2450	DL2450	-	-	CR2450N	CR2450

TYPE Alkaline	H (mm)	D (mm)	V	I.E.C	DURACELL	GP	KODAK	MAXELL	PANASONIC	RAYOVAC	RENATA	SEIKO/ TOSHIBA	SONY	VARTA
AAAA LR61	42,5	8,3	1,5	-	-	-	-	-	-	-	-	-	-	-
A544				4LR44	PX28A	GP476A	K28A	4LR44	4LR44	-	-	-	-	V4034PX
A11 E11A	16	10	6	-	-	GP11A	-	-	-	-	-	-	-	-
A23 E23A	28,5	10,3	12	LRV08	MN21	GP23A	K23A	-	LRV08	R23A	-	-	-	V23GA
A27 E27A	8	8	12	-	MN27	GP27A	-	-	-	-	-	-	-	-
A76 LR44	5,4	11,6	1,5	LR44	PX76A	A76	KA76	LR44	LR44	RW82/LR44	LR44	LR44	LR44	V13GA
EPX625G	6,1	15,5	1,5	LR9	PX625A	GP625A	KA625	-	LR9	-	-	-	-	V625U
LR43/186	4,2	11,6	1,5	LR43	D186A	GP186	-	LR43	LR43	RW84	LR43	LR43	LR43	V12GA
LR54/189	3,1	11,6	1,5	LR54	D189A	GP189	-	LR1130	LR1130	RW89	-	LR1130	LR1130	V10GA
E90 LR01	30,2	12	1,5	LR1	MN9100	GP910A	KN	LR1130	LR1	810	-	-	AM5	4001

Type Silver Oxide	H (mm)	D (mm)	V	Code EAN	I.E.C	CITIZEN	DURACELL	GOLD PEAK	JIS	MAXELL	PANASONIC	RAYOVAC	RENATA	SEIK0	SONY	TOSHIBA	VARTA
315	1,45	7,9	1,55	7 638 900 055 504	SR 67/SR 716 SW	280-56/280-55	D315	GP 315/GP15/G16R	-	SR716SW	SR716SW	3115	315	SR716SW	SR716SW	SR716SW	V 315
317	1,65	7,9	1,55	7 638 900 055 405	SR 62/SR 516 SW	280-58/280-107	D317	GP317/GP17	-	SR516SW	SR516SW	317	317	SR516SW	SR516SW	SR516SW	V 317
319	2,7	7,9	1,55	7 638 900 055 306	SR 64/SR 527 SW	280-60	D319	GP319	-	SR527SW	SR527SW	319	319	SR/TR527SW	SR527SW	SR527SW	V 319
321	1,65	5,8	1,55	7 638 900 055 108	SR 65/SR 616 SW	280-73	D321	GP321/GP21	-	SR616SW	SR616SW	321	321	SR/TR616SW	SR616SW	SR616SW	V 321
329	3,1	5,8	1,55	7 638 900 052 909	SR 731 SW	-	GP329/D329	GP18	GS18	SR731SW	SR731SW	329	329	SR731SW	SR731SW	SR731SW	V 329
335	1,25	7,9	1,55	7 638 900 059 304	SR 512 SW	280-68	-	-	-	SR512SW	SP335	335	335	SR512SW	SR512SW	-	V 335
337	1,65	6,8	1,55	7 638 900 063 905	SR 416 SW	280-75	-	GP337	-	SR416SW	SR416SW	-	337	-	SR416SW	-	-
341	1,45	4,8	1,55	7 638 900 054 705	SR 714 SW	-	-	-	-	SR714SW	SR714SW	341	341	-	SR714SW	-	V 341
344/350	3,6	6,8	1,55	7 638 900 259 650	SR 42/SR 1136 SW	-	D344/WS12	-	-	SR1136SW	SR1136SW	344	344	-	-	H-B	V344
346	1,3	7,9	1,55	7 638 900 059 809	SR 712 SW	280-66	-	-	-	SR712SW	SR712SW	346	346	SR/TR712SW	SR712SW	-	V 346
357/303	5,35	11,6	1,55	7 638 900 252 989	SR 44/SR 1154 W	-	D303/357/10L14	GP357/GP57	G13	SR44W	SR44W	303/357	357	SR44W	SR44W	MR44/SR44W	V 357
362/361	2,1	7,9	1,55	7 638 900 252 996	SR 58/SR 721 SW	280-29	D361/362/10L180	362/GP32	GS11	SR721SW	SR721SW	361/362	362	SR/TR721SW	SR721SW	SR721SW	V 362
364/363	2,15	6,8	1,55	7 638 900 253 009	SR 60/SR 621 SW	280-34	D364	GP364/GP64	GS1	SR621SW	SR621SW	364	364	SR/TR621W	SR621SW	SR621SW	V 364
365	1,65	11,6	1,55	7 638 900 058 109	SR 1116W	-	-	-	-	SR1116W	SR1116W	-	365	SR/TR1116W	SR1116W	SR1116W	-
371/370	2,1	9,5	1,55	7 638 900 253 016	SR 69/SR 920SW	280-31	D370/371	GP371/GP71	GS6	SR920SW	SR920SW	370/371	371	SR/TR920SW	SR920SW	SR920SW	V 371
373	1,65	9,5	1,55	7 638 900 058 802	SR 68/SR 916 SW	280-45	D373	GP373/GP73	-	SR916SW	SR916SW	373	373	SR/TR916SW/SR/TR916W	SR916S/SR916SW	SR916SW	V 373
377/376	2,6	6,8	1,55	7 638 900 253 023	SR 66/SR 626 SW	280-39	D377	GP377/GP77	GS4	SR626SW	SR626SW	376/377	377	SR626SW	SR626SW	SR626SW	V 377
379	2,15	5,8	1,55	7 638 900 054 903	SR 63/SR 521 SW	280-59	D379	GP379/GP79	-	SR521SW	SR521SW	379	379	SR/TR521SW	SR521SW	SR521SW	V 379
386/301	4,2	11,6	1,55	7 638 900 253 030	SR 43/SR 1142 W	280-41/280-21	D301/386/10L124	GP386/GP86	G12	SR43W	SR43W	301/386	386	SR43W	SR43W	SR43W	V 386
387S	3,6	11,6	1,55	7 638 900 081 275	SR 1136 S	-	-	-	-	-	-	387	-	-	-	HS-B	-
390/389	3	11,6	1,55	7 638 900 253 047	SR 54/SR 1130 W	280-15	D389/390/10L122	GP389/GP89	G10	SR1130W	SR1130W	389/390	389	SR1130W	SR1130W	SR1130W	V 389
391/381	2,05	11,6	1,55	7 638 900 254 716	SR 55/SR 1120 W	280-30	D381/391/10L130	GP391/GP91	G8	SR1120W	SR1120W	381/391	391	SR/TR1120SW	SR1120W	SR1120W	V 391
392/384	3,6	7,9	1,55	7 638 900 253 054	SR 41/SR 736 W	280-13/280-11	D384/392/10L125	GP392/GP92	G3	SR41W	SR41W	384/392	392	SR/TR41W	SR41W	SR41W	V 392
393/309	5,35	7,9	1,55	7 638 900 086 706	SR 48/SR 754 W	-	D309/393/10L123	GP393/GP93	G 5	SR754W	SR754W	309/393	393	SR48W	SR48W	SR48W	V 393
394/380	3,6	9,5	1,55	7 638 900 253 061	SR 45/SR 936 SW	280-17	D394/10L126/10L12	GP394/GP94	GS9	SR936SW	SR936SW	394	394	SR936SW/SR936W	SR936SW/SR936W	SR936SW	V 394
395/399	2,7	9,5	1,55	7 638 900 253 078	SR 57/SR 927 SW	280-48/280-20	D395/399	GP395/GP95	GS7	SR927SW	SR927SW	395/399	395	SR/TR927SW	SR927SW	SR927SW	V 395
397/396	2,6	7,9	1,55	7 638 900 252 972	SR 59/SR 726 W	280-52	D396/397/10L102	GP396/GP96	G2	SR726W	SR726W	396/397	396	SR/TR726W	SR726W	SR726W	V 396

397/396 2,6 7,9 1,55 7638 900 252 972 \$R 59/SR 726 W 280 -52 D396/397/10L102 GP396/GP96 G2 \$R726 W 396/397 396 \$R71R726 W \$R726 W \$R72



LIGHTS ARE ESSENTIAL WORK TOOLS

FOR SECURITY

In case of emergencies such as power cuts and for moving around safely

- High quality LEDs without dark spots & areas for visual comfort
- Impact resistance and water resistance
- ATEX certified lights for hazardous work environments

FOR COMFORT AND EFFICIENCY

To improve comfort at work & To optimize productivity

- Handheld and hands-free solutions
- Choose an adapted light solution based on your needs for light intensity, beam distance. and run time

ENERGIZER® LIGHTS PROVIDES 4 CATEGORIES OF LIGHTS THAT **COVER DIFFERENT USAGES**



SPOTLIGHT Powerful long distance lighting



HANDHELD TORCHES For close-up work, inspection & precise lighting

AREA LIGHTS Light a wide work area



HEADLIGHTS Attached to a helmet or fixed to your head. The light follows your moves

ALL DATA IS INDICATED ON THE PACKAGING

ENERGIZER LIGHTS FOLLOW ANSI STANDARDS

The American National Standards Institute ensures products performances are all measured based on a common protocol to facilitate choice.

LIGHTING **SPECIFICATIONS**







LIGHT

ANGLE

NTENSITY

DISTANCE



SPECIFICATIONS

RESISTANCE

RUN-TIME

RESISTANCE

WATERPROOF 1M IMMERSION RESISTANCE

DROP IMPACT RESISTANCE (meters)

WHAT ARE THE LIGHTS CHARACTERISTICS?



BRIGHTNESS LEVEL

The more Lumens, the brighter the light will be.

The scope and setting of the light is very important because if the light is too bright it can cause reflection, impede work and discharge power more quickly. Expressed in Lumens.



BEAM ANGLE

Broader beam angles will result in more spread-out light, but the light will also be less intense. Vice versa, narrower angles will have less spread but higher light intensity.



BEAM DISTANCE

refers to the maximum reach or distance at which a light source can effectively illuminate an area. Expressed in meters.



RUN TIME

How long a light can run until it offers 10% of the initial lumen output. Expressed in hours.





It indicates how well the device is protected by water and dust. First # is for solids (i.e. Dust). Second # is for water. The X means



The Energizer® lights are: IPX4 / IPX7 and IP67.



DROP IMPACT RESISTANCE

The device is dropped six times in different orientations from at least 1 meter onto concrete surface. It must remain fully functional. Expressed in meters.

HOW TO SELECT THE APPROPRIATE LIGHTING SOL UTION THAT MEETS YOUR PROFESSIONAL NEEDS?





POWERFUL & PORTABLE LIGHT FOR EVERY PROFESSIONAL

On the job, you can rely on Energizer® for professional-grade ruggedness, dependability and craftsmanship - offered in a wide variety of innovative lighting devices



ENERGIZER PRO SERIES

More flexibility, more color accuracy and more resistance to water and dust

our new range of quality, professional-grade lights designed with performance, flexibility and durability to meet the tough standards and demands while on the job! Pro series lights are hybrid and have powerful LED technology that includes High CRI for high-definition color clarity.



HARD CASE PROFESSIONAL

Solid performance light devices with standard features for the job to be done.

On-site or in the field, our Energizer® Hard Case® Professional flashlights feature rugged dependability combined with a good LED technology.





INSTRINSICALLY SAFE

Energizer® work and safety lights are designed and built with the rugged features hard-working professionals need and appreciate on the job. The built-in safety elements and MSHA Approved, ATEX Certified, and UL Listed Energizer Intrinsically Safe lights are safe to use in potentially hazardous environments





TACTICAL SERIES LIGHTS

The Energizer® TAC Series are high performing and durable lights. Spanning from very compact and lightweight to larger, High performance models these are the perfect lights to carry with you and have, no matter what life throws at you.







HEADLAMPS

Hands down, Energizer® has the most useful range of lightweight and versatile lighting products designed especially for those tasks that require two hands.





METAL LIGHTS

Commercial-grade aluminum alloy isn't the only thing that makes these lights special - the combination of natural daylight color and a powerful wide beam creates a high-performance metal light that's «our most advanced flashlight ever.



(2) With Lithium-ion batteries

(3) Color Rendering Index: The Energizer® Pro Series have an index of at least 90 out of 100

(4) Energizer® Pro Series Multi-color Hybrid Headlamp only


39 38 ©2024 Energizer. Trademarks and certain designs are owned by Energizer




ENERGIZER® PRO SERIES™ WORK LIGHT VERSATILE 2 IN 1: AREA LIGHT AND DIRECTIONAL LIGHT!



Hanger hook






ENERGIZER® PRO SERIES™ WORK LIGHT (1000 LUMENS)



- · Hybrid Power: Rechargeabe and also runs with 3 AA batteries (included)
- · Versatile 2 in 1: Area light (3 modes: High, Low, Medium) and Directional light
- · High Color Rendering Index of 90+ for high-definition color clarity
- · IP67: Waterproof and Dustproof
- · Non-slip grip
- · Magnets for attachment & storage
- · Large push button switch easy to use with gloves
- · Hanger hook
- · Tri-pod adaptable
- · Adjustable legs to direct light
- · Power bank with USB outlet to charge devices
- · Rechargeable battery life indicator
- · Weight: 805g
- · Dimensions: 94mm(L)x92mm(W)x225mm(H)

WORK LIGHT					
Minimum order 4					
EAN	7 638 900 448 160				
Rechargeabe and also runs with 3 AA batteries (included)					





ENERGIZER® PRO SERIES™ HANDHELDS

ENERGIZER® PRO SERIES™ INSPECTION LIGHT (350 LUMENS)



- · 3 modes: High, Medium, Low
- · Non-conductive with no external metal parts
- · Versatile clip for secure pocket storage
- · High Color Rendering Index of 90+ for high-definition color clarity
- · IP67: Waterproof and Dustproof
- Non-slip grip
- Rechargeable battery life indicator
- · Pouch Included
- · Weight: 69g

350 Lumens HIGH CRI 90+



INSPECTION LIGHT					
Minimum order 4					
EAN	7 638 900 448 177				
Hybrid Power: Rechargeabe and also runs with 2 AAA batteries (included)					





High mode	350 LUMENS	REACH 40m	RUN TIME 4h	WATER RESISTANCE	OROP RESISTANCE
Low mode	100lm		4h 12h	_{IP67} 1m	

ENERGIZER® PRO SERIES™ HYBRID HANDHELD (500 LUMENS)

Easy to use push button switch; large enough to use with Gloves on



- · 4 modes (High, Medium, Low, Flashing)
- · High Color Rendering Index of 90+ for high-definition color clarity
- · IP67: Waterproof and Dustproof
- · Non-slip grip
- · Magnets for storage or handsfree usage
- · Large push button switch easy to use with gloves
- Rechargeable power gauge/battery life indicator
- · Pouch Included
- · Weight: 172g



HYBRID HANDHELD Minimum order EAN 7638 900 448 184 **Hybrid Power: Rechargeabe** and also runs with 2 AA (included))















ENERGIZER® PRO SERIES™ HIGH CRI FLASHLIGHT (1000 LUMENS)

Easy to use push button switch;



1000 Lumens

HIGH CRI 90+

HIGH CRI FLASHLIGHT

Hybrid Power: Rechargeabe

and also runs with 6 AAA (included))

4

7638 900 448 191

Minimum order

EAN

- large enough to use with Gloves on

· 4 modes (High, Medium, Low, Flashing)


- · IP67: Waterproof and Dustproof
- · Non-slip grip
- · Magnets for storage or handsfree usage
- · Large push button switch easy to use with gloves

· High Color Rendering Index of 90+ for high-definition color

- Rechargeable power gauge/battery life indicator
- Power bank to recharge your devices
- · Pouch Included
- · Weight: 227g


















ENERGIZER® PRO SERIES™ HEADLAMPS



Red and Green LED modes allow users to preserve night vision

- **Green led**: improves night vision
- Green flashing light: for signaling others
- Red led: helps preserve night vision and friendly when working with others
- **Red flashing**: flashing red light is often used as an emergency or cautionary device

ENERGIZER® PRO SERIES™ FOCUSING HYBRID HEADLAMP (500 LUMENS)





- · 6 modes provides versatility to suit your needs (High / Medium / Low / Green / Green Flashing and digital focus)
- · Green LED mode allows users to preserve night vision
- · Digital Focus allows user to broaden/narrow the light beam
- · High Color Rendering Index of 90 for high-definition color clarity
- · IP67: Waterproof and Dustproof
- · Compact, lightweight design with comfortable head-strap
- · Pivoting head to direct light where needed.
- · Shatter proof lens
- · Bright, durable, energy-efficient LED technology
- · Weight: 76g

FOCUSING HYBRID HEADLAMP

Minimum order	4				
EAN	7 638 900 448 207				
Hybrid Power: Rechargeabe and also runs					

with 3 AAA batteries (included)











Power pack on the front


Power pack on the back





HIGH CRI 90

Last setting memory returns to same mode light was in when turned off



ENERGIZER® PRO SERIES™ MULTICOLOR HEADLAMP (650 LUMENS)






Powerpack on the back for a better weight balance and more comfort

MULTICOLOR HEADLAMP					
Minimum order	4				
EAN 7 638 900 448 214					
Hybrid Power: Rechargeabe and also runs					

with 4 AAA batteries (included)

- · 7 modes (High / Medium / Low /Dimming/Red/Green / Red Flashing) Red and Green LED modes allow users to preserve night
- · High Color Rendering Index of 90 for high-definition color clarity
- · IP67: Waterproof and Dustproof
- · 12 times brighter than standard LED
- · Shatter proof lens
- · Compact and lightweight design with comfortable headstrap with silicon layers that fits all helmets
- · Anti-glare design prevents light from filtering down into your eyes
- · Pivoting head to direct light where needed.
- · Rechargeable battery charge indicator
- · Last setting memory when turned on
- · Weight: 76g



HIGH CRI 90



WHAT IS ATTACA

ATEX (ATmosphere Explosive) refers to the hazard of explosive atmospheres in the workplace.

This is due to flammable gases or combustible dust that mixes in the air which can give rise to the risk of an explosion.

ENERGIZER® ATEX LIGHTS ARE SUITABLE FOR:

- Every atmospheres where Gas and Vapors can cause an explosion (Zone 0, 1 & 2)
- Both product groups

(€

Group 1: case specific to mines **Group 2**: all surface industries



WHAT ARE THE CHARACTERISTICS OF ATEX CERTIFIED LIGHTS?



Authorized by the European: Committee for electrochemical standardization

0539 Marking certifying DEMKO / UL international quality control

 $\langle E_{x} \rangle$ **Protection against explosions**

IM1 Mine equipment, category M1: high protection

II 1 Surface industry type equipment, category 1: very high protection

Suitable for gas and vapor type risk environments

Ex Tested to the latest European manufacturing standards

Light material design ensuring maximum intrinsic safety

Inherently safe optical radiation protection op is

For use in Mines category 1

Resistant to gas groups Acetylene and Hydrogen, Ethylene and Propane

T4 Temperature class 4: resist up to 135°C

| > Entrinsically safe torches for professionals in hazardous environments

For close-up work & precise lighting

HANDHELD **TORCHES**

Daily professional use










2xAA Batteries not included						
EAN	7638900 424 485					
Minimum order 4						
2AA AIE	X TORCH					

OAA ATEV TODGU

IP Rating: IP67 Ribbed casing for a secure grip Lanyard loop Large push button switch Shatterproof lens

Dimensions: 2AA: (H)187x(W)56x(D)61 mm, 127g 2D: (H)210x(W)56x(D)61 mm, 146g

















HANDS-FREE SOLUTION

HEADLIGHT

Daily professional use





ATEX HEADLIGHT					
Minimum order	3				
EAN	7638900 424 508				
3xAAA Batteries not included					



ATEX HEADLIGHT

- · Top strap for enhanced stability on hard hats
- · Pivoting head
- · Ambient operating range: -20C to +40C
- · IP Rating: IP67
- · Large push button switch
- Shatterproof lens
- · Dimensions: (H)49x(W)80x(D)53 mm
- · Weight: 75g
















HARD CASE PROFESSIONAL LIGHTS


Tough, dependable and hardworking torches for professionals



- Textured housing and comfortable shape
- Large switch button



- Adjustable light intensity
- Helmet solution



- Water resistance: IPX4
- Sustains 7 meters drop test
- Rugged ABS plastic



For close-up work & precise lighting

HANDHELD TORCHES

Daily professional use





HARD CASE PRO 2AA

- · Water resistant for outdoor tasks
- · Small and powerful
- · Light modes: high, low and dimming
- · Beam: concentrated
- · Lanyard slot
- · Dimensions: (H)165x(W)30x(D)35 mm
- · Weight: 100g
















HARD CASE PRO 2AA					
Minimum order	4				
EAN 7638900 287 424					
2XAA alkaline hatteries included					

HARD CASE PRO PROJECT PLUS 4AA

- · Weather resistant
- · Compact for ease of use in all professional tasks
- · Comfortable shape to fit in your hand even with gloves
- · Light modes: high, low and dimming
- · Spot and Flood
- · Lanyard slot
- · Dimensions: (H)215x(W)45x(D)55 mm
- · Weight: 210g





HARD CASE PRO PROJECT PLUS 4AA					
Minimum order 4					
EAN	7638900 287 448				
4XAA alkaline batteries included					



Light a wide working area

LIGHTS

Daily professional use





RECHARGEABLE PANEL LIGHT











- · Flexible and malleable
- · Double lens
- · Weather resistant (IPX4)
- · Resistant to 2M drops
- Rechargeable Lithium Ion Battery
- · Charges other devices (USB port out)
- · Powerful: 1100 lumens
- · Dimension: (H)202x(W)49x(D)147 mm
- · Weight: 462g

RECHARGEABLE PANEL LIGHT		
Minimum order 2		
EAN 77638900 430 301		
rechargeable		







HARD CASE PRO PIVOT



	C
19	1
	1

- · Compact body
- · Hands free functionality: Magnetic base
- · Pivoting head rotates up to 175°
- · Light modes: high and low
- · Beam: wide
- · Lanyard slot
- Dimensions: (H)180x(W)50x(D)45 mm
- · Weight: 140g

HARD CASE	PRO PIVOT	
Minimum order 4		High mode
EAN	7638900 423 792	Low
2XAA batteries included		












HARD CASE PRO WORKLIGHT







- · Comfortable handle design · Hands free functionality:
- Retractable rotating hook
- Strong magnets on the back
- Wide base
- · Powerful 180° lighting. 6 extremely bright LEDs
- · Light modes: high, low and dimming
- · Beam: wide
- · Lanyard slot
- · Dimensions: (H)280x(W)51x(D)38 mm
- · Weight: 275g















Best hands-free solutions

HEADLIGHTS

Daily professional use





Powerful long distance and precise lighting

SPOTLIGHT

Daily professional use





HARD CASE PRO MAGNET HEADLIGHT



HARD CASE PRO MAGNET HEADLIGHT

3XAAA batteries included

7638900 388 671

Minimum order EAN

- · Removable over head strap
- · Pivoting, detachable light module with intergrated magnets for hands-free versatility
- · Light modes: high and low
- · Beam: mixed
- · Dimensions: (H)64x(W)45x(D)36 mm
- · Weight: 100g


















HARD CASE PRO HELMET HEADLIGHT



HARD CASE PRO HELMET HEADLIGHT Minimum order 7638900 375 718 EAN 3XAA batteries included

- · Non-slip adjustable headstrap with silicon layers to fit most helmets
- · Top strap for greater stability
- · Universal and adhesive clips to reinforce attachment
- · Pivoting head to shine where needed
- · Light modes: high and low
- · 3 beam modes: High, Low Spot and Flood.
- · Independent switches allow precise operation of wide and concentrated beam modes
- · Dimensions: (H)76x(W)45x(D)38 mm
- · Weight: 150g



RECHARGEABLE HARD CASE PRO SPOTLIGHT



- · Rechargeable Lithium Ion Battery
- · Top laying surface for hands-free convenience
- · Comfortable shape for outstanding grip
- · High and low modes for optimized brightness and runtime control
- · 2 beam modes: concentrated and wide
- · Charges other devices (USB port out)
- · Dimensions: (H)203x(W)89x(D)64mm
- · Weight: 560g











RECHARGEABLE HARD CASE PRO	
Minimum order	4

7638900 443 127

Rechargeable

EAN

High mode Low mode













TACTICAL LIGHTS

TACTICAL RECHARGEABLE 1200





- · Rechargeable Lithium Ion Battery
- · Recharges via USB cable (Included)
- · Charges other devices (USB port out)
- · Durable aircraft grade aluminium
- · Strike Bezel Head
- · Rear push button for one handed operation
- · Dimensions: (H)241x(W)49x(D)49 mm
- · Weight: 337g










TACTICAL RECHARGEABLE 1200 Minimum order 4 EAN 7638900 433 807 Rechargeable



TACTICAL ULTRA 1000



- · Rugged construction made of durable aircraft grade aluminium
- · Rear push button to easily change modes
- · Shatterproof lens
- · Versatility: high mode, low mode
- · Emergency strobe mode
- · Dimensions: (H)230x(W)50x(D)50 mm
- · Weight: 340g

TACTICAL ULTRA 1000		
Minimum order 4		
EAN 7638900 430 288		
6XAA batteries included		

High mode	1000 LUMENS	REACH 200m	RUNTIME 4h	WATER RESISTANCE	DROP RESISTANCE
mode mode	250lm		15h		


TACTICAL RECHARGEABLE 700



55

- · Rechargeable Lithium Ion Battery
- · Durable Aircraft Grade Aluminium
- · Rear easily push button to easily change modes
- · Compact size and lightweight
- · Strike bezel head
- · Removable clip in both orientations
- · Dimensions: (H)158x(W)32,6x(D)32,6 mm
- · Weight: 172g

TACTICAL RE	CHARGEABLE 700
Minimum order	4
EAN 7638900 430 271	
Rechargeable	



TAC700



- · Durable aircraft grade aluminum
- · Rear push button allows users to easily change modes while holding the light
- · MAXVIZ Technology to deliver a wide, powerful beam and high-definition vision
- · 4 light modes: high, moderate, low intensity and strobe mode
- · Belt clip for added convenience
- · Dimensions: (H)122x(W)33x(D)33 mm
- · Weight: 113g

T	AC700	Himb	LUMENS	REACH	RUNTIME	WATER RESISTANCE	DROP RESISTANCE	
imum order	4	High mode	700	100m	<u>(</u>		1m	
EAN	7638900 426 472	Moderate mode Low mode	100lm		2h 12h	IPX4	202	
2x CR123 I	patteries included		20lm		30h			



METAL LIGHTS

RECHARGEABLE VISION HD METAL LIGHT








- · Rechargeable Lithium Ion Battery. Non-removeable battery
- · USB out: Emergency phone charge via USB
- \cdot 3 light modes: high, low and emergency strobe
- · Beam: Digital Focus for precise light mode dimming
- Dimensions: (H)226,5x(W)48x(D)48 mm
- · Weight: 378g

RECHARGEABLE VISION HD METAL LIGHT Minimum order 4 EAN 7638900 426 410 Rechargeable












- Durable aircraft grade aluminum construction provides confidence for any task
- · Up to x12 brighter than standard LED technology
- · Beam: Digital Focus for precise and smooth light intensity dimming (except 3AAA)
- · 3 light modes: high, low, emergency strobe





VISION HD METAL 6AA		
Minimum order 4		
EAN 7638900 419 597		
6XAA Alkaline batteries included		




· Dimensions: (H)226x(W)48x(D)35 mm

· Weight: 278g



VISION HD METAL 2AA		
Minimum order 4		
EAN 7638900 313 130		
2XAA Alkaline batteries included		




Dimensions: (H)159x(W)30x(D)22 mm

· Weight: 108g



VISION HD METAL 3AAA		
Minimum order 6		
EAN 7638900 419 580		
3XAAA Alkaline batteries included		



· Dimensions: (H)98x(W)34x(D)34 mm

· Weight: 84g

3XAAA Alkaline batteries included 57



HEADLIGHTS

A COMPLETE RANGE OF HANDS-FREE SOLUTIONS



HIGH PERFORMANCE

Latest LED technology Pivoting head to direct light as needed Dim light intensity for vision comfort

HYBRID

Headlamp with flashlight option Rechargeable & runs on 2 CR123 batteries Waterproof IPX4

HIGH PERFORMANCE HANDS-FREE SOLUTIONS DESIGNED TO FIT ALL HELMETS

INDUSTRIAL HELMET HEADLIGHTS

Daily professional use



RECHARGEABLE INDUSTRIAL HEADLIGHT










Rechargeable		
EAN 7638900 434 347		
Minimum order 6		
RECHARGEABLI	E INDUSTRIAL HEADLIGHT	

- · Non-slip adjustable head strap with silicon layers and extra universal helmet attachments for increased stability
- · Rechargeable Lithium Ion battery
- · Charges via standard micro USB cable
- · 7 light modes: Concentrated high and low & wide high and low white LED, Red LED for night vision, Flashing red LED. green LED for inspection work.
- · Dimming to control light intensity
- · Pivoting head
- · Dimensions: (H)46x(W)60x(D)35 mm
- · Weight: 120g




VISION HD+ FOCUS INDUSTRIAL HEADLIGHT





EAN







Also available in occasional use

3xAAA batteries included

VISION HD+ FOCUS HEADLIGHT		
Minimum order	6	
EAN	7638900 412 802	
3xAAA batteries included		

- · Non-slip adjustable head strap with silicon layers and extra universal helmet attachments for increased stability
- · Digital focus technology: precise control of beam angle
- · 5 light modes: Concentrated high and low & wide high and low white LED, and red LED for night vision
- · Dimming to control light intensity
- · Pivoting head
- · Dimensions: (H)46x(W)60x(D)35 mm
- · Weight: 53g











VISION ULTRA HD HEADLIGHT

- · VisionGuard helps protect eyes by gradually increasing light intensity
- · Low battery indicator
- · 7 light modes: High, Low, Wide, Wide Low, Red, Flashing Red. Green
- · Beam modes: Wide, Concentrated and Mixed
- · Dimensions: (H)59x(W)49x(D)37 mm
- · Weight: 53g

High

mode

Low

mode

LUMENS

30lm

VISION ULTRA HD HEADLIGHT Minimum order 7638900 424 478 EAN







VISION HD+ HEADLIGHT

- · Next push off to avoid unnecessary switch cycles
- · Adjustable elastic headband and pivoting head
- · Light modes: high, low, dimming and red light for night vision
- · 2 beam modes: wide and concentrated
- · Dimensions: (H)59x(W)49x(D)36 mm
- · Weight: 53g

VISION HD+ HEADLIGHT		
Minimum order 6		
EAN 7638900 316 384		
3XAAA batteries included		













VISION HD HEADLIGHT



- · Next push off to avoid unnecessary switch cycles
- · Adjustable elastic headband and pivoting head
- · Light modes: high, low, dimming
- · 2 beam modes: wide and concentrated

- · Dimensions: (H)59x(W)49x(D)36 mm
- · Weight: 52g

3XAAA batteries included			
EAN		7638900 316 377	
Minimum order 6			
	VISION HD HEADLIGHT		

High mode LUMENS Low 45lm mode



RECHARGEABLE HEADLIGHT

A FULL RANGE OF HIGH PERFORMANCE **AND COMFORTABLE HEADLIGHTS**

HEADLIGHTS



Daily professional use


- · Charges via standard micro USB cable
- · 7 light modes: High, Low, Wide, Wide Low, Red. Flashing Red, Green
- · Water-resistant with shatterproof lens
- · Beam modes: Wide, Concentrated and Mixed
- · Dimensions: (H)60x(W)46x(D)39 mm
- · Weight: 80g

High

Low

*Light must be turned off while charging













HYBRID HEADLAMP



Red and Green LEDs for night vision

RECHARGEABLE HEADLIGHT

Rechargeable



Minimum order

EAN



7638900 426 441






- · Hybrid design can be powered by rechargeable lithium ion batteries or CR123 batteries (both included)
- · Great rechargeable light for handheld and hands-free use for work tasks
- Powerful beam casts 400 lumens on high and 1000 lumens on turbo
- Detaches from base for use as a handheld LED light
- · Comfortable, compact design and durable metal construction offer convenience and reliability
- · Dimensions: 27.5 x 25.5 x 106.5 mm
- · Weight: 55g

HYBRID HIGH PERFORMANCE POWERED HEADLAMP			
Minimum order 4			
EAN	7638900 439 151		
60 2X CR123 batteries included			















VISION HEADLIGHT





· Shatterproof lens

· Light modes: high and low

· Dimensions: (H)59x(W)49x(D)32 mm

· Weight: 51g

VISION HEADLIGHT		
Minimum order 6		
EAN	7638900 270 228	
3XAAA batteries included		
















SPOTLIGHT

EXPERT PRO LED SPOTLIGHT



- · Strong alloy construction
- · Head swivels 140° to direct light where you need it
- · Easy-to-use push button switch
- Simple battery replacement
- · Hours of runtime
- · 3 light modes:
 - Low (wide beam) thanks to 3 peripheral LEDs
 - Moderate (concentrated beam) thanks to one high mode central LED
 - High (concentrated + wide beam) with its 4 LEDs




- · Dimensions: (W)152x(D)216 mm
- · Weight: 689g



EXPERT PRO LED		
Minimum order 4		
EAN	3426050 019 378	
1X6V battery included		

62



DIY LIGHTS

RECHARGEABLE LANTERN



- - Rechargeable Lithium Ion BatteryDurable Construction
 - · USB Port out
 - · Powerful and bright: 360 area lighting
 - · Steady base
 - · Comfortable non-slip grip
 - · Shatterproof lens
 - · Dimensions: (H)158,7x(W)72,4x(D)254,3 mm
 - · Weight: 695g





RECHARGEABLE LANTERN		
Minimum order 2		
EAN 7638900 430 325		
7638900 451 498 (from march 2024)		

Energizer









COMPACT AREA LANTERN

USB LANTERN








COMPACT AREA LANTERN			
Minimum order 4			
EAN 7638900 414 707			
4xAA batteries included			

- · Compact and lightweight
- · 360° lighting
- · Robust handle and rear stand for hands-free
- · Water resistance: IPX4
- · Light Fusion Technology™ for vibrant and uniform lighting
- · Light modes: High and Low
- · Dimensions: (H)192X(W)143X(D)39 mm
- · Weight: 239g








USB LANTERN		
Minimum order 2		
EAN	7638900 451 481	
4xD batteries not included		

- · Dimming Feature for customized light output
- Powerful 360° area lighting
- · USB port out: charges devices
- · Steady base for hands-free Non-slip grip
- · Dimensions: (H)254x(W)158,6x(D)72 mm
- Weight: 581g









IMPACT LIGHT 2AAA



IMPACT LIGHT 2AAA		
Minimum order	12	
EAN	7638900 326 307	
2xAAA batteries included		



IMPACT LIGHT 2AA

IMPACT LIGHT 2AA			
Minimum order 4			
EAN 7638900 326 291			
2xAA batteries included			

· Durable rubber construction

- · Convenient, built-in stand for hands-free
 - · Non-slip grip
- · Easy to operate switch when wearing gloves
 - · Lanyard loop
- · Dimensions: IMPACT LIGHT 2AAA: (H)149x(D)43x(W)5 mm, 108g IMPACT LIGHT 2AA: (H)191x(D)62x(W)71 mm, 240g




















LED LIGHT 2AA






LED LIGHT 2D

2xAA batteries not included		2xD batterie	es not included
EAN	7638900 386 677	EAN	7638900 386 660
linimum order	12	Minimum order	9
LED LIGHT 2AA		LED LIGHT 2D	

- · Easy to operate push-button switch
- · Up to 5X Brighter than ordinary LED technology
 - · Long Runtime
 - · Lanyard included
 - · Ribbed design for secure grip
- Dimensions: LED LIGHT 2AA: (H)146x(D)38x(W)38 mm, 35q LED LIGHT 2D: (H)190x(D)57x(W)57 mm, 67g












Tested in accordance with the ANSI FL 1 standard


WATERPROOF LIGHT



WATERPROOF LIGHT 12 Minimum order 7638900 418 811 2xAA batteries included

- · Waterproof: IPX7
- · Floats
- · Durable construction
- · Reflective panels
- · Up to 4X Brighter than Standard LED Technology
- · Dimensions: (H)171x(D)58x(W)58 mm
- · Weight: 63g





BP112 3R12

COMPACT LED 2AA

POCKET LIGHT



BP112 3R12		
Minimum order 12		ı
EAN 3147290 024 686		
1 x 3R12 battery		

- · Source: light bulb
- · Large lens for a wide beam
- Convenient hanging hook
- · Dimensions: (H)120x(D)70x(W)42 mm· Stands for hands-free operation
- · Weight: 72g



COMPACT LED 2AA	
Minimum order	12
EAN	7638900 307 504

- 2 x AA batteries
- · Source: LED
- · Durable aluminum construction
- · Easy to operate slide switch
- · Morse signal capability
- · Dimensions: (H)103x(D)25x(W)55 mm
- · Weight: 72g











POCKET LIGHT	
6	
7638900 326 314	

2 x AAA batteries included

- · Compact & lightweight
- · Handy slide switch
- · Comfortable shape
- · D: (H)79x(D)42x(W)23 mm
- · Weight: 22g









X FOCUS LED 1AAA

X FOCUS LED 2AA

X FOCUS LED 2AA

2 x AA batteries included

BOOKLITE LED



Minimum order 12		
EAN	7638900 383 911	
2 x CR2032 batteries		

1 x AAA batteries included

12

7638900 015 119

X FOCUS LED 1AAA

Minimum order

EAN

· Adjustable focus Convenient tail switch · Sustains 1 meter drop test

· Dimensions: X FOCUS 1AAA: (H)90x(D)21x(W)21 mm, 14g X FOCUS 2AA: (H)147x(D)25x(W)25 mm, 27g

- · Flexible book light
- · Large extended spring clip mounts securely to books, clipboards and eReaders
- · The neck bends easily and then holds its position
- · Dimensions: (H)244x(W)26 mm
- · Weight: 28,7g









WEARABLE CLIP LIGHT





WEARAE	WEARABLE CLIP LIGHT	
Minimum order	12	
EAN	638900 426 434	
2 x CR2032 batteries included		

- · Universal clip to attach on shirts, pockets, bags...
- Compact solution
- · Easy to use switch on button
- · 3 light modes: area, red area, Red flashing
- · Dimensions: (H)60x(D)33x(W)20 mm
- · Weight: 17g



**Endpoint determined at 1% of initial value.

INSPECTION LIGHT



INSPEC	INSPECTION LIGHT	
Minimum order	4	
EAN	7638900 430 295	
2xAAA batteries included		

- · Ideal for inspecting things up close
- · Shatterproof lens
- · Clip
- · Push button tail switch
- · Versatile usage
- · Durable Aircraft Grade Aluminum
- · Dimensions: (H)144x(D)22x(W)22 mm
- · Weight: 45g















TOUCH TECH KEYCHAIN LIGHT

TOUCH TECH KEYCHAIN LIGHT		
Minimum order 12		
EAN 7638900 424 225		
2 x CR2032 batteries		

- · Switchless: super easy to use. Maximum convenience – Grip the light for instant illumination and release to smoothly turn off
- · Auto-off
- · Compact size
- · Dimensions: (H)60x(D)25x(W)13 mm
- · Weight: 34g









METAL PENLIGHT



	METAL PENLIGHT	
	Minimum order	8
_	EAN	7638900 420 821
2 x AAA batteries included		

- · Easy-to-operate tail switch allows one-handed operation
- · Sturdy clip
- Compact and Lightweight
- · Dimensions: (H)140x(D)13x(W)18 mm
- · Weight: 15g



























Minimum order

EAN





12

7638900 015 096

























Energizet_®





FOR MORE INFORMATION, VISIT ENERGIZER PROFESSIONAL WEBSITE www.energizerprofessional.eu

©2024 Energizer. Trademarks and certain designs are owned by Energizer.