

# A BIBLIOGRAPHY OF THE EARLY LIFE HISTORY OF FISHES. VOLUME 1, LIST OF TITLES

Compiled, edited, and published (1988, copyright) by Robert D. Hoyt  
Department of Biology, Western Kentucky University, Bowling Green, Kentucky 42101

Updated November 2002 by

Tom Kennedy

Aquatic Biology, University of Alabama, Tuscaloosa, Alabama 35487-0206

and

Darrel E. Snyder

Larval Fish laboratory, Colorado State University, Fort Collins, Colorado 80523-1474

Dr. Hoyt granted the American Fisheries Society Early Life History Section permission to prepare, update, and distribute his 13,717-record bibliography (comprehensive for literature through 1987, but out-of-print) as a personal computer file or searchable resource on the Internet so long as the file is made available to all interested parties and neither it nor printed versions of it are sold for profit. Because of computer search capabilities, it was deemed unnecessary to provide a computer text version of Dr. Hoyt's subject, scientific name, common name, family name, and location indices (Volume II). As chairman of the Section's bibliography committee, I prepared and partially edited version 1.0 of this file from Dr. Hoyt's original VAX computer tapes and made it available in 1994 for download and use as a searchable resource on the internet. Dr. Julian Humphries (then at Cornell University) and Peter Brueggeman (Scripps Institution of Oceanography Library) prepared and posted the gopher- searchable and web-searchable versions, respectively.

The file has now been further edited for duplicate records and errors by Tom Kennedy and myself and partially updated by Tom Kennedy. For the update, Tom incorporated a file of records through 1997 provided by George W. Boehlert (NMFS Southwest Fisheries Science Center, 1352 Lighthouse Avenue, Pacific Grove, California 93950-2097), perused over 25 academic and governmental web sites, and used Current Contents software for published literature from 1999 to 5 August 2002. I also added a few dozen records. The bibliography now includes 15,596 records from 1842 through July 2002.

Many references are yet to be identified and added to the bibliography for the period of 1988 through 1997 and especially the year 1998. Users of the bibliography, AFS Early Life History Section members, and anyone else having published in the field are encouraged to submit additional corrections and bibliographic records to me for future updates. Please compare records herein with your own bibliographic files and personal publication lists (including "grey" literature and agency final reports). Bibliographic format generally follows American Fisheries Society guidelines except that standard journal abbreviations are acceptable. Your contributions will be duly acknowledged. If anyone is interested in becoming more involved with the bibliography, much as Tom Kennedy did for this update, I am willing to share or transfer responsibility for maintaining and updating it for the AFS Early Life History Section.

Darrel E. Snyder

Phone: (970)491-5295, FAX: (970)491-5091, E-mail: [Darrel.Snyder@ColoState.edu](mailto:Darrel.Snyder@ColoState.edu)

Home page for the bibliography of fish early life history is at <http://www.cnr.colostate.edu/~desnyder/elhsbib5.htm>

- Aanesen, R. T., Eilertsen, H. C., and O. B. Stabell. 1998. Light induced toxic properties of the marine alga [*Phaeocystis pouchetii*] towards cod larvae. *Aquatic toxicology* 40:109-121.
- Aasjord, D., and J. Wallace. 1980. Observations of gastric obstruction during early feeding of Arctic charr, [*Salvelinus alpinus*] (Salmonidae). *Aquaculture* 19(1):87-92.
- Abbott, C. C. 1862. Notes on the habits of [*Aphredoderus sayanus*]. *Proc. Acad. Nat. Sci. Phila.* (1861):95-96.
- Abbott, C. C. 1871. Notes on fresh-water fishes of New Jersey. *American Naturalist* 4:99-117.
- Abbott, C. C. 1874. Note on the breeding habits of the mudminnow. *Pop. Sci. Monthly* 4:744-745.
- Abbott, C. C. 1884. On the habits of certain sunfish ([*Mesogonistius chaetodon*] and [*Enneacanthus similaris*]). *American Naturalist* 17:1254-7.
- Abbott, C. C. 1888. Note on breeding habits of the bill-fish ([*Tylosurus longirostris*]). *Science (NY)* 12(288):72.
- Abbott, F. S. 1970. The response of melanophores in isolated scales of [*Fundulus heteroclitus*] to melanophore-stimulating hormone (MSH). *Canadian Journal of Zoology* 48:581-584.
- Abbott, J. C., and L. M. Dell. 1985. Patterns of aggressive attack in juvenile steelhead trout, [*Salmo gairdneri*]. *Canadian Journal of Fisheries and Aquatic Sciences* 42:1702-1706.
- Abbott, J. C., R. L. Dunbrack, and C. D. Orr. 1985. The interaction of size and experience in dominance relationships of juvenile steelhead trout ([*Salmo gairdneri*]). *Behaviour* 92(304):241-253.
- Abe, S. 1976. A cytotaxonomical study in some freshwater cottoid fishes (Cottidae, Pisces). *Cytologia* 41:323-329.
- Abe, T. 1951. Notes on the young of the hokie, [*Pleurogrammus*] [azonus] Jord. et Metz. *Bull. Jap. Soc. Sci. Fish.* 16(11):495-501.
- Abe, T. 1957. Studies on the fishes whose young are believed to be carried in large numbers by the Kuroshio. *Rec. Oceanogr. Works Jap. Spec.* 112(2):93-96.
- Abe, T. 1972. On a cyclopic embryo of the blue shark. U.O. 93 pp.
- Abedi, Z. H., and W. P. McKinley. 1967. Bioassay of captan by zebrafish larvae. *Nature* 216:1321-1322.
- Able, K. W. 1974. Life history, ecology and behavior of two new [*Liparis*] (Pisces: Cyclopteridae) from the western North Atlantic. Ph.D. Diss., College of William & Mary, Williamsburg, VA. 115 pp.
- Able, K. W., and M. Castagna. 1975. Aspects of an undescribed reproductive behavior in [*Fundulus heteroclitus*] (Pisces: Cyprinodontidae) from Virginia. *Ches. Sci.* 16(4):282-284.
- Able, K. W., and M. Castagna. 1975. Aspects of an undescribed reproductive behavior in [*Fundulus heteroclitus*] (Pisces: Cyprinodontidae) from Virginia. *Ches. Sci.* 16(4):282-284.
- Able, K. W. 1976. A new cyclopterid fish, [*Liparis coheni*], from the western North Atlantic with notes on life history. *Copeia* 1976(3):515-521.

- Able, K. W., and J. A. Musick. 1976. Life history, ecology, and behavior of [Liparis] [inquinus] (Pisces: Cyclopteridae) associated with the sea scallop, [Placopecten magellanicus]. N.O.A.A. (U.S.) Fish. Bull. 74(2):409-421.
- Able, K. W. 1978. Ichthyoplankton of the St. Lawrence estuary: composition, distribution, and abundance. Journal of the Fisheries Research Board of Canada 35:1518-1531.
- Able, K. W. 1984. Cyprinodontiformes development. Pages 362-367 in Moser, H. G. et al. editors. Ontogeny and systematics of fishes. Special Publication (No. 1) of the American Society of Ichthyology and Herpetology.
- Able, K. W. 1984. Variation in spawning site preference of the mummichog, [Fundulus heteroclitus]. Copeia 1984:522-525.
- Able, K. W., D. F. Markle, and M. P. Fahay. 1984. Cyclopteridae: development. Pages 428-437 in Moser, H. G. et al. editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Able, K. W., M. P. Fahay, and D. F. Markle. 1986. Development of larval snailfishes (Pisces: Cyclopteridae: [Liparidinae]) from the eastern North Atlantic. Canadian Journal of Zoology 64:2294-2316.
- Able, K.W., R.E. Matheson, W.W. Morse, M.P. Fahay and G. Shepherd, 1990. Patterns of summer flounder [Paralichthys dentatus] early life history in the Mid-Atlantic Bight and New Jersey estuaries. Fish. Bull., U.S. 88:1-12.
- Able, K.W., M.P. Fahay and G.R. Shepherd, 1995. Early life history of black sea bass, [Centropristis striata], in the mid-Atlantic Bight and a New Jersey estuary. Fish. Bull. 93:429-445.
- Able, K. W., J. P. Manderson, and A. L. Studholme. 1998. The distribution of shallow water juvenile fishes in an urban estuary: the effects of man made structures in the Hudson River estuary. Estuaries 21:731-744.
- Able, K. W., J. P. Manderson, and A. L. Studholme. 1999. Habitat quality for shallow water fishes in an urban estuary: the effects of man made structures on growth. Marine Ecology Progress Series 187:227-235.
- Ableson, D. H. G. 1973. Contributions to the life history of the brassy minnow ([Hybognathus nuchalis]). M.S. Thesis. Univ. of Mich., Ann Arbor, MI. 49 pp.
- Aboul-Ela, I., F. I. Amer, and A. R. El Bolock. 1973. Studies on spawning and spawning behavior of [Clarias lazera] Cuv. and Val. in fish farms of the A. R. Egypt. Bull. Zool. Soc. Egypt 25:25-33.
- Aboussouan, A. 1964. Study of eggs and pelagic larvae of teleosts in Gulf of Marseille. Rec. Trav. Sta. Mar. Endoume. 32(48):87-171. (in French).
- Aboussouan, A. 1965. Oeufs et larves de Teleosteens de l'Ouest Africain. I. [Acanthus monroviae] Steind. Bull. Inst. Fond. Afr. Noire, Ser. A, 27:1183-1187.
- Aboussouan, A. 1965. Oeufs et larves de Teleosteens de l'Ouest Africain. II. Distribution verticale. Bull. Inst. Fond. Afr. Noire, Ser. A, 27:1504-1521, 8 figs.
- Aboussouan, A. 1966. Oeufs et larves de Teleosteens de l'Ouest Africain. III. Larves de [Monacanthus hispidus] (L.) et de [Balistes forcipatus] Gm. Bull. Inst. Fond. Afr. Noire, Ser. A, 28:276-282, 6 figs.
- Aboussouan, A. 1966. Sur quelques larves pelagique de teleosteens recoltés a Tulear. Recl. Trav. Stn. Mar. Endoume-Mars. Suppl. 5:149-164.

- Aboussouan, A. 1966. Oeufs et larves de l'Ouest Africain. IV. [Galeoides] [polydactylus] (Vahe) Polynemidae. Bull. Inst. Fond. Afr. Noire, Ser. A, 28:1037-1040.
- Aboussouan, A. 1967. Oeufs et larves de teleosteens de l'Ouest Africain. V. [Caranx rhonchus] Geoffroy Saint-Hilaire (Carangidae). Affinites avec Trachurus trecae Cadenat. Bull. Inst. Fondam. Afr. Noire, Sre. A. Sci. Nat. 29:1039-1050.
- Aboussouan, A. 1968. Eggs and larvae of the teleosts of West Africa: IV. Larvae of [Chloroscombrus chrysurus] L. and [Blepharis crinitus] Mitchill (Carangidae). Bull. Inst. Fondament. Afr. Noire. 30:226-237.
- Aboussouan, A. 1968. Oeufs et larves de teleosteens de l'Ouest Africain. VII. Larves de [Syacium quineensis] (Blkr.) [Bothidae.] Bull. Inst. Fr. Afr. Noire, Ser. A 30(3):1188-1197.
- Aboussouan, A. 1968. Eggs and larvae of teleosts of West Africa. VIII. Larvae of [Bregmaceros maccllellandi] Thompson (Bregmacerotidae). Bull. Inst. Fondament. Afr. Noire. 30:1590-1602.
- Aboussouan, A. 1969. On a small collection of teleost larvae collected on the coast of Brazil ('Calypto' cruise 1962). Vie Milieu, Ser. A. 20:595-610.
- Aboussouan, A. 1971. Eggs and larvae of West African teleosts. XI. The migration of the larvae of [Sardinella aurita] Val. near the CapVert peninsular. Bull. Inst. Fondam. Afr. Noire, Ser. A. 33(1):226-236.
- Aboussouan, A. 1972. Oeufs et larves de teleosteens de l'Ouest Africain. X. Larves d'Ophidioides ([Oligopus], [Ophidion] et [Carapus]) et de Percoides ([Pseudupeneus]). Bull. Inst. Fondam. Afr. Noire, Ser. A Sci. Nat. 34:169-178.
- Aboussouan, A. 1972. Oeufs et larves de teleosteens de l'Ouest Africain. XI Larves serraniformes. Bull. Inst. Fondam. Afr. Noire Ser. A. Sci. Nat. 34:485-502.
- Aboussouan, A. 1972. Oeufs et larves de teleosteens de l'Ouest Africain. XII. Les larves d'Heterosomata recoltees aux enviorns de l'ile de Goree (Senegal). Bull. Inst. Fondam. Afr. Noire, Ser. A Sci. Nat. 34:974-1003.
- Aboussouan, A. 1975. Oeufs et larves de teleosteens de l'Ouest Africain. XIII. Contribution a l'identification des larves de Carangidae. Bull. Inst. Fondam. Afr. Noire, Ser. A Sci. Nat. 37:899-938.
- Aboussouan, A. 1980. Description d'une larve geante "rubaniforme," attribuee au genre [Brotulataenia] (Pisces, Gadiformes, Ophidioides, Ophidiidae) et recoltee a l'est des nouvelles Hebrides. Cybium, 3rd Ser., (10):51-64.
- Aboussouan, A. 1983. Contribution ... l',tude des larves p,lagiques du sous ordre des Stromateoides (Pisces, Perciformes). Cybium 7(4):1-24. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)
- Aboussouan, A., and J. M. Leis. 1984. Balistoidei: development. Pages 450-458 in Moser, H. G. et al. editors. Ontogeny and systematics of fishes. Special Publication (No. 1) of the American Society of Ichthyology and Herpetology.
- Abraham, M., N. Blanc, and A. Yashouv. 1966. Oogenesis in five species of grey mullet (Teleostei: Mugillidae) from natural and landlocked habitats. Isn. Journal of Zoology 15(3-4):155-172.
- Abramova, N. B., T. V. Likhman, and A. A. Neifakh. 1965. Mechanism of increase in respiration intensity during embryonic development of fish (loach). Fedn. Proc. (Transl. Suppl.) 25:T489-492.

- Aceituno, M. L., and C. D. Vanicek. 1976. Life history studies of the Sacramento perch, [*Archoplites interruptus*] (Girard), in California. *California Fish and Game* 62(1):5-20.
- Achord, S., J. R. Smith, and G. M. Matthews. 1984. Experimental tanker used to study transportation of juvenile salmonids. *Progressive Fish-Culturist* 46(3):206-208.
- Ackerman, P. A., and G. K. Iwama. 2001. Physiological and cellular stress responses of juvenile rainbow trout to vibriosis. *Journal of Aquatic Animal Health* 13(2):173-180.
- Adams, A. L. 1868. Death of fishes in the Bay of Fundy. *American Naturalist* 1868(1869) 2:337-342.
- Adams, C. A. 1972. Food habits of juvenile finfish, [*Lagodon*] [*rhomboides*], silver perch, [*Bairdilla chrysural*], and spotted seatrout, [*Cynoscion nebulosus*], of the estuarine zone near Crystal River, Florida. M. S. Thesis, Univ. Florida, Gainesville.
- Adams, C. C., and T. L. Hankinson. 1928. The ecology and economics of Oneida Lake fish. *Roosevelt Wildlife Annals*. 1(3-4):241-358.
- Adams, E. S., and F. G. Towle. 1974. Use of a recompression chamber to alleviate gas-bubble disease in coho sac-fry. *Progressive Fish-Culturist* 36(1):41-55.
- Adams, J. A. 1960. A contribution to the biology and postlarval development of the sargassum fish, [*Histrio histrio*] (Linnaeus), with a discussion of the sargassum complex. *Bull. Mar. Sci. Gulf and Caribbean* 10(1):55-82.
- Adams, J. R. 1968. Thermal effects and other considerations at steam electric plants, a survey of studies in the marine environment. *Pacific Gas & Elect. Co. Rep.* 6934. 4-68. 87 pp.
- Adams, J. G., and M. W. Street. 1969. Notes on the spawning and embryological development of blueback herring ([*Alosa aestivalis*] (Mitchill)) in the Altamaha River, Georgia. *Georgia G F Comms., Contr. Ser.* 16.
- Adams, J. G. 1970. Clupeids in the Altamaha River, Georgia. *Coast. Fish. Div., Georgia Game and Fish Comm.; Brunswick, Georgia. Contrib. Series No.* 20, 27 pp.
- Adams, L. A. 1942. Age determination and rate of growth of [*Polyodon*] [*spathula*] by means of the growth rings of otoliths. *Am. Midl. Nat.* 28(3):617-630.
- Adams, M. B., M. D. Powell, and G. J. Purser. 2001. Effect of acute and chronic ammonia and nitrite exposure on oxygen consumption and growth of juvenile big bellied seahorse. *Journal of Fish Biology* 58(3):848-860.
- Adams, P. B. 1980. Life history patterns in marine fishes and their consequences for fisheries management. *Fish. Bull. U.S.* 78(1):1-12.
- Adams, S. M. 1976. The ecology of eelgrass, [*Zostera marina*] (L.), fish communities. I. Structural analysis. *J. Exp. Mar. Biol. & Ecol.* 22:269-291.
- Adams, W., H. R. Montalban, and C. Martin. 1932. Cultivation of [*Bangos*] in the Philippines. *Philipp. J. Sci., Manila* 47(1):1-38.
- Adelman, I. R., and L. L. Smith, Jr. 1970. Effect of hydrogen sulfide on northern pike eggs and sac fry. *Transactions of the American Fisheries Society* 99:501-509.
- Adelman, I. R., and L. L. Smith. 1970. Effects of oxygen on the growth and food conversion efficiency of northern pike. *Progressive Fish-Culturist* 32:93-96.
- Adelman, I. R., et al. 1976. Chronic toxicity of guthion to fathead minnow, [*Pimephales promelas*] Raf. *Bull. Environ. Contam. Toxicol.* 15:726.

- Adelman, I. R., et al. 1976. Effect of size or age of goldfish and fathead minnows on use of pentachlorophenol as a reference toxicant. *Water Res.* (G.B) 10:685.
- Amundsen, P. A., H. M. Gabler, and L.S. Riise. 2001. Intraspecific food resource partitioning in Atlantic salmon (*[Salmo salar]*) parr in a subarctic river. *Aquatic Living Resources* 14(4):257-265.
- Adolph, E. F. 1982. Physiological integrations in action. *Physiologist* 25(Supplement):1-67.
- Adron, J. W., A. Blair, and C. B. Cowey. 1974. Rearing of plaice (*[Pleuronectes platessa]*) larvae to metamorphosis using an artificial diet. *Fish. Bull.* 72(2):353-357.
- Advisory Committee on Marine Resources Research (FAO). 1970. Report on the ACMRR Working Party on fish egg and larval surveys. FAO. 6/71-WP. 4. Rome. 20 pp.
- Adzhimuradov, K. A. 1972. The food of juvenile carp, *[Cyprinus carpio]* (L.), in early developmental stanzas in bodies of water of the Arakum (Terek River Delta). *J. Ichthyol.* 12(6):981-986.
- Adzhimuradov, K. A. 1977. The feeding of juvenile bream, *[Abramis brama]* *[orientalis]*, in the early developmental stanzas in the Arakum region (Terek delta). *J. Ichthyol. Engl. Transl. Vopr. Ikhtiol.* 17(6):903-907.
- Aerts, P. 1982. Development of the musculus levator externus IV and the musculus obliquus posterior in *[Haplochromis elegans]* Trewavas, 1933 (Teleostei:Cichlidae): a discussion on the shift hypothesis. *J. Morph.* 173:225-235.
- Affleck, R. J. 1950. Some points in the function, development and evolution of the tail in fishes. *Proc. Zool. Soc. London.* 120(11):349-368.
- Afzelius, B. A., L. Nicander, and I. Sjoden. 1968. Fine structure of egg envelopes and the activation changes of cortical alveoli in the river lamprey, *[Lampetra fluviatilis]*. *J. Embryol. Exp. Morph.* 19:311-318.
- Agamaliev, A. S. 1970. Reproduction of Caspian lamprey in the Kura River watershed in conditions of construction of hydro-electric power station. *Trudy Mold. Uchen.* 4:112-118. Russian, Summary in English. 17(6):903-907.
- Agassiz, A. 1848-54. *Bibliographia Zoologiae et Geologiae.* 4 vols. London. Roy. Society.
- Agassiz, A. 1876. The development of flounders. *Am. Nat.* 10:705-708.
- Agassiz, A. 1877-1878. On the young stages of some osseus fishes. Part I. *Proc. Am. Acad. Arts Sci.* 13(4):117-126.
- Agassiz, A. 1878. Embryology of the gar pike. *Sci. News, Harmondsworth* 1:19-20.
- Agassiz, A. 1879. On the young stages of some osseus fishes. II. Development of flounders. *Proc. Am. Acad. Arts Sci.* 14(4):1-25.
- Agassiz, A. 1879. The development of *[Lepidosteus]*. Part I. *Am. Acad. Arts and Sci. Proc.* 14(4):65-76.
- Agassiz, A. 1882. On the young stages of some osseus fishes. Part III. *Proc. Am. Acad. Arts. Sci.* 17:271-303.
- Agassiz, A. 1885. *Studies from the Newport Marine Laboratory.* 16. The development of osseus fishes. 1. The pelagic stages of young fishes. *Mem. Mus. Comp. Zool. Harvard* 14(1):1-56.

- Agassiz, A., and C. O. Whitman. 1885. Studies of the Newport Marine Laboratory. XVI. The development of osseus fishes. 1. The pelagic stages of young fishes. Mem. Mus. Comp. Zool. Harvard Univ. 14(1):1-56.
- Agassiz, A., and C. O. Whitman. 1884. On the development of some pelagic fish eggs. Proc. Am. Acad. Sci., Vol. 20.
- Agassiz, A., and C. O. Whitman. 1885. Communications from the Newport Marine Laboratory. XIV. On the development of some pelagic fish eggs. Preliminary Notice. Proc. Am. Acad. Arts Sci. 20(4):23-75.
- Agassiz, A., and C. O. Whitman. 1889. The development of osseus fishes. The pre-embryonic stages of development. Mem. Mus. Comp. Zool., Harvard XIV, 1(Pt. II).
- Agassiz, A., and C. O. Whitman. 1915. Studies from the Newport marine Laboratory. XVI. The development of osseus fishes. II. The pre-embryonic stages of development. Part II. The history of the egg: cleavage, formation of the periblast, and development of the germ ring. Mem. Mus. Comp. Zool. Harvard Univ. 40(9):429-434.
- Agassiz, J. L. R. 1856. On some young gar pikes from Lake Ontario. Proc. Boston Soc. Nat. Hist. 6:47-48. Also in Am. J. Sci. 1857. 2 Ser. 23. 284-285.
- Ager, L. A., D. E. Hammond, and F. Ware. 1976. Artificial spawning of snook. Proc. 30th Ann. Conf. S. E. Assoc. G & F Comms. 30:158-166.
- Aggus, L. R., and G. V. Elliott. 1975. Effects of cover and food on year-class strength of largemouth bass. Pages 317-311 in Stroud, R. H., and H. Clepper editors. Black bass biology and management. Sport Fish. Inst., Wash., D. C.
- Aguilar-Palomino, B., C. P. Reyes, F. GalvanMagana, and L. A. AbitiaCardenas. 2001. Ichthyofauna from Navidad Bay, Jalisco, Mexico. Revista de Biologia Tropical 49(1):173-190.
- Aguirre-León, A., A. Y. Pérez-Arancibia and D. Pauly. 1989. Recruitment model of [*Eucinostomus gula*] (Pisces: Gerreidae) in the southern Gulf of Mexico: life history with tropical estuary-shelf interrelationships. Presented at the XIII Annual Meeting of the Early Life History Section, American Fisheries Society, 21-26 May 1989, Merida, Mexico. Abstract In: El Programa y la Memoria, p. 57.
- Ahlstrom, E. H. 1943. Studies on the Pacific pilchard or sardine ([*Sardinops caerulea*]) 4.-Influence of temperature on the rate of development of pilchard eggs in nature. U.S. Dept. Int. Fish and Wildl. Serv. Spec. Sci. Rep. No. 23. 26 pp.
- Ahlstrom, E. H. 1948. A record of pilchard eggs and larvae collected during surveys made in 1939 to 1941. U.S. Fish. Wildl. Serv., Spec. Rep. 54. 76 pp.
- Ahlstrom, E. H. 1950. Influence of temperature on the rate of development of pilchard eggs in nature. U.S. Fish Wildl. Serv., Spec. Sci. Rep. Fish. 15:132-167.
- Ahlstrom, E. H. 1952. Pilchard eggs and larvae and other fish larvae, Pacific coast 1950. U.S. Dept. Int. Fish and Wildl. Serv., Spec. Sci. Rep. Fish. No. 80. 58 pp.
- Ahlstrom, E. H. 1953. Pilchard eggs and larvae and other fish larvae, Pacific coast 1951. U.S. Dept. Int., Fish and Wildl. Serv., Spec. Sci. Rep. Fish. No. 102. 55 pp.
- Ahlstrom, E. H. 1954. Distribution and abundance of egg and larval populations of the Pacific sardine. U.S. Fish & Wildl. Serv. Bull. 56:83-140.
- Ahlstrom, E. H. 1954. Pacific sardine (pilchard) eggs and larvae and other fish larvae, Pacific coast - 1952. Scient. Rep. U.S. Fish Wildl. Serv., No. 123:1-76.

- Ahlstrom, E. H., and O. P. Ball. 1954. Description of eggs and larvae of jack mackerel ([*Trachurus symmetricus*]) and distribution and abundance of larvae in 1950 and 1951. U.S. Fish and Wildl. Serv., Fish. Bull. 56:209-245.
- Ahlstrom, E. H., and R. C. Counts. 1955. Eggs and larvae of the Pacific hake, [*Merluccius*] [*productus*]. U.S. Fish and Wildl. Serv., Fish. Bull. 56:295-329.
- Ahlstrom, E. H., and D. Kramer. 1955. Pacific sardine (pilchard) eggs and larvae and other fish larvae, Pacific coast-1953. U.S. Fish and Wildl. Serv., Spec. Sci. Rep. Fish. No. 155. 74 pp.
- Ahlstrom, E. H., and D. Kramer. 1956. Sardine eggs and larvae and other fish larvae, Pacific coast-1954. U.S. Fish and Wildl. Serv., Spec. Sci. Rep. Fish. No. 186. 79 pp.
- Ahlstrom, E. H. 1956. Eggs and larvae of anchovy, jack mackerel, and Pacific mackerel. Pages 33-42 in Prog. Rep. California Coop. Oceanic Fish Invest., 1 April 1955-30 June 1956.
- Ahlstrom, E. H., and D. Kramer. 1957. Sardine eggs and larvae and other fish larvae, Pacific Coast, 1955. Spec. Sci. Rep. Fish. U.S. Fish. Wildl. Serv. (224):90.
- Ahlstrom, E. H. 1958. Sardine eggs and larvae and other fish larvae, Pacific coast, 1956. U.S. Fish Wildl. Serv. Spec. Rep. Fish. 251. 84 pp.
- Ahlstrom, E. H., and R. C. Counts. 1958. Development and distribution of [*Vinciguerria*] [*lucetia*] and related species in the Eastern Pacific. U.S. Fish Wildl. Serv., Fish. Bull. 58:363-416.
- Ahlstrom, E. H., et al. 1958. High speed plankton sampler. Fish. Bull. U.S. Fish. Wildl. Serv. 58:187-214.
- Ahlstrom, E. H. 1959. Vertical distribution of pelagic fish eggs and larvae off California and Baja California. U.S. Fish Wildl. Serv. Fish. Bull. 60(161):107-146.
- Ahlstrom, E. H. 1959. Distribution and abundance of eggs of the Pacific sardine, 1952-1956. Fish. Bull. Fish Wildl. Serv. U.S. 60(165):185-213.
- Ahlstrom, E. H. 1960. Fish spawning in 1957 and 1958. California Coop. Fish. Invest. Rep. 7:173-179.
- Ahlstrom, E. H. 1961. Distribution and relative abundance of rockfish ([*Sebastes*] spp.) larvae off California and Baja California. Rapp. P.-v. Reun. Commn int. Explor. Scient. Mer Mediterr. 150:169-176.
- Ahlstrom, E. H., and J. R. Thrailkill. 1963. Plankton volume loss with time of preservation. California Coop. Fish. Invest. Rep. 9:57-73.
- Ahlstrom, E. H. 1965. Kinds and abundance of fishes in the California Current region based on egg and larval surveys. California Coop. Oceanic Fish. Rep. 10:31-52.
- Ahlstrom, E. H. 1965. A review of the effects of the environment of the Pacific sardine. Spec. Publs int. Commn. NW. Atlant. Fish., No. 6:53-74.
- Ahlstrom, E. H. 1965. A report on evaluation of fish resources of the Pt. Arguello area. Part. I. Fish larvae of the Pt. Arguello Area. U.S. Bur. Comm. Fish. California Current Resourc. Lab., La Jolla, CA. 118 pp.
- Ahlstrom, E. H. 1966. Distribution and abundance of sardine and anchovy larvae in the California Current region off California and Baja California, 1951-64, a summary. U.S. Fish and Wildl. Serv. Sci. Rep. Fish. No. 534. 71 pp.



- Ahlstrom, E. H. 1967. Co-occurrence of sardine and anchovy larvae in the California Current region off California and Baja California. California Coop. Ocean. Fish. Invest. 11:117-135.
- Ahlstrom, E. H. 1968. Reviews and Comments. Development of fishes of the Chesapeake Bay region, an atlas of egg, larval and juvenile stages, pt. 1 (by A. J. Mansueti and J. H. Hardy). Copeia 1968(3):648-651.
- Ahlstrom, E. H. 1968. What might be gained from an oceanwide survey of fish eggs and larvae in various seasons. California Coop. Oceanic Fish. Invest. Rep. 12:64-67.
- Ahlstrom, E. H. 1969. Distribution atlas of fish larvae in the California Current region: jack mackerel, [*Trachurus symmetricus*], and Pacific hake, [*Merluccius productus*], 1951 through 1966. California Coop. Oceanic Fish. Invest. Atlas No. 11:187 pp.
- Ahlstrom, E. H. 1969. Remarkable movement of oil globules in eggs of bathylagid smelts during embryonic development. J. Mar. Biol. Assoc. India 11:206-217.
- Ahlstrom, E. H., and H. G. Moser. 1969. A new gonostomatid fish from the tropical Pacific. Copeia 1969(3):493-500.
- Ahlstrom, E. H. 1971. Kinds and abundance of fish larvae in the eastern tropical Pacific, based on collections made on EASTROPAC I. Fish. Bull. 69(1):3-77.
- Ahlstrom, E. H. 1972. Kinds and abundance of fish larvae in the eastern tropical Pacific on the second multivessel EASTROPAC survey, and observations on the annual cycle of larval abundance. Fish. Bull. U.S. 70(4):1153-1242.
- Ahlstrom, E. H. 1972. Distributional atlas of fish larvae in the California Current region: six common mesopelagic fishes - [*Vinciguerria lucetia*], [*Triphoturus mexicanus*], [*Stenobranchius leucopsarus*], [*Leuroglossus stilbius*], [*Bathylagus wesethi*], and [*Bathylagus ochotensis*], 1955 through 1960. Rep. California Coop Oceanic Fish. Invest. 17, 306 pp.
- Ahlstrom, E. H. 1974. The diverse patterns of metamorphosis in gonostomatid fishes-an aid to classification. Page 27 in: Report of the international symposium on the early life history of fish. FAO Fish. Rep. No. 141. 58 pp.
- Ahlstrom, E. H., H. G. Moser, and E. M. Sandknop. 1975. Distributional atlas of fish larvae in the California Current region: rockfishes, [*Sebastes*] spp., 1950 through 1975. California Coop. Oceanic Fish. Invest., Atlas 17:306 pp.
- Ahlstrom, E. H., and H. G. Moser. 1975. Distributional atlas of fish larvae in the California Current region: flatfishes, 1955 through 1960. California Coop. Oceanic Fish. Invest. Atlas, 23:207 pp.
- Ahlstrom, E. H., H. G. Moser, and M. J. O'Toole. 1976. Development and distribution of larvae and early juveniles of the commercial lanternfish, [*Lampanyctodes hectoris*] (Gunther), off the west coast of southern Africa with a discussion of phylogenetic relationships of the genus. Bull. South. California Acad. Sci. 75:138-152.
- Ahlstrom, E. H., J. L. Butler, and B. Y. Sumida. 1976. Pelagic stromateoid fishes (Pisces: Perciformes) of the eastern Pacific: kinds, distributions, and early life histories and observations on five of these from the northwest Atlantic. Bull. Mar. Sci. 26(3):285-402.
- Ahlstrom, E. H., and H. G. Moser. 1976. Eggs and larvae of fishes and their role in systematic investigations and in fisheries. Revue des Travaux de l'Institut des Peches Maritimes 40:379-398.

- Ahlstrom, E. H. 1976. Maintenance of quality in fish eggs and larvae collected during plankton hauls, pp. 313-318. In: Zooplankton fixation and preservation. H. F. Steedman (ed.), Unesco Press, Paris.
- Ahlstrom, E. H., and E. G. Stevens. 1977. Report of neuston (surface) collections made on an extended CALCOFI cruise during May 1972. California Coop. Oceanic Fish. Invest. Rep. 18:167-180.
- Ahlstrom, E. H., and H. G. Moser. 1980. Characters useful in identification of pelagic marine fish eggs. California Coop. Oceanic Fish. Invest. Rep. 21:121-131.
- Ahlstrom, E. H., and H. G. Moser. 1981. Systematics and development of early life history stages of marine fishes: achievements during the past century, present status and suggestions for the future. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:541-546.
- Ahlstrom, E. H., H. G. Moser, and D. M. Cohen. 1984. [Argentinoidei]: development and relationships. Pages 155-168 in Moser, H. G. et al., editors. Ontogeny and systematics of fishes. Special Publication (No. 1) of the American Society of Ichthyology and Herpetology.
- Ahlstrom, E. H., K. Amaoka, D. A. Hensley, H. G. Moser, and B. Y. Sumida. 1984. Pleuronectiformes: development. Pages 640-669 in Moser, H. G. et al., editors. Ontogeny and systematics of fishes. Special Publication (No. 1) of the American Society of Ichthyology and Herpetology.
- Ahlstrom, E. H., W. J. Richards, and S. H. Weitzman. 1984. Families Gonostomatidae, Sternoptychidae, and associated Stomiiform groups: development and relationships. Pages 184-198 in Moser, H. G. et al., editors. Ontogeny and systematics of fishes. Special Publication (No. 1) of the American Society of Ichthyology and Herpetology.
- Ahlstrom, E. H., and B. Y. Sumida. 1985. MS. Early life history of eastern Pacific carangids. NOAA, NMFS, La Jolla, CA 92038.
- Ahmad, N. 1934. Preliminary study of the embryology of [Wallago attii]. Proc. 21st Indian Sci. Cong. (Bombay). Pt. 3:271.
- Ahmad, N. 1944. On the spawning habits and development of the so-called freshwater shark, [Wallagonia attu] (Bloch and Schneider). Proc. Natl. Inst. Sci. India 10(2):193-199.
- Ahmad, N. 1944. The spawning habits and early stages of development of the carp, [Labeo ganius] (Hamilton), with hints for distinguishing eggs, embryos and larva of [Labeo] [ganius], [Cirrhina mrigala] and [Wallagonia attu]. Proc. Natl. Inst. Sc i. India 10(3):343-354.
- Ahmad, N. 1946. On the spawning habits and culture of katli, [Barbus (Lissochilus) hexagonolepis] Mcl. Bengal Govt. Fish. Dev. Pamphlet 2:4-8.
- Ahmad, N. 1948. On the spawning habits and early development of the copper manseer, [Barbus (Lissochilus) hexagonolepis] McClelland. Proc. Natl. Inst. Sci. India 14(1):21-28.
- Ahrenholz, D. W., G. R. Fitzhugh, J. A. Rice, S.W. Nixon, and W.C. Pritchard. 1995. Confidence of otolith ageing through the juvenile stage for Atlantic menhaden ([Brevoortia tyrannus]). Fishery Bulletin 93:209-216.
- Ahsan, S. N., and W. S. Hoar. 1963. Some effects of gonadotrophic hormones on the threespined stickleback. Canadian Journal of Zoology 41(6):1045-1053.
- Aikawa, H., T. Hayashi, and Y. Furuno. 1950. Vertebral count and growth of Japanese anchovy, [Engraulis japonicus] Temm. Et Schl. J. Fac. Agric. Kyushu Univ. 9(3):255-269.

- Aiken, J., R. H. Bruce, and J. A. Lindley. 1977. Ecological investigations with the undulating oceanographic recorder: the hydrography and plankton of the waters adjacent to the Orkney and Shetland Islands. *Mar. Biol.* 39(1):77-91.
- Ainley, D. G., W. J. Sydeman, R. H. Parrish, and W. H. Lenarz. 1993. Oceanic factors influencing distribution of young rockfish ([*Sebastes*]) in central California - a predator's perspective. *California Cooperative Oceanic Fisheries Investigations Reports* 34:133-139.
- Aitken, W. W. 1936. Notes on the propagation of the largemouth bass, ([*Aplites salmoides*]). *Iowa Acad. Sci.* 43:341-344.
- Aitkhozhin, M. A., N. V. Belitsina, and A. S. Spinin. 1964. Nucleic acids during early development of fish embryos ([*Misgurnus fossilis*]). *Biokhimiya* 29:169.
- Aiyar, R. G. 1935. Observations on the development of [*Acentrogobius*] [*neilli*]. *Zool. Anz. Leipzig* 199:83-92.
- Aiyar, R. G., K. A. Menon, and M. G. K. Menon. 1936. Plankton records for the years 1929-30. *J. Madras Univ.* 8:1-43.
- Aiyar, R. G., and K. P. Nalini. 1938. Observations on the reproductive system, egg-case, embryos and breeding habits of [*Chiloscyllium griseum*] M et H. *Proc. Indian Acad. Sci.* 7B(5):252-269.
- Aiyar, R. G., and G. Manadevan. 1939. On a collection of elasmobranch embryos obtained from the Madras coast. *Proc. 26th Indian Sci. Cong. (Lahore).* Pt. 3:134.
- Aiyar, R. G., M. M. Unny, and P. M. Varkey. 1944. Studies on leptocephalii of Madras Coast. *Proc. 31st Indian Sci. Congr. (Delhi).* Pt. 3:106-107.
- Akatsu, S., Y. Ogasawara, and F. Yesuda. 1977. Spawning behavior and development of eggs and larvae of the striped fingerfish [*Monodactylus sebae*]. *Jap. J. Ichthyol.* 23(4):208-214.
- Akatsu, S., M. Al-Abdul-Elah and S.K. Teng. 1983. Effects of salinity and water temperature on the survival and growth of brown-spotted grouper larvae ([*Epinephelus tauvina*], Serranidae). *J. World Maricult. Soc.* 14:624-635. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Akazaki, M., H. Nakajima, H. Kawahara, and S. Takamatsu. 1976. Embryonic development and metamorphosis after hatching in the sharksucker, [*Echeneis naucrates*]. *Jap. J. Ichthyol.* 23:153-159.
- Aker, E., and G. Rauck. 1967. Tagging of juvenile flatfish at the German North Sea Coast. *ICES CM 1967/F:25.* 7 pp.
- Aketa, K. 1954. The chemical nature and the origin of the cortical alveoli in the egg of the medaka, [*Oryzias latipes*]. *Embryologia* 2:63-66.
- Aketa, K. 1966. A study of the block mechanism against polyspermy in the medaka, [*Oryzias latipes*]. *Annot. Zool. Japan* 39:149-155.
- Akhalkatsi, R. G., M. Simic, M. J. Timofeeva, and C. A. Kafiani. 1970. RNA synthesis in isolated nuclei of early embryos of loach. *Biokhimiya* 35:1193-1201.
- Akielaszek, J. J., J. R. Moring, S. R. Chapman, and J. H. Dearborn. 1985. Experimental culture of young rainbow smelt [*Osmerus mordax*]. *Transactions of the American Fisheries Society* 114:596-603.
- Akihito, P. 1963. On the scapula of gobiid fishes. *Jap. J. Ichthyol.* 11(1/2):1-26.

- Akiyama, A. 1970. Acute toxicity of two organic mercury compounds to the teleost, [*Oryzias latipes*], in different stages of development. Bull. Jap. Soc. Sci. Fish. 36:563-570.
- Akiyama, G. S., and M. T. Santerre. 1979. Lunar spawning of the threadfin, [*Polydactylus*] [*sexfilis*], in Hawaii. NOAA-NMFS Fish. Bull. 76(11):900-904.
- Akiyami, T., S. Arai, T. Murai, and T. Nose. 1985. Threonine, histidine, and lysine requirement of chum salmon fry. Bull. Jap. Soc. Sci. Fish. 51(4):635-640.
- Akiyami, T., S. Arai, T. Murai, and T. Nose. 1985. Tryptophan requirements of chum salmon fry. Bull. Jap. Soc. Sci. Fish. 51(6):1005-1008.
- Akiyama, T., T. Murai, Y. Hirasawa, and T. Nose. 1984. Supplementation of various meals to fish meal diet for chum salmon fry. Aquaculture 37(3):217-222.
- Akulin, V. N. 1966. Changes in fatness of young sockeye as related to their downstream migration. Rybn Khoz 42(8):11-12. Transl. Fish. Res. Bd. Can., Ser. 716:1-4.
- Akulin, V. N. 1970. Acid composition of muscle phospholipids of sockeye salmon, [*Oncorhynchus nerka*], at various stages of its life cycle. Zh. Evol. Biokhim Fiziol. 5(4):411-414. Transl. Fish. Res. Bd. Can., Ser. 1471-8e.
- Akyuz, E. F., and I. Artuz. 1957. Some observations on the biology of tuna ([*Thunnus*] [*thynnus*]) caught in Turkish waters. Gen. Fish. Counc. Mediterr. Proc. Tech. Pap. 1957(4):93-99.
- Al-Adhami, M. A., and Y. W. Kunz. 1976. Haemopoietic centres in the developing angelfish, [*Pterophyllum scalare*] (Cuv. & Val.). Wilhelm Roux's Arch. 179:393-401.
- Al-Adhami, M. A., and Y. W. Kunz. 1977. Ontogenesis of haemopoietic sites in [*Brachydanio*] [*rerio*] (Ham.-Buch.). Devel. Growth Diff. 19:171-179.
- Al-Hamed, M. I. 1972. On the reproduction of three cyprinid fishes of Iraq. Freshwater Biol. 2(1):65-76.
- Al-Maghazachi, S. J., and R. Gibson. 1984. The developmental stages of the larval turbot, [*Scophthalmus maximus*] (L.). J. Exp. Mar. Biol. Ecol. 82(1):35-52.
- Al-Rawi, A. H., and F. B. Cross. 1964. Variation in the plains minnow, [*Hybognathus placitus*] Girard. Trans. of the Kansas Acad. of Sci. 67:154-168.
- Al-Rawi, A. H. A. 1967. The development of the Weberian apparatus and the swim bladder in the channel catfish, [*Ictalurus*] [*punctatus*] (Rafinesque). Ph.D. Diss., Univ. Oklah., Norman, OK.
- Alabaster, J. S. 1963. The effects of heated effluents on fish. Int. J. Air Wat. Pollut. 7:541-563.
- Alabaster, J. S., and A. Swain. 1963. Heated water and fish. Rep. Challenger Soc. 3(15):39.
- Alabaster, J. S. 1964. Effects of heated effluents on fish. Adv. Water Pollut. Res. 1:261-292.
- Alabaster, J. S., and A. L. Downing. 1966. A field and laboratory investigation of the effect of heated effluents on fish. Fishery Invest., Lond. (Ser. 1) 6(4):1-42.
- Alabaster, J. S., D. J. Shurben, and M. J. Mallett. 1979. The survival of smolts of salmon, [*Salmo salar*] L., at low concentrations of dissolved oxygen. J. Fish. Biol. 15(1):1-8.

- Alados, C. L., J. Escos, and J. M. Emlen. 1993. Developmental instability as an indicator of environmental stress in the Pacific hake ([*Merluccius productus*]). *Fishery Bulletin* 91:587-593.
- Alayse, J. P., and J. Lahaye. 1978. Description et fonctionnement d'une installation en circuit ferme destinee a l'elevage de larves et juveniles de soles. *Publ. Sci. Tech. CNEXO:Actes Colloq.* 7:239-259.
- Albanese-Carmignan M. P. 1970. Behavior of the nucleolar apparatus in relation to that of the yolk-globules in the developing oocytes of the teleost [*Coris julis*] L. *Arch. Zool. Ital.* 55:87-96.
- Albaret, J. J., and F. Gerlotto. 1976. Biology of [*Ethmalosa fimbriata*] (Bowditch) in Ivory Coast. I. Description of reproduction and first larval stages. *Doc. Sci. Cent. Rech. Oceanogr., Abidjan, ORSTOM* 7:113.
- Alberch, P. 1980. Ontogenesis and morphological diversification. *Am. Zool.* 20:653-667.
- Alberch, P. 1982. The generative and regulatory roles of development in evolution. Pages 19-36 [in] Mossakowski, D., and G. Roth, editors. *Environmental adaptation and evolution.* Stuttgart/New York. Gustav Fischer.
- Alberch, P. 1985. Problems in the interpretation of developmental sequences. *Syst. Zool.* 24:46-58.
- Albertine-Berhaut, J. 1973. Biologie des stades juveniles de teleosteens mugilidae, [*Mugil auralus*] Risso 1810, [*M. capito*] Cuv. 1829, et [*M. saliens*] Risso 1810. 1. Regime Alimentaire. *Aquaculture* 2(3):251-266.
- Albertini-Berhaut, J. 1974. Biologie des stades juveniles di teleosteens mugilidae, [*Mugil auralus*] Risso 1810, [*M. capito*] Cuv. 1829, et [*M. saliens*] Risso 1810. II. Modifications du regime alimentaire en relation avec la taille. *Aquaculture* 4(1):13-28.
- Albrecht, A. B. 1963. Study of sturgeon and striped bass. Development of techniques for capture and marking juvenile bass. California Dept. Fish Game F-09-R-09. 7 pp.
- Albrecht, A. B. 1964. Some observations on factors associated with survival of striped bass eggs and larvae. *California Fish and Game* 50(2):100-113.
- Alcalay, O. M., and P. C. Sikkel. 1994. Diel periodicity of hatching of demersal eggs in the temperate damselfish, [*Hypsypops rubicundus*]. *Bulletin of Marine Science* 54:565-569.
- Albrecht, A. B. 1964. Some observations on factors associated with survival of striped bass eggs and larvae. *California Fish and Game* 50(2):100-113.
- Alcock, A. 1891. On a viviparous bathyhyal fish from the Bay of Bengal. *Proc. Zool. Soc. Lond.* 1891:226-227.
- Alcock, A. 1892. Some observations on the embryonic history of [*Pteroplatea micrura*]. *Ann. Mag. Nat. Hist. Ser.* 6, 10:1-8.
- Aldebert, Y., and H. Fournier. 1971. La reproduction de la sardine et de l'anchois dans le golfe de Lyon. *Rev. Trav. Inst. Peches Marit. Nantes* 35(1):57-75.
- Alderdice, D. F., et al. 1954. Minimum requirements for chum salmon eggs. *Ann. Rep. Pac. Biol. Stat., Fish. Res. Bd. Can.*
- Alderdice, D. F., and J. R. Brett. 1957. Some effects of Kraft mill effluent on young Pacific salmon. *Journal of the Fisheries Research Board of Canada* 14:783-795.

- Alderdice, D. F., and W. P. Wickett. 1958. A note on the response of developing chum salmon eggs to free carbon dioxide in solution. *Journal of the Fisheries Research Board of Canada* 15(5):797-799.
- Alderdice, D. F., W. P. Wickett, and J. R. Brett. 1958. Some effects of temporary exposure to low dissolved oxygen levels on Pacific salmon eggs. *Journal of the Fisheries Research Board of Canada* 15:229-249.
- Alderdice, D. F., and M. E. Worthington. 1959. Toxicity of a DDT forest spray to young salmon. *Studies Fish. Res. Bd. Can.* 560.
- Alderdice, D. F. 1963. Some effects of simultaneous variation of salinity, temperature, and dissolved oxygen on the resistance of young coho salmon to a toxic substance. *Journal of the Fisheries Research Board of Canada* 20(2):525-550.
- Alderdice, D. F., J. R. Brett, and D. B. Sutherland. 1966. Design of small holding tank for fish. *Journal of the Fisheries Research Board of Canada* 23(9):1447-1450.
- Alderdice, D. F., and C. R. Forrester. 1967. Some effects of salinity and temperature on early development and survival of the English sole (*[Parophrys vetulus]*). *Journal of the Fisheries Research Board of Canada* 25:495-521.
- Alderdice, D. F., and F. P. J. Velsen. 1968. Design of a controlled-environ incubator for small marine fish eggs. *Journal of the Fisheries Research Board of Canada* 25(3):585-588.
- Alderdice, D. F., and F. P. J. Velsen. 1971. Some effects of salinity and temperature on early development of Pacific herring (*[Clupea pallasii]*). *Journal of the Fisheries Research Board of Canada* 28(10):1545-1562.
- Alderdice, D. F., and C. R. Forrester. 1971. Effects of salinity and temperature on embryonic development of the petrale sole (*[Eopsetta jordan]*). *Journal of the Fisheries Research Board of Canada* 28:727-744.
- Alderdice, D. F., and C. R. Forrester. 1971. Effects of salinity, temperature, and dissolved oxygen on early development of the Pacific cod (*[Gadus macrocephalus]*). *Journal of the Fisheries Research Board of Canada* 28(6):883-902.
- Alderdice, D. F., and C. R. Forrester. 1974. Early development and distribution of the flathead sole (*[Hippoglossoides elassodon]*). *Journal of the Fisheries Research Board of Canada* 31(12):1899-1918.
- Alderdice, D. F., R. A. Bams, and D. P. J. Velsen. 1977. Factors affecting deposition, development, and survival of salmonid eggs and alewives: a bibliography, 1965-75. *Fish. Mar. Serv. Tech. Rep. Can.* 743. 276 pp.
- Alderdice, D. F., and F. P. J. Velsen. 1978. Relation between temperature and incubation time for eggs of chinook salmon (*[Oncorhynchus tshawytscha]*). *Journal of the Fisheries Research Board of Canada* 35(1):69-75.
- Alderdice, D. F., and F. P. J. Velson. 1978. Effects of short-term storage on fertilization on Pacific herring eggs. *Helg. Wiss. Meeresum.* 31(1-4):485-498.
- Alderdice, D. F., H. Rosenthal, and F. P. J. Velsen. 1979. Influence of salinity and cadmium on the volume of Pacific herring eggs. *Helgol. wiss. Meeresunt.* 32:163-178.
- Alderdice, D. F., H. Rosenthal, and F. P. J. Velsen. 1979. Influences of salinity and cadmium on capsule strength in Pacific herring eggs. *Helgol. Wiss. Meeresunters.* 32:149-162.
- Alderdice, D. F., T. R. Rao, and H. Rosenthal. 1979. Osmotic responses of eggs and larvae of the Pacific herring to salinity and cadmium. *Helgol. Wiss. Meeresunters.* 32:508-538.

- Alderdice, D. F., J. O. T. Jensen, and F. P. J. Velsen. 1984. Measurement of hydrostatic pressure in salmonid eggs. *Canadian Journal of Zoology* 62:1977-1987.
- Alderman, D. J. 1984. The toxicity of iodophors to salmonid eggs. *Aquaculture* 40(1):7-16.
- Alderdice, D. F., and J. O. T. Jensen. 1985. An explanation for the high resistance of incubating salmonid eggs to atmospheric gas supersaturation of water. *Aquaculture* 49(1):85-88.
- Alderdice, D. F. 1985. A pragmatic view of early life history studies of fishes. *Transactions of the American Fisheries Society* 114:445-451.
- Alderdice, D. F., and A. S. Hourston. 1985. Factors influencing development and survival of Pacific herring (*[Clupea harengus pallasii]*) eggs and larvae to beginning of exogenous feeding. *Can. J. Fish. Aquat. Sci.* 42(1):56-68.
- Alderdice, D. F. 1988. Osmotic and ionic regulation in teleost eggs and larvae. Pages 163-252 [in] W.S. Hoar and D.J. Randall, editors. *Fish Physiology*. Volume XI, Part A. Academic Press Inc., San Diego, California.
- Alderson, R. 1972. Effects of low concentrations of free chlorine on eggs and larvae of plaice, [*Pleuronectes platessa*] L. Pages 312-315 in *Marine pollution and sea life*. Fishing News Ltd., (Lond.).
- Alderson, R. 1974. Sea water chlorination and the survival and growth of early developmental stages of plaice, [*Pleuronectes*] [*platessa*] L., Dover sole, [*Solea solea*] (L.). *Aquaculture* 4:41-54.
- Alderson, R. 1979. The effect of ammonia on the growth of juvenile Dover sole, [*Solea solea*] (L.) and turbot, [*Scophthalmus*] [*maximus*] (L.). *Aquaculture* 17:291-309.
- Alderson, R., and B. R. Howell. 1973. The effect of algae on the water condition in fish rearing tanks in relation to growth of the juvenile sole, [*Solea solea*] (L.). *Aquaculture* 2(3):281-288.
- Alderson, R., and P. J. Bromley. 1973. A method for rearing larvae of the turbot, [*Scophthalmus maximus*] L., to metamorphosis. *Intl. Counc. Explor. Mer* CM 1973/E:20. 7 pp.
- Aldrin, J. F., J. L. Messenger, and M. Mevel. 1978. Analyses des sanguines de bars juveniles, [*Dicentrarchus labrax*], peches in Rade de Bust. *Bull. Soc. Sci. Vet. Med. Comp. Lyon.* 80(5):237-239.
- Aldrin, J. F., J. L. Messenger, and M. Mevel. 1979. A study of transport stress in juvenile coho salmon, [*Oncorhynchus kisutch*]. *Aquaculture* 17(4):279-291.
- Aleksandrova, T. N. 1963. Biological characteristics of the smelt spawning population in Lake Onega. *Akad. Nauk SSSR* 1:211-215.
- Alekseeva, S. P. 1949. Eggs and fingerlings of fish from Pechora Bay. *Tr. Vses. nauchno-iss. rybn. khoz-va i okean.* 17:175-188.
- Alessio, G. 1975. Riproduzione artificiale di orata, [*Sparus aurata*] (L.) (Osteichthyes, Sparidae). 5 Primi Risultati Sull' Allevamento ed Alimentazione delle larve ed degli avonoti. *Bull. Pesca Piscic. Idro. Biol.* 30(1):71-92.
- Alessio, G., et al. 1976. Induction de la ponte, elevage et alimentation des larves et des alevins des poissons euryhalins. *Stud. Rev. GFCM* 55:143-157.
- Alexander, D. R., and H. R. MacCrimmon. 1974. Production and movement of juvenile rainbow trout, [*Salmo gairdneri*], in the headwater of Bothwells Creek, Georgian Bay, Canada. *Journal of the Fisheries Research Board of Canada* 31:117-121.

- Alexander, E. C. 1961. A contribution to the life history, biology, and geographical distribution of the bonefish, [Albula] [vulpes] (Linnaeus). Dana Rep. 53:1-51.
- Alexander, M. L. 1911. Notes on the breeding season and young of [Polyodon] [spathula]. J. Wash. Acad. Sci. 1(10):280-282.
- Alexander, M. L. 1915. More about paddlefish. Transactions of the American Fisheries Society 45:34-39.
- AlHafedh, Y. S., A. Q. Siddiqui, M. Y. AlSaiady. 1999. Effects of dietary protein levels on gonad maturation, size and age at first maturity, fecundity and growth of Nile tilapia. Aquaculture International 7(5):319-332.
- Alheit, J. 1987. Egg cannibalism versus egg predation: their significance in anchovies. in: The Benguela and comparable ecosystems. A.I. Payne, J.A. Gulland, and K.H. Brink, eds. S. Afr. J. Mar. Sci. 5: 467-470.
- Alheit, J. 1993. Use of the daily egg production method for estimating biomass of clupeoid fishes - a review and evaluation. Bulletin of Marine Science. 53: 750-767.
- Alhossaini, M., and T.J. Pitcher. 1988. The relation between daily rings, body growth and environmental factors in plaice, [Pleurnectes platessa] L., juvenile otoliths. J. Fish Biol. 33: 409-418.
- Ali-Khan, J. 1976. Distribution and abundance of fish larvae off the Coast of west Pakistan. Mar. Biol. 37(4):305-324.
- Ali-Khan, J. 1980. Day and night difference in the larval fish catch from the Gulf of Aden. Meeresforschung 28:10-18.
- Ali-Khan, J. 1985. Occurrence and distribution of fish larvae in Gulf of Aden during Oct-Nov. 1966 and Feb.-March 1967. Indian J. Fish. 32(2):198-214.
- Ali-Khan, J., and T. Waqar. 1985. On the occurrence of fish larvae in the Manora Channel, Karachi. Indian J. Fish. 32(1):90-99.
- Ali, M. A. 1959. The ocular structure, retinomotor and photobehavioral responses of juvenile Pacific salmon. Canadian Journal of Zoology 37:965-996.
- Ali, M. Y. 1962. Meristic variation in the medaka ([Oryzias latipes]) produced by temperature and chemicals affecting metabolism. Ph.D Diss., Univ. Brit. Coll. 183 pp.
- Ali, M. Y., and C. C. Lindsey. 1974. Heritable and temperature-induced meristic variation in the medaka, [Oryzias latipes]. Canadian Journal of Zoology 52:959.
- Aliev, D. S. 1965. Breeding of white amur ([Ctenopharyngodon idella]), silver carp [Aristichthys nobilis], and bighead ([Hypophthalmichthys molitrix]) in the Amu-Darya basin. Vop. Ikhtiolog. 5:593-599.
- Aliev, E. S. 1967. Spawning of semimigratory pikeperch in ponds. Pages 269-300 in Musaev, Kasbimov, and Abdurakhmanov, editors. Biological productivity of the Kurinsk-Caspian fishing region.
- Alikhan, J. 1972. Distribution and abundance of fish larvae in the Gulf of Aden and in the waters off the coast of west Pakistan in relation to the environment. Diss., Univ. Kiel. 191pp.
- Alikunhi, K. H. 1947. On the bionomics and post-larval development of the orange chromide, [Ectopplus maculatus] Bloch. Proc. 34th Indian Sci. Cong. (Delphi). Pt. 3:178.
- Alikunhi, K. H., and V. Runganathan. 1947. Bionomics, breeding habits and development of the tench, [Tinca tinca], in the Nilgiri waters. Proc. Indian Sci. Cong. 34(3):179.



- Alikunhi, K. H., G. L. Rao, and P. K. Jacob. 1947. Bionomics and development of [*Glossogobius giuris*] (Ham.). *J. Madras Univ.* 1951:238-248.
- Alikunhi, K. H. 1948. Growth, maturity, and brood case in the murrels, [*Ophicephalus striatus*], and [*O. punctatus*]. *Proc. 34th Indian Sci. Cong. (Delphi)*. Pt. 3:207.
- Alikunhi, K. H., and G. L. Rao. 1948. Influence of temperature on the rate of embryonic differentiation in [*Rasbora daniconius*]. *Proc. 35th Indian Sci. Congr.* Pt.3:206-207.
- Alikunhi, K. H., and S. N. Rao. 1948. Observations on the growth of [*Cyprinus carpio*] in tropical environment at the Chetput fish farm, Madras. *Proc. 35th Indian Sci. Congr.* Pt. 3:206.
- Alikunhi, K. H., and S. N. Rao. 1948. On the bionomics, development and the early growth rate of the Cauvery carp, [*Labeo lonitus*] Day. *Proc. 35th Indian Sci. Congr.* Pt. 3:205-206.
- Alikunhi, K. H., and S. N. Rao. 1949. Observations on the bionomics and postlarval development of the Carnatic carp, [*Barbus carnaticus*] (Jerdon). *Proc. 36th Indian Sci. Congr.* Pt. 3:160.
- Alikunhi, K. H., S. V. Ganapati, and S. N. Rao. 1949. Notes on the life-history of [*Labeo calbasu*] and [*L. fimbriatus*]. *Proc. 36th Indian Sci. Cong. (Allahabad)*. Pt. 3:159.
- Alikunhi, K. H., and S. N. Rao. 1951. Notes on the metamorphosis of [*Elops saurus*] Linn. and [*Megalops cyprinoides*] (Broussonet) with observations on their growth. *Journal of Zoology Soc. India* 3:99-109.
- Alikunhi, K. H., H. Chaudhuri, and V. Ramachandran. 1952. Response to transplantation of fishes in India, with specific reference to conditions of existence of carp fry. *J. Asiat. Soc. Sci.* 18(1):35-53.
- Alikunhi, K. H., and H. Chaudhuri. 1953. Characteristic coloration of juvenile species of [*Labeo (Morulius) angra*] with notes on growth. *J. Bombay Nat. Hist. Soc.* 51(3):537-542.
- Alikunhi, K. H., and H. Chaudhuri. 1954. On the life history and bionomics of carp minnow, [*Chela phulo*] (Ham.). *Proc. Indian Acad. Sci.* 39B(2):76-90.
- Alikunhi, K. H. 1954. Notes on the bionomics, breeding and growth of the murrel, [*Ophicephalus striatus*] Bloch. *Proc. Indian Acad. Sci.* 1953 B(1):10-20.
- Alikunhi, K. H., V. Ramachandran, and H. Chaudhuri. 1954. Mortality of carp fry under supersaturation of dissolved oxygen in water. *Proc. Nat. Inst. Sci. Ind.* 17:261-264.
- Alikunhi, K. H. 1956. Observations on the fecundity, development and early growth of [*Labeo bata*] (Hamilton). *Indian J. Fish.* 3(1):216-229.
- Alikunhi, K. H. 1957. Further observations on the feeding habits of young carp fry. *Proc. 44th Indian Sci. Cong. (Calcutta)*. Pt. 3:324-325.
- Alikunhi, K. H. 1958. Observations on the feeding habits of young carp fry. *Indian J. Fish.* 5(1):95-106.
- Alikunhi, K. H., S. Parameswaran, and K. K. Sukumaran. 1962. Fecundity, breeding and life-history of a minor carp, [*Labeo boga*] (Ham.). *Proc. 49th Indian Sci. Congr. (Cuttack)*. Pt. 3:386-387.
- Alikunhi, K. H., K. K. Sukumaran, and S. Parameswaran. 1963. Induced spawning of the Chinese grass carp, [*Ctenopharyngodon idellus*] (C. & V.), and the silver carp, [*Hypophthalmichthys molitrix*] (C. & V.), in ponds at Cuttack, India. *Proc. Indo-Pac. Fish. Council. 10th Sess., 1962, Sect. III*:181-202.

- Alikunhi, K. H., B. S. Ranoemihardjo, A. Poernomo, and E. Hamami. 1975. Preliminary observations on rearing of milkfish fry on plankton in cement tanks and plastic pools. *Bull. Shrimp Cult. Res. Cent. (Jepara)* 1(1):40-45.
- Alikunhi, K. H., and S. N. Rao. Notes on the early development, growth and maturity of [Cirrhinareba] (Hamilton). *Journal of Zoology Soc. India* 3(1):85-98.
- Allbaugh, C. A., and J. V. Manz. 1964. Preliminary study of the effects of temperature fluctuations on developing walleye eggs and fry. *Progressive Fish-Culturist* 26(4):175-180.
- Alldridge, N. A., and M. White. 1980. Spawning site preferences for northern pike ([Esox] [lucius]) in a New York marsh with widely fluctuating water levels. *Ohio J. Sci.* 80:13.
- Allee, B. J. 1974. Spatial requirements and behavioral interactions of juvenile coho salmon, [Oncorhynchus kisutch], and steelhead trout, [Salmo gairdneri]. Ph.D Diss., Univ. Washington, Seattle, WA. 160 pp.
- Allen, A. A., and R. J. Schlitz. 1981. The Atlantic larval herring patch study of 1978: further results from the current observations on northern Georges Bank. Pages 54-55 [in] Third informal workshop on oceanogr. of Gulf of Maine and Adjacent Seas, Univ. New Hampshire, Durham.
- Allen, B. M. 1909. The origin of sex-cells of [Amia] and [Lepidosteus]. *Anat. Rec.* 3(4): 229-232.
- Allen, B. M. 1911. The origin of sex-cells of [Amia] and [Lepidosteus]. *J. Morph.* 22(1):1-36.
- Allen, C. R. K. 1932. Physical changes during the early development of the salmon. *Proc. Nova Scotia Inst. Sci.* 18:34-49.
- Allen, C. R. K. 1941. Studies in the biology of the salmon ([Salmo salar]). 3. Growth in the Thurso River system, Caithness. *J. Anim. Ecol.* 10:273-295.
- Allen, D. M., and D.L. Barker. 1990. Interannual variations in larval fish recruitment to estuarine epibenthic habitats. *Marine Ecology-Progress Series* 63:113-125.
- Allen, E. J. 1897. Report on the present state of knowledge with regard to the habits and migrations of the mackerel ([Scomber scomber]). *J. Mar. Biol. Assoc. U.K.* 5(1):1-40.
- Allen, E. J. 1917. Post-larval teleosteans collected near Plymouth during the summer of 1914. *J. Mar. Biol. Assoc. U. K.* 11(2):207-250.
- Allen, G. H. 1957. Survival through hatching of eggs from the silver salmon, [Oncorhynchus kisutch]. *Transactions of the American Fisheries Society* 87:207-219.
- Allen, G. H. 1958. Notes on the fecundity of the silver salmon ([Oncorhynchus kisutch]). *Progressive Fish-Culturist* 20:163-169.
- Allen, G. H., and G. A. Sanger. 1960. Fecundity of rainbow trout from actual count of eggs. *Copeia*(1960) (3):260-261.
- Allen, G. H., and P. O. O'Brien. 1967. Preliminary experiments on the acclimatization of juvenile king salmon, [Oncorhynchus tshawytscha], to saline water mixed with sewage-pond effluent. *California Fish and Game* 53(3):180-184.
- Allen, G. H. 1968. Fecundity of the brown ragfish, [Icosteus] [aenigmaticus] Lockington, from northern California. *California Fish and Game* 54:207-214.

- Allen, G. W. 1969. Pool fluctuations in Corps impoundments in relation to fish spawning. Proc. 23rd. Ann. Conf. S. E. Assoc. G & F Comms. 23:553-558.
- Allen, J. M., J. H. S. Blaxter, and E. J. Denton. 1976. The functional anatomy and development of the swimbladder-inner ear-lateral line system in herring and sprat. J. Mar. Biol. Assoc. U.K. 56:471-486.
- Allen, K. O. 1968. Heat tolerance of albino and normal channel catfish ([*Ictalurus punctatus*]). Proc. 22nd. Ann. Conf. S. E. Assoc. G & F Comms. 22:267-269.
- Allen, K. O., and J. W. Avault, Jr. 1969. Effects of salinity on growth and survival of channel catfish, [*Ictalurus punctatus*]. Proc. 23rd Ann. Conf. S. E. Assoc. G & F Comms. 23:319-323.
- Allen, K. O. 1970. Effect of salinity on growth and survival of channel catfish, [*Ictalurus punctatus*] (Rafinesque) eggs through yearlings. Ph.D. Diss., Louisiana State Univ., Baton Rouge, LA. 53 pp.
- Allen, K. O., and K. Strawn. 1971. Rate of acclimation of juvenile channel catfish, [*Ictalurus punctatus*], to high temperatures. Transactions of the American Fisheries Society 100:665-671.
- Allen, K. O. 1974. Notes on the culture of striped bass in tanks and small raceways. Progressive Fish-Culturist 36(1):60-61.
- Allen, K. R. 1940. Studies on the biology of the early stages of the salmon, [*Salmo salar*]. 1. Growth in the River Eden. J. Anim. Ecol. 9:1-23.
- Allen, K. R. 1940. Studies on the biology of the early stages of the salmon, [*Salmo salar*]. 2. Feeding habits. J. Anim. Ecol. 10:47-76.
- Allen, K. R. 1941. Studies on the biology of the early stages of the salmon, [*Salmo salar*]. 3. Growth in the Thurso River system, Caithness. J. Anim. Ecol. 10(2):273-295.
- Allen, K. R. 1944. Studies on the biology of the early stages of the salmon ([*Salmo salar*]); 4. The smolt migration in the Thurso River in 1938. J. Anim. Ecol. 13:63-85.
- Allen, K. R. 1966. Some methods for estimating exploited populations. Journal of the Fisheries Research Board of Canada 23(10):1553-1574.
- Allen, K. R. 1966. Determination of age distribution from age-length keys and length distributions, IBM 7090, 7094, Fortran IV. Transactions of the American Fisheries Society 95(2):230-231.
- Allen, K. R. 1971. Relation between production and biomass. Journal of the Fisheries Research Board of Canada 28:1573-1581.
- Allen, K. R. 1973. The influence of random fluctuations in the stock-recruitment relationship on the economic return from salmon fisheries. Pages 350-359 in B.B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Allen, L. G. 1979. Larval development of [*Gobiesox rhessodon*] (Gobiesocidae) with notes on the larva of [*Rimicola*] [*muscarum*]. Fish Bull. NOAA (U.S.) 77(1):300-304.
- Allen, L. G. 1982. Larval development of the northern clingfish, [*Gobiesox meandricus*]. Copeia 1982(2):551-554.
- Allen, L. G. 1984. Gobiesociformes: development and relationships. Pages 629-636 in H.G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

- Allen, M. J., and A. J. Mearns. 1976. Life history of the Dover sole. Pages 223-228 in Ann. Rep. Southern California Coastal Water Res. Proj., Long Beach, CA.
- Allen, R. C., and J. Romero. 1975. Underwater observations of largemouth bass spawning and survival in Lake Mead. Pages 104-112 in R.H. Stroud, and H. Clepper, editors. Black bass biology and management, Sport Fish. Inst., Wash., D. C.
- Allen, R. L., and T. K. Meekin. 1973. An evaluation of the Priest rapids chinook salmon spawning channel, 1963-1971. Wash. Dept. Fish. Tech. Rep. No. 11. 52 pp.
- Allen, S. K., and J. G. Stanley. 1979. Induced polyploidy on landlocked Atlantic salmon, [*Salmo salar*]: effects of cytochalasin B treatment. From Symposium on the Early Life History of Fish, Woods Hole, MA.
- Allen, W. F. 1911. Notes on the breeding season and young of [*Polyodon*] [*spathula*]. J. Washington Acad. Sci. 1:280-282.
- Allin, A. E. 1951. The fallfish, [*Semotilus corporalis*], from the Lake Superior drainage of western Ontario. Copeia(1951):300.
- Alliot, E., A. Pastoureaud, and J. Trelbur. 1977. Evolution des activités enzymatiques dans le tube digestif au cours de la vie larvaire du bar, [*Dicentrarchus labrax*]. Colloq. Int. Cent. Nat. Rech. Sci. 4:85-91.
- Allis, E. P. 1889. Anatomy and development of the lateral line system in [*Amia calva*]. J. Morph. 2(3):463-568.
- Allison, L. N. 1951. Delay of spawning in eastern brook trout by means of artificially prolonged light intervals. Prog.Fish-Cult. 13(3):111-116.
- Alluchon-Gerard, M. J. 1971. Cellular types and differentiation of the adenohypophysis of the embryo in [*Scyllium canicula*] (Chondrichthyes). Electron Microscopical Investigation. Z. Zellforsch. Mikrosk. Anat. 120(4):525-545.
- Alluchon-Gerard, M. J. 1978. Electron microscopic study of post-thyroidectomy changes in the ventral lobe of adenohypophysis in very young spotted dogfish ([*Scyllium canicula*], Chondrichthyes). Gen. & Comp. Endocrinol. 36(4):585-597.
- Almada, V., and C. Faria. 2000. Experimental study on substratum preferences of early juvenile shanny, [*Lipophrys pholis*] (Pisces : Blenniidae). Journal of the Marine Biological Association of the United Kingdom 80(6):1143-1144.
- Almatar, S. M. 1984. Effects of acute changes in temperature and salinity on the oxygen uptake of larvae of herring, [*Clupea*] [*harengus*], and plaice, [*Pleuronectes platessa*]. Mar. Biol. 80(2):117-124.
- Almeida, F. P., R. E. Castaneda, R. Jesien, and R. C. Greenfield, and J.M.Burnett, 1992. Proceedings of the NEFC/ASMFC Summer Flounder, [*Paralichthys dentatus*], Aging Workshop. NOAA Technical Memorandum NMFS-F/NEC-89. 7p.
- Almendras, J. M. E. 1987. Acute nitrite toxicity and methemoglobinemia in juvenile milkfish, [*Chanos chanos*] Forskal. Aquaculture 61(1):33-40.
- Alperin, I. M., and R. H. Schaefer. 1964. Juvenile bonefish ([*Albula vulpes*]) in Great South Bay, New York. New York Fish Game J. 11(1):1-12.
- Alpern, J. D. 1981. Relationship between larval fishes and their prey in Biscayne Bay, Florida. M. S. Thesis, Univ. Miami, Coral Gables. 89 pp.
- Alt, K. T. 1979. Contributions to the life history of the humpback whitefish in Alaska. Transactions of the American Fisheries Society 108(2):156-160.

- Altan, H. 1957. A key to pelagic eggs and larvae of Black Sea fishes. 2. Black Sea bonito, [*Sarda sarda*]. *Balik Balikc* 5(4):19-21.
- Altan, H. 1957. A key to pelagic eggs and larvae of the Black Sea fishes, [*Engraulis encrassicholus ponticus*]. *Balik Balikc* 5(5):15-16.
- Altenbach, C.S., R.K. Dudley and S.P. Platania. 2000. A new device for collecting drifting semi-bouyant fish eggs. *Transactions of the American Fisheries Society* 129: 269-300.
- Altman, P. L., and D. S. Dittmer. 1962. Growth including reproductive and morphological development. *Fed. Am. Soc. Exp. Biol.*, Bethesda, MD.
- Altman, P. L., and D. S. Dittmer. 1966. *Environmental Biology*. *Fed. Am. Soc. Exp. Biol.*, Bethesda, MD. Part IV. Fishes, pp. 73-81.
- Altukhov, K. A., and V. M. Yerastova. 1974. Reproduction of the smelt, [*Osmerus eperlanus*], and the ecology of its early developmental stages in Kandaloksha Bay, White Sea. *J. Ichthyol.* 14(6):877-886.
- Altukhov, K. A. 1977. Reproductive biology of the capelin, [*Mallotus*] [*villosus*] in the White Sea. *Vop. Ikhtiol.* 17(3):469-475.
- Altukhov, K. A. 1978. On the reproduction and abundance of the lesser sand lance, [*Ammodytes marinus*], in the White Sea. *J. Ichthyol.* 18(4):560-567.
- Altukhov, K. A. 1979. On the biology of the early stages of development of some White Sea fishes. *J. Ichthyol.* 19(1):104-113.
- Altukhov, K. A. 1979. A contribution to the biology of non-commercial and rare fish species from the White Sea in the early stages of development. *J. Ichthyol.* 19(6):105-115.
- Altukhov, K. A. 1979. The reproduction and development of the Arctic cod, [*Boreogadus saida*], in the White Sea. *J. Ichthyol.* 19(5):93-100.
- Alvarez-Lajonchere L., and B. Garcia-Moreno. 1982. Effect of some anaesthetics on postlarvae of [*Mugil*] [*trichodon*] Poey (Pisces: Mugilidae). *Aquaculture* 28(3/4):385-390.
- Alvarino, A. 1980. The relation between the distribution of zooplankton predators and anchovy larvae. *California Coop. Oceanic. Fish. Invest. Rep.* 21:150-160.
- Alvarino, A. 1981. The relation between the distribution of zooplankton predators and anchovy larvae. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:197-199.
- Alvarino, A. 1985. Predation in the plankton realm: mainly with reference to fish larvae. *Invest. Mar. CICIMAR* 2(Num. Esp. 1):1-122.
- Alverson, D. L. Notes on the Pacific ocean perch. *Washington Dept. Fish., Fish. Res. Pap.* 1(1):22-24.
- Alverson, D. L., and A. D. Welander. 1952. Notes on the scorpaenid fishes of Washington and adjacent areas, with a key for their identification. *Copeia* 1952(3):138-143.
- Alverson, F. G., and C. L. Peterson. 1963. Synopsis of biological data on bigeye tuna [*Parathunnus sibi*] (Temm. et Schl.) 1844. *Proc. world sci. mtg. on biol. of tunas and related spp.*, *FAO Synopsis* 14, 6(2):482-514.
- Amaoka, K. 1962. Development and growth of the sinistral flounder, [*Bothus myriaster*] (Temm. & Schl.), found in the Indian and Pacific Oceans. *Bull. Misaki, Mar. Biol. Inst. Kyoto Univ.* 5:11-29.

- Amaoka, K. 1970. Studies on the larvae and juveniles of the sinistral flounders - I. [*Taeniopsetta ocellata*] (Gunther). Jap. J. Ichthyol. 17:95-104.
- Amaoka, K. 1971. Studies on the larvae and juveniles of the sinistral flounders - II. [*Chascanopsetta lugubris*]. Jap. J. Ichthyol. 18:25-32.
- Amaoka, K. 1972. Studies on the larvae and juveniles of the sinistral flounders - III. [*Laeops kitaharae*]. Jap. J. Ichthyol. 19:154-163.
- Amaoka, K. 1973. Studies on the larvae and juveniles of the sinistral flounders - IV. [*Arnoglossus japonicus*]. Jap. J. Ichthyol. 20:145-156.
- Amaoka, K. 1974. Studies on the larvae and juveniles of the sinistral flounders. V. [*Arnoglossus tenuis*]. Jap. J. Ichthyol. 21:153-157.
- Amaoka, K. 1976. Studies on the larvae and juveniles of the sinistral flounders. VI. [*Psettina iijimae*], [*P. tosana*], and [*P. gigantea*]. Jap. J. Ichthyol. 22:201-206.
- Amaoka, K. 1979. Phylogeny and larval morphology of pleuronectiform fishes. (Psettodidae, Citharidae, Paralichthyidae, and Bothidae). Kaiyo Kagaku 11(2):100-110. Engl. transl., J. R. Dunn, NMFS, NW and Alaska Ctr., Seattle.
- Amaoka, K. 1981. Phylogeny and larval morphology of pleuronectiform fishes (Psettodidae, Citharidae, Paralichthyidae and Bothidae). NOAA, NMFS NWAFC Proc. Rep. 81-12. 20 pp.
- Amara, R., F. Lagardere, and Y. Desaunay. 1993. Seasonal distribution and duration of the planktonic stage of dover sole, [*Solea Solea*], larvae in the Bay of Biscay - An Hypothesis. Journal of Fish Biology 43:17-30.
- Amara, R., P. Laffargue, J. M. Dewarumez, C. Maryniak, F. Lagardere, and C. Luczac. 2001. Feeding ecology and growth of O-group flatfish (Sole, dab and plaice) on a nursery ground (Southern Bight of the North Sea). Journal of Fish Biology 58(3):788-803.
- Amara, R. Y. Desaunay, and F. Lagardere. 1994. Seasonal variation in growth of larval sole [*Solea solea*] (L.) and consequences on the success of larval immigration. Netherlands Journal of Sea Research 32:287-298.
- Amberson, W. R., and P. B. Armstrong. 1933. The respiratory metabolism of [*Fundulus heteroclitus*] during embryonic development. Cell. and Comp. Physiol. 2(4).
- Ambrose, D. A., J. L. Butler, H. G. Moser, B. Y. Sumida, E. M. Sandknop, and E. G. Stevens. 1983. Description of the larvae of the cusk-eels, [*Ophidion*] [*scrippsae*] and [*Chilara taylori*] (Ophididae). California Coop. Oceanic Fish. Invest. Rep. 24:226-234.
- Ambrose, D. A., and H. G. Moser. 1987. Rearing, development, and early life history of the California needlefish, [*Strongylura exilis*]. Rev. Francaise d'Aquariologie 15(2):43-48.
- Ambrose, D.A., 1996. Agonidae: poachers. Pages 845-859 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Ambrose, D.A. 1996. Alepisauridae: lancetfishes. Pages 379-381 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Ambrose, D.A. 1996. Alepocephalidae: slickheads. Pages 224-233 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Anotopteridae: daggertooth. Pages 369-371 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Aulopidae: aulopids. Pages 329-331 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Bythitidae: brotulas. Pages 538-545 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Carapidae: pearlfishes. Pages 532-537 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Cyclopteridae: snailfishes and lumpsuckers. Pages 860-871 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Evermannellidae: sabertooth fishes. Pages 373-377 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Macrouridae: grenadiers. Pages 483-499 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Moridae: codlings. Pages 500-507 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Ophidiidae: cusk-eels. Pages 513-531 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Paralepididae: barracudinas. Pages 352-355 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese,

R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D.A. 1996. Platyroctidae: tubeshoulders. Pages 234-239 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Ambrose, D. A., R. L. Charter, H. G. Moser, and S. B. Reilly. 2000. Ichthyoplankton and station data for surface tows taken during the 1988 eastern tropical Pacific dolphin survey on the research vessels David Starr Jordan and McArthur. U.S. Dep. Commer., NOAA Tech. Memo., NOAA-TM-NMFS-SWFSC-288. 40 p.

Amezcuca Linares, F., and A. Yanez-Arancibia. 1980. Ecologia de los sistemas fluviolagunares asociados a la Laguna de Terminos. El habitat y estructura de las comunidades de peces. Anales del Instituto de Ciencias del Mar y Limnologia Universidad Nacional Autonoma de Mexico 7(1):69-118.

Amiard, J. C. 1976. Experimental study on the toxicity of the salts of cobalt, antimony, strontium and silver on some crustaceans and the larvae of some fish. Rev. Intern. Oceanogr. Med. (Fr.) 43:79.

Amirkhanov, G. A. 1979. The dynamics of free amino acid content during the embryogenetic development of the sturgeon, [*Acipenser gueldenstaedti*]. J. Ichthyol. 19(1):127-131.

Amirkhanov, G. A. 1979. Dynamics of free amino acid content during embryonic development of sturgeons. Vopr. Ikhtiologii 19(1):142-147.

Amirkhanov, G. A. 1980. Dynamics of free amino acids during the larval development of the sevryuga, [*Acipenser stellatus*]. J. Ichthyol. 20(5):116-120.

Amirkhanov, G. A. 1983. Changes in free amino acid content in young sturgeon, [*Acipenser gueldenstaedti*] (*Acipenseridae*) under the conditions of fish culture. J. Ichthyol. 23(5):165-168.

Amorin, A., C. Arfelli, A. Gozales-Garces, and J. C. Rey. 1978. Estudio comparativo sobre la biologia y pesca del pez espada, [*Xiphias gladius*] L. (1758) obtenidos por las flotas espanola y brasilena. International Commission for the Conservation of Atlantic Tunas (ICCAT). SCRS/78/Working Document, Madrid, Spain.

Amoroso, E. C. 1960. Viviparity in fishes. Symposia of the Zool. Soc. Lond. Hormones in Fish, No. 1:153-181.

Amundrud, J. 1970. Ecological interrelationships of the larvae of perciform fish in Lake Opinicon. Ontario. M. S. Thesis, Queen's Univ. 135 pp.

Amundrud, J., D. J. Faber, and D. Keast. 1974. Seasonal succession of free-swimming perciform larvae in Lake Opinicon Ontario. Journal of the Fisheries Research Board of Canada 31:1661-1665.

Anderson, A. A. 1968. New techniques for spawning killifishes and incubating eggs. J. Am. Killifish Assoc. 5(1):4-7.

Anderson, C. O., Jr., D. J. Brown, B. A. Ketschke, E. M. Elliott, and P. L. Rule. 1975. Biological investigations - Ichthyoplankton. Pages 23-24 [in] The effects of the addition of a fourth generating unit at the Salem Harbor Electric Generating Station on the marine ecosystem of Salem Harbor, MS. Div. Mar. Fish., Dept. Fish. Wildl. and Rec. Veh. Publ. No. 2500-8-76-129012. 47 pp.



- Anderson, D. W., and N. Smith. 1983. The culture of larval foods at the Oceanic Institute, Waimanalo, Hawaii Pages 97-101 in J.P. McVey, editor. CRC Handbook of Maricult., Vol. 1.
- Anderson, E. 1964. Cytologic changes during oocyte differentiation and formation of the vitelline envelope in certain teleost fish. *J. Cell Biol.* 23:4A.
- Anderson, E. 1965. Chorion formation of oocytes of the killifish, [*Fundulus heteroclitus*]. *Anat. Rec.* 151:439.
- Anderson, J. C. 1966. Production of striped bass fingerlings. *Progressive Fish-Culturist* 28(3):162-164.
- Anderson, E. 1967. The formation of the primary envelope during oocyte differentiation in teleosts. *J. Cell Biol.* 35:193-212.
- Anderson, E. 1967. Cortical alveoli formation and vitellogenesis during oocyte differentiation in the pipefish, [*Syngnathus*] [*fuscus*], and the killifish, [*Fundulus heteroclitus*]. *J. Morph.* 125:23-60.
- Anderson, E. D., and L. L. Smith, Jr. 1971. Factors affecting abundance of lake herring, [*Coregonus artedii*] LeSueur, in western Lake Superior. *Transactions of the American Fisheries Society* 100(4):691-707.
- Anderson, J. R., J. S. Lake, and N. J. Mackay. 1971. Notes on the reproductive behavior and ontogeny in two species of [*Hypseleotris* (=Carassiops)] (Gobiidae: Teleostei). *Aust. J. Mar. Freshwat. Res.* 22:139-145.
- Anderson, J. T. 1981. Larval fish surveys on Flemish Cap, 1980. NAFO SCR Doc. 81/IX/116, Ser. No. N422.
- Anderson, J. T. 1984. Early life history of redfish, [*Sebastes*] spp., on Flemish Cap. *Canadian Journal of Fisheries and Aquatic Sciences* 41(7):1106-1116.
- Anderson, J. T. 1988. A review of size-dependent survival during pre-recruit stages of fish in relation to recruitment. *J. Northw. Atl. Fish. Sci.* 8:55-66.
- Anderson, J. T. 1994. Feeding ecology and condition of larval and pelagic juvenile redfish [*Sebastes*] spp. *Marine Ecology - Progress Series.* 104:211-226.
- Anderson, J.T, and B. deYong. 1994. Stage-dependent density of cod eggs and larvae ([*Gadus morhua*] L. ) in Newfoundland waters. *ICES Mar. Sci. Symp.* 198:654-665.
- Anderson, J. T., E. L. Dalley, and J.E. Carscadden. 1995. Abundance and distribution of pelagic 0-group cod ([*Gadus morhua*]) in Newfoundland waters: inshore versus offshore. *Canadian Journal of Fisheries and Aquatic Sciences* 52:115-125.
- Anderson, J. T., and B. Deyoung. 1995. Application of a one-dimensional model to vertical distributions of cod eggs on the northeastern Newfoundland Shelf. *Canadian Journal of Fisheries and Aquatic Sciences* 52:1978-1989.
- Anderson, J. T., and R. S. Gregory. 2000. Factors regulating survival of northern cod (NAFO 2J3KL) during their first 3 years of life. *Ices Journal of Marine Science* 57(2):349-359.
- Anderson, M. E. 1981. Aspects of the natural history of the midwater fish [*Lycodapus mandibularis*] (Zoarcidae) in Monterey Bay, California. *Pac. Sci.* 34:181-194.
- Anderson, M. E. 1984. Zoarcidae: development and relationships. Pages 578-581 [in] H.G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.*

- Anderson, M.R., and R.M. Neumann. 2000. Indirect estimate of gill mesh size selectivity for landlocked alewives. *J. Fresh. Ecol.* 15:491-496.
- Anderson, R. O. 1959. A modified flotation technique for sorting bottom fauna samples. *Limnol. Oceanogr.* 4(2):223-225.
- Anderson, W. W. 1957. Early development, spawning, growth, and occurrence of the silver mullet (*Mugil curema*) along the south Atlantic coast of the United States. *U.S. Fish Wildl. Serv., Fish. Bull.* 57:397-414.
- Anderson, W. W. 1957. Larval forms of the freshwater mullet (*Agonostomus monticola*) from the open ocean off the Bahamas and south Atlantic coast of the United States. *Fish. Bull.* 57:415-425.
- Anderson, W. W. 1958. Larval development, growth and spawning of striped mullet (*Mugil cephalus*) along the South Atlantic Coast of the United States. *Fish. Bull. Fish. Wildl. Serv. U.S.* 58(144):501-519.
- Anderson, W. W., J. W. Gehringer, and F. H. Berry. 1966. Family Synodontidae: Lizard fishes. Pages 30-102 [in] *Fishes of the Western North Atlantic*, Sears Found. Mar. Res., Mem. 1 (Part 5).
- Anderson, W. W., J. W. Gehringer, and F. H. Berry. 1966. Field guide to the Synodontidae (Lizardfishes) of the western Atlantic Ocean. *Circ. U.S. Fish. Wildl. Serv.* 245:12 pp.
- Anderson, W. W., Jr., J. K. Dias, R. K. Dias, D. M. Cupka, and N. A. Chamberlain. 1977. The macrofauna of the surf zone off Folly Beach, South Carolina. *U.S. Natl. Mar. Fish. Serv., Spec. Sci. Rep. Fish.*, No. 704, 23 pp.
- Ando, K. 1965. Ultracentrifugal analysis of yolk proteins in rainbow trout eggs and their changes during development. *Can. J. Biochem.* 43(3):373-379.
- Andre, E. 1944. Observations sur les Coregones. *Rev. Suisse Zool. Geneve.* 51:281-292.
- Andreasen, J. K., and J. R. Barnes. 1975. Reproductive life history of *Catostomus ardens* and *C. discobolus* in the Weber River, Utah. *Copeia* 1975(4):643-648.
- Anders, H. G., and H. C. John. 1984. Results of some neuston selected invertebrates. *Meeresforschung Rep. Mar. Res.* 30(3):144-154.
- Andrews, A. K. 1970. Life history of the fathead minnow. Ph.D. Diss., Colorado State Univ., Ft. Collins, CO. 131 pp.
- Andrews, A. K. 1970. Squamation chronology of the fathead minnow, [*Pimephales promelas*]. *Transactions of the American Fisheries Society* 99(2):429-432.
- Andrews, A. K. 1972. Survival and mark retention of a small cyprinid marked with fluorescent pigments. *Transactions of the American Fisheries Society* 101(1):128-133.
- Andrews, A. K., and J. W. Page. 1975. The effects of frequency feeding on culture of catfish. *Transactions of the American Fisheries Society* 104(2):317-321.
- Andrews, A. K., and S. A. Flickinger. 1973. Spawning requirements and characteristics of the fathead minnow. *Proc. 27th. Ann. Conf. S. E. Assoc. G & F Comms.* 27:759-766.
- Andrievskaya, L. D. 1968. Feeding of Pacific salmon fry in the sea. *Proc. Pac. Sci. Res. Inst. Mar. Fish. Oceanogr.* 64:73-80.
- Andrievskaya, L. D. 1970. Feeding of Pacific salmon juveniles in the Sea of Okhotsk. *Proc. Pac. Sci. Res. Inst. Mar. Fish. Oceanogr.* 78:105-115.

- Andriyashev, A. P. 1954. Fishes of the northern seas of U.S.S.R. Dokl. Akad. Nauk SSSR 53: 566 pp. Trans. into English by Israel Program for Scientific Trans. Jerusalem, 1964. ichthyoplankton U.S.S.R.
- Andriyashev, A. P. 1960. Families of fishes new to the Antarctic. Communiqué 3. Pelagic young of flatfish (Pisces: Bothidae) off the Antarctic coast. Zool. Zh. 39(7):1056-1061.
- Andros, J. D., and R. R. Garton. 1980. Acute lethality of copper, cadmium, and zinc to northern squawfish. Transactions of the American Fisheries Society 109:235-238.
- Aneer, G., et al. 1983. [In situ] observations of Baltic herring ([Clupea] harengus membras]) spawning behavior in the Asko-Landsort area, northern Baltic proper. Mar. Biol. 74:105-110.
- Angeles, H. G. 1976. A report on the observation of [Bangus] (Milkfish) fry industry in Mindoro Oriental. Philipp. J. Fish. 14(1):107-116.
- Angell, C. L., B. S. Miller, and S. R. Wellings. 1975. Epizootiology of tumors in a population of juvenile English sole ([Parophrys vetulus]) from Puget Sound, Washington. Journal of the Fisheries Research Board of Canada 32(10):1723-1732.
- Anjard, C. A. 1974. Centrarchidae - Sunfishes. Pages 178-195 in A. J. Lippson and R.L. Moran, editors. Manual for identification of early developmental stages of fishes of the Potomac River estuary. Environ. Technol. Center, Martin Marietta Corp., Baltimore, MD.
- Anjard, C. A. 1974. Key to larval and postlarval Centrarchidae of the Potomac River Estuary. Pages 180-181 [in] A.J. Lippson, and R. L. Moran, editors. Manual for identification of early developmental stages of fishes of the Potomac River Estuary. Power plant siting program, Maryland Dept. Nat. Resourc., 282 pp.
- Anjard, C. A., D. Mathur, W. J. McManus, and T. W. Robbins. 1974. Entrainment of fish eggs and larvae. Pages 7-11-7-13 [in] T.W. Robbins, and D. Mathur, editors. Peach Bottom Atomic Station Postoperational Report No. 1 on the ecology of Conowingo Pond for units No. 2 and 3. Ichthyological Assoc., Inc. 154 pp.
- Anjard, C. A., E. Kotkas, D. Mathur, and T. W. Robbins. 1974. Meter net catches-results. Pages 3-31,3-36 [in] T. W. Robbins, and D. Mathur, editors. Peach Bottom Atomic Power Station postoperational report no. 1 on the ecology of Conowingo Pond for units No. 2 and 3. Ichthyological Assoc., Inc. 154 pp.
- Anjard, C. A., E. Kotkas, D. Mathur, and T. W. Robbins. 1974. Meter net catches-results. Pages 3-92,3-102 [in] T. W. Robbins, and D. Mathur, (editors. Preoperational report on the ecology of Conowingo Pond-Peach Bottom Atomic Station units No. 2 and 3. Ichthyological Assoc., Inc.
- Annandale, N. 1918. Fish and fisheries of Inle Lake. Rec. Indian Mus. 14:33-64.
- Anokhina, L. 1971. Maturation of Baltic and White sea herring with special reference to variations in fecundity and egg diameter. Pages 12-17 [in] A. Saville, editor. Symposium on the biology of early stages and recruitment mechanisms of herring. Cons. int. Explor. Mer. Rapp. Proc.-Verb. Reu. No. 160.
- Anokhina, L. E. 1960. Interrelations between fecundity variability of the size of the eggs and fatness of mother fish in Onega herring. Dokl. Akad. Nauk SSSR 133(4):960-963.
- Anokhina, L. E. 1961. Relationship between fecundity, egg size variation, and fatness in the White Sea herring, [Clupea] [harengus pallasi-maus-albi] Bug. Dokl. Biol. Sci. Sect. 133(1/6):533-535.
- Anokhina, L. E. 1961. Relationship between the fertility, fat content, and the various rations in the size of ova in clupeid fishes. Tr. Soveshch. ikhtiolo. Kom. 13:290-295.

- Anokhina, L. E. 1962. On the relationship between fat content in salaka females ([*Clupea harengus membras*] L.) and quality of its eggs. ICES CM/51:12 pp.
- Anokhina, L. E. 1963. Some aspects of the fecundity of herring in the White Sea. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer, No. 154.
- Anonymous. 1883. The artificial raising of cod in America. Bull. U.S. Fish Comm. 3(1883):428.
- Anonymous. 1909. Spawning conditions and spawning places of the Gadoids. Rapp. P.-v. Reun. Cons. int. perm. Explor. Mer 10:1-159.
- Anonymous. 1911. The spawning of the cod. Rep. Sci. Invest. Northumberland Sea Fish Comm. for 1910:24-25.
- Anonymous. 1919. Crappie spawn in Washington Aquarium. Aquatic Life 4(10):137.
- Anonymous. 1929. First discovery of sardine eggs. California Fish and Game 15(3):248-249.
- Anonymous. 1936. Fish culture in tanks. Bull. Dept. Fish. Bengal 2:1-14.
- Anonymous. 1939-41. Drift of larval stages (cod) across Denmark Strait. Annl. Biol. Vol. 1.
- Anonymous. 1940. Indian fishes of economic value. Nature 146:657-658.
- Anonymous. 1941. A symposium on the investigation of tuna and skipjack spawning grounds Kagaku nanyo. So. Sea. Sci. 4(1):64-75 (In Japanese, English translation: Spawning grounds of tuna and skipjack. In: Spec. Scient. Rep. Fish. U.S. Fish Wildl. Serv. (18):1-11e)
- Anonymous. 1943. Drift and growth of cod larvae. Annl. Biol. Vol. 1.
- Anonymous. 1949. Marine fisheries of India. Proc. Indo-Pac. Fish. Council. 1st Mtg.:75-81.
- Anonymous. 1956. Alewife herring eggs and larvae reared successfully in lab. Maryland Tidewater News, Vol. 13, June 1956:2-4.
- Anonymous. 1961. Fishes and fish larvae collected from Atlantic plankton cruises of R/V Pathfinder, Dec. 1959-Dec. 1960. Virginia Fish. Lab. Spec. Rep. 26.
- Anonymous. 1963-1974. Bibliography of reproduction. Vols. 1-24. Reproduction Research Information Service Ltd., Cambridge, England.
- Anonymous. 1964. Annual abundance of young striped bass, [*Roccus*] [*saxatilis*], in the Sacramento-San Joaquin Delta, California. California Fish and Game 50:69-99.
- Anonymous. 1965. [Chanos] - a fish with a future. Indian Livestock 3(3):32-34.
- Anonymous. 1967. La Jolla first to rear mackerel and sardines to advanced juvenile stage. Comm. Fish. Rev. 29(2):24-25.
- Anonymous. 1967. Temperatures for hatching walleye eggs. Progressive Fish-Culturist 29(1):20.
- Anonymous. 1968. Spawning statistics, chain pickerel. Penn. Fish Comm., Pleasant Mount Hatch. Rep., 3 pp. (Mimeo).
- Anonymous. 1970. Distribution of fish eggs and larvae in the Indian Ocean. Indian Ocean Biological Centre, Plankt. Atlas Indian Ocean Biol. Cent. 2(2), 91 pp.

- Anonymous. 1971. Bibliography of aquaculture. Washington, D. C. The George Washington University. Biological Sciences Communication Project, Wilmington, N.C. Coastal Plains Cent. Mar. Devel. Services, 245 pp.
- Anonymous. 1971. Eels spawn artificially. *Comm. Fish. Rev.*, Mar. 1971.
- Anonymous. 1971. Report of the working group on North Sea herring larval surveys. ICES CM 1971/H:10.
- Anonymous. 1972. Handbook to the international zooplankton collections. III. Proc. of the workshop on plankton methods. Indian Ocean Biol. Ctr., Cochin, Indian Ocean Biol. Cent., 64 pp.
- Anonymous. 1973. Fish eggs and larvae. *Nature* 243:376-377.
- Anonymous. 1973. Mullet breeding at Hawaii Inst. Fish. Fmg. Inst. 1:140-141.
- Anonymous. 1977. Evaluation of a sampling technique and gear for the collection of larval fish. *J. Great Lakes Res.*, Univ. Mich., Ann Arbor, MI.
- Anonymous. 1977. Report of the working group on North Sea herring larval surveys. ICES Coop. Res. Rep. 68:1-33.
- Anonymous. 1979. Fish egg chromosome divisions sensitive to contact with oil. *Mar. Fish. Rev.* 41(3):27-29.
- Anonymous. 1982. Survival of lake trout eggs and fry in waters of the upper Great Lakes. Page 59 [in] T.G. Scott, and P. H. Eschmeyer, editors. *Fisheries and Wildl. Res.*, U.S. Fish. Wildl. Serv., Denver.
- Anraku, M., and M. Azeta. 1965. The feeding habits of larvae and juveniles of the yellowtail, [*Seriola quinqueradiata*] Temminck and Schlegel, associated with floating seaweeds. *Bull. Seikai Reg. Fish. Res. Lab.* 33:13-45.
- Anthony, R. 1918. Recherches sur le developement de la circulation chez l'e pinoche ([*Gasterosteus symmurus*] Cuv.). *Archs Zool. Exp. Gen.* 57:1-45.
- Anthony, V. C., and M. C. Fogarty. 1985. Environmental effects on recruitment, growth, and vulnerability of Atlantic herring ([*Clupea harengus*] [*harengus*]) in the Gulf of Maine region. *Can. J. Fish. Aquat. Sci.* 42(1):158-173.
- Antila, E. 1984. Steroid conversion by oocytes and early embryos of [*Salmo gairdneri*]. *Ann. Zool. Fenn.* 21(4):465-472.
- Anukhina, A. M. 1962. Materials on the ecology of the White Sea navaga. *Vopr. ikhtiolog.*, 2, No. 1(22).
- Aoki, M., and S. Ueyanagi. 1989. Larval morphology and distribution of the dolphin-fishes, [*Coryphaena*] and [*C. equiselis*] (*Coryphaenidae*). *Tokai University Proceedings, Oceanography Section* 28:157-174. Translated from Japanese by T. Otsu for NMFS Honolulu Laboratory, Translation No. 138.
- Aoyama, T. 1959. On the egg and larval stages of [*Liparis tanakae*] (Gilbert and Burke). *Bull. Seikai Reg. Fish. Res. Lab.* 18:69-73.
- Aoyama, T., and N. Sotogaki. 1955. On the development of the egg of [*Nemipterus*] [*virgatus*] (Houttuyn). *Jap. J. Ichthyol.* 6:130-132.
- Apekin, V. S., and N. I. Vilenskaya. 1978. A description of the sexual cycle and the state of the gonads during the spawning migration of the striped mullet, [*Mugil cephalus*]. *J. Ichthyol.* (Eng. Transl. *Vopr. Ikhtiolog.*) 18(3):446-456.

- Apekin, V. S., G. A. Valter, and L. G. Gnatchenko. 1976. Changes in oocytes during maturation and obtention of ripe eggs by means of homoplastic pituitary injections in the gray mullet, [*Mugil cephalus*]. Tr. Vses. n.-i. in-ta morsk. rybn. kh-va I okeanogr., 115.
- Apostolopoulos, J. S. 1976. Combined effect of temperature and salinity on the hatching rate, hatching time and total body length of the newly hatched larvae of the Japanese red sea bream, [*Pagrus major*]. Umi/Mer 14:23.
- Appannasastry, Y. 1969. On the occurrence of the juvenile of the Indian mackerel, [*Rastrelliger kanagurta*] (Cuv.) in the inshore water of Kakinado. J. Mar. Biol. Assoc. India 10(1):179-181.
- Appelbaum, S. 1976. Das Fressverhalten von Karpenlarven und die Moglichkeit sie an Trockenvutter zur gewohnen. Arch. Fischereiwiss 27(2):133-141.
- Appelbaum, S. 1978. Behavioral study of food intake of [*Coregonis albula*] (L.) fry. Arch. Fisch. Wiss. 29:85-92.
- Appelbaum, S., and T. Hecht. 1978. Otolith length/fish length relationship of leptocephali, elvers and subadult (reared) eels, [*Anguilla anguilla*]. Env. Biol. of Fishes 3(2):245-248.
- Appelbaum, S., and U. Dor. 1978. Ten day experimental nursing of carp, [*Cyprinus*] [*carpio*] L., larvae with dry feed. Bamidgeh 30(3):85-88.
- Appelbaum, S., and B. Uland. 1979. Intensive rearing of grass carp larvae, [*Ctenopharyngodon idella*] (Val. 1844), under controlled conditions. Aquaculture 17(2):175-180.
- Appelbaum, S. 1980. On taste perception of some freshwater fish in larval and adult stages. Arch. fur Fischereiwissensch 31(2):53-114.
- Appelbaum, S. 1981. Zum Geruchsorgan der Karpfenlarven ([*Cyprinus carpio*]). Zool. Anzeiger Jena 206:227-233.
- Appelbaum, S. 1985. Rearing of the dover sole, [*Solea solea*] L., through its larval stages using artificial diets. Aquaculture 49(3/4):209-222.
- Appelbaum, S., J. W. Adron, S. G. George, A. M. Mackie, and B. J. S. Pirie. 1983. On the development of the olfactory and gustatory organs of the dover sole, [*Solea solea*]. J. Mar. Biol. Assoc. U. K. 63:97-108.
- Appeldoorn, R. S., D. A. Hensley, D. Y. Shapiro, S. Kioroglou, and B. G. Sanderson. 1994. Egg dispersal in a Caribbean coral reef fish, [*Thalassoma bifasciatum*]. 2. Dispersal off the reef platform. Bulletin of Marine Science 54:271-280.
- Applegate, R. L. 1966. Pyloric caeca counts as a method for separating advanced fry and fingerlings of largemouth and spotted basses. Transactions of the American Fisheries Society 95(2):226.
- Applegate, R. L., J. W. Mullan, and D. I. Morais. 1966. Food and growth of six centrarchids from shoreline areas of Bull Shoals Reservoir. Proc. 20th Ann. Conf. S. E. Assoc. G & F Comms. 20:469-482.
- Applegate, R. L., and J. W. Mullan. 1967. Food of young largemouth bass, [*Micropterus*] [*salmoides*], in a new and old reservoir. Transactions of the American Fisheries Society 96(1):74-77.
- Applegate, R. L. 1981. Food selection of muskellunge fry. Progressive Fish-Culturist 43(3):136-139.

- Applegate, R. L. 1982. Alimentary canal development of muskellunge, [*Esox*] [*masquinongy*]. *Copeia* 1982:717-719.
- Applegate, R. L. 1983. [*Bidens achenes*] cause mortality in young muskellunge and walleye. *Progressive Fish-Culturist* 45(2):107.
- Applegate, V. C. 1950. Natural history of the sea lamprey (*Petromyzon* [*marinus*]) in Michigan. Spec. Scient. Rep., U.S. Fish Wildl. Serv., No. 55:1-237.
- Applegate, V. C. 1951. Sea lamprey investigations. 2. Egg development, maturity, egg production and percentage of unspawned eggs of sea lampreys (*Petromyzon marinus*) captured in several Lake Huron tributaries. *Pap. Mich. Acad. Sci. Arts Lett.* 35:71-90.
- Applegate, V. C., and B. R. Smith. 1951. Sea lamprey spawning runs in the Great Lakes, 1950. U.S. Fish. Wildl. Serv. Fish. Spec. Sci. Rep. No. 61. 49 pp.
- Applegate, V. C., and C. L. Brynildson. 1952. Downstream movement of recently transformed sea lampreys, [*Petromyzon marinus*], in the Carp Lake River, Michigan. *Transactions of the American Fisheries Society* 81:275-290.
- Applegate, V. C., J. H. Howell, A. E. Hall, Jr., and M. A. Smith. 1957. Toxicity of 4,346 chemicals to larval lampreys and fishes. U.S. Fish. Wildl. Serv. Spec. Sci. Rep. Fish. 207.
- Applegate, V. C., J. H. Howell, and M. A. Smith. 1958. Use of mononitrophenols containing halogens as selective sea lamprey larvicides. *Science* 127(3294):336-338.
- Applegate, V. C., J. H. Howell, J. W. Moffett, B. G. H. Johnson, and M. A. Smith. 1961. Use of 3-trifluormethyl-4 as a selective sea lamprey larvicide. *Great Lakes Fish. Comm. Tech. Rep. No. 1.* 35 pp.
- Applegate, V. C., and E. L. King, Jr. 1962. Comparative toxicity of 3-trifluormethyl 4-nitrophenol (TFM) to larval lampreys and eleven species of fishes. *Transactions of the American Fisheries Society* 91:342-345.
- Aprieto, V. L. 1972. Early development of carangid fishes of the Gulf of Mexico and the South Atlantic coast of the United States. Ph.D. Diss., Univ. Miami. 179 pp.
- Aprieto, V. L. 1974. Early development of five carangid fishes of the Gulf of Mexico and the south Atlantic coast of the United States. *Fish. Bull.* 72(2):415-443.
- Apstein, C. 1904. Junge Butt in der Ostsee. *Wiss. Meeresunter. Abt. Kiel* (7).
- Apstein, C. 1909. Die Bestimmung des Alters pelagisch lebender Fischeier. *Mitteil. Deutsch. Seefisch-Verein.* 25:364-373.
- Apstein, C. 1911. Verbreitung der pelagischen Fischeier und Larven in der Beltsee und den angrenzenden Meeresteilen 1908/09. *Wiss. Meeresuntersuch.* 13:225-284.
- Araga, C. 1963. On fish rearing in the "Oceanarium". *Bull. Mar. Biol. Sta. Asamushi* 11(3):105-112.
- Araga, C. 1969. Young form of the rare coral fish, [*Malacanthus*] [*latovittatus*] (Lac.) from Tanabe Bay. *Publ. Seto Mar. Biol. Lab.* 16(6):405-410.
- Arai, K., and F. Yamazaki. 1980. Developmental genetics on the lactate dehydrogenase (LDH) isozyme during early embryogenesis in salmonids. *Bull. Fac. Fish. Hokkaido Univ.* 31(3):223-228.
- Arai, K. 1984. Developmental genetics study on salmonids: morphogenesis, isozyme phenotypes, and chromosomes in hybrid embryos. *Mem. Fac. Fish. Hokkaido Univ.* 31(1/2):1-24.

- Arai, K. 1986. Effect of allo-triploidization on development of the hybrids between chum salmon and male brook trout. *Bull. Jap. Soc. Sci. Fish.* 52:823-829.
- Arai, M. N., and D. E. Hay. 1982. Predation by medusae on Pacific herring, [*Clupea harengus pallasii*], larvae. *Can. J. Fish. Aqu. Sci.* 39:1537-1540.
- Arai, S. 1981. A purified test diet for coho salmon fry. *Bull. Jap. Soc. Sci. Fish.* 47(4):547-550.
- Arata, G. F., Jr. 1954. A contribution to the life history of the swordfish, [*Xiphias gladius*] Linnaeus, from the South Atlantic coast of the United States and the Gulf Of Mexico. *Bull. Mar. Sci. Gulf Caribb.* 4(3):183-243.
- Arafjo-Lima, C. A. R. M. 1994. Egg size and larval development in Central Amazon fish. *Journal of Fish Biology* 44:371-389.
- Arbault, S., and N. Boutin. 1968. Ichthyoplancton. Oeufs et larves de poissons teleosteens dans le Golfe de Gascogne en 1964. *Rev. Trav. Inst. Peches Marit.* 32:413-476.
- Arbault, S., and N. Boutin. 1968. Ichthyoplancton. Oeufs et larves de poissons teleosteens dans le Golfe Gascogne en 1964. *Rev. Trav. Inst. Peches Marit.* 32:477-506.
- Arbault, S., and N. Boutin. 1968. Ichthyoplancton. Oeufs et larves de poissons teleosteens dans le Golfe de Gascogne en 1965-1966 (Oeufs et larves). *Rev. Trav. Inst. Peches Marit* 33:181-202.
- Arbault, S., and N. Lacroix. 1970. Lieux et epoques de ponte de la sardine et de l'anchois dans le Golfe de Gascogne en relation avec l'hydrologie. *Ann. Biol. CIEM* 27:171-173.
- Arbault, S., and N. Boutin. 1971. Aires de ponte de la sardine, du sprat et de l'anchois dans le golfe de Gascogne et sur le plateau Celtique. *Rev. Trav. Inst. Peches Marit.* Nantes 35(1):35-56.
- Arbault, S., and N. Lacroix. 1973. Ichthyoplancton des yones-test dans le Golfe de Gascogne en 1971. *Annl. Biol. Cons. int. Explor. Mer* 28:68-69.
- Arbault, S., and N. Lacroix. 1974. Reproduction de la sardine, de l'anchois et du sprat dans le golfe de Gascogne en 1972. Sardine, anchovy, and sprat reproduction in the Gulf of Gascony in 1972. *Ann. Biol., Copenh.* 29:159-161.
- Arbault, S., and N. Lacroix. 1977. Oeufs et larves de Clupeides et Engraulides dans la Golfe de Gascogne (1969-73). Distribucion des frayeres. Relations entre les facteurs du mielieu et la reproduction. *Revue Trav. Inst. Pech. Marit.* 41:227-254.
- Arbault, S., and N. Lacroix. 1977. Variations de l'obondance des oeufs et larves de maquereau dans la Golfe de Gascogne (1964-73). *Revue Trav. Inst. Pech. Marit.* 41:255-269.
- Arbault, S., and N. Lacroix-Boutin. 1969. Spawning times and areas for teleost fish in the Gulf of Gascony 1965-1966. *Rev. Trav. Inst. Peches Marit, Paris.* 3:181-202.
- Arbault, S., J. Beaudoin, and N. Lacroix. 1972. Zones-test dans le golfe de Gascogne in 1970. *Ichthyoplankton-Zo Ann. Biol. Copenh.* 27:71-72.
- Ardashev, A. A., and Y. I. Gavrenkov. 2002. Influence of stocking rate on the level of stress hormones and the survival of the progeny in coho salmon, [*Oncorhynchus kisutch*] (Walbaum). *Russian Journal of Ecology* 33 (2):129-130.
- Arim, N. 1957. Marmara ve Karadenizdeki bazi Kemikli baliklarin (teleost and larin) yumurta ve larvalarinin morfolojileri ile ikologileri. *Hidrobiol. Mecm. Istanb. Univ. Fen Fak Hidrobiol., Ser A* 4:7-55.



- Armas, G. 1979. Observations on diseases and parasites of mullet alevins, [*Mugil cephalus*] L. from the Rio Moche coastal lagoon of Peru. *J. Fish Diseases* 2(6):549-553.
- Armbruster, D. C. 1959. Observations on the natural history of the chain pickerel ([*Esox niger*]). *Ohio J. Sci.* 59(1):55-58.
- Armstrong, C. W. J., and K. C. Fisher. 1939. The effect of sodium oxide on the frequency of the embryonic heart beat. *Am. J. Physiol.* 126:423-424.
- Armstrong, D. A., T. C. Wainwright, G. C. Jensen, P. A. Dinnel, and H. B. Andersen. 1993. Taking refuge from bycatch issues - red king crab ([*Paralithodes camtschaticus*]) and trawl fisheries in the eastern Bering Sea. *Canadian Journal of Fisheries and Aquatic Sciences* 50:1993-2000.
- Armstrong, M. J., and R. M. Prosch. 1991. Abundance and distribution of the mesopelagic fish [*Maurolicus muelleri*] in the southern Benguela System. *South African Journal of Marine Science - Suid - Afrikaanse Tydskrif Vir Seewetenskap* 10:13-28.
- Armstrong, M. L., and A. V. Brown. 1983. Diel drift and feeding of channel catfish alevins in the Illinois River, Arkansas. *Transactions of the American Fisheries Society* 112:302-307.
- Armstrong, P. B. 1928. The antagonism between acetic acid and the chlorides of sodium, potassium, and calcium as manifested in developing [*Fundulus*] embryos. *J. Gen. Physiol.* 11(5):515-523.
- Armstrong, P. B. 1932. The embryonic origin of function in the pronephros. *Am. J. Anat.* 51:157-188.
- Armstrong, P. B. 1936. Mechanism of hatching in [*Fundulus heteroclitus*]. *Biol. Bull.* 71:407.
- Armstrong, P. B. 1962. Stages in the development of [*Ictalurus nebulosus*]. Syracuse Univ. Press, Syracuse, N. Y. 8 pp.
- Armstrong, P. B. 1964. Photic responses in developing bullhead embryos ([*Ictalurus nebulosus*]). *J. Comp. Neurol.* 23:147-160.
- Armstrong, P. B., and J. S. Child. 1965. Stages in the normal development of [*Fundulus heteroclitus*]. *Biol. Bull.* 128:143-168.
- Armstrong, P. B., and D. C. Higgins. 1971. Behavioral encephalization in the bullhead embryo and its neuroanatomical correlates. *J. Comp. Neurol.* 143:371-384.
- Armsworth P. R., M. K. James, and L. Bode. 2001. When to press on or turn back: Dispersal strategies for reef fish larvae. *The American Naturalist* 157:434-450.
- Arumugam, P. T., and M. C. Geddes. 1987. Feeding and growth of golden perch larvae and fry ([*Macquaria ambigua*] Richardson). *Transactions of the Royal Society of South Australia* 111:59-65.
- Arnold, C. R., J. M. Wakeman, T. D. Williams, and R. Treece. 1978. Spawning of red snapper ([*Lutjanus campechanus*]) in captivity. *Aquaculture* 15(3):301-302.
- Arnold, C. R., W. H. Bailey, T. D. Williams, A. Johnson, and J. L. Lasswell. 1977. Laboratory spawning and larval rearing of red drum and southern flounder. *Proc. 31st Ann. Conf. S. E. Assoc. G & F Comms.* 31:437-440.
- Arnold, E. L., Jr. 1952. A high speed plankton sampler (Model Gulf I-A). *U.S. Fish and Wildl. Serv. Spec. Sci. Rep. Fish. No.88.* 6 pp.

- Arnold, E. L., Jr. 1955. Notes on the capture of young sailfish and swordfish in the Gulf of Mexico. *Copeia* 1955(2):150-151.
- Arnold, E. L., and J. R. Thompson. 1958. Offshore spawning of the striped mullet, [*Mugil*] [*cephalus*], in the Gulf of Mexico. *Copeia* 1958(2):130-132.
- Arnold, E. L., Jr., R. S. Wheeler, and K. N. Baxter. 1960. Observations on fishes and other biota of East Lagoon, Galveston Island Spec. Scient. Rep. U.S. Fish Wildl. Serv. 344:1-30.
- Arnold, E. W. T. 1972. Behavioral ecology of two pupfish (Cyprinodontidae, Genus [*Cyprinodon*]) from Northern Mexico. Ph.D. Diss., Arizona State Univ.
- Arnold, G. P. 1969. The orientation of plaice larvae ([*Pleuronectes*] [*platessa*] L.) in water currents. *J. Exp. Biol.* 50:785-801.
- Arnold, G. P. 1974. Rheotropism in fishes. *Biol. Rev.* 49(4):515-576.
- Arnold, G. P., and P. B. N. Nuttall-Smith. 1974. Shadow cinematography of fish larvae. *Mar. Biol.* 28:51-53.
- Arnoldi, D. C. 1974. Use of fluorescent granule implantation to estimate growth rate and length of stay in a Louisiana coastal marsh nursery by juvenile Atlantic croaker, [*Micropogon undulatus*]. M.S. Thesis, Louisiana State Univ., Baton Rouge, LA, 51 pp.
- Arnoldi, D. C., W. H. Herke, and E. S. Clairain, Jr. 1974. Estimate of growth rate and length of stay in a marsh nursery of juvenile Atlantic croaker, [*Micropogon*] [*undulatus*] (L.), sandblasted with fluorescent pigments. *Gulf and Caribb. Inst., Univ. Miami Proc.* 26:158-172.
- Arnott, G. H., and A. D. McKinnon. 1985. Distribution and abundance of eggs of the anchovy, [*Engraulis australis antipodium*] Gunther, in relation to temperature and salinity in the Gippsland Lakes. *Aust. J. Mar. Freshwat. Res.* 36(3):433-440.
- Arnoult, J. 1966. Behavior and breeding in the aquarium of [*Polypterus*] [*senegalus*]. *Ichthyologica* 37:135-140.
- Aron, W. 1958. Preliminary report of midwater trawling studies in the north Pacific Ocean. Univ. Wash. Dep. Oceanogr. Tech. Rep. 58, 64 pp.
- Aron, W. 1959. Midwater trawling studies in the north Pacific. *Limnol. and Oceanogr.* 4: 409-418.
- Aron, W. 1960. The distribution of animals in the eastern north Pacific and its relationship to physical and chemical conditions. Univ. Wash. Dept. Oceanogr. Tech. Rep., No. 63, Ref. 60-55, 65 pp, 156 pp.
- Aron, W. 1962. The distribution of animals in the eastern north Pacific and its relation to physical and chemical conditions. *Journal of the Fisheries Research Board of Canada* 19:271-314.
- Aron, W., E. H. Ahlstrom, B. McK. Bary, A. W. H. Be, and W. D. Clarke. 1965. Towing characteristics of plankton sampling gear. *Limnol. and Oceanogr.* 10:333-340.
- Aron, W., and S. Collard. 1969. A study of the influence of net speed on catch. *Limnol. and Oceanogr.* 14(2):242-249.
- Aronovich, T. M., and L. V. Spectorova. 1973. Some data on the feeding habits of larvae of turbot in the laboratory. *Proc. All-Union Res. Inst. Mar. Fish and Oceanogr.* XCIV:149-156.

- Aronovich, T. M., S. I. Doroshev, L. V. Spectrova, and V. M. Makhotin. 1975. Egg incubation and larval rearing of navaga ([*Eleginus navaga*] Pall), polar cod ([*Boreogadus*] [saida] Lepechin), and arctic flounder ([*Liopsetta*] [glacialis] Poll.) in the laboratory. *Aquaculture* 6:233-242.
- Arora, H. L. 1948. Observations on the habits and early life history of the batrachoid fish, [*Porichthys notatus*] Girard. *Copeia* 1948(2):89-93.
- Arora, H. L. 1951. An investigation of the California sand dab, [*Citharichthys sordidus*] (Girard). *California Fish and Game* 37(1):3-42.
- Arshanitsa, N. M. 1974. The effect of petroleum processing wastes on incubated eggs, larvae and fish. *Isv. Gox. Nauch Issted Inst. Ozern. Rechn. Rybn. Khoz. (USSR)* 98:73.
- Arthur, D. K. 1956. The particulate food and the food resources of the larvae of three pelagic fishes, especially the Pacific sardine, [*Sardinops caerulea*] (Girard). Thesis, Univ. Calif., San Diego, CA. 231 pp.
- Arthur, D. K. 1976. Food and feeding of larvae of three fishes occurring in the California Current, [*Sardinops sagax*], [*Engraulis mordax*], and [*Trachurus symmetricus*]. *U.S. NMFS Fish. Bull.* 74:517-530.
- Arthur, D. K. 1977. Distribution, size, and abundance of microcopepods in the California current system and their possible influence on survival of marine teleost larvae. *Fish. Bull.* 75(3):601-612.
- Arthur, D. K. 1980. Differences in heart size between ocean-caught and laboratory-grown larvae of the northern anchovy, [*Engraulis mordax*] Girard. *J. Exp. Mar. Biol. Ecol.* 43(2):99-106.
- Arthur, J. R., and L. Margolis. 1984. [*Trichodina truttae*] Mueller, 1937 (Cilophora: Peritrichida), a common pathogenic ectoparasite of cultured juvenile salmonid fishes in British Columbia: redescription and examination by scanning electron microscopy. *Canadian Journal of Zoology* 62(9):1842-1848.
- Artyomov, Y. G. 1991. On the relationship between sound-scattering ability of swim-bladder contained fish larvae and depth. *Okeanologiya* 31:942-948.
- Artyukhin, Ye. N., A. D. Sukhoparova, and L. G. Fimukhina. 1978. The gonads of the sturgeon, [*Acipenser gueldenstaedti*], in the zone below the dam of the Volgograd water engineering system. *J. Ichthyol. (Eng. Transl.) Vopr. Ikhtiolog.* 18(6):912-923.
- Arvedlund, M., K. Larsen, and H. Winsor. 2000. The embryonic development of the olfactory system in [*Amphiprion melanopus*] (Perciformes: Pomacentridae) related to the host imprinting hypothesis. *J. Mar. Biol. Ass. U.K.* 80:1103-1110.
- Arvedlund, M., M. I. McCormick, and T. Ainsworth. 2000. Effects of photoperiod on growth of larvae and juveniles of the anemonefish [*Amphiprion melanopus*]. *Naga, The ICLARM Quarterly* 23(2):18-23.
- Asahina, K., I. I. Washita, I. Hanyu, and T. Hibiya. 1980. Annual reproductive cycle of a bitterling, [*Rhodeus*] [ocellatus ocellatus]. *Bull. Jap. Soc. Sci. Fish.* 46(3):299-307.
- Asami, T. 1958. On the condition of dispersal and clustering of fish eggs and larvae in the sea. II. *Rep. Nankai Reg. Fish. Res. Lab.* 9:92-102.
- Asami, T. 1958. On the patterns of development and growth of Japanese anchovy along the coast of Nankai and Naikai regions of Japan. *Rep. Nankai Reg. Fish. Res. Lab.* 7:1-18.
- Asami, T. 1959. On the intermingling of the spring and autumn offspring of Japanese anchovy, [*Engraulis japonica*] (Houtt.). *Rep. Nankai Reg. Fish. Res. Lab.* 11:47-58.

- Asano, M. 1964. Young albacore taken from the northeastern sea area of Japan in August and September 1963. Bull. Tohoku Reg. Fish. Res. Lab. (24):20-27.
- Asbury, C., and R. Coler. 1980. Toxicity of dissolved ozone to fish eggs and larvae. J. Water Pollut. Control Fed. 52:1990-1996.
- Ash, G. R. 1975. The effects of thermal pollution on the egg survival of the lake whitefish, [*Coregonus clupeaformis*] (Mitchill). Water Pollut. Res. Can. 10:9-16.
- Asoh, K., and T. Yoshikawa, 1996. Nesting behavior, male parental care, and embryonic development in the fairy basslet, [*Gramma loreto*]. Copeia 1996(1):1-8. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)
- Assem, J. Van Den. 1967. Territory in the three-spine stickleback, [*Gasterosteus aculeatus*] L., an experimental study in intra-specific competition. Behavior Suppl. 16:1-164.
- Assheton, R. 1907. Report upon sundry teleostean eggs and larvae from the Gambia River. Pages 433-442 [in] J.G. Kerr, editor. The work of John Samuel Budgett. Cambridge Univ. Press. 494 pp.
- Assheton. 1907. Certain features characteristic of teleostean development. London, Guy's Hosp. Rep. 61:345-388.
- Astakhova, T. V., and K. V. Martino. 1968. Measures for the control of fungus disease of the eggs of sturgeons in fish hatcheries. J. Ichthyol. 8:261-268.
- Astakhova, T. V. 1974. The parasite fauna of juvenile sturgeon of the Volga-Caspian region. J. Ichthyol. 14(5):788-791.
- Atchison, E. S. 1976. The dynamics of lipids and DDT in developing brook trout eggs and fry. J. Great Lakes Res. 2:13-19.
- Atchison, G. J. 1967. Contributions to the life history of the yellow bass, [*Roccus mississippiensis*] (Jordan and Eigenmann), in Clear Lake, Iowa. M.S. Thesis, Iowa St. Univ., Ames, IA. 73 pp.
- Atchison, G. J. 1975. Fatty acid levels in developing brook trout (*Salvelinus fontinalis*) eggs and fry. Journal of the Fisheries Research Board of Canada 32(12):2513-1515.
- Atchison, G. J., and H. E. Johnson. 1975. The degradation of DDT in brook trout eggs and fry. Transactions of the American Fisheries Society 104(4):782-784.
- Atkins, C. E. 1905. The early feeding of salmonid fry. Transactions of the American Fisheries Society 34:75-81.
- Atkinson, C. E. 1939. Notes on the life history of the tidepool johnny (*Oligocottus maculosus*). Copeia 1939(1):23-30.
- Atkinson, C. E., J. H. Rose, and T. O. Duncan. 1967. Salmon of the north Pacific Ocean. Part IV. Spawning populations of north Pacific salmon IV Pacific salmon in the United States. Int. North Pacific Fish. Comm. Bull. 23:43-224.
- Atkins, C. G. 1874. On the salmon of eastern North America and its artificial culture. Rep. U.S. Commerc. Fish. 2:226-337.
- Atkins, C. G. 1878. Artificial hatching of the cunner. Forest and Stream, Rod and Gun. 10(26)502.

- Atkins, C. G. 1889. Report on the artificial propagation of cod fish 1886-87. U.S. Comm. Fish and Fisheries, Pt. 14, Rep. Comm (1886):783-91.
- Atkins, C. G. 1905. Culture of the fallfish or chub. Am. Fish-Cult. 2:189.
- Atkinson, D. B., and J. E. Carscadden. 1979. Biological characteristics of inshore capelin, [*Mallotus villosus*] (Muller), June-July 1977. Fish. Env. Can. Fish. Mar. Serv. Tech. Rep. No. 881.
- Atkinson, M. J. 1932. The destruction of grey trout eggs by suckers and bullheads. Transactions of the American Fisheries Society 61:183-186.
- Atlas, M., and C. F. Clark. 1962. Effect of temperature on hatching time: amphibians and bony fishes. Pages 478-491 in P.L. Altman, and D. S. Dittmer, editors. Biology data book. Fed. Am. Soc. Exp. Biol., Wash. D. C. 608 pp.
- Atoda, K. 1935. The larvae of the catfish [*Parasilurus asotus*] L. Scie. Rep. Tohoku Univ. 10:29-32.
- Atoda, M. 1974. Ecological notes of pond cultured masu salmon, [*Oncorhynchus masou*]. 1. Notes on the survival rate from egg to fry, sex ratio differences of the 0-year old fish and embraced egg number of adult females. Sci. Rep. Hokkaido Fish Hatch. 29:97-114.
- Atz, J. W. 1940. Reproduction behavior in the eastern johnny darter, [*Boleosoma nigrum olmstedii*] (Storer). Copeia 1940(2):100-106.
- Atz, J. W. 1964. A working bibliography on rearing larval marine fishes in the laboratory. U.S. Fish Wildl. Serv. Res. Rep. 63:93-102.
- Atz, J. W., and G. E. Pickford. 1964. The pituitary gland and its relation to the reproduction of fishes in nature and in captivity. FAO Fish. Tech. Pap. No. 37 (FB/T37).
- Atz, J. W., and G. E. Pickford. 1968. Dean Bibliography of fishes. Am. Mus. Nat. Hist. New York, 512 pp.
- Atz, J. W., and G. E. Pickford. 1969. Dean Bibliography of fishes. Am. Mus. Nat. Hist., New York. 853 pp.
- AubinHorth, N., J. Gingras, and D. Boisclair. 1999. Comparison of activity rates of 1+yellow perch (*Perca flavescens*) from populations of contrasting growth rates using underwater video observations. Canadian Journal of Fisheries and Aquatic Sciences 56(6):1122-1132.
- Auclair, R. P. 1956. The white perch, [*Morone americana*] (Gmelin), in Sebasticook Lake, Maine. M.S. Thesis, Univ. Maine, Orono, ME. 60 pp.
- Auditore, P. J. 1984. Stomach contents analysis processing methods for larval gadids. NOAA, NMFS NEFC Woods Hole Lab. Ref. Doc. No. 84-14.
- Auditore, P. J., G. R. Bolz, and R. G. Lough. 1988. Juvenile haddock, [*Melanogrammus aeglefinus*], and Atlantic cod, [*Gadus morhua*], stomach contents and morphometric data, from four recruitment surveys (1984-1986) in the Georges Bank-Nantucket Shoals area. Northeast Fisheries Center, Natl. Mar. Fish. Serv., NOAA, Woods Hole Lab. Ref. 88-05, 105 p.
- Auditore, P. J., R. G. Lough, and E. A. Broughton. 1992. A review of the comparative development of Atlantic cod and haddock based on an illustrated series of larvae and juveniles from Georges Bank. NAFO Sci. Coun. Studies (Submitted).
- Auer, M. T., and N. A. Auer. 1983. An investigation of walleye egg hatching success in the lower Fox River, Wisconsin. Rep. U.S. Env. Prot. Ag., ERL-Duluth, Duluth, MN.

- Auer, N. A., editor. 1982. Identification of larval fishes of the Great Lakes basin with emphasis on the Lake Michigan drainage. Commn. Spec. Publ. 82-3, Ann Arbor, Michigan, USA.
- Auer, N. A. 1982. Family Percidae, perches. Pages 581-648 in N.A. Auer, editor. Identification of larval fishes of the Great Lakes basin with emphasis on the Lake Michigan drainage. Great Lakes Fish. Comm. Spec. Publ. 82-3, Ann Arbor, Mi. 744 pp.
- Auer, N. A., and M. T. Auer. 1986. Barriers to survival of walleye eggs and larvae. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. 93-101.
- Auer, N. A. 1988. Preface [11th Annual Larval Fish Conference]. American Fisheries Society Symposium 5:vii.
- Auld, A. H., and J. R. Schubel. 1974. Effect of suspended sediment on survival of yolk sac larvae of three estuarine fishes. ASB Bull. 21(4):36.
- Auld, A. H., and J. R. Schubel. 1974. Preliminary observations on the efficacy of a commercially available fungal inhibitor and its toxicity to fish eggs. Ches. Sci. 15(2):115-116.
- Auld, A. H., and J. R. Schubel. 1974. The effect of suspended sediment on fish eggs and larvae. Ches. Bay. Inst., The Johns Hopkins Univ. Spec. Rep. #40. 61 pp.
- Auld, A. H., and J. R. Schubel. 1978. Effects of suspended sediments on fish eggs and larvae: A laboratory assessment. Estuar. & Coast. Mar. Sci. 6(2):153-164.
- Aulstad, D., and T. Gjedrem. 1973. The egg size of salmon ([*Salmo salar*]) in Norwegian rivers. Aquaculture 2(4):237-341.
- Aulstad, D., and T. Refstie. 1975. Effect of water depth in rearing tanks on growth and mortality of salmon and rainbow trout fingerlings. Progressive Fish-Culturist 37:113.
- Aurich, H. J. 1954. Pelagic fish fry - German Bight. Annl. Biol. X.
- Austin, H., and S. Austin. 1971. Juvenile fish in two Puerto Rican mangroves. Contr. Univ. Puerto Rico Dept. Mar. Sci. 10(178):173.
- Austin, H., and S. Austin. 1971. The feeding habits of some juvenile marine fishes from the mangroves in western Puerto Rico. Contr. Univ. Puerto Rico Dept. Mar. Sci. 10(178):91-98.
- Austin, H. M. 1971. Some aspects of the biology of the rhomboid mojarra [*Diapterus rhombeus*] in Puerto Rico. Bull. Mar. Sci. 21(4):886-903.
- Austin, H. M. 1971. A survey of the ichthyofauna of the mangroves of western Puerto Rico during December, 1967-August 1968. Caribb. J. Sci. 11(1/2):27-39.
- Austin, H. M. 1973. The ecology of Lake Montauk: planktonic fish eggs and larvae. New York Ocean Sci. Lab., Tech. Rep. No. 21.
- Austin, H. M., and D. Tollefson. 1973. A survey of the ichthyofauna of the New York Bight with emphasis on the distribution of pelagic eggs and larvae, September and November, 1971. [In] Oceanography of the New York Bight: physical, chemical, biological. N. Y. Ocean Sci. Lab., Tech. Rep. 17(2):146-188.
- Austin, H. M., J. Dickinson, and C. Hickey. 1973. An ecological study of the ichthyofauna at the Northport power station, Long Island, N.Y. Long Island Lighting Co., Hicksville, N. Y. 248 pp.

- Austin, H. M., A. D. Sosnow, and C. R. Hickney, Jr. 1975. The effects of temperature on the development and survival of the eggs and larvae of the Atlantic silverside, [*Menidia menidia*]. Transactions of the American Fisheries Society 104(4):762-765.
- Austin, H. M. 1976. Distribution and abundance of ichthyoplankton in the New York Bight during the fall of 1971. New York Fish and Game J. 23(1):59-72.
- Auty, E. H. 1978. Reproductive behavior and early development of the empire fish, [*Hypseleotris compressus*] (Eleotridae). Aust. J. Mar. Freshwater Res. 29(5):585-597.
- Avanesov, E. M. 1972. Present spawning conditions of mullets (genus [*Mugil*]) in the Caspian Sea. J. Ichthyol. (Vopr. Ikhtiolog. Eng. Ed.) 12(3):419-425.
- Avdeeva, A. T., and Yu.S. Dmitrenko. 1968. Peculiarities of carp spawning in Karelia. Ikhtiolog. ozer. ryb. khoz. Mater. XI Konf. vnutr. vod Pribalt. I no. 2 Akad. Nauk Latv. SSR Inst. Biol. Riga 1968:9-12.
- Averett, R. C. 1968. Site selection and time of spawning by two groups of Kokanee in Odell Lake, Oregon. J. Wildl. Mgmt. 32(1):76-81.
- Averett, R. C. 1969. Influence of temperature and energy and material utilization by juvenile coho salmon. Ph.D. Diss., Oregon State Univ., Corvallis.
- Avila, V. L. 1974. Review and field study of nesting behavior of male bluegill sunfish ([*Lepomis macrochirus*]). Diss. Abstr. Inst. 34B: 3101, Jan 74, Abstr. order no. 73-32, 509.
- Avila, V. L. 1976. A field study of nesting behavior of male bluegill sunfish ([*Lepomis macrochirus*] Rafinesque). Am. Midl. Nat. 96(1):195-206.
- Avni, A. A., and S. G. Soin. 1974. Adaptive characteristics of the embryogeny of [*Nothobranchius guentheri*] in connection with existence in temporary tropical habitats. J. Ichthyol. 14(5):735-745.
- Awakura, T., H. Kojima, and K. Sugiwaka. 1981. Studies on parasites on masu salmon, [*Oncorhynchus*] [*masou*]. I. The parasitism of [*Tetraonchus*] (Monogenea) on the gills of juveniles in freshwater. Sci. Rep. Hokkaido Fish Hatch. 36:57-63.
- Axelrod, H. R. 1971. Breeding aquarium fishes. Book 2. T. F. H. Publ., Jersey City, N. J. 352 pp.
- Axelrod, H. R., and S. R. Shaw. 1967. Breeding aquarium fishes. Book 1. T. F. H. Publ., Neptune City, N. J. 480 pp.
- Ayles, G. B. 1974. Fecundity and egg size of a brood stock of [*Salvelinus fontinalis*] x [*S. namaycush*] hybrids (splake). Journal of the Fisheries Research Board of Canada 31(2):217-220.
- Ayles, G. B. 1974. Relative importance of additive genetic and maternal sources of variation in early survival of young splake hybrids ([*Salvelinus fontinalis*] x [*S. namaycush*]). Journal of the Fisheries Research Board of Canada 31(9):1499-1502.
- Ayushin, B. N. 1973. Experiments on the spawning of Pacific saury on an artificial spawning bed in Japan Sea. Pages 67-72 in S. Motoda, editor. Propagation of marine resources in the Pacific Ocean. First Japan-USSR Joint Symp. Aquacult. Pac. Ocean: 1-4 Dec. 1972, Tokyo and Shimizu, Japan.
- Ayushin, B. N., and A. B. Tjurin. 1977. To the problem of raising the efficiency of herring reproduction in northwest Chukhotsk Sea by creating artificial spawning grounds. Proc. Sov.-Jap. Joint Symp. Aquacult. 3:149-156. (TINRO, 20, Lenin St., Vladivostok, USSR).

- Azevedo, P. de. 1938. O cascudo dos acudes nordestinos "[Plecostomus] [plecostomus]". Arquivos do Instituto Biol. 9:211-224.
- Azevedo, P. de., M. V. Dias, and B. Borges Vierira. 1938. Biologia do saquiru. Memorias do Instituto Oswaldo Cruz, Rio de Janeiro 33(4):481-554.
- Azevedo, P. de., and A. L. Gomes. 1942. Contribuicao ao estudo da biologia da traira, [Hoplias malabarica] (Bloch, 1749). Boletim de Industria Animal 5:15-64.
- Azuma, H. 1974. Spawning [Leporinus maculatus]. Trop. Fish Hobbyist 22(12):46-51.
- Azuma, H. 1975. Spawning the red-bellied piranha, [Serrasalmus] [natterei]. Trop. Fish Hobbyist 23(11):4-6, 8-12, 14-15, 96-97.
- Azuma, H. 1979. Spawning the pink-tailed [Chalceus]. Trop. Fish. Hobbyist 27(6):58-62.
- Azuma, H. 1982. Spawning silver. Trop. Fish Hobbyist 30(7):70-73.
- Azuma, M. 1964. Life history of the landlocked Ayu-fish ([Plecoglossus altivelis]) in the Lake Biwa, with special references to their developmental stages. Phys. Ecol. Tokyo 12(1-2):55-71.
- Babcock, J. P. 1911. Some experiments in the burial of salmon eggs suggesting a new method of hatching salmon and trout. Transactions of the American Fisheries Society 40:393-395.
- Babcock, J. P. 1930. Halibut - some facts about the king of the banks. California Fish and Game 16(1):39-42.
- Babel, J. S. 1967. Reproduction, life history, and ecology of the round stingray, [Urolophus halleri]. Fish. Bull. Calif. 137:1-104.
- Babiker, M. M., and H. Ibrahim. 1978. Studies on the biology of reproduction in the cichlid, [Tilapia nilotica] (L.): gonadal maturation and fecundity. J. Fish. Biol. 14(5):437-448.
- Bachmann, F. M. 1914. The migration of the germ cells in [Amiurus] [nebulosus]. Biol. Bull. (Woods Hole) 26(6):351-366.
- Bachop, W. 1965. Size, shape, number and distribution of periblast nuclei in the muskellunge embryo (Clupeiformes: Esocidae). Transactions of the American Fisheries Society 84(1):80-86.
- Bachop, W., and J. W. Price. 1971. Giant nuclei formation in the yolk sac syncytium of the muskellunge, a bony fish (Salmoniformes: Esocidae: [Esox masquinongy]). J. Morph. 135(2):239-246.
- Bachop, W. E., and F. J. Schwartz. 1974. Quantitative nucleic acid histochemistry of the yolk sac syncytium of oviparous teleosts: implications for hypotheses of yolk utilization. Pages 345-356 [in] J.H.S. Blaxter, editor. The early life history of fish. Springer-Verlag, Berlin.
- Backhouse, G. N., and R. W. Vanner. 1978. Observations on the biology of the dwarf galaxiid, [Galaxiella pusilla] (Mack) (Pisces: Galaxiidae). Victorian Nat. 95:128-132.
- Bacon, E. H. 1954. Field characteristics of prolarvae and alevins of brook, brown, and rainbow trout in Michigan. Copeia 1954(3):232.
- Badcock, J. 1977. Aspects of the development and biology of post-larval [Valenciennellus tripunctulatus] (Esmark) and [Bonapartia pedaliota] Goode and Bean (Pisces: Stomiatoide). Pages 537-552 [in] M. Angel, editor. A voyage of discovery. Pergamon Press, Elmsford, N.Y. 696 pp.



- Badcock, J., and R. C. Baird. 1980. Remarks on systematics, development, and distribution of the hatchetfish genus [*Sternoptyx*] (Pisces: Stomiatoidei). *Fish. Bull. U.S.* 77:803-820.
- Badcock, J. R., and N. R. Merrett. 1972. On [*Argyripnus atlanticus*], Maul 1952 (Pisces, Stomiatoidei), with a description of post-larval forms. *J. Fish. Biol.* 4:277-287.
- Badcock, J. R., and N. R. Merrett. 1976. Midwater fishes in the eastern North Atlantic. I. Vertical distribution and associated biology in 30 N, 23 W, with developmental notes on certain myctophids. *Prog. Oceanogr.* 7:3-58.
- Badenhuizen, T. R. 1969. Effect of incubation temperature on mortality of embryos of the large-mouth bass, [*Micropterus*] [*salmoides*] (Lacepede). M.S. Thesis, Cornell Univ., Ithaca, N. Y. 88 pp.
- Badenhurst, A., and A. J. Body. 1980. Distributional ecology of the larvae and juveniles of the anchovy, [*Engraulis capensis*] Gilchrist in relation to the hydrological environment off South West Africa, 1978/79. *Fish. Bull. South Africa* 13:83-106.
- Badsha, K. S., and M. Sainsbury. 1977. Uptake of zinc, lead and cadmium by young whiting in the Severn Estuary. *Mar. Poll. Bull.* 8:164.
- Bagarinao, T., and J. R. Hunter. 1983. The visual feeding threshold and action spectrum of northern anchovy ([*Engraulis mordax*] G.) larvae. *California Coop. Oceanic Fish. Invest. Rep.* 24:245-254.
- Bagarinao, T., and K. Thayaparan. 1986. The length-weight relationship between food habits and condition factor of wild juvenile milkfish in Sri Lanka. *Aquaculture* 55(3):241-246.
- Bagarinao, T., and P. Kungvankij. 1986. An incidence of swim-bladder stress syndrome in hatchery reared sea bass, [*Lates calcarifer*], larvae. *Aquaculture* 51(3/4):181-188.
- Bagarinao, T. 1986. Yolk resorption, onset of feeding, and survival potential of larvae of three tropical marine fish species reared in the hatchery. *Mar. Biol.* 91(4):449-460.
- Bagelin, R. E., Jr. 1979. Sex composition, length-weight relationship, and reproduction of the white marlin, [*Tetrapturus*] [*albidus*], in the western north Atlantic Ocean. *NOAA-NMFS Fish. Bull.* 76(4):919-926.
- Bagenal, T. B. 1955. The growth of the long rough dab, [*Hippoglossoides*] [*platessoides*]. *J. Mar. Biol. Assoc. U.K.* 34:297-311.
- Bagenal, T. B. 1957. The breeding and fecundity of the long rough dab, [*Hippoglossoides platessoides*] (Fabr) and the associated cycle in condition. *J. Mar. Biol. Assoc. U.K.* 36(2):339-375.
- Bagenal, T. B. 1957. Annual variations in fish fecundity. *J. Mar. Biol. Assoc. U.K.* 36(2):377-382.
- Bagenal, T. B. 1967. A short review of fish fecundity. Pages 89-111 [in] S.D. Gerking, editor. *The biological basis of freshwater fish production*. Blackwell Scientific Pub., Oxford.
- Bagenal, T. B. 1967. A method of marking fish eggs and larvae. *Nature* 214:113.
- Bagenal, T. B., and E. Braum. 1968. Eggs and early life history. Pages 159-181 [in] W.E. Ricker, editor. *Methods for assessment of fish production in fresh waters*. IBP Handbook No. 3, Blackwell Sci., 313 pp.

- Bagenal, T. B. 1969. Relationship between egg and fry survival in brown trout, [*Salmo trutta*] L. J. Fish. Biol. 1(4):349-353.
- Bagenal, T. B. 1971. The interrelation of the size of fish eggs, the date of spawning and the production cycle. J. Fish Biol. 3(1):207-219.
- Bagenal, T. B. 1973. Fish fecundity and its relations with stock and recruitment. Pages 186-198 [in] B.B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Bagenal, T. B. 1974. A buoyant net designed to catch freshwater fish larvae quantitatively. Freshwater Biol. 4:107-109.
- Bagenal, T. B., and W. Nellen. 1980. Sampling eggs, larvae and juvenile fish. EIFAC Tech. Pap. 33:13-36. Coll. Repr. Inst. Meereskde, Univ. Kiel 1980:4.
- Baggerman, B. 1957. An experimental study of the timing of breeding and migration in the three spined stickleback (*[Gasterosteus aculeatus]* L). Arch. neerl. Zool. 12:105-317.
- Baggerman, B. 1963. The effect of TSH and antithyroid substances on salinity preference and thyroid activity in juvenile Pacific salmon. Canadian Journal of Zoology 41(2):307-320.
- Baggerman, B. 1969. Influence of photoperiod and temperature on the timing of the breeding season in the stickleback (*[Gasterosteus aculeatus]* L.). Gen. & Comp. Endocrinol. 13:491.
- Baggerman, B. 1972. Photoperiodic responses in the stickleback and their control by daily rhythm of photosensitivity. Gen. Comp. Endocrinol. Suppl. 3:466-476.
- Bagirova, Sh. M. 1963. Stages in the development of carp in Ust-Kuzinsk fish farming. Izv. Akad. Nauk. Azerbaidj. SSR biol. med. 5:53-64. In Russian.
- Baglin, R. E., and R. V. Kilambi. Maturity and spawning of the gizzard shad, [*Dorosoma*] [*cepedianum*] (LeSueur) in Beaver Reservoir. Proc. Arkansas Acad. Sci. 22:38-43.
- Baglin, R. E., Jr. 1968. Fecundity of gizzard shad, [*Dorosoma cepedianum*] (LeSueur), and the threadfin shad, [*Dorosoma*] [*petenense*] (Gunther), in Beaver and Bull Shoals Reservoirs. M.S. Thesis, Univ. of Arkansas, Fayetteville, 131 pp.
- Baglin, R. E., Jr. 1975. Subpopulations of white bass, [*Morone chrysops*] (Rafinesque) in Lake Texoma. Ph.D. Diss., Univ. of Oklahoma, Norman, OK. 108 pp.
- Bahls, L. L., R. A. Soltero, and K. E. Tuinstra. 1969. The toxicity of organic wastes on eggs and fry of rainbow trout. Proc. Montana Acad. Sci. 29:52-62.
- Baier, C. T., and J. E. Purcell. 1997. Trophic interactions of chaetognaths, larval fish, and zooplankton in the South Atlantic Bight. Marine Ecology - Progress Series 146:43-53.
- Bailey, C. F. 1973. Lipids of the fertilized egg and adult brain of [*Fundulus heteroclitus*]. J. Exp. Zool. 185:265-276.
- Bailey, J. E. 1952. The life history and ecology of the sculpin, [*Cottus*] [*bairdi punctulatus*] in southwestern Montana. Copeia 1952(4):243-255.
- Bailey, J. E. 1971. Osmoregulatory capability in juvenile sockeye salmon, [*Oncorhynchus nerka*]. Canadian Journal of Zoology 49:841-845.
- Bailey, J. E., and D. R. Evans. 1971. The low temperature threshold for pink salmon eggs in relation to a proposed hydroelectric installation. Fish. Bull. Fish. Wildl. Serv. U.S. 69(3):587-593.

- Bailey, J. E., and W. R. Heard. 1973. An improved incubator for salmonids and results of preliminary tests of its use. NOAA Tech. Memo., NMFS ABFL-1:7 pp.
- Bailey, J. E., and S. G. Taylor. 1974. Salmon fry production in a gravel incubator hatchery, Auke Creek, Alaska, 1971-72. NOAA Tech. Memo NMFS ABFL-3:13 pp.
- Bailey, J. E., B. L. Wing, and C. R. Mattson. 1975. Zooplankton abundance and feeding habits of fry of pink salmon, [*Oncorhynchus gorboscha*], and chum salmon, [*Oncorhynchus keta*], in Traitors Cove, Alaska, with speculations on the carrying capacity of the area. Fish. Bull. NOAA (U.S.) 73(4):846-861.
- Bailey, J. E., J. J. Pella, and S. G. Taylor. 1976. Production of fry and adults of the 1972 brood of pink salmon, [*Oncorhynchus gorboscha*], from gravel incubators and natural spawning at Auke Creek, Alaska. Fish. Bull. U.S. 74(4):961-971.
- Bailey, J. E., S. D. Rice, J. J. Pella, and S. G. Taylor. 1980. Effects of seeding density of pink salmon, [*Oncorhynchus gorboscha*], eggs on water chemistry, fry characteristics, and fry survival in gravel incubators. Fish. Bull. 78:649-658.
- Bailey, J. E., B. L. Wing, and J. H. Landingham. 1983. Juvenile Pacific sandfish, [*Trichodon trichodon*], associated with pink salmon, [*Oncorhynchus*] [*gorboscha*], fry in the nearshore area, southeastern Alaska. Copeia 1983:549-551.
- Bailey, K. 1989. Description and surface distribution of juvenile peruvian jack mackerel, [*Trachurus murphyi*] Nichols, from the subtropical convergence zone of the central South Pacific. Fish Bull. 87:273-278.
- Bailey, K. M. 1980. Recent changes in distribution of hake larvae: causes and consequences. California Coop. Oceanic Fish. Invest. Rep. 21:167-171.
- Bailey, K. M. 1981. Larval transport and recruitment of Pacific hake, [*Merluccius productus*]. Mar. Ecol. Prog. Series 6:1-9.
- Bailey, K. M., R. C. Francis, and P. R. Stevens. 1981. The life history and fishery of Pacific whiting, [*Merluccius productus*]. California Coop. Oceanic. Fish. Invest. Rep. XXIII:81-98.
- Bailey, K. M. 1982. The early life history of the Pacific hake, [*Merluccius productus*]. Fish. Bull. U.S. 80:589-598.
- Bailey, K. M., and J. Yen. 1983. Predation by a carnivorous marine copepod [*Euchaeta*] [*elongata*] Esterly, on eggs and larvae of the Pacific hake, [*Merluccius productus*]. J. Plankton Res. 5:71-82.
- Bailey, K. M., and R. S. Batty. 1983. A laboratory study of predation by [*Aurelia aurita*] on larval herring ([*Clupea harengus*]): experimental observations compared with model predictions. Mar. Biol. 72:295-301.
- Bailey, K. M. 1984. Comparison of laboratory rates of predation on five species of marine fish larvae by three planktonic invertebrates: effects of larval size on vulnerability. Mar. Biol. 79:303-309.
- Bailey, K. M., and R. S. Batty. 1984. Laboratory study of predation by [*Aurelia aurita*] on larvae of cod, flounder, plaice and herring: development and vulnerability to capture. Mar. Biol. 83(3):287-292.
- Bailey, K. M., and C. L. Stehr. 1986. Laboratory study on the early life history of the walleye pollock, [*Theragra chalcogramma*] (Pallas). J. Exp. Mar. Biol. Ecol. 99:233-246.
- Bailey, K. M., and C.L. Stehr. 1988. The effects of feeding periodicity and ration on the rate of increment formation in otoliths of larval walleye pollock [*Theragra chalcogramma*] (Pallas). J. Exp. Mar. Biol. Ecol. 122:147-161.

- Bailey, K. M. 1989. Interaction between the vertical distribution of juvenile walleye pollock [*Theragra chalcogramma*] in the eastern Bering Sea, and cannibalism. *Mar. Ecol. Prog. Ser.* 53:205-213.
- Bailey, K. M., and E.D. Houde. 1989. Predation on eggs and larvae of marine fishes and the recruitment problem. *Advances in Marine Biology* 25:1-83.
- Bailey, K. M., and S. M. Spring. 1992. Comparison of larval, age-0 juvenile and age-2 recruit abundance indices of walleye pollock, [*Theragra chalcogramma*], in the western Gulf of Alaska. *Ices Journal of Marine Science* 49:297-304.
- Bailey, K. M., R.D. Brodeur, N.Merati, and M.M. Yoklavich. 1993. Predation on walleye pollock ([*Theragra chalcogramma*]) eggs and larvae by pelagic crustacean invertebrates in the western Gulf of Alaska. *Fisheries Oceanography* 2:30-39.
- Bailey, K. M., R.D. Brodeur, N.Merati, and M.M. Yoklavich. 1993. Predation on walleye pollock ([*Theragra chalcogramma*]) eggs and yolk-sac larvae by pelagic crustacean invertebrates in the western Gulf of Alaska. *Fisheries Oceanography* 2:30-39.
- Bailey, K. M. 1994. Predation on juvenile flatfish and recruitment variability. *Netherlands Journal of Sea Research* 32:175-189.
- Bailey, K. M., and S.A. Macklin. 1994. Analysis of patterns in larval walleye pollock [*Theragra chalcogramma*] survival and wind mixing events in Shelikof Strait, Gulf of Alaska. *Marine Ecology - Progress Series* 113:1-12.
- Bailey, K. M., R.D. Brodeur, and A.B. Hollowed. 1996. Cohort survival patterns of walleye pollock, [*Theragra chalcogramma*], in Shelikof Strait, Alaska: A critical factor analysis. *Fisheries Oceanography* 5:179-188.
- Bailey, K. M., A.L. Brown, M.M.Yoklavich, and K.L. Mier. 1996. Interannual variability in growth of larval and juvenile walleye pollock [*Theragra chalcogramma*] in the western Gulf of Alaska, 1983-91. *Fisheries Oceanography* 5:137-147.
- Bailey, K. M., S.J. Picquelle, and S.M. Spring. 1996. Mortality of larval walleye pollock [*Theragra chalcogramma*] in the western Gulf of Alaska, 1988-91. *Fisheries Oceanography* 5:124-136.
- Bailey, M. M. 1964. Age, growth, maturity, and sex composition of the American smelt, [*Osmerus mordax*] (Mitchill) of western Lake Superior. *Transactions of the American Fisheries Society* 93:382-395.
- Bailey, M. M. 1969. Age, Growth, and maturity of the longnose sucker, [*Catostomus catostomus*] of Western Lake Superior. *Journal of the Fisheries Research Board of Canada* 26:1289-1299.
- Bailey, M. M. 1972. Age, growth, reproduction, and food of the burbot, [*Lota lota*] (Linnaeus) in southwestern Lake Superior. *Transactions of the American Fisheries Society* 101:667-674.
- Bailey, R. 1975. Seasonal distribution, reproduction and behavior of schools of capelin, [*Mallotus villosus*], juvenile and adult, in the estuary and Gulf of St. Lawrence. *Cah. Inf. Serv. Rech. (Can.)*, No. 65:51.
- Bailey, R. G. 1972. Observations on the biology of [*Nothobranchius*] [*guentheri*] (Pfeffer) (Cyprinodontidae), an annual fish from the coastal region of East Africa. *Afr. J. Trop. Hydrobiol. Fish.* 2:33-47.
- Bailey, R. J. F., K. Able, and W. C. Leggett. 1977. Seasonal and vertical distribution and growth of juvenile and adult capelin, [*Mallotus villosus*], in the St. Lawrence

estuary and western Gulf of St. Lawrence. Journal of the Fisheries Research Board of Canada 34:2030-2040.

Bailey, R. M., and C. E. Bond. 1963. Four new species of freshwater sculpins, genus [Cottus], from western North America. Occ. Pap. Mus. Zool., Univ. Michigan, 634:1-27.

Bailey, R. M., and H. M. Harrison. 1948. Food habits of the southern channel catfish ([Ictalurus lacustris punctatus]) in the Des Moines River, Iowa. Trans. Am. Fish. Soc. 75:110-138.

Bailey, R. M., and H. W. Robison. 1978. [Notropis hubbsi], a new cyprinid fish from the Mississippi River Basin, with comments on [Notropis] [welaka]. Occ. Pap. Mus. Zool., Univ. of Mich., No. 683.

Bailey, R. M., and M. O. Allum. 1962. Fishes of South Dakota. Misc. Publ. Mus. Zool., Univ. Mich. No. 119, 131 pp.

Bailey, R. M., and R. D. Suttkus. 1952. [Notropis signipinnis], a new cyprinid fish from southeastern United States. Occ. Pap. Mus. Zool., Univ. Mich. 542:1-15.

Bailey, R. M., and W. A. Gosline. 1955. Variation and systematic significance of vertebral counts in the American fishes of the family Percidae. Univ. Mich. Mus. Zool., Misc. Publ. 93. 44 pp.

Bailey, R. S. 1974. The life history and biology of blue whiting in the northeast Atlantic. I. The planktonic phase in the Rockall area. Mar. Res. Dept. Agric. Fish Scotl. 1:5-29.

Bailey, W. H. 1972. Some observations on the white amur in Arkansas. Hyacinth Contr. J. 10:20-22.

Bailey, W. H., and R. L. Body. 1970. A preliminary report on spawning and rearing of grass carp ([Ctenopharyngodon idella]) in Arkansas. Proc. 24th. Ann. Conf. S. E. Assoc. G & F Comms. 24:560-568.

Bainbridge, V. 1961. The early life history of the bonga, [Ethmalosa] [dorsalis] (Cuvier and Valenciennes). J. Cons. int. Explor. Mer 26:347-353.

Bainbridge, V. 1962. The larvae of [Pellonula vorax] Gunther (Clupeidae) in Sierra Leone coastal waters. Bull. Inst. Fr. Afr. Noire, Ser. A 24:262-269.

Bainbridge, V. 1965. A preliminary study of [Sebastes] larvae in relation to the plankton environment of the Irminger Sea. ICANF Spec. Publ. 6:303-308.

Bainbridge, V., and B. J. McKay. 1968. The feeding of cod and redfish larvae. Int. Comm. N.W. Atl. Fish., Spec. Publ. No. 7.

Bainbridge, V., and D. C. T. Forsyth. 1971. The feeding of herring larvae in the Clyde. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160:104-113.

Bainbridge, V., and D. C. T. Forsyth. 1972. An ecological survey of a Scottish herring fishery. Part V. The plankton of the north-western North Sea in relation to the physical environment and the distribution of herring. Bull. Mar. Ecol. 8(1):21-52.

Bainbridge, V., and G. A. Cooper. 1971. Populations of [Sebastes] larvae in the North Atlantic. Res. Bull. Int. Comm. Northw. Atlant. Fish. (8):27-35.

Bainbridge, V., and G. A. Cooper. 1973. The distribution and abundance of the larvae of the blue whiting, [Micromesistius poutassou] in the northeast Atlantic, 1948-1970. Bull. Mar. Ecol. 8(2):99-114.

- Bainbridge, V., G. A. Cooper, and P. J. B. Hart. 1974. Fluctuations in the abundance of the larvae of pelagic fish in European waters, pp. 28. In: Rep. of the intl. symp. on early life history of fish. FAO Fish. Rep. No. 141. 58 pp.
- Baines, S. B., N. S. Fisher, and R. Stewart. 2002. Assimilation and retention of selenium and other trace elements from crustacean food by juvenile striped bass ([*Morone saxatilis*]). *Limnology and Oceanography* 47(3):646-655.
- Baird, D. 1977. Age, growth, and aspects of reproduction of the mackerel, [*Scomber japonicus*], in south African waters (Pisces:Scombridae). *Zool. Afr.* 12(2):347-362.
- Baird, R. C. 1965. Ecological implications of the behavior of the sexually dimorphic goby, [*Microgobius gulosus*] (Girard). *Publ. Inst. Mar. Sci., Univ. TX.* 10:1-8.
- Baird, S. F. 1887. Species of fish cultivated and distributed in 1885. Part XV. Rep. U.S. Comm. Fish. 1885:LXII-CIV.
- Baird, T. A.; Ryer, C. H.; Olla, B. L. 1991. Social enhancement of foraging on an ephemeral food source in juvenile walleye pollock, [*Theragra chalcogramma*]. *Environmental Biology of Fishes* 31:307-311.
- Bajkov, A. D. 1949. A preliminary report on the Columbia River sturgeon. *Fish. Comm. Res. Briefs, Fish. Comm. Oreg.* 2(2):3-10.
- Baker, A. N. 1972. Reproduction, early life history, and age-growth relationships of the New Zealand pilchard, [*Sardinops neopilchardus*] (Steindachner). *Fish. Res Bull., Fish. Res. Div., N.Z. Mar. Dept.* 5:1-64.
- Baker, A. N. 1973. Spawning and development of the New Zealand sprat [*Sprattus antipodum*]. *Zool. Publ. Victoria Univ. Wellington* 62:1-12.
- Baker, C. T. 1965. Lake Erie fish research: walleye fry sampling. Ohio Div. Wildl. Proj. No. Ohio F-035-R-03. 39 pp.
- Baker, C. T. 1966. Lake Erie fish research: walleye fry sampling. Ohio Div. Wildl. Proj. No. OH F-035-R-03. 58 pp.
- Baker, C. T. 1967. Lake Erie fish research: walleye fry sampling. Ohio Div. Wildl. Proj. No. OH F-035-R-04. 38 pp.
- Baker, C. T. 1967. Lake Erie fish research: walleye fry sampling. Ohio Div. Wildl. Proj. No. OH F-035-R-05. 30 pp.
- Baker, J. M. 1979. Larval development of the greenside darter, [*Etheostoma blennioides newmanii*] (Agassiz). Pages 70-91 [in] R.D. Hoyt, editor. *Proceedings of the third symposium on larval fish, Western Kentucky Univ., Bowling Green, KY.*
- Baker, J. R. 1938. The evolution of breeding seasons. Pages 161-177 [in] G.R. de Beer, editor. *Evolution. The Clarendon Press, Oxford.*
- Baker, J. R. 1978. The fantail darter, [*Etheostoma flabellare*], in the Salt River drainage, Kentucky. *Trans. Kentucky Acad. Sci.* 39(3-4):150-159.
- Baker, T. C. M. 1985. Two-way selection for aggression in juvenile, female and male sticklebacks ([*Gasterosteus aculeatus*] L.), with some notes on hormonal factors. *Behavior* 93(1-4):69-81.
- Baker-Cohen, D. F. 1961. The role of the thyroid in the development of platyfish. *Zoologica* 46:181-223.

- Bakos, J., L. Horvath, I. Jaczo, and G. Tamas. 1973. Breeding habits of the major cultivated fishes of EIFAC region and problems of sexual maturation in captivity. EIFAC workshop on controlled reproduction of cultivated fishes, EIFAC/T25:25-42.
- Bakshanskiy, E. L., V. D. Nesterov, and M. N. Neklyudov. 1980. The behavior of young Atlantic salmon, [*Salmo salar*], during downstream migration. J. Ichthyol. 20(4):93-104.
- Bakun, A. 1988. Local retention of planktonic early life stages in tropical demersal reef bank systems: the role of vertically-structured hydrodynamic processes. Pages 15-32 [in] IOC/FAO Workshop on recruitment in tropical coastal demersal communities, Ciudad del Carmen, Campeche, Mexico. April, 1986, IOC Workshop Report No. 44, Supplement.
- Bakun, A., and R. H. Parrish. 1982. Turbulence, transport, and pelagic fish in the California and Peru current systems. California Coop. Oceanic Fish. Invest. Rep. 23:99-112.
- Bakun, A. 1985. Comparative studies and the recruitment problem: searching for generalizations. Calif. Coop. Oc. Fish. Invest., Rep. 26:30-40.
- Bal, D. V. 1940. Some recent additions of fish eggs and larvae to the fauna of Port Erin. Rep. Mar. Biol. Stn Port Erin (53):14-17.
- Bal, D. V. 1941. Observations on spawning periods and key to pelagic eggs of fishes in Manx waters. Proc. Trans. Lpool Biol. Soc. 54:1-8.
- Bal, D. V. 1942. Shrinkage in plaice eggs. J. Univ. Bombay 10B:107-109.
- Bal, D. V. 1943. A preliminary account of the fish larvae from Bombay harbour. Proc. Indian Sci. Cong. 30(3):62.
- Bal, D. V. 1943. A study of fish eggs and larvae from Manx waters. I. Observations on the fish eggs. J. Univ. Bombay 11B:54-90.
- Bal, D. V. 1944. A study of fish eggs and larvae from Manx waters. II. Observations on the fish larvae. J. Univ. Bombay N. S. 12B:14-41.
- Bal, D. V., and L. B. Pradhan. 1945. A preliminary note on the plankton of Bombay Harbour. Curr. Sci. 14(8):211-212.
- Bal, D. V., and L. B. Pradhan. 1945. First progress on investigations of fish eggs and fish larvae from Bombay waters, 1944-45. Govt. Central Press, Bombay.
- Bal, D. V., and L. B. Pradhan. 1946. Second progress report on investigations of fish and fish larvae from Bombay waters, 1945-46. Govt. Central Press, Bombay.
- Bal, D. V., and L. B. Pradhan. 1947. Third progress report on "Investigation of fish eggs and fish larvae from Bombay waters", 1946-47. Govt. Central Press, Bombay.
- Bal, D. V., and L. B. Pradhan. 1951. Occurrence of fish larvae and postlarvae in Bombay waters during 1944-47. J. Univ. Bombay, 20B, 15 pp.
- Bal, D. V., and L. B. Pradhan. 1952. Records of zooplankton in Bombay waters during 1944-47. J. Univ. Bombay (N.S.) 20(5):75-79.
- Bal, D. V., and S. V. Bapat. 1949. The food of some postlarval clupeoids. Proc. 36th Indian Sci. Congr. Pt. 3:162.
- Bal, D. V., and S. V. Bapat. 1949. The food-habits of some young sciaenids. Proc. 36th Indian Sci. Congr. Pt. 3:162-163.
- Balaba, P. P. 1948. The time needed for metamorphosis in [*Lampetra*] [*mariae*] Berg. Trudy Inst. Zool., Kyyiv 1:29-38.

- Balabai, P. 1950. Observations on the feeding of the ammocoete. Dokl. Akad. Nauk. SSSR 72:341-344.
- Balakrishnan, K. P. 1959. Marine zoology and fisheries in the Indian Ocean. 1. Fish eggs and larvae of the Kerala coast. Proc. 1st All India Congr. Zoology (Jabalpur), 3.
- Balakrishnan, K. P. 1961. Fish eggs and larvae collected by the research vessel "Conch" during 1957-61. 1. Larvae of [Cynoglossus] [semifasciatus] Day. Bull. Cent. Res. Inst. Univ. Kerala India Ser. C Nat. Sci. 8:131-139.
- Balakrishnan, K. P. 1963. Fish eggs and larvae collected by the research vessel Conch. I. Larvae of [Arnoglmus tapaeinosoma], [Bothu] [ocillatus], [Laeops gunther], [Solea auata], and [Cynoglossus moropus]. Bull. Dept. Mar. Biol. Oceanogr. Univ. Kergia 1:81-96.
- Balakrishnan, K. P. 1963. On a chimaeroid egg capsule from the Arabian Sea. Journal of Zoology Soc.
- Balakrishnan, K. P. 1969. Eggs and early larvae of [Thrissocles] species (Engraulidae: Pisces). Mar. Biol. 2:224-227.
- Balakrishnan, K. P. 1971. Occurrence of larvae of [Bregmaceros] sp. along the west coast of India. Bull. Dept. Mar. Biol. Oceanogr., Univ. Cochin 5:17-24.
- Balakrishnan, K. P. 1971. Some observations on the skeletal system in the larvae of [Bregmaceros] sp. Bull. Dept. Mar. Biol. Oceanogr., Univ. Cochin 5:81-85.
- Balakrishnan, K. P., and C. B. L. Devi. 1970. Preliminary observations on the circulatory system in eggs and early larvae of some teleostean fishes. Mar. Biol. 6:256-261.
- Balakrishnan, K. P., and C. B. L. Devi. 1974. Larvae of some flat fishes from a tropical estuary. Pages 677-684 [in] J.H.S. Blaxter, editor. The early life history of fish. Springer-Verlag, N. Y., 765 pp.
- Balakrishnan, V. 1957. Occurrence of larvae and young mackerel ([Rastrelliger canagurta] Cuv.) off Vizhingam, near Trivandrum. Curr. Sci. 26(2):57-58.
- Balakrishnan, V., and K. V. Narayana Rao. 1967. Some postlarval and juvenile stages of the Indian mackerel, [Rastrelliger kanagurta] (Cuvier), with notes on the changes in body form. Indian J. Fish. (1-2):97-114.
- Balanco, G. J., and D. V. Villadolid. 1939. Fish-fry industry of the Philippines. Philip. J. Sci. 69(1):69-100.
- Balart, E. F. 1985. Development of median and paired fin skeleton of [Paralichthys olivaceus] (Pleuronectiformes Paralichthyidae). Jap. J. Ichthyol. 31(4):398-410.
- Balart, E. F. 1985. Osteological development of the hypobranch apparatus in [Engraulis japonicus]. Bull. Jap. Soc. Sci. Fish. 51(4):515-520.
- Balasubrahmanyam, K. 1968. Larva of [Idiacanthus fasciola] (Pisces:Family Idiacanthidae) from the Bay of Bengal. J. Mar. Biol. Assoc. India 1966 8(2):347-349.
- Balasubrahmanyam, K., K. S. P. B. Rao, and R. C. Subbaraju. 1967. Larval and juvenile stages of the flying fish, [Exocoetus volitans] L., and [Hirundichthys] [coromandelensis] (Hornell), from the Bay of Bengal. Int. Indian Ocean Exp. Newslett. 4(4):6.
- Balbontin, F., S.S. DeSilva, and K. F. Ehrlich. 1973. A comparative study of anatomical and chemical characteristics of reared and wild herring. Aquaculture. In Press.



- Balbontin, F., and R. Perez. 1979. Modalidad di postura, huevos y estados larvales de [Hypsoblennius sordidus] (Bennett) in la bahia de Valparaiso (Blenniidae: Perciformes). Rivta Biol. Mar. 16(3):311-318.
- Balbontin, F., I. Campodonico, and L. Guzman. 1979. Descripcion de huevos y larvas se especies de [Careproctus comensales] de [Paralomis granulosa] y [Lithodes antarctica]. An. Inst. Patagonia 10:235-243.
- Balbontin, F., and R. Perez. 1980. Descripcion de los estados larvales de [Normanichthys] [crockeri] Clark (Perciformes: Normanichthyidae) del area de Valparaiso. Rev. Biol. Mar. 17(1):81-95.
- Balbontin, F., and M. C. Orellano. 1983. Descripcion de las larvos del pey linterna [Hygophum] [bruuni] del area de Valparaiso, Chile (Pisces: Myctophidae). Rivta Biol. Mar. 19(2):205-216.
- Baldaccini, N. E. 1973. An ethological study of reproductive behavior including the colour patterns of the cichlid fish [Tilapia mariae] (Boulanger). Monit. Zool. Ital. 7(4):247-290.
- Baldwin, N. S. 1949. Observations on smelt spawning, South Bay, Manitoulin Island, 1948. Progressive Fish-Culturist 11:89.
- Baldwin, N. S., and R. W. Saalfeld. 1970. Commercial fish production in the Great Lakes 1960-1968. Suppl. Tech. Rep. No. 3, Great Lakes Fish. Commn., Univ. of Michigan, Ann Arbor, Michigan, USA.
- Baldwin, O. N. 1926. Some observations on the production of large mouth black bass at San Marcos, Texas fisheries station. Transactions of the American Fisheries Society 56:50-52.
- Balfour, F. M. 1876. On the development of elasmobranch fishes. J. Anat. Physiol., Lond. 10:377-411; 517-570; 672-688.
- Balfour, F. M. 1877. On the development of elasmobranch fishes. J. Anat. Physiol., Lond. 11:128-172.
- Balfour, F. M. 1878. A monograph of the development of elasmobranch fishes. MacMillan & Co., London, 295 pp.
- Balfour, F. M. 1878. On the development of elasmobranch fishes. J. Anat. Physiol., Lond. 12:177-216.
- Balfour, F. M., and W. Parker. 1881. On the structure and development of [Lepidosteus]. Proc. R. Soc. Qd. 23(217):112-119.
- Balfour, F. M., and W. K. Parker. 1882. On the development of [Lepidosteus]. Phil. Trans. R. Soc.:359-442.
- Balinsky, B. I. 1948. On the development of specific characters in cyprinid fishes. Proc. Zool. Soc. London 118(2):335-344.
- Balinski, B. I. 1965. An introduction to embryology. W.B. Saunders Co., Philadelphia, PA, 637 pp.
- Ball, I. R. 1967. The relative susceptibilities of some species of freshwater fish to poisons. I. Ammonia. Water Research 1:767-775.
- Ball, R. C., and E. H. Bacon. 1954. Use of pituitary material in the propagation of minnows. Progressive Fish-Culturist 16(3):108-113.
- Ballantyne, F. M. 1930. Notes on the development of [Callichthys littoralis]. Trans. Roy. Soc. Edinburgh 56(18):437-466.

- Ballantyne, P. K., and P. W. Colgan. 1978. Sound production during agonistic and reproductive behavior in pumpkinseed (*Lepomis gibbosus*), bluegill (*Lepomis macrochirus*), and their hybrid sunfish. 1. Context. *Biol. of Behavior* 3(2):113.
- Ballantyne, P. K., and P. W. Colgan. 1978. Sound production during agonistic and reproductive behavior in pumpkinseed (*Lepomis gibbosus*), bluegill (*L. macrochirus*), and their hybrid sunfish. 2. Recipients. *Biol. Behavior* 3(3):207.
- Ballantyne, P. K., and P. W. Colgan. 1978. Sound production during agonistic and reproductive behavior in pumpkinseed (*Lepomis gibbosus*), bluegill (*L. macrochirus*), and their hybrid sunfish. 3. Response. *Biol. Behavior* 3(3):211.
- Ballard, W. W. 1966. The role of the cellular envelope in the morphogenetic movements of teleosts embryos. *J. Exp. Zool.* 161:193-200.
- Ballard, W. W. 1969. Normal embryonic stages of *Gobiusniger joyo*. *Pubbl. Sta. Zool. Napoli* 37:1-17.
- Ballard, W. W. 1972. Characterization of developmental stages. Part VII. Salmonid fishes. Pages 190-192 [in] P.L. Altman and D. S. Dittmer, editors. *Biology data book*, 2nd ed., Fed. Am. Soc. Exp. Biol., Bethesda, MD.
- Ballard, W. W. 1973. A new fate map for *Salmo gairdneri*. *J. Exp. Zool.* 184(1):27-48.
- Ballard, W. W. 1973. Normal embryonic stages for salmonid fishes based on *Salmo gairdneri* Richardson and *Salvelinus fontinalis* (Mitchill). *J. Exp. Zool.* 184(1): 7-26.
- Ballard, W. W. 1973. Morphogenetic movements in *Salmo gairdneri* Richardson. *J. Exp. Zool.* 184(1):27-48.
- Ballard, W. W., and A. S. Ginsburg. 1980. Morphogenetic movements in acipenserid embryos. *J. Exp. Zool.* 213:69-103.
- Ballard, W. W. 1982. Morphogenetic movements and fate map of the cypriniform teleost *Catostomus commersoni* (Lac.). *J. Exp. Zool.* 219:301-321.
- Ballard, W. W. 1984. Morphogenetic movements in embryos of the holostean fish, *Amia calva*: A progress report. *Am. Zool.* 24(3):539-544.
- Ballard, W. W. 1986. Morphogenetic movements and a provisional fate map of development in the holostean fish, *Amia calva*. *J. Exp. Zool.* 238:355-372.
- Ballard, W. W. 1986. Stages and rates of normal development in the holostean fish, *Amia calva*. *J. Exp. Zool.* 238:337-354.
- Ballard, W. W., and R. G. Needham. 1964. Normal embryonic stages of *Polyodon spathula* (Walbaum). *J. Morph.* 114(3):465-478.
- Balon, E. K. 1956. Spawning and postembryonal development of the roach (*Rutilus rutilus* spp.). *Biol. Prace* 2:7-60.
- Balon, E. K. 1956. Development of the huchen, *Hucho hucho* (L.), during the period of exogeneous feeding after hatching. *Pol'nohospodarstvo* 3:433-455. In Slovak.
- Balon, E. K. 1958. Die entwicklung des Donauwildkarpfens (*Cyprinus carpio* L.) im Laufe der praelarvelen phase und der larvalen periode. *Biol. prace, Bratislava.* 4:1-54.
- Balon, E. K. 1959. Spawning of *Lepomis gibbosus* (Linne 1748) acclimatized in the back waters of the Danube and its development during the embryonic period. *Z. Fisch* 8 (N. F. 1-3):1-27.

- Balon, E. K. 1959. Die embryonale und larvale Entwicklung der Donauzope ([*Abramis ballerus*] subsp.). *Biol. pr.* 5:1-87.
- Balon, E. K. 1959. Die Entwicklung der Texas-Cichlide ([*Herichthys*] [*cyanoguttatus*] Baird et Girard) nach dem Schlupfen. *Zool. Anz.* 162:339-355.
- Balon, E. K. 1960. Über der Entwicklungstufen des Lebens der Fische und ihre Terminologie. *Zeitschrift fu wissenschaftliche Zoologie* 164:294-314.
- Balon, E. K. 1967. *Fishes of Slovakia*. Obzor Press, Bratislavia, Czechoslovakia. (In Slovak).
- Balon, E. K. 1971. The intervals of early fish development and their terminology (a review and proposals). *Vest. csl. Spol. Zool.* 35:1-8.
- Balon, E. K. 1974. Domestication of the carp, [*Cyprinus carpio*] L. *Roy. Ont. Mus. Life Sci. Misc. Pub.* ISBN:088854.147-3.
- Balon, E. K. 1975. Terminology of intervals in fish development. *Journal of the Fisheries Research Board of Canada* 32(9):1663-1670.
- Balon, E. K. 1975. Reproductive guilds of fishes: a proposal and definitions. *J. Fish. Res. Board Can.* 32(6):821-864.
- Balon, E. K. 1976. A note concerning Dr. Richard's comments on Balon's terminology of fish development intervals. *Journal of the Fisheries Research Board of Canada* 33:1254-1256.
- Balon, E. K. 1977. Early ontogeny of [*Labeotropheus*] Ahl, 1927 ([*Mbuna*], Cichlidae, Lake Malawi), with a discussion on advanced protective styles in fish reproduction and development. *Environmental Biology of Fishes* 2:147-176.
- Balon, E. K. 1979. The theory of saltation and its application to the ontogeny of fishes: steps and thresholds. *Env. Biol. of Fishes* 4:97-101.
- Balon, E. K. 1980. (Chapters on the ontogeny of charrs.). Pages 485-562, 563-606, 607-630, 631-666, and 703-720 [in] E.K. Balon, editor. *Charrs: salmonoid fishes of the genus Salvelinus*. Dr. W. Junk, The Hague, The Netherlands.
- Balon, E. K. 1981. Saltatory processes and altricial to precocial forms in the ontogeny of fishes. *Am. Zool.* 21:573-596.
- Balon, E. K. 1981. Additions and amendments to the classification of reproductive styles in fishes. *Environmental Biology of Fishes* 6:377-389.
- Balon, E. K. 1983. Epigenetic mechanisms: reflections on evolutionary processes. *Canadian Journal of Fisheries and Aquatic Sciences* 40:2045-2058.
- Balon, E. K. 1984. Reflections on some decisive events in the early life of fishes. *Transactions of the American Fisheries Society* 113:178-185.
- Balon, E. K. 1984. Patterns in the evolution of reproductive styles in fishes. Pages 35-54 [in] C.W. Potts and R. J. Wooten, editors. *Fish reproduction: strategies and tactics*. Academic Press, London, England.
- Balon, E. K. 1985. Early life histories of fishes: new developmental, ecological and evolutionary perspectives. Dr. W. Junk, Dordrecht, Boston.
- Balon, E. K. 1986. Types of feeding in the ontogeny of fishes and the life history model. *Environmental Biology of Fishes* 16(1/3):11-24.

- Balon, E. K., and S. Frank. 1958. Beitrag zur postembryonalen Entwicklung der Neon-Tetra ([*Hyphess obrycon innesi*] Myers 1936). *Acta Univ. Carolinae, Biol.* 5(1):3-11.
- Balon, E. K., J. J. Duyvene de Wit, and J. Holcik. 1962. The early stages of development of the intersubfamilial hybrid [*Puntius anoplus*]/[*Rhodeus ocellatus*] (Cyprinidae). *Zool. Anz.* 168(1-4):102-112.
- Baltz, D.M., J.W. Fleeger, C.F. Rakocinski and J.N. McCall. 1998. Food, density and microhabitat: factors affecting growth and recruitment potential of juvenile saltmarsh fishes. *Environ. Biol. Fish* 53(1):89-103.
- Bambang, S. 1981. Replacement of brine shrimp nauplii with artificial diets for feeding striped bass larvae. Ph.D Diss., Auburn Univ. 90 pp.
- Bamber, R. N., P. A. Henderson, and A. W. Turnpenny. 1985. The early life history of the sand smelt ([*Atherina presbyter*]). *J. Mar. Biol. Assoc. U. K.* 65(3):697-706.
- Bams, R. A. 1967. A review of the literature on the effects of changes in temperature regime on developing sockeye salmon eggs and alevins. *Fish. Res. Bd. Can., MS Rep.* 949:14-22.
- Bams, R. A. 1967. Differences in performance of naturally and artificially propagated sockeye salmon migrant fry, as measured with swimming and predation tests. *Journal of the Fisheries Research Board of Canada* 24:1117-1153.
- Bams, R. A. 1969. Adaptations of sockeye salmon associated with incubation in stream gravels. Pages 71-87 [in] T.G. Northcote, editor. *Symp. on salmon and trout in streams, 1968. H. R. MacMillan Lectures in Fish., Univ. British Columbia Vancouver, B. C.*
- Bams, R. A. 1970. Evaluation of a revised hatchery method tested on pink and chum salmon fry. *Journal of the Fisheries Research Board of Canada* 27:1429-1452.
- Bams, R. A., and K. S. Simpson. 1977. Substrate incubators workshop-1976. Report on current state-of-the-art. *Fish. mar. Serv. Env. Can. Tech. Rep.* 689:68 pp.
- Bams, R. A. 1982. Experimental incubation of chum salmon, [*Oncorhynchus keta*], in a Japanese-style hatchery stream. *Can. Tech. Rep. Fish. Aq. Sci.* 1101:65 pp.
- Bams, R. A. 1983. Early growth and quality of chum salmon, [*Oncorhynchus keta*], produced in keeper channels and gravel incubators. *Canadian Journal of Fisheries and Aquatic Sciences* 40(4):499-505.
- Bams, R. A., and C. N. H. Lam. 1983. Influence of deteriorating water quality on growth and development of chum salmon, [*Oncorhynchus keta*], larvae in a Japanese-style keeper channel. *Canadian Journal of Fisheries and Aquatic Sciences* 40(12):2098-2104.
- Banarescu, P. 1964. Fauna republicii populare Romine. *Pisces-Osteichthye Vol. 13 Editura Academiei Republicii Populare Romine, Bucuresti.* 959 pp.
- Band, E., editor. 1905. *Nordisches plankton. Eier und larven von fischen, andere Eier und cysten.* Kiel und Leipzig. Verlag von Lipsius und Tishcher.
- Bandow, F. 1969. Observations on the life history of the yellow perch and fish population trends in Canyon Ferry Reservoir, Montana. M.S. Thesis, Montana State Univ., 32 pp.
- Bane, G. W. 1963. The biology of the yellowfin tuna, [*Thunnus albacares*] (Bonaterre), in the Gulf of Guinea. Ph.D Diss., Cornell Univ., Ithaca, NY. 415 pp.
- Bane, G. W., Jr. 1965. Spawning of the margined flying fish, [*Cypselurus cyanopterus*] (Valenciennes), in the Gulf of Guinea. *Copeia* 1965(3):382.

- Bane, G., and M. Robinson. 1970. Studies on the shiner perch, [*Cymatogaster aggregata*] Gibbons, in Upper Newport Bay, California. *Wasmann J. Biol.* 28(2):259-268.
- Banerjee, M. K. 1970. A note on the mortality of [*Cyprinus carpio*] (L.) eggs caused by the gastropod [*Lymnea luteola*] (Lam.). *J. Inland Fish. Soc. India*, Barrackpore 2:161-163.
- Banerjee, S. C., and P. R. Sen. 1969. Oxygen consumption of eggs of rohu, [*Labeo rohita*] (Ham) during embryonic development. *Sci. Cult.* 35:489-490.
- Banks, J., L. Fowler, and J. Elliott. 1971. Effects of rearing temperature on growth, body form, and hematology of fall chinook fingerlings. *Progressive Fish-Culturist* 33(1):20-26.
- Banner, A., and J. A. Van Arman. 1973. Thermal effects on eggs, larvae, and juveniles of bluegill sunfish. *EPA Ecol. Res. Ser.*, EPA-R3-73-041, 111 pp.
- Banner, A., and M. Hyatt. 1973. Effects of noise on eggs and larvae of two estuarine fishes. *Transactions of the American Fisheries Society* 102(1):134-136.
- Bannister, R. C. A., D. Harding, and S. J. Lockwood. 1974. Larval mortality and subsequent year-class strength in the plaice ([*Pleuronectes platessa*] L.). Pages 21-37 [in] J.H.S. Blaxter, editor. *The early life history of fish*. Springer-Verlag, N.Y. 765 pp.
- Bapat, S. V., and D. V. Bal. 1950. Occurrence of fish larvae and postlarvae in Bombay waters during 1948-49. *Proc. 37th Indian Sci. Congr. (Poona)* Pt. 3:255.
- Bapat, S. V., and D. V. Bal. 1950. The food of some young clupeoids. *Proc. Indian Acad. Sci.* 32(1):39.
- Bapat, S. V., and D. V. Bal. 1952. The food of some young fishes from Bombay. *Proc. Indian Acad. Sci.* B35:78-92.
- Bapat, S. V., and R. R. Prasad. 1952. On some developmental stages of [*Caranx kalla*] Cuv. & Val. *J. Bombay Nat. Hist. Soc.* 51(1):111-115.
- Bapat, S. V. 1955. A preliminary study of pelagic fish eggs and larvae of the Gulf of Mannar and Palk Bay. *Indian J. Fish.* 2:231-255.
- Baraclough, W. E. 1964. Contribution of the marine life history of [*Thaleichthys pacificus*]. *Journal of the Fisheries Research Board of Canada* 21:1333-1337.
- Baragi, V., and R. T. Lovell. 1986. Digestive enzyme activities in striped bass from first feeding through larva development. *Transactions of the American Fisheries Society* 115:478-484.
- Barahona-Fernandes, M. H., and M. Girin. 1976. Preliminary tests on the optimum pellet-adaptation age for sea bass larvae (Pisces: [*Dicentrarchus*] [*labrax*] L. 1758). *Aquaculture* 8(3):283-290.
- Barahona-Fernandes, M. H., and M. Girin. 1977. Effects of different food levels on the growth and survival of laboratory reared sea bass larvae, [*Dicentrarchus labrax*] (L.). *ICES Working Group on Maricult.*, *Actes de Colloques du CNEOX* 4:69-84.
- Barahona-Fernandes, M. H., M. Girin, and R. Metailler. 1977. Experiments of adaptation of sea bass larvae (Pisces: [*Dicentrarchus labrax*]) to different types of food pellets. *Aquaculture* 10(1):53-64.
- Barahona-Fernandes, M. H., and M. Girin. 1977. Effects of different food levels on the growth and survival of laboratory reared sea bass larvae, [*Dicentrarchus labrax*] (L.). *ICES Working Group on Maricult.*, *Actes de Colloques du CNEOX* 4:69-84.

- Barahona-Fernandes, M. H., M. Girin, and R. Metailler. 1977. Experiments of adaptation of sea bass larvae (Pisces: [Dicentrarchus labrax]) to different types of food pellets. *Aquaculture* 10(1):53-64.
- Barahona-Fernandes, M. H. 1978. Effect of aeration on the survival and growth of sea bass ([Dicentrarchus labrax] (L.)) larvae: a preliminary study. *Aquaculture* 14:67-74.
- Barahona-Fernandes, M. H. 1978. L'elevage intensif des larves et des juveniles de bar, [Dicentrarchus labrax] (L.): donnees biologiques, zootechniques et pathologiques. These d'Etat de l'Universite d'Aix-Marseille II. 208 pp.
- Barahona-Fernandes, M. H. 1979. Some effects of light intensity and photoperiod on the sea bass larvae ([Dicentrarchus labrax] (L.) reared at the Centre Oceanologique de Bretagne. *Aquaculture* 17:311-321.
- Barahona-Fernandes, M. H., and G. Conan. 1981. Daily food intake of reared larvae of the European seabass ([Dicentrarchus labrax] L.) - statistical analysis and modelling. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:41-44.
- Baranenkova, A. S. 1957. Distribution and growth of the larvae of the fry of [Pollachos virens]. *Trudy PINRO* (10):145-160.
- Baranenkova, A. S., and N. S. Khokhlina. 1959. Drift of larvae and fry of the Barents Sea cod from the spawning to the feeding grounds. *Nauch-tekhn. Biull. "Pinro,"* No. 1(9).
- Baranenkova, A. S., et al. 1960. Morphological peculiarities, distribution and feeding of the young of [Anarhichas lupus] L., [A. minor] Olafsen, [A. latifrons] Stein. and Hallg. *Zool. Zhurn* XXXIX 8:1186-1200.
- Baranenkova, A. S., and N. S. Khokhlina. 1961. The distribution and size composition of larvae and young redfish in the Norwegian and Barents Seas. *Spec. Publs int. Commn NW. Atlant. Fish.,* No. 3:177-187.
- Baranenkova, A. S., and N. S. Khokhlina. 1961. The distribution of larvae of commercial fishes of the Barents Sea in 1959 and 1960. *Nauch-tekhn. Biull. "Pinro,"* No. 2-3:16-17.
- Baranenkova, A. S. 1962. Soviet investigations - small cod. *Annl. Biol.* XVII.
- Baranenkova, A. S. 1963. Soviet investigations of young haddock. *Barents Sea Ann. Biol.* XVIII:1961.
- Baranenkova, A. S., and Z. P. Baranova. 1964. Soviet investigations on young cod in the Barents Sea. *Ann. Biol.* XI X:1962.
- Baranenkova, A. S., and N. S. Khokhlina. 1968. Distribution of eggs, larvae and adults of the Norway pout off northwestern Norway and in the Barents Sea. Pages 90-100 [in] R.W. Blacker, editor. *Symposium on the ecology of pelagic fish species in Arctic waters and adjacent seas.* *Rapp. p.-v. Reun. Cons. perm. int. Explor.*
- Baranenkova, A. S., and N. S. Khokhlina. 1968. The distribution and abundance of eggs and larvae of the Arctic- Norwegian stock cod, etc. *PINRO Vol.* 23:217.
- Baranenkova, A. S., V. K. Zhuravleva, and N. S. Khokhlina. 1970. Distribution and drift of commercial fish larvae in the Barents Sea in June-July 1967. *Materialy ryb. issled. Severnogo Basseina* 14:26-43.
- Baranes, A., and J. Wendling. 1981. The early stages of development in [Carcharhinus] [plumbeus]. *J. Fish. Biol.* 18:159-175.
- Barannikova, I. A., N. N. Bayunova, and A. A. Strel'betskaya. 1981. Interrenal gland development during ontogeny of sturgeons and its response to changes in water temperature. *J. Ichthyol.* 21(6):115-119.

- Baranova, Z. P. 1969. Soviet investigations on young haddock in the Barents Sea. Ann. Biol. Vol. 26.
- Baranova, Z. P. 1975. Soviet observations on young haddock in the Barents Sea in the winter 1972-1973. Ann. Biol., Copenh. 30(1973):97-98.
- Baranova, Z. P. 1977. Soviet investigation into the juvenile haddock in the Barents Sea in the winter 1974-75. Annls. Biol. Copenh. 32:86-87.
- Barans, C. A. 1969. Distribution, growth and behavior of the spotted hake in the Chesapeake Bight. M.S. Thesis, College of William and Mary. 53 pp.
- Barans, C. A. 1972. Spotted hake, [*Urophycis regius*], of the York River and lower Chesapeake Bay. Ches. Sci. 13(1):59-62.
- Barans, C. A., and A. C. Barans. 1972. Eggs and early larval stages of the spotted hake, [*Urophycis regius*]. Copeia 1972:188-190.
- Baras, E. 1999. Diel dynamics of habitat use by riverine young-of-the-year [*Barbus barbus*] and [*Chondrostoma nasus*] (Cyprinidae). Archiv fur Hydrobiologie 146(4):431-448.
- Baras, E., C. Malbrouck, M. Houbart, P. Kestemont and C. Merland. 2000. The effect of PIT tags on growth and physiology of age-0 cultured Eurasian perch [*Perca fluviatilis*] of variable size. Aquaculture 185:159-173.
- Barber, D. L., and J. E. Westermann. 1978. Observations on development and morphological effects of histamine liberator 48/80 on PAS-positive granular leukocytes and heterophils of [*Catostomus commersoni*]. J. Fish Biol. 13(5):563-574.
- Barber, W. E., D. C. Williams, and W. L. Minckley. 1970. Biology of the gila spikedace, [*Meda fulgida*], in Arizona. Copeia 1970:9-18.
- Barbieri, L.R. 1993. Life history, population dynamics, and yield-per-recruit modeling of Atlantic croaker, [*Micropogonias undulates*], in the Chesapeake Bay. Ph.D. thesis, College of William and Mary, Virginia Institute of Marine Science, School of Marine Science, Gloucester Point, Virginia.
- Barbour, F. K. 1930. Suckers eating trout spawn at night. Copeia 1930(4):157-158.
- Barbour, T. 1911. The smallest [*Polyodon*]. Biol. Bull. 21:207-208.
- Barburina, Y. A. 1972. The development of the eyes of cyclostomes and fishes in relation to ecology. Nauka Press, Moscow.
- Bardach, J. E., J. H. Ryther, and W. O. McLarney. 1972. Aquaculture - the farming and husbandry of freshwater and marine organisms. John Wiley & Sons, Inc., NY. 868 pp.
- Barger, I. E., I. A. Collins, and J. H. Finucane. 1978. First record of bluefish larvae, [*Pomatomus saltatrix*], in the Gulf of Mexico. Northeast Gulf Sci. 2(2):145-148.
- Barkaloo, J. M. 1970. Taxonomic status and reproduction of striped bass in Florida. Tech. Pap. U.S. Bur. Sp. Fish. and Wildl., No. 44, 16 pp.
- Barker, L., and R. H. Moore. 1982. Seasonal species composition and biomass estimates of larval and juvenile fishes from North Inlet, South Carolina. Page 85 [in] C.F. Bryan, J. V. Conner, and F. M. Truesdale, editors. The fifth annual larval fish conference, Louisiana State Univ., Baton Rouge, LA. 86 pp.
- Barker, S. L., D. W. Townsend, and J. S. Hacunda. 1981. Mortality of Atlantic herring, [*Clupea harengus*] [*harengus*], smooth flounder, [*Liopsetta putnami*], and rainbow smelt, [*Osmerus mordax*], larvae exposed to thermal shock. Fish. Bull. 79(1):198-199.

- Barkley, R. A. 1964. The theoretical effectiveness of towed-net samplers as related to sampler size and to swimming speed of organisms. *J. Cons. perm. int. Explor Mer* 29(2):46-157.
- Barkley, R. A. 1972. Selectivity of towed-net samplers. *Fish. Bull. NOAA (U.S.)* 70(3):799-820.
- Barkman, R. C., and A. D. Beck. 1976. Incubating eggs of the Atlantic silverside on nylon screen. *Progressive Fish-Culturist* 38:148-150.
- Barkman, R. C. 1978. The use of otolith growth rings to age young Atlantic silversides, [*Menidia menidia*]. *Transactions of the American Fisheries Society* 107(6):790-792.
- Barkman, R. C., D. A. Bengston, and A. D. Beck. 1981. Daily growth of the juvenile fish (*Menidia menidia*) in the natural habitat compared with juveniles reared in the laboratory. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:324-326.
- Barlow, G. W. 1958. High salinity mortality of desert pupfish, [*Cyprinodon macularius*]. *Copeia* 1958(3):231-232.
- Barlow, G. W. 1961. Causes and significance of morphological variation in fishes. *Syst. Zool.* 10:105-117.
- Barlow, G. W. 1961. Social behavior of the desert pupfish, [*Cyprinodon*] [*macularius*], in the field and in the aquarium. *Am. Midl. Nat.* 65(2):339-359.
- Barlow, G. W. 1975. On the sociobiology of some hermaphroditic serranid fishes, the hamlets, in Puerto Rico. *Mar. Biol. (Berl.)* 33:295-300.
- Barman, T. E., N. K. Bai, and N. V. Thoai. 1964. Studies on herring-egg phosphoprotein. *Biochem. J.* 90:555-558.
- Barnab,, G., and F. Ren,,. 1973. Aquaculture marine. Reproduction contr"l,e et production d'alevins chez la dorade [*Sparus auratus*]. *C. R. Acad. Sci. Paris Ser. D.* 276:1621-1624. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Barnabe, G. 1974. Mass rearing of the bass, [*Dicentrarchus labrax*]. Pages 29-30 [in] *Rep. of the International Symposium on the Early Life History of Fish.* FAO Fish. Rep. No. 141. 58 pp.
- Barnabe, G. 1976. Rearing of sea bass, [*Dicentrarchus labrax*] (L.), (Pisces: Serranidae) using artificial diets. *Aquaculture* 9(3):237-252.
- Barnabe, G., F. Boulineau-Coatanea, and F. Rene. 1976. Chronology of morphogenesis in [*Dicentrarchus labrax*] L. (Pisces: Serranidae) obtained by artificial reproduction. *Aquaculture* 8(4):351-364.
- Barnard, K. H. 1926. The eggs of the Pilot-fish (*Naucrates ductor*). *Nature, Lond.* 118:228.
- Barnes, H., and T. B. Bagenal. 1951. A statistical study of variability in catch obtained by short repeated trawls over an inshore ground. *J. Mar. Biol. Assoc. U.K.* 29(3):649-660.
- Barnes, J. M. 1977. The sustained swimming ability of larval and juvenile gizzard shad, [*Dorosoma cepedianum*] (LeSueur), and threadfin shad, [*D. petenense*] (Gunther), as related to entrainment and/or impingement by water intake structures of power stations. M.S. Thesis, University of Arkansas, Fayetteville, 141 pp.
- Barnes, L. J. 1953. A further study of centrifugation and low temperature on the development of [*Fundulus heteroclitus*]. *Biol. Bull.* 105:370.



- Barnes, M.E., K. Wintersteen, W.A. Sayler and R.J. Cordes. 2000. Use of formalin during incubation of rainbow trout eyed eggs. *N. Am. J. of Aquacul.* 62:54-59.
- Barnett, A. M., A. E. Hahn, P. D. Sertic, and W. Watson. 1984. Distribution of ichthyoplankton off San Onofre, California and methods for sampling very shallow coastal waters. *Fish. Bull. NOAA* 82(1):97-112.
- Barney, R. L., and B. J. Anson. 1920. Life history and ecology of the pigmy sunfish, [*Elassoma zonatum*]. *Ecology* 1(4):241-256.
- Barney, R. L., and B. J. Anson. 1921. The seasonal abundance of the mosquito-destroying [*Gambusia affinis*] especially in relation to fecundity. *Anat. Rec. Phil.* 22:317-330.
- Barney, R. L., and B. J. Anson. 1923. Life history and ecology of the orange-spotted sunfish, [*Lepomis humilis*]. *Rep. U.S. Comm. Fish. Appendix xv.* 16 pp.
- Barney, R. L., and B. J. Anson. 1923. Life history and ecology of the orange-spotted sunfish, [*Lepomis humilis*]. *Rep. U.S. Fish. Comm.* 1922(15):1-146.
- Barnhart, P. S. 1927. Pelagic eggs off La Jolla, California. *Bull. Scripps Inst. Oceanogr., Univ. Calif.* 1:91-92.
- Barnhart, P. S. 1932. Notes on the habits, eggs, and young of some fishes of southern California. *Bull. Scripps Inst. Oceanogr., Univ. Calif., Tech. Ser.* 3:87-99.
- Barohona-Fernandes M. H. 1979. Some effects of light intensity and photoperiod on the sea bass larvae ([*Dicentrarchus labrax*] (L.)) reared at the centre Oceanologique de Bretagne. *Aquaculture* 17(4):311-321.
- Barr, L. M. 1962. A life history study of the chain pickerel, [*Esox*] [*niger*] Lesueur, in Beddington Lake, Maine. M.S. Thesis, Univ. Maine, Orono, ME. 35 pp.
- Barracough, W. E. 1964. Contribution to the marine life history of the eulachon, [*Thaleichthys pacificus*]. *Journal of the Fisheries Research Board of Canada* 21(5):1333-1337.
- Barracough, W. E. 1967. Data record: number, size and food of larval and juvenile fish caught with a two-boat surface trawl in the Strait of Georgia, April 25-29, 1966. *Fish. Res. Bd. Can., Manuscr. Rep., Ser. No. 922*, 54 pp.
- Barracough, W. E. 1967. Data record: number, size and food of larval and juvenile fish caught with an Isaacs-Kidd trawl in the surface waters of the Strait of Georgia, April 25-29, 1966. *Fish. Res. Bd. Can., Manuscr. Rep., Ser. No. 926*, 79 pp.
- Barracough, W. E. 1967. Data record: number, size composition and food of larval and juvenile fish caught with a two-boat surface trawl in the Strait of Georgia, June 6-8, 1966. *Fish. Res. Bd. Can., Manuscr. Rep., Ser. No. 928*, 58 pp.
- Barracough, W. E., and J. D. Fulton. 1967. Data record: number, size composition and food of larval and juvenile fish caught with a two-boat trawl in the Strait of Georgia, July 4-8, 1966. *Fish. Res. Bd. Can., Manuscr. Rep., Ser. No. 940*, 82 pp.
- Barracough, W. E., and J. D. Fulton. 1968. Data record: food of larval and juvenile fish caught with a surface trawl in Saanich Inlet during June and July 1966. *Fish. Res. Bd. Can., Manuscr. Rep., Ser. No. 1003*, 78 pp.
- Barracough, W. E., D. G. Robinson, and J. D. Fulton. 1968. Data record: number, size composition, weight, and food of larval and juvenile fish caught with a two-boat surface trawl in the Saanich Inlet, April 23-July 21, 1968. *Fish. Res. Bd. Can., Manuscr. Rep., Ser. No. 1004*, 305 pp.

- Barraclough, W. E., and D. G. Robinson. 1971. Weight, age, and food of juvenile sockeye salmon (*Oncorhynchus nerka*) from Great Central Lake, British Columbia, May 1969 to February 1971. Fish. Res. Bd. Can. Ms Rep. 1128:1-268.
- Barraclough, W. E., and D. Robinson. 1972. The fertilization of Great Central Lake. III. Effect on juvenile sockeye salmon. Fish Bull. NOAA (U.S.) 70:37-48.
- Barraclough, W. E., and A. C. Phillips. 1978. Distribution of juvenile salmon in the southern Strait of Georgia during the period April to July 1966-69. Tech. Rep. Fish. Mar. Serv. 826.
- Barreda, M. 1950. Informe sobre las investigaciones efectuadas con relacion al desove de la anchoveta en la Bahia de Pisco. Bol. Cia. Adm. Guano Lima 26(5):55-63.
- Barrett, J. 1951. Fertility of salmonid eggs and sperm after storage. Journal of the Fisheries Research Board of Canada 8(3):125-134.
- Barrington, E. J. W. 1937. The structure and development of the tail in plaice (*Pleuronectes platessa*) and the cod (*Gadus morhua*). Q. J. Micro. Sci. 79:447-469.
- Barron, J. C. 1964. Reproduction and apparent over-winter survival of the suckermouth armored catfish, *Plecostomus* sp., in the headwaters of the San Antonio River. Texas J. Sci. 16:449-450.
- Barron, M. G. 1982. Effect of sublethal toxicant exposure on the growth, nucleic acid and protein content of larval fish. M. S. Thesis, Univ. Minnesota, St. Paul. 58 pp.
- Barron, M. G., and I. R. Adelman. 1984. Nucleic acid, protein content and growth of larval fish sublethally exposed to various toxicants. Can. J. Fish. Aquat. Sci. 41:141-150.
- Barsukov, V. V. 1953. On the biology of reproduction of the White Sea wolf-fish (*Anarchichas lupus* L.). Zool. Zhur. 32(6):1211-1216.
- Barsukov, V. V. 1958. The fishes of Providence Bay and adjacent waters of the Chukotski Peninsula. Tr. Inst. Zool., Akad. Nauk SSSR 25:130-163.
- Bart, A. N., G. A. Kindschi, H. Ahmed, J. Clark, J. Young, and Y. Zohar. 2001. Enhanced transport of calcein into rainbow trout, *Oncorhynchus mykiss*, larvae using cavitation level ultrasound. Aquaculture 196(1-2):189-197.
- Bartel, R. 1971. Key factors affecting egg size in rainbow trout, *Salmo gairdneri* Richardson. Roczn. Nauk Roln Ser H Rybactwo 93(4):7-32. English Summary.
- Barthelemy-Lefevre G. F. 1955. Larves de thonides recueillies au cours des Campagnes du "President Theodore Tissier". Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 137: 36-39.
- Bartlet, M. R., and R. L. Haedrich. 1968. Neuston nets and South Atlantic larval blue marlin (*Makaira nigricans*). Copeia 1968(3):469-474.
- Bartlett, S. P. 1883. The cultivation of crappies in ponds. Bull. U.S. Fish. Comm. 3:362.
- Bartnik, V. C. 1970. Reproduction isolation between two sympatric dace, *Rhinichthys atratulus* and *R. cataractae* in Manitoba. Journal of the Fisheries Research Board of Canada 27(12):2125-2141.
- Bartnik, V. G. 1972. Comparison of the breeding habits of two subspecies of longnose dace, *Rhinichthys cataractae*. Canadian Journal of Zoology 50(1):83-86.
- Barton, B. A., G. S. Weiner, and C. B. Schreck. 1985. Effect of prior acid exposure on physiological responses of juvenile rainbow trout (*Salmo gairdneri*) to acute handling stress. Can. J. Fish. Aquat. Sci. 42:710-717.

- Barton, B. A., C. B. Schreck, and L. A. Sigismondi. 1986. Multiple acute disturbances evoke cumulative physiological stress responses in juvenile chinook salmon. *Transactions of the American Fisheries Society* 115:245-251.
- Bartsch, J., K. Brander, M. Heath, P. Munk, K. Richardson and E. Svendsen. 1989. Modelling the advection of herring larvae in the North Sea. *Nature* 340:632-636.
- Bartsch, J. 1993. Application of a circulation and transport model system to the dispersal of herring larvae in the North Sea. *Continental Shelf Research* 13:1335-1361.
- Bartsch, J., and R. Knust. 1994. Simulating the dispersion of vertically migrating sprat larvae (*[Sprattus sprattus]* (L.)) in the German Bight with a circulation and transport model system. *Fisheries Oceanography* 3:92-105.
- Barwick, D. H. 1973. The effect of increased sodium chloride on striped bass fry survival in freshwater ponds. *Proc. 27th Ann. Conf. S. E. Assoc. G & F Comms.* 27:415-419.
- Barwick, D. H. 1978. Food of larval black crappies in relation to electrical power generation, Keowee Reservoir, South Carolina. *Proc. 32nd Ann. Conf. S. E. Assoc. G & F Comms.* 32. 12 pp.
- Bary, B. M., et al. 1958. A closing, high-speed plankton catcher for use in vertical and horizontal towing. *Pacific Sci.* 12(1):46-59.
- Barry, K.L., J.A. Grout, C.D. Levings, B.H. Nidle, and G.E. Piercey. 2000. Impacts of acid mine drainage on juvenile salmonids in an estuary near Britannia Beach in Howe Sound, British Columbia. *Can. J. Fish. Aquat. Sci.* 57(10):2032-2043.
- Basch, R. 1968. Age, growth, and food habits of the spottail shiners, [*Notropis hudsonius*] (Clinton), in Little Bay de Noc, Lake Michigan. M. S. Thesis, Mich. State Univ., East Lansing, MI. 53 pp.
- Basheeruddin, S., and K. N. Nayar. 1962. A preliminary study of the juvenile fishes of the coastal waters of Madras City. *Indian J. Fish.* 8:169-188.
- Baslow, M. H., and G. Ruggieri. 1967. N-acetylhistidine in developing embryos of the killifish, [*Fundulus heteroclitus*] and the zebrafish, [*Brachydanio rerio*]. *Life Sci.* 6:609-614.
- Bason, W. H. 1971. Ecology and early life history of striped bass, [*Morone saxatilis*], in the Delaware estuary. *Prog. Rep. Jan-Dec. 1970. IV. Ichthyol. Assoc. Del. Prog. Rep., No. 3, Bull. No. 4.* 122 pp.
- Bason, W. H., and W. H. Keirse. 1974. Fishes. Vol. I. Part A. In: *An ecological study of the Chesapeake and Delaware Canal in the vicinity of the proposed Summit Power Station Site, Jan.-Dec. 1973. Ichthyol. Assoc., Inc., 175 pp.*
- Bason, W. H., H. A. Hagerty and Assoc. 1973. A study of the fishes in the vicinity of eight sites on the Delmarva Peninsula, April to Oct. 1972. *Ichthyol. Assoc., Inc., 283 pp.*
- Bason, W. H., S. E. Allison, L. O. Horseman, W. H. Keirse, and C. A. Shirey. 1975. Fishes. Vol. I. In: *Ecological studies in the vicinity of the propose Summit Power Station. Ann. Interpret. Rep., Jan.-Dec. 1974. Ichthyol. Assoc., Inc., 327 pp.*
- Bason, W. H., S. E. Allison, L. O. Horseman, W. H. Keirse, P. E. LaCivita, R. D. Sander, and C. A. Shirey. 1976. Fishes. Vol. I. In: *Ecological studies in the vicinity of the proposed Summit Power Station. Ann. Interpret. Rep., Jan.-Dec. 1975, Ichthyol. Assoc., Inc.*

- Bass, D. G., and V. G. Hitt. 1974. Ecological aspects of the redbreast sunfish ([*Lepomis auritus*]) in Florida. Proc. 28th Ann. Conf. S. E. Assoc. G & F Comms. 28:296-307.
- Bass, R. J., and J. W. Avault. 1975. Food habits, length-weight relationships, condition factor, and growth of juvenile red drum, [*Sciaenops ocellata*], in Louisiana. Transactions of the American Fisheries Society 104:35-45.
- Bassett, H. M. 1957. Further life history studies of two species of suckers in Shadow Mountain Reservoir, Grand County, Colorado. M.S. Thesis, Colorado State Univ., Fort Collins, CO. 112 pp.
- Basu, N. C., and B. B. Pakras. 1977. On the occurrence of milkfish, [*Chanos chanos*], larvae in the Bakkhali region of lower Sunderbans, India. J. Int. Fish. Soc. India 8 1976 (1977):97-104.
- Basu, S. P. 1946. Possibilities of mullet culture in India. Indian Fmg. 7(11):517-522.
- Basu, S. P. 1950. Effect of different combination and concentration of oxygen and carbon dioxide on larva, fry, and fingerlings of Indian food fishes, [*Catla catla*] (Ham.), [*Labeo rohita*] (Ham.), and [*Cirrhina mrigala*] (Ham.). Proc. Nat. Inst. Sci. India 1949 15(1):283-286.
- Basu, S. P. 1950. Experiments on the transport of larvae of Indian carps with oxygen in a closed system. Proc. 37th Indian Sci. Congr. Pt. 3:257-258.
- Basu, S. P. 1951. Effect of addition of soil in transport of larvae of Indian carps. Proc. 38th Indian Sci. Congr. (Bangalore) Pt. 3:227-228.
- Basu, S. P. 1951. Influence of basic physico-chemical factors in the transport of fish larvae and fry of Indian carps. Proc. 38th Indian Sci. Congr. Pt. 3:228-229.
- Basu, S. P. 1951. Oxygen utilization by different Indian carps under varying oxygen and carbon dioxide tension in the medium. Proc. 38th Indian Sci. Congr. Pt. 3:229.
- Basu, S. P. 1952. Effect of different surface area on the survival and transport of larvae of major Indian carps. Proc. 39th Indian Sci. Congr. (Calcutta) Pt. 3:334.
- Basu, S. P. 1952. Physiological requirements of eggs, larvae and fry during transportation. Proc. Indo-Pac. Fish. Council. 3rd. Mtg., Sect. III:209-217.
- Bates, D. W. 1970. Diversion and collection of juvenile fish with travelling screens. U.S. Fish. Wildl. Serv. Bur. Commer. Fish. Fish. Leaflet. 663, 6 pp.
- Bates, R. D., and J. Clark. 1983. Ichthyoplankton off Kodiak Island and the Alaska peninsula during spring 1981. U.S. NMFS, NW and Alaska Fish. Center Proc. Rep. 83-09. 106 pp.
- Bates, R. D. 1984. Ichthyoplankton off Washington, Oregon and northern California October-November 1981. NOAA, NMFS NWAFC Proc. Rep. 84-12. 41 pp.
- Bath, D. W., J. A. Hernandez, T. Rippalan, and C. McCarey. 1979. Technique for simultaneous sampling of planktonic fish eggs and larvae at three depths. Progressive Fish-Culturist 41(3):158-160.
- Bath, D. W., J. M. O'Connor, J. B. Alber, and L. G. Arvidson. 1981. Development and identification of larval Atlantic sturgeon ([*Acipenser oxyrinchus*]) and shortnose sturgeon ([*A. brevirostrum*]) from the Hudson River Estuary, New York. Copeia 1981(3):711-717.
- Battalora, M. S. J., R. D. Ellender, and B. J. Martin. 1985. Gnotobiotic maintenance of sheepshead minnow larvae. Progressive Fish-Culturist 47(2):122-126.

- Battle, H. I. 1929. Effects of extreme temperature and salinities on the development of [Enchelyopus cimbrius] (L). Contr. Can. Biol. Fish. 5(6):105-192.
- Battle, H. I. 1929. Spawning periodicity and embryonic death rates of [Enchelyopus cimbrius] (L) in Passamaquoddy Bay. Contr. Can. Biol. Fish. 5(7):363-378.
- Battle, H. I., A. G. Huntsman, A. M. Jeefers, G. W. Jeefers, W. H. Johnson, and N. A. McNairn. 1936. Fatness, digestion and food of Passamaquoddy young herring. Journal of the Fisheries Research Board of Canada 2(4):401-429.
- Battle, H. I. 1940. The embryology and larval development of the goldfish ([Carassius auratus] L.) from Lake Erie. Ohio J. Sci. 40(2):82-93.
- Battle, H. I. 1943. Effects of dropping on the subsequent hatching of teleostean ova. Journal of the Fisheries Research Board of Canada 6(3):252-256.
- Battle, H. I. 1944. The embryology of the Atlantic salmon ([Salmo salar] Linnaeus). Can. J. Res. 22(5):105-125.
- Battle, H. I. 1951. Contributions to a study of the life history of the hake. Spawning with notes on age determinations. Can. Fish. Mar. Serv. Misc. Spec. Publ. 434:1-25.
- Battle, H. I., and W. M. Sprules. 1960. A description of the semi-buoyant eggs and early developmental stages of the goldeye, [Hiodon] [aloesoides] (Rafinesque). Journal of the Fisheries Research Board of Canada 17(2):245-266.
- Batts, B. S. 1971. Life history aspects (including reproduction) of the skipjack tuna ([Katsuwonus pelamis]) in the northwestern Atlantic ocean. Diss. Abst. Int. 31B:6336.
- Batts, B. S. 1972. Sexual maturity, fecundity, and sex ratios of the skipjack tuna, [Katsuwonus pelamis] (Linnaeus), in North Carolina waters. Transactions of the American Fisheries Society 101(4):626-637.
- Batty, R. S. 1981. Locomotion of plaice larvae. Symp. Zool. Soc. London 48:53-69.
- Batty, R. S. 1983. Observations of fish larvae in the dark with television and infra-red illumination. Mar. Biol. 76(1):105-107.
- Batty, R. S. 1984. Development of the swimming movements and musculature of larval herring ([Clupea harengus]). J. Exp. Biol. 110:217-229.
- Batty, R. S. 1987. Effect of light intensity on activity and food-searching of larval herring, [Clupea harengus]: a laboratory study. Marine Biology 94:323-328.
- Batty, R. S., J. H. S. Blaxter, and Q. Bone. 1991. The effect of temperature on the swimming of a teleost ([Clupea harengus]) and an ascidian larva ([Dendrodoa grossularia]). Comparative Biochemistry and Physiology A - Comparative Physiology 100:297-300.
- Batty, R. S., and J. H. S. Blaxter. 1992. The effect of temperature on the burst swimming performance of fish larvae. Journal of Experimental Biology 170:187-201.
- Batty, R. S., J. H. S. Blaxter, and K. Fretwell. 1993. Effect of temperature on the escape responses of larval herring, [Clupea harengus]. Marine Biology (11):523-528.
- Batty, R. S. 1994. The effect of temperature on the vertical distribution of larval herring ([Clupea harengus] L). Journal of Experimental Marine Biology and Ecology. 177:269-276.
- Batty, R. S., and R. D. Hoyt. 1995. The role of sense organs in the feeding behaviour of juvenile sole and plaice. Journal of Fish Biology. 47:931-939.

- Bauchot, M. L. 1959. Etude des larves leptocephales du groupe [*Leptocephalus lanceolatus*] Stromman et identification a la famille des Serrivomeridae. Dana Rep. No. 48. 148 pp.
- Baugh, T. M. 1980. Spawning and hatching the Olympic mudminnow (*[Novumbra hubbsi]*) in aquaria. J. Aquaric. 1(3):63-64.
- Baughman, J. L. 1941. Scombriformes, new, rare, or little known in Texas waters with notes on their natural history or distribution. Trans. Texas Acad. Sci. 24:14-26.
- Baughman, J. L. 1950. Random notes on Texas fishes. Part II. Texas J. Sci. 2(2):242-263.
- Baughman, J. L. 1955. The oviparity of the white shark, [*Rhinedon typus*], with records of this and other fishes in Texas waters. Copeia 1955(1):54-55.
- Bax, N. J. 1983. Early marine mortality of marked juvenile chum salmon (*[Oncorhynchus keta]*) released into Hood Canal, Puget Sound, Washington, in 1980. Can. J. Fish. Aquat. Sci. 40:426-435.
- Bax, N. J. 1985. Simulation of the effects of potential oil spill scenarios on juvenile and adult sockeye, [*Oncorhynchus nerka*], migrating through Bristol Bay, Alaska. Rep. NOAA, NMFS Contract 83-ABC-134.
- Bax, N., and C. Whitmus. 1981. Early marine survival and migratory behavior of juvenile chum salmon released from the Enetai Hatchery, Washington, in 1980. Final Rep. FRI-UW-8109. Fish. Res. Inst., Univ. Washington, Seattle. 48 pp.
- Baxter, G. T., and J. R. Simon. 1970. Wyoming fishes. Wyoming Game and Fish Dept., Bull. 4, 168 pp.
- Baxter, I. G. 1959. Fecundities of winter-spring and summer-autumn herring spawners. J. Cons. perm. int. Explor. Mer 25(1):73-80.
- Baxter, I. G. 1971. Developmental rates and mortalities in Clyde herring eggs. Pages 27-29 [in] A. Saville, editor. Symposium on the biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160, 205 pp.
- Baxter, I. G., and J. H. Steele. 1973. Mortality of herring larvae in the Clyde Sea area. ICES CM 1973/E:29.
- Baxter, J. L. 1960. A study of the yellowtail, [*Seriola dorsalis*] (Gill). California Dept. Fish Game Fish Bull. 110.
- Baxter, J. S., and J. D. McPhail. 1999. The influence of redd-site selection, groundwater upwelling, and over-winter incubation temperature on survival of bull trout (*[Salvelinus confluentus]*) from egg to alevin. Canadian Journal of Zoology 77(8):1233-1239.
- Bay, E. C. 1966. Adaptation studies with the Argentine pearl fish, [*Cynolebias bellottii*], for its introduction into California. Copeia 1966(4):839-846.
- Bayer, R. D. 1980. Birds feeding on herring eggs at the Yaquina estuary, Oregon. Condor 82:193-198.
- Bayless, J. D. 1966. A report on the operation of Moncks Corner Hatchery. South Car. Wildl. Res. Dept. 24 pp.
- Bayless, J. D. 1967. Striped bass hatching and hybridization experiments. Proc. 21st. Ann. Conf. S. E. Assoc. G & F Comms. 21:233-244.
- Bayless, J. D. 1972. Artificial propagation and hybridization of striped bass, [*Morone saxatilis*] (Walbaum). South Carolina Wildlife and Marine Resources Dept., Columbia, South Carolina, USA.

- Bayliff, W. H. 1950. The life history of the silverside, [*Menidia menidia*] (Linnaeus). Ches. Biol. Lab., Solomons Island, MD, Publ. 90:1-27.
- Bayliff, W.H. 1963. Observations on the life history and identity of intraspecific groups of the anchoveta, [*Cetengraulis mysticetus*], in Montijo Bay and Chiriqui Province, Panama. Bull. I-ATTC 8:167-197. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)
- Baylis, J. R. 1981. The evolution of parental care in fishes, with reference to Darwin's rule of male sexual selection. Environ. Biol. of Fish. 6:223-251.
- Be, A. W. H. 1962. Quantitative multiple opening and closing plankton samplers. Deep Sea Res. 9:144-151.
- Beach, M. L. 1974. Food habits and reproduction of the taillight shiner, [*Notropis maculatus*] (Hay), in central Florida. Q. J. Florida Acad. Sci. 37(1):5-16.
- Beacham, T. D., F. C. Withler, and R. B. Morley. 1985. Effect of egg size on incubation time and alevin and fry size in chum salmon ([*Oncorhynchus keta*]) and coho salmon ([*O. kisutch*]). Canadian Journal of Zoology 63(4):847-850.
- Beacham, T. D., and C. B. Murray. 1986. Comparative developmental biology of pink salmon, [*Oncorhynchus gorbuscha*], in southern British Columbia. J. Fish. Biol. 28(2):233-246.
- Beal, C. D. 1967. Life history information on the blue sucker, [*Cycleptus elongatus*] (LeSueur) in the Missouri River. M.A. Thesis, Univ. South Dakota, 36 pp.
- Beall, E. P. 1972. The use of predator-prey tests to assess the quality of chum salmon, [*Oncorhynchus keta*] fry. M.S. Thesis, Univ. Washington, Seattle. 105 pp.
- Beamesderfer, R. C., and J. L. Congleton. 1981. Spawning behavior, habitat selection, and early life history of northern squawfish with inferences to Colorado squawfish. Idaho Coop. Fish. Res. Unit, Rep. No. 2. Univ. Idaho, Moscow.
- Beamesderfer, R.C. 1992. Reproduction and early life history of northern squawfish, [*Ptychocheilus oregonensis*], in Idaho's St. Joe River. Environ. Biol. Fish. 35(3):231-241.
- Beamish, F. W. H. 1964. Respiration of fishes with special emphasis on standard oxygen consumption. Canadian Journal of Zoology 42:177-188.
- Beamish, F. W. H., and I. C. Potter. 1975. The biology of the anadromous sea lamprey, [*Petromyzon marinus*], in New Brunswick. Journal of Zoology 177(1):57-72.
- Beamish, F. W. H. 1980. Osmoregulation in juvenile and adult lampreys. Canadian Journal of Fisheries and Aquatic Sciences 37(11):1739-1750.
- Beamish, F. W. H., and E. J. Thomas. 1984. Metamorphosis of the southern brook lamprey, [*Ichthyomyzon gagei*]. Copeia 1984:502-515.
- Beamish, F. W. H., and J. A. Jebbink. 1994. Abundance of lamprey larvae and physical habitat. Environmental Biology of Fishes 39:209-214.
- Beamish, F. W. H., and S. Lowartz. 1996. Larval habitat of American brook lamprey. Canadian Journal of Fisheries and Aquatic Sciences 53(4):693-700.
- Beamish, R. J. 1973. Determination of age and growth of populations of the white sucker, ([*Catostomus commersoni*]) exhibiting a wide range in size at maturity. Journal of the Fisheries Research Board of Canada 30:607-616.

- Beamish, R. J., and M. S. Smith. 1976. A preliminary report on the distribution, abundance and biology of juvenile spiny dogfish, [*Squalus*] [*acanthus*], in the Strait of Georgia and their relationship with other fishes. Tech. Rep. Fish. Mar. Serv. 629.
- Beamish, R. J., D. J. Noakes, G. A. McFarlane, W. Pinnix, R. Sweeting and J. King. 2000. Trends in coho marine survival in relation to the regime concept. *Fish. Oceanogr.* 9(1):114-119.
- Bean, B. A., and A. C. Weed. 1911. An electric ray and its young from the west coast of Florida. *Proc. U.S. Natl. Mus.* 40:231-232.
- Bean, T. H. 1892. The fishes of Pennsylvania, with description of the species and notes on their common names, distribution, habits, reproduction, rate of growth, and mode of capture. E. K. Meyers Printing House, Harrisburg, PA, 149 pp.
- Bean, T. H. 1892. Observations upon fishes and fish culture. *Bull. U.S. Bur. Fish. for 1890.* Vol. 10.
- Bean, T. H. 1903. Eggs of sea raven, [*Hemitripterus americanus*]. *New York State Mus. Bull.* 60. *Zool.* 9(1903):647.
- Bean, T. H. 1903. The food and game fishes of New York: notes on their common names, distribution, habits and mode of capture. *State N.Y. Forest Fish Game Comm.* 247-460.
- Bean, T. H. 1907. Difficulties in fish culture. *Rep. N.Y. Forest, Fish, and Game Comm. for 1904-06.* pp 359-370.
- Bean, T. H. 1908. The muskellunge of the Ohio basin. *Transactions of the American Fisheries Society* 37:145-151.
- Beard, J. 1889. On the early development of [*Lepidosteus osseus*]. Preliminary notice. *Proc. R. Soc. Lond.* 46:108-118.
- Beard, J. 1892. On the development of the common skate ([*Raja*] [*batis*]). *Eighth Ann. Rep. Fish Bd. Scotl.*:300-311.
- Beard, J. 1896. The yolk-sac, yolk and merocytes in [*Scyllium*] and [*Lepidosteus*]. *Anat. Anz.* 12:334-347.
- Bearden, C. M. 1959. A life history study of the eagle ray, [*Myliobatis*] [*freminvillii*] Lesueur 1824, in Delaware Bay. M.S. Thesis, Univ. Delaware, 37 pp.
- Bearden, C. M. 1963. A contribution to the biology of the king whittings, [*Menticirrhus*], of South Carolina. *Contr. Bears Bluff Lab.* 38:1-27.
- Bearden, C. M. 1964. Distribution and abundance of Atlantic croaker, [*Micropogon undulatus*], in South Carolina. *Contr. Bears Bluff Lab., No. 40,* 23 pp.
- Beardsley, A. E. 1904. The destruction of trout fry by hydra. *Bull. U.S. Fish Commn.* 22(1902):157-160.
- Beardsley, G. L. 1967. Age, growth, and reproduction of the dolphin in the straits of Florida. *Copeia* 1967(2):441-451.
- Beardsley, G. L., Jr., N. R. Merrett, and W. J. Richards. 1975. Synopsis of the biology of the sailfish, [*Istiophorus platypterus*] (Shaw and Nodder, 1791). Pages 95-120 [in] R. S. Shomura and F. Williams, editors. *Proceedings of the intl. billfish Symp., Kailua-Kona, Hawaii.* NOAA Tech. Rep. NMFS SSRF-675.
- Beattie, J. H., and D. Pascoe. 1978. Cadmium uptake by rainbow trout, [*Salmo gairdneri*], eggs and alevins. *J. Fish. Biol.* 13(5):631-638.



- Beaumariage, D. S. 1973. Age, growth, and reproduction of king mackerel, [*Scomberomorus cavalla*], in Florida. Florida Mar. Res. Publ. No. 1, 45 pp.
- Beaven, M. 1973. Fish eggs and larvae. C & D. canal. NRI Ref. No. 73-6.
- Beaven, M., and J. A. Mihursky. 1979. Food and feeding habits of larval striped bass: an analysis of stomachs from 1976 Potomac estuary collections. Univ. of Maryland CEES Ref. No. 79-45-CBL, Chesapeake Biol. Lab., Solomons, MD. 20688.
- Bechtel, T. J., and B. J. Copeland. 1970. Fish species diversity indices as indicators of pollution in Galveston Bay, Texas. Contrib. Mar. Sci. 15:103-132.
- Beck, A. D. 1977. Laboratory culture and feeding of the Atlantic silverside, [*Menidia menidia*]. Proc. Conf. Cultiv. of Fish fry and live food, Symbark, Poland. Europ. Maricult. Soc. Spec. Publ.
- Beck, A. D., D. A. Bengtson, and W. H. Howell. 1980. International study on [*Artemia*]. V. Nutritional value of five geographical strains of [*Artemia*]: effects on survival and growth of larval Atlantic silverside, [*Menidia menidia*]. Pages 249-259 [in] G. Persoone, P. Sorgeloos, O. Roels, and E. Jaspers, editors. The brine shrimp [*Artemia*]. Vol. 3. Universa Press, Wetteren, Belgium.
- Beck, A. P. 1979. Hydrostatic pressure effects on early developmental stages of striped bass (*Morone saxatilis*). Ph.D. Diss., New York Univ., 274 pp.
- Becker, C. D. 1969. The food and feeding of juvenile chinook salmon in the Columbia River at Hanford. Rep. Pacific N.W. Lab. 1968(1):2-2.45-2.
- Becker, C. D. 1970. Temperature, timing, and seaward migration of juvenile chinook salmon from the central Columbia River. Battelle Northwest Lab. Publ. No. 1472. 23 pp.
- Becker, C. D. 1973. Food and growth parameters of juvenile chinook salmon, [*Oncorhynchus tshawytscha*], in central Columbia River. U.S. NMFS Fish. Bull. 71:387-400.
- Becker, C. D., and M. G. Wolford. 1980. Thermal resistance of juvenile salmonids sublethally exposed to nickel, determined by the critical thermal maximum method. Env. Poll. 21A:181-189.
- Becker, C. D., D. A. Neitzel, and D. H. Fickeisen. 1982. Effects of dewatering on chinook salmon redds: tolerance of four developmental phases to daily dewaterings. Transactions of the American Fisheries Society 111:624-637.
- Becker, C. D., and D. A. Neitzel. 1985. Assessment of intergravel conditions influencing egg and alevin survival during salmonid redd dewatering. Environmental Biology of Fishes 12(1):33-46.
- Becker, G. C., and T. R. Johnson. 1970. Illustrated key to the minnows of Wisconsin. Dept. Biol., Univ. of Wisconsin at Stevens Point, Wisconsin, 45 pp.
- Beckett, D. C., and C. H. Pennington. 1986. Water quality, macroinvertebrates larval fishes, and fishes of the lower Mississippi River - a synthesis. Tech. Rep. U.S. Army Engineer Waterways Experiment Station E-86-12.
- Beckett, J. S. 1974. Biology of swordfish, [*Xiphias gladius*] L., in the northwest Atlantic. NOAA Tech. Rep., NMFS, SSRF, 675:103-106.
- Beckley, L. E. 1984. The ichthyofauna of the Sundays Estuary, South Africa, with particular reference to the juvenile marine component. Estuaries 7(3):248-258.
- Beckley, L. E. 1985. Tidal exchange of ichthyoplankton in the Swartkops Estuary mouth, South Africa. S. A. Journal of Zoology 20(1):15-20.

- Beckley, L. E., and J.D. Hewitson. 1994. Distribution and abundance of clupeoid larvae along the East Coast of South Africa in 1990/91. *South African Journal of Marine Science* 14:205-212.
- Beckman, W. C. 1963. Guide to the fishes of Colorado. Univ. Colo. Mus., Boulder, 110 pp.
- Beckwith, C. J. 1907. The early development of the lateral line system of [*Amia calva*]. *Biol. Bull.* 14(1):23-30.
- Bedier, E. 1979. Pilot scale production of sea bass ([*Dicentrarchus*] [*labrax*] L.) fry. Symp. on early life history of fish, Woods Hole, MS.
- Bedier, E. 1981. Pilot scale production of sea bass, [*Dicentrarchus*] [*labrax*], fry. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:530-532.
- Beebe, W. 1927. A tarpon nursery in Haiti. *Bull. New York Zool. Soc.* 30(5):141-145.
- Beebe, W. 1932. Ontological notes on [*Remora remora*]. *Zoologica, N.Y.* 13(6):1-12.
- Beebe, W. 1932. Nineteen new species and four post-larval deepsea fish. *Zoologica (NY)* 13:47-107.
- Beebe, W. 1933. Deep-sea fishes of the Bermuda oceanographic expeditions. 3. Family Argentinidae. *Zoologica New York* 16(3):97-147.
- Beebe, W. 1934. Deep-sea fishes of the Bermuda oceanographic expeditions. Family Idaicanthidae. *Zoologica New York* 16(4):149-241.
- Beebe, W. 1936. The egg-life of a deep-sea eel. *Bull. N. Y. Zool. Soc.* 39:232-242.
- Beebe, W., and J. Crane. 1936. Deep-sea fishes of the Bermuda oceanographic expeditions. 3. Family Serrivomeridae. *Zoologica New York* 22(4):349-383.
- Beebe, W., and J. Crane. 1937. Deep sea fishes of the Mermuda oceanographic expeditions. Family Nemichthyidae. *Zoologica* 22:349-383.
- Beebe, W., and J. Crane. 1939. Deep-sea fishes of the Bermuda oceanographic expeditions. Family Melanostomiatidae. *Zoologica New York* 24(2):65-238.
- Beebe, W. 1941. A study of young sailfish ([*Istiophorus*]). *Zoologica, N.Y.* 26(20):209-227.
- Beebe, W. 1941. Young sailfish. *Science, N. Y.* 94:300-301.
- Beeman, H. W. 1907. On the propagation of black bass. *Transactions of the American Fisheries Society* 1906(1907):182.
- Beeman, H. W. 1925. Habits and propagation of the small-mouthed black bass. *Transactions of the American Fisheries Society* 54:92-107.
- Beer, K. E. 1980. Embryonic and larval development of [*Acipenser*] [*transmontanus*]. M. S. Thesis, Univ. California-Davis, Davis. 93 pp.
- Beer, W. N., and J. J. Anderson. 2001. Effect of spawning day and temperature on salmon emergence: interpretations of a growth model for Methow River Chinook. *Canadian Journal of Fisheries and Aquatic Sciences* 58(5):943-949.
- Beers, J. R., and G. L. Stewart. 1967. Micro-zooplankton in the euphotic zone at five locations across the California Current. *Journal of the Fisheries Research Board of Canada* 24(10):2053-2068.

- Beers, J. R., G. L. Stewart, and J. D. H. Strickland. 1967. A pumping system for sampling small plankton. *Journal of the Fisheries Research Board of Canada* 24(8):1811-1818.
- Behmer, D. H. 1964. Length-weight relationship and spawning of river carpsucker, [*Carpionodes carpio*], in Des Moines River, Iowa. M.S. Thesis, Iowa State Univ., Ames, IA. 54 pp.
- Behmer, D. J. 1967. Spawning periodicity of river carpsuckers, [*Carpionodes carpio*]. *Proc. Iowa Acad. Sci.* 72:252-262.
- Behmer, D. J. 1969. A method of estimating fecundity with data on river carpsuckers, [*Carpionodes carpio*]. *Transactions of the American Fisheries Society* 98(3):523-524.
- Behra, M., X. Cousin, C. Bertrand, J.L. Vonesch, D. Biellmann, A. Chatonnet, and U. Strähle. 2002. Acetylcholinesterase is required for neuronal and muscular development in the zebrafish embryo. *Nat. Neurosci.* 5(2):111-118. (Citation retrieved from the Zebrafish Information Network (ZFIN), the Zebrafish International Resource Center, University of Oregon, Eugene, OR 97403-5274; World Wide Web URL: <http://zfin.org/>; [3 July 2002]).
- Behrens, D. W. 1977. Fecundity and reproduction of the viviparous perches [*Hypsurus caryi*] (Agassiz) and [*Embiotoca jacksoni*] Agassiz. *California Fish and Game* 63(4): 234.
- Behrstock, R. A. 1979. A juvenile ocean triggerfish, [*Canthidermis*] [*imaculatus*] (Bloch), (Pisces: Balistidae) from the Gulf of California. *California Fish and Game* 65(3):169-170.
- Bejda, A. J. 1971. Investigations of a laboratory food source for largemouth bass larvae. M.S. Thesis, Cornell Univ., Ithaca, N.Y. 30 pp.
- Bekker, V. E. 1964. Slendertailed luminescent anchovies, Genera [*Loweina*], [*Tarletonbeania*], [*Gonichthys*] and [*Centrobranchus*], of the Pacific and Indian Oceans. Systematics and distribution. *Tr. Inst. Okeanol.* 73:11-75.
- Bekker, V. E., and O. D. Borodulina. 1968. Lantern fishes of the genus [*Ceratoscopelus*] Gunther. Systematics and distribution. *Vopr. Ikhtiol.* 8(5):779-798.
- Beklergenov, Z., and N. I. Sagitov. 1984. Feeding habits of juveniles of some common fishes in the Amu Dar'ya River. *J. Ichthyol.* 24(3):18-22.
- Beland, F., H. I. Browman, C. A. Rodriguez, and J. F. StPierre. 1999. Effect of solar ultraviolet radiation (280-400 nm) on the eggs and larvae of Atlantic cod ([*Gadus morhua*]). *Canadian Journal of Fisheries and Aquatic Sciences* 56(6):1058-1067.
- Belcheva, R., L. Dimcheva-Grozdanov, and M. Topaschuka. 1971. Cyto-genetic and embryological investigations of the rainbow trout, [*Salmo irideus*] Gibb, after irradiation of the paternal gametes with uv light. *God Sofii Univ. Biol. Fak Kn 1 Zool. Fiziol. Biokhim. Zhiv* 65:143-155. Russian with German abstract.
- Belding, D. L., M. J. Pender, and J. A. Rodd. 1932. The early growth of salmon parr in Canadian hatcheries. *Transactions of the American Fisheries Society* 62:211-223.
- Belding, D. L. 1934. The spawning habits of the Atlantic salmon. *Transactions of the American Fisheries Society* 64:211-218.
- Bell, F. H., and G. St. Pierre. 1970. The Pacific halibut. *Rep. Int. Pac. Halibut Comm.* 6. 24 pp.
- Bell, G., J. A. Buckel and A. W. Stoner. 1999. Effects of alternative prey on cannibalism in age-1 bluefish. *J. Fish Biol* 55:990-1000.
- Bell, G. R., G. E. Hoskins, and J. W. Bagshaw. 1969. On the structure and enzymatic degradation of the external membrane of the salmon egg. *Canadian Journal of Zoology* 47(1):146-148.

- Bell, G. R., G. E. Hoskins, and W. Hodgkiss. 1971. Aspects of the characterization, identification, and ecology of the bacterial flora associated with the surface of stream-incubating Pacific salmon, [*Oncorhynchus*], eggs. *Journal of the Fisheries Research Board of Canada* 28:1511-1525.
- Bell, J. D., M. Westoby, and A.S. Steffe. 1987. Fish larvae settling in seagrass: do they discriminate between beds of different leaf density? *J. Exp. Mar. Biol. Ecol.* 111:133-144.
- Bell, M. A. 1979. Low-plate morph of the threespine stickleback breeding in salt water. *Copeia* 1979(3):529-533.
- Bell, M. A., and E. I. Harris. 1985. Developmental osteology of the pelvic complex of [*Gasterosteus aculeatus*]. *Copeia* 1985(3):789-791.
- Bell, M. C., et al. 1976. Effects of power peaking on survival of juvenile fish at lower Columbia and Snake River dams. U.S. Army Corps of Engineers, North Pacific Division.
- Bell, M. V., and J. R. Sargent. 1996. Lipid nutrition and fish recruitment. *Marine Ecology - Progress Series*. 134: 315-316.
- Bell, R. R. 1956. Propagation of bait minnows in California. California Dept. Fish & Game, Inland Fish Adm. Rep. No. 56-11. 20 pp.
- Bellaer, E., F. Amat, F. Hontoria, P. Leger, and P. Sorgeloos. 1985. Preliminary results on the nutritional evaluation of w3-HUFA-enriched [*Artemia*] nauplii for larvae of the sea bass, [*Dicentrarchus labrax*]. *Aquaculture* 49(3/4):223-230.
- Bellinger, J. W., and J. W. Avault, Jr. 1970. Seasonal occurrence, growth, and length-weight relationship of juvenile pompano, [*Trachinotus*] [*carolinus*], in Louisiana. *Transactions of the American Fisheries Society* 99(2):353-358.
- Bellinger, J. W., and J. W. Avault, Jr. 1971. Food habits of juvenile pompano, [*Trachinotus*] [*carolinus*], in Louisiana. *Transactions of the American Fisheries Society* 100(3):486-494.
- Belloc, G. 1955. Mediterranean tunas. Pt. II. Little tunas and striped-bellied bonito. *Proc. Tech. Pap. Gen. Fish. Coun. Mediterr.*
- Bellwood, D. R., and ? Fisher. .2001. Relative swimming speeds in reef fish larvae. *Marine Ecology Progress Series* 211:299-303.
- Belova, A. V. 1966. Comparative morphological analysis of the blood of young pink salmon from Sakhalin and Murmansk hatcheries and from natural spawning grounds. *Tr. Murm. Morsk. Biol. Inst.* 12(16):163-175. *Fish. Res. Bd. Can. Transl. Ser.* 1354:1-33.
- Belyanina, T. N. 1974. Larvae of holocentridae fishes in ichthyoplankton of the Gulf of Tonkin, South China Sea. *Vopr. Ikhtiol.* 14:283-289.
- Belyanina, T. N. 1974. Materials on the development, systematics and distribution of fish of the family Bregmacerotidae. *Tr. Inst. Okeanol. Akad. Nauk. SSSR* 96:143-188.
- Belyanina, T. N. 1975. Preliminary results of the study of ichthyoplankton of the Caribbean sea and the Gulf of Mexico. *Tr. Inst. Okeanol.* 100:127-146.
- Belyanina, T. N. 1976. Larvae and juveniles from the families Melanostomiidae, Stomiidae, Idiakanthidae, Astronesthidae, and Chauliodontidae from the collections of the Indian Ocean Biological Center. *J. Ichthyol.* 16(1):178-182.
- Belyanina, T. N. 1977. Materials on development of [*Chauliodus*] fishes (Chauliodontidae, Pisces). *Tr. Inst. Okeanol. Akad. Nauk. SSSR* 109:113-132.

- Belyanina, T. N., and N. V. Kovalevskaya. 1978. New data on ichthyoplankton in Australian-New Zealand waters. *Oceanology* 18(2):214-216.
- Belyanina, T. N. 1980. Codlets (Bregmacerotidae, Osteichthyes) of the Caribbean Sea and the Gulf of Mexico. *J. Ichthyol. (Engl. Transl. Vopr. Ikhtiolog.)* 20(1):138-141.
- Belyanina, T. N. 1981. Larvae and fingerlings of deep-water fishes from the benthic zone of the Thalassobathyal in the eastern Indian Ocean. *J. Ichthyol.* 21(5):75-81.
- Belyanina, T. N. 1981. The larvae of some rare mesopelagic fishes from the Caribbean and the Gulf of Mexico. *J. Ichthyol. (Engl. Transl. Vopr. Ikhtiolog.)* 21(1):82-95.
- Belyanina, T. N. 1982. Larvae of the family Scoperlarchidae (collections of the Inst. of Oceanol. Acad. Sci. USSR). *Tr. Inst. Okeanol. Akad. Nauk SSSR* 118:133-150.
- Belyanina, T. N. 1982. Larvae of the midwater fishes in the western tropical Pacific Ocean and the seas of the Indo-Australian Archipelago. *Tr. Inst. Okeanol. Akad. Nauk SSSR* 118:5-42.
- Belyanina, T. N. 1983. Developmental sequences of [Sternoptyx] species (Sternoptychidae). *J. Ichthyol.* 23(4):73-86.
- Belyanina, T. N. 1984. Larvae of hatchetfishes of the genus [Argyropelecus] (Sternoptychidae). *J. Ichthyol.* 24(2):7-19.
- Belyanina, T. N. 1985. Preliminary data on ichthyoplankton of seamount regions of the northwestern Indian Ocean. *Oceanology*. 25: 778-780.
- Belyanina, T. N. 1986. Ichthyoplankton of some seamounts of the northwest Indian Ocean with descriptions of successive larval stages of development of [Triphoturus nigriscens] Brauer and three forms of [Diaphus] (Family: Myctophidae). *Tr. Inst. Okeanol.* 116:73-84.
- Belyanina, T. N. 1989. Ichthyoplankton in the regions of the Nazca and Sala y Gomes Submarine Ridges. *J. Ichthyol.* 29: 84-90.
- Belyanina, T. N. 1993. An investigation of the ichthyoplankton on seamounts in the Western Indian Ocean. *J. Ichthyology* 33 (2):17-25.
- Belyayev, V. A. 1985. Distribution of larvae and determination of abundance of year classes of common mackerel, [Scomber japonicus] Houttuyn (Scombridae) in the North-western Pacific. *Bull. Tohoku Reg. Fish. Res. Lab.* 47: 93-98. (transl. by W. Van Campen).
- Belyi, N. D. 1961. Effect of light on the development of pikeperch and roach spawn. *Dokl. (Proc.) Acad. Sci. USSR (Eng. Ed. Transl. by Consultants Bureau)* 138:385-387.
- Belyi, N. D. 1963. Development of bream and pikeperch larvae at great depths. *Dokl. Akad. Nauk. USSR (Transl.)* 149:373-374.
- Belyi, N. D. 1963. Nest reproduction of the bream ([Abramis brama]) in the lower Dnieper. *Izv. Akad. Nauk. Ser. Biol.* Jul-Aug. 1963, 526-546. Russian.
- Belyi, N. D. 1964. Substrates for the spawning of the eggs of the Azov roach, [Rutilus rutilus heckeli] and the development of eggs on them. *Vopr. Ikhtiolog.* 4(2):31.
- Belyi, N. D. 1967. Development of eggs of [Lucioperca lucioperca] and [Abramis brama] in the lower Dnieper waters of different salinity. *Vop. Ikhtiolog.* 7:187-191.
- Belyi, N. D. 1969. Daily migrations and survival of the pikeperch larvae in deep waters. *Zool. Zh.* 48:1197-1201.

- Belyi, N. D. 1970. The biology of early development stages of the bream under deep-water conditions. *J. Ichthyol.* 10(6):789-796.
- Belyi, N. D. 1972. Downstream migration of the pike-perch, [*Lucioperca*] [*lucioperca*] (L.), and its food in the early developmental stages in the lower reaches of the Dnieper River. *J. Ichthyol.* 12:465-472.
- Belyi, N. D. 1973. Development of zander and bream eggs at 10 atmospheres hydrostatic pressure. *Izv. Adak. Nauk. SSS. (Biol.)* 1:76-79.
- Ben-Tuvia, A. 1959. Fluctuation in the stock of [*Sardinella aurita*] and its dependence on temperature and rain. *World Sci. Meet. Biol. Sardines and related species, Stock and area Pap.* (8):1-10.
- Ben-Tuvia, A. 1960. Synopsis of biological data on [*Sardinella aurita*] of the Mediterranean Sea and other waters. *FAO Fish. Biol. Synop.* 14:289-312.
- Ben-Tuvia, A. 1963. Influence of temperature on vertebral number of [*Sardinella aurita*] from the eastern Mediterranean. *Israeali Journal of Zoology* 12:59-66.
- Benda, R. S. 1971. Effects of thermal effluents upon the growth and distribution of fish in the White River near Petersburg, IN. Ph.D. Diss., Indiana State Univ.
- Bendixen, B. R. 1977. Untersuchungen an Fischlarven vor Nord-West-Afrika zwischen Cap Barbas and Cap Vert. Staatsexamensarb. Fachber. Math. Naturwiss. Kiel, 101 pp.
- Beneden, E. J. 1878. A contribution to the history of the embryonic development of teleosts. *Q. J. Micros. Sci.* XVIII.
- Benfey, T. J., and D. A. Methven. 1986. Pilot-scale rearing of larval and juvenile lumpfish, [*Cyclopterus lumpus*] L., with some notes on early development. *Aquaculture* 56(3/4):301-306.
- Bengtson, D. A., A. D. Beck, and H. A. Poston. 1978. Comparative effects of live and artificial diets on growth and survival of juvenile Atlantic silverside, [*Menidia menidia*]. *Proc. World Maricult. Soc.*
- Bennemann, R., and I. Pietzsch-Rohrschne 1978. The morphology of the cement gland apparatus of larval [*Pterophyllum scalare*] Cuv. and Val. (Cichlidae, Teleostei). Histological, Transmission- and scanning electron microscopic studies. *Cell Tissue Res.* 193(3):491-501.
- Bennet, P. S. 1967. Seasonal abundance of small sized juvenile [*Rastrelliger kanagurta*] at Vizhingam during 1960-63. *Adv. Abst. Contr. Fish. Aq. Sci. India* 1(4):18.
- Bennet, P. S. 1967. Seasonal abundance of small-sized juvenile [*Rastrelliger kanagurta*] at Vizhingam during 1960-63. *Indian J. Fish.* 1964 11A:391-406.
- Bennett, D. H. 1976. Effects of pumped storage project operations on the spawning success of centrarchid fishes in Leesville Lake, Virginia. Ph.D Diss., Virginia Polytechnic Inst., Blacksburg.
- Bennett, D. H., and J. W. Gibbons. 1975. Reproductive cycles of largemouth bass ([*Micropterus*] [*salmoides*]) in a cooling reservoir. *Transactions of the American Fisheries Society* 104(1):77-82.
- Bennett, D. H., and J. W. Gibbons. 1974. Growth and condition of juvenile largemouth bass from a reservoir receiving thermal effluent. Pages 246-254 in *Thermal Ecology, A.E.C. Symp. Ser. (Conf. 730505)*.
- Bennett, L. H. 1948. Pike culture at the New London, Minnesota station. *Progressive Fish-Culturist* 8:95-98.

- Bennett, M. A. 1931. The reproductive cycle of the three spined stickleback, [*Gasterosteus aculeatus*] L. Philos. Trans. Roy. Soc. Lond. B219:197-279.
- Bennett, M. V. L., and J. P. Trinkaus. 1968. Electrical properties of external and yolk membranes in the egg of the teleost, [*Fundulus heteroclitus*]. Biophys. J. 8:A-111.
- Bennett, M. V. L., and J. P. Trinkaus. 1970. Electrical coupling between embryonic cells by way of extracellular space and specialized junctions. J. Cell Biol. 44:592-610.
- Bennett, M. V. L., M. E. Spira, and G. D. Pappas. 1972. Properties of electrotonic junctions between embryonic cells of [*Fundulus*]. Dev. Biol. 29:419-435.
- Bennett, M. V. L. 1974. Membranes and junctions in developing [*Fundulus*] embryos, freeze fracture and electrophysiology. J. Cell Biol. 63:21a.
- Bennett, M. V. L., M. E. Spira, and D. C. Spray. 1978. Permanence of gap junctions between embryonic cells of [*Fundulus*]. Dev. Biol. 65(1):114-125.
- Benoit, D. A. 1975. Chronic effects of copper on survival, growth and reproduction of the bluegill, [*Lepomis macrochirus*]. Transactions of the American Fisheries Society 104:353-358.
- Benoit, D. A. 1976. Toxic effects of hexavalent chromium on brook trout (*[Salvelinus fontinalis]*) and rainbow trout (*[Salmo gairdneri]*). Water Res. 10:497-500.
- Benoit, D. A., et al. 1976. Toxic effects of cadmium on three generations of brook trout, [*Salvelinus fontinalis*]. Transactions of the American Fisheries Society 4:550.
- Benoit, D. A., and G. W. Holcombe. 1978. Toxic effects of zinc on fathead minnows (*[Pimephales promelas]*) in soft water. J. Fish. Biol. 13:701-708.
- Benoit, D. A., F. A. Puglisi, and D. L. Olson. 1982. A fathead minnow, [*Pimephales promelas*], early life stage toxicity test method evaluation and exposure to four organic chemicals. Env. Poll. A(28):189-197.
- Benoit, R. F., and N. A. Matlin. 1966. Control of [*Saprolegnia*] on eggs of rainbow trout (*[Salmo gairdneri]*) with ozone. Transactions of the American Fisheries Society 95(4):430-432.
- Bensam, P. 1965. On the eggs and larval stages of the Malabar sole, [*Cynoglossus semifasciatus*] Day. Indian J. Fish. 12(1A):90-98.
- Bensam, P. 1966. Notes on the eggs, larvae, and juveniles of the Indian sprat, [*Sardinella jussieu*] (Lacepede). Indian J. Fish. 13(1-2):219-231.
- Bensam, P. 1967. The embryonic and early larval development of the longfinned herring, [*Opiisthopterus tardoore*] (Cuvier). J. Mar. Biol. Assoc. India 9:76-83.
- Bensam, P., and K. N. R. Kartha. 1967. Notes on the eggs and early larval stages of [*Hippolysmata insirostris*] Kemp. Symp. Ser. Mar. Biol. Assoc. India, 2:736-743.
- Bensam, P. 1968. On the eggs and early larval stages of the Malabar sole, [*Cynoglossus semifasciatus*] Day. Adv. Abstr. Contr. Fish. Aquat. Sci. India 2(2):8.
- Bensam, P. 1968. The eggs and early development of a muraenid eel. J. Mar. Biol. Assoc. India 1966 8(1):181-187.
- Bensam, P. 1968. The embryonic and early larval development of the long-finned herring, [*Opisthopterus tardoore*] (Cuv.). Adv. Abstr. Contr. Fish. Aquat. Sci. India 2(2):2-3.

- Bensam, P. 1971. Notes on postlarval stages of the white sardine, [*Kowala coval*] (Cuv.). J. Mar. Biol. Assoc. India 11:251-254.
- Bensam, P. 1971. On a few post-larval stages of [*Anodontostoma*] [*chacunda*] Ham. Indian J. Fish. 14:48-53.
- Bensam, P. 1973. On a few postlarval stages and juveniles of the sardine, [*Sardinella dayi*] Regan. Indian J. Fish. 20(1):148-156.
- Bensam, P. 1981. Taxonomic problems in the identification of clupeiform eggs and larvae in Indian waters. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:605.
- Bensley, B. A. 1915. The fishes of the Georgian Bay. Contrib. Can. Biol. 1911-1914, Ottawa, Sess. Pap. 39b:1-51.
- Benzie, V. 1968. Some ecological aspects of the spawning behavior and early development of the common whitebait, [*Galaxias*] [*maculatus attenuatus*] (Jenyns). Proc. New Zeal. Ecol. Soc. 15:31-39.
- Benzie, V. 1968. Stages in the normal development of [*Galaxias maculatus attenuatus*] (Jenyns). New Zeal. J. Mar. Freshwater Res. 2:606-627.
- Benzie, V. 1968. The life history of [*Galaxias vulgaris*] Stokell, with a comparison of [*G. maculatus attenuatus*]. New Zealand J. Mar. Freshwater Res. 2:628-653.
- Berdar, A., and A. Cavaliere. 1975. Larval and post larval stages of Myctophidae, [*Lobianchia dofleini*] Note 2. Atti. Soc. pelorit. Sci. Fis. mat. nat. 21:115-122.
- Berenbeim, D. Y. 1966. Relationship between spawning conditions of Spring Baltic herring ([*Clupea harengus*]) and temperature of water on spawning grounds. Vop. Ikhtiolog. 6:679-684.
- Berg, A., and E. Grimaldi. 1966. Reproduction of [*Alosa ficta*] in Lake Maggiore. Mem. Ist. ital. Idrobiol 20:41-83.
- Berg, L. S. 1949. Freshwater fishes of the USSR and adjacent countries, vol. 11, 4th ed. Translated from Russian: Israel Program for Scientific Translations, 1964, Jerusalem, Israel.
- Berg, L., and T. G. Northcote. 1985. Changes in territorial gill-flaring and feeding behavior in juvenile coho salmon ([*Oncorhynchus kisutch*]) following short-term pulses of suspended sediment. Can. J. Fish. Aquat. Sci. 42(8):1410-1417.
- Bergen, R. H., G. C. Laurence, C. A. Oviatt, and L. J. Buckley. 1985. Effects of thermal stratification on the growth and survival of haddock larvae ([*Melanogrammus*] [*aeglefinus*]). Intl. Counc. Explor. Sea, C.M. 1985/Mini Symp. No. 6. Biol. Oceanogr. Comm.
- Berger, T. S., and R. A. Cheremisnina. 1974. Distribution and age of redfish fry, [*Sebastes*] [*mentella*] and [*Sebastes marinus*] in autumn and winter 1971-1972 in the Barents Sea. Ann. Biol., Copenh. 29(1972):174-175.
- Bergeron, J., and G. Lacroix. 1963. Prelevements de larves de poissons dans le sud-ouest du Golfe Saint-Lavrent, en 1962. Sta. Biol. Mar. Grande Riviere Que. Rapp. Annu. 1962: 69-79. occurrence, larvae Gulf of St.
- Bergeron, J. P. 2000. Effect of strong winds on the nutritional condition of anchovy ([*Engraulis encrasicolus*] L.) larvae in the Bay of Biscay, Northeast Atlantic, as inferred from an early field application of the DNA/C index. Ices Journal of Marine Science 57(2):249-255.



- Bergman, M. J. N., H. W. Van Der Veer, and J. J. Zijlstra. 1988. Plaice nurseries: effects on recruitment. *J. Fish. Biol.* 33 (Suppl. A): 201-218.
- Bergstad, O. A. 1984. A relationship between the number of growth increments on the otoliths and age of larval and juvenile cod, [*Gadus morhua*] L. Pages 251-272 [in] E. Dahl et al., editors. The propagation of cod [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983, Flodevigen Rapportser.
- Beritashvili, D. R., and N. N. Rott. 1974. Accumulation of potassium in the developing carp blastoderm. *Sov. J. Dev. Biol.* 4:388-390.
- Beritashvili, D. R., I. S. Kvavilashvili, and C. A. Kafiani. 1969. Redistribution of potassium in cleaving eggs of a fish, [*Misgurnus fossilis*]. *Exp. Cell Res.* 56:113-116.
- Berkeley, S. A., and E. O. Houde. 1978. Biology of two exploited species of halfbeaks, [*Hemiramphus brasiliensis*] and [*H. balao*] from southeast Florida. *Bull. Mar. Sci.* 28(4):624-644.
- Berlin, W. H., et al. 1977. Verification of a model for predicting the effect of inconstant temperature on embryonic development of lake whitefish, [*Coregonus clupeaformis*]. U.S. Fish Wildl. Serv. Tech. Pap. 92.
- Berlin, W. H., R. J. Hesselberg, and M. J. Mac. 1981. Growth and mortality of fry of Lake Michigan lake trout during chronic exposure to PCBs and DDE. Pages 11-22 [in] Chlorinated hydrocarbons as a factor in the reproduction and survival of lake trout, [*Salvelinus namaycush*], in Lake Michigan. U.S. Fish Wildl. Serv. Tech. Pap. 105.
- Berlin, W. H., R. J. Hesselberg, and M. J. Mac. 1981. Growth and mortality of fry of Lake Michigan lake trout during chronic exposure to PCB's and DDE. U.S. Fish Wildl. Serv. Tech. Pap. 105:11-22.
- Berman, M., and K. Sherman. 1983. A prototype system for rapid processing of zooplankton-ichthy samples. NOAA, NMFS NEFC Narragansett Lab. Ref. No. 83-57.
- Bernal, M., D. L. Borchers, L. Valdes, A. L. deLanzos, and S. T. Buckland. 2001. A new ageing method for eggs of fish species with daily spawning synchronicity. *Canadian Journal of Fisheries and Aquatic Sciences* 58(12):2330-2340.
- Bernatowicz, S. 1963. Observations of the reproduction of [*Coregonus*] [*albula*] in the Mamry Lake system. *Roczn. Nauk. Roln.* 82B:337-352.
- Bernatowicz, S. 1972. Observations on the development of [*Coregonus peled*] (Gmel.) fry 0+ in ponds. *Acta Hydrobiol.*, Krakow 14(2):165-172.
- Berner, L. 1947. Le developement dentaire chez [*Gambusia affinis*] (Baird et Girard). *Bull. Soc. Zool. Fr.* 72:22-30.
- Berner, L., Jr. 1959. The food of the larvae of the northern anchovy, [*Engraulis mordax*]. *Bull. inter-Amer. Trop. Tuna Comm.* 4:1-22.
- Berner, L., Jr. 1965. The food of the larvae of the northern anchovy, [*Engraulis mordax*]. Pages 3-22 in R. Lasker, editor. *Symp. of larval fish biology*, Calif. Coop. Fish. Invest., Rept. 10.
- Berns, S., E. H. Chave, and H. M. Peters. 1978. Biology of [*Tilapia squamipinnis*] (Gunther) from Lake Malawi (Teleoste- Cichlidae). *Archiv Fur Hydrobiol.* 84(2):218-246.
- Berntsen, J. D., W. Skagen, and E. Svendsen. 1994. Modelling the transport of particles in the North Sea with reference to sandeel larvae. *Fisheries Oceanography* 3:81-91.
- Berra, T. M. 1982. Life history of the Australian grayling, [*Prototroctes maraena*] (*Salmoniformes: Prototroctidae*) in the Tambo River, Victoria. *Copeia* 1982:795-805.

- Berrien, P. 1981. Comments on efficiency of NEFC surveys. ICES larval fish ecology working group report, Lowestoft, Suffolk, U. K. NOAA, NMFS NEFC Sandy Hook Lab. Ref. 82-2.
- Berrien, P. L. 1973. Range and distribution of spot. Page 262 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS Mid. Atl. Coast Fish. Cent., Highlands, N. J. 338 pp.
- Berrien, P. L. 1973. Range and distribution of Atlantic croaker. Page 263 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval, and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS Mid. Atl. Coast Fish. Cent., Highlands, N. J. 338 pp.
- Berrien, P. L. 1973. Range and distribution of Atlantic mackerel. Page 264 [in] A.L. Pacheco, editor. Proc. workshop on eggs, larval, and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No.1, NMFS Mid. Atl. Coast Fish. Cent., Highlands, N. J. 338 pp.
- Berrien, P. L. 1975. A description of Atlantic mackerel, [Scomber] [scombrus] eggs and early larvae. Fish. Bull. NOAA (U.S.) 73(1):186-192.
- Berrien, P. L. 1978. Eggs and larvae of [Scomber scombrus] and [Scomber] [japonicus] in continental shelf waters between Massachusetts and Florida. Fish. Bull. NOAA (U.S.) 76(1):95-115.
- Berrien, P. L., M. P. Fahay, A. W. Kendall, Jr., and W. G. Smith. 1978. Ichthyoplankton from the "RV Dolphin" survey of continental shelf waters between Martha's Vineyard, Massachusetts and Cape Lookout, North Carolina, 1965-66. Sandy Hook Lab, Highlands, N. J. Tech. Series Rept. No. 15, 152 pp.
- Berrien, P. L., N. A. Naplin, and M. R. Pennington. 1979. Atlantic mackerel, [Scomber scombrus], egg production and spawning population estimates for 1977 in the Gulf of Maine, Georges Bank, and Middle Atlantic Bight. In: Symp. on the early life history of fish, Woods, Hole, MS.
- Berrien, P. L., and M. P. Fahay. 1979. A description of the egg and larval development of the tilefish, [Lopholatilus chamaeleonticeps]. Early Life History Fish Symp., Woods Hole Lab., ICES/ELH Symp.
- Berrien, P. L. 1981. Yellowtail flounder, [Limanda ferruginea], estimates of egg abundance and population size during spring 1977 in Gulf of Maine, Georges Bank, southern New England, and middle Atlantic Bight waters. ICES CM 1981/G:65.
- Berrien, P. L. 1982. Larval fish distributions in the mid-Atlantic Bight. Sect. IV. Pages 23-44 [in] M. D. Grosslein and T. Azarovitz, editors. Ecology of middle Atlantic Bight fish and shellfish -- Monograph 15. Fish Distribution. MESA New York Bight Atlas. New York Sea Grant Inst., Albany, NY.
- Berrien, P. L., N. A. Naplin, and M. R. Pennington. 1981. Atlantic mackerel, [Scomber scombrus], egg production and spawning population estimates for 1977 in the Gulf of Maine, Georges Bank, and Middle Atlantic Bight. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:279-288.
- Berrill, N. J. 1929. The validity of [Lophius americanus] Val. as a species distinct from [Lophius piscatorius] L. with notes on the rate of development. Contr. Can. Biol., N. Ser. 4(12):145-151.
- Berry, F. H. 1959. Young jack crevalles ([Caranx] species) off the southeastern Atlantic coast of the United States. Fish. Bull. NOAA (U.S.) 152(59):417-535.

- Berry, F. H. 1960. Scale and scute development of the carangid fish, [*Caranx crysos*] (Mitchill). Q. J. Florida Acad. Sci. 23(1):59-66.
- Berry, F. H. 1964. Aspects of the development of the upper jaw bones. Copeia 1964(2): 375-384.
- Berry, F. H. 1965. The spotted jack crevalle, [*Caranx melampygus*] Cuv., in the eastern Pacific. California Fish and Game 51(1):28-36.
- Berry, F. H. 1968. Some important aspects of ichthyolarvalogica methodology. Symposium on egg, larval, and juvenile stages of fish in Atlantic Coast estuaries, 10 June 1968, Charleston, SC. 10 pp.
- Berry, F. H., and H. C. Perkins. 1965. Survey of pelagic fishes of the California Current area. U.S. Fish Wildl. Serv., Fish. Bull. 65(3):625-682.
- Berry, F. H., and L. E. Vogele. 1961. Filefishes (Monacanthidae) of the western north Atlantic. U.S. Dept. Interior, Fish and Wildl. Serv. Bull. 61(181):61-109.
- Berry, F. H., M. T. Huish, and H. L. Moody. 1956. Spawning mortality of the threadfin shad, [*Dorosoma*] [*petenensis*] (Gunther) in Florida. Copeia 1956(3):192.
- Berry, F. W., and W. J. Richards. 1973. Characters useful to the study of larval fishes. Pages 48-65 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval, and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS Mid Atl. Coast Fish. Cent., Highlands, N.J. 338 pp.
- Berry, R. J. 1959. Critical growth studies of winter flounder, ([*Pseudopleuronectes americanus*] (Walbaum) in Rhode Island waters. M.S. Thesis, Univ. Rhode Island, Kingston, RI. 52 pp.
- Bertelsen, E. 1942. Contributions to the biology of the coalfish ([*Gadus*] [*virens*] L.) in Faroe waters with special regard to the youngest age group. Medd. Dan. Fish. Havunders. Ser. Fisk. 11(2):1-68.
- Bertelsen, E. 1947. Occurrence of 0-group cod, haddock, and coalfish during the summer of 1947. Ann. Biol., Vol. IV:28-30.
- Bertelsen, E. 1949. Eggs and larvae. Faroes. Occurrence of 0-group cod, haddock, and coalfish during the summer, 1947. Ann. Biol. 4:28-30.
- Bertelsen, E. 1949. Eggs and larvae. Faroes. Occurrence of 0-group cod, haddock, and coalfish. Summer 1948. Ann. Biol. 5(1948):30-31.
- Bertelsen, E. 1951. The ceratioid fishes. Ontogeny, taxonomy, distribution and biology. Dana Repts. 39. 276 pp.
- Bertelsen, E. 1951. Occurrence of 0-group cod, haddock and coalfish. Summer 1950. Ann. Biol. 7(1950):27-28.
- Bertelsen, E. 1952. Larval cod, haddock, whiting, and coalfish. Ann. Biol., VIII (1951).
- Bertelsen, E. 1953. Occurrence of pelagic 0-group cod, haddock, whiting and saithe, summer 1952. Ann. Biol. 9(1952):34.
- Bertelsen, E. 1983. First records of metamorphosed males of the families Diceratiidae and Centrophrynida. Steenstrupia 8(16):309-316.
- Bertelsen, E. 1984. Ceratioides: development and relationships. Pages 325-333 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

- Bertelsen, E., and N. B. Marshall. 1984. Mirapinnatoidei: development and relationships. Pages 380-382 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Bertelsen, E., and P. J. Struhsaker. 1977. The ceratioid fishes of the genus [Thaumaticthys]: osteology, relationships, distribution and biology. Galathea Rep. 14:7-40.
- Bertelsen, E., B. Theisen, and O. Munk. 1965. On a post-larval specimen, anal light organ, and tubular eyes of the argentinoid fish [Rhynchohyalus] [matalensis] (Gilchrist and von Bonde). Vidensk. Medd. Dan. Naturhist. Foren. 128:357-371.
- Bertin, L. 1936. Contribution a l'etude des larves de poissons [Apodes] (Les types de Stromman a l'Institute zoologique de L'Universite d'Uppsal). Bull. Inst. Oceanogr. Monaco 694:1-16.
- Bertin, L. 1936. Nouvelle contribution a l'etude des larves de poissons [Apodes] (Les types de Kaup et de Regan au British Museum). Bull. Inst. Oceanogr. Monaco 706:1-14.
- Bertin, L. 1936. Sur un serie de Leptocephales appartenant au genre [Saccopharynx] Mitchill. C. r. Acad. Sci. [Paris] 203:1540-1542.
- Bertin, L. 1937. Les poissons abyssaux du genre [Cyema] Gunther (Anatomie, embryologie, bionomie). Dana-Rep. Carlsberg Found. 10:1-30.
- Bertin, L. 1938. Formes nouvelles et formes larvaires de poisson apodes appartenant au sousordre des [Lyomeres]. Dana Rep. No. 15. 26 pp.
- Bertin, L. 1942. Les Anguilles. Paris 1-218.
- Bertmar, G. 1959. On the ontogeny of the chondral skull in Characidae, with a discussion on the chondrocranial base and the visceral chondrocranium in fishes. Acta Zool., Stockholm 40:203-364.
- Bertmar, G. 1962. On the ontogeny and evolution of the arterial vascular system in the head of the African characidean fish, [Hepsetus adoe]. Acta Zool., Stockholm 43(2-3):255-295.
- Bertolini, F. 1933. Apogonidae, Serranidae. Pages 306-331 [in] U. D'Ancona et al., editors. Uova, larve e stadi giovanili di Teleostei (Italian). Fauna Flora Golfo Napoli, Monogr. No. 38.
- Bertolini, F. 1933. Famiglia 2: Serranidae. Pages 310-331 in Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Bertolini, F., U. D'Ancona, E. Padoa Montalenti, S. Ranzi, L. Sanzo, A. Sparta, E. Tortonese and M. Vialli. 1956. Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli, Monogr. 38:1-1064.
- Bertolini, F., S. Ranzi, and G. Montalenti. 1931-33. Uova, larve e stadi giovanili die Teleostei. Fauna e Flora Golfo di Napoli. Monogr (38)(Pt. 1-II):1-384.
- Bertram, D. F., R. C. Chambers, and W. C. Leggett. 1993. Negative correlations between larval and juvenile growth rates in winter flounder - implications of compensatory growth for variation in size-at-age. Marine Ecology - Progress Series. 96: 209-215.
- Bertram, D. F., T. J. Miller, and W. C. Leggett. 1997. Individual variation in growth and development during the early life stages of winter flounder, [Pleuronectes americanus]. Fish. Bull. 95:1-10.

- Bertram, D. F., R. C. Chambers, and W. C. Leggett. 1999. Covariation in larval and juvenile growth rates in winter flounder. [In] Y. de Lafontaine, T. Lambert, T. R. Lilly, W. D. McKone, and R. J. Miller, editors. Juvenile stages: the missing link in fisheries research. Report of Workshop. Can. Tech. Rep. Fish Aquat. Sci. 1890: 139 p.
- Best, C. 1977. Preliminary results on entrainment. In: The third annl. rep. to NIPSCO. 9 pp.
- Best, E. A. 1963. Contribution to the biology of the Pacific hake, [*Merluccius productus*] (Ayres). California Coop. Oceanic Fish. Invest. Rep. 9:51-56.
- Best, E. A. 1964. Spawning of longspine channel rockfish, [*Sebastes altivelis*] Gilbert. California Fish and Game 50(4):265-267.
- Best, E. A. 1977. Distribution and abundance of juvenile halibut in the southeastern Bering Sea. Sci. Rep. IPHC, No. 62:1-23.
- Bestgen, K. R., S. P. Platania, J. E. Brooks, and D. L. Propst. 1988. Dispersal and life history traits of Arkansas River shiner [*Notropis girardi*] introduced into the Pecos River, New Mexico. American Midland Naturalist 122:228-235.
- Bestgen, K. R., and M. A. Williams. 1994. Effects of fluctuating and constant temperatures on early development and survival of Colorado squawfish. Transactions of the American Fisheries Society 123:574-579.
- Bestgen, K. R. 1996. Growth, survival, and starvation resistance of Colorado squawfish larvae. Environmental Biology of Fishes 46:197-209.
- Bestgen, K. R. 1997. Interacting effects of physical and biological factors on recruitment of age-0 Colorado squawfish. Doctoral dissertation. Colorado State University, Fort Collins.
- Bestgen, K. R., D. W. Beyers, G. B. Haines, and J. A. Rice. 1997. Recruitment models for Colorado squawfish: tools for evaluating relative importance of natural and managed processes. Colorado Squawfish Recovery Program Project Final Report. Colorado State University Larval Fish Laboratory, Fort Collins, CO, USA. 54 pp.
- Bestgen, K. R., and J. Bundy. 1998. Environmental factors affect daily increment deposition and otolith growth in young Colorado squawfish [*Ptychocheilus lucius*]. Transactions of the American Fisheries Society 127:105-117.
- Bestgen, K. R., and R. T. Muth. 1998. Downstream transport of Colorado squawfish larvae in the Green River drainage: temporal and spatial variation in abundance and relationships with juvenile recruitment. Final report of Colorado State University Larval Fish Laboratory to Recovery Implementation Program for the Endangered Fishes in the Upper Colorado River Basin, Denver, Colorado.
- Bestgen, K. R., K. A. Zelasko, and J. M. Bundy. 1999. Entrainment of fishes from the South Platte River into Fulton Ditch, 1998. Final report of Colorado State University Larval Fish Laboratory to Metro Wastewater Reclamation District, Denver, Colorado.
- Betchaku, T., and J. P. Trinkaus. 1978. Contact relations, surface activity, and cortical microfilaments of marginal cells of the enveloping layer and of the yolk syncytial and yolk cytoplasmic layers of [*Fundulus*] before and during epiboly. J. Exp. Zool. 206(3):381-426.
- Betesheva, E. I. 1954. Distribution of larval and juvenile fish in Sea of Japan during winter months. Tr. Inst. Okeanol. 8:291-304.
- Beumer, J. P. 1979. Reproductive cycles of two Australian freshwater fishes: the spangled perch, [*Therapon unicolor*] Gunther, 1859 and the east Queensland rainbowfish, [*Nematocentris splendida*] Peters, 1866. J. Fish. Biol. 15(1):111-134.

Beverton, R. J., and D. S. Tungate. 1967. A multi-purpose plankton sampler. *J. Cons. int. Explor. Mer* 31:145-157.

Beverton, R. J. H., and S. J. Holt. 1959. A review of the lifespans and mortality rates of fish in nature, and their relation to growth and other physiological characteristics. Pages 142-180 [in] G. E. W. Wolsten-holme and M. J. O'Connor, editors. *Ciba Fd. Colloquia on aging. V. The lifespan of animals*, A. Churchill Ltd, London.

Beverton, R. J. H. 1995. Spatial limitation of population size: the concentration hypothesis. *Netherlands Journal of Sea Research*. 34:1-6.

Beyer, J. E., and G. C. Laurence. 1978. A stochastic model of larval fish growth. *ICES CM 1978/L:28*. 28 pp.

Beyer, J. E., and G. C. Laurence. 1979. Modelling growth and mortality of larval herring (*[Clupea harengus]*). *Int. Council for the Explor of the Sea. ICES/ELH Symp*. 88 pp.

Beyer, J. E., and G. C. Laurence. 1979. Stochastic modelling of larval fish survival and its relation to fisheries management. *NOAA, NMFS Narragansett Lab. Ref. No.* 79-25.

Beyer, J. E. 1979. Feeding success of clupeoid fish larvae and stochastic thinking. *DANA (Meddr. Danm. Fiskeri-og Havunders)*. In press.

Beyer, J. E. 1979. Feeding success of clupeoid fish larvae and stochastic thinking. *DANA (Meddr. Danm. Fiskeri-og Havunders)*. In press.

Beyer, J. E., and G. C. Laurence. 1980. A stochastic model of larval fish growth. *Ecol. Modelling* 8(Jan):109-132.

Beyer, J. E., and P. M. Christensen. 1980. Food consumption by larval fish. *Intl. Council. Explor. Mer Coop. Res.* 28:1-15.

Beyer, J. E., and G. C. Laurence. 1981. Aspects of stochasticity in modelling growth and survival of clupeoid fish larvae. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:17-23.

Beyer, J. E. 1990. Recruitment stability and survival - simple size-specific theory with examples from the early life dynamics of marine fish. *Dana-A Journal of Fisheries and Marine Research* 7: 47-147.

Beyerle, G. B., and J. E. Williams. 1967. Attempted control of bluegill reproduction in lakes by the application of copper sulfate crystals to spawning nests. *Progressive Fish-Culturist* 29(3):150-154.

Beyerle, G. B., and J. E. Williams. 1968. Some observations of food selectivity by northern pike in aquaria. *Transactions of the American Fisheries Society* 97(1):28-31.

Beyerle, G. B. 1975. Summary of attempts to raise walleye fry and fingerlings on artificial diets, with suggestions on needed research and procedures to be used in future tests. *Proc. 6th Interstate Muskellunge Workshop*:21-24.

Beyers, D. W., R. T. Muth, and M. S. Farmer. 1994. Experimental evidence of competition between larvae of Colorado squawfish and fathead minnow. Final report of Colorado State University Larval Fish Laboratory to Recovery Implementation Program for the Endangered Fishes in the Upper Colorado River Basin, Denver, Colorado.

Beyers, D.W., and C. Sodergren. 1999. Assessment and prediction of effects of selenium exposure to larval razorback sucker. Final report of Colorado State University Larval Fish Laboratory to Recovery Implementation Program for the Endangered Fishes in the Upper Colorado River Basin, Denver, Colorado.

- Beyers, D. W., and C. Sodergren. 2002. Assessment of exposure of larval razorback sucker to selenium in natural waters. *Archives of Environmental Contamination and Toxicology* 42(1):53-59.
- Bez, N., and J. Rivoirard. 2000. On the role of sea surface temperature on the spatial distribution of early stages of mackerel using inertigrams. *Ices Journal of Marine Science* 57(2):383-392.
- Bhanct, K. K. 1973. Observations on the spawning of [Hilsa ilisha] (Hamilton) in the Hocghiy estuary. *J. Inland Fish. Soc. India* 5:50-54.
- Bhargava, H. N. 1958. The development of the chondrocranium of [Mastacembelus armatus] (Cuv. et Val.). *J. Morph.* 102:401-426.
- Bhargava, H. N. 1962. The development of cephalic arteries in [Mastacembelus armatus] (Cuv. & Val.). *Proc. 49th Indian Sci. Congr. (Cuttack) Pt. 3:354.*
- Bhaskaran, V. K. 1946. Bionomics and life history of [Etroplus suratensis] (Bloch), with special reference to stocking tanks. *Proc. 33rd Indian Sci. Congr. (Bangalore) Pt. 3:128.*
- Bhatnagar, G. K. 1967. On some aspects of the biology of [Puntius callas] (Sakes) of the Tungabhadra reservoir. *Adv. Abstr. Contr. Fish. Aquat. Sci. India* 1(1):8-9.
- Bhatnagar, G. K. 1973. Maturity, fecundity, spawning season and certain related aspects of [Labeo fimbriatus] (Bloch) of River Narmada near Hoshangabad. *J. Inland Fish. Soc. India, Barrackpore* 4:26-37.
- Bhattacharya, H. 1946. On the life-history of [Ophicephalus striatus] (Bloch). *Proc. 33rd Indian Sci. Congr. (Bangalore) Pt. 3:128-129.*
- Bhattacharya, H. 1946. Stages in the life-history of [Gobius], [Petroscirtes] and [Hemirhamphus]. *Mem. Indian Mus.* 5(4):383-392.
- Bhattacharya, S., E. Plisetskaya, W. W. Dickhoff, and A. Gorbman. 1985. The effects of estradiol and triiodothyronine on protein synthesis by hepatocytes of juvenile coho salmon ([*Oncorhynchus kisutch*]). *Gen. Comp. Endocrinol.* 57(1):103-109.
- Bhattacharyya, R. N. 1957. The food and feeding habits of larval and post-larval herring in the North Sea. *Mar. Res. No. 3*, 16 pp.
- Bhattori, S. 1962. Predation on anchovy eggs. *Bull. Tokai Reg. Fish. Lab.* 9:211-220.
- Bhimachar, B. S., A. David, and B. Muniappa. 1944. Observations on the acclimatisation, nesting habits and early development of [*Osphronemus gorami*] (Lacepede). *Proc. Indian Acad. Sci.* 20B:88-101.
- Bhimachar, B. S., and A. David. 1945. On the occurrence of "external" gills in the loach - [*Lepidocephalus thermalis*] (C.V.). *Current Science* 14(3):74.
- Bhimachar, B. S., and S. D. Tripathi. 1967. A review of culture fisheries activities in India. *FAO Fish. Rep.* 44(2):1-33.
- Bhowmick, R. M. 1969. Rearing of breeders, sexing and segregation of cultivated fishes, India. *FRI/IBCF/9*, 23 pp.
- Bieniarz, K. 1973. Effect of light and darkness on incubation of eggs, length, weight and sexual maturity of sea trout ([*Salmo trutta*] L.), brown trout ([*Salmo trutta*] [*fario*] L.) and rainbow trout ([*Salmo irideus*] Gibbons). *Aquaculture* 2(3):299-315.
- Bigelow, N. K. 1923. The food of young suckers ([*Catostomus commersoni*]) in Lake Nipigon. *Univ. of Toronto Studies, Biol. Ser. Publ.* 24, Ontario Fish. Res. Lab. 21: 83-115.

- Bigelow, H. B. 1926. Plankton of the offshore waters of the Gulf of Maine. U.S. Bur. Fish. Bull. 40:1-509.
- Bigelow, H. B. 1928. Migration of pelagic fish eggs and larvae. Pages 69-78 in Plankton of the offshore waters of the Gulf of Maine. Bull. Bur. Fish., Wash., Doc. No. 968, 1928(1927), 40(pt. 2), 509 pp.
- Bigelow, H. B., and W. C. Schroeder. 1953. Fishes of the Gulf of Maine. U.S. Fish & Wildl. Ser. Fish. Bull. 53:1-577.
- Billard, R., J. Petit, and B. Jalabert. 1974. Sperm dilution in trout: an improvement in artificial insemination. Page 30 in Rep. of the Intl. Symp. on the early life history of fish. FAO Fish. Rep. No. 141, 58 pp.
- Billard, R., and G. de Montalembert. 1977. Effects of iodophores on gametes and eggs of rainbow trout. Bull. Fr. Piscic. 263:41.
- Billard, R., et al. 1978. Toxicity of Pyraline 3010 towards the ova and spermatozoa of rainbow trout before and during insemination. Bull. Fr. Piscic. 270:238.
- Billerbeck, J. M., T.E. Lankford, and D.O. Conover. 2001. Evolution of intrinsic growth and energy acquisition rates: I. Tradeoffs with swimming performance in [*Menidia menidia*]. Evolution 55:1863-1872.
- Bills, T. D. 1974. Toxicity of formalin, malachite green, and the mixture to four life stages of rainbow trout. M. S. Thesis, Univ. Wisconsin-La Crosse, La Crosse, WI.
- Bills, T. D., and L. L. Mar king. 1976. Toxicity of 3-trifluoromethyl- (TFM), 2',5-dichloro-4'-n (Bayer 73), and a 98:2 mixture to fingerlings of seven fish species and to eggs and fry of coho salmon. Invest. Fish. Contr. No. 69, U.S. Dept. Int., Fish Wildl. Serv.
- Bilton, H. T., and G. L. Robins. 1971. Response of young sockeye salmon, [*Oncorhynchus*] [*nerka*], to prolonged periods of starvation. Journal of the Fisheries Research Board of Canada 28:1757-1761.
- Bilton, H. T. 1972. Data record, egg size, hatching time and size of progeny produced from eggs of specific crosses of different races of sockeye and one race of kokanee, chinook and coho salmon. Fish. Res. Bd. Can. Ms. Rep. 1187:1-10.
- Bilton, H. T., and G. L. Robins. 1973. The effects of starvation and subsequent feeding on survival and growth of Fulton Channel sockeye salmon fry ([*Oncorhynchus nerka*]). Journal of the Fisheries Research Board of Canada 30:1-5.
- Bilton, H. T., and H. D. Smith. 1973. Relationship between egg size and fish size in pink salmon ([*Oncorhynchus gorbuscha*]) from the lower Babine River in 1966 and 1967. Fish. Res. Bd. Can. Ms. Rep. 1235:1-5.
- Bilton, H. T., and D. W. Jenkinson. 1976. Time and size at release experiment: three releases of three major size categories of juvenile coho salmon from Rosewall Creek in the spring of 1975. Fish. Mar. Serv. Data Rec. 7:16 pp.
- Bilton, H. T. 1978. Returns of adult coho salmon in relation to mean size and time at release of juveniles. Fish. Mar. Serv. Tech. Rep. 832:73 pp.
- Bilton, H. T., and D. W. Jenkinson. 1980. Return to the fishery and escapement of adult coho salmon from accelerated juveniles released in the fall of 1974. Can. Tech., Rep. Fish. Aq. Sci. 943:11 pp.
- Bilton, H. T., and D. W. Jenkinson. 1980. Returns to the fishery and escapement of adult coho salmon from accelerated and normally reared juveniles. Can. Tech. Rep. Fish. Aq. Sci. 925:11 pp.



- Bilton, H. T. 1980. Returns of adult coho salmon in relation to mean size at release of juveniles to the catch and the escapement. *Can. Tech. Rep. Fish. Aqu. Sci.* 941:41 pp.
- Bilton, H. T., D. F. Alderdice, and J. T. Schnut. 1982. Influence of time and size at release of juvenile coho salmon, [*Oncorhynchus kisutch*], on returns at maturity. *Canadian Journal of Fisheries and Aquatic Sciences* 39(3):426-447.
- Bilton, H. T. 1983. Returns of chinook salmon in relation to juvenile size at release. *Can. Tech. Rep. Fish. Aquat. Sci.* 1245.
- Bilton, H. T. 1986. Marking chum salmon fry vertebrae with oxytetracycline. *No. Am. J. Fish. Mgmt.* 6:126-128.
- Binder, R. L., and J. J. Leach. 1984. Xenobiotics in gametes of Lake Michigan lake trout, [*Salvelinus namaycush*], induce hepatic monooxygenase activity in their offspring. *Fund. Appl. Toxicol.* 4:1042-1054.
- Binkley, L. E., and W. B. Huber. 1935. Reproduction and growth in the white crappie ([*Pomoxis annularis*]) in Meander Lake. *Ohio Div. Cons. Bur. Sci. Res. Bull. No. 91*, 7 pp.
- Birchfield, L. J. 1986. Inducement of cranial anomalies in freshwater larval fish during collection and fixation. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. 190pp.
- Bird, D. J., P. L. Lutz, and I. C. Potter. 1976. Oxygen dissociation curves of the blood of larval and adult lampreys, [*Lampetra fluviatilis*]. *J. Exp. Biol.* 65:449-458.
- Bird, D. J., and I. C. Potter. 1979. Metamorphosis in the paired species of lampreys, [*Lampetra fluviatilis*] (L.) and [*Lampetra planeri*] (Bloch). 1. A description of the timing and stages. *Zool. J. Linn. Soc.* 65(2):127-144.
- Bird, D. J., and I. C. Potter. 1979. Metamorphosis in the paired species of lampreys, [*Lampetra fluviatilis*] (L.), and [*Lampetra planeri*] (Bloch). 2. Quantitative data for body proportions, weights, lengths and sex ratios. *J. Linn. Soc. London Zool.* 65:145-160.
- Bird, D. J., and I. C. Potter. 1981. Proximate body composition of the larval metamorphosing and downstream migrant stages in the life cycle of the southern hemisphere lamprey, [*Geotria australis*]. *Environmental Biology of Fishes* 6(3/4):285-298.
- Birdsong, C. L., and J. W. Avault, Jr. 1971. Toxicity of certain chemicals to juvenile pompano. *Progressive Fish-Culturist* 33(2):76-80.
- Birge, W. J. et al. 1975. Sensitivity of vertebrate embryos to heavy metals as a criterion of water quality. III. Use of fish and amphibian eggs and embryos as bio-indicator organisms for evaluating water quality. Res. Rep. 91, Univ. Kentucky Water Resourc. Res. Inst., Lexington.
- Birge, W. J. et al. 1975. Water quality-Phase II bioassay procedures using developmental stages as test organisms. *Kans. WRRRI Rep. No. 84*.
- Birge, W. J., and J. A. Black. 1977. A continuous flow system using fish and amphibian eggs: for bioassay determinations on embryonic mortality and teratogenesis. EPA 560/5-77-002.
- Birge, W. J., and J. A. Black. 1977. Sensitivity of vertebrate embryos to boron compounds. *Env. Prot. Ag.* 560/3-76-008. Wash., D. C.
- Birge, W. J. et al. 1977. Embryopathic effects of waterborne and sediment-accumulated cadmium, mercury and zinc on reproduction and survival of fish and amphibian populations in Kentucky. Res. Rep. 100, Water Resourc. Res. Inst., Univ. Kentucky, Lexington. 28 pp.

- Birge, W. J., J. A. Black, and A. G. Westerman. 1978. Effects of polychlorinated biphenyl compounds and proposed PCB-replacement products on embryo-larval stages of fish and amphibians. *Water Resour. Res. Inst., Univ. KY, Res. Rep. No. 118*, 33 pp.
- Birge, W. J., J. A. Black and A. G. Westerman. 1979. Evaluation of aquatic pollutants using fish and amphibian eggs as bioassay organisms. *National Academy of Sciences, Washington, DC*, pp. 108-118.
- Birge, W. J., and J. A. Black. 1980. Effects of copper on embryonic and juvenile stages of aquatic animals. Pages 373-399 in J. O. Nriagu, editor. *Copper in the environment. Part II. Health effects*. John Wiley and Sons, New York.
- Birge, W. J., J. A. Black, A. G. Westerman, and B. A. Ramey. 1983. Fish and amphibian embryos- a model system for evaluating teratogenicity. *Fudam. Appl. Toxicol.* 3: 237-242.
- Birge, W. J., R. D. Hoyt, J. A. Black, M. D. Kercher, and W. A. Robison. 1993. Effects of chemical stresses on behavior of larval and juvenile fishes and amphibians. In Fuiman, L.A., editor. *Water quality and the early life stages of fishes*. American Fisheries Society Symposium 14. 192pp.
- Birjukov, N. P., and L. S. Shapiro. 1971. The relation between year class strength of Vistula Bay herring, the state of spawning schools and the quality of sexual products. Pages 18-23 [in] A. L. Saville, editor. *Symp. on the biol. of early stages and recruitment mechanisms of herring*. *Cons. Int. Explor. Mer. Rapp. Proc. Verb. Reu.* 160.
- Birkett, L. 1972. Some relationships between the food intake and growth of young fish. *Symp. Zool. Soc. London* 29:259-269.
- Birks, E. K., R. D. Ewing, and A. R. Hemmingsen. 1985. Migration tendency in juvenile steelhead trout, [*Salmo gairdneri*] Rich. injected with thyroxine and thiourea. *J. Fish. Biol.* 26(3):291-300.
- Birnie, J. H. 1934. Regeneration of the tail-fins of [*Fundulus*] embryos. *Biol. Bull. (Woods Hole)* 66(3):316-325.
- Biro, P. 1979. Acute effects of the sodium salt of 2,4-D on the early developmental stages of bleak, [*Alburnus*] [*alburnus*]. *J. Fish. Biol.* 14(1):101-110.
- Bishai, H. M. 1959. The effect of gas content of water on larvae and young fish. *Z. wiss. Zool.* 163:37-64.
- Bishai, H. M. 1960. Upper lethal temperatures for larval salmonids. *J. Cons. perm. int. Explor. Mer* 25(2):129-133.
- Bishai, H. M. 1960. The effect of water currents on the survival and distribution of fish larvae. *J. Cons. perm. int. Explor. Mer* 25(2):134-146.
- Bishai, H. M. 1960. The effect of hydrogen ion concentration on the survival of larvae and young fish. *Z. wiss. Zool.* 164:107-118.
- Bishai, H. M. 1961. The effect of pressure on the survival and distribution of larval and young fish. *J. Cons. perm. int. Explor. Mer* 26:292-311.
- Bishai, H. M. 1961. Rearing fish larvae. *Bull. Zool. Soc. Egypt* 16:4-29.
- Bishai, H. M. 1961. The effect of salinity on the survival and distribution of larval and young fish. *J. Cons. perm. int. Explor. Mer* 26(2):166-179.
- Bishai, H. M. 1962. Reactions of larvae and young salmonids to different hydrogen ion concentration. *J. Cons. perm. int. Explor. Mer* 27(2):167-178.

- Bishai, H. M. 1962. Reactions of larvae and young salmonids to differing hydrogen ion concentration s. J. du Conseil 27(2):181-191.
- Bishai, H. M. 1962. Reactions of larvae and young salmonids to water of low oxygen concentration. J. du conseil 27(2):165-180.
- Bishop, F. G. 1971. Observations on spawning habits and fecundity of the Arctic grayling. Progressive Fish-Culturist 33(1):12-19.
- Bishop, D. R. 1974. The use of circular tanks for spawning striped bass. Proc. 28th Ann. Conf. S. E. Assoc. G & F Comms. 28:35-44.
- Bishop, K. A., and J. D. Bell. 1978. Aspects of the biology of the Australian grayling [Prototroctes maraena] Gunther (Pisces:Prototroctidae) Aust. J. Mar. Freshwater Res. 29(6):743-761.
- Bisson, P. A., and G. E. Davis. 1976. Production of juvenile chinook salmon, [Oncorhynchus] [tshawytscha], in a heated model stream. Fish. Bull. NOAA (U.S.) 74(4):763-774.
- Biswas, K. P., and G. N. Saha. 1972. A new observation on large scale disintegration of eggs of Indian major carps during development. Fish. Technol. Cochin 9(1):83-84.
- Bityukova, Y. E., N. K. Tkachenko, and A. V. Chepurnov. 1984. Thermosensitivity of Black Sea turbot, [Psetta] [maeotica], during embryonic development under artificial culture. J. Ichthyol. 24(4):1-6.
- Bjorke, H. 1971. The food of herring larvae of Norwegian spring spawners. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160:101-103.
- Bjorke, H. 1971. The food of herring larvae of Norwegian spring spawners. Pages 101-103 in A. Saville, editor. Symposium on the biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer No. 160, 205 pp.
- Bjorke, H. 1976. Some preliminary results on food and feeding of young capelin larvae. Intl. Cons. Explor. Sea CM 1976/H:37. 12 pp.
- Bjorke, H. 1984. Distribution of eggs and larvae of gadoid fishes from Stad to Lofoten during April 1976-1982. Pages 365-394 in E. Dahl et al., editors. The propagation of cod [Gadus morhua] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.
- Bjorn, E. E. 1939. Preliminary observations and experimental study of the Ling, [Lota lota masculosa] (LeSueur), in Wyoming. Transactions of the American Fisheries Society 69:192-196.
- Bjornn, C. 1969. Embryo survival and emergence studies. Job 5, Idaho Fish Game Dept. Project F-49-R-7:17 pp.
- Bjornn, T. C. 1968. Survival and emergence of trout and salmon fry in various gravel-sand mixtures. Pages 80-88 in R. T. Myre n, editor. Logging and salmon. Proc. Forum Am. Inst. Fish. Res. Biol., Alaska Dist., Juneau.
- Bjornn, T. C. 1969. Salmon and steelhead investigations: spawning and emergence of chinook salmon as related to temperature. Idaho Dept. Fish Game Proj. F-49-R-6, 8:42-51.
- Blaber, S. J. M. 1973. Population size and mortality of juveniles of the marine teleost, [Rhabdosargus holubi] (Pisces: Sparidae), in a closed estuary. Mar. Biol. 21:219-225.
- Blaber, S. J. M. 1973. Temperature and salinity tolerance of juvenile [Rhabdosargus holubi] (Stein.) (Teleostei:Sparidae J. Fish. Biol. 5:593-598.

- Blaber, S. J. M. 1974. Osmoregulation in juvenile [*Rhabdosargus holubi*] (teleostei: Sparidae). *J. Fish Biol.* 6(6):797-800.
- Blaber, S. J. M. 1974. The population structure and growth of juvenile, [*Rhabdosargus holubi*] (Stein.) (Teleostei: Sparidae), in a closed estuary. *J. Fish. Biol.* 6(4):455-460.
- Blaber, S. J. M., and T. G. Blaber. 1980. Factors affecting the distribution of juvenile estuarine and inshore fish. *J. Fish. Biol.* 17:143-162.
- Blaber, S. J., D. P. Cyrus, and A. K. Whitfield. 1981. The influence of zooplankton food resources on the morphology of the estuarine cluepid [*Gilchristella*] [*aestuarius*] (*Gilchrist*, 1914). *Environmental Biology of Fishes* 6:351-355.
- Blache, J. 1963. Sur la presence de [*Luvaris imperialis*] Raf. 1810 dans l'Atlantique oriental sud revelee par la decouverte de deux larves au stade hystericinella de L. Roule (1924) (Pisces, Teleostei, Perciformi, Luvaroidei, Luvaridae). *Cah. ORSTOM Ser. Oceanogr.* 1(5):57-59.
- Blache, J. 1964. Note preliminair sur les larves leptocephales d'[*Apodes*] du Golfe de Gurnie, Zone Sud. *Cah. ORSTOM Oceanogr.* 5:5-23.
- Blache, J. 1968. Contribution a la connaissance des poissons anguilliformes de la Cote occidentale d'Afrique. La famille de Echelidae. *Bull. Inst. Fondam. Afr. Noire (A Sci. Nat.)* 30(4):1501-1539.
- Blache, J. 1968. Contribution a la connaissance des poissons anguilliformes de la Cote occidentale d'Afrique. La Famille des Muranaesocidae. *Bull. Inst. Fondam. Afr. Noire (A Sci. Nat.)* 30(4):690-736.
- Blache, J. 1971. Leptocephalic larvae of anguilliform fish in the Gulf of Guinea (southern zone). I. Larvae of the Muraenidae. *Cah. ORSTOM (Oceanogr.)* 9(2):203-246.
- Blache, J. 1972. Leptocephalic larvae of Anguilliform fish - the Gulf of Guinea southern area: the adult species of Kenocongridae and their larvae. *Cah. ORSTOM Ser Oceanogr.* 10(3):219-241.
- Blache, J. 1977. Leptocephales des poissons Anguilliformes dans la zone sud du Golfe de Guinee. *Faune Trop.* 20:1-381.
- Blache, J., G., E. Maul, and L. Saldanha. 1970. Presence d'adultes et de larves de [*Nettodarus*] [*brevirostris*] et de [*Nettodarus*] sp. dans l'Atlantique Oriental. (Pisces, Anguilliformi: Nettodaridae). *Arquiv. Mus. BoCage, Ser. 2.* 2:319-331.
- Black, D. E., D.K. Phelps, and R.L. Lapan. 1988. The effects of inherited contamination on egg and larval winter flounder, [*Pseudopleuronectes americanus*]. *Mar. Environ. Res.* 25: 45-62.
- Black, J. D. 1948. The spawning of carp in holding ponds. *Wisconsin Cons. Bull.* 13(3): 6-7.
- Black, K. P. 1993. The relative importance of local retention and inter-reef dispersal of neutrally buoyant material on coral reefs. *Coral Reefs.* 12: 43-53.
- Black, K. P., and P.J. Moran. 1991. Influence of hydrodynamics on the passive dispersal and initial recruitment of larvae of *Acanthaster-Planci* (Echinodermata, Asteroidea) on the Great Barrier Reef. *Marine Ecology-Progress Series.* 69: 55-65.
- Black, K. P., S. L. Gay, and J. C. Andrews. 1990. Residence times of neutrally-buoyant matter such as larvae, sewage or nutrients on coral reefs. *Coral Reefs.* 9:105-114.

- Black, R. 1971. Hatching success in the three-spined stickleback (*Gasterosteus aculeatus*) in relation to changes in behavior during the parental phase. *Anim. Behav.* 19:532-541.
- Black, V. S. 1951. Changes in body chloride, density, and water content of chum, [*Oncorhynchus keta*], and coho, [*O. kisutch*], salmon fry when transferred from freshwater to seawater. *Journal of the Fisheries Research Board of Canada* 8:164-177.
- Blackburn, J. E. 1973. A survey of the abundance, distribution and factors affecting distribution of ichthyoplankton in Stagit Bay. M.S. Thesis, Univ. Wash, Seattle, WA. 136 pp.
- Blackburn, M. 1965. Oceanography and the ecology of tunas. *Oceanogr. Mar. Biol. Ann. Rev.* (Harold Barnes, ed.). 3:299-322.
- Blackburn, M. 1967. Synopsis of biological information on the Australian anchovy, [*Engraulis australis*] (White). *California Coop. Oceanic Fish. Invest. Rep.* 11:34-43.
- Blackburn, M. 1968. Micronekton of the eastern tropical Pacific ocean. *U.S. Fish Wildl. Serv., Fish. Bull.* 67(1):71-115.
- Blackburn, M., and W. Nellen. 1976. Distribution and ecology of pelagic fishes studied from eggs and larvae in an upwelling area off Spanish Sahara. *NOAA (U.S.) Fish. Bull.* 77(4):885-896.
- Blackburn, M., R. M. Laurs, R. W. Owen, and B. Zeitzschel. 1970. Seasonal and areal changes in standing stocks of phytoplankton, zooplankton and micronekton in the eastern tropical Pacific. *Mar. Biol.* 7(1):14-31.
- Blacker, R. W., editor. 1968. Symposium on the ecology of pelagic fish species in Arctic waters and adjacent seas. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 158, 148 pp.
- Blacker, R. W. 1971. Synopsis of biological data on haddock, [*Melanogrammus aeglefinus*] (L.) 1758. *FAO Fish. Synop.*:84.
- Blackett, R. F. 1962. Some phases in the life history of the Alaskan blackfish, [*Dallia pectoralis*]. *Copeia* 1962(1):124-130.
- Blackett, R. F. 1968. Spawning behavior, fecundity, and early life history of anadromous dolly varden, [*Salvelinus malma*] (Walbaum) in southeastern Alaska. *Alaska Dept. Fish Game Res. Rep.* 6:1-85.
- Blackler, R. W. 1974. Recent advances in otolith studies. Pages 67-90 in Jones, F. R. Harden, editor. *Sea fisheries research*, John Wiley & Sons, New York.
- Blagovidova, L. A. 1941. Descent of young shads in the lower Volga. *Trans. Inst. Mar. Fish. Oceanogr.* 14:49-60.
- Blahm, T. H., and W. D. Parente. 1970. The effect of increased water temperature on the survival of adult threespine stickleback (*Gasterosteus aculeatus*) and juvenile yellow perch (*Perca flavescens*) in the Columbia River. *Biol. Lab., Bur. Comm. Fish., Seattle, WA.*
- Blahm, T. H., McConnell, R. J., and G. R. Snyder. 1975. Effect of gas supersaturated Columbia River water on the survival of juvenile chinook and coho salmon. *NOAA Tech. Rept. NMFS SSRF-688.* 9 p.
- Blahm, T. H., and G. R. Snyder. 1975. Effect of increased water temperatures on survival of adult threespine stickleback and juvenile yellow perch in the Columbia River. *Northwest Sci.* 49:267.

- Blahm, T. H. 1979. Toxicity of chemical fire retardants to juvenile coho salmon and rainbow trout. Ph.D. Diss., Diss. Abst. Int. 39(9):4115-B, 48 pp.
- Blanc, J. M., and B. Chevauss. 1979. Interspecific hybridization of salmonid fish. I. Hatching and survival up to the 15th day after hatching in F-1 generation hybrids. Aquaculture 18(1):21-34.
- Blanco, G. J. 1938. Early life history of the viviparous perch, [*Taeniotoca lateralis*] Agassiz. Philippine J. Sci. 67:379-391.
- Blanco, G. J., and D. V. Villadolid. 1951. The young of some fishes of Luzon. Phillip. J. Fish. 1:67-93.
- Blaxter, J. H. S. 1955. Herring rearing. I. The storage of herring gametes. Mar. Res. No. 3, 12 pp.
- Blaxter, J. H. S. 1956. Herring rearing. II. The effect of temperature and other factors of development. Mar. Res. No. 5:1-19.
- Blaxter, J. H. S. 1957. Herring rearing. III. The effect of temperature and other factors on myotome count. Mar. Res. 1:1-16.
- Blaxter, J. H. S., and B. B. Parrish. 1958. The effect of artificial light on fish and other marine organisms at sea. Mar. Res. (2), 24 pp.
- Blaxter, J. H. S., and F. G. T. Holliday. 1958. Herring (*[Clupea harengus]* L.) in aquaria. II. Feeding. Mar. Res. No. 6, 22 pp.
- Blaxter, J. H. S. 1960. The effect of extremes of temperature on herring larvae. J. Mar. Biol. Assoc. U. K. 39:605-608.
- Blaxter, J. H. S., and G. Hempel. 1961. Biologische beobachtungen bei der aufzucht von herinsbrut. Helgolaender Wissenschaftliche Meeresuntersuchung 7:260-284.
- Blaxter, J. H. S. 1962. Herring rearing - IV: rearing beyond the yolk-sac stage. Mar. Res. 1:1-18.
- Blaxter, J. H. S., and F. G. T. Holliday. 1963. Behavior and physiology (incl. reproduction) of herring and other clupeids. Pages 262-393 in F. S. Russell, editor. Advances in marine biology. Vol. I, Acad. Press.
- Blaxter, J. H. S., and G. Hempel. 1963. The influence of egg size on herring larvae (*[Clupea]* [*harengus]* L.). J. Cons. perm. int. Explor. Mer 28(2):211-240.
- Blaxter, J. H. S. 1965. Feeding of herring larvae and their ecology in relation to feeding. California Coop. Oceanic Fish. Invest. Rep. 10:79-88.
- Blaxter, J. H. S. 1966. The effect of light intensity on the feeding ecology of herring. In R. Bainbridge et al., editors. Light as an ecological factor. Blackwell Sci. Publ., Oxford. 452 pp.
- Blaxter, J. H. S. 1966. Utilization of yolk by herring larvae. J. Mar. Biol. Assoc. U.K. 46:219-234.
- Blaxter, J. H. S., and M. P. Jones. 1967. The development of the retina and retinomotor response in the herring. J. Mar. Biol. Assoc. U. K. 47:677.
- Blaxter, J. H. S. 1968. Rearing herring larvae to metamorphosis and beyond. J. Mar. Biol. Assoc. U.K. 48:17-28.
- Blaxter, J. H. S. 1968. Visual thresholds and spectral sensitivity of herring larvae. J. Exp. Biol. 48:39-53.

- Blaxter, J. H. S. 1968. Light intensity, vision, and feeding in young plaice. *J. Exp. Mar. Biol. & Ecol.* 2:293-307.
- Blaxter, J. H. S. 1969. Development: eggs and larvae. Pages 177-252 in W. S. Hoar and D. J. Randall, editors. *Fish physiology*, Vol. 3. Academic Press, New York.
- Blaxter, J. H. S. 1969. Visual thresholds and spectral sensitivity of flatfish larvae. *J. Exp. Biol.* 51:221-230.
- Blaxter, J. H. S. 1969. Experimental rearing of pilchard larvae, [*Sardina*] [*pilchardus*]. *J. Mar. Biol. Assoc. U.K.* 48:17-28.
- Blaxter, J. H. S., and M. Staines. 1970. Pure-cone retina and retinomotor responses in larval teleosts. *J. Mar. Biol. Assoc. U.K.* 50:449-460.
- Blaxter, J. H. S. 1971. Feeding and condition of Clyde herring larvae. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 160:128-136.
- Blaxter, J. H. S., and M. E. Staines. 1971. Food searching potential in marine fish larvae. Pages 467-485 in D. J. Crisp, editor. *Proc. 4th European Marine Biol. Symp.*, Cambridge Univ. Press.
- Blaxter, J. H. S. 1972. Brightness discrimination in larvae of plaice and sole. *J. Exp. Biol.* 57(3):693-700.
- Blaxter, J. H. S. 1973. Monitoring the vertical movements and light responses of herring and plaice larvae. *J. Mar. Biol. Assoc. U.K.* 53:635-647.
- Blaxter, J. H. S., and K. F. Ehrlich. 1974. Changes in behavior during starvation of herring and plaice larvae. Pages 575-588 in J. H. S. Blaxter, editor. *The early life history of fish*. Springer-Verlag, Berlin.
- Blaxter, J. H. S., and K. F. Erlich. 1974. Buoyancy and activity changes during growth and starvation of plaice larvae. Page 300 in *Rep. of the intl. symp. on the early life history of fish*. FAO Fish. Rep. No. 141, 58 pp.
- Blaxter, J. H. S. 1974. The early life history of fish: the proceedings of an international symposium held at the Dunstaffnage Marine Research Lab of Scottish Marine Biol. Assoc. at Oban, Scotland, 17-23 May, 1973. Springer-Verlag, New York. 765 pp.
- Blaxter, J. H. S. 1975. Reared and wild fish - how do they compare? 10th European Symp. *Mar. Biol.*, Ostend, Belgium 1:11-26.
- Blaxter, J. H. S. 1975. The eyes of larval fish. Pages 427-443 in M. Ali, editor. *Vision in fishes*. Plenum, New York.
- Blaxter, J. H. S., and E. J. Denton. 1976. Function of the swimbladder-inner ear-lateral line system of herring in the young stages. *J. Mar. Biol. Assoc. U.K.* 56(2):487-502.
- Blaxter, J. H. S. 1977. The effect of copper on the eggs and larvae of plaice and herring. *J. Mar. Biol. Assoc. U.K.* 57(3):849-858.
- Blaxter, J. H. S., and D. E. Hoss. 1979. The effect of rapid changes of hydrostatic pressure on the Atlantic herring, [*Clupea harengus*] L. II. The response of the auditory bulla system in larvae and juveniles. *J. Exp. Mar. Biol. Ecol.* 41(1):87-100.
- Blaxter, J. H. S. 1981. The rearing of larval fish. Pages 303-323 in A. D. Hawkins, editor. *Aquarium systems*.

- Blaxter, J. H. S., and D. E. Hoss. 1981. Startle response in herring: the effect of sound stimulus frequency, size of fish and selective interference with the acoustico-laterali system. *J. Mar. Biol. Assoc. U. K.* 61:871-879.
- Blaxter, J. H. S., E. J. Denton, and J. A. B. Gray. 1981. The auditory bullae-swimbladder system in late stage herring larvae. *J. Mar. Biol. Assoc. U. K.* 61:315.
- Blaxter, J. H. S., and J. R. Hunter. 1982. The biology of the clupeoid fishes. Pages 1-223 in J. H. S. Blaxter, F. S. Russel, and M. Yonge, editors. *Advances in marine biology*. Academic Press, London.
- Blaxter, J. H. S., J. A. B. Gray, and A. C. G. Best. 1983. Structure and development of the free neuromasts and lateral line system of the herring. *J. Mar. Biol. Assoc. U.K.* 63:247-260.
- Blaxter, J. H. S., D. Danielssen, E. Moksness, and V. Oiestad. 1983. Description of the early development of the halibut [*Hippoglossus hippoglossus*] and attempts to rear the larvae past first feeding. *Mar. Biol.* 73:99-107.
- Blaxter, J. H. S. 1984. Cupular growth in herring neuromasts. *J. Mar. Biol. Assoc. U. K.* 64:935-938.
- Blaxter, J. H. S. 1984. Neuromasts and cupular growth of cod larvae. Pages 183-188 in E. Dahl et al., editors. *The propagation of cod [Gadus morhua] L., an international symposium, Arendal 14-17 June, 1983.* Flodevigen Rapportser.
- Blaxter, J. H. S. 1984. Ontogeny, systematics and fisheries. Pages 1-6 in H. G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists.* Lawrence, Kansas.
- Blaxter, J. H. S., and R.S. Batty. 1985. Herring behavior in the dark: responses to stationary and continuously vibrating obstacles. *J. Mar. Biol. Ass. U.K.* 65:1031-1049.
- Blaxter, J. H. S., and R. S. Batty. 1985. The development of startle responses in herring larvae. *J. Mar. Biol. Assoc. U.K.* 65(3):737-750.
- Blaxter, J. H. S. 1986. Development of sense organs and behavior of teleost larvae with special reference to feeding and predator avoidance. *Transactions of the American Fisheries Society* 115: 98-114.
- Blaxter, J. H. S. 1988. Pattern and variety in development. Pages 1-58 in W.S. Hoar and D.J. Randall, editors. *Fish Physiology. Volume XI, Part A.* Academic Press Inc., San Diego, California.
- Blaxter, J.H.S., and L.A. Fuiman. 1989. Function of the free neuromasts of marine teleost larvae. Pages 481-499 in S. Coombs, P. Goerner, and H. Muenz, editors. *The mechanosensory lateral line: neurobiology and evolution.* Springer-Verlag, New York.
- Blaxter, J. H. S., and L.A. Fuiman. 1990. The role of the sensory systems of herring larvae in evading predatory fishes. *Journal of the Marine Biological Association of the United Kingdom* 70: 413-427.
- Blaxter, J. H. S. 1992. The effect of temperature on larval fishes. *Netherlands Journal of Zoology.* 42: 336-357.
- Blaylock, B. G., and N. A. Griffith. 1971. Effects of acute beta and gamma radiation on developing embryos of carp (*[Cyprinus carpio]*). *Radiation Research* 46:99-104.
- Blaylock, B. G., and N. A. Griffith. 1971. A laboratory technique for spawning carp. *Progressive Fish-Culturist*



- Blaylock, B. G., and M. L. Frank. 1979. A comparison of the toxicity of nickel to the developing eggs and larvae of carp ([*Cyprinus*] [*carpio*]). *Bull. Environ. Contam. Toxicol.* 21:604-611.
- Bleakney, J. S. 1963. Notes on the distribution and reproduction of the fish, [*Tautoga onitis*], in Nova Scotia. *Can. Fld. Nat.* 77:64-65.
- Blendermann, G. 1969. Windkanalmessungen an einem Planktonnetz. *Inst. of Schiffbau, Univ. Hamburg, Schrift Nr.* 2152.
- Blindheim, J., and T. Monstad. 1972. The spawning migration of capelin in 1972. *Fisk. Havet.* 1972(3):15-20.
- Blinov, V. V. 1971. The theoretical basis of a device for counting fish larvae. *Tr. vses. Nauchn-issled Inst. Morsk. Rybn. Khoz. Okeanogr.* 3:198-214. *Fish. Res. Bd. Can. Transl. Ser.* 1915:1-20.
- Bliss, Q. P. 1977. Fish larvae entrainment and distribution study. Pages 75-95 in S. R. Carter, editor. *Missouri River monitoring: fisheries and drift population effects of the Fort Calhoun Station. NALCO Environ. Sci. Rep., Environ. Ser. Bull. 2, Omaha Public Power District, Omaha, Nebraska, USA.*
- Bloom, A. M. 1976. Evaluation of minnow traps for estimating populations of juvenile coho salmon and dolly varden. *Progressive Fish-Culturist* 38:99-101.
- Blom, G., T. Svasand, K. E. Jorstad, H. Ottera, O. I. Paulsen, and J. C. Holm. 1994. Comparative survival and growth of 2 strains of Atlantic cod ([*Gadus morhua*]) through the early life stages in a marine pond. *Canadian Journal of Fisheries and Aquatic Sciences* 51:1012-1023.
- Blosz, J. 1952. Propagation of largemouth black bass and bluegill sunfish in federal hatcheries of the southeast. *Progressive Fish-Culturist* 14(2):61-66.
- Bobonis, C., and M. S. Siciliano. 1976. In vitro culture of viviparous fish embryos (Genus: [*Xiphophorus*]). *Am. Zool.* 16(2):186.
- Bocharnikova, A. V. 1952. Data on the reproductive and developmental biology of the Kuban pike-perch. *Zool. zhur.*, 31, No. 1.
- Bochdansky, A.B., and W.C. Leggett. 2001. Winberg revisited: convergence of routine metabolism in larval and juvenile fish. *Can. J. Fish. Aquat. Sci.* 58: 220-230.
- Bodammer, J. E. 1981. The cytopathological effect of copper on the olfactory organs of larval fish ([*Pseudopleuronectes*] [*americanus*] and [*Melanogrammus aeglefinus*]). *Intl. Counc. Explor. Sea, Mar. Env. Qual. Comm. C.M.* 1981/E:46, Copenhagen, Denmark.
- Bodammer, J. E. 1985. Corneal damage in larvae of striped bass, [*Morone*] [*saxatilis*] exposed to copper. *Transactions of the American Fisheries Society* 114:577-583.
- Bodammer, J.E. 1993. The teratological and pathological effects of contaminants on embryonic and larval fishes exposed as embryos: a brief review. In L. A. Fuiman, editor. *Water quality and the early life stages of fishes. American Fisheries Society Symposium* 14. 192pp.
- Boddeke, R., et al. 1969. Young fish survey. *Ann. Biol.* Vol. 26.
- Boddeke, R., R. deClerck, N. Daan, K. H. Postuma, B. Staiger, G. Rauck, and J. F. de Veen. 1975. Young fish and brown shrimp surveys along the continental coast in 1973 *Ann. Biol.*, Copenh. 30(1973):241-243.
- Boden, B. P., and E. M. Kampa. 1967. The influence of natural light on the vertical migrations of an animal community in the sea. *Symp. Zool. Soc. (Lond.)* 19:15-26.

- Bodine, J. H. 1927. The action of sodium, potassium, and calcium chlorides on the eggs of [Fundulus]. Proc. Nat. Acad. Sci. 13(10):698-699.
- Bodine, J. H. 1927. Potentiometric studies on intracellular pH values of single [Fundulus] egg cells. J. Gen. Physiol. (Baltimore) 10:533-540.
- Bodiou, J. Y., and L. Villiers. 1978-79. La predation de la meiofauna par les formes juveniles de [Deltentosteus quadrimaculatus] (Teleostei: Gobiidae). Vie Mielieu (AB)28-29:143-156.
- Bodola, A. 1965. The life history of the gizzard shad, [Dorosoma] [cepedianum] (LeSueur) in western Lake Erie. Ph.D Diss., Ohio State Univ. 130 pp.
- Bodola, A. 1966. Life history of the gizzard shad, [Dorosoma] [cepedianum] (LeSueur) in Western Lake Erie. U.S. Fish and Wildl. Serv., Fish. Bull. 65(2):391-425.
- Body, A. J., and A. Badenhorst. 1981. A note on rate of early growth of pilchard, [Sardinops ocellata], larvae. Fish. Bull. So. Afr. 15:43-48.
- Body, J. F., and R. C. Simmonds. 1974. Continuous laboratory production of fertile [Fundulus] [heteroclitus] (Walbaum) eggs lacking chorionic fibrils. J. Fish. Biol. 6(4):389-394.
- Body, M. 1928. A comparison of the oxygen consumption of unfertilized and fertilized eggs of [Fundulus] [heteroclitus]. Biol. Bull. 55:92-100.
- Body, S. H., P. H. Wiebe, and J. L. Cox. 1978. Limits of [Nematoscelis megalops] in the northwestern Atlantic in relation to Gulf Stream cold core rings. II. Physiology and biochemical effects of expatriation. J. Mar. Res. 36:143-159.
- Bodznick, D. 1978. Water source preference and lakeward migration of sockeye salmon fry ([Oncorhynchus nerka]). J. Comp. Physiol. A Sens. Neural Behav. Physiol. 127(2):139-146.
- Boehlert, G. W. 1977. Timing of the surface-to-benthic migration in juvenile rockfish, [Sebastes diploproa], off south California. U.S. Fish. Bull. 75:887-890.
- Boehlert, G. W. 1978. Changes in the oxygen concentrations of pyruv rockfish, [Sebastes diploproa], prior to migration from the surface to deep water. Physiol. Zool. 51:56-67.
- Boehlert, G. W. 1979. Retinal development in postlarvae through juvenile [Sebastes diploproa]: adaptations to a changing photic environment. Revue Can. Biol. 38:265-280.
- Boehlert, G. W. 1981. The effects of photoperiod and temperature on laboratory growth of juvenile [Sebastes diploproa] and a comparison with growth in the field. Fish. Bull. 79:789-794.
- Boehlert, G. W. 1981. The role of temperature and photoperiod in the ontogenetic migration of prejuvenile [Sebastes] [diploproa] (Pisces: Scorpaenidae). California Fish and Game 67:164-175.
- Boehlert, G. W. 1982. Ontogenetic changes in growth and their relationship with temperature and habitat change. Pages 115-213 in G. M Caillet and C. A. Simenstad, editors. Fish food habit studies, Washington Sea Grant, Seattle.
- Boehlert, G. W. 1984. Scanning electron microscopy. Pages 43-47 in H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Boehlert, G. W., and J. B. Morgan. 1985. Turbidity enhances feeding abilities of larval Pacific herring, [Clupea harengus pallasii]. Hydrobiologia 123(2):161-170.

- Boehlert, G. W., and M. M. Yoklavich. 1983. Effects of temperature, ration and fish size on growth of juvenile black rockfish, [*Sebastes*] [*melanops*]. *Environmental Biology of Fishes* 8:17-28.
- Boehlert, G. W., and M. M. Yoklavich. 1984. Carbon assimilation as a function of ingestion rate in larval Pacific herring, [*Clupea harengus pallasii*] Val. *J. Exp. Mar. Biol. Ecol.* 79:251-262.
- Boehlert, G. W., and M. M. Yoklavich. 1984. Reproduction, embryonic energetics and the maternal-fetal relationship in the viviparous genus [*Sebastes*] (Pisces, Scorpaenidae). *Biol. Bull.* 167(2):354-370.
- Boehlert, G. W., and M. M. Yoklavich. 1985. Larval and juvenile growth of sablefish, [*Anoplopoma*] [*fimbria*], as determined from otolith increments. *Fish. Bull. NOAA* 83(3):475-481.
- Boehlert, G. W., and B.C. Mundy. 1987. Recruitment dynamics of metamorphosing English sole, [*Parophrys vetulus*], to Yaquina Bay, Oregon. *Est. Coastal Mar. Sci.* 25: 261-281.
- Boehlert, G. W., and B. C. Mundy. 1988. Roles of behavioral and physical factors in larval and juvenile fish recruitment to estuarine nursery areas. Pages 51-67 in M.P. Weinstein, editor. *Transport of larval fish and shellfish through coastal inlets*, Ocean Springs, MS. *Symposium Series 3*, Am. Fish. Soc. 165 pp.
- Boehlert, G. W., D. M. Gadomski, and B. C. Mundy. 1985. Vertical distribution of ichthyoplankton off the Oregon coast in spring and summer months. *Fish. Bull. NOAA* 83(4):611-621.
- Boehlert, G. W., et al. 1986. Energetics during embryonic development in kurosoi, [*Sebastes schlegelii*] Hilg. *J. Exp. Mar. Biol. Ecol.* 101:239-256.
- Boehlert, G. W. 1988. Current-topography interactions at mid-ocean seamounts and the impact on pelagic ecosystems. *Proceedings, First Pacific Symposium on Marine Sciences*, Nakhodka, USSR. *GeoJournal* 16: 45-52.
- Boehlert, G. W., and B. C. Mundy. 1992. Distribution of ichthyoplankton around Southeast Hancock Seamount, central North Pacific, in summer 1984 and winter 1985: data report. NOAA Technical Memorandum. NOAA-TM-NMFS-SWFSC-176. 109 p.
- Boehlert, G. W., W. Watson, and L. C. Sun. 1992. Horizontal and vertical distributions of larval fishes around an isolated oceanic island in the tropical Pacific. *Deep - Sea Research Part A - Oceanographic Research Papers* 39: 439-466.
- Boehlert, G. W., and B. C. Mundy. 1993. Ichthyoplankton assemblages at seamounts and oceanic islands. *Bulletin of Marine Science.* 53:336-361.
- Boehlert, G. W., and B. C. Mundy. 1994. Vertical and onshore-offshore distributional patterns of tuna larvae in relation to physical habitat features. *Marine Ecology - Progress Series.* 107:1-13.
- Boeke, J. 1903. On the early development of the weever fishes, [*Trachinus vipera*] and [*Trachinus draco*]. *Nederl. Dierk. Ver. Tijdschr.* 8:148-157.
- Boeke, J. 1907. The later larval development of the Trachinidae ([*Trachinus vipera*] and [*T. draco*]). *Tijdschr. ned. dierk. Vereen.* 10:245-254.
- Boetius, I., and D. W. McKay. 1970. Report on the international surveys of herring larvae in the North Sea in 1968. *ICES, Coop. Res. Rep. Ser. A* 19:18-30.
- Boetius, J. 1976. Elvers, [*Anguilla anguilla*] and [*Anguilla rostrata*] from two Danish localities. Size, body weight, developmental stage and number of vertebrae related to time of ascent. *Medd. Dan. Fisk.-Havunders.* 7:199-220.

- Boetius, J., and E. F. Harding. 1985. List of Atlantic and Mediterranean [Anguilla] leptocephali: Danish material up to 1966. Dana Vol. 5:163-249.
- Bogan, F. Ye. 1959. Reproductive features of the Siberian roach in the mountain lakes of the Southern Urals. In: Biol. osnovy ryb. khoz. Tomsk.
- Bogdanov, G. A. 1968. Factors governing the reproduction of certain sardines. Probl. Ichthyol. 8:695-704.
- Bogdanov, V. D. 1983. Species-specific differences of larvae of some whitefishes (Coregonidae) at hatching. J. Ichthyol. 23(3):86-92.
- Bogdanova, L. S. 1970. The transition of [Tilapia mossambica] Peters larvae to active feeding. J. Ichthyol. 10(3):427-430.
- Bogdanova, L. S. 1972. The transition to exogeneous feeding in the larvae of [Coregonus laveratus budoga] Poljakov. J. Ichthyol. 12(3):531-537.
- Bogdanova, L. S. 1977. The growth and development of the larvae of the kuben inconnu, [Stenodus leucichthys nelma], under conditions of varying temperatures and feeding regimes. J. Ichthyol. 17(4):582-590.
- Bogdanova, L. S. 1980. The development and feeding of the larvae of the Lake Syamozero whitefish, [Coregonus lavaretus pallasii], under different temperature conditions and feeding regimes. J. Ichthyol. 20(2):66-73.
- Bohlin, T. 1978. Temporal changes in the spatial distribution of juvenile sea-trout, [Salmo trutta], in a small stream. Oikos 30(1):114-120.
- Boicourt, W. C. 1982. Estuarine larval retention mechanisms on two scales. Pages 445-458 in V. S. Kennedy, editor. Estuarine comparisons. Academic Press, New York, NY, USA.
- Boisclair, D., and W.C. Leggett. 1988. An in situ experimental evaluation of the Elliott and Persson and the Eggers models for estimating fish daily ration. Can. J. Fish. Aquat. Sci. 45:138-145.
- Boitsov, M. P. 1974. Morphology of fingerlings in the Ivan'kovo Reservoir affected by hot water discharge from the Konakovo hydroelectric power station. Vopr. Ikhtiol. (USSR) 14:1046.
- Bokova, E. N. 1955. Food availability of juvenile [Azov tiulka] under conditions of the regulated discharge. Vopr. Ikhtiol. 4:137-151.
- Bolgova, O. M., V. S. Sidorov, Y. A. Smirnov, and K. F. Sorvachev. 1977. The fatty acid composition of the cavity fat of juvenile salmon, [Salmo salar], under natural conditions and in hatchery rearing. J. Ichthyol. 17(6):918-923.
- Bolin, R. L. 1930. Embryonic development of the labrid fish [Oxyjulis] [californicus] Gunther. Copeia 1930(2):122-128.
- Bolin, R. L. 1936. Embryonic and early larval stages of the California anchovy, [Engraulis mordax] Girard. California Fish and Game 22:314-321.
- Bolin, R. L. 1941. Embryonic and early larval stages of the cottid fish [Orthonopias triacis] Starks and Mann. Stanford Ichthyol. Bull. 2(3):73-82.
- Bolin, R. L. 1944. A review of the marine cottid fishes of California. Stanford Ichthyol. Bull. 3(1):1-135.

- Bolle, L. J., A. D. Rijnsdorp, and H. W. vanderVeer. 2001. Recruitment variability in dab ([*Limanda limanda*]) in the southeastern North Sea. *Journal of Sea Research* 45(3-4):255-270.
- Bollens, S. M. 1988. A model of the predatory impact of larval marine fish on the population dynamics of their zooplankton prey. *J. Plankton Res.* 10:887-906.
- Bollens, S. M., B. W. Frost, H. R. Schwaninger, C. S. Davis, K. J. Way, and M. C. Landsteiner. 1992. Seasonal plankton cycles in a temperate fjord and comments on the match mismatch hypothesis. *Journal of Plankton Research* 14:1279-1305.
- Bolstev, G. C., and J. P. Bridger. 1957. Nature of the spawning area of herring. *Nature, Lond.* 179(4560):638.
- Bolz, G. R., R. G. Lough, and D. C. Potter. 1979. Autumn and winter abundance and distribution of ichthyoplankton on Georges Bank and Nantucket Shoals, 1974-1976, with special emphasis on dominant species. In: *Symp.*
- Bolz, G. R. 1980. Current status of sorting and computer listing for ICNAF larval herring surveys, 1971-1978 NAFO Scientific Council Meeting, September 1980. Working paper for Larval herring task force. 4 pp.
- Bolz, G. R., and R. G. Lough. 1981. Ichthyoplankton abundance, diversity and spatial pattern in the Georges Bank-Nantucket Shoals area, autumn and winter seasons 1971-77. NAFO SCR Res. Doc. 81/IX/136. 23 pp.
- Bolz, G. R., and R. G. Lough. 1981. Ichthyoplankton distribution and abundance for species collected on ICNAF larval herring surveys, September 1971-February 1977. NOAA, NMFS NEFC, Woods Hole Lab., Ref. Doc. No. 81-08. 446 pp.
- Bolz, G. R., R. G. Lough, and D. C. Potter. 1981. Autumn and winter abundance and distribution of ichthyoplankton on Georges Bank and Nantucket Shoals, 1974-76, with special emphasis on dominant species. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:168-170.
- Bolz, G. R., and G. Lough. 1983. Growth of larval Atlantic cod, [*Gadus morhua*], and haddock, [*Melanogrammus aeglefinus*], on Georges Bank, spring 1981. *Fish. Bull. NOAA* 81(4):827-836.
- Bolz, G. R., and R. G. Lough. 1984. Retention of ichthyoplankton in the Georges Bank region during the autumn-winter seasons, 1971-77. *J. Northw. Atl. Fish. Sci.* 5:33-45.
- Bolz, G. R., and R. G. Lough. 1986. Zooplankton faunal zones and their relation to hydrography and ichthyoplankton production in the Georges Bank region. NAFO SCR Res. Doc. 86/105. 24 pp.
- Bolz, G. R., and R. G. Lough. 1988. Growth through the first six months of Atlantic cod [*Gadus morhua*] and haddock [*Melanogrammus aeglefinus*] based on daily growth increments. *Fishery Bulletin, U.S.* 86: 223-235.
- Bolz, G.R., and B.R. Burns. 1996. Age and growth of larval Atlantic herring, [*Clupea harengus*]: a comparative study. *Fishery Bulletin* 94:387-397.
- Bond, W. A. 1972. Spawning migration, age, growth, and food habits of the white sucker, ([*Catostomus commersoni*]) in the Bigoray River, Alberta. M.S. thesis, Univ. of Alberta, Edmonton, Canada.
- Bond, W. A., and K. Machniak. 1977. Interim report on an intensive study of the fish fauna of the Muskeg River watershed of northeastern Alberta. Preparations for Alberta Oil Sands Environmental Research Program (AOSERP) by Fish. & Environ. Can., Freshwater Inst., AOSERP Rep. No. 26, Winnipeg, Canada.

- Bond, W. A., and K. Machniak. 1979. An intensive study of the fish fauna of the Muskeg River watershed of northeastern Alberta. Prep. AOSERP Fish. Environ. Can., Freshwater Institute, AOSERP Report 76, Winnipeg, Canada.
- Bonecker, A. C. T., and G. Hubold. 1990. Distribution and abundance of larval gonostomatid fishes in the southwest Atlantic. Meeresforschung-Reports on Marine Research 33:38-51.
- Bonham, K., L. R. Donaldson, and A. D. Welander. 1963. Increase in radio-resistance of fish to lethal doses with advancing embryonic development. Pages 353-358 in V. Schultz and A. Klement, Jr., editors. Radioecology. Reinhold, NY.
- Bonin, J. D. 1976. The physiological ecology of larval muskellunge and norlunge: temperature tolerance and growth rates under hatchery conditions. M.S. Thesis, N.Y. State Univ., Buffalo, N.Y.
- Bonin, J. D., and J. R. Spotila. 1978. Temperature tolerance of larval muskellunge (*[Esox] [masquinongy] Mitchill*) + F-1 hybrids reared under hatchery conditions. Comp. Biochem. Physiol. 59A(3):245.
- Bonin, J. D. 1979. Temperature tolerance of juvenile muskellunge reared under hatchery conditions. New York Fish Game J. 26(1):95-97.
- Bonn, E. W. 1953. The food and growth rate of young white bass (*[Morone chrysops]*) in Lake Texoma. Transactions of the American Fisheries Society 82:213-221.
- Bonneau, J.L., and D.L. Scarnecchia. 1998. Seasonal and diel changes in habitat use by juvenile bull trout (*[Salvelinus confluentus]*) and cutthroat trout (*[Oncorhynchus clarki]*) in a mountain stream. Canadian Journal of Zoology 76(5):783-790.
- Bonner, W. R., and B. L. Tatum. 1966. Premature egg procurement from striped bass. N. C. Wildl. Res. Comm.
- Bonnet, D. D. 1939. Mortality of cod eggs in relation to temperature. Biol. Bull. Mar. Biol. Lab., Woods Hole 76(3):428-441.
- Bonnot, P. 1929. The reproduction of fishes. California Fish and Game 15(3):228-230.
- Booke, H. E. 1970. Speciation parameters in coregonine fishes: I. egg-size II. Karyotype. Pages 61-66 in C. C. Lindsey, and C. S. Woods, editors. Biology of coregonid fishes. Univ. Manit. Press, Winnipeg.
- Booman, C., A. Folkvord, and J. R. Hunter. 1991. Responsiveness of starved northern anchovy [*Engraulis mordax*] larvae to predatory attacks by adult anchovy. Fishery Bulletin 89:707-711.
- Boon, J. P., R. C. Oudejans, and J. C. Duinker. 1984. Kinetics of individual polychlorinated biphenyl (PCB) components in juvenile sole (*[Solea solea]*) in relation to their concentrations in food and to lipid metabolism. Comp. Biochem. Physiol. 79C(1):131-142.
- Boonprakob, U. 1963. Preliminary results of fish egg surveys in the Gulf of Thailand. Proc. IPFC 10(2):10-18.
- Boonprakob, U. 1965. The identification of pelagic eggs and larvae of chub mackerel, [*Rastrelliger*] sp., in the Gulf of Thailand with additional study on their distribution. Contr. Mar. Fish. Lab. Thailand (4):115-151.
- Boonprakob, U., and Y. Dhebtaranon. 1974. Diurnal vertical distribution of the larvae of the Indo Pacific mackerel [*Rastrelliger neglectus*]. Proc. Indo-Pacific. Fish. Coun.

Booth, D. J., and J. A. Keast. 1986. Growth and energy partitioning by juvenile bluegill sunfish, [*Lepomis macrochirus*] Raf. J. Fish. Biol. 28(1):37-46.

Booth, D. J. 1992. Larval settlement patterns and preferences by domino damselfish [*Dascyllus albisella*] Gill. Journal of Experimental Marine Biology and Ecology 155: 85-104.

Booth, R. 1967. A description of the larval stages of the tomcod, [*Microgadus tomcod*], with comments upon its spawning ecology. Ph.D. Diss., Univ. Conn., Storrs, CT. 53 pp.

Boothby, R. N., and J. W. Avault. 1971. Food habits, length-weight relationships, and condition factors of the red drum ([*Sciaenops*] [ocellata]) in southeastern Louisiana. Transactions of the American Fisheries Society 100:290-295.

Bootsma, R. 1971. Hydrocephalus and red-disease in pike fry, [*Esox*] [lucius] L. J. Fish. Biol. 4(4):417-420.

Bootsma, R., P. Dekinkelin, and M. LeBerre. 1975. Transmission experiments with pike fry ([*Esox lucius*] L.) rhabdovirus. J. Fish. Biol. 7(2):269-276.

Boreman, J., S.J. Correia and D.B. Witherell. 1993. Effects of changes in age-0 survival and fishing mortality on egg production of winter flounder in Cape Cod Bay. In L. A. Fuiman, editor. Water quality and the early life stages of fishes. American Fisheries Society Symposium 14. 192pp.

Boreman, J. 1976. Great Lakes fish egg and larvae identification: proceedings of a workshop. U.S. Fish Wildl. Serv., Natl. Power Plant Team, Ann Arbor, MI.

Boreman, J. 1983. Simulation of striped bass egg and larva development based on temperature. Transactions of the American Fisheries Society 112:286-292.

Boretz, T. M. 1979. The qualitative and quantitative composition of spring ichthyoplankton of the Gulf of Alaska. TINRO Vladivostok. 20 pp.

Boretz, T. M. 1981. Composition and distribution of ichthyoplankton and assessment of the spawning Alaska pollock abundance in the Gulf of Alaska in spring 1980. TINRO Vladivostok. 17 pp.

Borgeson, D. P., and G. W. McCammon. 1967. White catfish ([*Ictalurus catus*]) of the Sacramento-San Joaquin Delta. California Fish and Game 53(4):254-263.

Borgmann, U., and K. M. Ralph. 1985. Feeding, growth, and particle-size-conversion efficiency in white sucker larvae and young common shiners. Environmental Biology of Fishes 14(4):269-279.

Borjeson, H., and L. B. Hoglund. 1976. Swimbladder gas and root effect in young salmon during hypercapnia. Comp. Biochem. Physiol. 54A:335.

Borne, M. 1882. Dry transmission of eggs. Bull. U.S. Fish. Comm. 1:345.

Borne, M. 1884. Spawning in Germany of the largemouthed black bass sent from the United States in 1882. U.S. Comm. Fish. Bull. 4(1884):219.

Borovik, Y. A. 1966. The functional importance of carotenoids in fish embryology. In: Tez. Dokl. uyn Sovestpo ekolog. Fiziol. Ryb, Moscow.

Borthwick, P. W., and S. C. Schimmel. 1978. Toxicity of pentachlorophenol and related compounds to early life stages of selected estuarine animals. In K. R. Rao, editor. Pentachlorophenol. Plenum Press.

- Borthwick, P. W., J. M. Patrick, and D. P. Middaugh. 1985. Comparative acute sensitivities of early life stages of atherinid fishes to chlorpyrifos and thiobencarb. *Arch. Env. Contam. Toxicol.* 14(4):465-474.
- Borton, D. L. 1975. Effects of primary treated and biologically stabilized kraft mill effluents on the production, biomass, and growth rates of juvenile salmonids in three stream channels. *Diss. Abstr.* 36:75-16,811.
- Bortone, S. A. 1971. Studies on the biology of the sandperch, [*Diplectrum*] [*formosum*] (Perciformes: Serranidae). Florida Dept. Nat. Res. Mar. Res. Lab, Tech. Ser. No. 65, 27 pp.
- Boschung, H. T. 1957. The fish of Mobile Bay and the Gulf Coast of Alabama. Ph.D Diss., Univ. of Alabama. 626 pp.
- Bosgoed, D. M. 1874. *Bibliotheca Ichthyologica et Piscatoria; Catalogus van Boeken en geschriften over de natuurlijke Geschiedenis van de visschen en Walvisschen, de Kunstmatige vischteelt, de visscherijen, de wetgeving op de visscherijen, enz.* Haarlem, p. 474.
- Bosley, C. 1969. Trout egg development. *Wyoming Wildl.* 34:4-7.
- Bosley, T. R., and J. V. Conner. 1984. Geographic and temporal variation in numbers of myomeres in fish larvae from the Lower Mississippi River. *Transactions of the American Fisheries Society* 113:238-242.
- Bosley, T. R., et al. 1985. Evaluation of larval fish sampling gears for use on large rivers. Tech. Rep. U.S. Army Engineer Waterways Experiment Station E-86-9.
- Bostock, A. R. 1967. The ecology of the trout-perch, [*Percopsis*] [*omiscomaycus*], in Lake Superior. M.S. Thesis, Univ. Mich., Ann Arbor, MI. 41 pp.
- Botros, G. A. 1959. A comparative study on the fecundity of Norwegian and Baltic cod. ICES Mtg. presentation, 1959.
- Bottom, D. L., G. R. Delp, and B. A. Miller. 1983. Growth of juvenile chinook salmon (*[Oncorhynchus] [tshawytscha]*) in Sixes River estuary, Oregon: availability of invertebrate prey, stomach contents and daily ration of juvenile chinook, and effects of temperature on consumption and growth. *Oregon Dept. Fish. Wildl., Corvallis, OR.*
- Bottrell, C. E., R. H. Ingersol, and R. W. Jones. 1964. Notes on the embryology, early development, and behavior of [*Hybopsis aestivalis tetranemus*] (Gilbert). *Trans. Am. Micro. Soc.* 83:381-399.
- Boulekbache, H. 1981. Energy metabolism in fish development. *Am. Zool.* 21:377-389.
- Bourassa, W. L., and C. Terner. 1979. Study of metabolism in embryonic development. VII. Changes of RNA and protein synthesis in mitochondria of trout eggs after fertilization effects of ethidium bromide. *Exp. Cell. Res.* 118:261-267.
- Bourne, D. W., and J. J. Govoni. 1988. Distribution of fish eggs and larvae and patterns of water circulation in Narragansett Bay, 1972-1973. In M.P. Weinstein, editor. *Transport of larval fish and shellfish through coastal inlets, Ocean Springs, MS. Symposium Series 3, Am. Fish. Soc.* 165 pp.
- Bourne, G. C. 1889-90. Destruction of immature fish. *J. Mar. Biol. Assoc. U.K.* 1(2):153-161.
- Bouvet, S. 1978. Cell proliferation and morphogenesis of the apical ectodermal ridge in the pectoral fin bud of the trout embryo (*[Salmo trutta]*). *Wilhelm Roux's Arch. Dev. Biol.* 185(2):137-154.



- Bowen, R. A., J. M. St. Onge, J. B. Colton, Jr., and C. A. Price. 1972. Density-gradient centrifugation as an aid to sorting planktonic organisms. I. Gradient materials. *Mar. Biol.* 14(3):242-247.
- Bowen, S. H., and B. R. Allanson. 1982. Behavioral and trophic plasticity of juvenile [*Tilapia mossambica*] in utilization of the unstable littoral habitat. *Environmental Biology of Fishes* 7(4):357-362.
- Bower, C. E., and J. P. Bidwell. 1978. Ionization of ammonia in seawater: effects of temperature, pH, and salinity. *Journal of the Fisheries Research Board of Canada* 35:1012-1016.
- Bower, S. 1897. The propagation of small-mouth black bass. *Trans. Am. Fish. Soc.*
- Bower, S. 1909. Desirability of planting smelt eggs. 17th Bienn. Rep. St. Bd. Comm. (Michigan) 1905 and 1906:13.
- Bower, S. M. 1985. [*Ceratomyx shasta*] (Myxozoa: Myxosporea) in juvenile chinook salmon ([*Oncorhynchus tshawytscha*]): experimental transmission and natural infections in the Fraser River, British Columbia. *Canadian Journal of Zoology* 63(7):1737-1740.
- Bower, S. M., and L. Margolis. 1985. Effects of temperature and salinity on the cause of infection with the haemoflagellate, [*Cryptobia*] [*salmositica*], in juvenile Pacific salmon, [*Oncorhynchus*] sp. *J. Fish. Dis.* 8:25-33.
- Bowering, W. R. 1967. Distribution, age and growth, and sexual maturity of witch flounder ([*Glyptocephalus cynoglossus*]) in Newfoundland waters. *Journal of the Fisheries Research Board of Canada* 33:1574-1584.
- Bowering, W. R. 1978. Fecundity of witch flounder ([*Glyptocephalus*] [*cynoglossus*]) from St. Pierre Bank and the Grand Bank of Newfoundland. *Journal of the Fisheries Research Board of Canada* 35(9):1199-1206.
- Bowers, A. B., and D. I. Williamson. 1951. Food of larval and early post-larval stages of autumn-spawned herring in Manx waters. *Rep. Mar. Biol. Sta. Pt. Erin* 63:17-26.
- Bowers, A. B. 1952. Studies on the herring ([*Clupea harengus*] L.) in Manx waters: the autumn spawning and larval and post-larval stages. *Proc. Lpool. Biol. Soc.* 58:47-74.
- Bowers, A. B. 1960. Growth of the witch flounder ([*Glyptocephalus*] [*cynoglossus*] (L.)) in the Irish Sea. *J. Cons. perm. int. Explor. Mer* 25(2):168-176.
- Bowers, A. B. 1966. Marine fish culture in Britain. VI. The effect of the acclimatization of adult plaice to pond conditions on the viability of eggs and larvae. *J. Cons. perm. int. Explor. Mer* 30(2):196-203.
- Bowers, A. B. 1969. Spawning beds of Manx autumn herrings. *J. Fish. Biol.* 1(4): 355-359.
- Bowers, A. B., and A. R. Brand. 1973. Stock-size and recruitment in Manx herring. Pages 37-41 in B. B. Parrish, editor. *Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer.* 164, 372 pp.
- Bowers, G. M. 1910. The distribution of fish and fish eggs in the year 1909. *U.S. Bur. Fish. Doc.* 728:1-103.
- Bowker, R. G., D. J. Baungartner, J. A. Hutcheson, R. H. Ray, and T. L. Wellborn, Jr. 1969. Striped bass, [*Morone saxatilis*] (Walbaum). Development of essential requirements for production. *U.S. Fish and Wildl. Serv. Publ.* 112 pp.
- Bowles, R. R., et al. 1976. Effects of water velocity on activity of juvenile striped bass. *Oak Ridge Natl. Lab. ORNL/TM-5368.*

- Bowles, R. R., and J. V. Merriner. 1978. Evaluation of ichthyoplankton sampling gear used in power plant entrainment studies. Pages 33-43 in L. D. Jensen, editor. Entrainment and impingement. Fourth National Workshop. Ecol. Anal., Inc., Melville, NY. 424 pp.
- Bowles, R. R., J. V. Merriner, and G. C. Grant. 1978. Factors associated with accuracy in sampling fish eggs and larvae. FWS/OBS-78/83. 67 pp.
- Bowman, A. 1912. Distribution of the larvae in Scottish waters. Scient. Invest. Fish. Bd. Scotl. (2), 11 pp.
- Bowman, A. 1913. Distribution of the larvae of the eel in Scottish waters. Fish. Bd. Scotland, Sci. Invest.
- Bowman, A. 1920. The eggs and larvae of the angler ([*Lophius*] [*piscatorius*] L.) in Scottish waters. Sci. Invest. Fish. Res. Bd. Scotl. 2:1-42.
- Bowman, H. B. 1932. A description and ecologic study of the margined madtom, [*Rabida insignis*] (Richardson). M.S. Thesis, Cornell, Univ. Ithaca, NY 41 pp.
- Bowman, H. B. 1936. Further notes on the margined madtom, [*Rabida*] [*insignis*] (Richardson) and notes on a kindred species, [*Noturus flavus*] (Rafinesque). Ph.D. Diss. Cornell Univ., Ithaca, NY 99 pp.
- Bowman, M. L. 1954. Some aspects of the life history of the black redhorse ([*Moxostoma duquesnei*] LeSueur), with reference to its association with the smallmouth bass ([*Micropterus dolomieu*] Lacepede) in two south central Missouri streams, the Niangua and the Big Piney. MS Thesis, Univ. Missouri. 39 pp.
- Bowman, M. L. 1959. The life history of the black redhorse, [*Moxostoma*] [*duquesnei*] (LeSueur), in Missouri. Ph.D Diss., Univ. Mississippi. 144 pp.
- Bowman, M. L. 1970. Life history of the black redhorse, [*Moxostoma*] [*duquesnei*] (LeSueur), in Missouri. Transactions of the American Fisheries Society 99:546-559.
- Bowman, N. R. 1958. Striped bass spawning. Virginia Game & Inland Fish., Fed. Aid Proj., F-5-R-5.
- Bowman, R. E. 1979. Food habits of 0-age group haddock in the northwest Atlantic and a discussion of the possible causes of year class strength. In: Symp. on the early life history of fish, Woods Hole, MA.
- Bowman, R. E. 1980. Food of northwest Atlantic juvenile haddock. M.A. Thesis, Bridgewater State College. 95 pp.
- Bowman, R. E. 1981. Distribution and abundance of the juveniles of fifteen selected fish species caught in the northwest Atlantic, 1975-79. NOAA, NMFS NEFC, Woods Hole Lab. Ref. No. 81-02. 53 pp.
- Bowman, R. E. 1981. Food and feeding of 0-group haddock in the northwest Atlantic. Rapp. P.-v. Reun. Cons. Int. Explor. Mer 178:322-323.
- Bowman, R. E. 1981. Food of ten species of northwest Atlantic juvenile groundfish. Fish. Bull. 79(1):200-206.
- Bowser, P. R. 1979. Development and evaluation of a new cell line from the channel catfish, [*Ictalurus punctatus*]. Diss. Abst. Int. 39(9):4120-B, 56 pp.
- Boyar, H. C. 1961. Swimming speed of immature Atlantic herring with reference to the Passamaquoddy Tidal Project. Transactions of the American Fisheries Society 90:21-26.
- Boyar, H. C. 1966. Distribution and abundance of larval herring on Georges Bank. Res. Doc. ICNAF 66-62, 4 pp.

- Boyar, H. C. 1968. Age, length, and gonadal stages of herring from Georges Bank and the Gulf of Maine. Int. Comm. Northwest Atl. Fish. Res. Bull. No. 5:49-61.
- Boyar, H. C. 1970. Distribution and abundance of larval herring ([*Clupea harengus* *harengus*] L.) on Georges Bank and adjacent waters in 1962-1969. Res. Doc. ICNAF 70-71, 5 pp.
- Boyar, H. C., and R. A. Clifford. 1967. An automatic device for counting dry fish eggs. Coll. Rep. U.S. Fish. Wildl. Serv. 1967(1):19 pp.
- Boyar, H. C., and R. A. Clifford. 1967. An automatic device for counting dry fish eggs. Transactions of the American Fisheries Society 96(3):361-363.
- Boyar, H. C., R. R. Marak, F. E. Perkins, and R. A. Clifford. 1971. Seasonal distribution of larval herring, [*Clupea*] [*harengus harengus*] Linnaeus, in Georges Bank-Gulf of Maine area, 1962-70. Int. Comm. Northwest Atl. Fish. Res. Doc. 71/100, 11 pp.
- Boyar, H. C., R. R. Marak, F. E. Perkins, and R. A. Clifford. 1973. Seasonal distribution and growth of larval herring ([*Clupea harengus*]) in the Georges Bank-Gulf of Maine area from 1962-1970. J. Cons. Int. Explor. Mer 35(1):36-51.
- Boyce, N. P. J. 1974. Biology of [*Eubothrium salvelini*] (Cestoda: Pseudophyllidea), a parasite of juvenile sockeye salmon, [*Oncorhynchus nerka*], of Babine Lake, British Columbia. Journal of the Fisheries Research Board of Canada 31(11):1735-1742.
- Boyce, N. P., and S. B. Yamada. 1977. Effects of a parasite, [*Eubothrium salvelini*] (Cestode: Pseudophyllidea) on the resistance of juvenile sockeye salmon, [*Oncorhynchus nerka*], to zinc. Journal of the Fisheries Research Board of Canada 34(5):706-709.
- Boyd, A. J., L. J. Shannon, F. H. Schlein, and J. Taunton-Clark. 1998. Food, transport and anchovy recruitment in the southern Benguela upwelling system of South Africa. Pages 195-209 [in] M.-H. Durand, P. Cury, R. Mendelssohn, C. Roy, A. Bakun, and D. Pauly, editors. Global versus local changes in upwelling systems. Editions de l'Orstom, Paris.
- Boyer, R. L. 1967. Aspects of the behavior and biology of the longear sunfish, [*Lepomis megalotis*] (Rafinesque), in two Arkansas reservoirs. M.S. Thesis, Kansas State Univ., Manhattan, KA. 103 pp.
- Boynton, W. R., et al. 1977. Potomac River fisheries program: ichthyoplankton and juvenile investigations, 1976 final report. Univ. Maryland, CEES Ref. No. 77-169-CBL, Solomons. 328 pp.
- Boystov, M. P. 1974. The morphology of underyearling fishes in the zone affected by warm waters discharged from the Konakova power station into Ivan'kovskoye reservoir. J. Ichthyol. 14:904.
- Bozeman, E. L., Jr., and J. M. Dean. 1980. The abundance of estuarine larval and juvenile fish in a South Carolina intertidal creek. Estuaries 3:89-97.
- Bozhkova, V. P., I. S. Kvavilashvili, N. N. Rott, and L. M. Chailakhyan. 1974. Correlation between the periods of cyclic changes in the membrane, electrical characteristics and the phases of cyto- and karyokinesis in dividing eggs of the loach and axolotl. Tsitologiya 16:709-716.
- Braasch, M. E., and P. W. Smith. 1967. The life history of the slough darter, [*Etheostoma*] [*gracile*] (Pisces, Percidae). Illinois Nat. Hist. Surv. Biol. Notes 58, 12 pp.
- Braaten, B., E. E. Mollerud, and P. Solemdal. 1972. The influence of some by-products from vinylchloride products on fertilization, development and larval survival of plaice, cod and herring eggs. Aquaculture 1(1):81-90.

- Brabazon, E.D., R. T. Bree, M. W. Carton, M. Grealy, and L. Byrnes. 2002. Cyclin-dependent kinase 8 is expressed both maternally and zygotically during zebrafish embryo development. *Biochim. Biophys. Acta* 1576(1-2):203-208. Citation retrieved from the Zebrafish Information Network (ZFIN), the Zebrafish International Resource Center, University of Oregon, Eugene, OR 97403-5274; World Wide Web URL: <http://zfin.org/>; [3 July 2002].
- Brachet, A. 1912. Recherches sur la gastrulation et l'origine de l'hypoblaste du tube digestif chez [*Amia calva*]. *Zool. Jahrb.* 2:425-456.
- Bracken, J. J., and M. P. Kennedy. 1967. A key to the identification of the eggs and young stages of coarse fish in Irish waters. *Scient. Proc. Roy. Dublin Soc., Ser. B.*, 2(12): 99-108.
- Bradbury, I. R., P. V. R. Snelgrove. 2001. Contrasting larval transport in demersal fish and benthic invertebrates: the roles of behaviour and advective processes in determining spatial pattern. *Canadian Journal of Fisheries and Aquatic Sciences.* 58(4):811-823.
- Bradford, A. D., J. G. Miller, and K. Buss. 1968. Bio-assays on eggs and larva stages of American shad, [*Alosa sapidissima*] Appendix 2. Pages 52-60 in Suitability of the Susquehanna River for restoration of shad. U.S. Dept. of Int., Wash., D. C. 60 pp.
- Bradford, D. F., and R.S. Seymour. 1988. Influence of environmental PO<sub>2</sub> on embryonic oxygen consumption, rate of development, and hatching in the frog *Pseudophryne bibroni*. *Physiol. Zool.* 61: 475-482.
- Bradford, M. J., and G. H. Geen. 1987. Size and growth of juvenile chinook salmon back-calculated from otolith growth increments. In: Summerfelt, R. C., and G. E. Hall (eds.), *Age and growth of fish*. Iowa State Univ. Press, Ames, IA. 544 pp.
- Bradford, M. J. 1992. Precision of recruitment predictions from early life stages of marine fishes. *Fishery Bulletin* 90:439-453.
- Bradford, R. G., and T. D. Iles. 1993. Retention of herring [*Clupea harengus*] larvae inside Minas basin, Inner Bay of Fundy. *Canadian Journal of Zoology - Revue Canadienne de Zoologie* 71:56-63.
- Bradley, M. C. 1948. An analysis of the growth and development of the fish in the freshwater impoundments at the Patuxent Research Refuge. MS Thesis, Univ. Maryland. 23 pp.
- Bradley, T. M., and A. W. Rourke. 1984. An electrophoretic analysis of plasma proteins from juvenile [*Oncorhynchus tshawytscha*] (Walb.). *J. Fish. Biol.* 24(6):703-710.
- Bradley, T. M., and A. W. Rourke. 1985. The influences of addition of minerals to rearing water and smoltification on selected blood parameters of juvenile steelhead trout, [*Salmo gairdneri*] Rich. *Physiol. Zool.* 58(3):312-319.
- Braekkan, O. R. 1958. Vitamins and the reproductive cycle of ovaries in cod ([*Gadus morhua*]). *Fisheeridirek. Skr. Ser. Teknolog. Undersok.*, Bergen 4:1-15.
- Braem, R. A., and W. J. Ebel. 1961. A back-pack shocker for collecting lamprey ammocoetes. *Progressive Fish-Culturist* 23(2):87-91.
- Bragensky, R. Y. 1960. Early development of the carp. Pages 129-149 in C. G. Krevanovski, editor. *Works on the early development of bony fishes*. Stud. A. N. Stevert Sova Inst. Anim. Morph., Soviet Acad. Sci. No. 28. In Russian.
- Bragg, R. J., and R. H. Stasiak. 1978. An ecological study of the blacknose dace, [*Rhinichthys atratulus*], in Nebraska. *Proc. Nebraska Acad. Sci. Affil. Soc.* 88:8.

- Braginskaia, R. I. 1960. Etapy razvitiia kul'turnogo karpa. Steps in the development of the cultivated carp. Trudy Institut Morfologii Zhivotnykh, Akad. Nauk SSSR 28:129-149.
- Braid, M. R., and E. W. Shell. 1981. Incidence of cannibalism among striped bass fry in an intensive culture system. Progressive Fish-Culturist 43:210-212.
- Bramblett, R. G., M. D. Bryant, B. E. Wright, and R. G. White. 2002. Seasonal use of small tributary and main-stem habitats by juvenile steelhead, coho salmon, and Dolly Varden in a southeastern Alaska drainage basin. Transactions of the American Fisheries Society 131(3):498-506.
- Brancamp, J. H. 1938. The chronological order of scale formation of the common shiner, [*Notropis cornutus*] (Mitchill). M.S. Thesis, Ohio State Univ., Columbus, OH.
- Branchek, T. 1984. The development of photoreceptors in the zebrafish, [*Brachydanio rerio*]. II. Function. J. Comp. Neurol. 224:116-122.
- Branchek, T., and R. Bremiller. 1984. The development of photoreceptors in the zebrafish [*Brachydanio rerio*]. I. Structure. J. Comp. Neurol. 224:107-115.
- Brandenburg, A. M., M. S. Ray, and W. M. Lewis. 1979. Use of carp eggs as a feed for fingerling largemouth bass. Progressive Fish-Culturist 41(2):97-98.
- Brander, K., W. Huggins, and M. Vine. 1975. Report on the international 0 group fish survey in Faeroe Iceland and East Greenland waters in July-August 1973. Annl. Biol., Copenh. 30(1973):222-234.
- Brander, K., and P. C. F. Hurley. 1992. Distribution of early-stage Atlantic cod (*Gadus morhua*), haddock (*Melanogrammus aeglefinus*), and witch flounder (*Glyptocephalus cynoglossus*) eggs on the Scotian Shelf - a reappraisal of evidence on the coupling of cod spawning and plankton production. Canadian Journal of Fisheries and Aquatic Sciences 49:238-251.
- Brander, K. 2000. Effects of environmental variability on growth and recruitment in cod (*Gadus morhua*) using a comparative approach. Oceanologica Acta 23(4):485-496.
- Brander, K. M. 1988. The location and timing of cod spawning in the Irish Sea and central North Sea. International Council for the Exploration of the Sea. Early Life History Symposium, 1988, 79:1-19.
- Brandhorst, W. 1959. Spawning activity of herrings and the growth of their larvae. Oceanogr. Cong., N. Y. 1955. 218 pp.
- Brandhorst, W., and O. Rojas. 1967. Investigaciones sobre los recursos de la anchoveta, [*Engraulis ringens*] J., y sus relaciones con las condiciones oceanograficas en agosto-septiembre de 1963 y marzo-junio de 1964. Publ. Inst. Fom. Pesq. Santiago (31):1-38.
- Brandhorst, W., and O. Rojas. 1968. Investigaciones sobre los recursos de la anchoveta, [*Engraulis ringens*] J., y sus relaciones con las condiciones oceanograficas en agosto-octubre de 1964. Publ. Inst. Fom. Pesq. Santiago (36):1-17.
- Brandhorst, W., et al. 1968. Anchoveta resources in northern Chile in relation to environmental conditions from January to February 1965. Arch. Fischereiwiss. 19(2/3):167-235.
- Brandt, S. B. 1993. The effect of thermal fronts on fish growth: a bioenergetics evaluation of food and temperature. Estuaries 16:142-159.
- Brandt, S.B., and J. Kirsch. 1993. Spatially-explicit models of striped bass growth in the mid-Chesapeake Bay. Trans. Am. Fish. Soc. 122:845-869.

- Brannon, E. L. 1965. The influence of physical factors on the development and weight of sockeye salmon embryos and alevins. *Int. Pac. Salmon Fish. Comm. Prog. Rep.* 12, 26 pp.
- Brannon, E. L. 1968. Genetic control of migrating behavior of newly emerged sockeye salmon fry. *Univ. Washington Coll. Fish. Contr.* 300:28-29.
- Brannon, E. L. 1972. Mechanisms controlling migrations of sockeye salmon fry. *Intl. Salmon Fish. Comm. Bull.* 21:86 pp.
- Branson, B. A. 1961. Observations on the distribution of nuptial tubercles in some catostomid fishes. *Trans. Kansas Acad. Sci.* 64(4):360-374.
- Branson, B. A., and G. A. Moore. 1962. The lateralis components of the acoustico-laterali system in the sunfish family Centrarchidae. *Copeia* 1962:1-108.
- Branson, B. A., and J. B. Campbell. 1969. Hybridization in the darters [*Etheostoma spectabile*] and [*Etheostoma radiosum cyanorum*]. *Copeia* 1969(1):70-75.
- Brasch, J., et al. 1958. The eastern brook trout, its life history, ecology, and management. *Wisconsin Cons. Dept. Publ.*, 226:1-11.
- Braschler, E. W. 1974. Development of pond culture techniques for striped bass. *Proc. 28th Ann. Conf. S. E. Assoc. G & F Comms.* 28:44-48.
- Bratberg, E. 1965. Norwegian investigations.....cod eggs.....Greenland. *Annl. Biol.* XX.
- Braughn, J. L., and R. A. Shoettger. 1975. Acquisition and culture of research fish: rainbow trout, fathead minnows, channel catfish, and bluegills. *Eviron. Prot. Ag. Ecol. Res. Ser., Rep.* 660/3-75-011.
- Brauhn, J. L. 1971. Fall spawning channel catfish. *Progressive Fish-Culturist* 33(3):150-152.
- Brauhn, J. L. 1971. Isolation of [*Aeromonas liquefaciens*] from largemouth bass eggs and sac fry. *Progressive Fish-Culturist* 33(4):236-237.
- Braum, E. 1964. Experimentelle untersuchungen zur ersten Nahrungsaufnahme und biologie an Junfgischen von Blaufelchen ([*Coregonus wartmanni*] Block), Weissfelchen ([*C. fera*] Jurine) und Hechten ([*Esox*] [*lucius*] L.). (English Summary). *Arch. Hydrobiol. Suppl.* 28:183-244.
- Braum, E. 1964. The survival of fish larvae with reference to their feeding behavior and the food supply. Pages 113-131 in S. D. Gerking, editor. *The biological basis of freshwater fish production.* Blackwell Sci. Publ., Oxford.
- Braum, E. 1969. The survival of fish larvae with reference to their feeding behavior and the food supply. *Gas. Sander. Inst. Hydrobiol. Fisch., Univ. Hamburg* 1967-68.
- Braum, E. 1973. Effect of chronic oxygen lack on herring embryo-genesis. Presented to the 7th European Sympo. on Mar. Biol., Teasel, Netherlands, Sept. 1972. Einflusse chronischen exogenen Sauerstoffmangels auf die Embryogenese des Herings (*Clupea harengus*). *Neth. J. Sea Res.* 7:363-375.
- Braum, E. 1978. Ecological aspects of the survival of fish eggs, embryos and larvae. Pages 102-131 in S. D. Gerking, editor. *Ecology of freshwater fish production.* John Wiley & Sons, New York, N.Y., USA.
- Braum, E. 1978. The egg and larval phase. Pages 178-201 in T. Bagenal, editor. *Methods for the assessment of fish production in fresh waters.* Blackwell Sci. Publ., Oxford.
- Braum, E. 1985. Experiments on the respiration and in situ development of Baltic herring, [*Clupea harengus*] L., eggs. *Int. Revue gas. Hydrobiol.* 70:87-100.

- Bravo-Nunez, E., and A. Yanez-Arancibia. 1979. Ecologia de la boca de Puerto Real, Laguna de Terminos. 1. Descripcion del area y analisis estructural de las comunidades de peces. Anales del Instituto de Biologia Universidad Nacional Autonoma de Mexico Serie Ciencias del Mar y Limnologia 6(1):125-182.
- Brawn, V. M. 1960. Seasonal and diurnal vertical distribution of herring (*[Clupea harengus]* L.) in Passamoquoddy Bay, N. B. Journal of the Fisheries Research Board of Canada 17(5):699-711.
- Brawn, V. M. 1961. Reproductive behavior of the cod (*[Gadus callarias]* L.). Behavior 18(3):177-198.
- Brawn, V.M. 1960. Vertical distribution of Passamaquoddy herring. Journal of the Fisheries Research Board of Canada 17(5):699-711.
- Brazo, D. C., C. R. Liston, R. P. O'Neal, R. L. Ligman, J. R. Bohr, and G. J. Peterson. 1982. Survival of several species of fish larvae after passage through the Ludington pumped storage power plant on Lake Michigan. Pages 52-55 in C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. The fifth annual larval fish conference, Louisiana State Univ., Baton Rouge, LA, 86 pp.
- Brazo, D. C., P. I. Tack, and C. R. Liston. 1975. Age, growth, and fecundity of yellow perch, *[Perca flavescens]*, in Lake Michigan near Ludington, MI. Transactions of the American Fisheries Society 104(4):726-730.
- Brecka, B.J., Kohler, C.C., and D.H. Wahl. 1995. Effects of dietary protein concentration on growth, survival, and body composition of muskellunge *[Esox masquinongy]* and tiger muskellunge *[Esox masquinongy] x [E. lucius]* fingerlings. Journal of the World Aquaculture Society 26(4):416-425.
- Breder, C. M., Jr. 1922. Description of the spawning habits of *[Pseudopleuronectes americanus]* in captivity. Copeia 1922(102):3-4.
- Breder, C. M., Jr. 1923. Some embryonic and larval stages of the winter flounder. Bull. Bur. Fish., Wash. 38(927):311-315.
- Breder, C. M., Jr. 1926. A small cobia. New York Zool. Soc. Bull. 29(6):179-180.
- Breder, C. M., Jr. 1929. Report on Synentognath habits and development. Carnegie Inst. Wash. Yearbook 28:279-282.
- Breder, C. M., Jr., and A. C. Redmond. 1929. The blue-spotted sunfish: a contribution to the life history and habits of *[Enneacanthus]* with notes on other Lepominae. Zool ogica, N.Y. 9(10):379-401.
- Breder, C. M., Jr. 1932. The breeding of bullheads in the aquarium. Bull. New York Zool. Soc. 35:129-131.
- Breder, C. M., Jr. 1932. On the habits and development of certain Atlantic Synentognathi. Publs. Carnegie Inst. 28(435):1-35.
- Breder, C. M., Jr. 1933. The development of the urostyle in *[Umbra pygmaea]* (DeKay). Am. Mus. Novit. (610):1-5.
- Breder, C. M., Jr. 1933. Young tarpon on Andros Island. Bull. New York Zool. Soc. 42(4):99-110.
- Breder, C. M., Jr., and C. W. Coates. 1933. Reproduction and eggs of *[Pomacentrus leucoris]* Gilbert. Am. Mus. Novit. (612):1-6.

- Breder, C. M., Jr., and J. T. Nichols. 1934. On the significance of vertebral counts in exocoetid taxonomy. *Proc. Biol. Soc. Wash.* 47:37-44.
- Breder, C. M., Jr. 1934. An experimental study of the reproductive habits and life history of the cichlid fish [Aequidens] [lactifrons] (Steindachner). *Zoologica, N.Y.* 18(1):1-42.
- Breder, C. M., Jr. 1935. The reproductive habits of the common catfish, [Ameiurus nebulosus] (LeSueur), with a discussion of their significance in ontogeny and phylogeny *Zoologica* 19(4):143-185.
- Breder, C. M., Jr. 1936. The reproductive habits of the North American sunfishes (Family: Centrarchidae). *Zoologica, N.Y.* 21(pt. 1):1-48.
- Breder, C. M., Jr., and J. T. Nichols. 1937. The eggs of [Raja eglonteria] Bose, with a key to the shells of New York species. *Copeia* 1937:181-184.
- Breder, C. M., Jr. 1938. A contribution to the life history of the Atlantic Ocean flying fishes. *Bull. Bingham Oceanogr. Collect., Yale Univ.* 6(5):1-126.
- Breder, C. M., Jr., and J. W. Atz. 1938. Further notes on the eggs of [Raja eglonteria] Bose. *Copeia* 1938:145-146.
- Breder, C. M., Jr. 1939. On the life history and development of the sponge blenny, [Paraclinus marmoratus] (Steindachner). *Zoologica (NY)* 24:487-496.
- Breder, C. M., and S. Springer. 1940. On the electric powers and sex ratios of foetal [Narcine brasiliensis]. *Zoological* 25:431-432.
- Breder, C. M., Jr. 1940. The spawning of [Mugil cephalus] on the Florida west coast. *Copeia* 1940(2):138-139.
- Breder, C. M., Jr., and L. A. Krumholz. 1941. On the uterine young of [Dasyatis sabinus] (DeKay). *Zoologica, N.Y.* 26:49-53.
- Breder, C. M., Jr. 1941. On the reproduction of [Opsanus beta] Goode and Bean. *Zoologica, N. Y.* 26:229-232.
- Breder, C. M., Jr. 1941. On the reproductive behavior of the sponge blenny, [Paraclinus marmoratus] (Steindachner). *Zoologica N. Y.* 26:233-236.
- Breder, C. M., Jr. 1942. On the reproduction of [Gobiosoma robustum] Ginsburg. *Zoologica, N.Y.* 27:61-64.
- Breder, C. M., Jr. 1942. On the behavior of young [Oligoplites saurus] (Bloch and Schneider). *Copeia* 1942:267.
- Breder, C. M., Jr. 1943. The eggs of [Bathygobius soporator] (Cuvier and Valenciennes) with a discussion of other non-spherical teleost eggs. *Bull. Bingham Oceanogr. Coll.* 8(3):1-49.
- Breder, C. M., Jr., and L. A. Krumholz. 1943. On the locomotor and feeding behavior of certain postlarval Clupeidae. *Zoologica, N. Y.* 28(10):61-67.
- Breder, C. M., Jr. 1944. The metamorphosis of [Synodus foetens] (Linnaeus). *Zoologica, N.Y.* 29(1):13-16.
- Breder, C. M., Jr. 1944. Materials for the study of the life history of [Tarpon atlanticus]. *Zoologica, N.Y.* 29(4):217-252.
- Breder, C. M., Jr., and E. Clark. 1947. A contribution to the visceral anatomy, development, and relationships of the Plectognathi. *Bull. Am. Mus. Nat. Hist.* 88:287-320.



- Breder, C. M., Jr. 1948. Field book of marine fishes of the Atlantic Coast from Labrador to Texas. G. P. Putnam Sons, NY. 332 pp.
- Breder, C. M., Jr. 1949. On the behavior of young [*Lobotes surinamensis*]. *Copeia* 1949(4): 237-242.
- Breder, C. M., Jr. 1949. On the taxonomy and the postlarval stages of the surgeonfish, [*Acanthurus hepatus*]. *Copeia* 1949(4):296.
- Breder, C. M., Jr. 1951. A note on the spawning behavior of [*Caranx*] [*sexfasciatus*]. *Copeia* 1951 (2):170.
- Breder, C. M., Jr., and P. Rasquin. 1952. The sloughing of the melanic area of the dorsal fin, an ontogenic process in [*Tylosurus raphidoma*]. *Bull. Am. Mus. Nat. Hist.* 99(1):1-24.
- Breder, C. M., Jr., and P. Rasquin. 1954. The nature of postlarval transformation in [*Tylosurus acus*] (Lacepede). *Zoologica*, N.Y. 39(1):17-29.
- Breder, C. M., Jr. 1959. Observations on the spawning behavior and egg development of [*Strongylura notata*] (Poey). *Zoologica* (NY) 44(4):141-148.
- Breder, C. M., Jr. 1960. Design for a fry trap. *Zoologica*, N.Y. 45(10):155-160.
- Breder, C. M., Jr. 1962. Effects of a hurricane on the small fishes of a shallow bay. *Copeia* 1962(2):459.
- Breder, C. M., Jr. 1962. On the significance of transportation in osteichthid fish eggs and larvae. *Copeia* 1962(3):561-567.
- Breder, C. M., Jr., and D. E. Rosen. 1966. Modes of reproduction in fishes. *Am. Mus. Nat. Hist.*, N.Y., 941 pp.
- Breitburg, D. L. 1988. Effects of turbidity on prey consumption by striped bass larvae. *Trans. Amer. Fish. Soc.* 117:72-77.
- Breitburg, D. L. 1989. Demersal schooling prior to settlement by larvae of the naked goby. *Environmental Biology of Fishes* 26:97-103.
- Breitburg, D. L. 1991. Settlement patterns and presettlement behavior of the naked goby, [*Gobiosoma boscii*], a temperate oyster reef fish. *Marine Biology* 109:213-221.
- Breitburg, D. L., N. Steinberg, S. Dubeau, C. Cooksey, and E. D. Houde. 1994. Effects of low dissolved oxygen on predation on estuarine fish larvae. *Marine Ecology - Progress Series* 04:235-246.
- Breitburg, D. L. 1994. Behavioral response of fish larvae to low dissolved oxygen concentrations in a stratified water column. *Marine Biology* 120: 615-625.
- Breitburg, D. L., M. A. Palmer, and T. Loher. 1995. Larval distributions and the spatial patterns of settlement of an oyster reef fish: responses to flow and structure. *Marine Ecology - Progress Series* 125:45-60.
- Brenner, F. J., and W. L. Cooper. 1978. Effect of suspended iron hydroxide on the hatchability and embryonic development of the coho salmon. *Ohio J. Sci.* 78:34.
- Brett, I. R., W. C. Clarke, and J. E. Shelbourn. 1982. Experiments on thermal requirements for growth and food conversion efficiency of juvenile chinook salmon, [*Oncorhynchus tshawytscha*]. *Can. Tech. Rep. Fish. Aq. Sci.* 1127:27 pp.
- Brett, J. R. 1952. Temperature tolerance in young Pacific salmon, genus [*Oncorhynchus*]. *Journal of the Fisheries Research Board of Canada* 9:265-323.

- Brett, J. R. 1956. Some principles in the thermal requirements of fish. *Q. Rev. Biol.* 31(2):75-87.
- Brett, J. R., M. Hollands, and D. F. Alderdice. 1958. The effect of temperature on the cruising speed of young sockeye and coho salmon. *Journal of the Fisheries Research Board of Canada* 15(4):587-605.
- Brett, J. R., and D. F. Alderdice. 1958. The resistance of cultured young chum and sockeye salmon to temperatures below 0 degrees Celsius. *Journal of the Fisheries Research Board of Canada* 15(5):805-813.
- Brett, J. R., and C. Groot. 1963. Some aspects of olfactory and visual responses in Pacific salmon. *Journal of the Fisheries Research Board of Canada* 20:287-303.
- Brett, J. R. 1964. The respiratory metabolism and swimming performance of young sockeye salmon. *Journal of the Fisheries Research Board of Canada* 21:1183-1226.
- Brett, J. R. 1976. Feeding metabolic rates of young sockeye salmon, [*Oncorhynchus nerka*], in relation to ration level and temperature. *Tech. Rep. Fish. Mar. Serv. Res. Dev. (Can.)*, No. 675.
- Brett, J. R. 1978. Reproduction and spawning of the anchovy, [*Engraulis*] [*mordax*], in San Pedro Bay, California. *California Fish and Game* 64:175-184.
- Brett, J. R., and T. D. D. Groves. 1979. Physiological energetics. Pages 279-352 in W. S. Hoar, D. J. Randall, and J. R. Brett, editors. *Fish Physiology*, Vol. VIII, Academic Press, NY.
- Brett, J. R., and J. M. Blackburn. 1981. Oxygen requirements for growth of young coho, [*Oncorhynchus kisutch*], and sockeye, [*O. nerka*], salmon at 15 C. *Can. J. Fish. Aquat. Sci.* 38:399-404.
- Brewer, G. D. 1978. Reproduction and spawning of the northern anchovy, [*Engraulis mordax*], in San Pedro Bay, California. *California Fish and Game* 64(3):175-184.
- Brewer, G. D., R. L. Lavenberg, and G. E. McGowen. 1981. Abundance and vertical distribution of fish eggs and larvae in the southern California Bight: June and October 1978. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:165-167.
- Brewer, G. D., G. S. Kleppel, and M. Dempsey. 1984. Apparent predation on ichthyoplankton by zooplankton and fishes in nearshore waters of south California. *Mar. Biol.* 80(1):17-28.
- Brewer, G. D., and G.S. Kleppel. 1986. Diel vertical distribution of fish larvae and their prey in nearshore waters of southern California. *Mar. Ecol. Prog. Ser.* 27: 217-226.
- Brezeanu, G. 1961. Recherches sur l'ichthyoplancton des eaux roumaines de la Mer Noire et specialement sur les larves et les oeufs d'anchois. *Stud. Cercet Biol.* 13(1):83-92.
- Brezeanu, G. 1968. Contributions to the study of the reproduction, prolificity and development of the species [*Leucaspius delineatus*] (Haeckel) (Pisces, Cyprinidae). *Trav. Mus. Hist. Natur. 'Grigore Antipa'* 8:509-521.
- Brezeanu, G., and V. Zinevici. 1971. Contributii la studiul ichtioplanctonului din zona de amestec a apelor dulci si marine de la varsarea bratului Sulina. Contribution to the study of ichthyoplankton from the mixture zone of fresh and marine waters of Sulina Arm's mouth (Danube Delta). *Bull. Cercet. Piscic.* 30(2):49-56.
- Brezner, J. 1956. Some aspects in the life history of the northern river carpsucker, [*Carpionoxenus carpio*] (Rafinesque), in the Niangua Arm of the Lake of the Ozarks. MS Thesis, Univ. Missouri. 79 pp.

- Brezosky, P. E. 1957. The effects of handling and shipping smelt eggs during various stages of development. New Hampshire Fish. Dept. 9 pp.
- Brezosky, P. E. 1957. A progress report on the smelt egg collection and stocking program conducted at Black Brook, New Hampshire. New Hampshire Fish. Dept. 15 pp.
- Brezosky, P. E. 1957. A progress report concerning the treatment of smelt eggs with malachite green (Chloride) for control of fungus. New Hampshire Fish. Dept. 6 pp.
- Brice, J. J. 1897. A manual of fish-culture, based on the methods of the United States Commission of Fish and Fisheries. Part XXIII. Rep. U.S. Comm. Fish. Fish. 1897:1-346.
- Brickell, D. C. 1971. Oxygen consumption by dead pink salmon eggs in salmon spawning beds. M.S. Thesis, Univ. Alaska, 53 pp.
- Bridger, D. W. 1971. The critical thermal maxima of the juvenile spot, [*Leiostomus xanthurus*] Lac. Diss. Abst. Int 1. 32(2):1059B.
- Bridger, D. W. 1971. The pattern of scale development in juvenile Atlantic croaker, [*Micropogon undulatus*]. Copeia 1971:331-332.
- Bridger, J. P. 1956. On the day and night variations in catches of fish larvae. J. Cons. perm. int. Explor. Mer 22(1):42-57.
- Bridger, J. P. 1957. On efficiency tests made with a modified Gulf III high-speed tow net. J. Cons. perm. int. Explor. Mer 23(3):357-365.
- Bridger, J. P. 1959. On fecundity and larval abundance of Downs herring. ICES Herring Comm. 48.
- Bridger, J. P. 1960. On the relationship between stock larvae and recruits in the Downs herring. ICES CM 1960, No. 159.
- Bridger, J. P. 1961. On fecundity and larval abundance of Downs herring. Fish. Invest., Lond. (Ser. 2).
- Bridges, D. W. 1971. The critical thermal maximum of juvenile spot, [*Leiostomus xanthurus*] Lacepede. Pamlico Mar. Lab., N.C. State Univ. Publ. No. 17, 39 pp.
- Brididi, V., and A. Tafani. 1881. Embrologia del [*Cyprinus auratus*]. In Italian. R. Inst. Stud. Sup. Prat. Perfez. Publ., Firenze. Ser. 9, 1:115-192.
- Brigs, J. C. 1953. The behavior and reproduction of salmonid fishes in a small coastal stream. California Fish. Bull. 94:1-62.
- Brigs, J. C. 1953. The behavior and reproduction of salmonid fishes in a small coastal stream. California Dept. of Fish and Game, Fish Bull. 94. 62 pp.
- Brill, R. W., R. Bourke, J. A. Brock, and M. D. Dailey. 1987. Prevalence and effects of infection of the dorsal aorta in yellowfin tuna, [*Thunnus albacares*], by the larval cestode, [*Dasyrhynchus talismani*]. Fish. Bull. (U.S.). 85:767-776.
- Brinley, F. J. 1930. The effect of cyanide on the cardiac rhythm of embryos of [*Fundulus heteroclitus*]. Physiol. Zool. 3(3):283.
- Brinley, F. J. 1937. Eggs of fresh water fishes suitable for laboratory studies. Science, N.Y. 85:527-528.
- Brinley, F. J. 1938. Eggs of fishes. Tabul. Biol. 16:51-59.

- Brinley, F. J. 1938. Study of the origin of muscular movement in fish embryos. Ann. Rep. Tortugas Lab., Carnegie Yearbook 1938:86-87.
- Brinley, F. J. 1939. Spawning habits and development of Beau-gregory ([*Pomacentrus leucostictus*]). Copeia 1939(3):185-188.
- Brinley, F. J., and G. B. Jenkins. 1939. Studies on the antagonism between implant and host in fish embryos. Physiol. Zool. 12:31-37.
- Brinley, F. J. 1951. Studies on the effect of curare on spontaneous muscular activity in fish embryos. Physiol. Zool. 24:186.
- Brinley, F. J., and L. Eulberg. 1953. Embryological head glands of the cichlid fish, [*Aequidens portalegrenis*]. Copeia 1953:24-25.
- Brkich, A. 1947. How specific speed affects centrifugal-pump performance. Power, March 1947.
- Broadhead, G. C. 1953. Investigations on the black mullet, [*Mugil cephalus*] L., in northwest Florida. Fla. St. Biol. Conserv., Tech. Ser. 7, Mar. Lab. Univ. Miami:5-33.
- Brock, V. E. 1940. Note on the young of the sable fish, [*Anoplopoma*] [*fimbria*]. Copeia 1940:268-270.
- Brockmann, H. J., and J. P. Hailman. 1976. Fish cleaning symbiosis: Notes on juvenile angelfishes ([*Pomacanthus*], Chaetodontidae) and comparison with other species. Z. Tierpsychol. 42:129-138.
- Brocksen, R. W., and H. T. Bailey. 1973. Respiration response of juvenile chinook salmon and striped bass larvae exposed to benzene, a water soluble compound of crude oil. Pages 783-791 in Proc. 1973 Conf. on Prevention of Oil Spills, Wash., D. C.
- Broderius, S., R. Drummond, J. Fiantt, and C. Russom. 1985. Toxicity of ammonia to early life stages of the smallmouth bass at four pH values. Env. Toxicol. Chem. 4(1):87-96.
- Brodeur, R. D., D. M. Gadomski, W. G. Pearcy, H. P. Batchelder, and C. B. Miller. 1985. Abundance and distribution of ichthyoplankton in the upwelling zone off Oregon during anomalous El Nino conditions. Est., Coast. and Shelf Sci. 21:365-378.
- Brodeur, R. D., and W. G. Pearcy. 1986. Distribution and relative abundance of pelagic non-salmonid nekton off Oregon and Washington 1979-87. NOAA Tech. Rep. NMFS 46.
- Brodeur, R.D., H.V. Lorz, and W.G. Pearcy, 1987. Food habits and dietary variability of pelagic nekton off Oregon and Washington, 1979-1984. NOAA Tech. Rep. NMFS 57:1-32.
- Brodeur, R.D., and W.G. Pearcy, 1987. Diel feeding chronology, gastric evacuation and estimated daily ration of juvenile coho salmon, *Oncorhynchus kisutch* (Walbaum) in the coastal marine environment. J. Fish Biol. 31:465-477.
- Brodeur, R. D., K. M. Bailey, and S. Kim. 1991. Cannibalism on eggs by walleye pollock [*Theragra chalcogramma*] in Shelikof Strait, Gulf of Alaska. Marine Ecology-Progress Series 71:207-218.
- Brodeur, R. D., and N. Merati. 1993. Predation on walleye pollock ([*Theragra chalcogramma*]) eggs in the western Gulf of Alaska - the roles of vertebrate and invertebrate predators. Marine Biology 117:483-493.
- Brodeur, R. D., and W. C. Rugen. 1994. Diel vertical distribution of ichthyoplankton in the northern Gulf of Alaska. Fishery Bulletin 92:223-235.

- Brodeur, R. D., M. S. Busby, and M. T. Wilson. 1995. Summer distribution of early life stages of walleye pollock, [*Theragra chalcogramma*], and associated species in the western Gulf of Alaska. *Fishery Bulletin* 93:603-618.
- Brodeur, R. D., and M. T. Wilson. 1996. Mesoscale acoustic patterns of juvenile walleye pollock ([*Theragra chalcogramma*]) in the western Gulf of Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 53:1951-1963.
- Brodeur, R. D., and M. T. Wilson. 1996. A review of the distribution, ecology and population dynamics of age-0 walleye pollock in the Gulf of Alaska. *Fisheries Oceanography* 5:148-166.
- Brodeur, R. D., M. T. Wilson, and L. Ciannelli. 2000. Spatial and temporal variability in feeding and condition of age-0 walleye pollock ([*Theragra chalcogramma*]) in frontal regions of the Bering Sea. *Ices Journal of Marine Science* 57(2):256-264.
- Brody, S. 1945. Bioenergetics and growth with special reference to the efficiency complex in domestic animals. Van Nostrand Reinhold, New York, N.Y., USA.
- Brodziak, J.K.T., W.J. Overholtz, and P.J. Rago. 2002. Reply: does spawning stock affect recruitment of New England groundfish? Interpreting spawning stock and recruitment data in New England groundfish. *Canadian Journal of Fisheries and Aquatic Sciences* 59(1): 193-195.
- Brogan, M. W. 1994. Two Methods of sampling fish larvae over reefs - a comparison from the Gulf of California. *Marine Biology* 118:33-44.
- Brogan, M. W. 1994. Distribution and retention of larval fishes near reefs in the Gulf of California. *Marine Ecology - Progress Series* 115:1-13.
- Bromhall, J. D. 1954. A note on reproduction of the grey mullet, [*Mugil*] [*cephalus*] L. *Hong Kong Univ. Fish. J.* 1:19-34.
- Bromley, P. J. 1974. The energetics, nitrogen metabolism, and growth of juvenile sole, [*Solea solea*] (L.). Thesis, Univ. East Anglia, Norwich. 94 pp.
- Bromley, P. J. 1977. Methods of weaning juvenile hatchery reared sole, [*Solea solea*] (L.), from live food to prepared diets. *Aquaculture* 12(4):337-348.
- Bromley, P. J. 1978. The weaning of hatchery-reared turbot larvae ([*Scophthalmus maximus*] L.) on a dry diet. *Aquaculture* 13(4):339-346.
- Bromley, P. J., and B. R. Howell. 1983. Factors influencing the survival and growth of turbot larvae, [*Scophthalmus maximus*] L., during the change from live to compound feeds. *Aquaculture* 31:31-40.
- Brook, G. 1884. Preliminary account of the development of the lesser weever-fish, [*Trachinus vipera*]. *J. Linn. Soc. Zool.* 18:274-291.
- Brook, G. 1885. The formation of the germinal layers in Teleosti. *Trans. R. Soc. Edinb.* 133:199-239.
- Brook, G. 1885. On the development of the herring. Part 1. *Fish. Bd. Scotl.*, 3rd Ann. Rep. (1884), Append. F:32-51.
- Brook, G. 1885. On some points in the development of [*Motella mustela*] L. *J. Linn. Soc. Zool.* 18:298-307, pls. VIII-X.
- Brook, G. 1886. The development of the herring. *Rep. Fishery Bd. Scotl.* 1885(1886):31-43.
- Brook, G. 1886. The spawning period of British food-fishes. Part 1. *Fish. Bd. Scotl.*, 4th Ann. Rep. (1885), Append. F:242-254.

- Brook, G. 1886. On the development of the herring. Part II. Fish. Bd. Scotl., 4th Ann. Rep. (1885), Append. F:31-43.
- Brook, G. 1886. Report on the herring of Loch Fyne and the adjacent districts during 1885. 4th Ann. Rep., Fish. Bd. Scot., Append.:41-61.
- Brook, G. 1887. The relation of yolk to blastoderm in teleostean fish-ova. Proc. Roy. Soc., Edinburgh 9:187-193.
- Brook, G. 1890. Notes on larval stages of [Motella]. Proc. R. Phys. Soc. Edinb. 10:156-161.
- Brook, I. M. 1977. Trophic relationships in the seagrass community ([Thalassia testudinum]) in Card Sound, Florida. Fish diets in relation to macrobenthic and cryptic faunal abundance. Transactions of the American Fisheries Society 106(3):219-229.
- Brooke, L. T. 1975. Effect of different constant incubation temperatures on egg survival and embryonic development in lake whitefish ([Coregonus clupeaformis]). Transactions of the American Fisheries Society 104(3):555-559.
- Brooke, L. T., and P. J. Colby. 1980. Development and survival of embryos of lake herring at different constant oxygen concentrations and temperatures. Progressive Fish-Culturist 42(1):3-9.
- Brooks, G. 1885. On the development of the herring. Ann. Rep. Fishery Bd. Scotl. 1884 (1885), Appendix F., No. 1 (Pt. 1):32-51.
- Brooks, G. 1890. Notes on the British species of [Lepadogaster], and on the development of the vertical fins. Proc. R. Phys. Soc. Edinb. 10:161-169.
- Brooks, J. L., and S. I. Dodson. 1965. Predation, body size, and composition of plankton. Science, N.Y. (150):28-35.
- Brooks, W. K. 1881. Alternations of periods of rest with periods of activity in the segmenting eggs of vertebrates. Stud. Biol. Lab. Johns Hopkins Univ. 2:117-118.
- Bross, M. G. 1967. Investigations of the reproduction of fishes in Canton Reservoir-seining of young-of-the-year fishes. Ann. Rep. Oklahoma Fish. Res. Lab., Norman, OK:56-73.
- Brothers, E. B., C. P. Mathews, and R. Lasker. 1976. Daily growth increments in otoliths from larval and adult fishes. Fish. Bull. NOAA (U.S.) 74(1):1-8.
- Brothers, E. B. 1981. What can otolith microstructure tell us about daily and subdaily events in the early life history of fish? Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:393-394.
- Brothers, E. B., and W. N. McFarland. 1981. Correlations between otolith microstructure, growth, and life history transitions in newly recruited French grunts [[Haemulon flavolineatum] (Desmarest), Haemulidae]. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer. 178:369-374.
- Brothers, E. B., D. M. Williams, and P. F. Sale. 1983. Length of larval life in 12 families of fishes at One Tree Lagoon, Great Barrier Reef, Australia. Mar. Biol. (Berl.) 76:319-324.
- Brothers, E. B. 1984. Otolith studies. Pages 50-56 in H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

- Brothers, E. B. 1985. Otolith marking techniques for the early life history stages of lake trout. Great Lakes Fish. Comm. Res. Compl. Rep., Ann Arbor, MI.
- Brothers, E. B., and R.E. Thresher. 1985. Pelagic duration, dispersal, and the distribution of Indo-Pacific coral reef fishes. NOAA Symp. Ser. Undersea Res. 3(1):53-69.
- Brothers, E. B. 1987. Methodological approaches to the examination of otoliths in aging studies. Pages 319-330 in R. C. Summerfelt and G. E. Hall, editors. Age and growth of fish. Iowa State Univ. Press, Ames.
- Brothers, E. B., and R. E. Thresher. In press. Larval duration, dispersal and the biogeography of Indo-Pacific coral reef fishes. NOAA Tech. Bull, The ecology of deep and shallow reefs.
- Brown, A. L., M. S. Busby, and K. L. Mier. 2001. Walleye pollock [*Theragra chalcogramma*] during transformation from the larval to juvenile stage: otolith and osteological development. Marine Biology 139(5):845-851.
- Brown, A. V., and M. L. Armstrong. 1985. Propensity to drift downstream among various species of fish. Journal of Freshwater Ecology 3:3-17.
- Brown, J. A., P.H. Johansen, P.W. Colgan, and R.A. Mathers. 1985. Changes in the predator-avoidance behavior of juvenile guppies (*Poecilia reticulata*) exposed to pentachlorophenol. Canadian Journal of Zoology 63:2001-2005.
- Broughton, N. M., and N. V. Jones. 1978. An investigation into the growth of 0-group roach, [*Rutilus rutilus*] L., with special reference to temperature. J. Fish. Biol. 12:345.
- Browman, H. I., and A. B. Skiftesvik. 1996. Effects of turbulence on the predation cycle of fish larvae: comments on some of the issues. Marine Ecology - Progress Series 139:309-312.
- Browman, H. I., C. A. Rodriguez, F. Beland, J. J. Cullen, R. F. Davis, J. H. M. Kouwenberg, P. S. Kuhn, B. McArthur, J. A. Runge, J.-F. St-Pierre, and R. D. Vetter. 2000. Impact of ultraviolet radiation on marine crustacean zooplankton and ichthyoplankton: a synthesis of results from the estuary and Gulf of St. Lawrence, Canada. Mar. Ecol. Prog. Ser. 199:293-311.
- Brown, A. W. 1904. Some observations on the young scales of the cod, haddock and whiting before shedding. Proc. R. Soc. Edinb. 24:437-438.
- Brown, B. E., I. Inman, and A. Jearld, Jr. 1970. Schooling and shelter seeking tendencies in fingerling channel catfish. Transactions of the American Fisheries Society 99(3):540-545.
- Brown, C. J. D. 1938. Observations on the life history and breeding habits of the Montana grayling. Copeia 1938(3):132-136.
- Brown, C. J. D., and C. Buck, Jr. 1939. When do trout grayling fry begin to take food. J. Wildl. Mgmt. 3(2):134-140.
- Brown, C. J. D., and G. C. Kamp. 1941. Gonad measurements and egg counts of brown trout (*Salmo trutta*) from the Madison River, Montana. Transactions of the American Fisheries Society 71:195-200.
- Brown, C. J. D., and G. C. Kamp. 1942. Gonad measurements and egg counts of brown trout, [*Salmo trutta*], from the Madison River, Montana. Transactions of the American Fisheries Society 71:195-200.

- Brown, C. J. D., and J. W. Moffett. 1942. Observations on the number of eggs and feeding habits of the cisco ([*Leucichthys artedii*]) in Swains Lake, Jackson County, MI. *Copeia* 1942:149-152.
- Brown, C. J. D. 1952. Spawning habits and early development of the mountain whitefish, [*Prosopium williamsoni*], in Montana. *Copeia* 1952(2):109-113.
- Brown, C. J. D., and J. E. Bailey. 1952. Time and pattern of scale formation in Yellowstone cutthroat trout, [*Salmo clarkii lewisii*]. *Trans. Am. Micros. Soc.* 71(2):120-124.
- Brown, C. J. D. 1971. *Fishes of Montana*. Big Sky Books, Montana State University, Bozeman, Montana, USA.
- Brown, C. J. D., and T. E. Langford. 1975. An assessment of a tow-net used to sample coarse fish fry in rivers. *J. Fish Biol.* 7(4):533-538.
- Brown, C. L., C.V. Sullivan, H.A. Bern and W.W. Dickhoff. 1986. Occurrence of thyroid hormones in early developmental stages of teleost fish. In: R.D. Hoyt, editor. Tenth annual larval fish conference, Miami, FL. Symposium Series 2, Am. Fish. Soc. 190 pp.
- Brown, D. 1975. Four biological samplers: Opening-closing midwater trawl, closing vertical tow net, pressure fish trap, free vehicle drop camera. *Deep Sea Res.* 22:565-567.
- Brown, D. A., and D. J. Cleay. 1975. Effect of nitrite on methemoglobin and total hemoglobin of juvenile rainbow trout. *Progressive Fish-Culturist* 37(1):36-38.
- Brown, D.A., and D. J. McLeay. 1975. Effect of bleached kraft mill effluent on the survival of starved juvenile coho salmon, [*Oncorhynchus kisutch*]. *Journal of the Fisheries Research Board of Canada* 32(12):2528-2530.
- Brown, D. H., and J. A. Marshall. 1978. Reproductive behavior of the rainbow cichlid, [*Herotilapia multispinosa*] (Pisces, Cichlidae). *Behavior* 67(3-4):299-321.
- Brown, D. J. A., and S. Lynam. 1981. The effect of sodium and calcium concentrations on the hatching of eggs and the survival of the yolk sac fry of brown trout, [*Salmo trutta*] L., at low pH. *J. Fish. Biol.* 19:205-211.
- Brown, E. E. 1977. *World fish farming: cultivation and economics*. Avi Pub. Co., Inc., Westport, CT. 397 pp.
- Brown, E. H., Jr. 1972. Population biology of alewives, [*Alosa*] [*pseudoharengus*], in Lake Michigan, 1949-70. *Journal of the Fisheries Research Board of Canada* 29:477-500.
- Brown, F. B. 1907. Early stages of [*Perca flavescens*]. *Trans. Norpolk Norwitch Nat. Soc.* 8:478-488.
- Brown, G.E., and R.J.F. Smith. 1998. Acquired predator recognition in juvenile rainbow trout ([*Oncorhynchus mykiss*]): conditioning hatchery-reared fish to recognize chemical cues of a predator. *Can. J. Fish. Aquat. Sci.* 55(3): 611-617.
- Brown, J. A. 1986. The development of feeding behavior in the lumpfish, [*Cyclopterus lumpus*]. *J. Fish. Biol.* 29(A):171-178.
- Brown, J. H., V. T. Hammer, and G. O. Koshinsky. 1970. Breeding biology of the lake chub, [*Couesius*] [*plumbeus*], at Lac la Ronge, Saskatchewan. *Journal of the Fisheries Research Board of Canada* 27:1005-1015.
- Brown, J.J., A. Ehtisham, and D.O. Conover. 1998. Variation in larval growth among striped bass stocks from different latitudes. *Trans. Amer. Fish. Soc.* 127:598-610.



- Brown, J. T., and W. W. Hassler. 1973. A nomograph for age determination of striped bass (*Morone saxatilis*) eggs. Page 66 in A. L. Pacheco, editor. Proc. of a workshop on egg, larval, and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.
- Brown, L. 1942. Propagation of the spotted channel catfish (*Ictalurus lacustris punctatus*). Trans. Kansas Acad. Sci. 45:311-314.
- Brown, M. E. 1946. The growth of brown trout (*Salmo trutta* Linn.). I. Factors influencing the growth of trout fry. J. Exp. Biol. 22:118-129.
- Brown, M. E. 1951. The growth of brown trout (*Salmo trutta* Linn.). IV. The effects of food and temperature on survival and growth of fry. J. Exp. Biol. 28: 473-491.
- Brown, O. H. 1903. The immunity of *Fundulus* eggs and embryos to electrical stimulation. Am. J. Physiol. 9(3):111-115.
- Brown, V. M., and W. L. Templeton. 1964. Resistance of fish embryos to chronic irradiation. Nature, Lond. 203:1257-1259.
- Brown, V. M., D. H. M. Jordan, and B. A. Tiller. 1967. The effects of temperature on the acute toxicity of phenol in hard water. Water Res. 1:587-594.
- Browne, F. B. 1903. Report on the eggs and larvae of teleostean fishes observed at Plymouth in the spring of 1902. J. Mar. Biol. Assoc. U.K. 6(4):598-616.
- Browne, F. B. 1906. On the early stages in the life histories of certain freshwater fishes. Trans. Norfolk Norwich Nat. Soc. 8:478-488.
- Browne, J. 1983. Population estimation of juvenile salmonidae. Irish Fish. Invest. Ser. A 23:37-42.
- Brownell, C. L. 1979. Stages in the early development of 40 marine fish species with pelagic eggs from the Cape of Good Hope. Rhodes Univ. J. L. B. Smith Inst. Ichthyol. Bull. 40.
- Brownell, C. L. 1980. Water quality requirements for first-feeding in marine fish larvae. I. Ammonia, nitrite, and nitrate. J. Exp. Mar. Biol. & Ecol. 44:269-283.
- Brownell, C. L. 1980. Water requirements for first-feeding in marine fish larvae. II. pH, oxygen, and carbon dioxide. J. Exp. Mar. Biol. & Ecol. 44(2-3):285-298.
- Brownell, C. L. 1983. Laboratory rearing of Cape anchovy, *Engraulis capensis*, and South African pilchard, *Sardinops ocellata*, through metamorphosis. South African J. Mar. Sci. 1:181-188.
- Brownell, C. L. 1985. Laboratory analysis of cannibalism by larvae of the cape anchovy, *Engraulis capensis*. Transactions of the American Fisheries Society 114:512-518.
- Brownell, C. L. 1987. Cannibalistic interactions among young anchovy: a first attempt to apply laboratory behavioural observations to the field. In A.I. Payne, J.A. Gulland, and K.H. Brink, editors. The Benguela and comparable ecosystems. S. Afr. J. Mar. Sci. 5: 503-511.
- Broyles, R. H., and M. I. Noveck. 1979. Uptake and distribution of 2,4,5,2',4',5'-hex in fry of lake trout and chinook salmon and its effects on viability. Toxic. Appl. Pharm. 50:299-308.
- Bruce, B. D. 1988. Larval development of blue grenadier [*Macruronus novaezelandiae* (Hector)], in Tasmanian waters. Fish Bull US 86:199-128.

- Bruce, B. D., and D. A. Short. 1992. Observations on the distribution of larval fish in relation to a frontal zone at the mouth of Spencer Gulf, South Australia. Pages 124-137 [in] D. A. Hancock, editor. Larval Biology, Bureau of Rural Resources Proceedings 15. Australian Government Publishing Service, Canberra.
- Bruce, B. D., C. A. Sutton, and R. E. Thresher. 1996. An ichthyoplankton based analysis of the spawning distribution and stock structure of temperate Australian finfish. FRDC Final Report: Grant #92/019, 65pp.
- Bruce, B.D. 1998. Gonorrhynchidae: beaked salmon. Pages 60-63 in F.J. Neira, A.G. Miskiewicz and T. Trnski, editors. Larvae of temperate Australian fishes: laboratory guide for larval fish identification. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)
- Bruce, R. H., and J. Aiken. 1975. The undulating oceanographic recorder - a new instrument for sampling plankton and recording physical variables in the euphotic zone from a ship underway. Mar. Biol. 32(1):85-97.
- Brummett, A. R. 1954. The relationships of the germ ring to the formation of the tail bud in [Fundulus] as demonstrated by the carbon marking technique. J. Exp. Zool. 125(3):447-485.
- Brummett, A. R. 1966. Observations on the eggs and breeding season of [Fundulus heteroclitus] at Beaufort, N.C. Copeia 1966(3):616-621.
- Brummett, A. R. 1968. Deletion-transplantation experiments on embryos of [Fundulus heteroclitus]. I. The posterior embryonic shield. J. Exp. Zool. 169(3):315-333.
- Brummett, A. R. 1969. Deletion-transplantation experiments on embryos of [Fundulus heteroclitus]. II. The anterior embryonic shield. J. Exp. Zool. 172(4): 443-463.
- Brummett, A. R., and W. B. Vernberg. 1972. Oxygen consumption in anterior versus posterior embryonic shield of [Fundulus heteroclitus]. Biol. Bull. 143:296-303.
- Brummett, A. R., and J. N. Dumont. 1979. Initial stages of sperm penetration into the egg of [Fundulus heteroclitus]. J. Exp. Zool. 210:417-434.
- Brummett, A. R., and J. N. Dumont. 1981. A comparison of chorions from eggs from northern and southern populations of [Fundulus heteroclitus]. Copeia 1981:607-614.
- Brummett, A. R., J. N. Dumont, and C. S. Richter. 1985. Later stages of sperm penetration and 2nd polar body and blastodisc formation in the egg of [Fundulus] [heteroclitus]. J. Exp. Zool. 234(3):423-440.
- Brungs, W. A., J.R. Geckler, and M. Gast. 1976. Acute and chronic toxicity of copper to the fathead minnow in a surface water of variable quality. Water Res. (G.B)10:37.
- Brunson, R. B. 1952. Egg counts of [Salvelinus malma] from the Clark's Fork River, Montana. Copeia 1952(3):196-197.
- Butman, C. A. 1986. Larval settlement of soft-sediment invertebrates: some predictions based on an analysis of near-bottom velocity profiles. Pages 487-513 in J.C.J. Nihoul, editor. Marine interfaces ecohydrodynamics, Proceedings of the 17th International Liege Colloquium on Ocean Hydrodynamics, Elsevier, Amsterdam.
- Bruton, M. N. 1979. The breeding biology and early development of [Clarias gariepinus] (Pisces: Clariidae) in Lake Sibaya, South Africa, with a review of breeding in species of the subgenus [Clarias]. Trans. Zool. Soc. Lond. 35:1-45.
- Bruun, A. 1925. On the development and distribution of the Norway bullhead, [Cottus lilljebrogii] Collett. Cons. Perm. Int. Explor. Mer, Publ. de Constance, No. 88, 3-15.

- Bruun, A. F. 1937. [Chascanopsetta] in the Atlantic: a bathypelagic occurrence of flatfish with remarks on distribution and development of certain other forms. Vidensk. Medd. Dan. Naturhist. Foren. 101:125-135.
- Bruun, A. F. 1949. The use of nematodes as food for larval fish. J. Cons. Perm. Int. Explor. Mer 16(1):96-99.
- Bruun, A. F. 1963. The breeding of the north Atlantic fresh-water eels. Adv. Mar. Biol. 1:137-169.
- Bryan, C. F. 1969. Variation in selected meristic characters of some basses, [Micropterus]. Copeia 1969:370-373.
- Bryan, C. F., A. J. Doucette, and J. W. Korth. 1983. Juvenile and subadult grass carp in the lower Red, Black, and Mississippi Rivers. Final Rep., Research Work Order 1-0009-1415-82, U.S. Fish & Wildl. Serv., Washington, D. C. 8 pp.
- Bryan, C. F., and S. P. Zimpfer. 1985. Grass carp larvae and juveniles in the Atchafalaya, Red, and lower Mississippi Rivers in the lower Mississippi River Valley. Res. Inf. Bull. 85-31, U.S. Fish & Wildl. Serv., Washington, D. C. 2 pp.
- Bryan, J. E., and D. A. Kato. 1975. Spawning of lake whitefish, [Coregonus clupeaformis], and round whitefish [Prosopium cylindraceum], in Aishihik Lake and East Aishihik River, Yukon Territory. Journal of the Fisheries Research Board of Canada 32(2):283-288.
- Bryan, P. G., and B. B. Madraisau. 1977. Larval rearing and development of [Siganus lineatus] (Pisces: Siganidae) from hatching through metamorphosis. Aquaculture 10:243-252.
- Bryant, M. D., and W. J. Walkotten. 1980. Carbon dioxide freeze-branding device for use on juvenile salmonids. Progressive Fish-Culturist 42:55-56.
- Bryant, P. L., and A. J. Matty. 1980. Optimization of [Artemia] feeding rate for carp larvae, [Cyprinus carpio] L. Aquaculture 21(3):203-212.
- Bryazgunova, M. I. 1979. Feeding relationships of the young of pike perch, [Luceoperca luceoperca], the bream, [Abramis brama], and fishes of lesser importance in the lower reaches of the Don. J. Ichthyol. 19(2):57-65.
- Brynildson, O. M. 1963. Brown trout: its life history, ecology, and management. Wisconsin Cons. Dept. Publ., 234. 14 pp.
- Buchanan, D. V., R. M. Hootan, and J. R. Morin. 1981. Northern squawfish, [Ptychocheilus oregonensis], predation on juvenilesalmonids in sections of the Willamette River basin, Oregon. Canadian Journal of Fisheries and Aquatic Sciences 38(3):360-364.
- Buchanan, R. A., and M. G. Foy. 1980. Offshore Labrador biological studies 1979: plankton, nutrients, chlorophyl, phytoplankton, and ichthyoplankton. 1. Atl. Biol. Serv. Ltd., St. Johns, Newfoundland.
- Buchanan, T. M. 1972. Reproductive ecology of the Rio Grande cichlid, [Cichlasoma cyanoguttatum]. (fish). Diss. Abst. Int. 32B:6119.
- Buchanan-Wollaston H. J. 1911. On a new form of plankton net designed to make truly vertical hauls in any weather. Publs. Cir. Cons. Perm. Int. Explor. Mer. 29:9-14.
- Buchanan-Wollaston H. J. 1923. The spawning of plaice in the southern part of the North Sea in 1913-14. Fish. Investig. Ser. 2, Sea Fish. Min. Agri. & Fish. 5(2):1-28.

- Buchanan-Wollaston H. J. 1926. Plaice egg production in 1920-21 treated as a statistical problem, with comparison between the data from 1911, 1914, 1921. Fish. Invest. Min. Agri. Fish. food (G.B.) Ser. 2, 9(2):1-36.
- Buchholz, M. 1957. Age and growth of the river carpsucker in the Des Moines River, Iowa. Proc. Iowa Acad. Sci. 64:589-600.
- Buckel, J.A., N.D. Steinberg, and D.O. Conover. 1995. Effects of temperature, salinity, and fish size on growth and consumption of juvenile bluefish ([*Pomatomus saltatrix*] L.). J. Fish Biol. 47:696-706.
- Buckel, J.A., and D.O. Conover. 1996. Gastric evacuation rates of juvenile bluefish, [*Pomatomus saltatrix*] . Trans. Amer. Fish. Soc. 125:591-599.
- Buckel, J.A., and D.O. Conover. 1997. Movements, feeding periods, and daily ration of piscivorous young-of-the-year bluefish ([*Pomatomus saltatrix*]) in the Hudson River estuary. Fish. Bull. 95:665-679.
- Buckel, J.A., B.H. Letcher, and D.O. Conover. 1998. Effects on size of a delayed onset of piscivory in young-of-the-year bluefish ([*Pomatomus saltatrix*]). Trans. Amer. Fish. Soc. 127:576-587.
- Buckel, J. A., D. O. Conover, N. D. Steinberg, and K. A. McKown. 1999. Impact of age-0 bluefish predation on age-0 fishes in the Hudson River estuary: evidence for density-dependent loss of juvenile striped bass. Can J. Fish. Aquat. Sci. 56: 275-287.
- Buckel, J. A., and A. W. Stoner. 2000. Functional response and switching behavior of young-of-the-year piscivorous bluefish. J. Exp. Mar. Biol. Ecol. 245:25-41.
- Buckland, A., H. Bohl, G. Hempel, and J. Messtorff. 1957. Eggs and larvae. Eggs and larvae of winter spawners in the southern North Sea. Ann. Biol. 12(1955):90-92.
- Buckland, F. 1863. Fish hatching. Tinsley Brothers, London.
- Buckley, F. G. 1966. Egg placement in the teleost [*Badis badis*]. Copeia 1966(3):605-606.
- Buckley, J. A. 1978. Acute toxicity of un-ionized ammonia to fingerling coho salmon. Progressive Fish-Culturist 40(1):30.
- Buckley, J., and B. Kynard. 1981. Spawning and rearing of shortnose sturgeon from the Connecticut River. Progressive Fish-Culturist 43:74-76.
- Buckley, J., and B. E. Kynard. 1985. Vertical distribution of outmigrating juvenile American shad and blueback herring. Final Rep. Northeast Utilities Serv. Co., Hartford, CT.
- Buckley, L. J. 1977. Biochemical changes during ontogenesis of the winter flounder, [*Pseudopleuronectes americanus*], and the effect of starvation. ICES CM 1977/L:29. 10 pp.
- Buckley, L. J. 1979. Biochemical changes during ontogenesis of cod, [*Gadus morhua*] L., and winter flounder, [*Pseudopleuronectes americanus*], larvae. ICES/ELH Symp./SD:10.
- Buckley, L. J. 1979. Status of the RNA/D NA ratio technique for the evaluation of physiological condition and growth rate in larval fish. NOAA, NMFS Narragansett Lab. Ref. No. 79-52.
- Buckley, L. J. 1979. Summary of RNA, DNA and protein analysis of wild herring larvae. NOAA, NMFS Narragansett Lab. Ref. No. 79-46.
- Buckley, L. J. 1979. Biochemical changes during ontogenesis of cod ([*Gadus morhua*] L.) and winter flounder ([*Pseudopleuronectes americanus*]) larvae. In: Symp. on the early life history of fish. Woods Hole, April 1979, ICES/ELH Symp./ SD 10:29 pp.

- Buckley, L. J. 1979. Relationships between RNA-DNA ratio, prey density, and growth rate in Atlantic cod (*[Gadus morhua]*) larvae. *Journal of the Fisheries Research Board of Canada* 36(12):1497-1502.
- Buckley, L. J. 1980. Changes in ribonucleic acid, deoxyribonucleic acid, and protein content during ontogenesis in winter flounder, [*Pseudopleuronectes americanus*], and effect of starvation. *Fish. Bull. NOAA (U.S.)* 77(3):703-708.
- Buckley, L. J. 1981. Biochemical changes during ontogenesis of cod (*[Gadus morhua]* L.) and winter flounder (*[Pseudopleuronectes americanus]*) larvae. *Rapp. P.-v. Reun. Cons. intl. Explor. Mer* 178:547-552.
- Buckley, L. J. 1981. NEMP annual report, larval fish physiology and biochemistry work unit. NOAA, NMFS NEFC Narragansett Lab. Ref. 81-81.
- Buckley, L. J. 1981. Some effects of temperature on growth and biochemical composition of larval winter flounder, [*Pseudopleuronectes americanus*]. *ICES CM* 1981/G:51.
- Buckley, L. J. 1982. Effect of temperature on growth and biochemical composition of larval winter flounder, [*Pseudopleuronectes americanus*]. *Mar. Ecol. Prog. Ser.* 8:181-186.
- Buckley, L. J. 1984. RNA-DNA ratio: an index of larval fish growth in the sea. *Mar. Biol.* 80:291-298.
- Buckley, L. J. 1984. Summary of larval sand lance studies. Working paper for ICES larval fish ecology working group meeting Hirtshals, Denmark.
- Buckley, L. J., and D. W. Dillmans. 1982. Nitrogen utilization of larval summer flounder, [*Paralichthys dentatus*] (L.). *J. Exp. Mar. Biol. Ecol.* 59:243-256.
- Buckley, L. J., and G. C. Laurence. 1981. Growth, survival and biochemical composition of larval striped bass from the five east coast rivers. *Northeast. Fish Wildl. Conf.*, Virginia Beach, VA:4-5.
- Buckley, L. J., and G. C. Laurence. 1982. Biochemical indicators of condition and growth rate of larval and juvenile fishes. *NEMP Ann. Rep. NOAA/NMFS/NEFC Narragansett Lab. Ref.* 82-66.
- Buckley, L. J., and G. C. Laurence. 1982. Comparative studies of young striped bass along the Atlantic coast: biological, biochemical, and physical performance assessment. *NOAA/NMFS/NEFC Narragansett Lab. Ref.* 82-21.
- Buckley, L. J., and G. C. Laurence. 1982. Larval fish physiology and biochemistry. *NEMP quarterly report. NOAA/NMFS/NEFC Narragansett Lab. Ref.* 82-36.
- Buckley, L.J., S.I. Turner, T.A. Halavik, A.S. Smigielski, S.M. Drew and G.C. Laurence. 1984. Effects of temperature and food availability on growth, survival, and RNA-DNA ratio of larval sand lance, [*Ammodytes americanus*]. *Mar. Ecol. Prog. Ser.* 15:91-97.
- Buckley, L. J., T. A. Halavik, G. C. Laurence, S. J. Hamilton, and P. Yevich. 1985. Comparative swimming stamina, biochemical composition, backbone mechanical properties, and histopathology of juvenile striped bass from rivers and hatcheries of the eastern United States. *Transactions of the American Fisheries Society* 114(1):114-124.
- Buckley, L. J., and R. G. Lough. 1986. Recent growth, chemical composition, and prey field of haddock, (*[Melanogrammus aeglefinus]*), and cod, (*[Gadus morhua]*), larvae and post-larvae on Georges Bank, May 1983. *Can. J. Fish. Aquat. Sci.* 44:14-25.
- Buckley, L.J., T. A. Halavik, A. S. Smigielski, and G. C. Laurence. 1986. Growth and survival of the larvae of three species of temperate marine fishes reared at discrete

prey densities, pp. 82-92. In: R.D. Hoyt (ed.) Tenth annual larval fish conference, Miami, FL. Symposium Series 2, Am. Fish. Soc. 190 pp.

Buckley, L. J., and R.G. Lough. 1987. Recent growth, biochemical composition, and prey field of larval haddock ([*Melanogrammus aeglefinus*]) and Atlantic cod ([*Gadus morhua*]) on Georges Bank. *Can. J. Fish. Aquat. Sci.* 44:14-25.

Buckley, L. J., A. S. Smigielski, T. A. Halavik, and G. C. Laurence. 1990. Effects of water temperature on size and biochemical composition of winter flounder [*Pseudopleuronectes americanus*] at hatching and feeding initiation. *Fishery Bulletin* 88:419-428.

Buckley, L. J., A. S. Smigielski, T. A. Halavik, E. M. Caldarone, B. R. Burns, and G. C. Laurence. 1991. Winter flounder [*Pseudopleuronectes americanus*] reproductive success. II. Effects of spawning time and female size on size, composition and viability of eggs and larvae. *Marine Ecology - Progress Series* 74:125-135.

Buckley, L. J., A. S. Smigielski, T. A. Halavik, E. M. Caldarone, B. R. Burns, and G. C. Laurence. 1991. Winter flounder [*Pseudopleuronectes americanus*] reproductive success. 1. Among location variability in size and survival of larvae reared in the laboratory. *Marine Ecology - Progress Series* 74:117-124.

Buckley, L. J. 1999. Eggs, eggs everywhere and not a fish to eat. *Maritimes* 41:25-28.

Buckley, L. J., E. Caldarone, and T. L. Ong. 1999. RNA-DNA ratio and other nucleic acid based indicators for growth and condition of marine fishes. *Hydrobiologia* 401:265-277.

Buckley, L. J., T. M. Bradley, and J. Allen. 2000. Production, quality and low temperature incubation of eggs in Atlantic cod ([*Gadus morhua*]) and haddock ([*Melanogrammus aeglefinus*]). *J. World Aqu. Soc.* 31:22-29.

Buckley, L. J., R. G. Lough, M. A. Peck, and F. Werner. 2000. Comment: Larval Atlantic cod and haddock growth models. *Can. J. Fish. Aquatic. Sci.* 57:1957-1960.

Buckley, L. J., E. Caldarone, and R. G. Lough. Submitted. Optimum temperature and food limited growth of marine fish larval, Atlantic cod ([*Gadus morhua*]) and haddock ([*Melanogrammus aeglefinus*]). *Fisheries Oceanography*

Buckley, R. V. 1967. Fecundity of steelhead trout, [*Salmo gairdneri*], from Alsea River, Oregon *Journal of the Fisheries Research Board of Canada* 24:917-926.

Buckman, A. 1929. Die Methodik fischereibiologisch Untersuchungen an Meeresfischen Abderhalden. *Handb. Biol. Arbeitsmethod.* 9(6).

Buckmann, A., and G. Hempel. 1953. Beobachtungen über Verteilung und Entmecklungszustand der Heringslarven an der West- und Ostfriesischen Küste in Frühjahr 1952. *Kurze Mitteilungen aus der fischereibiol. Ableitung* 2:24.

Budd, J. C., and F. E. J. Fry. 1960. Further observations on the survival of yearling lake trout planted in South Bay, Lake Huron. *Can. Fish. Cult., No.* 26:7-13.

Budd, P. L. 1940. Development of the eggs and early larvae of six California fishes. *Fish. Bull. Calif.* 56:1-53.

Buddington, R. K. 1985. Digestive secretions of lake sturgeon, [*Acipenser fulvescens*], during early development. *J. Fish. Biol.* 26(6):715-724.

Buddington, R. K., and J. P. Christopherson. 1985. Digestive and feeding characteristics of the acipenserids. *Environmental Biology of Fishes* 14:31-41.

Buddington, R. K., and S. I. Doroshov. 1984. Feeding trials with hatchery produced white sturgeon juveniles ([*Acipenser transmontanus*]). *Aquaculture* 36:237-243.

- Budgett, J. S. 1901. On the breeding habits of some West African fishes, with an account of the external features in development of [*Protopterus annectens*] and a description of the larvae of [*Polypterus lapradei*]. *Trans. Zool. Soc. London*, 16:115-136.
- Budgett, J. S. 1902. The habits and development of some West African fishes. *Proc. Cambridge Philosophical Soc.* 11:102-104.
- Budimawan, ? 1997. The early life history of the tropical eel [*Anguilla marmorata*] (Quoy & Gaimard, 1824) from four Pacific estuaries, as revealed from otolith microstructural analysis. *J. Appl. Ichthyol.* 13(2):57-62. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Buen, F. de. 1941. Fases ontogenicas de la acumara ([*Algansea lacustris*] Steind) del Lago de patzcuaro. *Anales del Instituto de Biologia.* 12(1):345-354.
- Bugaev, V. F. 1985. Rate of circuli formation and growth of juvenile sockeye salmon, [*Oncorhynchus nerka*], in the Kamchatka River basin in the year of seaward migration. *J. Ichthyol.* 25(1):37-48.
- Buhringer, H. 1973. Radiation sensitivity of the rainbow trout ([*Salmo*] [*gairdneri*] Rich.) during embryonal and larval development. *Arch. FischWiss.*
- Bui, P. 1980. Ecology on the feeding of milkfish fry and juveniles, [*Chanos chanos*] (Forsskal) in the Philippines. *Mem. Kagoshima Univ. Res. Ctr. So. Pac.* I:25-42.
- Bulak, J.B., and R. C. Heidinger. 1980. Developmental anatomy and inflation of the gas bladder in striped bass, [*Morone saxatilis*]. *NOAA-NMFS Fish. bull.* 77(4):1000-1003.
- Bulak, J.S., N.M. Hurley, Jr., and J.S. Crane. 1993. Production, mortality, and transport of striped bass eggs in Congaree and Wateree Rivers, South Carolina. In: Fuiman, L.A. (ed.), *Water quality and the early life stages of fishes.* American Fisheries Society Symposium 14. 192pp.
- Bulak, J. S., and P. T. Walker. 1979. Spawning and culture potential of blueback herring in ponds. *Progressive Fish-Culturist* 41(4):183-184.
- Bulatora, A. Y. 1968. The determining of young cod in the Labrador and Newfoundland areas. *PINRO, Vol.* 23:262.
- Bulatov, O. A. 1983. Distribution of eggs and larvae of Greenland halibut, [*Reinhardtius hippoglossides*] (Pleuronectidae), in the eastern Bering Sea. *J. Ichthyol.* 23(1):157-159.
- Bulkley, R. V. 1969. The reproductive cycle of yellow bass, [*Morone*] [*mississippiensis*], in Clear Lake, Iowa. Ph.D. Diss., Iowa State Univ., Ames, IA. 121 pp.
- Bulkley, R. V. 1970. Changes in yellow bass reproduction associated with environmental conditions. *Iowa St. J. Sci.* 45(2):137-180.
- Bulkley, R. V., V. L. Spykermann, and L. E. Inmon. 1976. Food of the pelagic young of walleyes and five cohabiting fish species in Clear Lake, Iowa. *Transactions of the American Fisheries Society* 105(1):77-83.
- Bulkowski, L., and J. W. Meade. 1983. Changes in phototaxis during early development of walleye. *Transactions of the American Fisheries Society* 112:445-447.
- Bull, C. J., and J. E. McInerney. 1974. Behavior of juvenile coho salmon, [*Oncorhynchus*] [*kisutch*], exposed to Seimithion (Fenitroihion), and organophosphate insecticide. *Journal of the Fisheries Research Board of Canada* 31(12):1867-1872.

- Bulleid, M. J. 1974. A preliminary report on the effect of water temperature on the early growth of rainbow trout, [*Salmo gairdneri*]. J. Inst. Fish. Mgmt. 5:16.
- Bullen, G. E. 1909. Notes on the post-larval development of the German or Crucian carp ([*Carassius vulgaris*]). Trans. Hertfordshire Nat. Hist. Soc. Field Club 14:15-18.
- Bullis, H. R., Jr. 1955. Observations on schooling juvenile tuna, [*Euthynnus*] [alletteratus], in the Gulf of Mexico. Copeia 1955(2):153.
- Bullough, W. S. 1939. A study of the reproductive cycle of the minnow in relation to the environment. Proc. Zool. Soc. London, Ser. A 109:79-101.
- Bullough, W. S. 1940. The effect of the reduction of light in spring on the breeding season of the minnow ([*Phoxinus laevis*] Linn.). Proc. Zool. Soc. Lond. 110:149-157.
- Bulman, C. M., and J. A. Koslow. 1995. Development and depth distribution of the eggs of orange roughy, [*Hoplostethus atlanticus*] (Pisces: Trachichthyidae). Marine and Freshwater Research 46:697-705.
- Bumpus, D. F., and C. G. Day. 1957. Drift bottle records for Gulf of Maine and Georges Bank, 1931-1956. Spec. Sci. Rep., U.S. Fish. Wildl. Serv., No. 242, 61 pp.
- Bumpus, D. F., J. Chase, C. G. Day, D. H. Frantz, D. D. Ketchum, and R. G. Walden. 1957. A new technique for studying non-tidal drift with results of experiments off Gay Head, Massachusetts and in the Bay of Fundy. Journal of the Fisheries Research Board of Canada 14(6):931-944.
- Bumpus, H. C. 1898. The breeding of animals at Woods Hole during the month of March, 1898. Science (Wash., D.C.) 7(171):485-487.
- Bumpus, H. C. 1898. The breeding of animals at Woods Hole during the month of May, 1898. Science (Wash., D.C.) 8(185):58-61.
- Bumpus, H. C. 1898. The breeding of animals at Woods Hole during the months of June, July, and August. Science, N.Y. 8(207):850-858.
- Bumpus, H. C. 1898. On the identification of fish artificially hatched. American Naturalist 32(378):407-412.
- Bumpus, H. C. 1899. The breeding of animals at Woods Hole during the month of September, 1898. Science, N.Y. 9(225):581-583.
- Bunag, D. M. 1958. Spawning habits of some Philippine tuna based on diameter measurements of the ovarian ova. Philipp. J. Fish. 4:145-177.
- Burbidge, R. G. 1974. Distribution, growth, selective feeding, and energy transformations of young-of-the-year in the James River, Virginia. Transactions of the American Fisheries Society 103(2):297-311.
- Burch, O. 1983. New device for sampling larval fish in shallow water. Progressive Fish-Culturist 45:33-35.
- Burch, O. S., B. F. Clark, D. Marguiles, G. R. Finni, and B. L. Huff. 1979. Temporal and spatial distribution patterns of ichthyoplankton: Ohio River Ecological Program 1976-1978. In: Symp. on the early life history of fish, Woods Hole, MA.
- Burch, O. S., et al. 1981. Temporal and spatial distribution patterns of ichthyoplankton: Ohio River ecological program 1976-78. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:163-164.



- Burczynski, J.J., and Johnson, R.L. 1986. Application of dual-beam acoustic survey techniques to limnetic populations of juvenile sockeye salmon (*Oncorhynchus nerka*). *Can. J. Fish. Aquat. Sci.* 43: 1776-1788.
- Burd, A. C., and R. Jones. 1948. Rearing of young cod (*Gadus callarias*) from an artificial fertilization at Port Erin. *Ann. Rep. Mar. Biol. Sta. Port Erin, Nos. 58-60*:36-37.
- Burd, A. C., and D. H. Cushing. 1962. I: Growth and recruitment in the herring of the southern North Sea; II: Recruitment of the North Sea herring stocks. *Fishery Invest.*, London. (Ser. 2: Sea Fisheries) 23(5). 71 pp.
- Burd, A. C., and P. D. Wallace. 1971. The survival of herring larvae. Pages 46-50 in A. Saville, editor. *Symp. on the biology of early stages and recruitment mechanisms of herring*. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160, 205 pp.
- Burd, A. C., and B. H. Holford. 1971. The decline in abundance of Downs herring larvae. Pages 99-100 in A. Saville, editor. *Symp. on the biology of early stages and recruitment mechanisms of herring*. Rapp. P.-v. Reun. Cons. Perm. Int. Explor. Mer 160, 205 pp.
- Burd, A. C., and W. G. Parnell. 1973. The relationship between larval abundance and stock in the North Sea herring. Pages 30-36 in B. B. Parrish, editor. *Fish stocks and recruitment*. Rapp. P.-v. Reun. Cons. Perm. Int. Explor. Mer. 164, 372 pp.
- Burd, B. J.; Thomson, R. E.; Jamieson, G. S. 1992. Composition of a deep scattering layer overlying a mid-ocean ridge hydrothermal plume. *Marine Biology* 113:517-526.
- Burdak, V. D. 1969. Ontogenesis of squamation in the mullet (*Mugil [saliens] Risso*). *Zool. Zh.* 48:241-247.
- Burdick, G. E., H. J. Dean, and E. J. Harris. 1964. Toxicity of aqualin to fingerling brown trout and bluegills. *New York Fish Game J.* 11(2):106-114.
- Burdick, G. E., H. J. Dean, E. J. Harris, J. Skea, and D. Colby. 1965. Toxicity of sevin (Carbaryl) to fingerling brown trout. *New York Fish Game J.* 12(2):127-146.
- Burdick, G. E., H. J. Dean, E. J. Harris, J. Skea, R. Karcher, and C. Frisa. 1972. Effect of rate and duration of feeding DDT on the reproduction of salmonid fishes reared and held under controlled conditions. *New York Fish Game J.* 19(2):97-115.
- Burdick, G. E., J. Harris, H. J. Dean, T. M. Walker, J. Shea, and D. Colby. 1964. The accumulation of DDT in lake trout and the effect on reproduction. *Transactions of the American Fisheries Society* 93:127-136.
- Burdick, J. E. 1969. The feeding habits of the nehu (Hawaiian anchovy) larvae. M.S. Thesis, Univ. Hawaii, 54 pp.
- Bureau of Commercial Fishery Biological Laboratory, Honolulu. 1964. Central Pacific fish investigation - results of midwater trawling for juvenile tuna: M/V "Townsend Cromwell" Cruise 7. *Comm. Fish. Rev.* 26(12):32-34.
- Burfield, S. T. 1928. The absorption of oxygen by plaice eggs. *J. Exp. Biol.* 5:177-184.
- Burger, J. W. 1939. Experiments on the relation of external environment to the spermatogenetic cycle of *[Fundulus] [heteroclitus]*. *Biol. Bull.* 77:96-103.
- Burgess, W. E. 1965. Larvae of the surgeonfish genus *[Acanthurus]* of the tropical western Atlantic. M.S. Thesis, Univ. Miami, Coral Gables, Florida.
- Burgess, W. E. 1982. The first aquarium spawning of the woodcat, *[Trachycorystes insignis]*. *Trop.*

- Burgner, R. L. 1958. A study of fluctuations in abundance, growth, and survival in the early life stages of the red salmon (*[Oncorhynchus nerka]* Walbaum) of the Wood River Lakes, Bristol Bay, Alaska. Ph.D. Diss., Univ. Wash., Seattle.
- Burke, J. A., and J. F. Spear. 1963. Morphological and physiological effects of thalidomide on the embryos of *[Fundulus] [heteroclitus]*. Biol. Bull. (Woods Hole) 125:373.
- Burke, J. S.; Tanaka, M.; Seikai, T. 1995. Influence of light and salinity on behaviour of larval Japanese flounder (*[Paralichthys olivaceus]*) and implications for inshore migration. Netherlands Journal of Sea Research 34:59-69.
- Burkhalter, D. E., and C. M. Kaya. 1977. Effects of prolonged exposure to ammonia on fertilized eggs and sac fry of rainbow trout, *[Salmo] [gairdneri]*. Transactions of the American Fisheries Society 106:470-475.
- Burkhard, W. T. 1961. Life history of the splake trout - Parvin Lake. Quart. Rep. Col. Coop. Fish. Res. Unit, 7:41-52.
- Burnham, B. L., and J. J. Peterka. 1975. Effects of salinity from North Dakota lakes on survival of fathead minnow (*[Pimephales promelas]*) embryos and sac fry. Journal of the Fisheries Research Board of Canada 32(6):809-812.
- Burns, J. H. 1971. The carrying capacity for juvenile salmonids in some northern California streams. California Fish and Game 57:44-57.
- Burns, J. W. 1966. Carp. Pages 510-513 in A. Calhoun, editor. Inland fisheries management. California Dept. Fish and Game. 546 pp.
- Burns, J. W. 1966. Threadfin shad. Pages 481-487 in A. Calhoun, editor. Inland fisheries management. California Dept. Fish and Game Resourc. Ag.
- Burns, R. W. 1974. Species abundance and diversity of larval fishes in a high-marsh tidal creek. M.S. Thesis, Univ. of South Carolina.
- Burr, B. M. 1979. Observations on spawning and breeding coloration of *[Moxostoma lachneri]* in Chattahoochee River, Georgia. Georgia J. Sci. 37(3-4):205-207.
- Burr, B. M., and L. M. Page. 1978. The life history of the cypress darter, *[Etheostoma] [proeliare]*, in Max Creek, Illinois. Illinois Nat. Hist. Surv. Biol. Notes, No. 106. 15 pp.
- Burr, B. M., and L. M. Page. 1979. The life history of the least darter, *[Etheostoma] [microperca]*, in the Iroquois River. Illinois Nat. Hist. Surv. Biol. Notes, No. 112. 15 pp.
- Burr, B. M., and M. A. Morris 1977. Spawning behavior of the shorthead redhorse, *[Moxostoma macrolepidotum]*, in Big Rock Creek, IL. Transactions of the American Fisheries Society 106(1):80-82.
- Burr, B. M., and M. S. Ellinger. 1980. Distinctive egg morphology and its relationship to development in the percid fish, *[Etheostoma] [proeliare]*. Copeia 1979(1):191-203.
- Burr, B. M., and R. L. Mayden. 1982. Life history of the freckled madtom, *[Noturus] [nocturnus]*, in Mill Creek, Illinois (*Pisces: Ictaluridae*). Occ. Pap. Mus. Nat. Hist., Univ. Kan. 98:1-15.
- Burrage, D. M., K. P. Black, and K. F. Ness. 1994. Long-term current prediction in the central Great Barrier Reef. Continental Shelf Research 14:803-829.
- Bureson, E. M., and D. E. Zwerner. 1984. Juvenile summer flounder, *[Paralichthys dentatus]*, mortalities in the western Atlantic Ocean caused by the hemoflagellate

[Trypanoplasma bullocki] - evidence from field and experimental studies. Helgolander Meeresunters 37(1-4):343-352.

Burrows, M. T., S. J. Gontarek, R. D. M Nash, and R. N. Gibson. 2001. Shrimp predation on 0-group plaice: contrasts between field data and predictions of an individual-based model. Journal of Sea Research 45(3-4):243-254.

Burrows, R. E. 1951. A method for enumeration of salmon and trout eggs by displacement. Progressive Fish-Culturist 13(1):25-30.

Burrows, R. E. 1951. An evaluation of methods of egg enumeration. Progressive Fish-Culturist 13(2):79-85.

Burrows, R. E. 1964. Effect of accumulated excretory products on hatchery reared salmonids. Res. Rep. U.S. Fish. Wildl. Ser. 66:12.

Burrows, R. E., and D. D. Palmer. 1955. A vertical egg and fry incubator. Progressive Fish-Culturist 17(4):147-155.

Burton, D. T. 1982. An evaluation of the potential toxicity of treated bleached Kraft mill effluent to the early life stages of striped bass ([Morone saxatilis]). Johns Hopkins Univ., Applied Physics Lab. Rep. CPE-8204, Laurel, MD.

Burton, D. T., et al. 1976. Lethal limits of sheepshead minnow eggs ([Cyprinodon] [variegatus]) exposed to various rates of thermal elevation. Assoc. S. E. Biol. Bull. 22:44.

Burton, D. T., L. W. Hall, Jr., and S. L. Margrey. 1979. Chlorine, temperature and exposure duration interactions on eggs and prolarvae of the striped bass, [Morone saxatilis] (Walbaum). Assoc. S.E. Biol. Bull. 26(2):89.

Burton, D. T., L. W. Hall, Jr., and S. L. Margrey. 1979. Interaction of chlorine, temperature change, and exposure time on survival of striped bass ([Morone] [saxatilis]) eggs and prolarvae. Journal of the Fisheries Research Board of Canada 36:1108-1113.

Burton, D. T., L. W. Hall, Jr., and S. L. Margrey. 1979. Multifactorial chlorine, temperature change and exposure duration studies of power plant effluents on estuarine ichthyoplankton. Pages 223-229 in 11th Mid-Atlantic Ind. Wastes Conf., Penn. State Univ., Univ. Park, PA.

Burton, D. T., R. J. Klauda, L. W. Hall, and M. A. Jepson. 1984. An evaluation of the potential toxicity of treated bleached kraft mill effluent to striped bass ([Morone saxatilis] Walbaum) larvae exposed through metamorphosis to the juvenile stage. Water Res. 18(11):1365-1376.

Burton, M. P. M., R. M. Penney, and S. Biddiscombe. 1997. Time course of gametogenesis in Northwest Atlantic cod ([Gadus morhua]). Can. J. Fish. Aquat. Sci. 54 (Suppl. 1): 122-131

Burton, W., and J. F. Flannagan. 1976. An improved river drift sampler. Can. Fish. Mar. Serv. Tech. Rep. 641.

Bury, N. R., and C. Hogstrand. 2002. Influence of chloride and metals on silver bioavailability to Atlantic salmon ([Salmo salar]) and rainbow trout ([Oncorhynchus mykiss]) yolk-sac fry. Environmental Science & Technology 36(13):2884-2888.

Burykin, Y. B., and V. V. Makhotin. 1984. Some distinguishing characteristics of juvenile cod, [Gadus morhua marisalbi], and navaga, [Eleginus] [navaga] (Gadidae) from the White Sea. J. Ichthyol. USSR 24(1):151-153.

Busch, A. 1996. Transition from endogenous to exogenous nutrition: larval size parameters determining the start of external feeding and size of prey ingested by Ruegen spring herring [Clupea harengus]. Marine Ecology - Progress Series. 130: 39-46.

- Busch, D. A., and D. Mountain. 1982. Phytoplankton biomass and physical conditions on Georges Bank in an area of larval cod and haddock concentrations. EOS, Trans. Am. Geophys. Union 63(3).
- Busch, W. D. N., et al. 1975. Environmental factors affecting the strength of walleye, [*Stizostedion vitreum vitreum*], year-classes in western Lake Erie, 1960-70. Journal of the Fisheries Research Board of Canada 1733-1743.
- Bush, R. M., E. B. Welch, and B. W. Mar. 1974. Potential effects of thermal discharges on aquatic systems. Env. Sci. & Technol. 8(6):561-568.
- Buskey, E. J., C. Coulter, and S. Strom. 1993. Locomotory patterns of microzooplankton - potential effects on food selectivity of larval fish. Bulletin of Marine Science 53:29-43.
- Buss, K., and R. McCreary. 1960. A comparison of egg production of hatchery-reared brook, brown, and rainbow trout. Progressive Fish-Culturist 22(1):7-10.
- Buss, K. 1962. A literature survey of the life history of the redbfin and grass pickerels. Pennsylvania Fish. Comm. Benner Spring Fish. Res. Sta. 12 pp.
- Buss, K., and R. McCreary. 1962. A comparison of egg production of hatchery-reared brook, brown, and rainbow trout. Pennsylvania Fish. Comm. (Bellefonte). 4 pp.
- Buss, K., and K. G. Corl. 1966. The viability of trout germ cells immersed in water. Progressive Fish-Culturist 28:152-153.
- Buss, K., and J. Miller. 1967. Interspecific hybridization of esocids; hatching success, pattern development, and fertility of some F-1 hybrids. U.S. Fish Wildl. Serv. Bur. Sport Fish. Wildl. Tech. Pap. 14. 30 pp.
- Bustard, D. R., and D. W. Narver. 1975. Aspects of the winter ecology of juvenile coho salmon (*[Oncorhynchus kisutch]*) and steelhead trout (*[Salmo gairdneri]*). Journal of the Fisheries Research Board of Canada 32:667-680.
- Bustard, D. R., and D. W. Narver. 1975. Preferences of juvenile coho salmon (*[Oncorhynchus kisutch]*) and cutthroat trout (*[Salmo clarki]*) relative to simulated alteration of winter habitat. Journal of the Fisheries Research Board of Canada 32:681-687.
- Butler, J. L., and E. H. Ahlstrom. 1976. Review of the deep-sea fish genus [*Scopelogadus*] (*Neoscopelidae*) with a description of a new species, [*S. clarkei*], from the central Pacific. Fish. Bull. U.S. 74(1):142-150.
- Butler, J. L., H. G. Moser, G. S. Hageman, and L. E. Nordgren. 1981. Developmental stages of three California sea basses (*[Paralabrax]*, Pisces, Serranidae). California Coop. Oceanic Fish. Invest. Rep. XXIII:252-268.
- Butler, J. L., and B. R. de Mendiola. 1984. Growth of larval sardines off Peru. California Coop. Oceanic Fish. Invest. Rep. XXVI:113-118.
- Butler, J. L. 1991. Mortality and recruitment of Pacific sardine, [*Sardinops sagax caerulea*], larvae in the California current. Canadian Journal of Fisheries and Aquatic Sciences 48:1713-1723.
- Butler, J.L., K.A. Dahlin H.G. Moser, 1996. Growth and duration of the planktonic phase and a stage based population matrix of dover sole, [*Microstomus pacificus*]. Bull. Mar. Sci. 58(1):29-43.

- Butman, C. A. 1989. Sediment-trap experiments on the importance of hydrodynamical processes in distributing settling invertebrate larvae in near- bottom waters. *Journal of Experimental Marine Biology and Ecology*. 134: 37-88.
- Buynak, G. L., and H. W. Mohr, Jr. 1976. Larval fishes. Pages 162-174 in T. V. Jacobsen et al., editors. *Ecol. studies of the North Branch Susquehanna River in the vicinity of the Susquehanna Steam Electric Station*. Ann. Rep. 1975, Ichthyol. Assoc., Inc.
- Buynak, G. L., and H. W. Mohr, Jr. 1977. Larval fishes. Pages 151-166 in T. V. Jacobsen et al., editors. *Ecol. studies of the Susquehanna River in the vicinity of the Susquehanna Steam Electric Station*. Ann. Rep. 1976, Ichthyol. Assoc., Inc.
- Buynak, G. L., and H. W. Mohr, Jr. 1978. Larval development of the white sucker ([*Catostomus*] [*commersoni*]) from the Susquehanna River. *Proc. Pennsylvania Acad. Sci.* 53:143-145.
- Buynak, G. L., and H. W. Mohr, Jr. 1978. Micro-projector for drawing larval fishes. *Progressive Fish-Culturist* 40(1):37-38.
- Buynak, G. L., and H. W. Mohr, Jr. 1978. Larval development of the northern hog sucker ([*Hypentelium nigricans*]) from the Susquehanna River. *Transactions of the American Fisheries Society* 107(4):595-599.
- Buynak, G. L., and H. W. Mohr, Jr. 1978. Larval development of the redbreast sunfish ([*Lepomis*] [*auritus*]) from the Susquehanna River. *Transactions of the American Fisheries Society* 107(4):600-604.
- Buynak, G. L., and H. W. Mohr, Jr. 1979. Larval development of creek chub and fall fish from two Susquehanna River tributaries. *Progressive Fish-Culturist* 41(3):124-129.
- Buynak, G. L., and H. W. Mohr, Jr. 1979. Larval development of rock bass from the Susquehanna River. *Progressive Fish-Culturist* 41(1):39-42.
- Buynak, G. L., and H. W. Mohr, Jr. 1979. Larval development of the northern pike, [*Esox*] [*lucius*], and muskellunge, [*Esox masquinongy*], from northeast Pennsylvania. *Proc. Pennsylvania Acad. Sci.* 53(1):69-73.
- Buynak, G. L., and H. W. Mohr, Jr. 1979. Larval development of the shorthead redhorse, [*Moxostoma macrolepidotum*], from the Susquehanna River. *Transactions of the American Fisheries Society* 108(2):161-165.
- Buynak, G. L., and H. W. Mohr, Jr. 1979. Larval development of the blacknose dace ([*Rhinichthys atratulus*]) and longnose dace ([*Rhinichthys cataractae*]) from a Susquehanna River tributary. *Proc. Pennsylvania Acad. Sci.* 53:56-60.
- Buynak, G. L., and H. W. Mohr, Jr. 1979. Larval development of the bluntnose minnow ([*Pimephales notatus*]) and fathead minnow ([*Pimephales promelas*]) from northeast Pennsylvania. *Proc. Pennsylvania Acad. Sci.* 53:172-176.
- Buynak, G. L., and H. W. Mohr, Jr. 1980. Larval development of stoneroller, cutlips minnow, and river chub with diagnostic keys, including four additional cyprinids. *Progressive Fish-Culturist* 42(3):127-135.
- Buynak, G. L., and H. W. Mohr, Jr. 1980. Larval development of the golden shiner and comely shiner from northeastern Pennsylvania. *Progressive Fish-Culturist* 42:206-211.
- Buznikov, G. A. 1957. On the physiology of the hatching glands of embryo in Teleostei. *Zh. Obshch. Biol.* 18:350-359.
- Buznikov, G. A., I. V. Chudakova, and N. C. Zvezdina. 1964. Role of neurohumours in early embryogenesis. 1. Serotonin content of developing embryos of sea urchin and loach. *J. Embryol. Exp. Morph.* 12:563-573.

- Bye, V. J. 1984. The role of environmental factors in the timing of reproductive cycles. Pages 187-205 in G. W. Potts and R. J. Wotten, editors. Fish reproduction: strategies and tactics. Academic Press, London.
- Byrne, D. M. 1976. Life history of the spotfin killifish, [*Fundulus*] [*luciae*] (Pisces: Cyprinodontidae), in Fox Creek Marsh, Virginia. M.A. Thesis, College of William and Mary, 55 pp.
- Byrne, D. M. 1978. Life history of the spotfin killifish, [*Fundulus*] [*luciae*] (Pisces: Cyprinodontidae), in Fox Creek Marsh, Virginia. *Estuaries* 1(4):211-227.
- Cabezas, J. A., and M. D. Frois. 1966. Neuraminic acid. 6. Acetylneuraminic acids in lamprey liver and eggs, and in eggs from 2 teleostei species. *Rev. Esp. Fisiol.* 22:147-152.
- Cable, L. E. 1966. Plankton. U.S. Fish. Wildl. Serv. Leaflet 583, 13 pp.
- Cabo, F. L. 1941. Bibliografia referente a los huevos y a las puestas de los peces, comprendida entre los años 1900 a 1924. *An. Cienc. Nat. Madrid* 99-124.
- Cada, G. F. 1977. The entrainment of larval fishes at two nuclear power plants on the Missouri River in Nebraska. Ph.D. Diss., Univ. Nebraska, Lincoln, NE.
- Cada, G. F., and G. L. Hergenrader. 1978. An assessment of sampling mortality of larval fishes. *Transactions of the American Fisheries Society* 107(2):269-274.
- Cada, G. F., and G. L. Hergenrader. 1980. Natural mortality rates of freshwater drum larvae in the Missouri River. *Transactions of the American Fisheries Society* 109:479-483.
- Cada, G. F., J. M. Loar, and K. K. Kumar. 1980. Diel patterns of ichthyoplankton length-density relationships in upper Watts Bar Reservoir, Tennessee. U.S. Fish & Wildl. Ser., Biol. Ser. Prog.
- Cada, G. F., and J. M. Loar. 1982. Relative effectiveness of two ichthyoplankton sampling techniques. *Can. J. Fish. Aquat. Sci.* 39:811-814.
- Cada, G. F., and M. Kenna. 1985. Effectiveness of hydrotreatment in reducing the toxicity of a coal liquefaction product to juvenile channel catfish. *Bull. Env. Contam. Toxicol.* 34(5):746-753.
- Caddy, J. F., and T. D. Iles. 1973. Underwater observations on herring spawning grounds on Georges Bank. *Res. Bull. Int. Comm. Northw. Atl. Fish.* 10:131-139.
- Cadenat, J. 1936. Sur les stades jeunes de quelques poissons de chalut de la cote de Mauritanie. *Rev. Trav. Peches Marit. Paris* 9:293-322.
- Cadenat, J. 1946. Remarques au sujet de l'in cubation buccale chez quelques especes de poissons marins. *Notes Africaines* 46:55. (In French).
- Cadwallader, P. L. 1976. Breeding biology of a non-diadromous galaxiid, [*Galaxias vulgaris*] Stokell, in a New Zealand river. *J. Fish. Biol.* 8:157-177.
- Cahn, A. R. 1927. An ecological study of southern Wisconsin fishes. *Illinois Biol. Monogr.* 11(1):1-151.
- Cahn, A. R. 1936. Observations on the breeding of the lawyer, [*Lota*] [*maculosa*]. *Copeia* 1936(3):163-165.
- Cahn, P. H., and E. Shaw. 1969. The first demonstration of lateral line cupulae in the mugiliformes. *Copeia* 1969(1):109-113.

- Cain, R. L., and J. M. Dean. 1976. Annual occurrence, abundance and diversity of fish in a South Carolina intertidal creek. *Mar. Biol.* (New York) 36:369-379.
- Cairns, J., Jr., and R. L. Kaesler. 1971. Cluster analysis of fish in a portion of the upper Potomac River. *Transactions of the American Fisheries Society* 100(4):750-756.
- Calamari, D., R. Marchetti, and G. Vailati. 1979. Effects of long term exposure to ammonia on the developmental stages of rainbow trout (*[Salmo] [gairdneri]* Rich.). In: *Symp. on early life history of fish*, Woods Hole, MA.
- Calamari, D., R. Marchetti, and G. Vailati. 1981. Effects of long-term exposure to ammonia on the developmental stages of rainbow trout, *[Salmo] [gairdneri]* Rich. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:81-86.
- Caldwell, D. H., T. Odum, T. R. Hellier, Jr., and F. H. Berry. 1955. Populations of spotted sunfish and Florida largemouth bass in a constant-temperature spring. *Transactions of the American Fisheries Society* 84(1954):20-135.
- Caldwell, D. K. 1955. Notes on the distribution, spawning, and growth of the spot-tailed pinfish, *[Diplodus holbrookii]*. *Q. J. Florida Acad. Sci.* 18(2):73-83.
- Caldwell, D. K., and W. W. Anderson. 1959. Offshore occurrence of larval silver mullet *[Mugil] [curema]*, in the western Gulf of Mexico. *Copeia* 1959(3):252-253.
- Caldwell, D. K. 1962. Development and distribution of short bigeye, *[Pseudopriacanthus altus]* (Gill), in the western North Atlantic. *Fishery Bull. Fish Wildl. Serv. U.S.* 62(203):103-150.
- Caldwell, D. K. 1962. Postlarvae of the blue marlin, *[Makaira nigricans]*, from off Jamaica. *Contr. Sci. No.* 53:1-11.
- Caldwell, D. K., and H. R. Bullis. 1971. An unusually large aggregation of prejuvenile bigeyes, *[Priacanthus arenatus]*, in the West Indies. *Copeia* 1971:176.
- Caldwell, M. C. 1962. Development and distribution of larval and juvenile fishes of the family Mullidae of the western North Atlantic. *Fishery Bull. Fish Wildl. Serv. U.S.* 62(213):403-457.
- Caley, M. J., M. H. Carr, M. A. Hixon, T. P. Hughes, G. P. Jones, and B. A. Menge. 1996. Recruitment and the local dynamics of open marine populations. *Annual Review of Ecology and Systematics* 27:477-500.
- Caley, M.J. 1998. Guest Editor, Special Issue. Recruitment and population dynamics of coral-reef fishes. *Australian Journal of Ecology* 23(3):191-310.
- Caley, M. J., L. Schwarzkopf, and R. Shine. 2001. Does total reproductive effort evolve independently of offspring size? *Evolution* 55:1245-1248.
- Calhoun, A. J. 1942. The biology of the black-spotted trout (*[Salmo] [clarkii henshawi]* Gill and Jordan) in two Sierra lakes. Ph.D Diss., Stanford Univ. 218 pp.
- Calhoun, A. J. 1953. Distribution of striped bass fry in relation to major water diversions. *California Fish and Game* 39(3):279-300.
- Calhoun, A. J., and C. A. Woodhull. 1948. Progress report on studies of striped bass reproduction in relation to the Central Valley Project. *California Fish and Game* 34(4):171-188.
- Calhoun, A. J., C. A. Woodhull, and W. C. Johnson. 1950. Striped bass reproduction in the Sacramento River system in 1948. *California Fish and Game* 36(2):135-145.

- Calkins, T. P., and W. L. Klawe. 1963. Synopsis of biological data on black skipjack, [*Euthynnus lineatus*] Kishinouye 1920. FAO Fish. Rep. 6:130-146.
- Calvert, J. 1948. The development of the retina and optic nerve in the teleost [*Fundulus heteroclitus*]. M. S. Thesis, Bryn Mawr College. 25 pp.
- Cambray, J. A. 1982. The life history of a minnow, [*Barbus anoplus*], in a man-made lake in South Africa. M.S. Thesis, Rhodes Univ., Grahamstown, South Africa.
- Cameron, I. L., and K. E. Hunter. 1984. Regulation of the permeability of the medaka fish embryo chorion by exogenous sodium and calcium ions. J. Exp. Zool. 231(3):447-454.
- Cameron, J. 1959. The larval and post-larval stages of [*Gymnamodytes*] [*semisquamatus*] (Jourdain). J. Mar. Biol. Assoc. U.K. 38:17-25.
- Cameron, J. A., and R. L. Smith. 1980. Ultrastructural effects of crude oil on early life stages of Pacific herring. Transactions of the American Fisheries Society 109(2):224-228.
- Cameron, J. N. 1969. Growth, respiratory metabolism and seasonal distribution of juvenile pinfish ([*Lagodon*] [*rhomboides*] L.) in Redfish Bay, Texas. Contr. Mar. Sci. 14:19-36.
- Cameron, W. M. 1940. The efficiency of fertilization in the natural spawning of Pacific salmon. Fish. Res. Bd. Can. Prog. Rep. Pac. Biol. Sta. Pac. Fish. Exper. Sta. 45:23-24.
- Cameron, W. M. 1968. A preliminary investigation of the natural spawning, incubation and alevinage of the pink salmon ([*Oncorhynchus gorbuscha*]). Fish. Res. Bd. Can. Ms. Rep. 995:1-25.
- Campa de Guzman, S. 1974. Larvas de peces colectadas en la costa surveste de Baja California durante Mayo-Junio de 1973. Prog. Explor. Pesq. Inst. NacPesca, Mexico Serie Cien. INP/SC:4. 13 pp.
- Campa de Guzman, S., and Y. C. Gutierrez. 1974. Distribucion horizontal de huevos y larvas de [*Sardina monterrey*] y larvas de [*Sardina crinuda*] y Bocona, en el golfo de California en Abril de 1972. Inst. Nal. De Pesca INP/SC:2. 17 pp.
- Campa de Guzman, S. de la, and J. M. Ortiz Jimenez. 1975. Distribucion y abundancia de larvas de peces en el Golfo de California durante Abril-Mayo de 1973, con especial referencia a [*Sardina monterrey*] y [*S.*] [*japonesa*] In Spanish. Inst. Nac. Pesca. INP/SC:11. 25 pp.
- Campana, S. E., and J. D. Neilson. 1982. Daily growth increments in otoliths of starry flounder, [*Platichthys stellatus*], and the influence of some environmental variables in their production. Canadian Journal of Fisheries and Aquatic Sciences 39:937-942.
- Campana, S. E. 1984. Lunar cycles of otolith growth in the juvenile starry flounder, [*Platichthys stellatus*]. Mar. Biol. 80(3):239-246.
- Campana, S. E. 1984. Microstructural growth patterns in the otoliths of larval and juvenile starry flounder, [*Platichthys*] [*stellatus*]. Canadian Journal of Zoology 62(8):1507-1617.
- Campana, S. E., J.A. Gagne, and J. Munro. 1987. Otolith microstructure of larval herring ([*Clupea harengus*]): image or reality? Can. J. Fish. Aquat. Sci. 44:1922-1929.
- Campana, S. E. 1989. Otolith microstructure of three larval gadids in the Gulf of Maine, with inferences on early life history. Canadian Journal of Zoology 67:1401-1410.
- Campana, S. E., and P.C.F. Hurley. 1989. An age- and temperature-mediated growth model for cod ([*Gadus morhua*]) and haddock ([*Melanogrammus aeglefinus*]) larvae in the Gulf of Maine. Can. J. Fish. Aquat. Sci. 46:603-613.



- Campana, S. E., K. T. Frank, P. C. F. Hurley, P. A. Koeller, F. H. Page, and P. C. Smith. 1989. Survival and abundance of young Atlantic cod ([*Gadus-Morhua*]) and haddock ([*Melanogrammus-Aeglefinus*]) as indicators of year-class strength. *Canadian Journal of Fisheries and Aquatic Sciences* 46:171-182.
- Campana, S. E., S.J. Smith, and P.C.F. Hurley. 1989. A drift retention dichotomy for larval haddock ([*Melanogrammus-Aeglefinus*]) spawned on Browns Bank. *Canadian Journal of Fisheries and Aquatic Sciences* . 46:3-102.
- Campana, S. E. 1996. Year-class strength and growth rate in young Atlantic cod [*Gadus morhua*]. *Marine Ecology - Progress Series* 135:21-26.
- Campbell, B. D., and B. A. Branson. 1978. Ecology and population dynamics of the black bullhead, [*Ictalurus melas*] (Rafinesque), in central Kentucky. *Tulane Stud. Zool. Bot.* 20(3-4):99-136.
- Campbell, J. S. 1969. Biology of the emerald shiner, [*Notropis*] [*atherinoides*], in Lake Simcoe, Ontario. M.S. Thesis, Univ. Guelph, Guelph, Ontario. 97 pp.
- Campbell, J. S., and H. R. MacCrimmon. 1970. Biology of the emerald shiner, [*Notropis atherinoides*] Rafinesque in Lake Simcoe, Canada. *J. Fish. Biol.* 2:259-273.
- Campbell, R. S. M. S. 1935. A study of the common sucker, [*Catostomus commersoni*] (Lacepede), of Waskesin Lake. M.S. Thesis, Univ. of Saskatchewan, Saskatoon, Canada.
- Campos, H. 1969. Reproduccion del [*Aplochiton taeniatus*] Jenyns. *Bol. Mus. Nac. Hist. Chile* 29:207-222.
- Campos, H. 1972. Breeding season and early development of [*Brachygalaxias bullocki*] (Osteichthyes: Galaxiidae). *Texas J. Sci.* 23(4):531-544.
- Camus, P., and C. Koutsikopoulos. 1984. Incubation and embryonic development of gilthead bream, [*Sparus aurata*] (L.) at a range of temperatures. *Aquaculture* 42(2):117-128.
- Camus, P., and G. Duhamel. 1985. Spawning and embryological development of [*Notothenia rossii rossii*] (Rich., 1844), *Nototheniidae* from the Kerguelen Islands. *Cybium* 9:283-293.
- Canagaratnam, P. 1959. Growth of fishes in different salinities. *Journal of the Fisheries Research Board of Canada* 16(1):121-130.
- Canavate, J. P., and C. FernandezDiaz. 2001. Pilot evaluation of freeze-dried microalgae in the mass rearing of gilthead seabream ([*Sparus aurata*]) larvae. *Aquaculture* 193(3-4):257-269.
- Canfield, H. L. 1917. Methods of collecting and hatching buffalofish eggs at the U.S. fisheries Biological Station, Fairport, Iowa. *Transactions of the American Fisheries Society* 47:85-88.
- Canfield, H. L. 1947. Artificial propagation of those channel cats. *Progressive Fish-Culturist* 9(1):27-30.
- Canino, M. F., K. M. Bailey, and L. S. Incze. 1991. Temporal and geographic differences in feeding and nutritional condition of walleye pollock larvae [*Theragra chalcogramma*] in Shelikof Strait, Gulf of Alaska. *Marine Ecology - Progress Series* 79:27-35.
- Canino, M. F. 1994. Effects of temperature and food availability on growth and RNA/DNA ratios of walleye pollock [*Theragra chalcogramma*] (Pallas) eggs and larvae. *Journal of Experimental Marine Biology and Ecology* 175:1-16.
- Canino, M. F., and K. M. Bailey. 1995. Gut evacuation of walleye pollock larvae in response to feeding conditions. *Journal of Fish Biology* 46:389-403.

- Cannon, T. C., S. M. Jinks, L. R. King, and G. J. Lauer. 1978. Survival of entrained ichthyoplankton and macroinvertebrates at Hudson River Power Plants. Pages 71-89 in L. D. Jensen, editor. Fourth national workshop on entrainment and impingement. Ecol. Anal., Inc., Melville, N.Y., 424 pp.
- Canu, E. 1893. Ponte, oeufs et larves des poissons utiles observes dans la Manche. Annal. de la Sta aquicole de Boulogne. Mer I, 117-132.
- Capape, C. 1977. Contribution to the biology of Rajadae of the Tunisian coast. Part 7. [Raja melitensis] sexuality reproduction fertility. Can. Biol. Mar. 18:177-190.
- Capretta, P. J. 1977. Establishment of food preferences by exposure to ingestive stimuli early in life, pp. 99-121. In: Barker, L. M., M. R. Barker, M. R. Best, and M. Domjan (eds.), Learning mechanisms in food selection. Baylor Univ. Press, Waco, TX.
- Caputi, N., W. J. Fletcher, A. Pearce, and C. F. Chubb. 1996. Effect of the Leeuwin Current on the recruitment of fish and invertebrates along the Western Australian coast. Marine and Freshwater Research 47:147-155.
- Capuzzo, J. M., J. A. Davidson, and S. A. Lawrence. 1977. The differential effect of free and combined chlorine on juvenile marine fish. Est. and Coastal Mar. Sci. 5:733-746.
- Carbine, W. F. 1936. The life history of the chub, [Trigoma atraria] Girard, of the Great Basin of Utah. MS Thesis, Univ. Utah. 107 pp.
- Carbine, W. F. 1939. Observations on the spawning habits of centrarchid fishes in Deep Lake, Oakland County, Michigan. Trans. Fourth N.A. Wildl. Conf.: 275-287.
- Carbine, W. F. 1942. Observations on the life history of the northern pike [Esox lucius] L. in Houghton Lake, Michigan. Transactions of the American Fisheries Society 71:149-164.
- Carbine, W. F. 1943. The artificial propagation and growth of the common white sucker, [Catostomus c. commersoni], and its value as a bait and forage fish. Copeia 1943(1):48-49.
- Carbine, W. F. 1944. Egg production of the northern pike, [Esox lucius] L., and the percentage survival of eggs and young on the spawning grounds. Pap. Mich. Acad. Sci. 29(1943):123-137.
- Carbine, W. F. 1948. [Bangos] culture in the Philippines. Progressive Fish-Culturist 10(4):187-197.
- Carbonnier, M. P. 1872. Sur la reproduction et la developement du poisson telescope ([Cyprinus macrophthalmus]), originaire dec la Chine In French. Hebd. Assoc. Sci., Bull. 11:180-182.
- Carbonnier, M. P. 1873. On the reproduction and development of the telescope fish of China. Ann. Mag. Nat. Hist., Ser. 11, 4:76-77.
- Carbonnier, M. P. 1874. Le Fondule ([Fundula cyprinodonta] Cuv.) mensuel de la soc. D'acclimation Paris, d Bull. 3(1):665-671.
- Carbonnier, M. P. 1880. Sur le [Callichthys fasciatus] Cuvier. Bull. de la Soc. Zool. de France 5:288-290.
- Cardeilhac, P. T. 1976. Induced maturation and development of pinfish eggs. Aquaculture 8(4): 389-393.
- Cardwell, R. D., et al. 1977. Acute and chronic toxicity of Chlordane to fish and invertebrates. Env. Prot. Ag. 600/3-77-019, Duluth, MN.

- Carey, W. E., and D. L. G. Noakes. 1981. Development of photobehavioral responses in young rainbow trout, [*Salmo gairdneri*] Rich. J. Fish. Biol. 19:285-296.
- Carey, W. E. 1985. Comparative ontogeny of photobehavioral responses of charrs ([*Salvelinus*] spp.). Environmental Biology of Fishes 12:189-200.
- Carl, L. M., and M. C. Healey. 1984. Differences in enzyme frequency and body morphology among three juvenile life history types of chinook salmon, [*Oncorhynchus tshawytscha*], in the Nanaimo River, British Columbia. Canadian Journal of Fisheries and Aquatic Sciences 41(7):1070-1077.
- Carlander, K. D. 1953. First supplement to handbook of freshwater fishery biology. Wm. C. Brown Co., Dubuque, IA:281-429.
- Carlander, K. D. 1969. Handbook of freshwater fishery biology. Iowa State Univ. Press., Iowa State Univ., Ames, IA. 752 pp.
- Carlander, K. D. 1977. Handbook of freshwater fishery biology. Vol 2. Life history data on centrarchid fishes of the United States and Canada. Iowa St. Univ. Press, Ames, IA. 431 pp.
- Carlson, D. B., and R. R. Olson. 1993. Larval dispersal distance as an explanation for adult spatial pattern in two Caribbean reef corals. Journal of Experimental Marine Biology and Ecology 173: 247-263.
- Carlson, A. R., and J. G. Hale. 1972. Successful spawning of largemouth bass, [*Micropterus*] [*salmoides*] (Lacepede) under laboratory conditions. Transactions of the American Fisheries Society 101(3): 539-542.
- Carlson, A. R. 1973. Induced spawning of largemouth bass [*Micropterus*] [*salmoides*] (Lacepede). Transactions of the American Fisheries Society 102(2):442-444.
- Carlson, A. R., and R. E. Siefert. 1974. Effects of reduced oxygen on the embryos and larvae of lake trout ([*Salvelinus namaycush*]) and largemouth bass ([*Micropterus salmoides*]). Journal of the Fisheries Research Board of Canada 31(8):1393-1396.
- Carlson, A. R., R. E. Siefert, and L. J. Herman. 1974. Effects of lowered dissolved oxygen concentrations on channel catfish ([*Ictalurus punctatus*]) embryos and larvae. Transactions of the American Fisheries Society 103(3): 623-626.
- Carlson, C. A. 1968. Effect of water quality on first-year mortality of largemouth bass. Cornell Plantations 13(4):54-56.
- Carlson, C. A., and M. H. Shealy, Jr. 1972. Marking larval largemouth bass with radio-strontium. Journal of the Fisheries Research Board of Canada 29:455-458.
- Carlson, C. A., and M. H. Shealy, Jr. 1972. Techniques for marking larval largemouth bass with 85Sr for evaluation of predator-prey relationships. Cornell University Water Resources and Marine Sciences Center Technical Report 49. Cornell University, Ithaca, New York.
- Carlson, C. A., A. W. Eipper, and J. L. Forney. 1972. Effect of water quality on first-year mortality of largemouth bass. Cornell University Water Resources and Marine Sciences Center Technical Report 45. Cornell University, Ithaca, New York.
- Carlson, C. A., C. G. Prewitt, D. E. Snyder, E. J. Wick, E. L. Ames, and W. D. Fronk. 1979. Fishes and macroinvertebrates of the White and Yampa rivers, Colorado. United States Bureau of Land Management, Colorado Office, Biological Sciences Series 1, Denver.
- Carlson, C. A., and R. T. Muth. 1993. Endangered species management. Pages 355-381 in C. Kohler and W. Hubert, editors. Inland fisheries management in North America. American Fisheries Society, Bethesda, Maryland.

- Carlson, F. T., and J. A. McCann. 1969. Hudson River fisheries investigation (1965-1968). Rep. to the Consol. Edison Co., N.Y. by the Hudson River Policy Comm. 80 pp.
- Carlson, F. T. 1973. Rearing menhaden larvae (Part I). Page 148 in A. L. Pacheco, editor. Proc. of a workshop on eggs, larval and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS Mid Atl. Coast. Fish. Cent. Highlands, N.J. 338 pp.
- Carlson, H. R. 1976. Food of juvenile sockeye salmon, [*Oncorhynchus*] [*nerka*], in the inshore coastal waters of Bristol Bay, Alaska, 1966-67. Fish. Bull. 74:458-462.
- Carlson, H. R., and R. E. Haight. 1976. Juvenile life of Pacific Ocean perch, [*Sebastes*] [*alutus*] in coastal fjords of southeastern Alaska USA: their environment, growth, food habits, and schooling behavior. Transactions of the American Fisheries Society 105(2):191-201.
- Carlson, H. R. 1980. Seasonal distribution and environment of Pacific herring near Auke Bay, Lynn Canal, southeastern Alaska. Transactions of the American Fisheries Society 109(1):71-78.
- Carnes, W. C., Jr. 1968. Contributions to the biology of the eastern creek chubsucker, [*Erimyzon oblongus*] (Mitchill). M.S. Thesis, North Carolina State Univ., Raleigh, N.C. 69 pp.
- Carpenter, C. E. 1939. Embryology of the walleyed pike ([*Stizostedion*] [*vitreum*]). M.S. Thesis, Ohio State Univ., Columbus, OH.
- Carpenter, E. J. 1979. Sampling ichthyoplankton. Testimony presented before U.S. EPA, Region II. Adjudicatory Hearing Docket No. c/ii-WP-77-01:91 pp.
- Carpenter, J. H. 1986. Recruitment of spots to the Cape Fear Estuary. Transport of larval fish and shellfish through coastal inlets, Ocean Springs, MS. Symposium Series 3, Am. Fish. Soc. In press.
- Carr, A. F., Jr. 1939. Notes on the breeding habits of the warmouth bass. Proc. Florida Acad. Sci. 4:108-112.
- Carr, M. H. 1942. The breeding habits, embryology and larval development of the large-mouthed black bass in Florida. Proc. New Engl. Zool. Club 20:43-77.
- Carr, M. H. 1946. Notes on the breeding habits of the eastern stump-knocker, [*Lepomis punctatis punctatis*] (Cuvier). Quar. J. Florida Acad. Sci. 9(2):101-106.
- Carr, W. E. S., and C. A. Adams. 1973. Food habits of juvenile marine fishes occupying seagrass beds in the estuarine zone near Crystal River, Florida. Transactions of the American Fisheries Society 102(3):511-540.
- Carr, W. E. S., and J. T. Giesel. 1975. Impact of thermal effluent on a marshland nursery area during the hot season. Fish. Bull. NOAA (U.S.) 73(1):67-80.
- Carranza, J., and H. E. Winn. 1954. Reproductive behavior of the blackstripe topminnow, [*Fundulus notatus*]. Copeia 1954(4):273-278.
- Carrean, J. A., R. F. Ventura, and G. J. Almazan. 1973. Notes on the induced breeding of [*Clarias*] [*macrocephalus*] Gunther. Aquaculture 2(1):5-16.
- Carrick, T. R. 1979. The effect of acid water on the hatching of salmonid eggs. J. Fish. Biol. 14(2):165-173.
- Carrier, R. F. 1978. Entrainment. [Lit. review of 1977]. J. Wat. Pollut. Control Fed. 50(6):1567-1582.

- Carruthers, J. N. 1924. The water movements of the North Sea in relation to the geographical distribution of post larval herring. Fish Invest. Fishery Bd Scotl. Ser. II, 7(4).
- Carruthers, J. N. 1938. Fluctuations in the herring of the east Anglian autumn fishery, the yield of the Ostend spent herring fishery, and the haddock of the North Sea - in the light of the relevant wind conditions. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 107:10-15.
- Carscadden, J. E., and W. C. Leggett. 1975. Life history variations in populations of American shad, [*Alosa sapidissima*] (Wilson) spawning in tributaries of the St. John River, New Brunswick. J. Fish Biol. 7(5):595-610.
- Carscadden, J. E., K. T. Frank, and W.C. Leggett. 2000. Evaluation of an environment-recruitment model for capelin ([*Mallotus villosus*]). ICES J. Mar. Sci. 57: 412-418.
- Carson, W. G., and W. V. Carson. 1972. Toxicity of copper and zinc to juvenile Atlantic salmon in the presence of humic acid and lignosulfonates. Fish. Res. Bd. Can. Ms. Rep. 1181:1-5.
- Carswell, J. 1889. Report on the artificial propagation of the codfish at Woods Hole, MA, for the season of 1885-1886. Rep. U.S. Comm. Fish. for 1886, pt. 14:779-782.
- Carter, K. L., and J. P. Reader. 2000. Patterns of drift and power station entrainment of 0+ fish in the River Trent, England. Fisheries Management and Ecology 7(5):447-464.
- Cartier, D., and E. Magnin. 1967. Developpement des glandes genitales des [*Amia calva*] L. de la region de Montreal In French, English summary. Nat. Can. (Que.) 94(4):381-387.
- Cartwright, J. W. 1959. Egg size and egg number in some freshwater fish of British Columbia. M.S. Thesis, Univ. Brit. Columbia, Vancouver, B.C.
- Carufel, L. H. 1963. Life history of saugers in Garrison Reservoir. J. Wildl. Mgmt. 27(3): 450-456.
- Carus, J. V., and W. Engelmann. 1861. Bibliotheca zoologica. Verzeichniss der Schriften uber Zoologie, welche in den periodischen Werken enthalten und vom Jahre 1846-1860 selbstandig erschienen sind. Leipzig, II, No. 8, 2144 pp.
- Carver, D. M. 1976. Early life history of the bluegill, [*Lepomis*] [*macrochirus*]. Univ. of Maryland CEES, Chesapeake Biol. Lab. Ref. 76-40, 8 pp.
- Case, B. 1970. Spawning behavior of the chestnut lamprey ([*Ichthyomyzon castaneus*]). Journal of the Fisheries Research Board of Canada 27:1872-1874.
- Caselle, J. E.; Warner, R. R. 1996. Variability in recruitment of coral reef fishes: the importance of habitat at two spatial scales. Ecology 77:2488-2504.
- Casselmann, J. M., and H. H. Harvey. 1973. Fish traps of clear plastic. Progressive Fish-Culturist 35(4):218-220.
- Cassie, R. M. 1956. Early development of the snapper, [*Chrysophrys*] [*auratus*] Forster. Trans. R. Soc. N.Z. 83:705-713.
- Cassie, R. M. 1963. Microdistribution of plankton. Oceanogr. Mar. Biol. Annl. Rev. 1:223-252.
- Castagha, R. M. 1955. A study of the hogchoker, [*Trinectes maculatus*] (Bloch and Schneider), in the Wakulla River, Florida. M.S. Thesis, Florida State Univ., 23 pp.

- Castellani, L. C., and A. Saita. 1969. Preliminary electron microscope observations on the development of the musculature in larvae of [*Salmo*] [*gairdneri*]. 1st Lombardo Accad. Sci. Lett. Rend. Sci. Biol. Med. B. 103:27-40. Engl. Summary.
- Casterlin, M. E., and W. W. Reynolds. 1978. Habitat selection by juvenile bluegill sunfish, [*Lepomis macrochirus*]. *Hydrobiol.* 59(1):75.
- Castillo, G. C., H. W. Li, and J. T. Golden. 1994. Environmentally induced recruitment variation in petrale sole, [*Eopsetta jordani*]. *Fishery Bulletin* 92:481-493.
- Castle, P. H. J. 1963. Anguillid leptocephali in the South West Pacific. *Zoology Publs. Vict. Univ. Wellington* 33:1-14.
- Castle, P. H. J. 1964. Congrid leptocephali in Australasian waters with descriptions of [*Conger wilsoni*] (Bl. and Schn.) and [*C. verreauxi*] Kaup. *Zoology Publs. Vict. Univ. Wellington* 37:1-45.
- Castle, P. H. J. 1965. Leptocephali of the Nemichthyidae, Serrivomeridae, Synphobranchidae, and Nettastomidae in Australian waters. *Trans. R. Soc. New Zealand* 5(11):131-146.
- Castle, P. H. J. 1965. Muraenid leptocephali in Australian waters. *Trans. R. Soc. New Zealand (Zool.)* 7(3):57-84.
- Castle, P. H. J. 1965. Ophichthid leptocephali in Australian waters. *Trans. R. Soc. New Zealand (Zool.)* 7(6):97-123.
- Castle, P. H. J. 1965. Ophichthid leptocephali in Australian waters. *Trans. R. Soc. New Zealand* 7(6):125-133.
- Castle, P. H. J. 1966. Die ichthyologische Ausbeute der ersten Westafrika - Fahrt des fischereitechnisch Forschungsschiffle Walther Herwig. 3. The eel larvae (Leptocephali). *Arch. Fischereiwiss* 17(1):19-35.
- Castle, P. H. J. 1966. Les leptocephales dans le Pacifique sud-ouest. *Cah. ORSTOM Oceanogr.* 4(4):51-71.
- Castle, P. H. J. 1967. Two remarkable eel larvae from off southern Africa. *Dept. Ichthyol., Rhodes Univ. Spec. Publ.* 1:12 pp.
- Castle, P. H. J. 1968. Larval development of the congrid eel, [*Gnathophis*] [*capensis*] (Kaup), off Southern Africa, with notes on the identity of [*Conger muraena australis*] Barnard. *Zool. Afr.* 3:139-154.
- Castle, P. H. J. 1969. An index and bibliography of eel larvae. *J. L. B. Smith Inst. Ichthyol., Rhodes Univ., S. Afr., Spec. Publ.* 7, 121 pp.
- Castle, P. H. J. 1969. Eggs and early larvae of the congrid eel, [*Gnathophis capensis*] off southern Africa. *Spec. Publ. Dept. Ichthyol. Rhodes Univ.* 5:1-5.
- Castle, P. H. J. 1969. The eel genera [*Congrina*] and [*Coloconger*] off southern Mozambique and their larval forms. *Spec. Publ. Dept. Ichthyol. Rhodes Univ.* 6:1-10.
- Castle, P. H. J. 1970. Distribution, larval growth and metamorphosis of the eel, [*Derichthys serpentinus*] Gill, 1884 (Pisces: Derichthyidae). *Copeia* 1970(3):444-452.
- Castle, P. H. J. 1973. A giant notacanthiform leptocephalus from the Chatham Islands, New Zealand. *Rec. Dom. Mus. Wellington* 8(8):121-124.
- Castle, P. H. J., and D. A. Robertson. 1974. Early life history of the Congrid eels [*Gnathophis*] [*habenatus*] and [*Gnathophis incognitus*] in New Zealand waters. *N.Z. J. Mar. & Freshwat. Res.* 8(1):95-110.

- Castle, P. H. 1975. Some rare leptocephali from the Atlantic and Indo-Pacific Oceans. Dana Rep. Carlsberg Found. 85:1-25.
- Castle, P. H. J., and N. S. Raju. 1975. Some rare leptocephali from the Atlantic and Indo-Pacific oceans. Dana Rep. Carlsberg found. 85:1-25.
- Castle, P. H. J. 1976. Criteria of satisfactory fixation and preservation of eel larvae (Leptocephali). Pages 319-321 in H. F. Steedman, editor. Zooplankton fixation and preservation.. Unesco Press, Paris.
- Castle, P. H. J. 1977. Leptocephalus of the muraenesocid eel [Gavialiceps] [taeniola]. Copeia 1977:488-492.
- Castle, P. H. J. 1978. Ovigerous leptocephali of the Nettastomatid eel genus [Facciolella]. Copeia 1978(1):29-33.
- Castle, P. H. J. 1979. Early life-history of the eel, [Moringua edwardsi] (Pisces, Moringuidae), in the western North Atlantic. Bull. Mar. Sci. 29(1):1-18.
- Castle, P. H. J. 1980. Larvae of the ophichthid eel genus [Neenchelys] in the Indo-Pacific. Pac. Sci. 34:165-171.
- Castle, P. H. J. 1984. Notacanthiformes and Anguilliformes: development. Pages 62-93 in H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Castonguay, L. D., and J.D. McCleave. 1987. Distribution of leptocephali of the oceanic species [Derichthys serpentina] and [Nessorhamphus ingolfianus] (Family Derichthyidae) in the Western Sargasso Sea in relation to physical oceanography. Bull. Mar. Sci. 44: 807-821.
- Castonguay, M., and J.D. McCleave. 1987. Vertical distributions, diel and ontogenetic vertical migrations, and net avoidance of leptocephali of Anguilla and other common species in the Sargasso Sea. J. Plankton Res. 9:195-214.
- Castonguay, M. P. V. Hodson, C.M. Couillard, M.J. Eckersley, J.D. Dutil, and G. Verreault. 1994. Why is recruitment of the American eel, [Anguilla rostrata], declining in the St. Lawrence River and Gulf? Can. J. Fish. Aquat. Sci. 51: 479-488.
- Castonguay, M. P. V. Hodson, C.Moriarty, K.F, Drinkwater, and B.M. Jessop. 1994. Is there a role of ocean environment in American and European eel decline? Fisheries Oceanography 3:197-203.
- Castro, A. J. L. 1978. Catalogo sistematico de los peces marinos que penetran en las aguas continentales de Mexico con aspectos zoogeograficos y ecologicos. Dept. Pesca, Ser. Cient. 19, Mexico, Distrito Federal, Mexico.
- Caswell, H. 1972. On instantaneous and finite birth rates. Limnol. Oceanogr. 75(5): 787-791.
- Catchings, E. D. 1973. The effect of increased salinity and of feeding treatments on the survival and growth of striped bass, [Morone saxatilis] (Walb.), fry in hatching jars, and fingerlings in troughs. M. S. Thesis, Auburn Univ. 61 pp.
- Caulton, M. S. 1975. Diurnal movement and temperature selection by juvenile and sub-adult [Tilapia rendalli] Boul. (Cichlidae). Trans. Rhod. Sci. Assoc. 56:51.
- Cavaliere, A., and A. Berdar. 1976. Larval and postlarval stages of the myctophid [Lobianchia gemellarii]. Part I. Mem. Biol. Mar. Oceanogr. 6(5):175-182.

- Cavalluzzi, M.R. 1997. Larvae of [*Gillellus jacksoni*], [*G. uranidea*] (Dactyloscopidae), [*Stathmonotus stahlitekla*], and [*S. hemphilli*] (Chaenopsidae), with comments on the use of early life history characters for elucidating relationships within the . . . . Bull. Mar. Sci. 60(1):139-151.
- Cave, J. R. 1978. American shad, [*Alosa sapidissima*], larval distribution, relative abundance and movement in the Holyoke Pool, Connecticut River, Massachusetts M.S. Thesis, Univ. Massachusetts, Amherst, MA. 65 pp.
- Cawthorne, D. F., T. Beard, J. Davenport and J. F. Wickens. 1983. Responses of juvenile [*Penaeus monodon*] Fabricius to natural and artificial sea waters of low salinity. Aquaculture 32:165-174.
- Caywood, M. L. 1974. Contributions to the life history of the splittail [*Pogonichthys macrolepidotus*] (Ayres). M.S. thesis, California State University, Sacramento.
- Cech, J. J., Jr., S. J. Mitchell, and T. E. Wragg. 1984. Comparative growth of juvenile white sturgeon and striped bass: effects of temperature and hypoxia. Estuaries 7(1):12-18.
- Cerny, K. 1975. Mortality of the early developmental stages of the roach ([*Rutilus rutilus*] L., 1758). Vestnik Ceskoslovenske Spolecnosti Zool. 39:81-93.
- Cerny, K. 1977. The early development of chub, [*Leuciscus cephalus*] (L. 1758), rudd, [*Scardinius erythrophthalmus*] (L., 1758) and roach, [*Rutilus rutilus*] (L., 1758). Acta Univ. Carolinae, Biol. 1977(1-2):1-149.
- Ceskleba, D. G., S. AveLallemant, and T. F. Thuemler. 1985. Artificial spawning and rearing of lake sturgeon, [*Acipenser fulvescens*], in Wild Rose State Fish Hatchery, Wisconsin, 1982-83. Environmental Biology of Fishes 14(1):79-85.
- Cetta, C. M., and J. M. Capuzzo. 1982. Physiological and biochemical aspects of embryonic and larval development of the winter flounder, [*Pseudopleuronectes americanus*]. Mar. Biol. 71:327-337.
- Cha, S. S.; McGowan, M. F.; Richards, W. J. 1994. Vertical distribution of fish larvae off the Florida Keys, 26 May 5 1989. Bulletin of Marine Science. 54: 828-842.
- Chadhuri, H. 1976. Use of hormones in induced spawning of carps. Journal of the Fisheries Research Board of Canada 33(4):940-947.
- Chacko, P. I. 1942. A note on rearing the larvae of the milk-fish ([*Chanos chanos*]). Curr. Sci. 11(3):108.
- Chacko, P. I. 1946. A note on carp spawning in the Godavari and Kistna, Madras. Proc. 33rd Indian Sci. Congr. (Bangalore) Pt. 3:128.
- Chacko, P. I. 1946. On the bionomics of the India sprat, [*Sardinella*] [*gibbosa*] (Cuv. & Val.). J. Bombay Nat. Hist. Soc. 46(2):407-408.
- Chacko, P. I., R. S. Venkataraman, and V. Renganathan. 1946. On the bionomics of the silver fish, [*Chela*] [*argentina*] Day. Curr. Sci. 15:167.
- Chacko, P. I., and G. K. Kuriyan. 1947. On the culture of [*Ophicephalus marulius*] Ham. in the Coimbatore and Salem districts, Madras. Proc. 34th Indian Sci. Congr. (Delhi) Pt. 3:180.
- Chacko, P. I., R. S. Venkataraman, and G. K. Kuriyan. 1947. On the bionomics of [*Osteochilus* (*Osteochilichthys*)] [*thomassi*] (Day). Proc. 34th Indian Sci. Congr. (Delhi) Pt. 3:181.



- Chacko, P. I. 1948. Acclimatization of the millions, [*Lebistes*] [*reticulatus*] (Peters), in Madras. Proc. 34th Indian Sci. Congr. Delhi 27(5):157-158.
- Chacko, P. I. 1948. Growth-rate of twenty-one species of fishes of Madras. Proc. 35th Indian Sci. Congr. (Patna) Pt. 3:210.
- Chacko, P. I. 1948. On the habit of the exotic mosquitofish, [*Gambusia*] [*affinis*] (Baird and Girard), in the waters of Madras. Curr. Sci. 17(3):93.
- Chacko, P. I., and B. Krishnamurthi. 1948. A preliminary note on the hilsa fishery investigations in South India. Proc. 35th Indian Sci. Congr. (Patna) Pt. 3:204.
- Chacko, P. I., and S. V. Job. 1948. On the nutrition of the young stage of certain freshwater fishes of Madras. Proc. 35th Indian Sci. Congr. (Patna) Pt. 3:204.
- Chacko, P. I., and G. K. Kuriyan. 1949. On the bionomics of [*Catla catla*] (Cuv. & Val.) in South Indian waters. Proc. Zool. Soc. London 120(1):39-42.
- Chacko, P. I. 1949. Bionomics of the Indian paradise fish, [*Macropodus*] [*cupanus*], in the waters of Madras. Proc. 36th Indian Sci. Congr. (Allahabad) Pt. 3:164.
- Chacko, P. I., and S. V. Ganapati. 1949. On the bionomics of [*Hilsa ilisha*] (Ham.), in the Godavari River. J. Madras Univ. 18:16-22.
- Chacko, P. I., and S. V. Ganapati. 1949. Some observations on [*Aplocheilus lineatus*] (Cuv. & Val.) in Madras province. J. Bombay Nat. Hist. Soc. 48(3):604-605.
- Chacko, P. I., and S. V. Ganapati. 1950. On a case of phenomenal growth of the Indian carp, [*Catla catla*] (Cuv. & Val.), in two tanks of Kancheepuram. Sci. Cult. 16(1):28-30.
- Chacko, P. I., and S. V. Ganapati. 1950. On the bionomics of the carp, [*Thynnichthys sandkholl*] (Sakes). Sci. Cult. 15(12):484-485.
- Chacko, P. I. 1950. A note on the bionomics of [*Lepidocephalus thermalis*] (Cuv. & Val.). Sci. Cult. 15(7):281-282.
- Chacko, P. I. 1950. Marine plankton from the waters around Krusadi Island. Proc. Indian Acad. Sci. 31B(3):162-174.
- Chacko, P. I. 1950. Spawning and development of [*Cirrhina reba*] (Ham.). Proc. Indian Sci. Cong. 37(3):251-252.
- Chacko, P. I. 1951. Bionomics of [*Barbus amphibius*] Day. Proc. 38th Indian Sci. Congr. (Bangalore) Pt. 3:226.
- Chacko, P. I. 1951. Bionomics of the silver fish, [*Chela untrahi*] (Day). Proc. 38th Indian Sci. Congr. (Bangalore) Pt. 3:226.
- Chacko, P. I. 1951. Madras rural piscicultural Scheme, Progress Report (1 April 1950 to 31 March 1951). Indian Counc. Agric. Res., New Delhi.
- Chacko, P. I., and S. V. Ganapati. 1951. Bionomics of the mrigal, [*Cirrhina mrigala*] (Ham.), in south Indian waters. J. Bombay Nat. Hist. Soc. 50(1):13-19.
- Chacko, P. I., and S. George. 1953. Propagation and distribution of food fishes in Madras State. Ind-Com. J. 8(2):186-192.
- Chacko, P. I., J. G. Abraham, and R. Andal. 1953. Report on a survey of the flora, fauna and fisheries of the Pulicat Lake, Madras State, India 1951-52. Contr. Freshwat. Fish. Biol. Sta. (Dept. Fish., Madras), No. 8.

Chacko, P. I., and B. Krishnamurthi. 1954. Observations on [*Tilapia mossambica*] Peters in Madras. J. Bombay Nat. Hist. Soc. 52(2/3):349-353.

Chacko, P. I., and M. J. Mathew. 1955. Biology and fisheries of the horse-mackerels of the west coast of Madras State. Contr. Mar. Biol. Sta. West Hill 2:1-12.

Chacko, P. I., G. K. Kurian, and S. Thyagarajan. 1955. A survey of the fisheries of the Cauvery River. Contr. Freshwat. Fish. Biol. Sta. (Dept. Fish., Madras) 12.

Chacko, P. I., and M. J. Mathew. 1956. Biology and fisheries of the sprat, [*Sardinella*] [*albella*] (Cuv. & Val.), in the west coast of Madras State. Govt. of Madras Fish. St. Rep. Yearbook 1954-55:103-108.

Chacko, P. I., and M. J. Mathew. 1956. Programme of oil sardine research in Madras State Fisheries department in 1954-55. Proc. 43rd Indian Sci. Congr. (Agra) Pt. 3:309-310.

Chadhurim, H. 1962. Induced breeding and development of a common catfish, [*Ompok bimaculatus*] (Bloch). Proc. Indian Sci. Cong. 49(3):390-391.

Chadhuri, H., J. V. Juario, J. H. Primavera, R. Samson, and R. Mateo. 1978. Observations on artificial fertilization of eggs and the embryonic and larval development of milkfish, [*Chanos chanos*] (Forsk.). Aquaculture 13(2):95-113.

Chadwick, H. K. 1958. A study of the planktonic fish eggs and larvae of the Sacramento-San Joaquin Delta with special reference to striped bass. California Dept. Fish and Game, Inland Fish. Branch Admin. Rep. 58-5. 24 pp.

Chadwick, H. K. 1964. Annual abundance of young striped bass, [*Roccus*] [*saxatilis*], in the Sacramento-San Joaquin Delta, California. California Fish. & Game 50:69-99.

Chadwick, H. K. 1974. Entrainment and thermal effects on a mysid shrimp and striped bass in the Sacramento-San Joaquin Delta. Pages 23-30 in L. D. Jensen, editor. Entrainment and intake screening. Proc. 2nd. Entrainment and Intake Screening workshop, Edison Power Res. Inst., Publ. 74-049-00-5, 347 pp.

Chadwick, H. K., D. E. Stevens, and L. W. Miller. 1977. Some factors regulating the striped bass population in the Sacramento San Joaquin estuary, California. Pages 18-35 in Van Winkle, editor. Proc. Conf. on assessing effects of power-plant induced mortality on fish populations, Pergamon Press, New York. 380 pp.

Chailakhyan, M. M., and E. N. Shilyanskaya. 1973. Effect of sodium and potassium ions on development of loach embryos in egg membranes. Sov. J. Dev. Biol. 4:88-91.

Chailakhyan, M. M., and E. N. Shilyanskaya. 1973. Properties of plasma membranes in the early embryonal development of the loach. Tsitologiya 15:45-51.

Chakrabarty, R. D., and D. S. Murty. 1973. Life history of India major carps, [*Cirrhinus*] [*mrigala*] (Ham.), [*Catla catla*] (Ham.) and [*Labeo*] [*rohita*] (Ham.). J. Inland Fish. Soc. India, Barrackpore 4:132-161.

Chambers, J. R. 1969. Methods of distinguishing larval alewife ([*Alosa*] [*pseudoharengus*]) from larval blueback herring ([*A.*] [*aestivalis*]). M.A. Thesis, William and Mary Coll., Williamsburg, VA. 30 pp.

Chambers, J. R., J. A. Musick, and J. Davis. 1976. Methods for distinguishing larval alewife from larval blueback herring. Ches. Sci. 17(2):93-100.

Chambers, R. C., and W.C. Leggett. 1987. Size and age in metamorphosis in marine fishes: an analysis of laboratory-reared winter flounder ([*Pseudopleuronectes americanus*]) with a review of variation in other species. Can. J. Fish. Aquat. Sci. 44:1936-1947.

- Chambers, R. C., W. C. Leggett, and J. A. Brown. 1988. Variation in and among early life history traits of laboratory-reared winter flounder [*Pseudopleuronectes americanus*]. *Mar. Ecol. Prog. Ser.* 47:1-15.
- Chambers, R. C., K. A. Rose, and J. A. Tyler. 1995. Recruitment and recruitment processes of winter flounder, [*Pleuronectes americanus*], at different latitudes: implications of an individual-based simulation model. *Netherlands Journal of Sea Research* 34:19-43.
- Chambers, R. C., and W. C. Leggett. 1996. Maternal influences on variation in egg sizes in temperate marine fishes. *American Zoologist* 36:180-196.
- Chambers, R. C., and K. G. Waiwood. 1996. Maternal and seasonal differences in egg sizes and spawning characteristics of captive Atlantic cod, [*Gadus morhua*]. *Can. J. Fish. Aquat. Sci.* 53:1986-2003.
- Chambers, R. C. 1997. Environmental influences on egg and propagule sizes in marine fishes. Pages 63-102 [in] R. C. Chambers and E. A. Trippel, editors. *Early Life History and Recruitment in Fish Populations*. Chapman & Hall, Fish and Fisheries Series 21. London, UK.
- Chambers, R. C., D. A. Witting, and S. J. Lewis. 2001. Detecting critical periods in larval flatfish populations. *Journal of Sea Research* 45(3-4):231-242.
- Chambolle, P. 1974. Reproduction and osmoregulation in [*Gambusia*] sp. (Pisces, Teleostei, Poeciliidae, Vivipare). *Ann. d'Endoc.* 35:350-359.
- Chambolle, P., R. Cambar, and D. Tran. 1970. A chronological table of embryonic development of the teleost fish [*Gambusia*] sp. *Bull. Biol. Fr. Belg.* 104(4):443-452.
- Champalbert, G., C. Macquartmoulin, G. Patrity, and D. Chiki. 1991. Ontogenic variations in the phototaxis of larval and juvenile sole [*Solea solea*] L. *Journal of Experimental Marine Biology and Ecology* 149:207-225.
- Champion, M. J., and G. S. Whitt. 1976. Differential gene expression in multilocus isozyme systems of the developing greenfish. *J. Exp. Zool.* 196:263-281.
- Chandra, R. 1964. A preliminary account of the distributional abundance of fish larvae in the Hooghly Estuary. *Indian J. Fish.* 9, Sect. A., No. 1.
- Chang, D. B., and N. R. Liley. 1974. Effect of experience on the development of parental behavior in the blue gourami, [*Trichogaster*] [*trichopterus*]. *Canadian Journal of Zoology* 52:1499-1503.
- Chang, H., X. Sha, G. He, and L. Song. 1980. A description of the morphological characters of the eggs and larvae of the flathead fish, [*Platycephalus*] [*indicus*]. *Oceanol. Limnol. Sin.* 11(2):161-168.
- Chang, H., X. Sha, Z. Chen, H. Ruan, and G. He. 1981. Observations on the egg and larval development of a clupeid, [*Harengula zunasi*] Bleeker. *Trans. Chin. Ichthyol. Soc.* 1:57-64.
- Chang, H., Xo, and X. Sha. 1965. A description of the important morphological characters of the eggs and larvae of two flat fishes, [*Paralichthys olivaceous*] (T. and S.) and [*Zebrias*] [*zebra*] (Bloch). *Oceanol. Limnol. Sin.* 7(2):158-180.
- Chang, H.-W. 1948. Life history of the common Chinese bitterling, [*Rhodeus ocellatus*]. *Sinensia* 19(1-6):12-22.
- Chao, L. N., and J. A. Musick. 1977. Life history feeding habits and functional morphology of juvenile sciaenid fishes in the York River estuary Virginia. *Fish. Bull.* NOAA (U.S.) 75(4):657-702.

- Chapman, D. G. 1973. Spawner-recruit models and estimation of the level of maximum sustainable catch. Pages 325-332 in B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. Perm. Int. Explor. Mer 164, 372 pp.
- Chapman, D. W. 1958. Studies on the life history of Alsea River steelhead. J. Wildl. Mgmt. 22(2):123-133.
- Chapman, D. W. 1962. Aggressive behavior in juvenile coho salmon as a cause of emigration. Journal of the Fisheries Research Board of Canada 19:1047-1080.
- Chapman, D. W. 1965. Net production of juvenile coho salmon in three Oregon streams. Transactions of the American Fisheries Society 94:40-52.
- Chapman, G. 1965. The egg cocoons of [*Scoloplos armiger*] O. F. Muller. Biol. Bull. 128:189-197.
- Chapman, G. A. 1978. Toxicities of cadmium, copper, and zinc to four juvenile stages of chinook salmon and steelhead. Transactions of the American Fisheries Society 107(6):841-847.
- Chapman, M. J., and P. Forgez. 1985. Lipid transport systems: some recent aspects in swine, cattle and trout during development. Reprod. Nut. Develop. 25(1B):217-226.
- Chapman, W. M. 1943. The spawning of chinook salmon in the main Columbia River. Copeia 1943(3):168-170.
- Chapman, W. M., and L. D. Townsend. 1938. The osteology of [*Zaprora silenus*] Jordan, with notes on its distribution and early life history. Ann. Mag. Nat. Hist. 2(11):89-117.
- Chapoton, R. B. 1964. Surface trawl for catching juvenile American shad. Progressive Fish-Culturist 26(3):143-144.
- Chapoton, R. B. 1967. Scale development in the Gulf menhaden, [*Brevoortia*] [patronus]. Transactions of the American Fisheries Society 96:60-62.
- Charles, P. M., S. M. Sebastian, M. C. V. Raj, and M. P. Manion. 1984. Effect of feeding frequency on growth and food conversion of [*Cyprinus carpio*] fry. Aquaculture 40(4):293-300.
- Charlon, N., and P. Bergot. 1984. Rearing system for feeding fish larvae on dry diets. Trial with carp ([*Cyprinus carpio*] L.) larvae. Aquaculture 41(1):1-10.
- Charter, S.R. 1996. Congridae: conger eels. Pages 100-117 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Charter, S.R. 1996. Cyematidae: bobtail eels. Pages 145-149 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations Atlas No. 33. Allen Press, Inc., Lawrence, Kansas. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Charter, S.R. 1996. Derichthyidae: longneck eels. Pages 119-121 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Charter, S.R., and H.G. Moser. 1996. Elopidae: tenpounders. Pages 75-77 in H.G. Moser, editor. The early stages of fishes in the California Current region. California

Cooperative Oceanic Fisheries Investigations Atlas No. 33. Allen Press, Inc., Lawrence, Kansas. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)

Charter, S.R. 1996. Eurypharyngidae: umbrellamouth gulpers. Pages 155-157 in H. G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations Atlas No. 33. Allen Press, Inc., Lawrence, Kansas. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)

Charter, S.R., and H.G. Moser. 1996. Lophotidae: crestfishes. Pages 661-663 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)

Charter, S.R., and H.G. Moser. 1996. Mirapinnidae: ribbontails. Pages 713-715 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)

Charter, S.R., and H.G. Moser. 1996. Muraenidae: morays. Pages 88-91 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)

Charter, S.R. 1996. Nemichthyidae: snipe eels. Pages 122-129 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p.(reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)

Charter, S.R. 1996. Nettastomatidae: duckbill eels. Pages 135-139 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)

Charter, S.R., and H.G. Moser. 1996. Trachipteridae: ribbonfishes. Pages 669-677 in H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)

Charter, S. R., R. L. Charter, H. G. Moser, and S. B. Reilly. 2000. Ichthyoplankton and station data for surface tows taken during the 1989 eastern tropical Pacific dolphin survey on the research vessels David Starr Jordan and McArthur. U.S. Dep. Commer., NOAA Tech. Memo., NOAA-TM-NMFS-SWFSC-289. 45 p.

Chase, R. G. 1969. Some aspects of the life history of the Iao, [*Pranesus insularum insularum*], an Hawaiian atherinid. M. S. Thesis, Univ. Hawaii, Honolulu.

Chastain, G. A., and J. R. Snow. 1965. Nylon mats as spawning sites for largemouth bass, [*Micropterus salmoides*] Proc. 19th Ann. Conf. S. E. Assoc. G & F Comms. 19:405-408.

Chatain, B. 1986. The swim bladder in [*Dicentrarchus labrax*] and [*Sparus auratus*]. I. Morphological aspects of development. *Aquaculture* 53(3/4):303-312.

Chatry, M. F., and J. V. Conner. 1980. Comparative developmental morphology of the crappies, [*Pomoxis annularis*] and [*P. nigromaculatus*], Proc. 4th Ann. Larval Fish Conf.,

U.S. Fish and Wildl. Serv., Biol. Serv. Prog., Natl. Power Plant Team, Ann Arbor, MI, FWS/OBS-80/43. 179 pp.

Chatto, D. A. 1979. Effects of salinity on hatching success of the cui-ui. *Progressive Fish-Culturist* 41(2):82-85.

Chaudhry, H. S. 1950. On the origin and fate of the pallial layer in the oocytes of marine teleosts. *Proc. 37th Indian Sci. Congr. (Poona)* Pt. 3:237.

Chaudhuri, H. 1951. Notes on the embryonic development of the transparent goby, [*Gobiopterus chuno*] (Ham.). *Proc. Nat. Inst. Sci. India* 17(4):247-252.

Chaudhuri, H., and K. H. Alikunhi. 1957. Observations on the spawning in Indian carps by hormone injection. *Curr. Sci.* 26:381-382.

Chaudhuri, H. 1960. Experiments on induced spawning of Indian carps with pituitary injections. *Indian J. Fish.* 7(1):20-48.

Chaudhuri, H. 1962. Breeding and life-history of [*Rasbora elonga*] (Hamilton). *Proc. Indian Sci. Cong.* 49(3):390.

Chaudhuri, H. 1962. Breeding of [*Puntius sarana*] (Hamilton) and observations of its life-history and bionomics. *Proc. Indian Sci. Cong.* 49(3):390.

Chaudhuri, H. 1962. Induced breeding and development of a common catfish, [*Ompok bimaculatus*] (Bloch). *Proc. Indian Sci. Congr.* 49:390-391.

Chaudhuri, H., J. V. Juario, J. H. Primavera, R. Samson, and R. Mateo. 1978. Observations on artificial fertilization of eggs and the embryonic and larval development of milkfish, [*Chanos chanos*] (Forsk.).

Chaudhury, H. S. 1957. A preliminary note on the toxicity of gamma BHC on the fry and fingerlings of Mirror carp. *Proc. 44th Indian Sci. Congr. (Calcutta)* Pt. 3:320.

Chavance, P., C. Flores-Coto, and A. Sanchez-Iturbe. 1984. Early life history and adult biomass of sea bream in the Terminos Lagoon, Southern Gulf of Mexico. *Transactions of the American Fisheries Society* 113:166-177.

Cheal, M. L. 1973. Reproduction in the blue gourami. *J. Biol. Psychol.* 15(1):5-11.

Chebanova, V. V. 1983. The role of invertebrate drift in the feeding of young coho salmon, [*Oncorhynchus kisutch*] (Salmonidae), in the Karymayskiy River. *J. Ichthyol.* 23(6):70-78.

Checkley, D. M., Jr. 1982. Selective feeding by Atlantic herring ([*Clupea harengus*]) larvae on zooplankton in natural assemblages. *Mar. Ecol. Prog. Ser.* 9:245-253.

Checkley, D. M., Jr. 1984. Relation of growth to ingestion for larvae of Atlantic herring, [*Clupea harengus*], and other fish. *Mar. Ecol. Prog. Series* 18(3):215-224.

Checkley, D. M., Jr., R. C. Dotson, and D. A. Griffith. 2000. Continuous, underway sampling of eggs of Pacific sardine ([*Sardinops sagax*]) and northern anchovy ([*Engraulis mordax*]) in spring 1996 and 1997 off southern and central California. *Deep-Sea Res. II.* 47:1139-1155.

Checkley, D. M., Jr., J. R. Hunter, L. Motos, and C. D. Van der Lingen. Editors. 2000. International GLOBEC Small Pelagic Fishes and Climate Change programme. Report of a workshop on the use of the Continuous Underway Fish Egg Sampler (CUFES) for mapping spawning habitats of pelagic fish. San Sebastian, Spain, February 9-11, 2000. GLOBEC Report #14 65 pp.

- Cheek, R. P. 1961. Quantitative aspects of striped bass, [*Roccus*] [*saxatilis*] (Walbaum), spawning in the Roanoke River, North Carolina, 1959. M.S. Thesis, North Carolina State Univ., Raleigh, N.C. 99 pp.
- Cheek, R. P. 1968. The American shad. U.S. Fish. Wildl. Serv. Fish. Leaflet No. 614. 13 pp.
- Cheer, G. N., and W. H. Clark, Jr. 1982. Fine structure of the envelope and micropyles in the eggs of the white sturgeon, [*Acipenser transmontanus*] Richardson. *Development, Growth and Differentiation*:24(4):341-352.
- Cheetham, J. L., et al. 1976. Temperature tolerance and preference of immature channel catfish, [*Ictalurus punctatus*]. *Copeia* 1976(3):609.
- Chelnokova, E. V. 1963. Respiration of pike larvae. *Akad. Nauk. Moscow-Leningrad, SSSR* 1:225-228.
- Chen, C. S., and S. Y. Lin. 1935. The fish fry industry of China. *Bull. Chekiang Prov. Fish. Exp. Sta.* 1(4):1-48. (In Chinese, English Abstract).
- Chen, F. Y., M. Chow, T. M. Chao, and R. Lim. 1977. Artificial spawning and larval rearing of the grouper, [*Epinephelus tauvina*] (Forsk.) in Singapore. *Singapore J. Primary Ind.* 5:1-21.
- Chen, L. C. 1971. Systematics, variation, distribution and biology of rockfishes of the subgenus [*Sebastes*] (*Pisces, Scorpaenidae, [Sebastes]*). *Bull. Scripps Inst. Oceanogr., Univ. Calif.* 18:1-107.
- Chen, Lo-chai. 1969. The biology and taxonomy of the burbot, [*Lota lota*] [*leptura*], in interior Alaska. *Biol. Pap. Univ. Alaska.* No. 11:1-51.
- Chen, L.S., and H.Y. Yan. 2002. The relative distribution of otoliths as a means of larval fish identification. *Zoological Studies* 41(2):144-152.
- Chen, S. C. 1926. The development of the goldfish, [*Carassius auratus*], as affected by being out of water, in distilled water, and in solutions of alcohol. *China J. Sci. and Arts* 4(6):294-303.
- Chen, S. C., and T. H. Tan. 1973. A preliminary report on occurrence of tuna larvae in waters adjacent to Taiwan and South China Sea. *Rep. Inst. Fish. Biol. Minist. Econ. Aff. Natl. Taiwan Univ.* 3(1):158-171.
- Cheng, P. W., and W. N. Tzeng. 1996. Timing of metamorphosis and estuarine arrival across the dispersal range of the Japanese eel *Anguilla japonica*. *Marine Ecology-Progress Series* 131:87-96.
- Chenoweth, S. B. 1963. Spawning and fecundity of the tautog, [*Tautoga*] [*onitis*]. M.S. Thesis, Univ. of Rhode Island, Kingston, RI. 66 pp.
- Chenoweth, S. B. 1970. Seasonal variations in condition of larval herring in Boothbay area of the Maine coast. *Journal of the Fisheries Research Board of Canada* 27(10):1875-1879.
- Chenoweth, S. B. 1973. Fish larvae of the estuaries and coast of central Maine. *Fish. Bull.* 71(1):105-113.
- Chereguini, O., I. G. delaBanda, I. Rasines, and A. Fernandez. 2001. Larval growth of turbot, [*Scophthalmus maximus*] (L.) produced with fresh and cryopreserved sperm. *Aquaculture Research* 32(2):133-143.

- Chernyayev, Z. A. 1971. Some data on the reproduction and development of the cottid fish ([*Comephorus dybowskii*] Korotneff). J. Ichthyol. (Vopr. Ikhtiol. Eng. Ed.), 11(5):706-716.
- Chernyayev, Z. A. 1973. Reproduction and development of the Baikal lake whitefish ([*Coregonus lavaretus baicalensis*] Dyb.) in relation to problems of artificial propagation. J. Ichthyol. 13(2):216-230.
- Chernyayev, Z. A. 1974. Morphology and ecological features of the reproduction and development of the "Big Golomyanka" or Baikal oil fish [*Comephorus barcelensis*]. J. Ichthyol. 14(6):856-867.
- Chernyayev, Z. A. 1977. Morpho-ecological characteristics of the reproduction and development of the Baikal sand sculpin, [*Paracottus* (*Leocottus*) *kessleri*]. J. Ichthyol. 17(6):890-902.
- Chernyayev, Z. A. 1981. Reproduction and development of the "Big-head" sculpin, [*Batrachocottus baicalensis*], from Lake Baikal. J. Ichthyol. (Engl. transl. Vopr. Ikhtiol.) 19(6):83-94.
- Chernyshov, V. I., and A. R. Isuyev. 1978. The role of free radical reactions in the processes of embryonic development of the loach, [*Misgurnus*] [*fossilis*]. J. Ichthyol. 18(1):101-111.
- Chertov, L. F. 1970. Embryonal development of the Caspian herring. Tr. Vses. Nauchno-issled. Inst. Morsk. Ryb. Khoz. Okeanogr. 74:253-268.
- Chertov, L. F., and L. D. Bolkvadze. 1968. Early periods in the development of the Black Sea turbot. 1. Embryonic development. Gruz Nauchno-Issled Ryb Str. 13:75-80.
- Chervenski, J., and M. Zorn. 1977. Note on occurrence and the food of juvenile kachlan, [*Trachinotus ovatus*] L., (Pisces: Carangidae) from the Mediterranean. Aquaculture 10(2):179-186.
- Chervinski, J. 1979. Preliminary experiments on the adaptability of juvenile European sea bass, [*Dicentrarchus labrax*] (L.) and gilthead sea bream, [*Sparus aurata*] (L.) to brackish water. Bamidgeh 31(1):14-17.
- Chervinski, J., and J. Shapiro. 1980. Additional experiments on the growth of juveniles and fingerlings of the European sea bass, [*Dicentrarchus*] [*labrax*] L. Bamidgeh 32(3):78-86.
- Chervinski, J., and L. Lourie. 1972. Occurrence of young [*Dicentrarchus*] sp. at the Bardawil Lagoon, Northern Sinai peninsula. Bamidgeh 24(1):26-28.
- Chervinski, J., and M. Lahav. 1979. Fresh water feeding of young European sea bass, [*Dicentrarchus labrax*] L. Bamidgeh 31:44-48.
- Chevalier, J. R. 1973. Cannibalism as a factor in first year survival of walleye in Oneida Lake. Trans. Am. Fish. Soc. 102:739-744.
- Chevey, P. 1929. Larves et alevins des poissons du Mekong et du Tonle.Sap. I. Acanthopterygiens et Ostariophysari es. Inst. Oceanogr. de l'Indochine, Sta Maritime de Cauda; 14th Note. 79 pp.
- Chew, R. L. 1972. The failure of largemouth bass, [*Micropterus*] [*salmoides floridanus*] (LeSueur), to spawn in eutrophic, over-crowded environments. Proc. 26th Ann. Conf. S. E. Assoc. G & F Comms. 26:306-319.
- Chew, R. L. 1974. Early life history of the Florida largemouth bass. Florida Game & Freshwat. Fish. Comm. Fish. Bull. 7, 76 pp.



- Chiarella, L., and D.O. Conover. 1990. Spawning season and first year growth of adult bluefish (*Pomatomus saltatrix*) from the New York Bight. *Trans. Amer. Fish. Soc.* 119:455-462.
- Chiba, K. 1961. The basic study on the production of fish seedling under possible control. I. The effect of food in quality and quantity on the survival and growth of common carp fry. *Bull. Freshwat. Fish. Res. Lab.*, 11(1):105-128.
- Chiba, K. 1961. The effect of food quantity and quality on the survival and growth of common carp fry. *Bull. Freshwat. Res. Lab.* 11:105-132.
- Chiba, K. 1965. A study on the influence of oxygen concentration on the growth of juvenile common carp. *Bull. Freshwat. Fish. Res. Lab.* 15(1):35-47.
- Chiba, K. 1966. A study on the influence of oxygen concentration on the growth of juvenile common carp. *Bull. Freshwat. Fish. Res. Lab. (Tokyo)* 1501:35-47.
- Chiba, K. 1983. The effect of dissolved oxygen on the growth of young silver bream. *Bull. Jap. Soc. Sci. Fish.* 49(4):601-610.
- Chibanov, N. A. 1984. Effect of spawning length and age on the viability of progeny during early ontogeny in some species of the genus [*Oncorhynchus*] (*Salmonidae*). *J. Ichthyol.* 24(3):82-93.
- Chichewicz, M. 1961. Embryonic development of lake trout (*Salmo trutta* [*m. lacustris*] L.). *Polish Agric. Annl.* 93D:557-594. lake trout *Salmo trutta m.*
- Chidambaram, K. 1941. Observations on the development of [*Arius jella*] (Day). *Proc. Indian Acad. Sci.* 14B(6):502-508.
- Chidambaram, K. 1943. On two types of horse-mackerel eggs found in the plankton from the sea opposite West Hill (Malabar). *Proc. 30th Indian Sci. Congr. (Calcutta)* Pt. 3:62.
- Chidambaram, K. 1945. The spawning season of the Malabar sole. *Proc. 32nd Indian Sci. Congr. (Nagpur)* Pt. 3:113.
- Chidambaram, K., and M. M. Unny. 1946. Variation in the rate of growth of the milk fish, [*Chanos chanos*]. *Nature (London)* 157(3986):375.
- Chidambaram, K., and M. D. Menom. 1948. Notes on the development of [*Megalops cyprinoides*] and [*Hemirhamphus georgii*]. *Proc. Zool. Soc. London* 117:756-763.
- Chidambaram, K. 1949. Comments on Carbine's "[*Bangos*] culture in Philippines". *Progressive Fish-Culturist* 11(4):343-344.
- Chidambaram, K. 1950. Studies on the length frequency of the oil sardine, [*Sardinella longiceps*] Cuv. & Val., and on certain factors influencing their appearance on the Calicut coast of Madras Presidency. *Proc. Indian Acad. Sci.* 31B(5):252-286.
- Chidambaram, K., and G. K. Kuriyan. 1952. Notes on the grey mullets (*Mugil* spp.) of Krusadai Island, Gulf of Mannar. *J. Bombay Nat. Hist. Soc.* 50(3):515-519.
- Chieffi, G. 1967. The reproduction system of elasmobranchs: development and endocrinological aspects. Pages 553-580 in P. W. Gilbert, editor. *Sharks, skates, and rays.* Johns Hopkins Press, Baltimore.
- Chien, A. K. 1973. Reproductive behavior of the angelfish, [*Pterophyllum*] [*scalare*] (*Pisces: Cichlidae*). II. Influence of male stimuli upon the spawning rate of females. *An. Behav.* 21(3):457-463.

- Chien, A. K., and M. Salmon. 1972. Reproductive behavior of the angelfish, [*Pterophyllum scalare*]. I. A quantitative analysis of spawning and parental behavior. *Forma Functio*. 5(1):45-74.
- Chien, A. K. 1973. Reproductive behavior of the angelfish, [*Pterophyllum scalare*]. (Pisces: Cichlidae). *Diss. Abst. Int.* 33B:493-494.
- Chigbu, P. 2001. Occurrence and distribution of [*Salmincola californiensis*] (Copepoda : Lernaepodidae) on juvenile sockeye salmon ([*Oncorhynchus nerka*]) in Lake Washington. *Journal of Freshwater Ecology* 16(4):615-620.
- Chigirinskiy, A. I. 1970. The nature of oogenesis and fecundity in the Japanese horse mackerel, [*Trachurus japonicus*] (Temminck et Schlegel). *J. Ichthyol. (Engl. transl. Vopr. Ikhtiol.)* 10:755-760.
- Child, C. M. 1941. Patterns and problems of development. Univ. Chicago Press. 811 pp.
- Childers, W. F. 1967. Hybridization of four species of sunfishes (Centrarchidae). *Bull. Illinois Nat. Hist. Surv., Vol. 29, Art. 3.* 214 pp.
- Childs, M.R., R.W. Clarkson and A.T. Robinson. 1998. Resource use by larval and early juvenile native fishes in the Little Colorado River, Grand Canyon, Arizona. *Transactions of the American Fisheries Society* 127(4): 620-629.
- Chilty, N. 1981. Behavioral observations of feeding larvae by bay anchovy, [*Anchoa mitchilli*], and bigeye anchovy, [*Anchoa lamprotaenia*]. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:320-322.
- Ching-mie, K., et al. 1973. A preliminary report on the development, growth and survival of laboratory reared larvae of grey mullet, [*Mugil cephalus*]. *J. Fish. Biol.* 5:459-470.
- Chipps, S.R., D.F. Clapp, and D.H. Wahl. 2000. Variation in routine metabolic rate of juvenile muskellunge: evidence for seasonal metabolic compensation in fishes. *Journal of Fish Biology* 56:311-318.
- Chipps, S.R., L.M. Einfalt, and D.H. Wahl. 2000. Growth and food consumption by tiger muskellunge: effects of temperature and ration level on bioenergetic model predictions. *Transactions of the American Fisheries Society* 129:186-193.
- Chirinos, de V. A., and E. D. Chuman. 1964. Notas sobre el desarrollo embrionario de huevos y larvos del pejerrez, [*Odontesthes (Austromeniidae)*] [*regia regia*] (Humboldt). *Bol. Inst. Mar. Peru* 1(1):3-30.
- Chittenden, M. 1969. Life history and ecology of the American shad, [*Alosa sapidissima*], in the Delaware River. Ph.D. Diss., Rutgers Univ., New Brunswick, N.J. 459 pp.
- Chittenden, M. E. 1972. Salinity tolerance of young blueback herring, [*Alosa*] [*aestivalis*]. *Contr. Virginia Inst. Mar. Sci.* 221-223.
- Chittenden, M. E. 1972. Salinity tolerance of young blueback herring, [*Alosa*] [*aestivalis*]. *Transactions of the American Fisheries Society* 101(1):123-125.
- Chittenden, M. E. 1973. Salinity tolerance of young American shad, [*Alosa*] [*sapidissima*]. *Ches. Sci.* 14:207-210.
- Chittenden, M. E., Jr. 1976. Present and historical spawning grounds and nurseries of American shad, [*Alosa sapidissima*], in the Delaware River. *U.S. Fish Wildl. Serv. Fish. Bull.* (2):343-352.
- Chiu, T. S., and P. Y. Lee. 1991. Initial ichthyoplankton studies in the Kuroshio Edge Exchange Area. *Bulletin of the Institute of Zoology Academia Sinica* 30:261-272.

- Chiu, T. S., and K. Z. Chang. 1995. Diurnal cycling in vertical distribution of ichthyoplankton at a fixed station off northwestern Taiwan. *Zoological Studies* 34:183-192.
- Choat, J. H., P.J. Doherty, B.A. Kerrigan, and J.M. Leis. 1993. A comparison of towed nets, purse seine, and light-aggregation devices for sampling larvae and pelagic juveniles of coral reef fishes. *Fish. Bull., U.S.* 91:195-209.
- Choate, J. 1964. Use of tetracycline drugs to mark advanced fry and fingerling brook trout (*Salvelinus fontinalis*). *Transactions of the American Fisheries Society* 93(3):309-311.
- Chondar, S. L. 1970. Handbook on breeding of Indian major carps by pituitary hormone injection. Satish Book Enterprises, Motikatra, India. 100 pp.
- Chondar, S. L. 1971. Methods for field identification of fry of Indian major and some minor carps obtained from the Gangetic system. *Agra Univ. J. Res. (Science)* 19(2):15-22.
- Choodamani, N. V. 1941. On the smallest Elasmobranch egg. *Proc. 28th Indian Sci. Congr. (Banaras) Pt. 3*:179.
- Chrapkova-Kovalevs N. V. 1963. Data on reproduction, development and distribution of larvae and young fish of [*Oxyporhamphus micropterus*] Val. (Pisces: Oxyporhamphidae). *Tr. Inst. Okeanol. Acad. Nauk SSSR* 62:49-61.
- Christensen, D. J. 1965. A study of brook trout ecology, with emphasis on spawning behavior, in the Medicine Bow Mountains of Wyoming. M.S. Thesis, Univ. Wyoming, 86 pp.
- Christensen, G. M. 1975. Biochemical effects of methyl-mercuric chloride, cadmium chloride, and lead nitrate on embryos and alevins of the brook trout, [*Salvelinus fontinalis*]. *Toxicol. Appl. Pharmacol.* 32:191-197.
- Christensen, M. S. 1978. Trophic relationships in juveniles of three species of sparid fishes in South Africa marine littoral. *Fish. Bull. U.S.* 76:389-401.
- Christensen, S. W., D. L. DeAngelis, and A. G. Clark. 1977. Development of a stock-progeny model for assessment of power-plant effects on fish populations. Pages 196-276 [in] W. Van Winkle, editor. *Proc. Conf. on Assessing the effects of power-plant-induced mortality on fish populations.* CONF-770501. Pergamon Press, N.Y. 380 pp.
- Christiansen, H. E. 1971. The reproduction of the hake in Argentine waters (Merlucciidae, [*Merluccius merluccius hubbsi*]). I. Histological description of the hake ovarian cycle. *Bol. Inst. Biol. Mar. Univ. Rio Grande do Norte* 20:5-41.
- Christiansen, H. E., and M. B. Cousseau. 1971. The reproduction of the hake in Argentine waters (Merlucciidae, [*Merluccius merluccius hubbsi*]). 2. Reproduction of the hake and its relation to other biological aspects of the species. *Bol. Inst. Biol. Mar. Univ. Rio Grande do Norte* 20:44-73.
- Christie, W. J. 1963. Effects of artificial propagation and the weather on recruitment in the Lake Ontario whitefish fishery. *Journal of the Fisheries Research Board of Canada* 20:597-646.
- Christie, W. J., and H. A. Regier. 1973. Temperature as a major factor influencing reproductive success of fish-two examples. *Rapp. Reun. Cons. perm. int. Explor. Mer* 164:208-218.
- Christmas, J. Y., A. Perry, and R. S. Waller. 1974. Investigations of coastal pelagic fishes. U.S. Dept. Comm., NMFS, Proj. 2-128-R. Gulf Coast Res. Lab., Ocean Springs, MS. 105 pp.

- Chua, T. E. 1970. Early development of the glassfish, [*Ambassis kopsii*] Blk. J. Singapore Nat. Acad. Sci. 1(2):37-44.
- Chuanyin, Z., C. Lianfang, and Z. Zengjia. 1982. On the early development and the reproductive behavior of [*Auxis*] in Dong Hai, China. Dong Hai Fish. Res. Inst., J. Fish.
- Chuanyin, Z., C. Lianfang, and Z. Zengjia. 1982. Primary report on the distribution of postlarvae and juveniles and on the spawning behavior of [*Coryphaena*] [*hippurus*] L. in the East China Sea. Acta Oceanol.
- Chubareva, L. A. 1967. Certain cytomorphological and cytochemical data of investigation of early embryonic stages of the development of [*Acipenser guldenstadtii*] and [*A*]. [*nudiventris*] and of their reciprocal hybrids. Dokl. Akad. Nauk SSSR. 177(2):486.
- Chubb, S. L. 1985. Spatial and temporal distribution and abundance of larval fishes in Pentwater Marsh, a coastal wetland on Lake Michigan. M.S. Thesis, Michigan State Univ., East Lansing.
- Chubb, S. L., and C. R. Liston. 1986. Density and distribution of larval fishes in Pentwater Marsh, a coastal wetland on Lake Michigan. J. Great Lakes Res. 12(4):332-343.
- Chulitskaya, E. V. 1968. Influence produced by the cytoplasm on the synchronization and desynchronization of nucleus division in the period of cleavage in embryos of the sturgeon. Dokl. Akad. Nauk SSSR 178(2):496-499. In Russian.
- Church, A. H. 1944. Centrifugal pumps and blowers. John Wiley & Sons, 308 pp.
- Churikov, A. A. 1975. Features of the downstream migration of young salmon of the genus [*Oncorhynchus*] from the rivers of the northeast coast of Sakhalin. J. Ichthyol. 15:963.
- Chusovitina, L. S. 1963. Postembryonic development of the Siberian sturgeon. Tazovsk. otd. Gos. n.-i. in-ta ozern. i rechn. rybn. kh-va, 3.
- Chyestukhin, A. V. 1969. The effect of cortisone on development of the embryos of the sea urchin, [*Strongylocentrotus nudus*], and the loach [*Misgurnus fossilis*] and biosynthesis of nucleic acids. Dokl. Akad. Nauk SSSR 187(4):956-959.
- Cianci, J. M. 1969. Larval development of alewife, [*Alosa*] [*pseudoharengus*], and the glut herring, [*Alosa aestivalis*]. M. S. Thesis, Univ. Connecticut. 62 pp.
- CICAR. 1974. Ichthyoplankton workshop, Mexico City, 16-27 July, 1974. UNESCO Tech. paper in Marine Science #20, Div. Mar. Sci., UNESCO, Place de Fortenoy 75700, Paris.
- Cipria, G. 1927. Contributo alla conoscenza dello sviluppo postembrionale di [*Hypsirhynchus hepaticus*] Facciola. Mem. R. Com. Talassogr. Ital. 130.
- Cipria, G. 1934. Uova, stadi embrionali e post-embrionali di [*Blennius palmicornis*] Cuv. Mem. R. Com. Talassogr. Ital. 218.
- Cipria, G. 1936. Uova, stadi embrionali e post-embrionali, nei Blennidi. I. [*Blennius pavo*] Risso. II. [*Blennius*] [*inaequalis*] C. V. Mem. R. Com. Talassogr. Ital. 231.
- Cipria, G. 1937. Embrione di [*Echinorhinus spinosus*] Gmelin. R. Comit. Talass. Ital. Mem. CCXLV.
- Cipria, G. 1938. Uova, stadi embryonale e post-embrionali di [*Blennius ocellaris*] L. Note Inst. ital-germ. Biol. Mar. Rovigno II-4.
- Cipria, G. 1938. Uova, stadi embryonale e post-embrionali di [*Blennius tentacularis*] Brunn. Note Inst. ital-germ. Biol. Mar. Rovigno II-7.

- Cipria, G. 1939. Contributo allo conoscenza delle uova dello sviluppo embrionale e postembrionale in varie specie de Gadidi. Mem. R. Com. Talassogr. Ital. (263):25 pp.
- Cipria, G. 1939. Uova e larve di [*Coricus rostratus*] Cuv. ottenute per fecondazioine artificiale. Mem. R. Com. Talassogr. Ital. (260):5 pp.
- Cipria, G. 1939. Uova, sviluppo embrionale e post embrionale di [*Scarus cretensis*] C. V. ottenute per fecondazione artificiale. R. Comit. Talass. Ital. mem. (241):5 pp.
- Cipria, G. 1940. Uova sviluppo embrionale e post-embrionale di [*Teuthis siganus*] Rupp. ottenuta per fecondazione artificiale. Mem. R. Com. Talassogr. Ital. (274):8 pp.
- Clady, M. D., and G. Ulrichson. 1968. Mortality of recently hatched bluegill fry as a result of hydra. *Progressive Fish-Culturist* 30(1):39-40.
- Clady, M. D. 1974. Yellow perch egg and prolarvae mortality (Job I-e). Pages 28-41 in Perf. Rep., Fed. Aid Proj. F-17-R-18. New York Dept. Environ. Cons., 60 pp.
- Clady, M. D. 1975. Early survival and recruitment of smallmouth bass in northern Michigan. *J. Wildl. Mgmt.* 39:194-200.
- Clady, M. D., and B. Hutchinson. 1975. Effect of high winds on eggs of yellow perch, [*Perca*] [*flavescens*], in Oneida Lake, New York. *Transactions of the American Fisheries Society* 104(3):524-525.
- Clady, M. D. 1976. Influence of temperature and wind on the survival of early stages of yellow perch, [*Perca flavescens*]. *Journal of the Fisheries Research Board of Canada* 33:1887-1893.
- Clady, M. D. 1976. Distribution of larval ciscoes, [*Coregonus artedii*], and burbot, [*Lota lota*], in a large eutrophic lake. *IAGLR Abst.*, Univ. Guelf, 1 pp.
- Clady, M. D. 1976. Distribution and abundance of larval ciscoes, [*Coregonus artedii*], and burbot, [*Lota lota*], in Oneida Lake. *J. Great Lakes Res.* 2(2):234-247.
- Clady, M. D. 1977. Crustacean zooplankton populations and concurrent survival of larval yellow perch in Oneida Lake. *New York Fish & Game J.* 24(1):46-52.
- Clancey, J. F. 1956. A contribution to the life history of the fish, [*Bregmaceros atlanticus*] Goode and Bean, from the Florida Current. *Bull. Mar. Sci. Gulf Carrib.* 6:233-260.
- Clapp, C. M. 1891. Some points in the development of the toadfish ([*Batrachus tau*]). *J. Morph.* 5:494-501.
- Clapp, C. M. 1899. Relation of the axis of the embryo to the first cleavage plane. *Biol. Lect.*, Mar. Biol. Lab., Woods Hole:139-151.
- Clapp, D.F., and D.H. Wahl. 1996. Comparison of food consumption, growth, and metabolism among muskellunge: an investigation of population differentiation. *Transactions of the American Fisheries Society* 125:402-410.
- Clark, A. L., and W. D. Pearson. 1978. Early piscivory in larvae of the freshwater drum. Pages 31-60 in R. Wallus and C. W. Voigtlander, editors. *Proc. workshop on freshwater larval fishes*, TVA, Norris, TN. 241 pp.
- Clark, A. L., and W. D. Pearson. 1978. Early piscivory in postlarvae of the white bass. *Proc. 32nd Ann. Conf. S. E. Assoc. G & F Comms.* 32:409-414.
- Clark, A. L. 1979. Temporal and spatial distribution of ichthyoplankton at Ohio River Mile 571. M.A. Thesis, Univ. Louisville, Louisville, KY. 90 pp.

Clark, A. L., and W. D. Pearson. 1980. Diurnal variations in ichthyoplankton densities at Ohio River Mile 571. *Trans. Kentucky Acad. Sci.* 41:116-121.

Clark, B. M., B. A. Bennett, and S. J. Lamberth. 1996. Factors affecting spatial variability in seine net catches of fish in the surf zone of false bay, South Africa. *Marine Ecology-Progress Series* 131:17-34.

Clark, C. F. 1943. Creek chub minnow propagation. *Ohio Cons. Bull.* 7(6):12-13.

Clark, C. F. 1950. Observations on the spawning habits of the northern pike, [*Esox lucius*], in northwestern Ohio. *Copeia* 1950(4):285-288.

Clark, C. L. 1975. Use of tannic acid to reduce adhesiveness of walleye eggs. *Proc. 6th Interstate Muskellunge workshop*:88-89.

Clark, C. W., and D.A. Levy. 1988. Diel vertical migrations by juvenile sockeye salmon and the antipredation window. *Amer. Nat.* 131: 271-290.

Clark, D. S., and J. M. Green. 1991. Seasonal variation in temperature preference of juvenile Atlantic cod (*Gadus morhua*), with evidence supporting an energetic basis for their diel vertical migration. *Canadian Journal of Zoology - Journal Canadien de Zoologie* 69:1302-1307.

Clark, E., and J. M. Moulton. 1949. Embryological notes on [*Menidia*]. *Copeia* 1949(2):152-154.

Clark, F. N. 1925. The life history of [*Leuresthes tenuis*], an Atherine fish with tide controlled spawning habits. Ph.D. Diss., Univ. Michigan, Ann Arbor, MI. 51 pp.

Clark, F. N. 1925. The life history of [*Leuresthes tenuis*], an Atherine fish with tide controlled spawning habits. *Fish. Bull. California*, No. 10:1-51.

Clark, F. N. 1929. The life history of the California jack smelt (*Atherinopsis californiensis*). *Fish. Bull. California*, No. 16:1-22.

Clark, F. N. 1935. A summary of the life history of the California sardine and its influence on the fishery. *California Fish and Game* 21(1):1-9.

Clark, F. N. 1936. Variations in the number of vertebrae of the sardine, [*Sardinops caerulea*] (Girard). *Copeia* 1936(3):147-150.

Clark, F. N. 1938. Small sardines taken off Oregon. *California Fish and Game* 24(1):71.

Clark, F. N. 1939. Movements of herring larvae. *Adv. Sci., Lond.* 1(1):1-44.

Clark, F. N. 1940. The application of sardine life-history to the industry. *California Fish and Game* 26:39-48.

Clark, J. B. 1977. Rearing of larval fishes aboard the RV Professor Seidlecki. NOAA, NMFS NWAFC Ms., 5 pp.

Clark, J. B. 1986. Ichthyoplankton off Washington, Oregon and northern California November-December 1983. NOAA, NMFS NWAFC Proc. Rep. 86-14. 43 pp.

Clark, J. B., and A. W. Kendall, Jr. 1985. Ichthyoplankton off Washington, Oregon and northern California November-December 1983. NOAA, NMFS NWAFC Proc. Rep. 85-10. 48 pp.

Clark, J. R. 1969. Thermal pollution and aquatic life. *Scient. Am.* 220(3):19-27.

Clark, J. R. 1973. Range and distribution of bluefish. Pages 250-251 in A. L. Pacheco, editor. *Proc. of a workshop on egg, larval and juvenile stages of fish in Atlantic coast estuaries.* Tech. Publ. No. 1, NMFS, Mid Atl. Coast. Fish. Cent., Highlands, N. J. 338 pp.

- Clark, J. R. 1973. Range and distribution of striped bass. Pages 253-254 in A. L. Pacheco, editor. Proc. of a workshop on egg, larval, and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS Mid Atl. Coast. Fish. Cent., Highlands, N.J. 338 pp.
- Clark, R. S. 1913. General report on the larval and post larval teleosteans in Plymouth waters. J. Mar. Biol. Assoc. U.K. 10(2):327-394.
- Clark, R. S. 1920. The pelagic young and early bottom stages of teleosteans. J. Mar. Biol. Assoc. U.K. 12(2):159-240.
- Clark, R. S. 1922. Rays and skates (Raije). No. 1. Egg-capsules and young. J. Mar. Biol. Assoc. U.K. 12(4):578-643.
- Clark, R. S. 1927. Rays and skates. Description of embryos. J. Mar. Biol. Assoc. U. K. (N.S.)XIV(3).
- Clark, R. S. 1933. Herring larvae, the mixing of broods in Scottish waters. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 107(3):10-15.
- Clark, R. S. 1934. Herring larvae in Faroese waters. Rapp. et Proc. Verb. 89:23.
- Clarke, D. R., and P. E. King. 1985. Spawning of herring in Milford Haven. J. Mar. Biol. Assoc. U. K. 65:629-639.
- Clarke, G. L., and D. F. Bumpus. 1950. The plankton sampler - an instrument for quantitative plankton investigations. Spec. Publ. Am. Soc. Limnol. Oceanogr. 5:1-8.
- Clarke, L. A., and A. M. Sutterlin. 1985. Associative learning, short-term memory, and color preference during first feeding by juvenile Atlantic salmon. Canadian Journal of Zoology 63(1):9-14.
- Clarke, M. R. 1969. A new midwater trawl for sampling discrete depth horizons. J. Mar. Biol. Assoc. U.K. 49:945-960.
- Clarke, M. R. 1977. A brief review of sampling techniques and tools of marine biology. Pages 439-469 in M. Angel, editor. A voyage to discovery. Pergamon Press, Elmsford, N.Y. 696 pp.
- Clarke, T. A. 1973. Some aspects of the ecology of lanternfishes (Myctophidae) in the Pacific Ocean near Hawaii. Fish. Bull. U.S. 71:401-434.
- Clarke, T. A. 1991. Larvae of nearshore fishes in oceanic waters near Oahu, Hawaii. NOAA Technical Report NMFS 101:1-19.
- Clarke, T. A. 1992. Egg abundance and spawning biomass of the Hawaiian anchovy or nehu, [*Encrasicholina purpurea*], during 1984-1988 in Kaneohe Bay, Hawaii. Pacific Science. 46: 325-343.
- Clarke, T. A. 1995. Larvae of nearshore fishes in oceanic waters of the central Equatorial Pacific. Pacific Science. 49:134-142.
- Clarke, W. C., and H. D. Smith. 1972. Observations on the migration of sockeye salmon fry (*Oncorhynchus nerka*) in the lower Babine River. Journal of the Fisheries Research Board of Canada 29:151-159.
- Clarke, W. C., and J. E. Shelbourn. 1985. Growth and development of seawater adaptability by juvenile fall chinook salmon (*Oncorhynchus tshawytscha*) in relation to temperature. Aquaculture 45(1-4):21-32.

- Clarke, W. C., H. Lundqvist, and L. O. Eriksson. 1985. Accelerated photoperiod advances in seasonal cycle of seawater adaptation in juvenile Baltic salmon, [*Salmo*] [*salar*] L. J. Fish. Biol. 26(1): 29-36.
- Clarke, W. D. 1964. The jet net, a new high-speed plankton sampler. J. Mar. Res. 22(3):284-287.
- Clary, P. V. 1985. Habitat characteristics and food of larval black crappie ([*Pomoxis nigromaculatus*]) and warmouth ([*Lepomis gulosus*]) in the lower Atchafalaya River basin, Louisiana. M.S. Thesis, Louisiana State Univ.
- Clavijo, I. E., and P. L. Donaldson. 1994. Spawning behavior in the labrid, [*Halichoeres bivittatus*], on artificial and natural substrates in Onslow Bay, North Carolina, with notes on early life history. Bull. Mar. Sci. 55(2-3):383-387.
- Clay, D. 1979. Sexual maturity and fecundity of the African catfish, [*Clarias gariepinus*], with an observation on the spawning behavior of the Nile catfish, [*Clarias*] [*lazera*]. Zool. J. Linn. Soc. 65(4):351-365.
- Cleaver, F. C., and D. M. Franett. 1946. The predation by sea birds upon the eggs of the Pacific herring, [*Clupea pallasii*], at Holmes Harbor during 1945. Wash. State Dept. Fish. Div., Sci. Res. Bull. Rep. 14046B. 18 pp.
- Clemens, H. B. 1956. Rearing larval scombrid fishes in shipboard aquaria. California Fish and Game 42:69-79.
- Clemens, H. P., and K. Sneed. 1957. Spawning behavior of the channel catfish, [*Ictalurus*] [*punctatus*]. U.S. Fish and Wildl. Serv., Spec. Sci. Rep. Fish. No. 219.
- Clemens, H. P., and L. G. Hill. 1969. The collection and short-term storage of milt of white bass. Progressive Fish-Culturist 31(1):26.
- Clemens, W. A., and L. S. Clemens. 1921. Contributions to the biology of the muttonfish, [*Zoarces anguillar*]. Contr. Can. Biol. 1918-20:69-83.
- Clemens, W. A., and G. V. Wilby. 1937. The lingcod, [*Ophiodon elongatus*] Girard. Bull. Biol. Bd. Can. 54, 24 pp.
- Clements, L. C., and D. E. Hoss. 1977. Effects of acclimation time on larval flounder ([*Paralichthys*] sp.) oxygen consumption. ASB Bull. 24(2):43.
- Clements-Merlini, M. 1960. The secretory cycle of iodoproteins in ammocoetes. J. Morph. 106:337-356.
- Clemer, G. H. 1971. The systematics and biology of the [*Hybopsis amblops*] complex. Ph.D. Diss., Tulane Univ., New Orleans, Louisiana, USA.
- Clemmesen, C. 1985. Laboratory studies on RNA/DNA ratios of starved marine fish larvae. ICES Oceanogr. Comm. L/36.
- Clemmesen, C. 1993. Improvements in the fluorimetric determination of the RNA and DNA content of individual marine fish larvae. Marine Ecology - Progress Series. 100:177-183.
- Clemmesen, C. 1994. The effect of food availability, age or size on the RNA/DNA ratio of individually measured herring larvae - laboratory calibration. Marine Biology 118:377-382.
- Clemmesen, C., and T. Doan. 1996. Does otolith structure reflect the nutritional condition of a fish larva? Comparison of otolith structure and biochemical (RNA/DNA ratio) determined on cod larvae. Marine Ecology - Progress Series 138:33-39.



- Cleveland, L., E. E. Little, S. J. Hamilton, D. R. Buckler, and J. B. Hunn. 1986. Interactive toxicity of aluminum and acidity to early life stages of brook trout. *Transactions of the American Fisheries Society* 115:610-620.
- Clifford, H. F. 1972. Downstream movements of white sucker, [*Catostomus commersoni*], fry in a brown-water stream of Alberta. *Journal of the Fisheries Research Board of Canada* 29:1091-1093.
- Clifford, H. F. 1972. A years study of the drifting organisms in a brown-water stream of Alberta, Canada. *Canadian Journal of Zoology* 50:975-983.
- Cline, G. B., and L. F. Doggett. 1973. Fish egg and fish larvae isolation from plankton samples. Pages 253-259 in E. Reid, editor. *Advances with zonal rotors*. Longman, London.
- Cline, T. F., and G. Post. 1972. Therapy for trout eggs infected with [*Saprolegnia*]. *Progressive Fish-Culturist* 34(3):148-151.
- Cloern, J. E. 1976. The survival of coho salmon, [*Oncorhynchus kisutch*], eggs in two Wisconsin tributaries of Lake Michigan. *Am. Midl. Nat.* 96:451.
- Clothier, C. R. 1946. Vertebral variation with size in [*Clevelandia ios*]. *Copeia* 1946(3):113-116.
- Cloutman, D. 1976. Larval catfish identification. Memo. to Duke Power Co., Environ. Lab. 5 pp.
- Cloutman, D. G., and T. J. Edwards. 1976. Evaluation of potential entrainment at Cherokee Nuclear Station, South Carolina. Duke Power Co.
- Cloutman, D. G. 1978. Identification of catfish alevins of the piedmont Carolinas. Pages 175-181 in R. Wallus and C. W. Voigtlander, editors. *Proc. Workshop of freshwater larval fishes*, TVA, Norris, TN. 241 pp.
- Clugston, J. P. 1966. Centrarchid spawning in the Florida everglades. *Q. J. Florida Acad. Sci.* 29(2):137-144.
- Clugston, J. P. 1973. The effects of heated effluents from a nuclear reactor on species diversity, abundance, reproduction and movement of fish. Ph.D. Diss., Univ. GA, Athens, GA. 104 pp.
- Clutter, R. I., and M. Anraku. 1968. Avoidance of samplers. Pages 57-76 in D. J. Tranter, editor. *Reviews on zooplankton sampling methods*, UNESCO Monographs on Oceanographic Methodology, No. 2, Part I, Ch. 4.
- Coates, J. A., et al. 1957. Brine shrimp nauplii, [*Artemia gracilis*], as food for juvenile pink salmon. *Fish. Res. Pap. Wash. Dept. Fish.* 2(1):67-72.
- Coble, D. W. 1961. Influence of water exchange and dissolved oxygen in redds on survival of steelhead trout embryos. *Transactions of the American Fisheries Society* 90(4):469-474.
- Coble, D. W. 1975. Smallmouth bass. Pages 21-33 in H. Clepper, editor. *Black bass biology and management*. Sport Fishing Institute, Wash., D. C.
- Coble, D. W. 1982. Fish populations in relation to dissolved oxygen in the Wisconsin River. *Transactions of the American Fisheries Society* 111:612-623.
- Coburn, A., and P. McCart. 1967. A hatchery release tank for pink salmon fry with notes on behavior of the fry in the tank after release. *Journal of the Fisheries Research Board of Canada* 24(1):77-85.

- Cochrane, N. A., D. D. Sameoto, and D. J. Belliveau. 1994. Temporal variability of euphausiid concentrations in a Nova Scotia Shelf basin using a bottom-mounted acoustic doppler current profiler. *Marine Ecology - Progress Series* 107:55-66.
- Cochran, W. G. 1963. *Sampling techniques*. Wiley, N.Y., 413 pp.
- Codrington, K. B. 1946. Notes on the Indian mahseers. *J. Bombay Nat. Hist. Soc.* 46(2):336-344.
- Coggeshall, L. T. 1923. A study of the productivity and breeding habits of the bluegill, [*Lepomis pallidus*] Mitchill. *Anat. Rec.* 26(5):382-383.
- Coggeshall, L. T. 1924. A study of the productivity and breeding habits of the bluegill, [*Lepomis pallidus*]. *Proc. Indiana Acad. Sci.* 33(1923):315-320.
- Coghill, G. E. 1933. Somatic myogenic action in the embryo of [*Fundulus*] [*heteroclitus*]. *Proc. Soc. Exp. Biol. Med.* 31(1):62-64.
- Cohen, A. 1946. Effects of sex hormones on the development of the platyfish, [*Platypoecilus maculatus*]. *Zoologica* 31(9):1-8.
- Cohen, D. M. 1964. Suborder Argentinoidea. Pages 1-70 in H. B. Bigelow, editor. *Fishes of the Western North Atlantic*. Mem. Sears Found. Mar. Res., No. 1, Pt. 4.
- Cohen, D. M. 1984. Ontogeny, systematics and phylogeny. Pages 7-10 in H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Cohen, E. B. 1975. An overview of the plankton communities of the Gulf of Maine. Res. Doc. ICNAF 25th Annual Meeting 75/106:89-105.
- Cohen, E. B. 1980. A preliminary summary of available data on nutrients, primary productivity and chlorophyll a for the ICNAF larval herring research area, 1975-78. NAFO, SCR Res. Doc. 80/IX/140.
- Cohen, E. B., D. G. Mountain, and R. G. Lough. 1986. Possible factors responsible for the variable recruitment of the 1981, 1982, and 1983 year classes of haddock [*Melanogrammus aeglefinus*] L. on Georges Bank. *Northw. Atl. Fish. Org. SCR Res. Doc.* 86/110. Ser. No. N1237. 27 pp.
- Cohen, J. 1977. *Reproduction*. Butterworths, London, England.
- Cohen, R. E. 1980. Comparison of the composition of larval herring prey items selected by bongo nets in the standard array of samplers used on larval herring survey cruises. NOAA, NMFS NEFC Woods Hole Lab. Ref. No. 80-15.
- Cohen, R. E., and R. G. Lough. 1980. Comparison of reported length-weight relationships for the dominant copepod prey of larval herring in the Georges Bank-Gulf of Maine area. NAFO Res. SCR 80/IX/114. 27 pp. NOAA, NMFS NEFC, Woods Hole Lab., Ref. Doc. 80-19.
- Cohen, R. E., and R. G. Lough. 1981. Laboratory and data processing methods for larval Atlantic herring, [*Clupea harengus*] L., as a prototype. NOAA, NMFS NEFC, Woods Hole Lab., Ref. Doc. No. 79-30. 67 pp.
- Cohen, R. E., and R. G. Lough. 1981. Laboratory and data processing methods recommended for larval fish gut content and condition factor analysis studies using larval sea herring, [*Clupea*] [*harengus*] L., as a prototype. NOAA, NMFS NEFC Woods Hole Lab. No. 79-39.
- Cohen, R. E., and R. G. Lough. 1981. Larval herring food habits over three spawning seasons (1974-1976) in the Georges Bank-Nantucket Shoals area. ICES CM 1981/H:59. 46 pp.

- Cohen, R. E., and R. G. Lough. 1981. Larval herring food habits over three spawning seasons (1974-1976) in the Georges Bank-Nantucket Shoals area. NAFO SCR Res. Doc. 81/IX/137. 37 pp.
- Cohen, R. E., R. G. Lough, and J. A. Murphy. 1981. Larval herring, [*Clupea harengus*] L., gut content and morphological data from three spawning seasons (1974, 1975, and 1976) in the Georges Bank - Gulf of Maine area. NOAA, NMFS NEFC Woods Hole Lab. Ref. No. 80-23. 143 pp.
- Cohen, R. E. 1983. Larval fish feeding in stratified versus well-mixed environments. EOS, Trans. Am. Geophys. Union.
- Cohen, R. E., and R. G. Lough. 1983. Prey field of larval herring, [*Clupea harengus*], on a continental shelf spawning area. Mar. Ecol. Prog. Ser. 10:211-222.
- Coker, R. E. 1921. A record of young tarpon. Copeia 1921 93:25-26.
- Colby, D. R. 1986. Design considerations for larval transport studies. Transport of larval fish and shellfish through coastal inlets, Ocean Springs, MS. Symposium Series 3, Am. Fish. Soc. In press.
- Colby, D. R., D. E. Hoss, and J. H. S. Blaxter. 1982. Pressure sensitivity of Atlantic herring, [*Clupea*] [*harengus*], larvae. Fish. Bull. 80(3):567-575.
- Colby, D. R., D. E. Hoss, and J. H. S. Blaxter. 1982. Pressure sensitivity of herring larvae, [*Clupea*] [*harengus*] L. U.S. NMFS Fish. Bull. 80(4):1-8.
- Colby, P. J. 1967. Survival of fish eggs, fry and fish food organisms on wood fiber-sludge deposits. Ph.D. Diss., Univ. MN. 264 pp.
- Colby, P. J., and L. L. Smith, Jr. 1967. Survival of walleye eggs and fry on paper fiber sludge deposits in Rainy River, Minnesota. Transactions of the American Fisheries Society 96(3):278-296.
- Colby, P. J., and L. T. Brooke. 1970. Survival and development of lake herring (*Coregonus artedii*) eggs at various incubation temperatures. Pages 417-428 [in] C. C. Lindsey and C. S. Woods, editors. Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg, Manitoba.
- Colby, P. J., and L. T. Brooke. 1973. Effects of temperature on embryonic development of lake herring, (*Coregonus artedii*). Journal of the Fisheries Research Board of Canada 30(6):799-810.
- Cole, C. F. 1967. The ecology of the young fishes of the Weweantic River Estuary (WR-2). Proc. Water Res. Symp., Univ. MA, Amherst, MA. No. 2:22-26.
- Cole, C. F. 1973. Can mortality rates be determined for estuarine ichthyoplankton populations? Pages 163-172 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval, and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No.1, NMFS Mid Atl. Coast. Fish. Cent., Highlands, N.J. 338 pp.
- Cole, J. E., and J. A. Ward. 1970. An analysis of parental recognition by the young of the cichlid fish, [*Europlus maculatus*] (Bloch). Z. Tierpsychol. 27:156-176.
- Cole, K. S., and D. L. G. Noakes. 1980. Development of early social behavior of rainbow trout, [*Salmo gairdneri*] (Pisces: salmon). Behav. Processes 6:97-112.
- Cole, R. A. 1978. Larval fish distributions in southwestern Lake Erie near the Monroe power plant. EPA-600/3-78-069. 65 pp.

- Cole, R. C. 1976. Distribution and some sampling considerations for fish larvae around the Monroe fossil fuel power plant, Lake Erie. Inst. Water Res., Mich. St. Univ., Rep. to E.R.D.A. 47 pp.
- Cole, V. W. 1951. Contributions to the life history of the redear sunfish ([*Lepomis microlophus*]) in Michigan waters. MS Thesis, Michigan State College. 54 pp.
- Colebrook, J. M. 1960. Continuous plankton records: method of analysis. Bull. Mar. Ecol. 5:51-64.
- Colebrook, J. M. 1969. Variability in the plankton. Prog. Oceanogr. 5:115-125.
- Coleman, G. A., and N. B. Scofield. 1910. Notes on spawning and hatching of striped bass eggs at Boulin Island Hatchery. 21st Bienn. Rep., California Bd. Fish & Game Comms. 1909-1910:109-117.
- Coleman, R. E. 1974. Food analysis, length-weight relationship, condition factors and spawning activity of largemouth bass ([*Micropterus salmoides*]) in a southern coastal river. M.S. Thesis, Mississippi State Univ., 45 pp.
- Coles, R. J. 1913. Notes on the embryos of several species of rays, with remarks on the northward summer migration of certain tropical forms observed on the coast of North Carolina. Bull. Am. Mus. Nat. Hist. 32(2):29-35.
- Coles, T. F., G. N. Swinney, and J. W. Jones. 1977. A technique for determining the distribution of pelagic fish larvae. J. Fish Biol. 11(2):151-160.
- Colesante, R. T. 1977. Behavior of muskellunge fry during yolk absorption and swim-up. New York Fish Game J. 24:94.
- Colgan, P. W., J. A. Brown, and S. D. Orsatti. 1986. Role of diet and experience in the development of feeding behavior of largemouth bass, [*Micropterus salmoides*]. J. Fish. Biol. 28(2):161-170.
- Colin, P. L. 1976. Filter feeding and predation on the eggs of [*Thallasoma*] species by the scombrid fish, [*Rastrelliger kanagurta*]. Copeia 1976:596-597.
- Colin, P. L., and I. E. Clavijo. 1978. Mass spawning by the spotted goatfish, [*Pseudopeneus maculatus*] (Bloch) (Pisces: Mullidae). Bull. Mar. Sci. 28(4):780-782.
- Colin, P. L. 1982. Spawning and larval development of the hogfish, [*Lachnolaimus maximus*] (Pisces, Labridae). Fish. Bull. U.S. 80:853-862.
- Colin, P. L., and I.E. Clavijo. 1988. Spawning activity of fishes producing pelagic eggs on a shelf edge coral reef, southwestern Puerto Rico. Bull. of Mar. Sci. 43: 249-279.
- Colin, P. L. 1992. Reproduction of the Nassau grouper, [*Epinephelus striatus*] (Pisces, Serranidae) and its relationship to environmental conditions. Environmental Biology of Fishes 34:357-377.
- Colle-Vandevilde, A. 1963. Blood anlage in teleostei. Nature (London) 198:1223.
- Colle-Vandevilde, A. 1966. Embryonic development of buccopharyngeal epithelium in [*Pterophyllum scalare*] (Teleost). C.R. Ass. Anat. 51:243-249.
- Collenot, G. 1966. Relative observations on development in the laboratory of embryo and young of [*Scyliorhinus canicula*]. Can. Biol. Mar. 7:319-330.
- Collette, B. B. 1962. The swamp darters of the subgenus [*Hololepis*] (Pisces:Percidae). Tulane Stud. Zool. 9(4):147-200.

Collette, B. B., G. E. McGowen, N. V. Parin, and S. Mito. 1984. Beloniformes: development and relationships. Pages 335-354 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

Collette, B. B., T. Potthoff, W. J. Richards, S. Ueyanagi, J. L. Russo, and Y. Nishikawa. 1984. Scombroidei: development and relationships. Pages 591-619 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

Collier, A. 1957. Gulf-II semiautomatic plankton sampler for inboard use. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. No. 199. 11 pp.

Collier, J. E. 1963. Life history studies of yellow bass in North Twin Lake, Iowa. M.S. Thesis, Iowa State Univ., Ames, IA. 34 pp.

Collier, T. K., J. E. Stein, H. R. Sanborn, T. Hom, M. S. Myers, and U. Varanasi. 1993. A field study of the relationship between bioindicators of maternal contaminant exposure and egg and larval viability of English sole (*Parophrys vetulus*). Marine Environmental Research 35:171-175.

Collins, A. S. 1871. Shad eggs. American Naturalist 5:441.

Collins, J. J. 1975. An emergent fry trap for lake spawning salmonines and coregonines. Progressive Fish-Culturist 37(3):140-142.

Collins, J. J. 1978. On the use of an emergent fry trap for lake spawning salmonines and coregonines. Unpubl. pap. Coop. Larval Fish Id. Workshop, Wheatley, Ontario, Nov. 7-9, 1978. 8 pp.

Collins, L. A., and J. H. Finucane. 1984. Ichthyoplankton survey of the estuarine and inshore waters of the Florida everglades, May 1971 - Feb. 1972. NOAA Tech. Rep.

Collins, L. A., J. H. Finucane, and L. E. Barger. 1980. Description of larval and juvenile red snapper, [*Lutjanus campechanus*]. NOAA-NMFS Fish. Bull. 77(4):965-974.

Collins, M. A. J. 1978. Experiments on the hatching period of the eggs of the lumpfish, [*Cyclopterus lumpus*] L., in Newfoundland waters. Nat. Can. (Que.) 105(3):169-171.

Collins, M. A. J. 1979. Consider the lumpfish. Underwater Naturalist 11(4):19-22.

Collis, K., D. D. Roby, D. P. Craig, S. Adamany, J. Y. Adkins, and D. E. Lyons. 2002. Colony size and diet composition of piscivorous waterbirds on the lower Columbia River: Implications for losses of juvenile salmonids to avian predation. Transactions of the American Fisheries Society 131(3):537-550.

Colman, J. A. 1970. On the efficiency of food conversion of young plaice, [*Pleuronectes platessa*]. J. Mar. Biol. Assoc. U. K. 50:113.

Colman, J. A. 1973. Spawning and fecundity of two flounder species in the Hauraki Gulf, New Zealand. N.Z. J. Mar. Freshwater Res. 7(1-2):21-43.

Colman, J. A. 1979. Spawning of the sprat, [*Sprattus antipodum*] (Hector), round the South Island of New Zealand. J. Mar. Freshwater Res. 13(20):263-272.

Colombo, G., and R. Rossi. 1978. Environmental influences on growth and sex ratio in different eel populations ([*Anguilla anguilla*] L.) of Adriatic coasts. Pages 313-320 [in] D. S. Mc Lusky and A. J. Berry, editors. Physiol. & behav. of mar. organisms Proc. 12th Europ. symp. on mar. biol. Pergamon Press, Oxford, England.

Colt, J., K. Orwicz, and D. Brooks. 1985. The effect of gas supersaturation on the growth of juvenile channel catfish, [*Ictalurus punctatus*]. Aquaculture 50(1/2):153-160.

- Colton, J. B. 1959. The multiplane kite-otter as a depressor for high speed plankton samples. *J. Cons. perm. int. Explor. Mer* 25:29-35.
- Colton, J. B., Jr. 1959. A field observation of mortality of marine fish larvae due to warming. *Limnol. Oceanogr.* 4(2):219-222.
- Colton, J. B., Jr. 1961. Distribution of eyed flounder and lanternfish larvae in the Georges Bank area. *Copeia* 1961(3):274-279.
- Colton, J. B., Jr., and R. F. Temple. 1961. The enigma of Georges Bank spawning. *Limnol. Oceanogr.* 6(3):280-291.
- Colton, J. B., Jr., K. A. Honey, and R. F. Temple. 1961. The effectiveness of sampling methods used to study the distribution of larval herring in the Gulf of Maine. *J. Cons. perm. int. Explor. Mer* 26(2):180-190.
- Colton, J. B., Jr., and R. R. Marak. 1962. Use of the Hardy continuous plankton recorder in a fishery research programme. *Bull. Mar. Ecol.* 5(49):231-246.
- Colton, J. B., Jr., and K. A. Honey. 1963. The eggs and larval stages of the butterflyfish, [*Poronotus triacanthus*]. *Copeia* 1963(2):447-450.
- Colton, J. B. 1964. The distribution and behavior of pelagic and early demersal stages of haddock in relation to sampling technique. *ICNAF Env. Symp.* B5.
- Colton, J. B., Jr. 1965. The distribution and behavior of pelagic and early demersal stages of haddock in relation to sampling techniques. *Int. Comm. Northwest Atl. Fish. Stat. Spec. Pub. No.* 6:317-333.
- Colton, J. B., Jr., and R. R. Marak. 1969. Guide to identifying the common planktonic fish eggs and larvae of continental shelf waters, Cape Sable to Block Island. *Bur. Comm. Fish. Biol. Lab., Woods Hole, MA Lab. Ref. N.69-9*, 43 pp.
- Colton, J. B., Jr. 1972. Temperature trends and the distribution of groundfish in continental shelf waters, Nova Scotia to Long Island. *U.S. Fish. Bull.* 70:637-657.
- Colton, J. B., and J. M. St. Onge. 1974. Distribution of fish eggs and larvae in continental shelf waters, Nova Scotia to Long Island. In V. C. Bushnell, editor. *Serial Atlas of the Marine Environment. Portfolio 23*, Am. Geograph. Soc., New York.
- Colton, J. B., Jr. 1974. Distribution of fish eggs and larvae in the Gulf of Maine. *Serial Atlas of the marine Env., Am. Geogr. Soc., NY*.
- Colton, J. B., Jr., and J. M. St. Onge. 1974. Distribution of fish eggs and larvae in continental shelf waters, Nova Scotia to Long Island. In: *Serial Atlas Marine Environment Folio 23*. Am. Geogr. Soc., N.Y., 2 pp.
- Colton, J. B., and J. R. Green. 1975. Progress report on analysis of samples and behavior-related variation in the catch of larval herring on ICNAF larval herring surveys. *ICNAF Res. Doc.* 75/108. 20 pp.
- Colton, J. B., Jr., J. R. Green, R. R. Byron, and J. L. Frisella. 1977. Comparison of bongo net retention rates. *NMFS Lab. Ref. No.* 77-11, 36 pp.
- Colton, J. B., Jr., and R. R. Byron. 1977. Gulf of Maine-Georges Bank ichthyoplankton collected on ICNAF larval herring surveys September 1971-February 1975. *NOAA Tech. Rep. NMFS Spec. Sci. Rep. Fish.* 717:1-35.
- Colton, J. B., Jr., W. G. Smith, A. W. Kendall, Jr., P. L. Berrien, and M. P. Fahay. 1979. Principal spawning areas and times of marine fishes, Cape Sable to Cape Hatteras. *Fish. Bull. NOAA (U.S.)* 76(4):911-915.

- Colton, J. B., Jr., J. R. Green, R. R. Byron, and J. L. Frisella. 1980. Bongo net retention rates as effected by towing speed and mesh retention. *Can. J. Fish. Aquat. Sci.* 37(4):606-623.
- Columbia National Fisheries Research Laboratory. 1983. Impacts of contaminants on early life stages of striped bass. U.S. Fish Wildl. Serv., CNFRL Prog. Rep. 1980-1983, Columbia, MO.
- Colton, J. B., Jr., and J. L. Anderson. 1983. Residual drift and residence time of Georges Bank surface waters with reference to the distribution, transport and survival of larval fishes. *MARMAP Contr. MED/NEFC* 82-10.
- Colura, R. L. 1974. Induced spawning of the spotted sea trout, [*Cynoscion nebulosus*] (Cuvier). *Proc. World Maric. Soc.* 5:319-320.
- Combs, B. D., and R. E. Burrows. 1957. Threshold temperatures for normal development of chinook salmon eggs. *Progressive Fish-Culturist* 19(1):3-6.
- Combs, B. D. 1965. Effect of temperature on development of salmon eggs. *Progressive Fish-Culturist* 27(3):134-137.
- Combs, R. M. 1969. Embryogenesis, histology and organology of the ovary of [*Brevoortia patronus*]. *Gulf Res. Rep.* 2(4):333-434.
- Commercial Fisheries Review. 1963. Progress made in the identification of tuna larvae and juveniles. *Commercial Fisheries Review* 25(1):25-26.
- Conand, F. 1970. Distribution et abondance des larves de quelques familles et especes de poissons des cotes senegambrennes en 1968. *Doc. Sci. Prov. ORSTOM, Dakar.* (26):52 pp. larvae.
- Conand, F., and E. Fagetti. 1971. Description et distribution saisonniere des larves de sardinelles des cotes du Senegal et de la Gambie en 1968 et 1969. *Cah. ORSTOM Ser. Oceanogr.* 9:293-318.
- Conand, F., and J. L. Cremoux. 1972. Distribution et abondance des larves de sardinelles dans la region du Cap-Vert de Sept. 1970-71. *Doc. Sci. Provis Cent. Rich. Oceanogr. Dakar-Thiaroye ORSTOM* 36:26.
- Conand, F. 1973. Estimate of the abundance of larvae of [*Sardinella*] [*aurita*] C. & V. on the Senegal coast in 1971 and 1972. *ORSTOM/jUNDP, Dakar, DSP no. 48:* 15 pp.
- Conand, F., and C. Franqueville. 1973. Identification and seasonal distribution of carangid larvae off the coasts of Senegal and Gambia. *Bull. Inst. Fond. Afr. Noire, Ser. A.* 35(4):951-978.
- Conand, F. 1976. Distribucion et abondance des larves de [*Sardinella*] [*aurita*] Val. 1847 dans la region du Senegal in 1974. *Cah ORSTOM Ser. Oceanogr.* 14:221-225.
- Conand, F. 1977. Oeufs et larves de la sardinelle ronde, [*Sardinella*] [*aurita*], au Senegal: distribution, croissance, mortalite, variations d'abondance de 1971 a 1976. *Cah ORSTOM (Oceanogr.)* 15(3):201-214.
- Conand, F. 1978. Systematique des larves de clupeides de l'Atlantique oriental entre 20N et 15S (eaux marine et saumates). *Cah. ORSTOM Ser. Oceanogr.* 16:3-8.
- Conand, F. 1981. The abundance of larvae of the gilt sardine of the northwest African stock in relation to the fishery. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:161-162.
- Conand, R., and W. J. Richards. 1982. Distribution of tuna larvae between Madagascar and the equator, Indian Ocean. *Biol. Oceanogr.* 1:321-336.

- Conel, J. L. 1931. Naturally deposited eggs of the Myxinoidae ([Hyperotretia]). Science, N.Y. 75:19-20.
- Congleton, J. L. 1978. Feeding patterns of juvenile chum salmon in Skagit River salt marsh. Proc. Second Tech. Workshop on Fish Food Habits Studies. Wash. Sea Grant, Univ. Washington, Seattle.
- Congleton, J. L., and W. J. LaVoie. 2001. Comparison of blood chemistry values for samples collected from juvenile Chinook salmon by three methods. Journal of Aquatic Animal Health 13(2):168-172.
- Conley, J. M., and A. Witt, Jr. 1966. The origin and development of scales in the flier, [Centrarchus macropterus] (Lacepede). Transactions of the American Fisheries Society 95(4):433-434.
- Connaughton, V. P., C.E. Epifanio and R.Thomas. 1994. Effects of varying irradiance on feeding in larval weakfish ([Cynoscion regalis]). Journal of Experimental Marine Biology and Ecology. 180:151-163.
- Connaughton, V. P., A. Schuur, N. M. Targett, and C. E. Epifanio. 1994. Chemical suppression of feeding in larval weakfish ([Cynoscion regalis]) by trochophores of the serpulid polychaete [Hydroides dianthus]. Journal of Chemical Ecology 20:1763-1771.
- Conner, J. V., and C. F. Bryan. 1974. Review and discussion of biological investigations in the lower Mississippi and Atchafalaya Rivers. Proc. 28th Ann. Conf. S. E. Assoc. G & F Comms. 28:429-441.
- Conner, J. V. 1976. Observations on the ichthyoplankton of the lower Mississippi River near St. Francisville, Louisiana. Assoc. S. E. Biol. Bull. 23:51.
- Conner, J. V., and C. F. Bryan. 1976. River Bend Station interim ecological monitoring, 1974-1975. Biennial Report, School of Forestry and Wildlife Management, Louisiana State Univ., Baton Rouge, Louisiana.
- Conner, J. V. 1978. Identification of larval sunfishes (Centrarchidae, Elasmobranchidae) from southern Louisiana. School of Forestry and Wildlife Management, Louisiana State Univ., Baton Rouge, Louisiana.
- Conner, J. V. 1978. Larval suckers (Pisces: Catostomidae) from the lower Mississippi River. Assoc. S. E. Biol. Bull. 25:56.
- Conner, J. V., C. F. Bryan, T. P. O'Brien, B. W. Bryan, P. C. Downey, and R. P. Gallagher. 1978. River Bend Station interim ecological monitoring, 1977. Ann. Rep. School of Forestry and Wildlife Management, Louisiana State Univ., Baton Rouge, Louisiana, USA.
- Conner, J. V. 1979. Identification of larval sunfishes (Centrarchidae: Elasmobranchidae) from southeastern Louisiana. Pages 17-52 [in] R.D. Hoyt, editor. Proc. of the third symposium on larval fishes. Western Kentucky University, Bowling Green, Kentucky, USA.
- Conner, J. V., R. P. Gallagher, and M. F. Chatry. 1980. Larval evidence for natural reproduction of the grass carp ([Ctenopharyngodon idella]) in the lower Mississippi River. U.S. Fish & Wildl. Ser. Biol. Ser. Pro. FWS/OBS-80/43:1-9.
- Connoin, C. L. 1922. On the development of the angler ([Lophius] [piscatorius] L.). Contr. Can. Biol. 1921(7):113-124.
- Connor, P. M. 1972. Acute toxicity of heavy metals to some marine larvae. Mar. Pollut. Bull., N.S. 3:190-192.
- Conover, D.O. 1994. A framework for further study of recruitment processes in the flatfishes. Neth. J. Sea Res. 32:231-233.



- Conover, D.O. 1997. Review of "Survival strategies in the Early Life Stages" by Y. Watanabe et al., A.A. Balkema Publishers, Rotterdam. *Quart. Rev. Biol* 72:92-93.
- Conover, D.O., and E.T. Schultz. 1997. Natural selection and the evolution of growth rate in the early life history: what are the trade-offs? Pages 305-332 [in] R. C. Chambers and E. A. Trippel, editors. *Early life history and recruitment in fish populations*. Chapman and Hall, London.
- Conover, D.O., J.J. Brown, and A Ehtisham. 1997. Countergradient variation in growth of young striped bass (*Morone saxatilis*) from different latitudes. *Can. J. Fish. Aquat. Sci.* 54:2401-2409.
- Constantz, G. D. 1979. Life history patterns of a livebearing fish in contrasting environments *Oecologia (Berl.)* 40(2):189-201.
- Constantz, G. D. 1981. Life history patterns of desert fishes. Pages 237-290 [in] R. J. Naiman and D. L. Soltz, editors. *Fishes in North American deserts*. John Wiley & Sons, NY.
- Conte, F. P., and H. H. Wagner. 1965. Development of osmotic and ionic regulation in juvenile steelhead trout, [*Salmo gairdneri*]. *Comp. Biochem. Physiol.* 14:603-620.
- Conte, F. P., H. H. Wagner, J. Fessler, and C. Gnose. 1966. Development of osmotic and ionic regulation in juvenile coho salmon, [*Oncorhynchus kisutch*]. *Comp. Biochem. Physiol.* 18:1-15.
- Conte, M. H., R. G. Otto, and P. E. Miller. 1979. Short-term variability in surface catches of ichthyoplankton in the upper Chesapeake Bay. *Estuar. Coastal Mar. Sci.* 8(6):511-522.
- Conway, D. V. P., and R. C. Minton. 1976. Vertical distribution of zooplankton and larval gadoids in the northern North Sea. DAFS mar. Lab., Aberdeen, Internal Rep. 13:14 pp.
- Conway, D. V. P. 1978. The food of larval blue whiting, [*Micromesistius*] [*poutassou*] (Risso), in the Rockall area. *ICES CM* 1978/L:33.
- Conway, D. V. P. 1980. The food of the larval blue whiting, [*Micromesistius*] [*poutassou*] (Risso), in the Rockall area. *J. Fish. Biol.* 16(6):709-724.
- Conway, D. V. P., I. R. B. Mcfadzen, and P. R. G. Tranter. 1994. Digestion of copepod eggs by larval turbot [*Scophthalmus maximus*] and egg viability following gut passage. *Marine Ecology-Progress Series* 106:303-309.
- Conway, D. V. P., S. H. Coombs, and C. Smith. 1997. Vertical distribution of fish eggs and larvae in the Irish Sea and southern North Sea. *Ices Journal of Marine Science.* 54:136-147.
- Cooke, N. E., and R. V. Tomlinson. 1950. Some observations relating to an unidentified growth factor for young salmonid fishes. *Journal of the Fisheries Research Board of Canada* 8(2):117-123.
- Coombs, S. H. 1975. Continuous plankton records show fluctuations in larval fish abundance during 1948-1972. *Nature, Lond.* 258(5531):134-136.
- Coombs, S. H., and C. E. Mitchell. 1977. Long-term trends in the distribution, abundance, and seasonal occurrence of larvae of mackerel, [*Scomber*] [*scombrus*] L., around the British Isles, 1948-78. *J. Mar. Biol. Assoc. U. K.* 61:343-358.
- Coombs, S. H. 1978. The continuous plankton recorder survey: young [*Sebastes*] in 1976. *Annls. Biol. Copenh.* 33:54.

- Coombs, S. H., and R. K. Pipe. 1978. The distribution, abundance and seasonal occurrence of the eggs and larvae of blue whiting, [*Micromesistius poutassou*] (Risso), in the eastern North Atlantic. ICES CM 1978/H:45.
- Coombs, S. H., R. K. Pipe, and C. E. Mitchell. 1978. The eggs and larvae of mackerel, [*Scomber scombrus*], to the west of the British Isles. ICES CM 1978/H:44.
- Coombs, S. H., and A. R. Hiby. 1979. The development of the eggs and early larvae of blue whiting, [*Micromesistius poutassou*], and the effect of temperature on development. J. Fish. Biol. 14(1):111-123.
- Coombs, S. H., R. K. Pipe, and C. E. Mitchell. 1979. The vertical distribution of fish eggs and larvae in the eastern North Atlantic, and North Sea. In: Symp. on early life history of fish, Woods Hole, MA.
- Coombs, S. H. 1980. Continuous plankton records: a plankton atlas of the North Atlantic and North Sea: supplement 5 - young fish, 1948-72. Bull. Mar. Ecol. 8:229-281.
- Coombs, S. H. 1981. A density gradient column for determining the specific gravity of fish eggs with particular reference to the mackerel, [*Scomber scombrus*]. Mar. Biol. 63:101-106.
- Coombs, S. H., and R. K. Pipe. 1981. The continuous plankton recorder survey: blue whiting larvae in the Norwegian Sea in 1979. Annls. Biol. Copenh. 36:94-95.
- Coombs, S. H., J. A. Lindley, and C. A. Fosh. 1983. Vertical distribution of larvae of mackerel, [*Scomber scombrus*], and microplankton, with some conclusions on feeding conditions and survey methods. FAO Fish. Rep. 291(3):939-956.
- Coombs, S. H., and C. E. Mitchell. 1984. A note on the development of eggs and larvae of the bogue, [*Boops boops*]. J. Mar. Biol. Assoc. U.K. 64(3):729-730.
- Coombs, S. H., C. A. Fosh, and M. A. Keen. 1985. The buoyancy and vertical distribution of eggs of sprat, [*Sprattus sprattus*], and pilchard, [*Sardina*] [*pilchardis*]. 65(2):461-474.
- Coombs, S. H., J. H. Nichols, and C. A. Fosh. 1990. Plaice eggs ([*Pleuronectes-Platessa*] L.) in the southern North Sea - abundance, spawning area, vertical distribution, and buoyancy. Journal du Conseil 47:133-139.
- Coombs, S. H., D. B. Robins, D. V. P. Conway, N. C. Halliday, and A. J. Pomroy. 1994. Suspended particulates in the Irish Sea and feeding conditions for fish larvae. Marine Biology 118:7-15.
- Coombs, S. H., R. K. Pipe, and C. E. Mitchell. 1981. The vertical distribution of eggs and larvae of blue whiting ([*Micromesistius poutassou*]) and mackerel ([*Scomber scombrus*]) in the eastern North Atlantic and North Sea. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:188-195.
- Cooney, R. T., and J. V. Hynning. 1974. Association of juvenile walleye pollock, [*Theragra*] [*chalcogramma*], with the jellyfish [*Cyanea*]. Copeia 1974(3):791.
- Cooney, R. T., T. S. English, and T. Nishiyama. 1978. Upper trophic level ecology with emphasis on juvenile pollock in the southeast Bering Sea. Pages 241-405 [in] PROBES: Processes and resources of the Bering Sea Shelf, Prog. Rep. 1978.
- Cooney, R. T. 1979. Seasonal distribution and abundance of zooplankton and micronekton in the Southeast Bering Sea. In: PROBES: Processes and resources of the Bering Sea Shelf, Prog. Rep. 1979 (1):162-204.
- Coonfield, B. R. 1940. Chromatophore reactions of embryos and larvae of [*Pomacentrus leucostictus*]. Pap. Tortugas Lab. 32:169-178.

- Cooper, A. C. 1965. The effect of transported stream sediments on the survival of sockeye and pink salmon eggs and alevin. *Int. Pac. Salmon Fish. Comm. Bull.* No. 18, 71 pp.
- Cooper, A. C. 1974. Physical aspects of sediment in relation to survival of salmon eggs. *Symp. on Stream Ecology, Cent. Cont. Educ., Univ. B.C.* FP2407:1-13.
- Cooper, C. L., W. C. Bartholomew, C. E. Herdendorf, J. M. Reutter, and F. L. Snyder. 1981. Limnetic fish larvae of the Maumee and Sandusky River estuaries. *J. Great Lakes Res.* 7(1):51-54.
- Cooper, C. L., C. E. Herdendorf, J. J. Mizera, and A. M. White. 1983. Limnetic larval fish in the nearshore zone of the south shore of the central basin of Lake Erie. *Ohio J. Sci.* 83(3):138-140.
- Cooper, G. P. 1937. Age, growth, and morphometry of the cisco, [*Leucichthys artedii*] (LeSueur) in Blind Lake, Washtenaw County, Michigan. *Pap. Michigan Acad. Sci.* 22(1936):563-571.
- Cooper, G. P. 1937. Food habits, rate of growth and cannibalism of young largemouth bass (*[Aplites salmoides]*) in state operated rearing pounds in Michigan during 1935. *Transactions of the American Fisheries Society* 66:242-266.
- Cooper, J. A. 1971. Scale development as related to growth of juvenile black crappie, [*Pomoxis nigromaculatus*] LeSueur. *Transactions of the American Fisheries Society* 100(3):570-572.
- Cooper, J. E., and M. Fahay. 1974. Ophichthyidae - snake eels, [*Myrophis punctatus*]. Pages 32-33 [in] A. S. Lippson and R. L. Moran, editors. *Manual for identification of early developmental stages of fishes of the Potomac River estuary. Power Plant Siting Prog. Misc. Publ. No. 13.* 282 pp.
- Cooper, J. E. 1977. Eggs and larvae of the rainbow smelt, [*Osmerus*] [*mordax*] (Mitchill). *Appalachian Environ. Lab., Univ. MD, Frostburg, MD.* 20 pp.
- Cooper, J. E. 1978. Identification of eggs, larvae, and juveniles of the rainbow smelt, [*Osmerus mordax*], with comparisons to larval alewife, [*Alosa pseudoharengus*], and gizzard shad, [*Dorosoma cepedianum*]. *Transactions of the American Fisheries Society* 107:56-62.
- Cooper, J. E. 1978. Egg, larval, and juvenile development of the longnose dace, [*Rhinichthys cataractae*] (Valenciennes), and the river chub, [*Nocomis micropogon*] (Cope), (Pisces: Cyprinidae with notes on their hybridization. M.S. Thesis, Frostburg State College, Frostburg, MD. 34 pp.
- Cooper, J. E. 1978. Eggs and larvae of the logperch, [*Percina caprodes*] (Rafinesque). *Am. Midl. Nat.* 99:257-269.
- Cooper, J. E. 1979. Description of eggs and larvae of fantail (*[Etheostoma flabellare]*) and rainbow (*[E.] [caeruleum]*) darters from Lake Erie tributaries. *Transactions of the American Fisheries Society* 108:46-56.
- Cooper, J. E. 1980. Egg, larval, and juvenile development of longnose dace, [*Rhinichthys cataractae*], and river chub, [*Nocomis micropogon*], with notes on their hybridization. *Copeia* 1980:469-478.
- Cooper, R. A. 1961. Early life history and spawning migration of the alewife, [*Alosa pseudoharengus*] (Wilson). M.S. Thesis, Univ. Rhode Island, Kingston, RI. 58 pp.
- Cope, O. B. 1965. Sport fishery investigations. Laboratory studies on toxicology. U.S. Bur. Fish. & Wildl. Ser. Circ. 226:51-64.

- Copeland, B. J., R. W. Laney, and E. C. Pendleton. 1974. Heat influences in estuarine ecosystems. Pages 423-437 [in] J. W. Gibbons and R. R. Sharitz, editors. Thermal ecology, AEC Symp. Series 32 (CONF-730505), Nat. Tech. Inform. Serv., Springfield, VA. 670 pp.
- Copes, F. A. 1975. Ecology of the brassy minnow, [*Hybognathus*] [*hankinsoni*] (Cyprinidae). Mus. Nat. Hist., Univ. Wisconsin, Stevens Point. Rep. Fauna Flora of Wisconsin 10(4):75-86.
- Copes, F. A. 1975. Ecology of the brassy minnow, [*Hybognathus*] [*hankinsoni*] (Cyprinidae). Pages 46-72 [in] G. C. Becker, H. E. Booke, and C. A. Long, editors. Reports on the fauna and flora of Wisconsin. Contr. Ichthyol. No. 10, Univ. Wisconsin, Stevens Point, WI.
- Copes, F. C. 1978. Ecology of the creek chub. Mus. Nat. Hist., Univ. Wisconsin, Stevens Point, Rep. Fauna Flora of Wisconsin No. 12, 21 pp.
- Copp, G. H. 1992. Comparative microhabitat use of cyprinid larvae and juveniles in a lotic floodplain channel. Environmental Biology of Fishes 33:181-193.
- Copp, G.H., and V. Kovc. 1996. When do fish with indirect development become juveniles? Canadian Journal of Fisheries and Aquatic Sciences 53(4):746-752.
- Copp, G. H. 1997a. Importance of marinas and off-channel water bodies as refuges for young fishes in a regulated lowland river. Regulated Rivers 13:303-307.
- Copp, G. H. 1997b. Microhabitat use of fish larvae and 0+ juveniles in a highly regulated section of the River Great Ouse. Regulated Rivers 13:267-276.
- Corazza, L., and J. G. Nickum. 1979. Positive phototaxis during initial feeding stages of walleye larvae. ICES/ELH Symp./RA:Poster 2.
- Corazza, L., and J. G. Nickum. 1979. Possible effects of phototactic behavior on initial feeding of walleye larvae. Pages 48-52 [in] L. J. Allen and E. C. Kinney, editors. Proc. bio-engineering symposium for fish culture. Fish Culture Section, Am. Fish. Soc., Bethesda, MD.
- Corazza, L., and J. G. Nickum. 1981. Positive phototaxis during initial feeding stages of walleye larvae. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:492-494.
- Corbett, B., and P. M. Powles. 1983. Spawning and early-life ecological phases of the white sucker in Jack Lake, Ontario. Transactions of the American Fisheries Society 112:308-313.
- Corbett, B. W., and P. M. Powles. 1986. Spawning and larva drift of sympatric walleyes and white suckers in an Ontario stream. Transactions of the American Fisheries Society 115:41-46.
- Corbin, P. G. 1947. The spawning of mackerel, [*Scomber scombrus*] L., and pilchard, [*Clupea pilchardus*] Walbaum, in the Celtic Sea in 1937-39 with observations on the zooplankton indicator species, *Sagitta* and *Muggiaea*. J. Mar. Biol. Assoc. U.K. 27:65-132.
- Corbin, P. G. 1949. The seasonal abundance of young fish. X. The year 1948. J. Mar. Biol. Assoc. U.K. 28:707-712.
- Corbin, P. G., and V. Vati. 1949. The post-larval sand-eels (Ammodytidae) of the Celtic Sea and Plymouth area. J. Mar. Biol. Assoc. U.K. 28(1):287-313.
- Corbin, P. G. 1951. The seasonal abundance of young fish. XI. The year 1949. J. Mar. Biol. Assoc. U.K. 30(2):271-275.
- Cordone, A. J., and D. W. Kelley. 1961. The influence of inorganic sediment on the aquatic life of streams. California Fish and Game 47:189-288.

- Corlett, J. 1958. Distribution of larval cod in the western Barents Sea. Spec. Publ. Int. Commn. NW. Atl. Fish. 1:281-288.
- Corlett, J. 1958. Plankton in the western Barents Sea and the year-class strength of the Arcto-Norwegian cod. J. Cons. Cons. int. Explor. Mer 23(3):354-356.
- Corlett, J. 1965. Winds, currents, plankton and the year-class strength of cod in western Barents Sea. Int. Comm. Northwest Atl. Fish. Spec. Publ. 6:373-378.
- Cornacchia, J. W. 1979. Development of the swim bladder and initial inflation in the physoclist fish. Am. Zool. 19:946.
- Cornacchia, J. W. 1982. Studies on the development and inflation of the swimbladder in two physoclistous fish, [Morone] [saxatilis] and [Sarotherodon mossambica]. Ph.D Diss., Univ. California, Davis, CA. 80 pp.
- Cornacchia, J. W., and J. E. Colt. 1984. The effects of dissolved gas supersaturation on larval striped bass, [Morone saxatilis] (Walbaum). J. Fish. Diseases 7:15-27.
- Corson, B. W. 1955. Four years; progress in the use of artificially controlled light to induce early spawning in brook trout. Progressive Fish-Culturist 17(3):99-102.
- Corten, A., and G. van der Kamp. 1979. Abundance of herring larvae in the Dutch Wadden Sea as a possible indication of recruitment strength. Intl. Counc. Explor. Sea C.M. 1979/H:26 Copenhagen, Denmark.
- Cosson, R. P., and J. M. Martin. 1981. The effects of copper on the embryonic development, larvae, alevins, and juveniles of [Dicentrarchus] [labrax] (L.). Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:71-75.
- Costello, D. P. 1946. Leptocephalus larva from eel pond, Woods Hole, Massachusetts. Anat. Rec. 94(4):564-565.
- Costello, D. P., and C. Henley. 1971. Methods for obtaining and handling marine eggs and embryos. Mar. Biol. Lab., Woods Hole. 247 pp.
- Costello, M. J., and J. C. Gamble. 1992. Effects of sewage sludge on marine fish embryos and larvae. Marine Environmental Research 33:49-74.
- Coston-Clements, L. 1980. Preliminary studies on the role of chaetognaths as planktonic predators of marine fish larvae. Assoc. S. E. Biol. Bull. 27(2):29.
- Coughlan, J., and J. M. Fleming. 1978. A versatile pump-sampler for live zooplankton. Estuaries 1(2):132-135.
- Counts, R. C. 1961. A device for measuring larval and juvenile fishes. Copeia 1961(2):224-226.
- Courtenay, W. R., Jr. 1961. Western Atlantic fishes of the genus [Haemulon] (Pomadasyidae). Systematic status and juvenile pigmentation. Bull. Mar. Sci. Gulf Caribb. 11(1):66-149.
- Courtois, L. A. 1976. Hematology of juvenile striped bass, [Morone] [saxatilis] (Walb.), acclimated to different environmental conditions. Comp. Biochem. Physiol. 54A:221.
- Courtois, L. A., and S. Hino. 1979. Egg deposition of the desert pupfish, [Cyprinodon] [macularius], to several physical parameters. California Fish and Game 65(2):100-105.
- Courtois, R., M. Simoneau, and J. J. Dodson. 1982. Interactions multispecificques: repartition spatio-temporelle des larves de caplan ([Mallotus] [villosus]), d'eperlan ([Osmerus mordax]) et de hareng de l'Atlantique ([Clupea harengus harengus]) au sein de

- la communaute planctonique de l'estuaire de moyen du Saint-Laurent. Can. J. Fish. Aquat Sci. 39:1164-1174.
- Cousin, J. C. B., and F. B. Laurencin. 1985. Morphogenesis of the digestive system and swim bladder of the turbot, [*Scophthalmus maximus*] L. Aquaculture 47(4):305-320.
- Cousin, J. C. B., G. Balouet, and F. B. Laurencin. 1986. Histological changes observed in turbot larvae, [*Scophthalmus maximus*] L., raised in intensive systems. Aquaculture 52(3):173-190.
- Cousseau, M. B., and C. P. Cotrina. 1975. Observations on the time of the hyaline ring formation in the hake otoliths, (Merluccidae) [*Merluccius merluccius hubbsi*]. Physis. B. Aires Seccion A. 34(89):327-334.
- Coutant, C. C. 1968. Thermal pollution - biological effects. (A review of the lit. of 1967) J. Wat. Pollut. Contr. Fed. 40(6):1047-1052.
- Coutant, C. C. 1969. Thermal pollution - biological effects. A review of the lit. of 1968 J. Wat. Pollut. Contr. Fed. 41(6):1036-1052.
- Coutant, C. C. 1969. Temperature, reproduction and behavior. Chesapeake Sci. 10(3-4): 261-274.
- Coutant, C. C. 1970. Biological aspects of thermal pollution. I. Entrainment and discharge canal effects. Chem. Rubber. Co. Crit. Rev. in Environ. Control 1(3):341-382.
- Coutant, C. C. 1970. Thermal pollution - Biological effects. A review of the lit. of 1969. J. Wat. Pollut. Control Fed. 42(6):1025-1056.
- Coutant, C. C. 1970. Relationships between equilibrium loss and death as responses of juvenile chinook salmon and rainbow trout to acute thermal shock. Battelle N.W. Lab. Publ. No. 1520.
- Coutant, C. C. 1970. Effect of thermal shock on vulnerability to predation in juvenile salmonids. I. Single shock temperature. Battelle N.W. Lab. Publ. No.
- Coutant, C. C. 1970. Effect of thermal shock on vulnerability to predation in juvenile salmonids. II. A dose response in rainbow trout, USAEC Rep., BNWL-1519, Battelle N.W. Lab. Publ.
- Coutant, C. C. 1970. Entrainment in cooling water: steps toward predictability. Pap. Tech. Fish. Sess. on thermal pollution, Ann. Mtg. Am. Fish. Soc. Western Div., July 14, 1970. 16 pp.
- Coutant, C. C. 1971. Thermal pollution - biological effects. A review of the lit. in 1970. J. Wat. Pollut. Control Fed. 43(6):1292-1334.
- Coutant, C. C. 1971. Effects on organisms of entrainment in cooling water: steps toward predictability. Nucl. Saf. 12:600-607.
- Coutant, C. C. 1972. Biological aspects of thermal pollution. II. Scientific basis for water temperature standards at power plants. C.R.C. Crit. Rev. in Envir. Contr. 3(1):1-24.
- Coutant, C. C. 1972. Time-temperature relationships for thermal resistances of aquatic organisms, principally fish. Oak Ridge Nat. Lab., Oak Ridge, TN., ORNL-EIS-27.
- Coutant, C. C. 1973. Effect of thermal shock on vulnerability of juvenile salmonids to predation. Journal of the Fisheries Research Board of Canada 30:965-973.
- Coutant, C. C. 1973. Thermal effects. Lit. review of 1972. J. Wat. Pollut. Control Fed. 45(6):1331-1369.

Coutant, C. C. 1974. Temperature selection by fish - a factor in power plant assessments. Symp. on the Phys. and Biol. effects in the envir. of cooling systems and thermal discharges at nuclear power stations (Oslo, 26-30, Aug. 1974) IAEA-SM-187/11, 25 pp.

Coutant, C. C., and H. A. Pfuderer. 1974. Thermal effects. Lit. review of 1973. J. Water Pollut. Control Fed. 46(6):1476-1540.

Coutant, C. C., H. M. Ducharme, Jr., and J. R. Fisher. 1974. Effect of cold shock on vulnerability of juvenile channel catfish, [*Ictalurus punctatus*], and largemouth bass, [*Micropterus salmoides*], to predation. Journal of the Fisheries Research Board of Canada 31(3):351-354.

Coutant, C. C. 1975. Thermal effects. Lit. review of 1974. J. Wat. Pollut. Control Fed. 47(6):1656-1783.

Coutant, C. C., and D. K. Cox. 1975. Growth rates of subadult, largemouth bass at 24 to 35.5°C. Pages 118-120 [in] G. W. Esch and R. W. McFarlane, editors. Thermal Ecology II. CONF-750425.

Coutant, C. C., and R. J. Kedl. 1975. Survival of larval striped bass exposed to fluid - Induced thermal stresses in a simulated condenser tube. ORNL-TM-4695, Oak Ridge National Laboratory, Oak Ridge, Tennessee.

Coutant, C. C., and S. S. Talmadge. 1976. Thermal effects. Lit. review of 1975. J. Wat. Pollut. Control Fed. 48:1486-1544.

Coutant, C. C., D. K. Cox, and K. W. Morred, Jr. 1976. Further studies of cold shock effects on susceptibility of young channel catfish to predation. Pages 154-158 [in] G. W. Esch and R. W. McFarlane, editors. Thermal ecology II. ERDA Symp. Ser. No. 40 (Conf-750425), Augusta, GA. 404 pp.

Coutant, C. C., et al. 1976. Thermal effects on aquatic organisms - annotated bibliography of the 1975 literature. Oak Ridge Nat. Lab., Oak Ridge, TN, ORNL-EIS-88.

Coutant, C. C., and S. S. Talmadge. 1977. Thermal effects. Lit. review of 1976. J. Wat. Pollut. Control Fed. 49:1369-1425.

Coutant, C. C. 1978. A working hypothesis to explain mortalities of striped bass, [*Morone saxatilis*], in Cherokee Reservoir. ORNL/TM-6534, Oak Ridge Natl. Lab., Oak Ridge, TN.

Coutant, C. C., K. L. Zachman, D. K. Cox, and B. L. Pearman. 1984. Temperature selection by juvenile striped bass in laboratory and field. Transactions of the American Fisheries Society 113(5):666-671.

Coventry, A. F. 1922. Breeding habits of the sea lamprey ([*Petromyzon*] [*marinus*] var. [*dorsatus*] Wilder). Univ. Toronto Stud., Biol. Ser. No. 20:129-136.

Covill, R. W. 1959. Food and feeding habits of larvae and post larvae of [*Ammodytes americanus*] 1952-55. Bull. Bingham Oceanogr. Coll. 17(1):125-146.

Cowan, G. I. 1970. A morphological comparison of two closely related species of the genus [*Myoxocephalus*] (Pisces: Cottidae) with notes on their life histories and ecology. Canadian Journal of Zoology 48(6):1269-1281.

Cowan, J. H., and E. D. Houde. 1990. Growth and survival of Bay anchovy [*Anchoa*]-Mitchilli larvae in mesocosm enclosures. Marine Ecology-Progress Series 68:47-57.

Cowan, J. H., and E. D. Houde. 1993. Relative predation potentials of scyphomedusae, ctenophores and planktivorous fish on ichthyoplankton in Chesapeake Bay. Marine Ecology-Progress Series 95:55-65.

- Cowan, J. H., E. D. Houde, and K. A. Rose. 1996. Size-dependent vulnerability of marine fish larvae to predation: An individual-based numerical experiment. *Ices Journal of Marine Science* 53:23-37.
- Cowan, J. H., Jr., and R. S. Birdsong. 1985. Seasonal occurrence of larval and juvenile fishes in a Virginia Atlantic coast estuary with emphasis on drums (Family Sciaenidae). *Estuaries* 8(1):48-59.
- Cowell, B. C., and B. S. Barnett. 1974. Life history of the taillight shiner, [*Notropis*] [*maculatus*], in central Florida. *American Naturalist* 91(2):282-293.
- Cowen, R. K. 1991. Variation in the planktonic larval duration of the temperate wrasse [*Semicossyphus*]-*Pulcher*. *Marine Ecology-Progress Series* 69:9-15.
- Cowen, R. K., J. A. Hare, and M. P. Fahay. 1993. Beyond hydrography: can physical processes explain larval fish assemblages within the middle Atlantic bight? *Bull. Mar. Sci.* 53: 567-587.
- Cowen, R. K., and L. R. Castro. 1994. Relation of coral reef fish larval distributions to island scale circulation around Barbados, West-Indies. *Bulletin of Marine Science* 54:228-244.
- Cowles, R. B. 1934. Notes on the ecology and breeding habits of the desert minnow, [*Cyprinodon macularius*] Baird and Girard. *Copeia* 1934(1):40-42.
- Cox, D. K. 1978. Acclimation states of juvenile striped bass held in constant and fluctuating temperature regimes. Pages 703-713 [in] J. H. Thorp and J. W. Gibbons, editors. *Energy and Environmental Stress in Aquatic Systems*. CONF-771114.
- Cox, D. K., and C. C. Coutant. 1981. Growth dynamics of striped bass as functions of temperature and ration. *Transactions of the American Fisheries Society* 110:226-238.
- Cox, P. 1924. Larvae of the halibut ([*Hippoglossus hippoglossus*] L.) on the Atlantic coast of Nova Scotia. *Contr. Can. Biol.* 1(21):411-412.
- Cox, T. J. 1966. A behavioral and ecological study of the desert pupfish ([*Cyprinodon macularius*]) in Quitobaquito Springs, Organ Pipe Cactus National Monument, Arizona. Ph.D. Diss., Univ. Arizona, Tuscon, AZ. 120 pp.
- Craddock, D. R., T. H. Blahm, and W. D. Parente. 1976. Occurrence and utilization of zooplankton by juvenile chinook salmon in the lower Columbia River. *Transactions of the American Fisheries Society* 105:72-76.
- Craddock, J. E. 1965. The biology of the banded sculpin, [*Cottus*] [*carolinae*], in Doe Run, Meade County, Kentucky. Ph.D. Diss., Univ. of Louisville, Louisville, KY.
- Craig, G. R., and W. F. Baksi. 1977. The effects of depressed pH on flagfish reproduction, growth, and survival. *Water Res.* 11:621-626.
- Craig, P. C., and V. A. Poulin. 1975. Movements and growth of Arctic grayling, [*Thymallus*] [*arcticus*], and juvenile Arctic char, [*Salvelinus*] [*alpinus*], in a small Arctic stream, Alaska. *Journal of the Fisheries Research Board of Canada* 32:689-697.
- Craig, P. C., and J. Wells. 1976. Life history notes for a population of slimy sculpin ([*Cottus cognatus*]) in an Alaskan stream. *Journal of the Fisheries Research Board of Canada* 33:1639-1643.
- Craig, R.E, and R.M. Black. Nursery habitat of muskellunge in southern Georgian Bay, Lake Huron, Canada. *American Fisheries Society Special Publication* 15:79-86.
- Craig-Bennett, A. 1931. The reproductive cycle of the three-spined stickleback, [*Gasterosteus aculeatus*]. *Phil. Trans. Roy. Soc. London, Ser. B.* 219:197-279.



- Craigie, E. H. 1916. The life history of the hake ([*Urophycis chuss*] Gill) as determined from its scales. *Contr. Can. Biol.* 1914-15(1916), Supplement to the 5th Annual Rep., Dept. Naval Serv., Fish. Branch Canada:87-94.
- Craik, J. C. A. 1985. Egg quality and egg pigment content in salmonid fishes. *Aquaculture* 47(1):61-89.
- Craik, J. C. A., and S. M. Harvey. 1984. Biochemical changes occurring during final maturation of eggs of some marine and freshwater teleosts. *J. Fish. Biol.* 24(5):599-610.
- Craik, J. C. A., and S. M. Harvey. 1987. The causes of buoyancy in eggs of marine teleosts. *J. Mar. Biol. Assoc. U. K.* 67(1):169-182.
- Cramer, F. K. 1940. Notes on the natural spawning of cutthroat trout ([*Salmo clarkii clarkii*]) in Oregon. *Proc. 6th Pacif. Sci. Cong.* 3:335-339.
- Crane, J. M., Jr. 1981. Feeding and growth by the sessile larvae of the teleost [*Porichthys notatus*]. *Copeia* 1981(4):895-897.
- Crane, W. R. 1959. The bluegill in Michigan. *Mich. Dept. Cons., Fish. Div. Pamph. No. 31*, 6 pp.
- Crawford, B. 1957. Propagation of channel catfish ([*Ictalurus punctatus*]) at state fish hatchery. *Proc. 11th Ann. Conf. S. E. Assoc. G & F Comms.* 11:132-141.
- Crawford, D. R. 1923. The significance of food supply in the larval development of fishes. *Ecology* 4(2):147-153.
- Crawford, D. R. 1925. Field characters identifying young salmonid fishes in freshwaters in Washington. *Univ. Wash. Publ. Fish.* 1:64-76.
- Crawford, R. B., and C. E. Wilde, Jr. 1966. Cellular differentiation in the an amniotes. IV. Relationship between RNA synthesis and aerobic metabolism in [*Fundulus heteroclitus*] embryos. *Exp. Cell. Res.* 44:489-497.
- Crawford, R. B., M. H. Heineman, and C. E. Wilde. 1968. Conditions of inhibition of morphogenesis and macromolecular synthesis in [*Fundulus heteroclitus*] embryos. *Bull. Mt. Desert. Isl. Biol. Lab.* 8:13-15.
- Crawford, R. B., M. H. Heinemann, and C. E. Wilde. 1970. Effects of chloramphenicol and cycloheximide on protein synthesis and morphogenesis in embryos of [*Fundulus heteroclitus*]. *Bull. Mt. Desert Isl. Biol. Lab.* 10:3-4.
- Crear, D., and I. Haydock. 1971. Laboratory rearing of the desert pupfish, [*Cyprinodon macularius*]. *Fish. Bull.* 69(1):151-156.
- Creaser, C. W., and C. S. Hann. 1929. The food of larval lampreys. *Pap. Mich. Acad. Sci. Arts Lett.* 10: 433-437.
- Creaser, C. W. 1934. The technique of handling the zebra fish ([*Brachydanio rerio*]) for the production of eggs which are favorable for embryological research and are available at any specified time throughout the year. *Copeia* 1934(4):159-161.
- Crecco, V. A., and M. M. Blake. 1983. Feeding ecology of coexisting larvae of American shad and blueback herring in the Connecticut River. *Trans. Am. Fish. Soc.* 112:498-507.
- Crecco, V. A., T. Savoy, and L. Gunn. 1983. Daily mortality rates of larval and juvenile American shad ([*Alosa sapidissima*]) in the Connecticut River with changes in year-class strength. *Can. J. Fish. Aquat. Sci.* 40:1719-1728.

- Crecco, V. A., and T. Savoy. 1984. Effects of fluctuations in hydrographic conditions on year-class strength of American shad (*Alosa sapidissima*) in the Connecticut River. *Can. J. Fish. Aquat. Sci.* 41(8):1216-1223.
- Crecco, V. A., and T. Savoy. 1985. Effects of biotic and abiotic factors on growth and relative survival of young American shad in the Connecticut River. *Can. J. Fish. Aquat. Sci.* 42(10):1640-1648.
- Crecco, V. A., T. Savoy, and W. Whitworth. 1986. Effects of density-dependent and climatic factors on American shad, [*Alosa sapidissima*], recruitment: a predictive approach. *Can. J. Fish. Aquat. Sci.* 43(2):457-463.
- Crecco, V., and T. Savoy. 1986. Effects of climatic and density-dependent factors on intra-annual mortality of larval American shad. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. 69-81.
- Crestin, D. S. 1973. Some aspects of the biology of adults and early life stages of the rainbow smelt, [*Osmerus mordax*] (Mitchill), from the Wewantic River Estuary, Wareham-Marion, Massachusetts. M.S. Thesis, Univ. MA, Amherst, MA. 107 pp.
- Creutzberg, F. 1958. Use of tidal streams by migrating elvers (*Anguilla vulgaris* Turt.). *Nature, Lond.* 181(4612):857-858.
- Creutzberg, F. 1959. Discrimination between ebb and flood tide in migrating elvers (*Anguilla vulgaris* Turt.) by means of olfactory perception. *Nature (London)* 184:1961-1962.
- Creutzberg, F. 1961. On the orientation of migrating elvers (*Anguilla vulgaris* Turt.) in a tidal area. *Neth. J. Sea Res.* 1(3):257-338.
- Creutzberg, F. 1963. The role of tidal streams in the navigation of migrating elvers (*Anguilla vulgaris* Turt.). *Ergebn. Biol.* 26:118-127.
- Creutzberg, F., A. T. G. Eltink, and G. J. van Noort. 1978. The migration of plaice larvae, [*Pleuronectes platessa*] into the western Wadden Sea. Pages 243-251 [in] D. S. McLusky and A. J. Berry, editors. *Physiology and behavior of marine organisms*. Pergamon Press, Oxford, England.
- Crim, J. W., A. Urano, and A. Gorbman. 1979. Immunocytochemical studies of luteinizing hormone-releasing hormone in brains of agnathan fishes. II. Patterns of immunoreactivity in larval and maturing western Brook lamprey (*Lampetra richardsoni*). *Gen. Comp. Endocrinol.* 38(3):290-299.
- Crippen, R. W., F. K. Fahmy, B. Seepersad, and A. M. Hayton. 1978. Impacts of three types of power generating discharge systems on entrained plankton. Pages 191-202 [in] L. D. Jensen, editor. *Fourth national workshop on entrainment and impingement*, Ecol. Anal., Inc., Melville, N.Y. 424 pp.
- Crisp, D. T. 1981. A desk study of the relationship between temperature and hatching time for eggs of five species of salmonid fishes. *Freshwat. Biol.* 11:361-368.
- Crocker, P. A., C. R. Arnold, J. A. DeBaer, and G. J. Holt. 1983. Blood osmolality shift in juvenile red drum, [*Sciaenops ocellatus*] L., exposed to freshwater. *J. Fish. Biol.* 23(3):315-320.
- Crocker, P. A., C. R. Arnold, J. A. DeBoer, and J. Holt. 1981. Preliminary evaluation of survival and growth of juvenile red drum, [*Sciaenops ocellata*], in fresh and salt water. *J. World Maric. Soc.* 12:122-134.
- Crocker, P. A., M. Gotto, J. A. Deboer, G. J. Holt, and C. R. Arnold. 1985. Notes on the surface structure of the gill arch epithelium in juvenile red drum, [*Sciaenops ocellatus*] exposed to salt and fresh water. *Copeia* 1985(2):515-517.

- Crocker, R. A. 1960. A contribution to the life history of the gray (mangrove) snapper, [*Lutjanus griseus*] (Linnaeus). M.S. Thesis, Univ. Miami, Miami, FL. 93 pp.
- Crocker, R. A. 1965. Planktonic fish eggs and larvae of Sandy Hook estuary. *Ches. Sci.* 6(2):92-95.
- Crocker, R. S. 1934. The spawning of [*Atherinops insularum insularum*]. *Copeia* 1934(1):43.
- Crook, A. C. 1997. Determinants of the physiological colour patterns of juvenile parrotfish, [*Chlorurus sordidus*]. *Animal Behaviour* 53:1251-1261.
- Crook, A. C. 1999. A quantitative analysis of the relationship between interspecific encounters, schooling behaviour and colouration in juvenile parrotfish (Family Scaridae). *Mar. Fresh. Behav. Physiol.* 33:1-19.
- Cross, F. A., and J. H. Brooks. 1973. Concentrations of manganese, iron, and zinc in juveniles of five estuarine-dependent fishes. Pages 769-775 [in] D. J. Nelson, editor. *Radionuclides in ecosystems, Proc. Natl. Symp. Radioecol.*, Oak Ridge, TN, 1971, Vol. 2. U.S. Atomic Energy Comm., Oak Ridge, TN (CONF-710501-P2).
- Cross, F. A., J. N. Willis, L. H. Hardy, N. Y. Jones, and J. M. Lewis. 1975. Role of juvenile fish in cycling of Mn, Fe, Cu, and Zn in a coastal-plain estuary. Pages 45-65 [in] L. E. Cronin, editor. *Estuarine research, Vol. 1. Intl. Est. Res. Conf.*, Myrtle Beach, SC. Academic Press, NY.
- Cross, F. B. 1953. A new minnow, [*Notropis bairdi buccula*] from the Brazos River, Texas. *Texas J. Sci.* 5(2):252-259.
- Cross, J. N., C. A. Zetlin, P. L. Berrien, D. Johnson, and C. McBride. 1999. Essential fish habitat source document: butterflyfish: [*Peprilus triacanthus*], life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-145. U.S. Department of Commerce 42 pp.
- Crossland, J. 1977. Fecundity of the snapper, [*Chrysophrys auratus*] (Pisces:Sparidae) from the Hauraki Gulf. *N.Z. J. Mar. Freshwater Res.* 11(4):767-775.
- Crossland, J. 1980. The number of snapper, [*Chrysophrys auratus*] (Forster), in the Hauraki Gulf, New Zealand, based on egg surveys in 1974-75 and 1975-76. *Fish. Res. Bull.* 22.
- Crossland, J. 1981. Fish eggs and larvae of the Hauraki Gulf, New Zealand. *New Zealand Min. Agric. Fish. Res. Bull.* 23.
- Crossland, J. 1982. Distribution and abundance of fish eggs and larvae from the spring and summer plankton of north-east New Zealand, 1976-78. *New Zealand Min. Agric. Fish. Res. Bull.* 24.
- Crossman, E. J. 1962. The redbfin pickerel, [*Esox americanus americanus*] in North Carolina. *Copeia* 1962(1):114-123.
- Crossman, E. J. 1962. The grass pickerel, [*Esox americanus vermiculatus*] LeSueur in Canada. *R. Ont. Mus. Life Sci. Contr.* 55, 29 pp.
- Crossman, E. J., and K. Buss. 1965. Hybridization in the family Esocidae. *Journal of the Fisheries Research Board of Canada* 22(5):1261-1292.
- Crowder, L. B., M. E. McDonald and J. A. Rice. 1987. Understanding recruitment of Lake Michigan fishes: the importance of size-based interactions between fish and zooplankton. *Can. J. Fish. Aquat. Sci.* 44 (Suppl. 2):141-147.
- Crowder, L. B., J. A. Rice, T. J. Miller and E. A. Marschall. 1992. Empirical and theoretical approaches to size-based interactions and recruitment variability in fishes.

Pages 237- 255 [in] D. L. DeAngelis and L. J. Gross, editors. Individual-Based Approaches in Ecology. Routledge, Chapman and Hall, New York. 544 pp.

Crowder, L. B., D. D. Squires, and J. A. Rice. 1997. Non-additive effects of terrestrial and aquatic predators on juvenile estuarine fish. *Ecology* 78:1796-1804.

Crowe, W. R. 1959. The bluegill in Michigan. Michigan Dept. Cons., Fish. Div. Pamph. No. 31, 6 pp.

Crumbie, P. M., and S. L. Van Horn. 1978. Selenium accumulation associated with fish mortality and reproductive failure. Proc. 32nd Ann. Conf. S. E. Assoc. G F Comms. 32:612-624.

Cuff, W. R. 1973. The ethology of walleye larvae, [*Stizostedion*] [*vitreum vitreum*] (Mitchill) with emphasis on cannibalism. Manit. Dept. Mines, Resour. Environ. Manag., Res. Branch, Rep. No. 73-75, 141 pp.

Cuff, W. R. 1977. Initiation and control of cannibalism in larval walleyes. *Progressive Fish-Culturist* 39(1):29-32.

Cuff, W. R. 1980. Behavioral aspects of cannibalism in larval walleye, [*Stizostedion vitreum*]. *Canadian Journal of Zoology* 58:1504-1507.

Culbertson, G. 1903. A note on the breeding habits of the common or white sucker. *Proc. Indiana Acad. Sci.*: 65-66.

Cullen, E. 1960. Experiment on the effect of social isolation on reproductive behavior in the three-spined stickleback. *Anim. Behav.* 7:235.

Culler, C. F. 1932. Progress in fish culture. *Transactions of the American Fisheries Society* 62:114-118.

Culp, T. R. 1975. Studies of the aquatic ecology of the Blenheim-Gilboa pumped storage reservoirs and of Schoharie Creek in the vicinity of a proposed pumped storage facility near Breakabeen, New York. *Mis. Rep. Ichthyol. Assoc.*

Cummings, K. S., J. M. Grady, and B. M. Burr. 1983. The life history of the mud darter, [*Etheostoma*] [*asprigene*], in Lake Creek, Illinois. *Illinois Nat. Hist. Surv. Biol. Notes*, No. 122. 16 pp.

Cummings, W. C. 1968. Reproductive habits of the sergeant major [*Abudefduf*] [*saxatilis*] (Pisces: Pomacentridae) with comparative notes on four other damsel-fishes in the Bahama Islands. Ph.D. Diss., Univ. Miami, Miami, FL. 172 pp.

Cunningham, J. E. R. 1982. Early ontogeny of [*Adinia xenica*] (Cyprinodontiformes Fundulidae): some patterns and processes of epigenesis. M. S. Thesis, Univ. Guelph, Guelph. 198 pp.

Cunningham, J. E. R., and E. K. Balon. Early ontogeny of [*Adinia xenica*] (Pisces, Cyprinodontiformes 3. Comparison and evolutionary significance of some patterns in epigenesis of egg-scattering, hiding, and bearing cyprinodontids. *Zoomorphology*.

Cunningham, J. E. R., and E. K. Balon. 1985. Early ontogeny of [*Adinia xenica*] (Pisces: Cyprinodontiformes 1. The development of embryos in hiding. *Environmental Biology of Fishes* 14(2/3):115-166.

Cunningham, J. E. R., and E. K. Balon. 1986. Early ontogeny of [*Adinia xenica*] (Pisces: Cyprinodontiformes 2. Implications of embryonic resting intervals for larval development. *Environmental Biology of Fishes* 15(1):15-45.

Cunningham, J. T. 1885. Relations of yolk to gastrula in teleosts. *Q. J. Microsc. Sci.* 26(2):1-35.

Cunningham, J. T. 1887. The eggs and larvae of teleosteans. Trans. R. Soc. Edinb. 33(1): 97-136.

Cunningham, J. T. 1888. Remarks on some teleostean ova, and their development. Rep. Br. Assoc. Advmt. Sci. 58 meet.:703-704.

Cunningham, J. T. 1888. The reproductive organs of [Bdellostoma] and a teleostean ovum from the west coast of Africa. Trans. R. Soc. Edinb. 33(1):247-250.

Cunningham, J. T. 1889. Studies of the reproduction development of teleostean fishes occurring in the neighborhood of Plymouth. J. Mar. Biol. Assoc. U.K. 1(1):10-54.

Cunningham, J. T. 1889. Notes on recent experiments relating to the growth and rearing of food fish at the laboratory. J. Mar. Biol. Assoc. U.K. 1(4):367-370.

Cunningham, J. T. 1889. Notes on recent experiments relating to the growth and rearing of foodfish at the lab oratory. II. The rearing of larval fish. J. Mar. Biol. Assoc. U.K. 1(4):370-375.

Cunningham, J. T. 1891-92. On the reproduction and development of the conger. J. Mar. Biol. Assoc. U.K. 2(1):16-42.

Cunningham, J. T. 1891-92. On some larval stages of fishes. J. Mar. Biol. Assoc. U.K. 2(1):68-74.

Cunningham, J. T. 1891-92. The egg and larva of [Callionymus lyra]. J. Mar. Biol. Assoc. U.K. 2(1):89-90.

Cunningham, J. T. 1891-92. On the rate of growth of some sea fishes, and the age and size at which they begin to breed. J. Mar. Biol. Assoc. U.K. 2(3):222-264.

Cunningham, J. T. 1891-92. Report on the probable ages of young fish collected by Mr. Holt in the North Sea. J. Mar. Biol. Assoc. U.K. 2(4):344-362.

Cunningham, J. T. 1893. The immature fish question. J. Mar. Biol. Assoc. U.K. 3(1):54-77.

Cunningham, J. T. 1894. Experiments on the rearing of fish larvae in the season of 1894. J. Mar. Biol. Assoc. U. K. 3:206-207.

Cunningham, J. T. 1895. Young stages of [Zeugopterus punctatus]. J. Mar. Biol. Assoc. U.K. 3(3):202-205.

Cunningham, J. T. 1895. Experiments on the rearing of fish larvae in the season 1894. J. Mar. Biol. Assoc. U.K. 3(3):206-207.

Cunningham, J. T. 1895. The larva of the eel. J. Mar. Biol. Assoc. U.K. 3(4):278-287.

Cunningham, J. T. 1895. Experiments and observations made at the Plymouth Laboratory. II. The development of the egg in flat fishes and pipe-fishes. J. Mar. Biol. Assoc. U.K. 3:258-270.

Cunningham, J. T. 1896-97. North Sea investigations. J. Mar. Biol. Assoc. U.K. 4(1):10-47.

Cunningham, J. T. 1896-97. North Sea Investigations (cont.). J. Mar. Biol. Assoc. U.K. 4(2): 97-143.

Cunningham, J. T. 1897. The discovery of the larva of the common eel. Nature, Lond. 55: 467-468.

- Cunningham, J. T. 1900. On young stages of teleosteans. Proc. Roy. Irish Acad. 3(5):752-753.
- Cupka, D. M., R. K. Dias, and J. Tucker. 1973. Biology of the black sea bass, [Centropristis] [striata], from South Carolina waters. S.C. Wildl. Mar. Res. Dept.
- Curless, W. W. 1979. Early development and larval biology of the California topsmelt, [Atherinops affinis]. Am. Zool. 19:949. Abstract.
- Curran, M.C., and K.W. Able. 2002. Annual stability in the use of coves near inlets as settlement areas for winter flounder ([Pseudopleuronectes americanus]). Estuaries 25(2):227-234.
- Currie, R. I. 1962. Net closing gear. Rapp. Cons. Explor. Mer 153:48-54.
- Currie, R. I., and P. Foxton. 1956. The Nansen closing method with vertical plankton nets. J. Mar. Biol. Assoc. U. K. 35:483-492.
- Currie, R. I., and P. Foxton. 1957. A new quantitative plankton net. J. Mar. Biol. Assoc. U. K. 36(1):17-22.
- Currie, S. 1985. Startle responses of burrowed lamprey larvae. Soc. Neurosci. Abstracts 11:268.
- Currin, B. M. 1984. Food habits and food consumption of juvenile spot, [Leiostomus xanthurus], and croaker, [Micropogonias] [undulatus], in their nursery areas. M. S. Thesis, North Carolina State Univ., Raleigh. 103 pp.
- Currin, B. M., J. P. Reed, and J. M. Miller. 1984. Growth, production, food consumption, and mortality of juvenile spot and croaker: A comparison of tidal and nontidal nursery areas. Estuaries 7(4A):451-459.
- Curtis, L. A. 1987. Vertical distribution of an estuarine snail altered by a parasite. Science 235:1509-1511.
- Curtis, L. R., W. K. Seim, and G. A. Chapman. 1985. Toxicity of fenvalerate to developing steelhead trout following continuous or intermittent exposure. J. Toxicol. Env. Health 15(3-4): 445-458.
- Curtis, M. 1977. The biology and growth of Montana grayling, [Thymallus arcticus], in Wyoming. J. Colorado Wyoming Acad. Sci. 9(1):9.
- Cury P., and C. Roy. 1989. Optimal environmental window and pelagic fish recruitment success in upwelling areas. Canadian Journal of Fisheries and Aquatic Sciences 46:670-680.
- Curtis, P. A., M. Drawbridge, T. Iwamoto, T. Nakai, R. P. Hedrick, and A. P. Gendron. 2001. Nodavirus infection of juvenile white seabass, [Atractoscion nobilis], cultured in southern California: first record of viral nervous necrosis (VNN) in North America. Journal of Fish Diseases 24(5):263-271.
- Cury, P., and C. Roy. (1989. Optimal environmental window and pelagic fish recruitment success in upwelling areas. Can. J. Fish. Aquat. Sci. 46:670-680.
- Cusack, R. R., D. B. Groman, A. M. MacKinnon, F. S. B. Kibenge, D. Wadowska, and N. Brown. 2001. Pathology associated with an aquareovirus in captive juvenile Atlantic halibut [Hippoglossus hippoglossus] and an experimental treatment strategy for a concurrent bacterial infection. Diseases of Aquatic Organisms 44(1):7-16.
- Cushing, D. H. 1955. On the autumn-spawned herring races of the North Sea. J. Cons. perm. int. Explor. Mer 21:44-60.

- Cushing, D. H. 1964. The counting of fish with an echo sounder. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 155:190-195.
- Cushing, D. H., and J. P. Bridger. 1964. The present state of the "Bridger hypothesis" relating larval mortality of herring to recruitment. ICES CM/99:6 pp.
- Cushing, D. H. 1969. The regularity of the spawning season of some fishes. J. Cons. perm. int. Explor. Mer 33(1):81-92.
- Cushing, D. H. 1969. The dates at which fish spawn. Proc. Challenger Soc. 4:33.
- Cushing, D. H. 1972. The production cycle and the numbers of marine fish. Journal of Zoology Soc. 29:213-232.
- Cushing, D. H., and J. G. K. Harris. 1973. Stock and recruitment and the problem of density dependence. Pages 142-155 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164. 372 pp.
- Cushing, D. H. 1974. Larval mortality and density dependence in fish. Page 31 [in] Rep. of the intl. symp. on the early life history of fish. FAO Fish. Rep. No. 141, 58 pp.
- Cushing, D. H. 1974. The possible density-dependence of larval mortality and adult mortality in fishes. Pages 103-111 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, N.Y. 765 pp.
- Cushing, D. H. 1975. The natural mortality of the plaice. J. Cons. perm. int. Explor. Mer 36(2):150-157.
- Cushing, D. H. 1976. Biology of fish in the pelagic community. Pages 317-340 [in] D. H. Cushing and J. J. Walsh, editors. The ecology of the seas. Blackwell Sci. Publ., London, England.
- Cushing, D. H. 1990. Plankton production and year-class strength in fish populations: an update of the match/mismatch hypothesis. Adv. Mar. Biol. 26:250-293.
- Cushing, D. H. 1983. Are fish larvae too dilute to affect the density of their food organisms. J. Plank. Res. 5:847-854.
- Cushing, D. H. 1986. The migration of larval and juvenile fish from spawning ground to nursery ground. J. Cons. Int. Explor. Mer 43:43-49.
- Cushing, D. H. 1990. Hydrographic containment of a spawning group of plaice in the southern Bight of the North Sea. Marine Ecology-Progress Series 58:287-297.
- Cushing, D. H. 1990. Plankton production and year class strength in fish populations: an update of the match/mismatch hypothesis. Advances in Marine Biology 26:249-293.
- Cushing, D. H., and J. W. Horwood. 1994. The growth and death of fish larvae. Journal of Plankton Research 16:291-300.
- Cussac, V. E., P. M. Cervellini and M. A. Battini, 1992. Intralacustrine movements of [Galaxias maculatus] (Galaxiidae) and [Ondontesthes microlepidotus] (Atherinidae) during their early life history. Environ. Biol. Fish. 35(2):141-148.
- Cvancara, V. A. 1973. Effect of elevated water temperature on the survival of young-of-the-year fresh water teleosts. Am. Zool. 13:1290.
- Cvancara, V. A. 1975. Studies on the tolerance of young of the year Mississippi River fish to heated waters. OWRT-C-4251.
- Cvancara, V. A., et al. 1977. Summer temperature tolerance of selected species of Mississippi River acclimated young of the year fishes. Comp. Biochem. Physiol. 56A:81.

- Cykowska, C., and A. Winnicki. 1972. Embryonic development of the Baltic sea-trout, [*Salmo trutta*] L., in buffer solutions. *Acta Ichthyol. Piscatoria* 2(2):3-13.
- Cyr, H., J.A. Downing, S. Lalonde, S.B. Baines and M.L. Pace. 1992. Sampling larval fish populations - choice of sample number and size. *Transactions of the American Fisheries Society* 121:356-368.
- Czeczuga, B. 1972. Carotenoids in fish. I. Carotenoids in the eggs of [*Acipenser ruthenus ruthenus*] L. (*Acipenseridae*) from the Danube. *Hydrobiol.* 39(1):9-16.
- Czeczuga, B. 1979. Carotenoids in fish. XIX, carotenoids in the eggs of [*Oncorhynchus keta*] (Walbaum). *Hydrobiol.* 63(1):45-48.
- Czeskleba, D. G., et al. 1985. Artificial spawning and rearing of lake sturgeon, [*Acipenser fulvescens*], in Wild Rose State Fish Hatchery, Wisconsin, 1982-83. Pages 79-85 [in] F. P. Binkowski and S. I. Doroshov, editors. *North American sturgeons: biology and aquaculture potential*.
- Czihak, G., R. Peter, B. Puschendorf, and H. Grunicke. 1979. Some data on the basic metabolism of trout eggs. *J. Fish. Biol.* 15(2):185-193.
- D'Ancona, D., and G. Cavinata. 1965. The fishes of the family Bregmacerotidae. *Dana Rep.* 64:92 pp.
- D'Ancona, U. 1928. [Murenoidi] ([Apodes]) del Mar Rosso e del Golfo di Aden. *R. Comm. Talassogr. Ital. Mem.* (146):1-146.
- D'Ancona, U. 1928. Notizie preliminari sugli stadi larvali di [Murenoidi] [raccolti] dal Prof. Luigi Sanzo nel Mar Rosso e nel Golfo di Aden durante la corciera dell R. N. "Ammiraglio Magnaghi" 1923-24. *Atti. R. Accad. Naz. Lincei Rend. Cl. Sci. Fis. Mat. e Nat.* 7(5):427-432.
- D'Ancona, U. 1928. Sulla possibilita di ordinaire sustematicamente le specii larvali dei [Murenoidi]. *Att. Arcad. nay. Lincei Rc.* 6, Ser 7(6):516-520.
- D'Ancona, U. 1929. Note di ittiologia mediterranea I. - Stadi giovanili e uova di [Exocoetus]. *Pubb. Staz. Zool. Napoli* 9:203-211.
- D'Ancona, U. 1931. Clupeidae, pp. 1-16. In: Uova, larve e stadi giovanili di Teleostei. *Fauna Flora Golfo Napoli Monogr.* 38.
- D'Ancona, U. 1931. Ordine: Symentogna thi. In: uova, larve e stadi giovanili e uova di teleostei. *Fauna e flora del Golfo di Napoli. Pubb. Staz. Zool. Napoli, Monogr.* 38:157-177.
- D'Ancona, U. 1931. Ordine: Apodes. In: Uova, larve e stadi giovanili de teleostei. *Fauna e flora del Golfo di Napoli, Monogr.* 38:94-156.
- D'Ancona, U. 1931. Clupeoidei, Heteromi, Apodes, Symentognathi, pp. 1-21, 93-176. In *Uovo, larve e stadi giovanili di Teleostei In Italian. Fauna e Flora del Golfo di Napoli. Monogr. No.* 38.
- D'Ancona, U. 1933. Famiglia 1: Gadidae, pp. 178-255. In: Uova, larve e stadi giovanili di Teleostei. *Fauna e Flora del Golfo di Napoli Monogr.* 38.
- D'Ancona, U. 1933. Famiglia: Lampridae, p. 280. In: Uova, larve e stadi giovanili di Teleostei. *Fauna e Flora del Golfo di Napoli Monogr.* 38.
- D'Ancona, U. 1933. Famiglia: Macrorhamphosidae, pp. 299-306. In: Uova, larve e stadi giovanili di Teleostei. *Fauna e Flora del Golfo di Napoli Monogr.* 38.



- D'Ancona, U. 1933. Famiglia: Syngnathidae, pp. 281-298. In: Uova, larve e stadi giovanili di Teleostei. Fauna e Flora del Golfo di Napoli Monogr. 38.
- D'Ancona, U. 1933. Synentognathi, Gadidae, Selenichthyes, Berycoidei, Thoracostei, Aulostomi, pp. 177-255, 280-306. In: Uova, larve e stadi giovanili di Teleostei In Italian. Fauna e Flora del Golfo di Napoli. Monogr. No. 38.
- D'Ancona, U., et al. 1931-56. Uova, larve, e stadi giovanili de Teleostei. Staz. Zool. di Napoli. Fauna e Flora del Golfo di Napoli. 4 parts, 1064 pp.
- D'Vincent, S., H. G. Moser, and E. H. Ahlstrom. 1980. Description of the larvae and early juveniles of the Pacific butterflyfish, [Peprilus simillimus] (Family Stromateidae). California Coop. Oceanic Fish. Invest. Rep. 21:172-179.
- Daan, N. 1970. Dutch cod eggs and larvae surveys in 1970. Annl. Biol., Copenh. 27:88.
- Daan, N. 1973. Dutch cod egg and larvae surveys in 1971. Ann. Biol. Copenh. 28:98-99.
- Daan, N. 1974. Dutch cod egg and larvae surveys in 1972. Annl. Biol., Copenh. 29(1972):79-80.
- Daan, N. 1975. Dutch cod egg and larvae surveys in 1973. Annl. Biol., Copenh. 30(1973):93-94.
- Daan, N. 1976. Some preliminary investigations into predation on fish eggs and larvae in the southern North Sea. Intl. Counc. Explor. Sea C.M. 1976/L:15, Copenhagen, Denmark.
- Daan, N. 1976. Some preliminary investigations into predation on fish eggs and larvae in the southern North Sea. ICES CM L:15. 11 pp.
- Daan, N. 1981. Comparison of estimates of egg production of the southern Bight cod stock from plankton surveys and market statistics. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:242-243.
- Daan, N., A. D. Rijnsdorp, and G. R. van Overbeeke. 1985. Predation by North Sea herring, [Clupea harengus] on eggs of plaice [Pleuronectes platessa] and cod [Gadus morhua]. Transactions of the American Fisheries Society 114: 499-506.
- Daan, N. 2000. Recruitment dynamics of exploited marine populations: physical-biological interactions - foreword. Ices Journal of Marine Science 57(2):189-?.
- Dabrowski, I. 1985. Can coregonid fish larvae feed under the ice. Arch Hydrobiol. 104(3): 427.
- Dabrowski, K. 1975. The point of no return in early fish life. An attempt to determine the minimal food requirement. Wiad. Ekol. 21:277-293.
- Dabrowski, K., S. Tucholski, and J. Czarnocki. 1975. The effect of radio active iron-59 on the embryogeny of sea trout, [Salmo trutta]. Pol. Arch. Hydrobiol. 22:577-692.
- Dabrowski, K. 1976. An attempt to determine survival time for starving fish larvae. Aquaculture 8:169-173.
- Dabrowski, K., H. L. Dabrowska, and C. Grudniewski. 1978. A study of the feeding of common carp larvae with artificial food. Aquaculture 13(3):257-264.
- Dabrowski, K., and B. Kozak. 1979. The use of fish meal and soyabean meal as a protein source in the diet of grass carp fry. Aquaculture 18(2):107-114.
- Dabrowski, K., and R. Bardega. 1982. The changes of fish larvae dimensions due to fixation in different preservatives. Zool. Zahrb Abt. Anat. Ontog. Tiere 108:509-516.

- Dabrowski, K. 1982. The influence of light intensity on feeding of fish larvae and fry. II. [*Rutilus rutilus*] (L.) and [*Perca fluviatilis*] (L.). Zool. Jahrb. Abt. Allg. Zool. Physiol. Tiere 86:353-360.
- Dabrowski, K., and M. Rusiecki. 1983. Content of total and free amino acids in zooplanktonic food of fish larvae. Aquaculture 30(1/4):31-42.
- Dabrowski, K., R. Bardega, and R. Przedwojski. 1983. Dry diet formulation study with common carp, [*Cyprinus carpio*] L., larvae. Z. Tierphysiol. Tierernah. Futterinnetelk 50:40-52.
- Dabrowski, K., and R. Bardega. 1984. Mouth size predicted food size preference of larvae of three cyprinid fish species. Aquaculture 40(1):41-46.
- Dabrowski, K., and S. J. Kaushik. 1984. Rearing of coregonid ([*Coregonus schinzi palea*] Cuv. & Val.) larvae using dry and live food. II. Oxygen consumption and nitrogen excretion. Aquaculture 41(4):333-344.
- Dabrowski, K., et al. 1984. Metal utilization of body stores during the early life of whitefish. J. Fish. Biol. 24:721-729.
- Dabrowski, K. 1984. Influence of initial weight during change from live to compound feed on the survival and growth of four cyprinids. Aquaculture 40:27-40.
- Dabrowski, K. 1984. The feeding of fish larvae: present (state of the art) and perspectives. Reprod., Nut., Devel. 24(6):807-834.
- Dabrowski, K., and M. Luczynski. 1984. Utilization of body stores in embryonated ova and larvae of two coregonid species ([*Coregonus lavaretus*] L. and [*C. albula*] L.). Comp. Biochem. Physiol. 79A(3):329-334.
- Dabrowski, K., S. J. Kaushik, and P. Luquet. 1984. Metabolic utilization of body stores during the early life of whitefish, [*Coregonus lavaretus*] L. J. Fish. Biol. 24(6):721-730.
- Dabrowski, K., N. Charlon, P. Bergot, and S. Kaushik. 1984. Rearing of coregonid ([*Coregonus schinzi palea*] Cuv. & Val.) larvae using dry and live food. I. Preliminary data. Aquaculture 41(1):11-20.
- Dabrowski, K., M. Luczynski, and M. Rusiecki. 1985. Free amino acids in the late embryogenesis and pre-hatching stage of two coregonid fishes. Biochem. System. Ecol. 13(3):349-356.
- Dabrowski, K., S. J. Kaushik, and B. Fauconneau. 1985. Rearing of sturgeon ([*Acipenser baeri*] Brandt) larvae. I. Feeding trial. Aquaculture 47(2-3):185-192.
- Dabrowski, K., and K. Tsukamoto. 1986. Tetracycline tagging in coregonid embryos and larvae. J. Fish. Biol. 29:691-698.
- Dabrowski, K., et al. 1986. Rearing of coregonid larvae with live and artificial diets. Bull. Jap. Soc. Sci. Fish. 52:23-30.
- Dabrowski, K., F. Takashima, and K. Strussmann. 1986. Does recovery growth occur in larval fish? Bull. Jap. Soc. Sci. Fish. 52:1869.
- Dabrowski, K., F. Takashima, and Y.K. Law. 1988. Bioenergetic model of planktivorous fish feeding, growth and metabolism: theoretical optimum swimming speed of fish larvae. J. Fish. Biol. 32: 443-458.
- Dabrowski, K. R. 1976. Effect of arsenic on embryonal development of rainbow trout, [*Salmo gairdneri*] Rich. Water Res. (G. B)10:793.

- Dabrowski, K. R. 1976. How to calculate the optimal density of food for fish larvae. *Environmental Biology of Fishes* 1(1):87-89.
- Dabrowski, K. R. 1977. Protein requirements of grass carp fry, [*Ctenopharyngodon idella*] Val.. *Aquaculture* 12(1):63-73.
- Dabrowski, K. R. 1981. The spawning and early life history of the pollan ([*Coregonus pollan*] Thomp.) in Lough Neagh, North Ireland. *Int. Revue Gas. Hydrobiol.* 66:299-326.
- Dabrowski, K. R. 1982. Proteolytic enzyme decline in starving fish alevins and larvae. *Environmental Biology of Fishes* 7:73-76.
- Dabrowski, K. R., and D. H. Jewson. 1984. The influence of light environment on depth of visual feeding by larvae and fry of [*Coregonus pollan*] (Thompson) in Lough Neagh. *J. Fish. Biol.* 25:173-181.
- Dabrowski, K. R., and F. J. Schwartz. 1985. Rearing of coregonid, [*Coregonus schinji palea*] Cuv. & Val., larvae using dry and live food. IV. Proximate and mineral composition of diets and fish. *Aquaculture* 48(3/4):303-312.
- Dabrowski, K. R., and S. J. Kaushik. 1985. Rearing of coregonid ([*Coregonus schinzi palea*] Cuv. et Val.) larvae using dry and live food. III. Growth of fish and developmental characteristics related to nutrition. *Aquaculture* 48(2):123-136.
- Dabrowski, K. R. 1986. A new type of metabolic chamber for the determination of active and postprandial metabolism of fish, and consideration of results for coregonid and salmon juveniles. *J. Fish. Biol.* 28(1):105-118.
- Dabrowski, K. R. 1986. Active metabolism in larval and juvenile fish: ontogenetic changes, effect of water temperature and fasting. *Fish. Physiol. Biochem.* 1:125-144.
- Dabrowski, K. R., L.Y. Kok and F. Takashima. 1986. How efficiently do fish larvae and juveniles swim? *Comp. Biochem. Physiol.* 85A: 657-661.
- Dacre, J. C., and D. Scott. 1971. Possible DDT mortality in young rainbow trout. *N.Z. J. Mar. Freshwater Res.* 5(1):58-65.
- Dadswell, M. J. 1979. Biology and population characteristics of the shortnose sturgeon, [*Acipenser brevirostrum*] LeSueur 1818 (Osteichthyes: Acipenseridae) in the Saint John River estuary, New Brunswick, Canada. *Canadian Journal of Zoology* 57(11): 2186-2210.
- Dadswell, M. J., et al. 1984. Synopsis of biological data on shortnose sturgeon, [*Acipenser brevirostrum*] LeSueur 1818. NOAA Tech. Rep., NMFS 14.
- Dadzie, S. 1968. The structure of the chorion of the egg of the mouth brooding cichlid fish, [*Tilapia mossambica*]. *Journal of Zoology London*, 154:161-163.
- Dagg, M. J., M. E. Clarke, T. Nishiyama, and S. L. Smith. 1984. Production and standing stock of copepod nauplii, food items for larvae of the walleye pollock, [*Theragra chalcogramma*], in the southeastern Bering Sea. *mar. Ecol. Prog. Series* 19(1-2):7-16.
- Dagg, M. J., and J.J. Govoni. 1996. Is ichthyoplankton predation an important source of copepod mortality in subtropical coastal waters? *Marine and Freshwater Research* 47:137-144.
- Dahl, G. 1965. La metamorfosis desde leptocephalus hasta estado postlarval en el Sabalo [*Tarpon atlanticus*] (Cuv. et Val.). Bogota 1-11 (Eng. Transl., 13-20).
- Dahl, K. 1907. Artificial fish-hatching in Norway. II. Investigations concerning the effects of liberating artificial hatched cod larvae in the fjords of southern Norway. *Proc. Trans. Liverpool Biol. Soc.* 21:209-269.

- Dahl, K. 1909. The problem of sea fish hatching. Cons. perm. int. Explor. Mer. Rapp. P.-v. Reun. 10:1-39.
- Dahl, K. 1927. The effect of acid water on trout fry. Salmon Trout Mag. 46:35-43.
- Dahlberg, M. D. 1970. Atlantic and Gulf of Mexico menhadens, genus [Brevoortia] (Pisces: Clupeidae). Bull. Florida State Mus. 15(3):91-162.
- Dahlberg, M. D. 1979. A review of survival rates of fish eggs and larvae in relation to impact assessment. Mar. Fish. Rev. 41(3):1-12.
- Dahlberg, M. D., and E. P. Odum. 1970. Annual cycles of species occurrence, abundance, and diversity in Georgia estuarine fish populations. Am. Midl. Nat. 83(2):381-392.
- Dahlberg, M. D., and J. C. Conyers. 1973. An ecological study of [Gobiosoma bosci] and [G]. [ginsburgi] (Pisces: Gobiidae) on the Georgia coast. NOAA Fish. Bull. 71(1):279-287.
- Dahlberg, M. L. 1973. Stock-and-recruitment relationships and optimum escapements of sockeye salmon stocks of the Chignik Lakes, Alaska. Pages 98-105 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer. 164, 372 pp.
- Dahlberg, M. L., J. E. Bailey, and W. S. Pinette. 1978. Evaluation of three methods of handling gametes of sockeye salmon for transportation to incubation facilities. Progressive Fish-Culturist
- Dahle, T. F. 1979. Observations of fingerling chinook salmon in the stomachs of yellow perch from the Klamath River, California. California Fish and Game 65(3):168.
- Dahlgren, U. 1927. The life history of the fish [Astroscopus] (stargazer). Scient. Monogr. N.Y. 24.
- Dahlgren, U. 1928. The habits and life history of [Lophius], the angler fish. Nat. Hist. 28(1):18-32.
- Daiber, F. C. 1953. The life history and ecology of the sheepshead, [Aplodinotis grunniens] Rafinesque, in western Lake Erie. Ph.D. Diss. Abst. 64:131-136.
- Daiber, F. C. 1963. Tidal creeks and fish eggs. Estuar. Bull. 7(2):6-14.
- Dakin, W. J., and A. Colifax. 1934. The eggs and early larval stages of the Australian pilchard, [Sardinops neopilchardus] (Stein). Rec. Aust. Mus. 19(2):136-140.
- Dakin, W. J., and G. L. Kesteven. 1938. The Murray cod ([Maccullochella macquarensis] (Cuv. et Val.). Some experiments on breeding with notes on the early stages and a reference to the problems of depletion and restocking. State Fish. N.S.W. Res. Bull. 1.
- Dakin, W. J., and A. N. Colefax. 1940. The plankton of the Australian coastal waters off New South Wales... fish eggs and fish larvae. Monogr. Dept. Zool., Univ. Sydney, No. 1: 201-204.
- Dale, T. 1984. Embryogenesis and growth of otoliths in the cod ([Gadus morhua] L.). Pages 231-250 [in] E. Dahl, D. S. Danielssen, E. Moksness, and P. Solemdal, editors. The propagation of cod [Gadus morhua] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser1.
- Dales, R. P. 1952. The larval development and ecology of [Thoracophelia] [mucronata] (Treadwell). Biol. Bull. Mar. Biol. Lab., Woods Hole, MA. No. 102: 232-242.
- Dales, S., and W. S. Hoar. 1954. Effects of thyroxine and thiourea on the early development of chum salmon ([Oncorhynchus keta]). Canadian Journal of Zoology 32:244-251.

- Daly, R. 1962. The lake trout, its life history, ecology, and management. Wisconsin Cons. Dept. Publ. 233:15 pp.
- Damas, D. 1909. The spawning, eggs and fry of fishes. Rep. Norwegian Fish. Mar. Invest. II.
- Damas, H. 1935. Contribution a l'etude de la metamorphose de la tete de la Lamproie. Arch. Biol. Liege 46:171-227.
- Damours, D., and F. Gregoire. 1992. Analytical correction for oversampled Atlantic mackerel [*Scomber scombrus*] eggs collected with oblique plankton tows. Fishery Bulletin 90:190-196.
- Daniel, J. F. 1922. The elasmobranch fishes. U. Calif. Press, Berkeley, CA.
- Daniel, J. F. 1931. Features in the development of ammocoetes. Univ. California Publ. Zool. 37(4):41-52.
- Daniel, L. B., and J. E. Graves. 1994. Morphometric and genetic identification of eggs of spring-spawning sciaenids in lower Chesapeake Bay. Fishery Bulletin. 92: 254-261.
- Daniels, R. A., and P. B. Moyle. 1978. Biology, distribution, and status of [*Cottus*] [*asperrinus*] in the Pit River drainage, northeastern California. Copeia 1978 (4):673-679.
- Daniels, W. H., and E. H. Robinson. 1986. Protein and energy requirements of juvenile red drum, [*Sciaenops ocellatus*]. Aquaculture 53(3/4):243-252.
- Danielsen, D. S., and S. A. Iversen. 1974. Egg og larveutvekling hos rodspette, [*Pleuronectes*] [*platessa*] L., torske, [*Gadus morhua*] L., og vargytende sild, [*Clupea harengus*] L., ved konstante temp. Fisk. havforsk., Statens Biol. Stasjon, Flodevigen, Serie B., Nr 22.
- Danielssen, D. S., E. Moksness, and V. Oiestad. 1979. Duoculture of plaice ([*Pleuronectes platesa*] L.) and lobster ([*Hommarus gammarus*] L.) fry in two concrete enclosures based on natural production. Symp. on early life history of fish, Woods Hole, MA.
- Danil'chenko, O. P., and N. S. Stroganov. 1975. Evaluation of toxicity to the early ontogeny of fishes of substances discharged into a body of water. J. Ichthyol. 75(2):311-319.
- Danil'chenko, O. P., and L. A. Sytina. 1976. Different responses of developing sturgeon eggs and larvae to temperature and to effect of tin triethyl chloride. Biol. Nauka-Sel'sk i Lisn. Khoz. Aka. Nauk, Latv. SSR, Otd. 4:64.
- Danil'chencko, O. P. 1977. The sensitivity of fish embryos to the effect of toxicants. J. Ichthyol. 17(3):455-463.
- Danil'chenko, O. P. 1982. A comparison of the reaction of fish embryos and prolarvae to certain natural factors and synthesized compounds. J. Ichthyol. 22(1):123-134.
- Danila, D. J. 1977. Life history - winter flounder. Pages 113-128 [in] Ecological studies for the Oyster Creek Generating Station, Vol. 1 - Fin and Shellfish. Prog. Rep. Sept. 1975-Aug. 1976, Ichthyol. Assoc. 338 pp.
- Danilenko, T. P. 1970. Dynamics of glycogen at the early stages of embryogenesis of [*Carassius auratus*] (L.). Hidrobiol. Zh. Kiev. 6(4):84-90.
- Danilevskii, N. N. 1968. Pelagic trawl for counting fry in determining fish populations. Ryb. Khoz., Moskva 10:25-26.

- Danilov, N. N. 1975. Conditions of reproduction and pre-requisites for biological differentiation in the Kuybyshev Reservoir population of bream, [*Abramis brama*]. J. Ichthyol. Transl. Vopr. Ikhtiol. 15(2):196-202.
- Dannevig, A. 1918. Canadian fish eggs and larvae. Can. Fish. Exped. 1914-15. Ottawa. 77 pp.
- Dannevig, A. 1919. Biology of Atlantic waters of Canada: Canadian fish-eggs and larvae. Pages 1-77 [in] J. Jhort (Leader), Can. Fish. Exped., 1914-1915, Invest. in the Gulf of St. Lawrence and Atl. waters of Canada. Dept. Naval. Serv. King's Printer, Ottawa, Ontario. mem. 2, 501 pp.
- Dannevig, A. 1921. Fiskeegg og Ingel i Lofoten. Rep. Norweg. Fish. and Mar. Inv.
- Dannevig, A. 1921. Undersakles over den pelagiskeregg og yngelbestandpaa Skagerakkysten Vaaren, 1917. Arsbereth Norges Fiskerier.
- Dannevig, A. 1932. Is the number of vertebrae in the cod influenced by light or high temperature during the early stages? J. Cons. perm. int. Explor. Mer 7(1):53-59.
- Dannevig, A., and E. Sivertsen. 1933. On the influence of various physical factors on cod larvae; experiments at the Flodevig sea-fish hatchery. J. Cons. perm. int. Explor. Mer 8:90-99.
- Dannevig, A. 1940. The propagation of the common food fishes on the Norwegian Skager Rack coast, with notes on the hydrography. Rep. Norw. Fishery Mar. Invest. 6(3):1-90.
- Dannevig, A. 1945. Undersokelser i Oslofjorden 1936-40. Egg og yngel au vargytende fiskearter. Rep. Norweg. Fish. Mar. Invest. 4(1).
- Dannevig, A. 1948. Rearing experiments at the Flodevigen sea fish hatchery, 1943-1946. J. Cons. perm. int. Explor. Mer 15:277.
- Dannevig, A. 1949. The variation in growth of young codfishes from the Norwegian Skagerack coast. Fiskeridir. Skr. Ser. Havunders 9(6):1-12.
- Dannevig, A., and G. Dannevig. 1949. Factors affecting the survival of fish larvae. J. Cons. 16(2):211-215.
- Dannevig, A. 1950. The influence of temperature on number of vertebrae in plaice. FishDir Skr. 9(9):1-6.
- Dannevig, A. 1951. Young fish, Norwegian waters. Annl. Biol. 7:103.
- Dannevig, A. 1952. Hatching and rearing. Cons. perm. int. Explor. Mer, Annl. Biol. 8:127.
- Dannevig, A., and S. Hansen. 1952. Factors involved in hatching and rearing fish eggs and larvae. Fiskeridir. Skr. 10(1):1-36.
- Dannevig, A. 1956. Gadoid fish-young stages. Norwegian Skagarack coast Cons. perm. int. Explor. Mer, Annl. Biol. 11:91.
- Dannevig, A. 1956. The influence of temperature on the formation of zones in scales, otoliths of young cod. Fiskeridir. Skr. Ser. Havunders 11(7):1-16.
- Dannevig, A. 1963. Artificial propagation of cod. Rep. Norw. Fishery Mar. Invest. 13:73-79.
- Dannevig, H. 1894. The influence of temperature on the development of the eggs of fishes. 13th Ann. Rep. Fish. Bd. Scotl. 13(3):147-152.

- Dannevig, H. 1897. On the rearing of the larval and postlarval stages of the plaice and other flat-fishes. Rep. Fishery Bd. Scotl., Part III:175-192.
- Dantan, J. L. 1926. Recherches sur les premiers stades du developpement des Teleosteens. Ann. l'Inst. Oceanogr. 3:283-304.
- Darracott, A. 1977. Availability, morphometrics, feeding and breeding activity in a multi-species, demersal fish stock of the western Indian Ocean. J. Fish. Biol. 10(1):1-16.
- Das, B. B. 1917. On the process of development of [Rohita], [Catla], and [Cirrhina mrigala] in confined waters in Bengal. Proc. Indian Assoc. for the Cultivation of Sci. 3:6-20.
- Das, B. C. 1959. Comparative effects of vitamin B-12, Cobalt nitrate and ruminant stomach extract on the survival rate of Indian carps during the first three weeks of life. Indian J. Fish. 6(1):211-221.
- Das, B. C., and H. K. Murthy. 1959. Comparative effects of yeast, vitamin B complex and vitamin B-12 on the survival rate of Indian minor carps during the first two weeks of life. Proc. Nat. Inst. Sci. India 25B(6):300-306.
- Das, B. C. 1961. Effect of density on survival of Indian freshwater carps during the first two weeks of life. Proc. Nat. Inst. Sci. India 27B(3):91-103.
- Das, B. K. 1928. The bionomics of certain air breathing fishes of India, together with an account of the development of their air breathing organs. Phil. Trans. R. Soc. (London) 216B:183-219.
- Das, B. K. 1946. Further observations on the ecology, bionomics and development of the semi-terrestrial symbranchoid eels, [Amphipnous cuchia] (Ham. & Buch.) - the Cuchia eel of India. Proc. 33rd. Indian Sci. Congr. (Bangalore) Pt. 3:127.
- Das, B. K., and K. C. Pati. 1966. Preliminary observation on the supplementary feed of the fry of [Cyprinus carpio] (L.). Proc. 2nd All Indian Congr. Zool. (Varanasi) 1962, Pt. 2:445-447.
- Das, I. 1958. Observations on the nutrition of the carp spawn of the Mahanadi River. Proc. Nat. Inst. Sci. India 24B 6:274-284.
- Das, N., and S. N. Tibbo. 1962. On the feeding and growth of young herring ([Clupea harengus] L.) in captivity. Journal of the Fisheries Research Board of Canada 19:981-983.
- Das, N. 1968. Spawning, distribution, survival, and growth of larval herring ([Clupea harengus] L.) in relation to hydrographic conditions in the Bay of Fundy. Tech. Rep. Fish. Res. Bd. Can. 88, 159 pp.
- Das, N. 1972. Growth of larval herring ([Clupea harengus]) in the Bay of Fundy and Gulf of Maine area. Journal of the Fisheries Research Board of Canada 29:573-575.
- Das, R. K., and C. C. Mohanty. 1966. On the food of the fry of [Labeo calbasu] (Ham.). Proc. 2nd All India Congr. Zool. (Varanasi) 1962, Pt. 2:443-444.
- Das, S. M., and S. K. Moitra. 1957. On the early life history of [Bagarius bagarius] (Ham.). Proc. 44th Indian Sci. Congr. (Calcutta) Pt. 3:316.
- Das, S. M., and S. K. Moitra. 1957. On the early life history of [Mystus vittatus] (Bloch). Proc. 44th Indian Sci. Congr. (Calcutta) Pt. 3:315-316.
- Das, S. M., and S. K. Moitra. 1957. On the early life history of [Nemachilus zonatus] (Ham.). Proc. 44th Indian Sci. Congr. (Calcutta) Pt. 3:319-320.

- Das, S. M. 1959. Eggs, larvae and early life-history of some catfishes of Lucknow. Proc. 1st All India Congr. Zool. (Jabalpur) Pt. 2:188.
- Dashow, L., Y. Katz, M. S. Trachtman, and A. Epple. 1984. Plasma steroids in the ammocoete of [Petromyzon] [marinus]. Gen. Comp. Endocrinol. 55(3):361-366.
- Datta Munshi, J. S., K. S. Bilgrami, M. D. Saha, and M. H. O. Johar. 1979. Survey of fish-spawn collection grounds in the river Ganges. Env. Cons 6(2):153-157.
- Dauble, D. D. 1980. Life history of the bridgelip sucker in the central Columbia River. Transactions of the American Fisheries Society 109(1):92-98.
- Dauble, D. D., R. H. Gray, and T. L. Page. 1980. Importance of insects and zooplankton in the diet of 0-age chinook salmon ([Oncorhynchus tshawytscha]) in the central Columbia River. Northwest Sci. 54(4):253-258.
- Dauvin, J. C., and J.J. Dodson. 1990. Relationship between feeding incidence and vertical and longitudinal distribution of rainbow smelt larvae ([Osmerus]-Mordax) in a turbid well-mixed estuary. Marine Ecology-Progress Series 60:1-12.
- Dave, G. 1984. Effect of pH on pentachlorophenol toxicity to embryos and larvae of zebrafish ([Brachydanio rerio]). Bull. Env. Contam. Toxicol. 33(5): 621-630.
- Dave, G. 1985. The influence of pH on the toxicity of aluminum, cadmium, and iron to eggs and larvae of the zebrafish, [Brachydanio rerio]. Ecotox. Env. Safety 10(2):253-267.
- Davenport, J., O. Vahl, and S. Lonning. 1979. Cold resistance in the eggs of the capelin, [Mallotus villosus]. J. Mar. Biol. Assoc. U.K. 59(2):443-454.
- Davenport, J., and S. Lonning. 1980. Oxygen uptake in developing eggs and larvae of the cod, [Gadus morhua]. J. Fish. Biol. 16(3):249-256.
- Davenport, J., et al. 1981. Osmotic and structural change during early development of eggs and larvae of cod, [Gadus] [morhua]. J. Fish. Biol. 19(3):317-332.
- Davenport, J., S. Lonning, and E. Kjorsvik. 1983. Ammonia output by eggs and larvae of the lumpsucker, [Cyclopterus lumpus], the cod, [Gadus morhua], and the plaice, [Pleuronectes platessa]. J. Mar. Biol. Assoc. U. K. 63:713.
- Davenport, J. 1983. Oxygen and the developing eggs and larvae of the lumpfish, [Cyclopterus lumpus]. J. Mar. Biol. Assoc. U. K. 63:633.
- Davenport, J., and A. Stene. 1986. Freezing resistance, temperature and salinity tolerance in eggs, larvae and adults of capelin, [Mallotus villosus], from Balsfjord. J. Mar. Biol. Assoc. U. K. 66(1):145-158.
- Davenport, J., S. Lonning, and E. Kjorsvik. 1986. Some mechanical and morphological properties of the chorion of marine teleost eggs. J. Fish. Biol. 29(3):289-301.
- David, A. 1961. Notes on the embryonic and larval development of the "Guanch", [Bagarius bagarius] (Hamilton). Journal of Zoology Soc. India 13(2):194-205.
- David, A. 1967. Fishery biology of the schilbeid catfish, [Pangasius] [pangasius] (Ham.), and its utility and propagation in culture ponds. Adv. Abstr. Contr. Fish. Aquat. Sci. India 1(1):9-10.
- David, L. R. 1935. Die Entwicklung der Clariiden und ihre Verbreitung. Rev. Zool. Bot. Afr. 28(1):77-149. (In German).
- David, L. R. 1939. Embryonic and early larval stages of the grunion, [Leuresthes tenuis], and the sculpin, [Scorpaena] [guttata]. Copeia 1939(2):75-81.



- Davidson, C. D. 1969. Spawning [*Mystus vittatus*]. Trop. Fish Hobby. 17(12):92-93.
- Davidson, F. J. M., and B. Deyoung. 1995. Modelling advection of cod eggs and larvae on the Newfoundland Shelf. Fisheries Oceanography 4:33-51.
- Davies, D. H. 1954. The South African pilchard, [*Sardinops ocellata*], sexual maturity and reproduction 1950-54. Invest. Rep. Sea Fish. Branch So. Afr. (15):1-28.
- Davies, D. H. 1956. The South African pilchard, [*Sardinops ocellata*], sexual maturity and reproduction 1950-54. Invest. Rep. Sea Fish. Branch. So. Afr. (22):1-55.
- Davies, D. H. 1957. The South African pilchard, [*Sardinops ocellata*], and maasbanker, [*Trachurus trachurus*]. Young fish survey, 1955-56. Invest. Rep. Sea Fish. Branch. So. Afr. (29):1-36.
- Davies, I. E., and E. G. Barham. 1969. The Tucker opening-closing micronekton net and its performance in a study of the deep scattering layer. Mar. Biol. 2(2):127-131.
- Davies, P. H., et al. 1976. Acute and chronic toxicity of lead to rainbow trout, [*Salmo gairdneri*], in hard and soft water. Water Res. (G.B)10:199.
- Davies, R. W., and G. W. Thompson. 1976. Movements of mountain whitefish ([*Prosopium williamsoni*]) in the Sheep River watershed, Alberta. Journal of the Fisheries Research Board of Canada 33:2395-2401.
- Davies, W. D. 1970. The effects of temperature, pH, and total dissolved solids on the survival of immature striped bass, [*Morone saxatilis*] (Walbaum). Ph.D. Diss., North Carolina St. Univ., Raleigh, NC.
- Davies, W. D. 1973. The effects of total dissolved solids, temperature, and pH on the survival of immature striped bass: a response surface experiment. Progressive Fish-Culturist 35(3):157-160.
- Davies, W. D. 1973. Rates of temperature acclimation for hatchery reared striped bass fry and fingerlings. Progressive Fish-Culturist 35(4):214-217.
- Davis, A. S., and G. J. Paulik. 1965. The design, operation, and testing of a photoelectric fish egg counter. Progressive Fish-Culturist 21(4):185-192.
- Davis, C. C. 1959. Damage to fish fry by cyclopoid copepods. Ohio J. Sci. 59(2):101-102.
- Davis, C. C. 1959. A planktonic fish egg from fresh water. Limnol. Oceanogr. 4(3): 352-355.
- Davis, C. C. 1972. The effects of pollutants on the reproduction of marine organisms. Pages 305-311 [in] Marine pollution and sea life. Fishing News Ltd. (Lond.).
- Davis, C. W. 1971. Marking small Atlantic herring with biological stains. Prog. Fish-Cult 33(3):160-162.
- Davis, D. D., and U. R. Gore. 1947. Clearing and staining skeletons of small vertebrates. Fieldiana: Technique 4:1-16.
- Davis, E. M., G. L. Rumsey, and J. G. Nikum. 1976. Egg-processing wastes as a replacement protein source in salmonid diets. Progressive Fish-Culturist 38(1):20-22.
- Davis, G. E., J. Foster, C. E. Warren, and P. Doudoroff. 1963. The influence of oxygen concentration on the swimming performance of juvenile Pacific salmon at various temperatures. Transactions of the American Fisheries Society 92:111-124.

- Davis, J. R., and D. E. Louder. 1969. Life history and ecology of [*Menidia extensa*]. Transactions of the American Fisheries Society 98:466-477.
- Davis, J. R. 1971. The spawning behavior, fecundity rates, and food habits of the redbreast sunfish in southeastern North Carolina. Proc. 25th Ann. Conf. S. E. Assoc. G & F Comms. 25:556-560.
- Davis, J. R. 1973. Spawning sites and nurseries of fishes of the genus [*Alosa*] in VA. Pages 140-141 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval, and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS Mid. Atl. Coast Fish. Cent., Highlands, N.J. 338 pp.
- Davis, J. R. 1978. Reproductive seasons in [*Gambusia affinis*] and [*Gambusia geiseri*] (Osteichthyes: Poeciliidae) from southcentral Texas. Texas J. Sci. 30(1):97-99.
- Davis, M. W., and B. L. Olla. 1992. Comparison of growth, behavior and lipid concentrations of walleye pollock [*Theragra chalcogramma*] larvae fed lipid-enriched, lipid-deficient and field-collected prey. Marine Ecology-Progress Series 90:23-30.
- Davis, M. W., and B. L. Olla. 1994. Ontogenetic shift in geotaxis for walleye pollock, [*Theragra chalcogramma*] free embryos and larvae - potential role in controlling vertical distribution. Environmental Biology of Fishes 39:313-318.
- Davis, M. W., and B. L. Olla. 1995. Formation and maintenance of aggregations in walleye pollock, [*Theragra chalcogramma*], larvae under laboratory conditions: role of visual and chemical stimuli. Environmental Biology of Fishes 44:385-392.
- Davis, R. M., and E. Enamait. 1977. Upper Potomac River investigations, Federal Aid Project No. F-29-R-2. Job Progress Rep., MD. Dept. Nat. Res., Fish. Admin., 33 pp.
- Davis, T. L. O. 1977. Reproductive biology of the freshwater catfish, [*Tandanus tandanus*] Mitchell, in the Gwydir River, Australia. II. Gonadal cycle and fecundity. Aust. J. Mar. Freshwater Res. 28(2):159-169.
- Davis, T. L. O. 1985. Seasonal changes in gonad maturity, and abundance of larvae and early juveniles of barramundi, [*Lates*] [*calcarifer*] (Bloch), in Van Diemen Gulf and the Gulf of Carpentaria. Aust. J. Mar. Freshwat. Res. 36(2):177-190.
- Davis, T. L. O., and L.A. Clementson. 1989. Data report on the vertical and horizontal distribution of tuna larvae in the East Indian Ocean, January-February 1987. CSIRO Marine Laboratories. Report No. 206. 39 p.
- Davis, T. L. O., G. P. Jenkins, M. Yukinawa, and Y. Nishikawa. 1989. Tuna larvae abundance - comparative estimates from concurrent Japanese and Australian sampling programs. Fishery Bulletin 87:976-981.
- Davis, T. L. O., G. P. Jenkins, and J. W. Young. 1990. Patterns of horizontal distribution of the larvae of southern bluefin ([*Thunnus-Maccoyii*]) and other tuna in the Indian Ocean. Journal of Plankton Research 12:1295-1314.
- Davis, T. L. O., G.P. Jenkins, J.W. Young. 1990. Diel patterns of vertical distribution in larvae of southern bluefin [*Thunnus-Maccoyii*], and other tuna in the east Indian Ocean. Marine Ecology-Progress Series 59:63-74.
- Davis, T. L. O., V. Lyne, and G. P. Jenkins. 1991. Advection, dispersion and mortality of a patch of southern bluefin tuna larvae [*Thunnus maccoyii*] in the east Indian Ocean. Marine Ecology-Progress Series 73:33-45.
- Davis, W. L., and T. M. Freeze. 1977. The occurrence and relative abundance of planktonic fish larvae in Anderson Creek embayment, Kentucky Lake, Kentucky. Trans. Kentucky Acad. Sci. 38(3-4):120.

- Davis, W. P. 1967. Ecological interactions, comparative biology and evolutionary trends of thirteen pomadasyid fishes at Alligator Reef, Florida Keys. Ph.D. Diss., Univ. Miami, Coral Gables. 127 pp.
- Davis, W. P. 1970. Closed systems and the rearing of fish larvae. Pages 691-696 [in] Intl. Symp. Biol. Anstalt Helgoland. Helgolander wiss. Meeresunters 20.
- Davison, R. C. 1954. Some effects of low concentrations of dissolved oxygen upon juvenile silver salmon. M.S. Thesis, Oregon St. Univ., Corvallis, OR, 48 pp.
- Dawes, B. 1930. Growth and maintenance in the plaice ([Pleuronectes] [platessa] L.). Part I. J. Mar. Biol. Assoc. U.K., No. 17:103-147.
- Dawes, B. 1931. Growth and maintenance in the plaice ([Pleuronectes] [platessa] L.). Part II. J. Mar. Biol. Assoc. U. K., No. 17:877-947.
- Dawley, E. M., and W. J. Ebel. 1975. Effect of various concentrations of dissolved atmospheric gas on juvenile chinook salmon and steelhead trout. Fish. Bull. 73(4):787-796.
- Dawley, E. M., M. Schiewe, and B. Monk. 1976. Effects of long-term exposure to supersaturation of dissolved atmospheric gases on juvenile chinook salmon and steelhead trout in deep and shallow test tanks. Pages 1-10 [in] D. H. Fickeisen and M. J. Schneider, editors. Gas bubble disease. Energy Res. Develop. Adm., Tech. Inf. Ctr., CONF-741033, Oak Ridge, TN.
- Dawson, C. E. 1958. A study of the biology and life history of the spot, [Leiostomus xanthurus] Lacepede, with special reference to South Carolina. Contr. Bears Bluff Lab. Wadmalaw Island, 1958(28):1-48.
- Dawson, C. E. 1963. Length and weight relationships of young red snappers from the northern Gulf of Mexico. Transactions of the American Fisheries Society 92(3):310-311.
- Dawson, C. E. 1966. Studies on the gobies (Pisces:Gobiidae) of Mississippi Sound and adjacent waters. I. [Gobiosoma]. Am. Midl. Nat. 76(2):379-409.
- Dawson, C. E. 1971. Occurrence and description of prejuvenile and early juvenile Gulf of Maine cobia, [Rachycentron canadum]. Copeia 1971(1):65-71.
- Dawson, C. E. 1971. Notes on juvenile black driftfish, [Hyperoglyphe] [bythities], from the northern Gulf of Mexico. Copeia 1971(4):732-734.
- Dawson, K. 1960. The artificial hatching of salmon. Trout Salm. 5(55):14-15.
- Dawson, M. A., E. Gould, F. P. Thurberg, and A. Calabrese. 1977. Physiological response of juvenile striped bass, [Morone saxatilis], to low levels of cadmium and mercury. Chesapeake Sci. 18(4):353-359.
- Day, D. S. 1971. Macrozooplankton and small nekton in the coastal waters off Vancouver Island (Canada) and Washington, spring and fall of 1983. NOAA Tech. Rep. NMFS Spec. Sci. Rep. Fish., No. 619, 94 pp.
- Day, D. S., G. A. Sanger, H. A. Symmonds, and S. T. Threlkeld. 1971. Bibliography of the ichthyoplankton of the subarctic Pacific region. NOAA, NMFS No. Pac. Fish. Res. Ctr., Seattle, WA.
- Day, L. R. 1941. A preliminary report on elver migrations in the Moser River. Fish. Res. Bd. Can., St. Andrews Biol. Sta. Ms. Rep. 213, St. Andrews.
- Day, L. R. 1957. Vertebral numbers and first year growth of Canadian Atlantic herring ([Clupea harengus] L.) in relation to water temperature. Bull. Fish. Res. Bd. Can. 3:165-175.

- Day, L. R., W. G. Carson, and A. H. Leim. 1957. Distribution of young fish in Canadian Atlantic waters in 1955. Fish. Res. Bd. Can., Biol. Sta., St. Andrews, Ann. Rep. 1956:163-165.
- Day, L. R. 1961. Summer surface distribution of redfish larvae in ICNAF Subarea 4, 1954-1955. ICES/ICNAF Redfish Symp. Spec. Publ. Int. Commn NW Atl. Fish. No. 3:195-198.
- Daye, P. G., and E. T. Garside. 1977. Lower lethal levels of pH for embryos and alevins of Atlantic salmon, [*Salmo salar*] L. Canadian Journal of Zoology 55:1504-1508.
- Daye, P. G., and E. T. Garside. 1979. Development and survival of embryos and alevins of the Atlantic salmon, [*Salmo salar*] L., continuously exposed to acidic levels of pH, from fertilization. Canadian Journal of Zoology 57:1713-1718.
- Daye, P. G. 1980. Attempts to acclimate embryos and alevins of Atlantic salmon, [*Salmo salar*], and rainbow trout, [*S. gairdneri*], to low pH. Canadian Journal of Fisheries and Aquatic Sciences 37:1035-1038.
- Daye, P. G., and E. T. Garside. 1980. Development, survival, and structural alterations of embryos and alevins of Atlantic salmon, [*Salmo salar*] L., continuously exposed to alkaline levels of pH, from fertilization. Canadian Journal of Zoology 58(3):369-377.
- Daye, P. G. 1982. Tolerance of Atlantic salmon fry and parr to low pH. Pages 348-349 [in] R. E. Johnson, editor. Acid rain/fisheries. Proc. Intl. Symp. Am. Fish. Soc., Cornell Univ., Ithaca.
- Daykin, P. N. 1965. Application of mass transfer theory to the problem of respiration in fish eggs. Journal of the Fisheries Research Board of Canada 22:159-171.
- De Angelis, C. M. 1981. Problems concerning aquaculture to restock coastal lagoons in the Mediterranean basin. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:504.
- de Angelis, R. 1955. The capture and acclimatization of sea fry with a view to stocking inland waters. Proc. Gen. Fish. Counc. Medit. 3:243-252.
- De Bruyn, M., and P. McCart. 1974. Life history of grayling (*[Thymallus arcticus]*) in Beaufort sea drainages in the Yukon Territory. Pages 1-39 [in] P. J. McCart, editor. Fisheries research associated with proposed gas pipeline routes in Alaska, Yukon, and NW Territories. Can. Arc. Gas Study Ltd., Calgary, Biol. Rep. Ser., Vol.
- De Buen, F. 1930. Estados larvarios y juveniles de la [*Sarda sarda*] (Bloch). Trab. Inst. Esp. Oceanogr. 3:5-32.
- de Ciechomski, J. D. 1964. Estudios sobre el desove e influencia de algunos factores ambientales sobre el desarrollo embrionario de la anchoita, [*Engraulis anchoita*]. Contr. Inst. Biol. Mar. del Plata 14-16.
- de Ciechomski, J. D. 1965. Development of fish embryos in a non-aqueous medium. Acta Embryol. Morph. Exp. 8:183-188.
- de Ciechomski, J. D. 1965. Observaciones sobre la reproduccion, desarrollo embrionario y larval de la anchoita argentina (*[Engraulis anchoita]*). Bol. Inst. Biol. Mar. Mar del Plata 9, 29 pp.
- de Ciechomski, J. D. 1966. Development of the larvae and variations in the size of the eggs of the Argentine anchovy, [*Engraulis*] [*anchoita*] Hubbs and Marini. J. Cons. perm int. Explor. Mer 30:281-290.
- de Ciechomski, J. D. 1967. Influence of some environmental factors upon the embryonic development of the Argentine anchovy, [*Engraulis anchoita*] (Hubbs, Marini). Rep. California Coop. Oceanic Fish. Invest. 11:67-71.

- de Ciechowski, J. D. 1967. Spawning and fecundity of the Argentinian hake, [*Merluccius merluccius*], in the Buenos Aires sector. Bull. Inst. Mar. Biol. No. 13:29.
- de Ciechowski, J. D. 1967. Present state of investigations on the Argentine anchovy, [*Engraulis anchoita*] (Hubbs, Marini). Rep. California Coop. Oceanic Fish. Invest. 11:58-66.
- de Ciechowski, J. D. 1968. Distribucion estacional de huevos de la anchoita, [*Engraulis anchoita*], en el Atlantico sudoccidental. CARPAS Doc. Ocas. (4/D. Tec. 31):8 pp.
- de Ciechowski, J. D. 1968. Distribucion y abundancia de los huevos y larvas de la anchoita en la region bonaerense y norte patagonico. Publ. Proy. Desarr. Pesq. (Ser. Inf. Tec.) (4):7 pp.
- de Ciechowski, J. D. 1968. Huevos y larvas de tres especies de peces marinos, [*Anchoa maringii*], [*Brevoortia aurea*], y [*Prionotus*] [*nudigula*] de la zona de Mar del Plata. Bol. Inst. Biol. Mar. 17:1-28.
- de Ciechowski, J. D. 1969. Investigaciones sobre la distribucion de huevos de anchoita frente a las costas argentinas, uruguayas y sur de Brasil. Resultados de nueve companas oceanograficas, agosto 1967 - julio 1968. Publ. Proy. Desarr. Pesq. (Ser. Inf. Tec.) (14):10 pp.
- de Ciechowski, J. D. 1969. Nota sobre al hallazgo de larvos de un pez batipelagico, [*Idiacanthus*] sp., en el Atlantico sur frente a la Argentina. Physis 28:239-246.
- de Ciechowski, J. D. 1970. Distribucion y abundancia de huevos de anchoita en el plancton frente a la Argentina, Uruguay y sur de Brasil. Resultados de diez companas oceanograficas, agosto 1968 - agosto 1969. Publ. Proy. Desarr. Pesq. (Ser. Inf. Tec.) (25):10 pp.
- de Ciechowski, J. D. 1971. Distribucioin regional y cuantitativa de huevos de anchoita, [*Engraulis anchoita*], caballa, [*Scomber*] [*japonicus marplatensis*], y sardina fueguina, [*Sprattus fueguensis*], en el mar Argentino. CARPAS Doc. Ocas. (5/D. Tec. 6):12 pp.
- de Ciechowski, J. D. 1971. Estudios sobre abudancia y distribucion de huevos de anchoita en el mar frente a la Argentina u Uruguay. Resultados de once companas oceanograficas, septiembre 1969 - diciembre 1970. Publ. Proy. Desarr. Pesq. (Ser. Inf. Tec.)(33):19 pp.
- de Ciechowski, J. D. 1971. Regional and quantitative distribution of eggs of anchovy (*[Engraulis anchoita]*), mackerel (*[Scomber] [japonicus marplatensis]*) and sprat (*[Sprattus] [fueguensis]*) on the Argentinian shelf. In: CARPAS-Documentaci utilizada durante la Quinta Reunion. Mar del Plata (Argentina) 22-26 de Marzo de 1971.
- de Ciechowski, J. D. 1971. Study on the abundance and distribution of anchovy eggs in the sea off the coasts of Argentina and Uruguay. Results of twelve oceanographic curise between Sept. 1969 and Dec. 1970. Publ. Proy. Desarr. Pesq. Gob. Argent. PNUD, Mar del Plata, No. 33:20.
- de Ciechowski, J. D., and G. Weiss. 1971. The influence of the temperature on the number of vertebrae in the Argentine anchovy, [*Engraulis*] [*anchoita*] (Hubbs & Marini). J. Cons. int. Explor. Mer 34:37-42.
- de Ciechowski, J. D. 1972. Desarrollo embrionario y lrrval del cornalito, [*Austroatherina incisa*] (Jenyns, 1942) Marrero, 1950. Pisces Atherinidae. An. Soc. Cient. Argent. 193:273-281.
- de Ciechowski, J. D. 1973. The size of the eggs of the Argentine anchovy, [*Engraulis anchoita*] (Hubbs and Marini) in relation to the season of the year and the area of spawning. J. Fish. Biol. 5(3):393-398.

de Ciechowski, J. D., and D. A. Capezzani. 1973. Studies on the evaluation of the spawning stocks of the Argentinean anchovy (*[Engraulis anchoita]*) on the basis of egg surveys. Pages 293-301 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.

de Ciechowski, J. D., and G. Weiss. 1973. Reproduccion, desarrollo embrionario y larval del surel, [*Trachurus picturatus australis*] (Pisces), en el area del Mar del Plata y zonas adyacentes. Physis Secc. A Oceanos Org. 32:85-93.

de Ciechowski, J. D., and G. Weiss. 1973. Spawning and embryonic and larval development of [*Pagrus pagrus*] in the Argentine Sea: Pisces, Sparidae. Physis B. Aires Seccion A. 32(85): 481-487.

de Ciechowski, J. D., and G. Weiss. 1974. Distribution of eggs and larvae of the hake, [*Merluccius merluccius hubbsi*], in the shelf waters off Argentina and Uruguay in relation to the anchovy, [*Engraulis anchoita*], and to environmental factors. Physis 33(86):185-198.

de Ciechowski, J. D., and G. Weiss. 1974. Estudios sobre la alimentacion de las larvas de merluza, [*Merluccius merluccius hubbsi*], y de anchoita, [*Engraulis anchoita*], en el mar. Physis (B Aires) 33(86):199-208.

de Ciechowski, J. D. 1975. Caracteristicos y distribucion de postlarvos del acorazado, [*Agonopsis cheloensis*] (Jenyns 1842), y de [*Tripterygion cunninghami*] Smitt 1898, en aguas del Atlantico frente a la Argentina. Physis A(34):309-317.

de Ciechowski, J. D., M. C. Cassia, and G. Weiss. 1975. Distribucion de huevos, larvas y juveniles de peces en los sectores surbonaerensis, patagonico y fueguino del mar epicontinental Argentino, en relacion con las condiciones ambientales, en Noviembre 1973 - Enero 1974. Ecosur, 2:219-248.

de Ciechowski, J. D. 1975. Estado actual del conocimiento del ictioplancton en las Aguas de la Plataforma del Atlantico sudoccidental frente a Argentina. Mem. Symposia Latino-Americano sobre Oceanogr. Biol., Univ. Oriente 217-232.

de Ciechowski, J. D., and G. Weiss. 1975. Caracteristicos de las branquispinas en postlarvos de anchoita, [*Engraulis anchoita*] (Hubbs & Marini), desarrolladas in diferentes estaciones del ano y en different temperatures. Physis A(34):1-11.

de Ciechowski, J. D., and G. Weiss. 1976. Desarrollo y distribucion de postlarvas del robalo, [*Eleginops maclovinus*] (Val., 1830) Dollo 1904; de la merluza negra, [*Dissostichus eleginoides*] Smitt, 1899 y de las nototenias [*Notothenia*] spp. Pisces. Nototheniidae. Physis Secc. A. Oceanos Org. 35(9):115-125.

de Ciechowski, J. D., and M. C. Cassia. 1976. Characteristics of the reproduction, spawning, and fecundity of [*Acanthistius brasiliensis*] in coastal waters off Argentina. Physis B. Aires Seccion a. 35(90):27-36.

de Ciechowski, J. D., and M. D. Ehrlich. 1977. Alimentacion de juveniles de pescadilla, [*Cynoscion*] [*striatus*] (Cuv. 1829) Jordan and Evermann 1889, en el mar y en condiciones experimentalse. Physis, Sec. A, 37(93):1-12.

de Ciechowski, J. D., and M. C. Cassia. 1978. Studies on the growth of juveniles of [*Cynoscion*] [*striatus*] in the sea and in aquaria. J. Fish. Biol. 13(5):521-526.

de Ciechowski, J. D., et al. 1979. Distribucion de huevos y larvos de anchoita, [*Engraulis anchoita*], en el Mar Argentina en deferentes epocas del ano y evaluacion de sus efectivos de adultos desovantes. Contr. Inst. nac Invest. Desarrollo pesq. 379.

de Ciechowski, J. D., et al. 1979. Distribucion de huevos y larvos de merluza, [*Merluccius hubbsi*], en el Mar Argentina en deferentes epocas del ano y evaluacion de sus efectivos de adultos desovantes. Contr. Inst. nac Invest. Desarrollo pesq. 380.

de Ciechowski, J. D. 1980. Alimentacion y crecimiento de juveniles de corvina, [*Micropogon opercularis*], en condiciones experimentales. Bolm Inst. Oceanogr. S. Paulo 29 (2):109-112.

de Ciechowski, J. D. 1981. Ictioplancton. [In]: D. Botovskoy, editor. Atlas del zooplancton del Atlantico suboccidental y metodos de trabajo con zooplancton marino. Inst. Nacional de Invest. y Desarrollo Pesquero (INIDEP), Minis. de Comercio e Intereses Maritimos, Repub. Argentina.

de Ciechowski, J. D., and C. I. Booman. 1981. Descripcion de embriones y de areas de reproduccion de los granaderos, [*Macrourus whitsoni*], y [*Coelorhynchus fasciatus*], de la polaca, [*Micromesistius australis*] y del bacalao austral [*Salilota australis*] en la zona patagonica y fueguina del Atlantico sudoccidental. Physis Secc. A. Oceans Org. 40(98): 5-14.

de Ciechowski, J. D., et al. 1981. Distribucion de huevos y larvos de peces en el Mar Argentino y evaluacion de los efectivos de desovantes de anchoita y de merluza. Contr. Inst. nac Invest. Desarollo pesq 383:59-79.

de Ciechowski, J. D., and M. C. Cassia. 1982. Observacions sobre embryones, larvos y juveniles de la pescadilla, [*Cynoscion striatus*]. Rev. Invest. Des. Pesq. INTDEP 3:5-13.

de Ciechowski, J. D., and R. P. Sanchez. 1983. Relationship between ichthyoplankton abundance and associated zooplankton biomass in the shelf waters off Argentina. Biol. Oceanogr. 3:77-101.

de Ciechowski, J. D., and C. I. Booman. 1983. Distribucion cuantitativa de huevos y larvos de anchoita, [*Engraulis anchoita*], en la plataforma continental, frente a las costas de la Argentina y Uruguay in el ciclo anual 1981-82. Contr. Inst. nac. Invest. Desarrollo pesq. 431.

De Filippi, F. 1847. Nouvelles recherches sur l'embryogenie des poissons. Ann. des Sci. Nat. 3rd Ser. Zool. 7:65-72.

de Gaetani, D. D. 1931. Uova, sviluppo embrionale e stadi post-embrionali negli Sparidi. 1. [*Oblata melanura*] Cuv. R. Comm. Talassogr. Mem. 183.

de Gaetani, D. 1936. Uova, sviluppo embrionale e stadi post-embrionali negli Sparidi. 4. [*Pagrus vulgaris*] C. V. Mem. Comm. Talassogr. Ital. 226:1-14.

De Jager, B. D. 1954. The South African pilchard. Plankton studies in and around St. Helena Bay, 1950-51. Invest. Rep. Div. Fish. Union So. Afr. 17:26 pp.

De Jong, J. C. M. 1936. Beitrage zur kinntnis des Baues und der Entwicklung du Schwimmbalase einiger Physoclisten. H. J. Paris, Amsterdam. 91 pp.

de Kimpe, P., and J. C. Micha. 1974. First guidelines for the culture of [*Clarias lazera*] in central Africa. Aquaculture 4(3):227-248.

de Lafontaine, Y. 1979. Distribution spatio-temporelle de l'ichthyoplancton dans l'estuaire maritime et le nord-ouest du Golfe St-Laurent. M.S. Thesis, Univ. Quebec, Rimouski. 135 pp.

de LaFontaine, Y., M. Sinclair, S. N. Messieh, M. E. El-Sabh, and C. L. Lassus. 1981. The vertical distribution of eggs and larvae of blue whiting ([*Micromesistius poutassou*]) and mackerel ([*Scomber scombrus*]) in the eastern North Atlantic and North Sea. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 178:185-187.

de Lafontaine, Y., M. Sinclair, S. N. Messieh, M. I. El-Sasbh, and C. Lassus. 1981. Ichthyoplankton distributions in the northwestern Gulf of St. Lawrence. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:185-187.

de Lafontaine, Y., M. Sinclair, M. I. El-Sabh, C. Lassus, and R. Fournier. 1984. Temporal occurrence of ichthyoplankton in relation to hydrographic and biological variables at a field station in the St. Lawrence estuary. *Est., Coast. and Shelf Sci.* 18:177-190.

de Lafontaine, Y., and W.C. Leggett. 1987. Effect of container size on estimates of mortality and predation rates in experiments with macrozooplankton and larval fish. *Can. J. Fish. Aquat. Sci.* 44:1534-1543.

de Lafontaine, Y., and W. C. Leggett. 1987. Evaluation of in situ enclosures for larval fish studies. *Can. J. Fish. Aquat. Sci.* 44: 54-65.

de Lafontaine, Y., and W.C. Leggett. 1988. Predation by jellyfish on larval fish: An experimental evaluation employing in situ enclosures. *Can. J. Fish. Aquat. Sci.* 45:1173-1196.

de Mendiola, B. R. 1964. Abundancia de los nuevos de anchoveta, [*Engraulis ringens*], con relacion a la temperatura del mar en la region de Chimbote. *Inf. Inst. Mar Peru* 25:1-24.

de Mendiola, B. R. 1974. Food of larval anchoveta, [*Engraulis ringens*] J. Pages 277-285 [in] J. H. S. Blaxter, editor. *The early life history of fish.* Springer-Verlag, Berlin.

de Silva, C. 1974. Development of the respiratory system in herring and plaice larvae. Pages 465-485 [in] J. H. S. Blaxter, editor. *The early life history of fish.* Springer-Verlag, Berlin.

de Vlaming, V., et al. 1983. Aspects of embryo nutrition and excretion among viviparous embiotocid teleosts: potential endocrine involvements. *Comp. Biochem. Physiol.* 76A:189-198.

De, G. K. 1973. On the spawning of cultivable carps in the Dead River, Jalai: Tripura (India). *J. Inland Fish. Soc. India, Barrackpore.* 4:183-188.

De, K. C. 1936. A few hints on the culture of fish in tanks in eastern Bengal and Assam. Bengal Govt. Press Bengal.

Deacon, L. I., and J.A. Keast. 1987. Patterns of reproduction in two populations of pumpkinseed sunfish, [*Lepomis gibbosus*], with differing food resources. *Environmental Biology of Fishes* 19: 281-296.

Deacutis, C. F. 1978. Effect of thermal shock on predator avoidance by larvae of two fish species. *Transactions of the American Fisheries Society* 107(4):632-635.

Dean, B. 1893. Note on the spawning conditions of the sturgeons. *Zool. Anz.* 16(436): 473-475.

Dean, B. 1893. Development of the shortnose sturgeon. *Zool. Anz.* 16:473.

Dean, B. 1894. Recent experiments in sturgeon hatching on the Delaware. *Bull. U.S. Fish Commn.* 13:335-339.

Dean, B. 1895. Early development of [*Amia*]. *Q. J. Microsc. Sci.* 38:413-444.

Dean, B. 1895. Early development of gar-pike and sturgeon. *J. Morph.* 11:1-62.

Dean, B. 1895. Notes on the early development of the ganoids, [*Lepidosteus*], [*Acipenser*], and [*Amia*]. *Rep. Br. Assoc. Advmt. Sci.* 65. meet.:734.

Dean, B. 1896. On the early development of ganoids. *Int. Congr. Zool. (Leyde), 1895 (1896):*336-346. Abstract in *J. R. Microsc. Soc.* 1896(2), Ser. 16: 497-498.



- Dean, B. 1896. On the larval development of [*Amia calva*]. Zool. J. 9:639-672. Abstract in J. R. Microsc. Soc. 1896(2), ser. 17:20-21.
- Dean, B. 1898. On the development of the California hag-fish, [*Bdellostoma stouti*] Lackington. Q. J. Microsc. Sci. 40:269-279.
- Dean, B. 1899. Notes on the development of a myxinoid. Science, N.Y. 9:311.
- Dean, B. 1899. On the embryology of [*Bdellostoma stouti*]. A general account of myxinoid development from the egg and segmentation to hatching. Pages 221-276 [in] C. Kupffer, editor. Festschrift zum siebenzigsten Geburtstag. Jena, 1899.
- Dean, B. 1900. The egg of the hagfish, [*Myxine glutinosa*] L. Mem. New York Acad. Sci., 2(pt. 2):33-46.
- Dean, B. 1903. The eggs of the eastern Atlantic hag-fish, [*Myxine*] [*limosa*] Gir. Science, N.Y. 17:433.
- Dean, B. 1904. The egg-cases of chimaeroid fishes (Abstract of paper presented at 1st meeting of the eastern branch of the Am. Soc. of Zool.). American Naturalist 38:482-487.
- Dean, B. 1906. Chimaeroid fishes and their development. Publ. Carnegie Inst., No. 32:1-195.
- Dean, B. 1912. Orthogenesis in the egg capsules of chimaera. Bull. Am. Mus. Nat. Hist. 31(3):35-40.
- Dean, B. 1912. Changes in the behavior of the eel during transformation. Ann. New York Acad. Sci. 22:321-326.
- Dean, B., and F. B. Summer. 1897. Notes on the spawning habits of the brook lamprey ([*Petromyzon wildeni*]). Trans. New York Acad. Sci. 16:321-324.
- Dean, H. J. 1979. Reproduction of lake trout in Lake George. New York Fish Game J. 26(2):188-191.
- Dean, W. J., and W. H. Bailey. 1977. Reproductive repression of largemouth bass in a heated reservoir. Proc. 31st Ann. Conf. S. E. Assoc. G & F Comms. 31:463-470.
- DeAngelis, D. L., S. W. Christensen, and A. G. Clark. 1977. Responses of a fish population model to young-of-the-year mortality. Journal of the Fisheries Research Board of Canada 34(11):2124-2132.
- DeAngelis, D. L., W. Van Winkle, S. W. Christensen, S. R. Blum, B. L. Kirk, B. W. Rust, and C. Ross. 1978. A generalized fish life-cycle population model and computer program. ORNL/TM-6125. Publication No. 1128. Environmental Sciences Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee.
- DeAngelis, D. L., and S. W. Christensen. 1979. A general stock-recruitment curve. J. Cons. Int. Explor. Mer. 38(3):324-325.
- DeAngelis, D. L., and C. C. Coutant. 1979. Growth rates and size distributions of first-year smallmouth bass populations: some conclusions from experiments and a model. Transactions of the American Fisheries Society 108(2):137-141.
- DeAngelis, D. L., D. K. Cox, and C. C. Coutant. 1979. Cannibalism and size dispersal in young-of-the-year largemouth bass: experiment and model. Ecol. Model. 8:133-148.
- DeAngelis, D. L., P. A. Hackney, and J. C. Webb. 1980. A partial different equation model of changing sizes and numbers in a cohort of juvenile fish. Environmental Biology of Fishes 5(3):261-266.

- DeAngelis, D. L., K. A. Rose, L. B. Crowder, E. A. Marschall, and D. Lika. 1993. Fish cohort dynamics: application of complementary modeling approaches. *American Naturalist* 142: 604-622.
- DeAngelis, D. L., B. J. Shuter, M. S. Ridgway, and M. Scheffer. 1993. Modeling growth and survival in an age-0 fish cohort. *Trans. of the Amer. Fish. Soc.* 122: 927-941.
- Dearborn, J. H. 1965. Reproduction in the nototheniid fish, [*Trematomus*] [*bernaecheii*], at McMurdo Sound, Antarctica. *Copeia* 1965:302-308.
- Deason, H. J. 1934. The development of fishes: tracing the natural developments from egg to fry. *The Fisherman* (Grand Haven, Michigan) 3(11):1,3.
- Debeaupuis, J. P., and P. Lafont. 1985. Effects of some mycotoxins and synthetic geotoxic substances on the embryonic and larval development of [*Brachydanio rerio*]. *C. R. Acad. Sci. Ser. III-VIE* 300(5):167-170.
- DeBeer, G. R. 1924. The prootic somites of [*Heterodontus*] and [*Amia*]. *Q. J. Microsc. Sci.* 68(1):17-38.
- DeBeer, G. R. 1925. Contribution to the development of the skull in sturgeons. *Q. J. Microsc. Sci.* 69:671-687.
- DeBeer, G. R. 1951. *Embryos and ancestors*. Oxford at the Clarendon Press, London.
- Deblois, E. M.; Leggett, W. C. 1991. Functional response and potential impact of invertebrate predators on benthic fish eggs - analysis of the [*Calliopius laeviusculus*]-capelin ([*Mallotus villosus*]) predator-prey system. *Marine Ecology-Progress Series* 69:205-216.
- Deblois, E. M., and W. C. Leggett. 1993. Match mismatch between the abundance of marine fish eggs and invertebrate predators - an analysis of [*Calliopius laeviusculus*] (Amphipoda, Gammaridae) population growth relative to the seasonal spawning cycle of capelin (*Mallotus-Villosus*). *Canadian Journal of Fisheries and Aquatic Sciences* 50:2581-2590.
- DeBruine, H. 1936. Embryology of the spleen in [*Amia calva*]. *Pap. Mich. Acad. Sci. Arts and Lett.* 22:573-592.
- DeBuen, F. 1930. Estados larvarios y juveniles de la [*Sarda sarda*] (Bloch). In Spanish *Trab. Inst. Esp. Oceanogr.* (3):5-32.
- DeBuen, F. 1940. Huevos, crias, larvas y juvenes de [*Chirostoma*] del Lago de Patzcuaro. *Trab. Estac. Limnol. Patzcuaro* 3:1-14.
- Dechant, T. F. 1979. Relationships between the intragravel environment and egg and alevin mortality in three southern Appalachian trout streams. M.S. Thesis, Western Carolina Univ., Cullowhee, NC.
- Deciechowski, J. D. 1981. Food utilization by juveniles of some sciaenid fish from coastal waters off Argentina. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:389-392.
- Deciechowski, J. D., and R. P. Sanchez. 1984. Field estimates of embryonic mortality of southwest Atlantic anchovy ([*Engraulis anchoita*]). *Meeresforschung Rep. Mar. Res.* 30(3):172-187.
- Deegan, L. A. 1981. Increased estuarine survival of juvenile coho salmon vaccinated against [*Vibrio anguillarum*]. *Transactions of the American Fisheries Society* 110:656-659.
- Deelder, C. L. 1952. On the migration of the elver ([*Anguilla vulgaris*] Turt.) at sea. *J. Cons. perm. int. Explor. Mer* 18(2):187-218.

- Deelder, C. L. 1958. On the behavior of elvers (*[Anguilla vulgaris]* Turt.) migrating from the sea into fresh water. *J. Cons. perm. int. Explor. Mer* 24(1):135-146.
- Deelder, C. L. 1959. Conservation of elver migration routes into the inland water system of the Netherlands. *Athens Proc. I.U.C.N. Tech. Meet.* 4:321-322.
- Deelder, C. L., and J. Willemsen. 1964. Synopsis of biological data on pike-perch, *[Lucioperca lucioperca]* (L.) 1758. *FAO Fish. Synopsis No.* 28. 52 pp.
- Deelder, C. L. 1970. Synopsis of biological data on the eel, *[Anguilla]* *[rostrata]* (Linnaeus) 1758. *UNFAO Fish. Synopsis No.* 80, 80 pp.
- Dees, L. T. 1961. Sturgeons. *U.S. Fish. Wildl. Serv. Fish. Leaflet No.* 526. 8 pp.
- DeGaetani, D. 1926. Contributo alla conoscenza dello sviluppo post-larvale di *[Mora mediterranea]* Risso. *Mem. R. Com. Talassogr. Ital.* 129.
- DeGaetani, D. 1928. Uova y larve de *[Physiculus dalwigki]* Kp. *Mem. R. Comm. Tallasogr. Ital* 137.
- DeGaetani, D. 1933. Nuova contributo alla conoscenza dello sviluppo post-embryonale di *[Physiculus dalwigki]*. *Mem. R. Com. Talassogr. Ital.* 204:7 pp.
- DeGaetani, D. 1937. Contributo alla conoscenza dello sviluppo post-embryonale in *[Apogon imberbis]* L. *Mem. R. Com. Talassogr. Ital.* 243.
- DeGaetani, D. 1940. Stadi larvali e giovanili di *[Lichia glauca]* Risso. *Mem. R. Com. Talassogr. Ital.* 270:1-15.
- Degani, G., and D. Levanon. 1984. Influence of shapes of indoor and outdoor containers on adaptation to artificial food, growth and survival of elvers. *Progressive Fish-Culturist* 46(3):191-194.
- Degani, G., A. Horowitz, and D. Levanon. 1985. Effect of protein level in purified diet and of density, ammonia and oxygen level on growth of juvenile European eels (*[Anguilla anguilla]* L.) *Aquaculture* 46(3):193-200.
- Degani, G., and M. L. Gallagher. 1985. Effects of dietary 17-methyltestosterone and bovine growth hormone on slow- and normally-growing American elvers (*[Anguilla rostrata]*). *Can. J. Fish. Aquat. Sci.* 42(1):185-189.
- Degani, G., and D. Levanon. 1987. Effect of dietary carbohydrate and temperature on slow growing juvenile eels, *[Anguilla anguilla]*. *Environmental Biology of Fishes* 18(2):149-154.
- Degerman, E., I. N"slund and B. Sers. 2000. Stream habitat use and diet of juvenile (0+) brown trout and grayling in sympatry. *Ecol. Freshwater Fish.* 9(4):191-203.
- DeGraaf, D. A., and L. H. Bain. 1986. Habitat use by and preferences of juvenile Atlantic salmon in two Newfoundland Rivers. *Transactions of the American Fisheries Society* 115:671-681.
- DeJager, B. V. D. 1955. The South African pilchard (*[Sardinops ocellata]*) - The development of the snoek (*[Thyrsites atun]*), a fish predator of the pilchard. *Invest. Rep. Div. fish. S. Afr.* 19:1-16.
- DeJean, J. A. 1951. Some factors affecting the reproduction of the chain pickerel, *[Esox niger]* (LeSueur), in ponds. *M.S. Thesis, Alabama Poly Tech. Inst.*, 60 pp.
- DeJean, J. A. 1952. Some factors affecting the reproduction of the chain pickerel, *[Esox niger]* LeSueur, in ponds. *Alabama Polytech. Inst. Grad. Sch. Bull.* 4:112-113.

- Dekhnik, T. V., and R. M. Pavlovskaja. 1950. Distribution of eggs and larvae of some Black Sea fishes. Tr. Azckr NIRO (14):151-176.
- Dekhnik, T. V. 1953. Reproduction of [*Mugil cephalus*] in the Black Sea. Russian, Engl. summary. Dokl. Akad. Nauk. S.S.S.R. 93:201-204.
- Dekhnik, T. V. 1954. The reproduction of the anchovy and mullet in the Black Sea. Tr. Vses. n.-i. in-ta morsk. rybn. kh-va i okeanogr., 28. Ikhtioplankton Chernogo morya.
- Dekhnik, T. V. 1959. Material on spawning and development of certain far eastern flatfishes. Akad. Nauk. SSSR, Zool. Inst. Issled. Dal'nevost. Morei SSSR 6:109-131. In Russian.
- Dekhnik, T. V. 1959. Reproduction and development of [*Pneumatophorus*] [*japonicus*] (Houtt.) off the coast of Southern Sakhalin. Tr. Kurilo-Sakhalin. Eksped. 6:97-108.
- Dekhnik, T. V. 1960. Mortality coefficients during two embryonic and larval developments of the Black Sea anchovy. Tr. Sevastop. Biol. Sta. Im. A.D. Kovalenskogo Akad. Nauk Ukr. SSSR 13:216-244.
- Dekhnik, T. V. 1963. Patterns of variation in abundance and mortality of [*Engraulis encrasicolus ponticus*] Alex eggs and larvae in the Black Sea. Tr. Sevastop. Biol. Sta. Im. A.D. Kovalenskogo Akad. Nauk Ukr. SSSR 16:340-358.
- Dekhnik, T. V. 1964. Changes in the abundance of Black Sea mackerel eggs and larvae during the development period. Tr. Sevastop. Biol. Sta. Im. A.D. Kovalenskogo Akad. Nauk Ukr. SSSR 15:292-301.
- Dekhnik, T. V., and V. I. Sinyukova. 1964. Distribution of pelagic eggs and larvae of fishes in the Mediterranean. Trudy sevastopol' Biol. Sta. 17(pt. 1):77-115.
- Dekhnik, T. V., and V. I. Sinyukova. 1966. Distribution of pelagic fish eggs and larvae in the Mediterranean Sea. II. On the reproduction and ecology of Mediterranean Myctophidae. In: Studies on the plankton of southern seas. Nauka Moscow, 210 pp. Transl. No. 55, BCF Syst. Lab., W.D.C.
- Dekhnik, T. V., and V. I. Sinyukova. 1966. Distribution of the pelagic eggs and larvae of fishes in the Mediterranean. 2. Reproduction and ecology of Mediterranean Myctophidae. In: Issledovaniya planktona Yuzhnykh morei, Anon:82-108.
- Dekhnik, T. V. 1967. Development and ecology of eggs and larvae of the Azov anchovy, [*Engraulis encrasicolus*]. Pusanov. Vop. Ikhtiol. 7:1032-1040.
- Dekhnik, T. V. 1968. Les caracteristiques comparees de la repartition quantity de l'ichthyoplancton dans les mers du bassin Mediterranean. Rapp. P.-v. Reun. Comm. int. Explor. Mer Medit. 19:429-431.
- Dekhnik, T. V., M. Juarez, and A. D. Salabariya. 1968. Distribution of pelagic roe and larvae of fish in Cuban waters. Fish. Res. Bd. Can., Transl. Ser. 1028:1-8.
- Dekhnik, T. V., and R. M. Pavlovskaja. 1969. Distribution of eggs and larvae of some of the Black Sea fishes. Transl. from Russian. Inter-Am. Trop. Tuna Comm., 4 pp.
- Dekhnik, T. V., L. A. Duka, and V. I. Sinyukova. 1970. Food supply and the causes of mortality among the larvae of some common Black Sea fishes. J. Ichthyol. 10:304-310.
- Dekhnik, T. V. 1973. Ikhtioplankton chernogo moria. (Ichthyoplankton of the Black Sea). Nauk. Dumka, Kiev.
- Dekhnik, T. V. 1973. Embryonic and postembryonic development of [*Trachurus trachurus trachurus*] L.. In: The study of biology and parasite fauna of fishes and cephalopods. Biol. Morya. 31:3-8.

- Dekhnik, T. V. 1973. Reproduction and early ontogenesis of Gadidae. In: Ecological studies of marine fishes, Naukova Dumka, Kiev, 1973d:3-23.
- Dekhnik, T. V., M. Huanes, and D. Salabariya. 1973. Distribution of pelagic eggs and larvae of fishes in the coastal waters of Cuba. Pages 189-241 [in] Y. Morei, editor. Invest. Central Am. seas. Akad Nauk Ukr. SSSR Inst. Biol. Dist. by U.S. Dept. Commerce Nat. Tech. Info. Serv., Springfield, VA.
- Dekhnik, T. V. 1975. Comments on the articles by Zaika and Ostrovskaya entitled "Indicators of the availability of food to fish larvae". J. Ichthyol 1974(1975) 14(5):804-808.
- Dekhnik, T. V., and V. I. Sinyukova. 1976. Survival of marine fish larvae in relation to food availability. J. Ichthyol. Engl. transl. 16(2):294-302.
- Dekhnik, T. V. 1982. Comparative characteristics of qualitative composition, number and vertical distribution of ichthyoplankton in the Mediterranean shelf and deep water regions. Ekologiya Morya 8:14-81.
- Dekhnik, T. V., and M. M. Nevenskiy. 1985. Methods of studying ichthyoplankton. J. Ichthyol. 25(4):30-40.
- Dekhnik, T. V. 1986. Application of ichthyoplankton methods for the fish spawning stock biomass assessment. Tr. Inst. Okeanol. 116:103-125.
- Dekhnik, T. V., and A. D. Gordina. 1986. Larvae of fish and plankton communities in the south Atlantic anticyclonic gyre. Tr. Inst. Okeanol. 116:94-102.
- DeLacy, A. C., and W. M. Chapman. 1935. Notes on some elasmobranchs of Puget Sound, with descriptions of their egg cases. Copeia 1935(2):63-67.
- DeLacy, A. C. 1941. Contributions to the life history of two Alaska chars, [*Salvelinus malma*] (Walbaum) and [*Salvelinus*] [*alpinus*] (L.). Ph.D Diss., Univ. Washington, 114 pp.
- DeLacy, A. C., and R. L. Dryfoos. 1962. Maturation and the young of rockfishes ([*Sebastodes*]). Res. Fish. Contr. 139 Coll. Fish. Univ. Wash. 22-23.
- DeLacy, A. C., C. R. Hitz, and R. L. Dryfoos. 1964. Maturation, gestation, and birth of rockfish ([*Sebastodes*]) from Washington and adjacent waters. Wash. Dept. Fish. Fish. Res. Pap. 2(3):51-67.
- Della Croce, N., and P. H. J. Castle. 1966. Leptocephali from the Mozambique Channel. Boll. Mus. Inst. Biol. Univ. Genova 34(211):149-164.
- Delmonte, P. J., I. Rubenoff, and R. W. Rubenoff. 1968. Laboratory rearing through metamorphosis of some Panamanian gobies. Copeia 1968:411-412.
- Delong A., J. Collie, C. Meise, and J.C. Powell. 2001. Estimating growth and mortality of juvenile winter flounder, [*Pseudopleuronectes americanus*], with a length based model. Canadian Journal of Fisheries and Aquatic Sciences. 58:2233-2246.
- Delsman, H. C. 1917. Embryonalentwicklung von [*Balanus balanoides*] L. Tijdschrift, Nederlandschrift Dierkundige verening Ser. 2 Diel XV:419-520.
- Delsman, H. C. 1921. Fish eggs and larvae from the Java Sea. 1. [*Fistularia serrata*] Cuv. Treubia 2:97-108.
- Delsman, H. C. 1922. Fish eggs and larvae from the Java Sea. 2. [*Chirocentrus dorab*] (Forsk). Treubia 3(1):38-46.

- Delsman, H. C. 1924. Fish eggs and larvae of the Java Sea. 3. A pelagic Scombresocid egg. *Treubia* 4(4):408-418.
- Delsman, H. C. 1925. Fish eggs and larvae from the Java Sea. 4. [*Dussumieria hasseltii*] (Blkr.). *Treubia* 6(3/4):297-307.
- Delsman, H. C. 1926. The eggs of the sucker fish. *Nature*, Lond. 118:805.
- Delsman, H. C. 1926. Fish eggs and larvae from the Java Sea. 5. [*Caranx*] [*kurra*], [*C. macrosoma*] and [*C. crumenophthalmus*]. *Treubia* 8(3-4):199-211.
- Delsman, H. C. 1926. Fish eggs and larvae from the Java Sea. 6. On a few carangid eggs and larvae. *Treubia* 8(3-4):212-218.
- Delsman, H. C. 1926. Fish eggs and larvae from the Java Sea. 7. The genus *Clupea*. *Treubia* 8:218-239.
- Delsman, H. C. 1926. Fish eggs and larvae from the Java Sea. 8. [*Dorosoma*] [*chacunda*] (H.B.). *Treubia* 8:389-394.
- Delsman, H. C. 1926. Fish eggs and larvae from the Java Sea. 10. On a few larvae of empang fishes. *Treubia* 8:400-412.
- Delsman, H. C. 1926. Fish eggs and larvae from the Java Sea. *Treubia* 8(3-4):389-412.
- Delsman, H. C. 1927. Fish eggs and larvae from the Java Sea. No. 11. [*Trichiurus*]. *Treubia* 9:338-351.
- Delsman, H. C. 1929. Fish eggs and larvae from the Java Sea. 12. The genus [*Engraulis*]. *Treubia* 11:275-286.
- Delsman, H. C. 1929. Fish eggs and larvae from the Java Sea. 13. [*Chanos*] [*chanos*] (Forsk). *Treubia* 11:281-286.
- Delsman, H. C. 1929. The study of pelagic fish eggs. *Proc. Pac. Sci. Congr.*, 4th Sess. 3:61-67.
- Delsman, H. C. 1930. Fish eggs and larvae from the Java Sea. 14. The genus [*Pellona*]. *Treubia* 12:37-46.
- Delsman, H. C. 1930. Fish eggs and larvae from the Java Sea. 15. On [*Chirocentrus hypselosoma*] and [*C. dorab*]. *Treubia* 12:46-50.
- Delsman, H. C. 1930. Fish eggs and larvae from the Java Sea. 16. [*Amphiprion percula*] C. & V. *Treubia* 12:367-370.
- Delsman, H. C. 1931. Fish eggs and larvae from the Java Sea. 17. The genus [*Stolephorus*]. *Treubia* 13:217-243.
- Delsman, H. C. 1931. Fish eggs and larvae from the Java Sea. 18. The genus [*Cybium*] with remarks on a few other Scombridae. *Treubia* 13(3-4):401-410.
- Delsman, H. C. 1932. Fish eggs and larvae from the Java Sea. 19. The genus [*Setipinna*]. *Treubia* 14:109-114.
- Delsman, H. C. 1932. Fish eggs and larvae from the Java Sea. 20. The genus [*Coilia*]. *Treubia* 14:114-116.
- Delsman, H. C. 1933. Fish eggs and larvae from the Java Sea. 22. [*Clupeoides lile*] (C.V.). *Treubia* 14:247-249.

- Delsman, H. C. 1933. Fish eggs and larvae of the Java Sea. 23. A few more [Clupea] eggs. *Treubia* 14:249-254.
- Delsman, H. C. 1938. Fish eggs and larvae from the Java Sea. 24. Myctophidae. *Treubia* 16(3):415-420.
- Delsman, H. C. 1974. Fish eggs and larvae of the Java Sea. Innaeus Press. 120 pp.
- DeMartini, E. E. 1976. The adaptive significance of territoriality and egg cannibalism in the painted greenling, [Oxylebius] [pictus] Gill, a northeastern Pacific marine fish. Ph.D Diss., Univ. Washington, Seattle. 286 pp.
- DeMartini, E. E. 1978. Spatial aspects of reproduction in buffalo sculpin, [Enophrys bison]. *Env. Biol. of Fishes* 3(4):231-237.
- DeMartini, E. E. 1978. Apparent paternal care in [Liparis fucensis] (Pisces: Cycloperidae). *Copeia* 1978(3):537-539.
- DeMartini, E. E., and A. Coyer. 1981. Cleaning and scale-eating in juveniles of the kyphosid fishes, [Hermosilla azurea] and [Girella] [nigricans]. *Copeia* 1981:785-789.
- DeMendiola, B. R. 1974. The food of the larval anchoveta. Page 58 [in] Rep. Intl. Symp. on early life history of fish. FAO Fish. Rep. No. 141.
- DeMendiola, B. R., and O. Gomez. 1981. Daily rings in otoliths of larval anchovy, [Engraulis] [ringens] J. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:565-566.
- Dementiev, T. F., and M. L. Shenderovich. 1964. Simple chamber for studying egg development in running water. *Zool. Zh.* 43:1087-1089.
- Dementiev, T. F. 1973. Methods of investigation and factors affecting the survival of fish during early stages of their development as a basic feature of the dynamics of recruitment to commercial fish stocks. Pages 255-260 [in] B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Cons. perm. int. Explor Mer 164.
- Dementjeva, T. F. 1964. Correlation between indices of relative abundance of young fish, recruitment size and maturity size as a basis for annual predation. Rapp. P.-v. Reun. CIEM 155:183-187.
- Demir, M. 1961. On the eggs and larvae of the [Trachurus trachurus] (L.) and [Trachurus mediterraneus] (Steind) from the sea of Marmara and the Black Sea. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer Mediterr. 16(2):317-320.
- Demir, M., and N. Demir. 1961. Contribution to the knowledge of the eggs of the common bonito ([Sarda sarda] Bloch). Gen. fish. Counc. Mediterr. Proc. Tech. Pap. 1961(6): 213-218.
- Demir, M. 1963. Synopsis of biological data on bonito, [Sarda sarda] (Bloch) 1793. FAO Fish. Rep. 6, vol. 2:101-129.
- Demir, N. 1958. On the morphology of the eggs and larvae of the [Trachurus mediterraneus] Lutken from the Black Sea population. *Istanb. Univ. Fen. Fak. Mecm. (A)* 4(3/4):85-92.
- Demir, N. 1961. Preliminary notes on the eggs, larvae and spawning of the Spanish mackerel, [Scomber colias] (Gmelin), in the Sea of Marmara. Rapp. P.-v. Reun. Cons. int. Explor. Mer Meditt. 16(1):313-316.
- Demir, N. 1963. Synopsis of biological data on anchovy, [Engraulis] [encrasicholus] (L.). (Mediterranean and adjacent seas). *Fish. Synop. FAO* 26, Rev. 1, 1-48.
- Demir, N. 1969. Pelagic eggs and larvae of teleostean fishes in Turkish waters. *Istanb. Univ. Fen. Fak. Mecm.* 34B:43-74.

- Demir, N. 1971. On the occurrence of grey mullet postlarvae off Plymouth. J. Mar. Biol. Assoc. U.K. 51 (2):235-246.
- Demir, N., and F. S. Russell. 1971. On the postlarvae of the goby [Lebetus]. J. Mar. Biol. Assoc. U.K. 51(3):669-678.
- Demir, N. 1972. The abundance and distribution of eggs and larvae of some teleost fishes off Plymouth in 1969 and 1970. II. The postlarvae of [Callionymus]. J. Mar. Biol. Assoc. U.K. 52:997-1010.
- Demir, N., and A. J. Southward. 1974. The abundance and distribution of eggs and larvae of teleost fishes off Plymouth in 1969 and 1970. III. Eggs of pilchard ([Sardina pilchardus] Walbaum) and sprat [Sprattus sprattus] (L.)]. J. Mar. Biol. Assoc. U.K. 54(2):333-354.
- Demir, N. 1982. On postlarvae and pelagic juveniles of rocklings, [Gaidropsaurus mediterraneus] and [G. biscayensis]. J. Mar. Biol. Assoc. U.K. 62:647-665.
- Demir, N., A., J. Southward, and P. R. Dando. 1985. Comparative notes on postlarvae and pelagic juveniles of the rocklings, [Gaidropsaurus mediterraneus], [Rhinonemus cimbrius], [Ciliata mustela] and [C]. [septentrionalis]. J. Mar. Biol. Assoc. U.K. 65(3):801-839.
- DeMorais, L. T., and J. Y. Bociou. 1984. Predation on meiofauna by juvenile fish in a western Mediterranean flatfish nursery ground. Mar. Biol. 82(2):209-215.
- Demory, R. L. 1971. Depth distribution of some small flatfishes off the northern Oregon-southern Washington coast. Res. Rep. Fish Comm. (Oreg.) 3:44-48.
- Dempsey, C. H. 1978. Chemical stimuli as a factor in feeding and intraspecific behavior of herring larvae. J. Mar. Biol. Assoc. U.K. 58:739-747.
- Dempsey, C. H., and R. N. Bamber. 1983. Spawning of herring ([Clupea harengus] L.) in the Blackwater Estuary, spring 1979. J. Cons., Cons. Int. Explor. Mer 41:85-92.
- Dempster, T., M. Gibbs, D. Rissik and I.M. Suthers. 1997. Beyond hydrography: ichthyoplankton and coastal dynamics off Sydney. Continental Shelf Research 17:1461-1481.
- Dence, W. A. 1937. Preliminary reconnaissance of the waters of the Archer and Anna Huntington Wildlife Forest Station and their fish inhabitants. Roos. Wildl. Bull. 6(4):610-671.
- Dence, W. A. 1940. Progress report on a study of the dwarf sucker, [Catostomus commersoni utawana]. Roos. Wildl. Bull. 7(3):221-233.
- Dence, W. A. 1948. Life history, ecology and habits of the dwarf sucker, [Catostomus commersoni utawana] Mather, at the Huntington Wildlife Station. Roos. Wildl. Bull. 8(4):81-150.
- Dendrinis, P., S. Dewan, and J. P. Thorpe. 1984. Improvement in the feeding efficiency of larval, post-larval and juvenile Dover sole, [Solea solea] L., by the use of starving to improve the visibility of [Artemia] used as food. Aquaculture 38(2):137-144.
- Dendrinis, P., and P. Thorpe. 1987. Experiments on the artificial regulation of the amino acid and fatty acid contents of food organisms to meet the assessed nutritional requirements of larval, post-larval and juvenile Dover sole, [Solea solea] (L.). Aquaculture 61(2):121-154.
- Dendy, J. S., and D. C. Scott. 1953. Distribution, life history, and morphological variations of the southern brook lamprey, [Ichthyomyzon gagei]. Copeia 1953(3):152-162.



- Denoncourt, R. F., and T. W. Robbins. 1970. Life history of the Atlantic silverside, [Menidia] [menidia], in the Delaware River estuary. Pages 244-247 [in] Ecological study of Delaware River in the vicinity of Artificial Island, Prog. Rep. Jan.-Dec., 1969. Pt. 2 Ichthyol. Assoc., 425 pp.
- Denoncourt, R. F. 1978. A freshwater population of the mummichog, [Fundulus] [heteroclitus], from the Susquehanna River drainage in Pennsylvania. Estuaries 1(4):269-272.
- Denton, E. J., and J. H. S. Blaxter. 1976. The mechanical relationships between the clupeid swimbladder, inner ear and lateral line. J. Mar. Biol. Assoc. U. K. 56:787-807.
- Dentry, W., and C. C. Lindsey. 1978. Vertebral variation in zebrafish, [Brachydanio] [rerio], related to the prefertilization temperature history of their parents. Canadian Journal of Zoology 56:280.
- Depeche, I., R. Gilles, S. Daufresne, and H. Chiapello. 1979. Urea content and urea production via the ornithine-urea cycle pathway during the ontogenetic development of two teleost fishes. Comp. Biochem. Physiol. 63A:51-56.
- Depeche, J. 1970. Ultrastructure of the vitelline sac and pericardial sac of embryo of [Poecilia reticulata] (viviparous Teleost). C.R. Hebd. Seanc. Acad. Sci. Paris Ser. D. 270:1352-1355.
- Deplano, M., R. Connes, J. P. Diaz, and G. Barnabe. 1991. Variation in the absorption of macromolecular proteins in larvae of the sea bass [Dicentrarchus labrax] during transition to the exotrophic phase. Marine Biology 110:29-36.
- Deplano, M., J. P. Diaz, R. Connes, M. Kentouridivanach, and F. Cavalier. 1991. Appearance of lipid-absorption capacities in larvae of the sea bass [Dicentrarchus labrax] during transition to the exotrophic phase. Marine Biology 108:361-371.
- Dequidt, J., et al. 1978. Short term toxicity of Pyralene 3010 on young trout. Bull. Fr. Piscic. 264:82.
- Deraniyagala, P. E. P. 1929. The Labyrinthici of Ceylon. Spol. Zeyl. 15(2):79-111.
- Deraniyagala, P. E. P. 1930. The Eventognathi of Ceylon. Spol. Zeyl. 16(1):1-41.
- Deraniyagala, P. E. P. 1930-32. Further notes on the Anguilliform fishes of Ceylon. Spol. Zeyl. 16:131-137.
- Deraniyagala, P. E. P. 1930-32. The Opisthomi of Ceylon. Spol. Zeyl. 16:265-269.
- Deraniyagala, P. E. P. 1934. A further embryonic stage of the dog fish, [Hemiscyllium colax]. Spol. Zeyl. 24(2):91-92.
- Deraniyagala, P. E. P. 1934. Notes: 1. Some opodal larvae. Ceylon J. Sci. (Biol. Sci.) 19(1):89-96.
- Deraniyagala, P. E. P. 1934. The embryo of the dog fish, [Chiloscyllium indicum]. Ceylon J. Sci. 18B(2):249-252.
- Deraniyagala, P. E. P. 1936. Two Xiphiiform fishes from Ceylon. Ceylon J. Sci. 19B(3):211-218.
- Derback, B. 1947. The adverse effect of cold weather upon the successful reproduction of pickerel, [Stizostedion] [vitreum] at Heming Lake, Manitoba, in 1947. Can. Fish. Cult. 2(1):22-23.
- DeRoche, S. E. 1969. Observations on the spawning habits and early life history of lake trout. Progressive Fish-Culturist 31(2):109-113.

- DersjantLi, Y., J. A. J. Verreth, P. A. T. Tijssen, R. Booms, M. W. A. Verstegen, and E. A. Huisman. 2000. Metabolic costs of changing the cation-anion difference in the diet of juvenile African catfish [*Clarias gariepinus*] (Burchell). *Aquaculture Nutrition* 6(1):39-45.
- DersjantLi, Y. M., S. Wu, M. W. A. Verstegen, J. W. Schrama, and J. A. J. Verreth. 2001. The impact of changing dietary Na/K ratios on growth and nutrient utilisation in juvenile African catfish, [*Clarias gariepinus*]. *Aquaculture* 198(3-4):293-305.
- Desai, V. R., and S. J. Karamchandani. 1967. On the larval development and spawning seasons of two species of [*Barilius*] from Narbada River. *Journal of Zoology Soc. India* 19(1-2):27-41.
- Desai, V. R. 1972. Notes on the early larval stages of [*Tor putitora*] (Hamilton) from Narmada River. *Journal of Zoology Soc. India* 24(1):47-51.
- Desai, V. R., and K. J. Rao. 1972. A note on the location of breeding pits of [*Mystus*] [*seenghala*] (Sykes) in Jamonia Tank near Bhopal. *J. Bombay Nat. Hist. Soc.* 69(1):199-202.
- Desai, V. R. 1973. Studies on fishery and biology of [*Tor tor*] (Hamilton) from River Narmada. II. Maturity, fecundity and larval development. *Proc. Indian Natl. Sci. Acad. B* 39(2):228-248.
- Desbrosses, P. 1931. Note sur l'oeuf de la [*Raie chaudon*], [*Raie*] [*fullonica*] L. Erhart *Bull. Soc. Zool. France* LVI:15-18.
- DeSilva, C. D. 1973 The ontogeny of respiration in herring and plaice larvae. Thesis, Univ. Stirling, Scotland.
- DeSilva, C. D., and P. Tytler. 1973. The influence of reduced environmental oxygen on the metabolism and survival of herring and plaice larvae. *Neth. J. Sea. Res.* 7:345-362.
- DeSilva, S. S. 1973. Aspects of the reproductive biology of the sprat, [*Sprattus sprattus*] (L.) in inshore waters of the west coast of Scotland. *J. Fish. Biol.* 5(5):689-706.
- DeSilva, S. S., and F. Balbontin. 1974. Laboratory studies on food intake, growth and food conversion of young herring, [*Clupea harengus*] (L.). *J. Fish. Biol.* 6(5):645-658.
- DeSilva, S. S., and K. Kortmulder. 1977. Some aspects of the biology of three species of [*Puntius*] (= [*Barbus*]) (Pisces, Cyprinidae), endemic to Sri Lanka. *Neth. Journal of Zoology* 27(2):182-194.
- DeSilva, S. S., and M. J. S. Wijeyaratne. 1977. Studies on the biology of young grey mullet, [*Mugil*] [*cephalus*]. II. Food and feeding. *Aquaculture* 12(2):157-167.
- DeSilva, S. S., and E. I. L. DeSilva. 1979. Biology of young grey mullet. [*Mugil cephalus*] L., populations in a coastal lagoon in Sri Lanka. *J. Fish. Biol.* 15(1):9-20.
- DeSilva, S. S. 1980. Biology of juvenile grey mullet: a short review. *Aquaculture* 19(1):21-36.
- DeSilva, S. S., and D. E. M. Weerakoon. 1981. Growth, food intake, and evacuation rates of grass carp, [*Ctenopharyngodon idella*], fry. *Aquaculture* 25 (1):67-76.
- DeSilva, S. S., and M. K. Perera. 1984. Digestibility in [*Sarotherodon niloticus*] fry: effect of dietary protein level and salinity with further observations on variability in daily digestibility. *Aquaculture* 38:293-306.

- DeSilva, S. S., and M. K. Perera. 1985. Effects of dietary protein level on growth, food conversion, and protein use in young [*Tilapia nilotica*] at four salinities. *Transactions of the American Fisheries Society* 114:584-589.
- DeSilva, S.S., R.M. Gunasekera, R.A. Collins, and B.A. Ingram. 2002. Performance of juvenile Murray cod, [*Maccullochella peelii peelii*] (Mitchell), fed with diets of different protein to energy ratio. *Aquaculture Nutrition* 8(2):79-85.
- deSmet, W. M. A. 1969. On the development of the venous system in [*Polypterus senegalus*] (Pisces). *Journal of Zoology Lond.* 159:97-129.
- Dessier, A. 1969. Note on the larval and postlarval stages of [*Ilisha africana*] (Bloch. 1795) (Pisces: Clupeidae). *Cah. ORSTOM, Ser. Oceanogr.* 7, 4, 21-27.
- Dessler, A., and R. Planet. 1971. Distribution and abundance of eggs and larvae of clupeidae and engraulidae on the coasts of the Congo and Gabon from 1968 to 1969. Summary of the physico-chemical and biol. conditions of the environment. *Doc. Sci. Ctr. Pointe-Noire ORSTOM (Nouv. Ser.)* 15:1-59.
- Dessureault, J. G. 1976. "Batfish": A depth controllable towed body for collecting oceanographic data. *Ocean Eng.* 3:99-111.
- deSylva, D. P. 1958. Juvenile blue marlin, [*Makaira ampla*] (Poey), from Miami, FL, and West End, Bahamas. *Bull. Am. Mus. Nat. Hist.* 114(5):412-415.
- deSylva, D. P. 1962. Racial status of juvenile striped bass in the Delaware River estuary. *Univ. Delaware Dept. Biol. (Newark)*. 61-10.
- deSylva, D. P. 1963. Postlarva of the white marlin, [*Tetrapturus albidus*], from the Florida Current off the Carolinas. *Bull. Mar. Sci. Gulf Caribb.* 13(1):123-132.
- deSylva, D. P. 1963. Systematics and life history of the great barracuda [*Sphyræna barracuda*] (Walbaum). *Stud. Trop. Oceanogr.* 1:1-179.
- deSylva, D. P. 1969. Theoretical considerations of the effects of heated effluent on marine fishes. Pages 229-293 [in] P. A. Krenkel and F. L. Parker, editors. *Biological aspects of thermal Pollution*, Ch. 9. Vanderbilt, Univ. Press, Vanderbilt Univ., Nashville, TN. 407 pp.
- deSylva, D. P. 1970. Ecology and distribution of postlarval fishes of southern Biscayne Bay, FL. In: *Prog. Rept. EPA (1 June 69 - 30 Sept. 70)*. Univ. Miami Rosenthal School Mar. and Atmos. Sci., 198 pp.
- deSylva, D. P., and L. N. Scotton. 1972. Larvae of deep-sea fishes (Stomiatoidea) from Biscayne Bay, Florida, U.S.A. and their ecological significance. *Mar. Biol.* 12(2):222-227.
- deSylva, D. P., and S. Ueyanagi. 1974. Comparative development of Atlantic and Mediterranean billfishes (Istiophoridae). *Proc. Intl. Billfish Symp., NOAA Tech. Rep. NMFS SSRF-675*.
- deSylva, D. P. 1975. Barracudas (Pisces: Sphyrænidae) of the Indian Ocean and adjacent seas - a preliminary review of their systematics and ecology. *J. Mar. Biol. Assoc. India* 15(1):74-94.
- deSylva, D. P., and W. N. Eschmeyer. 1977. Systematics and biology of the deep-sea fish family Gibberichthyidae, a senior synonym of the family Kasidoroidae. *Proc. California Acad. Sci., Ser. 4*, 41:215-231.
- deSylva, D. P. 1984. Mugiloidei: development and relationships. Pages 530-533 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1*, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

- deSylva, D. P. 1984. Polynemoidei: development and relationships. Pages 540-541 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- deSylva, D. P. 1984. Sphyranoidei: development and relationships. Pages 534-539 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- deSylva, D. P., and P. Tyler. Development of the respiratory system in herring and plaice larvae. In: Report of the international symposium on the early life history of fish. FAO Fish. Rep. No. 141., 58 pp.
- deSylva, S. S., and P. A. B. Pesera. 1976. Studies on the young grey mullet, [*Mugil cephalus*] L. I. Effect of salinity on food intake, growth, and food conversion. *Aquaculture* 7(4):327-338.
- deSylvia, E. A. Kalber, Jr., and C. N. Shuster, Jr. 1962. Fishes and ecological conditions in the shore zone of the Delaware River estuary, with notes on other species collected in deeper water. *Univ. Del. Mar. Lab. Inf. Ser. Publ.* 5. 164 p.
- Dethlefsen, V. 1974. Effects of DDT and DDE on embryos and larvae of cod, flounder and plaice. *Int. Cons. Explor. Mer. Council. Mtg.* 1974/E:6. *Fish. Improv. Comm.*:1-17.
- Dethlefsen, V. 1975. Combined action of DDT and DDE on early development of embryos of cod, flounder and plaice. *Int. Cons. Explor. Sea Council. Mtg.* 1975/E:10. *Fish. Improv. Comm.*:1-21.
- Dethlefsen, V., H. V. Westernhagen, and H. Rosenthal. 1975. Cadmium uptake by marine fish larvae. *Helgol. Wiss. Merresunters.* 27(4):396-407.
- Dethlefsen, V. 1977. The influence of DDT and DDE on the embryogenesis and mortality of larvae of cod, [*Gadus morhua*] L. *Meeresforschung* 25:115-148.
- Dethlefsen, V., H. vonWesternhagen, H. Tug, P. D. Hansen, and H. Dizer. 2001. Influence of solar ultraviolet-B on pelagic fish embryos: osmolality, mortality and viable hatch. *Helgoland Marine Research* 55(1):45-55.
- Detlaf, T. A., and T. A. Ginzburg. 1954. Embryonic development in sturgeon in connection with problems of artificial propagation. *Nauk. Publ.*, Moscow. 204 pp.
- Detlaff, T. A., and A. A. Detlaff. 1960. On dimensionless characteristics of developmental time in embryology. *Dokl. Acad. Nauk SSSR* 134:199-202.
- Detlaff, T. A. 1962. Cortical changes in acipenserid eggs during fertilization and artificial activation. *J. Embryol. Expt. Morph.* 10:1-26.
- Detlaf, T. A., T. A. Ginzburg, and O. I. Shmal'gawyen. 1981. Development of sturgeon: egg maturation, fertilization, embryonic and prelarval development. *Nauka Publ.*, Moscow. 224 pp.
- Detwyler, R. 1963. Some aspects of the biology of the seasnail (*[Liparis] [atlanticus]* Jordan and Everman). Ph.D. Diss., Univ. of NH, Durham, NH. 103 pp.
- Detwyler, R., and E. D. Houde. 1970. Food selection by laboratory-reared larvae of the scaled sardine, [*Harengula pensacola*] (Pisces, Clupeidae), and the bay anchovy, [*Anchoa mitchilli*] (Pisces, Engraulidae). *Mar. Biol.* 7(3):214-222.
- Deubler, E. E., Jr. 1958. A comparative study of the postlarvae of three flounders (*[Paralichthys]*) in North Carolina. *Copeia* 1958(2):112-116.

- Deubler, E. E., Jr. 1960. Salinity as a factor in the control of growth and survival of post-larvae of the southern flounder, [*Paralichthys lethostigma*]. Bull. Mar. Sci. Gulf Caribb. 10(3):338-345.
- Deubler, E. E., Jr., and J. C. White, Jr. 1962. Influence of salinity on growth of postlarvae of summer flounder, [*Paralichthys dentatus*]. Copeia 1962(2):468-469.
- Deubler, E. E., Jr., and G. S. Posner. 1963. Response of postlarval flounder, [*Paralichthys*] [*lethostigma*], to water of low oxygen concentrations. Copeia 1963(2):312-317.
- Deuchar, E. M. 1958. Regional differences in catheptic activity in [*Xenopus laevis*] embryos. J. Embryol. Exp. Morph. 6:233-237.
- Deuchar, E. M. 1965. Biochemical patterns in early developmental stages of vertebrates. Page 260 [in] R. Weber, editor. The biochemistry of animal development. Vol. 1. Academic Press, Inc., New York.
- Deudero, S., and B. MoralesNin. 2001. Prey selectivity in planktivorous juvenile fishes associated with floating objects in the western Mediterranean. Aquaculture Research 32(6):481-490.
- Deuel, D. G., J. R. Clark, and A. J. Mansueti. 1966. Description of embryonic and early larval stages of bluefish, [*Pomatomus saltatrix*]. Transactions of the American Fisheries Society 95(3):264-271.
- Devadoss, P. 1973. On the occurrence of juvenile oil sardine, [*Sardinella congiceps*] Val. in the inshore waters of Bombay. India J. Fish. 20:234-236.
- Devadoss, P. 1979. Observations on the maturity, breeding and development of [*Scoliodon laticaudus*] Muller and Henle off Calicut Coast. J. Mar. Biol. Assoc. India 21(1/2):103-110.
- Devanesen, D. W. 1937. On the spawning habits and the hatching experiments with eggs of [*Hemirhamphus georgii*] Cuv. et Va. Int. Congr. Zool.
- Devanesen, D. W., and V. John. 1940. On the natural history of [*Rastrelliger kanagartha*] (Russell) with specific reference to its spawning season and eggs. Curr. Sci. 9(10):462-464.
- Devanesen, D. W., and K. Chidambaram. 1941. On the natural history of [*Kowala thoracata*] (Cuv. and Val.) clupealile, Day, with special reference to its gonads and eggs. Proc. Indian Sci. Cong. 27(3):156.
- Devanesen, E. W., and K. Chidambaram. 1941. On two kinds of fish eggs hatched out in the laboratory of the West Hill Biological Station, Calicut. Curr. Sci. 10(5):259-261.
- Devanesen, D. W., and W. John. 1941. On the natural history of [*Kowala thoracata*] (Cuv. & Val.) with special reference to its gonads and eggs. Rec. Indian Mus. 43(2):215-216.
- Devanesen, D. W., and S. Varadarajan. 1942. On the hatching of fish eggs in 1940-41 in the laboratory of West Hill Biological Station, Calicut. Proc. 29th Indian Sci. Congr. (Baroda) Pt. 3:157-158.
- Devanesen, D. W. 1943. A brief investigation into the causes of the fluctuation of the annual fishery of the oil sardine of Malabar sole, [*Sardinella longiceps*], determination of its age and an account of the discovery of its eggs and spawning grounds. Madras Fish. Bull. 28(1):1-38.
- Devanesen, D. W., and P. I. Chacko. 1943. On the possibility of artificial culture of the marine mullets in freshwater tanks. Proc. Nat. Inst. Sci. India 9(2):249-250.

- Devanesen, D. W., and P. I. Chacko. 1944. On the bionomics of the rainbow sardine, [*Dussumieria hasseltii*] (Bleeker). Proc. Nat. Inst. Sci. India 10(1):143-145.
- Devaraj, K. V., T. J. Varghese, and G. P. S. Rau. 1972. Induced breeding of the freshwater catfish, [*Clarias*] [*batrachus*] (L.) by using pituitary glands from marine catfish. Current Sci. 41(24):868-870.
- DeVeen, J. F. 1975. Netherlands flatfish recruitment surveys in the North Sea in 1968-1972. Annls. Biol. Copenh. 30(1973):175-182.
- DeVeen, J. F. 1978. On selective tidal transport in the migration of North Sea plaice ([*Pleuronectes platessa*]) and other flatfish species. Neth. J. Sea Res. 12(2):115-147.
- Devi, C. B. L. 1969 Occurrence of larvae of [*Pseudorhombus elevatus*] Ogilby (Heterosomata - Pisces) along the south-west coast of India. Proc. Indian Acad. Sci. 70 (Sec. B):178-186.
- Devi, C. B. L. 1970. Family Bothidae. Inst. Oceanogr., Univ. Sao Paulo, Brazil. Cat. Mar. Lav. 134-135.
- Devi, C. B. L. 1981. Developmental characters of bothid flatfishes of the Genus [*Psettina*]. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:588-589.
- Devilless, C., and J. Rosenberg. 1953. The first phases of development of the egg of [*Salmo*] [*irideus*] under anaerobic conditions. Acad. Sci. Paris 237:1561-1562.
- Devillers, C. 1961. Structure and dynamic aspects of the developing of the teleostean egg. Adv. Morph. 1:379-428.
- DeVlaming, V. L. 1971. The environmental and hormonal regulation of reproductive cycling in the estuarine gobiid fish, [*Gillichthys mirabilis*]. Ph.D. Diss., Univ. California Berkeley, Berkeley, CA.
- DeVlaming, V. L. 1971. The effects of food deprivation and salinity changes on reproductive function in the estuarine gobiid fish, [*Gillichthys mirabilis*]. Biol. Bull. 141(3):458-471.
- DeVlaming, V. L. 1972. The effects of diurnal thermoperiod treatment on reproductive function in the estuarine gobiid fish, [*Gillichthys mirabilis*] Cooper. J. Exp. Mar. Biol. & Ecol. 9:155-163.
- DeVlaming, V. L. 1972. The effects of temperature and photoperiod on reproductive cycling in the estuarine gobiid fish, [*Gillichthys mirabilis*]. Fish. Bull. NOAA (U.S.) 70:1137-1152.
- DeVlaming, V. L. 1972. Environmental control of teleost reproductive cycles: a brief review. J. Fish. Biol. 4(1):131-140.
- DeVlaming, V. L. 1972. Reproductive cycling in the estuarine gobiid fish, [*Gillichthys mirabilis*]. Copeia 1972:278-491.
- DeVlaming, V. L. 1974. Environmental and endocrine control of teleost reproduction, pp. 13-83. In: Schreck, C. B. (ed.), Control of sex in fishes. Sea Grant Div., VA Poly. Inst. & St. Univ., Blacksburg, Publ. No. VPI-SG-74-01.
- DeVlaming, V. L. 1975. Effects of photoperiod and temperature on gonadal activity in the cyprinid teleost, [*Notemigonus*] [*crysoleucas*]. Biol. Bull. Mar. Biol. Lab., Woods Hole 148:402-415.
- DeVlaming, V. L., A. Kuris, and F. R. Parker. 1978. Seasonal variation of reproduction and lipid reserves in some subtropical cyprinodontids. Transactions of the American Fisheries Society 107(3):464-472.

- Devold, F. 1935. The susceptibility of plaice eggs to shock. *K. norske Vidensk. Selsk.* 8(22):71-74.
- Devold, F. 1963. Life history of the Atlanto-Scandian herring. *Rapp. Proc.-v. Reun. Cons. perm. int. Explor. Mer* 154:98-108.
- DeVries, D. A., C. B. Grimes, K. L. Lang, and D. B. White. 1990. Age and growth of king and spanish mackerel larvae and juveniles from the Gulf of Mexico and United-States South Atlantic Bight. *Environmental Biology of Fishes* 29:135-143.
- DeVries, D.R., M.T. Bremigan, and R.A. Stein. 1998. Prey selection by larval fishes as influenced by available zooplankton and gape limitation. *Transactions of the American Fisheries Society* 127:1040-1050.
- Dew, C. B. 1976. A contribution to the life history of the cunner, [*Tautogolabrus adspersus*], in Fishers Island Sound, Connecticut. *Ches. Sci.* 17(2):101-113.
- Dewan, S., J. U. Miah, A. L. Sarker, and S. N. Saha. 1979. Seasonal patterns of feeding of juvenile major carp, [*Labeo rohita*] (Hum.) in a Bangladesh pond. *J. Fish. Biol.* 14(6):511-516.
- Dewey, M., and T. E. Moen. 1981. Temporal and spatial distribution of some young-of-the-year fishes in DeGray Lake, Arkansas, 1975-1978. Pages 37-41 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. *The fifth annual larval fish conference*, Louis. Coop. Fish. Res. Unit, LSU, Baton Rouge, LA.
- Dewey, M. R., and C. A. Jennings. 1992. Habitat use by larval fishes in a backwater lake of the upper Mississippi River. *Journal of Freshwater Ecology* 7:363-372.
- DeWitt, H. H., and R. F. Shaw. 1975. Ichthyoplankton. Section 1.7F3, pp. 1.7-61 to 1.7-120. In: *Semiannual Envir. Surv. Rep. 5.* Maine Yankee Atomic Power Co.
- DeWitt, H. H., and R. F. Shaw. 1975. Ichthyoplankton. Section 1.7F3, pp. 1.7-60 to 1.7-141. In: *Semiannual Envir. Surv. Rep. 6.* Maine Yankee Atomic Power Co.
- DeWitt, H. H., and R. F. Shaw. 1976. Ichthyoplankton. Section 1.7F3, pp. 1.7-48 to 1.7-145. In: *Semiannual Envir. Surv. Rep. 7.* Maine Yankee Atomic Power, Co., Augusta, ME.
- DeWitt, H. H., and R. F. Shaw. 1976. Ichthyoplankton. Section 1.7E3, pp. d1.7-48 to 1.7-149. In: *Semiannual Envir. Surv. Rep. 8.* Maine Yankee Atomic Power Co., Augusta, ME.
- DeWitt, H. H., and R. F. Shaw. 1977. Ichthyoplankton. Section 1.7E3, pp. 1.7-45 to 1.7-163. In: *Semiannual Envir. Surv. Rep. 9.* Maine Yankee Atomic Power Co., Augusta, ME.
- DeWitt, H. H., and R. F. Shaw. 1977. Ichthyoplankton. Section 1.7E3, pp. 1.7-44 to 1.7-137. In: *Semiannual Envir. Surv. Rep. 10.* Maine Yankee Atomic Power Co., Augusta, ME.
- Dey, W. P. 1981. Mortality and growth of young-of-the-year striped bass in the Hudson River estuary. *Transactions of the American Fisheries Society* 110:151-157.
- DeYoung, B., and G. A. Rose. 1993. On recruitment and distribution of Atlantic cod (*Gadus morhua*) off Newfoundland. *Canadian Journal of Fisheries and Aquatic Sciences* 50:2729-2741.
- Dhu, S. 1918. *The angler in Northern India.* 2nd Ed., Pioner Press, Allahabad.
- Dia, A. K. 1982. A study of the growth of juveniles of [*Chrysichthys*] [*walkerii*] (Gunther) in ponds in relation to density. *Aquaculture* 27(3):187-196.

- Dial, N. A. 1978. Methylmercury: some effects of embryogenesis in Japanese medaka, [*Oryzias latipes*]. *Teratology* 17:83.
- Dicenta, A. 1975. Identification of eggs and larvae of tuna in the Mediterranean. *Boln Inst. esp. Oceanogr.*, No. 198:1-21.
- Dicenta, A. 1977. Zonas de puesta del atun (*[Thunnus thynnus]* L.) y otros tunidos del Mediterraneo occidental primer intento de evaluacion del "stock" de reproductores de atun. *Boletin del Instituto Espanol de Oceanografia* 234:109-135.
- DiCenzo, V.J., and M.C. Duval. 2002. Importance of reservoir inflow in determining white bass year-class strength in three Virginia reservoirs. *North American Journal of Fisheries Management* 22(2):620-626.
- Dickey-Collas, M.; Geffen, A. J. 1992. Importance of the fatty acids 20:5omega3 and 22:6omega3 in the diet of plaice (*[Pleuronectes platessa]*) larvae. *Marine Biology*. 113: 463-468.
- Dickhoff, W. W., L. C. Folmar, and A. Gorbman. 1978. Changes in plasma thyroxine during smoltification of coho salmon (*[Oncorhynchus kisutch]*). *Gen. Comp. Endocrinol.* 36:229-232.
- Dickhoff, W. W., L. C. Folmar, and A. Gorbman. 1978. Changes in thyroid hormones during the early development of coho salmon, [*Oncorhynchus kisutch*]. *Am. Zool.* 18(3):652.
- Dickhoff, W. W., L. C. Folmar, J. L. Mighell, and C. V. W. Mahnken. 1982. Plasma thyroid hormones during smoltification of yearling and underyearling coho salmon and yearling chinook salmon and steelhead trout. *Aquaculture* 28:39-48.
- Dickson, D. H., and T. R. Collard. 1979. Retinal development in the lamprey (*[Petromyzon]* [*marinus*] L.): premetamorphic ammocoete eye. *Am. J. Anat.* 154(3):321-336.
- Dickson, R. R., J. G. Pope, and M. J. Holden. 1974. Environmental influences on the survival of North Sea cod, p. 31. In: *Rep. Intl. Symp. on early life history of fish*. FAO Fish. Rep. No. 141, 58 pp.
- Dickson, T. A. 1980. Growth and behavior of juvenile [*Salmo salar*] and [*Salvelinus fontinalis*] in allopatry and sympatry. M. S. Thesis, Univ. Guelph, Guelph.
- Dickson, T. A., and H. R. MacCrimmon. 1982. Influence of hatchery experience on growth and behavior of juvenile Atlantic salmon, [*Salmo salar*], within allopatric and sympatric stream populations. *Canadian Journal of Fisheries and Aquatic Sciences* 39(11):1453-1458.
- Diener, D. R. 1976. Hermaphroditism in fish: a comparative study of the reproductive biology and endocrinology of the California Labridae. Ph.D. Diss., Univ. California, San Diego. 158 pp.
- Dietrich, C. S., Jr. 1979. Fecundity of the Atlantic menhaden, [*Brevoortia*] [*tyrannus*]. *Fish. Bull. NOAA (U.S.)* 77(1):308-311.
- Dietrich, G., H. Aurich, and A. Kotthaus. 1961. On the relationships between distribution of redfish and redfish larvae and the hydrographical conditions in the Irminger Sea. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 150:124-139.
- Dietrich, M. A. 1953. A histological study of the development of the scales of the largemouth black bass, [*Micropterus*] [*salmoides*]. *Quar t. J. Micro. Soc.* 94(1):71-82.
- Dieuzeide, R., and J. Roland. 1955. Contribution a la'connaissance des formes jeunes de [*Thunnus thunnus*] L. [in French]. *Bull. Stn. Aquic. Pech. Castiglione. N. Ser.* (7):307-339.



- Dight, I. J., L. Bode, and M. K. James. 1990. Modelling the larval dispersal of *Acanthaster-Planci*. 1. Large scale hydrodynamics, Cairns Section, Great Barrier Reef Marine Park. *Coral Reefs*. 9:115-123.
- Dight, I. J., M. K. James, and L. Bode. 1990. Modelling the larval dispersal of *Acanthaster-Planci*. 2. Patterns of reef connectivity. *Coral Reefs*. 9:125-134.
- Dikson, B. I. 1905. Ueber das Auffinden von jungen [*Clupea kessleri*] im Ueberschwemm ungege der Wolga oberhaib Saratov. *Vest Rybo. St. Petersburg* 20:117-119.
- Dikson, B. I. 1913. Ueber morphologische Merkmale der ersten Stadien der Jungfische von [*Clupea kessleri*]. *Arb. Biol. Wolga Stat. Saratov*. 3(4):1-17.
- Dileep, M. P. 1977. The larval development and distribution of [*Saurida*] [*tumbil*] (Bloch) off southwest coast of India. Pages 460-473 [in] *Proc. Symp. Warm water Zooplankton. Natl. Inst. Oceanogr.*
- Dill, L. M. 1967. Studies on the early feeding of sockeye salmon alevins. *Can. Fish. Cult.* 39:23-34.
- Dill, L. M. 1969. The sub-gravel behavior of Pacific salmon larvae. Pages 82-99 [in] T. G. Northcote, editor. *Symp. on salmon and trout in streams. H. R. MacMillan lectures in Fisheries. Univ. British Columbia, Vancouver.*
- Dill, L. M., and T. G. Northcote. 1970. Effects of gravel size, egg depth, and egg density on intragravel movement and emergence of coho salmon ([*Oncorhynchus kisutch*]) alevins. *Journal of the Fisheries Research Board of Canada* 27:1191-1199.
- Dill, L. M., and T. G. Northcote. 1970. Effects of some environmental factors on survival, condition, and timing of emergence of chum salmon fry ([*Oncorhynchus keta*]). *Journal of the Fisheries Research Board of Canada* 27(1):196-201.
- Dill, L. M. 1978. Aggressive distance in juvenile coho salmon ([*Oncorhynchus kisutch*]). *Canadian Journal of Zoology* 56(6):1441-1446.
- Dill, L. M., R. C. Ydenberg, and A. H. G. Fraser. 1981. Food abundance and territory size in juvenile coho salmon ([*Oncorhynchus kisutch*]). *Canadian Journal of Zoology* 59:1801-1809.
- Dill, L. M., and A. H. G. Fraser. 1984. Risk of predation and the feeding behavior of juvenile coho salmon ([*Oncorhynchus kisutch*]). *Behav. Ecol. Sociobiol.* 16(1):65-72.
- Dill, P. A., and R. C. Saunders. 1974. Retarded behavioral development and impaired balance in Atlantic salmon ([*Salmo salar*]) alevins hatched from gastrulae exposed to DDT. *J. Fish Res. Bd. Can.* 31:1936-1938.
- Dill, P. A. 1977. Development of behavior in alevins of Atlantic salmon, [*Salmo salar*], and rainbow trout, [*S.*] [*gairdneri*]. *Anim. Behav.* 25:116-121.
- Dill, P. A. 1982. Behavior of alevin influencing distribution in gravel. Pages 61-70 [in] E. L. Brannon and E. O. Salo, editors. *Salmon and trout migratory symposium. Univ. Washington, School of Fisheries, Seattle, WA.*
- DiMichele, L., and M. H. Taylor. 1978. The effects of several drugs on the hatching of [*Fundulus heteroclitus*]. *Am. Zool.* 18:606.
- DiMichele, L. 1980. The hatching mechanism of [*Fundulus heteroclitus*]. Ph.D Diss., Univ. Delaware, Newark. 125 pp.
- DiMichele, L., and M. H. Taylor. 1980. The environmental control of hatching in [*Fundulus*] [*heteroclitus*]. *J. Exp. Zool.* 214:181-187.

- DiMichele, L., and M. H. Taylor. 1981. The mechanisms of hatching in [Fundulus] [heteroclitus]: development and physiology. J. Exp. Zool. 217:73-79.
- DiMichele, L., M. H. Taylor, and R. Singleton, Jr. 1981. The hatching enzyme of [Fundulus heteroclitus]. J. Exp. Zool. 216:133-140.
- Dines, R. A. 1973. Changes in the morphology, lipid and water of metamorphosing [Lampetra planeri] (Bloch), together with observations on the larval velum and pharynx. Ph.D Diss., Univ. Bath, Bath.
- Dingerkus, G., and L. D. Uhler. 1977. Enzyme clearing of alcian blue stained whole small vertebrates for demonstration of cartilage. Stain. Tech. 52(4):229-232.
- Dinsmore, J. J. 1962. Life history of the creek chub, with emphasis on growth. Proc. Iowa Acad. Sci. 69:296-301.
- Disler, N. N. 1949. Development of larval sturgeon, [Acipenser] [stellatus]. Trudy Inst. Morf. Zhivot.:333-362.
- Disler, N. N. 1950. Development of the sense organs of the lateral line system of the perch and ruff. Tr. Inst. Morfol. Zhiv. Imeni A. N. Severtsova Vyn 2:85-139.
- Disler, N. N. 1953. Ecological and morphological characteristics of the development of the Amur autumn chum salmon, [Oncorhynchus keta] (Walb.). Pages 33-41 [in] Pacific salmon. Israel Prog. Sci. Transl., Jerusalem, 1961. Off. Tech. Serv., U.S. Dept. Comm., Wash.
- Disler, N. N. 1953. Razvitje tarani - [Rutilus rutilus heckeli] (Nordm.). Development of the roach - [Rutilus rutilus heckeli] (Nordm.). Trudy Institut Morfologii Zhivotnykh. Akademiia Nauk SSSR, Moskow 10:178-202.
- Disler, N. N. 1957. Development of the chum salmon of the Amur River, [Oncorhynchus keta] (Walbaum). Trudy Inst. Morf. Zhivot. 20:3-70.
- Disler, N. N. 1961. Ecological and morphological characteristics of the development of the Amur autumn chum salmon, [Oncorhynchus keta] (Walb.). Tr. Soveshchanii, Ikhtiol. Kom. Acad. Nauk SSSR 1:354-362.
- Disler, N. N. 1967. Development of the sense organs of the lateral line system in the pike, [Esox lucius]. In: Morfoekologicheskii analiz razvitiya ryb. Moscow, Nauka Press.
- Distler, D. A. 1971. Observations on the reproductive habits of captive [Etheostoma cragini] Gilbert. S.W. Nat. 16(3-4):439-440.
- Dittman, A.H., G.S. Brown and C.J. Foote. 1998. The role of chemoreception in salmon egg predation by coastrange ([Cottus aleuticus]) and slimy ([Cottus cognatus]) sculpins in Illiamna Lake, Alaska. Can Journal of Zoology 76(3): 405-413.
- Ditty, J. G., and F. M. Truesdale. 1983. Comparative larval development of [Peprilus burtii], [P. triacanthus] and [P. parui] (Pisces: Stromateidae) from the western North Atlantic. Copeia 1983:397-406.
- Ditty, J. G. 1986. Ichthyoplankton in neritic waters of the northern Gulf of Mexico off Louisiana: composition, relative abundance, and seasonality. Fish. Bull. 84(4):935-946.
- Ditty, J. G., G.G. Zieske, and R.F. Shaw. 1988. Seasonality and depth distribution of larval fishes in the Northern Gulf of Mexico above latitude 26 00 N. Fish Bull., U.S. 86: 811-823.
- Divanich, P., M. Kentouri, and J. Paris. 1982. Stages of the embryonic and larval development of the white sea bream, [Diplodus sargus] L., in rearing conditions. Aquaculture 27(4):339-354.

Divanach, P., and K. Kentouri. 1983. The influence of initial trophic conditions on oil globule resorption, growth, and survival of gilt head sea bream, [*Sparus auratus*], larvae in extensive breeding. *Aquaculture* 35(1):43-56.

Divanach, P., and M. Kentouri. 1983. Preliminary data on production techniques, growth, and survival of [*Luhognathus mormyrus*] larvae. *Aquaculture* 31(2/4):245-256.

Dixitulu, J. V. H., and P. I. Chacko. 1962. Studies on [*Hilsa ilisha*] (Ham.) in Madras State. Govt. of Madras Fish. St. Rep. Yearbook 1957-58:108-127.

Dlugosz, M. 1973. Development of blood cells of the erythrocytic and leucocytic systems in rainbow trout ([*Salmo gairdneri*] Richardson 1836) during the period from closing of the blastopore to larvae hatching. *Roczniki Nauk Rolniczyck* 95(1):25-39.

Dmitrenko, E. M. 1970. Reproduction of [*Arius thalassimus*] in the Arabian Sea. *Vop. Ikhtiol.* 10:838-847.

Dmitrieva, E. N. 1957. Morpho-ecological analysis of two species of goldfish. Pages 102-170 [in] C. V. Emelianov, editor. Works on the early development of bony fishes. Stud. A. N. Severtsova Inst. Anim. Morph. Sov. Acad. Sci., No. 16.

Dmitrieva, E. N. 1960. Etapy razvitiia tyvodnoqo leshcha. Steps in the development of the bream. *Trudy Institut Morfologii Zhivotnykh, Akad. Nauk SSSR* 28:41-78.

Dmitrieva, E. W. 1966. Peculiarities of behavior of male [*Neogobius*] [*fluviatilis*] during spawning and protection of eggs. *Vop. Ikhtiol.* 6:685-695.

Doan, K. H. 1938. Observations of dogfish ([*Amia calva*]) and their young. *Copeia* 1938 (4):204.

Doan, K. H. 1939. Growth of bass fry. *Copeia* 1939(2):81-87.

Dobbs, G. H. 1975. Scanning electron microscopy of intraovarian embriogenesis of the viviparous teleost [*Micrometrus*] [*minimus*] (Gibbons), (Perciformes: Embiotocidae). *J. Fish. Biol.* 7:209-214.

Dobie, J., O. L. Meehan, and G. N. Washbarn. 1948. Propagation of minnows and other bait species. U.S. Fish & Wildl. Serv. Circ., No. 12:1-113.

Doble, B. D., and D. M. Eggers. 1978. Diel feeding chronology, rate of gastric evacuation, daily ration, and prey selectivity in Lake Washington juvenile sockeye salmon, [*Oncorhynchus nerka*]. *Transactions of the American Fisheries Society* 107(1):36-45.

Dodge, D. P., and H. R. MacCrimmon. 1970. Vital statistics of a population of Great Lakes rainbow trout ([*Salmo gairdneri*]) characterized by an extended spawning period. *Journal of the Fisheries Research Board of Canada* 27(3):613-618.

Dodge, D. P., and H. R. McCrimmon. 1971. Environmental influences on extended spawning of rainbow trout ([*Salmo gairdneri*]). *Transactions of the American Fisheries Society* 100(2):312-318.

Dodgshun, T. J. 1980. Simple, accurate method of counting fish eggs. *Progressive Fish-Culturist* 42(4):237-238.

Doherty, P., M. Kingsford, D. Booth and J. Carleton. 1996. Habitat selection before settlement by [*Pomacentrus coelestis*]. *Marine and Freshwater Research* 47:391-399.

Doherty, P., and J. McIlwain. 1996. Monitoring larval fluxes through the surf zones of Australian coral reefs. *Marine and Freshwater Research* 47:383-390.

- Doherty, P. J., D. M. Williams, and P. F. Sale. 1985. The adaptive significance of larval dispersal in coral reef fishes. *Environmental Biology of Fishes* 12(2):81-90.
- Doherty, P. J. 1987. Light-traps: selective but useful devices for quantifying the distributions and abundances of larval fishes. *Bull. Mar. Sci.* 41:423-431.
- Doherty, P. J. 1991. Spatial and temporal patterns in recruitment. Pages 261-293 [in] P.F. Sale, editor. *The ecology of fishes on coral reefs*. Academic Press, New York.
- Doherty, P. J., S. Planes and P. Mather. 1995. Gene flow and larval duration in seven species of fish from the Great Barrier Reef. *Ecology* 76:2373-2391.
- Doi, T. 1967. Simulation on fluctuation of abundance of juvenile yellowtail populations. I. Preliminary model of fluctuation in Hyuga-Nada Sea. *Bull. Tokai Reg. Fish. Res. Lab.* 51:81-97.
- Dokken, Q. R., G. C. Matlock, and S. Cornelius. 1984. Distribution and composition of larval fish populations within Alazan Bay, Texas. *Contr. Mar. Sci.* 27(Sept.):205-222.
- Dolloff, C. A., and M. T. Huish. 1980. Immersion staining and fluorescent pigment spraying of juvenile fish: an analysis of some factors influencing the success of these marking techniques. Carolina Power and Light Co., Cape Fear Studies, Rep. 80-1, Raleigh, NC.
- Dolloff, C. A. 1983. The relationships of wood debris to juvenile salmonid production and microhabitat selection in small southeast Alaska streams. Ph.D Diss., Montana State Univ., Bozeman, MT.
- Dolloff, C. A. 1986. Effects of stream cleaning on juvenile coho salmon and dolly varden in southeast Alaska. *Transactions of the American Fisheries Society* 115:743-755.
- Domanevsky, L. N., and Y. P. Nozdvin. 1963. Silver and redhakes. In: *Reproduction of fish stocks*. *Atlan. NIRO, Fish Husbandry* 39(5):10-13.
- Domanevsky, L. N. 1967. Biology of the cutlass fish, [*Lepidopus caudatus*]. *Ann. Biol. Cons. Int. Explor Mer Copenhagen* 24:198-200.
- Domashenko, G. P., and A. F. Lysenko. 1974. Soviet investigations on immature herring in the North Sea in 1972. *Annl. Biol., Copenh.* 29(1972):140-141.
- Dombeck, M. P., B. W. Menzel, and P. N. Hinz. 1984. Muskellunge spawning habitat and reproductive success. *Transactions of the American Fisheries Society* 113:205-216.
- Domermuth, R. B. 1976. Summer foods of larval and juvenile American shad, [*Alosa sapidissima*], juvenile blueback herring, [*Alosa aestivalis*], and pumpkinseed, [*Lepomis gibbosus*], in the Connecticut River, between Holyoke and Enfield dams, 1972. M.S. Thesis, Univ. Massachusetts, Amherst, MA.
- Domermuth, R. B., and R. J. Reed. 1980. Food of juvenile American shad, [*Alosa sapidissima*], juvenile blueback herring, [*Alosa aestivalis*], and pumpkinseed, [*Lepomis gibbosus*], in the Connecticut River below Holyoke Dam, MA. *Estuaries* 3(1):65-68.
- DominiciArosemena, A., E. BrugnoliOlivera, S. SolanoUlate, H. MolinaUrena, and R. R. Coghi. 2000. Ichthyoplankton from the pier area in Limon, Costa Rica. *Revista de Biologia Tropical* 48(2-3):439-442.
- Dominquez, S. E., and G. A. Chapman. 1984. Effect of pentachlorophenol on the growth and mortality of embryonic and juvenile steelhead trout. *Arch. Env. Contam. Toxicol.* 13(6):739-744.

- Domurat, J. 1956. Embryonic development of trout, [*Salmo trutta*] L., pike, [*Esox lucius*] L., and roach, [*Rutilus rutilus*] L., in waterless environment. *Polskie Arch. Hydrobiol.* 3(16):166-173.
- Domurat, J. 1964. Embryological development of rainbow trout in a non-aqueous medium. *Zool. Poloniae* 14:125-151.
- Donaldson, E. M. 1977. Bibliography of fish reproduction 1963-1974. Part I. General, Non-teleostean species and Teleostei, [*Abramis*] to [*Clinostomas*]; Part 2. Teleostei, [*Clupea*] to [*Ompok*]; Part 3. Teleostei, [*Oncorhynchus*] to [*Zygonectes*] and addendum. *Fish. Mar. Ser. Tech. Rep.* 732, 572 pp.
- Donaldson, E. M., F. W. Goetz, B. Jalabert, C. N. Mackinnon, and D. W. MacQuarrie. 1977. Applied studies on controlled reproduction of Pacific salmon. *Can. Soc. Zool. Ann. Mtg., Univ. Victoria, B.C.* 28 pp.
- Donaldson, F. M. 1975. Physiological and physico-chemical factors associated with maturation and spawning, pp. 53-71. In: Workshop on controlled reproduction of cultivated fishes. *Europ. Int. Fish. Advis. Comm. Tech. Pap. No. 25.* 180 pp.
- Donaldson, J. R. 1955. Experimental study on the survival of early stages of chinook salmon after varying exposures to upper lethal temperatures. M. S. Thesis, Univ. Washington, Seattle. 116 pp.
- Donaldson, L. R., and F. J. Foster. 1941. Experimental study of the effect of various water temperatures on the growth, food utilization, and mortality rate of fingerling sockeye salmon. *Transactions of the American Fisheries Society* 70:339-346.
- Donaldson, L. R., and K. Bonham. 1964. Effects of low-level chronic irradiation of chinook and coho salmon eggs and alevins. *Transactions of the American Fisheries Society* (93):333-341.
- Donaldson, L. R. 1970. Effects of chronic exposure of chinook salmon eggs and alevins to gamma irradiation. *Transactions of the American Fisheries Society* (99):112-119.
- Donato, A. 1967. Yolk-formation in [*Chromis chromis*] Cuv. (Teleostei, Labridae). *Boll. Zool.* 34:115-116.
- Dontsova, G. V., G. M. Ignateva, N. N. Rott, and I. I. Tolstorukov. 1970. Nucleic acids in early embryogenesis of the trout. *Sov. J. Dev. Biol.* 1:340-345.
- Dooka, L. 1961. Feeding of Black Sea anchovy larvae. *Tr. Sevastopolskoy Biologichiskoy Stantsii* 14:242-256.
- Dooley, H. D., and D. W. McKay. 1979. The drift of herring larvae from the west coast to the North Sea. *Scotl. Fish. Bull.* 45:10-12.
- Dooley, J. K. 1974. Systematic revision and comparative biology of the tilefishes (Perciformes: Branchiostegidae and Malacanthidae). Ph.D Diss., Univ. North Carolina, Chapel Hill. 301 pp.
- Dooley, J. K. 1978. Systematics and biology of the tilefishes (Perciformes: Branchiostegidae and Malacanthidae), with descriptions of two new species. *NOAA Tech. Rep. NMFS Circular* 411. 79 pp.
- Dorier, A. 1942. La ponte du Chabot de reiviere, [*Cottus gobio*] L., et l'evolution morphologique de l'alevin. *Trav. Lab. Hydrobiol. Piscicult. Grenoble* 30-33:79-86.
- Dorier, A. 1942. Les mouvements rythmiques de l'oeuf de Brochet pendant le developpement embryonnaire. *Trav. Lab. Hydrobiol. Piscicult. Grenoble* 30-33:8-26.

- Dornescu, G. T., and C. Sorescu. 1972. On the development of the chondrocranium in [Salmo] [trutta fario] and [Leucaspius delineatus]. Rev. Roum. Biol. Zool. 17(2):115-119.
- Doroshev, S. I. 1970. Biological features of the eggs, larvae and young of the striped bass, [Roccus saxatilis] (Walbaum), in connection with problems of its acclimatization in the USSR. J. Ichthyol. 10:235-248.
- Doroshev, S. I., and J. W. Cornacchia. 1979. Initial swimbladder inflation in the larvae of [Tilapia mossambica] (Peters) and [Morone saxatilis] (Walbaum). Aquaculture 16:57-66.
- Doroshev, S. I., and T. M. Aronovich. 1974. The effect of salinity on embryogenesis and larval development of [Boreogadus sarda]. Aquaculture 4:353-362.
- Doroshev, S. I., J. W. Cornacchia, and K. Hogan. 1981. Initial swim bladder inflation in the larvae of physoclistous fishes and its importance for larval culture. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:495-500.
- Dorr, J. A., III. 1974. Construction of an inexpensive lighted sorting chamber. Progressive Fish-Culturist 36:63-64.
- Dorr, J. A., III, and T. J. Miller. 1975. Benton Harbor power plant limnological studies. Pt. XXII. Underwater operations in southeastern Lake Michigan near the Donald C. Cook nuclear plant during 1974. Spec. Rep. No. 44, Great Lakes Res. Div., Univ. MI, Ann Arbor, MI. 32 pp.
- Dorr, J. A., III, D. J. Jude, F. J. Tesar, and N. J. Thurber. 1976. Identification of larval fishes taken from the inshore waters of south-eastern Lake Michigan near the Donald C. Cook Nuclear Plant, 1973-1975. Pages 61-82 [in] J. Boreman, editor. Great Lakes fish egg and larval identification. U.S. Fish & Wildl. Serv. Publ. FWS/OBS-76/23, 220 pp.
- Dorr, J. A., III, and D. J. Jude. 1981. Organization and status of a cooperative Great Lakes regional larval collection. J. Great Lakes Res. 7(2):194-200.
- Dorr, J. A., III. 1982. Substrate and other environmental factors in reproduction of yellow perch ([Perca flavescens]). Ph. D. Diss., Univ.
- Dorsa, W. J., and R. A. Fritzsche. 1979. Characters of newly hatched larvae of [Morone] [chrysops] [Pisces, Percichthyidae], from Yocana River, Mississippi. Proc. Mississippi Acad. Sci. 24:37-41.
- Dorson, M., P. Rault, P. Haffray, and C. Torhy. 1997. Water-hardening rainbow trout eggs in the presence of an iodophor fails to prevent the experimental egg transmission of infectious pancreatic necrosis virus. Bulletin of the European Association of Fish Pathologists 17(1):13-16.
- Dosanjh, B. S., et al. 1984. Efficacy of canola oil, pork lard, and marine oil singly and in combination as a supplemental dietary lipid sources for juvenile coho salmon, [Oncorhynchus] [kisutch]. Aquaculture 36(4):333-346.
- Dotsu, Y. 1954. On the life history of a goby, [Chaenogobius] [castanea] O'Shaughnessy. Contr. Biol. Lab. Sci. Soc. China 11(6):133-138.
- Dotsu, Y. 1955. Life history of a goby, [Gobius poecilichthys] Jordan et Snyder. Sci. Bull. Fac. Agric. Kyushu Univ. 15(1):77-86.
- Dotsu, Y. 1955. On the life history of a gobioid fish, [Entaeniichthys gilli] Jordan et Snyder. Bull. Biogeogr. Soc. Jap. 16-19:338-344.
- Dotsu, Y. 1955. The life history of a goby, [Chaenogobius urotaenia] (Hilgendorf). Sci. Bull. Fac. Agric. Kyushu Univ. 15(3):367-374.

- Dotsu, Y. 1956. On the habits and egg-development of a goby, [*Pterogobius zonoleus*] Jordan et Snyder. Sci. Bull. Fac. Agric. Kyushu Univ. 15(4):483-487.
- Dotsu, Y. 1956. The life history of an eleotrid goby, [*Parioglossus*] [*taeniatus*] Regan. Sci. Bull. Fac. Agric. Kyushu Univ. 15(4):489-496.
- Dotsu, Y. 1957. On the bionomics and life history of the eel-like goby, [*Odontamblyopus rubicundus*] (Hamilton). Sci. Bull. Fac. Agric. Kyushu Univ. 16(1):101-110.
- Dotsu, Y. 1957. A new species of a goby with a synopsis of the species of the genus [*Luciogobius*] Gill, and its allied genera. J. Fac. Agric. Kyushu Univ. 11(1):69-76.
- Dotsu, Y. 1957. The bionomics and life history of a gobioid fish, [*Paleogobius uchidai*] Takagi. Jap. J. Ichthyol. 6(4/6):97-104.
- Dotsu, Y. 1957. The bionomics and life history of the goby, [*Triaenopogon barbatus*] (Gunther), in the innermost part of Ariake Sound. Sci. Bull. Fac. Agric. Kyushu Univ. 16(2):261-274.
- Dotsu, Y. 1957. The life history of the goby, [*Luciogobius guttatus*] Gill. Sci. Bull. Fac. Agric. Kyushu Univ. 16(1):93-100.
- Dotsu, Y. 1957. The life history of the small, transparent goby, [*Gobius lidwillei*] McCulloch. Sci. Bull. Fac. Agric. Kyushu Univ. 16(1):85-92.
- Dotsu, Y. 1958. The bionomics and larvae of the gobioid fishes, [*Ctenotrypauchen microcephalus*] (Bleeker) and [*Taenioides cirratus*] (Blyth). Sci. Bull. Fac. Agric. Kyushu Univ. 16(3):371-380.
- Dotsu, Y. 1958. The bionomics and life history of the gobioid fish, [*Ctenogobius dotui*] Takagi. Sci. Bull. Fac. Agric. Kyushu Univ. 16(3):427-432.
- Dotsu, Y. 1958. The bionomics and life history of two gobioid fishes [*Tridentiger undicervicus*] Tomiyama and [*T. trigonocephalus*] Gill in the innermost part of Ariake Sound. Sci. Bull. Fac. Agric. Kyushu Univ. 16(3):343-358.
- Dotsu, Y. 1958. The life history of the gobioid fish, [*Acentrogobius masago*] (Tomiyama). Sci. Bull. Fac. Agric. Kyushu Univ. 16(3):359-370.
- Dotsu, Y. 1959. The bionomics and life history of the eleotrid fish, [*Eleotris oxcephala*] Temm. et Schl. Bull. Fac. Fish. Nagasaki Univ. 8:191-195.
- Dotsu, Y. 1959. The life history and bionomics of the gobioid fish, [*Aboma lactipes*] (Hilgendorf). Bull. Fac. Fish. Nagasaki Univ. 8:196-201.
- Dotsu, Y., and S. Mito. 1955. On the breeding habits, larvae and young of a goby, [*Acanthogobius flavimanus*] (Temminck et Schlegel). Jap. J. Ichthyol. 4:152-161.
- Dotsu, Y., and S. Mito. 1955. Life history of a gobioid fish, [*Sicydium japonicum*] Tanaka. Sci. Bull. Fac. Agric. Kyushu Univ. 15(2):213-221.
- Dotsu, Y., and S. Mito. 1955. On the breeding habits, larvae and young of a goby, [*Acanthogobius flavimanus*] (Temm. et Schl.). Jap. J. Ichthyol. 4:153-161.
- Dotsu, Y., S. Mito, and M. Ueno. 1955. The life history of a goby, [*Chaeturichthys hexanema*] Bleeker. Sci. Bull. Fac. Agric. Kyushu Univ. 15(3):359-365.
- Dotsu, Y., and S. Mito. 1958. The bionomics and life history of the gobioid fish, [*Luciogobius saikaiensis*] Dotu. Sci. Bull. Fac. Agric. Kyushu Univ. 16(3):419-426.
- Dotsu, Y., and S. Fujita. 1959. The bionomics and life history of the eleotrid fish, [*Eleotris oxycephala*] Temminck and Schlegel. Bull. Fac. Fish. Nagasaki Univ. 8:191-195.

- Dotsu, Y., and T. Tsutsumi. 1959. The reproductive behavior in the gobiid fish, [*Pterogobius elapoides*] (Gunther). Bull. Fac. Fish. Nagasaki Univ. 8:186-190.
- Dotsu, Y. 1961. Studies of the young of marine animals caught with "shirasufuna-bikam a boat-seine of minnow net, operating in coastal zones of the western Japan. 1. Larvae and young of gobioid fishes. Rec. Oceanogr. Works Japan, Spec. No. 5:151-154.
- Dotsu, Y., and S. Fujita. 1963. Nesting behavior, egg development and larva of the gobiid fish, [*Lubricogobius exiguus*]. Bull. Jap. Soc. Sci. Fish. 29:969-975.
- Dotsu, Y., and S. Mito. 1963. The bionomics and life history of the eleotrid fish, [*Asterropteryx simepunctatus*] Ruppell. Bull. Fac. Fish. Nagasaki Univ. 15:1-3.
- Dotsu, Y., and T. Takita. 1967. Induced spawning by hormone operation, egg development and larva of blind gobioid fish, [*Odontamblyopus rubicundus*]. Bull. Fac. Fish., Nagasaki Univ. 23:135-144.
- Dotsu, Y., and M. Shiogaki. 1971. Larvae, juveniles, and young of the gobiid fish, [*Astrabe lactisella*]. Jap. J. Ichthyol. 18(4):182-186.
- Dotsu, Y., and T. Oota 1973. The life history of the blennioid fish, [*Omobranchus*] [*loxozonus*]. Bull. Fac. Fish. Nagasaki Univ. 36:13-22. (in Japanese, English summary).
- Dotsu, Y. 1979. Eggs, larva, and juveniles of gobioid fishes. Kaiyo Kagaku (Mar. Sci.) 11:111-116. In Japanese.
- Dotsu, Y., and S. Moriuchi. 1980. The life history of the blennioid fish, [*Blennius*] [*yatabei*] (Jordan et Snyder). Bull. Fac. Fish. Nagasaki Univ. 49:17-24. (in Japanese, English summary).
- Dotsu, Y. 1982. The early life history of the combtooth blenny, [*Dasson trossulus*] and spawnings of the laboratory-reared fish about three months after hatching. Bull. Fac. Fish. Nagasaki Univ. 52:19-27. (In Japanese, English summary).
- Doudoroff, P. 1938. Reactions of marine fishes to temperature gradients. Biol. Bull. Mar. Biol. Lab., Woods Hole 75:494-509.
- Douglas, E. L., and E. A. Hemmings. 1971. Respiration rates of larval icefish and spawning time of adults. Antarct. J. U.S. 6:94.
- Douglas, M. T. 1977. Aspects of the early development in the plaice, [*Pleuronectes platessa*] L. Ph.D Diss., Univ. Liverpool. 155 pp.
- Douglas, P. A. 1952. Notes on the spawning of the humpback sucker, [*Xyrauchen texanus*] (Abbott). California Fish and Game 38:149-155.
- Douglas, V. M., and R. J. Lackey. 1974. Experimental cage culture of channel catfish strains in Virginia. Virginia J. Sci. 25(3):141-146.
- Dovel, W. 1960. Larval development of the oyster toadfish, [*Opsanus*] [*tau*]. Ches. Sci. 1(3-4):187-195.
- Dovel, W. D., and A. J. Lippson. 1974. Spot, croaker, and weakfish. Pages 42-43 [in] A. J. Lippson, editor. The Chesapeake Bay in Maryland - an atlas of natural resources. Contr. No. 500 Nat. Res. Inst. 56 pp.
- Dovel, W. L. 1963. Larval development of clingfish, [*Gobiesox strumosus*] 4.0 to 12.0 millimeters in total length. Ches. Sci. 4:161-166.
- Dovel, W. L. 1964. An approach to sampling estuarine macroplankton. Ches. Sci. 5(1):77-90.



- Dovel, W. L. 1965. Periodic plankton sampling for fish eggs, larvae, young and other plankton of Magothy River. Univ. Maryland, N.R.T., CBL Ref. 65-79. 11 pp.
- Dovel, W. L., A. J. Mansueti, and E. H. Oldmixon. 1965. Notes on the identification of five species of juvenile herring, with a new artificial key to the species. Ches. Biol. Lab., Solomons, MD, Ref. 65-101, 18 pp.
- Dovel, W. L. 1967. Fish eggs and larvae of the Magothy River, Maryland. Ches. Sci. 8(2):125-129.
- Dovel, W. L. 1967. Fish eggs and larvae. In: Biol. and geol. research on the effects of dredging and spoil disposal in the upper Chesapeake Bay. Fourth Prog. Rep. No. 67-33-A To: U.S. Army Corps of Eng., Contract No. 14-16-005-2096. Univ. MD., Nat. Res. Inst. Ref. No. 67-33-A.
- Dovel, W. L. 1967. Fish eggs and larvae. In: Biol. and geol. research on the effects of dredging and spoil disposal in the upper Chesapeake Bay. Sixth Prog. Rep. No. 67-33-C. To: U.S. Army Corps Eng., Contr. No. 14-16-005-2096. Univ. MD, Nat. Res. Inst. Ref. No. 67-33-C.
- Dovel, W. L. 1968. Fish eggs and larvae. In: Biol. and geol. research on the effects of dredging spoil disposal in the upper Chesapeake Bay. Eighth Prog. Rep. No. 68-2-B. To: U.S. Army Corps Eng., Contr. No. 14-16-005-2096. Univ. MD Nat. Res. Inst. Ref. No. 68-2-B.
- Dovel, W. L., J. A. Mihursky, and A. J. McErlean. 1969. Life history aspects of the hogchoker, [*Trinectes*] [*maculatus*], in the Patuxent River Estuary, Maryland. Ches. Sci. 10(2):104-119.
- Dovel, W. L. 1970. Fish eggs and larvae, pp. 42-49. In: Proj. E in gross physical and biological effects of overboard spoil disposal in upper Chesapeake Bay. Nat. Res. Inst. Spec. Rep. No. 3, Univ. MD.
- Dovel, W. 1970. Fish eggs and larvae, p. 12. In: Gross physical and biological effects of overboard spoil disposal in upper Chesapeake Bay. Final Rep. U.S. Bur. Spt. Fish. and Wildl. Proj. E. Ref. No. 69-112.
- Dovel, W. L. 1971. Fish eggs and larvae of the upper Chesapeake Bay. Nat. Res. Inst. Spec. Rep. No. 4 (Contr. No. 460), Univ. MD, 71 pp.
- Dovel, W. L., and J. R. Edmunds. 1971. Recent changes in striped bass (*Morone saxatilis*) spawning sites and commercial fishing areas in upper Chesapeake Bay, possible influencing factors. Ches. Sci. 12(1):33-39.
- Dovel, W. L. 1975. Fish eggs and larvae. Pages 14-38 [in] T. S. Y. Koo, editor. A biological study of Baltimore Harbor. Cent. Env. and Estuarine Stud., Univ. Maryland, Spec. Rep. No. 6, 115 pp.
- Dovel, W. L. 1979. The biology and management of shortnose and Atlantic sturgeon of the Hudson River. New York Dept. Env. Cons., Rep. AFS9-R, Albany.
- Doving, K. B., M. Marstol, Andersen, J. R., and J. A. Knutsen. 1994. Experimental evidence of chemokinesis in newly hatched cod larvae (*Gadus morhua* L). Marine Biology 120:351-358.
- Dow, R. L., and A. F. Fortier. 1963. The ocean perch (*Sebastes marinus*). Fish. Circ. Me, No. 9, 9 pp.
- Dowd, C. E. 1979. Abundance and distribution of Bothidae (Pisces: Pleuronectiformes) larvae in the eastern Gulf of Mexico, 1971, 1972, and 1973. Symp. on early life history of fish, Woods Hole, MA.

- Dowd, C. E., and E. D. Houde. 1980. Combined effects of prey concentration and photoperiod on survival and growth of larval sea bream, [*Archosargus rhomboidalis*] (Sparidae). *Mar. Ecol. Prog. Series* 3:181-185.
- Dowd, C. E. 1981. Abundance and distribution of Bothidae (Pisces, Pleuronectiformes) larvae in the eastern Gulf of Mexico, 1971-73. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:183-184.
- Dower, J. F., T. J. Miller, and W. C. Leggett. 1997. The role of microscale turbulence in the feeding ecology of larval fish. *Adv. Mar. Biol.* 31:169-220.
- Dower, J. F., P. Pepin, and W. C. Leggett. 1998. Enhanced gut fullness and an apparent shift in size selectivity by radiated shanny ([*Ulvaria subbifurcata*]) larvae in response to increased turbulence. *Can. J. Fish. Aquat. Sci.* 55: 128-142.
- Dower, J. F., P. Pepin, and W. C. Leggett. 2002. Using patch studies to link mesoscale patterns of feeding and growth in larval fish to environmental variability. *Fisheries Oceanography* 11(4):219-232.
- Downey, P., and D. Toetz. 1983. Distribution of larval gizzard shad ([*Dorosoma cepedianum*]) in Lake Carl Blackwell, Oklahoma. *Am. Midl. Nat.* 109(1):23-33.
- Downhower, J. F., and L. Brown. 1977. A sampling technique for benthic fish populations. *Copeia* 1977(2): 403-406.
- Downing, S. W. 1906. Collecting, hatching and distribution of planktonic perch; why the great loss of eggs. *Trans. Am. Fish. Soc.*
- Downing, S. W. 1911. Some of the difficulties encountered in collecting pike-perch eggs. *Trans. Am. Fish. Soc.*
- Doyere, M. P. L. M. 1849. Sur un mikropyle dans des oeufs du [*Loligo media*] et [*Syngnathus ophidion*]. *Bull. Soc. Phil., Paris.*
- Doyle, M. J. 1977. A morphological staging system for the larval development of the herring, [*Clupea harengus*] L. *J. Mar. Biol. Assoc. U.K.* 57(3):859-867.
- Doyle, M. J., W. W. Morse, and A. W. Kendall. 1993. A comparison of larval fish assemblages in the temperate zone of the northeast Pacific and northwest Atlantic Oceans. *Bulletin of Marine Science* 53:588-644.
- Doyle, M. J., W. C. Ruge, and R. D. Brodeur. 1995. Neustonic ichthyoplankton in the western Gulf of Alaska during spring. *Fishery Bulletin* 93:231-253.
- Drages, O. 1971. Factors influencing year-class strength of Norwegian spring-spawning herring ([*Clupea harengus*] Linne). Page 75 [in] A. Saville, editor. *Symp. on the biology of early stages and recruitment mechanisms of herring. Cons. int. Explor. Mer. Rapp. P.-v. Reun. No.* 160.
- Dragesund, O., and K. F. Wiborg. 1963. Forekomst av egg og yngel av fisk i vest og nordnorske kyst og bankfarvann varen 1963. *Fiskets Gang, Nr.* 41.
- Dragesund, O. 1964. Studies on sardine ([*Sardina pilchardus*]) and anchovy ([*Engraulis encrasicolus*]) in the Gulf of Naples and their behavior to artificial light. *Stud. Rev. Gen. Fish. Coun. Medit. No.* 23:1-27.
- Dragesund, O., and Olsen, S. 1965. On the possibility of estimating year-class strength by measuring echo-abundance of 0-group fish. *FiskDir. Skr. Ser. Havunders.* 13: 47-75.
- Dragesund, O. 1965. Forekomst av egg og yngel av fisk i vest og nord norske kyst og bankfarvann varen 1964. *Fiskets Gang, Nr.* 11.

- Dragesund, O. 1967. Norwegian investigations in 1967 on eggs and larvae, small and fat herring. *Ann. Biol., Cons. int. Explor. Mer, Copenhagen* 24:131-133.
- Dragesund, O. 1968. Norwegian investigations in 1968 on eggs and larvae, small and fat herring. *Ann. Biol. Explor. Mer, Copenhagen*, 25:178-179.
- Dragesund, O. 1970. Factors influencing year-class strength of Norwegian spring spawning herring. *FiskDir. Skr. (Ser. HavUnders.)* 15:381-450.
- Dragesund, O. 1970. Distribution, abundance, and mortality of young and adolescent Norwegian spring-spawning herring (*[Clupea harengus]* Linne) in relation to subsequent year-class strength. *FiskDir. Skr. (Ser. HavUnders.)* 15(4): 451-556.
- Dragesund, O., and O. Nakken. 1971. Mortality of herring during the early larval stages in 1967. Pages 142-146 [in] A. Saville, editor. *Symp. on the biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 160, 205 pp.
- Dragesund, O., and O. Nakken. 1973. Relationship of parent stock size and year class strength in Norwegian spring spawning herring. Pages 15-29 [in] B. B. Parrish, editor. *Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 164, 372 pp.
- Dragesund, O., and A. Haug. 1974. Norwegian herring investigations in 1972. *Annl. Biol., Copenh.* 29(1972):107-109.
- Dragesund, O., and H. Bjorke. 1974. Efficiency tests on four high-speed samplers, p. 31. In: *Rep. on the international symposium on the early life history of fish. FAO Fish. Rep. No. 141*, 58 pp.
- Draggan, S. 1977. Interactive effect on chromium compounds and fungal parasite on carp eggs. *Bull. Env. Contam. Toxicol.* 17:653.
- Dragomirov, N. I., and M. P. Nikol'skaya. 1978. Gradients in the development of the spiracle-branchial row of neuromasts during ontogenesis of sturgeon. *Dokl. Biol. Sci. Eng. transl. Dokl. Akad. Nauk SSSR Ser. Biol.* 241(1-6):332-334.
- Dragovich, A. 1963. Hydrology and plankton of coastal waters of Naples, Florida. *Q. J. Florida Acad. Sci.* 26:22-47.
- Drenner, R. W., J. R. Strickler, Jr., and W. J. O'Brien. 1978. Capture problems: The role of zooplankton escape in the selective feeding of planktivorous fish. *Journal of the Fisheries Research Board of Canada* 35:1370-1373.
- Drewry, G. E. 1979. Externally visible features useful for separating the young of striped bass (*[Morone saxatilis]*) from those of white perch (*[Morone americana]*) in the Chesapeake Bay region. *Symp. on early life history of fish, Woods Hole, MA.*
- Drewry, G. E. 1979. A punch card key to the families of yolk sac larval fishes of the Great Lakes Region. V.I.D. Publ. Co., Waldorf, MD.
- Drewry, G. E. 1981. Externally visible features useful for separating young of striped bass, *[Morone saxatilis]*, from those of white perch, *[Morone americana]*, in the Chesapeake Bay region. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:590-592.
- Drinkwater, K., S. Lochman, C. Taggart, K. Thompson, and K. Frank. 2000. Entrainment of redfish (*[Sebastes]* spp.) larvae off the Scotian Shelf. *Ices Journal of Marine Science* 57(2):372-382.
- Drost, M. R., and J. M. van den Boogaart. 1986. The energetics of feeding strikes in larval carp, *[Cyprinus carpio]*. *J. Fish. Biol.* 29(3):371-379.

- Drost, R. 1987. Relation between aiming success and catch success in larval fishes. *Can. J. Fish. Aquat. Sci.* 44:304-315.
- Drost, M. R., J.W.M. Osse, and M.Muller. 1988. Prey capture by fish larvae, water flow patterns and the effect of escape movements of prey. *Neth. Journal of Zoology* 38:23-45.
- Drucker, B. 1972. Some life history characteristics of coho salmon of the Karluk River system, Kodiak Island, Alaska. *U.S. Fish Wildl. Serv. Fish. Bull.* 70: 79-94.
- Drummond, R. A., and T. D. McKinney. 1965. Predicting the recruitment of cutthroat trout fry in Trappers Lake, Colorado. *Transactions of the American Fisheries Society* 94(4):389-393.
- Drummond, R. A. 1966. Reproduction and harvest of cutthroat trout at Trapper's Lake, Colorado. *Colorado Fish. Res. Div. Spec. Rep.* 10:26 pp.
- Druzhinin, A. D. 1974. On distribution and biology of drums (or croakers), family Sciaenidae, throughout the world oceans. *J. Ichthyol.* 6:37-46.
- Dryer, W. 1951. Bass reproduction in selected Tennessee streams. *Tennessee Game Fish Comm.* 1-23.
- Dryer, W. R., and J. Beil. 1968. Growth changes of the bloater (*Coregonus hoyi*) of the Apostle Islands region of Lake Superior. *Transactions of the American Fisheries Society* 97:146-158.
- Dryer, W. R., and J. Biel. 1964. Life history of lake herring in Lake Superior. *Fish. Bull.* 63(3): 493-530.
- Dryfoos, R. L. 1961. Larval carapid fishes from Hawaii, with remarks on the ecology of adults. *Copeia* 1961(4):477-478.
- Dryfoos, R. L. 1965. The life history and ecology of the longfin smelt in Lake Washington. Ph.D. Diss., Univ. Washington, Seattle, 242 pp.
- Dryfoos, R. L., R. P. Cheek, and R. L. Kroger. 1973. Preliminary analyses of Atlantic menhaden, [*Brevoortia tyrannus*], migrations, population structure, survival and exploitation rates, and availability as indicated from tag returns. *Fish. Bull. NOAA (U.S.)* 71(3):719-734.
- Dube, G. P., R. G. Lough, and R. E. Cohen. 1977. Comparison of Georges Bank zooplankton community in relation to growth and mortality of herring larvae during two winter periods. *ICES CM 1977/L:27.* 31 pp.
- Dubois, R., and J. L. Fischer. 1978. Presence of cysteine lyase in the yolk sac endoderm of the Mediterranean dogfish and in the embryonic kidney of a teleost. *C. R. Acad. Sci. Ser. D* 287(13):1243-1246.
- Dubuc, R. A., and D. R. DeVries. 2002. An exploration of factors influencing crappie early life history in three Alabama impoundments. *Transactions of the American Fisheries Society* 131(3):476-491.
- Dudley, R. G. 1969. Survival of largemouth bass embryos at low dissolved oxygen concentrations. M.S. Thesis, Cornell Univ., Ithaca, NY. 61 pp.
- Dudley, R. G., and A. W. Eipper. 1975. Survival of largemouth bass embryos at low dissolved oxygen concentrations. *Transactions of the American Fisheries Society* 104:122-128.
- Dudley, R. G., and K. N. Black. 1978. Distribution of striped bass eggs and larvae in the Savannah River estuary. *Proc. 32nd Ann. Conf. S. E. Assoc. G & F Comms.* 32:561-570.

Dudnik, Y. I. 1968. The effect of unfavorable temperature on the embryonic development of the carp with inbreeding and outbreeding. Doklady 141:239-243.

Dudnik, Y. I. 1977. A contribution to the biology of larvae and fry of morwongs (Pisces: Cheilodactylidae) of the Atlantic Ocean. Zool. Zh. 56(11):1658-1667.

Duenas, C. E. 1981. Influence of incubation salinity and temperature and post-hatching temperature on salinity tolerance of Pacific herring, [*Clupea pallasii*], larvae. M.S. Thesis, Univ. British Columbia, Vancouver. 82 pp.

Duff, D. 1916. Investigation of the haddock fishery, with special reference to the growth, and maturity of the haddock ([*Melanogrammus aeglefinus*]). Contr. Can. Biol. 1914-1915(1916). Suppl. 5th. Ann. Rep., Dept. Naval Serv., Fish. Branch Canada:95-102.

Duffy, J.T., C.E. Epifanio, and L.A. Fuiman. 1997. Mortality rates imposed by three scyphozoans on red drum ([*Sciaenops ocellatus*]) larvae in field enclosures. Journal of Experimental Marine Biology and Ecology 212:123-131.

Duffy-Anderson, J.T., J.P. Manderson and K.W. Able. In press. A characterization of juvenile fish assemblages around man-made structures in the New York - New Jersey Harbor estuary, USA. Fishery Bulletin.

Dufour, V., E. Riclet, and A. Loyat. 1996. Colonization of reef fishes at Moorea Island, French Polynesia: temporal and spatial variation of the larval flux. Marine and Freshwater Research 47:413-422.

Dufour, V., and R. Galzin. 1993. Colonization patterns of reef fish larvae to the lagoon at Moorea Island, French Polynesia. Marine Ecology-Progress Series 102:143-152.

Dufour, V. 1992. Taxonomic and nycthemeral variations of recruitment of fish larvae in coral reefs. J. Rech. Oceanogr. 17: 90-96.

Dufour, V. 1991. Variations of fish larvae abundance in reefs - effect of light on the colonization of the reefs by fish larvae. Comptes Rendus de L Academie Des Sciences Serie III - Sciences de La Vie. 313:187-194.

Duka, L. A. 1959. The feeding of young gobies. Tr. Sevastopol'sk. biol. st., 12. - 1966. The feeding of pelagic larvae of sea fishes under different living conditions. Odessa. Candidature Thesis 1972. The feeding of larvae and young of the family Gobiesocidae in the Black Sea. Biol. morya, No. 25.

Duka, L. A. 1961. Food of anchovy larvae in the Black Sea. Tr. Sevastopolsk. Biol. Sta. Akad. Nauk SSSR 14:242-256.

Duka, L. A. 1967. Adaptive features in nutrition of pelagic fish larvae living under different ecological conditions. From: "Structure and dynamics of aquatic communities and populations". Pap. No. 9, Respubliankanskii Mezhdovedomstvennyi Sbornik, Seriya "Biol. Morya", Akad. Nauk Ukr.

Duka, L. A. 1967. Struktura i dinamika soobshchestv (Adaptive features in the feeding of pelagic larvae of fish living in different ecological conditions). Akad. Nauk. Ukr. SSR. 136-143.

Duka, L. A. 1969. Feeding of larvae of the anchovy ([*Engraulis*] [*encrasicholus maeoticus*] (Pusanov) in the Azov Sea. Vopr. Ikht. 9(2):223-236. (English transl. by Am. Fish. Soc.).

Duka, L. A., and A. D. Gordina. 1971. Species composition and seasonal dynamics of the abundance of young fishes in coastal weed-bed biocenoses of the Black Sea. In: Biologiya morya. Kiev, Naukova dumka Press.

- Duka, L. A., and A. D. Gordina. 1973. Abundance of ichthyoplankton and feeding of fish larvae in the western Mediterranean and adjacent areas of the Atlantic Ocean. *Hydrobiol. J.* 9(2):54-59.
- Duka, L. A., and A. D. Gordina. 1973. O chislyennosti ikhtioplanktona i pitanii lichinok ryb v zapadnoy chasti spyedizyemnogo marya i prilyezhashchikh rayonakh atlantiki. On the ichthyoplankton number and larval fish nutrition in the Western Mediterranean and adjoining Atlantic area. *Gidrobiol. Zh.* 9(2):87-93.
- Duka, L. A. 1975. Feeding and food requirements of young fishes of the family Labridae in the Black Sea. *J. Ichthyol.* 15(2):219-226.
- Duka, L. A. 1976. Feeding and food relationships of the larvae and young of the family Labridae. *J. Ichthyol.* 16(3):398-407.
- Duka, L. A. 1978. Trophic complexes of fish larvae and fingerlings in the vegetative coastal zone of the Black Sea. *J. Ichthyol.* 18(1):35-44.
- Duke Power Company. 1974. Environmental Report, Perkins Nuclear Station, Vol. 1, 2, and 3. Charlotte, N.C.
- Duke Power Company Environmental Laboratories. 1977. Preliminary key to the larval fishes of the Duke Power service area. Duke Power Co., Huntersville, NC. 13 pp.
- Dumas, R. F. 1961. Effect of light, diet, and age of spawning brown trout upon certain characteristics of their eggs and fry. *New York Fish & Game J.* 8(1):49-56.
- Dumas, R. F., and J. S. Brand. 1972. Use of tannin solution in walleye and carp culture. *Progressive Fish-Culturist* 34(1):7.
- Dumont, J. N., and A. R. Brummett. 1980. The vitelline envelope, chorion, and micropyle of [*Fundulus heteroclitus*] eggs. *Gamete Res.* 3:25-44.
- Dunbar, M. J. 1947. Marine young fish from the Canadian eastern Arctic. *Journal of the Fisheries Research Board of Canada* 73:1-11.
- Dunbar, M. J., and H. H. Hildebrand. 1952. Contribution to the study of fishes of Ungava Bay. *Journal of the Fisheries Research Board of Canada* 9(2):83-128.
- Dunbrack, R. L. 1984. Intraspecific food competition in juvenile coho salmon, [*Oncorhynchus kisutch*]. Ph.D. Diss., Simon Fraser Univ., Burnaby, B.C.
- Dunbrack, R. L., and L. M. Dill. 1984. Three-dimensional prey reaction field of the juvenile coho salmon ([*Oncorhynchus kisutch*]). *Can. J. Fish. Aquat. Sci.* 41(8):1176-1182.
- Duncan, T. O. 1978. Collection bucket for use with tow nets for larval fish. *Progressive Fish-Culturist* 40(3):118.
- Dunkelburger, D. G., J. M. Dean, and N. Watabe. 1980. The ultrastructure of the otolithic membrane and otolith in the juvenile mummichog, [*Fundulus*] [*heteroclitus*]. *J. Morph.* 163:367-377.
- Dunn, H. D. 1897. On the occurrence of large numbers of larval herring at the surface. *J. Mar. Biol. Assoc. U.K.* 5(2):184-185.
- Dunn, J. R., and N. A. Naplin. 1973. Planktonic fish eggs and larvae collected from the southeastern Bering Sea, May-June 1971. NOAA, NMFS NWAFC MARMAP Survey I, Rep. 5:92 pp.
- Dunn, J. R., and N. A. Naplin. 1974. Fish eggs and larvae collected from waters adjacent to Kodiak Island, Alaska, during April and May 1972. NOAA-NMFS, Northwest Fish. Ctr., MARMAP survey I., Rep. 12. 61 pp.

- Dunn, J. R., et al. 1980. Seasonal composition and food web relationships of marine organisms in the nearshore zone - including components of the ichthyoplankton, meroplankton, and holoplankton. Final Rep. OCSEAP RU551. NOAA, NMFS NWAFC, Seattle.
- Dunn, J. R. 1982. Development and distribution of the young of northern smoothtongue, [*Leuroglossus schmidti*] (Bathylagidae) in the northeast Pacific, with comments on the systematics of the genus [*Leuroglossus*] Gilbert. Fish. Bull.
- Dunn, J. R. 1983. Development and distribution of the young of northern smoothtongue [*Leuroglossus schmidti*] (Bathylagidae), in the northeast Pacific, with comments on the systematics of the genus [*Leuroglossus*] Gilbert. Fish. Bull. U.S. 81:23-40.
- Dunn, J. R. 1983. The utility of developmental osteology in taxonomic and systematic studies of teleost larvae: a review. NOAA Tech. Rep. NMFS Circ. 450.
- Dunn, J. R. 1984. Developmental osteology. Pages 48-49 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Dunn, J. R., A. W. Kendall, Jr., and R. D. Bates. 1984. Distribution and abundance patterns of eggs and larvae of walleye pollock, [*Theragra chalcogramma*], in the western Gulf of Alaska. NOAA, NMFS NWAFC Proc. Rep. 84-10. 66 pp.
- Dunn, J. R., and A. C. Matarese. 1984. Gadidae: development and relationships. Pages 283-299 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Dunn, J. R., and B. M. Vinter. 1984. Development of larvae of saffron cod, [*Eleginus*] [*gracilis*], with comments on the identification of gadid larvae in Pacific and Arctic waters contiguous to Canada and Alaska. Can. J. Fish. Aquat. Sci. 41:304-318.
- Dunn, J. R., and A. C. Matarese. 1985. A review of the early life history of northeast Pacific gadid fishes. Workshop on comparative biol., assessment, and management of gadoids from the north Pacific and Atlantic oceans, Seattle. 39 pp.
- Dunn, J. R. 1986. A catalog of Northwest and Alaska Fisheries Center ichthyoplankton cruises 1965-85. NOAA, NMFS NWAFC Proc. Rep. 86-08. 163 pp.
- Dunn, J. R., and A. C. Matarese. 1987. A review of the early life history of northeast Pacific gadoid fishes. Fish. Res. 5:163-184.
- Dunn, J. R., and B. M. Vinter. The developmental osteology of the North Pacific gadid fish, [*Theragra chalcogramma*]. Unpubl. Ms., NW and Alaska Fish. Ctr., NMFS, NOAA, 2725 Montlake Blvd. E., Seattle, WA. 98112.
- Dunson, W. A., and C. L. Rowe. 1996. The effects of species manipulation on growth and survival of an assemblage of juvenile estuarine fish. Journal of Fish Biology 48:120-130.
- Dunstall, T. G. 1978. Apparatus for the collection of larval fish from deep water. Ontario Hydro Res. Div. Rep. No. C78-147-K. 3 pp.
- Dunstall, T. G. 1981. Ichthyoplankton entrainment at Pickering GS 'A', 1975-77. Ontario Hydro Res. Div. Rep. 81-211-K.
- Dunstall, T. G. 1982. Ichthyoplankton entrainment at Nanticoke TGS, 1981. Ontario Hydro, Res. Div., Toronto. Rep. 82-55-K.
- Dunstall, T. G. 1984. Distribution of rainbow smelt and alewife larvae along the north shore of Lake Ontario. J. Great Lakes Res. 10(3):273-280.

- Dupree, H. K., and K. E. Sneed. 1967. Response of channel catfish fingerlings to different levels of major nutrients in purified diets. U.S. Fish Wildl. Serv. Tech. Pap. No.
- Dupree, H. K., O. L. Green, and K. E. Sneed. 1970. The growth and survival of fingerling channel catfish fed complete and incomplete feeds in ponds and troughs. *Progressive Fish-Culturist* 32(2):85-92.
- Durand, J. R., and G. Loubens. 1970. Observations on the sexuality and reproduction of [*Alestes baremoze*] from lower Chari and Lake Chad. *Cah. ORSTOM (Hydrobiol.)*. IV(2):61-81.
- Durand, J. R., and G. Loubens. 1971. Development embryonnaire et larvaire d' [*Alestes*] [*baremoze*]. *Cah. O.R.S.T.O.M., Ser. Hydrobiol.* 5(2):137-145.
- Durand, J.R. 1978. Biologie et dynamique des populations d' [*Alestes baremoze*] (Pisces, Characidae) du bassin tchadien.. *Trav. Doc. ORSTOM, Paris*. 98. 332 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase*. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Durant, D. F., J. V. Shireman, and R. D. Gasaway. 1979. Reproduction, growth and food habits of Seminole killifish, [*Fundulus seminolis*], from two central Florida lakes. *Am. Midl. Nat.* 102(1):127-133.
- Duray, M., and T. Bagarinao. 1984. Weaning of hatchery-bred milkfish larvae from live food to artificial diets. *Aquaculture* 41(4):325-332.
- Durkyn, J. T., D. L. Park, and R. F. Raleigh. 1970. Distribution and movement of juvenile salmon in Brownlee Reservoir, 1962-65. U.S. Fish Wildl. Serv. *Fish. Bull.* 68(2):219-243.
- Durve, V. S., and K. V. George. 1967. Some physiological observations on the fry of [*Chanos chanos*] (Forsk.) for their transport in plastic containers. *Indian J. Fish.* 1963 10A(1):1-10.
- Durve, V. S. 1975. Anaesthetics in the transport of mullet seed. *Aquacult.* 5(1):53-64.
- Durve, V. S., and M. S. Sharma. 1977. Oxygen requirements of the early stages of the major carp, [*Labeo calbasu*]. *J. Anim. Morph. Physiol.*
- DuShame, G. P. 1946. The development of pigment cells in vertebrates, pp. 1-15. In: *Biology of the melanomas*. *Spec. Publ. New York Acad. Sci.* (4).
- Dushkina, L. A. 1973. Influence of salinity on eggs, sperm, and larvae of low-vertebral herring reproducing in the coastal waters of the Soviet Union. *Mar. Biol.* 19(3):210-223.
- Dushkina, L. A. 1975. Viability of herring (*Clupea*) eggs and fertilizing capacity of herring sperm stored under various conditions. *J. Ichthyol.* 15(3):423-429.
- Dutt, S., and V. V. Rao. 1960. On the breeding habits and early developmental stages of [*Petroscirtes bipunctata*] (Day). *Journal of Zoology Soc. India* 12:158-161.
- Duwe, A. E. 1952. The embryonic origin of the gas bladder in the centrarchid fish, [*Lepomis macrochirus macrochirus*]. *Copeia* 1952:92.
- Duwe, A. E. 1955. The development of the gas bladder in the green sunfish, [*Lepomis cyanellus*]. *Copeia* 1955:92-95.
- Duwe, A. E. 1959. The differentiation of the heart of the green sunfish, [*Lepomis cyanellus*]. *Turttox News* 37:290-291.
- Dwinell, S. E., and C. R. Futch. 1973. Spanish mackerel and king mackerel larvae and juveniles in the northeastern Gulf of Mexico, June through October, 1969. *Florida Dept. Nat. Res. Mar. Res. Lab. Le afl. Ser. IV, Pt. I, No. 24*. 1-14.



- Dybas, C. L. 1993. Beautiful, ethereal larvaceans play a central role in ocean ecology. *Oceanus* 36:84-86.
- Dye, J. E. 1980. The production and efficient use of freshly hatched brine shrimp nauplii ([*Artemia*]) in the larval rearing of marine fish at the hatcheries of the British Whitefish Authority. In: Persoone, G., P. Sorgeloos, O. Roels, and E. Jaspers (eds.), *The brine shrimp [Artemia]*. Vol. 3. Universa Press, Belgium.
- Dziekonska, J. 1956. Studies on embryonic development of fish. 1. Observations on the spawning and embryonic development of bream in the Vistula Lagoon. *Polskie Archiwum Hydrobiologii* 3:291-305.
- Eales, J. G. 1967. Bibliography of [*Anguilla*]. Tech. Rep. Fish. Res. Bd. Can., No. 28, 171 pp.
- Earll, R. E. 1880. A report on the history and present condition of the shore cod-fishery of Cape Ann, MA, together with notes on the natural history and artificial propagation of the species. Rep. U.S. Commr. Fish. 1878(1880) 6:685-740.
- Earll, R. E. 1883. The Spanish mackerel, [*Cybium maculatum*] (Mitchill) Ag.; its natural history and artificial propagation, with an account of the origin and development of the fishery. Rep. U.S. Commr. Fish.
- Earll, R. E. 1884. Hatching blackfish and Spanish mackerel. *Bull. U.S. Fish. Comm.* 4:415-416.
- Easton, K., and I. Dalben. 1980. The induced spawning and subsequent survival and growth of roach, [*Rutilus rutilus*] (L.). *Fish. Mgmt.* 11:59-65.
- Eaton, J. G. 1973. Chronic toxicity of a copper, cadmium, and zinc mixture to the fathead minnow, [*Pimephales promelas*]. *Water Research* 7:1723-1736.
- Eaton, J. G. 1974. Chronic cadmium toxicity to the bluegill ([*Lepomis*] [*macrochirus*] Rafinesque). *Transactions of the American Fisheries Society* 103(4):729-735.
- Eaton, J. G., et al. 1978. Metal toxicity to embryos and larvae of seven freshwater fish species. I. Cadmium. *Bull. Env. Contam. Toxicol.* 19:95.
- Eaton, R. C., and R. D. Farley. 1973. Development of the Mauthner neurons in embryos and larvae of the zebrafish, [*Brachydanio rerio*]. *Copeia* 1973(4):673-682.
- Eaton, R. C. 1974. Spawning cycle and egg production of zebrafish, [*Brachydanio rerio*], in the laboratory. *Copeia* 1974(1):195-204.
- Eaton, R. C., and R. D. Farley. 1975. Mauthner neuron field potential in newly hatched larvae of the zebrafish. *J. Neurophysiol.* 38:502-512.
- Eaton, R. C., R. D. Farley, C. B. Kimmel, and E. Schabtach. 1977. Functional development in the Mauthner cell system of embryos and larvae of the zebrafish. *J. Neurobiol.* 8:151-172.
- Eaton, R. C., R. D. Farley, C. B. Kimmel, and E. Schabtach. 1977. Functional development in the zebrafish. *J. Neurobiol.* 8:151-172.
- Eaton, R. C., and C. B. Kimmel. 1980. Directional sensitivity of the M-cell system to vibrational stimulation in zebrafish larvae. *J. Comp. Physiol. A., Sensory neural and Behav. Physiol.* 140:337-342.
- Eaton, R. C., and J. Nissanov. 1985. A review of Mauthner-initiated escape behavior and its possible role in hatching the immature zebrafish, [*Brachydanio rerio*]. *Environmental Biology of Fishes* 12:265-279.

- Eaton, R. C., and R. DiDomenico. 1986. Role of the teleost escape response during development. *Transactions of the American Fisheries Society* 115:128-142.
- Eaton, T. H. 1943. A young anglerfish, [*Lophius piscatorius*] L. *Copeia* 1943:45-47.
- Ebel, W. J., E. W. Dawley, and B. H. Monk. 1971. Thermal tolerance of juvenile Pacific salmon and steelhead trout in relation to supersaturation of nitrogen gas. *Fish. Bull. NOAA (U.S.)* 69(4):833-844.
- Ebeling, A. W. 1962. Melamphaidae. 1. Systematics and zoogeography of the species in the bathypelagic fish genus [*Melamphaes*] Gunther. *Dana Rep.* 58:164 pp.
- Ebeling, A. W., and W. H. Weed, III. 1964. Melamphaidae. 3. Systematics and distribution of the species in the bathypelagic fish genus [*Scopelogadus*] Vaillant. *Dana Rep.* 60:58 pp.
- Ebeling, A. W., and W. H. Weed, III. 1973. Melamphaidae in fishes of the western North Atlantic. *Mem. Sears Found. Mar. Res.* 1(6):421-478.
- Ebeling, A. W., and W. H. Weed, III. 1973. Order Xenoberyces ([*Stephanoberycifor*]). Pages 397-477 [in] D. M. Cohen, editor. *Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res.* 1(6).
- Ebert, E. E., and C. L. Turner. 1962. The nesting behavior, eggs and larvae of the bluespot goby. *California Fish and Game* 48(4):249-252.
- Ebert, V. W., and R. C. Summerfelt. 1969. Contributions to the life history of the piute sculpin, [*Cottus beldingi*] Eigenmann and Eigenmann, in Lake Tahoe. *California Fish and Game* 55:100-120.
- Echelle, A. A. 1968. Food habits of young-of-year longnose gar in Lake Texoma, Oklahoma. *Southwestern Nat.* 13(1):45-50.
- Echelle, A. A. 1970. Behavior and ecology of the Red River pupfish, [*Cyprinodon rubrofluviatilis*]. *Diss. Abstr. Int.* 31B:1602.
- Echelle, A. A., A. F. Echelle, and L. G. Hill. 1972. Developmental rate tolerances of [*Cyprinodon*] [*rubrofluviatilis*]. *Southwestern Nat.* 17: 55-60.
- Echelle, A. A., and C. D. Riggs. 1972. Aspects of the early life history of gars ([*Lepidosteus*]) in Lake Texoma. *Transactions of the American Fisheries Society* 101(1):106-112.
- Echelman, T., and L. Fishelson. 1990. Surface zooplankton dynamics and community structure in the Gulf of Awaba (Eilat), Red Sea. *Marine Biology.* 107:179-190.
- Echo, J. B. 1955. Some ecological relationships between yellow perch and cutthroat trout in Thompson Lakes, Montana. *Transactions of the American Fisheries Society* 84:239-248.
- Eckblad, J. W., and M. H. Shealy, Jr. 1972. Predation on largemouth bass embryos by the pond snail, [*Viviparus georgianus*]. *Transactions of the American Fisheries Society* 101(4):734-738.
- Eckert, G. J. 1984. Annual and spatial variation in recruitment of labroid fishes among seven reefs in the Capricorn/Bunker Group, Great Barrier Reef. *Mar. Biol.* 78:123-127.
- Eckert, G. J. 1987. Estimates of adult and juvenile mortality for labrid fishes at One Tree Reef, Great Barrier Reef. *Mar. Biol.* 95:167-171.

- Eckles, H. H. 1949. Observations on juvenile oceanic skipjack ([*Katsuwonus pelamis*]) from Hawaiian waters and Sierra mackerel ([*Scomberomorus sierra*]) from the eastern Pacific. Fish. Bull. Fish Wildl. Serv. U.S., No. 48:245-250.
- Eckmayer, W. J., and F. J. Margraf. 2001. Aging early age-0 white bass ([*Morone chrysops*]) by daily otolith increment analysis. Journal of Freshwater Ecology 16(4):653-654.
- Ecological Analysts, Inc. 1976. Bowline Point Generating Station: entrainment survival and abundance studies. 1975 Ann. Interpretative Rep., Vol. 1, Prepared for Orange and Rockland Utilities, Inc.
- Economou, A. N. 1987. Ecology of survival in some gadoid larvae of the northern North Sea. Environmental Biology of Fishes 19:241-260.
- Economou, A. N. 1991. Is dispersal of fish eggs, embryos and larvae an insurance against density dependence? Environmental Biology of Fishes 31:313-321.
- Economou, A. N. 1991. Food and feeding ecology of 5 gadoid larvae in the northern North Sea. Journal du Conseil 47:339-351.
- Eddy, F. B., and C. Talbot. 1983. Formation of the perivitelline fluid in Atlantic salmon eggs ([*Salmo salar*]) in fresh water and in solutions of metal ions. Comp. Biochem. Physiol. C, Comp. Pharmacol. 75:1-4.
- Eddy, F. B., and C. Talbot. 1985. Sodium balance in eggs and dechorionated embryos of the Atlantic salmon, [*Salmo salar*] L. exposed to zinc, aluminum and acid waters. Comp. Biochem. Physiol. 81C(2):259-266.
- Eddy, J. M. P. 1969. Metamorphosis and the pineal complex in the brook lamprey, [*Lampetra planeri*]. J. Endocrin. 44:451-452.
- Eddy, R. M. 1972. The influence of dissolved oxygen concentration and temperature on the survival and growth of chinook salmon embryos and fry. M. S. Thesis, Oregon State Univ., Corvallis. 45 pp.
- Edmunds, J. R., IV. 1972. A study of fish eggs and larvae of the upper Indian River estuary, Delaware, with comments on the influence of the thermal additions from a steam-electric power plant. M.S. Thesis, Johns Hopkins Univ., 42 pp.
- Edmundson, E., F. E. Everest, and D. W. Chapman. 1968. Permanence of station in juvenile chinook salmon and steelhead trout. Journal of the Fisheries Research Board of Canada 25:1453-1464.
- Edmundson, E. J., Jr. 1976. Effects of gamma radiation and temperature on growth of juvenile rainbow trout, [*Salmo gairdneri*]. Northwest Sci. 50:183.
- Edsall, C. C., and M. J. Mac. 1982. Comparative hatching success of lake trout eggs in Lake Michigan water and well water. Progressive Fish-Culturist 44:47-48.
- Edsall, T. A. 1964. Feeding by three species of fishes on the eggs of spawning alewives. Copeia 1964(1):226-227.
- Edsall, T. A. 1967. Biology of the freshwater drum in western Lake Erie. Ohio J. Sci. 67:321-340.
- Edsall, T. A. 1970. The effect of temperature on the rate of development and survival of alewife eggs and larvae. Transactions of the American Fisheries Society 99(2):376-380.
- Edsall, T. A., and T. G. Yocom. 1972. Review of recent technical information concerning the adverse effects of once-through cooling on Lake Michigan. Lake MI Enforcement Conf.,

Sept. 19-21, 1972, Chicago, IL. U.S. Fish Wildl. Serv., Great Lakes Fish. Lab., Ann Arbor, MI. 86 pp.

Edsall, T. A., and D. V. Bottiers. 1976. Temperature tolerance of young-of-the-year lake whitefish, [*Coregonus clupeaformis*]. Journal of the Fisheries Research Board of Canada 33:177.

Edsall, T. A. 1999. Preferred temperatures of juvenile lake whitefish. Journal of Great Lakes Research 25(3):583-588.

Edwards, D. J. 1973. Aquarium studies on the consumption of small animals by 0-group grass carp, [*Ctenopharyngodon idella*] (Val.). J. Fish. Biol. 5:599-605.

Edwards, D. J. 1974. Weed preference and growth of young grass carp in New Zealand. Fish. Res. Publ. No. 223, New Zealand J. Mar. Freshwater Res. 8:341.

Edwards, E. J. 1967. Studies on populations of [*Anchoa mitchilli*] Cuvier & Valenciennes in Mississippi Sound with special reference to the life cycle and seasonal variations in abundance. M.S. Thesis, Univ. MS, Oxford, MS. 23 pp.

Edwards, G. D. 1970. Observation of mating behavior of the striped perch and notes on possible reproductive activity of the rainbow perch. California Fish and Game 56(3):205-206.

Edwards, R. L. 1964. Relation of temperature to fish abundance and distribution in the southern New England area. Spec. Publ. Int. Commn. NW Atlantic Fish., No. 6:95-109.

Edwards, R. R. C., and J. H. Steele. 1968. The ecology of 0-group plaice and common dabs at Loch Ewe. I. Population and food. J. Exp. Mar. Biol. & Ecol. 2:215-238.

Edwards, R. R. C., D. M. Finlayson, and J. H. Steele. 1969. The ecology of 0-group plaice and common dabs in Loch Ewe. II. Experimental studies of metabolism. J. Exp. Mar. Biol. & Ecol. 3:1-17.

Edwards, R. R. C., D. M. Finlayson, and J. H. Steele. 1972. An experimental study of the oxygen consumption, growth, and metabolism of the cod ([*Gadus morhua*] L.). J. Exp. Mar. Biol. & Ecol. 8:299-309.

Edwards, R. R. C., J. H. Steele, and A. Trevollion. 1970. The ecology of 0-group plaice and common dabs in Loch Ewe. III. Prey-predator experiments with plaice. J. Exp. Mar. Biol. & Ecol. 4:156-173.

Edwards, T., W. Hunt, and L. Olmsted. 1977. Density and distribution of larval shad ([*Dorosoma*] spp.) in Lake Norman, N.C., entrainment at McGuire Nuclear Station. Duke Power Co., Huntersville, N.C., USA.

Efremenko, V. N., and L. A. Lisovenko. 1970. Morphological features of intraovarian and pelagic larvae of some [*Sebastodes*] species inhabiting the Gulf of Alaska. Pages 267-286 [in] P. A. Unoiseev, editor. Soviet Fisheries Invest. in the NE Pacific. Part V. (Transl. Clearinghouse Fed. Sci. Tech. Info., Springfield, VA TT71-50127).

Efremenko, V. N. 1972. Morphological peculiarities of larvae of [*Electrona*] [*antarctica*] Gunther and [*Gymnoscopelus braueri*] Lonnberg and their distribution in the Sea of Scotia. Tr. vses. nauchno-issled Inst. morsk. ryb. Khoz Okeanogr. 90:120-130.

Efremenko, V. N. 1976. Morphological characteristics of [*Protomyctophum*] [*anderssoni*] larvae (Myctophidae). Vopr. Ikhtiol. 16 (J. Ichthyol. 16:958-963).

Efremenko, V. N. 1977. Morphological features of the larvae of [*Gymnoscopelus opisthopterus*] (Myctophidae, Pisces). Vopr. Ikhtiol. 17 (J. Ichthyol. 17:797-799).

- Efremenko, V. N. 1978. A description of the larvae of [Notolepis coastsii] (Paralepididae, Pisces). J. Ichthyol. 18(3):500-504.
- Efremenko, V. N. 1979. A description of the larvae of [Bathylagus] [antarcticus] (Bathylagidae). Vopr. Ikhtiol. 19 (J. Ichthyol. 19:156-161).
- Efremenko, V. N. 1979. Description of the larvae of six species of the family Chaenichthyidae from the Scotia Sea. Vopr. Ikhtiol., 19. (J. Ichthyol., 19:65-75).
- Efremenko, V. N. 1979. The larvae of six species of the family Nototheniidae from the Scotia Sea. Vopr. Ikhtiol. 19 (J. Ichthyol. 19:95-104).
- Efremenko, V. N. 1982. A finding of [Bathylagus antarcticus] (Bathylagidae) eggs, their characteristics and distribution in the Scotia Sea. Vopr. Ikhtiol. 22 (J. Ichthyol. 22:135-137).
- Efremenko, V. N. 1983 Atlas of fish larvae of the Southern Ocean. Cybium, 7:1-74. (BIOMASS Handbook 2:74 pp).
- Efremenko, V. N. 1983. Description of the eggs and larvae of [Muraenolepis] [microps] (Muraenolepididae) from the Scotia Sea. Vopr. Ikhtiol. 23 (J. Ichthyol. 23:139-142).
- Efremenko, V. N. 1984. Larvae of the family Nototheniidae from the Scotia Sea. Vopr. Ikhtiol. 24 (J. Ichthyol. 24:34-42).
- Efremenko, V. N. 1985. Illustrated guide to fish larvae of the Southern Ocean. Biomass Sci. Ser. 5:74 pp.
- Efremenko, V. N., and T. A. Shiganova. 1986. Description of larvae of lantern fishes, subgenus [Nasolychnus] (Family: Myctophidae, Genus [Gymnoscopelus] Gunther). Tr. Inst. Okeanol. 116:85-93.
- Egami, N. 1959. Record of the number of eggs obtained from a single pair of [Oryzias latipes] kept in laboratory aquarium. J. Fac. Sci. Univ. Tokyo (Sec. IV) 8:521-538.
- Egami, N. 1963. Studies on variation in number of anal fin rays in [Oryzias latipes]. Effect of x-irradiations. Copeia 1963:592-593.
- Egami, N., and Y. Hyodo-Taguchi. 1969. Hermaphroditic gonads produced in [Oryzias latipes] by x-radiation during embryonic stages. Copeia 1969(1):195-196.
- Egami, N., and H. Etoh. 1973. Effect of X-irradiation during embryonic stage on life span in the fish [Oryzias latipes]. Exp. Gerontol. 8(4):219-222.
- Egami, N., and N. Hama. 1975. Dose-rate effects on the hatchability of irradiated embryos of the fish, [Oryzias latipes]. Intl. J. Radiat. Biol. 28:273.
- Egami, N., and A. Hama. 1977. Effect of chronic  $\gamma$ -irradiation on the fish, [Oryzias] [latipes]. I. Mortality of fish and hatchability of eggs laid by the irradiated fish. J. Radiat. Res. 18:54.
- Ege, V. 1918. Stomiidae (Stomias). Rep. Dana. Oceanogr. Exped. Mediterr. 1908-10, 2(4), Biol. A.4, 28 pp.
- Ege, V. 1930. Suididae ([Paralepis]). Rep. Dan. Oceanogr. Exped. Mediterr. 2A(13):193 pp.
- Ege, V. 1934. The genus [Stomias] Cuv., taxonomy and bio-geography. Dana Rep. (5):58 pp.
- Ege, V. 1948. [Chauliodus] Schr. bathypelagic genus of fishes. A systematic, phylogenetic and geographical study. Dana Rep. 31:148 pp.

- Ege, V. 1953. Paralepididae. I. ([Paralepis] and [Lestidium]). Taxonomy, ontogeny, phylogeny and distribution. Dana Rep. 40. 184 pp.
- Ege, V. 1957. Paralepididae II. ([Macroparalepis]). Taxonomy, ontogeny, phylogeny and distribution. Dana Rep. 43. 101 pp.
- Ege, V. 1958. [Omosudis] Gunther, Bathypelagic genus of fish. Dana Rep. (47):19 pp.
- Eggers, D. M. 1975. A synthesis of the feeding behavior and growth of juvenile sockeye salmon in the limnetic environment. Ph.D Diss., Univ. Washington, Seattle, WA. 217 pp.
- Eggers, D. M., and B. D. Doble. 1976. Seasonal patterns of prey selection by planktivorous juvenile sockeye salmon, longfin smelt, and threespine stickleback in Lake Washington. 39th Ann. Mtg. Am. Soc. Limnol. and Oceanogr., Savannah, GA 1976.
- Eggers, D. M. 1978. Limnetic feeding behavior of juvenile sockeye salmon in Lake Washington and predator avoidance. Limnol. & Oceanogr. 23(6):1114-1125.
- Eggert, B. 1930. Zur Kenntnis der Brutpflegeorgane bei [Macrones] [gulio] Ham. & Buch. Zool. Anz. (Leipzig) 42:130-134.
- Egglishaw, H. S., and P. E. Shackley. 1977. Growth, survival, and production of juvenile salmon and trout in a Scottish stream, 1966-75. J. Fish. Biol. 11(6):647-672.
- Egglishaw, H. J., and P. E. Shackley, 1982. Influence of water depth on dispersion of juvenile salmonids, [*Salmo salar*] L. and [*S. trutta*] L., in a Scottish stream. J. Fish. Biol. 21:141-155.
- Egglishaw, H. J., and P. E. Shackley. 1985. Factors governing the production of juvenile Atlantic salmon in Scottish streams. J. Fish. Biol. 27(Suppl. A):27-34.
- Egorova, T. V. 1973. Reproduction and development of sockeye in the basin of Ozernaya River. (IZV Tikhookean Nauchno-Issled Inst. Rybn Khoz Okeanogr. 73:39-53, 1970). Fish. Res. Bd. Can. Transl. Ser. 2619:1-31.
- Egresa, S. 1950. Some notes on the feeding habits of the young of [*Mugil cephalus*] L. Bull. Jap. Soc. Sci. Fish. 15(11):715-720.
- Egusa, S. 1972. Pigmentation in the elvers of the Japanese eel. Bull. Jap. Soc. Scient. Fish. 38(10):1203-1204.
- Ehrenbaum, E. 1896. Beitrage zur Natugeschichte einiger Elbfische ([*Osmerus eperlanus*] L., [*Clupea finta*] Cuv., [*Acerina cernua*] L., [*Acipenser sturio*] L.). Wiss. Meeresunters., Abt. Helgoland, n.s. 1, Heft 1(1):35-82.
- Ehrenbaum, E. 1897. Eier und Larven von Fischen der Deutschen Bucht. Wiss. Meeresunters., Abt. Kiel Bd. 2:253-324.
- Ehrenbaum, E. 1901-28. Nordisches plankton: Eier und larven von Fischen andere Eier und Cysten. Zool. Teil.-Erster Band.
- Ehrenbaum, E. 1903-08. Ueber Eier und Jugendformen der Seezunge und anderer im Fruhjahr laichender Fische du Nordsee. Wissenschaftliche Meeres. Kiel-Helgoland Vol. VIII.
- Ehrenbaum, E. 1904. Eier und Larven von Fischen der Deutschen Bucht. III. Fische mit festsitzenden Eiern (in German). Wiss. Meeresunt ers. Kiel (Abt. Helgol.) N.F. 6(2):127-200.
- Ehrenbaum, E., and S. Strodttmann. 1904. Eier und Jugendformen der Ostseefische. I. Bericht. Wiss. Meeresunters., Abt. Helgoland, No. 1:59-126.

- Ehrenbaum, E. 1905. Eier und Larven von Fischen des deutschen Bucht. III. Fische mit Festsetzenden Eiern. Wissenschaftliche Meeres. Vols. VI and VII. Kiel Helgoland 1902-06.
- Ehrenbaum, E. 1905. Eier und Larven von Fischen. I. Nordisches Plankton. Neudruck A. Ascher & Co., Amsterdam, 216 pp.
- Ehrenbaum, E. 1905. Cottidae family ([*Cottus scorpius*] L.) from northern plankton. I. Zool. part., eggs and larvae. Fam. Cottidae ([*Cottus scorpius*] L.) Nordisches Plankton. I. Zool. Teil, Eier und Larven. Transl. from German for Fish. Res. Bd. Can. Transl. Ser. No. 1091 (1968):55-57.
- Ehrenbaum, E. 1907. Ueber Eier und Jugendformen der Seezunge und anderer im Frühjahr laichender Fische der Nordsee In German. Wiss. Meeresunters., Abt. Helgoland 9 (N.F.):201-270.
- Ehrenbaum, E. 1909. Eier und Larven von Fischen. I. Nordisches Plankton. Neudruck a. Ascher & Co., Amsterdam:217-413.
- Ehrenbaum, E. 1909. Eier und Larven von Fischen des nordischen Planktons. Nordisches Plankton, Zoologischer Teil., Asher and Co. (1964), Amsterdam:1-414.
- Ehrenbaum, E. 1910. Eier und Larven Pleuronectiden der Nordsee und benachbarter Gewässer neuerer Untersuchungen aus den Jahren 1904 bis 1909. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 12(3):1-32.
- Ehrenbaum, E. 1911. Die Plattfischlarven der Nordsee und benachbarter Gewässer, nach Zeit und Ort ihres Vorkommens. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 13:1-22.
- Ehrenbaum, E. 1921. Ueber die Makrele, Laichverhältnisse- und Jugendformen, Nahrung, und Feinde. Helgolander wiss. Meeresunters. (1923-30), 15(2):1-30, figs. 1-7.
- Ehrenbaum, E. 1923. The mackerel. Spawning - larval and postlarval forms - age groups - food - enemies. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 30:1-37.
- Ehrenbaum, E. 1924. Scombriformes. Rep. Dan. oceanogr. Exped. mediterr. 2(8) (Biology):1-42. In German. Part. transl., pp. 1-11 and 31-42 not trans. Transl. available from U.S. Int. Engl. Transl of Fish. literature, Misc. Ser. No. 112.
- Ehrenbaum, E. 1929. [*Pleuronectes limanda*]. In: Faune Ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer, No. 2, 2 pp.
- Ehrenbaum, E. 1931. [*Liparis vulgaris*]. In: Faune Ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer, No. 7, 2 pp.
- Ehrenbaum, E. 1964. Eieren und Larven von Fischen des Nordisches Plankton. Neudruck A. Asker and Co., Amsterdam. 413 pp.
- Ehrlich, K. F., and D. A. Farris. 1970. Effect of temperature on numbers of myomeres in newly hatched grunion ([*Leuresthes tenuis*]). Copeia 1970(4):774-775.
- Ehrlich, K. F., and D. A. Farris. 1971. Some influences of temperature on the development of the grunion, [*Leuresthes tenuis*] (Ayres). California Fish and Game 57(1):58-68.
- Ehrlich, K. F. 1972. Morphological, behavioral and chemical changes during growth and starvation of herring and plaice larvae. Ph.D. Diss., Univ. Stirling, Scotland.
- Ehrlich, K. F., and D. A. Farris. 1972. Some influences of temperature on the rearing of the grunion, [*Leuresthes tenuis*], an atherine fish. Mar. Biol. 12(4):267-271.
- Ehrlich, K. F. 1973. Chemical change during growth and starvation of larval [*Pleuronectes platessa*]. Mar. Biol. 24(1):39-48.

- Ehrlich, K. F. 1974. Chemical changes during growth and starvation of herring larvae, p. 32. In: Rep. of intl. symp. on early life history of fish. FAO Fish. Rep. No. 141. 58 pp.
- Ehrlich, K. F. 1974. Chemical changes during growth and starvation of herring larvae. Pages 301-324 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, Berlin.
- Ehrlich, K. F. 1975. A preliminary study of the chemical composition of sea-caught larval herring and plaice. Comp. Biochem. Physiol. 51B:25-28.
- Ehrlich, K. F., J. H. S. Blaxter, and R. Pemberton. 1976. Morphological and histological changes during the growth and starvation of herring and plaice larvae. Mar. Biol. 35(2):105-118.
- Ehrlich, K. F. 1977. Inhibited hatching success of marine fish eggs by power plant effluent. Mar. Pollut. Bull. 8(10):228.
- Ehrlich, K. F., and G. Muszynski. 1981. The relationship between temperature-specific yolk utilization and temperature selection of larval grunion. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:312-313.
- Ehrlich, K. F., and G. Muszynski. 1982. Effects of temperature on interactions of physiological and behavioral capacities of larval California grunion: adaptations to the planktonic environment. J. Exp. Mar. Biol. Ecol. 60:223-244.
- Eigenmann, C. H. 1890. On the egg membranes and micropyle of some osseous fishes. Bull. Mus. Comp. Zool. Harv. 19(2):129-154.
- Eigenmann, C. H. 1892. [Cymatogaster aggregata] Gibbons, a contribution to the ontogeny of viviparous fishes. Bull. U.S. Fish. Comm. 12:401-479.
- Eigenmann, C. H. 1900. The development of the conger eel. Science 2:401-402.
- Eigenmann, C. H. 1901. Investigation into the history of the young squeteague. Bull. U.S. Fish. Comm. 21, 1901(1902):45-51.
- Eigenmann, C. H. 1901. The egg and development of the conger eel. U.S. Fish. Comm. Bull. 21. 37-44.
- Eigenmann, C. H. 1904. On a leptocephalus of the conger eel. Science 2:629-630.
- Eigenmann, C. H., and C. H. Kennedy. 1902. The leptocephalus of the American eel and other American leptocephali. Bull. U.S. Fish Comm. 21, 1901(1902):81-92.
- Eilertsen, H. C., and O. Holm-Hansen. 1998. A simple algorithm PAR/UVR-carbon photosynthesis inhibition model used to compute the influence of normal and enhanced UVR levels on phytoplankton primary production and cod larvae. Submitted Polar Res.
- Eilertsen, H. C., and T. Wyatt. 1999. Adding life history strategies to phytoplankton models: some field data reviewed and model examples. In press S. Afr. J. Mar. Sci.
- Einarsson, H. 1949. Eggs and larvae, Iceland. The beginning of spring-spawning in Faxa Bay southern coastal waters. Ann. Biol. 4(1947):34.
- Einarsson, H. 1951. The post-larval stages of sand-eels (Ammodytidae) in Faroe, Iceland and West Greenland waters. Acta nat. islandica 1(7):5-75.
- Einarsson, H. 1955. On the post-larval stages of [Ammodytes lancea] Cuvier. Acta nat. Islandica. 2(1):3-7.
- Einarsson, H. 1956. Frequency and distribution of post-larval stages of herring, [Clupea harengus] L., in Icelandic waters. Rit Fiskideilar 11:1-39.



- Einarsson, H. 1960. The fry of [Sebastes] in Icelandic waters and adjacent seas. Rit Fiskideild. 2(7), 67 pp.
- Einarsson, H., and N. Gusturk. 1960. Abundance and distribution of eggs and larvae of the anchovy, [Engraulis encrasicolus ponticus], in the Black Sea. Hydrobiol. Univ. Istanbul, U72-94 (B).
- Einarsson, H. 1961. The fry of [Sebastes] in Icelandic waters and adjacent seas. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 150:199-215.
- Einarsson, H. 1961. Larval studies and larval distribution. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 150:167-168.
- Einarsson, H., and B. R. de Mendiola. 1963. Descripcion de huevos y larvas de anchoveta peruana, [Engraulis ringens] J. Bol. Inst. Invest. Recurs. Mar. Callao 1(1):1-23.
- Einarsson, H., and B. R. de Mendiola. 1963. Description of eggs and larvae of anchovy, [Engraulis] [ringens]. Bol. Inst. invest. Recursos mar. Peru 1:1-23.
- Einarsson, H., and B. R. de Mendiola. 1966. El desove de la anchoveta, [Engraulis ringens] J., en aguas peruanas durante ario Latino-americano sobre el Oceano Pacifico Oriental, Lima. Contr. Inst. Mar. Peru (21):1-7.
- Einarsson, H., and B. R. de Mendiola. 1967. An attempt to estimate annual spawning intensity of the anchovy, [Engraulis ringens] J., by means of regional egg and larval surveys during 1961-64. California Coop. Oceanic Fish. Invest. Rep. 11:96-109.
- Einarsson, H., and G. C. Williams. 1968. Plankton, fish eggs of Flaxafloi, southwest Iceland 1948-1957. Rit Fiskideild 4(5):3-15.
- Einsele, W. 1963. Problems of fish-larvae survival in nature and the rearing of economically important middle European freshwater fishes. California Coop. Oceanic Fish. Invest. Rep. 10:24-30.
- Eipper, A. W. 1975. Environmental influences on the mortality of bass embryos and larvae. Pages 295-305 [in] H. Clepper, editor. Black bass biology and management, Spt. Fish. Inst., Wash., D. C.
- Eisler, R. 1957. Some effects of artificial light on salmon eggs and larvae. Transactions of the American Fisheries Society 87:151-162.
- Eisler, R. 1957. The influence of light on the early growth of chinook salmon. Growth 21(3):197-203.
- Eisler, R. 1961. Effect of visible radiation on salmonid embryos and larvae. Growth 25:281-346.
- Eisler, R., and G. W. Kissil. 1975. Toxicities of crude oils and oil-dispersant mixtures to juvenile rabbitfish, [Siganus rivulatus]. Transactions of the American Fisheries Society 104:571-578.
- Eisler, R., and R. C. Simon. 1961. Destruction of salmon larvae by [Hydra oligactis]. Transactions of the American Fisheries Society 90(3):329-332.
- Ekengren, B., and G. Fridberg. 1969. Innervation of the pituitary of newly hatched spawn of the teleost fish, [Leuciscus rutilus]. Gen. Comp. Endocr. 13(3):503.
- Eklund, M. W., M. E. Peterson, T. T. Poysky, L. W. Peck, and J. F. Conrad. 1982. Botulism in juvenile coho salmon, [Oncorhynchus] [kisutch], in the United States. Aquaculture 27(1):1-12.

- El Zarka, S., and F. Kamel. 1967. Mullet fry transplant - its contribution to the fish of inland brackish lakes in the United Arab Republic. Proc. Tech. Pap. Gen. Fish. Council. Medit. 8:209-226.
- El-Mughraby, A. M., M. T. Hashem, and H. M. El-Sedfy. 1974. Species composition of the mullet fry in Lake Borallas. Bull. Inst. Ocean Fish., A. R. E. 4:3-31.
- El-Toubi, M. R. 1947. The development of the spiracular cartilages of the spiny dogfish, [*Acanthias vulgaris*] ([*Squalus*] [*acanthias*]). Biol. Bull. 93:287-295.
- El-Toubi, M. R. 1949. The development of the chondrocranium of the spiny dogfish, [*Acanthias vulgaris*] ([*Squalus acanthias*]). I. Neurocranium, mandibular and hyoid arches J. Morph. 84:227-279.
- El-Zarka, S., A. H. Shaheen, and A. A. El-Aleem. 1970. Reproduction of [*Tilapia nilotica*] L. Bull. Inst. Oceanogr. Fish., Cairo, 1:193-204.
- El-Zarka, S., A. M. El-Maghraby, and K. Abdel-Hamid. 1970. Studies on the distribution, growth, and abundance of migrating fry and juveniles of mullet in brackish coastal lake Edku in the United Arab Republic. Stud. Rev. Gen. Fish. Council. Medit. 46:19 pp.
- Elder, J. A., J. W. Icanberry, D. J. Smith, D. G. Henriet, and C. E. Steitz. 1979. Assessment of a large-capacity fish pump for sampling ichthyoplankton for power-plant entrainment studies. California Coop. Oceanic Fish. Invest. 20:143-145.
- Elder, R. D. 1976. Studies on age and growth, reproduction, and population dynamics of red gurnard, [*Chelidonichthys*] [*dumu*] (Lesson and Garnot), in the Hauraki Gulf, New Zealand. N.Z. Minist. Agric. fish., Fish. Res. Bull. No. 12, 77 pp.
- Eldon, G. A. 1971. Suspected terrestrial deposition of eggs by [*Neochanna apoda*] Gunther (Pisces: Salmoniformes: Galaxiidae). J. Fish. Biol. 3(2):247-249.
- Eldon, G. A. 1979. Breeding, growth, and aestivation of the Canterbury mudfish, [*Neochanna burrowsius*] (Salmoniformes). New Zealand J. Mar. Freshw. Res. 13(3):331-346.
- Eldred, B. 1966. Larval ladyfish, [*Elops saurus*] Linnaeus 1766 (Elopidae), in Florida and adjacent waters. Florida Bd. Cons. Mar. Lab. Leaflet Sr. IV(1):1-6.
- Eldred, B. 1966. The early development of the spotted worm eel, [*Myrophis punctatus*] Lutken (Ophichthidae). Florida Bd. Cons. Mar. Res. Lab. leaflet. Ser. IV, pt. 1(1):13 pp.
- Eldred, B., and W. Lyons. 1966. Larval ladyfish, [*Elops saurus*] Linnaeus 1766, in Florida and adjacent waters. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV(1), No. 2, 4 pp.
- Eldred, B. 1967. Larval bonefish, [*Albula vulpes*] (Linnaeus, 1758) (Albulidae) in Florida and adjacent waters. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, Part 1(3):4 p.
- Eldred, B. 1967. Larval tarpon, [*Megalops atlanticus*] Valenciennes (Megalopidae), in Florida waters. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, Part 1(4): 9 pp.
- Eldred, B. 1967. Eel larvae, [*Leptocephalus tuberculatus*] Castle 1965 (Moringuidae), in south Atlantic waters. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, pt. 1(1), No. 5, 4 pp.
- Eldred, B. 1968. The eel larva, [*Leptocephalus moringua edwardsi*] (Jordan and Bollman, 1889) (Moringuidae), in the Florida straits. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, Pt. 1(1): No. 6.
- Eldred, B. 1968. First record of a larval tarpon, [*Megalops*] [*atlanticus*] Valenciennes, from the Gulf of Mexico. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, pt. 1(7):12 pp.

- Eldred, B. 1968. Larvae and glass eels of the American freshwater eel, [*Anguilla rostrata*] (LeSueur, 1817), in Florida waters. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, pt. 1(9), 4 pp.
- Eldred, B. 1968. The larval development and taxonomy of the pygmy moray eel, [*Anarchias yoshiae*] Kanazawa 1952. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, Pt. 1(10):8 pp.
- Eldred, B. 1969. Embryology and larval development of the blackedge moray, [*Gymnothorax nigromarginatus*] (Girard, 1859). Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, Pt. 1(13):6 pp.
- Eldred, B. 1970. Larvae of the green moray, [*Gymnothorax funebris*]. Florida Dept. Nat. Res., Div. Mar. Res., Mar. Res. Lab., Leaflet. Ser. IV (6):4 pp.
- Eldred, B. 1970. Larva of the spotted moray, [*Gymnothorax morenger*] (Cuv. 1829). Florida Dept. Nat. Res., Div. Mar. Res., Mar. Res. Lab., Leaflet. Ser. IV (15):10 pp.
- Eldred, B. 1971. First records of [*Anguilla rostrata*] larvae in the Gulf of Mexico and Yucatan straits. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, Pt. 1 (19):4 pp.
- Eldred, B. 1972. Note on larval tarpon, [*Megalops atlanticus*] (Megalopidae), in the Florida straits. Florida Bd. Cons. Mar. Res. Lab. Leaflet. Ser. IV, Pt. 1 (22):1-5.
- Eldridge, D. J., F. H. Berry, and M. C. Miller, III. 1977. Test results of the Boothbay neuston net related to net length, diurnal period, and other variables. South Carolina Mar. Res. Ctr. Tech. Rep. No. 18, 22 pp.
- Eldridge, M. B. 1970. Larval fish survey of Humboldt Bay. M.S. Thesis, Humboldt State College, Arcata, CA, 52 pp.
- Eldridge, M. B., and C. F. Bryan. 1970. An aid to the identification of some larval and prejuvenile fishes of Humboldt Bay. Humboldt St. College, Ms. Rep. 4 pp.
- Eldridge, M. B., and C. F. Bryan. 1972. Larval fish survey of Humboldt Bay, CA. NOAA Tech. Rep. NMFS Spec. Sci. Rep. Fish. 665, 8 pp.
- Eldridge, M. B. 1975. Early larvae of the diamond turbot, [*Hypsopsetta*] [*guttulata*]. California Fish and Game 61(1):26-34.
- Eldridge, M. B. 1977. Factors influencing distribution of fish eggs and larvae over eight 24-hour samplings in Richardson Bay, California. California Fish and Game 63(2):101-116.
- Eldridge, M. B., and T. Echeverria. 1977. Fate of 14-C-benzene (an aromatic hydrocarbon of crude oil) in a simple food chain of rotifers and Pacific herring larvae. Cal-Nev. Wildl. Trans. 1977:90-96.
- Eldridge, M. B., D. J. King, and M. J. Bowers. 1977. Role of the oil globule in survival and growth of striped bass (*Morone saxatilis*) larvae. Proc. 57th Ann. Conf. Western Assoc. G & F Comm., 57:303-313.
- Eldridge, M. B., T. Echeverria, and J. A. Whipple. 1977. Energetics of Pacific herring (*Clupea harengus*) [*pallasi*] embryos and larvae exposed to low concentrations of benzene, a monaromatic component of crude oil. Trans. Am. Fish. Soc. 106(5):452-461.
- Eldridge, M. B., T. Echeverria, and S. Kern. 1978. Fate of 14-C-benzene in eggs and larvae of Pacific herring (*Clupea harengus pallasi*). Journal of the Fisheries Research Board of Canada 35(6):861-865.
- Eldridge, M. B., J. A. Whipple, D. Eng., and M. Bowers. 1978. Laboratory studies on factors affecting mortality in California striped bass (*Morone saxatilis*) eggs and larvae. Proc. 108th Ann. Mtg., Am. Fish. Soc., Kingston, RI.

- Eldridge, M. B., J. A. Whipple, and D. Eng. 1979. Endogenous energy sources of striped bass (*Morone saxatilis*) eggs and larvae. Symp. on early life history of fish, Woods Hole, MA.
- Eldridge, M. B., J. A. Whipple, and D. Eng. 1981. Endogenous energy sources as factors affecting mortality and development in striped bass (*Morone saxatilis*) eggs and larvae. Rapp. P.-v. Reun. Cons. Intl. Explor. Mer 178:568-570.
- Eldridge, M. B., P. Benville, and J. Whipple. 1981. Physiologic responses of striped bass, *Morone saxatilis*, embryos and larvae to low, sublethal concentrations of the aromatic hydrocarbon benzene. Proc. Gulf Caribb. Fish. Inst. 33:52-68.
- Eldridge, M. B., J. A. Whipple, D. Eng, M. J. Bowers, and B. M. Jarvis 1981. Effects of food and feeding factors on laboratory reared striped bass larvae. Transactions of the American Fisheries Society 110:111-120.
- Eldridge, M. B., J. A. Whipple, and M. J. Bowers. 1982. Bioenergetics and growth of striped bass, *Morone saxatilis*, embryos and larvae. U.S. NMFS Fish. Bull. 80:461-474.
- Eldridge, M. B., J. D. Joseph, K. M. Taberski, and G. T. Seaborn. 1983. Lipid and fatty acid composition of the endogenous energy sources of striped bass (*Morone saxatilis*) eggs. Lipids 18:510-513.
- Eldridge, P. J., F. H. Berry, and M. C. Miller, III. 1978. Diurnal variations in catches of selected species of ichthyoneuston by the Boothbay neuston net off Charleston, South Carolina. NOAA-NMFS Fish. Bull. 76(1):295-297.
- Elie, P., and J. Daguzan. 1976. Alimentation and growth of elvers (*Anguilla anguilla*) reared experimentally with various temperatures at laboratory. Annls. Nutr. Aliment. 30:95.
- Ellertsen, B., P. Solemdal, S. Tilseth, and V. Oiestad. 1975. A study on survival and growth of fish larvae in a large basin, related to feeding conditions. ICES CM 1975/E:44. 19 pp.
- Ellertsen, B., et al. 1976. The influence of light and food density on the feeding success in larvae of cod, *Gadus morhua* L., field and laboratory observations. ICES CM 1976/F:34. 31 pp.
- Ellertsen, B., et al. 1977. Vertical distribution and feeding of cod larvae in relation to occurrence and size of prey organisms. ICES CM 1977/L:33. 22 pp.
- Ellertsen, B., P. Moksness, P. Solemdal, T. Stromme, S. Tilseth, T. Westgard, and V. Oiestad. 1977. Vertical distribution and feeding of cod larvae in relation to occurrence and size of prey organisms. Int. Council. Explor. Mer, C. M. 1977/L:33.
- Ellertsen, B., et al. 1978. Feeding and vertical distribution of cod larvae in relation to availability of prey organisms. FiskDir. Skr. Ser. HavUnders. in press!
- Ellertsen, B., et al. 1979. Growth and survival of cod larvae in an enclosure. Experiments and a mathematical model. ICES/ELH Symp.
- Ellertsen, B., E. Moksness, P. Solemdal, S. Tilseth, T. Westgard, and V. Oiestad. 1979. Growth and survival of three larval populations of cod (*Gadus morhua* L.) in an enclosure. Symp. on early life history of fish, Woods Hole, MA.
- Ellertsen, B., et al. 1980. Some aspects of the biology of eggs and larvae of cod, *Gadus morhua* L. Fisk. Dir. Skr. Ser. HavUnders 17:29-47.
- Ellertsen, B., et al. 1981. Growth and survival of cod larvae in an enclosure. Experiments and a mathematical model. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:45-60.

- Ellertsen, B., et al. 1981. Spawning period, transport, and dispersal of eggs from the spawning area of Arcto-Norwegian cod, [*Gadus morhua*] L.. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:260-267.
- Ellertsen, B., P. Fossum, P. Solemdal, S. Sundby, and S. Tilseth. 1981. A case study on the distribution of cod larvae availability of prey organisms in relation to physical processes in Lofoten. Flodevigen Rapportser 1984(1):453-477.
- Ellertsen, B., P. Solemdal, S. Sundby, S. Tilseth, T. Westgard, and V. Oiestad. 1981. Feeding and vertical distribution of cod larvae in relation to availability of prey organisms. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:317-319.
- Ellertsen, B., P. Fossum, P. Solemdal, S. Sundby and S. Tilseth. 1987. The effect of biological and physical factors on the survival of arcto-Norwegian cod and the influence on recruitment variability. Pages 101-126 [in] H. Loeng, editor. Proceedings of the third Soviet-Norwegian Symposium, Murmansk, Institute of Marine Research, Bergen. 26-28 May 1986.
- Ellertsen, B., P. Fossum, P. Solemdal and S. Sundby. 1989. Relation between temperature and survival of eggs and first-feeding larvae of northeast Arctic cod ([*Gadus morhua*] L.). Rapp. P. -v. R,un. Cons. Int. Explor. Mer. 191,209-219.
- Ellien, C., E. Thiebaut, A. S. Barnay, J. C. Dauvin, F. Gentil, and J. C. Salomon. 2000. The influence of variability in larval dispersal on the dynamics of a marine metapopulation in the eastern Channel. *Oceanologica Acta* 23(4):423-442.
- Elliott, E. M., C. O. Anderson, Jr., D. J. Brown, and E. A. Kouloheras. 1977. Ichthyoplankton found in Beverly-Salem Harbor, March 1975 through February 1976. Mass. Dept. Fish. Wildl. Recr. Vehicles, Div. Mar. Fish. Interim Rep. 85 pp.
- Elliot, E. M., and I. M. Kushlan. 1980. Annotated bibliography on ichthyoplankton in Massachusetts Bay. Div. Mar. Fish., Mass. Dept. Fish., Wildl., and Recr. Veh.
- Elliot, E. M., and D. Jimenez. 1981. Laboratory manual for the identification of ichthyoplankton from the Beverly-Salem Harbor area. Div. Mar. Fish., Mass. Dept. Fish., Wildl., and Recr. Veh.
- Elliott, G. V. 1976. Diel activity and feeding of schooled largemouth bass fry. *Transactions of the American Fisheries Society* 105(5):624-627.
- Elliott, J. K., and W. C. Leggett. 1996. The effect of temperature on predation rates of a fish ([*Gasterosteus aculeatus*]) and a jellyfish ([*Aurelia aurita*]) on larval capelin ([*Mallotus villosus*]). *Canadian Journal of Fisheries and Aquatic Sciences* 53:1393-1402.
- Elliott, J. K., J. M. Elliott, and W. C. Leggett. 1997. Predation by Hydra on larval fish: field and laboratory experiments with bluegill ([*Lepomis macrochirus*]). *Limnol. Oceanogr.* 42:1416-1423.
- Elliott, J. K., and W. C. Leggett. 1997. The effect of temperature on size-dependent predation by a fish ([*Gasterosteus aculeatus*]) and a jellyfish ([*Aurelia aurita*]) on larval capelin ([*Mallotus villosus*]). *Can. J. Fish. Aquat. Sci.* 54: 2759-2766.
- Elliott, J. K., and W. C. Leggett. 1998. Larval condition and vulnerability to predation: an analysis based on mixed-prey experiments. *Can. J. Fish. Aquat. Sci.* 55: 626-630.
- Elliott, J. M. 1966. Downstream movements of trout fry, [*Salmo trutta*], in a Dartmoor stream. *Journal of the Fisheries Research Board of Canada* 23(1):157-159.
- Elliott, J. M. 1967. Downstream movements of trout fry ([*Salmo trutta*]) in a Dartmoor stream. *Journal of the Fisheries Research Board of Canada* 23:157-159.

- Elliott, J. M. 1970. Methods for sampling invertebrate drift in running water. *Ann. Limnol.* 6:133-159.
- Elliott, J. M. 1976. The downstream drifting of eggs of brown trout, [*Salmo trutta*] L. J. *Fish. Biol.* 9(1):45-50.
- Elliot, J. M., U.H. Humpesch, and M.A. Hurley. 1987. A comparative study of 8 mathematical models for the relationship between water temperature and hatching time of eggs of freshwater fish. *Arch. Hydrobiol.* 109:257-278.
- Ellis, C. M. A. 1978. Biology of [*Luciolates stappersi*] in Lake Tanganyika (Burundi). *Transactions of the American Fisheries Society* 107(4):557-566.
- Ellis, D. V., and M. A. Giles. 1965. The spawning behavior of the walleye, [*Stizostedion*] [*vitreum*] (Mitchill). *Transactions of the American Fisheries Society* 94(3):358-363.
- Ellis, E. M. A. 1971. The size at maturity and breeding seasons of sardines in southern Lake Tanganyika. *Afr. J. Trop. Hydrobiol. Fish.* 1(1):59-66.
- Ellis, M. M. 1946. Studies on the tolerance of young shad to reduced oxygen. *Water Qual. Labs., U.S. Fish. Wildl. Serv., Columbia, MO.* 11 pp.
- Ellis, M. M., and G. C. Roe. 1917. Destruction of log perch eggs by suckers. *Copeia* 1917:69-71.
- Ellis, R. S. 1970. [*Alloperla*] stonefly nymphs: predators or scavengers on salmon eggs and alevins? *Transactions of the American Fisheries Society* 99:677-683.
- Elouard, J. M., and C. Leveque. 1977. Nycthemeral periodicity in the drift of insects and fishes in Ivory Coast rivers. *Cahiers O.R.S.T.O.M. Serie Hydrobiol.* 11:179-184.
- Elrod, J. H. 1983. Seasonal food of juvenile lake trout in U.S. waters of Lake Ontario. *J. Great Lakes Res.* 9:396-402.
- Elson, P. F. 1939. Order of appearance of scales in speckled trout. *Journal of the Fisheries Research Board of Canada* 4:302-308.
- Elston, R., L. Corazza, and J. G. Nickum. 1981. Morphology and development of the olfactory organ in larval walleye, [*Stizostedion vitreum*]. *Copeia* 1981:890-893.
- Elzarka, S., and A. Ezzat. 1972. Embryology and larval development of [*Tilapia*] [*galilae*] *Art. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer Mediterr.* 20(4):499-501.
- Emadi, E. 1973. Yolk-sac malfunction in Pacific salmon in relation to substrate, temperature, and water velocity. *Journal of the Fisheries Research Board of Canada* 30(8):1249-1250.
- Embody, G. C. 1910. The ecology, habits, and growth of the pike, [*Esox*] [*lucius*]. Ph.D. Diss., Cornell Univ., Ithaca, NY. 88 pp.
- Embody, G. C. 1918. Artificial hybrids between pike and pickerel. *J. Hered.* 9(6):253-256.
- Embody, G. C. 1934. Relation of temperature to the incubation periods of eggs of four species of trout. *Transactions of the American Fisheries Society* 64:281-291.
- Emelianov, S. V. 1959. Heterochronies in the appearance of the anlage of organs of vertebrates and their role in the process of evolution. *Proc. Int. Congr. Zool.* 15:108-110.
- Emery, C. 1879. Le metamorfosi del [*Trachipterus taenia*]. *Mitt. Zool. Sta. Neapel.* 1:58-588.

- Emery, C. 1886. Contribuzioni all'ittologia. XVII. Larva di genere [Ignoto]. Mitt. Zool. Sta. Neapel 6:149-164.
- Emig, J. W. 1966. Brown bullhead. Pages 463-475 [in] A. Calhoun, editor. Inland Fish. Management. California Fish and Game 546 pp.
- Emig, J. W. 1966. Largemouth bass. Pages 332-353 [in] E. Calhoun, editor. Inland Fish. Management. California Dept. Fish Game, 546 pp.
- Eng, C. T. 1969. Early development of the glassfish ([*Ambassis kopsii*] Blk.). J. Singapore Natl. Acad. Sci. 1(2):37-44.
- Engel, D. W., and W. G. Sunda. 1979. Toxicity of cupric ion to eggs of the spot, [*Leiostomus xanthurus*], and the Atlantic silverside, [*Menidia menidia*]. Mar. Biol. 50(2):121-126.
- Engel, D. W., W. G. Sunda, and R. M. Thuotte. 1976. Effects of copper on marine fish eggs and larvae. Eng. Health Perspect. 17:288-289.
- Engel, L. J. 1965. Egg take investigations in Cook Inlet drainage and Prince William Sound. Alaska Dept. Fish Game, Sport Fish. Div., 1964-65. Dingall-Johnson Proj. Rep. 6:155-163.
- Engel, L. J. 1966. Egg-take investigation in Cook Inlet drainage and Prince William Sound. Alaska Dept. Fish Game, Sport Fish Div., Fed. Aid Fish Restoration, 1965-66. Prog. Rep. 7:109-116.
- Engel, L. J. 1967. Egg take investigation in Cook Inlet drainage and Prince William Sound. Alaska Dept. Fish Game, Sport Fish Div., Fed. Aid Fish Restoration, 1966-67. Prog. Rep. 8:111-116.
- Engel, S. 1974. Effects of formalin and freezing on length, weight, and condition factor of cisco and yellow perch. Transactions of the American Fisheries Society 103(1):136-138.
- Engelmann, W. E. 1981. Erfolgreiche Nachzucht des silbernen Hechtsalmers, [*Ctenolucius hujeta*] (Valenciennes, 1849) im Aquarium des Leipziger Zoos. Aquarien Terrarien 28(10):342-344.
- Engen, P. C. 1968. Organogenesis in the walleye surfperch, [*Hyperprosopon argenteum*] (Gibbons). California Fish and Game 54:156-169.
- Englert, T. L., and D. Sugarman. 1987. Patterns of movement of striped bass and white perch larvae in the Hudson River estuary, Part II. [In] C. L. Smith, editor. Fisheries research in the Hudson River. State Univ. New York Press, Albany.
- English, K. K. 1981. Growth and feeding of juvenile chinook salmon, [*Oncorhynchus tshawytscha*], in in situ enclosures. M.S. Thesis, Univ. British Columbia, Vancouver. 86 pp.
- English, K. K. 1983. Predator-prey relationships for juvenile chinook salmon, [*Oncorhynchus tshawytscha*], feeding on zooplankton in "in situ" enclosures. Canadian Journal of Fisheries and Aquatic Sciences 40(3):287-297.
- English, K. K. 1983. Predator-prey relationships for juvenile chinook salmon, [*Oncorhynchus tshawytscha*] in the central Columbia River. NW Sci. 54:253-258.
- English, T. S. 1952. Growth studies of the carp, [*Cyprinus carpio*] L., in Clear Lake, Iowa. Iowa St. J. Sci. 24(4):527-540.
- English, T. S. 1961. An inquiry into distributions of planktonic fish eggs in a restricted area of Puget Sound. Ph.D. Diss., Univ. Washington, Seattle. 227 pp.

- English, T. S. 1964. A theoretical model for estimating the abundance of plankton fish eggs. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 155:174-181.
- English, T. S. 1966. English sole egg studies. Contract Rep. Northwest Pulp Pap. Assoc. 93 pp.
- English, T. S. 1969. Life history of the English sole -- a summary. Contract Rep. Northwest Pulp Pap. Assoc. 41 pp.
- English, T. S. 1979. Acoustic assessments of zooplankton and juvenile pollock in the southeast Bering Sea. Pages 251-279 [in] PROBES: Processes and Resources of the Bering Sea Shelf, Progress Report 1979.
- Engstrom-Heg, R. 1968. Diet and growth of juvenile salmon in an estuarial impoundment. Washington Dept. Fish., Fish. Res. Pap. 3:5-26.
- Ennis, G. P. 1970. Reproduction and associated behavior in the shorthorn sculpin, [*Myoxocephalus scorpius*], in Newfoundland waters. Journal of the Fisheries Research Board of Canada 27(11):2037-2045.
- Ennis, G. P. 1972. A diver-operated plankton collector. Journal of the Fisheries Research Board of Canada 29:341-343.
- Ennis, S., and Y. W. Kunz. 1984. Myeloid bodies in the pigment epithelium of a teleost embryo, the viviparous [*Poecilia reticulata*]. Cell. Biol. Inter. Rep. 8(12):1029-1040.
- Enomoto, Y. 1956. On the occurrence and food of [*Noctiluca scintillans*] (MaCartney) in the waters adjacent to the west coast of Kyushu, with special reference to the possibility of the damage caused to the fish eggs by that plankton. Bull. Jap. Soc. Sci. Fish. 22(2):82-88.
- Enright, J. T., and W. M. Hammer. 1967. Vertical diurnal migration and endogenous rhythmicity. Science, N.Y., 157:937-941.
- Enright, J. T. 1977. Diurnal vertical migration: adaptive significance and timing. Part 1. Selective advantage: a metabolic model. Limnol. Oceanogr. 22(5):856-872.
- Equsa, S. 1950. Some notes on the feeding habits of young [*Mugil*] [*cephalus*] L. Bull. Jap. Soc. Sci. Fish. 15:715-720.
- Eraslan, A. H., et al. 1976. A computer simulation model for the striped bass young-of-the-year population in the Hudson River. Environ. Sci. Div., Oak Ridge Natl. Lab., Oak Ridge, TN, ORNL/NUREG-8, ESD Pub. No. 776.
- Erdahl, D. A., and E. F. Grahm. 1980. Preservation of gametes of freshwater fish. Pages 317-336 [in] Proc. 9th Intl. Congr. on Animal Reproduction and A. I. Vol. II, Round Tables, Invited Guests, Madrid, Spain.
- Erdman, D. S. 1960. Larvae of tarpon, [*Megalops atlantica*], from the Anasco River, Puerto Rico. Copeia 1960(2):146.
- Erdman, D. S. 1968. Spawning cycle, sex ratio, and weights of blue marlin off Puerto Rico. Transactions of the American Fisheries Society 97(2):131-137.
- Erdman, D. S. 1976. Spawning patterns of fishes from the northeastern Caribbean. Puerto Rico Dept. Agric., Agric. Fish. Contr. 8(2):36.
- Eremeeva, D. F. 1960. Etapy razvitiia leshcha rybinskogo vodokhranilishcha. Steps in the development of the bream in reservoirs. Trudy Institut Morfologii Zhivotnykh, Akad. Nauk SSSR 28:79-106.



- Erhardt, H. 1976. Light and electron microscopic studies of the envelopes in egg cells of the marine teleost fish, [*Lutjanus synagris*]. Helg. wiss. Meers. 28(1): 90-105. In German.
- Erickson, J. 1966. Summarization of life history and management studies on the Rocky Mountain whitefish in the Snake River drainage, 1952-54. Wyoming Fish Div. Adm. Rep., 28 pp.
- Eriksson, T. 1984. Adjustments in annual cycles of swimming behavior in juvenile Baltic salmon in fresh and brackish water. Transactions of the American Fisheries Society 113(4):467-471.
- Erkkila, L. F., J. W. Moffett, O. B. Cope, B. R. Smith and, R. S. Nevlson. 1950. Sacramento-San Joaquin Delta fishery resources: Effect of Tracy Pumping Plant and Delta Cross Channel. U.S. Fish. Wildl. Serv. Spec. Sci. Rep. Fish. No. 56. 109 pp.
- Erman, D. C., and V. M. Hawthorne. 1976. The quantitative importance of an intermittent stream in the spawning of rainbow trout. Transactions of the American Fisheries Society 105(6):675-681.
- Ernst, V., et al. 1977. The effects of the water-soluble fractions of No. 2 fuel oil on the early development of the estuarine fish, [*Fundulus grandis*] Baird and Girard. Env. Poll. 14:25.
- Escaffre, A. M., and P. Bergot. 1984. Utilization of the yolk in rainbow trout alevins ([*Salmo gairdneri*] Rich.): effect of egg size. Reprod. Nut. Devel. 24(4):449-460.
- Esch, G. W., and R. W. McFarlane. 1976. Thermal ecology II. ERDA symposium series 40, (CONF-750425), Nat. Tech. Inform. Serv., Springfield, VA. 404 pp.
- Eschmeyer, P., and R. M. Bailey. 1955. The pygmy whitefish, [*Coregonus coulteri*], in Lake Superior. Transactions of the American Fisheries Society 84:161-199.
- Eschmeyer, P. H. 1950. The life history of the walleye, [*Stizostedion v.*] [vitreum] (Mitchill), in Michigan. Bull. Inst. Fish. Res. Univ. Mich. 3:1-99.
- Eschmeyer, P. H. 1955. The reproduction of lake trout in southern Lake Superior. Transactions of the American Fisheries Society 84:47-74.
- Eschmeyer, P. H. 1956. The early life history of the lake trout in Lake Superior. Michigan Dept. Cons. Inst. Fish. Res. Misc. Publ. 10:31 pp.
- Eschmeyer, W. N., and H. R. Bullis, Jr. 1968. Four advanced larval specimens of the blue marlin, [*Makaira nigricans*], from the Western Atlantic ocean. Copeia 1968(2):414-417.
- Espionsa, F. A., Jr. 1968. Spawning periodicity and fecundity of [*Crenichthys*] [baileyi], a fish endemic to Nevada. M.S. Thesis, Univ. Nevada. 85 pp.
- Esquedaescarcega, G. M., and S. Hernandeztrujillo. 1995. Characteristics of the habitat for larval development of three bathylagid fish species (Pisces: Salmoniformes). Ciencias Marinas 21:427-438.
- Essig, R. J. 1979. Abundance, growth and mortality rates of larval anadromous alewives, [*Alosa pseudoharengus*] (Wilson), in Rock and Pentucket ponds, Georgetown, Massachusetts. M.S. Thesis, Univ. Massachusetts, Amherst, MA.
- Essig, R. J., and C. F. Cole. 1986. Methods of estimating larval fish mortality from daily increments in otoliths. Transactions of the American Fisheries Society 115:34-40.
- Estes, C. M. 1949. The fecundity of the bluegill ([*Lepomis macrochirus*]) in certain small east Texas reservoirs. M.S. Thesis, N. Texas State Coll. 39 pp.

- Estes, R. D., and T. B. Hess. 1974. Fisheries survey on Old Hickory Reservoir near Dixon Springs, Tennessee Ann. Rep., Sept. 1973-Sept. 1974. T.V.A., Div. For. Fish. Wildl. Develop., Norris. 62 pp.
- Esteves, C., and J. M. Burnett. 1993. A comparison of growth rates for American plaice, [*Hippoglossoides platessoides*], in the Gulf of Maine - Georges Bank region derived from two different data sources. NMFS, NEFSC, Woods Hole Laboratory Reference Document 93-09. 20p.
- Esteves, E., T. Pina, M. A. Chicharo, and J. P. Andrade. 2000. The distribution of estuarine fish larvae: nutritional condition and co-occurrence with predators and prey. *Acta Oecologica - International Journal of Ecology* 21(3):161-173.
- Estey, D. F. 1973. Egg procurement and culture of young striped bass. California Fish and Game D-J Proj. F-100-R-12. 6 pp.
- Etchevers, S. L. 1978. Contribution to the biology of [*Diapterus rhombeus*] (Cuvier) (Pisces: Gerridae) south of Margarita Island, Venezuela. *Bull. Mar. Sci.* 28(2): 385-389.
- Etchevers, S. L. 1978. Contribution to the biology of the sea catfish, [*Arius spixii*] (Agassiz) (Pisces: Ariidae), south of Margarita Island, Venezuela. *Bull. Mar. Sci.* 28(2):381-384.
- Etnier, D. A. 1968. Reproductive success of natural populations of hybrid sunfish in three Minnesota lakes. *Transactions of the American Fisheries Society* 97(4):466-471.
- Euston, E. T., P. G. Heisey, D. Mathur, G. A. Nardacci, T. W. Robbins, and T. R. Rosage. 1974. Biology of fish reproduction. Pages 4-15-4-23 [in] T. W. Robbins and D. Mathur, editors. Preoperational report on the ecology of Conowingo Pond-Peach Bottom Atomic Station units No. 2 and 3. Ichthyological Assoc., Inc., 375 pp.
- Evans, E. 1949. The early organology of the ammocoetes of the southern brook lamprey, [*Ichthyomyzon gagei*]. M.S. Thesis, Alabama Poly Tech. Inst. 31 pp.
- Evans, H. E. 1948. Clearing and staining small vertebrates, in toto, for demonstrating ossification. *Turtox News* 26(2):42-47. 3824
- Evans, J. W. 1962. Normal stages of the early development of the flying fish, [*Hirundichthys affinis*] (Gunther). *Bull. Mar. Sci. Gulf Caribb.* 11(4): 483-502.
- Evans, L., and D. Tarter. 1974. Ecological life history of the grass pickerel, [*Esox*] [*americanus vermiculatus*], in a West Virginia stream. *Proc. West Virginia Acad. Sci.* 48(1):4.
- Evennett, P. J., and J. M. Dodd. 1963. Endocrinology of reproduction in the river lamprey. *Nature* 197: 715-716.
- Everest, F. H., and D. W. Chapman. 1972. Habitat selection and spatial interaction by juvenile chinook salmon and steelhead trout in two Idaho streams. *Journal of the Fisheries Research Board of Canada* 29:91-100.
- Everhart, W. H. 1949. Body length of the smallmouth bass at scale formation. *Copeia* 1949(2):110-111.
- Everhart, W. H., and C. A. Waters. 1965. Life history of the blueback trout (Arctic char, [*Salvelinus alpinus*] L.) in Maine. *Transactions of the American Fisheries Society* 94(4):393-396.
- Everich, D., and J. G. Gonzalez. 1977. Critical thermal maxima of two species of estuarine fish. *Mar. Biol.* 41:141-145.

- Everson, I. 1968. Larval stages of certain Antarctic fishes. Br. Antarctic Surv. Bull. No. 16:65-70.
- Everson, I. 1970. Reproduction in [*Notothenia neglecta*] Nybelin. Bull. Br. Antarct. Surv. 16:65-70.
- Evropeizeva, N. W. 1947. On the larval period of [*Lota lota*] L. (Teleostei, Gadidae). Trav. Soc. Nat. St. Petersb. (Leningr.). 69:70-87.
- Evseenko, S. A., and M. M. Nevinsky. 1973. Breeding and development of witch flounder (*[Glyptocephalus cynoglossus]*) in the Northwest Atlantic Ocean. Int. Comm. N.W. Atl. Fish. Res. Doc. 73/49 Ser. No. 2990:23 pp.
- Evseenko, S. A. 1974. Ichthyoplankton of Slope and Gulfstream waters off Nova Scotia in late autumn 1974. J. Northwest Atl. Fish. Sci. 3:127-139.
- Evseenko, S. A., and V. P. Serebryakov. 1974. Larvae of [*Diplospinus multistriatus*], Pisces: Gemplyidae, from the Northwest Atlantic. Vopr. Ikhtiol. 14(1):110-116.
- Evseenko, S. A. 1976. Larval [*Bothus ocellatus*] Agassiz, from the North West Atlantic. Vopr. Ikhtiol. 16(4):661-669.
- Evseenko, S. A. 1976. Larval [*Engyophrys sentus ginsburg*], 1933 (Pisces, Bothidae) from the American Mediterranean sea, pp. 172-185. In: FAO Fish. Rep. 200.
- Evseenko, S. A. 1977. Larvae of the deep water flounder, [*Monolene*] [*sessilicauda*] (Pisces: Bothidae), from the northwestern Atlantic. Byull. mosk. Obshch. Ispyt. Prir. Biol. 82(2):75-79.
- Evseenko, S. A. 1978. Some data on metamorphosis of larvae of the genus [*Bothus*] (Pisces, Bothidae) from the Caribbean Sea. Zool. Zh.
- Evseenko, S. A. 1979. Sinistral flounders larvae of the west Atlantic (Scophthalmidae, Bothidae, Pisces). Symp. on early life history of fish, Woods Hole, MA.
- Evseenko, S. A. 1979. Larvae of the flounder [*Cyclopsetta*] Gill, 1888 (Bothidae, Pisces) from the northwestern Atlantic. Mar. Biol. (Vladivostok) 1979(2):67-75.
- Evseenko, S. A. 1979. Larvae of flounder [*Cyclopsetta*] from the Northwest Atlantic. Soviet J. Mar. Biol. 5(2):131-137.
- Evseenko, S. A. 1981. On the sinistral flatfish larvae (Scophthalmidae, Bothidae, Pisces) from the west Atlantic. Pages 593-594 [in] R. Lasker and K. Sherman, editors. The early life history of fish. Recent studies. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178.
- Evseenko, S. A. 1982. Eco-morphological peculiarities of the early life history of flatfishes of the western North Atlantic. Proc. Ichthyoplankton and Nekton of the World Ocean. P. P. Shirshov Inst. Oceanol. Acad. Sci. USSR. 118:43-84.
- Evseenko, S. A. 1982. Ichthyoplankton of slope and Gulf Stream waters off Nova Scotia in late autumn 1974. J. Northwest Atl. Fish. Sci. 3:127-139.
- Evseenko, S. A. 1985. Larvae of ribbontail (*Eulaeneophoridae*) from the eastern Pacific region. J. Ichthyol. 25(1):159-161.
- Evseenko, S. A., and S. M. Karavaev. 1986. Ichthyoplankton of the Peruvian waters during El Nino, 1972. Tr. Inst. Okeanol. 116:126-151.
- Ewart, J. C. 1883. The early history of the herring. Nature (Lond.) 29:105-107.
- Ewart, J. C. 1884. Natural history of the herring. Fish. Bd. Scotl., 2nd Ann. Rep. (1883). App. 5:61-73.

- Ewart, J. C. 1884. Note on deserted spawning grounds of the herring. Proc. R. Soc. Edinb. (1884):270-273.
- Ewart, J. C. 1884. On the natural and artificial fertilization of herring ova. Proc. R. Soc. Lond. 36:450-461.
- Ewart, J. C., and G. Brook. 1884. On the spawning of the cod. Rep. Fishery Bd. Scotl.
- Ewart, J. C. 1886. Are herring ova likely to develop normally on the deep offshore fishing banks? Fish. Bd. Scotl., 4th Ann. Rep. (1885), App. F(2):43-46.
- Ewart, J. C. 1887. On the artificial hatching and rearing of sea fish. 5th Ann. Rep. Fish. Bd. Scotl. (1886):230-244.
- Ewart, J. C. 1888. On the hatching of herring ova in deep water. Proc. R. Soc. Edinb. 9:47-54.
- Ewart, J. C., and T. W. Fulton. 1889. Report on the spawning of the British marine food-fishes. Rep. Fish. Bd. Scotl. 7:186-221.
- Eycleshymer, A. C., and B. M. Davis. 1897. The early development of the epiphysis and parapophysis in [Amia]. J. Comp. Neurol. 7(1):45-70.
- Eycleshymer, A. C. 1899. The cleavage of the egg of [Lepidosteus osseus]. Anat. Anz. 16: 531-536.
- Eycleshymer, A. C. 1901. Observations on the breeding habits of [Ameiurus] [nebulosus]. American Naturalist 35(419):911-918.
- Eycleshymer, A. C. 1903. The early development of [Lepidosteus osseus]. Univ. Chicago Sec. Publ. Vol. 10. 17 pp.
- Eycleshymer, A. C., and J. M. Wilson. 1906. The gastrulation and embryo formation in [Amia] [calva]. Am. J. Anat. 5(2):133-162.
- Eyson, K. 1983. Egg and fry swallowing habits of tilapias. Aquaculture 32(3/4):415-418.
- Eyman, L. D., C. W. Gehrs, and J. J. Beauchamp. 1975. Sublethal effect of 5-chlorouracil on carp ([Cyprinus carpio]) larvae. Journal of the Fisheries Research Board of Canada 32(11):2227-2229.
- Eziuzo, E. N. C. 1965. Early development and metamorphosis of the reddish-brown eel, [Phyllogramma regani]. Bull. Inst. Fr. Afr. Noire. 27A:312-333.
- Ezzat, A., and S. El-Serafy. 1977. The migration of elvers of [Anguilla anguilla] L. in the Mex Canal, Alexandria, Egypt. J. Fish. Biol. 11(3):249-256.
- Fabacher, D. L. 1976. Toxicity of endrin and endrin-methyl parathion formulation to largemouth bass fingerlings. Bull. Env. Contam. Toxicol. 16(3):376-378.
- Faber, D. J. 1963. Larval fish from the pelagical region of two Wisconsin lakes. Ph.D. Diss., Univ. Wisconsin, Madison, WI. 153 pp.
- Faber, D. J. 1967. Limnetic larval fish in northern Wisconsin lakes. Journal of the Fisheries Research Board of Canada 24(5):927-937.
- Faber, D. J. 1968. A net for catching limnetic fry. Transactions of the American Fisheries Society 97(1):61-63.

- Faber, D. J. 1970. Ecological observations on newly hatched lake whitefish in South Bay Lake Huron. Pages 481-500 [in] C. C. Lindsey and C. S. Woods, editors. Biology of coregonid fishes, Univ. Manit. Press, Winnipeg, Manitoba.
- Faber, D. J. 1976. Hyponeustonic fish larvae in the Northumberland Strait during summer 1962. Journal of the Fisheries Research Board of Canada 33(6):1167-1174.
- Faber, D. J. 1976. Identification of four blennioid fish larvae in the Canadian Atlantic Ocean (Stichaeidae, Lumpenidae). Journal of the Fisheries Research Board of Canada 33(8):1798-1802.
- Faber, D. J. 1976. Identification of reference collections and recommendations for future development. Pages 102-104 [in] J. Boreman, editor. Great Lakes fish egg and larvae identification: proceedings of a workshop. Natl. Power Plant Team, OSB, U.S. Fish and Wildl. Serv., Ann Arbor, MI.
- Faber, D. J. 1980. Observations on the early life history of the golden shiner, [*Notemigonus crysoleucas*] (Mitchill), in Lac Henry, Quebec. Pages 69-78 [in] L. A. Fuiman, editor. Proc. fourth ann. larval fish conf., Fish Wildl. Serv., Biol. Serv. Prog., Natl. Power Plant Team, Ann Arbor, MI., FWS/OBS-80-43.
- Faber, D. J. 1981. A light trap to sample littoral and limnetic regions of lakes. Verh. Int. Ver. Limnol. 21:744-749.
- Faber, D. J. 1982. Fish larvae caught by a light-trap at littoral sites in Lac Heney, Quebec, 1979 and 1980. Pages 42-46 [in] Proc. 5th Ann. Larval Fish Conf., Louisiana Coop. Fish. Res. Unit, Baton Rouge, LA.
- Faber, D. J., and S. Gadd. 1983. Several drawing techniques to illustrate larval fishes. Transactions of the American Fisheries Society 112:349-353.
- Faber, D. J. 1985. A key to identify some Lake Opeongo larval fishes. Page 15 [in] Early life studies of lake whitefish ([*Coregonus clupeaformis*]), cisco ([*C. artedii*]), and yellow perch ([*Perca flavescens*]) in Lake Opeongo, Ontario. Ont. Fish. Tech. Rep. Ser. No. 16. 28 pp.
- Faber, D. J. 1985. The early development of the northern redbelly dace, [*Phoxinus eos*] (Cope) Canadian Journal of Zoology 63(7):1724-1729.
- Fabian, M. W. 1960. Mortality of freshwater and tropical fish fry by cyclopoid copepods. Ohio J. Sci. 60:268.
- Fable, W. A., Jr., T. D. Williams, and C. R. Arnold. 1978. Description of reared eggs and young larvae of the spotted seatrout, [*Cynoscion nebulosus*]. Fish. Bull. NOAA (U.S.) 76(1):65-71.
- Fabre-Domergue, P., and E. Biatrix. 1897. La periode critique post-larvaire des poissons marins. Bull. Museum Natl. Histoire Naturelle, Paris 3:57-58.
- Fabre-Domergue, P., and E. Biatrix. 1898. Role de la vesicule vitelline dans la nutrition larvaire des poissons marins. C. R. Mem. Soc. Biol. (Paris) 10 Ser., Tome 5:466-468.
- Fabre-Domergue, P., and E. Biatrix. 1905. Developpement de la sole ([*Solea vulgaris*]). Introduction a l'etude de la pisciculture marine. Travail do Lab. de Zool. Mar. Concarneau. Vuibert et Nony, Paris. 243 pp.
- Fabricius, E. 1950. Heterogeneous stimulus summation in the release of spawning activities in fish. Rep. Inst. Freshwater Drottningholm 31:86-94.
- Fabricius, E. 1953. Aquarium observations on the spawning behavior of the char, [*Salmo alpinus*]. Rep. Inst. Freshwater Res. Drottningholm 34:14-18.

- Fabricius, E. 1954. Aquarium observations on the spawning behavior of the burbot, [*Lota vulgaris*] L. Inst. Freshwater Res., Drottningholm, Rep. 35:51-57.
- Fabricius, E., and A. Lindroth. 1954. Experimental observations on the spawning of whitefish, [*Coregonus laveratus*] L., in the stream aquarium of the Holle Laboratory at River Indalsalven. Rep. Inst. Freshwater Res. Drottningholm 35:105-112.
- Fabricius, E., and K. J. Gustafson. 1954. Further aquarium observations on the spawning behavior of the char, [*Salmo alpinus*] L. Rep. Inst. Freshwater Res. Drottningholm 35:58-104.
- Fabricius, E., and K. J. Gustafson. 1955. Observations on the spawning behavior of the grayling, [*Thymallus thymallus*] (L.). Rep. Inst. Freshwat. Res. Drottning. 36:75-103.
- Fabricius, E., and K. J. Gustafson. 1958. Some new observations on the spawning behavior of the pike, [*Esox lucius*] L. Rep. Inst. Freshwater Res. Drottningholm 39:23-55.
- Fabricius, E. 1959. Spawning of the roach. Zool. Rev. 21:17-26.
- Facciola, L. 1882. La forma giovanile del [*Phycis blennioides*]. Nota. Nat. Siciliano (Palermo) 2:25-29.
- Facciola, L. 1887. Leptocephali. A list of the Italian species. Atti. Soc. Nat. Mat. 3(1):121-123.
- Facciola, L. 1937. Le uova dell' [*Atherina hepsetus*] L. Atti. Soc. Ital. Milano 76:363-366.
- Faculty Fisheries, Hokkaido University. 1961. IV. The "Oshoro Maru" cruise 46 to the Bering Sea and North Pacific in June-August 1960. 17. Data on fish larvae collected with a larva net. 18. Data on fish larvae collected with an underway plankton catcher V. Data Rec. Oceanogr. Obs. Expl. Fish. 5:202-211.
- Faculty Fisheries, Hokkaido University. 1962. II. The "Oshoro Maru" cruise 48 to the Bering Sea and northwestern North Pacific in July 1961. 10. Data on fish larvae collected with a larva net. Data Rec. Oceanogr. Obs. Expl. Fish. 6:78-80.
- Faculty Fisheries, Hokkaido University. 1964. IV. The "Oshoro Maru" cruise 4 to the Bering Sea and northwestern North Pacific in May-July 1963. 6. Data on fish larvae collected with a larva net and a small planned Isaacs-Kidd midwater trawl net in the Bering Sea. Data Rec. Oceanogr. Obs. Expl. Fish. 8:257-260.
- Faculty Fisheries, Hokkaido University. 1967. III. The "Oshoro Maru" cruise 19 to the northern North Pacific and Bering Sea in June-August 1966. 8. Data on fish larvae collected with a larva net. Data Rec. Oceanogr. Obs. Expl. Fish. 11:219-226.
- Faculty Fisheries, Hokkaido University. 1968. VI. The "Oshoro Maru" cruise 24 to the northern North Pacific and Bering Sea in June-August 1967. 10. Data on fish larvae collected by surface tow and midwater tow with a larva net. Data Rec. Oceanogr. Obs. Expl. Fish. 12:375-382.
- Faculty Fisheries, Hokkaido University. 1969. I. The "Oshoro Maru" cruise 28 to the northern North Pacific and Bering Sea and Gulf of Alaska, June-August 1968. 15. Data of fish larvae collected with a larva net. Data Rec. Oceanogr. Obs. Expl. Fish. 13:70-75.
- Faculty Fisheries, Hokkaido University. 1970. I. The "Oshoro Maru" cruise 32 to the northern North Pacific, Bering Sea and Bristol Bay in June-August 1969. 12. Data on fish larvae collected with a larva net. Data Rec. Oceanogr. Obs. Expl. Fish. 14:68-73.
- Fadeev, N. S. 1965. Comparative outline of the biology of flatfishes in the southeastern part of the Bering Sea and the condition of their stocks. Tr. Vses. Nauchn.-issled. Inst. Morsk. Rybn. Khoz. Okeanogr. 58.

- Fadeev, N. S. 1965. Comparative outline of the biology of flatfishes in the southeastern part of the Bering Sea. Pages 112-119 [in] P. A. Moiseev, editor. Soviet Fish. Invest. Northeast. Pacif. Ocean. IV. Tr. Vses. Nauchno-issled. Inst. Morsk. Rybn. Khoz. Okeanogr. 53.
- Fadeev, N. S. 1970. The fishery and biological characteristics of yellowfin soles in the eastern part of the Bering Sea. Tr. Vses. Nauchno-issled. Inst. Morsk. Rybn. Khoz., Okeanogr. 70.
- Fagade, S. O., and C. I. O. Olaniyan. 1972. The biology of the West African shad, [Ethmalosa] [fimbriata] (Bowdich) in the Lagos Lagoon, Nigeria. J. Fish. Biol. 4(4):519-533.
- Fage, L. 1918. Shore fishes: twenty oceanic families. Rep. Dan. Oceanogr. Exped. Mediterr. 2(A3):154 pp.
- Fage, L. 1920. Engraulidae, Clupeidae. Rep. Dan. Oceanogr. Exped. Mediterr. 1908-1910, 2(6), Biol. A.9., 140 pp.
- Fage, L. 1940. Le plateau continental et la metamorphose des poissons. Mem. Soc. Biogeogr. 7:23-29.
- Fager, E. W. 1973. Estimation of mortality coefficient from field samples of zooplankton. Limnol. Oceanogr. 18(2):297-301.
- Fagerlund, U. H. M., and J. R. McBride. 1975. Growth increments and some flesh and gonad characteristics of juvenile coho salmon receiving diets supplemented with 17 alpha-methyltestos J. Fish. Biol. 7(3):305-314.
- Fagerlund, U. H. M., et al. 1983. Implications of varying dietary protein, lipid and 17 alpha-methyltestos content on growth and utilization of protein and energy in juvenile coho salmon, [Oncorhynchus kisutch]. Aquaculture 30:109-124.
- Fagetti, E. 1970. Distribution and relative abundance of clupeidae and engraulidae larvae in the water of the continental shelf of Senegal and Gambia during 1969. Rapp. Sci. Provis. Cent. Resch. Oceanogr. Dakar-Thiaroye, ORSTOM UNDP/SF/FAO (1/70):26 pp.
- Fagetti, E., and S. Krzelj. 1971. The distribution and relative abundance of clupeidae and engraulidae larvae off Ivory coast (July 1969 - June 1970). Rapp. Sci. Proj. Dev. Peche Pelag. Cot. FAO/PNUD Abidjan (RS-1/71):19 pp.
- Fagetti, E., and R. Marak. 1972. Ichthyoplankton studies in west Africa - a review. FAO Fish. Circ., No. 137:1-11.
- Fahay, M. P. 1973. Range and distribution of bonefish, ladyfish and tarpon. Page 265 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval, and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No.1, NMFS, Mid Atl. Coast. Fish. Cent., Highlands, NJ. 338 pp.
- Fahay, M. P. 1974. Occurrence of silver hake, [Merluccius bilinearis], eggs and larvae along the middle Atlantic continental shelf during 1966. Fish. Bull. NOAA (U.S.) 72(3):813-834.
- Fahay, M. P. 1975. An annotated list of larvae and juvenile fishes captured with surface towed meter net in the South Atlantic bight during four research vessel "Dolphin" cruises between May 1967 and February 1968. NOAA Tech. Rep. NMFS Spec. Sci. Rep. Fish., No. 685:1-39.
- Fahay, M. P. 1976. [Paraxenomystax] sp., a muraenesocid leptocephalus in the western North Atlantic. Copeia 1976:210-211.

- Fahay, M. P., and C. L. Obenchain. 1978. Leptocephali of the Ophichthid genera [Ahlia], [Myrophis], [Ophichthus], [Pisodonophis], [Callechelys], [Letharchus], and [Apterichtus], on the Atlantic continental shelf of the United States. Bull. Mar. Sci. 28(3):442-486.
- Fahay, M. P. 1978. Biological and fisheries data on American eel, [Anguilla rostrata] (LeSueur). NMFS Sandy Hook Lab., Highlands, NJ, Tech. Ser. Rep. No. 17, 82 pp.
- Fahay, M. P. 1980. A guide to the early stages of marine fishes occurring in the western Atlantic with emphasis on species found north of Cape Hatteras. ICES CM 1980/L:65.
- Fahay, M. P., and P. Berrien. 1981. Preliminary description of larval tilefish ([Lopholatilus chamaeleonticeps]). Rapp. P.-v. Cons. int. Explor. Mer 178:600-602.
- Fahay, M. P. 1983. Guide to the early stages of marine fishes occurring in the western North Atlantic Ocean, Cape Hatteras to the Southern Scotian Shelf. J. Northw. Atlant. Fish. Sci. 4:1-423.
- Fahay, M. P., and D. F. Markle. 1984. Gadiformes: development and relationships. Pages 265-282 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Fahay, M. P., P. L. Berrien, D. L. Johnson, and W. W. Morse. 1999. Essential fish habitat source document: bluefish, [Pomatomus saltatrix], life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-144. U.S. Department of Commerce 68.
- Fahy, E. 1980. Prey selection by young trout fry ([Salmo trutta]). Journal of Zoology (Lond.) 190(1):27-37.
- Fahy, W. E. 1954. The life history of the northern greenside darter, [Etheostoma blennioides blennioides] Rafinesque. J. Elisha Mitchell Soc. 70(2):139-205.
- Fahy, W. E. 1964. Temperature controlled salt-water circulating apparatus for developing fish eggs and larvae. J. Cons. perm. int. Explor. Mer 28:364-384.
- Fahy, W. E. 1972. Influence of temperature changes on number of vertebrae and caudal fin rays in [Fundulus majalis] (Walbaum). J. Cons. perm. int. Explor. Mer 34(2): 217-231.
- Fahy, W. E. 1975. The morphological time of fixation of the total number of vertebrae in [Fundulus majalis] (Walbaum). J. Cons. Int. Explor. Mer 36(3):243-250.
- Fahy, W. E., and R. K. O'Hara. 1977. Does salinity influence the number of vertebrae developing in fishes? J. Cons. perm. int. Explor. Mer 37(2):156-161.
- Fahy, W. E. 1978. The influence of crowding upon the total number of vertebrae developing in [Fundulus majalis] (Walbaum). J. Cons. perm. int. Explor. Mer 38(2):252-256.
- Fahy, W. E. 1979. The influence of temperature change on number of anal fin rays developing in [Fundulus majalis] (Walb.). J. Cons. int. Explor. Mer 38:280-285.
- Fahy, W. E. 1980. The influence of temperature change on number of dorsal fin rays developing in [Fundulus majalis] (Walb.). J. Cons. int. Explor. Mer 39:104-109.
- Fahy, W. E. 1981. The influence of temperature change on number of dorsal fin rays developing in [Fundulus majalis] (Walb.). Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:567-.
- Fahy, W. E. 1982. The influence of temperature change on number of pectoral fin rays developing in [Fundulus majalis] (Walbaum). J. Cons. int. Explor. Mer 40:21-26.
- Fahy, W. E. 1983. The morphological time of fixation of the total number of caudal fin rays in [Fundulus majalis] (Walb.). J. Cons. int. Explor. Mer 41:37-45.



Fairbanks, R. B., W. S. Collings, and W. T. Slides. 1971. An assessment of the effects of electrical power generation on marine resources in the Cape Cod Canal. Mass. Dept. Nat. Res., Div. Mar. Fish.

Fairchild, J.F., and E.E. Little. 1993. Use of mesocosm studies to examine direct and indirect impacts of water quality on early life stages of fishes. [In] L. A. Fuiman, editor. Water quality and the early life stages of fishes. American Fisheries Society Symposium 14. 192pp.

Fanara, D. M. 1964. Notes on the biology of a salt marsh minnow, [*Cyprinodon variegatus*]. Proc. 51st Ann. Meet. New Jersey Mosquito Exterm. Assoc.:152-159.

Fancett, M. S., and G.P.Jenkins. 1988. Predatory impact of scyphomedusae on ichthyoplankton and other zooplankton in Port Phillip Bay. J. Exp. Mar. Biol. Ecol. 116: 63-77.

FAO/MARMAP. 1974. Report on the FAO/MARMAP international training course on fish egg and larval studies. FAO Fish Rep. No. 144, 18pp.

Fargo, J. 1994. Examining recruitment relationships for Hecate Strait English sole (*Pleuronectes vetulus*). Netherlands Journal of Sea Research. 32: 385-397.

Farley, T. C. 1966. Striped bass (*Roccus saxatilis*) spawning in the Sacramento-San Joaquin River system during 1963 and 1964. California Dept. Fish and Game, Fish. Bull. 136:15-27.

Farley, T. C. 1966. Striped bass, [*Roccus saxatilis*], spawning in the Sacramento-San Joaquin River system during 1963 and 1964. California Dept. Fish and Game, Fish. Bull. 136:28-43.

Farmer, G. J., et al. 1977. Influence of water on the growth rate of the landlocked sea lamprey (*Petromyzon marinus*) and the associated rate of host mortality. Journal of the Fisheries Research Board of Canada 34:1373.

Farmer, G. J., J. A. Ritter, and D. Ashfield. 1978. Sea water adaptation and parr smolt transformation of juvenile Atlantic salmon, [*Salmo salar*]. Journal of the Fisheries Research Board of Canada 35(1):93-100.

Farmer, G. J., D. Ashfield, and H. S. Samant. 1979. Effects of zinc on juvenile Atlantic salmon, [*Salmo salar*]: Acute toxicity food intake, growth and bioaccumulation. Env. Poll. 19(2):103-118.

Farrell, J.M., R. G. Werner, S. R. LaPan, and K.A. Claypoole. 1996. Egg distribution and spawning habitat of northern pike and muskellunge in a St. Lawrence River marsh, New York. Transactions of the American Fisheries Society 125:127-131.

Farrell, J.M., and R.G. Werner. 1999. Distribution, abundance, and survival of age-0 muskellunge in upper St. Lawrence River nursery bays. North American Journal of Fisheries Management 19(1):309-320.

Farringer, R. I., III, A. A. Echelle, and S. F. Lehtinen. 1979. Reproductive cycle of the red shiner, [*Notropis lutrensis*], in central Texas and southcentral Oklahoma. Transactions of the American Fisheries Society 108(3):271-276.

Farris, D. A. 1958. Jack mackerel eggs-Pacific coast, 1951-1954. U.S. Fish Wild l. Serv. Spec. Sci. Rep. Fish. No. 263.

Farris, D. A. 1959. A change in the early growth rate of four larval marine fishes. Limnol Oceanogr. 4(1):29-36.

- Farris, D. A. 1960. The effects of three different types of growth curves on estimates of larval fish survival. *J. Cons. perm. int. Explor. Mer* 25(3):294-306.
- Farris, D. A. 1960. Failure of an anchovy to hatch with continued growth of the larva. *Limnol. Oceanogr.* 5(1):107.
- Farris, D. A. 1961. Abundance and distribution of eggs and larvae and survival of larvae of jack mackerel (*[Trachurus] [symmetricus]*). *Fish. Bull. NOAA (U.S.)* 61(187): 247-279.
- Farris, D. A. 1963. Reproductive periodicity in the sardine (*[Sardinops] [caerulea]*) and the jack mackerel (*[Trachurus] [symmetricus]*) on the Pacific coast of North America. *Copeia* 1963(1):182-184.
- Farris, D. A. 1963. Shrinkage of sardine (*[Sardinops caerulea]*) larvae upon preservation in buffered formalin. *Copeia* 1963(1):185-186.
- Faruqui, A. M. 1975. Fluctuation in oxygen concentration and occurrence of mortality of carp hatchlings in a hatchery pond at Patra fish farm, Bhopal. *Broteria* 44:67.
- Farwell, M. K., J. M. Green, and V. A. Pepper. 1976. Distribution and known life history of *[Stichaeus] [punctatus]* in the northwest Atlantic. *Copeia* 1976(3):598-602.
- Fast, T. N. 1960. Some aspects of the natural history of *[Stenobranchius leucopsarus]* Eigenmann and Eigenmann. Ph.D. Diss., Stanford Univ., Stanford, CA.
- Fauconneau, B. 1984. The measurement of whole body protein synthesis in larval and juvenile carp (*[Cyprinus carpio]*). *Comp. Biochem. Physiol.* 78B(4):845-850.
- Fauconneau, B., P. Aguirre, K. Dabrowski, and S. J. Kaushik. 1986. Rearing of sturgeon, *[Acipenser baeri]* Brandt, larvae. 2. Protein metabolism: influence of fasting and diet quality. *Aquaculture* 51(2):117-132.
- Faulk, C.K., L.A. Fuiman, and P. Thomas. 1999. Parental exposure to ortho, para-dichlorodiphenyltrichloroethane impairs survival skills of Atlantic croaker (*[Micropogonias undulates]*) larvae. *Environmental Toxicology and Chemistry* 18:254-262.
- Fausch, K. D., and R. J. White. 1986. Competition among juveniles of coho salmon, brook trout, and brown trout in a laboratory stream, and implications for Great Lakes tributaries. *Transactions of the American Fisheries Society* 115:363-381.
- Faustov, V. S., and A. I. Zotin. 1965. Changes in the heat of combustion of the eggs of fishes and amphibia during development. *Dokl. (Proc.) Acad. Sci. USSR. (Biol. Sci. Sec.)* 162:320-323.
- Faustov, V. S., and A. I. Zotin. 1967. Energetical characteristics of fish eggs belonging to different ecological groups. *Vop. Ikhtiologii.* 7(1):42:81-87.
- Fava, J. A., and C. Tsai. 1974. The life history of the pearl dace, *[Semotilus] [margarita]*, in Maryland. *Ches. Sci.* 15(3):159-162.
- Fearing, D. B. 1903. Some early notes on the striped bass. *Transactions of the American Fisheries Society* 90-98.
- Feddern, H. A. 1965. The spawning, growth, and general behavior of the bluehead wrasse, *[Thallasoma bifasciatum]* (Pisces: Labridae). *Bull. Mar. Sci.* 15:896-941.
- Feddern, H. A. 1967. Larval development of the neon goby, *[Elacatinus] [oceanops]* in Florida. *Bull. Mar. Sci.* 17:367-375.
- Federov, K. E. 1985. Morphodynamics of adenohypophysis in *[Tilapia] [mossambica]* during early ontogeny. *J. Ichthyol.* 25(1):170-175.

- Federov, K. Y., and L. S. Bogdanova. 1978. The growth and development of the larvae of the pink salmon, [*Oncorhynchus gorbuscha*], under different temperature and feeding regimes. *J. Ichthyol.* 18(4):568-576.
- Fedorenko, A. Y., and F. J. Fraser. 1978. A review of the biology of grass carp ([*Ctenopharyngodon idella*] Val.) and its evaluation as a potential weed control agent in British Columbia. *Fish. Env. Can. Fish. Mar. Serv. Tech. Rep. No. 786.* 15 pp.
- Fedorov, M. 1931. Material on biology and reproduction of White Sea smelt. *Izv. Leningrad. Nauch.-Issled. Ikhtiol.* 11(2):90.
- Fedorova, G. V. 1958. Data on the development and periods of high sensitivity of the eggs of the Belozersk smelt. *Leningrad. Gos. Pedagog. Inst. Im. A. I. Gertsena* 179: 203-210.
- Fedorova, G. V. 1964. Absorption and radioactive carbon penetration in embryo and post-embryo periods of development (Fish). *Vest. leningr. gos. Univ.* 12:39-50. Russian, Summary in English.
- Fedorova, G. V. 1964. The effect of C-14 on the developing eggs and larvae of freshwater fishes. *Vopr. Ikhtiol.*, 4 (27).
- Fedorova, G. V. 1965. Entry of C-14 into the spawn and larva of autumn spawning fish. *Radiobiologija* 5:690-692. In Russian.
- Fedorova, G. V. 1965. Penetration of C-14 into fish roe and larvae of autumn spawning fish. *Radiobiol.* 5(5):86-90.
- Fedorova, G. V. 1972. The biological effect of radiocarbon (C-14) on fish in early development stages. *J. Ichthyol.* 12(1):173-177.
- Fedorova, L. S. 1976. Physiological and biochemical characteristics of the reproductive products and larvae of sturgeons during artificial rearing. *J. Ichthyol. Engl. transl. Vopr. Ikhtiol.* 16(3):427-436.
- Fee, E. 1965. Life history of the northern common shiner, [*Notropis*] [*cornutus frontalis*], in Boone County, Iowa. *Proc. Iowa Acad. Sci.* 72:272-281.
- Fefer, S. I. 1978. An ecological characterization of Maine's coast north and east of Cape Elizabeth. VII. Data Source Appendix. *Energy Res. Co., Inc., Cambridge, MA.*
- Feigs, G. 1955. First spawning of the headstander. *The Aquarium* 24(7):221-223.
- Feldman, V. N. 1977. The distribution, abundance of juveniles of North Sea sprat and method of forecasting catches. Pages 49-52 [in] *Life history and behavior of some commercial fishes of North-east Atlantic. All-Union Res. Inst. Mar. Fish and Oceanogr. (UNIRO).* (XX).
- Felip, A., F. Piferrer, M. Carrillo, and S. Zanuy. 1999. The relationship between the effects of UV light and thermal shock on gametes and the viability of early developmental stages in a marine teleost fish, the sea bass ([*Dicentrarchus labrax*] L.). *Heredity* 83(4):387-397.
- Felix, A., M. E. Stevens, and R. L. Wallace. 1995. Unpalatability of a colonial rotifer, [*Sinantherina socialis*] to small zooplanktivorous fishes. *Invertebrate Biology* 114:139-144.
- Feller, R. J., and V. W. Kacynski. 1975. Size selective predation by juvenile chum salmon ([*Oncorhynchus keta*]) on epibenthic prey in Puget Sound, Washington. *Journal of the Fisheries Research Board of Canada* 32:1419-1430.

- Fenderson, O. C., and M. R. Carpenter. 1971. Effects of crowding on the behavior of juvenile hatchery and wild, landlocked Atlantic salmon (*Salmo salar* L.). *Anim. Behav.* 19:439-447.
- Ferguson, M. M., D. L. G. Noakes, and D. Romani. 1983. Restricted behavioral plasticity of juvenile lake charr, *Salvelinus namaycush*. *Eng. Biol. Fish.* 8(2):151-156.
- Ferguson, R. G., and A. J. Derksen. 1971. Migrations of adult and juvenile walleyes, *Stizostedion vitreum vitreum*, in southern Lake Huron, Lake St. Clair, Lake Erie and connecting waters. *Journal of the Fisheries Research Board of Canada* 28(6):1133-1142.
- Fernald, R. D. 1990. Teleost vision - seeing while growing. *Journal of Experimental Zoology* S5:167-180.
- Fernholm, E. 1975. Ovulation and eggs of the hagfish, *Eptatretus eurgeri*. *Acta Zool.* 56(3):199-204.
- Ferrante, J. G. 1971. A quantitative study of the zooplankton in the Delaware River in the vicinity of Artificial Island: Prog. Rep. for the period Jan-Dec. 1970. II. *Ichthyological Assoc. Delaware Proj. Rep. No. 3*, 41 pp.
- Ferrari, I., and A. R. Chierogato. 1981. Feeding habits of juvenile stages of *Sparus auratus* L., *Dicentrarchus labrax* L., and Mugilidae in a brackish embayment of the Po River Delta. *Aquaculture* 25(2/3):243-258.
- Ferraris, C. J., Jr. 1973. Larval fish. Pages 73-83 [in] T.V. Jacobsen et al., editors. An ecological study of the North Branch Susquehanna River in the vicinity of Berwick, Penn. Prog. Rep. Jan-Dec., 1972, *Ichthyol. Assoc., Inc.*
- Ferraro, S. P. 1980. Embryonic development of Atlantic menhaden, *Brevoortia tyrannus*, and a fish embryo age estimation method. *NOAA-NMFS Fish. Bull.* 77(4): 943-949.
- Ferraro, S. P. 1981. Eggs and larvae of Atlantic menhaden, *Brevoortia tyrannus*, in the Peconic Bays, New York in 1972-74. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:181-182.
- Ferron, A., and W. C. Leggett. 1994. An appraisal of condition measures for marine fish larvae. *Advances in Marine Biology* 30:217-303.
- Festa, P. J. 1974. A study of the distribution of young and larval summer flounder in New Jersey estuarine waters. *New Jersey Dept. Env. Prot., Div. Fish., Game and Shellfish, Bur. Fish. Misc. Rep. No.-11m*. 30 pp.
- Fiedler, K. 1964. Reproduction behavior of wrasses. *Z. Tierpsychol.* 21:521-591.
- Fiedler, K. 1964. Breeding habits of *Crenilabrus*. *Z. Tierpsychol.* 21:521-591.
- Fiedler, P. C. 1985. Offshore entrainment of anchovy spawning habitats, eggs, and larvae by a displaced eddy in 1985. *California Coop. Oceanic Fish. Invest. Rep.* XXVII:144-152.
- Fiedler, P. C. 1986. Offshore entrainment of anchovy spawning habitat, eggs, and larvae by a displaced eddy in 1985. *CalCOFI Rep.* 27:144-152.
- Fields, H. A. 1962. Pompanos (*Trachinotus* spp.) of south Atlantic coast of the United States. *U.S. Fish Wildl. Serv., Fish. Bull.* 62:189-222.
- Fijan, N. 1975. Induced spawning, larval rearing, and nursery operations (*Silurus glanis*). Pages 130-138 [in] *Workshop on controlled reproduction of cultivated fishes.* *Eur. Intl. Fish. Advis. Comm. Tech. Pap. No. 25*, 180 pp.
- Fiksen, O., and A. Folkvord. 1999. Modelling growth and ingestion processes in herring larvae (*Clupea harengus* L.). *Marine Ecology Progress Series* 184:273-289.

- Fine, M. L., D. Economos, R. Radtke, and J. R. McClung. 1984. Ontogeny and sexual dimorphism of the sonic motor nucleus in the oyster toadfish. *J. Comp. Neurol.* 225:105-110.
- Fineman, R., J. Hamilton, and G. Chase. 1975. Reproductive performance of male and female phenotypes in three sex chromosomal genotypes (XX, XY, YY) in the killifish, [*Oryzias latipes*]. *J. Exp. Biol.* 192(3):349-354.
- Finger, T. E. 1976. An asymmetric optomotor response in developing flounder larvae ([*Pseudopleuronectes americanus*]). *Vision Res.* 16:941-943.
- Fink, B. D., and G. B. Haydon. 1960. Sperm morphology of two cottid fishes in electron micrograph silhouettes. *Copeia* 1960(3):319-322.
- Fink, W. L. 1981. Ontogeny and phylogeny of tooth attachment modes in actinopterygian fishes. *J. Morph.* 167:167-184.
- Fink, W. L. 1982. The conceptual relationship between ontogeny and phylogeny. *Paleobiology* 8:254-264.
- Fink, W. L., K. E. Hartel, W. G. Saul, E. M. Koon, and E. O. Wiley. 1979. A report on current supplies and practices used in curation of ichthyoplankton collections. Report of the Ad hoc Subcommittee on Curatorial Supplies and Practices of the ASIH Ichthyological Collections Committee. Mimeo., 63 pp.
- Finlayson, B. J., and S. A. Shuckian. 1979. Safe zinc and copper levels from the Spring Creek drainage for steelhead trout in the upper Sacramento River, California. *California Fish and Game* 65(2):80-99.
- Finlayson, B. J., and K. M. Verrue. 1985. Toxicities of butoxyethanol ester and propylene glycol butyl ether ester formulations of 2,4-dichlorophenoxy acetic acid (2,4-D) to juvenile salmonids. *Arch. Env. Contam. Toxicol.* 14(2):153-160.
- Finn, M. D., and M. J. Kingsford. 1996. Two-phase recruitment of apogonids (Pisces) on the Great Barrier Reef. *Marine and Freshwater Research* 47:423-432.
- Finn, R. N., H. J. Fyhn, and M. S. Evjen. 1995. Physiological energetics of developing embryos and yolk-sac larvae of Atlantic cod ([*Gadus morhua*]). 1. Respiration and nitrogen metabolism. *Marine Biology* 124:355-369.
- Finn, R. N., J. R. Henderson, and H. J. Fyhn. 1995. Physiological energetics of developing embryos and yolk-sac larvae of Atlantic cod ([*Gadus morhua*]). 2. Lipid metabolism and enthalpy balance. *Marine Biology* 124:371-379.
- Finucane, J. H. 1969. Ecology of the pompano ([*Trachinotus carolinus*]) and the permit ([*T. falcatus*]) in Florida. *Transactions of the American Fisheries Society* 98:478-486.
- Finucane, J. H., L. A. Collins, and L. F. Barger. 1978. Spawning of the striped mullet, [*Mugil cephalus*], in the northwestern Gulf of Mexico. *NE Gulf Sci.* 2(2):148-150.
- Firth, C. A., J. M. Leis, and B. Goldman. 1986. Currents in the Lizard Island region of the Great Barrier Reef Lagoon and their relevance to potential movements of larvae. *Coral Reefs* 5:81-92.
- Firth, F. E. 1931. A note on spawning rosefish, [*Sebastes marinus*] (Linnaeus). *Copeia* 1931(2):65.
- Fischer, E. A. 1980. Mating system and simultaneous hermaphroditism in the coral reef fish, [*Hypoplectrus nigricans*] (Serranidae), with a discussion of the systematic status of the species in the genus [*Hypoplectrus*]. Ph.D. Diss., Univ. Calif. Berkeley, 161 pp.

- Fischer, W. K. 1958. Huevos, crias y primeras prelarvas de la "anchoveta" ([*Engraulis ringens*]) Jenyns. Rev. Biol. Mar. (Chile) 8:111-124.
- Fischer, W. K. 1958. Primeras fases del desarrollo del blanquillo, [*Prolatilus jugularis*], Cuv. & Val. (Pisces). Rev. Biol. Mar. 8(1/3):3-24.
- Fischer, W. K. 1959. Huevos, crias y prelarvas de la merluza. Rev. Biol. Mar. 9(1,2,3): 229-249.
- Fischer, W. K. 1963. Die Fische des Brackwassergebietes Lenga bei Concepcion (Chile). Int. Rev. Ges. Hydrobiol. Hydrogr. 48(3):419-511.
- Fish, C. J. 1925. Fish. In: Plankton of the Woods Hole region. U.S. Bur. Fish. Bull. 41:164-172.
- Fish, C. J. 1927. Production and distribution of cod eggs in Massachusetts Bay in 1924 and 1925. U.S. Bur. Fish. Bull. 43:253-296.
- Fish, C. J., and M. W. Johnson. 1937. Fish eggs and larvae. Pages 258-270 [in] The biology of the zooplankton population in the Bay of Fundy and Gulf of Maine with special reference to production and distribution. J. Biol. Bd. Can. 3(3).
- Fish, F. F., and R. E. Burrows. 1939. Notes on the effect of low temperature upon eyed eggs. Prog. Fish-Cult 45:28-31.
- Fish, F. F., and E. G. McCoy. 1959. The river discharges required for effective spawning by striped bass in the rapids of the Roanoke River of North Carolina. North Carolina Wildl. Comm., Raleigh. 38 pp.
- Fish, G. R., and G. D. Ginnelly. 1966. An adverse effect of coelomic fluid on sunspawned ova in trout. Transactions of the American Fisheries Society 95(1):104-107.
- Fish, M. P. 1919-29. Contribution to the early life history of Lake Erie fishes. In: Preliminary report on the survey of Lake Erie. Bull. Buffalo Soc. Nat. Sci. Vol.
- Fish, M. P. 1926. Preliminary note on the egg and larva of the American eel ([*Anguilla rostrata*]). Science 64(1662):455-456.
- Fish, M. P. 1927. Contributions to the embryology of the American eel, [*Anguilla rostrata*] LeSueur. Zoologica, N.Y. 8(5):289-324.
- Fish, M. P. 1929. Contributions to the early life histories of Lake Erie fishes. New York Cons. Dept. 18th Ann. Rep. 1928, Suppl. 76-95.
- Fish, M. P. 1930. Contributions to the natural history of the burbot, [*Lota maculosa*] (LeSueur). Bull. Buffalo Soc. Nat. Sci. 15(1):5-20.
- Fish, M. P. 1932. Contribution to the early life histories of sixty-two species of fishes from Lake Erie and its tributary waters. Bull. Bur. Fish., Wash. 47(10): 293-398.
- Fishelson, L. 1963. Observations on littoral fishes in Israel. 1. (Breeding and parental) behavior of [*Blennius pavo*] (Teleostei, Blenniidae). 2. Larval development and metamorphosis of [*Blennius pavo*]. Israel Journal of Zoology 12:67-91.
- Fishelson, L. 1970. Behavior and ecology of a population of [*Abudefduf saxatilis*] (Pomacentridae, Teleostei) at Eilat (Red Sea). An. Behav. 18:225-237.
- Fishelson, L. 1975. Ethology and reproduction of pteroid fishes found in the Gulf of Aqaba (Red Sea), especially [*Dendrochirus brachypterus*] (Cuvier), (Pteroidae, Teleostei). Publ. Staz. Zool. Napoli 39 (Suppl.):635-656.

- Fishelson, L. 1976. Spawning and larval development of the blennid fish, [*Meiacanthus nigrolineatus*] from the Red Sea. *Copeia* 1976(4):798-800.
- Fishelson, L. 1978. Oogenesis and spawn-formation in pigmy lionfish [*Dendrochirus brachpterus*] (Pteroidae). *Mar. Biol.* 46(4):341.
- Fisher, F. 1973. Observations on the spawning of the Mississippi silversides, [*Menidia audens*] Hay. *California Fish and Game* 59(4):315-316.
- Fisher, F. W. 1981. Long term swimming performance of juvenile American shad, [*Alosa sapidissima*], and chinook salmon, [*Oncorhynchus tshawytscha*]. California Dept. Fish Game Adm. Rep. 81-2, Sacramento, CA.
- Fisher, J. P., and W. G. Pearcy. 1983. Reproduction, growth and feeding of the mesopelagic fish, [*Tactostoma macropus*] (Melanostomiatidae). *Mar. Biol.* 74:257-267.
- Fisher, K. C., and J. A. Cameron. 1936. The effects of light on the CO-poisoned embryonic [*Fundulus*] heart. *Biol. Bull.* (Woods Hole) 71(2):404.
- Fisher, K. C., and R. Ohnell. 1938. The steady state frequency of the embryo fish heart at different cyanide concentrations. *Am. J. Physiol.* 123(1):65-66.
- Fisher, R., D. R. Bellwood, and S. D. Job. 2000. Development of swimming abilities in reef fish larvae. *Mar. Ecol. Prog. Ser.* 202:163-173.
- Fisher, R., and D. R. Bellwood. 2001. Effects of feeding on the sustained swimming abilities of late-stage larval [*Amphiprion melanopus*]. *Coral Reefs* 20:151-154.
- Fisher, R., and D.R. Bellwood. 2002. The influence of swimming speed on sustained swimming performance of late-stage reef fish larvae. *Marine Biology* 140(4):801-807.
- Fisher, R. M. 1963. Influence of oxygen concentration and its diurnal fluctuations on the growth of juvenile coho salmon. M.S. Thesis, Oregon St. Univ., Corvallis, OR, 48 pp.
- Fisher, S. J., M. L. Brown, and D. W. Willis. 2001. Temporal food web variability in an upper Missouri River backwater: energy origination points and transfer mechanisms. *Ecology of Freshwater Fish* 10: 154-167.
- Fisheries Service Bulletin. 1919. Rearing paddlefish in confinement. U.S. Fish. Serv. Bull. 48:2.
- Fisheries Service Bulletin. 1926. Remarkable yield of wild brook trout eggs. U.S. Fish. Serv. Bull. 139:3.
- Fishman, R. B. 1977. Studies of optokinetic behavior and related oculomotor structures in the embryonic and adult gobiid fish, [*Bathygobius soporator*]. Ph.D Diss., City Univ. New York. 230 pp.
- Fisk, D. A., and V. J. Harriott. 1990. Spatial and temporal variation in coral recruitment on the Great Barrier Reef - implications for dispersal hypotheses. *Marine Biology* 107: 485-490.
- Fiske, J. D., C. E. Satson, and P. G. Coates. 1967. A study of the marine resources of Pleasant Bay. Mass. Dept. Nat. Res. Div. Mar. Fish. Monogr. Ser. 5, 56 pp.
- Fitch, J. E. 1950. Life history notes and the early development of the bonefish, [*Albula vulpes*] (Linnaeus). *California Fish and Game* 36(1):3-6.
- Fitch, J. E. 1956. Jack mackerel. California Coop. Oceanic Fish. Invest. Rep. 1 April 1955 to 30 June 1956:27-28.

- Fitch, J. E. 1963. A review of the fishes of the genus [Pleuronichthys]. Contr. Sci. Los Angeles County Mus. 76. 33 pp.
- Fitch, J. E. 1964. [Sebastodes phillipsi], a new scorpaenid fish from California waters. Copeia 1964(3):525-529.
- Fitch, J. E. 1972. A case for striped mullet, [Mugil cephalus], spawning at sea. California Fish and Game 58(3):246-248.
- Fite, K. R., J. M. Gerlach, and R. F. Molzahn. 1974. Larval fishes, pp. P7-1-7-24. In: An ecological study of the east branch of the Perkiomen Creek system near Graterford, Penn. Ichthyological Assoc., Inc., Perkiomen Prog. Rep. No. 4 for Jan-Dec 1973, 182 pp.
- Fitz, E. S. 1955. Hatching of the sea trout. Estuar. Bull. 1(1):3-4.
- Fitz, E. S., and F. C. Daiber. 1963. Introduction to the biology of [Raja eglanteria] Bosc 1802 and [Raja erinacea] Mitchill 1825 as they occur in Delaware Bay. Bull. Bingham Oceanogr. Collect. 18(3):69-97.
- Fitzgerald, G. J. 1976. The effects of density of adult fish on reproduction and parental behavior in convict cichlid fish, [Cichlasoma nigrofasciatum] (Gunther). Ph.D Diss., Univ. West. Ontario.
- Fitzgerald, G. J., and M. H. A. Keenleyside. 1978. Effects of numerical density of adult fish on reproduction and parental behavior in convict cichlid fish, [Cichlasoma nigrofasciatum] (Gunther). Canadian Journal of Zoology 56(6):1367.
- Fitzhugh, G. R., and J. A. Rice. 1995. Error in back-calculation of lengths of juvenile southern flounder, [Paralichthys lethostigma], and implications for analysis of size-selection. Pages 227-246 [in] D. H. Secor, J. M. Dean, and S. E. Campana, editors.. Recent Developments in Fish Otolith Research. University of South Carolina Press, Columbia, South Carolina.
- Fitzsimons, J. D., G. Ketola, G. W. Wooster, and S. B. Brown. 2001. Use of a thiamine antagonist to induce Cayuga-Syndrome-like mortalities in larval Atlantic salmon. Journal of Aquatic Animal Health 13(2):151-157.
- Fives, J. M. 1967. Sand-eels (Ammodytidae) and their larvae off the Galway coast. Sci. Proc. R. Dublin Soc. B 2(4):37-44.
- Fives, J. M. 1970. Blennidae of the North Atlantic. ICES Ident. sheets fish eggs and larvae (3):4 pp.
- Fives, J. M. 1970. Investigations of the plankton of the west coast of Ireland. VI. Larval and post-larval stages of fishes taken from the plankton of the west coast in surveys during the years 1958-1966. Proc. Roy. Irish. Acad. 70(3):15-89.
- Fives, J. M. 1976. Labridae of the eastern North Atlantic. Fich Ident. Zooplankton, No. 149, 7 pp.
- Fives, J. M., and F. J. O'Brien. 1976. Larval and postlarval stages of fishes recorded from the plankton of Galway Bay, 1972-73. J. Mar. Biol. U.K. 56(1):197-211.
- Fives, J. M. 1980. An account of the eggs and developmental stages of Montagu's blenny, [Coryphoblennius galerita] (L.), with notes on the reproductive behavior of the adults. J. Mar. Biol. Assoc. U. K. 60:749-757.
- Fives, J. M., S. M. Warlen, and D. E. Hoss. 1986. Aging and growth of larval bay anchovy, [Anchoa] [mitchilli], from the Newport River estuary, North Carolina. Estuaries 9(4B):362-367.



- Flain, M. 1971. Repeated spawning and survival of male quinnat salmon in New Zealand. N.Z. J. Mar. and Freshwater Res. 5(3-4):404-444.
- Flanagan, C. A., and J. R. Hendrickson. 1976. Observations on the commercial fishery and reproductive biology of the totoala, [*Cynoscion*] [*macdonaldi*], in the northern Gulf of California. U.S. Fish Wildl. Serv. Fish. Bull. 74(3):531-544.
- Fleener, G. C. 1952. Life history of the cutthroat trout, [*Salmo clarki*] Rich., in Logan River, Utah. Tran. Am. Fish. Soc. 81:235-248.
- Fleener, G. C. 1951. Life history of the cutthroat trout, [*Salmo clarki*] Richardson in Logan River, Utah. Transactions of the American Fisheries Society 81:235-248.
- Flegler, C. 1977. Electron microscopic studies on the development of the chorion of the viviparous teleost, [*Dermogenys*] [*pusillus*] (Hemirhamphidae). Cell Tissue Res. 179:255-270.
- Fleirl, G. R., and J. S. Wroblewski. 1985. The possible influence of warm core Gulf Stream rings upon shelf water larval fish distribution. Fish. Bull. 83(3):313-330.
- Flemer, D. A., W. L. Dovel, H. T. Pftzenmeyer, and D. E. Ricthie, Jr. 1968. Biological effects of spoil disposal in Chesapeake Bay. J. San. Eng. Div. Proc. Am. Soc. Civil Eng. 94:683-706.
- Fleming, A. M. 1960. Age, growth, and sexual maturity of cod (*[Gadus] [morhua]* L.) in the Newfoundland area, 1947-1950. Journal of the Fisheries Research Board of Canada 17(6):775-809.
- Fleminger, A., and R. I. Clutter. 1965. Avoidance of towed nets by zooplankton. Limnol. Oceanogr. 10(1): 96-104.
- Fletcher, A. M. 1957. A rare darter spawning. The Aquarium, June:202-203.
- Fletcher, W. J., R. J. Tregonning, and G. J. Sant. 1994. Interseasonal variation in the transport of pilchard eggs and larvae off southern Western-Australia. Marine Ecology-Progress Series 111:209-224.
- Fletcher, W. J., and N. R. Sumner. 1999. Spatial distribution of sardine (*[Sardinops sagax]*) eggs and larvae: an application of geostatistics and resampling to survey data. Canadian Journal of Fisheries and Aquatic Sciences 56(6):907-914.
- Flickinger, S. A. 1972. Investigation of pond spawning methods for fathead minnows. Proc. 26th. Ann. Conf. S. E. Assoc. G & F Comms. 26:376-391.
- Flickinger, S. A., R. J. Anderson, and S. J. Puttmann. 1975. Intensive culture of smallmouth bass. Pages 373-379 [in] N. H. Clepper, editor. Black bass biology and management. Sport Fishing Inst., Wash., D. C.
- Flierl, G. R., and J.S. Wroblewski. 1985. The possible influence of warm core Gulf Stream rings upon shelf water larval fish distribution. Fish. Bull. U.S. 83: 313-330.
- Flinkman, J., I. Vuorinen, and M. Christiansen. 1994. Calanoid copepod eggs survive passage through fish digestive tracts. Ices Journal of Marine Science 51:127-129.
- Flittner, G. A. 1964. Morphometry and life history of the emerald shiner, [*Notropis atherinoides*] Rafinesque. Ph.D. Diss., Univ. Michigan, Ann Arbor, MI, 239 pp.
- Flores-Coto, C., and J. Alvarez-Cadena. 1980. Estudios preliminares sobre la abundancia y distribucion del ictioplancton en la Laguna de Terminos, Campeche. Anales del Instituto de Biologia Universidad Nacional Autonoma de Mexico Serie Ciencias del Mar y Limnologia 7(2):67-78.

- Flores-Coto, C., and L. Mendez. 1982. Contribucion al conocimiento del ictioplancton de la Laguna de Alvarado, Vera Cruz, Mexico. *Anales del Instituto de Biologia Universidad Nacional Autonoma de Mexico Serie Ciencias del Mar y Limnologia* 9(1).
- Flores-Coto, C., F. Barba-Torres, and J. Sanchez-Robles. 1983. Seasonal diversity, abundance, and distribution of ichthyoplankton in Tamiahua Lagoon, Western Gulf of Mexico. *Transactions of the American Fisheries Society* 112:247-256.
- Florez, F. 1972. The effect of temperature on incubation time, growth and lethality of embryos, larvae and juveniles of the ide, [*Idus idus*] (L.). *Rep. Inst. Freshwat. Res., Drottningholm* 52:50-64.
- Flowerdew, M. W., and D. J. Grove. 1980. An energy budget for juvenile chick-lipped mullet, [*Crenemugil labrosus*] (Risso). *J. Fish. Biol.* 17(4):395-410.
- Floyd, K. B., R. D. Hoyt, and S. K. Timbrook. 1984. Chronology of appearance and habitat partitioning by stream larval fishes. *Transactions of the American Fisheries Society* 113:217-223.
- Floyd, K. B., W. H. Courtenay, and R. D. Hoyt. 1985. A new larval fish light trap: The quatrefoil trap. *Progressive Fish-Culturist* 45(3):216-219.
- Fluchter, J. 1962. Funktionsanatomisc Untersuchungen am Kuferapparat du Heringslarven. *Kurz. Mitt. Inst. Fisch. Biol. Univ. Hamburg* 12.
- Fluchter, J. 1966. Spawning, first feeding and larval behavior of North Sea sole. *ICES CM* 1966, C, 3.
- Fluchter, J., and T. S. Pandian. 1968. Rate and efficiency of yolk utilization in developing eggs of the sole, [*Solea solea*]. *Helgolander Wiss. Meeresunters.* 18:53-60.
- Fluchter, J. 1970. On embryonic and larval development of the sole, [*Solea solea*] (L.). *Ber. Deut. Wiss. Komm. Meeresforsch.* 21:369-376.
- Fluchter, J. 1974. Laboratory rearing of common sole ([*Solea solea*] L.) under controlled conditions at high density with low mortality. Pages 32-33 [in] Report of the international symposium on the early life history of fish. *FAO Fish. Rep.*, No. 141. 58 pp.
- Fluchter, J. 1980. Review of the present knowledge of rearing whitefish (Coregonidae) larvae. *Aquaculture* 19(2):191-208.
- Fluchter, J. 1982. Substance essential for metamorphosis of fish larvae extracted from [*Artemia*]. *Aquaculture* 27:83-85.
- Flugel, H. J. 1964. Electron microscopic investigations on the fine structure of the follicular cells and the zona radiata of trout oocytes during and after ovulation. *Naturwissenschaften* 51:564-565.
- Flugel, H. 1967. Electron microscopic study on the envelopes of oocytes and eggs of the river perch, [*Perca*] [*fluviatilis*]. *Z. Zellforsch.* 77:244-256.
- Flynn, R. B., and R. D. Hoyt. 1979. The life history of the teardrop darter, [*Etheostoma*] [*barbouri*] Kuehne and Small. *Am. Midl. Nat.* 101(1):127-141.
- Foersch, W. 1966. Spawning [*Phractura ansorgei*]. *Trop. Fish Hobbyist* 1966(April):4-6, 8-9, 11-14, 16.
- Foerster, J. W. 1964. An inexpensive adaptation for plankton nets. *Turttox News* 42(1):22-23.

- Foerster, R. E., and A. L. Pritchard. 1935. The identification of the young of the five species of Pacific salmon with notes on the fresh water phase of their life-history. Brit. Col. Comm. Fish. Rep., 1934, pK106-K116.
- Foerster, R. E. 1941. The mortality of young pilchards. 1941. Prog. Rep. Pac. Coast. Sta. (48):3-8.
- Foerster, R. E., and W. E. Ricker. 1941. The effect of reduction of predaceous fish on survival of young sockeye salmon at Cultus Lake. J. Fish. Res. Bd. Can., No. 5:315-336.
- Fogarty, M. J. 2000. Recruitment dynamics of exploited marine populations: physical-biological interactions - Symposium overview. Ices Journal of Marine Science 57(2):189-190.
- Folkvord, A. 1985. Size specific vulnerability of northern anchovy, [*Engraulis mordax*], larvae to predation by fishes. M.S. Thesis, Scripps Inst. Oceanogr., La Jolla, CA.
- Folkvord, A., and J. R. Hunter. 1986. Size-specific vulnerability of northern anchovy, [*Engraulis mordax*], larvae to predation by fishes. Fish. Bull. 84(4):859-870.
- Folkvord, A. 1991. Growth, survival and cannibalism of cod juveniles (*[Gadus morhua]*) - effects of feed type, starvation and fish size. Aquaculture 97:41-59.
- Folkvord, A., L. Ystanes, A. Johannessen, and E. Moksness. 1996. RNA:DNA ratios and growth of herring (*[Clupea harengus]*) larvae reared in mesocosms. Marine Biology 126:591-602.
- Folkvord, A., K. Rukan, A. Johannessen and E. Moksness, 1997. Early life history of herring larvae in contrasting feeding environments determined by otolith microstructure analysis. J. Fish Biol. 51(Suppl. A):250-263.
- Folmar, L. C. 1976. Overt avoidance reaction of rainbow trout fry to nine herbicides. Bull. Contam. Toxicol. 15:509.
- Foltz, J. W. 1976. Fecundity of the slimy sculpin, [*Cottus cognatus*], in Lake Michigan. Copeia 1976(4):802-804.
- Fonds, M. 1969. Seasonal occurrence and breeding of [*Potamosenistus minutus minutus*] and [*P. m. lozanoi*] (Pisces: Gobiidae) in Dutch coastal waters. Neth. Journal of Zoology 19:285.
- Fonds, M., and G. Von Baurt. 1974. The influence of temperature and salinity on development and survival of goby eggs (Pisces: Gobiidae). Hydrobiol. Bull. 8:110-115.
- Fonds, M., H. Rosenthal, and D. F. Alderdice. 1974. Influence of temperature and salinity on embryonic development, larval growth and vertebral number of garfish. In: Rep. Intl. Symp. on early life history of fish. FAO Fish. Rep., No. 141, 58 pp.
- Fonds, M. 1979. Laboratory observations on the influence of temperature and salinity on development of the eggs and growth of the larvae of [*Solea solea*] (Pisces). Mar. Ecol. Prog. Ser. 1:91-99.
- Fontaine, M. 1976. Hormones and the control of reproduction in aquaculture. Journal of the Fisheries Research Board of Canada 33(4):922-939.
- Fontaine, P. A. 1943. Spawning of the shovelhead catfish, [*Pylodictus*] [*olivaris*]. Proc. Trans. Texas Acad. Sci. 26:54-55.
- Fontaine, P. A. 1944. Notes on the spawning of the shovelhead catfish, [*Pylodictis olivaris*] (Rafinesque). Copeia 1944:50-51.

- Fontenele, O. 1955. Injecting pituitary (hypophyseal) hormones into fish to induce spawning Progressive Fish-Culturist 17(2):71-75.
- Fontenot, Q. C., D. A. Rutherford, and W. E. Kelso. Effects of environmental hypoxia associated with the annual flood pulse on the distribution of larval sunfish and shad in the Atchafalaya River Basin, Louisiana. Transactions of the American Fisheries Society 130(1):107-116.
- Foote, L. E., and B. P. Blake. 1945. Life history of the eastern pickerel in Babcock Pond, Connecticut. J. Wildl. Mgmt. 9(2):89-96.
- Forbes, S. A. 1878. Notes on the early development of [Amia]. Proc. Am. Assoc. Adv. Sci. 27:296-298.
- Forbes, S. A. 1883. The first food of the common whitefish, [Coregonus] [clupeaformis] Mitch. Bull. Ill. St. Lab. Nat. Hist. 1(6):87-99.
- Forbes, S. A. 1883. The first food of the common white fish. Bull. Ill. St. Lab. Nat. Hist. 1(6):87-99.
- Forbes, S. A. 1883. The food of the smaller freshwater fishes. Bull. Ill. St. Lab. Nat. Hist. 1(6):61-86.
- Forbes, S. A. 1903. On the food of young fishes. Bull. Illinois St. Lab. Nat. Hist. 1:19-70.
- Ford, E. 1920. The post-larval stages of [Ammodytes]. J. Mar. Biol. Assoc. U.K. 12(2):241-248.
- Ford, E. 1920. Note on a leptocephalus stage of the conger. J. Mar. Biol. Assoc. U.K. 12(2):249-252.
- Ford, E. 1921. A contribution to our knowledge of the life-histories of the dogfishes landed at Plymouth. J. Mar. Biol. Assoc. U.K. 12(3):468-505.
- Ford, E. 1922. On the young stages of [Blennius ocellaris] L., [Blennius pholis] L., and [Blennius gattorugine] L. J. Mar. Biol. Assoc. U.K. 12(4):688-692.
- Ford, E. 1922. On the post-larvae of the wrasses occurring near Plymouth. J. Mar. Biol. Assoc. U.K. 12(4):693-699.
- Ford, E. 1929. Herring investigations at Plymouth. VII. On the artificial fertilization and hatching of herring eggs under known conditions of salinity with some observations on the specific gravity of the larvae. J. Mar. Biol. Assoc. U. K. 16:43-48.
- Ford, E. 1930. Herring investigations at Plymouth. VIII. The transition from larvae to adolescent. J. Mar. Biol. Assoc. U.K. 16:723-752.
- Ford, E. 1931. Growth in length during the transition from larvae to adolescent in pilchard and sprat. J. Mar. Biol. Assoc. U.K. 17:977-985.
- Ford, E. 1931. Changes in length during the larval life and metamorphosis of the fresh water eel ([Anguilla] [vulgaris] Turt.). J. Mar. Biol. Assoc. U.K. 17:987-1000.
- Ford, E. 1933. The number of vertebrae in the herring and its variation. J. Cons. int. Explor. Mer 8:211.
- Ford, E. 1935. [Blennius pholis]. In: Faune Ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer, No. 16, 2 pp.
- Fore, P. L. 1970. Eggs and larvae of the gulf menhaden. U.S. Fish Wildl. Serv. Circular 341:11-13.

Fore, P. L. 1970. Oceanic distribution of the eggs and larvae of the Gulf menhaden. Pages 11-13 [in] Rep. Bur. Comm. Fish. Biol. Lab, Beaufort, NC, June 30, 1968. U.S. Fish. Wildl. Serv. Circ. 341. 24 pp.

Fore, P. L. 1970. Life history of Gulf menhaden. Pages 12-16 [in] Res. in fiscal year 1969 Bur. Comm. Fish. Biol. Lab., Beaufort, NC. U.S. Fish. Wildl. Serv. Circ. 350, 49 pp.

Fore, P. L. 1971. The distribution of the eggs and larvae of the round herring, [*Etrumeus teres*], in the northern Gulf of Mexico. ASB Bull. 18(2):34.

Fore, P. L., and K. N. Baxter. 1972. Collections of larval Gulf menhaden, [*Brevoortia patronus*], from Galveston Entrance (1959-69) and Sabine Pass (1963-67), Texas. U.S. NMFS, Data Rep. 74. 17 pp.

Fore, P. L., and K. N. Baxter. 1972. Diel fluctuations in the catch of larval Gulf menhaden, [*Brevoortia patronus*], at Galveston Entrance, Texas. Transactions of the American Fisheries Society 101(4): 729-732.

Forester, C. R., and D. F. Alderdice. 1967. Preliminary observations on embryonic development of the Petrale sole, [*Eopsetta jordani*]. Tech. Rep. 41 Fish. Res. Bd. Can.

Forney, J. L. 1955. Life history of the black bullhead, [*Ameiurus melas*], Clear Lake, Iowa. Iowa St. Coll. J. Sci. 30(1):145-162.

Forney, J. L. 1966. Abundance of larval walleye (*Stizostedion vitreum*) estimated from the catch in high-speed nets. Pages 581-589 [in] Symp. on Methodology for the survey, monitoring and appraisal of fishery resources in akes and large rivers, European Inland Fish. Adv. Comm., FAO, U.N.

Forney, J. L. 1968. Production of young northern pike in a regulated marsh. New York Fish Game J. 15(2):143-154.

Forney, J. L. 1971. Development of dominant year classes in a yellow perch population. Transactions of the American Fisheries Society 100(4):739-749.

Forney, J. L. 1975. Abundance of larval walleyes (*Stizostedion vitreum*) estimated from the catch in high-speed nets. FAO EIFAC Tech. Pap. 23 (Suppl. 1) 2:581-588.

Forney, J. L. 1975. Contribution of stocked fry to walleye fry populations in New York lakes. Progressive Fish-Culturist 37(1):20-24.

Forney, J. L. 1976. Year-class formation in walleye (*Stizostedion vitreum*) population of Oneida Lake, New York, 1966-73. Journal of the Fisheries Research Board of Canada 33:783-792.

Forney, J. L. 1977. Reconstruction of yellow perch cohorts from examination of walleye stomachs. Journal of the Fisheries Research Board of Canada 34:(in press).

Forrester, C. R. 1964. Demersal quality of fertilized eggs of rock sole, [*Lepidopsetta bilineata*] Ayres. Journal of the Fisheries Research Board of Canada 21(6):1531-1532.

Forrester, C. R. 1964. Laboratory observations of embryonic development and larvae of the Pacific cod (*Gadus macrocephalus* Tilesius). Journal of the Fisheries Research Board of Canada 21(1):9-16.

Forrester, C. R. 1964. Rate of development of eggs of rock sole (*Lepidopsetta bilineata*] Ayres). Journal of the Fisheries Research Board of Canada 21(6):1533-1534.

Forrester, C. R., and D. F. Alderdice. 1966. Effects of salinity and temperature on embryonic development of the Pacific cod (*Gadus macrocephalus*). Journal of the Fisheries Research Board of Canada 23:319-340.

- Forrester, C. R., and D. F. Alderdice. 1967. Preliminary observations on embryonic development of the petrale sole, [*Eopsetta jordani*]. Fish. Res. Bd. Can., Tech. Rep. 41, 21 pp.
- Forrester, C. R., and D. F. Alderdice. 1968. Preliminary observations on embryonic development of the flathead sole (*Hippoglossoides elassodon*). Tech. Rep. Fish. Res. Bd. Can., No. 100:1-20.
- Forrester, C. R. 1969. Life history information on some groundfish species. Fish. Res. Bd. Can. Tech. Rep. 105. 17 pp.
- Forrester, C. R. 1973. Laboratory observations on the early development of the Pacific halibut. Int. Pac. Hal. Comm. Tech. Rep. No. 9, 13 pp.
- Forrester, C. R., and D. F. Alderdice. 1973. Laboratory observations on early development of the Pacific halibut. Tech. Rep. Intl. Pac. Halibut Comm. 9:1-15.
- Forrester, C. R. 1977. Effects of temperature on survival of some marine fish eggs in the laboratory and on survival and distribution of some marine species in nature. Res. Inst. North Pacific Fish., Hokkaido Univ., Spec. Publ. 69:121.
- Forrester, G. E. 1990. Factors influencing the juvenile demography of a coral reef fish. Ecology 71:1666-1681.
- Forrester, G. E. 1995. Strong density-dependent survival and recruitment regulate the abundance of a coral reef fish. Oecologia 103:275-282.
- Forselius, S. 1957. Studies of Anabantid fishes. I. A qualitative description of the reproductive behavior in territorial species investigated under laboratory conditions with special regard to genus [*Colisa*]. Zool. Bidrag. Uppsala. 32:93-302.
- Forsthoefel, S. J. 1951. The occurrence of twinning in [*Fundulus heteroclitus*] after centrifugation. Biol. Bull. (Woods Hole) 101(2):221.
- Forstner, H., S. Hinterleitner, K. Mahr, and W. Weiser. 1983. Towards a better definition of "metamorphosis" in [*Coregonus*] sp.: biochemical, histological, and physiological data. Can. J. Fish. Aquat. Sci. 40:1224-1232.
- Forsythe, T. D. 1979. Predator-prey interactions among crustacean plankton, young bluegill (*Lepomis macrochirus*), and walleye (*Stizostedion vitreum*) in experimental ecosystems. Ph.D Diss., Michigan State Univ. 109 pp.
- Fortier, L., and W. C. Leggett. 1982. Fickian transport and the dispersal of fish larvae in estuaries. Canadian Journal of Fisheries and Aquatic Sciences 39:1150-1163.
- Fortier, L., and W. C. Leggett. 1983. Vertical migrations and transport of larval fish in a partially mixed estuary. Canadian Journal of Fisheries and Aquatic Sciences 40(10):1543-1555.
- Fortier, L., and W. C. Leggett. 1984. Small-scale covariability in the abundance of fish larvae and their prey. Can. J. Fish. Aquat. Sci. 41:502-512.
- Fortier, L., and W. C. Leggett. 1985. A drift study of larval fish survival. Mar. Ecol. Prog. Series 25:245-257.
- Fortier, L., and R. P. Harris. 1989. Optimal foraging and density-dependent competition in marine fish larvae. Mar. Ecol. Prog. Ser. 51:19-22.
- Fortier, L., and J. A. Gagne. 1990. Larval herring (*Clupea harengus*) dispersion, growth, and survival in the St. Lawrence Estuary - match mismatch or membership vagrancy. Canadian Journal of Fisheries and Aquatic Sciences. 47:1898-1912.

- Fortier, L., M. E. Levasseur, R. Drolet, and J. C. Therriault. 1992. Export production and the distribution of fish larvae and their prey in a coastal jet frontal region. *Marine Ecology-Progress Series* 85:203-218.
- Fortier, L., D. Ponton, and M. Gilbert. 1995. The match/mismatch hypothesis and the feeding success of fish larvae in ice-covered southeastern Hudson Bay. *Marine Ecology-Progress Series* 120:11-27.
- Fortier, L., and A. Villeneuve. 1996. Cannibalism and predation on fish larvae by larvae of Atlantic mackerel, [*Scomber scombrus*]: trophodynamics and potential impact on recruitment. *Fishery Bulletin* 94:268-281.
- Fortin, R. 1978. Quelques aspects de la biologie du grand coregone, [*Coregonus clupeaformis*], des lacs Helene et Nathalie, Territoire de la Baie James. *Canadian Journal of Zoology* 56(6):1402-1411.
- Fossum, P. 1983. Digestion rate of food particles in the gut of larval herring. *Fiskeridei Skr. Ser. Havunders* 17:347-357.
- Fossum, P. 1992. The recovery of the Barents Sea capelin (*Mallotus villosus*) from a larval point of view. *Ices Journal of Marine Science* 49:237-243.
- Foster, F. J. 1919. White perch notes and methods of propagation. *Transactions of the American Fisheries Society* 48(3):160-165.
- Foster, J. R., and T. J. Wheaton. 1981. Losses of juvenile and adult fishes at the Nanticoke thermal generation station due to entrapment, impingement and entrainment. *J. Great Lakes Res.* 7(2):162-170.
- Foster, N. R. 1967. Comparative studies on the biology of killifishes (Pisces: Cyprinodontidae). Ph.D. Diss., Cornell Univ., Univ. Microfilms No. 67-8759, 388 pp.
- Foster, N. R. 1967. Trends in the evolution of reproductive behavior in killifishes. *Stud. Trop. Oceanogr.* No. 5, pp. 549-566.
- Foster, N. R. 1968. Utility of egg and larval characters in the classification of atheriniform fishes. *Am. Zool.* 8:807.
- Foster, N. R. 1971. The case for killifishes. *Frontiers, Phil. Acad. Sci.* 35(3):8-11.
- Foster, N. R. 1973. Behavior, development, and early life history of the Asian needlefish, [*Xenentodon cancila*]. *Proc. Acad. Nat. Sci. Phila.* 125(5):77-88.
- Foster, N. R. 1974. Key to the fertilized eggs of the families of Atheriniform fishes of the Chesapeake Bay. Pages 116-117 [in] A. J. Lippson and R. L. Moran, editors. *Manual for identification of early developmental stages of fishes of the Potomac River Estuary.* Power Plant Siting Prog., Maryland Dept. Nat. Res.
- Foster, N. R. 1974. Key to prolarvae of the families of Atheriniform fishes of Chesapeake Bay. Pages 118-119 [in] A. J. Lippson and R. L. Moran, editors. *Manual for identification of early developmental stages of fishes of the Potomac River Estuary.* Power Plant Siting Prog., Maryland Dept. Nat. Res., 282 pp.
- Foster, N. R. 1974. Key to fertilized eggs of the genera of killifishes of Chesapeake Bay and tributaries. Page 129 [in] A. J. Lippson and R. L. Moran, editors. *Manual for identification of early developmental stages of fishes of the Potomac River Estuary.* Power Plant Siting Prog., Maryland Dept. Nat. Res., 282 pp.
- Foster, N. R. 1974. Cyprinodontidae. Pages 127-141 [in] A. J. Lippson and R. L. Moran, editors. *Manual for the identification of early developmental stages of fishes of the Potomac River Estuary.* Power Plant Siting Prog., Maryland Dept. Nat. Res., 282 pp.

- Foster, N. R. 1974. Belonidae - needlefishes. Pages 125-126 [in] A. J. Lippson and R. L. Moran, editors. Manual for identification of early developmental stages of fishes of the Potomac River estuary. Maryland Power Plant Siting Prog. Misc. Publ. No. 13, 282 pp.
- Foster, N. R. 1974. Key to the yolk-sac larvae of the killifishes of Chesapeake Bay and tributaries. Page 130 [in] A. J. Lippson and R. L. Moran, editors. Manual for identification of early developmental stages of fishes of the Potomac River Estuary. Power Plant Siting Prog., Maryland Dept. Nat. Res., 282 pp.
- Foster, N. R., and L. A. Fuiman. 1987. Notes on the behavior and early life history of captive lyre gobies, [*Evorthodus lyricus*]. Bulletin of Marine Science. 41:27-35.
- Foster, R. F., L. R. Donaldson, A. B. Welander, L. Bonham, and A. H. Seymour. 1949. The effect on embryos and young of rainbow trout from exposing the parent fish to x-rays. Growth 13:119-142.
- Fourmanoir, P. 1976. Formes post-larvaires et juveniles de poissons cotiers pris au chalut pelagique dans le sudouest Pacifique. Cah. Pac. 19:47-88.
- Fowler, A. J., and D. A. Short. 1996. Temporal variation in the early life-history characteristics of the King George whiting (*[Sillaginodes punctata]*) from analysis of otolith microstructure. Marine and Freshwater Research 47:809-818.
- Fowler, A. J. 1989. Description, interpretation and use of the microstructure of otoliths from juvenile butterflyfishes (family Chaetodontidae). Mar. Biol. 102:167-181.
- Fowler, D. B. 1975. Fecundity of the brown bullhead, [*Ictalurus*] [*nebulosus*] (LeSueur), in a mine acid polluted river. M. S. Thesis, West Virginia Univ., Morgantown.
- Fowler, E. 1942. Embryology of the sea catfish, [*Galeichthys felis*] abstract. Proc. Louisiana Acad. Sci. 6:81.
- Fowler, G. M., and S. J. Smith. 1983. Length changes in silver hake (*[Merluccius]* [*bilinearis*]) larvae: effects of formalin, ethanol, and freezing. Can. J. Fish. Aquat. Sci. 40:866-870.
- Fowler, H. 1917. Some notes on the breeding habits of local catfishes. Copeia 1917: 32-36.
- Fowler, H. W. 1922. Spawning habits of pikes, killifishes, etc. The Fish Cult. (4):141-143.
- Fowler, H. W. 1923. Spawning habits of sunfishes, basses, etc. Fish. Cult. 2:226-228.
- Fowler, H. W. 1935. Notes on South Carolina freshwater fishes. Contrib. Charleston Mus. 7, 28 p.
- Fowler, J. A. 1970. Control of vertebral number in teleosts - an embryological problem. Quart. Rev. Biol. 45:148-167.
- Fowler, L. G. 1972. Growth and mortality of fingerling chinook salmon as affected by egg size. Progressive Fish-Culturist 34(2):66-69.
- Fowler, L. G. 1980. Starting diets for chinook salmon fry. Progressive Fish-Culturist 42:165-166.
- Fox, C. J., B. P. Planque, and C. D. Darby. 2000. Synchrony in the recruitment time-series of plaice (*[Pleuronectes platessa]* L) around the United Kingdom and the influence of sea temperature. Journal of Sea Research 44(1-2):159-168.
- Fox, P. J. 1978. Caddis larvae (Trichoptera) as predators of fish eggs. Freshwater Biol.



- Fox, P. J. 1978. Preliminary observations on different reproduction strategies in the bullhead ([*Cottus gobio*] L.) in northern and southern England. *J. Fish. Biol.* 12(1):5.
- Fasten, P. 1963. An automatic opening-closing device for large plankton nets and mid-water trawls. *J. Mar. Biol. Assoc. U.K.* 43:295-308.
- Fade, F., and E. Postel. 1955. Contribution a l'etude de la reproduction des scombrides et thonides de l'Atlantique tropical. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 137:33-35.
- Frakes, T., and F. H. Hoff, Jr. 1982. Effect of high nitrate nitrogen on the growth and survival of juvenile and larval anemonefish, [*Amphiprion ocellaris*]. *Aquaculture* 29(1/2):155-158.
- Frame, D. W. 1973. Biology of young winter flounder, [*Pseudopleuronectes americanus*] (Walbaum); metabolism under simulated estuarine conditions. *Transactions of the American Fisheries Society* 102(2):423-430.
- Frame, D. W. 1974. Feeding habits of young winter flounder, [*Pseudopleuronectes americanus*], prey availability and diversity, Weweantic River estuary, Wareham, Massachusetts. *Transactions of the American Fisheries Society* 103(2):261-269.
- Francis, M. P. 1994. Duration of larval and spawning periods in [*Pagrus auratus*] (Sparidae) determined from otolith daily increments. *Environmental Biology of Fishes* 39:137-152.
- Frank, K. T., and W. C. Leggett. 1979. Subtidal occurrence of larval capelin ([*Mallotus villosus*]) as related to variation in the intertidal distribution of their eggs. In: *Symp. on early life history of fish*, Woods Hole, MA.
- Frank, K. T., and W. C. Leggett. 1981. Prediction of egg development and mortality rates in capelin, [*Mallotus villosus*], from meteorological, hydrographic and biological factors. *Canadian Journal of Fisheries and Aquatic Sciences* 38:1327-1338.
- Frank, K. T., and W. C. Leggett. 1981. Subtidal occurrence of larval capelin, [*Mallotus villosus*], as related to variation in the intertidal distribution of their eggs. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:179-180.
- Frank, K. T., and W. C. Leggett. 1981. Wind regulation of emergence times and early larval survival in capelin ([*Mallotus villosus*]). *Can. J. Fish. Aquat. Sci.* 38:215-223.
- Frank, K. T., and W. C. Leggett. 1982. Coastal water mass replacement: its effect on zooplankton dynamics and the predator-prey complex associated with larval capelin ([*Mallotus villosus*]) *Can. J. Fish. Aquat. Sci.* 39:991-1003.
- Frank, K. T., and W. C. Leggett. 1982. Environmental regulation of growth rate, efficiency, and swimming performance in larval capelin, [*Mallotus villosus*], and its application to the match/mismatch hypothesis. *Can. J. Fish. Aquat. Sci.* 39:691-699.
- Frank, K. T., and W. C. Leggett. 1983. Multispecies larval fish association: accident or adaptation. *Canadian Journal of Fisheries and Aquatic Sciences* 40(6):754-762.
- Frank, K. T., and W. C. Leggett. 1984. Selective exploitation of capelin, [*Mallotus villosus*], eggs by winter flounder, [*Pseudopleuronectes americanus*]: capelin egg mortality rates and contribution of egg energy to the annual growth of flounder. *Canadian Journal of Fisheries and Aquatic Sciences* 41(9):1294-1302.
- Frank, K. T., and W. C. Leggett. 1985. Reciprocal oscillations in densities of larval fish potential predators: a reflection of present or past predation. *Can. J. Fish. Aquat. Sci.* 42:1841-1849.

- Frank, K. T., and W. C. Leggett. 1986. Effect of prey abundance and size on the growth and survival of larval fish: an experimental study employing large volume enclosures. *Mar. Ecol. Prog. Ser.* 34:11-22.
- Frank, K. T. 1988. Independent distributions of fish larvae and their prey: Natural paradox or sampling artifact? *Can. J. Fish. Aquat. Sci.* 45: 48-59.
- Frank, K. T., and J.K. Mccruer. 1989. Nutritional status of field-collected haddock ([*Melanogrammus- Aeglefinus*]) larvae from southwestern Nova-Scotia - an assessment based on morphometric and vertical distribution data. *Canadian Journal of Fisheries and Aquatic Sciences* 46(1):125-133.
- Frank, K. T., F. H. Page, and J. K. Mccruer. 1989. Hydrographic effects on the vertical distribution of haddock ([*Melanogrammus-Aeglefinus*]) eggs and larvae on the southwestern Scotian Shelf. *Canadian Journal of Fisheries and Aquatic Sciences* 46: 82- 92.
- Frank, K. T. 1991. Predicting recruitment variation from year class specific vertebral counts - an analysis of the potential and a plan for verification. *Canadian Journal of Fisheries and Aquatic Sciences* 48:1350-1357.
- Frank, K. T., J. W. Loder, J. E. Carscadden, W. C. Leggett, and C. T. Taggart. 1992. Larval flatfish distributions and drift on the southern Grand Bank. *Canadian Journal of Fisheries and Aquatic Sciences* 49:467-483.
- Frank, K. T. 1992. Demographic consequences of age-specific dispersal in marine fish populations. *Canadian Journal of Fisheries and Aquatic Sciences* 49:2222-2231.
- Frank, M. L. 1971. Sensitivity of carp ([*Cyprinus carpio*]) embryos to acute gamma radiation, pp. 1106-1112. In: Nelson, D. J. (ed.), *Proc. third natl. symp. on radioecol.* CONF-710501-P1.
- Frank, M. L. 1973. Relative sensitivity of different embryonic stages of carp to thermal shock. In: Gibbons, J. W., and R. R. Sharitz (eds.), *Thermal ecology, AEC Symp. Ser.*
- Frank, S. 1957. Bemerkungen zur Zucht einiger Arten der Unterordnung Characinoidei. *Aquarien und Terrarien* 4(6):161-165.
- Frank, S. 1960. [*Anoptichthys jordani*] Hubbs a Innes 1936. *A kvarium a terarium* 3(3): 39-41.
- Frank, S. 1969. Blind geboren? Entwicklung und Ruckbildung des Auges bei einem blinden Hohlensalmler. *Mikrokosmos* 58(1):11-13.
- Frank, S. 1970. Influence of certain abiotic factors on embryonic and larval development and survival of aquarium fishes. *Vertebr. Zpr.* 2:103-105.
- Frank, S. 1970. A contribution to the growth of young roach ([*Rutilus rutilus*]) with a discussion concerning the rate of growth. *Vestnik Ceskoslovenske Spolecnosti Zoologicke* 34(3):164-169.
- Frank, S. 1972. Development of the eggs of the long-finned salmon-like fish, [*Bryconalestes longipinnis*] (Gunther, 1864) (Pisces: Characinoidei). *Vestn. Cesk. Spol. Zool.* 36(4):237-240.
- Frank, S. 1975. Die ersten Entwicklungsstadien des neon tetra. *Aquarien Terrarien* 22(8):256-257.
- Frank, S. 1976. Probleme der Problemfische (Untersuchungen an Barben und Salmlern). *Aquarien Magazin* 10(8):320-327.
- Frank, S. 1978. Early life stages of neon tetras. *Trop. Fish Hobbyist* 26(10):43-47.

- Frank, S. 1978. Beobachtung der Embryonalentwicklung Beispiel: das Fischei. Mikrokosmos 1978(8):251-255.
- Frank, S. 1981. Spawning the cardinal tetra, [*Cheirodon axelrodi*]. Trop. Fish Hobbyist 30(3):37-38, 43-45.
- Franke, H. J. 1961. Erstzucht von [*Otocinclus maculipinnis*] Regan 1912 dem Zwergsaugwels. Aquarien Terrarien 8(3):67-70.
- Franke, H. J. 1963. [*Chilodus punctatus*] Muller und Trochel 1845. Aquarien Terrarien 10(8):111-119.
- Franke, H. J. 1972. Spawning the spotted headstander. Trop. Fish Hobbyist 20(12): 4-7, 10-11, 13-18.
- Franke, H. J. 1979. Algenbekämpfung ohne Chemie, Zucht des algenfressenden Antennenwelses [*Ancistrus*] spec. Aquarien Magazin 1975(5):216-221.
- Franke, H. J. 1979. Der Inpasalmmler, [*Inpaichthys kerri*] Gery et Junk, 1977. Aquarien Terrarien 26(7):240-245.
- Franke, H. J. 1981. [*Ctenolucius hujeta*] (Valenciennes in Cuvier and Valenciennes, 1849). Aquarien Terrarien 28(10):345-348. (In German).
- Franklin, D. R., and L. L. Smith, Jr. 1960. Notes on the early growth and allometry of northern pike [*Esox lucius*] L. Copeia 1960(2):143-144.
- Franklin, D. R., and L. L. Smith, Jr. 1960. Notes on development of scale patterns in northern pike, [*Esox lucius*] L. Transactions of the American Fisheries Society 89(1):83.
- Franklin, D. R., and L. L. Smith, Jr. 1963. Early life history of the northern pike, [*Esox*] [*lucius*] L., with special reference to the factors influencing the numerical strength of year classes. Transactions of the American Fisheries Society 92(2):91-110.
- Frantsi, C., and K. G. Withey. 1972. A procedure for disinfecting Atlantic salmon (*[Salmo] [salar]*) eggs using a polyvinylpyrrolidone (PVP-I) solution. Can. Dept. Env. Fish. Serv. Prog. Rep. 6:1-8.
- Franz, V. 1910-11. Phototaxis und Wanderung nach Versuchen mit Jungfischen und Fishlarven. Intern Rev. Gesamten Hydrobiol. und Hydrog. Bd. 3(3/4):306-334.
- Fraschini, A. 1968. Observations on the development of the vitelline sac of the egg of [*Scyliorhinus stellaris*]. Boll. Zool. 35:397-398.
- Fraser, A. J. 1989. Triacylglycerol content As a condition index for fish, bivalve, and crustacean larvae. Canadian Journal of Fisheries and Aquatic Sciences 46:1868-1873.
- Fraser, A. J., J.C. Gamble and J.R. Sargent. 1988. Changes in lipid content, lipid class composition and fatty acid composition of developing eggs and unfed larvae of cod (*[Gadus morhua]*). Mar. Biol. 99: 307-313.
- Fraser, A. J., J. R. Sargent, J. C. Gamble, and P. MacLachlan. 1986. Lipid class and fatty acid composition as indicators of the nutritional condition of larval Atlantic herring. Tenth Ann. Larval Fish Conference, Miami, FL. Symposium Series 2, Am. Fish. Soc.
- Fraser, C. McLean. 1928. International cooperation in the investigation of pelagic fish eggs and larvae. Proc. Pac. Sci. Congr. 32(1):306-309.
- Fraser, E. A., and R. M. Renton. 1940. Observation on the breeding and development of the viviparous fish, [*Heterandria formosa*]. Q. J. Microsc. Sci. 81(4):479-520.

- Fraser, J. A. L., and E. R. Clark. 1984. The effect of a settled industrial-domestic sewage works effluent from percolating filters on the survival and growth of various stages of rainbow trout, [*Salmo gairdneri*] (Rich.). *J. Fish. Biol.* 24(1):13-28.
- Fraser, J. A. L., and E. R. Clark. 1984. The effects of a settled industrial domestic sewage works effluent from percolating filters on the embryo viability and hatching success of rainbow trout, [*Salmo gairdneri*] Rich. *J. Fish. Biol.* 25(4):393-404.
- Fraser, J. E. 1890. Notes on the spawning of [*Anguilla*]. *Rep. Br. Assoc. Advmt. Sci.* 1890:866.
- Fraser, J. H. 1958. The drift of planktonic stages of fish in the northeast Atlantic and the possible significance to the stocks of commercial fish. *Spec. Publ. Int. Commun. NW. Atlant. Fish.*, No. 1:289-310.
- Fraser, J. H. 1961. The survival of larval fish in the northern North Sea according to the quality of the sea water. *J. Mar. Biol. Assoc. U.K.* 41:305-312.
- Fraser, T. H., and M. M. Smith. 1974. An exterilium larval fish from South Africa with comments on its classification. *Copeia* 1974(4):886-892.
- Fraser-Brunner, A. 1950. Studies in Plectognath fishes. An interesting new genus of triacanthodid fishes from the Celebes Sea. *Dana Rep.* 35. 8 pp.
- Freddi, A., L. Berg, and M. Bilio. 1981. Most convenient salinity-temperature combination for egg incubation and first larval development of [*Sparus auratus*] L. in the North Arctic. *Realism in Aquacult.*, Venice 1981. Poster 57, p. 32.
- Freeland, H. 1994. Ocean circulation at and near Cobb Seamount. *Deep - Sea Research Part I - Oceanographic Research Papers.* 41:1715-1732.
- Freeman, B. L., and S. C. Turner. 1977. Biological and fisheries data on tilefish, [*Lopholatilus chamaelonticeps*] Goode and Bean. *Sandy Hook Lab, NMFS NE Fish. Ctr. Tech. Ser. Rep. No. 5.* 41 pp.
- Freeman, M. C., Z. H. Bowen, K. D. Bovee, and E. R. Irwin. 2001. Flow and habitat effects on juvenile fish abundance in natural and altered flow regimes (Vol 11, pg, 179, 2001) *Ecological Applications* 11(2):631.
- Freihofer, W. C. 1966. The Sihler technique of staining nerves for systematic study especially of fishes. *Copeia* 1966:470-475.
- Frey, D. G. 1940. Growth and ecology of the carp, [*Cyprinus carpio*] Linnaeus in four lakes of the Madison region, Wisconsin. *Ph.D Diss., Univ. Wisconsin.* 248 pp.
- Frey, D. G. 1947. The pond fisheries of the Philippine Islands. *J. Mar. Res. (New Haven)* 6(3):247-258.
- Fridgeirsson, E. 1976 Observations on spawning behavior and embryonic development of the Icelandic capelin. *Rit Fiskideildar* 5:1-24.
- Fridgeirsson, E. 1978. Embryonic development of five species of gadoid fishes in Icelandic waters. *Rit Fiskideildar* 5:1-68.
- Fridgeirsson, E. 1984. Cod larvae sampling with a large pump off SW-Iceland. Pages 317-334 [in] E. Dahl et al., editors. *The propagation of cod [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.*
- Fridriksson, A., and G. Timmermann. 1951. Some remarks on the eggs of herring ([*Clupea*] [*harengus*] L.) and capelin ([*Mallotus villosus*]) in Icelandic waters. *J. Cons. int. Explor. Mer* 17(3):261-263.

- Fridriksson, A. 1952. Remarks on the young saithe ([*Gadus virens*] L.) of the north coast of Iceland in 1950-51. *Ann. Biol.* 8:42-44.
- Fridriksson, A. 1954. Occurrence of young saithe off the north coast of Iceland. *Ann. Biol.* 10:52-53.
- Fridriksson, A. 1958. Iceland stock. Remarks on the young saithe of the north coast of Iceland in 1956. *Ann. Biol.* 13(1956):156-157.
- Fried, S. M. 1977. Seaward migration of hatchery-reared Atlantic salmon ([*Salmo salar*]) smolts in the Penobscot River estuary, Maine: riverine movements. Ph.D. Diss Univ. Maine, Orono, ME.
- Fried, S. M., et al. 1978. Seaward migration of hatchery-reared Atlantic salmon, [*Salmo salar*], smolts in the Penobscot River Estuary, Maine: Riverine movements. *Journal of the Fisheries Research Board of Canada* 35:76-87.
- Friedland, K. D., L. W. Haas, and J. V. Merriner. 1984. Filtering rates of the juvenile Atlantic menhaden [*Brevoortia tyrannus*] (Pisces, Clupeidae), with consideration of the effects of detritus and swimming speed. *Mar. Biol.* 84(2):109-118.
- Friedland, K. D., L. P. Hansen, D. A. Dunkley, and J. C. MacLean. 2000. Linkage between ocean climate, post-smolt growth, and survival of Atlantic salmon ([*Salmo salar*] L.) in the North Sea area. *Ices Journal of Marine Science* 57(2):419-429.
- Frietsche, R. A. 1978. Development of fishes of the Mid-Atlantic Bight. V. Chaetodontidae through Ophidiidae. U.S. Fish. Wildl. Serv., 340 pp.
- Frietsche, R. A., and G. D. Johnson. 1978. Striped bass vs. white perch: application of a new morphological approach to ichthyoplankton taxonomy, pp. 19-30. In: Wallus, R., and C. W. Voigtlander (eds.), *Proc. workshop on freshwater larval fishes*, TVA, Norris, TN.
- Frietsche, R. A., and G. D. Johnson. 1980. Early osteological development of white perch and striped bass with emphasis on identification of their larvae. *Transactions of the American Fisheries Society* 109(4):387-406.
- Frietsche, R. A., R. D. Miracle, and R. W. McFarlane. 1978. Larvae and juveniles of the brook silverside, [*Labidesthes sicculus*]. Pages 187-198 [in] R. Wallus and C. W. Voigtlander. editors. *Proc. workshop on freshwater larval fishes*, TVA, Norris, TN. 241 pp.
- Friogeirsson, E., S. Einarsson, E. Hauksson, J. Olafsson, and T. Thordartottir. 1979. Environmental conditions and spring spawning off south and southwest Iceland 1976-1978. In: *Symp. on early life history of fish*, Woods Hole, MA.
- Frisbie, C. M. 1961. Young black drum, [*Pogonias cromis*], in tidal fresh and brackish waters, especially in the Chesapeake and Delaware Bay areas. *Ches. Sci.* 2(1-2):94-100.
- Frith, C. A., J. M. Leis, and B. Goldman. 1986. Currents in the Lizard Island region of the Great Barrier Reef Lagoon and their relevance to potential movements of larvae. *Coral Reefs* 5:81-92.
- Fritzsche, R. A. 1978. Development of fishes of the Mid-Atlantic Bight. V. Chaetodontidae through Ophidiidae. U.S. Fish. Wildl. Serv. Biol. Serv. Prog.
- Fritzsche, R. A. 1984. Gasterosteiformes: development and relationships. Pages 398-404 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Frolander, H. F., and I. Pratt. 1962. A bottom skimmer. *Limnol. and Oceanogr.* 7(1):104-106.

- Frost, N. 1938. Some fishes of Newfoundland waters (with notes on the distribution of eggs and larvae). Res. Bull. Div. Fish. Res. Newfoundland:1-16.
- Frost, W. E., and A. E. J. Went. 1940. The growth and food of young salmon. Proc. R. Irish Acad. 46B(4):53-80.
- Frost, W. E., and A. E. J. Went. 1940. The growth and food of young salmon (River Liffey Survey III). Proc. R. Ir. Acad. Sci. B 46:53-80.
- Frost, W. E. 1943. The natural history of the minnow, [*Phoxinus*] [*phoxinus*]. J. Anim. Ecol. 12(2):139-162.
- Frost, W. E. 1950. The growth and food of young salmon (*[Salmo salar]*) and trout (*[S. trutta]*) in the River Forss, Caithness. J. Anim. Ecol. 19:147-158.
- Frost, W. E. 1965. Breeding habits of Windermere char, [*Salvelinus*] [*willughbi*] (Gunther) and their bearing on speciation in these fish. Proc. R. Soc. Edinb. B. 163-232-284.
- Frost, W. E., and C. Kipling. 1967. A study of reproduction, early life, weight-length relationship, and growth of pike, [*Esox lucius*] L., in Windermere. J. Anim. Ecol. 36:651-693.
- Fruge, D. J. 1977. Larval development and distribution of [*Micropogonias undulatus*] and [*Leiostomus xanthurus*], and larval distribution of [*Mugil cephalus*] and [*Bregmaceros atlanticus*] of the southeastern Louisiana coast. M. S. Thesis, Louisiana State Univ. 75 pp.
- Fruge, D. J., and F. M. Truesdale. 1978. Comparative larval development of [*Micropogon*] [*undulatus*] and [*Leiostomus xanthurus*] (Pisces: Sciaenidae) from the northern Gulf of Mexico. Copeia 1978(4):643-648.
- Fry, D. H., Jr. 1936. California flying fish eggs. California Fish and Game 19(4):288-289.
- Fry, D. H., Jr. 1936. A description of the eggs and larvae of the Pacific mackerel (*[Pneumatophorus diego]*). California Fish and Game 22(1):27-29.
- Fry, D. H., Jr. 1936. A preliminary summary of the life history of the Pacific mackerel (*[Pneumatophorus diego]*). California Fish and Game 22:30-39.
- Fry, F. E. J., et al. 1942. Lethal limits of temperature for young goldfish. Rev. Can. Biol. 1(1):50-56.
- Fry, F. E. J., J. S. Hart, and K. F. Walker. 1946. Lethal temperature relations for a sample of young speckled trout, [*Salvelinus fontinalis*]. Univ. Toronto Stud., Biol. Ser. 66:9-35.
- Fry, F. E. J., and E. T. Cox. 1970. A relation to size to swimming speed in rainbow trout. Journal of the Fisheries Research Board of Canada 27(5):976-978.
- Fry, F. E. J. 1971. The effects of environmental factors on the physiology of fish. Pages 1-98 [in] W. S. Hoar and D. J. Randall, editors. Fish Physiology. VI. Environmental relations and behavior. Academic Press, Inc., N.Y.
- Fry, J. P. 1960. The food of rainbow trout, brown trout, and brook trout fry and fingerlings from five southwestern Montana streams. M.S. Thesis, Montana State Univ., 37 pp.
- Fryer, G., and P. J. P. Whitehead. 1959. The breeding habits, embryology and larval development of [*Labeo victorinus*] Boulenger. (Pisces: Cyprinidae). Rev. Zool. Bot. Afr. 59(1-2): 33-49.

Fryer, J. L., J. S. Rohovec, E. P. Pulford, R. E. Olson, D. P. Ransom, J. R. Winton, C. N. Lannan, R. P. Bedrick, and W. J. Groberg. 1979. Proceedings from a conference on disease inspection and certification of fish and fish eggs. Oregon State Univ., Sea Grant Coll. Proj. Publ. No. ORESU-W-79-001. 40 pp.

Fryer, J. N., and H. A. Bern. 1979. Growth hormone binding to tissues of normal and stunted juvenile coho salmon, [*Oncorhynchus kisutch*]. *J. Fish. Biol.* 15(5):527-533.

Fuchs, E. H. 1967. Life history of the emerald shiner, [*Notropis*] [*atherinoides*], in Lewis and Clark Lake, South Dakota. *Transactions of the American Fisheries Society* 96(1):247-256.

Fuchs, J. 1978. Influence de la photoperiode sur la croissance et la survie de la larve et du juvenile de sole ([*Solea*] [*solea*]) en elevage. *Aquaculture* 15:63-74.

Fuchs, J. 1982. The production of juvenile sole, [*Solea solea*], under intensive conditions. I. The first month of rearing. *Aquaculture* 26(3/4):321-338.

Fuhrman, F. A., G. J. Fuhrman, and J. S. Roseen. 1970. Toxic effects produced by extracts of eggs of the cabezon, [*Scorpaenichthys marmoratus*]. *Toxicol* 8:55-61.

Fuiman, L. A. 1976. Notes on the early development of the sea raven, [*Hemitripterus americanus*]. *Fish. Bull. NOAA (U.S.)* 74(2):467-470.

Fuiman, L. A., and J. J. Loos. 1977. Identifying characters of the early development of the daces, [*Rhinichthys atratulus*] and [R.] [*cataractae*] (*Osteichthyes: Cyprinidae*). *Proc. Acad. Nat. Sci. Phil.* 129(2):23-32.

Fuiman, L. A. 1978. Descriptions and comparisons of northeastern catostomid fish larvae. M.S. Thesis, Cornell Univ., Ithaca, NY. 110 pp.

Fuiman, L. A., and J. J. Loos. 1978. Morphological changes during the larval development of the cutlips minnow, [*Exoglossum maxillingua*]. *Transactions of the American Fisheries Society* 107(4):605-612.

Fuiman, L. A., and L. Corazza. 1978. Morphometry and allometry: implications for larval fish taxonomy. Pages 1-18 [in] R. Wallus and C. W. Voigtlander, editors. *Proc. workshop on freshwater larval fish*. TVA, Norris, TN. 241 pp.

Fuiman, L. A., and D. C. Witman. 1979. Descriptions and comparisons of catostomid fish larvae: [*Catostomus catostomus*] and [*Moxostoma*] [*erythrurum*]. *Transactions of the American Fisheries Society* 108(6): 604-619.

Fuiman, L. A. 1979. Descriptions and comparisons of catostomid fish larvae: northern Atlantic drainage species. *Transactions of the American Fisheries Society* 108(6):560-603.

Fuiman, L. A. 1979. Materials for a description of lake chubsucker, ([*Erimyzon sucetta*]), larvae. Pages 92-99 [in] R. D. Hoyt, editor. *Proc. third symp. on larval fish*, Western Kentucky Univ., Bowling Green, KY, 236 pp.

Fuiman, L.A., and L. Corazza. 1979. Morphometry and allometry: implications for larval fish taxonomy. Pages 1-19 [in] R. Wallus and C.W. Voigtlander, editors. *Proceedings of a workshop on freshwater larval fishes*. Tennessee Valley Authority. Norris, Tennessee. 241 pp.

Fuiman, L. A., and J. R. Trojnar. 1980. Factors affecting egg diameter of white suckers ([*Catostomus commersoni*]) *Copeia* 1980(4):699-704.

Fuiman, L.A., editor. 1980. *Proceedings of the Fourth Annual Larval Fish Conference*. U.S. Fish and Wildlife Service, Biological Services Program, National Power Plant Team, FWS/OBS-80/43. 179pp.

- Fuiman, L. A., and J. P. Baker. 1981. Larval stages of the lake chub, [*Couesius plumbeus*]. *Can. J. Zool.*, Vol. 59, No. 2:218-224.
- Fuiman, L. A. 1982. Esocidae. Pages 155-173 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes Basin with emphasis on the Lake Michigan drainage. *Great Lakes Fish. Comm. Spec. Publ.* 82-3, Ann Arbor, MI.
- Fuiman, L. A. 1982. Family Catostomidae, suckers. Pages 345-435 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes Basin. *Great Lakes Fish. Comm.*, Ann Arbor, MI. *Spec. Publ.* 82-3. 744 pp.
- Fuiman, L. A. 1982. Family Percichthyidae, temperate basses. Pages 510-525 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes Basin. *Great Lakes Fish. Comm.*, Ann Arbor, MI. *Spec. Publ.* 82-3. 744 pp.
- Fuiman, L. A. 1982. Family Petromyzontidae, lampreys. Pages 23-37 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes Basin. *Great Lakes Fish. Comm.*, Ann Arbor, MI. *Spec. Publ.* 82-3. 744 pp.
- Fuiman, L. A. 1982. Family Sciaenidae, drums. Pages 649-655 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes Basin. *Great Lakes Fish. Comm.*, Ann Arbor, MI. *Spec. Publ.* 82-3. 744 pp.
- Fuiman, L. A. 1982. Correspondence of myomeres and vertebrae and their natural variability during the first year of life in yellow perch. Pages 56-59 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. *The fifth ann. larval fish conf.*, Louis. *Coop. Fish. Res. Univ.*, LSU, Baton Rouge, LA.
- Fuiman, L. A. 1983. Growth gradients in fish larvae. *J. Fish. Biol.* 23:117-123.
- Fuiman, L. A. 1983. Analysis of egg and larval characters for their use in the systematics of ostariophysan fishes. Ph.D. Diss., Univ. Mich., Ann Arbor, MI. 186 pp.
- Fuiman, L. A., J. V. Conner, B. F. Lathrop, G. L. Buynak, D. E. Snyder, and J. J. Loos. 1983. State of the art of identification for cyprinid fish larvae from eastern North America. *Transactions of the American Fisheries Society* 112:319-322.
- Fuiman, L. A. 1984. Book Review: Guide to the early stages of marine fishes occurring in the western North Atlantic, Cape Hatteras to the southern Scotian Shelf. *Copeia* 1984(2):556-557.
- Fuiman, L. A. 1984. Ostariophysi: development and relationships. Pages 126-137 [in] H.G. Moser, D.M. Cohen, M.P. Fahay, A.W. Kendall, Jr., W.J. Richards, and S.L. Richardson, editors. *Ontogeny and systematics of fishes. Spec. Publ. No. 1*, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Fuiman, L. A. 1985. Contribution of developmental characteristics to a phylogeny of catostomid fishes with comments on heterochrony. *Copeia* 1985(4):833-846.
- Fuiman, L. A. 1986. Burst-swimming performance of larval zebra danios and the effects of diel temperature fluctuations. *Transactions of the American Fisheries Society* 115:143-148.
- Fuiman, L. A. 1987. Book Review: Early life histories of fishes: new developmental, ecological and evolutionary perspectives. *Copeia* 1987(2):534-537.
- Fuiman, L. A., and J.C. Gamble. 1988. Predation by Atlantic herring, sprat, and sandeels on herring larvae in large enclosures. *Mar. Ecol. Prog. Ser.* 44:1-6.
- Fuiman, L.A., and P.W. Webb. 1988. Ontogeny of routine swimming activity and performance in zebra danios (Teleostei: Cyprinidae). *Animal Behaviour* 36:250-261.



- Fuiman, L.A., and J.C. Gamble. 1989. Influence of experimental manipulations on predation of herring larvae by juvenile herring in large enclosures. *Rapports et Proces-Verbeaux des Reunions, Conseil International pour L'Exploration de la Mer* 191:359-365.
- Fuiman, L.A., and P. Thomas. 1989. Book review: Fish physiology, Volume XI. The physiology of developing fish. Part A. Eggs and Larvae. Part B. Viviparity and posthatching juveniles. *Transactions of the American Fisheries Society* 118:455-458.
- Fuiman, L.A. 1989. Vulnerability of Atlantic herring larvae to predation by yearling herring. *Marine Ecology Progress Series* 51:291-299.
- Fuiman, L. A. 1991. Influence of temperature on evasive responses of Atlantic herring larvae attacked by yearling herring, [*Clupea harengus*] L. *Journal of Fish Biology* 39:93-102.
- Fuiman, L.A. 1991. Book review: Description and Identification of Razorback, Flannelmouth, White, Utah, Bluehead, and Mountain Sucker Larvae and Early Juveniles. *Copeia* 1991(3):860-861.
- Fuiman, L.A. 1991. Influence of temperature on evasive responses of Atlantic herring larvae attacked by yearling herring. *Journal of Fish Biology* 39(1):93-102.
- Fuiman, L.A., editor. 1993. *Water Quality and the Early Life Stages of Fishes*. American Fisheries Society Symposium 14. 192pp.
- Fuiman, L.A. 1993. Development of predator evasion in Atlantic herring, [*Clupea harengus*] L. *Animal Behaviour* 45:1101-1116.
- Fuiman, L.A., and D.R. Ottey. 1993. Temperature effects on spontaneous behavior of larval and juvenile red drum [*Sciaenops ocellatus*], and implications for foraging. *Fishery Bulletin* 91:23-35.
- Fuiman, L. A.; Batty, R. S. 1994. Susceptibility of Atlantic herring and plaice larvae to predation by juvenile cod and herring at two constant temperatures. *Journal of Fish Biology* 44:23-34.
- Fuiman, L.A. 1994. The interplay of ontogeny and scaling in the interactions of fish larvae and their predators. *Journal of Fish Biology* 45(supplement A):55-79.
- Fuiman, L.A., and A.E. Magurran. 1994. Development of predator defences in fishes. *Reviews in Fish Biology and Fisheries* 4:145-183.
- Fuiman, L.A., and R.S. Batty. 1994. Susceptibility of Atlantic herring and plaice larvae to predation by juvenile cod and herring at two constant temperatures. *Journal of Fish Biology* 44:23-34.
- Fuiman, L.A. 1995. Book review: Early life history of fish: an energetics approach. *Copeia* 1995(3):747-748.
- Fuiman, L.A. 1996. Dynamic morphology, physiology and behaviour of fish larvae. Pages 1-2 [in] L.A. Fuiman, editor. *Marine and Freshwater Behaviour and Physiology* 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Fuiman, L.A., and D.M. Higgs. 1997. Ontogeny, growth, and the recruitment process. Pages 225-249 [in] R.C. Chambers and E.A. Trippel, editors. *Early life history and recruitment in fish populations*. Chapman and Hall.
- Fuiman, L.A. 1997. What can flatfish ontogenies tell us about pelagic and benthic lifestyles? *Journal of Sea Research* 37:257-257.
- Fuiman, L.A., and B.C. Delbos. 1998. Developmental changes in visual sensitivity of red drum, [*Sciaenops ocellatus*]. *Copeia* 1998:936-943.

- Fuiman, L.A., K.R. Poling, and D.M. Higgs. 1998. Quantifying developmental progress for comparative studies of larval fishes. *Copeia* 1998:602-611.
- Fuiman, L.A. 2002. Special considerations of fish eggs and larvae. Pages 1-32 [in] L.A. Fuiman and R.G. Werner, editors. *Fishery Science: The unique contributions of early life stages*. Blackwell Science, Oxford. 336 pp.
- Fuiman, L.A., and J.H. Cowan, Jr. In press. Behavioral mechanisms underlying recruitment success in marine fish larvae: Repeatability and covariation of survival skills. *Ecology*.
- Fujihara, M. P., and R. T. O'Brien. 1964. Toxicity of deuterium oxide to the freshwater [*Aequidans portalagrensis*]: survival of embryos and young fish. U.S. Atom. Ener. Comm. Rep. No. HW-SA-3627. 10 pp.
- Fujihara, M. P., P. A. Olson, and R. E. Nakatani. 1971. Some factors in susceptibility of juvenile rainbow trout and chinook salmon to [*Chondrococcus*] [*columnaris*]. *Journal of the Fisheries Research Board of Canada* 28(11):1739-1743.
- Fujimoto, M., and T. Hirano. 1972. Study on the Huroshio functionary as a means of transport and diffusion of fish eggs and larvae. I. The results of drift bottle experiments. *Bull. Tokai Reg. Fish. Res. Lab.* 71:51-68.
- Fujimoto, M. 1975. Results of drift bottle experiments to investigate the Huroshio functioning as a means of transportation and diffusion of fish eggs and larvae. *Datum collect. Tokai Reg. Fish. Res. Lab.*, No. 5:1-24.
- Fujita, S. 1960. Egg development and prelarval stages of a silver belly, [*Leiognathus nuchalis*] (Temminck & Schlegel). *Bull. Jap. Soc. Sci. Fish.* 26(11):1091-1094. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase*. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Fujita, K. 1971. Early development of the squamation in [*Tilapia*] [*sparrmanni*]. *Jap. J. Ichthyol.* 18:90-93.
- Fujita, K. 1981. Oviparous embryos of the pseudocarchariid shark, [*Pseudocarcharias kamoharai*], from the central Pacific. *Jap. J. Ichthyol.* 28(1):37-44.
- Fujita, S., and M. Ueno. 1954. On the development of the egg and prelarval stages of [*Siganus fuscescens*] (Houttuyn) by artificial insemination. *Jap. J. Ichthyol.* 3:129-132.
- Fujita, S., and K. Nakahara. 1955. On the development of the egg and the prelarval stages of a scorpaenid fish, [*Inimicus japonicus*] (Cuvier et Valenciennes). In Japanese, English summary. *Sci. Bull., Fac. Agri., Kyushu Univ.* 15:223-228.
- Fujita, S. 1955. On the development and prelarval stages of the filefish, [*Monacanthus cirrhifer*] Temminck et Schlegel. *Sci. Bull. Fac. Agri. Kyushu Univ.* 15(2):229-234. In Japanese, English summary.
- Fujita, S., and M. Ueno. 1956. On the egg development and prelarval stages of [*Fugu*] [(*Torafugu*) *rubripes rubripes*] (T. et S.). *Sci. Bull. Fac. Agric. Kyushu Univ.* 15(4):519-524.
- Fujita, S., and M. Ueno. 1956. On the egg development and prelarval stages of [*Platycephalus indicus*] (L.). *Sci. Bull. Fac. Agric. Kyushu Univ.* 15(4):513-518.
- Fujita, S. 1956. On the development of the egg and prelarval stages of [*Nibea argentata*] (Houtt.). *Sci. Bull. Fac. Agric. Kyushu Univ.* 15(4):537-540.

- Fujita, S. 1956. On the development of the egg and prelarval stages of the puffer, [Fugu (Shosaifugu) poecilonotus] (Temm. et Schl.). Sci. Bull. Fac. Agric. Kyushu Univ. 15(4):531-536.
- Fujita, S. 1956. On the development of the egg and prelarval stages of the puffer, [Fugu (Shosaifugu) stictonotus] (Temm. et Schl.). Sci. Bull. Fac. Agric. Kyushu Univ. 15(4):525-530.
- Fujita, S. 1957. On the larval stages of a scorpaenid fish, [Sebastes] [pachycephalus nigricans] (Schmidt). In Japanese, English summary. Jap. J. Ichthyol. 6:91-93.
- Fujita, S. 1957. On the development and prelarval stage of a damsel fish, [Chromis notatus] (Temminck et Schlegel). Jap. J. Ichthyol. 6:87-90.
- Fujita, S., and K. Uchida. 1957. On the development of the egg and prelarval stages of a sole, [Cynoglossus robustus] Gunther. Sci. Bull. Fac. Agric. Kyushu Univ. 16:319-322. In Japanese, English summary.
- Fujita, S. 1958. On the egg development and larval stages of a viviparous scorpaenid fish, [Sebastes oblongus] Gunther. In Japanese, English summary. Bull. Jap. Soc. Sci. Fish. 24:475-479.
- Fujita, S. 1959. On the egg development of a viviparous scorpaenid fish, [Sebastes pachycephalus nigricans] (Schmidt). J. Jap. Assoc. Zool. Gardens and Aquariums 1(2):42-43.
- Fujita, S., and K. Uchida. 1959. Breeding habits and rearing of larvae of a blennioid fish, [Ernogrammus hexagrammus] T. et S. Sci. Bull. Fac. Agric. Kyushu Univ. 17(3):283-289.
- Fujita, S., and K. Uchida. 1959. Spawning habits and early development of a sargassum fish, [Pterophryne histriol] (Linne). In Japanese, English summary. Sci. Bull. Fac. Agr., Kyushu Univ. 17(3):277-282.
- Fujita, S. 1960. Egg development and prelarval stages of a silver-belly, [Leiognathus nuchalis] (Temminck et Schlegel). Bull. Jap. Soc. Sci. Fish. 26:1091-1094.
- Fujita, S., and S. Mito. 1960. Egg development and hatched larvae of a chaetodontid fish, [Chaetodontoplus septentrionalis] (Temminck et Schlegel). Bull. Jap. Soc. Sci. Fish. 26:227-229. In Japanese, English summary.
- Fujita, S. 1962. Studies on the life history of common pufferfishes in Japan. Rep. Nagasaki Prefect. Fish. Res. Stn. 2. in Japanese.
- Fujita, S. 1965. Early development and rearing of two common flatfishes, [Eopsetta grigorjewi] (Herzenstein) and [Tanakius kitaharai] (Jordan et Starks). Bull. Jap. Soc. Sci. Fish. 31:258-262.
- Fujita, S., and T. Takita. 1965. Egg development and prelarval stages of a sole, [Areliscus trigrammus]. Bull. Jap. Soc. Sci. Fish. 31:488-492.
- Fujita, S., and Y. Dotsu. 1965. Spawning of the clingfish, [Aspasma ciconiae]. Zool. Mag. Tokyo 74:105-111.
- Fujita, S. 1966. Egg development, larval stages and rearing of the puffer, [Lagocephalus lunaris spadiceus] (Richardson). Jap. J. Ichthyol. 13:162-168. In Japanese, English summary.
- Fujita, S., and T. Yogata. 1984. Induction of ovarian maturation, embryonic development and larvae and juveniles of the amberjack, [Seriola aureovittata]. Jap. J. Ichthyol. 30(4):426-434.

- Fujita, S., T. Kitajima, and G. Hayashida. 1986. Induction of ovarian maturation and development of eggs, larvae and juveniles of the tonguefish, [*Cynoglossus abbreviatus*], reared in the laboratory. *Jap. J. Ichthyol.* 33(3):304-315.
- Fujita, S., and M. Shinohara. 1986. Development of eggs, larvae and juveniles of the puffer, [*Takifugu chrysops*], reared in the laboratory. *Jap. J. Ichthyol.* 33(2):186-194.
- Fujita, S., I. Kinoshita, I. Takahashi, and K. Azuma. 2002. Species composition and seasonal occurrence of fish larvae and juveniles in the Shimanto Estuary, Japan. *Fisheries Science* 68(2):364-370.
- Fukuchi, M. 1976. Nutritional ecological research of pollock larvae during the coastal living state. Ph.D Diss., Hokkaido Univ. 114 pp.
- Fukuda, H. 1935. The influence of light on the carp and the goldfish egg and their development. In Japanese. *Yoshoku Kaisha* 5(3-4):55-58.
- Fukuda, M., Y. Yano, H. Nakano, and M. Sugiyama. 1986. Protein and nucleic acid changes during early developmental stages of crestedhead flounder. *Bull. Jap. Soc. Sci. Fish.* 52(6):951-956.
- Fukuhara, O. 1971. Development of eggs and larvae of [*Agrammus*] [*agrammus*]. *Suisan Yoshoka* 19:159-165. In Japanese.
- Fukuhara, O. 1974. The influence of initial delay of feeding on survival, growth and development of the red sea bream larvae, [*Chrysophrys major*] Temm. et Sch. *Bull. Nansei Reg. Fish. Res. Lab.* 7:19-30.
- Fukuhara, O. 1976. Morphological studies of larva of red sea bream - I. Formation of fins. *Bull. Nansei Regional Fish. Res. Lab.* 9:1-11.
- Fukuhara, O. 1976. Morphological studies of larvae of red sea bream. II. Early development of squamation. *Bull. Nansei Reg. Fish. Res. Lab.* 9:13-18.
- Fukuhara, O. 1977. Some morphological observations on larvae and juveniles of the Kurodai, [*Mylio macrocephalus*] (Sparidae: Teleostei), reared in the laboratory. *Bull. Nansei Reg. Fish. Lab.* 10:1-16.
- Fukuhara, O., and K. Ito. 1978. On the formation of the fins and squamation in the Japanese parrot fish, [*Oplegnathus fasciatus*], reared in the laboratory. *Bull. Nansei Reg. Fish. Res. Lab.* 11:9-17.
- Fukuhara, O., and K. Kunizuki. 1979. Morphological development in the wild larvae of madai, [*Chrysophrys major*], as compared to that in the lab reared larvae. *Bull. Nansei Reg. Fish. Res. Lab.* 11:19-26.
- Fukuhara, O. 1979. Morphological studies of larvae of red sea bream. III. Formation of black stripes. *Bull. Nansei Reg. Fish. Res. Lab.* 11:1-8.
- Fukuhara, O. 1981. On the shrinkage of eggs and larvae of red sea bream, [*Chrysophrys major*], preserved in formalin. *Bull. Nansei Reg. Fish Res. Lab.* 13:171.
- Fukuhara, O., and T. Fushimi. 1982. Development of fins and squamation in the percichthyid fish, [*Lateolabrax japonicus*]. *Jap. J. Ichthyol.* 29(2):173-178.
- Fukuhara, O., and T. Fushimi. 1983. Development and early life history of the greenlings, [*Hexagrammas otaki*] (Pisces: Hexagrammidae) reared in the laboratory. *Bull. Jap. Soc. Sci. Fish.* 49:1843-1848.
- Fukuhara, O. 1983. Development and growth of laboratory reared [*Engraulis japonica*] larvae. *J. Fish. Biol.* 23:641-652.

- Fukuhara, O., and T. Fushimi. 1984. Squamation of larval greenling, [*Hexagrammas otaki*] (Pisces: Hexagrammidae) reared in the laboratory. *Bull. Jap. Soc. Sci. Fish.* 50:759-761.
- Fukuhara, O. 1985. Functional morphology and behavior of early life stages of red sea bream. *Bull. Jap. Soc. Sci. Fish.* 51(5):731-745.
- Fukuhara, O. 1986. Morphological and functional development of a Japanese flounder in early life stages. *Bull. Jap. Soc. Sci. Fish.* 52:81-91.
- Fukuhara, O., and T. Fushimi. 1986. Development and early life history of the ayu reared in the laboratory. *Bull. Jap. Soc. Sci. Fish.* 52:75-80.
- Fukuhara, O., T. Nakagawa, and T. Fukunaga. 1986. Larval and juvenile development of yellowtail reared in the laboratory. *Bull. Jap. Soc. Sci. Fish.* 52(12):2091-2098.
- Fukuhara, O. 1987. Larval development and behavior in early life stages of Black Sea bream reared in the laboratory. *Bull. Jap. Soc. Sci. Fish.* 53:371-379.
- Fukuhara, S., Y. Nagata, and W. Maekawa. 1982. Minute scaly tubercles on the yolksac of rhodeine cyprinid fishes in prolarval stages. *Jap. J. Ichthyol.* 29(2):232-236.
- Fukusho, K. 1972. Organogenesis of digestive system in the mullet, [*Liza haematocheila*], with specific reference to the gizzard. *Jap. J. Ichthyol.* 19:283-294.
- Fukusho, K. 1975. Development of color pattern in [*Oplegnathus*] [*fusciatus*] useful indicator in rearing. *Jap. J. Ecol.* 22(1):23-30.
- Fukusho, K. 1977. Satiation and digestion time in juveniles of the percoid fish, [*Oplegnathus fasciatus*]. *Jap. J. Ichthyol.* 24(3):193-198.
- Fukusho, K., O. Hara, and H. Iwamoto. 1977. Estimation of daily amount of the rotifer, [*Brachionus plicatilis*], fed by a larva of red sea bream, [*Pagrus major*], during mass rearing using larger scale outdoor tanks. *Bull. Nagasaki, Prefect. Inst. Fish.* 3:41-48.
- Fukusho, K., M. Okauchi, S. Nuraini, A. Tsujigado, and T. Watanabe. 1984. Food value of a rotifer, [*Brachionus plicatilis*], cultured with [*Tetraselmis tetraathele*] for larvae of red sea bream, [*Pagrus major*]. *Bull. Jap. Soc. Sci. Fish.* 50(8):1439-1444.
- Fullarton, J. H. 1893. On the development of the plaice ([*Pleuronectes*] [*platessa*]). 11th Ann. Rep. Fish. Bd. Scotl. 274-283.
- Fullarton, J. H. 1895. On the larval and post-larval development of the brain of the lesser sand-eel, [*Ammodytes tobianus*] L. 13th Rep. Fish. Bd. Scotl. 276-288.
- Fullarton, S. H. 1891. On the development of the plaice ([*Pleuronectes*] [*platessa*]). Rep. Fish. Bd. Scotl. 1890(3):311-316.
- Fulleborn, F. 1894. Bericht über eine zur Untersuchung der Entwicklung von [*Amia*], [*Lepidosteus*], und [*Necturus*] unternommene Reise nach Nord-America. *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften zu Berlin* 41:1055-1070.
- Fuller, J. D., D. B. C. Scott, and R. Fraser. 1976. The reproductive cycle of [*Coregonus lavaretus*] (L.) in Loch Lomond, Scotland, in relation to seasonal changes in plasma cortisol concentration. *J. Fish. Biol.* 9(2):105-118.
- Fulton, F. 1891. On the growth and maturation of the ovarian eggs of teleostean fishes. Rep. Fish. Bd. Scotl. 16.
- Fulton, J. 1972. Trials with an automated plankton counter. *Journal of the Fisheries Research Board of Canada* 29(7):1075-1078.

- Fulton, L. A. 1968. Spawning areas and abundance of chinook salmon (*Oncorhynchus tshawytscha*) in the Columbia River basin - past and present. U.S. Fish. Wildl. Serv. Spec. Sci. Rep. Fish. 571:1-26.
- Fulton, L. A. 1970. Spawning areas and abundance of steelhead trout and coho, sockeye, and chum salmon in the Columbia River Basin - past and present. NOAA-NMFS Spec. Sci. Rep. Fish. No. 618. 37 pp.
- Fulton, T. W. 1890. The spawning and spawning place of marine food-fishes. Rep. Fish. Bd. Scotl. 8(1889), Pt. III:257-269.
- Fulton, T. W. 1891. On the comparative fecundity of sea fish. Rep. Fish. Bd. Scotl. 9(1890), Part III:243-268.
- Fulton, T. W. 1895. The relation of marine currents to offshore spawning areas and inshore nurseries. Fish. Bd. Scotland, 13th Ann. Rep. 1894:153-157.
- Fulton, T. W. 1898. The ovaries and ovarian eggs of the angler or frog-fish (*Lophius piscatorius*) and of the John Dory (*Zeus faber*). Ann. Rep. Fish. Bd. Scotl. 16:125-134.
- Fulton, T. W. 1903. The distribution, growth, and food of the angler. Fish. Bd. Scotl., 21st Ann. Rep.:186-217.
- Fulton, T. W. 1904. On the spawning of the cod (*Gadus morhua* L.) in autumn in the North Sea. Publ. Circonst. Cons. perm. int. Explor. Mer 8:1-10.
- Fulton, T. W. 1904. Spawning of plaice. Nature, Lond. 69:535.
- Fulton, T. W. 1906. On the spawning of the lumpsucker (*Cyclopterus* [lumpus]) and the paternal guardianship of the eggs. Fish. Bd. Scotl., 24th Ann. Rep. (Pt. 3):169-178.
- Fulton, T. W. 1906. On the spawning and fecundity of the plaice (*Pleuronectes platessa*). Fish. Bd. Scotl., 24th Ann. Rep. (Pt. 3):281-289.
- Fulton, T. W. 1908. On sea-fish hatching: the Loch Fyne experiments with plaice. Rep. Fish. Bd. Scotl. 1907(3):40-72.
- Funakoshi, S., K. Wada, and T. Suzuki. 1985. Development of the rete mirabili with growth and muscle temperature in the young bluefin tuna. Bull. Jap. Soc. Sci. Fish. 51(12):1971-1976.
- Furlani, D.M. 1998. Ophidiidae: cusk eels, lings. Pages 80-85 [in] F.J. Neira, A.G. Miskiewicz and T. Trnski, editors. Larvae of temperate Australian fishes: laboratory guide for larval fish identification. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Furlani, D. M., and F. P. Ruwald. 1999. Egg and larval development of laboratory-reared striped trumpeter [*Latris lineate*] (Forster in Bloch and Schneider 1801) (Percoidei : Latridiidae) from Tasmanian waters. New Zealand Journal of Marine and Freshwater Research 33(2):153-162.
- Furnass, T. I. 1979. Laboratory experiments on prey selection by perch fry (*Perca fluviatilis*). Freshwater Biol. 9(1):33-43.
- Furnestin, J., and M. L. Furnestin. 1959. La reproduction de la sardine et de l'anchois des cotes atlantiques du Maroc. Rev. Trav. Inst. Peche Marit. 23(1):79-104.
- Furnestin, M. L. 1971. Rapport sur les travaux concernant la planctonologie mediterraneenne publies entre octobre 1966 et octobre 1968. Mediterranee occidentale. Rapp. P.-v. Reun. CIESMM 20(2):115-139.

- Fursa, T. I. 1969. Quantitative and qualitative characterization of the ichthyoplankton of the western shore of Hindustan. *Vop. Ikhtiol.* 9:394-403.
- Fursa, T. I. 1973. The distribution of fish plankton in the northeastern part of the Arabian Sea. *J. Ichthyol.* 13(4):536-542.
- Fursa, T. I. 1974. Larvae of [*Champsodon capensis*] (Champsodontidae: Pisces) from the Arabian Sea. *J. Ichthyol.* 14(4):444-447.
- Fursa, T. I. 1975. Larvae of [*Bregmaceros macclellandi*] (Pisces, Bregmacerotidae) from the Arabian Sea. *J. Ichthyol.* 15(1):139-142.
- Fursa, T. I. 1975. Cutlassfish ([*Lepturacanthus savala*], Trichiuridae, Pisces) larvae in the Indian Ocean. *J. Ichthyol.* 15(5):760-764.
- Fursa, T. I. 1976. Investigations of fish plankton off the West Coast of Hindustan during the period of the summer monsoon. *J. Ichthyol.* 16(4):668-672.
- Fursa, T. I. 1977. [*Cynoglossus lida*] larvae from the Arabian Sea. *J. Ichthyol. Engl. transl. Vopr. Ikhtiol.* 17(6):962-964.
- Fursa, T. I. 1982. Embryonal and early post-embryonal development of the eso lizardfish, [*Saurea undosquamis*] (Rich.) (Synodontidae) from the Arabian Sea. *J. Ichthyol.* 22(3):161-164.
- Furukawa, I. 1951. Clupeoid fry possibly referable to [*Gonorhynchus*] [abbreviatus] Temm. et Sch.. *Jap. J. Ichthyol.* 1(5):292-294.
- Futch, C. R. 1970. Contributions to the ecology of larval and juvenile lined sole, [*Achirus lineatus*], in Tampa Bay, Florida. Florida Dept. Nat. Resourc. Mar. Res. Lab. Leaflet. Ser. IV, Pt. 1(17):5 pp.
- Futch, C. R. 1971. Larvae of [*Monolene sessilicauda*] Goode, 1880 (Bothidae). Florida Dept. Nat. Resourc. Mar. Res. Lab. Leaflet. Ser. IV, Pt. 1(21):14 pp.
- Futch, C. R., and F. H. Hoff, Jr. 1971. Larval development of [*Syacium papillosum*] (Bothidae) with notes on adult morphology. Florida Dept. Nat. Resourc. Mar. Res. Lab. Leaflet. Ser. IV Pt. 1(20):22 pp.
- Futch, C. R., R. W. Topp, and E. D. Houde. 1972. Developmental osteology of the lined sole, [*Achirus*] [lineatus] (Pisces: Soleidae). *Contr. Mar. Sci.* 16:33-58.
- Futch, C. R. 1976. Biology of striped mullet. Pages 65-69 [in] J. C. Cato and W. E. McCullough, editors. Economics, biology and food technology of mullet. Florida Sea Grant Prog. No. 15. 158 pp.
- Futch, C. R. 1977. Larvae of [*Trichopsetta ventralis*] (Pisces: Bothidae) with comments on intergeneric relationships within the Bothidae. *Bull. Mar. Sci.* 27(4): 740-757.
- Futch, R. B., and G. E. Bruger. 1976. Age, growth and reproduction of red snapper in Florida waters. Pages 165-184 [in] H. R. Bullis, Jr., and A. C. Jones, editors. Proc.: Colloquium on snapper-grouper fishery resources of the western central Atlantic Ocean. Mississippi-Alabama Sea Grant Rep. No. 17. 333 pp.
- Gabaudan, J. 1984. Posthatching morphogenesis of the digestive system of striped bass. Ph.D Diss., Auburn Univ., Auburn, AL.
- Gabler, H. M., P. A. Amundsen, and T. Herfindal. 2001. Diet segregation between introduced bullhead ([*Cottus gobio*] L.) and Atlantic salmon parr ([*Salmo salar*] L.) in a sub-Arctic river. *Archiv Fur Hydrobiologie* 151(4):609-625.

- Gabriel, M. L. 1942. The effect of temperature on vertebral numbers in [Fundulus]. The Coll. Net 17(5).
- Gabriel, M. L. 1944. Factors affecting the number and form of vertebrae in [Fundulus heteroclitus]. J. Exp. Zool. 95:105-147.
- Gadomski, D. M., and G. W. Boehlert. 1984. Feeding ecology of pelagic larvae of English sole, [Parophrys vetulus], and butter sole, [Isopsetta] [isolepis] off the Oregon coast. Mar. Ecol. Prog. Ser. 20(1-2):1-12.
- Gadomski, D. M., and J.H. Petersen. 1988. Effects of food deprivation on the larvae of two flatfishes. Mar. Ecol. Prog. Ser. 44:103-111.
- Gadomski, D.M., and C.A. Barfoot. 1998. Diel and distributional abundance patterns of fish embryos and larvae in the lower Columbia and Deschutes rivers. Environ. Biol. Fish. 51(4):353-368.
- Gage, S. H. 1893. The lake and brook lampreys of New York, especially those of Cayuga and Seneca Lakes. Wilder. Q. Century Bk.:421-493.
- Gage, S. H. 1894. Transformation of the brook and sea lamprey. Proc. Am. Assoc. Advmt. Sci. 43 meet:254-255.
- Gage, S. H. 1928. Lampreys of New York state: life history and economics for 1927. Rep. New York St. Cons. Dept., Suppl. 17:158-191.
- Gaigher, I. G., M. M. Ntloko, and J. G. Visser. 1975. Reproduction and larval development of [Labeo] [umbratus] (Pisces, Cyprinidae) in the Tyume River, eastern cape. J. Limnol. Soc. of Southern Africa 1(1):7-10.
- Gaikowski, M. P., J. J. Rach, J. J. Olson, and R.T. Ramsay. 1998. Toxicity of hydrogen peroxide treatments to rainbow trout eggs. Journal of Aquatic Animal Health 10(3):241-251.
- Gaines, S., and J. Roughgarden. 1985. Larval settlement rate: a leading determinant of structure in an ecological community of the marine intertidal zone. Proc. Natl. Acad. Sci. USA 82: 3707-3711.
- Gaines, S. D., and J. Roughgarden. 1987. Fish in offshore kelp forests affect recruitment to intertidal barnacle populations. Science 235:479-481.
- Galat, D. L., and A. W. Eipper. 1969. Preliminary investigations on the effects of incubation temperature on the survival of muskellunge ([Esox masquinongy]) embryos. New York Coop. Fish. Res. Unit Rep., Cornell Univ., Ithaca, NY.
- Galat, D. C. 1972. Preparing teleost embryos for study. Progressive Fish-Culturist 34(1):43-48.
- Galat, D. L. 1973. Normal embryonic development of the muskellunge ([Esox masquinongy]). Transactions of the American Fisheries Society 102(2):384-391.
- Galat, D. L., and A. W. Eipper. 1975. Presence of food organisms in the prolarval environment as a factor in the growth and mortality of larval muskellunge ([Esox masquinongy]). Transactions of the American Fisheries Society 104(2):338-441.
- Galbreath, J. L., and R. L. Ridenhour. 1964. Fecundity of the Columbia Chinook salmon. Fish. Comm. Oregon Res. Briefs 10:16-27.
- Gale, W. F. 1975. A quick-opening bucket for plankton and larval fish nets. Prog. Fish-Cult. 164.



- Gale, W. F., and C. A. Gale. 1976. Selection of artificial spawning sites by the spotfin shiner ([*Notropis spilopterus*]). *Journal of the Fisheries Research Board of Canada* 33(9):1906-1913.
- Gale, W. F., and H. W. Mohr, Jr. 1976. Fish spawning in a large Pennsylvania river receiving mine effluents. *Proc. Pennsylvania Acad. Sci.* 50(2):160-162.
- Gale, W. F., and H. W. Mohr, Jr. 1976. Larval fishes. Pages 141-171 [in] T. V. Jacobsen, editor. *Ecological studies of the North Branch Susquehanna River in the vicinity of the Susquehanna Steam Electric Station. Prog. Rep. Jan-Dec 1974. Ichthyol. Assoc.*
- Gale, W. F., and H. W. Mohr, Jr. 1976. Spawning and larval-fish drift. Pages 172-230 [in] T. V. Jacobsen, editor. *Ecological studies of the North Branch Susquehanna River in the vicinity of the Susquehanna Steam Electric Station. Prog. Rep. Jan.-Dec. 1974. Ichthyol. Assoc.*
- Gale, W. F. 1977. Miniature aquarium system for rearing small numbers of fish larvae. *Progressive Fish-Culturist* 39(1):10-13.
- Gale, W. F., and H. W. Mohr, Jr. 1978. Larval fish drift in a large river with a comparison of sampling methods. *Transactions of the American Fisheries Society* 107:46-55.
- Gale, W. F., and C. A. Gale. 1979. Spawning habits of spotfin shiner ([*Notropis spilopterus*]), a fractional crevice spawner. *Transactions of the American Fisheries Society* 106(2):170-177.
- Galkina, L. A. 1957. Effect of salinity on the sperm, eggs and larvae of the Okhotsk herring. *Izv. Tikhookean Nauchno-Issled. inst. Rybn. Khoz. Okeanogr.* 45:37-50.
- Galkina, L. A. 1960. Reproduction and development of Okhotsk sea herring. *Izv. tokhookean Nauch. Inst. ryb Khoz Okeanogr.* 46:3-40.
- Galkina, L. A. 1965. Geographic variability of pink and chum salmon eggs in relation to acclimatization. *Tr. Murm. Morsk. Biol. Inst.* 9(13):33-40.
- Galkina, L. A. 1968. Conditions of reproduction and development of [*Clupea harengus*] in the southeastern part of Barents Sea. *Trudy Murmansk. Biol. Inst.* (21):126-137.
- Galkina, L. A. 1968. Methods for determining the number of myomeres in herring larvae and changes in their number during development. *Dolk. Akad. Nauk SSSR*, 184: 723-726.
- Galkina, L. A. 1968. Survival of herring eggs and larvae on the White Sea spawning grounds during a period of massive spawning. *Probl. Ichthyol.* 8:544-551.
- Galkina, L. A. 1969. Method of determining the number of myomeres in herring larvae and the change of their number during development. *Doklady Biol. Sci.* 184(1/6):194-196.
- Galkina, L. A. 1969. Variability of myomere count in larvae of herrings of the genus [*Clupea*] under natural and experimental conditions. *Zool. Zh.* 48(11):1672-1686. *Transl. for Fish. Res. Bd. Can. Transl. Series, No. 1526.*
- Galkina, L. A. 1970. Fertilization and early development stages of eggs of [*Clupea harengus pallasii*] under freshwater conditions. *Mar. Biol. Berlin* 6:303-311.
- Galkina, L. A. 1970. Short-lived effect of fresh water upon the eggs of [*Clupea*] during the first few hours upon fertilization. *Dokl. Akad. Nauk. SSSR* 191 (6):1400-B.
- Galkina, L. A. 1971. Survival of spawn of the Pacific herring ([*Clupea harengus pallasii*] Val.) related to the abundance of the spawning stock. Pages 30-33 [in] A. Saville, editor. *Symp. on biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Cons. perm. int. Explor.*

- Galkina, Z. I. 1969. The influence of the size and depth of coloration of eggs on the embryonic development and juvenile growth of the rainbow trout. *Izv. Gos. n.-i. in-ta ozern. i rechn. rybn. kh-va*, 68.
- Galkina, Z. I. 1970. Dependence of egg size on the size and age of female salmon (*Salmo salar* L.) and rainbow trout (*Salmo irideus* Gibb). *J. Ichthyol.* 10(5): 625-633.
- Galkina, Z. I. 1975. Water temperature and oxygen deficiency tolerance in larval carp. *Ryb. Izuch. Vnutr. Vodoemov (USSR)*15:44.
- Gall, G. A. E. 1974. Influence of size of eggs and age of female on hatchability and growth in rainbow trout. *California Fish and Game* 60(1):26-35.
- Gall, G. A. E. 1975. Genetics of reproduction in domesticated rainbow trout. *J. Anim. Sci.* 40(1):19-28.
- Gallagher, M. L. 1984. A method for size separation of elvers. *Progressive Fish-Culturist* 46(2):157-158.
- Gallagher, M. L., E. Kane, and J. Courtney. 1984. Difference in oxygen consumption and ammonia production among American elvers, [*Anguilla rostrata*]. *Aquaculture* 40(2):183-188.
- Gallagher, R. P. 1979. Local distribution of ichthyoplankton from the lower Mississippi River, Louisiana. M.S. Thesis, LSU, Baton Rouge, LA.
- Gallagher, R. P., and J. V. Conner. 1980. Spatio-temporal distribution of ichthyoplankton in the lower Mississippi River, Louisiana. Pages 101-115 [in] L. A. Fuiman, editor. Proc. fourth annual larval fish conference, U.S. Fish Wildl. Serv., Natl. Power Plant Team, Ann Arbor, MI, FWS/OBS-80/43. 179 pp.
- Gallagher, R. P., and J. V. Conner. 1983. Comparison of two ichthyoplankton sampling gears with notes on microdistribution of fish larvae in a large river. *Transactions of the American Fisheries Society* 112(2B):280-285.
- Gallahar, N. K., and M. J. Kingsford. 1992. Patterns of increment width and strontium - calcium ratios in otoliths of juvenile rock blackfish, [*Girella elevata*] (M.). *Journal of Fish Biology* 41:749-763.
- Galloway, B. J., and K. Strawn. 1975. Seasonal and areal comparisons of fish diversity indices at a hot-water discharge in Galveston Bay, TX. *Contr. Mar. Sci.* 19:79-89.
- Galloway, B. J., J. C. Parker, and D. Moore. 1972. Key to the estuarine and marine fishes of Texas. *Tex. A&M Univ. Sea Grant Publ. No. TAMU-SG-72-402.* 1-177.
- Gallego, A., and M. R. Heath. 1994. Vulnerability of late larval and early juvenile Atlantic herring, [*Clupea harengus*], to predation by whiting, [*Merlangius merlangus*]. *Journal of Fish Biology* 45:589-595.
- Gallego, A., M. R. Heath, E. MacKenzie, and L. H. Cargill. 1996. Environmentally induced short-term variability in the growth rates of larval herring. *Marine Ecology-Progress Series* 137:11-23.
- Gallego, A., M. R. Heath, D. J. Basford, and B. R. MacKenzie. 1999. Variability in growth rates of larval haddock in the northern North Sea. *Fisheries Oceanography* 8:77-92.
- Gallin, R. R., J. R. Sarglun, and J. C. Gamble. 1983. Diet induced changes in fatty acid composition of herring larvae reared in enclosed ecosystems. *J. Mar. Biol. Assoc. U. K.* 63:575.
- Galloway, J. E., and N. R. Kevern. 1976. Michigan suckers, their life histories, abundance and potential for harvest. *Michigan Sea Grant Prog., Tech. Rep. No. 53*, 46 pp.

- Gamble, J. C., P. M. MacLachlan, N. T. Nicoll, and I. G. Baxter. 1978. Morphological changes during larval development of her ring, [*Clupea harengus*] L., reared in large plastic enclosures. ICES CM 1978/L:34. 7 pp.
- Gamble, J. C., P. MacLachlan, N. T. Nicol, and I. G. Baxter. 1981. Growth and feeding of Atlantic herring larvae reared in large plastic enclosures. Rapp. P.-v. Reun. Cons. intl. Explor. Mer 178:121-134.
- Gamble, J. C., and E. D. Houde. 1984. Growth, mortality and feeding of cod (*Gadus morhua*) larvae in enclosed water columns and in laboratory tanks. Pages 123-143 [in] E. Dahl, D. S. Danielssen, E. Moksness, and P. Solemdal, editors. The propagation of cod [*Gadus morhua*] L. Flodevigen Rapportsee 1.
- Gamble, J. C., P. MacLachlan, and D. D. Seaton. 1985. Comparative growth and development of autumn and spring spawned Atlantic herring larvae reared in large enclosed ecosystems. Mar. Ecol. Prog. Series 26(1-2):19-33.
- Gamble, J. C., and L. A. Fuiman. 1987. Evaluation of in situ enclosures during a study of the importance of starvation to the vulnerability of herring larvae to a piscine predator. J. Exp. Mar. Biol. Ecol. 113: 91-104.
- Gambray, J. A. 1985. Early ontogeny of [*Labeo capensis*] (Pisces: Cyprinidae). S. A. Journal of Zoology 20(4):190-196.
- Gammon, J. R. 1963. Conversion of food in young muskellunge. Transactions of the American Fisheries Society 92(2):183-184.
- Gammon, J. R. 1977. Measurement of entrainment and predictions of impact on the Wabash and Ohio Rivers. [In] L. D. Jensen, editor. Third national workshop on entrainment and impingement. Ecol. Analysts, Inc., Melville, NY.
- Gamo, H., and I. Terajima. 1963. Normal stages of embryonic development of the medaka, [*Oryzias latipes*]. Jap. J. Ichthyol. 10:31-38.
- Gamulin, T., and J. Hure. 1985. The distribution of midwater fish *Maurolicus muelleri* (Gmelin) eggs in the Jabuka pit region of the Adriatic Sea. Mar. Ecol. 6:321-328.
- Ganapati, P. N., and K. S. Rao. 1957. On the bionomics of [*Sardinella gibbosa*] (Blkr.) off Waltair coast. Journal of Zoology Soc. India 9(2):162-182.
- Ganapati, P. N., and N. S. Raju. 1961. On the eggs and early development of eels off Waltair coast. Journal of Zoology Soc. India 1960 12(2):229-238.
- Ganapati, P. N., and N. S. Raju. 1961. On the occurrence of pelagic fish spawn. Curr. Sci. 30(2):61.
- Ganapati, P. N., and N. S. Raju. 1963. Fish eggs off Waltair coast. Curr. Sci. 32(10):361-362.
- Ganapati, S. V., K. H. Alikunhi, and A. R. K. Zobairi. 1947. Notes on the hydro-biology of carp spawning in the Cauvery. Proc. 34th Indian Sci. Congr. (Delhi) Pt. 3:182.
- Ganapati, S. V., K. H. Alikunhi, and T. F. Thivy. 1948. On an interesting case of carp spawning in the River Cauvery and Ghavani in June 1947. Proc. 35th Indian Sci. Congr. (Patna) Pt. 3:208.
- Ganapati, S. V., and K. H. Alikunhi. 1949. Experiments on the acclimatization of salt-water fish seed to freshwater. Proc. 36th Indian Sci. Congr. (Allahabad) Pt. 3:161.

- Ganapati, S. V., P. I. Chacko, R. Sprinivasan, and B. Krishnamurthi. 1950. On the acclimitization, transport and culture of some salt water fishes in inland waters of the Madras State. *Indian Geogr. J.* 25(2):1-15.
- Ganapati, S. V., and P. I. Chacko. 1951. A comparative study of the transport of fish-seed in oxygen tin carriers and in ordinary tin carriers. *Ind.-Com. J.* 1951:1-3.
- Ganapati, S. V., and P. I. Chacko. 1951. A hydrobiological survey of the waters of the Upper Palnis with a view to fish culture. *Sonderdr. aus dem Archiv. Hydrobiol.* 45:543-556.
- Gandolfi, G., and P. Orsini. 1970. Some observations on the reproductive biology of [*Mugil saliens*] from the Venice Lagoon. *Boll. Pesca Piscic. Idrobiol.* 25(1):85-83.
- Gandolfi, G., M. Pesaro, and P. Tongiongi. 1984. Environmental factors affecting the ascent of elvers, [*Anguilla anguilla*] (L.), into the Arno River. *Oebalia* 10(N.S.):17-35.
- Gandolfi, G., M. Pesaro, and P. Tongiorgi. 1984. Environmental factors affecting the ascent of elvers, [*Anguilla anguilla*] (L.). *Oebalia* 10:37-58.
- Gangmark, H. A., and R. D. Broad. 1956. Further observations on stream survival of king salmon spawn. *California Fish and Game* 42:37-49.
- Gangmark, H. A., and R. G. Bakkala. 1958. A plastic standpipe for sampling a streambed environment of salmon spawn. *U.S. Fish Wildl. Serv., Spec. Sci. Rep. Fish. No. 261.* 20 pp.
- Gangmark, H. A., and R. G. Bakkala. 1960. A comparative study of unstable and stable (artificial channel) spawning streams for incubating king salmon at Mill Creek. *California Fish and Game* 46(2):151-164.
- Ganguly, D. N., and S. Mookerjee. 1947. On the nature and evolution of ctenoid scales of fishes. *Proc. 34th Indian Sci. Congr. (Delhi) Pt. 3*:183.
- Ganguly, D. N., S. P. Sarkar, and B. Mitra. 1963. On the biology of [*Ophicephalus stewartii*] Playfair. *Proc. Zool. Soc. (India)* 16(2):195-200.
- Gardiner, A. C. 1931. The validity of single vertical hauls of the international net in the study of the distribution of plankton. *J. Mar. Biol. Assoc. U.K.* 17(1): 449-472.
- Gardiner, W. R. 1974. An electrophoretic method for distinguishing the young fry of salmon, [*Salmo salar*] (L.) from those of trout, [*Salmo trutta*] (L.). *J. Fish. Biol.* 1974:517-519.
- Gardiner, W. R., and P. Geddes. 1980. The influence of body composition on the survival of juvenile salmon. *Hydrobiol.* 69:67-72.
- Gardner, D., C. G. Carter. 1999. Feed intake and growth of juvenile silver trevally at the southern limit of their distribution. *Aquaculture International* 7(5):357-360.
- Gardner, J. A., and W. R. Woodall, Jr. 1978. Entrainment of ichthyoplankton at Hatch Nuclear Plant. Pages 94-116 [in] L. L. Olmsted, editor. *Proc. of first symp. on freshwater larval fish, Duke Power Co., Charlotte, NC*, 251 pp.
- Garland, D., and C. A. Zimmer. 2002. Hourly variations in planktonic larval concentrations on the inner shelf: Emerging patterns and processes. *Journal of Marine Research* 60(2):311-325.
- Garling, D. L., and M. Masterson. 1985. Survival of Lake Michigan chinook salmon eggs and fry incubated at three temperatures. *Progressive Fish-Culturist* 47:63-66.

- Garling, D. L., Jr., and R. P. Wilson. 1976. The optimum dietary protein to energy ratio for channel catfish fingerlings, [*Ictalurus punctatus*]. *J. Nutr.* 106(9):1368-1375.
- Garling, D. L., Jr., and R. P. Wilson. 1977. Effects of dietary carbohydrate-to-lipid ratios on growth and body composition of fingerling channel catfish. *Progressive Fish-Culturist* 39(1):43-48.
- Garman, S. W. 1874-1875. On the skates ([*Rajae*]) of the eastern coast of the United States. *Proc. Boston Soc. Nat. Hist.*
- Garman, S. W. 1892. The Discoboli, Cyclopteridae, Liparopsidae, and Liparidae. *Mem. Mus. Comp. Zool. Harv.* 14(2):96 pp.
- Garman, S. W. 1913. The Plagiostomata (sharks, skates, and rays). *Mem. Mus. Comp. Zool. Harv.* 36(1913), 515 pp.
- Garnaud, J. 1960. La ponte, l'eclosion, la larve du baliste, [*Balistes*] [*capriscus*] L. 1758. *Bull. Inst. Oceanogr. Monaco* 108:1-6.
- Garnaud, J. 1963. Breeding habits and internal fertilization of [*Apogon imberbis*]. *Bull. Inst. Oceanogr. Monaco Num. Spec.* 1D:51-60.
- Garrett, G. P. 1982. Variation in the reproductive traits of the Pecos pupfish, [*Cyprinodon pecosensis*]. *Am. Midl. Nat.* 180:355-363.
- Garrison, K. J., and B. S. Miller. 1982. Review of the early life history of Puget Sound fishes. *Univ. Washington School Fish., FRI-UW-8216, Seattle, WA.*
- Garrison, R. L. 1965. Coho salmon smolts in ninety days. *Progressive Fish-Culturist* 27:219-220.
- Garrison, R. L. 1968. The toxicity of Pro-noxfish to salmonid eggs and fry. *Progressive Fish-Culturist* 30:35-38.
- Garrod, D., and D. Harding. 1981. Predation by fish on the pelagic eggs and larvae of fishes spawning in the west-central North Sea in 1976. *Intl. Counc. Explor. Sea C.M.* 1981/ L:11, Copenhagen, Denmark.
- Garrod, D. J. 1973. The variation of replacement and survival in some fish stocks. Pages 43-56 [in] B. B. Parrish, editor. *Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 164, 372 pp.
- Garrod, D. J., and B. J. Knights. 1979. Fish stocks: their life-history characteristics and response to exploitation. *Symp. Zool. Soc. Lond.* 44:361-382.
- Garside, E. T. 1959. Some effects of oxygen in relation to temperature on developing lake trout embryos. *Canadian Journal of Zoology* 37:689-698.
- Garside, E. T., and F. E. J. Fry. 1959. A possible relationship between yolk size and differentiation in trout embryos. *Canadian Journal of Zoology* 37:383-386.
- Garside, E. T. 1966. Developmental rate and vertebral number in salmonids. *Journal of the Fisheries Research Board of Canada* 23:1537-1553.
- Garside, E. T. 1966. Effects of oxygen in relation to temperature on development of embryo brook trout and rainbow trout. *Journal of the Fisheries Research Board of Canada* 23(8):1121-1134.
- Garstang, W. 1900. Preliminary experiments on the rearing of sea-fish larvae. *J. Mar. Biol. Assoc. U.K.* 6(1):70-93.

- Gartner, J. V. 1991. Life histories of 3 species of lanternfishes (Pisces, Myctophidae) from the eastern Gulf of Mexico. 2. Age and Growth Patterns. *Marine Biology* 111:21-27.
- Garvey, J. E., and R. A. Stein. 1998. Linking bluegill and gizzard shad assemblages to growth of age-0 largemouth bass in reservoirs. *Transactions of the American Fisheries Society* 127:70-83.
- Garvey, J. E., and R. A. Stein. 1998. Competition between larval fishes in reservoirs: the role of relative timing of appearance. *Transactions of the American Fisheries Society* 127:1021-1039.
- Garvey, J. E., R. A. Wright, and R. A. Stein. 1998. Overwinter growth and survival of age-0 largemouth bass: revisiting the role of body size. *Canadian Journal of Fisheries and Aquatic Sciences* 55:2414-2424.
- Garvey, J.E., R.A. Wright, K.H. Ferry, and R.A. Stein. 2000. Evaluating how local- and regional- scale processes interact to regulate growth of age-0 largemouth bass. *Transactions of the American Fisheries Society* 129:1044-1059.
- Garvey, J. E., T. P. Herra, and W. C. Leggett. 2002. Protracted reproduction in sunfish: the temporal dimension in fish recruitment revisited. *Ecological Applications* 12:194-205.
- Garwood, G. P. 1967. Notes on the life histories of the silversides, [*Menidia beryllina*] (Cope) and [*Membras martinica*] (Valenciennes), in Mississippi Sound and adjacent water s. *Proc. 21st Ann. Conf. S. E. Assoc. G & F Comms.*, 21:314-323.
- Garza, G., W. H. Bailey, and J. L. Lasswell. 1978. Rearing of black drum in fresh water. *Progressive Fish-Culturist* 40(4):170.
- Gasaway, C. R., and V. W. Lambou. 1968. A simple surface-midwater trawl. *Progressive Fish-Culturist* 30:178-180.
- Gatesoupe, F. J., and P. Luquet. 1981. Practical diet for mass culture of the rotifer [*Brachionus plicatilis*]: applicatiioin to larval rearing of sea bass, [*Dicentrarchus labrax*]. *Aquaculture* 22:149-163.
- Gatesoupe, F. J., and J. H. Robin. 1982. The dietary value for sea bass larvae, [*Dicentrarchus labrax*], of the rotifer, [*Branchionus*] [*plicatilis*], fed with or without a laboratory-culture alga. *Aquaculture* 27(2):121-128.
- Gatten, R. R., J. R. Sargent, and J. C. Gamble. 1983. Diet-induced changes in fatty acid composition of herring larvae reared in enclosed ecosystems. *J. Mar. Biol. Assoc. U.K.* 63:575-584.
- Gaudet, J. L. 1971. Report of the 1970 workshop on fish feed technology and nutrition. *Bur. Fish. & Wildl. (U.S.)*, No. 102, 207 pp.
- Gaudreault, A., T. Miller, W. L. Montgomery, and G. J. Fitzgerald. 1986. Interspecific interactions and diet of sympatric juvenile brook charr, [*Salvelinus fontinalis*], and adult ninespine sticklebacks, [*Pungitius pungitius*]. *J. Fish. Biol.* 28(2):133-140.
- Gauldie, R. W. 1996. Ages estimated from average microincrement width in otoliths of [*acruronus novaezelandiae*] are verified by length mode progressions. *Bulletin of Marine Science* 59:498-507.
- Gauman, G. B. 1964. The importance of the size of the egg of the Baltic cod for survival of foetuses. *Gadoid Fish. Comm.* 85.
- Gause, G. G., Jr., and V. S. Mikhailov. 1973. State of the DNA synthesizing system in isolated mitochondria from the mature eggs of the loach ([*Misgurnus fossilis*]). *Biochim., Biophys. Acta* 324(2):189-198.

- Gause, G. G., Jr., and V. S. Mikhailov. 1974. Content of D-looped molecules in mitochondrial DNA from unfertilized eggs and developing embryos of [*Misgurnus fossilis*]. Dokl. Akad. Nauk. SSSR 217(5):1197-1200.
- Gaygalas, K. S. 1974. The threespine stickleback, [*Gasterosteus aculeatus*], of the Kurshyu Mares (Courland Lagoon). J. Ichthyol. Engl. transl. Vopr. Ikhtirol. 14(5):706-712.
- Gaygalas, K. S., and A. B. Gyarulaytis. 1974. The ecology of the pike-perch ([*Lucioperca*] [*lucioperca*]) in the Kurshyu Mares Basin, the state of its stocks and fishery regulation measures. J. Ichthyol. 14(4):514-525.
- Gebhards, S. V. 1961. Emergence and mortality of chinook salmon fry in natural redds. Prog. Fish. Cult.
- Geddes, M. C., and J. T. Puckridge. 1988. Survival and growth of larval and juvenile native fish- the importance of the floodplain. [In] Proceedings of the Workshop on Native Fish Management. The Murray-Darling Basin Commission: Canberra; 101-114.
- Gee, A. S., N. J. Milner, and R. J. Hemsworth. 1978. The effect of density on mortality in juvenile Atlantic salmon ([*Salmo salar*]). J. Anim. Ecol. 47(2):497.
- Gee, J. H., and T. G. Northcote. 1963. Comparative ecology of two sympatric species of dace ([*Rhinichthys*]) in the Fraser River system, British Columbia. Journal of the Fisheries Research Board of Canada 20:105-118.
- Gee, J. H., and K. Machniak. 1972. Ecological notes on a lake-dwelling population of longnose dace ([*Rhinichthys cataractae*]). Journal of the Fisheries Research Board of Canada 29:330-332.
- Gee, W. 1916. Effects of acute alcoholization on the germ cells of [*Fundulus heteroclitus*]. Biol. Bull. (Woods Hole) 31(6):379-406.
- Geen, G. H. 1958. Reproduction in three species of suckers (Catostomidae) in British Columbia. M.A. Thesis, Univ. British Columbia, Vancouver, B.C.
- Geen, G. H., T. G. Northcote, G. F. Hartman, and C. C. Lindsey. 1966. Life histories of two species of catostomid fishes in Sixteen mile Lake, British Columbia, with particular reference to inlet stream spawning. Journal of the Fisheries Research Board of Canada 23:1761-1788.
- Geen, G. H., J. D. Neilson, and M. Bradford. 1985. Effects of pH on the early development and growth and otolith microstructure of chinook salmon, [*Oncorhynchus tshawytscha*]. Canadian Journal of Zoology 63(1):22-26.
- Geffen, A. J. 1982. Otolith ring deposition in relation to growth rate in herring ([*Clupea harengus*]) and turbot ([*Scophthalmus*] [*maximus*]) larvae. Mar. Biol. (Berlin) 71:317-326.
- Geffen, A. J. 1986. The growth of herring larvae, [*Clupea harengus*] L., in the Clyde: an assessment of the suitability of otolith ageing methods. J. Fish. Biol. 28:279-288.
- Geffen, A. J. 1987. Methods of validating daily increment deposition in otoliths of larval fish. Pages 223-240 [in] R. C. Summerfelt and G. E. Hall, editors. Age and Growth of Fish. Iowa State Univ. Press, Ames.
- Geffen, A. J. 1995. Growth and otolith microstructure of cod ([*Gadus morhua*] L.) larvae. Journal of Plankton Research 17:783-800.
- Geffen, A. J. 1996. Effect of experimental manipulation of feeding conditions on the population structure of larval cod ([*Gadus morhua*]) and herring ([*Clupea harengus*]). Marine and Freshwater Research 47:291-300.

- Gehringer, J. W. 1952. High speed plankton samples. II. An all-metal plankton sampler (Model Gulf III). Spec. Scient. Rep. U.S. Fish Wildl. Serv., No. 88.
- Gehringer, J. W. 1956. Observations on the development of the Atlantic sailfish, [*Istiophorus americanus*] (Cuvier) with notes on an unidentified species of istiophorid. Fish. Bull. Fish. Wildl. Serv. U.S. 57(110):139-171.
- Gehringer, J. W. 1959. *Leptocephalus* of the Atlantic tarpon, [*Megalops*] [*atlanticus*] Valenciennes, from offshore waters. Q. J. Florida Acad. Sci. 21(3):235-240.
- Gehringer, J. W. 1959. Early development and metamorphosis of the tenpounder, [*Elops saurus*] Linnaeus. Fish. Bull. Fish. Wildl. Serv. U.S. 59:619-647.
- Gehringer, J. W. 1961. The Gulf III and other modern high-speed plankton samplers. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 153:19-22.
- Gehringer, J. W. 1970. Young of the Atlantic sailfish, [*Istiophorus*] [*platypterus*]. Fish. Bull. NOAA (U.S.) 68(2):177-189.
- Gehringer, J. W. 1973. Young fishes of a tidal zone in coastal Georgia. Pages 158-159 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval, and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS Mid. Atl. Coast Fish. Cent., Highlands, NJ. 338 pp.
- Geibel, G. E., and P. J. Murray. 1961. Catfish culture in California. Progressive Fish-Culturist 23(3):99-105.
- Geiger, J. G. 1983. A review of pond zooplankton production and fertilization for the culture of larval and fingerling striped bass. Aquaculture 35:353-369.
- Geistdoerfer, P. 1979. New data on the reproduction of macrourids (Teleostei, Gadiformes). Sarsia 64(1/2):109-112.
- Gengerke, T. W. 1977. Paddlefish investigations. Iowa Cons. Comm., NMFS Proj. 2-255-R. Seg. 2, Prog. Rep. 15 pp.
- Geo-Marine, Inc. 1982. Ohio River ecological research program, 1981. Adult and juvenile fish, ichthyoplankton, and benthic macroinvertebrate studies. Final Report.
- Geo-Marine, Inc. 1983. Ohio River ecological research program, 1982. Adult and juvenile fish, ichthyoplankton, phytoplankton, and zooplankton studies. Final Report.
- Geo-Marine, Inc. 1984. Ohio River ecological research program, 1983. Adult and juvenile fish and ichthyoplankton studies. Final Report.
- Geo-Marine, Inc. 1986. Ohio River ecological research program, 1984. Adult and juvenile fish and ichthyoplankton studies. Final Report.
- George, C. J., and J. H. Gordon. 1976. Observations on the rainbow smelt in Lake George, New York. New York Fish Game J. 23(1):13-19.
- George, E. L., and W. F. Hadley. 1979. Food and habitat partitioning between rock bass (*Ambloplites rupestris*) and smallmouth bass (*Micropterus dolomieu*) young of the year. Transactions of the American Fisheries Society 108(3):253-261.
- George, K. C. 1978. Postlarva of the seerfish, [*Scomberomorus commersoni*] (Lac.) (Scombridae, Pisces) from the southwest coast of India. J. Mar. Biol. Assoc. India 20(1/2):75-77.
- George, K. C. 1990. Studies on the distribution and abundance of fish eggs and larvae off the south-west coast of India with special reference to scombroids. Indo-Pac. Tuna. Dev. and Mgmt. Pgm. FAO/IPTP/WP/20.



- George, M. J. A., G. D. Jackson, C. P. Green, and S. G. Robertson. 1998. Preliminary estimates of the age and growth of immature smooth oreo [*Pseudocyttus maculatus*] Gilchrist 1906 (Oreosomatidae) in the Falkland Islands region of the South Atlantic. *Polar Biol.* 19:330-335.
- George, P. C. 1958. Sole fisheries. *Fish. West Coast of India (Cent. Mar. Fish. Res. Sta.)* 51-54.
- George, P. C., and G. G. Annigeri. 1960. On the occurrence of small-sized mackerels, [*Rastrelliger canagurta*] (Cuv.), off Ratnagiri Coast. *Curr. Sci.* 29(8):319-320.
- Georgia Power Company. 1974. Edwin I. Hatch Nuclear Plant Unit No. 1. Preoperational Environmental Surveillance Rep., Ch. 5, Biological Monitoring. 53 pp.
- Georgiyev, Zh. M., K. Aleksandrova, and D. K. Nikolov. 1960. Observations on fish reproduction along the Bulgarian Black Sea coast. *Izv. Zool. in-ta B'lgarsk. Akad. nauk.* 9.
- Gerald, J. W., and J. J. Cech, Jr. 1970. Respiratory responses of juvenile catfish ([*Ictalurus punctatus*]) to hypoxic conditions. *Physiol. Zool.* 43:47-54.
- Geraudie, J. 1978. The fine structure of the early pelvic fin bud of the trouts, [*Salmo gairdneri*] and [*S. trutta fario*]. *Acta Zool.* 59(2):85.
- Geraudie, J. 1978. Scanning electron microscope study of the developing trout pelvic fin bud. *Anat. Rec.* 191(3):391.
- Geraudie, J. 1985. Innervations of the early pelvic fin bud of the trout embryo, [*Salmo gairdneri*]. *J. Morphol.* 184(1):61-74.
- Gerber, L. R., P. M. Kareiva, and J. Bascompte. 2002. The influence of life history attributes and fishing pressure on the efficacy of marine reserves. *Biological Conservation* 106(1):11-18.
- Gerdes, J. H., and W. J. McConnell. 1963. Food habits and spawning of the threadfin shad in a small, desert impoundment. *J. Arizona Acad. Sci.* 2:113-116.
- Gerke, R. J., and V. W. Kacznski. 1972. Food of juvenile pink salmon and chum salmon in Puget Sound, Wash. Tech. Rep. St. Wash. 10:1-7.
- Gerking, S. D., and R. R. Raush. 1979. Relative importance of size and chronological age in the life cycle programme of fishes. *Arch. Hydrobiol. Berlin* 13:181-194.
- Gerking, S. D., R. Lee, R. Shrode, and J. B. Shrode. 1979. Effects of generation-long temperature acclimation on reproductive performance of the desert pupfish, [*Cyprinodon n. nevadensis*]. *Physiol. Zool.* 52(2):113-121.
- Gerlach, J. M. 1973. Early development of the quillback carpsucker, [*Carpiodes cyprinus*]. M.S. Thesis, Millersville State College, Millersville, PA, 60 pp.
- Gerlach, J. M. 1974. Larval fishes. Pages S7-A1-S7-B2 [in] Appendices to an ecological study in the vicinity of the Limerick Generating Station and the East Branch Perkiomen Creek. *Ichthyological Assoc., Inc., Schuylkill Prog. No. 4, Append.*, 443 pp.
- Gerlach, J. M., K. R. Fite, and R. F. Molzahn. 1974. Larval fishes. Pages S7-1-S7-17 [in] P. L. Harmon et al., editors. An ecol. study in the vicinity of the Limerick Generating Station and the East Branch Perkiomen Creek. *Prog. Rep. No. 4, Ichthyol. Assoc., Inc.*
- Gerlach, J. M., and A. W. Kahnle. 1982. Larval fish drift in a warmwater stream. Pages 154-162 [in] L. A. Krumholz, editor. *Warmwater stream symposium, Southern Div., Am. Fish. Soc., Bethesda, MD.*

- Gerlach, J. M. 1983. Characters for distinguishing larvae of carp, [*Cyprinus carpio*], and goldfish, [*Carassius auratus*]. *Copeia* 1983:116-121.
- Germann, J. F. 1972. The effect of increased water hardness, salinity, sources of fry, and method of feeding on the survival and growth of striped bass fry, [*Morone saxatilis*] (Walb.), in hatchery jars. M. S. Thesis, Auburn Univ. 22 pp.
- Germann, J. F., and W. C. Reeves. 1974. The effects of added hardness, salinity and source of fry on the survival and growth of striped bass fry in hatching jars. Proc. 28th Ann. Conf. S. E. Assoc. G & F Comms. 28:199-208.
- Germann, J. F., L. E. McSwain, D. R. Holder, and C. D. Swanson. 1974. Life history of warmouth in the Suwannee River and Okefenokee Swamp, Georgia. Proc. 28th Ann. Conf. S. E. Assoc. G & F Comms. 28:259-278.
- Gesteira, T. C. V. 1972. Sobre a reproducao e fecundidade da serra, [*Scomberomorus maculatus*] (Mitchill), no Estado do Ceara. In Portuguese, English summary. *Arquivos de Ciencias do Mar*. 12(2):117-122.
- Ghirardelli, E. 1971. Rapport sur les travaux concernant la planctonologie mediterraneenne publies entre octobre 1966 et octobre 1968. Rapp. P.-v. Reun. CIESMM 20(2):141-146.
- Ghosh, A. 1967. Acclimatization of the mullet fry, [*Mugil parsia*] Ham., in fresh water. Proc. Zool. Soc. Calcutta 20(1):49-56.
- Ghosh, A. 1973. Observations on the larvae and juveniles of the "bhakti", [*Lates calcarifer*] (Bloch), from the Hooghly-Matlah estuary system. *Indian J. Fish.* 20(2):372-379.
- Ghosh, A. N., and T. D. Nangpal. 1968. On the winter breeding of [*Hilsa ilisha*] in the Ganga River system. Proc. Indo-Pac. Fish. Council. 13(II):132-142.
- Ghosh, A. N., S. R. Ghosh, and N. N. Sarkar. 1973. On the salinity tolerance of fry and fingerlings of Indian major carps. *J. Inland Fish. Soc. India* 5:215-217.
- Giannico, G. R., and M. C. Healey. 1998. Effects of flow and food on winter movements of juvenile coho salmon. *Transactions of the American Fisheries Society* 127(4): 645-651.
- Gibbs, R. H., Jr. 1959. A synopsis of the postlarvae of Western Atlantic lizard-fishes (Synodontidae). *Copeia* 1959(3):232-236.
- Gibbs, R. H., Jr., and B. B. Collette. 1959. The identification, distribution, and biology of the dolphins, [*Coryphaena hippurus*] and [*C. equiselis*]. *Bull. Mar. Sci. Gulf Caribb.* 9(2):117-152.
- Gibbs, R. H., Jr. 1964. Family Astronesthidae. Pages 311-350 [in] H. B. Bigelow, editor. *Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res.*, 1(4).
- Gibbs, R. H., Jr. 1964. Family Idiacanthidae. Pages 512-522 [in] H. B. Bigelow, editor. *Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res.* 1(4).
- Gibbs, R. H., and N. J. Wilimovsky. 1966. Family Alepisauridae. Pages 482-497 [in] Y. H. Olsen, editor. *Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res.* V.
- Gibbs, R. H., Jr., and E. Jarosewick. 1975. Heavy metal concentrations in museum fish specimens: effects of preservatives and time. *Env. Health Perspect.* 10:261.
- Gibson, A. S. 1926. Melanophores in developing and adult [*Fundulus*]. *J. Exp. Zool.* 45(2): 415-455.

- Gibson, R. J., and M. H. A. Keenleyside. 1966. Responses to light of young Atlantic salmon, [*Salmo*] [*salar*], and brook trout, [*Salvelinus fontinalis*]. *Journal of the Fisheries Research Board of Canada* 23:1007-1024.
- Gibson, R. J. 1973. Interactions of juvenile Atlantic salmon, [*Salmo*] [*salar*] L., and brook trout, [*Salvelinus fontinalis*] (Mitchell). *Intl. Atl. Salmon Found. Spec. Publ.* 4(1):181-202.
- Gibson, R. J., and G. Power. 1975. Selection by brook trout, [*Salvelinus fontinalis*], and juvenile Atlantic salmon, [*Salmo salar*], of shade related to water depth. *Journal of the Fisheries Research Board of Canada* 32(9):1652-1656.
- Gibson, R. J. 1977. Behavioral interactions between juvenile coho salmon ([*Oncorhynchus kisutch*]), juvenile Atlantic salmon ([*Salmo salar*]), and brook trout ([*Salvelinus fontinalis*]). *Intl. Counc. Explor. Sea CM* 1977/M:23.
- Gibson, R. J. 1978. Recent changes in the population of juvenile Atlantic salmon in Matamek River, Quebec, Canada. *J. Cons., Cons. intl. Explor. Mer* 38: 201-207.
- Gibson, R. J. 1978. The behavior of juvenile Atlantic salmon ([*Salmo*] [*salar*]) and brook trout ([*Salvelinus fontinalis*]) with regard to temperature and to water velocity. *Trans. Am. Fish. Soc.* 107(5):703-712.
- Gibson, R. J. 1981. Behavioral interactions between coho salmon ([*Oncorhynchus kisutch*]), Atlantic salmon ([*Salmo*] [*salar*]), brook trout ([*Salvelinus fontinalis*]), and steelhead trout ([*Salmo gairdneri*]), at the juvenile fluvial stages. *Can. Tech. Rep. fish. Aquat. Sci.* 1029.
- Gibson, R. J., and T. A. Dickson. 1984. The effects of competition on the growth of juvenile Atlantic salmon. *Nat. Can.* 111(2):175-190.
- Gibson, R. N. 1968. The agonistic behavior of juvenile [*Blennius pholis*] L. (Teleostei). *Behaviour* 30(2-3):192-217.
- Gibson, R. N. 1970. Observations on the biology of the giant goby, [*Gobius cobitis*] Pallas. *J. Fish. Biol.* 2:281-288.
- Gibson, R. N. 1973. The intertidal movements and distribution of young fish on a sandy beach with special reference to the plaice ([*Pleuronectes platessa*] L.). *J. Exp. Mar. Biol. & Ecol.* 12:79-102.
- Gibson, R. N. 1973. Tidal and circadian activity rhythms in juvenile plaice, [*Pleuronectes platessa*]. *Mar. Biol.* 22(4):379-386.
- Gibson, R. N. 1975. A comparison of the field and laboratory activity patterns of juvenile plaice, pp. 13-28. In: Barnes, H. (ed.), *Proc. 9th Europ. Mar. Biol. Symp.* Aberdeen Univ. Press.
- Gibson, R. N., J. H. S. Blaxter, and S. J. De Groot. 1978. Developmental changes in the activity rhythm of the plaice, [*Pleuronectes platessa*] L. Pages 169-186 [in] L. E. Thorpe, editor. *Rhythmic activity of fish. Second Int. Symp. of the Fish. Soc. of Brit. Isl., Sterling Acad. Press, London.*
- Gibson, R. N. 1982. The effect of hydrostatic pressure cycles on the activity of young plaice, [*Pleuronectes platessa*]. *J. Mar. Biol. Assoc. U. K.* 62:621.
- Gibson, R. N., and R. S. Batty. 1990. Lack of substratum effect on the growth and metamorphosis of larval plaice [*Pleuronectes platessa*]. *Marine Ecology-Progress Series* 66:219-223.
- Gideiri, Y. B. 1966. The behavior and neuro-anatomy of some developing teleost fishes. *Journal of Zoology (London)* 149:215-241.

- Giesy, J. P., J. Newsted, and D. L. Garling. 1986. Relationships between chlorinated hydrocarbon concentrations and rearing mortality of chinook salmon, [*Oncorhynchus tshawytscha*], eggs from Lake Michigan. *J. Great Lakes Res.* 12(1):82-98.
- Giguere, L. A., B. Cote, J.-F. St-Pierre. 1988. Metabolic rates scale isometrically in larval fishes. *Mar. Ecol. Prog. Ser.* Vol. 50:13-19.
- Gilbert, C. F. 1904. The breeding of the gourami. *J. Bombay Nat. Hist. Soc.* 8(3):435-438.
- Gilbert, C. R. 1961. Hybridization versus intergradation: an inquiry into the relationship of two cyprinid fishes. *Copeia* 1961(2):181-192.
- Gilbert, D.J. 2002. Comment: does spawning stock affect recruitment of New England groundfish? Interpreting spawning stock and recruitment data in New England groundfish. *Canadian Journal of Fisheries and Aquatic Sciences* 59(1):191-192.
- Gilbert, M., L. Fortier, D. Ponton, and R. Drolet. 1992. Feeding ecology of marine fish larvae across the Great Whale River plume in seasonally ice-covered southeastern Hudson Bay. *Marine Ecology-Progress Series* 84:19-30.
- Gilbert, P. W., and D. A. Schlernitzauer. 1966. The placenta and gravid uterus of [*Carcharhirus*] [*falciformis*]. *Copeia* 1966(3):451-457.
- Gilchrist, J. D. F. 1903. Development of South African fishes. *Mar. Invest. S. Afr.* 2:181.
- Gilchrist, J. D. F. 1904. Development of South African fishes. *Mar. Invest. S. Afr.* 3:131.
- Gilchrist, J. D. F., and S. F. Harmer. 1915. Observations on the cape, [*Cephalodiscus*], and some of its early stages. *Ann. Mag. nat. Hist.* 8(16):233-246.
- Gilchrist, J. D. F. 1916. Larval and post-larval stages of [*Jasus lalandii*] (Milne). *J. Linn. Soc. (Zool.)* 33(223):101-126.
- Gilchrist, J. D. F. 1917. Protective resemblance in post-larval Cape fishes. *Trans. R. Soc. S. Afr.* 6:205.
- Gilchrist, J. D. F. 1918. Eggs and spawning habits of the Pilot-fish ([*Naucrates ductor*]). *Ann. Mag. Nat. Hist.* 9(2):114-118.
- Gilchrist, J. D. F., and H. Hunter. 1919. Reproduction of fishes in Table Bay. *Trans. R. Soc. S. Afr.* 8(1):1-16.
- Gilchrist, J. D. F. 1921. Reproduction of deep sea fishes. *Ann. Mag. Nat. Hist.* 7(9):173.
- Gilderhus, P. A. 1979. Efficacy of anticynin for control of larval sea lampreys ([*Petromyzon marinus*]) in lentic habitats. *Great Lakes Fishery Comm. Tech. Rep.* 34, 11 pp.
- Giles, M. A., and W. E. Vanstone. 1976. Ontogenetic variation in the multiple hemoglobins of coho salmon, [*Oncorhynchus kisutch*], and the effect of environmental factors on their expression. *Journal of the Fisheries Research Board of Canada* 33(5):1144-1149.
- Giles, M. A., and D. J. Randall. 1980. Oxygenation characteristics of the polymorphic hemoglobins of coho salmon, [*Oncorhynchus kisutch*], at different developmental stages. *Comp. Biochem. Physiol.* 65A:265-271.
- Gilkey, J. C. 1977. The role of calcium in activation of medaka eggs. Ph.D Diss., Purdue Univ. 117 pp.

- Gilkey, J. C. 1981. Mechanisms of fertilization in fishes. *Am. Zool.* 21:359-375.
- Gill, H.S., and F.J. Neira. 1998. Galaxiidae (Galaxiinae): southern galaxias. Pages 70-77 [in] F.J. Neira, A.G. Miskiewicz and T. Trnski, editors. *Larvae of temperate Australian fishes: laboratory guide for larval fish identification*. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Gill, J. A., J. P. Sumpter, E. M. Donaldson, H. M. Dye, L. Souza, T. Berg. J. Wypych, and K. Langley. 1985. Recombinant chicken and bovine growth hormones accelerate growth in aquacultured juvenile Pacific salmon, [*Oncorhynchus kisutch*]. *Bio. Tech.* 3(7):643-648.
- Gill, T. 1905. The sculpin and its habits. *Smithson. Misc. Coll.* 47(2):348-359.
- Gill, T. 1905. The life history of the angler. *Smithson. Misc. Coll.* 47(2):500-516.
- Gill, T. 1905. Parental care among the fresh-water fishes. *Rep. Smithson. Inst.* (1688):403-581.
- Gill, T. 1907. Life histories of toadfishes (Batrachoidids) compared with weevers (Trachinids) and stargazers (Uranoscopids). *Smithsonian Misc. Coll.* 48(4):388-427.
- Gill, T. N. 1907. The lumpsucker: Its relationship and habits. *Smithson. Misc. Collect.* 50:175-194.
- Gillespie, J. H. 1977 Natural selection for variances in offspring numbers: a new evolutionary principle. *American Naturalist* 111:1010-1014.
- Gilmore, K. S. 1975. Spawning areas and egg distribution of American shad, [*Alosa sapidissima*] (Pisces: clupeidae), in the Connecticut River between Holyoke and Turners Falls, Massachusetts. M.S. Thesis, Univ. Mass. 53 pp.
- Gilmore, R. G., J. W. Dodrill, and P. A. Linley. 1983. Reproduction and embryonic development of the sand tiger shark, [*Odontaspis taurus*] (Raf.). *Fish. Bull.* 81(2):201-226.
- Gilson, A. S. 1926. Melanophores in development and adult [*Fundulus*]. *J. Exp. Zool. Phil.* 45:415-447.
- Ginetz, R. M., and P. A. Larkin. 1976. Factors affecting rainbow trout (*[Salmo gairdneri]*) predation on migrant fry of sockeye salmon (*[Oncorhynchus nerka]*). *Journal of the Fisheries Research Board of Canada* 33(1):19-24.
- Ginn, T. C., G. V. Pope, and J. M. O'Connor. 1978. Survival of planktonic organisms following passage through a simulated power plant condenser tube. Pages 91-101 [in] L. D. Jensen, editor. *Fourth Natl. workshop on entrainment and impingement*. Ecol. Anal., Inc., Melville, N.Y. 424 pp.
- Ginnelly, G. C. 1971. Investigation of factors limiting population growth of crappie. *Fish. Res. Ariz.* 1970-71:1-15.
- Ginsburg, A. S. 1961. The block to polyspermy in sturgeon and trout with special reference to the role of cortical granules (alveoli). *J. Embryol. Exp. Morph.* 9:173-190.
- Ginsburg, A. S. 1963. Sperm-egg association and its relationship to the activation of the egg in salmonid fishes. *J. Embryol. and Exp. Morph.* 11:13-33.
- Ginsburg, A. S. 1968. Fertilization in fishes and the problem of polyspermy. *Nauk. Moskva USSR. Transl. from Russian by Z. Blake: Israel Prog. for Scient. Transl., 1972, Jerusalem, Israel.*

- Ginsburg, I. 1931. Juveniles and sex characters of [*Evorthodus lyricus*] (Family: Gobiidae). Bull. U.S. Bur. Fish. 47:117-123.
- Ginzburg, Ya. I. 1970. Reproduction of the lamprey (*Caspiomyzon wagneri*) (Kessler) below the Volgograd dam and the development of its larvae. J. Ichthyol. 10(4): 485-493.
- Giorgi, A. E. 1981. The environmental biology of the embryos, egg masses, and nesting sites of the lingcod, [*Ophiodon elongatus*]. NOAA, NMFS, NW Alaska Fish. Center, Seattle. Proc. Rep. 81-06. 107 pp.
- Giorgi, A. E., and J. L. Congleton. 1984. Effect of current velocity on development and survival of lingcod, [*Ophiodon elongatus*], embryos. Environmental Biology of Fishes 10(1/2):15-28.
- Giovani, J. J. 1973. The distribution of some marine fish eggs and larvae in the Acushnet and Westport River estuarine systems, Massachusetts. Southeastern Massachusetts University Report.
- Girijavallabhan, K. G., and J. C. Gnanamuttu. 1975. On a mackerel larva (*Rastrelliger* sp.) from inshore waters of Madras. Ind. J. Fish. 21(1):293.
- Girin, M. 1972. Metamorphosis during rearing of two larvae of Turbot, [*Scophthalmus maximus*] L. Seances Acad. Sci. Paris, (D) 275(2):2933-2936.
- Girin, M. 1974. Nutrition of the larvae of turbot, [*Scophthalmus maximus*] (L.), before metamorphosis, p. 34. In: Rep. intl. symp. on early life history of fish. FAO Fish. Rep., No. 141, 58 pp.
- Girin, M. 1975. Point des technique d'elevage larvaire du bar. Contr. 426, Dept. Sci. du Centre Oceanol. de Bret. CNEXO:133-141.
- Girin, M. 1976. La ration alimentaire dans l'elevage larvaire du bar, [*Dicentrarchus labrax*] (L.). Proc. 10th Europ. Symp. Mar. Biol. 1975 1:171-188.
- Girin, M. 1977. Some solutions to the problems of producing juvenile marine fin fishes for aquaculture. Polish Hydrobiol. Soc. Conf. Aquacult., Szymbar, Poland.
- Girin, M. 1978. Feeding problems and the technique of rearing marine fish larvae. Symp. on finfish nutrit. and feeding technology. Hamburg, June 1978. 12 pp.
- Girin, M. 1978. La production des juveniles de poissons marins a des fins d'aqua: quelques solutions. Oceans 4(5):395-403.
- Girin, M. 1978. Methodes de production de juveniles chex trois poissons marins: le bar (*Dicentrarchus labrax*), la sole (*Solea solea*) et le turbot (*Scophthalmus maximus*). These de Doctorat d'Etat. Faculte des Sci. de Paris. 202 pp.
- Girin, M. 1979. Feeding problems and the technique of rearing marine fish larvae. Pages 359-366 [in] J. E. Halver and K. Tiews, editors. Finfish nutrition and fish feeding techniques.
- Girsa, I. I. 1969. Reaction to light in some freshwater fishes in the course of early development and in altered physiological states. Prob. Ichthy., Am. Fish. Soc. 9(1):126-135.
- Girsa, I. I. 1973. Alterations in the behavior and vertical distribution of certain juvenile cyprinids in relation to illumination intensity and the presence of a predator. J. Ichthyol. 13(3):449-454.
- Girsa, I. I. 1975. The diurnal rhythm in the feeding of underyearlings of some White Sea fish at different photoperiods. J. Ichthyol. 15(1):102-110.

- Girsa, I. I., V. N. Zhuravel, and Y. Y. Lapin. 1980. Salinity preference of juvenile whitefish, [*Coregonus lavaretus*], [*C. sardinella mirasalbi*], and pink salmon, [*Oncorhynchus gorbuscha*], from the White Sea basin. *J. Ichthyol.* 20(5):138-148.
- Giske, J., and D. L. Aksnes. 1992. Ontogeny, season and trade-offs - vertical distribution of the mesopelagic fish [*Maurolanicus muelleri*]. *Sarsia* 77:253-261.
- Gissel, N. M., and G. Gissel-Nielsen. 1978. Sensitivity of trout to chronic and acute exposure to selenium. *Agr. Env.* 4:85.
- Giswold, C., and T. W. McKenney. 1984. Larval development of the scup, [*Stenotomus chrysops*] (Pisces, Sparidae). *Fish. Bull. NOAA* 82(1):77-84.
- Giudice, J. J. 1964. The production and comparative growth of three buffalo hybrids. *Proc. 18th Ann. Conf. S. E. Assoc. G & F Comms.*, 18:512-516.
- Gjerkan, P. 1930. Fluctuations in the stock of young sprat of the west coast of Norway and its relation to the sprat population as a whole. *Cons. l'Explor. Mer, Rapp. Proc. Verb.* 65.
- Gjosaeter, H., and S. Tilseth. 1982. Primary growth increments in otoliths of cod larvae, [*Gadus morhua*] L., of the Arcto-Norwegian cod stock. *Fisk Dir. Skr. HavUnders* 17:287-295.
- Gjosaeter, H., and J. Gjosaeter. 1986. Observations on the embryonic development of capelin, [*Mallotus villosus*] Muller, from the Barents Sea. *Fisk Dir. Skr. Ser. Havundrs* 18(2):59-68.
- Gjosaeter, J., and T. Monstad. 1973. Fecundity and egg size of spring spawning Barents Sea capelin. *Fisk Dir. Skr. Ser. Havundersokelser* 16:98-104.
- Gjosaeter, J., and R. Saetre. 1973. Investigations at the spawning grounds of capelin in 1973. *Fisk. Havet.* 1973(3):4-7.
- Gjosaeter, J., and R. Saetre. 1974. The use of data on eggs and larvae for estimating spawning stock of fish populations with demersal eggs. Pages 139-149 [in] J. H. S. Blaxter, editor. *The early life history of fish.* Springer-Verlag, N.Y., 765 pp.
- Gjosaeter, J., and R. Saetre. 1974. Use of egg and larval data for estimating spawning stock of fish with demersal eggs, p. 34. In: *Rep. intl. symp. on early life history of fish.* FAO Fish. Rep. No. 141. 58 pp.
- Gjosaeter, J., K. Hansen, R. Saetre, and T. Westergaard. 1974. Investigations at the spawning grounds of capelin in 1974. *Fisken. Havet.* (Hor.) 3:15-19.
- Gjosaeter, J. 1978. Resource studies of mesopelagic fish, [*Maurolanicus*] [*muelleri*]. Univ. Bergen, Dept. Fish. Biol. N-5011.
- Gjosaeter, J., and S. Tilseth. 1988. Spawning behavior, egg and larval development of the myctophid fish *Benthosema pterotum*. *Mar. Biol.* 98:1-6.
- Gladkiy, G. V., and P. S. Nevyadomskaya. 1964. The biology of the perch, [*Perca fluviatilis*], from Lake Maroch. *Vopr. Ikhtiol.*, 4, 3:32.
- Gladstone, W. 1987. The eggs and larvae of the sharpnose pufferfish [*Canthigaster valentine*] (Pisces: Tetraodontidae) are unpalatable to other reef fishes. *Copeia* 1987:227-230.
- Glahn, J. F., and B. S. Dorr. 2002. Captive double-crested cormorant [*Phalacrocorax auritus*] predation on channel catfish [*Ictalurus punctatus*] fingerlings and its influence on single-batch cropping production. *Journal of the World Aquaculture Society* 33(1):85-93.

- Glaser, O. 1929. Temperature and heart rate in [Fundulus] embryos. J. Exp. Biol. 6: 325-339.
- Glebe, B. D., T. D. Appy, and R. L. Saunders. 1979. Variation in Atlantic salmon ([Salmo salar]) reproductive traits and their implications in breeding programs. N. Am. Salmon Res. Ctr. Rep. No. 4, 11 pp.
- Glenn, C. L. 1978. Seasonal growth and diets of young-of-the-year mooneye, [Hiodon tergisus] from the Assiniboine River, Manitoba. Transactions of the American Fisheries Society 107(4):587-589.
- Gliwicz, Z. M., and A. Jachner. 1992. Diel migrations of juvenile fish - a ghost of pedation past or present. Archiv Fur Hydrobiologie 124:385-410.
- Gloss, S. P., and J. R. Wahl. 1983. Mortality of juvenile salmonids passing through Ossberger crossflow turbines at small-scale hydroelectric sites. Transactions of the American Fisheries Society 112:194-200.
- Glova, G. J., and J. C. Mason. 1976. Comparative effects of temperature and photoperiod on laboratory growth of underyearling coho salmon and coastal cutthroat trout. Ms. Rep. Ser. Fish. Res. Bd. Can., No. 1414.
- Glova, G. J., and J. C. Mason. 1977. Interactions for food and space between sympatric populations of juvenile coho salmon and coastal cutthroat trout in a stream simulator during winter and spring. Fish. Mar. Serv. Can. MS Rep. 1429.
- Glova, G. J., and J. E. McInerney. 1977. Critical swimming speeds of coho salmon ([Oncorhynchus kisutch]) fry to smolt stages in relation to salinity and temperature. Journal of the Fisheries Research Board of Canada 34:151.
- Glova, G. J. 1979. Pattern and mechanism of resource partitioning between stream populations of juvenile coho salmon ([Oncorhynchus kisutch]) and coastal cutthroat trout ([Salmo clarki clarki]). Diss. Abstr. Int. 39(12):5738-B.
- Glova, G. J. 1984. Management implications of the distribution and diet of sympatric populations of juvenile coho salmon and coastal cutthroat trout in small streams in British Columbia, Canada. Progressive Fish-Culturist 46(4):269-278.
- Glova, G. J. 1986. Interaction for food and space between experimental populations of juvenile coho salmon ([Oncorhynchus] [kisutch]) and coastal cutthroat trout ([Salmo] [clarki]) in a laboratory stream. Hydrobiol. 132:155-168.
- Glova, G. J. 1999. Cover preference tests of juvenile shortfinned eels ([Anguilla australis]) and longfinned eels ([A. dieffenbachia]) in replicate channels. New Zealand Journal of Marine and Freshwater Research 33(2):193-204.
- Glova, G. J., and D. J. Jellyman. 2000. Size-related differences in diel activity of two species of juvenile eel ([Anguilla]) in a laboratory stream. Ecol. Freshwater Fish 9(4): 210-218.
- Glover, R. S. 1962. The continuous plankton recorder. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 153:8-15.
- Gnatchenko, L. G. 1976. To ripening of oocytes in vitro under the influence of hypophyses of some species of fish and chorionic human gonadotropin. Proc. All-Union Res. Inst. Mar. Fish. Oceanogr. 115:41-45.
- Gnatchenko, V. F. 1976b. Incubation of mature eggs and rearing of larvae from intact females of [Platichthys flesus luscus] (Pallas). All-Union Res. Inst. Mar. fish. Oceanogr. 115:41-45.



- Goddard, S., and G.L. Fletcher. 1992. The range of winter habitats available to juvenile cod [*Gadus morhua*] may be extended by their ability to produce antifreeze. [In] de Fontaine, Y.T., T. Lambert, G.R. Lilly, W.D. McKone, and R.J. Miller, editors. Juvenile Stages: The Missing Link in Fisheries Research. Report of a Workshop. Can. Tech. Rept. Fish. Aquat. Sci. 1890:139 pp.
- Godin, J. G. 1980. Temporal aspects of juvenile pink salmon (*Oncorhynchus gorbuscha* Walbaum) emergence from a simulated gravel redd. Canadian Journal of Zoology 58:735-744.
- Godin, J. G. G. 1978. Behavior of juvenile pink salmon (*Oncorhynchus* [*gorbuscha*] Walbaum) toward novel prey: Influence of ontogeny and experience. Env. Biol. of Fishes 3(3):261-266.
- Godin, J. G. J. 1979. Diel rhythms of behavior in juvenile pink salmon, [*Oncorhynchus gorbuscha*] Walb. Ph.D Diss., Univ. British Columbia, Vancouver. 281 pp.
- Godin, J. G. J. 1980. Ontogenetic changes in the daily rhythms of swimming activity and of vertical distribution in juvenile pink salmon, [*Oncorhynchus gorbuscha*] Walb. Canadian Journal of Zoology 58:745-753.
- Godin, J. G. J. 1981. Circadian rhythm of swimming activity in juvenile pink salmon, [*Oncorhynchus gorbuscha*]. Mar. Biol. 64(3):341-349.
- Godin, J. G. J. 1981. Daily patterns of feeding behavior, daily rations, and diets of juvenile pink salmon, [*Oncorhynchus*] [*gorbuscha*], in two marine bays of British Columbia. Can. J. Fish. A q. Sci. 38(1):10-15.
- Godin, J. G. J. 1981. Effect of hunger on the daily pattern of feeding rates in juvenile pink salmon, [*Oncorhynchus*] [*gorbuscha*] Walb. J. Fish. Biol. 19(1):63-72.
- Godin, J. G. J. 1982. Migrations of salmonid fishes during early life history phases: daily and annual timing. Pages 22-50 [in] E. L. Brannon and E. O. Salo, editors. Salmon and trout migratory behavior symposium. Univ. Washington, Seattle, WA.
- Godo, O. R., and K. Sunnana. 1984. Spawning area and distribution of 0-group cod, [*Gadus morhua*] L., on the More Coast. Pages 519-532 [in] E. Dahl et al., editors. The propagation of cod [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.
- Godwin, W. F., and J. G. Adams. 1969. Young clupeids of the Altamaha River, Georgia. Georgia Fish Game Comm. Contr. Ser. 15. 30 pp.
- Goldberg, R., B. Phelan, J. Pereira, S. Hagan, P. Clark, A. Bejda, A. Calabrese, A. Studholme, and K.W. Able. 2002. Variability in habitat use by young-of-the-year winter flounder, [*Pseudopleuronectes americanus*], in three northeastern US estuaries. Estuaries 25(2):215-226.
- Goldberg, S. R., and W. C. Ticknor, Jr. 1977. Reproductive cycle of the pink surfperch, [*Zalemnius*] [*rosaceus*] (Embiotocidae). NOAA-NMFS Fish. Bull. 75(4):882-884.
- Goldberg, S. R. 1978. Reproductive cycle of the white seaperch, [*Phanerodon furcatus*] (Embiotocidae). Copeia 1978(2):334-336.
- Goldberg, S. R. 1980. Seasonal spawning cycles of two marine cottid fishes, [*Chitonotus pugetensis*] and [*Icelinus*] [*quadriceriatus*], from southern California. Bull. Mar. Sci. 30(1):131-135.
- Golden, H.E., and L.A. Deegan. 1998. The trophic interactions of young arctic grayling (*Thymalus arcticus*) in a tundra stream. Freshwater Biol. 39(4):637-648.
- Golovinskaya, K. A. 1954. Reproduction and heredity in the common wild goldfish. Tr. Vses. N.-i. in-ta produv. rybn. kh-va, 7.

- Gomez Gaspar, A. 1981. Observaciones taxonomicas y ecologicas de estados larvales Elopiformes en la Laguna de la Restinga y areas proximas (Isla Margarita, Venezuela). Bol. Mus. Mar. Univ. Bogota 10:3-23.
- Gomon, M.F., and F.J. Neira. 1998. Syngnathidae: pipefishes and seahorses. Pages 122-131 [in] F.J. Neira, A.G. Miskiewicz and T. Trnski, editors. Larvae of temperate Australian fishes: laboratory guide for larval fish identification. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)
- Gondolfi, G., R. Rossi, P. Tongiorgi, M. Pesaro, and S. DeRanieri. 1980. Ascent of elvers, [*Anguilla anguilla*] (L.), and prospects for their use in aquaculture. Bollettino di Zool. 47:365-380.
- Gondolfi, G., M. Pesaro, and P. Tongiorgi. 1984. Environmental factors affecting the ascent of elvers, [*Anguilla anguilla*] (L.), into the Arno river. Oebalia 10(N.S.):17-35.
- Gonzales, T. 1946. Contributo alla conoscenza dello sviluppo post-embrionale in [*Microichthys coccoi*], Ruppell. Boll. Pesca Pesci. Idrobiol. 1:39-46.
- Goodchild, H. H. 1924. Report on cod egg cruises 1922-23. Page 52 [in] M. Graham, editor. Ann. cycle of mature cod. Fish. Invest. II.
- Goodchild, H. H. 1924. Some observations on the reproduction of [*Sebastes*] [*norvegicus*] ([*Ascanius*]) Fish. Inv., London (Ser. 2:Sea Fish.) 7(2):21-22.
- Goodchild, H. H. 1926. The food of pelagic young cod. Pages 13-15 [in] M. Graham and J. N. Carruthers, editors. The distribution of pelagic stages of the cod in the North Sea in 1924 in relation to the system of currents. G. B. Minist. Agric. Fish. Food Fish. Invest. Ser. 28(6):1-31.
- Goode, G. B. 1879. The natural and economical history of the American menhaden. Part V. Rep. U.S. Comm. Fish. Fish. 1877(5):1-529.
- Goode, G. B. 1883. Materials for a history of the swordfish. Rep. U.S. Comm. Fish. (1880), pt. 8:289-394.
- Goode, G. B., et al. 1884. The mackerel ([*Scomber scombrus*]). Pages 281-303 [in] The Fisheries and Fishery industries of the U.S. I. Nat. hist. of useful aquat. animals. U.S. Comm. Fish., Govt. Printing Off., Wash., D. C. 895 pp.
- Goodfellow, W. L., R. J. Kaluda, and W. C. Graves. 1985. A test chamber for experiments with early life stages of fish. Progressive Fish-Culturist 47(3):193.
- Goodman, L. R., D. J. Hansen, G. M. Cripe, D. P. Middaugh, and J. C. Moore. 1985. A new early life-stage toxicity test using the California grunion ([*Leuresthes tenuis*]) and results with chlorpyrifos. Ecotoxicol. Env. Safety 10(1):12-21.
- Goodman, L. R., D. J. Hansen, J. A. Couch, and J. Foresster. 1976. Effects of Heptachlor and toxaphene on lab-reared embryos and fry of the sheepshead minnow. Proc. 30th Ann. Conf. S. E. Assoc. G & F Comms. 30:192-202.
- Goodrich, H. B. 1950. Problems of the origin and migration of pigment cells in fish. Zoologica 35:17-19.
- Goodrich, H. B., and H. C. Taylor. 1934. Breeding reactions in [*Betta splendens*]. Copeia 1934(4):165-166.
- Goodson, M. S., J. Giske, and R. Rosland. 1995. Growth and ovarian development of [*Maurollicus muelleri*] during spring. Marine Biology 124:185-195.

- Goodyear, C. P., and C. C. Coutant. 1973. Direct biological effects on entrained fish eggs and larvae at Indian Point. Redirect rebuttal testimony, Atomic Safety and Licensing Board hearings in the matter of licensing Indian Point, Docket No. 50-247.
- Goodyear, C. P. 1977. Mathematical methods to evaluate entrainment of aquatic organisms by power plants. Fish & Wildl. Serv., U.S. Dept. Int., Wash., D.C., FWS/OBS-76/20.3.
- Goodyear, C. P. 1978. Entrainment impact estimates using the equivalent adult approach. U.S. Fish Wildl. Serv. FWS/OBS-78/65.
- Goolish, E. M., and I. R. Adelman. 1984. Effect of ration size and temperature on the growth of juvenile common carp, [*Cyprinus carpio*] L. *Aquaculture* 36(1/2):27-36.
- Gopalan, U. K. 1967. Studies on the maturity and spawning of silver pomfret, [*Pampus argenteus*] (Euphr.), in the Arabian Sea. *Int. Indian Ocean Exp. Newslett.* 4(4):13.
- Gopinath, K. 1942. Distribution and feeding of the post larval fishes of the Trivandrum Coast. *Curr. Sci.* 11(8):337-338.
- Gopinath, K. 1943. Observations on the breeding and development of [*Gambusia affinis*] (Baird and Girard) *Abst. Proc. Indian Sci. Congr.* 30(3):61-62.
- Gopinath, K. 1946. Notes on the larval and postlarval stages of fishes found along the Trivandrum coast. *Nat. Inst. Sci. India, Proc.* 12(1):7-21.
- Gopinath, K. 1946. Preliminary observations on the food of postlarval fishes. *Proc. 33rd Indian Sci. Congr. (Bangalore) Pt. 3*:130-131.
- Gopinath, K. 1950. On a few leptocephali from the Trivandrum Coast. *Rec. Indian Mus.* 1949 46(1):87-98.
- Gorbunova, N. N. 1954. The reproduction and development of the walleye pollock, [*Theragra chalcogramma*] (Pallas). *Tr. Inst. Okeanol. Akad. Nauk SSSR* 11:132-195.
- Gorbunova, N. N. 1958. Reproduction and development of sprat, [*Sprattus*] [*sprattus*] (Risso) in the Black Sea. *Tr. Sevastopol. Biol. Sta.* 10:108.
- Gorbunova, N. N., Y. I. Orlov, and L. V. Polikashin. 1959. Experiment in mass collection, transportation and incubation of [*Pleurogrammus*] eggs. *Rybn. Khoz.* 35(6):24-30.
- Gorbunova, N. N. 1962. Spawning and development of greenlings (Family: Hexagrammidae). Pages 121-185 [in] T. S. Rass, editor. *Greenlings: taxonomy, biology, interoceanic transplantation.* Izdatel 'stvo Akad. Nauk., SSSR, Moskow.
- Gorbunova, N. N. 1962. Spawning and development of Hexagrammidae (Pisces). *Tr. Inst. Okeanol.* 59:118-182.
- Gorbunova, N. N. 1963. Larvae of scombroid fishes (Pisces: Scombriformes) from the Indian Ocean. *Tr. Inst. Oceanol. Acad. Sci.* 62:68-95.
- Gorbunova, N. N., and N. V. Parin. 1963. Development of eggs and larvae of the flying fish, [*Cheilopogon unicolor*]. *Tr. Inst. Okeanol. Moskva.* 62:62-67.
- Gorbunova, N. N. 1964. Breeding and development of hemilipidotine sculpins (Cottidae, Pisces). Pages 246-266 [in] T. S. Rass, editor. *Fishes of the Pacific and Indian Oceans: Biology and Distribution.* Israel Program Sci. Transl. No. 1411.
- Gorbunova, N. N. 1965. On spawning of scombroid fishes (Pisces: Scombroidei) in the Gulf of Tonkin (South China Sea). In Russian, Engl. summ. *Tr. Inst. Okeanol. Akad. Nauk SSSR* 80:167-176.

- Gorbunova, N. N. 1965. Seasons and conditions of spawning of the scombroid fishes (Pisces: Scombroidei). Tr. Inst. Okeanol. Akad. Nauk SSSR 80:36-51. Engl. transl. available, U.S. Dept. Commer., Off. Tech. Serv., Wash., D. C.
- Gorbunova, N. N. 1965. The distribution of scombroid larvae (Pisces: Scombroidei) in the eastern part of the Indian Ocean. Tr. Inst. Okeanol. 80:32-35.
- Gorbunova, N. N. 1967. The reproduction of scombroid fishes in the Indian Ocean. Sea Food Trade J. 2(6):23-25.
- Gorbunova, N. N., and D. Salabarría. 1967. Reproduction of scombroid fishes (Pisces, Scombroidei) in western regions of the Atlantic Ocean. in Russian, Span. summ. [In] Sovetsko-Kubinskiye Rybokhoz. Issled. Invest. Pesq. Sov.-Cub. Pishchevaya Promyshlennost, Moscow. Engl. transl. W. L. Klawe, Inter-Am. Trop. Tuna Comm., La Jolla, CA.
- Gorbunova, N. N. 1968. On the structure of the egg and reproduction in [Vinciguerria nimbaria] (Pisces, Gonostomatidae). Zool. Zh. SSSR 47:1672-1675.
- Gorbunova, N. N. 1969. Breeding grounds and food of the larvae of the swordfish, [Xiphias gladius] Linne (Pisces: Xiphilidae). Prob. in Ichthyol. 9:375-387.
- Gorbunova, N. N. 1969. Two types of larvae of frigate mackerel of the genus [Auxis] (Pisces: Scombroidei). Prob. Ichthyol. 9(6):833-840.
- Gorbunova, N. N. 1971. Vertical distribution of eggs and larvae of fish in the western tropical Pacific. Pages 256-269 [in] M. E. Vinogradov, editor. Life activity of pelagic communities in the ocean tropics. Israel Prog. Sci. Transl. No. 60094.
- Gorbunova, N. N. 1974. A review of larvae of scombrid fishes (Scombridae, Pisces). Tr. Inst. Okeanol. 96:23-76.
- Gorbunova, N. N. 1975. Vertical distribution of fish larvae in the eastern equatorial Pacific Ocean. Tr. Inst. Okeanol. 102:295-312.
- Gorbunova, N. N., and N. Ya Lipskaya. 1975. Feeding of larvae of the blue marlin, [Makaira] [nigricans] (Pisces, Istiophoridae). J. Ichthyol. Engl. transl. Vopr. Ikhtiolog. 15(1):95-101.
- Gorbunova, N. N., and O. A. Zyvagina. 1975. Eggs and larvae of the scaled sardine, [Harengula] [pensacolae] (Pisces: Clupeidae). J. Ichthyol. 15(5):829-833.
- Gorbunova, N. N. 1976. The classification and distribution of the larvae of Indo-Pacific species of billfishes from the family Istiophoridae. J. Ichthyol. 16(3): 437-452.
- Gorbunova, N. N. 1977. Distribution of larvae of some species of the family Gempylidae (Pisces: Trichiuroidea). Okeanologiya 17(6):1107-1112.
- Gorbunova, N. N. 1977. Larvae and juveniles of some species of trichiuroid fishes (Gempylidae and Trichiuridae). Tr. inst. Okeanol. 109:133-148.
- Gorbunova, N. N. 1978. Distribution of larvae of some gempylidae species (Pisces: Trichiuroidea). Oceanology 17(6):732-735.
- Gorbunova, N. N. 1981. Distribution of ichthyoplankton in the eastern Pacific upwelling regions. Oceanology 21:759-762.
- Gorbunova, N. N. 1981. Larvae of the genus [Vinciguerria] (Gonostomatidae) with keys. J. Ichthyol. (Engl. transl. Vopr. Ikhtiolog.) 21(4):138-141.
- Gorbunova, N. N. 1982. Larvae of Pacific species of [Cyclothone] genus. Tr. Inst. Okeanol. 118:120-132.

- Gorbunova, N. N. 1982. Larvae of trichiuroid fishes from collections of the International Mexican Biological Center (Gempylidae, Trichiuridae, Pisces). Proc. P. P. Shirshov Inst. Oceanol. 118:85-104. In Russian.
- Gorbunova, N. N., S. A. Evseenko, and S. V. Garetovskiy. 1985. Distribution of ichthyoplankton in the frontal zones of the Peruvian waters. J. Ichthyol. 25(6):67-79.
- Gordienko, O. L. 1951. Postembryonic development of [*Huso huso*]. Dokl Akad Nauk SSSR 77: 345-347.
- Gordin, H., and Y. Zohar. 1978. Induced spawning of [*Sparus aurata*] (L.) by means of hormonal treatments. Ann. Biol. Anim. Biochim. Biophys. 18(4):985-990.
- Gordina, A. D. 1970. Qualitative composition and quantitative distribution of ichthyoplankton in 1966 in the northwest part of the Indian Ocean. [In] V. A. Vodianitskii, editor. Biol. Invest. in Red and Arabian Seas. Biol. Morya 21:192-201.
- Gordina, A. D., L. A. Duka, and L. S. Owen. 1972. Sexual dimorphism, feeding and spawning in the 'black-headed blenny', [*Tripterygion tripteronotus*] (Risso), of the Black Sea. J. Ichthyol. (Vopr. Ikhtiolo. Engl. ed. 12(3):401-407.
- Gordina, A. D. 1973. Species composition and seasonal abundance of the young of fish from the coastal weed-bed biocenoses of the Black Sea. [In] Biologiya morya (Mar. Biol.), No. 31, Kiev. Nauk. Dumka Press.
- Gordina, A. D., L. A. Duka, and L. S. Owen. 1974. Sexual dimorphism, feeding and reproduction of [*Gobius bucchichi*] in the Black Sea. J. Ichthyol. Engl. transl. Vopr. Ikhtiolo. 14(4):533-538.
- Gordina, A. D., and L. A. Duka. 1979. Distribution, morphology, and nutrition of [*Tripterygion tripteronotus*] Risso larvae in the Black Sea. Biologiya Morya Kiev 51:65-68.
- Gordina, A. D., and V. I. Senyukova. 1979. Distribution and qualitative composition of fish eggs and larvae in the southwestern part of the Atlantic. Biologiya Morya Kiev 49:109-113.
- Gordina, A. D., and L. P. Salekhova. 1980. The Mediterranean Sea fish reproduction and ichthyoplankton distribution in February 1977. Ekologiya Morya 2:57-66.
- Gordina, A. D. 1980. Composition and distribution of ichthyoplankton in open waters of the subtropic and equatorial Atlantic in winter period. Ekologiya Morya 1980(3):19-25.
- Gordina, A. D. 1985. Distribution and morphology of [*Psenes arafurensis*] Guntjer 1889 (Nomeidae, Pisces) larvae and fry in the Atlantic Ocean. Ekologiya Morya 21:51-54.
- Gordina, A. D. 1986. Distribution of fish larvae in the region of the oceanic elevations in tropical and subtropical zones in the South Atlantic. Ekologiya Morya 22:34-40.
- Gordina, A. D., and V.B. Bladimirtsev. 1987. Distribution of ichthyoplankton in the regions of bottom elevations in the tropical part of the Indian Ocean. J. Ichthyol. 27: 79-84.
- Gordon, D. J. 1982. Systematics and distribution of larval fishes of the subfamily Ophidiinae (Pisces, Ophidiidae) in the eastern Gulf of Mexico. M.S. Thesis, Univ. of Miami, Coral Gables, FL.
- Gordon, D. J., and H. R. MacCrimmon. 1982. Juvenile salmonid production in a Lake Erie nursery stream. J. Fish. Biol. 21:455-473.
- Gordon, D. J., D. F. Markle, and J. E. Olney. 1984. Ophidiiformes: development and relationships. Pages 308-319 [in] H. G. Moser et al., editors. Ontogeny and systematics

of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

Gordon, J. D. M. 1977. The fish populations in inshore waters of the West of Scotland. The Biology of the Norway Pout (*Trisopterus esmarkii*). J. Fish. Biol. 10(5): 417-430.

Gordon, J. D. M., and J. A. R. Duncan. 1979. Some notes on the biology of the snake blenny, [*Lumpenus lampretaeformis*], on the west coast of Scotland. J. Mar. Biol. Assoc. U.K. 59(2):413-419.

Gordon, J. D. M., and S. C. Swan. 1996. Validation of age readings from otoliths of juvenile roundnose grenadier, [*Coryphaenoides rupestris*], a deep-water macrourid fish. Journal of Fish Biology 49:289-297.

Gordon, M. 1942. Mortality of albino embryos and aberrant Mendelian ratios in certain broods of [*Xiphophorus hellerii*]. Zoologica 27(13):1-2.

Gorelova, T. A. 1974. Zooplankton from the stomachs of juvenile lanternfish of the family Myctophidae. Oceanol. 14:575-580.

Gorelova, T. A. 1975. Rate of respiration of the fry of some tropical fishes. Tr. Inst. Okeanol. 102:365-372.

Gorelova, T. A. 1977. Some feeding characteristics of nyctoepipelagic and mesopelagic lanternfish (Pisces:Myctophida juveniles. Okeanologija 17(2):342-346.

Gorelova, T. A. 1980. The feeding of young flying fishes of the family Exocoetidae and the smallwing flyingfish, [*Oxyporhampus micropterus*], of the family Hemirhamphidae. J. Ichthyol. 20(4):60-71.

Gorelova, T. A., and B. B. Gerasimchuk. 1981. Data on nutrition and daily consumption of juvenile [*Pleuragramma antarcticum*]. Pages 103-109 [in] N. V. Parin, editor. Fishes of the Open Ocean. Shirsov Inst. Oceanogr., Acad. Sci. USSR.

Gorge, D. G., M. A. Hurley, and B. Winstanley. 1984. A simple plankton splitter with a note on its reduced subsampling variance. Limnol. Oceanogr. 29(2):429-433.

Gorodilov, Y. N. 1969. A study of fish sensitivity to high temperature effects during embryogenesis. II. The patterns of the sensitivity changes in the developing spawn from the viewpoint of different methods of its estimation and possible ecological significance of the changes. Tsitollogiya (USSR) 3.

Gorodilov, Y. N. 1969. Study of the sensitivity of fish to high temperature during embryogenesis. I. Changes in sensitivity to high temperature effects of developing eggs of autumn spawning fish species. Tsitollogiya (USSR) 11:169-180.

Gorodilov, Yu. N., and I. G. Lil'p. 1979. Duration of cell cycles and phases of mitosis during cleavage in [*Salmo salar*] L. Sov. J. Dev. Biol. (Engl. transl. Ontogenez). 9(4):310-320.

Gorodnichii, A. E. 1967. Influence of temperature regime on the effectiveness of spawning in the pikeperch, [*Lucioperca*] [*lucioperca*]. Byull. mosk. Obshch. Ispyt. Prir. 72(3):130-131.

Goryczko, K. 1972. A change of the spawning season in rainbow trout (*[Salmo gairdneri]* Richardson). Roczn. Nauk. roln. Ser. H, rybactwo. 94(1):57-68.

Goryczko, K. 1972. The growth rate of rainbow trout (*[Salmo gairdneri]* Richardson) from the autumn and spring spawning. Roczn. Nauk. Roln. Ser. H. Rybactwo. 94(1):81-96. Engl. summary!

- Goryunova, A. I. 1960. The reproduction of the common wild goldfish. Vopr. ikhtiol. No. 15-1967. Hatchery use of the lakes of Tselinniy region. Ibid 7(1):42.
- Goryunova, A. I. 1971. Variability in the rate of embryogeny of the grass carp ([*Ctenopharyngodon idella*] Val.). J. Ichthyol. 11(1):44-48.
- Gosheva, T. D., and S. A. Slonava. 1976. The feeding and food supply of larval White Sea herring ([*Clupea harengus pallasii maris-albi*]). J. Ichthyol. Engl. transl. Vopr. Ikhtiol. 15(3):415-423.
- Gosteeva, M. N., and E. L. Markov. 1966. Ecological and morphological peculiarities in the development of [*Pelecus cultratus*] (L.) in the Aral Sea. Voprosy Ikhtiologii 6, 2(39): 237-247.
- Gotceitas, V., J.A. Brown, and S. Mercer. 1994. Laboratory Investigations of substrate used by juvenile Atlantic Cod. Pages 92-96 [in] D. Steven, editor. Gulf of Maine Workshop Proceedings, Maine Department of Marine Resources, West Boothbay Harbour, Maine RARGOM Report 94-2.
- Gotceitas, V., V. Puvanendran, L. L. Leader, and J. A. Brown. 1996. An experimental investigation of the 'match mismatch' hypothesis using larval Atlantic cod. Marine Ecology - Progress Series 130:29-37.
- Gotceitas, V., D. A. Methven, S. Fraser, and J. A. Brown. 1999. Effects of body size and food ration on over-winter survival and growth of age-0 Atlantic cod, [*Gadus morhua*]. Environmental Biology of Fishes 54(4):413-420.
- Goto, A. 1975. Ecological and morphological divergence of the freshwater sculpin, [*Cottus nozawae*] Snyder - I. Spawning behavior and process of the development in the posthatching stage. Bull. Fish. Fac., Hokkaido Univ., Japan 26(1):31-37.
- Gotshall, D. W., and J. E. Fitch. 1968. The louvar, [*Luvarus imperialis*], in the eastern Pacific, with notes on its life history. Copeia 1968:181-183.
- Gotting, K. J. 1976. Reproduction and oocyte development in [*Zoarces*] [viviparus] (Pisces: Osteichthyes). Helg. wiss. Meer. 28(1):71-89.
- Gottwald, S., and C. Nagiec. 1967. Development and course of hatching of smelt, [*Osmerus*] [eperlanus] (L.). Roczn. Nauk. Roln. (H) 90:59-79.
- Gould, S. J. 1966. Allometry and size in ontogeny and phylogeny. Biol. Rev. 41:587-640.
- Gould, S. J. 1982. Change in developmental timing as a mechanism of macroevolution. Pages 333-346 [in] J. T. Bonner, editor. Evolution and development. Springer-Verlag, New York.
- Gould, W. R. 1965. Biology and morphology of [*Acyrtops beryllinus*], the emerald clingfish. (incl. embryos). Bull. Mar. Sci. Gulf Caribb. 15:165-188.
- Govoni, J. J., and J. V. Merriner. 1978. The occurrence of ladyfish, [*Elops saurus*], larvae in low salinity waters and another record for Chesapeake Bay. Estuaries 1(3):205-206.
- Govoni, J. J. 1980. Morphological, histological and functional aspects of alimentary canal and associated organ development in larval [*Leiostomus xanthurus*]. Rev. Can. Biol. 39:69-80.
- Govoni, J. J. 1980. Morphological, histological, and physiological aspects of assimilation in larval spot, [*Leiostomus*] [xanthurus] Lac. Ph.D Diss., College of William and Mary, Williamsburg.

- Govoni, J. J. 1981. Alimentary canal development and its relation to the early life history of spot, [*Leiostomus xanthurus*]. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:314-315.
- Govoni, J. J., D. S. Peters, and J. V. Merriner. 1982. Carbon assimilation during larval development of the marine teleost, [*Leiostomus xanthurus*] Lac. J. Exp. Mar. Biol. Ecol. 64:287-299.
- Govoni, J. J. 1983. Helminth parasitism of three larval fishes in the northern Gulf of Mexico. Fish. Bull. NOAA 81(4):895-897.
- Govoni, J. J., D. E. Hoss, and A. J. Chester. 1983. Comparative feeding of three species of larval fishes in the northern Gulf of Mexico: [*Brevoortia patronus*], [*Leiostomus xanthurus*], and [*Micropogonias undulatus*]. Mar. Ecol. Prog. Series 13:189-199.
- Govoni, J. J. 1984. Histology. Pages 40-42 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Govoni, J. J., J. E. Olney, D. F. Markle, and W. R. Curtsinger. 1984. Observations on structure and evaluation of possible functions of the vexillum in larval Carapidae (Ophidiiformes). Bull. Mar. Sci. 34:60-70.
- Govoni, J. J., A. J. Chester, D. E. Hoss, and P. B. Ortner. 1985. An observation of episodic feeding and growth of larval [*Leiostomus xanthurus*] in the northern Gulf of Mexico. J. Plankton Res. 7(1):137.
- Govoni, J. J., G. W. Boehlert, and Y. Watanabe. 1986. The physiology of digestion in fish larvae. Environmental Biology of Fishes 16(1/3):59-71.
- Govoni, J. J., P. B. Ortner, F. Al-Yamani, and L. C. Hill. 1986. Selective feeding of spot, [*Leiostomus xanthurus*], and Atlantic croaker, [*Micropogonias undulatus*], larvae in the northern Gulf of Mexico. Mar. Ecol. Prog. Ser. 28:175-183.
- Govoni, J. J., D. E. Hoss, and D. R. Colby. 1989. The spatial distribution of larval fishes about the Mississippi River plume. Limnol. Oceanogr. 34(1):178-187.
- Govoni, J. J., and A. J. Chester. 1990. Diet composition of larval [*Leiostomus xanthurus*] in and about the Mississippi River plume. Journal of Plankton Research 12:819-830.
- Govoni, J. J., and J. E. Olney. 1991. Potential predation on fish eggs by the lobate ctenophore [*Mnemiopsis leidyi*] within and outside the Chesapeake Bay plume. Fishery Bulletin 89:181-186.
- Govoni, J. J., and C. B. Grimes. 1992. The surface accumulation of larval fishes by hydrodynamic convergence within the Mississippi River plume front. Continental Shelf Research 12:1265-1276.
- Govoni, J. J. 1993. Flux of larval fishes across frontal boundaries: examples from the Mississippi River plume front and the western Gulf Stream front in winter. Bull. Mar. Sci. 53: 538-566.
- Govoni, J. J., and L. J. Pietrafesa. 1994. Eulerian views of layered water currents, vertical distribution of some larval fishes, and inferred advective transport over the continental shelf off North Carolina, USA, in winter. Fisheries Oceanography 3:120-132.
- Gozlan, R. E., S. Mastroiillo, G. H. Copp, and S. Lek. 1999. Predicting the structure and diversity of young-of-the-year fish assemblages in large rivers. Freshwater Biol. 41(4):811-822.
- Grabe, S. A. 1978. Food and feeding habits of juvenile Atlantic tomcod, [*Microgadus tomcod*], from Haverstraw Bay, Hudson River. Fish. Bull. NOAA (U.S.) 76(1):89-94.



- Grabner, M., W. Weiser, and R. Lackner. 1982. The suitability of frozen and freeze-dried zooplankton as food for fish larvae: a biochemical test program. *Aquaculture* 26:85-94.
- Graczyk, V. J., D. S. Dennis, C. C. Garlasco, A. M. Griffiths, and D. D. Hultgren. 1980. Preliminary investigations of adult, juvenile, and larval fish of the Monongahela River and tributary, Morgantown, West Virginia. *Proc. West Virginia Acad. Sci.* 52(2):74-84.
- Graff, I. E., S. Hoie, G. K. Totland, and O. Lie. 2002. Three different levels of dietary vitamin D-3 fed to first-feeding fry of Atlantic salmon (*Salmo salar* L.): effect on growth, mortality, calcium content and bone formation. *Aquaculture Nutrition* 8(2):103-111.
- Graham, D. H. 1939. Breeding habits of the fishes of Otago Harbour and adjacent seas. *Trans. Proc. Roy. Soc. New Zealand* 69:361-372.
- Graham, J. J., and H. Boyar. 1965. Ecology of herring larvae in the coastal waters of Maine. *Spec. Publ. Int. Comm. N.W. Atl. Fish.*, No. 6:625-634.
- Graham, J. J., and G. B. Vaughn. 1966. A new depressor design. *Limn. and Oceanogr.* 11:130-135.
- Graham, J. J., and P. M. W. Venno. 1968. Sampling larval herring from tidewaters with buoyed and anchored nets. *Journal of the Fisheries Research Board of Canada* 25:1169-1179.
- Graham, J. J., and C. W. Davis. 1971. Estimates of mortality and year class strength of larval herring in western Maine, 1964-67. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 160:147-152.
- Graham, J. J., and C. W. Davis. 1971. Estimates of mortality and year-class strength of larval herring in Western Maine, 1964-1967. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 38:58-86.
- Graham, J. J. 1972. Retention of larval herring within the Sheepscot estuary of Maine. *U.S. NMFS Fish. Bull.* 70:299-305.
- Graham, J. J., S. B. Chenoweth, and C. W. Davis. 1972. Abundance, distribution, movements and lengths of larval herring along the western coast of the Gulf of Maine. *U.S. NMFS Fish. Bull.* 70:307-321.
- Graham, J. J., and S. B. Chenoweth. 1973. Distribution and abundance of larval herring, [*Clupea harengus harengus*] Linnaeus, over egg beds of Georges Banks. *Res. Bull. Int. Comm. N.W. Atl. Fish.*, No. 10:141-149.
- Graham, J. J., and C. W. Davis. 1976. Estimates of the number of larval herring in a channel of the Sheepscot estuary: its value as a nursery ground. *Maine Dept. Mar. Res. Res. Bull.* 38, 17 pp.
- Graham, J. J. 1981. Monitoring winter mortality and spring abundance of larval herring, [*Clupea harengus*], along coastal Maine (1964-77): Summary. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:176-178.
- Graham, J. J. 1982. Production of larval herring, [*Clupea harengus*], along the Maine coast, 1964-78. *J. Northwest Atlantic Fish. Sci.* 3:63-85.
- Graham, J. J., and D. B. Sampson. 1982. An experiment on the depth distribution of larval herring, [*Clupea harengus*], in coastal Maine. *North Atlantic Fish. Organ. Sci. Counc. Studies* 3:33-38.
- Graham, J. J., B. J. Joule, C. L. Crosby, and D. W. Townsend. 1984. Characteristics of the Atlantic herring, (*Clupea* [*harengus*] L.) spawning population along the Maine coast, inferred from larval studies. *J. Northwest Atlantic Fish. Sci.* 5:131-142.

- Graham, J. J., and D. W. Townsend. 1985. Mortality, growth, and transport of larval Atlantic herring, [*Clupea harengus*], in Maine coastal waters. *Transactions of the American Fisheries Society* 114:490-498.
- Graham, J. J., and K. M. Sherman. 1986. Recruitment mechanisms of Atlantic herring. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.
- Graham, M. 1936. Investigations of the herring of Passamaquoddy and adjacent region s. J. Biol. Bd. Can. 3(2):95-140.
- Graham, M., and J. N. Carruthers. 1926. The distribution of pelagic stages of the cod in the North Sea in 1924 in relation to the system of currents; with a section on the food of pelagic young cod. *Fish. Invest. Ser. 2, Sea Fish. Min. Agric. & Fish.* 8(6):1-31.
- Graham, R. J., and D. J. Orth. 1986. Effects of temperature and streamflow on time and duration of spawning by smallmouth bass. *Transactions of the American Fisheries Society* 115:693-702.
- Graham, R. J., and D. J. Orth. 1987. Otolith aging of young of year smallmouth bass. Pages 483-491 [in] R. C. Summerfelt and G. E. Hall, editors. *Age and growth of fish.* Iowa State Univ. Press, Ames.
- Graham, T. 1962. A relationship between growth, hatching, and spawning in Canadian Atlantic herring (*[Clupea harengus] L.*). *Journal of the Fisheries Research Board of Canada* 19(5):985-987.
- Graham, W. M., and J. L. Largier. 1997. Upwelling shadows as nearshore retention sites: the example of northern Monterey Bay. *Continental Shelf Research* 17:509-532.
- Grainger, E. H. 1953. On the age, growth, migration, reproductive potential and feeding habits of the Arctic char (*[Salvelinus] [alpinus]*) of Frobisher Bay, Baffin Island. *Journal of the Fisheries Research Board of Canada* 10(6):326-370.
- Grainger, R. J. R. 1980. The distribution and abundance of early herring, [*Clupea harengus*] L., larvae in Galway Bay in relation to oceanographic conditions. *Proc. R. Ir. Acad. Sect. B Biol. Geol. Chem. Sci.* 80:47-60.
- Grall, C., D. P. deSilva, and E. D. Houde. 1983. Distribution, relative abundance, and seasonality of swordfish larvae. *Transactions of the American Fisheries Society* 112(2B):235-246.
- Granmo, A. 1981. Overview - Pollution. Pages 61-63 [in] R. Lasker and K. Sherman, editors. *The early life history of fish: recent studies.* Rapp. P.-v. des Reun. Cons. Intern. Explor. Mer 178.
- Granmo, A. 1981. Pollution: an overview. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:61-63.
- Grant, C. C. 1976. Predation of blue fish on young Atlantic menhaden in Indian River, Delaware. *Ches. Sci.* 3(1):45-47.
- Grant, C. J., and A. V. Spain. 1975. Reproduction, growth and size allometry of [*Mugil] [cephalus] L.* (Pisces: Mugilidae) from North Queensland inshore waters. *Aust. Journal of Zoology* 23(2):181-201.
- Grant, C. J., and A. V. Spain. 1977. Variation in the body shape of three species of Australian mullets (Pisces: Mugilidae) during the course of development. *Aust. J. Mar. Freshwater Res.* 28(6):723-738.

- Gras, J., R. Reyhand, J. Frey, and J. C. Henry. 1966. Biochemical modifications during development of eggs and fry of the rainbow trout (*[Salmo gairdneri]* Rich.). Soc. Biol. (Paris). C. R. Seances. 160(6):1262-1264.
- Grasdalen, H., and L. Jorgensen. 1985. 31-P-NMR studies on developing eggs and larvae of plaice. Comp. Biochem. Physiol. 81B(2):291-294.
- Graser, L. F. 1977. Ichthyoplankton towed net and standard sampling procedure for 1976 and 1977. TVA, Div. For. Fish. Wildl. Dev., Norris, TN. 4 pp.
- Graser, L. F. 1977. Selectivity of larval fish gear and some new techniques for entrainment and open water larval fish sampling. Pages 56-71 [in] L. L. Olmsted, editor. Proc. of first symp. on freshwater larval fish, Duke Power Co., Charlotte, NC, 251 pp.
- Graser, L. F. 1978. Flow-through collection bucket for larval fish. Progressive Fish-Culturist.
- Graser, L. F. 1979. Spatio-temporal distributions of clupeid larvae in Barkley Reservoir. Pages 120-138 [in] R. D. Hoyt, editor. Proc. third symp. on larval fish, Western Kentucky Univ., Bowling Green, KY, 236 pp.
- Grassi, G. B., and S. A. Calandruccio. 1897. Descrizione d'un [*Leptocephalus brevirostris*] in via tranformarzi in [*Anguilla vulgaris*]. Atti Accad. Naz. Lincei., Ser. 6, 5(Pt. 1):239-240.
- Grassi, G. B. 1913. Metamorphosi dei muraenoidi. Ricerche sistematiche ed. Ecologiche. Reg. Comit. Talassogr. Italy Monogr.
- Grauman, G. B. 1966. Characteristics of spawning and conditions of breeding of cod (*[Gadus morhua]*) in the southern Baltic Sea. Vop. ikhtiolog. 6:672-678. In Russian.
- Grauman, G. B. 1968. Peculiarities of sprat spawning in the southern Baltic Sea in 1968. Ann. Biol. Explor. Mer (Copenhagen) 25:231-232.
- Grauman, G. B. 1968. The spawning of Baltic cod in 1968. Ann. Biol. Explor. Mer (Copenhagen) 25:120.
- Grauman, G. B. 1970. Peculiarities of cod spawning in the Baltic Sea in the spring-summer period of 1969. Ann. Biol. 26(1969):136-137.
- Grauman, G. B. 1970. Spawning efficiency of Baltic cod in 1970. Cons. Int. Explor. Mer, Ann. Biol. 27:91.
- Grauman, G. B. 1972. Factors responsible for the fluctuation of the sprat and cod abundance in the Baltic Sea. Tr. Vses. Nauchno-Issled. Inst. Morsk. Ryb. Khoz. Okeanogr. 83:249-268.
- Grauman, G. B. 1973. Investigations of factors influencing fluctuations in abundance of Baltic cod. Pages 73-76 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Grauman, G. B. 1973. Investigations of factors influencing fluctuations in abundance of Baltic cod. Rapp. P.-v. Reun. Cons. int. Explor. Mer 164:73-76.
- Grauman, G. B. 1974. Spawning of Baltic sprat in 1971 and 1972. Annls. Biol., Copenh. 29 (1972):154-155.
- Grauman, G. B. 1975. The spawning of Baltic cod in 1973. Cons. int. Explor. Mer, Ann. Biol. 30:96.
- Grauman, G. B., and A. G. Polivaiko. 1975. Composition of the spawning stock and spawning efficiency of Baltic sprat in 1973. Cons. int. Explor. Mer, Ann. Biol. 30:16.

- Gravato, C., and M. A. Santos. 2002. Juvenile sea bass liver biotransformation induction and erythrocytic genotoxic responses to resin acids. *Ecotoxicology and Environmental Safety* 52(3):238-247.
- Grave, H. 1978. Feeding of mackerel larvae and early juveniles in the central North Sea. *ICES CM* 1978/H:14.
- Grave, H. 1981. Food and feeding of mackerel larvae and early juveniles in the North Sea. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:454-459.
- Graves, J. E., M.A. Simonvich, and K.M. Schaefer. 1988. Electrophoretic identification of early juvenile yellowfin tuna, [*Thunnus albacares*]. *Fish Bull.*, U.S. 86:835-838.
- Graves, J. E., M. J. Curtis, P. A. Oeth, and R. S. Waples. 1990. Biochemical genetics of southern California basses of the genus [*Paralabrax*]- specific identification of fresh and ethanol-preserved individual eggs and early larvae. *Fishery Bulletin* 88:59-66.
- Gray, C. A., N. M. Otway, F. A. Laurenson, A. G. Miskiewicz, and R. L. Pethebridge. 1992. Distribution and abundance of marine fish larvae in relation to effluent plumes from sewage outfalls and depth of water. *Marine Biology* 113:549-559.
- Gray, C. A. 1993. Horizontal and vertical trends in the distributions of larval fishes in coastal waters off central New-South-Wales, Australia. *Marine Biology* 116:649-666.
- Gray, C. A. 1996. Small-scale temporal variability in assemblages of larval fishes: Implications for sampling. *Journal of Plankton Research* 18:1643-1657.
- Gray, C. A. 1996. Do thermoclines explain the vertical distributions of larval fishes in the dynamic coastal waters of south-eastern Australia? *Marine and Freshwater Research* 47:183-190.
- Gray, G. A., and H. E. Winn. 1961. Reproductive ecology and sound production of the toadfish, [*Opsanus tau*]. *Ecology* 42(3):274-282.
- Gray, J. 1926. The growth of fish. 1. The relationship between embryo and yolk in [*Salmo fario*]. *Brit. J. Exp. Biol.* 4:215-225.
- Gray, J. 1928. The effect of temperature on development of eggs of [*Salmo fario*]. *J. Exp. Biol.* 6:125-130.
- Gray, J. 1928. The growth of fish. II. The growth rate of the embryo of [*Salmo fario*]. *J. Exp. Biol.* 5:110-124.
- Gray, J. 1974. Propagation of muskellunge 1963 through 1974. *Proc. 6th Inter. Muskellunge Workshop.* 93-94.
- Gray, R. H. 1977. Avoidance of thermal effluent by juvenile chinook salmon ([*Oncorhynchus tshawytscha*]) and its implications in waste heat management. Battelle Pacific Northwest Labs., Richland, WA, BNWL-SA-6222, CONF-770516.
- Gray, R. H., R. G. Genoway, and S. A. Barraclough. 1977. Behavior of juvenile chinook salmon ([*Oncorhynchus*] [*tshawytscha*]) in relation to simulated thermal effluent. *Transactions of the American Fisheries Society* 106(4): 366-370.
- Gray, R. H., and D. D. Dauble. 1979. Biology of the sand roller in the central Columbia River. *Transactions of the American Fisheries Society* 108(6):646-649.
- Gray, S. 1932. The osmotic properties of the eggs of the trout, [*Salmo fario*]. *J. Exp. Biol.* 9:277-299.

- Graynoth, E. 1979. Effects of logging on stream environments and faunas in Nelson. New Zealand J. Mar. & Freshwater Res. 13(1):79-109.
- Graynoth, E. 1999. Recruitment and distribution of juvenile salmonids in Lake Coleridge, New Zealand. New Zealand Journal of Marine and Freshwater Research 33(2):205-219.
- Greca, P. A., and T. E. Targett. 1996. Effects of turbidity, light level and prey concentration on feeding of juvenile weakfish *Cynoscion regalis*. Marine Ecology-Progress Series 131:11-16.
- Greeley, J. R. 1932. The spawning habits of brook, brown, and rainbow trout, and the problem of egg predators. Transactions of the American Fisheries Society 62:239-248.
- Greeley, J. R. 1933. The spawning habits of brook, brown, and rainbow trout, and the problem of egg predators. Transactions of the American Fisheries Society 62:239-248.
- Green, A. L. 1998. Spatio-temporal patterns of recruitment of labroid fishes (Pisces: Labridae and Scaridae) to damselfish territories. Environmental Biology of Fishes 51:235-244.
- Green, B.S., and M. I. McCormick. 1999. Influence of larval feeding history on the body condition of [*Amphiprion melanopus*]. Journal of Fish Biology 55:1273-1289.
- Green, C. W., R. P. Hunter, and W. C. Senning. 1932. A biological survey of Oswegatchie and Black River systems: spawn-eating by suckers and bullheads. Supl. 21st. Ann. Rep. New York Cons. Dept. 1931:26-28.
- Green, J. 1981. Aspects of [*Calanus finmarchicus*] trophodynamics in the area of high larval haddock abundance in spring on Georges Bank. ICES CM 1981/L:32.
- Green, O. L. 1962. Mat spawning of the largemouth bass. Progressive Fish-Culturist 24(2):80.
- Green, S. 1874. Hatching of shad eggs. Transactions of the American Fisheries Society 18:75-76.
- Greenbank, J., and P. R. Nelson. 1958. Life history of the threespine stickleback, [*Gasterosteus aculeatus*] Linnaeus, in Karluk Lake and Bare Lake, Kodiak Island, Alaska. Fishery Bull. Fish Wildl. Serv. U.S. 59:537-559.
- Greenbank, J., and P. R. Nelson. 1959. Life history of the threespine stickleback, [*Gasterosteus aculeatus*] L., in Karluk and Bare Lakes, Kodiak Island, Alaska. Fish. Bull. U.S. 59(153):537-539.
- Greene, C. H. 1990. A brief review and critique of zooplankton sampling methods - copepodology for the larval ecologist. Ophelia 32:109-113.
- Greenfield, D. W., S. T. Ross, and G. D. Deckert. 1970. Some aspects of the life history of the Santa Ana sucker, [*Catostomus (pantosteus) santaanae*] (Snyder). California Fish. Game 56:166-179.
- Greenfield, D. W. 1972. Notes on the biology of the arrow blenny, [*Lucay-ablennius zingaro*] (Bohlke), from British Honduras. Copeia 1972(3):590-592.
- Greenfield, D. W., F. Abdel-Hameed, G. D. Deckert, and R. R. Flinn. 1973. Hybridization between [*Chrosomus erythrogaster*] and [*Notropis cornutus*] (Pisces: Cyprinidae). Copeia 1973(1):54-60.
- Greenland, D. C., and A. E. Thomas. 1972. Swimming speed of fall chinook salmon ([*Oncorhynchus*] [*tshawytscha*]) fry. Transactions of the American Fisheries Society 101(4):696-700.

- Greenwood, P. H. 1955. Reproduction in the catfish, [*Clarias mossambicus*] Peters. *Nature* 176:516-519.
- Greenwood, P. H. 1956. The reproduction of [*Clarias mossambicus*] Peters in Lake Victoria. *Scient. Coun. for Africa South of the Sahara*, Publ. 25:77-78.
- Greenwood, P. H. 1958. Reproduction in the east African lungfish, [*Protopterus aethiopicus*] Heckel. *Proc. Zool. Soc. Lond.* 130:547-567.
- Greer-Walker, M. 1970. Growth and development of the skeletal muscle of the cod. *Vidu. Conseil* 33(2):228-244.
- Gregory, R. S. 1983. Seasonal succession of larval fishes in a highly macrophytic lake, using a light trap. MS Thesis, Trent Univ., Peterborough, Canada.
- Gregory, R. S., and P.M. Powles. 1988. Relative selectivities of Miller high-speed samplers and light traps for collecting ichthyoplankton. *Can. J. Fish. Aquat. Sci.* 45:993-998.
- Gregory, R. W. 1969. Chemical properties of walleye sperm. Ph.D. Diss., Colorado St. Univ., Ft. Collins, CO. 27 pp.
- Gregory, R., and P. M. Powles. 1985. Chronology, distribution, and sizes of larval fish sampled by light traps in macrophytic Chemung Lake. *Canadian Journal of Zoology* 63:2569-2577.
- Grey, M. 1955. The fishes of the genus [*Tetragonurus*] Risso. *Dana Rep.* 41:75 pp.
- Grey, M. 1964. Family Gonostomatidae. In: *Fishes of the western North Atlantic*. Mem. Sears. Found. Mar. Res. 1 (Pt. 4):78-240.
- Grieb, A. W. 1937. Die larvale periode in der entwicklung des schlammbeissers ([*Misgurnus fossilis*] L., Cobitidae, Cyprinidae). *Acta Zoologica*, Stockholm 18(3):339-344.
- Gries, G., and B.H. Letcher. 2002. A night seining technique for sampling juvenile Atlantic salmon in streams. *North American Journal of Fisheries Management* 22(2):595-601.
- Griffith, R. E. 1957. A portable apparatus for collecting horizontal plankton samples. *Ecology* 38(3):538-540.
- Griffith, R. W., and K. S. Thomson. 1973. [*Latimeria chalumnae*]: reproduction and conservation.
- Griffiths, F. B., A. Fleminger, D. Kimor, and M. Vannucci. 1976. Shipboard and curating techniques. Pages 17-31 [in] H. F. Steedman, editor. *Zooplankton fixation and preservation*. UNESCO Press, Paris, France.
- Griffiths, J. S. 1969. Some effects of acclimation, acute temperature experience and size on the sustained swimming speed of juvenile coho salmon ([*Oncorhynchus kisutch*]). M.S. Thesis, Univ. Victoria, 132 pp.
- Griffiths, J. S., and D. F. Alderdice. 1972. Effects of acclimation and acute temperature experience on the swimming speed of juvenile coho salmon. *Journal of the Fisheries Research Board of Canada* 29:251-264.
- Griffiths, S. P. 2001. Recruitment and growth of juvenile yellowfin bream, [*Acanthopagrus australis*] Gunther (Sparidae), in an Australian intermittently open estuary. *Journal of Applied Ichthyology* 17(5):240-243.
- Grigg, R. W. 1988. Recruitment limitation of a deep benthic hard-bottom octocoral population in the Hawaiian Islands. *Mar. Ecol. Prog. Ser.* 45:121-126.

- Grigor'ev, G. V. 1972. Reproduction of [*Macrurus rupestris*] Gunner of the northern Atlantic. Transl. Ser. Fish. Res. Bd. Can. 2529, 15 pp.
- Grigor'ev, G. V., and V. P. Serebryakov. 1981. Eggs of roundnose grenadier, [*Coryphaenoides*] [*rupestris*] Gunnerus 1765. J. Northwest Atl. Fish. Sci. 2:73-74.
- Grigor'ev, G. V., and V. P. Serebryakov. 1983. Eggs of rock grenadier, [*Coryphaenoides rupestris*] (Macrouridae). J. Ichthyol. 23(4):161-163.
- Grigor'ev, S. S. 1983. New catches of young northern wolffish, [*Anarhichas*] [*denticulatus*] (Anarhichadidae). J. Ichthyol. 23(2):157-160.
- Grigor'ev, V. N. 1984. Morpho-ecological peculiarities of development of young roach, [*Rutilus rutilus*] (Cyprinidae), in Sviyazhsk Inlet of Kuybyshev Reservoir. J. Ichthyol. 24(6):21-29.
- Grigorash, V. A. 1961. Data concerning the nutrition of larval roach during the mixed-feeding stage. Tr. Soveshch. po dinamike chislen-nosti ryb. Izd-vo AN SSSR.
- Grim, M. 1973. Origin of the muscle blastemas in the developing pectoral fin of the rainbow trout, [*Salmo gairdneri*]. Folia Morphol. (Prague) 21(2):197-199.
- Grimalschi, V. 1939. Uber die Entwicklung der Eier und Larven des Zanders, [*Lucioperca sandra*] Cuv. et Val. Bull. Acad. Roumaine Bucarest 22(3):180-187.
- Grimes, C. B., and J. A. Mountain. 1971. Effects of thermal effluent upon marine fishes near the Crystal River steam electric station. Florida Dept. Nat. Resour. Mar. Res. Lab. Prof. Pap Ser. 17, 64 pp.
- Grimes, C. B. 1976. Certain aspects of the life history of the vermillion snapper, [*Rhomboplites aurorubens*] (Cuvier), from North and South Carolina waters. Ph.D Diss., Univ. North Carolina, Chapel Hill, North Carolina. 251 pp.
- Grimes, C. B., and J. H. Finucane. 1991. Spatial distribution and abundance of larval and juvenile fish, chlorophyll and macrozooplankton around the Mississippi River discharge plume, and the role of the plume in fish recruitment. Marine Ecology-Progress Series 75:109-119.
- Grimes, C. B., and M.J. Kingsford. 1996. How do riverine plumes of different sizes influence fish larvae: do they enhance recruitment? Marine and Freshwater Research 47:191-208.
- Grimes, C. B., and J. J. Isley. 1996. Influence of size-selective mortality on growth of gulf menhaden and king mackerel larvae. Transactions of the American Fisheries Society 125:741-752.
- Grimes, P. J., and D. A. Robertson. 1981. Egg and larval development of the silver warehou, [*Seriolella punctata*] (Pisces: Centrolphidae). New Zealand J. Mar. Freshwater Res. 15:261-266.
- Grimm, H. 1979. Egg size and fecundity within the genus [*Aphanius*] (Pisces; Cyprinodontidae). Meersforsch. Rep. Mar. Res. 27(3):177-185.
- Grimm, H. 1979. Investigations of the evolution of differently scaled populations found in the species [*Aphanius anatoliae*] (Leidenfrost, 1912) Pisces, Cyprinodontidae, Genetics of the egg size. Zeitschrift fur zoologische Systematik und Evolutionsforschung 17(1):66.
- Grimm, S. K. 1983. Changes in time and location of herring ([*Clupea*] [*harengus*] L.) spawning relative to bottom temperature in the Georges Bank and Nantucket Shoals areas, 1971-77. N.W. Atlantic Fish. Organ. Sci. Cons. Stud. 6:15-34.

- Grimm, W. W. 1937. The development of the fins of the goldfish ([*Carassius auratus*]). Ph.D. Diss., Ohio State Univ. 58 pp.
- Grinstead, B. G. 1971. Reproduction and some aspects of the early life history of walleye, [*Stizostedion vitreum*] (Mitchill), in Canton Reservoir, Oklahoma. Pages 41-51 [in] G. E. Hall, editor. Reservoirs fisheries and limnology. Am. Fish. Soc. Spec. Publ. 8.
- Griswold, B. L. 1967. Some aspects of the shore spawning of brook trout ([*Salvelinus fontinalis*] Mitchill). M.S. Thesis, Univ. of Maine, Orono, ME. 64 pp.
- Griswold, B. L. 1968. A tube for observing salmonid eggs in natural redds. *Progressive Fish-Culturist* 30(1):56.
- Griswold, B. L., and L. L. Smith, Jr. 1972. Early survival and growth of the ninespine stickleback, [*Pungitius pungitius*]. *Transactions of the American Fisheries Society* 101(2):350-351.
- Griswold, B. L., and L. L. Smith, Jr. 1973. The life history and trophic relationship of the ninespine stickleback, [*Pungitius pungitius*], in the Apostle Islands area of Lake Superior. *Fish. Bull. NOAA (U.S.)* 71(4):1039-1060.
- Griswold, C. A., and T. W. McKenney. 1984. Larval development of the scup, [*Stenotomus chrysops*] (Pisces: Sparidae). *Fish. Bull.* 82(1):77-84.
- Gritsenko, O. F., and N. I. Shilin. 1979. Reproduction ecology of herring from Nyjsky Bay (Sakhalin Island). *Biologiya Morya In Russian* 1:58-65.
- Grizzle, J. M. 1977. Hematological changes in fingerling channel catfish exposed to malachite green. *Progressive Fish-Culturist* 39(2):90-93.
- Grizzle, J. M., A. C. Mauldin, D. Young, and E. Henderson. 1985. Survival of juvenile striped bass ([*Morone saxatilis*]) and *Morone* hybrid bass ([*M. chrysops*] X [*M. saxatilis*]) increased by addition of calcium to soft water. *Aquaculture* 46(2):167-171.
- Grizzle, J. M., and M. R. Curd. 1978. Post hatching histological development of the digestive system and swim bladders of log perch, [*Percina caprodes*]. *Copeia* 1978(3):448-455.
- Grodyński, Z. 1949. Fat drops in the yolk of the sea trout, [*Salmo trutta*] L. *Bull. Acad. Sci. Cracovie Ser B* 2:59-78.
- Grodzinski, Z. 1967. The yolk of the river lamprey, [*Lampetra fluviatilis*] (L.). *Acta Biol. Cracov. Ser. Zool.* 10:63-68.
- Grodyński, Z. 1968. The yolk of holostean fishes. *Acta Biol. Cracov Ser Zool.* 11:315-323.
- Grodzinski, Z. 1971. Thermal tolerance of the larvae of three selected teleost fishes. *Acta Biol. Cracov. (Zool.)* 14(2):289-298.
- Grodzinski, Z., and W. Kilariski. 1971. Yolk of the Atlantic hagfish, [*Myxine glutinosa*]. *Folia Histochem. Cytochem. (Krakow)* 9:3-12.
- Grodzinski, Z. 1972. The yolk of [*Neoceratodus forsteri*] Krefft (Dipnoi-Pisces). *Acta Biol. Cracov. (Zool.)* 15(2):193-198.
- Grodzinski, Z. 1973. The yolk of [*Polypterus*] sp. (Brachiopterygii, Pisces). *Acta Biol. Cracov. Ser. Zool.* 16(1):87-93.
- Gross, R. W. 1959. A study of the alewife, [*Alosa pseudoharengus*] (Wilson), in some New Jersey lakes, with special reference to Lake Itoptcong. M.S. Thesis, Rutgers Univ. 52 pp.



Grosslein, M. D., and R. C. Hennemuth. 1973. Spawning stock and other factors related to recruitment of haddock on Georges Bank. Pages 77-88 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.

Grout, G. G. 1984. Quantitative distribution of the Black Sea flounder larvae, [*Platichthys flesus luscus*], in Molochniy Lagoon. J. Ichthyol. 24(6):149-155.

Grove, D. J., M. A. Moctezuma, H. R. J. Flett, J. S. Foot, T. Watson, and M. W. Flowerdew. 1985. Gastric emptying and the return of appetite in juvenile turbot, [*Scophthalmus maximus*] L., fed on artificial diets. J. Fish. Biol. 26(3): 339-354.

Grover, J. J., and B. L. Olla. 1986. Morphological evidence for starvation and prey size selection of sea caught larval sablefish, [*Anoplopoma fimbria*]. Fish. Bull. 84(1):484-489.

Grover, J. J., and B.L. Olla. 1987. Effects of an El Nino event on the food habits of larval sablefish, [*Anoplopoma fimbria*], off Oregon and Washington. Fish. Bull., U.S. 85:71-79.

Grover, J. J. 1993. Trophic ecology of pelagic early-juvenile Nassau grouper, [*Epinephelus striatus*], during an early phase of recruitment into demersal habitats. Bulletin of Marine Science 53:1117-1125.

Groves, A. B. 1976. Effects of hydraulic shearing action on juvenile salmon. In: fourth progress report on fisheries engineering research program 1966-72. Rep. No. 40, No. Pacific Div., U.S. Army Corps of Engineers.

Gruber, D., E. H. Ahlstrom, and M. M. Mullin. 1981. Distribution of ichthyoplankton in the southern California Bight. California Coop. Oceanic. Fish. Invest. Rep. XXIII:172-179.

Grudin, P. I. 1961. The effect of food supply on the survival of the [*Azov khamsa*] larvae. Proc. Conf. on fish pop. dynamics 13:454-456. Izdatelstvo Akad. Nauk SSSR.

Grudniewski, C. 1961. The development of some morphological features during the larvae stage of Wdzydze Lake trout, [*Salmo*] [*trutta lacustris* L. Rocz. Nauk Rolniczych 93:595-626.

Grudniewski, C. 1970. Effect of some environmental conditions on the survival of whitefish eggs and larvae. Pages 14-17 [in] Management of whitefish in lakes. Inland Fish. Inst. Olsztyn.

Grudniewski, C., K. Dabrowski, and H. Dabrowski. 1978. A study on the feeding of common carp larvae with dry foods. Rocz. Nauk. Rol. Ser. H 99.

Gruger, E. H., et al. 1976. Sublethal effects of structurally related tetrachlorobiphenyl, pentachlorobiphenyl and hexachlorobiphenyl on juvenile coho salmon. Env. Sci. Tech. 10:1033.

Grygorash, V. A. 1961. Data regarding the feeding habits of larvae of the roach at the stage of mixed feeding. Trudy Soveshchanii Ikhtiologicheskoi Komissii Akademi Nauk SSSR 13:348-352. Transl. Ministry Agric, Fish. and Food, Transl. New Series 16, Lowestoft, England.

Gubanov, Y. P. 1978. The reproduction of some species of pelagic sharks from the equatorial zone of the Indian Ocean. J. Ichthyol. 18(5):781-792.

Gubsch, G. 1982. Zur Verbreitung und zur Biologie der Eisfische (Chaenichthyidae) im atlantischen Sektor der Antarktis. Fischerei Forsch 20:39-47.

- Guderley, H. E., and J. M. Cardenas. 1979. Developmental changes in the pyruvate kinase isozymes of coho salmon. *J. Exp. Zool.* 208(1):1-12.
- Gudger, E. W. 1905. The breeding habits and the segmentation of the egg of the pipefish, [*Siphostoma floridae*]. *Proc. U.S. Nat. Mus.* 29(1431), 1906:447-500.
- Gudger, E. W. 1905b. A note on the eggs and egg-laying of [*Pterophryne*] [*histrion*], the gulfweed fish. *Science, N.S.* 22(573):841-843.
- Gudger, E. W. 1910. Habits and life history of the toadfish ([*Opsanus*] [*tau*]). *Bull. Bur. Fish., Wash.* 28.
- Gudger, E. W. 1912. Oral gestation in the gaff-topsail catfish, [*Felichthys felis*]. *Science* 35:192.
- Gudger, E. W. 1914. History of the spotted eagle ray, [*Aeobatus*] [*narinari*], together with a study of its external characters. *Pap. Tortugas Lab.* 6:241-323.
- Gudger, E. W. 1916. The gaff-topsail ([*Felichthys felis*]): A sea catfish that carries its eggs in its mouth. *Zoologica* 2(5):125-158.
- Gudger, E. W. 1918. Oral gestation in the gaff-topsail catfish, [*Felichthys felis*]. *Carnegie Inst.* 252:25-32.
- Gudger, E. W. 1918. [*Sphyræna barracuda*]; its morphology, habits and history. *Pap. Tortugas Lab.* 12:53-108.
- Gudger, E. W. 1926. A study of the smallest shark-suckers (Echeneididae) on record, with special reference to metamorphosis. *Am. Mus. Novit.*, No. 234:1-26.
- Gudger, E. W. 1927. Hydras as enemies of young fishes. *Nat. Hist., N.Y.* 27:270-274.
- Gudger, E. W. 1928. The smallest known specimens of the sucking fishes, [*Ramora brachyptera*] and [*Rhombochirus osteochir*]. *Am. Mus. Novit.*, No. 294:1-5.
- Gudger, E. W., and B. G. Smith. 1931. The segmentation of the egg of the myxinoid, [*Bdellostoma stouti*], based on the drawings of the late Bashford Dean. [In]: B. Dean Mem. *Vol. Art.* 2:43-62.
- Gudger, E. W. 1934. Coelenterates as enemies of fishes. II. Jellyfishes as fish-eaters. *Bull. N.Y. Zool. Soc.* 37:47-58.
- Gudger, E. W. 1935. Some undescribed young of the pointed-tailed ocean sunfish, [*Masturus lanceolatus*]. *Copeia* 1935(1):35-38.
- Gudger, E. W. 1939. Three six-inch pointed-tailed ocean sunfish, [*Nasturus lanceolatus*], the largest post-larvae on record. *J. Elisha Mitchill Soc.* 55(2):305-313.
- Gudger, E. W. 1940. The breeding habits, reproductive organs, and external embryonic development of [*Chalamydoselachus*], based on notes and drawings by Bashford Dean. *Bull. Am. Mus. Nat. Hist. (Bashford Dean Memor. Vol.)* 7:564-578.
- Gudger, E. W. 1943. Some ctenophore fish-catchers. *Scient. Mon., N.Y.* 57:73-76.
- Gudger, E. W. 1952. The butterfly ray, [*Pteroplatae maclura*], and its intrauterine embryo. *J. Elisha Mitchill Soc.* 68(2):195-198.
- Guerin-Ancey, O. 1973. Contribution to the study of the growth of the young of [*Dicentrarchus labrax*] in the Gulf of Marseilles. *Cah. Biol. Mar.* 14:65-77.
- Guest, W. C., and G. Gunter. 1958. The sea trout or weakfishes (genus [*Cynoscion*]) of the Gulf of Mexico. *Gulf St. Mar. Fish. Comm., Tech. Summ.* 1.

- Guilidov, M. V. 1969. Embryonic development of the pike, [*Esox lucius*], when incubated under different oxygen conditions. *Probl. Ichthyol.* 9:841-851.
- Guillen, G. J., and A. M. Landry. 1980. Species composition and abundance of ichthyoplankton at beachfront and saltmarsh environments. *Proc. 34th Ann. Conf. S. E. Assoc. G & F Comms.* 34:388-403.
- Guillory, V. 1978. Life history of warmouth in Lake Conway, Florida. *Proc. 32nd Ann. Conf. S. E. Assoc. G & F Comms.* 32:490-501.
- Guillory, V. 1979. Life history of chain pickerel in a central Florida lake. *Florida Game Freshwater Fish. Comm., Tallahassee, FL. Fish. Bull. No. 8.*
- Guillory, V., and R. Bejarano. 1980. Evaluation of juvenile menhaden abundance data for prediction of commercial harvest. *Proc. 34th Ann. Conf. S. E. Assoc. G & F Comm.* 34:193-203.
- Guiney, P. D., J. J. Lech, and R. E. Peterson. 1980. Distribution and elimination of a polychlorinated biphenyl during early life stages of rainbow trout (*[Salmo gairdneri]*). *Toxicol. Appl. Pharmacol.* 53:521-529.
- Guitart-Manday, D., and M. Juarez Fernandez. 1966. Embryonic development and first larval stages of [*Epinephelus striatus*] (Perciformes: Serranidae). *Estudios Inst. Oceanol. La Habana* 1:35-45.
- Guitart-Manday, D. 1964. Fishery biology of the swordfish, [*Xiphias gladius*] L. (Teleostomi: Xiphiidae), in Cuban waters. *poeyana Inst. de Biol. la Habana Serie B1:1-37* Transl. from Spanish: *Fish. Res. Bd. Can., Transl. Ser.* 611.
- Guitel, F. 1896. Recherches sur le developement des nageoires paires du [*Cyclopterus lumpus*]. *L. Archs Zool. exp. gen., 3rd ser.* 4:345-470.
- Guitel, F. 1916. Tros stades post-larvaire du [*Lepadogaster*] [*microcephalus*] recoltés par le vaissau Danois Le Thor, pendant ses croisieres de 1909 et 1910. *Arch. Zool. Exp. Gen.* 56(1):1-15.
- Guitierrez-Rodriguez, C., and C.E. Williamson. 1998. Influence of solar ultraviolet radiation on early life-history stages of the bluegill sunfish, [*Lepomis macrochirus*]. *Environ. Biol. Fish.* 55(3): 307-319.
- Gulidov, M. V., and L. G. Solov'yev. 1965. Use of Van Dam's micromethod to determine the rate of oxygen consumption by fish embryos. *Okeanologiya* 5(5):912-917.
- Gulidov, M. V. 1969. Embryogenetical development of the pike, [*Esox*] [*lucius*] L., when incubated under different oxygen conditions. *Am. Fish. Soc. Prob. in Ichthyol.* 9(6):841-851.
- Gulidov, M. V. 1971. On characteristics of embryonal development of some cyprinid fishes as dependent on oxygen regime of incubation. *Dokl. Akad. Nauk SSSR* 197(1): 497-500.
- Gulidov, M. V. 1974. Analysis of specificities of response to chronic hypoxia action of carp (*[Cyprinus carpio]* L.) spawn distinguished by its viability. *Dokl. Akad. Nauk SSSR* 219(2):508-511.
- Gulidov, M. V., and K. S. Popova. 1977. The influence of increased oxygen concentrations on the survival and hatching of the embryos of the bream, [*Abramis brama*]. *J. Ichthyol.* (Engl. transl. *Vopr. Ikhtiolog.*). 17(1):174-177.
- Gulidov, M. V., and K. S. Popova. 1978. Effect of temperature on the survival and certain characteristics of the embryonic development of the kutum, [*Rutilus frisii kutum*]

(Kamemsky). Dokl. Biol. Sci. Engl. transl. Dokl. Akad. Nauk SSSR Ser. Biol. 242(1-6): 464-466.

Gulidov, M. V., and K. S. Popova. 1979. The hatching dynamics and morphological features of larvae of roach, [*Rutilus rutilus*], in relation to incubation temperature. J. Ichthyol. 19(5):87-92.

Gulidov, M. V., and K. S. Popova. 1982. Egg survival, hatching dynamics, and morphological peculiarities of prolarva of kutum, [*Rutilus frisii*] [kutum] (Cyprinidae), in relation to temperature. J. Ichthyol. 22:81-89.

Gulland, J. A. 1964. Survival of the young stages of fish, its relationship to year class strength. ICNAF Symp. B9.

Gulland, J. A. 1965. Survival of the youngest stages of fish, and its relation to year-class strength. ICNAF Spec. Publ. 6:363-371.

Gulland, J. A. 1977. The stability of fish stocks. J. Cons. perm. int. Explor. Mer 37(3):199-204.

Gulseth, O.A., and K.J. Nilssen. 1999. Growth benefit from habitat change by juvenile high-arctic charr. Transactions of the American Fisheries Society 128(4):593-602.

Guma'a, S. A. 1978. The food and feeding habits of young perch, [*Perca*] [*fluviatilis*], in Windermere. Freshwat. Biol. 8:177-187.

Guma'a, S. A. 1978. The effects of temperature on the development and mortality of eggs of perch, [*Perca fluviatilis*]. Freshwater Biol. 8(3):221.

Gunasekera, R. M., and S. S. DeSilva. The amino acid profiles of estuary perch, [*Macquaria colonorum*], during early development at different salinities. Aquatic Living Resources 13(3):153-162.

Gundersen, A. C., K. H. Nedreaas, O. S. Kjesbu, and O. T. Albert. 2000. Fecundity and recruitment variability of Northeast Arctic Greenland halibut during 1980-1998, with emphasis on 1996-1998. Journal of Sea Research 44(1-2):45-54.

Gunkel, G. 1979. Laboratory experiments on the cultivation of young whitefish, [*Coregonus fera*] J.: food intake, gross growth efficiency, and growth of the fry. [In] E. Jaspers et al., editors. Cultivation of fish fry and its live food. Proc. Conf. Szymbark, Europ. Maricult. Soc., Spec. Publ. 4. 32 pp.

Gunkel, G., and H. Kausch. 1979. Feeding and growth of fry and fingerlings of whitefish, [*Coregonus fera*] J. EIFAC Tech. Pap. 35. 20 pp.

Gunkel, G. 1981. Körperzusammensetzung Wachstum und Nahrungnutzung von jungen Sandfelchen ([*Coregonus fera*] Jurine) bei Fütterung mit Terchplankton und im Hunger. Arch. Hydrobiol. 92:419-456.

Gunn, J. M., and W. Keller. 1980. Enhancement of the survival of rainbow trout, [*Salmo*] [*gairdneri*], eggs and fry in an acid lake through incubation in limestone. Canadian Journal of Fisheries and Aquatic Sciences 37:1522-1530.

Gunn, J. M., and W. Keller. 1981. Emergence and survival of lake trout, [*Salvelinus*] [*namaycush*], and brook trout, [*S. fontinalis*], from artificial substrates in an acid lake. Ont. Fish. Tech. Rep. Ser. 1:9 pp.

Gunn, J. M., and W. Keller. 1984. Spawning site water chemistry and lake trout, [*Salvelinus namaycush*], sac fry survival during spring snowmelt. Canadian Journal of Fisheries and Aquatic Sciences 41:319-329.

- Gunn, J. S., B. D. Bruce, D. M. Furlani, R. E. Thresher, and S. J. M. Blaber. 1989. Timing and location of spawning of blue grenadier, [*Macruronus novaezelandiae*] (Teleostei; Merlucciidae) in Australian coastal waters. *Australian Journal of Marine and Freshwater Research* 40:97-112.
- Gunn, J. S., and R. E. Thresher. 1991. Viviparity and the reproductive ecology of clinid fishes (Clinidae) from temperate Australian waters. *Environmental Biology of Fishes* 31:323-344.
- Gunnes, K. 1979. Survival and development of Atlantic salmon eggs and fry at three different temperatures. *Aquaculture* 16(3):211-218.
- Gunter, G. 1938. Seasonal variations in abundance of certain estuarine and marine fishes in Louisiana, with particular reference to life histories. *Ecol. Monogr.* 8(3):313-346.
- Gunter, G. 1945. Studies on the marine fishes of Texas. *Publ. Inst. Mar. Sci.* 1(1):1-190.
- Gunter, G. 1947. Observations on breeding of the marine catfish, [*Galeichthys felis*] (Linnaeus). *Copeia* 1947(4):217-223.
- Gunter, G. 1950. Distributions and abundance of fishes on the Aransas National Wildlife Refuge with life history notes. *Publ. Inst. Mar. Sci.* 1(2):89-102.
- Gunter, G. 1967. Some relationships of estuaries to the fisheries of the Gulf of Mexico. [In] G. H. Lauff, editor. *Estuaries. Am. Assoc. Advmt. Sci., Pub. No. 83: 621-638.*
- Gunstrom, G. K. 1973. Gross physical anomalies in F-1 progeny of irradiated and unirradiated coho salmon. *Transactions of the American Fisheries Society* 102(2):438-442.
- Gunther, A. 1875-1889. On the development of [*Arius*]. In: *Encyclopedia Britannica* (9th ed.), Edinburgh.
- Gupta, S. 1974. Observations on the reproductive biology of [*Mastacembelus armatus*] (Lacepede). *J. Fish. Biol.* 6:13-22.
- Gupta, S. S., and B. A. Subla. 1985. Embryogenesis and larval development of [*Scheyothorax*] [*curvifrons*] Heckel as observed in the laboratory. *Indian J. Fish.* 32(1):100-111.
- Gurko, A. F., and V. M. Naumow. 1964. Most important problems of reproduction of Acipenseridae in the Azov Sea basin. *Tr. Vses. Nauchno-issled. Inst. Morsk. Ryb. Khoz. Okeanogr.* 54:211-221.
- Gurzeda, A., and P. Wolny. 1962. Food and growth of carp fry and the dynamics of food animals. *Rocz. Nauk Rolniczych* 81B(2):151-169.
- Guseva, T. V. 1974. On artificial propagation of the marine pike-perch. (Ob Iskusstvennon Razvedenii morskogo sudaka). *Rybnoe Khozyaistvo* No. 5:10-11.
- Guseva, T. V. 1974. The ecology of spawning and embryonic development of the sea zander, [*Lucioperca marina*] Cuv. *Izv. Akad. nauk. Turkm. SSSR Ser. Brol. Nauk* 2:87-91.
- Guseva, T. V. 1975. Postembryonic development of the sea pike-perch, [*Lucioperca marina*], of the Caspian Sea. *J. Ichthyol.* 15(2):245-256.
- Gutermuth, F. B., L. D. Lentsch, and K. R. Bestgen. 1994. Collection of age-0 razorback suckers ([*Xyrauchen texanus*]) in the Green River, Utah. *Southwestern Naturalist* 39:389-391.
- Guther, E. J. 1970. Characteristics of some larval bothid flatfish and development and distribution of larval spotfin flounder, [*Cyclopsetta fimbriata*] (Bothidae). *Fish. Bull. NOAA (U.S.)* 68(2):261-283.

- Guthrie, M. J. 1922. Cytoplasmic inclusions in cross-activated eggs of teleosts. Ph.D. Diss., Bryn Mawr College, 35 pp.
- Gutierrez, C. H. 1974. Investigación ictioiplanctónica en el Golfo de California en Abril de 1971. Inst. Nal. de Pesca INP/SI:17.
- Gutierrez, C. H., and M. A. Padilla. 1974. Distribución de huevos y larvas de [*Sardina monterrey*] y [*Sardina crinuda*] en el Golfo de California, durante 1973. Trabajo presentado en el V Congreso Nal. de Oceanogr., Guaymas Son 22-25.
- Gutierrez-Rodriguez, C., and C. E. Williamson. 1999. Influence of solar ultraviolet radiation on early life-history stages of the bluegill sunfish, [*Lepomis macrochirus*]. *Environmental Biology of Fishes* 55(3):307-319.
- Gwartney, L. A. 1966. A comparison of Atlantic and landlocked salmon fry raised at two incubating temperatures. M.S. Thesis, Univ. Maine. 60 pp.
- Gwyn, A. M. 1940. The development of the vertebral column of the Pacific herring, [*Clupea pallasii*]. *Journal of the Fisheries Research Board of Canada* 5:11-22.
- Gyurko, I., and Z. Szabo. 1965. Reproduction of [*Barbus*]. 52:41-46.
- Haake, P. W., C. A. Wilson, and J. M. Dean. 1981. A technique for the examination of otoliths by SEM with application to larval fishes. Pages 12-15 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. The fifth annual larval fish conference, Louisiana Coop. Fish. Res. Unit, LSU, Baton Rouge, LA. 86 pp.
- Haaker, P. L. 1975. The biology of the California halibut, [*Paralichthys californicus*] (Ayres) in Anaheim Bay, California. Pages 137-151 [in] The Marine Resources of Anaheim Bay. California Dept. Fish Game, Fish. Bull. 165. 195 pp.
- Haas, H. J. 1962. Studies on mechanisms of joint and bone formation in the skeleton rays of fish fins. *Devel. Biol.* 5(1):1-34.
- Haasan, M. R., and D. J. McIntosh. 1986. Acute toxicity of ammonia to common carp fry. *Aquaculture* 54(1/2):97-108.
- Habib, G. 1979. Reproductive biology of the pufferfish, [*Uranostoma richiei*] (Plectognathi: Lagocephalidae), from Lyttelton Harbour. *New Zealand J. Mar. Freshwater Res.* 13(1):71-78.
- Hackel, E. 1855. Ueber die Eier der Scomberesoces. *Arch. Anat. Physiol.* 23-31.
- Hackney, P. A., W. M. Tatum, and S. L. Spencer. 1967. Life history study of the river redhorse, [*Moxostoma carinatum*] (Cope), in the Cahaba River, Alabama, with notes on the management of the species as a sport fish. *Proc. 21st Ann. Conf. S. E. Assoc. G & F Comms.* 21:324-332.
- Hackney, P. A., G. R. Hooper, and J. F. Webb. 1970. Spawning behavior, age and growth and sport fishery for the silver redhorse, [*Moxostoma anisurum*] (Rafinesque), in the Flint River. *Proc. 24th Ann. Conf. S. E. Assoc. G & F Comms.* 24:569-576.
- Hackney, P. A. 1973. Ecology of the burbot ([*Lota lota*]) with special reference to its role in the Lake Opeongo fish community. Ph.D. Diss., Univ. Toronto.
- Hackney, P. A. 1977. Methods for calculating natural mortality rate, biomass production, and proportion entrained of lacustrine ichthyoplankton. [In] W. van Winkle, editor. Conf. on assessing effects of power-plant-induced mortality on fish populations. CONF-770501. Pergamon Press, NY.

- Hackney, P. A. 1978. Methods for calculating survival rate, biomass production, growth rate, and assessing entrainment of lacustrine ichthyoplankton. Pages 212-249 [in] L. M. Olmsted, editor. Proc. first symp. on freshwater larval fish, Duke Power Co., Charlotte, NC, 251 pp.
- Hackney, P. A., and J. C. Webb. 1978. A method for determining growth and mortality rates of ichthyoplankton. Pages 115-124 [in] L. D. Jensen, editor. Fourth Natl. workshop on entrainment and impingement. Ecol. Anal., Inc., Melville, N.Y. 424 pp.
- Hadley, C. G., et al. 1986. Factors influencing swimbladder inflation by striped bass. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.
- Haedrich, R. L. 1964. Food habits and young stages of North Atlantic [Alepisaurus] (Pisces: Iniomi). Mus. Comp. Zool., Harvard. 201.
- Haefner, P. A., Jr. 1969. Occurrence of a larval alligator fish (Agonidae) in brackish water. Copeia 1969(1):201-202.
- Haegele, C. W., and R. D. Humphreys. 1977. Assessments of herring spawnings in the vicinity of Nanoose Bay, British Columbia. Fish. Mar. Serv. MS Rep. 1437:37 pp.
- Haegele, C. W., and D. N. Outram. 1978. The effects of diet and ration on the growth and survival of Pacific herring ([Clupea harengus] [pallasi]) larvae. Fish. Res. Bd. Can. Fish. Mar. Serv. Tech. Rep. 767:41 pp.
- Haegele, C. W., A. S. Hourston, R. D. Humphreys, and D. C. Miller. 1979. Eggs per unit area in British Columbia herring spawn depositions. Fish. Mar. Serv. Tech. Rep. 894:30 pp.
- Haegele, C. W., and D. C. Miller. 1979. Assessment of 1979 herring spawnings in Chatham Sound, British Columbia. Fish. Mar. Serv. MS Rep. 1545:31 pp.
- Haegele, C. W., D. C. Miller, R. D. Humphreys, and A. S. Hourston. 1979. Assessment of 1979 herring spawnings in the French Creek and Qualicum herring sections, using new egg determination procedures. Fish. Mar. Serv. Tech. Rep. 896:43 pp.
- Haegele, C. W., R. D. Humphreys, and A. S. Hourston. 1981. Distribution of eggs by depth and vegetation type in Pacific herring, [Clupea harengus pallasi], spawnings in southern British Columbia. Canadian Journal of Fisheries and Aquatic Sciences 38:381-386.
- Haegele, C. W., and J. F. Schweigert. 1985. Distribution and characteristics of herring spawning grounds and description of spawning behavior. Can. J. Fish. Aquat. Sci. 42 (Suppl. 1):39-55.
- Haertel, L., and C. Osterberg. 1967. Ecology of zooplankton, benthos and fishes in the Columbia River estuary. Ecology 48(3):459-472.
- Hagelin, L. O. 1959. Further aquarium observations on the spawning habits of the river lamprey ([Petromyzon fluviatilis]). Oikos 10:50-64.
- Hagen H. K. 1956. Age, growth and reproduction of the mountain whitefish in Phelps Lake, Wyoming. Ph.D Diss., Univ. Wash. 176 pp.
- Hagen, P. T., and T.J. Quinn II. 1991. Long-term growth dynamics of young Pacific halibut: evidence of temperature-induced variation. Fisheries Research 11:283-306.
- Hagenmaier, H. E. 1969. Nucleic acid and ribo-nucleoprotein status during early development of fish embryos ([Salmo irideus] and [Salmo trutta fario]). Wilhelm Roux' Arch. Entwicklungsmech. Org. 162:19-40.

- Hagenmaier, H. E., and R. Wilhelm. 1972. Hatching process in fish. I. The structure of the egg shell and its changes during the development of the germ in the trout, [*Salmo trutta fario*] L. *Experientia* (Basel) 28(5):605-607.
- Hagenmaier, H. E. 1973. The hatching process in fish embryos: III. The structure, polysaccharide and protein cytochemistry of the chorion of the trout egg, [*Salmo gairdneri*] (Rich). *Acta Histochem.* 47:61-69.
- Hagenmaier, H. E. 1974. The hatching process in fish embryos: IV. The enzymological properties of a highly purified enzyme (Chorionase) from the hatching fluid of the rainbow trout, [*Salmo gairdneri*] Rich. *Comp. Biochem. Physiol.* 498:313-324.
- Hagenmaier, H. E. 1974. The hatching process in fish embryos. V. Characterization of the hatching protease (Chorionase) from the perivitelline fluid of the rainbow trout, [*Salmo gairdneri*] Rich, as a metalloenzyme. *Wilhelm Roux' Arch Entwicklunsgsmech Org.* 75:157-162.
- Hagenmaier, H. E. 1974. The hatching process in fish embryos. VI. Development, structure, and function of the hatching gland cells of the rainbow trout, [*Salmo gairdneri*] Rich. *Z. Morph. Tiere* 79:233-244.
- Hagerman, F. B. 1952. The biology of the Dover sole, [*Microstomus*] [*pacificus*] (Lockington). *California Dept. Fish Game, Fish Bull.* 85, 48 pp.
- Hagstrom, B. E., and S. Lonning. 1968. Electron microscopic studies of unfertilized and fertilized eggs from marine teleosts. *Sarsia* 33:73-80.
- Hahlbeck, E. 1973. Untersuchungen uber das Voksomme von Heringslarven in des Northchen Nord Sea, 1970-71. *Fisk. Forsch* 11:53-60.
- Haigh, E. H. 1972. Larval development of three species of economically important South African fishes. *Ann. S. Afr. Mus.* 59(3):47-70.
- Haigh, E. H. 1972. Development of [*Trachurus trachurus*] (Carangidae), the South African maasbanker. *Ann. A. Afr. Mus.* 59(8):139-149.
- Haight, C. A., H. G. Moser, and P. E. Smith. 1979. Data entry programs: CalCOFI. II. Fish eggs and larvae identification sheet. *SW Fish. Center, NMFS Adm. Rep.* LJ-79-25.
- Haines, G. B., D. W. Beyers, and T. Modde. 1998. Estimation of winter survival, movement, and dispersal of young Colorado squawfish in the Green River, Utah. Final report of Colorado State University Larval Fish Laboratory to Recovery Implementation Program for the Endangered Fishes in the Upper Colorado River Basin, Denver, Colorado.
- Hair, E. M. 1973. Effects of dieldrin on walleye egg development, hatching and fry survival. *Diss. Abstr. Int.* 33B:4038.
- Hakanson, J. L. 1989. Analysis of lipid components for determining the condition of anchovy larvae, [*Engraulis mordax*]. *Mar. Biol.* 102:143-151.
- Hakanson, J. L. 1989. Condition of larval anchovy ([*Engraulis mordax*]) in the southern California Bight, as measured through lipid analysis. *Mar. Biol.* 102:153-159.
- Hakanson, J. L. 1993. Nutritional condition and growth rate of anchovy larvae ([*Engraulis mordax*]) in the California Current - 2 contrasting years. *Marine Biology* 115:309-316.
- Hakanson, J. L., S. H. Coombs, and P. Re. 1994. Lipid and elemental composition of sprat ([*Sprattus sprattus*]) larvae at mixed and stratified sites in the German Bight of the North Sea. *Ices Journal of Marine Science* 51:147-154.
- Hakkila, K., and A. Niemi. 1973. Effects of oil and emulsifiers on eggs and larvae of northern pike ([*Esox lucius*]) in brackish water. *Aqua Fennica* (Univ. Turku, Finland) ? :44-59.



Halbeisen, H.-W. 1988. Bestimmungsschlüssel für fischlarven der Nordsee und angrenzender Gebiete. Ber. Inst. Meeresk. Nr. 178. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)

Haldorson, L., M. Prichett, A. J. Paul, and D. Ziemann. 1993. Vertical distribution and migration of fish larvae in a northeast Pacific Bay. Marine Ecology - Progress Series 101:67-80.

Hale, J. G. 1960. Some aspects of the life history of the smelt ([*Osmerus mordax*]) in western Lake Superior. Minn. Fish. Invest. Ser. 2:25-41.

Hale, J. G. 1968. Observations on brook trout, [*Salvelinus fontinalis*] spawning in ten gallon aquaria. Transactions of the American Fisheries Society 97(3):299-305.

Hale, J. G., and D. A. Hilden. 1969. Spawning and some aspects of early life history of brook trout, [*Salvelinus fontinalis*] (Mitchill), in the laboratory. Transactions of the American Fisheries Society 98(3):473-477.

Hale, J. G. 1970. White sucker spawning and culture of the young in the laboratory. Progressive Fish-Culturist 32:169.

Hale, J. G. 1970. Culture of lake herring in the laboratory. Progressive Fish-Culturist

Hale, J. G., and A. R. Carlson. 1972. Culture of the yellow perch in the laboratory. Progressive Fish-Culturist 34(4):195-198.

Hall, A. R. 1925. Effects of oxygen and carbon dioxide on the development of whitefish. Ecology 6:104-116.

Hall, B. 1983. Epigenetic control in development and evolution. Pages 353-380 [in] G. C. Goodwin et al., editors. Development and evolution. Cambridge Univ. Press.

Hall, H. D. 1979. The spatial and temporal distribution of ichthyoplankton of the upper Atchafalaya Basin. M.S. Thesis, LSU, Baton Rouge, LA.

Hall, L. W., Jr., D. T. Burton, and L. B. Richardson. 1981. Comparison of ozone and chlorine toxicity to the developmental stages of striped bass, [*Morone saxatilis*]. Canadian Journal of Fisheries and Aquatic Sciences 38(7):752-757.

Hall, L. W., Jr., D. T. Burton, W. C. Graves, and S. L. Margrey. 1981. Effects of dechlorination on early life stages of striped bass, [*Morone saxatilis*]. Env. Sci. Tech. 15:573-578.

Hall, L. W., Jr., L. O. Horseman, and S. Zeger. 1984. Effects of multiple organic and inorganic contaminants on fertilization, hatching success and prolarval survival of striped bass, [*Morone saxatilis*]. Archives Env. Contam. Toxicol. 13:723-729.

Hall, L. W., Jr., A. E. Pinkney, L. O. Horseman, and S. E. Finger. 1985. Mortality of striped bass larvae in relation to contaminants and water quality in a Chesapeake Bay tributary. Transactions of the American Fisheries Society 114(6): 861-868.

Hall, L.W., Jr., S. E. Finger and M. C. Ziegenfuss. 1993. A review of in situ and on-site striped bass contaminant and water-quality studies in Maryland waters of the Chesapeake Bay watershed. [In] L. A. Fuiman, editor. Water quality and the early life stages of fishes. American Fisheries Society Symposium 14. 192pp.

Halliday, R. G. 1969. Reproduction and feeding of [*Argentina sphyraena*] (*Isospondyli*) in the Clyde Sea area. J. Mar. Biol. Assoc. U.K. 49:785-803.

- Halling, F. 1978. Autumn-spawning herring larvae and the abundance of copepods off the alan Islands in September-November 1977. Int. Counc. Explor. Sea C.M. 1978/J:20. 9 pp.
- Halter, M. T., and H. E. Johnson. 1974. Acute toxicities of a polychlorinated biphenyl (PCB) and DDT alone and in combination to early life stages of coho salmon ([*Oncorhynchus kisutch*]). Journal of the Fisheries Research Board of Canada 31:1543-1547.
- Hamada, K. 1961. Taxonomic and ecological studies of the genus [*Hypomesus*] of Japan. Mem. Fac. Fish. Hokkaido Univ. 9(1):1-55.
- Hamada, K. 1968. Development of a goby, [*Chaenogobius urotaenia*], with special reference to the gill and chloride cell. Bull. Fac. Fish. Hokkaido Univ. 19:185-197.
- Hamada, T. 1966. Studies on fluctuation in the abundance of larval sand lance in the Harima-nada and Osaka Bay. I. Relation between the progeny-abundance and the age composition of parent fish. Bull. Jap. Soc. Sci. Fish. 32(5):393-398.
- Hamada, T. 1966. Studies on the fluctuation in the abundance of larval sandlance in the Harama-Nada and Osaka Bay. II. The distribution and its seasonal change of larval fish. Bull. Jap. Soc. Sci. Fish. 32(5):399-405.
- Hamada, T. 1966. Studies on the fluctuation in the abundance of larval sandlance in the Harama-Nada and Osaka Bay. III. Relationship to weather and sea conditions during the breeding season. Bull. Jap. Soc. Sci. Fish. 32(7):579-584.
- Hamada, T. 1967. Studies on the fluctuation in the abundance of larval sandlance in the Harama-Nada and Osaka Bay. IV. Relationship between the number of eggs and the catch of 0-age fish. Bull. Jap. Soc. Sci. Fish. 33(5):410-416.
- Hamada, T. 1968. Studies on fluctuation in the abundance of larval sand-lance in the Harima-Nada and Osaka Bay. V. Secular variation of catch and change of fisheries. Bull. Jap. Soc. Sci. Fish. 34:988-996.
- Hamaguchi, S., and N. Egami. 1975. Post-irradiation changes in oocyte populations in the fry of the fish, [*Oryzias latipes*]. Int. J. Radiat. Biol. 28:279.
- Hamai, I., and K. Kyushin. 1966. Effects of temperature on the form and mortality during the embryonic and early larval stages in the greenling, [*Hexagrammis otaki*] Jordan and Starks. Bull. Fac. Fish. Hokkaido Univ. 7:1-32.
- Hamai, I., K. Kyushin, and T. Kinoshita. 1971. Effect of temperature on the body form and mortality in the developmental and early larval stages of the Alaska pollock, [*Theragra chalcogramma*] (Pallas). Bull. Fac. Fish. Hokkaido Univ. 22:11-29.
- Hamai, I., K. Kyushin, and T. Kinoshita. 1971. Effect of temperature on the body form and mortality in the developmental and early larval stages of the Alaska pollock, [*Theragra chalcogramma*] (Pallas). Bull. Fac. Fish. Hokkaido Univ. 22(1):11-29.
- Hamai, I., K. Kyushin, and T. Konoshita. 1974. On the early larval growth, survival and variations of body form in the walleye pollock, [*Theragra*] [*chalcogramma*] (Pallas), in rearing experiment feeding the different diets. Bull. Fac. Fish. Hokkaido Univ. 25:20-35.
- Hamann, I., H.-Chu. John, and E. Mittlestaedt. 1981. Hydrography and its effect on fish larvae in the Mauritanian upwelling area. Deep-Sea Research 28A:561-575.
- Hamano, S., and S. Kubo. 1954. On the electrophoretic difference between activated and fertilized eggs of the pond smelt [*Hypomesus*] [*olidus*] Pallas. Bull. Fac. Fish., Hokkaido Univ., 5.
- Hambrick, P. S., and H. W. Robison. 1979. Life history aspects of the paleback darter, [*Etheostoma pallidorsum*] (Pisces: Percidae), in the Caddo River system, Arkansas. Southwest. Nat. 24(3):475-484.

- Hamdorf, K. 1961. Die Beeinflussung der Embryonal und Larvalentwicklung der Regenbogenforelle ([*Salmo irideus*] Bigg.) durch die Umweltfaktoren O<sub>2</sub> -- Partialdruck und Temperatur. Z. Vergl. Physiol. 44:523-549.
- Hamed, M. S., O. M. Gabr, and M. M. H. Ghoneim. 1984. Development and distribution of taste buds in [*Oryzias latipes*] and their functional significance. Jap. J. Ichthyol. 31(3):335-337.
- Hamer, P. A., and G. P. Jenkins. 1997. Larval supply and short-term recruitment of a temperate zone demersal fish, the King George whiting, [*Sillaginodes punctata*] Cuvier and Valenciennes, to an embayment in south-eastern Australia. Journal of Experimental Marine Biology and Ecology 208:197-214.
- Hamid, K. M. 1929. Early stages in the development of goldfish, [*Carassius auratus*]. J. Bombay Nat. Hist. Soc. 33:614-617.
- Hamilton, J. G., and P. M. Powles. 1979. Feeding habits and growth of young-of-the-year largemouth bass ([*Micropterus salmoides*]) near its northern limit, Nogies Creek, Ontario. Canadian Journal of Zoology 57(7):1431-1437.
- Hamis, A. H. H. 1972. On young mullet from the Black Sea and the southeast Mediterranean Sea. Tr. Vses. Nauchno-Issled. Inst. Morsk. Ryb. Khoz. Okeanogr. (VNIRO) 90:142-147.
- Hamlett, W. C., and J. P. Wourms. 1978. Differentiation of a transient larval adaptation: cement secreting glands of angelfish. Am. Zool. 18:608.
- Hamley, J. M., T. P. Howley, and A. L. Punhani. 1983. Estimating larval fish abundances from plankton net catches in Long Point Bay, Lake Erie, in 1971-78. J. Great Lakes Res. 452-467.
- Hamman, R. L. 1981. Spawning and culture of Colorado squawfish in raceways. Progressive Fish-Culturist 43:173-177.
- Hamman, R. L. 1986. Induced spawning of hatchery reared Colorado squawfish. Progressive Fish-Culturist 48:72-74.
- Hamner, W. M., M. S. Jones, J. H. Carleton, I. R. Hauri, and D. M. Williams. 1988. Zooplankton, planktivorous fish, and water currents on a windward reef face: Great Barrier Reef, Australia. Bull. Mar. Sci. 42: 459-479.
- Hammer, C. 1985. Feeding behavior of roach ([*Rutilus rutilus*]) larvae and the fry of perch ([*Perca fluviatilis*]) in Lake Lankau. Arc. Hydrobiol. 103(1): 61-74.
- Hammond, B. R. 1968. Effects of incubation temperature on oxygen consumption of largemouth bass, embryos, and larvae. Ann. Res. Rep., New York Coop. Fish. Res. Unit 1:33-36.
- Hamor, T., and E. T. Garside. 1973. Peroxisome-like vesicles and oxidative activity in the zona radiata and yolk of the ovum of the Atlantic salmon ([*Salmo salar*] L.). Comp. Biochem. Physiol. 45B:147-151.
- Hamor, T., and E. T. Garside. 1975. Regulation of oxygen consumption by incident illumination in embryonated ova of Atlantic salmon, [*Salmo salar*] L. Comp. Biochem. Physiol. 52A:277-280.
- Hamor, T., and E. T. Garside. 1976. Developmental rates of embryos of Atlantic salmon, [*Salmo salar*] L., in response to various levels of temperature, dissolved oxygen, and water exchange. Canadian Journal of Zoology 54:1912-1917.

- Hamor, T., and E. T. Garside. 1977. Size relations and yolk utilization in embryonated ova and alevins of Atlantic salmon, [*Salmo salar*] L., in various combinations of temperature and dissolved oxygen. *Canadian Journal of Zoology* 55:1892-1898.
- Hamre, J. 1994. Biodiversity and exploitation of the main fish stocks in the Norwegian - Barents sea ecosystem. *Biodiversity and Conservation* 3:473-492.
- Hamre, K. I. Opstad, M. Espe, J. Solbakken, G.I. Hemre, and K. Pittman. 2002. Nutrient composition and metamorphosis success of Atlantic halibut (*[Hippoglossus hippoglossus]*, L.) larvae fed natural zooplankton or [*Artemia*]. *Aquaculture Nutrition* 8(2):139-148.
- Hanamura, N. 1966. Salmon of the North Pacific Ocean - Part III. A review of the life history of North Pacific salmon I. Sockeye salmon in the far east. *Int. North Pac. Fish. Comm. Bull.* 18:1-27.
- Hanavan, M. G., and B. E. Skud. 1954. Intertidal spawning of pink salmon. *U.S. Fish. Wildl. Serv. Fish. Bull* 56:167-176.
- Hancock, R. S. 1979. The annual cycle of intraovarian egg size and fecundity of the barbel, [*Barbus barbus*], in the River Severn. *Freshwater Biol.* 9(6):535-542.
- Hankinson, T. L. 1919. Notes on the life-histories of Illinois fish. *Trans. Illinois Acad. Sci.* 12:132-150.
- Hankinson, T. L. 1930. Breeding behavior of the silverfin minnow, [*Notropis*] [*whipplii* *spilopterus*] (Cope). *Copeia* 1930(3):73-74.
- Hankinson, T. L. 1932. Observations on the breeding behavior and habits of fishes in southern Michigan. *Pap. Mich. Acad. Sci. Arts. and Letters.* 15:411-425.
- Hansen, B. N., W. H. Bason, B. E. Beitz, and K. E. Charles. 1978. Practicality of profile-wire screen in reducing entrainment and impingement. Pages 195-233 [in] R. K. Sharma and J. B. Palmer, editors. *Larval exclusion systems for power plant cooling water intakes.* Argonne Natl. Lab., Argonne, IL. ANL/ES-66.
- Hansen, D. F. 1951. Biology of the white crappie in Illinois. *Bull. Illinois Nat. Hist. Surv.* 25 (4):211-265.
- Hansen, D. J. 1969. Food, growth, migration, reproduction, and abundance of pinfish, [*Lagodon rhomboides*], and Atlantic croaker, [*Micropogon undulatus*], near Pensacola, Florida, 1963-65. *Fish. Bull. NOAA (U.S.)* 68(1):135-146.
- Hansen, D. J. 1975. Effects of Arochlor on embryos, fry, juveniles, and adults of sheepshead minnows (*[Cyprinodon] [variegatus]*). *Transactions of the American Fisheries Society* 104(3):584-588.
- Hansen, D. J., and P. R. Parrish. 1977. Suitability of sheepshead minnows, [*Cyprinodon*] [*variegatus*], for life-cycle toxicity tests. [In] F. L. Mayer and J. L. Hamelink, editors. *Aquatic toxicology and hazard evaluation.* Am. Soc. Testing Mat. 117.
- Hansen, D. J., L. R. Goodman, and A. J. Wilson, Jr. 1977. Kepone: chronic effects on embryo, fry, juvenile and adult sheepshead minnows (*[Cyprinodon variegatus]*). *Ches. Sci.* 18(2):227-232.
- Hansen, D. J., S. C. Schimmel, and J. Forester. 1977. Endrin: effects on the entire life cycle of a saltwater fish, [*Cyprinodon variegatus*]. *J. Toxicol. Env. Health* 3(4):721-733.
- Hansen, D. W. 1952. Life history studies of the trout of Pathfinder Reservoir, Wyoming. MS Thesis, Iowa State College. 55 pp.

- Hansen, G. H., E. Strom, and J. A. Olafsen. 1992. Effect of different holding regimens on the intestinal microflora of herring (*[Clupea harengus]*) larvae. *Applied and Environmental Microbiology* 58:461-470.
- Hansen, M. J., and D. W. Hayne. 1962. Sea lamprey larvae in Ogonty Bay and Ogonty River, Michigan. *J. Wildl. Mgmt.* 26(3):237-247.
- Hansen, M. J., and D. W. Hayne. 1962. Sea lamprey larvae in Ogontz Bay and Ogontz River, Michigan. *J. Wildl. Mgmt.* 26(3):237-247.
- Hansen, M. J., and T. M. Stauffer. 1964. Cadmium sulfide and mercuric sulfide for marking sea lamprey larvae. *Transactions of the American Fisheries Society* 93(1):21-26.
- Hansen, M. J., and D. H. Wahl. 1981. Selection of small [*Daphnia pulex*] by yellow perch fry in Oneida Lake, New York. *Transactions of the American Fisheries Society* 110:64-71.
- Hansen, P. 1968. Report on cod eggs and larvae. *Spec. Publ. Int. Commn. N.W. Atlantic. Fish.* 7(pt. 1):127-137.
- Hansen, P. 1968. Report on wolffish larvae in west Greenland waters. *Spec. Publ. Int. Commn. N.W. Atlant. Fish.* 7(pt. 1):183-185.
- Hansen, P. M. 1952. Cod eggs and larvae. *Annl. Biol.* VIII.
- Hansen, P. M. 1957. Greenland. Cod fry and small cod in coastal waters and on the offshore banks of west Greenland, 1955. *Ann. Biol.* 12(1955):128-129.
- Hansen, P. M. 1958. Greenland. Cod fry and small cod in coastal waters and on the offshore banks of west Greenland, 1956. *Ann. Biol.* 13(1956):128-130.
- Hansen, P. M. 1959. Greenland. Cod fry and small cod in coastal waters and on the offshore banks of west Greenland, 1957. *Ann. Biol.* 14(1957):103-105.
- Hansen, P. M. 1960. Greenland. Cod fry and small cod in coastal waters and on the offshore banks of west Greenland, 1958. *Ann. Biol.* 15(1958):84-86.
- Hansen, P. M. 1961. Greenland. Cod fry and small cod in coastal waters and on the offshore banks of west Greenland in 1959. *Ann. Biol.* 16(1959):113-115.
- Hansen, P. M. 1962. Cod fry - small cod - from Greenland. *Annl. Biol.* XVII.
- Hansen, P. M. 1963. Cod fry - Greenland waters. *Annl. Biol.* XVIII.
- Hansen, P. M. 1964. Cod fry - Greenland waters. *Annl. Biol.* XIX.
- Hansen, P. M. 1965. Baby codfish - Greenland. *Annl. Biol.* XX.
- Hansen, P. M. 1968. Report on cod eggs and larvae. *Int. Comm. Northwest Atl. Fish. Spec. Publ.* 7:127-137.
- Hansen, S. J., and J. H. Youson. 1978. Cell renewal in the epithelium of the alimentary tract of the larval lamprey, [*Petromyzon marinus*] L. *J. Morph.* 155(2):219-236.
- Hansen, S. J., and J. H. Youson. 1978. Morphology of the epithelium in the alimentary tract of the larval lamprey, [*Petromyzon marinus*] L. *J. Morph.* 155(2):193-218.
- Hansen, T. 1985. Artificial hatching substrate: effect on yolk absorption, mortality and growth during first feeding of sea trout (*[Salmo trutta]*). *Aquaculture* 46(4):275-286.
- Hansen, T., and K. R. Torrissen. 1985. Artificial hatching substrate and different times of transfer to first feeding: effect on growth and protease activity of the Atlantic salmon, [*Salmo*] [*salar*]. *Aquaculture* 48(2):177-188.

Hansen, V. K., and K. P. Anderson. 1961. Recent Danish investigations on the distribution of larvae of [*Sebastes marinus*] in the North Atlantic. Rapp. P.-v. Cons. int. Explor. Mer 150:201-215.

Hanson, B. N., W. H. Bason, B. E. Beitz, and K. E. Charles. 1978. A practical intake screen which substantially reduces the entrainment and impingement of early life stages of fishes. Pages 393-408 [in] L. D. Jensen, editor. Fourth national workshop on entrainment and impingement. Ecological Analysts Comm., Towson, MD. 424 pp.

Hanson, D. J., S. C. Schimmel, and J. Forrester. 1973. Arochlor 1254 in eggs of sheepshead minnows: effects of fertilization success and survival of embryos and fry. Proc. 27th Ann. Conf. S. E. Assoc. G & F Comm. 27:420-426.

Hanson, J. M., and S. U. Quadri. 1979. Seasonal growth, food, and feeding habits of young-of-the-year black crappie in the Ottawa River. Can. Field-Nat. 93(3):232-238.

Hanson, L. H., E. L. King, Jr., J. H. Howell, and A. J. Smith. 1974. A culture method for sea lamprey larvae. Progressive Fish-Culturist 36(3):122-128.

Hanson, L. H., J. R. White, and H. W. Li. 1977. Entrapment and impingement of fishes by power plant cooling water intakes: an overview. Mar. Fish. Rev. 39(10):7-17.

Hanson, P. J., and D. E. Hoss. 1986. Trace metal concentrations in menhaden larvae, [*Brevoortia patronus*], from the northern Gulf of Mexico. Estuarine, Coast. Shelf Sci. 23:305-315.

Hanson, R. C., and W. R. Fleming. 1979. Serum cortisol levels of juvenile bowfin, [*Amia*] [*calva*]: effects of hypophysectomy, hormone replacement and environmental salinity. Comp. Biochem. Physiol. 63(4):499-502.

Hanson, R. C., D. Duff, J. Brehe, and W. R. Fleming. 1976. The effect of various salinities, hypophysectomy, and hormone treatments on the survival and sodium and potassium content of juvenile bowfin, [*Amia calva*]. Physiol. Zool. 49:376.

Hanyu, I. 1956. On the age and growth of argentine, [*Argentina*] [*semifasciata*] Kishinouye. Bull. Jap. Soc. Sci. Fish. 21(9):991-999.

Happe, A., E. Quillet, and B. Chevassus. 1988. Early life history of triploid rainbow trout (*[Salmo gairdneri]* Richardson) . Aquaculture 71:107-118.

Hara, S., H. Kohno, and Y. Taki. 1986. Spawning behavior and early life history of the rabbitfish, [*Siganus guttatus*], in the laboratory. Aquaculture 59(3/4):273-286.

Harache, Y., G. Boeuf, and P. Lasserre. 1980. Osmotic adaptation of [*Oncorhynchus kisutch*] Walbaum. III. Survival and growth of juvenile coho salmon transferred to sea water at various times of the year. Aquaculture 19(3):253-273.

Harada, E. 1962. A contribution to the biology of the black rockfish, [*Sebastes inermis*] Cuvier et Valenciennes. Publ. Seto Mar. Biol. Lab. 10:307-361.

Harada, K. 1982. The attractive effect of food based upon the behavioral response of juvenile yellowtail, [*Seriola*] [*quinqueradiata*]. Bull. Jap. Soc. Sci. Fish. 48:1047-1054.

Harada, K. 1985. Feeding attraction activity of amino acids and lipids for juvenile yellowtail. Bull. Jap. Soc. Sci. Fish. 51:453-459.

Harada, K., and A. Ohwada. 1983. Statistical approach to finding probable feeding attractants for juvenile yellowtail. Bull. Jap. Soc. Sci. Fish. 49:1541-1546.

Harada, K., and H. Matsuda. 1984. Feeding attractant in chemical constituents from the mid-gut gland of squid for juvenile yellowtail. Bull. Jap. Soc. Sci. Fish. 50:623-626.

- Harada, T., K. Mizuno, O. Murata, S. Miyashita, and H. Hurutani. 1971. On the artificial fertilization and rearing of larvae in yellowfin tuna. Mem. Fac. Agric. Kinki Univ. (4):145-151.
- Harada, T., O. Murata, and H. Furutani. 1973. On the artificial fertilization and rearing of larvae in Marusoda, [*Auxis tapeinosoma*]. Mem. Fac. Agric. Kinki Univ. 6:113-116.
- Harada, T., O. Murata, and S. Miyashita. 1973. On the artificial fertilization and rearing of larvae in Hirasoda, [*Auxis thazard*]. mem. Fac. Agric. Kinki Univ. (6):109-112.
- Harada, T., O. Murata, and S. Miyashita. 1974. On the artificial fertilization and rearing of larvae in bonito. Mem. Fac. Agric. Kinki Univ. (7):1-4.
- Hard, J. J. 1984. Rearing performance of juvenile chinook salmon (*Oncorhynchus tshawytscha*) in two fishless lakes in southeastern Alaska. M.S. Thesis, Univ. Alaska, Juneau, AK.
- Hard, J. J. 1986. Production and yield of juvenile chinook salmon in two Alaskan lakes. Transactions of the American Fisheries Society 115:305-313.
- Harden Jones, F. R. 1955. Photo-kinesis in the ammocoete larvae of the brook lamprey. J. Exp. Biol. 32:492-503.
- Hardenberg, J. D. F. 1937. On the method for catching plankton of different depths. Treubia 16:51-53.
- Harder, W. 1952. Zur postembryonalen Entwicklung des Darmes beim Hering, [*Clupea harengus*] L. Zh. Anat. u. Entwgesch. 116:379-398.
- Harder, W. 1953. Zum formwachstum des Herings, [*Clupea harengus*] L. Z. Morph. u. Okor Tiere 42:209-224.
- Harder, W. 1954. Die entwicklung der respirationsorgane beim hering, [*Clupea harengus*] L. Zh. Anat. Entwgesch. 118:102-123.
- Harder, W. 1968. Reactions of planktonic organisms to water stratification. Limnol. Oceanogr. 13:156-168.
- Harding, D., J. M. Nichols, and D. S. Tungate. 1969. Comparative tests with high speed plankton samplers. ICES CM 1969L. 19 pp.
- Harding, D., and J. W. Talbot. 1973. Recent studies on the eggs and larvae of the plaice (*Pleuronectes platessa*) L.) in the Southern Bight. Rapp. P.-v. Reun. Cons. int. Explor. Mer 164:261-269.
- Harding, D. 1974. The biology of fish larvae with particular reference to the plaice (*Pleuronectes platessa*) L.). Pages 55-66 [in] F. R. H. Jones, editor. Sea fisheries Research. Paul Elek (Scientific Books), London.
- Harding, D., J. H. Nichols, and J. D. Riley. 1974. Preliminary estimate of egg production and mortality in the 1968 North Sea cod spawn. ICES CM 1974/F:21. 4 pp.
- Harding, D., and J. H. Nichols. 1977. Preliminary observations on the distribution, abundance, survival and drift of eggs and larval stages of cod and plaice in the west central North Sea in 1976. Intl. Counc. Explor. Sea C.M. 1977/F:21, Copenhagen, Denmark.
- Harding, D., J. H. Nichols, and D. S. Tungate. 1978. The spawning of plaice (*Pleuronectes platessa*) in the southern North Sea and English Channel. Pages 102-113 [in] Symp. on North Sea fish stocks - recent changes and their causes. Const. Int. Explor. Mer Rapp. P.-v. Reuns. Vol. 172.

- Harding, G. C., and R.W. Trites. 1988. Dispersal of [*Homarus americanus*] larvae in the Gulf of Maine from Browns Bank. *Can. J. Fish. Aquat. Sci.* 45:416-425.
- Harding, P., and G. P. Arnold. 1971. Flume experiments on the hydrodynamics of the Lowestoft high-speed plankton samplers. *J. Cons. CIEM* 34(1):24-36.
- Hardisty, M. W. 1944. The life history and growth of the brook lamprey (*Lampetra planeri*). *J. Anim. Ecol.* 13:110-122.
- Hardisty, M. W. 1951. Duration of the larval period in the brook lamprey (*Lampetra planeri*). *Nature, Lond.* 167(4236):38-39.
- Hardisty, M. W. 1957. Osmotic condition during the embryonic and early life of the brook lamprey, [*Lampetra planeri*]. *J. Exp. Biol.* 34:237-252.
- Hardisty, M. W. 1961. Oocyte numbers as a diagnostic character for the identification of ammocoete species. *Nature, London* 191:1215-1216.
- Hardisty, M. W. 1961. The growth of larval lampreys. *J. Anim. Ecol.* 30:357-371.
- Hardisty, M. W. 1965. Sex differentiation and gonadogenesis in lampreys. II. The ammocoete gonads of the landlocked sea lamprey, [*Petromyzon marinus*] L. *Journal of Zoology (London)* 146:346-387.
- Hardisty, M. W., and J. Cosh. 1966. Primordial germ cells and fecundity.
- Hardisty, M. W. 1969. A comparison of gonadal development in the ammocoetes of the landlocked and anadromous forms of the sea lamprey [*Petromyzon marinus*] L. *J. Fish. Biol.* 1:153-166.
- Hardisty, M. W. 1969. Information on the growth of the ammocoete larva of the anadromous sea lamprey, [*Petromyzon marinus*] in British rivers. *Journal of Zoology Lond.* 159:139-144.
- Hardisty, M. W., and R. J. Huggins. 1970. Larval growth in the river lamprey, [*Lampetra fluviatilis*]. *Journal of Zoology* 161(4):549-559.
- Hardisty, M. W., I. C. Potter, R. Sturge. 1970. A comparison of the metamorphosing and macrophthalmia stages of the lampreys, [*Lampetra fluviatilis*] and [*L. planeri*]. *Journal of Zoology Lond.* 162:383-400.
- Hardisty, M. W., and I. C. Potter. 1971. The behavior, ecology and growth of larval lampreys. Pages 85-125 [in] M. W. Hardisty and I. C. Potter, editors. *The biology of lampreys*. Vol. 1. Academic Press, London. 423 pp.
- Hardwick, J. E. 1973. Biomass estimate of spawning herring (*Clupea harengus pallasii*), herring eggs, and associated vegetation in Tomales Bay. *California Fish and Game* 59:36-61.
- Hardwick, J. E. 1973. Biomass estimates of spawning herring, [*Clupea harengus pallasii*], herring eggs and associated vegetation in Tomales Bay. *California Fish and Game* 59(1):36-61.
- Hardy, A. C. 1936. The continuous plankton recorder. "Discovery" Rep. 11:457-510.
- Hardy, A. C. 1939. Ecological investigations with the continuous plankton recorder: object plan, and methods. *Hull Bull. Mar. Ecol.* 1:1-57.
- Hardy, A. C. 1953. Some problems of pelagic life. Pages 101-121 [in] S. M. Marshall and A. P. Orr, editors. *Essays in marine biology (Richard Elmhirst Mem. Lect.)*. Oliver and Boyd, Edinburgh, Scotland.



- Hardy, J. D., Jr. 1974. Seasonal occurrence of eggs, larvae and juveniles of fishes in the Chesapeake and Delaware Canal and adjacent waters. Univ. Md. Nat. Resourc. Inst. Ref. 74-155. 9 pp.
- Hardy, J. D., Jr., and R. K. Johnson. 1974. Descriptions of halfbeak larvae and juveniles from Chesapeake Bay (Pisces: Hemiramphidae). Ches. Sci. 15(4):241-246.
- Hardy, J. D., Jr., and L. L. Hudson. 1975. A key to the eggs of Cyprinodontid fishes of the Chesapeake Bay region. Univ. Md. Nat. Resourc. Inst. Ches. Biol. Lab. Ref. 75-9. 6 pp.
- Hardy, J. D., Jr. 1975. Comments on the distribution and biology of the marsh killifish, [Fundulus confluentus]. Univ. Md. Nat. Resourc. Inst. Ches. Biol. Lab. Ref. 75-10. 9 pp.
- Hardy, J. D., Jr. 1975. Descriptions of the eggs and juveniles of the Atlantic tomcod, [Microgadus tomcod]. Univ. Md. Nat. Resourc. Inst. Ches. Biol. Lab. Ref. 75-11. 14 pp.
- Hardy, J. D., Jr. 1978. Development of fishes of the mid-Atlantic Bight: an atlas of egg, larval and juvenile stages. Vol. 2, Anguillidae through Syngnathidae. U.S. Fish Wildl. Serv., FWS/OBS-78/12, Wash., D. C.
- Hardy, J. D., Jr. 1978. Development of fishes of the mid-Atlantic Bight: an atlas of egg, larval and juvenile stages. Vol. 3, Aphredoderidae through Rachycentridae U.S. Fish Wildl. Serv., FWS/OBS-78/12, Wash., D. C.
- Hare, J. A., and R. K. Cowen. 1991. Expatriation of [Xyrichtys novacula] (Pisces, Labridae) larvae - evidence of rapid cross-slope exchange. Journal of Marine Research 49:801-823.
- Hare, J. A., and R. K. Cowen. 1993. Ecological and evolutionary implications of the larval transport and reproductive strategy of bluefish [Pomatomus saltatrix]. Marine Ecology - Progress Series 98:1-16.
- Hare, J. A., and R. K. Cowen. 1994. Ontogeny and otolith microstructure of bluefish [Pomatomus saltatrix] (Pisces, Pomatomidae). Marine Biology 118:541-550.
- Hare, J. A., R. K. Cowen, J. P. Zehr, F. Juanes, and K. H. Day. 1994. Biological and oceanographic insights from larval labrid (Pisces, Labridae) identification using mtDNA sequences. Marine Biology 118:17-24.
- Hare, J. A., R. K. Cowen, J. P. Zehr, F. Juanes, and K. H. Day. 1996. Biological and oceanographic insights from larval labrid (Pisces: Labridae) identification using mtDNA sequences (vol 118, pg 17, 1994). Marine Biology 126: 346.
- Hargis, J. R. 1976. Ventilation and metabolic rate of young rainbow trout, [Salmo gairdneri] exposed to sublethal environmental pH. J. Exp. Zool. 196:39.
- Hargreaves, N. B., and R. J. LeBrasseur. 1985. Species selective predation on juvenile pink ([Oncorhynchus gorbuscha]) and chum salmon ([O. keta]) by coho salmon ([O. kisutch]). Can. J. Fish. Aquat. Sci. 42(4):659-668.
- Harling, W. R., M. S. Smith, D. Davenport, and D. M. Biachin. 1969. Preliminary report on maturity, spawning season and larvae identification of rockfishes ([Sebastes]) collected in waters off British Columbia during February 1969. Fish. Res. Bd. Can. Misc. Rep. 1055:11.
- Harling, W. R., M. S. Smith, and N. A. Webb. 1971. Preliminary report on maturity, spawning season, and larvae identification of rockfishes (Scorpaenidae) collected during 1970. Fish. Res. Bd. Can. Misc. Rep. 1137:26.

- Harmic, J. L. 1958. Some aspects of the development and the ecology of the pelagic phase of the gray squeteague, [*Cynoscion*] [*regalis*] (Block and Schneider), in the Delaware estuary. Ph.D. Diss., Univ. Delaware. 80 pp.
- Haro, A., Odeh, M, J. Noreika and T. Castro-Santos. 1998. Effect of water acceleration on downstream migratory behavior and passage of Atlantic salmon smolts and juvenile American shad at surface bypasses. *Transactions of the American Fisheries Society* 127(1):118-127.
- Harrel, S. L., and E. D. Dibble. 2001. Factors affecting foraging patterns of juvenile bluegill (*Lepomis macrochirus*) in vegetated habitats of a Wisconsin lake. *Journal of Freshwater Ecology* 16(4):581-589.
- Harrell, R. D., and D. G. Cloutman. 1978. Distribution and life history of the sandbar shiner, [*Notropis scepticus*] (Pisces: Cyprinidae). *Copeia* 1978(3):443-447.
- Harrell, R. M., and J. D. Bayless. 1981. Effects of suboptimal dissolved oxygen concentrations on developing striped bass embryos. *Proc. 35th Ann. Conf. S. E. Assoc. G & F Comm.* 35:508-514.
- Harrington, R. W. 1959. Delayed hatching in stranded eggs of marsh killifish, [*Fundulus confluentus*]. *Ecology* 40:430-437.
- Harrington, R. W., Jr. 1947. The early life history of the bridled shiner, [*Notropis bifrenatus*] (Cope). *Copeia* 1947(2):97-102.
- Harrington, R. W., Jr. 1947. Observation on the breeding habits of the yellow perch, [*Perca flavescens*]. *Copeia* 1947(3):199-200.
- Harrington, R. W., Jr. 1947. The breeding behavior of the bridled shiner, [*Notropis bifrenatus*]. *Copeia*:186-192.
- Harrington, R. W., Jr. 1948. The life cycle and fertility of the bridled shiner, [*Notropis bifrenatus*] (Cope). *Am. Midl. Nat.* 39:83-92.
- Harrington, R. W., Jr. 1950. Preseasonal breeding by the bridled shiner, [*Notropis*] [*bifrenatus*], under light-temperature control. *Copeia* 1950(4):304-311.
- Harrington, R. W., Jr. 1951. Notes on spawning in an aquarium by the bridled shiner, [*Notropis bifrenatus*], with counts of the eggs deposited. *Copeia* 1951(1):85-86.
- Harrington, R. W., Jr. 1956. An experiment on the effects of contrasting daily photoperiods on gametogenesis and reproduction in the centrarchid fish, [*Enneacanthus obesus*]. *J. Exp. Zool.* 131:203-223.
- Harrington, R. W., Jr. 1957. Sexual photoperiodicity on the cyprinid fish, [*Notropis bifrenatus*] (Cope), in relation to the phase of its annual reproductive cycle. *J. Exp. Zool.* 135:529-556.
- Harrington, R. W., Jr. 1958. Morphometry and ecology of small tarpon, [*Megalops*] [*atlantica*] Valenciennes, from transitional stage through onset of scale formation. *Copeia* 1958(1):1-10.
- Harrington, R. W., Jr., and J. S. Haeger. 1958. Prolonged natural deferment of hatching in killifish. *Science (Wash., D.C.)* 128(3337):1511.
- Harrington, R. W., Jr. 1959. Effect of four combinations of temperature and day-length on ovogenetic cycle of a low latitude fish, [*Fundulus confluentus*] (Goode and Bean). *Zoologica* 44(4):149-168.
- Harrington, R. W., Jr., and E. S. Harrington. 1960. Food of larval and young tarpon. *Copeia* 1960(4):311-319.

- Harrington, R. W., Jr. 1966. Changes through one year in the growth rates of tarpon, [*Megalops atlantica*] Valenciennes, reared from mid-metamorphosis. *Bull. Mar. Sci.* 16(4):863-883.
- Harrington, R. W., Jr., and R. A. Crossman, Jr. 1976. Temperature-induced meristic variation among three homozygous genotypes (Clones) of the self-fertilizing fish, [*Rivulus marmoratus*]. *Canadian Journal of Zoology* 54:1143.
- Harris, G. S. 1973. A simple box planting technique for estimating the survival of eggs deposited in stream gravel. *J. Fish. Biol.* 5(1):85-88.
- Harris, R. 1968. Reproductive behavior of the longear sunfish, [*Lepomis megalotis*] (Rafinesque). M.S. Thesis, Kansas Teach. Coll. 33 pp.
- Harris R. H. D. 1962. Growth and reproduction of the longnose sucker, [*Catostomus commersoni*] (Forster), in Great Slave Lake. *Journal of the Fisheries Research Board of Canada* 19(1):113-126.
- Harris, R. P., L. Fortier, and R. K. Young. 1986. A large-volume pump system for studies of the vertical distribution of fish larvae, under open sea conditions. *J. Mar. Biol. Assoc. U. K.* 66(4):845-854.
- Harrison, F. J. 1978. Comparative ecologic life histories of sympatric populations of [*Esox lucius*] and [*Esox masquinongy*] of the upper Niagara River and its local watershed. Ph.D. Diss., Univ. New York, Buffalo. 326 pp.
- Harrow, L. G., I. Cherkov, and A. B. Schlesinger. 1975. Seasonal and distributional patterns of ichthyoplankton in the Missouri River. *Environ. Ser. Bull.* 1. Omaha Public Power District, Omaha, NE.
- Harrow, L. G., R. C. King, Q. P. Bliss, and P. A. Kline. 1977. The effects of entrainment and impingement at the Fort Calhoun Station on the fisheries of the channelized Missouri River. *Environ. Ser. Bull.* 3. Omaha Public Power District, Omaha, NE.
- Harrow, L. G., and A. B. Schlesinger. 1980. The larval fish recruitment study. Omaha Public Power District, *Env. Serv. Bull.* No. 5. 92 pp.
- Harruy, E. J. 1972. Observations on the distribution of the sea catfish, [*Arius felis*], larvae with and without chorion, with respect to salinity in the Biloxi Bay-Mississippi Sound area. *J. Mississippi Acad. Sci.* 17:77.
- Harry, G. Y., Jr. 1959. Time of spawning, length at maturity, and fecundity of the English, Petrale, and Dover soles ([*Parophrys*] [*vetulus*], [*Eopsetta jordani*], and [*Microstomus*] [*pacificus*], respectively). *Fish Commn. Res. Briefs.* Portland 7(1):5-13.
- Harry, R. R. 1951. The embryonic and early larval stages of the tui chub, [*Siphateles bicolor*] (Girard), from Eagle Lake, California. *California Fish and Game* 37(2):129-132.
- Hart, J. L. 1930. The spawning and early life history of the whitefish, [*Coregonus clupeaformis*] (Mitchill), in the Bay of Quinte, Ontario. *Contr. Can. Biol. Fish.* 6(7):167-214.
- Hart, J. L., and A. L. Tester. 1935. Quantitative studies on herring spawning. *Transactions of the American Fisheries Society* 64:307-312.
- Hart, J. L. 1938. A brief account of the life history of the pilchard. *British Columbia Fish. Dept. Rep.* 1937:50-56.
- Hart, J. L. 1942. Reproduction in the dogfish. *Prog. Rep. Pacific Biol. Sta. Nanaimo B. C.* 51:16-17.

- Hart, J. L. 1943. The pilchard, [*Sardinops caerulea*] (Girard), on Canadian fishing grounds with special reference to an unusual abundance of young fish. *Trans. R. Soc. Can.* 5:55-73.
- Hart, N., and J. Schumann. 1978. Organization of the cortical cytoplasm in the unactivated egg of [*Fundulus*]. *Am. Zool.* 18(3):619.
- Hart, N., and P. Pontier. 1979. Acid phosphatase in eggs of the zebrafish, [*Brachydanio rerio*]. *Experientia (Basel)* 35(8):999-1001.
- Hart, N. H., and M. Messina. 1972. Artificial insemination of ripe eggs in the zebrafish, [*Brachydanio rerio*]. *Copeia* 1972(20):302-305.
- Hart, N. H., and M. Cook. 1977. Esterase isozyme patterns in developing embryos of [*Brachydano rerio*] (Zebra danio), [*Br achydanio*] [*abolineatus*] (Pearl danio), and their hybrids. *J. Exp. Zool.* 199(1):109-128.
- Hart, N. H., S. F. Yu, and V. A. Greenhut. 1977. Observations on the cortical reaction in eggs of [*Brachydanio rerio*] as seen with the scanning electron microscope. *J. Exp. Zool.* 201:325-331.
- Hart, N. H., R. Pietri, and M. Donovan. 1984. The structure of the chorion and associated surface filaments in [*Oryzias*] - evidence for the presence of extracellular tubules. *J. Exp. Zool.* 230:273-296.
- Hart, P. J. B. 1974. Long term changes in the distribution and abundance of larval sand eels in the North Sea and their relationship to planktonic and hydrographic events. Page 34 [in] *Rep. intl. symp. on early life history of fish.* FAO Fish. Rep., No. 141. 58 pp.
- Hart, P. J. B. 1974. The distribution and long term changes in abundance of larval [*Ammodytes marinus*] (Raitt) in the North Sea. Page 171-182 [in] J. H. S. Blaxter, editor. *The early life history of fish.* Springer-Verlag, Berlin.
- Hart, T. F., Jr. 1981. Growth and survival of larval white sucker, [*Catostomus commersoni*], and pumpkinseed, [*Lepomis*] [*gibbosus*], in relation to prey density. M. S. Thesis, State Univ. New York, Syracuse. 73 pp.
- Hart, T. F., Jr., and R. G. Werner. 1987. Effects of prey density on growth and survival of white sucker, [*Catostomus commersoni*], and pumpkinseed, [*Lepomis gibbosus*], larvae. *Environmental Biology of Fishes* 18(1):41-50.
- Hart, T. J., and N. B. Marshall. 1951. Breeding ground of pilchards off the coast of southwest Africa. *Nature* 168:272.
- Hartel, K. E., and M. L. J. Stiassny. 1986. The identification of larval [*Parasudis*] (Teleostei: Chlorophthalmidae) with notes on the anatomy and relationships of Aulopiform fishes. *Mus. Comp. Zool., Harvard.* 487.
- Hartig, J. H., D. J. Jude, and M. S. Evans. 1982. Cyclopid predation on Lake Michigan fish larvae. *Canadian Journal of Fisheries and Aquatic Sciences* 39(12):1563-1568.
- Hartig, J. H., and D.J. Jude. 1988. Ecological and evolutionary significance of cyclopid predation on fish larvae. *J. Plankton Res.* 10: 573-577.
- Hartman, G. F. 1958. Mouth size and food size in young rainbow trout, [*Salmo gairdneri*]. *Copeia* 1958(3):233-234.
- Hartman, G. F. 1958. Mouth size and food size in young rainbow trout, [*Salmo gairdneri*]. *Copeia* 1958(3):233-234.

- Hartman, G. F. 1963. Observations on behavior of juvenile brown trout in a stream aquarium during winter and spring. *Journal of the Fisheries Research Board of Canada* 20(3):769-787.
- Hartman, G. F. 1963. Observations on behavior of juvenile brown trout in a stream aquarium during winter and spring. *Journal of the Fisheries Research Board of Canada* 20:769-787.
- Hartman, G. F. 1969. Reproductive biology of the Gerrard stock rainbow trout. Pages 53-67 [in] T. G. Northcote, editor. *Symp. on salmon and trout in streams*. H.R. Macmillan Lectures in Fish., Univ. British Columbia, Vancouver, B.C.
- Hartman, G. F., B. C. Anderson, and J. C. Scrivener. 1982. Seaward movement of coho salmon (*Oncorhynchus* [kisutch]) fry in Carnation Creek, an unstable coastal stream in British Columbia. *Can. J. Fish. Aquat. Sci.* 39:588-597.
- Hartman, G. F., L. B. Holtby, and J. C. Scrivener. 1984. Some effects of natural and logging-related winter stream temperature changes on the early life history of coho salmon, [*Oncorhynchus kisutch*], in Carnation Creek, British Columbia. In: *American Inst. Fish. Res. Biol. Symp., Fish and Wildl. Relationships in Old-growth forests*. Bookmasters, Ashland, OH.
- Hartman, W. L. 1957. Finger Lake rainbows. III. A chronicle of their progress from egg to adult. *New York State Cons.* 11(6):120-122.
- Hartman, W. L. 1959. Biology and vital statistics of rainbow trout in the Finger Lakes region, New York. *New York Fish Game J.* 6:121-178.
- Hartman, W. L., C. W. Strickland, and D. T. Hoopes. 1962. Survival and behavior of sockeye salmon fry migrating into Brooks Lake, Alaska. *Transactions of the American Fisheries Society* 91:133-139.
- Hartman, W. L., T. R. Merrell, Jr., and R. Painter. 1964. Mass spawning behavior of sockeye salmon in Brooks River, Alaska. *Copeia*:362-368.
- Hartmann, J. 1960. Juvenile saury pike (*[Scomberesox saurus]* Walb.), an example of ichthyoneuston. *J. Cons. int. Explor. Mer* 33(2):245-255.
- Hartmann, J. 1969. Chalimusstadien von [*Lepeotheirus*] auf juvenilen [*Onos cimbrius*] und [*Onos mustelus*]. *Berlin dt. wiss. Komm. Meeresuntersuch* 20:172-175.
- Hartmann, J. 1969. Verteilung und nahrung des ichthyoneuston im subtropischen Nordostatlantik. *Diss. math. Nat. Fakultat, Univ. Kiel.* 218 pp.
- Hartmann, J., and D. Schnack. 1969. The distribution of larvae of herring and of plankton in the Schlei on May 28th, 1969 - settlement volumes. *Ber. Deut. Wiss. Komm. Meeresforsch.* 20:288-296.
- Hartmann, J. 1970. Distribution and food of ichthyoneuston in the subtropical northeastern Atlantic. *"Meteor" Res. Results* 8:1-60.
- Hartshorne, H. 1872. Change of temperature in water containing recently fertilized shad eggs. *American Naturalist* 6:202.
- Hartwell, S. I., and R. G. Otto. 1978. Swimming performance of juvenile menhaden (*[Brevoortia tyrannus]*). *Transactions of the American Fisheries Society* 107(6):793-798.
- Harvey, B. C. 1987. Susceptibility of young-of-the-year fishes to downstream displacement by flooding. *Ibid.* 116:851-855.

- Harvey, B. C. 1991a. Interactions of abiotic and biotic factors influences larval fish survival in an Oklahoma stream. *Canadian Journal of Fisheries and Aquatic Sciences* 48:1476-1480.
- Harvey, B. C. 1991b. Interactions among stream fishes: predator-induced habitat shifts and larval survival. *Oecologia* 87:29-36.
- Harvey, E. J., Jr. 1972. Histological and morphological description of the embryonic renal system of the hardhead catfish, [*Galeichthys felis*], with ecological notes. *Diss. Abstr. Int.* 32B:5034.
- Harvey, H. H. 1966. Commencement of feeding in the sockeye salmon, [*Oncorhynchus nerka*]. *Verh. Int. Verein. Limnol.* 16:1044-1055.
- Harvey, R., J. H. S. Blaxter, and R. D. Hoyt. 1992. Development of superficial and lateral line neuromasts in larvae and juveniles of plaice ([*Pleuronectes platessa*]) and sole ([*Solea solea*]). *Journal of the Marine Biological Association of the United Kingdom* 72:651-668.
- Haryu, T., Y. Endo, and T. Nishiyama. 1979. Ichthyoplankton collected in the Bering and Chukchi Seas, July 23-30, 1978. *Univ. Alaska, Fairbanks, Inst. Mar. Sci.* 13 pp.
- Haryu, T. 1980. Larval distribution of walleye pollock, [*Theragra*] [*chalcogramma*] (Pallas), in the Bering Sea with special reference to morphological changes. *Bull. Fac. Fish. Hokkaido Univ.* 31:121-136.
- Haryu, T., and T. Nishiyama. 1981. Larval form of zaprorid fish, [*Zaprora silenus*], from the Bering Sea and the northern North Pacific. *Jap. J. Ichthyol.* 28:313-319.
- Hasan, R., and A. K. Jafri. 1964. A physico-chemical analysis of ripe unspawned eggs of some freshwater teleosts. *Proc. Indian Acad. Sci.* 60B(1):1-9.
- Hashimoto, S. 1971. The effect of treatment with salt water on the development of chum salmon, [*Oncorhynchus keta*] (Walbaum), eggs - I. Removing the unfertilized and developed eggs from the trays using salt water. *Sci. Rep. Hokkaido Salmon Hatchery* 25:45-51.
- Hashimoto, S. 1971. The effect of treatment with salt water on the development of chum salmon, [*Oncorhynchus keta*] (Walbaum), eggs - II. The appearance of dead eggs and unusual phenomena of incubation. *Sci. Rep. Hokkaido Salmon Hatchery* 25:53-61.
- Hashimoto, S. 1974. The effect of water temperature on the development of chum salmon, [*Oncorhynchus keta*] (Walbaum), eggs and sac fry. *Sci. Rep. Hokkaido Salmon Hatchery* 28:37-43.
- Hass, H. 1969. Differences between the larvae of several species of Clupeiformes living in the River Elbe. *Arch. FischWiss.* 20:22-25.
- Hassan, K. C., and J. R. Spotila. 1976. The effect of acclimation on the temperature tolerance of young muskellunge fry. [In] G. W. Esch and R. W. MacFarlane, editors. *Thermal ecology II*. Natl. Tech. Infor. Serv., Springfield, Va.
- Hassler, T. J. 1970. Environmental influences on early development and year-class strength of northern pike in Lake Oahe and Sharpe, South Dakota. *Transactions of the American Fisheries Society* 99(2):369-375.
- Hassler, W. W., and R. P. Rainville. 1975. Techniques for hatching and rearing cobia, [*Rachycentron canadum*] through larval and juvenile stages. *Univ. North Carolina Sea Grant Prog. Publ. UNC-SG-75-30*. 26 pp.
- Hassler, W. W., and R. P. Rainville. 1975. Techniques for hatching and rearing dolphin, [*Coryphaena hippurus*], through larvae and juvenile stages. *Univ. North Carolina Sea Grant Prog. Publ. UNC-SG-75-31*. 17 pp.

- Hassler, W. W., and W. T. Hogarth. 1977. The growth and culture of dolphin, [*Coryphaena*] [*hippurus*], in North Carolina. *Aquaculture* 12(2):115-122.
- Hastings, R. W., and R. W. Yerger. 1971. Ecology and life history of the diamond killifish, [*Adinia xenica*]. *Am. Midl. Nat.* 86:276-291.
- Hastings, R. W. 1973. Biology of the pygmy sea bass, [*Serraniculus pumilio*] (Pisces: Serranidae). *NOAA Fish. Bull.* 71(1):235-242.
- Hata, K. 1929. On the influence of the duration of the time of vibration upon development in fish experiments. *J. Mar. Fish. Inst. Tokyo* XXIV(5):121.
- Hata, K. 1931. On the influence of the quantity of water upon the hatchery time of trout eggs. *J. Mar. Fish. Exp. Sta., Tokyo* 2:195.
- Hata, K. 1951. Effect of light on the hatching of fish eggs. *Cinkai Fish. Sta. Japan Contr.* 1948-49:123.
- Hatanaka, H. 1979. Spawning season of the common cuttlefish off the northwest coast of Africa. *Bull. Jap. Soc. Sci. Fish.* 45(7):811-816.
- Hatanaka, M., and S. Iwahasi. 1953. Studies on the populations of the flatfishes in Sendai Bay. III. Biology of [*Limanda yokohamae*] (Gunther). *Tohoku J. Agric. Res.* 3(2):303-309.
- Hatanaka, M., et al. 1953. Studies on the reproduction of the saury, [*Cololabis*] [*saira*] (Brevoort), of the Pacific Coast of Japan. *Tohoku J. Agric. Res.* 3(2):293-302.
- Hatanaka, M. 1956. Biological studies on the population of the saury, [*Cololabis saira*] (Brevoort). I. Reproduction and growth. *Tohoku J. Agric. Res.* 6(3):227-269.
- Hatanaka, M., K. Sekino, M. Takahashi, and T. Ichimura. 1957. Growth and food consumption in young mackerel [*Pneumatophorus japonicus*] (Houttuyn). *Tohoku J. Agr. Res.* VII(4):351-368.
- Hatanaka, M., and G. Murakawa. 1958. Growth and food conservation in young amberfish, [*Seriola quinqueradiata*] (T. & S.). *Tohoku J. Agr. Res.* IX(2):69-79.
- Hatano, M., K. Zama, and H. Igarashi. 1964. Egg lipids of northern blenny. I. Acetone soluble lipid. *Bull. Jap. Soc. Sci. Fish.* 30(6):516-518.
- Hatano, M., K. Zama, and H. Igarashi. 1964. Egg lipids of northern blenny. II. Lecithin. *Bull. Jap. Soc. Sci. Fish.* 30(6):519-522.
- Hatch, J. T. 1980. Seasonal occurrence, distribution, and power plant entrainment of larval fishes in Presque Isle Harbor, Lake Superior. Pages 123-233 [in] L. A. Fuiman, editor. *Proc. fourth annual larval fish conference, U.S. Fish and Wildl. Serv., Natl.*
- Hatch, J. T., and J. C. Underhill. Abundance, distribution, growth, and mortality of larval lake herring in western Lake Superior. *American Fisheries Society Symposium* 5:96-103.
- Hatch, R. W. 1957. Success of natural spawning of rainbow trout in the Finger Lakes region of New York. *New York Fish & Game J.* 4(1):69-87.
- Hatch, S. A., and G. A. Sanger. 1992. Puffins as samplers of juvenile pollock and other forage fish in the Gulf of Alaska. *Marine Ecology-Progress Series* 80:1-14.
- Hatton, S. P. 1942. Striped bass spawning areas in California. *California Fish and Game* 28(1): 65.

Hattori, S., T. Watanabe, and T. Okutani. 1957. Fish larvae and eggs in the Kuroshio area south of Honshu, May 1955. Rec. Oceanogr. Works Jap. (N.S.):143-158.

Hattori, S. 1962. Predatory activity of [Noctiluca] on anchovy eggs. Bull. Tokai Reg. Fish. Res. Lab. 9:211-220.

Hattori, S. 1964. Studies on fish larvae in the Kuroshio and adjacent waters. Bull. Tokai reg. Fish. Res. Lab. 40:1-158.

Hattori, S. 1965. Fish eggs and larvae in the Kuroshio. Inform. Bull. Plankt. Japan (12):40-48.

Hattori, S., and H. Katoh. 1966. Surface currents in the southern waters off Japan viewed from drift bottle experiments with specific reference to translocation of fish eggs and larvae. Bull. Tokai Reg. Fish. Res. Lab. 45:1-30.

Hattori, S. 1968. Preliminary notes on the structure of the Kuroshio from the biological point of view, with specific reference to pelagic fish larvae (14). Symp. coop. studies of Kuroshio and adjacent regions. (CSK), UNESCO, FAO.

Hattori, S. 1970. Reproductive aspects of fish resources. Pages 209-222 [in] T. Sasaki, editor. Ocean development. 4. Exploitation of fisheries resources. Ocean Dev. Cent. Press, Tokyo. In Japanese.

Hattori, S., T. Watanabe, and T. Okutani. 1973. Summary of spawning and recruitment surveys conducted by the fisheries research laboratories of Japan on some neritic-pelagic warm-water migratory fish in the northwestern Pacific. Pages 138-141 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164:372 pp.

Haug, T., E. Kjorsvik, and P. Solemdal. 1984. Vertical distribution of Atlantic halibut, [Hippoglossus hippoglossus], eggs. Canadian Journal of Fisheries and Aquatic Sciences 41(5):798-804.

Haug, T. E. Kjorsvik, and P. Solemdal. 1986. Influence of some physical and biological factors on the density and vertical distribution of Atlantic halibut Hippoglossus hippoglossus eggs. Mar. Ecol. Prog. Ser. 33:207-216.

Haugen, C. W., editor. 1990. The California halibut, [Paralichthys californicus], resource and fisheries. Calif. Dept. Fish Game, Fish Bulletin 174: 475 p.

Haugen, G. N. 1969. Life history and distribution of the lake sturgeon, [Acipenser fulvescens] in the South Saskatchewan River, Alberta. M.S. Thesis, Montana St. Univ, 27 pp.

Haury, L. R. 1973. Sampling bias of a Longhurst-Hardy plankton recorder. Limnol. Oceanogr 18(3):500-506.

Haury, L. R., J. A. McGowan, and P. H. Wiebe. 1978. Patterns and processes in the time-space scales of plankton distribution. Pages 277-327 [in] J. Steele, editor. Spatial patterns in plankton communities. Plenum Press.

Hauser, J. W., and M. P. Sissenwine. 1991. The uncertainty in estimates of the production of larval fish derived from samples of larval abundance. Ices Journal of Marine Science 48:23-32.

Hauser, W. J. 1969. Life history of the mountain sucker, [Catostomus] [platyrhynchus], in Montana. Transactions of the American Fisheries Society 98:209-215.

Hauser, W. J. 1973. Larval fish ecology of the Sheepscot River - Montsweag Bay Estuary, Maine. Ph.D. Diss., Univ. Maine, Orono, ME. 79 pp.



- Hauser, W. J. 1975. Occurrence of two Congridae leptocephali in an estuary. Fish. Bull. NOAA (U.S.) 73(2):444-445.
- Hausle, D. A., and D. W. Coble. 1976. Influence of sand in redds on survival and emergence of brook trout ([*Salvelinus fontinalis*]). Transactions of the American Fisheries Society 105:57-63.
- Haven, D. S. 1957. Distribution, growth and availability of juvenile croaker, [*Micropogon undulatus*], in Virginia. Ecology 38:88-97.
- Haven, K. F., and T. C. Ginn. 1978. A mathematical model of the interactions of an aquatic ecosystem and a thermal power station cooling system. Pages 321-341 [in] L. D. Jensen, editor. Fourth Natl. workshop on entrainment and impingement. Ecol. Anal., Inc., Melville, N.Y. 424 pp.
- Havey, K. A., and K. Warner. 1970. The landlocked salmon, [*Salmo salar*]: its life history and management in Maine. Sport Fish. Inst. and Maine Dept. Inland Fish and Game, 118 pp.
- Hawke, S. P. 1978. Stranded redds of quinnat salmon in the Mathias River, South Island, New Zealand. New Zealand J. Mar. Freshwater Res. 12(2):167-171.
- Hawkins, A. D., C. J. Chapman, and D. J. Symonds. 1967. Spawning of haddock in captivity. Natura (Lond.) 215:923-925.
- Hawkins, A. D., N. M. Soofiani, and G. W. Smith. 1985. Growth and feeding of juvenile cod ([*Gadus morhua*] L.). J. Cons. 42(1):11-32.
- Hay, D. E. 1979. The effects of capture and fixation on gut contents and body size of Pacific herring larvae. Symp. on early life history of fish, Int. Council Explor. Sea, Woods Hole, MA. 12 pp.
- Hay, D. E. 1981. Effects of capture and fixation on gut contents and body size of Pacific herring larvae. Rapp. P.-v. Reun. Cons. Int. Explor. Mer 178:395-400.
- Hay, D. E. 1981. Fixation shrinkage of herring larvae: Effects of salinity, formalin concentration, and other factors. Can. J. Fish. Aquat. Sci. 39:1138-1143.
- Hay, D. E., and D. C. Miller. 1982. A quantitative assessment of herring spawn lost by storm action in French Creek, 1980. Can. Manuscript Rep. Fish. Aquat. Sci. 1636.
- Hay, D. E. 1984. Weight loss and change of condition factor during fixation of Pacific herring, [*Clupea harengus*] [*pallasi*] eggs and larvae. J. Fish. Biol. 25: 421-433.
- Hay, D. E. 1985. Reproductive biology of Pacific herring ([*Clupea*] [*harengus pallasi*]). Can. J. Fish. Aquat. Sci. 42 (Suppl. 1):111-126.
- Hay, D. E. 1986. Effects of delayed spawning on viability of eggs and larvae of Pacific herring. Transactions of the American Fisheries Society 115:155-161.
- Hay, D. E. 1986. Larval herring distribution in Hecate Strait. Can. Tech. Rep. Fish. Aq. Sci. 1470:31.
- Hay, D. E., and A. R. Kronlund. 1987. Factors affecting the distribution, abundance, and measurement of Pacific herring ([*Clupea harengus*] [*pallasi*]) spawn. Can. J. Fish. Aquat. Sci. 44:1181-1194.
- Hay, D. E., and J. B. Marliave. 1988. Transplanting Pacific herring eggs in British Columbia: a stocking experiment. American Fisheries Society Symposium 5:49-59.
- Hay, O. P. 1895. On the structure and development of the vertebral column of [*Amia*]. Field Columbia Mus., Zool. Ser. 1(1):1-54.

- Haya, K., and B. A. Waiwood. 1981. Acid pH and chorionase activity of Atlantic salmon, [*Salmo salar*], eggs. Bull. Env. Contam. Toxicol. 27:7-12.
- Hayanao, T. 1954. Distribution of jack and Pacific mackerel larvae along the west coast of Kyushu. Pages 251-252 [in] Exploratory survey on the Tsushima Warm Current - Rep. at 1st Symp., Japan Fish Agency.
- Hayase, S. 1982. Eggs and larvae survey with emphasis on early life history of marine fish resources. SE Asian Fish. Devel. Center Training Dept., 27. Samutpraken, Thailand.
- Hayashi, K., H. Kitahama, U. Suzuki, and N. Endo. 1968. Behavior of juvenile walleye pollock: a consideration of 1964 year class population in the southern part of Hokkaido. Hokusuisi-geppo 25:2-11.
- Hayashi, K. 1971. Some aspects of life history and ecology of Alaska pollock. Bull. Jap. Soc. Fish. Oceanogr. 19:91-94.
- Hayashi, K. 1976. A study of young walleye pollock: on distribution and behavior of young walleye pollock in Pacific Ocean side of the southern Hokkaido Island. Sci. Rep. Hokkaido Fish Exp. Sta. 18:1-8.
- Hayashi, K., and S. Odate. 1981. On distribution pattern of larvae of Pacific saury. Bull. Jap. Soc. Sci. Fish. 47(6):705-712.
- Hayashi, S., and H. Suzuki. 1957. Growth of the Japanese anchovy. III. Vertebral counts of the postlarvae. Bull. Tokai Reg. Fish. Res. Lab. 15:21-28.
- Hayashi, S., and H. Suzuki. 1959. On the counting of the vertebral segments of the postlarvae anchovy. Bull. Tokai Reg. Fish. Res. Lab. 26:43-50.
- Hayashi, S. 1961. Fishery biology of the Japanese anchovy, [*Engraulis japonica*] (Houtt.). Bull. Tokai Reg. Fish. Res. Lab. 31:145-268.
- Hayashi, S. 1962. Growth of the Japanese anchovy. II. Vertebral counts of the juvenile and adults. Bull. Tokai Reg. Fish. Res. Lab. 9:193-209.
- Hayashi, T., Y. Suitani, M. Murakami, K. Yamaguchi, and S. Konosu. 1985. Nitrogen distribution in marine zooplankton as diets for fish larvae. Bull. Jap. Soc. Sci. Fish. 51(6):1047.
- Hayashi, T., H. Yamakawa, and K. Matsuike. 1992. Change in phototactic response with growth of striped beakperch larvae and juveniles. Nippon Suisan Gakkaishi - Bulletin of the Japanese Society of Scientific Fisheries 58:1043-1047.
- Hayashi, Y. 1977. Studies on the maturity and the spawning of the red tilefish in the East China Sea -- I. Estimation of the spawning season from the monthly changes of gonad index. Bull. Jap. Soc. Sci. Fish. 43(11):1273-1277.
- Hayashi, Y. 1979. Studies on the maturity and the spawning of the red tilefish in the East China Sea -- II. Spawning pattern estimated from the monthly changes of ovarian egg diameters. Bull. Jap. Soc. Sci. Fish. 45(12):1475-1479.
- Hayden, P. S. 1968. The reproductive behavior of Snake River cutthroat trout in three tributary streams in Wyoming. M.S. Thesis, Univ. Wyoming. 105 pp.
- Haydock, I. 1971. Gonad maturation and hormone-induced spawning of the Gulf croaker, [*Bairdiella icistia*]. U.S. NMFS Fish. Bull. 69:157-180.
- Hayes, F. R. 1930. The metabolism of developing salmon eggs. II. Chemical changes during development. Biochem. J. 24:735-745.
- Hayes, F. R. 1942. The hatching mechanism of salmon eggs. J. Exp. Zool. 89:357-373.

- Hayes, F. R., and F. H. Armstrong. 1942. Physical changes in the constituent parts of developing salmon eggs. *Can. J. Res. D.* 20:99-114.
- Hayes, F. R., and F. H. Armstrong. 1943. Growth of the salmon embryo. *Can. J. Res.* 21D:19-33.
- Hayes, F. R., and D. Pelluet. 1945. The effect of temperature on the growth and efficiency of yolk conversion in the salmon embryo. *Can. J. Res.* 23:7-15.
- Hayes, F. R., D. A. Darcy, and C. M. Sullivan. 1946. Changes in the inorganic constituents of developing salmon eggs. *J. Biol. Chem.* 163:621-631.
- Hayes, F. R. 1949. The growth, general chemistry, and temperature relations of salmonid eggs. *Q. Rev. Biol.* 24:281-308.
- Hayes, F. R., I. R. Wilmont, and D. A. Livingston. 1951. The oxygen consumption of the salmon egg in relation to development and activity. *J. Exp. Zool.* 116:377-395.
- Hayes, F. R., D. Pelluet, and E. Gorchorn. 1953. Some effects of temperature on the embryonic development of the salmon (*[Salmo salar]*). *Canadian Journal of Zoology* 31:42-51.
- Hayes, F. R., I. J. Tinsley, and R. R. Lowery. 1973. Utilization of fatty acids by the developing steelhead sac-fry, *[Salmo gairdneri]*. *Comp. Biochem. Physiol.* 45(3B):695-707.
- Hayes, M. L. 1955. Sucker life histories in Shadow Mountain Reservoir, Colorado. *Col. Fish. Res. Unit Quart. Rep.* 2(1-2):1-10.
- Hayes, M. L. 1956. Life history studies of two species of suckers in Shadow Mountain Reservoir, Grand County, Colorado. M.S. Thesis, Colorado A. & M. College. 126 pp.
- Hayley, A. L. 1957. Observations on breeding the scissors-tail, *[Rasbora]*. *The Aquarium (Philadelphia)* 26:141-142.
- Hayman, R. A., and A. V. Tyler. 1980. Environment and cohort strength of Dover sole and English sole. *Transactions of the American Fisheries Society* 109:54-70.
- Haynes, C. M., T. A. Lytle, E. J. Wick, and R. T. Muth . 1984. Larval Colorado squawfish (*[Ptychocheilus lucius]* Girard) in the upper Colorado River basin, Colorado, 1979-1981. *Southwest. Naturalist* 29:21-33.
- Haynes, C. M., and R. T. Muth. 1985. Lordosis in Gila, Yampa River, Colorado. Pages 83-86 in E. P. Pister, editor. *Proceedings of the 13th Annual Symposium, Desert Fishes Council, Bishop, California.*
- Haynes, C. M., and R. T. Muth. 1985. Reproduction of Colorado squawfish, *Ptychocheilus lucius*, in the Yampa River, Colorado (1980-83). Pages 297-298 in E. P. Pister, editor. *Proceedings of the 15th Annual Symposium, Desert Fishes Council, Bishop, California.*
- Haynes, C. M., R. T. Muth, and T. P. Nesler. 1985. Identification of habitat requirements and limiting factors for Colorado squawfish and humpback chubs. Final report, *Endangered Wildlife Investigations, SE-33, Colorado Division of Wildlife, Fort Collins.*
- Haynes, E. V., and S. E. Ignell. 1983. Effect of temperature on rate of embryonic development of walleye pollock, *[Theragra]* *[chalcogramma]*. *Fish. Bull. NOAA* 81(4):890-894.
- Hayward, R. S. 1980. Spatial and temporal variations in abundance and composition of the limnetic zooplankton community of Center Hill Reservoir, Tennessee. M.S. Thesis, *Tenn Tech. Univ., Cookeville, TN.*

- Hazel, C. R., and S. J. Meith. 1970. Bioassay of king salmon eggs and sac fry in copper solutions. *California Fish and Game* 56(2):121-124.
- Hazlett, B. A. 1984. Photic behavior and vertical migration in herring larvae. *Mar. Behav. Physiol.* 11(2):139-156.
- Hazorov, V. M., and L. v. Chepurnova. 1969. Adaptive characteristics of the breeding ecology and sex cycle of flounder in the Northwest Black Sea and adjacent estuaries. *Voprosy Ikhtiologii/Moscow* 9:1133-1135.
- Hazzard, A. S. 1932. Some phases of the life history of the eastern brook trout, [*Salvelinus fontinalis*] Mitchell. *Transactions of the American Fisheries Society* 62:344-350.
- Healey, M. C., R. V. Schmidt, F. P. Jordon, and R. M. Hungar. 1977. Juvenile salmon in the Nanaimo area. I. Distribution and abundance. *Fish. Res. Bd. Can. MS Rep.* 1369:1-161.
- Healey, M. C., R. V. Schmidt, F. P. Jordon, and R. M. Hungar. 1977. Juvenile salmon in the Nanaimo area. II. Length, weight and growth. *Fish. Mar. Serv. Can. MS Rep.* 1438:1-147.
- Healey, M. C. 1978. Fecundity changes in exploited populations of lake whitefish (*Coregonus clupeaformis*) and lake trout (*Salvelinus namaycush*). *Journal of the Fisheries Research Board of Canada* 35(7):945-950.
- Healey, M. C. 1978. The distribution, abundance, and feeding habits of juvenile Pacific salmon in Georgia Strait, British Columbia. *Fish. Env. Can. Fish. Mar. Serv. Tech. Rep.* No. 788. 49 pp.
- Healey, M. C. 1979. Detritus and juvenile salmon production in the Nanaimo Estuary: I. Production and feeding rates of juvenile chum salmon (*Oncorhynchus keta*). *Journal of the Fisheries Research Board of Canada* 36:488-496.
- Healey, M. C. 1979. Utilization of the Nanaimo River estuary by juvenile chinook salmon, [*Oncorhynchus tshawytscha*]. *Fish. Bull. U.S.* 77:653-668.
- Healey, M. C. 1980. The ecology of juvenile salmon in Georgia Strait, British Columbia. Pages 203-229 [in] D. C. Himsworth and W. J. McNeil, editors. *Salmonid ecosystems of the North Pacific*. Oregon State Univ. Press, Corvallis.
- Healey, M. C. 1982. Juvenile Pacific salmon in estuaries: the life support system. Pages 315-342 [in] V. S. Kennedy, editor. *Estuarine comparisons*. Acad. Press, New York.
- Healey, M. C. 1982. Timing and relative intensity of size-selective mortality of juvenile chum salmon (*Oncorhynchus* [*keta*]) during early sea life. *Can. J. Fish. Aquat. Sci.* 39:952-957.
- Healey, M. C., and F. P. Jordan. 1982. Observations on juvenile chum and chinook and spawning chinook in the Nanaimo River, British Columbia, during 1975-81. *Can. MS Rep. Fish. Aq. Sci.* 1659. 31 pp.
- Healey, M. C., and W. R. Heard. 1984. Inter- and intra-population variation in the fecundity of chinook salmon, [*Oncorhynchus*] [*tshawytscha*], and its relevance to life history theory. *Can. J. Fish Aq. Sci.* 41(3):476-483.
- Healey, M. C. 1986. Modelling juvenile salmon utilization of Hecate Strait. *Can. Tech. Rep. Fish. Aq. Sci.* 1470:17-19.
- Heard, W. R. 1964. Phototactic behavior of emerging sockeye salmon fry. *Anim. Behav.* 12:382-389.

- Heard, W. R. 1965. Limnetic cottid larvae and their utilization as food by juvenile sockeye salmon. *Transactions of the American Fisheries Society* 94(2):191-193.
- Heard, W. R. 1972. Spawning behavior of pink salmon on an artificial redd. *Transactions of the American Fisheries Society* 101(2):276-283.
- Heard, W. R. 1978. Probable case of streambed overseeding, 1967 pink salmon, [*Oncorhynchus gorboscha*], spawners and survival of their progeny in Sashin Creek, southeastern Alaska. *NOAA-NMFS Fish. Bull.* 76(3):569-582.
- Hearne, M. 1983. Identification of larval and juvenile smelts (*Osmeridae*) from Oregon and California using selected morphometric characters. M.S. Thesis, San Francisco State Univ., San Francisco, CA.
- Hearne, M. E. 1984. *Osmeridae: development and relationships*. Pages 153-154 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Heath, A. G., J. J. Cech, J. G. Zinkl, B. Findlayson and R. Fujimura. 1993. Sublethal effects of methyl parathion, carbofuran, and molinate on larval striped bass. [In] L. A. Fuiman, editor. *Water quality and the early life stages of fishes*. American Fisheries Society Symposium 14. 192pp.
- Heath, D. D., C. W. Fox, and J. W. Heath. 1999. Maternal effects on offspring size: Variation through early development of chinook salmon. *Evolution* 53(5):1605-1611.
- Heath, M., K. Brander, P. Munk, and P. Rankine. 1991. Vertical distributions of Autumn spawned larval herring (*[Clupea harengus]* L.) in the North Sea. *Continental Shelf Research* 11:1425-1452.
- Heath, M., and N. Nicoll. 1991. Infection of larval herring by helminth parasites in the North Sea and the effect on feeding incidence. *Continental Shelf Research* 11:1477-1489.
- Heath, M. R., P. M. MacLachlan, and J. H. A. Martin. 1987. Inshore circulation and transport of herring larvae off the north coast of Scotland. *Mar. Ecol. Prog. Ser.* 40:11-23.
- Heath, M. R., E. W. Henderson, D. L. Baird. 1988. Vertical distribution of herring larvae in relation to physical mixing and illumination. *Mar. Ecol. Prog. Ser.* 47:211-228.
- Heath, M. R. 1993. The role of escape reactions in determining the size distribution of prey captured by herring larvae. *Environmental Biology of Fishes* 38:331-344.
- Heath, M. R., P. Rankine, and L. Cargill, L. 1994. Distribution of cod and haddock eggs in the North Sea in 1992 in relation to oceanographic features and compared to distributions in 1952-1957. *ICES mar.Sci.Symp.* 198:438-439.
- Heath, M. R., and A. Gallego. 1998. Biophysical modelling of the early life stages of haddock in the North Sea. *Fish.Oceanogr.* 7:110-125.
- Hecht, T. 1977. Contributions to the biology of Cape Gurnard [*Trigla*] [*capensis*] (*Pisces: Triglidae*) age, growth and reproduction. *Zool. Afr.* 12(2):373-382.
- Hecht, T. 1981. Rearing of sharptooth catfish larvae, [*Clarias*] [*gariiepnus*] Burchell 1822: *Clariidae*, under controlled conditions. *Aquaculture* 24(3/4):301-308.
- Heckman, J. R. 1969. Embryological comparison of [*Lepomis macrochirus*] x [*macrochirus*] and [*Lepomis macrochirus*] x [*gibbosus*]. *Transactions of the American Fisheries Society* 98:669-675.

- Heegaard, P. 1947. Investigations on the breeding season and the quantities of eggs of the foodfishes of the Kattegat and the northern Baltic Sea. 1929-1941. Medd. Komm. Dan. fisk. Havunders. Ser. Fisk. 11(4):1-22.
- Heemstra, P. C. 1974. On the identity of certain Pacific and Caribbean postlarval fishes (Perciformes) described by Henry Fowler. Proc. Acad. Nat. Sci. Phil. 126:21-26.
- Hefford, A. E. 1910. Notes on teleostean ova and larvae observed at Plymouth in spring and summer 1909. J. Mar. Biol. Ass. U.K. 9(1):1-58, 2 pls.
- Heggberget, T. G., and J. C. Wallace. 1984. Incubation of the eggs of Atlantic salmon, [*Salmo*] [*salar*], at low temperatures. Canadian Journal of Fisheries and Aquatic Sciences 41(2):389-391.
- Heidinger, R. C. 1975. Life history and biology of the largemouth bass. Pages 11-20 [in] H. Clepper, editor. Black bass biology and management. Sport Fish. Inst., Wash., D.C.
- Heimer, J. T. 1965. A supplemental Dolly Varden spawning area. M.S. Thesis, Univ. Idaho, 77 pp.
- Heimstra, N. W., D. K. Damkot, and N. G. Benson. 1969. Some effects of silt turbidity on behavior of juvenile largemouth bass and green sunfish. U.S. Bur. Sport Fish. Wildl. Tech. Pap. 20.
- Heimstra, W. H. 1962. A correlation table as an aid for identifying pelagic fish eggs in plankton samples. J. du Conseil 27(1):100-108.
- Heincke, F. 1899. The natural history of the herring. 17th Rep. Fishery Bd. Scotl. 1898 (1899), pt. 3:274-287.
- Heincke, F. 1905. The occurrence and distribution of the eggs, larvae and various age groups of the food-fishes in the North Sea. Rapp. P.-v Reun. Cons. perm. int. Explor. Mer (1905):3-39.
- Heincke, F., and E. Ehrenbaum. 1900. Eier und Larven von Fischen der deutschen Bucht. II. Die Bestimmung der schwimmenden Fischeier und die Methodik der Eimessungen. Wiss. Meeresunters., Abt. Helgoland 3:127-332, 17 figs.
- Heincke, F., and E. Ehrenbraum. 1903. Table for determination of pelagic fish eggs. Rep. Lancashire Sea-Fish. Labor. Liverpool, 1902(1903), 95-100- Proc. Trans. Lpool Biol. Soc. (1903) 17:181-186.
- Heinen, A. 1912. Die planktonischen fischeier und larven der Ostsee. Wiss. Meeres. Abt. Kiel NF 14.
- Heinrich, J. W. 1981. Culture, feeding and growth of alewives hatched in the laboratory. Progressive Fish-Culturist 43:3-7.
- Heins, D. C., and G. H. Clemmer. 1976. The reproductive biology, age and growth of the North American cyprinid, [*Notropis longirostris*] (Hay). J. Fish. Biol. 8(5):365-380.
- Heins, D. C., and G. I. Bresnick. 1975. The ecological life history of the cherryfin shiner, [*Notropis roseipinnis*]. Transactions of the American Fisheries Society 104(3):516-523.
- Heisinger, J. F., and W. Green. 1975. Mercuric chloride uptake by eggs of the ricefish and resulting teratogenic effects. Bull. Env. Contam. Toxicol. 14:665.
- Helbig, J. A., and P. Pepin. 2002. The effects of short space and time scale current variability on the predictability of passive ichthyoplankton distributions: an analysis based on HF radar observations. Fisheries Oceanography 11(3):175-188.

- Helfman, G. S., and E. L. Bozeman. 1984. Size, age, and sex of American eels in a Georgia River. *Transactions of the American Fisheries Society* 113:132-141.
- Helfrich, P. 1958. The early life history and reproductive behavior of the moomao, [*Abudefduf abdominalis*] (Quoy and Gaibard). Ph.D. Diss., Univ. Hawaii.
- Helfrich, P., and P. M. Allen. 1975. Observations on the spawning of mullet, [*Crenimugil crenilabis*] (Forsk.) at Enewetak, Marshall Islands. *Micronesica* 11:219-225.
- Hellawell, J. M. 1972. The growth, reproduction, and food of the roach, [*Rutilus rutilus*] (L.), of the River Lugg, Herefordshire. *J. Fish. Biol.*
- Helle, J. H., R. S. Williamson, and J. E. Bailey. 1964. Intertidal ecology and life history of pink salmon at Olsen Creek, Prince William Sound, Alaska. *U.S. Fish. Wildl. Serv. Spec. Sci. Rep. Fish.* (483):1-26.
- Helser, T. E., and F. P. Almeida. 1997. Density-dependent growth and sexual maturity of silver hake in the north-west Atlantic. *Journal of Fish Biology* 51:607-623.
- Helvik, J.V., and O. Karlsen. 1996. The effect of light- and dark-rearing on the development of the eyes of Atlantic halibut (*Hippoglossus hippoglossus*) yolk-sac larvae. Pages 107-121 [in] L.A. Fuiman, editor. *Marine and Freshwater Behaviour and Physiology* 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Heming, T. A. 1979. Optimal timing of initial exogenous feeding, as affected by temperature in chinook salmon, [*Oncorhynchus tshawytscha*] Walb. M.S. Thesis, Univ. Victoria, Victoria, B. C. 124 pp.
- Heming, T. A., and R. P. Preston. 1981. Differential effect of formalin preservation on yolk and tissue of young chinook salmon, [*Oncorhynchus tshawytscha*] Walb. *Canadian Journal of Zoology* 59:1608-1611.
- Heming, T. A., J. E. McInerney, and D. F. Alderdice. 1982. Effect of temperature on initial feeding in alevins of chinook salmon, [*Oncorhynchus tshawytscha*]. *Canadian Journal of Fisheries and Aquatic Sciences* 39:1554-1562.
- Heming, T. A. 1982. Effects of temperature on utilization of yolk by chinook salmon (*Oncorhynchus tshawytscha*) eggs and alevins. *Can. J. Fish. Aquat. Sci.* 39:184-190.
- Heming, T. A., and R. K. Buddington. 1988. Yolk absorption in embryonic and larval fishes. Pages 408-446 [in] W.S. Hoar and D.J. Randall, editors. *Fish Physiology*. Volume XI, Part A. Academic Press Inc., San Diego, California.
- Hempel, G. 1953. The dependence of number of myomeres in the herring, [*Clupea harengus*], on the temperature. *Naturwissenschaften* 17:467.
- Hempel, G., and H. H. Trekel. 1959. Zum Wachstum der Otolithes bei Jungheringen. *Helgolander Wissenschaftliche Meeres.* 6(3):241-259.
- Hempel, G. 1960. Untersuchungen über die Verbreitung der Herings-larven im Englischen Kanal und der südlichen Nordsee im Januar 1959. *Helgolander wiss. Meeresunters.* 7:72-79.
- Hempel, G., and J. H. S. Blaxter. 1961. The experimental modification of meristic characters in herring (*Clupea harengus* L.). *J. Cons. perm. int. Explor. Mer* 26(3):336-346.
- Hempel, G., and J. H. S. Blaxter. 1961. On the conditions of herring larvae. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 154:35-40.
- Hempel, G. 1963. On the importance of larval survival for the population dynamics of marine food fish. *California Coop. Oceanic Fish. Invest. Rep.* 10:13-23.

- Hempel, G. 1965. Fecundity and egg size in relation to the environment. Spec. Publs. Int. Commn. N.W. Atlant. Fish., No.6 (contrib. No. F-5):687-690.
- Hempel, G. 1966. Effects of environment on egg size in herring. Ges. Sonderer Inst. Hydrobiol. Fischereiwiss., Univ. Hamburg. 9.
- Hempel, G., and J. H. S. Blaxter. 1966. Utilization of yolk by herring larvae. Ges. Sonderer Inst. Hydrobiol. Fischereiwiss., Univ. Hamburg. 10.
- Hempel, G., and J. H. S. Blaxter. 1967. Egg weight in Atlantic herring ([*Clupea harengus*] L.) J. Cons. int. Explor. Mer 31:170-195.
- Hempel, G., and K. Schubert. 1969. Mortality in a clump of eggs of the North Sea herring, [*Clupea harengus*] L. Ber. Deut. Wiss. Komm. Meeresforsch. 20:79-83.
- Hempel, G., and W. Nellen. 1969. Ichthyoneuston in the North Sea and Baltic. Cons. perm. int. Explor. Mer, C.M. Pap. and Rep. L23. 14 pp. (Mimeo).
- Hempel, G. 1971. Egg production and egg mortality in herring. Pages 8-11 [in] A. Saville, editor. Symposium on the biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160, 205 pp.
- Hempel, G. 1971. Egg production and mortality in herring. Rapp. P.-v. Reun. Cons. int. Explor. Mer 160:8-11.
- Hempel, G., and D. Schnack. 1971. Larval abundance on spawning grounds of Banks and Downs herring. Pages 94-98 [in] A. Saville, editor. Symposium on the biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160.
- Hempel, G., and H. Weikert. 1972. The neuston of the subtropical and boreal North-eastern Atlantic ocean: a review. Mar. Biol. 13(1):70-88.
- Hempel, G. 1973. Fish eggs and larval studies. FAO Fish. Tech. Pap. No. 122, 82 pp.
- Hempel, G. 1974. Summing up the symposium on the early life history of fish. Pages 755-759 [in] J. H. S. Blaxter, editor. The Early Life History of Fish. Springer-Verlag, N.Y., 765 pp.
- Hempel, G. 1979. Early life history of marine fish: the egg stage. Wash. Sea Grant Publ., ISBN 0-295-95672-0, 70 pp.
- Hempel, I., and G. Hempel. 1971. An estimate of mortality in eggs of North Sea herring ([*Clupea harengus*] L.). Pages 24-26 [in] A. Saville, editor. Symposium on the biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160.
- Hempel-Zawitkowska J. 1970. The influence of strong ultraviolet radiation on hatchability of [*Triops cancriformis*] (Bosc) eggs. Polskie Arch. Hydrobiol. 17(30):483-494.
- Henderson, G. I. D. 1964. Identity of larvae redfish population in the North Atlantic. Nature 201(4917):419 pp.
- Henderson, G. T. D. 1954. Continuous plankton records: the young fish and fish eggs, 1932-1939 and 1946-1949. Hull Bull. Mar. Ecol. 3(24):215-252.
- Henderson, G. T. D. 1957. Continuous plankton records: the distribution of young [*Gadus poutassou*] (Risso). Bull. Mar. Ecol. 4:179-202.
- Henderson, G. T. D. 1961. Continuous plankton records: The distribution of young stages of [*Sebastes*]. Cons. perm. int. Explor. Mer Rapp. R.-v. 150:216-219.



- Henderson, G. T. D. 1961. Contributions to a plankton atlas of the northeastern Atlantic and the North Sea. Part V: Young fish. Bull. Mar. Ecol. 5(42):105-111.
- Henderson, G. T. D. 1961. Continuous plankton records: the distribution of young [Sebastes marinus] (L.). Bull. Mar. Ecol. 5(46):173-193.
- Henderson, G. T. D. 1964. Redfish larvae in the North Atlantic. Spec. Publs. Int. Commn. N.W. Atlant. Fish., No.6 (contrib. No. B-4):309-315.
- Henderson, G. T. D. 1968. Continuous plankton records during the NORWESTLANT surveys, 1963 - young redfish. Spec. Publs. Int. Commn. N.W. Atlant. Fish. No.7(pt. 1):157-161.
- Henderson, G. T. D. 1968. Redfish larvae in the North Atlantic. Spec. Publ. ICNAF (7) Pt. 1:157-161.
- Henderson, M. A. 1977. Growth, mortality, production and feeding of yellow perch fry, [Perca flavescens] (Mitchell), and their effect on the [Daphnia pulicaria] Forbes of West Blue Lake. M. S. Thesis, Univ. Manitoba, Winnipeg. 135 pp.
- Henderson, N. E. 1963. Influence of light and temperature on the reproductive cycle of the eastern brook trout, [Salvelinus fontinalis] (Mitchill). Journal of the Fisheries Research Board of Canada 20:859-897.
- Henderson, O. C., W. H. Everhart, and K. M. Muth. 1968. Comparative agonistic and feeding behavior of hatchery reared and wild salmon in aquaria. Journal of the Fisheries Research Board of Canada 25:1-14.
- Henderson, P. A., J. W. Whitehouse, and G. H. Cartwright. 1984. The growth and mortality of larval herring, [Clupea] [harengus] L., in the River Blackwater Estuary, 1978-1980. J. Fish. Biol. 24:613-622.
- Henderson, V. 1985. Developmental events of the pectoral muscle in rainbow trout larvae ([Salmo gairdneri]). J. Morphol. 186(1):69-84.
- Heniken, M. R. 1977. Distribution and abundance of larval fish in western Lake Erie. Center for Lake Erie Area Res. (CLEAR) Tech. Rep. #69, The Ohio State Univ., Columbus, OH.
- Henly, E. 1952. The influence of the gas content of sea-water on fish and fish larvae. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 131(3):24-27.
- Henneguy, L. F. 1889. Recherches sur le developpement des poissons osseux: embryogenie de la truite. J. Anat. Physiol. Paris 24:1-183.
- Henri, M., J. J. Dodson, and H. Powles. 1985. Spatial configurations of young herring, [Clupea] [harengus harengus], larvae in the St. Lawrence estuary: importance of biological and physical factors. Canadian Journal of Fisheries and Aquatic Sciences 42(1):91-104.
- Hensen, V. 1882. On the occurrence and quantity of the eggs of some of the fish of the Baltic. U.S. Fish. Comm. Rep. 1882.
- Hensen, V. 1884. On the occurrence and quantity of the eggs of some of the fishes of the Baltic, especially those of the plaice ([Platessa platessa]), the flounder ([Platessa] [vulgaris]), and the cod ([Gadus morhua]). Rep. U.S. Commnr. Fish. 1882:427-454.
- Hensen, V. 1895. Methodik der Untersuchungen bei der Planktonexpedition Ergebn. Atl. Ozean Plankton-Exped. Humboldt-Stiffing 1:200 pp.
- Hensley, D. 1977. Larval [Engyophrys senta] (Bothidae) with comments on intermuscular bones in flatfishes. Bull. Mar. Sci. 27(4):681-703.

- Hensley, D. A. 1976. Collection of postlarval and juvenile [Hoplias] [malabaricus] (Characoidei: Erythrinidae) in Florida. Florida Scientist 39(4):236-238.
- Hensley, D. A., R. S. Appeldoorn, D. Y. Shapiro, M. Ray, and R. G. Turingan. 1994. Egg dispersal in a caribbean coral reef fish, [Thalassoma bifasciatum]. 1. Dispersal over the reef platform. Bulletin of Marine Science 54:256-270.
- Hentschel, E. 1950. Die Nahrung der Haringslarven. Helgol. Wiss. Meereensunt. 3:59-81.
- Herald, E. S. 1951. Pseudofins on the caudal peduncle of juvenile scombrids. California Fish and Game 37(3):335-337.
- Herdendorf, C. E. 1976. Assessment of the larval fish populations in the Maumee River estuary and Maumee Bay of Lake Erie. Center for Lake Erie Area Res. (CLEAR) Tech. Rep. #75, The Ohio State Univ., Columbus, OH.
- Herdendorf, C. E., and C. L. Cooper. 1976. Investigation of larval fish populations in Maumee River estuary and Bay and assessment of the impact of commercial sand and gravel dredging on these populations. Center for Lake Erie Area Res. (CLEAR) Tech. Rep. #49, The Ohio State Univ., Columbus, OH.
- Herdendorf, C. E., C. L. Cooper, M. R. Heniken, and F. L. Snyder. 1976. Western Lake Erie larval fish survey, 1975. Center for Lake Erie Area Res. (CLEAR) Tech. Rep. #47, The Ohio State Univ., Columbus, OH.
- Herdendorf, C. E., C. L. Cooper, M. R. Heniken, and F. L. Snyder. 1977. Western Lake Erie larval fish survey, 1976. Center for Lake Erie Area Res. (CLEAR) Tech. Rep. #63, The Ohio State Univ., Columbus, OH.
- Hergenrader, G. L. 1969. Spawning behavior of [Perca flavescens] in aquaria. Copeia 1969(4):839-841.
- Herke, W. H. 1969. An unusual inland collection of larval ladyfish, [Elops saurus], in Louisiana. Proc. Louisiana Acad. Sci. (32):29-30.
- Herman, S. S. 1958. The planktonic fish eggs and larvae of Narragansett Bay. M.S. Thesis, Univ. of Rhode Island, 65 pp.
- Herman, S. S. 1963. Planktonic fish eggs and larvae of Narragansett Bay. Limnol. Oceanogr. 8(1):103-109.
- Hermann, F. 1953. Influence of temperature on strength of cod year classes. Ann. Biol. Copenh. 9:31-32.
- Hermann, F., P. M. Hansen, and S. A. Horsted. 1965. The effect of temperature and currents on the distribution and survival of cod larvae at West Greenland. Spec. Publ. Int. Commn. N.W. Atlant. Fish., No. 6 (Contrib. No. B-14):389-395.
- Hermes, R. 1985. Distribution of neustonic larvae of hakes, [Urophycis] spp. and fourbeard rockling [Enchelyopus] [cimbrius] in the Georges Bank area. Transactions of the American Fisheries Society 114:604-608.
- Hernandez-Leon, S. 1991. Accumulation of mesozooplankton in a wake area as a causative mechanism of the island-mass effect. Marine Biology 109:141-147.
- Heroux, D., and P. Magnan. 1996. In situ determination of food daily ration in fish: review and field evaluation. Environmental Biology of Fishes 46:61-74.
- Heronimus, C. 1911. Die Entwicklung des Brustflossenkelett bei [Amia] [calva]. Anat. Anz. 39(8):193-203.

- Herre, A. W. 1928. International cooperation in the investigation of pelagic fish eggs and larvae. Proc. Pac. Sci. Congr. 33(1):310-312.
- Herre, A. W., and J. Mendoza. 1929. [Bangos] culture in the Philippine Islands. Philipp. J. Sci. 38(4):451-509.
- Herrera, G., and F. Balbontin. 1983. Rate of gut evacuation and feeding incidence in larvae of [*Sardinops sagax musica*] (Pisces: Clupeiformes). Rev. Biol. Mar. Valparaiso 19(2):113-132.
- Herrmann, R. B., C. E. Warren, and P. Doudoroff. 1962. Influence of oxygen concentration on the growth of juvenile coho salmon. Transactions of the American Fisheries Society 91:155-167.
- Hershberger, W. K., K. Bonham, and L. R. Donaldson. 1978. Chronic exposure of chinook salmon eggs and alevins to gamma irradiation: effects on their return to freshwater as adults. Trans. Am. Soc. 107(4):622-631.
- Herzig, A., and H. Winkler. 1986. The influence of temperature on the embryonic development of three cyprinid fishes, [*Abramas*] [*brama*], [*Chalcaburnus chalcoidesmento*], and [*Vimba*] [*vimba*]. J. Fish. Biol. 28(2):171-182.
- Herzka, S.Z., and G.J. Holt. 2000. Changes in isotopic composition of red drum [*Sciaenops ocellatus*] larvae in response to dietary shifts: potential applications to settlement studies. Canadian Journal of Fisheries and Aquatic Sciences 57:1370147.
- Hesen, H. O. 1929. A fish trap for the capture of largemouth bass fry and fingerlings. Transactions of the American Fisheries Society 59:118-125.
- Hess, A. D. 1941. New limnological sampling equipment. Limnol. Soc. Am. Spec. Publ. 6:1-5.
- Hess, K. W., M. P. Sissenwine, and S. B. Saila. 1975. Simulating the impact of the entrainment of winter flounder larvae. Pages 1-30 [in] S. B. Saila, editor. Fisheries and energy production: a symposium. D.C. Heath & Co., Lexington, MA., 300 pp.
- Hess, T. B., and P. V. Winger. 1976. The occurrence and distribution of larval fish in the Cumberland River. Proc. 30th Ann. Conf. S. E. Assoc. G & F Comms. 30:295-310.
- Hetrick, N. J., M. A. Brusven, T. C. Bjornn, R. M. Keith and W. R. Meehan. 1998. Effects of canopy removal on invertebrates and diet of juvenile coho salmon in a small stream in southeast Alaska. Transactions of the American Fisheries Society 127(6): 876-888.
- Hettler, W. F., Jr. 1968. Artificial fertilization among yellowfin and Gulf menhaden ([*Brevoortia*]) and their hybrid. Transactions of the American Fisheries Society 97(2):119-123.
- Hettler, W. F., Jr. 1970. Rearing larvae of yellowfin menhaden, ([*Brevoortia*] [*smithi*]). Copeia 1970 (4):775-776.
- Hettler, W. F., Jr. 1970. Rearing menhaden. Pages 24-26 [in] Research in fiscal year 1969 at the Bureau of Commercial Fisheries Biological Laboratory, Beaufort, North Carolina. U.S. Fish & Wildl. Serv. Circ. 350.
- Hettler, W. F., Jr. 1973. Rearing menhaden larvae (Part 2). Pages 149-157 [in] A. L. Pacheco, editor. Proceedings of a workshop on egg, larvae and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No.1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.
- Hettler, W. F., Jr. 1976. Influence of temperature and salinity on routine metabolic rate and growth of young Atlantic menhaden. J. Fish. Biol. 8(1):55-65.

- Hettler, W. F. 1976. Influence of temperature and salinity on routine metabolic rate and growth of young Atlantic menhaden. *J. Fish. Biol.* 8:55.
- Hettler, W. F. 1977. Swimming speeds of juvenile estuarine fish in a circular flume. *Proc. 31st Ann. Conf. S. E. Assoc. G & F Comms.* 31:392-398.
- Hettler, W. F., and L. C. Clements. 1978. Effects of acute thermal stress on marine fish embryos and larvae. [In] L. D. Jensen, editor. Fourth national workshop on entrainment and impingement. *Ecol. Anal. Comm.*, Melville, NY.
- Hettler, W. F., Jr. 1979. Modified neuston net for collecting live larval and juvenile fish. *Progressive Fish-Culturist* 41(1):32-33.
- Hettler, W. F., Jr. 1981. Spawning and rearing Atlantic menhaden. *Progressive Fish-Culturist* 43:80-84.
- Hettler, W. F., and A. B. Powell. 1981. Egg and larval fish production at the NMFS Beaufort Laboratory, Beaufort, North Carolina, USA. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:501-503.
- Hettler, W. F., D. E. Hoss, and L. Coston-Clements. 1981. A summary of the Beaufort Laboratory research concerning the effect of entrainment on the early stages of estuarine dependent fishes. Page 243 [in] L. D. Jensen, editor. *Issues assoc. with impact assessment. Proc. 5th Natl. workshop on entrainment and impingement.*
- Hettler, W. F., Jr. 1983. Transporting adult and larval Gulf menhaden and techniques for spawning in the laboratory. *Progressive Fish-Culturist* 45(1):45-48.
- Hettler, W. F. 1984. Description of eggs, larvae, and early juveniles of Gulf menhaden, [*Brevoortia patronus*], and comparisons with Atlantic menhaden, [*B. tyrannus*], and yellowfin menhaden, [*B. smithi*]. *Fish. Bull. NOAA* 82(1):85-96.
- Hettler, W. F. 1984. Marking otoliths by immersion of marine fish larvae in tetracycline. *Transactions of the American Fisheries Society* 113:370-373.
- Heubach, W., R. J. Toth, and A. M. McCready. 1963. Food of the young-of-the-year striped bass, [*Roccus*] [*saxatilis*], in the Sacramento-San Joaquin River system. *California Fish and Game* 49:224-239.
- Heuer, J. H., and D. A. Tomljanovich. 1978. A study on the protection of fish larvae at water intakes using wedge-wire screening. Pages 169-194 [in] R. K. Sharma and J. B. Palmer, editors. *Larval exclusion systems for power plant cooling water intakes. Argonne Natl. Lab., Argonne, IL. ANL/ES-66.*
- Heuer, J. H., and D. A. Tomljanovich. 1979. A further study on the protection of fish larvae at water intakes using wedge-wire screening. *TVA Div. Water Resour. Tech. Note No. B33.* 32 pp.
- Heufelder, G. R., and N. A. Auer. 1980. A comparison of larval [*Cottus bairdi*] and [*Cottus*] [*cognatus*] from southeastern Lake Michigan. Pages 58-68 [in] L. A. Fuiman, editor. *Proc. fourth ann. larval fish conf., Fish Wildl. Serv., Biol. Serv. Prog., Natl. Power Plant Team, Ann Arbor, MI, FWS/OBS-80/43.* 179 pp.
- Heufelder, G. R. 1982. Family Cottidae, sculpins. Pages 656-676 [in] N. A. Auer, editor. *Identification of larval fishes of the Great Lakes Basin with emphasis on the Lake Michigan drainage. Great Lakes Fish. Comm. Spec. Publ.* 82-3.
- Heufelder, G. R., and L. A. Fuiman. 1982. Family Cyprinidae, carps and minnows. Page 174 [in] N. A. Auer, editor. *Identification of larval fishes of the Great Lakes Basin. Great Lakes Fish. Comm., Ann Arbor, MI. Spec. Publ.* 82-3. 744 pp.

- Heufelder, G. R., D. S. Jude, and F. S. Tesar. 1982. Effects of upwelling on local abundance and distribution of larval alewife, [*Alosa pseudoharengus*], in eastern Lake Michigan. *Canadian Journal of Fisheries and Aquatic Sciences* 39(11):1531-1537.
- Hewitt, R. 1980. Distributional atlas of fish larvae in the California Current region: northern anchovy, [*Engraulis mordax*] Girard, 1966 through 1979. *California Coop. Oceanic Fish. Invest. Rep.*, Atlas 28. 101 pp.
- Hewitt, R. 1981. The value of pattern in the distribution of young fish. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:229-236.
- Hewitt, R. P. 1982. Spatial pattern and survival of anchovy larvae: Implications of adult reproductive strategy. Ph.D Diss., Univ. California, San Diego. 187 pp.
- Hewitt, R. P., and G. D. Brewer. 1982. Nearshore production of young anchovy. *California Coop. Oceanic Fish. Invest. Rep.* XXIV:235-244.
- Hewitt, R. P., and R. D. Methot. 1982. Distribution and mortality of northern anchovy larvae in 1978 and 1979. *California Coop. Oceanic Fish. Invest. Rep.* 23:226-245.
- Hewitt, R. 1983. Roll, heave and vertical ichthyoplankton tows. *Ocean Sci. Engineer.* 81(1):41-51.
- Hewitt, R. P., G. H. Theilacker, and N. C. H. Lo. 1985. Causes of mortality in young jack mackerel. *Mar. Ecol. Prog. Series* 26:1-10.
- Hewson, L. C. 1955. Age, maturity, spawning and food of burbot, [*Lota*] [*lota*], in Lake Winnepeg. *Journal of the Fisheries Research Board of Canada* 12:930-940.
- Hey, D. 1947. The fertility of brown trout eggs at the Jonker Shoek Inland Fish Hatchery. *Transactions of the American Fisheries Society* 77:65-80.
- Heyamoto, H. 1962. Age of young sablefish, [*Anoplopoma fimbria*] (Pallas). *Journal of the Fisheries Research Board of Canada* 19(6):1175-1177.
- Heyer, C. J., T. J. Miller, F. P. Binkowski, E. M. Caldarone, and J. A. Rice. 2001. Maternal effects as a recruitment mechanism in Lake Michigan yellow perch ([*Perca flavescens*]) *Canadian Journal of Fisheries and Aquatic Sciences* 58:1477-1487.
- Heyer, C. J., and T. J. Miller. In review. Maternal effects, resistance to starvation and recruitment in Lake Michigan yellow perch ([*Perca flavescens*]). *Canadian Journal of Fisheries and Aquatic Sciences*. (submitted 15/VIII/01).
- Hickey, G. M. 1979. Survival of fish larvae after injury. *J. Exp. Mar. Biol. Ecol.* 37(1):1-17.
- Hickey, G. M. 1982. Wound healing in fish larvae. *J. Exp. Mar. Biol. Ecol.* 57:149-168.
- Hickling, C. F. 1927. The natural history of the hake. Part I and II. *Fishery Invest.*, Lond. (Ser. 2: Sea Fisheries), 10(2):1-99.
- Hickling, C. F. 1930. The natural history of the hake. Part III. *Fishery Invest.*, Lond. (Ser. 2: Sea Fisheries), 12(1):1-78.
- Hickling, C. F. 1933. The natural history of the hake. Part IV. Age-determination and the growth rate. *Fishery Invest.*, Lond. (Ser.2: Sea Fisheries) 13(2):1-120.
- Hickling, C. F. 1940. The fecundity of the herring of the southern North Sea. *J. Mar. Biol. Assoc. U. K.* 24(2):619-632.
- Hickling, C. F. 1967. On the biology of a herbivorous fish, the white amur or grass carp, [*Ctenopharyngodon idella*] Val. *Proc. R. Soc. Edinburgh Sect. B* 70(1):62-81.

- Hickling, C. F. 1970. A contribution to the natural history of the English grey mullets (Pisces: Mugilidae). J. Mar. Biol. Assoc. U.K. 50:609-633.
- Hickman, C. P., Jr. 1959. The larval development of the sand sole ([Psettichthys melanostictus]). Wash. Dept. Fish., Fish. Res. Pap. 2(2):38-47.
- Hickman, R. A. 1981. Densities and swimbladder development of juvenile American eels, [Anguilla rostrata] (LeSueur), as related to energetics of migration. J. Fish. Biol. 18(5):507-518.
- Hidaka, I., T. Ohseigi, and Y. Mamamoto. 1985. Gustatory respiration in the young yellowtail, [Seriola quinqueradiata]. Bull. Jap. Soc. Sci. Fish. 51(1):21-24.
- Hieb, R. N. 1968. Observations on the life history of the goldeye, [Hiodon alosoides] (Rafinesque) in Moccasin Bay on the Little Missouri Arm, Garrison Reservoir, North Dakota. M.S. Thesis, Univ. North Dakota.
- Hiematra, W. H. 1962. A correlation table as an aid for identifying pelagic fish eggs in plankton samples. J. Cons. perm. int. Explor. Mer 27(1):100-108.
- Higam, J. R., and W. R. Nicholson. 1964. Sexual maturation and spawning of Atlantic menhaden. Fish. Bull. NOAA (U.S.) 63(2):255-271.
- Higgins, B. E. 1967. The distribution of juveniles of four species of tunas in the Pacific Ocean. Indo-Pac. Fish. Counc. Proc. Sec. 2:79-99.
- Higgins, B. E. 1970. Juvenile tunas collected by midwater trawling in Hawaiian waters, July-September 1967. Transactions of the American Fisheries Society 99(1):60-99.
- Higgs, D. A., et al. 1983. Protein quality of [Altex canola] meal for juvenile chinook salmon, [Oncorhynchus tshawytscha], considering dietary protein 3,5,3-triiodo-L-th content. Aquaculture 34(3/4):213-238.
- Higgs, D. A., J. R. Markert, M. D. Plotnikoff, J. R. McBride and B. S. Dosanjh. 1985. Development of nutritional and environmental strategies for maximizing the growth and survival of juvenile pink salmon ([Oncorhynchus gorbuscha]). Aquaculture 47(2-3):113-130.
- Higgs, D. M., and L. A. Fuiman. 1998. Associations between behavioral ontogeny and habitat change in clupeoid larvae. Journal of the Marine Biological Association of the United Kingdom 78:1281-1294.
- Higgs, D. M., and L. A. Fuiman. 1998. Associations between sensory development and ecology in three species of clupeoid fish. Copeia 1998:133-144.
- Higgs, D. M., and L. A. Fuiman. 1996. Ontogeny of visual and mechanosensory structure and function in Atlantic menhaden [Brevoortia tyrannus]. Journal of Experimental Biology 199:2619-2629.
- Higgs, D. M., and L. A. Fuiman. 1996. Light intensity and schooling behaviour in larval gulf menhaden. Journal of Fish Biology 48:979-991.
- Higley, D. L., and C. E. Bond. 1973. Ecology and production of juvenile spring chinook salmon, [Oncorhynchus tshawytscha], in a eutrophic reservoir. U.S. NMFS Fish. Serv. Bull. 71: 877-891.
- Higurashi, T. 1925. Optimum water temperature for hatching of the eggs of [Plecoglossus altivelis] Temm. et Schl. J. Imp. Fish. Inst. Tokyo 20(1):12-14.
- Higurashi, T. 1925. Optimum water temperature for hatching the eggs of [Hypomesus olidus] Pallasi. J. Imp. Fish. Inst. Tokyo 21(1):2-5.

- Hikita, T. 1952. On the development of [*Limanda schrenki*] (Schmidt). Sci. Rep. Hokkaido Fish Hatchery 7(1,2):133-144.
- Hikita, T. 1953. A note on the fry of salmonid fishes rearing in the artificial hatchery in Hokkaido, with specific reference to the discrimination of these fry. Sci. Rep. Hokkaido Fish Hatch. 8(1):11-20.
- Hikita, T. 1956. On the anatomy and development of carp in Hokkaido. Sci. Rep. Hokkaido Fish Hatch. 11:65-95.
- Hikita, T. 1958. On the development of long finned smelt, [*Spirinchus*] [*lanceolatus*]. Sci. Rep. Hokkaido Fish Hatchery 13:1-4.
- Hildebrand, S. F. 1917. Notes on the life history of the minnows, [*Gambusia*] [*affinis*] and [*Cyprinodon variegatus*]. Appendix IV. Rep. U.S. Commnr. Fish., Doc. No. 857, 1917(1919):1-15.
- Hildebrand, S. F. 1919. Notes on the life history of the minnows, [*Gambusia*] [*affinis*] and [*Cyprinodon variegatus*]. Rep. U.S. Commnr. Fish. 1919(1914), 34:409-429.
- Hildebrand, S. F. 1922. Notes on habits and development of eggs and larvae of silversides, [*Menidia menidia*] and [*Menidia*] [*beryllina*]. Bull. Bur. Fish., Wash., Doc. No. 918, 1921-1922(1923), 38:113-120.
- Hildebrand, S. F., and W. C. Schroeder. 1928. Fishes of Chesapeake Bay. Bull. Bur. Fish, Wash., Doc. No. 1024, 1928 (1927), 43, 388 pp.
- Hildebrand, S. F., and L. Cable. 1930. Development and life history of fourteen teleostean fishes at Beaufort, North Carolina. U.S. Bur. Fish. Bull. 46-383-488.
- Hildebrand, S. F., and L. E. Cable. 1934. Reproduction and development of whittings or kingfishes, drum, spot, croakers, and weakfishes or seatrouts, Family Sciaenidae. U.S. Bur. Fish. Bull. 48(16):41-117.
- Hildebrand, S. F. 1934. The capture of young tarpon, [*Tarpon atlanticus*], at Beaufort, North Carolina. Copeia 1934(1):45-46.
- Hildebrand, S. F., and L. Cable. 1938. Further notes on the development and life history of some teleosts at Beaufort, North Carolina. U.S. Bur. Fish. Bull. 48-505-642.
- Hildebrand, S. F. 1943. Note on the affinity, anatomy and development of [*Elops saurus*] Linnaeus. J. Washington Acad. Sci. 33(3):90-94.
- Hildebrand, S. F. 1946. Carangidae in: A descriptive catalog of the shore fishes of Peru. Bull. U.S. Nat. Mus. 189, 530 pp.
- Hildebrand, S. F. 1948. A review of the American menhaden, genus [*Brevoortia*], with a description of a new species. Smithson. Misc. Coll. 107(18):1-39.
- Hildebrand, S. F. 1964. Family Elopidae, pp. 111-131, figs. 19-21. In: Fishes of the Western North Atlantic. J. Mar. Res. Mem. 1963(1964), 1(3).
- Hildebrand, S. F. 1964. Family Albulidae, pp. 132-147, figs. 22-24. In: Fishes of the Western North Atlantic J. Mar. Res. Mem. 1963(1964), 1(3).
- Hildebrand, S. F. 1964. Family Engraulidae, pp. 152-249, figs. 25-29. In: Fishes of the Western North Atlantic. J. Mar. Res. Mem. 1963(1964), 1(3).
- Hildebrand, S. F. 1964. Family Clupeidae, pp. 257-385, 397-342, 452-454; figs. 62-94, 98-115. In: Fishes of the Western North Atlantic. J. Mar. Res. Mem. 1963(1964), 1(3).

- Hildebrand, S. G., and R. M. Cushman. 1978. Toxicity of gallium and beryllium to developing carp eggs, [*Cyprinus carpio*], utilizing copper as a reference. *Toxicol. Letters* 2:91-95.
- Hilden, M., and L. Urho. 1988. Sampling of larval European smelt: a factorial experiment. *American Fisheries Society Symposium* 5:123-130.
- Hile, R., and H. J. Deason. 1947. Distribution, abundance, and spawning season and grounds of the kiyi, [*Leucichthys kiyi*] Koelz, in Lake Michigan. *Transactions of the American Fisheries Society* 74:143-165.
- Hill, A. E. 1990. Pelagic dispersal of Norway lobster [*Nephrops norvegicus*] larvae examined using an advection-diffusion-mortality model. *Marine Ecology-Progress Series* 64:217-226.
- Hill, A. E. 1991. Advection-diffusion-mortality solutions for investigating pelagic larval dispersal. *Marine Ecology-Progress Series* 70:117-128.
- Hill, B. J., and I. C. Potter. 1970. Oxygen consumption in ammocoetes of the lamprey [*Ichthyomyzon hubbsi*] Raney. *J. Exp. Biol.* 53:47-57.
- Hill, C. W., Jr. 1962. Observations on the life histories of the peamouth ([*Mylocheilus caurinus*]) and the northern squawfish ([*Ptychocheilus oregonensis*]) in Montana. *Proc. Montana Acad. Sci.* 22:27-44.
- Hill, H. W. 1971. Seasonal movements of young plaice in the northeast Irish Sea. *Fish. Invest. London, Ser.* 226(7):1-24.
- Hill, L. G. 1971. Scale development and patterns of squamation on the spring cavefish, [*Chologaster agassizi*] (Amblyopsidae). *Oklahoma Acad. Sci.* 51:13-15.
- Hillas, A. B. E. 1908. Summary of reports relative to eel fry. *Irish Fish. Invest.* 2:1-5.
- Hillgruber, N., L. J. Haldorson, and A. J. Paul. 1995. Feeding selectivity of larval walleye pollock [*Theragra chalcogramma*] in the oceanic domain of the Bering Sea. *Marine Ecology - Progress Series* 120:1-10.
- Hillman, R. E., N. W. Davis, and J. Wennemer. 1977. Abundance, diversity, and stability in shore-zone fish communities in an area of Long South Island affected by the thermal discharge of a nuclear power station. *Estuar. & Coast. Mar. Sci.* 5:355-381.
- Hiltibran, R. C. 1967. Effects of some herbicides on fertilized fish eggs and fry. *Transactions of the American Fisheries Society* 96(4):414-416.
- Hilton, J. W., and S. J. Slinger. 1983. Effect of wheat bran replacement of wheat middlings in extrusion processed (floating) diets on the growth of juvenile rainbow trout, [*Salmo gairdneri*]. *Aquaculture* 35(3):201-210.
- Hinckley, S., A. J. Hermann, and B. A. Megrey. 1996. Development of a spatially explicit, individual-based model of marine fish early life history. *Marine Ecology-Progress Series* 139:47-68.
- Hinckley, S., K. Bailey, S. Picquelle, M. Yoklavich, and P. Stabeno, P. 1993. Age-specific mortality and transport of larval walleye pollock [*Theragra chalcogramma*] in the Western Gulf of Alaska. *Marine Ecology-Progress Series* 98:17-29.
- Hinckley, S. 1990. Variation of egg size of walleye pollock [*Theragra chalcogramma*] with a preliminary examination of the effect of egg size on larval size. *Fishery Bulletin* 88:471-483.
- Hinrichs, M. A. 1925. Modification of development and larval feeding of lake herring, [*Coregonus artedii*] LeSueur. *Rep. Fauna and Flora Wis.* 10(4):75-86.



- Hinrichs, M. A. 1928. Ultraviolet radiation as a means of twin production in [*Fundulus heteroclitus*]. *Anat. Rec.* 41(1):75-76.
- Hinrichs, M. A. 1979. A description and key of the eggs and larvae of five species in the subfamily Coregonidae. M.S. Thesis, Univ. of Wisconsin, Madison, WI.
- Hinrichsen, R. A. 2001. High variability in spawner-recruit data hampers learning. *Canadian Journal of Fisheries and Aquatic Sciences* 58(4):769-776.
- Hinshaw, J. M. 1985. Effects of illumination and prey contrast on survival and growth of larval yellow perch, [*Perca*] [*flavescens*]. *Transactions of the American Fisheries Society* 114:540-545.
- Hintzpodufal, C., and S. Vogel. 1985. Malformations of embryos of the zebrafish, [*Brachydanio rerio*] (Ham.-Buch.) after treatments with detergents. *Zool. Anz.* 215(1-2):9-17.
- Hioki, S., K. Suzuki, and Y. Tanaka. 1982. Spawning behavior, egg and larval development, and sex succession of the hermaphroditic pomacanthine, [*Genicanthus melanospilos*], in the aquarium. *J. Fac. Mar. Sci. and Tech., Tokai Univ.* 15:359-366.
- Hirai, A., and T. S. Yamamoto. 1986. Micropyle in the developing eggs of the anchovy, [*Engraulis japonica*]. *Jap. J. Ichthyol.* 33(1):62-66.
- Hirai, K. 1964. Comparative studies on the ecology of four species of bitterlings in the Lake Biwa. *Physiol. Ecol. Tokyo* 12(1-2):72-81.
- Hirai, K. I. 1972. Ecological studies on fry and juvenile of fishes at aquatic plant areas in a bay of Lake Biwa. Part 3: relationship of the food habits to the habitat of nigorobuna, [*Carassius carassius glandoculis*], larvae. *Jap. J. Ecol.* 22(2):69-93.
- Hiramoto, K. 1968. Fishery biology of the Japanese anchovy in the waters off the Boso Peninsula. 1. Maturation and aggregation of the large-sized adults and distribution of the eggs. *Bull. Jap. Soc. Sci. Fish.* 34:36-43.
- Hirano, R., and Y. Oshima. 1963. On the rearing of larvae of marine animals with special reference to their food organisms. *Bull. Jap. Soc. Sci. fish.* 29:282-297.
- Hirano, T. 1965. An estimate of distribution of fish eggs and larvae drifted by the Kuroshio current. *Bull. Tokai Reg. Fish. Res. Lab.* 44:25-30.
- Hirano, R. 1969. Rearing of black sea bream larva. *Bull. Jap. Soc. Sci. Fish.* 35:567-569.
- Hirano, T., and M. Fujimoto. 1970. Preliminary results of investigation of the Kuroshio functioning as a means of transportation and diffusion of eggs and larvae. Pages 405-416 [in] J. C. Marr, editor. *The Kuroshio: a symp. on the Japanese Current*. Honolulu, East-West Center Press.
- Hirata, H. 1973. Diurnal rhythm of metabolic and activity rates in juvenile Atlantic salmon, [*Salmo salar*] L. *Mem. Fac. Fish. Kagoshima Univ.* 22:73-93.
- Hirayama, K., and R. Hirano. 1970. Influences of high temperature and residual chlorine on the marine planktonic larvae. *Bull. Fac. Fish. Nagasaki Univ.* (29):83-89.
- Hiroi, O., M. Yasukawa, T. Suetake, S. Sasaki, T. Tomita, and Y. Sato. 1973. Preliminary report on the development of chum salmon ([*Oncorhynchus keta*]) eggs kept in the spring water of 8 degrees C. *Sci. Rep. Hokkaido Salmon Hatchery* 27:25-30.
- Hirose, K., and K. Kawakami. 1977. Effect of insecticides, oil dispersants and synthetic detergents on the embryonic development in medaka, [*Oryzias latipes*]. *Bull. Tokai Reg. Fish. Res. Lab.* 91:9-18.

- Hirose, K., R. Ischida, and K. Sakai. 1977. Induced ovulation of ayu using human chorionic gonadotrophin (HCG), with special respect to changes in several characteristics of eggs retained in the body cavity after ovulation. *Bull. Jap. Soc. Sci. Fish.* 43(4): 409-416.
- Hirose, K., Y. Machida, and E. M. Donaldson. 1979. Induced ovulation of Japanese flounder ([*Limanda*] [*yokohamae*]) with human chorionic gonadotropin and salmon gonadotropin, with special reference to changes in quality of eggs retained in the ovarian cavity after ovulation. *Bull. Jap. Soc. Sci. and Fish.* 45:31-36.
- Hirshfield, M. F. 1977. The reproductive ecology and energetics of the Japanese medaka, [*Oryzias latipes*]. Ph.D. Diss., Univ. Michigan, Ann Arbor.
- Hisaoka, K. K., and A. F. Hopper. 1957. Some effect of barbituric and diethylbarbituric acid on the development of the zebrafish, [*Brachydanio*] [*rerio*] (Hamilton-Buchanan *Anat. Rec.* 129: 297-308.
- Hisaoka, K. K. 1958. The effects of 2-acetylaminoflour on the embryonic development of the zebrafish. I. Morphological Studies. *Cancer Res.* 18:527-535.
- Hisaoka, K. K. 1958. The effects of 2-acetylaminoflour on the embryonic development of the zebrafish. II. Histochemical studies. *Cancer Res.* 18:664-667.
- Hisaoka, K. K., and H. I. Battle. 1958. The normal developmental stages of the zebrafish, [*Brachydanio rerio*] (Hamilton-Buchanan *J. Morph.* 102(2):311-327.
- Hisaoka, K. K., and C. F. Firlit. 1960. Further studies on the embryonic development of the zebrafish, [*Brachydanio rerio*] (Ham. & Buch.). *J. Morph.* 107:205-226.
- Hisaoka, K. K., and C. F. Firlit. 1962. The localization of nucleic acids during oogenesis in the zebrafish. *Am. J. Anat.* 110:203-216.
- Hisaw, F. L., and A. Albert. 1947. Observations on the reproduction of the spiny dogfish, [*Squalus acanthias*]. *Biol. Bull.* 92:187-199.
- Hiscock, M. J., D. A. Scruton, J. A. Brown, and K. D. Clarke. 2002. Winter movement of radio-tagged juvenile Atlantic salmon in northeast brook, Newfoundland. *Transactions of the American Fisheries Society* 131 (3):577-581.
- Hiscox, J. I., and R. W. Brocksen. 1973. Effects of a parasitic gut nematode on consumption and growth in juvenile rainbow trout, [*Salmo*] [*gairdneri*]. *Journal of the Fisheries Research Board of Canada* 30(3):443-450.
- Hishida, T., and E. Nakano. 1954. Respiratory metabolism during fish development. *Embryologia* 2(8):67-79.
- Hishida, Y. 2002. Egg consumption by the female in the paternal brooding goby [*Bathygobius fuscus*]. *Fisheries Science* 68(2):449-451.
- Hislop, J. R. G. 1975. The breeding and growing of whiting, [*Merlangus*] [*merlangus*], in captivity. *J. Cons. perm. int. Explor. Mer* 36(2):119-127.
- Hislop, J. R. G., A. P. Robb, and J. A. Gauld. 1978. Observations on effects of feeding level on growth and reproduction in haddock, [*Melanogrammus*] [*aeglefinus*] (L.), in captivity. *J. Fish. Biol.* 13(1): 85-98.
- Hislop, J. R. G., and M.A. Bell. 1987. Observations on the size, dry weight, and energy content of the eggs of some demersal fish species from the British marine waters. *J. Fish. Biol.* 31:1-20.

- Hitz, C. R., and A. C. DeLacy. 1960. Reproduction and fecundity of rockfishes ([Sebastodes]). Res. Fish. Contr. 77 Coll. Fish. Univ. Wash.
- Hitz, C. R. 1961. Occurrence of two species of juvenile rockfish in Queen Charlotte Sound. Journal of the Fisheries Research Board of Canada 18:279-281.
- Hitz, C. R. 1962. Seasons of birth of rockfish, [Sebastodes] sp., in Oregon coastal waters. Trans. Am. Fish Soc. 91:231-233.
- Hitz, C. R., and A. C. DeLacy. 1965. Clearing of yolk in eggs of the rockfishes, [Sebastodes cauvinus] and [S. auriculatus]. Transactions of the American Fisheries Society 94(2):194-195.
- Hiyama, Y. 1952. Thermotaxis of eel fry in stage of ascending river mouth. Jap. J. Ichthyol. 2(1):23-30.
- Hiyama, Y., et al. 1961. On the predation of rainbow trout fry traced by Cobalt-60 body cavity tag. Bull. Jap. Soc. Sci. Fish. 27(4):296-301.
- Hiyama, Y., Y. Nose, M. Shimizu, T. Ishihara, H. Abe, R. Sato, and T. Maiwa. 1972. Predation of chum salmon fry during the course of its seaward migration. II. Otsuchi River investigation 1964 and 1965. Bull. Jap. Soc. Sci. Fish. 38:223-229.
- Hiyama, Y., Y. Nose, M. Shimizu, T. Ishihara, H. Abe, R. Sato, and T. Maiwa. 1972. Predation of chum salmon fry during the course of its seaward migration. I. Otsuchi River investigation 1961-63. Bull. Jap. Soc. Sci. Fish. 38(3):211-222.
- Hjelmeland, K., I. Huse, T. Jorgensen, G. Molvik, and J. Raa. 1984. Trypsin and trypsinogen as indices of growth and survival potential of cod ([Gadus morhua] L.) larvae. Pages 189-202 [in] E. Dahl et al., editors. The propagation of cod [Gadus morhua] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.
- Hjelmeland, K., B. H. Pedersen, and E.M. Nilssen. 1988. Trypsin content in intestines of herring larvae, Clupea harengus, ingesting inert polystyrene spheres or live crustacea prey. Mar. Biol. 98:331-335.
- Hjorleifsson, E., and J. Palsson. 2001. Settlement, growth and mortality of 0-group plaice ([Pleuronectes platessa]) in Icelandic waters. Journal of Sea Research 45(3-4):321-324.
- Hjort, J. 1910. Eel larvae from North Atlantic. Nature, Lond. 95:104.
- Hjort, J. 1913. Fluctuations in the great fisheries of northern Europe viewed in the light of biological research. Rapp. P.-v. des Reun. Cons. perm. int. Explor. Mer 19:1-228.
- Hjort, J. 1926. Fluctuation in the year classes of important food fishes. J. Cons. perm. int. Explor. Mer 1:5-38.
- Hjorth, D. A. 1987. Feeding selectivity of larval striped bass and white perch in the Peekskill Region of the Hudson River, Part II. [In] C. L. Smith, editor. Fisheries Research in the Hudson River. State Univ. New York Press, Albany.
- Hlavek, R. R., and C. R. Norden. 1978. The reproductive cycle and fecundity of the alewife in Lake Michigan. Wisconsin Acad. Sci. Arts Lett. 66:80-90.
- Ho, H. J. 1933. Observations on the breeding habit of the goldfish. Sci. Soc. China, Trans. 7(1):67-68.
- Hoa, D. T. L. 1973. Variability of juvenile grass carp, [Ctenopharyngodon] [idella] (Val.), and pond carp, [Cyprinus carpio] (L.), reared at a hatchery in the southern Ukraine. J. Ichthyol. 13(2):305-309.

- Hoadley, L. 1928. On the localization of developmental potencies in the embryo of [*Fundulus heteroclitus*]. *J. Exp. Zool.* 52(1):7-44.
- Hoadley, L. 1928. Viscosity changes during early cleavage stages of [*Fundulus*] eggs. *Science (Wash., D. C.)* 68(1765):409-410.
- Hoag, S. H. 1972. The relationship between the summer food of juvenile sockeye salmon, [*Oncorhynchus nerka*], and the standing stock of zooplankton in Iliamna Lake, Alaska. *Fish. Bull.* 70(2):355-362.
- Hoagman, W. J. 1970. Early scale development on the Great Lakes coregonids, [*Coregonus artedii*] and [*C. kiyi*]. Pages 429-436 [in] C. C. Lindsey and C. S. Woods, editors. *Biology of Coregonid Fishes*. Univ.
- Hoagman, W. J. 1973. The hatching, distribution, abundance, and nutrition of larval lake whitefish, [*Coregonus clupeaformis*], in Central Green Bay and adjacent Lake Michigan. *Inst. Freshwater Res. Drottningholm. Annu. Rep. No.* 53.
- Hoagman, W. J. 1974. Vital activity parameters as related to the early life history of larval and post-larval whitefish ([*Coregonus clupeaformis*]). Pages 547-558 [in] J. H. S. Blaxter, editor. *The early life history of fish*. Springer-Verlag, Berlin.
- Hoagman, W. J. 1974. Feeding by alewives, [*Alosa pseudoharengus*], on larval lake whitefish, [*Coregonus clupeaformis*], in the laboratory. *Journal of the Fisheries Research Board of Canada* 31(2): 229-230.
- Hoagman, W. J. 1974. Vital activity parameters in larval and postlarval whitefish. Page 35 [in] Report of the international symposium on the early life history of fish. *FAO Fish. Rep.*, No. 141, 58 pp.
- Hoagman, W. J., and J. V. Merriner. 1976. The displacement and loss of larval fishes from the Rappahannock and James Rivers, Virginia, following a major tropical storm. Pages 591-593 [in] *The effects of tropical storm Agnes on the Chesapeake Bay estuarine system*. Ches. Resour. Consortium, Inc., Publ. No. 54. 639 pp.
- Hoaker, P. L. 1975. The biology of the California halibut, [*Paralichthys*] [*californicus*] (Ayres), in Anaheim Bay, California. *California Dept. Fish Game Fish Bull.* No. 165:137-152.
- Hoar, W. S. 1937. Development of the swim bladder of the Atlantic salmon. *J. Morph.* 61-309-319.
- Hoar, W. S. 1942. Diurnal variations in feeding activity of young salmon and trout. *Journal of the Fisheries Research Board of Canada* 6:90-101.
- Hoar, W. S. 1951. The behavior of chum, pink and coho salmon in relation to their seaward migration. *Journal of the Fisheries Research Board of Canada* 8(4):241-263.
- Hoar, W. S. 1954. The behavior of juvenile Pacific salmon with particular reference to the sockeye, [*Oncorhynchus*] [*nerka*]. *Journal of the Fisheries Research Board of Canada* 11:69-97.
- Hoar, W. S. 1956. The behavior of migrating pink and chum salmon fry. *Journal of the Fisheries Research Board of Canada* 13:309-325.
- Hoar, W. S. 1958. Rapid learning of a constant course by traveling schools of juvenile pink salmon. *Journal of the Fisheries Research Board of Canada* 15(2):251-274.
- Hoar, W. S. 1958. The evolution of migratory behavior among juvenile salmon of the genus [*Oncorhynchus*]. *Journal of the Fisheries Research Board of Canada* 15(3):391-428.

- Hoar, W. S. 1962. Reproductive behavior in fish. *Gen. Compar. Endocrinol.*, Suppl. 1:206-216.
- Hoar, W. S. 1976. Smolt transformation evolution behavior and physiology. *Journal of the Fisheries Research Board of Canada* 33(5):1233-1252.
- Hobbs, D. F. 1937. Natural reproduction of quinnat salmon, brown and rainbow trout in certain New Zealand waters. *N.Z. Mar. Dept. Fish. Bull. No. 6.* 104 pp.
- Hobbs, D. F. 1940. Natural reproduction of trout in New Zealand and its relation to density of populations. *N.Z. Mar. Dept. Fish. Bull. No. 8.* 93 pp.
- Hobbs, D. F. 1954. Factors affecting the size and growth of young salmonidae in New Zealand. *Proc. Pac. Sci. Cong.* 4:562-575.
- Hobson, E. S., and D.F. Howard. 1989. Mass strandings of juvenile shortbelly rockfish and Pacific hake along the coast of northern California. *California Fish and Game* 75:169-172.
- Hoda, S. M. S., and H. Tsukahara. 1971. Studies on the development and relative growth in the carp, [*Cyprinus carpio*]. *J. Fac. Agric. Kyushu Univ.* 16(4):387-509.
- Hodder, V. M. 1965. The possible effects of temperature on the fecundity of Grand Bank haddock. *Spec. Publs. Int. Commn. N.W. Atlant. Fish. (contrib. No. D-1)* 6: 515-522 pp.
- Hodder, V. M., and G. H. Winters. 1972. Distribution and size of larval herring and capelin, southern Gulf of St. Lawrence and southwestern Newfoundland, Nov. 1969 and 1970. *Tech. Rep. Fish. Res. Bd. Can.* 315, 25 pp.
- Hodgekiss, I. J., and H. S. H. Man. 1978. Reproductive biology of [*Sarotherodon mossambicus*] (Cichlidae) in Plover Cove Reservoir, Hong Kong. *Environ. Biol. of Fishes* 3(3):287-292.
- Hodges, W. R., and E. H. Behre. 1953. Breeding behavior, early embryology and melanophore development in the anabantid fish, [*Trichogaster*] [*trichopterus*]. *Copeia* (2):100-107.
- Hodgson, W. C. 1937. The natural history of the herring of the Southern North Sea. E. Arnold, London, 120 pp.
- Hodson, P. V., and B. R. Blunt. 1986. The effect of time and hatching on the yolk conversion efficiency of rainbow trout, [*Salmo*] [*gairdneri*]. *J. Fish. Biol.* 29:37-48.
- Hodson, P. V., J. W. Hilton, B. R. Blunt, and S. J. Slinger. 1980. Effects of dietary ascorbic acid on chronic lead toxicity to young rainbow trout, [*Salmo gairdneri*]. *Can. J. Fish. Aquat. Sci.* 37(2):170-176.
- Hodson, R. G. 1967. The first year life history of the largemouth bass, [*Micropterus salmoides*] (Lacepede), and the spotted bass, [*Micropterus punctulatus*] (Rafinesque), in Beaver Reservoir, Arkansas. M.S. Thesis, Univ. of Arkansas 101 pp.
- Hodson, R. G., C. R. Bennett, and R. J. Monroe. 1981. Ichthyoplankton samplers for simultaneous replicate samples at surface and bottom. *Estuaries* 4:176-184.
- Hoedeman, J. J. 1960. Studies on callichthyid fishes. 3. Notes on the development of [*Callichthys*] (1) ([*Asces*] - Siluriformes). *Bull. Aquat. Biol.* 1(9):53-72.
- Hoedeman, J. J. 1960. Studies on callichthyid fishes. 4. Development of the skull of [*Callichthys*] and [*Hoplosternum*] (1) (Pisces-Siluriform Bull. Aquat. Biol. 1(10):73-84.
- HoehneReitan, K., E. Kjorsvik, and D. R. Gjellesvik. 2001. Development of bile salt-dependent lipase in larval turbot. *Journal of Fish Biology* 58(3):737-745.

- HoehneReitan, K., E. Kjorsvik, and K. I. Reitan. 2001. Bile salt-dependent lipase in larval turbot, as influenced by density and lipid content of fed prey. *Journal of Fish Biology* 58(3):746-754.
- Hoek, P. P. C., and E. Ehrenbaum. 1911. Tables for the determination of the plankton eggs of fishes occurring in the North Sea and neighbouring waters (excluding the Baltic). *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 13 C 1+3, 19 pp.
- Hoelzer, G. A. 1988. Juvenile movement patterns in a territorial scorpaenid fish before and during settlement. *Mar. Ecol. Prog. Ser.* 45:193-195.
- Hoenig, J. M., P. Pepin, and W. D. Lawing. 1990. Estimating relative survival rate for 2 groups of larval fishes from field data - do older larvae survive better than young? *Fishery Bulletin* 88:485-491.
- Hoese, H. D. 1965. Spawning of marine fishes in the Port Aransas, Texas area as determined by the distribution of young and larvae. Ph.D. Diss., Univ. Texas, Austin, TX, 150 pp.
- Hofer, R. 1985. Effect of artificial diets on the digestive processes of fish larvae. Pages 213-216 [in] C. B. Coury et al., editors. *Nutrition and feeding in fish*. Academic Press, London.
- Hofer, R., and A. N. Uddin. 1985. Digestive processes during the development of the roach, [*Rutilus rutilus*] L. *J. Fish. Biol.* 26(6):683-690.
- Hoff, F. H. 1972. Artificial spawning of black sea bass, [*Centropristis striatus*] aided by chorionic gonadotropin hormones. *Florida Dep. Nat. Resour. Mar. Res. Lab.*
- Hoff, F. H., J. Mountain, T. Frakes, and K. Halcott. 1978. Spawning, oocyte development and larvae rearing of the Florida pompano ([*Trachinotus carolinus*]). *Proc. Ann. Mtg. World Maricult. Soc.* 9:279-297.
- Hogan, J. W., and J. L. Brauhn. 1975. Abnormal rainbow trout fry from eggs containing high residues of a PCB (Arochlor 12 1/2). *Progressive Fish-Culturist* 37(4):229-230.
- Hogarth, P. J. 1972. Immune relations between mother and foetus in the viviparous poeciliid fish, [*Xiphophorus hellerii*] Haeckel. I. Antigenicity of the foetus. *J. Fish Biol.* 4:265-270.
- Hogarth, P. J. 1972. Immune relations between mother and foetus in the viviparous poeciliid fish, [*Xiphophorus hellerii*] Haeckel. II. Lack of status of the ovary as a favourable site for allograft survival. *J. Fish. Biol.* 4:271-276.
- Hogarth, P. J. 1973. Immune relations between mother and foetus in the viviparous poeciliid fish, [*Xiphophorus hellerii*] Haeckel III. Survival of embryos after ectopic transplantation. *J. Fish. Biol.* 5(1):109-114.
- Hogarth, W. T. 1976. Life history aspects of the wahoo, [*Canthocybium*] [*solandri*] (Cuvier and Val.), from the coast of North Carolina. Ph.D. Diss., N. Carol. State Univ. Raleigh, 119 pp.
- Hogendoorn, H. 1980. Controlled propagation of the African catfish, [*Clarias lazera*] (C & V). III. Feeding and growth of fry. *Aquaculture* 21(3):233-243.
- Hoglund, H. 1968. Further investigation of the diurnal changes in the vertical distribution of herring fry in the Kattegat. *Meddn. Havsfiskelab. Lysekil* 55:1-2.
- Hoglund, L. B., and J. Hordig. 1969. Reactions of young salmonids to sudden change of pH, carbon dioxide tension and oxygen content. *Rep. Inst. Freshwat. Res. Drottingholm* 49:76-119.

- Hognestad, P. T. 1969. Survey of fish eggs and young off the north Norwegian coast and Viking bank in May and June 1967. *Fisken Hav*. 1969(1):1-3 pp.
- Hognestad, P. T. 1969. Occurrence of larvae off the north-northeast coast of Norway, spring 1968. *Fisken Hav*. 1969(1):11-14 pp.
- Hognestad, P. T. 1969. Distribution of fish larvae in North Norwegian coastal waters in spring 1969. *Fisken Hav*. 1969(1):9-13 pp.
- Hognestad, P. T. 1971. Records of eggs and larvae of fish in northern Norwegian coastal waters with R/V "Asterias" in spring 1970. *Fisken. Havet* 1:25-29.
- Hognestad, P. T. 1972. Records of fish larvae in northern Norwegian coastal waters with R/V "Asterias" in spring 1971. *Fisk. Havet* 2:19-23.
- Hogue, J. J., and J. P. Buchanan. 1977. Larval development of spotted sucker ([*Minytrema*] [*melanops*]). *Transactions of the American Fisheries Society* 106(4):347-353.
- Hogue, J. J., Jr., J. V. Conner, and V. R. Kranz. 1981. Descriptions and methods for identifying larval blue sucker, [*Cycleptus elongatus*] (LeSueur). *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:585-587.
- Hogue, J. J., Jr., R. Wallus, and L. K. Kay. 1976. Larval fishes in the Tennessee River. *TVA Tech. Note. B19, Norris, TN*. 67 pp.
- Hogue, J. J., Jr., R. Wallus, and L. K. Kay. 1976. Preliminary guide to the identification of larval fishes of the Tennessee River. *Tenn. Valley Authority, Div. For. Fish. Wildl. Dev. Tech. Note B19*.
- Hogue, J. J., R. Wallus, and L. K. Kay. 1977. Natural reproduction by striped bass in Kentucky and Barkley reservoirs, Tennessee. *J. Tennessee Acad. Sci.* 52(2):77-79.
- Hohn, M. H. 1966. Analysis of plankton ingested by [*Stizostedion*] [*vitreum vitreum*] (Mitchell) fry and concurrent vertical plankton tows from southwestern Lake Erie, May, 1961 and May, 1962. *Ohio J. Sci.* 66(2):193-197.
- Hokanson, K. E. 1968. The effects of synthetic detergents on the early life history of the bluegill, [*Lepomis macrochirus*] (Rafinesque), in the upper Mississippi River. Thesis, Univ. Minn.
- Hokanson, K. E. F., J. H. McCormick, and B. R. Jones. 1973. Temperature requirements for embryos and larvae of the northern pike, [*Esox lucius*]. *Transactions of the American Fisheries Society* 102:89-100.
- Hokanson, K. E. F., J. H. McCormick, B. R. Jones, and J. H. Tucker. 1973. Thermal requirements for maturation, spawning and embryo survival of the brook trout, [*Salvelinus*] [*fontinalis*]. *Journal of the Fisheries Research Board of Canada* 30(7):975-984.
- Hokanson, K. E. F., and C. F. Kleiner. 1974. Effects of constant and rising temperatures on development and survival of embryos and larvae of yellow perch. Page 36 [in] Report of the international symposium on the early life history of fish. *FAO Fish. Rep.*, No. 141, 58 pp.
- Hokanson, K. E. F., C. F. Kleiner, and T. W. Thorslund. 1977. Effects of constant temperatures and diel temperature fluctuations on specific growth and mortality rates and yield of juvenile rainbow trout, [*Salmo*] [*gairdneri*]. *Journal of the Fisheries Research Board of Canada* 34:639-648.
- Hokanson, K. E. F. 1978. Optimum culture requirements of early life phases of yellow perch. Pages 24-40 [in] R. Soderberg, editor. *Perch fingerling production for aquaculture Univ. Wisconsin Sea Grant Advisory Rep. 421, Madison, WI*.

- Hokanson, K. E. F., and G. J. Lein. 1984. Effects of organic contaminants in ova upon growth and survival of larval walleye from the lower Fox River, Wisconsin - preliminary findings of biological effects. U.S. Env. Prot. Ag., ERL-Duluth, Duluth, MN, 63 pp.
- Hokanson, K. E. F., and W. M. Koenst. 1984. Revised estimates of growth and lethal temperature requirements of juvenile walleye. U.S. Env. Prot. Ag., ERL-Duluth, Duluth, MN.
- Hokanson, K. E. F., and W. M. Koenst. 1986. Revised estimates of growth requirements and lethal temperature limits of juvenile walleyes. *Progressive Fish-Culturist* 48(2):90-94.
- Holbein, W. G. 1926. Breeding black banded sunfish. *Aquat. Life* 10(2):17-18.
- Holcik, J. 1968. Life history of the pike, [*Esox lucius*] L. 1758, in the Kilcava Reservoir. *Vest. csl. Spol. Zool.* 32:166-180.
- Holcik, J., and V. Hruska. 1966. On the spawning substrate of the roach, [*Rutilus rutilus*] (Linnaeus, 1758) and bream, [*Abramis brama*] (Linnaeus, 1758) and notes on the ecological characteristic of some European fishes. *Vest. Cesk. Spol. Zool.* 30:22-29.
- Holcombe, G. W., et al. 1976. Long-term effects of lead exposure on three generations of brook trout, [*Salvelinus fontinalis*]. *Journal of the Fisheries Research Board of Canada* 33:1732.
- Hold, E. W. L. 1893. Survey of the fishing grounds, west coast of Ireland, 1890-1891; on the eggs and larval and post-larval stages of teleosteans. *Sci. Trans. R. Dublin Soc.*, Ser. 2, 5:5-121.
- Holden, M. J. 1973. Are long-term sustainable fisheries for elasmobranchs possible? Pages 360-367 [in] B. B. Parrish, editor. *Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 164, 372 pp.
- Holden, P. B. 1973. Distribution, abundance and life history of the fishes of the upper Colorado River Basin. Ph.D. Diss., Utah State Univ., 65 pp.
- Holden, P. B., and E. J. Wick. 1982. Life history and prospects for recovery of Colorado squawfish. Pages 98-108 in W. H. Miller, H. M. Tyus, and C. A. Carlson, editors. *Fishes of the Upper Colorado River System: present and future*. Western Division, American Fisheries Society, Bethesda, Maryland.
- Holdway, D. A., and D. G. Dixon. 1985. Acute toxicity of pulse-dosed methoxychlor to juvenile American flagfish ([*Jordanella floridae*] Goode & Bean) as modified by age and food availability. *Aquat. Toxicol.* 6(4):243-250.
- Holeton, G. F. 1971. Respiratory and circulatory responses of rainbow trout larvae to carbon monoxide and to hypoxia. *J. Exp. Biol.* 55:683-694.
- Holl, E. A. 1967. Notes on the spawning behavior of the barbel, [*Clarias gariepinus*], in Rhodesia. *Zool. Afr.* 3:185-188.
- Holland, G. A., G. A. Lasater, E. D. Neumann, and W. E. Eldridge. 1960. Toxic effects of organic and inorganic pollutants on young salmon and trout. *St. Wash. Dept. Fish. Res. Bull. No. 5*, 260 pp.
- Holland, L. E., and J. R. Sylvester. 1983. Distribution of larval fishes related to potential navigation impacts on the upper Mississippi River, Pool 7. *Transactions of the American Fisheries Society* 112(2B): 293-301.
- Holland, L. E., and M. L. Huston. 1983. A compilation of available information on the larval fishes common to the upper Mississippi River. U.S. Army Corps of Engineers, Rock Island District, IL. 364 pp.



- Holland, L. E. 1985. Survey of ichthyoplankton drift at Lock and Dam 5, upper Mississippi River. U.S. Army Corps Engineers, St. Paul District, St. Paul, MN.
- Holland, L. E. 1986. Effects of barge traffic on distribution and survival of ichthyoplankton and small fishes in the upper Mississippi River. Transactions of the American Fisheries Society 115:162-165.
- Holland, L. E. 1986a. Distribution of early life history stages of fishes in selected pools of the upper Mississippi River. *Nydrobiologia* 136:121-130.
- Holland, L. E. 1986b. Effects of barge traffic on distribution and survival of ichthyoplankton and small fishes in the upper Mississippi River. Transactions of the American Fisheries Society 115:162-165.
- Hollander, E. E. 1974. Effects of salinity on survival of buffalo fish, [*Ictiobus*] spp., eggs through yearlings. M.S. Thesis, LSU, Baton Rouge, LA. 22 pp.
- Hollander, E. E., and J. W. Avault, Jr. 1975. Effects of salinity on survival of buffalo fish eggs through yearlings. *Progressive Fish-Culturist* 37(1):47-51.
- Holleland, T., and H. J. Fyhn. 1986. Osmotic properties of eggs of the herring, [*Clupea*] [*harengus*]. *Mar. Biol.* 91(3):377-384.
- Hollet, A., and F. R. Hayes. 1946. Protein and fat of the salmon egg as sources of energy for the developing embryo. *Can. J. Res.* 240:39-50.
- Holliday, F. G. T. 1958. The spawning of the herring. *Scotl. Fish. Bull.*, No. 10:11-13.
- Holliday, F. G. T. 1960. The control of spawning in the herring. *Int. Counc. Explor. Mer*, C.M. 1960/H:38, Copenhagen.
- Holliday, F. G. T., and J. H. S. Blaxter. 1960. The effects of salinity on the developing eggs and larvae of herring. *J. Mar. Biol. Assoc. U. K.*
- Holliday, F. G. T. 1961. The effects of salinity on herring after metamorphosis. *J. Mar. Biol. Assoc. U. K.* 41(1):37-48.
- Holliday, F. G. T., J. H. S. Blaxter, and R. Lasker. 1964. Oxygen uptake of developing eggs and larvae of herring (*[Clupea harengus]*). *J. Mar. Biol. Assoc. U. K.* 44:711-723.
- Holliday, F. G. T. 1965. Osmoregulation in marine teleost eggs and larvae. *Rep. California Coop. Oceanic Fish Invest.* 10:89-95 pp.
- Holliday, F. G. T., and M. P. Jones. 1965. Osmotic regulation in the embryo of the herring (*[Clupea harengus]*). *J. Mar. Biol. Assoc. U. K.* 45(1):305-311.
- Holliday, F. G. T., and M. P. Jones. 1967. Some effects of salinity on the developing eggs and larvae of the plaice (*[Pleuronectes platessa]*). *J. Mar. Biol. Assoc. U. K.* 47:39-48.
- Holliday, F. G. T. 1969. The effects of salinity on the eggs and larvae of teleosts. Pages 293-311 [in] W. S. Hoar and D. J. Randall, editors. *Fish Physiology*. I. Academic Press, London.
- Holliman, F.M., and J.B. Reynolds. 2002. Electroshock-induced injury in juvenile white sturgeon. *North American Journal of Fisheries Management* 22(2):494-499.
- Hollis, E. H. 1967. An investigation of striped bass in Maryland. Final Rep. Fed. Aid. Fish Rest. Proj. F-3-R, 56 pp.

- Hollis, E. H., J. G. Boone, C. R. DeRose, and G. J. Murphy. 1964. A literature review of the effects of turbidity and siltation on aquatic life. Dept. of the Ches. Bay Afr. Staff Rep. (Annapolis, MD), 26 pp.
- Hollister, G. 1934. Clearing and dyeing fish for bone study. *Zoologica*, N.Y. 12:89-101 pp.
- Hollister, G. 1939. The young [*Megalops cyprionoides*] from Batavia, Dutch East India, including a study of the caudal skeleton and a comparison with the Atlantic species, [Tarpon] [atlanticus]. *Zoologica* 24:449-475.
- Holloway, A. D. 1954. Notes on the life history and management of the shortnose and longnose gars in Florida waters. *J. Wildl. Mgmt.* 18(4):438-449.
- Holm, E. R. 1990. Effects of density-dependent mortality on the relationship between recruitment and larval settlement. *Marine Ecology-Progress Series* 60:141-146.
- Holm, J. C. 1986. Yolk sac absorption and early food selection in Atlantic salmon feeding on live prey. *Aquaculture* 54(3):173-184.
- Holmes, R. S., and G. S. Whitt. 1970. Developmental genetics of the esterase isozymes of [*Fundulus heteroclitus*]. *Biochem. Genet.* 4:471-480.
- Holmquist, C. 1958. An observation on young specimens of [*Ammodytes*] [*dubius*]. *Medd. om Gronland* 159(2):11-13.
- Holsapple, J. G., and L. E. Foster. 1975. Reproduction of white perch in the lower Hudson River. *New York Fish & Game J.* 22(2):122-127.
- Holstvoogd, C. 1957. The postembryonic development of the pronephros in [*Clupea harengus*] L. *Arch. Neerl. Zool.* 12(3):455-466.
- Holt, E. W. L. 1889. Notes on the early life history of the herring. *Ann. Mag. Nat. Hist. Ser. 4*, 6:368-372.
- Holt, E. W. L. 1890-1891. On the eggs and larval and postlarval stages of teleosteans. *Sci. Trans. R. Dublin Soc. Ser. 2.5*:5-122.
- Holt, E. W. L. 1891. Survey of fishing grounds, west coast of Ireland, 1890. I. On the eggs and larvae of teleosteans. *Scient. Trans. R. Dubl. Soc.* 4(Ser. II):435-474 pp.
- Holt, E. W. L. 1891-1892. North Sea Investigations: I. On the relation of size to sexual maturity in [*Pleuronectes*], pp. 363-380; II. On the destruction of immature fish in the North Sea, pp. 380-388; III. Remedial measures, pp. 388-393. *J. Mar. B Assoc. U. K.* 2(4).
- Holt, E. W. L. 1893. Survey of fishing grounds, west coast of Ireland, 1890-1891: On the eggs and larvae and post-larval stages of teleosteans. *Scient. Trans. R. Dubl. Soc.* 5(2), 121 pp., 16 pls.
- Holt, E. W. L. 1893-1895. North Sea Investigations. I. On the relation of size to sexual maturity in round fish, pp. 78-81; II. On the destruction of immature fish in the North Sea, pp. 81-105; III. Remedial measures, pp. 105-106. *J. Mar. Biol. Assoc. U. K.* 3(1).
- Holt, E. W. L. 1893-1895. North Sea Investigations. I. On the destruction of immature fish in the North Sea, pp. 123-129; II. On the Icelandic trawl fishery with some remarks on the history of the North Sea trawling grounds, pp. 129-142. *J. Mar. Biol. Assoc. U. K.* 3(4).
- Holt, E. W. L. 1893-1895. North Sea Investigations. I. On the destruction of immature fish in the North Sea. *J. Mar. Biol. Assoc. U. K.* 3(3):169-201.
- Holt, E. W. L. 1897. Reproduction of teleostean fishes. *J. Mar. Biol. Assoc. U. K.* 5:107.

- Holt, E. W. L. 1898. Contributions to our knowledge of the plankton of the Faeroe Channel. V. Report on a collection of very young fishes obtained by G.H. Fowler in the Faeroe Channel. Proc. Zool. Soc. London, 1898:550-557.
- Holt, E. W. L., and S. D. Scott. 1898. A record of the teleostean eggs and larvae observed at Plymouth in 1897. J. Mar. Biol. Assoc. U. K. 5(2):156-171.
- Holt, E. W. L., and L. W. Byrne. 1903. On a young stage of the white sole, [Pleuronectes] [(Glyptocephalus) cynoglossus]. Rep. Sea Inland Fish. Ireland 1901, Pt. II, Sci. Invest. 4:67-69.
- Holt, E. W. L., and L. W. Byrne. 1907. Biscayne plankton. X. The fishes. Trans. Linn. Soc. Lond. 10(ser. 2):189-201.
- Holt, G. J., A. G. Johnson, C. R. Arnold, W. A. Fable, Jr., and T. D. Williams. 1981. Description of eggs and larvae of laboratory reared red drum, [Sciaenops ocellata]. Copeia 1981:751-756.
- Holt, G. J., and C. Arnold. 1981. Effects of temperature on early development of red drum ([Sciaenops ocellata]). Page 83 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. The fifth annual larval fish conference, Louisiana Coop. Fish. Res. Unit, LSU, Baton Rouge, LA.
- Holt, G. J., R. Godbout, and C. R. Arnold. 1981. Effects of temperature and salinity on egg hatching and larval survival of red drum, [Sciaenops] [ocellata]. U.S. Natl Mar. Fish. Serv. Bull. 79:569-573.
- Holt, G. J., and C. R. Arnold. 1983. Effects of ammonia and nitrite on growth and survival of red drum eggs and larvae. Transactions of the American Fisheries Society 112:314-318.
- Holt, G. J., S.A. Holt, and C.R. Arnold. 1985. Diel periodicity of spawning in sciaenids. Mar. Ecol. Prog. Ser. 27:1-7.
- Holt, G.J. 1993. The potential role of larval fish culture in alleviating population and habitat losses. [In] L. A. Fuiman, editor. Water quality and the early life stages of fishes. American Fisheries Society Symposium 14. 192pp.
- Holt, G.J., and C.M. Riley. 1999. Larval and juvenile development of the cubbyu [Pareques umbrosus] with notes on the high hat [Pareques acuminatus] larvae. Bulletin of Marine Science 65(3):825-833.
- Holt, G. J., and S. A. Holt. 2000. Vertical distribution and the role of physical processes in the feeding dynamics of two larval sciaenids [Sciaenops ocellatus] and [Cynoscion nebulosus]. Marine Ecology Progress Series 193:181-190.
- Holt, S. A., and C. R. Arnold. 1981. Distribution and abundance of eggs, larvae, and juveniles of redfish ([Sciaenops ocellatus]) in seagrass beds in a south Texas estuary. Page 86 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. Proc. fifth ann. larval fish conf., Louis. Coop. Fish. Res. Unit, LSU, Baton Rouge, LA.
- Holt, S. A., and C. R. Arnold. 1982. Distribution and abundance of eggs, larvae and juveniles of red drum ([Sciaenops ocellatus]) in seagrass beds in a south Texas estuary. Page 86 [in] C.F. Bryan, S.V. Connor, and F.M. Truesdale, editors. Proceedings of the fifth annual larval fish conference La. Coop. Fishery Res. Unit. Louisiana State University, Baton Rouge, Louisiana, U.S.A.
- Holt, S. A., and C. R. Arnold. 1982. Growth of juvenile red snapper, [Lutjanus] [campechanus], in the northwest Gulf of Mexico. Fish. Bull. 80(3):644-647.

- Holt, S. A., C. L. Kitting, and C. R. Arnold. 1983. The distribution of young red drums among different sea-grass meadows. *Transactions of the American Fisheries Society* 112:267-271.
- Holt, S. A., G. J. Holt and L. Young-Abel. 1988. A procedure for identification of sciaenid eggs. *Contributions in Marine Science, Supp. to Vol. 30*:99-108.
- Holt, S. A., G. J. Holt, and C. R. Arnold. 1989. Tidal stream transport of larval fishes in non-stratified estuaries. *Rapp. P. -v. Reun. Cons. int. Explor. Mer.* 191:1200-104.
- Holt, S. A., C. M. Pratt and C. R. Arnold. 1994. Evaluation of larval red drum releases for stock enhancement. *Annual Proceedings of the Texas Chapter, American Fisheries Society* 16:16-31.
- Homer, M. 1975. Seasonal abundance, biomass, diversity, and trophic structure of fish in a salt marsh tidal creek affected by a coastal power plant. Pages 259-267 [in] G. W. Esch and R.W. McFarlane, editors. *Thermal Ecology II. ERDA Symposium series, No. 40 (Conf-750-425)*, Augusta, Ga.
- Honkanen, J. O., J. Heinonen, J. V. K. Kukkonen. 2001. Toxicokinetics of waterborne bisphenol A in landlocked salmon (*Salmo salar* m. sebago) eggs at various temperatures. *Environmental Toxicology and Chemistry* 20(10):2296-2302.
- Honma, M. 1982. Studies on the sea water adaptation of pink salmon, [*Oncorhynchus gorboscha*], in the early stages. *Sci. Rep. Hokkaido Fish Hatch.* 37:23-32.
- Honma, M. 1983. Studies on the structure and function of the alimentary tract of pink salmon, [*Oncorhynchus*] [*gorboscha*], in the early stages. *Sci. Rep. Hokkaido Fish Hatch.* 38:1-11.
- Honma, Y., and S. Murakawa. 1955. Effects of thyroxine and thiourea on the development of chum salmon larvae (*Oncorhynchus keta*). *Jap. J. Ichthyol.* 4:83-93.
- Honma, Y., and S. Murakawa. 1957. Effect of thiourea on the development of goldfish larvae (*Carassius auratus*). *Jap. J. Ichthyol.* 6:121-127.
- Honma, Y., and R. Mizusawa. 1969. A record of the young of boar fish, [*Pseudopentaceros richardsoni*], from North Pacific. *Jap. J. Ichthyol.* 15(3):134-136.
- Hook, T. O., N. M. Eagan, and P. W. Webb. 2001. Habitat and human influences on larval fish assemblages in northern Lake Huron coastal marsh bays. *Wetlands* 21(2):281-291.
- Hoopes, D. T. 1970. Selection of spawning sites by sockeye salmon in small streams. *U.S. Fish. Wildl. Serv. Fish. Bull.* 70(2):447-458.
- Hoover, E. E. 1936. The spawning activities of the freshwater smelt, with special reference to the sex ratio. *Copeia* 1936(2):85-91.
- Hoover E. E., and H. E. Hubbard. 1937. Modification of the sexual cycle in trout by control of light. *Copeia* 1937(4):206-210.
- Hoover, E. E. 1937. Experimental modification of sexual cycle in trout by control of light. *Science, N.Y.* 86:425-426.
- Hopcroft, R. R., and J. C. Roff. 1995. Zooplankton growth rates: extraordinary production by the larvacean [*Oikopleura dioica*] in tropical waters. *Journal of Plankton Research* 17:205-220.
- Hopkins, C. D. 1974. Electric communication in the reproductive behavior of [*Sternopygus macrurus*] (Gymnotoidei). *Zeitschrift fur Tierpsychologie* 35:518-535.

- Hopkins, C. L., S. R. B. Solly, and A. R. Ritchie. 1969. DDT in trout and its possible effect on reproductive potential. *New Zealand J. Mar. Freshwater Res.*, (3):220-229.
- Hopkins, C. L. 1971. Life history of [*Galaxias divergens*] (Salmonoidea: Galaxiidae). *New Zealand J. Mar. Freshw. Res.* 5(1):41-57.
- Hopkins, C. L. 1979. Reproduction in [*Galaxias fasciatus*] Gray (Salmoniformes: Galaxiidae). *New Zealand J. Mar. Freshw. Res.* 13(2):225-230.
- Hopkins, T. E., M. B. Eldridge, and J. J. Cech. 1995. Metabolic costs of viviparity in yellowtail rockfish, [*Sebastes flavidus*]. *Environmental Biology of Fishes* 43:77-84.
- Hopkins T. L. 1963. The variation in the catch of plankton nets in a system of estuaries. *J. Mar. Res.* 21(1):39-47.
- Hopper, A. F., Jr. 1943. The early embryology of [*Platypoecilus maculatus*]. *Copeia* 1943(4):218-224.
- Hopson, A. J. 1969. Description of the pelagic embryos and larval stages of [*Lates niloticus*] (Pisces: Centropomidae) from Lake Chad, with a review of early development in lower percoid fishes. *Zoological J. Linn. Soc.*
- Hora, S. L. 1938. A preliminary note on the spawning grounds and bionomics of the so-called Indian shad, [*Hilsa*] [*ilisha*] (Ham.) in the River Ganges. *Rec. Indian Mus.* 40(2):147-158.
- Hora, S. L. 1940. Life-history and wanderings of [*Hilsa*] in Bengal waters. *J. Asiat. Soc. Bengal* 4(2):93-112.
- Hora, S. L., and K. K. Nair. 1940. Further observations on the bionomics and fishery of the Indian shad, [*Hilsa ilisha*] (Ham.) in Bengal waters. *Rec. Indian Mus.* 42(1):35-50.
- Hora, S. L., and K. K. Nair. 1940. The Jatka fish of eastern Bengal and its significance in the fishery of the so-called Indian shad, [*Hilsa*] [*ilisha*] (Ham.). *Rec. Indian Mus.* 42(4):553-565.
- Hori, R. 1958. On the membrane potential of the unfertilized egg of the medaka, [*Oryzias latipes*], and changes accompanying activation. *Embryologia* 4:79-91.
- Hori, R. 1973. On the relationship between water-soluble protein and calcium in the egg of [*Oryzias latipes*]. *Protoplasma* 98(3):285-290.
- Hori, R., and K. Sato. 1973. The incorporation of Calcium-45 in medaka, [*Oryzias*] [*latipes*]. *Experientia* 29(2):144-145.
- Horiuchi, M., M. Nakata, and K. Kohga. 1979. A new cell line from carp sac-fry. *Bull. Jap. Soc. Sci. Fish.* 45(2):147-151.
- Hork, P. P. C. 1910. Bericht uber Einer und Larven von Gadiden. *Cons. Perm. int. Explor. Mer Rapp. P.-v. Reun.* 12(C)(1):1-29.
- Horn, M. H. 1970. Systematics and biology of the stromateoid fishes of the genus [*Peprilus*]. *Bull. Mus. Comp. Zool.* 149(5):165-261.
- Horn, M. H. 1970. The swimbladder as a juvenile organ in stromateoid fishes. *Breviora* 359.
- Horn, M. H. 1984. Stromateoidei: development and relationships. Pages 620-628 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.*

- Horne, J. K., and S. E. Campana. 1989. Environmental factors influencing the distribution of juvenile groundfish in nearshore habitats of southwest Nova Scotia. *Can J. Fish. Aquat. Sci.* 46(8):1277-1286.
- Horne, J. K., P. E. Smith, and D. C. Schneider. 1999. Comparative examination of scale-explicit biological and physical processes: recruitment of Pacific hake ([*Merluccius productus*]). *Canadian Journal of Fisheries and Aquatic Sciences* 56(Suppl. 1):170-179.
- Horne, M. T., et al. 1977. Peracute vibriosis in juvenile turbot, [*Scophthalmus*] [*maximus*]. *J. Fish. Biol.* 11:355-362.
- Hornell, J. 1922. Inland pisciculture. Adm. Rep. 1920-22. *Madras Fish. Bull.* 15:23-28.
- Horning, W. B., and R. E. Pearson. 1973. Growth temperature requirements and lower lethal temperatures for juvenile smallmouth bass, [*Micropterus dolomieu*] Lacepede, at Baie du Dore, Lake Huron, Ontario. M.S. Thesis, Univ. Toronto.
- Horning, W. B., and R. E. Pearson. 1973. Growth temperature requirements and lower lethal temperatures for juvenile smallmouth bass ([*Micropterus dolomieu*]). *Journal of the Fisheries Research Board of Canada* 30(8):1226-1230.
- Horns, W. H. 1983. A comparison of four stocks of lake trout with respect to early development. Ph.D. Diss., Univ. Wisconsin, Madison. 202 pp.
- Horns, W. H. 1985. Differences in early development among lake trout, [*Salvelinus namaycush*], populations. *Canadian Journal of Fisheries and Aquatic Sciences* 42(4):737-743.
- Horns, W. H., and J. J. Magnuson. 1981. Crayfish predation on lake trout eggs in trout lake, Wisconsin. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:299-303.
- Hornung, W. B., II, and R. E. Pearson. 1973. Growth temperature requirements and lower lethal temperatures for juvenile smallmouth bass, [*Micropterus dolomieu*]. *Journal of the Fisheries Research Board of Canada* 30(8):1226-1230.
- Horoszewicz, L. 1974. Survival of carp fry starved in water of various temperatures. *Rocz. Nauk. Rol. Ser. H* 96(3):45-56.
- Horowitz, E. S. 1974. Cytokinesis in the early division stages of embryos of [*Oryzias latipes*], the Japanese medaka. *Diss. Abst. Int.* 34B:3465-3466.
- Horrall, R. M. 1961. A comparative study of two spawning populations of the white bass, [*Roccus chrysops*] (Rafinesque), in Lake Mendota, Wisconsin, with special reference to homing behavior. Ph.D. Diss., Univ. Wisconsin, Madison, WI, 181 pp.
- Horsfall, J. H. 1864. Observations on the three-spined stickleback, its ova and fry ([*Gasterosteus aculeatus*]) Linn. and *G. spinulosus* (Yarrell). *Intell. Observ.* 5:4-7.
- Horst, T. J. 1975. The assessment of impact due to entrainment of ichthyoplankton. Pages 107-118 [in] S. B. Saila, editor. *Fisheries and energy production: A symposium*. D. C. Heath & Co., Lexington, Mass., 300 pp.
- Horstman, K. R., and J. M. Fives. 1994. Ichthyoplankton distribution and abundance in the Celtic Sea. *ICES Journal of Marine Science* 51:447-460.
- Horvath, L. 1977. Improvement of the method for propagation, larval and postlarval rearing of the eels, [*Silurus glanis*] L. *Aquaculture* 10(2):161-168.
- Horvath, L., M. Lang, and G. Tamas. 1978. The use of copper oxychloride during larval growth as a preventative measure against the spread of ciliata exoparasites. *Bamidgeh* 30(3): 80-84.

- Horwood, J. 1995. Plankton-generated chaos in the modelled dynamics of haddock. *Philosophical Transactions of the Royal Society of London Series B - Biological Sciences* 350:109-118.
- Hosaini, V. H., and M. Rahimullah. 1946. Early developmental stages of [Ophicephalus] [punctatus] Bl. *Proc. 33rd Indian Sci. Congr. (Bangalore) Pt. 3*:126.
- Hose, J. E., and H. W. Puffer. 1984. Oxygen consumption rates of grunion ([Leuresthes] [tenuis]) embryos exposed to the petroleum hydrocarbon, Benzo[a]pyrene. *Env. Res.* 35(2): 413-420.
- Hoshiai, G. 1977. Larvae and juveniles of the scorpaenid fish, [Sebastes schlegeli]. *Jap. J. Ichthyol.* 24(1):35-42.
- Hoshiai, T., and A. Tanimura. 1981. Copepods in the stomach of a nototheniid fish, [Trematomus borchgrevinkii], fry at Syowa Station, Antarctica. *Mem. Natl. Inst. Polar Res., Ser. E* 34:44-48.
- Hosie, M. J. 1975. Biology of the rex sole, [Glyptocephalus zachirus] Lockington, in waters off Oregon. M.S. Thesis, Oregon St. Univ., Corvallis. 43 pp.
- Hosie, M. J., and H. F. Horton. 1977. Biology of the rex sole, [Glyptocephalus zachirus], in waters off Oregon. *NMFS Fish. Bull.* 75(1):51-60.
- Hosokawa, K., T. Fusimi, and T. Matsusata. 1981. Electron microscope observations on the chorion and micropyle apparatus of the porgy, [Pagrus major]. *Jap. J. Ichthyol.* 27:339-343.
- Hoss, D. E. 1966. The use of activation analysis methods for tagging post-larval fish. *Assoc. SE Biol. Bull.* 13(2):37.
- Hoss, D. E. 1967. Marking post-larval paralichthid flounders with radioactive elements. *Transactions of the American Fisheries Society* 96(2):151-156.
- Hoss, D. E., L. C. Coston, and W. F. Hettler, Jr. 1971. Effects of increased temperature on postlarval and juvenile estuarine fish. *Proc. 25th Ann. Conf. S. E. Assoc. G & F Comms.* 25:635-642.
- Hoss, D. E. 1973. Metabolism of larval estuarine fish. Pages 218-219 [in] A. L. Pacheco, editor. *Proceedings of a workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No.1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J.,* 338 pp.
- Hoss, D. E., L. Coston, and W. E. Schaaf. 1974. Effects of seawater extracts of sediments from Charleston Harbor, South Carolina, on larval estuarine fishes. *Estuar. & Coast. Mar. Sci.* 2(4):323-328.
- Hoss, D. E., W. F. Hettler, Jr., and L. C. Coston. 1974. Effects of thermal shock on larval estuarine fish - ecological implications with respect to entrainment in power plant cooling systems. Pages 357-371 [in] J. H. S. Blaxter, editor. *Early life history of fish. Springer Verlag, NY,* 765 pp.
- Hoss, D. E., and J. H. S. Blaxter. 1979. The effect of rapid changes of hydrostatic pressure on the Atlantic herring, [Clupea harengus] L. I. Larval survival and behavior. *J. Exp. Mar. Biol. Ecol.* 41(1):75-85.
- Hoss, D. E., and J. H. S. Blaxter. 1981. Effects of rapid changes in hydrostatic pressure on the larvae of Atlantic herring, [Clupea harengus] L. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:328-329.

- Hoss, D. E., and J. H. S. Blaxter. 1982. Development and function of the swimbladder-inner ear-lateral line system in the Atlantic menhaden, [*Brevoortia tyrannus*] (Latrobe). *J. Fish. Biol.* 20:131-142.
- Hoss, D. E., and G. Phonlor. 1984. Field and laboratory observations on diurnal swim bladder inflation-deflation in larvae of Gulf menhaden, [*Brevoortia patronus*]. *U.S. NMFS Fish. Bull.* 82:513-517.
- Hoss, D. E., D. S. Peters, and W. F. Hettler, Jr. 1986. Effects of lowered water temperature on the survival and behavior of juvenile French grunt, [*Haemulon*] [*flavolineatum*]. *Bull. Mar. Sci.* 39(1):134-138.
- Hoss, D. E., and G. W. Thayer. 1993. The importance of habitat to the early life history of estuarine dependent fishes. [In] L. A. Fuiman, editor. *Water quality and the early life stages of fishes. American Fisheries Society Symposium* 14. 192pp.
- Hossain, M. A. R., G. S. Haylor, and M. C. M. Beveridge. 2000. The influence of food particle size on gastric emptying and growth rates of fingerling African catfish, [*Clarias gariepinus*] Burchell, 1822. *Aquaculture Nutrition* 6(2):73-76.
- Hotta, H. 1952. Some observations on feeding behavior of juvenile frigate mackerel, [*Auxis tapeinosoma*] (Bleeker), along the coast of Tokushima Prefecture. *Tokushima Prefecture, Fish. Exp. Sta. Prog. Rep.* 1950-51. 33 pp.
- Hotta, H. 1953. On the distribution of young skipjack, [*Katsuwonus*] [*pelamis*], in the south seas of Kyushu. *Bull. Tohoku Reg. Fish. Res. Lab.* (2):19-21.
- Hotta, H., and S. Odate. 1966. Distribution of larvae of the striped mullet, [*Mugil*] [*cephalus*], in the south of the Northeastern Sea of Japan. *J. Ichthyol.* 14(1/3):67-73. In Japanese, English tables.
- Hotta, H., and J. Nakashima. 1971. Studies on the structure of the population of jack mackerel, [*Trachurus japonicus*], in the western seas of Japan - V. Analyses based on the spawning and maturity. *Bull. Seikai Reg. Fish. Res. Lab.* 39:33-50.
- Houde, E. D. 1967. Food of pelagic young of the walleye, [*Stizostedion*] [*vitreum vitreum*], in Oneida Lake, New York. *Transactions of the American Fisheries Society* 96(1):17-24.
- Houde, E. D. 1968. The relation of water currents and zooplankton abundance to distribution of larval wall-eyes, [*Stizostedion vitreum vitreum*], in Oneida Lake, New York. Ph.D. Diss., Cornell Univ., Ithaca, N.Y., 164 pp.
- Houde, E. D. 1969. Sustained swimming ability of larvae of walleye ([*Stizostedion vitreum vitreum*]) and yellow perch ([*Perca flavescens*]). *Journal of the Fisheries Research Board of Canada* 26:1647-1659.
- Houde, E. D. 1969. Distribution of larval walleyes and yellow perch in a bay of Oneida Lake and its relation to water currents and zooplankton. *N.Y. Fish Game J.* 16:184-205.
- Houde, E. D., and W. J. Richards. 1969. Rearing larval tunas in the laboratory. *Comm. Fish. Rev.* 31(12): 32-34.
- Houde, E. D., and B. J. Palko. 1970. Laboratory rearing of the clupeid fish, [*Harengula*] [*pensacolae*] from fertilized eggs. *Mar. Biol.* 5:354-358.
- Houde, E. D., C. R. Futch, and R. Detwyler. 1970. Development of the lined sole, [*Achirus lineatus*], described from laboratory-reared and Tampa Bay specimens. *Florida Dept. Nat. Resour. Mar. Res. Lab. Tech. Ser.* 62, 43 pp.



- Houde, E. D., and J. L. Forney. 1970. Effects of water currents on distribution of walleye larvae in Oneida Lake, New York. *Journal of the Fisheries Research Board of Canada* 27(3):445-456.
- Houde, E. D., and A. J. Ramsay. 1971. A culture system for marine fish larvae. *Progressive Fish-Culturist* 33(3):156-157.
- Houde, E. D. 1971. Developmental abnormalities of the flatfish, [*Achirus lineatus*], reared in the laboratory. *NOAA NMFS Fish. Bull.* 69(3):537-544.
- Houde, E. D. 1972. Development and early life history of the northern sennel, [*Sphyræna borealis*] DeKay (Pisces: Sphyrænidae) reared in the laboratory. *Fish. Bull. NOAA (U.S.)* 70(1):185-196.
- Houde, E. D. 1972. Some recent advances and unsolved problems in the culture of marine fish larvae. *Proc. World Mariculture Soc.* 3:83-112.
- Houde, E. D. 1973. Estimating abundance of sardine-like fishes from egg and larval surveys, eastern Gulf of Mexico: preliminary report. *Proc. Gulf Caribb. Fish. Inst.* 25th Ann. Sess. 68-78.
- Houde, E. D., and P. L. Fore. 1973. Guide to identity of eggs and larvae of some Gulf of Mexico clupeid fishes. *Florida Dept. Nat. Resour. Mar. Res. Lab. Leaflet. Ser. IV, Pt 1* (23):14 pp.
- Houde, E. D. 1974. Effects of temperature and delayed feeding on growth and survival of larvae of three species of subtropical marine fishes. *Mar. Biol.* 26:271-285.
- Houde, E. D., W. J. Richards, and V. P. Saksena. 1974. Description of eggs and larvae of scaled sardine, [*Harengula jaguana*]. *Fish. Bull. NOAA (U.S.)* 72(4):1106-1122.
- Houde, E. D. 1974. Research on eggs and larvae of fishes in the eastern Gulf of Mexico. [In] R. E. Smith, editor. *Proc. marine environmental implications of offshore drilling in the eastern Gulf of Mexico. Univ. Syst. Florida, Inst. Oceanogr., St. Petersburg.*
- Houde, E. D., and L. S. Swanson, Jr. 1975. Description of eggs and larvae of yellowfin menhaden, [*Brevoortia smithi*]. *Fish. Bull. NOAA (U.S.)* 73(3):660-673.
- Houde, E. D. 1975. Effects of stocking density and food density on survival, growth, and yield of laboratory-reared larvae of the sea bream, [*Archosargus rhomboidalis*] (L.) (Sparidae). *J. Fish. Biol.* 7(1):115-127.
- Houde, E. D., and N. Chitty. 1976. Seasonal abundance and distribution of zooplankton, fish eggs, and fish larvae in the eastern Gulf of Mexico, 1972-24. *NOAA Tech. Rep., NMFS Spec. Sci. Rep. Fish.* 701. 18 pp.
- Houde, E. D., S. A. Berkeley, J. J. Klinovsky, and R. C. Schekter. 1976. Culture of larvae of the white mullet, [*Mugil curema*] Val. *Aquaculture* 8(4):365-370.
- Houde, E. D., S. A. Berkeley, J. J. Klinovsky, and C. E. Dowd. 1976. Ichthyoplankton Survey Data Report: Summary of egg and larvae data used to determine abundance of Clupeid fishes in the Eastern Gulf of Mexico. *Univ. Miami Sea Grant Tech. Bull.* #32, 193 pp.
- Houde, E. D., and T. Potthoff. 1976. Egg and larval development of the sea bream, [*Archosargus rhomboidalis*] (L.): Pisces, Sparidae. *Bull. Mar. Sci.* 26:506-529.
- Houde, E. D., and C. E. Dowd. 1976. Lutjanid and serranid larvae from the eastern Gulf of Mexico. *Div. Biol., Univ. Miami, NMFS SEFC P001-6042-11080.*
- Houde, E. D. 1977. Abundance and potential yield of the round herring, [*Etrumeus teres*], and aspects of its early life history in the eastern Gulf of Mexico. *U.S. NMFS Fish. Bull.* 75:61-89.

- Houde, E. D. 1977. Food concentration and stocking density effects on survival and growth of laboratory-reared larvae of bay anchovy, [*Anchoa mitchilli*], and lined sole, [*Achirus lineatus*]. *Mar. Biol.* 43:395-411.
- Houde, E. D. 1977. Abundance and potential yield of the Atlantic thread herring, [*Opisthonema oglinum*], and aspects of its early life history in the eastern Gulf of Mexico. *Fish. Bull. NOAA (U.S.)* 75:493-512.
- Houde, E. D. 1977. Abundance and potential yield of the scaled sardine, [*Harengula jaguana*], and aspects of its early life history in the eastern Gulf of Mexico. *Fish. Bull. NOAA (U.S.)* 75:613-628.
- Houde, E. D. 1978. Critical food concentrations for larvae of three species of subtropical marine fishes. *Bull. Mar. Sci.* 28(3):395-411.
- Houde, E. D., and E. C. Schekter. 1978. Simulated food patches and survival of larval bay anchovy, [*Anchoa mitchilli*], and sea bream, [*Archosargus rhomboidalis*]. *Fish. Bull. NOAA (U.S.)* 76(2):483-487.
- Houde, E. D., and A. K. Taniguchi. 1979. Laboratory culture of marine fish larvae and their role in marine environmental research. Pages 176-205 [in] F.S. Jacoff, editor. *Advances in marine environmental research, proceedings of a symposium.* EPA-600/ 9-79-035., U.S. Environ. Prot. Ag., Narragansett, RI.
- Houde, E. D., J. C. Leak, C. E. Dowd, S. A. Berkeley, and W. J. Richards. 1979. Ichthyoplankton abundance and diversity in the eastern Gulf of Mexico. Final Rep. to U.S. Bur. Land Mgmt., Contract No. AA550-CT7-028. Rosensteil School of Mar. and Atmospheric Sci., Univ. Miami, FL.
- Houde, E. D., and R. C. Schekter. 1980. Feeding by marine fish larvae: Development and functional responses. *Environmental Biology of Fishes* 5:315-334.
- Houde, E. D. 1981. Distribution and abundance of four types of codlet (Pisces: Bregmacerotidae) larvae from the eastern Gulf of Mexico. *Biol. Oceanogr.* 1:81-104.
- Houde, E. D., and R. C. Schekter. 1981. Growth rates, rations and cohort consumption of marine fish larvae in relation to prey concentrations. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:441-453.
- Houde, E. D., and J. D. A. Lovdal. 1982. Variability in ichthyoplankton and microzooplankton abundances and feeding by fish larvae in Biscayne Bay, Florida. *Counc. Mtg. Intl. Counc. Explor. Mer* L-52:1-11.
- Houde, E. D., and R. C. Schekter. 1983. Oxygen uptake and comparative energetics among eggs and larvae of three subtropical marine fishes. *Mar. Biol.* 72:283-294.
- Houde, E. D., and J. D. Lovdal. 1984. Seasonality of occurrence, foods and food preferences of ichthyoplankton in Biscayne Bay, Florida. *Estuarine and Coastal Shelf Sci.* 18:403-419.
- Houde, E. D. 1984. Bregmacerotidae: development and relationships. Pages 300-307 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes.* Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Houde, E. D. 1984. Callionymidae: development and relationships. Pages 637-639 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes.* Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Houde, E. D., and J. D. A. Lovdal. 1985. Patterns of variability in ichthyoplankton occurrence and abundance in Biscayne Bay, Florida. *Estuar. Coast. Shelf Sci.* 20(1):79-104.

- Houde, E. D. 1985. Mesocosms and recruitment mechanisms. Intl. Con. Explor. Sea, C. M. 1985/Mini-Symp.
- Houde, E. D. 1986. Early life dynamics and recruitment variability. Tenth Ann. Larval Fish Conf. Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.
- Houde, E. D., and L. Lubbers. 1986. Survival and growth of striped bass, [Morone] [saxatilis], and [Morone] hybrid larvae: laboratory and pond enclosure experiments. Fish. Bull. NOAA 84(4):905-914.
- Houde, E. D. 1987. Fish early life dynamics and recruitment variability. Am. Fish. Soc. Symp. 2: 17-29.
- Houde, E. D. 1989. Subtleties and episodes in the early life of fishes. J. Fish. Biol. 35: 29-38.
- Houde, E. D. 1989. Subtleties and episodes in the early life of fishes. Journal of Fish Biology 35:29-38.
- Houde, E.D., and Zastrow, C. E. 1993. Ecosystem- and taxon-specific dynamic and energetics properties of larval fish assemblages. Bulletin of Marine Science 53:290-335.
- Houde, E. D. 1994. Differences between marine and freshwater fish larvae - implications for recruitment. Ices Journal of Marine Science 51:91-97.
- Houde, E. D., Gamble, J. C., Dorsey, S. E., and Cowan, J. H. 1994. Drifting mesocosms: the influence of gelatinous zooplankton on mortality of bay anchovy, [Anchoa mitchilli], eggs and yolk-sac larvae. ICES Journal of Marine Science 51:383-394.
- Houde, E. D. 1997. Patterns and trends in larval-stage growth and mortality of teleost fish. J. Fish Biol. 51 (Suppl. A) 52-83.
- Houghton, R. G., and D. Harding. 1976. The plaice of the English Channel: spawning and migration. J. Cons. int. Explor. Mer 36(3):229-259.
- Hourston, A. S. 1959. Effects of some aspects of environment on the distribution of juvenile herring in Barkley Sound. Journal of the Fisheries Research Board of Canada 16:283-308.
- Hourston, A. S. 1959. The relationship of the juvenile herring stocks in Barkley Sound to the major adult herring populations in British Columbia. Journal of the Fisheries Research Board of Canada 16(3):309-320.
- Hourston, A. S., and H. Rosenthal. 1976. Sperm density during active spawning of Pacific herring ([Clupea harengus pallasii]). Journal of the Fisheries Research Board of Canada 33:1788-1790.
- Hourston, A. S., and H. Rosenthal. 1976. Viable hatch from herring eggs torn loose from substrates by storms. Can. Dept. Env., Fish. Mar. Serv. Tech. Rep. No. 653. 5 pp.
- Hourston, A. S., and H. Rosenthal. 1981. Data summaries for viable hatch from Pacific herring eggs deposited at different intensities on a variety of substrates. Can. Data Rep. Fish. Aq. Sci. 267:56 pp.
- Hourston, A. S., D. N. Outram, and F. W. Nash. 1972. Millions of eggs and miles of spawn in British Columbia herring spawnings, 1951 to 1970 (Revised, 1972). Fish. Res. Bd. Can. Tech. Rep. No. 359. 10 pp.
- Hourston, A. S., et al. 1977. Observations on spawning behavior of Pacific herring in captivity. Meeresforschung 25:156-162.

- Hourston, A. S., H. Rosenthal, and S. Kerr. 1981. Capacity of juvenile Pacific herring, [*Clupea harengus pallasii*], to feed on larvae of their own species. Can. Tech. Rep. Fish. Aq. Sci. 1044:9 pp.
- Hourston, A. S., H. Rosenthal, and H. von Westernhagen. 1984. Viable hatch from eggs of Pacific herring, [*Clupea harengus pallasii*], deposited at different intensities on a variety of substrates. Can. Tech. Rep. Fish. Aq. Sci. 1274:19 pp.
- House, R., and L. Wells. 1973. Age, growth, spawning season and fecundity of the trout-perch (*Percopsis omiscomaycus*) in southeastern Lake Michigan. Journal of the Fisheries Research Board of Canada 30(8):1221-1225.
- Houser, A., and M. G. Bross. 1959. Observations on growth and reproduction of the paddlefish. Trans. Am. Fish Soc. 88(1):50-52.
- Houser, A., and N. F. Netsch. 1971. Estimates of young-of-the-year shad production in Beaver Reservoir, pp. 359-370. In: Hall, G. E. (ed.), Reservoir fish. and limnol. Am. Fish. Soc. Spec. Publ. No. 8.
- Houser, A. 1976. Trawling gear for sampling pelagic young-of-the-year fishes in large reservoirs. Proc. West. Assoc. Stae G & F Comms. 56:265-272.
- Houston, A. H. 1957. Responses of juvenile chum, pink and coho salmon to sharp seawater gradients. Canadian Journal of Zoology 35:371-383.
- Housz, F. M. I. 1963. Breeding habits of [*Microrasbora rubescens*]. Aquar. Terrar. Z. 16:161-164.
- Hovenkamp, F. 1990. Growth differences in larval plaice [*Pleuronectes platessa*] in the Southern Bight of the North Sea as indicated by otolith increments and RNA/DNA ratios. Marine Ecology-Progress Series 58:205-215.
- Hovenkamp, F., and J. I. Witte. 1991. Growth, otolith growth and RNA/DNA ratios of larval plaice [*Pleuronectes platessa*] in the North Sea 1987 to 1989. Marine Ecology-Progress Series 70:105-116.
- Hovenkamp, F. 1992. Growth-dependent mortality of larval plaice [*Pleuronectes platessa*] in the North Sea. Marine Ecology-Progress Series 82:95-101.
- Howard, T. E. 1975. Swimming performance of juvenile coho salmon (*Oncorhynchus kisutch*) exposed to bleached kraft pulp mill effluent. Journal of the Fisheries Research Board of Canada 32(6):789-793.
- Howarth, J. N. 1961. Sampling for young-of-the-year fishes with a 50-foot bag seine and surface trawl. Pages 43-49 [in] The Susquehanna fishery study for 1957-1960. Md. Dep. Resourc. Educ. Contr. 169 and Susquehanna Electric Co.
- Howe, A. 1971. Biological investigations of Atlantic tomcod, [*Microgadus tomcod*] (Walbaum), in the Weweantic River estuary, Massachusetts, 1967. M.S. Thesis, Univ. of Mass., Amherst, MA, 82 pp.
- Howe, A. B., D. B. Pierce, and P. G. Coates. 1974. Investigation of winter flounder ichthyoplankton in Nantucket Sound, Massachusetts, with notes on associated species. Massachusetts Div. Mar. Fish.
- Howe, E. 1987. Breeding behavior, egg surface morphology and embryonic development in four Australian species of the genus [*Pseudomugil*] (Pisces): Melanotaeniidae. Aust. J. Mar. Freshw. Res. 38:885-895.
- Howe, K. M., and S. L. Richardson. 1978. Taxonomic review and meristic variation in marine sculpins (Osteichthys: Cottidae) of the northeast Pacific Ocean. Final Rep. NOAA, NMFS Contract 03-78-MO2-120, Oregon State Univ., Corvallis.

- Howell, B. R. 1972. Preliminary experiments on the rearing of larval lemon sole, [*Microstomus kitt*] (Walbaum), on cultured foods. *Aquaculture* 1:38-44.
- Howell, B. R. 1973. Marine fish culture in Britain. VIII. A marine rotifer, [*Brachionus plicatilis*] Muller, and the larvae of the mussel, [*Mytilus edulis*] L., as food for larval flatfish. *J. Cons. int. Explor. Mer* 35:1-6.
- Howell, B. R. 1973. The effect of unicellular algae on the growth of early larvae of the turbot, [*Scophthalmus maximus*] L. *ICES CM/1973 E:21*.
- Howell, B. R. 1974. Problems associated with the feeding of certain flatfish larvae. *Infmes-tec. Inst. Invest. Pesq.* 14:109-116.
- Howell, B. R. 1979. Experiments on the rearing of larval turbot, [*Scophthalmus maximus*] L. *Aquaculture* 18(3):221-225.
- Howell, B. R. 1984. The intensive rearing of juvenile cod, [*Gadus morhua*] L. Pages 657-676 [in] E. Dahl et al., editors. The propagation of cod [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983. *Flodevigen Rapportser*.
- Howell, B. R., and O. Ledux. 1972. The effect of population density on the growth of juvenile sole, [*Solea solea*] (L.). *ICES CM 1972/F:27*. 4 pp.
- Howell, J. H. 1966. The life cycle of the sea lamprey and a toxicological approach to its control. Pages 263-270 [in] R. T. Smith, P. A. Meischer, and R. A. Goode, editors. *Phylogeny of immunity*. Univ. of Florida Press, Gainesville, FL.
- Howell, J. H., G. Litman, and B. Pollara. 1970. Unique structural relationships of adult and larval sea lamprey haemoglobins. *Fedn. Am. Socs. Exp. Biol.* 29:889.
- Howell, P. 1993. Certain decisions with uncertain data: early life-history data and resource management. In: L. A. Fuiman, editor. *Water quality and the early life stages of fishes*. American Fisheries Society Symposium 14. 192pp.
- Howell, R. L., and M. Juarez. 1954. Estados larvales y juveniles del bonito, [*Katsuwonus pelamis*]. *Torreia* (22):14.
- Howell, W., and D. H. Kesler. 1977. Fecundity of the southern New England stock of yellowtail flounder, [*Limanda ferruginea*]. *Fish. Bull. NOAA (U.S.)* 75(4):877-880.
- Howell, W. H. 1980. Temperature effects on growth and yolk utilization in yellowtail flounder, [*Limanda ferruginea*], yolk-sac larvae. *Fish. Bull.* 78(3):731-740.
- Howell, W. M., and J. D. Williams. 1971. [*Notropis gibbsi*], a new cyprinid fish from the Tallapoosa River system in Alabama and Georgia. *Copeia* 1971(1):55-64.
- Howland, J. W. 1931. Studies on the life history of the spotted or Kentucky bass, [*Micropterus pseudaplites*] Hubbs. Ph.D Diss., Ohio State Univ. 112 pp.
- Hoyle, R. J., and D. R. Idler. 1968. Preliminary results in the fertilization of eggs with frozen sperm of Atlantic salmon ([*Salmo salar*]). *Journal of the Fisheries Research Board of Canada* 25(6):1295-1297.
- Hoyt, R. D. 1969. The life history of the silverjaw minnow, [*Ericymba*] [*buccata*] Cope, in Kentucky, and the anatomy and histology of its cephalic lateral line system. Ph.D. Diss., Univ. Louisville, Louisville, KY, 237 pp.
- Hoyt, R. D. 1971. The reproductive biology of the silverjaw minnow, [*Ericymba buccata*], Cope, in Kentucky. *Transactions of the American Fisheries Society* 100(3):510-519.

- Hoyt, R. D. Editor. 1979. Proceedings of the third symposium on larval fish. Western Kentucky University, Bowling Green, KY, 236 pp.
- Hoyt, R. D., G. J. Overmann, and G. A. Kindschi. 1979. Observations on the larval ecology of the smallmouth buffalo. Pages 1-17 [in] R. D. Hoyt, editor. Proc. third symp. on larval fish. Western Kentucky Univ., Bowling Green, KY.
- Hoyt, R. D., and D. L. Webb. 1981. Comparative efficiencies of 505 and 800 micron mesh nets for lake ichthyoplankton. Page 84 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. The fifth annual larval fish conference, Louisiana Coop. Fish. Res. Unit, LSU, Baton Rouge, LA.
- Hoyt, R. D. 1984. Notes on various growth features of the paddlefish in the Ohio River. Trans. Kentucky Acad. Sci. 45(1/2):75-76.
- Hoyt, R.D., editor. 1988. 11th Annual Larval Fish Conference. American Fisheries Society Symposium 5.
- Hsiao, S. C. T. 1940. A new record of two flounders, [*Etropus crossotus*] Goode and Bean and [*Ancylosetta dilecta*] (Goode and Bean), with notes on postlarval characters. Copeia 1940:195-198.
- Hsiao-Wei, C., X. Gui-Feh, and X. Shashen. 1965. A description of the important morphological characters of the eggs and larvae of two flat fishes, [*Paralichthys olivaceus*] (Temm. et Schl.), and [*Zebrias sebra*] (Bloch). Oceanol. Limnol. Sin. 7(2):158-180.
- Htun-Han, M. 1978. The reproductive biology of the dab, [*Limanda limanda*] (L.) in the North Sea: Seasonal changes in the ovary. J. Fish. Biol. 13(3):351-359.
- Htun-Han, M. 1978. The reproductive biology of the dab, [*Limanda*] [*limanda*] (L.), in the North Sea: Gonosomatic index, hepatosomatic index and condition factor. J. Fish. Biol. 13(3):369-378.
- Htun-Han, M. 1978. The reproductive biology of the dab, [*Limanda*] [*limanda*] (L.) in the North Sea: Seasonal changes in the testes. J. Fish. Biol. 13(3):361-367.
- Hu, F., and I. Liao. 1981. The effect of salinity on the eggs and larvae of grey mullet, [*Mugil cephalus*]. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:460-466.
- Huang, C., S. Uye, and T. Onbe. 1992. Ontogenetic diel vertical migration of the planktonic copepod [*Calanus sinicus*] in the Inland Sea of Japan. 2. Late fall and early spring. Marine Biology 113:391-400.
- Huang, C. C., W. N. Tzeng, and S. C. Lee. 1985. Preliminary survey on larval fishes of Yen-Liao Bay, northeastern Taiwan. Bull. Inst. Zool. Acad. Sinica 24(1):147.
- Hubble, D. R., and B. Reiff. 1967. Reproduction of guppies (*[Lebistes reticulatus]*) after a single exposure to Dieldrin - a 12 months study. Bull. Env. Contam. Toxicol. 2:57-63.
- Hubbs, C. 1951. Observations on the breeding of [*Diionda episcopa*] [*serena*] in the Nueces River, Texas. Texas J. Sci. 3:490-492.
- Hubbs, C., and K. Strawn. 1957. The effects of light and temperature on the fecundity of the greenthroat darter, [*Etheostoma lepidum*]. Ecology 38(4):596-602.
- Hubbs, C. 1958. Geographic variations in egg complement of [*Percina*] [*caprodes*] and [*Etheostoma spectabile*]. Copeia 1958(4):102-104.
- Hubbs, C. 1961. Developmental temperature tolerances of four Etheostomatine fishes occurring in Texas. Copeia 1961(2):195-198.

- Hubbs, C. 1961. Differences in the incubation periods of two populations of [*Etheostoma lepidum*]. *Copeia* 1961(2):198-200.
- Hubbs, C., and N. E. Armstrong. 1962. Developmental temperature tolerance of Texas and Arkansas-Missouri [*Etheostoma spectabile*] (Percidae, Osteichthyes). *Ecology* 43(4):742-744.
- Hubbs, C. 1964. Effects of thermal fluctuations on the relative survival of greenthroat darter young from stenothermal and eurythermal waters. *Ecology* 45:376-379.
- Hubbs, C. 1965. Development temperature tolerance and rates of four southern California fishes, [*Fundulus parvipinnis*], [*Atherinops affinis*], [*Leuresthes tenuis*], and [*Hypsoblennius*] sp. *California Fish and Game* 51(2):113-122.
- Hubbs, C., and P. S. Martin. 1965. Effects of darkness on egg deposition by [*Etheostoma lepidum*] females. *Southwest. Nat.* 10:302-306.
- Hubbs, C. 1966. Fertilization, initiation of cleavage and developmental temperature tolerance of the cottid fish, [*Clinocottus analis*]. *Copeia* 1966(1):29-42.
- Hubbs, C., M. M. Stevenson, and A. E. Peden. 1968. Fecundity and egg size in two control Texas darter populations. *The Southwest. Nat.* 13:301-324.
- Hubbs, C., H. B. Sharp, and J. F. Schneider. 1971. Developmental rates of [*Menidia audens*] with notes on salt tolerance. *Transactions of the American Fisheries Society* 100:603-610.
- Hubbs, C., and D. F. Burnside. 1972. Developmental sequence of [*Zygonectes notatus*] at several temperatures. *Copeia* 1972(4):862-865.
- Hubbs, C., and C. Bryan. 1974. Maximum incubation temperature of the threadfin shad, [*Dorosoma petenense*]. *Transactions of the American Fisheries Society* 103(2):369-371.
- Hubbs, C., and C. Bryan. 1974. Effect of parental temperature experiences on thermal tolerance of eggs of [*Menidia audens*]. Pages 431-435 [in] J. H. S. Blaxter, editor. *The Early Life History of Fish*. Springer-Verlag, N.Y., 765 pp.
- Hubbs, C. 1976. The diel reproductive pattern and fecundity of [*Menidia audens*]. *Copeia* 1976(2):386-388.
- Hubbs, C. 1977. Effects of temperature on the termination of breeding season of [*Menidia audens*]. *Southwest. Nat.*
- Hubbs, C., and H. H. Bailey. 1977. Effects of temperature on the termination of breeding season of [*Menidia audens*]. *Southwest. Nat.* 22(4):544-547.
- Hubbs, C. L. 1921. An ecological study of the life-history of the fresh-water atherine fish, [*Labidesthes sicculus*]. *Ecology* 2:262-276.
- Hubbs, C. L. 1921. The ecology and life history of [*Amphigon opterus*] [aurora] and other viviparous perches of California. *Biol. Bull.* 40:181-209.
- Hubbs, C. L. 1922. Variations in the number of vertebrae and other meristic characters of fishes correlated with the temperature of water during development. *American Naturalist* 56:360-372.
- Hubbs, C. L. 1923. Seasonal variation in the number of vertebrae of fishes. *Pap. Mich. Acad. Sci. Arts Lett.* 2:207-214.
- Hubbs, C. L. 1924. Seasonal variation in the number of vertebrae of fishes. *Mich. Acad.* 2:207-214.

- Hubbs, C. L., and C. W. Creaser. 1924. On the growth of young suckers and the propagation of trout. *Ecology* 5 (4):372-378.
- Hubbs, C. L. 1925. The life-cycle and growth of lampreys. *Mich. Acad.* 4:587-603.
- Hubbs, C. L. 1925. The metamorphosis of the California ribbon fish, [*Trachypterus rex-salmonorum*]. *Michigan A cad.* 5:469-476.
- Hubbs, C. L. 1926. The structural consequences of modifications of the developmental rate in fishes, considered in reference to certain problems of evolution. *American Naturalist* 60:57-81.
- Hubbs, C. L. 1927. The structural consequences of modifications of the developmental rate in fishes, considered in reference to certain problems of evolution. Ph.D. Diss., Univ. of Mich., Ann Arbor, MI, 25 pp.
- Hubbs, C. L., and A. I. Ortenburger. 1929. Further notes on the fishes of Oklahoma with descriptions of new species of Cyprinidae. *Publ. Univ. Oklahoma Biol. Surv.* 1(2):17-43.
- Hubbs, C. L., and S. C. Whitelock. 1929. Diverse types of young in a single species of fish, the gizzard shad. *Mich. Acad.* 10:461-482.
- Hubbs, C. L., and L. P. Schultz. 1933. Descriptions of two new American species referable to the rockfish genus [*Sebastes*], with notes on related species. *Univ. Washington Publ. Biol.* 2(2):15-44.
- Hubbs, C. L., and Y. T. Chu. 1934. Asiatic fishes ([*Diploprion*] and [*Laeops*]) having a greatly elongated dorsal ray in a very large post larvae. *Occ. Pap. Mus. Zool. Univ. Mich.*, No. 299:1-7.
- Hubbs, C. L., and K. Kuronuma. 1942. Hybridization in nature between two genera of flounders in Japan. *Pap. Mich. Acad. Sci. Arts Lett.* 27:267-306.
- Hubbs, C. L., and B. W. Walker. 1942. Habitat and breeding behavior of the American cyprinid fish, [*Notropis longirostris*]. *Copeia* 1942(4):101-104.
- Hubbs, C. L. 1943. Terminology of early stages of fishes. *Copeia* 1943(4):260.
- Hubbs, C. L., C. Hubbs, and R. E. Johnson. 1943. Hybridization in nature between species of catostomid fishes. *Contr. Lab. Verte. Biol. Univ. Mich.* 22.
- Hubbs, C. L., and K. Kuronuma. 1943. Egg and ovipositer characters in two acheilognathine fishes from Japan. *Copeia* 1943(3):183-186, ill.
- Hubbs, C. L., and E. M. Kampa. 1946. The early stages (egg, prolarva and juvenile) and the classification of the California flyingfish. *Copeia* 1946(4):188-218.
- Hubbs, C. L., and E. C. Raney. 1947. [*Notropis alborus*], a new cyprinid fish from North Carolina and Virginia. *Occ. Pap. Mus. Zool., Univ. Mich.* 535:1-25.
- Hubbs, C. L., and B. W. Waller. 1951. [*Odontoscion australis*], the juvenile stage of [*Elattarchus archidium*], a Panamian sciaenid fish. *Copeia* 1951:205-207.
- Hubbs, C. L., and L. C. Hubbs. 1954. Data on the life history, variation, ecology and relationships of the kelp perch, [*Brachyistius*] [*frenatus*], an embiotocid fish of the Californias. *California Fish and Game* 40(2):183-198.
- Hubbs, C. L. 1955. A juvenile gadid fish from the Labrador Sea representing a species of [*Gaedropsaurus*] apparently new for North America. *Copeia* 1955(1):49-50.



- Hubbs, C. L., H. B. Sharp, and J. F. Schneider. 1971. Developmental rates of [*Menidia audens*] with notes on salt tolerance. *Transactions of the American Fisheries Society* 100:603-610.
- Huber, E. E. 1974. Fish protection at intake structures and dams: Guidance, screens and collection devices. A selected bibliography with abstracts. *Environ. Info. Systems Off.*, Oak Ridge Nat. Lab. (ORNL-EIS-74-67), 67 pp.
- Huber, M., and D. A. Bengtson. 1999. Effects of photoperiod and temperature on the regulation of the onset of maturation in the estuarine fish [*Menidia beryllina*] (Cope) (Atherinidae). *Journal of Experimental Marine Biology and Ecology* 240(2):285-302.
- Huber, W. B., and L. E. Binkley. 1935. Reproduction and growth of the white crappie ([*Pomoxis annularis*]) in Meander lake. *Ohio Bur. Sci. Res. Bull.* 91.
- Hubold, G. 1985. The early life-history of the high-Antarctic silverfish, [*Pleuragramma antarcticum*]. Pages 445-451 [in] W. R. Siegfried, P. R. Condy, and R. M. Laws, editors. *Antarctic nutrient cycles and food web*, Springer-Verlag (Berlin).
- Huckabee, J. W., and N. A. Griffith. 1974. Toxicity of mercury and selenium to the eggs of the carp ([*Cyprinus carpio*]). *Transactions of the American Fisheries Society* 103(4):822-825.
- Hudson, L. L., and J. D. Hardy, Jr. 1975. Descriptions of the early larvae of cyprinodontid fishes of the Chesapeake Bay region with a key to their identifications. *Ches. Biol. Lab. Ref. No. 75-4. Nat. Res. Inst., Univ. Maryland, College Park, MD.*
- Hudson, L. L., and J. D. Hardy, Jr. 1975. Eggs and larvae of the Atlantic seahorse, [*Hippocampus hudsonius*]. *Univ. MD., CEES, Ref. 175-12CBL.*
- Huet, M. 1972. Text book of fish culture, breeding and cultivation of fish. *Fishing News (Books)*, West Byfleet, England. 436 pp.
- Huff, J. A. 1975. Life history of Gulf of Mexico sturgeon, [*Acipenser oxyrinchus desotoi*], in Suwanee River, Florida. *Mar. Res. Publ. No. 16.* 32 pp.
- Huggings, R. T., and A. Thompson. 1970. Communal spawning of brook and river lampreys, [*Lampetra planeri*] and [*Lampetra fluviatilis*]. *J. Fish. Biol.*
- Hughes, J. S. 1970. Tolerance of striped bass, [*Morone saxatilis*] (Walbaum), larvae and fingerlings to nine chemicals used in pond culture. *Proc. 24th Ann. Conf. S. E. Assoc. G & F Comms.* 24:431-438.
- Hughes, T. P., A. H. Baird, E. A. Dinsdale, N. A. Moltschaniwskyj, M. S. Pratchett, J. E. Tanner, and B. L. Willis. 2000. Supply-side ecology works both ways: the link between benthic adults, fecundity, and larval recruits. *Ecology* 81(8):2241-2249.
- Huish, M. T. 1954. Life history of the black crappie of Lake George, Florida. *Transactions of the American Fisheries Society* 83:176-193.
- Huish, M. T. 1957. Life history of the black crappie of Lakes Eustis and Harris, Florida. *Proc. 11th Ann. Conf. S. E. Assoc. G & F Comms.* 11:302-312.
- Huisman, E. A. 1975. Report on the first results concerning controlled reproduction and rearing of fry of [*Silurus glanis*] L. Pages 139-141 [in] Workshop on controlled reproduction of cultivated fishes. *Eur. Int. Fish. Advis. Comm. Tech. Pap. No. 25.* 180 pp.
- Hukuda, H. 1934. On the development of [*Spratellaides japonicus*] (Houtt.). *Bull. Jap. Soc. Sci. Fish.* 2(5):229-240.

- Hulata, G., R. Moav, and G. Wohlfarth. 1976. The effects of maternal age, relative hatching time and density of stocking on growth rate of fry in the European and Chinese races of the common carp. *J. Fish. Biol.* 9(6):499-513.
- Hulata, G., R. Moav, and G. Wohlfarth. 1982. Effect of crowding and availability of food on growth rate of fry in the European and Chinese races of the common carp. *J. Fish. Biol.* 20(3):323-328.
- Hulet, W. H., J. Fischer, and B. J. Rietberg. 1972. Electrolyte composition of anguilliform leptocephali from the straits of Florida. *Bull. Mar. Sci.* 22(2):432-448.
- Hulet, W. H. 1978. Structure and functional development of the eel leptocephalus, [*Ariosoma balearicum*] (De La Roche, 1809). *Philos. Trans. R. Soc. Lond. B. Biol. Sci.* 282(97):107-138.
- Hulsman, P. F., P. M. Powles, and J. M. Gunn. 1983. Mortality of walleye eggs and rainbow trout yolk-sac larvae in low-pH waters of the LaCloche Mountain area, Ontario. *Transactions of the American Fisheries Society* 112(5):680-688.
- Hume, J. M. B., K. S. Shortreed, and K. F. Morton. 1996. Juvenile sockeye rearing capacity of three lakes in the Fraser River system. *Canadian Journal of Fisheries and Aquatic Sciences* 53(4):719-733.
- Humpesch, U. H. 1985. Inter-specific and intra-specific variation in hatching success and embryonic development of 5 species of salmonids and [*Thymallus thymallus*]. *Arch. Hydrobiol.* 104(1):129-144.
- Humphreys, R. D., and A. S. Hourston. 1978. British Columbia herring spawn deposition survey manual. *Fish. Mar. Serv. Misc. Spc. Publ.* 38:30 pp.
- Humphreys, R. D., and C. W. Haegele. 1976. An evaluation of herring spawn survey techniques used in British Columbia waters. *Fish. Mar. Serv. Res. Div. Tech. Rep.* 613:142 pp.
- Humphries, E. T. 1966. Spawning grounds of the striped bass, [*Roccus*] [*saxatilis*] (Walbaum), in the Tar River, North Carolina. M.A. Thesis, East Carolina College, 50 pp.
- Humphries, E. T., and K. B. Cumming. 1973. An evaluation of striped bass fingerling culture. *Transactions of the American Fisheries Society* 102:13-20.
- Humphries, P., and P.S. Lake. 2000. Fish larvae and the management of regulated rivers. *Regulated Rivers* 16(5): 421-432.
- Hunsaker, D., and R. W. Crawford. 1964. Preferential spawning behavior of the largemouth bass, [*Micropterus salmoides*]. *Copeia* 1964(1):240-241.
- Hunt, B. P., and W. F. Carbine. 1950. Food of young pike, [*Esox lucius*] L., and associated fishes in Peterson's Ditches, Houghton Lake, Michigan. *Transactions of the American Fisheries Society* 80(1):67-83.
- Hunte, W., H. A. Oxenford, and R. Mahon. 1995. Distribution and relative abundance of flyingfish (Exocoetidae) in the eastern Caribbean. 2. Spawning substrata, eggs and larvae. *Marine Ecology-Progress Series* 117:25-37.
- Hunter, J. R. 1963. The reproductive behavior of the green sunfish, [*Lepomis cyanellus*]. *Zoologica* 48:13-24.
- Hunter, J. R., and A. D. Hasler. 1965. Spawning association of the redbfin shiner, [*Notropis*] [*umbratilis*] and the green sunfish, [*Lepomis*] [*cyanellus*]. *Copeia* 1965(3):265-285.

- Hunter, J. R., and C. T. Mitchell. 1966. Live coloration of a juvenile [*Uraspis secunda*] (Poey) from the eastern tropical Pacific. *California Fish and Game* 52(1):57-58.
- Hunter, J. R. 1967. Color changes of pelagic prejuvenile goatfish, [*Pseudopeneus grandisquamis*], after confinement in a shipboard aquarium. *Copeia* 1967(4): 850-852.
- Hunter, J. R., and C. T. Mitchell. 1968. Field experiments on the attraction of pelagic fish to floating objects. *J. Cons. Perm. int. Explor. Mer* 31(3):427-434.
- Hunter, J. R. 1972. Swimming and feeding behavior of larval anchovy, [*Engraulis mordax*]. *U.S. NMFS Fish. Bull.* 70:821-838.
- Hunter, J. R., and G. Thomas. 1974. Effects of prey distribution and density on the searching and feeding behavior of larval anchovy. Page 37 [in] Report of the international symposium on the early life history of fish. *FAO Fish. Rep.* 141, 58 pp.
- Hunter, J. R., and G. L. Thomas. 1974. Effect of prey distribution and density on the searching and feeding behavior of larval anchovy, [*Engraulis mordax*] Girard. Pages 559-574 [in] J. H. S. Blaxter, editor. *The early life history of fish*. Springer-Verlag, Berlin.
- Hunter, J. R., and C. Sanchez. 1976. Diel changes in swim bladder inflation of the larvae of the northern anchovy, [*Engraulis mordax*]. *U.S. Fish. Bull.* 74:847-855.
- Hunter, J. R. 1976. Report on a colloquium on larval fish mortality studies and their relation to fishery research, January 1975. *U.S. Dept. Commerce, NOAA Tech. Rep. NMFS Circ.* 395. 5 pp.
- Hunter, J. R. 1976. Culture and growth of northern anchovy, [*Engraulis*] [*mordax*], larvae. *Fish. Bull. U.S.* 74(1):81-88.
- Hunter, J. R. 1977. Behavior and survival of northern anchovy, [*Engraulis*] [*mordax*] larvae. *California Coop. Oceanic Fish. Invest. Rep.* 19:138-146.
- Hunter, J. R., J. H. Taylor, and H. G. Moser. 1978. Effect of ultraviolet irradiation on eggs and larvae of the northern anchovy, [*Engraulis mordax*], and the Pacific mackerel, [*Scomber japonicus*], during the embryonic stage. *Photochem. & Photobiol.* 29:325-338.
- Hunter, J. R., and S. R. Goldberg. 1980. Spawning incidence and batch fecundity in northern anchovy, [*Engraulis mordax*]. *Fish. Bull.* 77(3):641-652.
- Hunter, J. R., and C. A. Kimbrell. 1980. Early life history of Pacific mackerel, [*Scomber*] [*japonicus*]. *U.S. NMFS Fish. Bull.* 78:89-101.
- Hunter, J. R., and C. A. Kimbrell. 1980. Egg cannibalism in the northern anchovy, [*Engraulis*] [*mordax*]. *Fish. Bull. U.S.* 78:811-816.
- Hunter, J. R. 1980. Predation and recruitment. Pages 173-209 [in] *Fish Ecology III*. Univ. Miami Tech. Rep. 82008.
- Hunter, J. R. 1981. Feeding ecology and predation of marine fish larvae. Pages 33-77 [in] R. Lasker, editor. *Marine fish larvae: morphology, ecology, and relation to fisheries*. Wash. Sea Grant Prog., Univ. of Wash. Press, Seattle, WA.
- Hunter, J. R., and C. Kimbrell. 1981. Some aspects of the life history of laboratory-reared Pacific mackerel, [*Scomber japonicus*]. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:344.
- Hunter, J. R., and K. M. Coyne. 1981. The onset of schooling in northern anchovy larvae, [*Engraulis mordax*]. *California Coop. Oceanic Fish. Invest. Rep.* XXIII:246-251.

- Hunter, J. R., S. E. Kaupp, and J. H. Taylor. 1981. Effects of solar and artificial ultra-violet beta-radiation on larval northern anchovy, [*Engraulis mordax*]. *Photochem. Photobiol.* 34:477-486.
- Hunter, J. R., and H. Dorr. 1982. Thresholds for filter feeding in northern anchovy, [*Engraulis mordax*]. *California Coop. Oceanic Fish. Invest. Rep.* 23:198-204.
- Hunter, J. R., S. E. Kaupp, and J. T. Taylor. 1982. Assessment of effects of UV radiation on marine fish larvae. Pages 459-497 [in] J. Calkins, editor. *The role of solar ultraviolet radiation in marine ecosystems*. NATO Conf. Series IV: Marine Sciences. Plenum Press, New York.
- Hunter, J. R. 1984. Inferences regarding predation on the early life stages of cod and other fishes. Pages 533-562 [in] E. Dahl, D. S. Danielssen, E. Moksness, and P. Solemdal, editors. *The propagation of cod*. Flodevigen Rapp. 1.
- Hunter, J. R. 1984. Synopsis of culture methods for marine fish larvae. Pages 24-26 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Hunter, J. R., N. C. H. Lo, and L. A. Fuiman, editors. 1993. Advances in the early life history of fishes. Part 2. Ichthyoplankton methods for estimating fish biomass. *Bulletin of Marine Science* 53:723-935.
- Hunter, T., and S. Vogel. 1986. Spinning embryos enhance diffusion through gelatinous egg masses. *J. Exp. Mar. Biol. Ecol.* 96: 303-.
- Huntsman, A. G. 1918. Histories of new food fishes. I. The Canadian plaice. *J. Biol. Bd. Can.*, No. 1, 32 pp.
- Huntsman, A. G. 1918. The Canadian plaice (*[Hippoglossoides platessoides]*). *Bull. Biol. Bd. Can.* 1. 14 pp.
- Huntsman, A. G. 1919. Growth of the young herring (so-called sardines) of the Bay of Fundy. *Canadian Fish. Exped., 1914-15(1919)*, Dept. of the Naval Serv. [Canada], Ottawa:165-171.
- Huntsman, A. G. 1919. Some quantitative and qualitative plankton studies of the eastern Canadian plankton. *Canadian Fish. Exped., 1914-15(1919)*, Dept. of the Naval Serv. Canada, Ottawa:405-485.
- Hunting, W. H., and D. H. Kesler. 1977. Fecundity of the southern New England stock of yellowtail flounder, [*Limanda ferruginea*]. *Fish. Bull. NOAA (U.S.)* 75(4):877-880.
- Hureau, J. C. 1982. Methods for studying early life history stages of antarctic fishes. *Biomass Handbook* 17.
- Hurley, D. A., and K. C. Fisher. 1965. The structure and development of the external membrane in young eggs of the brook trout, [*Salvelinus fontinalis*] (Mitchill). *Can. J. Zoo* 1. 44:173-190.
- Hurley, D. A., and E. L. Brannon. 1969. Effect of feeding before and after yolk absorption on the growth of sockeye salmon. *Intl. Pac. Salmon Fish. Comm. Prog. Rep.* 21:19 pp.
- Hurley, D. A. 1972. Observations on incubating walleye eggs. *Progressive Fish-Culturist* 34(1):49-54.
- Hurst, H., G. Bass, and C. Hubbs. 1975. The biology of the Guadalupe, Suwannee, and Redeye basses. [In] H. Clepper, editor. *Black bass biology and management*, Sport Fishing Inst., Wash., D. C.

- Hurst, T. P., and D. O. Conover. 1998. Winter mortality of young-of-the-year Hudson River striped bass (*Morone saxatilis*): size-dependent patterns and effects on recruitment. *Can. J. Fish. Aquat. Sci.* 55:1122-1130.
- Hurst, T. P., E. T. Schultz, and D. O. Conover. 2000. Seasonal energy dynamics of young-of-the-year striped bass (*Morone saxatilis*) and the role of starvation in winter mortality. *Trans. Amer. Fish. Soc.* 129:145-157.
- Hurst, T. P., and D. O. Conover. 2001. Diet and consumption rates of overwintering YOY striped bass, [*Morone saxatilis*], in the Hudson River. *Fish. Bull.* 99: 545-553.
- Huse, G., A. Johannessen, and P. Fossum. 1996. A comparison of the length distributions of larval capelin (*Mallotus villosus*) taken by Gulf III, MIK and MOCNESS samplers. *Journal of Applied Ichthyology - Zeitschrift Fur Angewandte Ichthyologie* 12:135-136.
- Huse, I., and P. Jensen. 1981. Present status of an intensive cod larvae rearing experiment at Austevoll. *Counc. Mtg. Intl. Counc. Explor. Mer* 1981(F:13). 10 pp.
- Huse, I., and A. B. Skifresvik. 1985. Qualitative and quantitative behavior studies in starving and feeding larvae. *ICES CM* 1985/F:38.
- Husick, J. A., and K. W. Able. 1969. Occurrence and spawning of the sculpin, [*Triglops*] [*murrayi*] (Pisces: Cottidae) in the Gulf of Maine. *Journal of the Fisheries Research Board of Canada* 26:473-475.
- Hussain, N., S. Akatsu, and C. El-Zahr. 1981. Spawning, egg and early development, and growth of [*Acanthopagrus cuvier*] (Sparidae). *Aquaculture* 22:125-136.
- Hussain, N. A., and M. Higuchi. 1980. Larval rearing and development of the brown spotted grouper, [*Epinephelus tauvina*] (Forsk.). *Aquaculture* 19:339-350.
- Hussen, H. 1983. Preliminary report on the ICES young fish survey 1983: roundfish. *Intl. Counc. Explor. Sea Comm. Mtg.* 6:32. 2 pp.
- Hussokof, L. 1912. The spawning habits of the sea lamprey, [*Petromyzon*] [*marinus*]. *American Naturalist* 46:729-740.
- Huston, J. E. 1965. Investigation of two Clark Fork River hydroelectrical impoundments: [*Salmo malma*], spawning, age, growth, sport fishery. *Proc. Montana Acad. Sci.* 25:20-40.
- Hutala, G., R. Moav, and G. Wohlfarth. 1976. The effect of maternal age, relative hatching time, and density of stocking on growth rate of fry in the European and Chinese races of the common carp. *J. Fish. Biol.* 9(6):499-514.
- Hutchings, J. A., and R. A. Myers. 1993. Effect of age on the seasonality of maturation and spawning of Atlantic cod, [*Gadus morhua*], in the Northwest Atlantic. *Canadian Journal of Fisheries and Aquatic Sciences* 50:2468-2474.
- Hutchinson, S. J., and R. F. Shuman. 1942. Reproduction of pink salmon at Little Port Walter, 1941-42. *Pacific Fisherman* 40:29-31.
- Hutton, J. A. 1924. The life history of the salmon. *Publ. Aberdeen Nat. Hist. Antiqu. Soc.* 5:56.
- Huver, C. W. 1956. The relationship of the cortex to the formation of a perivitelline space in the eggs of [*Fundulus*] [*heteroclitus*]. *Biol. Bull. (Woods Hole)* 111(2):304.
- Huver, C. W. 1960. The stage at fertilization of the egg of [*Fundulus*] [*heteroclitus*]. *Biol. Bull.* 119:320.
- Huver, C. W. 1963. A chemical technique for dechorioning teleost eggs. *Copeia* 1963(3): 591-592.

- Huver, C. W., and S. Steinberg. 1963. The formation of melanophores in embryonic eggs of [*Fundulus heteroclitus*]. *Copeia* 1963(1):187-188.
- Huver, C. W. 1964. Comparative studies of blastodisc formation in teleosts. *Am. Zool.* 4(3):319-320.
- Huxley, T. H. 1859. Observations on the development of some parts of the skeleton of fishes. *Quart. J. Micro. Soc. London, Ser. 2* (7):33-46.
- Huysseune, A. 1983. Observations on tooth development and implantation in the upper pharyngeal jaws in [*Astatotilapia elegans*] (Teleostei, Cichlidae). *J. Morph.* 175:217-234.
- Hyder, M. 1970. Gonadal and reproductive patterns in [*Tilapia*] [*leucosticta*] (Teleostei: Cichlidae) in an equatorial lake, Lake Naivasha (Kenya). *Journal of Zoology (G.B.)* 162:179-195.
- Hysten, A., and O. Dragesund. 1973. Recruitment of young Arcto-Norwegian cod and haddock in relation to parent stock size. Pages 57-68 [in] B. B. Parrish, editor. *Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 164, 372 pp.
- Hysten, A., and O. Smedstad. 1974. Norwegian investigations on the abundance of young cod in the Barents Sea and adjacent waters in 1970-1972. *Annls. Biol., Copenh.* 29(1972):72-74.
- Hyman, L. H. 1921. The metabolic gradients of vertebrate embryos. I. Teleosts embryos. *Biol. Bull., Woods Hole* 40(1):32-72.
- Hyman, L. H. 1926. The metabolic gradients of vertebrate embryos. II. The Brook Lamprey. *J. Morph.* 43:111-133.
- Hyndes, G. A., F. J. Neira and I. C. Potter. 1992. Reproductive biology and early life history of the marine teleost [*Platycephalus speculator*] Klunzinger (Platycephalidae) in a temperate Australian estuary. *J. Fish Biol.* 40(6):859-874.
- Hyndes, G. A., and I. C. Potter. 1997. Age, growth and reproduction of [*Sillago schomburgkii*] in south-western Australian, nearshore waters and comparisons of life history styles of a suite of *Sillago* species. *Environ. Biol. Fish.* 49(4):435-447.
- Hyodo-Taguchi, Y., and N. Egami. 1969. Change in dose-survival time relationship after x-irradiation during embryonic development in the fish, [*Oryzias latipes*]. *J. Rad. Res.* 10-3-4:121-125.
- Hyodo-Taguchi, Y., and N. Egami. 1970. Inhibitory effects of b-rays from 90-SR - 90-Y on gonad formation in embryos of [*Oryzias latipes*]. *Zool. Mag.* 79:185-187.
- Hyodo-Taguchi, Y. 1977. Effects of chronic gamma irradiation on the spermatogenesis of the fish, [*Oryzias latipes*], with special reference to exposure to tritiated water. *J. Radiat. Res.* 18:55.
- Hyronimus, E. 1971. Abundance and distribution of herring larvae in the western North Sea in 1962-67. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 160:83-86.
- IABO. 1973. International Symposium on Early Life History of Fish. *FAO Fish. Rep.* 141.
- Ibrahim, K. H. 1961. Up-stream migration of elvers of [*Anguilla nebulosa*] (= [*bengalensis*]) over first anicut of the River Gadavari. *J. Bombay Nat. Hist. Soc.* 58(3):810-811.
- Icanberry, J. W., J. W. Warrick, and D. W. Rice. 1978. Seasonal larval fish abundance in waters off Diablo Canyon, California. *Transactions of the American Fisheries Society* 107(2):225-233.

- Ichikawa, R., and L. Suyama. 1974. Effects of tritiated water on the embryonic development of two marine teleosts. *Bull. Jap. Soc. Sci. Fish.* 40(8):819-824.
- Ichikawa, T. 1973. Histological observation on the pituitary gland and the glomerular body of the larvae of the marine teleost [*Hexagrammos otakii*]. *Contr. Misaki Mar. Biol. Sta. Univ. Tokyo* 20:556.
- Ichikawa, T., H. Kobayashi, P. Zimmermann, and U. Muller. 1973. Pituitary response to environmental osmotic changes in the larval guppy, [*Lebistes reticulatus*] (Peters). *Z. Zellforsch. Mikrosk. Anat.* 141(2):169-179.
- Ida, H. 1972. Some ecological aspects of larval fishes in waters off central Japan. *Bull. Jap. Soc. Sci. Fish.* 38(9):981-994.
- Ida, H. 1972. Variability in the number of fish taken by larva nets. *Bull. Jap. Soc. Sci. Fish.* 38(9):965-980.
- Ida, H., Y. Hiyama, and T. Kusaka. 1967. Study on fishes gathering around floating seaweed. I. Abundance and species composition. *Bull. Jap. Soc. Sci. Fish.* 33(10):923-929.
- Ida, H., Y. Hiyama, and T. Kusaka. 1967. Study on fishes gathering around floating seaweed. II. Behavior and feeding habit. *Bull. Jap. Soc. Sci. Fish.* 33(10):930-936.
- Idelson, M. S., and I. F. Kuznetsova. 1941. Experiments on determining the fish productivity of delta basins, as shown by the yield of the young. *Trudy vses. mauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr.* 16:61-72, ill.
- Idyll, C. P., and D. de Sylva. 1963. Synopsis of biological data on albacore, [*Thunnus alalunga*] (Gmelin) 1788 (Western Atlantic). *FAO Fish. Rep.* 6, Vol. 2:49-754.
- Idyll, C. P., and D. deSylva. 1963. Synopsis of biological data on yellowfin tuna, [*Thunnus albacares*] (Bonaterre) 1788 (Western Atlantic). *FAO Fish. Rep.* 6, vol. 2:771-777.
- Idyll, C. P., and D. deSylva. 1963. Synopsis of biological data on the blackfin tuna, [*Thunnus atlanticus*] (Lesson) 1830 (Western Atlantic). *FAO Fish. Rep.* 6, vol. 2:761-770.
- Igarashi, K. 1964. Observation on the development of the scutes in landlocked form of three-spined stickleback, [*Gasterosteus aculeatus aculeatus*] L. In Japanese, English Summary. *Bull. Jap. Soc. Sci. Fish.* 30(2):95-103.
- Igarashi, K. 1965. Observation on the development of the scute in landlocked form of three-spined stickleback, [*Gasterosteus aculeatus microcephalus*] L. In Japanese, English summary. *Bull. Jap. Soc. Sci. Fish.* 31(1):33-40.
- Igarashi, K. 1968. Observations on the development of the scutes in a ten-spined stickleback, [*Musashi tomiyo*], [*Pungitius*] sp. *Bull. Jap. Soc. Sci. Fish.* 34:1083-1087.
- Igarashi, K. 1970. Formation of the scutes in the marine form of the three-spined stickleback, [*Gasterosteus aculeatus*] [*aculeatus*] (L.). *Annot. Zool. Jap.* 43(1) 34-42.
- Igarashi, T. 1962. Morphological changes of the embryo of a viviparous teleost, [*Neoditrema ransonneti*] Stein, during gestation. *Bull. Hokkaido Fish.* 13(2):47-52.
- Igaroshi, H., K. Zama, K. Takama, and M. Hatano. 1963. Lipids of flounder. IV. Egg lipids of the flounder, [*Hippoglossoides dubrius*]. *Bull. Fac. Fish. Hokkaido Univ.* 14(2):91-94.
- Ignatieva, G. M. 1963. Comparison of the dynamics of the invagination process of chordomesoderm material in embryos of [*Acipenser chypa*], [*A. guldenstaedtii*] and [*Amblystoma*]. *Dokl. Akad. Nauk SSR* 151:1467-1470. Russian.

- Ignatieva, G. M. 1965. Correlation of epiboly and invagination processes at the period of gastrulation in [Acipenser] embryos. Dokl. Akad. Nauk SSSR. 165:970-973. Russian.
- Ignatieva, G. M., and N. N. Rott. 1970. The temporal pattern of interphase prolongation and nuclear activities during early embryogenesis in Teleosti. Wilhelm Roux Arch. 165:103-109.
- Ignatieva, G. M. 1974. The rate of cleavage of carp, pike and [Coregonus] [peled] eggs in relation to temperature. Ontogenez 5(1):27-32.
- Ignatyeva, G. M. 1957. Morphological and physiological investigations of the "hatching" gland in sturgeon at different incubation temperatures. Doklady, Biol. Sci. Sect. (Doklady Akad. Nauk. SSSR) 113:501-504.
- Ignatyeva, G. M. 1969. Relative duration of some early processes of embryogenesis of salmonidae. Dokl. Akad. Nauk. (USSR) 188(1418).
- Ignatyeva, G. M. 1970. Regularities of early embryogenesis in salmonid fishes as revealed by the method of dimensionless characterization of development time. Ontogenez 1:28-41. Transl. from Russian: SJDBA9 1:20-32.
- Iguchi, K., and N. Mizuno. 1990. Diel changes of larval drift among amphidromous gobies in Japan, especially [Rhinogobius brunneus]. Journal of Fish Biology 37:255-264.
- Igumnova, L. V. 1975. Chronological patterns of embryonic development of [Beluga]. Soviet J. Dev. Biol. 6:38-43.
- Iijuka, A., et al. 1962. Studies on the early life history of herring, [Clupea] [pallasii]. Bull. Hokkaido Reg. Fish. Res. Lab. 25.
- Iizuka, A., S. Mikans, M. Tamus, and E. Yagi. 1962. Studies on the early life history of herring, [Clupea] [pallasii]. 2. On the survival of larvae in Akkeshi Bay, Hokkaido. Bull. Hokkaido Reg. Fish. Res. Lab. 25:1-10.
- Iizuka, A. 1966. Studies on the early life history of herring ([Clupea] [pallasii] C. et. V.) in Akkeshi Bay and Lake Akkeshi, Hokkaido. Bull. Hokkaido reg. Fish Res. Lab. 31:18-63. In Japanese with English summary.
- Iizuka, K., and K. Kotaki. 1969. Some rearing experiments for the improvement of tagging techniques of the juvenile mackerels. Bull. Tohoku Reg. Fish. Res. Lab. (29):19-36.
- Ikeda, A. 1959. Embryology and histochemistry studies on the development of the digestive system in a teleost fish, [Oryzias latipes]. Hiroshima J. Med. Sci. 8:71-88.
- Ikeda, T. 1994. Growth and life cycle of the mesopelagic fish [Maurolicus muelleri] (Sternoptychidae) in Toyama Bay, Southern Japan Sea. Bull. Plankton Soc. Japan. 40:137-138.
- Ikeda, T., S. Chuma, and M. Okiyama. 1991. Identification of pelagic eggs of marine fishes by rearing method. Japanese Journal of Ichthyology 38:199-206.
- Ikehara, K. 1968. Ecological aspects of the eggs and larvae of a few species of fish and squid, based on the materials taken by the means of two kinds of plankton nets. Bull. Japan Sea reg. Fish. Res. Lab. 20:71-82.
- Ikusemiju, K. 1975. Aspects of the ecology and life history of the sculpin, [Cottus aleoticus] (Gilbert), in Lake Washington. J. Fish. Biol. 7:235-245.
- Ikusemiju, K. 1976. Distribution, reproduction and growth of the catfish, [Chrysichthys walkeri] (Gunther), in the Lekki Lagoon, Nigeria. J. Fish. Biol. 8(6): 453-458.



- Iles, R. B. 1963. Cultivating fish for food and sport in power station waters. *New Scientist*. 117(324):227-229.
- Iles, T. D. 1968. Growth studies on North Sea herring. II. O-group growth of East Anglian herring. *J. Cons. perm. int. Explor. Mer* 32(1):98-116.
- Iles, T. D. 1971. The retention inside the Bay of Fundy of herring larvae spawned off the southwest coast of Nova Scotia. *Intl. Comm. Northwest Atl. Fish. Redbook* 1971:93-103.
- Iles, T. D. 1973. Interaction of environment and parent stock size in determining recruitment in the Pacific sardine as revealed by analysis of density-dependent 0-group growth. Pages 228-240 [in] B. B. Parrish, editor. *Fish Stocks and recruitment*. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer. 164, 372 pp.
- Ilg, L. 1952. Uber larvale Haftorgane bei Teleosteen. *Zool. Jb. (Anat.)* 72:577-600.
- Imabayashi, H. 1980. Feeding activities of juvenile and young bastard halibut, [*Paralichthys olivaceus*] in the biotic community. I. Intraspecific relationships in the population. *Bull. Jap. Soc. Sci. Fish.* 46(4):427-436.
- Imabayashi, H. 1980. Settling mechanism of larvae of bastard halibut, [*Paralichthys olivaceus*], in the nursery ground, estimated from the size distribution. *Bull. Jap. Soc. Sci. Fish.* 46(4):419-426.
- Imai, S. 1958. Eggs, larvae and juveniles of [*Cypselurus heterurus*] [doderleini] (Steindachner) (Exocoetidae). Pages 40 [in] K. Uchida et al., editors. *Studies on the eggs, larvae, and juvenile of Japanese fishes*. J. Fac. Agric Kyushu Univ., Ser. 1. In Japanese.
- Imai, S. 1958. Young of [*Myctophum orientale*] (Gilbert). Page 21 [in] K. Uchida et al., editors. *Studies on the eggs, larvae and juveniles of Japanese fishes*. Fac. Agric. Kyushu Univ., Fukuoka, Japan. In Japanese.
- Imai, S. 1959. Studies on the life histories of the flying-fishes found in the adjacent waters of Japan. I. *Mem. Fac. Fish. Kagoshima Univ.* 7:1-85. In Japanese.
- Imai, S. 1960. Studies on the life histories of flying-fishes found in the adjacent waters of Japan. II. *Mem. Fac. Fish. Kagoshima Univ.* 8:8-45. In Japanese.
- Imai, S. 1961. On the early life histories of the bathypelagic fishes obtained in the southwestern sea of Kyushu. *Rec. Oceanogr. Works Japan, Spec. No.* 5:149-150.
- Imai, S., and K. Nakahara. 1957. [*Coreoperca kawamurai*] and its life history. Pages 591-601 [in] Syehiro, et al., editors. *Suisangaku Shusei*. In Japanese.
- Imaoka, Y. 1971. Fisheries biology of the roundnose flounder ([*Eopsetta grigorjewi*] Herzenstein) in the south-western Japan Sea and its adjacent waters. II. On the maturity and the spawning. *Bull. Seikai Reg. Fish. Res. Lab.* 39: 51-63.
- Imaoka, Y., and H. Misu. 1974. Fisheries biology of the roundnose flounder, [*Eopsetta grigorjewi*] Herzenstein, in the southwestern Japan Sea and its adjacent waters. VI. Early stages in development and growth by rearing. *Bull. Jap. Soc. Sci. Fish.* 40(11):1107-1114.
- Imabayashi, H., T. Hanaoka, and S. Takamori. 1975. Feeding activity of juvenile and young red sea bream, [*Chrysophrys major*] Temm. et Sch., in the biotic community. I. Relationship to other species. *Bull. Nansei Reg. Fish. Res. Lab.* 8:101-112.
- Imabayashi, H., T. Hanaoka, and M. Yano. 1977. Feeding activity of juvenile and young red sea bream, [*Chrysophrys major*] Temm. et Sch., in the biotic community. II. Change of the demersal fish community related with benthic ones. *Bull. Nansei Reg. Fish. Res. Lab.* 10:73-86.

- Imbayashi, H., T. Hanaoka, and M. Yano. 1977. Feeding activity of juvenile and young red sea bream, [*Chrysophrys major*] Temm. et Sch., in the biotic community. III. Intraspecific relationships in the population. Bull. Nansei Reg. Fish. Res. Lab. 10:87-100.
- Imler, R. L., D. T. Weber, and O. L. Fyock. 1975. Survival, reproduction age, growth, and food habits of Sacramento perch, [*Archoplites interruptus*] (Girard), in Colorado. Transactions of the American Fisheries Society 104(2):232-236.
- Imsland, A. K., A. Foss, S. Gunnarsson, M. H. G. Berntssen, R. FitzGerald, S. W. Bonga, E. VonHam, C. Naevdal, and S. O. Stefansson. 2001. The interaction of temperature and salinity on growth and food conversion in juvenile turbot ([*Scophthalmus maximus*]). Aquaculture 198(3-4):353-367.
- Imsland, A. K., A. Foss, G. Naevdal, and S. O. Stefansson. 2001. Selection or adaptation: Differences in growth performance of juvenile turbot ([*Scophthalmus maximus*] Rafinesque) from two close-by localities off Norway. Sarsia 86(1):43-51.
- Inaba, D. 1931. On some teleostean eggs and larvae found in Mutzu Bay. Rec. Oceanogr. Wks. Japan 3:53-62.
- Inaba, D., M. Nomura, and M. Nakamura. 1957. Preliminary report on the spawning of grass carp and silver carp in the Tone River, Japan and the development of their eggs. J. Tokyo Univ. Fish. 43(1):81-101.
- Inai, S. 1956. The characters and keys for determination of the species of flying fishes obtained in Japan. I. Key to adults. II. Key for young specimens. Mem. Fac. Fish. Kagoshima Univ. 5:91-102.
- Inanami, Y. 1942. Small skipjack caught at Truk. South Sea Fish News 6(1):7.
- Incze, L. S., et al. 1984. Eggs and larvae of walleye pollock and relationships to the planktonic environment, pp. 109-159. [In] D. H. Ito, editor. Proc. workshop on walleye pollock and its ecosystem in the eastern Bering Sea. NOAA Tech. Mem. NMFS F/NWC-62.
- Incze, L. S., A. W. Kendall, Jr., J. D. Schumacher, and R. K. Reed. 1989. Interactions of a mesoscale patch of larval fish ([*Theragra chalcogramma*]) with the Alaska Coastal Current. Cont. Shelf Res. 9:269-284.
- Incze, L. S., P. B. Ortner, and J. D. Schumacher. 1990. Microzooplankton, vertical mixing and advection in a larval fish patch. Journal of Plankton Research 12:365-379.
- Incze, L. S., P. Aas, and T. Ainaire. 1996. Distributions of copepod nauplii and turbulence on the southern flank of Georges Bank: implications for feeding by larval cod ([*Gadus morhua*]). Deep - Sea Research Part II - Topical Studies in Oceanography. 43:1855-1873.
- Ingersoll, R. H., and R. W. Jones. 1949. Comparative data on exotic fish embryos suitable for classroom demonstrations and experiments. Proc. Oklahoma Acad. Sci. 1949:206-209.
- Inmon, L. E. 1974. Feeding interaction between pelagic larvae of walleye, [*Stizostedion vitreum vitreum*] (Mitchill) and associated fish species in Clear Lake, Iowa. M.S. Thesis, Iowa State Univ. 50 pp.
- Inoue, A., S. Takamori, K. Kuniyaki, S. Kobayashi, and S. Nishina. 1967. Studies on fishery biology of the sand-lance, [*Ammodytes personatus*] (Girard). Bull. Naikai Reg. Fish. Res. Lab. 25(121):1-335.
- Inoue, M., K. Tutumi, H. Nagaoka, and T. Nagata. 1974. Some notes on the artificial perturbations and rearing of larvae of the skipjack tuna. J. Fac. Mar. Sci. and Tech. Tokai Univ. 8:37-42.

- Inoue, M., Y. Iwasaki, M. Aoki, K. Tutumi, and H. Nagaoka. 1974. Some notes on the artificial fertilization and rearing of larvae in frigate mackerel and yellowfin tuna cultured with seawater-acclimate [*Chlorella*] as a basic diet. *J. Fac. Mar. Sci. Tech. Tokai Univ.* 8:27-36.
- Inoue, M. 1977. Tuna spawning survey in the tropical sea made by R/V Tokaidaigaku maru II and R/V Bosei mar u. *Proc. Sov.-Jap. Joint Symp. Aquacult.* 3:173-180. In Japanese, English summary.
- Inoue, S., T. Kaneda-Hayaski, H. Sugiyama, and T. Ando. 1971. Studies on phosphoproteins from fish eggs. 1. Isolation and characterization of a phosphoprotein from the eggs of Pacific herring. *J. Biochem. Tokyo* 69:1003-1011.
- Inslee, T. D. 1975. Increased production of smallmouth bass fry. Pages 357-361 [in] H. Clepper, editor. *Black bass biology and management.* Sport Fish. Inst., Wash., D.
- Institute of Environmental Medicine. 1976. Mortality of striped bass eggs and larvae in nets: a special report to Consolidated Edison Company of New York, Inc. New York Univ. Medical Ctr., New York.
- International Council for Exploration of the Sea Biological Oceanography Committee. 1979. Report of the working group on the distribution of larval fish. C. M. 1979/L:10, Copenhagen, Denmark.
- Inui, Y., and S. Miwa. 1985. Thyroid hormone induces metamorphosis of flounder larvae. *Gen. Comp. Endocrinol.* 60:450-454.
- IOC-UNESCO. 1975. Report of the CICAR ichthyoplankton workshop. UNESCO Tec. Pap. in Mar. Sci., No. 20, 46 pp.
- Irie, T. 1985. Occurrence and distribution of offshore migrating juvenile chum salmon along the Pacific coast of northern Japan. *Bull. Jap. Soc. Sci. Fish.* 51(5):749-754.
- Irie, T. 1985. The origins and migration routes of offshore migrating juvenile chum salmon along the Pacific coast of northern Japan. *Bull. Jap. Soc. Sci. Fish.* 51(7):1103-1108.
- Irvin, D. N. 1974. Temperature tolerance in early developmental stages of the Dover sole. Page 38 [in] Report of the international symposium on the early life history of fish. *FAO Fish. Rep.*, No. 141, 58 pp.
- Irvine, J. R. 1986. Effect of varying discharge on the downstream movement of salmon fry, [*Oncorhynchus tshawytscha*] Walb. *J. Fish. Biol.* 28(1):17-28.
- Irvine, J. R., and T. G. Northcote. 1982. Significance of sequential feeding patterns of juvenile rainbow trout in a large lake-fed river. *Transactions of the American Fisheries Society* 111:446-452.
- Isaacs, J. D. 1953. Underwater kite-type cable depressor. U.S. Patent Office Design 168, 999. 3 pp.
- Isaacs, J. D., and L. W. Kidd. 1953. Isaacs-Kidd midwater trawl. Final report. Scripps Inst. of Oceanogr. Ref. 53-3, Oceanogr. equip. Rep., No. 1, 18 pp.
- Isaacs, J. D. 1964. Night-caught larvae and day-caught larvae of the California sardine. Science, N.Y.
- Isaacs, J. D. 1965. Larval sardine and anchovy interrelationships Rep. California Coop. Oceanic Fish. Invest. 10:102-140.

- Isaacs, J. D., A. Fleminger, and J. K. Miller. 1969. Distributional atlas of zooplankton biomass in California Current region: Spring and fall 1955-59. Atlas California Coop. Oceanic Fish. Invest. Rep. 10.
- Isaacson, P. A., and D. M. Isaacson. 1966. Notes on the life history of the black perch, [*Embiotoca jacksoni*], Agassiz. Transactions of the American Fisheries Society 95(1):107-108.
- Isaak, D. 1961. The ecological life history of the fathead minnow, [*Pimephales promelas*] (Rafinesque). Ph.D Diss., Univ. Minn. 150 pp.
- Iseda, H. 1982. Prevention of demonstration in juvenile red sea bream, [*Pagrus major*], reared in ponds. III. Bull. Kumamoto Prefect. Fish. Exp. Sta. (2):25-45.
- Isely, J. J., and R. L. Noble. 1987. Use of daily otolith rings to interpret development of length distributions of young largemouth bass. [In] R. C. Summerfelt and G. E. Hall, editors. Age and growth of fish. Iowa State Univ. Press, Ames, IA. 544 pp.
- Isermann, D. A., P. A. Hanchin, and D. W. Willis. 2002. Comparison of two mesh sizes for collecting larval yellow perch in surface trawls. North American Journal of Fisheries Management 22(2):585-589.
- Ishibashi, N. 1974. Feeding, starvation and weight changes of early fish larvae. Page 38 [in] Report of the international symposium on the early life history of fish. FAO Fish. Rep., No. 141, 58 pp.
- Ishibashi, N. 1974. Feeding, starvation and weight changes of early fish larvae. Pages 339-344 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer Verlag (Berlin).
- Ishida, J. 1944. Hatching enzyme in the fresh-water fish, [*Oryzias*] [*latipes*]. Annot. Zool. Jap. 22:137-154.
- Ishida, J. 1944. Further studies of the hatching enzyme of the fresh-water fish, [*Oryzias latipes*]. Annot. Zool. Jap. 22:155-164.
- Ishida, J. 1951. Effects of 2,4-dinitrophenol on oxygen consumption during early development of the teleost, [*Oryzias*] [*latipes*]. Annot. Zool. Jap. 24:181-185.
- Ishida, J., S. Tagushi, and K. Maruyama. 1959. ATP content and ATPase activity in developing embryos of the teleost, [*Oryzias latipes*]. Annot. Zool. Jap. 32:1-5.
- Ishida, R. 1959. On the spawning of the ayu, [*Plecoglossus altivelis*] Temm. et Schl. 1. Structure of the spawning shoal and spawning behavior. Bull. Jap. Soc. Sci. Fish. 25(4):259-268.
- Ishida, R., and Y. Ohoshima. 1959. On the adhesive power of the eggs of ayu, [*Plecoglossus altivelis*] Temm. et Schl. Bull. Jap. Soc. Sci. Fish. 24(11):896-899.
- Ishida, R. 1964. Spawning of the ayu, [*Plecoglossus altivelis*]. 4. Distribution and some geographical features of the spawning ground. Bull. Jap. Soc. Sci. Fish. 30:478-485.
- Ishida, T. 1966. Salmon of the north Pacific ocean - Part III. A review of the life history of north Pacific salmon II. Pink salmon in the far east. Int. North Pac. Fish. Comm. Bull. 18:29-39.
- Ishida, T. 1967. Salmon of the north Pacific Ocean - IV. Spawning populations of north Pacific salmon II. Pink salmon in the far east. Int. North Pac. Fish. Comm. Bull. 23:9-22.

- Ishigaki, T., and Y. Kaga. 1957. Fishery biological studies of sand lance, [*Ammodytes*] [*personatus*] Girard, in waters around Hokkaido. I. Especially on the structure of population. Bull. Hokkaido Reg. Fish. Res. Lab. 16:13-38.
- Ishigaki, T., T. Sakamoto, T. Sasaki, and M. Tanano. 1960. Ecological studies of young Alaska pollock in the Pacific, east of Cape Erimo. Hokusishi-geppo 17:4-13.
- Ishihara, S., and R. Kusuda. 1981. Experimental infection of elvers and anguilletes with [*Edwardsiella tarda*] bacteria. Bull. Jap. Soc. Sci. Fish. 47(8):999-1002.
- Ishikawa, M., and N. Nakamura. 1940. On the breeding habit and development of a goby, [*Glossogobius brunneus*] (T. et S.). Jap. Soc. Sci. Fish. 8(6):365-366.
- Ishito, Y. 1972. The characteristics of distribution and migratory pattern of the slime-flounder, [*Microstomus achne*] (Jordan & Starks), adjusted by the life of their young and adult stages in the north-eastern sea area of Japan. Bull. Tohoku Reg. Fish. Res. Lab. 32:23-46.
- Ishiyama, R. 1958. Observations on the egg-capsules of skates of the family Rajidae found in Japan and its adjacent waters. Bull. Mus. Comp. Zool. Harvard 118(1):33 pp.
- Ishiyama, R., and K. Okada. 1957. Postlarval form of the skipjack, [*Katsuwonus*] [*pelamis*], from the Phoenix Islands. J. Shemonoseki Coll. Fish. 7 (1):141-146.
- Islam, B. N., and G. B. Talbot. 1968. Fluvial migration, spawning and fecundity of Indus River hilsa, [*Hilsa ilisha*]. Transactions of the American Fisheries Society 97:350-355.
- Islam, M. A. 1972. The effect of temperature on the reproduction of the red shiner, [*Notropis lutrensis*] (Baird and Girard). Ph.D Diss., Univ. Texas, 79 pp.
- Islam, M. A., Y. Nose, and F. Yasuda. 1973. Egg characteristics and spawning season of rainbow trout. Bull. Jap. Soc. Scient. Fish. 39(7):741-751.
- Ismail, H. M., et al. 1982. Developmental aspects of the pharyngeal jaws in [*Astatotilapia elegans*] (Trewavas, 1933) (Teleostei: Cichlidae). Neth. Journal of Zoology 32:513-543.
- Isouchi, T. 1975. Fish larvae found in nearshore and offshore waters of a new marine volcano, Nisinosima-sin-to Japan. J. Tokyo Univ. Fish. 61(1-2):65-69.
- Isuev, A. R., K. M. Lebedmagamedova, M. M. Magomedov, and M. K. Ramazanov. 1982. Lipid peroxidase and antioxidants in embryogenesis of sevruga, [*Acipenser stellatus*] (*Acipenseridae*). J. Ichthyol. 22(6):141-144.
- Itazawa, Y. 1959. Influence of temperature on the number of vertebrae in fish.
- Itazawa, Y. 1963. The ossification sequences of the vertebral column in the carp and the snake-head fish. Bull. Jap. Soc. Sci. Fish. 29(7):667-674.
- Ito, J., and R. R. Parke. 1971. A record of Pacific herring, [*Clupea harengus*] [*pallosi*], feeding on juvenile chinook salmon, [*Oncorhynchus tshawytscha*], in a British Columbia estuary. Journal of the Fisheries Research Board of Canada 28(12):1921.
- Ito, K. 1958. Ecological studies of the long finned smelt [*Spirinchus lanceolatus*] (Hikita). 1. On the measuring comparison of egg-number from several localities, and relationship between body length, age, and mature ovarian egg. Sci. Rep. Hokkaido Fish Hatchery. 14:47-50.
- Ito, S. 1955. An example in estimating the amount of sardine eggs in a certain sea area. Jap. Sea Reg. Fish. Res. Lab., Niigata. 7 pp.
- Ito, S. 1963. Resting potential and activation potential of the [*Oryzias*] egg. 3. Effect of monovalent cations. Embryologia 7:344-354.

- Ito, S. 1966. Yearly fluctuation of eggs and larval occurrences of sardine and other fishes in the seas adjacent to Noto Peninsula in May. Rep. Fish. Res. Invest. Sci. Fish. Age., Japan. Gov. 5:54-64.
- Ito, T. 1977. Uptake of dissolved ammonium and nitrate ion by the fry of common carp, Crucian carp, and loach from surrounding water. Bull. Freshwat. Fish. Res. Lab. (Jap.) 26:27.
- Itoh, S., and T. Maeno. 1960. Resting potential and activation potential of the [Oryzias] egg. I. Response to electrical stimulation. Kumamoto, J. Sci. Ser. B. Sect. 2, 5:100-107.
- Itoh, T., and S. Tsuji. 1996. Age and growth of juvenile southern bluefin tuna [Thunnus maccoyii] based on otolith microstructure. Fisheries Science 62: 892-896.
- Itzkowitz, M. 1969. Observations on the breeding behavior of [Cyprinodon] [elegans] in swift water. Texas J. Sci. 21:229-231.
- Itzkowitz, M. 1971. Effects of inter- and intraspecific intruders on the reproductive behavior of [Cyprinodon variegatus] (Pisces: Cyprinodontidae). Diss. Abstr. Int. B32:1922.
- Itzkowitz, M. 1974. Effects of other fish on the reproductive behavior of the male [Cyprinodon variegatus] (Pisces: Cyprinodontidae). Behavior 48(1-2):1-22.
- Itzkowitz, N., and J. R. Schubel. 1984. Tolerance of five-day old winter flounder, [Pseudopleuronectes americanus], larvae to thermal shock. Fish. Bull. NOAA 81(4):913-915.
- Itzkowitz, N., J. R. Schubel, and P. M. J. Woodhead. 1983. Responses of summer flounder, [Paralichthys] [dentatus], embryos to thermal shock. Environmental Biology of Fishes 8:125-135.
- Iuchi, I., and K. Yamagami. 1969. Electrophoretic pattern of larval haemoglobins of the salmonid fish, [Salmo gairdneri irideus]. Comp. Biochem. Physiol. 28:977-979.
- Iuchi, I. 1973. Chemical and physiological properties of the larval and adult hemoglobins in rainbow trout, [Salmo] [gairdneri irideus]. Comp. Biochem. Physiol. 44B:1087-1101.
- Iuchi, I. 1973. The post-hatching transition of erythrocytes from larval to adult type in the rainbow trout, [Salmo] [gairdneri irideus]. J. Exp. Zool. 184(3):383-386.
- Iuchi, I., R. Suzuki, and K. Yamagami. 1975. Ontogenetic expression of larval and adult hemoglobin phenotypes in the intergeneric salmonid hybrids. J. Exp. Zool. 192(1):57-64.
- Iuchi, I., M. Yamamoto, and K. Yamagami. 1982. Presence of active hatch enzyme in the secretory granule of prehatching medaka embryos. Devel. Growth, and Differ. 24:135-143.
- Iuchi, I., and M. Yamamoto. 1983. Erythropoiesis in the developing rainbow trout, [Salmo gairdneri irideus]: histochemistry and immunochemistry detection of erythropoietic organs. J. Exp. Zool. 226:409-417.
- Iuchi, I. 1985. Cellular and molecular basis for the larval-adult shift of hemoglobins in fish. Zool. Sci. 2(1):1-10.
- Iurovitskii, I. G., and L. S. Milman. 1969. Some particular traits of triosphosphate metabolism in a developing embryo of [Cobitis fossilis]. Dokl. Akad. Nauk SSSR 184(1):252.
- Iurovitskii, I. G., and L. S. Milman. 1972. Specific type of the regulation of glycogen synthase in loach oocytes and embryos. Dokl. Akad. Nauk SSSR 207(5):1236-1239.

- Iurovitskii, I. G., and L. S. Milman. 1973. Role of potassium salts in regulation of oocytes and embryos of the loach, [*Misgurnus fossilis*]. Zh. Evol. Biokhim. Fiziol. 8:445-447.
- Ivanchenko, L. A., and D. F. Ivanchenko. 1969. Transition to active feeding by larval and juvenile White Sea herring (*[Clupea harengus pallasii]* NATIO [*maris-albi*] Berg) in artificial conditions. Dokl. Akad. Nauk SSSR 184:1444-1446.
- Ivanchenko, O. F., and L. A. Ivanchenko. 1973. The use of Alcian Blue to stain the cartilaginous skeleton of fish larvae and fingerlings in whole mounts. J. Ichthyol. 13(5):794-796.
- Ivanchenko, O. F., and T. A. Trozdilova. 1985. Comparative parasitological analysis of juvenile herring (*[Clupea pallasii maris-albi]* N.) reared in experimental conditions and caught in the sea. Parazitologiya 19(4):264-267.
- Ivankov, V. N., and A. M. Bronevsky. 1978. Postlarval neoteny in fishes. Zool. Zh. 57:87-93.
- Ivankov, V. N., and N. I. Sugienko. 1984. The internal structure of eggs in the salmonidae and coregonidae and taxonomic status of these groups of fishes. Zo ol. Zh. 63(2):222-227.
- Ivankov, V. N., and V. P. Kurdyayeva. 1973. Systematic differences and the ecological importance of the membranes in fish eggs. J. Ichthyol. 13(6):864-873.
- Ivankov, V. N., P. E. Lukyanov, N. V. Mostovaya, and G. F. Rukholova. 1984. Taxonomic value of morphological characters of two species of juvenile Pacific redfins. Biol. Morya 3:29-32.
- Ivanov, S. N. 1966. Natural reproduction of the Balkhash carp, [*Cyprinus*] [*carpio*] as a factor determining abundance and condition of the stock. Vop. Ikhtiol. 6:248-263. [Russian].
- Ivanov, S. N. 1971. An analysis of the fecundity and intermittent spawning of the Lake Balkhash wild carp, [*Cyprinus*] [*carpio*] (L.). J. Ichthyol. 11(5):666-672.
- Ivanov, V. N. 1967. The action of radioactive substances on the embryonic development of fishes. [In] Vop. biooceanografii, Kiev, Nauk. dumka Press.
- Ivanov, V. N. 1968. Effect of radioactive substances on embryonic development of fish. Pages 185-190 [in] Problems of Biol. Oceanogr. AEC-TR-6940, Wash., D. C.
- Ivanov, V. N. 1969. Accumulation of Mn-54, Co-60, and tungsten-185 by the spawn of the Black Sea, [*Scophthalmus maeoticus*]. Hidrobiol. Zh. 5(2):58-59. In Russian, English summary.
- Ivanov, V. N. 1970. Concentrations of zinc-65 by the eggs of the Black Sea turbot, (*[Scophthalmus maeoticus maeoticus]* (Pallas)). J. Ichthyol. 10(6):863-865.
- Ivanova, M. N., and S. N. Polovkova. 1972. Types of spawning grounds and spawning ecology of the landlocked smelt (*[Osmerus eperlanus]* (L.)) in Rybinsk Reserv oir. J. Ichthyol. 12(4):625-633.
- Ivanova, M. N., and A. M. Lopatka. 1984. Feeding behavior of pike, [*Esox lucius*] (*Esocidae*), larve from the progeny of a single pair of spawners. J. Ichthyol. 23:171-173.
- Ivanova, Z. A. 1973. Blood indicators of the carp, [*Cyprinus carpio*] (L.), during ontogeny and in relation to rearing conditions. J. Ichthyol. 13(3):414-424.
- Ivanova-Berg, M. M. 1931. Uber die Lebensdauer der Larve von [*Lampetra planeri*] aus den Gebiete des Finnischen Busens. Zool. Anz. 96:330-334.

Ivanova-Berg, M. M. 1936. Observations on the spring run and spawning of the Neva lamprey. *Izv. An SSR Ser. Biol.* No. 2-3.

Iversen, S. A. 1973. Distribution and amount of mackerel eggs, [*Scomber*] [*scombrus*] L., and zooplankton in the Skagerrak and northern portion of the North Sea in the years 1968-72. Thesis, Univ. Bergen, 71 pp.

Iversen, S. A. 1977. Spawning, egg production and stock size of mackerel, [*Scomber scombrus*] L., in the North Sea 1968-75. ICES CM 1977/H:17. 9 pp.

Iversen, S. A., and D. S. Danielssen. 1984. Development and mortality of cod (*Gadus morhua*) L.) eggs and larvae in different temperatures. Pages 49-66 [in] E. Dahl, et al., editors. The propagation of cod [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.

Iversen, T. 1933. Some observations on fry in trawl catches in the Barents Sea. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 85:3-6.

Ivlev, V. S. 1939. The energy balance of the growing larvae of [*Silurus*] [*glanis*]. *Dokl. Akad. Nauk SSSR* 25:87-89.

Ivlev, V. S. 1965. On the quantitative relationship between survival rate of larvae and their food supply. *Bull. math. Biophys.* 27(Spec. issue):215-222.

Iwai, P. 1969. Fine structure of gut epithelial cells of larval and juvenile carp during absorption of fat and protein. *Arch. Hist. Japonicum* 30:183-199.

Iwai, T. 1957. The sequence of yolk absorption in the embryo of the deep sea luminous shark, [*Etmopterus lucifer*] Jordan et Snyder. *Bull. Jap. Soc. Sci. Fish.* 23(6):295-301.

Iwai, T. 1962. Studies on the [*Plecoglossus altivelis*] problems: embryology and histophysiology of digestive and osmoregulatory organs. *Bull. Misaki Mar. Biol. Invest. Kyoto Univ.* 2.

Iwai, T. 1963. Development of lateral line cupulae in the gobioid fish, [*Tridentiger trigonocephalus*] (Gill). *Bull. Misaki Mar. Biol. Invest. Kyoto Univ.* 4.

Iwai, T. 1963. Sensory cupulae found in newly hatched larvae of [*Blennius tabei*] Jord. & Sny. *Bull. Jap. Soc. Sci. Fish.* 29(6):503-506.

Iwai, T. 1964. Development of cupulae in free neuromasts of the Japanese medaka, [*Oryzias latipes*] (Temm. & Sch.). *Bull. Misaki Mar. Biol. Invest. Kyoto Univ.* 5:3.

Iwai, T. 1964. Feeding and ciliary conveying mechanism in larvae of scilomid fish, [*Plecoglossus altivelis*] T & S. *Physiol. and Ecol.* 12:39-44.

Iwai, T. 1967. Structure and development of lateral line cupulae in teleost larvae. Pages 27-44 [in] P. Cahn, editor. *Lateral line detectors*. Indiana Univ. Press Bloomington, IN.

Iwai, T. 1967. The comparative study of the digestive tracts of teleost larvae. I. Fine structure of the gut epithelium in larvae of ayu. *Bull. Jap. Soc. Sci. Fish.* 33:489-496.

Iwai, T. 1967. The comparative study of the digestive tracts of teleost larvae. II. Ciliated cells of the gut epithelium in pond smelt larvae. *Bull. Jap. Soc. Sci. Fish.* 33:1116-1119.

Iwai, T. 1968. Fat absorption in the gut epithelium of goldfish larvae. *Bull. Jap. Soc. Sci. Fish.* 34:973-978.



- Iwai, T., and M. Tanaka. 1968. The comparative study of the digestive tract of teleost larvae - IV. Absorption of fat by the gut of halfbeak larvae. Bull. Jap. Soc. Sci. Fish. 34:871-875.
- Iwai, T., and M. Tanaka. 1968. The comparative study of the digestive tract of teleost larvae - III. Epithelial cells in the posterior gut of halfbeak larvae. Bull. Jap. Soc. Sci. Fish. 34:44-48.
- Iwai, T. 1969. Fine structure of gut epithelium cells of larval and juvenile carp during absorption of fat and protein. Arch. Hist. Jap. 30:183-199.
- Iwai, T. 1972. Feeding of teleost larvae: a review. La Mer (Mull. Soc. Franc.-jap d'Océanogr) 10(2):71 pp.
- Iwai, T., and C. M. Hughes. 1977. Preliminary morphometric study on gill development in Black Sea bream, [*Acanthopagrus schlegelii*]. Bull. Jap. Soc. Sci. Fish. 43:929-934.
- Iwai, T. 1980. Sensory anatomy and feeding of fish larvae. Pages 124-145 [in] J. E. Bardach et al., editors. Fish behavior and its use in the capture and culture of fishes. Intl. Ctr. for Living Aquat. Resourc. Mgmt., Manila.
- Iwai, T., and H. Rosenthal. 1981. Ciliary movements in guts of early clupeoid and salangid larvae. Mar. Ecol. Prog. Ser. 4:365-367.
- Iwai, T. 1983. Surface morphology of the naked neuromasts in anchovy larvae. Bull. Jap. Soc. Sci. Fish. 49:1935.
- Iwama, G. K., and G. L. Greer. 1980. Effect of bacterial infection on the toxicity of sodium pentachlorophenate to juvenile coho salmon. Transactions of the American Fisheries Society 109: 290-292.
- Iwama, G. K., G. L. Greer, and D. J. Randall. 1986. Changes in selected haematological parameters in juvenile chinook salmon subjected to a bacterial challenge and a toxicant. J. Fish. Biol. 28(5):563-572.
- Iwamatsu, T. 1965. Effect of acetone on the cortical changes at fertilization of the egg of the medaka, [*Oryzias latipes*]. Embryologia 9:1-12.
- Iwamatsu, T. 1968. Structural changes in the egg surface after fertilization in the fish [*Oryzias latipes*]. Annot. Zool. Jap. 41:148-153.
- Iwamatsu, T. 1972. Development of fish egg penetrated by many spermatozoa. Zool. Mag. Tokyo Zool. Soc. 81(2):146-149.
- Iwamatsu, T., and T. Ohta. 1976. Breakdown of the cortical alveoli of medaka eggs at the time of fertilization, with a particular reference to the possible role of spherical bodies in the alveoli. Wilhelm Roux's Archives of Developmental Biology 180:297-309.
- Iwamatsu, T., and T. Ohta. 1978. Electron microscopic observation on sperm penetration and pronuclear formation in the fish egg. J. Exp. Zool. 205:157-180.
- Iwata, M., S. Hasegawa, and T. Hirano. 1982. Decreased seawater adaptability of chum salmon, [*Oncorhynchus keta*], fry following prolonged rearing in freshwater. Canadian Journal of Fisheries and Aquatic Sciences 39:509-514.
- Iwata, M., T. A. Hirano, and S. Hasegawa. 1982. Behavior and plasma sodium regulation of chum salmon fry during transition to seawater. Aquaculture 28:133-142.
- Iwata, M., and S. Komatsu. 1984. Importance of estuarine residence for adaptation of chum salmon, [*Oncorhynchus keta*], fry to seawater. Canadian Journal of Fisheries and Aquatic Sciences 41(5):744-749.

- Jachowski, R. L. 1967. Reproductive behavior of the emerald clingfish, [*Acyrtops beryllinus*]. M.S. Thesis, Univ. Miami, 37 pp.
- Jachowski, R. L. 1970. Reproductive behavior of the emerald clingfish, [*Acyrtops beryllinus*] (Hildebrand and Ginsburg). *Z. Tierpsychol.* 27(9):1100-1111.
- Jacino, A. 1909. Uovo e larve di [*Trachypterus*] sp. *Arch. Zool. Napoli* 3(4):479-484.
- Jackman, L. A. 1954. The early developmental stages of the bass, [*Morone*] [*labrax*] (L.). *Proc. Zool. Soc. London* 124:531-534.
- Jackson, G. A., and R. R. Strathmann. 1981. Larval mortality from offshore mixing as a link between precompetent and competent periods of development. *American Naturalist* 118:16-26.
- Jackson, G. A. 1986. Interaction of physical and biological processes in the settlement of planktonic larvae. *Bull. Mar. Sci.* 39:202-212.
- Jackson, J. R., J. M. Phillips, R. L. Noble, and J.A. Rice. 1990. Relationship of planktivory by shad and diet shifts by young-of-year largemouth bass in a southern reservoir. *Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies.* 44:114-125.
- Jackson, P. D. 1978. Spawning and early development of the river blackfish, [*Gadopsis marmoratus*] Richardson (*Gadopsidormes: Gadopsidae*), in the McKenzie River, Victoria. *Aust. J. Mar. Freshwat. Res.* 29(3):293-298.
- Jacob, P. K., and B. Krishnamurthi. 1948. Breeding and feeding habits of mullets ([*Mugil*]) in Ennore Creek. *J. Bombay Nat. Hist. Soc.* 47:663-668.
- Jacob, P. K. 1949. The bionomics of ribbon fishes, [*Trichiurus*] spp., and their fishery on the west coast of Madras Province. *J. Bombay Nat. Hist. Soc.* 48(2):261-264.
- Jacobs, J. 1968. Animal behavior and water movement as co-determinants of plankton distribution in a tidal stream. *Sarsia* 34:355-370.
- Jacobsen, J. P., and A. C. Johansen. 1908. Remarks on the changes in specific gravity of pelgaic fish eggs and the transportation of same in Danish waters. *Meddr Kommn Havunders, Ser. Fiskei* 3(2):1-24.
- Jacobson, L. D., R. L. Torblaa, and R. H. Morman. 1984. Problems with samples of sea lamprey ([*Petromyzon*] [*marinus*]) ammocoetes used in stock identification studies. *Can. J. Fish. Aquat. Sci.* 41(10):1421-1427.
- Jacobson, T. V., W. F. Gale, and H. W. Mohr. 1974. Larval fishes. Pages 413-536 [in] *An ecological study of the North Branch Susquehanna River in the vicinity of Berwick, Pennsylvania.* Ichthyological Assoc., Inc. Prog. Rep. Jan.-Dec. 1973, 838 pp.
- Jacoby, C. 1953. Notes on the life history of the deepwater sculpin, [*Myoxocephalus quadricornis*] L. in Lake Superior. M.S. Thesis, Univ. Michigan, Ann Arbor. 21 pp.
- Jacquaz, B., K. W. Able, and W. C. Leggett. 1975. Distribution and ecology of capelin larvae, [*Mallotus villosus*] in the estuary of the St. Lawrence River. *Que Minist. Ind. Commer. Dir. Rech. Cah. Inf., No.* 64:1-48.
- Jacquaz, B., K. W. Able, and W. C. Leggett. 1977. Seasonal distribution, abundance and growth of larval capelin ([*Mallotus villosus*]) in the St. Lawrence estuary and northwestern Gulf of St. Lawrence. *Journal of the Fisheries Research Board of Canada* 34:2015-2029.
- Jaeger, G., and R. F. Shaw. 1974. Macrozooplankton and Ichthoplankton. Section IV. Pages 40-83 [in] *Semiannual Envir. Surveillance Rep. 3, Maine Yankee Atomic Power Co., Augusta, Maine.*

- Jaenicke, H. W., A. G. Celewycz, J. E. Bailey, and J. A. Orsi. 1984. Paired open beach seines to study estuarine migrations of juvenile salmon. *Mar. Fish. Rev.* 46(3):62-67.
- Jaffa, B. B. 1917. Notes on the breeding and incubation periods of the Iowa darter, [*Etheostoma iowae*] Jordan and Meek. *Copeia* 1917(47):71-72.
- Jafri, A. K., and D. K. Khawaja. 1975. Seasonal variation of tissue calcium and phosphorous in the juvenile of the catfish, [*Wallago altu*] (Bl. and Schn.). *Indian J. Fish.* 22(1/2):221-224.
- Jager, T. 1979. Untersuchungen zur Salzgehaltstolensa und zur Aufrucht des Larven und Jungfische von [*Coregonus*] [*lavaretus*] L. und [*C. albula*] L. Thesis, Univ. Kiel, 104 00.
- Jager, T., W. Nellen, W. Schofer, and F. Shodjai. 1981. Influence of salinity and temperature on early life stages of [*Coregonus albula*], [*C. lavaretus*], [*Rutilus rutilus*], and [*Lota lota*]. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:345-348.
- Jahn, A. E. 1986. Precision of abundance estimates for coastal fish larvae. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.
- Jahn, A. E., and R. J. Lavenberg. 1986. Fine-scale distribution of nearshore, suprabenthic fish larvae. *Mar. Ecol. Prog. Ser.* 31: 223-231.
- Jahn, L. A. 1972. Development of the olfactory apparatus of the cutthroat trout. *Transactions of the American Fisheries Society* 101:28.
- Jahnichen, H. 1973. Six million individuals of amur carp. Experience with the artificial reproduction of amur carp ([*Ctenopharyngodon idella*]) in the DDR. *Z. Binnenfisch. DDR* 20(7):213-223. In German.
- Jahnke, T. E. 1971. Abundance of young sciaenid fishes in Everglades National Park, Florida, in relation to season and other variables. *Sea Grant Tech. Bull.* 11:1-128.
- Jakobczyk, J. 1965. Investigations on the metamorphosis of [*Rhombus*] [*maximus*] L. (Pleuronectiformes). *Inst. Zool., Univ. Warsaw* 15(3/4):191-214.
- Jakovleva, I. V. 1969. Hypothalamo-hypophyseal neurosecretory system and the thyrotropic function at the early stages of sturgeon development. Ninth Intl. Embryological Conf. Moscow, Aug. 1969. Publ. House, Nauk. Moscow, 40.
- James, C. M., S. A. Al-Thobaiti, B. M. Rasem and M. H. Carlos. 1997. Breeding and larval rearing of the camouflage grouper [*Epinephelus polyphekadion*] (Bleeker) in the hypersaline waters of the Red Sea coast of Saudi Arabia. *Aquacult. Res.* 28:671-681. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- James, G. D. 1976. Eggs and larvae of the trevally, [*Cabanx georgianus*] (Teleostei: Carangidae). *New Zealand J. Mar. Freshwat. Res.* 10(2):301-310.
- James, G. D. 1976. [*Cyttus traversi*] Hutton: Juvenile form of [*C.*] [*ventralis*] Barnard and Davies (Pisces:Zeidae). *J. R. Soc. New Zealand* 6(4):493-498.
- James, J. M. 1962. The microscopic anatomy of the leptocephalus larvae of the marine eel, [*Conger oceanicus*] (Mitchill). M.S. Thesis, Univ. N.C.
- James, M. C. 1926. Preliminary investigations on effect of oil pollution on marine pelagic eggs in oil pollution of navigable waters. Rep. to Sec. State by Interdept. Comm., Wash. App. 6:85-92.

- James, M. K., and J. P. Scandol. 1992. Larval dispersal simulations - correlation with the crown-of-thorns starfish outbreaks database. *Australian Journal of Marine and Freshwater Research* 43:569-582.
- James, P. S. B. R. 1967. The ribbon fishes. *Cent. Mar. Fish. Res. Inst. 20th Anniv. Sourv.* 58-61.
- James, P. S. B. R. 1967. The ribbon-fishes of the family Trichiuridae of India. *Mem. I, Mar. Biol. Assoc. India.*
- James, P. S., V. Rengaswamy, G. Raju, G. Mohamaj, and V. Gandhi. 1983. Induced spawning and larval rearing of the grey mullet, [*Liya macrolepis*] (Smith). *Indian J. Fish.* 30(2):185-202.
- Jangaard, P. M. 1974. The capelin ([*Mallotus villosus*]): biology, distribution, exploitation, utilization, and composition. *Bull. Fish. Res. Bd. Can., No. 186*, 70 pp.
- Jardas, I. 1973. A contribution to our knowledge of the biology and ecology of thornback ray, [*Raja clavata*], and brown ray, [*Raja miraletus*], in the Adriatic. *Acta Adriat.* 15(3):1-42.
- Jarre-Teichman, A., K. Wieland, B. R. MacKenzie, H. -H. Hinrichsen, E. Aro, E., and M. Plikshs. 2000. Stock-recruitment relationships for cod ([*Gadus morhua callarias*] L.) in the central Baltic Sea incorporating environmental variability. *Archive of Fishery and Marine Research* 48:97-123.
- Jarvi, T. H. 1948. On the periodicity of salmon reproduction in the northern Baltic area and its causes. *Rapp. cons. int. Explor. Mer* 119:1-131.
- Jaszfalusi, L., and J. Paskandy. 1963. Weather effects on spawning in [*Cyprinus*] in Hungary. *Z. Fisch. NF* 11:189-199. In German.
- Jauncey, K. 1982. The effect of varying dietary protein level on the growth, food conversion, protein utilization, and body composition of juvenile tilapias, [*Sarotherodon*] [*mossambicus*]. *Aquaculture* 27(1):43-54.
- Jayaprakash, A. A. 1976. Age and growth of the juvenile of koth, [*Otolithoides*] [*brunneus*] (Day), in Bombay wate rs. *Indian J. Fish.* 23(1/2):86-96.
- Jean, Y. 1955. A study of the presence of [*Sebastes marinus*] larvae in Baie des Chaleurs and their distinctive characteristics. *Contr. Dep. Pech., Queb.* 44:33-43.
- Jean, Y. 1956. A study of the spring and fall spawning herring ([*Clupea harengus*] L.) at Grande-River, Bay of Chaleur, Quebec. *Contr. Dep. Pech., Queb.* 49, 76 pp.
- Jeffers, G. W. 1931. The life-history of the capelin, [*Mallotus villosus*] (O.F. Muller). Ph.D Diss., Univ. Toronto. 146 pp.
- Jeffries, H. P. 1960. Winter occurrences of [*Anguilla rostrata*] elvers in New England and middle Atlantic estuaries. *Limnol. Oceanogr.* 5(3):338-340.
- Jeffries, H. P. 1973. Diets of juvenile Atlantic menhaden in three estuarine habitats as determined from fatty acid composition of gut contents. U.R.I. Mar. Reprint #40, *Journal of the Fisheries Research Board of Canada* 32(5):587-592.
- Jeffries, H. P., et al. 1980. Processing of zooplankton samples by electronic image analysis. 2nd Ann. Interag. Workshop on in situ water-quality sensing. NOAA, NMFS Narragansett Lab. Ref. No. 80-30.
- Jeffries, H. P., K. Sherman, R. Maurer, and C. Katsinis. 1980. Computer-processin of zooplankton samples. Pages 303-316 [in] V. S. Kennedy, editor. *Estuarine Perspectives*. Academic Press.

- Jejierska, B., M. Korin-Kassakowski, and G. Jowko. 1978. Influence of starvation on whitefish ([*Coregonus*] [*lavaretus*] L.) larvae. *Verh. Int. Verein. Limnol.* 20:2134-2136.
- Jellyman, D. J. 1979. Scale development and age determination in New Zealand freshwater eels ([*Anguilla*] spp.). *N.Z. J. Mar. & Freshw. Res.* 13(1):23-30.
- Jellyman, D. J., and C. M. Ryan. 1983. Seasonal migration of elvers ([*Anguilla*] spp.) into Lake Pounui, New Zealand, 1974-1978. *New Zealand J. Mar. Freshwat. Res.* 17:1-15.
- Jellyman, D. J., B. L. Chisnall, M. L. Bonnett, and J. R. E. Sykes. 1999. Seasonal arrival patterns of juvenile freshwater eels ([*Anguilla*] spp.) in New Zealand. *New Zealand Journal of Marine and Freshwater Research* 33(2):249-261.
- Jenkins, G. P. 1981. Identification and description, distributional and feeding ecology of larvae of Spanish mackerel species, genus [*Scomberomorus*] (Teleostei: Scombridae) in waters off Townsville. B.S. Honors Thesis, James Cook Univ., North Queensland.
- Jenkins, G. P., N. E. Milward, and R. F. Hartwick. 1984. Food of larvae of Spanish mackerels, genus [*Scomberomorus*] (Teleostei: Scombridae) in shelf waters of the Great Barrier Reef. *Aust. J. Mar. Freshwat. Res.* 35(4):477-482.
- Jenkins, G. P., N. E. Milward, and R. F. Hartwick. 1984. Identification and description of larvae of Spanish mackerels, genus [*Scomberomorus*] (Teleostei: Scombridae), in shelf waters of the Great Barrier Reef. *Aust. J. Mar. Freshwat. Res.* 35:341-353.
- Jenkins, G. P., N. E. Milward, and R. F. Hartwick. 1985. Occurrence of larvae of Spanish mackerels, genus [*Scomberomorus*] (Teleostei: Scombridae), in shelf waters of the Great Barrier Reef. *Aust. J. Mar. Freshwat. Res.* 36(4):635-640.
- Jenkins, G. P. 1986. Composition, seasonality and distribution of Ichthyoplankton in Port Phillip Bay, Victoria. *Australian Journal of Marine, Freshwater Reserch* 37:507-520.
- Jenkins, G. P. 1987. Age and growth of co-occurring larvae of two flounder species, [*Rhombosolea tapirina*] and [*Ammotretis rostratis*]. *Mar. Biol.* 95:157-166.
- Jenkins, G. P., and T. L. O. Davis. 1990. Age, growth rate, and growth trajectory determined from otolith microstructure of southern bluefin tuna [*Thunnus maccoyii*] larvae. *Mar. Ecol. Prog. Ser.* 63:93-104.
- Jenkins, G. P., J. W. Young, and T. L. O. Davis. 1991. Density dependence of larval growth of a marine fish, the southern bluefin tuna, [*Thunnus maccoyii*]. *Canadian Journal of Fisheries and Aquatic Sciences* 48:1358-1363.
- Jenkins, G. P., M. Shaw, and B. D. Stewart. 1993. Spatial variation in food-limited growth of juvenile greenback flounder, [*Rhombosolea tapirina*] - evidence from otolith daily increments and otolith scaling. *Canadian Journal of Fisheries and Aquatic Sciences* 50:2558-2567.
- Jenkins, G. P., and K. P. Black. 1994. Temporal variability in settlement of a coastal fish ([*Sillaginodes punctata*]) determined by low-frequency hydrodynamics. *Limnology and Oceanography* 39:1744-1754.
- Jenkins, R. E., and N. M. Burkhead. 1975. Distribution and aspects of life history and morphology of the cyprinid fish, [*Notropis*] [*semperasper*], endemic to the upper James River drainage, Virginia. *Ches. Sci.* 16(3):178-191.
- Jenkinson, J. W. 1912. Growth, variability, and correlation in young trout. *Biometrika* 8:444-455.
- Jensen, A. J. C. 1927. On the influence of the quantity of spawning herrings upon the stock of the following years. *J. Cons.* 2(1):44-49.

- Jensen, A. J. C. 1950. Amount and growth of herring fry in Danish waters. Rep. Dan. Biol. Stn., No. 51:20-48.
- Jensen, A. J. C. 1954. Fish egg, larvae notes. A nml. Biol. X:118-119.
- Jensen, A. J. C. 1966. Life history of the spiny dogfish. Fish. Bull. NOAA (U.S.) 65(3): 527-554.
- Jensen, A. J. C. 1975. Computer simulation of effects on Atlantic menhaden yield of changes in growth, mortality and reproduction. Ches. Sci. 16(2):139-142.
- Jensen, A. L. 1971. The effect of increased mortality on the young in a population of brook trout, a theoretical analysis. Transactions of the American Fisheries Society 100:456-459.
- Jensen, A.L. 1996. Beverton and Holt life history invariants result from optimal trade-off of reproduction and survival. Canadian Journal of Fisheries and Aquatic Sciences 53(4):820-822.
- Jensen, A. S. 1922. Research on the distribution, biology and systematics of the Greenland fishes. I. [*Sebastes marinus*]. Vidensk. Meddr dansk naturh. Foren, Ser. 3(74):89-109.
- Jensen, A. S. 1935. The Greenland halibut, [*Reinhardtius hippoglossoides*] (Walbaum): its development and migrations. K. Danske Vidensk. Selsk Skr., Naturv. Math. Afd., Copenhagen, Ser. 9, 6(4):1-31.
- Jensen, J. O. T., W. E. McLean, and D. F. Alderdice. 1981. Effect of accessory factors on survival of newly fertilized salmonid eggs treated with an antibiotic. Aquaculture 23(1/4):295-308.
- Jensen, J. O. T., and D. F. Alderdice. 1983. Changes in mechanical shock sensitivity of coho salmon (*[Oncorhynchus kisutch]*) eggs during incubation. Aquaculture 32:303-312.
- Jensen, K. 1975. Hatching rate as bioassay. Proposal for a standard technique. Bull. Env. Contam. Toxicol. 14:562.
- Jensen, L. D. 1974. Entrainment and intake screening: Proc. Second Entrainment and Intake Screening Workshop. EPRI Publ. No. 74-049-00-5, Waverly Press, Inc., 347 pp.
- Jensen, L. D. 1976. Effects of entrainment, entrapment and impingement. In: Report of a workshop on the impact of thermal power plant cooling systems on aquatic environments. Vol. 2, EPRI SR-38, Electric Power Res. Inst., Palo Alto, CA.
- Jensen, L. D. 1976. Third National Workshop on entrainment and impingement. Comm. Div. Ecol. Anal., Inc., Melville, N.Y., 425 pp.
- Jensen, L. D. 1978. Fourth National Workshop on entrainment and impingement. Ecol. Anal., Inc., Melville, N.Y. 424 pp.
- Jensen, N. H. 1972. Reproduction and development of the bull shark, [*Carcharhinus leucas*], in the Lake Nicaragua-Rio San Juan system. Diss. Abstr. Intl.
- Jensen, T. 1952. The life cycle of the fish acanthocephalan, [*Pomphorhynchus bulbocollis*] (Linkins) Van Cleave 1919, with some observations on larval development in vitro. Ph.D. Diss., Univ. MN. 86 pp.
- Jepps, M. W. 1938. Notes on the breeding of sticklebacks. Proc. Zool. Soc. London. Vol. A108:253-255.

- Jeppson, P. 1960. Evaluation of kokanee and trout spawning areas in Pend Oreille Lake and tributary streams: [*Salmo*] [*malma*], spawning migration. Fed. Aid Fish Rest., Idaho Dept. Fish Game, Project F-3-R-10:43-66.
- Jepsen, N., S. Pedersen and E. Thorstad. 2000. Behavioural interactions between prey (trout smolts) and predators (pike and pikeperch) in an impounded river. *Regulated Rivers* 16(2):189-198.
- Jespersen, P. 1915. Sternoptychidae ([*Argyropelecus*] and [*Sternoptyx*]). Rep. Dan. oceanogr. Exped. Mediterr. 1908-1910, Vol. 2, Biol. A.2, 39 pp.
- Jespersen, P. 1917. Contributions to the life-history of the north Atlantic halibut ([*Hippoglossus vulgaris*], Flem.). Medd. Komm. Havunders., Ser. Fisk. 5(5):1-32.
- Jespersen, P., and A. V. Taning. 1919. Some Mediterranean and Atlantic Sternoptychidae. Preliminary Note. Vidensk. Medd. Dan. Naturhist. Foren. 70:215-226.
- Jespersen, P. 1920. On the occurrence of the postlarval stages of the herring and the "Lodde" ([*Clupea harengus*] L. and [*Mallotus villosus*] O.F.M.) at Iceland and the Faeroes. Meddr. Komm. Havunders., Ser. Fisk. 6(1):1-24.
- Jespersen, P., and A. V. Taning. 1926. Mediterranean Sternoptychidae. Rep. Dan. oceanogr. Exped. Mediterr. 1908-1910, Vol. 2, Biol. A.12, 59 pp.
- Jespersen, P. 1942. Indo-Pacific leptocephalids of the genus [*Anguilla*]. Systematic and biological studies. Dana-Rep. Carlsberg Fd. 22.
- Jessop, B. M. 1973. Marking alewife fry with biological stains. *Progressive Fish-Culturist* 35(2):90-92.
- Jester, D. B., and B. L. Jensen. 1972. Life history and ecology of the gizzard shad, [*Dorosoma cepedianum*] (LeSueur) with reference to Elephant Butte Lake. New Mexico St. Univ., Agric. Exp. Sta., Res. Bull. 218. Las Cruces, NM.
- Jester, D. B. 1973. Life history, ecology and management of the smallmouth buffalo, [*Ictiobus bubalus*] (Rafinesque), with reference to Elephant Butte Lake. New Mexico St. Univ. Agri. Exp. Sta. Res. Rep. 261:1-111.
- Jester, D. B. 1974. Life history, ecology, and management of the carp, [*Cyprinus carpio*] L. in Elephant Butte Lake. New Mexico St. Univ. Agric. Exp. Sta. Res. Rep. No. 273. 80 pp.
- Jewell, E. D. 1968. Scuba diving observations on lingcod spawning at a Seattle breakwater. *Fish. Res. Pap. St. Washington* 3(1):27-36.
- Jhering, H. von. 1888. Ueber Brutpflege und Entwicklung des Bagre ([*Arius*] [*commersonii*] Lac.). *Biologisches Centralblatt* 8(9):268-271. In German.
- Jhingran, V. G. 1966. Synopsis of biological data on catla, [*Catla catla*] (Ham.), 1822. FAO World Symp. on warm water pond fish culture, Rome, May 1966.
- Jhingran, V. G. 1969. Review of the present status of knowledge on induced breeding of fishes and problems for future research. FAO/UNDP Regional Seminar on Induced Breeding of Cultivated fishes, FRI/IBCF/27.
- Jijlstra, J. J., R. Dapper, and J. I. Witte. 1982. Settlement, growth, and mortality of post-larval plaice ([*Pleuronectes platessa*]) in the western Wadden Sea. *J. Sea Res.* 15:250-272.
- Jillett, J. B. 1968. The biology of [*Acanthoclinus quadridactylus*] (Block and Schneider) (Teleostei-Blenioidae). Breeding and development. *Aust. J. Mar. Freshwat. Res.* 19:9-18.

Jinks, S. M., T. Cannon, D. Latimer, L. Claflin, and G. Lauer. 1978. An approach for the analysis of striped bass entrainment survival at Hudson River power plants. Pages 343-350 [in] L. D. Jensen, editor. Fourth Natl. workshop on entrainment and impingement. Ecol. Anal., Inc., Melville, NY. 424 pp.

Job, S. D., and J. Shand. 2001. Spectral sensitivity of larval and juvenile coral reef fishes: implications for feeding in a variable light environment. Marine Ecology Progress Series 214:267-277.

Job, T. J., and S. Jones. 1938. Studies on the development of the Indian garfish, [*Tylosurus strongylurus*] (van Hass) with notes on the young stages of [*Hemirhomphus gaimardi*] Cuv. and Val. Rec. Indian Mus. 40:245-253.

Job, T. J. 1940. On the breeding and development of Indian "Mosquito fish" of the genera [*Aplocheilus*] McClelland and [*Oryzias*] Jordan and Snyder. Rec. Indian Mus. 42:51-79.

Job, T. J. 1941. Life-history and bionomics of the spiny eel, [*Mastacembelus pancalus*] (Ham.) with notes on the sytematics of the Mastacembelidae. Rec. Indian Mus. 43(2):121-135.

Job, T. J. 1942. [Hilsa] investigations in Bengal waters. Sci. Cult. 7:427-429.

Job, T. J., and P. I. Chacko. 1947. Rearing of salt-water fish in freshwaters of Madras. Indian Ecol. (Bombay) 2(1):12-20.

Job, T. J., K. H. Alikunhi, and N. V. Choodamani. 1947. On the biology of the pearl-spot, [*Etroplus*] [*suratensis*] (Bloch). Proc. 34th Indian Sci. Congr. (Delhi) Pt. 3:183.

Jobling, M. 1981. Some effects of temperature, feeding and body weight on nitrogenous excretion in young plaice, [*Pleuronectes platessa*] L. J. Fish. Biol. 18:87-96.

Joensen, J. E., and B. Korsgaard. 1986. Uptake, time-course distribution and elimination of cadmium in embryos and tissues of the pregnant [*Zoarcetes viviparus*] (L.) after intraovarian loading. J. Fish. Biol. 28(1):61-68.

Joensen, J. S. 1954. Larval cod, haddock, whiting, and saithe. Annl. Biol. XI.

Joensen, J. S. 1956. Spawning cod north of the Faeroes. Ann. Biol. 11(1954):95-96.

Joensen, J. S. 1957. Larval cod, haddock, whiting, and saithe. Annl. Biol. XII:129.

Joensen, J. S. 1959. Faeroe stock. Spawning cod north of the Faeroes. Ann. Biol. 14(1957) 127.

Johansen, A. C. 1905. Remarks on the life history of the young postlarval eel ([*Anguilla vulgaris*] Turt.). Meddr Kommm Havunders., Ser. Fiskei 1095(6):1-9.

Johansen, A. C., and A. Krough. 1914. The influence of temperature and certain other factors upon the rate of development of the eggs of fishes. Publs. Circonst. Cons. perm. int. Explor. Mer, 68.

Johansen, A. C. 1925. On the diurnal vertical movements of young of some fishes in Danish waters. Meddr Kommm Havunders., Ser. Fiskei 8(2):1-27.

Johansen, A. C. 1927. On the fluctuations in the quantity of young fry among plaice and certain other species of fish and causes of same. Rep. Danish Biol. Sta. 33:1-16.

Johansen, F. 1925. Natural history of the cunner, [*Tautogolabrus*] [*adspersus*] (W albaum). Contr. Can. Biol. 2(17):423-467.



- Johansen, P. H., R. A. S. Mathers, J. A. Brown, and P. W. Colgan. 1985. Mortality of early life stages of largemouth bass, [*Micropterus salmoides*], due to pentachlorophenol exposure. *Bull. Env. Contam. Toxicol.* 34(3):377-384.
- Johansson, H., and G. Milbrink. 1976. Some effects of acidified water on the early development of roach, [*Rutilus rutilus*] L., and perch, [*Perca fluviatilis*] L. *Water Resour. Bull.* 12:39.
- Johansson, N., J. E. Kihlstrom, and A. Wahlberg. 1973. Low pH values shown to affect developing fish eggs, [*Brachydanio rerio*] Ham.-Buch. *Ambio* 2:42-43.
- Johansson, N., and J. E. Kihlstrom. 1975. Pikes ([*Esox lucius*] L.) shown to be affected by low pH values during first weeks after hatching. *Environ. Res.* 9(1):12-17.
- Johansson, N., P. Runn, and G. Milbrink. 1977. Early development of three salmonid species in acidified water. *Zoon* 5:127-132.
- John, C. C. 1932. The origin of erythrocytes in herring, [*Clupea*] [*harengus*]. *Roy. Soc. London, Proc., Ser. B* 110:112-119.
- John, C. M. 1946. The early development of [*Encheneis naucrates*] (L.). *Bull. Cent. Res. Inst. Univ. Travancore* 1(1):47-55.
- John, H. 1975. Untersuchungen am oberflachennahen ichthyoplankton des Mittleren und Sudlichen Atlantischen Ozeans. *Diss. Fachber. math. Naturwiss. Kiel.* 186 pp.
- John, H. 1977. Zur Kenntnis des ichthyoneustons im Nordwest-Afrikanis Kustenwasser wahrend des Winters. "Meteor" *Forsch.-Ergebn., D* 27:1-4.
- John, H. 1981. Ichthyoneuston of the Cape Verde Archipelago. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:237-239.
- John, H. C. 1973. Surface living ichthyoplankton in the Canary current. 'Meteor' *Forschungsergeb., D., No.* 15:36-50.
- John, H. C. 1979. Regular and seasonal differences in ichthyoneuston off northwest Africa. "Meteor" *Forsch.-Ergebnisse Reihe D.* 29:30-47.
- John, H. C. 1984. Horizontal and vertical distribution of lancelet larvae and fish larvae in the Sargasso Sea during spring 1979. *Meeresforschung Rep. Mar. Res.* 30(3):133-143.
- John, H. C., and C. Karrer. 1985. The larval development of [*Schedophilus medusophagus*] Cocco 1839 (Teleostei, Perciformes). Pages 77-82 [in] A. W. Kendall, Jr., and J. B. Marliave, editors. *Descriptions of early life history stages of selected fishes. Can. Tech. Rep. Fish. Aq. Sci.* 1359.
- John, H. C., and M. Kloppmann. 1989. Ontogenetic changes in the vertical distribution of larval [*Maurolicus muelleri*] (Gmelin, 1789). *Archiv fur Fischereiwissenschaft* 39:79-93.
- John, H. C., and M. Kloppmann. 1989. Are stock estimates of [*Maurolicus muelleri*] valid when based on egg counts in the upper 200 m? *Meeresforschung-Reports on Marine Research* 32:354-356.
- John, H. C., and M. Kloppmann. 1993. The vertical distribution of eggs of [*Maurolicus muelleri*]. *South African Journal of Marine Science* 13:161-174.
- John, H. C., V. Mohrholz, and J. R. E. Lutjeharms. 2001. Cross-front hydrography and fish larval distribution at the Angola-Benguela Frontal Zone. *Journal of Marine Systems* 28(1-2):91-111.

- John, K. R., and A. D. Hasler. 1956. Observations on some factors affecting the hatching of eggs and the survival of young shallow water cisco, [*Leucichthys artedi*] LeSeuer, in Lake Mendota, Wisconsin. *Limnol. Oceanogr.* 1:176-194.
- John, M. A. 1944. Pelagic fish-eggs and larvae of the Madras coast. *Proc. Indian Sci. Congr.* 31(3):85-86.
- John, M. A. 1951. Pelagic eggs and larvae of the Madras Coast. *Journal of Zoology Soc. India* 3:38-66.
- Johnels, A. G. 1948. On the development and morphology of the skeleton of the head of [*Petromyzon*]. *Acta. Zool., Stockh.* 29:139-279.
- Johnels, A. G. 1956. On the origin of the electric organ in [*Malapterurus*] [*electricus*]. *Q. J. Microscopical Sci.* 97(3):455-463.
- Johns, D. M., and W. H. Howell. 1980. Yolk utilization in summer flounder ([*Paralichthys*] [*dentatus*]) embryos and larvae reared at two temperatures. *Mar. Ecol.* 2(1):1-8.
- Johns, D. M., W. H. Howell, and G. Klein-MacPhee. 1981. Yolk utilization and growth to yolk-sac absorption in summer flounder ([*Paralichthys dentatus*]) larvae at constant and cyclic temperatures. *Mar. Biol.* 63:301-308.
- Johns, P. R. 1981. Growth of fish retinas. *Am. Zool.* 21:447-459.
- Johns, P. R. 1982. Formation of photoreceptors in larval and adult goldfish. *J. Neurosci.* 2:178-198.
- Johnson, A. G., F. M. Utter, and H. O. Hodgins. 1975. Studies of the feasibility of immunochemical methods for identification of pleuronectic eggs. *J. Cons. int. Explor. Mer* 36(2):158-161.
- Johnson, A. G., T. D. Williams, and C. R. Arnold. 1977. Chlorine-induced mortality of eggs and larvae of spotted seatrout, [*Cynoscion nebulosus*]. *Transactions of the American Fisheries Society* 106(5):466-469.
- Johnson, A. G., T. D. Williams, J. F. Messinger, III, and C. R. Arnold. 1979. Larval spotted seatrout ([*Cynoscion nebulosus*]) A bioassay subject for the marine subtropics. *Contr. Mar. Sci.* 22:57-62.
- Johnson, C. L. 1970. Notes on the intertidal life history of the northern clingfish, [*Gobiesox maendricus*] (Girard). *Am. Midl. Nat.* 83(2):625-627.
- Johnson, C. R. 1969. Contributions to the biology of the showy snailfish [*Liparis pulchellus*] (Liparidae). *Copeia* 1969:830-835.
- Johnson, C. R. 1976. Observations on growth, breeding, and fry survival of [*Gambusia affinis affinis*] (Pisces: Poecilliidae) under artificial rearing conditions. *California Mosquito Contr. Assoc. Proc. & Pap.* 44:48-.
- Johnson, D. W. 1968. Pesticides and fishes - a review of selected literature. *Transactions of the American Fisheries Society* 97:398-424.
- Johnson, D. W. 1975. Spawning behavior and strain tolerance of brook trout ([*Salvelinus fontinalis*], Mitchill) in acidified water. M.S. Thesis, Cornell Univ., Ithaca, NY. 100 pp.
- Johnson, D. W., and I. Katavic. 1984. Mortality, growth, and swim bladder stress syndrome of sea bass, [*Dicentrarchus labrax*], larvae under varied environmental conditions. *Aquaculture* 38(1):67-78.

- Johnson, D. W., and I. Katavic. 1986. Survival and growth of sea bass, [*Dicentrarchus*] [*labrax*], as influenced by temperature, salinity, and delayed initial feeding. *Aquaculture* 52(1):11-20.
- Johnson, E. Z., and R. G. Werner. 1986. Scanning electron microscopy of the chorion of selected freshwater fishes. *J. Fish. Biol.* 29(2):257-265.
- Johnson, F. H. 1961. Walleye egg survival during incubation on several types of bottom in Lake Winnibigoshish, Minnesota, and connecting waters. *Transactions of the American Fisheries Society* 90(3):312-322.
- Johnson, G., and C. Tremblay. 1978. First offshore catching of elvers of [*Anguilla*] [*rostrata*] (LeSueur) in the Saint Lawrence marine estuary. *Le Naturaliste Canadien* 105(6):485-486.
- Johnson, G. D. 1978. Development of fishes of the Mid-Atlantic bight. IV. Carangidae through Ehippidae. *U.S. Fish & Wildl. Serv.*, 314 pp.
- Johnson, G. D. 1984. Percoidei: development and relationships. Pages 464-498 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Johnson, G. D., and P. Keener. 1984. Aid to identification of American grouper larvae. *Bull. Mar. Sci.* 34:106-134.
- Johnson, H. E., and R. F. Brice. 1953. Effects of transportation on green eggs, and of water temperature during incubation, on the mortality of chinook salmon. *Progressive Fish-Culturist* 15(3):104-108.
- Johnson, J. E. 1969. Reproduction, growth, and population dynamics of the threadfin shad, [*Dorosoma petenense*] (Gunther), in central Arizona reservoirs. Ph.D. Diss. Arizona St. Univ.
- Johnson, J. E. 1971. Maturity and fecundity of threadfin shad, [*Dorosoma*] [*petenense*] (Gunther), in central Arizona reservoirs. *Transactions of the American Fisheries Society* 100:74-85.
- Johnson, J. E., and R. T. Hines. 1999. Effect of suspended sediment on vulnerability of young razorback suckers to predation. *Transactions of the American Fisheries Society* 128(4):648-655.
- Johnson, J. H., and N. H. Ringler. 1979. Predation on Pacific salmon eggs by salmonids in a tributary of Lake Ontario. *J. Great Lakes Res.* 5(2):177-181.
- Johnson, J. R., and J. G. Loesch. 1983. Morphology and development of hatchery-cultured American shad, [*Alosa sapidissima*] (Wilson). *Fish. Bull.* 81(2):323-340.
- Johnson, L. 1973. Stock and recruitment in some unexploited Canadian Arctic lakes. Pages 219-227 [in] B. B. Parrish, editor. *Fish stocks and recruitment*. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Johnson, L. R. 1982. Feeding chronology and daily ration of first feeding larval Hawaiian anchovy, [*Stolephorus purpureus*]. M. S. Thesis, Univ. Hawaii, Honolulu. 78 pp.
- Johnson, M. G., and H. R. McCrimmon. 1967. Survival, growth, and reproduction of largemouth bass in southern Ontario ponds. *Progressive Fish-Culturist* 29(4):216-221.
- Johnson, P. O. 1977. A review of spawning in the North Atlantic mackerel, [*Scomber scombrus*] L. *Min. Agric. Food Fish. Res. Fish. Res. Tech. Rep.* (Lowestoft). No. 37. 22 pp.

- Johnson, R. K. 1971. Family Scopelarchidae. Ph.D Diss., Scripps Inst. Oceanogr., La Jolla, CA.
- Johnson, R. K. 1972. Production and distribution of fish eggs and larvae in the Elk River and Delaware Canal. Rep. #5, Nat. Res. Inst. Ches. Biol. Lab., Univ. Maryland. 45 pp.
- Johnson, R. K. 1972. Production of fish eggs and larvae in the Elk River and the Delaware Canal. Ches. Biol. Lab. Ref. 72-16.
- Johnson, R. K. 1973. Production and distribution of fish eggs and larvae in the Chesapeake and Delaware Canal. [In] Hydrographic and ecological effects of enlargement of the Chesapeake and Delaware Canal. U.S. Army Corps Eng., Contr. No. DACW-61-71-C-0062. 143 pp.
- Johnson, R. K., and T. S. Y. Koo. 1973. Production and distribution of striped bass eggs in the Chesapeake and Delaware Canal. In: Hydrographic and ecological effects of enlargement of the Chesapeake and Delaware Canal. U.S. Army Corps Eng., Contr. No. DACW-61-71-C-0062, 40 pp.
- Johnson, R. K. 1974. A [Macristium] larva from the Gulf of Mexico with additional evidence for the synonymy of [Macristium] with [Bathysaurus] (Myctophiformes, Bathysauridae). Copeia 1974(4):973-977.
- Johnson, R. K. 1975. Production and distribution of striped bass ([Morone] [saxatilis]) eggs in the Chesapeake and Delaware Canal. Ches. Sci. 16(1):39-55.
- Johnson, R. K. 1984. Evermannellidae: development and relationships. Pages 250-253 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Johnson, R. K. 1984. Giganturidae: development and relationships. Pages 199-201 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Johnson, R. K. 1984. Scopelarchidae: development and relationships. Pages 245-249 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Johnson, R. P. 1963. Life history and ecology (including spawning and reproduction) of bigmouth buffalofish, [Ictiobus] [cyprinellus]. Journal of the Fisheries Research Board of Canada 20:1397-1429.
- Johnson, R. S. 1916. The distribution of fish and fish eggs during the fiscal year 1915. Appl. 1. U.S. Commn. Fish. Ann. Rep. 1915, Bur. Fish. Doc. 828, 138 pp.
- Johnson, S. R., and T. J. Edwards. 1978. Ichthyoplankton in the Yadkin River and potential entrainment at Perkins Nuclear Station. Pages 117-142 [in] L. L. Olmsted, editor. Proc. first symp. on freshwater larval fish, Duke Power Co., Huntersville, NC.
- Johnson, W. E. 1956. On the distribution of young sockeye salmon ([Oncorhynchus nerka]) in Babin and Nilkitwa Lakes, British Columbia. Journal of the Fisheries Research Board of Canada 13(5):695-708.
- Johnson, W. E. 1965. On mechanisms of self-regulation of population abundance in [Oncorhynchus nerka]. Mitt. int. Verein. theor. angew. Limnol. 13:66-87.
- Johnston, D. D., and D. J. Wildish. 1982. Effect of suspended sediment on feeding by larval herring ([Clupea harengus harengus] L.). Bull. Environ. Contam. Tox. 29:261-267.
- Johnston, J. M. 1972. Tolerance of juvenile sockeye salmon and zooplankton to selective squawfish toxicant 1,1-methylene di-2-naphthol. Progressive Fish-Culturist 34(3):122-125.

- Johnston, P. M. 1951. The embryonic history of the germ cells of the largemouth bass, [*Micropterus salmoides*], in Maine (Lacepede). *J. Morphol.* 88:472-542.
- Johnston, P. M. 1953. The embryonic development of the swim bladder of the largemouth black bass, [*Micropterus salmoides*] [*salmoides*] (Lacepede). *J. Morph.* 93:45-67.
- Johnston, T. A., M. N. Gaboury, and R. A. Janusz. 1995. Larval fish drift in the Valley River, Manitoba: influence of abiotic and biotic factors, and relationships with future year-class strengths. *Canadian Journal of Fisheries and Aquatic Sciences* 52:2423-2431.
- Johnstone, J. 1903. Identification of fish eggs. *Lanc. Sea Fish. Lab. Rep.*
- Johnstone, J. 1908. Density of fish-eggs and larvae. Pages 167-171 [in] *Conditions of life in the sea*. Cambridge Biol. Ser., England.
- Johnstone, R., D. J. McIntosh, and R. S. Wright. 1983. Elimination of orally administered 17 alpha-methyltestosterone by [*Oreochromis mossambicus*] and [*Salmo gairdneri*] juveniles. *Aquaculture* 35(3):249-258.
- Jolley, J. W., Jr. 1977. The biology and fishery of Atlantic sailfish, [*Istiophorus plathterus*], from southeast Florida. *Florida Mar. Res. Publ. No. 28*. 31 pp.
- Jollie, M. 1971. Some developmental aspects of the head skeleton of the 35-37 mm [*Squalus acanthias*] foetus. *J. Morph.* 133(1):17-40.
- Jollie, M. 1975. Development of the head skeleton and pectoral girdle in [*Esox*]. *J. Morph.* 147:61-88.
- Jollie, M. 1980. Development of head and pectoral girdle skeleton and scales in [*Acipenser*]. *Copeia* 1980(2):226-249.
- Jollie, M. 1984. Development of cranial and pectoral girdle bones of [*Lepisosteus*] with a note on scales. *Copeia* 1984:476-502.
- Jollie, M. 1984. Development of the head and pectoral skeleton of [*Polypterus*] with a note on scales (Pisces: Actinopterygii). *Journal of Zoology* 204(part 4):469-508.
- Jollie, M. 1984. Development of the head skeleton and pectoral girdle of salmons, with a note on the scales. *Canadian Journal of Zoology* 62(9):1757-1778.
- Jollie, W. P., and L. G. Jollie. 1965. Fine structural accommodations for materno-foetal exchange in [*Squalus acanthias*]. *Bull. Mt. Desert Isl. Biol. Lab.* 5:20-22.
- Jollie, W. P., and L. G. Jollie. 1967. Electron microscope observations on the yolk sac of the spiny dogfish, [*Squalus acanthias*]. *J. Ultrastruct. Res.* 18(1/2):102-126.
- Jollie, W. P., and L. O. Jollie. 1964. The fine structure of the ovarian follicle of the ovo-viviparous poeciliid fish, [*Lebistes*] [*reticulatus*]. II. Formation of the follicular pseudoplacenta. *J. Morph.* 114:503-525.
- Jones, A. 1970. Some aspects of the biology of the turbot ([*Scophthalmus maximus*] L.) with special reference to feeding and growth in the juvenile stage. Ph.D Diss., Univ. East Anglia.
- Jones, A. 1972. Studies on egg development and larval rearing of turbot, [*Scophthalmus maximus*] L., and brill [*Scophthalmus rhombus*] L., in the laboratory. *J. Mar. Biol. Assoc. U.K.* 52:965-986.
- Jones, A. 1973. The ecology of young turbot, [*Scophthalmus maximus*] (L.) at Borth, Cardiganshire, Wales. *J. Fish. Biol.* 5(3):367-384.

- Jones, A. 1981. Rearing and aquaculture: an overview. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:483-484.
- Jones, A., R. A. Prickett, and M. T. Douglas. 1981. Recent developments in techniques for rearing marine flatfish larvae, particularly turbot, [*Scophthalmus*] [*maximus*]L., on a pilot commercial scale. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:522-526.
- Jones, A. C. 1962. The biology of the euryhaline fish, [*Leptocottus*] [*armatus armatus*] Girard (Cottidae). Univ. Calif. Publs Zool. 67:321-368.
- Jones, A. C. 1972. Contributions to the life history of the piute sculpin in Sagehen Creek, California. California Fish and Game 58(4):285-290.
- Jones, A. C., R. Alderson, and B. R. Howel. 1974. Progress toward the development of a successful rearing technique for larvae of the turbot (*[Scophthalmus maximus]*), p. 38. In: Rep. intl. symp. on early life history of fish. FAO Fish. Rep., 141, 58 pp.
- Jones, A. J. 1972. The early development of substrate-brooding cichlids (Teleosti: Cichlidae) with a discussion of a new system of staging. J. Morph. 136(3):255-272.
- Jones, B. C. 1972. Effect of intertidal exposure on survival and embryonic development of Pacific herring spawn. Journal of the Fisheries Research Board of Canada 29(8):1119-1124.
- Jones, B. C. 1976. Feeding, growth, and reproduction of spiny dogfish (*[Squalus acanthias]* L.) in British Columbia waters. Ph.D Diss., Simon Fraser Univ. 150 pp.
- Jones, B. C., and G. H. Geen. 1977. Reproduction and embryonic development of spiny dogfish (*[Squalus acanthias]*) in the Strait of Georgia. Journal of the Fisheries Research Board of Canada 34(9):1286-1292.
- Jones, C. 1983. The otolith increment aging technique: application in larval fish. Ph.D Diss., Univ. Rhode Island, Kingston, RI.
- Jones, C. 1985. Within season differences in growth of larval Atlantic herring, [*Clupea harengus harengus*]. Fish. Bull. 83(3):289-298.
- Jones, C. 1986. Determining age of larval fish with the otolith increment technique. Fish. Bull. 84(1):91-104.
- Jones, C., and E.B. Brothers. 1987. Validation of the otolith increment aging technique for striped bass, [*Morone saxatilis*], larvae reared under suboptimal feeding conditions. Fish. Bull., U.S. 85:171-178.
- Jones, D., and D. H. Lewis. 1976. Gas bubble disease in fry of channel catfish (*[Ictalurus punctatus]*). Progressive Fish-Culturist 38(1):41.
- Jones, G. G., and M. A. Tabery. 1980. Larval development of the banded killifish (*[Fundulus diaphanus]*) with notes on the distribution in the Hudson River estuary. Pages 25-25 [in] L. A. Fuiman, editor. Proc. fourth annual larval fish conf., U.S. Fish. Wildl. Serv., Biol. Serv. Prog., Natl.
- Jones, G. P. 1987. Competitive interactions among adults and juveniles in a coral reef fish. Ecology 68:1534-1547.
- Jones, G. P. 1997. Relationships between recruitment and postrecruitment processes in lagoonal populations of two coral reef fishes. J. Exp. Mar. Biol. Ecol. 213:231-246.
- Jones, G. P., P. J. Doherty, B. D. Mapstone, and L. Howlett. 1998. Editors. ReefFish '95: Recruitment and Population Dynamics of Coral Reef Fishes. CRC Reef Research Centre Townsville; Australia, 297 pp.

- Jones, G. P., M. J. Milicich, M. J. Emslie, and C. Lunow. 1999. Self-recruitment in a coral reef fish population. *Nature* 402:802-804.
- Jones, I. W., and C. H. Copper. 1965. An accurate photo-electric egg counter using a jet pump. *Progressive Fish-Culturist* 27(1):52-54.
- Jones, J. R. E. 1964. The effects of pollution on fish eggs. Pages 186-193 [in] J. R. E. Jones, editor. *Fish and river pollution*. Butterworths, London. 203 pp.
- Jones, J. W., and G. M. King. 1949. Experimental observations on the spawning behavior of the Atlantic salmon ([*Salmo salar*] Linn.). *Proc. Zool. Soc. London*. 119:33-48.
- Jones, J. W., and G. M. King. 1950. Further experimental observations on the spawning behavior of the Atlantic salmon ([*Salmo salar*] Linn.). *Proc. Zool. Soc. Lond.* 120:317-323.
- Jones, J. W. 1959. The spawning behavior of the salmon. *New Scientist* 6:122-123.
- Jones, M. P., F. G. T. Holliday, and A. E. G. Dunn. 1966. The ultra-structure of the epidermis of larvae of the herring ([*Clupea harengus*]) in relation to the rearing salinity. *J. Mar. Biol. Assoc. U.K.* 46:235-239.
- Jones, P. W., F. D. Martin, and J. D. Hardy, Jr. 1978. Development of fishes of the Mid-Atlantic Bight. An atlas of egg, larval and juvenile stages. Vol. I. Acipenseridae through Ictaluridae. U.S. Fish Wildl. Serv., FWS/OBS-78-12, Ann Arbor, MI. 336 pp.
- Jones, R. 1948. An artificial fertilization of herring off Laxey Bay. *Ann. Rep. Mar. Biol. Stn Port Erin* 58-60:38 pp.
- Jones, R. 1973. Density dependent regulation of the numbers of cod and haddock. *Rapp. P.-v. Reun. Cons. int. perm. Explor. Mer* 164:212-230.
- Jones, R. 1981. Simulation studies of the larval stage and conclusions relating to the first year of life with particular reference to the haddock. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:15-16.
- Jones, R. O. 1962. Tolerance of the fry of common warm-water fishes to some chemicals employed in fish culture. *Proc. 16th Ann. Conf. S. E. Assoc. G & F Comms.* 16:436-445.
- Jones, R. S. 1962. A new spawning area for [*Istiophorus albicans*] and the capture of two postlarval istiophorids from the Texas coast. *Copeia* 1962(2):453.
- Jones, R. T. 1970. Effects of temperature and salinity on osmoregulation of developing spiny dogfish ([*Squalus acanthias*]) embryos. M.S. Thesis, Univ. of Delaware. 48 pp.
- Jones, R. T., and K. S. Price. 1974. Osmotic responses of spiny dogfish ([*Squalus acanthias*] L.) embryos to temperature and salinity stress. *Comp. Biochem. Physiol.* 47(3A):971-979.
- Jones, R. W. 1939. Analysis of the development of fish embryos by means of the mitotic index. V. The process of early differentiation of organism [*Fundulus heteroclitus*]. *Trans. Am. Micro. Soc.* 58(1):1-23.
- Jones, R. W., and M. N. Huffman. 1957. Fish embryos as bio-assay material in testing chemicals for effects on cell division and differentiation. *Transactions of the American Fisheries Society* 76:177-183.
- Jones, R., and W. B. Hall. 1954. Observations on the population dynamics of the larval stage in common gadoids. Page 39 [in] Report of the international symposium on the early life history of fish. *FAO Fish Rep. No. 141*. 58 pp.

- Jones, R., and W. B. Hall. 1973. A simulation model for studying the population dynamics of some fish species. Pages 35-39 [in] M. S. Bartlett and R. W. Hiorns, editors. The mathematical theory of the dynamics of biological populations. Academic Press, London, 347 pp.
- Jones, R., and W. B. Hall. 1974. Some observations on the population dynamics of the larval stage in the common gadoids. Pages 87-109 [in] J. H. S. Blaxter, editor. The Early Life History of Fish: the proceedings of an international symposium held at the Dunstaffnage Marine Res. Lab. of Scottish Marine Biol. Assoc. at Oban, Scotland, from May 17-23, 1973. Springer-Verlag, N.Y., 765 pp.
- Jones, S. 1937. Observations on the breeding habits and development of certain brackish water fishes of Adyar, Madras. Proc. Indian Acad. Sci. Sect. B 5:261-289.
- Jones, S. 1937. On the origin and development of the cement glands in [*Etropus maculatus*] (Bloch). Proc. Indian Acad. Sci. 6(4):251-261.
- Jones, S. 1938. On the breeding habits and development of a cyprinid, [*Dania (Danio) malabaricus*] (Jerdon) in Ceylon. Ceylon J. Sci. 6C:79-90.
- Jones, S. 1938. External features in the embryonic development of a Ceylon mountain carp, [*Garra ceylonensis ceylonensis*] (Bleeker). Ceylon J. Sci. 6C:91-98.
- Jones, S. 1939. On the external gills of [*Acentrogobius*] [*viridipunctatus*] (Day). Proc. Indian Acad. Sci. 9(5):256-266.
- Jones, S. 1940. Notes on the breeding habits and early development of [*Macropodus cupanus*] (Cuv. et Val.) with special reference to the cement glands of the early larvae. Rec. Indian Mus. 42(2):269-276.
- Jones, S., and T. J. Job. 1940. Notes on the early stages in the development of the Deccan killifish, [*Aplocheilus lineatus*] (Cuv. et Val.). J. Bombay Nat. Hist. Soc. 42:203-206.
- Jones, S. 1941. Larval development of [*Garra ceylonensis ceylonensis*] (Bleeker). Records of the Indian Museum 43(2):117-120.
- Jones, S. 1944. On the occurrence of diapause in the eggs of Indian cyprinodonts. Curr. Sci. 13(4):107-108.
- Jones, S. 1946. Breeding and development of Indian fresh-water and brackish water fishes. Part I. J. Bombay Nat. Hist. Soc. 46(2):317-336.
- Jones, S. 1946. Breeding and development of Indian fresh-water and brackish water fishes. Part II. J. Bombay Nat. Hist. Soc. 46(3):453-471.
- Jones, S. 1950. A note on the terminology of the early developmental stages of fishes. Journal of Zoology Soc. India 2:39-41.
- Jones, S. 1950. Bibliography of the breeding habits and development of fishes of inland waters of India. Journal of Zoology Soc. India 2(2):109-125.
- Jones, S., and M. Kumaran. 1950. Spawning habits and development of the Gangetic anchovy, [*Setipinna phasa*] (Hamilton). Curr. Sci. 19:25.
- Jones, S., and P. M. G. Menon. 1950. Spawning of [*Hilsa ilisha*] (Ham.) in the Hooghly River. Sci. Cult. 15(11):443-444.
- Jones, S. 1951. Bibliography of breeding habits and development of of estuarine and marine fishes of India. Journal of Zoology Soc India 3(1):121-139.



- Jones, S., and M. Kumaran. 1951. Notes on the bionomics and developmental stages of some Indian flatfishes. *Journal of Zoology Soc. India* 3:71-83.
- Jones, S., and P. M. G. Menon. 1951. Observations on the life history of the Indian shad, [Hilsa ilisha] (Hamilton). *Proc. Indian Acad. Sci.* 33(3):101-125.
- Jones, S. 1952. A bibliography of the Indian shad, [Hilsa ilisha] (Ham.). *Journal of Zoology Soc. India* 4(1):89-99.
- Jones, S., and M. Kumaran. 1952. Observations on the development and systematics of the fishes of the genus [Coilia] Gray. *Journal of Zoology Soc. India* 4:17-36.
- Jones, S., and P. M. G. Menon. 1952. Observations on the bionomics, development and fishery of the Gangetic anchovy, [Setipinna phasa] (Hamilton). *Journal of Zoology Soc. India* 3(2):323-333.
- Jones, S., and V. R. Pantulu. 1952. On the metamorphosing stages of the talabon eel, [Muraenesox talabon] (Cantor), with descriptions of some Leptocephali from the estuaries of Bengal and Orissa. *J. Asiatic Soc. Sci.* 18(2):129-140, ill.
- Jones, S., and P. M. G. Menon. 1953. Notes on the breeding habits and developmental stages of some estuarine fishes. *Journal of Zoology Soc. India* 5(2):255-267.
- Jones, S., and V. R. Pantulu. 1955. On some ophichthid larvae from the Indian coastal waters. *Indian J. Fish.* 2(1):57-66.
- Jones, S. 1958. Notes on eggs, larvae and juveniles of fishes from Indian waters. 1. [Xiphias gladius] Linnaeus. *Indian J. Fish.* 5:357-361.
- Jones, S., and V. B. Pantulu. 1958. On some larval and juvenile fishes from the Bengal and Orissa coasts. *Indian J. Fish.* 5:118-143.
- Jones, S. 1959. Notes on eggs, larvae and juveniles of fishes from Indian waters. II. [Istiophorus gladius] (Broussonet). *Indian J. Fish.* 6:204-210.
- Jones, S. 1959. On a juvenile sail-fish, [Istiophorus gladius] (Broussonet), from the Laccadive Sea. *J. Mar. Biol. Assoc. India* 1(2):255-256.
- Jones, S. 1960. Notes on eggs, larvae and juveniles of fishes from Indian waters - III. [Katsuwonus pelamis] (L.) and IV. [Neothunnus macropterus] (Temminck and Schlegel). *Indian J. Fish.* 6(2):360-373.
- Jones, S. 1960. Notes on eggs, larvae and juveniles of fishes from Indian waters. V. [Euthynnus affinis] (Cantor). *Indian J. Fish.* 7:101-106.
- Jones, S. 1960. On the snake mackerel, [Gempylus serpens] Cuv., from the Laccadive Sea. *J. Mar. Biol. Assoc. India* 2(1):85-88.
- Jones, S. 1961. Note on eggs, larvae, and juveniles of fish from Indian waters. VI. Genus [Auxis] Cuv. VII. [Sarda] [orientalis] (Temminck et Schlegel). *Indian J. Fish.* 7(2):337-347.
- Jones, S. 1961. Notes on eggs, larvae, and juveniles of fishes from Indian waters. XI. Further observations on the genus [Auxis] Cuv. *Indian J. Fish.* 8(2):413-421.
- Jones, S. 1962. Notes on eggs, larvae and juveniles of fishes from Indian waters. XIV. Further notes on [Xiphias gladius] L. *Indian J. Fish.* 9(2):525-529.
- Jones, S. 1962. Notes on eggs, larvae, and juveniles of fishes from Indian waters; [Scomberomorus guttatus] (Bloch & Schlegel); [S. commersoni] (Lac.), and [S. lineolatus] (Cuv.). *Indian J. Fish.* 8:107-120.

- Jones, S., and M. Kumaran. 1962. Notes on eggs, larvae and juveniles of fishes from Indian waters. XII. [*Myripristis murdjan*]. XIII. [*Holocentrus*] sp. Indian J. Fish. Sect. A 9(1):155-167.
- Jones, S. 1963. Synopsis of biological data on the long corseletted frigate mackerel, [*Auxis thynnoides*] Bleeker 1855. Proc. World Sci. Mtg. Biol. Tunas and Rel. Spp., FAO Rep. No. 6, Vol. 2:782-810.
- Jones, S. 1963. Synopsis of biological data on the northern bluefin tuna, [*Kishinoella tonggol*] (Bleeker) 1851 (Indian Ocean). Proc. World Sci. Mtg. Biol. Tunas and Rel. Spp., FAO Rep. No. 6, Vol. 2:862-876.
- Jones, S., and M. Kumaran. 1963. Distribution of larval tuna collected by the Carlsberg Foundation's Dana Expedition (1928-30) from the Indian Ocean. FAO Fish. Rep. 6:1753-1774.
- Jones, S., and E. G. Silas. 1963. Synopsis of biological data on skipjack, [*Katsuwonus pelamis*] (L.) 1758 (Indian Ocean). Proc. World Sci. Mtg. Biol. Tunas Rel. Spp., FAO Fish. Rep. 6(2):663-684.
- Jones, S., and M. Kumaran. 1964. Distribution of larval billfishes (Xiphiidae and Istiophoridae) in the Indo-Pacific with special reference to the collectins made by the Danish Dana expedition. Pages 483-498 [in] Symp. on scombroid fishes, part I. Mar. Biol. Assoc. India, Madras, India.
- Jones, S., and M. Kumaran. 1964. Eggs, larvae and juveniles of Indian Scombroid fishes. Proc. Symp. Scombroid Fishes, Part 1. Mar. Biol. Assoc. India, Symp. Ser. 1:343-378.
- Jones, S., and H. Rosa, Jr. 1965. Synopsis of biological data on Indian mackerel, [*Rastrelliger kanagurta*] (Cuv.) 1817, and short bod ied mackerel, [*Rastrelliger brachysoma*] (Bleeker) 1851. FAO Fish. Synopsis 29.
- Jones, S. 1967. Notes on eggs, larvae and juveniles of fishes from Indian waters. XV. [*Pegasus volitans*] L. XVI. [*Dactyloptena orientalis*] (Cuv. & Val.). XVII. [*Dactyloptena macracanthus*] (Bleeker). Indian J. Fish. 1964 11A(1):232-246.
- Jones, S. 1967. On the terminology for phases and stages in the life history of teleostean fishes. Proc. Zoo l. Soc. (Calcutta) 20(1):99-102.
- Jones, S., and H. Rosa, Jr. 1967. Synopsis of biological data on the fishes of the genus, [*Rastrelliger*] Jord. & Starks 1908, with an annotated bibliography. Proc. Symp. Scombr. fishes, Mandapan Camp (Mar. Biol. Assoc. India), 1962, Pt. III:1190-1236.
- Jones, S., and P. Bensam. 1968. Annotated bibliography on the breeding habits and development of fishes of the Indian region. Bull. Cent. Mar. Fish. Res. Inst., Mandapan Camp, India, No. 3:1-154.
- Jonker, L. J. 1993. Comparison of the larval fish assemblages in healthy and degraded seagrass meadows in Cockburn Sound, Western Australia. Honours Thesis, Murdoch University, 47 pp.
- Jonsson, J. 1947. Cod eggs and larvae. Annl. Biol. IV.
- Jonsson, J. 1949. Cod. Spawning off the north coast. Ann. Biol. 4(1947):35-37.
- Jonsson, J. 1972. The Icelandic spawning stock of cod in 1972. Annl. Biol., Copenh. 29:70.
- Jonsson, J. 1975. The Icelandic spawning stock of cod in 1973. Cons. Int. Explor. Mer, Ann. Biol. 30:80.
- Jonsson, J. 1976. The Icelandic spawning stock of cod in 1974. Cons. Int. Explor. Mer Ann. Biol. 30:82.

Jordan, A. R., and B. D. Bruce. 1993. Larval development of three roughy species complexes (Pisces: Trachichthyidae) from southern Australian waters, with comments on the occurrence of orange roughy larvae [*Hoplostethus atlanticus*]. *Fishery Bulletin* 91:76-86.

Jordan, A. R. 1994. Age, growth and back-calculated birthdate distributions of larval jack mackerel, [*Trachurus declivis*] (Pisces: Carangidae) from eastern Tasmanian coastal waters. *Australian Journal of Marine and Freshwater Research* 45:19-33.

Jordan, D. S. 1891. The relations of temperature to vertebrae among fishes. *Proc. U.S. Natn. Mus.* 14:107-120.

Jordan, D. S. 1919. Temperature and vertebrae in fishes: a suggested test. *Science* 49:336.

Jordan, D. S., and C. H. Gilbert. 1883. A review of the American Carangidae. *Proc. U.S. Natn. Mus.* 6:188-207.

Jorgensen, J. M. 1985. On the fine structure of lateral-line canal organs of the herring ([*Clupea harengus*]). *J. Mar. Biol. Assoc. U.K.* 65(3):751-758.

Jorgensen, L. 1985. Carbon and nitrogen utilization in developing eggs and larvae of cod ([*Gadus morhua*], L.) and variation among different parents. *Fisheries Research* 3:337-342.

Joseph, E. B., and R. W. Yerger. 1956. The fishes of Alligator Harbor, Florida, with notes on their natural history. *Oceanogr. Inst., Fla. State Univ., Contrib. No.* 71:111-157.

Joseph, E. B. 1964. An abnormality associated with larval mortality of the naked goby, [*Gobiosoma boscii*] (Lac.). *Copeia* 1964:236-237.

Joseph, E. B., J. J. Norcross, and W. H. Massmann. 1964. Spawning of the cobia, [*Rachycentron canadum*], in the Chesapeake Bay, with observations on juvenile specimens. *Ches. Sci.* 5(2):67-71.

Joseph, E. B., W. Massmann, and J. Norcross. 1964. The pelagic eggs and early larval stages of the black drum from Chesapeake Bay. *Copeia* 1964:425-434.

Joseph, E. B., and V. D. Saksena. 1966. Determination of salinity tolerance in mummichog ([*Fundulus heteroclitus*]) larvae obtained from hormone induced spawning. *Ches. Sci.* 7(4):193-197.

Joseph, E. B. 1973. Analysis of a nursery ground. Pages 118-121 [in] A. L. Pacheco, editor. *Proceedings of a workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.*

Joseph, J. 1963. Contributions to the biology of the engraulid, [*Anchoa naso*] from Ecuadorian waters. (incl. reproduction). *Bull. Inter-Amer. Tuna Comm.* 8(1):1-30.

Joss, J. M. 1985. Pituitary control of metamorphosis in the southern hemisphere lamprey, [*Geotria australis*]. *Gen. Comp. Endocrinol.* 60(1):58-62.

Jossi, J. W. 1970. Annotated bibliography of zooplankton sampling devices. *Spec. scient. Rep. U.S. Fish & Wildl. Serv.* 609, 90 pp.

Joung, S. J., C. T. Chen, E. Clark, S. Uchida, and W. Y. P. Huang. 1996. The whale shark, [*Rhincodon typus*], is a livebearer: 300 embryos found in one 'megamma' supreme. *Environmental Biology of Fishes* 46:219-223.

Jovanovic, M. 1970. Comparative life histories of the North American and European walleyes. *Michigan Dept. Nat. Resourc. Res. Dev. Rep.* 201. 71 pp.

- Jovellanos, C. L., and D. E. Gaskin. 1983. Predicting the movements of juvenile Atlantic herring, [*Clupea harengus harengus*], in the southwest Bay of Fundy using computer simulation techniques. *Canadian Journal of Fisheries and Aquatic Sciences* 40(2):139-146.
- Juanes, F., R. E. Marks, K. A. McKown, and D. O. Conover. 1993. Predation by age-0 bluefish on age-0 anadromous fishes in the Hudson River estuary. *Trans. Amer. Fish. Soc.* 122: 348-356.
- Juanes, F., and D. O. Conover. 1994. Piscivory and prey size selection in young-of-the-year bluefish: predator preference or size-dependent capture success? *Marine Ecology Progress Series* 114:59-69.
- Juanes, F., and D.O. Conover. 1994. Rapid growth, high feeding rates, and early piscivory in young-of-the-year bluefish. *Can. J. Fish. Aquat. Sci.* 51:1752-1761.
- Juanes, F., and D. O. Conover. 1995. Size-structured piscivory: advection and linkage between predator and prey recruitment in young-of-the-year bluefish. *Mar. Ecol. Prog. Ser.* 128:287-304.
- Juanes, F., J. A. Hare and A. G. Miskiewicz. 1996. Comparing early life history strategies of [*Pomatomus saltatrix*] a global approach. *Mar. Freshwat. Res.* 47:365-379.
- Juanes, F., B. H. Letcher, and G. Gries. 2000. Ecology of stream fish: insights gained from an individual-based approach to juvenile Atlantic salmon. *Ecol. Freshwater Fish* 9(1-2):65-73.
- Juarez, M. 1972. Las formas larvarias del [*Thunnus atlanticus*]. *May y Pesca (Inst. Nac. Pesc., Cuba)*, 78:26-29.
- Juarez, M. 1975. Distribucion cuantitativa y algunos aspeltos cualetativos del ictioplancton del Banco de Campeche. *Rev. Invest. INP* 1(1):27-71.
- Juاريو, J. V., and M. N. Duray. 1982. A guide to induced spawning and larvae rearing of milkfish, [*Chanos chanos*] (Forsskal). *SEAFDEC Tech. Rep.* 10:27 pp.
- Juاريو, J. V., and V. Storch. 1984. Biological evaluation of phytoplankton as food for milkfish, [*Chanos chanos*], fry. *Aquaculture* 40(3):193-198.
- Juاريو, J. V., et al. 1984. Induced breeding and larval rearing exper iments with milkfish, [*Chanos chanos*] (Forsk), in the Philippines. *Aquaculture* 36(1/2):61-70.
- Juاريو, J. V., M. N. Duray, V. M. Duray, J. F. Nacario, and J. M. E. Almedras. 1985. Breeding and larval rearing of the rabbitfish, [*Siganus guttatus*] (Bloch). *Aquaculture* 44(2):91-102.
- Jubb, R. A. 1964. Hypothetical breeding grounds of the eels of South African rivers and observations on their ecology. *Monog. Biol.* 14:186-205.
- Jude, D. J., et al. 1974. Inshore Lake Michigan fish populations near the D. C. Cook Nuclear Power Plant during preoperational years - 1973-74. *Spec. Rep. 71, Great Lakes Res. Div., Univ. Mich., Ann Arbor.*
- Jude, D. J., et al. 1975. Inshore Lake Michigan fish populations near the Donald C. Cook Nuclear Power Plant, 1973. *Spec. Rep. No. 52, Great Lakes Research Div., Univ. Mich., Ann Arbor, MI.* 267 pp.
- Jude, D. J. 1976. Entrainment of fish larvae and eggs on the Great Lakes, with special reference to the D. C. Cook Nuclear Plant, southeast Lake Michigan. Pages 177-179 [in] L. D. Jensen, editor. *Third natl. workshop on entrainment and impingement: Sect. 316(b) - research and compliance. Ecol. Anal. Comm.*

Jude, D. J., B. A. Bachen, G. R. Heufelder, H. T. Tin, M. H. Winnell, F. J. Tesar, and J. A. Dorr, III. 1978. Adult and juvenile fish, ichthyoplankton and benthos populations in the vicinity of the J. H. Campbell Power Plant, eastern Lake Michigan, 1977. Great Lakes Res. Div., Spec. Rep. 65:639 pp.

Jude, D. J., et al. 1979. Adult, juvenile and larval fish in the vicinity of the J. H. Campbell Power Plant, eastern Lake Michigan, 1978. Great Lakes Res. Div. Spec. Rep. 73, Univ. Mich., Ann Arbor.

Jude, D. J., et al. 1980. Adult, juvenile, and larval fish populations in the vicinity of the J. H. Campbell Power Plant, eastern Lake Michigan, 1979. Spec. Rep. #79, Great Lakes Res. Div., Univ. Michigan, Ann Arbor.

Jude, D. J., et al. 1981. Adult, juvenile and larval fish populations in the vicinity of the J. H. Campbell Power Plant, eastern Lake Michigan, 1977-1980. Great Lakes Research Div. Spec. Rep. 86, Univ. Michigan, Ann Arbor, MI.

Jude, D. J., S. A. Klinger, and M. D. Enk. 1981. Evidence of natural reproduction by planted lake trout in Lake Michigan. J. Great Lakes Res. 7(1):57-61.

Jude, D. J. 1982. Family Cyprinodontidae. Pages 477-486 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes basin with emphasis on the Lake Michigan drainage. Great Lakes Fish. Comm. Spec. Publ. 82-3.

Jude, D. J. 1982. Family Gadidae, codfishes. Pages 470-476 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes basin with emphasis on the Lake Michigan drainage. Great Lakes Fish. Comm. Spec. Publ. 82-3.

Jude, D. J., et al. 1982. Adult, juvenile and larval fish populations in the vicinity of the J. H. Campbell Plant, 1981, with special reference to the effectiveness of wedge-wire intake screens in reducing entrainment and impingement of fish. Great Lakes Res. Div. Spec. Rep. 96, Univ. Michigan, Ann Arbor, MI.

Judy, M. H. 1982. Catch composition, seasonality and distribution of ichthyoplankton from R/V Onslow Bay monthly cruises in Onslow Bay and Newport River estuary, North Carolina 1972-74. U.S. NMFS Tech. Mem. NMFS-SEFC-46. 10 pp.

Judy, M. H., and R. M. Lewis. 1983. Distribution of eggs and larvae of Atlantic menhaden, [*Brevoortia tyrannus*], along the Atlantic coast of the United States. U.S. NMFS Spec. Sci. Rep. Fish. 774. 23 pp.

Juell, J. E., and O. I. Lekang. 2001. The effect of feed supply rate on growth of juvenile perch (*Perca fluviatilis*). Aquaculture Research 32(6):459-464.

Juliano, R. O., and H. R. Rabanal. 1963. The tolerance of milkfish fingerlings and fry, [*Chanos chanos*] (Forsk.), to decreases in salinity. Copeia 1963(1):180-181.

June, F. C. 1958. Variation in meristic characters of young Atlantic menhaden, [*Brevoortia tyrannus*]. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 143(2):26-35.

June, F. C., and J. L. Chamberlain. 1959. The role of the estuary in the life history and biology of the Atlantic menhaden. Proc. Gulf Caribb. Fish. Inst. 11(1958):41-45, 55-57.

June, F. C., and F. T. Carlson. 1971. Food of young Atlantic menhaden, [*Brevoortia tyrannus*], in relation to metamorphosis. Fish. Bull. 68(3):493-512.

June, F. C., and F. T. Carlson. 1973. Food and feeding habits of Atlantic menhaden in relation to metamorphosis of larvae into juveniles. Pages 136-137 [in] A. L. Pacheo, editor. Proc. workshop on egg, larvae and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. #1, NMFS, Mid. Atl. Coast. Fish. Cent.

- June, F. C. 1976. Changes in young-of-the-year fish stocks during and after filling of Lake Oahe, an upper Missouri River storage reservoir, 1966-74. U.S. Fish. Wildl. Serv. Tech. Pap. No. 87. 25 pp.
- Jungersen, H. F. E. 1894. Die embryonalniere von [*Amia calva*]. In German. Zool. Anz. 17(451): 246-252.
- Jungwirth, M., and H. Winkler. 1984. The temperature dependence of embryonic development of grayling, [*Thymallus thymallus*], Danube salmon, [*Hucho hucho*], Arctic char, [*Salvelinus alpinus*], and brown trout, [*Salmo trutta fario*]. Aquaculture 38(4):315-328.
- Jurgens, K. C., and W. H. Brown. 1955. Bentonite and largemouth bass eggs. Progressive Fish-Culturist 17(1):19.
- Jurgens, K. D., and W. H. Brown. 1954. Chilling the eggs of the largemouth bass. Progressive Fish-Culturist 16(4):172-175.
- Jutare, T. V. 1962. Studies on the biology of [*Bothus ocellatus*] with a description of a related new species. M.S. Thesis, Univ. Miami. 97 pp.
- Kaczynski, V. W., R. J. Feller, J. Clayton, and R. J. Gerke. 1973. Trophic analysis of juvenile pink and chum salmon, [*Oncorhynchus gorbuscha*], and [*O. keta*], in Puget Sound. Journal of the Fisheries Research Board of Canada 30:1003-1008.
- Kadam, K. M. 1956. The development of the chondrocranium in the Indian sea-horse, [*Hippocampus*] (*Lophobranchii*). Proc. 43rd Indian Sci. Congr. (Agra) Pt. 4:33-34.
- Kadam, K. M. 1958. The development of the chondrocranium in the sea-horse, [*Hippocampus*] (*Lophobranchii*). J. Linn. Soc. Lond., Zool. 43(293):557-573.
- Kadam, K. M. 1959. The development of chondrocranium in [*Nerophis*] (*Lophobranchii*). Proc. 46th Indian Sci. Congr. (Delhi) Pt. 3:402.
- Kadam, K. M. 1961. The development of the skull in [*Nerophis*]. Acta. Zool. (Soc. h.) 42:257-298.
- Kader, A., D. Zafar, and A. L. Bhuiyan. 1981. Survival of young [*Tilapia mossambica*] at different salinities. Indian J. Fish. 28(1/2):269-271.
- Kaeriyama, M., and T. Bunya. 1982. Morphological and ecological characteristics of phase development from fry to fingerlings in the chum salmon. Bull. Jap. Soc. Sci. Fish. 48(11):1537-1544.
- Kafiani, C. A., M. J. Timofeeva, A. A. Neyfakh, N. L. Melnikova, and J. A. Rachkus. 1969. RNA synthesis in the early embryogenesis of a fish ([*Misgurnus fossilis*]) J. Embryol. Exp. Morph. 21:295-308.
- Kafiani, C. A., R. G. Akhalktsi, and K. G. Gasaryan. 1973. Nuclear RNA polymerase activity and template efficiency of developing loach ([*Misgurnus fossilis*]) embryos. Biochem., Biophys. Acta 324(1):133-142.
- Kafiani, K. A., M. Y. Timofeeva, A. A. Neyfakh, and J. A. Rachkus. Effect of x-ray irradiation upon the synthesis of messenger RNA at the early stages of loach embryogenesis. Biokhimiya 31:365-372.
- Kagan, B. M. 1935. The fertilizable period of the eggs of [*Fundulus*] [*heteroclitus*] and some associated phenomena. Biol. Bull. (Woods Hole) 69(1):185-201.
- Kagwade, D. V. 1970. Maturation and spawning in [*Polynemus heptadactylus*] Cuv. and Val. Indian J. Fish. 17(1-2):76-89.

- Kagwade, V. N. 1968. Maturation and spawning of the horse-mackerel, [*Caranx kalla*] (Cuv. et Val.). *Indian J. Fish.* 15(1-2):207.
- Kahan, D., G. Uhlig, D. Schwenzer, and L. Horowitz. 1982. A simple method for cultivating harpacticoid copepods and offering them to fish larvae. *Aquaculture* 26:303-310.
- Kahn, N. Y. 1971. Comparative morphology and ecology of the pelagic larvae of nine Cottidae (Pisces) of the northwest Atlantic and St. Lawrence drainage. Ph.D. Diss., Univ. of Ottawa, Ottawa, Ontario, Canada.
- Kaighn, M. E. 1964. Biochemical study of the hatching process in [*Fundulus heteroclitus*]. *Develop. Biol.* 9:56-80.
- Kajishima, T. 1950. Studies on the embryonic development of [*Leander*] [*pacificus*] Stimpson. 2. Early development and later development. *Misaki Mar. Biol. Sta.* 1(20):21.
- Kajishima, T. 1958. Regional differences in pigment cell formation of the embryonic shield of the goldfish. *Embryologica* 4:133-147.
- Kajishima, T. 1960. The normal developmental stages of the goldfish, [*Carassius auratus*]. *Jap. J. Ichthyol.* 8:20-28.
- Kakamura, S. 1936. Larvae and young of fishes found in the vicinity of Kominato. 4. [*Alectis ciliaris*] (Bloch). *J. Imp. Fish. Inst., Tokyo* 31(2):158-166.
- Kalber, F. A. 1973. Techniques for measuring osmotic and ionic concentrations in fish eggs and larvae. Page 36 [in] A. L. Pacheco, editor. *Proceedings of a workshop on egg, larval, and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highland, N.J., 338 pp.*
- Kalber, F. A. 1973. Research on osmotic and ionic regulation in fish eggs and larvae with comments on pollution. Page 197-198 [in] A. L. Pacheco, editor. *Proc. of a workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.*
- Kalinina, E. M. 1960. Postlarval development and metamorphosis in [*Arnoglossus kissleri*] *Schm. Zool. Zh.* XXXIX:(7). 1050-1055.
- Kalinina, E. M. 1961. Safe and critical concentrations of oxygen for the young of Black Sea fishes. *Tr. Sevastopol'sk Biol. Sta. Akad. Nauk. USSR* 14:215.
- Kalinina, E. M. 1970. Larvae of eels (Apodes) of the Red Sea and of the Gulf of Aden. [In] V. A. Vodianitskii, editor. *Biol. Invest. Red and Arabian Seas, Biol. Morya* 21:212.
- Kalinina, E. M. 1970. Larvae of Myctophidae of the Red Sea and the Gulf of Aden. [In] V. A. Vodianitskii, editor. *Biol. invest. Red and Arabian Seas, Biol. Morya* 21:218-229.
- Kalinina, E. M. 1971. Distribution of the eggs and larvae of Synodontidae in the Red Sea and Gulf of Aden. *Biol. Morya* 23:117-120.
- Kalinina, E. M. 1976. The early ontogeny of two species of Black Sea clingfishes, [*Lepadogaster decandollei*], and [*Lepadogaster lepadogaster lepadogaster*]. *J. Ichthyol. Engl. transl. Vopr. Ikhtiol.* 16(5):767-773.
- Kalinina, E. M., and A. Yu. Podosinnikov. 1978. Qualitative composition and seasonal changes in the Canary Current ichthyoplankton. *J. Ichthyol.* 18(3):495-500.
- Kalinina, E. M. 1980. Key to pelagic eggs of central-eastern Atlantic fishes. *Ekologiya Morya* 1980(4):50-62.
- Kalinina, E. M. 1982. Key to the pelagic eggs of central-eastern Atlantic fishes. *Can. Transl. Fish. Aq. Sci.* 4813.

- Kalinina, Y. M., and V. A. Sebletskaya. 1979. The qualitative composition and distribution of ichthyoplankton off the coast of Mauritania. *J. Ichthyol.* 19(4):146-150.
- Kalleberg, H. 1958. Observation in a stream tank of territoriality and competition in juvenile salmon and trout ([*Salmo*] [*salar*] L. and [*S. trutta*] L.). *Inst. Freshwat. Res. Drottningholm Rep.* 39:55-98.
- Kamba, M. 1977. Feeding habits and vertical distribution of walleye pollock, [*Theragra chalcogramma*] (Pallas), in early life history stage in Uchiura Bay, Hokkaido. *Rep. Inst. N. Pac. Fish., Hokkaido Univ. Spec. Vol.* 123-273.
- Kamel, A. H. 1947. On the shifting of the trunk features into the anterior part of the original tail region during the later development of [*Gambusia affinis*]. *Bull. Fac. Sci., Fouad I Univ., Cairo* (26):265-268.
- Kamel, A. H. 1954. On the development of the vertebral column in [*Gambusia affinis*]. *Bull. Fac. Sci., Cairo Univ* (32):95-116.
- Kamiya, T. 1916. Pelagic fish eggs and larvae in the Tateyama Bay. *Rep. Fish. Inst.* 11(5):1-92.
- Kamiya, T. 1922. Pelagic fish eggs and larvae in the Tateyama Bay. Part 2. *Rep. Fish. Inst.* 18(3):1-39.
- Kamiya, T. 1924. Key to the pelagic fish eggs of Japan. *J. Fish. Res.* 19(6):33-40.
- Kamiya, T. 1925. The pelagic eggs and larvae of fishes on the coast of "Hokuriku" (Northwestern part of Japan proper). *J. Imp. Fish. Inst.* XXI:86-106.
- Kamjunke, N., and T. Mehner. 2001. Coupling the microbial food web with fish: are bacteria attached to cyanobacteria an important food source for underyearling roach? *Freshwater Biology* 46(5):633-639.
- Kamler, E. 1976. Variability of respiration and body composition during early developmental stages of carp. *Pol. Arch. Hydrobiol.* 23:431-485.
- Kamler, E., M. Lewkowicz, S. Lewkowicz, J. Uchmanski, and E. Irban-Jeziarska. 1986. Gravimetric techniques for measuring consumption of live foods and artificial diets by fish larvae. *Aquaculture* 54(1/2):109-122.
- Kamshnaya, M. S., and A. I. Smirnov. 1968. Natural reproduction of pink salmon acclimatized in the watersheds of the Barents and White Seas. *Rybn Khoz* 44(10):18-20. *Fish. Res. Bd. Can. Transl. Ser.* 1215:1-8.
- Kanabashira, Y., H. Sakai, and F. Yasuda. 1980. Early development and reproductive behavior of the gobiid fish, [*Mugilogobius abei*]. *Jap. J. Ichthyol.* 27(3):191-198.
- Kanamaru, S., Y. Kitano, and H. Yoshida. 1979. On distribution of eggs and larvae of Alaska pollock in waters around the Kamchatka Peninsula. *Bull. Hokkaido Reg. Fish. Res. Lab.* 44:1-24.
- Kanansky, W. J. 1928. Zur Morphologie der Brut von [*Lota lota*] L. *Zool. Anz. Leipzig.* 79:143-148.
- Kanazawa, A., S. Teshima, and M. Sakamoto. 1982. Requirements of essential fatty acids for the larval ayu. *Bull. Jap. Soc. Sci. Fish.* 48(4):587-590.
- Kandlar, R. 1954. Gadoid eggs and larvae. *Annl. Biol.* X.
- Kandlar, R. 1956. German investigations of fish eggs and larvae. *Annl. Biol.* XI.



- Kandlar, R. 1958. Eggs and larvae. Investigations in the Belts, and western Baltic. Ann. Biol. 13(1956):116-117.
- Kandlar, R. 1959. Eggs and larvae. German investigations in the Belts and western Baltic. Ann. Biol. 14(1957):96-97.
- Kandlar, R. 1962. Eggs and larvae (cod). Annl. Biol. XVII.
- Kandlar, R. 1963. Eggs and larvae - Baltic and Belt Seas. Annl. Biol. XVIII.
- Kandler, R., and E. O. Tan. 1965. Investigations of the osmoregulation in pelagic eggs of gadoid and flatfishes in the Baltic. I. Changes in volume and specific gravity at different salinities. Int. Counc. Explor. Mer Counc. Meet. 43:5 pp.
- Kandler, R., and S. Dutt. 1958. Fecundity of Baltic herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 143.
- Kandlor, R. 1953. Eggs and larvae. German waters. Cons. perm. int. Explor. Mer 9:147-148.
- Kane, J. 1983. The feeding habits of co-occurring cod and haddock larvae. MARMAP Contr. MED/NEFC 82-38. Mar. Ecol. Prog. Ser.
- Kane, J. 1984. The feeding habits of co-occurring cod and haddock larvae from Georges Bank. Mar. Ecol. Prog. Ser. 16:9-20.
- Kaneda-Hayashi, T., S. Inoue, and T. Ando. 1971. Studies on phospho-proteins from fish eggs. 2. Enzymatic dephosphorylation of herring egg phosphoprotein by phosphatase preparations from citrus fruit. J. Biochem., Tokyo 69:1013-1017.
- Kanidev, A. N. 1961. Embryonic development of [Atherina hepsetus] and [A]. [mochon pontica]. Tr. Karadag. Biol. Stn. 17:24-45.
- Kanis, E., T. Refstie, and T. Gjedrem. 1976. A genetical analysis of egg, alevin, and fry mortality in salmon, [Salmo salar], sea trout, [Salmo trutta], and rainbow trout, [S. gairdneri]. Aquaculture 8(3):259-268.
- Kanno, Y., and I. Hamai. 1969. The relative growth of chum salmon fry, [Oncorhynchus keta] Walbaum. Bull. Fac. Fish. Hokkaido Univ. 20(2):75-81.
- Kanoh, Y. 1954. On the buoyancy of the egg of Alaska pollock, [Theragra chalcogramma]. Jap. J. Ichthyol. 3:238-246.
- Kanoh, Y. 1957. Notes on the mechanism of monospermic fertilization in fish eggs. J. Fac. Sci. Hokkaido Univ., Ser. 6, Zool. 13(1/4):394-398.
- Kanou, K., and H. Kohno. 2001. Early life history of a seahorse, [Hippocampus mohnikei], in Tokyo Bay, Japan. Ichthyol. Res. 48:361-368.
- Kao, C. Y., and R. Chambers. 1954. The internal hydrostatic pressure of the [Fundulus] egg. I. The activated egg. J. Exp. Zool. 31:139.
- Kao, C. Y., R. Chambers, and E. L. Chambers. 1954. Internal hydrostatic pressure of the [Fundulus] egg. II. Permanance of the chorion. J. Cell Comp. Physiol. 44:447-461.
- Kao, C. Y. 1955. Pressure-volume relationships in the [Fundulus] egg. Biol. Bull. (Woods Hole) 109(3):361.
- Kao, C. Y. 1955. Changing electrical constants of the [Fundulus] egg surface. Biol. Bull. (Woods Hole) 109(3):361.

- Kapoor, A. S. 1962. The development of the dermal bones related to latero-sensory canals of the head in the fishes, [*Ophicephalus punctatus*] Bloch (Ophicephalidae), and [*Wallago attu*] Bl. & Schn. (Siluridae). Proc. 49th Indian Sci. Congr. (Cuttack) Pt. 3:355.
- Kapur, K., K. Kamaldeep, and H. S. Toor. 1978. The effect of fenitrothion on reproduction of a teleost fish, [*Cyprinus carpio communis*] L.: A biochemical study. Bull. Env. Contam. Toxicol. 20(4): 438-442.
- Kapuscinski, A. R. D., and J. E. Lannan. 1983. On density of chum salmon, [*Oncorhynchus keta*], eggs in shallow matrix substrate incubators. Canadian Journal of Fisheries and Aquatic Sciences 40(2):185-191.
- Karamchandani, S. J., and M. P. Motwani. 1954. On the larval development of [*Pseudosciaena coitor*] (Ham.). Journal of Zoology Soc. India 6(1):71-79.
- Karamchandani, S. J., and M. P. Motwani. 1955. Early life-history bionomics and breeding of [*Rita*] [*rita*] (Hamilton). Journal of Zoology Soc. India 7(2):115-126.
- Karamchandani, S. J., and M. P. Motwani. 1956. On the larval development of four species of freshwater cat fishes from the River Ganga. Journal of Zoology Soc. India 8(1):19-34.
- Karamchandani, S. J. 1957. On the occurrence of associates of carp fry in the fry-collection nets and the destructive role played by predatory fish. Indian J. Fish. 4(1):47-61.
- Karamchandani, S. J., and V. R. Desai. 1966. On the early larval development of two freshwater catfishes from Narbada. Journal of Zoology Soc. India 16(1-2):21-37.
- Karamchandani, S. J., and M. D. Pisolkar. 1967. Occurrence and breeding of [*Catla catla*] in Tapti River. J. Bombay Nat. Hist. Soc. 64:375-377.
- Karamchandani, S. J., and D. K. Pandit. 1975. On the occurrence and breeding of [*Labeo rohita*] (Hamilton) in a section of Narbada River in Gujarat State. J. Bombay Nat. Hist. Soc. 72(1):215-217.
- Karamdikar, K., and V. C. Palekar. 1951. Studies on the ovaries of [*Polynemus tetradactylus*] Shaw in relation to its spawning. J. Univ. Bombay 19(3).
- Karasaki, S. 1967. Electron microscope study on the crystalline structure of the yolk platelets of the lamprey egg. J. Ultrastruct. Res. 18:377-379.
- Karjalainen, J., H. Helminen, A. Hirvonen, J. Sarvala and M. Viljanen. 1992. Identification of vendace ([*Coregonus albula*] (L.)) and whitefish ([*Coregonus lavaretus*]) larvae by the counts of myomeres. Arch. Hydrobiol. 125(2):167-173. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)
- Karjalainen, J., H. Huuskonen and H. Kinnunen. 1996. Changes in the metabolic rate of coregonids during early development. Pages 137-143 [in] L.A. Fuiman, editor. Marine and Freshwater Behaviour and Physiology 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Karlovac, J. 1955. Appearance of sardine larvae, [*Sardina pilchardus*] Walb., in the Adriatic during a cruise of the HVar 1948/49. Debats et Doc. Tech. FAO, Rome 3:407-416.
- Karlovac, J. 1961. Observations sur la nourriture du stade planctonique de [*Scomber scombrus*] L. en Adriatique. Rapp. \_P.-v. Reun. Cons. int. Explor. Sci. Mer Medit. 16(1):333-334.
- Karlovac, J. 1964. Reproduction of sardines in Adriatic in season 1956-1957. Acta Adriat. 10(8):2-40.

- Karlovac, J. 1967. Etude de l'ecologie de la sardine, [*Sardina*] [*pilchardus*] Walb., dans la phase planctonique de sa vie en Adriatique moyenne. *Acta Adriat.* 13(2):1-109.
- Karlovac, J. 1969. Distribution and density of sardine eggs ([*Sardina*] [*pilchardus*] Walb.) in the central Adriatic during the season 1965-1966. *Stud. Rev. Gen. Fish. Council. Meditt.* 38:15-24.
- Karlovac, J., and O. Karlovac. 1970. La population larvaire et adult de [*Gadiculus*] [*argenteus argenteus*] Guich, dans la haute Adriatique. In: *Journees d'etudes planctonologiques*. Monaco, CIESMM, pp. 151-154.
- Karlovac, J., and O. Karlovac. 1971. Contribution a la connaissance de l'ecologie de [*Trachurus trachurus*] (L.) au large de l'Adriatique. *Izv. Inst. Oceanogr. Ribarst. Split* 5(2A):24 pp.
- Karpenko, V. I. 1983. Influence of environmental factors on qualitative parameters of juvenile far eastern salmon of the genus [*Oncorhynchus*] (Salmonidae) in Kamchatkin waters of the Bering Sea. *J. Ichthyol.* 23(5):93-101.
- Karpenko, V. I., and S. G. Safronov. 1985. Juvenile pink salmon, [*Oncorhynchus gorbusha*], from the coastal waters of the Okhotsk Sea. *J. Ichthyol.* 25(4):154-156.
- Karrer, C. 1984. Descriptions of early stages of three species of Sparidae (Teleostei, Perciformes) from the northwest African upwelling area. *Arch. Fischereiwis* 35(1-2):53-90.
- Kasahara, S. 1957. Notes on the young of the black porgy, [*Mylio latus*] (Houtt.). *Jap. J. Ichthyol.* 6(1/2):20-25.
- Kasahara, S., R. Hirano, and Y. Oshhima. 1960. A study on the growth and rearing methods of the fry of black porgy, [*Mylio macrocephalus*] (Basil.). *Bull. Jap. Soc. Sci. Fish.* 26(3):239-244.
- Kasai, A. M. J. Kishi, and T. Sugimoto. 1992. Modeling the transport and survival of Japanese sardine larvae in an around the Kuroshio Current. *Fisheries Oceanography*. 1:1-10.
- Kasansky, W. J. 1928. Zur morphologie der brut von [*Lota lota*] L. *Zool. Anz. (Leipzig)*. 79:143-148.
- Kasatkina, S. V. 1971. Effect of strontium-90 + yttrium-90 on the development and functioning of the hatching glands in Atlantic salmon. *AEC Trans.* 7418 from Trudy Polyar Nauch Issled.:66-74.
- Kaschkaroff, D. N. 1916. La structure et le developpment de l'os d'[*Orthogoriscus mola*] Nov. *Zool. Russe* 1:110-138.
- Kashapova, L. A., and D. A. Sakharov. 1977. Double innervation of fast fibers of the trunk musculature of larval lamprey. *Dokl. Biol. Sci. Engl. transl. Dokl. Akad. Nauk SSSR Ser. Biol.* 231 (1-6):605-607.
- Kashiwagi, M., and R. Sato. 1969. Studies on the osmoregulation of the chum salmon, [*Oncorhynchus keta*] (Walb.). I. The tolerance of eyed period eggs, alevins and fry of the chum salmon to sea water. *Tohoku J. Agric. Res.* 20:41-47.
- Kashiwagi, M., N. Yamada, and T. Iwai. 1985. Effects of temperature and salinity on survival time of the newly hatched threeline grunt, [*Parapristipoma trilineatum*]. *Bull. Jap. Soc. Sci. Fish.* 51(7):1201-1202.
- Kashkina, A. A. 1962. The ichthyoplankton of the south-eastern part of the Barents Sea. *Tr. Murmansk. morsk. biol. in-ta*, No. 4(8).

- Kashkina, A. A. 1965. Winter ichthyoplankton of the Commander Islands Region. Tr. Vses. Nauchno-Issled Inst. Morsk. Rybn. Khoz. Okeanogr. 58:179-189.
- Kashkina, A. A. 1972. Summer ichthyoplankton of the Bering Sea. Pages 225-247 [in] P. A. Moiseev, editor. Soviet fisheries investigations in the north-eastern Pacific. Pt. 5. Moscow, 'Pishchevaya Promyshlennost', 1970. Israel Program for Scientific Translations, Jerusalem, 1972.
- Kashuba, S. A., and W. J. Matthews. 1984. Physical condition of larval shad during spring-summer in a southwestern reservoir. Transactions of the American Fisheries Society 113:199-204.
- Kastelein, P. 1983. Survival and growth of elvers, [*Anguilla anguilla*] L., reared on an expanded granulated diet. Aquaculture 30:155-172.
- Katavic, I. 1980. Influence of temperature on the development of the sea bass, [*Dicentrarchus labrax*] L., eggs and larvae. Nova Thalassia 4:113-125.
- Katavic, I. 1986. Diet involvement in mass mortality of sea bass, [*Dicentrarchus labrax*], larvae. Aquaculture 58(1/2):45-54.
- Kathirvel, M., and G. S. D. Selvaraj. 1980. Notes on the juveniles of the rock cod, [*Epinephelus*] [*tauvina*] (Forsskal). J. Mar. Biol. Assoc. India 22(1/2):173-174.
- Katayama, E. 1929. On the influence of temperature and specific gravity upon the development of the eggs of [*Pagrosomus*] [*major*]. J. Fish. Inst. Tokyo 24(5):117.
- Kato, A., and Y. Kurohiji. 1960. A midwater trawl for collecting juveniles. Rep. Nankai Reg. Fish. Res. Lab. 12:45-51.
- Katz, H. M. 1978. Circadian rhythms in juvenile American shad, [*Alosa*] [*sapidissima*]. J. Fish. Biol. 12(6):609-614.
- Katz, M., and W. C. Howard. 1954. The length and growth of 0-year class creek chubs in relation to domestic pollution. Transactions of the American Fisheries Society 84:228-238.
- Kaufman, L., J. Ebersole, J. Beets, J., and C. C. Mcivor. 1992. A key phase in the recruitment dynamics of coral reef fishes - post-settlement transition. Environmental Biology of Fishes 34:109-118.
- Kaufmann, R., and W. Wieser. 1992. Influence of temperature and ambient oxygen on the swimming energetics of cyprinid larvae and juveniles. Environmental Biology of Fishes 33:87-95.
- Kauffman, T. A., J. Lindsay, and R. Leithiser. 1981. Vertical distribution and food selection of larval atherinids. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:342-343.
- Kaupp, S. E., and J. R. Hunter. 1981. Photorepair in larval anchovy, [*Engraulis mordax*]. Photochem. Photobiol. 33:253-256.
- Kaur, K., and H. S. Toor. 1978. Effect of dissolved oxygen on the survival and hatching of eggs of scale carp. Progressive Fish-Culturist
- Kausch, H. 1975. Breeding habits of the major cultivated fishes of EIFAC Region and problems of sexual maturation in captivity. Pages 43-52 [in] Workshop on controlled reproduction of cultivated fishes. Europ. Int. Fish. Advis. Comm. Tech. Pap. No. 25. 180 pp.
- Kaushik, S. J., K. Dabrowski, and P. Luquet. 1982. Patterns of nitrogen excretion and oxygen consumption during ontogenesis of common carp, [*Cyprinus carpio*]. Canadian Journal of Fisheries and Aquatic Sciences 39(8):1095-1105.

- Kaushik, S. J., and K. Dabrowski. 1983. Nitrogen and energy utilization in juvenile carp, [*Cyprinus carpio*], fed casein, amino acids, or a protein-free diet. *Reprod. Nutrit. Devel.* 23:741-754.
- Kaushik, S. J., K. Dabrowski, and P. Luquet. 1985. Experimental studies on some trophic relationships in juvenile pike, [*Esox lucius*] L. *J. Fish. Biol.* 26(2):171-180.
- Kawaguchi, K., and R. Marumo. 1967. Biology of [*Gonostoma gracile*] (Gonostomatidae). I. Morphology, life history and sex reversal. Pages 253-269 [in] *Information Bull. on Planktology in Japan, Comm. Number of Dr. Y. Matsue.*
- Kawaguchi, K. 1969. Diurnal vertical migration of micronektonic fish in the Western North Pacific. *Bull. Pla. Soc. Jap.* 16:63-66.
- Kawaguchi, K., and J. Mauchline. 1982. Biology of myctophid fishes (family Myctophidae) in the Rockall Trough, Northeastern Atlantic Ocean. *Biol. Oceanogr.* 1:337-373.
- Kawaguchi, K., and H. G. Moser. 1984. Stomiatoidea: development. Pages 169-180 [in] H.G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.*
- Kawai, S., and S. Ikeda. 1973. Studies on digestive enzymes of fishes IV. Development of the digestive enzymes of carp and black sea bream after hatching. *Bull. Jap. Soc. Sci. Fish.* 39(8):877-881.
- Kawai, S., and S. Ikeda. 1973. Studies on digestive enzymes of fishes. III. Development of the digestive enzymes of rainbow trout after hatching and the effect of dietary change on the activities of digestive enzymes in the juvenile stage. *Bull. Jap. Soc. Sci. Fish.* 39:819-823.
- Kawai, T., and K. Ishibashi. 1979. A study of comparative biology on Japanese pisces to population analysis. III. A quantitative analysis on the larval mortality by cannibalism. *Bull. Tokai Reg. Fish. Res. Lab.* 100:79-90.
- Kawai, T., and K. Ishibashi. 1981. A study of comparative biology on Japanese pisces to population analysis. V. A quantitative analysis on larval mortality devoured by carnivorous plankton. *Bull. Tokai Reg. Fish. Res. Lab.* 104:55-66.
- Kawajiri, M. 1928. On the studies of the population-density of cultured fishes. I. On the influence of population-density of fishes upon the survival rate and the rate of growth. *J. Imp. Fish. Inst., Tokyo* 24(1):8-11.
- Kawamura, G., and S. Hara. 1980. On the visual feeding of a milkfish larva and juvenile in captivity. *Bull. Jap. Soc. Sci. Fish.* 46:1297-1300.
- Kawamura, G., and S. Hara. 1980. The optomotor reaction of milkfish larvae and juveniles. *Bull. Jap. Soc. Sci. Fish.* 46(8):929-932.
- Kawamura, G., Y. Mukai, and H. Ohta. 1983. Morphology of the eye and free neuromast of larval ayu and pale chub and its relationship to behavior in water flow. *Bull. Jap. Soc. Sci. Fish.* 49(10):1527-1532.
- Kawamura, G., Y. Mukai, and H. Ohta. 1984. Change in the visual threshold with development of rods in ayu, [*Plecoglossus altivelis*]. *Bull. Jap. Soc. Sci. Fish.* 50(12):2133-2134.
- Kawamura, G., R. Tsuda, and Hidemi Kumai. 1984. The visual cell morphology of [*Pagrus major*] and its adaptive changes with shift from pelagic to benthic habits. *Bull. Jap. Soc. Sci. Fish.* 50(12):1975-1980.

- Kawamura, G., and N. Washiyama. 1984. Age determination of wild-captured milkfish larvae as indicated by daily growth increments of otoliths. *Bull. Jap. Soc. Sci. Fish.* 50(1):171-176.
- Kawamura, G., and K. Ishida. 1985. Changes in the sense organ morphology and behavior with growth in the flounder [*Paralichthys olivaceus*]. *Bull. Jap. Soc. Sci. Fish.* 51:155-165.
- Kawamura, G., and M. Munekiyo. 1989. Development of the sense organs of ribbonfish [*Trichiurus lepturus*] larvae and juveniles. *Nippon Suisan Gakkaishi-Bulletin of the Japanese Society of Scientific Fisheries* 55:2075-2078.
- Kawamura, G., H. Mori, A. Kuwahara. 1989. Comparison of sense organ development in wild and reared flounder [*Paralichthys olivaceus*] larvae. *Nippon Suisan Gakkaishi-Bulletin of the Japanese Society of Scientific Fisheries* 55:2079-2083.
- Kawamura, H. 1980. Predation of chum salmon fry by common freshwater sculpins, [*Cottus pollux*] Gunther, in the Salmon Propagation River. *Sci. Rep. Hokkaido Fish Hatch.* 35:63-62.
- Kawana, T. 1952. Studies on the stock of Hokkaido herring. IV. Appearance of young herring along the coast of northeast Hondo correlated with the production of plentiful year-classes along the western coast of Hokkaido. *Bull. Tokai Reg. Fish. Res. Lab.* 3:22-23.
- Kawasaki, T. 1968. On the ecology of the young mackerel of the Pacific population. *Bull. Tokai Reg. Fish. Res. Lab.* (55):59-114.
- Kawasaki, T. 1980. Fundamental relations among the sections of life history in the marine teleosts. *Bull. Jap. Soc. Sci. Fish.* 46(3):289-294.
- Kawasaki, T., and M. Omori. 1995. Possible mechanisms underlying fluctuations in the Far Eastern sardine population inferred from time series of two biological traits. *Fisheries Oceanography* 4:238-242.
- Kawase, H., N. Mochioka, and A. Nakazono. 1993. Otolith increment formation and planktonic larval duration of a temperate damselfish, [*Chromis notatus notatus*]. *Japanese Journal of Ichthyology* 40(3):377-380.
- Kaya, C. M., A. E. Dizon, S. D. Hendrix, T. K. Kazama, and M. K. K. Queenth. 1982. Rapid and spontaneous maturation, ovulation, and spawning of ova by newly captured skipjack tuna, [*Katsuwonus pelamis*]. *Fish. Bull. U.S.* 80:393-396.
- Kayev, A. M. 1979. Some features of the growth of young autumn chum salmon, [*Oncorhynchus keta*], in the coastal area of Iturup Island. *J. Ichthyol.* 19(5):73-79.
- Kazakov, R. V. 1971. Experimental verification of the effect of the temperature regime of egg incubation on the condition of embryos and larvae of the Neva River population of Atlantic salmon ([*Salmo salar*] L.). *J. Ichthyol.* 11(1):123-128.
- Kazakov, R. V. 1981. The effect of the size of Atlantic salmon, [*Salmo*] [*salar*] L., eggs on embryos and alevins. *J. Fish. Biol.* 9:353-360.
- Kazakov, R. V., and V. V. Kozlov. 1985. Quantitative estimation of degree of silvering displayed by Atlantic salmon ([*Salmo salar*] L.) juveniles originating from natural populations and from fish-rearing farms. *Aquaculture* 44(3):213-220.
- Kazanova, I. I., and N. A. Khaldinova. 1940. A report on the grounds and conditions of spawning of clupeids in the Volga Delta as shown by distribution of eggs and larvae. *Trudy vses. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr.* 14:1-2; English summary, 77-108, ill.

- Kazanova, I. I. 1949. Spawning, eggs and larvae of fishes from the southeastern parts of Barents Sea. Tr. VNIRO 17.
- Kazanova, I. I. 1953. Keys to the fish eggs and larvae of the Baltic Sea and its Bays. Tr. vses. Nauchno-Issled. inst. Morsk. Rybn. Khoz. Okeanogr. 26.
- Kazanova, I. I. 1959. Data on the reproduction and development of some fish species inhabiting the southern Sakhalin and southern Kurile regions. Issled. dal'Nevost Morey SSSR VI:132-140.
- Kazanova, I. I., and T. A. Pertseva-Ostroumov 1960. Studies of the reproduction and development of fish in the northern seas. In: Sovetskiye rybokhozyaystevenn issledovaniya v moryakh Yevropeyskogo Severa. All-Union Res. Inst. Sea Fish. and Oceanogr. and Polar Res. Inst. for Sea Fish. and Oceanogr.
- Kazansky, V. I. 1915. Materialy po razvitiyu i sistematike lichinok karpovykh ryb. Materials on the development and systematics of larval cyprinids. Trudy Ikhtiol. Lab., Astrakhan 3(7):1-23.
- Kazansky, V. I. 1925. Etyudy po morfologii i biologii lichinok ryb nizhnei Volgi. Studies in the morphology and biology of fish larvae of the lower Volga. Trudy Ikhtiol. Lab., Astrakhan 5(3):1-109.
- Kazansky, V. I. 1928. K morfologii i sistematike lichinochnykh stadii karpovykh ryb tipa vobly ([*Rutilus rutilus casp icus*] Jak.). On the morphology and systematics of the larval cyprinids of the Vobla ([*Rutilus rutilus*] [*caspicus*] Jak.). Trudy Ikhtiol. Lab, Astrakhan 6(3):1-18.
- Kazonova, I. I. 1962. Tuna larvae from the tropical waters of the Atlantic Ocean. Vop. Ikht. 24:452-461. In Russian. Engl. transl. U.S. Dept. Commer., Off. Int. Fish., Wash., D. C.
- Kean-Howie, J. C., S. Pearre, Jr., and L.M. Dickie. 1988. Experimental predation by sticklebacks on larval mackerel and protection of fish larvae by zooplankton alternative prey. J. Exp. Mar. Biol. Ecol., 1988, vol. 124, pp. 239-259.
- Keast, A. 1978. Feeding interrelations between age-groups of pumpkinseed ([*Lepomis gibbosus*]) and comparisons with bluegill ([*L. macrochirus*]). Journal of the Fisheries Research Board of Canada 35:12-27.
- Keast, A. 1980. Food and feeding relationships of young fish in the first weeks after the beginning of exogenous feeding in Lake Opinicon, Ontario. Environmental Biology of Fishes 5:305-314.
- Keast, A. 1985. Development of dietary specializations in a summer community of juvenile fishes. Environmental Biology of Fishes 13(3):211-224.
- Keats, D. W., D. H. Steele and G. R. South. 1987. The role of fleshy macroalgae in the ecology of juvenile cod ([*Gadus morhua*] L.) in inshore waters off eastern Newfoundland. Can J. Zool. 65:49-53.
- Keats, D.W. 1990. A nocturnal inshore movement of juvenile cod [*Gadus morhua*] L. in eastern Newfoundland. J.Expt. Mar. Biol. Ecol. 139:167-173.
- Keats, D. W., and D. H. Steele. 1992. Diurnal feeding of juvenile cod ([*Gadus morhua*]) which migrated into shallow water at night in eastern Newfoundland. J. Northw. Atl. Fish. Sci. 13:7-14.
- Keckeis, H., and F. Schiemer. 1992. Food consumption and growth of larvae and juveniles of 3 cyprinid species at different food levels. Environmental Biology of Fishes 33:33-45.

- Keckeis, H., and F. Schiemer. 1990. Consumption, growth and respiration of bleak, [*Alburnus alburnus*] (L), during early ontogeny. *Journal of Fish Biology* 36:841-851.
- Kedl, R. J., and C. C. Coutant. 1975. Survival of juvenile fishes receiving thermal and mechanical stresses in a simulated power plant condenser. Pages 394-400 [in] G. W. Esch and R. McFarlane, editors. *Thermal Ecology. II. ERDA Symposium Series 40 (CONF-750425)*, Nat. Tech. Inform. Serv., Springfield, Va., 404 pp.
- Keen, W. H. 1982. Behavioral interactions and body size differences in competition for food among juvenile brown bullhead, [*Ictalurus nebulosus*]. *Canadian Journal of Fisheries and Aquatic Sciences* 39(2):316-320.
- Keene, M. J., and K. A. Tighe. 1984. Beryciformes: development and relationships. Pages 383-392 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.*
- Keenleyside, M. H. A., and F. T. Yamamoto. 1962. Territorial behavior of juvenile Atlantic salmon, [*Salmo salar*] L. *Behavior* 19:139-169.
- Keevin, T. M., G. Phillips, J. E. Thomerson, and D. C. Taphorn. 1980. Egg chorion ornamentation and taxonomy of the annual killifishes, [*Austrofundulus*], [*Rachovia*], and [*Terranatos*]. *Am. Soc. Ichthyol. Herp.*, 60th Ann. Mtg., Fort Worth, TX.
- Keiichiro, M., S. Ueyanagi, and Y. Nishikawa. 1971. The development of artificially fertilized and reared larvae of the yellowfin tuna, [*Thunnus albacares*]. *Enyo Suisan Kenkyujo* 5:219.
- Keith, R. M., T. C. Bjornn, W. R. Meehan, N. J. Hetrich, and M. A. Brusven. 1998. Response of juvenile salmonids to riparian and instream cover modifications in small streams flowing through second-growth forests of southeast Alaska. *Transactions of the American Fisheries Society* 127(6): 889-907.
- Keller, R. 1983. Contributions to the early life history of [*Pleuragramma antarcticum*] Boul. 1902 (Pisces, Nototheniidae) in the Weddell Sea. *Meeresforsch.* 30:10-24.
- Kellermann, A., and K. H. Kock. 1984. Postlarval and juvenile notothenioids (Pisces, Perciformes) in the southern Scotia Sea and northern Weddell Sea during FIBEX 1981. *Meeresforsch* 30:82-93.
- Kellermann, A., and W. Slosarczyk. 1984. Distribution of postlarval and juvenile Notothenioidae in the Atlantic Sector of the Southern Ocean during FIBEX 1981. *Biomass Rep. Ser.* 36:27 pp.
- Kellermann, A. 1986. Geographical distribution and abundance of postlarval and juvenile [*Pleuragramma antarcticum*] (Pisces, Notothenioidae) off the Antarctic Peninsula. *Polar Biol.* 6:111-119.
- Kellermann, A. 1986. On the biology of early life stages of notothenioid fishes (Pisces) off the Antarctic Peninsula. *Ber. Polarforsch.* 31:149 pp.
- Kellermann, A. 1986. Trophic relationships between early stages of icefish (Notothenioidae; Channichthyidae), and euphausiids and ichthyoplankton during FIBEX 1981. *ICES CM* 1986/L:6.
- Kelley, A. 1946. Effect of abnormal carbon dioxide on the development of herring eggs. *Journal of the Fisheries Research Board of Canada* 6:435.
- Kelley, J. W. 1962. Sexual maturity and fecundity of the largemouth bass, [*Micropterus salmoides*] (Lacepede), in Maine. *Transactions of the American Fisheries Society* 91(1):23-28.



- Kelley, J. W. 1968. Effects of incubation temperatures on survival of largemouth bass eggs. *Progressive Fish-Culturist* 30(3):159-163.
- Kelley, S., T. Potthoff, W. J. Richards, and L. Ejsymont. 1985. *Seamap 1983. Ichthyoplankton*. NOAA Tech. Mem. NMFS SEFC 167.
- Kellicatt, W. E. 1916. The effects of low temperature upon the development of [Fundulus]. A contribution to the theory of teratogeny. *Am. J. Anat.* 20(3):449-482.
- Kellner, K. R. 1973. Development and survival of the chromosomal genotypes: studies of embryonic killifish ([Oryzias] [latipes]) under normal conditions and under environmental stress. Ph.D Diss., State Univ. New York, Downtown Med. Ctr. 151 pp.
- Kellner, K. R., and J. B. Hamilton. 1973. Apparatus for development of aquatic embryos in controlled environments under continuous observations. *Copeia* (4):809-810.
- Kellogg, R. L. 1982. Temperature requirements for the survival and early development of the anadromous alewife. *Progressive Fish-Culturist* 44:63-73.
- Kelly, G. F., and A. M. Barker. 1961. Vertical distribution of young redfish in the Gulf of Maine. *Rapp. P.-v. Reun. Cons. Perm. Int. Explor. Mer* 150:220-233.
- Kelso, J. R. M., and G. S. Milburn. 1979. Entrainment and impingement of fish by power plants in the Great Lakes which use the once-through cooling process. *J. Great Lakes Res.* 5:182-194.
- Kelso, J. R. M., and J. K. Leslie. 1979. Entrainment of larval fish by the Douglas Point Generating Station, Lake Huron, in relation to seasonal succession and distribution. *Journal of the Fisheries Research Board of Canada* 36:37-41.
- Kemp, A. 1979. The histology of tooth formation in the Australian lungfish, [Neoceratodus forsteri] Krefft. *Zool. J. Linn. Soc.* 66(3):251-288.
- Kemp, A. 1981. Rearing of embryos to larvae of the Australian lumpfish under laboratory conditions. *Copeia* 1981(4):776.
- Kempinger, J. J. 1988. Spawning and early life history of lake sturgeon in the Lake Winnebago system, Wisconsin. *American Fisheries Society Symposium* 5:110-122.
- Kendall, A. W., Jr. 1966. Sampling juvenile fishes on some sandy beaches of Puget Sound, Washington. M.S. Thesis, Univ. Washington, Seattle. 77 pp.
- Kendall, A. W., Jr. 1972. Description of black sea bass, [Centropristis] [striata] (Linnaeus), larvae and their occurrences north of Cape Lookout, North Carolina, in 1966. *Fish. Bull. NOAA (U.S.)* 70(4):1243-1260.
- Kendall, A. W., Jr. 1973. Range and distribution of tautog, p. 256. In: Pacheco, A. L. (ed.), *Proceedings of a workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries*. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.
- Kendall, A. W., Jr. 1973. Range and distribution of cunner, p. 256. In: Pacheco, A. L. (ed.), *Proceedings of a workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries*. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.
- Kendall, A. W., Jr. 1973. Range and distribution of scup, p.258. In: Pacheco, A. L. (ed.), *Proceedings of a workshop on egg, larvae and juvenile stages of fish in Atlantic Coast estuaries*. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.

- Kendall, A. W., Jr. 1973. Range and distribution of pinfish, p. 260. In: Pacheco, A. L. (ed.), Proceedings of a workshop on egg, larvae and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.
- Kendall, A. W., Jr. 1973. Range and distribution of butterfish, p. 261. In: Pacheco A. L. (ed.), Proceedings of a workshop on egg, larvae and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.
- Kendall, A. W., Jr. 1973. Range and distribution of sheepshead, pp. 259. In: Pacheco, A. L. (ed.) Proceedings of a workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish. Cent., Highlands, N.J., 338 pp.
- Kendall, A. W., Jr. 1975. Patterns of larval fish distributions in the Middle Atlantic Bight. Effects of Energy Related Activities on the Atlantic Continental Shelf Conf., Brookhaven, Nat. Lab., Upton, N.Y., Nov. 10-12, 1975:126-145.
- Kendall, A. W., Jr., and J. W. Reintjes. 1975. Geographic and hydrographic distribution of Atlantic menhaden eggs and larvae along the middle Atlantic coast from R/V Dolphin cruises, 1965-1966. U.S. NMFS Fish. Bull. 73:317-335.
- Kendall, A. W., Jr. 1977. Relationships among American serranid fishes based on the morphology of their larvae. Ph.D. Diss., Univ. Calif., San Diego, 224 pp.
- Kendall, A. W., Jr. 1977. Biological and fisheries data on black sea bass, [*Centropristis striata*] (L.). Sandy Hook Lab., NMFS Northeast Fish. Ctr. Tech. Ser. Rep. No. 7. 29 pp.
- Kendall, A. W., Jr. 1979. Morphological comparisons of North American sea bass larvae (Pisces: Serranidae). NOAA Tech. Rep. NMFS Circ. 428, 50 pp.
- Kendall, A. W., Jr., and D. Gordon. 1979. Growth rate of Atlantic mackerel, [*Scomber scombrus*], larvae in the middle Atlantic Bight: a preliminary look. Early Life History Fish Symp., Woods Hole Lab., ICES/ELH Symp.
- Kendall, A. W., Jr., and L. A. Walford. 1979. Sources and distribution of bluefish, [*Pomatomus*] [*saltatrix*], larvae and juveniles of the east coast of the United States. U.S. NMFS Fish. Bull. 77:213-238.
- Kendall, A. W., Jr., and M. P. Fahay. 1979. Larva of the serranid fish, [*Gonioplectrus hispanus*], with comments on its relationships. Bull. Mar. Sci. 29(1):117-120.
- Kendall, A. W., Jr., et al. 1980. Taxonomic composition, seasonal distribution, and abundance of ichthyoplankton in the nearshore zone of the Kodiak Archipelago, Alaska. NOAA, NMFS NWAFC Proc. Rep. 80-14. 62 pp.
- Kendall, A. W., Jr., et al. 1980. Zooplankton, including ichthyoplankton and decapod larvae of the Kodiak shelf. U.S. NMFS, NW and Alaska Fish. Center Proc. Rep. 80-8:393 pp.
- Kendall, A. W., Jr., and N. A. Naplin. 1981. Diel depth distribution of summer ichthyoplankton in the middle Atlantic Bight. U.S. NMFS Fish. Bull. 79:705-726.
- Kendall, A. W., Jr., and D. Gordon. 1981. Growth rate of Atlantic mackerel ([*Scomber scombrus*]) larvae in the Middle Atlantic Bight. Rap. P.-v. Reun. Cons. int. Explor. Mer 178:337-341.
- Kendall, A. W., Jr. 1981. Early life history of eastern North Pacific fishes in relation to fisheries investigations. Univ. Wash. Sea Grant Tech. Rep. 81-3:7 pp.
- Kendall, A. W., Jr. 1982. Elucidating relationships among fishes using larval characters. Mimeo.

- Kendall, A. W., Jr., and J. B. Clark. 1982. Ichthyoplankton off Washington, Oregon, and northern California April-May 1980. NOAA, NMFS NWAFC Proc. Rep. 82-11. 44 pp.
- Kendall, A. W., Jr., and J. B. Clark. 1982. Ichthyoplankton off Washington, Oregon, and northern California August 1980. NOAA, NMFS NWAFC Proc. Rep. 82-12. 43 pp.
- Kendall, A. W., Jr., and J. R. Dunn. 1983. Ichthyoplankton of the continental shelf near Kodiak Island, Alaska. NOAA Tech. Rep. NMFS. 20, 89 pp.
- Kendall, A. W., Jr., C. D. Jennings, T. M. Beasley, R. Carpenter, and B. L. J. Somayajulu. 1983. Discovery of a fish (Zoarcid) egg cluster buried 10-12 cm deep in Washington continental slope sediments. Mar. Biol. 74:193-200.
- Kendall, A. W., Jr., and R. J. Behnke. 1984. Salmonidae: development and relationships, pp. 142-149. In: Moser, H. G. et al. (eds.), Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Kendall, A. W., Jr., and J. B. Marliave. (eds). 1984. Descriptions of early life history stages of selected fishes: from the 3rd Intl. Symp. on early life history of fishes and 8th annual larval fish conference. Can. Tech. Rep. Fish. Aquat. Sci. No. 1359. 82 pp.
- Kendall, A. W., Jr., and J. B. Marliave. (eds). 1984. Descriptions of early life history stages of selected fishes: from the 3rd Intl. Symp. on early life history of fishes and 8th annual larval fish conference. Can. Tech. Rep. Fish. Aquat. Sci. No. 1359. 82 pp.
- Kendall, A. W., Jr., E. H. Ahlstrom, and H. G. Moser. 1984. Early life history stages of fishes and their characters, pp. 11-22. In: Moser, H. G. et al. (eds.), Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Kendall, A. W., Jr. 1984. Serranidae: development and relationships. Pages 499-509 in H. G. Moser et al., editors. Ontogeny and systematics of fishes. Spec. Publ.
- Kendall, A. W., Jr., and B. Vinter. 1984. Development of hexagrammids (Pisces: Scorpaeniformes) in the Northeastern Pacific Ocean. NOAA Tech. Rep., NMFS 2.
- Kendall, A. W., Jr. 1985. Actual and potential uses of early life history studies of Alaskan gadids, p. A37. In: A workshop on comparative biology, assessment and management of gadoids from the North Pacific and Atlantic Oceans. NOAA, NMFS NWAFC.
- Kendall, A. W., Jr., M. E. Clarke, M. M. Yoklavich, and G. W. Boehlert. 1987. Distribution, feeding and growth of larval walleye pollock, [*Theragra chalcogramma*], from Shelikof Strait, Gulf of Alaska. Fish. Bull. U.S. 85(3) 499-521.
- Kendall, A. W., Jr., and A.C. Matarese. 1987. Biology of eggs, larvae, and epipelagic juveniles of sablefish, *Anoplopoma fimbria*, in relation to their potential use in management. Mar. Fish. Rev. 49 (1):1-13.
- Kendall, A. W., and S. J. Picquelle. 1990. Egg and larval distributions of walleye pollock [*Theragra chalcogramma*] in Shelikof Strait, Gulf of Alaska. Fishery Bulletin 88:133-154.
- Kendall, A. W. 1991. Systematics and identification of larvae and juveniles of the genus [*Sebastes*]. Environmental Biology of Fishes 30:173-190.
- Kendall, A.W., Jr., and T. Nakatani. 1992. Comparisons of early-life history characteristics of walleye pollock [*Theragra chalcogramma*] in Shelikof Strait, Gulf of Alaska, and Funka Bay, Hokkaido, Japan. Fish. Bull., U.S. 90:129-138.

- Kendall, A. W., L. S. Incze, P. B. Ortner, S. R. Cummings, and P. K. Brown. 1994. The vertical distribution of eggs and larvae of walleye pollock, [*Theragra chalcogramma*], in Shelikof Strait, Gulf-of-Alaska. *Fishery Bulletin* 92:540-554.
- Kendall, A. W., and A. C. Matarese. 1994. Status of early life history descriptions of marine teleosts. *Fishery Bulletin* 92:725-736.
- Kendall, W. C., and E. L. Goldsborough. 1908. The fishes of the Connecticut lakes and neighboring waters with notes on the plankton environment. U.S. Bur. Fish. Doc. No. 633. 77 pp.
- Kendall, W. C. 1917. An unusual catch of the young of Maine whitefish (*[Coregonus labradorius]*). *Copeia* 44:45.
- Kendall, W. C. 1921. Fresh water crustacea as food for young fishes. *Transactions of the American Fisheries Society* 51:70-75.
- Kennedy, D., J. Harber, and J. Littlejohn. 1982. Effects of navigation and operation/maintenance of the upper Mississippi River system nine-foot channel on larval and juvenile fishes. *Upper Mississippi River Basin Comm.*, Minneapolis, MN.
- Kennedy, E. R. 1965. Description of some early stages of the glassy darter, [*Etheostoma vitreum*] (Cope). *Univ. MD. Nat. Resourc. Inst. Ches. Biol. Lab. Ref.* 65-90. 7 pp.
- Kennedy, E. R. 1966. Some additional descriptions of the embryological development of the glassy darter, [*Etheostoma*] [*vitreum*] (Cope). *Univ. MD Nat. Resourc. Inst., Ches. Biol. Lab. Ref. No.* 66-77. 6 pp.
- Kennedy, G. J. A., and C. D. Strange. 1986. The effects of intra- and inter-specific competition on the survival and growth of stocked juvenile Atlantic salmon, [*Salmo salar*] L., and resident trout, [*S. trutta*] L., in an upland stream. *J. Fish. Biol.* 28(4):479-490.
- Kennedy, J. L., and P. A. Kucera. 1978. The reproductive ecology of the Tahoe sucker (*[Catostomus tahoensis]*), in Pyramid Lake, Nevada. *Great Basin Nat.* 38:181-186.
- Kennedy, M., and P. Fitzmaurice. 1968. The early life of brown trout (*[Salmo trutta]* L.). *Irish Fish. Invest. Ser. A (Freshwater)* 4:5-31.
- Kennedy, M., and P. Fitzmaurice. 1968. Occurrence of eggs of bass, [*Dicentrarchus*], on the Southern coasts of Ireland. *J. Mar. Biol. Assoc. U.K.* 48:585-592.
- Kennedy, M. 1969. Spawning and early development of the dace, [*Leuciscus leuciscus*] (L.). *J. Fish Biol.* 1:249-259.
- Kennedy, M. 1969. Irish pike investigations. 1. Spawning and early life history. *Irish Fish. Invest. (Ser. A) No.* 54. 33 pp.
- Kennedy, M., and P. Fitzmaurice. 1969. Pelagic eggs and young stages of fishes taken on the south coast of Ireland in 1967. *Irish Fish. Invest.* B(5):5-36.
- Kennedy, M., and P. Fitzmaurice. 1970. The biology of the tench, [*Tinca tinca*] (L.), in Irish waters. *Proc. Roy. Irish Acad. Ser. B* 69:31-82.
- Kennedy, M., and T. Champ. 1971. Occurrence of eggs of [*Echiodon drummondii*] Thompson on the coast of County Kerry. *Irish Fish. Invest. (B)* 7:55-57.
- Kennedy, M., and P. Fitzmaurice. 1972. Some aspects of the biology of gudgeon, [*Gobio gobio*] (L.), in Irish waters. *J. Fish Biol.* 4:425-440.
- Kennedy, M., P. Fitzmaurice, and T. Champ. 1973. Pelagic eggs of fishes taken on the Irish Coast. *Ir. Fish. Invest. (B Mar.)* 8:1-23.

- Kennedy, S. E. 1977. Life history of the Leon Springs pupfish, [Cyprinodon] [bovinus]. *Copeia* 1977(1):93-103.
- Kennedy, T.B., and G.L. Vinyard. 1997. Drift ecology of western Catostomid larvae with emphasis on Warner suckers ([*Catostomus warnerensis*]). *Env. Biol. Fishes* 49:187-195.
- Kennedy, V. S. 1964. Aspects of the biology of the winter flounder, [*Pseudopleuronectes americanus*] (Walbaum), in the Long Pond, Conception Bay, Newfoundland. M.S. Thesis, Memorial Univ. of Newfoundland, St. John's, 113 pp.
- Kennedy, V. S., and P. M. Powles. 1964. Plankton collections from the western Gulf of St. Lawrence and central Nova Scotia Banks, 1958-1962. *Fish. Res. Bd. Can. Manuscript Rep. Biol.* 799:1-10.
- Kennedy, V. S., and J. A. Mihursky. 1967. Bibliography on the effects of temperature in the aquatic environment. *Univ. Md. Nat. Resour. Inst. Contrib. No.* 326, 89 pp.
- Kennedy, W. A. 1953. Growth, maturity, fecundity and mortality in the relatively unexploited whitefish, [*Coregonus*] [*clupeaformis*], of Great Slave Lake. *Journal of the Fisheries Research Board of Canada* 10(7):413-441.
- Kennedy, W. A. 1969. Sablefish culture. A preliminary report. *Fish. Res. Bd. Can. Tech. Rep.* 107. 20 pp.
- Kennedy, W. A. 1970. Sablefish culture - progress in 1969. *Fish. Res. Bd. Can. Tech. Rep.* 189. 17 pp.
- Kentouri, K. 1980. Rearing of sea bass, [*Dicentrarchus labrax*] L., larvae on frozen zooplankton. Preliminary results. *Aquaculture* 21(2):171-180.
- Kentouri, K. 1981. Preliminary data on the ability of post-larvae of eleven marine species of fish and crustacea to adapt to a lifeless food (frozen zooplankton). *Aquaculture* 23(1/4):73-82.
- Kentouri, M., P. Divanach, and J. Paris. 1981. Preferences alimentaires et comportement de la larve de durade, [*Sparus auratus*], face a du zooplancton congelé. *Ann. Zootech.* 30:391-410.
- Kerby, J. H., J. D. Bayless, and R. M. Harrell. 1985. Growth, survival and harvest of striped bass produced with cryopreserved spermatozoa. *Transactions of the American Fisheries Society* 114:761-765.
- Kernehan, R. J. 1973. Ichthyoplankton. II. In: A study of the fishes in the vicinity of eight sites on the Dalmarva Peninsula, April 1972 through April 1973. *Ichthyol. Assoc.*, 176 pp.
- Kernehan, R. J. 1974. Ichthyoplankton. II. In: An ecological study of the Chesapeake and Delaware Canal in the vicinity of the proposed Summit Power Station site. *Ichthyoplankton Assoc., Ann. Interpretive Report*, January through December 1973 (revised), 303 pp.
- Kernehan, R. J. 1974. Early life history and seasonal horizontal and vertical distribution patterns of ichthyoplankton collected in the Chesapeake and Delaware Canal in 1973. M.S. Thesis, Univ. Mass., Amherst, 366 pp.
- Kernehan, R. J. 1976. A bibliography of early life stages of fishes. *Bull. Ichthyol. Assoc., Inc.*, 14:190 pp.
- Kernehan, R. J., B. E. Beitz, and S. L. Tyler. 1975. Ichthyoplankton. II. In: Ecological studies in the vicinity of the proposed Summit Power Station, January through December 1974. *Ichthyol. Assoc., Inc., pt. 3*, 618 pp.

- Kernehan, R. J., M. R. Headrick, and R. E. Smith. 1981. Early life history of striped bass in the Chesapeake and Delaware Canal and vicinity. *Transactions of the American Fisheries Society* 110:137-150.
- Kernehan, R. J., R. E. Smith, S. L. Tyler, and M. L. Brewster. 1976. Ichthyoplankton. II. In: *Ecological studies in the vicinity of the Summit Power Station, January through December 1975*. Ichthyol. Assoc., Inc., Ithaca, N.Y.
- Kerr, J. E. 1976. Studies on fish preservation at the Contra Costa steam plant of the Pacific Gas and Electric Co. California Dept. Fish Game Fish Bull. 92. 66 pp.
- Kerr, J. G. 1900. The external features in the development of [*Lepidosiren paradoxa*]. *Phil. Trans. R. Soc., Ser. B.*, 192:299-300.
- Kerr, J. G. 1910. On certain features in the development of the ailimentary canal in [*Lepidosiren*] and [*Protopterus*]. *Q. J. Microsc. Sci.* 54:489-518.
- Kerr, S. R. 1971. Analysis of laboratory experiments on growth efficiency of fishes. *Journal of the Fisheries Research Board of Canada* 28(6):801-808.
- Kerrigan, B. 1998. Is maternal condition important in determining larval survival? Pages 170-180 [in] G. P. Jones, P. J. Doherty, B. D. Mapstone, and L. Howlett, editors. *ReeFish '95: Recruitment and Population Dynamics of Coral Reef Fishes*. CRC Reef Research Centre, Townsville, Australia..
- Kerrigan, B. A. 1996. Temporal patterns in size and condition at settlement in two tropical reef fishes (Pomacentridae: *Pomacentrus amboinensis* and *P-nagasakiensis*). *Marine Ecology - Progress Series* 135:27-41.
- Kerrigan, B. A. 1997. Variability in larval development of the tropical reef fish [*Pomacentrus amboinensis*] (Pomacentridae): The parental legacy. *Marine Biology* 127:395-402.
- Kersh, G. M., Jr. 1970. Growth and distribution of larval and early juvenile gizzard shad and threadfin shad in Beaver and Bull Shoals Reservoirs. M.S. Thesis, Univ. of Arkansas, Fayetteville, AR.
- Kessel, R. G. 1960. The role of cell division in gastrulation of [*Fundulus heteroclitus*]. *Exp. Cell Res.* 20:277-282.
- Ketchen, K. S. 1947. Studies on lemon sole development and egg production. *Prog. Rep. Pacif. Cst. Stns.* 73:68-70.
- Ketchen, K. S. 1956. Factors influencing the survival of the lemon sole, [*Parophrys vetulus*], in Hecate Strait, British Columbia. *Journal of the Fisheries Research Board of Canada* 13(5):647-693.
- Ketchen, K. S. 1972. Size at maturity, fecundity, and embryonic growth of the spiny dogfish ([*Squalus acanthias*]) in British Columbia waters. *Journal of the Fisheries Research Board of Canada* 29(12):1717-1723.
- Ketchum, B. H. 1954. Relation between circulation and planktonic populations in estuaries. *Ecology* 35:191-200.
- Khackka, R. B., and T. R. Rao. 1986. Prey size selection by common carp, [*Cyprinus carpio*] var. [*communis*], larvae in relation to age and prey density. *Aquaculture* 54(1/2):89-96.
- Khaldinova, N. A. 1936. Materials on the reproduction and development of the White Sea navaga, [*Eleginus navaga*]. *Zool. Zh.* 15:No. 2.

- Khaldinova, N. A. 1936. Study of spawning, eggs, and larvae of [*Eleginus*] [(*Gadus*) *navaga*] Pall. Zool. Zh. 15:321-339.
- Khan, H., and M. L. Bhatia. 1923. Observations on the early stages in the life history of [*Ophicephalus marulius*]. Proc. 10th Indian Sci. Congr. (Lucknow):162.
- Khan, H. 1924. Early stages in the development of Cyprinidae and Siluridae (Pisces). Proc. 11th Indian Sci. Congr. (Bangalore) Pt. 3:119-120.
- Khan, H. 1926. Early stages in the development of some fresh-water fishes in the Punjab. J. Bombay Nat. Hist. Soc. 30:532-540.
- Khan, H. 1929. Early stages in the development of the goldfish, [*Carassius auratus*]. J. Bombay Nat. Hist. Soc. 33:614-617.
- Khan, H. 1943. On the breeding habits and development of an Indian carp, [*Cirrhina mrigala*] (Ham.). Proc. Indian Acad. Sci. 18B(1):1-13.
- Khan, H., and A. Husain. 1947. A note on the destruction of the carp fry by larvae of aquatic insects. Proc. 34th Indian Sci. Congr. (Delhi) Pt. 3:184.
- Khan, H. A., and V. G. Jhingran. 1975. Synopsis of biological data on Rohu, [*Labeo rohita*]. FAO Fish. Synop. 111:1-100.
- Khan, J. A., and G. Hempel. 1974. Relationship of fish larvae and zooplankton biomass in the Gulf of Aden. Mar. Biol. 28:311-316.
- Khan, J. A. 1976. Distribution and abundance of fish larvae off the coast of West Pakistan. Mar. Biol. 37(4):305-324.
- Khan, M. H. 1924. Observations on the breeding habits of some freshwater fishes in the Punjab. J. Bombay Nat. Hist. Soc. 29(4):958-962.
- Khan, N. Y. 1971. Comparative morphology and ecology of the pelagic larvae of nine Cottidae (Pisces) of the northwest Atlantic and St. Lawrence drainage. Ph.D Diss., Univ. Ottawa. 234 pp.
- Khan, N. Y., and D. J. Faber. 1973. A comparison of the larvae of the deepwater and fourhorn sculpin. [*Myoxocephalus quadricornis*] L. from North America. I. Morphological development. Pages 703-712 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, Germany.
- Khorevin, L. D., V. A. Rudnev, and A. P. Shershnev. 1981. Predation on juvenile pink salmon by predatory fishes during the period of their southward migration on Sakhalin Island. J. Ichthyol. 21(6):47-53.
- Khoroshko, P. N. 1968. Effectiveness of sturgeon reproduction with the growth of the Volga contamination. *Gidrobiol. Zh.* 4(2):69-72.
- Khrapkova, N. V. 1961. Concentrations of food fishes and ichthyoplankton in the Kamchatka Bay. Tr. Inst. Okeanol. 43:295-308.
- Khrapkova, N. V. 1961. Concentrations of food fishes and ichthyoplankton in the Korfo-Karaginsky region. Tr. Inst. Okeanol. 43:285-294.
- Khrapkova, N. V. 1961. Investigations on the spawning of anchovy and sardine along the Soviet coast of the Japan Sea. Tr. Inst. Okeanol. 43:309-319.
- Khrapkova, N. V. 1961. Spawning assemblages of food fishes in the Kronotsk Gul f. Trudy Inst. Okeanol. Akad. SSSR. 36:123-142.

- Khrapkova-Kovalevs N. V. 1963. Data on reproduction, development and distribution of larval and young fish of [*Oxyporhamphus micropterus*] Val. (Pisces: Oxyporhamphidae). Tr. Inst. Okeanol. 62:49-61.
- Khromov, N. S. 1969. Distribution of plankton in the Gulf of Mexico and some aspects of its seasonal dynamics. Pages 36-56 [in] A. S. Bogdanov, editor. Soviet-Cuban fishery research. Trans. from Russian by Israel Program for Sci. Transl.
- Khryshanovski, S. G. 1956. Development of Baltic herring in the water with higher salinity. Probl. of Ichthyol. 6:100-104.
- Kido, K., and D. Kitagawa. 1986. Development of larvae and juveniles of [*Rhinoliparis*] [*barbulifer*] (Liparidae). Pages 697-702 [in] T. Uyeno et al., editors. Indo-Pacific fish biology: Proc. 2nd Intl. Conf. on Indo Pacific fishes. Ichthyol. Soc. Jap., Tokyo.
- Kidwai, S., and S. Amjad. 2001. Abundance and distribution of ichthyolarvae from upper pelagic waters of the northwestern Arabian Sea during different monsoon periods, 1992-1994. Ices Journal of Marine Science 58(3):719-724.
- Kihlstrom, J. E., C. Lundberg, and L. Hulth. 1971. Number of eggs and young produced by zebrafishes ([*Brachydanio rerio*], Ham.-Buch.) spawning in water containing small amounts of phenylmercuric acetate. Environ. Res. 4:355-359.
- Kihlstrom, J. E., and L. Hulth. 1972. The effect of phenylmercuric acetate upon the frequency of hatching of eggs from the zebrafish. Bull. Env. Contam. Toxicol. 7(2-3):111-114.
- Kikawa, S. 1953. Observations on the spawning of the big-eyed tuna ([*Parathunnus mebachi*] Kishinouye) near the southern Marshall Islands. Contrib. Nankai Reg. Fish. Res. Lab. 1(23):1-10.
- Kikawa, S., et al. 1963. Synopsis of biological data on bonito, [*Sarda*] [*orientalis*] Temm. & Schl. 1842. Proc. World Sci. Mtg. Biol. Tunas Rel. Spp., FAO Fish. Rep. 6(2):147-156.
- Kilambi, R. V., and R. E. Baglin, Jr. 1969. Fecundity of the threadfin shad, [*Dorosoma*] [*petenense*], in Beaver and Bull Shoals Reservoirs. Transactions of the American Fisheries Society 98:320-321.
- Kilambi, R. V., and L. E. Barger. 1975. Dynamics of feeding ecology of larval shad, [*Dorosoma*], in Beaver Reservoir, Arkansas. Final Rep. U.S. Fish Wildl. Serv., Contr. No. 14-16-0008-616. 63 pp.
- Kilambi, R. V., and A. Zdinak. 1981. Comparison of early developmental stages and adults of grass carp, [*Ctenopharyngodon idella*], and hybrid carp (Female grass carp X male bighead [*Aristichthys*] [*nobilis*]). J. Fish Biol. 19(4):457-465.
- Kilgen, R. H. 1974. Artificial spawning and hatching techniques for blacktail redhorse. Progressive Fish-Culturist 36(3):174.
- Kiliachenkova, V. A. 1970. Development and distribution of eggs and larvae of [*Trachurus trachurus*] L. Rapp. P.-v. Reun. Cons. perm. in t. Explor. Mer 159:194-198.
- Kille, A. 1960. Fertilization of the lamprey egg. Expl. Cell Res. 20:12-27.
- Kim, G. W. 1998. Gizzard shad [*Dorosoma cepedianum*] interactions with age-0 fishes: The roles of competition and adult fish predation on larval fish. Masters thesis. Auburn University, Auburn, Alabama.
- Kim, I., and J. Jo. 1974. Rearing of the early stage of the eel-[*Anguilla*] [*japonica*]. Bull. Korean Fish. Soc. 7:179.



- Kim, J. M., et al. 1975. Distribution of fish larvae in the Ulsan Bay and its adjacent waters. *Ocean Res.*
- Kim, J. M., et al. 1985. Food of the larval gunnel, [*Enedrias fangi*]. *Bull. Korean Fish. Soc.* 18:5.
- Kim, J. Y. 1982. A study on the distribution of fish larvae in the western waters of Korea in spring. *Bull. Fish. Res. Devel. Agency* 30.
- Kim, J. Y. 1983. Distribution of anchovy eggs and larvae off the western and southern coasts of Korea. *Bull. Korean Fish. Soc.*
- Kim, S., and A.W. Kendall, Jr. 1989. Distribution and transport of larval walleye pollock (*Theragra chalcogramma*) in Shelikof Strait, Gulf of Alaska, in relation to water movement. *Rapp. P.v. Reun. Cons. Int. Explor. Mer.* 191: 127-136.
- Kim, S., and D.R. Gunderson. 1989. Cohort dynamics of walleye pollock in Shelikof Strait, Gulf of Alaska, during the egg and larval period. *Trans. Amer. Fish. Soc.* 118: 264-273.
- Kim, S., and B. Bang. 1990. Oceanic dispersion of larval fish and its implication for mortality estimates - case study of walleye pollock larvae in Shelikof Strait, Alaska. *Fishery Bulletin* 88:303-311.
- Kim, S., and A. W. Kendall, Jr. 1983. The numbers and distribution of walleye pollock eggs and larvae in southeastern Bering Sea. NOAA, NMFS NWAFC Proc. Rep. 83-22. 35 pp.
- Kim, Y. D. 1979. The variability of phospholipids and cholesterol in the early ontogeny of the grass carp, [*Ctenopharyngodon idella*]. *J. Ichthyol.* 19(4):163-166.
- Kim, Y. U., P. Chin, T. Y. Lee, and Y. J. Kang. 1981. Studies on the fish larvae of coastal waters in Korea. *Publ. Inst. Mar. Sci. Natl. Fish. Univ. Busan* 13:1-35.
- Kimata, M. 1982. Changes of chemical composition during early development of egg and larvae in the half beak, [*Hemiramphus sajori*]. *Bull. Jap. Soc. Sci. Fish.* 48:1663-1671.
- Kimata, M. 1983. Changes in fatty acid composition during early development in the red sea bream, [*Chrysophrys major*] Temm. et Sch., eggs and larvae. *J. Fac. Mar. Sci. and Tech., Tokai Univ.* 16:225-234.
- Kimata, M. 1983. Changes of chemical composition during early development in the red sea bream, [*Chrysophrys major*] Temm. et Sch., eggs and larvae. *J. Fac. Mar. Sci. and Tech., Tokai Univ.* 16:213-224.
- Kimball, G. L., et al. 1978. Chronic toxicity of hydrogen cyanide to bluegill. *Transactions of the American Fisheries Society* 107:341.
- Kimmel, C. B. 1972. Mauthner axons in living larvae. *Develop. Biol.* 27:272-275.
- Kimmel, C. B., J. Patterson, and R. O. Kimmel. 1974. The development and behavioral characteristics of the startle response in the zebrafish. *Develop. Psychobiol.* 7:47-60.
- Kimmel, C. B., S. K. Sessions, and R. J. Kimmel. 1978. Radiosensitivity and time of origin of Mauthner neuron in the zebrafish. *Develop. Biol.* 62:526-529.
- Kimmel, C. B., S. K. Sessions, and R. J. Kimmel. 1981. Morphogenesis and synaptogenesis of the zebrafish Mauthner neuron. *J. Comp. Neurol.* 198:101-120.
- Kimmel, C. B. 1982. Reticulospinal and vestibulospinal neurons in the young larva of a teleost fish, [*Brachydanio rerio*]. *Prog. Brain Res.* 57:1-23.
- Kimmel, C. B., S. L. Powell, and W. K. Metcalfe. 1982. Brain neurons which project to the spinal cord in young larvae of the zebrafish. *J. Comp. Neurol.* 205:112-127.

- Kimsey, J. B. 1954. The life history of the tui chub, [*Siphateles*] [*bicolor*] (Girard), from Eagle Lake, California. *California Fish and Game* 40(4):395-410.
- Kimsey, J. P. 1951. Notes on kokanee spawning in Donner Lake, California, 1949. *California Fish and Game* 37(3):273-279.
- Kimura, K., et al. 1958. Study on the Pacific saury spawning on the drifting seaweed in the Sea of Japan. *Bull. Tohoku Reg. Fish. Res. Lab.* 12:28-45.
- Kimura, R., Y. Watanabe, and H. Zenitani. 2000. Nutritional condition of first-feeding larvae of Japanese sardine in the coastal and oceanic waters along the Kuroshio Current. *Ices Journal of Marine Science* 57(2):240-248.
- Kimura, S., and S. Mito. 1961. A preliminary note on the fish larvae found in the northwestern waters of Kyushu. *Rec. Oceanogr. Works Jap., Spec. No.* 5:161-162.
- Kimura, S. 1972. The spawning behavior of the fluvial dwarf form of masu salmon, [*Oncorhynchus masou*]. *Jap. J. Ichthyol.* 19(2):111-119.
- Kimura, S. 1974. On the eggs, alevins and fry identified as the anadromous char, [*Salvelinus leucomaenis*] Japan. *Jap. J. Ichthyol.* 21(2):85-91.
- Kimura, S., K. Tsukamoto, and T. Sugimoto. 1994. A model for the larval migration of the Japanese eel: roles of the trade winds and salinity front. *Marine Biology* 119:185-190.
- Kimura, S., T. Inoue, and T. Sugimoto. 2001. Fluctuation in the distribution of low-salinity water in the North Equatorial Current and its effect on the larval transport of the Japanese eel. *Fisheries Oceanography* 10(1):51-60.
- Kimura, Y., and Y. Honda. 1977. Uptake and elimination of some radionuclides by eggs and fry of rainbow trout (1). *J. Radiat. Res.* 18:170.
- Kincaid, H. L., W. R. Bridges, and B. von Limbach. 1976. Rearing system for small groups of experimental fish. *Progressive Fish-Culturist* 38(1):8-10.
- Kinch, J. C. 1979. Trophic habits of the juvenile fishes within artificial waterways - Marco Island, Florida. *Contrib. Mar. Sci.* 22:77-90.
- Kincheloe, J. W., G. A. Wedemeyer, and D. L. Koch. 1979. Tolerance of developing salmonid eggs and fry to nitrate exposure. *Bull. Env. Contam. Toxicol.* 23:4/5:575-578.
- Kindred, J. 1924. An intermediate stage in the development of the skull of [*Syngnathus fuscus*]. *Am. J. Anat.* 33:421-447.
- Kindschi, G. A., R. D. Hoyt, and G. L. Overmann. 1979. Some aspects of the ecology of larval fishes in Rough River Lake, Kentucky. Pages 139-166 [in] R. D. Hoyt, editor. *Proc. third symp. on larval fish, Western Kentucky Univ., Bowling Green, KY.*
- King, D. P. F., and A. A. Robertson. 1973. Methods of pelagic fish egg and larval research in southwest Africa. *So. Afr. Shipp. News. Fish. Ind. Rev.* 28(5):57-61.
- King, D. P. F. 1977. Distribution and relative abundance of eggs of the southwest African pilchard, [*Sardinops ocellata*], and anchovy, [*Engraulis capensis*], 1971-72. *Fish. Bull. So. Afr.* 9:23-31.
- King, D. P. F., M. J. O'Toole, and A. A. Robertson. 1977. Early development of the South African maasbanker, [*Trachurus trachurus*], at controlled temperatures. *Fishery Bull. Un. S. Afr.* 9:16-22.

- King, D. P. F., A. A. Robertson, and P. A. Shelton. 1978. Laboratory observations on the early development of the anchovy, [*Engraulis capensis*], from the Cape Peninsula. Fish. Bull. S. Afr. 10:37-45.
- King, D. P. F., and A. A. Robertson. 1978. An analysis of the variability in Bongo net catches of pilchard eggs off southwest Africa. Fish. Bull. So. Afr. 10: 15-19.
- King, G. M., R. Gordon, K. Karmali, and L. J. Biberman. 1982. A new method for the immobilization of teleost embryos for time-lapse studies of development. J. Exp. Zool. 220:147-151.
- King, J. E. 1951. Two juvenile pointed-tailed ocean sunfish, [*Masturus*] [*lanceolatus*], from Hawaiian waters. Pac. Sci. 5(1):108-109.
- King, J. R., B. J. Shuter and A. P. Zimmerman. 1999. Empirical links between thermal habitat, fish growth and climate change. Transactions of the American Fisheries Society 128:656-665.
- King, J. R., G. A. McFarlane and R.J. Beamish. 2000. Decadal scale patterns in the relative year class success of sablefish (*[Anoplopoma fimbria]*). Fisheries Oceanography 9:62-70.
- King, L. R., B. A. Smith, R. L. Kellogg, and E. S. Perry. 1981. Comparison of ichthyoplankton collected with a pump and stationary plankton net in a power plant discharge canal. Pages 267-275 [in] L. D. Jensen, editor. Issues associated with impact assessment. Proc. 5th Workshop on entrainment and impingement. EA Comm., Melville, NY.
- King, L. R., J. B. Hutchinson, Jr., and T. G. Huggins. 1978. Impingement survival studies on white perch, striped bass, and Atlantic tomcod at three Hudson River power plants. Pages 217-233 [in] L. D. Jensen, editor. Fourth National Workshop on Entrainment and Impingement. Ecological Analysts, Inc., Melville, N.Y., 424 pp.
- King, R. G. 1978. Fish larvae distribution. Pages 229-243 [in] The evaluation of thermal effects in the Missouri River near Cooper Nuclear Station Jan-Dec. 1977. NALCO Environ. Sci., Rep. for Nebraska Public Power District, Columbus, NE.
- King, R. G. 1978. Entrainment of Missouri River fish larvae through Fort Calhoun Station. Pages 45-56 [in] L. D. Jensen, editor. Fourth National Workshop on Entrainment and Impingement. Ecological Analysts, Inc., Melville, N.Y., 424 pp.
- King, R. G. 1979. Fish larvae distribution. Pages 190-207 [in] The evaluation of thermal effects in the Missouri River near Cooper Nuclear Station Jan-Dec. 1978. Hazelt on Environ. Sci., Proj 8903, Rep. for Nebraska Public Power District, Columbus, NE.
- Kingsford, M.J. 1986. Distribution patterns of fish during the planktonic period of their life history. PhD. Thesis, University of Auckland. Various pages.
- Kingsford, M. J., and J.H. Choat. 1986. Influence of surface slicks on the distribution and onshore movement of small fish. Mar. Biol. 91:161-172.
- Kingsford, M. J., and J.H. Choat. 1989. Horizontal distribution patterns of presettlement reef fish: are they influenced by the proximity of reefs? Mar. Biol. (Berl.) 101: 285-297.
- Kingsford, M. J., E. Wolanski, and J. H. Choat. 1991. Influence of tidally induced fronts and Langmuir Circulations on Distribution and Movements of Presettlement Fishes Around a Coral Reef. Marine Biology 109:167-180.
- Kingsford, M. J. 1992. Drift algae and small fish in coastal waters of northeastern New Zealand. Marine Ecology-Progress Series 80:41-55.

- Kingsford, M. J., and I. M. Suthers. 1994. Dynamic estuarine plumes and fronts: importance to small fish and plankton in coastal waters of N.S.W., Australia. *Continental Shelf Research* 14(6):655-672.
- Kingsford, M. J., and C. A. Gray. 1996. Influence of pollutants and oceanography on abundance and deformities of wild fish larvae. *Detecting Ecological Impacts* ? :235-255.
- Kingsford, M. J., and I. M. Suthers. 1996. The influence of the tide on patterns of ichthyoplankton abundance in the vicinity of an estuarine front, Botany Bay, Australia. *Estuarine and Coastal Shelf Science* 43:33-54.
- Kingsford, M. J., I. M. Suthers, and C. A. Gray. 1996. Exposure to sewage plumes and the incidence of deformities in larval fishes. *Marine Pollution Bulletin* 33:201-212.
- Kingsford, M. J. 2001. Diel patterns of abundance of presettlement reef fishes and pelagic larvae on a coral reef. *Marine Biology* 138:853-867.
- Kingsley, J. S., and H. W. Conn. 1882. Some observations on the embryology of the teleosts. *Mem. Boston Soc. Nat. Hist.* 3(6):183-212.
- Kingston, G. 1982. Egg size variation in Pacific herring, [*Clupea harengus pallasii*] (Val.), and its effect on larval growth and survival. M.S. Thesis, Univ. British Columbia, Vancouver.
- Kingwell, S. J., M. C. Duggan, and J. E. Dye. 1977. Large scale handling of the larvae of the marine flatfish turbot, [*Scophthalmus maximus*], and Dover sole, [*Solea solea*] L., with a view to their subsequent fattening under farming conditions. *ICES Group on Maricult.*, CNEXO 4:27-34.
- Kinne, O. 1977. Research Cultivation: (13) Pisces. Pages 968-1035 [in] O. Kinne, editor. *Marine Ecology*. vol. III, part 2. John Wiley & sons, Chichester.
- Kinne, O., and E. M. Kinne. 1962. Rates of development in embryos of a cyprinodont fish exposed to different temperature-salinity combinations. *Canadian Journal of Zoology* 40:231-253.
- Kinne, O., and H. Rosenthal. 1967. Effect of sulfuric water pollutants on fertilization, embryonic development and larvae of the herring, [*Clupea harengus*]. *Mar. Biol.* 1:65-83.
- Kinne, O., and H. Rosenthal. 1967. Effect of sulfuric water pollutants on fertilization, embryonic development, and larvae of the herring, [*Clupea harengus*]. *Helgolander wiss. Meeresunters* 16:279.
- Kinnear, B. S. 1973. Atlantic menhaden. Pages 268-269 [in] A. L. Pacheco, editor. *Workshop on egg, larval and juvenile stages of fish in Atlantic coast estuaries, Wadmalaw Island, SC, 1968*. Proc. U.S. NMFS, Middle Atlantic Coastal Fish. Center, Highlands, NJ, Tech. Publ. 1.
- Kinnear, B. S. 1973. Range and distribution of Atlantic menhaden. Pages 268-299 [In] A. L. Pacheco, editor. *Proceedings of a workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries*. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast., Highlands, N.J., 338 pp.
- Kinney, E. C., Jr. 1950. The life history of the trout perch, [*Percopsis omiscomaycus*] (Walbaum), in western Lake Erie. MS Thesis, Ohio State Univ. 75 pp.
- Kinney, E. C., Jr. 1954. A life history study of the silver chub, [*Hybopsis storeriana*] (Kirtland), in western Lake Erie with notes on associated species. Ph.D Diss., Ohio State Univ. 99 pp.
- Kinoshita, I. 1986. Postlarvae and juveniles of silver sea bream, [*Sparus sarba*], occurring in the surf zones of Tosa Bay, Japan. *Jap. J. Ichthyol.* 33(1):7-12.

- Kinoshita, I., K. Azuma, S. Fujita, I. Takahashi, K. Niimi, and S. Harada. 1999. Early life history of a catadromous sculpin in western Japan. *Environ. Biol. Fish.* 54(2):135-149.
- Kinoshita, I., and M. Tanaka. 1990. Differentiated spatial distribution of larvae and juveniles of the 2 sparids, red and black sea bream, in Shijiki Bay. *Nippon Suisan Gakkaishi-Bulletin of the Japanese Society of Scientific Fisheries* 56:1807-1813.
- Kinumaki, T., K. Sugii, H. Iida, and T. Takahashi. 1972. Addition of fat soluble vitamins to the feeding stuffs for parent rainbow trout with particular reference to the effect on the vitamin levels of eggs and fry. *Bull. Tokai Reg. Fish. Res. Lab. No.* 71:133-160.
- Kinzer, J. 1966. An opening-closing mechanism for the high-speed plankton sampler HAI. *Deep-Sea Res.* 13:473-474.
- Kinzer, J. 1969. On the quantitative distribution of zooplankton in deep scattering layers. *Deep-Sea Res.* 16:117-125.
- Kiokemeister, E. A., and L. J. Weber. 1978. Effect of zinc and nickel on growth of juvenile guppy, [*Poecilia reticulata*]. *Proc. Western Pharmacol. Soc.* 21:483.
- Kiorbe, T., E. Frantsen, C. Jensen, and G. Sorensen. 1981. Effects of suspended sediment on development and hatching of herring, [*Clupea harengus*], eggs. *Est. Coast. Shelf Sci.* 13:107-111.
- Kiorboe, T., P. Munk, and J. G. Stottrup. 1985. First feeding by larval herring, [*Clupea harengus*] L. *Dana Vol.* 5:95-107.
- Kiorboe, T., and P. Munk. 1986. Feeding and growth of larval herring, [*Clupea*] [*harengus*], in relation to density of copepod nauplii. *Environmental Biology of Fishes* 17(2):133-139.
- Kiorboe, T., and F. Mohlenberg. 1987. Partitioning of oxygen consumption between "maintenance" and "growth" in developing herring *Clupea harengus* (L.) embryos. *J. Exp. Mar. Biol. Ecol.* 111:99-108.
- Kiorboe, T., P. Munk, and K. Richardson. 1987. Respiration and growth of larval herring *Clupea harengus*: relation between specific dynamic action and growth efficiency. *Mar. Ecol. Prog. Ser.* 40:1-10.
- Kiorboe, T., P. Munk, K. Richardson, V. Christensen, and H. Paulsen. 1988. Plankton dynamics and larval herring growth, drift and survival in a frontal area. *Mar. Ecol.-Prog. Ser.* 44:205-219.
- Kiorboe, T. 1993. Turbulence, phytoplankton cell size, and the structure of pelagic food webs. *Adv. Mar. Biol.* 29:1-72.
- Kiorboe, T., and MacKenzie, B.R. 1995. Turbulence-enhanced prey encounter rates in larval fish: effects of spatial scale, larval behavior and size. *Journal of Plankton Research* 17:2319-2331.
- Kirchheis, F. W. 1976. Reproductive biology and early life history of the sunapee trout of Floods Pond, Maine. *Transactions of the American Fisheries Society* 105(5):615-619.
- Kirk, R. G. 1972. Anomalous growth of young plaice, [*Pleuronectes*] [*platessa*], on diets of live, frozen and freeze dried [*Lumbricellus revalis*] Lev. *Aquaculture* 1(1):35-38.
- Kirk, R. G., and B. R. Howell. 1972. Growth rates and food conversion in young plaice, [*Pleuronectes platessa*] L. *Aquaculture* 1(1):29-34.

- Kirk, R. G. 1973. Adaptation of the young sole, [*Solea solea*] L., to diets prepared from the mussel, [*Mytilus edulis*] L., and the stripper limpet, [*Crepidula fornicata*]. ICES CM 1973/E:17. 3 pp.
- Kirkegaard, J. B. 1950. Gadoid, flatfish eggs, larvae. Annl. Biol. VI.
- Kirkegaard, J. B. 1951. Eggs, larvae. Annl. Biol. VII.
- Kirkegaard, J. B. 1952. Fish eggs, larvae. Annl. Biol. VIII.
- Kirkegaard, J. B. 1952. The fish eggs, larvae. Annl. Biol. IX.
- Kirkegaard, J. B. 1953. Fish eggs and larvae. I. Danish waters. Ann. Biol. 9(1952):147.
- Kirkegaard, J. B. 1954. Flatfish eggs, larvae. Annl. Biol. X.
- Kirrans, W. J., S. S. Herman, and R. G. Malsberger. 1986. Differentiation of [*Prionotus carolinus*] and [*P. [evolans]*] eggs in the Hereford Inlet estuary, southern New Jersey, using immunodiffusion. Fish. Bull. 84(1):63-68.
- Kirschbaum, F. 1977. Electric organ ontogeny: distinct larval organ precedes the adult organ in weakly electric fish. Naturwisschaften 64:387-388.
- Kirschbaum, F. 1979. Reproduction of the weakly electric fish, [*Eigenmannia virescens*] (Reamphichthyidae, Teleostei) in captivity. Control of gonadal recrudescence and regression by environmental factors. Behav. Ecol. Sociobiol. 4(4):331-355.
- Kirschbaum, F. 1984. Reproduction of weakly electric teleosts: just another example of convergent development? Env. Biol. Fishes 10:3-14.
- Kishi, Y. 1978. Egg size difference among three populations of the goby, [*Tridentiger obscurus*]. Jap. J. Ecol. 24(4):278-280.
- Kishida, T., and O. Fukuhara. 1981. Experimental study on the swimming ability of lab-reared larvae and juveniles of Japanese red sea bream, [*Chrysophrys major*] (Sparidae). Bull. Nansei Reg. Fish. Res. Lab. 12:93-104.
- Kishida, T. 1991. Fluctuations in year-class strength of Japanese spanish mackerel in the Central Seto Inland Sea. Nippon Suisan Gakkaishi - Bulletin of the Japanese Society of Scientific Fisheries 57:1103-1109.
- Kishinouye, K. 1919. Larval and juvenile tunas and skipjacks. Suisan Gakkai Ho 3(2).
- Kishinouye, K. 1919. The larval and juvenile stages of the Plecostei. Proc. Sci. Fish. Assoc. 3(2):49-53.
- Kishinouye, K. 1919. The larval period of Plecostei. Suisan Gakkai Ho, III:49.
- Kishinouye, K. 1927. Investigation into the spawning of skipjack and their young. Kagoshima Prefectural Fish. Exp. Sta. Rep. 1925:20-24.
- Kishinouye, K. 1950. Larval and juvenile tunas and skipjacks. U.S. Fish. Wildl. Serv., Spec. Sci. Rep. Fish. 14 pp.
- Kishiro, T., and A. Nakazono. 1991. Seasonal patterns of larval settlement and daily otolith increments in the temperate wrasse [*Halichoeres tenuispinis*]. Nippon Suisan Gakkaishi-Bulletin of the Japanese Society of Scientific Fisheries 57:409-415.
- Kissil, G. W. 1969. Contribution to the life history of the alewife, [*Alosa pseudoharengus*] (Wilson), in Connecticut. Ph.D. Diss., Univ. Connecticut, 111 pp.

- Kissil, G. W. 1974. Spawning of the anadromous alewife, [*Alosa*] [*pseudoharengus*], in Bride Lake, Connecticut. *Transactions of the American Fisheries Society* 103(2):312-317.
- Kitada, J. I. 1970. The fine structure of the liver cell in larval and adult brook lamprey, [*Entosphenus reissneri*], observed by electron microscope. *Jap. J. Ichthyol.* 17(4):161-165.
- Kitagawa, D., K. Kuroda, and Y. Tsuruta. 1985. Description and distribution of eggs and larvae of the brown hakeling, [*Physiculus maximowiczii*], in Japanese waters. *Bull. Jap. Soc. Sci. Fish.* 51(10):1627-1630.
- Kitagawa, Y., and M. Okiyama. 1997. Larvae and juveniles of the argentinid, [*Glossanodon lineatus*], with comments on ontogenetic pattern in the genus. *Bulletin of Marine Science* 60:37-46.
- Kitahara, T. 1984. Behavior of carotenoids in the chum salmon, [*Oncorhynchus keta*], during development. *Bull. Jap. Soc. Sci. Fish.* 50(3):531-536.
- Kitajima, C., S. Fujita, F. Ohwa, Y. Yone, and T. Watanabe. 1979. Improvement of dietary value for red sea bream larvae of rotifers, [*Brachionus plicatilis*], cultured with baker's yeast [*Saccharomyces cerevisiae*]. *Bull. Jap. Soc. Sci. Fish.* 45(4):469-471.
- Kitajima, C., T. Arakawa, F. Oowa, S. Fujita, O. Imada, T. Watanabe, and Y. Yone. 1980. Dietary value for red sea bream larvae of rotifer, [*Brachionus plicatilis*], cultured with a new type of yeast. *Bull. Jap. Soc. Sci. Fish.* 46(1):43-46.
- Kitajima, C., Y. Tsukashima, S. Fujita, T. Watanabe, and Y. Yone. 1981. Relationship between uninflated swimbladders and lordotic deformities in hatchery-reared red sea bream, [*Pagrus major*]. *Bull. Jap. Soc. Sci. Fish.* 47:1289-1294.
- Kitajima, C., Y. Tsukashima, and M. Tanaka. 1985. The voluminal changes of swim bladder of larval red sea bream, [*Pagrus major*]. *Bull. Jap. Soc. Sci. Fish.* 51(5):765-772.
- Kitakata, M. 1957. Fishery biological studies of sand lance, [*Ammodytes*] [*personatus*] Girard, in waters around Hokkaido. II. On the age and growth. *Bull. Hokkaido Reg. Fish. Res. Lab.* 16:39-48.
- Kittaka, J., and E. Ikegami. 1988. Culture of the Palinurid *Palinurus elephas* from egg stage to puerulus. *Bull. Jap. Soc. Sci. Fish.* (Nippon Suisan Gakkaishi) 54:1149-1154.
- Kitting, C. K., S. A. Holt, and S. H. Huh. 1982. University of Texas Marine Science Institute studies on the foodwebs of invertebrates and juvenile fishes concentrated among seagrasses. *EOS, Trans. Am. Geophysical Union* 63:101.
- Kiyashko, V. I., and V. M. Volodin. 1978. The influence on the embryonic development of the ruffe, [*Acerina cernua*] of the active response of the environment. *J. Ichthyol.* 18(4): 693-695.
- Kiyono, M., and R. Hirano. 1981. Effects of light on the feeding and growth of black porgy, [*Mylio macrocephalus*] (Basilewsky), postlarvae and juveniles. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:334-336.
- Kiyono, M., and K. Shinshima. 1983. Thermal tolerance of stone flounder eggs. *Bull. Jap. Soc. Sci. Fish.* 49(5):701-704.
- Kjelson, M. A., D. S. Peters, G. W. Thayer, and G. N. Johnson. 1975. The general feeding ecology of postlarval fishes in the Newport River estuary. *Fish. Bull. NOAA (U.S.)* 73(1):137-144.
- Kjelson, M. A., W. R. Turner, and G. N. Johnson. 1975. Description of a stationary drop-net for estimating nekton abundance in shallow waters. *Transactions of the American Fisheries Society* 104(1):46-49.

- Kjelson, M. A., and G. N. Johnson. 1976. Further observations of the feeding ecology of post-larval pinfish, [*Lagodon rhomboides*], and spot, [*Leiostomus xanthurus*]. U.S. Fish. Wildl. Serv. Fish. Bull. 74(2):423-432.
- Kjelson, M. A. 1977. Estimating the size of juvenile fish populations in southeast coastal-plain estuaries. Pages 71-90 [in] W. Van Winkle, editor. Proc. conf. on Assess. effects of power-plant induced mortality of fish pops. Gatlinburg, TN. Pergamon Press, NY.
- Kjelson, M. A., D. S. Peters, G. W. Thayer, and G. N. Johnson. In Press. Daily rations and the general feeding ecology of postlarval fishes in the Newport River estuary. Nat. Oceanic Atmos. Adm. (U.S.) Fish. Bull.
- Kjesbu, O. S., J. Klungsoyr, H. Kryvi, P. R. Witthames, and M. G. Walker. 1991. Fecundity, atresia, and egg size of captive Atlantic cod (*Gadus morhua*) in relation to proximate body composition. Canadian Journal of Fisheries and Aquatic Sciences 48:2333-2343.
- Kjorsvik, E., and S. Lonning. 1983. Effect of egg quality on normal fertilization and early development of the cod. J. Fish. Biol. 23:1.
- Kjorsvik, E., et al. 1984. Osmotic changes during the development of eggs and larvae of the lumpsucker. J. Fish. Biol. 24(2):311-322.
- Kjorsvik, E., A. Stene, and S. Lonning. 1984. Morphological, physiological and genetical studies of egg quality in cod (*Gadus morhua* L.). Pages 67-86 [in] E. Dahl et al., editors. The propagation of cod, [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.
- Kjorsvik, E. A. Mangor-Jensen, and I. Holmefjord. 1989. Egg quality in marine fishes. NY Fisk Rapport, L.nr.5/89. 29 pp.
- Klashtorin, L. B., and I. A. Shekanova. 1974. The effect of an active response of the medium on the embryonal development of rainbow trout under radiation burden. All-Union Res. Inst. Mar. Fish. and Oceanogr., Ecol. Aspects of Chem. and Radioactive Poll. of Aquat. Med. C:94-97.
- Klauda, R. J., R. E. Moos, and R. E. Schmidt. 1987. Life history of Atlantic tomcod, [*Microgadus tomcod*], in the Hudson River estuary, with emphasis on spatio-temporal distribution and movements, Part V. [In] C. L. Smith, editor. Fisheries Research in the Hudson River. State Univ. New York Press, Albany.
- Klauda, R. J., W. P. Dey, T. B. Hoff, J. B. McLaren, and Q. E. Ross. 1980. Biology of Hudson River juvenile striped bass, pp. 101-123. In: Clepper H. (ed.), Marine recreational fisheries 5. Sport Fish. Inst., Wash., D.C.
- Klausewitz, W. 1974. Untersuchungen an Larvenstadien einheimischer Susswasserfische. Natur und Museum 104(11):350-352.
- Klawe, W. L. 1959. Nuevo examen de atunes juvenes capterados frente a la costa occidentale de Mexico durante la quinta Expedicion George Vanderbilt. Ciencia Mex. XVIII:245-247.
- Klawe, W. L., and M. S. Bell. 1959. Young scombroid fishes from the Gulf of Mexico. Contr. Scripps Inst. Oceanogr. 1959:1125.
- Klawe, W. L. 1960. Larval tunas from the Florida Current. Bull. Mar. Sci. Gulf Caribb. 10:227-233.
- Klawe, W. L. 1961. Young scombrids from the waters between Cape Hatteras and Bahama Islands. Bull. Mar. Sci. Gulf Caribbean 11(1):150-157.



- Klawe, W. L. 1962. Bonita juveniles, [*Sarda chiliensis*], en las aguas del sur de Baja California. *Ciencia Mex.* 21(4):180.
- Klawe, W. L. 1963. Observations on the spawning of four species of tuna ([*Neothunnus macropterus*], [*Katsuwonus pelamis*], [*Auxis thazard*], and [*Euthynnus lineatus*]) in the eastern Pacific Ocean based on the distribution of their larvae and juveniles. *Inter-Am. Trop. Tuna Comm. Bull.* 6:447-540.
- Klawe, W. L. 1964. Observations on the spawning of four species of tuna, [*Neothunnus macropterus*], [*Katsuwonus pelamis*], [*Auxis thazard*], and [*Euthynnus lineatus*], in the eastern Pacific Ocean, based on the distribution of their larvae and juveniles. *Contr. Scripps Inst. Oceanogr.* 34I:1634.
- Klawe, W. L., and F. G. Alverson. 1964. Occurrence of 2 species of young threadfin, [*Polydactylus opercularis*] and [*P. approximans*], in the offshore waters of the Eastern Tropical Pacific Ocean. *Pac. Sci.* 18:166-173.
- Klawe, W. L. 1966. Notes on occurrence of young and spawning of [*Scorpaenopsis sierra*] in the eastern Pacific Ocean. *Pac. Sci.* 20:445-451.
- Klawe, W. L. 1969. Distribution of larval tunas. *EASTROPAC Inf. Pap., Fish. Oceanogr. Ctr., La Jolla, CA* 10:49-53.
- Klawe, W. L. 1970. The distribution, abundance and ecology of larval tunas from the entrance to the Gulf of California. *Bull. inter-Am. trop. Tuna Comm.* 14: 507-544.
- Kleckner, R. C., and W. H. Krueger. 1981. Changes in swimbladder retial morphology in [*Anguilla rostrata*] during premigration metamorphosis. *J. Fish. Biol.* 18(5):569-578.
- Kleckner, R. C., and J. D. McCleave. 1982. Entry of migrating American eel leptocephali into the Gulf Stream system. *Helgolander Wissenschaftliche Meeresuntersuchung* 35:329-339.
- Kleckner, R. C., and J. D. McCleave. 1985. Spatial and temporal distribution of American eel larvae in relation to North Atlantic Ocean current systems. *Dana* 4:67-92.
- Klein, E. E. 1872. Researches on the first stages of the development of the common trout, [*Salmo fario*]. *Monthly Micr. Journ.* 7:193-200.
- Klein, E. E. 1876. Observations on the early development of the common trout, [*Salmo fario*]. *Q. J. Microsc. Sci.* 16:113-131.
- Klein-MacPhee, G. 1978. Synopsis of biological data for the winter flounder, [*Pseudopleuronectes americanus*] (Walbaum). *NOAA Tech. Rep. NMFS Circular* 414.
- Klein-MacPhee, G. 1981. Effects of stocking density on survival of laboratory cultured summer flounder, [*Paralichthys dentatus*], larvae. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:505-506.
- Klein-MacPhee, G., J. A. Cardin, and W. J. Berry. 1984. Effects of silver on eggs and larvae of the winter flounder. *Transactions of the American Fisheries Society* 113:247-251.
- Klein-MacPhee, G., B.K. Sullivan, and A.A. Keller. 1993. Using mesocosms to assess the influence of food resources and toxic materials on larval fish growth and survival. [In] L. A. Fuiman, editor. *Water quality and the early life stages of fishes. American Fisheries Society Symposium* 14. 192pp.
- Kleinert, S. J., and D. Mraz. 1966. Life history of the grass pickerel, [*Esox americanus*] [*vermiculatus*], in southeastern Wisconsin. *Wisconsin Cons. Dept. Tech. Bull.* 37, 40 pp.

- Kleinert, S. J., and P. E. Degurse. 1968. Survival of walleye eggs and fry of known DDT residue levels from Wisconsin waters in 1967. Wisconsin Dept. Nat. Resourc. Res. Rep. No. 37.
- Kliever, R. G. 1976. Natural history of [*Maynea californica*] (Pisces: Zoarcidae) in a drift seaweed habitat in the Monterey Submarine Canyon, Monterey Bay, California. M.A. Thesis, San Jose State Univ., San Jose, CA.
- Klima, E. F. 1959. Aspects of the biology and the fishery for Spanish mackerel, [*Scomberomorus maculatus*] (Mitchill) of southern Florida. Florida Bd. Cons. Mar. Res. Lab. Tech. Ser. 1959(27):39 pp.
- Klima, E. R., I. Barrett, and J. E. Kinnear. 1962. Artificial fertilization of the eggs and rearing and identification of the larvae of the anchoveta, [*Cetengraulis mysticetus*]. Inter. Am. Trop. Tuna Comm. 41(4).
- Klinkhardt, M. 1986. Ergebnisse von Untersuchungen zur Schlupf- und Dottersackphase der Larven von R gensen Fr hjahrsheringen ([*Clupea harengus*] L.).. Fischereiforschung, Wiss. Schriftenreihe 24(2):28-30. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)
- Kloppmann, M. 1989. Composition, abundance and vertical distribution of fish larvae above Hatton and Rockall Bank (West Off Britain). Archiv fur Fischereiwissenschaft 39:95-110.
- Klumb, R. A., and L. G. Rudstam. 2000. The role of embayments and inshore areas of Lake Ontario as nursery grounds for young-of-year alewife. American Wildlife Research Foundation, Inc., Cincinnati, NY, Completion Report.
- Klumb, R. A., and L. G. Rudstam, and E. L. Mills. 2000. The role of embayments and inshore areas of Lake Ontario as nursery grounds for young-of-year alewife and other species. Project Number: R/FBF-9: New York Sea Grant - Project Completion Report.
- Klumpp, D. W., and H. Von Westernhagen. 1986. Nitrogen balance in marine fish larvae: influence of developmental stage and prey density. Mar. Biol. 93(2):189-200.
- Klyashtorin, L. B. 1976. The sensitivity of young sturgeons to oxygen deficiency. J. Ichthyol. 16(4):677-682.
- Knaack, J. 1963. Spawning behavior of the European mud loach. Trop. Fish. Hobby. 11(9): 28-39.
- Kneib, R. T. 1978. Habitat, diet, reproduction and growth of the spotfin killifish, [*Fundulus luciae*], from a North Carolina salt marsh USA. Copeia 1978(1):164-168.
- Kneib, R. T., and A. E. Stiven. 1978. Growth, reproduction and feeding of [*Fundulus*] [*heteroclitus*] (L.) on a North Carolina salt marsh. J. Exp. Mar. Biol. Ecol. 31(2):121-140.
- Kneib, R. T. 1981. Reanalysis of conversion efficiency for larval [*Fundulus heteroclitus*]. Mar. Biol. 63:213-215.
- Kneib, R. T. 1984. Patterns in the utilization of the intertidal salt marsh by larvae and juveniles of [*Fundulus*] [*heteroclitus*] (L.) and [*F. luciae*] (Baird). J. Exp. Mar. Biol. Ecol. 83(1):41-52.
- Knight, A. E. 1963. The embryonic and larval development of the rainbow trout. Transactions of the American Fisheries Society 92(4):344-355.
- Knight, A. E., and W. A. Hughes. 1975. Separation of pre-smolt Atlantic salmon and juvenile brown trout with peduncle depth to total length ratios. Progressive Fish-Culturist 37(4):194-196.

- Knight, A. P. 1930. The rearing of Atlantic salmon. *Can. Fish.* XVII(7):16.
- Knight, C. A., R. W. Orme and D. A. Beauchamp. 1999. Growth, survival, and migration patterns of juvenile fluvial Bonneville cutthroat trout in tributaries of Strawberry Reservoir, Utah. *Transactions of the American Fisheries Society* 128(4):553-563.
- Knight, D. P., and S. Hunt. 1974. Fibril structure of collagen in egg capsule of dogfish. *Nature, Lond.* 249:379-380.
- Knight, F. M., J. Lombardi, J. P. Wourmes, and J. R. Burns. 1985. Follicular placenta and embryonic growth of the viviparous four-eyed fish ([Anableps]). *J. Morphol.* 185(1):131-142.
- Knight-Jones, E. W., and S. Z. Quasim. 1955. Responses of some marine plankton animals to changes in hydro-static pressure. *Nature* 175:941-942.
- Knudsen, E. E., and W. H. Herke. 1978. Growth rate of marked juvenile Atlantic croakers, [*Micropogon undulatus*], and length of stay in a coastal marsh nursery in Southwest Louisiana. *Transactions of the American Fisheries Society* 107(1):12-20.
- Knudsen, J. 1954. Eggs and larvae in Danish waters. *Annl. Biol.* X.
- Knudsen, J. 1956. Gadoid fish, young stages in Danish waters. *Cons. perm. int. Explor. Mer* 11:91-92.
- Knutsen, G. M., and S. Tilseth. 1985. Growth, development, and feeding success of Atlantic cod larvae, [*Gadus morhua*], related to egg size. *Transactions of the American Fisheries Society* 114:507-511.
- Knutsen, J. A. 1992. Feeding behaviour of North Sea turbot ([*Scophthalmus maximus*]) and Dover sole ([*Solea solea*]) larvae elicited by chemical stimuli. *Marine Biology* 113:543-548.
- Knyazeva, L. M., I. N. Ostroumova, and L. S. Bogdanova. 1984. Effect of different artificial feeds on growth and development of young brood whitefish, [*Coregonus*] [*nasus*] (*Salmonidae*). *J. Ichthyol.* 24(1):97-105.
- Kobayakawa, M. 1985. External characteristics of the eggs of Japanese catfishes ([*Silurus*]). *Jap. J. Ichthyol.* 32(1):104-106.
- Kobayashi, D. R. 1987. The distribution and abundance of certain reef fish larvae adjacent to adult habitats in Kaneohe Bay, Hawaii. M.S. Thesis, Univ. of Hawaii, Honolulu. 39 p.
- Kobayashi, D. R. 1989. Fine-scale distribution of larval fishes: patterns and processes adjacent to coral reefs in Kaneohe Bay, Hawaii. *Mar. Biol.* 100:285-293.
- Kobayashi, H., and S. Moriyana. 1957. On the development of a loach, [*Barbatula toni oreas*] (Jordan et Fowler). *Jap. J. Ichthyol.* 6(4-6):177-183. In Japanese, English Summary.
- Kobayashi, K. 1957. Larvae and young of the sable fish, [*Anoplopoma*] [*fimbria*] (Pallas), from the sea near the Aleutian Islands. *Bull. Jap. Soc. Sci. Fish* 23:376-382.
- Kobayashi, K., and S. Sato. 1957. IV. 1955 Cruise of the Oshoro Maru to the Bering Sea and northern North Pacific (Nordac Project). 15. Data on fish larvae collected with fish larva net. *Data Rec. Oceanogr. Obs. Explor. Fish.* 1:112-115.
- Kobayashi, K., and S. Sato. 1957. V. 1956 cruise of the Oshoro Maru to the Bering Sea. 14. Data on fish larvae collected with a fish larva net. *Data Rec. Oceanogr. Obs. Explor. Fish.* 1:204-207.

- Kobayashi, K., and S. Sato. 1958. I. 1957 cruise of Oshoro Maru to Aleutian waters. 15. Data on fish larvae collected with fish larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 2:70-74.
- Kobayashi, K., and S. Sato. 1958. II. 1957 cruise of the Hokusei Maru to the Okhotsk Sea. 15. Data Rec. Oceanogr. Obs. Explor. Fish. 2:192-195.
- Kobayashi, K. 1958. Larvae and young of the atka mackerel, [*Pleurogrammus monopterygius*] (Pallas), in the north Pa cific. Bull. Fac. Fish. Hokkaido Univ. 8(4):297-303.
- Kobayashi, K. 1958. Some lantern fishes from the North Pacific and Bering Sea. Jap. J. Ichthyol. 7(2/4):119-125.
- Kobayashi, K., and S. Sato. 1959. Hokusei Maru cruise 4 to the North Pacific. 12. Data on fish larvae collected with fish larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 3:266-278.
- Kobayashi, K., and S. Sato. 1959. Oshoro Maru cruise 42 to the Bering Sea. 12. Data on fish larvae collected with fish larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 3:122-127.
- Kobayashi, K., and S. Sato. 1959. The Oshoro Maru cruise 39-B to the northern North Pacific in August and September 1957 (IGY Program). 11. Data on fish larvae collected with fish larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 3:30 pp.
- Kobayashi, K., and S. Sato. 1960. Hokusei cruise 6(1-3) to the North Pacific and Okhotsk Sea. 12. Data on fish larvae collected with a fish larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 4:186-193.
- Kobayashi, K. 1960. Larvae and young fishes collected around the current rip in Ishikari Bay. Bull. Fac. Fish. Hokkaido Univ. 11(3):106-118.
- Kobayashi, K., and S. Sata. 1960. Oshoro Maru cruise 44 to the Bering Sea. 12. Data on fish larvae collected with a fish larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 4:80-86.
- Kobayashi, K. 1961. Larvae and young of the quill-fish, [*Ptilichthys*] [*goodei*] Bean, from the Okhotsk Sea. Bull. Fac. Fish. Hokkaido Univ. 12(1):5-8.
- Kobayashi, K. 1961. Young of the wolffish, [*Anarchichas orientalis*] (Pallas). Bull. Fac. Fish. Hokkaido Univ. 12(1):1-4. In Japanese.
- Kobayashi, K. 1961. Larvae and young of the sand lance, [*Ammodytes*] [*hexapterus*] (Pallas) from the north Pacific. Bull. Fac. Fish. Hokkaido Univ. 12:111-120.
- Kobayashi, K., and M. Igarashi. 1961. Larvae and young of [*Girella punctata*] Gray from Hakodate Bay in southern Hokkaido. Bull. Fac. Fish. Hokkaido 12:121-127. In Japanese.
- Kobayashi, K., and K. Abe. 1962. Studies on the larvae and young of fishes from the boundary zones off the south-eastern coast of Hokkaido, Japan. Bull. Fac. Fish. Hokkaido Univ. 13:165-179. In Japanese.
- Kobayashi, K. 1962. Larvae of the smooth lumpsucker, [*Aptocyclus*] [*ventricosus*] (Pallas), with discussion on several of the taxa of the species. Bull. Hokkaido Fish. 13(3):153-164.
- Kobayashi, K. 1963. Larvae and young of the whiting, [*Theragra*] [*chalcogramma*] (Pallas) from the northern Pacific. Bull. Hokkaido Fish. 14(2):55-64.
- Kobayashi, K., and S. Okada. 1964. Oshoro Maru Cruise 4 to the Bering Sea and North Pacific. 6. Data on fish larvae collected with a larva net and as small planned Isaacs-

Kidd midwater trawl net in the Bering Sea. Data Rec. Oceanogr. Obs. Explor. Fish. 8:257-260.

Kobayashi, K., and E. Matsushashi. 1967. Oshoro Maru Cruise 19 to the northern North Pacific and Bering Sea. 8. Data on fish larvae collected with a larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 11:219-226.

Kobayashi, K., K. Nishio, and T. Nishiyama. 1968. Oshoro Maru Cruise 23 to the east of Cape Erimo. 20. Data on fish larvae collected with a larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 12:155 pp.

Kobayashi, K., M. Mikawa, and J. Ito. 1968. Descriptions of the young and one, immature adult specimen of the coster dory, [*Allocttus verrucosus*] (Gilchrist) from the northern part of the Pacific. Bull. Fac. Fish. Hokkaido Univ. 19(1):1-5.

Kobayashi, K., T. Nishiyama, and K. Nisho. 1968. Oshoro Maru Cruise 24 to the northern North Pacific and Bering Sea. 10. Data on fish larvae collected by surface tow and midwater tow with the larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 12:375-382.

Kobayashi, K., Y. Kumagi, K. Miyazawa, and H. Ogi. 1970. Oshoro Maru Cruise 32 to the North Pacific, Bering Sea and Bristol Bay. 12. Data on fish larvae collected with a larva net. Data Rec. Oceanogr. Obs. Explor. Fish. 14:68-73.

Kobayashi, S., and M. Mogami. 1958. Effects of x-irradiation upon rainbow trout (*[Salmo irideus]*). III. Ovary growth in the stages of fry and fingerling. Bull. Fac. Fish. Hokkaido Univ. (9):89-94.

Kobayashi, T., and S. Harada. 1966. Ecological observations on the salmon of Nishibetsu River. II. The moving, growth and feeding habit of pink salmon fry, [*Oncorhynchus gorbuscha*] (Walb.), during seaward migration. Sci. Rep. Hokkaido Salmon Hatchery 20:1-10.

Kobayashi, T., M. Wako, and M. Naito. 1970. Studies on the life of the Pacific saury, [*Cololabis [saira]*] (Breevort). III. Aggregative characteristics of the spring-spawning population in their spawning season in the Japan Sea. Sci. Rep. Hokkaido Fish. Exp. Sta. 12:13-24.

Kobayashi, T., Y. Dotsu, and N. Miura. 1973. Egg development and rearing experiments of the larvae of the mud skipper, [*Periophthalmus cantonensis*]. Bull. Fac. Fish. Nagasaki Univ. 33:49-62.

Kobayashi, T., and S. I. Abe. 1977. Studies on the Pacific salmon in the Yarappu River and Volcano Bay. Part 2: On the migration and the growth of the fry during seaward migration and the return of marked adults. Hokkaido-Ritsu Suisan Shikenjo, No. 31, 12 pp.

Kobayashi, T., and T. Iwamoto. 1984. Early life history of the threebanded sweetlip, [*Plectorhynchus cinctus*]. Jap. J. Ichthyol. 30(4):412-418.

Koblitskaia, A. F. 1977. The succession of spawning communities in the Volga Delta. J. Ichthyol 17(4):534-547.

Koblitskaia, A. F. 1981. Identification keys for young of freshwater fishes. Consumer and food industry press, Moscow, USSR. In Russian.

Koblitskaia, A. F. 1981. *Opredelitel' molodi presnovodnykh ryb.* (Identification of young freshwater fishes). Moskova, Legkaia i pishevaia promyshlennost'. 208 pp. In Russian.

Kobuke, L. 1985. Thyroxin levels in early developmental stages of coho salmon (*[Oncorhynchus kisutch]*). M.S. Thesis, Univ. California, Berkeley, CA.

Kocan, R. M., and M. L. Landolt. 1984. Alterations in patterns of excretion and other metabolic functions in developing fish embryos exposed to benzo(A)pyrene. Helgolander Meeresunters 37(1-4):493-505.

- Kocan, R. M., P. K. Hershberger, N. E. Elder, and J. R. Winton. 2001. Epidemiology of viral hemorrhagic septicemia among juvenile Pacific herring and Pacific sand lances in Puget Sound, Washington. *Journal of Aquatic Animal Health* 13(2):77-85.
- Koch, D. L. 1973. Reproductive characteristics of the cui-ui lakesucker (*[Chasmistes cujus]* Cope) and its spawning behavior in Pyramid Lake, Nevada. *Transactions of the American Fisheries Society* 102:145-149.
- Koch, D. L., and G. P. Contreras. 1973. Hatching technique for the cui-ui lakesucker. *Progressive Fish-Culturist* 35:61-63.
- Kodolov, L. S. 1968. Reproduction of the sablefish (*[Anoplopoma fimbria]*). *Probl. Ichthyol.* 8:531-535.
- Kodric-Brown, A. 1977. Reproductive success and the evolution of breeding territories in pupfish (*[Cyprinodon]*). *Evolution* 31(4):750-766.
- Koenig, C. C., and R. L. Livingston. 1976. The embryological development of the diamond killifish (*[Adinia xenica]*). *Copeia* 1976(3):435-445.
- Koenings, J. P., J. Liptin, and P. McKay. 1986. Quantitative determination of oxytetracycline uptake and release by juvenile sockeye salmon. *Transactions of the American Fisheries Society* 115:621-629.
- Koenst, W. M., and L. L. Smith, Jr. 1976. Thermal requirements of the early life history stages of walleye, *[Stizostedion vitreum vitreum]*, and sauger, *[Stizostedion canadense]*. *Journal of the Fisheries Research Board of Canada* 33(5):1130-1138.
- Kogan, V. A. 1984. Dynamics of change in the temperature characteristics of embryos of some salmonid fishes. *J. Ichthyol. USSR* 24(1):80-88.
- Kohler, A. C., and L. E. Waite. 1982. Collections of ichthyoplankton identified and enumerated for the year 1979 from the Scotian Shelf ichthyoplankton program (SSIP). *Can. Data Rep. Fish. Aquat. Sci.* 370, Fish. and Oceans Can., St. Andrews, New Brunswick. 666 pp.
- Kohler, A. C., D. J. Faber, and N. J. McFarlane. 1974. Eggs, larvae and juveniles of fishes from plankton collections in the Gulf of St. Lawrence during 1965, 1966 and 1967. *Tech. Rep. Fish. Res. Bd. Can.*, No. 285, 164 pp.
- Kohler, A. C., D. J. Faber, and N. J. McFarlane. 1974. Eggs, larvae and juveniles of fishes from plankton collections in the Gulf of St. Lawrence during 1968. *Fish. Mar. Ser. Tech. Rep.*, No. 490, 105 pp.
- Kohler, A. C., D. J. Faber, and N. J. McFarlane. 1975. Eggs, larvae and juveniles of fishes from plankton collections in the Gulf of St. Lawrence during 1979. *Fish. Mar. Ser. Tech. Rep.*, No. 521, 154 pp. ichthyoplankton, developmental stages ichthyoplankton, survey Gulf of St.
- Kohler, A. C., D. J. Faber, and N. J. McFarlane. 1976. Eggs, larvae and juveniles of fishes from plankton collections in the Gulf of St. Lawrence during 1970-1971. *Fish. Mar. Ser. Tech. Rep.*, No. 645, 139 pp.
- Kohler, A. C., D. J. Faber, and N. J. McFarlane. 1977. Eggs, larvae and juveniles of fishes from plankton collections in the Gulf of St. Lawrence during 1972 to 1975. *Fish. Mar. Ser. Tech. Rep.*, No. 747, 180 pp.
- Kohlhorst, D. W. 1976. Sturgeon spawning in the Sacramento River in 1973, as determined by distribution of larvae. *California Fish and Game* 62(1):32-40.

- Kohno, H. 1986. Larvae and juveniles of pempheridid fishes, [*Pempheris xanthoptera*] and [*P. japonica*]. Jap. J. Ichthyol. 33(2):135-144.
- Kohno, H., and Y. Taki. 1983. Comments on the development of fin-supports in fishes. Jap. J. Ichthyol. 30(3):284-290.
- Kohno, H., M. Shimiju, and Y. Nose. 1984. Morphological aspects of the development of swimming and feeding functions in larval [*Scomber japonicus*]. Bull. Jap. Soc. Sci. Fish. 50(7):1125-1138.
- Kohno, H., S. Hara, and Y. Taki. 1986. Early larval development of the sea bass, [*Lates*] [*calcarifer*], with emphasis on the transition of energy sources. Bull. Jap. Soc. Sci. Fish. 52(10):1719-1726.
- Kohno, H., T. Hoshino, F. Yasuda, and Y. Taki. 1982. Larval melanophore patterns of [*Thunnus alalunga*] and [*T. thynnus*] from the Mediterranean. Jap. J. Ichthyol. 28(4):461-465.
- Kohno, H., Y. Taki, Y. Ogasawara, Y. Shirojo, M. Taketomi, and M. Inoue. 1983. Development of swimming and feeding functions in larval [*Pagrus major*]. Jap. J. Ichthyol. 30:47-60.
- Kohno, H., M. Shimizu, and Y. Nose. 1985. Geographic variation of the larval skipjack tuna, *Katsuwonus pelamis* (Linnaeus), from the Pacific Ocean. Bull. Far Seas Fish. Res. Lab. 22:131-145.
- Koichiro, M. 1979. Effect of mercury and cadmium upon the eggs and fry of goldfish, [*Carassius auratus*] (L.). Bull. Fac. Fish. Mie Univ. 6:173-180.
- Kojima, H., and K. Sugiwaka. 1980. Population size and net production of juvenile masu salmon in the Atsuta River. Hokkaido. Sci. Rep. Hokkaido Fish Hatch. 35:35-43.
- Kojima, H. 1981. Effects of rinse on the weight and length of juvenile masu salmon preserved in 10% formalin solution of freshwater. Sci. Rep. Hokkaido Fish Hatch. 36:75-81.
- Kojima, H. 1983. Changes in the sodium serum concentration of wild juvenile masu salmon. Sci. Rep. Hokkaido Fish Hatch. 38:75-84.
- Kojima, J. 1985. Description of juveniles of the two carangid fishes, [*Trachinotus baillonii*] and [*T. blochii*], with notes on the occurrence along the coast of southern Japan. Rep. Mar. Ecol. Res. Inst. 85102.
- Kojima, S. 1971. Studies of the migration and spawning habit of the flying fish. IV. Distribution of eggs in the spawning ground. Bull. Jap. Soc. Scient. Fish. 37(4):284-288.
- Kojin, N. I. 1963. Problem of reproduction in sturgeons in the northeast part of the Black Sea. Hidrobiologia. 4:321-328.
- Kokhanova, N. A. 1957. Razvitie shchipovki ([*Cobitis taenia*] L.). Voprosy Ikhtiol. 8:89-101. [In Russian].
- Kokhanskaya, Y. M. 1973. The effect of ultraviolet radiation on the eggs of the sevryuga, [*Acipenser stellatus*] (Pallas). J. Ichthyol. 13(3):406-413.
- Kokova, V. Ye. 1978. The feeding of larvae of the whitefish, [*Coregonus*] [*lavaretus ludoga*], the Baikal omul, [*Coregonus*] [*autumnalis migratorius*], and the "peled", [*Coregonus peled*]. J. Ichthyol. 18(6):953-960.
- Kokurewicz, B. 1969. The influence of temperature on the embryonic development of the perches: [*Perca fluviatilis*] L. and [*Lucioperca lucioperca*] (L.). Zoologica Pol. 19(47).

- Kokurewicz, B. 1970. The effect of temperature on embryonic development of [*Tinca tinca*] (L.) and [*Rutilus rutilus*] (L.). *Zoologica Pol.* 20(317).
- Kolba, C. 1972. Identification of larval and juvenile silversides from Chesapeake Bay (Atheriniformes: Atherinidae). Summer Aide Report, Univ. of Maryland, Chesapeake Biological Laboratory, NRI Ref. No. 72-69, 34 pp.
- Kolgaev, A. M. 1966. Effect of the conditions of development on the fat metabolism of embryos and larvae of the amur autumn chum, [*Oncorhynchus keta*] infraspecies [autumnalis] Berg. *Vop. Ikhtiol.* 6(2):401-405. In Russian.
- Kolkovski, S., and A. Tandler. 2000. The use of squid protein hydrolysate as a protein source in microdiets for gilthead seabream [*Sparus aurata*] larvae. *Aquaculture Nutrition* 6(1):11-15.
- Koller, G. 1934. Uber den Farbwechsel von Coregonen larven. *Biol. Zentralblatt* 54:419-436.
- Kolman, R., and M. Lucynski. 1986. Survival and growth rates of whitefish, [*Coregonus*] [lavaretus] L., larvae after experimental delayed hatching. *Aquaculture* 51(3/4):207-210.
- Kolok, A. S., and D. W. Rondorf. 1987. Effect of differential gastric evacuation and multispecies prey items on estimation of daily energy intake by juvenile chinook salmon. *Environmental Biology of Fishes* 19(2):131-137.
- Komada, N. 1982. Growth and replacement of dentary teeth in young ayu, [*Plecoglossus altivelis*]. *Jap. J. Ichthyol.* 29(2):213-219.
- Komada, N. 1985. Development of teeth on the upper jaw of juvenile and young ayu, [*Plecoglossus altivelis*]. *Jap. J. Ichthyol.* 32(1):74-78.
- Komarov, Y. A. 1964. Some data of the reproduction of the horse mackerel, [*Trachurus trachurus*] L., from the Southwest African coast. *Tr. Atl. Nauchno-Issled Inst. Rybn. Khoz. Okeanogr.* 11:87-99.
- Kompowski, A. 1980. Studies on juvenile [*Chaenocephalus aceratus*] (Lonnberg, 1906) (Pisces, Chaenichthyidae) from off South Georgia. *Acta Ichthyol. Piscat.* 10:45-53.
- Konagai, M., and M. A. Rimmer. 1985. Larval ontogeny and morphology of the fire-tailed gudgeon, [*Hypseleotris galii*] (Eleotridae). *J. Fish. Biol.* 27(3):277-284.
- Konar, S. K. 1969. Lethal effects of the insecticide DDVP on the eggs and hatchlings of the snake-head, [*Channa punctatus*] (Bl.) (Ophiocephaliformes, Ophiocephalidae) *Jap. J. Ichthyol.* 15:130-133.
- Konchin, V. V. 1971. The use of rotating closed vessels to determine the rate of oxygen consumption by fish eggs. *J. Ichthyol.* 11(2):286-288.
- Konchin, V. V. 1971. The rate of oxygen consumption in the early ontogeny of the summer rakhtak ([*Salmo ischchan*] Kessler) when placed in respirators in groups and singly. *J. Ichthyol.* 11(6):916-926.
- Konchin, V. V. 1981. Analysis of the rate of gas exchange in young roach, [*Rutilus rutilus*]. *J. Ichthyol.* 21(4):122-132.
- Kondo, K. 1964. Life history of Japanese sardine, [*Sardinops*] [melanosticta] (Temm. et Schl.), and a proposed methodology on the investigations. *Rep. Fish. Res. Serv. Tokyo* 5:56 pp.
- Kondo, K. 1966. Mode of life of the Japanese anchovy, [*Engraulis*] [japonicus] (Houtt.). I. Aggregation of postlarvae and juveniles in the coastal waters of the sea of Enshu Nada. *Bull. Tokai Reg. Fish. Res. Lab.* 47:51-84.



- Kondou, T., N. Takeshita, A. Nakazono, and S. Kimura. 2001. Egg survival in a fluvial population of masu salmon in relation to intragravel conditions in spawning redds. *Transactions of the American Fisheries Society* 130(5):969-974.
- Kondratenko, V. G., and G. V. Neustroev. 1967. DNA synthesis in [*Misgurnus fossilis*] in the course of early embryology. *Dokl. Akad. Nauk SSSR* 172(6):1460.
- Kondritskaya, S. I. 1970. The larvae of the swordfish, [*Xiphias gladius*] (L.), from Mozambique Channel. *J. Ichthyol.* 10:853-854.
- Konishi, H., Y. Kurata, and N. Abe. 1960. Distribution of larval forms of the saury pike, [*Cololabis saira*] (Brevoort), in Zu'nan region. *Bull. Jap. Soc. Sci. Fish.* 26(7):633-639.
- Konishi, Y. 1980. Vertical distribution of eggs and larvae of sardine, [*Sardinops melanostica*] (Temm. et Sch.), and round herring, [*Eutremus micropus*] (T. et S.). *Bull. Nanse i Reg. Fish. Res. Lab.* 12:93-104.
- Konobeeva, U. K. 1983. Role of current on the distribution of juvenile fishes in reservoirs. *J. Ichthyol.* 23(1):96-102.
- Konobeyeva, V. K., and A. G. Poddubniy. 1982. Forecasting the distribution of young fish in a body of water. *J. Ichthyol.* 22(4):80-87.
- Kononov, V. A. 1941. Experiments on the rearing of young carp at hatching and rearing farms. *Trudy vses. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr.* 16:87-102. In Russian, English summary.
- Konovalov, P. M. 1963. Experiments with young stellate sturgeon on respiration and oxygen threshold. *Coll. Pap. Ichthyol. Hydrobiol., Acad. Sci. Kazak. USSR* 3:93-105.
- Konovalov, Y. D. 1980. Some indicators of the physico-chemical state of carp, [*Cyprinus carpio*], proteins in early stages of ontogeny. *Hydrobiol. J.* 15(3):56-60.
- Konovalov, Y. D. 1983. Ion binding of organic dyes in early ontogenesis of common carp, [*Cyprinus carpio*] (Cyprinidae). *J. Ichthyol.* 23(2):147-156.
- Konovalov, Y. D., and A. Y. Mestechkina. 1973. Dynamics of the content of sulfhydryl and disulfide groups of protein and non-protein compounds in the early ontogeny of the carp. *Gidrobiol. zhur.,* 9:No.3.
- Konovalov, Y. D. 1978. A study of the conformation of proteins in mature eggs, embryos and early larvae obtained from females of the carp, [*Cyprinus carpio*], of different ages. *J. Ichthyol.* 18(4):648-655.
- Konradt, A. G., and A. M. Sakharov. 1970. An artificial method for producing commercial fish larvae. *Izv. Gos. nauchno-issled. Inst. Ozern. Rechn. ryb. Khoz.,* 61(1966), Cat. No. 5737:184-197. Transl. Israel Program for Scientific Translations, Jerusalem.
- Konstantinov, K. G. 1957. A comparative analysis of the morphology and biology of the yellow perch, [*Perca fluviatilis*], the European pike-perch, [*Luceoperca luceoperca*], and the Volga pike-perch, [*L. volgensis*], at different stages of development. *Acad. Sci. USSR, Tr. Inst. of Anim. Morph.* 16:181-202.
- Konstantinov, K. T. 1941. Spawning of the catfish. *Zool. zhur.* 20, No. 4.
- Koo, T. S. 1979. Effect of time-temperature treatments on fish eggs and larvae. Maryland Power Plant Siting Prog. Contract 23-75-04, Chesapeake Biol. Lab, Univ. Maryland UMCEES-79-47-CBL. 91 pp.
- Koo, T. S. Y., and D. E. Ritchie. 1973. Growth of juvenile striped bass, [*Morone saxatilis*], as determined by tagging and recaptures. Pages 124-125 [in] A. L. Pacheco,

- editor. Proc. workshop on egg, larval and juvenile stages of fish in Atlantic coastal estuaries. NOAA Tech. Publ. 1. 338 pp.
- Koo, T. S. Y., and D. E. Ritchie, Jr. 1968. Growth of juvenile striped bass as determined by tagging and recapture. Ches. Biol. Lab. Ref. 68-32.
- Koo, T. S. Y., and M. L. Johnston. 1978. Larval deformity in striped bass, [*Morone saxatilis*] (Walbaum), and blueback herring, [*Alosa aestivalis*] (Mitchill), due to heat shock treatment of developing eggs. Environ. Pollut. 16(2):137-.
- Koonce, J. F., et al. 1977. Factors influencing year-class strength of percids: a summary and a model of temperature effects. Journal of the Fisheries Research Board of Canada 34:1900-1909.
- Kopec, J. A. 1949. Ecology, breeding habits and young stages of [*Crenichthys baileyi*], a cyprinodont fish of Nevada. Copeia 1949(1):56-61.
- Korn, S., and S. Rice. 1981. Sensitivity to, and accumulation and depuration of, aromatic petroleum components by early life stages of coho salmon, [*Oncorhynchus kisutch*]. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:87-92.
- Kornegay, J. W., and E. T. Humphries. 1975. Spawning of the striped bass in the Tar River, North Carolina. Proc. 29th Ann. Conf. S. E. Assoc. G & F Comm. 29:317-325.
- Kornienko, G. S. 1971. The role of infusoria in the food of the larvae of phytophagous fishes. J. Ichthyol. (USSR) 11(2):241-246.
- Korolyev, M. B., and A. A. Neyfakh. 1965. Radiation investigation of morphogenetic functions of the nuclei in tissue differentiation in early development of fish embryo (loach, [*Misgurnus fossilis*]). Z. obsch. Biol. 26:352-357.
- Korovin, V. A., and N. P. Mitskevich. 1973. Growth and chemical composition of juvenile carp, [*Cyprinus carpio*] (L.), in relation to the quality of the parents and temperature conditions in nursery ponds. J. Ichthyol. 13(4):543-549.
- Korovin, V. A., A. S. Zybin, and V. B. Legomin. 1982. Response of juvenile fish to stress factors associated with transfers during fish farming. J. Ichthyol. 22(2): 98-102.
- Korovina, V. M., L. I. Lebedeva, and L. P. Maksimova. 1972. Relationship between growth and development of whitefish larvae and the time of the beginning of feeding. Sbornik GosNIORCH, Leningrad 7:29-37.
- Korpenko, G. I. 1974. The effect of salinity on the eggs and embryos of the shemaya, [*Chalcalburnus chalcoides scheschkovi*]. J. Ichthyol. 14(6):993-994.
- Korsgaard, B. 1991. Metabolism of larval turbot [*Scophthalmus maximus*] (L) and uptake of amino acids from seawater studied by autoradiographic and radiochemical methods. Journal of Experimental Marine Biology and Ecology 148:1-10.
- Korsgaard, B., and F. O. Andersen. 1985. Embryonic nutrition, growth and energetics in [*Zoarcis viviparus*] L. as indication of a maternal-fetal trophic relationship. J. Comp. Physiol. 155B(4):437-444.
- Kortmulder, K., and R. J. van der Poll. 1981. The juvenile and adult pigment patterns of [*Barbus lateristriga*] Cuv. & Val. 1842, [*B. titteya*] (Deraniyagala 1929) and [*B. narayani*] Hora 1927 (Pisces, Cyprinidae), and their taxonomic value. Netherlands Journal of Zoology 31(2):453-465.
- Korwin-Kossakowski M., and B. Jezierska. 1985. The effect of temperature on survival of carp fry, [*Cyprinus carpio*] L., in acidic water. J. Fish. Biol. 26(1):43-48.

- Kosheleva, V. V. 1971. Alteration in the peripheral blood in the embryos and larvae of the Atlantic salmon under the action of radioactive pollution of the aquatic environment and of x-rays. Polyarnogo n.-i. i proyekt. in-ta morsk. rybn. kh-va i okeanogr., 29.
- Koski, K. V. 1966. The survival of coho ([*Oncorhynchus kisutch*]) from egg deposition to emergence in three Oregon coastal streams. M.S. Thesis, Oregon State Univ., Corvallis, OR. 84 pp.
- Koski, K. V. 1972. Summary of the spawning channel research by F R I as related to the effects of gravel composition and spawner density success, emergence survival, and fry quality. Alaska Dept. Fish Game Inf. Leaflet. 161:84-90.
- Koski, K. V. 1975. The survival and fitness of two stocks of chum salmon ([*Oncorhynchus keta*]) from egg deposition to emergence in a controlled-stream environment at Big Beef Creek. Ph.D Diss., Univ. Washington, Seattle. 210 pp.
- Koski, K. V. 1981. The survival and quality of two stocks of chum salmon, [*Oncorhynchus keta*], from egg deposition to emergence. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:330-333.
- Koslow, J. A., and S. Brault. 1983. The vertical and horizontal distribution of gadoid eggs in southwest Nova Scotia, 1983. Pages 18-19 [in] Second annual review of southwest Nova Scotia fishery ecology program. Bedford Inst. Oceanogr., Dartmouth, Canada.
- Koslow, J. A., S. Brault, J. Dugas, and F. Page. 1985. Anatomy of an apparent year-class failure: the early life history of the 1983 Browns Bank haddock, [*Melanogrammus aeglefinus*]. Trans. Am. Fish. Soc 114:478-489.
- Koslow, J. A., S. Brault, J. Dugas, R. O. Fournier, and P. Hughes. 1985. Condition of larval cod ([*Gadus morhua*]) off southwest Nova Scotia in 1983 in relation to plankton abundance and temperature. Mar. Biol. 86(2): 113-122.
- Koslow, J. A., J. Bell, P. Virtue, and D. C. Smith. 1995. Fecundity and its variability in orange roughy: effects of population density, condition, egg size, and senescence. Journal of Fish Biology 47:1063-1080.
- Koslow, J. A., C. M. Bulman, J. M. Lyle, and K. A. Haskard. 1995. Biomass assessment of a deep-water fish, the orange roughy ([*Hoplostethus atlanticus*]), based on an egg survey. Marine and Freshwater Research 46:819-830.
- Kossmann, H. 1975. Reproduction experiments on carp ([*Cyprinus carpio*]). Pages 122-126 [in] Workshop on controlled reproduction of cultivated fishes. Eur. Int. Fish. Advis. Comm. Tech. Pap. No. 25. 180 pp.
- Kossmann, H. 1975. Rearing of carp fry under laboratory conditions. Pages 127-129 [in] Workshop on controlled reproduction of cultivated fishes. Eur. Int. Fish. Advis. Comm. Tech. Pap. No. 25. 180 pp.
- Kostarev, V. L. 1974. Fluctuations in the survival rate of the Okhotsk pink salmon. (Izv. Tikhodkean Nauchno-issled inst. Rybn. Khoz. Okeanogr. 86:101-105, 1973). Fish. Res. Bd. Can. Transl. Ser. 3244:1-10.
- Koster, F. W., and C. Mollmann. 2000. Trophodynamic control by clupeid predators on recruitment success in Baltic cod? Ices Journal of Marine Science 57(2):310-323.
- Koster, W. J. 1936. The life-history and ecology of the sculpins (Cottidae) of central New York. Ph.D. Diss., Cornell Univ., Ithaca, NY.
- Koster, W. J. 1939. Some phases of the life history and relationships of the cyprinid, [*Clinostomus elongatus*] (Kirtland). Copeia 1939(4):201-208.

- Koster, W. J. 1948. Notes on the spawning activity and the young stages of [Plancterus kansae]. Copeia 1948(1):25-33.
- Kostomarova, A. A. 1961. The significance of the stage of mixed feeding for the survival of [Esox lucius] L. larvae. Trudy Soveshch. Ikhtiol. Komis. Akad., Nauk SSSR 13:344-347. U.S. Bur. Commr. Fish. Transl., Wash., D. C.
- Kostomarova, A. A. 1962. Effect of starvation on the development of the larvae of bony fishes. Trudy Inst. Morfol. Zhivotn. Akad. Nauk. SSSR 40:4-77.
- Kostomarova, A. A. 1969. The differentiation capacity of isolated loach ([Misgurnus fossilis] L.) blastoderm. J. Embryol. Exp. Morphol. 22:407-430.
- Kostomarova, A. A., and N. S. Korobtsova. 1970. Autoradiographic examination of the synthesis of nuclear RNA in intact embryos and isolated cells of [Misgurnus fossilis]. Dokl. Akad. Nauk SSSR 191(2):493.
- Kostrov, B. P. 1981. Effect of P-32 and mercuric chloride on the embryonic development of loach, [Misgurnus fossilis]. J. Ichthyol. 21(6):167-169.
- Kostrov, B. P., and I. A. Shekhanova. 1981. Effect of mercuric chloride and P-32 on the respiration of the embryos of the loach, [Misgurnus fossilis]. J. Ichthyol. 21(3):138-140.
- Kostyuechenko, L. P. 1971. Distribution of fish plankton in the zone affected by warm water discharge from Novorossiysk thermal power station. J. Ichthyol. 11(6):866-871.
- Kothbauer, H., and H. Schenkel-Brunner. 1975. Hemagglutinin in fish eggs: comparative studies on different salmonidae species. Comp. Biochem. Physiol. 50(1A):27-29.
- Kotkas, E., and T. W. Robbins. 1977. Studies of the American shad, [Alosa sapidissima] (Wilson), in the lower Susquehanna River below Conowingo Dam (Maryland), 1972-1976. Pages 321-336 [in] Proc. Workshop on American shad. U.S. Fish. Wildl. Serv. and NMFS U.S. Govt. Print. Off. Publ. No. 701-142 #18. 350 pp.
- Kotliarevskaja, N. V. 1966. Effect of hatching enzyme on the egg membranes of the pike. Dokl. Akad. Nauk, SSSR 169(2):485. In Russian.
- Kotliarevskaja, N. V. 1967. Hatching of [Misgurnus fossilis] as dependent on its oxygen regime. Dokl. Akad. Nauk SSSR 177(5):1245.
- Kotliarevskaja, N. V. 1969. Particular characters of functioning of the hatching-gland in [Misgurnus fossilis] at different oxygen regime. Dokl. Akad.
- Kotlyarevskaja, N. V. 1969. The hatching process in the pike ([Esox lucius] L.). Vop. Ikhtiol. 9:116-128. In Russian. Transl. Probl. Ichthyol. 9(1969):85-94.
- Kotthaus, A. 1939. Zuchtversuche mit Heringslarven, [Clupea harengus] L. Helgoland Wiss. Meeresunters 1:349-358.
- Kotthaus, A. 1961. Redfish larvae investigations in the central North Atlantic in 1961. ICES CM 1961 4.
- Kotthaus, A. 1965. The breeding and larval distribution of redfish in relation to water temperature. Spec. Publs. int. Commn. N.W. Atlant. Fish., No. 6 (Contrib. No. B-17):417-423.
- Koubbi, P., F. Ibanez, and G. Duhamel. 1991. Environmental influences on spatio-temporal oceanic distribution of ichthyoplankton around the Kerguelen Islands (Southern Ocean). Marine Ecology-Progress Series 72:225-238.

- Koubbi, P. 1993. Influence of the frontal zones on ichthyoplankton and mesopelagic fish assemblages in the Crozet Basin (Indian Sector of the Southern Ocean). *Polar Biology* 13:557-564.
- Kouril, J., J. Matena, O. Skacelova, and I. Prekryl. 1981. Test feeding of carp early stages with zooplankton and Ewas C10. *VURH, Vodmany* 1981 2:15-35.
- Koutsikopoulos, C., L. Fortier, and J. A. Gagne. 1991. Cross-shelf dispersion of Dover sole (*Solea solea*) eggs and larvae in Biscay Bay and recruitment to inshore nurseries. *Journal of Plankton Research* 13:923-945.
- Kovalev, P. M. 1973. Natural reproductive conditions of the pike-perch, [*Lucioperca lucioperca*] (L.), perch [*Perca fluviatilis*] (L.), and ruffle [*Acerina cernua*] (L.), of Lake Ilmen. *J. Ichthyol.* 13(6):943-946.
- Kovalev, P. M. 1976. Larval development of the pike-perch, [*Lucioperca*] [*lucioperca*] under natural conditions. *J. Ichthyol.* 16(4):606-616.
- Kovaleveskaya, N. V., and N. V. Khrapkova. 1963. Data on reproduction, development and distribution of larvae and young fish of [*Oxyporhamphus micropterus*]. *Tr. Inst. Okeanol.* 62:49-61.
- Kovaleveskova, A. O. 1970. Investigations on ecology of the ontogenetic stages of fishes in the northeast part of the Black Sea. *Moskva, Akad. Nauk. SSSR*, 204 pp.
- Kovalevskaia, N. V. 1964. Study of development of the "2-winged" flying fishes of the genus [*Exocoetus*]. *Trud. Inst. Okeanol. Moscow* 73:204-223.
- Kovalevskaia, N. V. 1965. Eggs and larvae of syntenognathous fishes (Beloniformes, Pisces) of the Gulf of Tonkin. *Trudy Inst. Okeanol.* 80:124-146. [in Russian].
- Kovalevskaia, N. V. 1972. New materials on reproduction, development, and distribution of larvae and juveniles of flying fishes of the genus [*Hirundichthys exocoetus*] (Pisces) in the Pacific and Indian Oceans. *Tr. Inst. Okeanol. Akad. Nauk SSSR* 93:42-69. (Engl. Summary).
- Kovalevskaia, N. V. 1975. The larvae and fry of [*Cheilopogon*] ([*Ptenichthys*]) *intermedius* (Exocoetidae, Beloniformes, Pisces). *J. Ichthyol.* 15(4):672-675.
- Kovalevskaia, N. V. 1977. The larvae and fry of flyingfish of the family Exocoetidae: [*Cheilopogon cyanopterus*] (Val.), [*C. [silonotopterus]*] (Bleeker), and [*C. longibarbus*] Parin. *J. Ichthyol.* 17(2):291-300.
- Kovalevskaia, N. V. 1978. The distribution characteristics of larvae and fingerlings of the smallwing flying fish, [*Oxyporhamphus micropt erus*] (Val.), and the flying fish, [*Exocoetus volitans*] Linne, in the region of equatorial currents of the Pacific Ocean. *Oceanology* 18(1):88-90.
- Kovalevskaia, N. V. 1980. Reproduction, development and distribution patterns of larvae and juveniles of the oceanic flying fishes in the Pacific and Indian Oceans. *Tr. Inst. Okeanol.* 97:212-275.
- Kovalevskaia, N. V. 1981. Development of flying fish, [*Hirundichthys*] [*marginatus*] (Exocoetidae). *J. Ichthyol.* 21(6):82-88.
- Kovalevskaia, N. V. 1982. Superfluous reproduction and development of flying fishes of the family Exocoetidae. *J. Ichthyol.* (Engl. Transl. *Vopr. Ikhtiolog.*) 22(4):48-54.
- Kovalevskaia, N. V. 1983. Development of dwarf saury, [*Elassichthys adocetus*] (Scomberesocidae). *J. Ichthyol.* 23(4):164-168.

- Kovalevskaya, N. V. 1986. Materials on ontogenesis of the garfishes (Scomberesocidae). Tr. Inst. Okeanol. 116:21-31.
- Kovtun, I. F. 1976. Materials on the ecology of the goby, [*Pomatoschistus microps leopardinus*], from the Sea of Azov. J. Ichthyol. 16(1):28-34.
- Kowtal, G. V. 1965. Breeding of [*Eleutheronema tetradactylum*] in the Chilka Lake. Sci. Cult. 31:262-263.
- Kowtal, G. V. 1967. Occurrence and distribution of pelagic fish eggs and larvae in the Chilka Lake during the years 1964 and 1965. Indian J. Fish. 14(1-2):198-214.
- Kowtal, G. V. 1970. A note on the early development of balangi, [*Nematalosa nasus*] (Bloch), from Chilka Lake. J. Inl. Fish. Soc. India, Barrackpore 2:155-158.
- Kowtal, G. V. 1972. Observations on the breeding and larval development of Chilka 'Sahai', [*Eleutheronema tetradactylum*] (Shaw). Indian J. Fish. 19:70-75.
- Kowtal, G. V. 1976. Studies on the juvenile fish stock of Chilka Lake. Indian J. Fish. 23(1/2):31-40.
- Kozakov, R. V. 1981. The effect of size of Atlantic salmon eggs on embryos and alevins. J. Fish. Biol. 19(3):353.
- Kozasa, E. 1970. Feeding of the larvae of jack mackerel, [*Trachurus japonicus*]. I. Bull. Seikai Reg. Fish. Res. Lab. 38:79-86.
- Kozasa, E. 1971. An observation on the drift of larvae of jack mackerel in the China Sea. Bull. Seikai Reg. Fish-Res. Lab. 39:1-14.
- Kozlov, B. M. 1952. Observations on the development of navaga eggs. Izv. Tikhookean Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 34:261-262. In Russian.
- Kozlov, B. M. 1952. Some observations on development of navaga eggs. Izv. Tikhookean. Nauchno-issled. Inst. Rybn. Khoz. Okeanogr. 37:255.
- Kraatz, W. C. 1924. The intestine of the minnow, [*Campostoma anomalum*] (Rafinesque), with special reference to the development of its coiling. Ohio J. Sci. 24(6):265-298.
- Krakatitsa, V. V. 1970. Larvae of [*Auxis thazard*] (Lac.) (Pisces: Thunnidae) and their distribution in the Gulf of Aden. Tr. Azcher NIRO (29):139-143.
- Krakatitsa, V. V., and M. F. Sapin. 1971. A pelagic egg incubator for use on ships. J. Ichthyol. 11(3):431-435.
- Krakatitsa, V. V., and M. F. Sapin. 1971. An expeditionary egg incubator for pelagic fish eggs. Vopr. Ikhtiologii 11(3):530-533.
- Kramer, D. 1960. Development of eggs and larvae of Pacific mackerel and distribution and abundance of larvae 1952-1956. Fish. Bull. NOAA (U.S.) 60(174):393-438.
- Kramer, D. 1963. Records and observations from plankton grid studies off Baja California, April, 1952. Spec. Sci. Rep. Fish. U.S. Fish. Wildl. Serv. 442:42 pp.
- Kramer, D., and E. H. Ahlstrom. 1968. Distributional atlas of fish larvae in the California Current region: Northern anchovy, [*Engraulis mordax*] Girard, 1951 through 1965. California Coop. Oceanic Fish. Invest. Atlas 9:269 pp.
- Kramer, D. 1969. Synopsis of the biological data on the Pacific mackerel, [*Scomber japonicus*] Houttuyn (N.E. Pacific). FAO Spec. Synop. No. 40, U.S. Fish. Wildl. Serv. Circ. No. 302. 18 pp.

- Kramer, D., and J. R. Zweifel. 1970. Growth of anchovy larvae ([*Engraulis mordax*] Girard) in the laboratory as influenced by temperature. Rep. California Coop. Oceanic Fish. Invest. 14:84-87.
- Kramer, D., and P. E. Smith. 1970. Seasonal and geographic characteristics of fishery resources. California Current region. 1. Jack mackerel. Commer. Fish. Rev. 32(5):27-31.
- Kramer, D., and P. E. Smith. 1970. Seasonal and geographic characteristics of fishery resources. California Current Region. 2. Pacific saury. Commer. Fish. Rev. 32(6):47-51.
- Kramer, D., and P. E. Smith. 1970. Seasonal and geographic characteristics of fishery resources. California Current Region. 3. Pacific hake. Commer. Fish. Rev. 32(7):41-44.
- Kramer, D., and P. E. Smith. 1970. Seasonal and geographic characteristics of fishery resources. California Current Region. 4. Pacific mackerel. Commer. Fish. Rev. 32(8):47-49.
- Kramer, D. 1970. Distributional atlas of fish eggs and larvae in the California Current region: Pacific sardine, [*Sardinops caerulea*] (Girard), 1951 through 1966. California Coop. Ocean. Fish. Invest. Atlas No. 12.
- Kramer, D. 1971. Sardine eggs and larvae and other fish larvae of the Pacific Coast, 1958 and 1959. Data Rep. N.M.F.S. (U.S.), No. 68, 132 pp.
- Kramer, D., and P. E. Smith. 1971. Seasonal and geographic characteristics of fishery resources. California Current Region. 5. Northern anchovy. Commer. Fish. Rev. 33(3):33-38.
- Kramer, D., and P. E. Smith. 1971. Seasonal and geographic characteristics of fishery resources. California Current Region. 6. Rockfish. Commer. Fish. Rev. 33(7/8):40-43.
- Kramer, D., and P. E. Smith. 1971. Seasonal and geographic characteristics of fishery resources. California Current Region. 7. Pacific sardine. Commer. Fish. Rev. 33(10):7-11.
- Kramer, D., and P. E. Smith. 1972. Seasonal and geographic characteristics of fishery resources. California Current Region. 9. Inshore sportfishes. Commer. Fish. Rev. 35(5/6):15-18.
- Kramer, D., et al. 1972. Collecting and processing data on fish eggs and larvae in the California Current region. NOAA Tech. Rep., NMFS Circ. 370. 38 pp.
- Kramer, D. L., and N. R. Liley. 1971. The role of spawning behavior and stimuli from the eggs in the induction of a parental response in the blue gourami, [*Trichogaster trichopterus*] (Pisces, Belontiidae). Anim. Behav. 19(1):87-92.
- Kramer, D. L. 1978. Terrestrial group spawning of [*Brycon petrosus*] (Pisces: Characidae) in Panama. Copeia 1978(3):536-537.
- Kramer, R. H. 1961. The early life history of the large-mouth bass, [*Micropterus salmoides*]. Ph.D Diss., Univ. Minnesota. 122 pp.
- Kramer, R. H., and L. L. Smith, Jr. 1960. First year growth of the largemouth bass, [*Micropterus salmoides*] (Lacepede), and some related ecological factors. Transactions of the American Fisheries Society 89 (2):222-233.
- Kramer, R. H., and L. L. Smith, Jr. 1962. Formation of year classes in largemouth bass. Transactions of the American Fisheries Society 91 (1):29-41.
- Kramer, R. H., and L. L. Smith, Jr. 1965. Effects of suspended wood fiber on brown and rainbow trout eggs and alevins. Transactions of the American Fisheries Society 94(3):252-258.

- Kramer, R. H., and L. L. Smith, Jr. 1966. Survival of walleye eggs in suspended wood fibers. *Progressive Fish-Culturist* 28(2):79-82.
- Kramer, R. H. 1967. Extent and causes of early mortality in freshwater fish. Pap. Pres. 97th Ann. Meet. Am. Fish. Soc. 36 pp. (Mimeo).
- Kramer, R. H. 1969. A preliminary bibliography on extent and causes of early mortality in freshwater fish (diadromous fishes excluded). *FAO Fish. Circ.*, No. 307, 20 pp.
- Kramer, S. H. 1991. Growth, mortality, and movements of juvenile California halibut [*Paralichthys californicus*] in shallow coastal and bay habitats of San Diego County, California. *Fishery Bulletin* 89:195-207.
- Kramp, E. 1913. [Haplochilus] sp. und seine Zucht. *Blatt. Aquar.-Terrav. Kund*, 24 Jarhg. 565-666.
- Kramp, P. L. 1913. Report on the fish eggs and larvae collected by the Danish research steamer "Thor" in the Langelandsbelt in 1909. *Meddr Kom mn Havunders.*, Ser. Fiskei 4(5):1-38.
- Kramp, P. L. 1924. Fish eggs and larvae collected in the Belt Sea in March, 1922. *Medd. Komm. Havunders. Ser. Fisk.* 7(6):1-19.
- Kranz, R. V., K. N. Mueller, and S. C. Douglas. 1979. Development of the young of the creek chub, [*Semotilus atromaculatus*]. Pages 100-119 [in] R. D. Hoyt, editor. Proc. third symp. on larval fish, Western Kentucky Univ., Bowling Green, KY.
- Krapkova-Kovalevsk N. V. 1963. Data on the reproduction, development, and distribution of larvae and fry of the flying halfbeak, [*Oxyporhamphus micropterus*] (Val.) (Pisces: Oxyporhamphidae). *Tr. Inst. Okeanol. Akad. Nauk. SSSR* 62:49-60.
- Krasnodembskaya, K. D. 1978. Formation of pigment reactions and their regulatory mechanism in chondrosteian fishes. *J. Ichthyol.* 18(1):120-131.
- Krassenstein, R. C. 1980. Habitat selectivity of trout-perch larvae in the Conneaut Harbor area of Lake Erie. *Ohio J. Sci.* 80:13.
- Kratt, L. F., and R. J. E. Smith. 1977. A post-hatching sub-gravel stage in the life history of the Arctic grayling, [*Thymallus arcticus*]. *Transactions of the American Fisheries Society* 106(3):241-243.
- Krause, R. A., and M. J. Van Den Avyle. 1979. Temporal and spatial variations in abundance and species composition of larval fishes in Center Hill Reservoir, Tennessee. Pages 167-184 [in] R. D. Hoyt, editor. Proc. third symp. on larval fish, Western Kentucky University, Bowling Green, KY.
- Krayushkina, L. S., and V. P. Dyubin. 1974. The reaction of juvenile sturgeon to alteration of environmental salinity. *J. Ichthyol.* 14(6):971-76.
- Krayushkina, L. S., and V. P. Dyubin. 1975. The response to environmental salinity variations in young sturgeons. *Vopr. Ikhtirol. (USSR)* 14:1118.
- Kreffft, G. 1958. Antarktische fische und fischlarven aus den planktonfangen. *Deutsche Antarktis Expedition 1938-39*, 2:249-256.
- Kreffft, G. 1961. A contribution to the reproductive biology of [*Helicolenus dactylopterus*] (De la Roche, 1809) with remarks on the evolution of the Sebastinae. *Rapp. p.-v. Reun. Cons. perm. int. Explor. Mer* 150:243-244.
- Krekorian, C. O., and D. W. Dunham. 1972. Parental egg care in the spraying characid ([*Copeina*] [*arnoldi*] Regan): role of the spawning surface. *Anim. Behav.* 20:356-360.



- Krenkel, P. A., and F. L. Parker. (eds.) 1969. Biological aspects of thermal pollution. [In] Proceedings of the national symposium on thermal pollution. Vanderbilt Univ. Press, Nashville, Tenn., 407 pp.
- Kreselj, S. 1971. Survey and development of pelagic fishery resources, Abidjan. Rapp. Sci. Proj. Dev. Peche Pelag. Cot. FAO/PNUD, Agidj an (RS-2/71):12 pp.
- Kreselj, S. 1972. Etude de la distribution et de l'abondance des oeufs et larves d'anchois du Cap des Palmes au Cap des Trois Pointes durant la periode 71-72. Rapp. Sci. Proj. Dev. Peche Pelag. Cot. FAO/PNUD, Abidjan (RS-7/72):10 pp.
- Kreselj, S. 1972. Etude de la distribution et de l'abondance des oeufs et larves de Clupea sur le plateau continental ivoirien durant la periode 71-72. Rapp. Sci. Proj. Dev. Peche Pelag. Cot. FAO/PNUD, Abidjan (RT-S/72):19 pp.
- Kresja, R. J. 1964. Reproductive behavior and sexual dimorphism in the manacled sculpin, [*Synchirus gilli*] Bean. Copeia 1964:448-450.
- Krevanovski, S. G. 1956. Development of [*Clupea harengus membras*] in water of high salinity. J. Ichthyol. (6):100-104.
- Krevanovski, S. G. 1956. Materials on the development of fish of the herring family. In Russian. Trudy Inst. Morf. Zhivot, No. 17:73-146.
- Kriete, W. H., Jr., and J. G. Loesch. 1980. Design and relative efficiency of a bow mounted pushnet for sampling juvenile pelagic fishes. Transactions of the American Fisheries Society 106:649-652.
- Krigshaber, M. R., and A. A. Neufach. 1968. Protein synthesis in the blastoderm of a [*Misgurnus fossilis*] embryo. Dokl. Akad. Nauk SSSR 180(5):1259-1261.
- Krigshaber, M. R., and A. A. Neyfakh. 1972. Investigation of the mode of nuclear control over protein synthesis in early development of loach and sea urchin. J. Embryol. Exp. Morph. 28:491-509.
- Krima, R. F., and R. F. Raleigh. 1970. Migration of juvenile salmon and trout into Brownlee Reservoir, 1962-65. Fish. Bull. 68(2):203-218.
- Krise, W. E. 2001. Sensitivity of Atlantic salmon eggs to mechanical shock during the first six hours after fertilization. North American Journal of Aquaculture 63(1):34-37.
- Krishna, D. 1953. Effects of changing pH on developing trout eggs and larvae. Nature (London) 171:434.
- Krishnamurthy, K. 1962. Occurrence of a very early stage of [*Parapegasus natans*] (L.), from the nearshore waters of Porto Novo, South India. J. Mar. Biol. Assoc. India 1961 3(1/2):271-272.
- Krishnamurthy, K., and M. J. P. Jeyaseelan. 1981. The early life history of fishes from Pichavaram ecosystem of India. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:416-423.
- Krishnamurthy, V. G. 1967. Development of the Corpuscles of Stannius in the anabantid teleost, [*Colisa lalia*]. J. Morph. 123(2):109-120.
- Kristinsson, J. B., R. L. Saunders, and A. J. Wiggs. 1985. Growth dynamics during the development of bimodal length-frequency distribution in juvenile Atlantic salmon (*Salmo salar* L.). Aquaculture 45(1-4):1-20.
- Krivobok, M. N. 1961. The relationship between the spawning time and the fecundity of [*Clupea harengus membras*]. Trudy vses. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr. 44:160-163.

- Krivobok, M. N., and O. I. Tarkovskaya. 1970. Some features of the metabolism of the sturgeon and the sevryuga in early developmental stages. *J. Ichthyol.* 10(3):333-337.
- Krivobok, M. N., O. I. Tarkovskaya, and A. A. Karassikov. 1970. Quality of eggs of Baltic herring of various lengths, age groups, and fecundity. *Trudy vses. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr.* 69:133-146. In Russian.
- Krochmal, S. B. 1949. Ecology of the smelt, [*Osmerus mordax mordax*] (Mitchill), in Great Bay, New Hampshire. M.S. Thesis Univ. New Hampshire, Durham. 78 pp.
- Kroger, R. L., R. L. Dryfoos, and G. R. Huntsman. 1971. Movement of juvenile Atlantic menhaden tagged in New England waters. *Ches. Sci.* 12(2):114-115.
- Kroger, R. L., and J. F. Guthrie. 1971. Incidence of crooked vertebral columns in juvenile Atlantic menhaden, [*Brevoortia tyrannus*]. *Ches. Sci.* 12(4):276-278.
- Kroger, R. L., and J. F. Guthrie. 1972. Effect of predators on juvenile menhaden in clear and turbid estuaries. *Mar. Fish. Rev.* 34(11/12):78-80.
- Kroger, R. L., and J. F. Guthrie. 1973. Migrations of tagged juvenile Atlantic menhaden. *Transactions of the American Fisheries Society* 102(2):417-422.
- Kroger, R. L., and P. J. Pristas. 1975. Movements of tagged juvenile menhaden, [*Brevoortia*] [*patronus*], in the Gulf of Mexico. *Texas J. Sci.* 26(3/4):473-477.
- Krogus, F. V. 1954. The relation of the up-river migration of sock-eye salmon and the seaward migration of their young to the daily cycle of water temperature, pH, and content of dissolved gases. *Izvestiia Tikhookeanskovo Nauchno-Issle. Instit. Ryb. Khoz. I Okranogratii* 41:197-229.
- Krska, R. J. Jr., and R. L. Applegate. 1982. Food of young muskellunge in a power plant cooling reservoir. *Prog. Fish-Cult.* 44:172-173.
- Krueger, H. W. 1961. Meristic variation in the four-spine stickleback, [*Apeltes quadracus*]. *Copeia* 4:442-450.
- Krueger, W. H. 1972. Biological studies on the Bermuda Ocean Acre IV. Life history, vertical distribution and sound scattering in the Gonostomatid fish, [*Valenciennellus*] [*trepunctulatus*] (Esmark). U.S. Navy Underwater Sys. Ctr. Rep. N00140-72-C-0315, Smithsonian Inst. 37 pp.
- Kruetzmann, H. L., and E. Dmitrizevskaya. 1985. Comparative studies on blood formation of rainbow trout, [*Salmo gairdneri*], and Kamchatkan trout, [*S.*] [*mykiss*], during ontogeny. *J. Ichthyol.* 25(2):78-85.
- Krumholz, L. A. 1948. Reproduction in the western mosquitofish, [*Gambusia*] [*affinis affinis*] (Baird and Girard), and its use in mosquito control. *Ecol. Monogr.* 18:1-43.
- Krumholz, L. A. 1949. Rates of survival and growth of bluegill yolk fry stocked at different intensities in hatchery ponds. *Transactions of the American Fisheries Society* 76:190-203.
- Krygier, E. E., and W. G. Pearcy. 1986. The role of estuarine and offshore nursery areas for young English sole, [*Parophrys vetulus*] Girard, of Oregon. *Fish. Bull.* 84(1):119-132.
- Krylova, V. D. 1970. Early stages of development of the second brood of the hybrid between beluga ([*Huso huso*]) and sterlet ([*Acipenser ruthenus*]). *All-Union Res. Inst. Mar. Fish. and Oceanogr.* (Moscow) 76(3):231-237.
- Kryzhamouskii, S. C. 1948. Ecological groups of fishes and the laws of their development. *Izv. Tikhookean. Nauchno-Issled. Inst. Rybn. Khoz. Okean.* 27.

- Kryzhamouskii, S. C. 1949. Eggs, larvae, and postlarvae of fishes: cyprinids through siluroids. In Russian. Trudy Inst. Morf. Zhivot.:1-332, ill.
- Kryzhamouskii, S. C. 1949. Eco-morphological principles of development among carps, loaches and catfishes: Part II, Ecological groups of fishes and patterns of their distribution. Pages 237-331 [in] Fish Res. Bd. Can. Transl. Ser. No. 2945.
- Kryzhamouskii, S. C., A. I. Smirnov, and S. G. Soin. 1951. Materials on the development of the Amur River fishes. Tr. Amur. Ichthyol. Ekspeditsiy 1945-1949, 2:5-22.
- Kryzhamouskii, S. C., N. N. Disler, and E. N. Smirnova. 1953. Eco-morphological laws of development in percids. Zool. Zh. 10:3-138.
- Kryzhamouskii, S. C. 1956. On the development of clupeids. Trudy Inst. Morf. Zhivot. 17:1-255.
- Kryzhamouskii, S. C. 1960. Meaning of oil content in the eggs of fishes. Zool. Zh. 39:111-123.
- Kryzhanovskii, S. G. 1948. Ecological groups of fishes and the laws of their development. Izv. Tikhookean Nauchno-Issled. Inst. Rybn. Khoz. Okean. 27:5-114. In Russian.
- Kubo, I. 1939. Note on the development of a teleost, [Thalassoma] [cupido] (Temminck and Schl egel). Bull. Jap. Soc. Sci. Fish. 8(3):165-167.
- Kuboshima, Y. 1995. Distribution of alfonsino [Beryx splendens] eggs in the spawning ground around the sea mounts off Izu Islands, middle Japan. Nippon Suisan Gakkaishi 61:187-192.
- Kubota, S. 1957. Development and morphological observations on the taste buds of [Carassius auratus]. Dobutsugaku Zasshi 66(2-3):152. In Japanese.
- Kucas, S.T. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific southwest) - northern anchovy. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.50). U.S. Army Corps of Engineers, TR EL-82-4. 11 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)
- Kucera, P. A. 1978. Reproductive biology of the tui chub, [Gila bicolor], in Pyramid Lake, Nevada. Great Basin Nat. 38(2):203-207.
- Kucera, P. A., and J. L. Kennedy. 1977. Evaluation of a sphere volume method for estimating fish fecundity. Progressive Fish-Culturist 39:115-117.
- Kuchnow, K. P., and R. S. Foster, IV. 1976. Thermal tolerance of stored [Fundulus heteroclitus] gametes: fertilizability and survival of embryos. Journal of the Fisheries Research Board of Canada 33(4):676-680.
- Kuchnow, K. P., and J. R. Scott. 1977. Ultrastructure of the chorion and its micropyle apparatus in the mature [Fundulus heteroclitus] (Walbaum) ovum. J. Fish. Biol. 10(3):197-201.
- Kudinskiy, O. Y. 1969. Some features of embryonic development in "small" White Sea herring, [Clupea harengus pallasii] n. [maris-albi] Berg., var B, in relation to temperature. Dolk. Akad. Nauk SSSR 184:731-734.
- Kudo, S. 1959. Studies on the sexual maturation of female and on the embryos of Japanese dogfish, [Halaaelurus burgeri]. Rep. Nankai reg. Fish. Res. Lab. 11:41.
- Kudo, S. 1980. Sperm penetration and the formation of a fertilization cone in the common carp egg. Development, Growth and Diff. 22:403-414.

- Kudrinskaya, O. I. 1969. Metabolic rate in the larvae of pike-perch, carp-bream, and roach. *Hydrobiol. J.* 5(4):68-72.
- Kudrinskaya, O. I. 1970. The influence of concentration of food organisms on the rate of their consumption by fish larvae. *Hydrobiologia* 6(5):64-67.
- Kudrinskaya, O. I. 1970. Food and temperature as factors affecting the growth, development and survival of pike-perch and perch larvae. *J. Ichthyol.* 10(6):779-787.
- Kudrinskaya, O. I. 1970. Energy balance and the provision of [*Lucioperca*] [*lucioperca*] (L.) larvae with food. *Gidrobiol. Zh.* 6(1):5-15.
- Kudrinskaya, O. I. 1978. The extent of food availability for larvae of different fish species depending on the development of the food supply. *J. Ichthyol.* 18(2):243-250.
- Kuhlman, D. 1977. Laboratory studies on the feeding behavior of the chaetognath, [*Sagitta setosa*] J. Muedler, and [*S. [elegans]*] Verris, with reference to fish eggs and larvae as food organisms. *Meeresforsch. Rep. Mar. Res.* 25:163-171.
- Kuhlman, D., and G. Quantz. 1980. Some effects of temperature and salinity on the embryonic development and incubation time of the turbot, [*Scophthalmus maximus*] L., from the Baltic Sea. *Meeresforsch. Rep. Mar. Res.* 28:172-178.
- Kuhlmann, D., and G. Quantz. 1980. Some effects of temperature and salinity on the embryonic development and incubation time of the turbot, [*Scophthalmus maximus*] L. from the Baltic Sea. *Meeresforschung* 28:172-178.
- Kuhlman, D., G. Quantz, W. Nellen, and J. Lenz. 1980. The development of turbot eggs, [*Scophthalmus*] [*maximus*] L., from the Baltic Sea under different temperature and salinity conditions. *ICES CM* 1980/F:31.
- Kuhlman, D., G. Quantz, and U. Witt. 1981. Rearing of turbot larvae ([*Scophthalmus maximus*] L.) on cultured food organisms and postmetamorphosis growth on natural and artificial food. *Aquaculture* 23:183-196.
- Kuhlmann, H. 1975. The influence of temperature, food, size and origin of the sexual differentiation of elvers, [*Anguilla*] [*anguilla*]. *Helgolander Wiss. Meeresunters* 27:139.
- Kuhnhold, W. W. 1969. The influence of water soluble compounds of crude oils and their fraction on the ontogenetic development of herring fry ([*Clupea harengus*] L.). *Ber. Dtsch. Wiss. Komm. Meeresforsch.* 20:165-171.
- Kuhnhold, W. W. 1970. The influence of crude oils on fish fry. Pages 315-318 [in] F.A.O. Technical Conference on Marine Pollution and Its Effects on Living Resources and Fishing. Rome (1970) FIR:MP/70/E-64.
- Kuhnhold, W. W. 1972. Investigations on the toxicity of crude oil extracts and dispersions on eggs and larva of cod and herring. Ph.D. Diss., Univ. of Kiel, Federal Republic of Germany.
- Kuhnhold, W. W. 1974. Investigations of the toxicity of seawater extracts of three crude oils on eggs of cod ([*Gadus morhua*] L.). *Ber. Dtsch. Komm. Meeresforsch.* 23:165-180.
- Kuhnhold, W. W. 1977. The effect of mineral oils on the development of eggs and larvae of marine species. A review and comparison of experimental data in regard to possible damage at sea. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 171:175-183.
- Kuhnhold, W. W., and F. Busch. 1978. On the uptake of three different types of hydrocarbons by salmon eggs, [*Salmo salar*] L., Sonderdruck aus *Bd.* 26:50-57.
- Kuhno, H., T. Hoshino, F. Yasuda, and Y. Taki. 1982. Larval melanophore patterns of [*Thunnus alalunga*] and [*T. thynnus*] from the Mediterranean. *Jap. J. Ichthyol.* 28:461-465.

- Kuipers, B. 1973. On the tidal migration of young plaice, [*Pleuronectes platessa*], in the Wadden Sea. *Netherlands J. Sea Res.* 6:376-388.
- Kuipers, B. R. 1975. On the efficiency of a two-meter beam trawl for juvenile plaice ([*Pleuronectes platessa*]). *Neth. J. Sea Res.* 9:69-85.
- Kuipers, B. R. 1977. On the ecology of juvenile plaice on a tidal flat in the Wadden Sea. *Neth. J. Sea Res.* 11:56-91.
- Kukuradze, A. M. 1968. Features of ovogenesis in the pike-perch ([*Lucioperca* [*lucioperca*] L.) and bream ([*Abramis brama*] L.) of the River Danube. *Vopr. Ikhtiol.* 8:601-605. In Russian.
- Kukuradze, A. M. 1968. Effect of ecological conditions in the spawning period on the sexual cycle of the pike-perch ([*Lucioperca lucioperca*] (L.)) in the Likhiya Delta of the Danube. *Vopr. Ikhtiol.* 8:463-466. In Russian.
- Kukuradze, A. M. 1974. A description of the spawning stock and reproduction of the pike-perch, [*Lucioperca lucioperca*], of the Danube Delta and waters in the Danubian region. *J. Ichthyol.* 14(3):385-392.
- Kuliev, Z. M. 1965. Biology and reproduction of [*Rutilus rutilus*] in Kizilgach Bay. *Gxv. Akad. Nauk. Azerbaidj. SSR. Biol.* 3:65-73.
- Kulikova, N. I., and N. I. Fandeeva. 1976. Analysis of formation of various batches of eggs in Azov Round goby ([*Gobius melanostomus*] Pallas). *Proc. All-Union Res. Inst. Mar. Fish. Oceanogr.* 115:70-81.
- Kulikov, N. V., N. A. Timofeeva, and L. K. Shishenkova. 1968. Radiosensitivity of developing embryos of the tench ([*Tinca tinca*]). *Radiobiologiya* 8:391-395.
- Kulikov, N. V., N. A. Timofeyeva, and L. K. Al'shits. 1969. Reduction in the radiosensitivity of embryos of tench ([*Tinca tinca*] L.) as a result of preliminary irradiation. *Radiobiologiya* 4:637-639.
- Kulikov, N. V. 1970. Radiosensitivity of pike spawn ([*Esox lucius*] L.) in the process of fertilization and early division. *Radiobiologiya* 10:768-770.
- Kulikov, N. V. 1970. Radiosensitivity of tench ([*Tinca tinca*]) embryos at various stages of development. *Radiobiologiya.* 10:127-130. In Russian.
- Kulkarni, C. V. 1940. On the systematic position, structural modifications, bionomics and development of a cyprinodont fishes from the province of Bombay. *Rec. Indian Mus. (Calcutta)* 42:379-423.
- Kulkarni, C. V. 1943. Breeding habits and early stages of the gourami ([*Osphronemus goramy*] Lacepede). *J. Bombay Nat. Hist. Soc.* 44:233-243.
- Kulkarni, C. V. 1946. Gourami culture. *Indian Fmg.* 7(12):565-571.
- Kulkarni, C. V. 1950. Breeding habits, eggs and early life history of the Indian shad, [*Hilsa ilisha*] (Hamilton) in the Narboda River. *Proc. Natn. Inst. Sci. India* 16(3): 169-176.
- Kulkarni, C. V. 1970. Spawning habits, eggs and early development of Deccan Mahseer, [*Tor khudree*]. *J. Bombay Nat. Hist. Soc.* 67:510-521.
- Kulkarni, C. V. 1980. Eggs and early development of Tor Mahseer fish. *J. Bombay Nat. Hist. Soc.* 77(1):70-75.

- Kulkarni, C. V., and S. N. Ogale. 1978. Feeding, growth and early development of the Indian trout, [*Barilius (Opsarius) bclai*] Ham. J. Bombay Nat. Hist. Soc. 75(2):266-272.
- Kulshreshtha, S. D., and T. Majupuria. 1957. Notes on the development of the carp, [*Barbus*] [*stigma*]. Proc. 44th Indian Sci. Congr. (Calcutta) Pt. 3:317.
- Kumagai, S., T. Bagarinao, and A. Unggui. 1980. A study on the milkfish fry fishing gears in Panay Island, Philippines. SE Asi an Fish. Develop. Ctr., Aquaculture Dept. Tech. Rep. 6, Iloilo, Philippines.
- Kumagai, S., T. Bagarinao, and A. Unggui. 1985. Growth of juvenile milkfish, [*Chanos chanos*], in a natural habitat. Mar. Ecol. Prog. Series 22(1):1-6.
- Kumai, H., and M. Nakamura. 1978. Spawning of the silver whiting, [*Sillago sihama*] (Forsskal), cultivated in the laboratory. Bull. Jap. Soc. Sci. Fish. 44(9):1055.
- Kumaran, M. 1964. Observations on the food of juveniles of [*Scomberomorus commersoni*] (Lac.) and [*S. guttatus*] (Bloch et Schn.) from Vizhingam, west coast of India. Mar. Biol. Assoc. India, Proc. Symp. on Scombroid fishes, Mandapam Camp. Pt. 2:586-590.
- Kumlu, M., O. T. Eroldogan, M. Aktas, and B. Saglamtimur. 2001. Larval growth, survival and development of [*Metapenaeus monoceros*] (Fabricius) cultured in different salinities. Aquaculture Research 32(2):81-86.
- Kumura, M., and G. T. Sakagawa. 1972. Observations on scale patterns and growth of the Pacific sardine reared in the laboratory. Fish. Bull. U.S. 70(3):1043-1052.
- Kunesh, W. H., W. J. Freshmen, M. Hoem, and N. G. Nordin. 1974. Altering the spawning cycle of rainbow trout by control of artificial light. Progressive Fish-Culturist 36(4):225-226.
- Kuntz, A. 1913. The embryogenesis and larval development of [*Bairdella chrysur*] and [*Anchoa mitchelli*]. Bull. Bur. Fish. 33:1-19.
- Kuntz, A. 1916. Notes on the embryology and larval development of five species of teleostean fishes. Bull. Bur. Fish., Wash., Doc. No. 831, 1916(1914) 34: 407-429.
- Kuntz, A., and L. Radcliffe. 1915-16. Notes on the embryological and larval development of twelve teleostean fishes. Bull. Bur. Fish. Wash. 35:89-134.
- Kunz, Y. 1963. Embryonic urinary bladder of [*Lebistes reticulatus*] (guppy). Rev. Suisse Zool. 70:291-297.
- Kunz, Y. 1964. Morphologische Studien uber die embryonale und postembryonale Entwicklung bei Teleostiern mit besonderer Berücksichtigung des Dottersystem und der Leber. Rev. Suisse Zool. 71(23):445-525.
- Kunz, Y. W., and S. Ennis. 1983. Ultrastructural diurnal changes of the retinal photoreceptors in the embryo of a viviparous teleost ([*Poecilia reticulata*] P.) Cell Diff. 13: 115-123.
- Kunz, Y. W., S. Ennis, and C. Wise. 1983. Ontogeny of the photoreceptors in the embryonic retina of the viviparous guppy, [*Poecilia reticulata*] P. (Teleostei). Cell and Tissue Res. 230: 469-486.
- Kunze, J., H. Buhringer, and H. Harms. 1978. Accumulation of cobalt during embryonic development of rainbow trout ([*Salmo gairdneri*] Rich.). Aquaculture 13(1):61-66.
- Kuo, C., and C. E. Nash. 1975. Recent progress on the control of ovarian development and induced spawning of the grey mullet ([*Mugil*] [*cephalus*] L.). Aquaculture 5:19-29.

- Kuo, C. M., and Z. H. Shehadeh. 1972. A preliminary report on the development, growth and survival of laboratory reared larvae of the grey mullet, [*Mugil cephalus*] L. Oceanic Inst., Waimanalo, Hawaii. Rep. OI-72-76-1.
- Kuo, C. M., H. Shehadeh, and K. K. Milisen. 1973. A preliminary report on the development, growth and survival of laboratory reared larvae of the grey mullet, [*Mugil cephalus*] L. J. Fish. Biol. 5:459-470.
- Kuo, C. M., and B. H. Takenaka. 1973. Brief experimental notes on larval survival. [In] The grey mullet, [*Mugil cephalus*] L., induced breeding and larval rearing research, 1972-73. Oceanic Inst., The Oceanic Fed., Waimanalo, Hawaii. OI-73-128:35-45.
- Kuppfer, C. 1878. Die entwicklung des herrings im ei. Wiss. Meersunters. Abt. Kiel. 3: 175-226.
- Kurata, H. 1956. On the rearing of larvae of the flatfish, [*Liopsetta*] [obscura], in small aquaria. Bull. Hokkaido Reg. Fish. Res. Lab. 13:20-28.
- Kurata, H. 1959. Preliminary report on the rearing of the herring larvae. Bull. Hokkaidoreg. Fish. Res. Lab. 20:117-138.
- Kurata, H., and S. Usami. 1967. Rearing experiments of juvenile sardine and mackerel for development of tagging techniques. Bull. Tokai Reg. Fish. Res. Lab. 51:45-54.
- Kurata, Y., H. Konishi, and T. Kusakari. 1956. Distribution of the young saury, [*Cololabis saira*] (Brevoort), in Zu'nan region. 1. Bull. Jap. Soc. Sci. Fish. 22(3):162-166.
- Kuroda, K., T. Yamamoto, and Y. Hirano. 1982. Development and identification of the egg of the Pacific mackerel ([*Scomber japonicus*] Houttuyn) and a similar egg. Bull. Tokai Reg. Fish. Res. 107:33-52.
- Kurodo, K., T. Yamamoto, and Y. Hirano. 1983. Identification of the eggs of the Japanese sardine, [*Sardinops melanostica*] (T. & S.), the gizzard shad, [*Ko nosirus punctatus*] (T. & S.), and the Japanese shad, [*Harengula zumasi*] B. Bull. Tokai Reg. Fish. Res. Lab. 110:81-91.
- Kurogane, K. 1972. Fishery biology of yellowtail from the Pacific coastal waters of Japan. I. Fish condition of juvenile yellowtail. Bull. Tokai Reg. Fish. Res. Lab. 69:15-20.
- Kurogane, K. 1972. Fishery biology of yellowtail from the Pacific coastal waters of Japan. II. Size composition of juvenile yellowtail. Bull. Tokai Reg. Fish. Res. Lab. 71:1-14.
- Kuroki, E. 1940. A study on the appearance of scale of brook trout, [*Salvelinus fontinalis*] (Mitchill). Bull. Jap. Soc. Sci. Fish. Tokyo 9:111-114.
- Kuroki, E. 1940. On the influence of density of fish eggs on their hatching. Bull. Jap. Soc. Scient. Fish. 8:241-243.
- Kuronuma, K. 1940. A young of ocean sunfish, [*Mola mola*], taken from the stomach of [*Germo germo*], and a specimen of [*Masturus lanceolatus*] as the second record from Japanese water. Bull. Biogeogr. Soc. Jap. 10(2):25-28.
- Kuronuma, K. 1942. A giant postlarvae and young of bothid fish, with notes on the species of genus [*Bothus*] in Japanese waters. J. Oceanogr. Soc. Jap. 1(1/2):133-140.
- Kuronuma, K., and M. Yamashita. 1962. Milkfish fry in eastern coast of Vietnam. J. Oceanogr. Soc. Jap., 20th Anniv. Vol. 679-686.

- Kuronuma, K. 1984. Rearing of marine fish larvae in Japan. Intl. Devel. Res. Center, Ottawa, Canada.
- Kuropat, C., R. MercaldoAllen, E. Caldarone, R. Goldberg, B. Phelan, and F. Thurberg. 2002. Evaluation of RNA concentration as an indicator of growth in young-of-the-year winter flounder [*Pseudopleuronectes americanus*] and tautog [*Tautoga onitis*]. Marine Ecology-Progress Series 230:265-274.
- Kurtz, R. J. 1977. Life history of the bay anchovy. Pages 78-88 [in] Ecological studies for the Oyster Creek generating station, Vol. 1 - Fin and shellfish. Prog. Rep. Sept. 1975 - Aug. 1976. Ichthyol. Assoc., Inc., for N.J. Cent. Power Light, Co. 338 pp.
- Kusa, M. 1950. Physiological analysis of fertilization in the egg of the salmon, [*Oncorhynchus keta*]. I. Why are the eggs not fertilized in isotonic Ringer solution? Ann. Zool. Jap. 24:22-28.
- Kusa, M. 1953. Physiological analysis of fertilization in the egg of the salmon, [*Oncorhynchus keta*]. II. Significance of the cortical change in the initiation of development of the salmon egg. Ann. Zool. Jap. 26:73-77.
- Kusen, S. J., and P. S. Oleshko. 1974. Changes in acid and alkaline ribonuclease activity during early embryogenesis in [*Misgurnus fossilis*]. Biokhim. Zh. Ukr. 46(2):168-172.
- Kushlan, J. A. 1981. Sampling characteristics of enclosure fish traps. Transactions of the American Fisheries Society 110:557-562.
- Kushnarenko, A. I. 1975. The behavior of juvenile fish around the webbing of a fingerling trawl and in the operational zone of the trawl. J. Ichthyol. 15(5):782-789.
- Kuthalingam, M. D. K. 1956. Observations on the food and feeding habits of the Indian mackerel, [*Rastrelliger kanagurta*] (Russel). Journal of Zoology Soc. India 8(2):99-106.
- Kuthalingam, M. D. K. 1957. Life history and feeding habits of [*Cynoglossus*] [*lingua*] (Ham. & Buch.). Journal of Zoology Soc. India 9(2):208-215.
- Kuthalingam, M. D. K. 1958. Studies on postlarvae and feeding habits of some fishes found in the Madras plankton. J. Madras Univ. 28B:1-11.
- Kuthalingam, M. D. K. 1959. The live history and feeding habits of a tripod fish ([*Tricanthus brevirostris*] Temm. & Schleg.) of the Indian Sea. Treubia 25:159-164.
- Kuthalingam, M. D. K. 1959. Temperature tolerance of larvae of ten species of marine fishes. Curr. Sci. 28(2):75-76.
- Kuthalingam, M. D. K. 1959. A contribution to the life histories and feeding habits of horse-mackerels, [*Megalopsis corayla*] (Linn.) and [*Caranx mate*] (C.U.), and notes on the effects of absence of light on the development and feeding habits of larvae and postlarvae of [*Megalopsis corayla*]. J. Mentras Univ. B, 29(2):79-96.
- Kuthalingam, M. D. K. 1960. An account of the life history and feeding habits of a sole, [*Solea elongata*] Day. J. Madras Univ. 30B(2/3):87-96.
- Kuthalingam, M. D. K. 1960. Observations on the life history and feeding habits of the Indian sardine, [*Sardinella longiceps*] (Cuv. & Val.). Treubia 25(2):207-213.
- Kuthalingam, M. D. K. 1961. A contribution to the life history and feeding habits of [*Mugil cephalus*] (L.). Treubia 27(1):11-32.
- Kuthalingam, M. D. K. 1961. Observations on the life history and feeding habits of a plankton-feeder, the rainbow sardine ([*Dussumieria acuta*] Cuv. and Val.) with a note on the method of securing stomach contents of a live fish. Journal of Zoology Soc. India 13:24-33.



- Kuthalingam, M. D. K. 1961. Studies on the life history and feeding habits of the Indian thread-fin, [*Polynemus indicus*] (Shaw). *Journal of Zoology Soc. India* 1960 12(2):191-200.
- Kuthalingam, M. D. K. 1966. A contribution to the life history and feeding habits of [*Mugil cephalus*] (L.). *Treubia* 27:11-32.
- Kuthalingam, M. D. K. 1967. Observations on the fishery and biology of the silver pomfret, [*Pampus argenteus*] (Euphrasen), from the Bay of Bengal. *Indian J. Fish.* 1963 10A(1):59-74.
- Kutkuhn, J. H. 1957. Utilization of plankton by juvenile gizzard shad in a shallow prairie lake. *Transactions of the American Fisheries Society* 87:80-103.
- Kutkuhn, J. H. 1958. Utilization of plankton by juvenile gizzard shad in a shallow prairie lake. *Transactions of the American Fisheries Society* 87:80-103.
- Kutuzov, A. M. 1974. Repeated spawning of the white bream ([*Blicca*] [*bjoerkna*]) in Sviyaga Bay of Kuybyshev Reservoir. *J. Ichthyol.* 14(6):887-890.
- Kuwahara, A., and S. Suzuki. 1982. Vertical distribution and feeding of a flounder, [*Paralichthys olivaceus*], larva. *Bull. Jap. Soc. Sci. Fish.* 48(10):1375-1383.
- Kuwahara, A., and S. Suzuki. 1983. Relationship between feeding habits of fish larvae and their food organisms in the western Wakasa Bay. *Bull. Jap. Soc. Sci. Fish.* 49(10):1507-1514.
- Kuwahara, A., and S. Suzuki. 1983. Vertical distribution and feeding of three species of rockfish *Scorpaenidae* larvae. *Bull. Jap. Soc. Sci. Fish.* 49:515-520.
- Kuwahara, A., and S. Suzuki. 1983. Vertical distribution and feeding of two larval flatfish, [*Pseudorhombus pentophthalmus*], and [*Pleuronichthys cornutus*]. *Bull. Jap. Soc. Sci. Fish.* 49(6):875-882.
- Kuwahara, A., and S. Suzuki. 1984. Diurnal changes in vertical distributions of anchovy eggs and larvae in the western Wakasa Bay. *Bull. Jap. Soc. Sci. Fish.* 50(8):1285-1292.
- Kuz'min, O. G., and Y. A. Smirnov. 1982. Environmental factors and growth of young Atlantic salmon, [*Salmo salar*] (*Salmonidae*), in small rivers of the Kola Peninsula. *J. Ichthyol.* 22(5):42-51.
- Kuz'min-Karovaev, G. A. 1930. Biology of the White Sea navaga. *Tr. Nauchno. Inst. Rybn. Khoz.* (5) 4:83-86. In Russian.
- Kuznetsov, V. A. 1969. Distribution of spawning grounds and efficiency of reproduction of the ide, roach and bream in the Sviyazhskiy Bay of the Kuybyshev Reservoir. *Zool. Zh.* 48:567-572.
- Kuznetsov, V. A. 1970. Spawning grounds of some percid fishes in Sviyaga Bay, Kuybyshev Reservoir, the distribution of larvae and the effectiveness of reproduction. *Vopr. Ikhtiol.* 10:765-771. In Russian.
- Kuznetsov, V. A. 1972. The growth pattern of the larvae and young of some freshwater fish at different stages of development. *J. Ichthyol.* 12(3):433-442.
- Kuznetsov, V. A. 1974. The adaptive significance of changes in the quality of the eggs and of fecundity in the reproduction of a population of sichel ([*Pelecus cultratus*]). *J. Ichthyol.* 14(4):539-544.
- Kuznetsov, V. A. 1975. Environmental factors and indicators of abundance of the young of some freshwater fishes. *J. Ichthyol.* 15:400.

- Kuznetsov, V. A. 1975. The reproduction, distribution and growth of juvenile fish of some uncommon species from Sviyaga Bay, Kuybyshev Reservoir. J. Ichthyol. English transl. Vopr. Ikhtiol. (6):950-962.
- Kuznetsov, V. A. 1976. The reproduction, distribution and growth of juvenile of non-commercial fish species in Svryaga Bay, Kuybyshev Reservoir. J. Ichthyol. 17(5):746-755.
- Kuznetso v, V. A., and N. K. Khalitov. 1979. Alterations in fecundity and egg quality of the roach, [*Rutilus rutilus*], in connection with different feeding conditions. J. Ichthyol. 18:63-70.
- Kvavilashvili, I. S., V. P. Bozhkova, and K. A. Kafiani. 1971. Changes in the membrane potentials of loach eggs in early embryogenesis Sov. J. Dev. Biol. 170-172.
- Kvavilashvili, I. S., V. P. Bozhkova, and L. M. Chailakhyan. 1971. Periodic changes in resistance and membrane potential accompanying cleavage in eggs of the loach, [*Misgurnus fossilis*]. Sov. J. Dev. Biol. 2:344-348.
- Kvenseth, P. G., and V. Oiestad. 1984. Large-scale rearing of cod fry on the natural food production of an enclosed pond. Pages 644-655 [in] E. Dahl, D. Danielssen, E. Moksness, and P. Solemdal, editors. The propagation of cod. Flodevigen Rapp. 1.
- Kawaguchi, K., and H.G. Moser. 1993. Development and distribution of the early life history stages of the mesopelagic fish [*Tactostoma macropus*] (Stomiidae) in the transitional waters of the North Pacific. Jap. J. Ichthyol. 40(2):161-172.
- Kwain, W. 1975. Effects of temperature on development and survival of rainbow trout, [*Salmo gairdneri*], in acid waters. Journal of the Fisheries Research Board of Canada 32(4):493-497.
- Kwain, W. 1975. Embryonic development, early growth, and meristic variation in rainbow trout, [*Salmo gairdneri*], exposed to combinations of light intensity and temperature. Journal of the Fisheries Research Board of Canada 32(3):397-402.
- Kwain, W. 1982. Spawning behavior and early life history of pink salmon, [*Oncorhynchus gorbuscha*], in the Great Lakes. Canadian Journal of Fisheries and Aquatic Sciences 39(10):1353-1360.
- Kwain, W., and G. A. Rose. 1985. Growth of brook trout, [*Salvelinus fontinalis*], subject to sudden reductions of pH during their early life history. Transactions of the American Fisheries Society 114:564-570.
- Kwain, W. H., and R. W. McCauley. 1978. Effects of age and overhead illumination on temperatures preferred by underyearling rainbow trout, [*Salmo gairdneri*], in a vertical temperature gradient. Journal of the Fisheries Research Board of Canada 35:1430.
- Kwain, W., R. W. McCauley, and J. A. MacLean. 1984. Susceptibility of starved juvenile smallmouth bass, [*Micropterus dolomieu*] (Lac.), to low pH. J. Fish. Biol. 25(4):501.
- Kyazimov, I. B., and A. P. Alekperov. 1975. Completion of rearing of underyearlings of the Caspian salmon, [*Salmo trutta caspius*], in winter in the lower reaches of the Kura River. J. Ichthyol. 15(2):256-264.
- Kychanov, V. M. 1980. The influence of protein metabolism on the rate of fertilization of eggs of the Caspian inconnu, [*Stenodus leucichthys*]. J. Ichthyol. 20(2):140-143.
- Kychanov, V. M., and S. A. Leont'ev. 1981. Salt tolerance and fraction composition of hemoglobin in young inconnu, [*Stenodus leucichthys*]. J. Ichthyol. 21(6):128-134.
- Kyle, H. M. 1897. Report on the pelagic ova, larvae and young fishes procured by the S. S. Garland during the greater part of 1896. 15th Ann. Rep. Fish. Bd. Scotl. 249. eggs, survey S. S. Garland Cruise larvae, survey S. S.

- Kyle, H. M. 1898. The post-larval stages of the plaice, dab, flounder, long rough dab, and lemon dab. 16th Ann. Rep. Fishery Bd. Scotl. (1897), 3(8):225-247.
- Kyle, H. M. 1921. The asymmetry, metamorphosis and origin of flat-fishes. Philos. Trans. R. Soc. Lond. Ser. B 211:75-129.
- Kyle, H. M. 1923. The factors determining the number of vertebrae in fishes. Deutsch miss. Kohn. f. Meeres. f Abt. Helgolan.
- Kyushin, K. 1968. The embryonic development and larval stages of [*Hemitripterus villosus*] (Pallas). Bull. Fac. Fish. Hokkaido Univ. 18(4):277-289.
- Kyushin, K. 1970. Embryonic development and larvae of [*Gymnocanthus*] [*herzensteini*] Jordan and Starks. Jap. J. Ichthyol. 17:74-79.
- Kyushin, K. 1975. The embryonic and larval development, growth, survival and changes in body form, and the effect of temperature on these characteristics of the smooth lumpsucker, [*Aptocyclus ventricosus*] (Pallas). Bull. Fac. Fish. Hokkaido Univ. 26(1):49-72.
- L'Herrow, R., and D. Briand. 1972. Distribution of her ring larvae on Georges Bank and in the Gulf of Maine in September 1971. ICNAF Res. Doc. 2772.
- La Mesa, M., A. Granata, L. Guglielmo and M. Vacchi, 2000. Fish description of larvae of [*Acanthodraco dewitti*] in the Ross Sea, Antarctica.. J. Fish Biol. 57(Suppl. A):163-166 (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication. www.fishbase.org, 07 July 2002).
- Laakso, M. 1956. Body-scale regressions in juvenile cutthroat from Yellowstone Lake. Proc. Utah Acad. Sci. Arts Lett. 33:107-111.
- Laale, H. W. 1966. An experimental study of the developmental arrest in the embryo of the zebra fish, [*Brachydanio rerio*]. Ph.D. Diss., Univ. of Toronto.
- Laale, H. W., and D. J. McCallion. 1968. Reversible development arrest in the embryo of the zebra fish, [*Brachydanio rerio*]. J. Exp. Zool. 167:117-123.
- Laale, H. W. 1971. Ethanol induced notochord and spinal cord duplication in the embryo of the zebrafish, [*Brachydanio rerio*]. J. Exp. Zool. 177:51-64.
- Laale, H. W. 1977. The biology and use of zebrafish, [*Brachydanio rerio*], in fisheries research. A literature review. J. Fish Biol. 10(2):121-173.
- Laale, H. W. 1980. The perivitelline space and egg envelopes of bony fishes: a review. Copeia 1980(2):210-226.
- Laale, H. W. 1981. In vitro primary spreading and association of zebra fish, [*Brachydanio rerio*], blastoderm-derived embryonic epidermis. Canadian Journal of Zoology 59:800-811.
- Laale, H. W. 1981. In vitro secondary spreading from disassociating blastoderm-derived embryonic tissues of the zebra fish, [*Brachydanio rerio*]. Canadian Journal of Zoology 59:812-822.
- Laale, H. W. 1981. Teratology and early fish development. Am. Zool. 21:517-535.
- Laale, H. W. 1982. Fish embryo culture: observations on axial cord differentiation in presomatic isolates of the zebrafish, [*Brachydanio rerio*] (Ham. & Buch.). Canadian Journal of Zoology 60:1710-1721.

- Laale, H. W. 1982. Fish embryo culture: rhombencephalic neuritic outgrowth in explanted axial cords from the zebrafish, [*Brachydanio rerio*] (Ham. & Buch.). *Canadian Journal of Zoology* 60:3215-3219.
- Laale, H. W. 1984. Fish embryo culture: cardiac monolayers and cocontraction activity in embryo explants from the zebrafish, [*Brachydanio rerio*]. *Canadian Journal of Zoology* 62:878-885.
- LaBar, G. W., J. D. McCleave, and S. M. Fried. 1978. Seaward migration of hatchery-reared Atlantic salmon (*Salmo salar*) smolts in the Penobscot River estuary, Maine: open-water movements. *J. Cons. perm. int. Explor. Mer* 38:257-269.
- Labelle, M., and J. R. Nursall. 1985. Some aspects of the early life history of the redlip blenny, [*Ophioblennius atlanticus*] (Teleostei, Blenniidae). *Copeia* 1985(1):39-49.
- LaBolle, L. D., Jr., H. W. Li, and B. C. Mundy. 1985. Comparison of two samplers for quantitatively collecting larval fishes in upper littoral habitats. *J. Fish. Biol.* 26(2):139-146.
- Lachance, S., P. Berube and M. Lemieux. 2000. In situ survival and growth of three brook trout (*Salvelinus fontinalis*) strains subjected to acid conditions of anthropogenic origin at the egg and fingerling stage. *Can. J. Fish. Aquat. Sci.* 57(8): 1562-1573.
- Lachner, E. A. 1950. Food, growth and habits of fingerling northern smallmouth bass, [*Micropterus dolomieu dolomieu*] Lacepede, in trout waters of western New York. *J. Wildl. Mgmt.* 14(1):50-56.
- Lachner, E. A., E. F. Westlake, and P. S. Handwerk. 1950. Studies on the biology of some percid fishes from western Pennsylvania. *Am. Midl. Nat.* 43:92-111.
- Lachner, E. A. 1952. Studies of the biology of the cyprinid fishes of the chub genus [*Nocomis*] of northeastern United States. *Am. Midl. Nat.* 48(2):433-466.
- Lacroix, G. 1963. Prelevements de larves de poissons dans le sud-ouest du Golf St Laurent, en 1962. *Rapp. Ann. 1962, Sta. Biol. Mar. Grand Riviere*, 69-79. larvae Gulf of St.
- Lacroix, G., and J. Bergeron. 1964. Prelevements de larves de poissons dans le sud-ouest de Golfe Saint-Laurent 1963. *Rapp. Ann. 1963, Sta. Biol. Mar. Grande Riviere*:25-37.
- Lacroix, G. L. 1985. Survival of eggs and alevins of Atlantic salmon (*Salmo salar*) in relation to the chemistry of interstitial water in redds in some acidic streams of Atlantic Canada. *Can. J. Fish. Aquat. Sci.* 42(2):292-299.
- Lacroix, G. L., D. J. Gordon, and D. J. Johnston. 1985. Effects of low environmental pH on the survival, growth, and ionic composition of postemergent Atlantic salmon, [*Salmo salar*]. *Canadian Journal of Fisheries and Aquatic Sciences* 42(4):768-775.
- Laevastu, T. 1961. The effect of current eddies on the distribution of plaice eggs. *FAO Fish. Tech. Pap.*, No. 21, 13 pp.
- Laevastu, T. 1962. The adequacy of plankton sampling. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 153:66-73.
- Lagardere, F., K. Thibaudeau, and M. L. B. Anras. 2000. Feasibility of otolith markings in large juvenile turbot, [*Scophthalmus maximus*], using immersion in alizarin-red S solutions. *ICES J. Mar. Sci.* 57: 1175-1181.
- Lagardere, F. 1980. Developpement du ceteau, [*Dicologlossa cuneata*] (Moreau) (Poissons - Soleidae). *Cybiurn*, 3rd. Ser. 4(4):61-81.

- Lagardere, F., and A. Aboussouan. 1981. Developpement du ceteau, [*Dicologlossa cuneata*] (Moreau, 1881) (Pisces: Pleuronectiformes, Soleidae): II-Description des larves. *Cybum*, 3rd. Ser. 5(2):53-72.
- Lagler, K. F., and C. L. Hubbs. 1943. Fall spawning of the mud pickerel. *Copeia* 1943:131.
- Lagler, K. F., and A. T. Wright. 1962. Predation of the dolly varden, [*Salvelinus malma*], on young salmon, [*Oncorhynchus*] spp., in an estuary of sout heastern Alaska. *Transactions of the American Fisheries Society* 91(1):90-93.
- Lagunov, I. I., and V. V. Azbelev. 1960. On the efficiency of natural propagation in Atlantic salmon (*Salmo salar*). *Rapp. Cons. int. Explor. Mer* 148:45-47.
- Lahti, E., H. Oksman, and P. Shemeikka. 1979. On the survival of vendace, [*Coregonus albula*], eggs in different lake types. *Aqua Fenn.* 9:62-67.
- Lai, J. 1979. The development of stages of mullet, [*Mugil so-iug*] Basilewsky L. *Acta. Oceanol. Sin.* 1(1):157-175.
- Laidig, T. E., S. Raslton and J. R. Bence. 1991. Dynamics of growth in the early life history of shortbelly rockfish [*Sebastes jordani*]. *Fish. Bull. U.S.* 89:611-621.
- Laidig, T. E., and S. Ralston. 1995. The potential use of otolith characters in identifying larval rockfish (*Sebastes* spp). *Fishery Bulletin* 93:166-171.
- Laird, A. K. 1965. Dynamics of relative growth. *Growth* 29:249-263.
- Laird, L. M., et al. 1975. Freeze branding of juvenile salmon. *J. Fish. Biol.*
- Laird, L. M., and B. Stott. 1978. Marking and tag ging. *IBP Handbook* 3(2):84-100.
- Lake, C. T. 1936. The life history of the fan-tailed darter, [*Catnotus flabellaris flabellaris*] (Rafinesque). *Am. Midl. Nat.* 17(3):817-830.
- Lake, J. S. 1967. Rearing experiments with five species of Australian freshwater fishes. II. Morphogenesis and ontogeny. *Aust. J. Marine and Freshwater Res.* 18(2):155-173.
- Lake, R.G., and S.G. Hinch. 1999. Acute effects of suspended sediment angularity on juvenile coho salmon (*Oncorhynchus kisutch*). *Can. J. Fish. Aquat. Sci.* 56(5): 862-867.
- Lal, K., R. Lasker, and A. Kuljis. 1977. Acclimation and rearing of striped bass in sea water. *California Fish and Game* 63(4):210-218.
- Lal, M. S. 1970. Studies on the fishery and biology of a freshwater teleost, [*Rita rita*]: V. Maturity and spawning. *Indian J. Zoo.* 11(1):41-52.
- Lalami, Y., S. Tellai, J. M. Barrois, C. Piccinetti, and G. Piccinetti-Manfrin. 1973. Observations sur les oeufs et larves des Thonides des cottes Algeriennes. *Pelagos* IV(2):54-65.
- Lalancette, L. M. 1975. Studies on the growth, reproduction and diet of the white sucker, [*Catostomus commersoni commersoni*] (Lacepede), of Gamelin Lake, Chicoutimi, Quebec. Ph.D. Diss., Univ. Waterloo.
- Lalancette, L. M. 1977. Growth, reproduction and feeding of the pearl mullet, [*Semotilus margarita*], of Lake Gamelin, Quebec. *Nat. Can. (Que.)* 104(6):493-500.
- Lam, C. N. G. 1977. Distribution and abundance of the early developmental phases of alewife, [*Alosa pseudoharengus*] (Wilson), and other fishes in the Bay of Quinte. M. S. Thesis, Univ. Guelph, Guelph.

- Lam, C. N. H., and J. C. Roff. 1977. A method for separating alewife, [*Alosa*] [*pseudoharengus*], from gizzard shad, [*Dorosoma*] [*cepedianum*], larvae. *J. Great Lakes Res.* 3:313-316.
- Lam, T. J. 1980. Thyroxine enhances larval development and survival in [*Sarotherodon* (*Tilapia*) *mossambicus*] Ruppel. *Aquaculture* 21:287-291.
- Lam, T. J. 1985. Role of thyroid hormone on larval growth and development in fish. Pages 481-485 [in] B. Lofts and W. N. Holmes, editors. *Current trends in comparative endocrinology*. Hong Kong Univ. Press, Hong Kong.
- Lam, T. J., and R. Sharma. 1985. Effects of salinity and thyroxine on larval survival, growth and development in the carp, [*Cyprinus*] [*carpio*]. *Aquaculture* 44(3):201-212.
- Lam, T. J., J. V. Juario, and J. Banno. 1985. Effect of thyroxine on growth and development in post-yolk sac larvae of milkfish, [*Chanos chanos*]. *Aquaculture* 46(3):179-184.
- LaMarca, M. J. 1963. The embryonic spiracular fold of the yellow stingray, [*Urolophus jamaicensis*]. *Copeia* 1963(3):593-594.
- Lamadrid-Rose, Y., and G.W. Boehlert. 1988. Effects of cold shock on egg, larval and juvenile stages of tropical fishes: potential impacts of ocean thermal energy conversion. *Marine Environmental Research* 25:175-193.
- Lamadrid-Rose, Y., and G.W. Boehlert. 1986. Effects of cold shock on larval and juvenile tropical fishes: potential impacts of ocean thermal energy conversion. SWFC Honolulu Laboratory Admin. Rept. H-86-3. 39 p.
- Lambert, T. C. 1984. Larval cohort succession in herring ([*Clupea*] [*harengus*]) and capelin ([*Mallotus villosus*]). *Can. J. Fish. Aquat. Sci.* 41(11):1552-1564.
- Lambert, T. C., and D. M. Ware. 1984. Reproductive strategies of demersal and pelagic spawning fish. *Can. J. Fish. Aquat. Sci.* 41:1565-1569.
- Lambert, T. C., D. M. Ware, and J. K. McRuer. 1982. Spawning and early life history of herring and capelin in St. Georges Bay, Nova Scotia. *Can. Tech. Rep. Fish. Aquat. Sci.* 1128. 82 pp.
- Lambert, T. C. 1990. The effect of population structure on recruitment in herring. *J. Cons. int. Explor. Mer* 47:249-255.
- Lambou, V. W. 1965. Observations on size distribution and spawning behavior of threadfin shad. *Transactions of the American Fisheries Society* 94(4):385-386.
- Lamp, F. 1966. Contributions to the biology of the sea scorpions [*Myoxocephalus scorpius*] (L.) and [*Taurulus bubalis*] (Euphr.) in the Kiel Fjord. *Kieler Meeresforsch.* 22(1):98-120. Transl. from German for Fish. Res. Bd. Can. Transl. Series No. 902, 1967.
- Landacre, F. L., and A. C. Conger. 1913. The origin of the lateral line primordia in [*Lepidosteus osseus*]. *J. Comp. Neurol.* 23(6):575-632.
- Landahl, J.T., and L.L. Johnson. 1993. Contaminant exposure and population growth of English sole in Puget Sound, Washington: the need for better early life-history data. [In] L. A. Fuiman, editor. *Water quality and the early life stages of fishes*. American Fisheries Society Symposium 14. 192pp.
- Landgrebe, F. W. 1941. The role of the pituitary and the thyroid in the development of teleosts. *J. Exp. Biol.* 18:162-169.

- Landry, A. M., Jr. 1977. Life history and susceptibility of fishes in Galveston Bay, Texas to power-plant cooling-water operations. I and II. Ph.D. Diss., Texas A&M Univ., College Station, TX.
- Landry, F., J. R. Post, and E. A. Parkinson. 1999. Spatial ontogeny of lentic age-0 rainbow trout, [*Oncorhynchus mykiss*]: whole-lake manipulations of population size structure. *Canadian Journal of Fisheries and Aquatic Sciences* 56(10):1916-1928.
- Lang, G. M., R. D. Brodeur, J. M. Napp, and R. Schabetsberger. 2000. Variation in groundfish predation on juvenile walleye pollock relative to hydrographic structure near the Pribilof Islands, Alaska. *Ices Journal of Marine Science* 57(2):265-271.
- Lang, K. L., C. B. Grimes, and R. F. Shaw. 1994. Variations in the age and growth of yellowfin tuna larvae, [*Thunnus albacares*], collected about the Mississippi River plume. *Environmental Biology of Fishes* 39: 259-270.
- Lang, K. L., F. P. Almeida, G. R. Bolz, and M. P. Fahay. 1996. The use of otolith microstructure in resolving issues of first year growth and spawning seasonality of the white hake, [*Urophycis tenuis*], in the Gulf of Maine-Georges Bank Region. *Fishery Bulletin* 94:170-175.
- Lange, N. O. 1960. Etapy razvitiia plotvy v razlichnykh ekologicheskikh usloviakh. Step in the development of the roach in different ecological conditions. *Trudy Institut Morfologii Zhivotnykh, Akad. Nauk SSSR* 28:5-40.
- Langford, R. R. 1953. Methods of plankton collecting and a description of a new sampler. *Journal of the Fisheries Research Board of Canada* 10(5):238-252.
- Langham, N. P. E. 1971. The distribution and abundance of larvae sand-eels (*Ammodytidae*) in Scottish waters. *J. Mar. Biol. Assoc. U.K.* 51(3):697-708.
- Langlois, T. H. 1929. Breeding habits of the northern dace. *Ecology* 10(1):161-163.
- Langlois, T. H. 1935. Notes on the spawning habits of the Atlantic smelt. *Copeia* 1935(3): 141-142.
- Langlois, T. H. 1936. A study of smallmouth bass (*[Micropterus dolomieu]*) in rearing ponds in Ohio. *Bull. Ohio Biol. Surv.* 6(33):191-225.
- Langsdale, J. R. M. 1993. Developmental changes in the opacity of larval herring, [*Clupea harengus*], and their implications for vulnerability to predation. *Journal of the Marine Biological Association of the United Kingdom* 73:225-232.
- Lankford, T. E., J. M. Billerbeck, and D. O. Conover. 2001. Evolution of intrinsic growth and energy acquisition rates: II. Tradeoffs with vulnerability to predation in [*Menidia menidia*]. *Evolution* 55:1873-1881.
- Lannoo, M. J., and S. J. Lannoo. 1996. Development of the electrosensory lateral line lobe in the channel catfish, [*Ictalurus punctatus*], with reference to the onset of swimming and feeding behaviors. Pages 45-53 [in] L.A. Fuiman, editor. *Marine and Freshwater Behaviour and Physiology* 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Lanza, G. R., et al. 1975. Biological effects of simulated discharge plume entrainment at Indian Point Nuclear Power Station, Hudson River Estuary, USA. [In] *The combine effects of radioactive, chemical and thermal releases to the environment. Intl. Atomic Energy Ag., Vienna, Austria.*
- Lanzi, L. 1909. Ricerca sui primi momenti di sviluppo degli Olostei (od Eugeanoidi) [*Amia calva*] Bonap. e [*Lepidosteus osseus*] L. Con speciale riguardo al cosi detto ispessimento prostomale. *Arch. Ital. Anat. Embriol.* 8:292-306.

- Lanzing, W. J. R., and C. C. Bower. 1974. Development of color patterns in relation to behavior in [*Tilapia mossambica*] (Peters). *J. Fish. Biol.* 6(1):29-42.
- Lanzing, W. J. R. 1976. A temporary respiratory organ in the tail of [*Tilapia mossambica*] fry. *Copeia* 1976(4):800-802.
- Lanzing, W. J. R. 1984. Melanogenesis in normal and phenylthiourea treated eggs and larvae of [*Sarotherodon aureus*]. *J. Fish. Biol.* 24(3):273-280.
- Lapin, V. I., and V. Y. Matsuk. 1979. Utilization of yolk and change in biochemical composition of eggs of the navaga, [*Eleginus navaga*], during embryogenetic development. *J. Ichthyol.* 19(2):131-135.
- Lapin, Y. 1974. Variability of the number of vertebrae and larval myomeres in the White Sea herring, [*Clupea harengus*] [*pallasi marisalbi*], in connection with its ecology. *Vopr. Ikhtiol.* (USSR) 111:546-557.
- Lapin, Y. Y., V. S. Bel'makov, and A. V. Stepanenko. 1969. Relation between number of segments in the White Sea herring and temperature regime during incubation. *Am. Fish. Soc. Prob. in Ichthyol.* 9(5):725-727.
- Laprise, R., and J. J. Dodson. 1989. Ontogenetic changes in the longitudinal distribution of 2 species of larval fish in a turbid well-mixed estuary. *Journal of Fish Biology* 35:39-47.
- Laprise, R., and J. J. Dodson. 1990. The mechanism of retention of pelagic tomcod, [*Microgadus proximus*], larvae and juveniles in the well-mixed prt of the St. Lawrence Estuary. *Environmental Biology of Fishes* 29:293-302.
- Laprise, R., and P. Pepin. 1995. Factors influencing the spatio-temporal occurrence of fish eggs and larvae in a northern, physically dynamic coastal environment. *Marine Ecology - Progress Series* 122:73-92.
- Larimore, R. W. 1949. Changes in the cranial nerves of the paddlefish, [*Polyodon spathula*], accompanying development of the rostrum. *Copeia* 1949(3):204-212.
- Larimore, R. W. 1950. Gametogenesis of [*Polyodon spathula*] (Walbaum): a basis for regulation of the fishery. *Copeia* 1950(2):116-124.
- Larimore, R. W. 1957. Ecological life history of the warmouth (Centrarchidae). *Illinois Nat. Hist. Surv. Bull.* 27:1-83.
- Larimore, R. W., and M. J. Duever. 1968. Effects of temperature acclimation on the swimming ability of smallmouth bass fry. *Transactions of the American Fisheries Society* 97:175-184.
- Larkin, P. A. 1973. Some observations on models of stock and recruitment relationships for fishes. Pages 316-324 [in] B. B. Parrish, editor. *Fish ctocks and recruitment*. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Laroche, J. L., and J. Davis. 1973. Age, growth and reproduction of the northern puffer, [*Sphaeroides maculatus*]. *Fish. Bull. NOAA (U.S.)* 71(4):955-964.
- Laroche, J. L., and S. L. Richardson. 1979. Winter-spring abundance of larval English sole, [*Parophrys vetulus*], between the Columbia River and Cape Blanco, Oregon during 1972-1975 with notes on the occurrences of three other Pleuronectids. *Estuar. & Coast. Mar. Sci.* 8(5):455-476.
- Laroche, J. L. 1980. Larval and juvenile abundance and distribution and larval food habits of five species of sculpins (Cottidae) in Dornarescotta River Estuary. Ph.D Diss., Univ. Maine, Orono. 260 pp.



- Laroche, J. L. 1981. Development of larval smooth flounder, [*Liopsetta*] [*putnami*], with a redescription of development of winter flounder, [*Pseudopleuronectes americanus*] (Family: Pleuronectidae). Fish. Bull. 78:897-909.
- Laroche, J. L. 1982. Trophic patterns among larvae of five species of sculpins (Family:Cottidae) in a Maine estuary. Fish. Bull. 80(4):827-841.
- Laroche, J. L., S. L. Richardson, and A. A. Rosenberg. 1982. Age and growth of a pleuronectid, [*Parophrys vetulus*], during the pelagic larval period in Oregon coastal waters. U.S. NMFS Fish. Bull. 80:93-104.
- Laroche, W. A. 1977. Description of larval and early juvenile vermilion snapper, [*Rhomboplites aurorubens*]. Fish. Bull. NOAA (U.S.) 75(3):547-554.
- Laroche, W. A., and R. L. Holton. 1979. Occurrence of 0-age English sole, [*Parophrys*] [*vetulus*], along the Oregon coast: an open coast nursery area? NW. Sci. 53(2):94-96.
- Laroche, W. A., and S. L. Richardson. 1980. Development and occurrence of larvae and juveniles of the rockfishes, [*Sebastes flavidus*] and [*Sebastes*] [*melanops*] (Scorpaenidae), off Oregon. NOAA-NMFS Fish. Bull. 77(4):901-923.
- Laroche, W. A., and S. L. Richardson. 1981. Development of larvae and juveniles of the rockfishes, [*Sebastes entomelas*] and [*S. zacentrus*] (Family Scorpaenidae), and occurrence off Oregon, with notes on head spines of [*S. mystinus*], [*S. flavidus*], and [*S. melanops*]. Fish. Bull. U.S. 79:231-257.
- Laroche, W. A., D. Ruple, and S. L. Richardson. Ms. Young carangid fishes from the Gulf of Mexico: A generic diagnosis of larvae, with additional descriptive notes including early development of three species. Gulf Coast Research Lab., Ocean Springs, MS 39564.
- Laroche, W. A., W. F. Smith-Vaniz, and S. L. Richardson. 1984. Carangidae: development. Pages 510-521 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Spec. Publ.
- Larsen, P. L., P. S. Albert, and D. L. Riddle. 1995. Genes that regulate both development and longevity in *Caenorhabditis elegans*. Genetics 139:1567-1583.
- Larson, G. L., F. E. Hutchins, and D. A. Schlesinger. 1977. Acute toxicity of inorganic chloramines to early life stages of brook trout (*Salvelinus fontinalis*). J. Fish. Biol. 11(6):595-598.
- Larson, G. L., F. E. Hutchins, and L. P. Lamperti. 1977. Laboratory determination of acute and sublethal toxicities of inorganic chloramines to early life stages of coho salmon (*Oncorhynchus kisutch*). Transactions of the American Fisheries Society 106(3):268-277.
- Larson, R. J., W. H. Lenarz, and S. Ralston. 1994. The distribution of pelagic juvenile rockfish of the genus [*Sebastes*] in the upwelling region off central California. California Cooperative Oceanic Fisheries Investigations Reports 35:175-221.
- Laser, K. D., and K. D. Carlander. 1971. Life history of red shiners, [*Notropis lutrensis*], in the Skunk River, Central Iowa. Iowa State J. Sci. 45:557-562.
- Lasiak, T. A. 1981. Nursery grounds of juvenile teleosts: evidence from the surf zone of King's Beach, Port Elizabeth. South African J. Sci. 77:388-390.
- Lasiak, T. A. 1983. Recruitment and growth patterns of juvenile marine teleosts caught at King's Beach, Algoa Bay. So. Afr. Journal of Zoology 18:25-30.
- Lasker, R. 1962. Efficiency and rate of yolk utilization by developing embryos and larvae of the Pacific sardine, [*Sardinops caerulea*] (Guard). Journal of the Fisheries Research Board of Canada 19:867-875.

Lasker, R., and G. H. Theilacker. 1962. Oxygen consumption and osmoregulation by single Pacific sardine eggs and larvae ([*Sardinops caerulea*] Girard). *J. Cons. int. Explor. Mer* 27(1): 25-33.

Lasker, R. 1964. Effect of temperature on incubation time, development and growth of embryos of the Pacific sardine. *Copeia* 1964(2):399-405.

Lasker, R. 1965. The physiology of Pacific sardine embryos and larvae. Pages 96-101 [in] R. Lasker, editor. *Symp. on larval fish biology*. California Coop. Ocean. Fish. Invest. Rep. X:12-152.

Lasker, R., and L. T. Threadgold. 1968. Chloride cells in the skin of the larval sardine. *Exp. Cell Res.* 52:582-590.

Lasker, R. 1970. Utilization of zooplankton energy by a Pacific sardine population in the California Current. Pages 265-284 [in] J. H. Steele, editor. *Marine food chains*. Oliver and Boyd, Edinburgh.

Lasker, R., H. M. Feder, G. H. Theilacker, and R. C. May. 1970. Feeding, growth, and survival of [*Engraulis mordax*] larvae reared in the laboratory. *Mar. Biol.* 5:345-353.

Lasker, R., R. H. Tenaza, and L. L. Chamberlain. 1972. The response of Salton Sea fish eggs and larvae to salinity stress. *California Fish and Game* 58(1):58-66.

Lasker, R. 1975. Field criteria for survival of anchovy larvae: the relation between inshore chlorophyll maximum layers and successful first feeding. *Fish. Bull. NOAA (U.S.)* 73(3):453-462.

Lasker, R. 1976. The relation between oceanographic conditions and the larvae anchovy food in the California Current: identification of factors contributing to recruitment failure. *ICES CM 1976/L:35*. 38 pp.

Lasker, R. 1977. Larval fish research at the LaJolla Laboratory of the Southwest Fish Center - 1976. *SW Fish Center Adm. Rep. LJ-77-3*, NOAA, NMFS, La Jolla, CA.

Lasker, R., and P. E. Smith. 1977. Estimation of the effects of environmental variations on the eggs and larvae of the northern anchovy. *Rep. California Coop. Oceanic Fish. Invest.* 19:128-137.

Lasker, R. 1978. The relation between oceanographic conditions and larval anchovy food in the California Current: identification of factors contributing to recruitment failure. *Rapp. P.-v. Reun. Cons. int. perm. Explor. Mer* 173:212-230.

Lasker, R., and J. R. Zweifel. 1978. Growth and survival of first-feeding northern anchovy larvae ([*Engraulis mordax*]) in patches containing different proportions of large and small prey. Pages 329-354 [in] J. H. Steele, editor. *Spatial pattern in plankton communities*. Plenum Press, N.Y.

Lasker, R. 1979. Factors contributing to variable recruitment of the northern anchovy, [*Engraulis mordax*], in the California Current; contrasting years 1975 through 1978. *ICES/ELH Symp.* PE:11.

Lasker, R. 1979. The effect of weather and other environmental variables upon larval fish survival leading to recruitment of the northern anchovy. Pages 127-129 [in] *Climate and fisheries: Proc. of Workshop on the influence of environmental factors on fisheries problems*, Univ. Rhode Island.

Lasker, R. 1981. Factors contributing to variable recruitment of the northern anchovy ([*Engraulis mordax*]) in the California Current: Contrasting years, 1975 through 1978. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:375-388.

- Lasker, R. 1981. Marine fish larvae: morphology, ecology, and relationship to fisheries. Univ. Wash. Press, Seattle. 131 pp.
- Lasker, R. 1981. The role of a stable ocean in larval fish survival and subsequent recruitment. Pages 80-87 [in] R. Lasker, editor. Morphology, ecology and relation to fisheries. Univ. Washington Press, Seattle, WA.
- Lasker, R., and K. Sherman. Editors. 1981. The early life history of fish: recent studies. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:1-607.
- Lasker, R. 1985. An egg production method for estimating spawning biomass of pelagic fish: application to the northern anchovy, [*Engraulis mordax*]. NOAA Tech. Rep. NMFS 36, 99pp.
- Lasker, R. 1986. Use of fish eggs and larvae to probe fisheries problems. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.
- Last, J. M. 1972. Egg development, fecundity, and growth of [*Oikopleura dioleca*] Fol. in the North Sea. J. Cons. int. Explor. Mer 34:232-237.
- Last, J. M. 1978. The food of four species of Pleuronectiform larvae in the eastern English Channel and southern North Sea. Mar. Biol. 45(4):359-368.
- Last, J. M. 1978. The food of three species of gadoid larvae in the eastern English Channel and southern North Sea. Mar. Biol. 48(4):377-386.
- Last, J. M. 1979. The food of larval turbot, [*Scophthalmus maximus*] L. from the westcentral North Sea. J. Cons. int. Explor Mer 38(3):308-313.
- Last, J. M. 1980. The food of twenty species of fish larvae in the west central North Sea. Fish. Res. Tech. Rep., MAFF Direct., Fish. Res. Lowestoft 60. 44 pp.
- Laszlo, P. T. 1972. Age-growth, food, and reproduction of the smooth flounder, [*Liopsetta putnami*] (Gill) in Great Bay, New Hampshire. Ph.D. Diss., Univ. of NH, 35 pp.
- Lathrop, B. F. 1976. Ichthyoplankton. Pages 7-35 [in] G. A. Nardacci et al., editors. An ecological study of the Susquehanna River in the vicinity of the Three Mile Island Nuclear Station. Supp. Rep. for 1975. Ichthyol. Assoc., Inc.
- Lathrop, B. F. 1976. Entrainment of ichthyoplankton. Pages 40-52 [in] W.A. Potter, editor. An ecological study of the Susquehanna River in the vicinity of the Three Mile Island Nuclear Station. Ann. Rep. for 1975, Ichthyol. Assoc., Inc., Prep. for Metro. Ed. Co., 395 pp.
- Lathrop, B. F. 1978. Ichthyoplankton. Pages 111-263 [in] G. A. Nardacci et al., editors. An ecological study of the Susquehanna River in the vicinity of the Three Mile Island Nuclear Station. Ann. Rep. for 1977. Ichthyol. Assoc., Inc.
- Lathrop, B. F. 1981. Ichthyoplankton density fluctuations in the lower Susquehanna River, Pennsylvania. Pages 28-36 [in] Bryan, C. F., J. V. Conner, and F. M. Truesdale, editors. The fifth annual larval fish conference, Louisiana Coop. Fish. Res. Unit, LSU, Baton Rouge, LA.
- Lathrop, B. F. 1982. Keys to the larval and juvenile fishes from the lower Susquehanna River near Middletown, Pennsylvania. Ichthyol. Assoc., Inc., Middletown, DE.
- Lathrop, B. F., and D. E. Snyder. 1986. Bibliographies on fish reproduction and early life history. American Fisheries Society Early Life History Section Newsletter 7(2):29-36.
- Latif, A. F. A., and B. E. Sandy. 1973. Reproduction in the Nile boliti, [*Tilapia nilotica*] L. Sexual cycle of the male. Bull. Inst. Oceanogr. Fish., Cairo. 3:117-142.

- Latta, W. C. 1957. The ecology of the smallmouth bass, [*Micropterus d.*] [*dolomieu*] Lacepede, at Waugoshance Point, Lake Michigan. Ph.D. Diss., Univ. of Michigan, Ann Arbor, MI, 144 pp.
- Latta, W. C. 1962. Periodicity of mortality of brook trout during the first summer of life. *Transactions of the American Fisheries Society* 91(4):408-411.
- Latta, W. C. 1963. The life history of the smallmouth bass, [*Micropterus*] [*d. dolomieu*], at Waugoshance Point, Lake Michigan. Mich. Dept. Cons., Bull. Inst. Fish. Res. No. 5. 56 pp.
- Lau, S. R., and P. L. Shafland. 1982. Larval development of the snook, [*Centropomus*] [*undecimalis*] (Pisces: Centropomidae). *Copeia* 1982:618-626.
- Lauder, G. V. 1980. On the relationship of the myotome to the axial skeleton in vertebrate evolution. *Paleobiol.* 6(1):51-56.
- Lauer, G. J., and D. W. Bath. 1974. Fish egg and larval entrainment by the Indian Point Power Plant on the Hudson River estuary. N. E. Fish. Wildl. Conf., McAfee, NJ.
- Lauer, G. J., W. T. Waller, D. W. Bath, W. Meeks, D. Heffner, T. Ginn, L. Zubarik, P. Bibko, and P. C. Storm. 1974. Entrainment studies on Hudson River organisms. Pages 37-82 [in] L. D. Jensen, editor. Proc. second workshop on entrainment and intake screening, Electric Power Res. Inst.
- Lauff, M., and R. Hofer. 1984. Proteolytic enzymes in fish development and the importance of dietary enzymes. *Aquaculture* 37(4):335-346.
- Laurence, G. C., and R. W. Yerger. 1966. Life history studies of the Alabama shad, [*Alosa*] [*alabamae*], in the Apalachicola River, Florida. Proc. 20th Ann. Conf. S. E. Assoc. G & F Comms. 20:260-273.
- Laurence, G. C. 1969. The energy expenditure of largemouth bass larvae ([*Micropterus salmoides*]) during yolk absorption. *Transactions of the American Fisheries Society* 98(3):398-405.
- Laurence, G. C. 1971. Feeding and bioenergetics of largemouth bass larvae ([*Micropterus salmoides*]). Ph.D. Diss., Cornell Univ., Ithaca, NY. 139 pp.
- Laurence, G. C. 1971. Digestion rate of larval largemouth bass. *New York Fish Game J.* 18(1): 52-56.
- Laurence, G. C. 1972. Comparative swimming abilities of fed and starved larval largemouth bass ([*Micropterus salmoides*]). *J. Fish. Biol.* 4(1):73-78.
- Laurence, G. C. 1973. Influence of temperature on energy utilization of embryonic and prolarval tautog, [*Tautoga onitis*]. *Journal of the Fisheries Research Board of Canada* 30:435-442.
- Laurence, G. C. 1974. Growth and survival of haddock ([*Melanogrammus*] [*aeglefinus*]) larvae in relation to planktonic prey concentration. *Journal of the Fisheries Research Board of Canada* 31(8):1415-1419.
- Laurence, G. C. 1975. Laboratory growth and metabolism of the winter flounder, [*Pseudopleuronectes americanus*], from hatching through metamorphosis at three temperatures. *Mar. Biol.* 32:223-229.
- Laurence, G. C., and C. A. Rogers. 1976. Effects of temperature and salinity on comparative embryo development and mortality of Atlantic cod ([*Gadus morhua*] L.) and haddock ([*Melanogrammus aeglefinus*] (L.)). *J. Cons. int. Explor. Mer* 36: 220-228.

- Laurence, G. C., and C. A. Rogers. 1976. Effects of temperature and salinity on comparative embryo development and mortality of Atlantic cod ([*Gadus morhua*] L.) and haddock ([*Melanogrammus*] [*aeglefinus*] L.). *J. Cons. perm. int. Explor. Mer* 36:220-228.
- Laurence, G. C. 1977. A bioenergetic model for the analysis of feeding and survival potential of winter flounder, [*Pseudopleuronectes americanus*], larvae during the period from hatching to metamorphosis. *Fish. Bull. NOAA (U.S.)* 75(3):529-546.
- Laurence, G. C. 1978. Comparative growth, respiration and delayed feeding abilities of larval cod ([*Gadus morhua*]) and haddock ([*Melanogrammus aeglefinus*]) as influenced by temperature during laboratory studies. *Mar. Biol.* 50(1):1-7.
- Laurence, G. C., T. A. Halavik, B. R. Burns, and A. S. Smigielski. 1978. An experimental chamber for monitoring in situ growth and survival of larval fishes. NMFS, NE Fish. Center, Narragansett, RI. 26 pp.
- Laurence, G. C. 1979. Larval fish survival studies -- principles, problems, and potential in the Ecosystems Division. NOAA, NMFS Narragansett Lab. Ref. No. 79-28.
- Laurence, G. C. 1979. Larval length-weight relations for seven species of northwest Atlantic fishes. *Fish. Bull. U.S.* 76(4):890-895.
- Laurence, G. C. 1979. Modelling, an esoteric or potential utilitarian approach to understanding larval fish dynamics? ICES/ELH Symp.
- Laurence, G. C. 1979. Recommendations of the task force on process-oriented studies of larval fish survival. NOAA, NMFS Narragansett Lab. Ref. No. 79-57.
- Laurence, G. C., B. Burns, T. Halavik, and A. Smigielski. 1979. Implications of direct competition between larval cod, [*Gadus morhua*], and haddock, [*Melanogrammus aeglefinus*], in laboratory growth and survival studies at different food densities. ICES/ELH Symp./FM:3.
- Laurence, G. C., T. Halavik, B. Burns, and A. Smigielski. 1979. An environmental chamber for monitoring "in situ" growth and survival of larval fishes. *Transactions of the American Fisheries Society* 108:197-203.
- Laurence, G. C., A. S. Smigielski, T. A. Halavik, and B. R. Burns. 1979. Implications of direct competition between larval cod ([*Gadus morhua*]) and haddock ([*Melanogrammus aeglefinus*]) in laboratory growth and survival studies at different food densities. ICES/ELH Symp./FM:3.
- Laurence, G. C., A. S. Smigielski, T. A. Halavik, and B. R. Burns. 1981. Implications of direct competition between larval cod ([*Gadus morhua*] L.) and haddock ([*Melanogrammus aeglefinus*]) in laboratory growth and survival studies at different food densities. *Rapp. P.-v. Reun. int. Explor. Mer* 178: 304-311.
- Laurence, G. C. 1981. Overview - modelling - an esoteric or potentially utilitarian approach to understanding larval fish dynamics. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:3-6.
- Laurence, G. C., and L. J. Buckley. 1981. 1981 research proposal and 1980 interim progress report. Contaminant studies of the early life stages of striped bass. NOAA, NMFS NEFC Narragansett Lab. Ref. No. 80-85.
- Laurence, G. C., and W. H. Howell. 1981. Embryology and influence of temperature and salinity on early development and survival of yellowtail flounder, [*Limanda ferrugenia*]. *Mar. Ecol. Prog. Ser.* 6:11-18.
- Laurence, G. C., A. S. Smigielski, T. A. Halavik, and B. R. Burns. 1981. Implications of direct competition between larval cod ([*Gadus morhua*]) and haddock ([*Melanogrammus*])

[aeglefinus]) in laboratory growth and survival studies at different food densities. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:304-311.

Laurence, G. C., and B. R. Burns. 1982. Ichthyoplankton in shelf water entrained by warm-core rings. EOS, Trans. Am. Geophys. Union 63(45):998.

Laurence, G. 1982. Nutrition and trophodynamics of larval fish -- review. Concepts, strategic recommendations and opinion. Pages 123-171 [in] B. J. Rothschild and C. G. H. Rooth, editors. Fish Ecology III. MARMAP Contr. MED/NEFC 82-50. CIMAS, Univ. Miami, Tech. Rep. No. 82008.

Laurence, G. C. 1983. A report on the development of stochastic models of food limited growth and survival of cod and haddock larvae on Georges Bank. NOAA, NMFS NEFC Narragansett Lab. Ref. No. 83-46.

Laurence, G. C., J. R. Green, P. W. Fofonoff, and B. R. Burns. 1984. Small-scale spatial variability of plankton on Georges Bank with particular reference to prey organisms of larval cod and haddock. Intl. Counc. Explor. Sea, C. M. 1984/L:9.

Laurence, G. C. 1985. A report on the development of stochastic models of food limited growth and survival of cod and haddock larvae on Georges Bank. Pages 83-150 [in] G. C. Laurence and R. G. Lough, editors. Growth and survival of larval fishes in relation to the trophodynamics of Georges Bank cod and haddock. NOAA Tech. Mem. NMFS F/NEC-36, Woods Hole, MA.

Laurence, G. C., and R. G. Lough. 1985. Growth and survival of larval fish in relation to the trophodynamics of Georges Bank cod and haddock. NOAA Tech. Mem. NMFS-F/NEC-36. 150 pp.

Laurila, S., J. Piironen, and I.J. Holopainen. 1987. Notes on egg development and larval and juvenile growth of crucian carp ([*Carassius carassius*] (L.)).. Ann. Zool. Fenn. 24(4):315-321. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Laur, R. M. 1970. Zooplankton and fish larvae. Page 10 [in] C.M. Love, editor. EASTROPACK atlas. Vol. 4. U.S. Dep. Commer., Nat. Mar. Fish. Serv. Cir. 330.

Laur, R. M., and R. N. Nishimoto. 1970. Five juvenile sailfish, [*Istiophorus platypterus*], from the eastern tropical Pacific. Copeia 1970(3):590-594.

Laval, P. H. 1974. A mathematical model for net avoidance by plankton, its practical application and its reliability as checked indirectly by using the parasitism of the pelagic amphipod, [*Vibilia armata*] Benvallius. J. Exp. Mar. Biol. & Ecol. 14:57-87. Transl. Fish. Mar. Serv. Ser. No. 3116.

Lavenberg, R. J., et al. 1985. Abundance of southern California nearshore ichthyoplankton: 1978-84. California Coop. Oceanic Fish. Invest. Rep. XXVII:53-64.

Lavenberg, R. J., G. E. McGowen, and R. E. Woodsum. 1984. Preservation and curation. Pages 57-59 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

Lavunov, N. D. 1970. Cod fry distribution in the southeastern Baltic in the winter of 1969. Ann. Biol. 26(1969):131-132.

H. 1961. Egg counts of Lake Erie whitefish. Journal of the Fisheries Research Board of Canada 18(2):293-294.

Lawler, G. H. 1963. The biology and taxonomy of the burbot, [*Lota lota*], in Heming Lake, Manitoba. Journal of the Fisheries Research Board of Canada 29:417-433.

- Lawler, G. H., and M. Fitz-Earle. 1968. Marking small fish with stains for estimating populations in Heming Lake, Manitoba. *Journal of the Fisheries Research Board of Canada* 24:255-266.
- Lawler, J. P., R. A. Norris, G. Goldwyn, K. A. Abood, and T. L. Englert. 1974. Hudson River striped bass life cycle model. Pages 83-94 [in] L. D. Jensen, editor. *Entrainment and intake screening. Proc. 2nd Entrain. and Intake Screen. Workshop, Edison Power Res. Inst., Publ. No. 74-049-00-5.* 347 pp.
- Lawler, J. P., and T. L. Englert. 1978. Models useful for the estimation of equilibrium population reduction due to power plant cropping. Pages 103-111 [in] L. D. Jensen, editor. *Fourth Natl. Workshop in Entrainment and impingement. Ecol. Anal., Inc., Melville, NY.* 424 pp.
- Lawler, J. P., et al. 1986. Recruit models for spot and Atlantic croaker. *Transport of Larval Fish and Shellfish through Coastal Inlets, Ocean Springs, MS. Symposium Series 3, Am. Fish. Soc. In press.*
- Lawler, R. E. 1963. Silver salmon egg taking investigations in Cook Inlet drainage. *Alaska Dept. Fish Game Sport fish. Div., 1962-63 D-J Proj. Rep.* 4:161-173.
- Lawler, R. E. 1964. Egg take investigation in Cook Inlet drainage and Prince William Sound. *Alaska Dep. Fish Game, Sport Fish Div., 1963-64 D-J Proj. Rep.* 5:123-132.
- Lazarus, S. 1985. On the spawning and early life history of oil sardine, [*Sardinella longiceps*] (Cuv. and Val.), at V
- Lazo, J. P., M. T. Dinis, G. J. Holt, C. Faulk, and C. R. Arnold. 2000. Co-feeding microparticulate diets with algae: toward eliminating the need to zooplankton at first feeding in larval red drum [*Sciaenops ocellatus*]. *Aquaculture* 188:339-351.
- Le Brasseur, R. J. 1964. Data record: a preliminary checklist of some marine plankton from the northeastern Pacific Ocean. *Fish. Res. Bd. Can., Manuscr. Rep. Ser. (Oceanogr. Limnol.), No. 174,* 14 pp.
- Le Brasseur, R. J. 1965. Seasonal and annual variations of net zooplankton at Ocean Station P, 1956-1964. *Fish. Res. Bd. Can., Manuscr. Rep. Ser. (Oceanogr. Limnol.), No. 202,* 162 pp.
- Le Brasseur, R. J. 1969. Growth of juvenile chum salmon (*Oncorhynchus keta*) under different feeding regimes. *Journal of the Fisheries Research Board of Canada* 26(6):1631-1645.
- Le Brasseur, R. J., W. E. Barraclough, O. D. Kennedy, and T. R. Parsons. 1969. Production studies in the Straits of Georgia. Part III. Observations on the food of larval and juvenile fish in the Fraser River Plume, February to May, 1967. *J. Exp. Mar. Biol. Ecol.* 3:51-61.
- Le Cren, E. D. 1961. The efficiency of reproduction and recruitment in freshwater fish. Pages 283-296 [in] E. D. Le Cren and M. W. Holdgate, editors. *The exploitation of natural animal populations.* Oxford Blackwell Sci. Publ.
- Le Cren, E. D. 1973. The population dynamics of young trout (*Salmo trutta*) in relation to density and territorial behaviour. Pages 241-246 [in] B. B. Parrish, editor. *Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. Perm. Int. Explor. Mer* 164:372 pp.
- Le Drew, B. R., and J. M. Green. 1975. Biology of the radiated shanny, [*Ulvaria*] [*subbifurcata*] Storer in Newfoundland (Pisces: Stichaeidae). *J. Fish. Biol.* 7(4):485-495.
- Le Fevre, J. 1986. Aspects of the biology of frontal systems. *Adv. Mar. Biol.* 23: 163-299.

- Le Gall, J. 1932. [*Sebastes marinus*]. In: Faune Ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer 10. 2 pp.
- Le Gall, J. 1932. [*Scomber scombrus*]. In: Faune Ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer 10. 4 pp.
- Lea, E. 1913. Muraenoid larvae from the "Michael Sars" North Atlantic deep-sea expedition 1910. Rep. Scient. Results Michael Sars N. Atlant. deep sea Exped. 3(1):1-48.
- Leach, G. C. 1919. The artificial propagation of carp. Econ. Circ. Bur. Fish., Wash., No. 39, 19 p.
- Leach, G. C. 1919. Culture of rainbow trout and brook trout in ponds. Econ. Circ. Bur. Fish., Wash., No. 41, 19 pp.
- Leach, G. C. 1923. Artificial propagation of whitefish, grayling, and lake trout. Rep. U.S. Commn. Fish. 1923, App. III:1-32.
- Leach, G. C. 1925. Artificial propagation of shad. Rep. U.S. Commn. Fish. 1925(1924), App. VIII:459-486.
- Leach, G. C. 1925. Propagation and distribution of food fishes, fiscal year 1924. U.S. Comm. Fish. Rep. (1924):361-440.
- Leach, G. C. 1927. Artificial propagation of pike perch, yellow perch, and pikes. Rep. U.S. Commn. Fish., 1927, App. I:1-27.
- Leach, J. M., A. N. Thakore, and J. F. Manville. 1975. Acute toxicity to juvenile rainbow trout, [*Salmo gairdneri*], of naturally occurring insect juvenile hormone analogues. Journal of the Fisheries Research Board of Canada 32(12):2556-2559.
- Leach, J. M., and A. N. Thakore. 1973. Identification of the constituents of kraft pulping effluent that are toxic to juvenile coho salmon, [*Oncorhynchus kisutch*]. Journal of the Fisheries Research Board of Canada 30(4):479-484.
- Leach, J. M., and A. N. Thakore. 1975. Isolation and identification of constituents toxic to juvenile rainbow trout (*Salmo gairdneri*) in caustic extraction effluents from Kraft pulpmill bleach plants. J. Fish. Bd. Can. 32(8):1249-1257.
- Leach, W. J. 1940. Occurrence and life history of the northern brook lamprey, [*Ichthyomyzon fossor*], in Indiana. Copeia 1949(1):21-34.
- Leach, W. J. 1940. Occurrence and life history of the northern brook lamprey, [*Ichthyomyzon fossor*], in Indiana. Copeia 1940(1):21-34.
- Leak, J. C. 1981. Distribution and abundance of carangid fish larvae in the eastern Gulf of Mexico, 1971-74. Biol. Oceanogr. 1:1-28.
- Leak, J. C., and E.D. Houde. 1987. Cohort growth and survival of bay anchovy [*Anchoa mitchilli*] larvae in Biscayne Bay, Florida. Mar. Ecol. Prog. Ser. 37:109-122.
- Lear, W. H., and R. Wells. 1984. Vertebral averages of juvenile cod, [*Gadus morhua*], from coastal waters of eastern Newfoundland and Labrador as indicators of stock origin. J. Northw. Atl. Fish. Sci. 5:23-31.
- Leary, D. F., G. I. Murphy, and M. Miller. 1975. Fecundity and length at first spawning of the Hawaiian anchovy, or nehu ([*Stolephorus purpurus*] Fowler) in Kaneohe Bay, Oahu. Pac. Sci. 29(2):171-180.



- Leatherland, J. F., and L. Lin. 1975. Activity of the pituitary gland in embryo and larval stages of coho salmon, [*Oncorhynchus kisutch*]. Canadian Journal of Zoology 53:297-310.
- Leavitt, B. B. 1935. A quantitative study of the vertical distribution of the large zooplankton in deep water. Biol. Bull. Mar. Biol. Lab. Woods Hole 68(1):115-130.
- Lebeau, B., P. Jolicoeur, G. Pageau, and E. J. Crossman. 1986. Asymptotic growth, egg production and trivariate allometry in [*Esox masquinongy*] Mitchill. Growth 50:185-200.
- Lebedeva, D. A., and M. M. Meshkov. 1968. Changes in the time of organ anlage and duration of embryogenesis of [*Osmerus eperlanus m. spirinchus*] and [*Esox lucius*] under the effect of temperature changes. Pages 83-97 [in] S.V. Yanov, editor. The tempo of individual development of animals and its changes during evolution. Izdatel 'stvo' 'Nauka' Moskva. Inst. Morfol. Zhirotnykh. im A.N. Severtsova. Akad.
- Leber, K. M., S. M. Arce, D. A. Sterritt, and N. P. Brennan. 1996. Marine stock-enhancement potential in nursery habitats of striped mullet, [*Mugil cephalus*], in Hawaii. Fishery Bulletin 94:452-471.
- Lebida, R. 1969. The seasonal abundance and distribution of eggs, larvae, and juvenile fishes in the Weweantic River estuary, Massachusetts, 1966. M.S. Thesis, Univ. MA, Amherst, MA. 59 pp.
- Lebida, R. 1973. Seasonality of ichthyoplankton in the Weweantic River estuary. Page 139 [in] A. L. Pacheco, editor. Proc. Workshop on egg, larval, and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, N.J.. 338 pp.
- Lebour, M. V. 1918. The food of post-larval fish. J. Mar. Biol. Assoc. U.K. 11(4): 433-469.
- Lebour, M. V. 1918. Trematode larva from [*Buccinum undatum*] and notes on trematodes from post larval fish. J. Mar. Biol. Assoc. U.K. 11(4):514-517.
- Lebour, M. V. 1919. Feeding habits of some young fish. J. Mar. Biol. Assoc. U.K. 12(1): 9-21.
- Lebour, M. V. 1919. The food of post-larval fish. II(1918). J. Mar. Biol. Assoc. U.K. 12(1):22-47.
- Lebour, M. V. 1919. The young of the Gobiidae from the neighborhood of Plymouth. J. Mar. Biol. Assoc. U.K. 12(1):48-80.
- Lebour, M. V. 1919. Further notes on the young Gobiidae from the neighborhood of Plymouth. J. Mar. Biol. Assoc. U.K. 12(1):146-148.
- Lebour, M. V. 1920. The eggs of [*Gobius minutus*], [*G. pictus*], and [*G.*] [*microps*]. J. Mar. Biol. Assoc. U.K. 12(2):253-260.
- Lebour, M. V. 1920. The food of young fish. III(1919). J. Mar. Biol. Assoc. U.K. 12(2): 261-324.
- Lebour, M. V. 1921. The larval and post larval stages of the pilchard, sprat, and herring from Plymouth Sound. J. Mar. Biol. Assoc. U.K. 12(3):427-457.
- Lebour, M. V. 1921. The food of young Clupeoids. J. Mar. Biol. Assoc. U.K. 12(3):458-467.
- Lebour, M. V. 1923. The food of plankton organisms. II. J. Mar. Biol. Assoc. U.K. 13: 70-92.
- Lebour, M. V. 1924. The food of young herring. J. Mar. Biol. Assoc. U.K. 13:325-330.

- Lebour, M. V. 1925. Young angler in captivity and some of their enemies. A study in a plunger jar. J. Mar. Biol. Assoc. U.K. 13:721-734.
- Lebour, M. V. 1927. The eggs and newly hatched young of the common Blennies from the Plymouth neighborhood. J. Mar. Biol. Assoc. U.K. 14:647-650.
- Lebour, M. V. 1934. Rissoid larvae as food of young herring. J. Mar. Biol. Assoc. U.K. 19(2):523-539.
- LeBrasseur, R. J., C. D. McAllister, J. D. Fulton, and O. D. Kennedy. 1967. Selection of a zooplankton net for coastal observations. Fish. Res. Bd. Can. Tech. Rep. 37. 13 pp.
- LeBrasseur, R. J. 1969. Growth of juvenile chum salmon, [*Oncorhynchus keta*], under different feeding regimes. Journal of the Fisheries Research Board of Canada 26:1631-1645.
- LeBrasseur, R. J. 1970. Larval fish species collected in zooplankton samples from the northeastern Pacific Ocean, 1956-59. Tech. Rep. Fish. Res. Bd. Can. 175:47 pp.
- LeClus, F., and I. Kruger. 1982. Time and space distribution of temperature, salinity, plankton, and fish eggs off South West Africa 1980/81 - a preliminary data report. Coll. Sci. Pap. Intl. Comm. SE Atlantic Fish. 9:121-145.
- Ledebur, J. T., and W. Wunder. 1938. Beitrage zur Physiologie der Schwimmblase der Fische. IV. Beobachtungen an Stichlingen die ihre Schwimmblase nicht mit Gas fullen Konnten. Z. vergl. Physiol. Bd. 25(5):149-155.
- Leduc, G. 1978. Deleterious effects of cyanide on early life stages of Atlantic salmon, [*Salmo salar*]. Journal of the Fisheries Research Board of Canada 35(2):166-174.
- Lee, C. S. 1981. Factors affecting egg characteristics in the fish [*Silago sihama*]. Mar. Ecol. Prog. Ser. 4:361-363.
- Lee, C. S., and B. Menu. 1981. Effects of salinity on egg development and hatching in grey mullet, [*Mugil cephalus*] L. J. Fish. Biol. 19:179-188.
- Lee, C. S., and F. Hu. 1983. Influence of calcium and magnesium ions on the egg survival of grey mullet, [*Mugil cephalus*] L. J. Fish. Biol. 22(1):13-20.
- Lee, C., and R. Hirano. 1981. Suitable food organisms and feeding schedules for the larvae of [*Sillago sihama*] (Forsskal). Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:533-540.
- Lee, G. 1931. Oral gestation in the marine six-whiskered catfish, [*Galeichthys felis*]. Anat. Rec. 51(1):Suppl. 60.
- Lee, G. 1937. Oral gestation in the marine catfish, [*Galeichthys*] [*felis*]. Copeia 1937 (1):49-56.
- Lee, J. H., et al. 1975. Effects of Mirex and Methoxychlor on juvenile and adult striped mullet, [*Mugil cephalus*] L. Bull. Env. Contam. Toxicol. 14:180.
- Lee, J. L. 1966. Oeufs et larves planctoniques de poissons. Rev. Trav. Inst. Peches Marit. Nantes 30(2):171-208.
- Lee, M. A., and K. T. Lee. 1996. The larval anchovy ([*Engraulis japonicus*]) fishery in relation to the environmental factors in coastal waters of Fangliao, Taiwan. Fisheries Research 26:37-48.

- Lee, M. A., K. T. Lee, and G. Y. Shiah. 1995. Environmental factors associated with the formation of larval anchovy fishing grounds in the coastal waters of southwest Taiwan. *Marine Biology* 121:621-625.
- Lee, R. M., and S. D. Gerking. Sensitivity of fish eggs to acid stress. *Water Res.* 14:1679-1681.
- Lee, S. M. 2002. Apparent digestibility coefficients of various feed ingredients for juvenile and grower rockfish (*Sebastes schlegeli*). *Aquaculture* 207(1-2):79-95.
- Lee, T. N., C. Rooth, E. Williams, M. McGowan, A. F. Szmant and M. E. Clarke. 1992. Influence of Florida current, gyres and wind-driven circulation on transport of larvae and recruitment in the Florida Keys coral reefs. *Continental Shelf Research* 12:971-1002.
- Lee, T. N., M. E. Clarke, E. Williams, A. F. Szmant, and T. Berger. 1994. Evolution of the Tortugas gyre and its influence on recruitment in the Florida Keys. *Bulletin of Marine Science* 54:621-646.
- Lee, W. Y., and B. J. McAlice. 1979. Sampling variability of marine zooplankton in a tidal estuary. *Estuar. & Coast. Mar. Sci.* 8:565-582.
- Lee, W. Y. 1983. Copepods and ichthyoplankton: laboratory studies of pharmaceutical waste toxicity. Pages 235-250 [in] I. W. Duedall, B. H. Ketchum, P. K. Park, and D. R. Kester, editors. *Wastes in the Ocean, Vol. 1: Industrial and Sewage Wastes in the Ocean*. John Wiley and Sons, New York, NY.
- Lee, W. Y., G. J. Holt, and C. R. Arnold. 1984. Growth of red drum larvae in the laboratory. *Transactions of the American Fisheries Society* 113:243-246.
- Lefevrelehoerff, G., F. Ibanez, P. Poniz, and J. M. Fromentin. 1995. Hydroclimatic relationships with planktonic time series from 1975 to 1992 in the north sea off Gravelines, France. *Marine Ecology-Progress Series* 129:269-281.
- Legand, M. 1952. Etude de la croissance post larvaire de [*Sillago*] [ciliata] Cuv. dans la region de Noumea. *Biol. Bull. de la France et Belgique*, LXXXVI 2:8-142.
- Legaspi, V. A. 1956. A contribution to the life history of the nomeid fish, [*Psenes cyanophyes*] Cuv. et Val. *Bull. Mar. Sci. Gulf and Caribb.* 6(3):187-190.
- Legault, R. 1958. A technique for controlling the time of daily spawning and collecting of eggs of the zebrafish, [*Brachydanio rerio*] (Hamilton-Buchanan *Copeia* 1958:328-330).
- Leggett, J. W. M. S. 1969. The reproductive biology of the Dolly Varden char (*Salvelinus malma* Walbaum). M. S. Thesis, Univ. Victoria, British Columbia. 110 pp.
- Leggett, W. C. 1969. Studies on the reproductive biology of the American shad (*Alosa sapidissima*). A comparison of populations from four rivers of the Atlantic seaboard. Ph.D Diss., McGill Univ. 125 pp.
- Leggett, W. C. 1969. A study of the reproductive potential of the American shad (*Alosa sapidissima*) in the Connecticut River, and of the possible effects of natural or man induced changes in the population structure of the species on its reproductive success. *Conn. Res. Comm., Essex Mar. Lab., Essex, Conn.*
- Leggett, W. C. 1977. Density dependence, density independence and recruitment in the American shad (*Alosa* [*sapidissima*]) population of the Connecticut River. Pages 3-17 [in] Oak Ridge Natl. Lab. Energy Res. Devel. Adm. and Electric Power Res. Inst. Proc. of the Conf.
- Leggett, W. C., and J. E. Carscadden. 1978. Latitudinal variation in reproductive characteristics of American shad (*Alosa sapidissima*): evidence for population specific

life history strategies in fish. *Journal of the Fisheries Research Board of Canada* 35(1):1469-1478.

Leggett, W. C. 1986. The dependence of fish larval survival on foods and predator densities. [In] *The role of freshwater outflow in coastal marine ecosystems*. Bodo, 21-25 May 1985. Skreslet, S. (ed.), NATO ASI Series, Series G: Ecological Sciences, Berlin, 7:107-117.

Leggett, W. C., and E. Deblois. 1994. Recruitment in marine fishes: is it regulated by starvation and predation in the egg and larval stages? *Netherlands Journal of Sea Research* 32:119-134.

Leggett, W. C., and E. Deblois. 1995. On the dome-shaped relationship between wind-generated turbulence and larval feeding - reply. *Netherlands Journal of Sea Research*. 34: 244.

Leggett, W. C., and K. Frank. 1997. A comparative analysis of recruitment variability in North Atlantic flatfishes - testing the species range hypothesis. *J. Sea Res.* 37:281-299.

Legkiy, B. P., and I. K. Popova. 1984. Development of photoreaction in juvenile roach, [*Rutilus rutilus*], and minnow, [*Phoxinus phoxinus*] (Cyprinidae), in relation to downstream migration. *J. Ichthyol. USSR* 24(1):72-79.

Legovic, T., N. Limic, and V. Valkovic. 1990. Estimation of diffuse inputs to a coastal sea - solution to an inverse modelling problem. *Estuarine Coastal and Shelf Science* 30:619-634.

Lehman, B. A. 1953. Fecundity of Hudson River shad. *Res. Rep. U.S. Fish. Serv.* 33:1-8.

Lehodey, P., and R. Grandperrin. 1996. Age and growth of the alfonsino [*Beryx splendens*] over the seamounts off New Caledonia. *Marine Biology* 125:249-258.

Lehtinen, S., and A. A. Echelle. 1979. Reproductive cycle of [*Notropis boops*] (Pisces: Cyprinidae) in Brier Creek, Marshall County, Oklahoma. *Am. Midl. Nat.* 102(2):237-243.

Lehtonen, H., K. Nyberg, P. J. Vuorinen, and A. Leskela. 1992. Radioactive strontium (<sup>85</sup>Sr) in marking whitefish [*Coregonus lavaretus* (L)] larvae and the dispersal of larvae from river to sea. *Journal of Fish Biology* 41:417-423.

Leiby, M. M. 1979. *Leptocephalus* larvae of the eel family, Ophichthidae. 1. [*Ophichthus gomesi*] Castelnau. *Bull. Mar. Sci.* 29:329-343.

Leiby, M. M. 1979. Morphological development of the eel, [*Myrophis*] [*punctatus*] (Ophichthidae) from hatching to metamorphosis, with emphasis on the developing head skeleton. *Bull. Mar. Sci.* 29(4):509-521.

Leiby, M. M. 1981. Larval morphology of the eels, [*Bascanichthys*] [*bascanium*], [*B. scuticaris*], [*Ophichthus*] [*melanoporus*] and [*O. ophis*] (Ophichthidae), with a discussion of larval identification methods. *Bull. Mar. Sci.* 31:46-71.

Leiby, M. M. 1982. *Leptocephalus* larvae of the tribe Sphaegebranchini (Pisces, Ophichthidae) in the western North Atlantic. *Bull. Mar. Sci.* 32:220-236.

Leiby, M. M. 1984. *Leptocephalus* larvae of the tribe Callechelyini (Anguilliformes, Ophichthidae, Ophichthinae) in the western North Atlantic. *Bull. Mar. Sci.* 34:398-423.

Leiby, M. M. 1984. Ophichthidae: development and relationships. Pages 102-107 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

- Leiby, M. M. In Press. Ophichthidae. [In] D. G. Smith and W. H. Hulet, editors. *Leptocephalus* larvae of the Gulf of Mexico and Yucatan Channel. *Stud. Trop. Oceanogr.* Miami.
- Leigh, G. M., and W. S. Hearn. 2000. Changes in growth of juvenile southern bluefin tuna (*[Thunnus maccoyii]*): an analysis of length-frequency data from the Australian fishery. *Marine and Freshwater Research* 51(2):143-?.
- Leim, A. H. 1924. The life history of the shad, [*Alosa sapidissima*] (Wilson), with special reference to the factors limiting its abundance. *Contr. Can. Biol.* 2(11): 162-284.
- Leim, A. H. 1956. Review of literature on Bay of Fundy herring. *Fish. Res. Bd. Can. MS Rep., Biol. Sta. St. Andrews*, No. 612, 65 pp.
- Leim, A. H. 1958. Fatness of small herring in Bay of Fundy. *Journal of the Fisheries Research Board of Canada* 15(6):1259-1267.
- Leim, A. H. 1958. Distribution of herring larvae in the lower Bay of Fundy and adjacent waters. *Fish. Res. Bd. Can. MS Rep., Biol. Sta. St. Andrews*, No. 652, 8 pp.
- Leiner, M. 1960. Über die Eier- und Larven-Entwicklung beim Dreistacheligen Stichling. *Natur u. Volk* 90(12):417-420.
- Leis, J. H., and D. S. Rennis. 1983. The larvae of Indo-Pacific coral reef fishes. *Univ. Hawaii Press, Honolulu, HA.* 269 pp.
- Leis, J. M., and J. M. Miller. 1976. Offshore distributional patterns of Hawaiian fish larvae. *Mar. Biol.* 36(4):359-367.
- Leis, J. M. 1977. Development of the eggs and larvae of the slender mola, [*Ranzania laevis*], Pisces Molidae. *Bull. Mar. Sci.* 27(3):448-466.
- Leis, J. M. 1977. Distribution ecology of ichthyoplankton and invertebrate macrozooplankton in the vicinity of a Hawaiian coastal power plant. Ph.D. Diss., Univ. Hawaii. 334 pp.
- Leis, J. M. 1978. Systematics and zoogeography of the porcupine fishes (*[Diodon]*, Diodontidae, Tetraodontiformes) with comments on egg and larval development U.S. *Fish. Bull.* 76:535-567.
- Leis, J. M. 1981. Distribution of fish larvae around Lizard Island, Great Barrier Reef: coral Reef Lagoon as refuge? *Proc. 4th Intl. Coral Reef Symp.* 2:471-477.
- Leis, J. M. 1982. Hawaiian creedid fishes (*[Crystallodytes cookei]* and *[Limnichthys donaldsoni]*) development of eggs and larvae and use of pelagic eggs to trace coastal water movement. *Bull. Mar. Sci.* 32:166-180.
- Leis, J. M. 1982. Nearshore distributional gradients of larval fish (15 taxa) and planktonic crustaceans (6 taxa) in Hawaii. *Mar. Biol.* 72:89-97.
- Leis, J. M. 1983. Coral reef fish larvae (Labridae) in the East Pacific Barrier. *Copeia* 1983:826-828.
- Leis, J. M., and B. Goldman. 1983. Studies on the biology of larval fishes in the Lizard Island area, Northern Great Barrier Reef. Pages 221-225 [in] J. T. Baker, R. M. Carter, P. W. Sammarco, and K. P. Stark, editors. *Proc. Inaugural Great Berrier Reef Conf.*, J. Cook Univ. Press, Townsville, Aust.
- Leis, J. M., and D. S. Rennis. 1983. The larvae of Indo-Pacific coral reef fishes. *New South Wales Univ. Press, Sydney.*

- Leis, J. M. 1984. Tetraodontoidei: development. Pages 447-449 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Leis, J. M., and B. Goldman. 1984. A preliminary distributional study of fish larvae near a ribbon coral reef in the Great Barrier Reef. *Coral Reefs* 2(4):197-203.
- Leis, J. M., and W. J. Richards. 1984. Acanthuroidei: development and relationships. Pages 547-550 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Leis, J. M. 1985. Larval fish dispersal and the east Pacific barrier. *Oceanogr. Trop.* 19(2):181-192.
- Leis, J. M., and J. T. Moyer. 1985. Development of eggs, larvae and pelagic juveniles of three Indo-Pacific ostraciid fishes (Tetraodontiformes: [Ostracion meleagris], [Lactoria fornasini], and [L. diaphana]). *Jap. J. Ichthyol.* 32(2):189-202.
- Leis, J. M. 1986. Ecological requirements of Indo-Pacific larval fishes: a neglected zoogeographical factor. Pages 759-766 [in] T. Uyeno et al., editors. Indo-Pac. Fish. Biol., Proc. 2nd Intl. Conf. on Indo-Pac. Fish., Ichthyol. Soc. Jap., Tokyo.
- Leis, J. M. 1986. Epibenthic schooling by larvae of the clupeid fish, [Spratelloides gracilis]. *Jap. J. Ichthyol.* 33(1):67-69.
- Leis, J. M. 1986. Larval development in four species of Indo-Pacific coral trout, [Plectropomus] (Pisces: Serrenididae: Epinephelinae), with an analysis of the relationship of the genus. *Bull. Mar. Sci.* 38(3):525-552.
- Leis, J. M. 1986. Vertical and horizontal distribution of fish larvae near coral reefs at Lizard Island, Great Barrier Reef. *Mar. Biol.* 90:505-516.
- Leis, J. M., and S. B. Bullock. 1986. The luminous cardinalfish, [Siphamia]: Development of larvae and the luminous organ. *Indo-Pac. Fish. Biol.* 703-714.
- Leis, J. M. 1987. Review of the early life history of tropical groupers (Serranidae) and snappers (Lutjanidae). Pages 189-238 [in] J. J. Polovina and S.R. Ralston, editors. *Tropical snappers and groupers: biology and fisheries management*. Westview Press, Boulder, Colo. 659 p.
- Leis, J. M., and B. Goldman. 1987. Composition and distribution of larval fish assemblages in the Great Barrier Reef Lagoon, near Lizard Island. *Aust. J. Mar. Freshw. Res.* 38: 211-224.
- Leis, J. M., B. Goldman, and S.Ueyanagi. 1987. Distribution and abundance of billfish larvae (Pisces: Istiophoridae) in the Great Barrier Reef Lagoon and Coral Sea near Lizard Island, Australia. *Fish. Bull. (U.S.)*. 85:757-766.
- Leis, J. M., and T. Trnski. 1989. The larvae of Indo-Pacific shore fishes. University of Hawaii Press, Honolulu, Hawaii. 371 p.
- Leis, J. M. 1989. Larval biology of butterflyfishes (Pisces, Chaetodontidae): what do we really know? *Environ. Biol. Fishes* 25(1-3): 87-100.
- Leis, J. M., B. Goldman, and S.E. Reader. 1989. Epibenthic fish larvae larvae in the Great Barrier Reef Lagoon near Lizard Island, Australia. *Jap. Journal of Ichthyology*, 35: 428-433.
- Leis, J. M. 1991. Vertical distribution of fish larvae in the Great Barrier Reef Lagoon, Australia. *Marine Biology* 109:157-166.

- Leis, J. M. 1991. The pelagic stage of reef fishes: the larval biology of coral reef fishes. Pages 183-230 [in] P.F. Sale, editor. *The Ecology of Fishes on Coral Reefs*. Academic Press.
- Leis, J. M. 1991. The pelagic stage of reef fishes: the larval biology of coral reef fishes. Pages 183-230 [in] P.F. Sale, editor. *The ecology of fishes on coral reefs*. Academic Press, New York.
- Leis, J. M., and S. E. Reader. 1991. Distributional ecology of milkfish, [*Chanos chanos*], larvae in the Great Barrier Reef and Coral Sea near Lizard Island, Australia. *Environmental Biology of Fishes* 30:395-405.
- Leis, J. M., T. Trnski, M. Harmelin-Vivien, J. P. Renon, V. Dufour, M. K. El Moudni, and R. Galzin. 1991. High concentrations of tuna larvae (Pisces: Scombridae) in near-reef waters of French Polynesia (Society and Tuamotu Islands). *Bulletin of Marine Science* 48:150-158.
- Leis, J. M., T. Trnski, M. Harmelinvivien, J. P. Renon, V. Dufour, M. K. Elmoudni, and R. Galzin. 1991. High concentrations of tuna larvae (Pisces, Scombridae) in near reef waters of French Polynesia (Society and Tuamotu Islands). *Bulletin of Marine Science* 48:150-158.
- Leis, J. M. 1993. Larval fish assemblages near Indo-Pacific coral reefs. *Bulletin of Marine Science* 53:362-392.
- Leis, J. M. 1994. Coral Sea atoll lagoons - closed nurseries for the larvae of a few coral reef fishes. *Bulletin of Marine Science* 54:206-227.
- Leis, J. M., H. P. A. Sweatman, and S. E. Reader. 1996. What the pelagic stages of coral reef fishes are doing out in blue water: daytime field observations of larval behavioural capabilities. *Marine and Freshwater Research* 47:401-411.
- Leis, J. M., and J. T. Moyer. Ms. Development of eggs and larvae of three Indo-Pacific trunkfishes (Tetraodontiformes, Ostraciidae).
- Leis, J. M., and I. C. Stobutzki. 1999. Swimming performance of late pelagic larvae of coral-reef fishes: in situ and laboratory-based measurements. Pages 575-583 [in] S,ret B. & J.-Y. Sire, editors. *Proc. 5th Indo-Pac. Fish Conf., Noumea, 1997 Paris: Soc. Fr. Ichtyol.*
- Leite, R. G., and C. A. R. M. Arafjo-Lima. 2000. A dieta das larvas de [*Mylossoma aureum*] e [*M. duriventre*] na Amaz"nia Central. *Acta Amazonica* 30:129-147.
- Leite, R. G., C. A. R. M. Arafjo-Lima, R. L. Victoria, and L. A. Martinelli. 2002. Stable isotope analysis of energy sources for larvae of eight species from the Amazon floodplain. *Ecology of Freshwater Fish* 11: 56-63'
- Leithiser, R. M. 1977. The seasonal abundance and distribution of larval fishes in Anaheim Bay, California. M.A. Thesis, California State Univ., Long Beach. 144 pp.
- Leithiser, R. M., K. F. Ehrlich, and A. B. Thum. 1979. Comparison of a high volume pump and conventional plankton nets for collecting fish larvae entrained in power plant cooling systems. *Journal of the Fisheries Research Board of Canada* 36(1):81-84.
- Leithiser, R. M. 1981. Distribution and seasonal abundance of larval fishes in a pristine southern California salt marsh. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:174-175.
- Leithiser, R. M., and B. M. Davidson. 1981. Evaluation of a sampling methodology used for assessment of plankton entrainment rates and source water plankton abundance. Pages 263-266 [in] L. D. Jensen, editor. *Issues associated with impact assessment. Proc. 5th Workshop on entrainment and impingement. EA Comm., Melville, NY.*

- Lenke, A. E. 1977. Optimum temperature for growth of juvenile bluegills. *Progressive Fish-Culturist* 39:55.
- Lenanton, R. C. J. 1978. Age, spawning time and fecundity of Australian herring ([*Arripis georgianus*] C. & V.) (Pisces: Arripidae) from the waters around Rottneest Island, Western Australia. *Aust. J. Mar. Freshwat. Res.* 29(5):599-612.
- Lenarz, W. H. 1972. Mesh retention of larvae of [*Sardinops caerulea*] and [*Engraulis mordax*] by plankton nets. *Fish. Bull. NOAA (U.S.)* 70(3):839-848.
- Lenarz, W. H. 1973. Dependence of catch rates on the size of fish larvae. Pages 270-275 [in] B. B. Parrish, editor. *Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 164.
- Lenarz, W. H., R. J. Larson, and S. Ralston. 1991. Depth distributions of late larval and pelagic juveniles of some fishes of the California current. *Cal. Coop. Fish. Invest. Rept.* 32:41-46.
- Lenfant, S. P. 2002. Temporal genetic changes between cohorts in a natural population of a marine fish, [*Diplodus sargus*]. *Biological Journal of the Linnean Society* 76(1):9-20.
- Lentz, T. L., and J. P. Trinkaus. 1967. Fine structural study of cyto-differentiation during cleavage and gastrula stages of [*Fundulus*] [*heteroclitus*]. *J. Cell Biol.* 32:121-138.
- Leon, K. A. 1975. Improved growth and survival of juvenile Atlantic salmon ([*Salmo salar*]) hatched in drums packed with a labyrinthine plastic substrate. *Progressive Fish-Culturist* 37:158-163.
- Leon, K. A., and W. A. Bonney. 1979. Atlantic salmon embryos and fry: effects of various incubation and rearing methods on hatchery survival and growth. *Progressive Fish-Culturist* 41(1):20-24.
- Leonard, S. B. 1971. Larvae and young of the western north Atlantic bothid flatfishes, [*Etropus microstomus*] (Gill) and [*Citharichthys arctifrons*] Goode, in the Chesapeake Bight. Ph.D. Diss., College of William and Mary, 101 pp.
- Leonard, S. B. 1971. Larvae of the fourspot flounder, [*Hippoglossina*] [*oblonga*] (Pisces: Bothidae), from the Chesapeake Bight, western North Atlantic. *Copeia* 1971 (4):676-681.
- Leonard, S. B. 1973. Larvae of [*Citharichthys*] and [*Etropus*] in the Chesapeake Bight. Pages 67-68 [in] A. L. Pacheco, editor. *Proc. Workshop on egg, larval and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, N. J.* 338 pp.
- Leong, R. 1967. Evaluation of a pump and reeled hose system for studying vertical distribution of small plankton. *U.S. Fish Wildl. Serv., Spec. Sci. Rep. Fish.* 545. 9 pp.
- Leonhardt, E. E. 1912. Ontogenetisches und anatomisches von goldfisch. *Blatt. Aquar.-Terrar. Kunde* 23:528-531.
- Leshcheva, T. S. 1968. Formation of defense reflexes in larvae of the roach, [*Rutilus rutilus*] (L.), through imitation. *Vop. Ikhtiol.* 8(6):1052-1056.
- Leslie, A. J., Jr., J. M. Van Dyke, L. E. Nall, and W. W. Miley, II. 1982. Current velocity for transport of grass carp eggs. *Transactions of the American Fisheries Society* 111:99-101.
- Leslie, J. K., and J. R. M. Kelso. 1977. Influence of a pulp and paper mill effluent on aspects of distribution survival and feeding of Nipigon Bay, Lake Superior, larval fish. *Bull. En v. Contam. Toxicol.* 18(5):602-610.



- Leslie, J. K., R. Kozopas, and W. H. Hyatt. 1979. Considerations of entrainment of larval fish by a St. Clair River, Ontario, power plant. *Fish. Env. Can. Fish. Mar. Serv. Tech. Rep. No. 686*. 25 pp.
- Leslie, J. K. 1983. Cooling water flow-velocity in relation to collection of entrained larval fish at power plants. *Canadian Journal of Fisheries and Aquatic Sciences* 40(3):370-373.
- Leslie, J. K., and J. F. Gorrie. 1985. Distinguishing features for separating protolarvae of three species of esocids. Pages 1-19 [in] A. W. Kendall, Jr., and J. B. Marliave, editors. *Descriptions of early life history stages of selected fishes*. Can. Tech. Rep. Fish. Aq. Sci. 1359.
- Leslie, J. K., and C. A. Timmins. 1991. Distribution and abundance of young fish in Chenal Ecarte and Chematogen Channel in the St. Clair River delta, Ontario. *Hydrobiologia* 219:135-142.
- Leslie, J. K., and C. A. Timmins. 1992. Enhancement of ecological studies of freshwater larval fish: shore sampling. *Journal of Applied Ichthyology* 8:214-221.
- Lesseps, R. J., A. H. M. Geurts van Kessel, and J. Denuce. 1975. Cell patterns and cell movements during early development of an annual fish, [*Nothobranchius*] [*neumanni*]. *J. Exp. Zool.* 193(2):137-146.
- Lesseps, R., M. Hall, and M. B. Murnane. 1979. Contact inhibition of cell movement in living embryos of an annual fish, [*Nothobranchius korthausae*]: its role in the switch from persistent to random cell movement. *J. Exp. Zool.* 207(3):459-470.
- Lesyuk, I. I., H. O. Kostyuk, A. A. Lemishko, S. G. Reshetilo, and I. Y. Kotsyumbas. 1983. Effect of anionic surfactants on the survival of loach, [*Misgurnus fossilis*] (Cobitidae), and rainbow trout, [*Salmo gairdneri*] (Salmonidae), during early ontogeny. *J. Ichthyol.* 23(6):104-111.
- Letcher, B. H., J. A. Rice, and L. B. Crowder. 1996. Size-dependent effects of continuous and intermittent feeding on starvation time and mass loss in starving yellow perch larvae and juveniles. *Transactions of the American Fisheries Society* 125:14-26.
- Letcher, B. H., J. A. Rice, L. B. Crowder, and K. A. Rose. 1996. Variability in survival of larval fish: disentangling components with a generalized individual-based model. *Canadian Journal of Fisheries and Aquatic Sciences* 53: 787-801.
- Letcher, B. H., and J. A. Rice. 1997. Prey patchiness and larval fish growth and survival: inferences from an individual-based model. *Ecological Modeling* 95:29-43.
- Letcher, B. H., J. A. Rice, L. B. Crowder, and F. P. Binkowski. 1997. Size- and species-dependent variability in consumption and growth rates of larvae and juveniles of three freshwater fishes. *Can. J. Fish. Aquat. Sci.* 54:405-414.
- Lett, P. F., A. C. Kohler, and D. N. Fitzgerald. 1975. Role of stock biomass and temperature in recruitment of Southern Gulf of St. Lawrence cod, [*Gadus morhua*]. *Journal of the Fisheries Research Board of Canada* 32(9): 1613-1627.
- Lett, P. F., and A. C. Kohler. 1976. Recruitment: a problem of multispecies interaction and environmental perturbations, with special reference to Gulf of St. Lawrence Atlantic herring. *Journal of the Fisheries Research Board of Canada* 33:1353-1371.
- Leung, T. S., and R. V. Bulkley. 1979. Effects of petroleum hydrocarbons on length of incubation and hatching success in the Japanese medaka. *Bull. Env. Contam. Toxicol.*
- Levanidov, V. Y. 1966. Incubation of the eggs of Pacific salmon under field conditions. *Vop. Ikhtiol.* 6(1):71-76. In Russian.

- Levanidov, V. Y. 1972. Reproduction of amur salmon and the food supply of their juveniles in the tributaries of the Amur. *Izv. Tikhookean Nauchno-issled Inst. Rybn Khoz Okeanogr* 67:3-242. *Fish. Res. Bd. Can. transl. Ser.* 2017:1-457.
- Levene, P. A. 1901. Some chemical changes in the development of fish eggs. *Bull. U.S. Fish. Comm.* 19:153-155.
- Levesque, R. C. 1971. An electroshocking technique for collection of juvenile shad at hydroelectric plant intake grates. *Progressive Fish-Culturist* 33:47.
- Levesque, R. C., and R. J. Reed. 1972. Food availability and consumption by young Connecticut River shad, [*Alosa sapidissima*]. *Journal of the Fisheries Research Board of Canada* 29:1495-1499.
- Levi, E. J. 1973. Juvenile yellowfin menhaden from the Bahama Islands. *Transactions of the American Fisheries Society* 102:848-849.
- Levin, A. V. 1982. Substrate selection, daily rhythm of vertical distribution and swimming speed of juvenile Russian sturgeon, [*Acipenser gueldenstaedti*]. *J. Ichthyol.* 22(4):130-136.
- Levin, L. A., D. Huggett, P. Myers, T. Bridges, and J. Weaver. 1993. Rare-earth tagging methods for the study of larval dispersal by marine invertebrates. *Limnology and Oceanography* 38:346-360.
- Levin, P. S. 1996. Recruitment in a temperate demersal fish: does larval supply matter? *Limnology and Oceanography* 41:672-679.
- Levings, C. D. 1968. Fertilized eggs of the butter sole, [*Isopsetta*] [*isolepis*], in Skidegate Inlet, British Columbia. *Journal of the Fisheries Research Board of Canada* 25:1743-1744.
- Levy, D. A., and T. G. Northcote. 1982. Juvenile salmon residency in a marsh area of the Fraser River estuary. *Canadian Journal of Fisheries and Aquatic Sciences* 39:270-276.
- Lewis, A. R. 1997. Recruitment and post-recruit immigration affect the local population size of coral reef fishes. *Coral Reefs* 16:139-149.
- Lewis, C. V. W., C. S. Davis, and G. Gawarkiewicz. 1994. Wind forced biological-physical interactions on an isolated offshore bank. *Deep sea research part II. Topical Studies in Oceanography* 41:51-73.
- Lewis, G. E. 1971. Life history of the chain pickerel, [*Esox niger*] LeSueur, in West Virginia with emphasis on age and growth. M.S. Thesis, Univ. West Virginia, Morgantown, WV. 93 pp.
- Lewis, M. 1976. Effects of low concentrations of manganous sulfate on eggs and fry of rainbow trout. *Progressive Fish-Culturist* 38(2):63-65.
- Lewis, M. 1978. Acute toxicity of copper, zinc and manganese in single and mixed salt solutions to juvenile dace, [*Agosia chrysogaster*]. *J. Fish. Biol.* 13(6): 695-700.
- Lewis, M. A. 1978. Notes on the natural history of the longfin dace, [*Agosia chrysogaster*], in a desert rheocene. *Copeia* 1978(4):703-705.
- Lewis, R. E., and J. R. Siler. 1980. Determination of the vertical distribution of ichthyoplankton in Lake Norman, North Carolina, using a discrete-depth sampling design. Pages 91-100 [in] L. A. Fuiman, editor. *Proc. fourth ann. larval fish conf., U.S. Fish Wildl. Serv., Biol. Serv. Prog., Natl. Power Plant Team, Ann Arbor, FWS/OBS-80/43.* 179 pp.

- Lewis, R. M. 1965. The effect of minimum temperature on the survival of larval Atlantic menhaden, [*Brevoortia tyrannus*]. Transactions of the American Fisheries Society 94(4):409-412.
- Lewis, R. M. 1966. Effects of salinity and temperature on survival and development of larval Atlantic menhaden, [*Brevoortia*] [*tyrannus*]. Transactions of the American Fisheries Society 95(4):423-426.
- Lewis, R. M., and W. F. Hettler, Jr. 1968. Effects of temperature and salinity on the survival of young Atlantic menhaden, [*Brevoortia tyrannus*]. Trans. Am. Fish. Soc. 97(4):344-349.
- Lewis, R. M., and E. P. H. Wilkens. 1971. Abundance of Atlantic menhaden larvae and associated species during a diel collection at Beaufort, North Carolina. Ches. Sci. 12(3):185-187.
- Lewis, R. M., W. F. Hettler, Jr., E. P. H. Wilkens, and G. N. Johnson. 1970. A channel net for catching larval fishes. Ches. Sci. 11(3):196-197.
- Lewis, R. M., and W. C. Mann. 1971. Occurrence and abundance of larval Atlantic menhaden, [*Brevoortia tyrannus*] at two North Carolina inlets with notes on associated species. Transactions of the American Fisheries Society 100(2):296-301.
- Lewis, R. M., E. P. H. Wilkens, and H. R. Gordy. 1972. A description of young Atlantic menhaden, [*Brevoortia*] [*tyrannus*] in the White Oak River Estuary, North Carolina. Fish Bull. NOAA (U.S.) 70(1): 115-117.
- Lewis, R. M., and W. C. Mann. 1973. Occurrence and abundance of larval Atlantic menhaden, [*Brevoortia tyrannus*], at two North Carolina inlets and a list of associated species. Pages 142-147 [in] A. L. Pacheco, editor. Workshop on egg, larval and juvenile stages of fish in Atlantic coast estuaries, Wadmalaw Island, SC, 1968. Proc. U.S. NMFS Middle Atlantic Coastal Fish. Center, Highlands, NJ, Tech. Publ.
- Lewis, R. M., and M. H. Judy. 1983. The occurrence of spot, [*Leiostomus xanthurus*], and Atlantic croaker, [*Micropogonias undulatus*], larvae in Onslow Bay and newport River estuary, North Carolina. U.S. NMFS Fish. Bull. 81(2):405-412.
- Lewis, T. C., and R. W. Yerger. 1976. Biology of five species of searobins (Pisces, Triglidae) from the northeastern Gulf of Mexico. Fish. Bull. 74(1):93-103.
- Lewis, V. P., and D. S. Peters. 1981. Vascular plant and detritus utilization by juvenile Atlantic menhaden. Estuaries 4(3):268.
- Lewis, W. H. 1909. The experimental production of cyclopia in the fish embryo ([*Fundulus heteroclitus*]). Anat. Rec. 3(4):175-181.
- Lewis, W. H. 1912. Ex periments on localization in the eggs of a teleost fish, ([*Fundulus heteroclitus*]). Anat. Rec. 6(1):1-6.
- Lewis, W. H. 1912. Experiments on localization and regeneration in the embryonic shield and germ ring of a teleost fish ([*Fundulus heteroclitus*]). Anat. Rec. 6(2):325-331.
- Lewis, W. H. 1943. The role of the superficial gel layer in gastrulation of the zebrafish egg. Anat. Rec. 85:326.
- Lewis, W. M., and G. E. Gunning. 1959. Notes on the life history of the steel color shiner, [*Notropis whipplei*] (Girard). Illinois Acad. Sci. Trans. 52:59-64.
- Lewis, W. M. 1961. Mortality of fingerling shiners resulting from becoming entangled in the algae, [*Hydrodictyon*]. Ecology 42(4):835-836.

- Li, H. W., C. B. Schreck, and R. A. Tubb. 1984. Comparison of habitats near spur dikes, continuous revetments, and natural banks for larval, juvenile, and adult fishes of the Willamette River. Water Resour. Res. Inst. WRRRI 95.
- Liao, I. C., J. C. Juario, S. Kumagai, H. Nakajima, M. Natividad, and P. Buri. 1979. On the induced spawning and larval rearing of the milkfish, [*Chanos chanos*] (Forsk.)]. Aquaculture 18:75-93.
- Libby, F. L., and P. W. Gilbert. 1960. Reproduction in the clear-nosed skate, [*Raja*] [eglanteria]. Anat. Rec. 138:365.
- Lichatowich, T., S. Al-Thobaritz, M. Arada, and F. Bukhari. 1984. The spawning cycle, fry appearance and mass collecting techniques for fry of [*Siganus rivulatus*], in the Red Sea. Aquaculture 40(3):269-272.
- Liden, L. H., and D. T. Burton. 1977. Survival of juvenile Atlantic menhaden ([*Brevoortia*] [tyrannus]) and spot ([*Leiostomus xanthurus*]) exposed to bromine chloride- and chlorine-treated estuarine waters. J. Env. Sci. Health. A Env. Sci. Eng. 12 (8):375-388.
- Liebelt, J. E. 1970. Studies on the behavior and life history of the mountain whitefish ([*Prosopium williamsoni*] Girard). M. S. Thesis, Montana State Univ., 45 pp.
- Liebig, H. 1999. Impact of hydro-peaking on the abundance of juvenile brown trout in a Pyrenean stream. Archiv fur Hydrobiologie 144(4): 439-454.
- Liem, K. F., et al. 1968. Badidae, a new fish family -- behavioral, osteological and developmental evidence. J. Zool., London 156:415-447.
- Liem, K. F. 1981. Larvae of air-breathing fishes as counter-current flow devices in hypoxic environments. Science (Wash., D.C.) 211:1177-1179.
- Lievense, S. J. 1954. Spawning of the American smelt, [*Osmerus mordax*], in Crystal Lake, Benzie County, Michigan. Copeia 1954(3):232-233.
- Light, P. R., and G. P. Jones. 1997. Habitat preference in newly settled coral trout ([*Plectropomus leopardus*], Serrinidae). Coral Reefs 16:117-126.
- Lillelund, K. 1965. Effect of abiotic factors in young stages of marine fish. Spec. Publs int. Commn N.W. Atlantic. Fish., No. 6 (Contr. No. F-4):673-686.
- Lillelund, K. 1966. Effect of abiotic factors in young stages of marine fish. Ges. Sondedr. Inst. Hydrobiol. Fischereiwiss s. Univ. Hamburg 15.
- Lillelund, K. 1967. Versuche zur Erbrutung der Eier vom Hecht, [*Esox*] [*lucius*] L., in Abhangigkeit von Temperatur und Licht. Arch. FischWiss. 17:95-113.
- Lillelund, K. 1969. Versuche zur Erbrutung der Eier vom Hecht, [*Esox*] [*lucius*] (L.), in Abhangigkeit von Temperature und Lich t. Ges. Sondedr. Inst. Hydrobiol. Fischereiwiss. Univ. Hamburg 11.
- Lillelund, K., and R. Lasker. 1971. Laboratory studies of predation by marine copepods on fish larvae. Fish. Bull. NOAA (U.S.) 69(3):655-667.
- Lillie, F. R., and F. P. Knowlton. 1897. On the effect of temperature on the development of animals. Zool. Bull. Vol. 1.
- Lilly, G. R., and C. A. Gavaris. 1982. Distribution and year-class strength of juvenile redfish, [*Sebastes*] spp., on Flemish Cap in the winters of 1978-82. J. Northwest Atl. Fish. Sci. 3:115-222.

- Lim, C., S. Sukhawongs, and F. P. Pascual. 1979. A preliminary study on the protein requirements of [*Chanos chanos*] (Forsk.) fry in a controlled environment. *Aquaculture* 17(3):195-202.
- Lim, J. Y., M. K. Jo, and M. ja Lee. 1970. The occurrence and distribution of the fish eggs and larvae in the Korean adjacent sea. *Rep. Fish. Res., Pusan* 8:7-29.
- Limbaugh, C. 1962. Life history and ecological notes on the tubenose, [*Aulorhynchus flavidus*], a hemibranch fish of western North America. *Copeia* 1962:549-555.
- Limbaugh, C. 1964. Notes on the life history of two California pomacentrids: garibaldi, [*Hypsypops rubicunda*] (Girard), and blacksmiths, [*Chromis punctipinnis*] (Cooper). *Pac. Sci.* 18(1):41-50.
- Limbaugh, G. 1961. Life-history and ecologic notes on the black croaker. *California Fish and Game* 47(2):163-174.
- Limburg, K.E., M.L. Pace, and K.K. Arend. 1999. Growth, mortality, and recruitment of larval [*Morone*] spp. in relation to food availability and temperature in the Hudson River. *Fishery Bulletin* 97:80-91.
- LimouzyParis, C., M. F. McGowan, W. J. Richards, J. P. Umaman, and S. S. Cha. 1994. Diversity of fish larvae in the Florida Keys: results from SEFCAR. *Bulletin of Marine Science* 54:857-870.
- Lin, S. Y. 1935. Life history of Waan Ue, [*Ctenopharyngodon idellus*] (Cuv. & Val.). *Linn. Sci. J.* 14:129-135; 271-274.
- Lin, S. Y. 1938. The hilsa herring notes on the life history of [*Hilsa*] [*reevessi*] (Richardson). *Hongkong Nat.* 8:245-248.
- Lind, D. T., et al. 1977. Chronic effects of hydrogen-cyanide on fathead minnow. *J. Water Poll. Cont. Fed.* 49:262.
- Lindberg, J. C., and S. I. Doroshov. 1986. Effect of diet switch between natural and prepared foods on growth and survival of white sturgeon juveniles. *Transactions of the American Fisheries Society* 115:166-171.
- Lindblom, R. 1973. Abundance and horizontal distribution of pelagic fish eggs and larvae in the Baltic Sea 1967-71. *Meddlande fran Havsfiskelaborator Lysekil* 140.
- Lindblom, R. 1974. Effekt av havrengoring pa a ntalet agg och larver av skarpsill i ett prov. *Zool. Revy* 36(1):19-23.
- Linden, O. 1974. Effects of oil spill dispersants on the early development of Baltic herring. *Ann. Zool. Fenn.* 11:141-148.
- Linden, O. 1975. Acute effects of oil/dispersant mixture on larvae of Baltic herring. *Ambio* 4:130-133.
- Linden, O. 1976. The influence of crude oil and mixtures of crude oil dispersants on the ontogenetic development of the Baltic herring, [*Clupea harengus*] L. *Ambio* 5:136-140.
- Linden, O. 1978. Biological effect of oil on early development of Baltic herring, [*Clupea harengus membras*]. *Mar. Biol.* 45(3):273-283.
- Linden, O., J. R. Sharp, R. Laughlin, Jr., and J. M. Neff. 1979. Interactive effects of salinity, temperature and chronic exposure to oil on the survival and development rate of embryos of the estuarine killifish, [*Fundulus heteroclitus*]. *Mar. Biol. (Berlin)* 51:101-109.

- Linden, O., R. Laughlin, Jr., J. R. Sharp, and J. M. Neff. 1980. The combined effect of salinity, temperature and oil on the growth pattern of embryos of the killifish, [*Fundulus heteroclitus*] Walbaum. *Mar. Env. Res.* 3(2):129-144.
- Linder, D. R., K. Strawn, and R. W. Luelke. 1975. The culture of striped mullet ([*Mugil cephalus*] L.) in ponds receiving heated effluent from a power plant. *Aquaculture* 5(2):151-162.
- Lindley, J. A., R. Williams, and H. G. Hunt. 1993. Anomalous seasonal cycles of decapod crustacean larvae in the North Sea plankton in an abnormally warm year. *Journal of Experimental Marine Biology and Ecology* 172:47-65.
- Lindquist, A. 1968. On fish eggs and larvae in the Skagerak. *Sarsia* 34:347-353.
- Lindquist, A. 1970. On the distribution of fish eggs and larvae in the Skagerak during the months of May and June. *Rep. Inst. Mar. Res. Lysekil* 19:1-82.
- Lindquist, A. 1972. Eel larvae in the Skagerak. *Medd. Havsfiskelab., Lysekil.* 127:3 pp.
- Lindquist, A. 1972. Studies of the ichthyoplankton in the Scandinavian water. Pages 201-211 [in] J. Corronzo, editor. *Memoirs of the 4th Cong. of Oceanogr.*
- Lindquist, A. 1976. Observations on glass eels in the Skagerak and Kattegat. *ICES/EIFAC Symp. on eel research and management, No. 48, 17 pp.*
- Lindquist, D. G., and G. T. Chandler. 1978. Life history aspects of the crested blenny, [*Hypleurochilus geminatus*](Wood). *J. Elisha Mitchell Sci. Soc.* 94(2):111-112.
- Lindroth, A. 1942. Sauerstoffverbrauch der Fische. II. Verschiedene Entwicklungs- und Altersstadien vom Lachs and hecht. *Zeitschr. vergl. Physiol. Berlin* 29:583-594.
- Lindroth, A. 1955. Distribution, territorial behavior and movements of sea trout fry in the River Indalsalven. *Rep. Inst. Freshwat. Res. Drottningholm* 36:104-119.
- Lindsay, G. S. H. 1985. Development of gastric chitinase activity in rainbow trout, [*Salmo gairdneri*]. *Aquaculture* 48(3/4):285-290.
- Lindsay, J. A., and E. R. Radle. 1978. A supplemental sampling method for estuarine ichthyoplankton with emphasis on the Atherinid ae. *Estuaries* 1(1):61-64.
- Lindsay, P., S. L. Barker, and J. R. Stewart. 1978. Monitoring of the effects of the condenser cooling water system on plankton and larval organisms. Pages 1-4.135. In: *Final Rep.: Environ. Surv. and Studies at the Maine Yankee Nucl. Gen. Sta., 1966-77.* Maine Yankee Atomic Power Co., Augusta, ME.
- Lindsey, C., and T. Northcote. 1963. Life history of reidside shiner, [*Richardsonius*] [*balteatus*], with particular reference to movements in and out of Sixteenmile Lake streams. *Journal of the Fisheries Research Board of Canada* 20:1001-1029.
- Lindsey, C. C. 1954. Temperature controlled meristic variation in the paradise fish, [*Macropodus opercularis*] (L.). *Canadian Journal of Zoology* 30:87-98.
- Lindsey, C. C. 1958. Modification of meristic characters by light duration in Kokanee, [*Oncorhynchus nerka*]. *Copeia* 1958(2):134-136.
- Lindsey, C. C. 1962. Experimental study of meristic variation in a population of threespine sticklebacks, [*Gasterosteus*] [*aculeatus*]. *Canadian Journal of Zoology* 40:271-312.
- Lindsey, C. C. 1962. Observations on meristic variation in ninespine sticklebacks, [*Pungitius pungitius*], reared at different temperatures. *Canadian Journal of Zoology* 40:1237-1248.

Lindsey, C. C., and M. Y. Ali. 1971. An experiment with medaka, [*Oryzias latipes*], and a critique of the hypothesis that teleost egg size controls vertebral count. *Journal of the Fisheries Research Board of Canada* 28:1235-1240.

Lindsey, C. C., and R. W. Harrington, Jr. 1971. Extreme vertebral variation induced by temperature in a homozygote clone of the self-fertilizing cyprinodontid fish, [*Rivulus marmoratus*]. *Canadian Journal of Zoology* 50:733-744.

Lindsey, C. C., and A. N. Arnasson. 1981. A model for responses of vertebral numbers in fish to environmental influences during development. *Canadian Journal of Fisheries and Aquatic Sciences* 38:334-347.

Lineaweaver, T. H., III, and R. H. Backus. 1969. The natural history of sharks. J. B. Lippincott Co., N. Y. 256 pp.

Linger, F. I. 1960. A historical survey of macroplankton sampling gear. Dept. Oceanogr., Univ. Washington, Seattle, WA. (unpubl. ms.).

Linkowski, T. B. 1996. Lunar rhythms of vertical migrations coded in otolith microstructure of North Atlantic lanternfishes, genus [*Hygophum*] (*Myctophidae*). *Marine Biology*. 124: 495-508.

Linton, E. 1921. Food of young winter flounder. Rep. U.S. Commnr. Fish., App. 4(1921) 3-14.

Lippincott, B. L. 1975. The effects of fluctuating water levels on the reproductive success of eastern chain pickerel, [*Esox niger*] LeSueur. Ph.D Diss., Lehigh Univ. 130 pp.

Lippson, A. J. 1976. Distinguishing family characteristics among Great Lakes fish larvae. Pages 208-216 [in] J. Boreman, editor. Great Lakes fish egg and larvae identification: Proc. of a workshop. U.S. Fish Wildl. Serv., Off. Biol. Serv., Natl. Power Plant Team Publ. FWS/OBS-76/23. 220 pp.

Lippson, A. J., and R. L. Moran. 1974. Distinguishing family characteristics among Potomac River fish larvae. Pages 12-17 [in] Manual for identification of early developmental stages of fishes of the Potomac River estuary. Power Plant Siting Program, Maryland Dept. Nat. Resourc. 282 pp.

Lippson, A. J., and R. L. Moran. 1974. Manual for identification of early developmental stages of fishes of the Potomac River estuary. MD power plant siting prog. misc. Publ., No. 13, 282 pp.

Lipskaya, N. Y. 1974. Metabolic rates in the young of some tropical fish species. *J. Ichthyol.* 14(6):934-942.

Lipskaya, N. Y. 1980. The feeding and food requirements of the young of the small wing flyingfish, [*Oxyporhampus micropterus*], Hemirhamphidae. *J. Ichthyol.* 20(4):72-79.

Lipskaya, N. Y., and N. N. Gorbunova. 1977. Feeding of sailfish larvae. *Oceanology* 17(3):340-344.

Lipskaya, N. Y., and N. N. Gorbunova. 1980. Feeding of the larvae of the snake mackerel, [*Gempylus serpens*]. *Oceanology* 20:204-208.

Lisivnenko, L. N. 1961. Plankton and the food of the larval Baltic herring in the Gulf of Riga. *Trudy nauchno-issled. Inst. ryb. Khoz. Sov. nar. khoz. latv. SSR*, No. 3:105-138. *Fish. Res. Bd. Can. Transl.* No. 444 (1963), 36 pp.

Lisovenko, L. A. 1964. Distribution of larval Pacific ocean perch ([*Sebastes alutus*] G.) in the Gulf of Alaska. Pages 223-231 [in] Soviet fisheries investigations in the

northeastern Pacific Ocean, Part 3. Tr. Vses. Nauch.-issled. Inst. Morsk. Ryb. Khoz. Okeanogr. 53.

Lisovenko, L. A., and M. F. Svetlov. 1981. Some data on the biology of [Paraliparis] (Family Liparidae) off the South Shetlands. J. Ichthyol. 20(1):131-135.

Lisovenko, L. A., A. V. Barabanov, and V. N. Efremenko. 1982. New data on the reproduction of the "southern putassu", [Micromesistius australis] (Gadidae), from the Falkland-Patagonia zoogeographical region. J. Ichthyol. 22(4):55-67.

Liston, C. R., D. C. Brazo, J. R. Bohr, R. L. Ligman, R. P. O'Neal, and G. J. Peterson. 1980. Results of 1978 aquatic research at the Ludington Pumped Storage Power Plant on Lake Michigan including entrainment of fish and invertebrates, turbine mortalities, reservoir residence periods of salmonid fishes, netting and hydroacoustic surveys and water currents. 1978 Ann. Rep., Vol.1, MSU.

Liston, C. R., D. Brazo, R. O'Neal, J. Bohr, G. Peterson, and R. Ligman. 1981. Assessment of larval, juvenile, and adult fish entrainment losses at the Ludington Pumped Storage Power Plant on Lake Michigan. Dept. Fish. & Wildl., Ann. Rep. (1980) to Consumers Power Co., Ludington Proj., Vol. 1, Mich. St. Univ., East Lansing, MI.

Little, E. E., J. F. Fairchild and A. J. DeLonay. 1993. Behavioral methods for assessing impacts of contaminants on early life stage fishes. [In] L. A. Fuiman, editor. Water quality and the early life stages of fishes. American Fisheries Society Symposium 14. 192pp.

Litvak, M. K., and W. C. Leggett. 1992. Age and size-selective predation on larval fishes - the bigger-is-better hypothesis revisited. Marine Ecology-Progress Series 81:13-24.

Litvichenko, N. N. 1974. Coloration and other morphological characters distinguishing juvenile [Sebastes fasciatus] from juvenile [S. mentella] (Scorpaenidae). J. Ichthyol. 14(4):591-595.

Liu, F. G., T. S. Lin, D. U. Huang, M. L. Perng, and I. C. Liao. 2000. An automated system for egg collection, hatching, and transfer of larvae in a freshwater finfish hatchery. Aquaculture 182:137-148.

Livingston, R. J. 1975. Impact of Kraft pulp-mill effluents on estuarine and coastal fishes in Apalachee Bay, Florida, USA. Mar. Biol. 32:19-48.

Livingston, R. J., G. J. Kobylinski, F. G. Lewis, III, and P. F. Sheridan. 1976. Long-term fluctuations of epibenthic fish and invertebrate populations in Apalachicola Bay, Florida. Fish. Bull. NOAA (U.S.) 74(2):311-321.

Livingston, R. J. 1977. Review of current literature concerning the acute and chronic effects of pesticides on aquatic organisms. Crit. Rev. Env. Controls 325.

Llewellyn, G. C., et al. 1977. Aflatoxin B(1):induced toxicity and teratogenicity in Japanese medaka eggs, [Oryzias latipes]. Toxicol 15:582.

Llewellyn, L. C. 1973. Spawning, development and temperature tolerance of the spangled perch, [Madigania unicolor] (Gunther) from inland waters in Australia. Aust. J. Mar. Freshwat. Res. 24(1):73-94.

Llewellyn, L. C. 1974. Spawning, development and distribution of the southern pigmy perch, [Nannoperca australis] [australis] Gunther from inland waters of eastern Australia. Aust. J. Mar. Freshwat. Res. 25:121-149.

Llorca, M. N. 1976. Physico-chemical observations in some pilot areas during the peak season of bangus fry, [Chanos] [chanos], in Visayan Provinces. Philipp. J. Fish. 14(2):236-257.



- Lo Bianco, S. 1931. Fauna and flora of the Bay of Naples. Staxione Zoologica Di Napoli, Monog. 38. 1064 pp.
- Lo, N. C. H. 1985. Egg production of the central stock of northern anchovy, [*Engraulis mordax*], 1951-82. Fish. Bull. 83:137-150.
- Lo, N. C. H. 1986. Modeling life stage specific instantaneous mortality rates, an application to northern anchovy, [*Engraulis mordax*], eggs and larvae. Fish. Bull. 84(1):395-408.
- Lo, N. C. H., J. R. Hunter, H. G. Moser, P. E. Smith, and R. D. Methot. 1992. The daily fecundity reduction method - a new procedure for estimating adult fish biomass. *Ices Journal of Marine Science* 49:209-215.
- Lo, N. C. H., P. E. Smith, and J. L. Butler. 1995. Population growth of northern anchovy and Pacific sardine using stage-specific matrix models. *Marine Ecology-Progress Series* 127:15-26.
- Lo-Chai, C. 1969. The biology and taxonomy of the burbot, [*Lota lota*] leptura, in interior Alaska. *Univ. Alaska Biol. Pap.* 11. 53 pp.
- Lobel, P., and R. Johannes. 1980. Nesting, eggs and larvae of triggerfishes (Balistidae). *Environmental Biology of Fishes* 5:251-252.
- Lobel, P. S., and A.R. Robinson. 1986. Transport and entrapment of fish larvae by ocean mesoscale eddies and currents in Hawaiian waters. *Deep-Sea Res.* 33:483-500.
- Lobel, P. S., and A.R. Robinson. 1988. Larval fishes and zooplankton in a cyclonic eddy in Hawaiian waters. *J. Plankton Res.* 10:1209-1223.
- Lobel, P. S. 1989. Ocean current variability and the spawning season of Hawaiian reef fishes. *Env. Biol. of Fishes.* 24(3):161-171.
- LoBianco, S. 1908. Uova e larve di [*Trachipterus taenia*] Bl. *Mitt. Zool. Sta. Neapel.* 19(1):1-17.
- LoBianco, S. 1908. Sviluppo larvale, metamorfosi biologia della "Triglia di fango" ([*Mullus barbatus*] L.). *Mitt. Zool. Stn. Neapel* 19:18.
- LoBianco, S. 1911. Su alcuni stadi postlarvali appartenenti a Gadidi rari del golfo di Napoli. *Mitt. Zool. Sta. Neapel* 20:170-187.
- Lochmann, S. E., G. L. Maillet, C. T. Taggart, and K. T. Frank. 1996. Effect of gut contents and lipid degradation on condition measures in larval fish. *Marine Ecology - Progress Series* 134:27-35.
- Lochmann, S. E., G. L. Maillet, K. T. Frank, and C. T. Taggart. 1995. Lipid class composition as a measure of nutritional condition in individual larval Atlantic cod ([*Gadus morhua*]). *Canadian Journal of Fisheries and Aquatic Sciences* 52:1294-1306.
- Lockard, L. L. 1974. Some environmental influences on egg production in brown trout ([*Salmo trutta*]) from Montana streams. M.S. Thesis, Montana State Univ.
- Lockert, M., and I.M. Suthers. 1998. Ontogenetic diet shift and feeding activity in a temperate reef fish - [*Cheilodactylus fuscus*]. *Proceedings of the Linnean Society New South Wales* 120:105-116.
- Lockhart, W. L., et al. 1975. Chronic toxicity of a synthetic tri-aryl phosphate oil to fish. *Env. Physiol. Biochem.* 5:361.
- Lockwood, S. 1871. The sea-horse ([*Hippocampus hudsonius*]) and its young. *American Naturalist* 1:225-234.

- Lockwood, S. J. 1974. The settlement, distribution, and movements of 0-group plaice, [*Pleuronectes platessa*] L., in Filey Bay, Yorkshire. *J. Fish. Biol.* 6:465-477.
- Lockwood, S. J., and C. DeDaly. 1975. Further observations on the effects of preservation in 4% neutral formalin on the length and weight of 0-group flatfish. *J. Cons. int. Explor. Mer* 36(2):170-175.
- Lockwood, S. J., S. H. Coombs, and J. Guegen. 1977. A preliminary report of the mackerel egg and larval surveys to the west of the British Isles and France in 1977. ICES CM 1977/J:9.
- Lockwood, S. J., J. H. Nichols, and S. H. Coombs. 1977. The development rate of mackerel, [*Scomber scombrus*] L., eggs over a range of temperatures. ICES CM 1977/J:13.
- Lockwood, S. J., J. H. Nichols, and W. A. Dawson. 1981. The estimation of a mackerel ([*Scomber scombrus*] L.) spawning stock size by plankton survey. *J. Plankton Res.* 3:217-233.
- Lockwood, S. J., and W. Lucassen. 1984. The recruitment of juvenile plaice ([*Pleuronectes*] [*platessa*] L.) to their parent spawning stock. *J. Cons.* 41(3):268-275.
- Loeb, J. 1899. On the heredity of the marking in fish embryos, pp. 227-234. In: *Biological lectures from the Marine Biological Lab, Woods Hole, Mass. 1898.* Ginn and Co. 31 pp.
- Loeb, J. 1911. Konnen die Eier von [*Fundulus*] und die Jungen Fische in destellerTens Wasser leben? *Arch. Entw. der Organism.*
- Loeb, J. 1915. On the role of electrolytes in the diffusion of acid into the egg of [*Fundulus*]. *J. Biol. Chem.* 23(1):139-144.
- Loeb, V. J. 1979. The ichthyoplankton assemblage of the North Pacific central gyre: spatial and temporal patterns. Ph.D. Diss., Scripps Inst. Oceanogr., Univ. California, San Diego. 220 pp.
- Loeb, V. J. 1979. Larval fishes in the zooplankton community of the North Pacific central gyre. *Mar. Biol. (Berl.)* 53:173-191.
- Loeb, V. J., P. E. Smith, and H. G. Moser. 1982. Geographical and seasonal patterns of larval fish species structure in the California Current area, 1975. *California Coop. Oceanic Fish. Invest. Rep.* XXIV:132-151.
- Loeb, V. J., P. E. Smith, and H. G. Moser. 1982. Ichthyoplankton and zooplankton abundance patterns in the California Current area, 1975. *California Coop. Oceanic Fish. Invest. Rep.* XXIV:109-131.
- Loeb, V. J., P. E. Smith, and H. G. Moser. 1983. Recurrent groups of larval fish species in the California Current area. *California Coop. Oceanic Fish. Invest. Rep.* 24:152-164.
- Loeb, V. J. 1986. Importance of vertical distribution studies in biogeographical understanding: eastern tropical Pacific vs. north Pacific central gyre ichthyoplankton assemblages. *UNESCO Tech. Pap. Mar. Sci.* 49.
- Loeb, V. J., and O. Rojas. 1988. Interannual variation of ichthyoplankton composition and abundance relations off northern Chile, 1964-85. *Fish. Bull. (U.S.)*. 86:1-24.
- Loeb, V. J., A. K. Kellermann, P. Koubbi, A. W. North, and M. G. White. 1993. Antarctic larval fish assemblages - a review. *Bulletin of Marine Science* 53:416-449.
- Loeb, V. T. 1980. Vertical distribution and development of larval fishes in the North Pacific Central Gyre during summer. *NOAA-NM FS Fish. Bull.* 77(4):777-793.

- Loeb, V. L. 1980. Patterns of spatial and species abundance within the larval fish assemblage of the north Pacific central gyre during late summer. *Mar. Biol.* 60:189-200.
- Loeffler, C. A. 1971. Water exchange in the pike egg. *J. Exp. Biol.* 55:797-811.
- Loeffler, C. A., and S. Lovtrup. 1970. Water balance in the salmon egg. *J. Exp. Biol.* 52:291-298.
- Loesch, J. G. 1968. A contribution to the life history of [*Alosa*] [*aestivalis*] (Mitchill). M.S. Thesis, Univ. Connecticut, Storrs, CT. 31 pp.
- Loesch, J. G. 1969. A study of the blueback herring, [*Alosa aestivalis*] (Mitchill), in Connecticut waters. Ph.D. Diss., Univ. CT., Storrs, CT. 78 pp.
- Loesch, J. G., and W. A. Lund, Jr. 1977. A contribution to the life history of the blueback herring, [*Alosa aestivalis*]. *Transactions of the American Fisheries Society* 106(6):583-589.
- Loesch, J. G., R. J. Juggett, and E. J. Foell. 1982. Kepone concentration in juvenile anadromous fishes. *Estuaries* 5(3):175-181.
- Loew, E. R., W. N. Mcfarland, E. L. Mills, and D. Hunter. 1993. A chromatic action spectrum for planktonic predation by juvenile yellow perch, [*Perca flavescens*]. *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 71:384-386.
- Loftan, L. 1977. Impingement of fishes on water intake screens of major industrial water users on the Delaware River with particular reference to anadromous fish. Pages 305-320 [in] *Proc. Workshop on American Shad.* U.S. Fish Wildl. Serv. and NMFS, U.S. Govt. Print. Off. Publ. No. 701-142 #18. 350 pp.
- Lofti El'Saed, M. 1969. Distribution of eggs and larvae of the anchovy, [*Engraulis encrasicolus*], and horse mackerel, [*Trachurus mediterraneus ponticus*], in the Danube region of the northwest part of the Black Sea. *Vopr. Ikhtiolog.* 9(1):102-106.
- Loftus, D. H. 1979. Larval fish sampling in Lake Huron, 1979. *Lake Huron Fish. Asses. Unit, Ontario Min. Nat. Res. Rep.* 3-79.
- Loftus, D. H. 1979. North Channel larval fish survey: Joe Dollar Bay to Aird Bay, May 1979. *Lake Huron Fish. Asses. Unit, Ontario Min. Nat. Res. Rep.* 2-79.
- Logachev, V. S., and Y. E. Mordinov. 1979. Swimming speed and activity of larvae of round goby and some predaceous crustaceans of the Black Sea. *Sov. J. Mar. Biol.* 5:227-229.
- Logvinovich, D. N. 1955. On some factors governing the abundance of the juvenile [*Azov tiulka*]. *Tr. AzCherNIRO* 16:241-251.
- Lohnisky, K. 1966. The spawning behavior of the brook lamprey, [*Lampetra*] [*planeri*]. *Vest. cs. Spol. Zool.* 30:289-307.
- Lombardi, J., and J. P. Wourmes. 1985. The trophotaenial placenta of a viviparous Goodeid fish. II. Ultrastructure of trophotaeniae, the embryonic component. *J. Morphol.* 184(3):293-310.
- Lombardi, J., and J. P. Wourms. 1985. The trophotaenial placenta of a viviparous Goodeid fish. I. Ultrastructure of the internal ovarian epithelium, the maternal component. *J. Morphol.* 184(3):277-292.
- Lone, K. P., and A. J. Matty. 1982. Cellular effects of adrenosterone feeding to juvenile carp, [*Cyprinus carpio*] L., effect of on liver, kidney, brain and muscle protein and nucleic acids. *J. Fish. Biol.* 21(1):33-46.

- Lone, K. P., and A. J. Matty. 1982. The effect of feeding 11-ketotestosterone on the food conversion efficiency and tissue protein and nucleic acid contents of juvenile carp, [*Cyprinus carpio*] L. *J. Fish. Biol.* 20(1):93-104.
- Long, C. W. 1968. Diel movement and vertical distribution of juvenile anadromous fish in turbine intakes. *Fish. Bull. U.S.* 66:599-609.
- Long, W. L., and W. W. Ballard. 1976. Normal embryonic stages of the white sucker, [*Catostomus commersoni*]. *Copeia* 1976(2):342-351.
- Longhurst, A. R. 1968. Distribution of the larvae of [*Pleuroncodes planipes*] in the California Current. *Limnol. Oceanogr.* 13:143-155.
- Longhurst, A. R., A. D. Reith, R. E. Bower, and D. L. R. Seibert. 1966. A new system for the collection of multiple serial plankton samples. *Deep Sea Res.*, No. 13:213-222.
- Longwell, A. C. 1976. Chromosome mutagenesis in developing mackerel eggs sampled from the New York Bight. NOAA Tech. Memo. ERL MESA7, U.S. Dept. Commer., Wash., DC.
- Longwell, A. C. 1977. A genetic look at fish eggs and oil. *Oceanus* 20(4):46-58.
- Longwell, A. C. 1978. Field and laboratory measurements of stress responses at the chromosomal and cell levels in planktonic fish eggs and the oil problem. Pages 116-125 [in] *In the wake of the Argo Merchant*. URI, Ctr. for Ocean Mgmt. Stud., Kingston.
- Longwell, A. C., and J. B. Hughes. 1979. Cytologic, cytogenetic, and embryologic conditions of early stages of Atlantic mackerel eggs in surface sea waters, researching and monitoring biological effects of ocean pollution. ICES Workshop on monitoring biological effects of pollution in the sea. A. McIntyre, editor. Duke Univ., New Bern, NC.
- Longwell, A. C., and J. B. Hughes. 1980. Cytological, cytogenetic, and developmental stage of Atlantic mackerel eggs from sea surface waters of the New York Bight, and prospects for biological effect monitoring with ichthyoplankton. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 179:75-291.
- Longwell, A. C., and J. B. Hughes. 1981. Cytologic, cytogenetic, and embryologic state of Atlantic mackerel eggs from surface waters of the New York Bight in relation to pollution. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:76-78.
- Lonning, S. 1972. Comparative electron microscopic studies of teleostean eggs with special reference to the chorion. *Sarsia* 49:41-48.
- Lonning, S., and P. Solemdal. 1972. The relation between thickness of chorion and specific gravity of eggs from Norwegian and Baltic flatfish populations. *FiskDir. Skr. (Ser. HavUnders.)* 16:71-88.
- Lonning, S., and B. E. Hagstrom. 1975. Scanning electron microscope studies of the surface of the fish egg. *Astarte* 8:17-22.
- Lonning, S. 1977. The effects of crude ekofisk oil and oil products on marine fish larvae. *Astarte* 10(1):37-47.
- Lonning, S., I. B. Falk-Petersen. 1978. The effect of oil dispersants on marine eggs and larvae. *Astarte* 11:135-138.
- Lonning, S., and J. Davenport. 1980. The swelling egg of the long rough dab, [*Hippoglossoides platessoides lemandoides*] (Bloch). *J. Fish. Biol.* 17:359-378.
- Lonning, S. 1981. Comparative electron microscope studies of the chorion of the fish egg. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:560-564.

- Lonning, S., E. Kjorsvik, T. Haug, and B. Gulliksen. 1982. The early development of the halibut, [*Hippoglossus*] [*hippoglossus*] (L.), compared with other marine teleosts. *Sarsia* 67:85-91.
- Lonning, S., E. Kjorsvik, and J. Davenport. 1984. The hardening process of the egg chorion of the cod, [*Gadus morhua*] L., and lumpsucker, [*Cyclopterus*] [*lumpus*] L. *J. Fish. Biol.* 24:505-522.
- Lonning, S., E. Kjorsvik, and I.B. Falkpetersen. 1988. A comparative study of pelagic and demersal eggs from common marine fishes in northern Norway. *Sarsia* 73:49-60.
- Loos, J. J. 1974. Key to several common species of Cyprinidae of the Potomac Estuary. Pages 76-77 [in] A. J. Lippson and R. L. Moran, editors. Manual for identification of early developmental stages of fishes of the Pot omac River estuary. Md. Power Plant Siting Prog. Misc. Publ. No. 13.
- Loos, J. J., L. A. Fuiman, E. K. Jankowski, and N. R. Foster. 1975. Studies on the reproductive biology and early life history of the cyprinoid fishes of the upper Potomac River. *Contr. Dept. Limnol., No. 7, Acad. Nat. Sci. Phila.* 29 pp.
- Loos, J. J., L. A. Fuiman, E. K. Jankowski, and N. R. Foster. 1979. Notes on early life histories of cyprinoid fishes of the upper Potomac River. Pages 93-139 [in] R. Wallus and C. W. Voigtlander, editors. *Proc. Workshop on freshwater larval fishes, TVA, Norris, TN.*
- Loos, J. J., L. A. Fuiman, N. R. Foster, and E. K. Jankowski. 1978. Subordinate taxa of the genus [*Notropis*]: a preliminary comparative survey of their developmental traits. Pages 1-50 [in] L. L. Olmsted, editor. *Proc. first symp. on freshwater larval fish, Duke Power Co., Huntersville, N.C.*
- Loosanoff, V. L. 1937. The spawning run of the Pacific smelt, [*Hyponesus*] [*pretiosus*] (Girard). *Int. Revue ges. Hydrobiol. Hydrogr.* 36(1-2):170-183.
- Lopes, P. 1979. Eggs and larvae of [*Maurolicus muelleri*] (Gonostomatidae) and other fish eggs and larvae from two fjords in western Norway. *Sarsia* 64(3):199-210.
- Lopez, M. I. 1983. *Leptocephalus* of [*Lycodontis verrilli*]. *Rev. Biol. Trop.* 31(2):343-344.
- Lopez, R. H. 1972. Distribucion y abundancia estimada de huevos de la Sardina, [*Sardinella anchovia*], en la region oriental de Venezuela, 1968-69. *Inf. Tec. Prov. Invest. Desarr. Pesq. Caracas* (46):5-12.
- Lopukhina, A. M. 1961. Effect of [*Triaenophorus nodulosus*] Pallas (Cestoda, Pseudophyllidae) on yearling rainbow trout. *Doklady Biol. Sci. Sect., Trans. by AIBS* 137:302-304.
- Lorz, H., and B. McPherson. 1977. Effects of copper and zinc on smoltification of coho salmon. *U.S. Env. Prot. Ag., Ecol. Res. Ser. EPA-600/3-77-032*:6 pp.
- Lorz, H., R. Williams, and C. Fustish. 1978. Effects of several metals on smolting of coho salmon. *U.S. Env. Prot. Ag., Ecol. Res. Ser. EPA-600/3-78-090*:8 pp.
- Losos, B., and J. Hetesa. 1973. The effect of mineral fertilization and carp fry on the composition and dynamics of plankton. *Hydrobiol. Stud.* 3:173-217.
- Lotfi El-Saed, M. 1968. New data on fish spawn and larvae in the region of Odessa Bay. *Gidrobiol. Zh.* 4(5):78-81.
- Lough, R. G. 1975. A preliminary report of the vertical distribution of herring larvae on Georges Bank. *ICNAF Res. Doc.* 75/50. 9 pp.

- Lough, R. G., and M. D. Grosslein. 1975. Winter mortality of Georges Bank herring larvae. ICNAF Res. Doc. 75/113. 39 pp.
- Lough, R. G. 1976. Analysis of various length measurements on larvae collected by the ICNAF larval herring surveys. ICNAF Res. Doc. 76/VI/58. 6 pp.
- Lough, R. G. 1976. Mortality and growth of Georges Bank-Nantucket Shoals herring larvae during three winters. ICES CM 1976/L:37. 25 pp.
- Lough, R. G. 1976. The distribution and abundance, growth and mortality of Georges Bank-Nantucket Shoals herring larvae during the 1975-76 winter period. ICNAF Res. Doc. 76/VI/123. 30 pp.
- Lough, R. G., T. L. Morris, Jr., and D. C. Potter. 1977. Report of U.S. fall 1974 larval herring cruises. ICNAF Res. Doc. 75/49. 28 pp.
- Lough, R. G. 1978. The distribution and abundance, growth and mortality of Georges Bank-Nantucket Shoals herring larvae during the 1975-76 winter period. Pages 309-331 [in] J. R. Goulet, Jr., and E. D. Haynes, editors. Ocean variability: effects on U.S. Marine Fish. Resources-1075, NOAA Tech. Rep. NMFS Circ. 416.
- Lough, R. G. 1979. I. Larval herring studies in the Georges Bank-Gulf of Maine area. Georges Bank Patch Experiment, fall 1978: a strategy for combining micro-mesoscale observations in larval fish studies. In G. Hempel and K. Sherman, editors. Report of the working group on larval fish distribution. ICES CM 1979/L:10. 39 pp.
- Lough, R. G. 1979. Larval herring patch study completed. Coastal Oceanogr. Climatol. News 1:20-21.
- Lough, R. G. 1979. Larval herring patch study. ICNAF Res. Doc. 79/VI/116. 4 pp.
- Lough, R. G., and G. R. Bolz. 1979. A description of the sampling methods, and larval herring, [*Clupea harengus*] L., data report for surveys conducted from 1968-1978 in the Georges Bank and Gulf of Maine area. NOAA, NMFS NEFC, Woods Hole Lab., Ref. Doc. No. 79-60. 230 pp.
- Lough, R. G., and G. R. Bolz. 1979. Abundance and distribution of sea herring, [*Clupea*] [*harengus*] L., larvae in relation to spawning stock size and recruitment in the Gulf of Maine region, 1968-1978. NOAA, NMFS NEFC, Woods Hole Lab., Ref. Doc. No. 79-50. 24 pp.
- Lough, R. G., G. R. Bolz, M. D. Grosslein, and D. C. Potter. 1979. Abundance and survival of sea herring, [*Clupea*] [*harengus*] L., larvae in relation to environmental factors, spawning stock size, and recruitment for the Georges Bank area, 1968-77 seasons. ICNAF Res. Doc. 79/VI/112:47 pp.
- Lough, R. G., M. R. Pennington, G. R. Bolz, and A. A. Rosenberg. 1980. A growth model for larval sea herring, [*Clupea*] [*harengus*] L., in the Georges Bank-Gulf of Maine area based on otolith growth increments. ICES CM 1980/H:65. 22 pp.
- Lough, R. G., and W. R. Wright. 1980. Progress report on the status of data and sample processing from the 1978 Georges Bank larval herring patch study. NAFO Res. Doc. SCR 80/IX/125. 10 pp.
- Lough, R. G., G. R. Bolz, and M. R. Pennington. 1980. Abundance and mortality estimates for sea herring, [*Clupea harengus*] L., larvae spawned in the Georges Bank-Nantucket Shoals area, 1971-77 seasons, in relation to spawning stock size and recruitment. NAFO Res. Doc. 80/IX/129.
- Lough, R. G., G. R. Bolz, M. D. Grosslein, and D. C. Potter. 1981. Abundance and survival of sea herring ([*Clupea*] [*harengus*] L.) larvae in relation to environmental factors, spawning stock size, and recruitment for the Georges Bank area, 1968-77. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:220-222.

- Lough, R. G. 1981. Larval fish trophodynamic studies on Georges Bank. NOAA, NMFS NEFC Woods Hole Lab. Ref. No. 81-19. 41 pp.
- Lough, R. G., and G. C. Laurence. 1981. Larval haddock and cod survival. Lowestoft, Suffolk, U.K. July 1981. 17 pp.
- Lough, R. G., and D. A. Busch. 1982. Effect of spring thermal stratification in the Georges Bank area on the vertical distribution of plankton-larval fish. EOS, Trans. Am. Geophys. Union 63:95-96.
- Lough, R. G., and G. C. Laurence. 1982. Larval haddock and cod survival studies on Georges Bank. Pages 103-119 [in] Report of the Working Group on Larval Fish Ecology, Lowestoft, England. ICES CM 1982/L:3.
- Lough, R. G., M. Pennington, G. R. Bolz, and A. A. Rosenberg. 1982. Age and growth of larval Atlantic herring, [*Clupea*] [*harengus*] L., in the Gulf of Maine-Georges Bank region based on otolith growth increments. Fish. Bull. U.S. 80:187-199.
- Lough, R. G., and R. E. Cohen. 1982. Vertical distribution of recently-hatched herring larvae, [*Clupea harengus*] L., and associated zooplankton on Jeffreys Ledge and Georges Bank, October 1974. NOAA, NMFS NEFC, Woods Hole Lab., Ref. Doc. No. 82-10. 96 pp.
- Lough, R. G. 1983. Sampling strategy for larval fish trophodynamic studies on Georges Bank. Symp. on Propagation of cod, [*Gadus morhua*] L., Arendal, Norway, Flodevigen Rapportser (3):41 pp.
- Lough, R. G. 1984. Larval fish trophodynamic studies on Georges Bank: sampling strategy and initial results. Pages 395-434 [in] E. Dahl et al., editors. The propagation of cod [*Gadus morhua*] L., and international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.
- Lough, R. G., G. R. Bolz, M. Pennington, and M. D. Grosslein. 1985. Larval abundance and mortality of Atlantic herring ([*Clupea harengus*] L.) spawned in the Georges Bank and Nantucket Shoals areas, 1971-78 seasons, in relation to spawning stock size. J. Northwest Atlantic Fish. Sci. 6:21-35.
- Lough, R. G., and G. R. Bolz. 1989. The movement of cod and haddock larvae onto the shoals of Georges Bank. Journal of Fish Biology 35(Supplement A):71-79.
- Lough, R. G., P. C. Valentine, D. C. Potter, P. J. Auditore, G. R. Bolz, J. D. Neilson, and R. I. Perry. 1989. Ecology and distribution of juvenile cod and haddock in relation to sediment type and bottom currents on eastern Georges Bank. Mar. Ecol. Prog. Ser. 56:1-12.
- Lough, R. G., and D. C. Potter. 1993. Vertical distribution patterns and diel migrations of larval and juvenile haddock [*Melanogrammus aeglefinus*] and Atlantic cod [*Gadus morhua*] on Georges Bank. Fish. Bull., U.S. 91:281-303.
- Lough, R. G., E. M. Caldarone, T. K. Rotunno, E. A. Broughton, B. R. Burns, and L. J. Buckley. 1996. Vertical distribution of cod and haddock eggs and larvae, feeding and condition in stratified and mixed waters on southern Georges Bank, May 1992. Deep - Sea Research Part II - Topical Studies in Oceanography 43:1875-1904.
- Lough, R. G., and D. G. Mountain. 1996. Effect of small-scale turbulence on feeding rates of larval cod and haddock in stratified water on Georges-Bank. Deep - Sea Research Part II - Topical Studies in Oceanography 43:1745-1772.
- Lough, R. G., and D. C. Potter. In press. Vertical distribution patterns and diel migrations of larval and juvenile haddock, [*Melanogrammus aeglefinus*], and Atlantic cod, [*Gadus morhua*], on Georges Bank. Fish. Bull., U. S.

- Louw, E., and M. J. O'Toole. 1977. Larval development of [*Sardinops ocellata*] (Pisces: Clupeidae). *Ann. S. Afr. Mus.* 72(7):125-145.
- Love, M. S. 1978. Aspects of the life history of the olive rockfish, [*Sebastes serranoides*] Ph.D Diss., Univ. California, Santa Barbara. 195 pp.
- Love, M. S., M. H. Carr, and L. J. Haldorson. 1991. The ecology of substrate-associated juveniles of the genus [*Sebastes*]. *Environmental Biology of Fishes* 30:225-243.
- Lovegrove, S. M., and B. Eddy. 1982. Uptake and accumulation of zinc in juvenile rainbow trout, [*Salmo gairdneri*]. *Environmental Biology of Fishes* 7(3):285-290.
- Lowe, D. R., F. W. H. Beamish, and I. C. Potter. 1973. Changes in the proximate body composition of the landlocked sea lamprey, [*Petromyzon marinus*] (L.), during larval life and metamorphosis. *J. Fish. Biol.* 5(5):673-682.
- Lowe, J. P. 1975. Reproductive ecology of oyster toadfish ([*Opsanus*] [tau]) in Charleston Pond, Rhode Island. Ph.D Diss., Univ. Rhode Island. 135 pp.
- Lowe, R. H. 1951. Factors influencing the runs of elvers in the River Bann, Northern Ireland. *J. Cons. perm. int. Explor. Mer* 17:299-315.
- Lowell, N. E. 1971. Some aspects of the life history and spawning of the moi ([*Polydactylus sexfilis*]). M.S. Thesis, Univ. Hawaii, 45 pp.
- Loya, Y., and L. Fishelson. 1969. Ecology of fish breeding in brackish water ponds near the Dead Sea (Israel). *J. Fish. Biol.* 1:261-278.
- Loyacano, H. A., Jr., J. A. Chappell, and S. A. Gauthreaux. 1977. Sun-compass orientation in juvenile largemouth bass, [*Micropterus salmoides*]. *Transactions of the American Fisheries Society* 106:77-79.
- Lozinov, A. B. 1952. Reaction of young sturgeons to oxygen deficiency in relation to temperatures. *Zool. Zhur.* 31:686.
- Lozinov, A. B. 1956. The oxygen optimum in young sturgeon. *Doklady Akad. Nauk. USSR* 107:337.
- Lubny-Gertsyk, E. A. 1961. Food of young saury, [*Cololabis saira*]. *Tr. Inst. Okeanol.* 45:283-289.
- Lubosch, W. 1903. Ueber die Geschlechtsdiffere bei *Ammocoetes*. *Verh. Anat. Ges.* 17:66-74.
- Lubzens, E., et al. 1987. Possible use of [*Branchionus plicatilis*] (Muller) as food for freshwater cyprinid larvae. *Aquaculture* 60(2):143-156.
- Lucas, C. E. 1936. On the diurnal variation of size-groups of trawl-caught herring. *J. Cons. perm. int. Explor. Mer* 11(1):53-59.
- Lucas, J. R., and K. A. Benkert. 1983. Variable foraging and cleaning behavior by juvenile leatherjackets, [*Oligoplites saurus*] (Carangidae). *Estuaries* 6(3):247-250.
- Luchini, L., and T. A. Salas. 1984. Preliminary data on larval survival of South American catfish, [*Rhamdia sapo*]. *Aquaculture* 42(2):175-178.
- Lucynski, M., and R. Kolman. 1985. Survival and growth rates of vendace, [*Coregonus*] [*albula*] L., larvae after experimental delayed hatching. *Aquaculture* 50(1/2):13-22.
- Lucynski, M., P. Majkowski, R. Bardega, and K. Dabrowski. 1986. Rearing of larvae of four coregonid species using dry and live food. *Aquaculture* 56(3/4):179-186.



- Luczkovich, J. J., and B. L. Olla. 1983. Feeding behavior, prey consumption and growth of juvenile red hake. *Transactions of the American Fisheries Society* 112(5): 627-629.
- Luczynski, M. 1984. A technique for delaying embryogenesis of vendace, [*Coregonus albula*] L., eggs in order to cynchronize mass hatching with optimal conditions for lake stocking. *Aquaculture* 41(2):113-118.
- Luczynski, M. 1984. Improvement in the efficiency of stocking lakes with larvae of [*Coregonus albula*] L. by delaying hatching. *Aquaculture* 41(2):99-112.
- Luczynski, M., and A. Kirklewska. 1984. Dependence of [*Coregonus albula*] embryogenesis rate on the incubation temperature. *Aquaculture* 42(1):43-56.
- Luczynski, M., et al. 1984. The influence of the incubation temperature on the body length and the yolk sac volume of [*Coregonus*] [*albula*] (L.) eleutheroembryos. *Acta Hydrochim. Hydrobiol.* 12(6):615-628.
- Luczynski, M. 1985. Survival of [*Coregonus albula*] (L.) (Teleostei) embryos incubated at different thermal conditions. *Hydrobiol.* 121(1):51-58.
- Luczynski, M., W. Dembenski, and L. Chybowski. 1986. Controlling rate of egg development in vendace, [*Coregonus albula*] L., to increase low growth in stocked lakes. *Aquaculture* 51(3/4):195-206.
- Ludsin, S.A., and D. R. DeVries. 1997. First-year recruitment of largemouth bass: the inter-dependency of early life stages. *Ecological Applications* 7:1024-1038.
- Ludwig, G. M., and C. R. Norden. 1969. Age, growth, and reproduction of the northern mottled sculpin ([*Cottus bairdi bairdi*]) in Mt. Vernon Creek, Wisconsin. Milwaukee Public Museum, Occ. Pap. No. 2, 67 pp. mottled sculpin *Cottus bairdi bairdi* reproduction Mt.
- Ludwig, G. M., and E. L. Lange. 1975. The relationship of length, age, and age-length interaction to the fecundity of the northern mottled sculpin, [*Cottus b. bairdi*]. *Transactions of the American Fisheries Society* 104(1):64-67.
- Luecke, C. 1986. Ontogenetic changes in feeding habits of juvenile cutthroat trout. *Transactions of the American Fisheries Society* 115:703-710.
- Luecke, C., J. A. Rice, L. B. Crowder, and S. F. Yeo. 1990. Recruitment mechanisms of bloater in Lake Michigan: an analysis of the predatory gauntlet. *Can. J. Fish. Aquat. Sci.* 47:524-532.
- Luengo, J. A. 1973. Notes on the reproduction of some marine Bagrids. *Zool. Mus. Univ. Amsterdam* 3(8):47-51.
- Luk'yanenko, V. I., and A. A. Kokoya. 1968. Dynamics of salt tolerance of young sturgeons during the early stages of ontogeny in relation with the determination of optimum periods of release. Pages 56-57 [in] Proc. Sci. Session Central Sturgeon Fish. Res. Inst., Astrakhan.
- Luling, K. H. 1951. Uber Entwicklung in fischeieren und uber Fischlarven. *Aquar. Terrar. Z. Stuttgart* 4:317-320.
- Luling, K. H. 1951. Zur intraovarialen entwicklung und embryologie des rotbarsches ([*Sebastes marinus*] L.). *Zool. Jb., Abt. Anat. Ontog. Tiere* 71:145-192.
- Lumare, F., and P. Villani. 1970. Contribution to the knowledge of larvae of [*Sparus*] [*aurata*] (L.). *Zool. Napoli.* 38(2):364-369.
- Lumare, F., and P. Villani. 1973. Ricerche sulla riproduzione artificiale ect allevamento delle larve in [*Dicentrarchus labrax*] (L.). *Boll. Pesca Piscic. Idrobiol.* 28:71-75.

- Lund, W. A., Jr., and B. C. Marcy, Jr. 1975. Early development of the grubby, [*Myoxocephalus aeneus*] (*Mitchill*). *Biol. Bull. Mar. Biol. Lab., Woods Hole* 149(2):373-383.
- Lundberg, R. 1901. On the larval stadium of some salmonid fishes: notes from the station of pisciculture and freshwater biology at Finspong. *Medd. landtbrukskyr. Stockholm* 315-324.
- Lupton, N. J. 1879. On the breeding habits of the sea-catfish (*[Aniopsis milberti]*). *Proc. U.S. Nat. Mus.* 1: 278-279.
- Lutken, C. F. 1881. *Spolia Alantica: Contribution to the knowledge of the changes of form in fishes during growth and development, especially in the pelagic fishes of the Atlantic.* *Ann. Mag. Nat. Hist.* 5(7):1-4, 107-123.
- Lux, F. E. 1960. Notes on first-year growth of several species of Minnesota fish. *Progressive Fish-Culturist* 22(2):81-.
- Lyczkowski-Shultz, J., and J. P. Steen. 1991. Diel vertical distribution of red drum [*Sciaenops ocellatus*] larvae in the Northcentral Gulf of Mexico. *Fishery Bulletin* 89:631-641.
- Lyczkowski-Shultz, J., D. L. Ruple, S. L. Richardson, and J. H. Cowan. 1990. Distribution of fish larvae relative to time and tide in a Gulf of Mexico Barrier Island pass. *Bulletin of Marine Science* 46:563-577.
- Lydell, D. 1925. Black bass culture. *Transactions of the American Fisheries Society* 55:37-62.
- Lynde, C. M. 1984. Juvenile and adult walleye pollock of the eastern Bering Sea: literature review and results of ecosystem workshop. Pages 43-108 [in] D. H. Ito, editor. *Proc. workshop on walleye pollock and its ecosystem in the eastern Bering Sea.* NOAA Tech. Mem. NMFS F/NWC-62.
- Lyne, V. D., and R. E. Thresher. 1995. Dispersal and advection of [*Macruronus novaezelandiae*] larvae off Tasmania: simulation of the effects of physical forcing on larval distribution. [In] P. Sammarco, editor. *Multidisciplinary studies of recruitment of Australian Marine populations.* Springer Verlag.
- Lyovin, A. V. 1981. Distribution and behavior of juvenile Russian sturgeon, [*Acipenser gueldenstaedti*] (*Acipenseridae*) in the Caspian Sea. *J. Ichthyol.* 21(2):138-144.
- Lyubimova, T. G. 1965. Main stages in life cycle of the rockfish, [*Sebastes alutus*] Gilbert, in the Gulf of Alaska. *Tr. Vses. Nauchno-Issled. Inst. Morsk. Rybn. Khoz. Okeanogr.* 53:95-120.
- Ma, P., B. Sivaloganathan, P. K. Reddy, W. K. Chan, and T. J. Lam. 2001. Ontogeny of alpha-amylase gene expression in sea bass larvae (*[Lates calcarifer]*). *Marine Biotechnology* 3(5):463-469.
- Mac Donald, J. C. 1960. A possible source of error in estimating the survival of Pacific salmon eggs by redd sampling. *Can. Fish Cult.* 26:27-30.
- Mac, M. J., and J. G. Seelye. 1981. Patterns of PCB accumulation by fry of lake trout. *Bull. Env. Contam. Toxicol.* 27:368-375.
- Mac, M. J., W. H. Berlin, and D. V. Rottiers. 1981. Comparative hatchability of lake trout eggs differing in contaminant burden and incubation conditions. Pages 8-10 [in] *Chlorinated hydrocarbons as a factor in the reproduction and survival of lake trout, [Salvelinus namaycush], in Lake Michigan.* U.S. Fish Wildl. Serv. Tech. Paper 105.

- Mac, M. J., C. C. Edsall, and J. G. Seelye. 1985. Survival of lake trout eggs and fry reared in water from the upper Great Lakes. *J. Great Lakes Res.* 11(4):520-529.
- MacCall, A. D. 1980. The consequences of cannibalism in the stock-recruitment relationship of planktivorous pelagic fishes such as [Engraulis]. IOC Workshop Rep. No. 28:201-220.
- MacCall, A. D., and G. D. Stauffer. 1983. Biology and fishery potential of jack mackerel, [Trachurus symmetricus]. California Coop. Oceanic Fish. Invest. Rep. 24:46-56.
- MacCrimmon, H. R., and W. H. Kwain. 1969. Influence of light on early development and meristic characters in the rainbow trout, [Salmo gairdneri] Rich. Canadian Journal of Zoology 47:631-637.
- MacCrimmon, H. R., and T. K. Twongo. 1980. Ontogeny of feeding behavior in hatchery-reared rainbow trout, [Salmo gairdneri] Rich. Canadian Journal of Zoology 58:20-26.
- MacCrimmon, H. R., T. A. Dickson, and R. J. Gibson. 1983. Implications of differences in emergent times on growth and behavior of juvenile Atlantic salmon ([Salmo salar]) and brook charr ([Salvelinus] [fontinalis]) in sympatric stream populations. *Nat. Can.* 110(4):379-384.
- MacDonald, T. H. 1959. Estimates of length of larval life in three species of lamprey found in Britain. *J. Anim. Ecol.* 28(2):293-298.
- MacDonald, T. H. 1959. Identification of ammocoetes of British lampreys. *Glasgow Nat.* 18:91-95.
- Mace, P. M. 1983. Bird predation on juvenile salmonids in the Big Qualicum estuary, Vancouver Island. Can. Tech. Rep. Fish. Aquat. Sci. 1176.
- Mace, P. M. 1983. Predator-prey functional responses and predation by staghorn sculpins ([Lepchus keta]). Ph.D. Diss., Univ. British Columbia, Vancouver, Canada.
- Macek, K. J. 1968. Reproduction in brook trout ([Salvelinus fontinalis]) fed sublethal concentrations of DDT. *Journal of the Fisheries Research Board of Canada* 25:1787-1796.
- Macek, K. J., et al. 1976. Chronic toxicity of Atrazine to selected aquatic invertebrates and fishes. *Env. Prot. Ag.* 600/3-76-247. Duluth, MN.
- Macek, K. J., et al. 1976. Chronic toxicity of Lindane to selected aquatic invertebrates and fishes. *Ecol. Res. Ser.*, EPA-600/3-76-046.
- Macek, K. J., and B. H. Sleight, III. 1977. Utility of toxicity tests with embryos and fry of fish in evaluating hazards with chronic toxicity of chemicals to fishes. Pages 137-146 [in] F. L. Mayer and J. L. Hamelink, editors. *Aquatic toxicology and hazard evaluation.* Am. Soc. Test. Mat., ASTM STP 634.
- Macer, C. T. 1965. The distribution of larval sand eels (Ammodytidae) in the southern North Sea. *J. Mar. Biol. Assoc. U. K.* 45:187-207.
- Macer, C. T. 1966. Sand eels (Ammodytidae) in the southwestern North Sea: their biology and fishery. *Fishery Invest.*, Lond. (Ser. 2. Sea Fisheries) 24(6), 55 pp.
- Macer, C. T. 1967. Ammodytidae. Fiches d'identification des oeufs et larves de poissons. *J. Cons. Perm. Int. Explor. Mer* 2:1-6.
- Macer, C. T. 1974. The biology of the horse mackerel, [Trachurus] [trachurus] (L.), with special reference to spawning. Joint Mtg., Univ. East Anglia, Norwich, July 1972. *Proc. Challenger Soc.* 4(5):212-213.

- Macer, C. T. 1974. The reproductive biology of the horse mackerel, [*Trachurus trachurus*] (L.), in the North Sea and English Channel. *J. Fish. Biol.* 6(4):415-438.
- Macey, D. J., and I. C. Potter. 1978. Lethal temperatures of ammocoetes of southern hemisphere lamprey, [*Geotria australis*] Gray. *Environmental Biology of Fishes* 3(2):241-242.
- MacFarlane, L. R. 1976. Automatic feeder for delivery of high-fat starter food to swim-up fry of Atlantic salmon. *Progressive Fish-Culturist* 38(2):106-107.
- MacGregor, J. S. 1970. Fecundity, multiple spawning and description of the gonads in [*Sebastodes*]. *Spec. Sci. Rep. Fish. U.S. Fish. Wildl. Serv.* 596:1-12.
- MacGregor, J. S. 1971. Additional data on the spawning of hake. *Fish. Bull. NOAA (U.S.)* 69(3):581-585.
- MacGregor, J. S. 1976. Ovarian development and fecundity of five species of California Current fishes. *California Coop. Oceanic Fish. Invest. Rep.* 18:181-188.
- Machado, A., and H. L. Rojas. 1975. Etapas del desarrollo de [*Loricariichthys typus*] (Bleeker) 1864 (*Osteichthys*, *Siluriformes*, *Loricariidae*). *Acta Biol. Venez.* 9(1):93-119.
- Machado-Allison, A. 1974. Etapas del desarrollo del pez [*Piabucina*] [*pleurotaenia*] Regan, 1903 (*Characiformes*: *Lebiasinidae*). *Acta Biol. Venez.* 8(3-4):579-622.
- Machado-Allison, A., B. Chernoff, R. RoyeroLeon, F. MagoLeccia, J. Velazquez, C. Lasso, H. LopezRojas, A. BonillaRivero, F. Provenzano, and C. Silvera. 2000. Ichthyofauna of the Cuyuni basin in Venezuela. *Interciencia* 25(1):13-?.
- Machniak, K. 1975. The effects of hydroelectric development on the biology of northern fishes (reproduction and population dynamics). II Northern pike (*[Esox lucius]* (L.): A literature review and bibliography. *Fish. Res. Bd. Can. Tech. Rep.* 528:1-82.
- Machniak, K., and W. A. Bond. 1979. An intensive study of the fish fauna of the Steepbank River watershed of northern Alberta. Prep. for Alberta Oil Sands Environ. Res. Prog. (AOSERP) by Fish. and Environ. Can., Freshwat. Inst., AOSERP Rep. 61, Winnipeg, Canada.
- MacKelvie, R. W. 1971. A device for rapid removal of embryos from fish eggs. *Journal of the Fisheries Research Board of Canada* 28(1):100-102.
- MacKenzie, A., and K. Scanlon. 1974. Regulation of protein biosynthesis during early plaice, [*Pleuronectes platessa*], embryogenesis. *Biochem. Soc. Trans.* 2:1078-1080.
- MacKenzie, B., M. S. John, and K. Wieland. 1996. Eastern Baltic cod: perspectives from existing data on processes affecting growth and survival of eggs and larvae. *Marine Ecology-Progress Series* 134:265-281.
- MacKenzie, B. P. 2000. Turbulence, larval fish ecology and fisheries recruitment: a review of field studies. *Oceanologica Acta* 23(4):357-375.
- MacKenzie, B. R., W. C. Leggett, and R. H. Peters. 1990. Estimating larval fish ingestion rates - can laboratory derived values be reliably extrapolated to the wild? *Marine Ecology-Progress Series* 67:209-225.
- MacKenzie, B. R., and W. C. Leggett. 1991. Quantifying the contribution of small-scale turbulence to the encounter rates between larval fish and their zooplankton prey-effects of wind and tide. *Marine Ecology-Progress Series* 73: 149-160.
- MacKenzie, B. R., T. J. Miller, S. Cyr, and W. C. Leggett. 1994. Evidence for a dome-shaped relationship between turbulence and larval fish ingestion rates. *Limnology and Oceanography* 39:1790-1799.

- MacKenzie, B. R., and T. Kiorboe. 1995. Encounter rates and swimming behavior of pause-travel and cruise larval fish predators in calm and turbulent laboratory environments. *Limnology and Oceanography* 40:1278-1289.
- MacKenzie, B. R., B. Ueberschar, D. Basford, M. R. Heath, and A. Gallego. 1999. Diel variability of feeding activity in haddock (*Melanogrammus aeglefinus*) larvae in the East Shetland area, North Sea. *Marine Biology* 135:361-368.
- MacKenzie, B. R., and Kiorboe, T. 2000. Larval fish feeding and turbulence: a case for the downside. *Limnology and Oceanography* 45:1-10.
- MacKenzie, B. R. In press. Turbulence, larval fish ecology and fisheries recruitment: a review of field studies. *Oceanologica Acta*.
- MacKenzie, B. R. Submitted. Understanding the role of turbulence on fisheries production during the first century of ICES. *ICES Journal of Marine Science* (Invited contribution).
- MacKenzie, K. 1974. Immature digeneans from the alimentary tract of larval and juvenile pelagic stages of haddock, [*Melanogrammus aeglefinus*] (L.). *J. Fish. Biol.* 6(2):103-106.
- Mackie, A. M., and A. I. Mitchell. 1983. Studies on the chemical nature of feeding stimulants for the juvenile European eel, [*Anguilla anguilla*] (L.). *J. Fish. Biol.* 22(4):425-430.
- Mackie, A. M., J. W. Adron, and P. T. Grant. 1980. Chemical nature of feeding stimulants for the juvenile Dover sole, [*Solea solea*] (L.). *J. Fish. Biol.* 16:701-708.
- Mackinnon, D., and W. S. Hoar. 1953. Responses of coho and chum salmon fry to current. *Journal of the Fisheries Research Board of Canada* 10:523-538.
- MacLean, J. A., B. J. Shuter, H. A. Regier, and J. C. MacLeod. 1981. Temperature and year-class strength of smallmouth bass. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:30-40.
- MacLean, S.A. 1993. Pathological conditions of Narragansett Bay young-of-the-year winter flounder. [In] L. A. Fuiman, editor. *Water quality and the early life stages of fishes. American Fisheries Society Symposium* 14. 192pp.
- Macphee, C. 1960. Postlarval development and diet of the largescale sucker, [*Catostomus macroeilus*], in Idaho. *Copeia* 1960(2):119-125.
- Maddock, B. G. 1974. A technique to prolong incubation period of brown trout ova. *Progressive Fish-Culturist* 36(4):219-222.
- Madenjian, C. P., and D. J. Jude. 1983. Error bounds for estimates of entrained ichthyoplankton. *Canadian Journal of Fisheries and Aquatic Sciences* 40(1):10-16.
- Madenjian, C. P., and D. J. Jude. 1985. Comparison of sleds versus plankton nets for sampling fish larvae and eggs. *Hydrobiologia* 124(3):275-282.
- Madenjian, C. P., R. L. Knight, M. T. Bur, and J. L. Forney. 2000. Reduction in recruitment of white bass in Lake Erie after invasion of white perch. *Transactions of the American Fisheries Society* 129:1223-123.
- Maeda, T., T. Nakatani, T. Takahashi, and M. Ueno. 1979. Transport and migration of the pollock larvae in the coastal waters. *Bull. Jap. Soc. Fis h. Oceanogr.* 34:81-85.
- Maeda, T., T. Takahashi, M. Ijichi, H. Hirakawa, and M. Ueno. 1976. Ecological studies on the Alaska pollock in the adjacent waters of the Funka Bay, Hokkaido. II. Spawning season. *Bull. Jap. Soc. Sci. Fish.* 42(11):1213-1222.

- Maejima, M. 1952. Observations on the hatching of [*Cyprinus carpio*] (L.) eggs. Coll. Breeding (Tokyo) 14(3):89-91. In Japanese.
- Maekawa, K. 1978. Growth and development of [*Salvelinus malma miyabei*] compared with other forms of [*S. malma*]. Jap. J. Ichthyol. 25(1):9-18.
- Maeno, T., H. Morita, and M. Kuwabara. 1956. Potential measurements on the eggs of Japanese killifish, [*Oryzias latipes*]. Mem. Fac. Sci. Kyushu Univ. Ser. B. 2:87-94.
- Maginsky, R. B. 1958. A study of the effect of light on the muscle characteristic of the zebra fish, [*Brachydanio*] [rerio]. M. S. Thesis, Univ. Pittsburg.
- Magliente, S. H., et al. 1978. Investigations on the protection of fish larvae at water intakes using fine-mesh screening. Impingement release concept. [In] R. K. Sharma and J. B. Palmer, editors. Larval exclusion systems for power plant cooling water intakes. NUREG/CP-002, ANL/ES-66, Argonne Natl. Lab., IL.
- Magnan, P., and G. J. Fitzgerald. 1984. Ontogenetic changes in diel activity, food habits and spatial distribution of juvenile and adult creek chub, [*Semotilus atromaculatus*]. Environmental Biology of Fishes 11(4):301-308.
- Magnin, E. 1966. Reproduction in sturgeon, [*Acipenser fulvescens*] from Nottaway River. Canadian Journal of Zoology 44:257-263.
- Magnin, E. 1966. Researches on the reproductive cycles of the sturgeon, [*Acipenser fulvescens*] Raf., of the River Nottaway, which enters James Bay (Quebec/ Ontario, Canada). Verhandl. Int. Ver. Limnol. 16:1018-1024.
- Magnin, E. 1977. Growth, diet, and fecundity of the lake sturgeon, [*Acipenser fulvescens*] Rafinesque, in the La Grande River basin (Quebec). Naturaliste Can.
- Magnin, E., A. M. Clement, and U. Legendre. 1978. Growth, reproduction, and feeding habits of lake trout, [*Salvelinus namaycush*] (Walbaum), of North Quebec. Nat. Can. (Que.) 105(1):1-17.
- Magnuson, J. J. 1958. Some phases of the life history of troutperch, [*Percopsis omiscomaycus*] (Walbaum), in Lower Red Lake, Minnesota. MS Thesis, Univ. Minn. 104 pp.
- Magnuson, J. J., and L. L. Smith, Jr. 1963. Some phases of the life history of the troutperch. Ecology 44(1):83-95.
- Magnuson, J. J. 1988. Two worlds for fish recruitment: lakes and oceans. American Fisheries Society Symposium 5:1-6.
- Magnusson, J. 1955. Mikroskopisch-anat untersuchungen zur fortpflanzungsbiol des rofbarsches [*Sebastes marinus*] L. (Microscopic-anatomy studies on the reproductive biology of the rosefish, [*Sebastes marinus*]). Z. Fisch. 43:121-167.
- Magnusson, J. 1962. Redfish larvae in the Irminger Sea in May 1961. CIEM C.M. 1962(90):1-5.
- Magnusson, J. 1966. On capelin larvae ([*Mallotus villosus*] O.F. Muller) in Icelandic waters during the years 1960 to 1964 with notes on other fish larvae. Rit. Fiskideild. 4(4):1-36.
- Magnusson, J. 1968. Report on redfish larvae, [*Sebastes marinus*] L. Spec. Publs int. Commn NW. Atlant. Fish. 7(pt. 1):145-155.
- Magnusson, J. 1968. Report on capelin larvae, [*Mallotus villosus*] (Muller). Spec. Publs. Int Commn NW. Atlantic Fish. 7(pt. 1):163-173.

- Magnusson, J. 1968. On the occurrence of capelin larvae in Icelandic waters in relation to temperature. Page 31 [in] R. W. Blacker, editor. Symp. on ecology of pelagic fish species in Arctic waters and adjacent seas. Rapp. P.-v. Reun. Cons. Perm. Int. Explor. Mer 158, 148 pp.
- Magnusson, J., and J. Magnusson. 1975. On the distribution and abundance of young redfish at Iceland 1974. Rit Fiskideildor 5(3):1-22.
- Magnusson, J. L., and I. Hallgrímsson. 1965. The relationship between the distribution of [Sebastes] larvae, zooplankton and temperature in the Irminger Sea. Spec. Publs Int. Commn. NW. Atlant. Fis h., No. 6 (Contr. No. B-1); 289.
- Magnusson, J. L., J. Magnusson, and I. Hallgrímsson. 1965. The "Aegir" redfish larvae expedition to the Irminger Sea in May 1961: cruise report and biological observations. Rit. Fiskideild. 4(2):1-86.
- Magnusson, J. V. 1981. Identification of [Sebastes marinus], [S. mentella], and [S. viviparus] in 0-group redfish. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:571-574.
- Magomedov, G. M., and N. M. Murzabekova. 1978. Feeding and growth of the young autumn chum salmon, [Oncorhynchus keta], acclimatized in the Caspian Sea during the river period of life. J. Ichthyol. 18(4):683-686.
- Maguire, B., Jr. 1963. The passive dispersal of small aquatic organisms and their colonization of isolated bodies of water. Ecol. Monogr. 33:161-185.
- Mahadevan, S., and P. I. Chacko. 1962. A preliminary report on the biology of the rainbow sardine, [Dussumieria hasseltii] (Bleeker). Govt. Madras Fish. St. Rep. Yearbook 1957-58:77-85.
- Maher, F. P., and P. A. Larkin. 1955. Life history of the steelhead trout of the Chilliwack River, British Columbia. Transactions of the American Fisheries Society 84:27-38.
- Mahnken, C. V. M., and J. W. Jossi. 1967. Flume experiments on the hydrodynamics of plankton nets. J. Cons. perm int. Explor. Mer 31(1):38-45.
- Mahon, E. E., and W. S. Hoar. 1956. The early development of the chum salmon, [Oncorhynchus keta] (Walbaum). J. Morph. 98:1-48.
- Maiden, A. 1976. A study of ichthyoplankton in the Delaware River in the vicinity of Artificial Island in 1974. [In] V. J. Schuler, editor. An Ecol. Study of the Delaware River in the Vicinity of Artificial Island. Ichthyol. Assoc., Inc. Middletown, DE.
- Maier, H. N., and L. Scheuring. 1923. Entwicklung der Schwimmblase und ihre Beziehungen zum statischen Organ und der Kloake bei Clupeiden spez. beim hering. Wiss. Meersunters. Abt. Helgoland 15(6):1-22.
- Maillet, G. L., and D. M. Checkley. 1990. Effects of starvation on the frequency of formation and width of growth increments in sagittae of laboratory-reared Atlantic menhaden [Brevoortia tyrannus] larvae. Fishery Bulletin 88:155-165.
- Maillet, G. L., and D. M. Checkley. 1991. Storm-related variation in the growth rate of otoliths of larval Atlantic menhaden [Brevoortia tyrannus] - a time series analysis of biological and physical variables and implications for larva growth and mortality. Marine Ecology - Progress Series 79:1-16.
- Mailvan, P. A., and A. P. Alekperov. 1976. An experimental study on the growth and development of sturgeons (Family Acipenseridae). J. Ichthyol. 16(2):343-347.
- Maitland, P. S. 1967. Artificial fertilization and rearing of the eggs of [Coregonus clupeoides]. Proc. R. Soc. Edinb. B. 70(1):82-106.

- Maitland, P. S. 1969. Reproduction and fecundity of the powan, [*Coregonus*] [*clupeoides*], in Loch Lomond, Scotland. Proc. R. Soc. Edinb. 70(3):233-264.
- Major, P. F. 1978. Aspects of estuarine intertidal ecology of juvenile striped mullet, [*Mugil cephalus*], in Hawaii. NMFS Fish. Bull. 76(2):299-314.
- Major, R. L., and H. H. Shippen. 1970. Synopsis of biological data on Pacific ocean perch, [*Sebastes alutus*]. FAO Fish. Synop. No. 79, NMFS Circ. No. 347. 38 pp.
- Major, R. L., and J. L. Mighell. 1969. Egg-to-migrant survival of spring chinook salmon ([*Oncorhynchus tshawytscha*]) in the Yakima River, Washington. Fish. Bull. 67(2):347-360.
- Majumdar, C. H. 1939. Culture of hilsa.
- Makarov, E. V. 1964. Reproduction of Acipenseridae in the Axov Sea and their stocks. Tr. Vses. Nauchno-issled. Inst. Morsk. Ryb. Khoz. Okeanogr. 54:203-212.
- Makeeva, A. P. 1953. Embryology of [*Capoetobrama kuschakewitschi*] Kessl. (Pisces, Cyprinidae). Vop. Ichtiol., Acad. Nauk SSSR, 1:78-81.
- Makeeva, A. P. 1958. The development of the Aral barbel, [*Barbus*] [*brachycephalus*] Kessl.. Vop. Ikhtiolog. 11:86-101.
- Makeeva, A. P., and R. E. Muravleva. 1969. On the viability of larval grass carp under starvation. Biol. Stud. (USSR) 2:17-21. In Russian.
- Makeeva, A. P., and I. N. Ryabov. 1973. Reproduction and development of [*Opsariichthys*] [*uncirostris*] (Temminck et Schlegel) and its systematic position in the family Cyprinidae. J. Ichthyol. 13(3):392-399.
- Makeeva, A. P. 1976. Characteristics of the early developmental stages of a bitterling, [*Rhodeus ocellatus ocellatus*], new to the ichthyofauna of the USSR. J. Ichthyol. 16(5):756-767.
- Makeyeva, A. P. 1976. Peculiarities of the formation of the adhesive membrane of the eggs of the false gudgeon, [*Pseudogobio rivularis*]. J. Ichthyol. 16(2):342.
- Makeyeva, A. P. 1980. Early ontogenetic characteristics of the bigmouth buffalo, [*Ictiobus cyprinella*] (Catostomidae). J. Ichthyol. 1980(6):73-89.
- Makeyeva, A. P., and M. I. Z. Mokhamed. 1982. The reproduction and development of [*Pseudorasbora*] [*parva*] in Soviet central Asia. J. Ichthyol. 22(1):69-82.
- Makhotin, V. V., G. G. Novikov, S. G. Soin, and V. N. Timeiko. 1984. The peculiarity of the development of White Sea cod. Pages 105-122 [in] E. Dahl et al., editors. The propagation of cod [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.
- Makhotin, Y. M. 1977. The spawning efficiency of fishes in Kuybyshev Reservoir and factors determining it. J. Ichthyol. 17(1):24-35.
- Maki-Petays, A., T. Muotka and A. Huusko. 1999. Densities of juvenile brown trout ([*Salmo trutta*]) in two subarctic rivers: assessing the predictive capability of habitat preference indices. Can. J. Fish. Aquat. Sci. 56(9):1420-1427.
- Makihata, N. 1969. Development and nutrition in embryos and young oviparous Japanese dogfish, [*Halaaelurus burgeri*]. M.S. Thesis, Kyushu Univ. In Japanese.
- Maksimov, V. A. 1971. Reproductive biology of the freshwater mykiss ([*Salmo*] [*mykiss*] Walbaum) from the Kamchatka River Basin. J. Ichthyol. 11(1):36-44.



- Malhotra, Y. R., and S. Munshi. 1985. First feeding and survival of [Aspidoparia morar] larvae (Cyprinidae). Transactions of the American Fisheries Society 114(2):286-290.
- Malkin, E. M. 1970. On the spawning of Lake Sevankhramulya ([Varicorhinus capoeta]). Tr. mold. Uchen. 1970(3):147-157.
- Mallat, J. 1979. The feeding biology of the larval lamprey, [Petromyzon marinus]: mechanisms and regulation of feeding. Ph.D Diss., Univ. Chicago, Chicago.
- Mallatt, J. 1979. Surface morphology and functions of pharyngeal structures in the larval lamprey, [Petromyzon] [marinus]. J. Morph. 162(2):249-274.
- Mallat, J. 1980. Surface morphology of structures within the pharynx of the larval lamprey, [Petromyzon marinus]. J. Morph. in press.
- Mallatt, J. 1983. Laboratory growth of larval lampreys, [Lampetra] [(Entosphenus tridentata) Rich.] at different food concentrations and an imal densities. J. Fish. Biol. 22(3):293-302.
- Mallatt, J., R. L. Ridgway, and C. Paulsen. 1985. Ultrastructural effects of 3-trifluormethyl-4 on gills of the larval lamprey, [Petromyzon marinus]. Canadian Journal of Zoology 63(1):155-164.
- Malloy, K. D., Y. Yamashita, H. Yamada, and T. E. Targett. 1996. Spatial and temporal patterns of juvenile stone flounder [Kareius bicoloratus] growth rates during and after settlement. Marine Ecology - Progress Series 131:49-59.
- Malloy, K. D., and T. E. Targett. 1994. The use of RNA:DNA ratios to predict growth limitation of juvenile summer flounder ([Paralichthys dentatus]) from Delaware and North Carolina estuaries. Marine Biology 118:367-375.
- Malloy, R., and F. D. Martin. 1981. Comparative development of redfin pickerel ([Esox] [americanus americanus]) and the eastern mudminnow ([Umbra pygmaea]). Pages 70-72 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. The fifth annual larval fish conf., Louisiana Coop. Fish. Res. Unit, LSU, Baton Rouge, LA.
- Malone, C. R., and B. G. Blaylock. 1970. Toxicity of insecticide formulations to carp embryos reared in vitro. Journal of Wildlife Management 34:460-463.
- Maloney, J. E., and F. H. Johnson. 1957. Life histories and interrelationships to walleye and yellow perch, especially during their first summer, in two Minnesota lakes. Transactions of the American Fisheries Society 85:191-202.
- Malyukina, G. A., and V. V. Konchin. 1969. Development of group effects during ontogenetic development of the Baltic salmon and Sevan trout. Am. Fish. Soc. Prob. in Ichthyol. 9(2):292-297.
- Mammen, T. A. 1967. Transport of the fry and fingerlings of the milk fish, [Chanos chanos] (Forsk.)]. J. Bombay Nat. Hist. Soc. 1966 63(2):298-314.
- Manacop, P. R. 1936. A new phallostethid fish with notes on its development. Philipp. J. Sci. 59:375-381.
- Manderson, J. P., B. A. Phelan, A. J. Bejda, L. L. Stehlik and A. W. Stoner. 1999. Predation by striped searobin ([Prionotis evolans]: Triglidae) on young-of-the-year winter flounder ([Pseudopleuronectes americanus]): Examining prey size selection and prey choice using field observations and laboratory experiments. Journal of Experimental Marine Biology and Ecology 242(2):211-231.
- Manderson, J. P., B. A. Phelan, A. W. Stoner and J. Hilbert. 2000. Predator-prey relations between age 1+ summer flounder ([Paralichthys dentatus], Linnaeus) and age-0

- winter flounder ([*Pseudopleuronectes americanus*], Walbaum): predator diets, prey selection, and effects of sediments and macrophytes. *J. Exp. Mar. Biol. Ecol.* 251:17-39.
- Manderson, J. P., B. A. Phelan, C. Meise, L. L. Stehlik, A. J. Bejda, J. Pessutti, L. Arlen, A. Draxler, and A. W. Stoner. 2002. Spatial dynamics of habitat suitability for the growth of newly settled winter flounder [*Pseudopleuronectes americanus*] in an estuarine nursery. *Marine Ecology - Progress Series* 228:227-239
- Manery, J. F. 1935. Ionic changes in developing teleost eggs. Ph.D. Diss., Univ. of Toronto.
- Maneewong S., P. Akkayanont, J. Pongmaneerat and M. Iizawa. 1986. Larval rearing and development of grouper, [*Epinephelus malabaricus*] (Bloch and Schneider). Pages 39-52 [in] Report of Thailand and Japan Joint Coastal Aquaculture Research. Project No. 2. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Manery, J. F., V. Warbritton, and L. Irving. 1933. The development of an alkali reserve in [*Fundulus*] eggs. *J. Cell. Comp. Physiol.* 3(3):277-290.
- Mangia, F., and G. Palladini. 1970. A histochemical study on the muco-cartilage of the lamprey larva during its ontogenesis. *Arch. Anat. Microscop.* 59:283-288.
- Manion, P. J. 1967. Diatoms as food of larval sea lampreys in a small tributary of northern Lake Michigan. *Transactions of the American Fisheries Society* 96:224-226.
- Manion, P. J. 1968. Production of sea lamprey larvae from nests in two Lake Superior streams. *Transactions of the American Fisheries Society* 97(4):484-486.
- Manion, P. J., and T. M. Stauffer. 1970. Metamorphosis of the landlocked sea lamprey, [*Petromyzon marinus*]. *Journal of the Fisheries Research Board of Canada* 27(10):1735-1745.
- Manion, P. J., and A. J. McLain. 1971. Biology of larval sea lampreys ([*Petromyzon marinus*]) of the 1960 year class, isolated in the Big Garlic River, Michigan, 1960-1965. *Tech. Rep. Gt. Lakes Fish. Commn.*, No. 16, 35 pp.
- Manion, P. J., and G. W. Piavis. 1977. Dentition throughout the life history of the landlocked sea lamprey, [*Petromyzon marinus*]. *Copeia* 1977(4):762-768.
- Manion, P. J., and B. R. Smith. 1978. Biology of larval and metamorphosing sea lampreys ([*Petromyzon marinus*]) of the 1960 year class of the Big Garlic River, Michigan, Part II, 1966-1972. *Great Lakes Fish. Comm.*, *Tech. Rep. No. 30*, 35 pp.
- Mankowski, W. 1947. Eggs and larvae in the Gulf of Gdansk. *Annl. Biol.* IV.
- Mankowski, W. 1948. The quantitative distribution of eggs and larvae of [*Clupea sprattus*] L., [*Gadus morhua*] L., and [*Ono*] [*cimbrius*] L. in the Gulf of Gdansk in 1938, 1946, and 1947. *J. Cons. Cons. int. Explor. Mer* 15(3):268-276.
- Mankowski, W. 1949. Eggs and larvae of fish in the Gulf of Gdansk in 1947. *Ann. Biol.* 4(1947):143-144.
- Mann, H., and O. J. Schmid. 1961. The influence of detergents upon sperm, fertilization and development in the trout. *Int. Rev. Hydrobiol.* 46:419-426.
- Mann, H., and O. J. Schmid. 1965. Effects of sublethal concentrations of detergents (tetrapropyleneben) on the growth of [*Lebistes*] [*reticulatus*]. *Arch. Fish. Wiss.* 16:16-20.
- Mann, H. K., and C. A. Mills. 1985. Variations in the sizes of gonads, eggs, and larvae of the dace, [*Leuciscus leuciscus*]. *Environmental Biology of Fishes* 13(4):277-287.

- Mann, R. H. K. 1973. Observations on the age, growth, reproduction and food of the roach, [*Rutilus rutilus*] (L.), in two rivers in southern England. *J. Fish. Biol.* 5(5):707-736.
- Mann, R. H. K. 1974. Observations on the age, growth, reproduction, and food of the dace, [*Leuciscus leuciscus*] (L.), in two rivers in southern England. *J. Fish. Biol.* 6(3):237-253.
- Mann, R. H. K. 1976. Observations on the age, growth, reproduction and food of the pike, [*Esox lucius*] (L.), in two rivers of southern England. *J. Fish. Biol.* 8(2):179.
- Mann, R. H. K. 1978. Observations on the biology of the perch, [*Perca*] [*fluviatilis*], in the River Stour, Dorset. *Freshwat. Biol.* 8:229-239.
- Manner, H. W., and C. M. Dewese. 1974. Early embryology of the fathead minnow, [*Pimephales*] [*promelas*] Raf. *Anat. Rec.* 180:99-110.
- Manner, H. W., and D. L. Thompson. 1974. Time of action of LAS on developing zebrafish embryos. *Trans. Midwest Anat. Assoc.* 1974:42.
- Manner, H. W., and C. Muehleman. 1975. Changes in the permeability of the teleost chorion during embryogenesis. *Trans. Midw. Reg. Dev. Biol. Conf.* 1975:21.
- Manner, H. W., and C. Muehleman. 1975. Permeability and uptake of tritiated uridine during teleost embryogenesis. *Sci. Biol. J.* 1:81-82.
- Manner, H. W., and C. Muehleman. 1976. LAS inhibition of diffusion and uptake of tritiated uridine during teleost embryogenesis. *Environmental Biology of Fishes* 1:81.
- Manner, H. W., M. Van Cura, and C. Muehleman. 1977. The ultrastructure of the chorion of the fathead minnow, [*Pimephales promelas*]. *Transactions of the American Fisheries Society* 106(1):110-114.
- Manning, J. H. 1956. Problems associated with rearing estuarine fish larvae to a juvenile stage under laboratory conditions. *Ches. Biol. Lab.* 56-15. 5 pp.
- Manooch, C. S., III. 1975. A study of the taxonomy, exploitation, life history, ecology and tagging of the red porgy, [*Pagrus pagrus*] L., of the Carolinas. Ph.D Diss., North Carolina State Univ., Raleigh. 275 pp.
- Manooch, C. S., III. 1976. Reproductive cycle, fecundity and sex ratios of the red porgy, [*Pagrus pagrus*] (Pisces: Sparidae) in North Carolina. *NMFS Fish. Bull.* 74:775-781.
- Mansfield, P. J. 1984. Reproduction by Lake Michigan fishes in a tributary stream. *Transactions of the American Fisheries Society* 113:231-237.
- Mansfield, P. J., and A. H. Mansfield. 1981. Influence of background color and intensity of illumination on melanophore expansion in larval fish. Pages 60-62 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. *The fifth annual larval fish conf.*, Louisiana Coop. Fish. Res. Unit, LSU, Baton Rouge, LA.
- Mansfield, P. J., D. J. Jude, D. T. Michaud, D. C. Brazo, and J. Gulvas. 1983. Distribution and abundance of larval burbot and deepwater sculpin in Lake Michigan. *Trans. Am. Fish. Soc.* 112:162-172.
- Mansueti, A. J., and R. J. Mansueti. 1955. Eggs, larvae, and juveniles of chain pickerel reared successfully. *Maryland Tidewat. News* 12(6):1-2.
- Mansueti, A. J. 1963. Some changes in morphology during ontogeny in the pirate perch, [*Aphredoderus s. sayanus*]. *Copeia* 1963(3):546-557.
- Mansueti, A. J. 1964. Early development of the yellow perch, [*Perca*] [*flavescens*]. *Ches. Sci.* 5(1-2):46-66.

- Mansueti, A. J., and J. A. Hardy, Jr. 1967. Development of fishes of the Chesapeake Bay Region: an atlas of egg, larval and juvenile stages. Part I. Univ. MD Nat. Res. Inst., Port City Press, Baltimore, MD, 202 pp.
- Mansueti, R. J., and H. J. Elser. 1953. Ecology, age and growth of the mud sunfish, [*Acantharchus pomotis*], in Maryland. *Copeia* 1953(2):117-119.
- Mansueti, R. J. 1954. Distribution of juvenile striped bass in Chesapeake Bay and tributaries Maryland, during summer and autumn months. Ms. Maryland Dept. Res. Educ., 1-20.
- Mansueti, R. J. 1955. Natural history of the American shad in Maryland waters. *Maryland Tidewater News* 11(Suppl. 4):1-2.
- Mansueti, R. J. 1955. Early developmental stages of yellow perch studied. *Maryland Tidewater News* 12(1):1,2,4.
- Mansueti, R. J., and A. J. Mansueti. 1955. White perch eggs and larvae studied in laboratory. *Maryland Tidewater News* 12(7): 1-3.
- Mansueti, R. J. 1956. Hickory shad eggs and larvae reared successfully in the laboratory. *Maryland Tidewater News* 13(1):1,3.
- Mansueti, R. J. 1956. Alewife herring eggs and larvae reared successfully in the laboratory. *Maryland Tidewater News* 13(1):2-3.
- Mansueti, R. J. 1956. Problems associated with rearing fish larvae to a juvenile stage under laboratory conditions. *Maryland Dept. Res. and Educ., Ches. Biol. Lab. Ref. No. 56-15*, 5 pp.
- Mansueti, R. J. 1958. Eggs, larvae and young of the striped bass, [*Morone saxatilis*]. *Ches. Biol. Lab. Contr. No. 112*, 36 pp.
- Mansueti, R. J. 1958. The development of anal spines and soft-rays in young striped bass. *Maryland Dept. Res. and Educ., Contr. No. 113*, 12 pp.
- Mansueti, R. J. 1958. New publication describes how young striped bass on "rock" were reared successfully in laboratory. *Maryland Tidewater News* 14(6):23.
- Mansueti, R. J. 1959. A partial bibliography of fish eggs, larvae and juveniles, with particular reference to migratory and estuarine species of the Atlantic coast and supplemented by a check list and references to the early development of the fishes and fish-like chordates of Maryland. *Md. Dep. Res. Educ., Chesapeake Biol. Lab., Solomons. Md. 55 pp.* (mimeo).
- Mansueti, R. J. 1960. Restriction of very young red drum, [*Sciaenops ocellata*], to shallow estuarine waters of Chesapeake Bay during late autumn. *Ches. Sci.* 1 (3-4):207-210.
- Mansueti, R. J. 1961. Movements, reproduction, and mortality of the white perch, [*Morone americana*], in the Patuxent River estuary, Maryland. *Ches. Sci.* 2(3-4): 142-205.
- Mansueti, R. J. 1961. Ecology of eggs, larvae and young of game fishes in the Chesapeake Bay. *Maryland Nat. Res. Inst., Ref. No. 61-50*, 2 pp.
- Mansueti, R. J. 1962. Distribution of small, newly metamorphosed sea lampreys, [*Petromyzon marinus*] and their parasitism on menhaden, [*Brevoortia tyrannus*] in mid Chesapeake Bay during winter months. *Ches. Sci.* 3(2):137-139.
- Mansueti, R. J. 1962. Eggs, larvae, and young of the hickory shad, [*Alosa mediocris*], with comments on its ecology in the estuary. *Ches. Sci.* 3(3):173-205.

- Mansueti, R. J. 1963. Symbiotic behavior between small fishes and jellyfishes, with new data on that between the stromateia, [*Peprilus alepidotus*], and the scyphomedusa, [*Chrysaora quinquecirrha*]. *Copeia* 1963(1):40-80.
- Mansueti, R. J. 1964. Eggs, larvae, and young of the white perch, [*Roccus*] [*americanus*], with comments on its ecology in the estuary. *Ches. Sci.* 5(1-2):3-45.
- Mantelman, I. I. 1958. Distribution of the young of certain species of fish in temperature gradients. *Fish. Res. Board Can. Transl. Ser.* 257 (1960), 58 pp. (Translated from Russian).
- Manz, J. V. 1963. Lake Erie fish research: Walleye fry sampling. Ohio Div. Wildl. Proj. No. Ohio F-035-R-01, 156 pp.
- Manz, J. V. 1964. A pumping device used to collect walleye eggs from offshore spawning areas in western Lake Erie. *Transactions of the American Fisheries Society* 93(2):204-206.
- Marak, R., and B. Marcy. 1974. Mechanics of handling ichthyoplankton. UNESCO Tech. Pap. 20.
- Marak, R. R. 1959. Food habits of larval cod, haddock, and coalfish in the Gulf of Maine and Georges Bank area. *Journal du Conseil* 25(1):147-157.
- Marak, R. R., and J. B. Colton, Jr. 1961. Distribution of fish eggs and larvae, temperature, and salinity in the Georges Bank-Gulf of Maine area, 1953. *Spec. Scient. Rep. U.S. Fish. Wildl. Serv.*, No. 398, 61 pp.
- Marak, R. R., J. B. Colton, Jr., and D. B. Foster. 1962. Distribution of fish eggs and larvae, temperature, and salinity in the Georges Bank-Gulf of Maine area, 1955. *Spec. Publ. Fish Wildl. Serv. (U.S.)*, No. 411, 66 pp.
- Marak, R. R., J. B. Colton, Jr., D. B. Foster, and D. Miller. 1962. Distribution of fish eggs and larvae, temperature, and salinity in the Georges Bank-Gulf of Maine area, 1956. *Spec. Publ. Fish Wildl. Serv. (U.S.)*, No. 412, 95 pp.
- Marak, R. R. 1967. Eggs and early larval stages of the offshore hake, [*Merluccius albidus*]. *Transactions of the American Fisheries Society* 96(2):227-228.
- Marak, R. R. 1973. Food and feeding of larval redfish in the Gulf of Maine. *FAO Fish. Rep.* 141:41.
- Marak, R. R. 1974. Food and feeding of larval redfish in the Gulf of Maine. Page 41 [in] *Report of the international symposium on the early life history of fish.* *FAO Fish. Rep.* No. 141, 58 pp.
- Marak, R. R. 1974. Food and feeding of larval redfish in the Gulf of Maine. Pages 267-275 [in] J. H. S. Blaxter, editor. *The early life history of fish.* Springer-Verlag, Berlin.
- Marangos, C., H. Yagi, and H. J. Ceccaldi. 1986. The role of temperature and salinity on hatching rate and morphogenesis during embryonic development in [*Dicentrarchus labrax*] (L. 1758) (Pisces: Teleostei: Serranidae). *Aquaculture* 54(4):287-300.
- Marathe, V. B., and D. V. Bal. 1960. Observation on the ossification centres of [*Trichopodus trichopterus*] (Pall). *Proc. India Acad. Sci. Sect. B* 51:74-81.
- Marathe, V. B., and S. K. Suterwala. 1964. Development of the chondrocranium in [*Tylosurus*] [*crocodilus*]. *J. Univ. Bombay N.S.* 31(3 & 5):61-74.
- Marathe, V. B., and P. T. Meenakshisundaram. 1972. Maturation and spawning of [*Ilisha filigera*] (Val.). *J. Univ. Bombay (B)*:41(68):64-71.

- Marchal, E. 1963. Description des stades post-larvires et juveniles de [*Neothunnus albacora*] (Lowe) de L'Atlantique tropico-oriental. FAO Fish. Rep. 6, Vol. 3: 1797-1811. [in French].
- Marchal, E. 1963. Description des stades post-larvaires et juveniles de quatre especes de Scombridae de l'Atlantique tropico-oriental. Mem. Inst. Fr. Afr. Noire (Melanges Ichthyol.) 68:201-240. In French.
- Marchal, E. 1963. Expose synoptique des donnees biologiques sur la thonine [*Euthynnus alleteratus*] (Rafinesque) 1810 (oest Atlantique et Mediterranee). FAO Fish. Rep. 6:647-662.
- Marchal, E. G. 1966. Oeufs, larves et post-larves de l'anchois de Golfe de Guinee, [*Anchoviella guineensis*] (Blache et Rossignol). Doc. Sci. Provis., O.R.S.T.O.M., Abidjan 5. 15 pp.
- Marchal, E. G. 1967. Cle provisoire de determinacion des oeufs et larves des clupeides et engraulides Ouest-Africains. Cent. Rech. Oceanogr., Repub. Cote D' Ivoir. Doc. Sci. Provisoire No. 014 S.R., 4 pp.
- Marchal, E. G. 1969. Eggs, larvae and post-larvae of the anchovy of the Gulf of Guinea, [*Anchoviella guineensis*] Blache et Rossignol. Proc. Symp. on oceanography and fisheries resources of tropical Atlantic. Abidjan, Ivory Coast, Oct. 20-26, 1966. Paris, UNESCO. 281-287.
- Marchetti, M. P., and P. B. Moyle. 2000. Spatial and temporal ecology of native and introduced fish larvae in lower Putah Creek, California. Environ. Biol. Fish. 58(1):75-87.
- Marchetti, R. 1965. The toxicity of nonylphenol ethoxylate to the development stages of the rainbow trout, [*Salmo*] [*gairdneri*] Richardson. Ann. Appl. Biol. 55:425-430.
- Marcinko, M. T. 1978. Morphological and enzymatic identification of wild brook trout and brown trout eyed eggs, prolarvae, and larvae. M.S. Thesis, Southern Illinois Univ., Carbondale, IL.
- Marckmann, H. 1954. Is there any correlation between metabolism and number of vertebrae (and other meristic characters) in sea trout (*[Salmo trutta trutta]*)? Meddelelser fra Danmarks Fiskeriog Havundersogeiser 1:3-9.
- Marckmann, K. 1958. The influence of the temperature on the respiratory metabolism during the development of the sea-trout. Medd. fra. Danmarks Fiskeri-og Havundersogelser. New Series: Vol. 2, No. 21:20 pp.
- Marcotte, A., and J. L. Tremblay. 1948. Notes sur la biologie de l'eperlan (*[Osmerus mordax]* Mitchill) de la province de Quebec. Sta. Biol. St. Laurent, Prov. Quebec, Canada, Contrib. 18, 107 pp.
- Marcy, B. C., Jr. 1969. Resident fish population dynamics and early life history studies of the American shad in the Lower Connecticut River. Conn. River Invest., 9th Semiann. Prog. Rep.:13-32.
- Marcy, B. C., Jr. 1971. Survival of young fish in the discharge canal of a nuclear power plant. Journal of the Fisheries Research Board of Canada 28:1057-1060.
- Marcy, B. C., Jr. 1972. Spawning of the American shad, [*Alosa sapidissima*], in the lower Connecticut River. Ches. Sci. 13(2):116-119.
- Marcy, B. C., Jr., P. M. Jacobson, and R. L. Nankee. 1972. Observations on the reactions of young American shad to a heated effluent. Transactions of the American Fisheries Society 101:740-743.

- Marcy, B. C., Jr. 1973. Vulnerability and survival of young Connecticut River fish entrained at a nuclear power plant. *Journal of the Fisheries Research Board of Canada* 30(8):1195-1203.
- Marcy, B. C., Jr. 1974. Vulnerability and survival of young Connecticut River fish entrained at a nuclear power plant. Pages 281-288 [in] L. D. Jensen, editor. Proc. second workshop on entrainment and intake screening. Electric Power Research Inst.
- Marcy, B. C., Jr. 1975. Entrainment of organisms at power plants with emphasis on fishes - an overview. Pages 89-106 [in] S. B. Saila, editor. *Fish. and energy production: a symposium*. Lexington books, Lexington, MA.
- Marcy, B. C., Jr. 1976. Early life history studies of American shad in the lower Connecticut River and the effects of the Connecticut Yankee plant. Pages 141-168 [in] D. Merriman and L. M. Thorpe, editors. *The Connecticut River ecological study: the impact of a nuclear power plant*. Am. Fish. Soc. Monogr. I.
- Marcy, B. C., Jr. 1976. Fishes of the lower Connecticut River and the effects of the Connecticut Yankee Plant. Pages 61-113 [in] D. Merriman and L. M. Thorpe, editor. *The Connecticut River Ecological Study: Impact of a Nuclear Power Plant*. Am. Fish. Soc., Wash., D. C., Monograph No. 1, 252 pp.
- Marcy, B. C., Jr. 1976. Planktonic fish eggs and larvae of the lower Connecticut River and the effects of the Connecticut Yankee Plant including entrainment. Pages 115-139 [in] D. Merriman and L. M. Thorpe, editors. *The Connecticut River Ecological Study: Impact of a Nuclear Power Plant*. Am. Fish. Soc., Wash., D. C., Monograph No. 1, 252 pp.
- Margenau, T.L. 1992. Survival and cost-effectiveness of stocked fall fingerling and spring yearling muskellunge in Wisconsin. *North American Journal of Fisheries Management* 12:484-493.
- Margulies, D. 1983. A preliminary guide to the identification of families of larval fishes occurring in the Ohio River. *Ohio J. Sci.* 83(3):135-138.
- Margulies, D. 1993. Assessment of the nutritional condition of larval and early juvenile tuna and Spanish mackerel (*Pisces, Scombridae*) in the Panama Bight. *Marine Biology* 115:317-330.
- Marichamy, R. 1972. Maturity and spawning of the anchovy, [*Thrissina*] [*baelama*] (Forsk.) from the Andaman Sea. *Ind. J. Fish.* 17(1-2):179.
- Marinero, J. Y., and M. Bernard. 1966. Study of eggs and pelagic larvae of Mediterranean fish. 1. Preliminary note on the lethal influence of solar rays on the eggs. *Pelagos* 1966(6):49-55.
- Marinero, J. Y. 1968. Study of pelagic eggs and larvae of Mediterranean fish. 2. First stages of development of [*Trigla*] [*obscura*]. *Pelagos* No. 8:61-70.
- Marinero, J. Y. 1971. Contribution to the study of pelagic eggs and larvae of Mediterranean fish. 5. Pelagic eggs from the Bay of Algiers. *Pelagos* 3(1):1-118.
- Marine Research, Inc. 1973. Rome Point investigations. *Quart. Prog. Rep.*, June-Aug., 1973. Mar. Res. Inc., East Wareham, Mass., 150 pp.
- Marine Research, Inc. 1971-1978. Brayton Point investigations. *Interim Tech. Rep.* pp. 6-7. 27 seven separate reports. East Wareham, MA.
- Marine Research, Inc. 1978. Ichthyoplankton, in Boston Edison Co., marine ecology studies related to operation of Pilgrim Station. *Final Report*, Boston Edison, 2:V, 1-1-143.
- Marion, A. F. 1891. Oeufs flottants et alevins observes dans de Golfe de Marseille durant l'anne 1890. *Ann. Mus. Hist. nat. Marseille* 4(XI):112-121.

- Marion, A. F. 1894. Sur la peche et la reproduction du "Sioudet" ([*Atherina hepsetus*] L.). Ann. Mus. Hist. Nat. Marseille (Zool.) 4:93-99.
- Markert, J. R., and W. E. Vanstone. 1971. Egg proteins of coho salmon, [*Oncorhynchus kisutch*]: chromatographic separation and molecular weights of the major proteins in the high density fraction and their presence in the salmon plasma. J. Fish. Res. Bd. Can. 28(12):1853-1856.
- Markle, D. F. 1975. Young witch flounder, [*Glyptocephalus cynoglossus*], on the slope off Virginia. Journal of the Fisheries Research Board of Canada 32(8):1447-1450.
- Markle, D. F., and C. A. Wenner. 1979. Evidence of demersal spawning in the mesopelagic zoracid fish, [*Melanostigma atlanticum*], with comments on demersal spawning in the alepocephalid fish, [*Xenodermichthys copei*]. Copeia 1979(2):363-366.
- Markle, D. F., and J. E. Olney. 1980. A description of the vexillifer larvae of [*Pyramodon*] [*ventralis*] and [*Snyderidia canina*] (Pisces: Carpaidae) with comments of classification. Pac. Sci. 34:173-180.
- Markle, D. F., W. B. Scott, and A. C. Kohler. 1980. New and rare records of Canadian fishes and the influence of hydrography on resident and nonresident Scotian Shelf ichthyofauna. Can. J. Fish. Aquat. Sci. 37:49-65.
- Markle, D. F. 1982. Identification of larvae and juveniles of Canadian Atlantic gadoids with comments on the systematics of gadid subfamilies. Canadian Journal of Zoology 60(12):3420-3438.
- Markle, D. F., D. A. Methven, and L. J. Coates-Markle. 1982. Aspects of spatial and temporal co-occurrences in the life history stages of the sibling hakes, [*Europhycis*] [*chuss*] (Wal.) and [*E. tenius*] (Mitch.) (Pisces:Gadidae). Canadian Journal of Zoology 60:2057-2078.
- Markle, D. F. 1984. Phosphate buffered formalin for long term preservation of formalin fixed ichthyoplankton. Copeia 1984:525-528.
- Markle, D. F., and L. A. Frost. 1985. Comparative morphology, seasonality and a key to planktonic fish eggs from the Nova Scotian Shelf. Canadian Journal of Zoology 63:246-257.
- Markle, G. E. 1974. Distribution of larval swordfish in the northwest Atlantic Ocean. NOAA Tech. Rep. NMFS SSRF 675:252-260.
- Markofsky, J., and J. R. Matias. 1977. The effects of temperature and season of collection on the onset and duration of diapause in embryos of the annual fish, [*Nothobranchius guentheri*]. J. Exp. Zool. 202(1):49-56.
- Markov, K. P. 1975. Scanning electron microscope study of the microstructure of the egg membrane in the Russian sturgeon ([*Acipenser guldenstaedti*]). J. Ichthyol. 15(5):739-749.
- Markov, K. P. 1978. Adhesiveness of egg membranes in sturgeons (family Acipenseridae). J. Ichthyol. 18(3):437-446.
- Markovtey, V. G. 1978. Feeding interrelationships of young fish of the subfamily Cultrinae in Lake Khanka. J. Ichthyol. 18(2):235-242.
- Marks, R.E., and D.O. Conover. 1993. Ontogenetic shift in the diet of young-of-the-year bluefish [*Pomatomus saltatrix*] during the oceanic phase of the early life history. Fish. Bull., U.S. 91:97-106.
- Marks, R. E., F. Juanes, J. A. Hare, and D. O. Conover. 1996. Occurrence and effect of the parasitic isopod [*Lironeca ovalis*] (Isopoda, Cymothoidae) on young-of the year



bluefish ([*Pomatomus saltatrix*]) (Pisces: Pomatomidae). Can. J. Fish. Aquat. Sci. 53:2052-2057.

Marks, R. E., and D. O. Conover. 1993. Ontogenetic shift in the diet of young-of-the-year bluefish ([*Pomatomus saltatrix*]) during the oceanic phase of the early life history. Fishery Bulletin 91:97-106.

Markus, H. C. 1934. Life history of the blackhead minnow, [*Pimephales*] [*promelas*]. Copeia 1934(3):116-122.

Marley, R. D. 1983. Spatial distribution patterns of planktonic fish eggs in lower Mobile Bay, Alabama. Transactions of the American Fisheries Society 112:257-266.

Marliave, J. B. 1975. The behavioral transformation from the planktonic larval stage of some fishes reared in the laboratory. Ph.D. Diss., Univ. British Columbia, 231 pp.

Marliave, J. B. 1976. A theory of storm-induced drift dispersal of the gasterosteid fish, [*Aulorhynchus flavidus*]. Copeia 1976(4):794-796.

Marliave, J. B. 1977. Development of behavior of marine fish. Mem. Univ. Mar. Sci. Res. Lab. Tech. Rep. 20:240-267.

Marliave, J. B. 1977. Substrate preference of settling larvae of marine fishes reared in the laboratory. J. Exp. Mar. Biol. Ecol. 27:47-60.

Marliave, J. B.. 1977. Effects of three artificial lighting regimes on survival of laboratory reared larvae of the sailfin sculpin. Progressive Fish-Culturist 39(3):117-118.

Marliave, J. B. 1978. Spawning and yolk-sac larvae of the agonid fish species, [*Agonomalus mozinoi*] Wilimovsky and Wilson. Syesis 11:285-286.

Marliave, J. B. 1980. Survival through metamorphosis of Pacific herring prevented from schooling. Transactions of the American Fisheries Society 109:327-328.

Marliave, J. B. 1981. Spawn and larvae of the Pacific sandfish, [*Trichodon*] [*trichodon*]. U.S. NMFS Fish. Bull. 78:959-964.

Marliave, J. B. 1981. Vertical migration and larval settlement in [*Gilbertidia sigalutes*], Family Cottidae. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:349-351.

Marliave, J. B., S. K. Todd, and A.W. A. Baker. 1985. Larvae of the manacled sculpin, [*Synchirus gilli*] (Family: Cottidae). Pages 49-54 [in] A. W. Kendall, Jr., and J. B. Marliave, editors. Descriptions of early life history stages of selected fishes. Can. Tech. Rep. Fish. Aq. Sci. 1359.

Marliave, J. B. 1986. Lack of planktonic dispersal of rocky intertidal fish larvae. Transactions of the American Fisheries Society 115:149-154.

Marliave, J. B. 1988. Variation in pigment and nape morphology of larval tidepool sculpin. American Fisheries Society Symposium 5:80-88.

Marmulla, G., and R. Rosch. 1990. Maximum daily ration of juvenile fish fed on living natural zooplankton. Journal of Fish Biology 36:789-801.

Marquez, M. R. 1973. Informe sinoptico de la sierra, [*Scomberomorus*] [*maculatus*] (Mitchill), de Golfo de Mexico. Inst. Nacional de Pesca (Mexico), Ser. Inf. No. 14. 19 pp.

Marr, D. H. A. 1956. The "critical period" in the early life history of marine fishes. J. Cons., Cons. int. Explor. Mer 21:160-170.

- Marr, D. H. A. 1965. The influence of light and surface contour on the efficiency of development of the salmon embryo. Rep. Challenger Soc. 3(XVII):33.
- Marr, D. H. A. 1966. Influence of temperature on the efficiency of growth of salmonid embryos. Nature 212:957-959.
- Marr, J. C. 1948. Observations on the spawning of oceanic skipjack ([*Katsuwonus pelamis*]) and yellowfin tuna ([*Neothunnus macropterus*]) in the northern Marshall Islands. Fish. Bull. NOAA (U.S.) 51(44):201-206.
- Marr, J. C., and E. H. Ahlstrom. 1948. Observations on the horizontal distribution and the numbers of eggs and larvae of the northern anchovy ([*Engraulis mordax*]) off California in 1940 and 1941. NOAA Tech. Rep. NMFS Spec. Sci. Rep. Fish., No. 56, 13 pp.
- Marr, J. C. 1954. Rearing marine fish. U.S. Dept. Int., Fish. Wildl. Serv. Rep. 30 pp.
- Marr, J. C. 1960. The causes of major variations in the catches of the Pacific sardine, [*Sardinops caerulea*] (Girard). Proc. World. Sci. Meeting on the Biol. of sardines and related species. Food and Agriculture Organ. of United Nations, III:667-791.
- Marr, J. C. 1962. Contributions to the study of the early life history of the tuna. Pages 40-41 [in] J. C. Marr, editor. Pacific Tuna Biol. Conf., Honolulu, HI, Spec. Sci. Rep. Fish. U.S. Fish. Wildl. Serv. 415:55 pp.
- Marrin, D. L. 1983. Ontogenetic changes and intraspecific resource partitioning in the Tahoe sucker, [*Catostomus*] [*tahoensis*]. Environmental Biology of Fishes 8(1):39-48.
- Marsh, P. C. 1985. Effect of incubation temperature on survival of embryos of native Colorado River fishes. Southwest Nat. 30(1):129-140.
- Marshall, B. E. 1979. Observations on the breeding biology of [*Sarotherodon*] [*macrochir*] (Boulenger) in Lake McIllwaine, Rhodesia. J. Fish. Biol. 14(11):419-424.
- Marshall, C. T., O. S. Kjesbu, N. A. Yaragina, P. Solemdal and O. Ultang. 1998. Is spawner biomass a sensitive measure of the reproduction and recruitment potential of North-east Arctic cod? Can. J. Fish. Aquat. Sci. 55:1766-1783.
- Marshall, C. T., and K. T. Frank. 1999a. The effect of interannual variation in growth and condition on haddock recruitment. Can. J. Fish. Aquat. Sci. 56:347-355.
- Marshall, C. T., and K. T. Frank. 1999b. Implications of density-dependent juvenile growth for compensatory recruitment regulation. Can. J. Fish. Aquat. Sci. 56:356-363.
- Marshall, C. T., N. A. Yaragina, Y. Lambert, and O. S. Kjesbu. 1999. Total lipid energy as a proxy for total egg production by fish stocks. Nature 402:288-290.
- Marshall, N. 1946. Observations on the comparative ecology and life history of two sea robins, [*Prionotus carolinus*] and [*Prionotus evolans strigatus*]. Copeia 1946 (3):118-144.
- Marshall, N. 1947. Studies on the life history and ecology of [*Notropis*] [*chalybaeus*] (Cope). Q. J. Florida Acad. Sci. 9(3-4).
- Marshall, N. B. 1953. Egg size in Arctic, Antarctic, and deep-sea fishes. Evolution, Lancaster, PA, 7(4):328-341.
- Marshall, N. B. 1961. A young [*Macristium*] and the ctenothrissid fishes. Bull. Br. Mus. (Nat. Hist.) Zool. 7:355-370.
- Marshall, N. B. 1970. Swimbladder development and the life of deep sea fishes, pp. 69-73. In: Proc. Intl. Symp. On Biological Sound Scattering in the Ocean.

- Marshall, S. M., A. G. Nicholis, and A. P. Orr. 1937. On the growth and feeding of the larval and postlarval stages of the Clyde herring. *J. Mar. Biol. Assoc. U. K.* 22(1):245-267.
- Marteinsdottir, G., and K. Thorarinsson. 1998. Improving the stock-recruitment relationship in Icelandic cod (*Gadus morhua* L.) by including age diversity of spawners. *Can. J. Fish. Aquat. Sci.* (In press)
- Marteinsdottir, G., and A. Steinarsson. 1998. Maternal influence on the size and viability of Iceland cod (*Gadus morhua* L.) eggs and larvae. *J. Fish. Biol.* 52 (6):1241-1258.
- Marteinsdottir, G., and A. Steinarsson. 1998. Maternal influence on the size and viability of Meekan, M. G., and Fortier, L. 1996. Selection for fast growth during the larval life of Atlantic cod [*Gadus morhua*] on the Scotian Shelf. *Mar. Ecol. Prog. Ser.* 137:25-37.
- Martens, D. W., and J. A. Servizi. 1974. Acute toxicity of municipal sewage to fingerling sockeye salmon, and dechlorination of municipal sewage using sulfur dioxide. *Intl. Pac. Salmon Fish. Comm., Prog. Rep. No. 29 and 32.*
- Martin, F. D., and C. Hubbs. 1973. Observations on the development of pirate perch, [*Aphredoderus sayanus*] (Pisces: Aphredoderidae), with comments on yolk circulation patterns as a possible taxonomic tool. *Copeia* 1973:377-379.
- Martin, F. D., and G. E. Drewry. 1978. Development of fishes of the Mid-Atlantic bight. VI. Stromateidae through Ogcocephalidae. *U.S. Fish Wildl. Serv. Biol. Serv. Prog. FWS/OBS-78/12.*
- Martin, F. D., and G. E. Drewry. 1978. Seromatridae through Ogcocephalidae. VI. Development Fishes Mid-Atlantic Bight. *Fish Wildl. Serv. (U.S.)*, 416 pp.
- Martin, F. D., and R. Malloy. 1980. Histological and morphometric criteria for assessing nutritional state of larval striped bass, [*Morone saxatilis*]. *U.S. Fish and Wildl. Serv. Biol. Serv. Prog.*
- Martin, F. D., and M. Cooper. 1981. A comparison of fish faunas found in pure stands of two tropical seagrasses, [*Thalassia testudinum*] and [*Syringodium filliforme*]. *NE Gulf Sci.* 5:31-37.
- Martin, F. D., and E. M. Setzler-Hamilton. 1981. Assessment of larval striped bass stocks in the Potomac estuary for 1980. *Ann. Rep. U.S. NMFS, April 1980 - March 1981. Univ. Maryland, Ches. Biol. Lab., Solomons, MD. Ref. No. 81-65 CBL.*
- Martin, F. D., D. A. Wright, and J. C. Means. 1984. Fatty acids and starvation in larval striped bass (*Morone saxatilis*). *Comp. Biochem. Physiol.* 77B:785-790.
- Martin, F. D. 1984. Esocidae: development and relationships. Pages 140-141 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.*
- Martin, F. D., D. A. Wright, J. C. Means, and E. M. Setzler-Hamilton 1985. Importance of food supply to nutritional state of larval striped bass in the Potomac River estuary. *Transactions of the American Fisheries Society* 114:137-145.
- Martin, F. D., and D. A. Wright. 1986. Striped bass nutrition and recruitment: laboratory calibration. Tenth Ann. Larval Fish Conf., Miami, FL. *Symposium Series 2, Am. Fish. Soc.* In press.
- Martin, J. W. 1967. A method of measuring lengths of juvenile salmon from photographs. *Progressive Fish-Culturist* 29:238-240.

- Martin, M. 1958. Walleye hatching, rearing and transport techniques as practiced in Kentucky. Proc. 12th Ann. Conf. S. E. Assoc. G & F Comms. 12:78-91.
- Martin, N. V. 1949. Observations on the spawning habits of the lake trout ([*Cristivomer namaycush namaycush*]) in an Algonquin Park lake. Progressive Fish-Culturist 11:88.
- Martin, N. V. 1955. The effect of drawdowns on lake trout reproduction and the use of artificial spawning beds. Trans. N. Am. Wildl. Conf. 20:263-271.
- Martin, N. V. 1957. Reproduction of lake trout in Algonquin Park, Ontario. Transactions of the American Fisheries Society 86:231-244.
- Martin, N. V., and N. S. Baldwin. 1960. Observations on the life history of the hybrid between eastern brook trout and lake trout in Algonquin Park, Ontario. Journal of the Fisheries Research Board of Canada 17(4):541-551.
- Martin, R. 1968. The effect of malachite green as a fungicide. Ohio J. Sci. 68(2):118-121.
- Martin, R. 1975. Dry diet tests results on walleye fry and fingerlings. Proc. 6th Interstate Muskellunge Workshop:25-27.
- Martin, R. A., and C. L. Martin. 1970. Reproduction of the clingfish, [*Cobiesox strumosus*]. Q. J. Florida Acad. Sci. 33:275.
- Martin, R. A., and J. H. Finucane. 1968. Reproduction and ecology of the longnose killifish. Q. J. Florida Acad. Sci. 31:101-111.
- Martin, R. M., W. R. Heard, and A. C. Wertheimer. 1981. Short-term rearing of pink salmon ([*Oncorhynchus*] [*gorbusch*]) fry: effect on survival and biomass of returning adults. Can. J. Fish. Aquat. Sci. 38:554-558.
- Martin, W. R. 1949. The mechanics of environmental control of body form in fishes. Univ. of Toronto Studies, Biol. Ser. Publ. 58, Publs. Ontario Fish. Res. Lab. 70:1-73.
- Martinez, A. M. 1983. Identification of brook, brown, rainbow and cutthroat trout larvae. M.S. Thesis, Colorado State Univ., Fort Collins, CO.
- Martinez, A. M. 1984. Identification of brook, brown, rainbow, and cutthroat trout larvae. Transactions of the American Fisheries Society 113:252-259.
- Martinez, S. 1972. Fecundity, sexual maturation, and spawning of scaled sardine ([*Harengula pensacolatae*]). M.S. Thesis, Univ. Miami, Miami, FL. 51 pp.
- Martinez, S., and E. D. Houde. 1975. Fecundity, sexual maturation, and spawning of scaled sardine ([*Harengula jaguana*] Poey). Bull. Mar. Sci. 25:35-45.
- Martino, K. V. 1974. Natural reproduction of the grass carp in the lower Volga area. Hydrobiol. J. (USSR) 10:76-78.
- Marty, R., and C. Retiere. 1999. Larval-to-juvenile mobility activities of a holobenthic species, [*Nereis diversicolor*] (OF Muller) (Polychaeta : Nereidae) - their involvement in recruitment. Bulletin of Marine Science 65(3):761-773.
- Marty, Y. Y. 1956. The fundamental stage of the life cycle of Atlantic-Scandinavian herring. U.S. Fish. Wildl. Serv., Spec. Sci. Rep. 327.
- Marukawa, H. 1921. On the eggs and larvae of skipjack. J. Fish. Soc. Jap. 479:476-480.
- Marusov, Y. A. 1975. Reactions of young salmonids to certain natural chemical stimuli. J. Ichthyol. 15(2):341-343.

- Maryland Dept. Research and Education. 1955. Life history of the striped bass in Maryland waters. Maryland Tidewater News 11(9):Suppl. 3.
- Maryland Dept. Research and Education. 1955. Natural history of the American shad in Maryland waters. Maryland Tidewater News 11(11):Suppl. 4.
- Marzolf, R. C. 1957. Reproduction of channel catfish in Missouri ponds. J. Wildl. Man. 21: 22-28.
- Mashiko, K., and H. Yamagishi. 1976. Postembryonal growth of an eleotrid goby, [Odontobutis obscurus] (Temminck et Schlegel), as related to the development of behavior. Bull. Jap. Soc. Sci. Fish. 42(9):953-960.
- Mashneva, N. J. 1971. Effect of complex mixtures of radio-isotopes on developing eggs of freshwater fish after one-time contamination of water bodies. Hyg. Sanit. 36(7-9):482-483.
- Maskell, F. G. 1930. On the New Zealand lamprey, [Geotria australis] Gray. On the mid-gut diverticula, the bile duct and the problem of the pancreas in the ammocoetes stage. Trans. New Zeal. inst. 61:478-497.
- Maso, M., and I. Palomera. 1984. Vertical distribution of midwater fish larvae off western Mediterranean. Invest. Pesquera 48(3):455-468.
- Mason, J. C. 1966. Behavioral ecology of juvenile coho salmon, [Oncorhynchus kisutch], in stream aquaria with particular reference to competition and aggressive behavior. Ph.D. Diss., Oregon State Univ., Corvallis. 195 pp.
- Mason, J. C., and J. L. Fessler. 1966. A simple apparatus for the incubation of salmonid embryos at controlled levels of temperature, water flow, and dissolved oxygen. Progressive Fish-Culturist 28(3):171-174.
- Mason, J. C. 1969. Hypoxial stress prior to emergence and competition among coho salmon fry. Journal of the Fisheries Research Board of Canada 26:63-91.
- Mason, J. C. 1974. Behavioral ecology of chum salmon fry ([Oncorhynchus] [keta]) in a small estuary. Journal of the Fisheries Research Board of Canada 31:83-92.
- Mason, J. C. 1975. Seaward movement of juvenile fishes including lunar periodicity in the movement of coho salmon, [Oncorhynchus kisutch], fry. Journal of the Fisheries Research Board of Canada 32(12):2542-2547.
- Mason, J. C. 1976. Some features of coho salmon, [Oncorhynchus kisutch], fry emerging from simulated redds and concurrent changes in photo-behavior. Fish. Bull. 74(1):167-175.
- Mason, J. C., O. D. Kennedy, and A. C. Phillips. 1981. Canadian Pacific Coast ichthyoplankton survey 1980. Ichthyoplankton. Cruise One, Jan. 15-22. Can. Data. Rep. Fish. Aq. Sci. 275:57 pp.
- Mason, J. C., O. D. Kennedy, and A. C. Phillips. 1981. Canadian Pacific Coast ichthyoplankton survey 1980. Ichthyoplankton. Cruise Two, Feb. 13-20. Can. Data Rep. Fish. Aq. Sci. 276:66 pp.
- Mason, J. C., O. D. Kennedy, and T. H. Mullin. 1981. Canadian Pacific ichthyoplankton survey 1980. Hydrography. 1. horizontal contours of temperature, salinity, and sigma-t, at selected depths by monthly cruise. Can. Data Rep. Fish. Aq. Sci. 279:110 pp.
- Mason, J. C., O. D. Kenney, and T. H. Mullin. 1981. Canadian Pacific ichthyoplankton survey 1980. Hydrography. 2. Vertical contours of temperature, salinity, and sigma-t on transect lines, by monthly cruise. Can. Data Rep. Fish. Aq. Sci. 280:77 pp.

- Mason, J. C., O. D. Kennedy, and T. H. Mullin. 1981. Canadian Pacific ichthyoplankton survey, 1980. Hydrography. 3. Vertical profiles of temperature, salinity, and sigma-t by station. Can. Data Rep. Fish. Aq. Sci. 218:114 pp.
- Mason, J. C., O. D. Kennedy, and A. C. Phillips. 1982. The Strait of Georgia ichthyoplankton survey, 1981. Ichthyoplankton. Cruises 1, 2 and 3. Can. Data Rep. Fish. Aq. Sci. 360:245 pp.
- Mason, J. C., O. D. Kennedy, and A. C. Phillips. 1982. The Strait of Georgia ichthyoplankton survey, 1981. Ichthyoplankton Cruises 5, 7 and 8. Can. Data Rep. Fish. Aq. Sci. 364:245 pp.
- Mason, J. C., R. J. Beamish, and G. A. McFarlane. 1983. Sexual maturity, fecundity, spawning, and early life history of sablefish, [*Anoplopoma fimbria*], off the Pacific coast of Canada. Canadian Journal of Fisheries and Aquatic Sciences 40(12):2126-2134.
- Mason, J. D., and D. W. Chapman. 1965. Significance of early emergence, environmental rearing capacity, and behavioral ecology of juvenile coho salmon in stream channel. Journal of the Fisheries Research Board of Canada 22(1):175-190.
- Mason, J. M., Jr. 1976. Food of small northwestern Atlantic bluefin tuna, [*Thunnus thynnus*] (L.), as ascertained through stomach content analysis. M.S. Thesis, Univ. Rhode Island.
- Massachusetts Division of Marine Fisheries. 1977. Biological investigations in northern Buzzards Bay and the Cape Cod Canal for Canal Electric Company. Comm. Mass., Boston, Proj. Rep. No. 2, 7 pp.
- Massachusetts Division of Marine Fisheries. 1977. Biological investigations in northern Buzzards Bay and the Cape Cod Canal for Canal Electric Company. Comm. Mass., Boston, Prof. Rep. No. 3.
- Massachusetts Division of Marine Fisheries. 1978. Biological investigations in northern Buzzards Bay and the Cape Cod Canal for Canal Electric Company. Comm. Mass., Boston, Proj. Rep. No. 4, 14 pp.
- Massicotte, B., and J. J. Dodson. 1991. Endogenous activity rhythms in tomcod (*[Microgadus proximus]*) post-yolk-sac larvae. Canadian Journal of Zoology 69:1010-1016.
- Massman, W. H., J. J. Norcross, and E. B. Joseph. 1961. Fishes and fish larvae collected from Atlantic plankton cruises of R/V Pathfinder, Dec. 1959-Dec. 1960. Virginia Fish. Lab. Spec. Rep. 26:15 pp.
- Massman, W. H. 1963. Summer food of juvenile American shad in Virginia waters. Ches. Sci. 4(4):167-171.
- Massman, W. H. 1952. Characteristics of spawning areas of shad, [*Alosa*] [*sapidissima*] (Wilson), in some Virginia streams. Transactions of the American Fisheries Society 81:78-93.
- Massmann, W. H. 1953. Relative abundance of young fishes in Virginia estuaries. Trans. 18th N. Am. Wildl. Conf.:439-449.
- Massmann, W. H. 1954. Distribution and abundance of young shad. Virginia Comm. Fish. 54th and 55th Ann. Repts.
- Massmann, W. H. 1962. Atlantic menhaden larvae in Virginia coastal waters. Ches. Sci. 3:42-45.
- Massmann, W. H. 1963. Summer foods of juvenile American shad in Virginia waters. Chesapeake Sci. 4(4):167-171.

- Massmann, W. H., and A. L. Pacheco. 1960. Disappearance of young Atlantic croaker from the York River, Virginia. *Transactions of the American Fisheries Society* 89(2):154-159.
- Massmann, W. H., E. B. Joseph, and J. J. Norcross. 1962. Fishes and fish larvae collected from Atlantic plankton cruises of R.V. Pathfinder, March 1961-March 1963. *Va. Fish. Lab., Spec. Sci. Rep. No. 33*, 3 pp.
- Massmann, W. H., E. C. Ladd, and H. N. McCutcheon. 1952. A biological survey of the Rappahannock River. *Spec. Scient. Rep. VA Fish. Lab. 6(2 vols.)*, 333 pp.
- Massmann, W. H., E. C. Ladd, and H. N. McCutcheon. 1954. Postlarvae and young of the menhaden ([*Brevoortia*] [*tyrannus*]) in brackish and fresh water of Virginia. *Copeia* 1954(1):19-23.
- Massmann, W. H., et al. 1961. Fishes and fish larvae collected from Atlantic plankton cruises of R/V Pathfinder, Dec. 1959-Dec. 1960. *Virginia Fish. Lab. Spec. Sci. Rep. 26*.
- Massmann, W. H., J. J. Norcross, and E. B. Joseph. 1963. Distribution of larvae of the naked goby, [*Gobiosoma*] [*bosci*], in the York River. *Ches. Sci.* 4(3):120-125.
- Masterman, A. T. 1893. General report on the pelagic eggs, larval and young fishes procured by the "Garland" in 1892 and 1893. *11th Ann. Rep. Fishery Bd. Scotl.* 250-264.
- Masterman, A. T. 1896. Note on the rate of growth, larval and post-larval forms of the herring. *14th Ann. Rep. Fishery Bd. Scotl.*:294-502.
- Masterman, A. T. 1896. The effects of pelagic spawning habit on the life histories of fishes. *Rep. Br. Assoc. Advmt. Sci., 66th Mtg.*:837.
- Masterman, A. T. 1897. A review of the work of the "Garland" in connection with the pelagic eggs of the food-fishes, 1890-1896. *15th Ann. Rep. Fishery Bd. Scotl., pt. 3*:219-261.
- Masterman, A. T. 1901. A contribution to the life histories of the cod and whiting. *Trans. R. Soc. Edinb.* 40:1-14.
- Masterman, A. T. 1910. Report on the later stages of the Pleuronectidae. *Rapp. P.-v. Reun. Cons. prm. it. Explor. Mer* 12C(4):1-82.
- Masuda, R., and K. Tsukamoto. 1996. Morphological development in relation to phototaxis and rheotaxis in the striped jack, [*Pseudocaranx dentex*]. Pages 75-90 [in] L.A. Fuiman, editor. *Marine and Freshwater Behaviour and Physiology* 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Masuda, R., J. Shoji, M. Aoyama, and M. Tanaka. 2002. Chub mackerel larvae fed fish larvae can swim faster than those fed rotifers and [*Artemia*] nauplii. *Fisheries Science* 68(2):320-324.
- Masuda, S., M. Endo, K. Tsukamoto, T. Takeda, and R. Ishida. 1981. Influences of hatchery and lake origins of released ayu juveniles, [*Plecoglossus altivelis*], in their dispersion in the Tsubus River. *Bull. Jap. Soc. Sci. Fish.* 47(8):1093-1114.
- Masuda, T., and K. Tanaka. 1962. Young of labroid and scaroid fishes from the central Pacific of Japan. *J. Tokyo Univ. Fish.* 48:1-98.
- Masurekar, V. B. 1967. Eggs and developmental stages of [*Tylosurus*] [*crocodilus*] (LeSueur). *J. Mar. Biol. Assoc. India* 9:70-75.
- Masurekar, V. B. 1968. Eggs and developmental stages of [*Tylosurus*] [*crocodilus*] (LeSueur). *Adv. Abstr. Contr. Fish. Aquat. Sci. India* 2(2):6.

- Matarese, A. C., S. L. Richardson, and J. R. Dunn. 1981. Larval development of Pacific tomcod, [*Microgadus*] [*proximus*], in the northeast Pacific Ocean with comparative notes on larvae of walleye pollock, [*Theragra chalcogramma*], and Pacific cod, [*Gadus*] [*macrocephalus*] (Gadidae). *Fish. Bull. U.S.* 78:923-940.
- Matarese, A. C., and J. B. Marliave. 1982. Larval development of laboratory reared rosy lip sculpin, [*Ascelichthys rhodorus*] (Cottidae). *Fish. Bull. U.S.* 80:345-355.
- Matarese, A. C., and B. M. Vinter. 1983. Notes on the development and occurrence of larvae of the longfin Irish lord, [*Hemilepidotus zapus*] (Cottidae). Unpubl. MS, NorthWest Alaska Fish. Ctr., NOAA, Seattle. 19 pp.
- Matarese, A. C., and E. M. Sandknop. 1984. Identification of fish eggs. Pages 27-30 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Matarese, A. C., E. G. Stevens, and W. Watson. 1984. Icosteoidei: development and relationships. Pages 576-577 [in] H.G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Matarese, A. C., W. Watson, and E. G. Stevens. 1984. Blennioidea: development and relationships. Pages 565-573 [in] H.G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Matarese, A. C., and B. M. Vinter. 1985. The development and occurrence of larvae of the longfin Irish Lord, [*Hemilepidotus zapus*] (Cottidae). *Fish. Bull.* 83(3):447-456.
- Matarese, A.C., A.W. Kendall, D.M. Blood and M.V. Vinter. 1989. Laboratory guide to early life history stages of Northeast Pacific fishes. NOAA Tech. Rep. NMFS 80:1-652. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002).
- Mather, F. 1876. Hatching yellow perch. *Forest and Stream* 6:51.
- Mather, F. 1883. Remarkable development of embryo salmon. *Transactions of the American Fisheries Society* 1882:7-11.
- Mather, F. 1885. Fresh and salt water hatching at Cold Spring Harbor. *Transactions of the American Fisheries Society* 1884:6-12.
- Mather, F. 1891. Danger to fish eggs in transit. *Transactions of the American Fisheries Society* 1890:43-45.
- Mather, F. 1891. Eggs of pike-perch - [*Stizostedion vitreum*]. *Transactions of the American Fisheries Society* 19(1890):15-16.
- Mather, F. J., III, H. L. Clark, and J. M. Mason, Jr. 1975. Synopsis of the biology of the white marlin, [*Tetrapturus albidus*] Poey (1861). Pages 55-94 [in] R. S. Shomura, and F. Williams, editors. *Proc. Intl. Billfish Symp., Kailua-Kona, Hawaii, Aug. 1972, Part 3, Species Synopsis*. U.S. Dept. Comm., NOAA Tech Rep. NMFS SSRF-675.
- Mathers, E. M., D. F. Houlihan, and L. J. Burren. 1994. RNA, DNA and protein concentrations in fed and starved herring [*Clupea harengus*] larvae. *Marine Ecology-Progress Series* 107:223-231.
- Mathias, J. A., and S. Li. 1982. Feeding habits of walleye larvae and juveniles: comparative laboratory and field studies. *Transactions of the American Fisheries Society* 111:722-735.



- Mathur, D., and J. S. Ramsey. 1974. Reproductive biology of the rough shiner, [Notropis] [baleyii], in Halawakee Creek, Alabama. Transactions of the American Fisheries Society 103(1):88-93.
- Mathur, D., P. G. Heisey, and N. C. Magnusson. 1977. Impingement of fishes at Peach Bottom Atomic Power Station, PA. Transactions of the American Fisheries Society 106(3):258-267.
- Mathur, D., and P. G. Heisey. 1980. Monitoring of fish in pumped-storage systems. Pages 177-204 [in] C. H. Hocutt and J. R. Stauffer, Jr., editors. Biological monitoring of fish. D. C. Heath and Co., Lexington Books, Lexington, MA.
- Matias, J. R., and J. Markofsky. 1978. The survival of embryos of the annual fish [Nothobranchius guentheri] exposed to temperature extremes and the subsequent effects on embryonic diapause. J. Exp. Zool. 204:219.
- Matias, J. R. 1982. Embryonic diapause in annual fishes: evaporative water loss and survival. Experientia (Basel) 38:1315-1316.
- Matias, J. R. 1984. The stage-dependent resistance of the chorion to external chemical damage and its relationship to embryonic diapause in the annual fish, [Nothobranchius guentheri]. Experientia 40(7):753.
- Matsouka, M. 1984. Morphometry of the myotomal muscle fibers in larvae and juveniles of the red sea bream. Bull. Jap. Soc. Sci. Fish. 50(11):1811-1816.
- Matsubara, K. 1942. On the metamorphosis of a clupeoid fish, [Pterothrissus gissu] Hilgendorf. J. Imp. Fish. Inst. (Tokyo) 35(1):1-16.
- Matsuda, S. 1969. The studies on fish eggs and larvae occurring in the Nansei regional waters of Japan - I. Species occurred and their seasonal variation. Bull. Nansei Regional Fish. Res. Lab. 2:49-83.
- Matsuda, H., K. Fukase, K. Kotaki, and K. Asano. 1996. Inconsistency between the per capita fecundity and estimate of the yearly egg production of the chub mackerel [Scomber japonicus] in Japan. Fisheries Science 62:178-183.
- Matsuhashi, E., and K. Kobayashi. 1967. Data on fish larvae collected with a larva net. Data Rec. Oceanogr. Obsns Explor. Fishg. 11:219-226.
- Matsui, I. 1957. On the records of leptocephalus and catadromous eels of [Anguilla japonica] in the waters around Japan with a presumption of their spawning places. J. Shimonoseki Coll. Fish. 7(1):151-167.
- Matsui, I., and T. Takai. 1971. Leptocephali of the eel, [Anguilla japonica], found in the waters of Ryuku Deep. J. Shimonoseki Univ. Fish. 20:13-18.
- Matsui, I., T. Takai, A. Kataoka, and J. Shimonoseki. 1968. Anguillid leptocephalus found in the Japan Current and its adjacent waters. Univ. Fish. 17:17-23.
- Matsui, I., T. Takai, and A. Kataoka. 1970. Leptocephali of the eel, [Anguilla obscura], found in the stomachs of skipjack tuna, [Katsuwonus pelamis], caught near New Guinea. J. Shimonoseki Coll. Fish. 19:25-28.
- Matsui, K. 1949. Illustration of the normal courses of development in the fish, [Oryzias latipes]. Jikken-keitai Gaku 5:33-42. In Japanese.
- Matsui, S., T. Honda, S. Fujii, and H. Tsukahara. 1974. The distribution of fish and larvae. In: "Preliminary report of the Hakuho Maru Cruise KH-73-5". Ocean Res. Inst., Univ. Tokyo:10-20.

- Matsui, T. 1963. The larvae of [Rastrelliger]. [In] S.E. Asia Res. Prog., Univ. Calif. Scripps Inst. Oceanogr., editor. Ecology of the Gulf of Thailand and the South China Sea. Univ. California S10 Ref. (63-6):59-69.
- Matsui, T. 1970. Description of the larvae of [Rastrelliger] (mackerel) and a comparison of the juvenile and adults of the species [Rastrelliger kanagurta] and [R. brachysoma]. Naga Rep. 5, Pt. 1:33 pp.
- Matsui, T., and R. H. Rosenblatt. 1971. Ontogenetic changes in patterns of light organs in searsids and the taxonomy of [Sagamichthys] and [Persparsia]. Copeia 1971:440-448.
- Matsumiya, Y., and T. Mitani, and M. Tanaka. 1982. Changes in distribution pattern and condition coefficient of the juvenile Japanese sea bass with the Chikugo ascending. Bull. Jap. Soc. Sci. Fish. 48(2):129-138.
- Matsumiya, Y., H. Masumoto, and M. Tanaka. 1985. Ecology of ascending larvae and early juvenile Japanese sea bass in the Chikugo Estuary. Bull. Jap. Soc. Sci. Fish. 51(12):1955-1963.
- Matsumoto, S and M. Tanaka. 1996. The influence of thyroid hormone on development and settlement of spottybelly greenling ([Hexagrammos agrammus]; Pisces). Pages 33-44 [in] L.A. Fuiman, editor. Marine and Freshwater Behaviour and Physiology 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Matsumoto, W. M. 1958. Description and distribution of larvae of four species of tuna in central Pacific waters. Fish. Bull. Fish Wildl. Serv. U.S. 58:30-72.
- Matsumoto, W. M. 1959. Description of [Euthynnus] and [Auxis] larvae from the Pacific and Atlantic oceans and adjacent seas. Dana Rep., No. 50, 34 pp.
- Matsumoto, W. M. 1960. The application of paper chromatography in identifying tuna larvae. Spec. Sci. Rep. Fish. U.S. Fish. Wildl. Serv. 337:9 pp.
- Matsumoto, W. M. 1961. Collection and description of juvenile tunas from the central Pacific. Deep Sea Res. 8(3-4):279-285.
- Matsumoto, W. M. 1962. Identification of larvae of four species of tuna from the Indo-Pacific region. I. Carlsburg Foundation's Oceanographical Expedition Round the world, 1928-1930 and Previous "Dana" Expeditions. Dana Rep., No. 55, 16 pp.
- Matsumoto, W. M. 1966. Distribution and abundance of tuna larvae in the Pacific Ocean. Pages 221-230 [in] T. A. Manar, editor. Proc. Governor's Conf. on Central Pacific Fish. Resources, Honolulu, 1966. U.S. Dept. Int.
- Matsumoto, W. M. 1967. Morphology and distribution of larval wahoo, [Acanthocybium solandri] (Cuv.), in the central Pacific Ocean. NMFS Fish. Bull. 66(2):299-322.
- Matsumoto, W. M., S. Jones, W. L. Klawe, W. J. Richards, and S. Ueyanagi. 1969. Report of the working party on tuna eggs, larvae and juveniles. In: Rep. of third session of FAO Panel of experts for facilitation of tuna research. FAO Fish. Rep. (60):20-23.
- Matsumoto, W. M., E. H. Ahlstrom, S. Jones, W. L. Klawe, W. J. Richards, and S. Ueyanagi. 1972. On the clarification of larval tuna identification particularly in the genus [Thunnus]. Fish. Bull. NOAA (U.S.) 70(1):1-12.
- Matsumoto, W. M., and T. K. Kazama. 1974. Occurrence of young billfishes in the central Pacific Ocean. NOAA Tech. Rep. NMFS Circ. 675:238-246.
- Matsumura, S., H. Hattori, and I. Mitani. 1971. Eggs and larvae of the anchovy, [Engraulis japonica] (Houtt.), in Bisan Strait, the central part of the Inland Sea in 1971. Bull. Fish. Exp. Sta. Okayama Prefect. 46:14-16.

- Matsumura, S., H. Hattori, and I. Mitani. 1971. Larvae of the sand eel, [*Ammodytes personatus*] Girard, in Bisan Strait, the central part of the Inland Sea, in 1971. Bull. Fish. Exp. Sta. Okayama Prefect. 1971:17-25.
- Matsuoko, M. 1982. Development of vertebral column and caudal skeleton of the red sea bream, [*Pagrus major*]. Jap. J. Ichthyol. 29:285-294.
- Matsuoka, M., and T. Iwai. 1984. Development of the myotomal musculature in the red sea bream. Bull. Jap. Soc. Sci. Fish. 50:29-35.
- Matsuoka, M. 1985. Osteological development in the red sea br eam, [*Pagrus major*]. Jap. J. Ichthyol. 32(1):35-51.
- Matsusato, T. 1972. Primitive erythropoiesis in early development of amago, [*Oncorhynchus rhodurus*], and rainbow trout, [*Salmo gairdneri irideus*]. Fish Health News 2(2): 13.
- Matsushima, M. 1956. Spawning activity of wild goldfish in Lake Sagami Reservoir, observed through the eggs deposited on fish nest and the ovarian eggs. Bull. Freshwat. Fish. Res. Lab. Tokyo. 6(1):1-20.
- Matsushita, K. 1992. Possible importance of turbulence at the spatial scale of a larval fish visual field on feeding success. Arch. Hydrobiol. Beih (Ergebn. Limnol. ) 36:109-121.
- Matsushita, K. M. Shimizu, and Y. Nose. 1988. Food density and rate of feeding larvae of anchovy and sardine in patchy distribution. Bull. Jap. Soc. Sci. Fish. 54:401-411.
- Matsushita, K. M., and Y. Nose. 1982. Micro-distribution of anchovy eggs and larvae in Sagami Bay. Bull. Jap. Soc. Sci. Fish. 48:355-362.
- Matsuura, Y. 1971. A study of the life history of Brazilian sardines, [*Sardinella aurita*]. I. Distribution and abundance of sardine eggs in the region of Ilha Grande, Rio de Janeiro. Boln Inst. esp. Oceanogr. 20:33-60.
- Matsuura, Y. 1971. Report of the exploratory fishing research in the region of the continental shelf of Rio Grande do Sul. App. 1. Preliminary Report on the distribution of eggs and larvae of fish in waters of the continental shelf of the State of Rio Grande do Sul. Contrcoes Inst. oceanogr. Univ. S. Paulo (Ser. Ocean.
- Matsuura, Y. 1972. Egg development of scaled sardine, [*Harengula*] [*pensacolae*] Goode and Bean (Pisces, Clupeidae). Boln Inst. esp. Oceanogr. 21:129-135.
- Matsuura, Y. 1973. Morphological and ecological studies of clupeoid larvae from southern Brazil. FAO Fish. Rep. 141:41.
- Matsuura, Y. 1975. A study of the life history of Brazilian sardine, [*Sardinella brasiliensis*]. II. Spawning in 1970 and 1971. Boln. Inst. esp. Oceanogr.
- Matsuura, Y. 1977. A study of the life history of Brazilian sardine, [*Sardinella brasiliensis*]. 4. Distribution and abundance of sardine larvae. Bolm. Inst. Oceanogr. S. Paulo 26:219-247.
- Matsuura, Y. 1977. A study of the undersampling problem of fish larvae observed at the fixed stations in south Brazil. Bolm. Inst. Oceanogr. S. Paulo 26:273-283.
- Matsuura, Y. 1977. O ciclo de vida da sardinha - Verdacleira. Publ. esp. Inst. Oceanogr. S. Paulo 4:1-146. John Hopkins Univ. 1974.
- Matsuura, Y. 1979. Distribution and abundance of eggs and larvae of the Brazilian sardine, [*Sardinella brasiliensis*], during 1974-75 and 1975-76 seasons. Bull. Jap. Soc. Fish. Oceanogr. 34:1-12.

- Matsuura, Y., and K. Nakatani. 1979. Ocorrenciois de larvas e jovens de peixes na Ilha Anchieta (SP), com algumas anotacoes sobre a morfologia da castanla, [Umbrina coroides] Cuv. 1830. Bolm Inst. Oceanogr. S. Paulo 28:165-183.
- Matsuura, Y., and K. Nakatani. 1980. Variability in quantity of zooplankton, fish eggs and larvae associated with two different mesh sizes in Bongo nets. Atlantica 4:43-52.
- Matsuura, Y., K. Nakatani, and S. T. J. Tamassia. 1980. Dishribirica sazonal de zooplancton, ovos e larves de peixes no segias centro-sul Brasil (1975-77). Bolm Inst. Oceanogr. S. Paulos 29(2):231-235.
- Matsuura, Y., and M. Katsuragawa. 1981. Larvae and juveniles of grey triggerfish, [Balistes] [capriscus], from southern Brazil. Jap. J. Ichthyol. 28:267-275.
- Matsuura, Y., and G. Sato. 1981. Distribution and abundance of scombrid larvae in south Brazilian waters. Bull. Mar. Sci. 31(4):824-832.
- Matsuura, Y. 1982. Distribution and abundance of skipjack, [Katsuwonus] [pelamis], larvae in eastern Brazilian waters. Bolm. Inst. Oceanogr. S. Paulo 31(2):5-7.
- Matsuura, Y., and M. Katsuragawa. 1985. Osteological development of fins and their supports of larval grey triggerfish, [Balistes capriscus]. Jap. J. Ichthyol. 31(4):411-421.
- Matsuura, Y., and N. T. Yoneda. 1986. Early development of the lophiid anglerfish, [Lophius gastrophysus]. Fish. Bull. NOAA 85:429-436.
- Matsuura, Y., and N. T. Yoneda. 1987. Osteological development of the lophiid anglerfish, [Lophius gastrophysus]. Jap. J. Ichthyol. 33(4):360-367.
- Matthews, G. M., G. A. Swan, and J. R. Smith. 1977. Improved bypass and collection system for protection of juvenile salmon and steelhead trout at Lower Granite Dam. U.S. NMFS, Mar. Fish. Rev. 39(2):10-14.
- Matthews, J. P., and B. V. D. de Jager. 1951. The development of the Cape stockfish ([Merluccius] [capensis]). Invest. Rep. Fish. Mar. Biol. Surv. Div. Un. S. Afr. 13:3-10.
- Matthews, L. H. 1950. Reproduction in the basking shark, [Cetorhinus] [maximus] (Gunner). Philos. Trans. R. Soc. Lond. Ser. B Biol. Sci. 234B:247-316.
- Matthews, S. A. 1937. The development of the pituitary gland in [Fundulus]. Biol. Bull. 73:93-98.
- Matthews, S. B. 1965. Reproductive behavior of the Sacramento perch, [Archoplites interruptus]. Copeia 1965(2):224-228.
- Matthews, W. J. 1984. Influence of turbid inflows on vertical distribution of larval shad and freshwater drum. Transactions of the American Fisheries Society 113:192-198.
- Matthiessen, G. C. 1970-1973. Brayton Point investigation. Interim Tech. Rep., July. New England Power Co.
- Matthiessen, G. C. 1971-73. 7 reports. Brayton Point investigations. Quart. Prog. Rep., Nov., 1971-Jan., 1972. Marine Research, Inc., East Wareham, Mass.
- Matton, P., and O. N. Lattam. 1969. Effect of the organophosphate dylox on rainbow trout larvae. Journal of the Fisheries Research Board of Canada 26:2193-2200.
- Mattson, C. R., and B. L. Wing. 1978. Ichthyoplankton composition and plankton volumes from inland coastal waters of Southeastern Alaska, U.S.A., April-November 1972. NOAA Tech. Rep. NMFS Spec. Sci. Rep. Fish. 723:1-11.

- Matuda, S. 1966. Some considerations on the eggs and larvae of various fishes in Hyuganada and adjacent waters, 1954-64. Rep. Nankai Reg. Fish. Res. Lab. 23:1-30.
- Matveeva, R. R. 1955. The nutrition of the young pike in the spawning cultivation establishment in 1953. Vop. Ikhtiol. 5:61-70. Biol. Abst. 32(7):22146.
- Matveeva, R. P. 1957. Nutrition of young Clupeidae in the North Caspian. Tr. Vses. gilkbobiol. Obshch. 8:368-386.
- Matveiev, B. 1929. Die Entwicklung der vorderen Wirbel und des Weber'schen apparatus bei Cyprinidae. Zoologische Jahrbucher (Anatomie und Entwicklung) 51(4): 463-534.
- Matveiev, B. S. 1940. On the divergence of characters in the ontogeny of the teleosts. In: A la Memoire de A. N. Sewertzoff Moscow 2:69-122.
- Matyunina, V. M. 1972. Materials on the feeding of larvae and fry of pollock, [*Theragra chalcogramma*], in Karaginskaya Bay. Izv. TINRO 82:333-337.
- Mauck, W. L., P. M. Hehrule, and F. L. Mayer. 1978. Effects of the polychlorinated biphenyl, Arochlor 1254, on growth, survival, and bone development in brook trout (*[Salvelinus fontinalis]*). Journal of the Fisheries Research Board of Canada 35:1084-1088.
- Maule, A. G., and H. F. Horton. 1984. Feeding ecology of walleye, [*Stizostedion vitreum*] vitreum, in the mid-Columbia River, with emphasis on the interactions between walle ye and juvenile anadromous fishes. U.S. NMFS Fish. Bull. 82:411-418.
- Mauz, J. V. 1964. A pumping device used to collect walleye eggs from offshore spawning areas in western Lake Erie. Transactions of the American Fisheries Society 93(2):204-206.
- Mavor, J. W. 1918. On the age and growth of the pollock in the Bay of Fundy. Contr. Can. Biol. 1917-1918(1918), Suppl. 7th Ann. Rep., Dept. Naval Serv. Fish Br. Canada, No. 6:111-125.
- Maxfield, G. H. 1953. The food habits of hatchery-produced pond cultured shad (*[Alosa sapidissima]*) reared to a length of two inches. Ches. Biol. Lab., Publ. No. 98, 38 pp.
- Maximov, V. P. 1971. On the biology of sailfish, [*Istiophorus platypterus*] (Shaw et Nodder), from the Atlantic Ocean. Vopr. Iktiolo. 11, 6(71):969-974.
- Maxon, K. 1969. A live trout egg sorter. Progressive Fish-Culturist 31(3):165.
- Maxwell, R., and A. R. Essbach. 1971. Eggs of threadfin shad successfully transported and hatched after spawning on excelsior mats. Progressive Fish-Culturist 33(3):140.
- May, B. 1968. Biology of the threadfin shad. Final Rep. North Carolina Wildl. Comms. Div. Inland Fish. Job X-B, Proj. F-16-R. 13 pp.
- May, B. 1969. Observations on the biology of the variegated darter, [*Etheostoma variatum*] (Kirtland). Ohio J. Sci. 69:85-92.
- May, E., and C. Gasaway. 1967. A preliminary key to the identification of larval fishes of Oklahoma, with particular references to Canton Reservoir, including a selected bibliography. Oklahoma Dept. Wildl. Cons. Bull., No. 5, 42 pp.
- May, O. D., Jr., and J. C. Fuller, Jr. 1962. A study on striped bass egg production in the Congaree and Wateree Rivers. South Carolina Wildl. Res. Dept., Div. of Game, 39 pp.
- May, R. C. 1967. Larval survival in the maomao, [*Abudefduf*] [*abdominalis*] (Quoy and Gaimard). M.S. Thesis, Univ. Hawaii, Honolulu.

- May, R. C. 1970. Feeding larval marine fishes in the laboratory: a review. California Mar. Res. Comm., CalCOFI Rept., 14:76-83.
- May, R. C. 1971. An annotated bibliography of attempts to rear the larvae of marine fishes in the laboratory. NOAA Tech. Rep. 632, 24 pp.
- May, R. C. 1971. Effects of delayed initial feeding on larvae of the grunion, [*Leuresthes tenuis*] (Ayres). Fish. Bull. U.S. 69:411-425.
- May, R. C. 1972. Effects of temperature and salinity on eggs and early larvae of the Sciaenid fish, [*Bairdiella icistia*] (Jordan and Gilbert). Ph.D. Diss., Univ. Calif., San Diego, CA. 281 pp.
- May, R. C. 1973. Larval mortality in marine fishes and the "critical period" concept. FAO Fish. Rep. 141:42.
- May, R. C. 1974. Larval mortality in marine fishes and the critical period concept. Pages 3-19 [in] J. H. S. Blaxter, editor. The early life history of fishes. Springer-Verlag, NY. 765 pp.
- May, R. C. 1974. Effects of temperature and salinity on yolk utilization in [*Bairdiella icistia*] (Jordan and Gilbert) (Pisces:Sciaenidae J. Exp. Mar. Biol. Ecol. 16:213-225.
- May, R. C., D. Popper, and J. P. McVey. 1974. Rearing and larval development of [*Sigarius*] [*canaliculatus*] (Park) (Pisces:Siganiidae) Micronesica 10:285-298.
- May, R. C. 1975. Effects of temperature and salinity on fertilization, embryonic development, and hatching in [*Bairdiella*] [*icistia*] (Pisces: Sciaenidae), and the effect of parental salinity acclimitization on embryonic and larval salinity tolerance. Fish. Bull. NOAA (U.S.) 73(1):1-22.
- May, R. C. 1975. Effects of acclimation on the temperature and salinity tolerance of the yolk-sac larvae of [*Bairdiella icistia*] (Pisces: Sciaenidae). NOAA (U.S.) Fish. Bull. 73(2):249-255.
- May, R. C. 1976. Effect of Salton Sea water on the eggs and larvae of [*Bairdiella icistia*] (Pisces: Sciaenidae). California Fish and Game 62:119-131.
- Mayenne, V. 1941. The way of reproduction of migratory fishes. Trudy vses. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr. 16:3-12.
- Mayer, F. L., et al. 1975. Toxaphene effects on reproduction, growth and mortality of brook trout. Env. Prot. Ag. 600/3-75-103, Duluth, MN.
- Mayer, F. L. 1976. 2 4-D reduces [*Saprolegnia*] on fathead minnow eggs. Progressive Fish-Culturist 38(1):19.
- Mayer, F. L., Jr., et al. 1977. Toxaphene: chronic toxicity to fathead minnows and channel catfish. Env. Prot. Ag. 600/3-77-069, Duluth, MN.
- Mayer, G. F. 1972. Systematics, functional anatomy, and ecology of the cardinalfish genus [*Epigonus*] (Apogonidae). Ph.D. Diss., Harvard Univ., Cambridge, MA.
- Mayer, I. 2000. Effect of long-term pinealectomy on growth and precocious maturation in Atlantic salmon, [*Salmo salar*] parr. Aquatic Living Resources 13(3):139-144.
- Mayes, M. A., D. C. Dill, K. M. Bodner, and C. G. Mendoza. 1984. Trichlor triethylamine salt toxicity to life stages of the fathead minnow ([*Pimephales promelas*] Raf.). Bull. Env. Contam. Toxicol. 33(3): 339-347.
- Mayhew, J. 1957. Notes on the observations of the reproductive habits of the gizzard shad in two Iowa lakes. Iowa Cons. Comm. Quart. Biol. Rep. 10(1):20-22.

- Mayhew, J. 1975. Abundance, distribution, mortality and production of 0-Age fish. Ann. Rep. of the Iowa Cons. Comm. Proj. No. F-88-R-2, pp. 47-73.
- Mayhew, J. 1977. The effects of flood management regimes on larval fish and fish food organisms at Lake Rathbun. Tech. Ser. No. 77-2, Iowa Cons. Comm., Fish. Res., Des Moines, IO.
- Maymanidi, N. D., and T. R. Bazhashvili. 1975. Effect of dissolved petroleum products on the embryonic development of the Black Sea flounder. J. Ichthyol. 15(5):811-816.
- Maynard, D. J., and D. D. Weber. 1981. Avoidance reactions of juvenile coho salmon ([*Oncorhynchus kisutch*]) to monocyclic aromatics. Can. J. Fish. Aquat. Sci. 38:772-778.
- Mayo, C. A. 1973. Rearing, growth, and development of the eggs and larvae of seven scombrid fishes from the Straits of Florida. Ph.D. Diss., Univ. Miami, Miami, FL. 138 pp.
- Mayorova, A. A. 1960. Distribution and conditions of reproduction of pelamid ([*Sarda sarda*]) in the Black Sea according to the data of the period 1956-1957. Rapp. P.-v. Reun. Comm. int. Explor. Sci. Mer. Mediterr. 15(3):17-23.
- Mazumdar, S. R. 1957. A key to the identification of impregnated eggs of common freshwater fishes of Bengal. Curr. Sci. 26(4):125-126.
- Mazumdar, S. R. 1957. On the spawning habits and early development of [*Wallagonia attu*] (Bloch and Schneider). Proc. Zool. Soc. (Calcutta) 10(2):99-106.
- Mazzarelli, G. 1912. Studi sui pesci bathy pelagici dello Stretto di Messina. I. Larve stiloftalmoidi (periscupoche di Holt e Byrne) di Scopelidae e lorv metamorfosi iniziale. Riv. Mens Pesca Idrobiol. 7:1-26, 129-134.
- McAllister, D. E. 1964. Distinguishing characters for the sculpins, [*Cottus*] [*bairdi*] and [*Cottus cognatus*], in eastern Canada. Journal of the Fisheries Research Board of Canada 21:1339-1342.
- McBride, J. R., D. R. Idler, R. E. E. Jones, and N. Tomlinson. 1962. Olfactory perception in juvenile salmon. 1. Observations on response of juvenile sockeye to extracts of food. Journal of the Fisheries Research Board of Canada 19:327-334.
- McBride, J. R., and U. H. M. Fagerlund. 1973. The use of alpha-methyltestosterone for promoting weight increases in juvenile Pacific salmon. Journal of the Fisheries Research Board of Canada 30(8):1099-1104.
- McBride, R.S., and D.O. Conover. 1991. Recruitment of young-of-the-year bluefish ([*Pomatomus saltatrix*]) to the New York Bight: variation in abundance and growth of spring and summer-spawned cohorts. Mar. Ecol. Prog. Ser. 78: 205-216.
- McBride, R. S., J. L. Ross, and D.O. Conover. 1993. Recruitment of bluefish ( [*Pomatomus saltatrix*]) to estuaries of the South Atlantic Bight, U.S.A. Fishery Bulletin 91:389-395.
- McCabe, B. A. 1978. Hormonal control of ion balance in the lamprey ammocoete. Ph.D Diss., Univ. Washington. 240 pp.
- McCabe, G. T., Jr., C. W. Long, and S. E. Leek. 1983. Survival and homing of juvenile coho salmon, [*Oncorhynchus kisutch*], transported by barge. Fish. Bull. 81(2):412-414.
- McCabe, G. T., Jr., and C. A. Tracy. 1994. Spawning and early life history of white sturgeon, [*Acipenser transmontanus*], in the lower Columbia River. Fish. Bull. 92:760-772.
- McCabe, G. T., W. D. Muir, R. L. Emmett, and J. T. Durkin. 1983. Interrelationships between juvenile salmonids and non-salmonid fish in the Columbia River Estuary. Fish. Bull. NOAA 81(4):815-826.

- Mccallum, H. 1992. Completing the circle - stock-recruitment relationships and [Acanthaster]. Australian Journal of Marine and Freshwater Research 43:653-662.
- McC Cambridge, J. T., Jr., and R. W. Alden. 1984. Growth of juvenile spot, [Leiostomus xanthurus] Lac., in the nursery region of the James River, Virginia. Estuaries 7(4B):478-486.
- McCammom, G. W., D. LaFaunce, and C. M. Seeley. 1964. Observations on the food of fingerling bass in Clear Lake County, California. California Fish and Game 50:158-169.
- McCann, J. A. 1959. Life history studies of the spottail shiner of Clear Lake Iowa, with particular reference to some sampling problems. Transactions of the American Fisheries Society 88(4):336-343.
- McCarley, H., and L. G. Hill. 1979. Reproduction of [Lepidosteus spatula] (Lepidosteidae) in Lake Texoma. Southwest Nat. 24(4):694-695.
- McCart, P. 1967. Behavior and ecology of sockeye salmon fry in the Babine River. Journal of the Fisheries Research Board of Canada 24:375-428.
- McCart, P., and N. Aspinwall. 1970. Spawning habits of the largescale sucker, [Catostomus macrocheilus], at Stave Lake, British Columbia. Journal of the Fisheries Research Board of Canada 27(6):1154-1158.
- McCart, P., and P. Craig. 1973. Life history of two isolated populations of arctic char, [Salvelinus alpinus], in spring fed tributaries of the Canning River, Alaska. Journal of the Fisheries Research Board of Canada 30(8):1215-1220.
- McCarter, N. H., and M. R. James. 1993. A method to observe particle ingestion by fish larvae. Transactions of the American Fisheries Society 122:642-644.
- McCarthy, D. T. 1967. Biology of the rudd ([Scardinius ergothroptalmus]) and the bream ([Abramus brama]), with particular reference to their early development. M.S. Thesis, Trinity College, Dublin, Eire.
- McCarthy, I.D. 2000. Temporal repeatability of relative standard metabolic rate in juvenile Atlantic salmon and its relation to life history variation. J. Fish Biol. 57(1):224-238.
- McCauley, R. W. 1963. Lethal temperatures of the developmental stages of the sea lamprey, [Petromyzon marinus] L. Journal of the Fisheries Research Board of Canada 20(2):483-490.
- McCauley, R. W. 1968. Incubating rainbow trout eggs in heated water. Progressive Fish-Culturist 30(1):64.
- McCauley, R. W., and L. A. A. Read. 1973. Temperature selection by juvenile and adult yellow perch ([Perca flavescens]) acclimated to 24 C. Journal of the Fisheries Research Board of Canada 30:1253-1255.
- McCleave, J. D. 1978. Rhythmic aspects of estuarine migration of hatchery-reared Atlantic salmon, [Salmo salar], smolts. J. Fish. Biol. 12:559.
- McCleave, J. D., and J. H. Power. 1978. Influence of weak electric and magnetic fields on turning behavior in elvers of the American eel, [Anguilla rostrata]. Mar. Biol. 46(1):29-34.
- McCleave, J. D., and R.C. Kleckner. 1987. Distribution of leptocephali of the catadromous [Anguilla] species in the Western Sargasso Sea in relation to water circulation and migration. Bull. Mar. Sci. 41:789-806.



- McCleave, J. D., J. J. M. Bedaux, P. G. Doucet, J. C. Jager,; J. T. L. Jong, W. J. van der Steen, and B. Voorzanger. 1987. Statistical methods for analysis of plankton and nekton distribution, with application to selective tidal stream transport of juvenile American eels (*Anguilla rostrata*). *J. Cons. int. Explor. Mer.* 44:90-103.
- McCleave, J. D. 1993. Physical and behavioral controls on the oceanic distribution and migration of leptocephali. *J. Fish. Biol.* 43: 243-273.
- McClendon, J. F. 1912. The effects of alkaloids on the development of fish ([*Fundulus*]) eggs. *Am. J. Physiol.* 31(11):131-140.
- McClintock, J. B., D. P. Swenson, D. K. Steinberg, and A. A. Michaels. 1996. Feeding-deterrent properties of common oceanic holoplankton from Bermudian waters. *Limnology and Oceanography* 41:798-801.
- McCorkle, F. M., et al. 1977. Acute toxicities of selected herbicides to fingerling channel catfish, [*Ictalurus punctatus*]. *Bull. Env. Contam. Toxicol.* 18:267.
- McCormick, J. C. 1962. The food of young trout ([*Salmo trutta*]) in two different becks. *J. Anim. Ecol.* 31:305-316.
- McCormick, J. H., and R. F. Syrett. 1970. A controlled temperature apparatus for fish egg incubation and fry rearing. *Natl. Water Qual. Lab., Duluth, MN.* 9 pp.
- McCormick, J. H., B. R. Jones, and R. F. Syrett. 1971. Temperature requirements for growth and survival of larval ciscos, [*Coregonus artedii*]. *Journal of the Fisheries Research Board of Canada* 28(6):924-927.
- McCormick, J. H., K. E. F. Hokanson, and B. R. Jones. 1972. Effects of temperature on growth and survival of young brook trout, [*Salvelinus fontinalis*]. *Journal of the Fisheries Research Board of Canada* 29:1107-1112.
- McCormick, J. H. 1976. Temperature effects on young yellow perch, [*Perca*] [*flavescens*] (Mitchill). *U.S. EPA Ecol. Res. Ser. EPA-600/3-76-057:* 18 pp.
- McCormick, J. H., and C. F. Kleiner. 1976. Growth and survival of young-of-the-year emerald shiners ([*Notropis atherinoides*]) at different temperatures. *Journal of the Fisheries Research Board of Canada* 33(4):839-842.
- McCormick, J. H. 1977. Effects of temperature on hatching success and survival of larvae of the white bass. *EPA Ecol. Res. Ser. No. EPA-600/3-77-075.* 12 pp.
- McCormick, J. H., B. R. Jones, and K. E. F. Hokanson. 1977. White sucker ([*Catostomus commersoni*]) embryo development, and early growth and survival at different temperatures. *Journal of the Fisheries Research Board of Canada* 34(7):1019-1025.
- McCormick, J. H. 1978. Effects of temperature on hatching success and survival of larvae of the white bass. *Progressive Fish-Culturist* 40(4):133-136.
- McCormick, J. H., S. J. Broderius, and J. T. Fiandt. 1984. Toxicity of ammonia to early life stages of the green sunfish, [*Lepomis cyanellus*]. *Env. Poll. A-Ecol. Biol.* 36(2):147-164.
- McCormick, M. I., and B. W. Molony. 1995. Influence of water temperature during the larval stage on size, age and body condition of a tropical reef fish at settlement. *Marine Ecology - Progress Series* 118:59-68.
- McCormick, M. I., and B. A. Kerrigan. 1996. Predation and its influence on the condition of a newly settled tropical demersal fish. *Marine and Freshwater Research* 47:557-562.
- McCormick, M. I., and L. J. Makey. 1997. Post-settlement transition in coral reef fishes: overlooked complexity in niche shifts. *Marine Ecology Progress Series* 153:247-257.

- McCormick, M. I. 1998. Condition and growth of reef fish at settlement: is it important? *Australian Journal of Ecology* 23(3):258-264.
- McCormick, M. I. 1998. Condition and growth of reef fish at settlement: is it important? Pages 190-201 [in] G. P. Jones, P. J. Doherty, B. D. Mapstone, and L. Howlett, editors. *ReeFish '95: Recruitment and Population Dynamics of Coral Reef Fishes*. CRC Reef Research Centre Townsville, Australia.
- McCormick, M. I. 1999. Experimental test of the effect of maternal hormones on larval quality of a coral reef fish. *Oecologia* 118:412-422.
- McCourt, R. M., and D. A. Thomson. 1984. Cleaning behavior of the juvenile Panamic sergeant major, [*Abudefduf troschelii*] (Gill), with a resume of cleaning associations in the Gulf of California and adjacent waters. *California Fish and Game* 70(4):234-239.
- McCoy, E. G. 1959. Quantitative sampling of striped bass, [*Morone saxatilis*] (Walbaum), eggs in the Roanoke River, North Carolina. M.S. Thesis, North Carolina State Univ., Raleigh, NC. 136 pp.
- McCracken, F. D. 1958. On the biology and fishery of the Canadian Atlantic halibut, [*Hippoglossus hippoglossus*] L. *Journal of the Fisheries Research Board of Canada* 15(6):1269-1311.
- McCrimmon, H. R. 1959. Observations on spawning burbot in Lake Simcoe, Ontario. *J. Wildl. Mgmt.* 23:447-449.
- McCrimmon, H. R., and U. B. Swee. 1967. Scale formation as related to growth and development of young carp, [*Cyprinus carpio*] L. *Journal of the Fisheries Research Board of Canada* 24:47-51.
- McCullough, R. D. 1978. Food niche dimensions of larval rainbow smelt (*[Osmerus mordax]*). M.S. Thesis, Univ. Maine, Orono, ME.
- McCullough, R. D., and J. G. Stanley. 1981. Feeding niche dimensions in larval rainbow smelt (*[Osmerus mordax]*). *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:352-354.
- McCutcheon, H. N. 1953. Differential growth of the menhaden, [*Brevoortia tyrannus*] (Latreille), during early development. M.S. Thesis, College of William and Mary. 40 pp.
- McDermott, V. 1971. Study of the ichthyoplankton associated with two of New Jersey's coastal inlets. *Misc. Rep. Fish. Lab. New Jersey*, No. 7M, 11 pp.
- McDonald, J. 1960. The behavior of Pacific salmon fry during their downstream migration to freshwater and saltwater nursery areas. *Journal of the Fisheries Research Board of Canada* 17(5):655-676.
- McDonald, J. 1967. The distribution, growth, and survival of sockeye fry produced from the Fulton River and artificial spawning channel in 1966. *Fish. Res. Bd. Can. Ms. Rep.* 949:1-5.
- McDonald, J. G. 1969. Distribution, growth, and survival of sockeye fry (*[Oncorhynchus nerka]*) produced in natural and artificial stream environments. *Journal of the Fisheries Research Board of Canada* 26:229-267.
- McDowall, R. M. 1969. A juvenile of [*Apochiton*] Jenyns. *Copeia* 1969(3):631-632.
- McDowall, R. M., D. A. Robertson, and R. Saito. 1975. Occurrence of galaxiid larvae and juveniles in the sea. *New Zealand J. Mar. & Freshwat. Res.* 9(1):1-10.
- McDowall, R. M. 1984. Southern hemisphere freshwater salmoniforms: development and relationships. Pages 150-152 [in]: H. G. Moser et al., editors. *Ontogeny and systematics*

of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

McDowall, R. M., and G. R. Kelly. 1999. Date and age at migration in juvenile giant kokopu, [*Galaxias argenteus*] (Gmelin) (Teleostei : Galaxiidae) and estimation of spawning season. *New Zealand Journal of Marine and Freshwater Research* 33(2):263-270.

McDowell, S. B. 1973. Order Heteromi (Notocanthiformes). Pages 1-228 [in] D. M. Cohen, editor. *Fishes of the Western North Atlantic*. Mem. Sears Found. Mar. Res. 6.

McEachran, J. D. 1970. Egg capsules and reproductive biology of the skate, [*Raja garmani*] (Pisces; Rajidae). *Copeia* 1970(1):197-199.

McEachran, J. D., and J. H. Finucane. 1979. Distribution, seasonality and abundance of larval king and Spanish mackerel in the northwestern Gulf of Mexico. [In] E. L. Nakamura and H. R. Bullis, Jr., editors. *Proc. Colloq. on Spanish and king mackerel resources of Gulf of Mexico*, Gulf States Mar. Fish. Comm. 4:59.

McEachran, J. D., J. H. Finucane, and J. S. Hall. 1980. Distribution, seasonality and abundance of king and Spanish mackerel larvae in the northwestern Gulf of Mexico (Pisces: Scombridae). *Northeast Gulf Sci.* 4(1):1-16.

McElman, J. F., and E. K. Balon. 1979. Early ontogeny of walleye, [*Stizostedion vitreum*], with steps of saltatory development. *Environ. Biol. Fish.* 4:309-348.

McElman, J. F., and E. K. Balon. 1980. Early ontogeny of white sucker, [*Catostomus commersoni*], with steps of saltatory development. *Environ. Biol. Fish.* 5:191-224.

McEnroe, M., and J. J. Cech, Jr. 1985. Osmoregulation in juvenile and adult white sturgeon, [*Acipenser transmontanus*]. *Environmental Biology of Fishes* 14(1):23-30.

McErlean, A. J. 1963. Aquarium behavior of juvenile labrid fishes. *Copeia* 1963:186.

Mcevoy, L. A., and J. Mcevoy. 1991. Size fluctuation in the eggs and newly hatched larvae of captive turbot ([*Scophthalmus maximus*]). *Journal of the Marine Biological Association of the United Kingdom* 71:679-690.

McEwen, G. F., M. W. Johnson, and T. R. Folsom. 1954. A statistical analysis of the performance of the Folsom plankton sample splitter, based upon test observations. *Archiv fur Meteorologie, Geophysik und Bioclimatologie, Series A*, 7:502-527.

McEwen, R. S. 1930. The early development of [*Hemichromis bimaculata*] with special reference to factors determining the embryonic axis. *J. Morph. Physiol.* 49:579-619.

McEwen, R. S. 1940. The early development of the swim bladder and certain adjacent parts in [*Hemichromis bimaculata*]. *J. Morph.* 67(1):1-57.

McFadden, J. T., et al. 1965. Some effects of environment on egg bunches in brown trout. *Limnol. Oceanol.* 10:88-95.

McFadden, J. T., et al. 1965. Some effects of environment on egg production in brown trout ([*Salmo trutta*]). *Limnol. Oceanog.* 10(1):88-95.

McFadden, T. W. 1969. Effective disinfection of trout eggs to prevent egg transmission of [*Aeromonas liquefaciens*]. *Journal of the Fisheries Research Board of Canada* 26:2311-2318.

McFadzen, I. R. B., D. M. Lowe, and S. H. Coombs. 1994. Histological changes in starved turbot larvae ([*Scophthalmus maximus*]) quantified by digital image analysis. *Journal of Fish Biology* 44:255-262.

McFarland, W. N., E. B. Brothers, J. C. Odgen, M. J. Shulman, E. L. Birmingham, and N. M. Kotchian-Prentiss. 1985. Recruitment patterns in young French grunts, [*Haemulon*

flavolineatum] (Family Haemulidae), at St. Croix, Virgin Islands. U.S. NMFS Bull. 83:413-426.

McFarland, W. N., and J.C. Ogden. 1985. Recruitment of young coral reef fishes from the plankton. Pages 37-52 [in] M.L. Reaka, editor. The Ecology of Corals Reefs. NOAA Symp. Ser. Undersea Res., Vol 3.

McFarland, W. N. 1985. Overview: the dynamics of recruitment in coral reef organisms. Pages 9-15 in M.L. Reaks, editor. The Ecology of Coral Reefs. NOAA Symp. Ser. Undersea Res., Vol. 3.

McFarlane, R. W., et al. 1978. Impingement and entrainment of fishes at the Savannah River Plant. DP-1494, Savannah River lab., Aiken, SC.

McFarlane, G. A., and R. J. Beamish. 1992. Climatic influence linking copepod production with strong year-classes in sablefish, [Anoplopoma fimbria]. Canadian Journal of Fisheries and Aquatic Sciences 49:743-753.

McFarlane, G. A., M. W. Saunders, R. E. Thomson, and R. I. Perry. 1997. Distribution and abundance of larval sablefish, [Anoplopoma fimbria], off the west coast of Vancouver Island, and linkages to physical oceanography. Pages 27-38 [in] M. E. Wilkins and M. W. Saunders, editors. Biology and Management of Sablefish, [Anoplopoma fimbria]. International Symposium on the Biology and Management of Sablefish, Seattle, Washington, 13-15 April, 1993. NOAA Tech. Rep. NMFS 130.

McFarlane, G. A., and M. W. Saunders. 1997. Dispersion of juvenile sablefish as indicated by tagging in Canadian waters. In M. E. Wilkins and M. W. Saunders, editors. Biology and Management of Sablefish, [Anoplopoma fimbria]. International Symposium on the Biology and Management of Sablefish, Seattle, Washington, 13-15 April, 1993. NOAA Tech. Rep. NMFS 130.

McGowan, G. E. 1979. Composition, distribution and seasonality of ichthyoplankton populations near an electricity generating station in south San Diego Bay, California. Int. Cons. Explor. Sea, Early Life History Symp. Abstract.

McGowan, J. A., and D. M. Brown. 1966. A new opening-closing paired zooplankton net. Scripps Inst. Oceanogr. Ref. 66-23.

McGowan, J. A., and V. J. Fraundorf. 1966. The relation between size of net used and estimates of zooplankton diversity. Limnol. Oceanogr. 11(4):456-469.

McGowan, J. A., and C. B. Miller. 1980. Larval fish and zooplankton community structure. California Coop. Oceanic Fish. Invest. Rep. 21:29-37.

McGowan, M. F., and F. H. Berry. 1984. Clupeiformes: development and relationships. Pages 108-125 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

McGowan, M. F., and W. J. Richards. 1986. Distribution and abundance of bluefin tuna, [Thunnus] [thynnus], larvae in the Gulf of Mexico in 1982 and 1983 with estimates of the biomass and population size of the spawning stock for 1977, 1978, and 1981-83. Int. Comm. Conserv. Atl. Tunas, SCRS/85/35.

McGowan, M. F. 1986. Northern anchovy, [Engraulis mordax], spawning in San Francisco Bay, California, 1978-79, relative to hydrography and zooplankton prey of adults and larvae. Fish. Bull., U.S. 84:879-894.

McGowan, G. E. 1977. Ichthyoplankton populations in South San Diego Bay and related effects of an electricity generating station. M.S. Thesis, San Diego State Univ. 194 pp.

- McGowen, G. E. 1981. Composition, distribution, and seasonality of ichthyoplankton populations near an electricity generating station in south San Diego Bay, California. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:112-116.
- McGowen, G. E. 1993. Coastal ichthyoplankton assemblages, with emphasis on the southern California Bight. *Bulletin of Marine Science* 53:692-722.
- McGowan, M. F., and W.J. Richards. 1989. Bluefin tuna, [*Thunnus thynnus*], larvae in the Gulf Stream off the southeastern United States: satellite and shipboard observations of their environment. *Fish. Bull.*, U.S. 87:615-631.
- McGregor, J. F., and H. B. Newcombe. 1968. Major malformations in trout embryos irradiated prior to active organogenesis. *Radiat. Res.* 35:282-300.
- McGroddy, P. M., and R. L. Wyman. 1977. Efficiency of nets and a new device for sampling living fish larvae. *Journal of the Fisheries Research Board of Canada* 34:571-574.
- McGuire, D. L. 1981. Annotated key to the larval suckers (Catostomidae) of the Missouri River drainage, Montana. *Proc. Montana Acad. Sci.* 40:1-8.
- McGurk, M. D. 1984. Effects of delayed feeding and temperature on the age of irreversible starvation and on the rates of growth and mortality of Pacific herring larvae. *Mar. Biol.* 84:13-26.
- McGurk, M. D. 1984. Ring deposition in the otoliths of larval Pacific herring, [*Clupea harengus pallasii*]. *Fish. Bull. NOAA* 82(1):113-120.
- McGurk, M. D. 1985. Effects of net capture on the postpreservation morphometry, dry weight, and condition factor of Pacific herring larvae. *Transactions of the American Fisheries Society* 114:348-356.
- McGurk, M. D. 1985. Multivariate analysis of morphometry and dry weight of Pacific herring larvae. *Mar. Biol.* 86(1):1-12.
- McGurk M. D. 1986. Natural mortality of marine pelagic fish eggs and larvae: role of spatial patchiness. *Mar. Ecol. Prog. Ser.* 34:227-242.
- McGurk, M. D. 1987. Age and growth of Pacific herring larvae based on length- frequency analysis and otolith ring number. *Environmental Biology of Fishes* 20:33-47.
- McGurk, M. D. 1989. Advection, diffusion and mortality of Pacific herring larvae [*Clupea harengus pallasii*] in Bamfield Inlet, British Columbia. *Mar. Ecol. Prog. Ser.* 51:1-18.
- McGurk, M. D., H. D. Warburton, M. Galbraith, and W. C. Kusser. 1992. RNA-DNA ratio of herring and sand lance larvae from Port Moller, Alaska: comparison with prey concentrations and temperature.
- McGurk, M. D., and W. C. Kusser. 1992. Comparison of 3 methods of measuring RNA and DNA concentrations of individual Pacific herring, [*Clupea pallasii*], larvae. *Canadian Journal of Fisheries and Aquatic Sciences* 49:967-974.
- McGurk, M. D. 1992. Avoidance of towed plankton nets by herring larvae - a model of night day catch ratios based on larval length, net speed and mesh width. *Journal of Plankton Research* 14:173-182.
- McGurk, M. D., A. J. Paul, K. O. Coyle, D. A. Ziemann, and L. J. Haldorson. 1993. Relationships between prey concentration and growth, condition, and mortality of Pacific herring, [*Clupea pallasii*], larvae in an Alaskan subarctic embayment. *Canadian Journal of Fisheries and Aquatic Sciences* 50:163-180.
- McHugh, J. J. 1975. Laboratory investigations of the mortality of striped bass less than eight weeks of age. M.S. Thesis, Southern Illinois Univ., Carbondale, IL. 41 pp.

- McHugh, J. J., and R. C. Heidinger. 1977. Effects of light on feeding and egestion time of striped bass fry. *Progressive Fish-Culturist* 39(1):33-34.
- McHugh, J. J., and R. C. Heidinger. 1983. Effects of light shock on striped bass fry. *Progressive Fish-Culturist* 40(2):82.
- McHugh, J. L. 1914. General remarks on some points in the life-history of the salmon, and a contrast of its oviposition with that of a few other types of teleosteans. *Zoologist* 18:281-301.
- McHugh, J. L. 1942. Vertebral number of young herring in southern British Columbia. *Journal of the Fisheries Research Board of Canada* 5(5):474-484.
- McHugh, J. L. 1954. The influence of light on the number of vertebrae in the grunion, [*Leuresthes tenuis*]. *Copeia* 1954(1):23-25.
- McHugh, J. L. 1967. Estuarine nekton. Pages 581-620 [in] G. H. Lauff, editor. *Estuaries*. Am. Assoc. Advmt. Sci., Publ. No. 83, 757 pp.
- McHugh, J. L., and B. W. Walker. 1948. Rearing marine fishes in the laboratory. *California Fish and Game* 34(1):37-38.
- McInerney, J. E. 1969. Reproductive behavior of the black-spotted stickleback, [*Gasterosteus wheatlandi*]. *Journal of the Fisheries Research Board of Canada* 26(8):2061-2075.
- McIntosh, W. C. 1885. Notes from the St. Andrews Marine Laboratory. III. On the ova of [*Callionymus lyra*] L. *Ann. Mag. Nat. Hist.* 5, Ser. 15:480-492.
- McIntosh, W. C. 1885. The spawning of certain marine fishes. *Ann. Mag. Nat. Hist.* 7.
- McIntosh, W. C. 1885. The eggs of fish. *Nature, Lond.* 31(1885):534-536, 555-557.
- McIntosh, W. C. 1886. Remarks on the eggs of British marine fishes. *Nature, Lond.* 34:147-148.
- McIntosh, W. C. 1887. On the pelagic fauna of our shores in its relation to the nourishment of the young foodfishes. *Ann. Mag. Nat. Hist.* 5, Ser. 19:137-145.
- McIntosh, W. C. 1887. Notes from the St. Andrews Marine Laboratory; on a post-larval [*Labrus*] with remarks on the colour of pelagic fins. *Ann. Mag. Nat. Hist.* 5, Ser. 20:300-304.
- McIntosh, W. C. 1889. The eggs of fishes. *Bull. U.S. Fish Commn.* 7:58-62.
- McIntosh, W. C. 1889. On the larval and postlarval stages of the sole and other foodfishes. *Rep. Br. Ass. Advmt. Sci.* 59:618.
- McIntosh, W. C. 1890. Notes from the St. Andrews Marine Laboratory. XII (3). On the young stages of the gunnel ([*Centronotus*] [*gunnellus*]). *Ann. Mag. Nat. Hist.* 6, Ser. 6:182-185.
- McIntosh, W. C. 1890. Report on the pelagic ova, larval and young food-fishes procured by the "Garland." *Ann. Rep. Fishery Bd. Scotl.* 8:283-289.
- McIntosh, W. C. 1890. Development and life histories of the teleostean fishes. *Edinburgh, No.* 4.
- McIntosh, W. C., and E. E. Prince. 1890. On the development and life-histories of the teleoste an food and other fishes. *Trans. R. Soc. Edimb.* 35

- McIntosh, W. C. 1891. Further observations on the life-histories and development of the food and other fishes. Ann. Rep. Fishery Bd. Scotl. 9(Pt. 3):317-342.
- McIntosh, W. C. 1892. Contributions to the life-histories and development of the food and other fishes. IV. Ann. Rep. Fish. Bd. Scotl. (1891) 10(Pt. 3):273-322.
- McIntosh, W. C. 1893. Contributions to the life-histories and development of the food and other fishes. IV. Ann. Rep. Fishery Bd. Scotl. 11(Pt. 3):239-249.
- McIntosh, W. C. 1894. Contributions to the life-histories and development of the food and other fishes. IV. Ann. Rep. Fishery Bd. Scotl. 12(Pt. 3):218-230.
- McIntosh, W. C. 1895. Contributions to the life-histories and development of the food and other fishes. Ann. Rep. Fishery Bd. Scotl. (1894) 13 (Pt. 3):220-235.
- McIntosh, W. C. 1896. Contributions to the life-histories and development of the food and other fishes. Ann. Rep. Fishery Bd. Scotl. (1895) 14(Pt. 3):171-185.
- McIntosh, W. C. 1897. Contributions to the life-histories and development of the food and other fishes. Ann. Rep. Fishery Bd. Scotl. (1896) 15(Pt. 3):194-211.
- McIntosh, W. C., and A. T. Masterman. 1897. The life-histories of the British marine food-fishes. C. J. Clay, London, 467 pp.
- McIntyre, J. D. 1969. Spawning behavior of the brook lamprey, [*Lampetra*] [*planeri*]. Journal of the Fisheries Research Board of Canada 26(12):3252-3254.
- McIntyre, J. D. 1972. Effects of metals on fertilization and development in fish. Pages 163-168 [in] Heavy metals in the environment. Oregon St. Univ. Water Res. Inst. Rep. SEMN-WR-16, 73 pp.
- McIntyre, J. D. 1973. Toxicity of methylmercury for steelhead trout sperm. Bull. Env. Contam. Toxicol. (9):98-99.
- McKague, A. B., and R. B. Pridmore. 1978. Toxicity of Altosid and Dimilin to juvenile rainbow trout and coho salmon. Bull. Env. Contam. Toxicol. 20:167.
- McKay, D. W. 1975. The distribution and abundance of herring larvae to the west of Scotland in 1973. ICES Coop. Res. Rep. No. 48:41-54.
- McKay, D. W. 1976. The distribution and abundance of herring larvae to the west of Scotland in 1975. ICES CM 1976/H:30.
- McKay, D. W. 1977. The distribution and abundance of herring larvae to the west of Scotland in 1974. ICES Coop. Res. Rep. No. 61:37-55.
- McKay, D. W. 1978. The distribution and abundance of herring larvae to the west of Scotland in 1977. ICES CM 1978/H:50.
- McKaye, K. R., D. J. Weiland, and T. McKim. 1979. Comments on the breeding biology of [*Gobiomorus*] [*dormitor*] (Osteichthyes: Eleotridae) and the advantage of schooling behavior to its fry. Copeia 1979(3):542-544.
- Mckelvie, D. S. 1989. Latitudinal variation in aspects of the biology of [*Cyclothone braueri*] and [*C. microdon*] (Pisces: Gonostomatidae) in the eastern North Atlantic Ocean. Marine Biology 102:413-424.
- McKenney, T. 1981. A checklist of some fishes taken with neuston and bongo nets in the vicinity of Deep Water Dumpsite 106. NOAA, NMFS NEFC Sandy Hook Lab. Ref. 81-26. 35 pp.
- McKenney, T. W. 1959. A contribution to the life history of the squirrel fish, [*Holocentrus vexillarius*] Poey. Bull. Mar. Sci. Gulf Caribb. 9:174-221.

- McKenney, T. W. 1961. Larval and adult stages of the stromateoid fish, [*Pseudocaranx dentex*], with comments on its classification. Bull. Mar. Sci. Gulf Caribb. 11:210-236.
- McKenney, T. W. 1965. Young flying fishes of the genera [*Parexocoetus*], [*Exocoetus*], [*Hirundichthys*], and [*Prognichthys*] and some young stromateoid fishes from the western North Atlantic, with some comments on the pelagic life of the Exocoetidae and Stromateoidea. Ph.D. Diss., Univ. Miami, Miami, FL.
- McKenney, T. W. 1969. Life history of Atlantic menhaden. U.S. Fish. Wildl. Serv., Circ. 350. 49 pp.
- McKenney, T. W. 1972. Fish eggs and larvae from Port Royal Sound and adjacent waters. Pages 233-240 [in] Port Royal Sound environmental study. South Carolina Water Resources Comm. 9 pp.
- McKenney, T. W. 1973. Larval fish studies at the Bureau of Commercial Fisheries Biological Laboratory, Brunswick, Georgia. Pages 160-161 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval and juvenile stages of fish in Atl. coast estuaries. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, NJ.
- McKenney, T. W. 1983. Distribution and abundance of [*Merluccius albidus*] larvae in shelf waters off the northeastern United States, 1977-81. ICES CM 1983/G:48.
- McKenney, T. W., A. Johnson, and A. Wells. 1984. Distribution and abundance of [*Citharichthys*] [*arctifrons*] larvae in shelf waters off the northeastern United States, 1977-82. ICES CM 1984/G:31.
- McKenney, T. W., E. C. Alexander, and G. L. Voss. 1958. Early development and larval distribution of the carangid fish, [*Caranx crysos*] (Mitchill). Bull. Mar. Sci. Gulf Caribb. 8(2):167-200.
- McKenzie, J. A., and M. H. A. Keenleyside. 1970. Reproductive behavior of ninespine sticklebacks, [*Pungitius pungitius*] (L.), in South Bay, Manitoulin Island, Ontario. Canadian Journal of Zoology 48:55-61.
- McKenzie, R. A. 1934. Cod spawning in the Bay of Fundy and about south western Nova Scotia. Biol. Bd. Can. Prog. Rep. Atl. Biol. Stn. Note 42:10-14.
- McKenzie, R. A. 1936. Some notes on the monkfish or angler ([*Lophius*] [*piscatorius*] L.). Can. Fld. Nat. 50:55-56.
- McKenzie, R. A. 1940. Nova Scotia autumn cod spawning. Journal of the Fisheries Research Board of Canada 5(2):105-120.
- McKenzie, R. A. 1947. The effect of crowding of smelt eggs in the production of larvae. Prog Rep. Atl. Coast. Stns. 39:11-13.
- McKenzie, R. A. 1964. Smelt life history and fishery in the Miramichi River, New Brunswick. Bull. Fish. Res. Bd. Can. 144, 77 pp.
- McKenzie, R. A. 1964. Observations on herring spawning off southwest Nova Scotia. Journal of the Fisheries Research Board of Canada 21(1):203-204.
- McKern, J. L., H. F. Horton, and K. V. Kolski. 1974. Development of steelhead trout ([*Salmo gairdneri*]) otoliths and their use for age analysis and for separating summer from winter races and wild from hatchery stocks. Journal of the Fisheries Research Board of Canada 31(8):1420-1426.
- McKim, J., W. Arthur, and T. W. Thorsland. 1975. Toxicity of a linear alkylate sulfonate detergent to larvae of four species of freshwater fish. Bull. Environ. Contam. & Toxicol. 14(1):1-7.



- McKim, J. M., et al. 1976. Long-term effects of methylmercuric chloride on three generations of brook trout, [*Salvelinus fontinalis*]: toxicity, accumulation, distribution, and elimination. *Journal of the Fisheries Research Board of Canada* 33:2726.
- McKim, J. M. 1977. Evaluation of tests with early life stages of fish for predicting long-term toxicity. *Journal of the Fisheries Research Board of Canada* 34:1148-1154.
- McKim, J. M., J. G. Eaton, and G. W. Holcombe. 1978. Metal toxicity to embryos and larvae of eight species of freshwater fish. II. Copper. *Bull. Env. Contam. Toxicol.* 19:608-616.
- McKinney, T. W., and E. C. Alexander. 1958. Early development and larval distribution of the carangid fish, [*Caranx crysos*] (Mitchell). *Bull. Mar. Sci. Gulf Caribb.* 8:167-200.
- McKinnon, D., and W. S. Hoar. 1953. Responses of coho and chum salmon fry to current. *Journal of the Fisheries Research Board of Canada* 10:523-528.
- McLain, A. L., and F. H. Dahl. 1968. An electric beam trawl for the capture of larval lampreys. *Transactions of the American Fisheries Society* 97(3):289-293.
- McLarney, W. O. 1967. Intra-stream movement, feeding habits, and population of the coast range sculpin, [*Cottus aleoticus*], in relation to eggs of the pink salmon, [*Oncorhynchus gorboscha*], in Alaska. Ph.D. Diss., Univ. Michigan, 131 pp.
- McLarney, W. O. 1968. Spawning habits and morphological variation in the coast range sculpin, [*Cottus aleoticus*], and the prickly sculpin, [*Cottus aspec*]. *Transactions of the American Fisheries Society* 97(1):46-47.
- McLaughlin, R.L., J.W. Grant and D.L. Noakes. 2000. Living with ailure: the prey capture success of young brook charr in streams. *Ecol. Freshwater Fish.* 9(1-2):81-89.
- McLeay, D. J. 1973. Effects of a 12-hour and 25 day exposure to kraft pulpmill effluent on the blood and tissues of coho salmon, [*Oncorhynchus kisutch*]. *Journal of the Fisheries Research Board of Canada* 30(3):395-400.
- McLeay, D. J., and D. A. Brown. 1974. Growth stimulation and biochemical changes in juvenile chum salmon, [*Oncorhynchus nerka*], exposed to bleached kraft pulpmill effluent for 200 days. *Journal of the Fisheries Research Board of Canada* 31(6):1043-1049.
- McLeay, D. J. 1975. Sensitivity of blood cell counts in juvenile coho salmon, [*Oncorhynchus kisutch*], to stressors including sublethal concentrations of pulpmill effluent and zinc. *Journal of the Fisheries Research Board of Canada* 33(12):2357-2364.
- McLeay, D. J., and D. A. Brown. 1975. Effects of acute exposure to bleached kraft pulpmill effluent on carbohydrate metabolism of juvenile coho salmon, [*Oncorhynchus kisutch*], during rest and exercise. *Journal of the Fisheries Research Board of Canada* 32(6):753-760.
- McLeay, D. J., and M. R. Gordon. 1978. Effect of seasonal photoperiod on acute toxic responses of juvenile rainbow trout ([*Salmo*] [*gairdneri*]) to pulpmill effluent. *J. Fish. Res. Bd. Can* 35:1388-1392.
- McLeay, D. J., and D. A. Brown. 1979. Stress and chronic effects of untreated and treated bleached kraft pulp mill effluent on the biochemistry and stamina of juvenile coho salmon, [*Oncorhynchus*] [*kisutch*]. *Journal of the Fisheries Research Board of Canada* 36(9):1049-1059.
- McMahon, T. E., and J. C. Tash. 1979. Effects of formalin (buffered and unbuffered) and hydrochloric acid on fish otoliths. *Copeia* 1979:155-156.
- McMillan, C. W. 1979. The embryological development of [*Rivulus marmoratus*] (Pisces: Cyprinodontidae). M.S. Thesis, College of Charleston.

- McMillan, V. E., and R. J. F. Smith. 1974. Agonistic and reproductive behavior of the fathead minnow (*[Pimephales promelas]* Rafinesque). *Z. Tierpsychol.* 34(1):25-58.
- McMullen, D. M., and D. P. Middaugh. 1985. The effect of temperature and food density on survival and growth of *[Menidia peninsulae]* larvae (Pisces, Atherinidae). *Estuaries* 8(1):39-47.
- McMurrich, J. P. 1883. On the osteology and development of *[Syngnathus]* *[peckianus]* (Storer). *John Hopkins Univ. Circ.* 3(27):4-5.
- McMurrich, J. P. 1883. On the osteology and development of *[Syngnathus]* *[peckianus]* (Storer). *Q. J. Microsc. Sci.* 23:623-652.
- McMurrich, J. P. 1953. Comparative embryology of the vertebrates. Blakiston Co., New York. 982 pp.
- McMynn, R. G., and W. S. Hoar. 1953. Effects of salinity on the development of Pacific herring. *Canadian Journal of Zoology* 31:417-432.
- McNamara, F. 1936. Breeding and food habits of the pikes (*[Esox lucius]* and *[Esox vermiculatus]*). *Trans. Am. Fish. Soc.*
- McNamara, P. T., E. M. Caldarone, and L. J. Buckley. 1999. RNA-DNA ratio and expression of 18S ribosomal RNA, actin and myosin heavy chain messenger RNAs in starved and fed larval Atlantic cod (*[Gadus morhua]*). *Marine Biol.* 135:123-132.
- McNeil, W. J. 1962. Mortality of pink and chum salmon eggs and larvae in Southeast Alaska streams. Ph.D. Diss., Univ. Washington, Seattle, WA. 270 pp.
- McNeil, W. J. 1964. A method of measuring mortality of pink salmon eggs and larvae. U.S. Fish and Wildl. Serv. Fish. Bull. 63:575-588.
- McNeil, W. J. 1964. Redd superimposition and egg capacity of pink salmon spawning beds. *Journal of the Fisheries Research Board of Canada* 21(6):1385-1396.
- McNeil, W. J., and W. H. Ahnell. 1964. Success of pink salmon spawning relative to size of spawning bed materials. U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish. 469.
- McNeil, W. J. 1966. Effect of the spawning bed environment on reproduction of pink and chum salmon. *Fish. Bull. Fish Wildl. Serv. U.S.* 65:495-523.
- McNeil, W. J. 1967. Distribution of spawning pink salmon in Sashin Creek, southeastern Alaska, and survival of their progeny. U.S. Fish. Wildl. Serv. Spec. Sci. Rep. Fish. 538:1-12.
- McNeil, W. J. 1968. Migration and distribution of pink salmon spawners in Sashin Creek in 1965, and survival of their progeny. *NOAA Fish Bull.* 66(3):575-586.
- McNeil, W. J. 1969. Development of a stream-side incubator for culture of Pacific salmon. *Prog. Rep., Oregon State Univ., Dept. Fish. Wildl., Corvallis,* 6 pp.
- McNicol, R. E. 1979. Territory defense among juvenile brook charr, *[Salvelinus fontinalis]*, in an artificial stream channel. M. S. Thesis, Univ. Guelph, Guelph. 119 pp.
- McNicol, R. E., and D. L. G. Noakes. 1981. Territories and territory defense in juvenile brook charr, *[Salvelinus fontinalis]* (Pisces: Salmonidae). *Canadian Journal of Zoology* 59:22-28.
- McNicol, R. E., and D. L. G. Noakes. 1984. Environmental influences on territoriality of juvenile brook charr, *[Salvelinus fontinalis]*, in a stream environment. *Environmental Biology of Fishes* 10(1/2):29-42.

- McQuinn, I. H., G. J. Fitzgerald, and H. Powles. 1983. Environmental effects on embryos and larvae of the Isle Verte stock of Atlantic herring ([*Clupea harengus harengus*]). *Natur. Can. Rev. (Rev. Ecol. Syst.)* 110:343-355.
- McShane, P. E., K. P. Black and M. G. Smith. 1988. Recruitment processes in [*Haliotis rubra*] (Mollusca: Gastropoda) and regional hydrodynamics in southeastern Australia imply localized dispersal of larvae. *J. Exp. Mar. Biol. Ecol.* 124:175-203.
- McSwain, L. E., and R. M. Gennings. 1972. Spawning behavior of the spotted sucker, [*Minytrema melanops*] (Raf.). *Transactions of the American Fisheries Society* 102(4):738-739.
- McVicar, A. H., and P. G. White. 1982. The prevention and cure of an infectious disease in cultivated juvenile Dover sole, [*Solea solea*] (L.). *Aquaculture* 26(3/4):213-222.
- Mead, A. D. 1898. The breeding of animals at Woods Hole during the month of April, 1898. *Science*, N.Y. 7(177):702-704.
- Mead, G. W. 1951. Post larval [*Neothunnus macropterus*], [*Auxis thazard*], and [*Euthynnus lineatus*] from the Pacific Coast of Central America. *Fishery Bull. Fish. Wildl. Serv. U.S.*, No. 63:121-127, ill.
- Mead, G. W., E. Bertelsen, and D. M. Cohen. 1964. Reproduction among deep sea fishes. *Deep-Sea Res.* 11:569-596.
- Mead, G. W. 1965. The larval form of the Heteromi (Pisces). *Breviro* 226:1-5.
- Mead, G. W. 1966. Family Bathysauridae. Pages 103-113 [in] *Mem. Sears Found. Mar. Res.* 5.
- Mead, G. W. 1972. Bramidae. *Dana Rep. Carlsberg Found.* 81. 166 pp.
- Mead, R. W., and W. L. Woodall. 1968. Comparison of sockeye salmon fry produced by hatcheries, artificial channels and natural spawning areas. *Int. Pac. Salmon Fish. Comm., Prog. Rep.* 20. 41 pp.
- Meador, M. R., and A. G. Eversole. 1983. Occurrence and distribution of larval fish in a coastal plain river system. *Proc. 37th Ann. Conf. S. E. Assoc. G & F Comm.* 37:432-440.
- Mechan, W. R., and L. Revet. 1962. The effect of tricaine methanesulfonate (M.S. 222) and or chilled water on oxygen consumption of sockeye salmon fry. *Progressive Fish-Culturist* 24(4):185-187.
- Mechanik, F. J. 1957. The effect of oxygen concentration in water on the growth and nitrogen exchange of rainbow trout fry. *Rybnoe Khoz.* 33(7):74-75.
- Medlen, A. B. 1952. Studies on the development of [*Gambusia affinis*]. Ph.D Diss., Texas A&M Univ., 127 pp.
- Medley, P. A., G. Gaudian, and S. Wells. 1993. Coral reef fisheries stock assessment. *Reviews in Fish Biology and Fisheries* 3:242-285.
- Medvick, P. A. 1979. Growth rates of juvenile maomao, [*Abudefduf abdominalis*], at constant and cyclic temperatures. *Transactions of the American Fisheries Society* 108(3):293-298.
- Meehan, W. E. 1900. Observations on the mortality among trout fry at the Allentown hatching station through long inbreeding. *Transactions of the American Fisheries Society* 1899:86-91.

- Meehan, W. R., and D. N. Swanston. 1977. Effects of gravel morphology on fine sediment accumulation and survival of incubating salmon eggs. Res. Paper PNW-220, U.S. Dept. Agric., Forest Serv., Pac. NW Forest & Range Exp. Sta., Portland, OR.
- Meehan, W. R., and R. A. Miller. 1978. Stomach flushing: effectiveness and influence on survival and condition of juvenile salmonids. Journal of the Fisheries Research Board of Canada 35:1359-1363.
- Meek, A. 1903. On the egg of a species of goby. Rep. Scient. Invest. Northumb. Sea Fish. Comm. 49.
- Meek, A. 1913. The organization of the teleostean egg. Rep. Dove Mar. Lab. 2:85-95.
- Meek, A. 1924. The developmnt of the cod ([*Gadus callarias*]). Fishery Invest., Lond. (Ser. 2. Sea Fisheries) 7(1), 26 pp.
- Meek, S. E. 1890. Note on [*Ammocoetes branchialis*]. American Naturalist 23:640-642.
- Meekan, M. 1997. Relationships between otolith and somatic growth of cod larvae ([*Gadus morhua*]). Journal of Plankton Research 19:167-169.
- Meekan, M. G., M. J. Milicich, and P. J. Doherty. 1993. Larval production drives temporal patterns of larval supply and recruitment of a coral reef damselfish. Marine Ecology-Progress Series 93:217-225.
- Meekan, M. G., and L. Fortier. 1996. Selection for fast growth during the larval life of Atlantic cod [*Gadus morhua*] on the Scotian Shelf. Marine Ecology - Progress Series 137:25-37.
- Meekan, M. G., J. Ackerman, and G. M. Wellington. 2001. Demography and age structures of coral reef damselfishes in the tropical eastern Pacific Ocean. Marine Ecology Progress Series 21:223-232.
- Megrey, B. A., A. B. Hollowed, S. R. Hare, S. A. Macklin, and P. J. Stabeno. 1996. Contributions of FOCI research to forecasts of year-class strength of walleye pollock in Shelikof Strait, Alaska. Fisheries Oceanography 5:189-203.
- Mehrle, P. M., and F. L. Mayer, Jr. 1975. Toxaphene effects on growth and bone composition of fathead minnows, [*Pimephales promelas*]. Journal of the Fisheries Research Board of Canada 32:593.
- Mehrle, P. M., and F. L. Mayer, Jr. 1975. Toxaphene effects on growth and development of brook trout, [*Salvelinus fontinalis*]. Journal of the Fisheries Research Board of Canada 32(5):609-613.
- Mehrle, P. M., and L. Ludke. 1983. Impacts of contaminants on early life stages of striped bass. U.S. Fish Wildl. Serv., Columbia Natl. Fish. Res. Lab. Prog. Rep. 1980-1983. Columbia, MO.
- Meigs, R. C., and C. F. Pautzke. 1940. Studies on the life history of the Puget Sound steelhead ([*Salmo gairdneri*]). Biol. Bull. Wash. Dep. Game 3:1-24.
- Meigs, R. C., and C. F. Pautzke. 1941. Additional notes on the life history of the Puget Sound steelhead ([*Salmo gairdneri*]). Biol. Bull. Wash. Dept. Game 5:1-13.
- Meinelt, T., R. C. Playle, M. Pietrock, B. K. Burnison, A. Wienke, and C. E. W. Steinberg. 2001. Interaction of cadmium toxicity in embryos and larvae of zebrafish ([*Danio rerio*]) with calcium and humic substances. Aquatic Toxicology 54(3-4):205-215.
- Meise, C., J. Collie, J. Widman, and P. Howell 1999. Growth and mortality of juvenile winter flounder in two New England estuaries. Estuaries 22:297-303.

- Mel'nechuk, G. L. 1973. Quarterly evaluation of the feeding of juve Nile pike perch, [*Luceoperca luceoperca*] (L.), in Kremenchug Reservoir. *J. Ichthyol.* 13(3):471-473.
- Melchizedek, A., N. Wabuke-Bunoti, and C. E. Firling. 1983. The pre-hatching development of the thyroid gland of the fathead minnow, [*Pimephales promelas*] (Raf.). *Gen. Comp. Endocrinol.* 49:320-331.
- Melden, A. B. 1951. Preliminary observations on the effects of temperature and light upon reproduction in [*Gambusia*] [affinis]. *Copeia* 1951(2):148-152.
- Mellinger, J. 1969. Postembryonic development of the adenohypophysis of [*Torpedo marmorata*]: development of cavity systems and manifestations of sexual dimorphisms. *Annls. Univ. Ass. Req. Etude Rech. Sci. Reims.* 7:33-48.
- Mellinger, J. 1973. Growth and reproduction of the electric ray ([*Torpedo*] [*marmorata*]). *Bull. Biol. Fr. Belg.* 107(3):213-230.
- Mellinger, J. 1974. Growth and reproduction of [*Torpedo marmorata*] (electric ray). III. The female genital system. *Bull. Biol. Fr. Belg.* 108(2):107-150.
- Mellinger, J., P. Belbenoit, M. Ravaille, and T. Szabo. 1978. Electric organ development in [*Torpedo marmorata*], Chondrichthyes. *Dev. Biol.* 67(1):167-188.
- Melnichuk, G. L. 1941. Eggs and larvae of the bonito, [*Pelamys sarda*] Cuv. & Val., in the northwest part of the Black Sea. *Dokl. Akad. Nauk SSSR* 30(6):557-558; 561-562.
- Melo, Y. C., and M. J. Armstrong. 1991. Batch spawning behaviour in lightfish [*Maurollicus muelleri*]. *South African Journal of Marine Science - Suid - Afrikaanse Tydskrif Vir Seewetenskap* 10:125-130.
- Melouk, M. A. 1949. The external features in the development of the Rhinobatidae. *Publs Mar. Biol. Stn Ghardaqua* 7:1-98.
- Melouk, M. A. 1957. On the development of [*Carcharinus melanopterus*] (Q. & G.). *Publ. Mar. Biol. Sta. Ghardaqua (Red Sea), Cairo* 9:229-251.
- Melville-Smith, R., and D. Baird. 1980. Abundance, distribution, and species composition of fish larvae in the Swartkops Estuary. *So. Afr. Journal of Zoology* 15:72-78.
- Melville-Smith, R., D. Baird, and T. Wooldridge. 1981. The utilization of tidal currents by the larvae of an estuarine fish, [*Gilchestella aestuaries*]. *S. Afr. Journal of Zoology* 16:10-13.
- Meng, L., and S. A. Matern. 2001. Native and introduced larval fishes of Suisun Marsh, California: The effects of freshwater flow. *Transactions of the American Fisheries Society* 130(5):750-765.
- Men'shikov, M. I. 1936. On the biology of the Siberian sturgeon. *Uch. zap. Permsk. gos. un-ta*, 2, No. 1.
- Men'shikova, L. A. 1954. Embryonic and postembryonic development of the round goby and the Miller's thumb in water of varying salinity. *Tr. Odessk. gos. un-ta. Sbornik studencheskiky ra bot*, 3.
- Menezes, R. S. de. 1949. Incubacao labial de ovos pelo macho "[*Loricaria typus*]" Bleeker, da Lagoa do peixe, Piaui, Brasil (Actinopterygii, Loricariidae, Loricariinae). *Revista Brasileira de Biologia* 9(3):381-387. In Portuguese.
- Meng, Q. 1982. On the morphological characteristics of the larvae of seven species of freshwater fishes. *J. Fish. of China* 6(1):65-76. In Chinese, English Summary.

- Menon, V., and N. V. Radha. 1964. Biology and fisheries of [*Barbus dubius*] (Day), in the Bhavanisagar Reservoir. *Madras J. Fish.* 1962 1:1-24.
- Mense, J. B. 1957. Ecology of the Mississippi silversides, [*Menidia*] [*audens*] Hay, in Lake Texoma. *Oklahoma Fish. Res. Lab. Bull.* No. 6.
- Menshutkin, V. V., L. A. Zhakov, and A. A. Umnov. 1968. A model method examination of causes of death among young perch. *Prob. Ichthyol. Am. Fish. Soc.* 8(1):704-712.
- Menzie, C. M., and J. B. Hunn. 1975. Chemical control of the sea lamprey: the addition of a chemical to the environment. *Env. Qual. Safety* 5:1.
- Menzies, W. J. M. 1931. The salmon - its life history. Wm. Blackwood & Sons, London, 213 pp.
- Menzies, W. J. M. 1936. The run of elvers in the River Bann, Northern Ireland. *J. Cons. perm. int. Explor. Mer* 11:249-259.
- Mercado, S. J. E. 1971. Notas sobre los estados larvales del sabalo, [*Megalops atlanticus*] Valenciennes, con comentarios sobre su importancia comercial. *Museo del Mar. Bol.* 2:1-28.
- Mercado S. J. E., and A. Ciardelli. 1972. Contribution to the morphology and organogenesis of the leptocephali of the tarpon, [*Megalops atlanticus*] (Pisces: Megalopidae). *Bull. Mar. Sci.* 22(1):153-184.
- Mercer, L. P. 1978. The reproductive biology and population dynamics of black sea bass, [*Centropristis striata*]. Ph.D Diss., College of William and Mary. 211 pp.
- Merigoux, S., and D. Ponton. 1998. Body shape, diet and ontogenetic diet shifts in young fish of the Sinnamary River, French Guiana, South America. *J. Fish. Biol.* 52(3):556-569.
- Merigoux, S., B. Hugueny, D. Ponton, B. Statzner, and P. Vanchel. 1999. Predicting diversity of juvenile neotropical fish communities: patch dynamics versus habitat state in floodplain creeks. *Oecologia* 118(4):503-516.
- Merna, J. W. 1977. Food selection by walleye fry. Michigan Dept. Nat. Resourc. Fish. Div. Fish. Res. Rep. No. 1847.
- Merrett, N. R. 1971. Aspects of the biology of billfish (Istiophoridae) from the equatorial western Indian Ocean. *Journal of Zoology* 163:351-395.
- Merrett, N. R., J. Badcock, and P. J. Herring. 1973. The status of [*Benthalbella infans*] (Pisces: Myctophoidae), its development, bioluminescence, general biology, and distribution in the eastern North Atlantic. *Journal of Zoology* 170(1):1-48.
- Merrett, N. R. 1978. On the identity and pelagic occurrence of larval and juvenile stages of rattail fishes (Family Macrouridae) from 60 degrees N, 20 degrees W and 53 degrees N, 20 degrees W. *Deep Sea Res.* 25(2):147-160.
- Merrett, N. R. 1981. First record of a notocanth leptocephalus: a benthopelagic capture in the slope waters off Ireland. *J. Fish. Biol.* 18(1):53-58.
- Merrett, N. R., and S. H. Barnes. 1996. Preliminary survey of egg envelope morphology in the Macrouridae and the possible implications of its ornamentation. *Journal of Fish Biology* 48:101-119.
- Merriman, D. 1935. The effect of temperature on the development of the eggs and larvae of the cutthroat trout ([*Salmo*] [*clarkii clarkii*] Richardson). *J. Exp. Biol.* 12: 297-305.
- Merriman, D. 1940. Morphological and embryological studies on two species of marine catfish, [*Bagre marinus*] and [*Galeichthys felis*]. *Zoologica* 25(2):221-248.

- Merriman, D., and H. P. Schedl. 1941. The effects of light and temperature on gametogenesis in the four-spined stickleback, [*Apeltes quadracus*] (Mitchill). *J. Exp. Zool.* 88(3):413-449.
- Merriman, D. 1947. Notes on the midsummer ichthyofauna of a Connecticut beach at different tide levels. *Copeia* 1947(4):281-286.
- Merriman, D., and H. E. Warfel. 1948. Studies on the marine resources of southern New England. VII. Analysis of a fish population. *Bull. Bingham Oceanogr. Collect.* 11(4):131-164.
- Merriman, D., and R. C. Sclar. 1952. The pelagic fish eggs and larvae of Block Island Sound. *Bull. Bingham Oceanogr. Coll.* 13(3):165-219.
- Merriman, D., and L. M. Thorpe, editors. 1976. The Connecticut River ecological study: impact of a nuclear power plant. *Am. Fish. Soc., Wash., D. C., Monograph No. 2*, 252 pp.
- Merriner, J. V. 1969. Constant-bath malachite green solution for incubating sunfish eggs. *Progressive Fish-Culturist* 31:223-225.
- Merriner, J. V. 1971. Development of intergeneric centrarchid hybrid embryos. *Transactions of the American Fisheries Society* 100(4):611-618.
- Merriner, J. V. 1973. Assessment of the weakfish resource, a suggested management plan, and aspects of life history in North Carolina. Ph.D. Diss., North Carolina State Univ., Raleigh. 201 pp.
- Merriner, J. V., and W. A. Foster. 1974. Life history aspects of the tripletail, [*Lobotes*] [*surinamensis*] (Chordata-Pisces-L in North Carolina. *J. Elisha Mitchell Sci. Soc.* 90(4):123-124.
- Merriner, J. V. 1976. Aspects of the reproductive biology of the weakfish, [*Cynoscion regalis*] (Sciaenidae), in North Carolina. *Fish. Bull. NOAA (U.S.)* 74(1):18-26.
- Mertz, G., and R. A. Myers. 1994. Match/mismatch predictions of spawning duration versus recruitment variability. *Fisheries Oceanography* 3(4):236-245.
- Mertz, G., and R. A. Myers. 1995. Estimating the predictability of recruitment. *Fishery Bulletin* 93:657-665.
- Merz, J.E. 2001. Diet of juvenile fall-run chinook salmon in the lower Mokelumne River, California. *California Fish and Game* 87(3):102-114.
- Mesa, M. G., L. K. Weiland, and P. Wagner. 2002. Effects of acute thermal stress on the survival, predator avoidance, and physiology of juvenile fall chinook salmon. *Northwest Science* 76(2):118-128.
- Meshkov, M. M. 1963. Observations on the transition from embryonic to the larval condition in fish. *Uch. Zap. Pskov., Pedagog. Inst. Estestev. Nauk.* 16:55-59.
- Meshkov, M. M. 1965. Some patterns of the transition from the embryonic to the larval stage. Pages 165-167 [in] *Theoretichyne osnovy rybovodstva*. Nauka, Moscow 1965.
- Meshkov, M. M. 1966. Reproduction and development of some larval centrarchids. *Progressive Fish-Culturist* 32(3):130-136.
- Meshkov, M. M. 1967. The phases in the development of [*Lota lota*] (L.). *Izv. Vses. Nauchno-Issled. Inst. Ozern. Rechn. Rybn. Khoz.* 62:181-194.
- Messieh, S. 1977. The regularity of spawning time of Atlantic herring in the Gulf of St. Lawrence. *Int. Counc. Explor. Mer, C.M.* 1977/H:25, Copenhagen.

- Messieh, S., et al. 1985. Spawning and exploitation of Atlantic herring (*[Clupea harengus]*) at Escuminac in the southwestern Gulf of St. Lawrence, spring 1983. *J. NW Atlant. Fish. Sci.* 6:125-133.
- Messieh, S., and H. Rosenthal. 1986. Mass mortality of herring eggs on spawning beds on and near Fishermans Bank, Gulf of St. Lawrence (NAFO Div. 4T) during fall 1985. *Int. Counc. Explor. Mer, C.M.* 1986/H:4, Copenhagen.
- Messieh, S. 1988. Spawning of Atlantic herring in the Gulf of St. Lawrence. *American Fisheries Society Symposium* 5:31-48.
- Messieh, S. H., D. S. Moore, and P. Rubec. 1987. Estimation of age and growth of larval Atlantic herring as inferred from examination of daily growth increments of otoliths. [In] R. C. Summerfelt and G. E. Hall, editors. *Age and growth of fish.* Iowa State Univ. Press, Ames, IA. 544 pp.
- Messieh, S. N., S. N. Tibbo, and L. M. Lauzier. 1971. Distribution, abundance, and growth of larval herring, [*Clupea harengus*] L., in Bay of Fundy-Gulf of Maine area. *Tech. Rep. Fish. Res. Bd. Can.* 277.
- Messieh, S. N., and A. C. Kohler. 1972. Distribution, relative abundance and growth of larval herring (*[Clupea harengus]* L.) in the southern Gulf of St. Lawrence. *Fish. Res. Bd. Can. Tech Rep.* 318. 31 pp.
- Messieh, S. N. 1975. Maturation and spawning of Atlantic herring (*[Clupea]* [*harengus harengus*]) in the southern Gulf of St. Lawrence. *Journal of the Fisheries Research Board of Canada* 32(1):66-68.
- Messieh, S. N. 1976. Fecundity studies on Atlantic herring from southern Gulf of St. Lawrence and along Nova Scotia coast. *Transactions of the American Fisheries Society* 105(3):384-394.
- Mestechkina, A. Y., and Y. D. Konovalov. 1974. Ultraviolet spectra of ingested proteins in the process of development of embryos and larvae of the carp, [*Cyprinus carpio*]. In: *Fiziologiya i biokhimiya nizshikh pozvonochnykh.* Leningrad, Nauka Press.
- Metcalf, W. K., C. B. Kimmel, and E. Schabtach. 1985. Anatomy of the posterior lateral line system in young larvae of the zebrafish. *J. Comp. Neurol.* 233(3):377-389.
- Methot, R. D., Jr., and D. Kramer. 1979. Growth of northern anchovy, [*Engraulis mordax*], larvae in the sea. *Fish. Bull. NOAA (U.S.)* 77(2):413-423.
- Methot, R. D. 1981. Growth rates and age distributions of larval and juvenile northern anchovy, [*Engraulis mordax*], with inferences on larval survival. Ph.D. Diss., Univ. California, San Diego. 209 pp.
- Methot, R. D. 1981. Spatial covariation of daily growth rates of larval northern anchovy, [*Engraulis mordax*], and northern lampfish, [*Stenobrachius leucopsarus*]. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:424-431.
- Methot, R. D., Jr. 1983. Seasonal variation in survival of larval northern anchovy, [*Engraulis mordax*], estimated from the age distribution of juveniles. *Fish. Bull. U.S.* 81:741-750.
- Methot, R. D. 1985. Frame trawl for sampling pelagic juvenile fish. *California Coop. Oceanic Fish. Invest. Rep.* XXVII:267-278.
- Methot, R. D. 1986. Frame trawl for sampling pelagic juvenile fish. *CalCOFI Rep.* 27: 267-278.



- Metsiger, E. L. 1973. The bongo net plankton sampler: factors affecting extrusion and avoidance of fish eggs and larvae collected off western Florida. M. S. Thesis, Univ. Miami. 63 pp.
- Mettee, M. F., Jr. 1974. A study of the reproductive behavior, embryology, and larval development of the pygmy sunfishes of the genus [Elassoma]. PhD. Diss., Univ. Alabama, Birmingham, AL.
- Mettee, M. F., Jr., and E. C. Beckham. 1978. Notes on the breeding behavior, embryology and larval development of [Cyprinodon variegatus] Lacepede in aquaria. Tulane Stud. Zool. Bot. 20 (3-4):137-148.
- Metzger, F., Jr. 1977. Life history - bluefish. Pages 96-101 [in] Ecological studies for the Oyster Creek Generating Station, Vol. I - Fin and shellfish. Prog. Rep. Sept. 1975 - Aug 1976. Ichthyol. Assoc., Inc., New Jersey Cent. Power Light Co. 338 pp.
- Metzger, F., Jr. 1977. Life history - striped bass, pp. 94-95. In: Ecological studies for the Oyster Creek Generating Station, Vol. 1 - Fin and Shellfish. Prog. Rep. Sept. 1975 - Aug. 1976. Ichthyol. Assoc., Inc. for New Jersey Cent. Power Light Co. 338 pp.
- Meurling, P. 1972. Control of pars intermedia in large embryos of the spiny dogfish, [Squalus acanthias]. Gen. Comp. Endocr. 18:609.
- Meurling, P., and B. Klefbohm. 1974. Control of pars intermedia activity in late embryos of the spiny dogfish, [Squalus acanthias]. Cell Tiss. Res. 155(2):221-230.
- Meyer, F. A. 1970. Development of some larval centrarchids. Progressive Fish-Culturist 32(3):130-136.
- Meyer, F. L., Jr., P. M. Mehrle, Jr., and W. P. Dwyer. 1975. Toxaphene effects on reproduction, growth and mortality of brook trout. U.S. EPA, Ecol. Res. Ser. EPA-600/3-75-013. 43 pp.
- Meyer, H. A. 1879. Influence of temperature on the development of herring eggs. Chicago Field 11:191.
- Meyer, W., and I. Sauerbier. 1977. The development of catecholamines in embryos and larvae of the rainbow trout ([Salmo gairdneri] Rich.). J. Fish. Biol. 10(5):431-436.
- Meyer, W. H. 1962. Life history of three species of redhorse ([Moxostoma]) in the Des Moines River, Iowa. Transactions of the American Fisheries Society 90(4):412-416.
- Meyer-Rochow, V. B. 1972. Pelagic Sciaenid eggs and early larval stages from off Luderitz Bay, Southwest Africa. Vie Milieu: Ser. A: Biol. Mar. 23(1):11-19.
- Meyer-Rochow, V. B. 1972. The lateral-line organs of the larvae of the deep sea fish, [Cataetyx memorabilis] (Ophidiidae): a scanning electron and light-microscope study. Mar. Biol. 12(4):272-276.
- Meyer-Rochow, V. B. 1972. The larval eye of the deep-sea fish, [Cataetyx] [memorabilis] (Teleostei, Ophidiidae). Z. Morph. Tiere. 72(4):331-340.
- Meyer-Rochow, V. B. 1974. Behavior and structure of the larval sense organs in a deep sea fish ([Cataetyx memorabilis]). Page 43 [in] Report of the international symposium on the early life history of fish. FAO Fish. Rep., No. 141, 58 pp.
- Meyer-Rochow, V. B. 1974. Leptocephali and other transparent fish larvae from the south-eastern Atlantic Ocean. Zool. Anz. 192(3/4):240-251.
- Meyer-Rochow, V. B. 1976. Some observations on spawning and fecundity in the luminescent fish, [Photoblepharon palpebratus]. Mar. Biol. 37(4):325-328.

- Meyer-Rochow, V. B., I. Cook, C. H. Hendy. 1992. How to obtain clues from the otoliths of an adult fish about the aquatic environment it has been in as a larva. *Comparative Biochemistry and Physiology A-Comparative Physiology* 103:333-335.
- Meyerhoff, R. D. 1975. Acute toxicity of Benzene, a compound of crude oil, to juvenile striped bass, [*Morone saxatilis*]. *Journal of the Fisheries Research Board of Canada* 32(10):1864-1866.
- Meyers, S. P. 1979. Formulation of water-stable diets for larval fish. Pages 14-20 [in] J. E. Halver and K. Tiews, editors. *Finfish nutrition and fishfeed technology*. Springer-Verlag, Berlin.
- Mezhnin, F. I. 1978. Development of the sex cells in the early ontogeny of the common perch, [*Perca fluviatilis*]. *J. Ichthyol.* 18(1):71-86.
- Michaels, W. L. 1991. The impact of mackerel predation on the survival of pelagic age-zero sandlance, cod, and haddock on Georges Bank during spring of 1986. Master of Science Thesis, Southeastern Massachusetts University. 154 p.
- Michaelson, D. M., D. Sternberg, and L. Fishelson. 1979. Observations on feeding, growth, and electric discharge of newborn [*Torpedo ocellata*] (Chondrichthyes, Batoidei). *J. Fish. Biol.* 15(2):159-163.
- Michibata, H., and N. Egami. 1977. Effect of chronic gamma-irradiation on the fish, [*Oryzias latipes*]. 3. Effects on the gonad with special reference to spermatogonial population. *J. Radiat. Res.* 18:54.
- Michibata, H., and R. Hori. 1979. The accumulation of manganese from the environmental medium by the egg of [*Oryzias latipes*]. *J. Cell Physiol.* 98(1):241-243.
- Michibata, H. 1981. Uptake and distribution of cadmium in the egg of the teleost, [*Oryzias latipes*]. *J. Fish. Biol.* 19(6):691-696.
- Middaugh, D. P., and R. L. Yoakum. 1974. The use of chorionic gonadotrophin to induce laboratory spawning of the Atlantic croaker, [*Micropogon undulatus*], with notes on subsequent embryonic development. *Ches. Sci.* 15(2):110-114.
- Middaugh, D. P., et al. 1975. The response of larval fish, [*Leiostomus xanthurus*], to environmental stress following sublethal cadmium exposure. *Contr. Mar. Sci. Univ. Texas* 19:13.
- Middaugh, D. P., and P. W. Lempesis. 1976. Laboratory spawning and rearing of a marine fish, the silverside, [*Menidia menidia menidia*]. *Mar. Biol.* 35(4):295-300.
- Middaugh, D. P., et al. 1977. Toxicity of chlorine to juvenile spot, [*Leiostomus*] [*xanthurus*]. *Water Res. (G. B.)* 11:1089.
- Middaugh, D. P., and J. M. Dean. 1977. Comparative sensitivity of eggs, larvae, and adults of the estuarine teleosts, [*Fundulus heteroclitus*] and [*Menidia menidia*], to cadmium. *Bull. Env. Contam. Toxicol.* 17:645-652.
- Middaugh, D. P., et al. 1977. Toxicity of chlorine to juvenile spot, [*Leiostomus*] [*xanthurus*]. *Water Res. (G. B.)* 11:1089.
- Middaugh, D. P., J. A. Couch, and A. M. Crane. 1977. Responses of early life history stages of the striped bass, [*Morone saxatilis*], to chlorination. *Ches. Sci.* 18:141-153.
- Middaugh, D. P. 1978. Reproductive ecology and spawning periodicity of the Atlantic silverside, [*Menidia menidia*] (L.) (Atherinidae: Teleostei). Ph.D Diss., Univ. South Carolina. 98 pp.

- Middaugh, D. P., et al. 1978. Effect of thermal stress and total residual chlorination on early life stages of the mummichog, [*Fundulus heteroclitus*]. *Mar. Biol.* 46:(1):1-8.
- Middaugh, D. P., G. I. Scott, and J. M. Dean. 1981. Reproductive behavior of the Atlantic silverside, [*Menidia menidia*] (Pisces: Atherinidae). *Environmental Biology of Fishes* 6:269-276.
- Middaugh, D. P., M. J. Hemmer, and Y. Lamadrid-Rose. 1986. Laboratory spawning cues in [*Menidia beryllina*] and [*M. peninsulae*] (Pisces: Atherinidae) with notes on survival and growth of larvae at different salinities. *Environmental Biology of Fishes* 15(2):107-117.
- Mielck, W. 1925. Herringslarven, eier und larven anderer fische und nahrung der larven in der westlichen Nordsee im Oktober 1922. *Ber. dt. wiss. Kommn. Meeresforsch. (1919-1923)*, 1(7):209-246.
- Mielck, W. 1926. Untersuchungen uber die pelagische Fischbrut (Eier und Larven) in der Obsteer im April 1925. *Ber. dt. wiss. Kommn. Meeresforsch. (1924-25)*, 2(8): 99-106.
- Mielck, W. 1929. Die verbreitung der heringlarven in der Nordsee im Winter. *Cons. perm. int. l'Explor. Mer, Rapp. et Proc.-Verb.*
- Mielck, W., and C. Kunne. 1935. Fischbrut-und plankton-untersuch auf dem reichsforschungsd "Poseidon" in der Ostsee, Mai-Juni 1931. Fry and plankton studies on the Reich Research steamer "Poseidon" in the Baltic Sea. *Wis Meeresunters., Abt. Helgoland* 19, Heft 3:1-120.
- Migalovskaya, V. N. 1971. Chronic effect of strontium-90 and yttrium-90 on the frequency of chromosomal aberrations in the embryonal cells of the Atlantic salmon. *Trudy polyar. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr.:*89-99. AEC Transl. No. 7418.
- Migalovskaya, V. N. 1971. Effect of X-irradiation on the gametes and embryonal cells of the Atlantic salmon. *Trudy polyar. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr.:*100-112. AEC Transl. No. 7418.
- Migalovskiy, I. P. 1971. Development of fish eggs and the early period of gametogenesis in the embryos and larvae of the Atlantic salmon under conditions of radioactive contamination of water. *Trudy polyar. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr.:*62. AEC Transl. No. 7418.
- Migalovskiy, I. P. 1971. The development of the Atlantic salmon under conditions of radioactive pollution of the water by strontium-90 -yttrium-90, and cerium 144. *Tr. Polyarn. n.-i. in-ta morsk. rybn. kh-va i okeanogr.,* No. 29.
- Mighell, J. L., and J. R. Dangel. 1975. Hatching survival of hybrids of [*Oncorhynchus masou*] with [*Salmo gairdneri*] and with North American species of [*Oncorhynchus*]. *Fish. Bull.* 73(2):447-449.
- Mighell, J. L. 1977. Device for rapid separation and removal of dead salmon eggs. *Progressive Fish-Culturist* 39(3):151-152.
- Mihara, T., and K. Shibata. 1936. On the influence of specific gravity on hatching of eggs of [*Osmerus dentex*]. *Sakemasu-Iho* 11(4):15-19.
- Mihursky, J. A., et al. 1976. Final report on Potomac estuary fisheries studies: Ichthyoplankton and juvenile investigations. Univ. Maryland, CEES 76-12-CBL. 241 pp.
- Mihursky, J. A., K. V. Wood, S. Kerig, and E. M. Setzler-Hamilton. 1980. Chalk Point Steam Electric Station Studies: Patuxent Estuary Studies; Ichthyoplankton Studies. Univ. Maryland CEES Ref. No. 80-11-CBL, Ches. Biol. Lab., Solomons, MD.
- Mihursky, J. A., E. M. Setzler-Hamilton, F. D. Martin, and K. V. Wood. 1981. Spatial and temporal patterns of springtime utilization of the Potomac estuary by fish larvae. Pages

20-27 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. The fifth ann. larval fish conf., Louisiana Coop. Fish. Res. Unit, LSU, Baton Rouge, LA.

Mikami, S., M. Tamura, E. Yagi, and A. Iizuka. 1961. Studies on the early life history of herring, [*Clupea pallasii*]. I. Habitat and feeding habits of the larvae in Akkeshi Bay, Hokkaido. Bull. Hokkaido Reg. Fish. Res. Lab. 23, 16 pp.

Mikhman, A. S. 1969. Some new data on the larval feeding of the Azov tyul'ka ([*Clupeonella delicatula*] Nordm.) and on the role of the nutritional factor in fluctuations in its abundance. Prob. Ichthyol. 9:666-673. (trans. from Vopr. Ikhtiol. by Am. Fish. Soc.).

Mikhman, A. S., and M. I. Bryazgunova. 1978. The feeding of [*Scophthalmus maeoticus* maeoticus] and [*Platichthys flesus luscus*] larvae in Taganrog Gulf. J. Ichthyol. 18(5):857-858.

Mikkola, H., H. Oksman, and P. Shemeikka. 1976. On the effect of bottom material on the development of vendace, [*Coregonus albula*], Etts. Suom. Kalastuslehti 83:130-133.

Mikodina, Y. V., and A. P. Makeyeva. 1980. The structure and some properties of egg membranes in pelagophelous freshwater fishes. J. Ichthyol. 20:86-94.

Mikol, G. F. 1985. Effects of harvesting on aquatic vegetation and juvenile fish populations at Saratoga Lake, New York. J. Aquat. Plant Mgmt. 23(July): 59-63.

Mikulin, A. Y., and S. G. Soin. 1975. The functional significance of carotenoids in the embryonic development of teleosts. J. Ichthyol. 15(5):749-759.

Mikulin, A. Y., V. V. Gerasimchuk, and V. N. Dubrovina. 1978. Pigmentation of the eggs of the lumpfish, [*Cyclopterus lumpus*]. J. Ichthyol. 18(5):816-821.

Mikulin, A. Y. 1981. Spectral characteristics of the eggs of some species of fish. J. Ichthyol. 21(4):133-137.

Milicich, M. J., M. G. Meekan, and P. J. Doherty. 1992. Larval supply - a good predictor of recruitment of 3 species of reef fish (Pomacentridae). Marine Ecology-Progress Series 86:153-166.

Milicich, M. J. 1994. Dynamic coupling of reef fish replenishment and oceanographic processes. Marine Ecology-Progress Series 110:135-144.

Milicich, M. J., and P. J. Doherty. 1994. Larval supply of coral reef fish populations - magnitude and synchrony of replenishment to Lizard Island, Great Barrier Reef. Marine Ecology-Progress Series 110:121-134.

Mil'man, L. S. 1965. Glycolysis in the embryonic development of loach. Zh. Obshch. Biol. 26:237-240.

Mil'man, L. S., and Y. G. Daniukov. 1965. Question of antephase during the cleavage of loach ([*Misgurnus fossilis*]) eggs. Tsitologiya 7:731-733.

Mil'man, L. S., and Y. G. Yurovitzky. 1966. Specific role of mitochondria in control of glycolysis during the development of fish embryos (loach). Exp. Cell. Res. 42:478-483.

Mil'man, L. S., and Y. G. Yurovitzky. 1967. Control of glycolysis in early embryogenesis (Loach). Biochim. Biophys. Acta. 148:362-371.

Mil'man, L. S., and Y. G. Yurovitzky. 1967. Fructose 1, 6-diphosphate and 3', 5' cyclic AMP as positive effectors of pyruvate kinase in developing embryos ([*Misgurnus fossilis*]). Biochim. Biophys. Acta. 146:301-304.

- Mil'man, L. S., and Y. G. Yurovitzky. 1968. Control of glucose-6-phosphate dehydrogenase by fructose diphosphate and adenosine triphosphate in loach embryos. Dokl. Akad. Nauk. SSSR 179(2): 472-475.
- Mil'man, L. S., and I. G. Iurovitskii. 1969. Control of phosphofructo-kinase activity by phosphoenol pyruvate in embryos of [Cobitis] [fossilis]. Dokl. Akad. Nauk. SSSR 185(5):1175-1177.
- Mil'man, L. S., and Y. G. Yurovitzky. 1969. Control of glycolysis in early embryogenesis of the loach. 9th Intl. Embryol. Conf. Moscow, Aug. 1969. Publ. House, Nauk., Moscow:57-58.
- Mil'man, L. S., and Y. G. Yurovitzky. 1969. Some features of pyruvate kinase control in loach embryos ([Cobitis fossilis]). Dokl. Akad. Nauk. SSSR 185:462-465.
- Mil'man, L. S., and Y. G. Yurovitzky. 1969. Enzymes of hexosemonophosphate shunt in the early development of loach. Biokhimiya 34:376-380.
- Miles, D. W. 1950. The life histories of the spotted sea trout, [Cynoscion nebulosus], and the redbfish, [Sciaenops] [ocellatus]. Texas Game and Fish Comms., Ann. Rep. Sept. 1949 to Aug. 1950. Rockport, TX.
- Miles, S. G. 1968. Rheotaxis of elvers of the American eel ([Anguilla] [rostrata]) in the laboratory to water from different streams in Nova Scotia. Journal of the Fisheries Research Board of Canada 25(8):1591-1602.
- Milkman, R. 1954. Controlled observation of hatching in [Fundulus] [heteroclitus]. Biol. Bull. (Woods Hole) 107(2):300.
- Millard, M. J. 1981. Comparative larval development of the pugnose minnow, [Notropis emilae], and the taillight shiner, [Notropis maculatus] (Pisces: Cyprinidae). M.S. Thesis, Louisiana State Univ., Baton Rouge, LA.
- Miller, B., and D. W. Greenfield. 1965. A juvenile six-gilled shark, [Heranchus corinus], from the San Juan Islands, Washington. Journal of the Fisheries Research Board of Canada 22(3):857-859.
- Miller, B. S. 1969. Life history observations on normal and tumor-bearing flathead sole in East Sound, Orcas Island (Washington). Ph.D Diss., Univ. Washington, Seattle. 131 pp.
- Miller, D. 1958. A key to some of the more common larval fishes of the Gulf of Maine. NMFS, Woods Hole Lab. Misc. Rep. 58-1. 56 pp.
- Miller, D. 1958. Descriptions and figures of 15 larval fishes from the Gulf of Maine. Bur. Commer. Fish. Biol. Lab., Woods Hole, Mass., 58 pp. (unpublished mimeo rep.).
- Miller, D. 1958. A key to some of the more common larval fishes of the Gulf of Maine. NMFS Woods Hole Lab. Misc. Rep. 58:1.
- Miller, D., and R. P. Marak. 1959. The early larval stages of the red hake, [Urophycis] [chuss]. Copeia 1959 (3):248-250.
- Miller, D. 1961. A modification of the small Hardy plankton sampler for simultaneous high-speed plankton hauls. Bull. Mar. Ecol. 5:165-172.
- Miller, D. 1964. Notes on some of the more common larval fishes of the Gulf of Maine. N.M.F.S. Woods Hole Lab. Ref. No. 64-4.
- Miller, D. D. 1970. Life history study of the burbot. Wyoming Game & Fish Comms. and Univ. of Wyoming. Coop. Res. Proj. 5, DJ Proj. F-41-R-1 and 2. 94 pp.

- Miller, D. D. 1970. A life history study of the burbot in Ocean Lake and Torrey Creek, Wyoming. M.S. thesis, Univ. Wyoming, 100 pp.
- Miller, D. J. 1952. Development through the prolarval stage of artificially fertilized eggs of the Pacific sardine, [*Sardinops caerulea*]. California Fish and Game 38:587-591.
- Miller, D. J. 1952. Notes on the embryology and behavior of the flying fishes ([*Cypselurus*]) off the coast of southern and Baja California. California Fish and Game 38(4):549-555.
- Miller, D. J., and J. L. Geibel. 1973. Summary of blue rockfish and lingcod life histories; a reef ecology study; and the giant kelp, [*Macrocystis pyrifera*], experiments in Monterey Bay, California. California Dept. Fish Game Bull. 158. 137 pp.
- Miller, D. R. 1982. Migration of a juvenile wolf eel, [*Anarrhichthys*] [*ocellatus*], from Port Hardy, British Columbia, to Willappa Bay, Washington. Fish. Bull. 80(3):650-655.
- Miller, D., and R. P. Marak. 1962. Early larval stages of the fourspot flounder, [*Paralichthys oblongus*]. Copeia 1962(2):454-455.
- Miller, D., J. B. Colton, and R. P. Marak. 1963. A study of the vertical distribution of larval haddock. J. Cons. perm. int. Explor. Mer 28(1):37-49.
- Miller, G. C. 1960. Dispersal of young marine fishes near Woods Hole, Massachusetts. Publ. Mus. Michigan St. Univ. Biol. Ser. 1:331-367.
- Miller, G. L., and S. C. Jorgenson. 1973. Meristic characters of some marine fishes of the western Atlantic Ocean. Fish. Bull. NOAA (U.S.) 71(1):301-312.
- Miller, J. M. 1973. A quantitative push-net system for transect studies of larval fish and macrozooplankton. Limnol. Oceanogr. 18:175-178.
- Miller, J. M. 1973. Distribution pattern of Hawaiian fish larvae: effect of currents and water quality. FAO Fish. Rep. 141:43.
- Miller, J. M., W. Watson, and J. M. Leis. 1973. Larval fishes. Pages 101-107 [in] S. V. Smith, K. E. Chave, and T. O. K. Dennis, editors. Atlas of Kaneohe Bay: a reef ecosystem under stress. Univ. of Hawaii Press, Honolulu.
- Miller, J. M. 1974. Nearshore distribution of Hawaiian marine fish larvae: effects of water quality, turbidity and currents. Pages 217-231 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, New York, NY.
- Miller, J. M., and B. Y. Sumida. 1974. Development of eggs and larvae of [*Caranx* mate] (*Carangidae*). Fish. Bull. NOAA (U.S.) 72(2):497-514.
- Miller, J. M. 1979. Nearshore abundance of tuna (*Pisces: Scombridae*) larvae in the Hawaiian Islands. Bull. Mar. Sci. 29(1):19-26.
- Miller, J. M., and J. W. Tucker. 1979. X-radiography of larval and juvenile fishes. Copeia 1979:535-538.
- Miller, J. M., W. Watson, and J. M. Leis. 1979. An atlas of common nearshore marine fish larvae of the Hawaiian Islands Univ. Hawaii Sea Grant College Prog. 179 pp.
- Miller, J. M., J. P. Reed, and L. J. Pietrafesa. 1984. Patterns, mechanisms and approaches to the study of migrations of estuarine-dependent fish larvae and juveniles. Pages 209-225 [in] J. D. McCleave, G. P. Arnold, J. J. Dodson, and W. H. Neil, editors. Mechanisms of migration in fish. Plenum, New York.

- Miller, J. M., L. B. Crowder, and M. L. Moser. 1984. Migration and utilization of estuarine nurseries by juvenile fishes: an evolutionary perspective. Proc. symp. on migrations: mechanical and adaptive significance. Univ. Texas, Port Aransas.
- Miller, J. M. 1986. Coastal migrations of young marine fishes. Transport of Larval Fish and Shellfish through Coastal Inlets, Ocean Springs, MS. Symposium Series 3, Am. Fish. Soc. In press.
- Miller, K. D., and R. H. Kramer. 1971. Spawning and early life history of largemouth bass (*Micropterus salmoides*) in Lake Powell. Pages 73-83 [in] G. E. Hall, editor. Reservoir fisheries and limnology. Spec. Publ. Am. Fish. Soc., No. 8, 511 pp.
- Miller, L. W. 1972. White sturgeon. Pages 54-56 [in] J. E. Skinner, editor. Ecological studies of the Sacramento-San Joaquin estuary, dicennial rep. Delta Fish and Wildl. Prot. Study Rep. No. 8, 94 pp.
- Miller, M. J., and J. D. Mccleave. 1994. Species assemblages of leptocephali in the subtropical convergence zone of the Sargasso Sea. Journal of Marine Research 52:743-772.
- Miller, P. E. 1978. Food habit study of striped bass post yolk-sac larvae. The Johns Hopkins Univ., Ches. Bay Inst. Spec. Rep. No. 68, Ref. No. 78-68.
- Miller, P. J. 1961. Evidence for the breeding in Manx waters of the sand-smelt, [*Atherina presbyter*] C & V. Rep. Mar. Biol. Sta. Point Erin 74:27-28.
- Miller, R. B. 1952. The relative strengths of whitefish year classes as affected by egg plantings and weather. J. Wildl. Mgmt. 16(1):39-50.
- Miller, R. J. 1962. Reproductive behavior of the stoneroller minnow, [*Campostoma anomalum pullum*]. Copeia 1962(2):407-417.
- Miller, R. R. 1960. Systematics and biology of the gizzard shad (*Dorosoma cepedianum*) and related fishes. Fish. Bull. 60:371-392.
- Miller, R. R. 1963. Distribution, variation, and ecology of [*Lepidomeda*] [*vittata*], a rare cyprinid fish endemic to eastern Arizona. Copeia 1963(1):1-5.
- Miller, R. R. 1979. Ecology, habits, and relationships of the middle American cuatro ohos, [*Anableps dowi*] (Pisces: Anablepidae). Copeia 1979(1):82-91.
- Miller, R. V., and J. W. Van Landingham. 1969. Additional procedures for effective enzyme clearing and staining of fishes. Copeia 1969:829-830.
- Miller, R. W. 1971. Effects of fanning on the dissolved oxygen environment and mortality of largemouth bass embryos. M.S., Thesis, Cornell Univ., Ithaca, N.Y., 58 pp.
- Miller, R. W. 1972. Three methods for determining dissolved oxygen concentrations near fish embryos. Progressive Fish-Culturist 4(1):39-42.
- Miller, S. J., and T. Storck. 1982. Daily growth rings in otoliths of young-of-the-year largemouth bass. Transactions of the American Fisheries Society 111:527-530.
- Miller, S. J., and T. Storck. 1984. Temporal spawning distribution of largemouth bass and young-of-the-year growth, determined from daily growth rings. Transactions of the American Fisheries Society 113:571-578.
- Miller, T. J., L. B. Crowder, J.A. Rice, and E.A. Marshall. 1988. Larval size and recruitment mechanisms in fishes: toward a conceptual framework. Can. J. Fish. Aquat. Sci. 45:1657-1670.

- Miller, T., L. B. Crowder, and F. P. Binkowski. 1990. Effects of changes in the zooplankton assemblage on growth of bloater and implications for recruitment success. *Transactions of the American Fisheries Society* 119:483-491.
- Miller, T. J., L. B. Crowder, J. A. Rice, and F. P. Binkowski. 1992. Body size and the ontogeny of the functional response in fishes. *Canadian Journal of Fisheries and Aquatic Sciences* 49:805-812.
- Miller, T. J., L. B. Crowder, and J. A. Rice. 1993. Ontogenetic changes in behavioral and histological measures of visual acuity in three species of fish. *Env. Biol. Fish.* 37:1-8.
- Miller, T. J., T. Herra, and W. C. Leggett. 1995. An individual-based analysis of the variability of eggs and their newly hatched larvae of Atlantic cod (*Gadus morhua*) on the Scotian Shelf. *Canadian Journal of Fisheries and Aquatic Sciences* 52:1083-1093.
- Miller, T. J., T. Herra, and W. C. Leggett. 1999. The relation between otolith size and larval size at hatching for Atlantic cod, [*Gadus morhua*]. *Fish. Bull.* 97: 294-305.
- Miller, T. J. 2002. Physical and ecological processes in ichthyoplankton assemblages. Chapter 7 [in] L. A. Fuiman and R. G. Werner, editors. *Concepts in Fishery Science: The Unique Contributions of Early Life Stages*. Blackwell Sciences.
- Miller, W. H. 1970. Factors influencing migration of chinook salmon fry (*Oncorhynchus tshawytscha*) in the Salmon River, Idaho. Ph.D. Diss., Univ. Idaho.
- Mills, C. A. 1980. Spawning and rearing eggs of the dace, [*Leuciscus*] [*leuciscus*] (L.). *Fish. Mgmt.* 11:67-72.
- Mills, C. A. 1981. Egg population dynamics of naturally spawning dace, [*Leuciscus leuciscus*] (L.). *Environmental Biology of Fishes* 6:151-158.
- Mills, C. A. 1981. The attachment of dace eggs to the spawning substratum and the influence of changes in water current on their survival. *J. Fish. Biol.* 19(2):129.
- Mills, C. A. 1982. Factors affecting the survival of dace, [*Leuciscus*] [*leuciscus*] (L.) in the early post-hatching period. *J. Fish. Biol.* 20(6):645-656.
- Mills, C. A., W. C. Beaumont, and R. T. Clarke. 1985. Sources of variation in the feeding of larval dace, [*Leuciscus leuciscus*], in an English River. *Transactions of the American Fisheries Society* 114:519-524.
- Mills, D. H. 1964. The ecology of the young stages of the Atlantic salmon in the River Bran, Ross-Shiere. Dept. Agric. Fish. Scotl., Freshwat. Salmon Fish. Res. No. 32.
- Mills, E. L., and J. L. Forney. 1981. Energetics, food consumption, and growth of young yellow perch in Oneida Lake, New York. *Transactions of the American Fisheries Society* 110:479-488.
- Mills, E. L., R. C. Ready, M. Jahncke, C. R. Hanges, and C. Trowbridge. 1984. A gastric evacuation model for young yellow perch, [*Perca flavescens*]. *Canadian Journal of Fisheries and Aquatic Sciences* 41(3):513-518.
- Mills, L. E. 1966. Environmental factors and egg mortality of cutthroat trout, [*Salmo clarkii*], in three tributary streams of Yellowstone Lake. M.S. Thesis, Colorado State Univ., 65 pp.
- Milner, N. J. 1979. Zinc concentrations in juvenile flatfish. *J. Mar. Biol. Assoc. U.K.* 59(3):761-775.



- Milos, N., and A. D. Dingle. 1978. Dynamics of pigment pattern formation in the zebrafish, [*Brachydanio rerio*]. I. Establishment and regulation of the lateral line melanophore stripe during the first eight days of development. *J. Exp. Zool.* 205(2): 205.
- Milton, D. A., S. J. M. Blaber, and N. J. F. Rawlinson. 1995. Fecundity and egg production of four species of short-lived clupeoid from Solomon Islands, tropical South Pacific. *ICES Journal of Marine Science* 52:111-125.
- Milton, D. A., S. J. M. Blaber, and N. J. F. Rawlinson. 1994. Reproductive biology and egg production of 3 species of Clupeidae from Kiribati, tropical Central Pacific. *Fishery Bulletin* 92:102-121.
- Milward, N. E. 1966. Development of the eggs and early larvae of the Australian smelt, [*Retropinna semoni*]. *Proc. Linn. Soc. N.S.W.* 90:218-221.
- Milward, N. E. 1969. Development of the eggs and early larvae of the Australian smelt, [*Retropinna semoni*] (Weber). *Res. Bull. St. Fish. N. S. W.* 10:4 pp.
- Mimura, K., et al. 1963. Synopsis of biological data on yellowfin tuna, [*Neothunnus macropterus*] Temm. & Schl. 1842 (Indian Ocean). *Proc. World Sci. Mtg. Biol. Tunas and Rel. Spp.*, FAO Fish. Rep. 6(2):319-349.
- Minami, T., and I. Nakamura. 1978. Seasonal occurrence of pelagic stages of flatfishes (Pleuronectiformes) in the coastal waters of western Wakosa Bay, the Japan Sea. *Mem. Coll. Agric., Kyoto Univ.* 112:29-47.
- Minami, T., and T. Tamoki. 1980. Offshore and nearshore distribution patterns of fish larvae along the San-In Coast, the Sea of Japan. *Jap. J. Ichthyol.* 27:156-164.
- Minami, T. 1981. The early life history of a flounder, [*Limanda*] [*yokohamae*]. *Bull. Jap. Soc. Sci. Fish.* 47(11):1411-1420.
- Minami, T. 1981. The early life history of a flounder, [*Pseudorhombus*] [*pentophthalmus*]. *Bull. Jap. Soc. Sci. Fish.* 47(7):849-856.
- Minami, T. 1981. The early life history of a sole, [*Heteromycteris*] [*japonicus*] (Temm. et Schl.). *Bull. Jap. Soc. Sci. Fish.* 47(7):857-862.
- Minami, T. 1982. The early life history of a flatfish, [*Paralichthys*] [*olivaceous*]. *Bull. Jap. Soc. Sci. Fish.* 48(11):1581-1588.
- Minami, T. 1982. The early life history of a flounder, [*Pleuronichthys cornutus*]. *Bull. Jap. Soc. Sci. Fish.* 48:369-374. In Japanese.
- Minami, T. 1982. The early life history of a tongue fish, [*Paraplagusia japonica*]. *Bull. Jap. Soc. Sci. Fish.* 48:1041-1046.
- Minami, T. 1983. The early life history of a flounder, [*Tanakuis*] [*kitaharai*]. *Bull. Jap. Soc. Sci. Fish.* 49:527-532.
- Minami, T. 1983. The early life history of a flounder, [*Tarhops*] [*oligolepsis*]. *Bull. Jap. Soc. Sci. Fish.* 49:533-539.
- Minami, T. 1983. The early life history of a tongue fish, [*Cynoglossus joyneri*]. *Bull. Jap. Soc. Sci. Fish.* 49:719-724.
- Minami, T. 1984. The early life history of a flounder, [*Kareius*] [*bicoloratus*]. *Bull. Jap. Soc. Sci. Fish.* 50:551-560.
- Minami, T., and M. Tanaka. 1985. Juvenile Japanese sandfish, [*Arcloscopus japonicus*], caught by the Akahege fishery in the Shinano River estuary, Niigata Prefecture, the Japanese Sea. *Bull. Jap. Sea Reg. Fish. Res. Lab.* 35:1-10.

- Minami, T. 1986. Predation on the young flatfishes in the Japan Sea. Bull. Jap. Sea Reg. Fish. Res. Lab. 36:39-47.
- Minami, T., and M. Tanaka. 1992. Life history cycles in flatfish from the northwestern Pacific, with particular reference to their early life histories. Neth. J. Sea Res. 29: 35-48.
- Minckley, C. O., and H. E. Klaassen. 1969. Life history of the plains killifish, [Fundulus] [kansae] (Garman), in the Smokey Hill River, Kansas. Trans. Am. Fish. Soc. 98(3):460-465.
- Minckley, W. L., and J. A. Deacon. 1959. Biology of the flathead catfish in Kansas. Transactions of the American Fisheries Society 88(4):344-355.
- Minckley, W. L. 1962. Spring foods of juvenile blue catfish from the Ohio River. Transactions of the American Fisheries Society 91(1):95.
- Minckley, W. L. 1972. Notes on the spawning behavior of red shiner, introduced into Burro Creek, Arizona. Southwest. Nat. 17:101-103.
- Ming, A. 1965. Life history of the grass pickerel and chain pickerel. Oklahoma Fish. Res. Lab. REp. 1965(Jan.-June):12-15.
- Ming, A. D. 1968. Life history of the grass pickerel, [Esox americanus] [vermiculatus], in Oklahoma. M.S. Thesis, Univ. Oklahoma.
- Minnier, D. E., and J. E. Cole. 1973. Parental influence on the larval and early post-larval development of young [Ectopoma maculatus] (Osteichthyes: Cichlidae). Proc. Pennsylvania Acad. Sci. 47:117-122.
- Minton, A. L., D. V. Osteen, and D. E. Snyder. 1985. Description of larval pirate perch, [Aphredoderus sayanus] (Gilliams), from the Savannah River. Pages 21-28 [in] A. W. Kendall, Jr., and J. B. Marliave, editors. Descriptions of early life history stages of selected fishes: from the Third International Symposium on the Early Life History of Fishes and Eighth Annual Larval Fish Conference, May 1984, University of British Columbia, Vancouver, Canada. Canadian Technical Report of Fisheries and Aquatic Sciences 1359.
- Mion, J. B., R. A. Stein, and E. A. Marschall. 1998. River discharge drives survival of larval walleye. Ecological Applications 8:88-103.
- Minot, C. S. 1893. A bibliography of vertebrate embryology. Mem. Boston Soc. Nat. Hist. 4:487-614.
- Minton, A. L., D. V. Osteen, and D. E. Snyder. 1985. Description of larval pirate perch, [Aphredoderus] [sayanus] (Gilliams), from the Savannah River. Pages 21-28 [in] A. W. Kendall, Jr., and J. B. Marliave, editors. Descriptions of early life history stages of selected fishes. Can. Tech. Rep. Fish. Aq. Sci. 1359.
- Mires, D., et al. 1975. Further observations on the effects of salinity and temperature changes on [Mugil capito] and [Mugil] [cephalus] fry. Aquaculture 5:110.
- Mires, D., Y. Shak, and S. Shilo. 1974. Further observations on the effects of salinity and temperature changes on [Mugil capito] and [Mugil] [cephalus] fry. Bamidgeh 26(4):104-109.
- Mirkes, D. Z., W. B. Vernberg, and P. J. DeCoursey. 1978. Effects of cadmium and mercury on the behavioral responses and development of [Eurpanopeus depressus] larvae. Mar. Biol. 47:101-103.
- Miro, S. 1955. Breeding habits of a percoid fish, [Plesiops] [semeion]. Sci. Bull. Fac. Agric. Kyushu Univ. 15(1):95-99.

- Mironov, O. G. 1967. Effects of low components of oil and petroleum products on the development of eggs of the Black Sea turbot. *Vopr. Ikhtiol.* 7:577-580.
- Mironov, O. G. 1969. The development of some Black Sea fishes in seawater polluted by petroleum products. *Vopr. Ikhtiol.* 59:1136-1139.
- Mironova, N. V. 1977. Energy expenditure on egg production in young [*Tilapia mossambica*] and the influence of maintenance conditions on their reproductive intensity. *J. Ichthyol.* 17(4):627-633.
- Mischenko, A. I. 1938. Some observations on development of roe and larvae of flounders. *Bull. Pac. Sci. Inst. Fish. Oceanogr. Vladivostok* 24:169-173.
- Misitano, D. A. 1976. Size and stage of development of larval English sole, [*Parophrys vetulus*] at the time of entry into Humboldt Bay. *California Fish and Game* 62(1):93-98.
- Misitano, D. A. 1977. Species composition and relative abundance of larval and post-larval fishes in the Columbia River estuary, 1973. *Fish. Bull. NOAA (U.S.)* 75(1): 218-222.
- Misitano, D. A. 1977. Technique for incubating and hatching eggs of surf smelt for bioassay. *Progressive Fish-Culturist* 39:187.
- Misitano, D. A. 1978. Description of laboratory-reared larvae of the buffalo sculpin, [*Enophrys bison*] (Pisces: Cottidae). *Copeia* 1978(4):635-642.
- Misitano, D. A. 1980. A record of internal fertilization in the roughback sculpin, [*Chitinotus pugetensis*], with descriptive notes of their early larvae. *Copeia* 1980(1):162-165.
- Miskiewicz, A.G. 1987. Taxonomy and ecology of fish larvae in Lake Macquarie and New South Wales coastal waters. Ph.D. Thesis, University of New South Wales, Sydney.
- Miskiewicz, A.G., B.D. Bruce and P. Dixon. 1996. Distribution of tailor ([*Pomatomus saltatrix*]) larvae along the coast of New South Wales, Australia. *Marine and Freshwater Research* 47(2):331-336.
- Miskiewicz, A. G., B. D. Bruce, and T. Trnski. 1998. Berycidae: redfishes, nannygais, alfonsinos. Pages 104-107 [in] F.J. Neira, A.G. Miskiewicz, and T. Trnski, editors. *Larvae of temperate Australian fishes: laboratory guide for larval fish identification*. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase*. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Miskiewicz, A.G., and F.J. Neira, 1998. Clupeidae: herrings, sardines, shads, sprats. Pages 38-53 [in] F.J. Neira, A.G. Miskiewicz and T. Trnski, editors. *Larvae of temperate Australian fishes: laboratory guide for larval fish identification*. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase*. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Miskiewicz, A.G., and F.J. Neira. 1998. Engraulidae: anchovies. Pages 54-57 [in] F.J. Neira, A.G. Miskiewicz and T. Trnski, editors. *Larvae of temperate Australian fishes: laboratory guide for larval fish identification*. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase*. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Misra, P. M. 1963. Studies on growth and development of teleost eggs with special reference to deuterium enriched environments. Ph.D. Diss., Univ. Rhode Island, 114 pp.
- Misra, P. M. 1967. Effect of streptomycin sulfate and penicillin to check infection in developing brood trout eggs. *Journal of Zoology Soc. India* 19:85-88.

- Misra, P. M., and S. B. Saila. 1968. Growth of teleost eggs in deuterium. *J. Anim. Morph. Physiol.* 15:168-176.
- Mitani, F. 1960. Fishery biology of the yellowtail, [*Seriola*] [*quinqueradiata*] Temm. et Schl., inhabiting the waters around Japan. *Mem. Fac. Agric. Kinki Univ.* 1:300 pp.
- Mitani, F. 1965. An attempt to estimate the population size of the "mojako" the juvenile of the yellowtail, [*Seriola*] [*quinqueradiata*] Temm. and Schl., from the amount of the floating seaweeds based on the observations made by means of aeroplane and vessels. 3. Estimate of the population size of the "mojako". *Bull. Jap. Soc. Sci. Fish.* 31(4):505-515.
- Mitani, F. 1968. An attempt to estimate the population size of the "mojako", the juvenile of the yellowtail, [*Seriola*] [*quinqueradiata*] Temm. et Schl., from the amount of the floating seaweeds based on the observations made by means of aeroplane and vessels. 4. Rate of exploitation of the "mojako". *Bull. Jap. Soc. Sci. Fish.* 34(4):324-334.
- Mito, S. 1950. An introduction to the identification of the pelagic fish eggs and hatched larvae. *Sci. Bull. Fac. Agric. Kyushu Univ.* 18(1):61-70.
- Mito, S. 1954. Breeding habits of a blennioid fish, [*Salarias*] [*enosimae*]. *Jap. J. Ichthyol.* 3:144-152. (in Japanese).
- Mito, S. 1956. On the egg development and hatched larvae of [*Lethrinus nematacanthus*] Bleeker. *Sci. Bull. Fac. Agric. Kyushu Univ.* 15:497-500.
- Mito, S. 1956. On the egg development and hatched larvae of [*Oplegnathus fasciatus*]. (Temminck et Schlegel). *Sci. Bull. Fac. Agric. Kyushu Univ.* 15:501-506.
- Mito, S. 1957. Egg development and hatched larvae of [*Girella*] [*punctata*] Gray (*Girellidae*, *Teleostei*). *Jap. J. Ichthyol.* 6:105-108. (in Japanese).
- Mito, S. 1957. On the egg development and larvae of a Japanese sea bass, [*Lateolabrax japonicus*] (Cuvier). *Sci. Bull. Fac. Agric. Kyushu Univ.* 16:115-124. (in Japanese).
- Mito, S. 1958. Eggs and larvae of [*Tylosurus melanotus*] (Bleeker) (*Belonidae*). Page 22 [in] K. Uchida et al., editors. *Studies on the eggs, larvae and juveniles of the Japanese fishes.* *J. Fac. Agric., Kyushu Univ., Ser. I.*
- Mito, S. 1958. *Studies on the eggs, larvae and juvenile of Japanese fishes, Series I.* [In] K. Uchida et al., editors. *Fish Dept., Fac. Agric. Kyushu Univ., Fukuoka, Japan.* (in Japanese).
- Mito, S., and K. Uchida. 1958. On the egg development and hatched larvae of a scorpaenoid fish, [*Pterois lunulata*] Temminck et Schlegel. *Sci. Bull., Kyushu Univ.* 16:381-385.
- Mito, S. 1960. Keys to the pelagic fish eggs and hatched larvae found in the adjacent waters of Japan. *Sci. Bull. Fac. Agri. Kyushu Univ.* 18(1):71-94, 17 pls.
- Mito, S. 1960. Egg development and hatched larvae of the common dolphin-fish, [*Coryphaena hippurus*] L. *Bull. Jap. Soc. Sci. Fish.* 26(3):223-226.
- Mito, S. 1961. Pelagic fish eggs from Japanese waters. I. [*Clupeina*], [*Chanina*], [*Stomiatina*], [*Myctophida*], [*Anguillida*], [*Belonida*], and [*Syngnathida*]. *Sci. Bull. Fac. Agric. Kyushu Univ.* 18(3):285-310.
- Mito, S. 1961. Pelagic fish from Japanese waters. II. [*Lamprida*], [*Zeida*], [*Mugilina*], [*Scombrina*], [*Carangina*] and [*Stromateina*]. *Sci. Bull. Fac. Agric. Kyushu Univ.* 18(4):451-466.

- Mito, S. 1962. Pelagic fish eggs from Japanese waters. V. [Callionymina] and [Ophidiina]. Sci. Bull. Fac. Agric., Kyushu Univ. 19:377-380.
- Mito, S. 1962. Pelagic fish eggs from Japanese waters - VI. [Labrina]. Sci. Bull. Fac. Agric. Kyushu Univ. 19:493-502. (in Japanese).
- Mito, S. 1962. Pelagic fish eggs from Japanese waters - VII. [Chaetodontina], [Balistina] and [Ostraciota]. Sci. Bull. Fac. Agric. Kyushu Univ. 19:503-506. (in Japanese).
- Mito, S. 1962. On the egg development and early larvae of a trachinoid fish, [Champsodon snyderi] (Franz). Bull. Jap. Soc. Sci. Fish. 28(5):499-503.
- Mito, S. 1963. Pelagic fish eggs from Japanese waters. VIII. [Cottina]. Jap. J. Ichthyol. 11:65-79.
- Mito, S. 1963. Pelagic fish eggs from Japanese waters. 3. [Percina]. Jap. J. Ichthyol. 11:39-64.
- Mito, S. 1963. Pelagic fish eggs from Japanese waters. IX. [Echeneida] and [Pleuronectida]. Jap. J. Ichthyol. 11:81-102.
- Mito, S. 1964. Studies on the fish eggs and larvae found in Inland Sea I. Abundance and distribution. Publ. Nakai Reg. Fish. Res. Lab., Ser. C 2:1-24.
- Mito, S. 1966. Fish eggs and larvae. Encyclopedia of Mar. Plank. of Japan.-7. Soyosho, Tokyo 48-49.
- Mito, S. 1966. Nihon Kaiyo Plankton Zukan - Dai 7 Kan - Gyoran - Chigyo (Japanese Marine Plankton Picture Book. VII. Fish eggs - Larvae). Soyosha, Tokyo, 75 pp.
- Mito, S. 1966. Fish eggs and larvae. In: Illustrated encyclopedia of the marine plankton of Japan. Vol. 7. Motoda, S. (ed.). Soya-Sha, Tokyo. (in Japanese).
- Mito, S. 1967. Some ecological notes on the planktonic fish larvae. Inf. Bull. Planktol. Japan 14:33-49. (In Japanese with English abstract).
- Mito, S., and T. Senta. 1967. Egg development and prelarval stages of silver pomfret with reference to its spawning in the Seto Inland sea. Bull. Jap. Soc. Sci. Fish. 33: 948-951.
- Mito, S., M. Ukawa, and M. Higuchi. 1967. On the larval and young stages of a serranid fish, [Epinephelus akaara] (Temminck et Schlegel). Bull. Naiki Reg. Fish. Res. Lab. 25:337-347.
- Mito, S., M. Ukawa, and M. Higucch. 1969. On the egg development and rearing of the larvae of a flounder, [Kareius bicoloratus] (Baselewsky) with reference to its spawning in the culturing pond. Nansei Kaiku Suisan Kenkyujo Nenji Hokoku 1:87-102.
- Mito, S., M. Ukawa, and M. Higuchi. 1973. Growth of some marine fish larvae hatched out from pelagic eggs. J. Mar. Biol. Assoc. India 15:490-495.
- Mito, S. 1979. A perspective on morphology and phylogeny of fish eggs and larvae. Kaiyo Kagaku (Mar. Sci.) 11:87-92. (in Japanese).
- Mito, S. 1979. Fish eggs. Kaiyo Kagaku (Mar. Sci.) 11:126-130. (in Japanese).
- Mitra, B. N. 1956. On the observation of the existing system of fry-trade in Dhulian. Proc. 43rd Indian Sci. Congr. (Agra) Pt. 3:310.
- Mitra, G. N., and P. Mohapatra. 1956. On the role of zooplankton in the nutrition of carp fry. Indian J. Fish. 1956 3(2):299-310.

- Mitra, G. N., and I. Das. 1957. On the nutrition of carp fry of the Mahanadi River. Proc. 44th Indian Sci. Congr. (Calcutta) Pt. 3:317-318.
- Mitra, G. N., and I. Das. 1968. On the nutrition of the Indian major carp fry. Adv. Abstr. Contr. Fish. Aquat. Sci. India 2(2):9.
- Mitra, S. K. 1957. On the optimum yield of carp fingerlings from nurseries. Proc. 44th Indian Sci. Congr. (Calcutta) Pt. 3:318.
- Mitterer, L. G., and W. D. Pearson. 1977. Rose bengal stain as an aid in sorting larval fish samples. Progressive Fish-Culturist 39(3):119-121.
- Miura, T. 1963. Early life history and possible interaction of five inshore species of fish in Nicola Lake, British Columbia. Ph.D. Diss., Univ. of British Columbia.
- Miya, M. 1995. Some aspects of the biology of [*Bathylagus ochotensis*] (Pisces: Bathylagidae) in Sagami Bay, central Japan. Bulletin of Marine Science. 56: 173-184.
- Miyaji, K. 1991. Studies on the eddies associated with the meander of the Kuroshio in the waters off southwest coast of Kyushu and their effects on egg and larval transport. Bull. Seikai Natl. Fish. Res. Inst. 69: 1-77.
- Mizera, J. J. 1980. Impact of power plant entrainment on the distribution and abundance of larval fish in the nearshore zones of the western and central basins of Lake Erie. M.S. Thesis, The Ohio State Univ., Columbus, OH.
- Mizera, J. J., C. L. Cooper, and C. E. Herdendorf. 1980. Nearshore ichthyoplankton densities in the western basin of Lake Erie. 1977. Ohio J. Sci. 80:14.
- Mizera, J. J., C. L. Cooper, and C. E. Herdendorf. 1981. Limnetic larval fish in the nearshore zones of the western basin of Lake Erie. J. Great Lakes Res. 7:62-64.
- Mizuguchi, K., and Y. Hiyama. 1969. Reproduction of the oikawa, [*Zacco platypus*] (Temminck and Schlegel), a cyprinid. I. Sexual characters in the anal fin and maturation. Jap. J. Ichthyol. 16:17-23.
- Mizuguchi, K. 1970. Reproduction of the oikawa, [*Zacco platypus*] (Temminck and Schlegel), a cyprinid. II. Production of eggs. Jap. J. Ichthyol. 17(4):173-178.
- Mochek, A. D. 1973. Spawning behavior of the lumpsucker, [*Cyclopterus*] [*lumpus*] (L.). J. Soc. 61:171-173.
- Mochioka, N. S., S. Kakuda, and O. Tabeta. 1982. Congrid leptocephali in the western north and middle Pacific. I. [*Esterilium ariosoma*]-type larvae. J. Fac. Appl. Biol. Sci. Hiroshima Univ. 21:35-66.
- Mochioka, N., M. Iwamizu, and T. Kanda. 1993. Leptocephalus eel larvae will feed in aquaria. Environmental Biology of Fishes 36:381-384.
- Mochioka, N., and M. Iwamizu. 1996. Diet of anguilloid larvae: leptocephali feed selectively on larvacean houses and fecal pellets. Marine Biology 125:447-452.
- Modin, J., and L. Pihl. 1994. Differences in growth and mortality of juvenile plaice, [*Pleuronectes platessa*] L., following normal and extremely high settlement. Netherlands Journal of Sea Research 32:331-341.
- Moe, M. A., Jr. 1969. Biology of the red grouper, [*Epinephelus morio*] (Val.), from the eastern Gulf of Mexico. Florida Dept. Nat. Resour., Mar. Res. Lab., Prof. Pap. Ser. No. 10. 95 pp.
- Moe, M. A., Jr. 1973. Larval and juvenile fish research at the Florida Board of Conservation Marine Laboratory. Pages 131-135 [in] A. L. Pacheco, editor. Proceedings of

- a workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No. 1, Nat. Mar. Fish. Serv., Mid. Atl. Coast. Fish Cent., Highlands, N.J., 338 pp.
- Moen, T. E., and M. R. Dewey. 1978. Loss of larval fish by epilimnial discharge from DeGray Lake, Arkansas. *Arkansas Acad. Sci.* 32:65-67.
- Moenhaus, W. J. 1904. The development of the hybrids between [*Fundulus*] [*heteroclitus*] and [*Menidia notata*]. *Science* 17:487-488.
- Moenkhaus, W. J. 1900. Some stages in hybrid fish development. *Science* 11(n.s.):788.
- Moffatt, N. M. 1977. Thermal effects on the survival and development of embryonic grunions, [*Leuresthes sardina*] and [*L. [tenuis]*]. Ph.D. Diss., Univ. Arizona, Tucson.
- Moffat, N. M., and D. A. Thomson. 1978. Tidal influence on the evolution of egg size in the grunions ([*Leuresthes*], Atherinidae). *Environmental Biology of Fishes* 3(3):267-274.
- Moffatt, N. M. 1981. Survival and growth of northern anchovy larvae on low zooplankton densities as affected by the presence of a [*Chlorella*] bloom. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178: 475-480.
- Moghe, M. A. 1941. On the development of mesonephros in a teleostean fish, [*Thynnichthys sandkhoh*] (Sykes). *Proc. 28th Indian Sci. Congr. (Banaras) Pt. 3*:181.
- Mogil'naya, N. A., and E. B. Moiseeva. 1985. Gonad development of the Black Sea leaping gray mullet, [*Liza saliens*], during early ontogeny. *J. Ichthyol.* 25(4):85-90.
- Mogilchenko, V. I. 1972. Reproduction of herring ([*Alosa volgensis*] Berg) under the new regime on the Don River. *All-Union Res. Inst. Mar. Fish. Oceanogr.* XC:87-93.
- Mohamed, L. E. S. 1969. Distribution of eggs and larvae of the anchovy, [*Engraulis encrasicolus*], and horse mackerel, [*Trachurus mediterraneus*], in the Danube region of the northwest part of the Black Sea. *Am. Fish. Soc. Prob. in Ichthyol.* 9(1):76-78.
- Mohapatra, P. 1966. On the occurrence of [*Chanos*] fry in the Mahanadi Estuary. *Bull. Orissa Fish. Res. Invest.* 1:21-23.
- Mohrhardt, D. E. 1961. Sampling for eggs and larval fishes with plankton nets. Pages 50-55 [in] R. R. Whitney, project leader. *The Susquehanna Fishery Study, 1957-1960: a report of a study on the desirability and feasibility of passing fish at Conowingo Dam.* Md. Dept. Res. Educ., Solomons, Md. *Contrib. No. 169*, 81 pp.
- Moiseyeva, Y. B., and V. I. Rudenko. 1978. The spawning of the round goby, [*Gobius melanostomus*], under aquarium conditions in winter. *J. Ichthyol.* 18(4):690-692.
- Moiseyeva, Y. B. 1983. The development of the gonads of the round goby, [*Neogobius melanostomus*] (Gobiidae), during the embryonic period. *J. Ichthyol.* 23(5):64-74.
- Moitra, A., T. K. Ghosh, A. Pandey, and J. S. D. Munshi. 1987. Scanning electron microscopy of the post-embryonic stages of the climbing perch, [*Anabas testudineus*]. *Jap. J. Ichthyol.* 34(1):53-58.
- Mok, T. K. 1985. Induced spawning and larval rearing of the white seabream, [*Mylio berda*]. *Aquaculture* 44(1):41-50.
- Moksness, E. 1982. Food uptake, growth and survival of capelin larvae, [*Mallotus villosus*] Muller, in an outdoor constructed basin. *Fiskeri dir. Skr. Ser. Havunders* 17:267-285.
- Moles, A. 1980. Sensitivity of parasitized coho salmon fry to crude oil, toluene, and naphthalene. *Transactions of the American Fisheries Society* 109:293-297.

- Moles, D. A., and S. D. Rice. 1983. Effects of crude oil and naphthalene on growth, caloric content, and fat content of pink salmon juveniles in seawater. *Transactions of the American Fisheries Society* 112:205-211.
- Mollah, M. F. A. 1985. Effect of stocking density and water depth on growth and survival of freshwater catfish, [*Clarias*] [*macrocephalus*], larvae. *Indian J. Fish.* 32(1):1-17.
- Moller, D. 1969. The relationship between Arctic and coastal cod in their immature stages illustrated by frequencies of genetic characters. *Fiskidir. Skr. Ser. Havunders* 15(3):220-233.
- Moller, H. 1980. Scyphomedusae as predators and food competitors of larval fish. *Meeresforschung* 28:90-100.
- Moller, H. 1984. Reduction of a larval herring population by jellyfish predators. *Science* 224:621-622.
- Molloh, M. F. H., and E. S. P. Tan. 1983. Viability of catfish, [*Clarias macrocephalus*] Gunther, eggs fertilized at varying post-ovulation times. *J. Fish. Biol.* 22(5):563-566.
- Molony, B. W. 1996. Episodes of starvation are recorded in the otoliths of juvenile *Ambassis vachelli* (Chandidae), a tropical estuarine fish. *Marine Biology*. 125: 439-446.
- Molony, B. W., and M. J. Sheaves. 1998. Variations in condition and body constitution in a tropical estuarine fish with year-round recruitment. *Mangroves and Salt Marshes* 2:177-185.
- Moltschaniwskyj, N. A., and P. Martinez. 1998. Effect of temperature and food levels on the growth and condition of juvenile [*Sepia elliptica*] (Hoyle 1885): an experimental approach. *J. Exp. Mar. Biol. Ecol.* 229:289-302.
- Molvik, G., K. Hjelmeland, E. ringo and J. Raa. 1984. Properties of a new artificial diet for fish larvae, including cod, [*Gadus morhua*] L. Pages 203-212 [in] E. Dahl et al., editors. *The propagation of cod, [Gadus morhua] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.*
- Molzahn, R. F. 1973. An ecological study of the east branch of the Perkiomen Creek system near Potts town, Pennsylvania: larval fishes. Pages 417-462 [in] R. F. Molzahn and R. P. Rutter, editors. *Perkiomen Prog. Rep. No. 3. Ichthyol. Assoc., Inc., 462 pp.*
- Molzahn, R. F. 1973. Larval fishes. Pages 223-297 [in] P. L. Harmon et al., editors. *An ecological study of the Schuylkill River in the vicinity of Limerick Generating Station, Pottstown, Pennsylvania. Prog. Rep. No. 3, Ichthyol. Assoc., Inc.*
- Molzahn, R. F. 1973. Larval fishes. Pages 417-462 [in] R. F. Molzahn and R. P. Rutter, editors. *An ecological study of the Delaware River in the vicinity of the Edge Moor Power Station. Prog. Rep. June-Nov. 1974. Ichthyol. Assoc., Inc.*
- Molzahn, R. F., and R. P. Rutter. Editors.). 1973. *Perkiomen Progress Report No. 3. Ichthol. Assoc., Inc., 462 pp.*
- Molzahn, R. F. 1975. The abundance and distribution of postlarval fishes. Pages 218-290 [in] *An ecological study of the Delaware River in the vicinity of the Edge Moor Power Station. Ichthyol. Assoc., Inc., Prog. Rep. June-Nov. 1974. 534 pp.*
- Monaco, F., M. Andreoli, A. LaPosta, and J. Roche. 1978. Thyroglobulin biosynthesis in a larval (ammocoete) and adult freshwater lamprey ([*Lampetra planeri*] Bl.). *Comp. Biochem. Physiol.* 60B(1):87.
- Monaco, G., and S. I. Doroshov. 1983. Mechanical de-adhesion and incubation of white sturgeon eggs, [*Acipenser transmontanus*] Rich., in jar incubators. 35(2):117-124.



- Monroy, A., M. Ishida, and E. Nakano. 1961. The pattern of transfer of the yolk material to the embryo during the development of the teleostean fish, [*Oryzias latipes*]. *Embryologia* 6:151-158.
- Montalenti, G. 1933. Famiglia 5: Maenidae, pp. 383-384. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Montalenti, G. 1937. Famiglia 6: Mullidae, pp. 391-398. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Montalenti, G. 1937. Cepolidae, pp. 407-410. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Monte, S. 1965. A contribution to the study of the reproduction of the flying fish, [*Hirundichthys affinis*] (Gunther 1866). *Bol. Inst. Biol. Mar. Univ. Rio Grande do Norte* 2:1-18.
- Monteleone, D. M., and E. D. Houde. 1990. Influence of maternal size on survival and growth of striped bass [*Morone saxatilis*] Walbaum eggs and larvae. *Journal of Experimental Marine Biology and Ecology* 140:1-11.
- Monteleone, D. M., and L.E. Duguay. 1988. Laboratory studies of predation by the ctenophore [*Mnemiopsis leidyi*] on early stages in the life history of the bay anchovy, [*Anchoa mitchilli*]. *J. Plankton Res.* 10:359-372.
- Montolio, M. A. 1976. Estudio taxonomico y morfometrico de los estadios larvales de dos especies de Carangidae, [*Decapterus*] [*punctatus*] (Agassiz, 1829) y [*Caranx crysos*] (Mitchill, 1815) y su distribucion en el Golfo de Mexico. *Rev. Invest. Inst. Nac. Pesca* 2:85-125.
- Moode, T. 1980. Growth and residency of juvenile fishes within a surf zone habitat in the Gulf of Mexico. *Gulf Res. Rep.* 6:377-385.
- Moodie, G. 1972. Morphology, life history, and ecology of an unusual stickleback ([*Gasterosteus aculeatus*]) in the Queen Charlotte Islands, Canada. *Canadian Journal of Zoology* 50:721-732.
- Moody, W. D. 1950. A study of the natural history of the spotted trout, [*Cynoscion nebulosus*], in the Cedar Key, Florida area. *Q. J. Florida Acad. Sci.* 12(3): 148-171.
- Mook, D. 1977. Larval and osteological development of the sheepshead, [*Archosargus probatocephalus*] (Pisces: Sparidae). *Copeia* 1977(1):126-133.
- Mook, D., and J. R. Wilcox. 1974. Clearing and staining larval fish. *Florida Sci.* 37:71-72.
- Mookerjee, H. K., G. N. Mitra, and S. R. Mazumdar. 1940. The development of the vertebral column in a viviparous teleost, [*Lebistes reticulatus*]. *J. Morph.* 5(2):241-269.
- Mookerjee, H. K., S. R. Mazumdar, and B. D. Gupta. 1941. Breeding coloration of [*Barbus* (*Puntius*) *stigma*] (Cuv. & Val.). *Indian J. Vet. Sci.* 11:250-251.
- Mookerjee, H. K. 1943. On the developmental stages of the external morphology from fry to adult of few carps in Bengal. *Proc. Indian Sci. Congr.* 30(Pt. 3):61.
- Mookerjee, H. K., and S. P. Basu. 1944. On the spawning habits and early development of [*Oryzias melastigma*] (Mc Cleland). *Proc. Indian Sci. Congr.* 31(Pt. 3):106.
- Mookerjee, H. K., S. R. Mazumdar, and B. Dasgupta. 1944. Identification of fry of the common carps of Bengal. *J. Dept. Sci., Calcutta Univ.* 1(4):59-69.

- Mookerjee, H. K., S. R. Mazumdar, and D. D. Gupta. 1944. Observations on the breeding grounds and spawning habits of certain Indian carps in the Midnapore district, Bengal, with suggestions for their breeding, collection of eggs and rearing of fry. J. Dep. Sci. Calcutta Univ. 1(4):81-91.
- Mookerjee, H. K. 1945. Life histories of some major carps of Bengal. Sci. and Cult. 10(9):400-402.
- Mookerjee, H. K., and S. N. Ghose. 1945. Life-history of [*Barbus conchonioides*]. Proc. 32nd Indian Sci. Congr. (Nagpur) Pt. 3:110.
- Mookerjee, H. K. 1946. Identification of eggs of common freshwater fishes of Bengal. Sci. and Cult. 11(1):48.
- Mookerjee, H. K., and N. S. Gupta. 1946. Correlation between food, body-weight and length of the gut in [*Cirrhina reba*]. Proc. 33rd Indian Sci. Congr. (Bangalore) Pt. 3:131-132.
- Mookerjee, H. K., D. N. Ganguli, and S. N. Sen Gupta. 1946. The optimum range of temperature of water for the fingerlings of major carps of India. Sci. Cult. 11(7):383-384.
- Mookerjee, H. K., D. N. Ganguly, and M. Islam. 1946. On the composition of food and their correlation with weight and length of the body in the development of [*Ophicephalus punctatus*] (Bloch). Proc. 33rd Indian Sci. Cong. Bangalore Pt. 3:15 pp.
- Mookerjee, H. K., D. N. Ganguly, and M. Islam. 1946. Variation in the embryonic movement during the process of hatching in [*Labeo rohita*] and [*Cirrhina*] [*mrigala*]. Sci. and Cult. Calcutta 11(5):268-269.
- Mookerjee, H. K., and S. P. Basu. 1946. Life history of [*Amblypharyngodon mola*] (Ham. Buch) - a delicate food fish of Bengal. Sci. and Cult. 12(1):54-56.
- Mookerjee, H. K., and S. R. Mazumdar. 1946. On the life history of [*Labeo calbasu*] (Ham.). J. Dept. Sci., Calcutta Univ. 2(1):1-21.
- Mookerjee, H. K., and S. R. Mazumdar. 1946. On the life-history of [*Notopterus notopterus*] (Pallas). J. Dept. Sci. Calcutta Univ. 2(1):88-100.
- Mookerjee, H. K., and S. R. Mazumdar. 1946. On the life-history, breeding and rearing of [*Anabas*] [*testudineus*] (Bloch). J. Dept. Sci. Calcutta Univ. 2(1):101-140.
- Mookerjee, H. K., D. N. Ganguli, and R. N. Bhattacharjee. 1948. On the bionomics, breeding habits and development of [*Ophicephalus striatus*] Bloch. Proc. Zool. Soc. Beng. 1(1):58-64.
- Mookerjee, H. K., and R. N. Bhattacharya. 1949. Culture of fish fry in temporary hard waters. Proc. Zool. Soc. Bengal 2(2):163-171.
- Mookerjee, H. K., and D. N. Ganguly. 1949. On the life history of the carp, [*Labeo ganius*] (Ham.). Proc. Zool. Soc. Bengal 2(2):173-185.
- Mookerjee, H. K., and S. R. Mazumdar. 1950. Some aspects of the life history of [*Clarias*] [*batrachus*] (L.). Proc. Zool. Soc. Bengal 3(1):71-83.
- Mookerjee, H. K., D. N. Ganguly, and S. C. Mallick. 1950. On the life-history of [*Ophicephalus gachua*] Ham. Proc. Zool. Soc. Bengal 3(2):169-179.
- Mookerjee, H. K., and D. N. Ganguly. 1951. On the structure and formation of the vertebral column in certain clupeid fishes. Proc. 38th Indian Sci. Congr. (Bangalore) Pt. 3:224.

- Mookerjee, H. K., and D. N. Ganguly. 1951. The study of the development of the vertebral column in the Elasmobranchii, as shown in the life-history of [*Scoliodon palasorrah*], and [*Narcine timplei*]. Proc. 38th Indian Sci. Congr. (Bangalore) Pt. 3:224-225.
- Mookerjee, H. K., D. N. Ganguly, and S. K. Brahma. 1952. On the life history of [*Barbus stigma*] (Cuv. & Val.). Proc. 39th Indian Sci. Congr. (Calcutta) Pt. 3:328.
- Mookerjee, H. K., D. N. Ganguly, and B. Mookerjee. 1952. The development of the vertebral column in [*Anguilla japonica*]. Proc. 39th Indian Sci. Congr. (Calcutta) Pt. 3:328.
- Mookerjee, H. K., D. N. Ganguly, and B. N. Mitra. 1952. Preliminary observation on the distribution of fry collection centres, method of collection and the fry trade in the River Bhagirathi of West Bengal. Proc. 39th Indian Sci. Congr. (Calcutta) Pt. 3:328.
- Mookerjee, H. K., D. N. Ganguly, and S. C. Ganguly. 1953. On the development of the vertebral column of the labyrinthodon fish, [*Anabas testudineus*] (Bloch). Proc. 40th Indian Sci. Congr. (Lucknow) Pt. 3:204.
- Mookerjee, H. K., D. N. Ganguly, and S. K. Brahma. 1954. Structure and development of the Weberian ossicles in [*Heteropneustes fossilis*]. Anat. Anz.
- Mookerjee, H. K., D. N. Ganguly, and S. K. Das. 1955. On the structure and development of the Weberian apparatus in the Siluroid fish, [*Silundia gangetica*]. Proc. 42nd Indian Sci. Congr. (Baroda) Pt. 3:303.
- Mookerjee, H. K., D. N. Ganguly, and T. P. Chattarjee. 1955. On the development of the notochord and the vertebral column in the Cyprinodont, [*Oryzias molastigma*] (McClelland). Proc. 42nd Indian Sci. Congr. (Baroda) Pt. 3:278-279.
- Mookerjee, S. 1948. The morphology and development of scales in [*Glossogobius giuris*] (Ham.). Proc. Zool. Soc. Bengal 1(1):13-22.
- Mookerjee, S. 1948. The structure, form and development of scales in [*Mugil*] sp. Proc. 35th Indian Sci. Congr. (Patna) Pt. 3:212.
- Moore, C. J. 1980. Spawning of [*Menidia menidia*] (Pisces: Atherinidae). Copeia 1980: 886-887.
- Moore, D. 1962. Development, distribution, and comparison of rudder fishes [*Kyphosus sectatrix*] (L.) and *K. incisor* (Cuvier) in the western North Atlantic. U.S. Fish Wildl. Serv. Fish. Bull. 61(196):451-480.
- Moore, E. 1947. Studies on the marine resources of southern New England. VI. The sand flounder, [*Lophopsetta aquosa*] (Mitchill): a general study of the species with special emphasis on age determination by means of scales and otoliths. Bull. Bingham oceanogr. Coll. 11(3):22-28.
- Moore, G. A. 1944. Notes on the early life history of [*Notropis girardi*]. Copeia 1944: 209-214.
- Moore, I. W., and F. W. H. Beamish. 1973. Food of larval sea lamprey, [*Petromyzon marinus*], and American brook lamprey, [*Lampetra lamottei*]. Journal of the Fisheries Research Board of Canada 30:7-15.
- Moore, J. P. 1899. Embryology of the mackerel. Rep. U.S. Fish. Comm. 1898:4-14.
- Moore, J. W. 1975. Reproductive biology of anadromous Arctic char, [*Salvelinus alpinus*] (L.), in the Cumberland Sound area of Baffin Island. J. Fish. Biol. 7(2):143-152.
- Moore, J. W., and I. C. Potter. 1976. A laboratory study on the feeding of larvae of the brook lamprey, [*Lampetra planeri*] (Bloch). J. Anim. Ecol.

- Moore, J. W., and J. M. Mallatt. 1980. Feeding of larval lamprey. *Canadian Journal of Fisheries and Aquatic Sciences* 37(11):1658-1664.
- Moore, R. 1982. Spawning and early life history of barramundi, [*Lates calcarifer*] (Bloch), in Papua New Guinea. *Aust. J. Mar. Freshwat. Res.* 33(4):647-662.
- Moos, R. E. 1978. Movement and reproduction of shovelnose sturgeon, [*Scaphirhynchus platyrhynchus*] (Rafinesque) in the Missouri River, South Dakota. Ph.D Diss., Univ. South Dakota. 216 pp.
- Morais, L. T. 1983. Etude de la nutrition et de ses aspects energetiques chez des formes juvenile de Pleuronectiformes. These 3e cycle, Univ. Pierre et Marie Curie, Paris. 171 pp.
- Morais, L. T., and J. Y. Bodiou. 1984. Predation on meiofauna by juvenile fish in a western Mediterranean flatfish nursery ground. *Mar. Biol.* 82(2):209-214.
- Morais, L. T. 1985. Growth and respiration of two pleuronectiform juveniles from a western Mediterranean Bay. *J. Fish. Biol.* 27(4):459-468.
- Moralesnin, B., I. Palomera, and X. Busquets. 2002. A first attempt at determining larval growth in three Antarctic fish from otoliths and RNA/DNA ratios. *Polar Biology* 25(5):360-365.
- Moran, J. F., Jr. 1956. Differential staining of bone and cartilage of fish. *Proc. Indiana Acad. Sci.* 65:234-236.
- Moreira, C. 1920. Recherches sur la reproduction de l'[*Haplias*] [*malabaricus*] (Bloch) et sur l'incubation d'oeufs de [*Salmo fario*] au Bresil. *Bull. de la Soc. Zool. de France* 44(8-10):329-330.
- Moreno, C. A. 1980. Observations on food and reproduction in [*Trematomus*] [*bernacchii*] (Pisces: Nototheniidae) from the Palmer Archipelago, Antarctica. *Copeia* 1980(1):141-173.
- Moreno, C. A., J. H. Zamorano, W. E. Duarte, and H. F. Jara. 1982. Abundance of Antarctic juvenile fishes on soft-bottom substrates: the importance of the refuge. *Cybium* 6:37-41.
- Moreno, M., and B. J. Martin. 1979. Embryologic development of the sheepshead minnow ([*Cyprinodon variegatus*]). *J. Mississippi Acad. Sci.* 24:116.
- Morgan, G. C., Jr. 1973. Telencephalic embryology of the marine catfish, [*Galeichthys*]. *Anat. Rec.* 175:491.
- Morgan, G. D. 1951. The life history of the bluegill sunfish, [*Lepomis*] [*macrochirus*], of Buckeye Lake, Ohio. *J. Sci. Lab., Denison Univ.* 42:21-59.
- Morgan, G. D. 1954. The life history of the white crappie ([*Pomoxis*] [*annularis*]) of Buckeye Lake, Ohio. *J. Scient. Labs Denison Univ.* 43:113-144.
- Morgan, I. J., N. B. Metcalfe. 2001. The influence of energetic requirements on the preferred temperature of overwintering juvenile Atlantic salmon ([*Salmo salar*]). *Canadian Journal of Fisheries and Aquatic Sciences* 58(4):762-768.
- Morgan, R. P., et al. 1976. Effects of shear on eggs and larvae of striped bass, [*Morone saxatilis*], and white perch, [*M. americana*]. *Transactions of the American Fisheries Society* 105:149-154.
- Morgan, R. P., II. 1973. Marking fish eggs with biological stains. *Ches. Sci.* 14(4):303-305.

- Morgan, R. P., III, and V. J. Rasin, Jr. 1973. Effects of salinity and temperature on the development of eggs and larvae of striped bass and white perch. Md. Nat. Resour. Inst., Ref. No. 73-109, 38 pp.
- Morgan, R. P., III, R. E. Ulanowicz, V. J. Rasin, Jr., L. A. Noe, and G. B. Gray. 1973. Effects of water movements on eggs and larvae of striped bass and white perch. Md. Nat. Resour. Inst., Ref. No. 73-111, 29 pp.
- Morgan, R. P., III, V. J. Rasin, Jr., and L. A. Noe. 1973. Effects of suspended sediments on the development of eggs and larvae of striped bass and white perch. Md. Nat. Resour. Inst., Ref. No. 73-110, 22 pp.
- Morgan, R. P., III, V. J. Rasin, Jr., L. A. Noe, and G. B. Gray. 1973. Effects of water quality in the Chesapeake and Delaware Canal region on the survival of eggs and larvae of striped bass and white perch. Md. Nat. Resour. Inst., Ref. No. 73-112, 14 pp.
- Morgan, R. P., II. 1975. Distinguishing larval white perch and striped bass by electrophoresis. Ches. Sci. 16(1):68-70.
- Morgan, R. P., III, and R. D. Prince. 1977. Chlorine toxicity to eggs and larvae of five Chesapeake Bay fishes. Transactions of the American Fisheries Society 106(4):380-385.
- Morgan, R. P., III, and R. D. Prince. 1978. Chlorine effects on larval development of striped bass (*Morone saxatilis*), white perch (*M. americana*) and blueback herring (*Alosa aestivalis*). Transactions of the American Fisheries Society 107(4):636-641.
- Morgan, R. P., II, V. J. Rasin, Jr., and R. I. Copp. 1981. Temperature and salinity effects on development of striped bass eggs and larvae. Transactions of the American Fisheries Society 106:95-99.
- Morgan, S. G., C. S. Manooch, III, D. L. Mason, and J. W. Goy. 1985. Pelagic fish predation on *Cerataspis*, a rare larval genus of oceanic penaeoid. Bull. Mar. Sci. 36: 249-259.
- Morgan, S. G. 1990. Impact of planktivorous fishes on dispersal, hatching, and morphology of estuarine crab larvae. Ecology 71:1639-1652.
- Morgan, T. H. 1895. The formation of the fish embryo. J. Morph. 10(2):419-465.
- Morgan, T. S., and A. D. Rogers. 2001. Specificity and sensitivity of microsatellite markers for the identification of larvae. Marine Biology 139(5):967-973.
- Mori, K. 1967. Occurrence of the larvae of *Allothunnus fallai* Serventy in the south Atlantic Ocean. Rep. Nankai reg. Fish. Res. Lab., No. 25:105-111.
- Mori, K. 1969. Research on distribution of larvae, pp. 166-170. In: Sunyo-maru (ed.), Report on fishing survey in the Bismarck-Solomon Seas, Oct-Dec. 1968. Far Seas Fish. Res. Lab., S Ser.
- Mori, K., S. Ueyanagi, and Y. Nishikawa. 1971. The development of artificially fertilized and reared larvae of the yellowfin tuna, *Thunnus albacares*. Enyo Suisan Kenkyujo 5:219-231.
- Mori, K. 1980. Migration of a sparid fish, *Pagrus major*, from pelagic to demersal life as observed in Yuya Bay, Yamaguchi, Japan. Bull. Seikai Reg. Fish. Res. Lab. 1980:59-78.
- Mori, K. 1984. Early life history of *Lutjanus vitta* (Lutjanidae) in Yuya Bay, the Sea of Japan. Jap. J. Ichthyol. 30:374-392.
- Morin, R. P., and K. W. Able. 1983. Patterns of geographic variation in the egg morphology of the fundulid fish, *Fundulus heteroclitus*. Copeia 1983:726-740.

- Morioka, S., A. Ohno, H. Kohno, and Y. Taki. 1993. Recruitment and survival of milkfish [*Chanos chanos*] larvae in the surf zone. *Japanese Journal of Ichthyology* 40:247-260.
- Morita, S., and T. Kitahasa. 1971. Preliminary experiments on amount of carotenoid in eggs of herring and some consideration of egg quality. *Bull. Hokkaido Reg. Fish. Res. Lab.* 37:1-9.
- Mork, J., P. Solemdal, and G. Sundness. 1983. Identification of marine fish eggs: a biochemical genetics approach. *Can. J. Fish. Aquat. Sci.* 40:361-369.
- Morley, S.A., and R.S. Batty. 1996. The effects of temperature on "S-strike" feeding of larval herring, [*Clupea harengus*] L. Pages 123-136 [in] L.A. Fuiman, editor. *Marine and Freshwater Behaviour and Physiology* 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Moroz, I. Y., and B. P. Luzhin. 1976. Dynamics of metabolism in the embryonic and early post-embryonic development of the carp, [*Cyprinus*] [*carpio*]. *J. Ichthyol.* 16(6):964-970.
- Morris, A. G. 1939. Propagation of channel catfish. *Progressive Fish-Culturist* 44:23-27.
- Morris, D. 1954. The reproductive behaviour of the river bullhead ([*Cottus gobio*] L.) with special reference to the fanning activity. *Behaviour* 7:1-32.
- Morris, D. 1958. The reproductive behaviour of the ten-spined stickleback, [*Pygosteus pungitius*] L. *Behaviour* 6:1-154.
- Morris, D. E., and R. Kanayama. 1964-1969. Life history study of the moi, [*Polydactylus*] [*sextilis*]. *Job Compl. Rep. Proj. No. F-S-R-11. Div. Fish Game, Honolulu, Hawaii. Mimeo.*
- Morris, R. 1951. Early development of the cottid fish, [*Clinocottus*] [*recalvus*] (Greeley). *California Fish and Game* 37:281-300.
- Morris, R., and D. S. Islam. 1969. The effect of hormones and hormone inhibitors on blood sugar regulation and the Follicles of Langerhans in ammocoete larvae. *Gen. Comp. Endocr.* 12:81-90.
- Morris, R. 1980. Blood composition and osmoregulation in ammocoete larvae. *Canadian Journal of Fisheries and Aquatic Sciences* 37(11):1665-1679.
- Morris, R. W. 1952. Spawning behavior of the cottid fish, [*Clinocottus*] [*recalvus*] (Greeley). *Pacif. Sci.* 6:256-258.
- Morris, R. W. 1955. Some considerations regarding the nutrition of marine fish larvae. *J. Cons. perm. int. Explor. Mer* 20:255-265.
- Morris, R. W. 1956. Early larvae of four species of rockfish, [*Sebastes*]. *California Fish and Game* 43(2):149-153.
- Morris, R. W. 1956. Some aspects of the problem of rearing marine fishes. *Bull. Inst. Oceanogr. Monaco* 1082:1-61.
- Morris, R. W., and B. T. Schur. 1957. The relationship of meristic characters to temperature and water movement. *Annl. Biol. Ser.* 3(33):159-161.
- Morris, S. L., and A. J. Gaudin. 1982. Osteocranial development in the viviparous surfperch [*Amphistichus argenteus*] (Pisces:Embiotocidae). *J. Morph.* 1974:95-120.
- Morrison, B. R. S. 1983. Observation on the food of juvenile Atlantic salmon, [*Salmo salar*] L., reared in a Scottish Hill Loch. *J. Fish. Biol.* 23(3):305-314.
- Morrisson, N. J., III. 1975. The abundance of macroinvertebrates and ichthyoplankton. Pages 169-217 [in] R. F. Molzahn et al., editors. *An ecological study of the Delaware*

- River in the vicinity of the Edge Moor Power Station. Prog. Rep. June-Nov. 1974. Ichthyol. Assoc., Inc.
- Morrow, J. E. 1973. Oil-induced mortalities in juvenile coho and sockeye salmon. J. Mar. Res. 31:135-143.
- Morrow, J. E. 1974. Effects of crude oil and some of its components on young coho and sockeye salmon. Ecol. Res. Ser. EPA-660/3-73-018.
- Morrow, J. E., et al. 1975. Effects of some components of crude oil on young coho salmon. Copeia 1975:326.
- Morrow, J. E., Jr. 1951. Studies on the marine resources of southern New England. VIII. The biology of the longhorn sculpin, [*Myoxocephalus octodecimspinosus*] Mitchill, with a discussion on the southern New England "trash" fishery. Bull. Bingham oceanogr. Coll. 13(2):1-89.
- Morrow, J. E., Jr. 1964. Family Chauliodontidae. Pages 274-289 [in] H. B. Bigelow, editor. Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res. 1(X).
- Morrow, J. E., Jr. 1964. Family Malacosteidae. Pages 523-549 [in] H. B. Bigelow, editor. Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Sci. 1(4).
- Morrow, J. E., Jr., and R. H. Gibbs, Jr. 1964. Family Melanostomiidae. Pages 351-510 [in] H. B. Bigelow, editor. Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res. 1(4).
- Morse, A. N. C., K. Iwao, M. Baba, K. Shimoike, T. Hayashibara, and M. Omori. 1996. An ancient chemosensory mechanism brings new life to coral reefs. Biological Bulletin 191:149-154.
- Morse, W. 1984. An assessment of the Georges Bank haddock, [*Melanogrammus aeglefinus*], stock based on larvae collected on MARMAP plankton surveys, 1977-82. MARMAP Contr. 84-09.
- Mortensen, E. 1977. Density-dependent mortality of trout fry (*[Salmo] [trutta]* L.) and its relationship to the management of small streams. J. Fish. Biol. 11:613-617.
- Moseley, F. N. 1966. Biology of the red snapper, [*Lutjanus aya*] Bloch, of the northwestern Gulf of Mexico. Publ. Inst. Mar. Sci., Univ. Texas 11:90-101.
- Moseley, F. N., and B. J. Copeland. 1969. A portable drop-net for representative sampling of nekton. Publs. Inst. Mar. Sci. Univ. Tex. 14:37-45.
- Moseley, H. N. 1884. A carnivorous plant preying vertebrata (larval fishes). Bull. U.S. Fish Commn 4:259-260.
- Moser, B. 1967. Investigations of the reproduction of fishes in Canton Reservoir. Meter net, surface-midwater trawl, and bottom trawl sampling. Pages 105-147 [in] Oklahoma Fish. Res. Lab. Rep., July 1966-June 1967., Norman, OK.
- Moser, H. G. 1967. Reproduction and development of [*Sebastodes*] [*paycispinis*] and comparison with other rockfishes off southern California. Copeia 1967(4):773-797.
- Moser, H. G., and E. H. Ahlstrom. 1970. Development of lanternfishes (family Myctophidae) in the California Current. Part 1. Species with narrow-eyed larvae. Bull. Los Angeles County Mus. Nat. Hist. Sci. 7, 145 pp.
- Moser, H. G. 1972. Development and geographic distribution of the rockfish, [*Sebastodes macdonaldi*] (Eigenmann and Beeson, 1893), family Scorpaenidae, off southern California and Baja California. Fish. Bull. NOAA (U.S.) 70:941-958.

- Moser, H. G., and E. H. Ahlstrom. 1972. Development of the lanternfish, [*Scopelopsis*] [*multipunctatus*] Brauer 1906, with a discussion of its phylogenetic position in the family Myctophidae and its role in a proposed mechanism for the evolution of photophore patterns in lanternfishes. *Fish. Bull. NOAA (U.S.)* 70(3):541-564.
- Moser, H. G., and E. H. Ahlstrom. 1973. The role of larval stages in systematic investigations of marine teleosts: the Myctophidae, a case study. Pages 605-607 [in] J. H. S. Blaxter, editor. *The Early Life History of Fish*. Springer-Verlag, N.Y., 765 pp.
- Moser, H. G., E. H. Ahlstrom, D. Kramer, and E. G. Stevens. 1973. Distribution and abundance of fish eggs and larvae in the Gulf of California. *California Coop. Oceanic Fish. Invest. Rep.* 17:112-128.
- Moser, H. G., and E. H. Ahlstrom. 1974. Role of larval stages in systematic investigations of marine teleosts: the Myctophidae, a case study. *Fish. Bull.* 72(2):391-413.
- Moser, H. G. 1974. Development and distribution of larvae and juveniles of [*Sebastes*] (*Pisces*, family Scorpaenidae). *Fishery Bull. Fish Wildl. Serv. U.S.* 72(4): 865-884.
- Moser, H. G., E. H. Ahlstrom, and E. M. Sandknop. 1977. Guide to the identification of scorpionfish larvae (family Scorpaenidae) in the eastern Pacific with comparative notes on species of [*Sebastes*] and [*Helicolenus*] from other oceans. *NOAA Tech. Rep. NMFS Circ.* 402, 71 pp.
- Moser, H. G., and E. H. Ahlstrom. 1978. Larvae and pelagic juveniles of blackgill rockfish, [*Sebastes melanostomus*], taken in midwater trawls off southern California and Baja California. *J. Fish. Bd. Can.* 35(7):981-996.
- Moser, H. G., E. H. Ahlstrom, and B. H. Robison. 1979. Stratification of the larval stage of marine teleosts and the problem of metamorphosis. *Am. Zool.* 19:912.
- Moser, H. G., and J. L. Butler. 1981. Description of reared larvae and early juveniles of the calico rockfish, [*Sebastes dallii*]. *California Coop. Oceanic Fish. Invest. Rep.* 22:88-95.
- Moser, H. G. 1981. Morphological and functional aspects of marine fish larvae. Pages 89-131 [in] R. Lasker, editor. *Marine fish larvae*. Wash. Sea Grant Prog., Seattle WA.
- Moser, H. G., D. A. Ambrose, M. S. Busby, J. L. Butler, E. M. Sandknop, B. Y. Sumida, and E. G. Stevens. 1983. Description of early stages of the white seabass, [*Atractoscion nobilis*], with notes on distribution. *California Coop. Oceanic Fish. Invest. Rep.* 24:182-193.
- Moser, H. G., E. H. Ahlstrom, and J. R. Paxton. 1984. Myctophidae: development, pp. 218-238. In: Moser, H. G. et al. (eds.), *Ontogeny and systematics of fishes*. Spec. Publ. ASIH #1.
- Moser, H. G., et al. 1984. *Ontogeny and systematics of fishes*. In: Moser, H. G., et al. (eds.), *Spec. Publ. Am. Soc. Ichthyol. Herpetol.* #1.
- Moser, H. G., and E. H. Ahlstrom. 1985. Staging anchovy eggs. *NOAA Tech. Rep.* 36:37-41.
- Moser, H. G., E. M. Sandknop, and D. A. Ambrose. 1985. Larvae and juveniles of aurora rockfish, [*Sebastes*] [*aurora*], from off California and Baja California. *Can. Tech. Rep. Fish. Aq. Sci.* 1359:55-64.
- Moser, H. G., and J. L. Butler. 1986. Descriptions of reared larvae of six species of [*Sebastes*] (*[S. constellatus]*, *[S. entomelas]*, *[S. ovalis]*, *[S. rubrivinctus]*, *[S. rufus]*, *[S. serranoides]*). [In] W. H. Lenarz and D. R. Gunderson, editors. *Proc. Widow Rockfish Workshop*, Tiburon, California. *NOAA Tech. Rep.*



- Moser, H. G., B. Y. Sumida, D. A. Ambrose, E. M. Sandknop, and E. G. Stevens. 1986. Development and distribution of larvae and pelagic juveniles of ocean whitefish, [*Caulolatilus princeps*], in the Cal COFI survey region. California Coop. Oceanic Fish. Invest. Rep., XXVII.
- Moser, H. G., P.E. Smith, and L.E. Eber. 1987. Larval fish assemblages in the California Current region, 1954-1960, a period of dynamic environmental change. CalCOFI Rep. 28: 97-127.
- Moser, H. G., and J. L. Butler. 1987. Description of reared larvae of six species of [*Sebastes*]. NOAA Tech. Rep. 48:19-29.
- Moser, H.G., and G. W. Boehlert. 1991. Ecology of pelagic larvae and juveniles of the genus [*Sebastes*]. Environmental Biology of Fishes 30:203-224.
- Moser, H. G., and P. E. Smith. 1993. Larval fish assemblages of the California Current region and their horizontal and vertical distributions across a front. Bulletin of Marine Science 53:645-691.
- Moser, H. G., and P. E. Smith. 1993. Larval fish assemblages and oceanic boundaries. Bulletin of Marine Science 53:283-289.
- Moser, H.G., editor. 1996. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations Atlas No. 33. Allen Press, Inc., Lawrence, Kansas. 1505 p.
- Moser, H. G. 1996. Argentinidae: argentines. Pages 185-187 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations Atlas No. 33. Allen Press, Inc., Lawrence, Kansas. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G., and E. H. Ahlstrom. 1996. Bathylagidae: blacksmelts and smoothtongues. Pages 188-207 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G. 1996. Chauliodontidae: viperfishes. Pages 297-299 [in] H. G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G. 1996. Idiacanthidae: blackdragons. Pages 325-327 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H.G. 1996. Malacanthidae: tilefishes. Pages 990-993 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G. 1996. Malacosteidae: loosejaws. Pages 321-323 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

- Moser, H. G. 1996. Melanostomiidae: scaleless dragonfishes. Pages 308-319 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G., and J. L. Butler. 1996. Microstomatidae: argentines and pencilfishes. Pages 208-215 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G., and E. H. Ahlstrom. 1996. Myctophidae: lanternfishes. Pages 387-475 [in] H. G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G. 1996. Neoscopelidae: blackchins. Pages 383-385 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G., and S. R. Charter. 1996. Notacanthidae: spinyeels. Pages 82-85 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G. 1996. Opisthoproctidae: spookfishes. Pages 215-223 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G. 1996. Osmeridae: smelts. Pages 240-243 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G. 1996. Stomiidae: scaly dragonfishes. Pages 301-303 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Moser, H. G., R. L. Charter, W. Watson, D. A. Ambrose, J. L. Butler, S. R. Charter, and E. M. Sandknop. 2000. Abundance and distribution of rockfish ([*Sebastes*]) larvae in the Southern California Bight in relation to environmental conditions and fishery exploitation. California Cooperative Oceanic Fisheries Investigations Reports 41:132-147.
- Moser, H.G., R.L. Charter, S.B. Reilly, D.A. Ambrose, S.R. Charter, E.M. Sandknop, and W. Watson. 2000. Ichthyoplankton and station data for surface tows taken during the 1987 eastern tropical Pacific dolphin survey on the research vessels David Starr Jordan and McArthur. U.S. Dep. Commer., NOAA Tech. Memo., NOAA-TM-NMFS-SWFSC-287, 45 p.
- Moses, B. S. 2001. The influence of hydroregime on catch, abundance and recruitment of the catfish, [*Chrysichthys nigrodigitatus*] (Bagridae) and the bonga, [*Ethmalosa fimbriata*] (Clupeidae) of southeastern Nigeria's inshore waters. Environmental Biology of Fishes 61(1):99-109.

- Mosher, C. 1954. Observations on the spawning behavior and the early larval development of the sargassum fish, [*Histrio*] [*histrio*] (Linnaeus). *Zoologica* 39(4):141-152.
- Moshkeno, R. W., and J. H. Gee. 1973. Diet, time and place of spawning and environment occupied by creek chub (*Semotilus atromaculatus*) in the Mink River, Manitoba. *Journal of the Fisheries Research Board of Canada* 30(3):357-362.
- Moskal'kova, K. I. 1970. Peculiarities of corneal development in [*Gobius*] [*melanostomus*] (Perciformes, Gobiidae) in relation to its ecology. *Zool. Zh.* 49:1055-1063.
- Moskal'kova, K. I. 1971. Development of the eyes in the round goby (*Gobius* [*melanostomus*] (Pallas) with reference to its ecology. *J. Ichthyol.* 11(5):725-742.
- Moskal'kova, K. I. 1978. The influence of radioactive carb on-14 on the development of the eggs of the round goby, [*Neogobius melanostomus*]. *J. Ichthyol.* 18(1):157-161.
- Moss, M. L. 1964. Development of cellular dentin and lepidosteal tubules in the bowfin (fish), [*Amia calva*]. *Acta Anat. (Basel)*. 58(4):333-354.
- Moss, S. A. 1970. The response of young American shad to rapid temperature changes. *Transactions of the American Fisheries Society* 99(2):381-384.
- Mossier, J. N. 1972. Effect of salinity on the eggs and sac-fry of the fathead minnow (*Pimephales promelas*), northern pike (*Esox lucius*), and walleye (*Stizostedion* [*vitreum*]). *Diss. Abstr. Int.* 32B:6126-6127.
- Motenkov, Y. 1966. Reproduction of the silver carp in the Kuban. *Rybovod. Rybolov.* 1:16-17. In Russian.
- Motoda, S. 1955. Vertical distribution of mackerel eggs in Ishikari Bay, Hokkaido. *Bull. Fac. Fish. Hokkaido Univ.* 6(1):7-11.
- Motoda, S. 1957. North Pacific standard plankton net. *Inform. Bull. Plank., Japan.* 4:13-15.
- Motoda, S. 1959. Devices of simple plankton apparatus. *Mem. Fac. Fish. Hokkaido Univ.* 7(1/2):73-94.
- Motoda, S., and M. Anraku. 1955. Occurrence of mackerel eggs in Ishikari Bay, Hokkaido in June 1954, as investigated by underway plankton catcher. *Bull. Fac. Fish. Hokkaido Univ.* 6(1):12-14.
- Mottley, M. C. The effect of temperature during development on the number of scales in the kamloops trout, [*Salmo*] [*kamloops*]. *Contr. Can. Biol. Fish. N.S. (Ser. A.)*8:255.
- Motwani, M. P., and B. B. Bose. 1957. Oxygen requirements of fry of the Indian major carp, [*Labeo rohita*] (Ham.). *Proc. Nat. Inst. Sci. India* 23B(1):1-16.
- Motwani, M. P., V. G. Jhingran, and S. J. Karamchandani. 1957. On the breeding of the Indian shad, [*Hilsa ilisha*] (Ham.), in freshwaters. *Sci. Cult.* 23(1):47-48.
- Moulton, L. L. 1970. The 1970 longfin smelt spawning run in Lake Washington with notes on egg development and changes in the population since 1964. M.S. Thesis, Univ. Washington, Seattle, 84 pp.
- Moulton, L. L. 1974. Abundance, growth, and spawning of the longfin smelt, in Lake Washington. *Transactions of the American Fisheries Society* 103(1):46-52.
- Moulton, L. L. 1975. Life history observations on the Puget Sound rockfish, [*Sebastes emphaeus*] (Starks, 1911). *Journal of the Fisheries Research Board of Canada* 32(8):1439-1442.

- Mounib, M. S., and J. S. Eisan. 1969. Metabolism of pyruvate and glyoxylate by eggs of salmon (*Salmo salar*). *Comp. Biochem. Physiol.* 29:259-264.
- Mounib, M. S., et al. 1976. Effects of cadmium on developing eggs of the Pacific herring with particular reference to Carbon dioxide fixing enzymes. *Biol. Reprod.* 15:423-428.
- Mount, D. I. 1959. Spawning behaviour of the bluebreast darter, [*Etheostoma camurum*] (Cope). *Copeia* 1959(3):240-243.
- Moutou, K.A., I. D. McCarthy, and D. F. Houlihan. 1998. The effect of ration level and social rank on the development of fin damage in juvenile rainbow trout. *Journal of Fish Biology* 52(4):756-770.
- Moyer, J. T. 1977. Aggressive mimicry between juveniles of the snapper, [*Lutjanus bohar*], and species of the damselfish genus [*Chromis*] from Japan. *Jap. J. Ichthyol.* 24(3):218-222.
- Moyer, J. T. 1979. Mating strategies and reproductive behavior of ostraciid fishes at Miyake-jima, Japan. *Ja p. J. Ichthyol.* 26:148-160.
- Moyle, J. B. 1963. Notes on experiments on dissolved oxygen levels and survival and hatching of walleye eggs. *Minn. Fish. Invest.* 261, 2 pp.
- Mraz, D. 1964. Observations on large and smallmouth bass nesting and early life history. *Wis. Conserv. Dep., Res. No. 11 (Fish)*.
- Mraz, D., and E. L. Cooper. 1957. Natural reproduction and survival of carp in small ponds. *J. Wildl. Mgmt.* 21(1):66-69.
- Mraz, D., and E. L. Cooper. 1957. Reproduction of carp, largemouth bass, bluegills, and black crappies in small rearing ponds. *J. Wildl. Mgmt.* 21(2):127-133.
- Mraz, D., S. Kmiotek, and L. Frankenburger. 1961. The largemouth bass: Its life history, ecology, and management. *Wisc. Conserv. Dept. Publ. No. 232*, 15 pp.
- Muelbert, J. H., M. R. Lewis, and D. E. Kelley. 1994. The importance of small-scale turbulence in the feeding of herring larvae. *Journal of Plankton Research* 16:927-944.
- Mugiya, Y., and S. Tanaka. 1992. Otolith development, increment formation, and an uncoupling of otolith to somatic growth rates in larval and juvenile goldfish. *Nippon Suisan Gakkaishi - Bulletin of the Japanese Society of Scientific Fisheries* 58:845-851.
- Muir, W. D., G. T. McCabe, Jr., M. J. Parsley and S. A. Hinton. 2000. Diet of first-feeding larval and young-of-the-year white sturgeon in the lower Columbia River. *Northwest Sci.* 74:25-33.
- Mujica, A., and V. Asencio. 1985. Fish larvae, euphausiids and community structure of zooplankton in the Bransfield Strait. *SIBEX-Phase I. Ser. Cient. INACH* 33:131-154.
- Mukhacheva, V. A. 1957. Fish eggs and fry in Omega Bay of the White Sea karel. *Izv. karel. kol. Fil. Akad. Nauk. SSSR*:222-229.
- Mukhacheva, V. A. 1957. Notes on the development of the Far Eastern navaga (*Eleginus gracilis* Tilesius). *Tr. Inst. Okeanol. Akad. Nauk SSSR* 20:356-370. In Russian, transl. *Am. Inst. Biol. Sci.*, 1959, pp. 291-302.
- Mukhacheva, V. A. 1960. Some data on the breeding, development and distribution of the saury. *Tr. Akad Sci. USSR, Inst. Ocean* 41:163-174.

- Mukhacheva, V. A. 1978. Larvae and fingerlings of the family Gonostomatidae of the Indian Ocean from the collections of the Indian Ocean Biological Center (IOBC), Kuchin. J. Ichthyol. 18(2):269-274.
- Mukhacheva, V. A., and O. A. Zviagina. 1960. Development of the Pacific cod, [*Gadus morhua*] [*macrocephalus*] Tilesius. Tr. Inst. Okeanol. Akad. Nauk SSSR 31:145-165. transl. from Russian by W. E. Ricker, 1969, Fish. Res. Bd. Can., Transl. Ser. 393.
- Mulcahy, D., and K. Bauersfeld. 1983. Effect of loading density of sockeye salmon, [*Oncorhynchus nerka*] (Walb.), eggs in incubation boxes on mortality caused by infectious hematopoietic necrosis. J. Fish. Dis. 6:189-193.
- Mulcahy, D., R. Pascho, and C. K. Jenes. 1983. Mortality due to infectious hematopoietic necrosis of sockeye salmon, [*Oncorhynchus nerka*], fry in streamside egg incubation boxes. Canadian Journal of Fisheries and Aquatic Sciences 40(9):1511-1516.
- Mulkana, M. S. 1966. The growth and feeding habits of juvenile fishes in two Rhode Island estuaries. Gulf Res. Rep. 2(2):97-168.
- Mullen, D. M., and T. M. Burton. 1998. Experimental tests of intra-specific competition in stream riffles between juvenile and adult longnose dace (*Rhinichthys cataractae*). Canadian Journal of Zoology 76:855-862.
- Muller, A. 1856. Ueber die Entwicklung der Neunaugen. Arch. Anat. 1856, 323-339 pp. Also in Ann. Mag. Nat. Hist. 2 Ser. 18, 298-301 pp.
- Muller, A. 1970. Uber das Auftreten von Fischlarven in der Kiebrer Bucht. Ber. Dt. Wis s. Komm. Meeres. 21(1/4):349-368.
- Muller, A., and O. Bagge. 1974. Distribution of cod eggs in the Bornholm basin in 1972. Ber. Dtsch. Wiss. Komm. Meeresforsch. 23(3):302-307.
- Muller, H., and G. Sterba. 1963. Electron microscope study of egg envelope in [*Cynolebias belotti*]. Zool. J. Anat. 80:469-488.
- Muller, K. 1954. Investigations on the organic drift in north Swedish streams. Inst. Freshwat. Res. Drottningholm Rep. 35:133-148.
- Muller, K. 1974. Stream drift as a chronobiological phenomenon in running water ecosystems. Ann. Rev. Ecol. and Syst. 5:309-323.
- Muller, U. K., and J. J. Videler. 1996. Inertia as a 'safe harbour': do fish larvae increase length growth to escape viscous drag? Reviews in Fish Biology and Fisheries 6:353-360.
- Mullin, M. M. 1997. The demography of [*Calanus pacificus*] during winter-spring Californian El Nino conditions, 1992-1993: implications for anchovy? Fisheries Oceanography 6:10-18.
- Mullin, M. M., E. R. Brooks, F. M. H. Reid, J. Napp, and E. F. Stewart. 1985. Vertical stratification of nearshore plankton off southern California: a storm and a larval fish food web. Fish. Bull. 83(2):151-170.
- Munch, S., and D.O. Conover. 2000. Recruitment dynamics of bluefish (*Pomatomus saltatrix*) from Cape Hatteras to Cape Cod, 1973-1995. ICES J. Mar. Sci. 57:393-402.
- Munch, S. B., and D. O. Conover. 2000. Recruitment dynamics of bluefish (*Pomatomus saltatrix*) from Cape Hatteras to Cape Cod, 1973-1995. Ices Journal of Marine Science 57(2):393-402.

- Muncy, R. J. 1962. Life history of the yellow perch, [*Perca flavescens*], in estuarine waters of the Severn River, a tributary of the Chesapeake Bay, Maryland. *Ches. Sci.* 3(3):143-159.
- Muncy, R. J., and A. P. D'Silva. 1981. Marking walleye eggs and fry. *Transactions of the American Fisheries Society* 110:300-305.
- Munday, P. L., G. P. Jones, M. C. (tm)hman, and U. L. Kaly. 1998. Enhancement of recruitment to coral reefs using light-attractors. *Bull. Mar. Sci.* 63(3):581-588.
- Mundie, J. H. 1969. Ecological implications of the diet of juvenile coho salmon in streams. *Symp. on salmon and trout in streams*, H. R. McMillan lecture in fisheries, Univ. British Columbia, Vancouver. 135-152.
- Mundie, J. H. 1971. The diel drift of chironomidae in an artificial stream and its relation to the diet of coho salmon fry, [*Onocorhynchus kisutch*] (Walbaum). *Can. Entomol.* 103:289-297.
- Mundie, J. H., and R. E. Traber. 1983. Carrying capacity of an enhanced side-channel for rearing salmonids. *Canadian Journal of Fisheries and Aquatic Sciences* 40(8):1320-1322.
- Mundy, B. C. 1984. Yearly variables in the abundance and distribution of fish larvae in the coastal upwelling zone off Yaquina Head, Oregon, June 1969-Aug. 1972. M. S. Thesis, Oregon St. Univ. 158 pp.
- Mundy, B. C. 1990. Development of larvae and juveniles of the alfonsins, [*Beryx splendens*] and [*B. decadactylus*] (Berycidae, Beryciformes). *Bull. Mar. Sci.*, 46(2): 257-273.
- Mundy, B. C., and H. G. Moser, 1997. Development of early stages of pelagic armorhead [*Pseudopentaceros wheeleri*] with notes on juvenile [*Ps. Richardsoni*] and larval [*Histiopterus typus*] (Pisces, Percoidei, Pentacerotidae). *Bull. Mar. Sci.* 61(2):241-269.
- Mundy, P. R. 1973. The occurrence, abundance, and distribution of populations of larval fishes in Wheeler Reservoir, Alabama. M.S. Thesis, Univ. Alabama, Tuscaloosa, AL.
- Munehara, H., and S. Mishima. 1986. Embryonic development, larvae and juvenile of elkhorn sculpin, [*Alcichthys alcicornis*]. *Jap. J. Ichthyol.* 33(1):46-50.
- Munekizo, M., and A. Kuwahara. 1986. Egg and larval distribution of ribbon fish in western Wakasa Bay. *Bull. Jap. Soc. Sci. Fish.* 52(5):805-810.
- Munillamoran, R., J. R. Stark, and A. Barbour. 1990. The role of exogenous enzymes in digestion in cultured turbot larvae ([*Scophthalmus maximus*] L). *Aquaculture* 88:337-350.
- Munityan, S. P. 1975. Hatching of walleye embryos at various incubation temperatures. Pages 66-89 [in] N. N. Disler, editor. *Development of fishes under various natural and experimental conditions*. Nauk. Press, Moscow, USSR. In Russian.
- Munk, P., and H. Rosenthal. 1983. Variability in the size of herring larvae at hatching. Influence of egg density and parental material. *Int. Counc. Explor. Mer* 1983/L:33.
- Munk, P., and V. Christensen. 1983. Distribution of herring larvae at Aberdeen Bank, Buchan Area, Sept. 1983. *Intl. Counc. Explor. Mer* 1984/L:22.
- Munk, P., and T. Kioboe. 1985. Feeding behavior and swimming activity of larval herring ([*Clupea harengus*]) in relation to density of copepod nauplii. *Mar. Ecol. Prog. Series* 24(1-2):15-21.
- Munk, P. 1988. Catching large herring larvae: Gear applicability and larval distribution. *J. Cons.* 45: 97-104.

- Munk, P., T. Kiorboe, and V. Christensen. 1989. Vertical migrations of herring, [*Clupea harengus*], larvae in relation to light and prey distribution. *Environmental Biology of Fishes* 26:87-96.
- Munk, P., and V. Christensen. 1990. Larval growth and drift pattern and the separation of herring spawning groups in the North Sea. *Journal of Fish Biology* 37:135-148.
- Munk, P., M. Heath, and B. Skaarup. 1991. Regional and seasonal differences in growth of larval North Sea herring (*[Clupea harengus]* L.) estimated by otolith microstructure analysis. *Continental Shelf Research* 11:641.
- Munk, P. 1992. Foraging behaviour and prey size spectra of larval herring [*Clupea harengus*]. *Marine Ecology-Progress Series* 80:149-158.
- Munk, P., and T. G. Nielsen. 1994. Trophodynamics of the plankton community at Dogger Bank: predatory impact by larval fish. *Journal of Plankton Research* 16:1225-1245.
- Munk, P. 1995. Foraging behaviour of larval cod (*[Gadus morhua]*) influenced by prey density and hunger. *Marine Biology* 122:205-212.
- Munk, P., P. O. Larsson, D. Danielsen, and E. Moksness. 1995. Larval and small juvenile cod [*Gadus morhua*] concentrated in the highly productive areas of a shelf break front. *Marine Ecology - Progress Series* 125:21-30.
- Munro, A. D. 1984. The ontogeny of the retina and optic tectum in [*Aequides portallogenesis*]. *J. Fish. Biol.* 24(4):377.
- Munro, I. S. R. 1943. The eggs and early larvae of the Australian barred Spanish mackerel, [*Scomberomorus commersoni*] (Lacepede), with preliminary notes on the spawning of that species. *Proc. R. Soc. Qd.* 54:33-48.
- Munro, I. S. R. 1945. Post-larval stages of Australian fishes. No. I. *Mem. Queensland Mus. (Brisbane)* 12(3):136-153.
- Munro, I. S. R. 1950. Revision of [*Bregmaceras*] with descriptions of larval stages from Australia. *Proc. Roy. Soc. Queensland* 61(5):37-53.
- Munro, I. S. R. 1950. Revision of [*Bregmaceras*] with descriptions of larval stages from Australia. *Commonwealth Sci. Ind. Res. Org.*, No. 98.
- Munro, I. S. R. 1954. Eggs and larvae of the four-winged flying fish, [*Hirundichthys speculiger*] (Val.). *Aust. J. Mar. Freshwat. Res.* 5(1):64-69.
- Munro, I. S. R. 1955. Eggs and larvae of the sabre-toothed oyster blenny, [*Dasson steadi*] (Whitley) (Blenniidae). *Aust. J. Mar. Freshwat. Res.* 6:30-34.
- Munro, J. L. 1976. Aspects of the biology and ecology of caribbean reef fishes: Mullidae (Goat-fishes). *J. Fish. Biol.* 9(1):79-97.
- Munroe, T. A., and R. A. Lotspeich. 1979. Some life history aspects of the seaboard goby (*[Gobiosoma ginsburgi]*). *Estuaries* 2(1):21-26.
- Munshi, J. S. D., and G. M. Hughes. 1986. Scanning electron microscopy of the respiratory organs of juvenile and adult climbing perch, [*Anabas*] [*tetudineus*]. *Jap. J. Ichthyol.* 33(1):39-45.
- Munson, B. H., J. H. McCormick, and H. L. Collins. 1980. Influence of thermal challenge on conditioned feeding forays of juvenile rainbow trout. *Transactions of the American Fisheries Society* 109(1):116-121.
- Muntyan, S. P. 1970. Characteristics of abnormal pike-perch embryos at different incubation temperatures. In: *Molodezhnaya nauch. konferentsiya, posvyashchennaya* 100-

letiyu so dnya rozhdeniya V. I. Lenina. Tez. dokl. Moscow, publ. Inst. Evol. Morph. Anim. Ecol., USSR Acad. Sci.

Muntyan, S. P. 1978. Observations on the reproduction and embryonic development of five species of fish kept in experimental radioactive water bodies. J. Ichthyol. 18(6):1033-1037.

Murai, T., and J. W. Andrews. 1970. Growth and food conversion of rainbow trout reared in brackish and freshwater. U.S. Fish Wildl. Serv. Fish. Bull. 70(4):1293-1295.

Murai, T., J. W. Andrews, and J. W. Muller. 1979. Fingerling American shad: effect of valium, MS-222, and sodium chloride on handling mortality. Progressive Fish-Culturist 41(1):27-29.

Murai, T., J. W. Muller, and J. W. Andrews. 1979. Dietary studies with American shad fry. Progressive Fish-Culturist 41(2): 61-63.

Murai, T., Y. Hirasawa, T. Akiyama, and T. Nose. 1982. Free ninhydrin reactive substances in the white muscle, dark muscle, and liver of cultured and wild bluefin tuna juvenile, [*Thunnus thynnus orientalis*]. Bull. Jap. Soc. Sci. Fish. 48(11):633-638.

Murarka, I. P., S. A. Spigarelli, and D. J. Bodeau. 1978. Statistical comparison and choices of sampling designs for estimating fish impingement at cooling water intakes. Pages 267-280 [in] L. D. Jensen, editor. Fourth Natl. Workshop on Entrainment and Impingement. Ecol. Anal. Inc., Melville, NY, 424 pp.

Murawski, S. A., and A. L. Pacheco. 1977. Biological and fisheries data on Atlantic sturgeon, [*Acipenser oxyrhynchus*] (Mitch ill). Sandy Hook Lab., NMFS NE Fish. Ctr. Tech. Ser. Rep. No. 10. 69 pp.

Murawski, W. A. 1969. The distribution of striped bass, [*Roccus saxatilis*], eggs and larvae in the lower Delaware River. Misc. Rep. Fish. Lab New Jersey, No. 1M, 14 pp.

Murawski, W. A. 1970. Study of the ichthyoplankton associated with two of New Jersey's coastal inlets. Misc. Rep. Fish. Lab. New Jersey, No. 7M, 34 pp.

Murayama, S., and M. Yanase. 1961. The amounts of chemical constitution of eyed eggs of rainbow trout from various sources. Bull. Tokai Reg. Fish. Res. Lab. 31:311-316.

Murdoch, R. C., R. Q. Guo, and A. Mccrone. 1990. Distribution of hoki ([*Macruronus novaezelandiae*]) eggs and larvae in relation to hydrography in Eastern Cook Strait, September 1987. New Zealand Journal of Marine and Freshwater Research 24:529-539.

Murdy, E. O., and J. W. E. Wortham. 1978. Contributions to the reproductive biology of the pirate perch, [*Aphredoderus sayanus*]. Virginia J. Sci. 29(2):66.

Murphy, G. I. 1948. A contribution to the life history of the Sacramento perch ([*Archoplites interruptus*]) in Clear Lake, Lake County, California. California Fish and Game 34(3):93-100.

Murphy, G. I. 1948. Notes on the biology of the Sacramento hitch ([*Lavinia c. exilicauda*]) of Clear Lake, Lake County, California. California Fish and Game 34(3):101-110.

Murphy, G. I. 1949. The food of young largemouth blackbass in Clear Lake, California. California Fish Game 35(3):159-163.

Murphy, G. I. 1950. The life history of the greaser blackfish ([*Orthodon*] [*microlepidotus*]) of Clear Lake, Lake County, California. California Fish and Game 36(2):119-132.



- Murphy, G. I., and R. I. Clutter. 1972. Sampling anchovy larvae with a plankton purse seine. *Fishery Bull. Fish Wildl. Serv. U.S.* 70(3):789-798.
- Murphy, G. I. 1977. Clupeoids. Pages 283-308 [in] J. A. Gulland, editor. *Fish population dynamics*. John Wiley & Sons, NY. 460 pp.
- Murray, C. B. 1980. Some effects of temperature on zygote and alevin survival, rate of development and size at hatching and emergence of Pacific salmon and rainbow trout. M.S. Thesis, Univ. British Columbia, Vancouver, Canada.
- Murray, L. S., and T. S. Jinnette. 1978. Survival of dominant estuarine organisms impinged on fine-mesh traveling screens at the Barney M. Davis power station. Pages 79-87 [in] R. K. Sharma and J. B. Palmer, editors. *Larval exclusion systems for power plant cooling water intakes*. Argonne Natl. Lab. Rep. No. ANL/ES-66.
- Murray, T., S. LeDuc, and M. Ingham. 1983. Impact of climatic factors on early life stages of Atlantic mackerel, [*Scomber scombrus*] L.: an application of meteorological data to a fishery problem. *J. Climate Appl. Meteor.* 22(1):57-68.
- Musick, J. A. 1969. The comparative biology of two American Atlantic hakes, [*Urophycis chuss*] and [*U. tenuis*] (Pisces, Gadidae). Ph.D Diss., Harvard Univ., Cambridge. 150 pp.
- Musick, J. A., and K. W. Able. 1969. Occurrence and spawning of the sculpin, [*Triglops murrayi*] (Pisces: Cottidae), in the Gulf of Maine. *Journal of the Fisheries Research Board of Canada* 26(2):473-475.
- Musick, J. A. 1974. Seasonal distribution of sibling hakes, [*Urophycis*] [*chuss*] and [*U. tenuis*] (Pisces: Gadidae), in New England. *Nat. Oceanic Atmos. Adm. (U.S) Fish. Bull.* 72(2):481-495.
- Musienko, L. N. 1954. Young flatfish (Family Pleuronectidae) of far eastern seas of USSR. *Tr. Inst. Okeanol.* 11:62-131.
- Musienko, L. N. 1963. Ichthyoplankton of the Bering Sea (data of the Bering Sea Expedition of 1958-59). *Tr. Vses. Nauchno-Issled. Inst. Morsk. Rybn. Khoz. Okeanogr.* 48:239-269.
- Musienko, L. N. 1963. Ichthyoplankton of the Bering Sea (Data of the Bering Sea Expedition of 1958-1959). Pages 251-286 [in] P. A. Moiseev, editor. *Soviet fisheries investigations in the northeast Pacific. Part 1*. Israel Prog. Sci. Transl. Jerusalem, No. 1887. Transl. from Russian.
- Musienko, L. N. 1970. Reproduction and development of Bering Sea fishes. Pages 161-224 [in] P. A. Moiseev, editor. *Soviet fisheries investigations in the northeast Pacific. Part 5*. Israel Prog. Sci. Transl., Jerusalem, No. 600446. Transl. from Russian.
- Musienko, L. N. 1970. Reproduction and development of the Bering Sea fish. *Trudy Vses. Nauchno-issled. Inst. Morsk. Ryb. Khoz. Okeanogr.* 70:166-224.
- Mussalli, Y. G., E. P. Taft, and P. Hofmann. 1978. Biological and engineering considerations in the fine-mesh screening of small organisms from cooling water intakes. Pages 107-123 [in] R. K. Sharma and J. B. Palmer, editors. *Larval exclusion systems for power plant cooling water intakes*, Argonne Natl. Lab. Rep. No. ANL/ES-66. 237 pp.
- Muth, R. T. 1979. Ichthyoplankton of the lower James River, South Dakota. Master's thesis. University of South Dakota, Vermillion.
- Muth, R. T. 1980. Diel periodicity in the drift of James River ichthyoplankton. *Proceedings of the South Dakota Academy of Science* 59:268-269.
- Muth, R. T., and C. M. Haynes. 1984. Plexiglas light-trap for collecting small fishes in low-velocity riverine habitats. *Progressive Fish-Culturist* 46:59-62.

- Muth, R. T., and J. C. Schmulbach. 1984. Downstream transport of fish larvae in a shallow prairie river. *Transactions of the American Fisheries Society* 113:224-230.
- Muth, R. T., C. M. Haynes, and C. A. Carlson. 1985. Culture of roundtail chub, [*Gila robusta robusta*] (Cyprinidae), through the larval period. *Southwestern Naturalist* 30:152-154.
- Muth, R. T., T. P. Nesler, and A. F. Wasowicz. 1988. Marking cyprinid larvae with tetracycline. *American Fisheries Society Symposium* 5:89-95.
- Muth, R. T. 1989. Diets of fishes from backwater and mainchannel habitats of the Green River, Utah, 1987-1988. Final report. U.S. Bureau of Reclamation, Research and Laboratory Services Division, Applied Sciences Branch, Environmental Services Section, Denver, Colorado.
- Muth, R. T. 1989. Diets of larval and juvenile fishes from the Yampa and Green rivers, Colorado and Utah, 1986-1987. Final report. U.S. Fish and Wildlife Service, Colorado River Fishery Project, Vernal, Utah.
- Muth, R. T., and T. P. Nesler. 1989. Marking Colorado squawfish embryos and newly hatched larvae with tetracycline. *Southwestern Naturalist* 34:432-426.
- Muth, R. T. 1990. Ontogeny and taxonomy of humpback chub, bonytail, and roundtail chub larvae and early juveniles. Doctoral dissertation. Colorado State University, Fort Collins.
- Muth, R. T., and K. R. Bestgen. 1991. Effect of sunlight on tetracycline marks in otoliths of Colorado squawfish larvae. *Transactions of the American Fisheries Society* 120:666-668.
- Muth, R. T., and D. W. Beyers. 1991. Laboratory studies on predator-prey interactions between nonnative fishes and larval Colorado squawfish and razorback sucker. Final report. U.S. Fish and Wildlife Service, Grand Junction, Colorado.
- Muth, R. T., and T. P. Nesler. 1993. Associations among flow and temperature regimes and spawning periods and abundance of young of selected fishes, lower Yampa River, Colorado, 1980-1984. Final report. Endangered Wildlife Investigations, SE-3-4, Colorado Division of Wildlife, Fort Collins.
- Muth, R. T. 1995. Conceptual-framework for development of a standardized monitoring program for basin-wide evaluation of restoration activities for razorback sucker in the Green and upper Colorado river systems. Final report of Colorado State University Larval Fish Laboratory to Recovery Implementation Program for the Endangered Fishes in the Upper Colorado River Basin, Denver, Colorado.
- Muth, R. T., and S. M. Meisner. 1995. Marking otoliths in razorback sucker embryos and larvae with fluorescent chemicals. *Southwestern Naturalist* 40:241-244.
- Muth, R. T., and D. E. Snyder. 1995. Diets of young Colorado squawfish and other small fish in backwaters of the Green River, Colorado and Utah. *The Great Basin Naturalist* 55:95-104.
- Muth, R. T., and J. B. Ruppert. 1996. Effects of two electrofishing currents on captive ripe razorback suckers and subsequent egg-hatching success. *North American Journal of Fisheries Management* 16:473-476.
- Muth, R. T., and J. B. Ruppert. 1997. Effects of electrofishing fields on captive embryos and larvae of razorback sucker. *North American Journal of Fisheries Management* 17:160-166.

- Muth, R. T., G. B. Haines, S. M. Meismer, E. J. Wick, T. E. Chart, D. E. Snyder, and J. M. Bundy. 1998. Reproduction and early life history of razorback sucker in the Green River, Utah and Colorado, 1992-1996. Final report of Colorado State University Larval Fish Laboratory to Recovery Implementation Program for the Endangered Fishes in the Upper Colorado River Basin, Denver, Colorado.
- Muth, S. E., and D. C. Tarter. 1975. Reproductive biology of the troutperch, [*Percopsis [omiscomaycus]* (Walbaum)], in Beech Fork of Twelvepole Creek, Wayne County, West Virginia. *Am. Midl. Nat.* 93(2):434-439.
- Mutsin'sh, A. N. 1979. Current velocity and the behavior of young fish. *J. Ichthyol.* 19(5):171.
- Myers, G. S. 1928. The urostyle in larval characin fishes. *Copeia* 1928(No. 167):36-37.
- Myers, K. W. W. 1980. An investigation of the utilization of four study areas in Yaquina Bay, Oregon by hatchery and wild juvenile salmonids. M.S. Thesis, Oregon State Univ., Corvallis. 234 pp.
- Myers, P. Z. 1985. Spinal motoneurons of the larval zebrafish. *J. Comp. Neurol.* 236(4):555-561.
- Myers, R. A., and K.F. Drinkwater. 1989. Offshelf Ekman transport and larval fish survival in the Northwest Atlantic. *Biol. Oceanogr.* 6:45-64.
- Myers, R. A., K. F. Drinkwater, N. J. Barrowman, and J. W. Baird. 1993. Salinity and recruitment of Atlantic cod (*Gadus morhua*) in the Newfoundland Region. *Canadian Journal of Fisheries and Aquatic Sciences* 50:1599-1609.
- Myers, R. A., and N. G. Cadigan. 1993. Density-dependent juvenile mortality in marine demersal fish. *Canadian Journal of Fisheries and Aquatic Sciences* 50:1576-1590.
- Myers, R. A., and N. G. Cadigan. 1993. Is juvenile natural mortality in marine demersal fish variable? *Canadian Journal of Fisheries and Aquatic Sciences* 50:1591-1598.
- Myers, R. A. 1995. Recruitment of marine fish: The relative roles of density-dependent and density-independent mortality in the egg, larval, and juvenile stages. *Marine Ecology - Progress Series* 128:308-309.
- Myers, R. A., J. A. Hutchings, and N. J. Barrowman. 1997. Why do fish stocks collapse? The example of cod in Atlantic Canada. *Ecological Applications* 7:91-106.
- Myrberg, A. A., Jr. 1962. An analysis of the preferential care of eggs and young by adult brooding cichlid fishes. Ph.D. Diss., Univ. Calif., Los Angeles, CA.
- Myrberg, A. A., Jr. 1964. Analysis of preferential care of eggs and young by adult cichlid fishes. *Z. Tierpsychol.* 21:53-98.
- Myrberg, A. A., Jr., B. D. Brahy, and A. R. Emery. 1967. Field observations on reproduction of the damselfish, [*Chromis multilineata*] (Pomacentridae), with additional notes on general behavior. *Copeia* 1967(4):819-827.
- Myrberget, S. 1965. Distribution of mackerel eggs and larvae in the Skagerrak, 1957-1959. *Rep. Norw. Fishery mar. Invest.* 13(8):20-28.
- Myrberget, S. 1965. Pelagic fish eggs and larvae in the Skagerrak and Oslofjord 1957-1979. English summary. *Fauna Oslo* 18:120-131.
- Naas, K. E., T. Vandermeeren, and D. L. Aksnes. 1991. Plankton succession and responses to manipulations in a marine basin for larval fish rearing. *Marine Ecology-Progress Series* 74:161-173.

- Nabiev, A. I., and P. K. Melikova. 1962. Biology of reproduction of carp and of the hybrid of the roach and bream in the Mingechaursk water Reservoir. *Izv. Akad. Nauk. Azerbaid. SSSR. Biol. Med.* 5:3-8. In Russian.
- Nabrit, S. M. 1938. Regeneration in the tail fins of embryonic fish ([*Opsanus*] and [*Fundulus*]). *J. Exp. Zool.* 79(2):299-308.
- Nabrit, S. M. 1939. Further studies on regeneration in [*Fundulus*] embryos. *Biol. Bull. (Woods Hole)* 77(2):336-337.
- Nacario, J. F. 1983. The effect of thyroxine on the larvae and fry of [*Sarotherodon niloticus*] L. ([*Tilapia nilotica*]). *Aquaculture* 34:78-83.
- Naesje, T. F., and B. Jonsson. 1986. Drift of cisco and whitefish larvae in a Norwegian River. *Transactions of the American Fisheries Society* 115:89-93.
- Nagasawa, T. 1993. Planktonic larvae and pelagic juveniles of the rockfish, [*Sebastes minor*] (*Scorpaenidae*). *Japanese Journal of Ichthyology* 40:87-97.
- Nagasawa, T., and T. Kobayashi. 1995. The early life history of the rockfish, [*Sebastes thompsoni*] (*Scorpaenidae*), in the Sea of Japan. *Jap. J. Ichthyol.* 41(4):385-396.
- Nagasawa, T., Y. Yamashita and H. Yamada. 2000. Early life history of mebaru, [*Sebastes inermis*] (*Scorpaenidae*), in Sendai Bay, Japan. *Ichthyol. Res.* 47(3):231-241.
- Nagata, Y., and H. Myabe. 1978. Developmental stages of the bitterling, [*Rhodeus ocellatus ocellatus*] (*Cyprinidae*). *Mem. Osaka Kyoiku Univ., Ser. III, Vol. 26. No. 3.*
- Nagel, T. 1976. Technique for collecting newly hatched fathead minnow fry. *Progressive Fish-Culturist* 38(3):137.
- Nagel, T. 1976. Intensive culture of fingerling walleyes on formulated feeds. *Progressive Fish-Culturist* 38(2):90-91.
- Nagelkerken, W. P. 1979. Biology of the graysby, [*Epinephelus cruentatus*], of the Coral Reef of Curacao. *Stud. Fauna Curacao Other Caribb. Isl.* 60(186):1-118.
- Nagiec, C. 1979. On the developmental stages of the fins and axial skeleton of whitefish, [*Coregonus laveratus*] L. *Pol. Arch. Hydrobiol.* 26:529-543.
- Nagoshi, M. 1982. Diel vertical migration of zooplankton and fish larvae in Lake Biwa. *Bull. Fac. Fish. Mie Univ.* 9:1-10.
- Nair, G. S. 1957. Notes on the early development of [*Mugil cephalus*] L. *Bull. Cent. Res. Inst., Univ. Travancore, India, Ser. C.* 5(1):77-84.
- Nair, G. S. 1957. On the breeding habits and development of [*Ambassia gymnocephalus*] (Lac.). *Bull. Cent. Res. Inst. Univ. Kerala, India Ser. C Nat. Sci.* 5:69-76.
- Nair, G. S. 1961. On the development and early embryology of [*Stigmatogobius javanicus*] (Blkr.). *Bull. Cent. Res. Inst. Univ. Travancore C* 8:37-54.
- Nair, J. R., and C. Geevarghese. 1984. Growth of [*Eetroplus suratensis*] (Bloch) larvae hatched and reared in sublethal levels of malathion. *J. Env. Biol.* 5(4):261-268.
- Nair, K. K. 1939. On some early stages in the development of the so-called Indian shad, [*Hilsa ilisha*] (Ham.). *Rec. Indian Mus.* 41(4):409-418.
- Nair, K. K. 1940. On some early stages in the development of the Gangetic anchovy, [*Engraulis telara*] (Ham.). *Rec. Indian Mus.* 42(2):277-288.

- Nair, R. V. 1946. On the metamorphosis of the leptocephali of the Madras plankton. Proc. Indian Sci. Congr. 33(pt. 3):127.
- Nair, R. V. 1946. Fish eggs and larvae of the Madras plankton. Proc. Indian Sci. Congr. 33(pt. 3):127.
- Nair, R. V. 1947. On the metamorphosis of two leptocephali from the Madras plankton. Proc. Indian Acad. Sci. 25(1):1-14.
- Nair, R. V. 1948. Leptocephali of the Gulf of Mannar. Proc. Indian Acad. Sci. 27B(4):87-91.
- Nair, R. V., and B. S. Bimachar. 1950. On some eel eggs and larvae from the Gulf of Mannar. Proc. Indian Acad. Sci. 31(6):331-338.
- Nair, R. V. 1952. Studies on some fish eggs and larvae of the Madras plankton. Proc. Indian Acad. Sci. 35B:181-208.
- Nair, R. V. 1952. Studies on some post-larval fishes of the Madras plankton. Indian Acad. Sci., Proc. 35:225-244.
- Nair, R. V. 1952. Studies on some post-larval fishes of the Madras plankton. Proc. Indian Acad. Sci. Sect. B. 35:225-244.
- Nair, R. V. 1960. Notes on the spawning habits and early life-history of the oil sardine, [*Sardinella longiceps*] Cuv. & Val. Indian J. Fish. 6:342-359.
- Nair, R. V. 1961. General remarks on Indian leptocephali. Proc. Indian Acad. Sci. 1960 52B(5):228-252.
- Nair, R. V., and K. H. Mohamed. 1961. Studies on the leptocephali of Bombay waters. I. The metamorphosing stages of [*Muraenesox talabonoides*] (Bleeker). Proc. Indian Acad. Sci. 1960 52B(5):147-168.
- Nair, R. V., and K. H. Mohamed. 1961. Studies on the leptocephali of Bombay waters. II. The metamorphosing stages of [*Muraenesox talabon*] (Cantor). Proc. Indian Acad. Sci. 1960 52B(5):169-181.
- Nair, R. V., and K. H. Mohamed. 1961. Studies on the leptocephali of Bombay waters. III. The metamorphosing stages of [*Uroconger lepturus*] (Rich.). Proc. Indian Acad. Sci. 1960 52B(5):182-190.
- Nair, R. V., and K. H. Mohamed. 1961. Studies on the leptocephali of Bombay waters. IV. Some ophichthyid leptocephali. Proc. Indian Acad. Sci. 1960 52B(5):191-208.
- Nair, R. V., and K. H. Mohamed. 1961. Studies on the leptocephali of Bombay waters. V. A few other leptocephali. Proc. Indian Acad. Sci. 1960 52B(5):209-219.
- Nair, R. V., and K. K. Appukuttan. 1975. Observations on the developmental stages of the smooth dogfish, [*Eridachis radcliffei*] Smith from Gulf of Mannar. Indian J. Fish. 21(1):141-151.
- Nair, R. V., and M. Dharmamba. 1961. On the early development of an ophichthyid egg from the Lawson's Bay, Waltair. Proc. Indian Acad. Sci. 1960 52B(5):220-227.
- Nakagawa, H., and V. Tsuchiya. 1969. Studies on rainbow trout egg ([*Salmo gairdneri*] [*irideus*]). I. Electrophoretic analysis of egg protein. J. Fac. Fish. Anim. Husband., Hiroshima Univ. 8:77-84.
- Nakagawa, H. 1970. On rainbow trout egg ([*Salmo gairdneri irideus*]). II. Carbohydrate in egg protein. J. Fac. Fish. Anim. Husband., Hiroshima Univ. 9:57-63.

- Nakagawa, H., and V. Tsuchiya. 1971. Studies on rainbow trout egg ([*Salmo gairdneri*] [*irideus*]). III. Determination of lipid composition of oil globule and lipoprotein. J. Fac. Fish. Anim. Husb., Hiroshima Univ. 10:11-19.
- Nakagawa, H., and T. Yasuhiko. 1972. Studies on rainbow trout egg ([*Salmo gairdneri*] [*irideus*]). IV. Changes of yolk content during embryogenesis. J. Fac. Fish., Hiroshima 11(2):111-118.
- Nakagawa, H., and Y. Tsuchiya. 1974. Studies on rainbow trout egg ([*Salmo gairdneri*] [*irideus*]). V. Further studies on the yolk protein during embryogenesis. J. Fac. Fish. Anim. Husb., Hiroshima 13(1):15-27.
- Nakahara, K. 1962. A note on the larvae of [*Antigonia capros*] Lowe and [*Erhthrocles schlegelii*] (Rich.) collected off the southern coast of Kyushu. Bull. Jap. Soc. Sci. Fish. 28(5):484-488.
- Nakai, N. 1927. On the influence of water temperature upon the development of the eggs of [*Leuciscus hakuensis*] Guenther. J. Imperial Fish. Inst. 22(4):73-85.
- Nakai, Z. 1948. The identification of pelagic eggs of Japanese sardine, [*Sardinia melanosticta*] (Temm. et Schl.), and gizzard shad, [*Clupanodon punctatus*] (Temm. et Schl.). Bull. Jap. Soc. Sci. Fish. 13(3):141-142.
- Nakai, Z. 1962. Apparatus for collecting macroplankton in the spawning surveys of "Iwashi" (sardine, anchovy and round herring) and others. Bull. Tokai Reg. Fish. Res. Lab. 9:221-237.
- Nakai, Z. 1962. Studies of influences of environmental factors upon fertilization and development of the Japanese sardine eggs - with some reference to the number of their ova. Bull. Tokai Reg. Fish. Res. Lab. 9:109-150.
- Nakai, Z., and S. Hattori. 1962. Quantitative distribution of eggs and larvae of the Japanese sardine by year, 1949 through 1951. Bull. Tokai reg. Fish. Res. Lab. 9:23-60.
- Nakai, Z. 1966. Effect of salinity on the early development of the Japanese sardine. J. Fac. Oceanogr., Tokai Univ. 1:71-89.
- Nakai, Z., M. Kosaka, M. Oguna, G. Hayashida, and H. Simozono. 1969. Feeding, habitat, and depth of body and diameter of digestive tract of shirasu in relation with nutrient condition. J. Coll. Mar. Sci. Tech., Tokai Univ. 3:23-34.
- Nakajima, H., H. Kawahara, and S. Takamatsu. 1987. The breeding behavior and the behavior of larvae and juveniles of the sharksucker, [*Echeneis naucrates*]. Jap. J. Ichthyol. 34(1):66-70.
- Nakajima, T. 1979. The development and replacement pattern of the pharyngeal dentition in the Japanese cyprinid fish, [*Gnathopogon caeruleus*]. Copeia 1979(1):22-28.
- Nakamura, E. L., and W. M. Matsumoto. 1967. Distribution of larval tunas in Marquesau waters. NOAA Fish. Bull. 66(1):1-12.
- Nakamura, E. L. 1976. Scombrid fishes (including juveniles) in St. Andrew Bay, Florida. Bull. Mar. Sci. 26(4):619-621.
- Nakamura, E. L., J. R. Taylor, and I. K. Workman. 1980. The occurrence of life stages of some recreational marine fishes in estuaries of the Gulf of Mexico. NOAA Tech. Mem. NMFS-SEFC-45:35 pp.
- Nakamura, H. 1932. The ripe eggs of the sailfish, [*Istiophorus*] [*orientalis*] (Temminck and Schlegel). Zool. Mag., Tokyo 44(524):244-245.
- Nakamura, H. 1940. On the spawning habits of sailfish. Zool. Mag., Tokyo 52(8):296-297.

- Nakamura, H., et al. 1951. Notes on the life history of the swordfish, [*Xiphias gladius*] Linnaeus. Jap. J. Ichthyol. 1(4):264-271.
- Nakamura, H. 1968. Juveniles of the striped marlin, [*Tetrapturus albidus*] (Phillipi). Mem. Coll. Agric. Kyoto Univ., No. 94:17-29.
- Nakamura, H., T. Iwai, and K. Matsubara. 1968. A review of the sailfish, spearfish, marlin, and swordfish of the world. Misaki Rinkai Kenkyujo, Spec. Rep., No. 4:1-95. In Japanese.
- Nakamura, I., and S. Kikawa. 1966. Infra-central grooves of tunas with special reference to the identification of young tunas found in the stomachs of large predators. Rep. Nankai Reg. Fish. Res. Lab. (23):55-66.
- Nakamura, I., and J. R. Paxton. 1977. A juvenile gempylid fish, [*Nealotus tripes*], from eastern Australia. Aust. Zool. 19(2):179-184.
- Nakamura, K. 1952. Environment, food habit, spawning, development, growth and fisheries of [*Zacco platypus*] in Chikuma River. Bull. Freshwater Fish. Res. Lab., Tokyo 1(1):2-25.
- Nakamura, M. 1949. The life history of a cyprinid fish, [*Ischikauia steenackeri*] (Sauvage) in Lake Biwa. Bull. Jap. Soc. Sci. Fish. 15:833-840.
- Nakamura, M. 1949. The life history of a cyprinid fish, [*Gnathopogon elongatus caerulescens*] (Sauvage) in Lake Biwa. Bull. Jap. Soc. Sci. Fish., Tokyo. 15:88-96. In Japanese, English Abstract.
- Nakamura, M. 1951. The life history of a cyprinid fish, [*Opsariichthys uncirostris*] (Temminck et Schlegel) in Lake Biwa. Misc. Rep. Res. Inst. Nat. Resourc., No. 19-21:70-78.
- Nakamura, M. 1969. Studies on the life history of cyprinid fishes of Japan. Res. Inst. Nat. Resourc., Spec. Publ. 4:ii-455. English summary.
- Nakamura, N. 1942. A note on the breeding habits of a small file-fish. Bot. and Zool. 10(7):624-626.
- Nakamura, N. 1944. A note on the life history of gobioid fishes, [*Gobius pflaumi*] Bleeker, and [*G. gymnauchen*] Bleeker. Suisan Gakukai Ho. 9(2/4):103-108.
- Nakamura, N. 1944. A note on the life history of the needlefish, [*Athlennes anastomella*] (Cuv. et Val.). Suisan Gakukai Ho 9(2/4):91-98.
- Nakamura, S. 1935. Larval and juvenile stages of reef fishes occurring in adjacent waters of Kominato (X). Yoshoku-Kaishi 5(7/8):127-132.
- Nakamura, S. 1936. Larvae and young of fishes found in the vicinity of Kominato. 5. [*Pterogobius elapoides*] Gunther. J. Imp. Fish. Inst. Tokyo 31(2):151-157.
- Nakamura, S. 1936. Larvae and young of fishes found in the vicinity of Kominato. 6. [*Alectis ciliaris*] (Bloch). J. Imp. Fish. Inst. Tokyo 31(2):158-166.
- Nakamura, S. 1936. Larvae and young of fishes found in the vicinity of Kominato, II-IV. II. [*Atherion elymus*] Jordan and Starks. J. Imp. Fish. Inst. (Tokyo) 30:219-225.
- Nakamura, S. 1937. Larvae and young fishes found in the vicinity of Kominato. 8. [*Hippocampus japonicus*] Kaup. J. Imp. Fish. Inst. Tokyo 32(1):22-25.
- Nakamura, S. 1937. Larvae and young of fishes found in the vicinity of Kominato. 7. [*Cololabis saira*] (Brevoort). J. Imp. Fish. Inst. Tokyo 32(1):17-21.

- Nakanishi, M., A. C. Wilson, R. A. Nolan, G. C. Gorman, and G. S. Bailey. 1969. Phenoxyethanol: protein preservative for taxonomists.
- Nakanishi, T. 1986. Ontogenetic development of the immune response in the marine teleost, [*Sebasticus marmoratus*]. *Bull. Jap. Soc. Sci. Fish.* 52(3):473-478.
- Nakano, E. 1953. Respiration during maturation and at fertilization of fish eggs. *Embryologia* 2:21-51.
- Nakano, E. 1969. Fishes. Fertilization. Pages 295-324 [in] C. B. Metz and A. Monroy, editors. *Comparative morphology, biochemistry, and immunology*. Vol. II, Academic Press, New York.
- Nakao, T. 1976. An electron microscopic study of the neuromuscular junction in the myotomes of larval lamprey, [*Lampetra japonica*]. *J. Comp. Neurol.* 165:1.
- Nakata, H., S. Kimura, Y. Okazaki, and A. Kasai. 2000. Implications of meso-scale eddies caused by frontal disturbances of the Kuroshio Current for anchovy recruitment. *Ices Journal of Marine Science* 57(1):143-151.
- Nakata, K. A. Hada, and Y. Matsukawa. 1994. Variations in food abundance for Japanese sardine larvae related to the Kuroshio meander. *Fisheries Oceanography* 3:39-49.
- Nakata, K., H. Zenitani, and D. Inagake. 1995. Differences in food availability for Japanese sardine larvae between the frontal region and the waters on the offshore side of Kuroshio. *Fisheries Oceanography* 4:68-79.
- Nakatani, R. E. 1969. Effects of heated discharges on anadromous fishes. Pages 294-353 [in] P. A. Krenkel and E. L. Parker, editors. *Biological Aspects of Thermal Pollution*. Chapt. 10. Vanderbilt Univ. Press, Nashville, Tenn., 407 pp.
- Nakatani, T., and T. Maeda. 1981. Transport process of the Alaska pollock eggs in Funka Bay and the adjacent waters, Hokkaido. *Bull. Jap. Soc. Sci. Fish.* 47(9):1115-1118.
- Nakatani, T., and T. Maeda. 1983. Distribution of walleye pollock larvae and their food supply in Funka Bay and the adjacent waters, Hokkaido. *Bull. Jap. Soc. Sci. Fish.* 49(2):183-187.
- Nakatani, T., and T. Maeda. 1984. Thermal effect on the development of walleye pollock eggs and their upward speed to the surface. *Bull. Jap. Soc. Sci. Fish.* 50(6):937-942.
- Nakken, O., and A. Raknes. 1996. Korreksjon av tallrikhetsindekser fro 0-gruppe fisk i Barentshavet. *Fisken og Havet*, 20:1-5.
- Nambu, Z., K. Yamagami, and H. Terayama. 1975. Studies on some compound lipids in larval and adult erythrocytes of the rainbow trout. *Annotationes Zool. Jap.* 48(2):65-74.
- Nance, S. 1978. Some aspects of the reproductive biology of the logperch, [*Percina caprodes*] (Raf.), from East Lynn Lake, Wayne County, West Virginia. *Proc. West Virginia Acad. Sci.* 50(1):25.
- Nankai Reg. Fisheries Research Laboratory. 1967. Methods for identification of larvae of tuna and billfishes. III. Materials for Tuna Fish Research Council for 1966. 7 pp.
- Nankee, R. 1976. Diurnal movements of ichthyoplankton of Niantic Bay, Connecticut and adjacent Long Island Sound. M.S. Thesis, Southern Conn. State College, 54 pp.
- Nankee, R. L. 1979. Observations of naturally occurring anomalies in the ichthyoplankton of Long Island Sound and Niantic Bay, Connecticut. *Intl. Counc. Explor. Sea, Early Life Hist. Symp.*



- Nanke, R. L. 1981. Observations of deformed fish larvae in Long Island Sound and Niantic Bay, Connecticut. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:4355-356.
- Naplin, N. A., and C. L. Obenchain. 1979. A description of eggs and early larvae of the snake eel, [*Pisodonophis cruentifer*] (Ophichthidae), with comments on egg stages collected in the plankton. *Early Life History Fish Symp.*, Woods Hole Lab., ICES/ELH Symp.
- Naplin, N. A., and C. L. Obenchain. 1980. A description of eggs and larvae of the snake eel, [*Pisodonophis cruentifer*] (Ophichthidae). *Bull. Mar. Sci.* 30:413-423.
- Naplin, N. A., and C. L. Obenchain. 1981. A description of eggs and early larvae of the snake eel, [*Pisodonophis cruentifer*] (Ophichthidae), with comments on egg stages collected in the plankton. *Rapp. P.-v. Reun. Cons. Int. Explor. Mer* 178:580-582.
- Naplin, N. A., J. R. Dunn, and K. Niggol. 1973. Fish eggs, larvae, and juveniles collected from the northeast Pacific Ocean, Oct.-Nov., 1971. NOAA-NMFS, Northwest Fish. Center, MARMAP Survey I, Rep. 10, 39 pp., 121 tables.
- Narasimham, K. A. 1972. Occurrence of early juveniles of the ribbon-fish, [*Trichiurus lepturus*] L. in the Kakinada area with notes on their food. *Indian J. Fish.* 19(1-2): 210-214.
- Narasimham, K. A. 1974. Some observations on the biology of the ribbonfish [*Eupleurogrammus muticus*]. *Indian J. Fish.* 21(2):479-494.
- Narimatsu, Y., and H. Munehara. 1999. Spawn date dependent survival and growth in the early life stages of [*Hypoptychus dybowskii*] (Gasterosteiformes). *Canadian Journal of Fisheries and Aquatic Sciences* 56(10):1849-1855.
- Narver, D. W. 1970. Diel vertical movements and feeding of underyearling sockeye salmon and the limnetic zooplankton in Babine Lake, British Columbia. *Journal of the Fisheries Research Board of Canada* 27:281-316.
- Nash, C. E. 1973. Spawning of mullet and dolphin fish. *FAO Aquacult. Bull. No.* 5:3.
- Nash, C. E., C. Kuo, and S. C. McConnel. 1974. Operational procedures for rearing larvae of the grey mullet ([*Mugil cephalus*] L.). *Aquaculture* 3:15-24.
- Nash, C. E., C. M. Kuo, W. D. Madden, and C. L. Paulsen. 1977. Swim bladder inflation and survival of [*Mugil*] [*cephalus*] to 50 days. *Aquaculture* 12(1):89-94.
- Nasiri, S. K. 1969. Life history of goldfish, [*Carassius auratus*] L., in Lake La Verne, Ames. M.S. Thesis, Iowa State Univ., 81 pp.
- Nasukhov, O. N. 1974. The feeding of the young of valuable fishes of the Arakum waters in the early developing stages and the degree of similarity of their diets. *J. Ichthyol.* 14(3):418-425.
- Natarajan, A. V., and S. Patnaik. 1970. Observations on the breeding ground and development of the Chilka mullet, [*Liza macrolepis*]. *J. Bombay Nat. Hist. Soc.* 67:577-578.
- Natarajan, A. V., and S. Patnaik. 1973. Embryonic and larval development of Chilka mullet, [*Liza macrolepis*] (Smith). *J. Inland Fish. Soc. India, Barrackpore* 4:15-19.
- National Council Stream Improvement. 1955. The tolerance of walleyed pike ([*Stizostedion*] [*vitreum*]) eggs to varied oxygen conditions. *Natl. Council. Stream Imp., Tech. Bull.* 78. 18 pp.
- National Council of the Paper Industry. 1985. Effects of biologically treated bleached kraft mill effluent during early life stage and full life cycle studies with fish. *Tech. Bull., Natl. Council Paper Ind. for Air and Stream Improvement, #475.*

- Natochin, Y. V., V. I. Lukianenko, E. A. Lavrova, and G. F. Metaliov. 1976. Electrolyte composition of embryo and larva of the Russian sturgeon in the process of development. *Comp. Biochem. Physiol.* 55A:57.
- Naumenko, N. I. 1979. Features of growth of young eastern Bering Sea herring, [*Clupea harengus pallasi*]. *J. Ichthyol.* 19(6):152-156.
- Naumov, V. M. 1959. The ovogenesis and ecology of the sexual cycle of the Murmansk herring ([*Clupea harengus*] L.). U.S. Fish. Wildl. Serv., Spec. Sci. Rep. Fish. 327:203-262.
- Navarro, J. C., R. S. Batty, M. V. Bell, and J. R. Sargent. 1993. Effects of 2 [Artemia] diets with different contents of polyunsaturated fatty acids on the lipid composition of larvae of Atlantic herring ([*Clupea harengus*]). *Journal of Fish Biology* 43:503-515.
- Navarro, J. C., and J. R. Sargent. 1992. Behavioural differences in starving herring [*Clupea harengus*] L. larvae correlate with body levels of essential fatty acids. *Journal of Fish Biology* 41:509-513.
- Nawa, I. 1979. A comparative study on the abundance of fish fry in the North Sea in late winter and their predation by fish. *Dipl. Arb., Fachber. Math.-Naturwiss., Univ. Kiel*, 69 pp.
- Naylor, E. 1965. Effects of heated effluent upon marine and estuarine organisms. *Adv. Mar. Biol.* 3:63-103.
- Nayudu, M. R. 1922. A note on the eggs and early embryonic development of [*Cypselurus*]. *Madras Fish. Bull.* 15(4):109-112.
- Nazarenko, B. A. 1968. Reproductive characteristics of the roach, [*Rutilus*] [*rutilus fluviatilis*], in the Kubyshev Reservoir. *Zool. Zh. SSSR.* 47:1575-1577.
- Nazarov, V. M., and L. V. Chepurnova. 1969. Adaptive features of the reproductive ecology and sexual cycle of the flounder in the north-western Black Sea and the adjacent lagoons. *Vop. Ikhtiol.* 9:915-918.
- Neave, D. A. 1983. Aspects of the sensory development of flatfish larvae. Ph.D Diss., Univ. Stirling, Scotland.
- Neave, D. A. 1984. The development of the retino-motor reactions in larval plaice ([*Pleuronectes platessa*] L.) and turbot ([*Scophthalmus maximus*] L.). *J. Exp. Mar. Biol. Ecol.* 76:167-175.
- Neave, D. A. 1985. The dorsal light reactions of larval and metamorphosing flatfish. *J. Fish. Biol.* 26(5):629-640.
- Neave, D. A. 1986. The development of the lateral line system in plaice, [*Pleuronectes platessa*], and turbot, [*Scophthalmus*] [*maximus*]. *J. Mar. Biol. Assoc. U. K.* 66(3):683-694.
- Neave, D. A., and R. S. Batty. 1982. A simple method for measuring fish larvae using silhouette photography. *Aquaculture* 29(1/2):165-168.
- Neave, F. 1946. Development of the lateral line organs in salmonids. *Royal Soc. Can.* V:113-119.
- Neave, F. 1955. Notes of the seaward migration of pink and chum salmon fry. *Journal of the Fisheries Research Board of Canada* 12:369-374.

- Neave, F. 1966. Salmon of the north Pacific Ocean Part III. A review of the life history of north Pacific Salmon V. Pink salmon in British Columbia. Intl. North Pac. Fish. Comm. Bull. 18:71-79.
- Nebeker, A. V., J. D. Andros, J. K. McCrady, and D. G. Stevens. 1978. Survival of steelhead trout (*[Salmo gairdneri]*) eggs, embryos, and fry in air-supersaturated water. Journal of the Fisheries Research Board of Canada 35(2):261-264.
- Nedelea, M. 1968. Dezvoltarea embryonara a carpului, [*Cyprinus carpio*] L. Studii si cercetari de embriologie si citologie, Seria embriologie (Academiei Rep. Soc. Romania) 5:35-57.
- Needham, P. R., and A. C. Taft. 1934. Observations on the spawning of steelhead trout. Transactions of the American Fisheries Society 64:332-338.
- Needham, P. R., and T. M. Vaughan. 1952. Spawning of the dolly varden, [*Salvelinus malma*], in Thin Creek, Idaho. Copeia 1952(2):197-199.
- Needham, P. R. 1961. Observations on the natural spawning of Eastern brook trout. California Fish and Game 47(1):27-40.
- Needler, A. W. H. 1929. Studies on the life history of the haddock (*[Melanogrammus aeglefinus]* Linnaeus). Contr. Can. Biol. Fish 4(20):265-285.
- Needler, A. W. H. 1929. Unpigmented elvers (*[Anguilla rostrata]* LeSueur) in haddock stomachs at Ingonish, Cape Breton. Copeia 1929(171):41-42.
- Negonovskaya, I. T. 1971. Conditions of natural reproduction of the pike-perch (*[Lucioperca lucioperca]* L.) in Lake Pskov-Chud. J. Ichthyol. 11(4):630-635.
- Negonovskaya, I. T., and R. P. Rudenko. 1974. Oxygen threshold and characteristics of respiratory metabolism in young herbivorous fish, grass carp, [*Ctenopharyngodon idella*] (Val.) and bighead [*Aristichthys nobilis*] (Rich.). Vopr. Ikhtiol. 14(6):1111-1117.
- Negonovskaya, I. T., G. P. Rudenko, and I. I. Tereshenkov. 1975. The effect of adverse environmental factors on the phytophagous fish fry. Izv. Gos. Nauchno-Issled. Inst. Ozern. Rechn. Rybn. Khoz. 99:214. In Russian.
- Negus, M. T., et al. 1986. Responses to temperature by young lake chubsuckers. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.
- Neifakh, A. A. 1959. Effects of ionizing radiation on early development of fish. Trud. Inst. Morf. Zhiv. 24:135-159.
- Neilson, J. D., and S. E. Campana. 1990. Larval fish age, growth, and body shrinkage - information available from otoliths - comment. Canadian Journal of Fisheries and Aquatic Sciences 47:2461-2463.
- Neilson, J. D., and G. H. Geen. 1984. Effects of diel temperature and feeding regimes on production of otolith growth increments in juvenile chinook salmon, [*Oncorhynchus tshawytscha*]. U.S. NMFS Fish. Bull. 83:91-101.
- Neilson, J. D., and G.H. Geen. 1985. Effects of feeding regimes and diel temperature cycles on otolith increment formation in juvenile chinook salmon, [*Oncorhynchus tshawytscha*]. Fish. Bull. U.S. 83: 91-101.
- Neilson, J. D., G. H. Geen, and D. Bottom. 1985. Estuarine growth of juvenile chinook salmon (*[Oncorhynchus tshawytscha]*) as inferred from otolith microstructure. Can. J. Fish. Aquat. Sci. 42(5):899-908.
- Neilson, J. G. 1963. On the development of [*Cheilodactylus variegatus*] Val. 1833 (*Cheilodactylidae*) Copeia 1963(3):528-533.

- Neilson, L. A. 1980. Effect of walleye, [*Stizostedion vitreum vitreum*], predation on juvenile mortality and recruitment of yellow perch, [*Perca flavescens*], in Oneida Lake, New York. *Canadian Journal of Fisheries and Aquatic Sciences* 37(1):11-19.
- Neira, F. J., Potter, I. C., and J. S. Bradley. 1992. Seasonal and spatial changes in the larval fish fauna within a large temperate Australian estuary. *Marine Biology* 112:1-16.
- Neira, F. J., and I. C. Potter. 1992. The ichthyoplankton of a seasonally closed estuary in temperate Australia. Does an extended period of opening influence species composition? *Journal of Fish Biology* 41:935-953.
- Neira, F. J., and I. C. Potter. 1994. The larval fish assemblage of the Nornalup-Walpole Estuary, a permanently open estuary on the southern coast of Western Australia. *Australian Journal of Marine and Freshwater Research* 45:1193-1207.
- Neira, F. J., A. G. Miskiewicz and T. Trnski, 1998. Larvae of temperate Australian fishes: laboratory guide for larval fish identification. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Neira, F.J. 1998. Plotosidae: catfishes. Pages 65-67 [in] F.J. Neira, A.G. Miskiewicz and T. Trnski, editors. Larvae of temperate Australian fishes: laboratory guide for larval fish identification. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Neira, F. J., and D. M. Furlani. 1998. Scorpaenidae: scorpionfishes. Pages 140-149 [in] F.J. Neira, A.G. Miskiewicz, and T. Trnski, editors. Larvae of temperate Australian fishes: laboratory guide for larval fish identification. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Neitzel, D. A., and C. D. Becker. 1985. Tolerance of eggs, embryos, and alevins of chinook salmon to temperature changes and reduced humidity in dew attered redds. *Transactions of the American Fisheries Society* 114(2):267-273.
- Nellen, W. 1937. Untersuchungen zur verteilung von fischlarven und plankton im gebiet der grossen meteorbank. *Meteor Forschungsergeb* 13:47-69.
- Nellen, W., and G. Hempel. 1969. Versuche zur Fangigkeit des "Hai" und des modifizierten Gulf-V-Plankton-Sa "Nackthai". *Ber. dtsh. wiss. Komm. Meeresforsch.* 20(2):141-145.
- Nellen, W., and G. Hempel. 1970. Observations on the ichthyoneuston of the North Sea. *Ber. Deut. Wiss. Komm. Meeresforsch.* 21:311-348.
- Nellen, W. 1973. Untersuchungen zur verteilung von fischlarven und plankton im gebiet der grossen meteorbank. Investigations on the distribution of fish larvae and plankton near and above the Great Meteor Seamount. "Meteor" Forschungsergeb., D. 13:47-69.
- Nellen, W. 1973. Fischlarven des Indischen Ozeans. *Meteor Forschungsergeb. Biol.* 14:1-66.
- Nellen, W. 1973. Kinds and abundance of fish larvae in the Arabian Sea and the Persian Gulf. Pages 415-430 [in] B. Zeitzscel and S. A. Gerlach, editors. *Ecological studies: Analysis and synthesis. III. The biology of the Indian Ocean Symposium Kiel, West Germany, Mar. 31-Apr. 6, 1971.* Springer-Verlag, N.Y.
- Nellen, W. 1974. Investigations on the distribution of fish larvae and plankton near and above the Great Meteor Seamount. Pages 44-45 [in] Report of the international symposium on the early life history of fish. *FAO Fish. Rep. No. 141*, 58 pp.

- Nellen, W., et al. 1982. Fish egg and larval surveys off northwest Africa. Rapp. P.-v. Reun. Cons. int. Explor. Mer 180:365-368.
- Nellis, D. W. 1980. Reproduction in the ocean triggerfish, [Canthidermis] [sufflamen]. Caribb. J. Sci. 16(1-4):167.
- Nelson, D. D., and R. A. Cole. 1975. Key to the identification of Lake Erie larval fishes. [In] The distribution and abundance of larval fishes along the western shore of Lake Erie at Monroe, Michigan. Mich. State Univ. Inst. Water Res. Tech. Rep. No. 324. 66 pp.
- Nelson, E. M. 1959. The embryology of the swim bladder in the common sucker, [Catostomus commersoni] (Lacepede). Am. Midl. Nat. 61(1):245-252.
- Nelson, G. 1978. Ontogeny, phylogeny, paleontology, and the biogenetic law. Syst. Zool. 27:324-345.
- Nelson, J. A. 1982. Physiological observations on developing rainbow trout, [Salmo gairdneri] Rich., exposed to low pH and varied calcium ion concentrations. J. Fish. Biol. 20:359-372.
- Nelson, J. S. 1968. Life history of the brook silverside, [Labidesthes] [sicculus], in Crooked Lake, Indiana. Transactions of the American Fisheries Society 97(3):293-296.
- Nelson, O. E. 1953. Comparative embryology of the vertebrates. The Blakiston Co., New York.
- Nelson, P. H. 1954. Life history and management of the American grayling ([Thymallus signifer tricolor]) in Montana. J. Wildl. Mgmt. 18(3):324-342.
- Nelson, R. E. 1977. Life history of the yellow perch, [Perca flavescens] (Mitchill). M.S. Thesis, Univ. Washington. 92 pp.
- Nelson, S. G., A. C. Anderson, M. H. Momeni, and R. R. Yeo. 1976. Attempted sterilization of sexually undifferentiated fry of [Tilapia zillii] by Cobalt-60 gamma-ray irradiation. Progressive Fish-Culturist 38(3):131-134.
- Nelson, W. R. 1968. Embryo and larval characteristics of sauger, walleye and their reciprocal hybrids. Transactions of the American Fisheries Society 97(2):167-174.
- Nelson, W. R. 1968. Reproduction and early life history of sauger, [Stizostedion canadense], in Lewis and Clark Lake. Trans. Am. Fish. Soc. 97(2):159-166.
- Nelson, W. R. 1969. Studies on the croaker, [Micropogon undulatus] L., and the spot, [Leiostomus xanthurus] Lacepede, Mobile Bay, Alabama. J. Mar. Sci. 1(1): 4-92.
- Nelson, W. R. 1976. Larval transport and year-class strength of Atlantic menhaden. Ph.D. Diss., Univ. of Southern Mississippi. 160 pp.
- Nelson, W. R., M. C. Ingham, and W. E. Schaaf. 1977. Larval transport and year-class strength of Atlantic menhaden, [Brevoortia tyrannus]. U.S. NMFS Fish. Bull. 75:23-41.
- Nelson, W. R., N. R. Hines, and L. G. Beckman. 1965. Artificial propagation of saugers and hybridization with walleyes. Progressive Fish-Culturist 27(4):216-218.
- Nelson, W. R., R. E. Siefert, and D. V. Swedberg. 1968. Studies of the early life history of reservoir fishes. Reservoir Fish. Res. Symp., So. Div. Am. Fish. Soc., Univ. Georgia Press, Athens. pp. 374-385.
- Nemeth, R. S. 1998. The effect of natural variation in substrate architecture on the survival of juvenile bicolor damselfish. Environ. Biol. Fish. 53(2): 129-141.

- Nemova, N. N., and V. S. Sidorov. 1984. Lysosomal proteinases during embryogenesis of the salmon (*Salmo salar*). *J. Evol. Biochem. Physiol.* 20(6):371-374.
- Nepszy, S. J., J. Budd, and A. O. Dechtiar. 1978. Mortality of young-of-the-year rainbow smelt (*Osmerus mordax*) in Lake Erie associated with the occurrence of *Glugea hertwigi*. *J. Wildl. Dis.* 14(2):233.
- Nesler, T. P., R. T. Muth, and A. F. Wasowicz. 1988. Evidence of baseline flow spikes as spawning cues for Colorado squawfish in the Yampa River, Colorado. *American Fisheries Society Symposium* 5:68-79.
- Nester, R. T., and T. P. Poe. 1984. First evidence of successful natural reproduction of planted lake trout in Lake Huron. *North Am. J. Fish. Mgmt.* 4:126-128.
- Nesterenko, N. A. 1976. Survey of *Coregonus peled* larvae in different salinities. *J. Ichthyol.* 17(3):473-477.
- Nesterov, A. A. 1974. Age and growth of the saury, [*Scomberesox saurus*], of the North Atlantic. *J. Ichth. yol.* 14(3):460-466.
- Nesterov, A. A., and T. A. Shiganova. 1976. The eggs and larvae of the Atlantic saury, [*Scomberesox saurus*], of the North Atlantic. *J. Ichthyol.* 16(2):277-283.
- Netsch, N. F., and A. Witt, Jr. 1962. Contributions to the life history of the longnose gar (*Lepisosteus osseus*) in Missouri. *Transactions of the American Fisheries Society* 91(3):251-262.
- Netsch, N. F., G. M. Kersh, Jr., A. Houser, and R. V. Kilambi. 1971. Distribution of young gizzard shad and threadfin shad in Beaver Reservoir. Pages 95-105 [in] G. E. Hall, editor. *Reservoir fisheries and limnology*. *Am. Fish. Soc., Spec. Publ.* No. 8.
- Netsch, N. G., A. Houser, and L. E. Vogele. 1971. Sampling gear for larval reservoir fishes. *Progressive Fish-Culturist* 33:175-179.
- Neuenfeldt, S., and F. W. Koster. 2000. Trophodynamic control on recruitment success in Baltic cod: the influence of cannibalism. *Ices Journal of Marine Science* 57(2):300-309.
- Neustroev, G. V., and V. N. Podymakhin. 1966. On the respiration of salmon roe (*Salmo salar* L.) under conditions of radioactive contamination of the water. *Radiobiol.* 6(1):181-183.
- Neustroev, G. V., and V. N. Podymakhin. 1966. Respiration of [*Salmo salar*] eggs when there is radioactive contamination of the water. *Radiobiologija* 6(1):115-116.
- Neustroev, G. V., and V. N. Podymakhin. 1966. Developmental rate of Atlantic salmon (*Salmo salar*) eggs when there is radioactive contamination of the water by Sr-90 and Y-90. *Radiobiologija* 6(2) 321-323.
- Neustroev, G. V., and V. N. Podymakhin. 1966. On the rate of development of salmon (*Salmo salar* L.) roe under conditions of radioactive pollution of the hydrosphere with SR-90 and Y-90. *Radiobiol.* 6(2):230-233.
- Neves, R. J. 1975. Factors affecting fry production of smallmouth bass, [*Micropterus dolomieu*], in South Branch Lake, Maine. *Transactions of the American Fisheries Society* 83.
- Nevin, J. 1887. Hatching the wall-eyed pike. *Transactions of the American Fisheries Society* 16:14-16.
- Nevinskij, M. M. 1973. On the spawning of dab in the northwest Atlantic. *Tr. UNIRO (USSR)* 93:262-285.

- New, D. A. T. 1966. Fish. Pages 187-230 [in] D. A. T. New, editor. The culture of vertebrate embryos. Academic Press, Inc., New York.
- New, J. G. 1966. Reproductive behavior of the shield darter, [Percina] [peltata peltata], in New York. Copeia 1966(1):20-28.
- Newburg, H. J. 1973. Walleye ([Stizostedion vitreum]) egg deposition and survival on an artificially improved shoal. Job. Prog. Rep. Fed. Aid Proj. No. D.J. F-26-R-4, Warmwater Fish. Invest. Stud. No. 106, 20 pp, (mimeo).
- Newburg, H. J. 1974. Planarians as a mortality factor on spawned fish eggs. Progressive Fish-Culturist 36(4):227-230.
- Newcomb, T. W. 1974. Changes in blood chemistry of juvenile steelhead trout, [Salmo gairdneri], following sublethal exposure to nitrogen supersaturation. Journal of the Fisheries Research Board of Canada 31(12):1953-1957.
- Newcombe, C., and G. Hartman. 1973. Some chemical signals in the spawning behavior of rainbow trout ([Salmo gairdneri]). Journal of the Fisheries Research Board of Canada 30(7):995-997.
- Newell, A. E. 1958. The life history and ecology of the Sunapee trout, [Salvelinus aureolus] (Bean). New Hampshire Fish Game Dept. 17 pp.
- Newman, H. H. 1907. Spawning behavior and sexual dimorphism in [Fundulus] [heteroclitus] and allied fish. Biol. Bull. Mar. Biol. Lab., Woods Hole 12:314-349.
- Newman, H. H. 1908. The process of heredity as exhibited by the development of [Fundulus] hybrids. J. Exp. Zool. 5(4):503-561.
- Newman, H. H. 1915. Development and heredity in heterogenic teleost hybrids. J. Exp. Zool. 18:511-576.
- Newth, H. G. 1930. The feeding of ammocoetes. Nature 126:94-95.
- Newton, A. W. 1975. Egg and larval surveys off the Scottish east coast 1971-1973. Annls. Biol., Copenh. 30(1973):196-198.
- Ney, J. J., and P. D. Schumacher. 1978. Assessment of damage to fish larvae by entrainment sampling with submersible pumps. Environ. Sci. & Technol.
- Neyfakh, A. A., and N. B. Abramova. 1974. Biochemical embryology of fishes. Pages 261-286 [in] M. Florkin and B. T. Scheer, editors. Chemical zoology. Vol. 8. Acad. Press, Inc., New York.
- Nezdolij, V. K., and V. P. Mitrofanov. 1975. Natural reproduction of the grass carp, [Ctenopharyngodon idella], in the Ili River. J. Ichthyol. 15:927-933.
- Niazi, A. D. 1963. The development of the Weberian system and the early embryology of [Pimephales promelas]. Ph.D. Diss., Oklahoma State Univ., Stillwater.
- Nicander, L., B. A. Afzelius, and I. Sjoden. 1968. Fine structure and early fertilization changes in the animal pole in eggs of the river lamprey. J. Embryol. Exp. Morph. 19:319-326.
- Nicholas, J. S. 1927. The application of experimental methods to the study of development, [Fundulus] embryos. Proc. Natl. Acad. Sci. U.S.A. 13:695-698.
- Nicholls, A. G. 1958. The egg yield from brown and rainbow trout in Tasmania. Aust. J. Mar. Freshwat. Res. 9(4):526-536.

- Nichols, J. H. 1971. Pleuronectidae. *Fich. Ident. des oeufs et larves de poissons*, Nos. 4-6, 18 pp.
- Nichols, J. H. 1976. Soleidae. *Fich. Ident. Zooplancton*, No. 150/151, 10 pp.
- Nichols, J. H., and R. J. Wood. 1978. Sorting and identification techniques for clupeoid larvae. *J. Cons. Perm. Int. Explor. Mer* 38(1):48-53.
- Nichols, J. T. 1934. Young carangin fishes drifted by the Gulf stream. *Copeia* 1934(1):46.
- Nichols, J. T. 1937. Notes on carangin fishes. I. On young [Hemicarax] [amblyrhynchus] (Cuvier and Valenciennes). *Am. Mus. Novit.*, No. 967:1-6.
- Nichols, J. T. 1939. Young [Caranx] in the western North Atlantic. *Bull. Bingham Oceanogr. Coll.* 7(2):1-9.
- Nichols, J. T. 1940. Notes on carangin fishes. V. Young [Trachurus] in the Gulf of Mexico. *Am. Mus. Novit.*, No. 1067:1-4.
- Nichols, J. T. 1944. On the young of [Caranx vinctus] Jordan and Gilbert. *Copeia*:124.
- Nichols, J. T. 1946. On young western Atlantic [Seriolas]. *Copeia* (4):259-260.
- Nichols, N., and C. M. Breder, Jr. 1928. An annotated list of the Syntognathi with remarks on their development and relationships. *Zoologica* 8(7):1-22.
- Nichols, P. R. 1966. Comparative study of juvenile American shad populations by fin ray and scute counts. *U.S. Fish Wildl. Serv. Spec. Sci. Rep. Fish.* 525. 10 pp.
- Nicolas, J. L., E. Robic, and D. Ansquer. 1989. Bacterial flora associated with a trophic chain consisting of microalgae, rotifers and turbot larvae - influence of bacteria on larval survival. *Aquaculture* 83:237-248.
- Nielsen, E., O. Bagge, and B. R. MacKenzie. 1998. Wind-induced transport of plaice ([Pleuronectes platessa]) early life-history stages in the Skagerrak-Kattegat. *Journal of Sea Research* 39:11-28.
- Nielsen, J. G. 1963. On the development of [Cheilodactylus variegatus] Valenciennes 1833. (Cheilodactylidae) *Copeia* 1963(3):528-537.
- Nielsen, J. G. 1963. Description of two large unmetamorphosed flatfish-larvae (Heterosomata). *Vidensk. Meddr. Dansk. naturh. Foren.* 125:401-406.
- Nielsen, J. G. 1966. Descriptions of three post-larval specimens of [Oculospinus loeferi], 1927 (Pisces Brotulidae). *Atl. Rep. Sci. Result. Dan. Exped. Coasts Trop. West Afr* 9:93-103.
- Nielsen, J. G. 1969. Systematics and biology of the Aphyonidae (Pisces: Ophidiidae). *Galathea Rep.* 10:7-88.
- Nielsen, J. G. 1969. Systematics and biology of the Aphyonidae. *Galathea Rep.* 10, Danish Sci. Press, Copenh. 90 pp.
- Nielsen, J. G., and V. Larsen. 1970. Remarks on the identity of the giant Dana eel-larva. *Vidensk. Medd. Dan. Naturh. Foren. Kbh.* 133:149-157.
- Nielsen, J. G., and D. G. Smith. 1978. The eel family Nemichthyidae. *Dana Rep.* #88. 72 pp.



- Nielsen, L. A. 1979. Mechanisms regulating recruitment of juvenile yellow perch (*Perca flavescens*) to the adult stock in Oneida Lake, New York. Ph.D Diss., Cornell Univ. 80 pp.
- Niemuth, W., W. Churchill, and T. Wirth. 1959. The walleye: life history, ecology, and management. Wisconsin Cons. Dept. Pub. No. 227. 14 pp.
- Niermann, U., F. Bingel, A. Gorban, A. D. Gordina, A. C. Gucu, A. E. Kideys, A. Konsulov, G. Radu, A. A. Subbotin, and V. E. Zaika. 1994. Distribution of anchovy eggs and larvae (*Engraulis encrasicolus* Cuv.) in the Black Sea in 1991-1992. ICES Journal of Marine Science 51:395-406.
- Niimi, A. J., and Q. N. La Ham. 1974. Influence of breeding time interval on egg number, mortality, and hatching of the zebrafish (*Brachydanio rerio*). Canadian Journal of Zoology 52:515-517.
- Niimi, A. J. 1975. Selenium toxicity on the early life stages of zebrafish (*Brachydanio rerio*). Journal of the Fisheries Research Board of Canada 32(6):803-806.
- Niimi, A. J., and Q. N. LaHam. 1976. Relative toxicity of organic and inorganic compounds Selenium to newly hatched zebrafish (*Brachydanio* [*rerio*]). Canadian Journal of Zoology 54:501.
- Niimi, A. J. 1983. Biological and toxicological effects on environmental contaminants in fish and their eggs. Canadian Journal of Fisheries and Aquatic Sciences 40:306-312.
- Nikiforov, N. D. 1952. Growth and respiration of young [*Salmo salar*] on various concentrations of oxygen in water. C.R. Acad. Sci. USSR 86:1231-1232.
- Nikitinskaia, I. V. 1958. On the onset of active feeding of the larva of [*Clupea harengus pallasii*] Val. Zool. Zh. 37:1568-1571. In Russian, English summary.
- Nikitinskaya, I. V. 1958. On the variability of the larvae of the Sakhalin herring. Nauchn. Dokl. Vyssh. Shk. Biol. Nauki. 4. In Russian.
- Nikol'skaya, I. S. 1965. Oxygen uptake by neva salmon embryos during the incubation period. Vop. Ikhtiol. 5(4):742-747.
- Nikol'skaya, N. G., and L. A. Sytina. 1978. A comparative analysis of the action of constant temperatures on the embryonic development of four species of sturgeons. J. Ichthyol. 18(1):86-98.
- Nikolaev, A. P. 1959. Observations on the development of the eggs and larvae of the stellate flounder, [*Pleuronectes*] [*stellatus*] Pallas. Izv. tikhookean. nauchno-issled. Inst. ryb. Khoz. Okeanogr. 47:190-192.
- Nikoleva, E. T. 1974. The size-weight characteristic of chum salmon fry in the mouths of the Kamchaitka Rivers. Izv Tikhookean Nauchno-Issled Inst. Rybn Khoz Okeanogr. 82:153-164. (Fish. Res. Bd. Can. Transl. Ser. 2921:1-15.).
- Nikolskaya, I. S., and N. S. Stepahonova. 1969. Effect of anaerobiosis on blastulation and ATP content in eggs of [*Misgurnus*]. Dokl. Akad. Nauk SSSR 185(5):1197-1200.
- Nikolskaya, I. S., and V. A. Crudnitskii. 1970. Effect produced by x-raying and inhibitors of nucleic acid synthesis upon the respiration and ATP contents in embryos of [*Cobitis fossilis*]. Dokl. Akad. Nauk SSSR 194(2):478.
- Nikolsky, G., A. Bogdanov, and Y. Lapin. 1973. On fecundity as a regulatory mechanism in fish population dynamics. Pages 174-177 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. Perm. Int. Explor. Mer 164, 372 pp.

- Nikolsky, G. V., and A. A. Kukushkin. 1946. On age changes in the plastic characters of representatives of the family Characinidae (Pisces, Cypriniformes). Trudy Moskovskogo Zooparka 3:15-22. In Russian, English Summary.
- Nilov, V. I. 1973. The influence of strontium-90, yttrium-90 on the embryonic and post embryonic development of the grass carp. [In] Ekologiya gidrobiontov vodoyemov Kazakhstana. Alma-Ata, Nauka Press.
- Nishikawa, Y., and S. Ueyanagi. 1974. The distribution of the larvae of swordfish, [Xiphias] [gladius], in the Indian Ocean and Pacific Oceans. NOAA Tech. Rep., NMFS SSRF 675:261-264.
- Nishikawa, Y. 1975. Feeding of larval and juvenile skipjack tuna in relation to the development of their stomachs. Bull. Far Seas Fish. Res. Lab. (Shimizu) 12:221-236. In Japanese.
- Nishikawa, Y., and I. Nakamura. 1978. Post larvae and juveniles of the gempylid fish [Neoepinnula orientalis] (Gilchrist and Von Bonde), from the North Arabian Sea. Bull. Far. Seas Res. Lab. (Shimizu) (16):75-91.
- Nishikawa, Y., S. Kikawa, M. Honma, and S. Ueyanagi. 1978. Distribution atlas of larval tunas, billfishes, and related species - results of larval surveys by R/V Shunyo Maru and Shoyo Maru 1956-1975. Far Seas Fish. Res. Lab. S Ser. 9:1-99. In Japanese, English summary.
- Nishikawa, Y. 1979. Early development of the double-lined mackerel, [Grammatorcynus bicarinatus] (Quoy and Gaimard), from the western tropical Pacific. Bull. Far Seas Fish. Res. Lab. (Shimizu) 17:125-140.
- Nishikawa, Y. 1982. Early development of the fishes of the family Gempylidae. I. Larvae and juveniles of escolar, [Lepidocybium flavobrunneum] (Smith). Bull. Far Seas Fish. Res. Lab. (Shimizu). 19:1-13.
- Nishikawa, Y. 1984. Additional description of larvae of [Neoepinnula] [orientalis] (Gilchrist and von Bonde) (Pisces: Gempylidae). Bull. Far Seas Fish. Res. Lab. 21:19-24.
- Nishikawa, Y. 1984. Postlarvae and juveniles of [Thyrstitops lepidopoides] Cuvier (Pisces: Gempylidae). Bull. Far Seas Fish. Res. Lab. 21:9-17.
- Nishikawa, Y. 1984. Postlarval development of the gempylid fish, [Paradiplospinus gracilis] (Brauer). Bull. Far Seas Fish. Res. Lab. 21:1-8.
- Nishikawa, Y., et al. 1985. Average distribution of larvae of oceanic species of scombroid fishes, 1956-81. Far Seas Fish. Res. Lab.
- Nishikawa, Y. 1985. Identification for larvae of three species of genus [Thunnus] by melanophore patterns. Bull. Far Seas Fish. Res. Lab. 22:119-129.
- Nishikawa, Y., M. Honma, S. Ueyanagi, and S. Kikawa. 1985. Average distribution of larvae of oceanic species of scombroid fishes, 1956-1981. Far Seas Fish. Res. Lab., Shimizu, Japan, S Series 12, 99 p.
- Nishikawa, Y. 1987. Juveniles of the gempylids, [Rexea prometheoides] and [Nealotus tripes], off northwestern Kyushu Island, Japan. Far. Seas. Fish. Res. Lab., Shimizu. Bull. 24:155.
- Nishikawa, Y. 1987. Studies on the early life history of gempylid fishes. Far Seas Fish. Res. Lab., Shimizu. Bull. 24:1-154.
- Nishikawa, Y., and D.W. Rimmer. 1987. Identification of larval tunas, billfishes and other scombroid fishes (Suborder Scombroidei): an illustrated guide. CSIRO Marine Laboratories, Report 186, 20 p.

- Nishikawa, Y., and S. Ueyanagi. 1991. Morphological development of larvae of longtail tuna. Bull. Nat. Res. Inst. Far Seas Fish. No. 28, 1-13.
- Nishimoto, M. 1972. Life history of the peamouth, [*Mylocheilus caurinus*], in Lake Washington. Res. Fish. Coll. Fish. Univ. Washington 1971(355):47.
- Nishimura, A., and J. Yamada. 1984. Age and growth of larval and juvenile walleye pollock, [*Theragra chalcogramma*] (Pallas), as determined by otolith daily growth increments. J. Exp. Mar. Biol. Ecol. 82(2-3):191-206.
- Nishimura, A. 1993. Occurrence of a check in otoliths of reared and sea-caught larval walleye pollock [*Theragra chalcogramma*] (Pallas) and its relationship to events in early-life history. Journal of Experimental Marine Biology and Ecology 166:175-183.
- Nishimura, A., T. Yanagimoto, K. Mito, and S. Katakura. 2002. Interannual variability in growth of walleye pollock, [*Theragra chalcogramma*], in the central Bering Sea (Vol 10, pg 367, 2001). Fisheries Oceanography 11(3): 191.
- Nishimura, S. 1957. Vertical distribution of the floating eggs of [*Maurolicus japonicus*] Ishikawa, a gonostomatid fish, in the sea. Rep. Japan Sea reg. Fish. Res. Lab. 3:13-22.
- Nishimura, S. 1957. Some considerations regarding the amount of foods daily taken by an early post larva of sardine. Rep. Japan Sea reg. Fish. Res. Lab. 3:77-84.
- Nishimura, S. 1959. Observations on the spawning and early life history of the pearlsides in the adjacent waters to Noto Peninsula in the Japan Sea. Ann. Rep. Japan Sea Reg. Fish. Res. Lab. 5:61-75.
- Nishimura, S. 1960. Underwater behavior of the early stage egg population of the Japanese sardine. J. Oceanogr. Soc. Jap. 16(1):25-35.
- Nishimura, S. 1966. Early life history of the deep-sea smelt, [*Glossanodon semifasciatus*] (Kishinouye) (Teleostei: Clupeidae). Pt. 1. Publ. Seto Mar. Biol. Lab. 13:349-360.
- Nishimura, T., and T. Haryu. 1981. Distribution of walleye pollock eggs in the uppermost layer of the southeast Bering Sea. Pages 993-1012 [in] D. W. Hood and J. A. Calder, editors. The eastern Bering Sea Shelf: oceanography and resources. Vol. 2. Univ. Washington Press, Seattle.
- Nishiyama, T. 1979. Food energy requirements of walleye pollock in the southeast Bering Sea. Pages 205-250 [in] PROBES: Processes and resources of the Bering Sea Shelf, Progress Report 1979.
- Nishiyama, T., and K. Hirano. 1979. Relative abundance of walleye pollock eggs and larvae by depth. Pages 101-126 [in] PROBES: Processes and resources of the Bering Sea Shelf, Cruise Report of R/V Ancona, Inst. Mar. Sci., Univ. Alaska, Fairbanks.
- Nissinen, T. 1972. The egg density and the survival of eggs on the spawning grounds of the vendace ([*Coregonus albula*] L.) in Lakes Puruvesi and Oulujarvi. Riista- ja Kalatalouden Tut. laitoksen Kalantutkimusosasto Tied. 1(1):1-113.
- Nissling, A., H. Kryvi, and L. Vallin. 1994. Variation in egg buoyancy of Baltic cod [*Gadus morhua*] and its implications for egg survival in prevailing conditions in the Baltic Sea. Marine Ecology-Progress Series 110:67-74.
- Nissling, A. 1994. Survival of eggs and yolk-sac larvae of Baltic cod ([*Gadus morhua*] L.) at low oxygen levels and different salinities. ICES Mar. Sci. Symp. 198:626-631
- Niwa, M., T. Senta, and T. Kawaguchi. 1962. Ecological and oceanographical studies on the purse seine fishing grounds around Oki Islands. 2. Occurrence of eggs and larvae of

- commercial fishes. A. Sardine, round herring, and anchovy. Bull. Jap. Soc. Sci. Fish. 28(9):870-875.
- Noakes, D. L. G., and G. W. Barlow. 1973. Ontogeny of parent-cotacting behavior in young [*Cichlasoma citrinellum*] (Pisces, Cichlidae). Behav. 46:221-255.
- Noakes, D. L. G. 1978. Early behavior in fishes. Environmental Biology of Fishes 3:321-326.
- Noakes, D. L. G. 1978. Ontogenesis of behavior in fishes: a survey and suggestions. Pages 103-125 [in] G. M. Burghardt and M. Bekoff, editors. Comparative and evolutionary aspects of behavior development. Garland, NY.
- Noakes, D. L. G., and J. G. J. Godin. 1988. Ontogeny of behavior and concurrent developmental changes in sensory systems in teleost fishes. Pages 345-396 [in] W.S. Hoar and D.J. Randall, editors. Fish Physiology. Volume XI, Part B. Academic Press Inc., San Diego, California.
- Noble, A. 1973. Food and feeding of the postlarvae of [*Megalops*] [*cyprinoides*] (Brouss). Indian J. Fish. 20(1):203-204.
- Noble, R. L. 1968. Mortality rate of pelagic fry of yellow perch, [*Perca flavescens*] (Mitchill), in Oneida Lake, New York, and an analysis of the sampling program Diss. Abs. 29(6):1892B.
- Noble, R. L. 1970. Evaluation of the Miller high-speed sampler for yellow perch and walleye fry. Journal of the Fisheries Research Board of Canada 27:1033-1045.
- Noble, R. L. 1971. An evaluation of the meter net for sampling fry of the yellow perch, [*Perca flavescens*], and walleye, [*Stizostedion v. vitreum*]. Ches. Sci. 12:47-48.
- Noble, R. L. 1972. Mortality rates of walleye fry in a bay of Oneida Lake, New York. Transactions of the American Fisheries Society 101:720-723.
- Noble, R. L. 1972. Distribution of walleye and yellow perch fry in a bay of Oneida Lake. N.Y. Fish and Game J. 19(2):168-177.
- Noble, R. L. 1973. Evacuation rates of young yellow perch, [*Perca*] [*flavescens*] (Mitchell). Transactions of the American Fisheries Society 102:759-763.
- Noble, R. L. 1975. Growth of young yellow perch, [*Perca flavescens*] in relation to zooplankton production. Transactions of the American Fisheries Society 104:731-741.
- Noble, R. L. 1978. Comparison of sampling designs for the estimation of mortality rates and survival of larval fishes. Pages 194-211 [in] L. L. Olmsted, editor. Proc. of the first symp. on freshwater larval fish, Duke Power Company, Huntersville, NC.
- Nolan, D. T., P. Reilly, and S. E. W. Bonga. 1999. Infection with low numbers of the sea louse [*Lepeophtheirus salmonis*] induces stress-related effects in postsmolt Atlantic salmon ([*Salmo salar*]). Canadian Journal of Fisheries and Aquatic Sciences 56(6):947-959.
- Nomura, M., K. Sakai, and F. Takashima. 1974. The over-ripening phenomenon of rainbow trout. I. Temporal morphological changes of eggs retained in the body cavity after ovulation. Bull Jap. Soc. Sci. Fish. 40(10):977-984.
- Nomura, S. 1959. On the occurrence and distribution of larval fishes on the Hyuga Nada during the period from 1956 to 1957. Rep. Nankai Reg. Fish. Res. Lab. (10):48-62.
- Norcross, B. L. 1991. Estuarine recruitment mechanisms of larval Atlantic croakers. Transactions of the American Fisheries Society 120:673-683.

- Norcross, B. L., and R. F. Shaw. 1984. Oceanic and estuarine transport of fish eggs and larvae: a review. *Transactions of the American Fisheries Society* 113:153-165.
- Norcross, B. L., and R. F. Shaw. 1984. Oceanic, coastal, and estuarine transport of pelagic eggs and larvae with emphasis on fish: a review. *Transactions of the American Fisheries Society* 113:153-165.
- Norcross, J. J., W. H. Massmann, and E. B. Joseph. 1961. Investigations of inner continental shelf waters off lower Chesapeake Bay. Part II. Sand lance larvae, [*Ammodytes americanus*]. *Ches. Sci.* 2(1-2): 49-59.
- Norcross, J. J., S. L. Richardson, W. H. Massmann, and E. B. Joseph. 1974. Development of young bluefish (*Pomatomus saltatrix*) and distribution of eggs and young in Virginia coastal waters. *Trans. Am. Fish Soc.* 103(3):477-497.
- Nordahl, I. R. 1970. The development and morphology of Kupffer's vesicle in the plaice, [*Pleuronectes platessa*] (L.), and in the cod, [*Gadus morhua*] L. *Sarsia* 42: 41-62.
- Norden, C. R. ?. A key to larval fishes from Lake Erie. Unpublished Mimeo. 4 pp.
- Norden, C. R. 1961. The identification of larval yellow perch, [*Perca*] [*flavescens*], and walleye, [*Stizostedion vitreum*]. *Copeia* 1961(3):282-288.
- Norden, C. R. 1967. Development and identification of the larval alewife, [*Alosa pseudoharengus*] (Wilson), in Lake Michigan. *Proc. 10th Conf. Great Lakes Res.*:70-78.
- Norden, C. R. 1968. Morphology and food habits of larval alewife in Lake Michigan. *Proc. 11th Conf. Great Lakes Res.*
- Nordeng, H., and P. Bratland. 1971. Feeding of plaice (*Pleuronectes platessa* L.) and cod (*Gadus morhua* L.) larvae. *J. Cons. perm. int. Explor. Mer* 34(1):51-57.
- Nordlie, F. G., W. A. Szeleslowski, and W. C. Nordlie. 1982. Ontogeny of osmotic regulation in the striped mullet, [*Mugil cephalus*] L. *J. Fish. Biol.* 20(1):79-86.
- Nordqvist, H. 1915. Bidrag till Kannedomen om vara Sotvattensfiskars larvstadier (Contrib. to the knowledge of the larval stage in our freshwater fish). English transl. in *Lib. Nat. Mus. Can., Ottawa. Arkiv. for Zoologi* 9:1-49.
- Norman, J. R. 1926. The development of the chondrocranium of the eel (*Anguilla vulgaris*), with observations on the comparative morphology and development of the chondrocranium in bony fishes. *Phil. Trans. R. Soc. (Ser. B)* 214:369-464.
- Norman, J. R., and P. N. Greenwood. 1963. Development. Pages 246-265 [in] J. R. Norman, editor. *A History of Fishes* (2nd ed.). Ernest Benn Ltd., Lond., 398 pp.
- Normandeau Associates, Inc. 1972. Seabrook Ecological Study - 1971. Fish larvae and eggs of the Hampton-Seabrook estuary - 1971. Tech. Rep. III-7, 12 pp.
- Normandeau Associates, Inc. 1973. Seabrook Ecological Study - 1972. Occurrence of adult and larval finfish in tidal and oceanic waters at Hampton-Seabrook estuary, New Hampshire. Tech. Rep. IV-2, 34 pp.
- Normandeau Associates, Inc. 1974. Seabrook Ecological Studies. Finfish ecology investigations at the Hampton-Seabrook estuary, New Hampshire, 1973-74. Tech. Rep. V-3, 211 pp.
- Normandeau Associates, Inc. 1974. Seabrook Ecological Studies. The impact of entrainment by the Seabrook station. Tech. Rep. V-4:116-122.

- Normandeau, D. A. 1969. Life history and ecology of the round whitefish, [*Prosopium cylindraceum*] (Pallas), of Newfoundland Lake, Bristol, New Hampshire. *Transactions of the American Fisheries Society* 98:7-13.
- Norris, D. O. 1969. Depression of growth following radiothyroidectomy of larval chinook salmon and steelhead trout. *Transactions of the American Fisheries Society* 98(1):104-105.
- Norris, D. O., and A. Gorbman. 1965. Radiothyroidectomy of larval steelhead trout. *Proc. Soc. Exp. Biol. Med.* 119:1205-1207.
- Norris, T. 1868. *American fish-culture: embracing all the details of artificial breeding and rearing of trout, the culture of salmon, shad and other fishes.* H. T. Coates, Philadel., 304 pp.
- North, A. W., and M. G. White. 1982. Key to fish postlarvae from the Scotia Sea, Antarctica. *Cybium*, 3rd. Ser. 6(1):13-32.
- North, A.W., and A. Kellermann. 1990. Key to the early stages of Antarctic fish. Pages 1-44 [in] A. Kellermann, editor. *Identification key and catalogue of larval Antarctic fishes.* *Ber. Polarforsch.* 67:1-136. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase.* World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- North, A. W., and A. W. A. Murray. 1992. Abundance and diurnal vertical distribution of fish larvae in early spring and summer in a fjord at South Georgia. *Antarctic Science* 4:405-412.
- North, A. W. 2002. Larval and juvenile distribution and growth of Patagonian toothfish around South Georgia. *Antarctic Science* 14(1):25-31.
- North, E. 1979. Aggressive behavior of juvenile brown trout, [*Salmo*] [*trutta*]: an analysis of the wig-wag display. *J. Fish. Biol.* 15(5):571-578.
- Northcote, T. G. 1954. Observation on the comparative ecology of two species of fish, [*Cottus asper*] and [*Cottus rhotheus*], in British Columbia. *Copeia* 1:25-28.
- Northcote, T. G. 1958. Effect of photoperiodism on response of juvenile trout to water currents. *Nature* 181:1283-1284.
- Northcote, T. G. 1962. Migratory behavior of juvenile rainbow trout, [*Salmo*] [*gairdneri*], in outlet and inlet streams of Loon Lake, British Columbia. *Journal of the Fisheries Research Board of Canada* 19:201-270.
- Northcote, T. G. 1969. Patterns and mechanisms in lakeward migratory behavior of juvenile trout. Pages 183-203 [in] T. G. Northcote, editor. *Symposium on salmon and trout streams, H. R. MacMillan Lectures in Fisheries, Univ. British Columbia Vancouver, Canada.*
- Nose, T. 1971. Spawning of eel in a small aquarium. *Riv. Ital. Piscicolt. & Ittiopatol.* 6:25-26.
- Novikov, G. G., Y. B. Burykin, and L. S. Timov. 1985. A new construction for an ichthyoplankton cod end cup. *J. Ichthyol.* 25(5):92-94.
- Novotny, A. J., and C. V. W. Mahnker. 1971. Predation of juvenile Pacific salmon by a marine isopod, [*Rocinela belliceps pugettensis*] (Rustacea, Isopoda). *Fish. Bull. NOAA (U.S.)* 69(3): 699-701.
- Noyu, J. 1966. Seasonal variation of copepod nauplii and the occurrence of eggs and larvae of [*Engraulis*] [*japonicus*] in Bungo Channel. *Bull. Jap. Soc. Sci. Fish.* 32(3):233-237.

- Nunan, C. P., and D. L. G. Noakes. 1985. Light sensitivity and substrate penetration by eleutheroembryos of brook ([*Salvelinus namaycush*]) and lake charr ([*S. fontinalis*]) and their F-1 hybrid, splake. *Exp. Biol.* 44:221-228.
- Nunan, C. P., and D. L. G. Noakes. 1985. Response of rainbow trout ([*Salmo gairdneri*]) embryos to current flow in simulated substrates. *Canadian Journal of Zoology* 63:1813-1815.
- Nunan, C. P., and D. L. G. Noakes. 1986. Lack of phototactic response by rainbow trout embryos. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.
- Nurnberger, P. K. 1931. Observations on the spawning temperature of [*Luxilus*] [*cornutus*]. *Transactions of the American Fisheries Society* 61:215.
- Nursall, J. R., and A. D. Hasler. 1952. The viability of gametes and the fertilization of eggs by minute quantities of sperm. *Progressive Fish-Culturist* 14:165-169.
- Nursall, J. R. 1989. Buoyancy is provided by lipids of larval redlip blennies, [*Ophioblennius atlanticus*] (Teleostei: Blenniidae). *Copeia* 3:614-621.
- Nussbaum, M. 1883. A simple test to learn if fish ova are impregnated. *Bull. U.S. Bur. Fish.* 1882:347-348.
- Nybelin, O. 1929. Untersuchungen uber heringslarven im kattegat und in der sudlichen Ostsee. *Svenska Hydrogr-Biol. Komm. Skr. N. S. Biol.*
- Nyman, R. M., and D. O. Conover. 1988. The relation between spawning season and the recruitment of young-of-the-year bluefish ([*Pomatomus saltatrix*]) to New York. *Fishery Bulletin* 86: 237-250.
- O'Boyle, R. N., and F. W. H. Beamish. 1977. Growth and intermediary metabolism of larval and metamorphosing stages of the landlocked sea lamprey, [*Petromyzon marinus*] L. *Environmental Biology of Fishes* 2:103-120.
- O'Boyle, R. N., M. Sinclair, R. J. Conover, K. H. Mann, and A. C. Kohler. 1984. Temporal and spatial distribution of ichthyoplankton communities of the Scotian Shelf in relation to biological, hydrological, and physiographic features. *Rapp. P.-v. Reun. Cons. Int. Explor. Mer* 183:27-40.
- O'Brien, R. N., S. Visaisouk, R. Raine, and D. F. Alderdice. 1978. Natural convection: a mechanism for transporting oxygen to incubating salmon eggs. *Journal of the Fisheries Research Board of Canada* 35:1316-1321.
- O'Brien, W. J. 1979. The predator-prey interaction of planktivorous fish and zooplankton. *Am. Sci.* 67:572-581.
- O'Connell, C. P. 1953. The life history of the cabezon, [*Scorpaenichthys*] [*marmoratus*] (Ayres). California Dept. Fish Game, *Fish. Bull.* 93.
- O'Connell, C. P., and R. J. H. Leong. 1963. A towed pump and shipboard filtering system for sampling small zooplankters. *Spec. Scient. Rep. U.S. Fish Wildl. Serv., Fisheries No.* 452, 19 pp.
- O'Connell, C. P., and L. P. Raymond. 1970. The effect of food density on survival and growth of early post yolk-sac larvae of the northern anchovy ([*Engraulis mordax*] Girard) in the laboratory. *J. Exp. Mar. Biol. & Ecol.* 5:187-197.
- O'Connell, C. P. 1976. Histological criteria for diagnosing the starving condition in early post yolk sac larvae of the northern anchovy, [*Engraulis mordax*] Girard. *J. Expo. Mar. Biol. and Ecol.* 25:285-312.

- O'Connell, C. P. 1980. Percentage of starving northern anchovy, [*Engraulis*] [*mordax*], larvae in the sea as estimated by histological methods. U.S. NMFS Fish. Bull. 78:475-489.
- O'Connell, C. P. 1981. Development of organ systems in the northern anchovy, [*Engraulis mordax*], and other teleosts. Am. Zool. 21:429-446.
- O'Connell, C. P. 1981. Estimation by histological methods of the percent of starving larvae of the northern anchovy ([*Engraulis*] [*mordax*]) in the sea. Rapp. P.-v. Reun. Con. int. perm. Explor. Mer 178:357-360.
- O'Connell, C. P., and P. A. Paloma. 1981. Histochemical indications of liver glycogen in samples of emaciated and robust larvae of the northern anchovy, [*Engraulis mordax*]. Fish. Bull. 79:806-812.
- O'Connor, J. M., and S. A. Schaffer. 1977. The effects of sampling gear on the survival of striped bass ichthyoplankton. Ches. Sci. 18(3):312-315.
- O'Donnell, D. J., and L. Stewart. 1946. Rearing walleyes. Wisc. Cons. Bull. 11(1):3-4.
- O'Gorman, R. 1983. Distribution and abundance of larval fish in the nearshore waters of western Lake Huron. J. Great Lakes Res. 9:14-22.
- O'Gorman, R. 1984. Catches of larval rainbow smelt, [*Osmerus mordax*], and alewife, [*Alosa pseudoharengus*], in plankton nets of different mesh sizes. J. Great Lakes Res. 10(1):73-77.
- O'Grodnick, J. 1975. Egg transmission of whirling disease. Progressive Fish-Culturist 37(3):153-154.
- O'Leary, J. A. 1984. Characteristics of the downstream migration of juvenile American shad ([*Alosa sapidissima*]) and blueback herring ([*A. aestivalis*]) in the Connecticut River. M.S. Thesis, Univ. Massachusetts, Amherst, MA.
- O'Leary, J. A., and B. Kynard. 1986. Behavior, length, and sex ratio of seaward-migrating juvenile American shad and blueback herring in the Connecticut River. Transactions of the American Fisheries Society 115:529-536.
- O'Malley, H. 1917. The distribution of fish and fish eggs during the fiscal year 1916. U.S. Comm. Fish. Ann. Rep. 1916(1917), Bur. Fish. Doc. 837, App. 1, 111 pp.
- O'Malley, H. 1919. Distribution of fish and fish eggs, fiscal year 1918. U.S. Comm. Fish Ann. Rep. 1918(1919), Bur. Fish. Doc. 863:1-82.
- O'Mally, M., and J. Boone. 1972. Oxygen vital to normal hatching and survival in striped bass. Maryland Fish. Wildl. News 3(2):1.
- O'Rear, C. W., Jr. 1972. The toxicity of zinc and copper to striped bass eggs and fry with methods for providing confidence limits. Proc. 26th Ann. Conf. S. E. Assoc. G & F. Comms. 26:484-489.
- O'Rear, L. G. 1970. An investigation of the threadfin shad, [*Dorosoma*] [*petenense*] (Gunther), reproduction in certain Tennessee storage impoundments. M.S. Thesis, Tennessee Tech. Univ., Cookeville, TN. 51 pp.
- O'Toole, M. J., and D. P. F. King. 1974. Early development of the round herring, [*Etrumeus*] [*teres*] (de Kay) from the South East Atlantic. Vie Milieu, Ser. A, 24:443-452.
- O'Toole, M. J. 1976. Distribution and abundance of larvae of the hake, [*Merluccius*] spp., off South West Africa 1972-74. Coll. Sci. Pap. ICSEAF 3:151.
- O'Toole, M. J. 1976. Incidental collection of small and juvenile fishes from egg and larval surveys off southwest Africa (1972-74). Fish. Bull. So. Afr. 8:23-34.



- O'Toole, M. J. 1977. Development and distributional ecology of the larvae of the west coast sole, [*Austroglossus microlepis*]. *Fishery Bull. Un. S. Afr.* 9:32-45.
- O'Toole, M. J. 1977. Influence of some hydrological factors on the depth distribution of maasbanker, [*Trachurus trachurus*], larvae off Southwest Africa. *Fishery Bull. Un. S. Afr.* 9:46-47.
- O'Toole, M. J. 1978. Aspects of the early life history of the hake, [*Merluccius capensis*] Castelnau, off southwest Africa. *Fish. Bull. So. Afr.* 10:20-36.
- Oben, L. C. 1957. About the drifting approach of fingerling bluefish, [*Pomatomus saltatrix*] L., to the shores of the Black Sea in the region of the Karadag (1947-1954). Transl. from Russian by K. J. Koushnaroff and R. J. Mansueti, from the works of the Daradag Biol. Stn., Acad. Sci. Ukr. USSR 14:155-157.
- Obenchain, C. 1979. Distribution and abundance of fish larvae in the New York Bight from July 1974 to July 1976, with a statistical analysis of their occurrence with respect to one another. *Early Life History Fish Symp., Woods Hole Lab., ICES/ELH Symp.*
- Obenchain, C. L. 1981. A study of the larval fish community in the New York Bight, July 1974 to June 1976. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:217-219.
- Ochi, H. 1985. Temporal patterns of breeding and larval settlement in a temperate population of the tropical anemonefish, [*Amphiprion clarkii*]. *Jap. J. Ichthyol.* 32(2):248-257.
- Ochiai, A., and K. Amaoka. 1963. Description of larvae and young of four species of flatfishes referable to subfamily Bothinae. *Bull. Jap. Soc. Scient. Fish.* 29(2):127-134.
- Ochiai, A., and S. Umeda. 1969. Spawning aspects of the grey mullet, [*Mugil cephalus*] L., living on the coastal region of Kochi Prefecture. *Jap. J. Ichthyol.* 16:50-54.
- Ochiai, A., S. Umeda, and H. Ota. 1972. On the eggs of Japanese eel and induction of maturation by hormone injection. *Jap. J. Ichthyol.* 19(4):312-316.
- Ochiai, A., T. Ikegamik, and Y. Nozawa. 1978. On the metamorphosis and identification of the leptocephali of the congrid eel, [*Conger japonicus*], from Tosa Bay, Japan. *Jap. J. Ichthyol.* 25(3):205-210.
- Ochiai, A., and Y. Nozawa. 1980. On the metamorphosis and burrowing habits of the snake eel, [*Muraenichthys gymnotus*]. *Jap. J. Ichthyol.* 27(3):237-242.
- Ochiai, A., K. Mutsutani, and S. Umeda. 1982. Development of eggs, larvae and juveniles of jack mackerel, [*Trachurus japonicus*]. *Jap. J. Ichthyol.* 29(1):86-92.
- Odate, S. 1956. On the distribution of larvae and young of the saury, [*Cololabis saira*], and the condition of maturity of the gonad of the spawning fish in the neighborhood of Izu Island and the northeastern sea area of Japan. *Bull. Tohoku Reg. Fish. Res. Lab.* 7:70-102.
- Odate, S. 1956. The vertebral number of the saury, [*Cololabis saira*] (Brevoort). *Bull. Tohoku Reg. Fish. Res. Lab.* 8:1-14.
- Odate, S. 1961. Study on the larvae of the fishes in the north-eastern sea area along the Pacific coast of Japan. Part I. Mackerel, [*Pneumatophorus japonicus*] (Houttynn). *Bull. Tohoku Reg. Fish. Res. Lab.* (19):98-108.
- Odate, S. 1962. Distribution of larvae of the saury, [*Cololabis*] [*saira*] (Brevoort), in the surrounding seas of Japan. *Bull. Tohoku Reg. Fish. Res. Lab.* 20:67-93.

- Odate, S. 1962. Study of the larvae of fishes in the northeast sea area along the Pacific coast of Japan. Bull. Tohoku Reg. Fish. Res. Lab. 21:63-70.
- Odate, S. 1962. Study on the larvae of fishes in the northeastern sea area along the Pacific coast of Japan. a2. Carangidae: jack mackerel, scads and yellowtails. Bull. Tohoku Reg. Fish. Res. Lab. 20:94-105.
- Odate, S. 1962. Study on the larvae of fishes in the northeastern sea area along the Pacific coast of Japan. 3. Takabe (butterfish) [*Labracoglossa argentiventris*] Peters. Bull. Tohoku Reg. Fish. Res. Lab. 21:63-70.
- Odell, T. T. 1934. The life history and ecological relationships of the alewife, [*Pomolobus pseudoharengus*] (Wilson), in Seneca Lake, New York. Ph.D. Diss., Cornell Univ., Ithaca, NY.
- Odell, T. T. 1934. The life history and ecological relationships of the alewife, [*Pomolobus pseudoharengus*] (Wilson), in Seneca Lake, New York. Transactions of the American Fisheries Society 64:118-124.
- Odenweller, D. B. 1975. The life history of the shiner surfperch, [*Cymatogaster aggregata*] Gibbons in Anaheim Bay. California Dept. Fish Game, Fish. Bull. No. 165: 107-116.
- Oehmcke, A. A. 1949. Muskellunge fingerling culture. Progressive Fish-Culturist 11(1):3-18.
- Oehmcke, A. A., et al. 1958. The Wisconsin muskellunge, its life history, ecology, and management. Wisconsin Cons. Dept. Publ. 225:1-11.
- Oehmcke, A. A., L. Johnson, J. Klingbiel, and C. Winstrom. 1974. The Wisconsin muskellunge. Its life history, ecology, and management. Wisc. Dept. Nat. Resourc. Publ. 8-3600 (74).
- Oellacher, J. 1873. Beitrage zur Entwicklungsgeschi der Knocherfischen nach Beobachtungen am Bachforelleneie. Z. Wiss. Zool. 23:1-116.
- Oertzen, J. A. 1985. Resistance and capacity adaptation of juvenile silver carp, [*Hypophthalmichthys molitrix*] (Val.) to temperature and salinity. Aquaculture 44(4):321-332.
- Ogasawara, Y., S. Akatsu, and Y. Taki. 1978. Juvenile stages and effect of salinity on the survival of larvae and juveniles in the striped fingerfish, [*Monodactylus sebae*]. Jap. J. Ichthyol. 24(4):246-250.
- Ogata, H., S. Arai, and B. M. Alvarez. 1985. Effect of dietary protein levels on free amino acid contents of juvenile European eel, [*Anguilla*] [*anguilla*]. Bull. Jap. Soc. Sci. Fish. 51(4): 573-578.
- Ogawa, N., and Y. Ohi. 1968. Chorion and hatching enzyme of the medaka, [*Oryzias*] [*latipes*]. Zool. Mag. Tokyo 77:151-156.
- Ogawa, Y. 1967. Morphological transition of the brain components of anchovy with their body-growth. Bull. Jap. Soc. Sci. Fish. 33(6):531-538.
- Ogden, J. C., and P. R. Ehrlich. 1977. The behavior of heterotypic resting schools of juvenile grunts (*Pomadasyidae*). Mar. Biol. 273-280.
- Ogi, H., and T. Sasaki. 1969. Oshoro Maru Cruise 28 to the northern North Pacific, Bering Sea, and the Gulf of Alaska. 15. Data of fish larvae collected with a larva net. Data Rec. Oceanogr. Obs. Explor. Fish. Hakoda te 13:75 pp.

- Ogilvie, H. S. 1927. Observations on the food of postlarval herring from the Scottish coast. *Scient. Invest. Fishery Bd. Scotl.* (1927), No. 1.
- Ogilvie, H. S. 1938. Food of postlarval haddock, with reference to fluctuations in annual broods. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 107(pt. 3).
- Ogren, L., J. Chess, and J. Lindenberg. 1968. More notes on the behavior of young squirrel hake, [*Urophycis chuss*]. *Underwater Nat.* 5(3):38-39.
- Ohigashi, S., and K. Ito. 1955. On the Alaska pollock juvenile, [*Theragra*] [*chalcogramma*], taken from the Funka Bay. *Rep. Hokkaido Fish. Hatch.* 10:161-165.
- Ohki, H., and K. Aoki. 1985. Development of the visual acuity in the larval medaka, [*Oryzias latipes*]. *Zool. Sci.* 2(1):123-126.
- (tm)hman, M. C., P. L. Munday, G. P. Jones, and M. J. Caley. 1998. Settlement strategies and distribution patterns of coral-reef fishes. *J. Exp. Mar. Biol. Ecol.* 225:219-238.
- Ohman, M. D., G.H. Theilacker, and S.E. Kaupp. 1991. Immunochemical detection of predation on ciliate protists by larvae of the northern anchovy (*[Engraulis mordax]*). *Biol. Bull.* 181: 500-504.
- Ohsima, Y., and N. Nakamura. 1941. Note on the life history of [*Triacanthus*] [*brevirostris*] Temminck et Schlegel. *Bull. Jap. Soc. Sci. Fish.* 10(4):171-176.
- Ohta, H., K. Takono, T. Izawa, and K. Yamaguci. 1983. Ultrastructure of the chorion and the micropyle of the Japanese eel, [*Anguilla japonica*]. *Bull. Jap. Soc. Sci. Fish.* 49:501.
- Ohta, H. 1984. Electron microscopic study on adhesive material of Pacific herring, [*Clupea pallasii*], eggs. *Jap. J. Ichthyol.* 30(4):404-411.
- Ohtsuka, E. 1960. On the hardening of the chorion of the fish egg after fertilization. III. The mechanism of chorion hardening in [*Oryzias latipes*]. *Biol. Bull.* 118:120-128.
- Ohzu, E., and H. Kasuya. 1979. Studies of the hatching enzyme of the fish. I. Isolation of the hatching enzyme of the rainbow trout, [*Salmo gairdneri*]. *Annot. Zool. Jap.* 52(2):125-132.
- Oiestad, V., B. Ellertsen, P. Solemdal, and S. Tilseth. 1976. Rearing of different species of marine fish fry in a constructed basin. [In] G. Persoone and E. Jaspers, editors. 10th European Symp. on Marine Biology. Universa Press, Wetteren, Belgium. 620 pp.
- Oiestad, V., B. Ellertsen, P. Solemdal, and S. Tilseth. 1976. Rearing of different species of marine fish fry in a constructed basin. Pages 303-329 [in] G. Persoone and E. Jaspers, editors. 10th European symp. on marine biology, vol. 1. Mariculture. Universa Press, Wetteren, Belgium.
- Oiestad, V., and S. A. Iversen. 1978. Growth and survival studies on 0-group plaice (*[Pleuronectes platessa]* L.) in a small basin with a closed system. *FiskDir. Skr. (Ser. Havunders.)* 16(13):507-518.
- Oiestad, V., and E. Moksness. 1981. Study of growth and survival of herring larvae (*[Clupea harengus]*) using plastic bag and concrete basin enclosures. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:144-149.
- Oiestad, V., and P. G. Kvenseth. 1981. Large scale rearing of fry in an inlet. *ICES Rep. F:*11.
- Oiestad, V. 1982. Application of enclosures to studies on the early life history of fishes. Pages 49-52 [in] G. D. Grice and M. R. Reeve, editors. *Marine mesocosms*. Springer-Verlag, New York, Heidelberg, Berlin.

- Oiestad, V. 1983. Growth and survival of herring larvae and fry, [*Clupea harengus*] L., exposed to different feeding regimes in experimental ecosystems: outdoor basins and plastic bags. Ph.D Diss., Inst. Mar. Sci., Bergen. 299 pp.
- Oiestad, V. 1984. Criteria for condition evolved from enclosure experiments with cod larva populations. Pages 213-230 [in] E. Dahl et al., editors. The propagation of cod [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.
- Oiestad, V. 1985. Predation on fish larvae as a regulatory force, illustrated in mesocosm studies with large groups of larvae. NW Atlantic Fish. Org. Sci. Coun. Studies 8:25-32.
- Oiestad, V., P. G. Kvenseth, and A. Folkvord. 1985. Mass production of Atlantic cod juveniles, [*Gadus*] [*morhua*] in a Norwegian saltwater pond. Transactions of the American Fisheries Society 114:590-595.
- Oikari, A., N. Fragoso, H. Leppanen, T. Chan, and P. V. Hodson. 2002. Bioavailability to juvenile rainbow trout (*Oncorhynchus mykiss*) of retene and other mixed-function oxygenase-active compounds from sediments. Environmental Toxicology and Chemistry 21(1):121-128.
- Ojaveer, E. 1979. Influence of temperature, salinity and reproductive mixing of Baltic herring groups on its embryonic development. Intl. Coun. Explor. Sea, Early Life Hist. Symp. PE:4. 17 pp.
- Ojaveer, E. 1979. On embryonal mortality of spring spawning herring on spawning groups in the northeast Gulf of Rija. Intl. Coun. Explor. Sea, Early Life Hist. Symp. PE:4. 2 pp.
- Ojaveer, E. 1981. Influence of temperature, salinity, and reproductive mixing of Baltic herring groups on its embryonal development. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:409-415.
- Ojaveer, E. 1981. On embryonal mortality of spring spawning herring on spawning grounds in the northeastern Gulf of Rija. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:401.
- Ojha, J., N. Mishra, M. P. Saha, and J. S. D. Munshi. 1979. Bimodal oxygen uptake in juveniles and adults of amphibious fish, [*Channa (Ophicephalus) marulius*]. Hydrobiol. 63(2):153-159.
- Oka, A., N. Suzuki, and T. Watanabe. 1980. Effect of fatty acids in rotifers on growth and fatty acid composition of larval ayu, [*Plecoglossus*] [*altivelis*]. Bull. Jap. Soc. Sci. Fish. 46(11):1413-1418.
- Oka, A., N. Suzuki, and T. Watanabe. 1982. Effect of fatty acids in [*Moina*] on the fatty acid composition of larval ayu, [*Plecoglossus altivelis*]. Bull. Jap. Soc. Sci. Fish. 48(8):1159-1162.
- Okada, S. 1937. On the ammocoetes of two species of lampreys from Hokkaido. Botany Zool., Tokyo 5:957-966. In Japanese.
- Okada, Y., and R. Seiishi. 1938. Studies on the early life history of 9 species of freshwater fishes of Japan. Bull. Biogeograph. Soc. Japan 8(15):223-263.
- Okamoto, R. 1969. Rearing of red bream larvae. Bull. Jap. Soc. Sci. Fish. 35:562-566.
- Okamoto, R. 1969. Rearing of red sea bream larvae. Symp. on Cult. and Prop. of sea bream. Bull. Jap. Soc. Sci. Fish. 35:563-566.
- Okata, A. 1975. Ecological studies on the biological production of young amberfish community in the Sendai Bay. I. Food chains in the amberfish community. Bull. Jap. Soc. Sci. Fish. 41(12):1247-1262.

- Okata, A. 1976. Ecological studies on the biological production of young amberfish communities in the Sendai Bay. 2. Bull. Jap. Soc. Sci. Fish. 42(1):29-44.
- Okata, A., K. Ishikawa, and K. Kosai. 1981. On the predator-prey relationships among larval and juvenile fishes in a shallow sea community. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:361-363.
- Okiyama, M. 1963. Larvae and young of the witch flounder, [*Glyptocephalus stelleri*] (Schmidt) at metamorphosis stages. Bull. Jap. Sea Reg. Fish. Lab. 11:101-108.
- Okiyama, M. 1964. Early life history of the Japanese bluntnose flounder, [*Branchiostegus japonicus japonicus*] (Houttuyn). Bull. Jap. Sea Reg. Fish. Res. Lab. 13:1-14.
- Okiyama, M. 1965. A preliminary study on the fish eggs and larvae occurring in the Sado Strait, Japan Sea, with some remarks on the vertical distribution of some fishes. Bull. Japan Sea Reg. Fish. Res. Lab. 15:13-37.
- Okiyama, M. 1967. Studies on the early life history of a flounder, [*Paralichthys olivaceus*] (Temminck and Schlegel). I. Description of postlarvae. Bull. Japan Sea Reg. Fish. Res. Lab. 17:1-12.
- Okiyama, M. 1970. Studies on the early history of the rainbow runner, [*Elagatis bipinnulatus*] (Quoy and Gaimard), in the Indo-Pacific Ocean. Enyo Suisan Kenkyujo 3:167-186.
- Okiyama, M. 1971. Early life history of the gonostomatid fish, [*Maurolicus muelleri*] (Gmelin), in the Japan Sea. Bull. Jap. Sea Reg. Fish. Res. Lab. (23):21-52.
- Okiyama, M. 1972. Morphology and identification of the young [*Ipnapid*] [*macristiella*] from the tropical western Pacific. Jap. J. Ecol. 19(3):145-153.
- Okiyama, M. 1974. Studies on the early life history of a flounder [*Paralichthys olivaceus*]. Part 2. Descriptions of juveniles and the comparison with those of the related species. Bull. Japan Sea Reg. Fish. Res. Lab. 25:39-61.
- Okiyama, M. 1974. The larval taxonomy of primitive myctophiform fishes. Page 45 [in] Report of the international symposium on the early life history of fish. FAO Fish. Rep. No. 141.
- Okiyama, M., and H. Sando. 1976. Early life history of the sea raven, [*Hemitripterus villosus*] (*Hemitripterae*), in the Japan Sea. Bull. Japan Sea Reg. Fish. Res. Lab. 27:1-10.
- Okiyama, M., and K. Takahashi. 1976. Larval stages of the right eye flounders (subfamily *Pleuronectidae*) occurring in the Japan Sea. Bull. Jap. Sea Reg. Fish. Res. Lab. 27:11-34.
- Okiyama, M., and S. Ueyanagi. 1977. Larvae and juvenile of the Indo-Pacific dogtooth tound, [*Gymnosarda unicolor*] (Ruppell). Far. Seas Fish. Res. Lab. Bull. 15:35-50.
- Okiyama, M., and S. Ueyanagi. 1978. Interrelationships of scombroid fishes: an aspect from larval morphology. Bull. Far Seas Fish. Res. Lab. (Shimizu) 16:103-113.
- Okiyama, M. 1979. Manuals for the larval fish taxonomy. (1) Definition and classification of larval stages. Kaiyo to Seibutsu (Ocean and its Life) 1:54-59. In Japanese.
- Okiyama, M. 1979. Larval morphology and interrelationships of the myctophoid fishes. Kaiyo Kagaku (Mar. Sci.) 11:131-145. in Japanese.
- Okiyama, M. 1980. Manuals for the larval fish taxonomy (5). Diversity of Myctophiformes larvae. Aquabiol. 2:124-129.

- Okiyama, M. 1981. A larval [Ipnops] and its possible metamorphosing process. Jap. J. Ichthyol. 28:247-253.
- Okiyama, M. 1981. Abundance and distribution of eggs and larvae of a stenopterygoid fish, [Maurollicus muelleri], in the Japan Sea with comments on the stratification for successful larval life. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 178:246-248.
- Okiyama, M. 1982. Manuals for the larval fish taxonomy (9). Percoid larvae and spination. Oceans Mammals 4(2):92-99.
- Okiyama, M. 1982. Embryo of [Allolepis hollandi] Jordan and Hubbs, 1925. Aquabiol. 4(4):cover.
- Okiyama, M. 1984. Myctophiformes: development. Pages 206-217 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Okiyama, M. 1986. Bathypelagic capture of a metamorphosing juvenile of [Ipnops agassizi] (Ipnopidae, Mictophiformes). Jap. J. Ichthyol. 32(4):443-446.
- Okkelberg, P. 1914. Volumetric changes in the egg of the brook lamprey, [Entosphenus (Lampetra) wilderi] (Gage), after fertilization. Biol. Bull. 26(2):92-99.
- Okkelberg, P. 1921. The early history of the germ cells in the brook lamprey, [Entosphenus wilderi] (Gage), up to and including the period of sex differentiation. J. Morph. 35:1-151.
- Okkelberg, P. 1922. Notes on the life history of the brook lamprey, [Ichthyomyzon unicolor]. Occ. Pap. Mus. Zool. Louisiana State Univ., No. 125:1-14.
- Olafsen, J. A. 1984. Ingestion of bacteria by cod ([Gadus morhua] L.) larvae. Pages 627-644 [in] E. Dahl et al., editors. The propagation of cod, [Gadus morhua] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.
- Olatunde, A. A. 1978. Sex, reproductive cycle and variations in the fecundity of the family Schilbeidae (Osteichthyes: Siluriformes) in Lake Kainji, Nigeria. Hydrobiol. 57(2):125-142.
- Oldani, N. O. 1977. Identificación y morfología de larvas de [Apareiodon] [affinis] (Steindachner) (Pisces, Parodontidae). Physis 37B(93):133-140.
- Oldani, N. O. 1979. Identificación y morfología de larvas y juveniles de [Thoracocharax stellatus] (Kner, 1860). (Pisces, Gasteropelecidae). Revista de la Asociación de Ciencias Naturales del Litoral 10:49-60.
- Oldani, N. O. 1979. Identificación y morfología de larvas y juveniles de [Triportheus paranensis] (Gunther, 1874). (Pisces, Characidae). Revista de la Asociación de Ciencias Naturales del Litoral 10:61-71.
- Oldani, N. O. 1983. Identificación y morfología de las larvas y juveniles de [Pimelodus maculatus] Lacepede 1803 (Pisces, Pimelodidae). Revista de la Asociación de Ciencias Naturales del Litoral 14(2):193-202.
- Oldani, N. O. 1983. Identificación y morfología de larvas, juveniles y adultos de [Mylossoma paraguayensis] Norman, 1929. (Pisces, Characidae). Studies on Neotropical Fauna and Environment 18:89-100.
- Oldmixon, E. 1964. Valid criteria for distinguishing the young stages of five Chesapeake Bay clupeids. Summer Student Project, Univ. Md. Chesapeake Biol. Lab. Rep. Aug. 1964.
- Olifan, V. I. 1957. Daily feeding rhythms in the fry of the Baikal grayling and others. Compte Rendu de Acad. Sci. Union Republique Sovietiques Socialistes 114: 591-593.

- Olinon, J. 1966. Tagging effects on juvenile striped bass. Ches. Biol. Lab. Ref. 66-66:10 pp.
- Oliphan, V. I. 1940. Diurnal rhythms in the respiration of fish larvae. Dokl. Akad. Nauk USSR 29:620-623.
- Oliphan, V. I. 1941. Effect of salinity on the eggs and larvae of carp, vobla and bream. Trudy vses. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr. 16:159-172.
- Oliphan, V. I. 1945. Periodicity in the development and critical stages of the early post-embryonic ontogenesis of [Acipenser] [stellatus]. Izv. Akad. Nauk SSSR:56-78. In Russian, English Summary.
- Oliphan, V. I. 1949. Cyclic character of size of fish in the early stages of post embryonic development. Trudy vses. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr. 66:1211-1214.
- Olivar, M.P., and A. Sabat,s, 1989. Early life history and spawning of [Genypterus capensis] (Smith, 1849) in the Southern Benguela system. S. Afr. J. Mar. Sci. 8:173-181.
- Olivar, M. P., and J. M. Fortuño. 1991. Guide to ichthyoplankton of the Southeast Atlantic (Benguela Current Region). Sci. Mar. 55(1):1-383. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)
- Olivar, M. P., P. Rubies, and J. Salat. 1992. Horizontal and vertical distribution patterns of ichthyoplankton under intense upwelling regimes off Namibia. South African Journal of Marine Science 12:71-82.
- Olivar, M. P., and P. A. Shelton. 1993. Larval fish assemblages of the Benguela Current. Bulletin of Marine Science 53:450-474.
- Olivar, M. P., G. H. Moser, K. E. Hartel, and A. Lombarte. 1993. Larvae of [Bathylagus] species of the Southern Atlantic. Copeia 1993(2):503-513.
- Olivar, M. P., and L. E. Beckley. 1994. Influence of the Agulhas Current on the distribution of lanternfish larvae off the southeast coast of Africa. Journal of Plankton Research. 16: 1759-1780.
- Olivar, M. P., H. G. Moser, and L.E. Beckley. 1999. Lanternfish larvae from the Agulhas current (SW Indian Ocean). Sci. Mar. 63(2):101-120. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)
- Oliver, J. K., B. A. King, B. L. Willis, R. C. Babcock, and E. Wolanski, E. 1992. Dispersal of coral larvae from a lagoonal reef. 2. Comparisons between model predictions and observed concentrations. Continental Shelf Research 12:873-889.
- Oliver, J. L. 1981. Food of larval yellow perch in a South Carolina reservoir receiving heated effluent. Proc. 35th Ann. Conf. S. E. Assoc. G & F Comm. 35:592-597.
- Olko, A. 1955. The respiratory vessels of the yolk sac of the trout [Salmo trutta] L. Zool. Pol. 6:216-225.
- Olla, B. L., and A. L. Studholme. 1975. The effect of temperature on the behavior of young tautog, [Tautoga onitis] (L.). [In] H. Barnes, editor. 9th European Marine Biology Symp., Aberdeen Univ. Press, Scotland.
- Olla, B. L., and C. Samet. 1977. Courtship and spawning behavior of the tautog, [Tautoga onitis] (Pisces: Labridae) under laboratory conditions. Fish. Bull. NOAA (U.S.) 75(3): 585-599.

- Olla, B. L., and C. Samet. 1978. Effects of elevated temperature on early embryonic development of the tautog, [*Tautoga onitis*]. Transactions of the American Fisheries Society 107(6):820-824.
- Olla, B. L., A. J. Bejda, and A. D. Martin. 1979. Seasonal dispersal and habitat selection of cunner, [*Tautoglabrus adspersus*], and young tautog, [*Tautoga onitis*], in Fire Island Inlet, Long Island, New York Fish. Bull. NOAA (U.S.) 77(1):255-261.
- Olla, B. L., A. Studholme, and A. J. Bejda. 1985. Behavior of juvenile bluefish, [*Pomatomus saltatrix*], in vertical thermal gradients: influence of season, temperature acclimation, and food. Mar. Ecol. Prog. Ser. 23:165-177.
- Olla, B. L., and M.W. Davis. 1990. Behavioral responses of juvenile walleye pollock [*Theragra chalcogramma*] Pallas to light, thermoclines and food - possible role in vertical distribution. Journal of Experimental Marine Biology and Ecology 135:59-68.
- Olla, B. L., and M. W. Davis. 1990. Effects of physical factors on the vertical distribution of larval walleye pollock [*Theragra chalcogramma*] under controlled laboratory conditions. Marine Ecology-Progress Series 63:105-112.
- Olla, B. L., and M. W. Davis. 1992. Phototactic responses of unfed walleye pollock, [*Theragra chalcogramma*] larvae - comparisons with other measures of condition - brief communication. Environmental Biology of Fishes 35:105-108.
- Olla, B. L., M. W. Davis, C. H. Ryer, and S. M. Sogard. 1996. Behavioural determinants of distribution and survival in early stages of walleye pollock, [*Theragra chalcogramma*]: a synthesis of experimental studies. Fisheries Oceanography 5:167-178.
- Olmsted, L. L., and D. G. Cloutman. 1979. Life history of the flat bullhead, [*Ictalurus platycephalus*], in Lake Norman, North Carolina. Transactions of the American Fisheries Society 108(1):38-42.
- Olney, J. E., and G. C. Grant. 1976. Early planktonic larvae of the blackcheek tongue fish, [*Symphurus plagiatus*] (Pisces: Cynoglossidae), in the lower Chesapeake Bay. Ches. Sci. 17(4):229-237.
- Olney, J. E. 1978. Planktonic fish eggs and larvae of the lower Chesapeake Bay. M. A. Thesis, College of William and Mary, Williamsburg, VA. 124 pp.
- Olney, J. E., and D. F. Markle. 1979. Description and occurrence of Vexillifer larvae of [*Echiodon*] (Pisces: Carapidae) in the western North Atlantic and notes on other Carapid Vexillifers. Bull. Mar. Sci. 29(3):365-379.
- Olney, J. E., and A. Naplin. 1980. Eggs of the scalloped ribbon fish, [*Zucristztus*] (Pisces: Trachipter), in the western north Atlantic. Copeia 1980(1):165-166.
- Olney, J. E. 1983. Eggs and early larvae of the bay anchovy, [*Anchoa mitchilli*], and the weakfish, [*Cynoscion regalis*], in lower Chesapeake Bay with notes on associated ichthyoplankton. Estuaries 6(1):20-35.
- Olney, J. E. 1984. Lampriformes: development and relationships. Pages 368-379 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Olney, J. E., and G.W. Boehlert. 1988. Nearshore ichthyoplankton associated with seagrass beds in the lower Chesapeake Bay. Marine Ecology: Progress Series 45:33-43.
- Olney, J. E., and G. R. Sedberry. In Press. Dragonet larvae (Teleostei, Callionymidae) in continental shelf waters off the eastern United States. Biol. Oceanogr.



- Olsen, E. K. 1979. Distribution of pelagic yellow perch and walleye fry in two northern Wisconsin lakes. Ph.D Diss., Univ. Wisconsin, 100 pp.
- Olsen, J. O. 1968. Physical environment and egg development in a mainland beach area and an island beach area of Iliamna Lake. Univ. Washington Publ. Fish. New Ser. 3:171-195.
- Olsen, K. H., and L. B. Hoglund. 1985. Reduction by a surfactant of olfactory mediated attraction between juveniles of Arctic charr, [*Salvelinus alpinus*] (L.). Aquat. Toxicol. 6(1):57.
- Olsen, K. H. 1986. Chemo-attraction between juveniles of two sympatric stocks of Arctic charr, [*Salvelinus alpinus*] (L.), and their gene frequency of serum esterases. J. Fish. Biol. 28(2):221-232.
- Olsen, K. H. 1986. Emission rate of amino acids and ammonia and their role in olfactory preference behavior of juvenile Arctic charr, [*Salvelinus alpinus*] (L.). J. Fish. Biol. 28(3):255-266.
- Olsen, Y. H., and D. Merriman. 1946. The biology and economic importance of the ocean pout ([*Macrozoarces americanus*] Bloch and Schneider). Bull. Bingham Oceanogr. Coll. 9(4):1-184.
- Olson, D. E. 1966. Physical characteristics of fertilized and unfertilized walleye eggs during early stages of development. Minn. Fish. Invest. 4:31-38.
- Olson, G. E., et al. 1975. Mercury residues in fathead minnows, [*Pimephales*] [*promelas*] Raf., chronically exposed to methylmercury in water. Bull. Env. Contam. Toxicol. 14:129.
- Olson, L. E. 1975. Toxicity of four toxicants to green eggs of salmonids. Progressive Fish-Culturist 37(3):143-147.
- Olson, L. E., and L. L. Marking. 1973. Toxicity of TFM (lampricide) to six early life stages of rainbow trout ([*Salmo gairdneri*]). Journal of the Fisheries Research Board of Canada 30(8):1047-1052.
- Olson, M. H., T. E. Brooking, D. M. Green, A. J. VanDeValk, L. G. Rudstam. 2000. Effect of stocking size on survival and growth of walleye fingerlings. North American Journal of Fisheries Management 20:377-384.
- Olson, P. A., and R. F. Foster. 1956. Temperature tolerance of eggs and young of Columbia River chinook salmon. 85:203-207.
- Olson, P. A. 1958. Temperature tolerance of eggs and young of Columbia River fish. Pages 211-214 [in] Biology research annual report for 1957. A.E.C. Hanford Lab., Richland, WA.
- Olson, P. A., R. E. Nakatani, and T. Meekin. 1970. Effects of thermal increments on eggs and larvae of Columbia River fall chinook. Battelle Northwest Lab. Publ. No. 1538, 57 pp.
- Olson, R. J., and V. P. Scholey. 1990. Captive tunas in a tropical marine research laboratory - growth of late-larval and early-juvenile black skipjack [*Euthynnus lineatus*]. Fishery Bulletin 88:821-828.
- Olver, C. H., and C. A. Lewis. 1977. Reproduction of planted lake trout, [*Salvelinus*] [*namaycush*], in Gamitagama a small Precambrian lake in Ontario. Journal of the Fisheries Research Board of Canada 34(9):1419-1422.
- Olson, R. R., and R. McPherson. 1987. Potential vs. realized larval dispersal: fish predation on larvae of the ascidian *Lissoclinum patella* (Gottschaldt). J. Exp. Mar. Biol. Ecol. 110:245-256.

- Ommanney, F. D. 1953. The pelagic fishes. Note on tow nettings: Distribution of macroplankton, fish eggs and young fish. [In] Report on the Mauritius-Seychelles fisheries survey 1948-49. Part II. G.B. Colon. Off. Fish. Publ. 1(3):58-104.
- Omori, M., Y. Sugawara, and H. Honda. 1996. Morphogenesis in hatchery-reared larvae of the black rockfish, *Sebastes schlegeli*, and its relationship to the development of swimming and feeding functions. *Ichthyological Research* 43:267-282.
- Omori, M. 1969. A bottom-net to collect zooplankton living close to the sea floor. *J. Oceanogr. Soc. Japan* 25(6):291-294.
- Ooi, E. C., and J. H. Youson. 1976. Growth of the opisthonephric kidney during larval life in the anadromous sea lamprey, [*Petromyzon*] [*marinus*] L. *Canadian Journal of Zoology* 54:1449.
- Ooi, E. C. 1977. Morphogenesis and growth of the opisthonephric kidney in the anadromous sea lamprey, [*Petromyzon marinus*] (L.), during larval development and metamorphosis. Ph.D. Diss., Univ. Toronto.
- Ooi, E. C., and J. H. Youson. 1979. Regression of the larval opisthonephros during metamorphosis of the sea lamprey, [*Petromyzon*] [*marinus*] (L.). *Am. J. Anat.* 154(1):57-80.
- Oosthuizen, E., and N. Daan. 1974. Egg fecundity and maturity of North Sea cod, [*Gadus*] [*morhua*]. *Neth. J. Sea Res.* 8(4):378-397.
- Oozeki, Y., and R. Hirano. 1985. Effect of temperature changes on the development of eggs of the Japanese whiting, [*Sillago japonica*] Temm. et Sch. *Bull. Jap. Soc. Sci. Fish.* 51(4):557-572.
- Oppenheimer, C. H. 1955. The effect of marine bacteria on development and hatching of pelagic fish eggs and the control of such bacteria by antibiotics. *Copeia* 1955(1):43-49.
- Oppenheimer, J. A. 1949. A typical pigment-cell differentiation in embryonic teleostean grafts and isolates. *Proc. Natl. Acad. Sci., U.S.A.* 35(12):709-712.
- Oppenheimer, J. A. 1950. Functional regulation in [*Fundulus heteroclitus*] embryos with abnormal central nervous systems. *J. Exp. Zool.* 115(3):461-491.
- Oppenheimer, J. A. 1950. The development of [*Fundulus heteroclitus*] embryos in solutions of metrazol. *J. Exp. Zool.* 113(1):65-83.
- Oppenheimer, J. A. 1950. Anomalous optic chiasma in [*Fundulus*] embryos. *Anat. Rec.* 108(3):477-483.
- Oppenheimer, J. A. 1953. The development of transplanted fragments of [*Fundulus*] gastrulae. *Proc. Natl. Acad. Sci.* 39(11):1149-1152.
- Oppenheimer, J. A. 1954. Autonomous features of endodermal development following implantation of shield grafts in [*Fundulus*] gastrulae. *Anat. Rec.* 120(3):697.
- Oppenheimer, J. A. 1955. Ectopic differentiation of ears in secondary embryos of [*Fundulus*]. *Proc. Natl. Acad. Sci., U.S.A.* 41(9):680-684.
- Oppenheimer, J. A. 1955. The differentiation of derivatives of the lower germ layers in [*Fundulus*] following the implantation of shield grafts. *J. Exp. Zool.* 128(3):525-559.
- Oppenheimer, J. A. 1955. Regional differentiation of the brain in embryos of [*Fundulus heteroclitus*]. *J. Exp. Zool.* 129(3):649-681.
- Oppenheimer, J. M. 1934. Experiments on early developing stages of [*Fundulus*]. *Proc. Natl. Acad. Sci., U.S.A.* 20(9):536-538.

- Oppenheimer, J. M. 1935. Process of localization in developing [Fundulus]. Proc. Natl. Acad. Sci., U.S.A. 21(9):551-552.
- Oppenheimer, J. M. 1935. Experiments on differentiating teleost embryos. Ph.D Diss., Yale Univ. 139 pp.
- Oppenheimer, J. M. 1936. Localization in the teleostean embryo. Science 82:598.
- Oppenheimer, J. M. 1936. Processes of localization in developing [Fundulus]. J. Exp. Zool. Phil. 73:405-444.
- Oppenheimer, J. M. 1936. The development of isolated blastoderms of [Fundulus] [heteroclitus]. J. Exp. Zool. Phil. 72:247-269.
- Oppenheimer, J. M. 1936. Transplantation experiments on developing teleosts ([Fundulus] and [Perca]) J. Exp. Zool. 72(3):409-437.
- Oppenheimer, J. M. 1937. The normal stages of [Fundulus heteroclitus]. Anat. Rec. 68:1-15.
- Oppenheimer, J. M. 1937. Experimental analysis of early stages in teleost development. Collecting Net 12(1):5-6.
- Oppenheimer, J. M. 1938. Process of localization in developing [Fundulus]. J. Exp. Zool. 73(3): 405-444.
- Oppenheimer, J. M. 1938. Potencies for differentiation in the teleostean germ ring. J. Exp. Zool. 79(2):185-212.
- Oppenheimer, J. M. 1941. The anatomical relationships of abnormally located Mauthner's cells in [Fundulus] embryos. J. Comp. Neurol. 74:131-167.
- Oppenheimer, J. M. 1942. The decussation of Mauthner's fibers in [Fundulus] embryos. J. Comp. Neurol. 77:577-587.
- Oppenheimer, J. M. 1945. Locomotor reactions of [Fundulus] embryos with abnormal Mauthner's neurons. Proc. Soc. Exp. Biol. Med. 58(4):338-340.
- Oppenheimer, J. M. 1947. Organization of the teleost blastoderm. Q. Rev. Biol. 22(2):105-118.
- Oppenheimer, J. M. 1947. Functional regulation in [Fundulus heteroclitus] embryos with operated brain s. Anat. Rec. 99(4):565-566.
- Oppenheimer, J. M. 1948. Experimental studies on the development of structure and function in the central nervous system of [Fundulus] embryos. Am. Philos. Soc. Yearbook (1947):143-145.
- Oppenheimer, J. M. 1949. A typical pigment-cell differentiation in embryonic teleostean grafts and isolates. Proc. Natn. Acad. Sci. U.S.A. 35:709-712.
- Oppenheimer, J. M. 1964. Development of isolated [Fundulus] embryonic shields in salt solution. Acta Embryol. Morph. Exp. 7:143-154.
- Oppenheimer, J. M. 1969. Transplantation to an extraembryonic membrane of disaggregated then reaggregated portions of [Fundulus] gastrulae. Anat. Rec. 163(2), 319 pp.
- Oppenheimer, J. M. 1971. Differentiation of whole eyes by reaggregated gastrula disaggregates grafted to extraembryonic membrane ([Fundulus]). Anat. Rec. 169:391.
- Oppenheimer, J. M. 1972. Regulation in grafts of partially dissociated and reaggregated portions of [Fundulus] embryonic shields. J. Exp. Zool. 179:63-80.

- Opuszynski, K., J. V. Shireman, F. J. Aldridge, and R. Rottman. 1985. Intensive culture of grass carp and hybrid grass carp larvae. *J. Fish. Biol.* 26(5):563-574.
- Orcutt, H. G. 1950. The life history of the starry flounder, [*Platichthys stellatus*] (Pallus). California Div. Fish Game, Fish. Bull. No. 78. 64 pp.
- Orellana, M. C., and F. Balbontin. 1983. Estudio comparativo de las larvas de Clupeiformes de la costa de Chile. *Rev. Biol. Mar.* (Chile) 19:1-46.
- Oris, J. T., and J. P. Giesy, Jr. 1985. The photo-enhanced toxicity of anthracene to juvenile sunfish ([*Lepomis*] spp.). *Aquat. Toxicol.* 6(2):133-146.
- Orlov, E. V., and V. L. Pechkurenkov. 1974. A critical approach to the assessment of results obtained in experiments on incubation of fish eggs. *Trudy vses. nauchno-issled. Inst. morsk. ryb. Khoz. Okeanogr.* :128-132.
- Orlov, Y. I. 1962. Methods of sampling, transportation and keeping of the developing eggs of atka fish ([*Pleurogrammus*]). *Tr. Inst. Okeanol.* 59:183-190.
- Orlowski, S. J., S. S. Herman, R. G. Malsberger, and H. N. Pritchard. 1972. Distinguishing cunner and tautog eggs by immunodiffusion. *Journal of the Fisheries Research Board of Canada* 29(1):111-112.
- Orr, T. M., and N. E. Milward. 1984. Reproduction and development of [*Neo silurus ater*] (Perugia), and [*N. hyrtlilii*] Steindachner (Teleostei: Plotosidae) in a tropical Queensland stream. *Aust. J. Mar. Freshwat. Res.* 35(2):187-196.
- Orsi, J. A., and A. C. Wertheimer. 1995. Marine vertical distribution of juvenile chinook and coho salmon in southeastern Alaska. *Transactions of the American Fisheries Society* 124:159-169.
- Orsi, J. J. 1965. The embryology of the English sole, [*Parophrys*] [*vetulus*]. California Dept. Fish Game 54:133-155.
- Orska, J. 1963. The influence of temperature on the development of meristic characters of the skeleton in Salmonidae. II. Variation in dorsal and anal fin ray count correlated with temperature during development of [*Salmo irideus*] Gibbs. *Zoologica Pol.* 13:4-76.
- Orton, G. L. 1953. The systematics of vertebrate larvae. *Syst. Zool.* 2(2):63-75.
- Orton, G. L. 1953. Development and migration of pigment cells in some teleost fishes. *J. Morph.* 93:69-99.
- Orton, G. L., and C. Limbaugh. 1953. Occurrence of an oil globule in eggs of pleuronectid flatfishes. *Copeia* 1953(2):114-115.
- Orton, G. L. 1954. Research and teaching on early developmental stages of fishes. *Turtax News* 32(8):134-138.
- Orton, G. L. 1955. Color variation in certain marine fish eggs. *Copeia* 1955(2):144-145.
- Orton, G. L. 1955. Early developmental stages of the California barracuda, [*Sphyraena argentea*] Girard. *California Fish and Game* 41:167-176.
- Orton, G. L. 1955. Separation of eggs of Synentognath and Allotriognath fishes in early embryonic stages. *California Fish and Game* 41(1):103-105.
- Orton, G. L. 1955. The role of ontogeny in systematics and evolution. *Evolution* 9:75-83.
- Orton, G. L. 1957. Embryology and evolution of the pelagic fish egg. *Copeia* 1957(1):55-58.

- Orton, G. L. 1962. Fish eggs and larvae in the plankton samples. *Limnol. Oceanogr.*
- Orton, G. L. 1963. Notes on larval anatomy of fishes of the order Lyomeni. *Copeia* 1963 (1):6-15.
- Orton, G. L. 1964. Identification of [*Leptocephalus acuticeps*] Regan as the larva of the eel genus [*Avocettina*]. *Pac. Sci.* 18(2):186-201.
- Orton, G. L. 1964. New information on a rare eel larva, [*Leptocephalus*] [*hyoproroides*] Stromman. *Copeia* 1964(2):434-444.
- Orton, G. L. 1964. The eggs of scomberesocid fishes. *Copeia* 1964:144-150.
- Osborn, R. S., and J. T. Self. 1966. Observations on the spawning ecology of buffalos ([*Ictiobus bubalus*] and [*I. cyprinellus*]) in relation to parasitism. *Proc. Oklahoma Acad. Sci.* 46: 54-57.
- Oseid, D. M., and L. L. Smith, Jr. 1971. Survival and hatching of walleye eggs at various dissolved oxygen levels *Progressive Fish-Culturist* 33(2):81-85.
- Oseid, D. M., and L. L. Smith, Jr. 1971. Survival and hatching of white sucker eggs at various dissolved oxygen levels. *Progressive Fish-Culturist* 33(3):158-159.
- Oseid, D. M. 1977. Control of fungus growth on fish eggs by [*Asellus*] [*militaris*] and [*Gammarus pseudolimnaeus*]. *Transactions of the American Fisheries Society* 106(2):192-195.
- Osipov, V. G. 1975. Distribution of saury ([*Scomberesox saurus*]) fingerlings in the vicinity of New Zealand. *J. Ichthyol.* 15(3):495-496.
- Osmundson, D. B., R. J. Ryel, M. E. Tucker, B. D. Burdick, W. R. Elmlad and T. E. Chart. 1998. Dispersal patterns of subadult and adult Colorado squawfish in the upper Colorado River. *Transactions of the American Fisheries Society* 127(6):943-956.
- Osse, J. W. M. 1990. Form changes in fish larvae in relation to changing demands of function. *Netherlands Journal of Zoology* 40:362-385.
- Ostergaard, D. E. 1975. Collecting, spawning, incubation, and shipping of sauger eggs. *Proc. 6th Interstate Muskegon Workshop*:69-70.
- Ostroumova, I. N. 1962. The first appearance of haemoglobin in the embryos of the rainbow trout. *Dokl. Akad. Nauk SSSR*, 147:263-264.
- Ots, J. P., and G. A. Eldon. 1975. Downstream movements of fry of [*Galaxias fasciatus*] Gray. *N. Z. J. Mar. & Freshwat. Res.* 9(1):97-100.
- Ott, A. G., and H. F. Horton. 1971. Fertilization of chinook and coho salmon eggs with cryo-preserved sperm. *Journal of the Fisheries Research Board of Canada* 28(5):745-748.
- Ott, A. G., and H. F. Horton. 1971. Fertilization of steelhead trout, [*Salmo gairdneri*], eggs with cryo-preserved sperm. *Journal of the Fisheries Research Board of Canada* 28(12):1915-1918.
- Ott, A. G. 1975. Cryopreservation of Pacific salmon and steelhead trout sperm. *Diss. Abstr.* 36:75-26,065.
- Ottaway, E. M., and D. R. Forrest. 1983. The influence of water velocity on the downstream movement of alevins and fry of brown trout, [*Salmo*] [*trutta*] L. *J. Fish. Biol.* 23(2):221-228.
- Otten, E. 1982. The development of a mouth opening mechanism in a generalized [*Haplochromis*] species: [*H. elegans*] Trewavas 1933 (Pisces: Cichlidae). *Neth. J. Zool.*

Otterlei, E., G. Nyhammer, A. Folkvord, and S. O. Stefansson. 1999. Temperature and size dependent growth of larval and juvenile cod ([*Gadus morhua*] L.) - a comparative study between Norwegian coastal cod and Northeast Arctic cod. *Canadian Journal of Fisheries and Aquatic Sciences* 56:2099-2111.

Ottersen, G., and H. Loeng. 2000. Covariability in early growth and year-class strength of Barents Sea cod, haddock, and herring: the environmental link. *Ices Journal of Marine Science* 57(2):339-348.

Ottersen, G., K. Helle, and B. Bogstad. 2002. Do abiotic mechanisms determine interannual variability in length-at-age of juvenile Arcto-Norwegian cod? *Canadian Journal of Fisheries and Aquatic Sciences* 59(1):57-65.

Otterstrom, A. 1906. Eggs and young of fishes in Danish waters. Rep. Dan. Biol. Stn. 13 (1903-1904), 85 pp.

Otto, R. G., and J. E. McInerney. 1970. Development of salinity preference in pre-smolt coho salmon ([*Oncorhynchus kisutch*]). *Journal of the Fisheries Research Board of Canada* 27(4):793-800.

Otto, R. G. 1971. Effects of salinity on the survival and growth of pre-smolt salmon ([*Oncorhynchus kisutch*]). *Journal of the Fisheries Research Board of Canada* 28(3):343-349.

Otto, R. G., and J. A. Boggs. 1983. Fish eggs and larvae of the Chesapeake Bay: observations on the problem of identifying field mortality of striped bass ([*Morone saxatilis*]) larvae from preserved samples. *Estuaries* 6(2):167-171.

Otwell, W. S. 1973. The optimum age, temperature and salinity for stocking juvenile striped bass, [*Morone saxatilis*]. *Virginia J. Sci.* 24:125.

Otwell, W. S., and J. V. Merriner. 1974. Optimum age, temperature, and salinity for estuarine stocking of juvenile striped bass, [*Morone*] [*saxatilis*]. N. E. Fish. Wildl. Conf., McAfee, NJ.

Otwell, W. S., and J. V. Merriner. 1975. Survival and growth of juvenile striped bass, [*Morone saxatilis*], in a factorial experiment with temperature, salinity and age. *Transactions of the American Fisheries Society* 104(1):560-566.

Ouchi, K. 1977. Temperature tolerance of young rockfish, [*Sebastes*] [*thompsoni*] (Jordan and Hubbs). *Bull. Japan Sea Reg. Fish. Res. Lab.* 28:1.

Ouellet, P., and J. J. Dodson. 1985. Tidal exchange of anadromous rainbow smelt ([*Osmerus*] [*mordax*]) larvae between a shallow spawning tributary and the St. Lawrence estuary. *Can. J. Fish. Aquat. Sci.* 42(8):1352-1358.

Outram, D. N. 1951. Observations on the retention and spawning of the Pacific herring. *Prog. Rep. Pacif. Biol. Stn. Nanaimo* 87:32-33.

Outram, D. N. 1955. The development of the Pacific herring egg and its use in estimating age of spawn. *Fish. Res. Bd. Can. Pac. Biol. Stn., Nanaimo, B.C. Circ.* 40, 10 pp.

Outram, D. M. 1955. The development of the Pacific herring egg and its use in estimating age of spawn. *Journal of the Fisheries Research Board of Canada* 35:1316-1321.

Outram, D. N. 1958. The magnitude of herring spawn losses due to bird predation on the west coast of Vancouver Island. *Fish. Res. Bd. Can. Pac. Prog. Rep.* 111:9-13.

Outten, L. M. 1956. Studies of the life history of the cyprinid fishes [*Notropis coccogenis*], [*N. galacturus*], and [*N.*] [*rubricroceus*]. Ph.D. Diss., Cornell Univ., Ithaca, NY, 149 pp.

- Outten, L. M. 1957. A study of the life history of the cyprinid fish [*Notropis coccogenis*]. *J. Elisha Mitchell Sci. Soc.* 73(1):68-84.
- Outten, L. M. 1958. Studies on the life history of the cyprinid fishes [*Notropis galacturus*] and [*N. rubricroceus*]. *J. Elisha Mitchell Sci. Soc.* 74(2):122-134.
- Oven, L. S. 1959. Pelagic fish eggs in the Black Sea off Karadag. *Tr. Karadag Biol. Sta.* 15:13-30.
- Oven, L. S. 1967. Reproduction of the Black Sea flounder, [*Platichthys*] [*flesus*] *Luscus*. *Vop. Ikhtiol.* 7(1):94-100.
- Overholtzer, K. L., and P. J. Motta. 2000. Effects of mixed-species foraging groups on the feeding and aggression of juvenile parrotfishes. *Environmental Biology of Fishes* 58(3):345-354.
- Overmann, G. J., R. D. Hoyt, and G. A. Kindschi. 1980. The larval life history of the crappies ([*Pomoxis*]) spp. *Trans. Kentucky Acad. Sci.* 41:105-115.
- Oviath, C. 1968. Juvenile lookdowns, [*Selene vomer*], in Wickford Cove, Narragansett Bay, Rhode Island. *Transactions of the American Fisheries Society* 97(1):64.
- Ovsyannikov, F. V. 1892. *Fur Entwicklungsgesch des Flussneunanges*. *Abstr. J. Roy. Micro. Soc.* 1892-460.
- Owen, R. W. 1980. Patterning of flow and organisms in the larval anchovy environment. Pages 167-200 [in] G. Sharp, editor. *Workshop on effects of environmental variation on the survival of larval pelagic fishes*. UNESCO, Intergov. Oceanogr. Comm., Report 28, Paris.
- Owen, R. W. 1981. Microscale plankton patchiness in the larval anchovy environment. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:364-368.
- Owen, R. W. 1981. Patterning of flow and organisms in the larval anchovy environment. Pages 167-200 [in] G. D. Sharp, editor. *IOC Workshop Rep. 28*, UNESCO, Paris.
- Owen, R. W. 1989. Microscale and finescale variations of small plankton in coastal and pelagic environments. *J. Mar. Res.* 47:197-240.
- Oxenford, H. A., W. Hunte, R. Deane, and S. E. Campana. 1994. Otolith age validation and growth-rate variation in flyingfish ([*Hirundichthys affinis*]) from the Eastern Caribbean. *Marine Biology* 118:585-592.
- Ozawa, T., and H. Tsukahara. 1971. On the distribution of pelagic fish larvae and juveniles in the East China Sea and its adjacent regions. *Jap. J. Ichthyol.* 18(3):139-146.
- Ozawa, T., and H. Tsukahara. 1973. On the occurrence of the engraulid fish, [*Stolephorus buccaneeri*] *Strasburg*, in the oceanic region of the equatorial western Pacific. *J. Fac. Agr., Kyushu Univ.* 17:151-171.
- Ozawa, T. 1973. On the early life history of the gonostomatid fish, [*Vinciguerria nimbaria*], in the western North Pacific. *Mem. Fac. Fish. Kagoshima Univ.* 22(1):127-141.
- Ozawa, T. 1974. Preliminary survey of the fish larvae. Pages 21-31 [in] *Preliminary report of the Hakuho Maru Cruise KH-73-5*. *Ocean Res. Inst., Univ. Tokyo*.
- Ozawa, T. 1976. Early life history of the gonostomatid fish, [*Pollichthys mauii*], in the oceanic region off southern Japan. *Jap. J. Ichthyol.* 23(1):43-54.

- Ozawa, T. 1976. Preliminary survey of the fish larvae [in] Preliminary report of the Hakuho Maru Cruise KH-75-1. Ocean Res. Inst., Univ. Tokyo:16-21.
- Ozawa, T. 1978. Notosudid fish larvae in the ocean off southern Japan. Jap. J. Ichthyol. 25(2):79-88.
- Ozawa, T., and O. Tabeta. 1979. Anguillid leptocephalii from the eastern Indian Ocean. Bull. Jap. Soc. Sci. Fish. 45(9):1069-1073.
- Ozawa, T., and S. Matsui. 1979. First record of the schindlerid fish, [Schindleria] [praematura], from southern Japan and the south China Sea. Jap. J. Ichthyol. 25:283-285.
- Ozawa, T. 1983. Study on the early life history and the distribution of oceanic fish larvae in the ocean off southern Japan. Ph.D Diss., Kyushu Univ.
- Ozawa, T. 1984. The postlarvae of spotted mackerel, [Scomber] [australasicus] Cuv. (Pisces, Scombridae). Bull. Jap. Soc. Sci. Fish. 50(8):1317-1322.
- Ozawa, T. 1986. Studies on the oceanic ichthyoplankton in the western North Pacific. Kyushu Univ. Press.
- Ozawa, T., and G. C. Penaflo. 1990. Otolith microstructure and early ontogeny of a myctophid species [Benthosema pterotum]. Nippon Suisan Gakkaishi-Bulletin of the Japanese Society of Scientific Fisheries 56:1987-1995.
- Ozoh, P. T. E. 1979. Malformations and inhibitory tendencies induced to [Brachydanio rerio] (Ham.-Buch.) eggs and larvae due to exposures in low concentration of lead and copper ions. Bull. Env. Contam. Toxicol. 21(4-5):668-675.
- Pacheco, A. L. 1962. Age and growth of spot in lower Chesapeake Bay with notes on distribution and abundance of juveniles in the York River system. Ches. Sci. 3(1):18-28.
- Pacheco, A. L., and G. C. Grant. 1965. Studies of the early life histories of Atlantic menhaden in estuarine nurseries. Part 1. Seasonal occurrence of juvenile menhaden and other small fishes in a tributary creek of Indian River, Delaware, 1957-1958. Spec. Scient. Rep. U.S. Fish Wildl. Serv., No. 504, 32 pp.
- Pacheco, A. L. Editor. 1973. Proceedings of a workshop on egg, larval and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, NJ, 338 pp.
- Pacheco, A. L. 1973. Range and distribution of alewife, blueback herring and American shad. Page 266 [in] A. L. Pacheco, editor. Proc. of a workshop on egg, larval and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, NJ, 338 pp.
- Pacheco, A. L. 1973. Range and distribution of striped mullet and white mullet. Page 267 [in] A. L. Pacheco, editor. Proc. of a workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, NJ, 338 pp.
- Pacheco, A. L., and G. C. Grant. 1973. Immature fishes associated with larval Atlantic menhaden at Indian River inlet, Delaware, 1958-61. Pages 78-87 [in] A. L. Pacheco, editor. Proc. of a workshop on egg, larval and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands.
- Packard, A. 1879. On the breeding of the eel; on the finding of male eels. American Naturalist 13:25-30.
- Packard, A. 1879. On the reproduction of the American eel. Zool. Anz. 2:15.



- Packard, A., and A. W. Wainwright. 1974. Brain growth of young herring and trout. Pages 499-508 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, Berlin.
- Padda, E. 1956. Eggs, larvae and juvenile stages of the Scombriformes of the Gulf of Naples. Pages 471-521 [in] Monografia 38.
- Padilla, R. 1972. Reproduction of carp, smallmouth buffalo, and river carpsucker in Elephant Butte Lake. M.S. Thesis, New Mexico St. Univ., Las Cruces, NM. 66 pp.
- Padmanabhan, K. G. 1955. Breeding habits and early embryology of [Macropodus] [cupanus] Cuvier and Val. Bull. Cent. Res. Inst., Univ. Travancore, Ser. C, Nat. Sci. 4.
- Padmanabhan, K. G. 1957. Early stages in the development of the toad fish, [Antennarius marmoratus] Bleeker. Bull. Cent. Res. Inst. Univ. Travancore 5C(1):85-92.
- Padmanabhan, K. G. 1959. Early stages in the development of [Laubuca] [dadiburjori] (Menon). Bull. Cent. Res. Inst. Univ. Travancore 7C(1):147-154.
- Padmanabhan, K. G. 1961. The early development of [Solenostomus cyanopterus]. Bull. Cent. Res. Inst. Trivandrum 80:1-13.
- Padmanabhan, K. G. 1963. Development of the flying fish, [Cypselurus] [cromatus]. Bull. Dept. Mar. Biol. Oceanogr., Univ. Kerala 1:45-56.
- Padoa, E. 1947. Famiglia: Gobiidae, pp. 648-678. In: Uova, larve e stadi giovanili de Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Padoa, E. 1947. Forme post-larvali e giovanili di [Carapus]. Publ. Staz. Zoo.. Napoli 20:111-120.
- Padoa, E. 1956. Famiglia 1: Trachinidae, pp. 687-697. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Padoa, E. 1956. Famiglia 10-13: Stromateidae, Centrolophidae, Nomeidae, Tetragonuridae, pp. 534-547. In: Uova, larve, e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Padoa, E. 1956. Famiglia 4: Trichiuridae, pp. 508-513. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Padoa, E. 1956. Famiglia 8: Ophidiidae, pp. 755-761. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Padoa, E. 1956. Famiglia 9: Carapidae, pp. 761-774. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Padoa, E. 1956. Heterosomata, pp. 783-877. In: Fauna e flora del Golfo di Napoli: Uova, larve e stadi giovanili di Teleostei. Sta. Zool. Napoli Publ. Monogr. 38.
- Padoa, E. 1956. Scombriformes and Carangiformes. Pages 471-572 [in] S. LoBianco, editor. Fauna e flora del Golfo de Napoli: Uova, larve e stadi giovanili de Teleostei. Stazione Zool. di Napoli Publ. Monogr. 38.
- Padoa, E. 1956. Sottordine: [Chromides], pp. 573-576. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Padoa, E. 1956. Triglidae, Peristediidae, Dactyopteridae, Gobiidae, Echeneidae, Jugulares, Gobiesocidae, Heterosomata, Pediculati, pp. 627-888. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli, 38. In Italian.

- Padoa, E. 1967. Eggs, larvae, and juvenile stages of the Scombriformes (in part) of the Gulf of Naples. *Trop. Atl. Biol. Lab. Transl.* 12, 1967. 49 pp.
- Pafiltschek, J. 1976. Investigations on toxic effects of Bayer 73 (Bayluscid Wp) on eggs and yolk-sac larvae of [*Tilapia-Leucostict*] (Cichlidae). *Experientia (Switz.)* 32:1537.
- Page, F. H., K. T. Frank, and K. R. Thompson. 1989. Stage dependent vertical distribution of haddock (*[Melanogrammus aeglefinus]*) eggs in a stratified water column - observations and model. *Canadian Journal of Fisheries and Aquatic Sciences* 46:55-67.
- Page, L. M., and P. W. Smith. 1970. The life history of the dusky darter, [*Percina*] [*sciera*], in the Embarras River, Illinois. *Illinois Nat. Hist. Surv. Biol. Notes*, No. 69, 15 pp.
- Page, L. M., and P. W. Smith. 1971. The life history of the slenderhead darter, [*Percina*] [*phoxocephala*], in the Embarras River, Illinois. *Ill. Nat. Hist. Surv. Biol. Notes* No. 74. 14 pp.
- Page, L. M. 1974. The life history of the spottail darter, [*Etheostoma*] [*squamiceps*], in Big Creek, Illinois, and Ferguson Creek, Kentucky. *Illinois Nat. Hist. Surv. Biol. Notes* No. 89, 20 pp.
- Page, L. M. 1975. The life history of the stripetail darter, [*Etheostoma kennicotti*], in Big Creek, Illinois. *Ill. Nat. Hist. Surv. Biol. Notes* No. 93. 15 pp.
- Page, L. M., and B. M. Burr. 1976. The life history of the slabrock darter, [*Etheostoma*] [*smithi*], in Ferguson Creek, Kentucky. *Ill. Nat. Hist. Surv. Biol. Notes* No. 99. 12 pp.
- Page, L. M. 1978. Redescription, distribution variation, and life history notes on [*Percina macrocephala*] (Percidae). *Copeia* 1978(4):655-664.
- Page, L. M. 1980. The life histories of [*Etheostoma olivaceum*] and [*E.*] [*striatulum*], two species of darters in central Tennessee. *Illinois Nat. Hist. Surv. Biol. Notes*, No. 113. 14 pp.
- Page, W. F. 1885. Effects of sunlight upon shad eggs. *Bull. Bur. Fish., Wash.* 5:308.
- Pahl, B. C., and H. M. Opitz. 1999. The effects of cypermethrin (Excis) and azamethiphos (Salmosan) on lobster [*Homarus americanus*] H-Milne Edwards larvae in a laboratory study. *Aquaculture Research* 30(9):655-665.
- Pahl, G., and G. Willfahrt, 1962. Growth study of young gizzard shad. *Proc. Minnesota Acad. Sci.* 30(1):22-25.
- Pahl, G., and J. Maurer. 1962. Food habits of the young gizzard shad. *Proc. Minnesota Acad. Sci.* 30(1):20-21.
- Paine, M. D. 1984. Ecological and evolutionary consequences of early ontogenies of darters (Etheostomatini). *Environmental Biology of Fishes* 11:97-106.
- Paine, M. D., and E. K. Balon. 1984. Early development of the northern logperch, [*Percina*] [*caprodes semifasciata*], according to the theory of saltatory ontogeny. *Environmental Biology of Fishes* 11(3):173-190.
- Paine, M. D., and E. K. Balon. 1984. Early development of the rainbow darter, [*Etheostoma*] [*caeruleum*], according to the theory of saltatory ontogeny. *Environmental Biology of Fishes* 11(4):277-299.
- Paine, M. D., and E. K. Balon. 1986. Early development of johnny darter, [*Etheostoma*] [*nigrum*], and fantail darter, [*E. flabellare*], with a discussion of its ecology and evolutionary aspects. *Environmental Biology of Fishes* 15(3):191-220.

- Painting, S., et al. 1998. Environmental and biological monitoring for forecasting anchovy recruitment in the southern Benguela upwelling region. *Fish. Oceanogr.* 7:364-374.
- Pakhorukov, A. M., A. M. Kuznetsov, and G. N. Kuragina. 1980. Possibilities of experimental investigation of the downstream migration of young fishes. *J. Ichthyol.* 20(3):123-130.
- Pakkasmaa, S., and J. Piironen. 2000. Water velocity shapes juvenile salmonids. *Evolutionary Ecology* 14(8):721-730.
- Pakrasi, B., and K. H. Alikunhi. 1953. On the development of the freshwater grey mullet, [*Mugil corsula*] (Ham.). *Journal of Zoology Soc. India* 1952 4(2):123-140.
- Pal, R. N., and H. A. Kahn. 1969. Breeding and development of [*Heteropneustes fossilis*] (Bloch). *Proc. Indian Sci. Cong.* 56(3):543-544.
- Pala, M. 1970. The embryological history of the primordial germ cells in [*Gambusia holbrooki*]. *Boll. Zool.* 37:49-62.
- Palace, V. P., R. E. Evans, K. Wautier, C. L. Baron, J. Werner, J. F. Klaverkamp, K. A. Kidd, and T. A. Dick. 2001. Altered distribution of lipid-soluble antioxidant vitamins in juvenile sturgeon exposed to waterborne ethynylestradiol. *Environmental Toxicology and Chemistry* 20(10):2370-2376.
- Paladino, F. V., and J. R. Spotila. 1978. The effect of arsenic on the thermal tolerance of newly hatched muskellunge ([*Esox masquinongy*]). *J. Therm. Biol.* 3(4):223-228.
- Palko, B. J., and J. Richards. 1969. The rearing of cowfish and related species from eggs. *Salt Water Aquar. Mag.* May-June 1969.
- Palko, B. J., G. L. Beardsley, and W. J. Richards. 1981. Synopsis of the biology of swordfish, [*Xiphias gladius*] L. *FAO Fish. Synopsis* 127, NOAA Tech. Rep., NMFS Circular 441.
- Palmer, C. J., and M. B. Culley. 1984. The egg and early life stages of the sand smelt, [*Atherina presbyter*] Cuv. *J. Fish. Biol.* 24(5):537-544.
- Palomera, I., and P. Rubies. 1977. Descripción de huevos y larvas de [*Microchirus ocellatus*] y [*M. azevia*] (Pleuronectiformes, Soleidae) de las costas del NW de Africa. *Res. Exped. Cient. B/O Cornide* 6:211-220.
- Palomera, I., and P. Rubies. 1978. Ichthyoplankton de la Mer Catalane. Larves de poissons recoltés sur deux stations fixes devant Barcelone au cours d'un cycle annuel. XXVI Congress-Assemblée Plénière CIESM, Antalya. 6 pp.
- Palomera, I., and J. M. Fortuno. 1981. Larvas leptocefalas de peces anguilliformes en la costa noroccidental de Africa. *Res. Exped. Cient.* 9:3-15.
- Palomera, I. 1991. Vertical distribution of eggs and larvae of [*Engraulis encrasicolus*] in stratified waters of the western Mediterranean. *Marine Biology* 111:37-44.
- Pan, A. E. 1960. Negative growth during metamorphosis and the regression of taxonomic varieties upon size in fishes. *Am. Mus. Novitates* 2019. 13 pp.
- Panagiotaki, P., and A. J. Geffen. 1992. Parental effects on size variation in fish larvae. *Journal of Fish Biology* 41: 37-42.
- Panasenko, V. A. 1975. Some features of the reproduction and present state of the spawning population of the bream, [*Abramis brama*], in Kursha Bay. *J. Ichthyol.* 15(2):232-239.

- Pandian, T. J. 1966. Feeding and reproductive cycles of the fish, [*Mystus galio*] in the Cooum Backwaters, Madras. *Ind. J. Fish.* 13(1-2):322-333.
- Panikkar, N. K., and R. G. Aiyar. 1939. Observations on breeding in brackish-water animals of Madras. *Proc. Indian Acad. Sci.* 9:343-365.
- Panikkar, N. K., and R. V. Nair. 1945. Progress report of the scheme of research on the fish eggs and larvae of the Madras plankton. Madras.
- Panikkar, N. K., P. R. S. Tampi, and R. Viswanathan. 1952. On the fry of the milk fish, [*Chanos chanos*] (Forsk.). *Curr. Sci.* 21(1):18-19.
- Panikkar, N. K., and P. R. S. Tampi. 1954. On the mouth-breeding cichlid, [*Tilapia mossambica*] Peters. *Indian J. Fish.* 1(1/2):217-230.
- Panikkar, N. P. 1920. Notes on the two cichlid fishes of Malabar, [*Eetroplus suratensis*], and [*E. maculatus*]. *Madras Fish. Bull.* 12:157-166.
- Pankhurst, P.M., and P. Butler. 1996. Development of the sensory organs in the greenback flounder, [*Rhombosolea tapirina*]. Pages 55-73 [in] L.A. Fuiman, editor. *Marine and Freshwater Behaviour and Physiology* 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Pankova, N. V. 1963. Changes in the cell nucleus in the early stages of development of the loach. *Tsitologiya* 5(1).
- Pannella, G. 1971. Fish otoliths: daily growth layers and periodical patterns. *Science* 173:1124-1127.
- Panov, D. A. 1960. Nutrients of sea bream larvae in the Rybensk Reservoir. *Trudy In-ta biol. vodokhranileshch*, No. 3 (6):176-182.
- Panov, D. A., and Y. I. Sorokin. 1968. The determination of the threshold concentration of the food of fish larvae by means of radioactive carbon. *Vop. Ikhtiol.* 7(1):129-141. *Fish. Res. Bd. Can. transl. Ser.* 1005:1-33.
- Panov, D. A., L. G. Motenkova, and V. G. Chertikhin. 1973. Factors influencing predation by juvenile carp, [*Cyprinus carpio*] (L.), on the young of phytophagous fishes in joint cultivation. *J. Ichthyol.* 13(6):915-919.
- Pantulu, V. R., and S. Jones. 1951. Notes on the larval development of the Gangetic whiting, [*Pama pama*] (Hamilton). *Journal of Zoology Soc. In dia* 3(1):105-111.
- Pantulu, V. R., and S. Jones. 1954. On some metamorphosing stages of eels (Muraenidae) from the estuary of the Burhabulong River, Orissa State. *Proc. Indian Acad. Sci.* 39B(1):24-35.
- Pantulu, V. R. 1956. Studies on the biology of the Indian freshwater eel, [*Anguilla bengalensis*] Gray. *Proc. Nat. Inst. Sci. India* 22B(5):259-280.
- Papadopol, M. 1966. Biology of reproduction of [*Rutilus rutilus*] in the lower basin of the Danube. *Vest. esl. Spol. Zool.* 30:151-167.
- Papadopol, M., and G. Ignat. 1967. Contribution to the study of the reproduction biology and growth of the American sunfish, [*Lepomis gibbosus*], in the low Danube (flooded zone). *Bull. Inst. Cere. Pisc.* 26(4):55-68.
- Papadopol, M. 1969. Research on the biology of reproduction of the carp, [*Carassius carassius*] (L.), in the lower basin of the Danube. *Vest. Ceskislov. Spol. Zool.* 33:40-55.
- Papageorgiou, N. 1978. Fecundity and reproduction of perch ([*Perca fluviatilis*] L.) in Lake Agios Vasilios, Greece. *Freshwat. Biol.* 7(6):559.

- Papageorgiou, N. K. 1979. The length-weight relationship, age, growth, and reproduction of the roach, [*Rutilus rutilus*] (L.), in Lake Volvi. *J. Fish. Biol.* 14(6):529-538.
- Papoutsoglou, S. E., and E. Papaparaskeva. 1978. Effect of water temperature on growth rate and body consumption of rainbow trout (*[Salmo gairdneri]*) fry, fed on maximum ration in closed system. *Thalassographica, Inst. Oceanogr. and Fish. Res., Athens.* 2(1):83-98.
- Papp, C. S. 1968. Scientific illustration, theory and practice. Wm. C. Brown, Dubuque, IA.
- Pappenhofer, E. A. 1968. Dry weight and caloric content of developing herring eggs. *Helv. Wiss. Meeres.* 18:45-52.
- Paquette, R. G., and H. F. Frolander. 1957. Improvements in the Clark-Bumpus plankton sampler. *J. du Cons.* 22(3):284-288.
- Paradis, A. R., P. Pepin, and J. A. Brown. 1996. Vulnerability of fish eggs and larvae to predation: review of the influence of the relative size of prey and predator. *Canadian Journal of Fisheries and Aquatic Sciences* 53:1226-1235.
- Paradise, P. R. 1976. Spawning kuhli loaches. *Trop. Fish Hobbyist* 24:57-65.
- Paraketsov, I. A. 1963. On the biology of [*Sebastes alutus*] in the Bering Sea. Pages 305-312 [in] *Soviet fisheries investigations in northeastern Pacific Ocean, Pt. 1. Tr. Vses. Nauch.-issled. Inst. Morsk. Ryb. Khoz. Okeanogr.* 48. Trans l. TT 67-51203, Clearinghouse Fed. Sci. Tech. Inform., Springfield, VA.
- Parameswaran, S., C. Selvaraj, and S. Radhakrishnan. 1969. Observations on the life history and bionomics of the carp minnow, [*Oxygaster bacaila*] (Hamilton). *J. Bombay Nat. Hist. Soc.* 66(3):443-454.
- Parameswaran, S., S. Radhakrishnan, and C. Selvaraj. 1971. Some observations on the biology of the carp minnow, [*Osteobrama cotio*] (Hamilton). *J. Inland Fish. Soc. India, Barrackpore* 3:103-118.
- Pardo, I., I. C. Campbell, and J. E. Brittain. 1998. Influence of dam operation on mayfly assemblage structure and life history in two south-eastern Australian streams. *Regulated Rivers* 14:285-295.
- Parente, W. D., and G. R. Snyder. 1970. A pictorial record of the hatching and early development of the eulachon (*[Thaleichthys] [pacificus]*). *Northwest Sci.* 44:50-57.
- Parin, N. V., and N. N. Gorbunova. 1964. Reproduction and development of some Indian Ocean Syntognathous fishes (Beloniformes, Pisces) based on materials of the r/s "Vitvaz" expeditions. *Tr. Inst. Okeanol. Moskva.* 73:224-234.
- Parin, N. V. 1967. Diurnal variation in the larval occurrence of some oceanic fishes near the ocean surface. *Oceanology* 7(1):115-121.
- Parin, N. V. 1967. Diurnal variation in the larval occurrence of some oceanic fishes near the ocean surf. *Oceanology* 7:115-121.
- Parin, N. V. 1968. Ichthyofauna of the epipelagic zone. Moskva, Izdatel'-stov Nauka 186 pp.
- Park, D. L., E. M. Dawley, R. F. Crema, C. W. Long, E. Slatick, J. R. Smith, and G. A. Swan. 1976. Evaluation of fish protective facilities at Little Goose and Lower Granite dams and review of other studies relating to protection of juvenile salmonids in the Columbia and Snake Rivers, 1975. U.S. NMFS, NW and Alaska Fish. Ctr., Seattle, WA.

- Parker, J. C. 1971. The biology of the spot, [*Leiostomus xanthurus*] Lacepede and Atlantic croaker, [*Micropogon undulatus*] (Linnaeus) in the Gulf of Mexico nursery areas. Texas A&M Sea Grant Publ. No. TAMU-SG-71-2, 182 pp.
- Parker, R. R. 1963. Effects of formalin on length and weight of fishes. *Journal of the Fisheries Research Board of Canada* 20(6):1441-1455.
- Parker, R. R. 1969. Foods and feeding of juvenile pink salmon in central British Columbia waters. I. 1966 diel series. *Fish. Res. Bd. Can. MS Rep.* 1017.
- Parker, R. R. 1971. Size selective predation among juvenile salmonid fishes in a British Columbia inlet. *Journal of the Fisheries Research Board of Canada* 28:1503-1510.
- Parker, R., and B. A. Kask. 1974. Fishes of the Nanaimo Estuary, their species composition, abundance and diet, July 1972-March 1973. *Fish. Res. Bd. Can. Ms. Rep. Ser.* 1331.
- Parker, T., and V. Tunnicliffe. 1994. Dispersal strategies of the biota on an oceanic seamount: implications for ecology and biogeography. *Biological Bulletin* 187:336-345.
- Parker, T. J. 1890. Note on the foetal membranes of [*Mustelus*] [*antarcticus*]. *Trans. New Zealand Inst.* 22:331-333.
- Parker, W. K. 1882. On the development of the skull in [*Lepidosteus*] [*osseus*]. *Roy. Soc. London, Proc.* 33(217):107-112.
- Parker, W. K. 1882. On the structure and development of the skull in sturgeons ([*Acipenser ruthenus*] and [*A. sturio*]). *Phil. Trans. Roy. Soc. Lond.* 173:139-185.
- Parker, W. K. 1883. On the development of the skull in [*Lepidosteus*] [*osseus*]. *Phil. Trans. R. Soc. Lond.* 173(2):443-492.
- Parkes, A. S. Editor. 1956. *Marshall's physiology of reproduction* (3rd ed.). Longmans, Green & Co., Ltd., London, Vol. I, Pt. 1, 688 pp.
- Parkes, A. S. Editor. 1960. *Marshall's physiology of reproduction* (3rd ed.). Longmans, Green & Co., Ltd., London, Vol. I, Pt. 2, 877 pp.
- Parrish, B. B., A. Saville, R. E. Craig, I. G. Baxter, and R. Priestly. 1959. Observations on herring spawning and larval distribution in the firth of Clyde in 1958. *J. Mar. Biol. Assoc. U.K.* 38:445-453.
- Parrish, B. B., I. G. Baxter, and M. J. D. Mowat. 1960. An automatic fish egg counter. *Nature London* 185(4715):777.
- Parrish, B. B., and A. Saville. 1965. The biology of the northeast Atlantic herring populations. *Oceanogr. Mar. Biol. Ann. Rev.* 3:323-373.
- Parrish, B. B. Editor. 1973. Fish stocks and recruitment. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 164, 372 pp.
- Parrish, F. A. 1989. Identification of habitat of juvenile snappers in Hawaii. *Fish. Bull., U.S.* 87:1001-1005.
- Parrish, P. K., et al. 1976. Chronic toxicity of methoxychlor, Malathion, and Carbofuran to sheepshead minnows, [*Cyprinodon*] [*variegatus*]. *Env. Prot. Ag. Ecol. Res. Ser., EPA-600/3-77-059.*
- Parrish, P. R., et al. 1978. Chronic toxicity of Chlordane, Trifluralin, and Pentachlorophenol to sheepshead minnows, [*Cyprinodon*] [*variegatus*]. *U.S. Env. Prot. Ag. Ecol. Res. Ser. EPA-600/9-78-010*, 121.

- Parrish, R. H., C. S. Nelson, and A. Bakun. 1981. Transport mechanisms and reproductive success of fishes in the California Current. *Biol. Oceanogr.* 1:175-203.
- Parslow, J. S., and A.J. Gabric. 1989. Advection, dispersal and plankton patchiness on the Great Barrier Reef. *Aust. J. Mar. Freshwater Res.* 40:403-19.
- Parsons, J. W. 1972. Life history and production of walleyes of the 1959 year-class in western Lake Erie, 1959-1967. *Transactions of the American Fisheries Society* 102(4):655-661.
- Parsons, J., K. U. Vickers, and Y. Warden. 1977. Relationship between elver recruitment and changes in the sex ratio of silver eels [*Anguilla anguilla*] L. migrating from Lough Neagh, northern Ireland. *J. Fish. Biol.* 10(3):211-230.
- Parsons, L. S., and V. M. Hodder. 1970. Occurrence of juveniles and spawning Atlantic mackerel in southeast Newfoundland waters. *Journal of the Fisheries Research Board of Canada* 27(11):2097-2100.
- Parsons, T. R., and T.A. Kessler. 1987. An ecosystem model for the assessment of plankton production in relation to the survival of young fish. *J. Plankton Res.* 9:125-137.
- Pasch, R. W., P. A. Hackney, and J. A. Holbrook, II. 1980. Ecology of paddlefish in Old Hickory Reservoir, Tennessee, with emphasis on first-year life history. *Transactions of the American Fisheries Society* 109(1):157-167.
- Pasteels, J. 1963. Gastrulation of [*Protopterus dolloi*]. *Afr. Cent. Ser.* 108:175-184.
- Pate, P., Jr. 1972. Life history aspects of the hickory shad, [*Alosa*] [*mediocris*] (Mitchill), in the Neuse River, North Carolina. M.S. Thesis, North Carolina State Univ., Raleigh, 67 pp.
- Paterson, W. D., and J. L. Fryer. 1974. Effect of temperature and antigen dose on the antibody response of juvenile coho salmon, [*Oncorhynchus kisutch*], to [*Aeromonas salomocida*] endotoxin. *Journal of the Fisheries Research Board of Canada* 31(11):1743-1749.
- Paterson, W. D., and J. L. Fryer. 1974. Immune response of juvenile coho salmon, [*Oncorhynchus kisutch*], to [*Aeromonas salmonicida*] cells administered intra-peritoneally in Freund's complete adjuvant. *Journal of the Fisheries Research Board of Canada* 31(11):1751-1755.
- Patnaik, D. A. 1966. On the biology of [*Mugil cephalus*] L. of the Chilka Lake. *Proc. 2nd All India Congr. Zol. (Varanasi)*. 1962:457-464.
- Paton, D. N. 1904. Observations on the amount of dissolved oxygen in water required by young Salmonidae. *Proc. Roy. Soc. Edinburg* 24:145-150.
- Patten, B. C. 1968. Mathematical models of plankton production. *Int. Rev. Ges. Hydrobiol. Hydrogr.* 53:357-408.
- Patten, B. G. 1962. Cottid predation upon salmon fry in a Washington stream. *Transactions of the American Fisheries Society* 91:427-429.
- Patten, B. G., and D. T. Rodman. 1969. Reproductive behavior of northern squawfish, [*Ptychocheilus oregonensis*]. *Transactions of the American Fisheries Society* 98(1):108-111.
- Patten, B. G. 1971. Increased predation by the torrent sculpin, [*Cottus*] [*rhotheus*], on coho salmon fry, [*Oncorhynchus*] [*kisutch*], during moonlight nights. *Journal of the Fisheries Research Board of Canada* 28:1352-1354.

- Patten, B. G. 1971. Predation by sculpins on fall chinook salmon, [*Oncorhynchus tshawytscha*], fry of hatchery origin. U.S. Dept. Comm., NMFS Spec. Sci. Rep. Fish. 621.
- Patten, B. G. 1972. Predation, particularly by sculpins, on salmon fry in fresh waters of Washington. U.S. Dept. Commer., NMFS Serv., Data Rep. 71. 21 pp.
- Patten, B. G. 1973. Biological information on copper rockfish in Puget Sound, Washington. Transactions of the American Fisheries Society 102(2):412-416.
- Patten, B. G. 1977. Body size and learned avoidance as factors affecting predation on coho salmon, [*Oncorhynchus kisutch*], fry by torrent sculpin, [*Cottus rhotheus*]. NOAA Fish. Bull. 75(2):457-459.
- Patten, B. J. 1975. Comparative vulnerability of fry of Pacific salmon and steelhead trout to predation by torrent sculpin in stream aquaria. Nat. Mar. Fish. Serv. Fish. Bull. 73(4):846-861.
- Patterson, R. L. 1979. Production, mortality, and power plant entrainment of larval yellow perch in western Lake Erie. U.S. EPA, Duluth, MN. Rep. EPA-600/3-79-087.
- Patterson, R. L., and K. D. Smith. 1982. Impact of power plant entrainment of ichthyoplankton on juvenile recruitment of four fishes in western Lake Erie in 1975-77. J. Great Lakes Res. 8:558-569.
- Pauchet, C. 1878. Du develop du Squelette des poissons osseaux. J. de l'Anat. et al Phys. 14:34-100.
- Paul, A. J., D. W. Hood, and R. A. Neve. 1976. A note on rearing juvenile chum salmon, [*Oncorhynchus keta*], in an artificial upwelling system. Aquaculture 9(4):387-390.
- Paul, A. J. 1983. Light, temperature, nauplii concentration, and prey capture by first feeding pollock larvae, [*Theragra*] [*chalcogramma*]. Mar. Ecol. Prog. Ser. 13:175-179.
- Paulik, G. J. 1973. Studies of the possible form of the stock-recruitment curve. Pages 303-315 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Paulsen, E. 1930. On the fluctuations in the abundance of cod fry in the Kattegat and the Belt Sea and causes of the same. Rapp. et Proc. Verb 65.
- Pauly, D. 1984. A mechanism for the juvenile-to-adult transition in fishes. J. Cons. 41(3):280-284.
- Pauly, D., and R. S. V. Pullin. 1988. Hatching time in spherical, pelagic, marine fish eggs in response to temperature and egg size. Environmental Biology of Fishes 22:261-271.
- Paulzke, C. F., and R. C. Meigs. 1941. Studies on the life history of the Puget Sound steelhead trout ([*Salmo gairdneri*]). Transactions of the American Fisheries Society 70:209-220.
- Pavlov, D., and S. G. Soin. 1976. The reproductive ecology and development of the freshwater "Kamchatka trout", [*Salmo mykiss*]. J. Ichthyol. 16(2):284-294.
- Pavlov, D. A. 1984. Effect of temperature during early ontogeny of Atlantic salmon, [*Salmo salar*]. 1. Variability of morphological characters and duration of development of Atlantic salmon under different temperatures. J. Ichthyol. 24(6):30-38.
- Pavlov, D. A. 1985. Effect of temperature during early ontogeny of the Atlantic salmon, [*Salmo salar*]. 2. Growth of the embryo and consumption of yolk during development at various temperatures. J. Ichthyol. 25(2):41-52.



- Pavlov, D. S., A. M. Pakhorukov, G. N. Kuragina, V. K. Nezdolii, N. P. Nekrasova, D. K. Brodskiy, and A. L. Ersler. 1977. Some features of the downstream migrations of juvenile fishes in the Volga and Kuban Rivers. *J. Ichthyol.* 17(3):363-374.
- Pavlov, D. S., and A. N. Gorin. 1985. Use of rheotactic movement indices to assess suitability of vital stains as tags for juvenile fish. *J. Ichthyol.* 25(5):163-167.
- Pavlovskaya, R. M. 1955. Early survival of Black Sea khamisa. *Tr. AzCherNIRO* 16:99-120.
- Pavlovskaya, R. M. 1958. Some aspects of the Black Sea khamisa biology reproduction and development related to the problems of population dynamics. *Tr. AzCherNIRO* 17:75-109.
- Pavlovskaya, R. M. 1958. The survival of anchovy larvae in the northwest and certain other regions of the Black Sea in 1954-55 in relation to food conditions. *Dokl. Akad. Nauk SSSR Biol. Sci. Sect. (transl.)* 120:346-348.
- Pavlovskaya, R. M. 1961. La survie des larves de l'anchois de la mer noire en fonction de leur alimentation. *Rapp. comm. int. Mer Medit.*, 16:345-350.
- Pavlovskaya, R. M. 1970. Spawning conditions and an estimate of recruitment of the major summer-spawning food fishes of the Black Sea in 1965-1968. *J. Ichthyol.* 10(2):229-234.
- Pavshchik, E. A., and L. A. Pan'kova. 1968. On feeding the young redfish of the genus [Sebastes] in the Davis Strait. *Mater. Rybokhoz. Issled. Sev. Bass.* 10.
- Pawlik, J. R., C. A. Butman, and V. R. Starczak. 1991. Hydrodynamic facilitation of gregarious settlement of a reef-building tube worm. *Science* 251:421-424.
- Payne, A. I. 1975. The reproductive cycle, condition and feeding in [Barbus liberiensis], a tropical stream-dwelling cyprinid. *Journal of Zoology (Lond.)* 176(2):247-269.
- Payne, N. R. 1964. The life history of the walleye, [Stizostedion] [vitreum vitreum] (Mitchill), in the Bay of Quinte. M.A. Thesis, Univ. Toronto. 40 pp.
- Peake, S. 1999. Substrate preferences of juvenile hatchery-reared lake sturgeon, [Acipenser fulvescens]. *Environ. Biol. Fish.* 56(4):367-374.
- Pearcy, W. G. 1962. Ecology of an estuarine population of winter flounder, [Pseudopleuronectes americanus] (Walb.). IV. Food habits of larvae and juveniles. *Bull. Bingham Oceanogr. Collect. Yale Univ.* 18(1):65-78.
- Pearcy, W. G. 1962. Distribution and origin of demersal eggs within the order Pleuronectiformes. *J. Cons. perm. int. Explor. Mer* 27(3):232-235.
- Pearcy, W. G. 1962. Ecology of an estuarine population of winter flounder, [Pseudopleuronectes americanus] (Walbaum). Part I: Hydrography of the Mystic River estuary, p. 5. Part II: Distribution and dynamics of larvae, p. 16. *Bull. Bingham oceanogr. Coll.* 18(1).
- Pearcy, W. G. 1962. Egg masses and early developmental stages of the scorpaenid fish, [Sebastolobus]. *Journal of the Fisheries Research Board of Canada* 19:1169-1173.
- Pearcy, W. G. 1962. Species composition and distribution of marine nekton in the Pacific Ocean off Oregon. Oregon State Univ., Dept. Oceanogr., AEC Prog. Rep. 1, Ref-62-8, 15 pp.
- Pearcy, W. G., and L. Hubbard. 1964. A modification of the Isaacs-Kidd midwater trawl for sampling at different depth levels. *Deep-Sea Res.* 11(2):263-264.
- Pearcy, W. G., and S. S. Myers. 1974. Larval fishes of Yaquina Bay, Oregon: a nursery ground for marine fishes? *Fish. Bull. NOAA (U.S.)* 72(1):201-213.

Pearcy, W. G., M. Hosie, and S. L. Richardson. 1977. Distribution and duration of pelagic life of larvae of Dover sole, [*Microstomus pacificus*]; rex sole, [*Glyptocephalus zachirus*]; and petrale sole, [*Eopsetta jordani*]; in waters off Oregon. Fish. Bull. NOAA (U.S.) 75(1): 173-183.

Pearcy, W. G. 1978. Distribution and abundance of small flatfishes and other demersal fish in a region of diverse sediments and bathymetry off Oregon. NOAA-NMFS Fish. Bull. 76(3):629-640.

Pearcy, W. G., and Hancock. 1978. Feeding habits of Dover sole, [*Microstomus*] [*pacificus*]; rex sole [*Glyptocephalus zachirus*]; slender sole, [*Lyopsetta exilis*]; and Pacific sand dab, [*Citharichthys sordidus*], (including young) in a region of diverse sediments and bathymetry off Oregon. NOAA-NMFS Fish. Bull. 76(3):641-651.

Pearcy, W. G., D. L. Stein, M. A. Hixon, E. K. Pikitch, W. H. Barss, and R. M. Starr. 1989. Submersible observations of deep-reef fishes of Heceta Bank, Oregon. Fishery Bulletin 87:955-965.

Pearson, J. C. 1929. Natural history and conservation of redfish and other commercial sciaenids on the Texas coast. Bull. Bur. Fish., Wash. 44, Doc. No. 1046: 129-214.

Pearson, J. C. 1938. The life history of the striped bass, or rockfish, [*Roccus saxatilis*] (Walbaum). Bull. Bur. Fish., Wash. 49(28):825-851.

Pearson, J. C. 1941. The young of some marine fishes taken in lower Chesapeake Bay, Virginia with special reference to the grey sea trout, [*Cynoscion regalis*] (Bloch). Fish. Bull. Fish Wildl. Serv. U.S. 50(36):79-102.

Pearson, J. C. 1952. Rearing young shad in ponds. Progressive Fish-Culturist 14(1):33-36.

Pearson, W. D., G. A. Thomas, and A. L. Clark. 1979. Early piscivory and timing of the critical period in postlarval longnose gar at mile 571 of the Ohio River. Trans. Kentucky Acad. Sci. 40(3-4):122-128.

Pechkurenkov, V. L. 1970. The origination of chromosomal aberrations in larvae of the loach developed in strontium-90 -yttrium-90 solutions of varying activity. Genetika 6, No. 10.

Pechkurenkov, V. L. 1970. Rise of chromosomal aberrations of [*Misgurnus*] [*fossilis*] L. larvae developing in the Sr-90 -Y-90 solutions of various activity. Genetika 6(10):67-68.

Pechkurenkov, V. L., I. A. Shekhanova, and I. G. Telysheva. 1972. The effect of chronic small dose irradiation on the embryonic development of fishes and the validity of various assessment methods. J. Ichthyol. 12(1):71-79.

Pechkurenkov, V. L., I. G. Telysheva, and I. A. Shekhanova. 1974. Results of research on the effect of chronic exposure to various concentrations of radionuclides on the embryogenesis of fish. Tr. Vses. Nauchno-Issled Inst. Morsk Rybn. Khoz. Okeanogr. 85(3):928-972.

Pechkurenkov, V. L. 1974. The dose rate and somatic mutagenesis in fish embryos. Tr. Vses. n.-i. in-ta morsk. rybn. kn-va i okeanogr., 100.

Pechkurenkov, V. L. 1976. Chronic irradiation of embryos of the loach with EDTA and caffeine. Radiobiologiya 16(4).

Pechkurenkov, V. L. 1976. The formation of chromosomal rearrangements in fish embryos under the influence of chronic irradiation. Radiobiologiya 16(6):842.

Pechkurenkov, V. L., and G. L. Pokrovskaya. 1978. On the correspondence of data on the incubation of fish eggs in solutions of strontium-90 -yttrium-90 of varying activity under laboratory conditions and in natural waters. J. Ichthyol. 18(6):995-1004.

- Peck, J. W. 1970. Straying and reproduction of coho salmon, [*Oncorhynchus kisutch*], planted in a Lake Superior tributary. Transactions of the American Fisheries Society 99(3): 595-596.
- Peck, J. W. 1978. Population dynamics of lake trout in early life history stages and characteristics of an artificial spawning reef. Mich. Dept. Nat. Res. Fish. Div., D-J Ann. Prog. Rep. F-35-R-4. Lansing, MI.
- Peck, J. W. 1981. Dispersal of lake trout fry from an artificial spawning reef in Lake Superior. Mich. Dept. Nat. Res. Rep. 1892, Lansing.
- Peckham, R. S. 1955. Ecology and life history of the central mudminnow, [*Umbra limi*] (Kirtland). Ph.D Diss., Univ. Notre Dame. 71 pp.
- Peckham, R. S., and C. F. Dineen. 1963. Development of the caudal fin in the central mudminnow, [*Umbra limi*] (Kirtland). Copeia 1963(3):586-588.
- Pedersen, B. H. 1984. The intestinal evacuation rates of larval herring ([*Clupea harengus*] L.) predated on wild plankton. Dana Vol. 3:21-30.
- Pedersen, B. H., E. M. Nilssen, and K. Hjelmeland. 1987. Variations in the content of trypsin and trypsinogen in larval herring ([*Clupea harengus*]) digesting copepod nauplii. Marine Biology 94:171-181.
- Pedersen, B. H., and K. Hjelmeland. 1988. Fate of trypsin and assimilation efficiency in larval herring ([*Clupea harengus*]) following digestion of copepods. Marine Biology 97:467-476.
- Pedersen, B. H., I. Ugelstad, and K. Hjelmeland. 1990. Effects of a transitory, low food supply in the early life of larval herring ([*Clupea harengus*]) on mortality, growth and digestive capacity. Marine Biology 107:61-66.
- Pedersen, B. H., and K. P. Andersen. 1992. Induction of trypsinogen secretion in herring larvae ([*Clupea harengus*]). Marine Biology 112:559-565.
- Pedersen, B. H. 1993. Growth and mortality in young larval herring ([*Clupea harengus*]) - effects of repetitive changes in food availability. Marine Biology 117:547-550.
- Peebles, E. B., J. R. Hall, and S. G. Tolley. 1996. Egg production by the bay anchovy [*Anchoa mitchilli*] in relation to adult and larval prey fields. Marine Ecology - Progress Series 131:61-73.
- Peek, W. D., E. W. Sidon, J. H. Youson, and M. M. Fisher. 1979. Fine structure of the liver in the larval lamprey, [*Petromyzon marinus*] L.; hepatocytes and sinusoids. Am. J. Anat. 156(2):231-250.
- Pehrson, T. 1922. Some points in the cranial development of teleostean fishes. Acta Zool. Haft 1, Arg. 3:63 pp.
- Pehrson, T. 1944. Some observations on the development and morphology of the dermal bones in the skull of [*Acipenser*] and [*Polyodon*]. Acta Zool. (Stockholm) 25:27-48.
- Pekovitch, A. W. 1979. Distribution and some life history aspects of the shortnose sturgeon ([*Acipenser brevirostrum*]) in the upper Hudson River estuary. Hazelton Environ. Sci. Corp., Northbrook, Illinois.
- Pelluet, D. 1944. Criteria for the recognition of developmental stages in the salmon ([*Salmo salar*]). J. Morph. 74:395-407.
- Pelren, D. W., and K. D. Carlander. 1971. Growth and reproduction of yearling [*Tilapia aurea*] in Iowa ponds. Proc. Iowa Acad. Sci. 78(1-2):27-29.

- Penaz, M. 1967. The influences of ammonia on eggs and young of [*Salmo trutta*] var. [*fario*]. *Zool. Listy*. 14(1):47-54.
- Penaz, M. 1968. Development of the chub, [*Leuciscus cephalus*] (L., 1758) in the posthatching period. *Zoologicke Listy* 17(3):269-278.
- Penaz, M. 1968. Early development of the grayling, [*Thymallus*] [*thymallus*] (L., 1758). *Acta Sci. Nat. Acad. Sci. Bohemoslov. Brno*. 9:1-35.
- Penaz, M. 1970. Influence of starvation on the mortality and development of fish larvae. *Ichthyologia* 2(1):83-94.
- Penaz, M. 1970. Differences in mortality rate and development in feeding and starving larvae of [*Chondrostoma nasus*] and [*Barbus barbus*] (Pisces). *Zoologicke Listy* 20(1):85-94.
- Penaz, M. 1973. Embryonic development of the barb, [*Barbus barbus*] (L., 1758). *Zoologicke Listy* 22(4):363-374.
- Penaz, M. 1974. Early development of the Nase carp, [*Chondrostoma*] [*nasus*] (L. 1758). *Zool. Listy* 23:275-288.
- Penaz, M. 1974. Influence of water temperature on incubation and hatching in [*Chondrostoma nasus*] (L. 1758). *Zool. Listy*. 23:53.
- Penaz, M. 1975. The locomotor activity of larval and juvenile minnows, [*Phoxinus phoxinus*]. *Zoll. Listy* 24:263.
- Penaz, M., and M. Prokes. 1978. Reproduction and early development of the gudgeon, [*Gobia gobia*]. I. Spawning and embryonic period. *Folia Zoologica* 27(3):257-267.
- Penaz, M., M. Prokes, and E. Wohlgenuth. 1978. Fish fry community of the Jihlava River near Mohelno. *Acta Scientiarum Naturalium, Brno* 12(5):1-36.
- Penaz, M., and J. Gajdusek. 1979. Early development of bream, [*Abramis brama*], from the water reservoir Mostiste, Czechoslovakia. *Folia Zoologica* 28(4):347-360.
- Penaz, M. 1981. Ecomorphological principles and saltation in the early ontogeny of fishes. Pages 95-100 [in] M. Penaz and M. Prokes, editors. *Topical problems of ichthyology*. Czechoslovak Acad. Sci., Brno.
- Penaz, M., A. L. Roux, P. Jurajda, and J. M. Olivier. 1992. Drift of larval and juvenile fishes in a by-passed floodplain of the upper River Rhone, France. *Folia Zoologica* 41:281-288.
- Pennell, D. A. 1964. Development of eggs of the bluegill ([*Lepomis*] [*macrochirus*]) with emphasis on the fertility of the eggs after ovulation. *Nat. Sci. Found. Undergrad. Res. Prog.* (unpubl.), 18 pp.
- Pennell, W. 1967. Preliminary report on a study of neuston in the Gulf of St. Lawrence. *Rapp. Stn Biol. Mar. Grande-Riviere* (1966):55-60.
- Penney, R. W., and G. T. Evans. 1985. Growth histories of larval redfish ([*Sebastes*] spp.) on an offshore Atlantic fishing bank determined by otolith increment analysis. *Can. J. Fish. Aquat. Sci.* 42(9):1452-1464.
- Penny, R. W. 1985. Comparative morphology of preextrusion larvae of the North Atlantic sharp-beaked redfishes, [*Sebastes*] [*mentella*] and [*Sebastes fasciatus*] (Pisces, Scorpaenidae). *Canadian Journal of Zoology* 63(5):1181-1188.

- Pennington, M., and P. Berrien. 1981. Measuring the effects of the variability of egg densities over space and time on egg abundance estimates. ICES Larval fish ecology working group meeting, Lowestoft, Suffolk, U.K.
- Pentastico, J. B., J. B. Baldia, and D. M. Reyes, Jr. 1986. Feed preference of milkfish, [*Chanos chanos*] Forskal, fry given different algal species as a natural food. *Aquaculture* 56(3/4):169-178.
- Pepin, P. S. Pearre, Jr., and J.A. Koslow. 1987. Predation on larval fish by Atlantic mackerel, [*Scomber scomberus*], with a comparison of predation by zooplankton. *Can. J. Fish. Aquat. Sci.* 44:2012-2018.
- Pepin, P. 1989. Predation and starvation of larval fish: a numerical experiment of size- and growth-dependent survival. *Biol. Oceanogr.* 6: 23-44.
- Pepin, P., and R. A. Myers. 1991. Significance of egg and larval size to recruitment variability of temperate marine fish. *Canadian Journal of Fisheries and Aquatic Sciences* 48:1820-1828.
- Pepin, P., T. H. Shears, and Y. Delafontaine. 1992. Significance of body size to the interaction between a larval fish ([*Mallotus villosus*]) and a vertebrate predator ([*Gasterosteus aculeatus*]). *Marine Ecology-Progress Series* 81:1-12.
- Pepin, P. 1993. Application of empirical size-dependent models of larval fish vital rates to the study of production - accuracy and association with adult stock dynamics in a comparison among species. *Canadian Journal of Fisheries and Aquatic Sciences* 50:53-59.
- Pepin, P. 1993. An appraisal of the size-dependent mortality hypothesis for larval fish - comparison of a multispecies study with an empirical review. *Canadian Journal of Fisheries and Aquatic Sciences* 50:2166-2174.
- Pepin, P., and S. M. Carr. 1993. Morphological, meristic, and genetic analysis of stock structure in juvenile Atlantic cod ([*Gadus morhua*]) from the Newfoundland Shelf. *Canadian Journal of Fisheries and Aquatic Sciences* 50: 1924-1933.
- Pepin, P., J. A. Helbig, R. Laprise, E. Colbourne, and T. H. Shears. 1995. Variations in the contribution of transport to changes in planktonic animal abundance: a study of the flux of fish larvae in Conception Bay, Newfoundland. *Canadian Journal of Fisheries and Aquatic Sciences* 52:1475-1486.
- Pepin, P., and T. H. Shears. 1995. Influence of body size and alternate prey abundance on the risk of predation to fish larvae. *Marine Ecology-Progress Series* 128:279-285.
- Pepin, P., and R. W. Penney. 1997. Patterns of prey size and taxonomic composition in larval fish: are there general size-dependent models? *J. Fish Biol.* 51 (Suppl. A): 84-100.
- Pepin, P., J. F. Dower, and W. C. Leggett. 1998. Changes in the probability density function of larval fish body length following preservation. *Fish. Bull.* 96: 633-640.
- Pepin, P., J. F. Dower, J. A. Helbig, and W. C. Leggett. 2002. Estimating the relative roles of dispersion and predation in generating regional differences in mortality rates of larval radiated shanny ([*Ulvaria subbifurcata*]). *Canadian Journal of Fisheries and Aquatic Sciences* 59(1):105-114.
- Peppar, J. L. 1965. Some feature of the life history of cockscomb prickleback, [*Anoplarchus purpureus*]. M.S. Thesis, Univ. British Columbia, Vancouver.
- Pequignot, J., et al. 1975. Effect of copper sulfate on mucous cells in alevins of trout, [*Salmo irideus*]. *Europ. J. Toxicol.* 8:52.
- Perceva, T. A. 1936. Key to pelagic eggs of fishes of the Barents Sea. Moscow 1-36.

- Perceva, T. A. 1939. The development of the Caspian shad, [*Caspialosa*] [*caspia*] (Eichw.). Trudy vses. nauchno-issled. Inst. morsk. ryb Khoz. Okeanogr. 8:27-65.
- Perceva-Ostroumova T. A. 1951. Reproduction and development of grey mullets introduced in the Caspian Sea. Vses. Nauch. issled. Inst. Morsk. rybn. Khoz. i okeanogr., Moscow XVIII:123-134.
- Percy, R. C., and I. C. Potter. 1977. Changes in haemopoietic sites during the metamorphosis of the lampreys, [*Lampetra*] [*fluviatilis*], and [*Lampetra planeri*]. Journal of Zoology London 183:111-123.
- Pereira, J. J., R. Goldberg, J. Ziskowski, P. L. Berrien, W. W. Morse, and D. L. Johnson. 1999. Essential fish habitat source document: winter flounder [*Pseudopleuronectes americanus*], life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-138.
- Perera, P. A. B., and S. S. deSilva. 1978. Studies on the biology of young grey mullet, [*Mugil*] [*cephalus*], digestion. Mar. Biol. Berlin 44(4):383-387.
- Perera, P. A. B., and S. S. deSilva. 1978. Studies on the chemical biology of young grey mullet, [*Mugil cephalus*] L. J. Fish. Biol. 13(3):297.
- Perez, J. E., and N. Maclean. 1974. Ontogenetic changes in haemoglobins in roach, [*Rutilus rutilus*] (L.) and rudd, [*Scardinius*] [*erythrophthalmus*] (L.). J. Fish Biol. 6(4):479-482.
- Perham, R., and B. Kynard. 1986. Studies of juvenile alosids at Holyoke and Turners Falls dams, 1985. Final Rep. Northeast Utilities Serv. Co., Berlin, CT.
- Perkins, F. E. 1965. Incubation of fall-spawned eggs of the little skate, [*Raja erinacea*] (Mitchill). Copeia 1965(1):114-115.
- Perlmutter, A. 1939. An ecological survey of young fish and eggs identified from tow-net collections. New York Cons. Dept., Suppl. 28th Ann. Rep. (1938):11-71.
- Perlmutter, A. 1939. A biological survey of the salt waters of Long Island, 1938. Sec. I. An ecological survey of young fish and eggs identified from tow-net collections. Fish. Bull. NOAA (U.S.) 51(45):206-228.
- Perlmutter, A. 1939. I. An ecological survey of young fish and eggs identified from tow net collections, pp. 11-71. In: A biological study of the salt waters of Long Island, 1938. Suppl. 28th Ann. Rep. St. N.Y. Cons, Dept. 29:11-71.
- Perlmutter, A., and G. M. Clarke. 1949. Age and growth of immature rosefish ([*Sebastes*] [*marinus*]) in the Gulf of Maine and off western Nova Scotia. Fish. Bull. Fish. Wildl. Serv. U.S. 51(45):207-228.
- Perlmutter, A. 1951. An aquarium experiment on the American eel as a predator on larval lampreys. Copeia 1951(2):173-174.
- Perlmutter, A. 1962. Lethal effects of fluorescent light on the eggs of the brook trout. Progressive Fish-Culturist 24(1):26-30.
- Perlmutter, A., and W. Atopol. 1963. The effect of neotetrazolium on the newly fertilized eggs of the brook trout, [*Salvelinus fontinalis*] (Mitchill). Copeia 1963(1):166-168.
- Perret, W. S. 1966. Occurrence, abundance, and size distribution of fishes and crustaceans collected with otter trawl in Vermilion Bay, Louisiana. M.S. Thesis, Univ. SW Louisiana, Lafayette, LA. 65 pp.

- Perrone, M., Jr., P. J. Schneeberger, and D. J. Jude. 1983. Distribution of larval yellow perch ([*Perca flavescens*]) in nearshore waters of southeastern Lake Michigan. *J. Great Lakes Res.* 9:517-522.
- Perry, D. M. 1984. Post-fertilization changes in the chorion of winter flounder, [*Pseudopleuronectes americana*] Walb., eggs observed with scanning electron microscopy. *J. Fish. Biol.* 25(1):83-94.
- Perry, L. G., and B. W. Menzel. 1978. Identification of nine larval cyprinids inhabiting small northern rivers, pp. 141-173. In: Wallus, R., and C. W. Voigtlander (eds.), *Proc. of a workshop on freshwater larval fishes*. TVA, Norris, TN.
- Perry, L. G. 1979. I. Identification of nine larval cyprinids inhabiting small northern rivers. II. Spatial and temporal patterns of larval fish drift in the upper Skunk River. M.S. Thesis, Iowa State Univ., Ames, IA.
- Perry, R. I., and J.D. Neilson. 1988. Vertical distributions and trophic interactions of age-0 Atlantic cod and haddock in mixed and stratified waters of Georges Bank. *Mar. Ecol. Prog. Ser.*, Vol. 49:199-214.
- Perry, R. I., N. B. Hargreaves, B. J. Waddell, and D. L. Mackas. 1996. Spatial variations in feeding and condition of juvenile pink and chum salmon off Vancouver Island, British Columbia. *Fisheries Oceanography* 5:73-88.
- Persov, G. M., and N. N. Bayunova. 1976. Post-radiation gonad development in juvenile Atlantic salmon. [In] B. N. Kazanskiy, editor. *Ecological plasticity of sexual cycles and reproduction in fish*, Leningrad Gos. Univ., Leningrad, USSR. 33.
- Persson, L., P. Byström, E. Wahlström, A. Niljuning, and S. Rosema. 2000. Resource limitation during early ontogeny: constraints induced by growth capacity in larval and juvenile fish. *Oecologia* 122(4): 459-469.
- Pertceva-Ostrovnikov T. A. 1961. The reproduction and the development of far-east flat fishes. In Russian. *Akad. Nauk. Inst. Oceanol.*, Moscow. 486 pp.
- Pertseva, T. A. 1936. *Opredelitel pelagicheskikh ikrinik ryb Barrentseva morya*. (Identification key to pelagic fish eggs from the Barents Sea). *Pishepromizdat*, Moskova, 36 pp.
- Pertseva, T. A. 1939. The spawning, eggs and fingerlings of fish in Motovskiy Bay. *Tr. Vses. n.-i. in-ta morsk. rybn. kh.-va i okeanogr.*, 4.
- Pertseva, T. A. 1940. The spawning of the Caspian shads as shown by the distribution of eggs and larvae. Part I. [*Caspialosa caspia*] (Eichw.). *Trudy vses. nauchno-issled. Inst. morsk. rybn. khoz. Okeanogr.* 14:1-2.
- Pertseva-Ostrovnikov T. A. 1953. Some new data on the development of flatfishes (Family: *Pleuronectidae*). *Dokl. Akad. Nauk SSSR* 91:973-976.
- Pertseva-Ostrovnikov T. A. 1954. Materials on the development of far eastern flounders (*Pleuronectidae*). I. Development of the yellowfin sole, [*Limanda aspera*] Pallas. *Tr. Inst. Okeanol. Acad. Nauk. SSSR* 11:221-232.
- Pertseva-Ostrovnikov T. A. 1955. Key for the identification of pelagic eggs of fishes of the Bay of Peter the Great. *Bull. Pacific Sci. Inst. Fish. Vladivostok* 43:43-68.
- Pertseva-Ostrovnikov T. A. 1957. Spawning and development of the flatfishes (*Pleuronectidae*) of the far eastern seas. *Proc. 9th Pac. Sci. Congr. Bangkok, Thailand*. 10:16-17.

- Pertseva-Ostroumov T. A. 1960. The reproduction and development of the needle-toothed halibut, genus [Atherestes] (Jordan and Gilbert) (Pleuronectidae, Pisces). Zool. Zh. 39(110):1658-1669.
- Pertseva-Ostroumov T. A. 1961. The reproduction and development of far-eastern flounders. Akad. Nauk SSSR, Inst. Okeanol. 484 pp. transl. Fish. Res. Bd. Can. 856, 1003 pp.
- Pertseva-Ostroumov T. A. 1963. Features of the reproduction and development of the flounder having benthic and pelagic roe. In: Problems of Ecology. Vysshaya Shkola, Moscow 5:161-163.
- Pertseva-Ostroumov T. A. 1963. New data on the distribution of flounder spawn in Primor'e waters. Trudy Inst. Okeanol. 62:13-27.
- Pertseva-Ostroumov T. A. 1964. Some morphological characteristics of myctophid larvae (Myctophidae, Pisces). Pages 79-97 [in] T. S. Rass, editor. Fishes of the Pacific and Indian Oceans, Biology and distribution. Trudy Inst. Okeanol. 73.
- Pertseva-Ostroumov T. A. 1965. Flatfish larvae from the Gulf of Tonkin. Tr. Inst. Okeanol. Acad. Nauk. SSSR 80:177-220. in Russian.
- Pertseva-Ostroumov T. A. 1967. Larval stages of some [Protomyctophum] and [Electrona] species (Pisces, Myctophidae). Trudy Inst. Okeanol. 84:222-236.
- Pertseva-Ostroumov T. A. 1971. Unusual flounder larvae (Pleuronectiformes Pisces). J. Ichthyol. 11:817-822.
- Pertseva-Ostroumov T. A. 1972. Larvae of luminous pelagic fishes in the family Myctophidae from collections acquired during the Australian expeditions of the "Gascoyne" and "Clamantina". Vop. Ikhtiol. 12(4):693-704.
- Pertseva-Ostroumov T. A. 1972. The larvae of lanternfish (Myctophidae) collected by Australian Expeditions on H.M.A.S. Gascoyne and H.M.A.S. Diamantina. J. Ichthyol. 12:634-643.
- Pertseva-Ostroumov T. A., and T. S. Rass. 1973. Ichthyoplankton of the southeastern Pacific Ocean. Tr. Inst. Okeanol. Acad. Nauk. SSSR 94:7-70.
- Pertseva-Ostroumov T. A. 1974. New data on lanternfish larvae (Myctophidae, Pisces) with oval eyes from the Indian and Pacific oceans. Tr. Inst. Okeanol. Akad. Nauk. SSSR 96:77-142.
- Pertseva-Ostroumov T. A. 1975. Larvae of the lanternfish, [Diaphus agassizi] (Myctophidae, Pisces). J. Ichthyol. 15(4):606-610.
- Pertseva-Ostroumov T. A. 1977. On the development of some species of the genus [Gymnoscopelus] (Myctophidae). J. Ichthyol. 17(1):58-65.
- Pesaro, M., M. Balsamo, G. Gondolfi, and P. Tongiorgi. 1981. Discrimination among different kinds of juvenile eels, [Anguilla anguilla] (L.). Monit. Zool. Ital. (N.S.) 15:183-191.
- Pesttrak, J. M. 1977. Fish eggs and larvae collected from the lower Coosae River, Alabama. M.S. Thesis, Auburn Univ.
- Peter, K. J. 1967. A note on the record of [Rastrelliger] (mackerel) larvae from the Indian Ocean. Curr. Sci. 36(10):273-274.
- Peter, K. J. 1967. Preliminary report on the density of fish eggs and larvae of the Indian Ocean. Bull. Natl. Inst. Sci. India 38:854-864.



- Peter, K. J. 1967. Preliminary reports on the density of fish eggs and larvae of the Indian Ocean. Int. Indian Ocean Exp. Newslett. 4(4):26.
- Peter, K. J. 1969. Larvae of [Rastrelliger] (mackerel) from the Indian Ocean. Bull. Natl. Inst. Sci. India (38), Pt. 2:771-777.
- Peter, K. J. 1970. Distribution of fish eggs and larvae in the Indian Ocean. Plankton Atlas IICE 2(2):5 pp.
- Peter, K. J. 1974. Seasonal variation of ichthyoplankton in the Arabian Sea with respect to the monsoon, p 46. In: Report of the international symposium on the early life history of fish. FAO Fish. Rep. No. 141, 58 pp.
- Peter, K. J. 1981. Influence of environmental changes on the distribution of ichthyoplankton in the Bay of Bengal. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:210-216.
- Peterka, J. J., and J. S. Kent. 1976. Dissolved oxygen, temperature, and survival of young fish at fish spawning sites. U.S. Environ. Prot. Ag., EPA-600/3-76-113, Duluth, MN.
- Peterman, R. M., and M. Gatto. 1978. Estimate of functional responses of predators on juvenile salmon. Journal of the Fisheries Research Board of Canada 35(6):797-808.
- Peterman, R. M., and M.J. Bradford. 1987. Wind speed and mortality rate of a marine fish, the northern anchovy ([*Engraulis mordax*]). Science 235:354-356.
- Peterman, R. M., M.J. Bradford, and G.H. Kruse. 1987. Simulation model of English sole ([*Parophrys vetulus*]) population dynamics in Washington and Oregon coastal waters. Can. J. Fish. Aquat. Sci. 44:1870-1878.
- Peterman, R. M., M.J. Bradford, N.C.H. Lo, and R.D. Methot. 1988. Contribution of early life stages to interannual variability in recruitment of northern anchovy ([*Engraulis mordax*]). Can. J. Fish. Aquat. Sci. 45:8-16.
- Peters, D. S. 1971. Growth and energy utilization of juvenile flounder, [*Paralichthys dentatus*] and [*P. luhistigma*], as affected by temperature, salinity and food availability. Ph.D Diss., North Carolina State Univ., Raleigh. 69 pp.
- Peters, D. S. 1972. Feeding selectivity in juvenile Atlantic menhaden, [*Brevoortia tyrannus*] (Pisces: Clupeidae). Assoc. S. E. Biol. Bull. 19(2):91.
- Peters, D. S., and J. W. Angelovic. 1973. Effect of temperature, salinity, and food availability on growth and energy utilization of juvenile summer flounder, [*Paralichthys dentatus*]. Pages 545-554 [in] D. J. Nelson, editor. Radionuclides in ecosystems, Proc. Natl. Symp. Radioecol., Oak Ridge, TN, 1971, Vol. 1. U.S. Atomic Energy Comm., Oak Ridge, TN (CONF-710501-P1).
- Peters, D. S., and M. A. Kjelson. 1975. Consumption and utilization of food by various postlarvae and juvenile fish of North Carolina estuary. Pages 448-472 [in] L. E. Cronin, editor. Estuary research. Academic Press.
- Peters, D. S., M. T. Boyd, and J. C. DeVane, Jr. 1976. The effect of temperature, salinity, and food availability on the growth and food-conversion efficiency of postlarval pinfish. Pages 106-112 [in] G. W. Esch and R. W. McFarland, editors. Thermal Ecology II. Tech. Info. Centr. Energy Res. and Dev. Adm. 405 pp.
- Peters, D. S., J. C. Devane, M. T. Boyd, L. C. Clements, and A. B. Powell. 1977. Preliminary observations on feeding, growth, and energy budget of larval spot, [*Leiostomus xanthurus*]. Ann. Rep., Beaufort Lab, Beaufort, NC.

- Peters, J. C. 1962. The effects of stream sedimentation on trout embryo survival. Pages 272-279 [in] C. M. Tarzwell, editor. Trans. 3rd seminar on biol. problems in water pollution. U.S. Dept. Health, Ed., Wel., Public Serv. Publ. 999-SP-25, Wash., DC.
- Peters, K. M. 1981. Reproductive biology and developmental osteology of the Florida blenny, [*Chasmodes saburrae*] (Perciformes: Blenniidae). Northeast Gulf Sci. 4(2): 79-98.
- Peters, K. M. 1985. Larval development of [*Lupinoblennius nicholsi*] with comments on larval blenniini identifications in Tampa Bay, Florida. Bull. Mar. Sci. 36(3): 445-453.
- Peters, K. M., and R.H. McMichael, Jr. 1987. Early life history of the red drum, [*Sciaenops ocellatus*] (Pisces: Sciaenidae) in Tampa Bay, Florida. Estuaries 10:92-107.
- Peters, N., Jr. 1963. Embryonal e Anpassungen oviparer Zahnkarpfen aus periodisch austrocknenden Gewässern. Int. Rev. ges. Hydrobiol. 48:257-313.
- Peters, N., Jr. 1965. Diapause and embryonale Missbildung bei eierlegenden Zahnkarpfen. Roux' Archiv für Entwicklungsmech. 156:75-87.
- Petersen, C. G. J. 1891. Eine Methode zur Bestimmung des Alters und Wuchses der Fische. Mitt. dt. Seefisch. Ver 11:226-235.
- Petersen, C. G. J. 1892. On the eggs and breeding of our Gobiidae. Rep. Dan. Biol. Stn. 2: 1-8.
- Petersen, C. G. J. 1894. On some zoological characteristics applicable by the determination of young (post-larval) flatfishes. Rep. Dana Biol. Sta. IV:125-146.
- Petersen, C. G. J. 1896. The yearly immigration of young plaice into the Limfjord from the German sea. Rep. Danish Biol. Stat. 6:1-48.
- Petersen, C. G. J. 1901. The biology of the cod in Danish Seas. I and II. Rep. Dan. Biol. Sta.
- Petersen, C. G. J. 1904. On the larval and postlarval stages of the long rough dab and the genus [*Pleuronectes*]. Meddr Kommn Havunders., Ser. Fiskei 1(1):1-13.
- Petersen, C. G. J. 1905. Larval eels ([*Leptocephalus brevirostris*]) of the Atlantic coasts of Europe. Meddr Kommn Havunders., Ser. Fiskei 1(5):1-5.
- Petersen, C. G. J. 1905. On the young stages of the genus [*Zeugopterus*]. Rep. Dan. Biol. Sta. 12:25-32.
- Petersen, C. G. J. 1906. On the larval and postlarval stages of some Pleuronectidae ([*Pleuronectes*], [*Zeugopterus*]). Meddr Kommn Havunders., Ser. Fiskei 2(1): 1-10.
- Petersen, C. G. J. 1909. On the larval and postlarval stages of some Pleuronectidae ([*Zeugopterus*], [*Arnoglossus*], [*Solea*]). Meddr Kommn Havunders., Ser. Fiskei 5(1):1-18.
- Petersen, C. G. J. 1917. On the development of our common gobies ([*Gobius*]) from the egg to the adult stages, etc. Rep. Dan. Biol. Stn. 24, 1916(1917):3-16.
- Petersen, C. G. J. 1919. Our gobies (Gobiidae). From the egg to adult stages. Rep. Dan. Biol. Stn. 25:45-66.
- Peterson, C. H. 1976. Cruising speed of juvenile members of striped mullet: an evolution response to predation. Evolution 30(2):393-396.
- Peterson, C. L. 1956. Observations on the taxonomy, biology, and ecology of the engraulid and clupeid fishes in the Gulf of Nicoya, Costa Rica. Bull. Inter-Am. Trop. Tuna Comm. Bull. 1:139-280.

- Petersen, C. W., R. R. Warner, S. Cohen, H. C. Hess, and A. T. Sewell. 1992. Variable pelagic fertilization success - implications for mate choice and spatial patterns of mating. *Ecology* 73:391-401.
- Peterson, N. P. 1982. Immigrations of juvenile coho salmon, [*Oncorhynchus*] [*kisutch*], into riverine ponds. *Canadian Journal of Fisheries and Aquatic Sciences* 39(9):1308-1310.
- Peterson, N. P. 1982. Population characteristics of juvenile coho salmon (*[Oncorhynchus kisutch]*) overwintering in riverine ponds. *Can. J. Fish. Aquat. Sci.* 39:1303-1307.
- Peterson, N. P., and C. J. Cederholm. 1984. A comparison of the removal and mark-recapture methods of population estimation for juvenile coho salmon in a small stream. *N.A. J. Fish. Mgmt.* 4(1):99-102.
- Peterson, R. H. 1975. Pectoral fin and opercular movements of Atlantic salmon, [*Salmo salar*], alevins. *Journal of the Fisheries Research Board of Canada* 32(5):643-647.
- Peterson, R. H. 1976. Temperature selection of juvenile Atlantic salmon, [*Salmo salar*], as influenced by various toxic substances. *Journal of the Fisheries Research Board of Canada* 33(8):1722-1730.
- Peterson, R. H., and J. L. Metcalfe. 1977. Changes in specific gravity of Atlantic salmon (*[Salmo salar]*) alevins. *Journal of the Fisheries Research Board of Canada* 34:2388-2395.
- Peterson, R. H., H. C. E. Spinney, and A. A. Sreedharan. 1977. Development of Atlantic salmon (*[Salmo salar]*) eggs and alevins under varied temperature regimes. *Journal of the Fisheries Research Board of Canada* 34(1):31-43.
- Peterson, R. H., and J. I. Metcalfe. 1979. Responses of Atlantic salmon alevins to temperature gradients. *Canadian Journal of Zoology* 57(7):1424-1430.
- Peterson, R. H., P. G. Daye, and J. L. Metcalfe. 1980. Inhibition of Atlantic salmon (*[Salmo salar]*) hatching at low pH. *Can. J. Fish. Aquat. Sci.* 37:770-774.
- Peterson, R. H., P. H. Johansen, and J. L. Metcalfe. 1980. Observations on early life stages of Atlantic tomcod, [*Microgadus tomcod*]. *Fish. Bull. U.S.* 78:147-158.
- Peterson, R. H., J. L. Metcalfe, and S. Ray. 1983. Effects of cadmium on yolk utilization, growth and survival of Atlantic salmon alevins and newly feeding fry. *Arch. Env. Contam. Toxicol.* 12:37-44.
- Peterson, R. H., and D. J. Martin-Robichaud. 1983. Embryo movements of Atlantic salmon, [*Salmo salar*], as influenced by pH, temperature, and state of development. *Canadian Journal of Fisheries and Aquatic Sciences* 40:777-782.
- Peterson, R. H. 1984. Influence of varying pH and some inorganic cations on the perivitelline potential of eggs of Atlantic salmon, [*Salmo salar*]. *Canadian Journal of Fisheries and Aquatic Sciences* 41(7):1066-1069.
- Peterson, R. H., J. L. Metcalfe, and S. Ray. 1985. Uptake of cadmium by eggs and alevins of Atlantic salmon (*[Salmo salar]*) as influenced by acidic conditions. *Bull. Env. Contam. Toxicol.* 34(3):359-368.
- Peterson, R. H., and D. J. Martin-Robichaud. 1986. Growth and major inorganic cation budgets of Atlantic salmon alevins at three ambient acidities. *Transactions of the American Fisheries Society* 115:220-226.
- Peterson, S. J. 1975. The seasonal abundance and distribution of fish eggs, larvae, and juveniles in the Merrimack river estuary, Massachusetts, 1974-75. M.S. Thesis, Univ. MA, Amherst, MA. 170 pp.

- Peterson, W. T., R. D. Brodeur, and W. G. Pearcy. 1982. Food habits of juvenile salmon in the Oregon coastal zone, June 1979. *Fish. Bull.* 80(4):841-852.
- Petersson, E., and T. J. rvi. 2000. Both contest and scramble competition affect the growth performance of brown trout, *Salmo trutta*, parr of wild and of sea-ranched origins. *Environ. Biol. Fish.* 59(2): 211-218.
- Petkevich, A. N. 1952. The biology and reproduction of the sturgeon in the Middle and Upper Obin connection with hydraulic engineering works. *Tr. Tomsk. gos. un-ta*, 119.
- Petravicz, J. J. 1936. The breeding habits of the least darter, [*Microperca*] [*punctulata*] Putnam. *Copeia* 1936(2):77-82.
- Petravicz, W. P. 1938. The breeding habits of the black-sided darter, [*Hadropterus maculatus*] Girard. *Copeia* 1938:40-44.
- Petrenko, L. A. 1966. Comparison of growth characteristics in wild and hatchery-reared Atlantic salmon fry and parr ([*Salmo*] [*salar*] L.) in the river. *Vop. Ikhtiolo.* 4(2):342-347. (*Fish. Res. Bd. Can. transl. Ser.* 752:1-9).
- Petrosky, C. E., and T. F. Waters. 1975. Annual production by the slimy sculpin population in a small Minnesota trout stream. *Transactions of the American Fisheries Society* 2:237-244.
- Petrova, L. S. 1968. Some data on the biology and distribution of the fry of the Korf-Karaginskii herring. *TINRO, Vladivostock* 64:321-327. *Transl. for Fish. Res. Bd. Can. Transl. Series No.* 1432.
- Petrova, N. A. 1976. The biology of the inconnu, [*Stenodus leucichthys*] [*nelma*], from the Irtysh River basin. *J. Ichthyol.* 16(1):17-27.
- Pew, P. 1957. Occurrence of young dolphin, [*Corphaena hippurus*], in a Texas Bay. *Copeia* 1957(4):300.
- Pfaff, J. R. 1936. [*Reinhardtius hippoglossoides*]. In: *Faune Ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer*, No. 17, 2 pp.
- Pfeiffer, R. A. 1955. Studies on the life history of the rosyface shiner, [*Notropis rubellus*]. *Copeia* 1955(2):95-104.
- Pfeiler, E. 1981. Salinity tolerance of leptocephalus larvae and juveniles of the bonefish (*Albulidae*: [*Albula*]) from the Gulf of California. *J. Exp. Mar. Biol.* 52:37-45.
- Pfeiler, E. 1984. Changes in water and salt content during metamorphosis of larval bonefish, [*Albula*]. *Bull. Mar. Sci.* 34:177-184.
- Pfeiler, E. 1984. Effect of salinity on water and salt balance in metamorphosing bonefish ([*Albula*]) leptocephali. *J. Exp. Mar. Biol. Ecol.* 82(2-3):183-190.
- Pfeiler, E. 1984. Glycosaminoglycan breakdown during metamorphosis of larval bonefish, [*Albula*]. *Mar. Biol. Lett.* 5(4):241-250.
- Pfeiler, E. 1984. Inshore migration, seasonal distribution, and size of larval bonefish, [*Albula*], in the Gulf of California. *Environmental Biology of Fishes* 10(1/2):117-122.
- Pfeiler, E., and A. Lunce. 1984. Changes in biochemical composition and energy utilization during metamorphosis of leptocephalus larvae of the bonefish, [*Albula*]. *Environmental Biology of Fishes* 10(4):243-252.
- Pfeiler, E. 1986. Towards an explanation of the development strategy in leptocephalus larvae of marine teleost fishes. *Environmental Biology of Fishes* 15(1):3-13.

- Pfeiler, E., M. A. Mendoza, and F.A. Manrique. 1988. Premetamorphic bonefish ([Albula] sp.) Leptocephali from the Gulf of California with comments on life history. *Environmental Biology of Fishes* 21:241-249.
- Pfeiler, E. 1989. Sensory systems and behavior of premetamorphic and metamorphic leptocephalous larvae. *Bran Behav. Evol.* 34:25-34.
- Pfeiler, E., E. Almada, and R. C. Vrijenhoek. 1990. Ontogenetic changes in proteins and isozyme expression in larval and juvenile bonefish ([Albula]). *Journal of Experimental Zoology* 254:248-255.
- Pflieger, W. L. 1965. Reproductive behavior of the minnows, [Notropis] [spilopterus] and [Notropis whipplei]. *Copeia* 1965(1):1-8.
- Pflieger, W. L. 1966. Young of the orangethroat darter ([Etheostoma] [spectabile]) in nests of the smallmouth bass ([Micropterus dolomieu]). *Copeia* 1966(1):139-140.
- Pflieger, W. L. 1966. Reproduction of the smallmouth bass ([Micropterus] [dolomieu]) in a small Ozark stream. *Am. Midl. Nat.* 76(2):410-418.
- Pflieger, W. L. 1966. Young of the orangethroat darter, [Etheostoma] [spectabile], in nests of the smallmouth bass, [Micropterus dolomieu]. *Copeia* 1966:139-140.
- Pflieger, W. L. 1975. Reproduction and survival of the smallmouth bass in Courtois Creek. Pages 231-239 [in] H. Clepper, editor. *Black bass biology and management*. Sport Fishery Inst., Washington, D.C.
- Pflieger, W. L. 1978. Distribution, status, and life history of the niangua darter, [Etheostoma nianguae]. *Missouri Dept. Cons. Aquat. Ser. No. 16*, 24 pp.
- Phelan, B. A., R. Goldberg, S. Hagan, J. Pereira, B. Bush, A.J. Bejda, P. Clark, and K. W. Able. 2000. Estuarine and habitat related differences in growth rates of young-of-the-year winter flounder ([Pseudopleuronectes americanus]) and tautog ([Tautoga onitis]) in three northeastern U.S. Estuaries. *J. Exp. Mar. Biol. Ecol.* 247(1): 1-28.
- Phelan, B. A., J. P. Manderson, A. W. Stoner and A. J. Bejda. 2001. Size-related shifts in the habitat associations of young-of-the-year winter flounder ([Pseudopleuronectes americanus]): field observations and laboratory experiments with sediments and prey. *J. Exp. Mar. Biol. Ecol.* 257(2):297-315.
- Phelps, J. 1900. The origin and development of the adhesive organ of [Amia calva]. *Michigan Acad. Sci., 1st Rep. (1894-99)*:137-139.
- Philippart, C. J. M., H. J. Lindeboom, J. Vandermeer, H. W. Vanderveer, and J. I. Witte. 1996. Long-term fluctuations in fish recruit abundance in the western Wadden Sea in relation to variation in the marine environment. *Ices Journal of Marine Science* 53:1120-1129.
- Phillips, A. C. 1977. Key field characters of use in identifying young marine Pacific salmon. *Fish. and Env. Can. Fish. and Mar. Serv., Rep. No. 746*. 13 pp.
- Phillips, A. C., and W. E. Barraclough. 1977. On the early life history of the lingcod ([Ophiodon] [elongatus]). *Fish. and Env. Can., Fish. Mar. Serv. Tech. Rep. No. 756*. 35 pp.
- Phillips, A. C., and W. E. Barraclough. 1978. Early marine growth of juvenile Pacific salmon in the Strait of Georgia and Saanich Inlet, British Columbia. *Can. Fish. Mar. Serv. Tech. Rep.* 830.
- Phillips, A. C., and J.C. Mason. 1986. A towed, self-adjusting sled sampler for demersal fish eggs and larvae. *Fisheries Research* 4:235-242.

- Phillips, A. M., and R. F. Dumas. 1959. The chemistry of developing brown trout eyed and sac fry. *Progressive Fish-Culturist* 21(4):161-164.
- Phillips, B. F., and P.S. McWilliam. 1989. Phyllosoma larvae and the ocean currents off the Hawaiian Islands. *Pacific Science* 43: 352-361.
- Phillips, F. S. 1940. Oxygen consumption and its inhibition in the development of [Fundulus] and various pelagic fish eggs. *Biol. Bull. (Woods Hole)* 78(2):256-274.
- Phillips, J. B. 1957. A review of the rockfishes of California (Family Scorpaenidae). California Dept. Fish Game, Fish. Bull. No. 104, 158 pp.
- Phillips, J. B. 1964. Life history studies on ten species of rockfish ([Sebastodes]). California Dept. Fish Game, Fish. Bull. 126. 70 pp.
- Phillips, J. B. 1978. A review (including development) of the lingcod, [Ophiodon elongatus]. *California Fish and Game* 45(1):19-28.
- Phillips, J. B., and J. Radovich. 1952. Surveys through 1951 of the distribution and abundance of young sardines ([Sardinops caerulea]). California Dept. Fish Game, Fish. Bull. No. 87. 63 pp.
- Phillips, J. W. 1978. The embryological effects of elevated thermal time-excess histories on the American shad, [Alosa] [sapidissima] (Wilson). Ph.D Diss., Univ. Mass. 131 pp.
- Phillips, P. J., W. D. Burke, and E. J. Keener. 1969. Observations of the trophic significance of jellyfishes in Mississippi Sound with quantitative data on the associative behavior of small fishes with medusae. *Transactions of the American Fisheries Society* 98:703-712.
- Phillips, R. L., and F. W. Claire. 1966. Intragravel movement of the reticulate sculpin, [Cottus perplexus], and its potential as a predator on salmonid embryos. *Transactions of the American Fisheries Society* 95(2):210-212.
- Phillips, R. W., and H. J. Campbell. 1962. The embryonic survival of coho salmon and steelhead trout as influenced by some environmental conditions in gravel beds. *Pac. Mar. Fish. Comm., 14th Ann. Rep.* 1961:60-73.
- Phillips, R. W. 1966. A trap for capture of emerging salmonid fry. *Progressive Fish-Culturist* 26(2):107.
- Phillips, R. W., R. L. Lantz, and E. W. Claire. 1973. The entrapment effect of 1-3 mm sand on emergent survival of coho salmon and steelhead trout fry. *Oregon Game Comm., Div. Wildl. Res., Corvallis.* 24 pp.
- Phillips, R. W., R. L. Lantz, E. W. Claire, and J. R. Moring. 1975. Some effects of gravel mixtures on emergence of coho salmon and steelhead trout fry. *Transactions of the American Fisheries Society* 104(3):461-466.
- Phillips, T. D. 1980. Seasonal distribution and relative abundance of ichthyoplankton in lower Hillsborough Bay, Florida. *Florida Sci.* 43(1):25.
- Phillips, W., and K. V. Koski. 1969. A fry trap method for estimating salmonid survival from egg deposition to fry emergence. *Journal of the Fisheries Research Board of Canada* 26:133-141.
- Phonlor, G. 1979. Fecundacao artificial e desenvolvimento dos ovos e larves de Parona signata em laboratorio (Osteichthyes, Carangidae). *Atl. Rio Grand,* 3:47-56.
- Piavis, G. W. 1961. Embryological stages in sea lamprey and the effects of temperature on development. *Fish. Bull. Fish. Wildl. Serv. U.S.* 61:111-143.

- Piavis, G. W. 1962. Exposure of several developmental stages of the sea lamprey, [*Petromyzon marinus*], to selective larvicides. *Copeia* 1962:652-653.
- Piavis, G. W. 1966. Embryology of the sea lamprey. [In] R. T. Smith, P. A. Miescher, and R. A. Goodes, editors. *Phylogeny of immunity*. Univ. of Florida Press, Gainesville, 271-273.
- Piavis, G. W., and J. H. Howell. 1969. Rearing of sea lamprey, [*Petromyzon marinus*], embryos in distilled water. *Copeia* 1969(1):204-205.
- Piavis, G. W. 1971. Embryology, Ch. 9. Pages 361-400 [in] M. W. Hardisty and I. C. Potter, editors. *The biology of lampreys*. Academic Press, Inc., NY, Vol. 1, 423 pp.
- Piccinetti, C., and G. P. Manfrin. 1970. Observations on the biology of the early juvenile stages of the tuna ([*Thunnus thynnus*] L.). *Boll. Pesca Piscic. Idrobiol.* 25(2):223-247.
- Piccenetti, C., et al. 1973. Note sur presence dans les eaux Algereennes D'une larve de Thon ou Germon, [*Thunnus alalunga*] (Bonn). *Pelagos* IV(2):66-72.
- Picciolo, A. 1960. The development of the anterior interhaemal cone of [*Eucinostomus argenteus*] Baird and Girard. *Copeia* 1960(1):70-71.
- Pickering, Q. H., and W. N. Vigor. 1965. The acute toxicity of zinc to eggs and fry of the fathead minnow. *Progressive Fish-Culturist* 27(3):153-157.
- Pickering, Q. H. 1966. Acute toxicity of alkyl benzene sulfonate and linear alkylate sulfonate to the eggs of the fathead minnow, [*Pimephales promelas*]. *Int. J. Air Wat. Pollut.* 10:385-391.
- Pierce, D. E. 2000. DMF survey identifies juvenile cod habitat. In *DMF News*. Second Quarter April-June 2000. Massachusetts Division of Marine Fisheries Publication.
- Pierson, E. C. 1953. The developmental morphology of [*Amia calva*]. Ph.D Diss., Univ. of Michigan. 185 pp.
- Pietrafesa, L. J., and G. S. Janowitz. 1986. Oceanographic effects on larval transport to estuaries. *Transport of Larval Fish and Shellfish through Coastal Inlets*, Ocean Springs, MS. Symposium Series 3, Am. Fish. Soc. In press.
- Pietri, R. 1983. An ultrastructural study of the chorion and its filaments in [*Oryzias latipes*]. M.S. Thesis, Rutgers State Univ., New Jersey.
- Pietsch, T. W. 1976. Dimorphism, parasitism and sex: reproductive strategies among deepsea ceratioid anglerfishes. *Copeia* 1976:781-793.
- Pietsch, T. W. 1984. Lophiiformes: development and relationships. Pages 320-324 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Pillai, A. K., A. I. Sahkanick, and C. Turner. 1974. Studies of metabolism in embryonic development. V. Biosynthesis of corticosteroids by trout embryos. *Gen. Comp. Endocrinol.* 24:152-161.
- Pillai, A. K., and C. Turner. 1974. Studies of metabolism in embryonic development. VI. Cortisol-binding proteins of trout embryos. *Gen. Comp. Endocrinol.* 24(2):162-167.
- Pillai, P. K. M., S. G. Vincent, and K. Ramdoss. 1977. Observations on the early juvenile stages of [*Johnius carutra*] Bloch, [*Pervager tomentosus*] (L.), and on a post larva of [*Pegasus volitans*] L. *J. Mar. Biol. Assoc. India* 19(1):73-77.

- Pillar, S. C., and M. Barange. 1995. Diel feeding periodicity, daily ration and vertical migration of juvenile Cape hake off the west coast of South Africa. *Journal of Fish Biology* 47:753-768.
- Pillay, S. R., and H. Rosa, Jr. 1963. Synopsis of biological data on hilsa, [Hilsa ilisha] (Ham.) 1822. *Fish. Biol. Synops.* FAO Rome 25.
- Pillay, T. V. R. 1949. On the culture of grey mullets in association with commercial carps in freshwater tanks in Bengal. *J. Bombay Nat. Hist. Soc.* 48(3):601-604.
- Pillay, T. V. R., and K. K. Sarojini. 1950. On the larval development of the Indian transparent goby, [Gobiopterus chuno] (Hamilton), with observations on its bionomics. *Proc. Natn. Inst. Sci. India* 16(3):181-187.
- Pillay, T. V. R. 1951. The structure and development of the scales of five species of grey mullets of Bengal. *Proc. Natl. Inst. Sci. India* 17(6):413-424.
- Pillay, T. V. R. 1954. The biology of the grey mullet, [Mugil tade] (Forsk.) (Forsk.), with notes on its fishery in Bengal. *Proc. Nat. Inst. Sci. India* 20(2):187-217.
- Pillsbury, R. W. 1957. Avoidance of poisonous eggs of the marine fish [Scorpaenicht hys marmoratus] by predators. *Copeia* 1957(3):251-252.
- Pinder, A.C., 2001. Keys to larval and juvenile stages of coarse fishes from fresh waters in the British Isles. Freshwater Biological Association. The Ferry House, Far Sawrey, Ambleside, Cumbria, UK. Scientific Publication No. 60. 136 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002).
- Pineda, J. 1991. Predictable upwelling and the shoreward transport of planktonic larvae by internal tidal bores. *Science* 253:548-551.
- Pineda, J. 1994. Internal tidal bores in the nearshore - warm-water fronts, seaward gravity currents and the onshore transport of neustonic larvae. *Journal of Marine Research* 52:427-458.
- Pinkas, L. 1961. Descriptions of post-larval and juvenile bonito from the eastern Pacific Ocean. *California Fish and Game* 47(2):175-188.
- Pinus, G. N. 1970. The food of Azov tyul'ka larvae ([Clupeonella d]. [deliculata]), the effect of feeding conditions on the abundance of the progeny. *J. Ichthyol.* 10(4):519-527.
- Pinus, G. N. 1974. Some factors influencing early survival and abundance of [Clupeonella] in the Sea of Azov, p. 47. In: Report of the international symposium on the early life history of fish. FAO Fish. Rep. No. 141, 58 pp.
- Pinus, G. N. 1974. Some factors influencing early survival and abundance of [Clupeonella] in the Sea of Azov. Pages 81-86 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, Berlin.
- Piper, H. 1902. Die Entwicklung von Leber, Pankreas, Schwimmblase und milz bei [Amia calva]. *Anat. gesellschaft, Jena. Verhandungen* 16:18-25.
- Piper, H. 1902. Die Entwicklung von Magen, Duodenum, Schwimmblase, Leber, Pankreas, und milz bei [Amia calva]. *Arch. Anad. und Physiol. (Anat. Abth.), Suppl.* (1902):1-87.
- Piper, H. 1903. Berichtigung zu meinen Aufsatz: Die Entwicklung von Magen, Duodenum, Schwimmblase, Leber, Pankreas und milz bei [Amia calva]. *Arch. Anad. und Physiol. (Anat. Abth.), Suppl.* (1903):27-28.



- Piron, R. D. 1978. Spontaneous skeletal deformities in the zebra danio, [*Brachydanio rerio*], bred for fish toxicity tests. *J. Fish. Biol.* 13:79.
- Pistono, R. D. 1975. Life history and habitat requirements of ohrid trout. Wyoming Fish Div. Adm. Rep., 12 pp.
- Pitkyanen, G. B. 1971. The results of incubation of the eggs of the pike, [*Esox lucius*], in solutions with a mixture of strontium-90. Tr. In-ta ekologii rasteniy i zhivotnykh Ural'sk fil. AN SSSR, No. 78.
- Pitt, T. K. 1958. Distribution, spawning and racial studies of the capelin, [*Mallotus villosus*] (Muller) in the offshore Newfoundland area. *Journal of the Fisheries Research Board of Canada* 15:275-293.
- Pitt, T. K. 1964. Fecundity of the American plaice, [*Hippoglossoides*] [*platessoides*] (Fabricius), from Grand Bank and Newfoundland areas. *Journal of the Fisheries Research Board of Canada* 21(3):597-611.
- Pitt, T. K. 1966. Sexual maturity and spawning of the American plaice, [*Hippoglossoides platessoides*] (Fabricius), from Newfoundland and Grand Bank areas. *Journal of the Fisheries Research Board of Canada* 23(5):651-672.
- Pitt, T. K. 1976. The biology and fishery of American plaice ([*Hippoglossoides platessoides*] (Fabricius) with special reference to the Grand Bank. Ph.D Diss., Memorial Univ., Newfoundland.
- Pittman, K., A. B. Skiftesvik, and L. Berg. 1990. Morphological and behavioural development of halibut, [*Hippoglossus hippoglossus*] (L) larvae. *Journal of Fish Biology* 37:455-472.
- Pityanen, G. B., and Y. A. Zaitsev. 1974. The nature of radiation conditions in the development of eggs of freshwater fish belonging to various ecological groups. *Soviet J. Ecol. (Ekologiya)* 5:566.
- Planes, S., R. Galzin, and F. Bonhomme. 1996. A genetic metapopulation model for reef fishes in oceanic islands: the case of the surgeonfish, *Acanthurus triostegus*. *Journal of Evolutionary Biology* 9:103-117.
- Planes, S. 1993. Genetic differentiation in relation to restricted larval dispersal of the convict surgeonfish [*Acanthurus triostegus*] in French Polynesia. *Marine Ecology-Progress Series* 98:237-246.
- Planes, S., F. Bonhomme, and R. Galzin. 1993. Genetic structure of [*Dascyllus aruanus*] populations in French Polynesia. *Marine Biology* 117:665-674.
- Pletcher, F. T. 1963. The life history and distribution of lampreys in the Salmon and certain other rivers in British Columbia, Canada. M.S. Thesis, Univ. British Columbia. 195 pp.
- Plisetskaya, E., S. Bhattacharya, W. Dickhoff, and A. Gorbman. 1984. The effect of insulin on amino acid metabolism and glycogen content in isolated liver cells of juvenile coho salmon, [*Oncorhynchus kisutch*]. *Comp. Biochem. Physiol.* 78A(4):773-778.
- Plosila, D. S., W. T. Keller, T. J. McCartney, and D. S. Robson. 1972. Effects of sperm storage and dilution on fertilization of brook trout eggs. *Progressive Fish-Culturist* 34(3):179-181.
- Plummer, K. M., E. E. DeMartini, and D. A. Roberts. 1982. The feeding habits and distribution of juvenile-small adult California halibut, [*Paralichthys*] [*californicus*], in coastal waters off northern San Diego County. *California Coop. Oceanic Fish. Invest. Rep.* XXIV:194-201.

- Podosinnikov, A. Y. 1977. Early ontogeny of the striped grunt, [*Parapristipoma*] [*humile*] (*Pomadasyidae*, *Pisces*). *J. Ichthyol.* 17(4):683-685.
- Podosinnikov, A. Y. 1978. Embryonic and early post-embryonic development of the "canarey drum", [*Umbrina canariensis*] (*Pisces: Sciaenidae*). *J. Ichthyol.* 18(6):1014-1017.
- Podrabsky, J. E. 1999. Husbandry of the annual killifish [*Austrofundulus limnaeus*] with special emphasis on the collection and rearing of embryos. *Environmental Biology of Fishes* 54(4):421-431.
- Podymakhin, V. N. 1971. Radiometric and dosimetric characteristics of experiments for determining the influence of radioactivity of a water medium on the development of eggs of the Atlantic salmon. *Tr. Polyarn, Nauch.-issled dProektivnogo Inst. Morsk. Rybn. Khoz. Okeanogr.* 29:113-132.
- Poels, C. L. M., and J. J. Strik. 1975. Chronic toxic effects of the water of the River Rhine upon rainbow trout. [In] J. H. Koeman and J. J. Strik, editors. *Sublethal effects of toxic chemicals on aquatic animals*. Elsevier Sci. Publ. Co., New York.
- Pokrovskaya, G. L., and V. L. Pechkurenkov. 1984. Effect of pH on Str-90 - Yttrium-90 solutions on incubation of loach eggs, [*Misgurnus fossilis*] (*Cobitidae*). *J. Ichthyol.* 130-135.
- Polacheck, T., D. Mountain, D. Mcmillan, W. Smith, and Berrien, P. 1992. Recruitment of the 1987 year class of Georges Bank haddock ([*Melanogrammus aeglefinus*]) - the influence of unusual larval transport. *Canadian Journal of Fisheries and Aquatic Sciences* 49:484-496.
- Polgar, T. T., R. E. Ulanowicz, D. A. Pyne, and G. M. Krainak. 1975. Investigation of the role of physical transport processes in determining ichthyoplankton distributions in the Potomac River. Interim Rep. for 1974 spawning season data, MD Power Plant Siting Program PPRP-11 and PPMP-14, 133 pp.
- Polgar, T. T., J. A. Mihursky, R. E. Ulanowicz, R. P. Morgan, and J. S. Wilson. 1976. An analysis of 1974 striped bass spawning success in the Potomac estuary. Pages 151-165 [in] M. L. Wiley, editor. *Estuarine processes, Vol. 1, Uses, stresses and adaptation to the estuary*. Academic Press, NY.
- Polgar, T. T. 1977. Striped bass ichthyoplankton abundance, mortality and production estimation for the Potomac River population. Pages 110-126 [in] W. Van Winkle, editor. *Proc. conf. on assessing effects of power plant induced mortality on fish populations*. Pergamon Press, NY.
- Policansky, D., and P. Sieswerda. 1979. Early life history of the starry flounder, [*Platichthys stellatus*], reared through metamorphosis in the laboratory. *Transactions of the American Fisheries Society* 108(3):326-327.
- Policansky, D. 1982. Influence of age, size, and temperature on metamorphosis in the starry flounder, [*Platichthys*] [*stellatus*]. *Canadian Journal of Fisheries and Aquatic Sciences* 39(3):514-517.
- Polikarpov, G. G., and V. N. Ivanov. 1962. The harmful action of strontium-90 and yttrium-90 in the early period of development of the goatfish, wrasse, mackerel and anchovy. *Dokl. An SSSR*, 144, No. 1.
- Polikarpov, G. G., and N. V. Gamezo. 1966. The radiosensitivity of the eggs of the redfish and the annular bream (activity of Sr-90 and Y-90). *Gidrobiol. Zhur.*, 2, No. 5.
- Poling, K. R., and L. A. Fuiman. 1999. Behavioral specialization in developing sciaenids and its relationship to morphology and habitat. *Environmental Biology of Fishes* 54:119-133.

- Poling, K. R., and L. A. Fuiman. 1998. Sensory development and its relation to habitat change in three species of sciaenids. *Brain, Behavior and Evolution* 52:270-284.
- Poling, K. R., and L. A. Fuiman. 1997. Sensory development and concurrent behavioural changes in Atlantic croaker larvae. *Journal of Fish Biology* 51:402-421.
- Pollack, D. E., and S. M. Crain. 1972. Development of motility in fish embryos in relation to release from early central nervous system inhibition. *J. Neurobiol.* 3(4):381-385.
- Pollock, B. R., H. Weng, and R. M. Morton. 1983. The seasonal occurrence of postlarval stages of yellowfin bream, [*Acanthopagurus australis*] (Gunther), and some factors effecting their movement into an estuary. *J. Fish. Biol.* 22:409-415.
- Pollard, R. A. 1955. Measuring seepage through salmon spawning gravel. *Journal of the Fisheries Research Board of Canada* 12:706-741.
- Polonskii, A. S., and I. D. Tormosova. 1969. The spawning of the horse mackerel of the northeast Atlantic and the distribution of its eggs and larvae. *Tr. Atl. Nauch Issl. Ryb Khoz* 23:27-48.
- Polovina, J. J. 1991. Evaluation of hatchery releases of juveniles to enhance rockfish stocks, with application to Pacific Ocean perch [*Sebastes alutus*]. *Fishery Bulletin* 89:129-136.
- Polunin, N. V. C., and C. M. Roberts. 1993. Greater biomass and value of target coral-reef fishes in two small Caribbean marine reserves. *Marine Ecology-Progress Series* 100:167-176.
- Polutev, I. A., and V. M. Tripol'skaya. 1954. Pelagic eggs and larvae of sea fishes near the coasts of Kamchatka. *Izv. Tikheokean. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr.* 41:295-308.
- Polyanskii, Y., and I. V. Kulemina. 1963. Parasites of young cod in the Barents Sea. *Vest. Leningradsk Univ., Ser. Biol.* 18(15):12-21.
- Pomini, F. P. 1939. Ricerche sugli stadi larvali e primi stadi postlarvali dei Salmo Italiani. 1. Stadi larvali e postlarvali della trota del Benaco, [*Salmo lacustris*] Auct. *Arch. Zool. Torino* 27:335-359.
- Pomini, F. P. 1939. Ricerche sugli stadi larvali e primi stadi postlarvali dei Salmo Italiani. 2. Stadi larvali e primi stadi i postlarvali del Carpio, [*Salmo carpio*] L. *Arch. Zool. Torino* 27:361-382.
- Pomini, F. P. 1939. Ricerche sugli stadi larvali e primi stadi postlarvali dei Salmo Italiani. 3. Stadi larvali e primi stadi postlarvali della Trota di rusciello, [*Salmo fario*] L. *Arch. Zool. Torino* 27:383-404.
- Pomini, F. P. 1939. Ricerche sugli stadi larvali e primi stadi postlarvali dei Salmo Italiani. 4. Stadi larvali e primi stadi postlarvali della Trota del Piave, [*Salmo marmoratus*] Cuv. *Arch. Zool. Torino* 27:407-428.
- Pomini, F. P. 1941. Studi sullo sviluppo delle Trote italiane. L'assorbimento del sacco vitellino in [*Salmo*] [*lacustris*], [*S. carpio*], [*S. fario*], and [*S.*] [*marmoratus*]. *Arch. Zool. Torino* 29:495-513.
- Pommeranz, T. 1970. Resistance of plaice eggs to mechanical starvation. ICES.
- Pommeranz, T. 1973. Das Vorkommen von Fischeiern, insbesondere von Eiern der Scholle ([*Pleuronectes platessa*] L.), in den oberflachennahen Wasserschichten der sudlichen Nordsee. *Ber. dt. wiss. Kommn. Meeresforsch.* 22(4):427-444.

- Pommeranz, T. 1974. Resistance of plaice eggs to mechanical stress and light. Page 47 [in] Report of the international symposium on the early life history of fish. FAO Fish. Rep. No. 141, 58 pp.
- Pommeranz, T. 1974. Resistance of plaice eggs to mechanical stress and light. Pages 397-416 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, Berlin.
- Pommeranz, T. 1979. Observations on the predation of herring ([*Clupea harengus*]) and sprat ([*Sprattus sprattus*]) on fish eggs in the southern North Sea. Intl. Counc. Explor. Sea C.M. 1979/FM:5, Copenhagen, Denmark.
- Pommeranz, T. 1981. Observations on the predation of herring, [*Clupea harengus*] L., and sprat, [*Sprattus sprattus*] L., on fish eggs and larvae in the southern North Sea. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:402-404.
- Ponomarenko, I. Y. 1973. The effects of food and temperature conditions on the survival of young bottom-dwelling cod in the Barents Sea. Pages 199-207 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Ponomarenko, V. P. 1973. On a possible relation between age composition of spawning stock and abundance of the year classes of cod in the Barents Sea. Pages 69-72 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Ponomarenko, V. P., and M. F. Trambachev. 1974. Soviet investigations on the Barents Sea young cod in the autumn winter period 1971-1972. Annaly Biol. 29(1972):74-75.
- Ponomarenko, V. P., and M. F. Trambachev. 1975. Soviet investigation on young cod in the Barents Sea in winter 1972-1973. Annaly Biol. 30(1973):87.
- Ponomareva, L. A. 1949. Eggs and fry of fishes of the Kara Sea. Tr. Vses. Nauchno-Issled. Inst. Morsk. Rybn. Khoz. Okeanogr. 17:189-205.
- Pontier, P. J., and N. H. Hart. 1978. Temporal patterns of isozyme expression during embryogenesis of the zebrafish, [*Brachydanio rerio*]. Am. Zool. 18(3):659.
- Pontier, P. J., and N. H. Hart. 1979. Creatine kinase gene expression during the development of [*Brachydanio*]. J. Exp. Zool. 209(2):283-296.
- Ponton, D.; Fortier, L. 1992. Vertical distribution and foraging of marine fish larvae under the ice cover of southeastern Hudson Bay. Marine Ecology-Progress Series 81:215-227.
- Ponton, D., S. Merigoux and G.H. Copp. 2000. Impact of a dam in the Neotropics: what can be learned from young-of-the-year fish assemblages in tributaries of the River Sinnamary (French Guiana, South America). Aquat. Conserv. 10(1):25-35.
- Poole, W. R., J. H. Webb, M. A. Matthews, A. F. Youngson. 2000. Occurrence of canthaxanthin in Atlantic salmon, [*Salmo salar*] L., fry in Irish rivers as an indicator of escaped farmed salmon. Fisheries Management and Ecology 7(5):377-385.
- Poon, D. C., and A. K. Johnson. 1970. The effect of delayed fertilization on transported salmon eggs. Progressive Fish-Culturist 32(2):81-84.
- Poon, D. C. 1977. Quality of salmon fry from gravel incubators. Ph.D Diss., Oregon State Univ., Corvallis, OR. 269 pp.
- Pope, J. A., et al. 1961. The fecundity of Atlantic salmon ([*Salmo salar*] L.). Rep. Freshwat. Salm. Fish. Res. Scotl. 26:12 pp.

- Popescu, C. P. 1965. Early development of [*Acipenser nethenus*]. *Hidrobiol.* 6:35-42.
- Popov, A. V., and A. I. Zotin. 1961. The relationship between time of hatching of salmon and whitefish embryos and certain environmental factors. *Rybnoe Khor.* 11:22.
- Popova, A. A. 1964. The stages of the development of [*Rutilus rutilus*] *caspicus* Jak. of the southeastern part of the Caspian Sea. *Voprosy Ikhtiologii* 4, 4(33): 644-657.
- Popovici, A. 1942. Der einfluss des salzgehalten auf die eier und larven des zanders, [*Lucioperca zandra*] Cuv. et Val. *Anal. Inst. Cercet. Pisc. Romaniei* 1:43-51.
- Popper, D., H. Gordon, and G. W. Kissil. 1973. Fertilization and hatching of rabbitfish, [*Siganus*] [*rivulatus*]. *Aquaculture* 2:37-44.
- Popper, D., R. C. May, and T. Lechatowich. 1976. An experiment in rearing larval [*Siganus*] [*vermiculatus*] (Val.) and some observations on its spawning cycle. *Aquaculture* 7(3):281-290.
- Poreliski, J. 1976. Application of the surface adhesion test to identifying the eggs of the hake, [*Merluccius*] spp. *Coll. Sci. Pap. ICSEAF* 3:102-106.
- Porter, P. 1964. Notes on fecundity, spawning and early life history of petrale sole (*Eopsetta jordani*), with descriptions of flatfish larvae collected in the Pacific Ocean off Humboldt Bay, California. M.S. Thesis, Humboldt State College, Arcata, CA, 98 pp.
- Porter, P. E., and R. G. Porter. 1972. Propagation: fishes (Spawning, fertilization, number of eggs or young, parental care). Pages 149-152 [in] P. L. Altman and D. S. Dittmer, editors. *Biology data book* (2nd ed.). Fed. Am. Soc. Exp. Biol., Bethesda, MD, Vol.
- Porter, T. R. 1973. Fry emergence trap and holding box. *Progressive Fish-Culturist* 35:104-106.
- Porteiro, F. M., O. Melo, J. P. Barreiros, and L. Gallagher. 1998. Postlarvae of [*Bathysaurus ferox*] (= [*Macristium chavesi*]) from the Azores waters.. *Arquip,lago* 16A:63-67. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase*. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Portner, E. M., and C. A. Rohde. 1977. Tests of a high volume pump for ichthyoplankton in the Chesapeake and Delaware Canal. *Appl. Physics Lab., The Johns Hopkins Univ. Rep. No. JHU PPSE-T-3*. 50 pp.
- Portner, H. O., B. Berdal, R. Blust, O. Brix, A. Colosimo, B. DeWachter, A. Giuliani, T. Johansen, T. Fischer, R. Knust, G. Lannig, G. Naevdal, A. Nedenes, G. Nyhammer, F. J. Sartoris, I. Serendero, P. Sirabella, S. Thorkildsen, and M. Zakhartsev. 2001. Climate induced temperature effects on growth performance, fecundity and recruitment in marine fish: developing a hypothesis for cause and effect relationships in Atlantic cod (*Gadus morhua*) and common eelpout (*Zoarces viviparous*). *Continental Shelf Research* 21(18-19):1975-1997.
- Posgay, J. A., and R. R. Marak. 1967. Tests of zooplankton samplers. *Res. Doc. Int. Commn. NW Atlantic Fish. No. 67-100*, 16 pp.
- Posgay, J. A., R. Marak, and R. C. Hennemuth. 1968. Development and tests of new zooplankton samplers. *ICNAF Res. Doc. 68/85, Ser. 2085*.
- Posgay, J. A., R. Marak, and R. C. Hennemuth. 1968. USA-USSR joint work on zooplankton sampling methods. *ICNAF Res. Doc. 68/88, Ser. 2076*.
- Posgay, J. A., and R. R. Marak. 1980. The MARMAP bongo zooplankton sampler. *J. Northwest Atl. Fish. Sci.* 1:91-99.

- Posgay, J. A. 1981. Grid versus random sampling for ichthyoplankton. *Sci. Councl. Stud.* 43(4):19-25.
- Post, A. 1976. Ergebnisse der Forschungsreisen des FFS "Walter Herwig" nach Supamerica. XLII. *Diretmus johnson, 1863 (Beryciformes, Berycoidei, Diretmidae). 2. Morphologie, Entwicklung, Verbreitung.* *Arch. Fischereiwiss.* 26(2/3):87-114.
- Post, G., D. V. Power, and T. M. Kloppel. 1973. Effect of physical shock on developing salmonid eggs. *Trans. Am. Nucl. Soc.* 17:27-28.
- Post, G., D. V. Power, and T. M. Kloppel. 1974. Survival of rainbow trout eggs after receiving physical shocks of known magnitude. *Transactions of the American Fisheries Society* 103(4):711-716.
- Post, J. R., and A.B. Prankevicius. 1987. Size-selective mortality in young-of-the-year yellow perch (*Perca flavescens*): Evidence from otolith microstructure. *Can. J. Fish. Aquat. Sci.* 44:1840-1847.
- Post, J. R. 1990. Metabolic allometry of larval and juvenile yellow perch (*Perca flavescens*) - in situ estimates and bioenergetic models. *Canadian Journal of Fisheries and Aquatic Sciences* 47:554- 560.
- Post, J. R., and J. A. Lee. 1996. Metabolic ontogeny of teleost fishes. *Canadian Journal of Fisheries and Aquatic Sciences* 53:910-923.
- Posthuma, K. H. 1971. The effect of temperature in the spawning and nursery areas on recruitment of autumn-spawning in the North Sea. Pages 175-183 [in] A. Saville, editor. *Symp. on biol. of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer, No. 160, 205 pp.*
- Posthuma, K. H., and J. T. Zijlstra. 1974. Larval abundance in relation to stock size, spawning potential, and recruitment in North Sea herring. Page 47 [in] Report of the international symposium on the early life history of fish. *FAO Fish. Rep. No. 141, 58 pp.*
- Postolaky, A. I. 1980. Preliminary results of the ichthyoplankton survey carried out on the Flemish Cap in May-July 1978. *NAFO SCR Doc. 80/VI/57, Ser. No. N094.*
- Postolaky, A. J. 1968. The life-cycle pattern of Labrador cod, [*Gadus*] [*morhua*] L., in ICNAF Subarea 2. *Spec. Publs Int. Commn NW. Atlant. Fish.* 7(pt. 1):139-144.
- Postuma, K. H., J. J. Zijlstra, and N. Das. 1965. On the immature herring of the North Sea. *J. du Conseil* 29(3):256-276.
- Potter, D. C. 1980. Neustonic ichthyoplankton collected on five ICNAF larval herring surveys conducted in the Georges Bank-Nantucket Shoals area, autumn-spring 1974-79. *Woods Hole Ms.* 140 pp.
- Potter, D. C., and R. G. Lough. 1980. Vertical distribution of herring larvae, [*Clupea*] [*harengus*] L., on Nantucket Shoals, November 1977, collected by MOCNESS aboard Anton Dohrn 77-03. *NAFO SCR Doc. 133, Ser. N207.*
- Potter, D. C., and R. G. Lough. 1987. Vertical distribution and sampling variability of larval and juvenile sand lance, [*Ammodytes*] sp., on Nantucket Shoals and Georges Bank. *J. Northw. Atl. Fish. Sci.*
- Potter, I. C. 1970. The life cycles and ecology of Australian lampreys of the genus [*Mordacia*]. *Journal of Zoology (Lond.)* 161:487-511.
- Potter, I. C., B. J. Hill, and S. Gentleman. 1970. Survival and behavior of ammocoetes at low oxygen tensions. *J. Exp. Biol.* 53:59-73.

- Potter, I. C., E. S. Robinson, and I. D. Brown. 1974. Studies on the erythrocytes of larval and adult lampreys ([*Lampetra fluviatilis*]). *Acta Zool.* 55(3):173-177.
- Potter, I. C., and F. W. H. Beamish. 1975. Lethal temperatures in ammocoetes of four species of lampreys. *Acta Zool.* 56(1):85-91.
- Potter, I. C., and T. S. Osborne. 1975. The systematics of British larval lampreys. *Journal of Zoology London* 176:311-329.
- Potter, I. C., G. M. Wright, and J. H. Youson. 1978. Metamorphosis in the anadromous sea lamprey, [*Petromyzon marinus*] L. *Canadian Journal of Zoology* 56(4):561-570.
- Potter, I. C. 1980. Ecology of larval and metamorphosing lampreys. *Can. J. Fish. Aquat. Sci.* 37:1641-1657.
- Potter, I. C., R. W. Hilliard, and D. J. Bird. 1980. Metamorphosis in the Southern Hemisphere lamprey, [*Geotria australis*]. *Journal of Zoology London* 190:405-430.
- Potter, M. E., N. L. Scott, J. W. Korth, and S. P. Zimpfer. 1984. Ouachita-Black river navigation project and Red River Waterway larval fish study. Letter Rep., U.S. Army Corps Engin., Vicksburg, MS. 50 pp.
- Potter, W. A., and J. M. Potter. 1981. Description of protolarva mimic shiner ([*Notropis*] [*volucellus*]). *Ohio J. Sci.* 81:135-137.
- Potter, W. A., et al. 1975. An ecological study of the Susquehanna River in the vicinity of the Three Mile Island Nuclear Station. Ann. Rep., 1974. *Ichthyol. Assoc., Inc.*
- Potter, W. A., et al. 1976. An ecological study of the Susquehanna River in the vicinity of the Three Mile Island Nuclear Station. Ann. Rep., 1975. *Ichthyol. Assoc., Inc.*
- Potter, W. A., K. L. Dickens, and L. A. Nielson. 1978. Larval sportfish drift in the New River. Proc. 32nd Ann. Conf. S. E. Assoc. G & F Comms. 32:672-679.
- Potter, W. A., J. J. Loos, and J. M. Potter. 1980. Development of larval bull chub, [*Nocomis raneyi*]. Pages 20-24 [in] L. A. Fuiman, editor. Proc. fourth annual larval fish conference, U.S. Fish Wildl. Serv., Biol. Serv. Prog., Natl. Power Plant Team, Ann Arbor, MI, FWS/OBS-80/43. 179 pp.
- Potthoff, T., and W. J. Richards. 1970. Juvenile bluefin tuna, [*Thunnus thynnus*] (L.) and other scombrids taken by terns in the Dry Tortugas, Florida. *Bull. Mar. Sci.* 20(2):389-413.
- Potthoff, T. 1974. Osteological development and variation in young tunas, genus [*Thunnus*] (Pisces: Scombridae), from the Atlantic Ocean. *NOAA Fish. Bull.* 72(2): 563-588.
- Potthoff, T. 1975. Development and structure of the caudal complex, the vertebral column, and the pterygiophores in the blackfin tuna ([*Thunnus atlanticus*], Pisces, Scombridae). *Bull. Mar. Sci.* 25:205-231.
- Potthoff, T. 1980. Development and structure of fins and fin supports in dolphin fishes, [*Coryphaena hippurus*] and [*Coryphaena*] [*equisetis*] (Coryphaenidae). *Fish. Bull. U.S.* 78:277-312.
- Potthoff, T., W. J. Richards, and S. Ueyanagi. 1980. Development of [*Scombrolabrax heterolepis*] (Pisces, Scombrolabracidae) and comments on familial relationships. *Bull. Mar. Sci.* 30:329-357.
- Potthoff, T., W. J. Richards, and S. Ueyanagi. 1981. Larval development of [*Scombrolabrax heterolepis*] (Pisces, Scombrolabracidae) Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:575-577.

- Potthoff, T., and S. Kelley. 1982. Development of the vertebral column, fins and fin supports, branchiostegal rays, and squamation in the swordfish, [*Xiphias gladius*]. Fish. Bull. U.S. 80:161-186.
- Potthoff, T. 1984. Clearing and staining techniques. Pages 35-36 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Potthoff, T., S. Kelley, M. Moe, and F. Young. 1984. Description of porkfish larvae ([*Anisotremus virginicus*], Haemulidae) and their osteological development. Bull. Mar. Sci. 34:21-59.
- Potthoff, T., S. Kelley, and J. C. Javech. 1986. Cartilage and bone development in scombroid fishes. Fish. Bull. 84(3):647-678.
- Potthoff, T., et al. 1987. Description of larval and juvenile yellowtail damselfish, [*Microspathodon chrysurus*], Pomacentridae, and their osteological development. Bull. Mar. Sci. 40:330-375.
- Potts, W. T. W., and P. P. Rudy. 1969. Water balance in the eggs of the Atlantic salmon, [*Salmo salar*]. J. Exp. Biol. 50(1):223-237.
- Pouliquen, L. 1973. Observations on the growth of juveniles of [*Dicentrarchus labrax*] (L.), and [*D. punctatus*] (Bloch), placed in a natural environment and fed artificially. GFCM, Stud. Rev. GFCM 52:73-80.
- Poulsen, E. M. 1930. On the fluctuations in the abundance of cod fry in the Kattegatt and the Belt Sea and causes of the same. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 65:26-30.
- Poulsen, E. M. 1934. On the remarkable inflow of coal fish larvae into the Kattegatt in 1932. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 89(3):81-83.
- Poulsen, E. M. 1947. Denmark. Cod. Larvae. Ann. Biol. 2(1942-1945):91.
- Poulson, E. M. 1936. Yearly variations in the number of larvae of autumn spawning herrings in the southern part of the transition area. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 100(2):22-24.
- Powell, A. B., and H. R. Gordy. 1980. Egg and larval development of the spot, [*Leiostomus xanthurus*] (Sciaenidae). U.S. NMFS Fish. Bull. 78:701-714.
- Powell, A. B., and A. J. Chester. 1985. Morphometric indices of nutritional condition and sensitivity to starvation of spot larvae. Transactions of the American Fisheries Society 114(3):338-347.
- Powell, A. B., and G. Phonlor. 1986. Early life history of Atlantic menhaden, [*Brevoortia tyrannus*], and Gulf menhaden, [*B. patronus*]. U.S. NMFS Fish. Bull. 84(4):991-995.
- Powell, A. B., A. J. Chester, J. J. Govoni, and S. M. Warlen. 1990. Nutritional condition of spot larvae associated with the Mississippi River plume. Transactions of the American Fisheries Society 119:957-965.
- Powell, A. B., and J. W. Tucker. 1992. Egg and larval development of laboratory-reared Nassau grouper, [*Epinephelus striatus*] (Pisces, Serranidae). Bulletin of Marine Science 50:171-185.
- Powell, A. B., E. H. Laban, S. A. Holt and G. J. Holt. In press. Validation of ageing from otoliths of larval and juvenile spotted seatrout, [*Cynoscion nebulosus*]. Fishery Bulletin 98(3):650-654.



- Powell, D. 1975. Age, growth, and reproduction in Florida stocks of Spanish mackerel, [*Scomberomorus maculatus*]. Florida Mar. Res. Publ. No. 5, 21 pp.
- Powell, D. H. 1973. Comparative tolerance of fingerling black crappie, white crappie, and largemouth bass to Fintrol-5 at two pH levels. Proc. 27th Ann. Conf. S. E. Assoc. G & F Comm. 27:448.
- Powell, J. C. 1979. The early development and larval distribution of larvae of the mooneye cusk-eel, [*Ophidion selenops*] Robins & Bohlke. NOAA, NMFS Narragansett Lab. Ref. No. 79-48.
- Power, G. 1966. Analysis of the movement and growth of juvenile brook trout (*Salvelinus fontinalis*) from rotenone collections taken in the Napispi River and vicinity, Quebec. Can. Field Nat. 80(4):213-223.
- Power, J., and J. D. McCleave. 1983. Simulation of the North Atlantic drift of [*Anguilla*] leptocephali. U.S. Fish. Bull. 81:483-500.
- Power, J. H. 1985. A model of the drift of northern anchovy, [*Engraulis*] [*mordax*], larvae in the California Current. Fish. Bull. U.S. 84(3):585-603.
- Power, J. H. 1986. A model of the drift of northern anchovy, [*Engraulis mordax*], larvae in the California Current. Fish. Bull., U.S. 84: 585-604.
- Power, J. H., W. L. Morrison, and J. Zeringue. 1991. Determining the mass, volume, density, and weight in water of small zooplankters. Marine Biology 110:267-271.
- Powers, D. A., F. W. Allendorf, and T. T. Chen. 1990. Application of molecular techniques to the study of marine recruitment problems. [In] K. Sherman, L.M. Alexander, B.D. Gold, editors. Large marine ecosystems: patterns, process, and yields. AAAS. Washington, D.C.
- Powles, H. 1975. Abundance, seasonality, distribution and aspects of the ecology of some larval fishes off Barbados. Ph.D. Diss., McGill Univ., Canada.
- Powles, H., and B. W. Stender. 1976. Observations on composition, seasonality and distribution of ichthyoplankton from MARMAP cruises in the south Atlantic Bight in 1973. South Carolina Mar. Resourc. Ctr. Tech. Rep. 11.
- Powles, H. 1977. Description of larval [*Jenkinsia lamprotaenia*] (Clupeidae, Dussumieriinae) and their distribution off Barbados, West Indies. Bull. Mar. Sci. 27(4): 788-801.
- Powles, H. 1977. Larval distributions and recruitment hypotheses for snappers and groupers of the South Atlantic Bight. Proc. 31st. Ann. Conf. S. E. Assoc. G & F Comms. 31:362-371.
- Powles, H., and W. E. Burgess. 1978. Observations on benthic larvae of [*Pareques*] (Pisces: Sciaenidae) from Florida and Columbia. Copeia 1978(1):169-172.
- Powles, H., and B. W. Stender. 1978. Taxonomic data on the early life history stages of Sciaenidae of the south Atlantic Bight of the United States. South Carolina Mar. Resour. Ctr. Tech. Rep. 31.
- Powles, H. 1980. Descriptions of larval silver perch, [*Bairdiella*] [*chrysur*], banded drum, [*Larimus fasciatus*], and star drum, [*Stellifer lanceolatus*] (Sciaenidae). Fish. Bull. U.S. 78:119-136.
- Powles, H. 1981. Distribution and movements of neustonic young estuarine dependent (*Mugil* spp., *Pomatomus* [*saltatrix*]) and estuarine independent (*Coryphaena* spp.) fishes off the southeastern United States. Rapp. P.-v. Reun. Cons. int. perm. Explor. Mer 178:207-209.

- Powles, H., and D. F. Markle. 1984. Identification of larvae. Pages 31-32 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Powles, H., F. Auger, and G. J. Fitzgerald. 1984. Nearshore ichthyoplankton of a north temperate estuary. *Can. J. Fish. Aquat. Sci.* 41(11):653-663.
- Powles, P. M. 1958. Studies of reproduction and feeding of Atlantic cod ([*Gadus callarias*] L.) in the southwestern Gulf of St. Lawrence. *Journal of the Fisheries Research Board of Canada* 15(6):1383-1402.
- Powles, P. M. 1965. Life history and ecology of American plaice ([*Hippoglossoides platessoides*] F.) in the Magdalen shallows. *Journal of the Fisheries Research Board of Canada* 22(2):565-598.
- Powles, P. M., and A. C. Kohler. 1970. Depth distributions of various stages of witch flounder ([*Glyptocephalus cynoglossus*]) off Nova Scotia and in the Gulf of St. Lawrence. *Journal of the Fisheries Research Board of Canada* 27:2053-2062.
- Powles, P. M. 1974. Survival of Australian anchovy eggs and larvae in a heat trap. Page 48 [in] Report of the international symposium on the early life history of fish. FAO Fish. Rep. No. 141, 58 pp.
- Powles, P. M., D. R. Vandelloo, and B. Clancy. 1980. Some features of larval rock bass, [*Ambloplites rupestris*] (Rafinesque): Development in central Ontario. Pages 36-44 [in] L. A. Fuiman, editor. Proc. fourth annual larval fish conference, U.S. Fish Wildl. Serv., Biol. Serv. Prog., National Power Plant Team, Ann Arbor, MI, FWS/OBS-80/43. 179 pp.
- Powles, P. M., and S. M. Warlen. 1988. Estimation of hatch periods for yellow perch, based on otolith readings from juveniles (age-0). *American Fisheries Society Symposium* 5:60-67.
- Poy, A. 1970. On the behavior of larvae of teleost fishes at hatching. *Ber. dt. wiss. Kommn. Meeresforsch.* 21:377-392. Transl. from German for Fish. Res. Bd. Can. Transl. Series, No. 3519 (1975).
- Pozdnyakov, Y. F. 1962. Distribution of capelin ([*Mallotus villosus*]) larvae in the southern and southeastern part of the Barents Sea. *Trudy murmansk, biol. Inst.* 4 (8):134-145.
- Pozdnyakov, Y. F. 1970. On the distribution and feeding of young [*Sebastes*] [*marinus*] off the shores of eastern Murmansk. *Trudy murmansk, biol. Inst.* 14:59-64. Transl. from Russian for the Fish. Res. Bd. Can. Transl. Series, No. 1938, 1971.
- Prabhu, M. S. 1955. Some aspects of the biology of the ribbon fish, [*Trichiurus haumela*] (Forsk.). *Indian J. Fish.* 2(1):132-163.
- Prasad, M. D., and P. Prasad. 1984. Morphometrics of water-blood barrier at the secondary gill lamellae during early life of [*Channa punctatus*] (Bloch). *Arch. Biol.* 95(1):91-100.
- Prasad, M.S., and B.R. Singh, 1984. Oxygen uptake through water during early life history in [*Colisa* (= *Trichogaster) fasciatus*] (Bl. and Schn.). *Pols. Arch. Hydrobiol.* 31:153-159. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Prasad, M. S. 1985. Studies on the respiratory muscles during development of the air breathing organ in [*Colisa fasciata*] (Bloch and Schneider, 1801) (Teleostei, Anabantidae). *Zool. Anz.* 215(3-4):211-218.
- Prasad, M. S., and P. Prasad. 1985. Larval behavior during growth and development of air-breathing habit in [*Colisa fasciatus*] (Bl. and Schn.). *Indian J. Fish.* 32(2):192-197.

- Prasad, R. R. 1951. Observations on the egg cases of some ovo-viviparous and viviparous elasmobranchs, with a note on the formation of the elasmobranch egg-case. J. Bombay Nat. Hist. Soc. 49(4):755-762.
- Prasad, R. R. 1958. Reproduction in [*Clevelandia ios*] with an account of the embryonic and larval development. Proc. Nat. Inst. Sci. India 25B:12-30.
- Prather, E. E. 1950. Efficiency of food conversion by young largemouth bass, [*Micropterus salmoides*] (Lacepede). Transactions of the American Fisheries Society 80:154-157.
- Prather, E. E., and H. S. Swingle. 1960. Preliminary results on the production and spawning of white catfish in ponds. Proc. 14th Ann. Conf. S. E. Assoc. G & F Comms. 14:143-145.
- Prather, J. M. 1900. The early stages in the development of the hypophysis of [*Amia calva*]. Biol. Bull. (Woods Hole) 1(2):57-80.
- Pratt, H. L., Jr. 1979. Reproduction in the blue shark, [*Prionace glauca*]. NOAA-NMFS Fish. Bull. 77(2):445-470.
- Pravotorov, B. I., and Z. I. Spiropulo. 1985. Biology of juvenile Danube shad, [*Alosa caspia*] [*nordmanni*], in the Dnieper-Bug estuary. J. Ichthyol. 25(2):18-24.
- Preddice, T. L., and T. B. Molin. 1974. The abundance of postlarval fishes. Pages 139-213 [in] T. L. Preddice, editor. An ecological study of the Delaware River in the vicinity of the Edge Moor Power Station, Ichthyol. Assoc., Inc., Prog. Rep. Jan-May 1974. 295 pp.
- Premalatha, P. 1977. A study of the development and distribution of the larvae of leather skin, [*Chorinemus sanctipetri*] (Cuv. & Val.) (Carangidae-Pisces) along the southwest coast of India. Proc. Symp. warmwater zooplankton Spec. Publ.
- Prentice, J. A., and W. J. Dean, Jr. 1977. Effect of temperature on walleye egg hatch rate. Proc. 31st. Ann. Conf. S. E. Assoc. G & F Comms. 31:458-462.
- Presley, R. F. 1970. Larval snowy grouper, [*Epinephelus niveatus*] (Val., 1828), from the Florida Straits. Florida Dept. Nat. Resourc., Leaflet Ser. 4(18):6 pp.
- Prevolnev, T. I., and L. N. Kharchchenko. 1940. Viability of embryos developed from overripe fish eggs. C. R. Acad. Sci. Moscow 29:62-64.
- Price, C. A., J. M. St. Onge-Burns, J. B. Colton, Jr., and J. E. Joyce. 1977. Automatic sorting of zooplankton by isopycnic sedimentation in gradients of silica: performance of a "Rho Spectrometer." Mar. Biol. 42:225-231.
- Price, E. E., J. R. Stauffer, and M. C. Swift. 1985. Effect of temperature on growth of juvenile [*Oreochromis mossambicus*] and [*Sarotherodon*] [*melanotheron*]. Environmental Biology of Fishes 13(2):149-152.
- Price, G. C. 1896. Zur ontogeny eines Myxinoiden. Sitzungber der Math. Phys. der k. bayer. Akad. d. Wiss. Brd. 26.
- Price, J. W. 1931. The embryology of the whitefish, [*Coregonus*] [*clupeaformis*] (Mitchill). Ohio J. Sci. 31:268.
- Price, J. W. 1935. The embryology of the whitefish, [*Coregonus*] [*clupeaformis*]. Ohio J. Sci. 35(1):40-53.
- Price, J. W. 1940. Time-temperature relations in the incubation of the whitefish, [*Coregonus clupeaformis*] (Mitchill). J. Gen. Physiol. 23:449-468.

- Price, J. W. 1943. A device for observing living fish embryos at controlled temperatures. Ohio J. Sci. 43:83-85.
- Price, K. S., Jr., and F. C. Daiber. 1967. Osmotic environments during fetal development of dogfish, [Mustelus] and [Squalus acanthias], and some comparisons with skates and rays. Physiol. Zool. 40:248-260.
- Priegel, G. R. 1963. Early scale development in the wall eye. Transactions of the American Fisheries Society 93(2): 199-200.
- Priegel, G. R. 1966. Early scale development in the freshwater drum ([Aplodinotus grunniens] Rafinesque). Transactions of the American Fisheries Society 95(4):434-436.
- Priegel, G. R. 1967. Identification of young walleyes and saugers in Lake Winnebago, Wisconsin. Progressive Fish-Culturist 29(2):108-109.
- Priegel, G. R. 1969. Food and growth of young walleyes in Lake Winnebago, Wisconsin. Transactions of the American Fisheries Society 98:121-124.
- Priegel, G. R. 1969. The Lake Winnebago sauger - age, growth, reproduction, food habits and early life history. Wisconsin Dept. Nat. Res. Tech. Bull. No. 43. 63 pp.
- Priegel, G. R. 1970. Reproduction and early life history of the walleye in the Lake Winnebago Region. Wisc. Dept. Nat. Res. Tech. Bull. No. 45, 105 pp.
- Priegel, G. R., and T. L. Wirth. 1971. The lake sturgeon: its life history, ecology and management. Wisconsin Dept. of Nat. Resourc., Publ. 40-3600 (74).
- Prince, E. E. 1885. On the nest and development of [Gasterosteus] [spinachia] at the St. Andrews Marine Laboratory. Ann. Mag. Nat. Hist. 16(Ser. 5):487-496.
- Prince, E. E. 1885. On the development of the food fishes at the St. Andrews Marine Laboratory. Rep. Br. Assoc. Advmt. Sci., 65 meet.:1091-1093.
- Prince, E. E. 1886. Early stages in the development of the food-fishes. Ann. Mag. Nat. Hist. 17(Ser.5):84-90.
- Prince, E. E. 1887. The significance of the yolk in the eggs of osseous fishes. Ann. Mag. Nat. Hist. 20(Ser. 5):1-8.
- Prince, E. E. 1890. Neptune's nursery. A summary of the eggs and life-history of fishes. Parts 1 and 2. National Observer 1890.
- Prince, E. E. 1891. Notes on the development of the angler-fish ([Lophius piscatorius]). Ann. Rep. Fishery Bd. Scotl. 9(pt. 3):343-348.
- Prince, E. E. 1891. On the eggs and larvae of [Callionymus lyra], the dragonet. Ann. Rep. Fishery Bd. Scotl. 9(pt. 3):349-351.
- Prince, E. E. 1897. The living [Chimaera] and its egg. Ottawa Nat. 10:185-189.
- Prince, E. E. 1907. Eggs and early life history of the herring, gaspereau, shad, and clupeoids. Can. Dep. Fish. Annu. Rept., Sess. Pap. 22:95-110.
- Prince, E. E. 1908-1909. The eggs and life history of the cod, haddock, and mackerel. Ann. Rep. Dep. Mar. Fish. Can. 41(1908-09).
- Prince, E. E. 1914. Some animals and conditions inimical to fish eggs and larvae in the sea Transactions of the American Fisheries Society (1913):57-66.
- Prince, E. E. 1916. Notes on the egg and larval stages of the halibut. Cont. Can. Biol. 1914-15(2):19-23.

- Prince, E. E., and A. Halkett. 1906. The eggs of the freshwater ling ([*Lota maculosa*] LeSueur). *Ottawa Nat.* 19:219-224.
- Prince, J. D., T.L. Sellers, W.B. Ford and S.R. Talbot. 1988. Confirmation of a relationship between the localized abundance of breeding stock and recruitment for *Haliotis rubra* Leach (Mollusca: Gastropoda). *J. Exp. Mar. Biol. Ecol.* 122: 91-104.
- Pringle, J. D. 1986. California spiny lobster (*Panulirus interruptus*) larval retention and recruitment: a review and synthesis. *Can. J. Fish. Aquat. Sci.* 43: 2142-2152.
- Pritchard, A. L. 1930. Spawning habits and fry of the cisco ([*Leucichthys*] [*artedi*]) in Lake Ontario. *Contr. Can. Biol. Fish.* 6(9):225-240.
- Pritchard, A. L. 1931. Taxonomic and life history studies of the ciscoes of Lake Ontario. *Publ. Ont. Fish. Res. Lab.* 41:1-78.
- Pritchard, A. L. 1944. Physical characteristics and behavior of pink salmon fry at McClinton Creek, British Columbia. *Journal of the Fisheries Research Board of Canada* 6(3):217-227.
- Pritchett, M., and L. Haldorson. 1989. Depth distribution and vertical migration of larval walleye pollock ([*Theragra chalcogramma*]). Pages 173-183 [in] *Proceedings of the International Symposium on the Biology and Management of Walleye Pollock.*
- Privol'nev T. I. 1947. Critical pressure of oxygen in water for various ages of the young [*Salmo salar*]. *C.R. Acad. Sci. USSR* 59:1179-1181.
- Privolnev, T. I. 1939. Respiration of eggs from spring spawning fish and its importance for the elaboration of rearing methods. *Bull. Inst. Freshwat. Fish. Leningrad* 21:143-156.
- Privolnev, T. I., and L. N. Kharchchenko. 1940. Viability of embryos developing from overripe fish-eggs. *C. R. Acad. Sci. Moscow* 29:62-64.
- Procter, W., et al. 1928. A contribution to the life history of the angler, [*Lophius piscatorius*]. *Biol. Surv. Mt. Desert Island, Pt 2 Fishes* 1-13.
- Prokes, M. 1975. Hand-stripping and embryonic development of [*Coregonus peled*] (Gmelin, 1788). *Zool. Listy. (Czech.)* 24:185-196.
- Prokes, M., A. Perez-Martinez, and M. Penaz. 1985. Reproduction and embryonic development of [*Cichlasoma tetraodon*]. *Folia Zool.* 34(2):181-191.
- Prokes, M., and M. Penaz. 1979. Reproduction and early development of the gudgeon, [*Gobio gobio*]. II. Larval and juvenile periods. *Folia Zoologica* 28(1):55-64.
- Prokes, M., and M. Penaz. 1980. Early development of the chub, [*Leuciscus cephalus*]. *Acta Scientiarum Naturalium, Brno* 14(7):1-40.
- Prokhorov, V. S. 1957. On the migrations and spawning of the Barents Sea capelin in 1953 and 1954. *Tr. Polyarn. Nauch-Issled. Inst. Morsk. Ryb. Khoz. Okeanogr.* 10:230-243.
- Prolubnikov, A. M., and V. E. Kokova. 1984. Effect of variation of live food with formula feed on the growth and development of carp larvae, [*Cyprinus*] [*carpio*] (Cyprinidae). *J. Ichthyol.* 24(4):40-45.
- Propst, D. L., K. R. Bestgen, and C. W. Painter. 1986. Distribution, status, biology, and conservation of the spikedace, [*Meda fulgida*], in New Mexico. U.S. Fish and Wildlife Service, Albuquerque, New Mexico. *Endangered Species Report Series* 15:1-94.

- Propst, D. L., K. R. Bestgen, and C. W. Painter. 1988. Distribution, status, biology, and conservation of the loach minnow, [*Tiaroga cobitis*] Girard, in New Mexico. U.S. Fish and Wildlife Service, Albuquerque, New Mexico. Endangered Species Report Series 17:1-75.
- Proskurina, Y. S. 1978. The feeding of young fish in the Aral Sea. *J. Ichthyol.* 18(3): 417-423.
- Prugh, J. I. P., C. B. Kimmel, and W. K. Metcalfe. 1982. Noninvasive recording of the Mauthner neuron action potential in larval zebrafish. *J. Exp. Biol.* 101:83-92.
- Pruginin, Y., and B. Cirlin. 1975. Techniques used in controlled breeding and production of larvae and fry in Israel, pp. 90-110. In: Workshop on controlled reproduction of cultivated fishes. *Eur. Int. Fish. Advis. Comm. Tech. Pap. No. 25.* 180 pp.
- Pryor, V. K., and C. E. Epifanio. 1993. Prey selection by larval weakfish ([*Cynoscion regalis*]) - the effects of prey size, speed, and abundance. *Marine Biology* 116:31-37.
- Puckett, K. J. 1983. The energetics of feeding territoriality in juvenile coho salmon, [*Oncorhynchus kisutch*]. M.S. Thesis, Simon Fraser Univ., Burnaby, British Columbia. 140 pp.
- Puckett, K. J., and L. M. Dill. 1984. Cost of sustained and burst swimming to juvenile coho salmon ([*Oncorhynchus kisutch*]). *Can. J. Fish. Aquat. Sci.* 41(11):1546-1551.
- Puckridge, J. T., and K. F. Walker. 1990. Reproductive biology and larval development of a gizzard shad, [*Nematalosa erebi*] (G nther) (Dorosomatinae: Teleostei), in the River Murray, South Australia. *Aust. J. Mar. Freshwat. Res.* 41(6):695-712.
- Pujin, V. 1966. Injuries to carp embryos caused by residual waters. *Bull. Off. Int. Epizoot.* 65:685-692.
- Pullin, R. S. V., and H. Bailey. 1981. Progress in storing marine flatfish eggs at low temperatures. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:514-517.
- Purcell, J. E. 1981. Feeding ecology of [*Rhizophysa eysenhardti*], siphonophore predation of fish larvae. *Limnol. Oceanogr.* 26:424-432.
- Purcell, J. E. 1984. Predation on fish larvae by [*Physalia physalia*], the Portugese-man-of-war. *Mar. Ecol. Prog. Series* 19(1-2):189-191.
- Purcell, J. E. 1985. Predation on fish eggs and larvae by pelagic cnidarians and ctenophores. *Bull. Mar. Sci.* 37:739-755.
- Purcell, J. E., T.D. Siferd, and J.B. Marliave. 1987. Vulnerability of larval herring ([*Clupea harengus pallasii*]) to capture by the jellyfish [*Aequorea victoria*]. *Marine Biology* 94:157-162.
- Purcell, J. E., D. Grosse, and J. J. Grover. 1990. Mass abundances of abnormal Pacific herring larvae at a spawning ground in British-Columbia. *Transactions of the American Fisheries Society* 119:463-469.
- Purcell, J. E., and J. J. Grover. 1990. Predation and food limitation as causes of mortality in larval herring at a spawning ground in British-Columbia. *Marine Ecology-Progress Series* 59:55-61.
- Purcell, J. E., D. A. Nemazie, S. E. Dorsey, E. D. Houde, and J. C. Gamble. 1994. Predation mortality of bay anchovy *Anchoa mitchilli* eggs and larvae due to scyphomedusae and ctenophores in Chesapeake Bay. *Marine Ecology-Progress Series* 114:47-58.
- Purkett, C. A., Jr. 1961. Reproduction and early development of the paddl efish. *Transactions of the American Fisheries Society* 90(2):125-129.

- Purkett, C. A., Jr. 1963. Artificial propagation of paddlefish. *Progressive Fish-Culturist* 25(1):31-33.
- Purser, G. L. 1938. Reproduction in [*Lebistes reticulatus*]. *Quart. J. Micr. Sci.* 81:151-157.
- Purvis, H. A. 1970. Growth, age at metamorphosis and sex ratio of northern brook lamprey in a tributary of southern Lake Superior. *Copeia* 1970:326-332.
- Purvis, H. A. 1980. Effects of temperature on metamorphosis and the age and length at metamorphosis in sea lamprey, [*Petromyzon marinus*], in the Great Lakes. *Canadian Journal of Fisheries and Aquatic Sciences* 37:1827-1834.
- Putman, E. W. 1866. Notes on young gar pike. *Boston Soc. Nat. Hist., Proc.* (1864-66) 10:211.
- Putnam, F. W. 1861. On the young of [*Pomoxis*], [*Bryttus*], and [*Esox*]. *Proc. Boston Soc. Nat. Hist.* (1859-61). 7:3,34.
- Putnam, F. W. 1865. Note on the young of [*Belone*]. *Proc. Boston Soc. Nat. Hist.* 9:334.
- Putnam, F. W. 1865. On the genus [*Belone*]; specimen of the young. *Proc. Boston Soc. Nat. Hist.* 9:325-326.
- Putnam, F. W. 1865. On the presence of pectoral fins in the young of [*Achirus lineatus*]. *Proc. Essex. Inst.* 4:49-50.
- Putnam, F. W. 1866. Notes on young garpike presented to the Society. *Proc. Boston Soc. Nat. Hist.* 10:211.
- Putnam, F. W. 1870. Skates ([*Raja batis*]) eggs and young. *American Naturalist* 3:617-630.
- Putnam, F. W. 1870. On the young of [*Orthogoriscus mola*]. *American Naturalist* 4, 1870(1871): 629-633.
- Putnam, F. W. 1872. Remarks on a skate's egg. *Bull. Essex Inst.* 4:123-124.
- Putnam, F. W. 1872. Young of the blind fish. *American Naturalist* 6:116-117.
- Pycha, R.L., and L.L. Smith, Jr. 1955. Early life history of the yellow perch, [*Perca flavescens*] (Mitchill), in the Red Lakes, Minnesota. *Transactions of the American Fisheries Society* 84:249-260.
- Qadri, S.U. 1968. Growth and reproduction of the lake whitefish, [*Coregonus clupeaformis*], in Lac la Ronge, Saskatchewan. *J. Fish. Res. Bd Can.* 25:2091-2100.
- Qayyum, A., and S. Z. Qasim. 1964. Studies on the biology of some freshwater fishes. I. [*Ophicephalus punctatus*] Bloch. *J. Bombay Nat. Hist. Soc.* 61(1):74-98.
- Quackenbush, L. S. 1906. Larval conger eels on the Long Island coast. *Science (Wash., D.C.)*, 23(592):702-703.
- Quam, L. O. (ed.), and H. D. Porter (assoc. ed.). 1971. *Research in the Antarctic*. Am. Assoc. Advmt. Sci., Publ., No. 93, 768 pp.
- Quantz, G. 1985. Use of endogenous energy sources by larval turbot, [*Scophthalmus maximus*]. *Transactions of the American Fisheries Society* 114:558-563.
- Quasim, S. Z. 1955. Rearing experiments on marine teleost larvae and evidence of their need for sleep. *Nature, London*, 175:217-218.

- Quasim, S. Z. 1956. Time and duration of the spawning season in some marine teleosts in relation to their distribution. *J. Cons. perm. int. Explor. Mer* 21(2): 144-155.
- Quasim, S. Z. 1956. The spawning habits and embryonic development of the shanny ([*Blennius pholis*] L.). *Proc. Zool. Soc. London* 127:79-92.
- Quasim, S. Z. 1957. The biology of [*Centronotus gunnellus*] (L.). (Teleostei). *J. Anim. Ecol.* 26:389-401.
- Quasim, S. Z. 1957. The biology of [*Blennius pholis*] L. (Teleostei). *Proc. Zool. Soc., London* 128:161-208.
- Quasim, S. Z. 1959. Laboratory experiments on some factors affecting the survival of marine teleost larvae. *J. Mar. Biol. Assoc. India* 1:13-25.
- Quast, J. C. 1974. Density distribution of juvenile Arctic cod, [*Boreogadus saida*], in the eastern Chukchi Sea in the fall of 1970. *Fish. Bull.* 72(4):1094-1105.
- Quignard, J. P. 1967. Egg and larvae of the labrid, [*Symphodus melops*], influence of different physico-chemical factors on the duration of embryonic development. *Revue Trav. Inst. Pech. Marit.* 31:355-358.
- Quingwen, M. 1982. On the morphological characteristics of the larvae of seven species of freshwater fishes. *J. Fish.*
- Quinn, T. P., and J. C. Ogden. 1984. Field evidence of compass orientation in migrating juvenile grunts (*Haemulidae*). *J. Exp. Mar. Biol. Ecol.* 81(2):181-192.
- Quinn, T. P., and C. A. Busack. 1985. Chemosensory recognition of siblings in juvenile coho salmon ([*Oncorhynchus kisutch*]). *An. Behav.* 33(1):51-56.
- Quinonez-Velazquez C., and V. M. Gomez-Munoz. 1985. Modelo polinomial para crecimiento individual de larvas de la anchoveta Nortena, [*Engraulis mordax*]. *California Coop. Oceanic Fish. Invest. Rep.* XXVII:141-143.
- Quist, M. C., C. S. Guy, R. J. Bernot, and J. L. Stephen. 2002. Ecology of larval white bass in a large Kansas reservoir. *North American Journal of Fisheries Management* 22(2):637-642.
- Rabalais, N. N., S. C. Rabalais, and C. R. Arnold. 1980. Description of eggs and larvae of laboratory-reared red snapper ([*Lutjanus campechanus*]). *Copeia* 1980:704-708.
- Rabalais, S. C., C. R. Arnold, and N. S. Wohlschlag. 1981. The effects of Ixtoc I oil on the eggs and larvae of red drum ([*Sciaenops ocellata*]). *Texas J. Sci.* 33:33-38.
- Rabanal, R. H. 1951. Methods and problems of collecting eggs and fry for transportation. *Proc. Indo-Pac. Fish. Counc. 3rd Mtg., Sect. III*:196-201.
- Raby, D., Y. Lagadeuc, J. J. Dodson, and M. Mingelbier. 1994. Relationship between feeding and vertical distribution of bivalve larvae in stratified and mixed waters. *Marine Ecology-Progress Series* 103:275-284.
- Rach, J. J., M. J. Gaikowski, G. E. Howe, and T. M. Schreier. 1998. Evaluation of the toxicity and efficacy of hydrogen peroxide treatments on eggs of warm and coldwater fishes. *Aquaculture* 165(1,2):11-25.
- Rachow, A. [*Hyphessobrycon bifasciatus*]. *Die Aquarienfische in Wort und Bild.* 11/12:111.
- Rachow, A. [*Hyphessobrycon flammeus*]. *Die Aquarienfische in Wort und Bild.* 11/12:109-110.
- Rachow, A. [*Pyrrhulina rachoviana*]. *Die Aquarienfische in Wort und Bild.* 11/12:127-128.



- Rachow, A. [Rasbora urophthalma]. Die Aquarienfische in Wort und Bild. 17/18:181.
- Radhakrishnan, N. 1961. Studies on some aspects of the biology of a few Indian marine food fishes. Ph.D Diss., Aligarh Muslim Univ.
- Radtke, R. L. 1989. Larval fish age, growth, and body shrinkage - information available from otoliths. Canadian Journal of Fisheries and Aquatic Sciences 46:1884-1894.
- Radtke, R. L., and B. Morales-nin. 1989. Mediterranean juvenile bluefin tuna - life history patterns. Journal of Fish Biology 35:485-496.
- Radle, E. M. 1971. A partial life history of the winter flounder ([Pse udopleuronectes americanus]) exposed to thermal addition in an estuary, Indian River Bay, Delaware. M.S. Thesis, Univ. Delaware. 71 pp.
- Radovich, J. 1952. Report on the young sardine, [Sardinops caerulea], survey in California and Mexican waters, 1950 and 1951. Fish. Bull. California, No. 87.
- Radovich, J. 1962. Effects of sardine spawning stock size and environment on year-class production. California Fish and Game 48(2):123-140.
- Radstrom, S., and S. Sjolander. 1969. Reproductive behavior of [Puntius titteya] (Cyprinidae). Zool. Revy. 31(4):93-95.
- Radtke, R. L. 1978. The fo rmation and growth of otoliths in the estuarine fish, [Fundulus heteroclitus]. Ph.D. Diss., Univ. South Carolina, Columbia, SC.
- Radtke, R. L. 1978. Aberrant sagittae from larval striped bass, [Morone] [saxatilis]. Copeia 1978(4):712-713.
- Radtke, R. L., and K. G. Waiwood. 1980. Otolith formation and body shrinkage due to fixation in larval cod, [Gadus morhua]. Can. Tech. Rep. Fish. Aq. Sci. 929.
- Radtke, R. L., and M. D. Scherer. 1981. Daily growth of winter flounder ([Pseudopleuronectes] [americanus]) larvae in the Plymouth Harbor estuary. Pages 1-5 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. The fifth ann. larval fish conf., Louisiana coop fish. res. unit., LSU, Baton Rouge, LA.
- Radtke, R. L., and J. M. Dean. 1982. Increment formation in the otoliths of embryos, larvae, and juveniles of the mummichog, [Fundulus] [heteroclitus]. Fish. Bull. 80(2):201-216.
- Radtke, R. L. 1984. Formation and structural composition of larval striped mullet otoliths. Transactions of the American Fisheries Society 113:186-191.
- Radtke, R. L. 1984. Otolith formation and increment deposition in laboratory reared skipjack tuna, [Katsuwonus pelamis] larvae. NOAA Tech. Rep.
- Radtke, R. L., D.W. Townsend, S.D. Folsom, and M.A. Morrison. 1990. Strontium /calcium concentration ratios in otoliths of herring larvae as indicators of environmental histories. Environmental Biology of Fishes 27:51-61.
- Radzinskaya, L. I. 1960. The peroxidase reaction and the formation of haemoglobin during the embryonic development of sturgeon. Dokl. Akad. Nauk SSSR 130:1173-1176.
- Radzinskaya, L. I. 1968. Localization and amount of peroxidase in the embryonic development of Neva salmon, [Salmo salar] L. Vop. Ikhtiolog. 8:304-306.
- Radzinskaya, L. I. 1968. Localization and amount of peroxidase in the embryonic development of the Neva salmon, [Salmo] [salar]. Am. Fish. Soc. Prob. in Ichthyol. 8(2):304-305.

- Rae, B. B. 1953. The occurrence of lemon sole larvae in the Scottish plankton collections of 1929, 1930, and 1931. *Mar. Res.* 1953(1):1-36.
- Rae, K. M. 1952. Continuous plankton records: explanation and methods, 1946-1948. *Hull Bull. Mar. Ecol.* 3:135-155.
- Rae, K. M. 1957. A relationship between wind, plankton distribution and haddock brood strength. *Bull. Mar. Ecol.* 4(38):247-269.
- Raffaele, F. 1887. Two preliminary notes on the ova and larvae of Teleostei. *Boll. Soc. Nat. Napoli* 1:53-58.
- Raffaele, F. 1888. Le uova galleggianti e le larve dei Teleostei nel golfo di Napoli. *Mitth. Zool. Sta. Neapel* 8:1-84.
- Raffaele, F. 1889. Metamorfosi del [*Lepidopus caudatus*]. *Boll. Soc. Nat. Napoli* 3:31-33.
- Raffaele, F. 1889. Sullo spostamento post-embrionale della cavita abdominale nei teleostei. *Mitth. Zool. Stat. neapel.* 9:305-329.
- Raffaele, F. 1895. Uova di [*Scombersox*], di [*Exocoetus*], e di [*Crystallogobius*]. *Boll. Soc. Nat. Napoli* 8:127-130.
- Ragimov, D. B. 1967. Biology of reproduction of gobiids on the western shore of Central and Southern Caspian Sea. *Izv. Akad. Nauk. Azerb. SSSR Biol.* 6:54-59. In Russian.
- Ragyanszki, M. 1980. Preliminary investigation on the proteolytic digestive enzymes of carp fry. *Aquac. Hungarica* 2:27-30.
- Rahimullah, M. 1944. Color changes in the developing stages of [*Mystacoleuces ogilbii*] (Sykes). *Proc. Indian Acad. Sci.* 24(3):80-83.
- Rahimullah, M., S. Mahmood, and S. A. Kabir. 1944. A note on the breeding habits of a common eel, [*Anguilla bengalensis*] Gray and Hardy. *Proc. Indian Acad. Sci.* 19(1):16-18.
- Rahimullah, M. 1945. A note on the fishes of Nahr-e-Ambari, Aurangabad (Hyderabad-Deccan) *Proc. 32nd Indian Sci. Congr. (Nagpur) Pt.* 3:111.
- Rahimullah, M. 1946. Observations on the breeding habits of [*Ophicephalus*] [*striatus*] Bl. *Proc. 33rd Indian Sci. Congr. (Bangalore) Pt.* 3:129.
- Rahmani, A. R., and S. M. Khan. 1981. Development of the secondary lamellae in the olfactory epithelium of [*Anabas testudineus*]. *Jap. J. Ichthyol.* 28(2):177-180.
- Rahn, C. H., D. M. Sand, and H. Schlenk. 1977. Metabolism of oleic, linoleic and linolenic acids in gourami ([*Trichogaster cosby*]) fry and mature females. *Comp. Biochem. Physiol.* 58B:17-20.
- Rahrer, J. F. 1965. Age, growth, maturity and fecundity of "humper" lake trout, Isle Royale, Lake Superior. *Transactions of the American Fisheries Society* 94(1):75-83.
- Raimondi, P. T. 1991. Settlement behavior of [*Chthamalus anisopoma*] larvae largely determines the adult distribution. *Oecologia* 85:349-360.
- Raitt, D. F. S. 1962. Scottish redfish larvae investigations, 1962. ICES CM 81.
- Raitt, D. F. S. 1964. Scottish redfish larval investigations in 1962 with some observations on midoceanic echo traces. *J. Cons. perm. int. Explor. Mer* 29:65-72.
- Raitt, D. S. 1935. On the use of alizarin as a stain for the skeletal structures of fishes *J. Cons. perm. int. Explor. Mer* 10:75-80.

- Raj, B. S. 1914. Note on [Trygon kuhlii] and note on the breeding of [Chiloscyllium griseum] Mull. and Henle. Rec. Indian Mus. 10(4):317-319.
- Raj, B. S. 1917. On the habits of hilsa ([Clupea ilisha]) and their artificial propagation in the Coleroon. J. Asiatic Soc. Bengal (N.S.) 2.
- Rajagopal, P. K. 1975. Respiratory metabolism and energy requirements of embryo, larval and juvenile mountain whitefish, [Prosopium williamsoni]. Ph.D. Diss., Utah St. Univ., Logan, UT.
- Rajagopal, P. K. 1979. The embryonic development and the thermal effects on the development of the mountain whitefish, [Prosopium williamsoni] (Girard). J. Fish. Biol. 15(2):153-158.
- Raju, N. S., and P. N. Ganapati. 1967. Distribution of fish eggs and larvae in Bay of Bengal. Int. Indian Ocean Exp. Newslett. 4(4):43.
- Raju, S. N. 1971. Breeding habits, development and life history of [Blennius steindachneri] Day, from Waltair coast. Proc. Indian Acad. Sci. (B) 74(1):37-45.
- Raju, S. N. 1974. Distribution, growth and metamorphosis of leptocephali of the garden eels, [Taenioconger] sp. and [Gorgasia] sp. Copeia 1974(2):494-500.
- Raju, S. N. 1974. Three new species of the genus [Monognathus] and the leptocephali of the order Saccopharyngiforme Fish. Bull. U.S. 72:547-562.
- Raju, S. N. 1985. Congrid eels of the eastern Pacific and key to their leptocephali. NOAA Tech. Rept. NMFS 22, 19 p.
- Rakusa-Suszczewski S. 1972. Respiration of the Antarctic fish eggs ([Trematomus] [borchgrevinkii] Boul.) Pol. Arch. Hydrobiol. 19(4):399-401.
- Raleigh, R. F. 1967. Genetic control in the lakeward migrations of sockeye salmon ([Oncorhynchus nerka]) fry. Journal of the Fisheries Research Board of Canada 24(12):2613-2622.
- Raleigh, R. F. 1971. Innate control of migrations of salmon and trout fry from natal gravel to rearing seas. Ecology 52:291-297.
- Ralston, S., and D. F. Howard. 1995. On the development of year-class strength and cohort variability in two northern California rockfishes. Fishery Bulletin 93:710-720.
- Ralston, S., E. B. Brothers, D. A. Roberts, and K. M. Sakuma. 1996. Accuracy of age estimates for larval [Sebastes jordani]. Fishery Bulletin 94:89-97.
- Ramakrishna, K. V., and K. H. Alikunhi. 1967. Growth and propagation of common carp ([Cyprinus] [carpio] L.) in India: observations on the size of eggs, hatchlings and fry of parents of various size. J. Bombay Nat. Hist. Soc. 64:238-250.
- Ramamohana, R., and M. A. Kaliyamurthy. 1974. Note on the abundance and distribution of juveniles of two Beloniform fishes in Pulicat Lake. Indian J. Anim. Sci. 44(10):810-814.
- Ramanathan, N., and R. Natarajan. 1979. Breeding biology of [Psettodes erumei] (Bloch and Schn.) and [Pseudorhombus arsius] (Ham. & Buch.) Pisces: Pleuronectiformes along Porto Novo coast (S. India). Aquaculture 18(3):269-282.
- Ramanathan, N., and R. Natarajan. 1979. Flat fish eggs, larvae and their development. Aquaculture 18(4):349-366.
- Ramanathan, N., P. Natarajan, and N. Sukumaran. 1985. Studies on the induced spawning and larval rearing of a freshwater catfish, [Mystus punctatus] (Jerdon). Proc. Indian Acad. Sci. An. Sci. 94(4):389-398.

- Ramanujam, S. G. M. 1929. The study of the development of the vertebral column in teleosts as shown in the life history of the herring. Zool. Soc. Lond., Proc. (1929): 365-414.
- Ramaswami, N. M. 1923. A note on the eggs and early embryonic development of [Cypsilurus]. Appended to Hornell (1923). Madras Fish. Dept. Fish. Reps. 1922(4):109-112.
- Ramsey, J. S., and R. O. Smitherman. 1971. Development of color patterns in pond-reared young of five [Micropterus] species of southeastern U.S. Proc. 25th Ann. Conf. S. E. Assoc. G & F Comms. 25:348-356.
- Ramster, J. W., and K. J. Medler. 1978. Notes on the tidal streams off Orfordness in relation to fish tracking. J. Cons. perm. int. Explor. Mer 38(1):87-91.
- Ramult, M. M. 1927. The influence of certain salts upon the hatching and development of salmon larvae. Bull. int. Acad. Cracovie (Acad. Pol. Sci.) BII(1):45-63.
- Rana, K. J. 1985. Influence of egg size on the growth, onset of feeding, point of no return, and survival of unfed [Oreochromis mossambicus] fry. Aquaculture 46(2):119-132.
- Rand, T. G. 1985. Papillomatous lesions in wild juvenile Atlantic salmon, [Salmo salar] L. in New Brunswick, Canada. J. Wildl. Dis. 21(3):324-326.
- Randall, J. E. 1961. A contribution to the biology of the convict surgeon fish of the Hawaiian Islands, [Acanthurus triostegus] [sandvicensis]. Pac. Sci. 15(2):215-272.
- Randall, J. E., and H. A. Randall. 1963. The spawning and early development of the Atlantic parrotfish, [Sparisoma rubripinne], with notes on other scarid and labrid fishes. Zoologica 48(2):49-60.
- Randall, R. G., and U. Paim. 1982. Growth, biomass, and production of juvenile Atlantic salmon, [Salmo salar] L., in two Miramichi River, New Brunswick, tributary streams. Canadian Journal of Zoology 60:1647-1659.
- Raney, E. C. 1939. The breeding habits of [Ichthyomyzon greeleyi] Hubbs and Trautman. Copeia 1939(2):111.
- Raney, E. C. 1939. The breeding habits of the silvery minnow, [Hybognathus regius] Girard. Am. Midl. Nat. 21(3):674-680.
- Raney, E. C., and E. A. Lachner. 1939. Observations on the life history of the spotted darter, [Poecilichthys maculatus] (Kirtland). Copeia 1939(3):157-165.
- Raney, E. C. 1940. The breeding behavior of the common shiner, [Notropis cornutus] (Mitchill). Zoologica 25(1):1-13.
- Raney, E. C., and D. A. Webster. 1940. The food and growth of the young of the common bullhead, [Ameiurus nebulosus nebulosus] (LeSueur), in Cayuga Lake, New York. Transactions of the American Fisheries Society 69:205-209.
- Raney, E. C., and E. A. Lachner. 1942. Studies of the summer food, growth and movements of young yellow pike-perch, [Stizostedion vitreum], in Oneida Lake, New York. J. Wildl. Mgmt. 6(1) 1-16.
- Raney, E. C. 1947. Subspecies and breeding behavior of the cyprinid fish, [Notropis procne] (Cope). Copeia 1947(2):103-109.
- Raney, E. C. 1952. The life history of the striped bass, [Roccus] [saxatilis] (Walbaum). Bull. Bingham Oceanoogr. Coll. 14(1):5-97.

- Raney, E. C., R. H. Backus, R. W. Crawford, and C. R. Robins. 1953. Reproductive behavior in [*Cyprinodon variegatus*] Lacepede, in Florida. *Zoologica* 38:97-104.
- Raney, E. C. 1959. Some young freshwater fishes of New York. *New York State Conserv.* 14(1):22-28.
- Raney, E. C., and B. W. Menzel. 1969. Heated effluents and effects on aquatic life with emphasis on fishes - a bibliography. U.S. Atomic Energy Comm., Ichthyological Assoc., Middletown, DE, Bull. No. 2, 470 pp.
- Raney, E. C. 1975. Evaluation of the effect of the replacement of eggs, prolarvae (yolk sac) and post-larvae of striped bass in the Chesapeake and Delaware Canal. Testimony, Delmarva Power and Light Co., 50-450, 50451. 19 pp.
- Rangarajan, K. 1951. Some aspects of the development of [*Aplocheilus*] [*melastigmus*]. *Proc. 38th Indian Sci. Congr. (Bangalore)* Pt. 3:231.
- Rangarajan, K., and J. Jacob. 1961. On the development of the eel-like fish, [*Symbranchus bengalensis*] (McClelland). *Journal of Zoology Soc. India* 1960 12(2):147-151.
- Rangarajan, K. 1963. Eggs of [*Oryzias melastigma*] (McClelland) as material for experimental studies. *Journal of Zoology Soc. India* 1962 14(1):109-111.
- Rangdale, R. E., R. F. Richards, and D. J. Alderman. 1997. Minimum inhibitory concentrations of selected antimicrobial compounds against [*Flavobacterium psychrophilum*] the causal agent of rainbow trout fry syndrome (RTFS). *Aquaculture* 158(3 & 4):193-201.
- Rankin, P. D. 1979. The influence of un-ionized ammonia on the long-term survival of sockeye salmon eggs. *Fish. Mar. Serv. Tech. Rep.* 912:17 pp.
- Rannak, L. A. 1959. Quantitative study of the Baltic herring eggs and larvae in the northern part of the Gulf of Riga and principal factors determining their survival. *Fish. Res. Bd. Can. Transl. Ser.* 238. 15 pp.
- Rannak, L. 1961. On the ontogeny of the vertebral column in relation to the development of other organs and metamorphosis in stromling. *Hydrobiol.* II:375-411.
- Rannak, L., and T. Jakobson. 1962. On the feeding of young stromling in relation to their density. *Hydrobiol. Invest.* 3.
- Rannak, L. 1971. On recruitment to the stock of spring herring in the northeastern Baltic. Pages 76-82 [in] A. Saville, editor. *Symp. on biology of early stages and recruitment mechanisms of herring*. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160:205 pp.
- Ranzi, S. 1933. Sparidae, Lobotidae. Pages 332-383 [in] U. D'Ancona et al., editors. *Uova, larve e stadi giovanili di Teleosti*. Fauna Flora Golfo Napoli, Monogr 38. In Italian.
- Ranzi, S. 1934. Le basi fisio-morf ologisch dello sviluppo embrionale dei Selaci. Part. II e III. *Publ. Staz. Zool. Napoli* 13:331-437.
- Rao, C. N. R. 1919. Notes on the life history of two fishes, [*Callichrous*] [*bimaculatus*] Bloch, and [*Notopterus notopterus*] (Pallas). *Proc. 6th Indian Sci. Congr. (Bombay)*.
- Rao, G. R., and H. Kaliyamurthy. 1977. A note on the abundance and distribution of juveniles of two Beloniform fishes in Pulicat Lake. *Indian J. Anim. Sci.* 44(10):810-814.
- Rao, H. S., and S. L. Hora. 1938. On the ecology, bionomics and systematics of the blennid fish of the genus [*Andamia*] Blyth. *Rec. Indian Mus.* 40(4):377-401.

- Rao, K. S. P. 1963. The eggs and early development of [*Caranx*] sp. from Porto Novo Coast. *Journal of Zoology Soc. India* 1962 14(2):198-202.
- Rao, K. S. 1964. Observations on the food and feeding habits of [*Scomberomorus guttatus*] (Bl. et Schn.) and juveniles of [*S. lineolatus*] (Cuv. et Val.) and [*S. commersoni*] (Lac.) from the Waltair coast. *Mar. Biol. Assoc. India, Proc. Symp. on Scombroid fish Mandapam Camp. Pt. 2*:591-598.
- Rao, K. S. 1973. Eggs and early developmental stages of [*Hilsa kelee*] (Cuvier). *Indian J. Fish.* 20:250-255.
- Rao, K. S., and K. G. Girijavallabhan. 1975. On the eggs and larvae of an engraulid and two carangids from Madras plankton. *Ind. J. Fish.* 20(2):551-561.
- Rao, K. V., and S. Basheeruddin. 1953. Occurrence of young mackerel, [*Rastrelliger kanagurta*] (Cuv.) off Madras Coast. *Curr. Sci.* 22(6):182-183.
- Rao, K. V. 1964. Distribution of the young stages of the mackerel, [*Rastrelliger kanagurta*] (Cuv.) in the Indian inshore waters. *Mar. Biol. Assoc. India, Proc. Symp. on Scombroid fish Mandapam Camp. Pt. 1*:469-482.
- Rao, K. V. N. 1964. Observations on the bionomics of the Indian mackerel, [*Rastrelliger kanagurta*] (C.) caught in the Lawson's Bay, near Waltair, Andhra Coast. *Proc. Symp. Scomb. Fishes, Mandapam Camp (Mar. Biol. Assoc. India) 1962, Pt. II*:574-585.
- Rao, K. V. N. 1967. The flatfishes. *Cent. Mar. Fish. Res. Inst. 20th Anniv. Souv.* 62-66.
- Rao, N. G. S. 1967. On the distribution of larvae, post-larvae and juveniles of fishes in the Mahanadi estuary. *Indian J. Fish.* 11A(1):407-422.
- Rao, P. S. B., and V. K. Venugopalan. 1984. Lindane induced respiratory changes in juveniles of esturine fish, [*Mugil cephalus*] (L.). *Indian J. Mar. Sci.* 13(4):196-198.
- Rao, R. T. 1977. Enhancement of natural populations of moi ([*Polydactylus sextilis*]) in Hawaii through the release of hatchery-reared juveniles - a feasibility study of sea ranching. *Hawaii Inst. Mar. Biol. Tech. Rep.* 33.
- Rao, T. R. 1974. Influence of salinity on the eggs and larvae of the California killifish, [*Fundulus heteroclitus*]. *Mar. Biol.* 24:155-162.
- Rao, T. R. 1975. Salinity tolerance of laboratory-reared larva of the California killifish, [*Fundulus parvipinnis*] Girard. *J. Fish. Biol.* 7(6):783-790.
- Rao, T. R. 1977. Effects of salinity on larval growth in the California killifish, [*Fundulus parvipinnis*] Girard. *California Fish and Game* 63(1):22-28.
- Rao, V. V. 1970. Breeding habits and early development of two blennioid fishes, [*Omobranchus japonicus*] (Bleeker) and [*Cruentus smithi*] (Visweswara Rao), from Godavari Estuary. *J. Mar. Biol. Assoc. India* 12(1-2):175-182.
- Rapson, A. M. 1940. The reproduction, growth and distribution of the lemon sole ([*Pelotretis flavialatus*] Waite) of Tasman Bay and Marlborough Sound. *Fish. Bull. N.Z.*, No. 7:56 pp.
- Rasa, O. A. E. 1971. Appedtence for aggression in juvenile damsel fish. *Zeitsch. fur Tierpsychol. Beiheft* 7.
- Rasin, V. J. 1976. Spawning and larval fish in the Potomac Estuary. [In] *The Potomac River estuary trends and options, Proc. of a Symp., Alexandria, VA. Maryland Power Plant Siting Prog., Dept. Nat. Resourc.*

- Rasmussen, E. 1973. Systematics and ecology of the Isefjord marine fauna (Denmark): with a survey of the eelgrass ([Zostera]) vegetation and its communities. *Ophelia* 11(1-2):1-495.
- Rasmussen, O. I., and J. Giske. 1994. Life-history parameters and vertical distribution of [Maurolicus muelleri] in Masfjorden in summer. *Marine Biology* 120:649-664.
- Rasoanarivo, R., and A. Aboussouan. 1983. Larves de [Electrona antarctica] (Gunther, 1878) (Teleosteen, Myctophidae) recoltées durant la campagne FIBEX-MD/25 dans le Sud Ouest de l'Océan Indien. *Cybiurn* 7:75-86.
- Rasquin, P. 1955. Observations on the metamorphosis of the bonefish, [Albula vulpes] (Linnaeus). *J. Morph.* 97(1):77-118.
- Rasquin, P. 1958. Ovarian morphology and early embryology of the pediculate fishes [Atennarius] and [Histrio]. *Bull. Am. Mus. Nat. Hist.* 114(4):327-371.
- Rass, T., I. Kazanova, S. Alekseyeva, and L. Ponomareva. 1949. Contributions relating to the breeding and development of the fishes of the northern seas. *Trans. All-Union Sci. Res. Inst. Mar. Fish. Oceanogr. (VNIRO)* 17:1-60. (transl. *Natl. Mus. Can. Libr., Ottawa*.)
- Rass, T. S. 1933. The spawning of the capelin ([Mallotus villosus] Mull.) in the Barents Sea. *Trudy gos. okeanogr. Inst.* 4(1):3-34.
- Rass, T. S. 1936. Spawning, eggs and fry of the food-fishes of the Barents Sea: breeding and development of fish in subarctic. *Int. Rev. ges. Hydrobiol. Hydrogr.* 33(3/4):250-270.
- Rass, T. S. 1936. On types of fish eggs and their bearing on the classification of fishes *Dokl. Akad. Nauk SSSR for. Lang. Edn* 1936:303-307.
- Rass, T. S. 1937. Pigmentation of embryos and larvae in the herrings (family Clupeidae) as an adaptation to a pelagic mode of life. *Byull. mosk. Obshch. Ispyt. Prir.* 46:155-164.
- Rass, T. S., and N. A. Khaldinova. 1939. Eggs and fry of fishes collected in the Caspian Sea in October 1932. *Inst. Mar. Fish. Oceanogr. USSR, Moscow. N. M. Knipovich Mem. Vol.* 300-315.
- Rass, T. S. 1941. Analogous or parallel variations in structure and development of fishes in northern and Arctic seas. *Jubilee Publ. Moscow Soc. Nat., 1805-1940.* 1-60.
- Rass, T. S. 1946. Phases and stages in the ontogenesis of teleostean fishes. *Zool. Zh.* 25:137-148.
- Rass, T. S. 1947. On taxonomic value of egg size of Teleostei. *Byull. Mosk. O-va. Ispt. Prir.* 52(6):11-20.
- Rass, T. S. 1949. Sostav ichtiofauni Barentsova morja i systematicheski priznaki ikrinok i lichinok rib etogo vodojema. *Trudy vses. nauchno-issled. Inst. morsk. ryb Khoz. Okeanogr.* 17:7-65.
- Rass, T. S. 1949. The composition of the ichthyofauna of the Barents Sea and systematic characters of the eggs and larvae of the fish of this body of water. *Tr. Vses. n.-i. in-ta morsk. rybn. kh-va i okeanogr.,* 17.
- Rass, T. S. 1953. Significance of structure of fish eggs and larvae for the taxonomy of fish. Pages 183-198 [in] *Ocherki po obschim voprosam ikhtiologii, Moskva, Izdatel'stvo Akad. Nauk, SSSR.*
- Rass, T. S. 1959. The investigation of the ichthyoplankton carried out by the Kurile-Sakhalin expedition. *Issled. Fauny Morei* 6:78-96.

- Rass, T. S., and M. Juarez. 1967. Investigaciones del ictioplancton y la composición de la fauna ictica de las aguas de Cuba. In: Invest. pesqueras soviético-cubanas, VNIRO e Centro Invest. Pesqueras (CIP). Moskva, Plschevaia Promyshlen-nost, Fasciculo 2:109-119.
- Rass, T. S. 1968. Spawning and development of polar cod. [In] R. W. Blacker, editor. Symp. on ecology of pelagic fish species in Arctic waters and adjacent areas. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 158:135-137.
- Rass, T. S. 1972. Ichthyoplankton from Cuban waters. Pelagic fish-eggs. Pages 5-41 [in] Ikhtioplankton i glubokovodnye ryby mirouogo okeana. Tr. Inst. Okeanol. Akad. Nauk SSSR 93. In Russian.
- Rass, T. S. 1972. Ichthyoplankton and the deep-sea fishes of the world ocean. Transl. P.P. Shirshov. Inst. Oceanol. Acad. Sci. USSR 93:34-35.
- Rass, T. S. 1973. Systematics of pelagic fish eggs and larvae (Ichthyoplankton). Unpubl. manuscript, FAO, Rome.
- Rathjen, W. F., and L. C. Miller. 1957. Aspects of the early life history of the striped bass ([*Roccus saxatilis*]) in the Hudson River. New York Fish Game J. 4(1):43-60.
- Ratynski, R. A. 1983. Mid-summer ichthyoplankton populations of Tuktoyaktuk Harbour, Northwest Territory Can. Tech. Rep. Fish. Aq. Sci. 1218:21 pp.
- Rawles, M. 1948. Origin of melanophores and their role in development of color patterns in vertebrates. Physiol. Rev.
- Rawson, D. S. 1956. The life history and ecology of the yellow walleye, [*Stizostedion vitreum*], in Lac LaRonge, Saskatchewan. Transactions of the American Fisheries Society 86:15-37.
- Rawstron, R. R. 1964. Spawning of threadfin shad, [*Dorosoma petenense*], at low water temperatures. California Fish and Game 50:8.
- Raymond, H. L. 1968. Effect of John Day reservoir on the migration rate of juvenile chinook salmon in the Columbia River. Transactions of the American Fisheries Society 98:513-514.
- Raymond, H. L., C. W. Sims, R. C. Johnsen, and W. W. Bentley. 1975. Effects of power peaking operations on juvenile salmon and trout migrations 1974. NOAA, NMFS Northwest Fish. Center, Seattle. Prog. Rep. U.S. Army Corps Engineers DACW57-74-F-0621.
- Raymond, H. L. 1979. Effects of dams and impoundments on migrations of juvenile chinook salmon and steelhead from the Snake River, 1966 to 1975. Transactions of the American Fisheries Society 108:505-529.
- Raymond, P. A. 1985. Cytodifferentiation of photoreceptors in larval goldfish: delayed maturation of rods. J. Comp. Neurol. 236(1):90-105.
- Re, P. 1980. The eggs and newly hatched larvae of [*Abudefduf*] [*luridus*] (Cuvier, 1830) (Pisces, Pomacentridae) from the Azores. Arq. Mus. Bocage, 2nd Ser. 7(8): 109-116.
- Read, L. J. 1968. Ornithine-urea cycle enzymes in early embryos of the dogfish, [*Squalus suckleyi*], and the skate, [*Raja*] [*binoculata*]. Comp. Biochem. Physiol. 24: 669-674.
- Reader, S.E., and F.J. Neira. 1998. Pegasidae: seamoths. Pages 116-121 in F.J. Neira, A.G. Miskiewicz and T. Trnski, editors. Larvae of temperate Australian fishes: laboratory guide for larval fish identification. University of Western Australia Press. 474 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)



- Reagen, F. P., et al. 1917. Anterior haematopoiesis in chemically treated teleost embryos under continual observation. *Anat. Rec.*
- Reay, R. J. 1970. Synopsis of biological data on North Atlantic sand eels of the genus [*Ammodytes*]; [*A. tobianus*], [*A. du bius*], [*A. americanus*] and [*A. marinus*]. FAO Fish. Synop. No. 82 (Dist. restricted), 48 pp.
- Reckahn, J. A. 1970. Ecology of young lake whitefish, [*Coregonus*] [*clupeaformis*], in South Bay, Manitoulin Island, Lake Huron. Pages 437-460 [in] C. C. Lindsey and C. S. Woods, editors. *Biology of coregonid fishes*. Univ. Manitoba Press, Winnipeg, Manitoba.
- Reddy, S. R., K. Shakuntala, and K. U. Rajagopal. 1977. Preliminary studies on the conversion of [*Tubifex*] [*tubifex*] as food by elvers of [*Anguilla nebulosa*] (Gray and Hardwicke). *J. Fish. Biol.* 11(3): 279-282.
- Redeke, H. C., and P. J. Breemen. 1908. Die Verbreitung dei planktonischen Eier und Larven. - Nutzfische in der Sudlichen Nordsee mit einen - uber die Jungfischen der Gadiden. *Gerhandelinger ut Rijk. Inst. voor het Onderzoek der Zee II.*
- Redelman, J. M., R. W. Hardy, and E. L. Brannon. 1984. The effect of short-term starvation on ovarian development and egg viability in rainbow trout, [*Salmo gairdneri*]. *Aquaculture* 37(2):133-140.
- Redpath, G. S. 1972. Temperature and its effect on the growth and production of juvenile striped bass, [*Morone*] [*saxatilis*]. M. S. Thesis, Univ. California, Davis. 37 pp.
- Reed, R. J. 1958. The early life history of two cyprinids, [*Notropis*] [*rubellus*] and [*Campostoma anomalum pullum*]. *Copeia* 1958(4):325-327.
- Reed, R. J. 1964. Life history and migration patterns of Arctic grayling. Alaska Dept. Fish. Game Res. Rep. 2:30.
- Reed, R. J. 1971. Biology of the fallfish, [*Semotilus corporalis*] (Pisces: Cyprinidae). *Transactions of the American Fisheries Society* 100(4):717-725.
- Rees, R. A., and S. F. Cook. 1982. The effects of sunlight intensity on the survival of striped bass X white bass fry. *Proc. 36th Ann. Conf. S. E. Assoc. G & F Comm.* 36:83-94.
- Reeves, C. D. 1907. The breeding habits of the rainbow darter ([*Etheostoma caeruleum*] Storer), a study in sexual selection. *Biol. Bull.* 14:35-59.
- Regan, C. T. 1916. Larval and post-larval fishes. *Brit. Mus. Nat. Hist. Brit. Ant.* ("Terra Nova") *Exp.*, 1910, *Zool.* 1(4):125-156.
- Regan, C. T. 1922. The life history of the common or freshwater eel. *Sci. Prog. Lond.* 17:95-100.
- Regan, C. T. 1924. A young swordfish ([*Xiphias gladius*]), with a note on [*Clupeolabrus*]. *Ann. Mag. Nat. Hist.*, Ser. 9(13):224-225.
- Regan, D. M., C. L. Wellborn, and R. G. Bowker. 1968. Striped bass development of essential requirements for production. *Bur. Sport Fish Wildl., Spec. Rep.*, Atlanta, GA.
- Regan, D. M., T. L. Wellborn, Jr., and R. G. Bowker. 1968. Striped bass, [*Roccus saxatilis*] (Walbaum). Development of essential requirements for production. U.S. Dept. Int. Fish Wildl., Div. Fish Hatch., Atlanta, Georgia, 133 pp.
- Regan, R. E., Jr., and C. M. Conley. 1977. Effect of egg diameter on growth of channel catfish. *Progressive Fish-Culturist* 39(3):133-134.
- Regier, H. A. 1962. Smelt spawning grounds, Point Pelee, Lake Erie. Ont. Dept. Lands Forests, 13 pp. (Mimeo).

- Regner, S. 1972. Contribution to the study of the ecology of the planktonic phase in the life history of the anchovy in the Central Adriatic. *Acta adriat.* 14(9):1-40.
- Rehder, D. D. 1959. Some aspects of the life history of the carp, [*Cyprinus carpio*], in the Des Moines River, Boone County, Iowa. *Iowa State J. Sci.* 34(1):11-27.
- Rehnberg, B. G., B. Jonasson, and C. B. Schreck. 1985. Olfactory sensitivity during parr and smolt developmental stages of coho salmon. *Transactions of the American Fisheries Society* 114(5):732-736.
- Rehulka, J. 1978. The use, safety, and toxicity of a long-term exposure of autumn carp fry to Malachite Green B. *Zivocisna Vyroba (Czech.)* 22:711.
- Reib, J. P. 1973. Blood circulation in the embryo of [*Brachydanio rerio*] (Teleostei, Cyprinidae). *Ann. Embryol. Morph.* 6(1):43-54.
- Reibisch, J. 1902. Ueber den Einfluss der Temperatur auf die Entwicklung von Fisch-Eiern. *Kiel wiss. Meeresuntersuch* 6:215-231.
- Reichenback-Klinke H. H. 1974. Damage to fish eggs in rivers and lakes caused by oil pollution. *Tierarztl. Umsch.* 2(2):231-236.
- Reid, G. K. 1954. An ecological survey of the Gulf of Mexico fishes in the vicinity of Cedar Key, Florida. *Bull. Mar. Sci. Gulf Caribb.* 4(1):1-94.
- Reid, G. K., Jr. 1956. Ecological investigations in a disturbed Texas coastal estuary. *Texas J. Sci.* 8(3):296-327.
- Reid, M. E. 1929. The distribution and development of the cunner (*Tautoglabrus adspersus*) along the eastern coast of Canada. *Contr. Can. Biol. Fish., New Ser.* 4(27):431-441.
- Reid, N., and P. M. Powles. 1981. Decline and cessation in fall feeding of 0 and 1-year old [*Lepomis gibbosus*] in central Ontario. Pages 16-19 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. *The fifth ann. larval fish conf., Louisiana coop. fish. res. unit, LSU, Baton Rouge, LA.*
- Reigh, R., and H. Clungston. 1955. Effect of various levels of x-radiation on embryos of [*Fundulus heteroclitus*]. *Biol. Bull.*
- Reighard, J. 1890. The development of the wall-eyed pike (*Stizostedion vitreum* Raf.). 9th Bienn. Rep. Michigan State Bd. Fish. Comm. 95-158.
- Reighard, J. 1920. The breeding behaviour of the suckers and minnows. *Biol. Bull. (Woods Hole)* 38:1-32.
- Reighard, J. E. 1891. Experiments in the impregnation of pike-perch eggs. *Transactions of the American Fisheries Society* 1890:30-36.
- Reighard, J. E. 1893. On the handling of adhesive eggs. *Transactions of the American Fisheries Society* 51-60.
- Reighard, J. E. 1900. Exhibition of figures for a normentafel of [*Amia*] with an account of methods of photographing the embryo. *Science* 11(n.s.):249.
- Reighard, J. E. 1903. An experimental study of the spawning behavior of [*Lampetra wilderi*]. *Science, NY* 17:529.
- Reighard, J. E. 1904. The natural history of [*Amia calva*] Linnaeus. *Mark Anniversary Vol., No. 4*:57-109.

- Reighard, J. E. 1906. The breeding habits, development, and propagation of the black bass ([*Micropterus dolomieu*] Lacepede and [*Micropterus salmoides*] Lacepede). Mich. Fish. Comm. Bull. 7, 73 pp.
- Reighard, J. E. 1910. Methods of studying the habits of fishes with an account of the breeding habits of the horned dace. Bull. Bur. Fish., Wash. 28:1111-1136.
- Reighard, J. E. 1913. The breeding habits of the log-perch ([*Percina*] [*caprodes*]). Rep. Mich. Acad. Sci. 15:104-105.
- Reighard, J. E. 1920. The breeding behavior of the suckers and minnows. I. The suckers. Biol. Bull. Mar. Biol. Lab., Woods Hole 38(1):1-32.
- Reighard, J. E. 1943. The breeding habits of the river chub, [*Nocomis*] [*micropogon*] (Cope). Pap. Mich. Acad. Sci. 28:397-423.
- Reighard, J., and J. Phelps. 1908. The development of the adhesive organ and head mesoblast of [*Amia*]. J. Morph. 19(2):469-496.
- Reighard, J., and S. O. Mast. 1908. Studies of ganoid fishes. II. The development of the hypophysis of [*Amia*]. J. Morph. 19(2):497-509.
- Reilly, C. A., T. W. Echeverria, and S. Ralston. 1992. Interannual variation and overlap in the diets of pelagic juvenile rockfish (Genus, [*Sebastes*]) off central California. Fishery Bulletin 90:505-515.
- Reimers, P. E. 1973. The length of residence of juvenile fall chinook in Sixes River, Oregon. Res. Rep. Fish Comm. Oregon 4(2).
- Reimers, P. E. 1973. The length of residence of juvenile fall chinook salmon in Sixes River, Oregon. Res. Rep. Fish Comm. (OR) 4(2):3-43.
- Reimold, R. J., and M. H. Shealy, Jr. 1976. Residues in fish, wildlife and estuaries of chlorinated hydrocarbon pesticides and mercury in coastal young-of-the-year finfish, South Carolina and Georgia - 1972-74. Pestic. Monit. J. 9:170.
- Reintjes, J. W., J. Y. Christmas, Jr., and R. A. Collins. 1960. Annotated bibliography on biology of American menhaden. Fish. Bull. Fish. Wildl. Serv. U.S. 60:297-322.
- Reintjes, J. W. 1961. Menhaden eggs and larvae from "M/V Theodore N. Gill" cruises, south Atlantic coast of the United States, 1953-54. Spec. Scient. Rep. U.S. Fish. Wildl. Serv. 393, 7 pp. menhadeneggs, survey Theodore N. Gill Cruise larvae, survey Theodore N.
- Reintjes, J. W. 1962. Development of eggs and yolk-sac larvae of yellow fin menhaden. Fish. Bull. Fish Wildl. Serv. U.S. 62(202):93-102.
- Reintjes, J. W. 1964. Annotated bibliography on biology of menhadens and menhadenlike fishes of the world. Fish. Bull. NOAA (U.S.) 63(3):531-549.
- Reintjes, J. W., and W. F. Hettler, Jr. 1967. Late larval line sensory organs on larval Atlantic menhaden. Pages 26 [in] Abstracts Ichthyol., Am. Soc. Ichthyol. Herp., 47th Ann. Mtg.
- Reintjes, J. W. 1968. Development and distribution of larval menhaden. Pages 9-11 [in] Rep. Bur. Commer. Fish. Biol. Lab., Beaufort, N.C. U.S. Fish. Wildl. Serv., Circ. 287.
- Reintjes, J. W. 1969. Synopsis of biological data on the Atlantic menhaden, [*Brevoortia tyrannus*]. FAO Fish. Biol. Synop., No. 42, BCF/542 U.S. Fish Wildl. Serv. Circular 320, 30 pp.
- Reis, R. 1977. Variations in utilization of a high marsh intertidal creek by larval and juvenile fish. M.S. Thesis, Univ. of South Carolina.

- Reisen, W. K. 1972. The influence of organic drift on the food habits and life history of the yellowfin shiner, [*Notropis lutipinnis*] (Jordan and Brayton). *Am. Midl. Nat.* 88:376-383.
- Reisenbichler, R. R., and J. D. McIntyre. 1977. Genetic differences in growth and survival of juvenile hatchery and wild steelhead trout, [*Salmo gairdneri*]. *Journal of the Fisheries Research Board of Canada* 34(1):123-128.
- Reiser, D. W., and R. G. White. 1981. Effect of flow fluctuation and redd dewatering on salmonid embryo development and fry quality. Rep. DE-AC79-79 BP 10848, Univ. Idaho, Moscow. 86 pp.
- Reiser, D. W., and R. G. White. 1981. Incubation of steelhead trout and spring chinook salmon eggs in a moist environment. *Progressive Fish-Culturist* 43:131-134.
- Reiser, D. W., and R. G. White. 1983. Effect of complete redd dewatering on salmonid egg hatching success and development of juveniles. *Transactions of the American Fisheries Society* 112:532-540.
- Reisman, H. M. 1961. The reproductive behavior of the five-spined stickleback, [*Eucalia inconstans*] (Kirtland). *Am. Zool.* 1:468.
- Reisman, H. M. 1963. Reproductive behavior of [*Apeltes quadracus*], including some comparisons with other gasterosteid fishes. *Copeia* 1963(1):191-192.
- Reisman, H. M., and T. Cade. 1967. Physiological and behavioral aspects of reproduction in the brook stickleback, [*Eucalia inconstans*]. *Am. Midl. Nat.* 77:257-295.
- Reiss, A. A., C. T. Taggart, J. F. Dower, and B. Ruddick. 2002. Relationships among vertically structured in situ measures of turbulence, larval fish abundance and feeding success and copepods on Western Bank, Scotian Shelf. *Fisheries Oceanography* 11(3):156-174.
- Remult, M. 1927. The influence of certain salts upon the development of young sticklebacks ([*Gasterosteus aculeatus*]). *Bull. Intl. Acad. Polonaise Sci. Lett.* (1):63-66.
- Rene, F. 1974. Rearing of gilt-head, [*Sparus aurata*]. Pages 747-748 [in] J. H. S. Blaxter, editor. *The early life history of fish*. Springer-Verlag, Berlin.
- Renfzhai, Z., and L. Suifen. 1980. On the eggs and larvae of the golden-thread, [*Nemipterus virgatus*] (Houttuyn). *Acta Zool.* 26(2):136-139.
- Renganathan, V., and M. Devaraj. 1966. On the occurrence of a new species of [*Ichthyophthrius*] (Ciliata) in the fry stage murrel, [*Ophicephalus marulius*] (Ham.). *Madras J. Fish.* 2:15-21.
- Renganathan, V., and N. V. Radha. 1966. Biology and fisheries of [*Mystus*] ([*Osteobagrus*]) [*aor*] (Sykes) in the Bhavanisagar Reservoir. *Madras J. Fish.* 2:1-15.
- Renzhai, Z., and L. Suifen. 1980. Studies on the eggs and larvae development of wise porgy, [*Gymnocranius griseus*] (Temminck et Schlegel). *Acta Zool. Sin.* 26(2):132-135.
- Resh, V. H., D. S. White, S. A. Elbert, D. E. Jennings, and L. A. Krumholz. 1976. Vertebral variation in the emerald shiner, [*Notropis atherinoides*] from the Ohio river: an apparent contradiction to "Jordan's Rule". *Bull. So. Calif. Acad. Sci.* 75(2):76-84.
- Reutter, J. M., C. E. Herdendorf, and G. W. Sturm. 1978. Impingement and entrainment studies at the Acme Power Station, Toledo Edison Co. Center for Lake Erie Area Res. (CLEAR) Tech. Rep. #78a, The Ohio State Univ., Columbus, OH.

- Reutter, J. M., C. E. Herdendorf, and G. W. Sturm. 1978. Impingement and entrainment studies at the Bayshore Power Station, Toledo Edison Co. Center for Lake Erie Area Res. (CLEAR) Tech. Rep. #78b, The Ohio State Univ., Columbus, OH.
- Revina, N. I. 1958. A contribution to reproduction and survival of eggs and juveniles of "large sized" horse mackerel from the Black Sea. Tr. AzCherNIRO 17:9-30.
- Reynolds, J. B. 1965. Life history of smallmouth bass, [*Micropterus*] [*dolomieu*] Lacepede, in the Des Moines River, Boone County, Iowa. Iowa J. Sci. 39(4):417-436.
- Reynolds, W. M., and M. E. Casterlin. 1978. Behavioral thermoregulation by ammocoete larvae of the sea lamprey, [*Petromyzon marinus*], in an electronic shuttlebox. Hydrobiol. 61:145-147.
- Reynolds, W. W., and D. A. Thomson. 1974. Responses of young gulf grunion, [*Leuresthes*] [*sardina*], to gradients of temperature, light, turbulence and oxygen. Copeia 1974(3):747-758.
- Reynolds, W. W., and D. A. Thomson. 1974. Temperature and salinity tolerances of young Gulf of California grunion, [*Leuresthes sardina*] (Atheriniformes: Atherinidae). J. Mar. Res. 32:37-45.
- Reynolds, W. W., D. D. Thomson, and M. E. Casterlin. 1976. Temperature and salinity tolerances of larval California grunion, [*Leuresthes tenuis*] (Ayres): A comparison with Gulf grunion, [*L. sardina*] (Jenkins and Evermann). J. Exp. Mar. Biol. Ecol. 24(1):73-82.
- Reynolds, W. W., D. A. Thomson, and M. E. Casterlin. 1977. Responses of young California grunion, [*Leuresthes*] [*tenuis*], to gradients of temperature and light. Copeia 1977(1):144-149.
- Reynolds, W. W., and M. E. Casterlin. 1978. Ontogenetic change in preferred temperature and diel activity of the yellow bullhead, [*Ictalurus natalis*]. Comp. Biol. Physiol. 59A:409-411.
- Reynolds, W. W., and M. E. Casterlin. 1979. Photokinetic responses and diel activity of sea lamprey, [*Petromyzon marinus*], ammocoete larvae. J. Fish. Biol. 14(4):425.
- Reznichenko, P. N., N. V. Kotlyarevskaya, and M. V. Gulidov. 1967. The survival of the eggs of the pike at constant incubation temperatures. In: Morfoekologicheskii analiz razvitiya ryb., Moscow, Nauka Press.
- Reznichenko, P. N., M. V. Gulidov, and N. V. Kotlyarevskaya. 1969. Survival of eggs of the tench ([*Tinca tinca*] L.) incubated at constant temperatures. Prob. in Ichthyol. (USSR), Amer. Fish. Soc. Transl. 8:391.
- Rhode, F. C., R. G. Arndt, and J. C. Wang. 1976. Life history of the freshwater lampreys, [*Okkelbergia aepyptera*] and [*Lampetra lamottei*] (Pisces, Petromyzontidae) on the Delmarva Peninsula (East coast, U.S.). Bull. Southern California Acad. Sci. 75:99-111.
- Rhodes, W., and J. V. Merriner. 1973. A preliminary report on closed system rearing of striped bass sac fry to fingerling size. Progressive Fish-Culturist 35(4):199-201.
- Ribeiro, F. A. L. T., and D. A. Jones. 2000. Growth and ontogenetic change in activities of digestive enzymes in Fennero [*Penaeus indicus*] postlarvae. Aquaculture Nutrition 6(1):53-64.
- Ricci, O. 1902. Ricerche sulle metamorfosi dei murenoidi. Atti Soc. Natural. Modena 4(4):11-35.
- Rice, D. W., Jr., and F. L. Harrison. 1978. Copper sensitivity of Pacific herring, [*Clupea*] [*harengus pallasii*], during its early life history. Fish. Bull. NOAA (U.S.) 76(2):347-356.

- Rice, D. W., Jr., F. L. Harrison, and A. Jerald, Jr. 1980. Effect of copper on early life history stages of northern anchovy, [*Engraulis mordax*]. *Fish. Bull.* 78(3):675-684.
- Rice, H. J. 1878. Observations upon the hatching, development and variation of the Raritan River smelt ([*Osmerus*] [*eperlanus*]). *Rep. Maryland Fish. Comm.* 1878: 41-94.
- Rice, H. J. 1878. Notes upon the development of the shad, [*Alosa*] [*sapidissima*] (?). *Rep. Maryland Fish. Comm.* 1878:95-106.
- Rice, H. J. 1884. Experiments upon retarding the development of eggs of the shad, made in 1879 at the United States shad hatching station at Havre de Grace, Maryland. *U.S. Commer. Fish. Rep.* (1881)9:787-794.
- Rice, H. J. 1885. Salt as an agent for the destruction of the fish fungus. *Transactions of the American Fisheries Society* 1884:15-21.
- Rice, H. J. 1943. Strange breeding habits of the cichlid fish ([*Etioplos maculatus*]). *J. Bomb Nat. Hist. Soc.* 44:304-306.
- Rice, J. A. 1985. Mechanisms that regulate survival of larval bloater, [*Coregonus hoyi*], in Lake Michigan. Ph.D Diss., Univ. Wisconsin, Madison, WI.
- Rice, J. A., L. B. Crowder, and F. P. Binkowski. 1985. Evaluating otolith analysis for bloater, [*Coregonus*] [*hoyi*]: Do otoliths ring true? *Transactions of the American Fisheries Society* 114:532-539.
- Rice, J. A., L. B. Crowder and F. P. Binkowski. 1987. Evaluating potential sources of mortality for larval bloater: starvation vs. predation. *Can. J. Fish. Aquat. Sci.* 44:467-472.
- Rice, J. A., L. B. Crowder, and M. E. Holey. 1987. Exploration of mechanisms regulating larval survival in Lake Michigan Bloater: a recruitment analysis based on characteristics of individual larvae. *Trans. Amer. Fish. Soc.* 116:703-718.
- Rice, J. A., T. J. Miller, K. A. Rose, L. B. Crowder, E. A. Marschall, A. Trebitz, and D. L. DeAngelis. 1993. Growth rate variation and larval survival: implications of an individual-based size-dependent model. *Can. J. Fish. Aquat. Sci.* 50:133-142.
- Rice, J. A., L. B. Crowder, and E. A. Marschall. 1997. Predation on juvenile fishes: dynamic interactions between size-structured predators and prey. Pages 333-356 [in] R. C. Chambers and E. A. Trippel, editors. *Early Life History and Recruitment in Fish Populations*. Chapman and Hall, London.
- Rice, J. A., J. A. Quinlan, S. W. Nixon, W. F. Hettler, S. M. Warlen, and P. M. Stegmann. 1999. Spawning and transport dynamics of Atlantic menhaden: inferences from characteristics of immigrating larvae and predictions of a hydrodynamic model. *Fisheries Oceanography*. In press.
- Rice, S. D. 1971. A study of nitrogen waste product metabolism in the eggs and fry of rainbow trout, [*Salmo gairdneri*]. Ph.D Diss., Kent State Univ.
- Rice, S. D. 1973. Toxicity and avoidance tests with Prudhoe Bay oil and pink salmon fry. Pages 667-670 [in] *Proc. Joint Conf. on Prevention and Control of Oil Spills*, Am. Petrol. Inst., EPA, U.S. Coast Guard, Wash, D. C.
- Rice, S. D., and R. M. Stokes. 1974. Nitrogen waste product metabolism in the eggs and fry of rainbow trout. [In] *Report of the international symposium on the early life history of fish*. *FAO Fish. Rep. No.* 141, 58 pp.
- Rice, S. D., and R. M. Stokes. 1975. Acute toxicity of ammonia to several developmental stages of rainbow trout, [*Salmo gairdneri*]. *U.S. NMFS Fish. Bull.* 73:207-211.

- Rice, S. D., D. A. Moles, and J. Short. 1975. The effect of Prudhoe Bay crude oil on survival and growth of eggs, alevins, and fry of pink salmon [*Oncorhynchus gorbuscha*]. Pages 502-507 [in] Proc. 1975 Conf. on Prevention and Control of Oil Pollution. Am. Petrol Inst., EPA, U.S. Coast Guard, Wash., D. C.
- Rice, S. D., R. E. Thomas, and J. W. Short. 1977. Effect of petroleum hydrocarbons on breathing and coughing rates and hydrocarbon uptake-depuration in pink salmon fry. Pages 259-277 [in] F. J. Vernberg, A. Calabrese, F. P. Thurberg, and W. B. Vernberg, editors. Physiological responses of marine biota to pollutants, Academic Press, NY.
- Rice, S. D., and J. E. Bailey. 1980. Survival, size, and emergence of pink salmon, [*Oncorhynchus gorbuscha*], alevins after short- and long-term exposures to ammonia. Fish. Bull. U.S. 78:641-647.
- Rich, W. H. 1920. Early history and seaward migration of chinook salmon in the Columbia and Sacramento Rivers. Bull. U.S. Bur. Fish. 37:1-74.
- Richards, A. 1935. Analysis of early development of fish embryos by means of mitotic index. I. The use of the mitotic index. Am. J. Anat. 56:355-363.
- Richards, A., and B. L. Shumacher. 1935. Analysis of early development of fish embryos by means of the mitotic index. III. The mitotic index of young embryos of [*Coregonus clupeaformis*]. Am. J. Anat. Baltimore 56:395-408.
- Richards, A., and B. L. Shumacher. 1935. Analysis of the early development of fish embryos by means of the mitotic index. III. The mitotic index of [*Coregonus clupeaformis*]. Am. J. Anat. 56:395-408.
- Richards, A., and R. P. Porter. 1935. Analysis of early development of fish embryos by means of the mitotic index. II. The mitotic index in pre-neural tube stages of [*Fundulus heteroclitus*]. Am. J. Anat. Baltimore 56:365-393.
- Richards, C. E., and M. Castagna. 1976. Distribution, growth and predation of juvenile white mullet ([*Mugil carema*]) in oceanside waters of Virginia's eastern shore. Ches. Sci. 17(4):308-309.
- Richards, F. P., C. J. Cook, and R. R. Dauteuil. 1985. The ichthyoplankton of the Scioto River near Omega, Ohio. Ohio J. Sci. 85(4):164-174.
- Richards, J. E., R. J. Beamish, and F. W. H. Beamish. 1982. Description and keys for ammocoetes of lampreys from British Columbia, Canada. Canadian Journal of Fisheries and Aquatic Sciences 39(11):1484-1495.
- Richards, S. A., H. P. Possingham, and J. Noye. 1996. Diel vertical migration: modelling light-mediated mechanisms. Journal of Plankton Research 18:2199-2222.
- Richards, S. W. 1959. Oceanography of Long Island Sound. VI. Pelagic fish eggs and larvae of Long Island Sound. Bull. Bingham Oceanogr. Coll. 17(1):95-124.
- Richards, S. W. 1963. The demersal fish population of Long Island Sound. III. Food of juveniles from a mud locality (Station 3A). Bull. Bingham. Oceanogr. Coll. 18:73-93.
- Richards, S. W. 1965. Description of the post-larvae of the sand lance ([*Ammodytes*]) from the east coast of North America. Journal of the Fisheries Research Board of Canada 22(5):1313-1317.
- Richards, S. W., and A. M. McBean. 1966. Comparison of post-larvae and juveniles of [*Fundulus*] [*heteroclitus*] and [*Fundulus majalis*] (Pisces: Cyprinodontidae). Transactions of the American Fisheries Society 95(2):218-226.

- Richards, S. W. 1976. Mixed species schooling of post-larvae of [Ammodytes] [hexapterus] and [Clupea harengus harengus]. Journal of the Fisheries Research Board of Canada 33(4):843-844.
- Richards, S. W. 1982. Aspects of the biology of [Ammodytes americanus] from the St. Lawrence River to Chesapeake Bay, 1972-75, including a comparison of the Long Island Sound postlarvae with [Ammodytes dubius]. J. Northwest Atl. Fish. Sci. 3:93-104.
- Richards, S. W., D. Merriman, L. H. Calhoun, E. S. Fitz, Jr., and F. C. Daiber. 1963. Biology of the little skate, [Raja erinacea], and introduction to the biology of [Raja] as they occur in Delaware Bay. Bull. Bingham. Oceanogr. Coll., Peabody Mus. Nat. Hist., Yale Univ. 18:4-96.
- Richards, W. J. 1960. The life history habits and ecology of the white perch, [Roccus americanus] (Gmelin), in Cross Lake, New York. M.S. Thesis, Syracuse Univ., 113 pp.
- Richards, W. J. 1967. On the distribution and abundance of tuna larvae. FAO Fish. Rep. 51:60 pp.
- Richards, W. J. 1969. Distribution and relative apparent abundance of larval tunas collected in the tropical Atlantic during Equalant surveys I and II. Pages 289-315 [in] Proc. Symp. on Oceanography and Fish. Resourc. of Trop. Atlantic-Review Pap. and Contr. UNESCO, Paris.
- Richards, W. J. 1969. Elopoid leptocephali from Angolan waters. Copeia 1969(3):515-518.
- Richards, W. J., and B. J. Palko. 1969. Methods used to rear the thread herring, [Opisthonema oglinum], from fertilized eggs. Transactions of the American Fisheries Society 98:527-528.
- Richards, W. J., D. C. Simmons, A. Jensen, and W. C. Mann. 1969. Tuna larvae (Pisces, Scombridae) collected in the northwestern Gulf of Guinea, Geronimo Cruise 3, 10 Feb. to 26 April 1964. U.S. Fish. Wildl. Serv., Data Rep. 36. 18 pp.
- Richards, W. J., D. C. Simmons, A. Jensen, and W. C. Mann. 1969. Larvae of tuna and frigate mackerel (Pisces, Scombridae) collected in the northwestern Gulf of Guinea, Geronimo Cruise 4, 5 August to 13 October 1964. U.S. Fish. Wildl. Serv., Data Rep. 37. 16 pp.
- Richards, W. J., D. C. Simmons, A. Jensen, and W. C. Mann. 1970. Larvae of tuna and frigate mackerel (Pisces, Scombridae) in the northwestern Gulf of Guinea and off Sierra Leone, Geronimo Cruise 5, 10 February to 19 April 1965. U.S. Fish Wildl. Serv., Data Rep. 40. 23 pp.
- Richards, W. J., and D. C. Simmons. 1971. Distribution of tuna larva (Pisces: Scombridae) in the northwestern Gulf of Guinea and off Sierra Leone. Fish. Bull. Fish Wild l. Serv. U.S. 69:555-564.
- Richards, W. J., and G. R. Dove. 1971. Internal development of young tunas of the genera [Katsuwonus], [Euthynnus], [Auxis] and [Thunnus] (Pisces, Scombridae). Copeia 1971(1):72-78.
- Richards, W. J., and W. L. Klawe. 1972. Indexed bibliography of the eggs and young of tunas and other scombrids (Pisces: Scombridae), 1880-1970. NOAA Tech. Rep. NMFS Spec. Sci. Rep. Fish. 652, 107 pp.
- Richards, W. J., and F. H. Berry. 1973. Preserving and preparing larval fishes for study. Pages 12-19 [in] A. L. Pacheco, editor. Proc. of Workshop on Egg, Larval and Juvenile Stages of Fish in Atlantic Coast Estuaries. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Cent., Highlands, NJ, 338 pp.



- Richards, W. J., and T. Potthoff. 1974. Analysis of the taxonomic characters of young scombrid fishes, genus [Thunnus], p. 50. In: Report of the international symposium on the early life history of fish. FAO Fish. Rep. No. 141, 58 pp.
- Richards, W. J., R. V. Miller, and E. D. Houde. 1974. Egg and larval development of the Atlantic thread herring, [Opisthonema oglinum]. Fish. Bull. NOAA (U.S.) 72(4):1123-1136.
- Richards, W. J. 1974. Evaluation of identification methods for young billfishes. Pages 62-72 [in] R. S. Shomura and F. Williams, editors. Proc. Intl. Billfish Symp. Kailua-Kona, Hawaii, 9-12 Aug. 1972. Part 2. NOAA Tech. Rep. NMFS SSRF-675.
- Richards, W. J. 1976. Some comments on Balon's terminology of fish development intervals. Journal of the Fisheries Research Board of Canada 33:1253-1254.
- Richards, W. J., T. Potthoff, and E. D. Houde. Abundance of bluefin tuna larvae and estimates of spawning stock sizes in the Gulf of Mexico in 1977 and 1978. ICCAT.
- Richards, W. J., and V. P. Saksena. 1980. Description of larvae and early juveniles of laboratory-reared gray snapper, [Lutjanus griseus] (L.) (Pisces, Lutjanidae). Bull. Mar. Sci. 30:515-521.
- Richards, W. J. 1981. Kinds and abundances of fish larvae in the Caribbean Sea. Rapp. P.-v. Reun. Cons. int. Explor. Mer.178:240-241.
- Richards, W. J. 1982. Kinds and abundance of fish larvae in the Caribbean Sea and adjacent areas. NOAA, NMFS SSRF Rep. 184.
- Richards, W. J. 1984. Elopiformes: development. Pages 60-61 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Richards, W. J. 1984. Gonorynchiformes: development and relationships. Pages 138-139 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Richards, W. J. 1984. Kinds and abundances of fish larvae in the Caribbean Sea and adjacent areas. NOAA Tech. Rep. NMFS SSRF-776.
- Richards, W. J., and J. M. Leis. 1984. Labroidei: development and relationships. Pages 542-546 [in] H.G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Richards, W. J., et al. 1984. Larval distribution and abundance of Engraulidae, Carangidae, Clupeidae, Lutjanidae, Serranidae, Coryphaenidae, Istiophoridae, Xephelidae, and Scombridae in the Gulf of Mexico. NOAA Tech. Mem. NMFS-SEFC-144, SEAMAP 1982.
- Richards, W. J., T. Potthoff, and J. Kim. 1990. Problems identifying tuna larvae species (Pisces, Scombridae, [Thunnus]) from the Gulf of Mexico. Fishery Bulletin 88:607-609.
- Richards, W. J., M. F. McGowan, T. Leming, J. T. Lamkin, and S. Kelley. 1993. Larval fish assemblages at the Loop Current Boundary in the Gulf of Mexico. Bulletin of Marine Science. 53: 475-537.
- Richards, W.J. 1996. Triglidae: searobins. Pages 797-805 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)
- Richards, W. L. 1968. Ecology and growth of juvenile tarpon, [Megalops] [atlanticus], in a Georgia salt marsh. Bull. Mar. Sci. 18:220-239.

- Richardson, L. B., D. T. Burton, S. L. Margrey, and A. Rosenkranz. 1978. Egg and prolarval development of striped bass, [*Morone saxatilis*] (Walbaum), exposed to ozone produced oxidants in fresh and estuarine water. *Ass. Southeast. Biol.* 25(2):40.
- Richardson, L. R. 1939. The spawning behavior of [*Fundulus diaphanus*] (LeSueur). *Copeia* 1939 (3):165-167.
- Richardson, N. L., D. A. Higgs, and R. M. Beames. 1986. The susceptibility of juvenile chinook salmon, [*Oncorhynchus tshawytscha*], to cataract formation in relation to dietary changes in early life. *Aquaculture* 52(4):237-244.
- Richardson, R. E. 1913. Observations on the breeding habits of fishes at Havana, Illinois, 1910 and 1911. *Bull. Illinois St. Lab. Nat. Hist.* 9(8):405-416.
- Richardson, S. L. 1972. Larvae and young of the western North Atlantic bothid flatfishes, [*Etropus microstomus*] (Gill), and [*Citharichthys arctifrons*] Goode, in the Chesapeake Bight. *Diss. Abst. Intl., Vol. XXXII.* 8.
- Richardson, S. L. 1972. Larval fishes in ocean waters off Oregon. NOAA Contract N-043-7-72.
- Richardson, S. L. 1973. Abundance and distribution of larval fishes in water off Oregon, May-October 1969, with special emphasis on the northern anchovy, [*Engraulis mordax*]. *Fish. Bull. NOAA (U.S.)* 71(3):697-711.
- Richardson, S. L., and E. B. Joseph. 1973. Larvae and young of western North Atlantic bothid flatfishes, [*Etropus microstomus*] and [*Citharichthys*] [*arctifrons*], in the Chesapeake Bight. *Fish. Bull. NOAA (U.S.)* 71(3):735-767.
- Richardson, S. L., and A. W. Kendall. 1973. Distribution of sand lance, [*Ammodytes*] sp., larvae on the continental shelf from Cape Cod to Cape Hatteras from Dolphin surveys in 1966. *U.S. Fish and Wildl. Serv. Fish. Bull.* 71(2):371-386.
- Richardson, S. L. 1974. Eggs and larvae of the Ophichthid eel, [*Pisodonophis*] [*cruentifer*], from the Chesapeake Bight, western North Atlantic. *Ches. Sci.*
- Richardson, S. L., and D. A. DeHart. 1975. Records of larval, transforming, and adult specimens of the quillfish, [*Ptilichthys goodei*], from waters off Oregon. *Fish. Bull. NOAA (U.S.)* 73(3):681-685.
- Richardson, S. L., and E. B. Joseph. 1975. Occurrence of larvae of the green goby, [*Microgobius*] [*thalassinus*], in the York River, Virginia. *Ches. Sci.* 16(3):215-218.
- Richardson, S. L. 1977. Larval fishes in ocean waters of Yaquina Bay, Oregon: abundance, distribution and seasonality January 1971 to August 1972. *Oregon St. Univ., Sea Grant Coll. Prog. Publ. ORESU-T-77-003*, 73 pp.
- Richardson, S. L., and W. G. Percy. 1977. Coastal and oceanic fish larvae in an area of upwelling off Yaquina Bay, Oregon. *Fish. Bull. NOAA (U.S.)* 75(1):125-145.
- Richardson, S. L., and W. Stephenson. 1978. Larval fish data: a new approach to analysis. *Oregon State Univ., Sea Grant Coll. Prog. Publ. ORESU-T-78-002*, 16 pp.
- Richardson, S. L., and B. B. Washington. 1978. Identification of northeast Pacific cottid larvae - a summary. Unpubl. MS, School of Oceanography, Oregon State Univ., Corvallis. 71 pp.
- Richardson, S. L., and W. A. Laroche. 1979. Development and occurrence of larvae and juveniles of the rockfishes, [*Sebastes crameri*], [*Sebastes*] [*pinniger*], and [*Sebastes helvomaculatus*] (Family, Scorpaenidae) off Oregon. *Fish. Bull. NOAA (U.S.)* 77(1):1-46.

- Richardson, S. L. 1980. Patterns of larval fish occurrence in surface waters of the northern Gulf of Mexico with taxonomic notes. Am. Soc. Ichthyol. Herp., Fort Worth, TX.
- Richardson, S. L. 1980. Spawning biomass and early life of northern anchovy, [*Engraulis mordax*], in the northern subpopulation off Oregon and Washington. Fish. Bull. 78:855-876.
- Richardson, S. L., J. R. Dunn, and N. A. Naplin. 1980. Eggs and larvae of butter sole, [*Isopsetta isolepis*] (Pleuronectidae), off Oregon and Washington. Fish. Bull. U.S. 78:401-417.
- Richardson, S. L., and B. B. Washington. 1980. Guide to identification of some sculpin (Cottidae) larvae from marine and brackish waters off Oregon and adjacent areas in the Northeast Pacific. NOAA Tech. Rep. NMFS Circ. 430. 56 pp.
- Richardson, S. L., J. L. Laroche, and M. D. Richardson. 1980. Larval fish assemblages and associations in the northeast Pacific Ocean along the Oregon coast, winter-spring 1972-1975. Estuarine and Coastal Mar. Sci. 11:671-699.
- Richardson, S. L. 1981. Current knowledge of larvae of sculpins (Pisces: Cottidae and allies) in northeast Pacific genera with notes on intergeneric relationships. Fish. Bull. U.S. 79:103-121.
- Richardson, S. L. 1981. Current knowledge of Northeast Pacific sculpin larvae (Family Cottidae) with notes on relationships within the group. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 178:603-604.
- Richardson, S. L. 1981. Pelagic eggs and larvae of the deepsea sole, [*Embassichthys bathybius*] (Pisces: Pleuronectidae), with comments on generic affinities. Fish. Bull. U.S. 79:163-170.
- Richardson, S. L., and J. D. McEachran. 1981. Identification of small larvae of king and Spanish mackerel, [*Scomberomorus cavalia*] and [*S. maculatus*]. N. E. Gulf Sci. 5(1):75-79.
- Richkus, W. A. 1974. The influence of environmental variables on the migratory behavior of adult and juvenile alewives ([*Alosa pseudoharengus*]). Ph.D. Diss., Univ. Rhode Island, Kingston, RI, 225 pp.
- Richkus, W. A. 1975. Migratory behavior and growth of juvenile anadromous alewives, [*Alosa pseudoharengus*], in a Rhode Island drainage. Transactions of the American Fisheries Society 104: 483-493.
- Richkus, W. A. 1975. The response of juvenile alewives to water currents in an experimental chamber. Transactions of the American Fisheries Society 104(3):494-498.
- Richkus, W. A., and H. E. Winn. 1979. Activity of cycles of adult and juvenile alewives, [*Alosa pseudoharengus*], recorded by two methods. Transactions of the American Fisheries Society 108(4):358-365.
- Ricker, W. E. 1938. On adequate quantitative sampling of the pelagic net plankton of a lake. Journal of the Fisheries Research Board of Canada 4:19-32.
- Ricker, W. E. 1954. Stock and recruitment. Journal of the Fisheries Research Board of Canada 11:559-623.
- Ricker, W. E. 1966. Salmon of the north Pacific Ocean - Part III. A review of the life history of north Pacific salmon. IV. Sockeye salmon in British Columbia. North Pac. Fish. Comm. Bull. 18:59-70.
- Ricker, W. E. 1973. Critical statistics from two reproductive curves. Pages 333-340 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.

- Rickett, J. D. 1976. Growth and reproduction of largemouth bass and black bullheads cultured together. *Progressive Fish-Culturist* 38(2):82-85.
- Riddell, B. E., and W. C. Leggett. 1981. Evidence for an adaptive basis for geographic variation in body morphology and time of downstream migration of juvenile Atlantic salmon, [*Salmo salar*]. *Canadian Journal of Fisheries and Aquatic Sciences* 38:308-320.
- Riddle, M. C. 1917. Early development of the chinook salmon. *Publs. Puget Sound Mar. Biol. Stn.* 1:319-339.
- Ridenhour, R. L. 1960. Development of a program to sample young fishes in a lake. *Transactions of the American Fisheries Society* 89(2):185-192.
- Rieger, K. 1978. A contribution to knowledge of the toxicity of detergents for carp fingerlings. *Oesterr. Fisch. (Den.)* 30:1.
- Riehl, R. 1978. The oocytes of the goby, [*Pomatoschistus minutus*]. I. Light and electron microscopic investigations of egg-membrane and follicle. *Helgol. wissensch. Meeresunt.* 31(3):314-332.
- Riehl, R., and W. Ekau. 1990. Identification of Antarctic fish eggs by surface structure as shown by the eggs of [*Trematomus eulepidotus*] (Teleostei, Nototheniidae). *Polar Biology* 11:27-31.
- Riehl, R. 1980. Micropyle of some salmonins and coregonins. *Environmental Biology of Fishes* 5:59-66.
- Riehl, V. R., and K. J. Gotting. 1974. Structure and occurrence of the micropyle in egg cells and eggs of teleost fishes. *Arch. Hydrobiol.* 74(3):393-402.
- Riehl, V. R., and E. Schulte. 1978. Identification key of most important German freshwater teleost fishes by means of their eggs. *Archiv.*
- Riffenburgh, R. H. 1966. On growth parameter estimation for early life stages. *Biometrics* 22(1):162-178.
- Riggs, C. D. 1953. Studies of the life history of the white bass, [*Lepibema chrysops*] (Rafinesque), with special reference to Shaker Lake, Indiana. Ph.D. Diss., Univ. Michigan, Ann Arbor, MI. 224 pp.
- Riggs, C. D. 1955. Reproduction of the white bass, [*Morone chrysops*]. *Invest. Ind. Lakes and Streams* 4:87-110.
- Riggs, C. D., and G. A. Moore. 1960. Growth of young gar ([*Lepisosteus*]) in aquaria. *Proc. Oklahoma Acad. Sci.* 40:44-46.
- Riggs, C. D., and K. E. Sneed. 1959. The effects of controlled spawning and genetic selection on the fish culture of the future. *Trans. Am. Fish. Soc.* 88(1):53-57.
- Riis-Vestergaard, J. J. 1982. Water and salt balance of halibut eggs and larvae, [*Hippoglossus hippoglossus*]. *Mar. Biol.* 70:135-139.
- Riis-Vestergaard, J. 1984. Water balance in cod eggs. Pages 87-104 [in] E. Dahl et al., editors. *The propagation of cod, [Gadus morhua] L., an international symposium, Arendal 14-17 June 1983.* Flodevigen Rapportser.
- Rijnsdorp, A., F. Van Lent, and K. Groeneveld. 1983. Fecundity and the energetics of reproduction and growth of North Sea plaice ([*Pleuronectes platessa*] L.). *Intl. Counc. Explor. Sea C.M.* 1983/ G:31, Copenhagen, Denmark.

- Rijnsdorp, A. D., M. V. Stralen, and H. W. van der Veer. 1985. Selective tidal transport of North Sea plaice larvae, [*Pleuronectes platessa*], in coastal nursery areas. *Transactions of the American Fisheries Society* 114:461-470.
- Rijnsdorp, A. D., and A. Jaworski. 1990. Size-selective mortality in plaice and cod eggs - a new method in the study of egg mortality. *Journal du Conseil* 47:256-263.
- Rijnsdorp, A. D. 1993. Relationship between juvenile growth and the onset of sexual maturity of female North Sea plaice, [*Pleuronectes platessa*]. *Canadian Journal of Fisheries and Aquatic Sciences* 50:1617-1631.
- Riley, C. M., S. A. Holt, G. J. Holt, E. J. Buskey and C. R. Arnold. 1991. Mortality of larval red drum ([*Sciaenops ocellatus*]) associated with a [*Ptychodiscus brevis*] red tide. *Contributions in Marine Science* 31:137-146.
- Riley, J. D., and G. T. Thacker. 1963. Marine fish culture in Britain. III. Plaice ([*Pleuronectes platessa*] L.) rearing in closed circulation at Lowestoft 1961. *J. Cons. perm. int. Explor. Mer* 28(1):80-90.
- Riley, J. D. 1966. Marine fish culture in Britain. VII. Plaice ([*Pleuronectes platessa*] L.) post-larval feeding on [*Artemia salina*] L. nauplii and the effects of varying feeding levels. *J. Cons. perm. int. Explor Mer* 30(2):204-221.
- Riley, J. D., and J. Corlett. 1966. The numbers of 0-group in Port Erin Bay, 1964-66. *Ann. Rep. Mar. Biol. Stn. Port Erin* 78(1965):51-56.
- Riley, J. D. 1971. The Riley push-net. Pages 286-290 [in] N. A. Holme and A. D. McIntyre, editors. *Methods for the study of marine benthos*. Oxford and Edinb., Blackwell. IBP Handbook 16.
- Riley, J. D. 1974. The distribution and mortality of sole eggs, [*Solea*] [*solea*] (L.), in inshore areas. Pages 39-52 [in] J. H. S. Blaxter, editor. *The early life history of fish*. Springer-Verlag, NY, 765 pp.
- Riley, J. D., D. J. Symonds, L. Woolner, and M. L. White. 1980. Plaice, sole, and turbot year-class strength estimates: English east coast 1978. *Annls. Biol. Copenh.* 35:229-230.
- Riley, J. D., D. J. Symonds, and L. Woolner. 1981. On the factors influencing the distribution of 0-group demersal fish in coastal waters. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:223-228.
- Riley, J. D., and W. G. Parnell. 1984. The distribution of young cod. Pages 563-580 [in] E. Dahl et al., editors. *The propagation of cod, [Gadus] [morhua] L. Intl. Symp., In st. Mar. Res., Flodevigen Biol. Sta., Arendal, Norway*.
- Riley, W. D., and A. Moore. 2000. Emergence of Atlantic salmon, [*Salmo salar*] L., fry in a chalk stream. *Fisheries Management and Ecology* 7(5):465-468.
- Rimmer, D. M., and G. Power. 1978. Feeding response of Atlantic salmon, [*Salmo salar*], alevins in flowing and still water. *Journal of the Fisheries Research Board of Canada* 35:329-332.
- Rimmer, D. M., U. Paim, and R. L. Saunders. 1983. Autumnal habitat shift of juvenile Atlantic salmon ([*Salmo salar*]) in a small river. *Can. J. Fish. Aquat. Sci.* 40:671-680.
- Rimmer, D. M., U. Paim, and R. L. Saunders. 1984. Changes in the selection of microhabitat by juvenile Atlantic salmon ([*Salmo salar*]) at the summer-autumn transition in a small river. *Can. J. Fish. Aquat. Sci.* 41:469-475.
- Rimmer, D. M., R. L. Saunders, and U. Paim. 1985. Effects of temperature and season on the position holding performance of juvenile Atlantic salmon ([*Salmo salar*]). *Canadian Journal of Zoology* 63(1):92-96.

- Rimmer, D. W. 1986. Changes in diet and the development of microbiological digestion in juvenile buffalo bream, [*Kyphosus cornelli*]. *Mar. Biol.* 92(3):443-448.
- Rimmer, M. A. 1985. Early development and buccal incubation in the fork-tailed catfish, [*Arius graeffei*] Kner & Steindachner (Pisces, Ariidae), from the Clarence River New South Wales. *Aust. J. Mar. Freshwat. Res.* 36(3):405-412.
- Rimmer, M. A., and S. H. Midgley. 1985. Techniques for hatching eggs and rearing larvae of the Australian mouth-brooding catfishes, [*Arius*] [*graeffei*] and [*A. leptaspis*]. *Aquaculture* 44(4):333.
- Ripple, K., P. Jones, and F. D. Martin. 1981. Ventral pigment patterns of [*Alosa aestivalis*] and [*A. pseudoharengus*] larvae. Pages 78-79 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. The fifth ann. larval fish conf., Louisiana coop. fish. res. unit, LSU, Baton Rouge, LA.
- Rissik, D., and I. M. Suthers. 1996. Feeding in a larval fish assemblage: the nutritional significance of an estuarine plume front. *Marine Biology* 125: 233-240.
- Rissik, D., and I. M. Suthers. 2000. Enhanced feeding by pelagic juvenile myctophid fishes within a region of island-induced flow disturbance in the Coral Sea. *Marine Ecology - Progress Series* 203:263-273.
- Ritchie, D. E., Jr., and T. S. Y. Koo. 1968. Movements of juvenile striped bass in the estuary as determined by tagging and recapture. *Ches. Biol. Lab. Ref.* 68-31. 1 p.
- Ritchie, D. E., and T. S. Y. Koo. 1973. Movements of juvenile striped bass in the estuary as determined by tagging and recapture. Pages 126-128 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries. NOAA Tech. Publ. 1. 338 pp.
- Ritson, P. C. 1977. Ichthyoplankton - 1975. Pages 182-212 [in] G. A. Nardacci et al., editors. An ecological study of the Susquehanna River in the vicinity of the Three Mile Island Nuclear Station. Suppl. Rep. 1976, Ichthyol. Assoc., Inc.
- Rivas, L. R., and S. M. Warlen. 1968. Systematics and biology of the bonefish, [*Albula*] [*nemoptera*] (Fowler). *NOAA Fish. Bull.* 66(2):251-258.
- Rivero, L. H., and M. J. Fernandez. 1954. Estados larvales y juveniles del bonito. *Cent. de Invest. Pesqueras (Cuba), Contr. No.* 9.
- Roa, P. A. V. 1968. A note on the larvae of [*Syngnathus cyanospilus*] Bleeker from the Pulicat Lake. *J. Mar. Biol. Assoc. India.* 10:398-399.
- Roberts, C. M. 1991. Larval mortality and the composition of coral reef fish communities. *Trends in Ecology & Evolution* 6:83-87.
- Roberts, D. A., E. E. DeMartini, and K. M. Plummer. 1983. The feeding habits of juvenile-small adult barred sand bass, [*Paralabrax nebulifer*], in nearshore waters off northern San Diego County. *California Coop. Oceanic Fish. Invest. Rep.* XXV:105-111.
- Roberts, M. H., Jr. 1974. Larval development of [*Pagurus longicarpus*] Say reared in the laboratory. V. Effect of diet on survival and molting. *Biol. Bull.* 146(1):67-77.
- Roberts, P. E., and G. D. James. 1974. Juvenile albacore from New Zealand. *N.Z. J. Mar. & Freshwat. Res.* 8(2):437-440.
- Roberts, P. E. 1975. Juvenile slender tuna from New Zealand. *New Zealand J. Mar. Freshwat. Res.* 9(1):105-108.

- Roberts, R. J., M. Bell, and H. Young. 1973. Studies on the skin of plaice ([Pleuronectes] [platessa] L.). II. The development of larval plaice skin. *J. Fish. Biol.* 5(1):103-108.
- Robertson, A. A. 1970. An improved apparatus for determining plankton volume. *Fish. Bull. Fish. Wildl. Serv. U.S.* 6:23-26.
- Robertson, A. I. 1977. Ecology of juvenile King George whiting, [*Sellaginodes punctatus*] (Cuv. & Val.) (Pisces:Perciformes), in Western Port, Victoria. *Aust. J. Mar. Freshwat. Res.* 28:35-43.
- Robertson, A. I. 1982. Population dynamics and feeding ecology of juvenile Australian salmon ([*Arripis trutta*]) in Western Port, Victoria. *Aust. J. Mar. Freshwat. Res.* 33(2):369-375.
- Robertson, D. A., and U. Raj. 1971. Egg and yolk sac stages of the sand flounder (Teleostei: Pleuronectidae). *N.Z. J. Mar. Freshwater Res.* 5(3,4):404-414.
- Robertson, D. A. 1973. Planktonic eggs and larvae of some new Zealand marine teleosts. Ph.D Diss., Univ. Otago, Dunedin, New Zealand.
- Robertson, D. A. 1974. Developmental energetics of the southern pigfish (Teleostei: Congiopodidae). *New Zealand J. Mar. Freshwat. Res.* 8:611-620.
- Robertson, D. A. 1975. A key to the planktonic eggs of some New Zealand marine teleosts. *New Zealand Fish. Res. Div. Occas. Publ. No.* 9.
- Robertson, D. A. 1975. Planktonic stages of the teleost family Carapidae in eastern New Zealand waters. *New Zealand J. Mar. Freshwat. Res.* 9(3):403-409.
- Robertson, D. A. 1976. Planktonic stages of [*Mauroliticus muelleri*] (Teleostei: Sternoptychidae) in New Zealand waters. *New Zealand J. Mar. and Freshwat. Res.* 10(2): 311-328.
- Robertson, D. A. 1977. Planktonic eggs of the lanternfish, [*Lampanyctodes*] [*hectoris*], (Family Myctophidae). *Deep-Sea Res.* 24(9):849-852.
- Robertson, D. A., and S. Mito. 1979. Sea surface ichthyoplankton off southeastern New Zealand, summer 1977-78. *New Zealand J. Mar. Freshwater Res.* 13(3):415-424.
- Robertson, D. A. 1981. Possible functions of surface structure and size in some planktonic eggs of marine fishes. *New Zealand J. Mar. Freshwat. Res.* 15:147-153.
- Robertson, D. R., D. G. Green, and B. C. Victor. 1988. Temporal coupling of production and recruitment of larvae of a Caribbean reef fish. *Ecology* 69:370-381.
- Robertson, D. R., C. W. Petersen, and J. D. Brawn. 1990. Lunar reproductive cycles of benthic-brooding reef fishes - reflections of larval biology or adult biology. *Ecological Monographs* 60:311-329.
- Robertson, D. R. 1990. Differences in the seasonalities of spawning and recruitment of some small Neotropical reef fishes. *Journal of Experimental Marine Biology and Ecology* 144:49-62.
- Robertson, D. R., U. M. Schober, and J. D. Brawn. 1993. Comparative variation in spawning output and juvenile recruitment of some Caribbean reef fishes. *Marine Ecology-Progress Series* 94:105-113.
- Robertson, D. R. 1996. Egg size in relation to fertilization dynamics in free-spawning tropical reef fishes. *Oecologia* 108:95-104.

- Robins, C. R. 1967. The juvenile of the serranid fish, [*Epihephelus*] [*mystaeichus*], and its status in Florida waters. *Copeia* 1967(4):838-839.
- Robins, C. R., and E. E. Deubler, Jr. 1955. The life history and systematic status of the burbot, [*Lota lota lacustris*] (Walbaum), in the Susquehanna River system. *New York Mus. Sci. Serv. Circ.* 39. 49 pp.
- Robinson, A.T., R.W. Clarkson and R.E. Forrest. 1998. Dispersal of larval fishes in a regulated river tributary. *Transactions of the American Fisheries Society* 127(5):772-876.
- Robinson, C. L. K., and D. M. Ware. 1994. Modelling pelagic fish and plankton trophodynamics off southwestern Vancouver Island, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 51:1737-1751.
- Robinson, D. G. 1968. Data record. Number, size composition, weight and food of larval and juvenile fish caught with a two-boat surface trawl in the Strait of Georgia June 5-9, 1967. *Fish. Res. Bd. Can. Misc. Rep.* 972. 109 pp.
- Robinson, D. G. 1969. Data Record. Number, size composition, weight and food of larval and juvenile fish caught with a two-boat surface trawl in the Strait of Georgia, April 24-25, 1968. *Fish. Res. Bd. Can. Misc. Rep.* 1067. 63 pp.
- Robinson, D. G., W. E. Barraclough, and J. D. Fulton. 1968. Data Record. Number, size composition, weight and food of larval and juvenile fish caught with a two-boat surface trawl in the Strait of Georgia, May 1-4, 1967. *Fish. Res. Bd. Can. Misc. Rep.* 964. 105 pp.
- Robinson, J. B. 1971. Effects of passing juvenile king salmon through a pump. *Progressive Fish-Culturist* 33(4):219-223.
- Robinson, S. M. C., and D.M. Ware. 1988. Ontogenetic development of growth rates in larval Pacific herring, [*Clupea harengus pallasii*], measured with RNA-DNA ratios in the Strait of Georgia, British Columbia. *Can. J. Fish. Aquat. Sci.* 45:1422-1429.
- Robinson-Wilson, E. F., and W. K. Seim. 1975. The lethal and sublethal effects of a zirconium process effluent on juvenile salmonids. *Water Resour. Bull.* 11:975.
- Robison, B. H. 1975. Observations on living juvenile specimens of the slender mola, [*Ranzania laevis*], (Pisces, Molidae). *Pac. Sci.* 29(1):27-29.
- Rocha-Olivares, A., H. G. Moser, and J. Stannard. 2000. Molecular identification and description of pelagic young of the rockfishes [*Sebastes constellatus*] and [*Sebastes ensifer*]. *Fish. Bull, U.S.* 98:353-363.
- Rockwell, J. 1956. Some effects of sea-water and temperature on the embryos of Pacific salmon, [*Oncorhynchus gorbuscha*] (Walbaum), and [*Oncorhynchus keta*] (Walb.). Ph.D Diss., Univ. Washington, Seattle.
- Rodman, P. T. 1969. Development of eggs and larvae of Pacific hake at three water temperatures. *Bur. Comm. Fish. Biol. Lab., Seattle*, 7 pp. (Mimeo).
- Roedel, P. M. 1949. Notes on the spawning grounds and early life history of the Pacific mackerel. *California Fish. Game.* 35:147-153.
- Roel, B. A., J. Hewitson, S. Kerstan, and I. Hampton. 1994. The role of the Agulhas Bank in the life cycle of pelagic fish. *South African Journal of Science* 90:185-196.
- Roelofs, E. W. 1954. Food study of young sciaenid fishes, [*Micropogon*] [*undulatus*], and [*Leiostomus xanthurus*], from North Carolina. *Copeia* 1954:151-153.



- Roessler, M. A. 1965. An analysis of the variability of fish populations taken by otter trawl in Biscayne Bay, Florida. Transactions of the American Fisheries Society 94:311-318.
- Roessler, M. A. 1967. Observations on the seasonal occurrence and life histories of fishes in Buttonwood Canal, Everglades National Park, Florida. Ph.D. Diss., Univ. Miami, Miami, FL, 155 pp.
- Rofen, R. R. 1966. Family Anotopteridae. Pages 498-510 [in] G. W. Mead, editor. Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res. 1(5).
- Rofen, R. R. 1966. Family Evermannellidae (Saber-tooth fishes). Mem. Sears Found. Mar. Res. 1:511-565.
- Rofen, R. R. 1966. Family Omosudidae. Pages 462-481 [in] G. W. Mead, editor. Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Res. 1(5).
- Rofen, R. R. 1966. Family Paralepididae (Barracudinas) fishes of the western North Atlantic. Mem. Sears Found. Mar. Res. 15.
- Rofen, R. R. 1966. Family Paralepididae. Pages 205-461 [in] G. W. Mead, editor. Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Sci. 1(X).
- Rofen, R. R. 1966. Family Scopelarchidae (Pearl-eyed fishes). Mem. Sears Found. Mar. Res. 1:566-602.
- Rogers, B. A., D. T. Westin, and S. B. Saila. 1977. Life stage duration in Hudson River striped bass. Univ. Rhode Island Mar. Tech. Rep. 31. Kingston, RI.
- Rogers, B. A. 1978. Temperature and the rate of early development of striped bass, [*Morone saxatilis*] (Walbaum). Ph.D. Diss., Univ. Rhode Island, Kingston, RI.
- Rogers, B. A., and D. I. Westin. 1979. The combined effect of temperature and delayed initial feeding on survival and growth of larval striped bass, [*Morone saxatilis*] (Walbaum). Pages 234-250 [in] F. S. Jacoff, editor. Advances in Marine Environ. Research. U.S. Environ. Prot. Ag. EPA-600/9-79-035.
- Rogers, B. A., and D. T. Westin. 1981. Laboratory studies on effects of temperature and delayed feeding on development of striped bass larvae. Transactions of the American Fisheries Society 110:100-110.
- Rogers, C. 1985. Population dynamics of juvenile flatfish in the Grays Harbor estuary and adjacent nearshore area. M.S. Thesis, University of Washington, Seattle, WA.
- Rogers, C. A. 1975. Effects of temperature and salinity on the survival of winter flounder embryos. Fish. Bull. NOAA (U.S.) 74(1):52-58.
- Rogers, D. E. 1964. Some morphological and life history data on pygmy whitefish from Wood River. Univ. Washington Coll. Fish. Contr. 166:24-25.
- Rogers, D. E. 1962. Reproduction of three-spine stickleback. Contr. Univ. Wash. Coll. Fish., No. 139:9-10.
- Rogers, D. E. 1967. Estimation of pelagic fish populations in the Wood River Lakes, Alaska, from tow net catches and echogram marks. Ph.D. Diss., Univ. Wash., Seattle, WA, 102 pp.
- Rogers, D. E. 1973. Abundance and size of juvenile sockeye salmon, [*Oncorhynchus nerka*], and associated species in Lake Aleknagik, Alaska, in relation to their environments. Fish. Bull. 71(4):1061-1076.

- Rogers, D. E., et al. 1979. Seasonal composition and food web relationships of marine organisms in the nearshore zone of Kodiak Island -- including ichthyoplankton, meroplankton, zooplankton, and fish. Final Rep. NOAA, NMFS Contract OCSEAP RU553. Univ. Washington, Seattle.
- Rogers, H. M. 1940. Occurrence and retention of plankton within the estuary. *Journal of the Fisheries Research Board of Canada* 5(2):164-171.
- Rogers, P. A., A. R. Glenn, and I. C. Potter. 1980. The bacterial flora of the gut and environment of larval lampreys. *Acta Zool. (Stockh.)* 61(1):23-27.
- Rognerud, C. 1889. Hatching cod in Norway. *Bull. U.S. Fish. Comm.* 7:113-119.
- Rohde, F. C. 1974. Key to adult and juvenile percidae found in the Potomac River region. Page 197 [in] A. J. Lippson and R. L. Moran, editors. *Manual for identification of early developmental stages of fishes of the Potomac River estuary. Power Plant Siting Prog., Maryland Dept. Nat. Res.* 282 pp.
- Rohr, B. A., and E. J. Guthertz. 1977. Biology of offshore hake, [*Merluccius albidus*], in the Gulf of Mexico. *NMFS Fish. Bull.* 75(1):147-158.
- Rojas, P. M., R. Escribano, and V. H. Marin. 2002. Fish larvae distribution off Mejillones Peninsula (Northern Chile) during a coastal upwelling event in Spring 1999: interactions with the cold upwelling plume. *Fisheries Oceanography* 11(4):233-244.
- Rojas de Mendiola, B. R. 1974. Food of the larval anchoveta, [*Engraulis ringens*] J. Pages 277-285 [in] J. H. S. Blaxter, editor. *The early life history of fish.* Springer-Verlag, Berlin.
- Rollefsen, G. 1930. Observation on cod eggs. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 65:31-34.
- Rollefsen, G. 1932. The susceptibility of cod eggs to external influence. *J. Cons. perm. int. Explor. Mer* 7:367-378.
- Rollefsen, G. 1935. The eggs and the larvae of the halibut ([*Hippoglossus vulgaris*]). *Kgl. Norske Vidensk. Selsk., forh.* 1934(7):20-33.
- Rollefsen, G. 1939. Artificial rearing of fry of sea-water fish: preliminary communication *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 109(pt. 3):133-134.
- Rollefsen, G. 1969. Big events on a small scale. *FAO Fish. Rep.* 62(2):327-360.
- Rollifson, G. 1929. Occurrence of de ad and deformed eggs in plankton hauls. *Nor. Fisk* (2).
- Romanenko, V. F. 1976. Rearing of young striped bass in the Krasnodar region. *All-Union Res. Inst. Fish. Oceanogr.* 115:82-85.
- Romanycheva, O. D. 1970. On the embryonic development of kutum ([*Rivulus*] [*frisii*] kutum). *All-Union Res. Inst. Mar. Fish. and Oceanogr. (Moscow)* 76(3):77-89.
- Romashov, D. D., and V. N. Belyaeva. 1965. Increased yield of diploid gynogenetic loach larvae, [*Misgurnus fossilis*] L., induced by temperature shock. *Byull. Mosk. Obshch: Ispyt. Prir (Biol.)* 70(5):93-109.
- Romashov, D. D., and V. N. Belyaeva. 1966. On the conservation of radiation damage to the chromosomes in fish embryogenesis. *Sov. Genet.* 2(4):1-10.
- Rombough, P. J. 1994. Energy partitioning during fish development - additive or compensatory allocation of energy to support growth. *Functional Ecology* 8:178-186.

- Rombough, P. J. 1983. Effects of low pH on eyed embryos and alevins of Pacific salmon. *Can. J. Fish. Aquat. Sci.* 40:1575-1582.
- Rombough, P. J. 1985. Initial egg weight, time to maximum alevin wet weight, and optimum ponding times for chinook salmon, [*Oncorhynchus tshawytscha*]. *Canadian Journal of Fisheries and Aquatic Sciences* 42(2):287-291.
- Rombough, P. J. 1985. The influence of the zona radiata on the toxicities of zinc, lead, mercury, copper, and silver ions to embryos of steelhead trout, [*Salmo gairdneri*]. *Comp. Biochem. Physiol.* 82C(1):115-118.
- Rombough, P. J., and J. O. T. Jensen. 1985. Reduced water uptake and resistance to deformation in acid-exposed eggs of steelhead, [*Salmo gairdneri*]. *Transactions of the American Fisheries Society* 114:571-576.
- Rombough, P. J. 1988. Respiratory gas exchange, aerobic metabolism and the effects of hypoxia during early life. Pages 59-162 [in] W.S. Hoar and D.J. Randall, editors. *Fish Physiology*. Volume XI, Part A. Academic Press Inc., San Diego, California.
- Rombough, P. S. 1986. Mathematical model for predicting the dissolved oxygen requirement of steelhead, [*Salmo gairdneri*], embryos and alevins in hatchery incubators. *Aquaculture* 59(2):119-138.
- Rombout, J. H., C. H. J. Lamers, and J. G. Hanstede. 1978. Enteroendocrine APUD cells in the digestive tract of larval [*Barbus conchoniensis*] (Teleostei, Cyprinidae). *J. Embryol. Exp. Morph.* 47:121-135.
- Roncarati, A., A. Meluzzi, P. Melotti, and O. Mordenti. 2001. Influence of the larval rearing technique on morphological and productive traits of European sea bass ([*Dicentrarchus labrax*] L.). *Journal of Applied Ichthyology* 17(5):244-246.
- Ronnau, K. C. 1977. Myogenesis and contraction in the early embryonic heart of the rainbow trout. An electron microscope study. *Cell Tissue Res.* 180(1):123-132.
- Ronnestad, I. 1993. No efflux of free amino acids from yolk-sac larvae of Atlantic halibut ([*Hippoglossus hippoglossus*] L). *Journal of Experimental Marine Biology and Ecology* 167:39-45.
- Ronnestad, I., R. N. Finn, E. P. Groot, and H. J. Fyhn. 1992. Utilization of free amino acids related to energy metabolism of developing eggs and larvae of lemon sole [*Microstomus kitt*] reared in the laboratory. *Marine Ecology - Progress Series* 88:195-205.
- Rooker, J. R., G. D. Dennis, and D. Goulet. 1996. Sampling larval fishes with a nightlight lift-net in tropical inshore waters. *Fisheries Research* 26:1-15.
- Rooker, J. R., G. J. Holt, and S. A. Holt. 1997. Condition of larval and juvenile red drum ([*Sciaenops ocellatus*]) from estuarine nursery habitats. *Marine Biology* 127:387-394.
- Rooker, J. R., and S. A. Holt. 1997. Utilization of subtropical seagrass meadows by newly settled red drum ([*Sciaenops ocellatus*]): patterns of distribution and growth. *Marine Ecology Progress Series* 158:139-149.
- Rooker, J. R., G. J. Holt and S. A. Holt. 1998. Vulnerability of newly settled red drum ([*Sciaenops ocellatus*]) to predatory fish: is early-life survival enhanced by seagrass meadows? *Marine Biology* 131:145-151.
- Rooker, J. R., S. A. Holt, M. A. Soto, G. J. Holt. 1998. Postsettlement patterns of habitat use by sciaenid fishes in subtropical seagrass meadows. *Estuaries* 21(2):318-327.
- Rooker, J. R., S. A. Holt, G. J. Holt, and L. A. Fuiman. 1999. Spatial and temporal variability in growth, mortality, and recruitment potential of postsettlement red drum, [*Sciaenops ocellatus*], in a subtropical estuary. *Fishery Bulletin* 97:581-590.

- Rooper, C. N., L. J. Haldorson, and T. J. Quinn. 1999. Habitat factors controlling Pacific herring (*Clupea pallasii*) egg loss in Prince William Sound, Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 56(6):1133-1142.
- Roos, J. F., P. Gilhousen, S. R. Killick, and E. R. Zyblut. 1973. Parasitism on juvenile Pacific salmon, [*Oncorhynchus*], and Pacific herring, [*Clupea harengus*] [*pallasii*], in the Strait of Georgia by the river lamprey, [*Lamprocyprus ayresii*]. *Journal of the Fisheries Research Board of Canada* 30(4):565-568.
- Roosen-Runge, E. C. 1938. On the early development, bipolar differentiation and cleavage of the zebrafish, [*Brachydanio rerio*]. *Biol. Bull.* 75:119-133.
- Roper, B. B., and D. L. Scarnecchia. 1999. Emigration of age-0 chinook salmon (*Oncorhynchus tshawytscha*) smelts from the upper South Umpqua River basin, Oregon, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 56(6):939-946.
- Roper, D. S. 1986. Occurrence and recruitment of fish larvae in a north New Zealand estuary. *Est., Coast. and Shelf Sci.* 22:705-717.
- Ropke, A. 1989. Small-scale vertical distribution of ichthyoplankton in the Celtic Sea in April 1986. *Meeresforschung-Reports on Marine Research* 32:192-203.
- Ropke, A. 1989. Day night differences in determination of growth rate of mackerel [*Scomber scombrus*] larvae during a patch-study in the Celtic Sea. *Marine Biology* 102:439-443.
- Ropke, A. 1993. Do larvae of mesopelagic fishes in the Arabian Sea adjust their vertical distribution to physical and biological gradients? *Marine Ecology-Progress Series* 101:223-235.
- Ropke, A., W. Nellen, and U. Piatkowski. 1993. A comparative study on the influence of the pycnocline on the vertical distribution of fish larvae and cephalopod paralarvae in 3 ecologically different areas of the Arabian Sea. *Deep - Sea Research Part II - Topical Studies in Oceanography* 40:801-819.
- Ropke, A., and C. Freitas. 1995. Effects of small-scale hydrographical change on the occurrence of larval Indian oil-sardine (*Sardinella longiceps*) at the coast of Oman (Arabian Sea). *Bulletin of Marine Science* 56:211-221.
- Rosch, R., and S. Appelbaum. 1985. Experiments on the suitability of dry food for larvae of [*Coregonus lavaretus*] L. *Aquaculture* 48(3-4):291-302.
- Rose, K. A., and Cowan, J. H. 1993. Individual-based model of young-of-the-year striped bass population dynamics. I. Model description and baseline simulations. *Transactions of the American Fisheries Society* 122:415-439.
- Rose, K. A., J. H. Cowan, Jr., E. D. Houde, and C. C. Coutant. 1993. Individual-based modeling of environmental quality effects on early life stages of fishes: a case study using striped bass. [In] L. A. Fuiman, editor. *Water quality and the early life stages of fishes*. American Fisheries Society Symposium 14. 192pp.
- Roseman, E. F., E. L. Mills, J. L. Forney, and L. G. Rudstam. 1996. Evaluation of competition between age-0 yellow perch (*Perca flavescens*) and gizzard shad (*Dorosoma cepedianum*). *Canadian Journal of Fisheries and Aquatic Sciences* 53(4):865-874.
- Rosen, D. E. 1971. The macristiidae, a ctenothuissiform family based on juvenile and larval scopolomorph fishes. *Am. Mus. Novit.* 2452:1-22.
- Rosen, R. A. 1981. Seasonal cycles, distribution, and biomass of young American shad (*Alosa sapidissima*) in the Holyoke Pool, Connecticut River. Ph.D Diss., Univ. Massachusetts, Amherst, MA. 301 pp.

- Rosenberg, A. A. 1982. Growth of juvenile English sole, [*Parophrys vetulus*], in estuarine and open coastal nursery grounds. *Fish. Bull.* 80(2):245-252.
- Rosenberg, A. A., and A. S. Haugen. 1982. Individual growth and size-selective mortality of larval turbot (*[Scophthalmus maximus]*) reared in enclosures. *Mar. Biol.* 72:73-77.
- Rosenberg, A. A., and J. L. Laroche. 1982. Growth during metamorphosis of English sole, [*Parophrys vetulus*]. *Fish. Bull.* 80(1):150-152.
- Rosenberg, A. S., and R. G. Lough. 1977. A preliminary report on the age and growth of larval herring, [*Clupea harengus*], from daily growth increments in otoliths. ICES CM 1977/L:26. 16 pp.
- Rosenberg, D. L. 1985. The effect of physical shock on the survival of coho salmon embryos during advanced development. *Progressive Fish-Culturist* 47(3):166-168.
- Rosenblatt, R. H., and J. L. Butler. 1977. The ribbon genus [*Desmodema*] (juveniles), with the description of a new species (Pisces, Trachipteridae). NOAA NMFS Fish. Bull. 75(4):843-856.
- Rosenblatt, R. H., and R.S. Waples. 1986. A genetic comparison of allopatric populations of shore fish species from the eastern and central Pacific Ocean: dispersal or vicariance? *Copeia* 1986:275-284.
- Rosenfeld, J., M. Porter and E. Parkinson. 2000. Habitat factors affecting the abundance and distribution of juvenile cutthroat trout (*Oncorhynchus clarki*) and coho salmon (*Oncorhynchus kisutch*). *Can. J. Fish. Aquat. Sci.* 57(4): 766-774.
- Rosenthal, H. L. 1952. Observations on reproduction of the poeciliid, [*Lebistes reticulatus*] (Peters). *Biol. Bull. Mar. Biol. Lab., Woods Hole* 102:30-38.
- Rosenthal, H. 1966. Parasites in herring larvae (observations in aquaria). ICES CM Herring Comm. 2:1-3.
- Rosenthal, H. 1967. Parasites in larvae of herring, [*Clupea harengus*] L., fed with wild plankton. *Mar. Biol.* 1:10-15.
- Rosenthal, H. 1968. Observation on the development of schooling behavior in larvae of the herring, [*Clupea harengus*]. *Mar. Biol.* 2(1):73-76.
- Rosenthal, H. 1968. Swimming behavior and swimming speed in the larvae of [*Clupea harengus*]. *Helg. Wiss. Meeresuntersuch.* 18:453-486.
- Rosenthal, H. 1969. Rate of digestion, selection of food and daily rations in herring larvae, [*Clupea harengus*] L. *Ber. dt. wiss. Kommn Meeresforsch.* 20(1): 60-69. Transl. for Fish. Res. Bd. Can. Transl. Series, No. 1400.
- Rosenthal, H. 1969. Investigations on the prey-catching behavior of larvae of the herring, [*Clupea harengus*]. *Mar. Biol.* 3:208-221.
- Rosenthal, H. 1970. Anfütterung und wachstum der larven und jungfische des hornhechtes, [*Belone belone*]. *Mar. Biol.* 21:203-218.
- Rosenthal, H., and G. Hempel. 1970. Experimental studies in feeding and food requirements of herring larvae (*[Clupea harengus]* L.). Pages 344-364 [in] J. H. Steele, editor. *Marine food chains.* Univ. Calif., Berkeley, CA, 552 pp.
- Rosenthal, H., and R. Stelzer. 1970. Wirkungen von 2, 4- und 2, 5-dinitrophenol auf die Embryonalentwicklung des Herings, [*Clupea harengus*]. *Mar. Biol.* 5:325-336.

- Rosentahl, H., and G. Hempel. 1970. Experimental studies in feeding and food requirements of herring larvae. Pages 344-365 [in] J. H. Steele, editor. Marine food chains. Oliver and Boyd, Edinburgh.
- Rosenthal, H. 1971. Effects of red mud on embryos and larvae of the herring, [*Clupea harengus*]. Helg. Wiss. Meeresunters. 22(3-4):366-376.
- Rosenthal, H., and G. Hempel. 1971. Experimental estimates of minimum food density for herring larvae. Pages 125-127 [in] A. Saville, editor. Symp. on biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160, 205 pp.
- Rosenthal, H., and H. Mann. 1973. Wirkungen eines proteolytischen Enzyms (Maxatase-P) auf Embryonen des Herings ([*Clupea harengus*]) bei unterschiedlichen Temperaturen und Salzgehalten. Arch. Fischereiwiss. 24:217-236.
- Rosenthal, H., and M. Fonds. 1973. Biological observations during rearing experiments with the garfish, [*Belone belone*]. Mar. Biol. 21(3):203-218.
- Rosenthal, H., and K. R. Sperling. 1974. Effects of cadmium on development and survival of herring eggs. Pages 383-396 [in] J. H. S. Blaxter, editor. The early life history of fish, Springer-Verlag, NY, 765 pp.
- Rosenthal, H., and D. F. Alderdice. 1976. Sublethal effects of environmental stresses, natural and pollutional, on marine fish eggs and larvae. Journal of the Fisheries Research Board of Canada 33(8):2047-2065.
- Rosenthal, H., D. Kuhlmann, and O. Fukuhara. 1978. Shrinkage of newly hatched larvae of the red sea bream ([*Chrysophrys major*] Temminck and Schlegel) preserved in formalin. Arch. FischWiss. 29 (1-2):59-.
- Rosenthal, H., and I. Iwai. 1979. Hatching glands in herring embryos. Mar. Ecol. Prog. Ser. 1:123-127.
- Ross, J., P. M. Powles, and M. Berrill. 1977. Thermal selection and related behavior in larval yellow perch ([*Perca flavescens*]). Can. Field-Nat. 91(4):406-410.
- Ross, M. R., and R. J. Reed. 1978. The reproductive behavior of the fallfish, [*Semotilus corporalis*]. Copeia 1978(2):215-221.
- Ross, S. T. 1978. Trophic ontogeny of the leopard searobin, [*Prionotus*] [*scitulus*], (Pisces, Trigilidae). NOAA NMFS Fish. Bull. 76(1):225-234.
- Rossi, A., and F. Palombi. 1972. The development of the vascular sac in Teleostei, [*Salmo gairdneri*] and [*Anguilla anguilla*]. Acta. Embryol. Exp. 2:271. In Italian.
- Rothschild, B. J. 1959. Variables influencing the prolarval production of the American smelt, [*Osmerus mordax*] (Mitchill), in Dean Brook, Ellsworth, Maine. M.S. Thesis, Univ. Maine, Orono, ME, 86 pp.
- Rothschild, B. J. 1961. Production and survival of eggs of the American smelt, [*Osmerus mordax*] (Mitchill) in Maine. Transactions of the American Fisheries Society 90(1):42-48.
- Rothschild, B. J., and T. R. Osborn. 1988. Small-scale turbulence and plankton contact rates. J. Plankton Res. 10:465-474.
- Rothschild, B. J., T.R. Osborn, T.D. Dickey, and D.M. Farmer. 1989. The physical basis for recruitment variability in fish populations. J. Cons. int. Explor. Mer, 45:136-145.
- Rothschild, B. J. 2000. 'Fish stocks and recruitment': the past thirty years. Ices Journal of Marine Science 57(2):191-201.

- Rothlisberg, P. C., J. Jackson, and R.C. Pendrey. 1985. Distribution and abundance of early penaeid larvae in the Gulf of Carpentaria, Australia. Pages 23-30 [in] P. C. Rothlisberg, B. J. Hill, and D. J. Staples, editors. Second Australian National Prawn Seminar. NPS2, Cleveland, Australia. 368 p.
- Rott, N. N. 1980. Cell cycle in early embryogenesis of whitefish. *Sov. J. Dev. Biol.* 10(3):187-195.
- Rott, N. N., and G. A. Sheveleva. 1968. Changes in the rate of cell divisions in the course of early development of diploid and haploid loach embryos. *J. Embryol. Exp. Morph.* 20:141-150.
- Rott, N. N., and V. V. Popov. 1969. Changes in the duration of the mitotic cycle and its phases during early embryogenesis of the loach, [*Misgurnis fossilis*]. Demonstration at 9th Intl. Embryol. Conf., Moscow, 25-29th Aug. 1969. Publ. House, Nauk., Moscow. 71 pp.
- Roubal, W. T., et al. 1977. Accumulation and metabolism of carbon-14 labeled Benzene, Naphthalene, and Anthracene by young coho salmon, [*Oncorhynchus kisutch*]. *Arch. Env. Contam. Toxicol.* 5:513-529.
- Roule, L., and R. Despax. 1899. Les larves marines. *Bull. Soc. Zool.* 117-135.
- Roule, L., and R. Despax. 1911. Larves tiluriennes de poissons recueillies par le "Thor". *Bull. Mus. Nat. Hist. Paris* 403-407.
- Roule, L. 1911. Sur quelques larves des poissons apodes. *C. R. Acad. Sci. Paris* 153:732-735.
- Roule, L. 1912. La distribution géographique de certaines larves (tiluriennes) des poissons apodes. *C. R. Assoc. Franc. Avanc. Sci.* 41st Sess. 413-415.
- Roule, L. 1913. Etude sur les formes larvaires tiluriennes de poissons apodes. *Ann. Inst. Oceanogr. Monaco* 6(2nd Ser.):1-23.
- Roule, L. 1914. Sur les phases larvaires et la métamorphose des poissons apodes...[*Nemichthys*] *C. R. Acad. Sci. Paris* 158:352-354.
- Roule, L. 1917. Sur le développement larvaire et post-larvaire des poissons de genre [*Mugil*]. *C. R. Hebd. Seances Acad. Sci.* 164:194-196.
- Roule, L., and F. Angel. 1921. Notice préliminaire (IIe) sur les larves et les alevins de Poissons recueillis par S. A. A. le Prince de Monaco dans ses croisières de 1896 a (inclus). *Bull. Inst. Oceanogr.* 397:1-8.
- Roule, L. 1924. Etude sur l'ontogenèse et la croissance avec hypermétamorphose de [*Luvarus imperialis*] Raf. (Poisson rapporté à l'ordre des Scombriformes). *Ann. Inst. Oceanogr. Monaco* (n.s.) 1:119-157.
- Roule, L., and L. Bertin. 1929. Les poissons apodes appartenant au sous-ordre des Nemichthiformes. 2. Ontogenèse de [*Nemichthys*] [*scolopaceus*] Richardson. *Oceanogr. Rep. Dan. Exped.* 1920-224:61-100.
- Roule, L. 1930. Larves et alevins de poissons provenant des croisières du Prince Albert Ier de Monaco. *Res. Camp. Sci. Monaco* 79:1-148.
- Roule, S. 1934. Rôle des poissons larvaires dans la prophylaxie du paludisme. *These Med.* 8:61.
- Rovainen, C. M. 1976. Regeneration of Miller and Mauthner axons after transection in larval lampreys. *J. Comp. Neurol.* 168:545.

- Rowland, W. J. 1974. Reproductive behavior of the fourspine stickleback, [*Apeltes quadracus*]. *Copeia* 1974:183-194.
- Rowley, A. F., and M. Page. 1985. Ultrastructural, cytochemical and functional studies on the eosinophilic granulocytes of larval lampreys. *Cell Tissue Res.* 240(3): 705-709.
- Roy., C., P. Cury, and S. Kifani. 1992. Pelagic fish recruitment success and reproductive strategy in upwelling areas: environmental compromises. *S. Afr. J. mar. Sci.* 12:135-164.
- Royce, J. S. 1936. Collecting eggs from lake trout in New York lakes. N.Y. Cons. Dept., Fish-Cult. 2(10):2-4.
- Royce, W. F. 1951. Breeding habits of lake trout in New York. *Fish. Bull. U.S.* 52(59):59-76.
- Rosanska, Z. 1961. The food of lake trout fry (*[Salmo trutta] morpha [lac ustris] L.*) and other fish species in Trzebiocha Stream. *Rocz. Nauk Rolniczych* 93:387-422.
- Rozmanova, M. D. 1966. The feeding of white amur larvae kept in fish-cages. *Dokl. Biol. Sci. USSR* 166:27-28.
- Rubin, A. J., and G. A. Elmaraghy. 1977. Studies on toxicity of ammonia, nitrate, and their mixtures to guppy fry. *Wat. Res. (G.B.)*11:927.
- Rubinoff, I. 1958. Raising the atherinid fish, [*Menidia menidia*], in the laboratory. *Copeia* 1958(2):146-147.
- Rubtsov, V. V. 1978. The adhesiveness of egg membranes of the carp, [*Cyprinus carpio*], and the White Sea herring, [*Clupea harengus maris-albi*]. *J. Ichthyol.* 18(2): 275-282.
- Rubtsov, V. V., and Z. A. Chernyaev. 1980. Changes in the architectonics of Baikal Omul, [*Coregonus autumnalis migratorius*], eggs during embryogenesis. *Sov. J. Dev. Biol.* 10(3):258-262.
- Ruby, S. M., et al. 1977. Effects of depressed pH on oogenesis in flagfish, [*Jordanella floridae*]. *Water Res. (G, B)*11:757.
- Ruck, J. G. 1971. Development of the lumpfish, [*Trachelochismus*] [*melobesia*] (Pisces, Gobiesocidae). *Zool. Publ. Vict. Univ. Wellington.* 57:1-9.
- Ruck, J. G. 1973. Development of [*Tripterygion capito*] and [*T. robustum*] (Pisces: Tripterygiidae). *Zool. Publ. Victoria Univ. Wellington.* 63:1-10.
- Ruck, J. G. 1973. Development of the clingfishes, [*Diplocrepis*] [*puniceus*] and [*Trachelochismus pinnulatus*] (Pisces: Gobiesocidae). *Zool. Publ. Victoria Univ. Wellington* 64:1-12.
- Ruck, J. G. 1976. Studies on the development and osteology of some New Zealand inshore fishes. Ph.D. Diss., Victoria Univ. Wellington, New Zealand.
- Ruck, J. G. 1980. Early development of [*Forsterygion varium*], [*Gilloblennius decemdigitatus*], and [*G. tripennis*] (Pisces: Tripterygiidae). *New Zealand J. Mar. Freshwat. Res.* 14:313-326.
- Rucker, R. R. 1937. The effect of temperature on the growth of the embryos of [*Oncorhynchus nerka*]. M.S. Thesis, Univ. Washington. Seattle. 54 pp.
- Rucker, R. R. 1975. Excess nitrogen gas in water not a cause of coagulated yolk disease in chinook salmon. *Progressive Fish-Culturist* 37:101.
- Rudakova, V. A. 1971. On feeding of young larvae of the Alanto-Scandian herring (*[Clupea harengus harengus] L.*) in the Norwegian Sea. Pages 114-120 [in] A. Saville, editor. *Symp.*



on biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer, No. 160, 205 pp.

Rudometkina, G. P. 1975. Postembryonic development of [*Vinciguerria nimbaria*] from the Atlantic Ocean. J. Ichthyol. 15(6):940-950.

Rudometkina, G. P., and V. L. Zharov. 1977. Larval bonito, [*Sarda*] sp. (Scombroidei, Osteichthyes) from the tropical Atlantic. J. Ichthyol. 16(3):506-509.

Rudometkina, G. P. 1979. The larvae of [*Chauliodus schmidti*] (Chauliodontidae) from the tropical waters of the Atlantic Ocean. J. Ichthyol. 19(5):148-150.

Rudometkina, G. P. 1980. Larvae of lizardfish (Family Synodontidae) from the eastern tropical Atlantic. J. Ichthyol. 20(3):147-152.

Rudometkina, G. P. 1981. Postembryonic development of [*Diplophos taenia*] Gunther, 1873 (Gonostomatidae) from the Atlantic Ocean. J. Ichthyol. 21(4):106-113.

Rudstam, L. G., A. J. VanDeValk, and M. D. Scheuerell. 2002. Comparison of acoustic and Miller high-speed sampler estimates of larval fish abundance in Oneida Lake, New York. Fisheries Research 57(2):145-154.

Rudy, P. P., and W. T. W. Potts. 1969. Sodium balance in the eggs of the Atlantic salmon, [*Salmo salar*]. J. Exp. Biol. 50(1):239-246.

Ruelle, R., and P. L. Hudson. 1977. Paddlefish (*Polydon spathula*): growth and food of young of the year and a suggested technique for measuring length. Transactions of the American Fisheries Society 106(6):609-613.

Ruelle, R., W. Lorenzen, and J. Oliver. 1977. Population dynamics of young-of-the-year fish in a reservoir receiving heated effluent. Pages 46-67 [in] W. VanWinkle, editor. Proc. Conf. on assessing the effects of power-plant-induced mortality on fish populations. Pergamon Press, New York, NY.

Ruggerone, G. T. 1986. Consumption of migrating juvenile salmonids by gulls foraging below a Columbia River dam. Transactions of the American Fisheries Society 115:736-742.

Ruggerone, G.T. 2000. Differential survival of juvenile sockeye and coho salmon exposed to low dissolved oxygen during winter. J. Fish. Biol. 56(4): 1013-1016.

Ruggles, C. P. 1966. Depth and velocity as a factor in stream rearing and production of juvenile coho salmon. Can. Fish. Cult. 38:37-53.

Rukhlov, F. N., and G. I. Fedorova. 1974. Some characteristics of the growth of young autumn chums in the first marine period of life. Izv. tikhookean. nauchno-issled. Inst. ryb. Khoz. Okeanogr. 93:108-111.

Rulifson, R. A. 1977. Temperature and water velocity effects on the swimming performances of young-of-the-year striped mullet, [*Mugil cephalus*], spot, [*Leiostomus*] [*xanthurus*], and pinfish, [*Lagodon rhomboides*]. Journal of the Fisheries Research Board of Canada 34:2316.

Runge, J. A., and Y. Delafontaine. 1996. Characterization of the pelagic ecosystem in surface waters of the northern Gulf of St. Lawrence in early summer: The larval redfish-*[Calanus]* microplankton interaction. Fisheries Oceanography 5:21-37.

Runn, P., N. Johansson, and G. Milbrink. 1977. Some effects of low pH on the hatchability of eggs of perch, [*Perca fluviatilis*] L. Zool. (2):115-125. SFA 24(2).

Runnstrom, S. 1934. The pelagic distribution of the herring larvae in the Norwegian waters. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 88:2-6.

- Runnstrom, S. 1941. Quantitative investigations on herring spawning and its yearly fluctuations at the west coast of Norway. Fiskeridir. Skr. Havundersok. (Rep. Norwegian Fish. and Mar. Invest.) 6(8):1-71.
- Runyan, S. 1961. Early development of the clingfish, [*Gobiesox*] [*strumosus*] Cope. Ches. Sci. 2(3-4):113-141.
- Ruple, D. 1979. A quantitative procedure for collecting larval fishes in a surf zone habitat. Proc. Mississippi Chap. AFS, 3:31-47.
- Ruple, D. 1984. Gobioidae: development. Pages 582-587 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Ruple, D. L. 1984. Occurrence of larval fishes in the surf zone of a northern Gulf of Mexico barrier island. Estuarine, Coastal and Shelf Sci. 18:191-208.
- Rupp, R. S. 1959. Life history and ecology of the smelt in inland waters of Maine: spawning and egg survival study. ME. Dep. Inland Fish. Game Proj. No. ME. F-010-R-04, 4 pp.
- Rupp, R. S. 1965. Shore-spawning and survival of eggs of the American smelt. Transactions of the American Fisheries Society 94(2):160-168.
- Ruppert, J. B., R. T. Muth, and T. P. Nesler. 1993. Predation on fish larvae by adult red shiner, Yampa and Green rivers, Colorado. Southwestern Naturalist 38:397-399.
- Ruppert, J. B., and R. T. Muth. 1997. Effects of electrofishing fields on captive early juveniles of two endangered cyprinids. North American Journal of Fisheries Management 17: 314-320.
- Rupprecht, R. J., and L. A. Jahn. 1980. Biological notes on blue suckers in the Mississippi River. Transactions of the American Fisheries Society 109:323-326.
- Rurak, D. W., and A. M. Perks. 1977. The neurohypophysial principles of the western brook lamprey, [*Lampetra richardsoni*]: studies in the ammocoete larva. Gen. Comp. Endocrinol. 31(1):91-100.
- Rusaouen, M., J. P. Pujol, J. Bocquet, A. Veillard, and J. P. Borel. 1976. Evidence of collagen in the egg capsule of the dogfish, [*Scyliorhinus canicula*]. Comp. Biochem. Physiol. 53B:539.
- Russ, G. R., D. C. Lou, J. B. Higgs, and B. P. Ferreira. 1998. Mortality rate of a cohort of the coral trout, [*Plectropomus leopardus*], in zones of the Great Barrier Reef Marine Park closed to fishing. Mar. Freshwater Res. 49:507-511.
- Russell, D. J., and R. N. Garrett. 1983. Use by juvenile barramundi, [*Lates calcarifer*] (Bloch), and other fishes of temporary supralittoral habitats in a tropical estuary in northern Australia. Aust. J. Mar. Freshwat. Res. 34(5):805-812.
- Russell, D. J., and R. N. Garrett. 1985. Early life history of barramundi, [*Lates calcarifer*] (Bloch), in northeastern Queensland. Aust. J. Mar. Freshwat. Res. 36(2):191-202.
- Russell, F. S. 1926. The vertical distribution of marine macroplankton. II. The pelagic young of teleostean fishes in the daytime in the Plymouth area, with a note on the eggs of certain species. J. Mar. Biol. Assoc. U.K. 14: 101-159.
- Russell, F. S. 1926. The vertical distribution of marine macroplankton. III. Diurnal observations on the pelagic young of teleostean fishes in the Plymouth area. J. Mar. Biol. Assoc. U.K. 14:387-414.

- Russell, F. S. 1928. The vertical distribution of marine macroplankton. VIII. Further observations on the diurnal behavior of the pelagic young of teleostean fishes in the Plymouth area. *J. Mar. Biol. Assoc. U.K.* 15(3):829-850.
- Russell, F. S. 1929. The vertical distribution of marine macroplankton. IX. The distribution of the pelagic young of teleostean fishes in the daytime in the Plymouth Area. *J. Mar. Biol. Assoc. U. K.* 16(2):639-676.
- Russell, F. S. 1930. The seasonal abundance and distribution of the pelagic young of teleostean fishes caught in the ring-trawl in offshore waters in the Plymouth area. *J. Mar. Biol. Assoc. U.K.* 16:707-722.
- Russell, F. S. 1933. On the occurrence of young stages of Caligidae on pelagic young fish in the Plymouth area. *J. Mar. Biol. Assoc. U. K.* 18:551-553.
- Russell, F. S. 1935. On the occurrence of post-larval stages of the bass, [*Morone labrax*] (L.), in the Plymouth area. *J. Mar. Biol. Assoc. U.K.* 20:71-72.
- Russell, F. S. 1935. The seasonal abundance and distribution of the pelagic young of teleostean fishes caught in the ring-trawl in offshore waters in the Plymouth area. Part II. *J. Mar. Biol. Assoc. U.K.* 20(2):147-179.
- Russell, F. S. 1936. The seasonal abundance of the pelagic young of teleostean fishes in the Plymouth area. Part III. The year 1935, with a note on the condition as shown by the occurrence of plankton indicators. *J. Mar. Biol. Assoc. U.K.* 20(3):595-604.
- Russell, F. S. 1937. The seasonal abundance of the pelagic young of teleostean fishes in the Plymouth area. Part IV. The year 1936, with notes on the conditions as shown by the occurrence of plankton indicators. *J. Mar. Biol. Assoc. U.K.* 21(2):679-686.
- Russell, F. S. 1938. On the seasonal abundance of young fish. V. The year 1937. *J. Mar. Biol. Assoc. U.K.* 22(2):493-500.
- Russell, F. S. 1939. On the seasonal abundance of young fish. VI. The year 1938. *J. Mar. Biol. Assoc. U.K.* 23:381-386.
- Russell, F. S. 1940. On the seasonal abundance of young fish. VII. The year 1939, January to August. *J. Mar. Biol. Assoc. U.K.* 24(1):265-270.
- Russell, F. S. 1969. On the seasonal abundance of young fish. XI. The year 1966. *J. Mar. Biol. Assoc. U. K.* 49:305-310.
- Russell, F. S. 1971. On the seasonal abundance of young fishes. XII. The years 1967-. *J. Mar. Biol. Assoc. U. K.* 51:127-130.
- Russell, F. S., and N. Demir. 1971. On the seasonal abundance of young fish. XII. The years 1967, 1968, 1969, and 1970. *J. Mar. Biol. Assoc. U.K.* 51(1):127-130.
- Russell, F. S. 1973. A summary of the observations on the occurrence of planktonic stages of fish off Plymouth 1924-1972. *J. Mar. Biol. Assoc. U.K.* 53(2):347-355.
- Russell, F. S. 1976. The eggs and planktonic stages of British marine fishes. Academic Press, NY, 524 pp.
- Rustamova, S. A. 1978. Effect of alkalis on the growth, development and fecundity of guppy. *Gidrobiol. Zh. Aka d. Nauk. Ukr. (USSR)* 13:96.
- Ruzycki, J. R, W. A. Wurtsbaugh and C. Lay. 1998. Reproductive ecology and early life history of a lacustrine sculpin, [*Cottus extensus*] (Teleostei, Cottidae). *Environ. Biol. Fish.* 53(2):117-127.

- Ruzzante, D. E., C. T. Taggart, and D. Cook. 1996. Spatial and temporal variation in the genetic composition of a larval cod (*Gadus morhua*) aggregation: cohort contribution and genetic stability. *Canadian Journal of Fisheries and Aquatic Sciences* 53:2695-2705.
- Ryabov, I. C. 1978. Morphological characteristics of the fry of a carp x rosy barb, [*Cyprinus carpio*] L. x [*Puntius conchonius*] (Ham. et Buch.), hybrid. *Moscow Univ. Biol. Sci. Bull.* 33(2):44-47.
- Ryabov, I. N. 1973. Embryonic and larval development characteristics of hybrids of silver carp [*Hypophthalmichthys molitrix*] (Val.) and eastern bream [*Abramis brama*] (Berg). *J. Ichthyol.* 13(5):701-714.
- Ryabov, I. N. 1975. Embryonic and larval development of carp (*Cyprinus* [*carpio*]) and "Korean sawbelly" (*Hemiculter* [*eigenmanni*]) hybrids. *J. Ichthyol.* 15(3): 438-450.
- Ryabov, I. N. 1978. Features of the embryonic and larval development of the hybrid of the carp, [*Cyprinus carpio*], and the fiery puntius, [*Puntius conchonius*]. *J. Ichthyol.* 18(4):577-588.
- Ryazantseva, M. V., and O. F. Sakun. 1980. The sex cells and development of the gonads in the early ontogeny of the carp, [*Cyprinus carpio*]. *J. Ichthyol.* 20(3):114-122.
- Rybock, J. T., H. F. Horton, and J. L. Fessler, 1975. Use of otoliths to separate juvenile steelhead trout from juvenile rainbow trout. *U.S. Natl. Mar. Fish. Serv. Bull.* 73(3):654-659.
- Ryder, J. A. 1880. Phosphorescence of very young fishes. *American Naturalist* 14:675-676.
- Ryder, J. A. 1881. Development of the silver gar (*Belone longirostris*) with observations on the genesis of the blood in embryo fishes, and a comparison of fish ov a with those of other vertebrates. *U.S. Fish. Commr. Bull.* 1:283-301.
- Ryder, J. A. 1881. Development of the Spanish mackerel, [*Cybium*] [*maculatum*]. *U.S. Commr. Fish Bull.* 1:135-172.
- Ryder, J. A. 1882. Additional observations on the development of the ova of the shad. *Bull. U.S. Commer. Fish.* 1:422-424.
- Ryder, J. A. 1882. A contribution to the development and morphology of the Lophobranchiates (*Hippocampus antiquorum*, the sea horse). *U.S. Commr. Fish Bull.* 1(1881):191-199.
- Ryder, J. A. 1882. Notes on the development, spawning habits and structure of the four-spined stickleback, [*Apeltes*] [*quadracus*]. *U.S. Commr. Fish. Bull.* 1(1881): 24-29.
- Ryder, J. A. 1882. A contribution to the embryography of osseous fishes, with special reference to the development of the cod (*Gadus morhua*). *Rep. U.S. Commnr Fish.* 1882 (pt. 10):455-605.
- Ryder, J. A. 1882. Preliminary notice of the more important scientific results obtained from a study of the embryology of fishes. *Bull. U.S. Fish. Commn.* 1881 (1882) 1:22-23.
- Ryder, J. A. 1882. Structure and ovarian incubation of [*Gambusia*] [*patruelis*], a top-minnow. *American Naturalist* 16:109-118.
- Ryder, J. A. 1882. On the retardation of the development of the ova of the shad (*Alosa sapidissima*) with observations on the egg fungus and bacteria. *Bull. U.S. Fish. Commn.* 1881(1882) 1:177-190.
- Ryder, J. A. 1882. The micropyle of the egg of the white perch. *Bull. U.S. Fish Commn.*

- Ryder, J. A. 1882. Additional observations on the retardation of the development of the ova of the shad. Bull. U.S. Fish Commn. 1881(1882) 1:422-424.
- Ryder, J. A. 1883. Preliminary notice of the development and breeding habits of the Potomac catfish, [*Amiurus albidus*] (LeSueur) Gill. U.S. Commr. Fish. Bull. (1883)3:225-230.
- Ryder, J. A. 1883. Observations on the absorption of the yolk, the food, feeding and development of embryo fishes, comprising some investigations conducted at the Central Hatchery Bldg., Wash., D. C., in 1882. Bull. U.S. Fish Commn. 2:179-205.
- Ryder, J. A. 1883. On the thread bearing eggs of the silversides ([*Menidia*]). Bull. U.S. Fish Commn. 3(13):193-196.
- Ryder, J. A. 1884. Carp do eat young fishes. Bull. U.S. Fish. Commn. 4:152.
- Ryder, J. A. 1884. Development of viviparous minnows ([*Gambusia*] [*patrueelis*]). Science (Wash., D.C.) 3(71):769.
- Ryder, J. A. 1884. On the preservation of embryonic materials and small organisms together with hints upon embedding and mounting sections serially. Rep. U.S. Commnr. Fish. (1882):607-630.
- Ryder, J. A. 1885. Development of the spines of the anterior dorsal of [*Gasterosteus*] and [*Lophius*]. American Naturalist 19:415.
- Ryder, J. A. 1885. On the formation of the embryonic axis of the teleostean embryo by the concrescence of the rim of the blastoderm. American Naturalist 19:614-615.
- Ryder, J. A. 1885. On the availability of embryological characters in the classification of the Chordata. American Naturalist 19:815-819.
- Ryder, J. A. 1885. Directions for collecting embiotocoid fish embryos. Bull. U.S. Fish Commn. 5:32.
- Ryder, J. A. 1885. On the development of osseous fishes. Ann. Rep. U.S. Commnr. Fish.
- Ryder, J. A. 1885. On certain features of the development of the salmon. Proc. U.S. Natn. Mus. 8:157-162.
- Ryder, J. A. 1885. On the forces which determine the survival of fish embryos. Forest & Stream 23:50-51.
- Ryder, J. A. 1885. On the morphology and evolution of the tails of osseous fishes. Proc. Am. Assoc. Advmt. Sci., 33rd mtg.:532-533.
- Ryder, J. A. 1885. On the development of viviparous osseous fishes and of the Atlantic salmon. Proc. U.S. Natl. Mus. 8:128-162.
- Ryder, J. A. 1886. On the intraovarian gestation of the redfish ([*Sebastes marinus*]). Bull. U.S. Fish Comm. 6:92-94.
- Ryder, J. A. 1886. The development of the mud minnow ([*Umbra limi*]). American Naturalist 20:823-824.
- Ryder, J. A. 1886. The development of [*Fundulus heteroclitus*]. American Naturalist 20:824.
- Ryder, J. A. 1886. Preliminary notice of the development of the toadfish, [*Batrachus tau*]. Bull. U.S. Fish Commn. 1887(1886), 6(1):4-8.

- Ryder, J. A. 1886. Embryology of the fishes' fins. Rep. U.S. Commnr. Fish. 12(1884): 981-1086.
- Ryder, J. A. 1886. Why do certain fish ova float? American Naturalist 20:986-987.
- Ryder, J. A. 1886. On the development of viviparous osseous fishes. Proc. U.S. Natn. Mus. 8:128-155.
- Ryder, J. A. 1886. On certain features of the development of the salmon. Proc. U.S. Natn. Mus. 8:156-162.
- Ryder, J. A. 1886. On some of the protective contrivances developed by and in connection with the ova of various species of fishes. Transactions of the American Fisheries Society 1885: 59-65.
- Ryder, J. A. 1886. Success in hatching the eggs of the cod. Science, NY 7:26-28.
- Ryder, J. A. 1886. The development of the toadfish. American Naturalist 20:77-80.
- Ryder, J. A. 1887. On the development of osseous fishes, including marine and freshwater forms. Rep. U.S. Fish. Comm. 13:488-604.
- Ryder, J. A. 1887. [*Roccus lineatus*] (Block) Gill: (The striped bass or rockfish). Hybridization of the striped bass with other fishes. Pages 502-505 [in] On the development of osseous fishes, including marine and freshwater forms. Rep. U.S. Commnr. Fish. 13.
- Ryder, J. A. 1887. On the value of the fin-rays and their characteristics of development in the classification of the fishes, together with remarks on the theory of degeneration. Proc. U.S. Natn. Mus. 1886(1887) 9:71-82.
- Ryder, J. A. 1888. On the development of the common sturgeon. American Naturalist 22(259):659-660.
- Ryder, J. A. 1888. Development of the sea bass (*[Serranus atrarius]*). American Naturalist 22:755.
- Ryder, J. A. 1890. The functions and histology of the yolk-sac of the young food fish (*[Batrachus tau]*). Proc. Acad. Nat. Sci. Philad. 42:402-408.
- Ryder, J. A. 1890. The sturgeons and sturgeon industries of the eastern coast of the United States, with an account of experiments bearing upon sturgeon culture. Bull. U.S. Fish. Comm n. 1888(1890) 8:231-328.
- Ryder, J. A. 1892. On the mechanical genesis of the scales of fishes. Proc. Acad. Nat. Sci. Philad.:219-244.
- Ryder, J. A. 1893. The vascular respiratory mechanism of the vertical fins of the viviparous Embiotocidae. Proc. Acad. Nat. Sci. Philad.:95-99.
- Ryder, J. A. 1894. The inheritance of modifications due to disturbances of the early stages of development, especially in the Japanese domestic races of gold-carp. Proc. Acad. Nat. Sci. Phil. (1893):75-94.
- Ryer, C. H., and B. L. Olla. 1996. Growth depensation and aggression in laboratory reared coho salmon: the effect of food distribution and ration size. Journal of Fish Biology 48:686-694.
- Ryer, C. H., and B. L. Olla. 1996. Social behavior of juvenile chum salmon, [*Oncorhynchus keta*], under risk of predation: the influence of food distribution. Environmental Biology of Fishes 45:75-83.

- III. 1938. Contributions to the life history of [Notropis] [cornutus cornutus] (Mitchill). MS Thesis, Cornell Univ. 41 pp.
- Ryland, J. S. 1963. The swimming speeds of plaice larvae. *J. Exp. Biol.* 40:285-299.
- Ryland, J. S. 1964. The feeding of plaice and sand-eel larvae in the southern North Sea. *J. Mar. Biol. Assoc. U.K.* 44:343-364.
- Ryland, J. S. 1966. Observations on the development of larvae of the plaice, [Pleuronectes platessa] L., in aquaria. *J. Cons. perm. int. Explor. Mer* 30(2):177-195.
- Ryland, J. S., and J. H. Nichols. 1967. Effect of temperature on the efficiency of growth of plaice prolarvae. *Nature, London* 214:529-530.
- Ryland, J. S., and J. H. Nichols. 1975. Effect of temperature on the embryonic development of the plaice, [Pleuronectes platessa] L. *J. Exp. Mar. Biol. Ecol.* 18:121-137.
- Ryzhenko, M. I. 1939. The larvae and fry of the Murmansk herring. *Inst. Mar. Fish. Oceanogr. USSR, Mosco w. N. M. Knipovich Mem. Vol.* 394-407.
- Ryzhkov, L. P. 1968. The rate of gaseous exchange in the eggs, larvae, and fry of the Sevan trout kept in groups or isolated. *Am. Fish. Soc. Prob. in Ichthyol.* 8(1):89-96.
- Saalfeld, R., and J. H. Howell. 1974. The sea lamprey and its control. *Fish Mgmt. Rep.* 6:97. Michigan Fish. Cent. Rep. 1873-1973. Mich. Dept. Nat. Resourc., Lansing, MI.
- Sabates, A. 1990. Distribution pattern of larval fish populations in the northwestern Mediterranean. *Marine Ecology-Progress Series* 59:75-82.
- Sabates, A. 1990. Changes in the heterogeneity of mesoscale distribution patterns of larval fish associated with a shallow coastal haline front. *Estuarine Coastal and Shelf Science* 30:131-140.
- Sabates, A., and M. Maso. 1990. Effect of a shelf slope front on the spatial distribution of mesopelagic fish larvae in the western Mediterranean. *Deep-Sea Research* 37:1085-1098.
- Sabates, A., and M. Maso. 1992. Unusual larval fish distribution pattern in a coastal zone of the western Mediterranean. *Limnology and Oceanography* 37:1252-1260.
- Sabates, A., and M. P. Olivari. 1996. Variation of larval fish distributions associated with variability in the location of a shelf-slope front. *Marine Ecology-Progress Series* 135:11-20.
- Sabins, D. S. 1973. Diel studies of larval and juvenile fishes of the Caminada Pass area, Louisiana. M.S. Thesis, Louisiana State Univ. 163 pp.
- Sabins, D. S., and F. M. Truesdale. 1974. Diel studies of larval and juvenile fishes of the Caminada Pass area, Louisiana. *ASB Bull.* 21(2):80.
- Sabins, D. S., and F. M. Truesdale. 1974. Diel and seasonal occurrence of immature fishes in a Louisiana tidal pass. *Proc. 28th Ann. Conf. S. E. Assoc. G & F Comms.* 28:161-171.
- Sabodash, V. M. 1970. Dynamics of zinc content of carp at early stages of its development. *Gidrobiol. Zh.* 6(3):74-80.
- Sabodash, V. M. 1971. Localization of zinc in spawn, embryos and larvae of [Cyprinus carpio] L. *Gidrobiol. Zh.* 7(1):48-54.
- Sabodash, V. M. 1977. Size of eggs and larvae from carps of different ages under normal conditions and under the effect of elevated levels of zinc sulfate. *Biol. Nauka (Moscow)* 20:62.

- Sadov, I. A. 1963. Structure and formation of egg membranes in Acipenseridae and in some representatives of Teleostei. Tr. Inst. Morf. Zhiv. 38:110-188. in Russian.
- Saez, J. A., and P. R. Bowser. 2000. Hydrogen peroxide concentrations in hatchery culture units and effluent during and after treatment. North American Journal of Aquaculture. In press.
- Saf'Yanova, T. Y., and N. I. Revina. 1960. The biology of the large horse mackerel and fishing for it. Tr. Azovo-Chernomorsk. Nauchno-Issled. Inst. Morsrsk. Rybn. Khoz. Okeanogr. 18.
- Sager, D. R. 1981. Abundance and distribution of larval fishes in the Cape Fear River above Buckhorn Dam, North Carolina. Warmwater Streams Symp., Am. Fish. Soc. pp. 370-374.
- Sager, D. R., C. H. Hocutt, and J. R. Stauffer, Jr. 1985. Preferred wavelengths of visible light for juvenile Atlantic menhaden. N. A. J. Fish. Mgmt. 5(1):72-77.
- Sager, D. R. 1986. Larval gizzard shad in the Cape Fear River. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.
- Saha, K. C., and N. K. Chowdhury. 1956. Studies on the mortality in spawn and fry of Indian major carps during transport. I. Indian J. Fish. 3(1):119-126.
- Saha, K. C., D. P. Sen, and P. Mazumdar. 1956. Studies on the mortality in spawn and fry of Indian major carps during transport. II. Indian J. Fish. 3(1):125-134.
- Saha, K. C., D. P. Sen, and P. Mazumdar. 1956. Studies on the mortality of spawn and fry of Indian major carps during transport. III. Indian J. Fish. 3(1):135-140.
- Saha, K. C., and P. C. Sen. 1958. Studies on the mortality in spawn and fry of Indian major carps during transport. IV. Indian J. Fish. 5(2):362-374.
- Saha, K. C., D. N. Chakraborty, and A. Mahalanabish. 1968. Studies on the growth rate of fry of Indian major carps in high salinity. Adv. Abstr. Contr. Fish. Aquat. Sci. India 2(2):10-11.
- Saha, K. C., D. N. Chakraborty, B. K. S. Chakraborty, Jr. 1967. Studies on the salinity tolerance of fry of Indian major carps in captivity. Indian J. Fish. 1964 11A(1):247-248.
- Saigal, B. N., and M. P. Motwani. 1962. Studies on the fishery and biology of the commercial catfishes of the Ganga River system. I. Early life history, bionomics and breeding of [Mystus] [(Osteobagrus) seenghala] (Sykes). Indian J. Fish. 8(1):60-74.
- Saika, M. K. 1973. The life history and ecology of largemouth bass in Parker Canyon lake. M.S. Thesis, Univ. Arizona. 54 pp.
- Saila, S. B., and R. G. Lough. 1981. Mortality and growth estimation from size data - an application to some Atlantic herring larvae. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:7-14.
- Saila, S. B., D. B. Horton, and R. J. Berry. 1965. Estimates of the theoretical biomass of juvenile winter flounder, [Pseudopleuronectes americanus] (Walbaum), required for a fishery in Rhode Island. Journal of the Fisheries Research Board of Canada 22(4):945-954.
- Saito, S. 1950. The embryological study of fishes. I. General observation on the early development of the dog-salmon, [Oncorhynchus keta] Walbaum. J. Fac. Agric. Hokkaido Univ. 48:269-289.
- Saka, S., K. Firat, and C. Suzer. 2002. Effects of light intensity on early life development of gilthead sea bream larvae ([Sparus aurata]). Israeli Journal of Aquaculture - Bamidgeh 53(3-4):139-146.



- Sakagawa, G. T., and M. Kimura. 1976. Growth of laboratory reared northern anchovy, [*Engraulis mordax*], from southern California, U.S.A. Fish. Bull. NOAA (U.S.) 74(2):271-279.
- Sakaguchi, M., M. Murata, and A. Kawai. 1984. Changes in free amino acid contents in juvenile mackerel, [*Scomber japonicus*], during ice storage. Bull. Jap. Soc. Sci. Fish. 50(2):323-330.
- Sakai, H., and F. Yasuda. 1978. Development of eggs and larvae of the freshwater goby, [*Rhinogobius brunneus*]. Jap. J. Ichthyol.
- Sakai, K., M. Nomura, F. Takashima, and H. Oto. 1975. The over-ripening phenomenon of rainbow trout. II. Changes in the percentage of eyed eggs, hatching rate, and incidence of abnormal alevins during the process of overripening. Bull. Jap. Soc. Sci. Fish. 41(8):855-860.
- Sakai, Y. T. 1961. Method for removal of chorion and fertilization of the naked egg in [*Oryzias latipes*]. Embryologia 5:357-368.
- Sakai, Y. T. 1964. Studies on the ooplasmic segregation in the egg of the fish, [*Oryzias latipes*]. I. Ooplasmic segregation in egg fragments. Embryologia 8:129-134.
- Sakai, Y. T. 1964. Studies on the ooplasmic segregation in the egg of the fish, [*Oryzias latipes*]. II. Ooplasmic segregation of the partially activated egg. Embryologia 8:135-145.
- Sakai, Y. T. 1965. Studies on the ooplasmic segregation in the egg of the fish, [*Oryzias latipes*]. III. Analysis of the movement of oil droplets during the process of ooplasmic segregation. Biol. Bull. 129(1):189-198.
- Sakamoto, T., and K. Suzuki. 1978. Spawning behavior and early life history of the porcupine puffer, [*Diodon holacanthus*], in aquaria. Jap. J. Ichthyol. 24(4):261.
- Sakamoto, W., and R. Tsuda. 1983. Statistical analyses of swimming mode of larvae, [*Pagrus major*]. Bull. Jap. Soc. Scient. Fish. 49(6):839-848.
- Sakamoto, W., and Y. Tanaka. 1986. Water temperature patterns and distribution of fish eggs and larvae in the vicinity of shallow sea front. Bull. Jap. Soc. Sci. Fish. 52(5):767-776.
- Saksena, V. P., K. Yamamoto, and C. D. Riggs. 1961. Early development of the channel catfish. Prog. Fish-Cult 23(4):156-161.
- Saksena, V. P. 1962. The posthatching stages of the red shiner, [*Notropis*] [*lutrensis*]. Copeia 1962(3):539-544.
- Saksena, V. P., and E. B. Joseph. 1972. Dissolved oxygen requirements of newly hatched larvae of the striped blenny ([*Chasmodes bosquianus*]), the naked goby ([*Gobiosoma boscii*]), and the skilletfish ([*Gobiesox strumosus*]). Ches. Sci. 13(1):23-28.
- Saksena, V. P., and E. D. Houde. 1972. Effect of food level on the growth and survival of laboratory reared larvae of bay anchovy ([*Anchoa*] [*mitchilli*] Valenciennes) and scaled sardine ([*Harengula pensacolatae*] Goode and Bean). J. Exp. Mar. Biol. & Ecol. 8(1): 249-258.
- Saksena, V. P., C. Steinmetz, Jr., and E. D. Houde. 1972. Effects of temperature on growth and survival of laboratory-reared larvae of the scaled sardine, [*Harengula pensacolatae*] Goode and Bean. Transactions of the American Fisheries Society 101(4):691-695.

- Saksena, V. P., and W. J. Richards. 1975. Description of eggs and larvae of laboratory-reared white grunt, [*Haemulon plumieri*] (Lacepede) (Pisces: Pomadasysidae). Bull. Mar. Sci. 25(4):523-536.
- Sakum, O. F. 1966. Transition to meiotic division of oocytes with incomplete vitellogenesis under the influence of hormonal stimulation in the Atlantic salmon, [*Salmo salar*] L. Dokl. Akad. Nauk SSSR 169(1):241-244. (Dokl. Biol. Sci. 169(1):479-482).
- Sakuma, K. M., and S. Ralston. 1995. Distributional patterns of late larval groundfish off central California in relation to hydrographic features during 1992 and 1993. California Cooperative Oceanic Fisheries Investigations Reports 36:179-192.
- Sale, P. F. 1970. Distribution of larval Acanthuridae off Hawaii.
- Sale, P. F., and D.J. Ferrell. 1988. Early survivorship of juvenile coral reef fishes. Coral Reefs 7:117-124.
- Salekhova, L. I. 1971. Embryonic and early post-embryonic development of Black Sea wrasse of the genus [*Crenilabrus*]. Biol. Morya 23:36-77.
- Salekhova, L. P. 1959. On the development of the bluefish ([*Pomatomus saltatrix*] Linne). Trudy Sevastopol'. Biol. Sta. 11:182-188.
- Salensky, W. 1878-79. Development of the sterlet, [*Acipenser ruthenus*]. Two Parts. Proc. Soc. Nat. Imp. Univ. Kasan.
- Salensky, W. 1878. Zur Embryologie der Ganoiden, [*Acipenser*]. Zool. Anzeig. 1(11,12,13).
- Salensky, W. 1881. Recherches sur le developement du sterlet ([*Acipenser ruthenus*]). Arch. Biol. 2:233-341.
- Salgado, S.D., and R.D. Hoty. 1996. Early behavior formation in fathead minnow larvae, [*Pimephales promelas*]: implications for sensory function. Pages 91-106 [in] L.A. Fuiman, editor. Marine and Freshwater Behaviour and Physiology 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Salojarvi, K. 1982. Spawning ecology, larval food supplies and causes of larval mortality in the whitefish ([*Coregonus lavaretus*] L.). Polskie Archiwum Hydrobiol. 29:159-178.
- Samant, N. C. S. 1966. Observations on the collection, acclimatization and rearing of [*Mugil cephalus*] L. in confined brackishwaters. Orissa Fish. Res. Invest. Bull. 1:16-20.
- Sameoto, D. 1982. Vertical distribution and abundance of the Peruvian anchovy, [*Engraulis ringens*], and sardine, [*Sardinops sagax*], larvae during November 1977. J. Fish. Biol. 21:171-185.
- Sameoto, D. D., and L. O. Jarosynski. 1969. Otter surface sampler: a new neuston net. Journal of the Fisheries Research Board of Canada 25:2240-2244.
- Sameoto, D. D. 1971. The distribution of herring ([*Clupea harengus*] L.) larvae along the southern coast of Nova Scotia with some observations on the ecology of herring larvae and the biomass of macrozooplankton on the Scotian shelf. Tech. Rep. Fish. Res. Bd. Can., No. 252, 71 pp.
- Sameoto, D. D. 1972. Distribution of herring ([*Clupea harengus*]) larvae along the southern coast of Nova Scotia with observations on their growth and condition factor. Journal of the Fisheries Research Board of Canada 29:507-515.
- Sameoto, D. D., L. O. Jarosynski, and W. B. Fraser. 1977. A multiple opening and closing plankton sampler based on the MOCNESS and NTO nets. Journal of the Fisheries Research Board of Canada 34(8):1230-1235.

- Sameoto, D. D., L. O. Jaroszynski, and W. B. Fraser. 1980. BIONESS, a new design in multiple net zooplankton samplers. *Can. J. Fish. Aquat. Sci.* 37(4):722-724.
- Sammarco, P. W., and J.C. Andrews. 1988. Localized dispersal and recruitment in Great Barrier Reef corals: the Helix experiment. *Science* 239:1422-1424.
- Sammarco, P. W., and J.C. Andrews. 1989. The Helix experiment: differential localized dispersal and recruitment patterns in Great Barrier Reef corals. *Limnol. Oceanogr.* 34(5):896-912.
- Samocha, T. M., A. L. Lawrence, and D. Pooser. 1998. Growth and survival of juvenile [*Penaeus vannamei*] in low salinity water in semi-closed recirculating systems. *Israeli Journal of Aquaculture-Bamidgeh* 50(2):55-59.
- Samuel, M. 1951. Observations on the biology and embryology of sharks of the genus [*Scoliodon*] in Indian Seas. *Tech. Pap. Indo-Pacif. Fish. Coun.* 3(32).
- Sanchez, C., Jr. 1969. Life history and ecology of carp, [*Cyprinus carpio*] Linnaeus, in Elephant Butte Lake, New Mexico. M.S. Thesis, New Mexico State Univ., 65 pp.
- Sanchez, C., Jr. 1975. The role of pelagic larvae in recruitment to populations of adult decapod crustaceans in the York River Estuary and adjacent lower Chesapeake Bay, Virginia. *Estuar. & Coast. Mar. Sci.* 3:269-279.
- Sanchez, F., and J. Gil. 2000. Hydrographic mesoscale structures and Poleward Current as a determinant of hake ([*Merluccius merluccius*]) recruitment in southern Bay of Biscay. *Ices Journal of Marine Science* 57(1):152-170.
- Sanchezvelasco, L., C. Florescoto, and B. Shirasago. 1996. Fish larvae abundance and distribution in the coastal zone off Terminos lagoon, Campeche (southern Gulf of Mexico). *Estuarine Coastal and Shelf Science* 43:707-721.
- Sanderson, A. E., Jr. 1950. An ecological survey of fishes of the Severn River with reference to the eastern chain picker el, [*Esox*] [*niger*] LeSueur and the yellow perch, [*Perca*] [*flavescens*] (Mitchill). M.S. Thesis, University of Maryland. 47 pp.
- Sanderson, C. H. 1975. Artificial diets for esocids and walleye culture. *Proc. 6th. Interstate Muskellunge Workshop*:14-18.
- Sanderson, C. H., and Z. Bean. 1975. Tiger muskellunge culture: artificial diet-concrete rearing units. *Proc. 6th Interstate Muskellunge Workshop*:19-20.
- Sandknop, E. M., B. Y. Sumida, and H. G. Moser. 1984. Early life history descriptions. Pages 23-24 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.*
- Sandknop, E.M., and W. Watson. 1996. Apogonidae: cardinalfishes. Pages 904-911 [in] H.G. Moser, editor. *The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. www.fishbase.org, 07 July 2002)*
- Sandknop, E. M., R. L. Charter, H. G. Moser, and S. B. Reilly. 2000. Ichthyoplankton and station data for surface tows taken during the 1990 eastern tropical Pacific dolphin survey on the research vessels David Starr Jordan and McArthur. U.S. Dep. Commer., NOAA Tech. Memo., NOAA-TM-NMFS-SWFSC-290. 46 pp.
- Sandow, J. T., Jr., D. R. Holder, and L. E. McSwain. 1974. Life history of the redbreast sunfish in the Satilla River, Georgia. *Proc. 28th Ann. Conf. S. E. Assoc. G & F Comms.* 28:279-295.

- Sandy, J. M., and J. H. S. Blaxter. 1980. A study of retinal development in larval herring and sole. *J. Mar. Biol. Assoc. U.K.* 60(1):59-72.
- Sano, O., M. Tamura, and A. Iisuka. 1956. Concentration of mackerel eggs of the west coast of Hokkaido in association with particular diatom communities. *Bull. Hokkaido Reg. Fish. Res. Lab.* 14:35-56.
- Sano, O., and M. Tamura. 1958. Distribution of mackerel eggs and fishing for spawning adults in the vicinity of Ishikari Bay. In: *Rep. exploratory survey on the Tsushima warm current. Vol. 2 Japan Fish. Agency* 66-75.
- Sano, S. 1966. Salmon of the North Pacific ocean - Part III. A review of the life history of the North Pacific salmon. III. Chum salmon in the Far East. *Intl. North Pac. Fish. Comm. Bull.* 18:41-57.
- Santander, H., and O. S. de Castillo. 1969. Desarrollo y distribucion de huevos y larvas de merluza, [*Merluccius gayi*] (Guichenot) en la costa Peruana. *Bol. Inst. Mar Peru (Callao)* 2(3):79-107.
- Santander, H., and O. S. de Castillo. 1971. Desarrollo y distribucion de huevos y larvas de jurel ([*Trachurus symmetricus murphyi*] Nichols) en la costa Peruana. *Inst. Mar. Peru (Callao) Inf.* 36:1-22.
- Santander, H., and O. S. de Castillo. 1972. Distribution de huevos y larvas de "caballa", [*Scomber japonicus peruanus*] (J. et H.) en la costa Peruana. *Inf. Espec. Inst. Mar. Peru (101)*:1-10.
- Santander, H., and O. S. de Castillo. 1972. Estudio sobre los primeros estados de vida de la anchoveta. *Inf. Inst. Mar. Peru* 41:1-30.
- Santander, H., J. Alheit, A. D. MacCall, and A. Alamo. 1983. Egg mortality of the Peruvian anchovy, [*Engraulis ringens*], caused by cannibalism and predation by sardines, [*Sardinops sagax*]. *FAO Consultation, Costa Rica.*
- Santerre, M. T. 1976. Effects of temperature and salinity on the eggs and early larvae of [*Caranx mate*] (Cuv. & Val.) (Pisces: Carangidae) in Hawaii. *J. Exp. Mar. Biol. Ecol.* 21(1):51-68.
- Santerre, M. T., and R. C. May. 1977. Some effects of temperature and salinity of laboratory reared eggs and larvae of [*Polydactylus sexfilis*] (Pisces: Polynemidae). *Aquaculture* 10:341-351.
- Santiago, C. B., M. Banes-Aldaba, and M. A. Laron. 1982. Dietary crude protein requirement of [*Tilapia nilotica*] fry. *Philippine J. Biol.* 11:255-265.
- Santulli, A., and V. D'Amelio. 1986. The effect of carnitine on the growth of sea bass, [*Dicentrarchus labrax*] L., fry. *J. Fish. Biol.* 28(1):81-86.
- Sanzo, L. 1905. Uova e larve di murenoidi. *Atti. Accad. Peloritana* 19(2):1-5.
- Sanzo, L. 1909. Uova e larve di [*Auxis bisus*]. *Monit. Zool. Ital.* 20:79-80. In Italian.
- Sanzo, L. 1910. Uovo e larva di pesce-soada ([*Xiphias gladius*] L.). *Riv. Mensile Pesca Idrobiol.* 12:206-209. [in Italian].
- Sanzo, L. 1910. Studi sulla biologia del tonno ([*Orcynus thynnus*] Ltkn.). *Boll. Uff. Minist. Agric. Ind. Comm. Ser. 3.* 1:40-45. In Italian.
- Sanzo, L. 1912. Larva di [*Stomias boa*] Risso. *Mem. R. Comit. Talassogr. Ital.* 10.

- Sanzo, L. 1912. Uova di "Sternoptychidae" Gthr. R. Comit Talassogr. Ital. Boll. Bimest. 19:384-386.
- Sanzo, L. 1913. Larva di [Ichthyococcus ovatus]. R. Comitato talassografico Italiano Mem. 35:7pp.
- Sanzo, L. 1913. Stadi post-embrionali di [Vinciguerria attenuata] ([cocco]) e V. poweriae (Cocco) Jordan ed Evermann. R. Comitato Talassografico Italiano Mem. 35:7 pp.
- Sanzo, L. 1914. Stadi larvali di [Chauliodus solani]. Bl. R. Comitato Talassogr. Ital. Bull. Bimestrale, Mem. 39. 7 pp.
- Sanzo, L. 1915. Stadi larvali di [Bathophilus nigerrimus] Gigl. Mem. R. Comit. Talassogr. Ital. 48.
- Sanzo, L. 1915. [Stylophthalmoides lobiancoi] Mazzarelli e [S]. [mediterraneus] Mazzarelli sono le rispettive forme larvali di [Scopelus caninianus] C. e V. e S. Humbolti Rissoi. R. Comit. Talassogr. Ital. Boll. 44:1-24.
- Sanzo, L. 1917. Stadi larvali di [Paralepis hyalina] C. V. Mem. R. Comit. Talassogr. Ital. 59.
- Sanzo, L. 1918. Uova e larve di [Trachipterus cristatus] Bp. Mem. R. Comit. Talassogr. Ital. 64.
- Sanzo, L. 1919. Contributo alla conoscenza degli stadi larvali di [Orthagoriscus] Bl. Mem. R. Comit. Talassogr. Ital. 69. 7 pp. In Italian.
- Sanzo, L. 1922. Uova e larve di [Xiphias gladius] L. Mem. R. Comit. Talassogr. Ital. 79:1-17. In Italian.
- Sanzo, L. 1925. Uova e larve di alalonga ([Orcynus germo] Ltkn.). Atti Accad. Naz. Lincei Rend. Cl. Sci. Fis. Mat. Nat. 1, 6(3):131-134.
- Sanzo, L. 1925. Uova e larve di [Regal ecus glesne] Asc. Mem. R. Comit. Talassogr. Ital. 118.
- Sanzo, L. 1927. Uova, e larve di [Echeneis naucrates] (L.). Mem. R. Comit. Talassogr. Ital. 133. 5 pp. In Italian.
- Sanzo, L. 1928. Uova e larve di [Remora remora] L. Mem. R. Comit. Talassogr. Ital. 138. 11 pp. In Italian.
- Sanzo, L. 1929. Uova e larve di tonno, [Orcynus thynnus]. Readic. R. Accad. Lincei. Sci. Fish. Roma. 9:816-820.
- Sanzo, L. 1929. Uova e larve di tonno ([Orcynus thynnus] Ltkn.). Alt. Accad. Naz. Lincei Rc. 9(6):104-106.
- Sanzo, L. 1930. Contributo alla conoscenza di uova, larve e stadi giovanili in [Echeneis naucrates] L. Ann. Idrographica Genoa. 201-209. In Italian.
- Sanzo, L. 1930. Uova, sviluppo embrionale, stadi larvali, post larvali e giovanili di Sternoptychidae e Stomiatidae. Sternoptychidae. 2. [Ichthyococcus ovatus] Cocco. R. Comit. Tallasogr. Ital. Monogr. 2:69-119.
- Sanzo, L. 1930. Contributo alla conoscenza della sviluppo nei Carancidi: [Seriola dumerilii] Risso. Boll. Zool. 1:33-34.
- Sanzo, L. 1931. Uova, larve e stadi giovanili di Teleostei: Sternoptychidae. Fauna e Flora del Golfo di Napoli. Monogr., (38):42-81.

- Sanzo, L. 1931. Uova stadi embrionali e post-embrionali di [*Caucrates ductor*] L. Mem. R. Comit. Talassogr. Ital. 185.
- Sanzo, L. 1931. Uova e larve di [*Zeus faber*] L. Arch. Zool. Ital. 15:475.
- Sanzo, L. 1931. Uova e primi stadi larvali di [*Myctophum gemellari*] [cocco] (= [*Scopelus gemellari*] C. e V.). Atti Accad. Naz. Lincei 14:515-519.
- Sanzo, L. 1931. Sottordine: Salmonoidei, pp. 21-92. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora golfo Napoli Monogr. 38.
- Sanzo, L. 1932. Uova e primi stadi larvali de [*Pelamys sarda*] C.V. Mem. R. Com. Talassogr. Ital. 188:3-9. In Italian.
- Sanzo, L. 1932. Uova e primi stadi larvali de tonno ([*Orcynus thynnus*] Ltkn.). Mem. R. Com. Talassogr. Ital. 189:1-16. In Italian.
- Sanzo, L. 1932. Uova, stadi larvali e giovanili di [*Centrolophus*] [*pompilus*] C. V. Mem. R. Comit. Talassogr. Ital. 196.
- Sanzo, L. 1933. Uova, larve e stadi giovanili di [*Seriola dumerilli*] Risso. Mem. R. Com. Talassogr. Ital. 205. 12 pp. In Italian.
- Sanzo, L. 1933. Uova e primi stadi larvali di alalunga ([*Orcynus*] [*germo*] Ltkn.) Mem. R. Com. Talassogr. Ital. 198:1-20. In Italian.
- Sanzo, L. 1933. Uova stadi larvali e giovanili di [*Dactylopterus*] [*volitans*] L. Mem. R. Com. Talassogr. Ital. 207:1-26. In Italian.
- Sanzo, L. 1933. Famiglia 2: Macruridae, pp. 255-265. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38:255-265.
- Sanzo, L. 1935. Uova, sviluppo, embrionale, stadi larvali, postlarvalie giovanil i di Sternoptychidae e Stomiatidae. Monogr. Res. Comm. Talass. Ital., 2:123-180.
- Sanzo, L. 1936. Contributi ala conoscenza dello sviluppo embrionario e postembrionario nei Mugilidi. I. Uova e larve di [*Mugil cephalus*] Cuv. ottenute per fecondazione artificiale. II. Uova e larve di [*Mugil chelo*] Cuv. R. Com. Talassogr. Ital. Mem. 230. 11 pp.
- Sanzo, L. 1938. Uova, stadi embrionali, prelarve e larve di [*Saurenhelys cancrivora*] Peters. Mem. R. Comit. Talassogr. Ital. 249.
- Sanzo, L. 1938. Uova, ovariche e sviluppo larvale di [*Aulopus*] [*filamentosus*] Cuv. Mem. R. Comit. Talassogr. Ital. 254:3-7.
- Sanzo, L. 1939. Nuovo contributo alla conoscenza dello svilu ppo di [*Myctophum rissoi*] (Cocco). Atti Accad. Gioenia Sci. Nat. Catanias (6)3(25):1-8.
- Sanzo, L. 1939. Rarissimi stadi larvali di Teleostei. Arch. Zool. Ital. 26:121-151.
- Sanzo, L. 1939. Uova e larve di [*Smaris insidiator*] C. V. Mem. R. Comit. Talassogr. Ital. 262.
- Sanzo, L. 1940. Sviluppo embrionale e larva appena schiusa di [*S comberesox saurus*] Flem.). R. Comit. Talsogr. Ital., Mem. 276. 6 pp. In Italian.
- Sanzo, L. 1940. Uova e larve appena achiusa di [*Lophotes cepedianus*] (Giorna). Mem. R. Comit. Talassogr. Ital. 272.
- Sanzo, L. 1956. Divisione: Zeomorphi Regan, pp. 461-470. In: Uova, larve e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.

- Saranghdar, P. N. 1943. Tiger-shark, [*Galeocerdo tigrinus*] (Muller and Henle). J. Bombay Nat. Hist. Soc. 44(1):102-110.
- Sardou, J. 1966. Oeuf et developpement embryonnaire de [*Trachypterus*] [taenia] Bloch (order des Lampridiformes = Allotriognathes famille des Trachypteridae). Vie Milieu, Fasc. 1-A, 15:199-215.
- Sarojini, K. E., and J. C. Malhotra. 1952. The larval development of the so-called Indian salmon, [*Eleutheronema tetradactylum*] (Shaw). Journal of Zoology Soc. India 4(1):63-72.
- Sarojini, K. K. 1958. Biology and fisheries of the grey mullets of Bengal. I. Biology of [*Mugil parsia*] Ham. with notes on its fishery in Bengal. Indian J. Fish. 4(1):160-207.
- Sarojini, K. K. 1958. Observations on the occurrence, collection, acclimatization, transport and survival of mullet seed in West Bengal (India). Proc. Indo-Pac. Fish. Coun. 7th Sess., 1957, Sect. II & III.
- Sars, G. O. 1875. On the spawning and development of the codfish. Transl. by H. Jacobsen Rep. U.S. Fish. Comm., Pt. III, for 1973-1974 and 1974-1975:213-222.
- Sasaki, T. 1974. On the larvae of three species of rockfish (Genus: [*Sebastes*]) in Hokkaido. Hokkaido Univ. Bull. Fac. Fish. 25:169-173.
- Sasaki, T. 1976. The larvae of two scorpaenid fishes, [*Sebastes*] [*wakiyai*] and [*S. iracundus*]. Bull. Jap. Soc. Sci. Fish. 42(12):1353-1356.
- Sathyanesan, A. G. 1966. Egg laying of the chimaeroid fish, [*Hydrolagus*] [*colliei*]. Copeia 1966 (1):132-134.
- Satia, B. P., L. R. Donaldson, L. Smith, and J. N. Nightingale. 1974. Composition of ovarian fluid and eggs of the University of Washington strain of rainbow trout ([*Salmo gairdneri*]). Journal of the Fisheries Research Board of Canada 31(11): 1796-1799.
- Sato, G. 1983. Identificacao, distribuicao e desenvolvimento larval de "Lanceta", [*Thyrsitops lepidopoides*] (Cuv., 1931) (Pisces: Gempylidae) da ragiao compreendida entre Cabo Frio (23S). M.S. Thesis, Inst. Oceanogr. da Univ. de Sao Paulo, Sao Paulo, Brazil. In Portuguese.
- Sato, G., and Y. Matsuura. 1986. Early development of [*Thyrsitops lepidopoides*] (Pisces: Gempylidae). Bolm Inst. Oceanogr., S. Paulo 34:55-69.
- Sato, M. 1937. On the development of the neuromasts of the carp, [*Cyprinus carpio*]. Jap. J. Ichthyol. 4:105-112.
- Sato, M., and F. Yasuda. 1980. Metamorphosis of the leptocephali of the ten-pounder, [*Elops hawaiiensis*], from Ishigaki Island, Japan. Jap. J. Ichthyol. 26:315-324.
- Sato, R. 1950. On feeding habits of the larvae of pond smelt, [*Hypomesus olidus*] (Pallzs). Tohuku J. Agric. Res. 1:215-222.
- Sato, R. 1958. On the feeding habits of the young larvae of freshwater and marine fishes. Proc. Indo-Pacif. Fish. Coun. 6(2-3):179-181.
- Satyanarayana Rao, K. 1973. Eggs and early developmental stages of [*Hilsa kelee*] (Cuvier). Indian J. Fish. 20(1):250-255.
- Saul, G. E. 1974. Ichthyofaunal investigation of the Tickfaw River drainage basin. M.S. Thesis, Louisiana State Univ., Baton Rouge, LA. 53 pp.

- Saunders, J. W. 1969. Mass mortalities and behavior of brook trout and juvenile Atlantic salmon in a stream polluted by agricultural pesticides. *Journal of the Fisheries Research Board of Canada* 26:695-699.
- Saunders, M. W., B. M. Leaman, and G. A. McFarlane. 1997. The interaction of ontogeny and fishing mortality on the interpretation of sablefish life history and population dynamics. In M. E. Wilkins and M. W. Saunders, editors. *Biology and Management of Sablefish, [Anoplopoma fimbria]*, International Symposium on the Biology and Management of Sablefish, Seattle, Washington, 13-15 April, 1993. NOAA Tech. Rep. NMFS 130.
- Saunders, R. L., and J. H. Gee. 1964. Movements of young Atlantic salmon in a small stream. *Journal of the Fisheries Research Board of Canada* 21(1):27-36.
- Saunders, R. L., and E. B. Henderson. 1969. Survival and growth of Atlantic salmon fry in relation to salinity and diet. *Fish. Res. Bd. Can. Tech. Rep.* 148:1-18.
- Saunders, R. L., and E. B. Henderson. 1970. Influence of photoperiod on smolt development and growth of Atlantic salmon, [*Salmo salar*]. *Journal of the Fisheries Research Board of Canada* 27:1295-1311.
- Saunders, R. L., E. B. Henderson, and P. R. Harmon. 1985. Effects of photoperiod on juvenile growth and smolting of Atlantic salmon and subsequent survival and growth in sea cages. *Aquaculture* 45(1-4):55-66.
- Saunders-English, T. 1964. A theoretical model for estimating the abundance of planktonic fish eggs. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 155:174-182.
- Sauskan, V. I., and V. P. Serebryakov. 1968. Propagation and development of silver hake ([*Merluccius bilinearis*] Mitchill). *Vopr. Ikhtiol.* 50:500-521.
- Sauskan, V. I., and V. P. Serebryakov. 1968. Reproduction and development of the silver hake [*Merluccius bilinearis*] (Mitchill). *Probl. Ichthyol.* 8(3):398-414.
- Sauter, S., et al. 1976. Effects of exposure to heavy metals in selected freshwater fish. Toxicity of copper, cadmium, chromium and lead to eggs and fry of seven fish species. *Env. Prot. Ag.* 600/.3-76-105. Duluth, MN.
- Savchuk, M. Y. 1968. Location of fattening areas of the young of the grey mullet in the coastal zone of the northwest part of the Black Sea. *Probl. Ichthyol.* 8(5):718-726.
- Savchuk, M. Y. 1973. Feeding migrations of grey mullet fry off the Crimean and west Caucasian coasts. *Hydrobiol. J.* 9(5):18-24.
- Savel'yeva, E. A., and L. S. Fedorova. 1973. The effect of pituitary stimulation of oocyte development on morphological and metabolic processes in pike-perch embryos, [*Luceoperca luceoperca*] (L.). *J. Ichthyol.* 13(6):854-863.
- Savicheva, E. A. 1982. Embryonic development of the Pacific capelin, [*Mallotus villosus socialis*] (Osmeridae), in the eastern Okhotsk Sea. *J. Ichthyol.* 22(2):69-74.
- Saville, A. Editor. 1971. Symposium on the biology of early stages and recruitment mechanisms of herring. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 160, 205 pp.
- Saville, A. 1950. Fish eggs and larvae in Faroes waters. *Annal. Biol.* VI.
- Saville, A. 1951. Eggs and larvae. Fish eggs and larvae north of Faroes. *Ann. Biol.* 7(1950):26-27.
- Saville, A. 1953. Eggs and larvae, Faroes. Scottish haddock investigations. *Ann. Biol.* 9(1952):33-34.
- Saville, A. 1954. Scottish haddock investigations - eggs and larvae. *Annal. Biol.* X.



- Saville, A. 1956. Eggs and larvae of haddock ([*Gadus aeglefinus*] L.) at Faroe. Mar. Res. 1956(4):1-27.
- Saville, A. 1959. The planktonic stages of the haddock in Scottish waters. Mar. Res. Dept Agric. Fish. Scotland 1959(3).
- Saville, A. 1959. Mesh selection in plankton nets. J. Cons. perm. int. Explor. Mer 23(2):192-201.
- Saville, A. 1964. Estimation of the abundance of a fish stock from egg and larval surveys. Rapp. P.-v. Reun. Cons. int. Explor. Mer 155:164-173.
- Saville, A. 1964. Identification sheets on fish eggs and larvae. Sheet 1. Clupeidae. J. Cons. perm. int. Explor. Mer, 5 pp.
- Saville, A. 1965. Factors controlling dispersal of the pelagic stages of fish and their influence on survival. Spec. Publs. Int. Commn NW. Atlant. Fish. No. 6:335-348.
- Saville, A. 1966. The distribution and abundance of herring larvae in the northern North Sea, changes in recent years. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160:87-93.
- Saville, A., and D. W. McKay. 1969. Tests with an encased and an unencased Gulf III sampler. ICES CM 1969 H, 27 pp.
- Saville, A. 1970. Report on the international surveys of herring larvae in the North Sea in 1967. ICES Coop. Res. Rep., Ser. A, 19:2-17.
- Saville, A., and D. W. McKay. 1970. Tests of the efficiency of various high speed samplers for catching herring larvae. ICES CM 1970 H, 7 pp.
- Saville, A. 1971. The biology of young herring in the Moray Firth and their recruitment to the adult stocks. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160:184-193.
- Saville, A. 1971. The larval stages. Pages 52-55 [in] A. Saville, editor. Symposium on the biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160, 205 pp.
- Saville, A. 1971. The distribution and abundance of herring larvae in the northern North Sea, changes in recent years. Pages 87-93 [in] A. Saville, editor. Symposium on the biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160, 205 pp.
- Saville, A., and D. W. McKay. 1974. Herring larvae to the west of Scotland in the autumn of 1972. ICES Coop. Res. Rep. No. 41:40-60.
- Saville, A., I. G. Baxter, and D. W. McKay. 1974. Relations between egg production, larval production and spawning stock size in Clyde herring, pp. 129-138. In: Blaxter, J. H. S. (ed.), The early life history of fish. Springer-Verlag, NY, 765 pp.
- Saville, A., and D. W. McKay. 1977. Report on the international surveys of herring larvae in the North Sea and adjacent waters in 1975/76 and 1976/77. ICES CM 1977/H:30.
- Saville, A. 1978. Some comments on herring larval distribution in the North Sea. Pages 172-174 [in] Symp. on North Sea fish stocks - recent changes and their causes. Cons. int. Explor. Mer Rapp. P.-v. Reun. Vol. 172.
- Saville, A. 1979. The estimation of spawning stock size from fish egg and larval surveys. Intl. Counc. Explor. Mer, Early Life History Symp. 19 pp.
- Saville, A. 1981. The estimation of spawning stock size from fish egg and larval surveys. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:268-278.

- Saville, A., and D. Schnack. 1981. Overview - some thoughts on the current status of studies of fish eggs and larval distribution and abundance. *Rapp. et P.-v. Reun., Cons. int. perm. Explor. Mer* 178:153-157.
- Savino, J. F., P. L. Hudson, M. C. Fabrizio, C. A. Bowen II. 1999. Predation on lake trout eggs and fry: a modeling approach. *Journal of Great Lakes Research* 25:36-44.
- Savoy, T. F., and V. A. Crecco. 1987. Daily increments on the otoliths of larval American shad and their potential use in population dynamic studies. In: Summerfelt, R. C., and G. E. Hall (eds.), *Age and growth of fish*, Iowa State Univ. Press, Ames, IA. 544 pp.
- Savvaitova, K. A., M. U. Mina, and V. A. Maksimo v. 1975. Evolutionary aspects of the reproductive ecology of trout of the genus [Salmo] in Kamchatka. *J. Ichthyol.* 15(1):18-27.
- Savvaitova, K. A., and V. A. Maksimov. 1978. The spawning of the Arctic lamprey of the genus [Lampetra] in connection with the problem of the taxonomic status of small forms. *J. Ichthyol.* 18(4):555-560.
- Sawyer, C. H. 1944. Nature of the early somatic movements in [Fundulus] [heteroclitus]. *J. Cell Comp. Physiol.* 24:71-84.
- Sawyer, P. J. 1957. Laboratory care and feeding of larval lampreys. *Copeia* 1957(3):244.
- Sawyer, P. J. 1959. Burrowing activities of the larval lampreys. *Copeia* 1959(3):256-257.
- Sawyer, P. J. 1967. Intertidal life-history of the rock gunnel, [Pholis] [gunnellus], in the Western Atlantic. *Copeia* 1967(1):55-61.
- Sbikin, Y. N. 1974. Age related changes in the role of vision in the feeding of various fishes. *J. Ichthyol.* 14(1):133-138.
- Sbikin, Y. N., and A. V. Levin. 1985. Distribution of juvenile Russian sturgeon, [Acipenser gueldenstaedti], in the northern Caspian in August 1980. *J. Ichthyol.* 25(5):39-43.
- Sbikin, Y. N., and N. N. Lapina. 1982. Locomotory and feeding activity of juvenile sevruga, [Acipenser stellatus] (Acipenseridae), with increasing salinity. *J. Ichthyol.* 22(5):138-142.
- Scaccini, A. 1961. Les premiers stades juveniles du thon rouge ([Thunnus] [thynnus]). *Rapp. P.-v. Reun. Comm. int. Explor. Sci. Mer Meditt.* 16(2):351-352.
- Scaccini, A. 1961. Remarks on the displacements and distribution of young tunas in the Adriatic Sea. *Proc. Tech. Pap. Gen. Fish. Counc. Medit.* 5:293-294.
- Scaccini, A., R. Sara, C. Piccinetti, and G. Manfrin. 1973. Donnees preliminaires sur une campagne d'etude ags oeufs et larves de Thonides. *Pap. Comm. int. Mer Medit.* 21(10):801-803.
- Scalet, C. G. 1971. Life history of the orangebelly darter, [Etheostoma] [radiosum cyanorum] (Osteichthyes: Percidae). Ph.D. Diss., Univ. Ok lah., Norman, OK.
- Scalet, C. G. 1973. Reproduction of the orangebelly darter, [Etheostoma] [radiosum cyanorum] (Osteichthyes: Percidae). *Am. Midl. Nat.* 89(1):156-165.
- Scarcini, A. 1961. Sur la presence et la distribution des jeunes thons dans les mers de Sardigne. *Rapp. P.-v. Reun. Cons. int. Explor. Sci. Mer Meditt.* 19(2):353-356.
- Scattergood, L. W. 1950. Ocean currents carry cod spawn away from breeding grounds. *Maine Cst Fisherm.* 4(8):5.

- Scattergood, L. W. 1951. The occurrence of egg capsules in the winter skate ([*Raja diaphanes*]) in Maine waters. *Copeia* 1951(2):169.
- Schachte, J. H. 1975. Bacterial destruction of channel catfish eggs. *Catfish Farmer* 5(1):2.
- Schaefer, M. B., and J. C. Marr. 1948. Juvenile [*Euthynnus lineatus*] and [*Auxis thazard*] from the Pacific Ocean off Central America. *Pacif. Sci.* 2(4):262-271.
- Schaefer, M. B., and J. C. Marr. 1948. Spawning of yellowfin tuna ([*Neothunus macropterus*]) and skipjack ([*Katsuwonus pelamis*]) in the Pacific Ocean off Central America, with description of juveniles. *Fish. Bull. Fish Wildl. Serv. U.S.* 51(44): 187-196.
- Schaefer, W. F., R. A. Heckmann, and W. A. Swenson. 1981. Postspawning mortality of rainbow smelt in western Lake Superior. *J. Great Lakes Res.* 7(1):37-41.
- Schaeffer, J. S., and F. J. Margraf. 1987. Predation on fish eggs by white perch, [*Morone americana*], in western Lake Erie. *Environmental Biology of Fishes* 18(1):77-80.
- Schaffer, W. M., and P. F. Elson. 1975. The adaptive significance of variations in life history among local populations of Atlantic salmon in North America. *Ecology* 56(3):577-590.
- Schakenbeck, W. 1933. [*Anarrhichas minor*], 1 p. In: *Faune ichtthyologique de l'Atlantique Nord*. J. Cons. perm. int. Explor. Mer, No. 13.
- Scharf, F., J.A. Buckel, F. Juanes, and D.O. Conover. 1998. Predation by juvenile piscivorous bluefish ([*Pomatomus saltatrix*]): the influence of prey to predator size ratio and prey type on predator capture success and prey profitability. *Can. J. Fish. Aquat. Sci.* 55:1695-1703.
- Scharf, F., J.A. Buckel, F. Juanes, and D.O. Conover. 1997. Estimating piscine prey size from partial remains: testing for shifts in foraging mode by juvenile bluefish. *Environ. Biol. Fishes.* 49:377-388.
- Schauss, R. P., Jr. 1974. Seasonal occurrences of some larval and juvenile fishes in selected habitats in Lynnhaven Bay, Virginia. M. S. Thesis, Old Dominion Univ., Norfolk, VA. 93 pp.
- Schauss, R. P., Jr. 1977. Seasonal occurrence of some larval and juvenile fishes in Lynnhaven Bay, Virginia, U.S.A. *Am. Midl. Nat.* 98(2):275-282.
- Schaussman, H. O. 1965. Functional development of visual pathway in larval sardines and anchovies. Pages 64-70 [in] R. Lasker, editor. *Symp. on larval fish biology*. California Coop. Ocean. Fish. Invest. Rep. X:12-152.
- Scheel, J. J. 1962. Factors governing development of killie eggs. *Tropicals* 7(2):9-15.
- Schekter, R. C. 1972. Food habits of some larval and juvenile fishes from the Florida Current near Miami, Florida. U.S. EPA Tech. Rep. 85 pp.
- Scheltema, R. S., I. P. Williams, and P. S. Lobel. 1996. Retention around and long-distance dispersal between oceanic islands by planktonic larvae of benthic gastropod Mollusca. *American Malacological Bulletin* 12:67-75.
- Scheltema, R. S., and M. E. Rice. 1990. Occurrence of teleplanic [pelagosphere] larvae of sipunculans in tropical regions of the Pacific and Indian Oceans. *Bulletin of Marine Science* 47:159-181.

- Scheltema, R. S. 1968. Dispersal of larvae, equatorial ocean currents and the importance to the zoogeography of shoal-water tropical species. *Nature* 217:1159-1162.
- Schenck, J. R., and B. G. Whiteside. 1977. Reproduction, fecundity, sexual dimorphism and sex ratio of [*Etheostoma fonticola*] (Osteichthyes: Percidae). *Am. Midl. Nat.* 98(2):365-375.
- Scherer, M. D. 1974. Analysis of factors affecting passage of American shad, [*Alosa sapidissima*] (Wilson), at Holyoke Dam, Massachusetts, and assessment of juvenile growth and distribution above the dam. Ph.D Diss., Univ. Massachusetts, Amherst, MA.
- Scherer, M. D., and D. W. Bourne. 1980. Eggs and early larvae of smallmouth flounder, [*Etropus microstomus*]. *Fish. Bull.* 77(3):708-712.
- Schiemer, F., T. Spindler, H. Wintersberger, A. Schneider, and A. Chovanec. 1991. Fish fry associations: important indicators for the ecological status of large rivers. *Internationale Vereinigung f r Theoretische und Angewandte Limnologie* 24:2497-2500.
- Schiewe, M. H. 1974. Influence of dissolved atmospheric gas on swimming performance of juvenile chinook salmon. *Transactions of the American Fisheries Society* 103(4):717-721.
- Schimmel, S. C. 1977. Notes on the embryonic period of the pinfish, [*Lagodon rhomboides*] (L.). *Florida Scientist* 1:3-6.
- Schimmel, S. C., D. J. Hansen, and J. Forester. 1974. Effects of Arochlor 1254 on laboratory reared embryos and fry of sheepshead minnows ([*Cyprinodon*] [*varie gatus*]). *Transactions of the American Fisheries Society* 103(3): 582-586.
- Schindler, D. E. 1999. Migration strategies of young fishes under temporal constraints: the effect of size-dependent overwinter mortality. *Canadian Journal of Fisheries and Aquatic Sciences* 56(Suppl. 1):61-70.
- Schindler, O. 1932. Sexually mature larval Hemirhamphidae from the Hawaiian Islands. *Bull. Bernice P. Bishop Mus.* 197:1-28.
- Schindler, O. 1934. Beitrage zur Kenntnis der Niere mariner Fische und ihrer Larven. *Sitzber. Akad. Wiss. Wien Abt. I* 143:265-283.
- Schindler, O. 1935. Zur Biologie der Larven von Barsch ([*Perca*] [*fluviatilis*] L.) und Hecht ([*Esox lucius*] L.). Vortrag mit Film. *Verh. Deutsch. Zool. Ges. Leipzig* 37:141-149.
- Schindler, O. 1938. Uber Larven und Jungfische der Kreuzungen zwischen Seeaibling und Bachsaibling. *Int. Rev. Hydrobiol. Leipzig* 37(4/5):385-404.
- Schirone, R. C., and L. Gross. 1968. Effect of temperature on early embryological development of the zebrafish, [*Brachydanio rerio*]. *J. Exp. Zool.* 169:43-52.
- Schlernitzauer, D. A., and P. W. Gilbert. 1966. Placentation and associated aspects of gestation in the bonnethead shark, [*Sphyrna tiburo*]. *J. Morph.* 120(3):219-232.
- Schlicht, F. G. 1977. Entrainment predictions: an overview of the state of Texas. [In] *Third national workshop on entrainment and impingement*. Ecol. Analysts, Inc., Melville, NY.
- Schlitz, R. J., and R. W. Trites. 1979. The Atlantic larval herring patch study of 1978. III. Current observations on Georges Bank. *Proc. 2nd informal workshop on Oceanogr. of Gulf of Maine and Adjacent Seas, Halifax, N. S.*
- Schlosser, I. J. 1985. Flow regime, juvenile abundance, and the assemblage structure of stream fishes. *Ecology* 66(5):1484-1490.

- Schlosser, I. J., J. D. Johnson, W. L. Knotek, and M. Lapinska. 2000. Climate variability and size-structured interactions among juvenile fish along a lake-stream gradient. *Ecology* 81(4): 1046-1057.
- Schlotterbeck, R. E., and D. W. Connally. 1982. Vertical stratification of three nearshore southern California larval fishes ([*Engraulis mordax*], [*Genyonemus lineatus*], and [*Seriphus politus*]). *Fish. Bull.* 80:895-902.
- Schlucter, M. D., and J. A. Lichatowich. 1977. Juvenile life histories of Rogue River spring chinook salmon, [*Oncorhynchus tshawytscha*] (Walbaum), as determined by scale analysis. Oregon Dept. Fish Wildl., Corvallis, OR. 22 pp.
- Schlueter, R. A. 1977. Appearance and summer growth of young-of-the-year [*Morone chrysops*] and [*Ictalurus punctatus*] in the lower White River, Pike County, Indiana. *Proc. Indiana Acad. Sci.* 87:467-468.
- Schlueter, R. A. 1977. Reproduction of [*Notropis spilopterus*] and [*Pimephales vigilax*] in the lower White River, Pike County, Indiana. *Proc. Indiana Acad. Sci.* 87: 430.
- Schmatolla, E. 1974. Retino-tectal course of optic nerves in cyclopic and synophthalmic zebrafish embryos. *Anat. Rec.* 180:377-384.
- Schmatolla, E., and H. A. Fischer. 1972. Axonal transport in embryonic visual system in zebrafish. *Exp. Brain Res.* 15(2):168-176.
- Schmelz, G. W. 1964. A natural history study of the mummichog, [*Fundulus*] [*heteroclitus*] (Linnaeus), in Canary Creek Marsh. M.S. Thesis, Univ. Delaware, 66 pp.
- Schmidt, E. J. 1904. Some preliminary remarks on the identification of pelagic post-larval forms of [*Gadus*]. Copenhagen, 4 pp.
- Schmidt, E. J. 1904. On pelagic post-larval halibut [*Hippoglossus*] [*vulgaris*] Flem. and [*H. hippoglossoides*] (Walbaum). *Meddr. Kommm Havunders.*, Ser. Fiskei, 1(3), 12 pp.
- Schmidt, E. J. 1905. The pelagic post-larval stages of the Atlantic species of [*Gadus*]. *Meddr Kommm Havunders.*, Ser. Fiskei, 1(4):1-77.
- Schmidt, E. J. 1905. On the larval and post-larval stages of the torsk, [*Brosmius brosme*] (Ascan.). *Meddr Kommm Havunders.*, Ser. Fiskei, 1(8):1-10.
- Schmidt, E. J. 1906. The pelagic post-larval stages of the Atlantic species of [*Gadus*]. *Meddr. Kommm Havunders.*, Ser. Fiskei, 2(2):1-19.
- Schmidt, E. J. 1906. On the pelagic post-larval stages of the lings, [*Molva molva*] (Linne) and [*Molva byvkelange*] (Walbaum). *Meddr Kommm Havunders.*, Ser. Fiskei, 2(3):1-15.
- Schmidt, E. J. 1906. On the larval and post-larval development of the argentines [*Argentina silus*] (Ascan.) and [*Argentina*] [*sphyraena*] Linne, with some notes on [*Mallotus*] [*villosus*] (O.F. Muller). *Meddr. Kommm Havunders.*, Ser. Fiskei, 2(4):1-20.
- Schmidt, E. J. 1906. Contributions to the life-history of the eel ([*Anguilla vulgaris*] Flem.). *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 5(4):137-274.
- Schmidt, E. J. 1907. On the post-larval development of the hake, ([*Merluccius vulgaris*] Flem.). *Meddr. Kommm Havunders.*, Ser. Fiskei, 2(7):1-9.
- Schmidt, E. J. 1907. On the post-larval development of some North Atlantic gadoids [*Raniceps raninus*] (Linne) and [*Molva*] [*elongata*] (Risso). *Meddr. Kommm Havunders.*, Ser. Fiskei, 2(8):1-12.

- Schmidt, E. J. 1908. Marking experiments on plaice and cod in Icelandic waters; post-larval developments of [*Merluccius*] [*vulgaris*]. Meddr. Kommm Havunders., Ser. Fiskei, 1908, 34 pp.
- Schmidt, E. J. 1908. On the post-larval stages of the John Dory ([*Zeus*] [*faber*] L.) and some other acanthopterygian fishes. Meddr. Kommm Havunders., Ser. Fiskei, 2(9):1-12.
- Schmidt, E. J. 1909. The distribution of the pelagic fry and the spawning regions of the gadoids in the North Atlantic from Iceland to Spain. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 10(B). 229 pp.
- Schmidt, E. J. 1909. Remarks on the metamorphosis and distribution of the larvae of the eel ([*Anguilla vulgaris*] Turt.). Meddr. Kommm Havunders., Ser. Fiskei, 3(3): 1-17.
- Schmidt, E. J. 1909. On the occurrence of leptocephali (larval Muraenoids) in the Atlantic west of Europe. Meddr Kommm Havunders., Ser. Fiskei, 3(6):1-19.
- Schmidt, E. J. 1911. Biology of the eel-fishes, especially of the [Conger]. Nature, Lond. 86(2158):61-63.
- Schmidt, E. J. 1912. Contributions to the biology of some North Atlantic species of eels. Vidensk. Meddr dansk naturh. Foren. 64:39-51.
- Schmidt, E. J. 1912. Danish researches in the Atlantic and Mediterranean on the life-history of the fresh-water eel ([*Anguilla vulgaris*] Turt.). Int. Revue ges. Hydrobiol. Hydrogr. 5:317-342.
- Schmidt, E. J. 1912. Über die Fortpflanzung des Aals und seine Laichplätze, eine zusammenfassende Übersicht. Der Fischerbote, Jahrgang, Juli (1912) 4(7): 201-209.
- Schmidt, E. J. 1912. The reproduction and spawning of the freshwater eel. Nature, Lond. 89:633-636.
- Schmidt, E. J. 1913. On the identification of muraenoid larvae in their early Preleptocephalin stages. Medd. Komm. Havunders. Copenh. Ser. Fiskeri. 4(2):1-13.
- Schmidt, E. J. 1913. The larval form of [*Chlopsis bicolor*] Raf. Vidensk. Medd. Naturh. Foren. Copenh. 64:53-56.
- Schmidt, E. J. 1916. On the early larval stages of the freshwater eels ([*Anguilla*]) and some other North Atlantic muraenoids. Meddr. Kommm Havunders., Ser. Fiskei 5(4):1-20.
- Schmidt, E. J. 1918. Argentinidae, Microstomidae, Opisthoproctidae. Mediterranean Odontostomidae. Rep. Dan. Oceanogr. Exped. Mediterr. 2(A5):40 pp.
- Schmidt, E. J. 1918. Mediterranean Bramidae and Trichiuridae. 1. Bramidae. Rep. Dan. Oceanogr. Exped. Mediterr. 2(A6):3-6.
- Schmidt, E. J. 1921. Contributions to the knowledge of the young of the sun-fishes ([*Mola*], [*Ranzania*], and [*Masturus*]). Meddr Kommm Havunders., Ser. Fiskei 6(6):1-13.
- Schmidt, E. J. 1922. The life history of the eel. Nature, Lond. 110:716.
- Schmidt, E. J. 1923. Breeding places and migrations of the eel. Nature, Lond. 111(2776): 51-54.
- Schmidt, E. J. 1924. The transatlantic migration of the eel-larvae. Nature, Lond. 113(2827):12.
- Schmidt, E. J. 1926. The frequency of young cod, etc., at the north and east coasts of Iceland, etc. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 39:139-148.

- Schmidt, E. J. 1927. Eel larvae in the Faroe Channel. J. Cons. perm. int. Explor. Mer 2(1): 38-43.
- Schmidt, E. J. 1927. The fresh-water eels of New Zealand. Trans. Proc. N.Z. Inst. 58: 379-388.
- Schmidt, E. J. 1928. The fresh-water eels of Australia. Records Australian Mus. 16(4): 179-210.
- Schmidt, E. J. 1931. Eels and Conger eels of the North Atlantic. Nature, Lond. 128(3232): 602-604.
- Schmidt, E. J. 1932. Danish eel investigations during twenty-five years 1905-1930. Carlsberg Foundation, 16 pp.
- Schmidt, E. J. 1932. Dana's togt omkring Jorden, 1928-1930 (Young ocean sunfishes, including [Masturus]). Copenhagen.
- Schmidt, E. J., and A. Strubberg. 1918. Mediterranean Bramidae and Trichuridae. Rep. Danish Oceanogr. Exped. 1908-1910 to the Mediterranean and Adjacent Seas. Vol. II, Biol. A6. 15 pp.
- Schmidt, R. E., and M. C. Fabrizio. 1980. Daily growth rings on otoliths for aging young-of-the-year largemouth bass from a wild population. Progressive Fish-Culturist 42:78-79.
- Schmidt, R. E., R. J. Klauda, and J. M. Bartels. 1987. Distributions and movements of the early life stages of three species of [Alosa] in the Hudson River, with comments on mechanisms to reduce interspecific competition, Part IV. [In] C. L. Smith, editor. Fisheries Research in the Hudson River. State Univ. New York Press, Albany.
- Schmitt, C. C., and B. E. Skud. 1978. Relation of fecundity to longterm changes in growth, abundance, and recruitment. Intl. Pac. Halibut Comm. Sci. Rep. 66. 31 pp.
- Schmitt, P. 1984. Marking growth increments in otoliths of larval and juvenile fish by immersion in tetracycline to examine the rate of increment formation. Fish. Bull. U.S. 82:237-242.
- Schmitt, P. D. 1985. Prey size selectivity and feeding rate of larvae of the northern anchovy, [Engraulis mordax] Girard. California Coop. Oceanic Fish. Invest. Rep. XXVII:153-161.
- Schmitt, P. D. 1986. Feeding by larvae of [Hypoatherina tropicalis] (Pisces: Atherinidae) and its relations hip to prey availability in One Tree Lagoon, Great Barrier Reef, Australia. Environmental Biology of Fishes 16(1/3):79-94.
- Schmitt, R. J., and G. J. Holbrook. 1985. Patch selection by juvenile black surfperch (Embiotocidae) under variable risk: interactive influence of food quality and structural complexity. J. Exp. Mar. Biol. Ecol. 85:269-285.
- Schmulbach, J. C. 1957. The life history of the central stoneroller, [Campostoma anomalum pullum] (Agassiz). MS Thesis, Southern Illinois Univ.
- Schnack, D. 1972. Studies on the feeding ecology of herring larvae. Ber. dt. wiss. Kommn Meeresforsch. 22(3):273-343. Transl. from German for Fish. Res. Bd. Can, Transl. Ser. No. 3259 (1974).
- Schnack, D. 1974. On the reliability of methods for quantitative surveys of fish larvae. Pages 253-262 [in] J. H. S. Blaxter, ed. The early life history of fish. Springer-Verlag, New York, NY.
- Schnack, D. 1974. On the biology of herring larvae in the Schlei Fjord, Western Baltic. Rapp. P.-v. Reun. Cons. int. Explor. Mer 166:114-123.

- Schnack, D. 1976. Progress report on studies of the survival and growth of larval herring in large bags suspended in Departure Bay, British Columbia, Canada. FRB Rep. 17:11.
- Schnack, D. 1979. Studies on the mortality of Pacific herring larvae during their early development using artificial in situ containments. ICES/ELH Symp./I:3.
- Schnack, D. 1981. Studies on the mortality of Pacific herring larvae during their early development, using artificial in situ containments. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:135-142.
- Schnack, D., and G. Hempel. 1970. Notes on sampling herring larvae by Gulf III samplers. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160:56-59.
- Schnack, D., and H. Rosenthal. 1978. Shrinkage of Pacific herring larvae due to formalin fixation and preservation. Meeresforschung Rep. on Mar. Res. 26(3-4):222-226.
- Schnack, D., and R. Bottger. 1981. Interrelationship between invertebrate plankton and larval fish development in the Schlei Fjord, western Baltic. Kieler Meeresforsch., Sonderh. 5:202-210.
- Schnakenbeck, W. 1928. Beitrag zur Kenntnis der Entwicklung einiger Meeresfische. I. Ber. dt. wiss. Kommn. Meeresforsch. 4(Heft 4):119-229.
- Schnakenbeck, W. 1929. [Pleuronectes cynoglossus], 2 pp. In: Faune ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer, No. 3.
- Schnakenbeck, W. 1929. [Pleuronectes platessa], 2 pp. In: Faune Ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer, No. 3.
- Schnakenbeck, W. 1929. [Pleuronectes microcephalus], 2 pp. In: Faune ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer, No. 3.
- Schnakenbeck, W. 1929. [Pleuronectes flesus], 2 pp. In: Faune ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer, No. 3.
- Schnakenbeck, W. 1929. Entwicklungsgeschi und morphologische Untyersuchungen am Hering. Ber. dt. wiss. Kommn Meeresforsch. (Heft 2):23-78.
- Schnakenbeck, W. 1931. Carangidae, 120. [in] J. Schmidt, editor. Rept. on Danish Oceanograph Exped. 1908-1910 to the Mediterr. and adjacent Seas. Andr. Fred. Host. & Son, Copenhagen, Vol. 2 (Biol. A.14).
- Schnakenbeck, W. 1933. [Onos mustela], 3 pp. In: Faune ichthyologique de l'Atlantique Nord. J. Cons. perm. int. Explor. Mer, No. 12.
- Schnakenbeck, W. 1942. Investigations on the development of freshwater fish In German. Z. Fisch. Deren. Hilfswiss 40(3):329-338.
- Schneberger, E. 1937. The food of small dogfish, [Amia calva]. Copeia 1937(1):61.
- Schneberger, E. 1972. White crappie life history, ecology and management. Wisconsin Dept. Nat. Resourc. Publ. No. 244. 14 pp.
- Schneberger, E. 1972. The white sucker, its life history, ecology and management. Wisconsin Dept. Nat. Resourc. Publ. No. 245-72. 18 pp.
- Schneider, G. 1908. Pelagische Eier und Jugendforman. Svenska Hydrograf. Biol. Komm. Skr. 3.



- Schneider, J. C., and J. H. Leach. 1977. Walleye, [*Stizostedion vitreum vitreum*], fluctuations in the Great Lakes and possible causes, 1800-1975. *Journal of the Fisheries Research Board of Canada* 34:1878.
- Schoen, T. M. 1977. The fine structure of the notochord and adjacent tissues of an embryonic teleost. M.S. Thesis, Florida Atlantic Univ. 85 pp.
- Schoth, M., and F. W. Tesch. 1984. The vertical distribution of small 0-group [*Anguilla*] larvae in the Sargasso Sea with reference to other Anguilliform leptocephali. *Meeresforschung Rep. Mar. Res.* 30(3):188-195.
- Schrader, B. P., and B. A. Ketschke. 1978. Biological aspects of porous-dike intake structures. Pages 51-63 [in] R. K. Sharma and J. B. Palmer, editors. Larval exclusion systems for power plant cooling water intakes. Argonne Natl. Lab. Rep. No. ANL/ES-66. 237 pp.
- Schrader, F. 1922. Mortality in the pike-perch eggs in hatcheries. Rep. U.S. Comm. Fish. 5. 11 pp.
- Schramm, H. L., Jr., and A. V. Zale. 1985. Effects of cover and prey size on preferences of juvenile largemouth bass for blue tilapias and bluegills in tanks. *Transactions of the American Fisheries Society* 114:725-731.
- Schrank, S. J., P. J. Braaten, and C. S. Guy. 2001. Spatiotemporal variation in density of larval bighead carp in the lower Missouri River. *Transactions of the American Fisheries Society* 130(5):809-814.
- Schreiber, M. R. 1962. Observations on the food habits of juvenile white sturgeon. *California Fish and Game* 48(1):79-80.
- Schreiber, M. R. 1962. Observations on the food habits of juvenile white sturgeon. *California Fish and Game* 48:79-80.
- Schroeder, W. C. 1931. Migrations and other phases in the life history of the cod off southern New England. *Bull. Bur. Fish., Wash.* 46:1-136.
- Schroeder, W. W. 1974. Collecting and handling zooplankton and epibenthic organisms underwater. *Mar. Tech. Soc. J.* 8:40-43.
- Schroeter, S. C., J. D. Dixon, T. A. Ebert, and J. V. Rankin. 1996. Effects of kelp forests [*Macrocystis pyrifera*] on the larval distribution and settlement of red and purple sea urchins [*Strongylocentrotus franciscanus*] and [*S. purpuratus*]. *Marine Ecology-Progress Series* 133:125-134.
- Schroll, F. 1957. Zur Ernährungsphysiologie der Ammocoetesslarven der Cyclostomen. *Zool. Anz.* 159:75-78.
- Schroll, F. 1959. Zur Ernährungsbiologie der steirischen Ammocoten [*Lampetra planeri*] (Bloch) und [*Eudontomyzon danfordi*] (Regan). *Intl. Rev. Gesamten Hydrobiol.* 44:395-429.
- Schubel, J. R. 1973. Effects of exposure of time-excess temperature histories typically experienced at power plants on the hatching success of fish eggs. Johns Hopkins Univ. Spec. Rep. No. 32. 17 pp.
- Schubel, J. R., and A. H. Auld. 1972. Thermal effects of a model power plant on the hatching success of alewife (*Alosa pseudoharengus*) eggs. Spec. Rep. Johns Hopkins Univ., Ref. 72-14, 13 pp.
- Schubel, J. R., and A. H. Auld. 1972. Thermal effects of a model power plant on the hatching success of American shad, [*Alosa*] [*sapidissima*], eggs. Proc. 26th Ann. Conf. S. E. Assoc. G. & F. Comms. 26:644-648.

- Schubel, J. R., and A. H. Auld. 1973. Effects of exposure to time-excess temperature histories typically experienced at power plants on the hatching success of blueback herring (*Alosa [aestivalis]*) eggs. Johns Hopkins Univ. Spec. Rep. No. 31, 17 pp.
- Schubel, J. R., and A. H. Auld. 1973. Effects of exposure to time-excess temperature histories typically experienced at power plants on the hatching success of blueback herring and striped bass eggs. [In] J. W. Gibbons and R. R. Sharitz, editors. Thermal ecology. AEC Symp. Ser. Conf. 730505.
- Schubel, J. R., and C. S. Wang. 1973. The effect of suspended sediment on the hatching success of [*Perca flavescens*], yellow perch, [*Morone [americana]*], white perch, [*Morone saxatilis*], striped bass, and [*Alosa pseudoharengus*], alewife, eggs. Ches. Bay Inst., Johns Hopkins Univ., Spec. Rep. 30:77 pp.
- Schubel, J. R. 1974. Effects of exposure to time-excess temperature histories typically experienced at power plant on the hatching success of fish eggs. Estuar. & Coast. Mar. Sci. (1974) 2:105-116.
- Schubel, J. R., and A. H. Auld. 1974. Hatching success of blueback herring and striped bass eggs with various time vs. temperature histories. Pages 164-170 [in] J. W. Gibbons and R. R. Sharitz, editors. Thermal ecology. AEC Symp. Ser. 32 (CONF-730505), Nat. Tech. Inform. Serv., Springfield, VA. 670 pp.
- Schubel, J. R., A. H. Auld, and G. M. Schmidt. 1974. Effect of suspended sediment on the development and hatching success of yellow perch and striped bass eggs. Ches. Bay Inst., John Hopkins Univ., Spec. Rep. 35, 74-2. 12 pp.
- Schubel, J. R. 1975. Some comments on the thermal effects of power plants on fish eggs and larvae. Pages 31-54 [in] S. B. Saila, editor. Fisheries and energy production: A symposium. Lexington books, Lexington, MA, 300 pp.
- Schubel, J. R., and T. S. Y. Koo. 1976. Effects of various time-excess temperature histories on hatching success of blueback herring, American shad, and striped bass eggs. Pages 165-170 [in] G. W. Esch and R. W. McFarlane, editors. Thermal ecology II. ERDA Symp. Ser. 40 (CONF-750425), Nat. Tech. Inform. Serv., Springfield, VA, 404p.
- Schubel, J. R., T. S. Y. Koo, and C. F. Smith. 1976. Thermal effects of power plant entrainment on survival of fish eggs and larvae. A laboratory assessment. Ches. Biol. Lab., Johns Hopkins Univ. Spec. Rep. No. 52; MD Power Plant Sit. Prog. Rep. No. 13. 38 pp.
- c
- Schubel, J. R., C. F. Smith, and T. S. Y. Koo. 1977. Thermal effects of power plant entrainment on survival of larval fishes a laboratory assessment. Ches. Sci. 18(3):290-298.
- Schuler, V. J. 1971. An ecological study of the Delaware River in the vicinity of Artificial Island: progress report for the period Jan-Dec 1970. I. Ichthyol. Assoc., Delaware Prog. Rep. No. 3, 384 pp.
- Schulmann, G. O. 1965. Some aspects of behavior in clupeid larvae. California Coop. Oceanic Fish. Invest. 10:71-78.
- Schultz, E. T., and R. K. Cowen. 1994. Recruitment of coral reef fishes to Bermuda: Local retention or long-distance transport? Mar. Ecol. Prog. Ser. 109:15-28.
- Schultz, E. T., K. E. Reynolds and D. O. Conover. 1996. Countergradient variation in growth among newly-hatched [*Fundulus heteroclitus*] : geographic differences revealed by common-environment experiments. Funct. Ecol. 10:366-374.
- Schultz, E. T., R. K. Cowen, K. M. M. Lwiza, and A. M. Gospodarek. 2000. Explaining advection: do larval bay anchovy (*Anchoa mitchilli*) show selective tidal stream transport? ICES Journal of Marine Science 57:360-371.

- Schultz, E. T., and P. C. Rountos. 2001. Analysis of daily growth patterns in young-of-year male dwarf surfperch (Embiotocidae: [Micrometrus minimus]) reveals alternative strategies: breed after birth or grow. *Copeia* 2001:14-24.
- Schultz, F. H. 1955. Investigation of the spawning of the northern pike in Prince Albert National Park, Saskatchewan, 1953. *Can. Wildl. Serv. Wildl. Mgmt. Bull.* 3(4):21 pp.
- Schultz, L. P. 1926. Temperature-controlled variation in the golden shiner, [Notemigonus crysoleucas]. *Pap. Mich. Acad. Sci., Arts and Lett.* 7:417-432.
- Schultz, L. P. 1930. The life history of [Lampetra planeri] Block, with a statistical analysis of the rate of growth of larvae from western Washington. *Occ. Pap. Mus. Zool. Univ. Mich., Ann Arbor, MI*, 221:1-35.
- Schultz, L. P., and A. C. DeLacy. 1932. The eggs and nesting habits of the crested blenny, [Anoplarchus]. *Copeia* 1932(3):143-147.
- Schultz, L. P. 1935. The spawning habits of the chub, [Myocheilus] [caurinus], a forage fish of some value. *Transactions of the American Fisheries Society* 65:143-147.
- Schultz, L. P. 1937. The breeding habits of salmon and trout. *Ann. Rep. Smithson. Inst.* 1937:365-376.
- Schultze, D. L. 1982. California barracuda life history, fisheries, and management. *California Coop. Oceanic Fish. Invest. Rep.* XXIV:88-96.
- Schultze, H. P. 1972. Early growth stages in coelacanth fishes. *Nat., New Biol.* 236:90-91.
- Schulz, D. 1975. Salinity preferences of elvers and young yellow eels [Anguilla anguilla]. *Helgolander wiss. Meeresunters* 27(2):199-210.
- Schulze-Wiehenbrau H. 1976. Effects of sublethal ammonia concentrations on metabolism in juvenile rainbow trout, [Salmo] [gairdneri] Rich. *Ber. dt. wiss. Kommn. Meeresforsch* 24:234.
- Schulze-Wiehenbrau H. 1979. Some observations on a heart rate test with tilapia and carp fry, using scutes from densely stocked water. *Arch. Fisch.* 29(3):119-127.
- Schumacher, J. D., and P.J. Stabeno. 1994. Ubiquitous eddies of the eastern Bering Sea and their coincidence with concentrations of larval pollock. *Fisheries Oceanography* 3:182-190.
- Schumann, C. G. 1963. Some aspects of behavior in clupeid larvae. *California Coop. Oceanic Fish. Invest. Rep.* 10:71-78.
- Schumann, G. O. 1964. The effect of abnormal temperatures on the spawning and developmental success of eggs from the North American walleye. *Osterreichs Fisch.* 5:85-87. transl. by D.N. Busch, U.S. Bur. Comm. Fish., Sandusky, OH.
- Schuster, W. H. 1949. Fish culture in salt water ponds of Java. *Publ. No. 2 Onderaf Binnerviss; Dept. van Landbouw en Visserji, Bandung.*
- Schuster, W. H. 1949. On the food of the Bandeng ([Chanos chanos] Forsk.) in Indonesian ponds. *Med. Alg. Proefst. Landb. Buitenzorg*, No. 86:1-20.
- Schuster, W. H. 1952. Fish culture in brackish-water ponds of Java. *Indo-Pac. Fish. Counc. Spec. Publ. No. 1.*
- Schuster, W.H. 1960. Synopsis of biological data on milkfish [Chanos chanos] (Forssk+1), 1775. *FAO Fish. Biol. Synop.*(4):pag. var. (reference extracted from Froese, R., and D.

- Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Schwartz, F. J. 1958. The breeding behavior of the southern blacknose dace, [*Rhinichthys atratulus obtusus*] Agassiz. *Copeia* 1958(2):141-143.
- Schwartz, F. J. 1960. An unusual winter survival of a young spadefish, [*Chaetodipterus faber*]. *Ches. Sci.* 1(2):123-124.
- Schwartz, F. J. 1965. Age, growth and egg complement of the stickleback, [*Apeltes quadracus*], at Solomons, Maryland. *Ches. Sc i.* 6(2):116-118.
- Schwartz, F. J. 1971. Biology of [*Microgobius thalassinus*] (Pisces: Gobiidae), a sponge-inhabiting goby of Chesapeake Bay, with range extensions of two goby associates. *Ches. Sci.* 12(3):156-166.
- Schwartz, F. J. 1973. An assessment of egg, larval and juvenile fish research needs and problems, with comments on research at the Univ. of North Carolina Inst. of Mar. Sci. Pages 7-1 [in] A. L. Pacheco, editor. Proc. workshop on egg, larva and juv. stages of fish in Atl. est., Tech. Publ. #1, NMFS, Highlands, NJ.
- Schwartz, J. P. 1985. Effect of oil-contaminated prey on the feeding and growth rate of pink salmon fry ([*Oncorhynchus*] [*gorbuscha*]). Pages 459-476 [in] F. J. Vernberg, F. P. Thurberg, A. Calabrese, and W. Vernberg, editors. *Marine Pollution and Physiology: Recent Advances*. Univ. South Carolina Press, Columbia, SC.
- Schwartz, R. J., and C. E. Wilde, Jr. 1973. Changes in protein synthesis in the morphogenesis of [*Fundulus heteroclitus*]. *Nature* 245(5425):376-379.
- Schwarz, A. 1971. Swim bladder development and function in the haddock, [*Melanogrammus aeglefinus*] L. *Biol. Bull. Mar. Biol. Lab., Woods Hole* 141(1):176-188.
- Schwarz, D. 1889. Untersuchungen des Schwanzendes bei den Embryonen der Wirbeltiere nach Beobachtungen an Selachien, Knochenfischen und Vögeln vergleichend dargestellt. *Z. wiss. Zool.* 48:191-223.
- Schwassmann, H. O. 1965. Functional development of visual pathways in larval sardines and anchovies. *California Coop. Oceanic Fish. Invest. Rep.* 10:64-70.
- Schweigert, J. F., F. J. Ward, and J. W. Clayton. 1977. Effects of fry and fingerling introductions on walleye ([*Stizostedion vitreum vitreum*]) production in West Blue Lake, Manitoba. *Journal of the Fisheries Research Board of Canada* 34:2142-2150.
- Schwing, F. B. 1982. A conceptual model for larval entrainment in well mixed estuary by gyral circulation. *E.O.S.* 63:76.
- Sclafani, M., C. T. Taggart, and K. R. Thompson. 1993. Condition, buoyancy and the distribution of larval fish - implications for vertical migration and retention. *Journal of Plankton Research* 15:413-435.
- Sclafani, M., G. Stirling, and W. C. Leggett. 1997. Osmoregulation, nutritional effects and buoyancy of marine larval fish: a bioassay for assessing density changes during the earliest life-history stages. *Mar. Biol.* 129:1-9.
- Sclafani, M., G. Stirling, and W.C. Leggett. 2000. Osmotic condition, buoyancy change and mortality in larval cod ([*Gadus morhua*] L.): a bioassay for assessing near-term mortality. *Mar. Ecol. Prog. Ser.* 193:157-166.
- Scofield, E. C., and M. J. Linder. 1930. Preliminary report of the early life history of the California sardine. *California Fish and Game* 16:120-124.

- Scotfield, E. C. 1934. Early life history of the California sardine ([*Sardina caerulea*]), with special reference to distribution of eggs and larvae. Bull. Dep. Fish. Game St. Calif., No. 41:1-48.
- Scotfield, N. B., and G. A. Coleman. 1910. Notes on spawning and hatching striped bass eggs at Bouldin Island hatchery. Rep. Bd. Fish Game Comm. Calif. 1907-1908, App. to Rep. for 1909-1910:109-117.
- Scopettone, G. G., M. Coleman, H. Burge, and G. Wedemeyer. 1981. Cui-*ui* life history: river phase. U.S. Fish and Wildl. Serv., Fish. Ass. Office, Ann. Rep., Reno, NV.
- Scott, A. 1907. Notes on the food of young fishes. Sea Fish Hatch, Piel, Liverpool. 99 pp.
- Scott, A. 1922. On the food of young plaice ([*Pleuronectes*] [*platessa*]). J. Mar. Biol. Assoc. U. K. 12(4):678-687.
- Scott, A. 1985. Distribution, growth, and feeding of postemergent grayling, [*Thymallus thymallus*], in an English River. Transactions of the American Fisheries Society 114:525-531.
- Scott, A. P., and C. Middleton. 1979. Unicellular algae as a food for turbot ([*Scophthalmus maximus*]) larvae - the importance of dietary long-chain polyunsaturated fatty acids. Aquaculture 18(3):227-240.
- Scott, A. P., and S. M. Baynes. 1978. The effect of unicellular algae on survival and growth of turbot larvae, [*Scophthalmus maximus*] L. Symp. Finfish Nutrit. Feed Tech.
- Scott, B., G. Marteinsdottir, and P. Wright, P. 1999. The potential effects of maternal factors on spawning stock-recruitment relationships under varying fisheries pressure. Can. J. Fish. Aquat. Sci. 56:1882-1980
- Scott, C. G., and W. E. Kellicott. 1916. The conservation of oxygen during the development of [*Fundulus heteroclitus*]. Anat. Rec. 11:531-533.
- Scott, D. B. C., and J. D. Fuller. 1976. The reproductive biology of [*Scleropages formosus*] (Muller and Schlegel) (Osteoglossomorpha, Osteoglossidae) in Malaya, and the morphology of its pituitary gland. J. Fish. Biol. 8(1):45-54.
- Scott, D. P. 1962. Effect of food quantity on fecundity of rainbow trout, [*Salmo gairdneri*]. Journal of the Fisheries Research Board of Canada 19(4):715-731.
- Scott, J. S. 1968. Morphometrics, distribution, growth, and maturity of offshore sand lance ([*Ammodytes dubius*]) on the Nova Scotia banks. Journal of the Fisheries Research Board of Canada 25(9):1775-1785.
- Scott, J. S. 1972. Eggs and larvae of northern sand lance ([*Ammodytes*] [*dubius*]) from the Scotian shelf. Journal of the Fisheries Research Board of Canada 29(12):1667-1671.
- Scott, J. S. 1982. Distribution of juvenile haddock around Sable Island on the Scotian Shelf. J. Northwest Atlantic Fish. Sci. 3:87-90.
- Scott, J. S. 1983. Distribution of juvenile haddock. Pages 34-35 [in] Second annual review of the southwest Nova Scotia fishery ecology program. Bedford Inst. Oceanogr., Dartmouth, Canada.
- Scott, K. R., and D. C. Gillespie. 1972. A compact recirculation unit for the rearing and maintenance of fish. Journal of the Fisheries Research Board of Canada 29(7):1071-1074.
- Scott, M. T., and L. A. Nielsen. 1989. Young fish distribution in backwaters and main-channel borders of the Kanawha River, West Virginia. Journal of Fish Biology 35:21-27.

- Scott, W. C. M. 1929. A note on the effect of temperature and salinity on the hatching of the eggs of the winter flounder ([*Pseudopleuronectes americanus*] Walbaum). *Contr. Can. Biol. Fish.* 4(1):137-141.
- Scott, W. W. 1961. Research on fungi associated with diseases of fish and fish eggs. *Progressive Fish-Culturist* 23(1):33.
- Scott, W. W., and A. H. O'Bier. 1962. Aquatic fungi associated with diseased fish and fish eggs. *Progressive Fish-Culturist* 24(1):3-15.
- Scotton, L. N. 1970. Occurrence and distribution of larval fishes in the Indian River and Rehoboth bays of Delaware, June 1968 - March 1970. M. S. Thesis, Univ. Delaware, 66 pp.
- Scotton, L. N., and D. P. deSylva. 1972. Fish babies. *Sea Frontiers* 18(4):194-201.
- Scotton, L. N., R. E. Smith, N. S. Smith, K. S. Price, and D. P. de Sylva. 1973. Pictorial guide to fish larvae of Delaware Bay: with information and bibliographies useful for the study of fish larvae. Delaware Bay. Rep. Series, Vol. 7, College Marine Studies, Univ. Delaware, 206 pp.
- Scrimshaw, N. S. 1944. Embryonic growth in the viviparous poeciliid [*Heterandria formosa*]. *Biol. Bull. Mar. Biol. Lab., Woods Hole* 87(1):37-51.
- Scrimshaw, N. S. 1944. Superfetation in poeciliid fishes. *Copeia* 1944(2):21-24.
- Scrimshaw, N. S. 1945. Embryonic development in poeciliid fishes. *Biol. Bull.* 88:233-246.
- Scrimshaw, N. S. 1946. Egg size in poeciliid fishes. *Copeia* 1946:20-23.
- Scrivener, J. C., and B. C. Anderson. 1984. Logging impacts and some mechanisms that determine the size of spring and summer populations of coho salmon fry, [*Oncorhynchus kisutch*], in Carnation Creek, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 41(7):1097-1105.
- Scruggs, G. D., Jr. 1957. Reproduction of resident striped bass in Santee Cooper Reservoir, South Carolina. *Transactions of the American Fisheries Society* 85:144-159.
- Scura, E. D., and C. W. Jerde. 1977. Various species of phytoplankton as food for larval northern anchovy, [*Engraulis mordax*], and relative nutritional value of the dinoflagellates [*Gymnodinium splendens*] and [*Gonyaulax polyedra*]. *Fish. Bull. U.S.* 75: 577-583.
- Scura, E. D. 1982. An in situ device for sensing and collecting microplankton. *California Coop. Oceanic Fish. Invest. Rep.* 23:205-212.
- Sdhen, S. C. 1964. Notes on the leptocephali and juveniles of [*Elops*] [*saurus*] L. and [*Albula vulpes*] (L.) collected from the estuary of Tam-sui River in Taiwan. *Q. J. Taiwan Mus.* 17(192):61-66.
- Sdhestopalova, G. N. 1977. Reproductive biology of the Irikliinskoye Reservoir bream ([*Abramis brama*]). *J. Ichthyol.* 17(6):884-889.
- Seaton, D. D., and R. S. Bailey. 1969. The identification and development of the eggs of blue whiting, [*Micromesistius poutassou*]. *ICES CM* 1969/L:24. 6 pp.
- Seaton, D. D., and R. S. Bailey. 1971. The identification and development of the eggs and larvae of the blue whiting [*Micromesistius poutassou*] (Risso). *J. Cons. int. Explor. Mer* 34:76-83.
- Sebastian, M. J., and V. A. Nair. 1975. The induced spawning of the grey mullet, [*Mugil*] [*macrolepis*] (Aguas) Smith and the large-scale rearing of its larvae. *Aquaculture* 5(1):41-52.

Secor, D. H. 2000. Spawning in the nick of time? Effect of adult demographics on spawning behaviour and recruitment in Chesapeake Bay striped bass. *Ices Journal of Marine Science* 57(2):403-411.

Sedletsckaya, V. A. 1975. Dynamics of the maturation of the horse mackerel, [*Trachurus trachurus*], from different regions of the east central Atlantic and distribution of spawning grounds in relation to the seasonal position of the hydrologic frontal zone. *Vop. Ikhtiolog.* 15(2):267-273.

Sedletsckaya, V. A. 1983. Ichthyoplankton of the Atlantic Ocean at the northwest African coast. *J. Ichthyol.* 23(5):150-153.

Seepersad, B., and R. W. Crippen. 1978. Use of aniline blue for distinguishing between live and dead freshwater zooplankton. *Journal of the Fisheries Research Board of Canada* 35:1363-1366.

Seedslye, J. G., and M. J. Mac. 1981. Size-specific mortality in fry of lake trout, [*Salvelinus namaycush*], from Lake Michigan. *Bull. Env. Contam. Toxicol.* 27:376-379.

Seethaler, K. 1978. Life history and ecology of the Colorado squawfish ([*Ptychocheilus lucius*]) in the upper Colorado River Basin. M.S. Thesis, Utah State Univ., Logan, Utah. 172 pp.

Seguin, R. T. 1959. Weakfish eggs. *Estuar. Bull.* 4(2):3-5.

Sehgal, K. L. 1961. On some larval and juvenile stages of three species of fish from the River Jamuna at Allahabad. *J. Bombay Nat. Hist. Soc.* 58(1):231-240.

Sehgal, K. L., and S. B. Singh. 1962. Observations on the biology of [*Oxygaster gora*] (Ham.) at Allahabad, Uttar Pradesh. *Proc. 49th Indian Sci. Congr. (Cuttack) Pt. 3*:392.

Seifert, R. E., W. A. Spoor, and R. F. Syrett. 1973. Effects of reduced oxygen concentration on northern pike, [*Esox lucius*], embryos and larvae. *Journal of the Fisheries Research Board of Canada* 30(6):849-852.

Seikai, T. 1980. Early development of squamation in relation to color anomalies in hatchery-reared flounder, [*Paralichthys*] [*olivaceus*]. *Jap. J. Ichthyol.* 27(3):249-255.

Seikai, T. 1982. Acute toxicity of organophosphorous insecticides on the developmental stages of eggs, larvae, and juveniles of Japanese striped knifejaw, [*Oplegnathus*] [*fasciatus*]. *Bull. Jap. Soc. Sci. Fish.* 48(5):599-604.

Seikai, T. 1985. Influence of feeding periods of Brazilian [*Artemia*] during larval development of hatchery-reared flounder [*Paralichthys olivaceus*] on the appearance of albinism. *Bull. Jap. Soc. Sci. Fish.* 51(4):521-528.

Seikai, T. 1985. Reduction in occurrence frequency of albinism in juvenile flounder [*Paralichthys olivaceus*] hatchery-reared on wild zooplankton. *Bull. Jap. Soc. Sci. Fish.* 51(8):1261-1268.

Seikai, T., J. B. Tanangonan, and M. Tanaka. 1986. Temperature influences on larval growth and metamorphosis of the Japanese flounder, [*Paralichthys olivaceus*], in the laboratory. *Bull. Jap. Soc. Sci. Fish.* 52(6):977-982.

Seim, W. K., et al. 1977. Effects of kraft mill effluents on juvenile salmon production in laboratory streams. *Water Res. (G,B)*11:189.

Seim, W. K., L. R. Curtis, S. W. Glenn, and G. A. Chapman. 1984. Growth and survival of developing steelhead trout, [*Salmo gairdneri*], continuously or intermittently exposed to copper. *Canadian Journal of Fisheries and Aquatic Sciences* 41(3):433-438.

- Sein, S. G., and A. I. Sukhanova. 1972. Comparative morphological analysis of the development of the grass carp, the black carp, the silver carp, and the bighead (Cyprinidae) J. Ichthyol. 12(1):61-70. Transl. from Russian.
- Sekiguchi, H., M. Nagoshi, Y. Mori, and Y. Kato. 1974. The feeding habits of larvae and juvenile of sand eel, [*Ammodytes personatus*] (Girard), and anchovy, [*Engraulis japonica*] Houttuyn, in Ise Bay. Bull. Fac. Fish. Mie Univ. 1:33-42.
- Sekiguchi, H. 1975. Nutritional ecology of larval fishes. I. Chemical changes of larval anchovy, [*Engraulis japonica*], under natural conditions. Bull. Fac. Fish. Mie Univ. 2:11-18.
- Sekine, H., and S. Sato. 1933. On a synthetic diet for use in fish culture. III. The effect of calcium phosphate and iron citrate as stimulants on growth in the post-larvae of red salmon, [*Oncorhynchus nerka*]. J. Inst. Fish. Res. Tokyo 3:259.
- Self, J. T. 1937. Analysis of the development of fish embryos by means of the mitotic index. IV. The process of differentiation in the early embryos of [*Gambusia*] [*affinis*]. Z. Zellforsch. Mikrosk. Anat. 26(4):673-695.
- Selgin, G. A. 1978. Notes on the rearing of spot (*[Leiostomus xanthurus]*) larvae through the period of first-feeding: the evaluation of cultured food organisms. Pages 427-436 [in] Ann. Rep. Beaufort Lab. to U.S. Dept. Energy, July 1, 1978. U.S. NMFS, SE Fish. Ctr., Beaufort Lab., Beaufort, NC.
- Selifonov, M. M. 1973. The growth of young sockeye salmon in Lake Kuril. Izv. Tikhookean Nauch. Issled Inst. Rybn. Khoz. Okeanogr. 78:33-41. (Fish. Res. Bd. Can. Transl. Ser. 2340:1-19.
- Selitskaya, L. V. 1972. Some data on the distribution of larvae and fry of the saury in the southern part of the Emperor Seamount Chain, Pacific Ocean. Izv. tikhookean. nauchno-issled. Inst. ryb. Khoz. Okeanogr. 81:242-244.
- Seliverstov, A. S., and V. V. Penin. 1969. On the velocity of the herring larvae drift on spawning grounds in the West Skandia shelf area. Tr. PINRO 25:64-90.
- Seliverstov, A. S. 1970. Velocity and direction of herring larvae drift in the area of the Norwegian Shallows in March-April 1968. Materialy rybokhozyaistvenny issledovani Severnogo basseina 16:240-253.
- Seliverstov, A. S. 1974. Vertical migrations of larvae of the Atlanto-Scandian herring (*[Clupea harengus]* L.). Pages 253-262 [in] J. H. S. Blaxter, editor. Proc. Intl. Symp. on early life history of fish. Springer-Verlag, NY, 765 pp.
- Sella, M. 1911. Contributo alla conoscenza della riproduzione e dello sviluppo del pesce-spada (*[Xiphias gladius]* L.). Mem. del Reale Comitato Talassografico Italiano 2.
- Sella, M., and O. Ciacchi. 1925. Uova e larve dello scombro del Mediterraneo (*[Scomber scomber]* L.) ottenuti per fecondazione artificiale con notizie biologiche. Mem. R. Com. Talassogr. Ital. (114): 52. In Italian.
- Selvaraj, C., S. Radhakrishnan, and S. Parameswaran. 1973. Notes on the breeding season, fecundity and life-history of a minor carp, [*Labeo boggut*] (Sykes). J. Inland Fish. Soc. India, Barrackpore 4:87-97.
- Selzer, M. E. 1978. Mechanisms of functional recovery and regeneration after spinal cord transection in larval sea lamprey. J. Physiol. (Lond.) 277(Apr.):395.
- Semenov, K. I. 1957. The effects of different light conditions on the development of sturgeon larvae in the period from hatching to transition to active feeding (artificial breeding). Dolk. Akad. Nauk SSSR 113:248-251.



Semenov, K. I., Y. D. Konovalov, E. N. Nesen, L. F. Babitskaya, and S. N. Nagirnyy. 1973. Water intake of eggs and the content of total protein during the embryogeny of early progeny of the carp and their resistance. *Raznokachestvennos rannego ontogeneza u ryb.* Kiev, Naukova dumka.

Semko, R. S. 1954. A method for determining the consumption by predators of the Pacific salmon during the early stages of development. *Tr. Soveshch. Metod. Izuch. Kormov. Pitan. Rybn.* 6:124-134.

Semple, G. P. 1985. Reproductive behavior of the glass perchlet, [*Ambassis agrammus*] Gunther (Pisces: Ambassidae), from the Alligator Rivers sytesm, Northern Territory. *Aust. J. Mar. Freshwat. Res.* 36(6):797-806.

Sengupta, S. K. 1966. Temperature preference of fry of major Indian carps. *Proc. 2nd All India Congr. Zool. (Varanasi) 1962, Pt. 2:*452-453.

Senior, H. D. 1909. The development of the heart in shad (*[Alosa] [sapidissima]* Wilson) with a note on the classification of teleostean embryos from a morphological standpoint. *Am. J. Anat.* 9:221-262.

Senn, H. G., J. H. Pattie, and J. G. Clayton. 1973. Washington pond trays as a method for incubating salmon eggs and fry. *Progressive Fish-Culturist* 35(3):132-137.

Senta, T. 1956. Occurrence of a postlarval milkfish, [*Chanos chanos*] (Forsk.) Gotonada narabini Sono Shuhen Chosa 23:54-56. Nagasaki Prefectural Fish. Exp. Sta., Nagasaki, Japan.

Senta, T. 1958. Young of [*Lobotes surinamensis*] (Bloch) (Lobotidae). Page 60 [in] K. Uchida et al., editors. *Studies on eggs, larvae and juvenile of Japanese fishes.* J. Fac. Agric., Kyushu Univ. Fish. Dept. Ser. I. In Japanese.

Senta, T. 1961. On the relation between the numbers of eggs, the larvae of fishes and the volume of plankton collected simultaneously with the larval net. *Jap. J. Ecol.* 11(6):221-223.

Senta, T. 1963. Collection of juveniles of [*Navodon modestus*], etc., under artificial floating objects. In: *Rep. invest. on artificial nursery grounds for fishes, 1962*, Okayama Pref. Fish. Exp. Sta. 20 pp.

Senta, T. 1964. Study on the distribution of eggs and larvae of fishes in the adjacent waters to western Japan. *Bull. Fish. Exp. Sta. Okayama Prefecture Spec. No. 1964*, Okayama, Japan.

Senta, T. 1965. The buoyancy of sand eel eggs and their distribution in the Seto Inland Sea. *Bull. Jap. Soc. Sci. Fish.* 31:511-517.

Senta, T. 1966. Experimental studies on the significance of drifting seaweeds for juvenile fishes. I. Experiments with artificial seaweeds. *Bull. Jap. Soc. Sci. Fish.* 32(8):639-642.

Senta, T. 1966. Experimental studies on the significance of drifting seaweeds for juvenile fishes. II. Experiments on the effect of light intensity. *Bull. Jap. Soc. Sci. Fish.* 32(8):643-646.

Senta, T. 1966. Experimental studies on the significance of drifting seaweeds for juvenile fishes. III. Experiments on visual stimulation. *Bull. Jap. Soc. Sci. Fish.* 32(9):693-696.

Senta, T. 1966. Spawning habits of halfbeaks, [*Hemirhamphus sajori*] (Temm. et Schl.), in the Seto Inland Sea. 2. The drift movement and the rate of eggs fastened to drifting seaweeds. *Jap. J. Ecol.* 16(5):171-175.

- Senta, T., and I. Wada. 1970. Reproductive behavior in the gobiid fish, [*Glossogobius olivaceus*], in an aquarium. *Jap. J. Ichthyol.* 17:7-13.
- Senta, T., A. Hirai, K. Kanashiro, and H. Komaki. 1980. Geographical occurrence of milkfish, [*Chanos chanos*] (Forsk.) fry in southern Japan. *Bull. Fac. Fish., Nagasaki Univ.* 48:19-26.
- Senta, T., and A. Hirai. 1981. Seasonal occurrence of milkfish fry at Tanegashima and Yakushima in southern Japan. *Jap. J. Ichthyol.* 28(1):80-85.
- Senta, T. 1982. Milkfish in Japan - III. Seasonal occurrence of fry. *Aquabiology* 4: 322-327.
- Senta, T., and I. Kinoshita. 1985. Larval and juvenile fishes occurring in surf zones of western Japan. *Transactions of the American Fisheries Society* 114:609-618.
- Senta, T., M. Kimura, M., and T. Kanbara. 1993. Predation of fishes on open-ocean species of sea-skaters ([*Halobates*] spp). *Japanese Journal of Ichthyology* 40:193-198.
- Seppa, T., N. Peuhkuri, H. Hirvonen, A. Laurila, J. Piironen, and E. Ranta. 1999. Narrow size regime among individuals favors rapid growth in Arctic char ([*Salvelinus alpinus*]) juveniles. *Canadian Journal of Fisheries and Aquatic Sciences* 56(10):1891-1897.
- Serebrov, L. I. 1978. The distribution of the young of the minnow, [*Phoxinus phoxinus*], in moving and stationary schools. *J. Ichthyol.* 18(3):517-520.
- Serebryakov, V. P. 1963. Studies of ichthyoplankton in the areas of Newfoundland and Labrador. Pages 221-227 [in] Y. Y. Marti, editor. *Soviet Fisheries Invest. in the Northwest Atlantic. Izv. tikhookean nauchno-issled. Inst. ryb. Khoz., Okeanogr (VNIRO). Transl. from Russian by Israel Prog. for Scient Transl.*
- Serebryakov, V. P. 1965. Some results of Soviet research work on ichthyoplankton in the Northwest Atlantic: eggs and larvae of cod. *Spec. Publs. int. Commn. NW. Atlant. Fish., No.6 (Contrib. No. B-18):425-433.*
- Serebryakov, V. P. 1978. Development of the spotted hake, [*Urophycis regius*], from the northwestern Atlantic. *J. Ichthyol.* 8(5):793-799.
- Serebryakov, V. P. 1980. Fish eggs and larvae from the Flemish Cap area. *NAFO SCR Doc., No. 90, Serial No. N145.*
- Serns, S. L. 1984. First-summer survival, eggs to juveniles, of smallmouth bass in Nebish Lake, Wisconsin. *Transactions of the American Fisheries Society* 113:304-307.
- Serobaba, I. I. 1974. Spawning ecology of the walleye pollock ([*Theragra*] [*chalcogramma*]) in the Bering Sea. *J. Ichthyol.* 14(4):544-552.
- Servizi, J. A., D. W. Martens, and R. W. Gordon. 1970. Effects of decaying bark on incubating salmon eggs. *Intl. Pac. Salmon Fish. Comm. Prog. Rep.* 24:1-28.
- Sesaki, G. C. 1981. Microencapsulated feeds for larval fish: a preliminary study. *Int. Cons. Explor. Mer, Maricult. Comm. F:22.*
- Seshappa, G., and B. S. Bhimachar. 1955. Studies on the fishery and biology of the Malabar sole, [*Cynoglossus semifasciatus*] Day. *Indian J. Fish.* 2:180-230.
- Seshappa, G. 1974. On the fishery and biology of the large tongue-sole, [*Cynoglossus dubius*] Day, at Calicut, Kerala. *Indian J. Fish.* 21(2):345-356.
- Setna, S. B., and P. M. Saranghdar. 1948. Observations on the development of [*Chiloscyllium*] [*griseum*] M. & H, [*Pristis cuspidatus*] Lath. and [*Rhynchobatus djiddensis*] (Forsk.). *Rec. Indian Mus. (1949)* 46(1-4):1-23.

Setna, S. B., and P. M. Saranghdar. 1948. Description, bionomics, and development of [Scoliodon] [sorrokowah] (Cuvier). Rec. Indian Mus. 46(1-4):25-53.

Setna, S. B., and P. N. Saranghdar. 1950. Studies on the development of some Bombay elasmobranchs. Rec. Indian Mus. 47:203-216.

Sette, O. E. 1943. Biology of the Atlantic mackerel ([Scomber scombrus]) of North America Part 1. Early life history including the growth, drift, and mortality of the egg and larval populations. Fish. Bull. Fish Wildl. Serv. U.S. 50(38): 149-237.

Sette, O. E., and E. H. Ahlstrom. 1948. Estimations of abundance of eggs of the Pacific pilchard ([Sardinops caerulea]) off southern California during 1940 and 1941. J. Mar. Res. 7:511-542.

Sette, O. E. 1950. Biology of the Atlantic mackerel ([Scomber scombrus]) of North America. Part 2. Migrations and habits. U.S. Fish & Wildl. Serv. Fish. Bull. 51(49): 251-358.

Settles, W. H., and R. D. Hoyt. 1978. The reproductive biology of the southern redbelly dace, [Chrosomus erythrogaster] Rafinesque, in a spring-fed stream in Kentucky. Am. Midl. Nat 99(2):290-298.

Setzler, E. M. 1977. A quantitative study of the movement of larval and juvenile sciaenidae and engraulidae into the estuarine nursery grounds of Doboy Sound, Sapelo Island, Georgia. Ph.D Diss., Univ. Georgia. 260 pp.

Setzler, E. M. 1979. Development of fishes of the Mid-Atlantic Bight: An atlas of egg, larval and juvenile stages (1978, 6 vols). Transactions of the American Fisheries Society 108(6): 653-654.

Setzler, E. M., et al. 1981. Major features of ichthyoplankton populations in the upper Potomac Estuary: 1974-76. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:204-206.

Setzler, E. M., K. V. Wood, D. Shelton, G. Drewry, and J. A. Mihursky. 1979. Chalk Point Steam Electric Station Studies: Patuxent Estuary Studies; Ichthyoplankton studies. Univ. Maryland CEES Ref. No. 79-20-CBL. Ches. Biol. Lab, Solomons, MD.

Setzler-Hamilton, E. M., J. A. Mihursky, K. V. Wood, S. Kerig, and W. Caplins. 1980. Potomac estuaries fisheries program. Ichthyoplankton and juvenile investigations. 1977. Final report, Univ. Maryland CEES Ref. No. 79-202-CBL. Ches. Biol. Lab., Solomons, MD.

Setzler-Hamilton, E. M., J. A. Mihursky, W. R. Boynton, K. V. Wood, and T. T. Polgar. 1980. Striped bass spawning and egg and larval stages, pp. 89-100. In: Carlton, F. E. (ed.), Marine Recreational fisheries V. Sport Fish. Inst., Wash., D. C.

Setzler-Hamilton, E. M., W. R. Boynton, T. T. Polgar, J. A. Mihursky, and K. V. Wood. 1981. Spatial and temporal distribution patterns of striped bass ichthyoplankton and juveniles in the Potomac estuary. Transactions of the American Fisheries Society 110(1):121-136.

Setzler-Hamilton, E. M., et al. 1986. Striped bass nutrition and recruitment: field studies. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.

Seversmith, H. F. 1953. Distribution, morphology, and life history of [Lampetra aepyptera], a brook lamprey, in Maryland. Copeia 1953(4):225-232.

Sewell, R. B. S. 1912. Notes on the deep sea fish obtained by the RIMSS "Investigator" during the survey season 1910-11. Rec. Indian Mus. 7(1):2-6.

- Sewertzoff, A. N. 1926. The development of the scales of [Acipenser] [ruthenus]. J. Morph. 42:523-560.
- Seymour, A. 1959. Effect of temperature upon the formation of vertebrae and fin rays in young chinook salmon. Transactions of the American Fisheries Society 88:58-69.
- Sha, X, and H. Ruan. 1981. The habits and morphological development of early stages of [Ilisha elongata] (Bennett). Trans. Chin. Ichthyol. Soc. 2:81-88.
- Sha, X. S., G. F. He, and H. W. Chang. 1966. A description of the morphological characters of the eggs and larvae of the blue spotted mackerel, [Scomberomorus niphonius] (Cuv. & Val.). Oceanol. Limnol. Sinica 8(1):1-23.
- Sha, X., H. Ruan, and G. He. 1981. The development of the egg and larval stages of the lumpfish, [Inimicus japonicus] (C. and V.). Oceanol. Limnol. Sin. 12(4):365-371.
- Shackley, S. E., and D. E. King. 1978. A sterile sea water circulating system for the jar culture of developing fish eggs. J. Fish. Biol. 12(3):235-237.
- Shackley, S. E., and P. E. King. 1977. The reproductive cycle and its control; frequency of spawning and fecundity in [Blennius pholis] L. J. Exp. Mar. Biol. & Ecol.
- Shaffer, J. A., D. C. Doty, R. M. Buckley, and J. E. West. 1995. Crustacean community composition and trophic use of the drift vegetation habitat by juvenile splitnose rockfish [Sebastes diploproa]. Marine Ecology-Progress Series 123:13-21.
- Shafi, M., and M. M. A. Quddus. 1977. Observations on the biology of the brown pomfret, [Parastromateus niger] (Bloch), from the Bay of Bengal. Bangladesh J. Sci. Ind. Res. 12(1-2): 28-33.
- Shafland, P. L. 1979. Self-contained upwelling system for rearing larval fishes in the laboratory. Progressive Fish-Culturist 41(1):10-13.
- Shafland, P. L., J. W. Davis, and D. H. Koehl. 1979. Method for collecting zooplankton for feeding larval fishes. Progressive Fish-Culturist 41(4):204-205.
- Shah, K. L., B. C. Jha, and A. G. Jhingran. 1977. Observations on some aquatic phycomycetes pathogenic to eggs and fry of freshwater fish and prawn. Aquaculture 12(2):141-148.
- Shaheen, P. A., L. L. Stehlik, C. J. Meise, A. W. Stoner, J. P. Manderson, and D. L. Adams. 2001. Feeding behavior of newly settled Winter flounder ([Pseudopleuronectes americanus]) on calanoid copepods. Journal of Experimental Marine Biology and Ecology 257:37-51.
- Shaklee, J. B., M. J. Champion, and G. S. Whitt. 1974. Developmental genetics of teleosts: a biochemical analysis of lake chubsucker ontogeny. Devel. Biol. 38(2):356-382.
- Shaklee, J. B., and G. S. Whitt. 1977. Patterns of enzyme ontogenesis in developing sunfish. Differentiation 9:85-95.
- Shamardina, I. P. 1957. Stages of development of the pike. Tr. In-ta morfol. zhivotnykh AN SSSR, No. 16.
- Shand, J., S. M. Chin, A. M. Harman, and S. P. Collin. 2000. The relationship between the position of the retinal area centralis and feeding behaviour in juvenile black bream [Acanthopagrus butcheri] (Sparidae : Teleostei). Philosophical Transactions of the Royal Society of London Series B - Biological Sciences 355(1401):1183-1186.
- Shanklin, D. R., and P. B. Armstrong. 1952. The osmotic behavior and anatomy of the [Fundulus] chorion. Biol. Bull. 103:295.

- Shanklin, D. R. 1954. Evidence for active transport in [Fundulus] embryos. Biol. Bull. 107:320.
- Shanklin, D. R. 1959. Studies on the [Fundulus] chorion. J. Cell. Comp. Physiol. 53:1-11.
- Shanks, A. L., and W.G. Wright. 1987. Internal-wave mediated shoreward transport of cyprids, megalopae, and gammarids and correlated longshore differences in the settling rate of intertidal barnacles. J. Exp. Mar. Biol. Ecol. 114: 1-13.
- Shanks, A. L. 1988. Further support for the hypothesis that internal waves can cause shoreward transport of larval invertebrates and fish. Fish Bull., U.S. 86:703-714.
- Shanks, A. L., and E. W. Edmondson. 1990. The vertical flux of metazoans (holoplankton, meiofauna, and larval invertebrates) due to their association with marine snow. Limnology and Oceanography 35:455-463.
- Shann, E. W. 1923. The embryonic development of the porbeagle shark, [Lamna cornubica]. Proc. Zool. Soc. (London) 11:161-171.
- Shannon, E. H., and W. B. Smith. 1967. Preliminary observations of the effect of temperature on striped bass eggs and sac fry. Proc. 21st Ann. Conf. S. E. Assoc. G & F Comms. 21:257-260.
- Shannon, E. H. 1969. Effect of temperature changes upon developing striped bass eggs and fry Proc. 23rd. Ann. Conf. S. E. Assoc. G & F Comms. 23:265-274.
- Shannon, L. J., G. Nelson, R. J. M. Crawford, and A. J. Boyd. 1996. Possible impacts of environmental change on pelagic fish recruitment: modelling anchovy transport by advective processes in the southern Benguela. Global Change Biology 2:407-420.
- Shapiro, D. Y., D. A. Hensley, and R. S. Appeldoorn. 1988. Pelagic spawning and egg transport in the coral-reef fishes: A skeptical overview. Env. Biol. Fishes 22:3-14.
- Shapiro, D. Y. 1987. Inferring larval recruitment strategies from the distributional ecology of settled individuals of a coral reef fish. Bull. Mar. Sci. 41:289-295.
- Shapiro, G. B. 1954. [Pyrrhulina vittata]. The Aquarium 23(5):152-153.
- Shapiro, L. S. 1975. Relationship of egg survival and year-class strength with reference to the Baltic herring, [Clupea] [harengus membras], of Vistula Lagoon. J. Ichthyol 15(6):933-939.
- Shapiro, S. 1938. A study of proportional changes during the post-larval growth of the blue marlin ([Makaira] [nigricans ampla] Poey). Am. Mus. Novit., No. 995, 20 pp.
- Shapovalov, L. 1937. Experiments in hatching steelhead eggs in gravel. California Fish and Game 23:208-214.
- Shapovalov, L., and W. Berrian. 1940. An experiment in hatching silver salmon ([Oncorhynchus kisutch]) eggs in gravel. Transactions of the American Fisheries Society 69:135-140.
- Shapovalov, L., and A. C. Taft. 1954. The life histories of the steelhead rainbow trout ([Salmo gairdneri]) and silver salmon ([Oncorhynchus] [kisutch]) with special reference to Waddell Creek, California, and recommendations regarding their management. Fish. Bull. Calif., No. 98, 375 pp.
- Sharma, R. K., and J. B. Palmer. Editors. 1978. Larval exclusion systems for power plant cooling water intakes. Argonne Natl. Lab., IL, NUREG/CP-002, ANL/ES-66.
- Sharp, G. D. 1980. Report of the workshop on effects of environmental variables on survival of larval pelagic fishes. Pages 15-65 [in] G. D. Sharp, editor. Workshop on

effects of environmental variables on survival of larval pelagic fishes. IOC Rep. 28, UNESCO.

Sharp, J. R., K. W. Fucik, and J. M. Neff. 1979. Physiological basis of differential sensitivity of fish embryonic stages to oil pollution. Pages 85-108 [in] W. B. Vernberg, A. Calabrese, F. P. Thurberg, and F. J. Vernberg, editors. Marine pollution: functional responses. Academic Press, New York.

Sharp, J. R., and J. M. Neff. 1982. The toxicity of mercuric chloride and methylmercuric chloride to [*Fundulus heteroclitus*] embryos in relation to exposure conditions. *Environmental Biology of Fishes* 7(3):277-284.

Shatunovskiy, M. I. 1970. Features of the qualitative composition of lipids in the eggs, young and spawning females of the spring and autumn Baltic herring in the Gulf of Riga. *J. Ichthyol.* 10(6):772-779.

Shaver, J. R. 1953. The development of isolated blastomeres of [*Fundulus*] [*heteroclitus*]. *Biol. Bull. (Woods Hole)* 105(2):383.

Shaver, J. R., and S. Ito. 1952. The effect of centrifugation and low temperature on developing [*Fundulus heteroclitus*]. *Biol. Bull. (Woods Hole)* 103(2):309.

Shaw, E. 1957. Preliminary studies on the ontogeny of schooling behavior in the silversides, [*Menidia menidia*] (larvae). *Biol. Bull. (Woods Hole)* 113:354.

Shaw, E. 1958. The development of schooling behavior in the genus [*Menidia*] (larvae). *Biol. Bull. (Woods Hole)* 115:324.

Shaw, E. 1960. Hybridization in two sympatric species of atherinid fishes, [*Menidia menidia*] (Linnaeus) and [*Menidia*] [*beryllina*] (Cope). *Am. Mus. Novit*, No. 1999.

Shaw, E. 1960. The development of schooling behavior in fishes. *Physiol. Zool.* 33: 79-86.

Shaw, E. 1961. The development of schooling in fishes. II. *Physiol. Zool.* 34:263-272.

Shaw, E. S. 1955. The embryology of the sergeant major, [*Abudefduf*] [*saxatilis*]. *Copeia* 1955:85-89.

Shaw, E. S. 1955. The embryology of the sargent major, [*Abudefduf*] [*saxatilis*]. *Copeia* 1955(2):85-89.

Shaw, H. M., et al. 1975. Environmental salinity: its failure to influence growth of Atlantic salmon, [*Salmo salar*], parr. *Journal of the Fisheries Research Board of Canada* 32:1821.

Shaw, P. A., and J. A. Maga. 1943. The effect of mining silt on yield of fry from salmon spawning beds. *California Fish and Game* 29(1):29-41.

Shaw, R. F., and H. H. DeWitt. 1978. Ichthyoplankton. Pages 8.4.1-8.4.103 [in] Final Rept.: Env. Surveill. and Studies at the Maine Yankee Nucl. Generat. Sta. 1969-1977. Maine Yankee Atomic Power Co., Augusta, ME.

Shaw, R. F., and H. H. DeWitt. 1978. Ichthyoplankton, pp. 123-141. In: Semiannual Env. Surveill. Rep. 11. Maine Yankee Atomic Power Co., Augusta, ME.

Shaw, R. F., and H. H. DeWitt. 1979. Ichthyoplankton, pp. 125-184. In: Semiannual Env. Surveill. Rep. 12. Maine Yankee Atomic Power Co., Augusta, ME.

Shaw, R. F., and H. H. DeWitt. 1979. Ichthyoplankton, pp. 167-222. In: Semiannual Env. Surveill. Rep. 13. Maine Yankee Atomic Power Co., Augusta, ME.

- Shaw, R. F. 1981. Seasonal species composition, diversity, spatial distributions and tidal retention and transport of ichthyoplankton in the Sheepscot River-Back River-Montsweag Bay estuarine system, Maine. Ph.D. Diss., Univ. Maine, Orono, ME.
- Shaw, R. F., T. L. Tillman, J. H. Cowan, Jr., and S. M. Peterman. 1982. Zooplankton, fish eggs and larvae, pp. III-1-III-35. In: Evaluation of the brine disposal from the West Hackberry site: the regional impact on menhaden resources. LSU, Ctr. Wetland Resourc., Louisiana Continental Shelf System Working Gp., Final Rep., U.S. Dept. Energy, New Orleans, LA.
- Shaw, R. F., J. H. Cowan, Jr., and T. L. Tillman. 1985. Distribution and density of [*Brevoortia patronus*] (gulf menhaden) eggs and larvae in the continental shelf waters of western Louisiana. *Bull. Mar. Sci.* 36:96-103.
- Shaw, R. F., W. J. Wiseman, Jr., R. E. Turner, L. J. Rouse, Jr., and R. E. Condrey. 1985. Transport of larval gulf menhaden, [*Brevoortia*] [*p atronus*], in continental shelf waters of Western Louisiana: a hypothesis. *Transactions of the American Fisheries Society* 114:452-460.
- Shaw, R. F., et al. 1986. Shelf-estuary coupling of ichthyoplankton, Transport of Larval Fish and Shellfish through Coastal Inlets, Ocean Springs, MS. Symposium Series, 3, Am. Fish. Soc. In Press.
- Shaw, T. L., and V. M. Brown. 1971. Heavy metals and the fertilization of rainbow trout eggs. *Nature, Lond.* 230:251.
- Shaw, W., and G. A. McFarlane. 1997. Development of sablefish, [*Anoplopoma fimbria*], larvae off the west coast of British Columbia, and transformation to the juvenile stage. Pages 3-12 [in] M. E. Wilkins and M. W. Saunders, editors. *Biology and Management of Sablefish, [Anoplopoma fimbria]*, International Symposium on the Biology and Management of Sablefish, Seattle, Washington, 13-15 April 1993. NOAA Tech. Rep. NMFS 130.
- Shcherbachev, Yu. N. 1973. The biology and distribution of the dolphins (Pisces: Coryphaenidae). *J. Ichthyol.* 13(2):182-191.
- Shealy, M. H., Jr., and C. A. Carlson. 1973. Accumulation and retention of strontium-85 marks by young largemouth bass. Pages 307-317 [in] D. J. Nelson, editor. *Radionuclides in ecosystems, Proceedings of the Third National Symposium on Radioecology*. U.S. Atomic Energy Commission Publication Conf. 710501.
- Sheaffer, W. A., and J. G. Nickum. 1986. Backwater areas as nursery habitats for fishes in Pool 13 of the Upper Mississippi River. *Hydrobiologia* 136:131-140.
- Sheaves, M. J. 1995. Large lutjanid and serranid fishes in tropical estuaries: Are they adults or juveniles? *Marine Ecology Progress Series* 129:31-40.
- Shehadeh, Z. H., and K. S. Norriss. 1972. The grey mullet ([*Mugil cephalus*] L.): Induced breeding and larval rearing research 1970-72. Rep. No. 0172-76-1, Oceanic Inst., Waimanalo, Hawaii.
- Shekhanova, I. A., and V. L. Pechkurenkov. 1968. The accumulation of strontium-90 yttrium-90 dissolved in water and its influence on the embryonic development of the loach. *Vopr. ikhtiol.*, 8, No. 4(51).
- Shekhanova, I. A. 1971. Accumulation and distribution of water-dissolved radioisotopes in fish eggs during embryogenesis. *Tr Vses. Nauch. Issled. Inst. Morsk. Rybn. Khoz. Okeanogr.* 69:19-27. (Fish. Res. Bd. Can. Transl. Ser. 1617:1-16).
- Shekhanova, I. A., V. S. Bel'makov, V. I. Lapin, A. G. Lyashenko, and G. K. Miloradov. 1971. Effect of radioisotopes dissolved in water on developing fish eggs. (From problems of fish physiology). *Tr. Vses. Nauch. Issled. Inst. Morsk. Rybn. Khoz. Okeanogr.* 69:34-48. (Fish. Res. Bd. Can. Transl. Ser. 1619: 1-34).

Shelbourn, J. E., J. Kostoris, and P. A. Penhale. 1973. Effect of temperature and feeding regime on the specific growth rate of sockeye salmon fry, [*Oncorhynchus nerka*], with a consideration of size effect. *Journal of the Fisheries Research Board of Canada* 30(8):1179-1189.

Shelbourn, J. E. 1980. Early growth rates of chum salmon fry, [*Oncorhynchus*] [*keta*], in the laboratory in fresh and salt water. *Can. Tech. Rep. Fish. Aqu. Sci.* 937:1-6.

Shelbourne, J. E. 1953. The feeding habits of plaice postlarvae in the Southern Bight. *J. Mar. Biol. Assoc. U.K.* 32:149-159.

Shelbourne, J. E. 1955. Significance of the sub-dermal space in pelagic fish embryos and larvae. *Nature, Lond.* 176:743-744.

Shelbourne, J. E. 1956. The abnormal development of plaice embryos and larvae in marine aquaria. *J. Mar. Biol. Assoc. U. K.* 35(1):177-182.

Shelbourne, J. E. 1956. The effect of water conservation on the structure of marine fish embryos and larvae. *J. Mar. Biol. Assoc. U.K.* 35(1):275-286.

Shelbourne, J. E. 1957. Site of chloride regulation in marine fish larvae. *Nature, Lond.* 180(2):920-922.

Shelbourne, J. E. 1957. The feeding and conditions of plaice larvae in good and bad plankton patches. *J. Mar. Biol. Assoc. U.K.* 36:539-552.

Shelbourne, J. E. 1957. New evidence for a "critical period" in the life of larval plaice. *Int. Coun. Explor. Sea, Near North. Seas Comm., No. 50.*

Shelbourne, J. E. 1958. Marine fish larvae and the osmotic hazard. *Proc. Linn. Soc. Lond.* 169:65-66.

Shelbourne, J. E. 1962. A predator-prey size relationship for plaice larvae feeding on [*Oikopleura*]. *J. Mar. Biol. Assoc. U.K.* 42:243-252.

Shelbourne, J. E. 1963. Marine fish culture in Britain. II. A plaice rearing experiment at Port Erin Isle of Man, during 1960, in open sea water circulation. *J. Cons. perm. int. Explor. Mer* 28:70-79.

Shelbourne, J. E. 1963. Marine fish culture in Britain. IV. High survivals of metamorphosed plaice during salinity experiments in open circulation at Port Erin Isle of Man, 1961. *J. Cons. perm. int. Explor. Mer* 28:246-261.

Shelbourne, J. E., J. D. Riley, and G. T. Thacker. 1963. Marine fish culture in Britain. I. Plaice rearing in closed circulation at Lowestoft, 1957-1960. *J. Cons. perm. int. Explor. Mer* 28:50-69.

Shelbourne, J. E. 1964. The artificial propagation of marine fish. *Adv. mar. Biol.* 2:1-83.

Shelbourne, J. E. 1965. Rearing of marine fish for commercial purposes. *California Coop. Oceanic Fish. Invest. Rep.* 10:53-63.

Shelbourne, J. E. 1966. Influence of temperature, salinity, and photoperiod on the aggregations of chum salmon fry ([*Oncorhynchus*] [*keta*]). *Journal of the Fisheries Research Board of Canada* 23(2): 293-304.

Shelbourne, J. E. 1969. Growth of plaice larvae in captivity. *ICES F*:24.

Shelbourne, J. E., J. R. Brett, and S. Shirahata. 1973. Effect of temperature and feeding regime on the specific growth rate of sockeye salmon fry ([*Oncorhynchus nerka*]), with a



consideration of size effect. Journal of the Fisheries Research Board of Canada 30(8):1191-1194.

Shelbourne, J. E. 1974. Population effects on the survival, growth, and pigmentation of tank reared plaice larvae. Pages 357-377 [in] T. R. H. Jones, editor. Sea Fish Research.

Shelbourne, J. E. 1975. Marine fish cultivation: pioneering studies on the culture of the larva of the plaice ([*Pleuronectes*] [*platessa*] L.) and the sole ([*Solea solea*] L.). Fish. Invest. Ser. II Mar. Fish. G. B. Minist. Agric. Fish. Food, London. Ser 2, 27(9):29 pp.

Sheldon, A. L. 1968. Drift, growth, and mortality of juvenile sculpins in Sagehan Creek, California. Transactions of the American Fisheries Society 97(4):495-496.

Sheldon, W. W. 1974. Elvers in Maine. Techniques of locating, catching and holding. Maine Dept. Mar. Fish., Spec. Rep., Orono, ME.

Shell, E. W. 1973. Factors limiting the survival and growth of early life history stages of the striped bass ([*Morone*] [*saxatilis*]). Anad. Fish Act Proj. No. AFC-7, Segments 1-3. 29 pp.

Shelton, J. M. 1955. The hatching of chinook salmon eggs under simulated stream conditions. Progressive Fish-Culturist 17(1):20-35.

Shelton, J. M., and R. D. Pollock. 1966. Siltation and egg survival in incubation channels. Transactions of the American Fisheries Society 95(2):183-187.

Shelton, P. A., and F. Kriel. 1980. Surface drift and the distribution of pelagic fish eggs and larvae off the southeast coast of South Africa, Nov. and Dec. 1976. Fish. Bull. So. Afr. 13:107-110.

Shelton, P. A., and L. Hutchings. 1981. The effect of the environment on spawning and recruitment in the anchovy, [*Engraulis capensis*] Gilchrist. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:202-203.

Shelton, P. A., and L. Hutchings. 1982. Transport of anchovy, [*Engraulis capensis*] Gilchrist, eggs and early larvae by a frontal jet current. J. Cons. perm. int. Explor. Mer 40:185-198.

Shelton, P. A., and L. Hutchings. 1990. Ocean stability and anchovy spawning in the southern Benguela Current region. Fishery Bulletin 88:323-338.

Shelton, W. L. 1964. The threadfin shad, [*Dorosoma petenense*] (Gunther): oogenesis, seasonal ovarian changes and observations on life history. M.S. Thesis, Oklahoma State Univ., Stillwater.

Shelton, W. L. 1972. Comparative reproductive biology of the gizzard shad, [*Dorosoma cepedianum*] (LeSueur), and the threadfin shad, [*Dorosoma petenense*] (Gunther), in Lake Texoma, Oklahoma. Ph.D. Diss., Univ. OK, Norman, OK. 232 pp.

Shelton, W. L., W. D. Davies, T. A. King, and T. J. Timmons. 1979. Variation in the growth of the initial year class of largemouth bass in West Point Reservoir, Alabama and Georgia. Transactions of the American Fisheries Society 108(2):142-149.

Shelton, W. L., and R. R. Stephens. 1980. Comparative embryogeny and early development of threadfin and gizzard shad. Progressive Fish-Culturist 42:34-41.

Shelton, W. L., C. D. Riggs, and L. G. Hill. 1981. Comparative reproductive biology of the threadfin and gizzard shad in Lake Texoma, Oklahoma-Texas. Pages 47-51 [in] The fifth annual larval fish conference, Louisiana Cooperative Fishery Research Unit, LSU, Baton Rouge, LA.

- Shen, A. C. Y., and J. F. Leatherland. 1978. Effect of ambient salinity on ionic and osmotic regulation of eggs, larvae, and alevins of rainbow trout (*Salmo gairdneri*). *Can. J. Zool.*
- Shen, S. C. 1964. Notes on the leptocephali and juveniles of [*Elops*] [*saurus*] L. and [*Albula vulpes*] (L.) collected from the estuary of Tam-sui River in Taiwan. *Q. J. Taiwan Mus.* 17:61-66.
- Shenker, J. M., and J. M. Dean. 1979. The utilization of an intertidal salt marsh creek by larval and juvenile fishes: abundance, diversity and temporal variation. *Estuaries* 2(3):154-163.
- Shenker, J. M. 1983. Distribution, size relationship, and food habits of juvenile king-of-the-salmon, [*Trachipterus*] [*altivelis*], caught off the Oregon coast. *Fish. Bull.* 81(1):161-164.
- Shenker, J. M., D. J. Hepner, P. E. Frere, L. E. Currence, and W. W. Wakefield. 1983. Upriver migration and abundance of naked goby, [*Gobiosoma bosci*], larvae in the Patuxent River estuary, Maryland. *Estuaries* 6(1):36-42.
- Shenker, J. M., and B.L. Olla. 1986. Laboratory feeding and growth of juvenile sablefish, [*Anoplopoma fimbria*]. *Can. J. Fish. Aquat. Sci.* 43:930-937.
- Shenker, J. M. 1988. Oceanographic associations of newstonic larval and juvenile fishes and Dungeness crab *Megalopae* off Oregon. *Fish. Bull.* 86:299-317.
- Shenker, J. M., E. D. Maddox, E. Wishinski, S. Pearl, S. R. Thorrold and N. Smith. 1993. On-shore transport of settlement-stage Nassau grouper [*Epinephelus striatus*] and other fishes in Exuma Sound, Bahamas. *Mar. Ecol. Prog. Ser.* 98:31-43.
- Shepard, D. C. 1961. A cytological study of the origin of melanophores in the teleosts. *Biol. Bull.* 120(2):206-220.
- Shepard, M. P. 1955. Resistance and tolerance of young speckled trout (*Salvelinus fontinalis*) to oxygen lack, with special reference to low oxygen acclimation. *Journal of the Fisheries Research Board of Canada* 12:387-446.
- Shephard, K. L. 1989. An analysis of the ion-exchange characteristics of fish-egg chorions. *Fish Physiology and Biochemistry* 6:395-401.
- Shepherd, J. G., and D. H. Cushing. 1980. A mechanism for density-dependent survival of larval fish as a basis of a stock-recruitment relationship. *J. Cons. Int. Explor. Mer* 39:160-167.
- Sheri, A., and G. Power. 1968. Reproduction of white perch, [*Roccus americanus*], in the Bay of Quinte, Lake Ontario. *Journal of the Fisheries Research Board of Canada* 25(10):2225-2231.
- Sheridan, P. F. 1979. Trophic resource utilization by three species of sciaenid fishes (larvae) in a northwest Florida estuary. *Northeast Gulf Sci.* 3(1):1-15.
- Sheridan, W. L. 1962. Gasoline lantern used to obtain salmon eggs for incubation. *Progressive Fish-Culturist* 24(4):187.
- Sherk, J. A., Jr., and L. E. Cronin. 1970. The effects of suspended and deposited sediments on estuarine organisms: an annotated bibliography of selected refere nces. *Univ. MD Nat. Res. Inst. Ref.* 70-19, 61 pp.
- Sherman, K. 1961. Occurrence of early developmental stages of the oblong ocean sunfish, [*Ranzania laevis*] (Pennant), in the central north Pacific. *Copeia* 1961(4):467-470.

- Sherman, K., and K. A. Honey. 1968. Observations on the catching efficiencies of two zooplankton samplers. ICNAF, Redbook 1968, Part III, 75-80.
- Sherman, K., and K. A. Honey. 1969. Size selectivity in the catches of the Gulf III and bongo zooplankton samplers. ICNAF Res. Doc. 68/34, Ser. 2011.
- Sherman, K., and K. A. Honey. 1970. Seasonal succession of the food of larval herring in a coastal nursery area. Res. Doc. int. Commn NW. Atlant. Fish. 70/22.
- Sherman, K., and K. A. Honey. 1971. Seasonal variations in the food of larval herring in coastal waters of central Maine. Rapp. P.-v. Reun. Cons. int. Explor. Mer 160:121-124.
- Sherman, K., and K. A. Honey. 1971. Size selectivity of the Gulf III and bongo zooplankton samplers. Int. Comm. Northwest. Atl. Fish. Res. Bull. 8:45-48.
- Sherman, K., R. Maurer, R. Byron, and D. Bearse. 1977. Relationship between larval fish communities and zooplankton prey species in an offshore spawning ground. ICES CM 1977/L:28.
- Sherman, K. 1979. Report of ICES on the Early Life History Symposium. ICES CM 1979/Gen. 2.
- Sherman, K. 1979. Report of the ICES working group on larval fish distribution. ICES CM 1979/L:10.
- Sherman, K. 1980. MARMAP - a fish ecosystem study in the northwest Atlantic: fluctuations in ichthyoplankton-to components and their potential for impact on the system. Pages 9-37 [in] F. P. Diemer et al., editors. Advanced Concepts in Ocean movements for Mar. Biol. and Coastal Res. Univ. South Carolina Press.
- Sherman, K. 1981. Draft report of the working group on larval fish ecology to the biological oceanography committee of ICES, Lowestoft, England. NOAA, NMFS NEFC Narragansett Lab. Ref. 81-69.
- Sherman, K., R. Maurer, R. Byron, and J. Green. 1981. Relationship between larval fish communities and zooplankton prey species in an offshore spawning ground. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:289-296.
- Sherman, K. 1982. Report of the working group on larval fish ecology to the biological oceanography committee of ICES, 1982. ICES CM 1982/L:3.
- Sherman, K., R. Lasker, W. J. Richards, and A. W. Kendall, Jr. 1983. Ichthyoplankton and fish recruitment studies in large marine ecosystems. Mar. Fish. Rev. 45(10/11/12):1-25.
- Sherman, K., R. Lasker, W. Richards, and A. W. Kendall, Jr. 1983. Ichthyoplankton and fish recruitment studies in large marine ecosystems. ICES CM 1983/L:24.
- Sherman, K. 1984. Report of the working group on larval fish ecology to the biological oceanography committee of ICES, Hirtshals, Denmark. ICES CM 1984/L:37.
- Sherstnev, A. P., V. M. Chupakhin, and V. A. Rudnev. 1982. Ecology of juvenile pink salmon, [*Oncorhynchus*] [*gorbuscha*] (*Salmonidae*), from the Sakhalin and Iturup Islands during the marine period of life. J. Ichthyol. 22(3):90-97.
- Sherstyukov, A. I., and A.S. Nostov. 1986. Collections of juvenile alfoncino, [*Beryx splendens*] (*Berycidae*), in the region of the Uglovoye Submarine Rise. J. Ichthyol. 26: 123-124.
- Sherwood, M. J., and A. S. Mearns. 1979. Fate of post-larval bottom fishes in a highly urbanized coastal zone. Intl. Counc. Explor. Sea, Early life history symp. 20 pp.

- Sherwood, M. J., and A. J. Mearns. 1981. Fate of post-larval bottom fishes in a highly urbanized coastal zone. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:104-111.
- Shetter, D. S. 1961. Survival of brook trout from egg to fingerling stage in two Michigan trout streams. *Transactions of the American Fisheries Society* 90:252-258.
- Shiao, J. C., W. N. Tzeng, A. Collins, and Y. Iizuka. 2002. Role of marine larval duration and growth rate of glass eels in determining the distribution of [*Anguilla reinhardtii*] and [*A. australis*] on Australian eastern coasts. *Marine and Freshwater Research* 53(3):687-695.
- Shiganova, T. A. 1974. Postembryonic development of [*Hygophum benoiti*] (Myctophidae, Pisces). *J. Ichthyol.* 14:746-754.
- Shiganova, T. A. 1975. Postembryonic development of [*Hygophum macrochir*] (Myctophidae, Pisces). *J. Ichthyol.* 15(3):429-437.
- Shiganova, T. A. 1977. Larvae and juveniles of the lanternfishes (Myctophidae, Pisces) of the Atlantic Ocean. *Tr. Inst. Okeanol. Akad. Nauk SSSR* 109:42-12.
- Shiganova, T. A. 1993. Ctenophore [*Mnemiopsis leidyi*] and ichthyoplankton in the Sea of Marmara in October of 1992. *Okeanologiya* 33:900-903.
- Shih-Chieh, S. 1963. An occurrence of leptocephalids in the estuary of Tam-sin River of Taiwan. *Q. J. Taiwan Mus.* 16:261-269.
- Shikhshabekov, M. M. 1969. Some data on the spawning ecology of Caspian roach, [*Rutilus rutilus caspicus*], carpbream, [*Abramis*] [*brama*], and common carp, [*Cyprinus carpio*], in the Aracum water bodies of Dagestan. *Vop. Ikhtiol. (USSR)* 9:806.
- Shimada, B. M. 1951. Juvenile oceanic skipjack from the Phoenix Islands. *Fish. Bull. Fish. Wildl. Serv. U.S., No.* 64:129-131.
- Shimada, Y. 1985. Induction of thermotolerance in fish embryos, [*Oryzias latipes*]. *Comp. Biochem. Physiol.* 80A(2):177-182.
- Shimada, Y., N. Egami, and A. Shima. 1985. Effect of heat on radiosensitivity at different developmental stages of embryos of the fish, [*Oryzias latipes*]. *Int. J. Radiat. Biol.* 48(4): 505-512.
- Shimizu, M., and J. Yamada. 1980. Ultrastructure aspects of yolk absorption in the vitelline syncytium of the embryonic rockfish, [*Sebastes schlegeli*]. *Jap. J. Ichthyol.* 27:56-63.
- Shimomura, T., and H. Fukataki. 1957. On the year round occurrence and ecology of eggs and larvae of the principal fishes in the Japan Sea - I. *Bull. Jap. Sea Reg. Fish. Res. Lab.* 1957(6):155-290.
- Shin, A. C. Y., and J. F. Leatherland. 1978. Structure of the yolksac epithelium and gills in the early developmental stages of rainbow trout ([*Salmo*] [*gairdneri*]) maintained in different ambient salinities. *Environmental Biology of Fishes* 3(4):345-355.
- Shiobara, Y., and K. Suzuki. 1983. Life history of two gobioids, [*Istiogobius*] [*hoshinonis*] (Tanaka), and [*I. campbelli*] (Jord. and Sny.), under natural and rearing conditions. *J. Fac. Mar. Sci. and Tech., Tokai Univ.* 16:193-206.
- Shiogaki, M., and Y. Dotsu. 1971. Egg development and hatched larva of the clingfish, [*Lepadichthys frenatus*]. *Bull. Fac. Fish. Nagasaki Univ.* 32:1-5.
- Shiogaki, M., and Y. Dotsu. 1971. Larvae and juveniles of the clingfishes, [*Lepadichthys frenatus*] and [*Aspasmichthys ciconiae*]. *Jap. J. Ichthyol.* 18(2):85-89.

- Shiogaki, M., and Y. Dotsu. 1971. The life history of the clingfish, [Coninens] [aticephalus]. Bull. Fac. Fish. Nagasaki Univ. 32:7-16.
- Shiogaki, M., and Y. Dotsu. 1971. The life history of the gobiid fish, [Expedio] [pravulus]. Bull. Fac. Fish Nagasaki, Univ. 32:17-25.
- Shiogaki, M., and Y. Dotsu. 1972. Life history of the blennioid fish, [Dictyosoma] [burgeri]. Bull. Fac. Fish. Nagasaki Univ. 33:21-38. in Japanese.
- Shiogaki, M., and Y. Dotsu. 1972. The life history of the blennioid fish, [Neoclinus] [byrope]. Bull. Fac. Fish. Nagasaki Univ. 34:9-18.
- Shiogaki, M., and Y. Dotsu. 1972. The spawning and the larva rearing of the clingfish, [Aspasma ciconiae], and the spawning of the clingfish, [Aspasma minima]. Bull. Fac. Fish. Nagasaki Univ. 34:39-33.
- Shiogaki, M., and Y. Dotsu. 1973. The egg development and larva rearing of the Tripterygiid blenny, [Tripterygion etheostoma]. Jap. J. Ichthyol. 20(1):42-46.
- Shiogaki, M., and Y. Dotsu. 1977. The life history of the Gobiid fish, [Luciogobius] [platycephalus]. Jap. J. Ichthyol. 24(1):43-48.
- Shiogaki, M. 1981. Life history of the stichaeid fish, [Opisthocentrus] [ocellatus]. Jap. J. Ichthyol. 29:77-85.
- Shiogaki, M. 1982. Larvae, juveniles, and a gravid female of the blennioid, [Cryptacanthodes bergii], collected from Aomori, Japan. Jap. J. Ichthyol. 29:102-104.
- Shiogaki, M. 1983. On the life history of the stichaeid fish [Chirolophis japonicus]. Jap. J. Ichthyol. 29:446-455.
- Shiokawa, T., and H. Tsukahara. 1961. Studies on habits of coastal fishes in the Amakusa Islands. I. Early life history of the purple rockfish, [Sebastes pachycephalus pachycephalus] Temminck et Schlegel. Rec. Oceanogr. Works, Jap. Spec. No. 5:123-127.
- Shioya, T., K. Nishimura, and Y. Yoshida. 1973. Probable hybrids of the [Oplegnathus] juveniles found in Oshima waters. Jap. J. Ichthyol. 20(1):47-49.
- Shiple, A.E. 1885. On the formation of the mesoblast and the persistence of the blastopore in the lamprey. Proc. Roy. Soc. Lond. 39:244-248.
- Shiple, A. E. 1887. The development of [Petromyzon fluviatilis]. Q. J. Microsc. Sci. 27.
- Shira, A. F. 1917. Notes on the rearing, growth, and food of the channel catfish, [Ictalurus punctatus]. Transactions of the American Fisheries Society 46:77-88.
- Shirahata, S. 1966. Experiments on nitrogen gas disease with rainbow trout fry. Bull. Freshwater Fish. Res. Lab. (Japan) 15:196-209.
- Shirley, K. E., and A. K. Andrews. 1977. Growth, production, and mortality of largemouth bass during the first year of life in Lake Carl Blackwell, Oklahoma. Transactions of the American Fisheries Society 106(6):590-595.
- Shirota, A. 1970. Studies on the mouth size of fish larvae. Bull. Jap. Soc. Scient. Fish. 36(4):353-368.
- Shirota, A. 1978. Studies on the mouth size of fish larvae. III. Relationship between inflection point of the upper jaw growth and morphological-ecological change. Bull. Jap. Soc. Sci. Fish. 44(11):1179-1182.
- Shirota, A. 1978. Studies on the mouth size of fish larvae. II. Specific characteristics of the upper jaw length. Bull. Jap. Soc. Sci. Fish. 44(11):1171-1178.

- Shkorbatov, G. L. 1966. The preferred temperatures and phototaxis of larval whitefish. Russian Zool. J. 14(10):1515-1525.
- Shmal'gauzen, O. I. 1972. Effect of phenol on development of the prolarvae of acipenserid fish. Sov. J. Dev. Biol. 3:407-413.
- Shmove, Y. V. 1971. Early ontogenesis of Black Sea [Proterorhinus] [marmoratus] (Pallas). Biol. Morya 23:96-116.
- Shodjai, F. 1977. Ein Beitrag zur Embryonal-und Larvelentwicklung der Quappe ([Lota lota] L.) in Abhangigkeit von der Temfperatur. Thesis, Univ. Kiel, 97 pp.
- Shojima, Y. 1957. On the development of eggs and rearing of larvae of a puffer, [Fugu (Heganfugu) pardali] (T. & S.). Sci. Bull. Fac. Agr. Kyushu Univ. 16:125-136.
- Shojima, Y., S. Fujita, and K. Uchida. 1957. On the egg development and prelarval stages of a kind of barracuda, [Sphyraena pinguis] Gunther. Sci. Bull. Fac. Agric. Kyushu Univ. 16:313-318.
- Shojima, Y. 1962. On the post-larvae and juveniles of carangid fishes collected together with the jelly-fishes. Bull. Seikai Reg. Fish. Res. Lab. 27:47-58.
- Shojima, Y., and K. Ueki. 1964. Studies on the larvae and juveniles of fishes accompanying floating algae - II. Research in vicinity of Tsuyazaki, during April, 1958 - Mar 1959. Bull. Jap. Soc. Sci. Fish. 30:248-254.
- Shojima, Y. 1968. Juvenile of [Gasterosteus aculeatus aculeatus] (L.) (Gasterosteidae). Pages 44 [in] K. Uchida et al., editors. Studies on the eggs, larvae and juvenile of Japanese fishes. J. Fac. Agric., Kyushu Univ., Fish. Dept., Ser. I. In Japanese.
- Shore, C. 1965. Aspects of early life history of the golden shiner, [Notemigonus crysoleucas]. M.S. Thesis, Penn. St. Univ., Univ. Park, PA. 21 pp.
- Shores, D. L. 1969. Postlarval [Sudis] (Pisces: Paralepididae) in the Atlantic Ocean. Breviora 334.
- Shrode, J. B., and S. D. Gerking. 1977. Effects of constant and fluctuating temperatures on reproduction performance of a desert pupfish, [Cyprinodon n. nevadensis]. Physiol. Zool. 50:1-10.
- Shrode, J. B., L. J. Purcell, and J. S. Stephens, Jr. 1983. Ontogeny of thermal preference in four species of viviparous fishes (Embiotocidae). Environmental Biology of Fishes 9:71-76.
- Shubart, B. J., and T. S. Y. Koo. 1973. Sex differentiation in juvenile striped bass, [Morone saxatilis]. Pages 122-123 [in] A. L. Pacheco, editor. Proc. of a workshop on egg, larval and juvenile stages of fish in Atlantic coast estuaries. Tech. Publ. #1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, NJ, 338 pp.
- Shubnikov, D. A. 1975. Biology of the Indian mackerel ([Rastrelliger] [kanagurta]). J. Ichthyol. 15(5):698-709.
- Shubnikova, N. G. 1978. A morphometric description of silver carp ([Hypophthalmichthys molitrix]) underyearlings in Uzbekistan. J. Ichthyol. 18(5):854-856.
- Shulman, M. J., and J.C. Ogden. 1987. What controls tropical reef fish populations: recruitment or benthic mortality? An example in the Caribbean reef fish *Haemulon flavolineatum*. Mar. Ecol. Prog. Ser. 39:233-242.

- Shumilov, I. P. 1971. Survival of eggs of the Baikal omul ([*Coregonus*] [*autumnalis migratorius*] (Georgi)) in spawning grounds of the Kichera River and the effect of river flow on the strength of year-classes. *J. Ichthyol.* 11(2):223-230.
- Shumway, D. L. 1960. The influence of water velocity on the development of salmonid embryos at low oxygen levels. M.S. Thesis, Oregon State Coll., Corvallis, 49 pp.
- Shumway, D. L., C. E. Warren, and P. Doudoroff. 1964. Influence of oxygen concentration and water movement on the growth of steelhead trout and coho salmon embryos. *Transactions of the American Fisheries Society* 93(4): 342-356.
- Shust, K. V. 1978. On the distribution and biology of members of the genus [*Micromesistius*] (*Gadidae*). *J. Ichthyol.* 18:490-493.
- Shustov, Y. A., and I. L. Shehurov. 1975. The growth of young salmon in the rivers of Onega Lake. In: *Tez. dokl. na konf. molodykh uchenykh i spetsialistov Karelii. Abstr. Pap. Conf. of Young Scientists and Specialists of Karelia, pt. 1. Petrozavodsk.*
- Shustov, Y. A., and V. V. Khrennikov. 1976. A contribution to a description of the feeding and interrelationships of young salmon, [*Salmo salar*] morpha [*sebago*], with a river food supply. In: *Lososevyye (Salmonidae) Karelii. Petrozavodsk, Karelian Branch USSR Acad. Sci.*
- Shute, P. W., D. G. Lindquist, and J. R. Shute. 1983. Breeding behavior and early life history of the waccamaw killifish, [*Fundulus waccamensis*]. *Environmental Biology of Fishes* 8(3/4):293-300.
- Shutter, B. J., J. A. MacLean, F. E. J. Fry, and H. A. Regier. 1980. Stochastic simulation of temperature effects on first-year survival of smallmouth bass. *Transactions of the American Fisheries Society* 109(1):1-34.
- Shuvaev, J. D. 1977. Feeding habits of larvae of haddock from the North Sea. Pages 89-92 [in] *Life history and behavior of some commercial fishes of Northeast Atlantic. All-Union Res. Inst. Mar. Fish. Oceanogr. (UNIRO) XXI.*
- Shuzhen, W., and C. Zhensan. 1982. A study on early development of the smallwing flyingfishes, [*Oxyporhampus*], in the central region of South China Sea. *ACTA Oceanol. Sinica* Vol. 4(3):357-366.
- Sibert, J. R. 1979. Detritus and juvenile salmon production in the Nanaimo estuary. II. Meiofauna available as food to juvenile chum salmon ([*Oncorhynchus keta*]). *Journal of the Fisheries Research Board of Canada* 36(5):497-503.
- Sibert, J. R., T. J. Brown, M. C. Healey, and B. A. Kask. 1977. Detritus based food webs: exploitation by juvenile chum salmon, [*Oncorhynchus keta*]. *Science* NY 196(4290):649-650.
- Sibert, J., and R. R. Parker. 1972. A model of juvenile salmon growth in the estuary. *Fish. Res. Bd. Can. Tech. Rep.* 321:62 pp.
- Siddiqui, A., A. Chatterjee, and A. A. Khan. 1976. Reproductive biology of the carp, [*Labeo bata*] (Ham.) from the River Kali, India. *Aquaculture* 7(2):181.
- Siddiqui, A. 1977. Reproductive biology, length-weight relationship and relative condition of [*Tilapia leucosticta*] (Trewavas) in Lake Naivasha, Kenya. *J. Fish. Biol.* 10(3):251-260.
- Sidell, B. D., and R. G. Otto. 1978. A biochemical method for distinction of striped bass and white perch larvae. *Copeia* 1978(2):340-343.
- Siefert, R. E. 1965. Early scale development in the white crappie. *Transactions of the American Fisheries Society* 94(2):182.

- Siefert, R. E. 1968. Reproductive behavior, incubation and mortality of eggs, and postlarval food selection in the white crappie. Transactions of the American Fisheries Society 97(3):252-259.
- Siefert, R. E. 1969. Characteristics for separation of white and black crappie larvae. Transactions of the American Fisheries Society 98(2):326-328.
- Siefert, R. E. 1969. Biology of the white crappie in Lewis and Clark Lake. Tech. Pap. Bur. Sport Fish. & Wildl. (U.S.), No. 22, 16 pp.
- Siefert, R. E. 1972. First food of larval yellow perch, white sucker, bluegill, emerald shiner, and rainbow smelt. Transactions of the American Fisheries Society 101(2):219-225.
- Siefert, R. E., W. A. Spoor, and R. F. Syrett. 1973. Effects of reduced oxygen concentrations on northern pike ([*Esox lucius*]) embryos and larvae. Journal of the Fisheries Research Board of Canada 30(6):849-852.
- Siefert, R. E., A. R. Carlson, and L. J. Herman. 1974. Effects of reduced oxygen concentrations on the early life stages of mountain whitefish, smallmouth bass and white bass. Progressive Fish-Culturist 36(4):186-190.
- Siefert, R. E., and W. A. Spoor. 1974. Effects of reduced oxygen on embryos and larvae of white sucker, coho salmon, brook trout, and walleye. Pages 487-495 [in] J. H. S. Blaxter, editor. Early life history of fish. Springer-Verlag, NY, 765 pp.
- Siefert, R. E., and L. L. Herman. 1977. Spawning success of the black crappie, [*Pomoxis nigromaculatus*], at reduced dissolved oxygen concentrations. Transactions of the American Fisheries Society 106(4):376-379.
- Sieg, A. 1992. Histological study of organogenesis in the young stages of the mesopelagic fish [*Vinciguerria*] (Photichthyidae, Pisces). Bulletin of Marine Science 50:97-107.
- Sieg, A. 1992. A histological study on the nutritional condition of larval and metamorphosing fishes of the genus [*Vinciguerria*] (Photichthyidae) sampled in 2 contrasting environments. Journal of Applied Ichthyology-Zeitschrift Fur Angewandte Ichthyologie 8:154-163.
- Sigler, W. F. 1951. The life history and management of the Rocky Mountain whitefish, [*Prosopium williamsoni*] (Girard) in the Logan River, Utah. Utah. St. Agric. Coll. Bull. 347:1-21.
- Sikama, Y. 1961. On the role of the oil globule in the egg and larval fish of the sea bream, [*Chrysophrys major*] Temm. et Schl. Sci. Rep. Yokosuka City Mus. 6:71-74.
- Sikora, C. A. 1980. Bacteriological study of organisms affecting the hatchability of rainbow trout ([*Salmo gairdneri*]) eggs in Whitlock-Vibert boxes. J. Colorado-Wyoming Acad. Sci. 12(1):15.
- Silas, E. G. 1963. Synopsis of biological data on double-lined mackerel, [*Grammatorcynus bicarinatus*] (Quoy and Gaimard) (Indo-Pacific). Proc. World Sci. Mtg. Biol. Tunas Rel. Spp., FAO Fish. Rep. 6(2):811-833.
- Silas, E. G. 1963. Synopsis of biological data on oriental bonito, [*Sarda orientalis*] (Temm. & Schl.) 1842 (Indian Ocean). Proc. World Sci. Mtg. Biol. Tunas Rel. Spp., FAO Fish. Rep. 6(2):834-861.
- Silas, E. G. 1964. [*Cybium croockewitti*] Bleeker (1950) and [*C. koreanum*] Kishinouye (1915) considered synonyms of [*Scomberomorus guttatus*] (Bloch & Schneider) with a redescription and annotated bibliography of [*S.*] [*guttatus*]. Proc. Symp. Scombr. Fishes, mandapan Camp (Mar. Biol. Assoc. India), Pt. I:309-342.



- Silas, E. G., and K. C. George. 1969. On the larval and postlarval development and distribution of the mesopelagic fish, [Vinciguerria] [nimbaria] (Jordan and Williams - Family Gonostomatidae) off the west coast of India and the Laccadive Sea. J. Mar. Biol. Assoc. India 11(1/2):218-250.
- Silas, E. G. 1974. Larvae of the Indian mackerel, [Rastrelliger] [kanagurta] (Cuvier) from the west coast of India. Indian J. Fish. 21(1):233-253.
- Silliman, R. P. 1943. Thermal and diurnal changes in the vertical distribution of the eggs and larvae of the pilchard ([Sardinops caerulea]). J. Mar. Res. 5(2): 118-130.
- Silliman, R. P. 1943. Studies on the Pacific pilchard or sardine ([Sardinops caerulea]). VI. Thermal and diurnal changes in the vertical distribution of eggs and larvae. Spec. Scient. Rep. U.S. Fish. Wildl. Serv., No. 22, 17 pp.
- Silliman, R. P. 1946. A study of variability in plankton tow-net catches of Pacific pilchard ([Sardinops caerulea]) eggs. J. Mar. Res. 6(1):74-83.
- Silliman, R. P. 1950. Thermal and diurnal changes in the vertical distribution of eggs and larvae. U.S. Fish & Wildl. Serv. Spec. Sci. Rep. 15:181-200.
- Silver, S. J. 1960. The influence of water velocity and dissolved oxygen on the development of salmonid embryos. M.S. Thesis, Oregon St. Coll., Corvallis, 50 pp.
- Silver, S. J., C. E. Warren, and P. Doudoroff. 1963. Dissolved oxygen requirements of developing steelhead trout and chinook salmon embryos at different water velocities. Transactions of the American Fisheries Society 92(4):327-343.
- Silverman, J. J. 1982. The distribution and abundance of silver hake, [Merluccius bilinearis], larvae off northeastern United States, 1977-1980. ICES CM 1982/G:58.
- Silverman, M. J. 1975. Scale development in the bluefish, [Pomatomus] [saltatrix]. Transactions of the American Fisheries Society 104(4):773-774.
- Silverman, M. J. 1979. Biological and fisheries data on black drum, [Pogonias cromis] (Linnaeus) Sandy Hook Lab., Highlands, New Jersey. Tech. Ser. Rep. No. 22, 35 pp.
- Silverman, M. J. 1983. Distribution, abundance, and production estimates of yellowtail flounder, [Limanda ferruginea], larvae off northeastern United States, 1977-81. ICES CM 1983/G:47.
- Simco, B. A., and F. B. Cross. 1966. Factors affecting growth and production of channel catfish, [Ictalurus punctatus]. Univ. Kansas Publ., Mus. Nat. Hist. 17(4):193-256.
- Simenstad, C. A., W. J. Kinney, S. S. Parker, E. O. Salo, J. R. Cordell, and H. Buechner. 1980. Prey community structure and trophic ecology of outmigrating juvenile chum and pink salmon in Hood Canal, Washington. Univ. Washington, College of Fisheries, Fish. Res. Inst. Publ. 8026. Seattle, WA.
- Simenstad, C. A., and E. O. Salo. 1982. Foraging success as a determinant of estuarine and nearshore carrying capacity of juvenile chum salmon, [Oncorhynchus keta], in Hood Canal, Washington. Pages 21-37 [in] B. R. Metleff and R. A. Neve, editors. Proc. N. Pac. Aquacult. Sym p., Anchorage, Ak. and Newport, Or. Alaska Sea Grant Rep. 82-2, Univ. Alaska, Fairbanks. 379 pp.
- Simmons, E. G., and J. P. Breuer. 1962. A study of redfish, [Sciaenops ocellata] L., and black drum, [Pogonias cromis] L. Publ. Inst. Mar. Sci., Univ. Texas 8:184-211.
- Simon, T. P. 1983. Family Percidae-perches and darters. Pages 248-274 [in] L. E. Holland and M. L. Huston, editors. A compilation of available information on the larvae of fishes common to the upper Mississippi River. U.S. Army Corps of Engineers, U.S. Fish & Wildl. Serv., Natl. Fish. Res. Lab., LaCrosse, WI.

Simon, T. P. 1985. Descriptions of larval Percidae inhabiting the upper Mississippi River basin (Osteichthyes: Etheostomatini). M. S. Thesis, Univ. Wisconsin-La Crosse, La Crosse. 117 pp.

Simon, T. P. 1985. Larval ontogeny of the cypress darter, [*Etheostoma*] [*proeliare*]. Pages 29-35 [in] A. W. Kendall, Jr., and J. B. Marliave, editors. Descriptions of early life history stages of selected fishes. Can. Tech. Rep. Fish. Aq. Sci. 1359.

Simon, T. P. 1986. Variation in seasonal, spatial, and species composition of main channel ichthyoplankton abundance, Ohio River miles 569 to 572. Trans. Kentucky Acad. Sci. 47(1/2):19-26.

Simon, T. P., et al. 1986. Descriptions of larvae of seven [*Nothonotus*] species. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.

Simoneaux, L. F., and S. M. Warlen. 1987. Occurrence of daily growth increments in otoliths of juvenile Atlantic menhaden. [In] R. C. Summerfelt and G. E. Hall, editors. Age and growth of fish. Iowa State Univ. Press, Ames, IA. 544 pp.

Simonin, H. A., and J. C. Skea. 1977. Toxicity of Diquat and Cutrine to fingerling brown trout. New York Fish Game J. 24:37.

Simonova, N. A. 1972. The feeding of sockeye fry in spawning grounds and their food supply. Izv. Tikhookean Nancho-Issled Inct. Rybn Khoz Okeanogr. 82:179-189.

Simons, E. V., and J. R. van Horn. 1971. A new procedure for whole-mount alcian blue staining of the cartilaginous skeleton of chicken embryos, adapted to the clearing procedure in potassium hydroxide. Acta Morph. Neerl. Scand.

Simonsen, M. 1978. The use of discriminant analysis in the identification of two species of larval smelt, [*Spirinchus thaleichthys*], and [*Hypomesus t.*] [*transpacificus*], in the Sacramento-San Joaquin estuary. M.S. Thesis, Univ. Pacific, Stockton, CA.

Simpkins, D. G., and W. A. Hubert. 2000. Drifting invertebrates, stomach contents, and body conditions of juvenile rainbow trout from fall through winter in a Wyoming tailwater. Transactions of the American Fisheries Society 129(5):1187-1195.

Simpson, A. C. 1949. The fish. Notes on the occurrence of fish eggs and larvae in the Southern Bight of the North Sea during winter of 1946-1947. Ann. Biol. 4(1947):90-95.

Simpson, A. C. 1949. The fish. Notes on the occurrence of fish eggs and larvae in the Southern Bight of the North Sea during the winter of 1947-48. Ann. Biol. 5(1948):90-97.

Simpson, A. C. 1956. The pelagic phase (Ch. 6). Pages 207-250 [in] M. Graham, editor. Sea Fisheries: their investigation in the United Kingdom. Edward Arnold, Ltd., Lond.

Simpson, A. C. 1959. The spawning of the plaice ([*Pleuronectes platessa*]) in the North Sea. Fish. Invest., Lond. (Ser. 2: Sea Fisheries), 22(7):1-111.

Simpson, D. G. 1954. Two small tarpon from Texas. Copeia 1954(1):71-72.

Simpson, D. G., and G. Gunter. 1956. Notes on habitats, systematic characters and life histories of Texas salt water Cyprinodontidae. Tulane Stud. Zool. 4:115-134.

Simpson, J. C. 1939. Preliminary observations on the egg-eating habits of the rosyside sucker. Transactions of the American Fisheries Society 69:176-177.

Simpson, J. G. 1959. Identification of the egg, early life history and spawning areas of the anchoveta, [*Cetengraulis*] [*mysticetus*] (Günther), in the Gulf of Panama. Inter-Am. Trop. Tuna Comm. Bull. 3:437-580.

- Simpson, J. G. 1965. A study of the early life history of the Rabo Amarillo, [*Cetengraulis edentulus*] (Cuv.), in eastern Venezuela. Invest. Pesq. (Ser. Recurs. Explot. Pesq.) Caracas 1(1):1-36.
- Simpson, J. G., and G. G. Gonzales. 1967. Some aspects of the early life history and environment of the sardine, [*Sardinella anchovia*], in eastern Venezuela. Investigacion pesq. 1(2): 38-93. In Spanish and English.
- Simpson, J. J. 1986. Transport processes affecting the survival of pelagic fish stocks in the California Current. Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. 39-60.
- Sims, C. 1976. Emigration of juvenile salmon and trout from Brownlee Reservoir: 1963-65. U.S. Fish. Wildl. Serv. Fish. Bull. 68(2):244-259.
- Sims, C. W., W. W. Bentley, and R. C. Johnson. 1978. Effects of power peaking operations on juvenile salmon and trout migrations 1977. NOAA, NMFS Northwest Fish. Center, Seattle. Final Rep. U.S. Army Corps Engineers DACW68-77-C-0025.
- Sims, H. W., Jr. 1966. Plankton collections with pertinent data: Yucatan and Florida Straits (August 1962 - August 1963). Florida Bd. of Cons. Mar. Research Lab. Spec. Scient. Rep. 14.
- Sinclair, D. C. 1968. Diel limnetic occurrence of young [*Cottus asper*] in two British Columbia lakes. Journal of the Fisheries Research Board of Canada 25:1997-2000.
- Sinclair, M., and T. D. Iles. 1981. The stock structure of the Atlantic herring in relation to tidally induced temperature fronts. ICES, C.M. 1981/H:46, Copenhagen, Denmark.
- Sinclair, M. M. J. Tremblay, and P. Bernal. 1985. El Nino events and variability in a Pacific mackerel (*Scomber japonicus*) survival index: support for Hjort's second hypothesis. Can. J. Fish. Aquat. Sci. 42: 602-608.
- Sinclair, M., and T.D. Iles. 1988. Population richness of marine fish species. Aquat. Living Resour. 1:71-83.
- Sindermann, C. J., J. J. Ziskowski, and V. T. Anderson. 1978. A guide for the recognition of some disease conditions and abnormalities in marine fish. Sandy Hook Lab., Highlands, NJ, Tech. Ser. Rep. No. 14, 60 pp.
- Singer, M. M. 1985. Food habits of juvenile rockfishes ([*Sebastes*]) in a central California kelp forest. Fish. Bull. 83(4):531-542.
- Singh, B. N., V. R. P. Sinha, and D. P. Chakraborty. 1980. Feed intake, absorption, conversion and growth of fry and fingerlings of rohu, [*Labeo rohita*] (Ham.). Indian J. Fish. 27(1/2):193-200.
- Sinyukova, V. I. 1964. The feeding of Black Sea horse mackerel larvae. Tr. Sebastopol Biol. Sta. Acad. Sci., USSR 302-325.
- Sire, J. Y. 1986. Ontogenetic development of surface ornamentation in the scales of [*Hemichromis bimaculatus*] (Cichlidae). J. Fish. Biol. 28(6):715-726.
- Sirois, P., and J. J. Dodson. 2000. Critical periods and growth-dependent survival of larvae of an estuarine fish, the rainbow smelt [*Osmerus mordax*]. Marine Ecology - Progress Series 203:233-245.
- Sissenwine, M. P. 1974. Variability in recruitment and equilibrium catch of the southern New England yellowtail. J. cons. int. Explor Mer 36:15.

- Sivells, H. C. 1949. Food studies of black crappie fry ([*Pomoxis nigromaculatus*]). Texas J. Sci. 1:38-40.
- Sjoblom, V., and R. Parmanne. 1975. Abundance of Baltic herring larvae in the seas around Finland in 1974. Intl. Counc. Explor. Sea C.M. 1975/P:3. 7 pp.
- Sjoblom, V., and R. Parmanne. 1976. Abundance of sprat larvae in the Northern Baltic in 1975. Intl. Counc. Explor. Sea C.M. 1976/P:13. 4 pp.
- Sjoblom, V., and R. Parmanne. 1976. Abundance of Baltic herring larvae in the seas around Finland in 1975. Intl. Counc. Explor. Sea C.M. 1976/P:12. 12 pp.
- Sjoblom, V., and R. Parmanne. 1978. Abundance of sprat eggs and larvae in the northern Baltic in 1977. Intl. Counc. Explor. Sea C.M. 1978/J:18. 5 pp.
- Sjoblom, V., and R. Parmanne. 1978. Abundance of Baltic herring larvae in the seas around Finland in 1977. Intl. Counc. Explor. Sea C.M. 1978/J:6. 6 pp.
- Sjoblom, V., and R. Parmanne. 1978. The vertical distribution of Baltic herring larvae ([*Clupea harengus*] L.) in the Gulf of Finland. Finn. Fish. Res. 2:5-18.
- Sjoblom, V., and R. Parmanne. 1979. Abundance of sprat eggs and larvae in the northern Baltic in 1978. Intl. Counc. Explor. Sea C.M. 1979/J:20. 5 pp.
- Skeesick, D. G. 1970. The fall immigration of juvenile coho salmon into a small tributary. Oregon Fish Comm. Res. Rep. 2:90-95.
- Skidmore, J. F. 1965. Resistance to zinc sulphate of the zebrafish ([*Brachydanio rerio*] Hamilton-Buchanan) at different phases of its life history. Ann. Appl. Biol. 56(1):47-53.
- Skidmore, J. F. 1966. Resistance to zinc sulphate of zebrafish ([*Brachydanio rerio*]) embryos after removal or rupture of the outer egg membrane. Journal of the Fisheries Research Board of Canada 23:1037-1041.
- Skiftesvik, A. B. 1992. Changes in behaviour at onset of exogenous feeding in marine fish larvae. Canadian Journal of Fisheries and Aquatic Sciences 49:1570-1572.
- Skiftesvik, A. B. 1994. Impact of physical environment on the behaviour of cod larvae. ICES Mar. Sci. Symp. 198:646-653.
- Skreslet, S., and G. J. Danes. 1978. Seaward transport of eggs of coastal cod ([*Gadus morhua*]) from spawning grounds in Ullsfjord, North Norway. Astarte 11(1):11-20.
- Skreslet, S. 1981. Importance of natural freshwater outflow to the coastal marine ecosystem of Norway and possible effects of large scale hydroelectric power production on year-class strength in fish stocks. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:79-80.
- Skud, B. E. 1973. Factors regulating the production of pink salmon. Pages 106-112 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Slidell, B. D., R. G. Otto, and D. A. Powers. 1978. A biochemical method for distinction of striped bass and white perch larvae. Copeia 1978(2):340-343.
- Sliger, W. A. 1967. The embryology, egg structure, micropyle and egg membranes of the plains minnow, [*Hybognathus placitus*]. M.S. Thesis, Oklahoma State Univ., Stillwater, OK.
- Slonova, S. A. 1974. Zooplankton and the feeding of fish larvae in the White Sea. In: The biology of commercial fishes and invertebrates in the early stages of development. Polar Res. Inst. For Sea Fish. & Oceanogr. Abstr. of Papers, Murmansk.

- Slosarczyk, W., and J. M. Rembiszewski. 1982. The occurrence of juvenile Notothenioidae (Pisces) within krill concentrations in the region of the Bransfield Strait and the southern Drake passage. *Pol. Polar Res.* 3:299-312.
- Slosarczyk, W. 1983. Juvenile [Trematomus bernacchii] and [Pagothenia] [brachysoma] (Pisces, Nototheniidae) within krill concentrations off Balleny Islands (Antarctic). *Pol. Polar Res.* 4:57-69.
- Slosarczyk, W. 1983. Preliminary estimation of abundance of juvenile Nototheniidae and Channichthyidae within krill swarms east of South Georgia. *Acta Ichthyol. Piscat.* 8:3-11.
- Slosarczyk, W., and Z. Cielniaszek. 1985. Postlarval and juvenile fish (Pisces, Perciformes and Myctophiformes) in the Antarctic Peninsula region during BIOMASS-SIBEX, 1983/84. *Pol. Polar Res.* 6:159-165.
- Slosarczyk, W. 1986. Attempts at a quantitative estimate by trawl sampling of distribution of postlarval and juvenile notothenioids (Pisces, Perciformes) in relation to environmental conditions in the Antarctic Peninsula region during SIBEX 1983-84. *Mem. Natl. Inst. Polar Res., Spec. Issue* 40:299-315.
- Smallwood, W. B., and M. B. Derrickson. 1933. The development of the carp, [Cyprinus carpio]. II. The development of the liver-pancreas, the islands of Langerhans, and the spleen. *J. Morph.* 55:15-28.
- Smallwood, W. M., and M. L. Smallwood. 1931. The development of the carp, [Cyprinus carpio]. I. The larval life of the carp, with special reference to the development of the intestinal tract. *J. Morphol.* 52(1):217-231.
- Smedley, N. 1926. A stage in the development of the tiger shark, [Stegostoma tigrinum]. *J. Malay. Brch. R. Asiat. Soc.* 4(1):64.
- Smedley, N. 1926. On the development of dogfish, [Chiloseyllum] [indicum] Gml. *J. Malay Brch R. Asiat. Soc.* 4(1):164-166.
- Smedstad, O., and A. Hysten. 1974. Norwegian investigations on the abundance of young haddock in the Barents Sea and adjacent waters in 1970-1972. *Annls Biol., Copenh.* 29(1972):84-85.
- Smedstad, O. M., and V. Oiestad. 1974. Preliminary report of investigations of cod-eggs and larvae in the Lofoten area in the years 1968-72. *ICES CM* 1974/F:14. 37 pp.
- Smidt, E. 1968. Report on Greenland halibut and halibut eggs and larvae. *Spec. Publs int. Commn. NW. Atlant. Fish.* 7(pt. 1):175-179.
- Smigielski, A. S., and C. R. Arnold. 1972. Separating and incubating winter flounder eggs. *Progressive Fish-Culturist* 34(2):113.
- Smigielski, A. S. 1975. Hormone-induced spawning of the summer flounder and rearing of the larvae in the laboratory. *Progressive Fish-Culturist* 37(1):3-8.
- Smigielski, A. S. 1978. Induced spawning and larval rearing of the yellowtail flounder, [Limanda ferruginea]. *Fish. Bull. NOAA (U.S.)* 76:931-936.
- Smigielski, A. S. 1981. Start feeding -- first feeding of larvae. Page 4. [in] G. D. Sharp, editor. Report on Research status and potential of cod rearing in North Atlantic. Svanoy, Norway, *FAO M/P4569/E/9.81/1/4* 13 pp.
- Smigielski, A. S., T. A. Halavik, L. J. Buckley, S. M. Drew, and G. C. Laurence. 1984. Spawning, embryo development and growth of the American sand lance, [Ammodytes americanus], in the laboratory. *Mar. Ecol. Prog.*

- Smirnov, A. I. 1933. [Salvelinus lepechini] of Lake Onega. Its biology, commercial importance and rearing. Karel. Nauch. Issled. Ryb. Sta. Rybn. Khoz. Karelii 2:110-127.
- Smirnov, A. I. 1950. Function of the carotenoid pigments of embryonic-larval stages of cyprinids. Dokl. A.N. SSSR 73:609-612. In Russian.
- Smirnov, A. I. 1954. The effect of mechanical agitation on developing eggs of the pink salmon, [Oncorhynchus gorbuscha] (Walbaum), Salmonidae. Doklady Akad. Nauk SSSR. 97(2):365-368.
- Smirnov, A. I. 1955. The effect of mechanical agitation at different periods of development on eggs of autumn chum salmon ([Oncorhynchus keta] InFrasp. [autumnalis] Berg. Salmonidae). Doklady Akad. Nauk SSSR. 105(4):873-876.
- Smirnov, A. I. 1960. The characteristics of the biology of reproduction and development of the coho, [Oncorhynchus kisutch] (Walbaum). Vestn. Mosk. Univ., Ser. VI, Biol. Pochv. 1960(1):9-19. (Fish. Res. Bd. Can. Transl. Ser. 287).
- Smirnov, A. I. 1963. Conservation dans l'eau de l'aptitude des oeufs et des spermatozoides du saumon, [Oncorhynchus gorbuscha] (W.) a la fecondation. Nauch. Dokl. Vyssh. Shk biol. Nauki SSSR 3:37-41.
- Smirnov, A. I., and M. S. Kamyshnaya. 1966. The biology of young pink salmon in relation to certain questions of their propagation and acclimatization. Zool. Zh. 44(12):1813-1824. (Fish. Res. Bd. Can. Transl. Ser. 782:1-37).
- Smirnov, A. I., M. S. Kamyshnaya, and Z. M. Kalashnikova. 1968. Dimensions, biochemical characteristics and caloric values of mature eggs of members of the genera [Oncorhynchus] and [Salmo]. Probl. Ichthyol. 8(4):524-530.
- Smirnov, A. I. 1975. The biology, reproduction, and development of the Pacific salmon. Transl. from Russian: Can. Fish. and Mar. Serv. Transl. Series 3861, 1976, Ottawa, Canada.
- Smirnov, Y. A., and Y. A. Shustov, and V. V. Khrennikov. 1976. On the behavior and feeding of juvenile Onega salmon, [Salmo salar] morpha [sebago], in winter. Vopr. Ikhtiol., 16, No. 3(98).
- Smirnov, Y. A., Y. A. Shastov, and V. V. Khrennikov. 1976. On the behavior and feeding of juvenile Onega salmon, [Salmo salar] morpha [sebago], in winter. J. Ichthyol. 16:503-506.
- Smirnov, Y.A., Y.A. Shustov, and I. L. Shchurov. 1978. Features of growth of young lake salmon, [Salmo] [salar] morpha [sebago], in Lake Onega tributaries. J. Ichthyol. 18(3):399-403.
- Smirnova, I. B., R. V. Latsis, and E. V. Frolova. 1973. Radiosensitivity of cleaving eggs of [Misgurnus] [fossilis] under colchi cine-induced depression of mitosis. Radiobiol. 13(3):442-445.
- Smirnova, I. B., and E. J. Graevskii. 1977. Damaged effect of irradiated egg on unirradiated spermatozoan of loach ([Misgurnus fossilis] L.). Dokl. Akad. Nauk SSSR 237(5):1219.
- Smith, A. J., J. H. Howell, and G. W. Piavis. 1968. Comparative embryology of five species of lampreys of the upper Great Lakes. Copeia 1968(3):461-469.
- Smith, A. K. 1973. Development and application of spawning velocity and depth criteria for Oregon salmonids. Transactions of the American Fisheries Society 102(2):312-316.
- Smith, B. A., L. E. Foster, and M. A. Tabery. 1975. Early life history of striped bass, [Morone] [saxatilis], as related to vulnerability to power plant impact in the Hudson River. N. E. Fish. Wildl. Conf., New Haven, CT.

- Smith, B. G. 1908. The spawning habits of [*Chrosomus erythrogaster*] Rafinesque. Biol. Bull. Wood's Hole 15:9-18.
- Smith, B. G. 1942. The heterodontid sharks: their natural history and the external development of [*Heterodontus japonicus*] based on notes and drawings by Bashford Dean. VIII. Bashford Dean Mem. Vol. Archaic Fishes: 649-770.
- Smith, B. R., and A. L. McLain. 1962. Estimation of the brook and sea lamprey ammocoete populations of three streams. Great Lakes Fish. Comm. Tech. Rep. 4:1-18.
- Smith, C., A. Douglas, and P. Jurajda. 2001. Oviposition site selection and embryo mortality in perch. Journal of Fish Biology 58(3):880-882.
- Smith, C. L. 1961. Synopsis of biological data on groupers ([*Epinephelus*] and allied genera) of the western north Atlantic. FAO Fish. Biol. Synopsis No. 23. 61 pp.
- Smith, C. L., J. C. Tyler, and M. N. Feinberg. 1981. Population ecology and biology of the pearlfish ([*Carapus bermudensis*]) in the lagoon at Bimini, Bahamas. Bull. Mar. Sci. 31:876-902.
- Smith, C. L., J. C. Tyler, and L. Stillman. 1987. Inshore ichthyoplankton: a distinctive assemblage? Bull. Mar. Sci. 41:432-440.
- Smith, D. G. 1968. The occurrence of larvae of the American eel, [*Anguilla rostrata*], in the Straits of Florida and nearby areas. Bull. Mar. Sci. 18(2):280-293.
- Smith, D. G. 1969. Xencongrid eel larvae in the western North Atlantic. Bull. Mar. Sci. 19:377-408.
- Smith, D. G. 1970. Notacanthiform leptocephali in the western North Atlantic. Copeia 1970:1-9.
- Smith, D. G., and P. H. J. Castle. 1972. The eel genus [*Neoconger*] Girard: Systematics, osteology, and life history. Bull. Mar. Sci. 22:196-249.
- Smith, D. G. 1974. Dysommid eel larvae in the western north Atlantic. Copeia 1974(3):671-680.
- Smith, D. G., and T. Potthoff. 1975. Leptocephali taxonomy. Pages 19-20 [in] Ichthyoplankton Rep. CICAR Ichthyoplankton workshop, Mexico City, July 1974. UNESCO Tech. Pap. Mar. Sci. 20.
- Smith, D. G. 1979. Guide to the leptocephali (Elopiformes, Anguilliforms, and Notacanthiforms). NOAA Tech. Rep. NMFS Circ. 424, 39 pp.
- Smith, D. G. 1980. Early larvae of the tarpon, [*Megalops atlantica*] Val. (Pisces: Elopidae), with notes on spawning in the Gulf of Mexico and the Yucatan Channel. Bull. Mar. Sci. 30(1):136-141.
- Smith, D. G., and M. M. Leiby. 1980. The larva of the congrid eel, [*Acromycter alcocki*] (Pisces: Anguilliformes), and the distinction between congrid and ophichthid larvae. Proc. Biol. Soc. Wash. 93(2):388-394.
- Smith, D. G., and P. H. J. Castle. 1982. Larvae of the nettastomatid eels: systematics and distribution. Dana-Rep. Carlsberg Fd. 90:1-44.
- Smith, D. G., and C. E. Thacker. 2000. Late-stage larvae of the family Microdesmidae (Teleostei, Gobioidi) from Belize, with notes on systematics and biogeography in the western Atlantic. Bull. Mar. Sci. 67(3):997-1012. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)

- Smith, E. J., and J. L. Sykora. 1976. Early developmental effects of lime-neutralized iron hydroxide suspensions on brook trout and coho salmon. *Transactions of the American Fisheries Society* 105(2):308-312.
- Smith, E. V. 1916. Effect of light on the development of young salmon. *Puget Sound Biol. Stat. Pub.* 1:89-107.
- Smith, H. D. 1973. Observations on the cestode [*Eubothrium salvelini*] in juvenile sockeye salmon, [*Oncorhynchus nerka*], at Babine Lake, British Columbia. *Journal of the Fisheries Research Board of Canada* 30(7):947-964.
- Smith, H. M., and L. G. Harron. 1903. Breeding habits of the yellow catfish. *Bull. U.S. Fish. Comm.* 22:149-154.
- Smith, H. M. 1934. Notes on the eggs and young of the swamp eel, [*Fluta*] [*alba*]. *J. Siam. Soc.* 9(3):300-301.
- Smith, J. B., J. Maclaughlin, and C. Turner. 1970. Studies of metabolism in embryogenetic development. IV. Protein synthesis in mitochondria and ribosomes of unfertilized and fertilized trout eggs. *Int. J. Biochem.* 1:191-197.
- Smith, J. G. 1964. Notes on the life history and a description of the sharpnose seaperch, [*Phanerodon atripes*] (Jordan and Gilbert). *California Fish and Game* 50(1):42-47.
- Smith, J. J., and H. W. Li. 1983. Energetic factors influencing foraging tactics of juvenile steelhead trout, [*Salmo gairdneri*]. Pages 173-180 [in] D. L. G. Noakes, D. G. Lindquist, G. S. Helfman, and J. A. Ward, editors. *Predators and prey in fishes*. Dr. W. Junk, The Hague.
- Smith, J. L. B. 1938. Post-larval [*Galjoen*]. *Trans. R. Soc. Afr.* 25:389.
- Smith, J. L. B. 1943. Interesting early juvenile stages of certain well-known South African fishes. *Trans. R. Soc. S. Afr.* 30:49-57.
- Smith, J. L. B. 1966. Hitherto unknown early developmental larval stadia of the west African albulid fish, [*Pterothrissus*] [*belloci*] Cadenat, 1937. *Rhodes Univ. Dept. Ichthyol. Occas. Pap.* (6):57-61.
- Smith, J. R., Jr., and G. E. Amonan. 1968. Horizontal and vertical distribution of juvenile salmonids in upper Mayfield Reservoir, Washington. *U.S. Fish. Wildl. Serv. Spec. Sci. Rep. Fish.* 566:1-11.
- Smith, K., and Suthers, I.M. 1999 Displacement of Sydney shelf ichthyoplankton by a coastal upwelling event. *Marine Ecology Progress Series* 176:49-62
- Smith, K. A., and M. L. Brown. 2002. Seasonal composition and abundance of ichthyoplankton entrained through Big Bend Dam, South Dakota. *Journal of Freshwater Ecology* 17(2):199-207.
- Smith, K. L., Jr., and N. O. Brown. 1983. Oxygen consumption of pelagic juvenile and demersal adults of the deep sea fish, [*Sebastolobus*] [*altivelis*], measured at depths. *Mar. Biol.* 76(3):325-332.
- Smith, K. M. Gibbs, J. Middleton, and I.M. Suthers. 1999 Short term dynamics of coastal ichthyoplankton off the Sydney coast. *Marine Ecology Progress Series*. In press.
- Smith, L. D. 1971. Final Report - life history studies of striped bass. *Anad. Fish. Proj. No. Georgia, AFS-2*. 134 pp.



- Smith, L. L., Jr., D. Franklin, and R. H. Kramer. 1958. Development of quantitative sampling methods for young of the year fish. Compl. Rep. Invest. Proj. Minn. DJ Proj. No. F-12-R, Job No. 1. 58 pp.
- Smith, L. L., and R. H. Kramer. 1963. Survival of walleye eggs in relation to wood fibers and [*Sphaerotilus natans*] in the Rainy River, Minnesota. Transactions of the American Fisheries Society 92(3): 220-235.
- Smith, L. L., Jr., and R. H. Kramer. 1965. Survival of walleye fingerlings in conifer ground wood fiber. Transactions of the American Fisheries Society 94:402-404.
- Smith, L. L., Jr., and D. M. Oseid. 1970. Toxic effects of hydrogen sulfide to juvenile fish and fish eggs. Proc. 25th Ind. Waste Conf. May 5-7, 1970, Eng. Ext. Ser. Purdue Univ. No. 137.
- Smith, L. L., Jr., and D. M. Oseid. 1971. Toxic effects of hydrogen sulfide to juvenile fish and eggs. Proc. 25th Purdue Indust. Waste Conf., Eng. Ext. Ser. 137:739-744.
- Smith, L. L., Jr., and D. M. Oseid. 1972. Effect of hydrogen sulfide on fish eggs and fry. Water Res. 6:711-720.
- Smith, L. L., and D. Oseid. 1973. Effect of hydrogen sulfide on development and survival of eight freshwater fish species, p. 53. In: Rep. of the Intl. Symp. on the early life history of fish. FAO Fish. Rep. No. 141, 58 pp.
- Smith, L. L., Jr., and D. M. Oseid. 1974. Effect of hydrogen sulfide on development and survival of eight freshwater fish species. Pages 417-430 [in] J. H. S. Blaxter, editor. The early life history of fish, Springer-Verlag, New York, NY.
- Smith, L. L., Jr., and W. M. Koenst. 1975. Temperature effects on eggs and fry of percoid fishes. EPA Ecol. Research Ser. 660/3-75-017, Corvallis, OR.
- Smith, L. L., Jr., D. M. Oseid, G. L. Kimball, and S. E. El-Kandelgy. 1976. Toxicity of hydrogen sulfide to various life history stages of bluegill (*Lepomis macrochirus*). Transactions of the American Fisheries Society 105(3):442-449.
- Smith, L. L., Jr., et al. 1976. Acute and chronic toxicity of hydrogen sulfide to the fathead minnow, [*Pimephales promelas*]. Env. Sci. Tech. 10:565.
- Smith, O. R. 1935. The breeding habits of the stone roller minnow (*Campostoma anomalum*) Rafinesque. Transactions of the American Fisheries Society 65:148-151.
- Smith, P. E., R. C. Counts, and R. I. Clutter. 1968. Changes in filtering efficiency of plankton nets due to clogging under tow. J. Cons. perm. int. Explor. Mer 32(2):232-248.
- Smith, P. E. 1972. Field comparison of aluminum model of MARMAP bongo w/505 mm nylon mesh and Cal. COFI ring net w/505 mm nylon mesh in 200 meter oblique tows at less than 2 Knots. NMFS Southwest Fish. Center.
- Smith, P. E. 1973. The mortality and dispersal of sardine eggs and larvae. Pages 282-292 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 164, 372 pp.
- Smith, P. E. 1975. Pacific hake larval distribution and abundance, 1951 to 1975. U.S. Natl. Mar. Fish. Serv. Southwest Fish. Ctr., Adm. Rep.
- Smith, P. E., and S. L. Richardson. Editors. 1977. Standard techniques for pelagic fish egg and larva survey s. FAO Fish. Tech. Pap. No. 175. 100 pp.
- Smith, P. E., and R. Lasker. 1978. Position of larval fish in an ecosystem. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 1973:77-84.

- Smith, P. E., and S. L. Richardson. 1979. Selected bibliography on pelagic fish egg and larvae surveys. FAO Fish Circ. No. 706, 97 pp.
- Smith, P. E. 1981. Fisheries on coastal pelagic schooling fish. Pages 2-31 [in] R. Lasker, editor. Marine fish larvae. Morphology, ecology and relation to fisheries. Washington Sea Grant Program, Univ. of Washington Press, Seattle.
- Smith, P. E. 1981. Time series of anchovy larva and juvenile abundance. Rapp. P.-v. Reun. cons. int. Explor. Mer 178:201.
- Smith, P. E., L. E. Eber, and J. R. Zweifel. 1981. Large-scale environmental events associated with changes in the mortality rate of the larval northern anchovy. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:200.
- Smith, P. E., and H. G. Moser. 1982. Recurrent groups of larval fish species in the California Current area. California Coop. Oceanic Fish. Invest. Rep. XXIV:152-164.
- Smith, P. E., and R. P. Hewitt. 1984. Anchovy egg dispersal and mortality as inferred from close-interval observations. California Coop. Oceanic Fish. Invest. Rep. 26:97-110.
- Smith, P. E. 1985. Year class strength and survival of 0-group clupeoids. Canadian Journal of Fisheries and Aquatic Sciences 42(1):69-82.
- Smith, P. E. 1995. Development of the population biology of the Pacific hake, [*Merluccius productus*]. California Cooperative Oceanic Fisheries Investigations Reports 36:144-152.
- Smith, P. E. 2000. Pelagic fish early life history: CalCOFI overview. Pages 8-23 [in] Fisheries oceanography - An integrative approach to fisheries ecology and management. P. J. Harrison and T. R. Parsons, editors. Blackwell Science, Oxnard, England.
- Smith, P. J., and J. Crossland. 1978. Identification of larvae of snapper, [*Chrysophrys*] [*auratus*] Forster, by electrophoretic separation of tissue enzymes. New Zealand J. Mar. Freshwat. Res. 11(4):795-798.
- Smith, R. E., D. P. DeSylva, and R. A. Livellara. 1964. Modification and operation of the Gulf I-A high-speed plankton sampler. Ches. Sci. 5:72-76.
- Smith, R. E., and R. J. Kernehan. 1981. Predation by the free-living copepod, [*Cyclops*] [*bicuspidatus thomasi*], on larvae of the striped bass and white perch. Estuaries 4:81-83.
- Smith, R. L., and J. A. Cameron. 1979. Effects of water soluble fraction of Prudhoe Bay crude oil on embryonic development of Pacific herring. Transactions of the American Fisheries Society 108(1):70-75.
- Smith, R. M., and C. F. Cole. 1958. Yolk utilization in fishes. Pages 33-53 [in] D. Rudnick, editor. Embryonic nutrition. Univ. Chicago Press.
- Smith, R. M. 1972. The effect of gametic concentration of DDT and dieldrin on reproduction in winter flounder. Ph.D. Diss., Univ. MA, Amherst, MA. 67 pp.
- Smith, R. M. 1973. Pesticide residues as a possible factor in larval winter flounder mortality. Pages 173-180 [in] A. L. Pacheco, editor. Proc. Workshop on egg, larval and juvenile stages of fish in Atl. Coast est. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, NJ, 338 pp.
- Smith, R. M., and C. F. Cole. 1973. Effects of egg concentration of DDT and dieldrin on development in winter flounder, [*Pseudopleuronectes*] [*americanus*]. Journal of the Fisheries Research Board of Canada 30(12):1894-1898.
- Smith, R. T. 1940. Temperature controlled variations in the rate of development of [*Psettichthys melanostictus*], a Pacific flounder. Proc. 6th Pac. Sci. Cong. 3:431-434.

- Smith, R. W., and F. C. Daiber. 1977. Biology of the summer flounder, [*Paralichthys*] [*dentatus*], in Delaware Bay. NOAA-NMFS Fish. Bull. 75(4):823-830.
- Smith, S. 1947. Studies in the development of the rainbow trout (*[Salmo irideus]*). I. The heat production and nitrogenous excretion. J. Exp. Biol. 23:357-373.
- Smith, S. 1952. Studies in the development of the rainbow trout, [*Salmo irideus*]. II. The metabolism of carbohydrates and fats. J. Exp. Biol. 29:650-666.
- Smith, S. 1957. Early development and hatching. Pages 323-359 [in] M. E. Brown, editor. The Physiology of Fishes, Vol. 1. Academic Press, New York.
- Smith, S. G., W. D. Muir, J. G. Williams, and J. R. Skalski. 2002. Factors associated with travel time and survival of migrant yearling chinook salmon and steelhead in the lower Snake River. North American Journal of Fisheries Management 22(2):385-405.
- Smith, S. H. 1956. Life history of lake herring of Green Bay, Lake Michigan. Fish. Bull. U.S. 57:87-138.
- Smith, S. H. 1956. Life history of lake herring of Green Bay, Lake Michigan. U.S. Fish. Wildl. Serv. Fish. Bull. 57:87-138.
- Smith, T., and L. J. Buckley. Submitted. RNA:DNA ratio in scales of juvenile cod (*[Gadus morhua]*) provides a non-lethal measure of feeding condition. Fish. Bull.
- Smith, W. E. 1975. Breeding and culture of two sunfish, [*Lepomis*] [*cyaneus*] and [*L. megalotis*] in the laboratory. Progressive Fish-Culturist 37(4):227-229.
- Smith, W. E. 1976. Larval feeding and rapid maturation of bluegills in the laboratory. Progressive Fish-Culturist 38(2):95-97.
- Smith, W. G., and M. P. Fahay. 1970. Description of eggs and larvae of the summer flounder, [*Paralichthys dentatus*]. Resourc. Publs. U.S. Bur. Sport Fish. Wildl., No. 75, 21 pp.
- Smith, W. G. 1973. The distribution of summer flounder, [*Paralichthys*] [*dentatus*], eggs and larvae of the continental shelf between Cape Cod Lookout, 1965-1966. Fish. Bull. NOAA (U.S.) 71(2):527-548.
- Smith, W. G. 1973. Distribution and range of winter flounder, p. 254. In: Pacheco, A. L. (ed.), Proc. Workshop on egg, larval and juvenile stages of fish in Atl. Coast est. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands N.J., 338 pp.
- Smith, W. G. 1973. Range and distribution of summer flounder, p. 235. In: Pacheco, W. L. (ed.), Proc. workshop on egg, larval and juvenile stages of fish in Atl. Coast est. Tech. Publ. No. 1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands NJ. 338 pp.
- Smith, W. G., J. D. Sibunka and A. Wells. 1975. Seasonal distributions of larval flatfishes (*Pleuronectiformes*) on the continental shelf between Cape Cod, Massachusetts, and Cape Lookout, North Carolina, 1965-66. NOAA Tech. Rep. NMFS SSRF 691. 68 pp.
- Smith, W. G., and A. Wells. 1977. Biological and fisheries data (development) on striped bass, [*Morone saxatilis*] (Walbaum). Sandy Hook Lab., NMFS NE Fish. Ctr. Tech. Ser. Rep. No. 4. 42 pp.
- Smith, W. G., J. D. Sibunka, and A. Wells. 1978. Diel movements of larval yellowtail flounder, [*Limanda ferruginea*], determined from discrete depth sampling. U.S. NMFS Fish. Bull. 76:167-178.
- Smith, W. G., L. Sullivan, and P. Berrien. 1978. Fluctuations in production of sand lance larvae in coastal waters off the northeastern United States, 1974-77. ICES CM 1978/L:30.

- Smith, W., et al. 1979. Annual changes in the distribution and abundance of Atlantic cod and haddock larvae off the northeastern United States between 1973-74 and 1977-78. ICES CM 1979/G:47.
- Smith, W., A. Wells, and D. G. McMillan. 1979. The distribution and abundance of ichthyoplankton in the middle Atlantic Bight as determined from coastal surveys and site-specific studies 1965-76. NOAA-BLM Interag. Agreement AS550-IA7-35. Sandy Hook Lab. No. SHL 79-02. 263 pp.
- Smith, W. G. 1980. Synopsis of the life history and population dynamics of the striped bass, [*Morone saxatilis*] (Walb.). [In] M. Grosslein and T. Azarovitz, editors. Fish Distribution. MESA New York Bight Atlas, Monograph 15. New York State Sea Grant Inst.
- Smith, W. G. 1981. Fish egg/larval surveys in the northwest Atlantic. Highlight--NEFC (NOAA, NMFS) Newsletter, May-June 1981. 8 pp.
- Smith, W., D. G. McMillan, and A. Wells. 1981. The distribution and abundance of Atlantic herring larvae in the Gulf of Maine region as determined from MARMAP surveys, 1980-81. NAFO SCR Doc. 81/IX/115.
- Smith, W. G., D. McMillan, and A. Wells. 1981. Changes in northeastern ichthyoplankton populations may be weather-related. Coastal Oceanogr. and Climatology News 3:32-33.
- Smith, W., P. Berrien, D. G. McMillan, and A. Wells. 1981. The distribution, abundance and production of Atlantic cod and haddock larvae off northeastern United States in 1978-79 and 1979-80. ICES CM 1981/G:52.
- Smith, W. G. 1982. Sand lance abundance: Atlantic herring larvae disappear. Coast. Oceanogr. Climatol. News. 4(2):21.
- Smith, W. G. 1982. Surveys reveal Atlantic herring larvae missing from Georges Bank. Coast. Oceanogr. Climatol. News 5(1):7.
- Smith, W., W. Morse, A. Wells, and D. McMillan. 1983. Fish eggs and larvae, Ch. 7 [in] J. B. Pearce et al., editors. Northeast Monitoring Program 106-mile site Char. Update, NOAA Tech. Mem. NMFS-F/NEC-26.
- Smith, W. G., and W. W. Morse. 1993. Larval distribution patterns - early signals for the collapse recovery of Atlantic herring [*Clupea harengus*] in the Georges Bank Area. Fish. Bull., U.S. 91:338-347.
- Smith, W., and W. Morse. 1984. Monthly distribution patterns of larval haddock, [*Melanogrammus aeglefinus*], off northeastern United States 1977-82, with observations on transport in the Georges Bank region. ICES CM 1984/G:30.
- Smith, W., and W. Morse. 1984. Seasonal distributions, abundance, and diversity patterns of fish eggs and larvae in the mid-Atlantic Bight. NOAA, NMFS NEFC Sandy Hook Lab., MARMAP Contr. MED/NEFC 84-17.
- Smith, W. G., and W. W. Morse. 1985. Retention of larval haddock, [*Melanogrammus aeglefinus*], in the Georges Bank region, a gyre-influenced spawning area. Mar. Ecol. Prog. Series 24(1-2):1-13.
- Smith-Vaniz, W. F., and J. E. Randall. 1973. [*Blennechis filamentosus*] Val., the prejuvenile of [*Aspedontus taeniatus*] Quoy and Gaimard (Pisces: Blenniidae). Notulae Naturae 448:1-11.
- Smithberg, M. 1965. Contraction of the yolk sac in dechorionated fish embryos, [*Oryzias latipes*]. Anat. Rec. 151:500-501.

- Smitherman, R. O., and J. S. Ramsey. 1971. Observations on spawning and growth of four species of basses ([*Micropterus*]) in ponds. Proc. 25th Ann. Conf. S. E. Assoc. G & F Comms. 25:357-365.
- Smoker, W., and W. G. Pearcy. 1970. Growth and reproduction of the lanternfish, [*Stenobrachius leucopsarus*]. Journal of the Fisheries Research Board of Canada 27(7):1265-1275.
- Smoker, W. W. 1986. Variability of embryo development rate, fry growth, and disease susceptibility in hatchery stocks of chum salmon. Aquaculture 57(1/4):219-226.
- Smolyanov, I. I. 1957. Development of [*Stenodus leucichthys leucichthys*] Guld., [*Stenodus leucichthys nelma*] Pall., and [*Coregonus lavaretus nelmuschka*] Pravdin. Tr. Inst. Morph. Zhiv. Severcova 20:232-294.
- Smolyanov, I. I. 1961. The development of [*Brachymystax lenok*] (Pallas). Vopr. Ikhtiolog. 18: 136-148. In Russian.
- Smyly, W. J. P. 1952. Observations on the food of the fry of perch ([*Perca*] [*fluviatilis*] Linn.) in Windermere. Proc. Zool. Soc. London 122:407-416.
- Smyly, W. J. P. 1957. The life history of the bullhead or Miller's thumb ([*Cottus gobio*] L.). Proc. Zool. Soc. Lond. 128(3):431-492.
- Snelson, F. F., Jr., and R. E. Jenkins. 1973. [*Notropis perpallidus*], a cyprinid fish from south-central United States: description, distribution and life history aspects. Southwest. Nat. 18(3):291-304.
- Snoek, E. F. 1970. A multi-variable study of the interaction of light, temperature, and acridine orange on the embryos and larvae of the zebra fish, [*Brachydanio rerio*]. Hamilton-Buchanan Ph.D. Diss., NY Univ., 259 pp.
- Snow, H., A. Ensign, and J. Klingbiel. 1960. The bluegill, its life history, ecology, and management. Wisconsin Cons. Dept. Publ. No. 730. 16 pp.
- Snow, J. R. 1971. Culture of the largemouth bass. Pages 86-102 [in] J. L. Gaudet, editor. Rep. of 1970 workshop on fish feed technology and nutrition. Resourc. Publs U.S. Bur. Sport Fish. Wildl., No. 102.
- Snow, J. R. 1973. Controlled culture of largemouth bass fry. Proc. 26th. Ann. Conf. S. E. Assoc. G & F Comms. 26:392-398.
- Snyder, D. E. 1970. Preliminary key to larval centrarchids of the Conowingo Reservoir. Lower Susquehanna River. Conowingo and Muddy Run Fish Studies, Ichthyol. Assoc., Inc., Holtwood, Pennsylvania
- Snyder, D. E. 1971. Studies of larval fishes in Muddy Run pumped storage reservoir near Holtwood, Pennsylvania. M.S. Thesis, Cornell Univ., Ithaca, NY, 351 pp.
- Snyder, D. E. 1975. Passage of fish eggs through a pumped storage generating station. Journal of the Fisheries Research Board of Canada 32(8):1259-1266.
- Snyder, D. E. (chairman). 1976. Identification tools: what's available and what could be developed (report of working group no. 2). Pages 88-96 [in] J. Boreman, editor. Great Lakes fish egg and larvae identification; proceedings of a workshop. U.S. Fish and Wildlife Service, FWS/OBS-76/23. 220 pp.
- Snyder, D. E. 1976. Terminologies for intervals of larval fish development. Pages 41-60 [in] J. Boreman, editor. Great Lakes fish egg and larvae identification; proceedings of a workshop. U.S. Fish and Wildlife Service, FWS/OBS-76/23. 220 pp.

Snyder, D. E., M. B. M. Snyder, and S. C. Douglas. 1977. Identification of golden shiner, [*Notemigonus crysoleucas*], spotfin shiner, [*Notropis spilopterus*], and fathead minnow, [*Pimephales promelas*], larvae. *Journal of the Fisheries Research Board of Canada* 34(9):1397-1409.

Snyder, D. E., and S. C. Douglas. 1978. Description and identification of mooneye, [*Hiodon tergisus*], protolarvae. *Transactions of the American Fisheries Society* 107(4):590-594.

Snyder, D. E. 1979. Myomere and vertebra counts of North American cyprinids and catostomids. Pages 53-69 [in] R. D. Hoyt, editor. *Proceedings of the third symposium on larval fishes*. Western Kentucky University, Department of Biology, Bowling Green, Kentucky.

Snyder, D. E. 1979. Burbot - larval evidence for more than one North American species. Pages 204-220 [in] R. D. Hoyt, editor. *Proceedings of the third symposium on larval fishes*. Western Kentucky University, Department of Biology, Bowling Green, Kentucky.

Snyder, D. E. 1980. Characteristics for distinguishing the protolarvae of the paddlefish and sturgeon. *American Fisheries Society Early Life History Section Newsletter* 1(2):9-10.

Snyder, D. E. 1980. Standardized format, counts, measures, and illustrations for a series of larval fish identification circulars (abstract). Page 168 [in] L. A. Fuiman, editor. *Proceedings of the fourth annual larval fish conference*. U.S. Fish and Wildlife Service, FWS/OBS-80/43.

Snyder, D. E. 1981. Book review. *Fishes of the Delaware Estuaries: a guide to the early life histories* (Johnson C.S. Wang and Ronnie J. Kernehan. E. A. Communications, Division of Ecological Analysts, Inc., MD. 1979.) *Canadian Journal of Fisheries and Aquatic Sciences* 38:1011-1013.

Snyder, D. E. 1981. Contributions to a guide to the cypriniform fish larvae of the upper Colorado River system in Colorado. U.S. Bur. Land Mgmt., Biol. Sci. Ser. 3, Denver, CO.

Snyder, D. E. 1981. Drawings of *Noturus insignis* larvae. *American Fisheries Society Early Life History Section Newsletter* 2(3):11.

Snyder, D. E. 1983. Fish eggs and larvae. Pages 165-197 [in] L. Nielsen and D. Johnson, editors. *Fisheries techniques*. American Fisheries Society, Bethesda, Maryland.

Snyder, D. E. 1983. Identification of catostomid larvae in Pyramid Lake and the Truckee River, Nevada. *Transactions of the American Fisheries Society* 112:333-348.

Snyder, D. E. 1983. Program and abstracts, Seventh Annual Larval Fish Conference (16-19 January 1983). Larval Fish Laboratory and Department of Fishery and Wildlife Biology, Colorado State University, Fort Collins.

Snyder, D. E. 1984. Description and identification of shortnose and Atlantic sturgeon larvae, [*Acipenser brevirostrum*] and [*Acipenser oxyrinchus*]. Final report of Colorado State University Larval Fish Laboratory to E. I. du Pont de Nemours and Company, Aiken, South Carolina.

Snyder, D. E. 1984. Provisional key to the protolarvae and mesolarvae of [*Catostomus catostomus*], [*C. commersoni*], [*C. discobolus*], [*C. latipinnis*], [*C. platyrhynchus*], and [*Xyrauchen texanus*]. Final report of Colorado State University Larval Fish Laboratory to Colorado Division of Wildlife, Denver, Colorado, and Ecosystem Research Institute, Logan, Utah.

Snyder, D. E., special editor. 1984. The Seventh Larval Fish Conference. *Transactions of the American Fisheries Society* 113:151-259.

- Snyder, D. E., and G. J. Holt. 1984. Terminology workshop report. American Fisheries Society Early Life History Section Newsletter 5(2):14-15.
- Snyder, D. E. 1985. Larval fish ecology: a critical management concern (videotape). U.S. Fish and Wildlife Service Office of Information Transfer, Fort Collins, Colorado. (Produced by and available through Colorado State University Office of Instructional Services; version with Spanish narrative by Helena Molina Urena prepared and made available in 1989).
- Snyder, D. E., and S. Ochman. 1985. The larvae and juveniles of [*Cottus ricei*] and sympatric Cottidae. Pages 37-47 [in] A. W. Kendall, Jr., and J. B. Marliave, editors. Descriptions of early life history stages of selected fishes: from the Third International Symposium on the Early Life History of Fishes and Eighth Annual Larval Fish Conference, May 1984, University of British Columbia, Vancouver, Canada. Can. Tech. Rep. Fish. Aq. Sci. 1359.
- Snyder, D. E. 1988. Description and identification of shortnose and Atlantic sturgeon larvae. American Fisheries Society Symposium 5:7-30.
- Snyder, D. E., and R. T. Muth. 1988. Descriptions and identification of June, Utah, and mountain sucker larvae and early juveniles. Utah State Division of Wildlife Resources Publication 88-8, Salt Lake City.
- Snyder, D. E. 1990. Fish larvae--ecologically distinct organisms. Pages 20-23 [in] M. B. Bain, editor. Ecology and assessment of warmwater streams: workshop synopsis. U.S. Fish and Wildlife Service Biological Report 90(5).
- Snyder, D. E., and R. T. Muth. 1990. Descriptions and identification of razorback, flannelmouth, white, bluehead, mountain, and Utah sucker larvae and early juveniles. Colorado Division of Wildlife Technical Publication 38.
- Snyder, D. E. 1991. Dissolved-oxygen requirements for early life stages of South Platte River fishes. Final report of Colorado State University Larval Fish Laboratory to U. S. Environmental Protection Agency Region VIII, Denver, Colorado.
- Snyder, D. E. 1992. Impacts of electrofishing on fish. Final report of Colorado State University Larval Fish Laboratory to U.S. Department of the Interior Bureau of Reclamation, Salt Lake City, Utah, and Glen Canyon Environmental Studies Aquatic Coordination Team, Flagstaff, Arizona.
- Snyder, D. E. 1993. Effects of electrofishing on fish reproduction, gametes, and offspring. American Fisheries Society Early Life History Section Newsletter 14(3):27-29.
- Snyder, D. E. 1994. Effects of electrofishing on fish embryos, larvae, and early juveniles. American Fisheries Society Early Life History Section Newsletter 15(1):10-13.
- Snyder, D. E. 1994. Morphological development and identification of pallid, shovelnose and hybrid sturgeon larvae. Final report of Colorado State University Larval Fish Laboratory to U.S. Army Corps of Engineers, Omaha, Nebraska.
- Snyder, D. E. 1995. Morphological development and identification of pallid and shovelnose sturgeon larvae. The Sturgeon Quarterly 3(1):7-9.
- Snyder, D. E. 1996. Preserved larval and small-fish collections of the Upper Colorado River Basin: maintenance and cataloging of a valuable historical database. Final report of Colorado State University Larval Fish Laboratory to Recovery Implementation Program for the Endangered Fishes in the Upper Colorado River Basin, Denver, Colorado.
- Snyder, D. E. 1996. To the millenium and beyond: a commentary on early life history research. Stages, Newsletter of the American Fisheries Society Early Life History Section 16(3):17-19.

- Snyder, D. E. 1997. Effects of the fish anesthetic tricaine on larval and early juvenile razorback sucker, *Xyrauchen texanus*. Final report of the Colorado State University Larval Fish Laboratory to U.S. National Parks Service, Fort Collins, Colorado.
- Snyder, D. E., and S. M. Meisner. 1997. Effectiveness of light traps for capture and retention of larval and early juvenile [*Xyrauchen texanus*] and larval [*Ptychocheilus lucius*] and [*Gila elegans*]. Final report of the Colorado State University Larval Fish Laboratory to U.S. National Park Service, Fort Collins, Colorado.
- Snyder, D. E. 1998. Burbot-larval evidence for more than one North American species? Pages 21-33 in V. L. Paragamian and D. D. MacKinlay, editors. Biology and management of burbot, symposium proceedings. American Fisheries Society Physiology Section, Bethesda, Maryland.
- Snyder, D. E. 1998. Catostomid larvae and early juveniles of the Rio Grande basin in Colorado. Final report of the Colorado State University Larval Fish Laboratory to Colorado Division of Wildlife, Fort Collins, Colorado.
- Snyder, D. E. 1999. Pallid and shovelnose sturgeon larvae - morphological development and identification. Final report of the Colorado State University Larval Fish Laboratory to Pallid Sturgeon Recovery Team, U.S. Fish and Wildlife Service, Bismarck, North Dakota.
- Snyder, D. E. 2000. Burbot larvae may be evidence for more than one species in North America (extended abstract). Pages 27-29 in V. L. Paragamian and D. W. Willis, editors. Burbot biology, ecology, and management. Fisheries Management Section of the American Fisheries Society Publication 1.
- Snyder, D. E. 2000. Electrofishing and its harmful effects on fish. Final report of Colorado State University Larval Fish Laboratory to U.S. Department of Interior Bureau of Reclamation Upper Colorado Regional Office, Salt Lake City, Utah.
- Snyder, F. L. 1978. Ichthyoplankton studies in the Maumee and Sandusky River estuary of Lake Erie. Center for Lake Erie Area Res. (CLEAR) Tech. Rep. #92, The Ohio State Univ., Columbus, OH.
- Snyder, H. G. 1965. Some larval fishes of Mission Bay, San Diego, California. M.A. Thesis, San Diego State Univ. 64 pp.
- Sobotta, J. 1896. Die gastrulation von [*Amia calva*]. Anat. Ges. 10:108-111. In German.
- Soebiantoro, B. 1981. Replacement of brine shrimp nauplii with artificial diets for feeding striped bass larvae. Ph.D Diss., Auburn Univ., Auburn, AL.
- Sogard, S. M., D.E. Hoss, and J.J. Govoni. 1987. Density and depth distribution of larval Gulf mehnaden, [*Brevoortia patronus*], Atlantic croaker, [*Micropogonias undulates*], and spot, [*Leiostomus xanthurus*], in the northern Gulf of Mexico. Fish. Bull., U.S. 85:601-609.
- Sogard, S. M. 1991. Interpretation of otolith microstructure in juvenile winter flounder ([*Pseudopleuronectes americanus*])-ontogenetic development, daily increment validation, and somatic growth relationships. Canadian Journal of Fisheries and Aquatic Sciences 48:1862-1871.
- Sogard, S. M., K. W. Able and M. P. Fahay. 1992. Early life history of the tautog [*Tautoga onitis*] in the mid-Atlantic Bight. Fish. Bull., U.S. 90:529-539.
- Sogard, S. M., and B. L. Olla. 1993. Effects of light, thermoclines and predator presence on vertical distribution and behavioral interactions of juvenile walleye pollock, [*Theragra chalcogramma*] Pallas. Journal of Experimental Marine Biology and Ecology 167:179-195.



- Sogard, S. M., and B. L. Olla. 1994. The potential for intracohort cannibalism in age-0 walleye pollock, [*Theragra chalcogramma*], as determined under laboratory conditions. *Environmental Biology of Fishes* 39:183-190.
- Sogard, S. M., and B. L. Olla. 1996. Food deprivation affects vertical distribution and activity of a marine fish in a thermal gradient: potential energy-conserving mechanisms. *Marine Ecology-Progress Series* 133:43-55.
- Sogard, S. M., and B. L. Olla. 1996. Diel patterns of behavior in juvenile walleye pollock, [*Theragra chalcogramma*]. *Environmental Biology of Fishes* 47:379-386.
- Sogard, S.M., K. W. Able, S. M. Hagan. 2001. Long-term assessment of settlement and growth of juvenile winter flounder ([*Pseudopleuronectes americanus*]) in New Jersey estuaries. *Journal of Sea Research* 45(3-4):189-204.
- Soh, C. L., and T. J. Lam. 1973. Induced breeding and early development of the rabbitfish, [*Siganus oramin*] (Sch.). *Proc. Symp. Biol. Res. Natl. Dev.* 49-56.
- Soichi, M. 1978. Spawning behavior of the dolphin, [*Coryphaena*] [*hippurus*], in the aquarium and its eggs and larvae. *Jap. J. Ichthyol.* 290-294.
- Soin, S. C. 1960. Reproduction and development of [*Ophicephalus argus*] [*warpachowskii*] Berg. *Vop. Ikhtiol.* 15:127-137.
- Soin, S. C., and Z. A. Chernyayev. 1961. The development of the periblastic sinus in embryos of the Salmoniformes and some other teleosts. *Dokl. AN SSSR.* 137. No. 5.
- Soin, S. C. 1963. The reproduction and development of the "Baikal black grayling" ([*Thymallus arcticus baicalensis*]). *Zool. Zh.*, 42, No. 12.
- Soin, S. C. 1964. Reproduction and development of the White Sea dab, [*Limanda limanda*] L. *Vopr. Ikhtiol.* 4:495-511.
- Soin, S. C., and Yu.M. Unanyan. 1964. The singularity of structure and the adaptive significance of the secondary egg membrane of Osmeridae. *Dokl. (Proc.) Acad. Sci. USSR (Biol. Sci. Sec.)* 154:18-19.
- Soin, S. C. 1966. Development types of structures and phylogeny of vascular system of the vitelline sac in fish embryos, performing a respiratory function. *Zool. Zhur.* 45(9):1382-1397.
- Soin, S. C. 1968. Adaptational features in fish ontogeny. *Moskow Univ. Press. Israel Prog. for Scient. Transl.*, Jerusalem 1971. 72 pp.
- Soin, S. C. 1968. Some features in the development of the blenny, [*Zoarces viviparus*] (L.), in relation to viviparity. *Prob. Ichthyol.* 8:222-229.
- Soin, S. C. 1968. Adaptational features in fish ontogeny. *Israel Prog. Sci. Translations U.S. Dept. Comm.* 72 pp.
- Soin, S. C. 1970. Embryonic and larval development of the White Sea flounder ([*Pleuronectes flesus bogdanovi*] Sandeberg). *J. Ichthyol.* 10(4):503-514.
- Soin, S. C. 1971. Ecological and morphological peculiarities of the development of two forms of White Sea herring ([*Clupea harengus maris-albi*] Berg). Pages 42-45 [in] A. Saville, editor. *Symp. on biology of early stages and recruitment mechanisms of herring.* *Rapp. P.-v. Cons. perm. int. Explor.*
- Soin, S. C., and A. I. Sukhanova. 1972. Comparative morphological analysis of the development of the grass carp, the silver carp and the bighead (Cyprinidae). *J. Ichthyol.* 12(1): 61-71.

- Soin, S. C., A. A. Avni, and V. P. Dobrachev. 1973. Adaptive characteristics of the development of labyrinth fishes (Anabantidae). *J. Ichthyol.* 13:883-890.
- Soin, S. C. 1977. The significance of research on egg and larval development of marine fishes in relation to intensification of mariculture. *J. Ichthyol.* 17(2):245-252.
- Soin, S. C. 1978. Some features of the development of the carp, [*Cyprinus carpio*], under hatchery conditions. *J. Ichthyol.* 17(5):759-769.
- Soin, S. C. 1980. Types of development of salmoniform fishes and their taxonomic importance. *J. Ichthyol.* 20(1):49-56.
- Soin, S. C., A. O. Kasutyan, and N. I. Pashchenko. 1981. Ecological and morphological analysis of the development of the minnow, [*P. hoxinus phoxinus*] (Cyprinidae). *J. Ichthyol.* 21(4):90-105.
- Soin, S. C., O. P. Danil'chenko, and A. S. Khandal. 1984. Combined effect of salinity and triethyl stannic chloride on the development of the marine form of three spined stickleback, [*Gasterosteus aculeatus*] (Gasterostidae). *J. Ichthyol.* 24(4):26-34.
- Sojka, K. M., and R. S. Pollenz. 2001. Expression of aryl hydrocarbon receptor nuclear translocator (ARNT) isoforms in juvenile and adult rainbow trout tissues. *Marine Biotechnology* 3(5):416-427.
- Sokolovskaya, T. S., and A. S. Sokolovskiy. 1975. New data on expansion of the area of reproduction of ocean sunfishes (Pisces:Molidae) in the northwestern part of the Pacific Ocean. *J. Ichthyol.* 15(4):675-678.
- Sokolovskiy, A. S. 1972. Reproduction of the saury ([*Cololabis saira*] (Brevoort) in central and mixed waters of the north Pacific. *J. Ichthyol.* 12(4):716-720.
- Sokolovskiy, A. S. 1975. The larvae of eels of the family Nettastomidae (Pisces: Anguilliformes) from the waters of the Kuroshio. *J. Ichthyol.* 15:325-326.
- Solar, I. I., E. M. Donaldson, and G. A. Hunter. 1984. Induction of triploidy in rainbow trout ([*Salmo*] [*gairdneri*] Rich.) by heat shock, and investigation of early growth. *Aquaculture* 42(1):57-68.
- Solberg, A. N. 1938. The development of a bony fish. *Progressive Fish-Culturist* 40:1-19.
- Solberg, T., and S. Tilseth. 1984. Growth, energy consumption and prey density requirements in first feeding larvae of cod ([*Gadus*] [*morhua*] L.). Pages 145-166 [in] E. Dahl et al., editors. the propagation of cod, [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983. *Flodevigen Rapportser*.
- Soleim, P. A. 1940. Herring larvae from the spring herring area. *Rep. Norw. Fishery mar. Invest.* 6(4):38-55.
- Soleim, P. A. 1942. Arsakev til rike og fattige aranger av sild. Cau ses of rich and poor classes of herring. *DiskDir. Skr. (Ser. HavUnders)* 7(2):1-39.
- Solemdal, P. 1967. The effect of salinity on buoyancy, size and development of flounder eggs. *Sarsia* 29:431-442.
- Solemdal, P. 1970. Intraspecific variations in size, buoyancy, and growth of eggs and early larvae of Arcto-Norwegian cod, [*Gadus morhua*] L., due to parental and environmental effects. *ICES, Doc CM* 1970/F:28.
- Solemdal, P. 1971. Prespawning flounders transferred to different salinities and the effect on their eggs. *Vie et Milieu Troisieme Symp. Europ. de Mar. Biol.* 22:409-423.

- Solemdal, P. 1981. Enclosure studies: an overview. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:117-120.
- Solemdal, P., and S. Sunby. 1981. Vertical distribution of pelagic fish eggs in relation to species, spawning behavior and wind conditions. Counc. Mtg. Intl. Counc. Explor. Sea(G 77):1-27.
- Solemdal, P., and B. Ellertsen. 1984. Sampling fish larvae with large pumps; quantitative and qualitative comparisons with traditional gear. Pages 335-364 [in] E. Dahl et al., editors. The propagation of cod, [*Gadus morhua*] L., an international symposium, Arendal 14-17 June 1983. Flodevigen Rapportser.
- Solemdal, P., O. R. Bergh, N. Finn, H. J. Fyhn, O. Grahl-Nielsen, O. Homme, O. S. Kjesbu, E. Kjorsvik, I. Opstad, and A. B. Skiftesvik. 1992. The effects of maternal status of Arcto-Norwegian cod on egg quality and vitality of early larvae. II. Preliminary results of the experiment in 1992. International Council for the Exploration of the Sea Committee Meeting 1992/G, 79.
- Solemdal, P., O. S. Kjesbu, and M. Fonn. 1995. Egg mortality in recruit- and repeat-spawning cod - an experimental study. International Council for the Exploration of the Sea Committee Meeting 1995/G,35
- Solemdal, P. 1997. Maternal effects - a link between the past and the future. J. Sea Res. 37: 213-227.
- Soliman, A. K., K. Jauncey, and R. S. Roberto. 1986. The effect of dietary ascorbic acid supplement on hatchability, survival rate, and fry performance in [*Oreochromis mossambicus*] (Peters). Aquaculture 59(3/4):197-208.
- Soliman, A. K., K. Jauncy, and R. J. Roberts. 1986. the effect of varying forms of dietary ascorbic acid on the nutrition of juvenile tilapias, [*Oreochromis niloticus*]. Aquaculture 52(1):1-10.
- Solomon, D. J., and A. R. Child. 1978. Identification of juvenile natural hybrids between Atlantic salmon ([*Salmo salar*] L.) and trout ([*Salmo trutta*] L.). J. Fish. Biol. 12(5):499.
- Solomon, H. M. 1978. The teratogenic effects of the insecticides DDT, carbaryl, malathion and parathion on developing medaka eggs ([*Oryzias latipes*]). Diss. Abstr. Intl. 39(5):2176-B, 179 pp.
- Solomon, R. N. 1971. Breeding habits, development and life-history of [*Bleennius steindachneri*] Day from Waltair coast. Proc. Indian Acad. Sci. (B), 74(1):37-45.
- Solov'eva, I. A., M. Y. Timofeeva, and I. E. Sosinskaya. 1974. Transfer RNA in early embryogenesis of fish. Comm. 1. Content of tRNA in the unfertilized egg and developing embryo of the loach ([*Misgurnus fossilis*]). Sov. J. Dev. Biol. 4:315-320.
- Solov'eva, I. A., M. Y. Timofeeva, and I. E. Sosinskaya. 1974. Transfer of RNA in early fish embryology. Comm. 2. Synthesis of tRNA at early developmental stages of the loach ([*Misgurnus fossilis*]). Sov. J. Dev. Biol. 4:504-511.
- Solovov, V. P. 1970. Biology of the bream ([*Abramis brama*] L.) in the upper reaches of the Ob. J. Ichthyol. 10(5):596-602.
- Solow, A. R. 2002. Fisheries recruitment and the North Atlantic Oscillation. Fisheries Research 54(2):295-297.
- Somasundaram, B., P. E. King, and S. E. Shackley. 1984. Some morphological effects of zinc upon the yolk-sac larvae of [*Clupea harengus*] L. J. Fish. Biol. 25(3):333-344.

- Somasundaram, B., P. E. King, and S. E. Shackley. 1984. The effect of zinc on postfertilization development in eggs of [*Clupea harengus*] L. *Aquat. Toxicol.* 5:167-168.
- Somasundaram, B., P. E. King, and S. E. Shackley. 1984. The effect of zinc on the ultrastructure of the trunk muscle of the larva of [*Clupea harengus*] L. *Comp. Biochem. Physiol.* 79C(2):311-316.
- Somasundaram, B., P. E. King, and S. E. Shackley. 1984. The effects of zinc on the ultrastructure of the brain cells of the larvae of [*Clupea harengus*] L. *Aquat. Toxicol.* 5(4):323-330.
- Somasundaram, B. 1985. Effects of zinc on epidermal ultrastructure in the larva of [*Clupea harengus*]. *Mar. Biol.* 85(2):199-208.
- Somerton, D. A. 1990. Baitfish stock assessment using the egg production method: an application on the Hawaiian anchovy or nehu ([*Encrasicholina purpurea*]). Pages 152-158 [in] S. J. M. Blaber and J. W. Copeland, editors. *Tuna Baitfish in the Indo-Pacific Region: Proceedings of a workshop, Honiara, Solomon Islands, 11-13 December 1989*. Inkata Press PTY Ltd. Publ., Victoria, Australia.
- Somerton, D. A., and D. R. Kobayashi. 1992. Inverse method for mortality and growth estimation - a new method for larval fishes. *Fishery Bulletin* 90:368-375.
- Somkina, N. V. 1974. Physiological considerations affecting the time of release of juvenile sturgeon ([*Acipenser*] [*guldenstaedti*] Brandt). *J. Ichthyol.* 14(4):561-566.
- Sommani, P. 1969. Growth and development of sand sole postlarvae ([*Psettichthys melanostictus*]). M.S. Thesis, Univ. Washington, Seattle. 60 pp.
- Somova, S. G. 1940. The development of [*Caspialosa kessleri*] Gr. *Trudy vses. nauchno-issled Inst. morsk. ryb. Khoz. Okeanogr.* 14:1-2.
- Soni, D. D. 1959. Early development of the chondrocranium in 4.5 mm embryo of [*Garra lamta*] (Ham. & Buch.). *Proc. 46th Indian Sci. Congr. (Delhi) Pt. 3:404-405*.
- Soni, D. D. 1961. Cranial nerves in 4.5 mm embryo of [*Garra lamta*] (Ham. & Buch.). *Proc. 48th Indian Sci. Congr. (Roorkee) Pt. 3:391*.
- Sonina, M. A. 1971. The fecundity of the Arcto-Norwegian haddock ([*Melanogrammus aeglefinus*] Linne). *Intl. Coun. for Explor. of the Sea, C. M.* 1971/F:16, *Deep Sea Fish Comm. (North):1-10*. Transl. from French for *Fish. Res. Bd. Can. Transl. Ser., No. 1963, 1971*.
- Sonoda, T., and S. Imai. 1971. On the spawning and embryonic development of a marine goby, [*Zonogobius semidoliatus*] (Val.). *Mem. Fac. Fish. Kagoshima Univ.* 20(1):197-202.
- Soofiani, N. M., and A. D. Hawkins. 1982. Energetic costs at different levels of feeding in juvenile cod, [*Gadus morhua*] L. *J. Fish. Biol.* 21(5):577-592.
- Soofiani, N. M., and I. G. Priede. 1985. Aerobic metabolic scope and swimming performance in juvenile cod, [*Gadus morhua*] L. *J. Fish. Biol.* 26(2):127-138.
- Sopuck, R. D. 1978. Emigration of juvenile rainbow trout in Cayuga Inlet, New York. *New York Fish Game J.* 25(2):108-120.
- Sorensen, P. W. 1984. The use of olfaction by migrating elvers of the American eel, [*Anguilla rostrata*] (LeSueur). Ph.D Diss., Univ. Rhode Island, Kingston, RI.
- Sorensen, P. W. 1986. Origins of the freshwater attractant(s) of migrating elvers of the American eel, [*Anguilla rostrata*]. *Environmental Biology of Fishes* 17(3):185-200.

- Sorensen, P. W., and M. L. Bianchini. 1986. Environmental correlates of the freshwater migration of elvers of the American eel in a Rhode Island Brook. *Transactions of the American Fisheries Society* 115:258-268.
- Sorenson, L, K. Buss, and A. D. Bradford. 1966. The artificial propagation of esocid fishes in Pennsylvania. *Progressive Fish-Culturist* 28:133-141.
- Sorokin, J. I., and D. A. Panov. 1966. The use of C-14 for the quantitative study of the nutrition of fish larvae. *Int. Rev. Gesamten Hydrobiol.* 51:743-756.
- Sorokin, V. N. 1968. Biology of the young burbot, [*Lota lota*] L. *Probl. Ichthyol.* 8:469-473.
- Sorokin, V. P. 1958. O biologii razmnozheniia morskikh okunei *Sebastes marinus* L. i [*Sebastes mentella*] (Travin) v Barentsevom i Norvezhskom moriakh. Biology of reproduction of the redfishes in the Barents and Norwegian Seas. *Ikhtiolog. Kom. Akad. Nauk USSR, Trudy Sovesh.*, No. 8:158-170. *Transl. Fish. Res. Bd. Can.*, #308.
- Sorokin, Y. I., and D. A. Panov. 1965. Balance of consumption and expenditure of food by larvae of bream at different stages of development. *Doklady Akad. Nauk. SSSR.* 165:797-799.
- Sorokina, A. A., and V. N. Sorokin. 1972. Observations on the biology of the juvenile Selenga omul, [*Coregonus autumnalis migratorius*] (Georgi). *J. Ichthyol.* 12(4):644-651.
- Sosiak, A. J., R. G. Randall, and J. A. McKenzie. 1979. Feeding by hatchery-reared and wild Atlantic salmon (*Salmo salar*) parr in streams. *Journal of the Fisheries Research Board of Canada* 36(11):1408-1412.
- Soto, A. M., G. J. Holt, S. A. Holt, and J. R. Rooker. 1998. Food habits and dietary overlap of newly settled re drum (*Sciaenops ocellatus*) and atlantic croaker (*Micropogonias undulates*) from Texas seagrass meadows. *Gulf Research Reports* 10:41-55.
- Southward, A. J. 1962. The distribution of some plankton animals in the English Channel and approaches. II. Surveys with the Gulf III high-speed sampler, 1958-60. *J. Mar. Biol. Assoc. U. K.* 42:275-375.
- Southward, A. J. 1963. The distribution of some plankton animals in the English Channel and approaches. III. Theories about long-term biological changes, including fish. *J. Mar. Biol. Assoc. U. K.* 43:1-29.
- Southward, A. J. 1970. Improved methods of sampling postlarval young fish and macroplankton. *J. Mar. Biol. Assoc. U.K.* 50(3):689-712.
- Southward, A. J. 1974. Long term changes in abundance of eggs of the cornish pilchard, [*Sardina pilchardus*] Walb., off Plymouth. *J. Mar. Biol. Assoc. U. K.* 54:641.
- Southward, A. J., and B. M. Bory. 1980. Observations on the vertical distribution of eggs and larvae of mackerel and other teleosts in the Celtic Sea and on the sampling performance of different nets in relation to stock evaluation. *J. Mar. Biol. Assoc. U.K.* 60:295-312.
- Southward, A. J., and N. Demir. 1972. The abundance and distribution of eggs and larvae of some teleost fishes off Plymouth in 1969 and 1970. I. Methods and hydrography. *J. Mar. Biol. Assoc. U. K.* 52:787-796.
- Southward, A. J., and N. Demir. 1974. Seasonal changes in dimension and viability of the developing eggs of the Cornish pilchard (*Sardina* [*pilchardus*]) off Plymouth. Pages 53-68 [in] J. H. S. Blaxter, editor. *The early life history of fish.* Springer-Verlag, Berlin, 765 pp.

- Southward, A. J., and R. L. Barrett. 1983. Observations on the vertical distribution of zooplankton including post-larval teleosts, off Plymouth in the presence of a thermocline and a chlorophyll-dense layer. *J. Plank. Res.* 5:599-618.
- Southwell, T. 1885. The reproduction of the eel. *Naturalist*, Hull 10:217-222.
- Southwell, T. 1910. A descriptive note on the capture of a large saw-fish, [*Pristis cuspidatus*], containing intra-uterine embryos. *Spoli zeylan.* 6:137-139.
- Southwell, T., and B. Prashad. 1919. Notes from the Bengal Fisheries Laboratory. No. 6. Embryological and developmental studies of Indian fishes. *Rec. Indian Mus.* 18:215-240.
- Sowden, T. K., and G. Power. 1985. Prediction of rainbow trout embryo survival in relation to groundwater seepage and particle size of spawning substrates. *Transactions of the American Fisheries Society* 114:804-812.
- Spaas, J. T., and M. J. Heuts. 1958. Contribution to the comparative physiology and genetics of the European salmonidae. II. Physiology and genetics of developing embryos. *Hydrobiol.* 12:1-26.
- Spanovskaya, V. D., and V. A. Grygorash. 1977. Development and food of age-0 Eurasian perch (*[Perca] [fluviatilis]*) in reservoirs near Moscow, USSR. *Journal of the Fisheries Research Board of Canada* 34(10):1551-1558.
- Sparks, M. I. 1929. The spawning and development of mackerel on the outer coast of Nova Scotia. *Contr. Can. Biol. Fish* 4(28):443-452.
- Sparrow, R. A. M. 1968. A first report of chum salmon fry feeding in freshwater of British Columbia. *Journal of the Fisheries Research Board of Canada* 25(3):599-602.
- Sparta, A. 1925. Uova e larve di [*Fierasfer dentatus*] Cuv. *Mem. R. Com. Talassogr. Ital.* 122:7 pp.
- Sparta, A. 1927. Contributo alla conoscenza dell sviluppo postlarvale in [*Regalecus glesne*]. *Asc. R. Comm. Talassogr. Ital. Mem.* 135.
- Sparta, A. 1928. Stadi larvali di [*Uraleptus maraldi*] Risso. *Mem. R. Comit. Talassogr. Ital.* 141.
- Sparta, A. 1929. Contributo alla conoscenza di uova e larve negli Ofididi, [*Ophidium vassalli*] Risso ed [*O. barbatum*] L. *Mem. R. Com. Talassogr. Ital.* 149:11 pp.
- Sparta, A. 1929. Stadi post-larvali di [*Tetragonurus cuvieri*] Risso. *Mem. R. Com. Talassogr. Ital.* 168:8 pp.
- Sparta, A. 1930. Contributo alla conoscenza di uova e larve nei Labridi. 1. Uova e larve di [*Crenilabrus] [quinquemaculatus]* Risso. *Mem. R. Com. Talassogr. Ital.* 176:8 pp.
- Sparta, A. 1931. Trachypteridae e Regalecidae, pp. 266-279. In: *Faune e flora del Golfo di Napoli: Uovak larve, e stadi giovanili di Teleostei.* Stazione Zool. Napoli, Monogr. 38.
- Sparta, A. 1932. Contributo alla conoscenza dello sviluppo post-embryonale in [*Anthias sacer*] Bloch. *Mem. R. Comit. Talassogr. Ital.* 195.
- Sparta, A. 1933. Ordine: Allotriognathi, Famiglia Regalecidae. In: *Uova, larve e stadi giovanili di Teleostei, Fauna e Flora de Golfo di Napoli.* Monogr. 38(1):276-279.
- Sparta, A. 1933. Ordine: Allot riognathi, Famiglia 1: Trachipteridae. In: *Uova, larve e stadi giovanili di Teleostei, Fauna e Flora de Golfo di Napoli.* Monogr. 38(1):267-275.

- Sparta, A. 1934. Uova e larve di Gobiidae. 1. [*Gobius paganellus*] L. Asc. R. Comm. Talassogr. Ital. Mem. 211.
- Sparta, A. 1935. Contributo alla conoscenza dello sviluppo nei Percidi. Uova ovariche mature di [*Epinephelus guaza*] L. e stadi post-embrionali e larvali di [*Epinephelus alexandrinus*] Cuv. e Val. Mem. R. Comit. Talassogr. Ital. 224.
- Sparta, A. 1936. Contributo alla conoscenza di uova, stadi embrionali e post-embrionali in [*Macrorhamphosus scolopax*] L. R. Comit. Talassogr. Ital. Mem. 225. 14 pp. In Italian.
- Sparta, A. 1936. Uova e larve di Gobiidae. III. [*Gobius ferruginus*] Kolomb. Mem. R. Com. Talassogr. Ital. CCXXVIII:5 pp.
- Sparta, A. 1937. Contributo alla conoscenza dello sviluppo embrionale e post-embrionale nei Murenoidi. I. - [*Coecula imberbis*] (De la Roche). 2. - [*Ophichthys remicaudus*] (Kaup). Mem. R. Comit. Talassogr. Ital. 244.
- Sparta, A. 1938. Contributo alla conoscenza dello sviluppo embrionale e post-embrionale nei Murenoidi. 3. - [*Coecula coeca*] (L.). Mem. R. Comit. Talassogr. Ital. 248.
- Sparta, A. 1938. Contributo alla conoscenza dello sviluppo embrionale e post-embrionale nei Murenoidi. 4. - [*Ophisoma balearicum*] De la Roche. Mem. R. Comit. Talassogr. Ital. 252.
- Sparta, A. 1939. Contributo alla conoscenza dello sviluppo nei Percidi. Uova, stadi embrionali e post-embrionali di [*Polyprion cernium*] (Val.). R. Comit. Talassogr. Ital., mem. 259. 9 pp. In Italian.
- Sparta, A. 1939. Contributo alla conoscenza dello sviluppo embrionale e post-embrionale nei Murenoidi. 5. -Nuova specie di uovo di Murenoidi ([*Conger conger*]?). Mem. R. Comit. Talassogr. Ital. 264.
- Sparta, A. 1939. Contributo alla conoscenza dello sviluppo embrionale e post-embrionale nei Murenoidi. 6. - [*Ophisurus serpens*] L. Mem. R. Comit. Talassogr. Ital. 267.
- Sparta, A. 1939. Contributo alla conoscenza dello sviluppo embrionale e post-embrionale nei Murenoidi. 7. - [*Chlopsis bicolor*] (Raf.). Mem. R. Comit. Talassogr. Ital. 268.
- Sparta, A. 1940. Contributo alla conoscenza dello sviluppo embrionale e post-embrionale nei Murenoidi. 8. - [*Echelus myrus*] L. Mem. R. Comit. Talassogr. Ital. 273.
- Sparta, A. 1940. Contributo alla conoscenza dello sviluppo embrionale e post-embrionale nei Murenoidi. 9. - [Seconda nuova] specie di uova di Murenoidi. Mem. R. Comit. Talassogr. Ital. 279.
- Sparta, A. 1941. Contributo alla conoscenza dello sviluppo embrionale e post-embrionale negli Scorpenidi. Arch. Oceanogr. Limnol. 1:109-116.
- Sparta, A. 1942. Contributo alla conoscenza di uova, stadi embrionali e post-embrionali negli Scorpenidi. Arch. Oceanogr. Limnol. 1:203-210.
- Sparta, A. 1942. Uova, stadi embrionali, prelarve e larve di [*Nettastoma melanurum*] Raf. Arch. Oceanogr. Limnol. 2:151-158.
- Sparta, A. 1942. Uova e larve di [*Atherina rissoi*] C. V. ottenute da fecondazione artificiale, e stadi post-embrionale raccolti nel plancton. Arch. Oceanogr. Limnol. 2:161-168.
- Sparta, A. 1946. Contributo alla conoscenza dello sviluppo post-embrionale in [*Cubiceps gracilis*] Lowe. Boll. Pesca Piscic. Idrobiol. 22(1).

- Sparta, A. 1948. Uova ovariche, uova fecondate tenute in coltura, larva alla schiusa, stadi larvali e giovanili di [*Cristiceps argentatus*] Risso. Arch. Oceanogr. Liminol., Mem. 315, 5(1-3):79-84.
- Sparta, A. 1950. Uova e larve di Gobiidae. V. [*Gobius capito*] C. V. Boll. Pesca Piscic. Idrobiol. 5:99-104.
- Sparta, A. 1951. Rarissimi stadi larvali e giovanili di [*Myctophum*] [glaciale] (Reinhardt). Boll. Pesca Piscic. Idrobiol. 6(2):101-107.
- Sparta, A. 1952. Contributo alla conoscenza dello sviluppo larvale di [*Myctophum metopoclampum*] Cocco. Boll. Pesca Piscic. Idrobiol. 7(1):5-10.
- Sparta, A. 1953. Uova e larve di [*Tetrapturus belone*] Raf. ([*Aguglia*] [imperiale]). Boll. Pesca Piscic. Idrobiol. 8(1):58-62.
- Sparta, A. 1954. Des stades jeunes rares de teleosteens marins ([*Uraleptus maraldii*] Risso, [*Temnodon saltator*] C. V., [*Lophotes cepedianus*] Giorna). Rapp. P.-v. Reun. Comm. int. Explor. Sci. Mer Mediterr. Monaco 12:79-84.
- Sparta, A. 1956. Uova e larve di [*Exocoetus evolans*] L. ottenute da fecondazione artificiale. Boll. Pesca Piscic. Idrobiol. 10(1):28-32. In Italian.
- Sparta, A. 1956. Sottordine: Scleroparie. Famiglia 1: Scorpaenidae. In: Uova, larva e stadi giovanili de Teleostei. Fauna e Flora del Golfo de Napo li. Monogr. 38:599-626.
- Sparta, A. 1956. Sottordine: Pharyngognathi J. Muller, pp. 576-598. In: Uova, larva e stadi giovanili di Teleostei. Fauna Flora Golfo Napoli Monogr. 38.
- Sparta, A. 1961. Biologia E Pescad, [*Tetrapturus belone*] Raf., E sue forme post-larvaile. Bull. Pesca Piscic. Idrobiol. 15(1):20-24.
- Sparta, A. 1962. Egg, hatched larva and larva on the 4th day of life of [*Pomatomus saltatrix*] Gill. Boll. Pesca Piscicolt Idrobiol. 11(1):5-8.
- Speare, D. J., and G. J. Arsenault. 1997. Effects of intermittent hydrogen peroxide exposure on growth and columnaris disease prevention of juvenile rainbow trout ([*Oncorhynchus mykiss*]). Canadian Journal of Fisheries and Aquatic Sciences 54(11):2653-2658.
- Speare, E. P. 1965. Fecundity and egg survival of the central johnny darter in southern Michigan. Copeia:308-314.
- Specker, J. L., and N. H. Richman. 1984. Environmental salinity and the thyroidal response to thyrotropin in juvenile coho salmon ([*Oncorhynchus*] [*kisutch*]). J. Exp. Zool. 230:329-333.
- Spectorova, L. V., T. M. Aronovich, S. I. Doroshev, and V. P. Popova. 1974. Artificial rearing of the Black Sea turbot larvae ([*Scophthalmus maeoticus*]). Aquaculture 4:329-340.
- Spectorova, L. V., and S. I. Doroshev. 1976. Experiments on the artificial rearing of the Black Sea turbot, [*Scophthalmus maeoticus maeoticus*]. Aquaculture 9(3):275-286.
- Spehar, R. L. 1974. Cadmium and zinc toxicity to [*Jordanella floridae*] (Goode and Bean): effects on growth, reproduction, survival, and behavior. M. S. Thesis, Univ. Minnesota, Minneapolis, MN.
- Spehar, R. L., et al. 1978. Chronic effects of cadmium and zinc mixtures on flatfish, [*Jordanella floridae*]. Transactions of the American Fisheries Society 107:354.
- Spehar, R. L., G. D. Veith, D. L. Defoe, and B. V. Bergstedt. 1979. Toxicity and bioaccumulation of hexachlorocyclohexane hexa-chloronorborene and heptachloronorborene in



- larval and early juvenile fathead minnows, [*Pimephales promelas*]. Bull. Env. Contam. & Toxicol. 21(4-5) 576-583.
- Speranza, A. W., et al. 1977. The effect of sublethal concentrations of zinc on production in the zebrafish, [*Brachydanio rerio*] Ham. & Buch. Env. Poll. 12:217.
- Spies, R. B., D. W. Rice, Jr., and J. Felton. 1988. Effects of organic contaminants on reproduction on the starry flounder (*[Platichthys stellatus]*) in San Francisco Bay. I. Hepatic contamination and mixed-function oxidase (MFO) activity during the reproductive season. Mar. Biol. 98:181-189.
- Spies, R. B., D. W. Rice, Jr. 1988. Effects of organic contaminants on reproduction on the starry flounder (*[Platichthys stellatus]*) in San Francisco Bay. II. Reproductive success of fish captured in San Francisco Bay and spawned in the laboratory. Mar. Biol. 98:191-200.
- Spitz, L. M., and J. B. Burnett. 1968. The tyrosinase of [*Fundulus heteroclitus*] at different stages of embryonic development. J. Embryol. Exp. Morph. 19(1):1-8.
- Sponaugle, D. L., and J. P. Wourms. 1978. Scanning electron microscopy of secondary egg envelope morphogenesis in cyprinodont fishes. Am. Zool. 18(3):607.
- Sponaugle, D. L., and J. P. Wourms. 1979. Secondary egg envelope pre-patterning by follicle cells during fish oogenesis. Am. Zool. 19:946.
- Sponaugle, S., and R. K. Cowen. 1994. Larval durations and recruitment patterns of two Caribbean gobies (Gobiidae): contrasting early life histories in demersal spawners. Marine Biology 120:133-143.
- Sponaugle, S., and R. K. Cowen. 1996. Larval supply and patterns of recruitment for two Caribbean reef fishes, [*Stegastes partitus*] and [*Acanthurus bahianus*]. Marine and Freshwater Research 47:433-447.
- Sponaugle, S., and R. K. Cowen. 1996. Nearshore patterns of coral reef fish larval supply to Barbados, West Indies. Marine Ecology-Progress Series 133:13-28.
- Sponaugle, S., and R. K. Cowen. 1997. Early life history traits and recruitment patterns of Caribbean wrasses (Labridae). Ecol. Monogr. 67(2):177-202.
- Spoor, W. A. 1977. Oxygen requirements of embryos and larvae of the largemouth bass, [*Micropterus salmoides*] (Lacepede). J. Fish. Biol. 11(2):77-86.
- Spoor, W. A. 1984. Oxygen requirements of larvae of the smallmouth bass, [*Micropterus dolomieu*] Lac. J. Fish. Biol. 25(5):587-592.
- Spotila, J. R., and V. F. Paladino. 1979. Toxicity of arsenic to developing muskellunge fry (*[Esox masquinongy]*). Comp. Biochem. Physiol. C. Comp. Pharmacol. 62(1):67-69.
- Sprague, J. B. 1964. Avoidance of copper-zinc solutions by young salmon in the laboratory. J. Water Pollut. Control Fed., 36:990-1004.
- Sprague, J. B. 1964. Lethal concentration of copper and zinc for young Atlantic salmon. Journal of the Fisheries Research Board of Canada 21:17-26.
- Sprague, J., and A. Ramsey. 1965. Lethal levels of mixed copper-zinc solutions for juvenile salmon. Journal of the Fisheries Research Board of Canada 22:425-432.
- Sprenger, K. 1945. Biologische studien an den Brustflossen junger Bachforellen, [*Salmo fario*]. Rev. Suisse Zool. Geneve 52:421-504.
- Springate, J. R. C., N. R. Bromage, J. A. K. Elliott, and D. L. Hudson. 1984. The timing of ovulation and stripping and their effect on the rates of fertilization and survival to

- eyeing, hatching, and swim-up in the rainbow trout, [*Salmo gairdneri*]. *Aquaculture* 43(1/3):313-322.
- Springate, J. R. C., and N. R. Bromage. 1985. Effects of egg size on early growth and survival in rainbow trout ([*Salmo gairdneri*] Rich.). *Aquaculture* 47(2-3):163-172.
- Springer, S. 1939. The egg case of the Texas skate. *Copeia* 1939(4):237.
- Springer, S. 1948. Oviphagous embryos of the sand shark, [*Carcharias*] [*taurus*]. *Copeia* 1948(3):153-157.
- Springer, V. G., and A. J. McErlean. 1961. Spawning seasons and growth of the code goby, [*Gobiosoma robustum*] (Pisces:Gobiidae), in the Tampa Bay area. *Tulane Stud. Zool.* 9(2):77-98.
- Spurgeon, V. D. 1948. Possibilities of culturing the Nagendrum fish. *Indian Fmg.* 9(3):116.
- Spykerman, V. L. 1973. Food habits, growth, and distribution of larval walleye, [*Stizostedion vitreum vitreum*] (Mitchill), in Clear Lake, Iowa. M. S. Thesis, Iowa State Univ., Ames. 48 pp.
- Spykerman, V. L. 1974. Food habits, growth and distribution of larval walleye, [*Stizostedion vitreum vitreum*] (Mitchill), in Clear Lake, Iowa. *Proc. Iowa Acad. Sci.* 81:143-149.
- Squires, H. J. 1957. Cod eggs and herring larvae in late September as an indication of fall spawning in the Gulf of St. Lawrence. *Prog. Rep. Atlant. Coast Stns*, No. 67:31-33.
- Srinivasachar, H. R. 1956. Development of the skull in catfishes. Part I. Development of chondrocranium in [*Silonia*], [*Pagasius*] and [*Ailia*] (Schilbeidae). *Proc. Nat. Inst. Sci. India* 22B(6):335-356.
- Srinivasachar, H. R. 1957. Cranial osteology of catfishes. Part II. Development of chondrocranium in two members, [*Mystus*] and [*Rita*] of the family Bagridae. *Morph. Jahrb.* 98(2):244.
- Srinivasachar, H. R. 1957. Development of skull in catfishes. Part III. The development of chondrocranium in [*Heteropneustes*] [*fossilis*] (Bloch) (Heteropneustidae) and [*Clarias*] [*batrachus*] (L.) (Clariidae). *Proc. 46th Indian Sci. Congr. (Delhi) Pt. 3*:405.
- Srinivasachar, H. R. 1957. Development of the skull in catfishes. Part IV. The development of the chondrocranium in [*Arius jella*] Day (Ariidae) and [*Plotosus canius*] Ham. (Plotosidae) with an account of their inter-relationship *Morph. Jahrb.* 1957.
- Srinivasachar, H. R. 1958. Development of the skull in catfishes. Part V. Development of skull in [*Heteropneustes fossilis*] (Bloch). *Proc. Nat. Inst. Sci. India* 24B(4):165-190.
- Srinivasan, R. 1955. Pisciculture. *Madras Forest Coll. Mag.* 31(1):21-32.
- Srivastava, C. B. L., and M. D. L. Srivastava. 1970. Distribution of neuromasts at the 72-hour stage of [*Cirrhina mrigala*] Ham. *Buch. (Cyprinidae). J. Wiss. Zool.* 181(1-2):1-6.
- Srivastava, D. S., and C. B. Menon. 1961. Studies on the development of the chondrocranium in [*Tilapia mossambica*] (Peters). *Proc. 48th Indian Sci. Congr. (Roorkee) Pt. 3*:387.
- Srivastava, D. S., and K. S. Kulsbrestha. 1961. Development of the chondrocranium in [*Labeo rohita*] (Ham. & Buch.). *Proc. 48th Indian Sci. Congr. (Roorkee) Pt. 3*:386-387.

- Srivastava, R. K., and J. A. Brown. 1991. The biochemical characteristics and hatching performance of cultured and wild Atlantic salmon (*Salmo salar*) eggs. *Canadian Journal of Zoology* 69:2436-2441.
- St. Onge, J. M., and C. A. Price. 1975. Automatic sorting of ichthyoplankton: factors controlling plankton density in gradients of silica. *Mar. Biol.* 29:187-194.
- Stabeno, P. J., J. D. Schumacher, K. M. Bailey, R. D. Brodeur, and E. D. Cokelet. 1996. Observed patches of walleye pollock eggs and larvae in Shelikof Strait, Alaska: their characteristics, formation and persistence. *Fisheries Oceanography* 5:81-91.
- Stacey, N. E., et al. 1979. Spontaneous and gonadotropin-induced ovulation in the goldfish, [*Carassius auratus*] L.: effects of external factors. *J. Fish Biol.* 15:349-361.
- Stahl-Johnson, K. L. 1984. Rearing and development of larval [*Sebastes caurinus*] (Copper rockfish) and [*S. auriculatus*] (Brown rockfish) from the northern Pacific. M.S. Thesis, Univ. Washington, Seattle. 218 pp.
- Stahl-Johnson, K. L. 1985. Descriptive characteristics of reared [*Sebastes*] [*caurinus*] and [*S. auriculatus*] larvae. Pages 65-76 [in] A. W. Kendall, Jr., and J. B. Marliave, editors. Description of early life history stages of selected fishes: from the 3rd international symposium on the early life history of fishes and 8th annual larval fish conference. *Can. Tech. Rep. Fish. Aquatic Sci.* 1359. 82 pp.
- Staiger, J. C. 1965. Atlantic flying fishes of the genus [*Cypselurus*], with descriptions of the juveniles. *Bull. Mar. Sci.* 15:672-725.
- Stalnaker, C. B., and R. E. Gresswell. 1974. Early life history and feeding of young mountain whitefish. *Environ. Protect. Agency, Ecol. Res. Ser.* EPA-660/3-73-019.
- Stanley, J. G., and K. E. Sneed. 1973. Artificial gynogenesis and its application in genetic and selective breeding of fishes, p. 54. In: *Rep. of Intl. Symp. on early life history of fish*. FAO Fish. Rep., No. 141, 58 pp.
- Stanley, J. G. 1976. Reproduction of the grass carp (*Ctenopharyngodon* [*idella*]) outside its native range. *Fisheries* 1:7-10.
- Stanley, J. G., and J. B. Jones. 1976. Incubators for semibuoyant eggs. *Progressive Fish-Culturist* 38(2):98.
- Stanley, J. G. 1981. Manipulation of developmental events to produce monosex sterile fish. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:485-491.
- Stanley, R. D. 1977. The effect of egg size and viability of newly hatched medaka, [*Oryzias latipes*], and surf smelt, [*Hyposesus pretiosus pretiosus*]. M.S. Thesis, Univ. British Columbia, Vancouver.
- Staples, D. J., D. J. Vance, and D. S. Heales. 1985. Habitat requirements of juvenile penaeid prawns and their relationship to offshore fisheries. Pages 47-54 [in] P. C. Rothlisberg, B. J. Hill, and D. J. Staples, editors. *Second Australian National Prawn Seminar*. NPS2, Cleveland, Australia. 368 p.
- Starck, W. A. 1964. A contribution to the biology of the gray snapper, [*Lutjanus griseus*] (L.), in the vicinity of Lower Matecumbe Key, Florida. M.S. Thesis, Univ. Miami, Miami, FL. 258 pp.
- Starck, W. A. 1970. Biology of the gray snapper, [*Lutjanus griseus*] (L.) in the Florida Keys. *Stud. Trop. Oceanogr.* 10:1-150.
- Starmach, J. 1966. Über Fortpflanzung und Entwicklung der Bartgrundel (*Nemachilus barbatulus*) L.) während der Embryonal- und Larvalperiode. *Acta Hydrobiologica* 8(2):111-122.

- Starnes, W. C. 1977. The ecology and life history of the endangered snail darter, [*Percina (Imostoma) tanasi*] Etnier. Tennessee Wildl. Resourc. Ag. Fish. Res. Rep. 77-52. 143 pp.
- Stasiak, R. H. 1978. Reproduction, age, and growth of the finescale dace, [*Chrosomus neogaeus*], in Minnesota. Transactions of the American Fisheries Society 107(5):720-723.
- Stauffer, G. D. 1982. Calibration of northern anchovy spawning biomass estimates derived by egg production and larval census methods. California Coop. Oceanic Fish. Invest. Rep. XXIV:11-15.
- Stauffer, T. M., and M. J. Hansen. 1958. Distribution of sea lamprey ammocoetes in Michigan tributaries of Lake Superior. Michigan Dept. Cons., Inst. Fish. Res., Misc. Publ. No. 11.
- Stauffer, T. M. 1962. Duration of larval life of sea lampreys in Carp Lake River, Michigan. Transactions of the American Fisheries Society 90(4):422-424.
- Stauffer, T. M. 1971. Salmon eggs as food for stream salmonids and sculpins. Mich. Dept. Nat. Resourc., Res. Devel. Rep. 233.
- Stauffer, T. M. 1972. Age, growth, and downstream migration of juvenile rainbow trout in a Lake Michigan tributary. Transactions of the American Fisheries Society 101:18-28.
- Stauffer, T. M. 1975. Population characteristics and summer-to-autumn survival of juvenile rainbow trout and coho salmon in two Lake Superior tributaries, 1969-1972. Mich. Dept. Nat. Res. Fish. Rep. 1825.
- Stauffer, T. M. 1977. Effects of DDT and PCB's on survival of lake trout eggs and fry in a hatchery and Lake Michigan, 1973-1976. Michigan Dept. Nat. Resourc. Fish. Res. Rep. No. 1854. 29 pp.
- Stauffer, T. M. 1977. Numbers of juvenile salmonids produced in five Lake Superior tributaries and the effect of juvenile coho salmon on their numbers and growth 1967-1974. Michigan Dept. Nat. Resourc., Fish. Res. Rep. 1846, Lansing, MI.
- Stauffer, T. M. 1978. Developing methods of capture and assessing early survival of young lake trout in Lakes Superior and Michigan. Pages 243-249 [in] Dingall-Johnson Ann. Prog. Rep. F-35-R-4. Michigan Dept. Nat. Res. Fish. Dev., Lansing, MI.
- Stauffer, T. M. 1979. Effects of DDT and PCB's on survival of lake trout eggs and fry in a hatchery and Lake Michigan, 1973-76. Transactions of the American Fisheries Society 108(2):178-186.
- Stauffer, T. M. 1979. Two-year cycles of abundance of age-0 rainbow trout in Lake Superior tributaries. Transactions of the American Fisheries Society 108(6):542-547.
- Stauffer, T. M., and W. C. Wagner. 1979. Fish predation on lake trout eggs and fry in the Great Lakes, 1973-78. Fish. Res. Rep. #1864, Michigan Dept. Nat. Res. Fish. Div., Lansing, MI.
- Steedman, H. F. Editor. 1976. Zooplankton fixation and preservation. The UNESCO Press, Paris, 350 pp.
- Steedman, H. F. 1976. General and applied data on formalde hyde fixation and preservation of marine zooplankton. Pages 103-154 [in] H. F. Steedman, editor. Zooplankton fixation and preservation. UNESCO Press, Paris, France.
- Steele, D. H. 1963. Pollock, [*Pollachius virens*] (L.), in the Bay of Fundy. Journal of the Fisheries Research Board of Canada 20(5):1267-1314.

- Steele, M. A. 1997. The relative importance of processes affecting recruitment of two temperate reef fishes. *Ecology* 78:129-145.
- Steen, R.P., and T.P. Quinn. 1999. Egg burial depth by sockeye salmon (*Oncorhynchus nerka*): implications for survival of embryos and natural selection on female body size. *Canadian Journal of Zoology* 77(5):836-841.
- Stefansson, V. 1963. The AEGir redfish larvae expeditions to the Irsninger Sea in May 1961. *Rit.*
- Steffe, A. S. 1990. Epibenthic schooling by larvae of the atherinid fish [*Leptatherina presbyteroides*] - an effective mechanism for position maintenance. *Japanese Journal of Ichthyology* 36:488-491.
- Steffensen, E. 1980. Daily growth increments observed in otoliths from juvenile east Baltic cod. *Dana* 1:29-37.
- Stehe, C. 1983. Changes in the surface epithelium of the developing olfactory organ in the sand sole, [*Psettichthys*] [*melanostictus*], and the rex sole, [*Glyptocephalus*] [*zacherus*]. *Scann. Elect. Micr.* IV:1947-1954.
- Stehlik, L., and C. Meise. 2000. Diet of winter flounder in a New Jersey estuary: ontogenetic and spatial variation, and prey selection. *Estuaries* 23:381-391.
- Stehr, C. M. 1979. The development of the hexagonal surface structure of the C-O sole (*Pleuronichthys coenosus*). *Am. Zool.* 19:976.
- Stehr, C. M., and J. W. Hawkes. 1979. The comparative ultrastructure of the egg membrane and associated pore structures in the starry flounder, [*Platichthys stellatus*] (Pallas), and pink salmon, [*Oncorhynchus gorbuscha*] (Walbaum). *Cell and Tissue Res.* 202:347-356.
- Steimle, F. W., C. A. Zetlin, P. L. Berrien, D. L. Johnson, and S. Chang. 1999a. Essential fish habitat source document: scup, [*Stenotomus chrysops*], life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-149.
- Steimle, F. W., C. A. Zetlin, P. L. Berrien, and S. Chang. 1999b. Essential fish habitat source document: black sea bass, [*Centropristis striata*], life history and habitat characteristics. NOAA Technical Memorandum NMFS-NE-143.
- Stein, D. L. 1980. Aspects of reproduction of liparid fishes from the continental slope and abyssal plain off Oregon, with notes on growth. *Copeia* 1980:687-699.
- Stein, D. L. 1980. Description and occurrence of macrourid larvae and juveniles in the northeast Pacific Ocean off Oregon, U.S. A. *Deep Sea Res.* 27A:889-900.
- Stein, D. L. 1982. Aspects of reproduction, early life history, and biology of macrourid fishes off Oregon, U.S.A. *Deep-Sea Res.* 29:1313-1329.
- Stein, R. 1972. Identification of some larval Pacific cottids. M.S. Thesis, Humboldt State Coll., Arcata, CA.
- Stein, R. 1973. Description of laboratory-reared larvae of [*Oligocottus maculosus*] Girard (Pisces:Cottidae). *Copeia* 1973(2):373-377.
- Stein, R. A., J. D. Hall, and P. E. Reimers. 1972. Social interactions between juvenile coho, [*Oncorhynchus kisutch*], and fall chinook salmon, [O]. [*tshawytscha*], in Sixes River, Oregon. *Journal of the Fisheries Research Board of Canada* 29(12):1737-1748.
- Steiner, W. B., and B. L. Olla. 1985. Behavioral responses of prejuvenile red hake, [*Urophycis chuss*], to experimental thermoclines. *Environmental Biology of Fishes* 14(2/3):167-173.

- Steiner, W. W., J. S. Luczkovich, and B. L. Olla. 1982. Activity, shelter useage, growth and recruitment of juvenile red hake, [*Urophycis chuss*]. *Mar. Ecol. Prog. Ser.* 7:125-135.
- Steinfeld, J. D. 1972. Distribution of Pacific herring spawn in Yaquina Bay, Oregon. Observations on mortality through hatching. M. S. Thesis, Oregon State University, Corvallis. 75 pp.
- Steinhart, M., and R. Eckmann. 1992. Evaluating the nutritional condition of individual whitefish ([*Coregonus*] spp.) larvae by the RNA/DNA ratio. *Journal of Fish Biology* 40:791-799.
- Stelzer, R., H. Rosenthal, and D. Siebers. 1971. Einfluss von 2,4-dinitrophenol auf die Atmung und die Konzentration einiger Metabolite bei Embryonen des Herings, [*Clupea harengus*]. *Mar. Biol.* 11:369-378.
- Stene, A., and S. Lonning. 1984. Effects of 2-methylnaphthalene on eggs and larvae of 6 marine fish species. *Sarsia* 69(3-4):199-204.
- Stenger, J. 1956. Key to the eggs of the known species of fishes of Passamaquoddy Bay, New Brunswick. *Ontario Fld. Biol.*, No. 10:22-25.
- Stenton, J. E. 1951. Eastern brook trout eggs taken by long nose suckers in Banff National Park, Canada. *Copeia* 1951(2):171-172.
- Stephens, J. S., Jr., et al. 1985. Can we relate larval fish abundance to recruitment or population stability? A preliminary analysis of recruitment to a temperate rocky reef. *California Coop. Oceanic Fish. Invest. Rep.* XXVII:65-83.
- Stephenson, E. M., and I. C. Porter. 1967. Temperature and other environmental effects on ammocoete organs in culture. *J. Embryol. Exp. Morph.* 17:441-452.
- Stephenson, G. A., et al. 1978. Toxic and teratogenic effects of Aflatoxin B(1) in Japanese medaka eggs. *Virginia J. Sci.* 28:67.
- Stephenson, R. L., and M. J. Power. 1988. Semidiel vertical movements in Atlantic herring [*Clupea harengus*] larvae: a mechanism for larval retention? *Mar. Ecol. Prog. Ser.* 50:3-11.
- Stepien, C. A. 1986. Life history and larval development of the giant kelpfish, [*Heterostichus rostratus*] Girard, 1854. *Fish. Bull.* 84(4):809-826.
- Stepien, W. P. 1974. Feeding of laboratory-reared larvae of sea bream [*Archosargus rhomboidalis*] (L.): Sparidae. M.S. Thesis, Univ. Miami. 81 pp.
- Stepien, W. P. 1976. Feeding of laboratory reared larvae of the sea bream [*Archosargus rhomboidalis*] (Sparidae). *Mar. Biol.* 38:1-6.
- Steuert, B., and B. Ramcharrun. 1995. The fecundity of skipjack tuna ([*Katsuwonus pelamis*]) from the western Indian Ocean. *Aquatic Living Resources* 8:79-89.
- Sterba, G., C. Pfister, and W. Naumann. 1965. Start of neurosecretion and secretion of the subcommissural organ in lamprey embryos. *Z. Mikr. Anat. Forsch.* 74:33-38.
- Sterligova, O. P., and S. A. Povlovskiy. 1985. Consumption of whitefish, [*Coregonus lavaretus*], eggs by ruffe, [*Gymnocephalus cernua*], and invertebrates. *J. Ichthyol.* 25(1):166-169.
- Steucke, E. W. 1968. Optimum temperatures for hatching northern pike and walleye eggs. *Proc. North Central Warm-water Fish Culture workshop, Ames, Iowa*, 32-34.
- Stevens, D. E., and L. W. Miller. 1970. Distribution of sturgeon larvae in the Sacramento-San Joaquin River system. *California Fish and Game* 56(2):77-146.

Stevens, D. E., and B. J. Finlayson. 1978. Mortality of young striped bass entrained at two power plants in Sacramento-San Joaquin Delta, California. Pages 57-69 [in] L. D. Jensen, editor. Fourth Natl. workshop on entrainment and impingement. Ecol. Anal., Inc., Melville, NY, 424 pp.

Stevens, E. G., and H. G. Moser. 1981. Observations on the early life history of the mussel blenny, [*Hypsoblennius jenkinsi*], and the bay blenny, [*Hypsoblennius gentilis*], from specimens reared in the laboratory. California Coop. Oceanic Fish. Invest. Rep. XXIII:269-275.

Stevens, E. G., A. C. Matarese, and W. Watson. 1984. Ammodytoidei: development and relationships. Pages 574-575 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

Stevens, E. G., W. Watson, and A. C. Matarese. 1984. Notothenioidea: development and relationships. Pages 561-564 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.

Stevens, E. G., W. Watson and H. G. Moser. 1989. Development and distribution of larvae and pelagic juveniles of three kyphosid fishes ([*Girella nigricans*], [*Medialuna californiensis*], and [*Hermosilla azurea*]) off California and Baja California. Fish. Bull., U.S. 87:745-768.

Stevens, E. G., and H. G. Moser. 1996. Bregmacerotidae: codlets. Pages 477-481 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Stevens, E. G., and H. G. Moser. 1996. Synodontidae: lizardfishes. Pages 348-351 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Stevens, E. G., and H. G. Moser, 1996. Bregmacerotidae: codlets. Pages 477-481 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)

Stevens, R. 1965. A synopsis of reports from organizations rearing striped bass larvae. South Carolina Wildl. Resourc. Dept. 13 pp.

Stevens, R. E. 1967. Striped bass rearing. N. C. Coop. Spt. Fish. Unit. 14 pp.

Stevens, R. E. 1974. Culture and management of striped bass ([*Morone saxatilis*]). Proc. 28th Ann. Conf. S. E. Assoc. G & F Comms. 28:35.

Stevenson, J. C. 1947. Preliminary survey of larval herring on the west coast of Vancouver Island. Prog. Rep. Pacif. Cst. Stns., No. 73:65-67.

Stevenson, J. C. 1949. The extent of herring spawning in British Columbia in 1949. Prog. Rep. Pa c. Coast Sta. 80:57-59.

Stevenson, J. C. 1962. Distribution and survival of herring larvae ([*Clupea pallasii* V.) in British Columbia waters. Journal of the Fisheries Research Board of Canada 19(5):735-810.

- Stevenson, R. A., Jr. 1958. The biology of the anchovies, [*Anchoa mitchilli*] [*mitchilli*] Cuvier and Valenciennes 1848 and [*Anchoa*] [*hepsetus hepsetus*] Linnaeus 1758 in Delaware Bay. M.A. Thesis, Univ. Delaware, 56 pp.
- Stevenson, R. A., Jr. 1963. Life history and behavior of [*Dascyllus albisella*] (Gill), a pomacentrid reef fish. Ph.D. Diss., Univ. Hawaii, 232 pp.
- Steward, N. H. 1926. Development, growth, and food habits of the white sucker, [*Catostomus commersoni*] Le Sueur. U.S. Bur. Fish. Bull. 42:147-184.
- Stewart, D. J., and R. A. Stein. 1974. Short-term fate of dietary dieldrin in the digestive tract of juvenile lake trout, [*Salvelinus namaycush*]. Bull. Env. Contam. Toxicol. 11(6):563-566.
- Stewart, F. H. 1911. Notes on cyprinidae from Tibet and the Chumbi valley with a description of a new species of [*Gymnocypris*]. Rec. Indian Mus. 6(2):73-92.
- Stewart, K. W. 1961. Contributions to the biology of the spotted seatrout ([*Cynoscion nebulosus*]) in the Everglades National Park, Florida. M.S. Thesis, Univ. Miami. 103 pp.
- Stewart, N. E., D. L. Shumway, and P. Doudoroff. 1967. Influence of oxygen concentration on the growth of juvenile largemouth bass. Journal of the Fisheries Research Board of Canada 24:475-494.
- Stewart, N. H. 1926. Development, growth, and food habits of the white sucker ([*Catostomus commersoni*]). Fish. Bull. U.S. 42:147-184.
- Stiasmy, G. 1911. Uber einige postlarvale Entwicklungsstadien von [*Lophius piscatorius*] L. Arb. Zool. Inst. Univ. Wien 19:57-74.
- Stickney, A. P. 1972. The locomotor activity of juvenile herring ([*Clupea*] [*harengus*] L.) in response to changes in illumination. Ecology 53:438-445.
- Stickney, R. R., and D. B. White. 1973. Effects of salinity on the growth of [*Paralichthys*] [*lethostigma*] postlarvae reared under aquaculture conditions. Proc. 27th Ann. Conf. S. E. Assoc. G. & F. Comms. 27:532-540.
- Stickney, R. R., G. L. Taylor, and D. B. White. 1975. Food habits of five species of young southeast U.S. estuarine Sciaenidae. Ches. Sci. 16(2):104-114.
- Stira, R. J., and B. A. Smith. 1977. The distribution of early life stages of American shad ([*Alosa sapidissima*]) in the Hudson River estuary. Pages 179-189 [in] Proc. Workshop on American shad. U.S. Govt. Printing Off. B. 50 pp.
- Stirn, J. 1970. The distribution of the pelagic fish eggs and larvae in the north Adriatic during 1965. In: Journées d'études planctonologiques. Monaco, CIESMM 147-149.
- Stobo, W. T., and T. D. Iles. 1973. Larval herring distribution in the Bay of Fundy. Intl. Comm. Northwest Atl. Fish. Res. Doc. 73/93, Ser. 3051.
- Stobutzki, I. C., and D. R. Bellwood. 1994. An analysis of the sustained swimming abilities of pre-settlement and post-settlement coral reef fishes. Journal of Experimental Marine Biology and Ecology 175:275-286.
- Stockard, C. R. 1906. The development of [*Fundulus heteroclitus*] in solutions of lithium chloride with appendix on its development in fresh water. J. Exp. Zool. 3(1):99-120.
- Stockard, C. R. 1907. The influence of external factors, chemical and physical, on the development of [*Fundulus*] [*heteroclitus*]. J. Exp. Zool. 4(2):165-201.
- Stockard, C. R. 1907. The influence of external factors, chemical and physical, on the development of [*Fundulus*] [*heteroclitus*]. Science, Wash. 25(646):780-781.



- Stockard, C. R. 1909. The development of artificially produced cyclopean fish - "the magnesium embryo." *J. Exp. Zool.* 6(2):285-337.
- Stockard, C. R. 1921. Developmental rate and structural expression, and experimental study of twins, "Double monsters" and single deformities, and the interaction among embryonic organs during their origin and development. *Am. J. Anat.* XXVIII:115-277.
- Stoeck, R.F., Cronin, P.J., and Seymour, P.D. 1999. The Muskellunge, *Esox masquinongy*, Distribution and Biology of a Recent Addition to the Ichthyofauna of New Brunswick. *Canadian Field-Naturalist* 113(2):230-234.
- Stoecker, D. K., and J. J. Govoni. 1984. Food selection by young larval Gulf menhaden, [*Brevoortia patronus*]. *Mar. Biol.* 80:299-306.
- Stokesbury, M. J. W., G. L. Lacroix, E. L. Price, D. Knox, and M. J. Dadswell. 2001. Identification by scale analysis of farmed Atlantic salmon juveniles in southwestern New Brunswick Rivers. *Transactions of the American Fisheries Society* 130(5):815-822.
- Stolgitis, J. A. 1970. Some aspects of the biology of the tautog, [*Tautoga*] [onitis] (Linnaeus), from the Weweantic River estuary, Massachusetts, 1966. M.S. Thesis, Univ. Mass., Amherst, MA, 48 pp.
- Stone, U. B. 1938. Growth, habits, and fecundity of the ciscoes of Irondequoit Bay, New York. *Transactions of the American Fisheries Society* 67:234-245.
- Stone, U. B. 1940. Studies on the biology of the satinfin minnows, [*Notropis analostanus*] and [*Notropis spilopterus*]. Ph.D. Diss., Cornell Univ., Ithaca, NY. 98 pp.
- Stoner, A. W., V. J. Sandt, and I. F. Boidronmetairon. 1992. Seasonality in reproductive activity and larval abundance of queen conch [*Strombus gigas*]. *Fishery Bulletin* 90:161-170.
- Stoner, A. W., P. A. Pitts, and R. A. Armstrong. 1996. Interaction of physical and biological factors in the large-scale distribution of juvenile queen conch in seagrass meadows. *Bulletin of Marine Science* 58:217-233.
- Stoner, A. W., A. J. Bejda, J. M. Manderson, B. A. Phelan, L. L. Stehlik, and J. Pessutti. 1999. Behavior of winter flounder ([*Pseudopleuronectes americanus*]) during the reproductive season: laboratory and field observations on spawning, feeding and locomotion. *Fish Bull.* 97(4):999-1016.
- Stoner, A. W., J. P. Manderson, and J. P. Pessutti. 2001. Spatially explicit analysis of estuarine habitat for juvenile winter flounder: combining generalized additive models and geographic information systems. *Marine Ecology Progress Series* 213:253-271.
- Storch, V., W. Stahlin, and J. V. Juario. 1983. Effect of different diets on the ultrastructure of hepatocytes of [*Chanos chanos*] fry (Chanidae: Teleostei): an electron microscopic and morphometric analysis. *Mar. Biol.* 74(1):101-104.
- Storck, T. W., D. W. Dufford, and K. T. Clement. 1978. The distribution of limnetic fish larvae in a flood control reservoir in central Illinois. *Transactions of the American Fisheries Society* 107(3):419-424.
- Storey, M., and L. M. Perry. 1933. A record of young tarpon at Sanibel Island, Lee County, Florida. *Science (Wash., D.C.)* 78(2022):284-285.
- Storozhuk, A. Y. 1970. Distinctive characteristics of nitrogen metabolism in eggs, larvae and fry of Caspian sturgeon. *Tr. Molod. Uchen.* 4:82-87. In Russian.
- Storozhuk, N. G., and B. P. Smirnov. 1982. Effect of mercury on the respiration rate of larval pink salmon, [*Oncorhynchus gorbuscha*]. *J. Ichthyol.* 22(5):168-172.

- Stott, B., and D. G. Cross. 1973. A note on the effect of lowered temperature on the survival of eggs and fry of the grass carp, [*Ctenopharyngodon idella*] (Valenciennes). *J. Fish. Biol.* 5:649-658.
- Stottrup, J. 1983. The transition period from internal to external feeding in herring larvae. *Intl. Counc. Explor. Sea Comm. Mtg. L:35.* 14 pp.
- Stottrup, J. P., and P. Munk. 1983. Cultivation techniques for producing copepods as food for fish larvae. *Intl. Counc. Explor. Mer* 1983/F:20.
- Strahan, R., and J. L. Maclean. 1969. A pancreas-like organ in the larva of the lamprey, [*Mordacia mordax*]. *Aust. J. Sci.* 32:54-55.
- Strand, J. A. 1976. Suppression of the primary immune response in rainbow trout, [*Salmo gairdneri*], sublethally exposed to tritiated water during embryogenesis. *Diss. Abstr.* 37:76-17, 646.
- Strand, J. A., M. P. Fijiharn, R. D. Burdett, and T. M. Poston. 1977. Suppression of the primary immune response in rainbow trout, [*Salmo gairdneri*], sublethally exposed to tritiated water during embryogenesis. *Journal of the Fisheries Research Board of Canada* 34(9):1293-1304.
- Strange, R. J., and C. B. Schreck. 1978. Anesthetic and handling stress on survival and cortisol concentration in yearling chinook salmon, [*Oncorhynchus tshawytscha*]. *Journal of the Fisheries Research Board of Canada* 35:345.
- Strange, R. J., C. B. Schreck, and R. D. Ewing. 1978. Cortisol concentrations in confined juvenile chinook salmon ([*Oncorhynchus tshawytscha*]). *Transactions of the American Fisheries Society* 107:812-819.
- Strasburg, D. 1959. An instance of natural mass mortality of larval frigate mackerel in the Hawaiian Islands. *J. Cons. int. Explor. Mer* 24:256-263.
- Strasburg, D. W. 1964. Postlarval scombroid fishes of the genera [*Acanthocybium*], [*Nealotus*], and [*Diplospinus*] from the central Pacific Ocean. *Pac. Sci.* 18:174-185.
- Strathmann, R. R. 1993. Hypotheses on the origins of marine larvae. *Annual Review of Ecology and Systematics* 24:89-117.
- Strauss, R. E., and L. A. Fuiman. 1985. Quantitative comparisons of body form and allometry in larval and adult Pacific sculpins (Teleostei: Cottidae). *Canadian Journal of Zoology* 63:1582-1589.
- Strel'nikova, A. P., and M. N. Ivanova. 1982. Feeding of smelt, [*Osmerus eperlanus*] (Osmeridae), in early ontogeny in the Rybensk Reservoir. *J. Ichthyol.* 22(3):48-54.
- Strelova, A. I. 1971. Nutrition of larvae of the grass carp and the silver carp at different stages of their development. *Tr. Vses. Nauchno-Issled. Inst. Prud. Rybn. Khoz.* 18:188-194. In Russian.
- Strickland, C. W., and D. T. Hoopes. 1962. Survival and behavior of sockeye salmon fry migrating into Brooks Lake, Alaska. *Transactions of the American Fisheries Society* 91(2):133-139.
- Stroband, H. W. J. 1977. Growth and diet dependant structural adaptations of the digestive tract in juvenile grass carp ([*Ctenopharyngodon idella*], Val.). *J. Fish. Biol.* 11(2):167-174.
- Stroband, H. W. J., and F. M. H. Debets. 1978. The ultrastructure and renewal of the intestinal epithelium of the juvenile grass carp, [*Ctenopharyngodon idella*] (Val.). *Cell & Tissue Res.* 187(2):181.

- Stroband, H. W. J., and K. Dabrowski. 1981. Morphological and physiological aspects of the digestive system and feeding in freshwater fish larvae. Pages 355-376 [in]: Fontaine, M. (ed.), *Nutrit. des Poissons*, CNRS, Paris.
- Stroband, H. W. J., and A. G. Kroon. 1981. The development of the stomach in [*Clarias lazera*] and the intestinal absorption of protein macromolecules. *Cell Tiss. Res.* 215:397-415.
- Stromme, T. 1977. Torskelavens lengde ved klekking og virkning av utsultning på larvens egenvekt og kondisjon. En eksperimentell undersøkelse på Norsk-Arkteri sktorsk, [*Gadus morhua*]. Thesis, Univ. Bergen.
- Stromsten, F. A. 1931. The development of the gonads in the goldfish, [*Carassius auratus*] (L.). *Univ. Iowa Studies in Nat. Hist.* 13(7):1-45.
- Strubberg, A. 1913. The metamorphosis of elvers as influenced by outward conditions. *Meddelelser fra Komm. Havundersogelser, Serie Fiskeri* 4:1-11.
- Struberg, A. 1918. Mediterranean Bramidae and Trichiuridae. 2. Trichiuridae. *Rep. Dan. Oceanogr. Exped. Mediterr.* 2(A6):7-15.
- Struhsaker, J. W., D. Y. Hashimoto, S. M. Girard, F. T. Prior, and T. D. Cooney. 1973. Effect of antibiotics on survival of carangid fish larvae ([*Caranx nate*]) reared in the laboratory. *Aquaculture* 2(1):53-88.
- Struhsaker, J. W., M. B. Eldridge, and T. Echeveria. 1974. Effects of benzene (a water soluble component of crude oil) on eggs and larvae of Pacific herring and northern anchovy. Pages 254-284 [in] F. J. Vernberg and W. B. Vernberg, editors. *Pollution and physiology of marine organisms*. Academic Press, Inc., New York.
- Stuart, T. A. 1953. Spawning migration, reproduction and young stages of loch trout ([*Salmo trutta*] L.). *Scotl. Home Dept., Freshwat. Salmon Fish. Res.* 5. 39 pp.
- Stubbings, H. G. 1951. Continuous plankton record: fish eggs and young fish in the North Sea. 1932-1939. *Hull Bull. Mar. Ecol.* 11(15):277-281.
- Sturtevant, E. L. 1877. Supposed development of pickerel without fecundation. *American Naturalist* 11:494.
- Suarez, S. S. 1975. The reproductive biology of [*Ogilbia cayorum*], a viviparous brotulid fish *Bull. Mar. Sci.* 25:143-173.
- Subrahmanyam, C. B. 1964. Eggs and early development of a carangid from Madras. *J. Mar. Biol. Assoc. India* 6(1):142-146.
- Subrahmanyam, C. B. 1966. Eggs and early development of two more Carangids from Madras. *J. Mar. Biol. Assoc. India* 8(1):188-192.
- Suda, A. 1953. Juvenile skipjack from the stomach contents of tunas and marlins. *Bull. Jap. Soc. Sci. Fish.* 19(4):319-340.
- Suda, M., and T. Kishida. 1997. The yearly fluctuation of survival indices before and after shirasu, the larval stage, of Japanese sardine from 1979 to 1992 off the Pacific coast of Japan. *Fisheries Science* 63:60-63.
- Sudarsan, D. 1968. Eggs and larvae of a hemirhamphid fish from Mandapam. *J. Mar. Biol. Assoc. India* 1967 1(3):7.
- Sudarsan, D. 1968. On the early development of the pipe fish, [*Syngnathoides biculeatus*] (Bloch). *J. Mar. Biol. Assoc. India* 1967 1(2):5.

- Sudaryono, A., E. Tsventneko and L. H. Evans. 1999. Replacement of soybean meal by lupin meal in practical diets for juvenile [*Penaeus monodon*]. *Journal of the World Aquaculture Society* 30(1):46-57.
- Sudha, K., and R. Nair. 1982. An account of the common fish eggs of Trivandrum coast. *Indian J. Anim. Sci.* 52(10):916-927.
- Suetake, H., K. Okubo, N. Sato, Y. Yoshiura, Y. Suzuki, and K. Aida. 2002. Differential expression of two gonadotropin (GTH) beta subunit genes during ovarian maturation induced by repeated injection of salmon GTH in the Japanese eel [*Anguilla japonica*]. *Fisheries Science* 68(2):290-298.
- Suffern, J. S. 1977. On the use of physical models in entrainment research. Pages 159-193 [in] L. L. Olmsted, editor. *Proc. of the first symp. on freshwater larval fish* Duke Power Co., Charlotte, NC.
- Suga, N. 1963. Changes of the toughness of the chorion of fish eggs. *Embryologia, Nagoya* 8:63-74.
- Sukatskas, V. T. 1968. The biology, ecology, and breeding of the brook trout in Lithuania. *Tr. Karel. Otd. Gos. Nauchno-Issled Inst. Ozern Rechn. Rybn. Khoz.* 5(1):489-494.
- Sukhanova, A. I. 1966. Development of [*Aristichthys nobilis*] (Rich.). *Voprosy Ikhtiologii* 6,2(39):264-276.
- Sukhanova, A. I. 1966. Influence of raised temperature on the development of eggs of [*Aristichthys nobilis*]. *Izv. Akad. Nauk. Turkmen. SSR Biol.* 1:85-87.
- Sukhanova, A. I. 1967. Development of [*Mylopharyngodon piceus*] (Richardson). *Voprosy Ikhtiologii* 7,4(45):618-625.
- Sukhanov, V. V. 1974. A mathematical model of the seasonal dynamics of weight increase in juvenile sockeye, [*Oncorhynchus*] [*nerka*]. *J. Ichthyol.* 14(4):491-495.
- Sukhanova, Y. R. 1965. The role of cyclops, [*Acanthocyclops vernalis*] Fisch., in the survival of silver carp, [*Hypophthalmichthys*], larvae. *J. Ichthyol.* 8:467-468.
- Sulak, K. J., and J. P. Clugston. 1998. Early life history stages of Gulf sturgeon in the Suwanee River, Florida. *Transactions of the American Fisheries Society* 127(5):758-771.
- Sulkin, S. 1986. Application of laboratory studies of larval behavior to fisheries problems. *Can. J. Fish. Aquat. Sci.* 43: 2184-2188.
- Sulkin, S. D. 1990. Larval orientation mechanisms - the power of controlled experiments. *Ophelia* 32:49-62.
- Sullivan, C. V., W. W. Dickhoff, S. D. Brewer, and G. P. Johnston. 1983. Plasma thyroid-hormone concentrations and gill (Na<sup>+</sup>-K<sup>+</sup>) ATP-ase activities in postemergent pink salmon. *Transactions of the American Fisheries Society* 112:825-829.
- Sullivan, C. V., and W. W. Dickhoff. 1985. Thyroid hormones, gill (Na<sup>+</sup>-K<sup>+</sup>) ATP-ase and seawater tolerance in salmon embryos. *Am. Zool.* 25:80.
- Sullivan, C. V., R. N. Iwamoto, and W. W. Dickhoff. 1987. Thyroid hormones in blood plasma of developing salmon embryos. *Gen. Comp. Endocrinol.* In Press.
- Sullivan, L. 1980. Distribution, abundance and mortality estimates of larval butterfish, [*Peprilus triacanthus*], from MARMAP surveys, 1977 and 1978. *ICES CM* 1980/G:18.

- Sullivan, L. F., and J. R. Goulet, Jr. 1980. Protocol for data flow through the MIS (MARMAP Inf. Syst.): ichthyoplankton-zo and related sampling data. NOAA, NMFS Narragansett Lab. Ref. No. 80-53.
- Sullivan, W. E. 1915. A description of the young stages of the winter flounder, [*Pseudopleuronectes americanus*] (Walbaum). Transactions of the American Fisheries Society 44(2):125-136.
- Sumida, B. Y., E. H. Ahlstrom, and H. G. Moser. 1979. Early development of seven flatfishes of the eastern North Pacific with heavily pigmented larvae (Pisces: Pleuronectiformes) Fish. Bull. NOAA (U.S.) 77(1):105-145.
- Sumida, B. Y., and H. G. Moser. 1980. Food and feeding of Pacific hake larvae, [*Merluccius*] [*productus*], off southern California and northern Baja California. California Coop. Oceanic Fish. Invest. Rep. 21:161-166.
- Sumida, B. Y., and H. G. Moser. 1983. Food and feeding of bocaccio, [*Sebastes paucispinis*], and comparison with Pacific hake, [*Merluccius*] [*productus*], larvae in the California Current. California Coop. Oceanic Fish. Invest. Rep. XXV:112-118.
- Sumida, B. Y., H. G. Moser, and E. H. Ahlstrom. 1984. Descriptions of larvae of California yellowtail, [*Seriola lalandi*], and three other carangids from the eastern tropical Pacific: [*Chloroscombrus orqueta*], [*Caranx caballus*], and [*C. sexfasciatus*]. California Coop. Oceanic Fish. Invest. Rep. XXVI:139-159.
- Sumida, B. Y., B. B. Washington, and W. A. Laroche. 1984. Illustrating fish eggs and larvae. Pages 33-34 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Summerfelt, R. C., and C. O. Minckley. 1969. Aspects of the life history of the sand shiner, [*Notropis stramineus*] (Cope), in the Smoky Hill River, Kansas. Transactions of the American Fisheries Society 98(3): 444-453.
- Sumner, F. B. 1899. Observations on the germ layers of teleost fishes. Science 9:718.
- Sumner, F. B. 1899. On the early development of the catfish ([*Noturus*]). Science, Wash. 9(1899):313-314.
- Sumner, F. B. 1900. The teleost gastrula and its modifications. Science 1900, 11(n.s.):169. New York Acad. Sci. 1900. 2:47-83.
- Sumner, F. B. 1903. A study of early fish development, experimental and morphological. Arch. EntwMech. Org. 17(1):92-149.
- Sun, T. 1960. Larvae and juveniles of tunas, sailfishes, and swordfish (Thunnidae, Istiophoridae, Xiphiidae) from the central and western part of the Pacific Ocean. Inter-Am. Trop. Tuna Comm. 18 pp.
- Sunby, S. 1991. Factors affecting the vertical distribution of eggs. ICES Mar. Sci. Symp. 192:33-38.
- Sund, O. 1924. Snow and the survival of cod fry. Nature (Lond.) 113(2831):163-164.
- Sund, P. N., and W. J. Richards. 1965. Results of trials with a neuston net in the Gulf of Guinea. Ocean Sci. Eng. 1:516-523.
- Sundby, S., H. Bjorke, A. Vold Soldal, and S. Olsen. 1989. Mortality rates during the early life stages and year-class strength of northeast Arctic cod ([*Gadus morhua*] L.). Rapp P. -v R,un Cons. int. Explor. Mer. 191:351-358.

- Sundby, S., and P. Fossum. 1989. Feeding conditions of north-east Arctic (Arcto-Norwegian) cod larvae compared to the Rothschild-Osborn theory on small-scale turbulence and plankton contact rates. ICES C.M. 1989/G:19, 9pp.
- Sundby, S., and P. Fossum. 1990. Feeding conditions of Arcto-Norwegian cod larvae compared to the Rothschild-Osborn theory on small-scale turbulence and plankton contact rates. *Journal of Plankton Research* 12:1153-1162.
- Sundby S., B. Ellertsen, and P. Fossum. 1994. Encounter rates between first-feeding cod larvae and their prey during moderate to strong turbulent mixing. ICES Mar. Sci. Symp. 198:393-405.
- Sundby, S. 1995. On the dome-shaped relationship between wind-generated turbulence and larval feeding. *Netherlands Journal of Sea Research*. 34: 243-244.
- Sundell, K., C. Dellefors, and B.T. Bjornsson. 1998. Wild and hatchery-reared brown trout, [*Salmo trutta*], differ in smolt related characteristics during parr-smolt transformation. *Aquaculture* 167(3 and 4):53-65.
- Sundnes, G. 1965. Buoyancy determination of eggs from the cod ([*G adus*] [*morhua*]). *J. Cons. perm. int. Explor. Mer* 29:249-252.
- Supino, F. 1909. Sviluppo larvale e biologia dei pesci delle nostra acque dolce. *Atti. soc. Ital. Sci. Nat. Milano* 48:197-218.
- Supino, F. 1910. Influenza delle luce colorate sullo sviluppo delle uova di trota. *Rendic. Istit. Lombardo Sci. 2. Ser.* 43:290-297.
- Suppes, V. C. 1972. Jar incubation of channel catfish eggs. *Progressive Fish-Culturist* 34(1):48.
- Surber, E. W. 1935. Production of bass fry. *Progressive Fish-Culturist* 8(1):1-7.
- Sutherland, A. J., and D. G. Ogle. 1975. Effect of jet boats on salmon eggs. *New Zealand J. Mar. Freshwat. Res.* 9:273.
- Sutherland, D. F. 1953. Food habits of young-of-the-year bluegill, [*Lepomis*] [*macrochirus*] Rafinesque. M.S. Thesis, Univ. of Arkansas, Fayetteville, AR. 20 pp.
- Sutherland, D. F. 1963. Variation in vertebra numbers of juvenile Atlantic menhaden. *U.S. Fish. Wildl. Serv. Spec. Sci. Rep. Fish.* 435:21 pp.
- Suthers, I. M., and K.T. Frank. 1988. Inter-annual distribution of larval and pelagic juvenile cod ([*Gadus morhua*]) in southwestern Nova Scotia determined by two different gear types. *Can. J. Fish. Aquat. Sci.* 46: 591-602.
- Suthers, I. M., K. T. Frank, and S. E. Campana. 1989. Spatial comparison of recent growth in postlarval Atlantic cod ([*Gadus morhua*]) off southwest Nova Scotia: and inferior growth in a presumed nursery area. *Can. J. Fish. Aquat. Sci.* 46(1):113-124.
- Suthers, I. M., and K. T. Frank. 1991. Comparative persistence of marine fish larvae from pelagic versus demersal eggs off southwestern Nova Scotia, Canada. *Marine Biology* 108:175-184.
- Suthers, I. M., A. Fraser, and K. T. Frank. 1992. Comparison of lipid, otolith and morphometric condition indices of pelagic juvenile cod [*Gadus morhua*] from the Canadian Atlantic. *Marine Ecology-Progress Series* 84:31-40.
- Suthers, I. M., and S. Sundby. 1993. Dispersal and growth of pelagic juvenile Arcto-Norwegian cod ([*Gadus morhua*]), inferred from otolith microstructure and water temperature. *Ices Journal of Marine Science* 50:261-270.

- Suthers, I. M. 1996. Spatial variability of recent otolith growth and RNA indices in juvenile [*Diaphus kapalae*] (*Myctophidae*): An effect of flow disturbance near an island? *Marine and Freshwater Research* 47:273-282.
- Suthers, I. M., J. J. Cleary, S. C. Battaglione, and R. Evans. 1996. Relative RNA content as a measure of condition in larval and juvenile fish. *Marine and Freshwater Research* 47:301-307.
- Suthers, I. M., and S. Sundby. 1996. Role of the midnight sun: comparative growth of pelagic juvenile cod (*Gadus morhua*) from the Arcto-Norwegian and a Nova Scotian stock. *ICES Journal of Marine Science* 53:827-836.
- Suthers, I.M. 1998. Bigger or fatter - or is faster growth better? Considerations on condition in larval and pelagic juvenile coral reef fish. *Australian Journal of Ecology* 23: 265-273
- Suthers, I.M., T. van de Meeren, and K.E. Jorstad. 1999. Growth histories of three Norwegian cod stocks co-reared in mesocosms, derived from otolith microstructure; the effect of prey size. *ICES Journal of Marine Science*. In press.
- Suto, S. 1952. On shedding of eggs, liberation of embryos, and their later fixing in *Hijikia fusiforme*. *Bull. Tokai Reg. Fish. Res. Lab.*
- Sutterlin, A. M., P. Harmon, and H. Barchard. 1976. The culture of brook trout in salt water. *Fish. Mar. Ser. Tech. Rep.* 636:1-21.
- Suttkus, R. D. 1956. Early life history of the gulf menhaden, [*Brevoortia*] [*patronus*], in Louisiana. *Trans. North Am. Wildl. Natl. Resourc. Conf.* 21:390-407.
- Suyama, M. 1958. Changes in the amino acid composition of protein during the development of rainbow trout eggs. *Bull. Jap. Soc. Sci. Fish.* 23:789-792.
- Suyama, M., and C. Ogina. 1958. Changes in chemical composition during development of rainbow trout eggs. *Bull. Jap. Soc. Sci. Fish.* 23:785-788.
- Suyama, M., and T. Suzuki. 1978. Free and conjugated amino acids in the extract of rainbow trout eggs. *Bull. Jap. Soc. Sci. Fish.* 44(4):345-350.
- Suzuki, K., K. Kobayashi, S. Hioki, and T. Sakamoto. 1974. Ecological studies of the anthiine fish, [*Sacura*] [*margaritacea*] in Saruga Bay. *Jap. J. Ichthyol.* 21:21-33.
- Suzuki, K., K. Kobayashi, S. Hioki, and T. Sakamoto. 1978. Ecological studies of the anthiine fish, [*Franzia*] [*squamipinnis*] in Saruga Bay, Japan. *Jap. J. Ichthyol.* 25:124-140.
- Suzuki, K., and S. Hioki. 1978. Spawning behavior, eggs, and larvae of the sea bream, [*Gymnocranius griseus*], in an aquarium. *Jap. J. Ichthyol.*
- Suzuki, K., and S. Hioki. 1979. Morphology and phyletic aspects of the newly hatched larvae, with special references to those of family Serranidae. *Kaiyo Kagaku (Mar. Sci.)* 11:117-125. in Japanese.
- Suzuki, K., and S. Hioki. 1979. Spawning behavior, eggs, and larvae of the lutjanid fish, [*Lutjanus kasmira*], in an aquarium. *Jap. J. Ichthyol.* 26:161-166.
- Suzuki, K., and S. Kimura. 1979. Biology of the gobiid fish, [*Chaeturichthys*] [*sciistius*], in the spawning season at Ise Bay. *Jap. J. Ichthyol.* 26(2):203-208.
- Suzuki, K., and K. Tanaka. 1979. Studies on the variation of vertebral counts in the post larvae and young anchovies, [*Engraulis japonica*] (*Houttuyn*), in Ise Bay and its adjacent waters. *Bull. Fac. Fish., Mie Univ.* 6:73-108.

- Suzuki, K., S. Hioki, Y. Tanaka, and K. Iwasa. 1979. Spawning behavior, eggs, larvae and sex reversal of two pomacanthine fish, [*Genicanthus lamarck*] and [*G. semifasciatus*], in the aquarium. *J. Fac. Mar. Sci. Tech. Tokai Univ.* 12:149-165.
- Suzuki, K., Y. Tanaka, and S. Hioki. 1980. Spawning behavior, eggs, and larvae of the butterflyfish, [*Chaetodon nippon*], in an aquarium. *Jap. J. Ichthyol.* 26:334-341.
- Suzuki, K., Y. Tanaka, S. Hioki, and Y. Shiobara. 1980. Studies on reproduction and larval rearing of coastal marine fishes. Pages 53-82 [in] G. Yamamoto, editor. *Research in a large-scale culture of marine fisheries resources. Inst. Oceanic Res. and Dev., Tokai Univ., Shimizu. In Japanese.*
- Suzuki, K., Y. Tanaka, S. Hioki, and S. Ueno. 1981. Spawning behavior and early life history of [*Hypodytes rubripinnis*] (Pisces: Congiopodidae) in an aquarium. *J. Fac. Oceanogr. Tokai Univ.* 14:357-367.
- Suzuki, K., S. Hioki, K. Kobayashi, and Y. Tanaka. 1981. Developing eggs and early larvae of the wrasses, [*Cirrhilabrus temmincki*] and [*Labroides dimidiatus*], with a note on their spawning behaviors. *J. Fac. Mar. Sci. Tech. Tokai Univ.* 14:369-372.
- Suzuki, K., S. Hioki, and H. Kitayawa. 1983. Spawning and life history of [*Triacanthus braculeatus*] (Pisces: Triacanthidae) in an aquarium. *J. Fac. Mar. Sci. and Tech., Tokai Univ.* 17:131-138.
- Suzuki, K., S. Hioki, Y. Tanaka, and H. Kitayawa. 1983. Spawning and early life history of [*Hapalogenys mucronatus*] (Eycloux and Soul.) (Pisces: Pomadasyidae) in an aquarium. *J. Fac. Mar. Sci. and Tech., Tokai Univ.* 16:183-192.
- Suzuki, K., H. Syozo, Y. Tanaka, and H. Kitazawa. 1983. Spawning and early life history of [*Hapalogenys mucronatus*] (Eydoux et Souleyet) (Pisces: Pomadasyidae) in an aquarium. *J. Fac. Mar. Sci. Tech. Tokai Univ.* 16:183-191.
- Suzuki, K., S. Hioki, and M. Kashikara. 1985. Life history of the damselfish, [*Pomacentrus coelestis*], in Seruga Bay, Japan. *J. Fac. Mar. Sci. and Tech., Tokai Univ.* 21:99-114.
- Suzuki, K., S. Hioki, and M. Kurita. 1985. Life history of the damselfish, [*Chromis notatus*], in Suruga Bay, Japan. *J. Fac. Mar. Sci. and Tech., Tokai Univ.* 21:115-128.
- Suzuki, N., and T. Hibiya. 1984. Development of eggs and larvae of 2 bitterlings, [*Rhodeus atremius*] and [*R. suigensis*] (Cyprinidae). *Jap. J. Ichthyol.* 31(3):287-296.
- Suzuki, N., and T. Hibiya. 1984. Minute tubercles on the skin surface of larvae of [*Rhodeus*] (Cyprinidae). *Jap. J. Ichthyol.* 31(2):198-202.
- Suzuki, N., and T. Hibiya. 1985. Minute tubercles on the skin surface of larvae of [*Acheilognathus*] and [*Pseudoperilampus*] (Cyprinidae). *Jap. J. Ichthyol.* 32(3):335-344.
- Suzuki, N., N. Akiyama, and T. Hibiya. 1985. Development of the bitterling, [*Rhodeus uyekii*] (Cyprinidae), with a note on minute tubercles on the skin surface. *Jap. J. Ichthyol.* 32(1): 28-34.
- Suzuki, N., A. Oka, Y. Sugoh, K. Yamakawa, and T. Hibiya. 1986. Development of the bitterling, [*Tanakia tanago*] (Cyprinidae) with a note on minute tubercles on the skin surface. *Jap. J. Ichthyol.* 33(3):225-231.
- Suzuki, R. 1955. Note on the interfamilial hybrid larvae between mud loach ([*Misgurnus anguillicaudatus*]) and Crucian carp ([*Carassius carassius*]) or goldfish ([*Carassius auratus*]). *Jap. J. Ichthyol.* 4(1-3):50-58. In Japanese, English Summary.



- Suzuki, R. 1966. Artificial spawning and early development of the loach, [*Cobitis delicata*] Niwa. Bull. Freshwater Fish. Res. Lab., Tokyo 15(2):175-188. In Japanese, English Abstract.
- Suzuki, R. 1968. Hybridization experiments in cyprinid fishes. XI. Survival rate of F-1 hybrids with special reference to the closeness of taxonomical position of combined fishes. Bull. Freshwater Fish. Res. Lab., Tokyo 18(2):113-155.
- Suzuki, T., and M. Hatanaka. 1975. Experimental investigation on the biological concentration of mercury. II. On the origin of mercury found in the body of young yellowtail. Bull. Jap. Soc. Sci. Fish. 41:225.
- Suzuki, T., and M. Suyama. 1979. Studies on phosphopeptides of fish eggs. 2. Properties of phosphopeptides in the extract of rainbow trout eggs. Bull. Jap. Soc. Sci. Fish. 45(3):385-388.
- Suzuki, T., and M. Suyama. 1980. Changes in free amino acids and phosphopeptides of rainbow trout during development. Bull. Jap. Soc. Sci. Fish. 46(5):591-598.
- Svardson, G. 1948. Note on spawning habits of [*Esox lucius*] L. Rep. Inst. Freshwat. Res. Drottning. 29:102-107.
- Svardson, G. 1949. Natural selection and egg number in fish. Rep. Inst. Freshwat. Res. Drottingholm, Rep. Inst. Freshwat. Res. 29:115-122.
- Svetovidov, A. N. 1943. On the clupeoid fishes of the Caspian and the Black Seas (Genera [*Caspialosa*] and [*Clupeonella*]) and on the conditions of their development. Zool. Zh. 22:222-223. In Russian, English summary.
- Svitseva, L. L., and D. A. Pavlov. 1983. Xanthophore formation in embryos and larvae of Atlantic salmon, [*Salmo salar*] (Salmonidae). J. Ichthyol. 23(3):148-153.
- Swallow, W. H. 1968. The relation of incubation temperature to the mortality of fish embryos. M. S. Thesis, Cornell Univ., Ithaca, NY, 45 pp.
- Swan, G. A., R. F. Krema, and W. E. Farr. 1979. Dip basket for collecting juvenile salmon and trout in gatewalls at hydroelectric dams. Progressive Fish-Culturist 41:48-49.
- Swartman, G., R. Deriso, and C. Cowan. 1977. Comparison of simulation models used in assessing the effect of power-plant-induced mortality on fish populations. Pages 333-361 [in] W. Van Winkle, editor. Proc. Conf. on assessing the effects of power-plant-induced mortality on fish populations. Pergamon Press, NY, 380 pp.
- Swarup, H. 1953. On the development of the olfactory capsules in the chondrocranium of [*Ophicephalus punctatus*] (Bloch). Proc. 40th Indian Sci. Congr. (Lucknow) Pt. 3:204-205.
- Swarup, H. 1958. Abnormal development in the temperature-treated eggs of [*Gasterosteus aculeatus*] (L.). I. Cleavage abnormalities. Journal of Zoology Soc. India 10(2): 108-113.
- Swarup, H. 1958. Stages in the development of the stickleback, [*Gasterosteus aculeatus*] (L.). J. Embryol. Exp. Morph. 6(3):373-383.
- Swarup, H. 1959. Abnormal development in the temperature treated eggs of [*Gasterosteus aculeatus*] (L.). II. Gastrulation abnormalities. Journal of Zoology Soc. India 11(1):1-6.
- Swarup, H. 1959. Abnormal development in the temperature treated eggs of [*Gasterosteus aculeatus*] (L.). III. Twinning. Journal of Zoology Soc. India 11(1):7-10.
- Swarup, H. 1959. Abnormal development in the temperature treated eggs of [*Gasterosteus aculeatus*] (L.). IV. Microcephaly. Journal of Zoology Soc. India 11(2):102-108.

- Swarup, H. 1959. Independent origin and development of the crystalline lens in [Gasterosteus aculeatus] (L.). Curr. Sci. (Bangalore) 28(3):118-119.
- Swarup, H. 1959. The reproductive cycle and development of the gonads in [Gasterosteus aculeatus] (L.). Proc. Zool. Soc., Calcutta 11:47-55.
- Sweatman, H. 1988. Field evidence that settling coral reef fish larvae detect resident fishes using dissolved chemical cues. J. Exp. Mar. Biol. Ecol., 124: 162-174.
- Sweatman, H. P. A. 1983. Influence of conspecifics on choice of settlement sites by law of two pomacentrid fishes, [Dascyllus] [aruaus], and [D. reticulatus], on coral reefs. Mar. Biol. 75(2/3):225-230.
- Sweatman, H. P. A. 1985. The influence of adults of some coral reef fishes on larval recruitment. Ecol. Monogr. 55: 469-485.
- Swedberg, D. V. 1970. Spawning and early life history of the freshwater drum in Lewis and Clark Lake, Missouri River. Transactions of the American Fisheries Society 99:560-570.
- Swedmark, M., and A. Granmo. 1981. Effects of mixtures of heavy metals and a surfactant on the development of cod, [Gadus morhua] L. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:95-103.
- Swee, U. B. 1965. Studies on the reproductive biology of the carp, [Cyprinus carpio] Linnaeus, in Lake St. Lawrence. M.S. Thesis, Univ. Guelph. 114 pp.
- Swee, U. B., and H. R. McCrimmon. 1966. Reproductive biology of the carp, [Cyprinus carpio] L., in Lake St. Lawrence, Ontario. Transactions of the American Fisheries Society 95(4):372-380.
- Sweet, J., and O. Kinne. 1964. The effects of various temperature salinity combinations on the body form of newly hatched [Cyprinodon macularius] (Teleostei). Ber. dt. wiss. Kommn Meeresforsch. 11:49-69.
- Swenson, W. A., and M. L. Matson. 1976. Influence of turbidity on survival, growth, and distribution of larval lake herring ([Coregonus] [artedii]). Transactions of the American Fisheries Society 105:541-545.
- Swiecicki, D. P. 1976. Ichthyoplankton. Pages 61-67 [in] C. B. Milstein, D. L. Thomas, et al., editors. Ecol. studies in bays and waterways near Little Egg Inlet and ocean in the vicinity of the Atlantic Generating Sta., New Jersey. Ichthyol. Assoc., Inc., Publ. Serv. Elect. Gas Co. Prog. Rep, Jan-Dec 1975. 572 pp.
- Swift, C. 1965. Early development of the hitch, [Lavinia exilicauda], of Clear Lake, California. California Fish and Game 51:74-80.
- Swift, D. R. 1963. Influence of oxygen concentration on growth of brown trout, [Salmo trutta] L. Transactions of the American Fisheries Society 92:300-301.
- Swift, D. R. 1964. The effect of temperature and oxygen on the growth rate of the Windermere char ([Salvelinus alpinus] Willughbii). Comp. Biochem. Physiol. 12:179-183.
- Swift, D. R. 1965. Effect of temperature on mortality and rate of development of eggs of the pike ([Esox lucius] L.) and the perch ([Perca fluviatilis] L.). Nature (Lond.) 206:528.
- Swift, D. R. 1965. Effect of temperature on mortality and rate of development of the eggs of the Windermere char, [Salvelinus alpinus]. Journal of the Fisheries Research Board of Canada 22: 913-917.
- Swindoll, C. M. 1981. The growth, diet, and distribution of yellow perch fry, [Perca flavescens], in Lake Itasca, Minnesota. M. S. Thesis, Univ. Tennessee, Knoxville. 96 pp.

- Sykes, J. E., and J. H. Finucane. 1967. Occurrence in Tampa Bay, Florida of immature species dominant in Gulf of Mexico commercial fisheries. *Fish. Bull.* 65(2):369-379.
- Sylvester, J. C., and C. E. Nash. 1975. Thermal tolerance of eggs and larvae of Hawaiian striped mullet, [*Mugil cephalus*] L. *Transactions of the American Fisheries Society* 104(1):144-147.
- Sylvester, J. C., C. E. Nash, and C. E. Emberson. 1974. Preliminary study of temperature tolerance in juvenile Hawaiian mullet (*[Mugil cephalus]*). *Progressive Fish-Culturist* 36(2):99-100.
- Sylvester, J. R. 1972. Possible effects of thermal effluents on fish: a review. *Environ. Pollut.* 3:205-215.
- Sylvester, J. R. 1973. A note on the upper lethal temperature of juvenile [*Haemulon flavolineatum*] from the Virgin Islands. *J. Fish. Biol.* 5(2):305-308.
- Sylvester, J. R. 1974. Thermal response of juvenile Hawaiian mullet, [*Mugil*] [*cephalus*] (L.), to a cclimation time and fluctuating low temperatures. *J. Fish. Biol.* 6(6): 791-796.
- Sylvester, J. R., C. E. Nash, and C. R. Emberson. 1975. Salinity and oxygen tolerance of eggs and larvae of the Hawaiian striped mullet, [*Mugil cephalus*] L. *J. Fish. Biol.* 7(5):621-630.
- Symons, P. E. K. 1971. Behavioral adjustments of population density to available food by juvenile Atlantic salmon. *J. Anim. Ecol.* 40:569-587.
- Symons, P. E. K. 1976. Behavior and growth of juvenile A tlantic salmon, [*Salmo salar*], and three competitors at two stream velocities. *Journal of the Fisheries Research Board of Canada* 33:2766-2773.
- Symons, P. E. K. 1978. Leaping behavior of juvenile coho (*[Oncorhynchus]* [*kisutch*]) and Atlantic salmon (*[Salmo salar]*). *Journal of the Fisheries Research Board of Canada* 35(6):907-909.
- Symons, P. E. K., and J. D. Martin. 1978. Discovery of juvenile Pacific salmon (coho) in a small coastal stream of New Brunswick. *Fish. Bull. NOAA (U.S.)* 76(2):487-489.
- Symons, P. E. K., and M. Heland. 1978. Stream habitats and behavioral interactions of underyearling and yearling Atlantic salmon (*[Salmo]* [*salar*]). *Journal of the Fisheries Research Board of Canada* 35:175-183.
- Sysoeva, T. K., and A. A. Degtereva. 1965. The relation between the feeding of cod larvae and pelagic fry and the distribution and abundance of their principal food organisms. *Spec. Publ. ICNAF* 6:411-416.
- Sysoyeva, T. K. 1973. The feeding and survival of larvae of the Barents Sea cod. *Tr. Polyarn. n.-i. in-ta morsk. rybn. kh-va i okeanogr.*, No. 33.
- Sytina, L. A. 1968. Variability of sensory organs of sturgeon larvae hatching from the eggs of 1 female and its connection with the general tempo of embryonic development. Pages 98-115 [in] S. V. Emel'Yanov, editor. *Tempo of individual development of animals and its changes during evolution. Izdatel'stvo Nauk. Mosk. Inst. Morfol. Zh. im. A.N. Severtsova. Akad. Nauk SSSR.*
- Sytina, L. A. 1970. Duration of the individual development stages in the early post embryology of sturgeons. *J. Ichthyol.* 10(5):641-651.
- Sytina, L. A., and O. B. Timofryer. 1973. Periodization in the development of sturgeon (*Acipenseridae*) and the problem of variability of organisms. *J. Ichthyol.* 13(2):230-244.

- Sytina, L. A. 1975. Divergence of features in the course of early ontogenetic development of the larvae of closely related species of sturgeons. *J. Ichthyol.* 15(4):594-606.
- Szalay, M. 1975. Controlled reproduction and rearing of [Lucioperca] [lucioperca]. Pages 174-180 [in] Workshop on controlled reproduction of cultivated fishes. *Eur. Int. Fish. Advis. Comm. Tech. Pap. No. 25.* 180 pp.
- Szeinfeld, E. V. 1993. The energetics and evolution of intraspecific predation (egg cannibalism) in the anchovy [*Engraulis capensis*]. *Marine Biology.* 115:301-308.
- Szendrey, T.A., and D.H. Wahl. 1995. Effect of feeding experience on growth, vulnerability to predation, and survival of esocids. *North American Journal of Fisheries Management* 15:610-620.
- Szendrey, T.A., and D. H. Wahl. 1996. Size-specific survival and growth of stocked muskellunge: effects of predation and prey availability. *North American Journal of Fisheries Management* 16:395-402.
- Szlaminska, M. 1980. A histochemical study of digestive enzymes in pike larvae. *Fish Mgmt.* 11:139-140.
- Szlaminska, M., and A. Przybl. 1986. Feeding of carp, [*Cyprinus carpio*] L., larvae with an artificial dry food, living zooplankton and mixed food. *Aquaculture* 54(1/2):77-82.
- Taber, C. A. 1969. The distribution and identification of larval fishes in Buncombe Creek Arm of Lake Texoma with observations on spawning habits and relative abundance. Ph.D Diss., Univ. of Oklahoma, Norman, OK. 128 pp.
- Tabery, M. A., A. R. Ricciardi, and T. J. Chambers. 1978. Occurrence of larval inshore fish in the Hudson River Estuary. *New Jersey Fish Game J.* 25(1):87.
- Tabeta, O., and H. Tsukahara. 1968. On the mass mortality of eggs and larvae of Pacific saury caused by stranding in northern Kyushu. *Bull. Jap. Soc. Sci. Fish.* 34(2):123-129.
- Tabeta, O., and T. Takai. 1975. Leptocephali of [*Anguilla japonica*] found in the waters of the Okinawa Islands. *Bull. Jap. Soc. Sci. Fish.* 41(2):137-146.
- Tabeta, O., and T. Ozawa. 1979. Anguillid leptocephali from the eastern Indian Ocean. *Bull. Jap. Soc. Fish.* 45(9):1069-1073.
- Tabeta, O., S. Nonaka, and N. Sakurai. 1979. Occurrence of elvers of the European eel, [*Anguilla*] [*anguilla*] L. in Shizuoka and Kanagawa Prefectures, Japan, in 1977. *Bull. Jap. Soc. Sci. Fish.* 45(4):437-442.
- Tabeta, O., and Y. Konishi. 1986. An anguillid leptocephalus, [*Anguilla japonicus*], from the waters south of Mizako Island, Okinawa, Japan. *Bull. Jap. Soc. Sci. Fish.* 52(11):1935-1938.
- Tabeta, O., and Y. Komaki. 1986. Distribution and abundance of pelagic fishes in the epipelagic layers of the Indian sector of the Southern Ocean in summer, 1983-1984. *Mem. Natl. Inst. Polar Res., Spec. Issue.* 40:316-322.
- Tacon, A. G. 1982. A preliminary study on the protein requirement of juvenile snakehead. *Bull. Jap. Soc. Sci. Fish.* 48(10):1463-1468.
- Taft, A. C., and G. I. Murphy. 1950. The life history of the Sacramento squawfish ([*Ptychocheilus grandis*]). *California Fish. Game* 36(2):147-164.
- Taft, B. A. 1960. A statistical study of the estimation of abundance of sardine ([*Sardinops caerulea*]) eggs. *Limnol. Oceanogr.* 5:245-264.

- Tagatz, M. E. 1961. Reduced oxygen tolerance and toxicity of petroleum products to juvenile American shad. *Ches. Sci.* 2:65-71.
- Tagatz, M. E. 1961. Tolerance of striped bass and American shad to changes in temperature and salinity. *U.S. Fish & Wildl. Serv. Spec. Sci. Rep. Fish.* 388, 8 pp.
- Tagatz, M. E. 1973. A larval tarpon, [*Megalops atlanticus*], from Pensacola, Florida. *Copeia* 1973(1):141-142.
- Tagatz, M. E., and E. P. H. Wilkens. 1973. Seasonal occurrence of young gulf menhaden and other fishes in a northwestern Florida estuary. NOAA Tech. Rep. NMFS Spec. Sci. Rep. Fish., No. 672:1-13.
- Taggart, C. T., and W.C. Leggett. 1987. Wind-forced hydrodynamics and their interaction with larval fish and plankton abundance: A time-series analysis of physical-biological data. *Can. J. Fish. Aquat. Sci.* 44: 438-451.
- Taggart, C. T., and W.C. Leggett. 1987. Short-term mortality in post-emergent larval capelin *Mallotus villosus*. I. Analysis of multiple in situ estimates. *Mar. Ecol. Prog. Ser.* 41: 205-217.
- Taggart, C. T., and W.C. Leggett. 1987. Short-term mortality in post-emergent larval capelin *Mallotus villosus*. II. Importance of food and predator density, and density-dependence. *Mar. Ecol. Prog. Ser.* 41: 219-229.
- Taggart, C. T., and K. T. Frank. 1990. Perspectives on larval fish ecology and recruitment processes - probing the scales of relationships. Pages 151-164 [in] *Large Marine Ecosystems: Patterns, Processes, and Yields*. Ed. by K. Sherman, L. M. Alexander, and B. D. Gold. AAAS Press, Washington, D.C. 242 pp.
- Taggart, J. V. 1976. The survival from egg deposition to emergence of coho salmon in Clearwater River, Jefferson County, Washington. M.S. Thesis, Univ. Washington, Pullman, WA.
- Tait, J. S. 1960. The first filling of the swimbladder in salmonids. *Canadian Journal of Zoology* 38:179-187.
- Takada, T. 1965. On the development of the scale of young grey mullet, [*Mugil cephalus*]. *Jap. J. Ichthyol.* 13(1-3):52-58. in Japanese.
- Takagi, K. 1966. Distributions and ecology of the gobiid fishes in the Japanese waters. *J. Tokyo Univ. fish.* 52:83-127.
- Takahashi, H. 1977. Effects of large doses of methyltestosterone on the development of reproductive organs of juvenile guppy, [*Poecilia reticulata*]. *Bull. Fac. Fish Hokkaido Univ.* 28(1):6-19.
- Takahashi, M., and M. A. Hatanaka. 1960. Experimental study on utilization of food by young anchovy, [*Engraulis japonicus*] Temm. et Sch. *Tohoku J. Agric. Res.* 11(2):160-170.
- Takahashi, N. 1955. On the influence of waste liquid drawn out of the alcohol factory upon the development of the eggs of [*Cyprinus carpio*] L. and [*Plecoglossus altivelis*] Temminck & Schlegel. *Jap. J. Ichthyol.* 4(3):16-24. In Japanese.
- Takahashi, S., and T. Hidaka. 1984. The offshore life of Isaza larvae, [*Chaenogobius*] [isaza] in Lake Biwa. *Bull. Jap. Soc. Sci. Fish.* 50(11):1803-1810.
- Takahashi, Y., and Y. Maeno. 1986. Occurrence of an accessory cavity in the testis of the topmouth gudgeon, [*Pseudorasbora parva*], and its relation to juvenile intersexuality. *Jap. J. Ichthyol.* 33(2):180-185.

- Takai, T., and A. Mizokami. 1959. On the reproduction, eggs, and larvae of the pipefish, [*Syngnathus schlegelii*] Kaup. J. Shimonoseki Coll. Fish. 8:85-89.
- Takai, T., and T. Fukanaga. 1971. The life history of a ovo-viviparous scorpaenoid fish, [*Sebastes longispinis*] (Matsubara). 1. Egg and larval stages. J. Shimonoseki Univ. Fish. 20:91-95.
- Takai, T., and T. Yoshioka. 1979. The life history of the dragonet, [*Callionymus*] [*beniteguri*], in the Seto Inland Sea. I. Egg, larva and juvenile. J. Shimonoseki Univ. Fish. 27: 147-154.
- Takama, K., K. Zama, and H. Igarashi. 1970. Changes in the lipids during the development of salmon eggs. Hokkaido Daigaku Suisangakubu Kenkyu Iho. 2(2):118-125. (Fish. Res. Bd. Can. Transl. Ser. 1382:1-17).
- Takashima, F., et al. 1975. Over-ripening phenomenon of rainbow trout. 3. Histological studies on physiological condition of over-ripened female. Bull. Jap. Soc. Sci. Fish. 41:861.
- Takata, T. 1966. Egg development and larval stages of the small clupeoid fish, [*Harengula zunasi*] Bleeker and some information about the spawning and nursery in Ariake Sound. Bull. Fac. Fish. Nagasaki Univ. 21:171-179.
- Takeuchi, I. 1972. Some observations of eggs and larvae of the Alaska pollock, [*Theragra chalcogramma*] (Pallas) off the west coast of Kamchatka. Pages 613-620 [in] A. Y. Takenouti, editor. Biol. oceanogr. of northern North Pacific Ocean. Idemitsu Shoten, Japan.
- Takeuchi, I. K., and T. Kajishima. 1979. Accumulation of lipid particles in xanthophores during the larval development of the goldfish, [*Carassius auratus*]. Jap. J. Ichthyol. 25(4):259-265.
- Takeuchi, K. 1960. The behavior of caretonoid and distribution of xanthophores during development of the medaka, [*Oryzias latipes*]. Embriologia 5(2):170-177.
- Takeuchi, K. 1987. Classification of late embryonic stages of medaka, [*Oryzias latipes*]. Jap. J. Ichthyol. 34(1):47-52.
- Takeuchi, M., S. Ishii, and T. Ogiso. 1981. Effect of dietary vitamin E on growth, Vitamin E distribution, and mortality of the fertilized eggs and fry in ayu, [*Plecoglossus altivelis*]. Bull. Tokai Reg. Fish. Res. Lab. 104:111-122.
- Taki, Y., H. Kohno, and S. Hara. 1986. Early development of fin-supports and fin-rays in the milkfish, [*Chanos chanos*]. Jap. J. Ichthyol. 32(4):413-420.
- Takii, K., M. Takeda, and Y. Nakao. 1984. Effects of supplement of feeding stimulants to formulated feeds on feeding activity and growth of juvenile eel. Bull. Jap. Soc. Sci. Fish. 50(6):1039-1044.
- Takimoto, Y., S. Hagino, H. Yamada, and J. Miyamoto. 1984. The acute toxicity of fenitrothion to killifish ([*Oryzias latipes*]) at twelve different stages of its life history. J. Pestic. Sci. 9(3):463-470.
- Takita, T., and S. Fujita. 1964. Egg development and prolarval stages of the turbot, [*Pleuronichthys cornutus*] (Temminck et Schlegel). Bull. Jap. Soc. Scient. Fish. 30(8):613-618. In Japanese, English summary.
- Takita, T. 1967. Egg development and prolarval stages of flatfish [*Verasper varietgatus*]. Bull. Fac. Fish. Nagasaki Univ. 119098 No. 23:101-106.
- Takita, T. 1967. Spawning and the early life history of the engraulid fish [*Coilia*] sp. distributed in Ariake Sound. Bull. Fac. Fish. Nagasaki Univ. No. 23:107-122.

- Takita, T., S. Fujita, and Y. Dotsu. 1967. Egg development and pro-larval stages of flatfish, [*Verasper variegatus*] (Temminck et Schlegel). Bull. Fac. Fish. Nagasaki Univ. 23:101-106.
- Takita, T. 1974. Studies on the early life history of [*Nibeal*] [*albiflora*] (Rich.) in Ariake Sound. Bull. Fac. Fish. Nagasaki Univ. 38:1-55.
- Takita, T. 1980. Embryonic development and larvae of three dragonets. Bull. Jap. Soc. Sci. Fish. 46(1):1-7.
- Takita, T. 1983. Embryonic and larval development of the callionymid fish, [*Callionymus calliste*]. Jap. J. Ichthyol. 29:441-445.
- Takita, T., and K. Nakamura. 1986. Embryonic development and prelarva of the atherinid fish, [*Hypoatherina bleekeri*]. Jap. J. Ichthyol. 33(1):57-61.
- Takita, T., and K. Nakamura. 1986. Embryonic development and prolarva of the atherinid fish, [*Atherion elymus*]. Jap. J. Ichthyol. 33(2):200-203.
- Takita, T., and S. Kondo. 1984. Early life history of the silverside, [*Allanetta*] [*bleekeri*]. Jap. J. Ichthyol. 30(4):435-443.
- Takizawa, K., T. Takami, S. Matsuno, and S. Watanabe. 1996. On a stochastic model of gulping behavior of larval fish to planktonic prey. Fisheries Science 62:153-155.
- Talbot, C., and P. J. Higgins. 1982. Observations on the gall bladder of juvenile Atlantic salmon, [*Salmo salar*] L. in relation to feeding. J. Fish. Biol. 21(6):663-670.
- Talbot, C., P. J. Higgins, and A. M. Shanks. 1984. Effects of pre- and post- prandial starvation on meal size and evacuation rate in juvenile Atlantic salmon, [*Salmo salar*] L. J. Fish. Biol. 25(5):551-560.
- Talbot, C. W., and K. W. Able. 1984. Composition and distribution of larval fishes in New Jersey high marshes. Estuaries 7(4A):434-443.
- Talbot, C. W. 1985. Temporal and spatial distribution of larval, juvenile and adult fishes in altered and unaltered high marshes in New Jersey. M. S. Thesis, Rutgers Univ.
- Talbot, G. B., and S. I. Johnson. 1972. Rearing Pacific herring in the laboratory. Progressive Fish-Culturist 34(1): 2-7.
- Talbot, J. W. 1976. The dispersal of plaice eggs and larvae in the Southern Bight of the North Sea. J. Cons., Cons. int. Explor. Mer 37:221-248.
- Talbot, J. W. 1978. Changes in plaice larval dispersal in the last fifteen years. Rapp. P.-v. Reun. Cons. Explor. Mer 172:114-123.
- Talmage, S. S. 1978. Thermal effects on aquatic organisms - an annotated bibliography of the 1977 literature. ORNL/EIS-143, Oak Ridge Natl. Lab., Oak Ridge, TN.
- Talwar, P. K. 1968. Studies on the biology of [*Hemirhamphus marginatus*] (Forsk.) (Hemirhamphidae). J. Mar. Biol. Assoc. India 9:61-69.
- Tampi, P. R. S. 1958. On the food of [*Chanos chanos*] (Forsk.). Indian J. Fish. 5(1):107-117.
- Tampi, P. R. S., P. T. Meenakshisundaram, S. Basheeruddin, and J. C. Gnanamuttu. 1968. Spawning periodicity of the ribbon fish, [*Trichiurus*] [*lepturus*] (F.), with a note on its rate of growth. Indian J. Fish. 15(1-2):53-60.

- Tan, E. O. 1960. Contribution to the investigation on the osmoregulation in fish eggs. *Philipp. J. Fish.* 8(1):59-69.
- Tan, O. K. K., and T. J. Lam. 1973. Induced breeding and early development of the marble goby, [*Oxyeleotris marmorata*] Blk. *Aquaculture* 2(4):411-424.
- Tan-Tue, V. 1976. Study on the development of the digestive tract of the larvae of [*Dicentrarchus labrax*] (L.). *Arch. Zool. Exp. Gen.* 117(4):493-509.
- Tanaka, K., Y. Mugiya, and J. Yamada. 1981. Effect of photoperiod and feeding on daily growth patterns in otoliths of juvenile [*Tilapia nilotica*]. *Fish. Bull.* 79(3):459-466.
- Tanaka, M. 1969. Studies on the structure and function of the digestive system in teleost larvae. II. Characteristics of the digestive system in larvae at the stage of first feeding. *Jap. J. Ichthyol.* 16(2):41-49.
- Tanaka, M. 1969. Studies on the structure and function of the digestive system in teleost larvae. I. Development of the digestive system during prelarval stage. *Jap. J. Ichthyol.* 16:1-9.
- Tanaka, M. 1971. Studies on the structure and function of the digestive system in teleost larvae. III. Development of the digestive system during post larval stage. *Jap. J. Ichthyol.* 18:164-174.
- Tanaka, M. 1972. Studies on the structure and function of the digestive system in teleost larvae. IV. Changes in the epithelium related to fat absorption in the anteriomedium part of the intestine after feeding. *Jap. J. Ichthyol.* 19:15-25.
- Tanaka, M. 1972. Studies on the structure and function of the digestive system in teleost larvae. V. Epithelial changes in the posterior gut and protein ingestion. *Jap. J. Ichthyol.* 19:172-180.
- Tanaka, M., S. Kawai, and S. Yamamoto. 1972. On the development of the digestive system and changes in activities of digestive enzymes during larval and juvenile stage in ayu. *Bull. Jap. Soc. Sci. Fish.* 38(10):1143-1152.
- Tanaka, M. 1973. Studies on the structure and function of the digestive system of teleostean larvae. Ph.D. Diss., Kyoto Univ., Kyoto. 136 pp.
- Tanaka, M. 1980. On the inshore migration of the red sea bream larvae and juveniles with special reference to exchange of seawaters in Shijiki Bay. *Bull. Coastal Oceanogr.* 17:118-130.
- Tanaka, M. 1980. The ecological studies of the larvae and juveniles of the red sea bream in Shijiki Bay - I. the horizontal distribution of the pelagic larvae and juveniles in and outside the Bay. *Bull. Seikai Regional Fish. Res. Lab.* 54:231-258.
- Tanaka, M., M. Sugiyama, K. Tamai, and K. Miyaji. 1983. The ecological studies of the larvae and juveniles of the red sea bream in Shijiki Bay - II. An observation of the vertical distribution of pelagic larvae and juveniles. *Bull. Seikai Regional Fish. Res. Lab.* 59:33-46.
- Tanaka, M. 1985. Factors affecting the inshore migration of pelagic larval and demersal juvenile red sea bream, [*Pagrus*] [*major*], to a nursery ground. *Transactions of the American Fisheries Society* 114:471-477.
- Tanaka, M., H. Ueda, and M. Azeta. 1987. Near-bottom copepod aggregations around the nursery ground of the juvenile red sea bream in Shijiki Bay. *Bull. Jap. Soc. Sci. Fish.* 53: 1537-1544.



- Tanaka, M., H. Ueda, M. Azeta, and H. Sudo. 1987. Significance of near-bottom copepod aggregations as food resources for the juvenile red sea bream in Shijiki Bay. *Bull. Jap. Soc. Sci. Fish.* 53: 1545-1552.
- Tanaka, M., S. Kawai, T. Seikai, and J.S. Burke. 1996. Development of the digestive organ system in Japanese flounder in relation to metamorphosis and settlement. Pages 19-31 [in] L.A. Fuiman, editor. *Marine and Freshwater Behaviour and Physiology* 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Tanaka, R. 1935. The effect of formalin as a disinfectant against the aquatic fungus which attaches the eggs of the pond smelt. *Trans. Sapporo Natur. Hist. Soc.* 14:138-141.
- Tanaka, S. 1915-19. Figures and description of the fishes of Japan. *J. Coll. Sci. Imp. Univ. Tokyo* 24:419-440.
- Tanaka, S. 1955. Estimation of the abundance of the eggs of fish such as sardine. I. Method of estimation by the vertical haul of plankton net. *Bull. Jap. Soc. Sci. Fish.* 21:386-389.
- Tanaka, S. 1955. Estimation of the abundance of the eggs of fish such as sardine. II. Abundance of the eggs of the Japanese sardine in western area off Kyusyu in 1952. *Bull. Jap. Soc. Sci. Fish.* 21:390-396.
- Tanaka, S. 1960. Studies on the dynamics and management of fish populations. *Bull. Tokai Reg. Fish. Res. Lab.* 28:1-200.
- Tanaka, S. 1973. Significance of eggs and larval surveys in the studies of population dynamics of fish. Pages 151-157 [in] J. H. S. Blaxter, editor. *The early life history of fish.* Springer-Verlag, Berlin, West Germany.
- Tanaka, S. 1974. Significance of egg and larval surveys in the study of population dynamics of fishes. Page 55 [in] Report of the international symposium on the early life history of fish. *FAO Fish. Rep.*, No. 141, 58 pp.
- Tanaka, S. 1975. Collection of leptocephali of the Japanese eel in waters south of the Okinawa Islands. *Bull. Jap. Soc. Sci. Fish.* 41(2):129-136.
- Tanaka, Y., K. Suzuki, and A. Doi. 1982. Reproduction and early life history of the gobioid fish, [*Eleotriodes helsdingeni*] Bleeker. *J. Fac. Mar. Sci. and Tech., Tokai Univ.* 15:367-376.
- Tanaka, Y., Y. Mukai, K. Takii, and H. Kumai. 1991. Chemoreception and vertical movement in planktonic yolk-sac larvae of Red Sea bream [*Pagrus major*]. *Journal of Applied Ichthyology - Zeitschrift Fur Angewandte Ichthyologie* 7:129-135.
- Tanaka, Y., and Y. Oozeki. 1996. Where are the eggs of the Pacific saury, [*Cololabis saira*]? *Ichthyological Research* 43:329-333.
- Tandler, A., and C. Mason. 1983. Light and food density effects on growth and survival of larval gilthead seabream ([*Sparus aurata*] L.; Sparidae). Pages 103-116 [in] R. R. Stickney and S. P. Meyers, editors. *Proc. Warmwater fish culture workshop*, World Mariculture Soc. Spec. Publ. 3, Louisiana State Univ., Baton Rouge, LA.
- Tandler, A., and C. Mason. 1984. The use of carbon-14 labeled rotifers, [*Brachionus plicatilis*], in the larvae of gilthead sea bream, [*Sparus aurata*]: measurements of the effect of rotifer concentration, the lighting regime, and seabream larval age on their rate of rotifer ingestion. *Europ. Maricult. Soc. Spec. Publ.* 8:241-259.
- Tandler, A., and S. Helps. 1985. The effects of photoperiod and water exchange rate on growth and survival of gilthead sea bream ([*Sparus aurata*], L. Sparidae) from hatching to metamorphosis in mass rearing systems. *Aquaculture* 48(1):71-82.

- Tang, Y. A. 1975. Collection, handling and distribution of grey mullet fingerlings in Taiwan. *Aquaculture* 5(1):81-84.
- Taniguchi, A. K. 1978. Effects of salinity, temperature, and food abundance upon survival of spotted seatrout eggs and larvae. *Proc. Meeting of Drum and Seatrout*, October 1978.
- Taniguchi, A. K. 1979. Survival and growth of larval spotted seatrout, [*Cynoscion nebulosus*], larvae in relation to temperature, prey abundance, and stocking densities. *Intl. Counc. Explor. Sea, Early life history symp.* 30 pp.
- Taniguchi, A. K. 1981. Growth efficiencies for laboratory-reared larval spotted seatrout fed microzooplankton or rotifers. Pages 6-11 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. *The fifth annual larval fish conference*, LSU Coop Fish. Res. Unit, Baton Rouge, LA, 86 pp.
- Taniguchi, A. K. 1981. Survival and growth of larval spotted seatrout ([*Cynoscion nebulosus*]) larvae in relation to temperature, prey abundance and stocking densities. *Rapp. P.-v. Reun. Cons. int. perm. Explor. Mer* 178:507-508.
- Taniguchi, N., R. Hamada, and H. Fujiwara. 1981. Genetic difference in growth between full-sib groups of a maternal half-sib family observed in the juvenile stage of red seabream and nibe-croaker. *Bull. Jap. Soc. Sci. Fish.* 47(6):731-734.
- Taniguchi, N., and Y. Okada. 1984. Identification of young of giant sciaenid and its morphological changes with growth. *Jap. J. Ichthyol.* 31(2):181-187.
- Taning, A. V. 1918. Mediterranean Scopelidae ([*Saurus*], [*Aulopus*], [*Chlorophthalmus*] and [*Myctophum*]). *Rep. Dan. Oceanogr. Exped. Mediterr.* 2(A7):154 pp.
- Taning, A. V. 1923. [*Lophius*]. *Rep. Dan. Oceanogr. Exped. Mediterr.* 2(A10):30 pp.
- Taning, A. V. 1927. Directions for staining fish with a view to radical investigations. *J. Cons. perm. int. Explor. Mer* 2:50-52.
- Taning, A. V. 1931. Postlarval stages of [*Bathylagus*] from the North Atlantic. *Vidensk. dansk Meddr. naturh. Foren.* 92:269-274.
- Taning, A. V. 1936. Young herring and sprat in Faroes waters. *Meddr. Kommm. Havunders., Ser. Fiskei* 10(3):1-28.
- Taning, A. V. 1936. On the eggs and young of the hali but. *Meddr. Kommm. Havunders., Ser. Fikei* 10(4), 23 pp.
- Taning, A. V. 1936. Herring larvae in Icelandic waters, 1924-1934. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 99(6):1-20.
- Taning, A. V. 1938. [*Merluccius merluccius*]. In: *Faune Ichthyologique de l'Atlantique Nord.* *J. Cons. perm. int. Explor. Mer* 18, 3 pp.
- Taning, A. V. 1938. [*Gadus merlangus*]. In: *Faune Ichthyologique de l'Atlantique Nord.* *J. Cons. perm. int. Explor. Mer* 18, 2 pp.
- Taning, A. V. 1938. [*Gadus callarias*]. In: *Faune Ichthyologique de l'Atlantique Nord.* *J. Cons. perm. int. Explor. Mer* 18, 4 pp.
- Taning, A. V. 1939. Drift and growth of cod larval stages. *Ann. Biol. Copenh.* 1:95.
- Taning, A. V. 1943. Cod: Drift of larval stages across the Denmark Strait. *Annl. Biol., Copenh.* 1:95.
- Taning, A. V. 1943. Drift and growth of haddock larvae. *Annl. Biol., Copenh.* 1:98.

- Taning, A. V. 1943. Fluctuations in the number of 0-group plaice fished in the Wadden Sea. *Annls. Biol.*, Copenh. 1:135-137.
- Taning, A. V. 1943. Drift and growth of cod larvae. *Ann. Biol.* 1:93-94.
- Taning, A. V. 1944. Experiments on meristic and other characters in fishes. I. On the influence of temperature on some meristic characters in sea trout and the fixation-period of these characters. *Meddr. Kommn. Havunders.*, Ser. Fiskeii 11(3):1-66.
- Taning, A. V. 1946. Stage of determination of vertebrae in teleostean fishes. *Nature* (London) 157:594.
- Taning, A. V. 1950. Influence of the environment on number of vertebrae in teleost fishes. *Nature* (London) 165(28).
- Taning, A. V. 1951. Eggs and larvae. Fish-fry in west Greenland waters, July 1950. *Ann. Biol.* 7(1950):38-39.
- Taning, A. V. 1952. Experimental study of meristic characters in fishes. *Biol. Rev.* 27:169-193.
- Taning, A. V. 1955. On the breeding areas of the swordfish ([*Xiphias*]). *Papers in marine biology and oceanography. Deep-Sea Res.* 3(Suppl.):438-450.
- Taning, A. V. 1961. Larval and postlarval stages of [*Sebastes*] species and [*Helicolenus dactylopterus*]. *Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 150:234-240.
- Taniuchi, T. 1971. Reproduction of the sandbar shark, [*Carcharhinus*] [*milberti*], in the East China Sea. *Jap. J. Ichthyol.* 18(2):94-98.
- Tanoue, T., and T. Tamari. 1960. Studies on the relations between the drifting distribution of mackerel larvae, [*Pneumatophorus*] [*tapeiocephalus*] Bleeker, and the environmental factors. 1. On the larvae collected and the sea conditions around the Osumi Islands. *Bull. Jap. Soc. Sci. Fish.* 26(9):882-886.
- Tanoue, T. 1961. Studies on the relationship between the drifting distribution of mackerel larvae, [*Pneumatophorus*] [*tapeiocephalus*] Bleeker, and the environmental factors. II. On the larvae and the sea conditions in the surface and middle layers around the Osumi Island. *Bull. Jap. Soc. Sci. Fish.* 27(12):1041-1046.
- Tappel, P. D., and T. C. Bjornn. 1983. A new method of relating size of spawning gravel to salmonid embryo survival. *N. A. J. Fish. Mgmt.* 3(2):123-135.
- Tarassof, N. I. 1932. On the occurrence of pelagic cod, plaice and [*Drepanopsetta*] eggs in the Motovski Fjord. In: *Coll. papers Fish. Work on Murman Coast. Cent. Sci. Fish. Inst.*, Moscow and Leningrad. 1-200.
- Tarbox, K. E. 1970. Seasonal occurrence, distribution, and relative abundance of juvenile fishes at March Island, Louisiana. M.S. Thesis, Louisiana State Univ., Baton Rouge, LA.
- Tarby, M. J. 1974. Characteristics of yellow perch cannibalism in Oneida Lake and the relation to first year survival. *Transactions of the American Fisheries Society* 103:462-471.
- Targett, T. E. 1979. A contribution to the biology of the puffers, [*Sphaeroides testudineus*] and [*S. spengleri*], from Biscayne Bay, Florida. *NOAA-NMFS Fish. Bull.* 77(1):292-295.
- Tarplee, W. H., Jr., W. T. Bryson, and R. G. Sherfinski. 1979. Portable push net apparatus for sampling ichthyoplankton. *Progressive Fish-Culturist* 41(4):213-215.

- Tarr, R. J. Q., and B. J. Hill. 1978. Oxygen consumption, food assimilation and energy content of southern Africa elvers ([*Anguilla*] spp.). *Aquaculture* 15:141-150.
- Tarter, D. C. 1969. Some aspects of reproduction in the western blacknose dace, [*Rhinichthys atratulus meleagris*] Agassiz, in Doe Run, Meade County, Kentucky. *Transactions of the American Fisheries Society* 98(3):454-459.
- Tasto, R. N. 1975. Aspects of the biology of the Pacific staghorn sculpin, [*Leptocottus armatus*], in Anaheim Bay. California Dept. Fish Game Fish Bull. No. 165: 123-136.
- Tat'yankin, Y. U. 1974. The effect of preliminary adaptation temperature on the distribution of young cod, [*Gadus morhua morhua*] L., and pollock, [*Pollachius virens*] (L.), within the temperature gradient. *Vopr. Ikhtiolog. (USSR)* 14:869-874.
- Tat'yankin, Y.V. 1966. Upper temperature threshold of cod and pollock fry and its dependence on the adaptation temperature. *Dokl. Akad. Nauk SSSR* 167(5):1159-1161. *Sport Fishery Abstr.* 1967(1968) 13(3):132 (English transl. of abstract).
- Tat'yankin, Y.V. 1972. The distribution of juvenile cod, [*Gadus morhua*] [*morhua*] (L.), pollock, [*Pollachius virens*] (L.), and haddock, [*Melanogrammus aeglefinus*] (L.), under temperature gradient conditions. *J. Ichthyol.* 12(6):1002-1011.
- Tatarko, K. I. 1968. The effect of temperature on the meristic characteristics of fishes. *Am. Fish. Soc. Prob. in Ichthyol.* 8(3):338-350.
- Tatarko, K. I. 1968. Sensitivity of pond carp to elevated temperature in various periods of embryonic development. *Gidrobiol. Zh.* 4(6):34-43.
- Tatarko, K. I. 1970. Sensitivity of pond carp to high temperatures at early stages of post-embryonic development. *Gidrobiol. Zh.* 6(2):102-105.
- Tatham, T. R., and R. S. Stein. 1973. Ichthyoplankton. Pages 74-103 [in] D. L. Thomas and C. B. Milstein, editors. *Ecol. Studies in the bays and other waterways near Little Egg Inlet and in the ocean vicinity of the proposed site for the Atl. Generating Sta. NJ.* Ichthyological Assoc., Inc., Prog. Rep. Jan.-Dec. 1972, Pt. 1, 666 pp.
- Tatham, T. R., D. P. Swiecicki, and E. C. Stoop. 1974. Ichthyoplankton. Pages 88-106 [in] D. L. Thomas, C. B. Milstein, and T. R. Tatham, editors. *Ecol. studies in the bays and other waterways near Little Egg Inlet and in the ocean in the vicinity of the proposed site of the Atl. Gener. Sta., NJ.* Vol. 1, *Ichthyol. Assoc., Prog Rep Jan-Dec 1973.*
- Tatner, M. F., and M. J. Manning. 1985. The ontogenetic development of the reticulo-endothelial system in the rainbow trout, [*Salmo gairdneri*] Rich. *J. Fish. Dis.* 8(1):35-42.
- Tatsukawa, K. 1979. Experimental study on survival and growth in the early life history of the guppy, [*Poecilia*] [*reticulata*]. *Intl. Counc. Explor. Sea, Early life history symp.* 16 pp.
- Tatsukawa, K. 1981. Experimental studies on survival and growth in the early life history of the guppy ([*Poecilia*] [*reticulata*]). *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:28-29.
- Taub, S. H. 1966. Some aspects of the life history of the white perch, [*Roccus americanus*] (Gmelin), in Quabbin Reservoir, Massachusetts. M.S. Thesis, Univ. MA, Amherst, MA, 63 pp.
- Taubert, B. D. 1977. Early morphological development of the green sunfish, [*Lepomis cyanellus*], and its separation from other larval [*Lepomis*] species. *Transactions of the American Fisheries Society* 106:445-448.

- Taubert, B. D. 1980. Reproduction of shortnose sturgeon ([Acipenser] [brevirostrum]) in Holyoke Pool, Connecticut River, Massachusetts. *Copeia* 1980(1):114-117.
- Taubert, B. D., and M. J. Dadswell. 1980. Description of some larval shortnose sturgeon ([Acipenser brevirostrum]) from the Holyoke Pool, Connecticut River, Massachusetts, U.S.A., and the Saint John River, New Brunswick, Canada. *Canadian Journal of Zoology* 58:1125-1128. shortnose sturgeon *Acipenser brevirostrum* larvae Connecticut River, St.
- Tauti, M. 1927. On the influence of temperature and salinity upon the development of fish eggs. *J. Fish. Inst. Tokyo* 23(2):31.
- Tavolga, W. N., and R. Rugh. 1947. Development of the platyfish, [Platypoecilus] [maculatus]. *Zoologica* 32(1):1-15.
- Tavolga, W. N. 1949. Embryonic development of the platyfish ([Platypoecilus]), the swordtail ([Xiphophorus]) and their hybrids. *Bull. Am. Mus. Nat. Hist.* 94:163-229.
- Tavolga, W. N. 1950. Development of the gobiid fish, [Bathygobius] [soporator]. *J. Morph.* 87:467-492.
- Tay, K. L., and F. T. Garside. 1975. Some embryogenic responses of mummichog, [Fundulus] [heteroclitus] (L.), (Cyprinodontidae), to continuous incubation in various combinations of temperature and salinity. *Canadian Journal of Zoology* 53(7):920-933.
- Tay, K. L., and E. T. Garside. 1978. Compensatory embryogenic responses in osmoregulative structures of mummichog, [Fundulus heteroclitus] L. incubated at constant temperature and various constant levels of salinity. *Canadian Journal of Zoology* 56(4):613.
- Taylor, A. H., and J. A. Stephens. 1980. Latitudinal displacements of the Gulf Stream (1966-1977) and their relation to changes in temperature and zooplankton abundance in the N.E. Atlantic. *Oceanologica Acta* 3:145-149.
- Taylor, C. C. 1953. Nature of variability in trawl catches. *Fish. Bull. NOAA (U.S.)* 54(83):145-166.
- Taylor, E. A. 1977. Food habits of larval [Lepomis] spp. in Old Hickory Reservoir, Tennessee. *Proc. 31st. Ann. Conf. S. E. Assoc. G & F Comms.* 31:432-436.
- Taylor, E. B. 1984. Evidence for adaptive relationships between body morphology, body size and swimming performance between British Columbia populations of juvenile coho salmon, [Oncorhynchus kisutch]. M.S. Thesis, Univ. British Columbia, Canada.
- Taylor, E. B., and J. D. McPhail. 1985. Burst swimming and size-related predation of newly emerged coho salmon, [Oncorhynchus kisutch]. *Transactions of the American Fisheries Society* 114:546-551.
- Taylor, E. B., and J. D. McPhail. 1985. Ontogeny of the startle response in young coho salmon, [Oncorhynchus kisutch]. *Transactions of the American Fisheries Society* 114:552-557.
- Taylor, F. H. C. 1964. Life history and present status of British Columbia herring stocks. *Fish. Res. Bd. Can. Bull.* 143. 81 pp.
- Taylor, F. H. C. 1971. Variation in hatching success in Pacific herring ([Clupea pallasii]) eggs with water depth. Pages 34-41 [in] A. Saville, editor. *Symp. on biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer*, No. 160, 205 pp.
- Taylor, J. N. 1983. Field observations on the reproductive ecology of three species of armored catfishes (Loricariidae: Loricariinae) in Paraguay. *Copeia* 1983(1):257-259.

- Taylor, M. 1913. The development of [*Synbranchus marmoratus*]. *Quart. J. Micro. Sci.* 59:1-51.
- Taylor, M. H., L.D. Michele, and G. J. Leach. 1977. Egg stranding in the life cycle of the mummichog, [*Fundulus heteroclitus*]. *Copeia* 1977(2):397-399.
- Taylor, P. B. 1986. Experimental evidence for geomagnetic orientation in juvenile salmon, [*Oncorhynchus tshawytscha*] Walb. *J. Fish. Biol.* 28(5):607-624.
- Taylor, R. E., and B. Kynard. 1985. Mortality of juvenile American shad and blueback herring passed through a low-head Kaplan hydroelectric turbine. *Transactions of the American Fisheries Society* 114:430-435.
- Taylor, S. G. 1980. Marine survival of pink salmon fry from early and late spawners. *Transactions of the American Fisheries Society* 109(1):79-82.
- Taylor, S. G. 1984. Quality of pink salmon, [*Oncorhynchus gorbuscha*], fry incubated from eggs in river gravel or plastic substrates. *Aquaculture* 42(3/4):359-366.
- Taylor, W. 1971. A device for sorting salmonid eggs. *Progressive Fish-Culturist* 33(4):224-226.
- Taylor, W. R. 1967. An enzyme method of clearing and staining small vertebrates. *Proc. U.S. Natn. Mus.* 122(3596):1-17.
- Taylor, W. W., and M. H. Freeberg. 1984. Effect of food abundance on larval lake whitefish, [*Coregonus clupeaformis*] Mitchill, growth and survival. *J. Fish. Biol.* 25(6):733.
- Tcherniaev, G. A. 1971. Development biology of [*Comephorus dybowskii*] Kor., an endemic fish of Lake Baikal. *Bull. Soc. Zool. Fr.* 96(4):385-398.
- Tchougounova, N. J. 1928. The biology of the young of the food-fishes in the Volga-Caspi district. *Rep. Astrakhan Sci. Fish. Sta.*
- Tchoumaevskaya-Sve E. V. 1945. Contributions to the biology and development of [*Osmerus eperlangus*] var. [*spirinchus*] of Valday and Pskovske-Chudskkoe lakes. *Zool. J. Moscow* 24:341-346.
- Teleki, G. C. 1976. The incidence and effect of once-through cooling on young-of-the-year fishes at Long Point Bay, Lake Erie: a preliminary assessment. Pages 387-393 [in] G. W. Esch and R. W. McFarlane, editors. *Thermal Ecology II. ERDA Symp. Ser. 40 (CONF-750425)*, Nat. Tech. Inform. Serv.
- Templeman, W., and E. J. Sandeman. 1959. Variations in caudal pigmentation in late-stage pre-extrusion larvae from [*Sebastes marinus*] and [S.] [mentella] type female redfish from the Newfoundland area. *Journal of the Fisheries Research Board of Canada* 16(6):763-789.
- Templeman, W. 1972. Year-class success in some North Atlantic stocks of cod and haddock. *Int. Comm. Northwest Atl. Fish. Spec. Publ.* 8:223-239.
- Templeman, W. 1944. The life-history of the spiny dogfish ([*Squalus*] [*acanthias*]) and the vitamin A values of dogfish liver oil. *Res. Bull. Div. Fish. Res. Newfoundland*, No. 15:1-102.
- Templeman, W. 1948. The life history of the capelin, [*Mallotus villosus*] O. F. Muller, in Newfoundland waters. *Bull. Newfoundland Gov. Lab No.* 17:1-151.
- Templeman, W. 1980. Incidence of subcaudal melanophores in pre-extrusion larvae of redfish species in the Newfoundland Labrador area. *J. Northw. Atl. Fish. Sci.* 1:7-19.

- Teodorescu, R. 1942. Contributions a l'etude du developpement des larves de sandre, [Lucioperca sandra] Cuv. et Val. la nutrition et l'ossification du systeme osseux. Anal. Inst. Cercet. Pisc. Romaneie 1:29-42.
- Teodorescu, R. 1943. Beitrag zur Kenntnis der Entwicklung, Nahrung und Bildung des Knochensystems bei der larve von [Alburnus lucidus] Heckel. Anal. Inst. Cercet. Pisc. Romaneie 2:247-271.
- Teodorescu, R. 1943. Die Entwicklung der larven des Flussbarsches, [Perca] [fluviatilis] L., im vergliche mit derjenigen des Zanders, [Lucioperca zandra] Cuv. and Val. Anal. Inst. Cercet. Pisc. Romaneie 2:305-335.
- Terazaki, M., and M. Iwata. 1983. Feeding habits of chum salmon fry, [Oncorhynchus] [keta], collected from Otsuchi Bay. Bull. Jap. Soc. Sci. Fish. 49(8):1187-1194.
- Terner, C. 1968. Studies of metabolism in embryonic development. III. Glycogenolysis and glucogenesis in trout embryos. Comp. Biochem. Physiol. 25:989-1003.
- Terner, C. 1968. Studies of metabolism in embryonic development. I. The oxidative metabolism of unfertilized and embryonated eggs of the rainbow trout. Comp. Biochem. Physiol. 24:933-940.
- Terner, C., L. A. Kumar, and T. S. Choe. 1968. Studies of metabolism in embryonic development. II. Biosynthesis of lipids in embryonated trout ova. Comp. Biochem. Physiol. 24:941-950.
- Terner, C. 1979. Metabolism and energy conversion during early development. Pages 261-278 [in] W. S. Hoar and D. J. Randall, editors. Fish physiology, Vol. 8. Academic Press, Inc., New York.
- Terver, D. 1971. Egg-laying, reproduction and embryonic development in a fish-clown ([Amphiprion poly maus]). Piscic. Fr. 26:9-23.
- Tesch, F. W. 1980. Occurrence of eel, [Anguilla anguilla], larvae west of the European continental shelf, 1971-77. Environmental Biology of Fishes 5(3):185-190.
- Teshima, K. 1973. Studies on sharks. III. The stage of placentation and the umbilical stalk in [Carcharhinus dussumieri]. J. Shimonoseki Univ. Fish. 21(3):25-30.
- Teshima, K., and K. Mizue. 1972. Studies on sharks. I. Reproduction in the female sumitsuki shark, [Carcharhinus dussumieri]. Mar. Biol. 14(3):222-231.
- Teshima, K., and S. Tomonaga. 1986. Primordial germ cells and lymphomyeloid system in the embryos of the Aleutian skate, [Bathyraja aleutica]. Jap. J. Ichthyol. 33(1):19-26.
- Teshima, S., et al. 1987. Phospholipids of the rotifer, prawn, and larval fish. Bull. Jap. Soc. Sci. Fish. 53(4):609-616.
- Teska, J. D., and D. J. Behmer. 1981. Zooplankton preferences of larval lake whitefish. Transactions of the American Fisheries Society 110:459-461.
- Tesoriero, J. V. 1977. Formation of the chorion (zona pellucida) in the teleost, [Oryzias latipes]. I. Morphology of early oogenesis. J. Ultrastruc. Res. 59:282-291.
- Tesoriero, J. V. 1978. Formation of the chorion (zona pellucida) in the teleost, [Oryzias latipes]. III. Autoradiography of 3-H proline incorporation. J. Ultrastruc. Res. 64:315-326.
- Tester, A. L. 1938. Variation in the mean vertebral count of herring ([Clupea pallasii]) with water temperature. J. Cons. perm. int. Explor. Mer 13(1):71-75.

- Tester, A. L. 1941. A high mortality of herring eggs. Proc. Rep. Fish. Res. Bd. Can., Pacific Sta. 53.
- Tester, A. L. 1951. The distribution of eggs and larvae of the anchovy, [*Stolephorus purpureus*] Fowler, in Kaneohe Bay, Oahu, with consideration of the sampling problem. Pacif. Sci. 5:321-346.
- Tester, A. L. 1955. Variation in egg and larva production of the anchovy, [*Stolephorus purpureus*] Fowler, in Kaneohe Bay, Oahu, during 1950-52. Pac. Sci. 9(1):31-41.
- TeWinkle, L. E. 1941. Structures concerned with yolk absorption in [*Squalus acanthias*]. Biol. Bull. 81:292.
- TeWinkle, L. E. 1943. Observations on later phases of embryonic nutrition in [*Squalus acanthias*]. J. Morph. 73:177-205.
- TeWinkle, L. E. 1950. Notes on ovulation, ova, and early development in the smooth dogfish, [*Mustelis canis*]. Biol. Bull. 99:474-486.
- Texas Instruments (Incorporated). 1977. 1974 and 1975 gear evaluation studies, April 1977. Ecol. Serv., Dallas, Texas. Consolidated Edison Co., New York, NY.
- Texas Instruments (Incorporated). 1978. 1975 year class report for the multiplant impact study of the Hudson River estuary. Consolidated Edison Co., New York, NY.
- Texas Instruments (Incorporated). 1979. 1976 year class report for the multiplant impact study of the Hudson River estuary. Consolidated Edison Co., New York, NY.
- Thakur, N. K., R. N. Pal, and H. A. Khan. 1974. Embryonic and larval development of [*Heteropneustes*] [*fossilis*] (Bloch). J. Inland Fish. Soc. India 6:33-44.
- Tham, A. K. 1965. Notes on the biology of the anchovy, [*Stolephorus*] [*pseudoheterolobus*] Hardenberg. Bull. Nat. Mus. Singapore 33(4):23-26.
- Thangaraja, M. 1984. Laboratory reared pufferfish, [*Arothron hispidus*] (Lac.), eggs and larvae, and subsequent stages from plankton of Vellar Estuary, Porto-Novo. Indian J. Mar. Sci. 13(4):199-201.
- Thangaraja, M., and K. Ramamoorthi. 1980. Early life history of [*Anadontostoma chacunda*] (Ham. & Buch.) from Porto Novo. Indian J. Mar. Sci. 9:136-139.
- Thatcher, T. O. 1975. Some effects of dissolved oxygen concentration on feeding, growth and bioenergetics of juvenile coho salmon. Diss. Abstr. 35:75-13,073.
- Thatcher, T. O., et al. 1976. Bioassays on the combined effects of chlorine, heavy metals, and temperature on fishes and fish food organisms. I. Effects of chlorine and temperature on juvenile brook trout, [*Salvelinus fontinalis*]. Bull. Env. Contam. Toxicol. 15:40.
- Thayer, G. W., D. E. Hoss, M. A. Kjelson, W. F. Hettler, Jr., and M. W. Lacroix. 1974. Biomass of zooplankton in the Newport River estuary and the influence of postlarval fishes. Ches. Sci. 15(1):9-16.
- Thayer, G. W., D. R. Colby, M. A. Kjelson, and M. P. Weinstein. 1983. Estimates of larval-fish abundance: diurnal variation and influences of sampling gear and towing speed. Transactions of the American Fisheries Society 112:272-279.
- Thebault, H., E. Alliot, and A. Pastoureaud. 1985. Quantitative methionine requirements of juvenile sea bass, [*Dicentrarchus labrax*]. Aquaculture 50(1/2):75-88.
- Theilacker, G. H., and M. F. McMaster. 1971. Mass culture of the rotifer, [*Brachionus plicatilis*], and its evaluation as a food for larval anchovies. Mar. Biol. 10:183-188.



- Theilacker, G. H., and R. Lasker. 1974. Laboratory studies of predation by Euphausiid shrimps on fish larvae. Pages 287-299 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, NY. 765 pp.
- Theilacker, G. H. 1978. Effect of starvation on the histological and morphological characteristics of jack mackerel, [*Trachurus symmetricus*], larvae. Fish. Bull. 76:403-414.
- Theilacker, G. H. 1978. Preservative shrinkage of larvae of [*Engraulis*] [*mordax*]: laboratory vs. field. 1978 California Coop. Fish. Invest. Conf., Idyllwild, CA.
- Theilacker, G. H. 1980. Changes in body measurements of larval northern anchovy, [*Engraulis mordax*], and other fishes due to handling and preservation. U.S. NMFS Fish. Bull. 78:685-692.
- Theilacker, G. H. 1980. Rearing container size affects morphology and nutritional condition of larval jack mackerel, [*Trachurus symmetricus*]. Fish. Bull. 78:789-791.
- Theilacker, G. H. 1980. Changes in body measurements of larval northern anchovy [*Engraulis mordax*] and other fishes due to handling and preservation. Fish. Bull. U.S. 76:403-414.
- Theilacker, G. H., and K. Dorsey. 1980. Larval fish diversity, a summary of laboratory and field research. Pages 105-142 [in] G. D. Sharp, editor. Workshop on Effects of Environmental Variation on the Survival of Larval Pelagic Fishes. IOC of UNESCO, Workshop Rep. 28, Paris, France.
- Theilacker, G. H. 1981. Effect of feeding history and egg size on the morphology of jack mackerel, [*Trachurus symmetricus*], larvae. Rapp. P.-v. Reuns. Cons. int. perm. Explor. Mer 178:432-440.
- Theilacker, G. H., and A. S. Kimball. 1983. Comparative quality of rotifers and copepods as foods for larval fishes. California Coop. Oceanic Fish. Invest. Rep. XXV:80-86.
- Theilacker, G. H. 1986. Starvation-induced mortality of young sea-caught jack mackerel, [*Trachurus symmetricus*], determined with histological and morphological methods. Fish. Bull. U.S. 84:1-17.
- Theilacker, G. H., A. S. Kimball, and J. S. Trimmer. 1986. Use of an ELISPOT immunoassay to detect euphausiid predation on larval anchovy. Mar. Ecol. Prog. Series 30: 127-131.
- Theilacker, G. H. 1987. Feeding ecology and growth energetics of larval northern anchovy, [*Engraulis mordax*]. Fish. Bull., U.S. 85:213-228.
- Theilacker, G.H., and W. Shen. 1993. Calibrating starvation-induced stress in larval fish using flow cytometry. [In] L. A. Fuiman, editor. Water quality and the early life stages of fishes. American Fisheries Society Symposium 14. 192pp.
- Theilacker, G. H., and S. M. Porter. 1995. Condition of larval walleye pollock, [*Theragra chalcogramma*], in the western Gulf of Alaska assessed with histological and shrinkage indices. Fishery Bulletin 93:333-344.
- Theilacker, G. H., K. M. Bailey, M. F. Canino, and S. M. Porter. 1996. Variations in larval walleye pollock feeding and condition: a synthesis. Fisheries Oceanography 5:112-123.
- Thia-Eng, C., and T. Seng-Keh. 1978. Effects of feeding frequency on the growth of young estuary grouper, [*Epinephelus tauvina*] (Forsk.) cultured in floating net-cages. Aquaculture 14(1):31-47.

- Thiebaut, E., J. C. Dauvin, and Y. Lagadeuc. 1994. Horizontal distribution and retention of [*Owenia fusiformis*] larvae (Annelida, Polychaeta) in the Bay of Seine. *Journal of the Marine Biological Association of the United Kingdom* 74:129-142.
- Thillayampalam, F. M. 1948. [*Scoliodon*] (The shark of the Indian Seas). *Indian Zool. Mem.* 2.
- Thiyagarajan, V. K. 1942. On some stages in the early development of [*Arius*] [*jella*] (Cuv. & Val.). *Proc. 29th Indian Sci. Congr. (Baroda)* Pt. 3:156-157.
- Thomas, A. E., and J. M. Shelton. 1968. Operation of Abernathy channel for incubation of salmon eggs. *Bur. Spt. Fish. and Wildl. Tech. Pap. No. 23*, 19 pp.
- Thomas, A. E., J. L. Banks, and D. C. Greenland. 1969. Effect of yolk absorption on the swimming ability of Fall chinook salmon. *Transactions of the American Fisheries Society* 98(3):406-410.
- Thomas, A. E. 1975. Effect of egg concentration in an incubation channel on survival of chinook salmon fry. *Transactions of the American Fisheries Society* 104(2):335-337.
- Thomas, A. E. 1975. Migration of chinook salmon fry from simulated incubation channels in relation to water temperature, flow and turbidity. *Progressive Fish-Culturist* 27:219.
- Thomas, A. E. 1975. Effect of egg development at planting on chinook salmon survival. *Progressive Fish-Culturist* 37(4):230-233.
- Thomas, D. L. 1971. The early life history and ecology of six species of drum (*Sciaenidae*) in the lower Delaware River, a brackish tidal estuary: progress report for the period Jan.-Dec. 1970. *Ichthyol. Assoc., Delaware Prog. Rep., No. 3 (Bull. No. 3)*, 261 pp.
- Thomas, D. L. 1972. Fishes - Life histories and migrations of some important fishes. Pages 10-15 [in] *Ecol. considerations for ocean sites off New Jersey for proposed nuclear generating stations, Vol. 1. Ichthyol. Assoc., Inc.* 139 pp.
- Thomas, D. L., C. B. Milstein, T. R. Tatham, E. Van Eps, D. K. Stauble, and H. K. Hoff. 1972. Fishes: distribution of eggs and larvae of fishes. Pages 14-15 [in] *Ecol. considerations for ocean sites off NJ for proposed nuclear generating stations. I(Pt. 1). Ecol. Studies in the vicinity of ocean sites 7 & 8. Ichthyol. Assoc., Inc.,* 139 pp.
- Thomas, D. L., and B. A. Smith. 1973. Studies of young of the black drum, [*Pogonius*] [*cromis*], in low salinity waters of the Delaware estuary. *Ches. Sci.* 14(2):124-130.
- Thomas, D. L., and G. J. Miller. 1976. Impingement studies at the Oyster Creek generating station, Forked River, New Jersey, from Sept. to Dec. 1975. Pages 317-341 [in] L. D. Jensen, editor. *Third Natl. Workshop on entrainment and impingement. Commun. Div. Ecol. Anal., Inc., Melville, NY.* 425 pp.
- Thomas, G., and J. V. Merriner. 1973. Summary of juvenile striped bass abundance surveys in Virginia rivers 1967-72. *Virginia Acad. Sci., Williamsburg, Va.*
- Thomas, J. L. 1967. The diet of juvenile and adult striped bass, [*Roccus*] [*saxatilis*], in the Sacramento-San Joaquin River systems. *California Fish and Game* 53(1).
- Thomas, J. L. 1967. The diet of juvenile [*Roccus*].
- L. H. 1961. *Ammocoete biology. Prog. Rep. Biol. Sta. Techn. Unit, London, Ont., Fish. Res. Bd. Can.* 2:14-17.
- Thomas, L. M., S. A. Holt, and C. R. Arnold. 1995. Chemical marking techniques in larval and juvenile red drum (*[Sciaenops ocellatus]*) otoliths using different fluorescent

- markers. Pages 703-713 [in] D. H. Secor, J. M. Dean, and S. E. Campana (eds.) Recent Developments in Fish Otolith Research. University of South Carolina Press. Columbia SC.
- Thomas, M. L. H. 1962. Observations on ecology of ammocoetes, [*Petromyzon*] [*marinus*] L. and [*Entosphenus lamottei*] (LeSueur). M.S. Thesis, Univ. Toronto.
- Thomas, P. T. 1973. An analysis of the picking up of eggs by the African black-chinned mouth-breeding fish, [*Tilapia*] [*melanotheron*]. Ph.D. Diss., New York Univ., 101 pp.
- Thomas, R. E., and H. C. Howard. 1970. Behavior of northern pike fry as related to pond culture. *Progressive Fish-Culturist* 32:224-225.
- Thomas, R. E., and S. D. Rice. 1975. Increased opercular rates of pink salmon, [*Oncorhynchus gorbusha*], fry after exposure to the water-soluble fraction of Prudhoe Bay crude oil. *Journal of the Fisheries Research Board of Canada* 32:2221.
- Thomas, R. E., and S. D. Rice. 1979. The effect of exposure temperatures on oxygen consumption and opercular breathing rates of pink salmon fry exposed to toluene, naphthalene, and water-soluble fractions of Cook Inlet crude oil and no. 2 fuel oil. Pages 39-68 [in] W. B. Vernberg et al., editors. *Symp. on pollution and physiol. of marine organisms*. Academic Press, New York.
- Thomas, R. E., J. A. Gharrett, M. G. Carls, S. D. Rice, A. Moles, and S. Korn. 1986. Effects of fluctuating temperature on mortality, stress, and energy reserves of juvenile coho salmon. *Transactions of the American Fisheries Society* 115:52-59.
- Thomas, R. J. 1964. Fine structure of mitosis in the vertebrate (zebrafish) embryo: the fate of the nuclear envelope. *J. Cell. Biol.* 23:95A.
- Thomas, R. J. 1967. Fine structure of early embryonic development of a teleost, [*Brachydanio rerio*]. *Diss. Abstr.* 27:3790B.
- Thomas, R. J. 1967. Fine structure of early development of a vertebrate embryo, ([*Brachydanio rerio*]): the kinetochore. *J. Cell. Biol.* 35(2,ii):133A.
- Thomas, R. J. 1967. Fine structure of early development of a vertebrate embryo: yolk distribution. *J. Cell. Biol.*
- Thomas, R. J. 1968. Cytokinesis during early development of a teleost embryo: [*Brachydanio rerio*]. *J. Ultrastruct. Res.* 24:232-238.
- Thomas, R. J. 1968. Yolk distribution and utilization during early development of a teleost embryo ([*Brachydanio*] [*rerio*]). *J. Embryol. Exp. Morph.* 19:203-215.
- Thomas, W. H., A. N. Dodson, and C. A. Linden. 1973. Optimum light and temperature requirements for [*Gymnodinium splendens*], a larval fish food organism. *Fish. Bull. NOAA (U.S.)* 71(2):599-601.
- Thomasson, R. D. 1963. A bibliography of the American smelt in North America. *Contr. Dep. Zool., Ontario Agr. Coll.*, 38 pp.
- Thomopoulos, A. 1953. Sur l'oeuf de lepinoche, [*Gasterosteus aculeatus*] L. *Bull. Soc. Zool. Fr.* 78:142-149.
- Thomopoulos, A. 1954. Sur quelques oeufs planctoniques de teleosteens de lar Baie de Villefranche. *Bull. Inst. Oceanogr. (Mo naco)* 1043:1-15.
- Thomopoulos, A. 1956. Sur quelques oeufs planctoniques de teleosteens de la Baie de Villefranche. II. Peches de mois de Septembre. *Bull. Inst. Oceanogr. Monaco* 1072.
- Thompson, B. A., and L. A. Degan. 1982. Distribution of ladyfish ([*Elops aurus*]) and bonefish ([*Albula vulpes*]) leptcephali in Louisiana. *Bull. Mar. Sci.* 32:936-938.

- Thompson, B. M., and J. D. Riley. 1981. Egg and larval development studies in the North Sea cod, [*Gadus morhua*] L. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:533-559.
- Thompson, D. H. 1933. The finding of very young [*Polyodon*]. *Copeia* (1):31-33.
- Thompson, G. E. 1974. The ecology and life history of the mountain whitefish (*Prosopium williamsoni* Girard) in the Sheep River, Alberta. M.S. Thesis, Univ. Calgary. 122 pp.
- Thompson, G. E., and R. W. Davies. 1976. Observations on the age, growth, reproduction and feeding of mountain whitefish (*Prosopium williamsoni*) in the Sheep River, Alberta. *Transactions of the American Fisheries Society* 105(2):208-219.
- Thompson, H. 1943. A biological and economic study of the cod (*Gadus callarius* L.) in the Newfoundland area. Res. Bull. Div. Fish. Res. Newfoundland, No. 14, 160 pp.
- Thompson, J. M. 1963. Synopsis of biological data on the grey mullet, [*Mugil cephalus*] L. 1758. CSIRO Fish. Oceanogr., Fish Synopsis No. 1:1-8.
- Thompson, J. M. 1966. The grey mullets. *Oceanogr. Mar. Biol. Ann. Rev.* 4:301-336.
- Thompson, J. M., E. P. Bergersen, C. A. Carlson, and L. R. Kaeding. 1991. Role of size, condition, and lipid content in the overwinter survival of age-0 Colorado squawfish. *Transactions of the American Fisheries Society* 120:346-353.
- Thompson, M. T. 1899. The breeding of animals at Woods Hole during the month of September, 1898. *Science*, NY 9(225):581-583.
- Thompson, R. B. 1959. Fecundity of the Arctic char, [*Salvelinus alpinus*], of the Wood River Lakes, Bristol Bay, Alaska. *Copeia* 1959(4):345-346.
- Thompson, R., and J. L. Munro. 1978. Aspects of the biology and ecology of Caribbean reef fishes: Serranidae (Hinds and groupers). *J. Fish. Biol.* 12(2):115-146.
- Thompson, W. F. 1915. A preliminary report on the life-history of the halibut. Rep. U.S. Commnr. Fish. (1914):76-120.
- Thompson, W. F. 1919. Young of the ladyfish discovered. *California Fish and Game* 5:158.
- Thompson, W. F., and R. Van Cleave. 1936. Life history of the Pacific halibut. Part 2. Distribution and early life history. *Int. Commn. NW. Atlant. Fish. Rep.*, No. 9:1-184.
- Thomson, J. A. 1963. Demersal quality of the fertilized eggs of Pacific cod, [*Gadus macrocephalus*]. *Journal of the Fisheries Research Board of Canada* 20:1087-1088.
- Thorpe, J. E. 1977. Biomodal distribution of length of juvenile Atlantic salmon (*Salmo salar* L.) under artificial rearing conditions. *J. Fish. Biol.* 11(2): 175-184.
- Thorpe, J. E. 1977. Morphology, physiology, behavior, and ecology of [*Perca fluviatilis*] L. and [*P. flavescens*] Mitchill. *Journal of the Fisheries Research Board of Canada* 34:1504-1514.
- Thorpe, J. E., and R. I. G. Morgan. 1978. Parental influence on growth rate, smolting rate, and survival in hatchery reared juvenile Atlantic salmon, [*Salmo salar*]. *J. Fish. Biol.* 13(5):549-556.
- Thorpe, J. E., R. I. G. Morgan, C. Talbot, and M. S. Miles. 1983. Inheritance of developmental rates in Atlantic salmon, [*Salmo salar*] L. *Aquaculture* 33:119-128.
- Thorpe, J. E. 1987. Environmental regulation of growth patterns in juvenile Atlantic salmon. [In] R. C. Summerfelt and G. E. Hall, editors. *Age and growth of fish*. Iowa State Univ. Press, Ames, IA. 544 pp.

- Thorrold, S. R., and D. McB. Williams. 1989. Analysis of otolith microstructure to determine growth histories in larval cohorts of a tropical herring (*[Herklotsichthys castelnaui]*). *Can. J. Fish. Aquat. Sci.* 46:1615-1624.
- Thorrold, S. R. 1989. Estimating some early life history parameters in a tropical herring, [*Herklotsichthys castelnaui*], from daily growth increments in otoliths. *Fish. Bull. U.S.* 87:73-83.
- Thorrold, S. R., and M. J. Milicich. 1990. Comparison of larval duration and pre-settlement and post-settlement growth in 2 species of damselfish, [*Chromis atripectoralis*] and [*Pomacentrus coelestis*] (Pisces, Pomacentridae), from the Great Barrier Reef. *Marine Biology* 105:375-384.
- Thorrold, S. R. 1992. Coupling of hydrography and pre-settlement reef fish distributions in the central Great Barrier Reef lagoon. *Proc. 7th Int. Coral Reef Symp., Guam* 1:629-635.
- Thorrold, S. R. 1993. Post-larval and juvenile scombrids captured in light traps: preliminary results from the Central Great Barrier Reef Lagoon. *Bulletin of Marine Science* 52:631-641.
- Thorrold, S. R., J. M. Shenker, E. D. Maddox, R. Mojica, and E. Wishinski. 1994. Larval supply of shorefishes to nursery habitats around Lee-Stocking Island, Bahamas. 2. Lunar and oceanographic influences. *Marine Biology* 118:567-578.
- Thorrold, S. R., J. M. Shenker, R. Mojica, E. D. Maddox, and E. Wishinski. 1994. Temporal patterns in the larval supply of summer-recruiting reef fishes to Lee Stocking Island, Bahamas. *Marine Ecology-Progress Series* 112:75-86.
- Thorrold, S. R., J. M. Shenker, E. Wishinski, R. Mojica, and E. D. Maddox. 1994. Larval supply of shorefishes to nursery habitats around Lee-Stocking Island, Bahamas. 1. Small scale distribution patterns. *Marine Biology* 118:555-566.
- Thorrold, S. R., and A. D. McKinnon. 1995. Response of larval fish assemblages to a riverine plume in the coastal waters of the Great Barrier Reef lagoon. *Limnol. Oceanogr.* 40(1):177-181.
- Thorrold, S. R., and D. M. Williams. 1996. Mesoscale distribution patterns of larval and pelagic juvenile fishes in the central Great Barrier Reef lagoon. *Marine Ecology-Progress Series* 145:17-31.
- Thorrold, S. R., C. M. Jones and S. E. Campana. 1997. Response of otolith microchemistry to environmental variations experienced by larval and juvenile Atlantic croaker (*[Micropogonias undulatus]*). *Limnol. Oceanogr.* 42: 102-111.
- Thorrold, S. R., S. E. Campana, C. M. Jones, J. W. McLaren and J. W. H. Lam. 1998. Trace element signatures in otoliths accurately record natal river of juvenile American shad (*[Alosa sapidissima]*). *Limnol. Oceanogr.* 43:1826-1835.
- Thorrold, S. R., C. M. Jones, P. K. Swart and T. E. Targett. 1998. Accurate classification of nursery areas of juvenile weakfish (*[Cynoscion regalis]*) based on chemical signatures in otoliths. *Mar. Ecol. Prog. Ser.* 173:253-265.
- Thorrold, S. R., G. P. Jones, M. E. Hellberg, R. S. Burton, S. E. Swearer, J. E. Niegel, S. G. Morgan, and R. R. Warner. Quantifying larval retention and connectivity in marine populations with artificial and natural markers. *Bull. Mar. Sci.* (in press).
- Thorson, T. B., J. K. Langhammer, and M. I. Oetinger. 1983. Reproduction and development of the South American freshwater stingrays, [*Potamotrygon circularis*] and [*P. motoro*]. *Environmental Biology of Fishes* 9(1):3-24.

- Threinen, C. W. 1958. Life history, ecology, and management of the alewife. Wisc. Conserv. Dept. Publ. No. 223, 7 pp.
- Thresher, R. E. 1979. Possible mucophagy by juvenile [*Holacanthus tricolor*] (Pisces: Pomacanthidae). *Copeia* 1979(1):160-162.
- Thresher, R. E., and E. B. Brothers. 1985. Reproductive ecology and biogeography of Indo-West Pacific angelfishes (Pisces, Pomacanthidae). *Evolution* 39:878-887.
- Thresher, R. E., B. D. Bruce, D. M. Furlani, and J. S. Gunn. 1988a. Distribution, advection and growth of larvae of the southern temperate gadoid [*Macruronus novaezelandiae*] in Australian coastal waters. *Fish Bull US*. 87:29-48.
- Thresher, R. E., J. S. Gunn, B. D. Bruce, and D. M. Furlani. 1988b. Spawning by blue grenadier in Australian coastal waters. *Aust Fisheries* May 1988:47-51.
- Thresher, R. E., G. P. Harris, J. S. Gunn, and L. A. Clementson. 1989. Phytoplankton production pulses and episodic settlement of a temperate marine fish. *Nature* 341:641-643.
- Thresher, R. E., B. D. Bruce, D. M. Furlani, and J. S. Gunn. 1989. Distribution, advection, and growth of larvae of the southern temperate gadoid, [*Macruronus novaezelandiae*] (Teleostei: Merlucciidae), in Australian coastal waters. *Fish Bull*. 87:29-48.
- Thresher, R. E., and E. B. Brothers. 1989. Evidence of intra-oceanic and inter-oceanic regional differences in the early life history of reef-associated fishes. *Marine Ecology-Progress Series* 57:187-205.
- Thresher, R. E., P. L. Colin, and L. J. Bell. 1989. Planktonic duration, distribution and population structure of western and central Pacific damselfishes (Pomacentridae). *Copeia* 1989(2):420-434 (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002).
- Throits, G. F., III. 1958. A compendium of the life history and ecology of the white perch, [*Morone americana*] (Gmelin). *Bull. Mass. Div. Fish and Game* 24:1-16.
- Thruston, R. V., et al. 1978. Acute toxicity of ammonia and nitrate to cutthroat trout fry. *Transactions of the American Fisheries Society* 107:361.
- Thuemler, T. F. 1988. Movements of young lake sturgeons stocked in the Menominee River, Wisconsin. *American Fisheries Society Symposium* 5:104-109.
- Thurrow, F. 1970. On the reproduction of cod, [*Gadus morhua*] (L.), in the Keil Bight. *Ber. Deut. Wiss. Komm. Meeresforsch.* 21:170-192.
- Tibbo, S. N. 1957. Contribution to the biology of the herring ([*Clupea*] [*harengus*] L.) on the Atlantic coast of Nova Scotia. *Fish. Res. Bd. Can. Bull.* 3:139-151.
- Tibbo, S. N., J. E. H. Legare, L. W. Scattergood, and R. F. Temple. 1958. On the occurrence and distribution of larval herring ([*Clupea harengus*] L.) in the Bay of Fundy and the Gulf of Maine. *Journal of the Fisheries Research Board of Canada* 15(6):1451-1469.
- Tibbo, S. N., and J. E. H. Legare. 1960. Further study of larval herring ([*Clupea harengus*]) in the Bay of Fundy and Gulf of Maine. *Journal of the Fisheries Research Board of Canada* 17(6):933-942.
- Tibbo, S. N., L. R. Day, and W. F. Doucet. 1961. The swordfish ([*Xiphias gladius*] L.), its life-history and economic importance in the northwest Atlantic. *Fish. Res. Bd. Can. Bull.* 130:1-47.
- Tibbo, S. N. 1968. On the origin of herring stocks in the Bay of Fundy - a review. *ICES Symp. on biology of early stages and recruitment mechanics of herring.* 31:9 pp.

- Tibbo, S. N., and L. M. Lauzier. 1969. Larval swordfish ([*Xiphias gladius*]) from three localities in the western Atlantic. *Journal of the Fisheries Research Board of Canada* 26:3248-3251.
- Tibbo, S. N., and L. M. Lauzier. 1969. On the origin and distribution of larval swordfish, [*Xiphias gladius*] L., in the western Atlantic. *Tech. Rep. Fish. Res. Bd. Can.*, No. 136, 20 pp.
- Tiews, K. 1963. Synopsis of biological data on bluefin tuna, [*Thunnus*] [*thynnus*] (L.) 1758 (Atlantic and Mediteranean). *FAO Fish. Rep.* 6, Vol. 2:422-481.
- Tighe, K. A., and M. J. Keene. 1984. Zeiformes: development and relationships. Pages 393-397 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes*. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Tikhanova, L. S., and I. A. Shekhanova. 1982. Effect of pesticides on Russian sturgeon, [*Acipenser*] [*gueldenstaedti*] (*Acipenseridae*), in the embryonic-larval period. *J. Ichthyol.* 22(5):172-175.
- Tikhonov, V. I. 1969. The speed of development of the eggs of the yellowfin sole at different temperatures. *Izv. Tikhookean Nauch-Issled. Inst. Ryb. Khoz. Okeanogr. (USSR)* 64:347.
- Till, J. E. 1976. The toxicity of uranium and plutonium to the developing embryos of fish. Ph.D Diss., Georgia Inst. Tech. 203 pp.
- Till, J. E., and M. L. Frank. 1977. Bioaccumulation, distribution, and dose of Am-241, Cm-244, and Pu-238 in developing fish embryos. Pages 645-648 [in] *Proc., IVth International Congress of the International Radiation Protection Association*, Gauthier-Villars, Montreuil, France.
- Till, J. E. 1978. Effect of chronic exposure to Pu(IV) citrate on the embryonic development of carp and fathead minnow eggs. *Health Physol.* 34:333.
- Tilseth, S., and T. Stromme. 1976. Changes in buoyancy and activity during starvation of cod larvae, [*Gadus morhua*] L. *ICES CM* 1976/F:33. 12 pp.
- Tilseth, S., and B. Ellertsen. 1982. The detection and distribution of larval Arcto-Norwegian cod, [*Gadus morhua*] L., food organisms by an in situ particle counter. *Fish. Bull.* 82.
- Tilseth, S., and B. Ellertsen. 1984. Food consumption rate and gut evacuation processes of first feeding cod larvae ([*Gadus morhua*] L.). Pages 167-182 [in] E. Dahl et al., editors. *The propagation of cod, [Gadus morhua] L., an international symposium, Arendal 14-17 June 1983*. *Flodevigen Rapportser*.
- Timmermans, L. P. M., H. K. Parmentier, and J. G. M. van den Boogaart. 1985. Surface markers of male germ cells in early development of carp ([*Cyprinus carpio*] L.) and the blood-testis barriers in fish. A study with monoclonal antibodies and horseradish peroxidase (HRP). *Cell Biol. Intl. Rep.* 9(6):518.
- Timmons, T. J. 1979. Early growth and mortality of largemouth bass, [*Micropterus salmoides*] (Lacepede), in relation to an extended spawning season and prey availability in West Point Reservoir. *Diss. Abstr. Intl.* 39(12):5720-B. 108 pp.
- Timmons, T. J., and W. L. Shelton. 1980. Differential growth of largemouth bass in West Point Reservoir, Alabama-Georgia. *Transactions of the American Fisheries Society* 109(2):176-186.

- Timofeev, O. B. 1966. Structure of the circulatory system in Acipenseridae in the hatching phase. Dokl. Akad. Nauk SSSR. 168(4):966.
- Timoshina, L. A. 1972. Embryonic development of the rainbow trout ([*Salmo*] [*gairdneri* *irideus*] Gibb) at different temperatures. J. Ichthyol. 12(3):425-432.
- Tims, H. W. 1905. The development, structure, and morphology of the scales in some teleost fish. Quart. J. Micro. Soc. 49(193):39-68.
- Tin, H. T. 1982. Provisional keys to Great Lakes clupeid larvae. Page 64 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes basin with special emphasis on the Lake Michigan drainage. Great Lakes Fish. Comms., Ann Arbor MI. Spec. Publ. 82-3:744 pp.
- Tin, H. T. 1982. Provisional key to Great Lakes ictalurid juveniles (15 to 25 mm). Pages 436-437 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes basin with special emphasis on the Lake Michigan drainage. Great Lakes Fish. Comms., Ann Arbor, MI. Spec. Publ. 82-3:744 pp.
- Tin, H. T. 1982. Family Osmeridae, smelts. Pages 146-151 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes Basin with emphasis on the Lake Michigan drainage. Great Lakes Fish. Comm. Spec. Publ. 82-3, Ann Arbor, MI.
- Tin, H. T. 1982. Provisional key to genera of Great Lakes centrarchid larvae (late yolk-sac larvae and larvae). Pages 524-525 [in] N. A. Auer, editor. Identification of larval fishes of the Great Lakes basin with special emphasis on the Lake Michigan drainage. Great Lakes Fish. Comms., Spec. Publ. 82-3:744 pp.
- Tin, H. T., and D. J. Jude. 1983. Distribution and growth of larval rainbow smelt in eastern Lake Michigan, 1978-81. Transactions of the American Fisheries Society 112:517-524.
- Tippets, W. E. 1979. Evidence of successful reproduction of steelhead rainbow trout, [*Salmo gairdneri gairdneri*], in the Ventura River, California. California Fish and Game 65(3):177-179.
- Tischler, G., H. Gassner and J. Wanzenbock. 2000. Sampling characteristics of two methods for capturing age-0 fish in pelagic lake habitats. J. Fish. Biol. 57: 1474-1487.
- Titmus, G., P. N. Claridge, and I. C. Potter. 1978. Growth and abundance of 0-group herrings, [*Clupea*] [*harengus*] L., in the Severn Estuary. Zool. J. Linn. Soc. 64(3):251-260.
- Tiwari, S. K., and D. S. Srivastava. 1965. Studies on the development of the chondrocranium of [*Rasbora daniconius*] (Ham. & Buch.). Proc. 51st and 52nd Indian Sci. Congr. (Calcutta) Pt. 3:447.
- Tocher, D. R., A. J. Fraser, J. R. Sargent, and J. C. Gamble. 1985. Fatty acid composition of phospholipids and neutral lipids during embryonic and early larval development in Atlantic herring ([*Clupea harengus*] L.). Lipids 20(2):69-74.
- Tocher, D. R., A. J. Fraser, J. R. Sargent, and J. C. Gamble. 1985. Lipid class composition during embryonic and early larval development in Atlantic herring ([*Clupea*] [*harengus*] L.). Lipids 20(2):84-89.
- Todd, E. S. 1975. Vertical movements and development of the prolarvae of the electric fish, [*Dormitator latifrons*]. Copeia 1975(3):564-568.
- Todd, I. S. 1966. A technique for the enumeration of chum salmon fry in the Fraser River, British Columbia. Can. Fish. Cult. 38:3-35.



- Todd, T. N. 1986. Stocking and natural recruitment of larval coregonines in the Bodensee. Arch. fur Hydrobiol. Beiheft 22:337-342.
- Toetz, D. W. 1965. Factors affecting the survival of bluegill sunfish larvae. Ph.D Diss., Indiana Univ. 79 pp.
- Toetz, D. W. 1966. The change from endogenous to exogenous sources of energy in bluegill sunfish larvae. Invest. Ind. Lakes and Streams 7(4):115-146.
- Tohiyat, M. D. 1979. Retention of fluorescent pigment marks by juvenile Atlantic croaker, [*Micropogon undulatus*] (L.). M.S. Thesis, Louisiana State Univ., Baton Rouge, LA.
- Tokuya, K., and K. Amaoka. 1980. Studies on larval and juvenile blennies in the coastal waters of southern Hokkaido. Bull. Fac. Fish. Hokkaido Univ. 31(1):16-49.
- Tolan, J. M., S. A. Holt, and C. P. Onuf. 1997. Distribution and community structure of ichthyoplankton in Laguna Madre seagrass meadows: potential impact of seagrass species succession. Estuaries 20:450-464.
- Tomey, W. A. 1968. The first days in the life of [*Corydoras paleatus*]. Aquarium (New Ser.) 1(11):9-14.
- Tomkins, F. T. 1951. The life history and reproduction of Georgian Bay lake trout, with some notes on the commercial fishery. MA Thesis, Univ. Toronto. 65 pp.
- Tomljanovich, D. A., J. H. Heuer, and C. W. Voigtlander. 1977. Investigations on the protection of fish larvae at water intakes using fine-mesh screening. Div. Forest, Fish., and Wildl. Develop., Tennessee Valley Authority, Tech. Note No. B22. 79 pp.
- Tomljanovich, D. A., J. H. Heuer, and C. W. Voigtlander. 1978. Investigations on the protection of fish larvae at water intakes using fine-mesh screening. Pages 125-139 [in] R. K. Sharma and J. B. Palmer, editors. Larval exclusion systems for power plant cooling water intakes. Argonne Natl. Lab., Argonne, IL. ANL/ES-66.
- Tomosado, A. 1985. Studies on the Kuroshio related to the transport of mackerel eggs and larvae. Bull. Tokai Reg. Fish. Res. Lab. 117:47-119.
- Toner, E. D. 1966. Synopsis of biological data on the pike, [*Esox*] [*lucius*] Linnaeus 1758. FAO Fish. Synopsis No. 30, 35 pp.
- Toney, D. P. 1974. Observations on the propagation and rearing of two endangered fish species in a hatchery environment. Proc. West. Assoc. G & F Comm. 54:252-259.
- Tong, H. Y. 1986. A qualitative and quantitative description of the early growth of roach, [*Rutilus rutilus*] in the laboratory. Environmental Biology of Fishes 15(4):293-300.
- Tong, L. J., and R. Saito. 1977. Further postlarvae of [*Tarakihi*] in New Zealand waters. New Zealand J. Mar. Freshwater Res. 11(1):159-162.
- Toole, C. L. 1980. Intertidal recruitment and feeding in relation to spatial utilization of nursery areas by juvenile English sole ([*Parophrys vetulus*]:Pleuronectidae. Environmental Biology of Fishes 5:383-389.
- Toole, C. L., D. F. Markle and P. M. Harris. 1993. Relationships between otolith microstructure, microchemistry, and early life history events in Dover sole, [*Microstomus pacificus*]. Fish. Bull. 91:732-753.
- Toom, M. M. 1958. Experiments in the incubation of Baltic herring eggs. Tr. VNIRO 34:19-29.

- Topp, R. W. 1967. Biometry and related aspects of the biology of young winter flounder, [*Pseudopleuronectes americanus*] (Walbaum), in the Weweantic River estuary. M.S. Thesis, Univ. Mass., Amherst, MA. 65 pp.
- Topp, R. W., and C. F. Cole. 1973. Effect of egg concentrations of DDT and dieldrin on development in winter flounder ([*Pseudopleuronectes*] [*americanus*]). Journal of the Fisheries Research Board of Canada 30(12):1894-1898.
- Torblaa, R. L., and R. W. Westman. 1980. Ecological impacts of lampricide treatments on sea lamprey, [*Petromyzon marinus*], ammocoetes and metamorphosed individuals. Canadian Journal of Fisheries and Aquatic Sciences 37(11):1835-1850.
- Tormosova, I. D. 1974. Results of quantitative surveys of haddock eggs and larvae in the northwestern North Sea, 1972. Annls Biol., Copenh. 29(1972):92-93.
- Tormosova, I. D. 1975. Quantitative studies on haddock eggs and larvae in the northwestern North Sea in 1973. Const. Int. Explor. Mer, Ann. Biol. 30:112.
- Tormosova, I. D. 1978. Experiments on the incubation of eggs of the North Sea haddock, [*Melanogrammus aeglefinus*]. J. Ichthyol. 17(1):160-163.
- Torres, J. J., R. I. Brightman, J. Donnelly, and J. Harvey. 1996. Energetics of larval red drum, [*Sciaenops ocellatus*]. 1. Oxygen consumption, specific dynamic action, and nitrogen excretion. Fishery Bulletin 94:756-765.
- Torrissin, O. J. 1984. Pigmentation of salmonids - effect of carotenoids in eggs and start-feeding diet on survival and growth rate. Aquaculture 43(1/3):185-194.
- Tortonese, E. 1956. Plectognathi, pp. 960-977. In: Uova, larve e stadi giovanili di Teleostei. Fauna flora golfo Napoli Monogr. 38.
- Totton, A. 1914. The structure and development of the caudal skeleton of the teleostean fish, [*Pleurogramma antarcticum*]. London Proc. Zool. Soc. 251-261.
- Towers, I. L. 1928. Embryology of the pigfish. Pages 622-624 [in] E. Higgins, editor. Progress in biological inquiries in 1926. App. VII. Rep. U.S. Commnr. Fish., 1927(1029).
- Townsend, C. H. 1913. Hatching grayling at the (New York) aquarium. Bull. N.Y. Zool. Soc. 16:1056-1057.
- Townsend, D. W., and J. J. Graham. 1981. Growth and age structure of larval Atlantic herring, [*Clupea harengus harengus*], in the Sheepscot River estuary, Maine, as determined by daily growth increments in otoliths. U.S. NMFS Fish. Bull. 79:123-130.
- Townsend, D. W., R. L. Radtke, M. A. Morrison, and S. D. Folsom. 1989. Recruitment implications of larval herring overwintering distributions in the Gulf of Maine, inferred using a new otolith technique. Mar. Ecol. Prog. Ser. 55:1-13.
- Townsend, D. W. 1992. Ecology of Larval Herring in Relation to the Oceanography of the Gulf of Maine. Journal of Plankton Research 14:467-493.
- Townsend, D. W., R. L. Radtke, S. Corwin, and D. A. Libby. 1992. Strontium-calcium ratios in juvenile Atlantic herring [*Clupea harengus*] L. otoliths as a function of water temperature. Journal of Experimental Marine Biology and Ecology 160:131-140.
- Townsend, D. W., R. L. Radtke, D. P. Malone, and J. P. Wallinga. 1995. Use of otolith strontium:calcium ratios for hindcasting larval cod *Gadus morhua* distributions relative to water masses on Georges Bank. Marine Ecology - Progress Series 119:37-44.
- Townsend, D. W., and N. R. Pettigrew. 1996. The role of frontal currents in larval fish transport on Georges Bank. Deep - Sea Research Part II - Topical Studies in Oceanography 43:1773-1792.

- Townsend, L. D. 1942. The occurrence of flounder post-larvae in fish stomachs. *Copeia* 1942:126-127.
- Tracy, H. C. 1907. A description of two young specimens of squeteague ([*Cynoscion regalis*]) with notes on the rate of their growth. *Ann. Rep. Rhode Island Commnr. Inland Fish.* 38:85-91.
- Tracy, H. C. 1925. Relations of carbon dioxide to the spontaneous movements in the larvae of [*Opsanus tau*]. *Biol. Bull. Mar. Biol. Lab., Woods Hole* 48:408-431.
- Tracy, H. C. 1926. Development of motility and behavior reactions in the toadfish ([*Opsanus tau*]). *J. Comp. Neurol.* 40:253-370.
- Tracy, H. C. 1959. Stages in the development of the anatomy of motility of the toadfish ([*Opsanus tau*]). *J. Comp. Neurol.* 111:27-81.
- Tranter, D. J., and A. C. Heron. 1965. Filtration characteristics of Clarke-Bumpus samplers. *Aust. J. Mar. Freshwat. Res.* 16:281-291.
- Tranter, D. J., and A. C. Heron. 1967. Experiments on filtration in plankton nets. *Aust. J. Mar. Freshwat. Res.* 18:89-111.
- Tranter, D. J. Editor. 1968. Zooplankton sampling. UNESCO Monogr. Oceanogr. Method., No. 2, 174 pp.
- Tranter, D. J., and P. E. Smith. 1968. Filtration performance. Pages 27-56 [in] D. J. Tranter, editor. Zooplankton sampling. UNESCO Monogr. Oceanogr. Method., No. 2, 174 pp.
- Traver, J. R. 1929. The habits of the blacknosed dace, [*Rhinichthys*] [*atronsus*] (Mitchill). *J. Elisha Mitchill Sci. Soc.* 45(1):101-129.
- Treasurer, J. W. 1983. Estimates of egg and embryo production in a lacustrine perch, [*Perca fluviatilis*]. *Environmental Biology of Fishes* 8(1):3-16.
- Tremblay, L. 1962. Temperature de l'eau d'un lac et la migration de frai du catostome, [*Catostomus c. commersoni*]. *Nat. Can. (Quebec)* 89:119-128.
- Trent, L. 1967. Attachment of hydrofoils to otter boards for taking surface samples of juvenile fish and shrimp. *Ches. Sci.* 8:130-131.
- Trent, W. L. 1962. Growth and abundance of young-of-year striped bass, [*Roccus saxatilis*] (Walbaum), in Albermarle Sound, North Carolina. M.S. Thesis, North Carolina State Univ. 66 pp.
- Tricklebank, K. A., C. A. Jacoby, and J. C. Montgomery. 1992. Composition, distribution and abundance of neustonic ichthyoplankton off northeastern New-Zealand. *Estuarine Coastal and Shelf Science* 34:263-275.
- Trifonova, A. N., E. N. Borisovskaya, and M. H. Lakiyan. 1949. The critical periods in the embryonic development of the Acipenseridae. *Dokl. Akad. Nauk. SSSR* 66:1005-1008. In Russian.
- Trifonova, A. N., M. F. Vernidoube, and N. D. Philippov. 1939. La physiologie de la differenciation et de la croissance. II. Les periodes critiques dans le developement des salmonides et leur base physiologique. *Acta Zool. (Stockholm)* 20:239-267.
- Trinkaus, J. P. 1949. The significance of the periblast in epiboly of the [*Fundulus*] egg. *Biol. Bull. (Woods Hole)* 97(1):249.
- Trinkaus, J. P. 1949. The surface gel layer of [*Fundulus*] eggs in relation to epiboly. *Proc. Natl. Acad. Sci. U.S.A.* 35(4):218-225.

- Trinkaus, J. P., and R. Gilmartin. 1949. The behavior of the surface layer of the [Fundulus] egg during epiboly. Biol. Bull. (Woods Hole) 97(1):250.
- Trinkaus, J. P. 1950. Relation of blastoderm to periblast in epiboly of the [Fundulus] egg. Anat. Rec. 108(3):586.
- Trinkaus, J. P. 1951. Mechanism of periblast epiboly in [Fundulus] heteroclitus. Anat. Rec. 3(3):551.
- Trinkaus, J. P. 1951. Analysis of blastoderm expansion in epiboly of the egg of [Fundulus heteroclitus]. Anat. Rec. 3(3):551.
- Trinkaus, J. P. 1951. A study of the mechanism of epiboly in the egg of [Fundulus heteroclitus] J. Exp. Zool. 118(2):269-319.
- Trinkaus, J. P., and J. W. Drake. 1952. Role of exogenous nutrients in development of the viviparous teleost [Lebistes reticulatus]. Anat. Rec. 112:435.
- Trinkaus, J. P. 1953. Differentiation in vitro of isolated blastoderms of [Fundulus heteroclitus]. Anat. Rec. 115(2):375-376.
- Trinkaus, J. P., and J. W. Drake. 1956. Exogenous control of morphogenesis in isolated [Fundulus] blastoderms by nutrient chemical factors. J. Exper. Zool. 132:311-347.
- Trinkaus, J. P. 1963. The cellular basis of [Fundulus] epiboly, adhesivity of the blastula and gastrula cells in culture. Devel. Biol. 7:513-532.
- Trinkaus, J. P. 1966. Morphogenetic cell movements. [In] M. Locke, editor. Major problems of developmental biology. Academic Press, New York.
- Trinkaus, J. P. 1967. [Fundulus]. Pages 113-122 [in] F. Wilt and N. Wessels, editors. Methods in developmental biology. Thomas Y. Crowell Co., New York.
- Trinkaus, J. P. 1971. The role of the periblast in the epiboly of [Fundulus]. Ontogenez, 2, No. 4.
- Trinkaus, J. P. 1973. Surface activity and locomotion of [Fundulus] deep cells during blastula and gastrula stages. Develop. Biol. 30.
- Trinkaus, J. P., and C. A. Erickson. 1981. Locomotion of [Fundulus] deep cells during gastrulation. Am. Zool. 21:401-413.
- Trinkaus, J. P. 1984. Mechanism of [Fundulus] epiboly - A current view. Am. Zool. 24(3): 673-690.
- Trinkaus, J.P. 1988a. Directional cell movement during early development of the teleost [Blennius pholis]. I. Formation of epithelial cell clusters and their pattern and mechanism of movement. J. Exp. Zool. 245:157-186. (Citation retrieved from the Zebrafish Information Network (ZFIN), the Zebrafish International Resource Center, University of Oregon, Eugene, OR 97403-5274; World Wide Web URL: <http://zfin.org/>; [3 July 2002].)
- Trinkaus, J.P. 1988b. Directional cell movement during early development of the teleost [Blennius pholis]. II. Transformation of the cells of epithelial clusters into dendritic melanocytes, their dissociation from each other and their migration to and invasion of the pectoral fin buds. J. Exp. Zool. 248:55-72. (Citation retrieved from the Zebrafish Information Network (ZFIN), the Zebrafish International Resource Center, University of Oregon, Eugene, OR 97403-5274; World Wide Web URL: <http://zfin.org/>; [3 July 2002].)
- Trinkaus, J.P. 1990. Some contributions of research on early teleost embryogenesis to general problems of development. Pages 315-327 in H.-J. Marthy, editor. Experimental Embryology in Aquatic Plants and Animals. New York: Plenum Press. (Citation retrieved

from the Zebrafish Information Network (ZFIN), the Zebrafish International Resource Center, University of Oregon, Eugene, OR 97403-5274; World Wide Web URL: <http://zfin.org/>; [3 July 2002].)

Trinkaus, J.P. 1992. The midblastula transition, the YSL transition, and the onset of gastrulation in [*Fundulus*]. *Development Suppl.*:75-80. (Citation retrieved from the Zebrafish Information Network (ZFIN), the Zebrafish International Resource Center, University of Oregon, Eugene, OR 97403-5274; World Wide Web URL: <http://zfin.org/>; [3 July 2002].)

Trinkaus, J.P., M. Trinkaus, and R.D. Fink. 1992. On the mechanism of convergent cell movement during gastrulation in [*Fundulus*]. *J. Exp. Zool.* 261:40-61. Citation retrieved from the Zebrafish Information Network (ZFIN), the Zebrafish International Resource Center, University of Oregon, Eugene, OR 97403-5274; World Wide Web URL: <http://zfin.org/>; [3 July 2002].

Trinkaus, J.P. 1993. The yolk syncytial layer of [*Fundulus*]: its origin and history and its significance for early embryogenesis. *J. Exp. Zool.* 265:258-284. (Citation retrieved from the Zebrafish Information Network (ZFIN), the Zebrafish International Resource Center, University of Oregon, Eugene, OR 97403-5274; World Wide Web URL: <http://zfin.org/>; [3 July 2002].)

Trinkaus, J. W., Jr., and R. G. Hodson. 1976. Early and mid-metamorphic larvae of the tarpon, [*Megalops atlantica*], from the Cape Fear River Estuary, North Carolina, 1973-74. *Ches. Sci.* 17 (2):123-125.

Triplet, E. L. 1959. Notes on the life history of the barred surfperch, [*Amphistichus argenteus*] Agassiz, and a technique for culturing embiotocid embryos. *California Fish and Game* 90:433-439.

Triplet, E. L. 1960. Notes on the life history of the barred surfperch, [*Amphistichus argenteus*] Agassiz, and a technique for culturing embiotocid embryos. *California Fish and Game* 46(4):433-439.

Trippel, E. A. 1998. Egg size and viability and seasonal offspring production of young Atlantic cod. *Transactions of the American Fisheries Society* 127:339-359.

Trojnar, J. R. 1973. Marking rainbow trout fry with tetracycline. *Progressive Fish-Culturist* 35:52-54.

Trojnar, J. R. 1977. Egg hatchability and tolerance of brook trout, [*Salvelinus fontinalis*], fry at low pH. *Journal of the Fisheries Research Board of Canada* 34:574-579.

Trojnar, J. R. 1977. Egg and larval survival of white suckers ([*Catostomus commersoni*]) at low pH. *Journal of the Fisheries Research Board of Canada* 34:262-266.

Trott, L. B. 1970. Contributions to the biology of carapid fishes (Paracanthopterygi, Gadiformes). *Univ. California Publ. Zool.* 89:1-60.

Trushinskaya, M. B. 1976. Some ecological-physiological peculiarities of early stages of development of [*Rutilus irisii kutum*] Kamensky. *All-Union Res. Inst. Mar. Fish. Oceanogr.* 115:86-90.

Tsai, C. F. 1972. Life history of the eastern johnny darter, [*Etheostoma olmstedii*] Storer, in cold tailwater and sewage-polluted water. *Transactions of the American Fisheries Society* 101(1): 80-88.

Tsai, C. F. 1975. Effects of sewage treatment plant effluents on fish: a review of literature. *Ctr. Env. Estuarine Stud., Contr.* 637, Univ. Maryland, College Park.

Tsai, Chu-Fa. 1968. Effects of chlorinated sewage effluents on fishes in Upper Patuxent River, Maryland. *Ches. Sci.* 9(2):83-93.

- Tschaplinski, P. J., and G. F. Hartman. 1983. Winter distribution of juvenile coho salmon (*Oncorhynchus kisutch*) before and after logging in Carnation Creek, British Columbia, and some implications for overwinter survival. *Can. J. Fish. Aquat. Sci.* 40:452-461.
- Tseng, W. Y., C. C. Chen, and H. H. Hsu. 1971. On the larval flatfish (Order Pleuronectiformes) found in the waters of Taiwan. *Bull. Taiwan Fish. Res. Inst.* 18:63-72.
- Tseng, W. Y., and C. H. Liu. 1971. Pacific sailfish, [*Istiophorus orientalis*], larvae in the waters of Taiwan (I.). *Bull. Taiwan Fish. Res. Inst.* 18:115-124.
- Tseng, W. Y., and S. H. Hu. 1972. Description and distribution of tuna larvae in Taiwan adjacent sea. *Bull. Taiwan Fish. Res. Inst.* 20:39-48.
- Tseng, W. Y., and S. K. Ho. 1979. Egg development and early life history of a serranid fish, [*Epinephelus akaara*] (Gemm. et Sch.). *Jap. J. Ichthyol.* 13:156-161.
- Tsi-Gen, S. 1960. Larvae and fry of tuna, sail-fish and swordfish (Thunnidae, Istiophoridae, Xiphiidae) collected in the western and central Pacific Ocean. *Trudy Inst. Okeanol. Adad. Nauk SSSR* 41:175-191. Transl. from Russian by W. L. Klawe. *Inter-Am. Trop. Tuna Comm., LaJolla, CA.*
- Tsikhonlukanina, E. A., O. G. Reznichenko, and T. A. Lukasheva. 1993. Predation rates on fish larvae by the ctenophore [*Mnemiopsis*] in the Black Sea Inshore Waters. *Okeanologiya* 33:895-899.
- Tsokur, A. G. 1972. Larval frogfish, [*Antennarius*] sp., from the Indian Ocean. *Vop. Ikhtiol.* 12(1):186-188.
- Tsokur, A. G. 1972. Larvae of a frogfish (*[Antennarius]* sp. Lophiiformes, Pisces) from the Indian Ocean. *J. Ichthyol.* 12(1):160-162.
- Tsokur, A. G. 1975. Data on the development of the Malayan headlight fish, [*Diaphus malayanus*] (Myctophidae, Pisces). *J. Ichthyol.* 15(4):611-622.
- Tsokur, A. G. 1977. Larvae of carangid fishes (Carangidae, Pisces) of the Arabian Sea. [In] *Ichthyoplankton of tropical waters of the world ocean.* *Acad. Sci. USSR Proc. P. P. Shirshov Inst. Oceanol.* 109:149-227. In Russian.
- Tsokur, A. G. 1981. The larvae of [*Bent hosema pterota*] (Alcock, 1891) Myctophidae, from the Arabian Sea. *J. Ichthyol.* 21(3):38-53.
- Tsuda, R., and W. Sakamoto. 1983. Analysis of changes in swimming modes during growth of yolk-sac larvae of [*Pagrus major*]. *Bull. Jap. Soc. Sci. Fish.* 49(6):829-838.
- Tsuji, S., and T. Aoyama. 1982. Daily growth increments observed in otoliths of the larvae of Japanese red sea bream, [*Pagrus major*] (Temm. & Schl.). *Bull. Jap. Soc. Sci. Fish.* 48:1559-1562.
- Tsuji, S., and T. Aoyama. 1984. Daily growth increments in otoliths of Japanese anchovy larvae, [*Engraulis japonica*]. *Bull. Jap. Soc. Sci. Fish.* 50(7):1105-1108.
- Tsukahara, H. 1952. The life history and habits of the sculpin "Yama No-kami", [*Trachidermis fasciatus*] Heckel. *Sci. Bull. Fac. Agric. Kyushu Univ.* 12(3):232.
- Tsukahara, H., and T. Shiokawa. 1957. Studies on the flying-fishes of the Amakusa Islands. Part 2. The life history and habits of [*Parexocoetus*] [*mento*] (Cuv. & Val.). *Sci. Bull. Fac. Agri. Kyushu Univ.* 16(2):275-286.
- Tsukahara, H., T. Shiokawa, and T. Inao. 1957. Studies on the flying fishes of the Amakusa Islands. 3. The life histories and habits of three species of the genus [*Cypselurus*]. *Sci. Bull. Fac. Agric. Kyushu Univ.* 16(2):287-302.

- Tsukahara, H. 1961. Biology of the cutlassfish, [*Trichiurus lepturus*] L. Part I. Early life history. Rec. Oceanogr. Wks. Japan, Spec. No. 5:117-121.
- Tsukahara, H. 1962. Studies on habits of coastal fishes in the Amakusa Islands. Part. 2. Early life history of the rockfish, [*Sebastiscus marmoratus*] (Cuv. & Val.). Rec. Oceanogr. Works Jap., Spec. No. 6:49-55.
- Tsukahara, H., S. Matsui, T. Honda, Y. Nonogami, and T. Ozawa. 1974. Data on fish collected with larva net. In: Preliminary report of the Hakuho Maru Cruise KH-73-2. Ocean Res. Inst., Univ. Tokyo:17-33.
- Tsukamoto, K., T. Kajihara, S. Masuda, and Y. Mori. 1978. Dispersion of ayu juveniles in the Tsubusa River. II. Dispersion and recapture. Bull. Jap. Soc. Sci. Fish. 44(9):961-964.
- Tsukamoto, K., S. Masuda, Y. Mori, and T. Kajihara. 1979. Dispersion of ayu juveniles in the Tsubusa River - III. Comparison between hatchery-reared and wild ayu. Bull. Jap. Soc. Sci. Fish. 45(1): 1365-1370.
- Tsukamoto, K., and T. Kajihara. 1984. On the relationship between yolk absorption and swimming activity in the ayu larvae, [*Plecoglossus altivelis*]. Bull. Jap. Soc. Sci. Fish. 50(1):59-62.
- Tsukamoto, K., and T. Kajihara. 1984. The effect of fin clipping on swimming ability of the ayu juvenile, [*Plecoglossus altivelis*]. Bull. Jap. Soc. Sci. Fish. 50(1):169-170.
- Tsukamoto, K. 1985. Mass-marking of ayu eggs and larvae by tetracycline-tagging of otoliths. Bull. Jap. Soc. Sci. Fish. 51(6):903-912.
- Tsukamoto, K., K. Uchida, Y. Murakami, M. Endo, and T. Kajihara. 1985. Density effect on jumping behavior and swimming upstream in the ayu juveniles. Bull. Jap. Soc. Sci. Fish. 51(2):323.
- Tsukamoto, K., H. Kuwada, J. Hirokawa, M. Oya, S. Sekiya, H. Fujimoto, and K. Imaizumi. 1989. Size-dependent mortality of Red Sea bream, [*Pagrus major*], juveniles released with fluorescent otolith-tags in News Bay, Japan. Journal of Fish Biology 35:59-69.
- Tsukamoto, K., A. Umezawa, and T. Ozawa. 1992. Age and growth of [*Anguilla japonica*] *leptocephali* collected in western North Pacific in July 1990. Nippon Suisan Gakkaishi - Bulletin of the Japanese Society of Scientific Fisheries. 58: 457-459.
- Tsukuda, H., and T. Daikoku. 1974. Effects of prenatal and postnatal temperatures on secondary sex differentiation, mortality, and vertebral column abnormality of guppies, [*Poecilia reticulata*], reared at high temperatures. Env. Control Biol. 12:93.
- Tsunikova, Y. P. 1972. The survival of larvae of the Kuban roach, ([*Rutilus rutilus*] *heckeli*) (Nordm.), under conditions of starvation. J. Ichthyol. 12(2):354-357.
- Tsuruta, Y. 1978. Field observations on the immigration of larval stone flounder, [*Kareus bicoloratus*], into the nursery area. Tohoku J. Agric. Res. 29:136-145.
- Tsuzi, S., and T. Aoyama. 1982. Daily growth increments observed in otoliths of the larvae of Japanese red sea bream, [*Pagrus major*] (Temm. et Sch.). Bull. Jap. Soc. Sci. Fish. 48(11):1559-1562.
- Tsvetkov, V. I., D. S. Pavlov, and V. K. Nezdoliiy. 1972. Changes of hydrostatic pressure lethal to the young of some freshwater fish. J. Ichthyol. 12(2):307-318.
- Tuberville, J. D. 1979. Vertical distribution of ichthyoplankton in upper Nickajack Reservoir, Tennessee. Pages 185-203 [in] R. D. Hoyt, editor. Proc. Third Symp. on larval fish, Western Kentucky University, Bowling Green, KY, 236 pp.

- Tuberville, J. D. 1979. Drift net assembly for use in shallow water. *Progressive Fish-Culturist* 41(2):96.
- Tucker, J. W. 1984. Hormone-induced ovulation of Black Sea bass and rearing larvae. *Progressive Fish-Culturist* 46(3):201-204.
- Tucker, J. W., and A. J. Chester. 1984. Effects of salinity, formalin concentration and buffer on quality of preservation of southern flounder (*Paralichthys lethostigma*) larvae. *Copeia* 1984(4):981-988.
- Tucker, J. W., and S. W. Warlen. 1986. Aging of common snook, [*Centropomus undecimalis*], larvae using sagittal daily growth rings. *Northeast Gulf Sci.* 8(2):173-176.
- Tucker, J. W., Jr. 1978. Larval development of four species of bothid flatfish in the [*Citharichthys*]-[*Etropus*] complex: [*C.*] [*cornutus*], [*C. gymnorhinus*], [*C. spilopterus*], and [*E. crossotus*]. M.S. Thesis, North Carolina St. Univ.
- Tucker, J. W., Jr. 1982. Larval development of [*Citharichthys cornutus*], [*C.*] [*gymnorhinus*], [*C. spilopterus*], and [*Etropus*] [*crossotus*] (Bothidae), with notes on larval occurrence. *Fish. Bull. U.S.* 80:35-73.
- Tucker, J. W., Jr., and J. L. Laroche. 1984. Radiographic techniques in studies of young fishes. Pages 37-39 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.*
- Tuge, H. 1938. Early behavior of embryos of an ovoviviparus fish, [*Lebistes reticulatus*]. *J. Shanghai Sci. Inst.* 3(4): 177-187.
- Tuinstra, K. E., L. L. Bahls, and R. A. Soltero. 1968. The toxicity of organic wastes on eggs and fry of rainbow trout. *Proc. Montana Acad. Sci.* 28:76.
- Tully, J. P. 1958. On structure, entrainment, and transport in estuarine embayments. *J. Mar. Res.* 17:523-535.
- Tung, I. H. 1973. On the egg development and larval stages of the grey mullet, [*Mugil cephalus*] L. *Rep. Inst. Fish. Biol. Taiwan* 3(1):187-210.
- Tung, T., and Y. Tung. 1944. The development of egg-fragments, isolated blastomeres and fused eggs in the goldfish. *Proc. Zool. Soc. Lond.* 144:46-64.
- Tung, T. C., C. Y. Chang, and Y. F. Y. Tung. 1945. Experiments on the developmental potencies of blastoderms and fragments of teleostean eggs separated latitudinally. *Proc. Zool. Soc. London* 115:175-188.
- Tupper, M., and R. G. Boutilier. 1995. Effects of habitat on settlement, growth, and postsettlement survival of Atlantic cod (*Gadus morhua*). *Canadian Journal of Fisheries and Aquatic Sciences* 52:1834-1841.
- Turdakov, A. F. 1964. Morphological peculiarities in the embryonic larval period of the development of [*Leuciscus bergi*]. *Izv. Akad. Nauk. Kirgiz. SSR Biol.* 6(1):51-61.
- Turdakov, A. F. 1967. Reproduction and development of the [*Leuciscus bergi*] from Lake Issyt-Kul. *Akad. Nauk Kirgiz SSR, Firunze*:1-91.
- Turner, C. L. 1920. Distribution, food and fish associates of young perch in Bass Island region of Lake Erie. *Ohio J. Sci.* 20:137-152.
- Turner, C. L., and W. C. Kraatz. 1920. Food of young largemouth bass in some Ohio waters. *Transactions of the American Fisheries Society* 50:372-380.



- Turner, C. L. 1936. The absorptive processes in the embryos of [*Parabrotula denti*], a viviparous deep-sea brotulid fish. *J. Morph.* 59:313-325.
- Turner, C. L. 1937. Reproductive cycles and superfetation in poeciliid fishes. *Biol. Bull.* 72(2):145-164.
- Turner, C. L. 1938. Adaptations for viviparity in embryos and ovary of [*Anableps anableps*]. *J. Morph.* 62:323-349.
- Turner, C. L. 1940. Pericardial sac, trophotaenia, and alimentary tract in embryos of goodeid fishes. *J. Morph.* 67:271-289.
- Turner, C. L. 1941. Morphogenesis of the gonopod in [*Gambusia affinis*] *affinis*. *J. Morph. Phil.* 69:161-185.
- Turner, C. L. 1952. An accessory respiratory device in embryos of the embiotocid fish, [*Cymatogaster aggregata*], during gestation. *Copeia* 1952:146-147.
- Turner, C. L., and E. E. Ebert. 1962. The nesting of [*Chromis punctipinnis*] (Cooper) and a description of their eggs and larvae. *California Fish. Game* 48(4):243-248.
- Turner, G. E. 1967. Growth and reproduction of smallmouth bass, [*Micropterus dolomieu*] Lacepede, in a pre-Cambrian lake. M.S. Thesis, Univ. Guelph, 117 pp.
- Turner, J. L., and T. C. Farley. 1971. Effects of temperature, salinity, and dissolved oxygen on the survival of striped bass eggs and larvae. *California Fish and Game* 57(4):268-273.
- Turner, J. L., and H. K. Chadwick. 1972. Distribution and abundance of young-of-the-year striped bass, [*Morone saxatilis*], in relation to river flow in the Sacramento-San Joaquin estuary. *Transactions of the American Fisheries Society* 101:442-451.
- Turner, J. T. 1984. The feeding ecology of some zooplankters that are important prey items of larval fish. U.S. NOAA Tech. Rep. NMFS-7. 28 pp.
- Turner, J. T., P. A. Tester, and W. F. Hettler, Jr. 1985. Zooplankton feeding ecology: a laboratory study of predation on fish eggs and larvae by the copepods [*Ano malocera ornata*], and [*Centropages typicus*]. *Mar. Biol.* 90:1-8.
- Turner, R. E., S. W. Woo, and H. R. Jitts. 1979. Estuarine influences on a continental shelf plankton community. *Science (Wash., D. C.)* 206:218-220.
- Turner, W. R. 1969. Life history of menhadens in the eastern Gulf of Mexico. *Transactions of the American Fisheries Society* 98:216-224.
- Turner, W. R. 1973. Estimating year-class strength of juvenile menhaden. Pages 37-47 [in] A. L. Pacheco, editor. Proc. workshop on egg, larval and juvenile stages of fish in Atlantic Coast estuaries. Tech. Publ. #1, NMFS, Mid. Atl. Coast. Fish. Cent., Highlands, NJ, 338 pp.
- Turner, W. R., G. N. Johnson, and H. R. Gordy. 1974. Compendium of juvenile menhaden surveys in coastal streams of the northern Gulf of Mexico. U.S. NMFS Data Rep. 89. 189 pp.
- Turnpenny, A. W. H. 1983. Swimming performance of juvenile sprat, [*Sprattus*] [*sprattus*] L., and herring, [*Clupea harengus*] L., at different salinities. *J. Fish. Biol.* 23(3):321-326.
- Twelves, E. L., and W. E. Bachop. 1980. Giant nuclei in the yolk sac syncytium of the Antarctic teleost, [*Notothenia coriiceps neglecta*]. *Copeia* 1980:909-911.

- Twongo, T. K., and H. R. MacCrimmon. 1977. Histogenesis of the oropharyngeal and oesophageal mucosa as related to early feeding in rainbow trout, [*Salmo gairdneri*] Richardson. *Can. J. Zool* 55(1):116-128.
- Tyeng, W., and O. Tabeta. 1983. First record of the short-finned eel, [*Anguilla*] [*bicolor pacifica*], elvers from Taiwan. *Bull. Jap. Soc. Sci. Fish.* 49(1):27-32.
- Tyler, A. V. 1970. Rates of gastric emptying in young cod. *Journal of the Fisheries Research Board of Canada* 27(7):1177-1189.
- Tyler, J. C., G. D. Johnson, G. D., E. B. Brothers, D. M. Tyler, and C. L. Smith. 1993. Comparative early life histories of western Atlantic squirrelfishes (Holocentridae) - age and settlement of [*Rhynchichthys*], Meeki, and juvenile stages. *Bulletin of Marine Science* 53:1126-1150.
- Tyler, R. W., and D. E. Bevan. 1964. Migration of juvenile salmon in Bellingham Bay, Washington. Pages 44-45 [in] *Research in Fisheries, 1963*. Univ. Wash. Coll. Fish. Contrib. 166.
- Tytler, P., and J. H. S. Blaxter. 1988. Drinking in yolk-sac stage larvae of the halibut, [*Hippoglossus hippoglossus*] (L.). *J. Fish. Biol.* 32:493-494.
- Tytler, P., and M. V. Bell. 1989. A study of diffusional permeability of water, sodium and chloride in yolk-sac larvae of cod ([*Gadus morhua*] L.). *Journal of Experimental Biology* 147:125-132.
- Tytler, P., J. Ireland and E. Fitches. 1996. A study of the structure and function of the pronephros in the larvae of the turbot ([*Scophthalmus maximus*]) and the herring ([*Clupea harengus*]). Pages 3-18 [in] L.A. Fuiman, editor. *Marine and Freshwater Behaviour and Physiology* 28:1-148 (email charlie.reynolds@gbhap.com for reprint requests).
- Tyus, H. M., C. W. Brown and J. F. Saunders III. 2000. Movements of young Colorado pikeminnow and razorback sucker in response to water flow and light level. *J. Freshwater Ecol.* 15(4): ?-536.
- Tzeng, W. N. 1984. Dispersal and upstream migration of marked Anguillid eel, [*Anguilla japonica*], elvers in the estuary of the Shuang River, Taiwan. *Bull. Jap. Soc. Fish. Oceanogr.* 45:10-20.
- Tzeng, W. N. 1985. Immigration timing and activity rhythms of the eel, [*Anguilla japonica*], elvers in the estuary of northern Taiwan, with emphasis on environmental influences. *Bull. Jap. Soc. Fish. Oceanogr.* 47-48:11-28.
- Tzeng, W. N., and S.Y. Yu. 1988. Daily growth increments in otoliths of milkfish, [*Chanos chanos*] (Forsskal), larvae. *J. Fish. Biol.* 32:495-504.
- Tzeng, W. N., and Y. T. Wang. 1992. Structure, composition and seasonal dynamics of the larval and juvenile fish community in the Mangrove Estuary of Tanshui River, Taiwan. *Marine Biology* 113:481-490.
- U.S. Fish and Wildlife Service. 1983. Impacts of contaminants on early life stages of striped bass. *U.S. Fish Wildl. Serv. Rep.*, Columbia, MO.
- Uchida, K. 1933. Studies on the early life history of Japanese Heterosomata. II. [*Verasper variegatus*]. *Zool. Soc. Jap.* 45:268-277.
- Uchida, K. 1936. A note on the pelagic postlarval stages of [*Antigonia rubescens*] (Pisces, Capriformes). *Zool. Mag. (Tokyo)* 48:935-939.
- Uchida, K. 1936. Note on two remarkable heterosomatous postlarvae with a greatly elongated and branched dorsal ray. *Zool. Mag.* 48(8/10):497-501.

Uchida, K. 1937. On the floatation mechanism seen in the larval stages of fishes. Science (Kagaku) 7(13):540-546. In Japanese.

Uchida, K. 1941. Early life history of a trichiurid, [Eupleurogrammus] [muticus]. Zool. Mag. 53(2):89.

Uchida, K. 1954. Pelagic fish eggs and larvae found in the Tsuskimo warm current. Appendix: eggs and larvae of Pacific mackerel, jack mackerel, and yellowtail. Rep. on exploratory survey of Tsushima Warm Current, Japan Fish Agency 1:111-115.

Uchida, K. 1958. Eggs, larvae, and juveniles of [Etrumeus micropus] (Tem. & Sch.) Dussumieriidae. Pages 5-7 [in] K. Uchida et al., editors. Studies on the eggs, larvae and juveniles of Japanese fishes. J. Fac. Agric. Kyushu Univ., Fish. Dept., Ser. I.

Uchida, K. 1958. Leptocephalus stages of [Megalops cyprinoides] (Broussonet) (Megalopidae) [Elops machnata] (Forsk.) (Elopidae) and [Albula vulpes] (L.) (Albulidae). Pages 1-3 [in] K. Uchida et al., editors. Studies of the eggs, larvae and juveniles of Japanese fishes. J. Fac. Agric., Kyushu Univ., Fish. Dept. Ser. I.

Uchida, K. 1958. Larvae and juvenile of [Macrohamphus scolopax] (L.) Macrorhamphosidae. Pages 44-45 [in] K. Uchida et al., editors. Studies on the eggs, larvae and juveniles of Japanese fishes. J. Fac. Agric., Kyushu Univ., Fish. Dept. Ser. I.

Uchida, K. 1964. Ontogeny and evolution of fishes. Fossils 8:34-36.

Uchida, K. S. I., et al. 1958. Study of the eggs, larvae and juveniles of Japanese fishes. Sci. Bull. Fac. Agr. Kyushu Univ. 89 pp.

Uchida, K., A. Katoaka, and T. Takai. 1968. On the congrid leptocephali in Ise Bay. J. Shimonoseki Univ. Fish. 17:25-34.

Uchida, K., and Y. Dotsu. 1958. Fish eggs and larvae appearing in the surface layer of the warm Tsushima Current, a general review. Pages 3-65 [in] Tsushimadanryu Kaihatsu Chosa Hokokusho 2. Fish. Agency, Tokyo, Japan.

Uchida, K., and Y. Shojima. 1958. Studies on the larvae and juveniles of fishes accompanying floating algae. I. Research in the vicinity of Tsuyazaki, during Mar., 1957 - Mar. 1958. Bull. Jap. Soc. Sci. Fish. 24:411-415.

Uchida, K., S. Imai, S. Mito, S. Fujita, M. Ueno, Y. Shojima, T. Senta, M. Tahuku, and Y. Dotsu. 1958. Studies of the eggs, larval and juveniles of Japanese fishes. Fish. Dept., Fac. Agr. Kyushu Univ., Fukuoka, Japan, Serl 1, 2nd Lab. of Fish Biol., 89 pp.

Uchida, K., Y. Dotsu, S. Mito, and K. Nakahara. 1958. The spawning and early life history of "buri" Japanese yellowtail, [Seriola quinqueradiata] Temminck et Schlegel. Sci. Bull. Fac. Agric. Kyushu Univ. 16:329-342.

Uchida, N. R. 1963. Synopsis of biological data on frigate mackerel, [Auxis thazard] (Lac.) 1802 (Pacific Ocean). Proc. World Sci. Mtg. Biol. Tunas Rel. Sp., FAO Fish. Rep. 6(2):241-273.

Uchiyama, J. H., R. K. Burch, and S. A. Kraul, Jr. 1986. Growth of dolphins, [Coryphaena hippurus] and [C. equiselis], in Hawaiian waters as determined by daily increments on otoliths. Fish. Bull., U.S. 84:186-191.

Ueberschar, B., and C. Clemmesen. 1992. A Comparison of the Nutritional Condition of Herring Larvae as Determined by 2 Biochemical Methods - Tryptic Enzyme Activity and RNA/DNA Ratio Measurements - Short Note. Ices Journal of Marine Science. 49: 245-249.

Ueberschar, B., B. H. Pedersen, and K. Hjelmeland. 1992. Quantification of trypsin with a radioimmunoassay in herring Larvae ([Clupea harengus]) compared with a highly sensitive fluorescence technique to determine tryptic enzyme activity. Marine Biology 113:469-473.

- Ueno, A. M. 1974. Incorporation of tritium from tritiated water into nucleic acids of [*Oryzias latipes*] eggs. *Radiat. Res.* 59:629-637.
- Ueno, M., and S. Fujita. 1954. On the development of the egg of [*Sillago sihama*] (Forsk.)]. *Jap. J. Ichthyol.* 3:118-120.
- Ueno, M., and S. Fujita. 1958. Eggs, larvae and juveniles of [*Platycephalus indicus*] (L.) (*Platycephalidae*). Page 86 [in] K. Uchida et al., editors. *Studies on the eggs, larvae and juveniles of Japanese fishes.* Fac. Agric. Kyushu Univ., Fukuoka, Japan. In Japanese.
- Ueno, M. 1958. Larvae and juveniles of [*Saurida elongata*] (Temm. et. Schl.) (*Synodontidae*). [In] *Studies on the eggs, larvae and juveniles of Japanese fishes.* Ser. 1 Kyushu Univ., Fukuoka:20.
- Ueno, M. 1986. Mesh retention of fish eggs and larvae in plankton nets. *Bull. Jap. Soc. Sci. Fish.* 52(8):1295-1300.
- Ueno, M. 1986. Variation in catches of [*Engraulis japonicus*] eggs and larvae among repeated net hauls. *Bull. Jap. Soc. Sci. Fish.* 52(7):1149-1152.
- Ueyanagi, S. 1959. Larvae of the striped marlin, [*Makaira mitsukurii*] (Jordan and Snyder). *Rep. Nankai reg. Fish. Res. Lab, No. 11:130-146.* In Japanese, English abstract (English transl. by NMFS, Honolulu).
- Ueyanagi, S., and H. Yabe. 1959. Larvae of the black marlin ([*Eumakaira nigra*] Nakamura). *Rep. Nankai reg. Fish. Res. Lab., No. 10:151-169.* In Japanese, English abstract.
- Ueyanagi, S., and H. Yabe. 1960. On the larvae possibly referable to [*Marlina marlina*] (Jordan and Hill). *Rec. Oceanogr. Wks Japan* 5(2):167-173.
- Ueyanagi, S. 1960. On the larvae and the spawning areas of the shirokajiki, [*Marlina marlina*] (Jordan and Hill). *Rep. Nankai reg. Fish. Res. Lab, No. 12:85-96.* In Japanese, English abstract.
- Ueyanagi, S. 1960. Preliminary note on the larvae of the shortnosed spearfish, [*Tetrapturus angustirostris*] (Tanaka). *Rep. Nankai reg. Fish. Res. Lab., No. 12:97-98.* In Japanese, English abstract.
- Ueyanagi, S. 1962. On the larvae of the shortnosed spearfish, [*Tetrapturus angustirostris*]. *Rep. Nankai reg. Fish. Res. Lab., No. 16:173-189.* In Japanese, English abstract.
- Ueyanagi, S., and H. Watanabe. 1962. Methods of identification for larval billfishes and young tunas. I. Preliminary *Rep. Nankai reg. Fish. Res. Lab., 17 pp.* In Japanese.
- Ueyanagi, S., and E. H. Ahlstrom. 1963. Species identification and distribution: larvae and eggs. *FAO Fish. Rep.* 6(1):33-35.
- Ueyanagi, S. 1963. Methods for identification and discrimination of the larvae of five istiophorid species distributing in the Indo-Pacific. *Rep. Nankai reg. Fish. Res. Lab., No. 17:137-150.* In Japanese, English abstract.
- Ueyanagi, S., I. A. Ronquillo, and T. Otsu. 1963. Report of working group four - identification of larvae and juveniles (tuna). *FAO Fish. Rep.* 6(1):57-59.
- Ueyanagi, S. 1964. Description and distribution of larvae of five istiophorid species in the Indo-Pacific. [In] *Proc. Symp. on Scombrid fish, Mandapam Camp, Pt. 1. J. Mar. Biol. Assoc. India:499-528.*

- Ueyanagi, S. 1964. Methods of identification for the young stages of tunas and spearfishes. Materials for the Tuna Fisheries Research Council. Nankai Reg. Fish. Res. Lab., Feb. 1964, 16 pp.
- Ueyanagi, S., and H. Watanabe. 1964. Methods of identification of larvae of tunas and young billfishes. II. Nankai-ku suisan kenkyo-sho, maguro gyogyo kenkyu kyogikai shirajo (Nankai Reg. fish. Res. Lab., Materials for Tuna Fish. Res. Coun., Kochi), 16 pp. In Japanese, Engl. transl. of sections on larval tunas by Bur. Comm. Fish.
- Ueyanagi, S. 1966. On the red pigmentation of larval tuna and its usefulness in species identification. Rep. Nankai reg. Fish. Res. Lab., No. 24:41-48. In Japanese, English abstract.
- Ueyanagi, S. 1968. Larval distribution of tunas and billfishes in the Atlantic Ocean. Pages 50-51 [in] Symp. on Investigations and resources of the Caribbean Sea and adjacent regions. FAO, Rome. 82 pp.
- Ueyanagi, S. 1969. Observations on the distribution of tuna larvae in the Indo-Pacific Ocean with emphasis on the delineation of the spawning areas of albacore, [Thunnus alalunga]. Bull. Far. Seas Fish. Res. Lab. (2):177-256.
- Ueyanagi, S. 1969. Larval distribution of tunas and billfishes in the Atlantic Ocean, p. 145. FAO Fish. Rep. 71.1. 165 pp.
- Ueyanagi, S., K. Mori, and Y. Nishikawa. 1969. Research on distribution of larvae. [In] Report on fishing survey in the Bismarck-Solomon Seas by Shunyu-maru, Oct-Dec 1968. Far Seas Fish. Res. Lab., S. Series 1:12-17.
- Ueyanagi, S., K. Mori, and Y. Nishikawa. 1969. Tuna spawning grounds and potential resources of pelagic fishes based upon distribution of larvae. Tuna Fish. Res. Conf. for 1968. 9 pp.
- Ueyanagi, S. 1970. Distribution and relative abundance of larval skipjack, [Katsuwonus pelamis], in the western Pacific Ocean. Pages 395-398 [in] J. C. Marr, editor. The Kuroshio - A symp. on the Japanese Current. East-West Center Press, Honolulu. 614 pp.
- Ueyanagi, S. et al. 1970. Distribution, spawning, and relative abundance of billfishes in the Atlantic Ocean. Enyo Suis an Kenkyujo, No. 3:15-55. In Japanese, English Abstract.
- Ueyanagi, S. 1974. On an additional diagnostic character for the identification of billfish larvae with some notes on the variations in pigmentation. Pages 73-78 [in] R. S. Shomura and F. Williams, editors. Proc. Intl. Billfish symp., Kailua-Kona, Hawaii, Aug. 1972. NOAA Tech. Rep. NMFS SS RF 675.
- Ueyanagi, S. 1974. Present state of billfish larval taxonomy. Pages 649-658 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, Berlin. 765 pp.
- Ueyanagi, S., Y. Nishikawa, and T. Matsuoka. 1974. Artificial fertilization and larval development of skipjack tuna, [Katsuwonus pelamis]. Bull. Far Seas Fish. Res. Lab. (Shimizu) 10:179-188.
- Ueyanagi, S., and M. Okiyama. 1979. Morphology and phylogeny of fish larvae - scombroids. Kaiyo Kagaku (Mar. Sci.) 11:93-99. In Japanese.
- Ueyanagi, S., and M. Okiyama. 1982. Larval fish characteristics and phylogeny of scombroid fishes. NOAA, NMFS NWAFC Proc. Rep. 82-14. 24 pp.
- Ukawa, M., M. Higuchi, and S. Mito. 1966. Spawning habits and early life history of a serranid fish, [Epinephelus akaara] (Tem. & Sch.). Jap. J. Ichthyol. 13:156-161.

- Ulanowicz, R. E. 1975. The mechanical effect of water flow on fish eggs and larvae. Pages 77-87 [in] S. B. Saila, editor. Fisheries and energy production: A symposium. D. C. Heath Co., Lexington, MA.
- Ulanowicz, R. E., and T. T. Polgar. 1980. Influences of anadromous spawning behavior and optimal environmental conditions upon year class success. Can. J. Fish. Aquat. Sci. 37:142-154.
- Ulanowicz, R. E., J. M. Lindsay, W. C. Caplins, and T. T. Polgar. 1982. Simulating the lateral transport of ichthyoplankton in the Potomac estuary. Estuaries 5(1):57-67.
- Ulltang, O. 1977. Methods of measuring stock abundance other than by the use of commercial catch and effort data. Part 5. Egg and larval surveys. FAO Fish. Tech. Pap. 176:10-12.
- Umeda, S., and A. Ochiai. 1975. On the histological structure and function of digestive organs of the fed and starved larvae of the yellowtail, [*Seriola quinqueradiata*]. Jap. J. Ichthyol. 21:213-219.
- Unanyan, Yu. M., and S. G. Soin. 1963. Propagation and development of the White Sea smelt. Vestn. Mosk. Univ. Serv. 6, Biol., Pochvoved 18(4):25-37.
- Underhill, A. H. 1949. Studies on the development, growth, and maturity of the chain pickerel, [*Esox niger*] LeSueur. J. Wildl. Mgmt 13(4):377-391.
- UNESCO. 1968. Zooplankton sampling. UNESCO Monogr. Oceanogr. Methodol. 2:174 pp.
- UNESCO. 1975. Ichthyoplankton report of CICAR ichthyoplankton workshop. UNESCO Tech. Paps. and Mar. Sci. 20.
- UNESCO. 1980. Workshop on the effects of environmental variation on the survival of larval pelagic fishes, Lima, Peru. UNESCO Intergov. Oceanogr. Comm. Rep. 28.
- University of Rhode Island. 1972. Rhode Island Marine Bibliography. Univ. RI Tech. Rep., No. 3, 192 pp.
- University of Rhode Island. 1977. Rhode Island marine Bibliography: First supplement to the 1972 edition. Univ. RI Tech. Rep., No. 63, 85 pp.
- Uno, Y. 1955. Spawning habit and early development of a puffer, [Fugu (Torofugu) niphobles] (Jordan and Snyder). J. Tokyo Univ. Fish. 41:169-183.
- Uotani, I., T. Saito, K. Hiranuma, and Y. Nishikawa. 1990. Feeding habit of bluefin tuna [*Thunnus thynnus*] larvae in the western North Pacific Ocean. Nippon Suisan Gakkaishi-Bulletin of the Japanese Society of Scientific Fisheries 56:713-717.
- Uotani, I. 1973. Diurnal changes of gas bladder and behavior of post-larval anchovy and other related species. Bull. Jap. Soc. Sci. Fish. 39:867-876.
- Uotani, I., A. Izuha, and K. Asai. 1978. Food habits and selective feeding of anchovy larvae ([*Engraulis japonica*]). Bull. Jap. Soc. Sci. Fish. 44(5):427-434.
- Uotani, I., K. Matsuzaki, Y. Makino, K. Noda, O. Inamura, and M. Horikawa. 1981. Food habits of larvae of tunas and their related species in the area northwest Australia. Bull. Jap. Soc. Sci. Fish. 47(9):1165-1172.
- Uotani, I. 1985. The relation between feeding mode and feeding habit of the anchovy larvae. Bull. Jap. Soc. Sci. Fish. 51(7):1057-1066.
- Uotani, I. 1985. The relation between the development of feeding organs and feeding modes of the anchovy. Bull. Jap. Soc. Sci. Fish. 51(2):197-204.

- Upadhyaya, M. P. 1956. Survival of fry in some nurseries of Uttar Pradesh. Proc. 43rd Indian Sci. Congr. (Agra) Pt. 4:29-30.
- Urban, E. 1984. Energy balance and nitrogen changes of grass carp (*Ctenopharyngodon idella*) Val.) larvae and fry under different food conditions. II. Assimilation and balance of nitrogen compounds. *Ekol. Polska* 32(2): 341.
- Urquhart, D. L., and D. R. Barnard. 1979. Growth of pen reared pink salmon fry, [*Oncorhynchus*] [*gorbuscha*], feeding on available marine zooplankton. *Aquaculture* 17(3):251-256.
- Usynin, V. F. 1978. The biology of the Chulym River sterlet, [*Acipenser*] [*ruthenus*]. *J. Ichthyol.* 18(4):544-555.
- Utrecht, W. L. 1979. Remarks on the anatomy and ontogeny of scales of teleosts. I. *Aquaculture* 17(2):159-174.
- Utsunomiya, T., and H. Suizu. 1980. Relationship between aeration volume and inflating of the air bladder of larval red sea bream in initial rearing. Rep. Yamaguchi Outsea Farm. *Fish. Ctr.* (4):9-17.
- Uviovo, E. J., and D. D. Beatty. 1979. Effects of chronic exposure to zinc on reproduction in the guppy (*Poecilia reticulata*). *Bull. Env. Contam. Toxicol.* 23(4/5):650-657.
- Uye, S., and S. Ichino. 1995. Seasonal variations in abundance, size composition, biomass and production rate of [*Oikopleura dioica*] (Fol) (Tunicata: Appendicularia) in a temperate eutrophic inlet. *Journal of Experimental Marine Biology and Ecology* 189:1-11.
- Uzars, D., and M. Plikshs. 2000. Cod (*Gadus morhua*) L.) cannibalism in the Central Baltic: interannual variability and influence of recruit abundance and distribution. *Ices Journal of Marine Science* 57(2):324-329.
- Uziel, M. S. 1978. Impingement (Literature review of 1977). *J. Wat. Poll. Contr. Fed.* 50(6):1553-1567.
- Uziel, M. S., R. F. Carrier, and R. B. McLean. 1979. Entrainment and impingement Literature review of 1978. *J. Wat. Poll. Contr. Fed.* 51(6):1554-1573.
- Vaas, K. F., and A. E. Hofstede. 1952. Studies on [*Tilapia mossambica*] Peters (ikan mudjair) in Indonesia. *Contr. Inl. Fish. Res. Sta. (Bogor)*, No. 1.
- Vahs, W., and H. Zenner. 1964. Influence of lithium ions on embryo development of meroblastic vertebrate embryos (*Salmo irideus*). *Arch. Entwicklunsgsmech. Organ.* 155(5):632-636.
- Valdez, R. A., et al. 1985. Drift of larval fishes in the upper Colorado River. *Proc. West. Assoc. F. & G. Comm.* 65:171-185.
- Valentine, J. J. 1966. Effects of antimycin A upon the development of zebrafish embryos. M.S. Thesis, Univ. Connecticut, Storers, CT, 21 pp.
- Valentine, J. J., and E. J. Peterson. 1974. Stocking walleye sac fry. *Progressive Fish-Culturist* 36(1):7-14.
- Van Beek, F., R. Boddeke, R. DeClerck, G. Rauck, and A. D. Runsdorp. 1983. Young fish and brown shrimp surveys along the continental coast of the North Sea in 1979 and 1980. *Ann. Biol.* 37:286-292.
- Van Beneden, E. 1878. A contribution to the history of the embryonic development of teleosts. *Q. J. Microsc. Sci.* 18:41-57.

- Van Cleave, H. J., and H. C. Markus. 1929. Studies in the life-history of the blunt-nosed minnow. *American Naturalist* 63:530-539.
- Van Cleve, R. 1936. Distribution and early life history of the halibut. Ph.D Diss., Univ. Washington, Seattle. 206 pp.
- Van Cleve, R., and A. H. Seymour. 1953. The production of halibut eggs on the Cape St. James spawning bank off the coast of British Columbia, 1935-1946. *Rep. Int. Pac. Halibut Comm.* 19:44 pp.
- Van de Velde, J. 1975. Investigations on eggs and larvae of various fish species along the Belgian coast in 1972 and 1973. *Annls. Biol., Copenh.* 30(1973):198-199.
- Van Den Avyle, M. J., and D. D. Fox. 1980. Diel, vertical, and horizontal variations in abundance of larval [*Dorosoma*] spp. in Center Hill Reservoir, Tennessee. Pages 116-122 [in] L. A. Fuiman, editor. *Proc. of the fourth annual larval fish Conf., U.S. Fish and Wildl. Serv., National Power Plant Team, Ann Arbor, MI.* FWS/OBS 80/43.
- Van Den Avyle, M. J., and J. R. Wilson. 1980. Food habits and feeding selectivity of larval [*Dorosoma*] spp. in Center Hill Reservoir. Pages 145-156 [in] L. A. Fuiman, editor. *Proc. of the fourth annual larval fish conf., U.S. Fish and Wildl. Serv., National Power Plant Team, Ann Arbor, MI.* FWS/OBS 80/43.
- Van den Hurk, R., and W. R. Leeman. 1984. Increase of steroid-producing cells in interrenal tissue and masculinization of gonads after long term treatment of juvenile rainbow trout with cyanoketone. *Cell Tissue Res.* 237(2):285-289.
- Van der Elst, R. P., and J. H. Wallace. 1976. Identification of the juvenile mullet of the east coast of South Africa *J. Fish. Biol.* 9(4):371.
- Van Der Meeren, T. 1991. Algae as first food for cod larvae, [*Gadus morhua*] L. - filter feeding or ingestion by accident. *Journal of Fish Biology* 39:225-237.
- Van der Meeren, T., and T. Naess. 1993. How does cod ([*Gadus morhua*]) cope with variability in feeding conditions during early larval stages. *Marine Biology* 116:637-647.
- Van der Veer, H. W., and J. J. Zulstra. 1982. Predation of flatfish larvae by [*Pleurobrachia*] [*pileus*] in coastal waters *Intl. Cons. Explor. Sea C.M.* 1982/G:16, Copenhagen, Denmark.
- Van der Veer, H. W., H. van Garderen, and J. J. Zulstra. 1983. Impact of coelenterate predation on larval fish stocks in the coastal zone of the southern North Sea. *Intl. Cons. Explor. Sea C.M.* 1983/L:8, Copenhagen, Denmark.
- Van der Veer, H. W. 1985. Impact of coelenterate predation on larval plaice, [*Pleuronectes platessa*], and flounder, [*Platichthys*] [*flesus*], stock in the western Wadden Sea. *Mar. Ecol. Prog. Series* 25(3):229-238.
- Van der Veer, H. W. 1986. Immigration, settlement, and density-dependent mortality of a larval and early postlarval 0-group plaice ([*Pleuronectes platessa*]) population in the western Wadden Sea. *Mar. Ecol. Prog. Ser.* 29:223-236.
- Van der Veer, H. W., and M. J. N. Bergman. 1986. Development of tidally related behavior of a newly settled 0-group plaice ([*Pleuronectes platessa*]) population in the western Wadden Sea. *Mar. Ecol. Prog. Ser.* 31:121-129.
- Van der Veer, H. W., and M. J. N. Bergman. 1987. Predation by crustaceans on a newly settled 0-group [*Pleuronectes platessa*] population in the western Wadden Gulf. *Mar. Ecol. Prog. Ser.* 35:203-215.
- Van der Veer, H. W., L. Pihl, and M. J. N. Bergma. 1990. Recruitment mechanisms in North Sea plaice [*Pleuronectes platessa*]. *Marine Ecology-Progress Series* 64:1-12.



- van der Veer, H. W., and J. I. J. Witte. 1993. The maximum growth optimal food condition hypothesis - a test for 0-group plaice [*Pleuronectes platessa*] in the Dutch Wadden Sea. *Marine Ecology-Progress Series* 101:81-90.
- Van derVeer, H. W., R. Berghahn, J. M. Miller, and A. D. Rijnsdorp. 2000. Recruitment in flatfish, with special emphasis on North Atlantic species: progress made by the Flatfish Symposia. *Ices Journal of Marine Science* 57(2):202-215.
- Van derVeer, H. W., R. Dapper, J. I. J. Witte. 2001. The nursery function of the intertidal areas in the western Wadden Sea for 0-group sole [*Solea solea*] (L.). *Journal of Sea Research* 45(3-4):271-279.
- Van der Veer, J. 1982. Simple and reliable methods for the fixation, mounting and staining of small and delicate marine plankton for light microscopic identification. *Mar. Biol. (Berl.)* 66:9-14.
- Van der Wal, E. J. 1985. Effects of temperature and salinity on the hatch rate and survival of Australian bass. *Aquaculture* 47(2-3):239-244.
- Van Duzer, E. M. 1939. Observations on the breeding habits of the cut-lips minnow, [*Exoglossum maxillingua*]. *Copeia* 1939(2):65-75.
- Van Guelpen, L. 1980. Taxonomic variability and criteria for distinguishing metamorphosing larval and juvenile stages of [*Limanda ferruginea*] and [*Hippoglossoides*] [*platessoides*] (Pisces: Pleuronectidae) from the Scotian Shelf. *Canadian Journal of Zoology* 58(2):202-206.
- Van Horn, W. M. 1955. The tolerance of walleye pike, [*Stizostedion vitreum*] [*vitreum*], eggs to varied oxygen conditions. *Natl. Council. for Stream Improv. Tech. Bull.* 78:1-18.
- Van Horn, W. M., and R. Balch. 1956. The reaction of walleye pike eggs to reduced dissolved oxygen concentrations. *Purdue Univ. Eng. Dept. Ext. Ser. Bull.* 91:319-341.
- Van Hyning, J. M. 1973. Stock-recruitment relationships for Columbia River chinook salmon. Pages 89-97 [in] B. B. Parrish, editor. *Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 164, 372 pp.
- Van Kampen, P. N. 1908. Larvae of [*Megalops cyprinoides*]. *Bull. Dept. Ind. Neerl., Batavia* 20: 10-12, ill.
- Van Oosten, J. 1929. Life history of the lake herring ([*Leucichthys*] [*artedi*] LeSueur) of Lake Huron as revealed by its scales, with a critique of the scale method. *Bull. U.S. Bur. Fish.* 44:265-428.
- Van Oosten, J., and P. H. Eschmeyer. 1956. Biology of young lake trout ([*Salvelinus namaycush*]) in Lake Michigan. *U.S. Fish Wildl. Serv. Res. Rep. No. 42*, 88 pp.
- Van Veen, T., M. Anderson, and D. E. Nilsson. 1981. Diel rhythm in the elver, [*Anguilla anguilla*]: testing a computerized system for recording biohythms. *Oikos* 37:69-72.
- Van Vliet, W. H. 1964. An ecological study of [*Cottus cognatus*] Richardson in northern Saskatchewan. M.S. Thesis, Univ. Saskatchewan, Saskatoon, Saskatchewan, Canada.
- Van Vliet, W. H., and S. U. Qadri. 1970. Capture, morphology and food of lake char alevins in Lake Heney, Quebec. *Can. Field-Nat.* 84:177-179.
- Van Vooren, A. 1982. Relative utilization of Mississippi River habitats as fish nursery areas. *Iowa Cons. Comm., Ann. Prog. Rep., Prog.*

- Van Winkle, W. Editor. 1977. Proceedings of the conference on assessing the effects of power-plant-induced mortality on fish populations. (Conf-770501). Pergamon Press, NY, 380 pp.
- Vanicek, C. D., and R. H. Kramer. 1969. Life history of the Colorado squawfish, [*Ptychocheilus lucius*], and the Colorado chub, [*Gila*] [*robusta*], in the Green River in Dinosaur National Monument, 1964-66. Transactions of the American Fisheries Society 98(2):193-208.
- Vanicek, D. 1962. Life history of the quillback and highfin carpsuckers in the Des Moines River. Proc. Iowa Acad. Sci. 68:238-246.
- Vannucci, M. 1968. Loss of organisms through the meshes. Pages 77-86 [in] D. J. Tranter, editor. Zooplankton sampling. UNESCO Monogr. Oceanogr. Method., No. 2, 174 pp.
- VanRaamsdonk, W., A. VanDerStelt, P. C. Diegenbach, W. VanDeBerg, H. DeBruyn, J. VanDijk, and P. Mijzen. 1974. Differentiation of the musculature of the teleost [*Brachydanio rerio*]. 1. Myotome shape and movements in the embryo. Z. Anat. Entw. Gesch. 145(3):321.
- Vanstone, W. E., J. R. Markert, D. B. Lister, and M. A. Giles. 1970. Growth and chemical composition of chum, [*Oncorhynchus keta*], and sockeye, [*O. nerka*], salmon fry produced in spawning channel and natural environments. Journal of the Fisheries Research Board of Canada 27:371-382.
- Varikul, V., and C. Boonsom. 1969. Illustrations of the gross egg and larval development of Pla Swai, [*Pangasius sutchi*] Fowler. Occ. Pap. Indo-Pacific Fish. Coun. 14:1-4.
- Varley, J. D., and J. C. Livesay. 1976. Utah ecology and life history of the Utah chub, [*Gila atraria*], in the Flaming Gorge Reservoir, Utah-Wyoming. Utah Div. Wildl. Res. Publ. No. 76-16. 29 pp.
- Vasetskii, S. G. 1967. Changes in the ploidy of sturgeon larvae induced by heat treatment of eggs at different stages of development. Dokl. Biol. Sci. 172:23-26.
- Vasetskii, S. G. 1967. Changes in the ploidy of sturgeon larvae induced by thermal treatment of the eggs at various stages of development. Dokl. Akad. Nauk SSSR 172: 1234.
- Vasey, F. W. 1971. The early life history of white crappie in Table Rock Reservoir. State of Missouri, Proj. No. F-1-R-20, Study I-7, Job No. 1, 1-11 pp.
- Vasnetsov, V. V. 1953. Stages in the development of bony fishes. Pages 207-217 [in] E. N. Pavlovsky, editor. Otcherky po obshtchim voprosam ichtiologii. AN SSSR Press, Moskv a-Leningrad, USSR. In Russian.
- Vastano, A. C., L. S. Incze, and J. D. Schumacher. 1992. Observation and analysis of fishery processes: larval pollock at Shelikof Strait, Alaska. Fisheries Oceanography 1:20-31.
- Vatanachi, S. N. 1972. The identification of fish eggs and fish larvae obtained from the survey cruises in the South China Sea. Proc. 15 Session Indo-Pac. Fish. Council., FAO, Bangkok.
- Vatanachi, S. N. 1974. The identification of fish eggs and larvae obtained from the survey cruises in the South China Sea. Pages 111-130 [in] Proc. Indo-Pacific Fish. Council., 15th Sess., Wellington, NZ, 18-27 Oct. 1972. Sect. 3. Symp. on coastal and high seas pelagic resources. IPFC, Bangkok, Thailand, 511 pp.
- Vedel-Taning, A. 1936. On the eggs and young stages of the halibut. Medd. Dan. Fisk. Havunders. Ser. Fisk. 10(4):1-23.

- Vehanen, T., T.B. Bjerke, H. Heggenes, A. Huusko and A. M"ki-Pet"ys. 2000. Effect of fluctuating flow and temperature on cover type selection and behaviour by juvenile brown trout in artificial flumes. *J. Fish Biol.* 56(4): 923-937.
- Veith, W. H. 1978. Autoradiographic and electron microscopic study of embryonic nutrition in the teleost, [*Clinus*] [*superciliosus*]. Ph.D Diss., Univ. Capetown.
- Veith, W. H. 1979. The chemical composition of the follicular fluid of the viviparous teleost, [*Clinus superciliosus*]. *Comp. Biochem. Physiol.* 63A:37-40.
- Veith, W. J. 1980. Viviparity and embryonic adaptations in the teleost [*Clinus superciliosus*]. *Canadian Journal of Zoology* 58:1-12.
- Velikhanov, E. E. 1977. Effect of temperature on the sensitivity of young sturgeons to petroleum poisoning. *Izv. An. Az. SSR (Biol.) (USSR)* 1:92.
- Venables, B. J., et al. 1978. Acclimation temperature and temperature tolerance in fingerling largemouth bass, [*Micropterus salmoides*]. *Env. Poll.* 17:161.
- Venicek, D. 1961. Life history of the quillback and highfin carpsuckers in the Des Moines River. *Proc. Iowa Acad. Sci.* 68:238-246.
- Venkataraman, L. V. 1974. Effect of gamma radiation on two developmental stages of zebrafish eggs *Curr. Sci.* 43:355.
- Venkataramanujan, K., and K. Ramamoorthi. 1974. Studies on the seasonal abundance of the fish eggs and larvae of Porto Novo waters. *Indian J. Fish.* 21(2):454-462.
- Venkataramanujam, K. 1975. Studies in fish eggs and larvae of Porto Novo coastal waters. Ph.D. Diss., Annamalai Univ., Tamil Nadu, India.
- Venkataramanujam, K., and K. Ramamoorthi. 1981. Developmental studies through laboratory rearing of [*Ambassis commersoni*]. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:578-579.
- Venkataramanujam, K., and K. Ramamoorthi. 1981. Fish eggs of Porto Novo coastal waters, east coast of India. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:597-599.
- Vereshchaka, A. L. 1995. Macroplankton in the near-bottom layer of continental slopes and seamounts. *Deep - Sea Research Part I - Oceanographic Research Papers* 42:1639-1668.
- Verma, P. 1970. Normal stages in the development of [*Cyprinus carpio*] var. [*communis*] L. *Actas Biol. Acad. Sci. Hung.* 21:207-218.
- Verma, P. 1971. The early development of [*Cyprinus carpio*] var. [*communis*] (L.). *Acta Anat.* 80(3):388-417.
- Vernidub, M. F. 1967. Adaptation of morphogenesis characteristics during early ontogeny of the representative suborder of Salmonoidei fish. *Vestn. Leningrad Univ. Ser. Biol.* 21(4):70-81.
- Vernidub, M. F. 1970. Composition of the red and white blood cells of embryos of Atlantic salmon and Baltic salmon ([*Salmo*] [*salar*] L.) and changes in this composition during the growth of the organism. *Tr. Murm. Morsk. Biol. Inst.* 12/16:139-162. 1966. (Fish. Res. Bd. Can. Transl. Ser. 1353:1-72).
- Vernidub, M. F., and H. A. Leyzorovitch. 1950. The water exchange in the developing eggs of fishes. *Dokl. Akad. Nauk. SSSR* 72:417-419.
- Vernidub, M. T. 1940. Some data on the morphology and physiology of pike-perch ([*Lucioperca lucioperca*] L.) during the period of the so-called IV and V maturity stages. *Dikl. Akad. Nauk SSSR* 29:256-259.

- Vernidub, M. T. 1941. Critical periods in the embryonic development of [*Salmo fontinalis*] and their physiological characteristics. Dokl. Akad. Nauk SSSR 32(4):293-296.
- Vernidub, M. T., and M. I. Guseva. 1950. The morpho-physiological stages in the development of larval fishes. Dokl. Akad. Nauk SSSR 71:585-588.
- Vernier, J. M. 1969. Chronological table of the embryonic development of rainbow trout, [*Salmo gairdneri*] Richardson, 1936. Ann. Embriol. Morphog. 2(4):495-520. (Fish. Res. Bd. Can. Transl. Ser. 3913:1-25).
- Verraes, W. 1973. Discussion on some relations between the form, position and function of the hyosymplecticum in developmental stages of [*Salmo gairdneri*] Rich., 1836 (Teleostei: Salmonidae). Forma et Functio 7:39-46.
- Verraes, W. 1974. Discussion of some functional-morphological relations between some part of the chondocranium and the osteocranium in the skull base and the skull roof, and of some soft head parts during postembryonic development of [*Salmo gairdneri*] Richardson, 1836. Forma Functio. 7:281-295.
- Verraes, W. 1974. Discussion on the shape of the eye and the influence of its size on shape and position of surrounding structures in normal and abnormal conditions during postembryonic development in [*Salmo gairdneri*] Richardson, 1836. Forma Functio. 7:125-138.
- Verraes, W. 1975. Some functional aspects of ossifications in the cartilaginous ceratohyal during postembryonic development in [*Salmo gairdneri*] Richardson, 1936 (Teleostei: Salmonidae). Forma functio. 8:27-32.
- Verraes, W. 1977. Postembryonic ontogeny and functional anatomy of the ligamentum mandibulo-hyoideum and the ligamentum interoperculo-mandibulare, with notes on the opercular bones and some other cranial elements in [*Salmo gairdneri*] Rich., 1836 (Teleostei: Salmonidae). J. Morph. 151:111-120.
- Verraes, W., and M. Ismail. 1980. Developmental and functional aspects of the frontal bones in relation to some other bony and cartilaginous parts of the head roof in [*Haplochromis*] [*elegans*] Trewavas, 1933 (Teleostei, Cichlidae). Neth. Journal of Zoology 30:450-472.
- Verrill, A. E. 1880. Artificial propagation of the Spanish mackerel (*[Cybium maculatum]*). Am. J. Sci. 3(20):251.
- Vert, O. 1924. Beitrage zur Kenntnis des Kopfes der Wirbeltiere. II. Fruhstadien der Entwicklung des Kopfes von [*Lepidosteus osseus*] und ihre prinzipielle Bedeutung fur die Kephalogenese der Wirbeltiere. Morph. Jahrb. Leipzig. 53: 319-390.
- Verwey, J. 1930. Coral reef studies. I. The symbiosis between damsel fishes and sea anemones in Batavia Bay. Treubia 12:308; 337-350.
- Veshchev, P. V. 1981. Effect of dredging operations in the Volga River on migration of sturgeon larvae. J. Ichthyol. 21(5):108-112.
- Vetter, R. D., R. E. Hodson, and C. R. Arnold. 1983. Energy metabolism in a rapidly developing marine fish egg, the red drum (*[Sciaenops ocellata]*). Canadian Journal of Fisheries and Aquatic Sciences 40:627-634.
- Vialli, M. 1937. Atherinidae, Mugilidae, pp. 412-456. In: Uova, larve e stadi giovanili di Teleostei, Fauna Flora Golfo Napoli, 38 Monografia 3(1):. In Italian.
- Vialli, M. 1956. Famiglia 3. Sphyraenidae. In: Lo Bianco, S. (ed.), Uova, larve e stadi giovanili di teleostei. Fauna e flora del Golfo di Napoli. Napoli Staz. Zool. Publ. Vol. 38:457-461.

- Vibert, R. 1954. Effect of solar radiation and of gravel cover on development, growth, and loss by predation in salmon and trout. *Transactions of the American Fisheries Society* 83:194-201.
- Victor, B. C. 1983. Settlement and larval metamorphosis produced distinct marks on the otoliths of the slippery dick, [*Halichoeres bivittatus*]. Pages 47-52 [in] M. L. Reaka, editor. *The ecology of deep and shallow coral reefs. Symposia series for undersea research, Vol. 1. Off. Undersea Res., NOAA, Rockville, Md.*
- Victor, B. C. 1984. Coral reef fish larvae: patch size estimation and mixing in the plankton. *Limnol. Oceanogr.* 29:1116-1119.
- Victor, B. C. 1986. Duration of the planktonic larval stage of one hundred species of Pacific and Atlantic wrasses (Labridae). *Mar. Biol.* 90(3):317-326.
- Victor, B. C. 1986. Delayed metamorphosis with reduced larval growth in a coral reef fish (*Thalassoma bifasciatum*). *Can. J. Fish. Aquat. Sci.* 43: 1208-1213.
- Victor, B. C. 1986. Larval settlement and juvenile mortality in a recruitment-limited coral reef fish population. *Ecol. Monogr.* 56: 145-160.
- Victor, B. C. 1987. Growth, dispersal, and identification of planktonic labrid and pomacentrid reef-fish larvae in the eastern Pacific Ocean. *Mar. Biol.* 95: 145-152.
- Victor, B. C. 1991. Settlement strategies and biogeography of reef fishes. Pages 231-260 [in] P. F. Sale, editor. *The ecology of fishes on coral reefs.* Academic Press, New York.
- Vieira, V. L. A., and I. A. Johnston. 1992. Influence of temperature on muscle-fibre development in larvae of the herring [*Clupea harengus*]. *Marine Biology* 112:333-341.
- Vigander, S. 1978. Current TVA work on the fluid mechanics of screens with very small openings for the exclusion of larvae at power plant cooling-water intakes. [In] R. K. Sharma and J. B. Palmer, editors. *Larval exclusion systems for power plant cooling water intakes.* NUREG/CP-002, ANL/ES-66, Argonne Natl. Lab., IL.
- Vigerstad, T. J. 1974. Effects of predation by sea run juvenile alewives (*Alosa pseudoharengus*) on the heleoplankton community of a small pond. M.S. Thesis, Univ. Rhode Island, Kingston, RI.
- Vigerstad, T. J., and J. S. Cobb. 1978. Effects of predation by sea run juvenile alewives (*Alosa pseudoharengus*) on the zooplankton community at Hamilton Reservoir, Rhode Island. *Estuaries* 1(1):36-45.
- Vijayakumar, M. B., and P. S. B. R. James. 1980. Reproductive biology of the sciaenid, [*Johnnieops*] [*osseus*] (Day), from the south Kanara coast. *Indian J. Mar. Sci.* 9(1):19-24.
- Vijayaraghavan, P. 1955. Life-history and feeding habits of the spotted seer [*Scomberomorus guttatus*] (Bloch & Schneider). *Indian J. Fish.* 2(2):360-372.
- Vijayaraghavan, P. 1957. Studies on fish-eggs and larvae of Madras coast. Ph.D Diss., Univ. Madras, India.
- Vijayaraghavan, P. 1973. Studies of fish eggs and larvae from Indian waters. I. Development of eggs and larvae of [*Hirundichthys*] [*commandelensis*] (Hornell). *Indian J. Fish.* 20(1):108-137.
- Vijayaraghavan, P. 1974. Studies on fish eggs and larvae from Indian waters. 3. Development of egg and early larva of [*Cypselurus*] [*spilopterus*] (Cuv. & Val.). *Indian J. Fish* 21(1):211-219.

- Vijayaraghavan, P. 1975. Studies on fish eggs and larvae from Indian waters. II. Development of eggs and larvae of [*Acentrogobius*] [*ornatus*] (Ruppell). *Indian J. Fish.* 20(2):523-532.
- Vilela, M. H., and J. J. Zulstra. 1971. On the condition of herring larvae in the central southern North Sea. Pages 137-141 [in] A. Saville, editor. *Symp. on the biology of early stages and recruitment mechanisms of herring*. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 160, 205 pp.
- Villaluz, A. C., and A. Unggui. 1983. Effect of temperature on behavior, growth, development, and survival in young milkfish, [*Chanos*] [*chanos*] (Forsk.). *Aquaculture* 35(4):321-330.
- Villarreal, C. A., and J. E. Thorpe. 1985. Gonadal growth and bimodality of length frequency distribution in juvenile Atlantic salmon ([*Salmo*] [*salar*]). *Aquaculture* 45(1-4):265-288.
- Villiers, L. 1979. Contribution a l'etude de la nutrition et de ses aspects energetiques chez des formes juveniles de [*Deltentosteus quadrimaculatus*] (Val.) (Pisces: Gobiidae). These 3e cycle, Univ. Pierre et Marie Curie, Paris. 139 pp.
- Vinogradov, K. A. 1950. Biology of the Pacific lumpfishes in Kamchatka waters. *Priroda* 39(3):69-70.
- Vincent, F. 1967. Investigations into the spawning ecology of the white bass, [*Roccus chrysops*] (Rafinesque), in Utah Lake, Utah. M.S. Thesis, Brigham Young Univ.
- Vincent, F. 1969. Spawning ecology of the white bass, [*Roccus chrysops*] (Rafinesque), in Utah Lake, Utah. *Gt. Basin Nat.* 28:63.
- Vinogradov, A. K. 1968. Role of yolk sac oil inclusions in the ascent of fish prolarvae. *Gidrobiol. Zh.* 4(6):63-66.
- Vinogradov, V. K., and L. V. Erokhina. 1967. Effect of temperature on the embryonic development of herbivorous fish. *Trud. Vses. Nauchno-Issled. Inst. Prud. Rybn. Khoz.* 15:70-76.
- Vinogradova, I. D., and Y. L. Shekhtman. 1968. The action of some protecting substances on embryonic survival and the viscous properties of DNA of the loach, [*Misgurnus fossilis*], after irradiation. *Radiobiologiya* 8:811-815.
- Vinogradova, V. M., and Y. B. Manteyfel. 1984. Memorization of chemical stimuli by juvenile guppy, [*Poecilia reticulata*] (Poeciliidae). *J. Ichthyol.* 24(6):74-81.
- Vinogradov, K. O. 1948. Seasons of spawning and occurrence of larvae and juveniles of the Black Sea fishes near Karadag. *Dopov. Akad. Nauk USSR* 1:18-24.
- Vivien, J. H. 1964. Influence of decapitation on the development of the thyroid bud in the [*Scyliorhinus caniculus*] embryo (cartilaginous fish). *C. R. Soc. Biol. (Paris)* 157:2068-2070.
- Vivien, M. L. 1974. Study of a tropical Labridae, [*Cheilinus*] [*bimaculatus*]: description of juvenile stages, morphologic evolution and ecology. *Bull. Mus. Natn. Hist. Nat., Paris*, No. 169:1225-1240.
- Vladimirov, V. I., and K. I. Semenov. 1959. The critical period in development of fish larvae. *Dokl. Akad. Nauk SSSR* 126:663-666.
- v
- Vladimirov, V. I. 1964. Critical periods of larval development and fish movement. *Vopr. ikhtiologii* 4(1):104-117.

- Vladimirov, V. I. 1969. Development and hardiness of carp larvae after exposure to naphthenic growth substance. Vop. Ikhtiol. 2:79-85.
- Vladimirov, V. I. 1969. Dependence of the embryonic development and viability of the carp on the trace element zinc. Vop. Ikhtiol. 9:687-696.
- Vladimirov, V. I. 1970. Ontogenetic quality differences as one factor in the dynamics of a fish population. Hydrobiol. 6:7-18.
- Vladimirov, V. I. 1971. Variation in the rate of accumulation of zinc in relation to increased concentrations in the early stages of embryogeny and the viability of carp (*[Cyprinus carpio] L.*) larvae. J. Ichthyol. 11(6):988-991.
- Vladimirov, V. I. 1973. The effect of growth rate of spawners on the survival and abundance of the progeny. J. Ichthyol. 13(6):801-812.
- Vladimirov, V. I. 1975. Critical periods in the development of fishes. J. Ichthyol. (USSR) 15(6):851-868.
- Vladimirskaya, M. I. 1960. Young salmon in the upper part of the river Petchora. Rapp. Cons. int. Explor. Mer 148:53-57.
- Vladykov, V. D. 1934. Young haddock in the vicinity of Halifax, Nova Scotia. Contr. Can. Biol. Fish. 8(Ser. A-29):409-419.
- Vladykov, V. D. 1936. Capsules d'oeufs de Raies de l'Atlantique canadien appartenant au genre *Raja*. Nat. Canad. Quebec 63:211-231.
- Vladykov, V. D., and V. Legendre. 1940. Determination on the number of eggs in the ovaries of brook trout (*[Salvelinus fontinalis]*). Copeia:218-220.
- Vladykov, V. D. 1950. Larvae of eastern American lampreys (*Petromyzontidae*). Nat. Can. 77(3-4):73-93.
- Vladykov, V. D., and D. H. Wallace. 1952. Studies of striped bass, [*Roccus saxatilis*] (Walbaum), with special reference to the Chesapeake Bay region during 1936-38. Bull. Bingham Oceanogr. Coll. 14(1):132-177.
- Vladykov, V. D. 1956. Fecundity of wild speckled trout (*[Salvelinus] [fontinalis]*) in Quebec lakes. Journal of the Fisheries Research Board of Canada 13(6):799-841.
- Vladykov, V. D. 1960. Description of young ammocoetes belonging to two species of lampreys: [*Petromyzon marinus*] and [*Entosphenus lamottei*]. Journal of the Fisheries Research Board of Canada 17(2):267-288.
- Vladykov, V. D., and J. R. Greeley. 1963. Order Acipenseroidae. Pages 24-60 [in] Y. N. Olsen, editor. Fishes of the western North Atlantic, Part 3. Mem. Sears Fd. Mar. Res., Yale Univ.
- Vladykov, V. D. 1966. Remarks on the American eel (*[Anguilla rostrata] LeSueur*). Sizes of elvers entering streams: the relative abundance of adult males and females and the present economic importance of eels in North America. Verh. Intl. Verein. Limnol. 16:1007-1017.
- Vladykov, V. D. 1970. Elvers of the American eel (*[Anguilla rostrata]*) in the maritime provinces. Prog. Rep. 2. In: Prog. Reps. 1-5 on American Eel (*[Anguilla rostrata]*) studies in Canada. Can. Dept. Fish. For. Fish. Serv. Proj. Rep. 32.
- Vladykov, V. D., and H. March. 1975. Distribution of leptocephali of the two species of [*Anguilla*] in the western North Atlantic, based on collections made between 1933 and 1968. Syllogeus 6. 38 pp.

- Vladykov, V. D., and E. Kott. 1980. Description and key to metamorphosed specimens and ammocoetes of Petromyzontidae found in the Great Lakes region. *Can. J. Fish. Aquat. Sci.* 37(11):1616-1625.
- Vlasenko, M. I. 1969. Ultraviolet rays as a method for the control of diseases of fish eggs and young fishes. *Vop. Ikhtiolog.* 9:697-705.
- Vlymen, W. J. 1974. Swimming energetics of the larval anchovy, [*Engraulis mordax*]. *U.S. NMFS Fish. Bull.* 72:885-899.
- Vlymen, W. J., III. 1977. A mathematical model of the relationship between larval anchovy (*[Engraulis mordax]*) growth, prey microdistribution, and larval behavior. *Environ. Biol. Fish.* 2(3):211-233.
- Vodianitskii, V. A. 1936. Observations on pelagic eggs of fishes of the Black Sea. *Tr. Sevastopol. Biol. Sta.* 5:3-43. (Transl. *Inter-Am. Trop. Tu na Comm.* 10 pp.).
- Vodjaniskii, V. A., and I. I. Kazanova. 1954. Key to the pelagic fish eggs and larvae of the Black Sea. *Tr. Vses. Nauchno-Issled. Inst. Morsk. Rybn. Khoz. Okeanogr.* 28:240-325.
- Vodyanitsky, V. A., and I. I. Kazanova. 1954. Diagnostic descriptions of the eggs and larvae of the Black Sea fishes. *Tr. VNIRO* 28:240-323. In Russian.
- Vogele, L. E. 1975. Reproduction of spotted bass, [*Micropterus*] [*punctulatus*], Bull Shoals Reservoir, Arkansas. *U.S. Fish Wildl. Serv. So. Cent. Reserv. Invest. Tech. Pap.* No. 84.
- Vogt, C. C. 1842. Embryologie des salmones. Part II. L. Agassiz's *Histoire naturelle des poissons d'eau douce de l'Europe centrale*. Neuchatel 1-326.
- Vogt, C. C. 1842. Quelques points de l'embryologie des poissons. *Cont. Sci. France* 1842:182-196.
- Volk, E. C., R. C. Wissmar, C. A. Simenstad, and D. M. Eggers. 1984. Relationship between otolith microstructure and the growth of juvenile chum salmon, [*Oncorhynchus keta*], under different prey rations. *Canadian Journal of Fisheries and Aquatic Sciences* 41:126-133.
- Volkova, L. A. 1976. The role of the school in the forming of defensive reflexes in the juvenile Baikal Omul, [*Coregonus*] [*autumnalis migratorius*]. *J. Ichthyol.* 16(3):485-490.
- Volodin, V. M. 1956. Embryonic development of the autumn Baltic herring and their oxygen requirements during the course of development. *Vop. Ikhtolog.* 7:123-133.
- Volodin, V. M. 1960. Effect of temperature on the embryonic development of the pike, the blue bream (*[Abramis ballerus]* L.), and the white bream (*[Blicca bjoerkna]* L.). *Trans. Inst. Biol. Vodokh.* 3(6):231-237.
- Volodin, V. M. 1960. Embryonic development of the autumn Baltic herring and their oxygen requirements during the course of development. *Fish. Res. Bd. Can. Transl. Ser. No.* 252. 13 pp.
- Volodin, V. M. 1966. Comparative characteristics of fish resistance to phenol in early stages of development. *Tr. Inst. Biol. Vnutrennikh Vod.* 10(13):300-310.
- Volodin, V. M., F. I. Mezhnin, and V. V. Kuz'mina. 1974. An experimental study of egg resorption in the bream [*Abramis brama*]. *J. Ichthyol.* 14(2):219-231.
- Volodin, V. M., and A. P. Strelnikova. 1985. Stages of the postembryonic development of blue bream, [*Abramis ballerus*], under hatchery conditions. *J. Ichthyol.* 25(1):142-153.
- Von Bayer, H. 1910. A method of measuring fish eggs. *Bull. U.S. Bur. Fish.*



- Von Bonde, C. 1945. Stages in the development of the picked or spiny dogfish, [*Squalus acanthias*] L. Biol. Bull. 88:220-235.
- Von Herbing, I. H., and W. Hunte. 1991. Spawning and recruitment of the bluehead wrasse [*Thalassoma bifasciatum*] in Barbados, West-Indies. Marine Ecology-Progress Series 72:49-58.
- von Oertzen, J. A. 1985. Resistance and capacity adaptation of juvenile silver carp, [*Hypophthalmichthys molitrix*] (Val.) to temperature and salinity. Aquaculture 44(4):321-332.
- Von Westernhagen, H. 1968. Versuche zur Erbrung der Eier des schellfisches ([*Melanogrammus aeglefinus*] L.) unter Kombinierten Salzgehalts- und Temperaturbedingungen. Ber. dt. wiss. Kommn Meeresforsch. 19(4):270-287.
- von Westernhagen, H. 1970. Rearing the eggs of cod ([*Gadus morhua*]), flounder ([*Pleuronectes flesus*]) and plaice ([*Pleuronectes*] [*platessa*]) under combined temperature and salinity conditions. Helgolander wiss. Meeresunters (Ger.) 21:21.
- von Westernhagen, H. 1970. Incubation of garpike eggs ([*Belone belone*] L.) under controlled temperature and salinity conditions. J. Mar. Biol. Assoc. U.K. 54(1974): 625-634.
- von Westernhagen, H., H. Rosenthal, and K.-R. Sperling. 1974. Combined effects of cadmium and salinity on development and survival of herring eggs. Helgolander wiss. Meeresunters 26(3-4):416-433.
- von Westernhagen, H., and V. Dethlefsen. 1975. Combined effect of cadmium and salinity on development and survival of flounder eggs. J. Mar. Biol. Assoc. U.K. 55(4):945-957.
- von Westernhagen, H., et al. 1975. Combined effects of cadmium and salinity on development and survival of garpike eggs. helgolander Wiss. Meeresunters 27:268.
- von Westernhagen, H., and H. Rosenthal. 1976. Predator-prey relationship between Pacific herring, [*Clupea harengus pallasii*], larvae and predatory hyperiid amphipod, [*Hyperoche medusarum*]. Nat. Oceanic Atmos. Adm. (U.S.) Fish. Bull. 74(3):669-674.
- von Westernhagen, H., and H. Rosenthal. 1976. Rearing and spawning siganids (Pisces: Teleostei) in a closed seawater system. Helgol. Wiss. Meeresunters. 27:1-18.
- von Westernhagen, H., H. Rosenthal, S. Kerr, and G. Gurstenberg. 1979. Factors influencing predation of [*Hyperoche medusarum*] (Hyperiid, Amphipoda) on larvae of the Pacific herring, [*Clupea harengus pallasii*]. Mar. Biol. 51(3):195-202.
- von Westernhagen, H., and H. Rosenthal. 1981. On condition factor measurements in Pacific herring larvae. Helgolander Meeresunters 34:257-262.
- von Westernhagen, H. 1983. Observations on the reproduction and larval biology of [*Blennius pavo*]. Helgolanderwiss. Meeresunters 36:323-335.
- Vooren, C. M. 1972. Post larvae and juveniles of the tarakihi (Teleostei: Cheilodactylidae) in New Zealand. N.Z. J. Mar. & Freshwat. Res. 6(4):602-618.
- Vooren, C. M. 1973. Early life history of the tarakihi, [*Cheilodactylus*] [*macropterus*], in New Zealand waters. Ann. Conf. Aust. Mar. Sci. Assoc., 1973 Rottneest Island, Australia. Aust. Mar. Sci. Bull. 44:12.
- Vorobyeva, A. A. 1976. On the digestion rate in larvae of roach and their survival at various stages of development without food. All-Union Res. Inst. Mar. Fish. and Oceanogr. (USSR) 117:59-66.

- Voss, G. L. 1953. A contribution to the life history and biology of the sailfish, [*Istiophorus americanus*] Cuv. and Val., in Florida waters. Bull. Mar. Sci. Gulf Caribb. 3(3):206-240.
- Voss, G. L. 1954. The postlarval development of the fishes of the family Gempylidae from the Florida Current. I. [*Nesiarchus nasutus*] Johnson and [*Gempylus*] Cuv. and Val. Bull. Mar. Sci. Gulf Caribb. 4:120-159.
- Voss, G. L. 1972. A survey of the biology of the sailfish, [*Istiophorus*] [*platypterus*], from the western Atlantic. Proc. 15th Ann. Int. Game Fish Res. Conf.:1-15.
- Voyer, B. A., and R. J. Hennekey. 1972. Effects of dissolved oxygen on two life stages of the mummichog. Progressive Fish-Culturist 34(4):222-225.
- Voyer, B. A., C. E. Wentworth, Jr., E. P. Berry, and R. J. Hennekey. 1977. Viability of embryos of the winter flounder, [*Pseudopleuronectes americanus*], exposed to combinations of cadmium and salinity at selected temperatures. Mar. Biol. 44(2):117-124.
- Voyer, R. A., J. F. Heltsche, and R. A. Kraus. 1979. Hatching success and larval mortality in an estuarine teleost, [*Menidia menidia*] (L.), exposed to cadmium in constant and fluctuating salinity regimes. Bull. Env. Contam. Toxicol. 23(4/5):475-481.
- Voyer, R. A., J. A. Cardin, J. F. Heltsche, and G. L. Hoffman. 1982. Viability of embryos of the winter flounder, [*Pseudopleuronectes americanus*], exposed to mixtures of cadmium and silver in combination with selected fixed salinities. Aq. Tox. 2:223-233.
- Vrat, V. 1949. Reproductive behavior and development of eggs of the three-spined stickleback ([*Gasterosteus aculeatus*]) of California. Copeia 1949(4):252-260.
- Vrieze, L. A., and P. W. Sorensen. 2001. Laboratory assessment of the role of a larval pheromone and natural stream odor in spawning stream localization by migratory sea lamprey ([*Petromyzon marinus*]). Canadian Journal of Fisheries and Aquatic Sciences 58(12):2374-2385.
- Vronskiy, B. B. 1972. Biology of the Kamchatka River chinook salmon ([*Oncorhynchus tshawytscha*] Walbaum). J. Ichthyol. 12(2):259-273.
- Vu, T. T. 1976. Etude du developpement du tube digestif des larves de bar, [*Dicentrarchus labrax*] (L.). Arch. Zool. Exp. Gen. 117:493-509.
- Vu, T. T. 1983. A histoenzymological study of protease activity in the digestive tract of larvae and adults of sea bass, [*Dicentrarchus labrax*] (L.). Aquaculture 32(1/2):57-70.
- Vucetic, T. 1971. Long term fluctuations of macrozooplankton in the central Adriatic: eggs of [*Sardina pilchardus*] Walb., [*Engraulis encrasicolus*] L. and larval stages of different fishes. Arch. Oceanogr. Limnol. 17(2):141-156.
- Vuorinen, P., and M. B. Axell. 1980. Effects of the water soluble fraction of crude oil on herring eggs and pike fry. Intl. Counc. Explor. Sea, Mar. Env. Quality Comm. C.M. 1980/ E:30. 10 pp.
- Wade, C. B. 1950. Juvenile forms of [*Neothunnus macropterus*], [*Katsuwonus pelamis*], and [*Euthynnus yaito*] from Philippine seas. Fish. Bull. Fish Wildl. Serv. U.S. 51(53):393-404.
- Wade, C. B. 1951. Larvae of tuna and tuna-like fishes from Philippine waters. Fish. Bull. Fish Wildl. Serv. U.S. 51(57):445-485.
- Wade, R. A. 1962. The tarpon, [*Megalops atlanticus*], and the oxeye, [*Megalops cyprinoides*], emphasizing larval development. M.S. Thesis, Univ. Miami. 168 pp.

- Wade, R. A. 1962. The biology of the tarpon, [*Megalops atlanticus*], and the oxeye, [*Megalops cyprinoides*], with emphasis on larval development. Bull. Mar. Sci. Gulf Caribb. 12:545-677.
- Wade, R. A. 1969. Ecology of juvenile tarpon and effects of dieldrin on two associated species. Tech. Pap. Bur. Sport Fish. Wildl. 41:1-85.
- Wagner, C. C., and E. L. Cooper. 1963. Population, density, growth and fecundity of the creek chubsucker, [*Erimyzon oblongus*]. Copeia 1963:350-357.
- Wagner, W. C., and T. M. Stauffer. 1962. Sea lamprey larvae in lentic environments. Transactions of the American Fisheries Society 90(4):384-387.
- Wagner, W. C. 1975. Food habits of coexisting juvenile coho salmon, brown trout and rainbow trout in Platte River, 1967 and 1972. Michigan Dept. Nat. Resourc., Fish. Res. Rep. 1831, Lansing, MI.
- Wagner, W. C. 1978. Assessment of survival of planted lake trout eggs in the upper Great Lakes. Mich. Dept. Nat. Resourc. Fish. Div., D-J Ann. Prog. Rep. F-35-R-4. Lansing, MI.
- Wainright, S. C., C. M. Fuller, R. H. Michener, and R. A. Richards. 1996. Spatial variation of trophic position and growth rate of juvenile striped bass (*Morone saxatilis*) in the Delaware River. Canadian Journal of Fisheries and Aquatic Sciences 53(4):675-692.
- Waiwood, K. G., and F. W. H. Beamish. 1978. Effects of copper, pH and hardness on the critical swimming performance of rainbow trout, [*Salmo gairdneri*] Rich. Wat. Res. (G.B.)12:611.
- Wakefield, W. W., and K. L. Smith. 1990. Ontogenetic vertical migration in [*Sebastolobus altivelis*] as a mechanism for transport of particulate organic matter at continental slope depths. Limnology and Oceanography 35:1314-1328.
- Walburg, C. H. 1957. Observations on the food and growth of juvenile American shad, [*Alosa sapidissima*]. Transactions of the American Fisheries Society 86:302-306.
- Walburg, C. H. 1957. Observations on the food and growth of juvenile American shad, [*Alosa sapidissima*]. Transactions of the American Fisheries Society 86:302-306.
- Walburg, C. H. 1960. Abundance and life history of the shad, St. Johns River, Florida. U.S. Fish Wildl. Serv. Fish. Bull. 60(177):487-501.
- Walburg, C. H. 1971. Loss of young fish in reservoir discharge and year-class survival Lewis and Clark Lake, Missouri River. Am. Fish. Soc. Spec. Publ. 8:441-448.
- Wald, G. 1958. The significance of vertebrate metamorphosis. Science 128(3337).
- Waldmann, J. 1961. Untersuchungen an Heringslarven und zooplankton des Greifswalden Boddens in den Jahres 1958-59. Zeit Fisch un Helfhriss X(6/7):523-536.
- Waldron, K. D. 1963. Synopsis of biological data on skipjack, [*Katsuwonus pelamis*] (L.) 1758 (Pacific Ocean). FAO Fish. Rep. 6, Vol. 2:695-748.
- Waldron, K. D. 1968. Early larvae of the canary rockfish, [*Sebastes pinniger*]. Journal of the Fisheries Research Board of Canada 25(4):801-803.
- Waldron, K. D. 1970. Fish larvae collected from the northeastern Pacific Ocean and Puget Sound, April-May, 1967. NMFS Biol. Lab. Rep., Seattle, Wash. 11 pp.
- Waldron, K. D. 1972. Fish larvae collected from the north eastern Pacific Ocean and Puget sound during April and May 1967. NOAA Tech. Rep. NMFS Spec. Sci. Rep. Fish. 663, 16 pp.

- Waldron, K. D., and F. Favorite. 1977. Ichthyoplankton of the eastern Bering Sea, pp. 628-682. In: Environmental assessment of the Alaskan continental shelf, Vol. IX. Receptors - fish, littoral, benthos. U.S. Dept. Commer., NOAA, and U.S. Dept. Int., Bur. Land Mgmt.
- Waldron, K. D., and B. M. Vinter. 1978. Ichthyoplankton of the eastern Bering Sea. NOAA, NMFS NWAFC Final Report RU 380. 88 pp.
- Waldron, K. D. 1981. Ichthyoplankton. Pages 471-493 [in] D. W. Hood and J. A. Calder, editors. The eastern Bering Sea shelf: oceanography and resources. Vol. I. U.S. Govt. Print. Off., Wash. D. C.
- Wales, J. H. 1941. Development of steelhead trout eggs. California Fish and Game 27:250-260.
- Wales, J. H. 1952. Life history of the blue rockfish, [Sebastodes] [mystinus]. California Fish and Game 38(4):435-498.
- Wales, J. H., et al. 1978. Aflatoxin B-1 induction of hepatocellular carcinoma in the embryos of rainbow trout, [Salmo gairdneri]. J. Natl. Cancer Inst. 60:1133.
- Wales, W. 1975. Extraretinal control of vertical migration in fish larvae. Nature, Lond. 253(5486):42-43.
- Walford, L. A. 1938. Effect of currents on distribution and survival of the eggs and larvae of the haddock ([Melanogrammus] [aeglefinus]) on Georges Bank. U.S. Bur. Fish. Bull. 49(29):1-73.
- Walker, H. J., Jr. 1978. Ichthyoplankton survey of nearshore Gulf waters between Barataria Bay and Timbalier Bay, Louisiana, during July, August, and December, 1973. M.S. Thesis, Louisiana State Univ., Baton Rouge, LA.
- Walker, H. J., Jr., W. Watson, and A. M. Barnett. 1987. Seasonal occurrence of larval fishes in the nearshore Southern California Bight off San Onofre, California. Est. Coastal Shelf Sci. 25:91-109.
- Walker, R. B. 1975. A study of fish eggs and larvae in Nickajack Reservoir, Tennessee. during 1973 and 1974. M.S. Thesis, Tenn. Tech. Univ., Cookeville, TN.
- Walker, R. E., and R. L. Applegate. 1976. Growth, food and possible ecological effects of young-of-the-year walleyes in a South Dakota prairie pothole. Progressive Fish-Culturist 38(4):217-226.
- Wallace, C. R. 1972. Embryonic and larval development of the smallmouth bass at 23 C. Progressive Fish-Culturist 34(4):237-239.
- Wallace, D. C. 1969. A study of the ecology and life history of the silverjaw minnow, [Ericymba buccata] Cope (Pisces, Cyprinidae). Ph.D. Diss., Cornell Univ., Ithaca, NY, 203 pp.
- Wallace, D. C. 1973. Reproduction of the silverjaw minnow, [Ericymba] [buccata] Cope. Transactions of the American Fisheries Society 102:786-793.
- Wallace, D. H. 1940. Sexual development of the croaker, [Micropogon] [undulatus], and distribution of the early stages in Chesapeake Bay. Transactions of the American Fisheries Society 70:475-482.
- Wallace, D. N. 1978. Two anomalies of fish larval transport and their importance in environmental assessment. New York Fish and Game J. 25:59-71.

- Wallace, J. C., and D. Aajord. 1984. The initial feeding of Arctic charr, [*Salvelinus*] [*alpinus*], alevins at different temperatures and under different feeding regimes. *Aquaculture* 38(1):19-34.
- Wallace, J. C., and D. Aasjard. 1984. An investigation of the consequence of egg size for the culture of Arctic char, [*Salvelinus alpinus*] (L.). *J. Fish. Biol.* 24(4):427.
- Wallace, J., and R. van Der Elst. 1973. Identification of juvenile mullet. *Bull. S. Afr. Assoc. Mar. Biol. Res.* 10:26-27.
- Wallace, J. H. 1975. The estuarine fishes of the east coast of South Africa. Part 3. Reproduction. *Invest. Rep. Oceanogr. Res. Inst., Durban*, No. 41:3-19.
- Wallace, J. H., and R. P. Van Der Elst. 1975. The estuarine fishes of the east coast of South Africa. Part 4. Occurrence of juveniles in estuaries. *Invest. Rep. Oceanogr. Res. Inst., Durban*, No. 42:3-18.
- Wallace, L. B. 1898. The germ ring in the egg of the toadfish ([*Batrachus*] [*tau*]). *J. Morph.* 15:9-16.
- Wallace, P. D., and C. A. Pleasants. 1972. The distribution of eggs and larvae of some pelagic fish species in the English Channel and adjacent waters in 1967 and 1968. *ICES, Doc. CM 1972/J.* 8.
- Wallace, R. A., and K. Selman. 1985. Major protein changes during vitellogenesis and maturation of [*Fundulus*] oocytes. *Develop. Biol.* 110:492-498.
- Wallace, R. K., Jr. 1977. Thermal acclimation, upper temperature tolerance and preferred temperature of juvenile yellowtail snappers, [*Ocyurus chrysurus*] (Bloch) (Pisces: Lutjanidae). *Bull. Mar. Sci.* 27(2):292-298.
- Wallace, R. L. 1969. Some aspects of the comparative ecology of fishes associated with juvenile sockeye salmon, [*Oncorhynchus nerka*] (Walbaum), in the lakes of the Nakek River system, Alaska. Ph.D. Diss., Oregon State Univ., Corvallis, OR, 160 pp.
- Wallace, W. 1924. First report on young herring in the southern North Sea and English Channel. Part 1. Distribution and growth of larval and post-larval stages. *Minn. Agri. & Fish. Invest.*, Ser. 11(7):4.
- Wallich, C. 1901. A method of recording egg development of fish-culturists. *Rep. U.S. Commnr. Fish.* 1900(26):185-195.
- Walline, P. 1987. Growth and ingestion rates of larval fish populations in the coastal waters of Israel. *J. Plankton Res.* 9: 91-102.
- Walline, P. D. 1980. Growth of larval walleye pollock, [*Theragra*] [*chalcogramma*], in the eastern Bering Sea, based on otolith increments of plankton-caught specimens from June-July 1979. *NOAA, NMFS NWAFC Proc. Rep.* 80-12. 24 pp.
- Walline, P. D. 1981. Distribution of ichthyoplankton in the eastern Bering Sea during June and July 1979. *NOAA, NMFS NWAFC Proc. Rep.* 81-03.
- Walline, P. D. 1981. Hatching dates of walleye pollock, [*Theragra*] [*chalcogramma*], and vertical distribution of ichthyoplankton from the eastern Bering Sea, June-July 1979. *NOAA, NMFS NWAFC Proc. Rep.* 81-05.
- Walline, P. D. 1982. The early life history of walleye pollock, [*Theragra*] [*chalcogramma*], in the eastern Bering Sea: a summary and reference list. *NOAA, NMFS NWAFC Proc. Rep.* 82-09.
- Walline, P. D. 1985. Growth of larval walleye pollock related to domains within the southeastern Bering Sea. *Mar. Ecol. Prog. Ser.* 21(3):197-203.

- Wallis, J. 1967. Salmonid rearing and migration study - Fire Lake system and Fort Richardson cooling pond. Alaska Dept. Fish Game, Sport Fish Div., Fed. Aid Fish Rest. 1966-67 Prog. Rep. 8:129-152.
- Wallis, J. 1968. Salmonid rearing and migration study - Fire Lake system and Fort Richardson and Elmendorf rearing ponds. Alaska Dept. Fish. Game, Sport Fish Div., Fed. Aid Fish Rest. 1967-68 Prog. Rep. 9:173-191.
- Wallus, R. 1978. Completion of a "Preliminary guide to the identification of larval fishes in the Tennessee River", pp. 51-55. In: Olmsted, L. L. (ed.), Proc. first symp. on freshwater larval fish, Duke Power Co., Charlotte, NC, 251 pp.
- Wallus, R. 1981. Early development of the mooneye, [*Hiodon tergisus*] LeSueur, with discussion of larval hiodontid taxonomy. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer 178:583-584.
- Wallus, R. 1986. Larval development of [*Hiodon tergisus*] LeSueur with comparisons to [*Hiodon alosoides*] (Raf.). J. Tennessee Acad. Sci. 61(3):77-80.
- Wallus, R., and K. L. Granneman. 1979. Spawning behavior and early development of the banded sculpin, [*Cottus carolinae*] (Gill). Pages 200-235 [in] R. Wallus and C. W. Voigtlander, editors. Proc. of a workshop in freshwater larval fishes, TVA, Norris, TN.
- Walsh, J. J., C. D. Wirick, D. W. Dieterle, and A. G. Tingle. 1981. Environmental constraints on larval fish survival in the Bering Sea. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:24-27.
- Walsh, W. A., and W. A. Lund. 1984. Early development of the longhorn sculpin, [*Myoxocephalus octodecemspinosus*]. Fish. Bull. NOAA 81(4):781-788.
- Waltemyer, D. L. 1976. Tannin as an agent to eliminate adhesiveness of walleye eggs during artificial propagation. Transactions of the American Fisheries Society 105:731-736.
- Walters, C. J., C. G. Hannah, and K. Thomson. 1992. A microcomputer program for simulating effects of physical transport processes on fish larvae. Fisheries Oceanography 1:11-20.
- Walters, G. A. 1984. Ecological aspects of larval and juvenile Pacific cod, [*Gadus macrocephalus*], walleye pollock, [*Theragra chalcogramma*], and Pacific tomcod, [*Microgadus proximus*], in Port Townsend, Washington. M. S. Thesis, Univ. Washington, Seattle. 129 pp.
- Walzer, C., and N. Schonenberger. 1979. Ultrastructure and cytochemistry study of the yolk syncytial layer in the alevin of trout ([*Salmo fario*] [*trutta*] L.) after hatching. I. The telovitellolysis zone. Cell Tissue Res. 196(1):59-73.
- Wang, D. P. 1986. Transport model for coastal inlets. Transport of Larval Fish and Shellfish through Coastal Inlets, Ocean Springs, MS. Symposium Series 3, Am. Fish. Soc. In Press.
- Wang, J. C. S. 1970. Characters of, and keys to, young clupeids collected in the Delaware River in the vicinity of Artificial Island. Pages 154-172 [in] V. J. Schuler, editor. An ecol. study of the Delaware River in the vicinity of Artificial Isl. Ichthyological Assoc., Delaware Prog. Rep. No. 2(pt. 2), 426 pp.
- Wang, J. C. S. 1971. A report of fishes taken in the Chesapeake and Delaware Canal and contiguous waters: progress report for the period Jan.-Dec. 1970. II. Ichthyological Assoc., Delaware Prog. Rep. No. 3:158.

- Wang, J. C. S., and T. R. Tatham. 1971. A study of the relationships of suspended sediments and fish eggs in the upper Chesapeake Bay and its contiguous waters, with special reference to striped bass. *Ichthyol. Assoc., Inc.*, 53 pp.
- Wang, J. C. S. 1974. Fishes taken by seine in the Chesapeake and Delaware Canal and adjacent waters, pp. 454-481. In: *An ecological study of the Delaware River in the vicinity of Artificial Island; progress report for the period Jan.-Dec. 1972.* *Ichthyol. Assoc., Inc.*, 746 pp.
- Wang, J. C. S. 1974. A study of ichthyoplankton in the Delaware River in the vicinity of Artificial Island in 1973, pp. 241-304. In: *An ecological study of the Delaware River, in the vicinity of Artificial Island; progress report for the period Jan.-Dec. 1973.* *Ichthyol. Assoc., Inc.*, 571 pp.
- Wang, J. C. S. 1974. A study of fish eggs, larvae and young, pp. 334-415. In: *An ecological study of the Delaware River in the vicinity of Artificial Island, progress report for the period Jan.-Dec., 1971.* *Ichthyological Assoc., Inc.* 709 pp.
- Wang, J. C. S. 1974. A study of fish eggs, larvae and young, pp. 320-394. In: *An ecological study of the Delaware River in the vicinity of Artificial Island in 1972, progress report for the period Jan.-Dec. 1972.* *Ichthyol. Assoc., Inc.* 746 pp.
- Wang, J. C. S. 1974. Atherinidae - silversides. Pages 143-151 [in] A. J. Lippson and R. L. Moran, editors. *Manual for identification of early developmental stages of fishes of the Potomac River Estuary.* MD Dept. Nat. Res. Power Plant Siting Program, PPSP-MP-13, 282 pp.
- Wang, J. C. S., and R. J. Kernehan. 1979. Fishes of the Delaware estuaries: a guide to the early life histories. *EA Comm., Div. Ecol. Anal., Towson, Maryland.*
- Wang, J. C. S. 1981. Taxonomy of the early life history stages of fishes - fishes of the Sacramento-San Joaquin estuary and Moss Landing Harbor-Elkhorn Slough, California. *EA Publ., Concord, CA* 168 pp.
- Wang, J. C. S. 1986. Fishes of the Sacramento-San Joaquin estuary and adjacent waters, California: a guide to the early life histories. *Tech. Rep. Interagency Ecol. Study Prog. Sacramento-San Joaquin Estuary, 9.*
- Wang, Y. L., F. P. Binkowski, and S. I. Doroshov. 1985. Effect of temperature on early development of white and lake sturgeon, [*Acipenser transmontanus*] and [*A. fulvescens*]. *Environmental Biology of Fishes* 14(1):43-50.
- Wang, Y. L., R. K. Buddington, and S. I. Doroshov. 1986. Influence of temperature on yolk utilization by the white sturgeon, [*Acipenser transmontanus*]. *J. Fish. Biol.* In Press.
- Wankowski, D. W., and J. E. Thorpe. 1979. The role of food particle size in the growth of juvenile salmon (*[Salmo salar]* L.). *J. Fish. Biol.* 14:351-370.
- Wankowski, J. W. J. 1979. Morphological limitations, prey size selectivity, and growth response of juvenile Atlantic salmon, [*Salmo salar*]. *J. Fish. Biol.* 14(1):89-100.
- Wankowski, J. W. J., and J. E. Thorpe. 1979. Spatial distribution and feeding in Atlantic salmon, [*Salmo salar*] L., juveniles. *J. Fish. Biol.* 14(3):239-248.
- Waples, R. S. 1987. A multispecies approach to the analysis of gene flow in marine shorefishes. *Evolution* 41:385-400.
- Waples, R. S., and R. H. Rosenblatt. 1987. Patterns of larval drift in southern California marine shore fishes inferred from allozyme data. *Fish. Bull., U.S.* 85:1-11.
- WAPORA, Inc. 1978. Ichthyoplankton of the St. Clair River in the vicinity of the St. Clair and proposed Belle River power plants. *Detroit Edison Co., Detroit, MI.*

WAPORA, Inc. 1978. 1977 Ohio River ecology research progress. Temporal and spatial distribution patterns of adult and larval fish. Appalachian Power Co., Cincinnati Gas and Electric Co., Indiana and Michigan Electric Co., Ohio Edison Co., and Ohio Valley Electric Corp. 152 pp.

WAPORA, Inc. 1979. Ohio River ecology research progress 1978. Adult and juvenile fish, ichthyoplankton and benthic macroinvertebrate studies. American Electric Power Service Corp., Cincinnati Gas and Electric Co., Ohio Edison Co., and Ohio Valley Electric Corp. 246 pp.

Ward, D. L., O. E. Maughan, and S. A. Bonar. 2002. Effects of temperature, fish length, and exercise on swimming performance of age-0 flannelmouth sucker. Transactions of the American Fisheries Society 131(3):492-497.

Ward, E., S. A. Beach, and E. D. Dyson. 1971. The effect of acute x-irradiation on the development of the plaice. J. Fish. Biol. 3:251-259.

Ward, F. J., and L. A. Verhoeven. 1963. Two biological stains as markers for sockeye salmon fry. Transactions of the American Fisheries Society 92(5):379-383.

Ward, H. C., and E. M. Leonard. 1952. Order of appearance of scales in the black crappie, [*Pomoxis nigromaculatus*]. Proc. Oklahoma Acad. Sci. 33:138-140.

Ward, J. W. 1957. The reproduction and early development of the sea catfish, [*Galeichthys felis*], in the Biloxi (Mississippi) Bay. Copeia 1957:295-298.

Wardle, C. S. 1977. Effects of size on the swimming speeds of fish. [In] T. J. Pedley, editor. Scale effects in animal locomotion. Academic Press, NY.

Ware, D. M. 1975. Relationship between egg size, growth and natural mortality of larval fish. Journal of the Fisheries Research Board of Canada 32(12):2503-2512.

Ware, D. M. 1977. Spawning time and egg size of Atlantic mackerel, [*Scomber scombrus*], in relation to the plankton. Journal of the Fisheries Research Board of Canada 34(12):2308-2315.

Ware, D. M. 1980. Bioenergetics of stock and recruitment. Can. J. Fish. Aquat. Sci. 37:1012-1024.

Ware, D. M., B. R. DeMendiola, and D. S. Newhouse. 1981. Behavior of first-feeding Peruvian anchoveta larvae, [*Engraulis ringens*] J. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:467-474.

Ware, D. M., and T. C. Lambert. 1985. Early life history of Atlantic mackerel ([*Scomber*] [*scombrus*]) in the southern Gulf of St. Lawrence. Can. J. Fish. Aquat. Sci. 42(3):577-592.

Ware, D. M., and R. E. Thomson. 1991. Link between long-term variability in upwelling and fish production in the Northeast Pacific Ocean. Can. J. Fish. Aquat. Sci. 48:2296-2306.

Ware, F. J. 1970. Some early life history of Florida's inland striped bass, [*Morone saxatilis*]. Proc. of the 24th Ann. Conf. S. E. Assoc. G & F Comms. 24: 439-447.

Warfel, H. E., and D. Merriman. 1944. The spawning habits, eggs and larvae of the sea raven, [*Hemitripterus americanus*], in southern New England. Copeia 1944(4):197-205.

Warlen, S. M. 1964. Some aspects of the life history of [*Cyprinodon*] [*variegatus*] Lacepede 1803, in southern Delaware. M.S. Thesis, Univ. Delaware, 40 pp.

Warlen, S. M., A. Powell, M. Boyd, P. Howland, M. Look, and D. Lewis. 1979. Age and growth of larval spot, [*Leiostomus*] [*xanthurus*], and Atlantic menhaden, [*Brevoortia*]



- [tyrannus], with estimates of their spawning times, pp. 465-482. In: Ann. Rep. NMFS Lab., Beaufort, NC.
- Warlen, S. M. 1980. Age and growth of larvae and spawning time of Atlantic croaker in North Carolina. Proc. 34th Conf. S. E. Assoc. G & F Comms. 34:204-214.
- Warlen, S. M., and A. J. Chester. 1985. Age, growth, and distribution of larval spot, [*Leiostomus xanthurus*], off North Carolina. U.S. NMFS Fish. Bull. 83(4):587-599.
- Warlen, S. M. 1994. Spawning time and recruitment dynamics of larval Atlantic menhaden, [*Brevoortia tyrannus*], into a North-Carolina Estuary. Fishery Bulletin 92:420-433.
- Warner, E. N. 1940. Studies on the embryology and early life history of the gizzard shad, [*Dorosoma cepedianum*] LeSueur. Ph.D Diss., The Ohio State Univ., Columbus, OH. 28 pp.
- Warner, M. C., and J. R. Buchanan. 1974. A larval fish counter. Tennessee Valley Auth. Tech. Note No. B7.
- Warner, R. R. 1975. The reproductive biology of the protogynous hermaphrodite, [*Pimelometopon pulchrum*] (Pisces: Labridae). Fish. Bull. 73:262-283.
- Warner, R. R., and I. F. Downs. 1977. Comparative life histories: growth vs. reproduction in normal males and sex-changing hermaphrodites in the striped parrotfish, [*Scarus croicensis*]. Proc. Third Intl. Symp. on Coral Reefs. 1(Biol.):275-282.
- Warren, A. A. 1950. Some observations on the capsular membrane of the unfertilized eggs of fishes. Ph.D. Diss., Univ. of Toronto. 376 pp.
- Warren, C. E., and G. E. Davis. 1967. Laboratory studies on the feeding bioenergetics, and growth of fish. Pages 175-214 [in] S. D. Gerking, editor. The biological basis of freshwater fish production. John Wiley & Sons, Inc., NY, 510 pp.
- Warringer, J. E., J. P. Miller, and J. Davis. 1969. Distribution of juvenile river herring in the Potomac River. Proc. 23rd Ann. Conf. S. E. Assoc. G & F Comms. 23:388-397.
- Warsh, K. L. 1975. Hydrological-biological models of the impact of entrainment of spawn of the striped bass ([*Morone*] [*saxatilis*]) in proposed power plants at two areas in the upper Chesapeake Bay. Johns Hopkins Univ. Publ. No.
- Warsh, K. L. 1978. Estimates of the entrainment rate of spawn of the striped bass ([*Morone saxatilis*]) into the proposed power plants at Summit and Chesapeake City. Applied Physics Lab., Johns Hopkins Univ., Rep. No. JHU PPSE-T-8. 54 pp.
- Washington, B. B. 1981. Identification and systematics of larvae of [*Artedius*], [*Clinocottus*], and [*Oligocottus*] (Scorpaeniformes: Cottidae). M.S. Thesis, Oregon State Univ., Corvallis, OR.
- Washington, B. B. 1986. Systematic relationships and ontogeny of the sculpins [*Artedius*], [*Clinocottus*], and [*Oligocottus*] (Cottidae: Scorpaeniformes). Proc. California Acad. Sci. 44(9):157-224.
- Washington, B. B., H. G. Moser, W. A. Laroche, and W. J. Richards. 1984. Scorpaeniformes: development. Pages 405-427 [in] H.G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- Watanabe, E., and K. Ando. 1972. Changes in cholesterol in developing rainbow trout egg. Bull. Jap. Soc. Sci. Fish. 38(7):711-716.
- Watanabe, H., and S. Ueyanagi. 1963. Young of the shortbill spearfish, [*Tetrapturus*] [*angustirostris*] Tanaka. Rep. Nankai reg. Fish. Res. Lab., No. 17:133-136.

- Watanabe, H., M. Yukinawa, S. Nakazawa, and S. Ueyanagi. 1966. On the larvae probably referable to slender tuna, [*Allonchunnus fallai*] Serventy. Rep. Nankai reg. Fish. Res. Lab., No. 23:85-94. In Japanese, English abstract.
- Watanabe, K. 1994. Mating behaviour and larval development of [*Pseudobagrus ichikawai*] (Siluriformes: Bagridae). Jap. J. Ichthyol. 41(3):243-251.
- Watanabe, T. Ecological distribution of eggs of common sea bass, [*Lateolabrax japonicus*] (Cuv.), in Tokyo Bay. Bull. Jap. Soc. Sci. Fish. 31(8):585-590.
- Watanabe, T. 1965. Ecological distribution of eggs of frog flounder, [*Pleuronichthys cornutus*] (Temm. et Schl.), in Tokyo Bay. Bull. Jap. Soc. Sci. Fish. 31(8):591-596.
- Watanabe, T. 1970. Morphology and ecology of early stages of life in Japanese common mackerel, [*Scomber japonicus*] Houttuyn, with special reference to fluctuation of population. Bull. Tokai reg. Fish. Res. Lab. 62, 283 pp.
- Watanabe, T. 1972. The recent trend in the stock size of the Pacific population of the common mackerel off Honshu, Japan, as viewed from egg abundance. Bull. Jap. Soc. Sci. Fish. 38(5):439-444.
- Watanabe, T., et al. 1983. Improvement of dietary value of live foods for fish larvae by feeding them on three highly unsaturated fatty acids and fat soluble vitamins. Bull. Jap. Soc. Sci. Fish. 49(3):471-480.
- Watanabe, Y. 1981. Ingestion of horseradish peroxidase by the intestinal cells in larvae or juveniles of some teleosts. Bull. Jap. Soc. Sci. Fish. 47(10):1299-1308.
- Watanabe, Y. 1982. Intracellular digestion of horseradish peroxidase by the intestinal cells of teleost larvae and juveniles. Bull. Jap. Soc. Sci. Fish. 48:37-42.
- Watanabe, Y. 1982. Ultrastructure of epithelial cells of the anteromedian intestine and the rectum in larval and juvenile teleosts. Bull. Fac. Fish. Hokkaido Univ. 33:217-228.
- Watanabe, Y. 1984. An ultrastructural study of intracellular digestion of horseradish peroxidase by the rectal epithelium cells in larvae of a freshwater cottid fish, [*Cottus*] [nozawae]. Bull. Jap. Soc. Sci. Fish. 50:409-416.
- Watanabe, Y. 1984. Digestion and absorption in fish larvae. Aquabiol. 6:191-197.
- Watanabe, Y. 1984. Morphological and functional changes in rectal epithelial cells of pond smelt during post-embryonic development. Bull. Jap. Soc. Sci. Fish. 50(5):805-814.
- Watanabe, Y. 1984. Postembryonic development of intestinal epithelium of masu salmon, [*Oncorhynchus masou*]. Bull. Tohoku Reg. Fish. Res. Lab. 46:1-14.
- Watanabe, Y. 1985. Histological changes in the liver and intestine of freshwater goby larvae during short-term starvation. Bull. Jap. Soc. Sci. Fish. 51(5): 707-710.
- Watanabe, Y., and N. Sawada. 1985. Larval development of digestive organs and intestinal absorptive functions in the freshwater goby, [*Chaenogobius annularis*]. Bull. Tohoku Reg. Fish. Res. Lab. 47:1-10.
- Watanabe, Y., and Y. Kuji. 1991. Verification of daily growth increment formation in saury otoliths by rearing larvae from hatching. Japanese Journal of Ichthyology 38:11-15.
- Watanabe, Y., H. Zenitani, and R. Kimura. 1995. Population decline of the Japanese sardine [*Sardinops melanostictus*] owing to recruitment failures. Canadian Journal of Fisheries and Aquatic Sciences 52:1609-1616.

- Watanabe, Y., H. Zenitani, and R. Kimura. 1996. Offshore expansion of spawning of the Japanese sardine, [*Sardinops melanostictus*], and its implication for egg and larval survival. *Canadian Journal of Fisheries and Aquatic Sciences* 53:55-61.
- Watanabe, Y., and T. Kuroki. 1997. Asymptotic growth trajectories of larval sardine (*[Sardinops melanostictus]*) in the coastal waters off western Japan. *Marine Biology* 127:369-378.
- Watanabe, Y., H. Zenitani, and R. Kimura. 1997. Variations in spawning ground area and egg density of the Japanese sardine in Pacific coastal and oceanic waters. *Fisheries Oceanography* 6:35-40.
- Waterman, R. E., and D. H. Bell. 1984. Epithelial fusion during early semicircular canal formation in the embryonic zebrafish, [*Brachydanio*] [*rerio*]. *Anat. Rec.* 210(1):101-114.
- Watkins, W. D., R. E. Wolke, and V. J. Cabelli. 1981. Pathogenicity of [*Vibrio anguillarum*] for juvenile winter flounder, [*Pseudopleuronectes americanus*]. *Canadian Journal of Fisheries and Aquatic Sciences* 38(9):1045-1051.
- Watling, H. J., and C. J. D. Brown. 1955. The embryological development of the American grayling (*[Thymallus signifer tricolor]*) from fertilization to hatching. *Trans. Am. Microsc. Soc.* 74:85-93.
- Watson, A., C. Bye, and R. G. Houghton. 1977. The use of trawling in conjunction with plankton surveys as an aid to fish egg identification in the west central North Sea. *J. Cons. Cons. int. Explor. Mer* 37(3):310-313.
- Watson, J. E. 1963. A method for tagging immature herring. *Spec. Scient. Rep. U.S. Fish Wildl. Serv.*, No. 451, 7 pp.
- Watson, J. E. 1964. Determining the age of young herring from their otoliths. *Transactions of the American Fisheries Society* 93(1):11-20.
- Watson, J. F. 1968. The early life history of the American shad, [*Alosa*] [*sapidissima*] (Wilson), in the Connecticut River above Holyoke, Massachusetts. M.S. Thesis, Univ. Massachusetts. 55 pp.
- Watson, J. F. 1970. Distribution and population dynamics of American shad, [*Alosa sapidissima*] (Wilson), in the Connecticut River above Holyoke Dam, Massachusetts. Ph.D. Diss., Univ. Massachusetts, Amherst, MA. 105 pp.
- Watson, J. M. 1939. The development of the Weberian ossicles and anterior vertebrae in the goldfish. *Proc. Roy. Soc. Lond. Ser. B*123(849):452-472.
- Watson, M. E., and F. J. Mather, III. 1961. Species identification of juvenile tunas (genus [*Thunnus*]) from the Straits of Messina, northwestern Atlantic and Gulf of Mexico. Page 40 [in] J. C. Marr, editor. *Pacific Tuna Biol. Conf.*, 1961, Honolulu, Hawaii. U.S. Fish Wildl. Serv. *Spec. Sci. Rep. Fish.* 415. 45 pp.
- Watson, W, A. C. Matarese, and E. G. Stevens. 1984. Trachinoidea: development and relationships. Pages 554-560 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists.* Lawrence, Kansas.
- Watson, W. 1974. Diel changes in the vertical distribution of some common fish larvae in southern Kaneohe Bay, Oahu, Hawaii. M.S. Thesis, Univ. Hawaii, Honolulu, 174 pp.
- Watson, W., and J. M. Leis. 1974. Ichthyoplankton of Kaneohe Bay, Hawaii: a one-year study of fish eggs and larvae. *Sea Grant Tech. Rep. UNIHI-Seagrant-TR-178* pp.

- Watson, W. 1982. Development of eggs and larvae of the white croaker, [*Genyonemus lineatus*] Ayres (Pisces: Sciaenidae) off the southern California coast. *Fish. Bull. U.S.* 80:403-417.
- Watson, W. 1983. Redescription of larvae of the pigfish, [*Orthopristis*] [*chrysoptera*] L. (Pisces, Haemulidae). *Fish. Bull. NOAA* 81(4):847-854.
- Watson, W., E. G. Stevens, and A. C. Matarese. 1984. Schindlerioidei: development and relationships. Pages 552-553 [in] H. G. Moser et al., editors. *Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.*
- Watson, W. 1996. Anoplogastridae: fangtooths. Pages 683-685 [in] H.G. Moser, editor. *The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p.* (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002*)
- Watson, W. 1996. Antennariidae: frogfishes. Pages 559-561 [in] H.G. Moser, editor. *The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p.* (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002*)
- Watson, W. 1996. Atherinidae: silversides. Pages 608-619 [in] H.G. Moser, editor. *The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p.* (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002*)
- Watson, W., S.R. Charter, H.G. Moser, D.A. Ambrose and E.M. Sandknop. 1996. Carangidae: jacks. Pages 914-953 [in] H.G. Moser, editor. *The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p.* (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002*)
- Watson, W. 1996. Ceratiidae: seadevils. Pages 582-587 [in] H.G. Moser, editor. *The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p.* (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002*)
- Watson, W., and E.M. Sandknop. 1996. Clupeidae: herrings. Pages 159-171 [in] H.G. Moser, editor. *The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations Atlas No. 33. Allen Press, Inc., Lawrence, Kansas. 1505 p.* (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002*)
- Watson, W. 1996. Cyprinodontidae: killifishes. Pages 620-623 [in] H.G. Moser, editor. *The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p.* (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002*)
- Watson, W. 1996. Diretmidae: spinyfins. Pages 679-681 [in] H.G. Moser, editor. *The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p.* (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002*)

- Watson, W., and E.M. Sandknop. 1996. Engraulidae: anchovies. Pages 173-183 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations Atlas No. 33. Allen Press, Inc., Lawrence, Kansas. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W. 1996. Exocoetidae: flyingfishes. Pages 643-657 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W., and E.M. Sandknop. 1996. Fistulariidae: cornetfishes. Pages 718-723 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505 p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W. 1996. Gerreidae: mojarras. Pages 998-1001 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W. 1996. Gobiesocidae: clingfishes. Pages 597-607 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W. 1996. Gonostomatidae: bristlemouths. Pages 247-267 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W. 1996. Haemulidae: grunts. Pages 1002-1011 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W. 1996. Hemiramphidae: halfbeaks. Pages 634-641 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W. 1996. Linophrynidae: netdevils. Pages 592-595 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W. 1996. Lobotidae: tripletails. Pages 995-997 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.[www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Watson, W. 1996. Lophiidae: goosefishes. Pages 553-557 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic

- Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)
- Watson, W. 1996. Phosichthyidae: lightfishes. Pages 284-293 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)
- Watson, W. 1996. Scomberesocidae: sauries. Pages 627-629 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)
- Watson, W., and E.M. Sandknop. 1996. Scopelarchidae: pearleyes. Pages 332-343 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)
- Watson, W. 1996. Serranidae: sea basses. Pages 876-899 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)
- Watson, W. 1996. Sternoptychidae: hatchetfishes. Pages 268-283 [in] H.G. Moser, editor. The early stages of fishes in the California Current region. California Cooperative Oceanic Fisheries Investigations (CalCOFI) Atlas No. 33. 1505p. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase.World Wide Web electronic publication.www.fishbase.org, 07 July 2002)
- Watson, W. 1999. Early life history stages of the whitetip flyingfish, [Cheilopogon xenopterus] (Gilbert, 1890) (Pisces: Exocoetidae). Fish. Bull. 97:1031-1042. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. FishBase. World Wide Web electronic publication.www.fishbase.org, 07 July 2002)
- Watson, W. 2000. Champsodontidae, Blenniidae, Schindleriidae. In The larvae of Indo\_Pacific coastal fishes. J. M. Leis and B. M. Carson\_Ewart, editors. Brill. Boston, 850 p.
- Watson, W., and M.G. Bradbury. 2000. Ogcocephalidae. In The larvae of Indo\_Pacific coastal fishes. J. M. Leis and B. M. Carson\_Ewart, editors. Brill. Boston, 850 p.
- Watson, W., J.M. Leis, and T. Trnski. 2000. Antennariidae. In The larvae of Indo\_Pacific coastal fishes. J. M. Leis and B. M. Carson\_Ewart, editors. Brill. Boston, 850 p.
- Watson, W., R. L. Charter, H. G. Moser, and S. B. Reilly. 2000. Ichthyoplankton and station data for surface tows taken during the 1992 eastern tropical Pacific common dolphin survey on the research vessels David Starr Jordan and McArthur. U.S. Dep. Commer., NOAA Tech. Memo., NOAA-TM-NMFS-SWFSC-291. 50 pp.
- Wattendorf, R. J. 1979. Cannibalism in elvers. Progressive Fish-Culturist 41(4):218.
- Waybrant, R. 1975. Northern pike fry mortalities attributed to PCB's-polychlorinated biphenyls. Proc. 6th Interstate Muskellunge Workshop:74-76.
- Waybrant, R. C., and J. M. Shauver. 1979. Survey of larval fish in the Michigan waters of Lake Erie, 1975 and 1976. U.S. EPA, Duluth, MN. Rep. EPA-600/3-79-095.

- Waynarovich, E. 1962. Hatching of carp-eggs in "Zuger" glasses and brooding of carp larvae until an age of 10 days. *Bamidgeh* 14(2):38-46.
- Wanzenbock, J. 1992. Ontogeny of prey attack behaviour in larvae and juveniles of 3 European cyprinids. *Environmental Biology of Fishes* 33:23-32.
- Weaver, R. O., and C. D. Ziebell. 1976. Ecology and early life history of largemouth bass and bluegill in Imperial Reservoir, Arizona. *Southwest. Nat.* 21(2):151-160.
- Webb, J. H., R. J. Fryer, J. B. Taggart, C. E. Thompson, and A. F. Youngson. 2001. Dispersion of Atlantic salmon (*Salmo salar*) fry from competing families as revealed by DNA profiling. *Canadian Journal of Fisheries and Aquatic Sciences* 58(12):2386-2395.
- Webb, P. W. 1975. Hydrodynamics and energetics of fish propulsion. *Bull. Fish. Res. Bd. Can.* 190:1-158.
- Webb, P. W. 1977. Effects of size on performance and energetics of fish. [In] T. J. Pedley, editor. *Scale effects in animal locomotion*. Academic Press, NY.
- Webb, P. W. 1981. Response of northern anchovy, [*Engraulis mordax*], larvae to predation by a biting planktivore, [*Amphiprion percula*]. *Fish. Biol.* 79:727-737.
- Webb, P. W., and D. Weihs. 1986. Functional locomotor morphology of early life history stages of fishes. *Transactions of the American Fisheries Society* 115:115-127.
- Webb, P. W., and J. R. Brett. 1972. Oxygen consumption of embryos and parents and oxygen transfer characteristics within the ovary of 2 species of viviparous seaperch, [*Rhacochilus vacca*] and [*Embiotoca lateralis*]. *Journal of the Fisheries Research Board of Canada* 29: 1543-1553.
- Webb, P. W., and J. R. Brett. 1972. Respiratory adaptations of prenatal young in the ovary of 2 species of viviparous seaperch, [*Rhacochilus vacca*] and [*Embiotoca lateralis*]. *Journal of the Fisheries Research Board of Canada* 29:1525-1542.
- Webb, P. W., and R. T. Corolla. 1981. Burst swimming performance of northern anchovy, [*Engraulis mordax*], larvae. *U.S. NMFS Fish. Bull.* 79:143-150.
- Weber, D. D., and M. H. Schiewe. 1976. Morphology and function of the lateral line of juvenile steelhead trout in relation to gas bubble disease. *J. Fish. Biol.* 9:217-234.
- Weber, E. D., S. M. Borthwick, and L. A. Helfrich. 2002. Plasma cortisol stress response of juvenile chinook salmon to passage through archimedes lifts and a hidrostal pump. *North American Journal of Fisheries Management* 22(2):563-570.
- Weber, J. M., and D. L. Kramer. 1983. Effects of hypoxia and surface access on growth, mortality, and behavior of juvenile guppies, [*Poecilia reticulata*]. *Canadian Journal of Fisheries and Aquatic Sciences* 40(10):1583-1588.
- Webster, D. A. 1942. The life histories of some Connecticut fishes. [In] *A fishery survey of some important Connecticut lakes*. Conn. Bd. of Fish and Game, Geol. and Nat. Hist. Serv. Bull. No. 63:122-227.
- Webster, D. A. 1945. Relation of temperature to survival and incubation of the eggs of smallmouth bass ([*Micropterus*] [*dolomieu*]). *Transactions of the American Fisheries Society* 75:43-47.
- Webster, D. A. 1954. Smallmouth bass, [*Micropterus dolomieu*], in Cayuga Lake, Part I, life history and environment. *Cornell Univ. Agri. Exper. Sta., Ithaca, N.Y. Memoir No. 327*, 39 pp.
- Webster, W., and C. M. Breder, Jr. 1923. Contributions to life histories of sciaenidae of the eastern United States coast. *Bull. U.S. Bur. Fish. Doc.* 945:141-201.

- Wedemeyer, G. 1960. Uptake and distribution of zinc-65 in the coho salmon egg ([*Oncorhynchus kisutch*]). *Comp. Biochem. Physiol.* 26:271-279.
- Wedemeyer, G., and K. Chatterton. 1971. Some blood chemistry values for the juvenile coho salmon, [*Oncorhynchus kisutch*]. *Journal of the Fisheries Research Board of Canada* 28(4):606-608.
- Wedemeyer, G. 1972. Some physiological consequences of handling stress in the juvenile coho salmon, [*Oncorhynchus kisutch*], and steelhead trout, [*Salmo gairdneri*]. *Journal of the Fisheries Research Board of Canada* 29(12):1780-1783.
- Wedemeyer, G. 1973. Some physiological aspects of sublethal heat stress in the juvenile steelhead trout, [*Salmo gairdneri*], and coho salmon, [*Oncorhynchus kisutch*]. *Journal of the Fisheries Research Board of Canada* 30(6):831-834.
- Wedemeyer, G., and W. T. Yasutake. 1974. Stress of formalin treatment in juvenile spring chinook salmon, [*Oncorhynchus tshawytscha*], and steelhead trout, [*Salmo gairdneri*]. *Journal of the Fisheries Research Board of Canada* 31(2):179-184.
- Wedemeyer, G. A. 1976. Physiological response of juvenile coho salmon, [*Oncorhynchus kisutch*], and rainbow trout, [*Salmo gairdneri*], to handling and crowding stress in intensive fish culture. *Journal of the Fisheries Research Board of Canada* 33(12):2699-2702.
- Wedemeyer, G. A., and W. T. Yasutake. 1978. Prevention and treatment of nitrite toxicity in juvenile steelhead trout ([*Salmo gairdneri*]). *Journal of the Fisheries Research Board of Canada* 35:822-827.
- Wegnez, M., H. Denis, A. Mazarbraud, and J. Clerot. 1978. Biochemical research on oogenesis: RNA accumulation during oogenesis of the dogfish, [*Scyliorhinus caniculus*]. *Devl. Biol.* 62(1):99.
- Weihs, D. 1978. Tidal stream transport as an efficient method for migration. *J. Cons. perm. int. Explor. Mer* 38(1):92-99.
- Weihs, D. 1980. Energetic significance of changes in swimming modes during growth of larval anchovy, [*Engraulis mordax*]. *Fish. Bull.* 77(3):597-604.
- Weihs, D. 1980. Respiration and depth control as possible reasons for swimming of northern anchovy, [*Engraulis mordax*], yolk-sac larvae. *U.S. NMFS Fish. Bull.* 78:109-117.
- Weihs, D. 1981. Swimming of yolk-sac larval anchovy, [*Engraulis mordax*], as a respiratory mechanism. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:327.
- Weihs, D., and H. G. Moser. 1981. Stalked eyes as an adaptation towards more efficient foraging in marine fish larvae. *Bull. Mar. Sci.* 31:31-36.
- Weinstein, M. P. 1979. Shallow marsh habitats as primary nurseries for fishes and shellfish, Cape Fear, North Carolina. *U.S. NMFS Fish. Bull.* 77:339-357.
- Weinstein, M. P., S. L. Weiss, R. G. Hodson, and L. R. Gerry. 1980. Retention of three taxa of post-larval fishes in an intensively flushed tidal estuary, Cape Fear River, North Carolina. *U.S. NMFS Fish. Bull.* 78:419-435.
- Weinstein, M. P., and S. P. O'Neil. 1986. Exchange of marked juvenile spots between adjacent tidal creeks in the York River estuary, Virginia. *Transactions of the American Fisheries Society* 115:93-97.
- Weir, R. A., and R. W. McCauley. 1973. Incubation of lake trout embryos under fluorescent lights. *Progressive Fish-Culturist* 35(3):179-180.



- Weis, J. S., and A. Perlmutter. 1966. Technique for microinjecting materials in to the eggs of fishes. *Transactions of the American Fisheries Society* 96(1):57-60.
- Weis, J. S. 1968. Analysis of the development of the nervous system of the zebrafish, [*Brachydanio rerio*]. I. The normal morphology and development of the spinal cord and ganglia of the zebrafish. *J. Embryol. Exp. Morph.* 19:109-119.
- Weis, J. S., and P. Weis. 1976. Optical malformations induced by insecticides in embryos of the Atlantic silverside, [*Menidia*] [*menidia*]. *Fish. Bull.* 74(1):208-211.
- Weis, J. S., and P. Weis. 1977. Effects of heavy metals on development of the killifish, [*Fundulus heteroclitus*]. *J. Fish. Biol.* 11(1):49-54.
- Weis, J. S., P. Weis, and J. L. Ricci. 1981. Effects of cadmium, zinc, salinity, and temperature on the teratogenicity of methyl-mercury to the killifish, [*Fundulus heteroclitus*]. *Rapp. P.-v. Reun. Cons. int. Explor. Mer* 178:64-70.
- Weis, J. S., P. Weis, M. Hebu, and S. Vaidya. 1981. Methylmercury tolerance of killifish, [*Fundulus*] [*heteroclitus*], embryos from a polluted versus non-polluted environment. *Mar. Biol.* 65(3):283-288.
- Weis, J. S., and P. Weis. 1989. Effects of environmental pollutants on early fish development. *Rev. Aquatic Sci.* 1: 45-73.
- Weis, P., and J. S. Weis. 1974. Cardiac malformations and other effects due to insecticides in embryos of the killifish, [*Fundulus*] [*heteroclitus*]. *Teratology* 10:263-268.
- Weisbart, M. 1968. Osmotic and ionic regulation in embryos, alevins, and fry of the five species of Pacific salmon. *Canadian Journal of Zoology* 46:385-397.
- Weisel, G. 1967. Early ossification in the skeleton of the sucker ([*Catostomus macrocheilus*]) and the guppy ([*Poecilia*] [*reticulata*]). *J. Anat.* 12:1-18.
- Weisel, G. F. 1955. Variations in the number of fin rays of two cyprinid fishes correlated with natural water temperature. *Ecology* 36(1):1-6.
- Weisel, G. F. 1966. Young salmonid fishes of western Montana. *Proc. Montana Acad. Sci.* 26:1-21.
- Weisel, G. F., Jr. 1947. Breeding behavior and early development of the mudsucker, a gobiid fish of California. *Copeia* 1947(2):77-85.
- Weisel, G. F., and H. W. Newman. 1951. Breeding habits, development and early life history of [*Richardsonius balteatus*], a northwestern minnow. *Copeia* 1951:187-194.
- Weiss, G. 1972. Studies on the distribution of fish eggs in the plankton of the Buenos Aires and Uruguay shelf waters. *Physis (Rev. Assoc. Argent. Cienc. Nat. B Aires)* 31(83):613-630.
- Weiss, G. 1974. Finding and description of larvae of [*Micromesistius*] [*australis*] in Patagonic waters of Argentina, Pisces: Gadidae. *Physis.*, B. Aires 33(87): 537-542.
- Weiss, G. 1975. Hallazgo, descripción y distribución de las postlarvas del bacalao criollo, [*Salilota australis*] y del pez sable [*Lepidopus caudatus*] en aguas de la plataforma argentina. *Physis Secc. A. Oceanos org.* 34(89):319-325.
- Weiss, G. G. Hubold, and A.C.T. Bonecker. 1988. Eggs and larvae of [*Maurollicus muelleri*] (Gmelin, 1789) (Teleostei, Sternoptychidae) in the Southwest Atlantic. *Meeresforsch. Rep. Mar. Res.* 32: 53-60.

- Weithman, A. S., and R. O. Anderson. 1977. Evaluation of floatation solutions for sorting trout eggs. *Progressive Fish-Culturist* 39(2):76-78.
- Weitkamp, D. E. 1977. Gas bubble disease of resident fish and juvenile salmonids in the Columbia River system. Ph.D. Diss., Univ. Washington, Seattle, WA, 253 pp.
- Welander, A. D. 1954. Some effects of x-irradiation of different embryonic stages of the trout. *Growth* 18:227-255.
- Welander, A. D., G. W. Wadley, and D. K. Dysart. 1971. Growth and fecundity of rainbow trout (*[Salmo] [gairdneri]*) exposed to single sublethal doses of X-rays during the eyed embryo stage. *J. Fish. Res. Bd. Can.* 28(8):1181-1184.
- Welch, D. W. 1995. First record of offshore spawning for the black rockfish, *Sebastes melanops*. *Canadian Field - Naturalist*. 109: 477-479.
- Wellings, S. R., and G. A. Brown. 1969. Larval skin of the flathead sole, *[Hippoglossoides] [elassodon]*. *Z. Zellforsch. Mikroskop. Anat.* 100:167-179.
- Wellington, G. M. 1992. Habitat selection and juvenile persistence control the distribution of 2 closely related Caribbean damselfishes. *Oecologia* 90:500-508.
- Wellington, G. M., and B. C. Victor. 1992. Regional differences in duration of the planktonic larval stage of reef fishes in the eastern Pacific Ocean. *Marine Biology* 113:491-498.
- Wellington, G. M., and B. C. Victor. 1989. Planktonic larval duration of one hundred species of Pacific and Atlantic damselfishes (Pomacentridae). *Mar. Biol. (Berl.)* 101: 557-567.
- Wells, A. W. 1979. Notes on the life history of the California clingfish, *[Gobiesox rhesadon]* (*Gobiesociformes, Gobiesocidae*). *California Fish and Game* 65(2): 106-110.
- Wells, B. K., G. E. Bath, S. R. Thorrold, and C. M. Jones. 2000. Incorporation of strontium, cadmium and barium in juvenile spot (*[Leiostomus xanthurus]*) scales reflects water chemistry. *Can. J. Fish. Aquat. Sci.* 57:2122-2129.
- Wells, B. K., S. R. Thorrold, and C. M. Jones. 2000. Geographic variation in trace element composition of juvenile weakfish (*[Cynoscion regalis]*) scales. *Trans. Am. Fish. Soc.* 129:889-900.
- Wells, F. R. 1922. On the morphology of the chondrocranium of the larval herring, *[Clupea harengus]*. *Proc. Zool. Soc. London* 1213-1229.
- Wells, L. 1966. Seasonal and depth distribution of larval bloaters (*[Coregonus hoyi]*) in southeastern Lake Michigan. *Transactions of the American Fisheries Society* 95(4):388-396.
- Wells, L. 1973. Distribution of fish fry in nearshore waters of southeastern and east-central Lake Michigan, May-August 1972. *Great Lakes Fish. Lab. Adm. Rep.*, Ann Arbor, MI.
- Wells, L., and R. House. 1974. Life history of the spottail shiner (*[Notropis] [hudsonius]*) in southeastern Lake Michigan, the Kalamazoo River, and western Lake Erie. *U.S.D.I., Bur. Sport Fish. Wildl., Res. Rep.* 78:1-10.
- Wells, R. 1963. Fish eggs and larval collections by CGS "Baffin" and CNAV "Sackville" off west Greenland, 1963 (NORWESTLANT 2). *Rep. Fish. Res. Bd. Can. Biol.*, No. 815, 28 pp.
- Wells, R. 1968. Report on American plaice eggs and larvae. *Spec. Publs. int. Commn. NW. Atlantic. Fish.* 7(pt. 1):181-182.

- Wells, R. A., and W. J. McNeil. 1970. Effect of quality of the spawning bed on growth and development of pink salmon embryos and alevins. U.S. Fish Wildl. Ser., Spec. Sci. Rep. Fish. No. 616, 6 pp.
- Welsh, W. W. 1915. Notes on the habits of young squirrel hake and sea snail. *Copeia* 1915(18):2-3.
- Welsh, W. W., and C. M. Breder, Jr. 1922. A contribution to the life history of the puffer, [*Spheroides maculatus*] (Schneider). *Zoologica* 2(12):261-276.
- Welsh, W. W., and C. M. Breder, Jr. 1923. Contributions to life histories of the Sciaenidae of the eastern United States coast. *Bull. Bur. Fish. Wash.* 39:141-201.
- Welykochatko, T. 1976. Biology of the carp in Brazil. *Ann. Zool. (Agra.)* 12(2):53-65.
- Wenner, C. A. 1975. The occurrence of elvers of [*Synaphobranchus affinis*] on the continental slope off North Carolina, U.S.A. *Fish. Bull. NOAA (U.S.)* 73(3):687-691.
- Wenner, C. A. 1976. Aspects of the biology and morphology of the snake eel, [*Pisodonophis cruentifer*] (Pisces: Ophichthidae). *Journal of the Fisheries Research Board of Canada* 33(4):656-665.
- Wenner, C. A. 1978. Making a living on the continental slope and in the deep-sea: life-history of some dominant fishes of the Norfolk Canyon area. Ph.D Diss., College of William and Mary, Williamsburg, VA.
- Wenner, C. A., and J. A. Musick. 1977. Biology of the morid fish, [*Antimorea rostrata*], in the western north Atlantic. *Journal of the Fisheries Research Board of Canada* 34:2362-2368.
- Wennhage, H. 2000. Vulnerability of settling plaice [*Pleuronectes platessa*] to predation: effects of developmental stage and alternative prey. *Marine Ecology - Progress Series* 203:289-299.
- Wennhage, H., and L. Pihl. 2001. Settlement patterns of newly settled plaice ([*Pleuronectes platessa*]) in a non-tidal Swedish fjord in relation to larval supply and benthic predators. *Marine Biology* 139(5):877-889.
- Werner, F. E., MacKenzie, B. R., Perry, R. I., Lough, G. R., Naimie, C. E., Blanton, B. O., Quinlan, J. A. 2001. Larval trophodynamics, turbulence, and drift on Georges Bank: a sensitivity analysis of cod and haddock. *Scientia Marina* 65 (Suppl. 1):99-115.
- Werner, F. E., R. I. Perry, R. G. Lough, and C. E. Naimie. 1996. Trophodynamic and advective influences on Georges Bank larval cod and haddock. *Deep - Sea Research Part II - Topical Studies in Oceanography* 43:1793-1822.
- Werner, F. E., F. H. Page, D. R. Lynch, J. W. Loder, R. G. Lough, R. I. Perry, D. A. Greenberg, and M. M. Sinclair. 1993. Influences of mean advection and simple behavior on the distribution of cod and haddock early life stages on Georges Bank. *Fish. Oceanogr.* 2: 43-64.
- Werner, R. G. 1966. Ecology and movements of bluegill sunfish fry in a small northern Indiana lake. Ph.D. Diss., Indiana Univ., Bloomington, IN. 74 pp.
- Werner, R. G. 1967. Intralacustrine movements of bluegill fry in Crane Lake, Indiana. *Transactions of the American Fisheries Society* 96:416-420.
- Werner, R. G. 1968. Methods of sampling fish larvae in nature, pp. 179-181. In: Ricker, W. E. (ed.), *Methods for assessment of fish production in freshwaters*. IBP Handbook No. 3. Willmer Bros., Birkenhead, England.

- Werner, R. G. 1969. Ecology of limnetic bluegill (*Lepomis macrochirus*) fry in Crane Lake, Indiana. *Am. Midl. Nat.* 81:164-181.
- Werner, R. G. 1976. A preliminary annotated bibliography of the literature relevant to descriptions of eggs and larval stages of fishes of the Great Lakes. In: Boreman, J. (ed.), *Great Lakes fish egg and larvae identification*. Office of Biol. Serv., U.S. Fish Wildl. Serv. FWS/OBS-76/23. 220 pp.
- Werner, R. G., and J. H. S. Blaxter. 1980. Growth and survival of larval herring (*Clupea harengus*) in relation to prey density. *Can. J. Fish. and Aqu. Sci.* 37:1063-1069.
- Werner, R. G., and J. H. S. Blaxter. 1981. The effect of prey density on mortality, growth, and food consumption in larval herring (*Clupea harengus* L.). *Rapp. P.-v. Reun. Cons. Intl. Explor. Mer* 178:405-408.
- Werner, R. G., B. V. Jonckheere, M. D. Clapsadl and J.M. Farrell. 1996. A bioenergetic exploration of piscivory and planktivory during the early life history of two species of freshwater fishes. *Mar. Freshwat. Res.* 47:113-121. (reference extracted from Froese, R., and D. Pauly. Editors. 2002. *FishBase*. World Wide Web electronic publication. [www.fishbase.org](http://www.fishbase.org), 07 July 2002)
- Werner, R. G., and L. A. Fuiman. 2002. Methodological resources. Pages 289-300 [in] L.A. Fuiman and R.G. Werner, editors. *Fishery Science: The unique contributions of early life stages*. Blackwell Science, Oxford. 336 pp.
- Wespestad, V. G., L. W. Fritz, W. J. Ingraham, and B. A. Megrey. 2000. On relationships between cannibalism, climate variability, physical transport, and recruitment success of Bering Sea walleye pollock (*Theragra chalcogramma*). *Ices Journal of Marine Science* 57(2):272-278.
- West, C. J. 1983. Selective mortality of juvenile sockeye (*Oncorhynchus nerka*) in Babine Lake determined from body-otolith relationships. M.S. Thesis, Univ. British Columbia, Vancouver.
- Westerman, M., and G. J. Holt. 1994. RNA:DNA ratio during the critical period and early larval growth of the red drum [*Sciaenops ocellatus*]. *Marine Biology* 121:1-9.
- Westerman, M.E., G.J. Holt, and L. DiMichele. 1999. Quantitative assay of cyclin-dependent kinase activity as a sensitive marker of cell proliferation in marine teleost larvae. *Marine Biotechnology* 1:297-310.
- Westermann, J. E. M., D. L. Barber, and L. G. Malo. 1984. Observations on gills of pelagic and demersal juvenile [*Notothenia rossii*]. *Brit. J. Arctic Surv. Bull.* 65:81-90.
- Westernhagen, H. von. 1988. Sublethal effects of pollutants on fish eggs and larvae. Pages 253-347 [in] W. S. Hoar and D.J. Randall, editors. *Fish Physiology*. Volume XI, Part A. Academic Press Inc., San Diego, California.
- Westernhagen, H. V., and H. Rosenthal. 1979. Laboratory and in-situ studies on larval development and swimming performance of Pacific herring, [*Clupea harengus pallasii*]. *Helgolander Wissenschaftliche Meeresuntersuchung* 32:539-549.
- Westernhagen, H. V., and H. Rosenthal. 1976. Predator-prey relationship between Pacific herring, [*Clupea harengus pallasii*], larvae and a predatory heperiid amphipod, [*Hyperoche medusarum*]. *U.S. NMFS Fish. Bull.* 74:669-674.
- Westernhagen, H. V., and H. Rosenthal. 1981. On condition factor measurements in Pacific herring larvae. *Helgolander Meeresuntersuchung* 34:257-262.
- Westin, L. 1969. The mode of parental behavior and time of egg development in fourhorn sculpin, [*Myoxocephalus quadricornis*]. *Rep. Inst. Freshwat. Res. Drottningholm* 49:175.

- Westin, D. T., K. J. Abernethy, L. E. Meller, and B. A. Rogers. 1979. Some aspects of biology of the American sand lance, [*Ammodytes americanus*]. Transactions of the American Fisheries Society 108(3):328-331.
- Westin, D. T., C. E. Olney, and B. A. Rogers. 1985. Effects of parental and dietary organochlorines on survival and body burdens of striped bass larvae. Transactions of the American Fisheries Society 114(1):125-136.
- Westley, R. E. 1954. A multiple depth running plankton sampler. Fish. Res. Paps., Wash. Dept. Fish. 1(2):46-49.
- Westman, J. R. 1938. Studies on reproduction and growth of blunt-nosed minnow, [*Hyborhynchus notatus*]. Copeia 1938(1):57-61.
- Westrheim, S. J. 1955. Size composition, growth and seasonal abundance of juvenile English sole (*[Parophrys vetulus]*) in Yaquina Bay. Fish Comm. Oregon Res. Briefs 6(2):4-9.
- Westrheim, S. J., and M. S. Smith. 1968. Preliminary report on maturity, spawning season and larvae identification of rockfishes (*[Sebastodes]*) collected off British Columbia in 1968. Can. Fish. Mar. Serv. Misc. Spec. Publ., No. 1005, 28 pp.
- Westrheim, S. J., W. R. Harling, and D. Davenport. 1968. Preliminary report on maturity, spawning season and larvae identification of rockfishes (*[Sebastodes]*) collected off British Columbia in 1967. Can. Fish. Mar. Serv. Misc. Spec. Publ., No. 951, 23 pp.
- Westrheim, S. J., W. R. Harling, D. Davenport, and M. S. Smith. 1968. Preliminary report on maturity, spawning season, and larval identification of rockfishes (*[Sebastodes]*) collected off British Columbia in 1968. Fish. Res. Bd. Can., Manuscr. Rep. Ser. 10005. 28 pp.
- Westrheim, S. J. 1975. Reproduction, maturation and identification of larvae of some [*Sebastes*] (*Scorpaenidae*) species in the northeast Pacific Ocean. Journal of the Fisheries Research Board of Canada 32(12):2399-2411.
- Wheatland, S. B. 1956. Oceanography of Long Island Sound, 1952-1954. VII. Pelagic fish eggs and larvae. Bull. Bingham Oceanogr. Coll. 15:234-314.
- Wheeler, G. C. 1931. A bibliography of the sardines. Fish. Bull. California 36, 133 pp.
- Whipple, J., et al. 1981. The effect of inherent parental factors on gamete condition and viability in striped bass, [*Morone*] [*saxatilis*]. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:93-94.
- Whitaker, H. 1890. Experiments in the impregnation of pike-perch eggs. Transactions of the American Fisheries Society 19(1):30-34.
- White, A., T. Cletcher, C. M. Towler, and B. A. Baldo. 1978. Isolation of a C-reactive protein-like precipitin from the eggs of the lumpsucker (*[Cyclopterus lumpus]* L.). Comp. Biochem. Physiol. C. Comp. Pharmacol. 61(2):331-336.
- White, B. N., R. J. Lavenberg, and G. E. McGowen. 1984. Atheriniformes: development and relationships. Pages 355-361 [in] H. G. Moser et al., editors. Ontogeny and systematics of fishes. Special Publication No. 1, American Society of Ichthyologists and Herpetologists. Lawrence, Kansas.
- White, D. B., and R. R. Stickney. 1973. Annotated bibliography of flat fish (*Pleuronectiformes*) research. Tech. Rep. Ser. Ga. Mar. Sci. Cent. Sea Grant Program, No. 73-6, 77 pp.

- White, D. S. 1974. The biology of [*Minytrema melanops*] (Raf.), the spotted sucker. Ph.D Diss., Univ. of Louisville. 203 pp.
- White, D. S. 1977. Early development and pattern of scale formation in the spotted sucker, [*Minytrema melanops*] (Catostomidae). *Copeia* 1977:400-403.
- White, E. G. 1918. The origin of the electric organs in [*Astroscopus*] [*guttatus*]. Carnegie Inst. Wash. Pap. Dept. Mar. Biol. 12(6):139-172.
- White, E. L. 1948. An experimental study of the relationship between the size of the eye and the size of the optic tectum in the brain of the developing teleost, [*Fundulus*] [*heteroclitus*]. *J. Exp. Zool.* 108(3):439-469.
- White, G. M. 1915. The behavior of brook trout embryos from the time of hatching to the absorption of the yolk sac. *J. Anim. Behav.* 5:44-60.
- White, H. C. 1936. The food of salmon fry in eastern Canada. *J. Biol. Bd. Can.* 2:499-506.
- White, H. C. 1939. The nesting and embryo of [*Zoarcis anguillar*]. *Journal of the Fisheries Research Board of Canada* 4(5):337-338.
- White, H. C. 1940. Life history of sea running brook trout ([*Salvelinus*] [*fontinalis*]), 1940. *Journal of the Fisheries Research Board of Canada* 5(2):176-186.
- White, H. C. 1940. Life history of sea-running brook trout, [*Salvelinus*] [*fontinalis*], of Moser River, Nova Scotia. *Journal of the Fisheries Research Board of Canada* 5:176-186.
- White, H. C. 1942. Atlantic salmon redds and artificial spawning beds. *Journal of the Fisheries Research Board of Canada* 6(1):37-44.
- White, J. C., Jr. 1962. A reversed ambicolorate postlarval Gulf flounder. *Copeia* 1962(4):854.
- White, J. C., Jr. 1964. Fractionated doses of X-radiation: a preliminary study of effects on teleost embryos. *Intl. J. Rad. Biol.* 8(1):85-91.
- White, J. C., Jr., and J. W. Angelovic. 1967. Feeding behavior of a young stargazer, [*Astroscopus*] [*y-graecum*]. *Copeia* 1967(1):240-241.
- White, J. C., Jr., and J. W. Angelovic. 1973. Interactions of chronic gamma radiation, salinity and temperature on the morphology of postlarval pinfish, [*Lagodon rhomboides*]. Pages 199-217 [in] *Proc. workshop on egg, larval and juvenile stages of fish in Atl. Coast estuaries*. Tech. Publ. 1, NMFS, Mid. Atl. Coast. Fish. Cent.
- White, J. R., and H. W. Li. 1985. Determination of the energetic cost of swimming from the analysis of growth rate and body composition in juvenile chinook salmon, [*Oncorhynchus tshawytscha*]. *Comp. Biochem. Physiol.* 81A(1):25-34.
- White, L. E. 1976. Fluorescent pigment retention by pink salmon marked as scaleless fry. *Progressive Fish-Culturist* 38(4):184-186.
- White, M. L., and M. E. Chittenden. 1976. Aspects of the life history of the Atlantic croaker, [*Micropogon undulatus*]. Texas A&M Univ., College Station, TX. Sea-Grant Publ. TAMU-SG-76-205. 54 pp.
- White, M. W., A. W. North, E. L. Twelves, and S. Jones. 1982. Early development of [*Notothenia neglecta*] from the Scotia Sea, Antarctica. *Cybius*, 3rd Ser., 6(1):43-51.
- White, R. G., A.E. Hill, and D.A. Jones. 1988. Distribution of [*Nephrops norvegicus*] (L.) larvae in the western Irish Sea: an example of advective control on recruitment. *J. Plankton Res.* 10:735-747.

- White, R. J. 1968. Importance of appendicularians as food of larval plaice ([*Pleuronectes platessa*] L.) off Heligoland. Ber. Deut. Wiss. Komm. Meeresforsch. 19: 289-291.
- White, W. A. 1977. Taxonomic composition, abundance, distribution and seasonality of fish eggs and larvae in Newport Bay, California. M.S. Thesis, Calif. State Univ., Fullerton, 107 pp.
- Whitehouse, R. H. 1923. A statistical study of young fishes from Silvathurai Lagoon, Tuticorin. Madras Fish. Bull. Madras 17(3):49-103.
- Whitehouse, R. H. 1933. Report on fish eggs and larvae taken during 1931. Egypt, Fish Res. Directorate, Notes and Mem. (4):8-22.
- Whiteside, B. G. 1964. Biology of the white crappie, [*Pomoxis annularis*], in Lake Texoma, Oklahoma. M.S. Thesis, Oklah. State. Univ., 35 pp.
- Whiteside, M. C., C. M. Swindoll, and W. L. Doolittle. 1985. Factors affecting the early life history of yellow perch, [*Perca flavescens*]. Environmental Biology of Fishes 12(1):47-56.
- Whitfield, A. K. 1989. Ichthyoplankton in a southern-African surf zone - nursery area for the postlarvae of estuarine associated fish species. Estuarine Coastal and Shelf Science 29:533-547.
- Whitfield, A. K. 1994. Fish species diversity in southern African estuarine systems - an evolutionary perspective. Environmental Biology of Fishes 40:37-48.
- Whitley, E. 1906. A note on the effect of acid, alkali and certain indicators in arresting or otherwise influencing the development of the eggs of [*Pleuronectes platessa*] and [*Echinus esculentus*]. Proc. R. Soc. 77:137-149.
- Whitman, C. O. 1878. The embryology of [*Clepsine*] with reference to the concrescence of teleosts. Quart. J. Microscop. Sci. 18:101-106.
- Whitman, C. O. 1893. The inadequacy of the cell-theory of development. J. Morph. 8:638-658.
- Whitman, C. O., and A. O. Eycleshymer. 1897. The egg of [*Amia*] and its cleavage. J. Morph. 12:309-354.
- Whitt, G. S., D. P. Philipp, and W. F. Childers. 1977. Aberrant gene expression during the development of hybrid sunfishes (Perciformes, Teleostei). Differentiation 9:97-109.
- Whittingham, D. G., and H. Rosenthal. 1978. Attempts to preserve herring embryos at subzero temperatures. Arch. Fischeriwiss. 29(1/2):75-79.
- Whitworth, W. R. 1968. Effects of diurnal fluctuation of dissolved oxygen on the growth of the brook trout. Journal of the Fisheries Research Board of Canada 25:579-584.
- Whyte, J. N. C., W. C. Clarke, N. G. Ginther, J. O. T. Jensen, and L. D. Townsend. 1994. Influence of composition of [*Brachionus plicatilis*] and [*Artemia*] on growth of larval sablefish ([*Anoplopoma fimbria*] Pallas). Aquaculture 119:47-61.
- Wiborg, K. F. 1948. Investigations on cod larvae in the coastal waters of northern Norway. Occurrence of cod larvae and occurrence of food organisms in the stomach contents and in the sea. FiskDir. Skr. (Ser. HavUnders.) 9(3):1-27.
- Wiborg, K. F. 1948. Investigations on cod larvae in the coastal waters of northern Norway. Fiskeridirektoratet Skrifter Serie Havundersokelser 9(3):1-27.
- Wiborg, K. F. 1950. The occurrence of fish eggs and larvae along the coast of northern Norway during April-June 1948 and 1949. Annls. Biol., Copenh. 6:12-16.

- Wiborg, K. F. 1951. The Whirling Vessel. An apparatus for the fractioning of plankton samples. FiskDir. Skr. Ser. HavUnders 9(13):1-16.
- Wiborg, K. F. 1952. Fish eggs and larvae along the coast of northern Norway during April-June 1950 and 1951. An nls Biol., Copenh. 8:11-16.
- Wiborg, K. F. 1960. Investigations on eggs and larvae of commercial fishes in Norwegian coastal and offshore waters in 1957-58. FiskDir. Skr. (Ser. HavUnders.) 12(7):5-27.
- Wiborg, K. F. 1960. Investigations on pelagic fry of cod and haddock in coastal and offshore areas of northern Norway in July-August 1957. FiskDir. Skr. (Ser. HavUnders.) 12(8):1-18.
- Wiborg, K. F. 1961. Forekomst av egg og yngel av fisk i vest-og nord-norske kyst-og bank farvann varen 1960. Fiskets Gang, Nr. 9.
- Wiborg, K. F. 1976. Larval mortality in marine fishes and the critical period concept. J. Cons. perm. int. Explor. Mer 37:111.
- Wich, K. 1958. A compendium of the life history and ecology of the chain pickerel, [*Esox niger*] (LeSeur). Mass. Div. of Fish and Game, Fish. Bull. No. 22, 27 pp.
- Wich, K. F., and J. W. Mullan. 1958. A compendium of the life history and ecology of the chain pickerel, [*Esox niger*] (LeSueur). Massachusetts Fish. Bull. 22:27 pp.
- Wickens, J. F. 1985. Growth variability in individually confined elvers, [*Anguilla anguilla*] (L.). J. Fish. Biol. 27(4):469-478.
- Wickett, W. P. 1954. The oxygen supply to salmon eggs in spawning beds. Journal of the Fisheries Research Board of Canada 11:933-953.
- Wickett, W. P. 1958. Review of certain environmental factors affecting the production of pink and chum salmon. J. Fish. Res. Bd. Can. 15:1103-1126.
- Wickler, W. 1957. Die larve von [*Bleennius fluviatilis*] (Asso 1784). Biol. Zentralbl. 76:453-466. In German.
- Wickler, W. 1973. Breeding behavior of aquarium fishes. An introduction to the biology of their reproduction. T.F.H. Publ., Neptune City, N.J., 192 pp.
- Wickliff, E. L. 1920. Food of young smallmouth black bass in Lake Erie. Transactions of the American Fisheries Society 50:364-471.
- Wickliff, E. L. 1933. The practical value of determining the fertility of whitefish eggs. Transactions of the American Fisheries Society 63:144-150.
- Wiebe, J. P. 1968. The reproductive cycle of the viviparous sea perch, [*Cymatogaster aggregata*] Gibbons. Canadian Journal of Zoology 46:1221-1234.
- Wiebe, P. H. 1972. A field investigation of the relationship between length of tow, size of net and sampling error. J. Cons. perm. int. Explor. Mer 34(2):268-275.
- Wiebe, P. H., and W. R. Holland. 1968. Plankton patchiness: effects on repeated net tow. Limnol. Oceanogr. 13(2):315-321.
- Wiebe, P. H., E. M. Hulburt, E. J. Carpenter, A. E. Jahn, G. P. Knapp, III, S. H. Boyd, P. B. Ortner, and J. L. Cox. 1976. Gulf Stream cold core rings: large-scale interaction sites for open ocean plankton communities. Deep Sea Res 23(8):695-710.



- Wiebe, P. H., K. H. Burt, S. H. Boyd, and A. W. Morton. 1976. A multiple opening/closing net and environmental sensing system for sampling zooplankton. *J. Mar. Res.* 34(3):313-326.
- Wieland, K., A. JarreTeichmann, and K. Horbowa. 2000. Changes in the timing of spawning of Baltic cod: possible causes and implications for recruitment. *Ices Journal of Marine Science* 57(2):452-464.
- Wienberg, R. 1977. Experimental studies on effects of sublethal concentrations of ionogenic detergents on activities of embryos, larvae, and fry of [*Rivulus cylindraceus*] (*Cyprinodontidae Rivulinae*). *Int. Rev. Ges. Hydrobiol.* 62:371.
- Wieser, W., G. Krumschnabel, and J. P. Ojwangokwor. 1992. The energetics of starvation and growth after refeeding in juveniles of 3 cyprinid species. *Environmental Biology of Fishes* 33:63-71.
- Wieser, W., and N. Medgyesy. 1991. Metabolic rate and cost of growth in juvenile pike (*[Esox lucius] L.*) and perch (*[Perca fluviatilis] L.*) - the use of energy budgets as indicators of environmental change. *Oecologia* 87:500-505.
- Wieser, W., and N. Medgyesy. 1990. Aerobic maximum for growth in the larvae and juveniles of a cyprinid fish, [*Rutilus rutilus*] (L.) - implications for energy budgeting in small poikilotherms. *Functional Ecology* 4:233-242.
- Wiggins, T. A., T. R. Bender, Jr., V. A. Mudrak, and J. A. Coll. 1985. The development, feeding, growth, and survival of cultured American shad larvae through the transition from endogenous to exogenous nutrition. *Progressive Fish-Culturist* 47(2):87-93.
- Wigley, R. L. 1952. A method of marking larval lampreys. *Copeia* 1952(3):203-204.
- Wigley, R. L. 1959. Life history of the sea lamprey of Cayuga Lake, New York. *Fish. Bull.* 59(104):561-617.
- Wigley, S. E. 1999. Effects of first time spawners on stock-recruitment relationships for two groundfish species. *J. Northw. Atl. Fish. Sci.* 25:215-218.
- Wik, J. D. 1974. Ichthyoplankton, pp. 13-14. In: *An ecological study of the Delaware River in the vicinity of the Edge Moor Power Station; prog. rep. for the period Oct.-Dec. 1973.* Ichthyological Assoc., Inc., 109 pp.
- Wik, J. D., and N. J. Morrisson, III. 1974. A study of fish eggs, larvae and young, pp. 116-138. In: *An ecological study of the Delaware River in the vicinity of the Edge Moor Power Station; prog. rep. for the period Jan.-May 1974.* Ichthyological Assoc., Inc.
- Wiktor, K. 1969. Distribution of fish eggs and larvae in the shelf waters off northwest Africa in the period June to August. *ICES CM* 1969/J:3.
- Wiktor, K. 1970. Eggs and larvae of [*Trichiurus lepturus*] L. in the shelf waters of North-western Africa. *Przegl. Zool.* 14(4):366-370.
- Wilbur, A. 2000. Fish habitat characterization and assessment: approach to integrate seafloor features and juvenile organisms data. Massachusetts Office of Coastal Zone Management. OCEANS 2000MTS/IEEE Conference, 11-14 September 2000.
- Wilbur, R. L., and E. W. Whitney. 1973. Toxicity of the herbicide Kuron (Silvex) to bluegill eggs and fry. *Transactions of the American Fisheries Society* 102(3):630-633.
- Wilder, B. G. 1877. Garpikes, old and young. *Pop. Sci. Monthly* 11:186-195.
- Wildish, D. J., A. J. Wilson, and B. Frost. 1992. Benthic boundary layer macrofauna of Browns Bank, northwest Atlantic, as potential prey of juvenile benthic fish. *Canadian Journal of Fisheries and Aquatic Sciences* 49:91-98.

- Wiles, M. 1981. Successful rearing of striped bass, [*Morone saxatilis*] (Walb.), from fertilized eggs in small aquaria, with reference to environment, feeding and growth, and bacterial disease. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:518-521.
- Wiley, J. W. 1973. Life history of the western North American goby, [*Coryphopterus nicholsi*] (Bean). San Diego Soc. Natl. Hist., Trans. 17(14):187-208.
- Wiley, M. L., R. L. Lippson, and A. J. Lippson. 1973. Yellow perch. Pages 38-39 [in] A. J. Lippson, editor. The Chesapeake Bay in Maryland, an atlas of natural resources. Contr. No. 500, Nat. Res. Inst., Univ. Maryland. 55 pp.
- Wilk, S. J. 1977. Biological and fisheries data on bluefish, [*Pomatomus saltatrix*] (Linnaeus). NMFS, Sandy Hook Lab., Highlands, N.J., Tech. Ser. Rep. No. 11, 56 pp.
- Wilk, S. J. 1979. Biological and fisheries data on weakfish, [*Cynoscion regalis*] (Block and Schneider). Sandy Hook Lab., Highlands, NJ, Tech. Ser. Rep. No. 12, 49 pp.
- Wilk, S. J., W. W. Morse, D. E. Ralph, and E. J. Steady. 1975. Life history aspects of New York bight finfishes. Rep. NMFS, Sandy Hook Lab. 265 pp.
- Wilkins, E. P. H. 1970. Occurrence of a juvenile fourbeard rockling, [*Enchelyopus cimbrius*], in the coastal estuarine waters of North Carolina. Ches. Sci. 11(3): 197-198.
- Wilkins, E. P. H., and R. M. Lewis. 1971. Abundance and distribution of young Atlantic menhaden, [*Brevoortia tyrannus*], in the White Oak River estuary, North Carolina. Fish. Bull. NOAA (U.S.) 69(4):783-789.
- Wilkins, E. P. H. 1974. Kinds and diversity of fish larvae collected in bongo nets off western Florida. M.S. Thesis, Univ. Miami, Coral Gables, FL. 64 pp.
- Willemse, J., L. Markus-Selvis, and G. H. Ketting. 1984. Morphological effect of stress in cultured elvers, [*Anguilla anguilla*] (L.). Aquaculture 36(3):193-202.
- Willemse, J. J., and C. Lieuwma-Noordanus. 1984. The generation of new "white" muscle fibers by budding in the lateral musculature of elvers, [*Anguilla anguilla*] (L.), during normal development. Experientia 40(9):990-991.
- Willemse, J. J., and L. Markus-Silvis. 1985. The shifting of the aortic origin of the branchial arteries in the metamorphosing eel, [*Anguilla anguilla*] (L.), with remarks on the shifting mechanisms in arterial junctions in general. Acta Anatomica 121(4): 216-222.
- Willemse, M. T. M., and J. M. Denuce. 1973. Hatching glands in the teleosts, [*Brachydanio rerio*], [*Danio malabaricus*], [*Moenkhausia oligolepis*] and [*Barbus schuberti*]. Dev. Growth and Different. 15:169-178.
- Willey, A. 1909. Observations on the nests, eggs and larvae of [*Ophiocephalus striatus*]. Spol. Zeyl. 6:108-123.
- Willford, W. A., J. B. Sills, and E. W. Whealdon. 1969. Chlorinated hydrocarbons in the young of Lake Michigan coho salmon. Progressive Fish-Culturist 31(3):220.
- Williams, A. B., and E. E. Deubler. 1968. A ten year study of meroplankton in North Carolina estuaries: assessment of environmental factors and sampling success among bothid flounders and penaeid shrimps. Ches. Sci. 9(1):27-41.
- Williams, A. B., and E. E. Deubler. 1968. Studies on macroplanktonic crustaceans and ichthyoplankton of the Pamlico Sound complex. North Carolina Dep. Cons. & Devel., Div. Comm. & Sport Fish., Spec. Sci. Rep., No. 13, 103 pp.

- Williams, D. D. 1981. The first diets of postemergent brook trout, [*Salvelinus fontinalis*], and Atlantic salmon, [*Salmo*] [*salar*], alevins in a Quebec River. *Canadian Journal of Fisheries and Aquatic Sciences* 38(7):765-771.
- Williams, D. McB, P. Dixon, and S. English. 1988. Cross-shelf distribution of copepods and fish larvae across the central Great Barrier Reef. *Mar. Biol.* 99:577-589.
- Williams, D. McB., and S. English. 1992. Distribution of fish larvae around a coral reef - direct detection of a meso-scale, multispecific patch. *Continental Shelf Research* 12:923-937.
- Williams, D. M. B., E. Wolanski, and J. C. Andrews. 1984. Transport mechanisms and the potential movement of planktonic larvae in the central region of the Great Barrier Reef. *Coral Reefs* 3:229-236.
- Williams, D. M. B., and P. F. Gale. 1981. Spatial and temperature patterns of recruitment of juvenile coral reef fishes to coral habitats within One-Tree Lagoon, Great Barrier Reef. *Mar. Biol.* 65(3):245-254.
- Williams, F. 1963. Synopsis of biological data on little tuna, [*Euthynnus affinis*] (Cantor) 1850 (Indian Ocean). *FAO Fish. Rep.* 6:167-179.
- Williams, G. C. 1960. Dispersal of young marine fishes near Woods Hole, Massachusetts. *Publ. Mus. Mich. State Univ. Biol. Ser.* 1:326-368.
- Williams, G. C. 1967. Identification and seasonal size changes of eggs of the labrid fishes, [*Tautogalabrus adspersus*] and [*Tautoga onitis*], of Long Island Sound. *Copeia* 1967(2):452-453.
- Williams, G. C. 1968. Bathymetric distribution of planktonic fish eggs in Long Island Sound. *Limnol. Oceanogr.* 13(2):382-385.
- Williams, G. C. 1975. Viable embryogenesis of the winter flounder, [*Pseudopleuronectes americanus*], from -1.8 to 15 C. *Mar. Biol.* 33(1):71-74.
- Williams, G. C., D. C. Williams, and R. J. Miller. 1973. Mortality rates of planktonic eggs of the cunner, [*Tautogalabrus adspersus*] (Walbaum), in Long Island waters. Pages 185-195 [in] A. L. Pacheco, editor. *Proc. workshop on egg, larval and juvenile stages of fish in Atl. coast estuaries. Tech. Publ. 1, NMFS, Mid. Atl. Coast Fish. Ctr.*
- Williams, G. C., R. C. Simmonds, and J. F. Boyd. 1975. Effects of the antimicrobial furnace on [*Fundulus*] [*heteroclitus*] embryos. *Journal of the Fisheries Research Board of Canada* 32(1):69-71.
- Williams, G. C., S. W. Richards, and E. G. Farnsworth. 1964. Eggs of [*Ammodytes hexapterus*] from Long Island, New York. *Copeia* 1964: 242-243.
- Williams, I. V., and D. F. Amend. 1976. A natural epizootic of infectious hematopoietic necrosis in fry of sockeye salmon, [*Oncorhynchus*] [*nerka*], at Chilko Lake, British Columbia. *Journal of the Fisheries Research Board of Canada* 33(7):1564-1567.
- Williams, J. 1967. Yolk utilization. Pages 372-374 [in] R. Weber, editor. *The biochemistry of animal development. Vol. 2. Academic Press, Inc., New York.*
- Williams, P. J., and J. A. Brown. 1992. Development changes in the escape response of larval winter flounder [*Pleuronectes americanus*] from hatch through metamorphosis. *Marine Ecology-Progress Series* 88:185-193.
- Williams, P. J., J. A. Brown, V. Gotceitas, and P. Pepin. 1996. Developmental changes in escape response performance of five species of marine larval fish. *Canadian Journal of Fisheries and Aquatic Sciences* 53:1246-1253.

- Williams, P. J., and J. A. Brown. 1991. Developmental changes in foraging-predator avoidance trade-offs in larval lumpfish [*Cyclopterus lumpus*]. *Marine Ecology-Progress Series* 76:53-60.
- Williams, R., and P. J. B. Hart. 1974. Vertical and seasonal variability of fish eggs and larvae at ocean weather station, India. Pages 233-243 [in] J. H. S. Blaxter, editor. *The early life history of fish*. Springer Verlag, NY. 765 pp.
- Williams, S. F., and R. S. Caldwell. 1978. Growth, food conversion and survival of 0-group English sole, [*Parophrys vetulus*] Girard, of five temperatures and five rations. *Aquaculture* 15:129-139.
- Williams, S. R. 1902. Changes accompanying the migration of the eye and observations on the "Tractus opticus" and "Tectum opticum" in [*Pseudopleuronectes americanus*]. *Bull. Mus. Comp. Zool. Harv.* 40(1):1-57.
- Williamson, G. R., and O. Tabeta. 1991. Search for *Anguilla* eels on the West Coast of North- America and on the Aleutian and Hawaiian Islands. *Japanese Journal of Ichthyology* 38:315-317.
- Williamson, H. C. 1889. On the pelagic fish-eggs and larvae of Loch Fyne. *Rep. Fishery Bd. Scotl.* (1898), 17(pt. 3):79-131.
- Williamson, H. C., and J. R. Tosh. 1894. List of some pelagic ova, larvae and young fishes obtained by the S. S. "Garland" and boat "Dalhousie" in 1894. *Ann. Rep. Fishery Bd. Scotl.* 12(3):298-301.
- Williamson, H. C. 1895. List of the pelagic ova, larvae and young fishes procured by the S. S. "Garland" and boat "Dalhousie" in 1894-1895. *Ann. Rep. Fishery Bd. Scotl.* 13:258-270.
- Williamson, H. C. 1895. On the variation in size of certain pelagic ova. *Ann. Rep. Fishery Bd. Scotl.* 13:271-275.
- Williamson, H. C. 1897. Report on the life-history of the eel and on the absorption of the yolk in pelagic teleostean ova. *Rep. Br. Ass. Advmt. Sci.*, 66th mtg.:479-481.
- Williamson, H. C. 1898. Notes on some points in teleostean development. *Ann. Rep. Fishery Bd. Scotl.* 16(pt. 3):211-218.
- Williamson, H. C. 1904. On the post-larval and early young stages of the witch ([*Pleuronectes cynoglossus*] L.). *Ann. Rep. Fishery Bd. Scotl.* (1903) 22(pt. 3):270-273.
- Williamson, H. C. 1910. Experiments to show the influence of cold in retarding the development of the eggs of the herring ([*Clupea harengus*] L.), plaice ([*Pleuronectes*] [*platessa*] L.), and haddock ([*Gadus aeglefinus*] L.). *Ann. Rep. Fishery Bd Scotl Scient. Invest.* (1908), 27 (pt. 3):100-128.
- Williamson, H. C. 1911. Experiments in retarding the development of the eggs of the herring. *Ann. Rep. Fishery Bd. Scotl.* 28(pt. 3):16-23.
- Williamson, H. C. 1911. Notes on the eggs of the angler ([*Lophius*] [*piscatorius*]), halibut ([*Hippoglossus vulgaris*]), eel [*Conger vulgaris*], tusk ([*Brosmius brosme*]), and a young [*Arnoglossus*] sp. *Ann. Rep. Fishery Bd. Scotl.* 28:46-67.
- Williamson, H. C. 1911. Report on the reproductive organs of [*Sparus*] [*centrodontus*] Delaroche, [*Sparus cantharus*] L., [*Sebastes marinus*] L., and [*Sebastes dactylopterus*] (Delaroche), and on the ripe eggs and larvae of [*Sparus centrodontus*] and [*Sebastes marinus*]. *Sci. Inv. Fishery Bd. Scotl.*, 1910(1):1-35.
- Williamson, H. C. 1911. The retardation of the development of the ova of the herring. *Scient. Invest. Fishery Bd. Scotl.*, No. 11:1-12.

- Williamson, H. C. 1912. On the eggs of certain skates ([Raja]). Scient. Invest. Fishery Bd. Scotl. No. 1:1-6.
- Williamson, L. O. 1942. Spawning habits of muskellunge and northern pike. Wisconsin Cons. Bull. 7(5):10-11.
- Williamson, W. C. 1851. Investigation into the structure and development of scales and bones of fishes. Phil. Trans. London 643-702.
- Willis, B. L., and J. K. Oliver. 1990. Direct tracking of coral larvae - implications for dispersal studies of planktonic larvae in topographically complex environments. *Ophelia* 32:145-162.
- Willsrud, T. 1971. A study of the Tahoe sucker, [Catostomus tahoensis] Gill and Jordan. M.S. Thesis, San Jose State College, San Jose, CA.
- Wilmotte, A., C. Demonceau, A. Goffart, J. H. Hecq, V. Demoulin, and A. C. Crossley. 2002. Molecular and pigment studies of the picophytoplankton in a region of the Southern Ocean (42-54 degrees S, 141-144 degrees E) in March 1998. Deep - Sea Research Part II - Topical Studies in Oceanography 499(16):3351-3363.
- Wilson, C. A. 1987. Calcein as a fluorescent marker of otoliths of larval and juvenile fish. Trans. Amer. Fish. Soc. 116:668-669.
- Wilson, D. C., and R. E. Millemann. 1969. Relationships of female age and size to embryo number and size in the shiner perch, [Cymatogaster] [aggregata]. Journal of the Fisheries Research Board of Canada 26:2339-2344.
- Wilson, D. P. 1968. Some aspects of the development of eggs and larvae of [Sabellaria aleveolata] (L.). J. Mar. Biol. Assoc. U.K. 48:367-386.
- Wilson, D. T., and M. G. Meekan. 2002. Growth-related advantages for survival to the point of replenishment in the coral reef fish [Stegastes partitus] (Pomacentridae). Marine Ecology - Progress Series 231:247-260.
- Wilson, G. G. 1998. A description of the early juvenile colour patterns of eleven [Lethrinus] species (Pisces: Lethrinidae) from the Great Barrier Reef, Australia. Records of the Australian Museum 50:55-83.
- Wilson, H. C. 1908. Artificial propagation of [Hilsa] in the Coleroon. Madras Govt. Rev. Dept., Govt. Norder 1219, Madras.
- Wilson, H. V. 1889. The embryology of the sea bass ([Serranus atrarius]). Bull. U.S. Fish Commn. 9:209-277.
- Wilson, H. V. 1890. On the development of the sea bass. Johns Hopkins Univ. Circ. 9(80).
- Wilson, K. H., and P. A. Larkin. 1980. Daily growth increments in the otoliths of juvenile sockeye salmon ([Oncorhynchus nerka]). Can. J. Fish. Aquat. Sci. 37:1495-1498.
- Wilson, K. H., and P. A. Larkin. 1982. Relationship between thickness of daily growth increments in sagittae and change in body weight of sockeye salmon ([Oncorhynchus nerka]) fry. Can. J. Fish. Aquat. Sci. 39:1335-1339.
- Wilson, K. W. 1970. Toxicity of oil-spill dispersants to embryos and larvae of some marine fish. FAO Tech. Conf. on marine pollution and its effects on living resources and fishing. Rome. December 1970. FIR:MP/70/E-45. 7 pp.
- Wilson, K. W. 1972. Toxicity of oil-spill dispersants to the embryos and larvae of some marine fish. Pages 318-322 [in] M. Ruvio, editor. Marine pollution and sea life. Fishing News (Books) Ltd., London.

- Wilson, K. W. 1974. The ability of herring and plaice larvae to avoid concentrations of oil dispersants. Pages 589-602 [in] J. H. S. Blaxter, editor. The early life history of fish. Springer-Verlag, NY. 765 pp.
- Wilson, K. W. 1976. Effects of oil dispersants on the developing embryos of marine fish. Mar. Biol. 36:259-268.
- Wilson, K. W. 1977. Acute toxicity of oil dispersal to marine fish larvae. Mar. Biol. 40(1):65-74.
- Wilson, R.W., C.M. Wood, and D.F. Houlihan. 1996. Growth and protein turnover during acclimation to acid and aluminum in juvenile rainbow trout ([*Oncorhynchus mykiss*]). Canadian Journal of Fisheries and Aquatic Sciences 53(4):802-811.
- Wilson, S., and C. Hubbs. 1972. Developmental rates and tolerances of the plains killifish, [*Fundulus kansae*], and comparison with related fishes. Texas J. Sci. 23(3):371-379.
- Wimpenny, R. S. 1936. The ova and larvae of [*Mugil capito*] Cuv. from Lake Qarun, Egypt. Ann. Mag. Nat. Hist. 10(17):405-412.
- Winemiller, K. O., and K. A. Rose. 1993. Why do most fish produce so many tiny offspring? American Naturalist 142:585-603.
- Wing, H. T. 1983. Identification, habitats, and seasonal occurrence of juvenile whiting (*Sellagenidae*) in Moreton Bay, Queensland. J. Fish. Biol. 23(2):195-200.
- Winkler, D. L., K. L. Duncan, J. E. Hose, and H. W. Puffer. 1983. Effect of benzo pyrene on the early development of California grunion, [*Lauresthes tenuis*] (Pisces: Atherinidae). Fish. Bull. 81(3):473-482.
- Winn, H., and R. R. Miller. 1954. Native post larval fishes of the lower Colorado River basin, with a key to their identification. California Fish. Game 40(3):273-285.
- Winn, H. E. 1958. Comparative reproductive behavior and ecology of fourteen species of darters (Pisces: Percidae). Ecol. Monogr. 28:155-191.
- Winn, H. E. 1960. Biology of the brook stickleback, [*Eucalia*] [*inconstans*] (Kirtland). Am. Midl. Nat. 63:423-438.
- Winn, H. E., and J. E. Bardach. 1960. Some aspects of the comparative biology of parrot fishes at Bermuda. Zoologica 45(3):29-34.
- Winnicki, A. 1967. Embryonic development and growth of [*Salmo trutta*] L. and [*Salmo gairdneri*] Rich. in conditions unfavorable to respiration. Zool. Pol. 17:45-58.
- Winnicki, A., R. Bartel, and K. Goryczko. 1968. The effect of temperature on the uptake of water by the egg and the hardening of the egg membranes in the rainbow trout, [*Salmo gairdneri*] Rich. Zool. Pol. 18(4):431-441.
- Winslade, P. R. 1971. Behavioral and embryological investigations of the lesser sand-eel, [*Ammodytes marinus*] Raitt. Thesis, Univ. East Anglia.
- Winsor, C. P., and L. A. Walford. 1936. Sampling variation in the use of plankton nets. J. Cons. perm. int. Explor. Mer 11(2):190-204.
- Winsor, C. P., and G. L. Clarke. 1940. A statistical study of variation in the catch of plankton nets. J. Mar. Res. 3(1):1-34.
- Winters, G. H. 1970. Meristics and morphometrics of sand lance in the Newfoundland area. Journal of the Fisheries Research Board of Canada 27(11):2104-2108.

- Winters, G. H. 1976. Recruitment mechanisms of southern Gulf of St. Lawrence Atlantic herring ([*Clupea harengus*] [*harengus*]). *Journal of the Fisheries Research Board of Canada* 33:1751-1763.
- Wippelhauser, G. S., J. D. McCleave, and R. C. Kleckner. 1985. List of Atlantic [*Anguilla*] leptocephali: American material. *Dana Vol.* 4:99-128.
- Wippelhauser, G. S., and J.D. McCleave. 1988. Rhythmic activity of migrating juvenile american eels [*Anguilla rostrata*]. *J. mar. biol. Assn. U.K.* 68: 81-91.
- Wippelhauser, G. S., M. J. Miller, and J. D. McCleave. 1996. Evidence of spawning and the larval distributions of snipe eels (family *Nemichthyidae*) in the Sargasso Sea. *Bulletin of Marine Science* 59:298-309.
- Wisconsin Dept. Natural Resources. 1969. Walleye fry-plankton relationship in Escanaba Lake. *Prog. Rep. F-83-R-5.* 10 pp.
- Wise, J. P. 1963. Bibliography on the biology of the cod, [*Gadus*] [*morhua*] and related species. *Fish. Bull. Fish Wildl. Serv. U.S.* 62(215):483-538.
- Wisner, R. L. 1960. Embryonic development of saury, [*Cololabis saira*] (Brevoort). *Bull. Tohoku Reg. Fish. Res. Lab.* 17:1-14.
- Witherell, D.B., and J. Burnett. 1993. Growth and maturation of winter flounder, [*Pleuronectes americanus*], in Massachusetts. *Fishery Bulletin U.S.* 91:816-820.
- Withler, F. C., and R. B. Morley. 1970. Sex-related parental influences on early development of Pacific salmon. *Journal of the Fisheries Research Board of Canada* 27(12):2197-2214.
- Withler, J. L. 1965. Variability in life history characteristics of steelhead trout ([*Salmo gairdneri*]) along the Pacific Coast of North America. *Journal of the Fisheries Research Board of Canada* 23:365-393.
- Witzel, L. D., and H. R. MacCrimmon. 1981. Role of gravel substrate on ova survival and alevin emergence of rain bow trout, [*Salmo gairdneri*]. *Canadian Journal of Zoology* 59:629-636.
- Witzel, L. D., and H. R. MacCrimmon. 1983. Embryo survival and alevin emergence of brook charr, [*Salvelinus fontinalis*], and brown trout, [*Salmo*] [*trutta*], relative to redd gravel composition. *Canadian Journal of Zoology* 61:1783-1792.
- Wobeser, G. 1975. Acute toxicity of methyl mercury chloride and mercuric chloride for rainbow trout ([*Salmo*] [*gairdneri*]) fry and fingerlings. *Journal of the Fisheries Research Board of Canada* 32(11):2015-2023.
- Wobeser, G. 1975. Prolonged oral administration of methyl mercury chloride to rainbow trout, [*Salmo gairdneri*], fingerlings. *Journal of the Fisheries Research Board of Canada* 32:2015.
- Wockley, R. 1968. A partial life history of [*Trinectes maculatus*] (Bloch and Schneider), the hogchoker. M.S. Thesis, Univ. Delaware, 39 pp.
- Wojcik, F. J. 1955. Life history and management of the grayling in interior Alaska. MS Thesis, Univ. Alaska.
- Wolanski, E., and W. M. Hamner. 1988. Topographically controlled fronts in the ocean and their biological influence. *Science* 241:177-181.

- Wolanski, E. D. Burrage, and B. King. 1989. Trapping and dispersion of coral eggs around Bowden Reef, Great Barrier Reef, following mass coral spawning. *Continental Shelf Res.* 9:479-496.
- Wolanski, E. 1993. Facts and numerical artefacts in modelling the dispersal of crown-of-thorns starfish larvae in the Great Barrier Reef. *Australian Journal of Marine and Freshwater Research* 44:427-436.
- Wolanski, E., T. Asaeda, A. Tanaka, and E. Deleersnijder. 1996. Three-dimensional island wakes in the field, laboratory experiments and numerical models. *Continental Shelf Research* 16:1437-1452.
- Wolf, E. G., B. Morson, and K. W. Fucik. 1983. Preliminary studies of food habits of juvenile fish, China Pout Marsh, and Potter Marsh, Alaska, 1978. *Estuaries* 6(2):102-114.
- Wolf, L. E. 1931. The history of the germ cells in the viviparous teleost, [*Platyopocilus maculatus*]. *J. Morph.* 52(1):115-144.
- Wolf, P., and P. E. Smith. 1985. An inverse egg production method for determining the relative magnitude of Pacific sardine spawning biomass off California. *California Coop. Fish. Invest. Rep.* 26:130-138.
- Wolfert, D. R., W. D. N. Busch, and C. T. Baker. 1975. Predation by fish of walleye eggs on a spawning reef in western Lake Erie 1969-71. *Ohio J. Sci.* 75:118-125.
- Wolfson, F. H. 1983. Records of seven juveniles of the whale shark, [*Rhiniodon typus*]. *J. Fish. Biol.* 22(6):647-656.
- Wollam, M. B. 1969. Larval wahoo, [*Acanthocybium solandri*] (Cuvier), (Scombridae) from the Straits of Yucatan and Florida. *Fla. Dep. Nat. Resour. Mar. Res. Lab. Leaflet. Ser. IV, Pt. 1(12)*, 7 pp.
- Wollam, M. B. 1970. Description and distribution of larvae and early juveniles of king mackerel, [*Scomberomorus cavalla*] (Cuvier), and Spanish mackerel, [*Scomberomorus maculatus*] (Mitchill), (Pisces: Scombridae), in western North Atlantic. *Fla. Dep. Nat. Resour. Mar. Res. Lab. Tech. Ser.*, No. 61, 35 pp.
- Wolters, W. R., and C. C. Coutant. 1976. The effect of cold shock on the vulnerability of young bluegill to predation. In: Esch, G. W., and R. W. McFarlane (eds.), *Thermal ecology II. Natl. Tech. Infor. Serv.*, Springfield, VA.
- Wong, B. 1972. Growth, feeding and distribution of yellow perch fry, [*Perca fluviatilis flavescens*] (Mitchell), during their first summer in West Blue Lake. M.S. Thesis, Univ. Manitoba, Winnipeg, Manitoba.
- Wong, B., and F. J. Ward. 1972. Size selectivity of [*Daphnia pulicaria*] by yellow perch ([*Perca flavescens*]) fry in West Blue Lake, Manitoba. *Journal of the Fisheries Research Board of Canada* 29(12):1761-1764.
- Wongsomnuk, S., and S. Manevonk. 1973. Results of experiments on artificial breeding and larval rearing of the sea bass, [*Lates calcarifer*] (Bloch). *Contr. Songkhla Mar. Fish. Sta.* #5.
- Wood, A. H. 1932. The effect of temperature on the growth and respiration of fish embryos ([*Salmo fario*]). *J. Exp. Biol.* 9:271-276.
- Wood, C. C., C. J. Foote and D. T. Rutherford. 1999. Ecological interactions between juveniles of reproductively isolated anadromous and non-anadromous morphs of sockeye salmon, *Oncorhynchus nerka*, sharing a common nursery lake. *Environ. Biol. Fish.* 54(2):161-173.



- Wood, F., and J. Nichols. 1983. Further comparative data on herring larvae caught by English and Dutch high-speed plankton samplers, together with the results of a flume calibration of the Dutch sampler. *Int. Counc. Explor. Mer Comm. Mtg. H:9*. 6 pp.
- Wood, R. J. 1968. Some observations on the vertical distribution of herring larvae. *ICES Symp. Pap.* 1:1-8.
- Wood, R. J. 1971. Some observations on the vertical distribution of herring larvae. Pages 60-64 [in] A. Saville, editor. *Symp. on the biology of early stages and recruitment mechanisms of herring. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 160, 205 pp.
- Wood, R. J. 1972. On the loss of herring larvae through nylon nets in a standard high-speed plankton sampler. *ICES Comm. Manuscript* 1972/H, 14:1-10.
- Wood, R. J. 1973. Herring larvae to the west of Scotland in the autumn of 1971. *ICES Coop. Res. Rep.* 34:41-54.
- Wood, R. J. 1974. 0-Group herring on the English east coast. *Annls Biol., Copenh.* 1972(1974), 29:139-140.
- Wood, R. J., and P. O. Johnson. 1974. Sprat larvae to the north of Scotland. *Annls Biol., Copenh.* 1972(1974). 29:147-149.
- Wood-Mason, J., and A. Alock. 1891. On the uterine villiform papillae of [Pteroplataea] [micrura] and their relation to the embryo, being natural history notes from H. M. Indian Survey Steamer "Investigator". *Proc. Roy. Soc. London* 49:339-367.
- Woodey, J. C. 1972. Distribution, feeding and growth of juvenile sockeye salmon in Lake Washington. Ph.D Diss., Univ. Washington. 208 pp.
- Woodbury, D., and S. Ralston. 1991. Interannual variation in growth rates and back-calculated birthdate distributions of pelagic juvenile rockfishes ([Sebastes] spp.) off the central California coast. *Fishery Bulletin* 89: 523-533.
- Woodhead, A. D. 1966. Effects of thyroid drugs on the larvae of the brown trout, [Salmo trutta]. *Proc. Zool. Soc. Lond.* 149(3):394-413.
- Woodhead, D. S. 1970. The assessment of the radiation dose to developing fish embryos due to the accumulation of radioactivity by the egg. *Radiat. Res.* 43:582-597.
- Woodhead, P. M. 1957. Reactions of salmonid larvae to light. *J. Exp. Biol.* 34:402-416.
- Woodhead, P. M. J., and A. D. Woodhead. 1955. Reactions of herring larvae to light: a mechanism of vertical migration. *Nature, Lond.* 176(4477):349-350.
- Woodhull, C. 1947. Spawning habits of the striped bass ([Roccus] [saxatilis]) in California waters. *California Fish and Game* 33(2):97-102.
- Woods, L. P., and P. M. Sonoda. 1973. Family Anoplogasteridae. Pages 387-396 [in] *Fishes of the Western North Atlantic. Mem. Sears Found. Mar. Sci.* 1.
- Woodworth, J., and D. Pascoe. 1982. Cadmium toxicity to rainbow trout, [Salmo gairdneri] Rich., a study of eggs and alevins. *J. Fish. Biol.* 21(1):47-58.
- Woolcott, W. S., C. Beirne, and W. M. Hall, Jr. 1968. Description and comparative osteology of the young of three species of flounders, genus [Paralichthys]. *Ches. Sci.* 9(2):109-120.
- Wootton, R. J. 1976. *The biology of the sticklebacks.* Academic Press, London, 387 pp.
- Worley, L. G. 1933. Development of the egg of the mackerel at different constant temperatures. *J. Gen. Physiol.* 16(5):841-857.

- Worner, F. G., and R. James. 1979. Early life history stages of the Antarctic fish, [Notothenia gibbrifrons] Lonnberg 1905. Int. Counc. Explor. Sea, Early life history symp. 1 pp.
- Worner, F. G., and R. James. 1981. Early life history stages of the Antarctic fish [Notothenia gibberifrons] Lonnberg 1905. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:196.
- Worth, S. G. 1892. Observations on the hatching of the yellow perch. Bull. U.S. Fish. Comm. 10:331-334.
- Worth, S. G. 1903. Striped bass hatching in North Carolina. Transactions of the American Fisheries Society 1903:98-102.
- Worth, S. G. 1904. The recent hatching of striped bass. Transactions of the American Fisheries Society 33:223-230.
- Worth, S. G. 1905. The recent hatching of striped bass and possibilities of other commercial species. 1904(223-228).
- Worth, S. G. 1910. Progress in hatching striped bass. Transactions of the American Fisheries Society 1909:155-159.
- Worthington, D. G., M. Westoby, and J. D. Bell. 1991. Fish larvae settling in seagrass effects of leaf density and an epiphytic alga. Australian Journal of Ecology 16:289-293.
- Wosnitza, C. 1975. Die Nahrung von Fischbrut in der westlichen Ostsee - The food of fish larvae in the western Baltic. Ber. Dtsch. Wiss. Komm. Meeresforsch. 24(1):79-92.
- P. 1981. Viviparity: the maternal-fetal relationship in fishes. Am. Zool. 21:473-515.
- Wourms, J. P. 1972. Developmental biology of annual fishes. I. Stages in the normal development of [Austrofundulus myersi] Dahl. J. Exp. Zool. 182(2):143-168.
- Wourms, J. P. 1972. The developmental biology of annual fishes. II. Naturally occurring dispersion and reaggregation of blastomeres during the development of annual fish eggs. J. Exp. Zool. 182:169-200.
- Wourms, J. P. 1972. The developmental biology of annual fishes. III. Pre-embryonic and embryonic diapause of variable duration in the eggs of annual fishes. J. Exp. Zool. 182:389-414.
- Wourms, J. P. 1973. Development of the viviparous brotulid fish, [Dinematich thys ilucoeteoides]. Copeia 1973:32-40.
- Wourms, J. P. 1976. Annual fish oogenesis. I. Differentiation of the mature oocyte and formation of the primary envelopes. Develop. Biol. 50:338-354.
- Wourms, J. P. 1977. Reproduction and development in Chondrichthyian fishes. Am. Zool. 17:379-410.
- Wourms, J. P., and D. Evans. 1974. The embryonic development of the black prickleback, [Xiphister atropurpureus], a Pacific Coast blennoid fish. Canadian Journal of Zoology 52(7):879-887.
- Wourms, J. P., and D. M. Cohen. 1975. Trophotaeniae, embryonic adaptations in the viviparous ophidioid fish, [Oligopus longhursti]: a study of museum specimens. J. Morph. 147:385-402.
- Wourms, J. P., and G. S. Whitt. 1981. Future directions of research on the developmental biology of fishes. Am. Zool. 21:597-604.

- Wourms, J. P., and H. Sheldon. 1976. Annual fish oogenesis. II. Formation of the secondary envelopes. *Develop. Biol.* 50:355-366.
- Wourms, J. P., and W. C. Hamlett. 1978. Cell surfaces during development of shark yolk sac placentae. *Am. Zool.* 18(3):642.
- Woyнарovich, E. 1962. Hatching of carp eggs in "zuger" glasses and brooding of carp larvae until an age of 10 days. *Bamidgeh* 14(2):38-46.
- Woyнарovich, E., and B. Entz. 1950. Experiments in the artificial incubation of [*Lucioperca zandra*] Cuv. et Val. eggs. *Ann. Inst. Biol. Perv. Hung.* 19:65-68.
- Wrenn, W. B. 1968. Life history aspects of smallmouth buffalo and freshwater drum in Wheeler Reservoir, Alabama. *Proc. 22nd. Ann. Conf. S. E. Assoc. G & F Comms.* 22:479-495.
- Wrenn, W. B., and B. G. Grinstead. 1968. Larval development of the smallmouth buffalo, [*Ictiobus bubalus*]. *J. Tenn. Acad. Sci.* 46(4):117-120.
- Wrenn, W. B. 1975. Preliminary assessment of larval fish entrainment, Colbert steam plant-Tennessee River. Pages 381-386 [in] G. W. Esch and R. W. McFarlane, editors. *Thermal Ecology II. ERDA Symp. Ser. 40 (CONF-750425), Nat. Tech. Inform. Serv., Springfield, Va, 404 pp.*
- Wright, C. W., and M. M. Coke. 1975. The artificial propagation of [*Barbus natalensis*]: 2: hatching and early development. *The Lammergeyer* 22:42-48.
- Wright, D. A. 1977. Toxicity of fluoride to brown trout fry, [*Salmo*] [*trutta*]. *Env. Poll.* 12:57.
- Wright, D. A., and F. D. Martin. 1985. The effect of starvation on RNA:DNA ratios and growth of larval striped bass, [*Morone saxatilis*]. *J. Fish. Biol.* 27(4):479-486.
- Wright, D. A., M. J. Meteyer, and F. D. Martin. 1985. Effect of calcium on cadmium uptake and toxicity in larvae and juveniles of striped bass ([*Morone*] [*saxatilis*]). *Bull. Env. Contam. Toxicol.* 34(2):196-204.
- Wright, E. P. 1878. Die Entwicklung des Knochen-hechts und der Schollen. *Kosmos* 4:312-315. In German.
- Wright, E. P. 1879. On the development of the garpike ([*Lepidosteus*] [*osseus*]). *Nature* 19:100-101.
- Wright, F. T. 1975. Atlantic salmon ([*Salmo salar*]): an annotated bibliography. *Tech. Rep. U.S. Fish Wildl. Serv., No. 83, 22 pp.*
- Wright, G. M., and J. H. Youson. 1977. Serum thyroxine concentrations in larval and metamorphosing anadromous sea lamprey, [*Petromyzon*] [*marinus*] L. *J. Exp. Zool.* 292(1):27-32.
- Wright, L. D., and J. R. Snow. 1975. The effect of six chemicals for disinfection of largemouth bass eggs. *Progressive Fish-Culturist* 37(4):213-216.
- Wright, L. D. 1976. Effect of malachite green and formalin on the survival of largemouth bass eggs and fry. *Progressive Fish-Culturist* 38(3):155-157.
- Wright, R. A., J. E. Garvey, A. H. Fullerton, and R. A. Stein. 1999. Using bioenergetics to explore how winter conditions affect growth and consumption of age-0 largemouth bass. *Transactions of the American Fisheries Society* 128:603-612.
- Wright, R.M., 1990. The population biology of pike, [*Esox lucius*] L., in two gravel pit lakes, with special reference to early life history. *J. Fish Biol.* 36(2):215-229.

- Wright, R. R. 1907. The plankton of eastern Nova Scotia waters: an account of floating organisms upon which young food-fishes mainly subsist. Ann. Rep. Dep. Mar. Fish. Can. 39:1-20.
- Wright, W. R., and R. G. Lough. 1979. The Georges Bank larval herring patch study of 1978. ICES CM 1979/L:36. 13 pp.
- Wroblewski, J. S. 1984. Formulation of growth and mortality of larval northern anchovy in a turbulent feeding environment. Mar. Ecol. Prog. Ser. 20(1-2):13-22.
- Wroblewski, J. S., and J. Cheney. 1984. Ichthyoplankton associated with a warm core ring off the Scotian Shelf. Canadian Journal of Fisheries and Aquatic Sciences 41(2):294-303.
- Wroblewski, J. S., and J.G. Richman. 1987. The non-linear response of plankton to wind mixing events -- implications for survival of larval northern anchovy. J. Plankton Res. 9:103-123.
- Wu, H. W., and C. K. Liu. 1942. On the larval organs of [Monopterus] and their function of respiration. Sci. Rec. 1:250-255.
- Wunder, W. 1935. Das Verhalten von Knochenfischen beim Ausschlüpfen aus dem Ei und in den ersten Lebenstagen. Verh. Deutsch. Zool. Ges. Leipzig 37:60-65.
- Wurtsbaugh, W. A., and D. Neverman. 1988. Post-feeding thermotaxis and daily vertical migration in a larval fish. Nature 333:846-848.
- Wyanski, D. M., and T. E. Targett. 1985. Juvenile development of the lyre goby, [Evotohdus] [lyricus] (Girard) (Pisces, Gobiidae), with a discussion of early life history. Bull. Mar. Sci 36(1):115-123.
- Wyatt, T. 1971. Production dynamics of [Oikopleura dioica] in the southern North Sea, and the role of fish larvae which prey on them. Thalassia Jugosol.:435-444.
- Wyatt, T. 1972. Some effects of food density on the growth and behavior of plaice larvae. Mar. Biol. 14(3):210-216.
- Wyatt, T. 1974. The feeding of fish larvae in the Southern Bight of the North Sea in relation to the distribution of food organisms. Page 57 [in] Report of the international symposium on the early life history of fish. FAO Fish. Rep. No. 141, 58 pp.
- Wydoski, R. S., and E. L. Cooper. 1966. Maturation and fecundity of brook trout from infertile streams. Journal of the Fisheries Research Board of Canada 23(5):623-649.
- Wyman, J. 1856. On the development of [Anableps gronovii]. Proc. Boston Soc. Nat. Hist. 5:8-81.
- Wyman, J. 1856. On the foetus of [Zygaena] (hammerhead shark). Proc. Boston Soc. Nat. Hist. 5:157.
- Wyman, J. 1859. Account of sme observations on the development of [Anableps grovonii], as compared with that of the Embiotoci of California. Boston Soc. Nat. Hist. 6:294.
- Wyman, J. 1859. Some species of fishes from the Surinam River and some conditions heretofore unnoticed, under which the eggs are developed. Boston Soc. Nat. Hist. 6:268-269.
- Wyman, J. 1859. The formation of the peculiarly shaped egg-case of skates. Boston Soc. Nat. Hist. 6:376.
- Wyman, J. 1865. An account of the results of observations on the development of skates and especially of [Raja batis]. Proc. Boston Soc. Nat. Hist. 9:334-335.

- Wyman, J. 1867. Observations on the development of [Raja batis]. Mem. Am. Acad. Arts Sci. 9(pt. 1):31-44.
- Wyman, L. C. 1924. The reactions of melanophores of embryo and larval [Fundulus]. J. Exp. Zool. 40(1):161-180.
- Wynne-Edwards, V. C. 1932. The breeding habits of the black headed minnow ([Pimephales promelas] Raf.). Transactions of the American Fisheries Society 62:382-383.
- Wyszynski, M. 1973. Effect of starvation on the survival of pike, [Esox] [lucius] L., larvae in different thermal conditions. M. S. Thesis, Fac. Water Prot., Inland Fish., Olsztyn. 42 pp.
- Yabe, H. 1940. Rhythmical contractile movements of eggs of trouts. Annotnes Zool. Jap. 19:69-79.
- Yabe, H. 1951. Larvae of the swordfish, [Xiphias gladius]. Jap. J. Ichthyol. 1: 260-263. In Japanese, English summary.
- Yabe, H. 1953. On the larvae of sailfish, [Istiophorus orientalis], collected in the south-western Sea of Japan. Contr. Nankai fish. Res. Lab. 1, 10 pp. In Japanese, English synopsis; transl. by NMFS, Honolulu.
- Yabe, H. 1953. Juvenile of the pointed-tailed ocean sunfish, [Masturus lanceolatus]. Contr. Nankai Reg. Fish Res. Lab. (1):40-42. In Japanese.
- Yabe, H. 1955. Studies on the fish larvae in the western Pacific Ocean. 1. The post larvae of [Katsuwonus pelamis]. Bull. Ja p. Soc. Sci. Fish. 20(12):1054-1059.
- Yabe, H., and S. Ueyanagi. 1961. Contributions to the study of the early life history of the tunas. Pac. Tuna Biol. Conf., Honolulu, Pap. No. VII-6.
- Yabe, H., and S. Ueyanagi. 1962. Contribution to the study of the early life history of the tunas. Occas. Rep. Nankai Reg. Fish. Res. Lab. (1):57-72.
- Yabe, H., et al. 1959. Study on the life history of the swordfish, [Xiphias] [gladius] Linnaeus. Rep. Nankai Fish. Res. Lab., No. 10:107-150. In Japanese, English summary.
- Yabe, H., N. Anraku, and T. Mori. 1953. Scombroid youngs found in the coastal seas of Aburatsu, Kyushu, in summer. Contrib. Nankai Reg. Fish. Res. Lab. 11. 10 pp. In Japanese.
- Yabe, H., S. Ueyanagi, and H. Watanabe. 1966. Studies on the early life history of bluefin tuna, [Thunnus thynnus], and on the larva of the southern bluefin tuna, [T. macoyii]. Rep. Nankai Reg. Fish. Res. Lab. (23):95-129.
- Yabe, H., S. Ueyanagi, S. Kikawa, and H. Watanabe. 1958. Young tuna found in the stomach contents. Rep. Nankai Reg. Fish. Res. Lab. (8):31-48. (Transl. U.S. bur. Commr. Fish. 19 pp.).
- Yabe, H., Y. Yabuta, and S. Ueyanagi. 1963. Comparative distribution of eggs, larvae and adults in relation to biotic and abiotic environmental factors. FAO Fish. Rep. 3(6):979-1009.
- Yadatie, F., and R. Male. 2002. Effects of 4-nonylphenol on gene expression of pituitary hormones in juvenile Atlantic salmon ([Salmo salar]). Aquatic Toxicology 58(1-2):113-129.
- Yaki, M. I., and A. Abdula. 1983. The reproduction and development of [Clarias] [gariepinus] (Clariidae) from Lake Manyala (Egypt). J. Ichthyol. 23(6):48-58.

- Yakouleva, I. V., and N. A. Yefimova. 1978. Comparative determination of thyrotropic hormone in the pituitary of [*Acipenser guldenstadti*] larvae and fingerlings. *J. Ichthyol.* 18(5):807-815.
- Yakupzak, P. M., W. H. Herke, and W. C. Perry. 1977. Emigration of juvenile Atlantic croakers, [*Micropogon undulatus*], from a semi-impounded marsh in southwestern Louisiana. *Transactions of the American Fisheries Society* 106:538-544.
- Yamada, J. 1959. The structure of the yolk sac and the absorption of the yolk in the pond smelt fry. *Bull. Fac. Fish. Hokkaido Univ.* 10:196-204.
- Yamada, J. 1963. Normal developmental stages of the pond smelt, [*Hypomesus olidus*]. *Bull. Fac. Fish. Hokkaido Univ.* 14:121-126.
- Yamada, J. 1971. A fine structural aspect of the development of scales in the chum salmon fry. *Bull. Jap. Soc. Sci. Fish.* 37(1):18-29.
- Yamada, S., Y. Tanaka, and T. Katayama. 1981. Feeding experiments with carp fry fed an amino acid diet by increasing the number of feedings per day. *Bull. Jap. Soc. Sci. Fish.* 47(9):1247-1274.
- Yamagami, K. 1981. Mechanisms of hatching in fish: secretion of hatching enzyme and enzymatic choriolysis. *Am. Zool.* 21(2):459-471.
- Yamagami, K., M. Yamamoto, I. Iuchi, and S. Taguchi. 1983. Retardation of maturation and secretion associated ultrastructural changes of hatching gland in the medaka embryos incubated in air. *Annotationes Zool. Jap.* 56(4):266-274.
- Yamagishi, H. 1969. Post-embryonal growth and its variability in three marine fishes with special reference to the mechanism of growth variation in fishes. *Res. Pop. Ecol.* 11:14-33.
- Yamahira, K., and D.O. Conover. In press. Intra- vs. interspecific latitudinal variation in growth: adaptation to temperature or length of the growing season? *Ecology*.
- Yamamoto, G., and C. Nishioka. 1952. The development and rearing of hatched larvae of North Pacific cod ([*Gadus macrocephalus*] Tilesius). A special publ. of Japan Sea Regional Fish. Res. Lab. on third anniv. of its founding:301-308. Transl. for Fish. Res. Bd. Can. Transl. Ser., No. 402.
- Yamamoto, K. 1951. On the egg and larvae of [*Limanda schrenki*], synonymatic problem between [*Limanda schrenki*] and [*L. yokohamae*]. *Sci. Rep. Hokkaido Fish Hatch.* 6(1/2):173-179.
- Yamamoto, K. 1953. Studies on the fertilization of eggs of the flounder. On the formation of the micropyle ball. *Ann. Zool. Jap.* 25:3.
- Yamamoto, K. 1956. Studies on the formation of fish eggs. VIII. The fate of yolk vesicles in the oocyte of the smelt, [*Hypomesus japonicus*], during vitellogenesis. *Embryologia* 3(2):131-138.
- Yamamoto, K. 1957. Histochemical study on the early development of the herring, [*Clupea pallasi*]. *Dobutsugaki-yasshi (Zool. Mag.)* 66(7):289-294.
- Yamamoto, K. 1958. Vitellogenesis in fish eggs. *Symp. Cell Chem.* 8:119-131.
- Yamamoto, K., and H. Yoshioka. 1964. Rhythm of development in the oocyte of the medaka, [*Oryzias latipes*]. *Bull. Fac. Fish., Hokkaido Univ.* 15:5-19.
- Yamamoto, K., and K. Yamauchi. 1974. Sexual maturation of Japanese eel and production of eel larvae in the aquarium. *Nature, Lond.* 251:220-222.

- Yamamoto, K., K. Yamauchi, and S. Kasuga. 1975. On the development of the Japanese eel. Bull. Jap. Soc. Sci. Fish. 41(1):21-28.
- Yamamoto, K., K. Yamauchi, and T. Morioka. 1975. Pre-leptocephalic larvae of the Japanese eel. Bull. Jap. Soc. Sci. Fish. 41(1):29-34.
- Yamamoto, K. 1981. Cleavage pattern and formation of the blastocoel in the egg of the eel, [*Anguilla japonica*]. Jap. J. Ichthyol. 27(4):301-308.
- Yamamoto, K. 1982. Periblast in the egg of the eel, [*Anguilla japonica*]. Jap. J. Ichthyol. 28(4):423-430.
- Yamamoto, M. 1964. Electron microscopy of fish development. III. Changes in the ultrastructure of the nucleus and cytoplasm of the oocyte during its development in [*Oryzias latipes*]. J. Fac. Sci. Tokyo Univ. IV, 10:335-346.
- Yamamoto, M. 1964. Electron microscopy of fish development. IV. Changes in fine structure of organelles in embryonic cells during early development of [*Oryzias latipes*]. J. Fac. Sci. Tokyo Univ. IV, 10:347-354.
- Yamamoto, M. 1965. Electron microscopy of fish development. V. The fine structure of the periblast in [*Oryzias latipes*] eggs. J. Fac. Sci. Tokyo Univ. Sec. IV, 10:483-490.
- Yamamoto, M. 1965. Intracisternal granules of the endoplasmic reticulum in the periblast of the fish egg ([*Oryzias*]). Expl. Cell Res. 40:655-657.
- Yamamoto, M., and I. Iuchi. 1975. Electron microscopic study of erythrocytes in developing rainbow trout, [*Salmo gairdneri irideus*], with particular reference to changes in the cell line. J. Exp. Zool. 191:407-426.
- Yamamoto, M., I. Iuchi, and K. Yamagami. 1979. Ultrastructural changes of the teleostean hatching gland cell during natural and electrically induced precocious secretion. Dev. Biol. 68:162-174.
- Yamamoto, T. 1934. On the rhythmic movements of the eggs of goldfish. J. Fac. Sci. Imp. Univ. Tokyo 3(3):275-285. In Japanese.
- Yamamoto, T. 1937. Influence of temperature on the embryonic development of the pond smelt, [*Hypomesus olidus*] (Pallas). Bull. Jap. Soc. Sci. Fish. 5:326-332.
- Yamamoto, T. 1937. The time required for hatching the eggs of Japanese killifish, [*Oryzias latipes*] (Tem. & Sch.), and the Dutch-lion-head gold-fish, [*Carassius auratus*] (L.). Nihon Gakujitsu Kyokai Kaiho 6(2):105-109. In Japanese.
- Yamamoto, T. 1939. Effects of temperature and salinity on the embryonal development of the eggs of [*Pseudopleuronectes*] [*yokohamae*] (Gunther). Bull. Jap. Soc. Sci. Fish. 8:102-106.
- Yamamoto, T. 1939. Mechanism of membrane elevation in the egg of [*Oryzias latipes*] at the time of fertilization. Proc. Imp. Acad. Tokyo 15:272-274.
- Yamamoto, T. 1939. Effects of water temperature on the rate of embryonal development of the eggs of the Korean codfish, [*Gadus macrocephalus*] Tilesius. Botany Zool., Tokyo 7(8):1377-1383.
- Yamamoto, T. 1939. Changes in the cortical layer of the egg of [*Oryzias*] [*latipes*] at the time of fertilization. Proc. Imp. Acad. Tokyo 15:269-271.
- Yamamoto, T. 1940. The change in volume of the fish egg at fertilization. Proc. Imp. Acad. Japan 16:482-485.

- Yamamoto, T. 1941. The osmotic properties of the egg of fresh water fish, [*Oryzias latipes*]. J. Fac. Sci. Univ. Tokyo, Sect. IV. Zool. 5(3):461-472.
- Yamamoto, T. 1954. Cortical changes in the eggs of the goldfish, [*Carassius auratus*], and the pond smelt, [*Hypomesus*] [*olidus*] at the time of fertilization and activation. Jap. J. Ichthyol. 3(3/5):162-170.
- Yamamoto, T. O. 1961. Physiology of fertilization in fish eggs. Intl. Rev. Cyt. 12:361-405.
- Yamamoto, T. S. 1963. Eggs and ovaries of the stickleback, [*Pungitius*] [*tymensis*], with a note on the formation of a jelly-like substance surrounding the egg. J. Fac. Sci. Hokkaido Univ. (Ser. 6) 15:190-201.
- Yamamoto, T. S. 1965. Effects of ethylenediaminetet on the egg of the dog salmon, [*Oncorhynchus keta*]. J. Fac. Sci. Hokkaido Univ. Ser. IV Zool. 15(4): 644-651.
- Yamamoto, T. S. 1974. DNA and RNA content of the dog salmon egg during early embryonic development. J. Fac. Sci., Hokkaido Univ. Ser. VI, Zool. 19(3):489-502.
- Yamaoka, K., M. Takagi, T. Yamada, and N. Taniguchi. 1991. Territorial behaviour of released juvenile Red Sea bream. Nippon Suisan Gakkaishi-Bulletin of the Japanese Society of Scientific Fisheries 57:1-5.
- Yamashita, D. T. 1951. The embryological and larval development of the nehu, an engraulid baitfish of the Hawaiian Islands. M. S. Thesis, Univ. Hawaii, Honolulu. 64 pp.
- Yamashita, K. 1978. Chloride cells in skin of larval red seabream, [*Pagrus major*]. Jap. J. Ichthyol. 25(3):211-215.
- Yamashita, K. 1978. Differentiation of the gill structure in larvae of the red seabream, [*Pagrus major*]. Jap. J. Ichthyol. 25(2):141.
- Yamashita, K. 1982. Differentiation of the swimbladder structure in larvae of the red seabream, [*Pagrus major*]. Jap. J. Ichthyol. 29(2):193-202.
- Yamashita, K. 1982. Sensory cupulae found in prelarvae of red seabream, [*Pagrus major*]. Jap. J. Ichthyol. 29(3):279-284.
- Yamashita, Y., and T. Aoyama. 1984. Ichthyoplankton in Olsuchi Bay on northeast Honshu with reference to the time-space segregation of their habitats. Bull. Jap. Soc. Sci. Fish. 50(2):189-198.
- Yamashita, Y., T. Aoyama, and D. Kitagawa. 1984. Laboratory studies of predation by the hyperiid amphipod [*Parathemisto japonica*] on larvae of the Japanese sand-eel, [*Ammodytes personatus*]. Bull. Jap Soc. Sci. Fish. 50(7):1089-1094.
- Yamashita, Y., and T. Aoyama. 1985. Hatching time, yolk sac absorption, onset of feeding, and early growth of the Japanese sand eel, [*Ammodytes personatus*]. Bull. Jap. Soc. Sci. Fish. 51(11):1777-1780.
- Yamashita, Y., D. Kitagawa, and T. Aoyama. 1985. Diel vertical migration and feeding rhythm of the larvae of the Japanese sand-eel, [*Ammodytes*] [*personatus*]. Bull. Jap. Soc. Sci. Fish. 51(1):1-6.
- Yamashita, Y., et al. 1985. A field study of predation of the hyperiid amphipod [*Parathemisto japonica*] on larvae of the Japanese sand eel, [*Ammodytes personatus*]. Bull. Jap. Soc. Sci. Fish. 51(10):1599-1607.
- Yamashita, Y., and T. Aoyama. 1986. Starvation resistance of larvae of the Japanese sand-eel, [*Ammodytes personatus*]. Bull. Jap. Soc. Sci. Fish. 52(4):635-640.



- Yamashita, Y., and K. M. Bailey. 1990. Electron transport system (ETS) activity as a possible index of respiration for larval walleye pollock [*Theragra chalcogramma*]. Bulletin the Japanese Society of Scientific Fisheries 56:1059-1062.
- Yamashita, Y., M. Tanaka, J. M. Miller. 2001. Ecophysiology of juvenile flatfish in nursery grounds. Journal of Sea Research 45(3-4):205-218.
- Yamauchi, K., and K. Yamamoto. 1974. In vitro maturation of Japanese eel eggs and early development of the egg. Jap. Soc. Sci. Fish. 40(2):153-158.
- Yamazaki, H. 1966. Feed for rearing eels. Suisan Zoshoku, October vol. Spec. Issue No. 6:69-82. Transl. from Japanese for Fish. Res. Bd. Can. Transl. Ser., No. 3288(1974) (original title: yoman Shiryo).
- Yanagawa, H. 1978. Embryonic development and fry of the kyuriuc, [*Osmerus perlanus mordax*] (Mitchill). Bull. Fac. Fish. Hokkaido Univ. 29(3):195-198.
- Yanagimachi, A. 1957. Studies of fertilization in [*Clupea pallasii*]. 5. The role of calcium ions in fertilization and development. Bull. Jap. Soc. Sci. Fish. 23(6):290-294.
- Yanchenko, N. N. 1974. Distribution of young sprat in the southeast Baltic Sea in September 1972. Annls Biol., Copenh. 29(1972):155-156.
- Yanez-Arancibia, A., and Y. L. Violeta. 1977. Desarrollo Del Otolito embrionadio, patron de sa creamiento y comparacion morfologica con otolitos juveniles y adultos del bagre marino [*Galeichthys caerulea*] (Gunther). An. Centro. Cienc. Del Mar. Y Limnol. Univ. Natl. Auton., Mexico 4(1):115-124.
- Yannopoulos, A., C. Yannopoulos, and C. Stoeriades-Vlahos. 1973. On the occurrence of ichthyoplankton in the Saronikos Gulf, Aegean Sea. 1. Anchovy and sardines in 1969-1970-1971. Rev. Trav. Inst. Peches Marit. 37(2):177-181.
- Yapchiongco, J. V. 1941. [*Hypomesus pretiosus*], its development and early life history. Ph. D. Diss., Univ. Washington, Seattle. 123 pp.
- Yapchiongco, J. V. 1949. [*Hypomesus pretiosus*]: its development and early life history. Bull. Nat. Appl. Sci. 9(1):1-108.
- Yapchiongco, J. Y. 1963. Spawning habits of the murell or snakehead fish, [*Ophicephalus striatus*] Bloch. Copeia 1963(4):700-701.
- Yaraghavan, P. 1958. Studies on fish eggs and larvae of Madras Coast. G. S. Press, Univ. Madras, 79 pp.
- Yarzhombek, A. A., and N. V. Maslennikova. 1972. The dynamics of free amino acids in the embryogeny of the sea trout, [*Salmo trutta*] (L.), and the beluga, [*Huso huso*] (L.). J. Ichthyol. 12(5): 868-871.
- Yarzhombek, A. A., V. I. Zdor, and T. V. Shcherbina. 1979. Correlation of the metabolic rate in the starving and feeding young of the carp, [*Cyprinus carpio*]. J. Ichthyol. 19(4):167-169.
- Yashouv, A., and E. Berner-Samsonov. 1970. Contribution to the knowledge of eggs and early larval stages of mullets (Mugilidae) along the Israel coast. Bamidgeh 22:72-89.
- Yastrebkov, A. A. 1965. Individual and within population variability in the size of pink and chum salmon eggs. Tr. Murm. Morsk. Biol. Inst. 9(13):26-32. In Russian.
- Yastrebkov, A. A. 1971. Effect of egg size upon size and growth rate of pink salmon larvae. Tr. Murm. Morsk. Biol. Inst. 12(16):45-53. (Fish. Res. Bd. Can. Transl. Ser. 1822:1-25).

- Yasuda, F., H. Kohno, A. Yatsu, H. Ida, P. Arena, F. LIGreci, and Y. Taki. 1978. Embryonic and early larval stages of the swordfish, [*Xiphias gladius*], from the Mediterranean. *J. Tokyo Univ. Fish.* 65:91-97.
- Yasuda, F., Y. Katsumata, and C. Imai. 1977. Juvenile color pattern of a serranid fish, [*Cephalopholis igarashien sis*], from Japan. *Jap. J. Ichthyol.* 24(2):144-146.
- Yasunaga, Y. 1971. Studies on the feeding habit and growth of the plaice, [*Paralichthys olivaceus*], in the larval stage. *Bull. Tokai Reg. Fish. Res. Lab.* 68:31-43.
- Yasunaga, Y. 1972. The development of the digestive gland of the plaice larva, [*Paralichthys olivaceus*]. *Bull. Tokai Reg. Fish. Res. Lab.* 69:75-89.
- Yasunaga, Y. 1975. Effect of water temperature and salinity on the embryonic development of eggs and survival of larvae of [*Paralichthys olivaceus*]. *Bull. Tokai Reg. Fish. Res. Lab.* 81:151-170.
- Yasunaga, Y. 1975. Environmental factors on marine fish eggs and larvae with respect to water temperature, salinity, dissolved oxygen, and hydrogen ion concentration. *Bull. Tokai Reg. Fish. Res. Lab.* 81:171-184.
- Yasunaga, Y. 1976. The influence of some pollutants on the survival of eggs and larvae of two species of flatfish, [*Limanda*] [*yokohamae*] and [*Paralichthys olivaceus*]. *Bull. Tokai Reg. Fish. Res. Lab.* 86:81-112.
- Yasunaga, Y. 1985. Measurement of swimming speed of flounder larvae, [*Paralichthys olivaceus*], with a small straight channel. *Bull. Jap. Soc. Sci. Fish.* 51(2):227-232.
- Yasunaga, Y. 1985. Studies of continuation of swimming behavior of flounder larvae, [*Paralichtys olivaceus*], with a small circulation channel. *Bull. Jap. Soc. Sci. Fish.* 51(2):233-238.
- Yasutake, H., G. Nishi, and K. Mori. 1973. Artificial fertilization and rearing of bigeye tuna ([*Thunnus obesus*]) on board, with morphological observations on embryonic through to early post-larval stage. *Bull. Far Seas Fish. Res. Lab. (Shimizu)* (8):71-78.
- Yeager, B. L. 1979. Larval and early juvenile development of the striped shiner, [*Notropis chrysocephalus*] (Rafin esque). Pages 61-91 [in] R. Wallus and C. W. Voigtlander, editors. *Proc. of a workshop of freshwater larval fishes, TVA, Norris, TN.*
- Yeager, B. L. 1980. Early development of the genus [*Carpiodes*] (Osteichthyes: Catostomidae). M.S. Thesis, Univ. Tennessee, Knoxville, TN.
- Yeager, B. L., and J. M. Baker. 1981. Early development of the genus [*Ictiobus*] (Catostomidae). Pages 63-69 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. *The fifth annual larval fish conference, LSU Coop. Fish. Res. Unit, Baton Rouge, LA, 86 pp.*
- Yeager, B. L., and R. Wallus. 1981. Development of larval [*Polyodon spathula*] (Walbaum) from the Cumberland River in Tennessee. Pages 73-77 [in] C. F. Bryan, J. V. Conner, and F. M. Truesdale, editors. *The fifth annual larval fish conference, LSU Coop. Fish. Res. Unit, Baton Rouge, LA, 86 pp.*
- Yefremenko, V. N. 1976. Morphological characteristics of [*Protomyctophum*] [*anderssoni*] larvae (Myctophidae). *J. Ichthyol.* 16:958-963.
- Yefremenko, V. N. 1977. Morphological features of the larvae of [*Gymnoscepelus opisthopterus*] (Mycto phidae, Pisces). *J. Ichthyol.* 17(5):797-799.
- Yefremenko, V. N. 1978. A description of the larvae of [*Notolepis coatsi*] (Paralepididae, Pisces). *J. Ichthyol.* 18(3):500-504.

- Yefremenko, V. N. 1979. A description of the larvae of [*Bathylagus antarcticus*] (*Bathylagidae*). *J. Ichthyol.* 19(1):156-161.
- Yefremenko, V. N. 1979. Description of the larvae of six species of the family *Chaenichthyidae* from the Scotia Sea. *J. Ichthyol.* 19(3):65-75.
- Yefremenko, V. N. 1979. The larvae of six species of the family *Nototheniidae* from the Scotia Sea. *J. Ichthyol.* 19(6):95-104.
- Yefremenko, V. N. 1982. The finding of [*Bathylagus antarcticus*] (*Bathylagidae*) eggs, their characteristics and distribution in the Scotia Sea. *J. Ichthyol.* 22(2):135-137.
- Yefremenko, V. N. 1983. Atlas of fish larvae of the Southern Ocean. *Cybium* 7(2):1-74.
- Yefremenko, V. N. 1984. Larvae of the family *Nototheniidae* from the Scotia Sea. *J. Ichthyol. USSR* 24(1):34-43.
- Yeh, G. T., and C. F. Yeh. 1980. Mathematical modeling of the distribution of fish eggs from spawning regions of a river. *Ecol. Model.* 8:97-107.
- Yel'tsova, V. N. 1976. Predation on Baikal omul, [*Coregonus autumnalis*] [*migratorius*], larvae by common fishes in the Posol'skiy Lagoon of Lake Baikal following their release from the Bol'shaya Rechka hatchery. *J. Ichthyol.* 17(6):971-976.
- Yellayi, R. R., and R. V. Kilambi. 1969. Observations on early development of white bass, [*Roccus chrysops*] (*Rafinesque*). *Proc. 23rd Ann. Conf. S. E. Assoc. G & F Comms.*:261-265.
- Yentsch, C. S., G. D. Grice, and A. D. Hart. 1961. Some opening-closing devices for plankton nets operated by pressure, electric, and mechanical action. *Rapp. Cons. Explor. Mer* 153:59-65.
- Yevseyenko, S. A. 1974. New data concerning eel eggs on Georges Bank. *J. Ichthyol.* 14:294-298.
- Yevseyenko, S. A. 1976. Larvae of [*Bothus ocellatus*] from the north-western Atlantic. *J. Ichthyol.* 16(4):598-605.
- Yevseyenko, S. A., and M. M. Nevenskiy. 1981. On the development of the eggs and larvae of the yellow-tailed dab, [*Limanda ferruginea*] Storer, and their passive transport in the northwest Atlantic. *J. Ichthyol.* 21(5):65-74.
- Yevseyenko, S. A., and V. P. Serebrayakov. 1974. Larvae of [*Diplospinus multistriatus*] Maul (*Pisces, Gempylidae*) from the northwestern Atlantic. *J. Ichthyol.* 14:92-98.
- Yin, M. C., and J. H. S. Blaxter. 1986. Morphological changes during growth and starvation of larval cod ([*Gadus morhua*] L.) and flounder ([*Platichthys flesus*] L.). *J. Exp. Mar. Biol. Ecol.* 104:215-228.
- Yin, M. C., and J. H. S. Blaxter. 1987. Escape speeds of marine fish larvae during early development and starvation. *Marine Biology* 96:459-468.
- Yocom, T. G., and T. A. Edsall. 1974. Effect of acclimation temperature and heat shock on vulnerability of fry of lake whitefish ([*Coregonus clupeaformis*]) to predation. *Journal of the Fisheries Research Board of Canada* 31:1503-1506.
- Yocum, W. L., M. S. Evans, and B. E. Hawkins. 1978. A comparison of pump sampling systems for live zooplankton collection. *Hydrobiologia* 60(3):199-202.
- Yocum, W. L., and F. J. Tesar. 1980. Sled for sampling benthic fish larvae. *Progressive Fish-Culturist* 42:118-119.

- Yoder, J. A. 1982. Distribution of fish eggs and larvae and their relationship to upwelling regions of the southeastern United States continental shelf. E. O. S. 63:68.
- Yoder, J. A. 1983. Statistical analysis of the distribution of fish eggs and larvae on the southeast U.S. continental shelf with comments on oceanographic processes that may affect larval survival. Est., Coast. Shelf Sci. 17:637-650.
- Yoklavich, M. M., V. J. Loeb, M. Nishimoto, and B. Daly. 1996. Nearshore assemblages of larval rockfishes and their physical environment off central California during an extended El Nino event, 1991-1993. Fishery Bulletin 94: 766-782.
- Yoklavich, M. M., M. Stevenson, and G. M. Cailliet. 1992. Seasonal and spatial patterns of ichthyoplankton abundance in Elkhorn Slough, California. Estuarine Coastal and Shelf Science 34:109-126.
- Yoklavich, M. M., and K. Bailey. 1989. Growth of larval and juvenile walleye pollock from Shelikof Strait, Gulf of Alaska, as determined from daily increments in otoliths. Pages 241-251 [in] Proceedings of the International Symposium on the Biology and Management of Walleye Pollock.
- Yoklavich, M. M., and G. W. Boehlert. 1987. Daily growth increments in otoliths of juvenile black rockfish, [*Sebastes melanops*]: an evaluation of autoradiography as a new method of validation. Fish. Bull., U.S. 85:826-832.
- Yokota, T., et al. 1961. Studies on the feeding habits of fishes. 1. Study on the feeding habit of post-larval fishes. Rep. Nankai Reg. Fish. Res. Lab. 14:7-40.
- Yokote, M. 1969. Observations on eggs spawned up on the artificial weeds set in the Sagami Reservoir. Bull. Freshwat. Fish. Res. Lab. Tokyo 19:113-119.
- Yoo, J. M., et al. 1985. A study on the early development of morphology and vertebrae column of Korean Pamfret, [*Pampus*] [*echinogaster*] (Basil.). Ocean Res.
- Yorke, M. A., and D. B. McMillan. 1979. Nature and cellular origin of the adhesive coats of the lamprey egg ([*Petromyzon marinus*]). J. Morph. 162(3):313-326.
- Yosha, S. F., and G. M. Cohen. 1979. Effect of intermittent chlorination on developing zebrafish embryos ([*Brachydanio rerio*]). Bull. Env. Contam. Toxicol. 21(4-5):703-710.
- Yoshida, H. 1932. On a post-larva of [*Chanos chanos*] (Forsk.) from Amami-Oshima. Bull. Jap Soc. Sci. Fish. 1:25-27.
- Yoshida, H. 1933. On breeding and larvae of milkfish. Rakusuikaishi 28:25-30. Tokyo Japan.
- Yoshida, H. O. 1965. New Pacific records of juvenile albacore, [*Thunnus*] [*alalunga*] (Bonnatere) from stomach contents. Pac. Sci. 19(4):442-450.
- Yoshida, H. O. 1968. Early life history and spawning of the albacore, [*Thunnus alalunga*], in Hawaiian waters. U.S. Fish. Wildl. Serv. Fish. Bull. 67(2):205-211.
- Yoshida, H. O. 1971. The early life history of skipjack tuna, [*Katsuwonus*] [*pelamis*], in the Pacific Ocean. Fish. Bull. NOAA (U.S.) 69(3):545-554.
- Yoshida, H. O. 1979. Synopsis of biological data on tunas of the genus [*Euthynnus*]. NOAA Tech Rep. NMFS Circ. 429, 57 pp.
- Yoshida, H. O., and T. Otsu. 1963. Synopsis of biological data on albacore, [*Thunnus*] [*germo*] (Lacapede) 1800 (Pacific and Indian Oceans). FAO Fish Rep. 6, Vol. 2:274-318.
- Yoshie, S., and Y. Honma. 1979. Scanning electron microscopy of the buccal funnel of the arctic lamprey, [*Lampetra japonica*], during its metamorphosis, with special reference to tooth formation. Jap. J. Ichthyol. 26(2):181-191.

- Yoshimizu, M., T. Kimura, and M. Sakai. 1980. Microflora of the embryo and the fry of salmonids. *Bull. Jap. Soc. Sci. Fish.* 46(8):967-978.
- Yoshioka, H. O. 1962. On the effects of environmental factors upon the reproduction of fishes I. The effects of day-length on the reproduction of the Japanese killifish, [*Oryzias latipes*]. *Bull. Fac. Fish. Hokkaido Univ.* 13:123-140.
- Yoshioka, H. O. 1963. On the effects of environmental factors upon the reproduction of fishes II. Effects of short and long day-lengths on [*Oryzias latipes*] during the spawning season. *Bull. Fac. Fish. Hokkaido Univ.* 14:137-171.
- Yoshizaki, M. 1957. Morphological change of intestine in the larval stage of wild goldfish ([*Carassius auratus*]). I. Observations on variety "Gengorobuna". *Jap. J. Ichthyol.* 5(3-6):78-82. In Japanese.
- Young, C. R. 1971. Distribution and feeding ecology of larval and prejuvenile pumpkin seed sunfish, [*Lepomis gibbosus*] L., in Oneida Lake, New York. M.S. Thesis, Cornell Univ., Ithaca, NY, 72 pp.
- Young, J. S. 1974. Menhaden and power plants - a growing concern. *Mar. Fish. Rev.* 36(10):0019-0023.
- Young, J. W., and T. L. O. Davis. 1992. Feeding ecology and interannual variations in diet of larval jack mackerel, [*Trachurus declivis*] (Pisces, Carangidae), from coastal waters of eastern Tasmania. *Marine Biology* 113:11-20.
- Young, J. W., and T. L. O. Davis. 1990. Feeding ecology of larvae of southern bluefin, albacore and skipjack tunas (Pisces, Scombridae) in the eastern Indian Ocean. *Marine Ecology-Progress Series* 61:17-29.
- Young, P. C., J. M. Leis, and H. F. Hausfield. 1986. Seasonal and spatial distribution of fish larvae in waters over northwest continental shelf of western Australia. *Mar. Ecol. Prog. Ser.* 31:209-222.
- Youngson, A. F., R. S. G. Buck, T. H. Simpson, and D. W. Hay. 1983. The autumn and spring emigrations of juvenile Atlantic salmon, [*Salmo salar*] L., from the Girnock Birn, Aberdeenshire, Scotland: environmental release of migration. *J. Fish. Biol.* 23(6):625-640.
- Youson, J. H., G. M. Wright, and E. C. Ooi. 1977. The timing of changes in several internal organs during metamorphosis of anadromous larval lamprey, [*Petromyzon marinus*] L. *Canadian Journal of Zoology* 55:469-473.
- Youson, J. H., J. Lee, and I. C. Potter. 1979. The distribution of fat in larval, metamorphosing, and young adult anadromous sea lampreys, [*Petromyzon*] [*marinus*] L. *Canadian Journal of Zoology* 57(1): 237-246.
- Youson, J. H., and E. C. Ooi. 1979. Development of the renal corpuscle during metamorphosis in the lamprey. *Am. J. Anat.* 155(2):201-222.
- Youson, J. H., and I. C. Potter. 1979. A description of the stages in the metamorphosis of the anadromous sea lamprey, [*Petromyzon marinus*] L. *Canadian Journal of Zoology* 57:1808-1817.
- Youson, J. H. 1980. Morphology and physiology of lamprey metamorphosis. *Canadian Journal of Fisheries and Aquatic Sciences* 37(11):1687-1710.
- Youson, J. H. 1988. First metamorphosis. Pages 135-196 [in] W. S. Hoar and D. J. Randall, editors. *Fish Physiology*. Volume XI, Part B. Academic Press Inc., San Diego, California.

Yu, T. C., R. O. Sinnhuber, and J. D. Hendricks. 1979. Effect of steroid hormones on the growth of juvenile coho salmon, [*Oncorhynchus kisutch*]. *Aquaculture* 16(4):351-360.

Yu, T. C., R. O. Sinnhuber, and J. D. Hendricks. 1979. Reproduction and survival of rainbow trout (*[Salmo] [gairdneri]*) fed linolenic acid as the only source of essential fatty acids. *Lipids* 14(6): 572-575.

Yudanov, I. G. 1967. The abundance of the 1967 year class of the Atlanto-Scandian herring, determined by collecting the larvae on spawning grounds. *Ann. Biol. Explor. Mer* (Copenhagen) 25:151-157.

Yurovitskiy, Y. G., and L. S. Mil'man. 1968. Special features of triose phosphate metabolism in the developing embryo of [*Cobitis fossilis*]. *Dokl. Akad. Naukl SSSR* 184:252-255.

Yurovitsky, Yu.G. 1965. Embryonic development of fish under various oxygen conditions. *Zh. Obshch. Biol.* 26:63-73.

Yurovitzki, Y. G., and L. S. Mil'man. 1968. Effect of some metabolites on glucose-6-phosphat dehydrogenase activity in loach embryos. *Biochim. Biophys. Acta* 151:270-272.

Yusa, T. 1954. On the normal development of the fish, [*Theragra*] [*chalcogramma*] (Pallas), Alaska pollock. *Bull. Hokkaido Reg. Fish. Res. Lab.* 10:1-15.

Yusa, T., and I. Kojima. 1956. On the reproduction of [*Squalus suckleyi*]. *Mon. Rep. Hokkaido Fish. Res. Inst.* 15(10):4-6. In Japanese.

Yusa, T. 1957. Eggs and larvae of flatfishes in the coastal waters of Hokkaido. I. Embryonic development of the starry flounder, [*Platichthys stellatus*] (Pallas). *Bull. Hokkaido Reg. Fish. Res. Lab.* 15:1-13.

Yusa, T. 1957. Eggs and larvae of flatfishes in the coastal waters of Hokkaido. 2. Early development of the flatfish [*Lepidopsetta mochigarei*] Snyder. *Bull. Hokkaido Reg. Fish. Res. Lab.* 15:15-22.

Yusa, T. 1958. Eggs and larvae of flatfishes in the coastal waters of Hokkaido. III. Post-embryonic development and larvae of the flatfish, [*Lepidopsetta mochigarei*] Snyder. *Bull. Hokkaido Reg. Fish. Res. Lab.* 18:1-10.

Yusa, T. 1960. Differences of structures of eggs and larvae between [*Limanda yokohamae*] Gunther and [*L. schrenki*] Schmidt. *Bull. Mar. Biol. Sta. Asamushi* 10(2):127-131.

Yusa, T. 1960. Eggs and larvae of flatfishes in the coastal waters of Hokkaido. IV. Embryonic development of mud dab [*Limanda yokohamae*] Gunther. *Bull. Tohoku Reg. Fish. Res. Lab.* 17:15-30.

Yusa, T. 1960. Embryonic development and larvae of the greenling fish, [*Hexagrammus otakii*] Jordan and Starks. *Groundfish Rep. Tohoku Reg. Fish. Res. Lab.* 26:76-80. In Japanese.

Yusa, T. 1961. Eggs and larvae of flatfishes in the coastal waters of Hokkaido. V. Embryonic development of the flatfish, [*Xystrais grigorjewi*] (Herzenstein). *Bull. Tohoku Reg. Fish. Res. Lab.* 19:109-118.

Yusa, T. 1967. Embryonic development of the Atka mackerel, [*Pleurogrammus azonus*] Jordan et Metz. *Sci. Rep. Tohoku Univ. Fourth Ser. (Biol.)* 33:301-318.

Yusa, T., C. R. Forrester, and C. Iioka. 1971. Eggs and larvae of [*Limanda yokohamae*] (Gunther). *Tech. Rep. Fish. Res. Bd. Can., No. 236*, 21 pp.

- Yusa, T. 1974. Early life history of [*Limanda yokohamae*] (Gunther), p. 58. In. Report of the international symposium on the early life history of fish. FAO Fish Rep. No. 141, 58 pp.
- Yusa, T. 1975. Study of the propagation of useful marine fish: early life history of stone flounder. 3rd Intl. Ocean Devel. Conf., Tokyo 67-79.
- Yusa, T. 1979. Early life history of flatfish stone flounder. Intl. Counc. Explor. Sea, Early life history symp. 1 p.
- Yusa, T. 1981. Early life history of stone flounder, [*Kareius*] [*bicoloratus*]. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:595-596.
- Yuschak, P. 1982. Description of the eggs and larvae and osteological development of the northern searobin, [*Prionotus*] [*carolinus*] (Pisces:Triglidae) M.S. Thesis, Univ. Connecticut, Storrs, CT.
- Zaika, V. Y., and N. A. Ostrovskaya. 1973. Indicators of the availability of food to fish larvae. J. Ichthyol. 13(6):791-793.
- Zaika, V. Y., and N. A. Ostrovskaya. 1972. Indicators of the availability of food to fish larvae. I. The presence of food in the intestines as an indicator of feeding conditions. J. Ichthyol. 12(1):94-103.
- Zaitsev, V. I. 1964. Distribution and biology of the early developmental stages of the mullet in the Black Sea. Vopr. Ikhtiol. Vol. 4, 3(32):512-522.
- Zaitsev, Yu.P. 1970. Marine Neustonology. K. A. Vinogradov, editor. Acad. Sci. Ukrainian SSSR Kovalevskii Inst. Biol. Southern Seas, Odessa Div., 207 pp. Transl. by Israel Prog. Sci. Transl., Keter Press, Jerusalem, No. 5976(1971).
- Zakharov, G. P. 1966. The distribution of pelagic redfish fry in the east and west Greenland areas. Res. Bull. Int. Comm. N.W. Atl. Fish. 3:26-31.
- Zakharova, N. I. 1983. Development of the gonads of rainbow trout, [*Salmo*] [*gairdneri*] (Salmonidae), in the post radiation period. 1. Radiati on of larvae at an age of 24 days post-hatch. J. Ichthyol. 23(6):59-69.
- Zaki, M. I. 1984. Artificial culture and early ontogeny of gilthead, [*Sparus aurata*], of the Mediterranean Sea. J. Ichthyol. 24(3):56-63.
- Zale, A.V. 1987. Growth, survival, and foraging abilities of early life history stages of blue tilapia, [*Oreochromis aureus*], and largemouth bass, [*Micropterus salmoides*]. Environ. Biol. Fish. 20(2):113-128.
- Zama, A. 1986. Some biological observations on the galaxiid fish, [*Galaxias platei*], collected in southern Chile. Jap. J. Ichthyol. 32(4):450-453.
- Zambriborshch, F. S., and N. T. Chin. 1973. The descent of fish larvae into the sea through the Kiliya arm of the Danube. J. Ichthyol. 13(1):90-95.
- Zanuz, S. 1974. Desarrollo del hueva y estados larvarios de cabrilla ([*Paracentropristis cabrilla*] L.). Inv. Pesq. 39(2):473-489.
- Zapata, F. A., and P. A. Herron. 2002. Pelagic larval duration and geographic distribution of tropical eastern Pacific snappers (Pisces : Lutjanidae). Marine Ecology-Progress Series 230:295-300.
- Zarbock, W. M. 1952. Life history of the Utah sculpin, [*Cottus bairdi*] [*semiscaber*] (Cope), in Logan River, Utah. Transactions of the American Fisheries Society 81:249-259.

- Zarinskaya, E. A. 1939. The breeding of the Acipenseridae fry and cladocera as food for them. Trans. Inst. Mar. Fish. Oceanogr. Moscow 8:3-36.
- Zastrow, C. E., E. D. Houde, and L. G. Morin. 1991. Spawning, fecundity, hatch-date frequency and young-of-the-year growth of bay anchovy [*Anchoa mitchilli*] in mid-Chesapeake Bay. Marine Ecology-Progress Series 73: 161-171.
- Zaugg, W. S. 1981. Advanced photoperiod and water temperature effects on gill sodium, potassium adenosine triphosphatase activity and migration of juvenile steelhead, [*Salmo gairdneri*]. Canadian Journal of Fisheries and Aquatic Sciences 38(7):758-764.
- Zaugg, W. S., and L. R. McLain. 1976. Influence of water temperature on gill sodium, potassium-stimulated ATPase activity in juvenile coho salmon, [*Oncorhynchus kisutch*]. Comp. Biochem. Physiol. 54A:419-421.
- Zavodnik, N., and D. Zavodnik. 1969. Studies on the life history of Adriatic sprat. Stud. Rev. GFCM 40:26 pp.
- Zawisza, J., and T. Backiel. 1970. Gonad development, fecundity and egg survival in [*Coregonus albula*] L. Pages 363-397 [in] C. C. Lindsey and C. S. Woods, editors. Biology of coregonid fishes. Univ. Manitoba Press, Winnipeg.
- Zaytsev, Y. A., and G. B. Pitkyanen. 1970. Calculation of the dose loads on the egg of the pike from Sr-90 and Cs-137. In: Radioaktivnyye izotopy vo vneshney srede i organizme. Moscow, Atomizdat.
- Zaytsev, Y. P. 1964. The distribution and the biology of the early stages of development of mullet (*Mugilidae*) in the Black Sea. Vopr. Ikhtiol., 4, No. 3(32).
- Zei, M. 1949. Ova and developmental stages of [*Maena smarisi*] (L.) and [*Maena chryselis*] (C. and V.). Acta Adriat. Split. 4(5):3-19.
- Zeitoun, I. H., and P. I. Tack. 1974. The embryology of the coho salmon, [*Oncorhynchus kisutch*] (Walbaum). Transactions of the American Fisheries Society 103:371-375.
- Zeitoun, I. H., D. E. Ullery, W. G. Bergen, and W. T. Magee. 1977. DNA, RNA, protein, and free amino acids during ontogenesis of rainbow trout, [*Salmo gairdneri*]. Journal of the Fisheries Research Board of Canada 34:83-88.
- Zeitoun, I. H., D. E. Ulrey, W. G. Bergen, and W. T. Magee. 1976. Minimal metabolism during the ontogeny of rainbow trout, [*Salmo gairdneri*]. Journal of the Fisheries Research Board of Canada 33(11):2587-2591.
- Zeitoun, I. H., J. A. Gulvas, and D. B. Roarabaugh. 1981. Effectiveness of fine mesh cylindrical wedge-wire screens in reducing entrainment of Lake Michigan ichthyoplankton. Canadian Journal of Fisheries and Aquatic Sciences 38:120-125.
- Zelck, C., and B. Klein. 1995. Distribution of the lanternfish [*Ceratoscopelus maderensis*] (Lowe 1839) off northwest Africa and its relation to water mass. Deep - Sea Research Part I - Oceanographic Research Papers. 42: 1411-1422.
- Zell, S. R. 1978. Cryopreservation of gametes and embryos of salmonid fishes. Anns. Biol. Anim. Biochem. Biophys. 18(4):1089-1099.
- Zeldis, J. R., P. J. Grimes, and J. K. V. Ingerson. 1995. Ascent rates, vertical distribution, and a thermal history model of development of orange roughy, [*Hoplostethus atlanticus*], eggs in the water column. Fishery Bulletin 93: 373-385.
- Zemko, G. V., and D. L. Teplyy. 1983. Microstructural changes in the brain of juvenile beluga, [*Husa husa*] (Acipenseridae), from Jalan poisoning. J. Ichthyol. 23(6):133-139.



- Zemkov, G. V., and D. L. Teplyy. 1979. Histological structure of the central nervous system in juvenile giant sturgeons after chronic poisoning with Jalan. In: Ecology, Physiology, and Biochemistry of Fishes. All Union Conf., Astrakhan 1:161.
- Zenitani, H., K. Nakata, and D. Inagake. 1996. Survival and growth of sardine larvae in the offshore side of the Kuroshio. Fisheries Oceanography 5:56-62.
- Zenitani, H. 1995. Analysis of lipid components for determining the nutritional condition of sardine larvae *Sardinops melanostictus*. Fisheries Science 61:725-726.
- Zenner, H. 1965. Morphogenetic effects of lithium ions in embryonic development of the rainbow trout (*Salmo irideus*). Biol. Zbl. 84(2):139-179.
- Zeutzius, I., and H. Rahmann. 1984. Influence of dark-rearing on the ontogenetic development of [*Sarotherodon mossambicus*] (Cichlidae, Teleostei): I. Effects on body weight, body growth pattern, swimming activity and visual activity. Exp. Biol. 43(2):77-86.
- Zeutzius, I., W. Probst, and H. Rahmann. 1984. Influence of dark-rearing on the ontogenetic development of [*Sarotherodon mossambicus*] (Cichlidae, Teleostei): II. Effects on allometrical growth relations and differentiation of the optic tectum. Exp. Biol. 43(2):87-96.
- Zharov, V. L., and A. M. Zhudova. 1967. Some data on occurrence of scombroid larvae (Order Perciformes, suborder Scombroidei) in the open waters of the tropical Atlantic. Tr. All. Nauchno-Issled. Inst. Rybn. Khoz. Okeanogr. 18:210-214.
- Zharov, V. L., and A. M. Zhudova. 1969. Some data on occurrence of scombroid larvae (Order Perciformes, Suborder Scombroidei) in the open waters of the tropical Atlantic. Inter-Am Trop. Tuna Comm. 21 pp.
- Zhen-Ran, C., and C. Hsiao-Wei. 1965. A description of the morphological characters of the eggs, larvae and young of [*Clupanodon punctatus*] Temm. et Schl. Oceanol. Limnol. Sin. 7(3):205-219.
- Zhietenev, A. N., D. S. Kalinich, and Y. I. Abayev. 1976. Embryonic and larval development of the leaping gray mullet, [*Mugil saliens*]. J. Ichthyol. 16(1):63-67.
- Zhirnova, A. A., A. M. Kol'gayev, and N. N. Shirokova. 1974. The effect of basic cuprous carbonate on the state of the liver in juvenile Amur autumn chum, [*Oncorhynchus keta*]. J. Ichthyol. 14(3):453-457.
- Zhirnova, A. A., and M. L. Krykhtin. 1980. The diurnal periodicity of cell division in the epithelial tissues of larvae of the Amur autumn chum salmon, [*Oncorhynchus keta*]. J. Ichthyol. 20(1):145-147.
- Zhitenev, A. N. 1965. Statistical significance of average egg sizes of pink salmon (*Oncorhynchus gorbuscha*, Walb.) in relation to the number studied. Tr. Murm. Morsk. Biol. Inst. 9(13):41-43. In Russian.
- Zhitenev, A. N. 1970. Ecological and morphological features of the reproduction of the lump sucker [*Cyclopterus lumpus*] (L.). J. Ichthyol. 10(1):77-84.
- Zhitenev, A. N. 1974. On the question of the structure of the egg batches of fish and the biotechnics of their incubation. In: The biology of commercial fishes and invertebrates in the early stages of development. Murmansk (published by the Arctic Institute for Sea Fisheries and Oceanography).
- Zhiteneva, L. D., and A. N. Zhitenev. 1965. The effect of various preservation methods on the calcium content of the eggs of pink salmon (*Oncorhynchus gorbuscha*). Tr. Murm. Morsk. Biol. Inst. 9(13):44-46. In Russian.

- Zhiteneva, L. D., and M. M. Gorislavskaya. 1984. Qualitative composition of blood cells in the embryos and larvae of two species of herring, [*Clupea*] [*pallasi*] [*pallasi*], and [*C. p. marisalbi*] (*Clupeidae*). *J. Ichthyol.* 24(5):1-10.
- Zhiteneva, L. D., and N. P. Sokol'skaya. 1972. Changes in the morphological composition of the blood of fish larvae bitten by water boatmen. *J. Ichthyol.* 12(1):154-159.
- Zhmurova, Y. K., and N. V. Somkina. 1976. The effect of salinity on the early developmental stanzas of the walleye, [*Luceoperca luceoperca*]. *J. Ichthyol.* 17(3):511-513.
- Zhudova, A. M. 1969. Materials on the study of the eggs and larvae of some species of fish from the Gulf of Guinea and adjacent waters of the open ocean. *Tr. Atlant. Nauch.-Issled. Inst. Rybn. Khoz. Okeanogr.* 22:135-163. (Transl. by Inter-Am. Trop. Tuna Comm., La Jolla, CA. 28 pp.).
- Zhudova, A. M. 1969. Larvae of scombrid fishes (*Scombroidei*, *Perciformes*) from the central portion of the Atlantic Ocean. *Tr. AtlantNIRO* 25:100-108. (Transl. by Klawe, W. L., 1970, Inter-Am. Trop. Tuna Comm., La Jolla, CA. 17 pp.).
- Zhukinskiy, V. N., and R. I. Gosh. 1970. Viability of the embryos depending on the respiration intensity of ovulated spawn in [*Rutilus rutilus*] [*heckeli*] (Nordmann) and [*Abramis brama*] L. of different age. *Gidrobiol. Zh. Kiev.* 6(4):60-70.
- Zhukinskiy, V. N., and V. P. Bil'ko. 1984. Effect of semen pH on embryo viability in some cyprinid fishes. *J. Ichthyol.* 24(3):64-76.
- Ziebell, C. D., R. E. Pine, A. D. Mills, and R. K. Cunningham. 1970. Field toxicity studies and juvenile salmon distribution in Port Angeles Harbor, Wash. *J. Wat. Pol lut. Contr. Fed.* 42:224-236.
- Ziegler, E. 1882. Die embryonale Entwicklung von [*Salmo salar*]. Inaug. Diss. Freiburg.
- Zijlstra, J. J. 1970. Herring larvae in the central North Sea. *Ber. dt. wiss. Kommm Meeresforsch.* 21:92-115.
- Zijlstra, J. J. 1972. Report on the international surveys of herring larvae in the North Sea and adjacent waters in 1970-71. *ICES, Coop. Res. Rep. Ser. A* 28:1-24.
- Zijlstra, J. J. 1973. Egg weight and fecundity in the North Sea herring ([*Clupea harengus*]). *Neth. J. Sea Res.* 6(1-2):173-204.
- Zilanov, V. K. 1968. Occurrence of [*Micromesistius poutassou*] (Risso) larvae in the Norwegian Sea in June 1961. Pages 122-125 [in] R. W. Blacker, editor. *Symp. on ecology of pelagic fish species in Arctic waters and adjacent seas. Rapp. P.-v. Reun. Cons. perm. int. Explor. Mer* 158, 148 pp.
- Zimpfer, S. P. 1983. Notes on the early life history of the grass carp ([*Ctenopharyngodon idella*]) in the Atchafalaya Basin. M.S. Thesis, Louisiana State Univ., Baton Rouge, LA. 49 pp.
- Zimpfer, S. P., et al. 1986. Dynamics of grass carp larvae in the Mississippi Valley. *Tenth Ann. Larval Fish Conf., Miami, FL. Symposium Series 2, Am. Fish. Soc. In press.*
- Zismann, L., and A. Ben-Tuvia. 1975. Distribution of juvenile mugilids in the hypersaline Bardawil Lagoon, January 1973-January 1974. *Aquaculture* 6(2):143-162.
- Zismann, L., V. Berdugo, and B. Kimor. 1975. The food and feeding habits of early stages of grey mullets in the Haifa Bay region. *Aquaculture* 6(1):59-75.

- Zismann, L. 1982. Means of identification of grey mullet fry for culture. Pages 17-63 [in] O. H. Oren, editor. Aquaculture of grey mullets. Intl. Biol. Programme 26. Cambridge Univ. Press, Cambridge.
- Zitko, V., and W. G. Carson. 1977. Seasonal and developmental variation in the lethality of zinc to juvenile Atlantic salmon, [*Salmo salar*]. Journal of the Fisheries Research Board of Canada 34(1):139-141.
- Zitko, V., and R. L. Saunders. 1979. Effect of PCB's and other organochlorine compounds on the hatchability of Atlantic salmon (*[Salmo salar]*) eggs. Bull. Env. Contam. Toxicol. 21(1/2):125-130.
- Zobairi, A. R. K., and N. V. Choodamani. 1948. Life-history of the scale carp, [*Cyprinus carpio*] var. [*communis*] (L.). Proc. 35th Indian Sci. Congr. (Patna) Pt. 3:202.
- Zonova, A. S. 1973. The connection between egg size and some of the characters of female carp (*[Cyprinus carpio]* L.). J. Ichthyol. 13(5):679-689.
- Zotin, A. I. 1954. Mechanism of formation of the perivitelline space in salmonid eggs. Dokl. Akad. Nauk. SSSR 96:421-424.
- Zotin, A. I. 1958. The mechanism of hardening of the salmonid egg membrane after fertilization or spontaneous activation. J. Embryol. Exp. Morph. 6:546-568.
- Zotin, A. I., and R. V. Pagnaeva. 1963. Moment of determination of the position of primitive groove in eggs of [*Acipenser*] and [*Axolotl*]. Proc. Acad. Sci. 152(2):765.
- Zotin, A. I. 1964. Mechanism of cleavage in amphibian and sturgeon eggs. J. Embryol. Exp. Morph. 12:247-261.
- Zotin, A. I. 1965. The uptake and movement of water in embryos. Symp. Soc. Exp. Biol. 19:365-384.
- Zotin, A. I., and Yu.G. Danykov. 1967. Influence of vibration on the embryonic development of amphibia and fish. Ixv. Akad. Nauk SSSR, Ser. Biol.:879-882.
- Zotin, A. I., W. S. Faustov, L. I. Radzinskaja, and N. D. Ozurnyuk. 1967. ATP level and respiration of embryos. J. Embryol. Exp. Morphol. 18:1-12.
- Zotin, A. J. 1961. The physiology of aqueous exchanges in the eggs of fishes and cyclostomes. Isdat. Acad. Nauk. SSSR, Moscow. 318 pp.
- Zubova, S. E. 1963. Variability of the rate of development of sturgeon embryos. Dokl. Akad. Nauk SSSR Biol. Sci. 145:755-757.
- Zuromska, H. 1967. Causes of mortality of roach (*[Rutilus rutilus]*) eggs and larvae on lake spawning grounds. Roczn. Nauk. Roln. (H)90:557-579.
- Zuromska, H. 1967. Mortality estimation of roach (*[Rutilus rutilus]*) eggs and larvae on lacustrine spawning grounds. Roczn. Nauk Roln. (H)90:539-556.
- Zvijagina, O. A. 1961. Data on the propagation and development of fish of Laptev Sea. 1. East-Siberian cod (*[Arctogadus]* [*borisovi*], *Gadidae*). Tr. Inst. Okeanol. Akad. Nauk SSSR 43:320-327. (Transl. by Fish. Res. Bd. Can., Transl. Ser. 1278).
- Zvijagina, O. A. 1963. On spawning and development of the fishes of the Laptev Sea, [*Myoxocephalus quadricornis*], and [*Osmerus eperlanus*]. Tr. Inst. Okeanol. 62:3-12.
- Zvijagina, O. A. 1965. Data on development of lizard fishes. Tr. Inst. Okeanol. 80:147-161. In Russian.

- Zvijagina, O. A. 1965. On the development of [Therapon theraps] Cuv. & Val. (Pisces, Theraponidae). Tr. Inst. Okeanol. Akad. Nauk. SSSR 80:162-166.
- Zvijagina, O. A., and T. S. Rass. 1977. Materials on development of tropical Carangidae, Pisces. Proc. P. P. Shirshov Inst. Oceanol. 109:211-227.
- Zwanenburg, K. C. T. 1982. The relationship of growth and larval mortality rates to food availability as measured in situ for larval yellow perch, [Perca flavescens]. M.S. Thesis, McGill Univ., Montreal. 70 pp.
- Zweifel, J. R. 1973. A non-parametric approach to the estimation of relative change in fish population size from egg and larval surveys. Pages 276-281 [in] B. B. Parrish, editor. Fish stocks and recruitment. Rapp. P.-v. Reun. Cons. perm. int Explor, Mer 164, 372 pp.
- Zweifel, J. R., and R. Lasker. 1976. Prehatch and posthatch growth of fishes - a general model. Fish. Bull. NOAA (U.S.) 74(3):609-621.
- Zweifel, J. R., and P. E. Smith. 1981. Estimates of abundance and mortality of larval anchovies (1951-75): application of a new method. Rapp. P.-v. Reun. Cons. int. Explor. Mer 178:248-259.