

# PowerLite® 1750 MULTIMEDIA PROJECTOR



# Brilliant XGA performance in a slim ultraportable.

Its sleek, lightweight design, XGA resolution and outstanding image quality make it easy for the PowerLite 1750 to deliver brilliant presentations in the office or on the road. Offering the perfect combination of value and performance, the PowerLite 1750 features 2600 lumens color light output and 2600 lumens white light output<sup>1</sup> for great presentations every time. Weighing just 3.7 lb and just 1.7" tall, this ultraportable projector is ready to travel when you are! Connecting is simple, on a Mac<sup>®</sup> or PC, with USB Plug 'n Play instant setup. Or, use a USB memory device and deliver your presentation PC-free. Automatic vertical keystone correction makes setup easy. The PowerLite 1750 is also equipped with a UHE lamp that lasts up to 4000 hours.<sup>2</sup> You get amazing performance, ease of use and brilliant output — all from one ultra-thin projector.

Lightweight and travel friendly — thin as a laptop, weighs just 3.7 lb Bright XGA performance — 2600 lumens color/white light output,<sup>1</sup> native XGA (1024 x 768) resolution Easy connectivity — USB Plug 'n Play — Windows<sup>®</sup> and Mac compatible



# PowerLite<sup>®</sup> 1750 multimedia projector


# The best-selling projectors in the world.

Epson understands business and education and has a solution no matter what your situation. Built with image quality and reliability in mind, Epson projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From long-throw projectors to ultra-short-throw and all-in-one solutions, Epson has the model made for you.

# **3LCD** technology — for quality and color that's beyond amazing

- 3 chips for full-time, vibrant color
- 25% less electricity required per lumen of brightness when compared to 1-chip DLP projectors<sup>3</sup>
- Road-tested reliability from a company with over 20 years of experience





### **Bright light output**

- 2600 lumens color light output and 2600 lumens white light output<sup>1</sup>
- Bright, balanced, colorful images
- Incredible image quality and performance to meet your expectations
- 2600 LUMENS LUMENS LUMENS
- White light output that's measured using ISO 21118 (a more rigid standard than the outdated ANSI lumens rating used by competitive products)



High color light output Low color light output Actual photographs of images taken from two competing projectors run in default mode. Price, resolution and brightness (white light output) are the same for both projectors.

### Ultraportable design





**SmartWav** 

Transport Partner

### Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com

• Energy-efficient 3LCD light engine

**Eco Features** 

- RoHS compliant
- Designed to be recycled<sup>4</sup>
- Epson America, Inc. is a SmartWay<sup>SM</sup> Transport Partner⁵





## **On-the-go convenience**

#### USB Plug 'n Play instant setup - compatible with Windows and Mac

- No more computer function keys or bulky VGA cables
- Just plug in a standard USB cable and instantly project
- Instantly view images on both the screen and your computer; one standard USB cable does it all!



### Fast, easy setup and control

- Automatic vertical keystone correction makes setup and placement a snap
- Instant Off<sup>®</sup> no cool down time required, so it's ready to shut down when you are
- A/V Mute Slide control your presentation; it's right at your fingertips
- Sleep Mode set from 1 to 30 minutes to save energy when the A/V Mute Slide is closed or no signal is detected
- 1.2x optical zoom offers great positioning flexibility to fit large or small rooms
- Direct Power On/Off power the projector on and off with the flip of a wall switch

#### Quick reference — choose the right model

PowerLite Model	PowerLite 1750	PowerLite 1760W	PowerLite 1770W	PowerLite 1775W
Native Resolution	XGA	WXGA	WXGA	WXGA
Light Output (Color/White)	2600/2600 <sup>1</sup>	2600/2600 <sup>1</sup>	3000/3000 <sup>1</sup>	3000/3000 <sup>1</sup>
Weight	3.7 lb	3.7 lb	3.7 lb	3.8 lb
USB	~	~	~	~
HDMI	_	~	~	~
Horizontal Keystone	Manual	Manual	Manual	Auto
Vertical Keystone	Auto	Auto	Auto	Auto
Auto Screen Fit	_	_	_	V
Wireless Networking	_	Optional	Optional	Included
Quick Connect Wireless via USB Key	-	Optional key and wireless LAN card required	Optional key and wireless LAN card required	Included

### PowerLite 1750 Features

- Lightweight and travel friendly thin as a laptop, weighs just 3.7 lb
- Bright XGA performance 2600 lumens color/white light output,<sup>1</sup> native XGA (1024 x 768) resolution
- Easy connectivity USB Plug 'n Play Windows and Mac compatible
- PC-free presentations convenient USB connectivity allows you to display directly from a USB memory device
- Added features, no added cost built-in closed captioning capabilities and 1 W speaker
- Carrying case included for easy portability and protection when stored
- Filters to protect your investment with easy access for hassle-free maintenance

#### Protect your investment with Epson

Because we know how important it is to protect your valuable investment, Epson 3LCD projectors have a long-lasting filter that gives you added peace of mind. The filter helps limit the amount of dust that can settle on the internal components and reduce the lamp life or dull the image. When the time comes to clean or change the filter, just open the door, vacuum the dust off or replace the filter, close the door, and you're done.



800 x 600

Meets basic projection needs





1024 x 768 Ensures sharper detail

1280 x 800 Offers higher quality

and is ideal for widescreen (16:10)

display

WXGA

### EPSON<sup>®</sup> EXCEED YOUR VISION

# PowerLite<sup>®</sup> 1750

### Multimedia Projector

Product Name PowerLite 1750 Genuine Epson Lamp Replacement Air Filter

# Product Code UPC V11H372120 0 10343 87993 5 V13H010L65 0 10343 88054 2 V13H134A31 0 10343 88053 5

#### **Specifications**

**Projection System** Epson 3LCD, 3-chip technology **Projection Method** Front/rear/ceiling mount Driving Method Epson Poly-silicon TFT Active Matrix **Pixel Number** 786,432 dots (1024 x 768) x 3 LCDs White Light Output<sup>1</sup> 2600 lumens (ISO 21118 standard) Color Light Output<sup>1</sup> 2600 lumens Aspect Ratio 4:3 (supports 16:9) **Native Resolution** 1024 x 768 (XGA) Resize 640 x 480 (VGA), 800 x 600 (SVGA), 1280 x 800 (WXGA), 1280 x 1024 (SXGA), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1600 x 1200 (UXGA) Lamp Type 230 W UHE Lamp Life<sup>2</sup> Up to 4000 hours (ECO Mode) Up to 4000 hours (Normal Mode) **Throw Ratio Range** 1.19 - 1.43 Size (projected distance) 30'' - 300'' (2.4' - 28.8')Keystone Correction Vertical:  $\pm$  30 degrees ( $\pm$  45 manual) Horizontal: ± 30 degrees manual **Contrast Ratio** Up to 2000:1 **Color Reproduction** 16.77 million colors Plug 'n Play Projector is compatible with PC & Mac computers

#### **Projection Lens**

 Type

 Manual focus/Manual zoom

 F-number

 1.58 - 1.7

 Focal Length

 13.52 - 16.22 mm

 Zoom Ratio

 Optical zoom 1.0 - 1.2

#### Other

**Display Performance** NTSC: 480 line PAL: 576 line (depends on observation of the multi-burst pattern) Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/ PAL60/SECAM SDTV/HDTV Interfaces Computer/component video: Mini D-sub HD 15 pin x 1 Composite video: RCA x 1 Audio in: Mini stereo x 1 in or out user selectable Variable audio out: Mini stereo x 1 in or out user selectable USB connector: Type B x 1 (USB display with audio and mouse/keyboard control) Type A x 1 (for USB memory device) Audio Output 1 W mono speaker Audio Signal 500mV rms/47K ohm **Operating Temperature** 41 °F to 95 °F (5 ° to 35 °C) **Power Supply Voltage** 100 - 240 V ± 10%, 50/60 Hz AC **Power Consumption** 322 W (Normal Mode) 212 W (ECO Mode) 7.4 W Standby (Communication on) 0.38 W Standby (Communication Off) Fan Noise 40 dB (Normal Mode) 30 dB (ECO Mode) Security Kensington®-style lock provision

### Video Video Video Video Video VISB (Type A) Audio USB (Type B)

#### Dimensions (W x D x H)

Including feet: 11.5" x 8.3" x 2.1" Excluding feet: 11.5" x 8.3" x 1.7" Weight: 3.7 lb

#### **Remote Control**

#### Features

Power, source search selection, computer, video, A/V mute, freeze, user ID, auto, aspect, color mode, num, page up and down, E-zoom, volume, help, menu, enter, esc and pointer functions

#### **Operating Angle**

Right/left: Front: ± 60 degrees Rear: ± 30 degrees Upper/lower: Front: ±30 degrees Rear: ± 30 degrees **Operating Distance** 19.7 ft

#### Support

The Epson Connection<sup>SM</sup>

Pre-sales support U.S. and Canada 800-463-7766 Internet website www.epson.com

#### Service Programs

Two-year limited warranty, Epson Road Service program, Epson PrivateLine® dedicated toll-free support (U.S. and Canada only) and 90-day limited lamp warranty What's In The Box

PowerLite 1750 projector, power cable, computer cable (VGA), audio adapter, projector remote control with batteries, USB cable, soft carrying case, user manual CD, software CD, Quick Setup Sheet, PrivateLine support card, password protection sticker and security screw

#### Accessory Part Numbers

Genuine Epson Lamp	V13H010L65
Replacement Air Filter	V13H134A31
Image presentation camera	
(ELPDC06)	V12H321005
DC-10S document camera	ELPDC10S
DC-11 document camera	
(ELPDC11)	V12H377020
Component to VGA video cable	ELPKC19
Duet <sup>™</sup> screen	ELPSC80
ES3000 ultraportable	
projector screen	V12H002S3Y
Replacement Remote Control	1507996

### Packaging Specifications

#### PowerLite 1750

Dimensions 11.2" x 17.1" x 4.8" (W x D x H) Weight 7.8 lb

#### **Genuine Epson Lamp**

Dimensions 5.1" x 5.5" x 5.6" (W x D x H) Weight 0.6 lb Master Carton Dimensions 11.5" x 26.1" x 6.8" (W x D x H) Weight 7.2 lb Units Per Master Carton 10

Replacement Air Filter

#### Dimensions 3.5" x 4.8" x 1.9" (W x D x H) Weight 0.1 lb Master Carton Dimensions 7.3" x 10.1" x 5.7" (W x D x H) Weight 1.4 lb Units Per Master Carton 10

- 1 Light output varies depending on modes (color and white light output). White light output measured using ISO 21118 standard.
- 2 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.
- Data source: ProjectorCentral.com, Jan. 2010. Average of 910 shipping models for which the manufacturers provided lumens and total power data, all resolutions and brightness levels.
   See our website for convenient and reasonable recycling options at www.epson.com/recycle
- 5 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

#### Epson America, Inc.

3840 Kilroy Airport Way, Long Beach, CA 90806

#### Epson Canada, Ltd. 3771 Victoria Park Avenue, Toronto, Ontario M1W 3Z5

www.epson.com www.epson.ca

Epson and Instant Off are registered trademarks, Epson Exceed Your Vision is a registered logomark, and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PowerLite and PrivateLine are registered trademarks, Duet is a trademark and Epson Connection is a service mark of Epson America, Inc. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2010 Epson America, Inc. OPD-32560R2 11/10