

PowerLite® S11 MULTIMEDIA PROJECTOR



A bright value projector with flexible connectivity.

A smart value choice for any classroom or conference room, the PowerLite S11 offers bright, vivid images with 2600 lumens of color/white light output ¹, plus easy setup with horizontal/vertical keystone correction and 3-in-1 USB Plug 'n Play connectivity. This affordable projector also features built-in closed captioning, plus enhanced connectivity including audio out and monitor out, for flexible connections to external speakers or monitors. Present PC-free slideshows or connect to an Epson DC-06 document camera for added versatility. Featuring Epson 3LCD technology and SVGA resolution, the reliable PowerLite S11 always ensures vibrant presentations that are sure to engage any audience, without impacting your budget.

Bright, brilliant presentations — 2600 lumens color/white light output ¹ and SVGA resolution **Enhanced connectivity** — audio out, monitor out, RS-232c, PC-free slideshows and direct connection to the Epson DC-06 document camera via USB

Epson Projectors

3-in-1 USB Plug 'n Play instant setup — display your presentation, transmit audio and control your presentation — all with one standard USB connection

Easy setup and greater positioning flexibility — 1.35x digital zoom, +/- 30 degrees horizontal and vertical keystone correction and Quick Corner®

PowerLite® \$11 MULTIMEDIA PROJECTOR

The best-selling projectors in the world

Epson understands education and has a solution no matter what your teaching scenario. Built with image quality and reliability in mind, Epson projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From long-throw projectors to ultra-short-throw, interactive, and all-in-one solutions, Epson has the model made for you.




3LCD technology — for quality and color that's beyond amazing

Innovative technology with proven reliability

- 3 chips for full-time, vibrant color
- 25% less electricity required per lumen of brightness when compared to 1-chip DLP projectors²
- Over 20 years of road-tested reliability built into every projector








▲ Compact and portable design

Energy-efficient E-TORL® lamp, exclusively from Epson

- Delivers more lumens per watt and lasts up to 5000 hours³
- Minimizes both light diffraction and light leakage
- Maximizes your presentation time, while minimizing your costs



▲ E-TORL lamp

LUMENS

Amazing color and white light output

- 2600 lumens color light output and 2600 lumens white light output¹
- High color light output for bright, balanced, colorful images
- White light output that's measured using ISO 21118 (a more rigid standard than the outdated ANSI lumens rating used by competitive products)

 WHITE LIGHT
 WHITE LIGHT
 WHITE LIGHT
 TRUE-TO-LIFE COLOR
 USAN

 ON THE COLOR
 WHITE LIGHT
 WHITE LIG



Easy-to-use and intuitive control panel

Better Products for a Better Future™

For more information on Epson's environmental programs, go to eco.epson.com

Eco Features

- Energy-efficient 3LCD light engine
- Energy-efficient E-TORL lamp
- Designed to be recycled⁴
- RoHS compliant
- Epson America, Inc. is a SmartWay[™] Transport Partner⁵







- RS-232c to connect to an A/V control device
- Partner your projector directly with the Epson DC-06 document camera via the USB Type A port
- Audio out to connect to an external amplification device
- Monitor out to view your presentation on both the screen and external monitor simultaneously
- Deliver PC-free slideshows using a USB flashdrive (supports JPEG, PNG, GIF and BMP files)


Advanced 3-in-1 USB Plug 'n Play instant setup — for Windows® and Mac®


- Three features, all with one standard USB connection
 - Display your presentation
 - Transmit audio
 - Control your presentation



Easy setup and picture adjustments

- 1.35x digital zoom for positioning flexibility
- +/- 30 degrees vertical keystone correction allows for easy adjustments when the projector is placed above or below the center of the projection screen
- +/- 30 degrees horizontal keystone correction allows for off-center positioning, and still present a rectangular image





Without horizontal keystone

With horizontal keystone

Quick Corner

 This innovative feature allows you to move any of the four corners of an image independently, to adjust each corner for a perfectly rectangular picture



PowerLite S11 Additional Features

Built-in 2 W speaker — enhance your lessons and presentations with sound

EPSON

- Carrying case included for easy portability and protection when stored
- Remote control included new design for easy navigation
- Sleek, compact design fits in any classroom or conference room

Quick, convenient control

- Instant Off® no cool-down time required; it's ready to shut down when you are
- A/V Mute Slide control your presentation; it's right at your fingertips
- Direct Power On/Off power the projector on/off with the flip of a wall switch

Energy saving features

- Sleep Mode set from 1 to 30 minutes to save energy when no signal is detected
- ECO Mode change the power consumption settings to ECO mode to reduce lamp brightness and fan noise, and save power and lamp life

Built-in closed captioning

- Helps meet ADA 508 requirements for students with hearing impairments
- No need to pay for an additional decoder and its installation



Easily enabled or disabled through the projector remote or menu



High-efficiency filter

1.3x bigger surface area than our previous generation adds a higher level of protection.






PowerLite® S11

Multimedia Projector

Product Name Product Code PowerLite S11 Projector 0 10343 88424 3 V11H436020 Genuine Epson Lamp V13H010L67 0 10343 88423 6 Replacement Air Filter V13H134A32 0 10343 88586 8



Specifications

Projection System

3LCD, 3-chip technology

Projection Method Front/rear/ceiling mount

Driving Method

Poly-silicon TFT Active Matrix

Pixel Number

480.000 dots (800 x 600) x 3

White Light Output¹

2600 lumens (ISO 21118 Standard)

Color Light Output¹

2600 lumens

Aspect Ratio

Native Resolution

800 x 600 (SVGA) Resize

640 x 480 (VGA), 1024 x 768 (XGA), 1152 x 864 (SXGA1), 1280 x 800 (WXGA), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1280 x 768 (WXGA60-1), 1360 x 768 (WXGA60-2), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+)

Lamp Type

200 W UHE (E-TORL)

Lamp Life³

Up to 5000 hours (ECO Mode) Up to 4000 hours (Normal Mode)

Throw Ratio Range

1.45 - 1.96 (4:3)

Size (projected distance) 30" - 350" (2.9' - 34.2')

Keystone Correction (Manual)

Vertical: ± 30 degrees

Horizontal: ± 30 degrees

USB Plug 'n Play

Projector is compatible with PC and Mac computers

Contrast Ratio

Up to 3000:1

Color Reproduction

16.77 million colors

Projection Lens

Type

Manual focus

F-number

1.44

Focal Length 16.7 mm

Zoom Ratio

Digital zoom 1.0 - 1.35

Other

Display Performance

NTSC: 480 lines PAL: 560 lines

(Depends on observation of the multi-burst pattern)

Input Signal

NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/ SECAM/SDTV/HDTV

Computer/component video: D-sub 15 pin x 1 S-video: Mini DIN x 1 Composite video: RCA (Yellow) x 1 Audio in: RCA x 1 (L and R) USB connector: Type B x 1 (USB display, audio and mouse control) USB connector: Type A x 1 (USB memory/document camera) Monitor out: D-Sub 15 pin x 1 Audio out: Mini Stereo x 1 Serial: RS-232c x 1

Speaker

2 W (mono)

Operating Temperature

41 ° to 95 °F (5 ° to 35 °C)

Power Supply Voltage

100 - 240 V ±10%, 50/60 Hz

Power Consumption

283 W (Normal Mode) 2.9 W Standby (Communication On) 0.4 W Standby (Communication Off)

Fan Noise

37 dB (Normal Mode) 29 dB (ECO Mode)

Security

Kensington®- style lock provision, padlock and security anchor bar

Dimensions (W x D x H)

Including feet: 11.6" x 9.0" x 3.1" Excluding feet: 11.6" x 9.0" x 3.0" Weight: 5.1 lb (2.3 kg)

Remote Control

Features

Source search, computer, video, USB, power, aspect, color mode, volume, e-zoom, A/V mute, freeze, menu, esc, enter, page up and down, help, auto, mouse functions, user, num, pointer

Operating Angle

Right/left: ± 30 degrees Upper/lower: ± 15 degrees

Operating Distance

19.7' (6 m)

Support

The Epson ConnectionSM

Pre-sales support (U.S. and Canada): 800-463-7766 Internet website www.epson.com

Service Programs

Two-year projector limited warranty, Epson Road Service program, PrivateLine® dedicated toll-free support and 90-day lamp limited warranty

What's In The Box

PowerLite S11 multimedia projector, power cord, computer cable (VGA), soft carrying case, projector remote control, batteries, user manual CD, Quick Setup Sheet, PrivateLine support card and password protection sticker

Accessory Part Numbers

V13H010L67

Genuine Epson Lamp

Replacement Air Filter V13H134A32 Universal projector ceiling mount ELPMBPJF Adjustable suspended ceiling channel kit ELPMBP01 False ceiling plate kit ELPMBP02 Structural round ceiling plate ELPMBP03 Adjustable extension column (pipe) 8" - 11" ELPMBC01 Duet™ screen ELPSC80 ES3000 portable screen (ELPSC26H) V12H002S3Y ES1000 ultra portable tabletop V12H002S4Y screen DC-06 document camera V12H321005 DC-11 document camera V12H377020 BriahtLink Solo™ interactive module (IU-01) V12H415020 BrightLink Solo interactive module with RM Easiteach (IU-01) V12H415020RM Kensington security lock ELPSL01 AP-60 projector sound solution Component-to-VGA video cable V12H329020 FI PKC19 Pixie Plus control system FLPSP10 V12H467020 ELPSP02 active speakers

Packaging Specifications

PowerLite S11

Dimensions 14.4" x 13.3" x 6.1" (W x D x H) Weight 9.0 lb

Genuine Epson Lamp

Dimensions 5.5" x 5.1" x 5.6" (W x D x H) Weight 0.7 lb Master Carton Dimensions 26.1" x 11.5" x 6.8" (W x D x H) Weight 8.4 lb Units Per Master Carton 10

Replacement Air Filter

Dimensions 5.0" x 4.1" x 1.3" (W x D x H) Weight 0.1 lb Master Carton Dimensions 12.8" x 5.3" x 4.7" (W x D x H) Weight 1.3 lb Units Per Master Carton 10

- Color and white light output will vary depending on mode selected. White light output measured using ISO 21118 standard.
- Data source: ProjectorCentral.com Jan. 2011. Average of 1038 shipping models for which manufacturers provided lumens and total power data, all resolutions and brightness levels. 2
- 3 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.
- See our website for convenient and reasonable recycling options at www.epson.com/recycle
- SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency,

Epson America, Inc. 3840 Kilroy Airport Way, Long Beach, CA 90806 **Epson Canada Limited** . 185 Renfrew Drive, Markham, Ontario L3R 6G3 www.epson.ca

Specifications and terms are subject to change without notice. Epson, E-TORL, Instant Off, PowerLite and Quick Corner are registered trademarks, Epson Exceed Your Vision is a registered logomark, and Better Products for a Better Future is a trademark of Seiko Epson Corporation. PrivateLine is a registered trademark, BrightLink Solo and Duet are trademarks and Epson Connection is a service mark of Epson America, Inc. SmartWay is a service mark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2011 Epson America, Inc. CPD-34746 8/11