

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Abronia elliptica</i>		dwarf sand-verbena	G5	S1					
<i>Abronia mellifera</i>		white sand-verbena	G4	S1S2					
<i>Acorus americanus</i>	<i>Acorus calamus</i> var. <i>americanus</i>	sweetflag	G5	S2					
<i>Agastache cusickii</i>	<i>Agastache cusickii</i> var. <i>parva</i>	Cusick's giant-hyssop	G3G4	S2					
<i>Agoseris lackschewitzii</i>	<i>Agoseris aurantiaca</i> var. <i>aurantiaca</i> , <i>A. aurantiaca</i> var. <i>carnea</i>	pink agoseris	G4	S1S2		TYPE 4		S	
<i>Agrimonia striata</i>		roadside agrimonia	G5	S1					
<i>Allenrolfea occidentalis</i>	<i>Halostachys occidentalis</i>	iodinebush	G4	S1					
<i>Allium aaseae</i>		Aase's Onion	G2G3+	S2S3		TYPE 2			
<i>Allium anceps</i>		Kellogg's Onion	G4	S2		TYPE 4			
<i>Allium columbianum</i>	<i>Allium douglasii</i> var. <i>columbianum</i>	Columbia onion	G3	S3					
<i>Allium madidum</i>		swamp onion	G3	S3				S	
<i>Allium tolmiei</i> var. <i>persimile</i>		Tolmie's Onion	G4G5T3+	S3		TYPE 4		S	
<i>Allium validum</i>		tall swamp onion	G4	S3					
<i>Allotropa virgata</i>		sugarstick	G4	S3				S	
<i>Amphidium californicum</i>		California amphidium moss	G4	S1					
<i>Andraea heinemannii</i>		Heinemann's andraea moss	G3G5	S1					
<i>Andromeda polifolia</i>		bog rosemary	G5	S1			S		
<i>Anemone cylindrica</i>		long-fruit anemone	G5	S1					
<i>Angelica kingii</i>		Great Basin angelica	G4	S1		TYPE 3			
<i>Antennaria arcuata</i>		meadow pussytoes	G2	S1					
<i>Arabis lasiocarpa</i>		Wasatch Range rockcress	G3						
<i>Arabis sparsiflora</i> var. <i>atrorubens</i>	<i>Boechera atrorubens</i>	sickle-pod rockcress	G5T3	S3					
<i>Argemone munita</i> ssp. <i>rotundata</i>		prickly-poppy	G4T4	SH					
<i>Artemisia campestris</i> ssp. <i>borealis</i> var. <i>purshii</i>	<i>Artemisia borealis</i> , <i>A. campestris</i> ssp. <i>borealis</i> , <i>A. campestris</i> ssp. <i>purshii</i>	boreal wormwood	G5T5	S1					
<i>Artemisia</i> sp. novum 'brunneau'									
<i>Aspicilia rogeri</i>	<i>Circinaria rogeri</i> , <i>Aspicilia fruticulosa</i>	vagrant aspicilia	G2G3	SNR		TYPE 3			
<i>Asplenium septentrionale</i>		northern spleenwort	G4G5	S1					
<i>Asplenium trichomanes</i>		maidenhair spleenwort	G5	S1			S		
<i>Asplenium trichomanes-ramosum</i>	<i>Asplenium viride</i>	green spleenwort	G4	S1					
<i>Astragalus adanus</i>	<i>Ctenophyllum adanum</i> , <i>Cnemidophacos adanus</i>	Boise milkvetch	G2+	S2					
<i>Astragalus amblytropis</i>		Challis milkvetch	G3+	S3		TYPE 3			
<i>Astragalus amnis-amissi</i>		Lost River milkvetch	G3+	S3		TYPE 3		S	
<i>Astragalus anserinus</i>		Goose Creek milkvetch	G2	S1	Resolved	TYPE 2		S	
<i>Astragalus aquilonius</i>		Lemhi milkvetch	G3+	S3		TYPE 2		S	
<i>Astragalus arrectus</i>		Palouse milkvetch	G2G4	S1					
<i>Astragalus asotinensis</i>		Asotin milkvetch	G1+	S1					
<i>Astragalus atratus</i> var. <i>inseptus</i>		mourning milkvetch	G4G5T3+	S3		TYPE 4			
<i>Astragalus bisulcatus</i> var. <i>bisulcatus</i>		two-grooved Milkvetch	G5T5	S2		TYPE 4			
<i>Astragalus bourgovii</i>		Bourgov's milkvetch	G5	S1					
<i>Astragalus conjunctus</i> var. <i>conjunctus</i>		stiff milkvetch	G4 TNR	S3		TYPE 4?			
<i>Astragalus cusickii</i> var. <i>packardiae</i>		Packard's milkvetch	G5T1+	S1	Resolved	TYPE 2			
<i>Astragalus cusickii</i> var. <i>sterilis</i>		Cusick's milkvetch	G5T2	S1		TYPE 3			
<i>Astragalus diversifolius</i>	<i>Astragalus diversifolius</i> var. <i>diversifolius</i>	mesic milkvetch	G2	S1		TYPE 3		S	
<i>Astragalus gilviflorus</i>		threeleaf milkvetch	G5	S2		TYPE 4			
<i>Astragalus jejunos</i> var. <i>jejunus</i>	<i>Astragalus jejunus</i>	starveling milkvetch	G3T3	S2		TYPE 2		S	
<i>Astragalus leptaleus</i>		park milkvetch	G4	S3		TYPE 4			
<i>Astragalus microcystis</i>		least bladdery milkvetch	G5	SH		TYPE 4	S		

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Astragalus molybdenus</i>	<i>Astragalus shultziorum</i>	molybdenum milkvetch	G3						
<i>Astragalus mulfordiae</i>		Mulford's milkvetch	G2	S2		TYPE 2			
<i>Astragalus newberryi</i> var. <i>castoreus</i>		Newberry's milkvetch	G5T5	S2		TYPE 4			
<i>Astragalus oniciformis</i>		Picabo milkvetch	G3+	S3		TYPE 3			
<i>Astragalus paysonii</i>		Payson's milkvetch	G3	S3		TYPE 3	S	S	
<i>Astragalus purshii</i> var. <i>lagopinus</i>		hare's-foot milkvetch	G5T2T4	S1					
<i>Astragalus purshii</i> var. <i>ophiogenes</i>		Snake River milkvetch	G5T3	S3		TYPE 4			
<i>Astragalus riparius</i>		Piper's milkvetch	G1G2	S1		TYPE 4			
<i>Astragalus tetrapterus</i>		four-wing milkvetch	G4G5	S1		TYPE 4			
<i>Astragalus vexilliflexus</i> var. <i>nubilus</i>		White Clouds milkvetch	G4T2+	S2				S	
<i>Astragalus vexilliflexus</i> var. <i>vexilliflexus</i>		bent-flower milkvetch	G4T4	S1					
<i>Astragalus yoder-williamsii</i>		mud-flat milkvetch	G3	S3		TYPE 3			
<i>Bacopa rotundifolia</i>		roundleaf water-hyssop	G5	S1					
<i>Betula pumila</i>		swamp birch	G5	S2			S		
<i>Blechnum spicant</i>		deer fern	G5	S3		TYPE 4	S		
<i>Blepharidachne kingii</i>		king eyelash grass	G4	S1		TYPE 3			
<i>Boechera hastatula</i>	<i>Arabis hastatula</i>	Hell's Canyon rockcress	G2						S
<i>Botrychium ascendens</i>		upward-lobed moonwort	G3	S1			S		S
<i>Botrychium crenulatum</i>		crenulate moonwort	G3	S1			S	S	S
<i>Botrychium lanceolatum</i> var. <i>lanceolatum</i>		lanceleaf moonwort	G5T4	S3			S		
<i>Botrychium lineare</i>		narrowleaf grapefern	G2?	SH			S	S	S
<i>Botrychium lunaria</i>	<i>Botrychium neolunaria</i>	common moonwort	G5	S1					S
<i>Botrychium michiganense</i>		Michigan moonwort	G?	S1					
<i>Botrychium minganense</i>		Mingan moonwort	G4G5	S3			S		
<i>Botrychium montanum</i>		mountain moonwort	G3	S2			S		S
<i>Botrychium paradoxum</i>		peculiar moonwort	G3G4	S1			S		S
<i>Botrychium pedunculatum</i>		stalked moonwort	G2G3	S1			S		S
<i>Botrychium pinnatum</i>		northern moonwort	G4?	S2			S		
<i>Botrychium simplex</i>		Least Grapefern	G5	S2			S	S	
<i>Botrychium tunux</i>		tunux moonwort	G3?	S1					
<i>Bouteloua gracilis</i>		blue grama	G5	S2		TYPE 3			
<i>Bromus sitchensis</i> var. <i>aleutensis</i>	<i>Bromus aleutensis</i>	Alaska brome	G5T4?	S1					
<i>Bryoria tortuosa</i>		tortured horsehair lichen	G5	S2					
<i>Bryum calobryoides</i>		beautiful bryum	G3	SH				S	
<i>Buxbaumia aphylla</i>		bug-on-a-stick	G4G5	S1			S		
<i>Buxbaumia viridis</i>		moss	G4G5	S3			S		
<i>Calamagrostis tweedyi</i>		Cascade reedgrass	G3	S2		TYPE 2		S	
<i>Calandrinia ciliata</i>		red maids	G4	S3		TYPE 4			
<i>Calicium corynellum</i>		spike lichen	GNR+	SNR					
<i>Callitriche marginata</i>		winged water-starwort	G4	S1					
<i>Callitriche trochlearis</i>		waste-water water-starwort	G3?	SNR					
<i>Calochortus macrocarpus</i> var. <i>maculosus</i>		green-band mariposa lily	G5T2	S2		TYPE 2			S
<i>Calochortus nitidus</i>		broad-fruit mariposa lily	G3	S3		TYPE 2	S		
<i>Calystegia sepium</i> ssp. <i>angulata</i>		wild morning-glory	G5T5	S2		TYPE 3			
<i>Camassia cusickii</i>		Cusick's camassia	G4	S2		TYPE 4		S	
<i>Camissonia boothii</i> ssp. <i>boothii</i>		Booth's evening-primrose	G5T4	S2					
<i>Camissonia pterosperma</i>	<i>Chylismiella pterosperma</i> , <i>Oenothera pterosperma</i>	pygmy suncup	G4	S2		TYPE 4			
<i>Cardamine constancei</i>		Constance's bittercress	G3+	S3		TYPE 2	S		

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Carex aboriginum</i>		Indian Valley sedge	G1+	S1		TYPE 2			
<i>Carex abrupta</i>		abrupt sedge	G5	S1					
<i>Carex bipartita</i>	<i>Carex lachenalii</i>	Arctic hare's-foot sedge	G5	S1					
<i>Carex californica</i>		California sedge	G5	S3					
<i>Carex chordorrhiza</i>		creeping sedge	G5	S2			S		
<i>Carex comosa</i>		bristly sedge	G5	S1		TYPE 3	S		
<i>Carex crawei</i>		Crawe's sedge	G5	S1					
<i>Carex ebenea</i>		ebony Sedge	G5						
<i>Carex engelmannii</i>	<i>Carex breweri</i> var. <i>paddoensis</i>	Engelmann's sedge	G4G5	S2					
<i>Carex flava</i>		yellow sedge	G5	S3			S		
<i>Carex fuliginosa</i>	<i>Carex misandra</i>	shortleaf sedge	G5						
<i>Carex idahoa</i>		Idaho sedge	G2G3	S2		TYPE 2			S
<i>Carex incurviformis</i>		seaside sedge	G4G5	S1				S	
<i>Carex lacustris</i>		lake-bank sedge	G5	S1					
<i>Carex leptalea</i>		bristly-stalked sedge	G5	S3			S		
<i>Carex livida</i>		livid sedge	G5	S2		TYPE 4	S		
<i>Carex magellanica</i> ssp. <i>irrigua</i>	<i>Carex paupercula</i>	boreal bog Sedge	G5T5	S2			S		
<i>Carex occidentalis</i>		western sedge	G4	SH		TYPE 3			
<i>Carex pallescens</i>		pale sedge	G5	S1					
<i>Carex rostrata</i>		beaked sedge	G5	S2					
<i>Carex straminiformis</i>		Mt. Shasta sedge	G5	S2					
<i>Carex sychnocephala</i>		many-headed sedge	G4	S1			S		
<i>Carex tumulicola</i>		foothill sedge	G4	SH		TYPE 4			
<i>Cassiope mertensiana</i> ssp. <i>mertensiana</i>		western bell-heather	G5T5	S2					
<i>Castilleja christii</i>		Christ's Indian-paintbrush	G1+	S1	Resolved			S	
<i>Castilleja peckiana</i>		Peck's Indian-paintbrush	G3G4						
<i>Castilleja pulchella</i>		showy Indian-paintbrush	G3G4	S2					
<i>Catapyrenium congestum</i>	<i>Heteroplacidum congestum</i>	earth lichen	G4	S2		TYPE 4			
<i>Ceanothus prostratus</i>		mahala-mat ceanothus	G5?	S1		TYPE 3			
<i>Cephalanthera austiniiae</i>	<i>Eburophyton austiniiae</i>	phantom orchid	G4	S3					
<i>Cercocarpus montanus</i>		Colorado birchleaf mountain-mahogany	G5	S2		TYPE 4			
<i>Chaenactis cusickii</i>		Cusick's pincushion	G3	S2		TYPE 2			
<i>Chaenactis stevioides</i>		broad-flower pincushion	G5	S2		TYPE 4			
<i>Chrysosplenium tetrandrum</i>	<i>Chrysosplenium alternifolium</i> ssp. <i>Tetrandrum</i>	northern golden-carpet	G5	S1					
<i>Cicuta bulbifera</i>		bulb-bearing water-hemlock	G5	S2		TYPE 4	S		
<i>Cirsium brevifolium</i>	<i>Cirsium palousense</i>	palouse thistle	G3	S2		TYPE 2			
<i>Cladonia andereggii</i>		Anderegg's cladonia	G1+	S1			S		
<i>Cladonia bellidiflora</i>		toy soldiers lichen	G5	S1					
<i>Cladonia luteoalba</i>		lemon pixie lichen	G2G3	S1					
<i>Cladonia transcendens</i>		graduated lichen	G5	S3					
<i>Cladonia uncialis</i>		thorn cladonia	G4G5	S1					
<i>Claytonia multiscapa</i>	<i>Claytonia lanceolata</i> var. <i>flava</i>	lanceleaf springbeauty	G4?	S1		TYPE 4			
<i>Cleomella hillmanii</i> var. <i>goodrichii</i>	<i>Cleomella hillmanii</i>	Hillman's rhombo-pod	G4G5	SNR					
<i>Cleomella plocasperma</i>		alkali rhombo-pod	G4	S1		TYPE 3			
<i>Collema curtisporum</i>		jelly lichen	G3	S2		TYPE 3			
<i>Collomia debilis</i> var. <i>camporum</i>		flexible alpine collomia	G5T2	S2				S	
<i>Cornus nuttallii</i>		Pacific dogwood	G5	S1			S		
<i>Corydalis caseana</i> var. <i>hastata</i>		Case's corydalis	G5T3+	S3		TYPE 3			
<i>Crepis bakeri</i> ssp. <i>idahensis</i>		Idaho hawksbeard	G4T2	S2		TYPE 2			

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Cryptantha caespitosa</i>		caespitose cat's-eye	G4	S1		TYPE 4			
<i>Cryptantha celosioides</i>		cocks-comb cat's-eye	G5	S3					
<i>Cryptantha propria</i>		Malheur cryptantha	G4	S2		TYPE 4			
<i>Cryptantha sericea</i>	<i>Oreocarya sericea</i> <i>Oreocarya sericea</i>	silky cat's-eye	G4	SNR		TYPE 4			
<i>Cryptantha simulans</i>		pinewoods cat's-eye	G4						S
<i>Cuscuta denticulata</i>		desert dodder	G4G5	S1		TYPE 3			
<i>Cymopterus acaulis</i> var. <i>greeleyorum</i>	<i>Cymopterus glomeratus</i>	Greeley's wavewing	G5T2	S2		TYPE 3			
<i>Cymopterus davisii</i>		Davis' wavewing	G3+	S3				S	
<i>Cymopterus douglassii</i>		Douglass' wavewing	G3+	S3				S	
<i>Cymopterus ibapensis</i>		Ibapah spring-parsley	G4	S2		TYPE 4			
<i>Cyperus bipartitus</i>	<i>Cyperus rivularis</i>	shining flatsedge	G5	S2		TYPE 4			
<i>Cyperus odoratus</i>		rusty flatsedge	G5	S1					
<i>Cypripedium fasciculatum</i>		clustered lady's-slipper	G4	S3		TYPE 3	S		S
<i>Cypripedium parviflorum</i> var. <i>pubescens</i>		large yellow lady's-slipper	G5T5	S1			S		
<i>Damasonium californicum</i>	<i>Machaerocarpus californicus</i>	fringed water-plantain	G4	S2		TYPE 4			
<i>Dasynotus daubenmirei</i>		Daubenmire's dasynotus	G3+	S3			S		
<i>Delphinium glaucescens</i>		Electric Peak larkspur	G3?	SNR					
<i>Dendroalsia abietina</i>		plume moss	G4	SNR					
<i>Dermatocarpon lorenzianum</i>		silverskin lichen	G2	S1		TYPE 3			
<i>Dimeresia howellii</i>		doublet	G4?	S2		TYPE 3			
<i>Diphasiastrum sitchense</i>	<i>Lycopodium sitchense</i>	Alaskan clubmoss	G5	S2					
<i>Dodecatheon dentatum</i>	<i>Primula latiloba</i>	white shootingstar	G4	S3					
<i>Douglasia conservatorum</i>		Bloom Peak douglasia	G1+	S1					
<i>Douglasia idahoensis</i>	<i>Androsace idahoensis</i>	Idaho douglasia	G3+	S3			S	S	
<i>Downingia bacigalupii</i>		Bacigalup's downingia	G4	S2		TYPE 4			
<i>Downingia insignis</i>		parti-color downingia	G4	S1		TYPE 3			
<i>Draba fladnizensis</i>		white Arctic whitlow-grass	G4	S1					
<i>Draba globosa</i>	<i>Draba apiculata</i>	rockcress draba	G3	S2		TYPE 4		S	
<i>Draba hitchcockii</i>		Lost River whitlow-grass	G3+	S3					
<i>Draba incerta</i>		Yellowstone whitlow-grass	G5	S2					
<i>Draba oreibata</i> var. <i>oreibata</i>		subalpine whitlow-grass	G4T4	SNR					
<i>Draba trichocarpa</i>		Stanley Creek whitlow-grass	G2+	S2				S	
<i>Drosera intermedia</i>		spoonleaf sundew	G5	S1			S		
<i>Dryopteris cristata</i>		crested shieldfern	G5	S2S3			S		
<i>Eatonella nivea</i>		white eatonella	G4G5	S3		TYPE 4			
<i>Eleocharis elliptica</i>	<i>Eleocharis tenuis</i>	slender spikerush	G5	S1					
<i>Epilobium canum</i> var. <i>garrettii</i>	<i>Zauschneria garrettii</i>	hummingbird-trumpet	G5T4	S1					
<i>Epilobium palustre</i>		marsh willowherb	G5	S3		TYPE 4	S		
<i>Epipactis gigantea</i>		giant helleborine	G4	S3		TYPE 3	S		
<i>Ericameria bloomeri</i>	<i>Haplopappus bloomeri</i>	Bloomer's goldenweed	G4	S1		TYPE 4			
<i>Ericameria discoidea</i> var. <i>winwardii</i>	<i>Ericameria winwardii</i>	Winward's whitestem goldenbush	G4G5T1	S1		TYPE 3			
<i>Ericameria nauseosa</i> var. <i>nana</i>	<i>Chrysothamnus nauseosus</i> ssp. <i>nanus</i>	dwarf gray rabbitbrush	G5T4	S3					
<i>Ericameria parryi</i> var. <i>montana</i>	<i>Chrysothamnus parryi</i> ssp. <i>montanus</i>	Parry's rabbitbrush	G5T2	S1				S	
<i>Erigeron humilis</i>	<i>Erigeron unalaschkensis</i> , <i>E. uniflorus</i> var. <i>unalaschkensis</i>	low fleabane	G5	S2					
<i>Erigeron salmonensis</i>		Salmon River fleabane	G3+	S3					
<i>Eriogonum capistratum</i> var. <i>welshii</i>		Welsh's buckwheat	G4T2Q+	S2		TYPE 2		S	
<i>Eriogonum crosbyae</i> var. <i>mystrium</i>	<i>Eriogonum prociduum</i> var. <i>mystrium</i>	Pueblo Mountains buckwheat	G3TNR	S1		TYPE 3			
<i>Eriogonum hookeri</i>		Hooker's buckwheat	G5	S1		TYPE 2			

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Eriogonum meledonum</i>	<i>Eriogonum crosbyae</i>	guardian buckwheat	G2+	S2				S	
<i>Eriogonum novonudum</i>		false naked buckwheat	G4	S1		TYPE 3			
<i>Eriogonum ochrocephalum</i> var. <i>calcareum</i>	<i>Eriogonum calcareum</i> var. <i>calcareum</i>	ocher-flower buckwheat	G5T3	S2		TYPE 3			
<i>Eriogonum ovalifolium</i> var. <i>focarium</i>		Craters-of-the- Moon wild buckwheat	G5 T3+	S3		TYPE 3			
<i>Eriogonum palmerianum</i>		Palmer's buckwheat	G4	S1					
<i>Eriogonum scopulorum</i>		cliff buckwheat	G3						
<i>Eriogonum shockleyi</i> var. <i>packardiae</i>	<i>Eriogonum shockleyi</i>	cowpie buckwheat	G5T2Q+	S2		TYPE 4			
<i>Eriogonum shockleyi</i> var. <i>shockleyi</i>	<i>Eriogonum shockleyi</i>	Shockley buckwheat	G5T4?	S2		TYPE 4			
<i>Eriogonum soliceps</i>		Railroad Canyon wild buckwheat	G2	S1		TYPE 3			
<i>Eriophorum angustifolium</i> ssp. <i>angustifolium</i>	<i>Eriophorum polystachyon</i>	tall cotton-grass	G5	SNR					
<i>Eriophorum viridicarinatum</i>		green keeled cotton-grass	G5	S2			S		
<i>Eryngium alismifolium</i>		inland coyote-thistle	G4	S2					
<i>Eryngium articulatum</i>		jointed coyote-thistle	G5	SNR		TYPE 4			
<i>Escobaria vivipara</i>	<i>Coryphantha vivipara</i>	spiny star	G5	S2					
<i>Eupatorium maculatum</i> var. <i>bruneri</i>	<i>Eutrochium maculatum</i> var. <i>bruneri</i>	spotted joe-pyeweed	G5T4T5Q	S1					
<i>Euthamia graminifolia</i>	<i>Solidago graminifolia</i>	flat-top fragrant goldenrod	G5	S1					
<i>Gaultheria hispidula</i>		creeping snowberry	G5	S2			S		
<i>Gentianella propinqua</i>		four-part gentian	G5	S2					
<i>Gentianella tenella</i>		Dane's gentian	G4G5	S2					
<i>Geum rossii</i> var. <i>rossii</i>		Ross' avens	G5T5	SNR					
<i>Githopsis specularioides</i>		common blue-cup	G5	S1					
<i>Glyptopleura marginata</i>		white-margined wax plant	G4G5	S3		TYPE 4			
<i>Grimmia brittoniae</i>		Britton's dry rock moss	G2	S1			S		
<i>Grindelia howellii</i>		Howell's gumweed	G3	S1			S		
<i>Hackelia cronquistii</i>		Cronquist's stickseed	G3	S1		TYPE 3			
<i>Hackelia davisii</i>		Davis' stickseed	G3+	S3					
<i>Hackelia ophiobia</i>		Three Forks stickseed	G3	S2		TYPE 3			
<i>Hackelia sp. nova</i>		Sleeping Deer Mountain stickseed							
<i>Helodium blandowii</i>		Blandow's bog moss	G5	S2					
<i>Heteranthera dubia</i>		grassleaf mud-plantain	G5	S1					
<i>Heterotheca barbata</i>		Spokane false golden-aster	G1?	SH					
<i>Hierochloa odorata</i>		vanilla grass	G4G5	S1		TYPE 2			
<i>Hookeria lucens</i>		clear moss	G5	S1			S		
<i>Howellia aquatilis</i>		water howellia	G3	S1	Threatened	TYPE 1			
<i>Hymenoxys cooperi</i>	<i>Hymenoxys cooperi</i> var. <i>canescens</i>	Cooper's bitterweed	G4G5	S1		TYPE 4			
<i>Hypericum majus</i>		larger Canadian St. John's-wort	G5	S3		TYPE 4	S		
<i>Hypogymnia inactiva</i>		mottled tube lichen	G4?	S3					
<i>Ipomopsis congesta</i> ssp. <i>crebrifolia</i>		compact gilia	G5T3T4	SNR					
<i>Ipomopsis polycladon</i>		lavender dwarf standing-cypress	G4	S2		TYPE 3			
<i>Iris versicolor</i>		blueflag	G5	S2			S		
<i>Ivesia tweedyi</i>		Tweedy's ivesia	G4	S2					
<i>Juncus bolanderi</i>	<i>Juncus brachycarpus</i> (Idaho collections)	Bolander's rush	G5	SNR					
<i>Juncus brevicaudatus</i>	<i>Juncus tweedyi</i>	narrow-panicle rush	G5	SNR		TYPE 4			
<i>Juncus bryoides</i>		moss rush	G4	S1					
<i>Juncus hallii</i>		Hall's rush	G4G5	S2					
<i>Juncus hemiendytus</i> var. <i>abjectus</i>		dwarf rush	G5T4	S2					
<i>Juncus phaeocephalus</i>		brown-head rush	G3G4	SNR					
<i>Juncus tiehmii</i>		Tiehm's rush	G4	S2					
<i>Juncus vaseyi</i>		Vasey's rush	G5?	SNR					

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Kobresia myosuroides</i>	<i>Kobresia bellardii</i>	Pacific kobresia	G5	S1					S
<i>Kobresia simpliciuscula</i>		simple kobresia	G5	S1		TYPE 2			S
<i>Lathyrus polyphyllus</i>		many-leaf peavine	G5						
<i>Lepidium davisii</i>		Davis' peppergrass	G3	S3		TYPE 3			
<i>Lepidium integrifolium</i>	<i>Lepidium integrifolium</i> var. <i>integrifolium</i>	entire thistleleaf pepperwort	G2G3	S1		TYPE 4			
<i>Lepidium papilliferum</i>		slick-spot pepper-grass	G2+	S2	Proposed	TYPE 2		T	
<i>Lepidium paysonii</i>		Payson's pepperwort	G3?	S1					
<i>Leptodactylon glabrum</i>	<i>Linanthus glabrum</i>	Owyhee prickly-phlox	G2	S2		TYPE 3			
<i>Lesquerella paysonii</i>	<i>Physaria paysonii</i> , <i>P. carinata</i> ssp. <i>paysonii</i>	Payson's bladderpod	G3	S2				S	
<i>Lesquerella prostrata</i>	<i>Physaria prostrata</i>	Prostrate bladderpod	G2G3	S2					
<i>Lewisia sacajaweaana</i>		Sacajawea's bitter-root	G2+	S2		TYPE 4		S	
<i>Lilaea scilloides</i>	<i>Triglochin scilloides</i>	flowering quillwort	G5?	S3		TYPE ?			
<i>Limosella acaulis</i>		southern mudwort	G5	S2					
<i>Linanthus pungens</i> ssp. <i>hazeliae</i>	<i>Leptodactylon pungens</i> ssp. <i>hazeliae</i> , <i>L. pungens</i>	granite prickly-phlox	G5	S5		TYPE 4		S	
<i>Lobaria linita</i>		cabbage lung lichen	G4G5	S1					
<i>Lobaria scrobiculata</i>		textured lung lichen	G4	S1					
<i>Loeflingia squarrosa</i>		spreading loeflingia	G5	SH					
<i>Lomatium brunsfeldianum</i>		Brunsfeld's desert-parsley	G1+	S1					
<i>Lomatium idahoense</i>		Idaho desert-parsley	G4	SNR					
<i>Lomatium packardiae</i>		Packard's desert-parsley	G2	S2		TYPE 2			
<i>Lomatium ravenii</i>		Raven's lomatium	G4						
<i>Lomatium salmoniflorum</i>		salmon-flower desert-parsley	G3	S3		TYPE 2	S		
<i>Lomatogonium rotatum</i>		marsh felwort	G5	S1		TYPE 3			
<i>Ludwigia polycarpa</i>		many-fruit false loosestrife	G4	S1					
<i>Lupinus uncialis</i>		inch-high lupine	G4	S2		TYPE 4			
<i>Lycopodiella inundata</i>		bog clubmoss	G5	S2			S		
<i>Lycopodium dendroideum</i>		treelike clubmoss	G5	S2			S		
<i>Maianthemum dilatatum</i>		false lily-of-the-valley	G5	S1					
<i>Meesia longiseta</i>		long-stalked thread moss	G4?	S1			S		
<i>Meesia triquetra</i>		three-ranked thread moss	G5	S1					
<i>Megalodonta beckii</i>	<i>Bidens beckii</i>	Beck's water-marigold	G4G5	S1					
<i>Melica stricta</i>		rock melic; nodding melicgrass	G4	S1		TYPE 4			
<i>Mentzelia congesta</i>		ventana stickleaf	G5	S1		TYPE 4			
<i>Mentzelia mollis</i>		smooth stickleaf	G2	S2		TYPE 2			
<i>Mertensia bella</i>		Oregon bluebells	G4	S3					
<i>Mimulus alsinoides</i>		chickweed monkeyflower	G5	S1			S		
<i>Mimulus ampliatus</i>	<i>Mimulus washingtonensis</i> , <i>Erythranthe ampliata</i>	spacious monkeyflower	G1	S1			S		
<i>Mimulus clivicola</i>		hill monkeyflower	G4	S3		TYPE 4		S	
<i>Mimulus evanescens</i>		disappearing monkeyflower	G3	SH		TYPE 4			
<i>Mimulus hymenophyllus</i>		membrane-leaf monkeyflower	G2	S1		TYPE 4	S		
<i>Mimulus ringens</i>		square-stem monkeyflower	G5	S1					
<i>Mimulus washingtonensis</i>	<i>Mimulus patulus</i>	Washington monkeyflower	G4	SNR		TYPE 2			
<i>Minuartia stricta</i> (undetermined variety)		rock sandwort	G5	SNR					
<i>Mirabilis linearis</i>		narrow-leaved umbrella-wort	G5	SNR					
<i>Mirabilis macfarlanei</i>		Macfarlane's four-o'clock	G2	S2	Threatened	TYPE 1			T
<i>Mitella nuda</i>		naked bishop's-cap	G5	SNR					
<i>Monardella angustifolia</i>		Leslie Gulch morandella	G2?	S1		TYPE 2			
<i>Muhlenbergia glomerata</i>		marsh muhly	G5	S2					

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Muhlenbergia racemosa</i>		green muhly	G5	S2		TYPE 4			
<i>Musineon lineare</i>		Rydberg's musineon	G2	S1					
<i>Nassella viridula</i>	<i>Stipa viridula</i>	green needlegrass	G5	S2		TYPE 4			
<i>Nemacladus rigidus</i>		rigid threadplant	G4	S2		TYPE 4			
<i>Nymphaea leibergii</i>		dwarf water-lily	G5	SH					
<i>Oenothera psammophila</i>		St. Anthony's evening-primrose	G3+	S3		TYPE 2			
<i>Orobanche pinorum</i>		pine broomrape	G4	S2		TYPE 3			
<i>Orogenia fusiformis</i>		California Indian-potato	G5	S1					
<i>Orthotrichum consimile</i>		orthotrichum moss	G4	SNR					
<i>Orthotrichum hallii</i>		Hall's orthotrichum moss	G4	S1		TYPE 3			
<i>Orthotrichum holzingeri</i>		Holzinger's orthotrichum moss	G3	S1					
<i>Orthotrichum striatum</i>		orthotrichum moss	G4G5	SNR					
<i>Oxalis trilliifolia</i>		trillium-leaf woodsorrel	G5	S1					
<i>Oxytropis besseyi</i> var. <i>salmonensis</i>		Challis crazyweed	G5T3+	S3		TYPE 4		S	
<i>Pannaria saubinetii</i>	<i>Vahleilla saubinetii</i> , <i>Fuscopannaria saubinetii</i>	pink-eyed shingle lichen	G4G5	SNR					
<i>Papaver radicum</i> ssp. <i>kluanense</i>		alpine poppy	G5T4	SX					
<i>Parnassia kotzebuei</i> var. <i>kotzebuei</i>	<i>Parnassia kotzebuei</i>	Kotzebue's grass-of-Parnassus	G5	S2					
<i>Paronychia sessiliflora</i>		low nailwort	G5	S1		TYPE 4			
<i>Pediocactus nigrispinus</i>		snowball cactus	G4	S3		TYPE 4			
<i>Pediocactus simpsonii</i>	<i>Escobaria vivipara</i> (Idaho collections, mis-identification)	Simpson's hedgehog cactus	G4	S3		TYPE 4			
<i>Peltigera pacifica</i>		Pacific felt lichen	G3G4	SNR					
<i>Penstemon compactus</i>		Bear River Range beardtongue	G2	S2				S	
<i>Penstemon idahoensis</i>		Idaho penstemon	G2	S2		TYPE 3		S	
<i>Penstemon janishiae</i>		Antelope Valley beardtongue	G4	S2		TYPE 3			
<i>Penstemon laxus</i>		loose beardtongue	G2+	S2					
<i>Penstemon lemhiensis</i>		Lemhi beardtongue	G3	S3		TYPE 3		S	
<i>Penstemon seorsus</i>		short-lobe beardtongue	G4?	S2		TYPE 4			
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	<i>Pityrogramma triangularis</i>	goldenback fern	G5T5	S1		TYPE 3	S		
<i>Peraphyllum ramosissimum</i>		squaw-apple	G4	S2		TYPE 3			
<i>Petasites frigidus</i> var. <i>palmatus</i>		sweet colt's-foot	G5T5	S1			S		
<i>Petasites sagittatus</i>	<i>Petasites frigidus</i> var. <i>sagittatus</i>	arrowleaf sweet colt's-foot	G5	S3					
<i>Peteria thompsoniae</i>		Thompson's peteria	G4	S2		TYPE 4			
<i>Phacelia idahoensis</i>		Idaho phacelia	G4	S3					
<i>Phacelia inconspicua</i>		inconspicuous scorpionweed	G2	S1		TYPE 2			
<i>Phacelia lutea</i> var. <i>calva</i>		yellow scorpionweed	G4T3	S3		TYPE 3			
<i>Phacelia lyallii</i>		Lyall's phacelia	G3	S2					
<i>Phacelia minutissima</i>		tiny-flower phacelia	G3	S2		TYPE 2		S	S
<i>Phegopteris connectilis</i>	<i>Thelypteris phegopteris</i>	northern beechfern	G5	S2			S		
<i>Phlox idahonis</i>		Clearwater phlox	G1+	S1					
<i>Physaria didymocarpa</i> var. <i>lyrata</i>		Salmon twin bladderpod	G5T1+	S1		TYPE 3		S	
<i>Physaria integrifolia</i>	<i>Physaria integrifolia</i> var. <i>monticola</i> , <i>P. didymocarpa</i> var. <i>integrifolia</i>	Snake River twinpod	G3G4	S2					
<i>Physaria obdeltata</i>	<i>Lesquerella obdeltata</i>	Middle Butte bladderpod	G2+	S2		TYPE 4			
<i>Picea glauca</i>		white spruce	G5	S1		TYPE 4			
<i>Pilophorus acicularis</i>		nail lichen; devil's matchstick	G4	S2					
<i>Pilophorus clavatus</i>		nail lichen; tapered matchstick	G4?	S1					
<i>Pinus albicaulis</i>		whitebark pine	G3G4	S3	Candidate	TYPE 2		S	S
<i>Piptatherum micranthum</i>	<i>Oryzopsis micrantha</i>	little mountain-ricegrass	G5	S1		TYPE 3			
<i>Plantago eriopoda</i>		saline plantain	G5	S1S2					

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Plantago tweedyi</i>		Tweedy's plantain	G4G5	S2					
<i>Platanthera obtusata</i>		small northern bog orchid	G5	S1					S
<i>Platismatia herrei</i>		lichen	G3G5	S2					
<i>Poa abbreviata ssp. marshii</i>		Marsh's bluegrass	G5T2	S1				S	
<i>Poa paucispicula</i>	<i>Poa leptocoma ssp. Paucispicula</i>	Alaska bluegrass	G5T5	SNR					
<i>Pogogyne floribunda</i>		profuse-flowered pogogyne	G4	S1					
<i>Polemonium elusum</i>		elusive Jacob's-ladder	G1+	S1		TYPE 3			
<i>Polypodium glycyrrhiza</i>		licorice fern	G5	S1			S		
<i>Polystichum braunii</i>		Braun's holly fern	G5	S1			S		
<i>Polystichum kruckebergii</i>		Kruckeberg's swordfern	G4	S2					
<i>Porella navicularis</i>		liverwort	G5	SNR					
<i>Potamogeton diversifolius</i>		water-thread pondweed	G5	S1		TYPE 4			S
<i>Potentilla bipinnatifida</i>		tansy cinquefoil	G5?	S1					
<i>Potentilla paradoxa</i>		bushy cinquefoil	G5	S1					
<i>Potentilla plattensis</i>		Platte River cinquefoil	G4	S1		TYPE 3			
<i>Prenanthes exigua</i>		desert prenanthes	G5?	S1					
<i>Primula alcalina</i>		alkali primrose	G2	S2		TYPE 2		S	
<i>Primula incana</i>		Jones primrose	G4G5	S1					
<i>Psathyrotes annua</i>		mealy brittle-stem	G5	S2		TYPE 3			
<i>Pseudocyphellaria anomala</i>		pseudocyphellaria lichen; netted specklebelly	G2G4	S2					
<i>Psilocarphus tenellus</i>		slender woolly-heads	G4	S2					
<i>Pteryxia hendersonii</i>	<i>Cymopterus hendersonii</i>	Henderson's wavewing	G5	S2					
<i>Pyrrocoma hirta var. sonchifolia</i>	<i>Haplopappus hirtus var. sonchifolius</i>	sticky goldenweed	G4G5T3	S2			S		
<i>Pyrrocoma insecticurus</i>	<i>Haplopappus insecticurus</i>	Camas goldenweed	G3+	S3		TYPE 3		S	
<i>Pyrrocoma integrifolia</i>	<i>Haplopappus integrifolius ssp. integrifolius</i>	entireleaf goldenweed	G3G4	S2					
<i>Pyrrocoma liatrifolius</i>		smallhead goldenweed	G2	S1		TYPE 2			
<i>Pyrrocoma linearis</i>	<i>Haplopappus uniflorus var. howellii</i>	one-flower goldenweed	G4?	S3		TYPE 3			
<i>Pyrrocoma racemosa var. paniculata</i>	<i>Haplopappus racemosus var. glomerellus</i>	clustered goldenweed	G5T4	S1					
<i>Pyrrocoma radiata</i>	<i>Haplopappus radiatus</i>	Snake River goldenweed	G3	S3		TYPE 3		S	
<i>Pyrrocoma scaberula</i>	<i>Haplopappus integrifolius ssp. scaberulus</i>	Palouse goldenweed	GNR	S2					S
<i>Racomitrium varium</i>		racomitrium moss	GU	SNR					
<i>Ramalina pollinaria</i>		powdery twig lichen	G4	S2					
<i>Ramalina subleptocarpha</i>		cartilage lichen; silt-rimmed ramalina	G3G5	SNR					
<i>Ranunculus gelidus</i>	<i>Ranunculus karelinii, Ranunculus grayi</i>	ice cold buttercup	G4G5	S1					
<i>Ranunculus pygmaeus</i>		dwarf buttercup	G5	S1					
<i>Rhizomnium nudum</i>		naked rhizomnium moss	G4	S1			S		
<i>Rhizoplaca idahoensis</i>		white grouse pellets lichen	G2+	S2		TYPE 3			
<i>Rhizoplaca melanophthalma ssp. cerebriformis</i>		green rock-posy Lichen	G3G5						
<i>Rhizoplaca melanophthalma ssp. crista</i>		green rock-posy Lichen	G3G5						
<i>Rhynchospora alba</i>		white beakrush	G5	S3			S		
<i>Ribes sanguineum</i>		winter currant	G5	S1					
<i>Ribes wolfii</i>		Wolf's currant	G4	S2					
<i>Romanzoffia sitchensis</i>		Sitka mistmaid	G4	S2					
<i>Rubus bartonianus</i>		Barton's blackberry	G2	S2				S	S
<i>Rubus spectabilis</i>		salmonberry	G5	S2					
<i>Rupertia physodes</i>		California scurf-pea	G4	S1					
<i>Sagittaria rigida</i>		sessile-fruit arrowhead	G5	S1					
<i>Sairocarpus kingii</i>	<i>Antirrhinum kingii</i>	King's snapdragon	G4	S1		TYPE 3			
<i>Salicornia rubra</i>		western glasswort	G5	S2S3		TYPE 4			

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Salix candida</i>		hoary willow	G5	S2		TYPE 4	S		
<i>Salix farriar</i>		Farr's Willow	G4	S1					S
<i>Salix glauca</i>		gray willow	G5	S2					
<i>Salix pedicellaris</i>		bog willow	G5	S2			S		
<i>Salix pseudomonticola</i>		false mountain willow	G4G5	S1		TYPE 3			
<i>Sanicula graveolens</i>		Sierra sanicle	G4G5	S2					
<i>Sanicula marilandica</i>		Maryland black-snakeroot	G5	S3					
<i>Saxifraga adscendens</i>	<i>Saxifraga adscendens</i> var. <i>oregonensis</i>	ascending saxifrage	G5	S2					
<i>Saxifraga bryophora</i> var. <i>tobiasiae</i>	<i>Micranthes bryophora</i> var. <i>tobiasiae</i>	Tobias's saxifrage	G5T2+	S2				S	
<i>Saxifraga cernua</i>		nodding saxifrage	G5	S2					
<i>Scapania apiculata</i>		pointed earwort	G5?	SNR					
<i>Scapania bolanderi</i>		yellow-ladle liverwort	G4	SNR					
<i>Scheuchzeria palustris</i>		pod grass	G5	S3			S		
<i>Schistostega pennata</i>		luminous moss	G3G4	S1					
<i>Schoenoplectus subterminalis</i>	<i>Scirpus subterminalis</i>	water bulrush	G4G5	S3		TYPE 4	S		
<i>Sclerolinon digynum</i>		northwestern yellow-flax	G5	SNR					
<i>Sedum borschii</i>		Borsch's stonecrop	G4?	S2					
<i>Sedum rupicolum</i>		Cascade stonecrop	G4	S2					
<i>Sedum valens</i>		Idaho stonecrop	G1G2+	S1S2		TYPE 3			
<i>Silene hitchguirei</i>	<i>Silene uralensis</i> ssp. <i>Montana</i>	apetalous campion	G4G5TNR	S1					
<i>Silene scaposa</i>	<i>Silene scaposa</i> var. <i>lobata</i>	Blue Mountain catchfly	G4	S3		TYPE 4			
<i>Silene spaldingii</i>		Spalding's catchfly	G2	S1	Threatened	TYPE 1			T
<i>Silene suksdorfii</i>		Suksdorf's campion	G4	S1					
<i>Solanum heterodoxum</i>		melon-leaf nightshade	G4G5	S1					
<i>Solidago spectabilis</i>		Nevada goldenrod	G4	SH		TYPE 4			
<i>Sparganium emersum</i>	<i>Sparganium chlorocarpum</i>	narrowleaf bur-reed	G5	SNR					
<i>Sphaerocarpos hians</i>		liverwort	G1	S1					
<i>Sphaeromeria potentilloides</i>	<i>Vesicarpa potentilloides</i>	false chicken-sage	G5	S1					
<i>Sphaerophorus globosus</i>		globe ball lichen	G4G5	S1					
<i>Sphagnum mendocinum</i>		Mendocino peatmoss	G4	S1			S		
<i>Sphagnum platyphyllum</i>		flatleaf peatmoss	G5	S1					
<i>Spiranthes diluvialis</i>		Ute ladies'-tresses	G2G3	S1	Threatened	TYPE 1			T
<i>Spiranthes porrifolia</i>	<i>Spiranthes romanzoffiana</i> var. <i>porrifolia</i>	western Ladies'-tresses	G4	S1		TYPE 3			
<i>Sporobolus compositus</i> var. <i>compositus</i>	<i>Sporobolus asper</i>	tall dropseed	G5T5	S1		TYPE 3			
<i>Stanleya confertiflora</i>		biennial prince's-plume	G2	S1		TYPE 2			
<i>Stanleya tomentosa</i> var. <i>runcinata</i>	<i>Stanleya runcinata</i>	hairy prince's-plume	G4T1+	S1		TYPE 3			
<i>Streptopus streptopoides</i>		small twisted-stalk	G5	S2			S		
<i>Sullivantia hapemanii</i> var. <i>hapemanii</i>		Purpus' sullivantia	G3T3	S2					
<i>Symphyotrichum boreale</i>	<i>Aster junciformis</i>	boreal aster	G5	S2		TYPE 4	S		
<i>Symphyotrichum jessicae</i>	<i>Aster jessicae</i>	Jessica's aster	G2	S1		TYPE 2			
<i>Synthyris platycarpa</i>		Pennell's kittentail	G3+	S3			S		
<i>Tauschia tenuissima</i>	<i>Lomatium orogenioides</i>	Leiberg's tauschia	G3	S3					
<i>Tayloria serrata</i>		serrate trumpet moss	G4	S1					
<i>Telesonix heucheriformis</i>		false saxifrage	G4	S1					
<i>Tellima grandiflora</i>		large fringe-cup	G5	S3					
<i>Teucrium canadense</i> var. <i>occidentale</i>		American germander	G5T5?	S2		TYPE 4			
<i>Texosporium sancti-jacobi</i>		woven-spored lichen	G3	S2		TYPE 2			
<i>Thalictrum dasycarpum</i>		purple meadowrue	G5	S1		TYPE 3			
<i>Thamnia subuliformis</i>		whiteworm lichen	G3G5	S1					

Idaho's Special Status Vascular and Nonvascular Plants

IDNHP Tracked Species			Conservation Rankings <sup>3</sup>						
Scientific Name <sup>1</sup>	Synonyms	Common Name <sup>2</sup>	G-Rank	S-Rank	USFWS	BLM	USFS_R1	USFS_R4	USFS_R6
<i>Thelypodium flexuosum</i>		perennial thelypody	G5	S1					
<i>Thelypodium laciniatum</i> var. <i>streptanthoides</i>	<i>Thelypodium laciniatum</i>	cutleaf thelypody	G5	S5		TYPE 4			
<i>Thelypodium paniculatum</i>		northwestern thelypody	G2	S1					
<i>Thelypodium repandum</i>		Jaeger's (wavy-leaf) thelypody	G3+	S3		TYPE 3		S	
<i>Thelypteris nevadensis</i>		Sierra Nevada marsh fern	G4	S1		TYPE 3	S		
<i>Townsendia scapigera</i>		tufted Townsend-daisy	G4G5	S1		TYPE 3			
<i>Triantha occidentalis</i> ssp. <i>brevistyla</i>		short-style sticky tofieldia	G5T4	S1			S	S	
<i>Trichophorum alpinum</i>	<i>Scirpus hudsonianus</i>	alpine cotton-grass	G5	S1			S		
<i>Trichophorum pumilum</i>	<i>Scirpus rollandii</i>	Rolland's leafless-bulrush	G5	S1		TYPE 2			
<i>Trichostema oblongum</i>		mountain bluecurls	G5	SH					
<i>Trientalis arctica</i>	<i>Trientalis europaea</i> ssp. <i>arctica</i>	Arctic starflower	G5T5	S3			S		
<i>Trientalis latifolia</i>	<i>Trientalis borealis</i> ssp. <i>latifolia</i>	northern starflower	G5T5	S3					
<i>Trifolium douglasii</i>		Douglas clover	G2	S1		TYPE 2	S		S
<i>Trifolium longipes</i> var. <i>multipedunculatum</i>		many-stalked clover	G5T3T4	S1					
<i>Trifolium owyheense</i>		Owyhee clover	G2	S1		TYPE 2			
<i>Trifolium plumosum</i> var. <i>amplifolium</i>		plumed clover	G4T2	S2		TYPE 3	S		
<i>Tripterocladium leucocladulum</i>		naked rhizomnium moss	G3	S2S3					
<i>Tuckermannopsis sepincola</i>	<i>Cetraria sepincola</i>	chestnut wrinkle lichen	G5	S2					
<i>Ulota curvifolia</i>		curvedleaf ulota moss	G3G5	SU					
<i>Ulota megalospora</i>		largespore ulota moss	G3G5	S1					
<i>Utricularia gibba</i>		humped bladderwort	G5	SNR					
<i>Vaccinium oxycoccos</i>		small cranberry	G5	S3			S		
<i>Vallisneria americana</i>		eel-grass	G5	S1					
<i>Viburnum opulus</i> var. <i>americanum</i>		highbush cranberry	G5T5	SX					
<i>Viola selkirkii</i>		great-spurred violet	G5?	S1					
<i>Viola septentrionalis</i>		northern woodland violet	G5	SNR					
<i>Waldsteinia idahoensis</i>		Idaho strawberry	G3	S3		TYPE 3	S		
<i>Xanthoparmelia camtschadalis</i>		Kamchatka xanthoparmelia lichen	GNR	SNR					
<i>Xanthoparmelia idahoensis</i>		Idaho rock-shield lichen	G1	S1		TYPE 2		S	

<sup>1</sup>NatureServe names

<sup>2</sup>From various sources

<sup>3</sup>See "Codes" tab

More information: <https://idfg.idaho.gov/species/>

Idaho's Special Status Vascular and Nonvascular Plants  
Conservation Rankings Codes

**NatureServe**

**Global (G), Intraspecific (T), and State (S) Ranks:**

- 1 = Critically imperiled
  - 2 = Imperiled
  - 3 = Rare and uncommon; vulnerable
  - 4 = Not rare and apparently secure
  - 5 = Demonstrably widespread, abundant and secure
  - U = Unrankable
  - H = Historical occurrence
  - X = Presumed extinct
  - NR = Not yet ranked
- Rank Qualifiers:**
- ? = Inexact numeric rank
  - Q = Questionable taxonomy

More information: <https://idfg.idaho.gov/species/taxa/ranks>

**U.S. Fish & Wildlife Service (USFWS)**

- Endangered = Species "in danger of extinction throughout all or a significant portion of its range."
- Threatened = Species "likely to become endangered within the foreseeable future throughout all or a significant portion of its range."
- Candidate = Species under consideration for official listing for which there is sufficient information to support listing.
- Proposed = Species proposed for official listing as threatened or endangered.
- Resolved = Species that have been removed from the candidate list.

More information: <http://www.fws.gov/endangered/about/listing-status-codes.html>

**U.S. Bureau of Land Management (BLM)**

- Type 1 = Federally listed Threatened or Endangered Species and Critical Habitat
- Type 2 = Range-wide/Globally Imperiled Species - High Endangerment
- Type 3 = Range-wide or State-wide Imperiled - Moderate Endangerment
- Type 4 = Species of Concern

More information: <http://www.blm.gov/id/st/en/prog/botany0.html>

**U.S. Forest Service (USFS)**

**Region:**

- R1 = Northern Region
- R4 = Intermountain Region
- R6 = Pacific Northwest Region

**Ranks:**

- T = Threatened
- E = Endangered
- S = Sensitive

More information: <http://www.fs.fed.us/biology/tes/>