


FRIM



RESEARCH DATA

NO. 1 NOVEMBER 1992

ISSN 0128-631X



STAND TABLE AND DISTRIBUTION OF SPECIES IN THE 50-HA RESEARCH PLOT AT PASOH FOREST RESERVE

N. MANOKARAN, JAMES V. LA FRANKIE, K. M. KOCHUMMEN,
E. S. QUAH, J. E. KLAHN, P. S. ASHTON & S. P. HUBBELL

STAND TABLE AND DISTRIBUTION OF SPECIES

IN THE FIFTY HECTARE RESEARCH PLOT

AT PASOH FOREST RESERVE

**N. MANOKARAN, JAMES V. LAFRANKIE, K. M. KOCHUMMEN, E. S.
QUAH, J. E. KLAHN, P. S. ASHTON & S. P. HUBBELL**

'RESEARCH DATA' SERIES

FRIM Research Data is a scientific publication of the Forest Research Institute Malaysia (FRIM) that contains data in the raw or semi-analysed form. In publishing these data FRIM's objective is to make available such data to as wide audience as possible. In sharing such data, we hope the fullest use could be made of such data.

In this first issue we publish partially analysed data in the form of distribution maps and stand tables of woody species contained in a 50-ha research plot at Pasoh Forest Reserve, a lowland dipterocarp forest in Peninsular Malaysia. Background to this study is provided in the text of the publication. The original data set is available in FRIM and scientists who have an interest in that data set are welcome to obtain copies of that data at a nominal price.

In the use of data from the FRIM Research Data series, due acknowledgement is expected to be given to both the author of the data and the FRIM Research Data series. A standard version of the acknowledgement is provided at the end of the text of this publication.

FRIM encourages sharing of data among scientists for the advancement of science. It is hoped that the FRIM Research Data series will pave the way for such cooperation among scientists locally as well as beyond borders of this publication. We welcome scientists and researchers to work in collaboration with us on the use of these data and would appreciate potential users to communicate with us to determine FRIM's own area of research so as to avoid possible duplication of effort. We would also appreciate users of these data to inform us of their interest to send us copies of publications arising from use of this data.

FRIM hopes to publish various data sets from time to time in order to help expand knowledge and science in forestry and related areas.

Dr. Salleh Mohd. Nor
Director General
Forest Research Institute Malaysia

CONTENTS	Page
Foreword	i
Background	iii
References	vi
Acknowledgements	ix
Contour Zap of Plot	
The Data: some Explanations	xi
Acronychia porteri to Hypobathrium venulosum	1 - 222
Stand Tables and Distribution Maps	
Iguanura wallichiana to Xylophia malayana	223 - 408
Index to the species	409
List of species	432

FOREWORD

In 1985, the Forest Research Institute Malaysia (FRIM), in collaboration with the National Science Foundation (NSF) and the Smithsonian Tropical Research Institute (STRI), both of the U.S.A., started a tree population study in Pasoh Forest Reserve in Negeri Sembilan. A 50-ha plot was established, and all woody plants of 1 cm diameter and greater measured, position mapped and the plants tagged and identified. In 1990, all the woody plants were remeasured, recruitment into the minimum diameter class recorded and mortality of previously enumerated plants also noted.

A total of 335,240 juvenile and mature trees were recorded in the plot in the initial census. These were from 814 species. This number is almost a third of the total for the whole of Peninsular Malaysia. More woody species occur in the plot than on all of North America north of Mexico. This species richness is a unique feature of the lowland mixed dipterocarp forests of the Far East which are structurally the most complex and floristically the most diverse terrestrial ecosystems in the world.

The study plot in Pasoh is only the second of its kind anywhere. A similar plot established in 1980 on Barro Colorado Island in Panama contains a much smaller number of tree species and individuals. The purpose of these large-plot studies is to investigate quantitative and long-term population dynamics of trees. In particular, the studies would provide information on requirements for successful recruitment and maximum sustained growth and productivity of timber and other goods. Long-term, large-scale tropical forest studies such as these offer the best hope of acquiring the basic and applied information needed for the conservation and management of these forests. They will also act as controls for silvicultural experiments, and sensitive monitors of the impact of global climatic and atmospheric changes on the forest resource.

The global loss of biological diversity resulting from tropical deforestation is a key issue, not only at scientific fora, but also at meetings of governments. There is now enormous political pressure upon national and international organisations to act to remedy the problem of loss of biodiversity. Results from FRIM's study indicate the extent of diversity of tree species that is present in our forest, and the potential loss if deforestation is not kept in check.

That the forest helps to conserve wildlife, genetic resources, and provide natural habitats for the country's unique flora and fauna is well known. The use of rain forest plants in traditional medicine, and the potential of such plants being developed into pharmaceutical products, have long been recognised. There are about 1300 species of flowering plants and 76 species of ferns in Malaysian forests that are of medicinal importance. Besides being a location of active research on timber tree species, the plot at Pasoh will serve as an 'outdoor laboratory' for active research on some of these medicinal plants as well as on fruit tree species. Research to resolve fundamental questions about geographical differences in species diversity of tropical trees and tropical forest regeneration will also be the focus of research in this 'outdoor laboratory'.

Several scientific papers based on the first census data have already been published. Others are in the process of being prepared. It is our intention that interested members of the international scientific community participate in the studies at Pasoh. To that end we are in this volume publishing partially analysed data in the form of a distribution map and stand table of each of the species in the 50-ha plot. We hope that this information, widely distributed, would help to stimulate further ideas and hypotheses, and lead to further work in the plot as well as to more complete analyses of the data.

I wish to thank our foreign collaborators on this project, Dr. P. S. Ashton, Dr. S. P. Hubbell, Dr. J. V. LaFrankie and Dr. J. Klahn, for their efforts, the National Science Foundation (USA), Conservation, Food and Health Foundation, Inc. (USA), UNESCO-MAB, UNESCO-ROSTSEA, Smithsonian Tropical Research Institute (USA) and the Malaysian Government for providing funds, and various individuals in FRIM, especially of the Ecology and Botany sections, for their respective roles in plot establishment, tree enumeration, tree identification and data entry management and analyses.

DR. SALLEH MOHD. NOR
DIRECTOR GENERAL
FRIM

BACKGROUND

In 1985, the Forest Research Institute Malaysia established a 50-ha permanent plot at Pasoh Forest Reserve in the state of Negeri Sembilan, Peninsular Malaysia. In the plot, every tree 1 cm diameter and larger at breast height was tagged, measured, identified to species and mapped to the nearest 10 cm during the initial census. More than one million data were collected over three years employing more than thirty people. All the methods used in developing both the field site and resulting database are described in Manokaran et al. (1990).

The objective of the plot is a quantitative and long-term investigation into the structure and dynamics of trees. Recensus at 5-year intervals will provide the dynamic data. One recensus has already been carried out in 1990.

In this volume, we present the stand table and distribution map of each of the species recorded in the plot at the first census. A contour map of the plot is also provided to assist in interpreting the distribution of the species.

In our publications so far, the total number of species in the plot had been reported as 820. After rechecking in the field, both during recensus in 1990, and subsequently in 1991, the number has been revised to 814. The stand tables and distribution maps in this publication are therefore for 814 species. These are listed in the Index to the Species. The number of genera now stands at 290 in 78 families.

In addition to revising the number of species, we also have revised upwards the total number of trees from 329,000 to 335,240. The total number of trees in each family and species, if there was any change, was also revised. All this information, current at the time of publication, is provided in the List of Species which also gives the stature class for each species, the classes assigned by Kochummen et al. (1990) according to the criteria described by them.

Pasoh Forest Reserve is a lowland dipterocarp forest (Symington 1943) and is part of the lowland evergreen rain forest formation (Burtt-Davy 1938). This forest formation in Peninsular Malaysia is characterised by family dominance of the Dipterocarpaceae. The forest at Pasoh was described as 'Red Meranti-Keruing' of the Central and Southern type by Wyatt-Smith (1961, 1987) because species of Dipterocarpus (Keruing) and Shorea (Red meranti group) are common. Salleh (1968) described it to be 'Mixed Red Meranti' forest merging to 'Red Meranti' forest. The forest itself may be regarded as composed of three layers, namely, the emergent layer of trees, usually with spreading crowns nestling above but in

contact with those of the main canopy, the main-storey trees forming a continuous canopy at 20-30 m height, and the understorey trees below the main canopy.

Some analyses of the first census data have already been carried out and the results published, or presented at scientific meetings. The information can be sourced in Kochummen et al. (1990), Manokaran and LaFrankie (1990), Manokaran et al. (1991), Saw et al. (1991) and Kochummen et al. (in press). Manokaran et al. (1990) gives a complete list of the species in the plot at 15 November 1989. Below we reproduce part or whole of the abstract of each of these papers as background information for this present publication.

Kochummen et al. (1990): The diversity of tree flora of Pasoh Forest Reserve was high based on an enumeration of all trees ≥ 1 cm diameter at breast height in a 50-ha plot; there were 820 species, 294 genera and 78 families. Mean density for trees ≥ 10 cm dbh was 530 trees per hectare representing about 210 species. The most diverse families were Euphorbiaceae, Myrtaceae and Lauraceae. The most abundant families across all size classes were Euphorbiaceae, Dipterocarpaceae and Annonaceae. Among trees larger than 30 cm dbh, the Dipterocarpaceae was the most abundant family, followed by Leguminosae and Burseraceae. The forest was without dominant species. The most abundant species, Xerospermum noronhianum (Sapindaceae), accounted for only 2.5% of the total number of trees, and 2.3% of trees over 10 cm dbh. Likewise, for trees over 30 cm dbh, the most abundant species, Shorea leprosula (Dipterocarpaceae), accounted for only 3.9% of the total. The common species of canopy and emergent trees at Pasoh are also widespread throughout Malaya and are characteristic of the primary rain forest, whereas species that indicate early succession or large gaps were rare in the plot. On floristic evidence, the forest bounded by the 50-ha plot is a homogeneous example of the Malayan south-central lowland rain forest.

Manokaran and LaFrankie (1990): Based on an enumeration of all trees ≥ 1 cm diameter at breast height in a 50-ha plot in Pasoh Forest Reserve, mean densities were 6769 trees per hectare ≥ 1 cm dbh, 530 trees per hectare ≥ 10 cm dbh, and 3.0 trees per hectare ≥ 90 cm dbh. Mean basal area was 30.5 sq. metres per hectare for all trees, and 25.2 sq. metres for trees ≥ 10 cm dbh. Ground slope had a very weak negative correlation with density of small trees (< 10 cm dbh) and a very weak positive correlation with density of large trees (> 30 cm dbh). Compared with other primary forests in

Malaysia, Pasoh was relatively dense in smaller trees and relatively sparse in very large trees. The forest within the 50-ha plot was generally homogeneous, with no evidence of major disturbance, and it is likely representative of mean conditions of lowland forest in south-central Malay Peninsula.

Manokaran et al. (1991): In a mapped inventory of all trees ≥ 1 cm diameter at breast height in a 50-ha plot in Pasoh Forest Reserve, the Dipterocarpaceae ranks 10th in diversity with 30 species among the 78 families represented, ranks second in frequency with 496 trees per hectare, and ranks first in basal area with 6.89 sq. metres per hectare, or 24% of the total. Within the family itself, the proportions of saplings (1 < 5 cm dbh), small poles (5 < 10 cm), large poles (10 < 30 cm) and adults (≥ 30 cm dbh) are 79.0%, 10.8%, 6.9% and 3.3% respectively. Maps of the commoner species indicate patchiness in distribution for some species and randomness for others. The size, design, and implementation of the 50-ha plot was successful in gaining a sample of 100-5000 trees for 22 of 30 species of Dipterocarpaceae, and long-term demographic studies of these species are now possible.

Saw et al. (1991): In an inventory of all trees of 1 cm diameter at breast height and larger in a 50-ha plot at Pasoh Forest Reserve, a primary lowland rain forest in Peninsular Malaysia, 76 species of the 820 species in the plot are known to bear edible fruit. Especially diverse were the wild species of mango (Mangifera, Anacardiaceae, 12 spp.), mangosteen (Garcinia, Clusiaceae, 13 spp.), breadfruit (Artocarpus, Moraceae, 10 spp.) and rambutan (Nephelium, Sapindaceae, 5 spp.). Median population size for all species of fruit trees was 3.0 trees per hectare and 0.2 adult trees per hectare. Direct economic value of wild fruit trees was small; only one species has been very much collected and sold, Parkia speciosa (Leguminosae), amounting to less than US\$ 20 per hectare per year. The potential value of the species as genetic resources is very large; 24 species are cultivated, 38 edible species are congeneric with cultivated crops and at least 10 other species bear inedible fruit but are related to cultivated crops. It is concluded that the Peninsular Malaysian rain forest is exceedingly rich in wild fruit trees, that these normally live at low densities and that their principal economic value is as genetic resources.

Kochummen et al. (in press): Of the 3197 species of trees and shrubs (excluding monocotyledon) found in the Malay Peninsula, 802 (25%) were found in a 50-ha plot in

primary lowland forest in Pasoh, Negeri Sembilan in an enumeration of all trees and shrubs greater than 1 cm diameter at breast height (340,000 individuals). The 802 species include about half of the species that might be expected for a lowland forest in Negeri Sembilan state. Only 21 species (2.5%) were new to science, 3 spp. were new to the Peninsula, 3 spp. were previously thought to be restricted west of the main range, and 11 spp. were previously thought to be exceedingly rare. Family differences in representation were notable, e.g. Dipterocarpaceae was represented by 30 of 156 Malayan species, whereas Burseraceae by 21 of 35 Malayan species. The significance for conservation policy is two-fold: on the one hand, small reserves may include a surprisingly large percentage of the region's tree and shrub flora, e.g. the 50-ha plot included all 12 possible species of Mangifera (Anacardiaceae), an important fruit tree resource, and 8 of 10 possible species of Ixora (Rubiaceae) an important horticultural resource. On the other hand, many species are represented by too few individuals to be assured of their long-term conservation.

As mentioned in the Foreword, the 50-ha plot study at Pasoh Forest Reserve is the largest and most intensive of tree population samples outside of the Neotropics. The objective of this publication is to provide partially analysed information to as wide an audience as possible in the hope that this would help stimulate ideas and hypotheses for further analyses and further work. The Director-General of FRIM is to be contacted for participation in studies in the 50-ha plot and in further analyses of the data.

REFERENCES

- Burt-Davy, J. 1938. The classification of tropical woody vegetation types. Imperial Forestry Institute Paper No. 13.
- Kochummen, K. M., J. V. LaFrankie and N. Manokaran 1990. Floristic composition of Pasoh Forest Reserve, a lowland rain forest in Peninsular Malaysia. *Journal of Tropical Forest Science* 3(1): 1-13.
- Kochummen, K. M., J. V. LaFrankie and N. Manokaran. Diversity of trees and shrubs in Malaya at regional and local levels. Paper presented at the Conference on

Biodiversity, June 1990, Petaling Jaya, Malaysia. [In press in the Proceedings].

Manokaran, N. and J. V. LaFrankie 1990. Stand structure of Pasoh Forest Reserve, a lowland rain forest in Peninsular Malaysia. *Journal of Tropical Forest Science* 3(1): 14-24.

Manokaran, N., J. V. LaFrankie, K. M. Kochummen, E.S. Quah, J. E. Klahn, P. S. Ashton and S. P. Hubbell 1990. Methodology for the fifty hectare research plot at Pasoh Forest Reserve. Research Pamphlet No. 104, Forest Research Institute Malaysia, Kepong.

Manokaran, N., J. V. LaFrankie and Roslan Ismail 1991. Structure and composition of the Dipterocarpaceae in a lowland rain forest in Peninsular Malaysia. In I. Soerianegara, S. S. Tjitrosomo, R. C. Umaly and I. Umboh (Eds.), Fourth Round-Table Conference on dipterocarps. Biotrop Special Publication No. 41, SEAMEO BIOTROP, Bogor. pp. 317-331.

Salleh bin Mohd. Nor 1968. Jelebu District, Negri Sembilan. Forest Resources Reconnaissance Survey of Malaya, Report No. 21. Forest Research Institute, Forest Department, Malaya.

Saw L. G., J. V. LaFrankie, K. M. Kochummen and S. K. Yap 1991. Trees bearing edible fruits in a Malaysian rain forest. *Economic Botany* 45(1): 120-136.

Symington, C. F. 1943. Foresters' manual of dipterocarps. Malayan Forest Records No. 16. (New edn. 1974, Penerbit Universiti Malaya, Kuala Lumpur).

Wyatt-Smith, J. 1961. A note on the fresh-water swamp, lowland and hill forest types of Malaya. *Malayan Forester* 24: 110-121.

Wyatt-Smith, J. 1987. Manual of Malayan silviculture for inland forest, Part3-Chapter 8. Red Meranti-Keruing forest. Research Pamphlet No. 101, Forest Research Institute Malaysia, Kepong.

Further Suggested Readings

Ashton, P. S. 1976. Mixed dipterocarp forest and its variation with habitat in the Malayan lowlands: a reevaluation at Pasoh. *Malayan Forester* 39: 56-72.

Manokaran, N. and K. M. Kochummen 1990. A reexamination of data on structure and floristic composition of hill and lowland dipterocarp forest in Peninsular Malaysia. *Malayan Nature Journal* 44: 61-75.

Wong, Y. K. and T. C. Whitmore 1970. On the influence of soil properties on species distribution in a Malayan lowland dipterocarp rain forest. *Malayan Forester* 33: 42-54.

ACKNOWLEDGEMENTS

The large-scale forest plot at Pasoh Forest Reserve is an ongoing project of the Malaysian Government, directed by the Forest Research Institute Malaysia through its Director-General, Salleh Mohd. Nor, under the leadership of N. Manokaran, P. S. Ashton and S. P. Hubbell. Supplemental funds are very gratefully acknowledged from the following sources: National Science Foundation (USA) BSR Grant INT-84-12201 to Harvard University through P. S. Ashton and S. P. Hubbell; Conservation, Food and Health Foundation, Inc. (USA); United Nations, through the Man and Biosphere Program, UNESCO-MAB grants 217.651.5, 217.652.5, 243.027.6, 213.164.4, and also UNESCO-ROSTSEA grant 243.170.6.; and the continuing support of the Smithsonian Tropical Research Institute (USA), Barro Colorado Island, Panama.

K. M. Kochummen gratefully acknowledges the support of Senior Fellowship awarded by the Smithsonian Tropical Research Institute, 1987-1990.

We would like to thank Chong Phang Fee, Chan Yee Chong, Dasima Ramudin and Saripah Barom for assistance in the preparation of the stand tables and distributions maps for publication.




Figure 1. Topographic map of the PFR 50 ha plot, at 1 m contour intervals, and gridded at 1 ha units.

THE DATA: SOME EXPLANATIONS

A total of 814 species representing 78 families are presented in alphabetical order. The section on Index to the Species which follows provides the pagination for the species.


Legend:

smallest marker	1 < 10 cm dbh
medium-sized marker	10 < 30 cm dbh
largest marker	≥ 30 cm dbh

When trees are very close together, the markers representing these trees will overlap. In such cases, the total number of markers on the map will be less than the total number of trees indicated in the stand table.


For common species, this will not be readily apparent when the map is compared with the stand table. For uncommon species, the inconsistency in the number of markers and the total number of trees in the stand table will be immediately obvious. An example is Teijsmanniodendron simplicifolium, the number of markers on the map totalling 11 but the total numbers of trees in the stand table being 13.

Reference to coordinates in the raw data will verify the close positions of the neighbouring trees concerned.




Acronychia porteri
(Rutaceae)

DBH	Frequency	Percent
1	58	37.4
2	26	16.8
3	20	12.9
4	13	8.4
5	10	6.5
6	6	3.9
7	4	2.6
8	2	1.3
9	6	3.9
10	7	4.5
15	2	1.3
30	1	0.6




Actinodaphne macrophylla
(Lauraceae)

DBH	Frequency	Percent
1	61	60.4
2	28	27.7
3	8	7.9
6	1	1.0
7	2	2.0
15	1	1.0




Actinodaphne pruinosa
(Lauraceae)

DBH	Frequency	Percent
1	141	47.6
2	74	25.0
3	33	11.1
4	15	5.1
5	16	5.4
6	6	2.0
7	3	1.0
8	1	0.3
9	2	0.7
10	2	0.7
15	2	0.7
25	1	0.3




Actinodaphne sesquipedalis
(Lauraceae)

DBH	Frequency	Percent
1	75	63.6
2	25	21.2
3	8	6.8
4	3	2.5
5	3	2.5
7	1	0.8
8	1	0.8
9	1	0.8
10	1	0.8




Adenanthera bicolor
(Leguminosae)

DBH	Frequency	Percent
1	30	15.7
2	17	8.9
3	23	12.0
4	14	7.3
5	15	7.9
6	11	5.8
7	7	3.7
8	9	4.7
9	9	4.7
10	28	14.7
15	13	6.8
20	10	5.2
25	1	0.5
30	4	2.1




Aglaia aspera
(Meliaceae)

DBH	Frequency	Percent
1	254	52.5
2	84	17.4
3	47	9.7
4	30	6.2
5	22	4.5
6	18	3.7
7	7	1.4
8	6	1.2
9	6	1.2
10	6	1.2
15	4	0.8




Aglaia cordata
(Meliaceae)

DBH	Frequency	Percent
1	454	53.2
2	224	26.3
3	123	14.4
4	29	3.4
5	9	1.1
6	7	0.8
7	3	0.4
8	3	0.4
10	1	0.1




Aglaia exstipulata
(Meliaceae)

DBH	Frequency	Percent
1	114	33.0
2	69	20.0
3	51	14.8
4	27	7.8
5	19	5.5
6	19	5.5
7	11	3.2
8	6	1.7
9	4	1.2
10	14	4.1
15	4	1.2
20	4	1.2
25	1	0.3
30	1	0.3
40	1	0.3




Aglaia forbesii
(Meliaceae)

DBH	Frequency	Percent
1	170	34.8
2	100	20.4
3	71	14.5
4	31	6.3
5	34	7.0
6	11	2.2
7	17	3.5
8	7	1.4
9	12	2.5
10	22	4.5
15	10	2.0
20	4	0.8




Aglaia ganggo
(Meliaceae)

DBH	Frequency	Percent
1	6	33.3
2	3	16.7
3	3	16.7
4	1	5.6
9	2	11.1
10	2	11.1
20	1	5.6




Aglaia glabriflora
(Meliaceae)

DBH	Frequency	Percent
1	197	57.9
2	62	18.2
3	23	6.8
4	15	4.4
5	8	2.4
6	5	1.5
7	2	0.6
8	8	2.4
9	1	0.3
10	16	4.7
15	3	0.9




Aglaia grandis
(Meliaceae)

DBH	Frequency	Percent
1	167	33.9
2	86	17.5
3	71	14.4
4	25	5.1
5	28	5.7
6	21	4.3
7	24	4.9
8	18	3.7
9	19	3.9
10	28	5.7
15	5	1.0




Aglaia meliosmoides
(Meliaceae)

DBH	Frequency	Percent
1	9	33.3
2	8	29.6
3	5	18.5
4	3	11.1
5	1	3.7
10	1	3.7




Aglaia oligocarpa
(Meliaceae)

DBH	Frequency	Percent
1	195	42.0
2	89	19.2
3	46	9.9
4	39	8.4
5	28	6.0
6	24	5.2
7	10	2.2
8	9	1.9
9	6	1.3
10	17	3.7
15	1	0.2




Aglaia odoratissima
(Meliaceae)

DBH	Frequency	Percent
1	445	58.3
2	148	19.4
3	54	7.1
4	33	4.3
5	15	2.0
6	14	1.8
7	4	0.5
8	3	0.4
9	7	0.9
10	22	2.9
15	13	1.7
20	4	0.5
25	1	0.1




Aglaia oligophylla
(Meliaceae)

DBH	Frequency	Percent
1	59	46.1
2	12	9.4
3	10	7.8
4	8	6.2
5	6	4.7
6	3	2.3
7	3	2.3
8	4	3.1
9	4	3.1
10	11	8.6
15	2	1.6
20	5	3.9
25	1	0.8




Aglaia palembanica
(Meliaceae)

DBH	Frequency	Percent
1	55	58.5
2	22	23.4
3	7	7.4
4	1	1.1
5	3	3.2
6	2	2.1
7	2	2.1
10	2	2.1




Aglaia rubescens
(Meliaceae)

DBH	Frequency	Percent
1	13	50.0
2	1	3.8
4	1	3.8
5	3	11.5
6	1	3.8
7	1	3.8
9	1	3.8
15	3	11.5
40	1	3.8
50	1	3.8




Aglaia ridleyi
(Meliaceae)

DBH	Frequency	Percent
1	42	44.7
2	15	16.0
3	8	8.5
4	2	2.1
5	5	5.3
6	4	4.3
7	2	2.1
8	1	1.1
9	2	2.1
10	4	4.3
15	2	2.1
20	2	2.1
25	2	2.1
40	3	3.2




Aglaia rufa
(Meliaceae)

DBH	Frequency	Percent
1	48	48.0
2	24	24.0
3	6	6.0
4	11	11.0
5	2	2.0
6	1	1.0
7	2	2.0
9	1	1.0
10	2	2.0
15	2	2.0
25	1	1.0




**Aglaia species 1
(Meliaceae)**

DBH	Frequency	Percent
1	13	32.5
2	8	20.0
3	2	5.0
4	3	7.5
5	2	5.0
7	1	2.5
8	2	5.0
10	4	10.0
15	2	5.0
20	1	2.5
25	1	2.5
30	1	2.5




**Aglaia species 2
(Meliaceae)**

DBH	Frequency	Percent
1	9	31.0
2	8	27.6
3	5	17.2
5	1	3.4
6	1	3.4
7	1	3.4
8	1	3.4
9	1	3.4
10	1	3.4
15	1	3.4




**Aglaia species 3
(Meliaceae)**

DBH	Frequency	Percent
1	2	28.6
2	3	42.9
3	1	14.3
9	1	14.3




**Aglaia species 4
(Meliaceae)**

DBH	Frequency	Percent
1	6	37.5
2	5	31.3
3	2	12.5
4	1	6.2
5	1	6.2
7	1	6.2




**Aglaia species 5
(Meliaceae)**

DBH	Frequency	Percent
1	4	80.0
2	1	20.0




**Aglaia species 7
(Meliaceae)**

DBH	Frequency	Percent
1	7	43.7
2	1	6.2
3	3	18.8
6	2	12.5
8	1	6.2
9	1	6.2
10	1	6.2




Aglaia tenuicaulis
(Meliaceae)

DBH	Frequency	Percent
1	40	36.7
2	23	21.1
3	10	9.2
4	5	4.6
5	7	6.4
6	4	3.7
7	4	3.7
8	3	2.8
9	3	2.8
10	6	5.5
15	3	2.8
25	1	0.9




Aidia wallichiana
(Rubiaceae)

DBH	Frequency	Percent
1	624	25.4
2	430	17.5
3	343	14.0
4	241	9.8
5	196	8.0
6	123	5.0
7	88	3.6
8	78	3.2
9	58	2.4
10	204	8.3
15	52	2.1
20	15	0.6
25	6	0.2




Alangium ebenaceum
(Alangiaceae)

DBH	Frequency	Percent
1	1011	34.6
2	569	19.5
3	391	13.4
4	272	9.3
5	172	5.9
6	106	3.6
7	83	2.8
8	59	2.0
9	45	1.5
10	134	4.6
15	61	2.1
20	12	0.4
25	5	0.2
30	2	0.1
40	1	0.0




Alangium griffithii
(Alangiaceae)

DBH	Frequency	Percent
1	1	50.0
4	1	50.0




Alangium nobile
(Alangiaceae)

DBH	Frequency	Percent
1	64	58.2
2	17	15.5
3	9	8.2
4	6	5.5
5	3	2.7
6	3	2.7
9	1	0.9
10	3	2.7
15	1	0.9
25	2	1.8
30	1	0.9




Alangium ridleyi
(Alangiaceae)

DBH	Frequency	Percent
1	90	32.1
2	51	18.2
3	36	12.9
4	23	8.2
5	13	4.6
6	9	3.2
7	6	2.1
8	4	1.4
9	2	0.7
10	22	7.9
15	8	2.9
20	6	2.1
25	7	2.5
30	2	0.7
40	1	0.4




Albizia pedicellata
(Leguminosae)

DBH	Frequency	Percent
1	7	50.0
2	1	7.1
3	2	14.3
8	1	7.1
10	1	7.1
30	2	14.3




Alchornea rugosa
(Euphorbiaceae)

DBH	Frequency	Percent
1	117	95.9
2	3	2.5
3	2	1.6




Allophylus cobbe
(Sapindaceae)

DBH	Frequency	Percent
1	17	94.4
2	1	5.6




Alphonsea elliptica
(Annonaceae)

DBH	Frequency	Percent
1	90	33.1
2	54	19.9
3	27	9.9
4	18	6.6
5	17	6.2
6	6	2.2
7	6	2.2
8	4	1.5
9	10	3.7
10	23	8.5
15	13	4.8
20	3	1.1
25	1	0.4




Alphonsea maingayi
(Annonaceae)

DBH	Frequency	Percent
1	274	30.2
2	147	16.2
3	99	10.9
4	61	6.7
5	71	7.8
6	30	3.3
7	38	4.2
8	29	3.2
9	34	3.7
10	87	9.6
15	29	3.2
20	7	0.8
25	1	0.1




Alseodaphne nigrescens
(Lauraceae)

DBH	Frequency	Percent
1	2	22.2
2	1	11.1
4	1	11.1
5	2	22.2
10	1	11.1
20	1	11.1
25	1	11.1




Alseodaphne perakensis
(Lauraceae)

DBH	Frequency	Percent
1	17	37.0
2	19	41.3
3	4	8.7
4	3	6.5
5	2	4.3
6	1	2.2




Alseodaphne peduncularis
(Lauraceae)

DBH	Frequency	Percent
1	128	43.2
2	73	24.7
3	41	13.9
4	23	7.8
5	6	2.0
6	5	1.7
7	4	1.4
8	7	2.4
10	3	1.0
15	3	1.0
20	2	0.7
25	1	0.3




**Alseodaphne species 1
(Lauraceae)**

DBH	Frequency	Percent
1	116	48.1
2	58	24.1
3	23	9.5
4	10	4.1
5	4	1.7
6	7	2.9
7	2	0.8
8	2	0.8
9	1	0.4
10	7	2.9
15	3	1.2
20	5	2.1
25	3	1.2




**Alseodaphne species 2
(Lauraceae)**

DBH	Frequency	Percent
1	4	57.1
2	2	28.6
5	1	14.3




Alstonia angustiloba
(Apocynaceae)

DBH	Frequency	Percent
1	21	22.3
2	24	25.5
3	15	16.0
4	7	7.4
5	2	2.1
6	1	1.1
7	1	1.1
9	4	4.3
10	6	6.4
15	3	3.2
20	1	1.1
25	2	2.1
30	2	2.1
50	3	3.2
60	1	1.1
80	1	1.1




Anacolosa heptandra
(Olacaceae)

DBH	Frequency	Percent
1	136	28.5
2	88	18.4
3	66	13.8
4	49	10.3
5	38	7.9
6	31	6.5
7	24	5.0
8	9	1.9
9	13	2.7
10	20	4.2
15	3	0.6
20	1	0.2




Anaxagorea javanica
(Annonaceae)

DBH	Frequency	Percent
1	3594	50.8
2	2190	30.9
3	927	13.1
4	260	3.7
5	79	1.1
6	17	0.2
7	5	0.1
8	2	0.0
9	2	0.0
10	3	0.0
20	2	0.0




Anisoptera costata
(Dipterocarpaceae)

DBH	Frequency	Percent
1	5	22.7
2	4	18.2
3	4	18.2
4	1	4.5
5	3	13.6
7	2	9.1
10	1	4.5
25	1	4.5
50	1	4.5




Anisoptera laevis
(Dipterocarpaceae)

DBH	Frequency	Percent
1	27	19.7
2	22	16.1
3	14	10.2
4	10	7.3
5	5	3.6
6	4	2.9
7	2	1.5
8	4	2.9
9	6	4.4
10	10	7.3
15	10	7.3
20	5	3.6
25	6	4.4
30	2	1.5
40	4	2.9
50	1	0.7
60	1	0.7
100	4	2.9




Anisoptera megistocarpa
(Dipterocarpaceae)

DBH	Frequency	Percent
1	22	41.5
2	14	26.4
3	5	9.4
4	3	5.7
5	2	3.8
6	1	1.9
10	1	1.9
15	1	1.9
20	1	1.9
50	2	3.8
100	1	1.9




Anisophyllea corneri
(Rhizophoraceae)

DBH	Frequency	Percent
1	144	19.9
2	105	14.5
3	90	12.4
4	69	9.5
5	54	7.5
6	42	5.8
7	35	4.8
8	21	2.9
9	17	2.4
10	76	10.5
15	44	6.1
20	20	2.8
25	4	0.6
30	2	0.3




Antidesma coriaceum
(Euphorbiaceae)

DBH	Frequency	Percent
1	324	40.1
2	136	16.9
3	97	12.0
4	47	5.8
5	40	5.0
6	23	2.9
7	18	2.2
8	20	2.5
9	22	2.7
10	41	5.1
15	23	2.9
20	10	1.2
25	5	0.6
40	1	0.1




Antidesma cuspidatum
(Euphorbiaceae)

DBH	Frequency	Percent
1	113	37.5
2	54	17.9
3	21	7.0
4	21	7.0
5	25	8.3
6	12	4.0
7	6	2.0
8	10	3.3
9	6	2.0
10	29	9.6
15	4	1.3




Antidesma pendulum
(Euphorbiaceae)

DBH	Frequency	Percent
1	436	85.3
2	66	12.9
3	7	1.4
4	1	0.2
8	1	0.2




Antidesma velutinsum
(Euphorbiaceae)

DBH	Frequency	Percent
1	3	100.0




Aphanamixis polystachya
(Meliaceae)

DBH	Frequency	Percent
10	1	100.0




Aphanamixis sumatrana
(Meliaceae)

DBH	Frequency	Percent
1	219	67.0
2	73	22.3
3	18	5.5
4	6	1.8
5	1	0.3
6	2	0.6
7	2	0.6
8	2	0.6
9	1	0.3
10	2	0.6
15	1	0.3




Aporosa aurea
(Euphorbiaceae)

DBH	Frequency	Percent
1	963	48.2
2	380	19.0
3	206	10.3
4	145	7.2
5	96	4.8
6	68	3.4
7	58	2.9
8	30	1.5
9	25	1.3
10	29	1.5




Aporosa bracteosa
(Euphorbiaceae)

DBH	Frequency	Percent
1	1085	44.2
2	551	22.5
3	297	12.1
4	180	7.3
5	110	4.5
6	67	2.7
7	51	2.1
8	34	1.4
9	21	0.9
10	50	2.0
15	6	0.2
20	1	0.0




Aporosa confusa
(Euphorbiaceae)

DBH	Frequency	Percent
2	2	33.3
4	1	16.7
8	1	16.7
10	1	16.7
15	1	16.7




Aporosa falcifera
(Euphorbiaceae)

DBH	Frequency	Percent
1	316	32.6
2	219	22.6
3	138	14.2
4	98	10.1
5	56	5.8
6	33	3.4
7	31	3.2
8	18	1.9
9	14	1.4
10	27	2.8
15	9	0.9
20	7	0.7
25	3	0.3
30	1	0.1




Aporosa globifera
(Euphorbiaceae)

DBH	Frequency	Percent
1	419	40.7
2	169	16.4
3	98	9.5
4	54	5.2
5	48	4.7
6	34	3.3
7	32	3.1
8	33	3.2
9	27	2.6
10	107	10.4
15	9	0.9




**Aporusa lunata
(Euphorbiaceae)**

DBH	Frequency	Percent
1	20	37.7
2	8	15.1
3	5	9.4
4	5	9.4
5	4	7.5
6	2	3.8
7	2	3.8
8	1	1.9
9	1	1.9
10	1	1.9
15	1	1.9
20	2	3.8
25	1	1.9




**Aporusa microstachya
(Euphorbiaceae)**

DBH	Frequency	Percent
1	3848	59.1
2	1573	24.2
3	690	10.6
4	268	4.1
5	87	1.3
6	17	0.3
7	9	0.1
8	3	0.0
9	5	0.1
10	8	0.1
15	4	0.1




Aporosa miqueliana
(Euphorbiaceae)

DBH	Frequency	Percent
1	224	42.7
2	97	18.5
3	59	11.3
4	46	8.8
5	21	4.0
6	20	3.8
7	11	2.1
8	11	2.1
9	5	1.0
10	23	4.4
15	6	1.1
20	1	0.2




Aporosa nigricans
(Euphorbiaceae)

DBH	Frequency	Percent
1	454	54.0
2	153	18.2
3	80	9.5
4	35	4.2
5	25	3.0
6	20	2.4
7	18	2.1
8	13	1.5
9	12	1.4
10	25	3.0
15	6	0.7




Aporosa nigropunctata
(Euphorbiaceae)

DBH	Frequency	Percent
1	100	29.9
2	104	31.0
3	53	15.8
4	37	11.0
5	19	5.7
6	10	3.0
7	6	1.8
8	3	0.9
9	2	0.6
10	1	0.3




Aporosa nervosa
(Euphorbiaceae)

DBH	Frequency	Percent
1	85	32.0
2	54	20.3
3	37	13.9
4	35	13.2
5	14	5.3
6	13	4.9
7	4	1.5
8	5	1.9
9	8	3.0
10	7	2.6
15	3	1.1
30	1	0.4




Aporusa prainiana
(Euphorbiaceae)

DBH	Frequency	Percent
1	517	30.4
2	354	20.8
3	281	16.5
4	168	9.9
5	130	7.7
6	81	4.8
7	52	3.1
8	34	2.0
9	36	2.1
10	44	2.6
15	1	0.1




Aporusa symplocoides
(Euphorbiaceae)

DBH	Frequency	Percent
1	111	35.5
2	67	21.4
3	31	9.9
4	27	8.6
5	21	6.7
6	15	4.8
7	8	2.6
8	10	3.2
9	5	1.6
10	16	5.1
15	1	0.3
20	1	0.3




Aquilaria malaccensis
(Thymeliaceae)

DBH	Frequency	Percent
1	20	16.0
2	12	9.6
3	21	16.8
4	6	4.8
5	8	6.4
6	2	1.6
7	2	1.6
8	5	4.0
9	4	3.2
10	17	13.6
15	9	7.2
20	13	10.4
25	3	2.4
30	2	1.6
40	1	0.8




Aralidium pinnatifidum
(Araliaceae)

DBH	Frequency	Percent
1	3	100.0




**Archidendron bubalinum
(Leguminosae)**

DBH	Frequency	Percent
1	685	34.3
2	338	16.9
3	270	13.5
4	165	8.3
5	116	5.8
6	89	4.5
7	53	2.7
8	40	2.0
9	49	2.5
10	111	5.6
15	50	2.5
20	23	1.2
25	6	0.3
30	4	0.2




**Archidendron clypearia
(Leguminosae)**

DBH	Frequency	Percent
1	27	36.0
2	11	14.7
3	14	18.7
4	6	8.0
5	2	2.7
6	3	4.0
8	2	2.7
9	2	2.7
10	3	4.0
15	4	5.3
20	1	1.3




**Archidendron contortum
(Leguminosae)**

DBH	Frequency	Percent
1	17	56.7
2	10	33.3
4	1	3.3
9	1	3.3
25	1	3.3




**Archidendron globosum
(Leguminosae)**

DBH	Frequency	Percent
1	12	38.7
2	3	9.7
3	5	16.1
4	2	6.5
5	2	6.5
6	3	9.7
10	2	6.5
15	1	3.2
25	1	3.2




Archidendron microcarpum
(Leguminosae)

DBH	Frequency	Percent
1	96	33.3
2	55	19.1
3	31	10.8
4	18	6.2
5	22	7.6
6	12	4.2
7	13	4.5
8	7	2.4
9	7	2.4
10	22	7.6
15	5	1.7




Ardisia colorata
(Myrsinaceae)

DBH	Frequency	Percent
1	2	100.0




Ardisia crassa (Myrsinaceae)

DBH	Frequency	Percent
1	4565	59.7
2	1926	25.2
3	826	10.8
4	236	3.1
5	65	0.8
6	14	0.2
7	6	0.1
8	5	0.1
9	1	0.0
10	3	0.0
15	1	0.0




Ardisia kunstleri (Myrsinaceae)

DBH	Frequency	Percent
1	936	55.5
2	467	27.7
3	201	11.9
4	47	2.8
5	28	1.7
6	3	0.2
7	2	0.1
10	2	0.1




Ardisia lanceolata
(Myrsinaceae)

DBH	Frequency	Percent
1	5	38.5
2	3	23.1
3	2	15.4
4	1	7.7
5	1	7.7
6	1	7.7




Ardisia pachysandra
(Myrsinaceae)

DBH	Frequency	Percent
1	207	44.8
2	106	22.9
3	55	11.9
4	31	6.7
5	24	5.2
6	15	3.2
7	5	1.1
8	8	1.7
9	3	0.6
10	8	1.7




Ardisia ridleyi
(Myrsinaceae)

DBH	Frequency	Percent
1	44	84.6
2	6	11.5
4	1	1.9
6	1	1.9




Ardisia species 2
(Myrsinaceae)

DBH	Frequency	Percent
1	1372	81.9
2	253	15.1
3	39	2.3
4	6	0.4
5	2	0.1
6	1	0.1
8	1	0.1
10	1	0.1
15	1	0.1




Aromadendron elegans
(Magnoliaceae)

DBH	Frequency	Percent
1	13	24.5
2	7	13.2
3	4	7.5
4	7	13.2
5	1	1.9
6	3	5.7
7	3	5.7
9	1	1.9
10	7	13.2
20	2	3.8
25	1	1.9
30	1	1.9
60	2	3.8
70	1	1.9




Arthrophyllum diversifolium
(Araliaceae)

DBH	Frequency	Percent
1	7	58.3
2	1	8.3
3	1	8.3
5	1	8.3
10	2	16.7




Artocarpus anisophyllus
(Moraceae)

DBH	Frequency	Percent
1	6	20.7
2	3	10.3
3	2	6.9
5	4	13.8
8	1	3.4
9	2	6.9
10	3	10.3
25	5	17.2
30	2	6.9
40	1	3.4




Artocarpus dadah
(Moraceae)

DBH	Frequency	Percent
1	64	37.0
2	28	16.2
3	18	10.4
4	14	8.1
5	8	4.6
6	6	3.5
7	7	4.0
8	4	2.3
9	8	4.6
10	9	5.2
15	4	2.3
25	2	1.2
30	1	0.6




Artocarpus fulvicortex
(Moraceae)

DBH	Frequency	Percent
1	46	44.2
2	18	17.3
3	11	10.6
4	6	5.8
5	4	3.8
6	2	1.9
7	4	3.8
8	2	1.9
9	2	1.9
10	4	3.8
20	1	1.0
25	2	1.9
50	1	1.0
70	1	1.0




Artocarpus integer
(Moraceae)

DBH	Frequency	Percent
1	91	28.9
2	44	14.0
3	33	10.5
4	29	9.2
5	15	4.8
6	8	2.5
7	17	5.4
8	12	3.8
9	7	2.2
10	24	7.6
15	14	4.4
20	7	2.2
25	9	2.9
30	5	1.6




Artocarpus kemando
(Moraceae)

DBH	Frequency	Percent
1	7	38.9
2	1	5.6
3	4	22.2
4	1	5.6
5	1	5.6
6	1	5.6
7	2	11.1
10	1	5.6




Artocarpus lowii
(Moraceae)

DBH	Frequency	Percent
1	63	31.7
2	34	17.1
3	16	8.0
4	12	6.0
5	5	2.5
6	8	4.0
7	4	2.0
8	6	3.0
9	4	2.0
10	11	5.5
15	14	7.0
20	5	2.5
25	5	2.5
30	9	4.5
40	3	1.5




Artocarpus maingayi
(Moraceae)

DBH	Frequency	Percent
1	28	23.3
2	13	10.8
3	8	6.7
4	4	3.3
5	5	4.2
6	2	1.7
7	8	6.7
8	6	5.0
9	1	0.8
10	14	11.7
15	9	7.5
20	8	6.7
25	3	2.5
30	7	5.8
40	2	1.7
50	1	0.8
60	1	0.8




Artocarpus nitidus var. griffithii
(Moraceae)

DBH	Frequency	Percent
1	202	40.1
2	101	20.0
3	69	13.7
4	34	6.7
5	28	5.6
6	16	3.2
7	9	1.8
8	8	1.6
9	5	1.0
10	18	3.6
15	5	1.0
20	4	0.8
25	1	0.2
30	1	0.2
40	2	0.4
50	1	0.2




Artocarpus rigidus
(Moraceae)

DBH	Frequency	Percent
1	73	29.1
2	41	16.3
3	37	14.7
4	16	6.4
5	16	6.4
6	8	3.2
7	7	2.8
8	3	1.2
9	3	1.2
10	14	5.6
15	7	2.8
20	5	2.0
25	2	0.8
30	5	2.0
40	7	2.8
50	4	1.6
60	2	0.8
70	1	0.4




Artocarpus scortechinii
(Moraceae)

DBH	Frequency	Percent
1	81	24.4
2	47	14.2
3	21	6.3
4	29	8.7
5	15	4.5
6	16	4.8
7	19	5.7
8	9	2.7
9	14	4.2
10	29	8.7
15	15	4.5
20	3	0.9
25	5	1.5
30	14	4.2
40	6	1.8
50	7	2.1
60	1	0.3
80	1	0.3




**Atuna elata
(Rosaceae)**

DBH	Frequency	Percent
1	50	31.6
2	36	22.8
3	15	9.5
4	7	4.4
5	6	3.8
6	14	8.9
7	7	4.4
8	3	1.9
9	2	1.3
10	3	1.9
15	2	1.3
20	5	3.2
25	5	3.2
30	1	0.6
40	1	0.6
50	1	0.6




**Atuna excelsa
(Rosaceae)**

DBH	Frequency	Percent
1	152	34.2
2	55	12.4
3	63	14.2
4	34	7.6
5	18	4.0
6	16	3.6
7	4	0.9
8	8	1.8
9	7	1.6
10	19	4.3
15	13	2.9
20	9	2.0
25	15	3.4
30	14	3.1
40	14	3.1
50	3	0.7
60	1	0.2




Austrobuxus nitidus
(Euphorbiaceae)

DBH	Frequency	Percent
10	1	20.0
15	1	20.0
20	2	40.0
40	1	20.0




Baccaurea griffithii
(Euphorbiaceae)

DBH	Frequency	Percent
1	27	27.3
2	23	23.2
3	14	14.1
4	8	8.1
5	5	5.1
6	7	7.1
7	1	1.0
8	4	4.0
9	4	4.0
10	3	3.0
15	2	2.0
20	1	1.0




Baccaurea kunstleri
(Euphorbiaceae)

DBH	Frequency	Percent
1	1	14.3
3	1	14.3
4	1	14.3
6	1	14.3
10	2	28.6
25	1	14.3




Baccaurea maingayi
(Euphorbiaceae)

DBH	Frequency	Percent
1	7	21.9
2	12	37.5
3	3	9.4
4	1	3.1
5	5	15.6
7	3	9.4
25	1	3.1




Baccaurea minor
(Euphorbiaceae)

DBH	Frequency	Percent
1	14	22.6
2	11	17.7
3	9	14.5
4	3	4.8
5	5	8.1
6	3	4.8
7	1	1.6
9	3	4.8
10	8	12.9
15	1	1.6
20	1	1.6
25	1	1.6
30	1	1.6
40	1	1.6




Baccaurea parviflora
(Euphorbiaceae)

DBH	Frequency	Percent
1	1461	42.6
2	818	23.8
3	519	15.1
4	298	8.7
5	156	4.5
6	80	2.3
7	52	1.5
8	28	0.8
9	8	0.2
10	12	0.3
15	1	0.0




Baccaurea pyriformis
(Euphorbiaceae)

DBH	Frequency	Percent
1	22	38.6
2	5	8.8
3	5	8.8
4	5	8.8
5	2	3.5
6	3	5.3
7	2	3.5
8	1	1.8
9	3	5.3
10	3	5.3
15	5	8.8
25	1	1.8




Baccauria ramiflora
(Euphorbiaceae)

DBH	Frequency	Percent
1	4	33.3
2	2	16.7
3	2	16.7
4	1	8.3
6	1	8.3
8	1	8.3
10	1	8.3




Baccaurea racemosa
(Euphorbiaceae)

DBH	Frequency	Percent
1	481	36.9
2	228	17.5
3	135	10.4
4	85	6.5
5	87	6.7
6	46	3.5
7	38	2.9
8	38	2.9
9	34	2.6
10	112	8.6
15	17	1.3
20	3	0.2




Baccaurea reticulata
(Euphorbiaceae)

DBH	Frequency	Percent
1	114	26.8
2	56	13.2
3	50	11.8
4	26	6.1
5	28	6.6
6	21	4.9
7	20	4.7
8	12	2.8
9	8	1.9
10	27	6.4
15	18	4.2
20	13	3.1
25	13	3.1
30	9	2.1
40	5	1.2
50	4	0.9
60	1	0.2




Baccauria species 1
(Euphorbiaceae)

DBH	Frequency	Percent
1	1	33.3
10	1	33.3
20	1	33.3



Baccaurea sumatrana
(Euphorbiaceae)

DBH	Frequency	Percent
1	32	24.4
2	16	12.2
3	9	6.9
4	9	6.9
5	7	5.3
6	7	5.3
7	8	6.1
8	5	3.8
9	9	6.9
10	10	7.6
15	8	6.1
20	7	5.3
25	3	2.3
30	1	0.8




Barringtonia fusiformis
(Lecythidaceae)

DBH	Frequency	Percent
1	4	80.0
3	1	20.0




Barringtonia macrostachya
(Lecythidaceae)

DBH	Frequency	Percent
1	1598	43.0
2	693	18.6
3	309	8.3
4	213	5.7
5	161	4.3
6	128	3.4
7	120	3.2
8	92	2.5
9	80	2.2
10	266	7.2
15	50	1.3
20	6	0.2
30	1	0.0




Barringtonia pendula
(Lecythidaceae)

DBH	Frequency	Percent
1	63	26.3
2	53	22.1
3	14	5.8
4	16	6.7
5	16	6.7
6	12	5.0
7	8	3.3
8	7	2.9
9	8	3.3
10	18	7.5
15	8	3.3
20	3	1.3
25	1	0.4
30	3	1.3
40	3	1.3
50	4	1.7
60	1	0.4
70	2	0.8




Beilschmiedia dictyoneura
(Lauraceae)

DBH	Frequency	Percent
1	6	25.0
2	6	25.0
3	2	8.3
4	1	4.2
5	2	8.3
6	1	4.2
7	1	4.2
8	1	4.2
9	1	4.2
10	2	8.3
20	1	4.2




Beilschmiedia kunstleri
(Lauraceae)

DBH	Frequency	Percent
1	4	57.1
2	1	14.3
4	1	14.3
5	1	14.3




Beilschmiedia lucidula
(Lauraceae)

DBH	Frequency	Percent
1	59	23.1
2	52	20.4
3	36	14.1
4	29	11.4
5	15	5.9
6	14	5.5
7	10	3.9
8	8	3.1
9	10	3.9
10	13	5.1
15	3	1.2
20	2	0.8
25	2	0.8
30	2	0.8




Beilschmiedia madang
(Lauraceae)

DBH	Frequency	Percent
1	50	37.9
2	19	14.4
3	14	10.6
4	9	6.8
5	8	6.1
6	5	3.8
7	2	1.5
8	4	3.0
9	4	3.0
10	9	6.8
15	2	1.5
20	3	2.3
25	1	0.8
40	2	1.5




Beilschmiedia palembanica
(Lauraceae)

DBH	Frequency	Percent
1	92	37.2
2	45	18.2
3	33	13.4
4	17	6.9
5	13	5.3
6	9	3.6
7	6	2.4
8	8	3.2
9	5	2.0
10	14	5.7
15	4	1.6
20	1	0.4




Beilschmiedia species 1
(Lauraceae)

DBH	Frequency	Percent
1	31	41.3
2	16	21.3
3	11	14.7
4	4	5.3
5	3	4.0
6	2	2.7
7	3	4.0
9	2	2.7
10	1	1.3
25	1	1.3
30	1	1.3




Beilschmiedia species 2
(Lauraceae)

DBH	Frequency	Percent
1	7	50.0
2	2	14.3
5	2	14.3
6	1	7.1
15	1	7.1
20	1	7.1




Bhesa paniculata
(Celastraceae)

DBH	Frequency	Percent
1	55	31.8
2	29	16.8
3	19	11.0
4	17	9.8
5	14	8.1
6	6	3.5
7	4	2.3
8	3	1.7
9	3	1.7
10	6	3.5
15	10	5.8
20	3	1.7
25	1	0.6
30	1	0.6
40	2	1.2




Blumeodendron calophyllum
(Euphorbiaceae)

DBH	Frequency	Percent
1	44	27.8
2	29	18.4
3	14	8.9
4	13	8.2
5	10	6.3
6	11	7.0
7	7	4.4
8	3	1.9
9	5	3.2
10	12	7.6
15	6	3.8
20	4	2.5




Blumeodendron subtundifolium
(Euphorbiaceae)

DBH	Frequency	Percent
1	80	40.8
2	43	21.9
3	19	9.7
4	18	9.2
5	5	2.6
6	4	2.0
7	3	1.5
8	3	1.5
9	1	0.5
10	7	3.6
15	7	3.6
20	1	0.5
25	1	0.5
30	2	1.0
40	1	0.5
50	1	0.5




Blumeodendron tokbrai
(Euphorbiaceae)

DBH	Frequency	Percent
1	72	29.6
2	33	13.6
3	28	11.5
4	20	8.2
5	19	7.8
6	10	4.1
7	5	2.1
8	9	3.7
9	4	1.6
10	20	8.2
15	5	2.1
20	8	3.3
25	7	2.9
30	2	0.8
40	1	0.4




Bouea macrophylla
(Anacardiaceae)

DBH	Frequency	Percent
1	178	46.6
2	68	17.8
3	29	7.6
4	29	7.6
5	15	3.9
6	3	0.8
7	4	1.0
8	6	1.6
9	3	0.8
10	19	5.0
15	14	3.7
20	7	1.8
25	2	0.5
30	3	0.8
40	2	0.5




Bouea oppositifolia
(Anacardiaceae)

DBH	Frequency	Percent
1	167	37.6
2	111	25.0
3	36	8.1
4	29	6.5
5	23	5.2
6	10	2.3
7	10	2.3
8	6	1.4
9	8	1.8
10	28	6.3
15	9	2.0
20	4	0.9
25	3	0.7




Brackenridgia hookeri
(Ochnaceae)

DBH	Frequency	Percent
1	23	23.7
2	18	18.6
3	14	14.4
4	8	8.2
5	7	7.2
6	5	5.2
7	2	2.1
8	3	3.1
9	4	4.1
10	5	5.2
15	3	3.1
20	3	3.1
25	1	1.0
30	1	1.0




Bridelia pustulata
(Euphorbiaceae)

DBH	Frequency	Percent
1	8	19.5
2	6	14.6
3	2	4.9
4	3	7.3
5	2	4.9
6	4	9.8
7	6	14.6
8	2	4.9
9	4	9.8
10	2	4.9
15	2	4.9




Buchanania sessifolia
(Anacardiaceae)

DBH	Frequency	Percent
1	309	26.5
2	223	19.2
3	152	13.1
4	80	6.9
5	74	6.4
6	60	5.2
7	50	4.3
8	56	4.8
9	34	2.9
10	99	8.5
15	23	2.0
20	4	0.3




Callicarpa maingayi
(Verbenaceae)

DBH	Frequency	Percent
1	18	31.6
2	10	17.5
3	4	7.0
4	2	3.5
5	4	7.0
6	4	7.0
7	3	5.3
8	4	7.0
9	3	5.3
10	5	8.8




Calophyllum depressinervosum
(Guttiferae)

DBH	Frequency	Percent
1	15	30.0
2	13	26.0
3	5	10.0
4	3	6.0
5	1	2.0
6	3	6.0
8	1	2.0
9	1	2.0
10	3	6.0
15	2	4.0
25	2	4.0
60	1	2.0




Calophyllum dioscurii
(Guttiferae)

DBH	Frequency	Percent
1	309	46.8
2	132	20.0
3	52	7.9
4	37	5.6
5	25	3.8
6	14	2.1
7	13	2.0
8	15	2.3
9	8	1.2
10	24	3.6
15	17	2.6
20	7	1.1
25	5	0.8
30	1	0.2
40	1	0.2




Calophyllum macrocarpum
(Guttiferae)

DBH	Frequency	Percent
1	94	39.8
2	50	21.2
3	22	9.3
4	22	9.3
5	8	3.4
6	7	3.0
7	2	0.8
8	7	3.0
9	1	0.4
10	9	3.8
15	3	1.3
20	3	1.3
25	2	0.8
30	2	0.8
40	1	0.4
50	2	0.8
70	1	0.4




Calophyllum rupicola
(Guttiferae)

DBH	Frequency	Percent
1	12	92.3
6	1	7.7




Calophyllum soulattri
(Guttiferae)

DBH	Frequency	Percent
1	1	20.0
3	1	20.0
10	1	20.0
15	2	40.0




Calophyllum tetrapterum
(Guttiferae)

DBH	Frequency	Percent
1	246	45.0
2	107	19.6
3	51	9.3
4	26	4.8
5	25	4.6
6	19	3.5
7	10	1.8
8	5	0.9
9	5	0.9
10	19	3.5
15	13	2.4
20	9	1.6
25	5	0.9
30	6	1.1
40	1	0.2




Calophyllum wallichianum
(Guttiferae)

DBH	Frequency	Percent
1	163	55.8
2	48	16.4
3	22	7.5
4	16	5.5
5	7	2.4
6	8	2.7
7	1	0.3
8	4	1.4
10	6	2.1
15	6	2.1
20	1	0.3
25	4	1.4
30	2	0.7
40	2	0.7
50	2	0.7




Calophyllum wall. var. incrassatum
(Guttiferae)

DBH	Frequency	Percent
1	8	42.1
2	5	26.3
3	3	15.8
5	2	10.5
6	1	5.3




Camptosperma auriculatum
(Anacardiaceae)

DBH	Frequency	Percent
10	1	33.3
30	1	33.3
50	1	33.3




Canarium apertum
(Burseraceae)

DBH	Frequency	Percent
1	21	22.6
2	17	18.3
3	11	11.8
4	10	10.8
5	12	12.9
6	5	5.4
7	2	2.2
8	2	2.2
9	2	2.2
10	4	4.3
15	2	2.2
20	1	1.1
30	1	1.1
40	1	1.1
60	1	1.1
100	1	1.1




Canarium littorale var. littorale
(Burseraceae)

DBH	Frequency	Percent
1	305	27.7
2	267	24.2
3	160	14.5
4	103	9.3
5	70	6.4
6	46	4.2
7	30	2.7
8	17	1.5
9	16	1.5
10	51	4.6
15	23	2.1
20	8	0.7
25	6	0.5




Canarium littorale v. purpurescens
(Burseraceae)

DBH	Frequency	Percent
1	1	25.0
4	1	25.0
10	1	25.0
15	1	25.0




**Canarium littorale var. rufum
(Burseraceae)**

DBH	Frequency	Percent
1	497	29.9
2	384	23.1
3	228	13.7
4	127	7.6
5	91	5.5
6	71	4.3
7	39	2.3
8	30	1.8
9	24	1.4
10	61	3.7
15	38	2.3
20	26	1.6
25	18	1.1
30	14	0.8
40	8	0.5
50	4	0.2
60	2	0.1




**Canarium littorale v. tomentosum
(Burseraceae)**

DBH	Frequency	Percent
1	146	30.2
2	90	18.6
3	54	11.2
4	42	8.7
5	24	5.0
6	17	3.5
7	12	2.5
8	6	1.2
9	6	1.2
10	28	5.8
15	19	3.9
20	14	2.9
25	8	1.7
30	10	2.1
40	5	1.0
50	2	0.4




Canarium megalanthum
(Burseraceae)

DBH	Frequency	Percent
1	42	21.0
2	32	16.0
3	37	18.5
4	12	6.0
5	17	8.5
6	15	7.5
7	3	1.5
8	7	3.5
9	8	4.0
10	10	5.0
15	6	3.0
20	3	1.5
25	1	0.5
40	1	0.5
50	1	0.5
70	1	0.5
80	2	1.0
90	2	1.0




Canarium patentinervium
(Burseraceae)

DBH	Frequency	Percent
1	32	20.9
2	34	22.2
3	15	9.8
4	12	7.8
5	11	7.2
6	11	7.2
7	7	4.6
8	4	2.6
9	3	2.0
10	14	9.2
15	8	5.2
30	1	0.7
50	1	0.7




Canarium pilosum
(Burseraceae)

DBH	Frequency	Percent
1	237	48.5
2	92	18.8
3	38	7.8
4	30	6.1
5	23	4.7
6	12	2.5
7	8	1.6
8	11	2.2
9	6	1.2
10	21	4.3
15	5	1.0
20	4	0.8
25	1	0.2
30	1	0.2




Carallia brachiata
(Rhizophoraceae)

DBH	Frequency	Percent
1	85	24.0
2	46	13.0
3	25	7.1
4	23	6.5
5	17	4.8
6	15	4.2
7	7	2.0
8	5	1.4
9	8	2.3
10	30	8.5
15	25	7.1
20	20	5.6
25	20	5.6
30	21	5.9
40	7	2.0




Caryota mitis
(Arecaceae)

DBH	Frequency	Percent
5	2	28.6
6	2	28.6
7	1	14.3
8	1	14.3
10	1	14.3




Casearia clarkei
(Flacourtiaceae)

DBH	Frequency	Percent
1	13	33.3
2	8	20.5
3	4	10.3
4	4	10.3
5	1	2.6
6	2	5.1
7	1	2.6
8	1	2.6
9	2	5.1
10	2	5.1
15	1	2.6




Casearia species 2
(Flacourtiaceae)

DBH	Frequency	Percent
1	16	23.9
2	9	13.4
3	11	16.4
4	10	14.9
5	3	4.5
6	2	3.0
7	5	7.5
8	3	4.5
9	1	1.5
10	6	9.0
15	1	1.5




Cassia nodosa
(Leguminosae)

DBH	Frequency	Percent
1	2	28.6
2	2	28.6
4	1	14.3
10	1	14.3
30	1	14.3




Castanopsis curtisii
(Fagaceae)

DBH	Frequency	Percent
1	8	34.8
4	4	17.4
5	1	4.3
8	2	8.7
10	4	17.4
15	2	8.7
25	1	4.3
40	1	4.3




Castanopsis inermis
(Fagaceae)

DBH	Frequency	Percent
1	7	50.0
2	2	14.3
4	1	7.1
5	1	7.1
8	1	7.1
10	1	7.1
30	1	7.1




Castanopsis megacarpa
(Fagaceae)

DBH	Frequency	Percent
1	34	32.1
2	16	15.1
3	7	6.6
4	13	12.3
5	5	4.7
6	5	4.7
7	3	2.8
9	4	3.8
10	4	3.8
15	2	1.9
20	3	2.8
25	6	5.7
30	3	2.8
40	1	0.9




Castanopsis nepheliodes
(Fagaceae)

DBH	Frequency	Percent
1	3	42.9
3	1	14.3
5	1	14.3
7	1	14.3
10	1	14.3




Castanopsis schefferiana
(Fagaceae)

DBH	Frequency	Percent
1	185	32.7
2	78	13.8
3	56	9.9
4	30	5.3
5	21	3.7
6	19	3.4
7	22	3.9
8	14	2.5
9	9	1.6
10	33	5.8
15	21	3.7
20	22	3.9
25	12	2.1
30	24	4.2
40	13	2.3
50	6	1.1




Celtis rigescens
(Ulmaceae)

DBH	Frequency	Percent
1	2	50.0
10	1	25.0
15	1	25.0




Champerea manillana
(Opiliaceae)

DBH	Frequency	Percent
1	502	44.8
2	311	27.7
3	187	16.7
4	78	7.0
5	26	2.3
6	6	0.5
7	6	0.5
8	1	0.1
9	1	0.1
10	2	0.2
15	1	0.1




Chasalia curviflora
(Rubiaceae)

DBH	Frequency	Percent
1	368	97.9
2	5	1.3
5	1	0.3
7	1	0.3
8	1	0.3




Chasalia longifolia
(Rubiaceae)

DBH	Frequency	Percent
1	1	100.0




Cheilosa malayana
(Euphorbiaceae)

DBH	Frequency	Percent
1	12	27.3
2	5	11.4
3	6	13.6
4	2	4.5
5	2	4.5
7	1	2.3
8	1	2.3
9	1	2.3
10	5	11.4
15	4	9.1
20	2	4.5
25	1	2.3
30	1	2.3
40	1	2.3




Chionanthus calophyllus
(Oleaceae)

DBH	Frequency	Percent
1	4	12.9
2	5	16.1
3	3	9.7
4	3	9.7
5	4	12.9
6	3	9.7
8	2	6.5
9	3	9.7
10	4	12.9




Chionanthus macrocarpus
(Oleaceae)

DBH	Frequency	Percent
1	38	44.2
2	20	23.3
3	7	8.1
4	5	5.8
5	2	2.3
6	1	1.2
7	2	2.3
10	3	3.5
30	7	8.1
40	1	1.2




Chionanthus ramiflorus
(Oleaceae)

DBH	Frequency	Percent
1	39	59.1
2	10	15.2
3	4	6.1
4	2	3.0
5	1	1.5
6	2	3.0
9	2	3.0
10	1	1.5
15	1	1.5
20	1	1.5
30	2	3.0
40	1	1.5




Chionanthus species 1
(Oleaceae)

DBH	Frequency	Percent
1	39	52.7
2	16	21.6
3	6	8.1
4	7	9.5
5	3	4.1
10	1	1.4
15	2	2.7




Chisocheton ceramicus
(Meliaceae)

DBH	Frequency	Percent
1	25	28.4
2	15	17.0
3	8	9.1
4	7	8.0
5	11	12.5
6	4	4.5
7	5	5.7
8	2	2.3
10	3	3.4
15	2	2.3
20	4	4.5
25	1	1.1
30	1	1.1




Chisocheton erythrocarpus
(Meliaceae)

DBH	Frequency	Percent
1	36	24.8
2	26	17.9
3	12	8.3
4	17	11.7
5	5	3.4
6	12	8.3
7	4	2.8
8	8	5.5
9	2	1.4
10	14	9.7
15	3	2.1
25	4	2.8
30	2	1.4




Chisocheton glomeratus
(Meliaceae)

DBH	Frequency	Percent
1	2	20.0
2	1	10.0
3	4	40.0
5	1	10.0
9	1	10.0
10	1	10.0




Chisocheton patens
(Meliaceae)

DBH	Frequency	Percent
1	36	37.1
2	18	18.6
3	11	11.3
4	8	8.2
5	4	4.1
6	5	5.2
7	1	1.0
8	5	5.2
10	7	7.2
30	2	2.1




Chisocheton sarawakanus
(Meliaceae)

DBH	Frequency	Percent
1	2	40.0
2	1	20.0
3	1	20.0
9	1	20.0




Chisocheton tomentosus
(Meliaceae)

DBH	Frequency	Percent
1	30	15.5
2	39	20.1
3	32	16.5
4	17	8.8
5	14	7.2
6	11	5.7
7	16	8.2
8	12	6.2
9	10	5.2
10	13	6.7




Chrysophyllum lanceolatum
(Sapotaceae)

DBH	Frequency	Percent
1	10	15.6
2	10	15.6
3	2	3.1
4	8	12.5
5	6	9.4
6	3	4.7
7	3	4.7
8	4	6.2
9	1	1.6
10	8	12.5
15	1	1.6
20	5	7.8
25	2	3.1
50	1	1.6




Cinnamomum iners
(Lauraceae)

DBH	Frequency	Percent
1	64	30.0
2	52	24.4
3	25	11.7
4	20	9.4
5	16	7.5
6	5	2.3
7	3	1.4
8	5	2.3
9	7	3.3
10	6	2.8
15	5	2.3
20	2	0.9
25	2	0.9
40	1	0.5




Cinnamomum javanicum
(Lauraceae)

DBH	Frequency	Percent
1	103	38.4
2	72	26.9
3	42	15.7
4	15	5.6
5	13	4.9
6	11	4.1
7	3	1.1
8	5	1.9
9	2	0.7
10	2	0.7




Cinnamomum mollissimum
(Lauraceae)

DBH	Frequency	Percent
1	34	30.4
2	28	25.0
3	17	15.2
4	5	4.5
5	12	10.7
6	6	5.4
7	5	4.5
8	4	3.6
10	1	0.9




Cinnamomum porrectum
(Lauraceae)

DBH	Frequency	Percent
25	1	50.0
60	1	50.0




Cinnamomum sintoc
(Lauraceae)

DBH	Frequency	Percent
1	11	39.3
2	5	17.9
3	4	14.3
4	1	3.6
8	2	7.1
9	1	3.6
10	2	7.1
15	1	3.6
30	1	3.6




Cleistanthus malaccensis
(Euphorbiaceae)

DBH	Frequency	Percent
1	3	25.0
2	6	50.0
3	2	16.7
15	1	8.3




Cleistanthus maingayi
(Euphorbiaceae)

DBH	Frequency	Percent
1	492	45.4
2	330	30.4
3	176	16.2
4	58	5.4
5	17	1.6
6	4	0.4
8	1	0.1
10	3	0.3
15	3	0.3




Cleistanthus myrianthus
(Euphorbiaceae)

DBH	Frequency	Percent
1	23	22.8
2	22	21.8
3	9	8.9
4	11	10.9
5	8	7.9
6	9	8.9
7	3	3.0
8	3	3.0
9	1	1.0
10	11	10.9
15	1	1.0




Cleistanthus sumatranus
(Euphorbiaceae)

DBH	Frequency	Percent
1	159	32.3
2	70	14.2
3	58	11.8
4	42	8.5
5	32	6.5
6	19	3.9
7	15	3.0
8	9	1.8
9	9	1.8
10	43	8.7
15	27	5.5
20	6	1.2
25	2	0.4
30	1	0.2




Clerodendrum deflexum
(Verbenaceae)

DBH	Frequency	Percent
1	163	95.9
2	3	1.8
3	3	1.8
4	1	0.6




Clerodendrum laevifolium
(Verbenaceae)

DBH	Frequency	Percent
1	36	41.4
2	11	12.6
3	10	11.5
4	13	14.9
5	11	12.6
6	1	1.1
7	3	3.4
9	1	1.1
10	1	1.1




Clerodendron nutans
(Verbenaceae)

DBH	Frequency	Percent
1	1	33.3
2	1	33.3
3	1	33.3




Coelostegia griffithii
(Bombacaceae)

DBH	Frequency	Percent
1	51	29.7
2	43	25.0
3	22	12.8
4	17	9.9
5	13	7.6
6	8	4.7
7	4	2.3
8	1	0.6
9	4	2.3
10	5	2.9
15	3	1.7
30	1	0.6




Crateva religiosa
(Capparidaceae)

DBH	Frequency	Percent
8	2	100.0




Cratoxylum arborescens
(Hypericaceae)

DBH	Frequency	Percent
15	1	100.0




Cratoxylum cochinchinense
(Hypericaceae)

DBH	Frequency	Percent
1	5	41.7
3	1	8.3
4	2	16.7
7	1	8.3
8	1	8.3
10	1	8.3
15	1	8.3




Cratoxylum formosum
(Hypericaceae)

DBH	Frequency	Percent
1	32	53.3
2	6	10.0
3	3	5.0
5	1	1.7
6	3	5.0
7	4	6.7
8	3	5.0
9	1	1.7
10	4	6.7
20	1	1.7
30	1	1.7
50	1	1.7




Cratoxylum maingayi
(Hypericaceae)

DBH	Frequency	Percent
1	8	18.2
2	3	6.8
3	2	4.5
4	1	2.3
5	1	2.3
6	2	4.5
7	2	4.5
8	1	2.3
9	2	4.5
10	7	15.9
15	4	9.1
20	1	2.3
25	3	6.8
30	3	6.8
40	1	2.3
50	3	6.8




Croton argyratus
(Euphorbiaceae)

DBH	Frequency	Percent
1	491	44.0
2	203	18.2
3	119	10.7
4	75	6.7
5	61	5.5
6	49	4.4
7	36	3.2
8	28	2.5
9	19	1.7
10	29	2.6
15	5	0.4
50	1	0.1




Croton laevifolius
(Euphorbiaceae)

DBH	Frequency	Percent
1	155	36.2
2	66	15.4
3	45	10.5
4	25	5.8
5	21	4.9
6	18	4.2
7	16	3.7
8	10	2.3
9	8	1.9
10	38	8.9
15	19	4.4
20	5	1.2
25	2	0.5




Crudia curtisii
(Leguminosae)

DBH	Frequency	Percent
1	8	25.0
2	5	15.6
3	6	18.8
5	3	9.4
7	1	3.1
8	2	6.2
9	1	3.1
10	1	3.1
15	1	3.1
30	2	6.2
40	1	3.1
50	1	3.1




Cryptocarya ferrea
(Lauraceae)

DBH	Frequency	Percent
1	27	23.9
2	19	16.8
3	19	16.8
4	16	14.2
5	10	8.8
6	3	2.7
7	8	7.1
8	1	0.9
9	2	1.8
10	6	5.3
15	2	1.8




Cryptocarya griffithiana
(Lauraceae)

DBH	Frequency	Percent
1	140	38.6
2	90	24.8
3	44	12.1
4	28	7.7
5	20	5.5
6	11	3.0
7	6	1.7
8	11	3.0
9	3	0.8
10	7	1.9
15	3	0.8




Cryptocarya infectoria
(Lauraceae)

DBH	Frequency	Percent
1	362	46.6
2	168	21.6
3	80	10.3
4	60	7.7
5	30	3.9
6	27	3.5
7	7	0.9
8	10	1.3
9	6	0.8
10	19	2.4
15	5	0.6
20	1	0.1
25	1	0.1




Cryptocarya kurzii
(Lauraceae)

DBH	Frequency	Percent
1	249	32.6
2	168	22.0
3	113	14.8
4	67	8.8
5	55	7.2
6	25	3.3
7	34	4.5
8	19	2.5
9	10	1.3
10	22	2.9
15	2	0.3




Cryptocarya rugulosa
(Lauraceae)

DBH	Frequency	Percent
1	117	32.3
2	81	22.4
3	56	15.5
4	26	7.2
5	15	4.1
6	12	3.3
7	12	3.3
8	14	3.9
9	4	1.1
10	16	4.4
15	8	2.2
25	1	0.3




Cryptocarya scortechinii
(Lauraceae)

DBH	Frequency	Percent
1	19	38.0
2	7	14.0
3	10	20.0
4	2	4.0
5	1	2.0
6	1	2.0
7	2	4.0
9	1	2.0
10	4	8.0
15	2	4.0
20	1	2.0




Crypteronia griffithii
(Crypteroniaceae)

DBH	Frequency	Percent
1	5	15.6
2	8	25.0
3	3	9.4
4	4	12.5
5	1	3.1
6	1	3.1
7	2	6.2
8	3	9.4
10	3	9.4
25	1	3.1
60	1	3.1




Ctenolophon parvifolius
(Linaceae)

DBH	Frequency	Percent
1	44	24.3
2	33	18.2
3	26	14.4
4	18	9.9
5	19	10.5
6	9	5.0
7	5	2.8
8	9	5.0
9	2	1.1
10	11	6.1
15	4	2.2
20	1	0.6




Cyathocalyx pruniferous
(Annonaceae)

DBH	Frequency	Percent
1	18	41.9
2	6	14.0
3	7	16.3
4	3	7.0
7	3	7.0
8	2	4.7
10	1	2.3
15	1	2.3
25	1	2.3
30	1	2.3




Cyathocalyx ramuliflorus
(Annonaceae)

DBH	Frequency	Percent
1	22	34.4
2	5	7.8
3	6	9.4
4	4	6.2
5	6	9.4
6	3	4.7
7	5	7.8
8	1	1.6
9	1	1.6
10	5	7.8
15	4	6.2
20	1	1.6
30	1	1.6




Cynometra malaccensis
(Leguminosae)

DBH	Frequency	Percent
1	351	29.3
2	228	19.0
3	129	10.8
4	68	5.7
5	57	4.8
6	31	2.6
7	23	1.9
8	24	2.0
9	15	1.3
10	61	5.1
15	55	4.6
20	39	3.3
25	29	2.4
30	34	2.8
40	28	2.3
50	13	1.1
60	4	0.3
70	5	0.4
80	3	0.3




Dacryodes costata
(Burseraceae)

DBH	Frequency	Percent
1	197	35.0
2	115	20.4
3	58	10.3
4	46	8.2
5	27	4.8
6	17	3.0
7	10	1.8
8	9	1.6
9	8	1.4
10	32	5.7
15	9	1.6
20	15	2.7
25	5	0.9
30	10	1.8
40	3	0.5
50	2	0.4




Dacryodes incurvata
(Burseraceae)

DBH	Frequency	Percent
1	4	23.5
2	1	5.9
3	4	23.5
5	1	5.9
6	1	5.9
7	1	5.9
8	2	11.8
20	1	5.9
40	2	11.8




Dacryodes laxa
(Burseraceae)

DBH	Frequency	Percent
1	261	26.8
2	210	21.5
3	137	14.1
4	78	8.0
5	54	5.5
6	50	5.1
7	47	4.8
8	15	1.5
9	16	1.6
10	50	5.1
15	33	3.4
20	13	1.3
25	8	0.8
30	3	0.3




Dacryodes longifolia
(Burseraceae)

DBH	Frequency	Percent
1	32	23.0
2	26	18.7
3	28	20.1
4	12	8.6
5	8	5.8
6	7	5.0
7	7	5.0
8	5	3.6
9	3	2.2
10	6	4.3
15	3	2.2
40	2	1.4




Dacryodes nervosa
(Burseraceae)

DBH	Frequency	Percent
2	6	19.4
3	1	3.2
4	4	12.9
5	1	3.2
6	1	3.2
7	2	6.5
8	3	9.7
9	1	3.2
10	7	22.6
15	3	9.7
20	1	3.2
40	1	3.2




Dacryodes puberula
(Burseraceae)

DBH	Frequency	Percent
1	16	25.0
2	7	10.9
3	8	12.5
4	8	12.5
5	2	3.1
6	4	6.2
7	4	6.2
8	3	4.7
9	1	1.6
10	7	10.9
15	2	3.1
20	1	1.6
50	1	1.6




Dacryodes rugosa
(Burseraceae)

DBH	Frequency	Percent
1	1884	33.5
2	1126	20.0
3	696	12.4
4	433	7.7
5	308	5.5
6	212	3.8
7	193	3.4
8	137	2.4
9	109	1.9
10	297	5.3
15	132	2.3
20	62	1.1
25	23	0.4
30	6	0.1




Dacryodes rubiginosa
(Burseraceae)

DBH	Frequency	Percent
1	188	31.3
2	159	26.5
3	85	14.1
4	54	9.0
5	25	4.2
6	17	2.8
7	13	2.2
8	10	1.7
9	9	1.5
10	19	3.2
15	8	1.3
20	4	0.7
25	5	0.8
30	2	0.3
40	2	0.3
50	1	0.2




Dacryodes rostrata
(Burseraceae)

DBH	Frequency	Percent
1	647	24.9
2	538	20.7
3	452	17.4
4	281	10.8
5	181	7.0
6	119	4.6
7	89	3.4
8	46	1.8
9	46	1.8
10	121	4.7
15	44	1.7
20	13	0.5
25	14	0.5
30	7	0.3
40	1	0.0




Decaspermum fruticosum
(Myrtaceae)

DBH	Frequency	Percent
1	14	24.1
2	10	17.2
3	10	17.2
4	6	10.3
5	5	8.6
6	5	8.6
7	2	3.4
8	1	1.7
9	1	1.7
10	4	6.9




Dehaasia cuneata
(Lauraceae)

DBH	Frequency	Percent
1	56	23.7
2	34	14.4
3	16	6.8
4	23	9.7
5	13	5.5
6	11	4.7
7	14	5.9
8	11	4.7
9	11	4.7
10	17	7.2
15	10	4.2
20	10	4.2
25	5	2.1
30	3	1.3
40	2	0.8




**Dehaasia incrassata
(Lauraceae)**

DBH	Frequency	Percent
1	13	35.1
2	7	18.9
3	9	24.3
4	4	10.8
6	2	5.4
7	2	5.4




**Dehaasia longipetiolata
(Lauraceae)**

DBH	Frequency	Percent
1	3	23.1
2	1	7.7
3	2	15.4
6	1	7.7
8	1	7.7
15	1	7.7
25	1	7.7
30	2	15.4
50	1	7.7




Deplanchea bancana
(Bignoniaceae)

DBH	Frequency	Percent
1	1	100.0




Dehaasia polyneura
(Lauraceae)

DBH	Frequency	Percent
1	7	28.0
2	2	8.0
3	1	4.0
4	5	20.0
6	1	4.0
7	1	4.0
8	1	4.0
9	3	12.0
15	2	8.0
20	2	8.0




Dialium maingayi
(Leguminosae)

DBH	Frequency	Percent
1	30	27.8
2	15	13.9
3	17	15.7
4	4	3.7
5	7	6.5
6	8	7.4
7	2	1.9
8	4	3.7
9	3	2.8
10	9	8.3
15	1	0.9
20	2	1.9
25	4	3.7
30	1	0.9
50	1	0.9




Dialium platysepalum
(Leguminosae)

DBH	Frequency	Percent
1	492	45.4
2	208	19.2
3	111	10.2
4	55	5.1
5	39	3.6
6	28	2.6
7	22	2.0
8	15	1.4
9	13	1.2
10	26	2.4
15	21	1.9
20	9	0.8
25	13	1.2
30	12	1.1
40	10	0.9
50	6	0.6
60	4	0.4




Dialium procerum
(Leguminosae)

DBH	Frequency	Percent
1	24	17.5
2	16	11.7
3	12	8.8
4	10	7.3
5	6	4.4
6	4	2.9
7	5	3.6
8	4	2.9
9	3	2.2
10	10	7.3
15	17	12.4
20	10	7.3
25	2	1.5
30	5	3.6
40	3	2.2
50	1	0.7
60	1	0.7
70	1	0.7
80	3	2.2




Dialium wallichii
(Leguminosae)

DBH	Frequency	Percent
1	10	25.6
2	5	12.8
3	5	12.8
4	1	2.6
5	4	10.3
6	1	2.6
7	2	5.1
8	1	2.6
10	2	5.1
25	2	5.1
30	4	10.3
40	1	2.6
50	1	2.6




Dichaepetalum geloniodes
(Dichaepetalaceae)

DBH	Frequency	Percent
1	92	89.3
2	7	6.8
3	2	1.9
4	1	1.0
9	1	1.0




Dillenia grandifolia
(Dilleniaceae)

DBH	Frequency	Percent
1	2	14.3
2	1	7.1
3	2	14.3
9	1	7.1
20	1	7.1
40	3	21.4
50	2	14.3
60	1	7.1
70	1	7.1




Dillenia reticulata
(Dilleniaceae)

DBH	Frequency	Percent
1	10	24.4
2	4	9.8
3	5	12.2
4	3	7.3
5	2	4.9
6	3	7.3
7	3	7.3
8	1	2.4
9	1	2.4
10	3	7.3
15	1	2.4
25	1	2.4
30	1	2.4
40	2	4.9
70	1	2.4




Dillenia sumatrana
(Dilleniaceae)

DBH	Frequency	Percent
1	114	27.4
2	58	13.9
3	45	10.8
4	35	8.4
5	38	9.1
6	26	6.2
7	19	4.6
8	20	4.8
9	10	2.4
10	43	10.3
15	7	1.7
20	1	0.2




Diospyros areolata
(Ebenaceae)

DBH	Frequency	Percent
1	43	30.9
2	32	23.0
3	15	10.8
4	9	6.5
5	17	12.2
6	5	3.6
7	2	1.4
8	2	1.4
9	1	0.7
10	6	4.3
20	4	2.9
30	1	0.7
40	2	1.4




Diospyros argentea
(Ebenaceae)

DBH	Frequency	Percent
1	170	36.7
2	116	25.1
3	71	15.3
4	53	11.4
5	28	6.0
6	17	3.7
7	7	1.5
9	1	0.2




Diospyros adenophora
(Ebenaceae)

DBH	Frequency	Percent
1	51	34.2
2	27	18.1
3	16	10.7
4	19	12.8
5	16	10.7
6	6	4.0
7	5	3.4
8	3	2.0
9	2	1.3
10	3	2.0
30	1	0.7




Diospyros andamanica
(Ebenaceae)

DBH	Frequency	Percent
1	161	42.4
2	93	24.5
3	53	13.9
4	33	8.7
5	22	5.8
6	12	3.2
7	4	1.1
8	1	0.3
9	1	0.3




Diospyros apiculata
(Ebenaceae)

DBH	Frequency	Percent
1	619	39.2
2	257	16.3
3	167	10.6
4	155	9.8
5	71	4.5
6	58	3.7
7	52	3.3
8	35	2.2
9	45	2.8
10	83	5.3
15	33	2.1
20	4	0.3
25	1	0.1




Diospyros buxifolia
(Ebenaceae)

DBH	Frequency	Percent
1	244	42.4
2	119	20.7
3	45	7.8
4	40	7.0
5	23	4.0
6	24	4.2
7	8	1.4
8	10	1.7
9	12	2.1
10	22	3.8
15	15	2.6
20	4	0.7
25	4	0.7
30	4	0.7
50	1	0.2




Diospyros cauliflora
(Ebenaceae)

DBH	Frequency	Percent
1	115	37.0
2	65	20.9
3	45	14.5
4	24	7.7
5	15	4.8
6	11	3.5
7	11	3.5
8	8	2.6
9	5	1.6
10	10	3.2
15	2	0.6




Diospyros daemona
(Ebenaceae)

DBH	Frequency	Percent
3	1	50.0
6	1	50.0




Diospyros diepenhorstii
(Ebenaceae)

DBH	Frequency	Percent
1	5	16.1
2	5	16.1
3	7	22.6
4	3	9.7
5	2	6.5
6	4	12.9
7	1	3.2
8	1	3.2
9	1	3.2
10	2	6.5




Diospyros latisepala
(Ebenaceae)

DBH	Frequency	Percent
1	176	24.8
2	125	17.6
3	91	12.8
4	70	9.9
5	62	8.7
6	42	5.9
7	42	5.9
8	38	5.4
9	22	3.1
10	38	5.4
15	4	0.6




Diospyros lanceifolia
(Ebenaceae)

DBH	Frequency	Percent
1	2	50.0
2	2	50.0




Diospyros maingayi
(Ebenaceae)

DBH	Frequency	Percent
1	15	15.2
2	12	12.1
3	9	9.1
4	6	6.1
5	5	5.1
6	6	6.1
7	1	1.0
8	3	3.0
9	2	2.0
10	14	14.1
15	7	7.1
20	3	3.0
25	1	1.0
30	9	9.1
40	5	5.1
50	1	1.0




Diospyros nutans
(Ebenaceae)

DBH	Frequency	Percent
1	1741	76.4
2	447	19.6
3	70	3.1
4	11	0.5
5	4	0.2
7	4	0.2
8	1	0.0




Diospyros penangiana
(Ebenaceae)

DBH	Frequency	Percent
1	2	28.6
2	2	28.6
3	1	14.3
4	2	28.6




Diospyros pendula
(Ebenaceae)

DBH	Frequency	Percent
1	401	60.8
2	156	23.6
3	61	9.2
4	26	3.9
5	7	1.1
6	3	0.5
7	1	0.2
8	2	0.3
9	1	0.2
10	1	0.2
20	1	0.2




Diospyros pyrrocarpa
(Ebenaceae)

DBH	Frequency	Percent
1	20	50.0
2	5	12.5
3	5	12.5
4	1	2.5
6	1	2.5
7	1	2.5
8	1	2.5
10	2	5.0
15	1	2.5
20	1	2.5
25	1	2.5
30	1	2.5




Diospyros rufa
(Ebenaceae)

DBH	Frequency	Percent
1	38	29.5
2	25	19.4
3	14	10.9
4	11	8.5
5	10	7.8
6	6	4.7
7	5	3.9
8	4	3.1
9	4	3.1
10	10	7.8
15	2	1.6




Diospyros species 1
(Ebenaceae)

DBH	Frequency	Percent
1	78	36.6
2	41	19.2
3	17	8.0
4	11	5.2
5	5	2.3
6	9	4.2
7	8	3.8
8	6	2.8
9	6	2.8
10	19	8.9
15	9	4.2
20	4	1.9




Diospyros scortechinii
(Ebenaceae)

DBH	Frequency	Percent
1	1618	49.8
2	805	24.8
3	408	12.6
4	222	6.8
5	108	3.3
6	50	1.5
7	19	0.6
8	5	0.2
9	9	0.3
10	4	0.1




Diospyros singaporensis
(Ebenaceae)

DBH	Frequency	Percent
1	269	39.9
2	137	20.3
3	84	12.5
4	52	7.7
5	28	4.2
6	14	2.1
7	25	3.7
8	8	1.2
9	3	0.4
10	28	4.2
15	14	2.1
20	5	0.7
25	2	0.3
30	4	0.6
40	1	0.1




Diospyros sumatrana
(Ebenaceae)

DBH	Frequency	Percent
1	342	49.9
2	120	17.5
3	70	10.2
4	46	6.7
5	20	2.9
6	16	2.3
7	13	1.9
8	12	1.7
9	15	2.2
10	27	3.9
15	4	0.6
20	1	0.1




Diospyros venosa
(Ebenaceae)

DBH	Frequency	Percent
1	433	28.7
2	326	21.6
3	252	16.7
4	183	12.1
5	112	7.4
6	75	5.0
7	41	2.7
8	25	1.7
9	23	1.5
10	30	2.0
15	7	0.5
20	1	0.1
25	1	0.1




Diospyros wallichii
(Ebenaceae)

DBH	Frequency	Percent
1	28	36.8
2	17	22.4
3	7	9.2
4	8	10.5
5	5	6.6
6	2	2.6
7	3	3.9
8	1	1.3
9	1	1.3
10	2	2.6
15	2	2.6




Diplospora lasiantha
(Rubiaceae)

DBH	Frequency	Percent
1	115	91.3
2	9	7.1
3	1	0.8
7	1	0.8




Diplospora malaccensis
(Rubiaceae)

DBH	Frequency	Percent
1	228	23.8
2	132	13.8
3	104	10.9
4	84	8.8
5	89	9.3
6	57	5.9
7	57	5.9
8	37	3.9
9	35	3.7
10	98	10.2
15	33	3.4
20	4	0.4




Dipterocarpus cornutus
(Dipterocarpaceae)

DBH	Frequency	Percent
1	476	32.3
2	215	14.6
3	163	11.1
4	118	8.0
5	96	6.5
6	62	4.2
7	36	2.4
8	31	2.1
9	16	1.1
10	66	4.5
15	44	3.0
20	30	2.0
25	26	1.8
30	23	1.6
40	18	1.2
50	20	1.4
60	8	0.5
70	9	0.6
80	10	0.7
90	6	0.4
100	2	0.1




Dipterocarpus costulatus
(Dipterocarpaceae)

DBH	Frequency	Percent
1	228	36.4
2	132	21.1
3	93	14.9
4	53	8.5
5	31	5.0
6	20	3.2
7	7	1.1
8	7	1.1
9	6	1.0
10	13	2.1
15	6	1.0
20	5	0.8
25	1	0.2
30	1	0.2
50	4	0.6
60	3	0.5
70	6	1.0
80	1	0.2
90	3	0.5
100	6	1.0




Dipterocarpus crinitus
(Dipterocarpaceae)

DBH	Frequency	Percent
1	74	31.4
2	38	16.1
3	36	15.3
4	17	7.2
5	19	8.1
6	9	3.8
7	6	2.5
8	6	2.5
9	2	0.8
10	10	4.2
20	3	1.3
25	1	0.4
30	3	1.3
50	1	0.4
60	2	0.8
80	1	0.4
100	8	3.4




Dipterocarpus kunstleri
(Dipterocarpaceae)

DBH	Frequency	Percent
1	21	28.0
2	16	21.3
3	7	9.3
4	9	12.0
5	3	4.0
6	4	5.3
7	7	9.3
8	2	2.7
9	2	2.7
10	1	1.3
20	1	1.3
40	1	1.3
100	1	1.3




Dipterocarpus sublamellatus
(Dipterocarpaceae)

DBH	Frequency	Percent
1	1	25.0
4	1	25.0
7	1	25.0
15	1	25.0




Dracaena tetrastrachys
(Liliaceae)

DBH	Frequency	Percent
1	89	17.8
2	133	26.5
3	122	24.4
4	73	14.6
5	42	8.4
6	23	4.6
7	8	1.6
8	6	1.2
9	1	0.2
10	2	0.4
15	2	0.4




Dracaena brachystachys
(Liliaceae)

DBH	Frequency	Percent
1	113	85.6
2	14	10.6
3	1	0.8
4	1	0.8
5	2	1.5
7	1	0.8




Dracaena elliptica
(Liliaceae)

DBH	Frequency	Percent
1	142	65.7
2	46	21.3
3	18	8.3
4	4	1.9
5	5	2.3
7	1	0.5




Dracontomelum dao
(Anacardiaceae)

DBH	Frequency	Percent
1	6	14.3
2	9	21.4
3	6	14.3
4	4	9.5
5	3	7.1
6	6	14.3
7	1	2.4
8	2	4.8
10	2	4.8
15	1	2.4
25	2	4.8




Drimycarpus luridus
(Anacardiaceae)

DBH	Frequency	Percent
1	110	51.2
2	36	16.7
3	17	7.9
4	13	6.0
5	7	3.3
6	6	2.8
7	5	2.3
8	5	2.3
9	1	0.5
10	10	4.7
15	5	2.3




Drypetes kikir
(Euphorbiaceae)

DBH	Frequency	Percent
1	103	43.8
2	41	17.4
3	25	10.6
4	9	3.8
5	10	4.3
6	12	5.1
7	6	2.6
8	7	3.0
9	1	0.4
10	5	2.1
15	3	1.3
20	3	1.3
25	5	2.1
30	1	0.4
40	3	1.3
50	1	0.4




Drypetes laevis
(Euphorbiaceae)

DBH	Frequency	Percent
1	88	35.5
2	51	20.6
3	38	15.3
4	15	6.0
5	13	5.2
6	8	3.2
7	8	3.2
8	2	0.8
9	1	0.4
10	8	3.2
15	5	2.0
20	5	2.0
25	2	0.8
30	3	1.2
40	1	0.4




Drypetes longifolia
(Euphorbiaceae)

DBH	Frequency	Percent
1	152	37.4
2	80	19.7
3	37	9.1
4	19	4.7
5	18	4.4
6	15	3.7
7	15	3.7
8	5	1.2
9	11	2.7
10	27	6.7
15	13	3.2
20	9	2.2
25	2	0.5
30	3	0.7




Drypetes microphylla
(Euphorbiaceae)

DBH	Frequency	Percent
1	13	21.0
2	9	14.5
3	5	8.1
4	3	4.8
5	5	8.1
6	4	6.5
7	2	3.2
8	2	3.2
9	2	3.2
10	7	11.3
15	7	11.3
20	2	3.2
30	1	1.6




Drypetes pendula
(Euphorbiaceae)

DBH	Frequency	Percent
1	280	37.6
2	140	18.8
3	77	10.3
4	57	7.7
5	41	5.5
6	20	2.7
7	14	1.9
8	19	2.6
9	13	1.7
10	45	6.0
15	20	2.7
20	7	0.9
25	8	1.1
30	3	0.4
40	1	0.1




Drypetes polyneura
(Euphorbiaceae)

DBH	Frequency	Percent
1	218	40.6
2	94	17.5
3	44	8.2
4	43	8.0
5	23	4.3
6	15	2.8
7	16	3.0
8	8	1.5
9	13	2.4
10	26	4.8
15	16	3.0
20	6	1.1
25	8	1.5
30	6	1.1
40	1	0.2




Drypetes rhakodiskos
(Euphorbiaceae)

DBH	Frequency	Percent
1	72	63.2
2	25	21.9
3	10	8.8
4	2	1.8
5	2	1.8
6	1	0.9
7	1	0.9
8	1	0.9




Drypetes species 1
(Euphorbiaceae)

DBH	Frequency	Percent
9	1	100.0




Durio griffithii
(Bombacaceae)

DBH	Frequency	Percent
1	217	25.6
2	121	14.3
3	111	13.1
4	76	9.0
5	75	8.9
6	52	6.1
7	32	3.8
8	24	2.8
9	19	2.2
10	63	7.4
15	24	2.8
20	16	1.9
25	9	1.1
30	5	0.6
40	3	0.4




Durio oxleyanus
(Bombacaceae)

DBH	Frequency	Percent
1	21	23.9
2	12	13.6
3	12	13.6
4	8	9.1
5	7	8.0
6	2	2.3
7	4	4.5
8	1	1.1
9	2	2.3
10	2	2.3
15	4	4.5
20	2	2.3
25	1	1.1
30	4	4.5
40	2	2.3
60	1	1.1
70	3	3.4




Durio singaporensis
(Bombacaceae)

DBH	Frequency	Percent
1	24	26.4
2	14	15.4
3	11	12.1
4	3	3.3
5	4	4.4
6	2	2.2
7	3	3.3
8	3	3.3
9	1	1.1
10	8	8.8
15	9	9.9
20	5	5.5
25	2	2.2
30	2	2.2




Dyera costulata
(Apocynaceae)

DBH	Frequency	Percent
1	44	14.9
2	43	14.5
3	26	8.8
4	13	4.4
5	15	5.1
6	17	5.7
7	13	4.4
8	14	4.7
9	6	2.0
10	38	12.8
15	17	5.7
20	12	4.1
25	9	3.0
30	10	3.4
40	5	1.7
50	6	2.0
70	3	1.0
90	3	1.0
100	2	0.7




Dysoxylum acutangulum
(Meliaceae)

DBH	Frequency	Percent
1	1	50.0
2	1	50.0




Dysoxylum alliaceum
(Meliaceae)

DBH	Frequency	Percent
1	66	27.8
2	47	19.8
3	52	21.9
4	24	10.1
5	12	5.1
6	8	3.4
7	5	2.1
8	6	2.5
9	1	0.4
10	6	2.5
15	8	3.4
20	1	0.4
25	1	0.4




Dysoxylum carolinae
(Meliaceae)

DBH	Frequency	Percent
1	26	24.1
2	20	18.5
3	20	18.5
4	12	11.1
5	7	6.5
6	7	6.5
7	4	3.7
8	3	2.8
9	1	0.9
10	3	2.8
30	3	2.8
50	1	0.9
70	1	0.9




Dysoxylum cauliflorum
(Meliaceae)

DBH	Frequency	Percent
1	30	41.1
2	17	23.3
3	8	11.0
4	4	5.5
5	5	6.8
8	1	1.4
10	5	6.8
15	2	2.7
20	1	1.4




Dysoxylum costulatum
(Meliaceae)

DBH	Frequency	Percent
2	1	50.0
10	1	50.0




Dysoxylum flavescens
(Meliaceae)

DBH	Frequency	Percent
1	11	44.0
2	4	16.0
3	5	20.0
4	2	8.0
10	1	4.0
15	1	4.0
30	1	4.0




**Dysoxylum species 1
(Meliaceae)**

DBH	Frequency	Percent
1	1	11.1
5	1	11.1
6	1	11.1
7	1	11.1
9	3	33.3
10	2	22.2




**Ehretia timorensis
(Boraginaceae)**

DBH	Frequency	Percent
7	1	25.0
8	1	25.0
9	1	25.0
10	1	25.0




Elaeocarpus ferrugineus
(Elaeocarpaceae)

DBH	Frequency	Percent
1	33	41.2
2	12	15.0
3	9	11.3
4	7	8.8
5	4	5.0
6	3	3.7
7	1	1.3
8	1	1.3
9	1	1.3
10	5	6.2
20	1	1.3
25	1	1.3
30	2	2.5




Elaeocarpus griffithii
(Elaeocarpaceae)

DBH	Frequency	Percent
1	3	25.0
2	1	8.3
3	2	16.7
4	1	8.3
6	1	8.3
10	2	16.7
25	1	8.3
30	1	8.3




Elaeocarpus nitidus
(Elaeocarpaceae)

DBH	Frequency	Percent
1	49	29.9
2	28	17.1
3	14	8.5
4	16	9.8
5	6	3.7
6	11	6.7
7	2	1.2
8	8	4.9
9	5	3.0
10	14	8.5
15	6	3.7
20	5	3.0




Elaeocarpus palembanicus
(Elaeocarpaceae)

DBH	Frequency	Percent
1	59	32.6
2	39	21.5
3	19	10.5
4	15	8.3
5	12	6.6
6	11	6.1
7	7	3.9
9	1	0.6
10	6	3.3
15	8	4.4
20	4	2.2




Elaeocarpus petiolatus
(Elaeocarpaceae)

DBH	Frequency	Percent
1	80	60.2
2	23	17.3
3	10	7.5
4	2	1.5
5	5	3.8
6	1	0.8
7	2	1.5
9	2	1.5
10	5	3.8
15	2	1.5
30	1	0.8




Elaeocarpus rugosus
(Elaeocarpaceae)

DBH	Frequency	Percent
1	33	36.7
2	10	11.1
3	13	14.4
4	3	3.3
5	2	2.2
6	4	4.4
7	2	2.2
8	2	2.2
10	7	7.8
15	6	6.7
20	4	4.4
25	1	1.1
30	3	3.3




Elaeocarpus stipularis
(Elaeocarpaceae)

DBH	Frequency	Percent
1	4	44.4
5	2	22.2
6	1	11.1
8	1	11.1
20	1	11.1




Elateriospermum tapos
(Euphorbiaceae)

DBH	Frequency	Percent
1	70	31.8
2	22	10.0
3	14	6.4
4	15	6.8
5	10	4.5
6	7	3.2
7	6	2.7
8	4	1.8
9	7	3.2
10	14	6.4
15	9	4.1
20	12	5.5
25	4	1.8
30	11	5.0
40	5	2.3
50	10	4.5




Endiandra kingiana
(Lauraceae)

DBH	Frequency	Percent
1	5	38.5
4	2	15.4
5	1	7.7
10	1	7.7
20	1	7.7
25	1	7.7
30	2	15.4




Endiandra maingayi
(Lauraceae)

DBH	Frequency	Percent
1	6	22.2
2	4	14.8
3	2	7.4
4	3	11.1
5	3	11.1
9	2	7.4
10	1	3.7
15	2	7.4
20	1	3.7
25	2	7.4
30	1	3.7




Endocomia canarioides
(Myristicaceae)

DBH	Frequency	Percent
1	6	18.2
2	3	9.1
3	1	3.0
4	2	6.1
5	1	3.0
6	4	12.1
7	1	3.0
8	2	6.1
10	8	24.2
15	2	6.1
20	1	3.0
25	1	3.0
30	1	3.0




Endospermum malaccense
(Euphorbiaceae)

DBH	Frequency	Percent
1	5	14.7
2	3	8.8
3	3	8.8
4	2	5.9
6	2	5.9
7	1	2.9
8	5	14.7
9	1	2.9
10	5	14.7
15	1	2.9
20	1	2.9
25	3	8.8
30	2	5.9




**Engelhardtia serrata
(Juglandaceae)**

DBH	Frequency	Percent
1	3	15.0
2	5	25.0
4	2	10.0
5	1	5.0
6	1	5.0
7	1	5.0
8	1	5.0
10	2	10.0
20	2	10.0
30	2	10.0




**Enicosanthum fuscum
(Annonaceae)**

DBH	Frequency	Percent
1	478	46.5
2	202	19.7
3	111	10.8
4	61	5.9
5	35	3.4
6	38	3.7
7	24	2.3
8	24	2.3
9	13	1.3
10	36	3.5
15	4	0.4
40	1	0.1




Euphorbia malayanus
(Euphorbiaceae)

DBH	Frequency	Percent
1	238	22.5
2	197	18.7
3	175	16.6
4	126	11.9
5	127	12.0
6	89	8.4
7	48	4.5
8	32	3.0
9	17	1.6
10	6	0.6
20	1	0.1




Erycibe albida
(Convolvulaceae)

DBH	Frequency	Percent
1	278	89.4
2	31	10.0
3	1	0.3
4	1	0.3




Erythroxylum cuneatum
(Erythroxylaceae)

DBH	Frequency	Percent
1	15	27.3
2	5	9.1
3	10	18.2
4	8	14.5
5	3	5.5
6	1	1.8
7	2	3.6
8	1	1.8
9	3	5.5
10	2	3.6
20	2	3.6
25	2	3.6
40	1	1.8




Eugenia species 4
(Myrtaceae)

DBH	Frequency	Percent
1	18	29.5
2	7	11.5
3	6	9.8
4	5	8.2
6	1	1.6
7	2	3.3
8	2	3.3
9	1	1.6
10	4	6.6
15	5	8.2
20	1	1.6
25	1	1.6
30	4	6.6
40	3	4.9
50	1	1.6




**Eugenia species 8
(Myrtaceae)**

DBH	Frequency	Percent
1	9	50.0
2	2	11.1
3	2	11.1
4	1	5.6
5	1	5.6
6	1	5.6
10	1	5.6
25	1	5.6




**Eugenia species 10
(Myrtaceae)**

DBH	Frequency	Percent
1	5	18.5
2	6	22.2
3	2	7.4
4	2	7.4
5	1	3.7
6	2	7.4
7	2	7.4
8	2	7.4
10	2	7.4
20	2	7.4
50	1	3.7




Eugenia species 16
(Myrtaceae)

DBH	Frequency	Percent
1	2	5.7
2	1	2.9
5	1	2.9
7	1	2.9
9	1	2.9
10	6	17.1
15	7	20.0
20	5	14.3
25	3	8.6
30	7	20.0
40	1	2.9




Eugenia cerasiformis
(Myrtaceae)

DBH	Frequency	Percent
1	237	40.7
2	139	23.9
3	82	14.1
4	47	8.1
5	31	5.3
6	14	2.4
7	15	2.6
8	2	0.3
9	4	0.7
10	6	1.0
15	1	0.2
20	2	0.3
25	2	0.3




Eugenia ceraina
(Myrtaceae)

DBH	Frequency	Percent
1	1	14.3
2	2	28.6
3	1	14.3
4	1	14.3
15	1	14.3
40	1	14.3




Eugenia castanea
(Myrtaceae)

DBH	Frequency	Percent
1	73	49.7
2	39	26.5
3	13	8.8
4	6	4.1
5	4	2.7
6	2	1.4
7	5	3.4
8	1	0.7
10	1	0.7
15	1	0.7
20	2	1.4




Eugenia chlorantha
(Myrtaceae)

DBH	Frequency	Percent
1	218	35.6
2	103	16.8
3	61	10.0
4	62	10.1
5	41	6.7
6	24	3.9
7	24	3.9
8	21	3.4
9	19	3.1
10	26	4.2
15	11	1.8
20	2	0.3
50	1	0.2




Eugenia claviflora
(Myrtaceae)

DBH	Frequency	Percent
1	99	20.6
2	65	13.5
3	59	12.3
4	57	11.9
5	35	7.3
6	26	5.4
7	26	5.4
8	16	3.3
9	24	5.0
10	44	9.1
15	13	2.7
20	5	1.0
25	5	1.0
30	3	0.6
40	2	0.4
50	1	0.2
80	1	0.2




Eugenia cumingiana
(Myrtaceae)

DBH	Frequency	Percent
1	153	39.2
2	79	20.3
3	44	11.3
4	25	6.4
5	19	4.9
6	8	2.1
7	10	2.6
8	6	1.5
9	10	2.6
10	13	3.3
15	9	2.3
20	5	1.3
25	4	1.0
30	3	0.8
40	1	0.3
70	1	0.3




Eugenia densiflora
(Myrtaceae)

DBH	Frequency	Percent
1	191	34.1
2	102	18.2
3	83	14.8
4	41	7.3
5	33	5.9
6	24	4.3
7	23	4.1
8	20	3.6
9	8	1.4
10	27	4.8
15	7	1.3
20	1	0.2




Eugenia duthieana
(Myrtaceae)

DBH	Frequency	Percent
1	46	25.3
2	24	13.2
3	18	9.9
4	12	6.6
5	10	5.5
6	12	6.6
7	8	4.4
8	3	1.6
9	7	3.8
10	17	9.3
15	12	6.6
20	11	6.0
25	2	1.1




Eugenia dyeriana
(Myrtaceae)

DBH	Frequency	Percent
1	4	33.3
2	1	8.3
3	2	16.7
8	3	25.0
10	2	16.7




Eugenia fastigata
(Myrtaceae)

DBH	Frequency	Percent
1	22	33.8
2	10	15.4
3	11	16.9
4	2	3.1
5	8	12.3
6	1	1.5
7	1	1.5
9	1	1.5
10	4	6.2
15	2	3.1
20	1	1.5
25	1	1.5
30	1	1.5




Eugenia filiformis
(Myrtaceae)

DBH	Frequency	Percent
1	133	33.7
2	67	17.0
3	71	18.0
4	34	8.6
5	20	5.1
6	19	4.8
7	9	2.3
8	15	3.8
9	5	1.3
10	20	5.1
15	2	0.5




Eugenia flosculifera
(Myrtaceae)

DBH	Frequency	Percent
1	5	11.9
3	3	7.1
4	4	9.5
5	2	4.8
6	2	4.8
8	1	2.4
9	2	4.8
10	7	16.7
15	7	16.7
20	3	7.1
25	1	2.4
30	2	4.8
40	2	4.8
50	1	2.4




Eugenia glauca var. *pseudoglauca*
(Myrtaceae)

DBH	Frequency	Percent
1	9	27.3
2	1	3.0
3	3	9.1
5	1	3.0
6	3	9.1
7	1	3.0
9	1	3.0
10	4	12.1
15	4	12.1
20	1	3.0
30	2	6.1
40	1	3.0
60	1	3.0
70	1	3.0




Eugenia griffithii
(Myrtaceae)

DBH	Frequency	Percent
1	220	36.8
2	129	21.6
3	59	9.9
4	40	6.7
5	29	4.8
6	20	3.3
7	17	2.8
8	15	2.5
9	7	1.2
10	27	4.5
15	11	1.8
20	14	2.3
25	6	1.0
30	3	0.5
40	1	0.2




Eugenia inophylla var. *barnardi*
(Myrtaceae)

DBH	Frequency	Percent
1	23	23.5
2	11	11.2
3	13	13.3
4	12	12.2
5	3	3.1
6	4	4.1
7	3	3.1
8	4	4.1
9	4	4.1
10	10	10.2
15	4	4.1
20	2	2.0
25	4	4.1
30	1	1.0




Eugenia inophylla
(Myrtaceae)

DBH	Frequency	Percent
1	74	38.7
2	25	13.1
3	23	12.0
4	14	7.3
5	8	4.2
6	6	3.1
7	3	1.6
8	3	1.6
9	5	2.6
10	14	7.3
15	4	2.1
20	4	2.1
25	7	3.7
40	1	0.5




Eugenia koordersiana
(Myrtaceae)

DBH	Frequency	Percent
1	12	15.6
2	3	3.9
3	5	6.5
4	4	5.2
5	4	5.2
6	3	3.9
7	1	1.3
8	2	2.6
10	3	3.9
15	7	9.1
20	8	10.4
25	6	7.8
30	9	11.7
40	6	7.8
50	3	3.9
80	1	1.3




Eugenia leptostemon
(Myrtaceae)

DBH	Frequency	Percent
1	10	29.4
2	5	14.7
3	1	2.9
4	2	5.9
5	3	8.8
8	3	8.8
9	1	2.9
10	3	8.8
15	2	5.9
20	2	5.9
25	2	5.9




Eugenia napiformis
(Myrtaceae)

DBH	Frequency	Percent
1	32	23.9
2	25	18.7
3	15	11.2
4	12	9.0
5	10	7.5
6	4	3.0
7	7	5.2
8	2	1.5
9	4	3.0
10	9	6.7
15	6	4.5
20	4	3.0
25	3	2.2
30	1	0.7




Eugenia nigricans
(Myrtaceae)

DBH	Frequency	Percent
1	39	22.9
2	22	12.9
3	22	12.9
4	11	6.5
5	16	9.4
6	5	2.9
7	8	4.7
8	3	1.8
9	1	0.6
10	17	10.0
15	4	2.4
20	8	4.7
25	6	3.5
30	6	3.5
40	2	1.2




Eugenia oblongifolia
(Myrtaceae)

DBH	Frequency	Percent
1	11	34.4
2	2	6.2
3	3	9.4
4	4	12.5
5	2	6.2
6	1	3.1
7	2	6.2
9	1	3.1
10	2	6.2
15	1	3.1
20	1	3.1
30	2	6.2




Eugenia polita
(Myrtaceae)

DBH	Frequency	Percent
1	194	30.6
2	106	16.7
3	75	11.8
4	48	7.6
5	29	4.6
6	36	5.7
7	30	4.7
8	20	3.1
9	17	2.7
10	38	6.0
15	24	3.8
20	8	1.3
25	5	0.8
30	5	0.8




Eugenia pseudosubtilis
(Myrtaceae)

DBH	Frequency	Percent
1	68	23.4
2	26	8.9
3	32	11.0
4	22	7.6
5	17	5.8
6	9	3.1
7	6	2.1
8	11	3.8
9	6	2.1
10	39	13.4
15	21	7.2
20	10	3.4
25	10	3.4
30	10	3.4
40	2	0.7
50	2	0.7




Eugenia pseudocrenulata
(Myrtaceae)

DBH	Frequency	Percent
1	74	41.6
2	38	21.3
3	14	7.9
4	14	7.9
5	16	9.0
6	2	1.1
7	4	2.2
8	3	1.7
9	3	1.7
10	6	3.4
15	2	1.1
25	2	1.1




Eugenia pachyphylla
(Myrtaceae)

DBH	Frequency	Percent
1	6	33.3
2	4	22.2
3	3	16.7
4	2	11.1
5	1	5.6
10	1	5.6
25	1	5.6




Eugenia polyantha
(Myrtaceae)

DBH	Frequency	Percent
5	1	50.0
25	1	50.0




Eugenia prainiana
(Myrtaceae)

DBH	Frequency	Percent
1	60	27.6
2	46	21.2
3	15	6.9
4	14	6.5
5	11	5.1
6	11	5.1
7	3	1.4
8	9	4.1
9	3	1.4
10	12	5.5
15	6	2.8
20	7	3.2
25	8	3.7
30	8	3.7
40	3	1.4
60	1	0.5




Eugenia pustulata
(Myrtaceae)

DBH	Frequency	Percent
1	231	37.7
2	138	22.5
3	78	12.7
4	50	8.2
5	30	4.9
6	16	2.6
7	12	2.0
8	16	2.6
9	6	1.0
10	18	2.9
15	11	1.8
20	4	0.7
25	2	0.3
30	1	0.2




Eugenia ridleyi
(Myrtaceae)

DBH	Frequency	Percent
1	91	26.3
2	56	16.2
3	48	13.9
4	19	5.5
5	16	4.6
6	29	8.4
7	8	2.3
8	12	3.5
9	8	2.3
10	26	7.5
15	15	4.3
20	13	3.8
25	2	0.6
30	2	0.6
40	1	0.3




Eugenia rugosa
(Myrtaceae)

DBH	Frequency	Percent
1	4	28.6
2	5	35.7
4	1	7.1
6	1	7.1
9	1	7.1
10	1	7.1
15	1	7.1




Eugenia syzygioides
(Myrtaceae)

DBH	Frequency	Percent
1	63	24.0
2	41	15.6
3	30	11.5
4	37	14.1
5	32	12.2
6	24	9.2
7	18	6.9
8	4	1.5
9	8	3.1
10	3	1.1
15	1	0.4
25	1	0.4




Eugenia species a
(Myrtaceae)

DBH	Frequency	Percent
1	32	34.4
2	20	21.5
3	14	15.1
4	3	3.2
6	4	4.3
7	2	2.2
9	2	2.2
10	5	5.4
15	4	4.3
20	1	1.1
25	2	2.2
30	2	2.2
40	1	1.1
60	1	1.1




Eugenia species b
(Myrtaceae)

DBH	Frequency	Percent
1	73	37.4
2	32	16.4
3	23	11.8
4	13	6.7
5	10	5.1
6	12	6.2
7	4	2.1
8	4	2.1
9	6	3.1
10	7	3.6
15	3	1.5
20	4	2.1
25	3	1.5
30	1	0.5




Eugenia species d
(Myrtaceae)

DBH	Frequency	Percent
1	30	21.4
2	16	11.4
3	16	11.4
4	12	8.6
5	8	5.7
6	9	6.4
7	5	3.6
8	4	2.9
9	9	6.4
10	18	12.9
15	7	5.0
20	4	2.9
25	1	0.7
30	1	0.7




Eugenia spicata
(Myrtaceae)

DBH	Frequency	Percent
1	3	37.5
3	1	12.5
10	2	25.0
15	1	12.5
40	1	12.5




Eugenia scortechinii
(Myrtaceae)

DBH	Frequency	Percent
1	331	37.4
2	205	23.1
3	130	14.7
4	101	11.4
5	59	6.7
6	26	2.9
7	19	2.1
8	12	1.4
9	1	0.1
10	2	0.2




Eugenia subdecussata
(Myrtaceae)

DBH	Frequency	Percent
1	53	20.5
2	54	20.8
3	35	13.5
4	18	6.9
5	15	5.8
6	11	4.2
7	14	5.4
8	4	1.5
9	5	1.9
10	29	11.2
15	8	3.1
20	6	2.3
25	5	1.9
30	1	0.4
40	1	0.4




Eugenia tumida
(Myrtaceae)

DBH	Frequency	Percent
1	57	28.6
2	39	19.6
3	26	13.1
4	21	10.6
5	9	4.5
6	2	1.0
7	4	2.0
8	6	3.0
9	9	4.5
10	11	5.5
15	10	5.0
20	2	1.0
25	1	0.5
30	1	0.5
40	1	0.5




Eugenia valdevenosa
(Myrtaceae)

DBH	Frequency	Percent
1	9	33.3
2	5	18.5
3	3	11.1
4	2	7.4
5	2	7.4
8	1	3.7
9	1	3.7
10	1	3.7
25	3	11.1




Eugenia variolosa
(Myrtaceae)

DBH	Frequency	Percent
1	299	48.9
2	155	25.3
3	77	12.6
4	44	7.2
5	17	2.8
6	5	0.8
7	5	0.8
8	2	0.3
9	1	0.2
10	5	0.8
15	1	0.2
20	1	0.2




Eugenia virens
(Myrtaceae)

DBH	Frequency	Percent
1	17	29.8
2	10	17.5
3	8	14.0
4	3	5.3
5	4	7.0
6	1	1.8
7	2	3.5
8	2	3.5
9	1	1.8
10	3	5.3
20	1	1.8
30	1	1.8
40	1	1.8
50	1	1.8
60	2	3.5




Euodia glabra
(Rutaceae)

DBH	Frequency	Percent
1	56	43.1
2	26	20.0
3	12	9.2
4	11	8.5
5	3	2.3
6	4	3.1
7	6	4.6
8	1	0.8
10	4	3.1
15	5	3.8
20	1	0.8
30	1	0.8




Euodia roxburghiana
(Rutaceae)

DBH	Frequency	Percent
1	15	57.7
2	4	15.4
3	2	7.7
4	1	3.8
5	1	3.8
7	1	3.8
10	1	3.8
20	1	3.8




Euonymus javanicus
(Celastraceae)

DBH	Frequency	Percent
1	10	38.5
2	7	26.9
3	4	15.4
4	1	3.8
5	1	3.8
6	2	7.7
10	1	3.8




Eurycoma longifolia
(Simarubiaceae)

DBH	Frequency	Percent
1	169	19.7
2	177	20.7
3	140	16.3
4	114	13.3
5	93	10.9
6	63	7.4
7	42	4.9
8	33	3.9
9	10	1.2
10	16	1.9




Fagraea racemosa
(Loganaceae)

DBH	Frequency	Percent
1	37	38.5
2	19	19.8
3	8	8.3
4	9	9.4
5	7	7.3
6	4	4.2
7	5	5.2
8	6	6.2
9	1	1.0




Fahrenheitia pendula
(Euphorbiaceae)

DBH	Frequency	Percent
1	21	18.1
2	9	7.8
3	14	12.1
4	4	3.4
5	6	5.2
6	6	5.2
7	9	7.8
8	5	4.3
9	1	0.9
10	11	9.5
15	7	6.0
20	10	8.6
25	3	2.6
30	8	6.9
40	2	1.7




Ficus chartacea
(Moraceae)

DBH	Frequency	Percent
1	25	58.1
2	12	27.9
3	5	11.6
6	1	2.3




Ficus fistulosa
(Moraceae)

DBH	Frequency	Percent
1	3	75.0
3	1	25.0




Ficus glandulifera
(Moraceae)

DBH	Frequency	Percent
1	21	43.7
2	8	16.7
3	11	22.9
4	2	4.2
5	1	2.1
6	1	2.1
7	1	2.1
8	1	2.1
9	1	2.1
25	1	2.1




Ficus grossularioides
(Moraceae)

DBH	Frequency	Percent
1	2	100.0




**Ficus obscura
(Moraceae)**

DBH	Frequency	Percent
1	13	92.9
2	1	7.1




**Ficus schwarzii
(Moraceae)**

DBH	Frequency	Percent
1	2	40.0
3	1	20.0
5	2	40.0




Ficus scortechinii
(Moraceae)

DBH	Frequency	Percent
1	19	82.6
2	3	13.0
3	1	4.3




Ficus sinuata
(Moraceae)

DBH	Frequency	Percent
1	12	92.3
2	1	7.7




Ficus vasculosa
(Moraceae)

DBH	Frequency	Percent
1	6	60.0
2	2	20.0
4	1	10.0
30	1	10.0




Ficus variegata
(Moraceae)

DBH	Frequency	Percent
1	4	33.3
2	2	16.7
3	2	16.7
4	2	16.7
5	1	8.3
25	1	8.3




Flacourtia rukum
(Flacourtiaceae)

DBH	Frequency	Percent
1	68	42.2
2	38	23.6
3	25	15.5
4	13	8.1
5	7	4.3
6	3	1.9
7	5	3.1
8	1	0.6
10	1	0.6




Gaertnera oblanceolata
(Rubiaceae)

DBH	Frequency	Percent
1	375	93.3
2	25	6.2
4	1	0.2
15	1	0.2




**Galearia fulva
(Euphorbiaceae)**

DBH	Frequency	Percent
1	618	62.1
2	252	25.3
3	89	8.9
4	25	2.5
5	9	0.9
6	2	0.2




**Galearia maingayi
(Euphorbiaceae)**

DBH	Frequency	Percent
1	2	25.0
2	3	37.5
3	1	12.5
25	2	25.0




Ganea motleyana
(Sapotaceae)

DBH	Frequency	Percent
3	1	14.3
7	2	28.6
10	2	28.6
50	2	28.6




Ganea species 1
(Sapotaceae)

DBH	Frequency	Percent
1	20	22.2
2	14	15.6
3	8	8.9
4	5	5.6
5	7	7.8
6	4	4.4
7	2	2.2
8	1	1.1
9	2	2.2
10	10	11.1
15	4	4.4
20	6	6.7
25	1	1.1
30	4	4.4
40	2	2.2




Gardeniopsis longifolia
(Rubiaceae)

DBH	Frequency	Percent
1	1	50.0
2	1	50.0




Gardenia tubifera
(Rubiaceae)

DBH	Frequency	Percent
1	30	36.1
2	11	13.3
3	10	12.0
4	6	7.2
5	4	4.8
6	2	2.4
7	2	2.4
8	3	3.6
9	3	3.6
10	5	6.0
15	3	3.6
20	2	2.4
30	2	2.4




Garcinia atroviridis
(Guttiferae)

DBH	Frequency	Percent
1	4	33.3
2	2	16.7
3	4	33.3
4	1	8.3
10	1	8.3




Garcinia bancana
(Guttiferae)

DBH	Frequency	Percent
1	58	40.3
2	26	18.1
3	10	6.9
4	8	5.6
5	4	2.8
6	10	6.9
7	3	2.1
8	3	2.1
9	1	0.7
10	11	7.6
15	8	5.6
20	1	0.7
30	1	0.7




Garcinia eugeniaefolia
(Guttiferae)

DBH	Frequency	Percent
1	320	41.2
2	238	30.7
3	124	16.0
4	54	7.0
5	17	2.2
6	11	1.4
7	6	0.8
8	1	0.1
9	2	0.3
10	3	0.4




Garcinia forbesii
(Guttiferae)

DBH	Frequency	Percent
1	21	42.0
2	10	20.0
3	6	12.0
4	9	18.0
5	1	2.0
7	2	4.0
10	1	2.0




Garcinia griffithii
(Guttiferae)

DBH	Frequency	Percent
1	21	61.8
2	9	26.5
4	2	5.9
5	2	5.9




Garcinia malaccensis
(Guttiferae)

DBH	Frequency	Percent
1	415	42.3
2	207	21.1
3	125	12.7
4	71	7.2
5	58	5.9
6	33	3.4
7	17	1.7
8	14	1.4
9	18	1.8
10	22	2.2
15	1	0.1
20	1	0.1




Garcinia nervosa
(Guttiferae)

DBH	Frequency	Percent
1	166	29.8
2	147	26.4
3	101	18.1
4	49	8.8
5	30	5.4
6	14	2.5
7	16	2.9
8	7	1.3
9	4	0.7
10	6	1.1
15	8	1.4
20	4	0.7
25	2	0.4
30	2	0.4
40	1	0.2




Garcinia nigrolineata
(Guttiferae)

DBH	Frequency	Percent
1	274	62.8
2	70	16.1
3	39	8.9
4	16	3.7
5	12	2.8
6	9	2.1
7	6	1.4
8	4	0.9
9	2	0.5
10	3	0.7
15	1	0.2




Garcinia parvifolia
(Guttiferae)

DBH	Frequency	Percent
1	237	47.9
2	97	19.6
3	37	7.5
4	34	6.9
5	16	3.2
6	9	1.8
7	8	1.6
8	5	1.0
9	8	1.6
10	29	5.9
15	7	1.4
20	4	0.8
25	2	0.4
30	2	0.4




Garcinia prainiana
(Guttiferae)

DBH	Frequency	Percent
1	1	100.0




Garcinia pyrifera
(Guttiferae)

DBH	Frequency	Percent
3	1	100.0




Garcinia rostrata
(Guttiferae)

DBH	Frequency	Percent
1	38	34.9
2	22	20.2
3	12	11.0
4	9	8.3
5	2	1.8
6	6	5.5
7	1	0.9
8	11	10.1
9	1	0.9
10	6	5.5
15	1	0.9




Garcinia species 1
(Guttiferae)

DBH	Frequency	Percent
1	33	37.5
2	13	14.8
3	14	15.9
4	1	1.1
5	7	8.0
6	3	3.4
7	1	1.1
8	2	2.3
9	3	3.4
10	6	6.8
15	3	3.4
20	2	2.3




Garcinia species 2
(Guttiferae)

DBH	Frequency	Percent
1	38	43.2
2	17	19.3
3	9	10.2
4	6	6.8
5	6	6.8
6	2	2.3
7	2	2.3
8	1	1.1
9	2	2.3
10	2	2.3
20	1	1.1
25	1	1.1
30	1	1.1




Garcinia species 4
(Guttiferae)

DBH	Frequency	Percent
1	2	66.7
4	1	33.3




Garcinia species 5
(Guttiferae)

DBH	Frequency	Percent
1	1	100.0




Garcinia scortechnii
(Guttiferae)

DBH	Frequency	Percent
1	152	42.5
2	82	22.9
3	37	10.3
4	19	5.3
5	13	3.6
6	7	2.0
7	8	2.2
8	10	2.8
9	12	3.4
10	15	4.2
15	2	0.6
20	1	0.3




Gironniera nervosa
(Ulmaceae)

DBH	Frequency	Percent
1	192	25.4
2	84	11.1
3	78	10.3
4	51	6.7
5	60	7.9
6	36	4.8
7	34	4.5
8	29	3.8
9	19	2.5
10	90	11.9
15	49	6.5
20	25	3.3
25	8	1.1
30	2	0.3




Gironniera parvifolia
(Ulmaceae)

DBH	Frequency	Percent
1	923	23.3
2	624	15.8
3	520	13.1
4	456	11.5
5	403	10.2
6	347	8.8
7	233	5.9
8	180	4.5
9	122	3.1
10	143	3.6
15	8	0.2
20	1	0.0




Gironniera subaequalis
(Ulmaceae)

DBH	Frequency	Percent
1	148	21.6
2	112	16.4
3	79	11.5
4	71	10.4
5	58	8.5
6	36	5.3
7	32	4.7
8	19	2.8
9	14	2.0
10	42	6.1
15	36	5.3
20	24	3.5
25	10	1.5
30	4	0.6




Glochidion species 1
(Euphorbiaceae)

DBH	Frequency	Percent
1	3	60.0
10	2	40.0




Glochidion hypoleucum
(Euphorbiaceae)

DBH	Frequency	Percent
1	10	40.0
2	4	16.0
3	2	8.0
4	3	12.0
5	2	8.0
6	2	8.0
9	1	4.0
10	1	4.0




**Glochidion obscurum
(Euphorbiaceae)**

DBH	Frequency	Percent
5	1	100.0




**Glochidion sericeum
(Euphorbiaceae)**

DBH	Frequency	Percent
1	2	100.0




Glochidion superbum
(Euphorbiaceae)

DBH	Frequency	Percent
1	9	60.0
2	2	13.3
4	1	6.7
5	1	6.7
8	1	6.7
9	1	6.7




Glochidion wallichianum
(Euphorbiaceae)

DBH	Frequency	Percent
1	67	40.9
2	35	21.3
3	22	13.4
4	13	7.9
5	8	4.9
6	5	3.0
7	6	3.7
8	1	0.6
9	3	1.8
10	3	1.8
15	1	0.6




Gluta malayana
(Anacardiaceae)

DBH	Frequency	Percent
1	243	32.1
2	188	24.8
3	123	16.2
4	71	9.4
5	30	4.0
6	21	2.8
7	11	1.5
8	7	0.9
9	8	1.1
10	24	3.2
15	13	1.7
20	4	0.5
25	1	0.1
30	2	0.3
40	2	0.3
60	4	0.5
70	2	0.3
80	2	0.3
90	2	0.3




Glycosmis chlorosperma
(Rutaceae)

DBH	Frequency	Percent
1	273	41.8
2	138	21.1
3	104	15.9
4	61	9.3
5	39	6.0
6	22	3.4
7	9	1.4
8	3	0.5
9	2	0.3
10	2	0.3




Glycosmis sapindoides
(Rutaceae)

DBH	Frequency	Percent
1	102	74.5
2	27	19.7
3	7	5.1
4	1	0.7




Glyptopetalum quadrangulare
(Celastraceae)

DBH	Frequency	Percent
1	269	88.8
2	28	9.2
3	3	1.0
7	1	0.3
10	2	0.7




Gnetum gnemon
(Gnetaceae)

DBH	Frequency	Percent
1	513	88.3
2	59	10.2
3	6	1.0
4	1	0.2
5	2	0.3




Gomphia serrata
(Ochnaceae)

DBH	Frequency	Percent
1	51	35.7
2	34	23.8
3	17	11.9
4	13	9.1
5	6	4.2
6	2	1.4
7	3	2.1
8	1	0.7
9	1	0.7
10	7	4.9
15	3	2.1
25	1	0.7
30	4	2.8




Gomphandra capitellata
(Icacinaceae)

DBH	Frequency	Percent
1	14	87.5
2	1	6.2
10	1	6.2




Gomphandra quadrifida
(Icacinaceae)

DBH	Frequency	Percent
1	175	81.8
2	26	12.1
3	11	5.1
9	2	0.9




Gomphandra species 1
(Icacinaceae)

DBH	Frequency	Percent
1	49	75.4
2	9	13.8
3	2	3.1
4	3	4.6
8	1	1.5
10	1	1.5




Goniolthalamus macrophyllus
(Annonaceae)

DBH	Frequency	Percent
1	83	94.3
2	4	4.5
3	1	1.1




Goniiothalamus tortilipetalum
(Annonaceae)

DBH	Frequency	Percent
1	107	25.2
2	68	16.0
3	44	10.4
4	45	10.6
5	42	9.9
6	28	6.6
7	24	5.7
8	21	5.0
9	11	2.6
10	34	8.0




Gonocaryum gracile
(Icacinaceae)

DBH	Frequency	Percent
1	455	52.2
2	151	17.3
3	77	8.8
4	44	5.1
5	22	2.5
6	29	3.3
7	20	2.3
8	26	3.0
9	14	1.6
10	32	3.7
15	1	0.1




Gonystylus maingayi
(Thymeliaceae)

DBH	Frequency	Percent
1	115	34.7
2	64	19.3
3	56	16.9
4	20	6.0
5	22	6.6
6	12	3.6
7	12	3.6
8	6	1.8
9	1	0.3
10	12	3.6
15	6	1.8
20	2	0.6
30	1	0.3
60	2	0.6




Gordonia singaporeana
(Theaceae)

DBH	Frequency	Percent
1	4	16.0
2	3	12.0
3	1	4.0
4	4	16.0
5	3	12.0
6	1	4.0
9	1	4.0
10	4	16.0
20	1	4.0
30	1	4.0
40	1	4.0
50	1	4.0




Grewia antidesmaefolia
(Tiliaceae)

DBH	Frequency	Percent
1	1	9.1
2	1	9.1
3	2	18.2
5	2	18.2
8	1	9.1
10	2	18.2
15	1	9.1
40	1	9.1




Grewia blattaefolia
(Tiliaceae)

DBH	Frequency	Percent
1	259	31.5
2	156	19.0
3	84	10.2
4	56	6.8
5	53	6.5
6	30	3.7
7	29	3.5
8	20	2.4
9	12	1.5
10	74	9.0
15	29	3.5
20	11	1.3
25	5	0.6
30	3	0.4




Grewia fibrocarpa
(Tiliaceae)

DBH	Frequency	Percent
1	56	36.1
2	27	17.4
3	20	12.9
4	17	11.0
5	11	7.1
6	7	4.5
7	5	3.2
8	5	3.2
9	1	0.6
10	5	3.2
15	1	0.6




Grewia laurifolia
(Tiliaceae)

DBH	Frequency	Percent
1	47	29.6
2	23	14.5
3	16	10.1
4	17	10.7
5	16	10.1
6	9	5.7
7	2	1.3
8	1	0.6
9	3	1.9
10	9	5.7
15	4	2.5
20	4	2.5
25	2	1.3
30	3	1.9
40	3	1.9




Grewia miqueliana
(Tiliaceae)

DBH	Frequency	Percent
1	636	43.3
2	269	18.3
3	156	10.6
4	103	7.0
5	69	4.7
6	45	3.1
7	44	3.0
8	31	2.1
9	28	1.9
10	71	4.8
15	17	1.2
20	1	0.1




Guioa species 1
(Sapindaceae)

DBH	Frequency	Percent
1	31	44.3
2	11	15.7
3	7	10.0
4	5	7.1
5	4	5.7
6	5	7.1
9	1	1.4
10	2	2.9
15	1	1.4
20	3	4.3




Gymnacranthera eugeniifolia
(Myristicaceae)

DBH	Frequency	Percent
1	12	25.0
2	5	10.4
3	4	8.3
4	3	6.2
5	1	2.1
6	3	6.2
7	1	2.1
10	9	18.8
15	2	4.2
20	1	2.1
25	2	4.2
30	3	6.2
40	1	2.1
60	1	2.1




Gymnacranthera forbesii
(Myristicaceae)

DBH	Frequency	Percent
1	306	24.6
2	197	15.8
3	193	15.5
4	131	10.5
5	114	9.2
6	65	5.2
7	56	4.5
8	35	2.8
9	29	2.3
10	95	7.6
15	15	1.2
20	6	0.5
30	2	0.2
70	1	0.1




Gynotroches axillaris
(Rhizophoraceae)

DBH	Frequency	Percent
1	89	35.9
2	51	20.6
3	36	14.5
4	14	5.6
5	6	2.4
6	7	2.8
7	8	3.2
8	6	2.4
9	3	1.2
10	9	3.6
15	6	2.4
20	3	1.2
25	3	1.2
30	2	0.8
40	4	1.6
60	1	0.4




Harmandia kunstleri
(Olacaceae)

DBH	Frequency	Percent
1	12	27.3
2	4	9.1
3	5	11.4
4	2	4.5
5	4	9.1
6	2	4.5
7	2	4.5
10	4	9.1
15	5	11.4
25	1	2.3
30	3	6.8




Harpulia cupanoides
(Sapindaceae)

DBH	Frequency	Percent
15	1	100.0




Helicia attenuata
(Proteaceae)

DBH	Frequency	Percent
1	48	37.5
2	24	18.8
3	13	10.2
4	11	8.6
5	8	6.2
6	7	5.5
7	4	3.1
8	3	2.3
9	1	0.8
10	8	6.2
15	1	0.8




Heliciopsis velutina
(Proteaceae)

DBH	Frequency	Percent
1	87	22.7
2	83	21.7
3	75	19.6
4	45	11.7
5	26	6.8
6	13	3.4
7	12	3.1
8	9	2.3
9	4	1.0
10	18	4.7
15	7	1.8
20	4	1.0




Heritiera elata
(Sterculiaceae)

DBH	Frequency	Percent
1	23	12.4
2	26	14.0
3	24	12.9
4	19	10.2
5	20	10.8
6	7	3.8
7	14	7.5
8	5	2.7
9	6	3.2
10	16	8.6
15	14	7.5
20	6	3.2
25	2	1.1
30	2	1.1
40	1	0.5
60	1	0.5




Heritiera javanica
(Sterculiaceae)

DBH	Frequency	Percent
1	6	18.8
2	3	9.4
3	1	3.1
4	4	12.5
5	3	9.4
6	4	12.5
7	2	6.2
9	2	6.2
10	1	3.1
15	3	9.4
20	1	3.1
50	2	6.2




Heritiera simplicifolia
(Sterculiaceae)

DBH	Frequency	Percent
1	66	14.4
2	57	12.4
3	44	9.6
4	44	9.6
5	35	7.6
6	31	6.8
7	20	4.4
8	14	3.1
9	19	4.1
10	55	12.0
15	32	7.0
20	11	2.4
25	6	1.3
30	7	1.5
40	5	1.1
50	5	1.1
60	4	0.9
80	1	0.2
90	1	0.2
100	1	0.2




Homalium caryophyllaceum
(Flacourtiaceae)

DBH	Frequency	Percent
1	9	45.0
2	5	25.0
4	1	5.0
6	1	5.0
7	2	10.0
9	1	5.0
20	1	5.0




Homalium dictyoneurum
(Flacourtiaceae)

DBH	Frequency	Percent
1	195	38.4
2	107	21.1
3	54	10.6
4	34	6.7
5	19	3.7
6	12	2.4
7	8	1.6
8	9	1.8
9	3	0.6
10	26	5.1
15	21	4.1
20	9	1.8
25	6	1.2
30	4	0.8
50	1	0.2




Homalium longifolium
(Flacourtiaceae)

DBH	Frequency	Percent
1	191	28.3
2	120	17.8
3	82	12.2
4	52	7.7
5	35	5.2
6	39	5.8
7	26	3.9
8	20	3.0
9	16	2.4
10	40	5.9
15	21	3.1
20	10	1.5
25	13	1.9
30	9	1.3




Hopea dryobalanoides
(Dipterocarpaceae)

DBH	Frequency	Percent
1	344	49.4
2	127	18.2
3	52	7.5
4	31	4.5
5	32	4.6
6	12	1.7
7	12	1.7
8	8	1.1
9	13	1.9
10	28	4.0
15	14	2.0
20	8	1.1
25	8	1.1
30	5	0.7
60	2	0.3




**Hopea mengerawan
(Dipterocarpaceae)**

DBH	Frequency	Percent
1	162	35.9
2	67	14.9
3	46	10.2
4	41	9.1
5	27	6.0
6	20	4.4
7	9	2.0
8	13	2.9
9	7	1.6
10	29	6.4
15	14	3.1
20	5	1.1
25	5	1.1
30	3	0.7
40	1	0.2
70	1	0.2
80	1	0.2




**Hopea sangal
(Dipterocarpaceae)**

DBH	Frequency	Percent
1	5	27.8
2	3	16.7
4	4	22.2
5	1	5.6
6	1	5.6
10	2	11.1
20	1	5.6
70	1	5.6




Horsfieldia brachiata
(Myristicaceae)

DBH	Frequency	Percent
1	74	21.9
2	55	16.3
3	36	10.7
4	31	9.2
5	28	8.3
6	18	5.3
7	12	3.6
8	11	3.3
9	12	3.6
10	29	8.6
15	23	6.8
20	6	1.8
25	3	0.9




Horsfieldia crassifolia
(Myristicaceae)

DBH	Frequency	Percent
1	2	4.4
3	1	2.2
4	3	6.7
6	3	6.7
10	9	20.0
15	5	11.1
20	8	17.8
25	6	13.3
30	8	17.8




Horsfieldia flocculosa
(Myristicaceae)

DBH	Frequency	Percent
1	4	14.3
2	6	21.4
3	2	7.1
4	1	3.6
5	3	10.7
7	2	7.1
10	4	14.3
15	4	14.3
25	2	7.1




Horsfieldia fulva
(Myristicaceae)

DBH	Frequency	Percent
1	27	30.7
2	8	9.1
3	9	10.2
4	6	6.8
5	5	5.7
6	3	3.4
7	2	2.3
8	2	2.3
9	2	2.3
10	9	10.2
15	7	8.0
20	4	4.5
25	1	1.1
30	3	3.4




Horsfieldia polyspherula
(Myristicaceae)

DBH	Frequency	Percent
1	53	21.7
2	28	11.5
3	26	10.7
4	18	7.4
5	15	6.1
6	15	6.1
7	14	5.7
8	6	2.5
9	10	4.1
10	37	15.2
15	15	6.1
20	6	2.5
25	1	0.4




Horsfieldia poly. var. sumatrana
(Myristicaceae)

DBH	Frequency	Percent
1	23	24.5
2	18	19.1
3	9	9.6
4	10	10.6
5	7	7.4
6	7	7.4
7	3	3.2
8	2	2.1
9	1	1.1
10	8	8.5
15	4	4.3
20	2	2.1




Horsfieldia punctatifolia
(Myristicaceae)

DBH	Frequency	Percent
1	13	36.1
2	6	16.7
3	4	11.1
4	4	11.1
5	4	11.1
6	2	5.6
7	1	2.8
9	1	2.8
10	1	2.8




Horsfieldia sucosa
(Myristicaceae)

DBH	Frequency	Percent
1	160	29.0
2	76	13.8
3	65	11.8
4	38	6.9
5	23	4.2
6	32	5.8
7	18	3.3
8	15	2.7
9	10	1.8
10	55	10.0
15	25	4.5
20	18	3.3
25	7	1.3
30	9	1.6




Horsfieldia superba
(Myristicaceae)

DBH	Frequency	Percent
1	75	29.3
2	30	11.7
3	21	8.2
4	17	6.6
5	15	5.9
6	8	3.1
7	10	3.9
8	10	3.9
9	7	2.7
10	18	7.0
15	16	6.2
20	12	4.7
25	12	4.7
30	4	1.6
40	1	0.4




Horsfieldia tomentosa
(Myristicaceae)

DBH	Frequency	Percent
1	13	46.4
2	7	25.0
3	3	10.7
4	2	7.1
6	2	7.1
9	1	3.6




Horsfieldia wallichii
(Myristicaceae)

DBH	Frequency	Percent
1	4	10.8
2	3	8.1
3	2	5.4
4	3	8.1
5	2	5.4
6	1	2.7
7	2	5.4
8	1	2.7
10	3	8.1
15	6	16.2
20	3	8.1
30	6	16.2
50	1	2.7




Hunteria zeylanica
(Apocynaceae)

DBH	Frequency	Percent
1	49	37.4
2	17	13.0
3	20	15.3
4	9	6.9
5	8	6.1
6	5	3.8
7	3	2.3
8	1	0.8
9	2	1.5
10	6	4.6
15	4	3.1
20	6	4.6
25	1	0.8




Hypobathrium racemosum
(Rubiaceae)

DBH	Frequency	Percent
1	146	48.0
2	64	21.1
3	30	9.9
4	18	5.9
5	8	2.6
6	12	3.9
7	8	2.6
8	4	1.3
9	4	1.3
10	9	3.0
15	1	0.3




Hypobathrium venulosum
(Rubiaceae)

DBH	Frequency	Percent
1	92	46.9
2	48	24.5
3	20	10.2
4	15	7.7
5	5	2.6
6	5	2.6
7	4	2.0
8	1	0.5
9	1	0.5
10	3	1.5
15	2	1.0




Iguanura wallichiana
(Arecaceae)

DBH	Frequency	Percent
1	222	45.5
2	233	47.7
3	29	5.9
4	3	0.6
5	1	0.2




Ilex macrophylla
(Aquifoliaceae)

DBH	Frequency	Percent
1	84	48.8
2	27	15.7
3	16	9.3
4	12	7.0
5	7	4.1
6	3	1.7
7	3	1.7
8	2	1.2
9	2	1.2
10	3	1.7
15	6	3.5
20	3	1.7
25	2	1.2
30	2	1.2




Ilex species 1
(Aquifoliaceae)

DBH	Frequency	Percent
1	9	32.1
2	5	17.9
4	2	7.1
5	2	7.1
6	2	7.1
8	1	3.6
9	1	3.6
10	4	14.3
15	2	7.1




Intsia palembanica
(Leguminosae)

DBH	Frequency	Percent
1	247	47.5
2	72	13.8
3	24	4.6
4	26	5.0
5	15	2.9
6	4	0.8
7	5	1.0
8	1	0.2
9	4	0.8
10	18	3.5
15	16	3.1
20	9	1.7
25	13	2.5
30	24	4.6
40	20	3.8
50	11	2.1
60	11	2.1




Irvingia malayana
(Irvingiaceae)

DBH	Frequency	Percent
1	55	23.8
2	41	17.7
3	24	10.4
4	15	6.5
5	14	6.1
6	8	3.5
7	8	3.5
8	7	3.0
9	8	3.5
10	8	3.5
15	15	6.5
20	8	3.5
25	5	2.2
30	3	1.3
40	3	1.3
50	4	1.7
60	3	1.3
70	1	0.4
90	1	0.4




Ixonanthes icosandra
(Ixonanthaceae)

DBH	Frequency	Percent
1	1273	39.8
2	487	15.2
3	291	9.1
4	207	6.5
5	154	4.8
6	86	2.7
7	64	2.0
8	60	1.9
9	56	1.8
10	147	4.6
15	106	3.3
20	90	2.8
25	65	2.0
30	77	2.4
40	26	0.8
50	9	0.3
60	2	0.1




Ixonanthes reticulata
(Ixonanthaceae)

DBH	Frequency	Percent
1	1	50.0
3	1	50.0




Ixora concinna
(Rubiaceae)

DBH	Frequency	Percent
1	378	38.2
2	199	20.1
3	138	14.0
4	97	9.8
5	81	8.2
6	38	3.8
7	23	2.3
8	22	2.2
9	6	0.6
10	7	0.7




***Ixora congesta*
(Rubiaceae)**

DBH	Frequency	Percent
1	795	88.9
2	69	7.7
3	20	2.2
4	7	0.8
5	1	0.1
7	1	0.1
10	1	0.1




***Ixora grandifolia* var. *grandifolia*
(Rubiaceae)**

DBH	Frequency	Percent
1	93	49.2
2	47	24.9
3	10	5.3
4	9	4.8
5	3	1.6
6	2	1.1
7	6	3.2
8	3	1.6
9	1	0.5
10	8	4.2
15	5	2.6
20	1	0.5
25	1	0.5




Ixora grandifolia var. *lanceolata*
(Rubiaceae)

DBH	Frequency	Percent
1	253	93.0
2	15	5.5
4	1	0.4
5	1	0.4
7	1	0.4
10	1	0.4




Ixora kingstonii
(Rubiaceae)

DBH	Frequency	Percent
1	30	41.7
2	17	23.6
3	15	20.8
4	5	6.9
5	3	4.2
6	1	1.4
7	1	1.4




Ixora lobbii
(Rubiaceae)

DBH	Frequency	Percent
1	684	65.6
2	161	15.4
3	114	10.9
4	45	4.3
5	24	2.3
6	10	1.0
7	1	0.1
8	2	0.2
10	2	0.2




Ixora nigricans
(Rubiaceae)

DBH	Frequency	Percent
1	14	58.3
2	7	29.2
3	1	4.2
4	2	8.3




Ixora pendula
(Rubiaceae)

DBH	Frequency	Percent
1	47	62.7
2	19	25.3
3	4	5.3
4	2	2.7
6	1	1.3
7	1	1.3
8	1	1.3




Jackiopsis ornata
(Rubiaceae)

DBH	Frequency	Percent
7	1	100.0




Kibara coriacea
(Monimiaceae)

DBH	Frequency	Percent
1	12	66.7
2	5	27.8
5	1	5.6




Kibatalia maingayi
(Apocynaceae)

DBH	Frequency	Percent
1	50	23.1
2	34	15.7
3	25	11.6
4	18	8.3
5	17	7.9
6	9	4.2
7	9	4.2
8	5	2.3
9	6	2.8
10	18	8.3
15	15	6.9
20	3	1.4
25	4	1.9
30	2	0.9
50	1	0.5




Kingstonia nervosa
(Annonaceae)

DBH	Frequency	Percent
1	113	36.8
2	54	17.6
3	34	11.1
4	22	7.2
5	13	4.2
6	9	2.9
7	6	2.0
8	6	2.0
9	5	1.6
10	21	6.8
15	6	2.0
20	5	1.6
25	5	1.6
30	7	2.3
40	1	0.3




Knema conferta
(Myristicaceae)

DBH	Frequency	Percent
1	5	9.1
2	6	10.9
3	3	5.5
4	3	5.5
5	2	3.6
6	2	3.6
7	1	1.8
8	1	1.8
10	11	20.0
15	6	10.9
20	9	16.4
25	2	3.6
30	2	3.6
40	1	1.8
50	1	1.8




Knema curtisii
(Myristicaceae)

DBH	Frequency	Percent
1	57	27.9
2	30	14.7
3	34	16.7
4	30	14.7
5	22	10.8
6	14	6.9
7	8	3.9
8	3	1.5
9	5	2.5
10	1	0.5




Knema furfuracea
(Myristicaceae)

DBH	Frequency	Percent
1	720	34.4
2	497	23.7
3	316	15.1
4	165	7.9
5	102	4.9
6	57	2.7
7	46	2.2
8	37	1.8
9	38	1.8
10	85	4.1
15	19	0.9
20	7	0.3
25	2	0.1
30	2	0.1




Knema hookeriana
(Myristicaceae)

DBH	Frequency	Percent
1	144	30.3
2	92	19.4
3	52	10.9
4	33	6.9
5	30	6.3
6	21	4.4
7	12	2.5
8	13	2.7
9	10	2.1
10	32	6.7
15	14	2.9
20	12	2.5
25	6	1.3
30	3	0.6
40	1	0.2




Knema intermedia
(Myristicaceae)

DBH	Frequency	Percent
1	7	22.6
2	6	19.4
3	8	25.8
4	2	6.5
5	3	9.7
10	3	9.7
15	2	6.5




Knema kunstleri
(Myristicaceae)

DBH	Frequency	Percent
1	22	18.3
2	22	18.3
3	17	14.2
4	11	9.2
5	12	10.0
6	7	5.8
7	6	5.0
8	4	3.3
9	3	2.5
10	10	8.3
15	4	3.3
20	1	0.8
25	1	0.8




Knema laurina
(Myristicaceae)

DBH	Frequency	Percent
1	2445	54.7
2	1186	26.5
3	464	10.4
4	167	3.7
5	73	1.6
6	42	0.9
7	18	0.4
8	14	0.3
9	7	0.2
10	30	0.7
15	14	0.3
20	7	0.2
25	3	0.1
30	2	0.0




Knema malayana
(Myristicaceae)

DBH	Frequency	Percent
1	7	46.7
2	3	20.0
4	1	6.7
5	1	6.7
7	1	6.7
9	1	6.7
10	1	6.7




Knema patentinervia
(Myristicaceae)

DBH	Frequency	Percent
1	746	37.5
2	461	23.2
3	249	12.5
4	142	7.1
5	103	5.2
6	65	3.3
7	55	2.8
8	34	1.7
9	25	1.3
10	79	4.0
15	25	1.3
20	4	0.2
25	1	0.1




Knema pseudo-laurina
(Myristicaceae)

DBH	Frequency	Percent
1	1	16.7
2	1	16.7
5	2	33.3
7	1	16.7
20	1	16.7




Knema scortechinii
(Myristicaceae)

DBH	Frequency	Percent
1	360	36.3
2	188	19.0
3	117	11.8
4	78	7.9
5	62	6.3
6	37	3.7
7	24	2.4
8	17	1.7
9	16	1.6
10	44	4.4
15	29	2.9
20	15	1.5
25	4	0.4




Knema stenophylla
(Myristicaceae)

DBH	Frequency	Percent
1	79	34.2
2	52	22.5
3	35	15.2
4	16	6.9
5	12	5.2
6	8	3.5
7	11	4.8
8	6	2.6
9	1	0.4
10	7	3.0
15	3	1.3
20	1	0.4




Knema sumatrana
(Myristicaceae)

DBH	Frequency	Percent
1	3	30.0
2	1	10.0
3	1	10.0
7	1	10.0
9	1	10.0
10	2	20.0
25	1	10.0




Koiladepas longifolium
(Euphorbiaceae)

DBH	Frequency	Percent
1	100	48.1
2	38	18.3
3	16	7.7
4	9	4.3
5	5	2.4
6	3	1.4
7	7	3.4
8	5	2.4
9	1	0.5
10	12	5.8
15	6	2.9
20	5	2.4
25	1	0.5




Kokoona reflexa
(Celastraceae)

DBH	Frequency	Percent
1	105	43.6
2	40	16.6
3	31	12.9
4	23	9.5
5	11	4.6
6	6	2.5
7	6	2.5
8	1	0.4
9	1	0.4
10	6	2.5
20	3	1.2
25	1	0.4
30	3	1.2
50	3	1.2
100	1	0.4




Koompassia malaccensis
(Leguminosae)

DBH	Frequency	Percent
1	190	28.6
2	78	11.7
3	51	7.7
4	29	4.4
5	22	3.3
6	13	2.0
7	23	3.5
8	19	2.9
9	13	2.0
10	34	5.1
15	29	4.4
20	22	3.3
25	18	2.7
30	33	5.0
40	16	2.4
50	27	4.1
60	23	3.5
70	10	1.5
80	10	1.5
90	2	0.3
100	2	0.3




Lansium domesticum
(Meliaceae)

DBH	Frequency	Percent
1	727	47.4
2	356	23.2
3	162	10.6
4	89	5.8
5	40	2.6
6	14	0.9
7	17	1.1
8	25	1.6
9	12	0.8
10	40	2.6
15	24	1.6
20	15	1.0
25	9	0.6
30	5	0.3




Lasianthus lowianus
(Rubiaceae)

DBH	Frequency	Percent
1	95	88.8
2	7	6.5
3	2	1.9
4	3	2.8




Lasianthus species 1
(Rubiaceae)

DBH	Frequency	Percent
1	62	89.9
2	7	10.1




Lepisanthes fruticosa
(Sapindaceae)

DBH	Frequency	Percent
1	60	25.3
2	38	16.0
3	43	18.1
4	45	19.0
5	26	11.0
6	14	5.9
7	7	3.0
8	2	0.8
9	1	0.4
10	1	0.4




Lepisanthes senegalensis
(Sapindaceae)

DBH	Frequency	Percent
1	869	48.8
2	380	21.4
3	185	10.4
4	115	6.5
5	73	4.1
6	37	2.1
7	42	2.4
8	27	1.5
9	24	1.3
10	24	1.3
15	3	0.2




Lepisanthes tetraphylla
(Sapindaceae)

DBH	Frequency	Percent
1	2079	86.0
2	290	12.0
3	28	1.2
4	9	0.4
5	6	0.2
6	2	0.1
7	3	0.1
9	1	0.0




Lepisanthes tetraphylla var. hirta
(Sapindaceae)

DBH	Frequency	Percent
1	12	100.0




Leptonychia glabra
(Sterculiaceae)

DBH	Frequency	Percent
1	114	94.2
2	4	3.3
3	2	1.7
7	1	0.8




Licania splendens
(Rosaceae)

DBH	Frequency	Percent
1	43	27.0
2	16	10.1
3	16	10.1
4	16	10.1
5	4	2.5
6	6	3.8
7	7	4.4
8	6	3.8
9	4	2.5
10	10	6.3
15	15	9.4
20	13	8.2
25	1	0.6
30	1	0.6
40	1	0.6




Lithocarpus conocarpus
(Fagaceae)

DBH	Frequency	Percent
1	60	44.8
2	26	19.4
3	18	13.4
4	10	7.5
5	2	1.5
6	4	3.0
7	2	1.5
8	2	1.5
9	2	1.5
10	1	0.7
15	2	1.5
20	3	2.2
30	2	1.5




Lithocarpus curtisii
(Fagaceae)

DBH	Frequency	Percent
1	648	36.3
2	353	19.8
3	195	10.9
4	143	8.0
5	73	4.1
6	53	3.0
7	36	2.0
8	39	2.2
9	32	1.8
10	103	5.8
15	59	3.3
20	30	1.7
25	15	0.8
30	5	0.3
40	2	0.1




Lithocarpus cyclophorus
(Fagaceae)

DBH	Frequency	Percent
1	3	10.0
2	4	13.3
3	8	26.7
5	4	13.3
6	1	3.3
7	3	10.0
8	1	3.3
9	3	10.0
10	1	3.3
15	1	3.3
50	1	3.3




Lithocarpus ewyckii
(Fagaceae)

DBH	Frequency	Percent
1	32	43.2
2	14	18.9
3	8	10.8
4	4	5.4
5	2	2.7
7	2	2.7
8	1	1.4
10	4	5.4
15	2	2.7
25	2	2.7
40	3	4.1




Lithocarpus lucidus
(Fagaceae)

DBH	Frequency	Percent
1	17	43.6
2	8	20.5
3	4	10.3
4	3	7.7
5	1	2.6
10	1	2.6
15	1	2.6
20	1	2.6
30	1	2.6
40	1	2.6
60	1	2.6




Lithocarpus rassa
(Fagaceae)

DBH	Frequency	Percent
1	264	40.5
2	126	19.3
3	68	10.4
4	44	6.7
5	29	4.4
6	15	2.3
7	9	1.4
8	12	1.8
9	11	1.7
10	23	3.5
15	17	2.6
20	16	2.5
25	5	0.8
30	7	1.1
40	6	0.9




Lithocarpus wallichianus
(Fagaceae)

DBH	Frequency	Percent
1	155	44.8
2	73	21.1
3	45	13.0
4	16	4.6
5	11	3.2
6	9	2.6
7	2	0.6
8	5	1.4
9	4	1.2
10	8	2.3
15	6	1.7
20	4	1.2
25	4	1.2
30	4	1.2




Lithocarpus wrayi
(Fagaceae)

DBH	Frequency	Percent
1	71	30.3
2	50	21.4
3	29	12.4
4	12	5.1
5	18	7.7
6	3	1.3
7	3	1.3
8	7	3.0
9	3	1.3
10	17	7.3
15	15	6.4
20	4	1.7
30	2	0.9




Litsea castanea
(Lauraceae)

DBH	Frequency	Percent
1	86	44.1
2	37	19.0
3	13	6.7
4	7	3.6
5	3	1.5
6	7	3.6
7	5	2.6
8	1	0.5
9	3	1.5
10	9	4.6
15	7	3.6
20	6	3.1
25	6	3.1
30	3	1.5
40	1	0.5
50	1	0.5




Litsea costalus
(Lauraceae)

DBH	Frequency	Percent
1	9	29.0
2	7	22.6
3	7	22.6
4	1	3.2
5	2	6.5
10	1	3.2
15	1	3.2
20	1	3.2
30	1	3.2
40	1	3.2




Litsea elliptica
(Lauraceae)

DBH	Frequency	Percent
1	2	20.0
2	1	10.0
3	1	10.0
4	1	10.0
6	1	10.0
7	1	10.0
9	1	10.0
10	2	20.0




Litsea erectinervia
(Lauraceae)

DBH	Frequency	Percent
1	1	25.0
2	1	25.0
5	1	25.0
10	1	25.0




Litsea ferruginea
(Lauraceae)

DBH	Frequency	Percent
1	45	34.4
2	25	19.1
3	15	11.5
4	10	7.6
5	6	4.6
6	8	6.1
7	4	3.1
8	2	1.5
9	3	2.3
10	7	5.3
15	3	2.3
20	2	1.5
25	1	0.8




Litsea firma
(Lauraceae)

DBH	Frequency	Percent
1	1	100.0




Litsea grandis
(Lauraceae)

DBH	Frequency	Percent
1	4	40.0
2	2	20.0
5	2	20.0
8	1	10.0
10	1	10.0




Litsea machilifolia
(Lauraceae)

DBH	Frequency	Percent
1	13	39.4
2	2	6.1
3	7	21.2
4	1	3.0
7	1	3.0
8	1	3.0
10	2	6.1
15	1	3.0
20	2	6.1
30	2	6.1
40	1	3.0




Litsea magnifica
(Lauraceae)

DBH	Frequency	Percent
1	614	60.4
2	263	25.9
3	94	9.3
4	38	3.7
5	5	0.5
6	2	0.2




Litsea nidularis
(Lauraceae)

DBH	Frequency	Percent
1	6	24.0
2	7	28.0
3	6	24.0
6	3	12.0
10	1	4.0
25	1	4.0
70	1	4.0




Litsea resinosa
(Lauraceae)

DBH	Frequency	Percent
1	11	35.5
2	3	9.7
3	4	12.9
4	2	6.5
5	3	9.7
6	2	6.5
10	3	9.7
15	1	3.2
20	1	3.2
25	1	3.2




Litsea tomentosa
(Lauraceae)

DBH	Frequency	Percent
1	1	33.3
2	1	33.3
3	1	33.3




Litsea umbellata v. *fuscotomentosum*
(Lauraceae)

DBH	Frequency	Percent
1	204	49.9
2	100	24.4
3	53	13.0
4	28	6.8
5	18	4.4
6	4	1.0
7	1	0.2
10	1	0.2




Litsea wrayi
(Lauraceae)

DBH	Frequency	Percent
1	3	50.0
2	1	16.7
3	1	16.7
10	1	16.7




Lophopetalum floribundum
(Celastraceae)

DBH	Frequency	Percent
1	40	30.1
2	18	13.5
3	15	11.3
4	10	7.5
5	5	3.8
6	3	2.3
7	4	3.0
8	4	3.0
9	3	2.3
10	8	6.0
15	6	4.5
20	2	1.5
25	1	0.8
30	5	3.8
40	7	5.3
50	2	1.5




Macaranga conifera
(Euphorbiaceae)

DBH	Frequency	Percent
1	14	35.0
2	8	20.0
3	5	12.5
4	2	5.0
5	1	2.5
6	2	5.0
8	1	2.5
10	5	12.5
20	1	2.5
40	1	2.5




Macaranga gigantea
(Euphorbiaceae)

DBH	Frequency	Percent
2	2	40.0
3	1	20.0
5	1	20.0
10	1	20.0




Macaranga hosei
(Euphorbiaceae)

DBH	Frequency	Percent
1	2	22.2
2	5	55.6
3	1	11.1
4	1	11.1




Macaranga hypoleuca
(Euphorbiaceae)

DBH	Frequency	Percent
1	71	54.2
2	23	17.6
3	13	9.9
4	5	3.8
5	3	2.3
6	1	0.8
7	2	1.5
8	1	0.8
9	1	0.8
10	7	5.3
15	3	2.3
30	1	0.8




Macaranga lowii
(Euphorbiaceae)

DBH	Frequency	Percent
1	648	30.7
2	400	19.0
3	280	13.3
4	192	9.1
5	150	7.1
6	106	5.0
7	80	3.8
8	76	3.6
9	62	2.9
10	106	5.0
15	8	0.4




Macaranga recurvata
(Euphorbiaceae)

DBH	Frequency	Percent
1	14	17.7
2	10	12.7
3	8	10.1
4	9	11.4
5	5	6.3
6	7	8.9
7	2	2.5
8	3	3.8
9	3	3.8
10	5	6.3
15	5	6.3
20	5	6.3
25	1	1.3
30	2	2.5




Madhuca laurifolia
(Sapotaceae)

DBH	Frequency	Percent
1	16	14.7
2	14	12.8
3	19	17.4
4	6	5.5
5	6	5.5
6	7	6.4
7	3	2.8
8	3	2.8
9	7	6.4
10	12	11.0
15	8	7.3
20	3	2.8
25	1	0.9
30	4	3.7




Madhuca malaccensis
(Sapotaceae)

DBH	Frequency	Percent
1	231	17.9
2	201	15.5
3	213	16.5
4	167	12.9
5	129	10.0
6	88	6.8
7	77	6.0
8	60	4.6
9	39	3.0
10	68	5.3
15	18	1.4
20	1	0.1
30	1	0.1




Mallotus griffithianus
(Euphorbiaceae)

DBH	Frequency	Percent
1	22	53.7
2	12	29.3
3	4	9.8
5	1	2.4
6	1	2.4
8	1	2.4




Mallotus leocodermis
(Euphorbiaceae)

DBH	Frequency	Percent
1	136	28.1
2	84	17.4
3	65	13.4
4	50	10.3
5	40	8.3
6	13	2.7
7	23	4.8
8	13	2.7
9	7	1.4
10	28	5.8
15	12	2.5
20	5	1.0
25	4	0.8
30	3	0.6
50	1	0.2




Mallotus penangensis
(Euphorbiaceae)

DBH	Frequency	Percent
1	418	29.9
2	266	19.0
3	192	13.7
4	140	10.0
5	96	6.9
6	69	4.9
7	59	4.2
8	47	3.4
9	22	1.6
10	62	4.4
15	21	1.5
20	5	0.4




Mangifera foetida
(Anacardiaceae)

DBH	Frequency	Percent
1	56	24.0
2	55	23.6
3	43	18.5
4	17	7.3
5	20	8.6
6	9	3.9
7	11	4.7
8	5	2.1
9	3	1.3
10	8	3.4
15	3	1.3
20	2	0.9
40	1	0.4




Mangifera gracilipes
(Anacardiaceae)

DBH	Frequency	Percent
1	29	21.8
2	23	17.3
3	18	13.5
4	11	8.3
5	11	8.3
6	7	5.3
7	5	3.8
8	3	2.3
9	2	1.5
10	10	7.5
15	7	5.3
20	4	3.0
30	1	0.8
40	2	1.5




Mangifera griffithii
(Anacardiaceae)

DBH	Frequency	Percent
1	11	7.6
2	12	8.3
3	16	11.1
4	7	4.9
5	11	7.6
6	10	6.9
7	10	6.9
8	8	5.6
9	7	4.9
10	20	13.9
15	13	9.0
20	4	2.8
25	4	2.8
30	7	4.9
40	4	2.8




Mangifera indica
(Anacardiaceae)

DBH	Frequency	Percent
1	23	28.0
2	14	17.1
3	9	11.0
4	4	4.9
5	5	6.1
6	3	3.7
7	4	4.9
8	3	3.7
9	5	6.1
10	5	6.1
15	5	6.1
20	1	1.2
25	1	1.2




Mangifera lagenifera
(Anacardiaceae)

DBH	Frequency	Percent
1	1	3.0
2	1	3.0
3	2	6.1
5	2	6.1
7	2	6.1
8	2	6.1
9	5	15.2
10	7	21.2
15	3	9.1
20	2	6.1
25	2	6.1
30	2	6.1
50	1	3.0
70	1	3.0




Mangifera macrocarpa
(Anacardiaceae)

DBH	Frequency	Percent
1	18	36.0
2	6	12.0
3	8	16.0
4	3	6.0
5	4	8.0
6	1	2.0
7	3	6.0
8	1	2.0
9	1	2.0
10	1	2.0
15	2	4.0
30	1	2.0
50	1	2.0




Mangifera magnifica
(Anacardiaceae)

DBH	Frequency	Percent
1	19	14.6
2	30	23.1
3	19	14.6
4	14	10.8
5	16	12.3
6	6	4.6
7	1	0.8
8	1	0.8
9	4	3.1
10	6	4.6
15	5	3.8
20	3	2.3
25	4	3.1
50	1	0.8
70	1	0.8




Mangifera quad. var. longipetiolata
(Anacardiaceae)

DBH	Frequency	Percent
1	5	41.7
2	4	33.3
5	2	16.7
7	1	8.3




Mangifera quadrifida
(Anacardiaceae)

DBH	Frequency	Percent
1	94	29.3
2	65	20.2
3	54	16.8
4	33	10.3
5	22	6.9
6	21	6.5
7	13	4.0
8	5	1.6
9	1	0.3
10	6	1.9
15	1	0.3
20	1	0.3
25	1	0.3
40	1	0.3
60	2	0.6
80	1	0.3




Mangifera rufocostata
(Anacardiaceae)

DBH	Frequency	Percent
1	4	36.4
2	2	18.2
3	2	18.2
5	1	9.1
40	1	9.1
60	1	9.1




Mangifera species 1
(Anacardiaceae)

DBH	Frequency	Percent
1	11	12.6
2	13	14.9
3	16	18.4
4	12	13.8
5	1	1.1
6	6	6.9
7	7	8.0
8	3	3.4
9	3	3.4
10	4	4.6
15	2	2.3
20	1	1.1
25	1	1.1
30	5	5.7
40	1	1.1
50	1	1.1




Mangifera swintoniodes
(Anacardiaceae)

DBH	Frequency	Percent
10	2	66.7
30	1	33.3




Mangifera superba
(Anacardiaceae)

DBH	Frequency	Percent
1	2	2.4
2	5	6.1
3	9	11.0
4	8	9.8
5	4	4.9
6	7	8.5
7	6	7.3
8	10	12.2
9	7	8.5
10	16	19.5
15	4	4.9
20	3	3.7
25	1	1.2




Mastixia pentandra
(Cornaceae)

DBH	Frequency	Percent
1	7	35.0
3	3	15.0
4	2	10.0
5	2	10.0
8	2	10.0
9	1	5.0
15	2	10.0
30	1	5.0




Mastixia trichotoma
(Cornaceae)

DBH	Frequency	Percent
1	3	37.5
3	1	12.5
4	1	12.5
5	1	12.5
10	2	25.0




Medusanthera gracilis
(Icacinaeae)

DBH	Frequency	Percent
1	249	59.9
2	123	29.6
3	35	8.4
4	7	1.7
5	1	0.2
7	1	0.2




Melanochyla angustifolia
(Anacardiaceae)

DBH	Frequency	Percent
1	215	40.6
2	106	20.0
3	60	11.3
4	41	7.8
5	34	6.4
6	20	3.8
7	9	1.7
8	7	1.3
9	4	0.8
10	18	3.4
15	7	1.3
20	5	0.9
25	2	0.4
30	1	0.2




Melanochyla auriculata
(Anacardiaceae)

DBH	Frequency	Percent
1	71	35.1
2	49	24.3
3	27	13.4
4	18	8.9
5	7	3.5
6	6	3.0
7	4	2.0
8	3	1.5
10	8	4.0
15	6	3.0
20	2	1.0
25	1	0.5




Melanochyla caesia
(Anacardiaceae)

DBH	Frequency	Percent
1	22	59.5
2	2	5.4
3	3	8.1
5	1	2.7
6	2	5.4
7	2	5.4
10	3	8.1
20	1	2.7
25	1	2.7




Melanochyla fulvinervis
(Anacardiaceae)

DBH	Frequency	Percent
1	260	46.3
2	99	17.6
3	48	8.5
4	38	6.8
5	16	2.8
6	21	3.7
7	12	2.1
8	14	2.5
9	5	0.9
10	31	5.5
15	12	2.1
20	3	0.5
25	2	0.4
30	1	0.2




Melanochyla species 1
(Anacardiaceae)

DBH	Frequency	Percent
1	181	58.4
2	52	16.8
3	21	6.8
4	14	4.5
5	11	3.5
6	7	2.3
7	3	1.0
8	1	0.3
9	1	0.3
10	9	2.9
15	4	1.3
20	4	1.3
25	1	0.3
30	1	0.3




Melanochyla tomentosa
(Anacardiaceae)

DBH	Frequency	Percent
1	183	43.2
2	84	19.8
3	47	11.1
4	27	6.4
5	16	3.8
6	12	2.8
7	18	4.2
8	11	2.6
9	9	2.1
10	16	3.8
15	1	0.2




Melastoma malabathricum
(Melastomataceae)

DBH	Frequency	Percent
1	17	94.4
2	1	5.6




Melientha suavis
(Opiliaceae)

DBH	Frequency	Percent
1	1	50.0
5	1	50.0




Memecylon amplexicaule
(Melastomataceae)

DBH	Frequency	Percent
1	104	35.6
2	54	18.5
3	28	9.6
4	31	10.6
5	25	8.6
6	8	2.7
7	7	2.4
8	7	2.4
9	5	1.7
10	22	7.5
15	1	0.3




Memecylon cantleyi
(Melastomataceae)

DBH	Frequency	Percent
1	324	42.2
2	152	19.8
3	75	9.8
4	33	4.3
5	38	5.0
6	38	5.0
7	27	3.5
8	25	3.3
9	15	2.0
10	36	4.7
15	3	0.4
20	1	0.1




Memecylon dichotomum
(Melastomataceae)

DBH	Frequency	Percent
1	429	87.9
2	52	10.7
3	2	0.4
4	1	0.2
5	1	0.2
8	1	0.2
9	1	0.2
20	1	0.2




Memecylon excelsum
(Melastomataceae)

DBH	Frequency	Percent
1	104	37.4
2	52	18.7
3	31	11.2
4	30	10.8
5	10	3.6
6	13	4.7
7	9	3.2
8	13	4.7
9	5	1.8
10	11	4.0




Memecylon lilacinum
(Melastomataceae)

DBH	Frequency	Percent
1	165	40.2
2	109	26.6
3	44	10.7
4	15	3.7
5	15	3.7
6	22	5.4
7	10	2.4
8	6	1.5
9	4	1.0
10	18	4.4
15	1	0.2
20	1	0.2




Memecylon megacarpum
(Melastomataceae)

DBH	Frequency	Percent
1	431	48.7
2	157	17.7
3	106	12.0
4	50	5.6
5	59	6.7
6	24	2.7
7	28	3.2
8	10	1.1
9	7	0.8
10	11	1.2
15	2	0.2




Memecylon minutiflorum
(Melastomataceae)

DBH	Frequency	Percent
1	943	42.9
2	524	23.9
3	281	12.8
4	151	6.9
5	91	4.1
6	44	2.0
7	37	1.7
8	23	1.0
9	26	1.2
10	41	1.9
15	22	1.0
20	10	0.5
25	4	0.2




Memecylon oligoneurum
(Melastomataceae)

DBH	Frequency	Percent
1	143	40.5
2	71	20.1
3	34	9.6
4	16	4.5
5	21	5.9
6	16	4.5
7	9	2.5
8	5	1.4
9	6	1.7
10	23	6.5
15	8	2.3
20	1	0.3




Memecylon oleifolium
(Melastomataceae)

DBH	Frequency	Percent
1	67	35.8
2	32	17.1
3	17	9.1
4	14	7.5
5	9	4.8
6	4	2.1
7	2	1.1
8	9	4.8
10	28	15.0
15	4	2.1
20	1	0.5




Memecylon paniculatum
(Melastomataceae)

DBH	Frequency	Percent
1	15	36.6
2	7	17.1
3	3	7.3
4	2	4.9
5	1	2.4
6	3	7.3
7	3	7.3
9	3	7.3
10	1	2.4
15	2	4.9
20	1	2.4




Memecylon pubescens
(Melastomataceae)

DBH	Frequency	Percent
1	43	28.9
2	25	16.8
3	27	18.1
4	5	3.4
5	7	4.7
6	2	1.3
7	9	6.0
8	7	4.7
9	1	0.7
10	5	3.4
15	8	5.4
20	1	0.7
25	4	2.7
30	4	2.7
40	1	0.7




Memecylon wallichii
(Melastomataceae)

DBH	Frequency	Percent
1	71	54.2
2	33	25.2
3	14	10.7
4	5	3.8
6	1	0.8
7	2	1.5
9	2	1.5
10	3	2.3




Mesua "cornerii"
(Guttiferae)

DBH	Frequency	Percent
1	622	39.2
2	432	27.2
3	242	15.3
4	155	9.8
5	66	4.2
6	33	2.1
7	22	1.4
8	10	0.6
10	2	0.1
30	1	0.1
70	1	0.1




Mesua ferrea
(Guttiferae)

DBH	Frequency	Percent
1	769	39.8
2	358	18.5
3	202	10.5
4	122	6.3
5	87	4.5
6	54	2.8
7	39	2.0
8	31	1.6
9	25	1.3
10	96	5.0
15	60	3.1
20	29	1.5
25	24	1.2
30	32	1.7
40	4	0.2
50	1	0.1




Mesua grandis
(Guttiferae)

DBH	Frequency	Percent
1	102	27.1
2	88	23.3
3	56	14.9
4	33	8.8
5	31	8.2
6	12	3.2
7	14	3.7
8	9	2.4
9	3	0.8
10	14	3.7
15	5	1.3
20	1	0.3
25	3	0.8
30	4	1.1
40	2	0.5




Mesua kunstleri
(Guttiferae)

DBH	Frequency	Percent
1	141	38.6
2	79	21.6
3	45	12.3
4	29	7.9
5	21	5.8
6	11	3.0
7	12	3.3
8	7	1.9
9	5	1.4
10	14	3.8
30	1	0.3




Mesua lepidota
(Guttiferae)

DBH	Frequency	Percent
1	12	34.3
2	7	20.0
3	5	14.3
4	2	5.7
5	1	2.9
7	1	2.9
8	1	2.9
9	2	5.7
10	2	5.7
15	1	2.9
20	1	2.9




Mesua racemosa
(Guttiferae)

DBH	Frequency	Percent
1	268	38.3
2	138	19.7
3	81	11.6
4	45	6.4
5	43	6.1
6	25	3.6
7	14	2.0
8	11	1.6
9	15	2.1
10	27	3.9
15	16	2.3
20	11	1.6
25	5	0.7
30	1	0.1




Mezzettia leptopoda
(Annonaceae)

DBH	Frequency	Percent
1	50	29.8
2	34	20.2
3	19	11.3
4	10	6.0
5	8	4.8
6	8	4.8
7	6	3.6
8	6	3.6
9	4	2.4
10	6	3.6
15	9	5.4
25	3	1.8
30	1	0.6
40	2	1.2
60	1	0.6
80	1	0.6




Microdesmis casearifolia
(Euphorbiaceae)

DBH	Frequency	Percent
1	340	36.7
2	249	26.9
3	144	15.5
4	72	7.8
5	50	5.4
6	26	2.8
7	13	1.4
8	12	1.3
9	7	0.8
10	9	1.0
15	4	0.4
20	1	0.1




Microtropis valida
(Celastraceae)

DBH	Frequency	Percent
1	9	69.2
2	2	15.4
4	1	7.7
25	1	7.7




Milium longipes
(Annonaceae)

DBH	Frequency	Percent
1	8	44.4
2	8	44.4
4	1	5.6
7	1	5.6




Millettia atropurpurea
(Leguminosae)

DBH	Frequency	Percent
1	322	19.6
2	260	15.9
3	223	13.6
4	192	11.7
5	126	7.7
6	85	5.2
7	53	3.2
8	50	3.0
9	44	2.7
10	117	7.1
15	50	3.0
20	35	2.1
25	24	1.5
30	36	2.2
40	16	1.0
50	6	0.4
60	1	0.1




Millettia species 1
(Leguminosae)

DBH	Frequency	Percent
1	1	20.0
2	2	40.0
3	1	20.0
4	1	20.0




Mischocarpus pentapetala
(Sapindaceae)

DBH	Frequency	Percent
1	1	100.0




Mitrephora maingayi
(Annonaceae)

DBH	Frequency	Percent
1	167	36.9
2	93	20.5
3	66	14.6
4	39	8.6
5	40	8.8
6	18	4.0
7	16	3.5
8	4	0.9
9	6	1.3
10	4	0.9




Monocarpia marginalis
(Annonaceae)

DBH	Frequency	Percent
1	303	32.0
2	157	16.6
3	64	6.8
4	68	7.2
5	49	5.2
6	35	3.7
7	29	3.1
8	25	2.6
9	17	1.8
10	67	7.1
15	47	5.0
20	30	3.2
25	29	3.1
30	25	2.6
40	1	0.1
50	1	0.1




Mussaendopsis beccariana
(Rubiaceae)

DBH	Frequency	Percent
1	4	7.1
2	7	12.5
3	6	10.7
4	3	5.4
5	4	7.1
6	3	5.4
7	2	3.6
8	3	5.4
9	2	3.6
10	6	10.7
15	6	10.7
20	4	7.1
25	1	1.8
30	2	3.6
40	1	1.8
50	2	3.6




Myristica cinnamomea
(Myristicaceae)

DBH	Frequency	Percent
1	87	29.1
2	32	10.7
3	34	11.4
4	20	6.7
5	14	4.7
6	14	4.7
7	10	3.3
8	13	4.3
9	9	3.0
10	35	11.7
15	15	5.0
20	11	3.7
25	4	1.3
30	1	0.3




Myristica maingayi
(Myristicaceae)

DBH	Frequency	Percent
1	70	31.7
2	27	12.2
3	19	8.6
4	12	5.4
5	10	4.5
6	13	5.9
7	11	5.0
8	7	3.2
9	7	3.2
10	21	9.5
15	9	4.1
20	4	1.8
25	2	0.9
30	4	1.8
40	2	0.9
50	2	0.9
80	1	0.5




Myristica maxima
(Myristicaceae)

DBH	Frequency	Percent
1	6	11.1
2	6	11.1
3	5	9.3
4	4	7.4
5	6	11.1
6	1	1.9
7	2	3.7
8	2	3.7
9	3	5.6
10	6	11.1
15	4	7.4
20	1	1.9
25	5	9.3
30	2	3.7
40	1	1.9




Myristica malaccensis
(Myristicaceae)

DBH	Frequency	Percent
2	1	25.0
7	1	25.0
8	1	25.0
10	1	25.0




Nauclea officinalis
(Rubiaceae)

DBH	Frequency	Percent
1	181	25.1
2	130	18.1
3	74	10.3
4	53	7.4
5	34	4.7
6	31	4.3
7	24	3.3
8	25	3.5
9	16	2.2
10	61	8.5
15	38	5.3
20	25	3.5
25	19	2.6
30	9	1.3




Neesia synandra
(Bombacaceae)

DBH	Frequency	Percent
1	14	20.0
2	14	20.0
3	7	10.0
4	6	8.6
5	6	8.6
6	3	4.3
7	4	5.7
8	3	4.3
9	3	4.3
10	6	8.6
15	3	4.3
40	1	1.4




Neolamarckia cadamba
(Rubiaceae)

DBH	Frequency	Percent
1	1	10.0
2	3	30.0
3	1	10.0
4	1	10.0
5	2	20.0
6	1	10.0
7	1	10.0




Neobalanocarpus heimii
(Dipterocarpaceae)

DBH	Frequency	Percent
1	1462	44.4
2	717	21.8
3	416	12.6
4	205	6.2
5	128	3.9
6	86	2.6
7	53	1.6
8	41	1.2
9	25	0.8
10	53	1.5
15	18	0.5
20	8	0.2
25	4	0.1
30	15	0.5
40	6	0.2
50	10	0.3
60	4	0.1
70	5	0.2
80	12	0.4
90	7	0.2
100	16	0.5




Neolitsea zeylanica
(Lauraceae)

DBH	Frequency	Percent
1	2	66.7
7	1	33.3




Neoscortechinia kingii
(Euphorbiaceae)

DBH	Frequency	Percent
1	396	27.3
2	243	16.8
3	184	12.7
4	110	7.6
5	99	6.8
6	42	2.9
7	49	3.4
8	28	1.9
9	24	1.7
10	114	7.9
15	67	4.6
20	37	2.6
25	29	2.0
30	23	1.6
40	3	0.2
50	1	0.1




Neoscortechinia nicobarica
(Euphorbiaceae)

DBH	Frequency	Percent
1	168	29.7
2	96	17.0
3	59	10.4
4	42	7.4
5	40	7.1
6	30	5.3
7	28	4.9
8	19	3.4
9	15	2.7
10	34	6.0
15	18	3.2
20	9	1.6
25	6	1.1
30	2	0.4




Neoscortechinii sumatrana
(Euphorbiaceae)

DBH	Frequency	Percent
1	58	23.2
2	40	16.0
3	40	16.0
4	37	14.8
5	21	8.4
6	16	6.4
7	11	4.4
8	4	1.6
9	5	2.0
10	13	5.2
15	4	1.6
30	1	0.4




Neouvaria foetida
(Annonaceae)

DBH	Frequency	Percent
4	1	50.0
7	1	50.0




Nephelium costatum
(Sapindaceae)

DBH	Frequency	Percent
1	446	30.3
2	287	19.5
3	197	13.4
4	133	9.0
5	87	5.9
6	50	3.4
7	47	3.2
8	33	2.2
9	27	1.8
10	68	4.6
15	41	2.8
20	28	1.9
25	14	1.0
30	12	0.8
40	2	0.1




Nephelium eriopetalum
(Sapindaceae)

DBH	Frequency	Percent
1	65	28.1
2	38	16.5
3	29	12.6
4	22	9.5
5	15	6.5
6	11	4.8
7	9	3.9
8	4	1.7
9	10	4.3
10	15	6.5
15	4	1.7
20	6	2.6
25	2	0.9
30	1	0.4




Nephelium hamulatum
(Sapindaceae)

DBH	Frequency	Percent
1	11	25.0
2	13	29.5
3	6	13.6
4	2	4.5
5	4	9.1
6	2	4.5
7	3	6.8
8	1	2.3
10	2	4.5




Nephelium maingayi
(Sapindaceae)

DBH	Frequency	Percent
1	86	27.9
2	64	20.8
3	38	12.3
4	17	5.5
5	13	4.2
6	13	4.2
7	8	2.6
8	6	1.9
9	6	1.9
10	18	5.8
15	12	3.9
20	16	5.2
25	4	1.3
30	7	2.3




Nephelium ophioides
(Sapindaceae)

DBH	Frequency	Percent
1	70	30.6
2	29	12.7
3	35	15.3
4	21	9.2
5	16	7.0
6	9	3.9
7	6	2.6
8	6	2.6
9	2	0.9
10	19	8.3
15	9	3.9
20	3	1.3
25	2	0.9
30	2	0.9




Nephelium pallens
(Sapindaceae)

DBH	Frequency	Percent
1	6	46.2
2	1	7.7
3	4	30.8
6	2	15.4




Nothaphoebe umbelliflora
(Lauraceae)

DBH	Frequency	Percent
1	37	25.9
2	11	7.7
3	14	9.8
4	7	4.9
5	5	3.5
6	4	2.8
7	7	4.9
8	6	4.2
9	3	2.1
10	13	9.1
15	13	9.1
20	12	8.4
25	5	3.5
30	5	3.5
40	1	0.7




Ochanostachys amentacea
(Olacaceae)

DBH	Frequency	Percent
1	219	16.4
2	166	12.4
3	136	10.2
4	138	10.3
5	109	8.2
6	83	6.2
7	59	4.4
8	45	3.4
9	42	3.1
10	150	11.2
15	83	6.2
20	40	3.0
25	35	2.6
30	24	1.8
40	5	0.4
50	1	0.1




Oncodostigma monosperma
(Annonaceae)

DBH	Frequency	Percent
1	783	37.5
2	366	17.5
3	226	10.8
4	133	6.4
5	119	5.7
6	94	4.5
7	61	2.9
8	60	2.9
9	54	2.6
10	149	7.1
15	37	1.8
20	8	0.4




Oncosperma horridum
(Arecaceae)

DBH	Frequency	Percent
1	1	1.2
2	2	2.3
3	1	1.2
6	6	7.0
7	12	14.0
8	14	16.3
9	13	15.1
10	17	19.8
15	16	18.6
20	4	4.7




Orania sylvicola
(Arecaceae)

DBH	Frequency	Percent
1	1	11.1
3	1	11.1
10	2	22.2
15	2	22.2
20	2	22.2
25	1	11.1




Ormosia penangensis
(Leguminosae)

DBH	Frequency	Percent
1	1	16.7
2	3	50.0
4	1	16.7
6	1	16.7




Ormosia venosa
(Leguminosae)

DBH	Frequency	Percent
1	21	32.3
2	16	24.6
3	7	10.8
4	8	12.3
5	3	4.6
6	2	3.1
7	3	4.6
8	1	1.5
9	1	1.5
15	2	3.1
30	1	1.5




Osmelia maingayi
(Flacourtiaceae)

DBH	Frequency	Percent
1	1	14.3
2	1	14.3
5	2	28.6
6	1	14.3
7	1	14.3
8	1	14.3




Palaquium clarkianum
(Sapotaceae)

DBH	Frequency	Percent
1	1	20.0
2	3	60.0
30	1	20.0




Palaquium gutta
(Sapotaceae)

DBH	Frequency	Percent
3	1	16.7
7	2	33.3
30	1	16.7
40	1	16.7
50	1	16.7




Palaquium hexandrum
(Sapotaceae)

DBH	Frequency	Percent
1	210	27.1
2	115	14.8
3	100	12.9
4	64	8.2
5	45	5.8
6	38	4.9
7	33	4.3
8	18	2.3
9	20	2.6
10	59	7.6
15	30	3.9
20	12	1.5
25	13	1.7
30	14	1.8
40	3	0.4
50	2	0.3




Palaquium mainayi
(Sapotaceae)

DBH	Frequency	Percent
1	16	17.2
2	8	8.6
3	9	9.7
4	4	4.3
5	3	3.2
6	9	9.7
7	1	1.1
8	4	4.3
9	3	3.2
10	12	12.9
15	4	4.3
20	4	4.3
25	2	2.2
30	8	8.6
50	2	2.2
60	4	4.3




Palaquium obovatum
(Sapotaceae)

DBH	Frequency	Percent
2	1	7.7
3	1	7.7
5	1	7.7
6	2	15.4
7	1	7.7
8	1	7.7
10	2	15.4
15	1	7.7
25	1	7.7
40	1	7.7
50	1	7.7




Palaquim stellatum
(Sapotaceae)

DBH	Frequency	Percent
1	22	45.8
2	5	10.4
3	4	8.3
4	2	4.2
5	2	4.2
7	2	4.2
8	1	2.1
9	1	2.1
10	4	8.3
15	1	2.1
30	1	2.1
60	1	2.1
80	2	4.2




Pandanus monotheca
(Pandanaceae)

DBH	Frequency	Percent
1	3	4.8
2	32	51.6
3	24	38.7
4	2	3.2
5	1	1.6




Pandanus yvonii
(Pandanaceae)

DBH	Frequency	Percent
2	12	52.2
3	8	34.8
4	3	13.0




Parinari costata
(Rosaceae)

DBH	Frequency	Percent
6	1	7.7
10	4	30.8
15	2	15.4
20	2	15.4
25	1	7.7
40	2	15.4
50	1	7.7




**Parinari elmeri
(Rosaceae)**

DBH	Frequency	Percent
1	63	57.8
2	22	20.2
3	7	6.4
4	7	6.4
5	2	1.8
6	2	1.8
7	4	3.7
8	1	0.9
10	1	0.9




**Parinari oblongifolia
(Rosaceae)**

DBH	Frequency	Percent
1	16	15.2
2	10	9.5
3	7	6.7
4	7	6.7
5	4	3.8
6	1	1.0
7	5	4.8
8	1	1.0
9	1	1.0
10	7	6.7
15	10	9.5
20	8	7.6
25	5	4.8
30	8	7.6
40	2	1.9
50	6	5.7
60	5	4.8
70	2	1.9




Parashorea densiflora
(Dipterocarpaceae)

DBH	Frequency	Percent
1	34	21.5
2	28	17.7
3	7	4.4
4	9	5.7
5	13	8.2
6	7	4.4
7	11	7.0
8	7	4.4
9	3	1.9
10	20	12.7
15	6	3.8
20	1	0.6
25	3	1.9
30	1	0.6
40	2	1.3
50	1	0.6
60	2	1.3
80	2	1.3
90	1	0.6




Parartocarpus bracteatus
(Moraceae)

DBH	Frequency	Percent
1	13	26.0
2	5	10.0
3	2	4.0
4	5	10.0
5	2	4.0
6	3	6.0
7	2	4.0
8	2	4.0
10	3	6.0
15	4	8.0
20	2	4.0
30	2	4.0
60	1	2.0
70	3	6.0
80	1	2.0




Parishia insignis
(Anacardiaceae)

DBH	Frequency	Percent
1	45	22.7
2	52	26.3
3	43	21.7
4	20	10.1
5	6	3.0
6	6	3.0
7	6	3.0
8	2	1.0
9	5	2.5
10	5	2.5
15	4	2.0
20	1	0.5
25	1	0.5
30	2	1.0




Parishia paucijuga
(Anacardiaceae)

DBH	Frequency	Percent
1	3	11.5
2	4	15.4
3	1	3.8
4	1	3.8
5	1	3.8
6	1	3.8
7	1	3.8
9	1	3.8
10	5	19.2
15	1	3.8
25	1	3.8
30	1	3.8
40	3	11.5
50	1	3.8
60	1	3.8




Paranephelium xestophyllum
(Sapindaceae)

DBH	Frequency	Percent
1	9	50.0
2	2	11.1
3	1	5.6
4	2	11.1
6	1	5.6
10	1	5.6
15	1	5.6
20	1	5.6




Parastemon urophyllum
(Rosaceae)

DBH	Frequency	Percent
4	1	11.1
15	3	33.3
20	1	11.1
25	2	22.2
40	1	11.1
60	1	11.1




Parkia speciosa
(Leguminosae)

DBH	Frequency	Percent
1	160	30.1
2	96	18.0
3	75	14.1
4	47	8.8
5	22	4.1
6	24	4.5
7	13	2.4
8	9	1.7
9	7	1.3
10	21	3.9
15	14	2.6
20	8	1.5
25	3	0.6
30	16	3.0
40	8	1.5
50	8	1.5
60	1	0.2




Paropsia vareciformis
(Flacourtiaceae)

DBH	Frequency	Percent
1	178	30.6
2	87	15.0
3	53	9.1
4	32	5.5
5	25	4.3
6	17	2.9
7	15	2.6
8	16	2.8
9	13	2.2
10	58	10.0
15	40	6.9
20	31	5.3
25	9	1.5
30	7	1.2




Pavetta graciliflora
(Rubiaceae)

DBH	Frequency	Percent
1	311	70.2
2	88	19.9
3	32	7.2
4	10	2.3
6	2	0.5




Pavetta species 1
(Rubiaceae)

DBH	Frequency	Percent
1	484	82.6
2	81	13.8
3	13	2.2
4	4	0.7
5	1	0.2
7	2	0.3
10	1	0.2




Payena lucida
(Sapotaceae)

DBH	Frequency	Percent
1	444	27.3
2	240	14.7
3	187	11.5
4	137	8.4
5	110	6.8
6	91	5.6
7	71	4.4
8	54	3.3
9	63	3.9
10	162	9.9
15	54	3.3
20	12	0.7
25	4	0.2




Payena maingayi
(Sapotaceae)

DBH	Frequency	Percent
2	1	6.7
3	1	6.7
4	2	13.3
5	1	6.7
6	1	6.7
7	1	6.7
8	4	26.7
9	2	13.3
10	1	6.7
15	1	6.7




Pentaspadon motleyi
(Anacardiaceae)

DBH	Frequency	Percent
1	231	31.3
2	127	17.2
3	76	10.3
4	41	5.6
5	26	3.5
6	15	2.0
7	16	2.2
8	17	2.3
9	10	1.4
10	46	6.2
15	33	4.5
20	21	2.8
25	12	1.6
30	34	4.6
40	18	2.4
50	6	0.8
60	5	0.7
70	4	0.5




Pentaspadon velutinus
(Anacardiaceae)

DBH	Frequency	Percent
20	1	100.0




Pentace strychnoides
(Tiliaceae)

DBH	Frequency	Percent
1	230	36.5
2	132	21.0
3	83	13.2
4	47	7.5
5	29	4.6
6	30	4.8
7	15	2.4
8	9	1.4
9	6	1.0
10	21	3.3
15	13	2.1
20	9	1.4
25	3	0.5
30	3	0.5




Pentace triptera
(Tiliaceae)

DBH	Frequency	Percent
1	41	35.7
2	24	20.9
3	10	8.7
4	12	10.4
5	6	5.2
6	2	1.7
7	1	0.9
8	3	2.6
9	1	0.9
10	2	1.7
15	3	2.6
20	2	1.7
25	3	2.6
30	3	2.6
40	2	1.7




Pertusadina eurhyncha
(Rubiaceae)

DBH	Frequency	Percent
1	7	23.3
2	2	6.7
3	1	3.3
4	2	6.7
5	5	16.7
6	1	3.3
8	1	3.3
9	2	6.7
10	4	13.3
15	1	3.3
20	1	3.3
25	1	3.3
30	2	6.7




Phaeanthus crassipetalus
(Annonaceae)

DBH	Frequency	Percent
1	2	28.6
3	1	14.3
5	1	14.3
9	1	14.3
10	1	14.3
15	1	14.3




Phaeanthus ophthalmicus
(Annonaceae)

DBH	Frequency	Percent
1	1308	47.9
2	848	31.1
3	416	15.2
4	107	3.9
5	33	1.2
6	7	0.3
7	6	0.2
8	2	0.1
10	1	0.0
20	1	0.0




Pholidocarpus macrocarpus
(Arecaceae)

DBH	Frequency	Percent
1	1	25.0
10	1	25.0
20	1	25.0
25	1	25.0




Phyllanthus emblica
(Euphorbiaceae)

DBH	Frequency	Percent
1	1	9.1
2	5	45.5
3	2	18.2
20	2	18.2
30	1	9.1




Pimelodendron griffithianum
(Euphorbiaceae)

DBH	Frequency	Percent
1	774	33.0
2	360	15.4
3	266	11.3
4	193	8.2
5	142	6.1
6	108	4.6
7	78	3.3
8	71	3.0
9	40	1.7
10	129	5.5
15	72	3.1
20	50	2.1
25	33	1.4
30	18	0.8
40	8	0.3
50	2	0.1
70	1	0.0




Pimelodendron macrocarpum
(Euphorbiaceae)

DBH	Frequency	Percent
1	10	25.6
2	5	12.8
3	4	10.3
4	3	7.7
5	1	2.6
6	3	7.7
7	1	2.6
8	2	5.1
10	2	5.1
15	3	7.7
20	1	2.6
30	1	2.6
40	3	7.7




Pinanga malayana
(Arecaceae)

DBH	Frequency	Percent
1	80	32.9
2	70	28.8
3	87	35.8
4	6	2.5




Pithecellobium splendens
(Leguminosae)

DBH	Frequency	Percent
1	1	25.0
7	1	25.0
30	2	50.0




Planchonia grandis
(Lecythidaceae)

DBH	Frequency	Percent
1	9	33.3
2	3	11.1
3	3	11.1
4	3	11.1
5	1	3.7
6	1	3.7
9	1	3.7
10	3	11.1
15	1	3.7
30	2	7.4




**Platea latifolia
(Icacinaceae)**

DBH	Frequency	Percent
1	5	62.5
5	1	12.5
10	1	12.5
40	1	12.5




**Platea species 1
(Icacinaceae)**

DBH	Frequency	Percent
1	1	50.0
2	1	50.0




Podocarpus motleyi
(Podocarpaceae)

DBH	Frequency	Percent
1	13	48.1
2	3	11.1
3	5	18.5
4	4	14.8
5	1	3.7
10	1	3.7




Polyalthia cinnamomea
(Annonaceae)

DBH	Frequency	Percent
1	14	16.1
2	13	14.9
3	13	14.9
4	8	9.2
5	8	9.2
6	2	2.3
7	4	4.6
8	1	1.1
9	2	2.3
10	15	17.2
15	3	3.4
20	4	4.6




**Polyalthia clavigera
(Annonaceae)**

DBH	Frequency	Percent
1	10	28.6
2	7	20.0
3	3	8.6
4	5	14.3
5	1	2.9
6	1	2.9
7	1	2.9
9	1	2.9
10	5	14.3
15	1	2.9




**Polyalthia glauca
(Annonaceae)**

DBH	Frequency	Percent
1	52	26.8
2	33	17.0
3	21	10.8
4	11	5.7
5	13	6.7
6	5	2.6
7	6	3.1
8	4	2.1
9	7	3.6
10	14	7.2
15	9	4.6
20	6	3.1
25	7	3.6
30	4	2.1
40	1	0.5
60	1	0.5




Polyalthia hypoleuca
(Annonaceae)

DBH	Frequency	Percent
1	7	28.0
2	4	16.0
3	7	28.0
4	2	8.0
5	2	8.0
20	1	4.0
30	2	8.0




Polyalthia jenkinsii
(Annonaceae)

DBH	Frequency	Percent
1	51	23.9
2	34	16.0
3	20	9.4
4	10	4.7
5	19	8.9
6	20	9.4
7	6	2.8
8	9	4.2
9	7	3.3
10	23	10.8
15	11	5.2
20	3	1.4




Polyalthia lateriflora
(Annonaceae)

DBH	Frequency	Percent
1	34	30.4
2	19	17.0
3	12	10.7
4	6	5.4
5	5	4.5
6	6	5.4
7	1	0.9
8	3	2.7
9	7	6.2
10	13	11.6
15	3	2.7
25	2	1.8
30	1	0.9




Polyalthia obliqua
(Annonaceae)

DBH	Frequency	Percent
1	47	26.3
2	30	16.8
3	22	12.3
4	22	12.3
5	11	6.1
6	11	6.1
7	14	7.8
8	4	2.2
9	6	3.4
10	12	6.7




Polyalthia rumphii
(Annonaceae)

DBH	Frequency	Percent
1	197	27.2
2	140	19.4
3	76	10.5
4	54	7.5
5	57	7.9
6	28	3.9
7	31	4.3
8	34	4.7
9	14	1.9
10	66	9.1
15	21	2.9
20	5	0.7




Polyalthia sclerophylla
(Annonaceae)

DBH	Frequency	Percent
1	107	30.7
2	72	20.7
3	48	13.8
4	25	7.2
5	21	6.0
6	21	6.0
7	11	3.2
8	7	2.0
9	11	3.2
10	20	5.7
15	5	1.4




Polyalthia stenopetala
(Annonaceae)

DBH	Frequency	Percent
1	124	34.0
2	70	19.2
3	59	16.2
4	43	11.8
5	35	9.6
6	15	4.1
7	9	2.5
8	10	2.7




Polyalthia sumatrana
(Annonaceae)

DBH	Frequency	Percent
1	100	35.7
2	35	12.5
3	32	11.4
4	23	8.2
5	26	9.3
6	9	3.2
7	11	3.9
8	6	2.1
9	6	2.1
10	23	8.2
15	7	2.5
20	2	0.7




Polyosma laete-virens
(Saxifragaceae)

DBH	Frequency	Percent
20	1	100.0




Pometia pinnata var. *alnifolia*
(Sapindaceae)

DBH	Frequency	Percent
1	122	18.9
2	94	14.6
3	83	12.9
4	50	7.8
5	44	6.8
6	29	4.5
7	23	3.6
8	15	2.3
9	11	1.7
10	54	8.4
15	35	5.4
20	32	5.0
25	18	2.8
30	22	3.4
40	8	1.2
50	4	0.6
60	1	0.2




Popowia pisocarpa
(Annonaceae)

DBH	Frequency	Percent
1	414	42.2
2	233	23.7
3	148	15.1
4	86	8.8
5	55	5.6
6	25	2.5
7	11	1.1
8	6	0.6
9	4	0.4




Popowia tomentosa
(Annonaceae)

DBH	Frequency	Percent
1	28	21.9
2	26	20.3
3	12	9.4
4	12	9.4
5	8	6.2
6	7	5.5
7	6	4.7
8	11	8.6
9	3	2.3
10	14	10.9
15	1	0.8




Porterandia anisophylla
(Rubiaceae)

DBH	Frequency	Percent
1	392	35.6
2	163	14.8
3	104	9.4
4	70	6.4
5	53	4.8
6	29	2.6
7	26	2.4
8	22	2.0
9	32	2.9
10	114	10.4
15	75	6.8
20	16	1.5
25	5	0.5




Pouteria malaccensis
(Sapotaceae)

DBH	Frequency	Percent
1	11	19.3
2	9	15.8
3	5	8.8
4	9	15.8
5	4	7.0
6	5	8.8
7	1	1.8
8	5	8.8
10	4	7.0
15	1	1.8
30	3	5.3




Prainea limpato
(Moraceae)

DBH	Frequency	Percent
1	16	29.1
2	11	20.0
3	4	7.3
4	5	9.1
5	4	7.3
6	2	3.6
8	2	3.6
10	3	5.5
15	2	3.6
20	4	7.3
25	2	3.6




Prismatomeris glabra
(Rubiaceae)

DBH	Frequency	Percent
1	149	90.9
2	10	6.1
4	3	1.8
5	1	0.6
7	1	0.6




**Prismatomeris species 1
(Rubiaceae)**

DBH	Frequency	Percent
1	222	83.1
2	24	9.0
3	13	4.9
4	4	1.5
5	2	0.7
6	1	0.4
8	1	0.4




**Prunus arborea
(Rosaceae)**

DBH	Frequency	Percent
1	246	42.4
2	124	21.4
3	67	11.6
4	30	5.2
5	30	5.2
6	24	4.1
7	12	2.1
8	11	1.9
9	6	1.0
10	25	4.3
15	5	0.9




Prunus grisea
(Rosaceae)

DBH	Frequency	Percent
1	261	63.0
2	83	20.0
3	20	4.8
4	12	2.9
5	10	2.4
6	10	2.4
7	6	1.4
8	3	0.7
9	2	0.5
10	6	1.4
15	1	0.2




Prunus arborea var. stipulaceum
(Rosaceae)

DBH	Frequency	Percent
2	1	33.3
8	1	33.3
10	1	33.3




Pseudoeugenia singaporensis
(Myrtaceae)

DBH	Frequency	Percent
1	50	28.9
2	27	15.6
3	13	7.5
4	16	9.2
5	10	5.8
6	7	4.0
7	2	1.2
8	4	2.3
9	5	2.9
10	22	12.7
15	9	5.2
20	4	2.3
25	4	2.3




Pseuduvaria macrophylla
(Annonaceae)

DBH	Frequency	Percent
1	579	45.0
2	343	26.6
3	213	16.5
4	91	7.1
5	45	3.5
6	6	0.5
7	4	0.3
8	2	0.2
9	1	0.1
10	2	0.2
15	2	0.2




Psychotria griffithii
(Rubiaceae)

DBH	Frequency	Percent
1	54	98.2
2	1	1.8




Psychotria rostrata
(Rubiaceae)

DBH	Frequency	Percent
1	91	96.8
3	2	2.1
10	1	1.1




**Psydrax species 10
(Rubiaceae)**

DBH	Frequency	Percent
1	6	33.3
2	2	11.1
3	1	5.6
6	1	5.6
10	3	16.7
15	2	11.1
20	2	11.1
30	1	5.6




**Psydrax maingayi
(Rubiaceae)**

DBH	Frequency	Percent
2	1	100.0




Psydrax species 8
(Rubiaceae)

DBH	Frequency	Percent
1	117	30.4
2	64	16.6
3	49	12.7
4	20	5.2
5	20	5.2
6	17	4.4
7	9	2.3
8	8	2.1
9	10	2.6
10	34	8.8
15	23	6.0
20	12	3.1
25	2	0.5




Pternandra coerulescens
(Melastomataceae)

DBH	Frequency	Percent
1	116	27.6
2	92	21.9
3	42	10.0
4	30	7.1
5	22	5.2
6	23	5.5
7	18	4.3
8	12	2.9
9	10	2.4
10	32	7.6
15	21	5.0
20	2	0.5




Pternandra echinata
(Melastomataceae)

DBH	Frequency	Percent
1	92	27.6
2	55	16.5
3	43	12.9
4	27	8.1
5	20	6.0
6	13	3.9
7	12	3.6
8	5	1.5
9	9	2.7
10	34	10.2
15	12	3.6
20	6	1.8
25	4	1.2
30	1	0.3




Pterocymbium tubulatum
(Sterculiaceae)

DBH	Frequency	Percent
1	13	26.0
2	6	12.0
3	6	12.0
4	1	2.0
5	2	4.0
8	2	4.0
9	3	6.0
10	5	10.0
15	4	8.0
20	4	8.0
25	2	4.0
30	2	4.0




Pteleocarpa lamponga
(Boraginaceae)

DBH	Frequency	Percent
1	9	28.1
2	4	12.5
3	6	18.8
4	2	6.2
5	3	9.4
6	1	3.1
10	4	12.5
20	1	3.1
30	1	3.1
50	1	3.1




Ptychopyxis caput-medusae
(Euphorbiaceae)

DBH	Frequency	Percent
1	10	37.0
2	6	22.2
3	1	3.7
4	2	7.4
5	3	11.1
6	1	3.7
8	1	3.7
9	1	3.7
10	1	3.7
30	1	3.7




Ptychopyxis costata
(Euphorbiaceae)

DBH	Frequency	Percent
1	398	34.9
2	249	21.8
3	168	14.7
4	72	6.3
5	63	5.5
6	38	3.3
7	34	3.0
8	25	2.2
9	21	1.8
10	54	4.7
15	16	1.4
20	2	0.2
25	1	0.1
40	1	0.1




Pyrenaria acuminata
(Theaceae)

DBH	Frequency	Percent
1	35	44.3
2	17	21.5
3	11	13.9
4	6	7.6
5	7	8.9
8	1	1.3
9	1	1.3
10	1	1.3




Quercus argentata (Fagaceae)

DBH	Frequency	Percent
1	372	35.4
2	137	13.0
3	81	7.7
4	67	6.4
5	36	3.4
6	28	2.7
7	25	2.4
8	29	2.8
9	10	1.0
10	61	5.8
15	43	4.1
20	32	3.0
25	31	3.0
30	46	4.4
40	24	2.3
50	16	1.5
60	4	0.4
70	4	0.4
80	3	0.3
90	1	0.1




Quercus gemelliflora
(Fagaceae)

DBH	Frequency	Percent
1	93	32.1
2	40	13.8
3	22	7.6
4	14	4.8
5	18	6.2
6	11	3.8
7	7	2.4
8	18	6.2
9	8	2.8
10	17	5.9
15	15	5.2
20	12	4.1
25	6	2.1
30	5	1.7
40	3	1.0
60	1	0.3




Radermachera pinnata
(Bignoniaceae)

DBH	Frequency	Percent
10	1	100.0




Reinwardtiodendron cinereum
(Meliaceae)

DBH	Frequency	Percent
1	391	53.9
2	148	20.4
3	56	7.7
4	34	4.7
5	32	4.4
6	9	1.2
7	14	1.9
8	8	1.1
9	2	0.3
10	21	2.9
15	8	1.1
20	2	0.3




Rhodamnia cinerea
(Myrtaceae)

DBH	Frequency	Percent
1	105	39.3
2	40	15.0
3	30	11.2
4	22	8.2
5	24	9.0
6	16	6.0
7	4	1.5
8	5	1.9
9	2	0.7
10	11	4.1
15	5	1.9
20	1	0.4
25	2	0.7




Rinorea anguifera
(Violaceae)

DBH	Frequency	Percent
1	3747	45.4
2	2175	26.3
3	1384	16.8
4	593	7.2
5	254	3.1
6	70	0.8
7	19	0.2
8	4	0.0
9	4	0.0
10	4	0.0
15	2	0.0
20	1	0.0
25	2	0.0




Rinorea horneri
(Violaceae)

DBH	Frequency	Percent
1	32	97.0
2	1	3.0




Rinorea sclerocarpa
(Violaceae)

DBH	Frequency	Percent
1	141	57.6
2	59	24.1
3	28	11.4
4	12	4.9
5	2	0.8
6	1	0.4
8	1	0.4
15	1	0.4




Rothmannia macrophylla
(Rubiaceae)

DBH	Frequency	Percent
1	1376	99.1
2	10	0.7
5	1	0.1
10	1	0.1




Ryparosa acuminata
(Flacourtiaceae)

DBH	Frequency	Percent
1	16	20.8
2	16	20.8
3	12	15.6
4	7	9.1
5	6	7.8
6	2	2.6
7	1	1.3
8	2	2.6
9	3	3.9
10	6	7.8
15	1	1.3
25	3	3.9
30	2	2.6




Ryparosa fasciculata
(Flacourtiaceae)

DBH	Frequency	Percent
1	31	38.3
2	18	22.2
3	2	2.5
4	4	4.9
5	7	8.6
6	4	4.9
8	1	1.2
9	2	2.5
10	6	7.4
15	2	2.5
20	2	2.5
25	2	2.5




Ryparosa kunstleri
(Flacourtiaceae)

DBH	Frequency	Percent
1	136	36.6
2	70	18.8
3	27	7.3
4	27	7.3
5	23	6.2
6	9	2.4
7	9	2.4
8	9	2.4
9	11	3.0
10	21	5.6
15	16	4.3
20	9	2.4
25	3	0.8
30	2	0.5




Sandoricum beccarianum
(Meliaceae)

DBH	Frequency	Percent
4	1	100.0




Sandoricum koetjape
(Meliaceae)

DBH	Frequency	Percent
1	36	26.9
2	15	11.2
3	7	5.2
4	11	8.2
5	8	6.0
6	8	6.0
7	3	2.2
8	10	7.5
9	8	6.0
10	22	16.4
15	4	3.0
20	2	1.5




Santiria apiculata
(Burseraceae)

DBH	Frequency	Percent
1	492	48.3
2	213	20.9
3	100	9.8
4	55	5.4
5	39	3.8
6	25	2.5
7	13	1.3
8	15	1.5
9	15	1.5
10	31	3.0
15	11	1.1
20	5	0.5
25	1	0.1
30	2	0.2
40	1	0.1




Santiria conferta
(Burseraceae)

DBH	Frequency	Percent
1	2	12.5
3	1	6.2
5	1	6.2
6	1	6.2
8	1	6.2
10	6	37.5
20	1	6.2
25	2	12.5
30	1	6.2




Santiria griffithii
(Burseraceae)

DBH	Frequency	Percent
1	104	36.0
2	48	16.6
3	23	8.0
4	19	6.6
5	10	3.5
6	11	3.8
7	6	2.1
8	2	0.7
9	3	1.0
10	17	5.9
15	15	5.2
20	8	2.8
25	3	1.0
30	11	3.8
40	4	1.4
50	3	1.0
60	1	0.3
70	1	0.3




Santiria laevigata
(Burseraceae)

DBH	Frequency	Percent
1	189	28.3
2	132	19.8
3	82	12.3
4	45	6.7
5	44	6.6
6	27	4.0
7	28	4.2
8	15	2.2
9	8	1.2
10	26	3.9
15	19	2.8
20	9	1.3
25	6	0.9
30	12	1.8
40	9	1.3
50	5	0.7
60	5	0.7
70	4	0.6
90	2	0.3




Santiria oblongifolia
(Burseraceae)

DBH	Frequency	Percent
1	13	17.6
2	14	18.9
3	15	20.3
4	8	10.8
5	4	5.4
6	2	2.7
7	3	4.1
8	2	2.7
9	1	1.4
10	4	5.4
15	1	1.4
20	1	1.4
30	5	6.8
40	1	1.4




Santiria rubiginosa
(Burseraceae)

DBH	Frequency	Percent
1	99	34.3
2	53	18.3
3	32	11.1
4	18	6.2
5	13	4.5
6	4	1.4
7	5	1.7
8	8	2.8
9	9	3.1
10	13	4.5
15	9	3.1
20	7	2.4
25	3	1.0
30	8	2.8
40	7	2.4
60	1	0.3




Santiria tomentosa
(Burseraceae)

DBH	Frequency	Percent
1	107	28.1
2	61	16.0
3	47	12.3
4	21	5.5
5	18	4.7
6	16	4.2
7	13	3.4
8	13	3.4
9	11	2.9
10	22	5.8
15	10	2.6
20	12	3.1
25	11	2.9
30	11	2.9
40	6	1.6
50	1	0.3
60	1	0.3




Sapium baccatum
(Euphorbiaceae)

DBH	Frequency	Percent
1	3	20.0
2	3	20.0
3	2	13.3
4	2	13.3
5	1	6.7
8	3	20.0
50	1	6.7




Sapium discolor
(Euphorbiaceae)

DBH	Frequency	Percent
1	7	35.0
2	1	5.0
3	1	5.0
5	4	20.0
8	2	10.0
9	1	5.0
10	2	10.0
20	2	10.0




Saproisma scortechinii
(Rubiaceae)

DBH	Frequency	Percent
1	427	67.5
2	151	23.9
3	42	6.6
4	10	1.6
5	1	0.2
6	1	0.2
15	1	0.2




Sarcotheca griffithii
(Oxalidaceae)

DBH	Frequency	Percent
1	49	23.4
2	24	11.5
3	14	6.7
4	13	6.2
5	6	2.9
6	5	2.4
7	4	1.9
8	10	4.8
9	4	1.9
10	10	4.8
15	5	2.4
20	12	5.7
25	6	2.9
30	9	4.3
40	12	5.7
50	9	4.3
60	5	2.4
70	8	3.8
80	1	0.5
90	1	0.5
100	2	1.0




Sarcotheca monophylla
(Oxalidaceae)

DBH	Frequency	Percent
1	25	14.0
2	18	10.1
3	8	4.5
4	5	2.8
5	10	5.6
6	9	5.0
7	6	3.4
8	4	2.2
9	4	2.2
10	19	10.6
15	20	11.2
20	11	6.1
25	9	5.0
30	20	11.2
40	5	2.8
50	4	2.2
60	2	1.1




Saraca declinata
(Leguminosae)

DBH	Frequency	Percent
1	221	33.0
2	109	16.3
3	101	15.1
4	76	11.3
5	55	8.2
6	31	4.6
7	34	5.1
8	17	2.5
9	10	1.5
10	12	1.8
15	4	0.6




Saraca thaipingensis
(Leguminosae)

DBH	Frequency	Percent
1	54	22.4
2	30	12.4
3	22	9.1
4	14	5.8
5	19	7.9
6	15	6.2
7	12	5.0
8	12	5.0
9	19	7.9
10	32	13.3
15	10	4.1
20	2	0.8




Sauropus androgynus
(Euphorbiaceae)

DBH	Frequency	Percent
1	9	100.0




Scaphocalyx spathacea
(Flacourtiaceae)

DBH	Frequency	Percent
1	1115	30.6
2	700	19.2
3	555	15.2
4	395	10.8
5	298	8.2
6	215	5.9
7	128	3.5
8	87	2.4
9	65	1.8
10	84	2.3
15	3	0.1
25	1	0.0
30	1	0.0




Scaphium linearicarpum
(Sterculiaceae)

DBH	Frequency	Percent
1	42	31.3
2	12	9.0
3	7	5.2
4	9	6.7
5	5	3.7
6	5	3.7
7	3	2.2
8	3	2.2
9	7	5.2
10	10	7.5
15	11	8.2
20	2	1.5
25	6	4.5
30	8	6.0
40	3	2.2
50	1	0.7




Scaphium macropodum
(Sterculiaceae)

DBH	Frequency	Percent
1	248	30.8
2	92	11.4
3	51	6.3
4	42	5.2
5	27	3.3
6	33	4.1
7	31	3.8
8	28	3.5
9	24	3.0
10	84	10.4
15	37	4.6
20	24	3.0
25	16	2.0
30	30	3.7
40	18	2.2
50	13	1.6
60	7	0.9
70	1	0.1




Schoutenia accrescens
(Tiliaceae)

DBH	Frequency	Percent
1	205	43.4
2	74	15.7
3	43	9.1
4	18	3.8
5	9	1.9
6	14	3.0
7	8	1.7
8	10	2.1
9	2	0.4
10	31	6.6
15	20	4.2
20	8	1.7
25	13	2.8
30	9	1.9
40	6	1.3
50	1	0.2
90	1	0.2




Scleropyrum wallichianum
(Santalaceae)

DBH	Frequency	Percent
1	103	32.8
2	66	21.0
3	52	16.6
4	42	13.4
5	23	7.3
6	9	2.9
7	7	2.2
8	6	1.9
9	2	0.6
10	2	0.6
15	1	0.3
25	1	0.3




Scolopia spinosa
(Flacourtiaceae)

DBH	Frequency	Percent
1	80	32.1
2	55	22.1
3	34	13.7
4	23	9.2
5	17	6.8
6	10	4.0
7	6	2.4
8	7	2.8
9	7	2.8
10	10	4.0




Semecarpus curtisii
(Anacardiaceae)

DBH	Frequency	Percent
1	190	83.7
2	30	13.2
3	6	2.6
5	1	0.4




Semecarpus rufovelutinus
(Anacardiaceae)

DBH	Frequency	Percent
1	1	50.0
5	1	50.0




Shorea acuminata
(Dipterocarpaceae)

DBH	Frequency	Percent
1	875	39.6
2	486	22.0
3	279	12.6
4	140	6.3
5	103	4.7
6	61	2.8
7	32	1.4
8	29	1.3
9	15	0.7
10	48	2.2
15	19	0.9
20	16	0.7
25	12	0.5
30	24	1.1
40	20	0.9
50	9	0.4
60	14	0.6
70	4	0.2
80	14	0.6
90	5	0.2
100	6	0.3




Shorea bracteolata
(Dipterocarpaceae)

DBH	Frequency	Percent
1	421	37.1
2	261	23.0
3	142	12.5
4	68	6.0
5	44	3.9
6	33	2.9
7	23	2.0
8	13	1.1
9	13	1.1
10	39	3.4
15	12	1.1
20	21	1.9
25	14	1.2
30	16	1.4
40	9	0.8
50	2	0.2
60	3	0.3
80	1	0.1




Shorea dasyphylla
(Dipterocarpaceae)

DBH	Frequency	Percent
1	14	32.6
2	9	20.9
3	3	7.0
4	3	7.0
5	1	2.3
9	1	2.3
10	3	7.0
20	2	4.7
30	4	9.3
40	1	2.3
50	2	4.7




Shorea guiso
(Dipterocarpaceae)

DBH	Frequency	Percent
1	419	58.2
2	148	20.6
3	64	8.9
4	28	3.9
5	16	2.2
6	5	0.7
7	4	0.6
8	3	0.4
9	6	0.8
10	7	1.0
15	3	0.4
20	3	0.4
25	4	0.6
30	1	0.1
40	2	0.3
50	2	0.3
60	2	0.3
70	2	0.3
90	1	0.1




Shorea hopeifolia
(Dipterocarpaceae)

DBH	Frequency	Percent
1	20	33.3
2	8	13.3
3	8	13.3
4	4	6.7
5	4	6.7
6	1	1.7
7	2	3.3
9	2	3.3
10	4	6.7
15	4	6.7
100	3	5.0




Shorea leprosula
(Dipterocarpaceae)

DBH	Frequency	Percent
1	1560	51.7
2	479	15.9
3	247	8.2
4	119	3.9
5	102	3.4
6	54	1.8
7	48	1.6
8	27	0.9
9	27	0.9
10	108	3.6
15	40	1.3
20	29	1.0
25	23	0.8
30	25	0.8
40	27	0.9
50	35	1.2
60	29	1.0
70	18	0.6
80	9	0.3
90	5	0.2
100	6	0.2




Shorea lepidota
(Dipterocarpaceae)

DBH	Frequency	Percent
1	489	41.7
2	199	17.0
3	112	9.6
4	66	5.6
5	35	3.0
6	23	2.0
7	28	2.4
8	7	0.6
9	10	0.9
10	38	3.2
15	29	2.5
20	20	1.7
25	6	0.5
30	28	2.4
40	19	1.6
50	16	1.4
60	12	1.0
70	10	0.9
80	6	0.5
90	6	0.5
100	13	1.1




Shorea macroptera
(Dipterocarpaceae)

DBH	Frequency	Percent
1	621	38.9
2	316	19.8
3	173	10.8
4	111	7.0
5	51	3.2
6	47	2.9
7	30	1.9
8	23	1.4
9	23	1.4
10	75	4.7
15	39	2.4
20	28	1.8
25	14	0.9
30	20	1.3
40	9	0.6
50	8	0.5
60	4	0.3
70	2	0.1
80	2	0.1
100	1	0.1




Shorea maxwelliana
(Dipterocarpaceae)

DBH	Frequency	Percent
1	2481	43.7
2	980	17.2
3	616	10.8
4	407	7.2
5	231	4.1
6	153	2.7
7	115	2.0
8	87	1.5
9	51	0.9
10	211	3.7
15	88	1.5
20	55	1.0
25	57	1.0
30	46	0.8
40	29	0.5
50	22	0.4
60	19	0.3
70	15	0.3
80	8	0.1
90	6	0.1
100	5	0.1




Shorea multiflora
(Dipterocarpaceae)

DBH	Frequency	Percent
1	2	66.7
3	1	33.3




Shorea ochrophloia
(Dipterocarpaceae)

DBH	Frequency	Percent
1	212	48.0
2	100	22.6
3	52	11.8
4	18	4.1
5	12	2.7
6	5	1.1
7	7	1.6
8	6	1.4
9	1	0.2
10	8	1.8
15	1	0.2
20	6	1.4
25	2	0.5
30	4	0.9
40	3	0.7
50	2	0.5
60	2	0.5
70	1	0.2




Shorea ovalis
(Dipterocarpaceae)

DBH	Frequency	Percent
1	527	40.3
2	259	19.8
3	149	11.4
4	91	7.0
5	54	4.1
6	31	2.4
7	36	2.8
8	20	1.5
9	14	1.1
10	51	3.9
15	19	1.5
20	14	1.1
25	8	0.6
30	7	0.5
40	8	0.6
50	4	0.3
60	6	0.5
70	3	0.2
80	4	0.3
90	1	0.1
100	2	0.2




Shorea parvifolia
(Dipterocarpaceae)

DBH	Frequency	Percent
1	706	41.9
2	283	16.8
3	154	9.1
4	87	5.2
5	69	4.1
6	32	1.9
7	34	2.0
8	31	1.8
9	17	1.0
10	89	5.3
15	37	2.2
20	26	1.5
25	24	1.4
30	31	1.8
40	21	1.2
50	25	1.5
60	11	0.7
70	2	0.1
80	3	0.2
90	2	0.1
100	1	0.1




Shorea pauciflora
(Dipterocarpaceae)

DBH	Frequency	Percent
1	1072	45.2
2	484	20.4
3	240	10.1
4	132	5.6
5	84	3.5
6	51	2.2
7	41	1.7
8	29	1.2
9	32	1.4
10	50	2.1
15	34	1.4
20	22	0.9
25	15	0.6
30	16	0.7
40	15	0.6
50	13	0.5
60	5	0.2
70	9	0.4
80	4	0.2
90	7	0.3
100	15	0.6




Sindora coriacea
(Leguminosae)

DBH	Frequency	Percent
1	470	38.1
2	300	24.4
3	178	14.4
4	92	7.5
5	55	4.5
6	21	1.7
7	19	1.5
8	25	2.0
9	9	0.7
10	29	2.4
15	8	0.6
20	4	0.3
25	2	0.2
30	5	0.4
40	5	0.4
50	1	0.1
60	2	0.2
70	3	0.2
80	3	0.2
100	1	0.1




Sindora echinocalyx
(Leguminosae)

DBH	Frequency	Percent
1	8	17.8
2	12	26.7
3	6	13.3
4	7	15.6
5	3	6.7
6	2	4.4
7	2	4.4
8	1	2.2
10	2	4.4
15	1	2.2
40	1	2.2




Sindora velutina
(Leguminosae)

DBH	Frequency	Percent
1	33	19.3
2	20	11.7
3	21	12.3
4	13	7.6
5	16	9.4
6	12	7.0
7	7	4.1
8	6	3.5
9	7	4.1
10	22	12.9
15	5	2.9
20	3	1.8
25	1	0.6
30	2	1.2
40	1	0.6
60	1	0.6
70	1	0.6




Sindora wallichii
(Leguminosae)

DBH	Frequency	Percent
10	3	21.4
15	1	7.1
20	3	21.4
30	4	28.6
40	1	7.1
60	1	7.1
70	1	7.1




Sloanea javanica
(Elaeocarpaceae)

DBH	Frequency	Percent
1	8	25.0
2	2	6.2
3	2	6.2
4	3	9.4
5	5	15.6
6	1	3.1
9	1	3.1
10	4	12.5
15	3	9.4
20	3	9.4




Stelechocarpus cauliflorus
(Annonaceae)

DBH	Frequency	Percent
1	9	90.0
2	1	10.0




Stemonurus malaccensis
(Icacinaeae)

DBH	Frequency	Percent
1	36	32.7
2	15	13.6
3	20	18.2
4	5	4.5
5	6	5.5
6	6	5.5
7	4	3.6
8	5	4.5
9	1	0.9
10	7	6.4
15	4	3.6
20	1	0.9




Stemonurus umbellatus
(Icacinaeae)

DBH	Frequency	Percent
15	1	100.0




Sterculia coccinea
(Sterculiaceae)

DBH	Frequency	Percent
1	333	80.4
2	65	15.7
3	8	1.9
4	3	0.7
6	2	0.5
10	2	0.5
15	1	0.2




Sterculia cordata
(Sterculiaceae)

DBH	Frequency	Percent
1	2	20.0
2	2	20.0
4	1	10.0
7	1	10.0
10	1	10.0
15	1	10.0
20	1	10.0
30	1	10.0




Sterculia hispidissima
(Sterculiaceae)

DBH	Frequency	Percent
1	17	43.6
2	7	17.9
3	4	10.3
4	1	2.6
6	1	2.6
8	2	5.1
9	2	5.1
10	4	10.3
20	1	2.6




Sterculia macrophylla
(Sterculiaceae)

DBH	Frequency	Percent
3	1	20.0
4	1	20.0
5	1	20.0
10	1	20.0
15	1	20.0




Sterculia parviflora
(Sterculiaceae)

DBH	Frequency	Percent
1	81	29.6
2	49	17.9
3	21	7.7
4	22	8.0
5	13	4.7
6	11	4.0
7	5	1.8
8	10	3.6
9	3	1.1
10	22	8.0
15	18	6.6
20	11	4.0
25	2	0.7
30	5	1.8
40	1	0.4




Sterculia rubiginosa
(Sterculiaceae)

DBH	Frequency	Percent
1	33	22.9
2	24	16.7
3	21	14.6
4	23	16.0
5	14	9.7
6	11	7.6
7	6	4.2
8	5	3.5
9	3	2.1
10	3	2.1
15	1	0.7




Sterculia species 1
(Sterculiaceae)

DBH	Frequency	Percent
5	1	100.0




Streblus elongatus
(Moraceae)

DBH	Frequency	Percent
1	2	33.3
3	1	16.7
5	1	16.7
20	1	16.7
30	1	16.7




Strombosia javanica
(Olacaceae)

DBH	Frequency	Percent
1	3	50.0
2	1	16.7
7	1	16.7
30	1	16.7




Strombosia maingayi
(Olacaceae)

DBH	Frequency	Percent
9	1	100.0




Styrax benzoin
(Styracaceae)

DBH	Frequency	Percent
1	30	43.5
2	8	11.6
3	2	2.9
4	1	1.4
5	4	5.8
6	1	1.4
7	4	5.8
8	1	1.4
10	6	8.7
15	3	4.3
20	3	4.3
25	4	5.8
30	2	2.9




Suregada multiflora
(Euphorbiaceae)

DBH	Frequency	Percent
1	91	75.8
2	22	18.3
3	6	5.0
4	1	0.8




Symplocos cerasifolia
(Symplocaceae)

DBH	Frequency	Percent
1	58	46.4
2	17	13.6
3	13	10.4
4	9	7.2
5	3	2.4
6	4	3.2
8	4	3.2
9	2	1.6
10	8	6.4
15	1	0.8
20	4	3.2
25	1	0.8
30	1	0.8




Symplocos cochinchinensis
(Symplocaceae)

DBH	Frequency	Percent
1	10	50.0
2	3	15.0
3	2	10.0
5	1	5.0
10	2	10.0
20	1	5.0
30	1	5.0




Symplocos crassipes
(Symplocaceae)

DBH	Frequency	Percent
1	262	49.3
2	99	18.6
3	70	13.2
4	22	4.1
5	31	5.8
6	20	3.8
7	6	1.1
8	5	0.9
9	6	1.1
10	8	1.5
15	1	0.2
25	1	0.2




Symplocos ophirensis
(Symplocaceae)

DBH	Frequency	Percent
1	2	66.7
5	1	33.3




Symplocos rubiginosa
(Symplocaceae)

DBH	Frequency	Percent
1	3	50.0
2	1	16.7
3	1	16.7
4	1	16.7




Tabernaemontana corymbosa
(Apocynaceae)

DBH	Frequency	Percent
1	107	29.6
2	54	14.9
3	43	11.9
4	31	8.6
5	19	5.2
6	21	5.8
7	14	3.9
8	11	3.0
9	7	1.9
10	37	10.2
15	13	3.6
20	5	1.4




Tabernaemontana malaccensis
(Apocynaceae)

DBH	Frequency	Percent
1	1	100.0




**Talauma candollii
(Magnoliaceae)**

DBH	Frequency	Percent
1	5	18.5
2	4	14.8
3	2	7.4
4	4	14.8
5	6	22.2
6	2	7.4
7	1	3.7
8	1	3.7
9	1	3.7
10	1	3.7




**Tarenna species 11
(Rubiaceae)**

DBH	Frequency	Percent
1	23	88.5
2	2	7.7
3	1	3.8




Tarenna costata
(Rubiaceae)

DBH	Frequency	Percent
1	1	100.0




Tarenna maingayi
(Rubiaceae)

DBH	Frequency	Percent
1	63	87.5
2	5	6.9
4	1	1.4
8	2	2.8
9	1	1.4




Tarenna mollis
(Rubiaceae)

DBH	Frequency	Percent
1	69	56.1
2	18	14.6
3	11	8.9
4	2	1.6
5	8	6.5
6	3	2.4
7	3	2.4
8	5	4.1
9	3	2.4
10	1	0.8




Tarenna species 8
(Rubiaceae)

DBH	Frequency	Percent
1	802	59.3
2	322	23.8
3	174	12.9
4	40	3.0
5	9	0.7
6	3	0.2
7	1	0.1
10	1	0.1




Teijsmanniodendron coriaceum
(Verbenaceae)

DBH	Frequency	Percent
1	85	37.4
2	45	19.8
3	23	10.1
4	20	8.8
5	10	4.4
6	6	2.6
7	5	2.2
8	5	2.2
9	5	2.2
10	9	4.0
15	6	2.6
20	4	1.8
25	3	1.3
30	1	0.4




Teijsmanniodendron simplicifolium
(Verbenaceae)

DBH	Frequency	Percent
1	6	46.2
2	5	38.5
3	1	7.7
6	1	7.7




**Terminalia bellirica
(Combretaceae)**

DBH	Frequency	Percent
6	1	20.0
10	1	20.0
20	2	40.0
30	1	20.0




**Terminalia citrina
(Combretaceae)**

DBH	Frequency	Percent
1	6	20.7
2	2	6.9
3	4	13.8
7	1	3.4
8	2	6.9
9	1	3.4
10	7	24.1
15	1	3.4
20	1	3.4
25	4	13.8




Terminalia phellocarpa
(Combretaceae)

DBH	Frequency	Percent
2	1	33.3
10	1	33.3
15	1	33.3




Terminalia subspathulata
(Combretaceae)

DBH	Frequency	Percent
1	1	16.7
9	1	16.7
10	2	33.3
40	1	16.7
50	1	16.7




Ternstroemia corneri
(Theaceae)

DBH	Frequency	Percent
1	11	27.5
2	6	15.0
3	4	10.0
4	1	2.5
5	3	7.5
6	3	7.5
7	2	5.0
8	1	2.5
9	1	2.5
10	3	7.5
15	3	7.5
25	1	2.5
30	1	2.5




Tetrardisia porosa
(Myrsinaceae)

DBH	Frequency	Percent
1	259	96.3
2	8	3.0
4	1	0.4
6	1	0.4




Thottea grandiflora
(Aristolochiaceae)

DBH	Frequency	Percent
1	25	100.0




Timonius species 1
(Rubiaceae)

DBH	Frequency	Percent
1	50	36.5
2	20	14.6
3	12	8.8
4	7	5.1
5	13	9.5
6	9	6.6
7	3	2.2
8	8	5.8
9	5	3.6
10	8	5.8
15	2	1.5




Timonius wallichianus
(Rubiaceae)

DBH	Frequency	Percent
1	79	37.4
2	32	15.2
3	26	12.3
4	13	6.2
5	12	5.7
6	9	4.3
7	4	1.9
8	5	2.4
9	7	3.3
10	14	6.6
15	9	4.3
30	1	0.5




Trema tomentosa
(Ulmaceae)

DBH	Frequency	Percent
2	2	100.0




Trigonistrium hypoleucum
(Trigoniaceae)

DBH	Frequency	Percent
1	142	38.7
2	58	15.8
3	38	10.4
4	23	6.3
5	18	4.9
6	12	3.3
7	11	3.0
8	8	2.2
9	7	1.9
10	22	6.0
15	11	3.0
20	6	1.6
25	4	1.1
30	3	0.8
40	4	1.1




Trigonopleura malayana
(Euphorbiaceae)

DBH	Frequency	Percent
1	26	41.3
2	9	14.3
3	6	9.5
4	4	6.3
5	2	3.2
6	2	3.2
7	5	7.9
8	2	3.2
10	5	7.9
15	2	3.2




Trigonostemon laevigatus
(Euphorbiaceae)

DBH	Frequency	Percent
1	90	62.9
2	27	18.9
3	9	6.3
4	10	7.0
5	5	3.5
7	1	0.7
8	1	0.7



Trigonostemon longifolium
(Euphorbiaceae)


DBH	Frequency	Percent
1	5	100.0



TR13MA


Trigonostemon malaccanus
(Euphorbiaceae)

DBH	Frequency	Percent
1	900	76.7
2	210	17.9
3	40	3.4
4	14	1.2
5	2	0.2
6	1	0.1
7	3	0.3
8	2	0.2
10	2	0.2




Trigonochras acuta
(Sapindaceae)

DBH	Frequency	Percent
1	6	40.0
2	2	13.3
3	1	6.7
4	1	6.7
6	2	13.3
7	1	6.7
8	1	6.7
30	1	6.7




Trigonochras species 1
(Sapindaceae)

DBH	Frequency	Percent
1	16	50.0
2	6	18.8
4	3	9.4
5	1	3.1
6	3	9.4
9	1	3.1
15	1	3.1
20	1	3.1




Triomma malaccensis
(Burseraceae)

DBH	Frequency	Percent
1	178	36.0
2	108	21.9
3	38	7.7
4	27	5.5
5	17	3.4
6	11	2.2
7	13	2.6
8	7	1.4
9	7	1.4
10	20	4.0
15	14	2.8
20	7	1.4
25	8	1.6
30	12	2.4
40	11	2.2
50	8	1.6
60	4	0.8
70	1	0.2
80	1	0.2
90	1	0.2
100	1	0.2




**Trivalvaria macrophylla
(Annonaceae)**

DBH	Frequency	Percent
1	19	35.8
2	16	30.2
3	9	17.0
4	6	11.3
6	1	1.9
7	1	1.9
8	1	1.9




**Trivalvaria nervosa
(Annonaceae)**

DBH	Frequency	Percent
1	5	29.4
2	2	11.8
3	3	17.6
5	3	17.6
9	1	5.9
10	3	17.6




Trivalvaria pumila
(Annonaceae)

DBH	Frequency	Percent
1	14	93.3
2	1	6.7




Turpinia ovalifolia
(Staphyleaceae)

DBH	Frequency	Percent
1	1	100.0




Urophyllum glabrum
(Rubiaceae)

DBH	Frequency	Percent
1	992	51.3
2	509	26.3
3	248	12.8
4	120	6.2
5	47	2.4
6	8	0.4
7	4	0.2
8	1	0.1
9	2	0.1
10	1	0.1




Urophyllum hirsutum
(Rubiaceae)

DBH	Frequency	Percent
1	1027	76.2
2	239	17.7
3	59	4.4
4	13	1.0
5	7	0.5
7	1	0.1
10	1	0.1
20	1	0.1




Vatica bella
(Dipterocarpaceae)

DBH	Frequency	Percent
1	892	53.4
2	269	16.1
3	139	8.3
4	66	4.0
5	46	2.8
6	42	2.5
7	26	1.6
8	29	1.7
9	16	1.0
10	56	3.4
15	44	2.6
20	22	1.3
25	14	0.8
30	2	0.1
40	5	0.3
50	1	0.1




Vatica maingayi
(Dipterocarpaceae)

DBH	Frequency	Percent
1	39	42.4
2	23	25.0
3	7	7.6
4	9	9.8
5	1	1.1
6	2	2.2
8	1	1.1
9	1	1.1
10	3	3.3
15	4	4.3
25	1	1.1
30	1	1.1




Vatica pauciflora
(Dipterocarpaceae)

DBH	Frequency	Percent
1	197	41.9
2	75	16.0
3	54	11.5
4	23	4.9
5	27	5.7
6	14	3.0
7	10	2.1
8	11	2.3
9	8	1.7
10	28	6.0
15	13	2.8
20	6	1.3
25	2	0.4
30	2	0.4




Vernonia arborea
(Compositae)

DBH	Frequency	Percent
1	68	54.0
2	23	18.3
3	8	6.3
4	7	5.6
5	3	2.4
6	1	0.8
7	2	1.6
8	3	2.4
9	2	1.6
10	7	5.6
20	2	1.6




Vitex pinnata
(Verbenaceae)

DBH	Frequency	Percent
1	1	50.0
3	1	50.0




Vitex quinata
(Verbenaceae)

DBH	Frequency	Percent
1	8	29.6
2	7	25.9
3	2	7.4
4	5	18.5
5	2	7.4
6	2	7.4
15	1	3.7




Walsura chrysogyne
(Meliaceae)

DBH	Frequency	Percent
1	113	57.4
2	43	21.8
3	15	7.6
4	5	2.5
5	6	3.0
6	5	2.5
8	1	0.5
9	1	0.5
10	4	2.0
15	2	1.0
20	1	0.5
25	1	0.5




Walsura pinnata
(Meliaceae)

DBH	Frequency	Percent
1	44	23.8
2	35	18.9
3	21	11.4
4	18	9.7
5	15	8.1
6	9	4.9
7	7	3.8
8	8	4.3
9	2	1.1
10	10	5.4
15	8	4.3
20	6	3.2
25	2	1.1




Xanthophyllum affine
(Polygalaceae)

DBH	Frequency	Percent
1	284	39.8
2	154	21.6
3	75	10.5
4	36	5.0
5	29	4.1
6	24	3.4
7	17	2.4
8	14	2.0
9	14	2.0
10	33	4.6
15	21	2.9
20	8	1.1
25	3	0.4
30	1	0.1




Xanthophyllum amoenum
(Polygalaceae)

DBH	Frequency	Percent
1	254	63.8
2	68	17.1
3	20	5.0
4	12	3.0
5	13	3.3
6	5	1.3
7	4	1.0
8	3	0.8
9	3	0.8
10	10	2.5
15	3	0.8
20	1	0.3
25	1	0.3
50	1	0.3




Xanthophyllum chartaceum
(Polygalaceae)

DBH	Frequency	Percent
1	63	26.1
2	57	23.7
3	29	12.0
4	22	9.1
5	16	6.6
6	11	4.6
7	7	2.9
8	7	2.9
9	5	2.1
10	8	3.3
15	3	1.2
20	4	1.7
25	1	0.4
30	5	2.1
40	3	1.2




Xanthophyllum ellipticum
(Polygalaceae)

DBH	Frequency	Percent
1	11	35.5
2	2	6.5
3	5	16.1
4	2	6.5
5	1	3.2
6	1	3.2
7	1	3.2
8	1	3.2
15	1	3.2
20	1	3.2
30	3	9.7
40	2	6.5




Xanthophyllum eurhynchum
(Polygalaceae)

DBH	Frequency	Percent
1	721	35.4
2	311	15.3
3	202	9.9
4	138	6.8
5	101	5.0
6	74	3.6
7	62	3.0
8	62	3.0
9	45	2.2
10	205	10.1
15	92	4.5
20	16	0.8
25	2	0.1
30	5	0.2
40	1	0.0




Xanthophyllum griffithii
(Polygalaceae)

DBH	Frequency	Percent
1	281	28.4
2	143	14.5
3	110	11.1
4	66	6.7
5	61	6.2
6	46	4.7
7	46	4.7
8	35	3.5
9	30	3.0
10	76	7.7
15	52	5.3
20	23	2.3
25	13	1.3
30	4	0.4
40	1	0.1
50	1	0.1




Xanthophyllum rufum
(Polygalaceae)

DBH	Frequency	Percent
1	23	18.9
2	6	4.9
3	4	3.3
4	9	7.4
5	5	4.1
6	3	2.5
7	6	4.9
9	3	2.5
10	23	18.9
15	9	7.4
20	9	7.4
25	11	9.0
30	11	9.0




Xanthophyllum scortechinii
(Polygalaceae)

DBH	Frequency	Percent
1	2	20.0
2	1	10.0
3	1	10.0
4	1	10.0
7	2	20.0
30	1	10.0
40	1	10.0
50	1	10.0



Xanthophyllum stipitatum
(Polygalaceae)

DBH	Frequency	Percent
1	46	39.7
2	21	18.1
3	12	10.3
4	7	6.0
5	5	4.3
6	4	3.4
7	5	4.3
8	2	1.7
9	1	0.9
10	4	3.4
15	2	1.7
20	1	0.9
30	2	1.7
40	2	1.7
50	1	0.9
70	1	0.9




Xanthophyllum wrayi
(Polygalaceae)

DBH	Frequency	Percent
1	6	33.3
2	3	16.7
3	2	11.1
4	3	16.7
5	2	11.1
7	2	11.1




Xerospermum noronhianum
(Sapindaceae)

DBH	Frequency	Percent
1	5496	61.3
2	1421	15.9
3	629	7.0
4	328	3.7
5	178	2.0
6	114	1.3
7	99	1.1
8	70	0.8
9	60	0.7
10	239	2.7
15	168	1.9
20	89	1.0
25	50	0.6
30	20	0.2
40	1	0.0




Xerospermum species 1
(Sapindaceae)

DBH	Frequency	Percent
3	1	12.5
15	2	25.0
20	4	50.0
25	1	12.5




Xylopiia caudata
(Annonaceae)

DBH	Frequency	Percent
1	116	31.5
2	59	16.0
3	39	10.6
4	29	7.9
5	22	6.0
6	18	4.9
7	11	3.0
8	6	1.6
9	5	1.4
10	38	10.3
15	13	3.5
20	9	2.4
25	3	0.8




Xylopiia elliptica
(Annonaceae)

DBH	Frequency	Percent
1	8	29.6
2	3	11.1
3	1	3.7
4	1	3.7
5	5	18.5
6	3	11.1
8	1	3.7
9	1	3.7
10	2	7.4
15	2	7.4




Xylopia ferruginea* var. *ferruginea
(Annonaceae)

DBH	Frequency	Percent
1	21	25.6
2	5	6.1
3	4	4.9
4	3	3.7
5	5	6.1
6	9	11.0
8	4	4.9
9	3	3.7
10	12	14.6
15	3	3.7
20	5	6.1
25	2	2.4
30	3	3.7
40	3	3.7




Xylopia ferruginea* var. *oxyantha
(Annonaceae)

DBH	Frequency	Percent
1	24	16.7
2	22	15.3
3	22	15.3
4	13	9.0
5	11	7.6
6	6	4.2
7	3	2.1
8	3	2.1
9	4	2.8
10	13	9.0
15	12	8.3
20	3	2.1
25	5	3.5
30	3	2.1




**Xylopiya fusca
(Annonaceae)**

DBH	Frequency	Percent
1	2	9.1
2	2	9.1
3	1	4.5
4	1	4.5
5	1	4.5
6	2	9.1
7	2	9.1
9	1	4.5
10	2	9.1
15	3	13.6
20	2	9.1
25	1	4.5
30	1	4.5
40	1	4.5



**Xylopiya magna
(Annonaceae)**

DBH	Frequency	Percent
1	51	17.1
2	47	15.8
3	38	12.8
4	29	9.7
5	28	9.4
6	18	6.0
7	10	3.4
8	17	5.7
9	15	5.0
10	22	7.4
15	10	3.4
20	8	2.7
25	4	1.3
30	1	0.3



Xylopiya malayana
(Annonaceae)

DBH	Frequency	Percent
1	504	38.9
2	250	19.3
3	143	11.0
4	93	7.2
5	66	5.1
6	52	4.0
7	35	2.7
8	27	2.1
9	22	1.7
10	64	4.9
15	14	1.1
20	10	0.8
25	3	0.2
30	7	0.5
40	6	0.5
50	1	0.1

	Page		Page
<i>Acronychia porteri</i> (Rutaceae)	1	<i>Aglaiia ridleyi</i> (Meliaceae)	10
<i>Actinodaphne macrophylla</i> (Lauraceae)	1	<i>Aglaiia rufa</i> (Meliaceae)	10
<i>Actinodaphne pruinosa</i> (Lauraceae)	2	<i>Aglaiia species 1</i> (Meliaceae)	11
<i>Actinodaphne sesquipedalis</i> (Lauraceae)	2	<i>Aglaiia species 2</i> (Meliaceae)	11
<i>Adenanthera bicolor</i> (Leguminosae)	3	<i>Aglaiia species 3</i> (Meliaceae)	12
<i>Aglaiia aspera</i> (Meliaceae)	3	<i>Aglaiia species 4</i> (Meliaceae)	12
<i>Aglaiia cordata</i> (Meliaceae)	4	<i>Aglaiia species 5</i> (Meliaceae)	13
<i>Aglaiia exstipulata</i> (Meliaceae)	4	<i>Aglaiia species 7</i> (Meliaceae)	13
<i>Aglaiia forbesii</i> (Meliaceae)	5	<i>Aglaiia tenuicaulis</i> (Meliaceae)	14
<i>Aglaiia ganggo</i> (Meliaceae)	5	<i>Aidia wallichiana</i> (Rubiaceae)	14
<i>Aglaiia glabriflora</i> (Meliaceae)	6	<i>Alangium ebenaceum</i> (Alangiaceae)	15
<i>Aglaiia grandis</i> (Meliaceae)	6	<i>Alangium griffithii</i> (Alangiaceae)	15
<i>Aglaiia meliosmoides</i> (Meliaceae)	7	<i>Alangium nobile</i> (Alangiaceae)	16
<i>Aglaiia oligocarpa</i> (Meliaceae)	7	<i>Alangium ridleyi</i> (Alangiaceae)	16
<i>Aglaiia odoratissima</i> (Meliaceae)	8	<i>Albizia pedicellata</i> (Leguminosae)	17
<i>Aglaiia oligophylla</i> (Meliaceae)	8	<i>Alchornea rugosa</i> (Euphorbiaceae)	17
<i>Aglaiia palembanica</i> (Meliaceae)	9	<i>Allophylus cobbe</i> (Sapindaceae)	18
<i>Aglaiia rubescens</i> (Meliaceae)	9	<i>Alphonsea elliptica</i> (Annonaceae)	18

	Page		Page
<i>Alphonsea maingayi</i> (Annonaceae)	19	<i>Aphanamixis sumatrana</i> (Meliaceae)	28
<i>Alseodaphne nigrescens</i> (Lauraceae)	19	<i>Aporusa aurea</i> (Euphorbiaceae)	28
<i>Alseodaphne perakensis</i> (Lauraceae)	20	<i>Aporusa bracteosa</i> (Euphorbiaceae)	29
<i>Alseodaphne peduncularis</i> (Lauraceae)	20	<i>Aporusa confusa</i> (Euphorbiaceae)	29
<i>Alseodaphne species 1</i> (Lauraceae)	21	<i>Aporusa falcifera</i> (Euphorbiaceae)	30
<i>Alseodaphne species 2</i> (Lauraceae)	21	<i>Aporusa globifera</i> (Euphorbiaceae)	30
<i>Alstonia angustiloba</i> (Apocynaceae)	22	<i>Aporusa lunata</i> (Euphorbiaceae)	31
<i>Anacolosa heptandra</i> (Olacaceae)	22	<i>Aporusa microstachya</i> (Euphorbiaceae)	31
<i>Anaxagorea javanica</i> (Annonaceae)	23	<i>Aporusa miqueliana</i> (Euphorbiaceae)	32
<i>Anisoptera costata</i> (Dipterocarpaceae)	23	<i>Aporusa nigricans</i> (Euphorbiaceae)	32
<i>Anisoptera laevis</i> (Dipterocarpaceae)	24	<i>Aporusa nigropunctata</i> (Euphorbiaceae)	33
<i>Anisoptera megistocarpa</i> (Dipterocarpaceae)	24	<i>Aporusa nervosa</i> (Euphorbiaceae)	33
<i>Anisophyllea corneri</i> (Rhizophoraceae)	25	<i>Aporusa prainiana</i> (Euphorbiaceae)	34
<i>Antidesma coriaceum</i> (Euphorbiaceae)	25	<i>Aporusa symplocoides</i> (Euphorbiaceae)	34
<i>Antidesma cuspidatum</i> (Euphorbiaceae)	26	<i>Aquilaria malaccensis</i> (Thymeliaceae)	35
<i>Antidesma pendulum</i> (Euphorbiaceae)	26	<i>Aralidium pinnatifidum</i> (Araliaceae)	35
<i>Antidesma velutinosum</i> (Euphorbiaceae)	27	<i>Archidendron bubalinum</i> (Leguminosae)	36
<i>Aphanamixis polystachya</i> (Meliaceae)	27	<i>Archidendron clypearia</i> (Leguminosae)	36

	Page		Page
Archidendron contortum (Leguminosae)	37	Artocarpus maingayi (Moraceae)	46
Archidendron globosum (Leguminosae)	37	Artocarpus nitidus var. griffithii (Moraceae)	46
Archidendron microcarpum (Leguminosae)	38	Artocarpus rigidus (Moraceae)	47
Ardisia colorata (Myrsinaceae)	38	Artocarpus scortechinii (Moraceae)	47
Ardisia crassa (Myrsinaceae)	39	Atuna elata (Rosaceae)	48
Ardisia kunstleri (Myrsinaceae)	39	Atuna excelsa (Rosaceae)	48
Ardisia lanceolata (Myrsinaceae)	40	Austrobuxus nitidus (Euphorbiaceae)	49
Ardisia pachysandra (Myrsinaceae)	40	Baccaurea griffithii (Euphorbiaceae)	49
Ardisia ridleyi (Myrsinaceae)	41	Baccaurea kunstleri (Euphorbiaceae)	50
Ardisia species 2 (Myrsinaceae)	41	Baccaurea maingayi (Euphorbiaceae)	50
Aromadendron elegans (Magnoliaceae)	42	Baccaurea minor (Euphorbiaceae)	51
Arthrophyllum diversifolium (Araliaceae)	42	Baccaurea parviflora (Euphorbiaceae)	51
Artocarpus anisophyllus (Moraceae)	43	Baccaurea pyriformis (Euphorbiaceae)	52
Artocarpus dadah (Moraceae)	43	Baccauria ramiflora (Euphorbiaceae)	52
Artocarpus fulvicortex (Moraceae)	44	Baccaurea racemosa (Euphorbiaceae)	53
Artocarpus integer (Moraceae)	44	Baccaurea reticulata (Euphorbiaceae)	53
Artocarpus kemando (Moraceae)	45	Baccauria species 1 (Euphorbiaceae)	54
Artocarpus lowii (Moraceae)	45	Baccaurea sumatrana (Euphorbiaceae)	54

	Page		Page
<i>Barringtonia fusiformis</i> (Lecythydaceae)	55	<i>Buchanania sessifolia</i> (Anacardiaceae)	64
<i>Barringtonia macrostachya</i> (Lecythydaceae)	55	<i>Callicarpa maingayi</i> (Verbenaceae)	64
<i>Barringtonia pendula</i> (Lecythydaceae)	56	<i>Calophyllum depressinervosum</i> (Guttiferae)	65
<i>Beilschmiedia dictyoneura</i> (Lauraceae)	56	<i>Calophyllum dioscurii</i> (Guttiferae)	65
<i>Beilschmiedia kunstleri</i> (Lauraceae)	57	<i>Calophyllum macrocarpum</i> (Guttiferae)	66
<i>Beilschmiedia lucidula</i> (Lauraceae)	57	<i>Calophyllum rupicola</i> (Guttiferae)	66
<i>Beilschmiedia madang</i> (Lauraceae)	58	<i>Calophyllum soulattri</i> (Guttiferae)	67
<i>Beilschmiedia palembanica</i> (Lauraceae)	58	<i>Calophyllum tetrapterum</i> (Guttiferae)	67
<i>Beilschmiedia species 1</i> (Lauraceae)	59	<i>Calophyllum wallichianum</i> (Guttiferae)	68
<i>Beilschmiedia species 2</i> (Lauraceae)	59	<i>Calophyllum wall. var.</i> <i>incrassatum</i> (Guttiferae)	68
<i>Bhesa paniculata</i> (Celastraceae)	60	<i>Camnosperma auriculatum</i> (Anacardiaceae)	69
<i>Blumeodendron calophyllum</i> (Euphorbiaceae)	60	<i>Canarium apertum</i> (Burseraceae)	69
<i>Blumeodendron subtrotundifolium</i> (Euphorbiaceae)	61	<i>Canarium littorale</i> var. <i>littorale</i> (Burseraceae)	70
<i>Blumeodendron tokbrai</i> (Euphorbiaceae)	61	<i>Canarium littorale</i> var. <i>purpurescens</i> (Burseraceae)	70
<i>Bouea macrophylla</i> (Anacardiaceae)	62	<i>Canarium littorale</i> var. <i>rufum</i> (Burseraceae)	71
<i>Bouea oppositifolia</i> (Anacardiaceae)	62	<i>Canarium littorale</i> var. <i>tomentosum</i> (Burseraceae)	71
<i>Brackenridgia hookeri</i> (Ochnaceae)	63	<i>Canarium megalanthum</i> (Burseraceae)	72
<i>Bridelia pustulata</i> (Euphorbiaceae)	63	<i>Canarium patentinervium</i> (Burseraceae)	72

	Page		Page
Canarium pilosum (Burseraceae)	73	Chionanthus ramiflorus (Oleaceae)	82
Carallia brachiata (Rhizophoraceae)	73	Chionanthus species 1 (Oleaceae)	82
Caryota mitis (Arecaceae)	74	Chisocheton ceramicus (Meliaceae)	83
Casearia clarkei (Flacourtiaceae)	74	Chisocheton erythrocarpus (Meliaceae)	83
Casearia species 2 (Flacourtiaceae)	75	Chisocheton glomeratus (Meliaceae)	84
Cassia nodosa (Leguminosae)	75	Chisocheton patens (Meliaceae)	84
Castanopsis curtisii (Fagaceae)	76	Chisocheton sarawakanus (Meliaceae)	85
Castanopsis inermis (Fagaceae)	76	Chisocheton tomentosus (Meliaceae)	85
Castanopsis megacarpa (Fagaceae)	77	Chrysophyllum lanceolatum (Sapotaceae)	86
Castanopsis nepheliodes (Fagaceae)	77	Cinnamomum iners (Lauraceae)	86
Castanopsis schefferiana (Fagaceae)	78	Cinnamomum javanicum (Lauraceae)	87
Celtis rigrescens (Ulmaceae)	78	Cinnamomum mollissimum (Lauraceae)	87
Champereia manillana (Opiliaceae)	79	Cinnamomum porrectum (Lauraceae)	88
Chasalia curviflora (Rubiaceae)	79	Cinnamomum sintoc (Lauraceae)	88
Chasalia longifolia (Rubiaceae)	80	Cleistanthus malaccensis (Euphorbiaceae)	89
Cheilosa malayana (Euphorbiaceae)	80	Cleistanthus maingayi (Euphorbiaceae)	89
Chionanthus calophyllus (Oleaceae)	81	Cleistanthus myrianthus (Euphorbiaceae)	90
Chionanthus macrocarpus (Oleaceae)	81	Cleistanthus sumatranus (Euphorbiaceae)	90

	Page		Page
<i>Clerodendrum deflexum</i> (Verbenaceae)	91	<i>Crypteronia griffithii</i> (Crypteroniaceae)	100
<i>Clerodendrum laevifolium</i> (Verbenaceae)	91	<i>Ctenolophon parvifolius</i> (Linaceae)	100
<i>Clerodendron nutans</i> (Verbenaceae)	92	<i>Cyathocalyx pruniferous</i> (Annonaceae)	101
<i>Coelostegia griffithii</i> (Bombacaceae)	92	<i>Cyathocalyx ramuliflorus</i> (Annonaceae)	101
<i>Crateva religiosa</i> (Capparidaceae)	93	<i>Cynometra malaccensis</i> (Leguminosae)	102
<i>Cratoxylum arborescens</i> (Hypericaceae)	93	<i>Dacryodes costata</i> (Burseraceae)	102
<i>Cratoxylum cochinchinense</i> (Hypericaceae)	94	<i>Dacryodes incurvata</i> (Burseraceae)	103
<i>Cratoxylum formosum</i> (Hypericaceae)	94	<i>Dacryodes laxa</i> (Burseraceae)	103
<i>Cratoxylum maingayi</i> (Hypericaceae)	95	<i>Dacryodes longifolia</i> (Burseraceae)	104
<i>Croton argyratus</i> (Euphorbiaceae)	95	<i>Dacryodes nervosa</i> (Burseraceae)	104
<i>Croton laevifolius</i> (Euphorbiaceae)	96	<i>Dacryodes puberula</i> (Burseraceae)	105
<i>Crudia curtisii</i> (Leguminosae)	96	<i>Dacryodes rugosa</i> (Burseraceae)	105
<i>Cryptocarya ferrea</i> (Lauraceae)	97	<i>Dacryodes rubiginosa</i> (Burseraceae)	106
<i>Cryptocarya griffithiana</i> (Lauraceae)	97	<i>Dacryodes rostrata</i> (Burseraceae)	106
<i>Cryptocarya infectoria</i> (Lauraceae)	98	<i>Decaspermum fruticosum</i> (Myrtaceae)	107
<i>Cryptocarya kurzii</i> (Lauraceae)	98	<i>Dehaasia cuneata</i> (Lauraceae)	107
<i>Cryptocarya rugulosa</i> (Lauraceae)	99	<i>Dehaasia incrassata</i> (Lauraceae)	108
<i>Cryptocarya scortechinii</i> (Lauraceae)	99	<i>Dehaasia longipetiolata</i> (Lauraceae)	108

	Page		Page
Deplanchea bancana (Bignoniaceae)	109	Diospyros daemona (Ebenaceae)	118
Dehaasia polyneura (Lauraceae)	110	Diospyros diepenhorstii (Ebenaceae)	118
Dialium maingayi (Leguminosae)	110	Diospyros latisepala (Ebenaceae)	119
Dialium platysepalum (Leguminosae)	111	Diospyros lanceifolia (Ebenaceae)	119
Dialium procerum (Leguminosae)	111	Diospyros maingayi (Ebenaceae)	120
Dialium wallichii (Leguminosae)	112	Diospyros nutans (Ebenaceae)	120
Dichapetalum geloniodes (Dichapetalaceae)	112	Diospyros penangiana (Ebenaceae)	121
Dillenia grandifolia (Dilleniaceae)	113	Diospyros pendula (Ebenaceae)	121
Dillenia reticulata (Dilleniaceae)	113	Diospyros pyrrhocarpa (Ebenaceae)	122
Dillenia sumatrana (Dilleniaceae)	114	Diospyros rufa (Ebenaceae)	122
Diospyros areolata (Ebenaceae)	114	Diospyros species 1 (Ebenaceae)	123
Diospyros argentea (Ebenaceae)	115	Diospyros scortechinii (Ebenaceae)	123
Diospyros adenophora (Ebenaceae)	115	Diospyros singaporensis (Ebenaceae)	124
Diospyros andamanica (Ebenaceae)	116	Diospyros sumatrana (Ebenaceae)	124
Diospyros apiculata (Ebenaceae)	116	Diospyros venosa (Ebenaceae)	125
Diospyros buxifolia (Ebenaceae)	117	Diospyros wallichii (Ebenaceae)	125
Diospyros cauliflora (Ebenaceae)	117	Diplospora lasiantha (Rubiaceae)	126
		Diplospora malaccensis (Rubiaceae)	126

	Page		Page
Dipterocarpus cornutus (Dipterocarpaceae)	127	Durio griffithii (Bombacaceae)	136
Dipterocarpus costulatus (Dipterocarpaceae)	127	Durio oxleyanus (Bombacaceae)	136
Dipterocarpus crinitus (Dipterocarpaceae)	128	Durio singaporensis (Bombacaceae)	137
Dipterocarpus kunstleri (Dipterocarpaceae)	128	Dyera costulata (Apocynaceae)	137
Dipterocarpus sublamellatus (Dipterocarpaceae)	129	Dysoxylum acutangulum (Meliaceae)	138
Dracaena tetrastachys (Liliaceae)	129	Dysoxylum alliaceum (Meliaceae)	138
Dracaena brachystachys (Liliaceae)	130	Dysoxylum carolina (Meliaceae)	139
Dracaena elliptica (Liliaceae)	130	Dysoxylum cauliflorum (Meliaceae)	139
Dracontomelum dao (Anacardiaceae)	131	Dysoxylum costulatum (Meliaceae)	140
Drimycarpus luridus (Anacardiaceae)	131	Dysoxylum flavescens (Meliaceae)	140
Drypetes kikir (Euphorbiaceae)	132	Dysoxylum species 1 (Meliaceae)	141
Drypetes laevis (Euphorbiaceae)	132	Ehretia timorensis (Boraginaceae)	141
Drypetes longifolia (Euphorbiaceae)	133	Elaeocarpus ferrugineus (Elaeocarpaceae)	142
Drypetes microphylla (Euphorbiaceae)	133	Elaeocarpus griffithii (Elaeocarpaceae)	142
Drypetes pendula (Euphorbiaceae)	134	Elaeocarpus nitidus (Elaeocarpaceae)	143
Drypetes polyneura (Euphorbiaceae)	134	Elaeocarpus palembanicus (Elaeocarpaceae)	143
Drypetes rhakodiskos (Euphorbiaceae)	135	Elaeocarpus petiolatus (Elaeocarpaceae)	144
Drypetes species 1 (Euphorbiaceae)	135	Elaeocarpus rugosus (Elaeocarpaceae)	144

	Page		Page
<i>Elaeocarpus stipularis</i> (Elaeocarpaceae)	145	<i>Eugenia chlorantha</i> (Myrtaceae)	154
<i>Elateriospermum tapos</i> (Euphorbiaceae)	145	<i>Eugenia claviflora</i> (Myrtaceae)	154
<i>Endiandra kingiana</i> (Lauraceae)	146	<i>Eugenia cumingiana</i> (Myrtaceae)	155
<i>Endiandra maingayi</i> (Lauraceae)	146	<i>Eugenia densiflora</i> (Myrtaceae)	155
<i>Endocomia canarioides</i> (Myristicaceae)	147	<i>Eugenia duthieana</i> (Myrtaceae)	156
<i>Endospermum malaccense</i> (Euphorbiaceae)	147	<i>Eugenia dyeriana</i> (Myrtaceae)	156
<i>Engelhardtia serrata</i> (Juglandaceae)	148	<i>Eugenia fastigata</i> (Myrtaceae)	157
<i>Enicosanthum fuscum</i> (Annonaceae)	148	<i>Eugenia filiformis</i> (Myrtaceae)	157
<i>Epiprinus malayanus</i> (Euphorbiaceae)	149	<i>Eugenia flosculifera</i> (Myrtaceae)	158
<i>Erycibe albida</i> (Convolvulaceae)	149	<i>Eugenia glauca</i> var. <i>pseudoglauca</i> (Myrtaceae)	158
<i>Erythroxyllum cuneatum</i> (Erythroxyllaceae)	150	<i>Eugenia griffithii</i> (Myrtaceae)	159
<i>Eugenia species 4</i> (Myrtaceae)	150	<i>Eugenia inophylla</i> var. <i>barnardi</i> (Myrtaceae)	159
<i>Eugenia species 8</i> (Myrtaceae)	151	<i>Eugenia inophylla</i> (Myrtaceae)	160
<i>Eugenia species 10</i> (Myrtaceae)	151	<i>Eugenia koordersiana</i> (Myrtaceae)	160
<i>Eugenia species 16</i> (Myrtaceae)	152	<i>Eugenia leptostemon</i> (Myrtaceae)	161
<i>Eugenia cerasiformis</i> (Myrtaceae)	152	<i>Eugenia napiformis</i> (Myrtaceae)	161
<i>Eugenia ceraina</i> (Myrtaceae)	153	<i>Eugenia nigricans</i> (Myrtaceae)	162
<i>Eugenia castanea</i> (Myrtaceae)	153	<i>Eugenia oblongifolia</i> (Myrtaceae)	162

	Page		Page
<i>Eugenia polita</i> (Myrtaceae)	163	<i>Eugenia variolosa</i> (Myrtaceae)	172
<i>Eugenia pseudosubtilis</i> (Myrtaceae)	163	<i>Eugenia virens</i> (Myrtaceae)	172
<i>Eugenia pseudocrenulata</i> (Myrtaceae)	164	<i>Euodia glabra</i> (Rutaceae)	173
<i>Eugenia pachyphylla</i> (Myrtaceae)	164	<i>Euodia roxburghiana</i> (Rutaceae)	173
<i>Eugenia polyantha</i> (Myrtaceae)	165	<i>Euonymus javanicus</i> (Celastraceae)	174
<i>Eugenia prainiana</i> (Myrtaceae)	165	<i>Eurycoma longifolia</i> (Simarubiaceae)	174
<i>Eugenia pustulata</i> (Myrtaceae)	166	<i>Fagraea racemosa</i> (Loganaceae)	175
<i>Eugenia ridleyi</i> (Myrtaceae)	166	<i>Fahrenheitia pendula</i> (Euphorbiaceae)	175
<i>Eugenia rugosa</i> (Myrtaceae)	167	<i>Ficus chartacea</i> (Moraceae)	176
<i>Eugenia syzygioides</i> (Myrtaceae)	167	<i>Ficus fistulosa</i> (Moraceae)	176
<i>Eugenia species A</i> (Myrtaceae)	168	<i>Ficus glandulifera</i> (Moraceae)	177
<i>Eugenia species B</i> (Myrtaceae)	168	<i>Ficus grossularioides</i> (Moraceae)	177
<i>Eugenia species D</i> (Myrtaceae)	169	<i>Ficus obscura</i> (Moraceae)	178
<i>Eugenia spicata</i> (Myrtaceae)	169	<i>Ficus schwarzii</i> (Moraceae)	178
<i>Eugenia scortechinii</i> (Myrtaceae)	170	<i>Ficus scortechinii</i> (Moraceae)	179
<i>Eugenia subdecussata</i> (Myrtaceae)	170	<i>Ficus sinuata</i> (Moraceae)	179
<i>Eugenia tumida</i> (Myrtaceae)	171	<i>Ficus vasculosa</i> (Moraceae)	180
<i>Eugenia valdevenosa</i> (Myrtaceae)	171	<i>Ficus variegata</i> (Moraceae)	180

	Page		Page
<i>Flacourtia rukum</i> (Flacourtiaceae)	181	<i>Garcinia pyrifera</i> (Guttiferae)	190
<i>Gaertnera oblanceolata</i> (Rubiaceae)	181	<i>Garcinia rostrata</i> (Guttiferae)	190
<i>Galearia fulva</i> (Euphorbiaceae)	182	<i>Garcinia species 1</i> (Guttiferae)	191
<i>Galearia maingayi</i> (Euphorbiaceae)	182	<i>Garcinia species 2</i> (Guttiferae)	191
<i>Ganua motleyana</i> (Sapotaceae)	183	<i>Garcinia species 4</i> (Guttiferae)	192
<i>Ganua species 1</i> (Sapotaceae)	183	<i>Garcinia species 5</i> (Guttiferae)	192
<i>Gardeniopsis longifolia</i> (Rubiaceae)	184	<i>Garcinia scortechinii</i> (Guttiferae)	193
<i>Gardenia tubifera</i> (Rubiaceae)	184	<i>Gironniera nervosa</i> (Ulmaceae)	193
<i>Garcinia atroviridis</i> (Guttiferae)	185	<i>Gironniera parvifolia</i> (Ulmaceae)	194
<i>Garcinia bancana</i> (Guttiferae)	185	<i>Gironniera subaequalis</i> (Ulmaceae)	194
<i>Garcinia eugeniaefolia</i> (Guttiferae)	186	<i>Glochidion species 1</i> (Euphorbiaceae)	195
<i>Garcinia forbesii</i> (Guttiferae)	186	<i>Glochidion hypoleucum</i> (Euphorbiaceae)	195
<i>Garcinia griffithii</i> (Guttiferae)	187	<i>Glochidion obscurum</i> (Euphorbiaceae)	196
<i>Garcinia malaccensis</i> (Guttiferae)	187	<i>Glochidion sericeum</i> (Euphorbiaceae)	196
<i>Garcinia nervosa</i> (Guttiferae)	188	<i>Glochidion superbum</i> (Euphorbiaceae)	197
<i>Garcinia nigrolineata</i> (Guttiferae)	188	<i>Glochidion wallichianum</i> (Euphorbiaceae)	197
<i>Garcinia parvifolia</i> (Guttiferae)	189	<i>Gluta malayana</i> (Anacardiaceae)	198
<i>Garcinia prainiana</i> (Guttiferae)	189	<i>Glycosmis chlorosperma</i> (Rutaceae)	198

	Page		Page
<i>Glycosmis sapindoides</i> (Rutaceae)	199	<i>Gymnacranthera eugeniifolia</i> (Myristicaceae)	208
<i>Glyptopetalum quadrangulare</i> (Celastraceae)	199	<i>Gymnacranthera forbesii</i> (Myristicaceae)	208
<i>Gnetum gnemon</i> (Gnetaceae)	200	<i>Gynotroches axillaris</i> (Rhizophoraceae)	209
<i>Gomphia serrata</i> (Ochnaceae)	200	<i>Harmandia kunstleri</i> (Olacaceae)	209
<i>Gomphandra capitellata</i> (Icacinaceae)	201	<i>Harpulia cupanoides</i> (Sapindaceae)	210
<i>Gomphandra quadrifida</i> (Icacinaceae)	201	<i>Helicia attenuata</i> (Proteaceae)	210
<i>Gomphandra species 1</i> (Icacinaceae)	202	<i>Heliciopsis velutina</i> (Proteaceae)	211
<i>Goniothalamus macrophyllus</i> (Annonaceae)	202	<i>Heritiera elata</i> (Sterculiaceae)	211
<i>Goniothalamus tortilipetalum</i> (Annonaceae)	203	<i>Heritiera javanica</i> (Sterculiaceae)	212
<i>Gonocaryum gracile</i> (Icacinaceae)	203	<i>Heritiera simplicifolia</i> (Sterculiaceae)	212
<i>Gonystylus maingayi</i> (Thymeliaceae)	204	<i>Homalium caryophyllaceum</i> (Flacourtiaceae)	213
<i>Gordonia singaporeana</i> (Theaceae)	204	<i>Homalium dictyoneurum</i> (Flacourtiaceae)	213
<i>Grewia antidesmaefolia</i> (Tiliaceae)	205	<i>Homalium longifolium</i> (Flacourtiaceae)	214
<i>Grewia blattaefolia</i> (Tiliaceae)	205	<i>Hopea dryobalanoides</i> (Dipterocarpaceae)	214
<i>Grewia fibrocarpa</i> (Tiliaceae)	206	<i>Hopea mengerawan</i> (Dipterocarpaceae)	215
<i>Grewia laurifolia</i> (Tiliaceae)	206	<i>Hopea sangal</i> (Dipterocarpaceae)	215
<i>Grewia miqueliana</i> (Tiliaceae)	207	<i>Horsfieldia brachiata</i> (Myristicaceae)	216
<i>Guioa species 1</i> (Sapindaceae)	207	<i>Horsfieldia crassifolia</i> (Myristicaceae)	216

	Page		Page
Horsfieldia flocculosa (Myristicaceae)	217	Ixonanthes reticulata (Ixonanthaceae)	226
Horsfieldia fulva (Myristicaceae)	217	Ixora concinna (Rubiaceae)	226
Horsfieldia polyspherula (Myristicaceae)	218	Ixora congesta (Rubiaceae)	227
Horsfieldia poly. var. sumatrana (Myristicaceae)	218	Ixora grandifolia var. grandifolia (Rubiaceae)	227
Horsfieldia punctatifolia (Myristicaceae)	219	Ixora grandifolia var. lanceolata (Rubiaceae)	228
Horsfieldia sucosa (Myristicaceae)	219	Ixora kingstonii (Rubiaceae)	228
Horsfieldia superba (Myristicaceae)	220	Ixora lobbii (Rubiaceae)	229
Horsfieldia tomentosa (Myristicaceae)	220	Ixora nigricans (Rubiaceae)	229
Horsfieldia wallichii (Myristicaceae)	221	Ixora pendula (Rubiaceae)	230
Hunteria zeylanica (Apocynaceae)	221	Jackiopsis ornata (Rubiaceae)	230
Hypobathrium racemosum (Rubiaceae)	222	Kibara coriacea (Monimiaceae)	231
Hypobathrium venulosum (Rubiaceae)	222	Kibatalia maingayi (Apocynaceae)	231
Iguanura wallichiana (Arecaceae)	223	Kingstonia nervosa (Annonaceae)	232
Ilex macrophylla (Aquifoliaceae)	223	Knema conferta (Myristicaceae)	232
Ilex species 1 (Aquifoliaceae)	224	Knema curtisii (Myristicaceae)	233
Intsia palembanica (Leguminosae)	224	Knema furfuracea (Myristicaceae)	233
Irvingia malayana (Irvingiaceae)	225	Knema hookeriana (Myristicaceae)	234
Ixonanthes icosandra (Ixonanthaceae)	225	Knema intermedia (Myristicaceae)	234

	Page		Page
<i>Knema kunstleri</i> (Myristicaceae)	235	<i>Leptonychia glabra</i> (Sterculiaceae)	244
<i>Knema laurina</i> (Myristicaceae)	235	<i>Licania splendens</i> (Rosaceae)	244
<i>Knema malayana</i> (Myristicaceae)	236	<i>Lithocarpus conocarpus</i> (Fagaceae)	245
<i>Knema patentinervia</i> (Myristicaceae)	236	<i>Lithocarpus curtisii</i> (Fagaceae)	245
<i>Knema pseudo-laurina</i> (Myristicaceae)	237	<i>Lithocarpus cyclophorus</i> (Fagaceae)	246
<i>Knema scortechinii</i> (Myristicaceae)	237	<i>Lithocarpus ewyckii</i> (Fagaceae)	246
<i>Knema stenophylla</i> (Myristicaceae)	238	<i>Lithocarpus lucidus</i> (Fagaceae)	247
<i>Knema sumatrana</i> (Myristicaceae)	238	<i>Lithocarpus rassa</i> (Fagaceae)	247
<i>Koiladepas longifolium</i> (Euphorbiaceae)	239	<i>Lithocarpus wallichianus</i> (Fagaceae)	248
<i>Kokoona reflexa</i> (Celastraceae)	239	<i>Lithocarpus wrayi</i> (Fagaceae)	248
<i>Koompassia malaccensis</i> (Leguminosae)	240	<i>Litsea castanea</i> (Lauraceae)	249
<i>Lansium domesticum</i> (Meliaceae)	240	<i>Litsea costalus</i> (Lauraceae)	249
<i>Lasianthus lowianus</i> (Rubiaceae)	241	<i>Litsea elliptica</i> (Lauraceae)	250
<i>Lasianthus species 1</i> (Rubiaceae)	241	<i>Litsea erectinervia</i> (Lauraceae)	250
<i>Lepisanthes fruticosa</i> (Sapindaceae)	242	<i>Litsea ferruginea</i> (Lauraceae)	251
<i>Lepisanthes senegalensis</i> (Sapindaceae)	242	<i>Litsea firma</i> (Lauraceae)	251
<i>Lepisanthes tetraphylla</i> (Sapindaceae)	243	<i>Litsea grandis</i> (Lauraceae)	252
<i>Lepisanthes tetraphylla</i> var. <i>hirta</i> (Sapindaceae)	243	<i>Litsea machilifolia</i> (Lauraceae)	252

	Page		Page
<i>Litsea magnifica</i> (Lauraceae)	253	<i>Mangifera foetida</i> (Anacardiaceae)	262
<i>Litsea nidularis</i> (Lauraceae)	253	<i>Mangifera gracilipes</i> (Anacardiaceae)	262
<i>Litsea resinosa</i> (Lauraceae)	254	<i>Mangifera griffithii</i> (Anacardiaceae)	263
<i>Litsea tomentosa</i> (Lauraceae)	254	<i>Mangifera indica</i> (Anacardiaceae)	263
<i>Litsea umbellata</i> v. <i>fuscotomentosum</i> (Lauraceae)	255	<i>Mangifera lagenifera</i> (Anacardiaceae)	264
<i>Litsea wrayi</i> (Lauraceae)	255	<i>Mangifera macrocarpa</i> (Anacardiaceae)	264
<i>Lophopetalum floribundum</i> (Celastraceae)	256	<i>Mangifera magnifica</i> (Anacardiaceae)	265
<i>Macaranga conifera</i> (Euphorbiaceae)	256	<i>Mangifera quad.</i> var. <i>longi-</i> <i>petiolata</i> (Anacardiaceae)	265
<i>Macaranga gigantea</i> (Euphorbiaceae)	257	<i>Mangifera quadrifida</i> (Anacardiaceae)	266
<i>Macaranga hosei</i> (Euphorbiaceae)	257	<i>Mangifera rufocostata</i> (Anacardiaceae)	266
<i>Macaranga hypoleuca</i> (Euphorbiaceae)	258	<i>Mangifera species 1</i> (Anacardiaceae)	267
<i>Macaranga lowii</i> (Euphorbiaceae)	258	<i>Mangifera swintoniodes</i> (Anacardiaceae)	267
<i>Macaranga recurvata</i> (Euphorbiaceae)	259	<i>Mangifera superba</i> (Anacardiaceae)	268
<i>Madhuca laurifolia</i> (Sapotaceae)	259	<i>Mastixia pentandra</i> (Cornaceae)	268
<i>Madhuca malaccensis</i> (Sapotaceae)	260	<i>Mastixia trichotoma</i> (Cornaceae)	269
<i>Mallotus griffithianus</i> (Euphorbiaceae)	260	<i>Medusanthera gracilis</i> (Icacinaceae)	269
<i>Mallotus leocodermis</i> (Euphorbiaceae)	261	<i>Melanochyla angustifolia</i> (Anacardiaceae)	270
<i>Mallotus penangensis</i> (Euphorbiaceae)	261	<i>Melanochyla auriculata</i> (Anacardiaceae)	270

	Page		Page
Melanochyla caesia (Anacardiaceae)	271	Mesua "cornerii" (Guttiferae)	280
Melanochyla fulvinervis (Anacardiaceae)	271	Mesua ferrea (Guttiferae)	280
Melanochyla species 1 (Anacardiaceae)	272	Mesua grandis (Guttiferae)	281
Melanochyla tomentosa (Anacardiaceae)	272	Mesua kunstleri (Guttiferae)	281
Melastoma malabathricum (Melastomataceae)	273	Mesua lepidota (Guttiferae)	282
Melientha suavis (Opiliaceae)	273	Mesua racemosa (Guttiferae)	282
Memecylon amplexicaule (Melastomataceae)	274	Mezzettia leptopoda (Annonaceae)	283
Memecylon cantleyi (Melastomataceae)	274	Microdesmis casearifolia (Euphorbiaceae)	283
Memecylon dichotomum (Melastomataceae)	275	Microtropis valida (Celastraceae)	284
Memecylon excelsum (Melastomataceae)	275	Miliusa longipes (Annonaceae)	284
Memecylon lilacinum (Melastomataceae)	276	Millettia atropurpurea (Leguminosae)	285
Memecylon megacarpum (Melastomataceae)	276	Millettia species 1 (Leguminosae)	285
Memecylon minutiflorum (Melastomataceae)	277	Mischocarpus pentapetala (Sapindaceae)	286
Memecylon oligoneurum (Melastomataceae)	277	Mitrephora maingayi (Annonaceae)	286
Memecylon oleifolium (Melastomataceae)	278	Monocarpia marginalis (Annonaceae)	287
Memecylon paniculatum (Melastomataceae)	278	Mussaendopsis beccariana (Rubiaceae)	287
Memecylon pubescens (Melastomataceae)	279	Myristica cinnamomea (Myristicaceae)	288
Memecylon wallichii (Melastomataceae)	279	Myristica maingayi (Myristicaceae)	288

	Page		Page
<i>Myristica maxima</i> (Myristicaceae)	289	<i>Ochanostachys amentacea</i> (Olacaceae)	298
<i>Myristica malaccensis</i> (Myristicaceae)	289	<i>Oncodostigma monosperma</i> (Annonaceae)	298
<i>Nauclea officinalis</i> (Rubiaceae)	290	<i>Oncosperma horridum</i> (Arecaceae)	299
<i>Neesia synandra</i> (Bombacaceae)	290	<i>Orania sylvicola</i> (Arecaceae)	299
<i>Neolamarckia cadamba</i> (Rubiaceae)	291	<i>Ormosia penangensis</i> (Leguminosae)	300
<i>Neobalanocarpus heimii</i> (Dipterocarpaceae)	291	<i>Ormosia venosa</i> (Leguminosae)	300
<i>Neolitsea zeylanica</i> (Lauraceae)	292	<i>Osmelia maingayi</i> (Flacourtiaceae)	301
<i>Neoscortechinia kingii</i> (Euphorbiaceae)	292	<i>Palaquium clarkianum</i> (Sapotaceae)	301
<i>Neoscortechinia nicobarica</i> (Euphorbiaceae)	293	<i>Palaquium gutta</i> (Sapotaceae)	302
<i>Neoscortechinii sumatrana</i> (Euphorbiaceae)	293	<i>Palaquium hexandrum</i> (Sapotaceae)	302
<i>Neouvaria foetida</i> (Annonaceae)	294	<i>Palaquium maingayi</i> (Sapotaceae)	303
<i>Nephelium costatum</i> (Sapindaceae)	294	<i>Palaquium obovatum</i> (Sapotaceae)	303
<i>Nephelium eriopetalum</i> (Sapindaceae)	295	<i>Palaquim stellatum</i> (Sapotaceae)	304
<i>Nephelium hamulatum</i> (Sapindaceae)	295	<i>Pandanus monothea</i> (Pandanaceae)	304
<i>Nephelium maingayi</i> (Sapindaceae)	296	<i>Pandanus yvonii</i> (Pandanaceae)	305
<i>Nephelium ophioides</i> (Sapindaceae)	296	<i>Parinari costata</i> (Rosaceae)	305
<i>Nephelium pallens</i> (Sapindaceae)	297	<i>Parinari elmeri</i> (Rosaceae)	306
<i>Nothaphoebe umbelliflora</i> (Lauraceae)	297	<i>Parinari oblongifolia</i> (Rosaceae)	306

	Page		Page
<i>Parashorea densiflora</i> (Dipterocarpaceae)	307	<i>Phaeanthus ophthalmicus</i> (Annonaceae)	316
<i>Parartocarpus bracteatus</i> (Moraceae)	307	<i>Pholidocarpus macrocarpus</i> (Arecaceae)	316
<i>Parishia insignis</i> (Anacardiaceae)	308	<i>Phyllanthus emblica</i> (Euphorbiaceae)	317
<i>Parishia paucijuga</i> (Anacardiaceae)	308	<i>Pimelodendron griffithianum</i> (Euphorbiaceae)	317
<i>Paranephelium xestophyllum</i> (Sapindaceae)	309	<i>Pimelodendron macrocarpum</i> (Euphorbiaceae)	318
<i>Parastemon urophyllus</i> (Rosaceae)	309	<i>Pinanga malayana</i> (Arecaceae)	318
<i>Parkia speciosa</i> (Leguminosae)	310	<i>Pithecellobium splendens</i> (Leguminosae)	319
<i>Paropsia vareciformis</i> (Flacourtiaceae)	310	<i>Planchonia grandis</i> (Lecythidaceae)	319
<i>Pavetta graciliflora</i> (Rubiaceae)	311	<i>Platea latifolia</i> (Icacinaceae)	320
<i>Pavetta species 1</i> (Rubiaceae)	311	<i>Platea species 1</i> (Icacinaceae)	320
<i>Payena lucida</i> (Sapotaceae)	312	<i>Podocarpus motleyi</i> (Podocarpaceae)	321
<i>Payena maingayi</i> (Sapotaceae)	312	<i>Polyalthia cinnamomea</i> (Annonaceae)	321
<i>Pentaspadon motleyi</i> (Anacardiaceae)	313	<i>Polyalthia clavigera</i> (Annonaceae)	322
<i>Pentaspadon velutinus</i> (Anacardiaceae)	313	<i>Polyalthia glauca</i> (Annonaceae)	322
<i>Pentace strychnoides</i> (Tiliaceae)	314	<i>Polyalthia hypoleuca</i> (Annonaceae)	323
<i>Pentace triptera</i> (Tiliaceae)	314	<i>Polyalthia jenkinsii</i> (Annonaceae)	323
<i>Pertusadina eurhyncha</i> (Rubiaceae)	315	<i>Polyalthia lateriflora</i> (Annonaceae)	324
<i>Phaeanthus crassipetalus</i> (Annonaceae)	315	<i>Polyalthia obliqua</i> (Annonaceae)	324

	Page		Page
<i>Polyalthia rumphii</i> (Annonaceae)	325	<i>Psychotria griffithii</i> (Rubiaceae)	334
<i>Polyalthia sclerophylla</i> (Annonaceae)	325	<i>Psychotria rostrata</i> (Rubiaceae)	334
<i>Polyalthia stenopetala</i> (Annonaceae)	326	<i>Psydrax species 10</i> (Rubiaceae)	335
<i>Polyalthia sumatrana</i> (Annonaceae)	326	<i>Psydrax maingayi</i> (Rubiaceae)	335
<i>Polyosma laete-virens</i> (Saxifragaceae)	327	<i>Psydrax species 8</i> (Rubiaceae)	336
<i>Pometia pinnata</i> var. <i>alnifolia</i> (Sapindaceae)	327	<i>Pternandra coerulescens</i> (Melastomataceae)	336
<i>Popowia pisocarpa</i> (Annonaceae)	328	<i>Pternandra echinata</i> (Melastomataceae)	337
<i>Popowia tomentosa</i> (Annonaceae)	328	<i>Pterocymbium tubulatum</i> (Sterculiaceae)	337
<i>Porterandia anisophylla</i> (Rubiaceae)	329	<i>Pteleocarpa lamponga</i> (Boraginaceae)	338
<i>Pouteria malaccensis</i> (Sapotaceae)	329	<i>Ptychopyxis caput-medusae</i> (Euphorbiaceae)	338
<i>Prainea limpato</i> (Moraceae)	330	<i>Ptychopyxis costata</i> (Euphorbiaceae)	339
<i>Prismatomeris glabra</i> (Rubiaceae)	330	<i>Pyrenaria acuminata</i> (Theaceae)	339
<i>Prismatomeris species 1</i> (Rubiaceae)	331	<i>Quercus argentata</i> (Fagaceae)	340
<i>Prunus arborea</i> (Rosaceae)	331	<i>Quercus gemelliflora</i> (Fagaceae)	340
<i>Prunus grisea</i> (Rosaceae)	332	<i>Radermachera pinnata</i> (Bignoniaceae)	341
<i>Prunus arborea</i> var. <i>stipulaceum</i> (Rosaceae)	332	<i>Reinwardtioidendron cinereum</i> (Meliaceae)	341
<i>Pseudoeugenia singaporensis</i> (Myrtaceae)	333	<i>Rhodamnia cinerea</i> (Myrtaceae)	342
<i>Pseuduvaria macrophylla</i> (Annonaceae)	333	<i>Rinorea anguifera</i> (Violaceae)	342

	Page		Page
Rinorea horneri (Violaceae)	343	Sarcotheca griffithii (Oxalidaceae)	352
Rinorea sclerocarpa (Violaceae)	343	Sarcotheca monophylla (Oxalidaceae)	352
Rothmannia macrophylla (Rubiaceae)	344	Saraca declinata (Leguminosae)	353
Ryparosa acuminata (Flacourtiaceae)	344	Saraca thaipingensis (Leguminosae)	353
Ryparosa fasciculata (Flacourtiaceae)	345	Sauropus androgynus (Euphorbiaceae)	354
Ryparosa kunstleri (Flacourtiaceae)	345	Scaphocalyx spathacea (Flacourtiaceae)	354
Sandoricum beccarianum (Meliaceae)	346	Scaphium linearicarpum (Sterculiaceae)	355
Sandoricum koetjape (Meliaceae)	346	Scaphium macropodum (Sterculiaceae)	355
Santiria apiculata (Burseraceae)	347	Schoutenia accrescens (Tiliaceae)	356
Santiria conferta (Burseraceae)	347	Scleropyrum wallichianum (Santalaceae)	356
Santiria griffithii (Burseraceae)	348	Scolopia spinosa (Flacourtiaceae)	357
Santiria laevigata (Burseraceae)	348	Semecarpus curtisii (Anacardiaceae)	357
Santiria oblongifolia (Burseraceae)	349	Semecarpus rufovelutinus (Anacardiaceae)	358
Santiria rubiginosa (Burseraceae)	349	Shorea acuminata (Dipterocarpaceae)	358
Santiria tomentosa (Burseraceae)	350	Shorea bracteolata (Dipterocarpaceae)	359
Sapium baccatum (Euphorbiaceae)	350	Shorea dasyphylla (Dipterocarpaceae)	359
Sapium discolor (Euphorbiaceae)	351	Shorea guiso (Dipterocarpaceae)	360
Saprosma scortechinii (Rubiaceae)	351	Shorea hopeifolia (Dipterocarpaceae)	360

	Page		Page
<i>Shorea leprosula</i> (Dipterocarpaceae)	361	<i>Sterculia cordata</i> (Sterculiaceae)	370
<i>Shorea lepidota</i> (Dipterocarpaceae)	361	<i>Sterculia hispidissima</i> (Sterculiaceae)	370
<i>Shorea macroptera</i> (Dipterocarpaceae)	362	<i>Sterculia macrophylla</i> (Sterculiaceae)	371
<i>Shorea maxwelliana</i> (Dipterocarpaceae)	362	<i>Sterculia parviflora</i> (Sterculiaceae)	371
<i>Shorea multiflora</i> (Dipterocarpaceae)	363	<i>Sterculia rubiginosa</i> (Sterculiaceae)	372
<i>Shorea ochrophloia</i> (Dipterocarpaceae)	363	<i>Sterculia species 1</i> (Sterculiaceae)	372
<i>Shorea ovalis</i> (Dipterocarpaceae)	364	<i>Streblus elongatus</i> (Moraceae)	373
<i>Shorea parvifolia</i> (Dipterocarpaceae)	364	<i>Strombosia javanica</i> (Olacaceae)	373
<i>Shorea pauciflora</i> (Dipterocarpaceae)	365	<i>Strombosia maingayi</i> (Olacaceae)	374
<i>Sindora coriacea</i> (Leguminosae)	365	<i>Styrax benzoin</i> (Styracaceae)	374
<i>Sindora echinocalyx</i> (Leguminosae)	366	<i>Suregada multiflora</i> (Euphorbiaceae)	375
<i>Sindora velutina</i> (Leguminosae)	366	<i>Symplocos cerasifolia</i> (Symplocaceae)	375
<i>Sindora wallichii</i> (Leguminosae)	367	<i>Symplocos cochinchinensis</i> (Symplocaceae)	376
<i>Sloanea javanica</i> (Elaeocarpaceae)	367	<i>Symplocos crassipes</i> (Symplocaceae)	376
<i>Stelechocarpus cauliflorus</i> (Annonaceae)	368	<i>Symplocos ophirensis</i> (Symplocaceae)	377
<i>Stemonurus malaccensis</i> (Icacinaceae)	368	<i>Symplocos rubiginosa</i> (Symplocaceae)	377
<i>Stemonurus umbellatus</i> (Icacinaceae)	369	<i>Tabernaemontana corymbosa</i> (Apocynaceae)	378
<i>Sterculia coccinea</i> (Sterculiaceae)	369	<i>Tabernaemontana malaccensis</i> (Apocynaceae)	378

	Page		Page
Talauma candollii (Magnoliaceae)	379	Trigoniastrum hypoleucum (Trigoniaceae)	388
Tarenna species 11 (Rubiaceae)	379	Trigonopleura malayana (Euphorbiaceae)	388
Tarenna costata (Rubiaceae)	380	Trigonostemon laevigatus (Euphorbiaceae)	389
Tarenna maingayi (Rubiaceae)	380	Trigonostemon longifolium (Euphorbiaceae)	389
Tarenna mollis (Rubiaceae)	381	Trigonostemon malaccanus (Euphorbiaceae)	390
Tarenna species 8 (Rubiaceae)	381	Trigonochras acuta (Sapindaceae)	390
Teijsmanniodendron coriaceum (Verbenaceae)	382	Trigonochras species 1 (Sapindaceae)	391
Teijsmanniodendron simplicifolium (Verbenaceae)	382	Triomma malaccensis (Burseraceae)	391
Terminalia bellirica (Combretaceae)	383	Trivalvaria macrophylla (Annonaceae)	392
Terminalia citrina (Combretaceae)	383	Trivalvaria nervosa (Annonaceae)	392
Terminalia phellocarpa (Combretaceae)	384	Trivalvaria pumila (Annonaceae)	393
Terminalia subspathulata (Combretaceae)	384	Turpinia ovalifolia (Staphyleaceae)	393
Ternstroemia corneri (Theaceae)	385	Urophyllum glabrum (Rubiaceae)	394
Tetrardisia porosa (Myrsinaceae)	385	Urophyllum hirsutum (Rubiaceae)	394
Thottea grandiflora (Aristolochiaceae)	386	Vatica bella (Dipterocarpaceae)	395
Timonius species 1 (Rubiaceae)	386	Vatica maingayi (Dipterocarpaceae)	395
Timonius wallichianus (Rubiaceae)	387	Vatica pauciflora (Dipterocarpaceae)	396
Trema tomentosa (Ulmaceae)	387	Vernonia arborea (Compositae)	396

	Page		Page
Vitex pinnata (Verbenaceae)	397	Xylopia ferruginea var. ferruginea (Annonaceae)	406
Vitex quinata (Verbenaceae)	397	Xylopia ferruginea var. oxyantha (Annonaceae)	406
Walsura chrysogyne (Meliaceae)	398	Xylopia fusca (Annonaceae)	407
Walsura pinnata (Meliaceae)	398	Xylopia magna (Annonaceae)	407
Xanthophyllum affine (Polygalaceae)	399	Xylopia malayana (Annonaceae)	408
Xanthophyllum amoenum (Polygalaceae)	399		
Xanthophyllum chartaceum (Polygalaceae)	400		
Xanthophyllum ellipticum (Polygalaceae)	400		
Xanthophyllum eurhynchum (Polygalaceae)	401		
Xanthophyllum griffithii (Polygalaceae)	401		
Xanthophyllum rufum (Polygalaceae)	402		
Xanthophyllum scortechinii (Polygalaceae)	402		
Xanthophyllum stipitatum (Polygalaceae)	403		
Xanthophyllum wrayi (Polygalaceae)	403		
Xerospermum noronhianum (Sapindaceae)	404		
Xerospermum species 1 (Sapindaceae)	404		
Xylopia caudata (Annonaceae)	405		
Xylopia elliptica (Annonaceae)	405		

LIST OF SPECIES

	FREQ	GENERA	SPECIES	STATURE CLASS
ALANGIACEAE				
ALANGIUM EBENACEUM	2923			U
ALANGIUM GRIFFITHII	2			U
ALANGIUM NOBILE	110			C
ALANGIUM RIDLEYI	280			C
	3315	1	4	
ANACARDIACEAE				
BOUEA MACROPHYLLA	382			C
BOUEA OPPOSITIFOLIA	444			U
BUCHANANIA SESSIFOLIA	1164			U
CAMPNOSPERMA AURICULATUM	3			C
DRACONTOMELUM DAO	42			C
DRIMYCARPUS LURIDUS	215			U
GLUTA MALAYANA	758			C
MANGIFERA FOETIDA	233			C
MANGIFERA GRACILIPES	133			C
MANGIFERA GRIFFITHII	144			E
MANGIFERA INDICA	82			C
MANGIFERA LAGENIFERA	33			E
MANGIFERA MACROCARPA	50			C
MANGIFERA MAGNIFICA	130			C
MANGIFERA QUAD. VAR. LONGIPETIOLATA	12			C
MANGIFERA QUADRIFIDA	321			C
MANGIFERA RUFOCOSTATA	11			C
MANGIFERA SPECIES 1	87			C
MANGIFERA SUPERBA	82			C
MANGIFERA SWINTONIODES	3			C
MELANOCHYLA ANGUSTIFOLIA	529			U
MELANOCHYLA AURICULATA	202			U
MELANOCHYLA CAESIA	37			U
MELANOCHYLA FULVINERVIS	562			U
MELANOCHYLA SPECIES 1	310			U
MELANOCHYLA TOMENTOSA	424			U
PARISHIA INSIGNIS	198			E
PARISHIA PAUCIJUGA	26			C
PENTASPADON MOTLEYI	738			E
PENTASPADON VELUTINUS	1			E
SEMECARPUS CURTISII	227			S
SEMECARPUS RUFOVELUTINUS	2			S
	7585	11	32	

ANNONACEAE

ALPHONSEA ELLIPTICA	272			C
ALPHONSEA MAINGAYI	907			U
ANAXAGOREA JAVANICA	7081			T
CYATHOCALYX PRUNIFEROUS	43			U
CYATHOCALYX RAMULIFLORUS	64			U
ENICOSANTHUM FUSCUM	1027			T
GONIOTHALAMUS MACROPHYLLUS	88			S
GONIOTHALAMUS TORTILIPETALUM	424			U
KINGSTONIA NERVOSA	307			C
MEZZETTIA LEPTOPODA	168			C
MILIUSA LONGIPES	18			S
MITREPHORA MAINGAYI	453			U
MONOCARPIA MARGINALIS	947			C
NEOUVARIA FOETIDA	2			U
ONCODOSTIGMA MONOSPERMA	2090			U
PHAEANTHUS CRASSIPETALUS	7			T
PHAEANTHUS OPHTHALMICUS	2729			T
POLYALTHIA CINNAMOMEA	87			U
POLYALTHIA CLAVIGERA	35			U
POLYALTHIA GLAUCA	194			C
POLYALTHIA HYPOLEUCA	25			U
POLYALTHIA JENKINSII	213			U
POLYALTHIA LATERIFLORA	112			U
POLYALTHIA OBLIQUA	179			U
POLYALTHIA RUMPHII	723			U
POLYALTHIA SCLEROPHYLLA	348			U
POLYALTHIA STENOPETALA	365			T
POLYALTHIA SUMATRANA	280			T
POPOWIA PISOCARPA	982			T
POPOWIA TOMENTOSA	128			U
PSEUDUVARIA MACROPHYLLA	1288			T
STELECHOCARPUS CAULIFLORUS	10			U
TRIVALVARIA MACROPHYLLA	53			T
TRIVALVARIA NERVOSA	17			T
TRIVALVARIA PUMILA	15			S
XYLOPIA CAUDATA	368			U
XYLOPIA ELLIPTICA	27			C
XYLOPIA FERRUGINEA VAR. FERRUGINEA	82			C
XYLOPIA FERRUGINEA VAR. OXYANTHA	144			C
XYLOPIA FUSCA	22			C
XYLOPIA MAGNA	298			C
XYLOPIA MALAYANA	1297			U
	23919	19	42	

APOCYNACEAE

ALSTONIA ANGUSTILOBA	94			E
DYERA COSTULATA	296			E
HUNTERIA ZEYLANICA	131			U
KIBATALIA MAINGAYI	216			C

TABERNAEMONTANA CORYMBOSA	362			U
TABERNAEMONTANA MALACCENSIS	1			S
	1100	5	6	
AQUIFOLIACEAE				
ILEX MACROPHYLLA	172			U
ILEX SPECIES 1	28			T
	200	1	2	
ARALIACEAE				
ARALIDIUM PINNATIFIDUM	3			U
ARTHROPHYLLUM DIVERSIFOLIUM	12			U
	15	2	2	
ARECACEAE				
CARYOTA MITIS	7			T
IGUANURA WALLICHIANA	488			S
ONCOSPERMA HORRIDUM	86			U
ORANIA SYLVICOLA	9			U
PHOLIDOCARPUS MACROCARPUS	4			U
PINANGA MALAYANA	243			T
	837	6	6	
ARISTOLOCHIACEAE				
THOTTEA GRANDIFLORA	25			S
	25	1	1	
BIGNONIACEAE				
DEPLANCHEA BANCANA	1			C
RADERMACHERA PINNATA	1			U
	2	2	2	
BOMBACACEAE				
COELOSTEGIA GRIFFITHII	172			C
DURIO GRIFFITHII	847			C
DURIO OXLEYANUS	88			C
DURIO SINGAPORENSIS	91			C
NEESIA SYNANDRA	70			C
	1268	3	5	

BORAGINACEAE

EHRETIA TIMORENSIS	4			T
PTELEOCARPA LAMPONGA	32			U
	36	2	2	

BURSERACEAE

CANARIUM APERTUM	93			E
CANARIUM LITTORALE VAR. TOMENTOSUM	483			C
CANARIUM LITTORALE VAR. PURPURESCENS	4			C
CANARIUM LITTORALE VAR. LITTORALE	1102			C
CANARIUM LITTORALE VAR. RUFUM	1662			C
CANARIUM MEGALANTHUM	200			E
CANARIUM PATENTINERVIUM	153			U
CANARIUM PILOSUM	489			U
DACRYODES COSTATA	563			C
DACRYODES INCURVATA	17			C
DACRYODES LAXA	975			C
DACRYODES LONGIFOLIA	139			C
DACRYODES NERVOSA	31			C
DACRYODES PUBERULA	64			C
DACRYODES ROSTRATA	2599			C
DACRYODES RUBIGINOSA	601			C
DACRYODES RUGOSA	5618			C
SANTIRIA APICULATA	1018			C
SANTIRIA CONFERTA	16			C
SANTIRIA GRIFFITHII	289			C
SANTIRIA LAEVIGATA	667			C
SANTIRIA OBLONGIFOLIA	74			C
SANTIRIA RUBIGINOSA	289			C
SANTIRIA TOMENTOSA	381			C
TRIOMMA MALACCENSIS	494			E
	18021	4	25	

CAPPARIDACEAE

CRATEVA RELIGIOSA	2			T
	2	1	1	

CELASTRACEAE

BHESA PANICULATA	173			C
EUONYMUS JAVANICUS	26			T
GLYPTOPETALUM QUADRANGULARE	303			S
KOKOONA REFLEXA	241			E

LOPHOPETALUM FLORIBUNDUM	133			E
MICROTROPIS VALIDA	13			S
	889	6	6	
COMBRETACEAE				
TERMINALIA BELLIRICA	5			C
TERMINALIA CITRINA	29			U
TERMINALIA PHELLOCARPA	3			C
TERMINALIA SUBSPATHULATA	6			E
	43	1	4	
COMPOSITAE				
VERNONIA ARBOREA	126			U
	126	1	1	
CONVOLVULACEAE				
ERYCIBE ALBIDA	311			S
	311	1	1	
CORNACEAE				
MASTIXIA PENTANDRA	20			C
MASTIXIA TRICHOTOMA	8			C
	28	1	2	
CRYPTERONIACEAE				
CRYPTERONIA GRIFFITHII	32			U
	32	1	1	
DICHAEPETALACEAE				
DICHAEPETALUM GELONIODES	103			T
	103	1	1	
DILLENIAEAE				
DILLENIA GRANDIFOLIA	14			C
DILLENIA RETICULATA	41			C
DILLENIA SUMATRANA	416			U
	471	1	3	

DIPTEROCARPACEAE

ANISOPTERA COSTATA	22	E
ANISOPTERA LAEVIS	137	E
ANISOPTERA MEGISTOCARPA	53	E
DIPTEROCARPUS CORNUTUS	1475	E
DIPTEROCARPUS COSTULATUS	626	E
DIPTEROCARPUS CRINITUS	236	E
DIPTEROCARPUS KUNSTLERI	75	E
DIPTEROCARPUS SUBLAMELLATUS	4	E
HOPEA DRYOBALANOIDES	696	C
HOPEA MENGERAWAN	451	C
HOPEA SANGAL	18	C
NEOBALANOCARPUS HEIMII	3291	E
PARASHOREA DENSIFLORA	158	E
SHOREA ACUMINATA	2211	E
SHOREA BRACTEOLATA	1135	E
SHOREA DASYPHYLLA	43	E
SHOREA GUISO	720	E
SHOREA HOPEIFOLIA	60	E
SHOREA LEPIDOTA	1172	E
SHOREA LEPROSULA	3017	E
SHOREA MACROPTERA	1597	E
SHOREA MAXWELLIANA	5682	E
SHOREA MULTIFLORA	3	C
SHOREA OCHROPHLOIA	442	E
SHOREA OVALIS	1308	E
SHOREA PARVIFOLIA	1685	E
SHOREA PAUCIFLORA	2370	E
VATICA BELLA	1669	C
VATICA MAINGAYI	92	C
VATICA PAUCIFLORA	470	C
	30918	7
		30

EBENACEAE

DIOSPYROS ADENOPHORA	149	U
DIOSPYROS ANDAMANICA	380	T
DIOSPYROS APICULATA	1580	U
DIOSPYROS AREOLATA	139	C
DIOSPYROS ARGENTEA	463	T
DIOSPYROS BUXIFOLIA	575	C
DIOSPYROS CAULIFLORA	311	U
DIOSPYROS DAEMONA	2	U
DIOSPYROS DIEPENHORSTII	31	U
DIOSPYROS LANCEIFOLIA	4	U
DIOSPYROS LATISEPALA	710	U
DIOSPYROS MAINGAYI	99	C
DIOSPYROS NUTANS	2278	T
DIOSPYROS PENANGIANA	7	U
DIOSPYROS PENDULA	660	C
DIOSPYROS PYRRHOCARPA	40	C
DIOSPYROS RUFA	129	U

DIOSPYROS SCORTECHINII	3248			T
DIOSPYROS SINGAPORENSIS	674			C
DIOSPYROS SPECIES 1	213			U
DIOSPYROS SUMATRANA	686			U
DIOSPYROS VENOSA	1509			U
DIOSPYROS WALLICHII	76			U

13963 1 23

ELAEOCARPACEAE

ELAEOCARPUS FERRUGINEUS	80			C
ELAEOCARPUS GRIFFITHII	12			U
ELAEOCARPUS NITIDUS	164			U
ELAEOCARPUS PALEMBANICUS	181			U
ELAEOCARPUS PETIOLATUS	133			U
ELAEOCARPUS RUGOSUS	90			C
ELAEOCARPUS STIPULARIS	9			U
SLOANEA JAVANICA	32			C

701 2 8

ERYTHROXYLACEAE

ERYTHROXYLUM CUNEATUM	55			C
-----------------------	----	--	--	---

55 1 1

EUPHORBIACEAE

ALCHORNEA RUGOSA	122			S
ANTIDESMA CORIACEUM	807			U
ANTIDESMA CUSPIDATUM	301			U
ANTIDESMA PENDULUM	511			S
ANTIDESMA VELUTINOSUM	3			T
APORUSA AUREA	2000			U
APORUSA BRACTEOSA	2453			U
APORUSA CONFUSA	6			U
APORUSA FALCIFERA	970			U
APORUSA GLOBIFERA	1030			U
APORUSA LUNATA	53			U
APORUSA MICROSTACHYA	6512			T
APORUSA MIQUELIANA	524			U
APORUSA NERVOSA	266			U
APORUSA NIGRICANS	841			U
APORUSA NIGROPUNCTATA	335			T
APORUSA PRAINIANA	1698			U
APORUSA SYMPLOCOIDES	313			U
AUSTROBUXUS NITIDUS	5			C
BACCAUREA GRIFFITHII	99			U
BACCAUREA KUNSTLERI	7			U
BACCAUREA MAINGAYI	32			U
BACCAUREA MINOR	62			U
BACCAUREA PARVIFLORA	3433			T
BACCAUREA PYRIFORMIS	57			U

BACCAUREA RACEMOSA	1304	U
BACCAUREA RETICULATA	425	C
BACCAUREA SUMATRANA	131	U
BACCAURIA RAMIFLORA	12	T
BACCAURIA SPECIES 1	3	T
BLUMEODENDRON CALOPHYLLUM	158	C
BLUMEODENDRON SUBROTUNDIFOLIUM	196	C
BLUMEODENDRON TOKBRAI	243	C
BRIDELIA PUSTULATA	41	T
CHEILOSA MALAYANA	44	C
CLEISTANTHUS MAINGAYI	1084	T
CLEISTANTHUS MALACCENSIS	12	U
CLEISTANTHUS MYRIANTHUS	101	T
CLEISTANTHUS SUMATRANUS	492	U
CROTON ARGYRATUS	1116	U
CROTON LAEVIFOLIUS	428	U
DRYPETES KIKIR	235	C
DRYPETES LAEVIS	248	C
DRYPETES LONGIFOLIA	406	U
DRYPETES MICROPHYLLA	62	C
DRYPETES PENDULA	745	U
DRYPETES POLYNEURA	537	C
DRYPETES RHAKODISKOS	114	T
DRYPETES SPECIES 1	1	T
ELATERIOSPERMUM TAPOS	220	C
ENDOSPERMUM MALACCENSE	34	C
EPIPBRINUS MALAYANUS	1056	U
FAHRENHEITIA PENDULA	116	C
GALEARIA FULVA	995	T
GALEARIA MAINGAYI	8	C
GLOCHIDION HYPOLEUCUM	25	T
GLOCHIDION OBSCURUM	1	T
GLOCHIDION SERICEUM	2	T
GLOCHIDION SPECIES 1	5	T
GLOCHIDION SUPERBUM	15	U
GLOCHIDION WALLICHIANUM	164	U
KOILADEPAS LONGIFOLIUM	208	U
MACARANGA CONIFERA	40	C
MACARANGA GIGANTEA	5	U
MACARANGA HOSEI	9	U
MACARANGA HYPOLEUCA	131	U
MACARANGA LOWII	2108	U
MACARANGA RECURVATA	79	U
MALLOTUS GRIFFITHIANUS	41	T
MALLOTUS LEOCODERMIS	484	C
MALLOTUS PENANGENSIS	1397	U
MICRODESMIS CASEARIFOLIA	927	T
NEOSCORTECHINIA KINGII	1449	C
NEOSCORTECHINIA NICOBARICA	566	U
NEOSCORTECHINII SUMATRANA	250	U
PHYLLANTHUS EMBLICA	11	U
PIMELODENDRON GRIFFITHIANUM	2345	C
PIMELODENDRON MACROCARPUM	39	C
PTYCHOPYXIS CAPUT-MEDUSAE	27	C
PTYCHOPYXIS COSTATA	1142	U

SAPIUM BACCATUM	15			C
SAPIUM DISCOLOR	20			U
SAUROPUS ANDROGYNUS	9			S
SUREGADA MULTIFLORA	120			S
TRIGONOPLEURA MALAYANA	63			U
TRIGONOSTEMON LAEVIGATUS	143			T
TRIGONOSTEMON LONGIFOLIUM	5			T
TRIGONOSTEMON MALACCANUS	1174			T

46026 30 88

FAGACEAE

CASTANOPSIS CURTISII	23			U
CASTANOPSIS INERMIS	14			U
CASTANOPSIS MEGACARPA	106			C
CASTANOPSIS NEPHELIODES	7			C
CASTANOPSIS SCHEFFERIANA	565			C
LITHOCARPUS CONOCARPUS	134			C
LITHOCARPUS CURTISII	1786			C
LITHOCARPUS CYCLOPHORUS	30			C
LITHOCARPUS EWYCKII	74			C
LITHOCARPUS LUCIDUS	39			C
LITHOCARPUS RASSA	652			C
LITHOCARPUS WALLICHIANUS	346			C
LITHOCARPUS WRAYI	234			C
QUERCUS ARGENTATA	1050			E
QUERCUS GEMELLIFLORA	290			C

5350 3 15

FLACOURTIACEAE

CASEARIA CLARKEI	39			C
CASEARIA SPECIES 2	67			T
FLACOURTIA RUKUM	161			T
HOMALIUM CARYOPHYLLACEUM	20			T
HOMALIUM DICTYONEURUM	508			C
HOMALIUM LONGIFOLIUM	674			C
OSMELIA MAINGAYI	7			U
PAROPSIA VARECIFORMIS	581			U
RYPAROSA ACUMINATA	77			C
RYPAROSA FASCICULATA	81			U
RYPAROSA KUNSTLERI	372			U
SCAPHOCALYX SPATHACEA	3647			U
SCOLOPIA SPINOSA	249			U

6483 8 13

GNETACEAE

GNETUM GNEMON	581			S
---------------	-----	--	--	---

581 1 1

GUTTIFERAE

CALOPHYLLUM DEPRESSINERVOSUM	50			C
CALOPHYLLUM DIOSCURII	660			C
CALOPHYLLUM MACROCARPUM	236			E
CALOPHYLLUM RUPICOLA	13			S
CALOPHYLLUM SOULATTRI	5			C
CALOPHYLLUM TETRAPTERUM	547			C
CALOPHYLLUM WALL. VAR. INCRASSATUM	19			C
CALOPHYLLUM WALLICHIANUM	292			C
GARCINIA ATROVIRIDIS	12			T
GARCINIA BANCANA	144			C
GARCINIA EUGENIAEFOLIA	776			T
GARCINIA FORBESII	50			T
GARCINIA GRIFFITHII	34			U
GARCINIA MALACCENSIS	982			U
GARCINIA NERVOSA	557			U
GARCINIA NIGROLINEATA	436			U
GARCINIA PARVIFOLIA	495			U
GARCINIA PRAINIANA	1			T
GARCINIA PYRIFERA	1			U
GARCINIA ROSTRATA	109			U
GARCINIA SCORTECHINII	358			U
GARCINIA SPECIES 1	88			U
GARCINIA SPECIES 2	88			U
GARCINIA SPECIES 4	3			U
GARCINIA SPECIES 5	1			U
MESUA "CORNERII"	1586			T
MESUA FERREA	1933			C
MESUA GRANDIS	377			C
MESUA KUNSTLERI	365			U
MESUA LEPIDOTA	35			U
MESUA RACEMOSA	700			U
	10953	3	31	

HYPERICACEAE

CRATOXYLUM ARBORESCENS	1			C
CRATOXYLUM COCHINCHINENSE	12			U
CRATOXYLUM FORMOSUM	60			C
CRATOXYLUM MAINGAYI	44			C
	117	1	4	

ICACINACEAE

GOMPHANDRA CAPITELLATA	16			T
GOMPHANDRA QUADRIFIDA	214			S
GOMPHANDRA SPECIES 1	65			T
GONOCARYUM GRACILE	871			U
MEDUSANTHERA GRACILIS	416			S
PLATEA LATIFOLIA	8			U
PLATEA SPECIES 1	2			T

STEMONURUS MALACCENSIS	110			U
STEMONURUS UMBELLATUS	1			U
	1703	5	9	
IRVINGIACEAE				
IRVINGIA MALAYANA	231			E
	231	1	1	
IXONANTHACEAE				
IXONANTHES ICOSANDRA	3200			C
IXONANTHES RETICULATA	2			C
	3202	1	2	
JUGLANDACEAE				
ENGELHARDTIA SERRATA	20			C
	20	1	1	
LAURACEAE				
ACTINODAPHNE MACROPHYLLA	101			U
ACTINODAPHNE PRUINOSA	296			U
ACTINODAPHNE SESQUIPEDALIS	118			U
ALSEODAPHNE NIGRESCENS	9			U
ALSEODAPHNE PEDUNCULARIS	296			T
ALSEODAPHNE PERAKENSIS	46			U
ALSEODAPHNE SPECIES 1	241			U
ALSEODAPHNE SPECIES 2	7			U
BEILSCHMIEDIA DICTYONEURA	24			C
BEILSCHMIEDIA KUNSTLERI	7			U
BEILSCHMIEDIA LUCIDULA	255			C
BEILSCHMIEDIA MADANG	132			C
BEILSCHMIEDIA PALEMBANICA	247			U
BEILSCHMIEDIA SPECIES 1	75			U
BEILSCHMIEDIA SPECIES 2	14			U
CINNAMOMUM INERS	213			C
CINNAMOMUM JAVANICUM	268			U
CINNAMOMUM MOLLISSIMUM	112			U
CINNAMOMUM PORRECTUM	2			C
CINNAMOMUM SINTOC	28			C
CRYPTOCARYA FERREA	113			U
CRYPTOCARYA GRIFFITHIANA	363			U
CRYPTOCARYA INFECTORIA	776			C
CRYPTOCARYA KURZII	764			U
CRYPTOCARYA RUGULOSA	362			C
CRYPTOCARYA SCORTECHINII	50			C
DEHAASIA CUNEATA	236			C
DEHAASIA INCRASSATA	37			T
DEHAASIA LONGIPETIOLATA	13			C

DEHAASIA POLYNEURA	25			C
ENDIANDRA KINGIANA	13			C
ENDIANDRA MAINGAYI	27			C
LITSEA CASTANEA	195			C
LITSEA COSTALUS	31			C
LITSEA ELLIPTICA	10			E
LITSEA ERECTINERVIA	4			C
LITSEA FERRUGINEA	131			C
LITSEA FIRMA	1			C
LITSEA GRANDIS	10			C
LITSEA MACHILIFOLIA	33			C
LITSEA MAGNIFICA	1016			T
LITSEA NIDULARIS	25			C
LITSEA RESINOSA	31			C
LITSEA TOMENTOSA	3			T
LITSEA UMBELLATA VAR. FUSCOTOMENTOSUM	409			T
LITSEA WRAYI	6			C
NEOLITSEA ZEYLANICA	3			U
NOTHAPHOEBE UMBELLIFLORA	143			C
	7321	10	48	

LECYTHIDACEAE

BARRINGTONIA FUSIFORMIS	5			U
BARRINGTONIA MACROSTACHYA	3717			U
BARRINGTONIA PENDULA	240			C
PLANCHONIA GRANDIS	27			U
	3989	2	4	

LEGUMINOSAE

ADENANTHERA BICOLOR	191			C
ALBIZIA PEDICELLATA	14			C
ARCHIDENDRON BUBALINUM	1999			U
ARCHIDENDRON CLYPEARIA	75			U
ARCHIDENDRON CONTORTUM	30			T
ARCHIDENDRON GLOBOSUM	31			U
ARCHIDENDRON MICROCARPUM	288			U
CASSIA NODOSA	7			U
CRUDIA CURTISII	32			C
CYNOMETRA MALACCENSIS	1197			E
DIALIUM MAINGAYI	108			C
DIALIUM PLATYSEPALUM	1084			E
DIALIUM PROCERUM	137			E
DIALIUM WALLICHII	39			C
INTSIA PALEMBANICA	520			E
KOOMPASSIA MALACCENSIS	664			E
MILLETIA SPECIES 1	5			U
MILLETTIA ATROPURPUREA	1640			C
ORMOSIA PENANGENSIS	6			C
ORMOSIA VENOSA	65			C
PARKIA SPECIOSA	532			C

PITHECELLOBIUM SPLENDENS	4			C
SARACA DECLINATA	670			U
SARACA THAIPINGENSIS	241			U
SINDORA CORIACEA	1232			E
SINDORA ECHINOCALYX	45			E
SINDORA VELUTINA	171			C
SINDORA WALLICHII	14			C

11041 15 28

LILIACEAE

DRACAENA BRACHYSTACHYS	132			T
DRACAENA ELLIPTICA	216			S
DRACAENA TETRASTACHYS	501			T

849 1 3

LINACEAE

CTENOLOPHON PARVIFOLIUS	181			C
-------------------------	-----	--	--	---

181 1 1

LOGANACEAE

F7 FAGRAEA RACEMOSA	96			T
---------------------	----	--	--	---

96 1 1

MAGNOLIACEAE

AROMADENDRON ELEGANS	53			C
TALAUMA CANDOLLII	27			U

80 2 2

MELASTOMATACEAE

MELASTOMA MALABATHRICUM	18			S
MEMECYLON AMPLEXICAULE	292			U
MEMECYLON CANTLEYI	767			U
MEMECYLON DICHOTOMUM	488			S
MEMECYLON EXCELSUM	278			T
MEMECYLON LILACINUM	410			U
MEMECYLON MEGACARPUM	885			T
MEMECYLON MINUTIFLORUM	2197			U
MEMECYLON OLEIFOLIUM	187			U
MEMECYLON OLIGONEURUM	353			U
MEMECYLON PANICULATUM	41			T
MEMECYLON PUBESCENS	149			U
MEMECYLON WALLICHII	131			T
PTERNANDRA COERULESCENS	420			U
PTERNANDRA ECHINATA	333			U

6949 3 15

MELIACEAE

AGLAIA ASPERA	484			U
AGLAIA CORDATA	853			U
AGLAIA EXSTIPULATA	345			C
AGLAIA FORBESII	489			C
AGLAIA GANGGO	18			C
AGLAIA GLABRIFLORA	340			C
AGLAIA GRANDIS	492			U
AGLAIA MELIOSMOIDES	27			U
AGLAIA ODORATISSIMA	763			U
AGLAIA OLIGOCARPA	464			U
AGLAIA OLIGOPHYLLA	128			C
AGLAIA PALEMBANICA	94			U
AGLAIA RIDLEYI	94			C
AGLAIA RUBESCENS	26			C
AGLAIA RUFA	100			U
AGLAIA SPECIES 1	40			C
AGLAIA SPECIES 2	29			U
AGLAIA SPECIES 3	7			U
AGLAIA SPECIES 4	16			U
AGLAIA SPECIES 5	5			U
AGLAIA SPECIES 7	16			U
AGLAIA TENUICAULIS	109			C
APHANAMIXIS POLYSTACHYA	1			U
APHANAMIXIS SUMATRANA	327			T
CHISOCHETON CERAMICUS	88			C
CHISOCHETON ERYTHROCARPUS	145			C
CHISOCHETON GLOMERATUS	10			C
CHISOCHETON PATENS	97			C
CHISOCHETON SARAWAKANUS	5			U
CHISOCHETON TOMENTOSUS	194			T
DYSOXYLUM ACUTANGULUM	2			C
DYSOXYLUM ALLIACEA	237			U
DYSOXYLUM CAROLINEA	108			E
DYSOXYLUM CAULIFLORUM	73			U
DYSOXYLUM COSTULATUM	2			U
DYSOXYLUM FLAVESCENS	25			U
DYSOXYLUM SPECIES 1	9			T
LANSIUM DOMESTICUM	1535			U
REINWARDTIODENDRON CINEREUM	725			U
SANDORICUM BECCARIANUM	1			C
SANDORICUM KOETJAPE	134			C
WALSURA CHRYSOGYNE	197			U
WALSURA PINNATA	185			U
	9039	8	43	

MONIMIACEAE

KIBARA CORIACEA	18			S
	18	1	1	

MORACEAE

ARTOCARPUS ANISOPHYLLUS	29			C
ARTOCARPUS DADAH	173			U
ARTOCARPUS FULVICORTEX	104			C
ARTOCARPUS INTEGER	315			C
ARTOCARPUS KEMANDO	18			U
ARTOCARPUS LOWII	199			C
ARTOCARPUS MAINGAYI	120			C
ARTOCARPUS NITIDUS VAR. GRIFFITHII	504			C
ARTOCARPUS RIGIDUS	251			C
ARTOCARPUS SCORTECHINII	332			C
FICUS CHARTACEA	43			T
FICUS FISTULOSA	4			C
FICUS GLANDULIFERA	48			U
FICUS GROSSULARIODES	2			U
FICUS OBSCURA	14			T
FICUS SCHWARZII	5			T
FICUS SCORTECHINII	23			T
FICUS SINUATA	13			U
FICUS VARIEGATA	12			U
FICUS VASCULOSA	10			C
PARARTOCARPUS BRACTEATUS	50			E
PRAINEA LIMPATO	55			U
STREBLUS ELONGATUS	6			C
	2330	5	23	

MYRISTICACEAE

ENDOCOMIA CANARIOIDES	33			C
GYMNACRANTHERA EUGENIIFOLIA	48			C
GYMNACRANTHERA FORBESII	1245			C
HORSFIELDIA BRACHIATA	338			C
HORSFIELDIA CRASSIFOLIA	45			C
HORSFIELDIA FLOCCULOSA	28			U
HORSFIELDIA FULVA	88			U
HORSFIELDIA POLY. VAR. SUMATRANA	94			U
HORSFIELDIA POLYSPHERULA	244			U
HORSFIELDIA PUNCTATIFOLIA	36			U
HORSFIELDIA SUCOSA	551			C
HORSFIELDIA SUPERBA	256			C
HORSFIELDIA TOMENTOSA	28			U
HORSFIELDIA WALLICHII	37			C
KNEMA CONFERTA	55			C
KNEMA CURTISII	204			U
KNEMA FURFURACEA	2093			U
KNEMA HOOKERIANA	475			C
KNEMA INTERMEDIA	31			U
KNEMA KUNSTLERI	120			C
KNEMA LAURINA	4472			T
KNEMA MALAYANA	15			C
KNEMA PATENTINERVIA	1989			U

KNEMA PSEUDO-LAURINA	6			U
KNEMA SCORTECHINII	991			C
KNEMA STENOPHYLLA	231			U
KNEMA SUMATRANA	10			U
MYRISTICA CINNAMOMEA	299			C
MYRISTICA MAINGAYI	221			E
MYRISTICA MALACCENSIS	4			C
MYRISTICA MAXIMA	54			C

14341 5 31

MYRSINACEAE

ARDISIA COLORATA	2			F
ARDISIA CRASSA	7648			F
ARDISIA KUNSTLERI	1686			F
ARDISIA LANCEOLATA	13			T
ARDISIA PACHYSANDRA	462			U
ARDISIA RIDLEYI	52			T
ARDISIA SPECIES 2	1676			S
TETRARDISIA POROSA	269			S

11808 2 8

MYRTACEAE

DECASPERMUM FRUTICOSUM	58			U
EUGENIA CASTANEA	147			U
EUGENIA CERAINA	7			C
EUGENIA CERASIFORMIS	582			F
EUGENIA CHLORANTHA	613			C
EUGENIA CLAVIFLORA	481			C
EUGENIA CUMINGIANA	390			C
EUGENIA DENSIFLORA	560			U
EUGENIA DUTHIEANA	182			C
EUGENIA DYERIANA	12			C
EUGENIA FASTIGATA	65			C
EUGENIA FILIFORMIS	395			U
EUGENIA FLOSCULIFERA	42			E
EUGENIA GLAUCA VAR. PSEUDOGLAUCA	33			C
EUGENIA GRIFFITHII	598			C
EUGENIA INOPHYLLA	191			U
EUGENIA INOPHYLLA VAR. BARNARDI	98			U
EUGENIA KOORDERSIANA	77			E
EUGENIA LEPTOSTEMON	34			U
EUGENIA NAPIFORMIS	134			C
EUGENIA NIGRICANS	170			C
EUGENIA OBLONGIFOLIA	32			U
EUGENIA PACHYPHYLLA	18			U
EUGENIA POLITA	635			U
EUGENIA POLYANTHA	2			C
EUGENIA PRAINIANA	217			C
EUGENIA PSEUDOCRENULATA	178			C

EUGENIA PSEUDOSUBTILIS	291			C
EUGENIA PUSTULATA	613			C
EUGENIA RIDLEYI	346			C
EUGENIA RUGOSA	14			C
EUGENIA SCORTECHINII	886			F
EUGENIA SPECIES 10	27			C
EUGENIA SPECIES 16	35			C
EUGENIA SPECIES 4	61			C
EUGENIA SPECIES 8	18			C
EUGENIA SPECIES A	93			C
EUGENIA SPECIES B	195			C
EUGENIA SPECIES D	140			U
EUGENIA SPICATA	8			T
EUGENIA SUBDECUSSATA	259			C
EUGENIA SYZYGIOIDES	262			U
EUGENIA TUMIDA	199			U
EUGENIA VALDEVENOSA	27			U
EUGENIA VARIOLOSA	612			T
EUGENIA VIRENS	57			C
PSEUDOEUGENIA SINGAPORENSIS	173			U
RHODAMNIA CINEREA	267			U
	10534	4	48	

OCHNACEAE

BRACKENRIDGIA HOOKERI	97			U
GOMPHIA SERRATA	143			C
	240	2	2	

OLACACEAE

ANACOLOSA HEPTANDRA	478			T
HARMANDIA KUNSTLERI	44			C
OCHANOSTACHYS AMENTACEA	1335			C
STROMBOSIA JAVANICA	6			U
STROMBOSIA MAINGAYI	1			U
	1864	4	5	

OLEACEAE

CHIONANTHUS CALOPHYLLUS	31			U
CHIONANTHUS MACROCARPUS	86			C
CHIONANTHUS RAMIFLORUS	66			C
CHIONANTHUS SPECIES 1	74			U
	257	1	4	

OPILIACEAE

CHAMPEREIA MANILLANA	1121			T
MELIENHA SUAVIS	2			T
	1123	2	2	

OXALIDACEAE

SARCOTHECA GRIFFITHII	209			C
SARCOTHECA MONOPHYLLA	179			C
	388	1	2	

PANDANACEAE

PANDANUS MONOTHECA	62			T
PANDANUS YVONII	23			T
	85	1	2	

PODOCARPACEAE

PODOCARPUS MOTLEYI	27			C
	27	1	1	

POLYGALACEAE

XANTHOPHYLLUM AFFINE	713			C
XANTHOPHYLLUM AMOENUM	398			C
XANTHOPHYLLUM CHARTACEUM	241			C
XANTHOPHYLLUM ELLIPTICUM	31			C
XANTHOPHYLLUM EURHYNCHUM	2037			C
XANTHOPHYLLUM GRIFFITHII	988			C
XANTHOPHYLLUM RUFUM	122			C
XANTHOPHYLLUM SCORTECHINII	10			U
XANTHOPHYLLUM STIPITATUM	116			C
XANTHOPHYLLUM WRAYI	18			U
	4674	1	10	

PROTEACEAE

HELICIA ATTENUATA	128			T
HELICIOPSIS VELUTINA	383			U
	511	2	2	

RHIZOPHORACEAE

ANISOPHYLLEA CORNERI	723			C
CARALLIA BRACHIATA	354			C
GYNOTROCHES AXILLARIS	248			C
	1325	3	3	

ROSACEAE

ATUNA ELATA	158			C
ATUNA EXCELSA	445			E
LICANIA SPLENDENS	159			C
PARASTEMON UROPHYLLUS	9			C
PARINARI COSTATA	13			C
PARINARI ELMERI	109			U
PARINARI OBLONGIFOLIA	105			C
PRUNUS ARBOREA	580			U
PRUNUS ARBOREA VAR.				
STIPULACEUM	3			U
PRUNUS GRISEA	414			U
	1995	5	10	

RUBIACEAE

AIDIA WALLICHIANA	2458			U
CHASALIA CURVIFLORA	376			S
CHASALIA LONGIFOLIA	1			S
DIPLOSPORA LASIANTHA	126			T
DIPLOSPORA MALACCENSIS	957			U
GAERTNERA OBLANCEOLATA	402			S
GARDENIA TUBIFERA	83			C
GARDENIOPSIS LONGIFOLIA	2			T
HYPOBATHRIUM RACEMOSUM	304			T
HYPOBATHRIUM VENULOSUM	196			U
IXORA CONCINNA	989			U
IXORA CONGESTA	894			S
IXORA GRANDIFOLIA VAR.				
GRANDIFOLIA	189			U
IXORA GRANDIFOLIA VAR.				
LANCEOLATA	272			S
IXORA KINGSTONII	72			S
IXORA LOBBII	1043			S
IXORA NIGRICANS	24			S
IXORA PENDULA	75			T
JACKIOPSIS ORNATA	1			C
LASIANTHUS LOWIANUS	107			S
LASIANTHUS SPECIES 1	69			S
MUSSAENDOPSIS BECCARIANA	56			C
NAUCLEA OFFICINALIS	720			C
NEOLAMARCKIA CADAMBA	10			C
PAVETTA GRACILIFLORA	443			S
PAVETTA SPECIES 1	586			S
PERTUSADINA EURHYNCHA	30			C

PORTERANDIA ANISOPHYLLA	1101			U
PRISMATOMERIS GLABRA	164			T
PRISMATOMERIS SPECIES 1	267			T
PSYCHOTRIA GRIFFITHII	55			S
PSYCHOTRIA ROSTRATA	94			S
PSYDRAX MAINGAYI	1			U
PSYDRAX SPECIES 10	18			U
PSYDRAX SPECIES 8	385			U
ROTHMANNIA MACROPHYLLA	1388			S
SAPROSMA SCORTECHINII	633			T
TARENNA COSTATA	1			S
TARENNA MAINGAYI	72			T
TARENNA MOLLIS	123			T
TARENNA SPECIES 11	26			S
TARENNA SPECIES 8	1352			T
TIMONIUS SPECIES 1	137			U
TIMONIUS WALLICHIANUS	211			U
UROPHYLLUM GLABRUM	1932			T
UROPHYLLUM HIRSUTUM	1348			S
	19793	24	46	

RUTACEAE

ACRONYCHIA PORTERI	155			C
EUODIA GLABRA	130			U
EUODIA ROXBURGHIANA	26			T
GLYCOSMIS CHLOROSPERMA	653			T
GLYCOSMIS SAPINDOIDES	137			T
	1101	3	5	

SANTALACEAE

SCLEROPYRUM WALLICHIANUM	314			U
	314	1	1	

SAPINDACEAE

ALLOPHYLUS COBBE	18			U
GUIOA SPECIES 1	70			U
HARPULIA CUPANOIDES	1			U
LEPISANTHES FRUTICOSA	237			T
LEPISANTHES SENEGALENSIS	1779			U
LEPISANTHES TETRAPHYLLA	2418			S
LEPISANTHES TETRAPHYLLA VAR. HIRTA	12			S
MISCHOCARPUS PENTAPETALA	1			U
NEPHELIUM COSTATUM	1472			C
NEPHELIUM ERIOPETALUM	231			C
NEPHELIUM HAMULATUM	44			U
NEPHELIUM MAINGAYI	308			C
NEPHELIUM OPHIOIDES	229			C

NEPHELIUM PALLENS	13			C
PARANEPHELIUM XESTOPHYLLUM	18			C
POMETIA PINNATA VAR. ALNIFOLIA	645			C
TRIGONOCHRAS ACUTA	15			U
TRIGONOCHRAS SPECIES 1	32			U
XEROSPERMUM NORONHIANUM	8962			C
XEROSPERMUM SPECIES 1	8			C

16513 10 20

SAPOTACEAE

CHRYSOPHYLLUM LANCEOLATUM	64			C
GANUA MOTLEYANA	7			C
GANUA SPECIES 1	90			C
MADHUCA LAURIFOLIA	109			U
MADHUCA MALACCENSIS	1293			U
PALAQIUM STELLATUM	48			C
PALAQIUM CLARKIANUM	5			C
PALAQIUM GUTTA	6			C
PALAQIUM HEXANDRUM	776			C
PALAQIUM MAINGAYI	93			C
PALAQIUM OBOVATUM	13			C
PAYENA LUCIDA	1629			U
PAYENA MAINGAYI	15			C
POUTERIA MALACCENSIS	57			C

4205 6 14

SAXIFRAGACEAE

POLYOSMA LAETE-VIRENS	1			U
	1	1	1	

SIMARUBIACEAE

EURYCOMA LONGIFOLIA	857			U
	857	1	1	

STAPHYLEACEAE

TURPINIA OVALIFOLIA	1			U
	1	1	1	

STERCULIACEAE

HERITIERA ELATA	186			C
HERITIERA JAVANICA	32			E
HERITIERA SIMPLICIFOLIA	458			E
LEPTONYCHIA GLABRA	121			S
PTEROCYBIUM TUBULATUM	50			C
SCAPHIUM LINEARICARPUM	134			C

SCAPHIUM MACROPODUM	806			C
STERCULIA COCCINEA	414			T
STERCULIA CORDATA	10			C
STERCULIA HISPIDISSIMA	39			U
STERCULIA MACROPHYLLA	5			C
STERCULIA PARVIFLORA	274			C
STERCULIA RUBIGINOSA	144			U
STERCULIA SPECIES 1	1			U

2674 5 14

STYRACACEAE

STYRAX BENZOIN	69			C
	69	1	1	

SYMPLOCACEAE

SYMPLOCOS CERASIFOLIA	125			C
SYMPLOCOS COCHINCHINENSIS	20			U
SYMPLOCOS CRASSIPES	531			U
SYMPLOCOS OPHIRENSIS	3			U
SYMPLOCOS RUBIGINOSA	6			U

685 1 5

THEACEAE

GORDONIA SINGAPOREANA	25			C
PYRENARIA ACUMINATA	79			U
TERNSTROEMIA CORNERI	40			U

144 3 3

THYMELIACEAE

AQUILARIA MALACCENSIS	125			C
GONYSTYLUS MAINGAYI	331			C

456 2 2

TILIACEAE

GREWIA ANTIDESMAEFOLIA	11			C
GREWIA BLATTAEFOLIA	821			U
GREWIA FIBROCARPA	155			T
GREWIA LAURIFOLIA	159			C
GREWIA MIQUELIANA	1470			U
PENTACE STRYCHNOIDES	630			C
PENTACE TRIPTERA	115			C
SCHOUTENIA ACCRESCENS	472			C

3833 3 8

TRIGONIACEAE

TRIGONIASTRUM HYPOLEUCUM	367			C
	367	1	1	

ULMACEAE

CELTIS RIGRESCENS	4			U
GIRONNIERA NERVOSA	757			U
GIRONNIERA PARVIFOLIA	3960			U
GIRONNIERA SUBAEQUALIS	685			C
TREMA TOMENTOSA	2			U
	5408	3	5	

VERBENACEAE

CALLICARPA MAINGAYI	57			T
CLERODENDRON NUTANS	3			S
CLERODENDRUM DEFLEXUM	170			S
CLERODENDRUM LAEVIFOLIUM	87			T
TEIJSMANNIODENDRON CORIACEUM	227			C
TEIJSMANNIODENDRON SIMPLICIFOLIUM	13			T
VITEX PINNATA	2			U
VITEX QUINATA	27			U
	586	4	8	

VIOLACEAE

RINOREA ANGUIFERA	8259			T
RINOREA HORNERI	33			S
RINOREA SCLEROCARPA	245			T
	8537	1	3	

Total 335240 290 814

Total number of families = 78
 Total number of genera = 290
 Total number of species = 814 147 814

Stature class: S = Shrub
 T = Treelet
 U = Understorey
 C = Canopy
 E = Emergent