Roman Road species list – Flowering plants and ferns

Compiled by David J. Barden Covering up to the end of 2009 Last updated 9 December 2012

Schedulitik name Aut Aut Yes				Jp to 1999									20	00-2	0000									
Are comparing Pair Mark P				1999											.009									
Res Norwy Mule Scale P	Scientific name	Common name	All		1a	1b	1c	1d	2a	2b	2c	3a			4b	4c	5	6	7	8	9	All	Ref.	Notes
Acce Data Male P <t< th=""><th>Acer campestre</th><th>Field Maple</th><th>Ρ</th><th>· · ·</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>Ρ</th><th></th><th></th><th></th><th>Ρ</th><th>JDS</th><th></th></t<>	Acer campestre	Field Maple	Ρ	· · ·														Ρ				Ρ	JDS	
Arrow Mark Namey Mark P																								
According Control Bigs Contro Contro	Acer plantanoides	Norway Maple		BOBI						Р												Р	JDS	
Advision mitightum Yurnow P St. P <td>Acer pseudoplatanus</td> <td></td> <td>Ρ</td> <td>SL,</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Р</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Ρ</td> <td></td> <td></td> <td></td> <td></td> <td>JDS</td> <td></td>	Acer pseudoplatanus		Ρ	SL,						Р								Ρ					JDS	
Appopulation Biols Image of the second rate P Image of the secon																								
Appoputation Oward Eller P D <thd< th=""> D <thd< th=""> <thd< th=""></thd<></thd<></thd<>	Achillea millefolium	Yarrow	Р															Ρ				Р	JDS	
condumina Horse cheem B Image: Condumination of the condumina	Aegopodium	Ground Elder		0301			P															Р	JDS	
Pipocetation Field Pundage Pipocetation	podagraria																							
Address Poils Poils Poils Poils Poils Agrinomia regarding Agrinomia regarding Poils		Horse-chestnut													Ρ							Ρ	JDS	
Aprimory P A P A Aprimory Aprimory Aprimory P JOB DB Aprotest calculatis Common Benr P Statu P P JOB Aprotest calculatis Common Benr P Statu P P JOB Allarin particulation Common Benr P Statu P P JOB Allarin particulation Genf Montest actions (in worked actions on worked action on worked actions on worked action on worked actions on worked a		Fool's Parsley	P	BSBI												1			D			P	פחו	
Aprimary SL. Aprimary SL. Aprimary SL. Des Appoints attridenting Appoints attridenting Common Bren P SL. P I I P I P I P I P I P I P I P I P I P I P I P I I P I I P I I P I I P I I P I I P P I I P P I I P P I I P P P I I I I I P P I I I I I I I I P I I I I I I I I I I I I I I I I I I I<	· · ·			-						P			А											
Appendix accidants Common Berri P I P I P I P I P D P D P D P D P D P D P D P D P D D P D D P D D D P D <thd< th=""> D <thd< th=""> <thd< <="" td=""><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></thd<></thd<></thd<>	3																							
Apposite activities Creating part P S. P <																								
Arrise perioda Cartino Museu BSL Billionia perioda P P P P D Allum partedowum Gené Arrey Base, gass P P P P P DD Base, gass Base, gass Base, gass P P P P DD Base, gass Base, gass Base, gass P P P P DD Base, gass													P											
Allinit parational Carlo Mastard P P P P P P P D05 Allin paratorum For forward P P P P P P D05 Integrational account P P P D05 Integrational account Integrational account P P P P P P P D05 Integrational account Integrational account Integrational account P <td< td=""><td>Agrostis stolonifera</td><td>Creeping Bent</td><td>Р</td><td></td><td></td><td></td><td>Р</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Р</td><td>JDS</td><td></td></td<>	Agrostis stolonifera	Creeping Bent	Р				Р															Р	JDS	
Allum paradoxum Per-flowerd	Alliaria petiolata	Garlic Mustard	Р			T	T	1		P								Р				Р	JDS	
Ganic Bitk-grass Sector 9 in 2009 (JUB) Arragalis aventis Sector 9 in 2009 (JUB) P JOS Arragalis aventis Sector 10 in 2009 (JUB) P JOS Arragalis aventis Sector 10 in 2009 (JUB) P JOS Arragalis aventis Sector 10 in 2009 (JUB) Sector 10 in 2009 (JUB) Sector 10 in 2009 (JUB) Arragalis aventis Barren Brone P ISS P JOS Arritaritis Barren Brone P ISS P JOS Arritaritis Barren Brone P ISS P JOS Arritaritis Barren Brone P ISS P JOS Arrithylis vulnerska Kidney Vetch P R JOS P Arrithylis vulnerska Kidney Vetch P Scientististististististististististististist	Allana periolata	Came Mustard								'								'					000	
Altereduce Black grass D D P P P P P P P P Des Areanders avenues Wood Avenues P CFR I I P P IE P JES Seen from the small copes opposite small expectation plants supported to be the supported in 1900 (CFR). A few small expectation plants supported to be the supported in 1800 (CFR). A few small expectation plants supported to be the supported in 1800 (CFR). A few small expectation plants supported to be the supported in 1800 (CFR). A few small expectation plants supported to be the supported in 1800 (CFR). A few small expectation plants supported to be the supported in 1800 (CFR). A few small expectation plants supported to be the supported in 1800 (CFR). A few small expectation plants supported to be related in 184 A200 distance expectation of the supported in 1800 (CFR). A few small expectation plants supported to be related in 184 A200 distance expectation of the supported in 1800 (CFR). Antisymbolic Statistics Barren Forme P BS I P P P JUS Antisymbolic Statistics Barren Forme P Statistics P P JUS CFR	Allium paradoxum	Few-flowered																		Ρ		Ρ	DJB	Several square metres at 595.482-3
Anagalia savenia Scate Pingenel P																								(section 8) in 2009 (DJB)
Arremone nemorosa Wood Anemone P CFR L L L EP Description Beam from the small copes opposele Beam from the small copesmall copes opposele			P	CED	-	<u> </u>	<u> </u>	<u> </u>	-	-	<u> </u>	-	-	-		ļ			ہ ۱					
Aritaartha statilis Barren Brome P BSB P P P DS Aritaartha statilis Barren Brome P BSB P P DS Aritaartha statilis Barren Brome P BSB P P DS Aritaartha statilis Garren Brome P BSB P P DS Aritaartha statilis Garren Brome P BSB P DS Aritabioos sylvesin Core Parsity P DS P DS Aritabioos sylvesin Core Parsity P DS P DS Aritamina statican Thyme-Faced P P P DS P Aritamina statican False Oardrass P P DS P Aritamisa vagar P P P P DS Aritamisa vagar P P P DS P Aritamisavagar P SL P P					-	┼──	┼──		-	+	-	-	-	-	۲				-				308	Seen from the small conse opposite
Artigenity and the second in 1980 (CFR). A few sins species to be the second in 1980 (CFR). A few sins species to be the second in 1982 (CFR). A few sins species to be sins species to be the second in 1982 (CFR). A few sins species to be sins specins species to be sins species to be sins species to be s					1	1	1	1			1	1		1		1						L :		
Anisantha starille Barron Brome P ISSB Image: Star Starille Image: Star Star Starille Image: Star Star Star Star Star Star Star Star																								
Arisestina starilis Barren Borne P BBBI P P P P Distribution Dis																								
Arisantha sterilia Baren Brome P BisBl P P P D </td <td></td>																								
Anisantha sterilis Barren Brome P BSBI P P P P P DS Anisantha sterilis Barren Brome P BSBI P P P P DS Anthrusses sylvestris Cow Parsley P SL P P P DS Anthrusses sylvestris Cow Parsley P SL P P P DS Anthrusses sylvestris Cow Parsley P SL P P P DS Anthrusses sylvestris Cow Parsley P P P P DS Anthrusses sylvestris Cow Parsley P P P DS Antonical asonyllifolia Thmore-taxed P SL P P P DS Antonical asonyllifolia Thmore-taxed P SL P P P DS Antonical astisticana Hosperiadie Hore-taxed P SL P P DS Antonical astisticana Hosperiadie P P DS P DS Antonical astisticana Hosperiadie P DS P DS Antonical astisticana Hosperiadie <																								
Anamha sterilis Barren Brome P BSB I <thi< th=""> I<</thi<>																								
Anti-stanta starilis Barren Brome P BS P P P P DS Arthriscus sylvestric Cow Parsley P SL P P DS Immegane DS Arthriscus sylvestric Cow Parsley P SL P P DS Immegane DS Arthriscus sylvestric Cow Parsley P CFR P R Immegane P DS Arthriscus sylvestric Cow Parsley P CFR P R Immegane P DS Arthriscus sylvestric Sasce Docidit S Immegane P Immegane P DS Arthriscus sylvestric False Saste Docidit P S Immegane P DS Arthriscus sylvestric False Saste Docidit P S Immegane P DS Arthriscus sylvestric False Saste Docidit P S Immegane P DS Arthrinsits vulgaris Muyeent P																								
Arthrisicus sylvestris Core Paraley P I P I P I P JOS Arthryllis vulneraria Kidney Vetch P CFR, P R I P JOS Arabidopsis thaliana Thale Cress I P P P JOS Arabidopsis thaliana Thale Cress I P P P JOS Ardium tappa Greater Burdock P I P P P JOS Ardium tappa Greater Burdock P I P P P JOS Ardium tappa Greater Burdock St. P I P JOS Arminata rutificana Horge ardiah St. P JOS P JOS Arminata rutificana Magwort P St. P JOS First and only record in 1939 (CFR) Arminatary artigita Magwort P St. P JOS First and only record in 1939 (CFR)																								
Arthyllis vulneraria Kidney Vetch P CFR P R P D <thd< th=""> <thd< th=""> <thd< th=""> <th< td=""><td>Anisantha sterilis</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>P</td><td></td><td></td><td></td><td></td><td></td></th<></thd<></thd<></thd<>	Anisantha sterilis																		P					
Arthyllis vulneraria Kidney Vetch P CFR. P R P P DOS. Arabidopsis theliana Thele Cress Image: Creater Structure Laga	Anthriscus sylvestris	Cow Parsley	Ρ							Ρ								Ρ				Ρ	JDS	
Arabidopsis maliana Tatal Cress SL P P P P P DS Ardtum ningpa Greater Burdock B I P P P P DS Ardtum ningpa Greater Burdock P SL P P P DS Ardtum ningua Lesser Burdock P SL P P P DS Artematia serpylificita Tymne-leaved P SL P P P DS Armoracia usticana Horseradish I P P P P DS Artemisia vulgaris Mugwort P SL P P P DS Artemisia vulgaris Burgle Milk vetch P CFR P P DS Artemisia vulgaris Suinancy-wort P CFR P P DS First and only record in 1939 (CFR) Arter marked anicus Suinancy-wort P CFR P P DS <	Apthyllic vulporaria	Kidnov Votob	D		-		D			D									r			D	IDE	
Arabidopsis thaliana Thate Cress Image Creater Image Creater <thimage creater<="" th=""> Image Creater Imag</thimage>	Antriyilis vumerana	Kidney veich	F				F			п												г		
Arctium minus Lesser Burdock P SL P P P JOS Arrenaria serpylifolia Thyme-leaved P SL P JOS Arrenaria serpylifolia Horecardish P JOS P JOS Arrhenatherum elatius False Oat-grass P SL, P JOS P JOS Arrhenatherum elatius False Oat-grass P SL, P P P P JOS Arrhenatherum elatius False Oat-grass P SL, P P P P JOS Arrhenatherum elatius False Oat-grass P SL, P P P P JOS Arrhenatherum elatius False Oat-grass P SL, P P P P JOS Arrhenatherum elatius False Oat-grass P SL, P P DOS First and only record in 1939 (CFR) Arrhenatherum elatius P CFR P CFR P DOS Scent rot or stars in 1927 (NIC16, In 200, In 200	Arabidopsis thaliana	Thale Cress		02				1					P									Р		
Arenaria serpylifiolia Thyme-leaved P SL P P P P DS Armarada usuicana Horsendish P P P P P P DS Armarada usuicana Horsendish P SB P P P P P DS Artensia vulgaris Mugwort P SB P P P P P DS Arum maculatum Lords and Ladies P SB P P P P DS Astragalus dancus Sujinancy-wort P CFR P P P DJS First and only record in 1939 (CFP) Astragalus dancus Puple Milk-velch P CFR P P DJS First and only record in 1939 (CFR) Astragalus dancus Common Orache P CFR P P DJS A variety determined as 'var. linearis' was noted at Balabarn in 1930 (CFR) Seen twice of Wandborny (Coll S39) (DJS). about mixes anoted at Balabarn in 1930 (CFR) Seen twice of Wandborny (Coll S39) (DJS). (CFR) (CFR) P DJS	Arctium lappa	Greater Burdock																						
And work Sandwort P P P P P P P P P DOS Arrhenatherum elatus False Oat-grass P SL, BSBI P P P P P DOS Arrhenatherum elatus False Oat-grass P SL, BSBI P P P P P DOS Arrhenatherum elatus Lords and Ladies P SSBI P P P P DOS Arum maculatum Lords and Ladies P SSBI P P P P DDB First recorded by Dale in 1729, and then occasionally up to the present day: seen trom sections 1a. in 1927 (NC16, p.10). In section 1c, 1als seen in 200, and then occasionally up to the present day: seen trom sections 1a. in 1927 (NC16, p.10). In section 1c, 1als seen in 200, (DJB). (DJB) Atriplex patula Common Orache P CFR P R O P DJDS Avariety determined as 'var. linearis' Atriplex patula Common Orache P CFR P P DS Section NE of Wandlebury (S01.539) (DJB) Section NE of Wandlebury (S01.539) (DJB) Mareity avariety determined as 'var. linearis	Arctium minus									Р														
Armoradia usticana Horseradish P P P P D P DS Archenatherum elatus False Oat-grass P SSI P P P DS Archensia vulgaris Mugwort P SSI P P P DS Armensia vulgaris Lords and Ladies P SSI P P P DS Astragalus danicus Squinancy-wort P CFR P P P DJS First and only record in 1939 (CFR) Astragalus danicus Purple Milk-vetch P CFR P R O P P DJS First and only record in 1939 (CFR) Astragalus danicus Purple Milk-vetch P CFR R O P DJS First and only record in 1939 (CFR) Astragalus danicus Purple Milk-vetch P CFR R O P DJS Avariety determined as "var. linearie" was noted at Balatam in 1939 (CFR) Sele in twice by the Victorian bolavists Altripa belladonna Deady P CFR P P DS <td< td=""><td>Arenaria serpyllifolia</td><td></td><td>Р</td><td>SL</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Ρ</td><td></td><td></td><td>Р</td><td>JDS</td><td></td></td<>	Arenaria serpyllifolia		Р	SL															Ρ			Р	JDS	
Arrhenatherum elatius False Oat-grass P SL P P P DS Artemisia vulgaris Mugwort P SL P P P DS Artemisia vulgaris Lords and Ladies P SSB P P P DS Aspenula cynanchica Squinancy-wort P CFR P P P DJS Aspenula cynanchica Squinancy-wort P CFR P R O P DJS Astromaculatum Lords and Ladies P CFR P R O P DJS Astropic Mik-vetch P CFR P R O P DJS First neocride by Dale in 1729, and then coccal in a 1712 (NC16, in the secon 14.2 in 1927 (NC16, in the secon 14.2 in 1927 (NC16, in the secon 14.2 in 1927 (NC16, in the secon 14.2 in 1920 (CFR)) In UO2, about indway along the first neocride by Dale in 1729, and then indway along the first neocride by CAST P DJS Atriplex patula Common Orache P CFR P P DJS Avariety determined as 'var. linearis'' was indeed at Bashamin 1393 (CFR) Nughthade P P DJS </td <td>Armoracia rusticana</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>P</td> <td><u> </u></td> <td></td> <td>P</td> <td>IDS</td> <td></td>	Armoracia rusticana									P	<u> </u>											P	IDS	
Artenisia vulgaris Mugwort P SI: P P P JOS Artum maculatum Lords and Ladies P SBI P P JOS Arum maculatum Lords and Ladies P CFR P P JOS Astragalus danicus Purple Mik-vetch P CFR P P R O P JDS First and only record in 1939 (CFR) Astragalus danicus Purple Mik-vetch P CFR P R O P JDS First and only record in 1939 (CFR) Last seen in 2002, about midway along the filtat unwooded section NE of Wandlebury (501.539) Atriplex patula Common Orache P CFR P JDS Avarley determined as: var. linearis' was noted at Balsham in 1939 (CFR) Avena fatua Wild Oat P CFR P JDS Varley determined as: var. linearis' was noted at Balsham in 1939 (CFR) Avena fatua Wild Oat P CFR P JDS JDS Varley determined as: var. linearis' was noted at Balsham in 1939 (CFR) Avena fatua Wild Oat P CFR P P JDS	Arrhenatherum elatius		Р	SL,									P					Р						
Aur maculatum Lords and Ladies P BSBI P A A mice and the second in 1329 (CFR) Aspenula cynanchica Squinancy-wort P CFR BSBI, P R O P P JDS First and only record in 1329 (CFR) Astragalus daricus Purple Milk-vetch P CFR, BSBI, NIC16 BSBI, NIC16 P CFR, Section S 14 or 1972 (NIC16, Section S 14 or 1980 (CFR), Section S 14 or 1980 (C		° ,																						
Arum maculatum Lords and Ladies P P P P P P P DDS Astragalus danicus Purple Milk-vetch P CFR Image: CFR Ima	Artemisia vulgaris	Mugwort	Ρ							Ρ								Ρ				Ρ	JDS	
Asperula cynanchica Squinancy-wort P CFR P R O P DL P DLB First and only record in 1939 (CFR) Astragalus danicus Purple Milk-vetch P CFR, BSBI, NIC16 P R O P DJB First recorded by Dale in 1729, and then occasionally up to the present day; seen from sections 1a to in 1972 (NIC16, p.10). In sections 1a to in 1982 (CFR) Atripte patiensis Deadly P CFR P P DS Avena fatua Wild Oat P CFR, BSBI P P P P DS Avena fatua Wild Oat P CFR, BSBI BSBI	A		Р	BOBI						1	1							Р				D		
Astragalus danicus Purple Milk-vetch P CFR, BSBI, NC16 P R O D First recorded by Dale in 1729, and then occasionally up to the present day; seen from sections 1a-c in 1972 (NC16, p.10). In section 1-c, last seen in 2002, about midway along the traftal tunwooded section NE of Wandlebury (501.539) (DUB). Atriplex patula Common Orache P CFR P P P JDS A variety determined as "var. linearis" was noted at Balsham in 1939 (CFR). Atropa belladonna Deadly P CFR P P P P JDS A variety determined as "var. linearis" was noted at Balsham in 1939 (CFR). Avena fatua Wild Oat P CFR P P P P JDS A variety determined as "var. linearis" was noted at Balsham in 1939 (CFR). Avena fatua Wild Oat P CFR P P P P JDS Avena fatua Wild Oat P CFR, BSBI P P P P JDS Avenuala pubescens Meadow Oat- P CFR, BSBI P P JDS Image (BSBI) and in 55- (sections 1-4) in 1986 (BSBI). Image (BSBI) and in 55- (sections 1-4) in 1986 (BSBI). <td></td> <td></td> <td></td> <td></td> <td></td> <td>T</td> <td>Р Т</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Р</td> <td>1</td> <td></td> <td></td> <td></td> <td>JD2</td> <td>First and only record in 1939 (CEB)</td>						T	Р Т	1										Р	1				JD2	First and only record in 1939 (CEB)
Arright State BSBI, NIC16 NIC16 NIC16 Decasionally up for the present day; seen from sections 1a-c in 1972 (NIC16, p. 10). In section 1c, last seen in 2002, about midway along the ±1at unwoolded section NE of Wandlebury (501.539) Atriplex patula Common Orache P CFR P P P DS A variety determined as "var. linearis" was noted at Balsham in 1939 (CFR) Atropa belladonna Deadly P CFR P D E Seen twice by the Victorian botanists Atropa belladonna Deadly P CFR P D P DS Variety determined as "var. linearis" was noted at Balsham in 1939 (CFR) Avena sativa Oat P P D P DS Variety determined as "var. linearis" was noted at Balsham in 1939 (CFR) Avena fatua Wild Oat P CFR P P D P DS Vertorian botanists Ipeliadorichon grass BSBI D P P DS Nearthy seen at 561.498 (section 5) in 1996 (ESBI) Ballota nigra Black Hore							Р			R	0												DJB	
Atriptex patula Common Orache P CFR P P P JDS Advirely determined as "variety determined" in patients: Avena astiva Oat P CFR P P JDS Avenula pubescens Downy Oat-grass P CFR, BSBI SBBI P P JDS Ballota nigra Black Horehound P CFR,	g										_												-	occasionally up to the present day; seen
Atriplex patula Common Orache P CFR P P P JDS A variety determined as "var. linearis" was noted at Balsham in 1393 (CFR) Atriplex patula Deadly P CFR P P P JDS A variety determined as "var. linearis" was noted at Balsham in 1393 (CFR) Atropa belladonna Deadly P CFR P P P JDS A variety determined as "var. linearis" was noted at Balsham in 1393 (CFR) Avena fatua Wild Oat P CFR P P P JDS Seen twice by the Victorian botanists (CFR) Avena sativa Oat P CFR P P P JDS Seen twice by the Victorian botanists (CFR) Avena sativa Oat P CFR P D P JDS Seen twice by the Victorian botanists (CFR) Avena sativa Oat P CFR P D P JDS Last noted on the Road at "Fulbourne" in 1996 (CFR) Avenali publescens Downy Oat-grass P CFR, SL, SBI P P JDS First and only record "near turning to Fulbourn" in 1996 (BSBI) and in 55- (sections 1-4) in 1996 (BS				NIC16																				
Atriplex patula Common Orache P CFR P P P P JDS A variety determined as "var. linearis" was noted at Balsham in 1939 (CFR) Atropa belladonna Deadly P CFR P P E Seen twice by the Victorian botanists (CFR) Avena sativa Oat P P P P P DS Avena sativa Oat P P P P P P DS Avena latua Wild Oat P CFR P P P P DS Avena sativa Oat Image: CFR P P P P DS Avenula pratensis Meadow Oat- P CFR, P CFR, P DS Avenula pubescens (Helictotrichon pratense) Downy Oat-grass P CFR, SBI P P P DS Image: BSBI <																								
Atriplex patula Common Orache P CFR P P P P P DS Avarety determined as "var. linearis" was noted at Balsham in 1939 (CFR) Atropa belladonna Deadly P CFR P D E Seen twice by the Victorian botanists (CFR) Avena fatua Wild Oat P CFR P P D P JDS Avarety determined as "var. linearis" was noted at Balsham in 1939 (CFR) Avena fatua Wild Oat P CFR P P P D P JDS Avena fatua Wild Oat P CFR P P P P JDS Seen twice by the Victorian botanists (CFR) Avenua pratensis Meadow Oat- P CFR, P P P P JDS Last noted on the Road at "Fulbourne" in 1996 (CFR) pratense) Avenua pubescens Downy Oat-grass P CFR, BSBI P P P P JDS In 996 (CFR) Ballota nigra Black Horehound P CFR, SESI P P P JDS First and o																								
Atriplex patula Common Orache P CFR P P JDS A variety determined as "var. linearis" was noted at Balsham in 1939 (CFR) was noted at Balsham in 1939 (CFR) Atropa belladonna Deadly P CFR P E Seen twice by the Victorian botanists (CFR) Avena fatua Wild Oat P CFR P P P DS Avena sativa Oat P P P P JDS Avena sativa Oat P P P JDS Avena sativa Oat P P P JDS Avena sativa Oat P P P JDS Avenula protensis Meadow Oat- P CFR, BSBI SEI SEI pratense) Owny Oat-grass P CFR, BSBI P P P P JDS Avenula pubescens) Balck Horehound P CFR, SL, P P P JDS First and only record "near turning to Fubourn" in 1940 (CFR) Ballota nigra Black Horehound P CFR P					1	1	1	1			1			1		1								
Atropa belladonna Deadly Nightshade P CFR Image: CFR <thimage: cfr<="" th=""> Image: CFR</thimage:>	Atriplex patula	Common Orache	Р	CFR	1	1	1								Р	i						Ρ	JDS	
Nightshade CFR P P P P P P P P P P P Dos Avena sativa Oat P P P P P P P P P Dos Avenula pratensis Meadow Oat- grass P CFR, BSB BSB P CFR, BSB BSB P CFR, BSB P Dos Last noted on the Road at "Fulbourne" in 1996 (CFR) Avenula pubescens (Helictorichon pubescens}) Downy Oat-grass P CFR, BSB BSB P CFR, BSB P P Downy Oat-grass P CFR, BSB Notestant the second the						1	1									r —								was noted at Balsham in 1939 (CFR)
Avena fatua Wild Oat P DS Avenual pubsite on the Road at "Fulbourne" in 1996 (CFR) P Instead of the Road at "Fulbourne" in 1986 (CFR) Instead of the Road at "Fulbourne" in 1986 (CFR) P Instead of the Road at "Fulbourne" in 1986 (CFR) Instead of the Road at "Fulbourne" in 1986 (CFR) Instead of the Road at "Fulbourne" in 1986 (CFR) Instead of the Road at "Fulbourne" in 1986 (CFR) Instead of the Road at "Fulbourne" in 1982 (BSBI) and in 55- (sections 1-4) in 1982 (BSBI) and in 55- (sections 1-4) in 1982 (BSBI) Instead of the Road at "Fulbourne" in 1986 (BSBI) Instead of the Road of t	Atropa belladonna		Р	CFR		1	1															E		
Avena sativa Oat P P P P JDS Avenula pratensis (Helictotrichon pratense) Meadow Oat- grass P CFR, BSBI BSBI Image: CFR) Image:	Avena fatua		P	CEP	-			-	-	+		-	 P	-		-						D	IDe	
Avenula pratensis (Helictotrichon pratense) Meadow Oat- grass P CFR, BSBI BSBI Image: CFR, BSBI P P P P P Down P P Down P			F	UFN		\vdash	\vdash		-	+		\vdash		-	P	I								
(Helictotrichon pratense) grass BSBI Image: SBI server of the serv	Avenula pratensis		Р	CFR,		1	1																	Last noted on the Road at "Fulbourne" in
Avenula pubescens (Helictotrichon pubescens) Downy Oat-grass P CFR, BSBI BSBI P CFR, BSBI BSBI P Recently seen at 561.498 (section 5) in 1982 (BSBI) and in 55- (sections 1-4) in 1996 (BSBI) Ballota nigra Black Horehound P CFR, SL, BSBI P P P P JDS Barbarea vulgaris Winter-cress P CFR SL P P P JDS Bellis perennis Daisy P CFR P P P JDS Berbarea vulgaris Barberry P CFR P P P JDS Berbarea vulgaris Barbarea P P P JDS First and only record "near turning to Fulbourt" in 1940 (CFR) Berbaris vulgaris Barberry P CFR P P P JDS Betula pendula Silver Birch P SL P P P JDS Borago officinalis Borage P F P P JDS Noted as "locally abundant in Sections 3 Brachypodium Tor-grass P CFR	{Helictotrichon				1	1	1	1			1	1		1		1								
(Helictotrichon pubescens) BSBI BSBI Image: BSBI	pratense}	-				<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>		<u> </u>	L	<u> </u>		L	ļ					
pubescens} Ballota nigra Black Horehound P CFR, SL, BSBI CFR, SL, SL, SL, SSI P P J P JDS First and only record "near turning to Fulbourn" in 1940 (CFR) Barbarea vulgaris Winter-cress P I I I P JDS First and only record "near turning to Fulbourn" in 1940 (CFR) Bellis perennis Daisy I I I I P P JDS Berbarei vulgaris Barbarea CFR I I I I I P P JDS Beta vulgaris Beet I		Downy Oat-grass	Р		1						1											?		
Ballota nigra Black Horehound P CFR, SL, BSBI P P P JDS Barbarea vulgaris Winter-cress P P P P JDS First and only record "near turning to Fulbourn" in 1940 (CFR) Bellis perennis Daisy P P P P JDS Berberis vulgaris Barberry P CFR P P P JDS Beta vulgaris Beet P P P JDS First and only record "near turning to Fulbourn" in 1940 (CFR) Betula pendula Silver Birch P CFR P P P JDS Betula pendula Silver Birch P SL P P P JDS Brachypodium Tor-grass P CFR, P P P P JDS Noted as "locally abundant in Sections 3 P P P P P JDS				DORI	1	1	1	1			1			1		1								
SL, BSBI SL, BSBI P P P P P P Diss Barbarea vulgaris Winter-cress P P P P P JDS First and only record "near turning to Fulbourn" in 1940 (CFR) Bellis perennis Daisy P P P P JDS Berberis vulgaris Barberry P CFR I <td></td> <td>Black Horehound</td> <td>Р</td> <td>CFR,</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Р</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Р</td> <td></td> <td></td> <td></td> <td>Р</td> <td>JDS</td> <td></td>		Black Horehound	Р	CFR,						Р								Р				Р	JDS	
Barbarea vulgaris Winter-cress P Image: Point of the section of t	Ŭ																							
Bellis perennis Daisy Image: Constraint of the section of the sec	-			BSBI		<u> </u>	<u> </u>	<u> </u>	<u> </u>	1	1	<u> </u>	<u> </u>	<u> </u>	L	<u> </u>	ļ,	1						
Bellis perennis Daisy P P P P P JDS Berberis vulgaris Barberry P CFR Image: Constraint of the section of t	Barbarea vulgaris	Winter-cress	Р		1	1	1	1			1			1		1			Ч			Ρ	JDS	
Berberis vulgaris Barberry P CFR Image: CFR <t< td=""><td>Bellis perennie</td><td>Daisy</td><td></td><td>——</td><td>-</td><td></td><td></td><td>-</td><td>-</td><td>-</td><td>-</td><td><u> </u></td><td><u> </u></td><td><u> </u></td><td><u> </u></td><td>-</td><td></td><td>-</td><td>P</td><td></td><td></td><td>P</td><td>פתו</td><td>Fuidourn" in 1940 (CFR)</td></t<>	Bellis perennie	Daisy		——	-			-	-	-	-	<u> </u>	<u> </u>	<u> </u>	<u> </u>	-		-	P			P	פתו	Fuidourn" in 1940 (CFR)
Beta vulgaris Beet P P Jularge bush at 495.544 (section 1b) (CFR) Betula pendula Silver Birch P Silver Birch P Jularge bush at 495.544 (section 1b) (CFR) Borago officinalis Borage P P P P JDS Brachypodium Tor-grass P CFR, P P P JDS			Р	CFR		+	+		1	+		-	-	-				<u> </u>		-			000	First and only record in 1955, of one
Beta vulgaris Beet P P P JDS Betula pendula Silver Birch P SL P I P JDS Borago officinalis Borage P I P P JDS Brachypodium Tor-grass P CFR, P I P P					1	1	1	1			1			1		1								
Betula pendula Silver Birch P P P Borago officinalis Borage P P P Brachypodium Tor-grass P CFR, P		_																						
Borago officinalis Borage P P P JDS Brachypodium Tor-grass P CFR, P I I P JDS	Beta vulgaris		-			<u> </u>	<u> </u>	<u> </u>	<u> </u>	Ļ	<u> </u>	<u> </u>	<u> </u>	<u> </u>	L	<u> </u>	ļ,	Р						
Brachypodium Tor-grass P CFR, P P P P P P P P P P P P P P P P P P P				SL	-			-	-	Р	1	-	-	-		-		, I	P					
innatum SL SL SL				CFR		1	I P	I	-	+		-	-	-										Noted as "locally abundant in Sections 3-
	pinnatum				1						1					1								4 in 1998 (SL)

Brachypodium	False Brome	Ρ	CFR,					Р								Р			P	JI	DS	
sylvaticum			SL, BSBI																			
Brassica napus Briza media	Rape Quaking-grass	Р	CFR,					Р		F						Р			P		DS DS	
			SL					 ·														
Bromopsis erecta	Upright Brome		CFR, SL, BSBI										Ρ						P			Noted as "abundant" in Sections 1-2 and "abundant-locally dominant in Sections 3-4 in 1998 (SL). A variant determined as "var. villosus" was noted in 1954 (CFR)
Bromopsis ramosa Bromus commutatus	Hairy Brome Meadow Brome		BSBI CFR		P)		 								P	,		P		DS DS	
Bromus hordaceus	Soft Brome	Ρ	BSBI	Ρ															Р	JI	DS	
Bryonia dioica	White Bryony	Р	CFR, SL, BSBI					Ρ											P	JI	DS	
Calystegia silvatica	Large Bindweed				F	>													Ρ		DS	
Campanula rotundifolia	Harebell	Р	SL					Ρ			R	R							P		DS, JB	
Cannabis sativa	Cannabis	р	CFR, BSBI																E,			First and only record in 1997, at 584.487 (section 6) (CFR)
Capsella bursa-	Shepherd's-purse		BSBI					Ρ								Ρ			P	JI	DS	
pastoris Carduus crispus	Welted Thistle	Р	CFR,					 Р											Р	JI	DS	
			SL, BSBI																			
Carduus nutans	Nodding Thistle	Ρ	SL, BSBI										Ρ			Р			P	JI	JS	
Carex caryophyllea	Spring-sedge	Ρ	CFR						R										Ρ	D	JB	Formerly abundant, at least in the area with C. ericetorum (section 1b) (CFR); seen in 1957 then not seen again until 2009 in section 2c, where it was "fairly frequent" (DJB)
Carex divulsa	Grey Sedge									F	>								Р		DS	
Carex ericetorum	Scarce Spring- sedge	Ρ	CFR																m			Well-known by the Victorian botanists (1838-1895) from the sides of the road leading up to the NW end (section 1b) (CFR), but suffered from the removal of turf for gardens, and presumably also the scrubbing-up and plantation of the sides of the road.
Carex flacca	Glaucous Sedge	Ρ	CFR, SL, BSBI					Ρ											P	JI	DS	Noted as "rare" in Sections 3-4 in 1998 (SL)
Carex spicata	Spiked Sedge									R									Р	D	JB	First and only record of 1 clump at
Carpinus betulus	Hornbeam	Ρ	CFR																E,	?		530.517 in 2009 (DJB) Seen at the N end in 1939 (CFR), and SE of Copley Hill in 1967 (a single
Centaurea montana	Perennial														Р				P	JI	DS	coppiced shrub) (CFR)
Centaurea nigra	Cornflower Black Knapweed	Ρ	SL,					 Ρ					-			Ρ			P	JI	DS	
Centaurea scabiosa	Greater	Ρ	BSBI SL,					 Ρ								Ρ			P	JI	DS	
Centaurea solstitalis	Knapweed Yellow Star-	Р	BSBI CFR																E			Only seen in 1943 and in 1949 (CFR)
	Thistle																					•
Cephalanthera damasonium Cerastium fontanum	White Helleborine Common Mouse-	P	CFR										Р						E' P		DS	First and only record at 497.544 (section 1b) in 1993 (CFR)
	ear																					
Cerastium semidecandrum	Little Mouse-ear	Р	CFR																E			First and only record in 1860 (CFR)
Chaerophyllum	Rough Chervil	Р	SL							F									P	JI	DS	
temulum Chamerion	Rosebay	Р	SL,					Р			R								P	JI	วร	Noted as "rare" in Sections 3-4 in 1998
angustifolium	Willowherb		BSBI					·												D	JB	(SL)
Chelidonium majus Chenopodium album	Greater Celandine Fat-hen	Р	BSBI				Ρ	 Р											P		DS DS	
Cichorium intybus	Chicory		CFR																E			Seen near Linton in 1939 (CFR), and
Cirsium acaule	Ground Thistle	Ρ	CFR, SL, BSBI							F									Ρ	JI	DS	near Horseheath in 1959 (CFR) Noted to be unaffected by "the practice of carrying away the turf for use in Cambridge gardens" in 1877 (CFR). Noted as "rare" in Sections 1-2 in 1998 (SL)
Cirsium arvense	Creeping Thistle	Ρ	CFR, SL,					Ρ								Р			P	JI	DS	
Cirsium eriophorum	Woolly Thistle	Ρ	BSBI CFR															\uparrow	E,	?		First and only record at 599.483 (section 8) in 1974 (CFR)
Cirsium vulgare	Spear Thistle	Р	CFR, SL,					Ρ							F			\uparrow	P		DS, JB	
Clematis vitalba	Traveller's-joy	Ρ	BSBI SL,	\vdash	\square			Ρ						$\left \right $		Р			P	JI	DS	
Clinopodium acinos	Basil-thyme	Р	BSBI CFR	-	$\left \right $									$\left \right $					E			Last record 1910 "near Balsham" (CFR)
Clinopodium	Common Calamint	Р	CFR	\vdash	\vdash									\vdash		$\left \right $			E	+		Last record by the Victorian botanists
ascendens Clinopodium vulgare	Cushion Calamint		SL,	-	$\left \right $			Ρ			A			$\left - \right $		$\left \right $		+	P	JI		(CFR)
Conium maculatum	Hemlock		BSBI	-	$\left \right $			 Р						$\left - \right $		\vdash			P		JB DS	
Convolvulus arvensis	Field-bindweed	Ρ	SL,					P											P		DS	
			BSBI																			

Conyza canadensis	Canadian		r –	T					1		P									Р	JDS	
	Fleabane										1				_							
Conyza sumatrensis	Guernsey Fleabane														R					Ρ	JDS	
Cornus sanguinea	Dogwood	Ρ	CFR, SL, BSBI													F	>			Ρ	JDS	
Coronopus squamatus	Swine-Cress		5351								P									Р	JDS	
Corylus avellana	Hazel	Р	CFR,					Р								Ρ				Ρ	JDS	
Crataegus monogyna	Hawthorn	Ρ	SL, BSBI					Ρ								Ρ				Ρ	JDS	
Crataegus laevigata x	A hybrid hawthorn	Р	CFR						Р											Ρ	JDS	Seen at 504.536 (section 1c) in 1979
monogyna Crepis capillaris	Smooth Hawk's-	Р	SL								P								_	Р	JDS	(CFR) Noted as "rare" in Sections 1-2 in 1998
	beard																					(SL)
Crepis vesicaria	Beaked Hawk's- beard	Р	BSBI													F	0			Ρ	JDS	
Cruciata laevipes	Crosswort															Р				Ρ	JDS,	First noted as a 4m patch at ~579.488
Cynoglossum officinale	Houndstongue	Р	CFR,				Р													Р	DJB JDS	(section 6) in 2006 (DJB)
	_		SL, BSBI																			
Cynosurus cristatus	Crested Dog's-tail	Ρ	SL, BSBI								Ρ									Ρ	JDS	
Dactylis glomerata	Cocksfoot	Ρ	SL, BSBI	Ì				Р								Ρ				Ρ	JDS	
Dactylorhiza fuchsii	Common Spotted- orchid	Ρ	CFR																	Е		Seen from the small copse opposite Borley Wood in the late 19th century
Daucus carota	Wild Carrot	P	CFR,		-			Р	<u> </u>			-		-					_	Ρ	JDS	(CFR) Seen at "W end" in 1939 (CFR)
Deschampsia	Tufted Hair-grass		SL	-	<u> </u>					Р	┣—	<u> </u>		<u> </u>				\square		Р	JDS	
cespitosa										Г												
Dipsacus fullonum Dipsacus pilosus	Teasel Small Teasel		BSBI CFR									\vdash				Р			\neg	P E	JDS	First and only record near Worsted
Echium vulgare	Viper's Bugloss				\square			╞				R		\square						Ρ	JDS, DJB	Lodge in 1959 (CFR)
Elymus caninus	Bearded Couch				Р															Ρ	JDS	
Elytrigia repens	Common Couch	Р	SL, BSBI										Ρ			Ρ				Ρ	JDS	
Epilobium hirstum	Great Willow-herb															F	>			Ρ	JDS	
Epilobium montanum	Broad-leaved Willowherb										P									Ρ	JDS	
Epilobium parviflorum	Hoary Willowherb												Ρ							Ρ	JDS	
Eranthis hyemalis	Winter Aconite	Ρ	CFR																	E		Seen in plantation on Gog Magog Hills in 1879 (CFR), then no records until 2009, when it was noted at 604.480 (section 8) (DJB)
Erophila verna	Common Whitlow-	Ρ	CFR																	Е		First and only record in 1861 (CFR)
Euonymus europaeus	grass Spindle	Ρ	CFR, SL,			Ρ	 0	0	R	F	F	A	0	R	F	0		R		Ρ	JDS, DJB	Mostly apparently planted in section 2 (DJB)
Euphorbia exigua	Dwarf Spurge	Р	BSBI BSBI										Р							Р	JDS	
Euphorbia helioscopia			BSBI								P									P	JDS	
Euphorbia lathyris Euphorbia peplus	Caper Spurge Petty Spurge										P									P P	JDS JDS	
Euphorbia x Euphorbia x pseudovirgata	A hybrid spurge	Ρ	CFR, SL, BSBI						Ρ											P		Known from Section 2c since 1964, over a relatively limited stretch (CFR); this colony has recently been subject to eradication efforts. Another colony was noted "near Copley Hill" in 1958 (CFR), but this is apparently now gone.
Euphrasia nemorosa	Common Eyebright																			E?		Part of a difficult group; "Euphrasia micrantha" was seen in 1905-6 (CFR), but it is not clear how it would be
Euphrasia pseudokerneri	Chalk-hill Eyebright	Ρ	CFR																	E?		correctly classified now Seen "above Hildersham" in 1945 (CFR), and last seen in 1958 (CFR).
Fagus sylvatica	Beech	Ρ	SL,	┢	$\left \right $		 	Р			-	\vdash		$\left \right $						Ρ	JDS	See also notes for E. nemorosa
Fallopia convolvulus	Black-bindweed	Р	BSBI BSBI	+					1		P							\vdash		Р	JDS	
Festuca arundinacea	Tall Fescue		CFR,	t	1									1		F)			P	JDS	
Festuca gigantea	Giant Fescue		BSBI	┢	i	5		\vdash	-	-	-	\vdash						\vdash		Р	JDS	
Festuca ovina	Sheep's Fescue	Ρ	CFR, SL, BSBI																	?		Seen in 1997 from tetrad 54Z (CFR); noted as "locally frequent" in sections 1- 2 and 3-4 in 1998 (SL)
Festuca pratensis Festuca rubra	Meadow Fescue Red Fescue	P P	CFR SL,	-								-				F	>	\neg	_	? P	JDS	First and only record in 1938 (CFR)
Ficaria verna	Celandine		BSBI	<u> </u>	<u> </u>						P	<u> </u>		<u> </u>		P			_		JDS	
{Ranunculus ficaria}		D		_	<u> </u>			_	Р	Р	1			<u> </u>								
Filipendula vulgaris	Dropwort		CFR, BSBI						۲	۲											JDS, DJB	
Fragaria vesca	Wild Strawberry	Ρ	CFR																	E?		First and only record in "Wood by Roman Road" in 1939 [perhaps the
Fraxinus excelsior	Ash	Ρ	CFR, SL,					Р	ļ											Ρ	JDS	plantation in section 1b] (CFR)
			BSBI																			

Fumaria officinalis	Common Fumitory	Р	BSBI	T	1			1	1	1			1	1 1		Р			D	IDC	
Galanthus nivalis	Common Fumitory Snowdrop	F	DODI	-						_		-				P	_		P P	JDS JDS	
Galium album {Galium	Hedge Bedstraw	Р	CFR,						Р	_						P			P	JDS	
mollugo}			SL,		1				•							•	1				
5-5			BSBI																		
Galium aparine	Cleavers	Р	SL,						Р							Р			Ρ	JDS	
			BSBI																		
Galium verum	Lady's Bedstraw	Р	CFR,						Р						R				Ρ	JDS,	
			SL,																	DJB	
			BSBI																		
Genista tinctoria	Dyer's Greenweed		CFR																E		First and only record in 1885 (CFR)
Gentianella amarella	Autum Gentian	Р	CFR																E		Last seen in 1940 (CFR)
Geranium molle	Soft Cranesbill	_														Р			P	JDS	
Geranium pratense	Meadow	Р	CFR																Е		Last seen 1946, from the section
0	Cranesbill	-	OFR																		adjacent to the golf course (CFR) A pale-flowered form (f. pallida) was
Geranium pyrenacium	Hedgerow	Р	CFR								Р								Ρ	JDS	
	Cranesbill Herb-Robert	D	BSBI	-					Р			-				Р	_		Р	JDS	seen in 1904 (CFR)
Geranium robertianum	Herb-Robert	Р	B2BI						Р							Р			Р	JD2	
Geum urbanum	Wood Avens	D	SL,	-					Р	-		-			1	Р			Р	JDS,	
Geumunbanum	WOOU Avens	Г	BSBI						Г							Г			г	DJB	
Glechoma hederacea	Ground-ivy	P	SL,						Р							Р			Р	JDS	
Cicchonia nederacea	Circuita ivy	•	BSBI																•	000	
Hedera helix	lvy	Р	SL,						Р							Р			Р	JDS	
	,	•	BSBI						•							•				000	
Helianthemum	Rock-rose	Р	CFR,						F						1				Р	JDS	Seen at 495.544 (section 1a) in 1961
nummularium		-	SL,						-										-		(CFR). Abundant in places in Section 2a
			BSBI																		(DJB)
Helianthus tuberosus	Jerusalem	Р	CFR						T										Е		First and only record in 1957, "past
	Artichoke		[1	1							1					1				Babraham Road on way to Cambridge"
				1	1							1					1				(CFR). This indicates that it was in
				1								1					1				section 2 although the grid reference
																					(53.50) suggests otherwise
Helminthotheca	Bristly Ox-tongue	Р	CFR	1					Р	1		1							Р	JDS	
echioides {Picris	,		l .	1								1									
echioides}			L	1	1						_		L	LI				L			
Heracleum	Hogweed	Ρ	SL,	1					Р			1				Р			Р	JDS	
sphondylium	-		BSBI																		
Hesperis matronalis	Dame's Violet	Ρ	CFR																Е		First and only record in 1990, growing
																					on dumped garden rubbish (CFR)
Hippocrepis comosa	Horseshoe Vetch	Ρ	CFR,						R										Ρ	CFR	Seen "by golf course" in 1939 (CFR).
			SL,																		Noted as "rare" in Sections 3-4 in 1998
			BSBI																		(SL)
Holcus lanatus	Yorkshire-fog	Р	CFR,													Р			Ρ	JDS	
			BSBI																		
Hordelymus europaeus	Wood Barley	Р	SL																?		First and only record from Sections 1-2
																					in 1998, where it was "locally frequent"
																					(SL)
Hordeum distichon	Two-rowed Barley												Р							JDS	
Hordeum murinum	Wall Barley	Р	BSBI	_	F	2													P	JDS	
Humulus lupulus	Нор	_	055	_								_			- 1	Р			P	JDS	
Hyacinthoides	Hybrid Bluebell	Р	CFR		F	,													Ρ	JDS	First seen in 1991, amongst a heap of
hispanica x non-scripta																					rubbish (CFR)
	Diveball	P			1										Б		1.5				First sated in costings 5 and 8 in 8800
Hyacinthoides non-	Bluebell	Ρ	CFR,												R	Р	LF		Ρ	JDS	First noted in sections 5 and 8 in 2009
scripta			BSBI																		(DJB) and in section 6 in 1992 (CFR,
												_				_	_			100	entry for Primula elatior)
Hypericum hirstum	Hairy St John's-															R			Ρ	JDS,	
	wort	_	01									_			-	-	_			DJB	
Hypericum perforatum	Perforate St	Р	SL,						Р		LA				F	F			Ρ	JDS,	
11	John's-wort		BSBI						-									_		DJB	F irst and a low and at 004 470 is 0000
Hypericum tetrapterum	Square-stalked St																	R	Ρ	DJB	First and only record at 624.476 in 2009
	John's-wort	P	CED		+		\vdash			\rightarrow			1								(DJB) First and only report in 1909 pear
Hypochaeris maculata	Spotted Cat's-ear	Р	CFR	1	1						1										First and only record in 1898 near Worsted Lodge (CFR)
	1																		Е		
	Common Catta a	P	CI						P								_				Worsted Lodge (CFR)
Hypochaeris radicata	Common Cat's-ear	Ρ	SL						Ρ											JDS	Worsted Lodge (CFR)
		Ρ	SL						Р										Ρ		Worsted Lodge (CFR)
llex aquifolium	Holly	Ρ	SL		F	>			Р			E							P	JDS	Worsted Lodge (CFR)
	Holly Ploughman's	P	SL		F	>			P		P	F							Ρ	JDS JDS,	Worsted Lodge (CFR)
llex aquifolium Inula conyzae	Holly Ploughman's Spikenard				F	>			P		P	F			P				P P P	JDS JDS, DJB	
llex aquifolium	Holly Ploughman's		SL CFR		F	2			P		P	F			P				P	JDS JDS, DJB	First seen in 1959, "one plant in Beech
llex aquifolium Inula conyzae	Holly Ploughman's Spikenard				F	>			P		P	F			P				P P P	JDS JDS, DJB	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest
llex aquifolium Inula conyzae	Holly Ploughman's Spikenard				F	2			P		P	F			P				P P P	JDS JDS, DJB	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in
llex aquifolium Inula conyzae	Holly Ploughman's Spikenard				F				P		P	F			P				P P P	JDS JDS, DJB	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007
llex aquifolium Inula conyzae Iris foetidissima	Holly Ploughman's Spikenard Stinking Iris	P	CFR		F	>			P		P	F			P				P P P	JDS JDS, DJB	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS)
llex aquifolium Inula conyzae	Holly Ploughman's Spikenard	P			F	>			P		P	F			P				P P P	JDS JDS, DJB	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus	Holly Ploughman's Spikenard Stinking Iris Hard Rush	P	CFR		F				P		P	F			P				P P P	JDS JDS, DJB	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper	P	CFR		F				P		P				P				P P P ?	JDS JDS, DJB JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved	P	CFR		F				P		P	F			P				P P P	JDS JDS, DJB JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen	Р Р Р	CFR BSBI CFR		F						P				P				P P P ? E P	JDS JDS, DJB JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved	Р Р Р	CFR BSBI CFR SL,		F				P		P				P				P P P ? E P	JDS JDS, DJB JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious	P P P	CFR BSBI CFR SL, BSBI		F						P				P				P P P ? E P	JDS JDS, DJB JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB)
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious Crested Hair-	P P P	CFR BSBI CFR SL, BSBI CFR,		F						P				P				P P P ? E P	JDS JDS, DJB JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious	P P P	CFR BSBI CFR SL, BSBI CFR, SL,		F						P				P				P P P ? E P	JDS JDS, DJB JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious Crested Hair- grass	P P P	CFR BSBI CFR SL, BSBI CFR,		F				P		P				P				P P P ? E P ?	JDS JDS, DJB JDS JDS DJB	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha Lactuca serriola	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Filuellen Field Scabious Crested Hair- grass Prickly Lettuce	P P P	CFR BSBI CFR SL, BSBI CFR, SL,		F										P				P P P P ? E P ? ?	JDS JDS, DJB JDS DJB JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha Lactuca serriola Lactuca virosa	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious Crested Hair- grass Prickly Lettuce Great Lettuce	P P P P	CFR BSBI CFR SL, BSBI CFR, SL, BSBI						P		P				P				P P P P ? E P ? P P P	JDS JDS, DJB JDS DJB JDS JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha Lactuca serriola	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Filuellen Field Scabious Crested Hair- grass Prickly Lettuce	P P P P	CFR BSBI CFR SL, BSBI CFR, SL, BSBI SSL,						P						P	P			P P P P ? E P ? ?	JDS JDS, DJB JDS DJB JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in
Ilex aquifolium Inula conyzae Iris foetidissima Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha Lactuca serriola Lactuca virosa Lamium album	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious Crested Hair- grass Prickly Lettuce Great Lettuce White Dead-nettle	P P P P	CFR BSBI CFR SL, BSBI CFR, SL, BSBI SL, BSBI						P						P	P			P P P P P P P P P P	JDS JDS, DJB JDS DJB JDS JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in 1998 (SL)
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha Lactuca serriola Lactuca virosa	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious Crested Hair- grass Prickly Lettuce Great Lettuce	P P P P	CFR BSBI CFR SL, BSBI CFR, SL, BSBI SSL,						P						P	P			P P P P ? E P ? P P P	JDS JDS, DJB JDS DJB JDS JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in 1998 (SL) First and only record from the "N end" in
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha Lactuca serriola Lactuca virosa Lamium album Lamium amplexicaule	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious Crested Hair- grass Prickly Lettuce Great Lettuce White Dead-nettle Henbit Dead-nettle	P P P P	CFR BSBI CFR SL, BSBI CFR, SL, BSBI SL, BSBI						P						P	P			P P P ? E P ? P P P P P P P	JDS JDS, DJB JDS DJB JDS JDS JDS JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in 1998 (SL)
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha Lactuca serriola Lactuca virosa Lamium album Lamium amplexicaule Lamium hybridum	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious Crested Hair- grass Prickly Lettuce Great Lettuce White Dead-nettle Henbit Dead-nettle Cut-leaved Dead-	P P P P P P	CFR BSBI CFR SL, BSBI CFR, SL, BSBI CFR SL, BSBI						P				P		P	P			P P P ? E P P P P P P P	JDS JDS, DJB JDS DJB JDS JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in 1998 (SL) First and only record from the "N end" in 1940 (CFR)
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha Lactuca serriola Lactuca virosa Lamium album Lamium amplexicaule	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious Crested Hair- grass Prickly Lettuce Great Lettuce White Dead-nettle Henbit Dead-nettle Cut-leaved Dead- Spotted Dead-	P P P P P P	CFR BSBI CFR SL, BSBI CFR, SL, BSBI SL, BSBI						P				P		P	P			P P P ? E P ? P P P P P P P	JDS JDS, DJB JDS DJB JDS JDS JDS JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in 1998 (SL) First and only record from the "N end" in 1940 (CFR) First and only record in 1975, at 496.544
Ilex aquifolium Inula conyzae Iris foetidissima Juncus inflexus Juniperus communis Kickxia elatine Knautia arvensis Koeleria macrantha Lactuca serriola Lactuca virosa Lamium album Lamium amplexicaule Lamium hybridum	Holly Ploughman's Spikenard Stinking Iris Hard Rush Juniper Sharp-leaved Fluellen Field Scabious Crested Hair- grass Prickly Lettuce Great Lettuce White Dead-nettle Henbit Dead-nettle Cut-leaved Dead-	P P P P P P P P P	CFR BSBI CFR SL, BSBI CFR, SL, BSBI CFR SL, BSBI		F				P				P		P	P			P P P P P P P P P P P P E E	JDS JDS, DJB JDS DJB JDS JDS JDS JDS	First seen in 1959, "one plant in Beech hedge bottom c. 150 yds beyond crest of hill" (CFR). A spreading patch in hedgerow at 570.494 (section 5) in 2007 (JDS) First and only record from 54- in 1992 (BSBI). Probably still present Last seen "near Hildersham" in 1860 By new fence at Gunner's Hall track junction in 2009 (DJB) Noted as "occasional" in Sections 1-2 and "locally frequent" in Sections 3-4 in 1998 (SL) First and only record from the "N end" in 1940 (CFR)

Lapsana communis	Nipplewort	Р	SL,									Р			Ρ			Р	JDS	
Larix decidua	Larch	P?	BSBI CFR			_												E		The 1939 record "Beech wood at N end
																				of Via Devana" (CFR) may or may not have been the woodland in section 1b
Lathyrus pratensis	Meadow Vetchling	Р	SL									Р				-		Р	JDS	
Lemna minor Leontodon hispidus	Lesser Duckweed Rough Hawkbit		SL,					Р									Ρ	P	JDS JDS	In stream at Mark's Grave (JDS)
		Г	BSBI					Г				 								
Leontodon saxatilis Lepidium draba	Lesser Hawkbit Hoary Cress	Р	CFR,									 			_	P P		P P	JDS JDS	
Ligustrum vulgare	Wild Privet	Ρ	BSBI CFR, SL,					Ρ							Р			Ρ	JDS	
Linaria vulgaris	Common Toadflax	Р	BSBI SL,			_	 	Р				 			1			Р	JDS	
Linum catharticum	Fairy Flax	Р	BSBI CFR,			_						 -				-		?		Last noted in 1998, when it was noted
			SL																	as "rare" on Sections 1-2 and 3-4. Likely still to be present
Linum perenne ssp. anglicum	Blue Flax		CFR, SL, NIC16															E?		Long-known from the road (especially the part adjacent to the golf course), but now probably extinct. Sections 1a and 1b: Sometimes very abundant, as in 1941 (CFR); noted from at least somewhere in sections 1a-c in 1972 (NIC16, p. 10); but apparently gradually diminishing, and last noted in 1990 (CFR). Noted to be unaffected by "the practice of carrying away the turf for use in Cambridge gardens" and "soon forming very fine plants on the bared places" in 1877 (CFR). Section 2b: Only seen here in 1975, at 518.526 (CFR), and in 1998, at 519.525 (SL). Section 2c: Only seen here in 1974, at 523.523 and 526.520 (CFR)
Linum usitatissimum	Cultivated Flax	Р	CFR, BSBI															E		First and only record in 1997, at "West Wickham" (CFR)
Lithospermum officinale	Common Gromwell	Ρ	CFR, SL,					0										Ρ	JDS	
Lolium perenne	Perennial Rye-	P	BSBI SL,							F	5				P			Р	JDS	
Lolium multiflorum x	grass A hybrid rye-grass	Р	BSBI CFR,												1	r		?		Seen at the junction with the Linton-
perenne	, injena i je grace		BSBI																	Balsham road (574.492) in 1990 and 1994 (CFR)
Lonicera periclymenum	Honeysuckle	Р	BSBI													P		Ρ	JDS	
Lotus corniculatus	Bird's-foot Trefoil	Ρ	CFR, SL, BSBI													Ρ		Ρ	JDS	
Lunaria annua	Honesty		DODI		P														JDS	
Luzula campestris	Field Wood-rush								R										DJB	First and only record at 521.523 (section 2c) in 2009 (DJB)
Lysimachia punctata	Dotted Loosestrife	Р	CFR															E?		First and only record in 1991, just E of the Hildersham-Balsham road (562.497) (CFR)
Mahonia aquifolium Malus pumila {Malus	Mahonia Apple		CFR CFR					Р		F	2							P P	JDS JDS	
domestica} Malus sylvestris sens.	Crab Apple		CFR					P							Р			г Р	JDS,	Noted on the Road at "Balsham" in 1939
lat.								F											DJB	(CFR)
Malus sylvestris sens. str.	Crab Apple	Р	BSBI							Ρ				Р	Ρ				DJB	
Malva neglecta Malva sylvestris	Dwarf Mallow Common Mallow	Р	SL,				 	Ρ							Р	P		P P	JDS JDS	
Marrumbium vulgare	White Horehound	Р	BSBI CFR															E		First and only record in 1860. Now
Matricaria discoidea	Pineapple-weed	Р	SL,			-		Ρ				 						Р	JDS	extinct in the county
Matricaria chamomilla {Matricaria recutita}	Scented Mayweed		BSBI					Ρ										Ρ	JDS	
Medicago arabica	Spotted Medick							Р										Р	JDS	
Medicago lupulina	Black Medick		CFR, SL							F	ر							Р	JDS	
Melampyrum cristatum	Crested Cow- wheat	Ρ	CFR															E		Only seen in 1923, by Borley Wood (CFR) and in 1953, at the Balsham end (CFR)
Melilotus altissimus Melilotus officinalis	Tall Melilot Ribbed Melilot	P	CFR,			1						Ρ						P ?	JDS	Recorders may not have distinguished
			SL																	M. altissimus and M. officinalis sensu stricto
Mercurialis perennis	Dog's Mercury	Р	CFR, BSBI												Р		LA	Ρ	JDS, DJB	Noted in section 6 in 1992 (CFR, entry for Primula elatior) and in section 8 in
Minuartia hybrida	Fine-leaved Sandwort	Ρ	CFR		\vdash										-			 E		2009 Only seen in 1885 and 1898 (CFR)
Muscari armeniacum	Grape-hyacinth	Р	CFR		H									Ρ		-		Р	JDS	Seen near golf course in 1987 (CFR)
Muscari neglectum Mycelis muralis	Wild hyacinth Wall Lettuce			-	\vdash			Р					-		-	Ρ		 P P	JDS JDS	

Myosotis arvensis	Field Forget-me- not	Ρ	BSBI											Ρ							Ρ	JDS	
Narcissus agg.	Daffodil								Р								F	c			Ρ	JDS	
Nasturtium officinale	Water Cress																		Ρ		Ρ	JDS	Stream at Mark's Grave (JDS)
{Rorippa nasturtium- aquaticum agg.}																							
Neottia ovata {Listera	Twayblade	Р	BSBI																		?		Seen in 54- in 1992, but no further
ovata}	-																						location details given (BSBI)
Nepeta cataria	Cat-mint	Ρ	CFR, SL,	R								Ρ	R								Ρ	JDS, DJB	
Odontites vernus	Red Bartsia	Ρ	BSBI CFR, SL,									Р									Ρ	JDS	
		_	BSBI																				
Onobrychis viciifolia	Sainfoin	Ρ	CFR, SL									Ρ									Ρ	JDS	Not clear whether these records refer the native or agricultural varieties, or both
Ononis repens	Common Restharrow	Ρ	CFR, SL, BSBI		1	5															Ρ	JDS	
Ononis spinosa	Spiny Restharrow	Р	CFR	Р								Р									Р	JDS	
Orchis maculata	Early Purple- orchid	Ρ	CFR																		E		First and only record from the "small copse adjoining the Roman Road" (section 6) in 1898 (CFR)
Origanum vulgare	Wild Marjoram	Ρ	CFR, BSBI														R	A			Ρ		Long known in section 7 ("Mark's Grave Marjoram Bank"), but 1 plant also found in section 6 in 2009 (DJB)
Orobanche elatior	Tall Broomrape	Ρ	CFR, SL, BSBI,						Ρ	1	R	0	0					0	R		Ρ	JDS, DJB	Seen from sections 1a-c in 1972 (NIC16, p. 10). Noted to be "rare" in Sections 3-4 in 1998 (SL)
Papaver dubium	Long-headed	Р	NIC16 SL	-		$\left - \right $						<u> </u>	<u> </u>				Р				Р	JDS	
i apavei uubiulli	Poppy											1	1				Г				r	505	
Papaver hybridum	Rough Poppy																	Ρ			Ρ	JDS	
Papaver rhoeas	Common Poppy Herb-Paris		BSBI CFR									P									P	JDS	First and anti-manual frame that "are all
Paris quadrifolia	Herd-Paris	Р	CFR																		E		First and only record from the "small copse adjoining the Roman Road" (section 6) in 1898 (CFR)
Pastinaca sativa	Wild Parsnip	Ρ	SL,						Р												Ρ	JDS	
Desteelettie	Green Alkanet	Р	BSBI BSBI						1	1										_	0		First and ash, recent is 1000 from
Pentaglottis sempervirens	Green Aikanet	Р	B2BI																		?		First and only record in 1996, from sections 1-2 (BSBI). Probably still present
Phleum bertolonii	Smaller Cat's-tail		CFR, SL, BSBI		I	5															Ρ	JDS	
Phleum pratense	Timothy		BSBI						Р	I											Р	JDS	
Picris hieracioides	Hawkweed Ox-				R																Р	JDS	
Dit 11 (11)	tongue	_	DODI																			100	
Pilosella officinarum Pimpinella saxifraga	Mouse-ear Lesser Burnet-		BSBI SL,						P			P I					Р			_	P P	JDS JDS	
i inpinona oasinaga	saxifrage		BSBI						•								•				•	020	
Pinus sylvestris	Scots Pine		CFR					Ρ	P								P				P	А	Long present as a small plantation at 516.528 (junction of sections 2a and 2b), where it was known as "Deal Pen" (RRSA, where comparative photos from ca. the 1940s and October 2003 can be seen). The older photograph appears in "Wild Flowers of Chalk and Limestone" by J.E. Lousley (second edn, 1969, plate 28)
Plantago lanceolata	Ribwort Plantain	Р	SL, BSBI						Р								Р				Р	JDS	
Plantago major	Great Plantain	Ρ	CFR, SL,						Ρ								Ρ				Ρ	JDS	
Plantago media	Hoary Plantain	Ρ	BSBI CFR, SL,						Ρ								Ρ				Ρ	JDS	
Poa angustifolia	Narrow-leaved Meadow-grass		BSBI														F	0			Ρ	JDS	
Poa annua	Annual Meadow-	Ρ	SL,						Р			1					Ρ				Ρ	JDS	
Poa compressa	grass Flattened Meadow- grass		BSBI											Ρ	I						Ρ	JDS	
Poa pratensis	Common Meadow-	Р	BSBI	İ	l				1	1		1	1				F	2			Ρ	JDS	
Poo nomeralia	grass Wood Moodow				L,	5						 									P		
Poa nemoralis	Wood Meadow- grass		L		-	_						L	L	L							Ρ	JDS	
Poa trivialis	Rough Meadow-	Р	SL,														F	0			Ρ	JDS	
Polygala vulgaris	grass Common Milkwort	Р	BSBI CFR																		E		First and only record made in the time of
Polygonum arenastrum	Equal-leaved								P			\vdash	_								P	JDS	the Victorian botanists
	Knotgrass	-	BODI						-	-	<u> </u>	<u> </u>		<u> </u>							0		Least noted in 1007, in particular 7.0
Polygonum aviculare agg.	Knotgrass	Р	BSBI									1									?		Last noted in 1997, in sections 7-9 (BSBI), but very likely still present
Populus alba x tremula	Grey Poplar	Р	CFR																		E?		First and only record made in 1939
Populus tremula	Aspen	Ρ	CFR																		E?		(CFR) First and only record made in the time of the Victorian botanists (CFR)
Potentilla anserina	Silverweed	Ρ	SL,									P									Ρ	JDS	(
Potentilla x mixta	A hybrid cinquefoil		BSBI													Р					Р	JDS	
	ing and an inquoton																						

Potentilla neumanniana	Spring Cinquefoil	Ρ	CFR																E		Known to the Victorian botanists from the northern end (sections 1a and 1b), and then only in 1931 and 1965 (CFR); an excursion in 1972 (sections 1a-c) concluded that it had "finally
Potentilla reptans	Creeping Cinquefoil	Ρ	SL, BSBI									P				Р			Р	JD	disappeared" (NIC16, p. 10) S
Poterium sanguisorba ssp. sanguisorba {Sanguisorba minor ssp. minor}	Salad Burnet	Ρ	CFR, SL, BSBI						Ρ		Ρ		R						P	DJ	 S, 1 plant seen at top of hill (section 4b) in 2008 (DJB). Noted to be unaffected by "the practice of carrying away the turf for use in Cambridge gardens" in 1877 (CFR)
Primula elatior	Oxlip	Ρ	CFR																E		First and only record in 1939, "near Borley Wood" (CFR)
Primula veris	Cowslip		CFR, SL,									P	LF	LF					P	JD DJ	S, Seen at 575.489-584.487 (section 6/7)
Primula veris x vulgaris	A hybrid primula		BSBI CFR																?		6 plants seen in 1939 "S of Balsham" (section 6 or 7) in 1939 (CFR); one possible candidate between 575.489 and 584.487 (section 6 or 7) in 1992 (CFR)
Primula vulgaris	Primrose	Ρ	CFR, BSBI													LF			Ρ	DJ	
Prunella vulgaris	Self-heal	Ρ	SL, BSBI						Ρ							Р			Р	JD	6
Prunus avium	Wild Cherry	Ρ	SL																?		First and only record from 1998, when it was noted as being "rare" in Sections 1- 2 (SL). My knowledge of the site suggests this is probably a planting and/or or a case of mistaken identity (DJB)
	Cherry Plum Wild Plum				P	'										P			P	JD	
	Blackthorn	Ρ	CFR, SL, BSBI					1	Ρ	1									P	JD	
Pulsatilla vulgaris	Pasqueflower	Ρ	CFR																E		Known to the Victorian botanists (CFR); noted as being "very uncommon" in 1939 (CFR); last seen in 1952 on the section adjacent to the golf course (CFR); the site was ploughed up in 1956 (CFR)
Quercus ilex Quercus robur	Evergreen Oak Pendunculate Oak	P	SL		P	,			Р							Р			P	JD	
	Goldilocks		CFR						•	1									E?	DJ	
	Buttercup Bulbous Buttercup		SL,									P							P	JD	Borley Wood in 1932 and 1993 (CFR)
	Creeping Buttercup		BSBI SL, BSBI									Р				Р			Ρ	JD	
Raphanus raphanistrum	Wild Radish																	Р	P	JD	5
Reseda lutea	Wild Mignonette		CFR, SL, BSBI													Р			Ρ	JD	5
Rhamnus cathartica	Buckthorn	Р	CFR, SL, BSBI						Ρ						A				Ρ	JD: DJ	
Rhinanthus minor	Hayrattle		CFR, SL		LF					Ρ			LA						P	JD DJ NL	3,
Rosa arvensis Rosa arvensis x canina	Field Rose A hybrid rose	Р	CFR													Ρ			P ?	JD	
Rosa canina agg.	Dog Rose		SL, BSBI	1					Ρ	I						Р	\uparrow	+	P	JD	Group Transitorae seen at 575.491
Rosa canina x stylosa	A hybrid rose		BSBI	\vdash	╞┼							\vdash					+	+	?	┢	(section 6) in 1992 (CFR) Seen at 579489 (section 6) in 1992
	A hybrid rose		BSBI		P	1													Р	JD	
Rosa micrantha	Small-leaved Sweet-briar	Р	CFR			Ī													E		First and only record in 1939 near Borley Wood (CFR)
Rosa obtusifolia	Round-leaved Dog Rose	P?	CFR																?		Seen in the first part of the 20th century, although the description ("By Via Devana and Madingley Avenue, Girton")
Rosa rubiginosa	Sweet-briar	Р	CFR	\vdash	$\left \right $					LA						\vdash	+	+	P	JD DJ	
Rosa stylosa	Short-styled Field			\vdash	$\left \right $		Ρ					\square			Ρ	\vdash	+	+	P	JD	
Rosa tomentosa	Rose Harsh Downy	Р	CFR,	\mathbf{T}												Ρ	+	+	P	JD	
Rubus armeniacus	Rose A bramble		BSBI													Р			P	CF JD	3
Rubus babingtonianus Rubus caesius	A bramble Dewberry		CFR SL,						Р							P		_	? P	JD	Last record opposite Borley Wood in 1953 (CFR) S
	A bramble		BSBI CFR	-	\vdash					1							_		?	-	First and only record in 1950 (CFR)
Rubus dasyphyllus	A bramble	Ρ	CFR																?		Near Balsham, first noted in 1854 (CFR)
Rubus fruitcosus agg.	Bramble		CFR, SL, BSBI						Ρ							Ρ			P	JD	5

Rubus halsteadensis	A bramble	Ρ	CFR																	?	?		Last record opposite Borley Wood in
Rubus radula	A bramble	P	CFR	-																?	2		1955 (CFR) First and only record in 1954 (CFR)
Rubus ulmifolius	A bramble					Р											Р			F		JDS	
Rubus warrenii	A bramble	Ρ	CFR																	?	?		First and only record near Borley Wood
Rumex acetosa	Common Sorrel	Р	BSBI	-					Р								Р			F	>	JDS	in 1957 (CFR)
Rumex crispus	Curled Dock	Ρ	BSBI									P								F	D	JDS	
Rumex obtusifolius	Broad-leaved	Р	SL, BSBI						Ρ								Ρ			F	2	JDS	
Rumex sanguineus	Dock Wood Dock	Р	BSBI	-					Р								Р			F	>	JDS	
Salix caprea	Goat Willow	Ρ	SL,									R					F	2		F	>	JDS,	
Sambucus nigra	Elder	Р	BSBI CFR,	_					P								Р			F		DJB JDS,	
Sambucus nigra	LIGEI	F	SL,						Г								Г					DJB	
Sanicula europaea	Sanicle		BSBI	-	R	Р														F	>	JDS	
Scabiosa columbaria	Small Scabious	Ρ	CFR,						Р											F		JDS	
			SL,																				
Scorzoneroides	Autumn Hawkbit	Р	BSBI SL,									P							_	F	>	JDS	
autumnalis {Leontodon autumnalis}			BSBI																				
Senecio erucifolius	Hoary Ragwort	Р	SL						Р											F	>	JDS	
Senecio jacobea	Ragwort		CFR,						Ρ											F		JDS	
			SL, BSBI																				
Senecio vulgaris	Common	Р	BSBI						Ρ		1	P					Р			F	2	JDS	
Setaria pumila	Groundsel Yellow Bristle-			+		├					-		R							F	2	JDS	
Setana punna	grass																					000	
Sherardia arvensis	Field Madder	Ρ	CFR											Ρ						F		JDS	
Silene dioica	Red Campion				I	Ρ														P	?	JDS	[A rare plant in Cambs, and this end of the Roman Road seems an unlikely site for it, at least as a true native - perhaps mistaken for the hybrid with White Campion? DJB]
Silene dioica x latifolia	A hybrid campion				l	Р				Р										F	þ	JDS	A "good patch" in section 2c in 2001
Silene latifolia	White Campion	Р	SL,		T									Р						F	>	JDS	(CFR)
Silene noctiflora	Night-flowering		BSBI												1			R		F	5	JDS	
Silene nociliora	Catchfly																	п				103	
Silene vulgaris	Bladder Campion	Р	SL,																	?	?		Noted as "rare" in Sections 1-2 and
			BSBI																				"occasional" in Section 3-4 in 1998 (SL)
Sinapsis arvensis	Charlock	Р	BSBI									P					Р			F	>	JDS	
Sisymbrium officinale	Hedge Mustard	Ρ	SL,						Ρ								Ρ			F	2	JDS	
Solanum dulcamara	Woody	Р	BSBI CFR,	-								P								F	>	JDS	
	Nightshade		SL,																			000	
			BSBI	_								1									_	10.0	
Solanum nigrum Solanum physalifolium	Black Nightshade Green Nightshade								Р		Р									F		JDS JDS	On earth bank erected to prevent
oolanan physainsian	and of the second and the																						access to the road from A11 (JDS)
Solidago canadensis	Canadian											R								F		JDS	
Sonchus arvensis	Fleabane Field Sowthistle			-								P								F	>	JDS	
Sonchus asper	Prickly Sowthistle	R	BSBI									P								F	C	JDS	
Sonchus oleraceus	Smooth Sowthistle		CI	_					Р											F		JDS	First and only record in 1000 when it
Sorbus aria agg.	Whitebeam	٢	SL																	?	f		First and only record in 1998, when it was noted as being "rare" in Sections 1- 2 (SL). The species is an introduction in Cambs, and is almost certainly planted here (DJB)
Stachys arvensis	Field Woundwort	Ρ	CFR																	E	?		First and only record from tetrad 55K
Stachys sylvatica	Hedge Woundwort			-	-							<u> </u>					Р		-+	F	5	JDS	(section 4) in 1992 (CFR)
Stellaria holostea	Common	Р	BSBI)	0	F		JDS,	
0	Stitchwort	_	DODI		_												_					DJB	
Stellaria media Symphytum officinale x	Common Russian Comfrey	Р	BSBI	-	\vdash	-				<u> </u>	<u> </u>	P				Р	Р			F		JDS JDS	
	_																						
asperum			SL			1			Ρ		<u> </u>	1				Щ	ШŢ		$-\top$	F		JDS	Drobobly introduced with readers with
Tamus communis	Black Bryony	Р				•	Р			1	l I	1								F		JDS	Probably introduced with garden rubbish (JDS)
		Р																					
Tamus communis Tanacetum parthenium Taraxacum			CFR																	?	?		First and only record at 495.544 (section
Tamus communis Tanacetum parthenium Taraxacum brachyglossum	Feverfew A dandelion	Р	CFR						P													JDS	
Tamus communis Tanacetum parthenium Taraxacum brachyglossum Taraxacum officinale agg.	Feverfew A dandelion Dandelion	P P	CFR SL, BSBI						P											F	2	JDS	First and only record at 495.544 (section 1a) in 1967 (CFR)
Tamus communis Tanacetum parthenium Taraxacum brachyglossum Taraxacum officinale agg. Taraxacum	Feverfew A dandelion	P P	CFR SL,						Р												2	JDS	First and only record at 495.544 (section
Tamus communis Tanacetum parthenium Taraxacum brachyglossum Taraxacum officinale agg.	Feverfew A dandelion Dandelion	P P	CFR SL, BSBI			P			P											F	?	JDS	First and only record at 495.544 (section 1a) in 1967 (CFR)
Tamus communis Tanacetum parthenium Taraxacum brachyglossum Taraxacum officinale agg. Taraxacum tenebricans	Feverfew A dandelion Dandelion A dandelion	P P	CFR SL, BSBI			P			P							R				F	> ? >	JDS JDS,	First and only record at 495.544 (section 1a) in 1967 (CFR) First and only record in 1967 (CFR) First seen in 2007, in a spot at 564.496, where it is abundant for several metres
Tamus communis Tanacetum parthenium Taraxacum brachyglossum Taraxacum officinale agg. Taraxacum tenebricans Taxus baccata	Feverfew A dandelion Dandelion A dandelion Yew Lesser Meadow-	P P P	CFR SL, BSBI			P			P							R				F ? F	> ? > =	JDS JDS, DJB	First and only record at 495.544 (section 1a) in 1967 (CFR) First and only record in 1967 (CFR) First seen in 2007, in a spot at 564.496,

Tilia cordata	Small-leaved Lime							Ρ											Ρ	JDS	
Tilia platyphyllos	Large-leaved Lime			-	F	5	 -							-					P	JDS	
Tilia platyphyllos x	Lime				F	5													Р	JDS	
cordata		Р																			
Torilis japonica	Upright Hedge- parsley		SL, BSBI					Р												JDS	
Torilis nodosa	Knotted Hedge- parsley	Ρ	CFR																Е		First and only record in 1939 (CFR)
Tragopogon pratensis	Goatsbeard	Ρ	CFR, SL, BSBI												1	P			Ρ	JDS	First and only record in 1932
Trifolium arvense	Hare's-foot Trefoil		CFR																E		First and only record in 1939 (CFR)
Trifolium campestre	Hop Trefoil	Ρ	SL																?		Noted as "rare" in Sections 3-4 in 1998 (SL)
Trifolium fragiferum	Strawberry Clover														Р	Ρ			Ρ		Seen at 583.487 (section 6) in 2003 (BSBI)
Trifolium incarnatum	Crimson Clover	Ρ	CFR																E		First and only record in 1952, between Borley Wood and Mark's Grave (section 7). Almost certain to be as a relic of cultivation
Trifolium ochroleucon	Sulphur Clover		CFR																E		First and only record in 1943, near Worsted Lodge (CFR)
Trifolium pratense	Red Clover	Ρ	SL, BSBI					Ρ											Ρ	JDS	
Trifolium repens	White Clover	Р	SL,	\vdash				Ρ											Ρ	JDS	
Tripleurospermum	Scentless	Р	BSBI SL,	╞	\vdash			Ρ		-	-	╞	-	\vdash	 \vdash	╞	\vdash		Ρ	JDS	
inodorum Trisetum flavescens	Mayweed Yellow Oat-grass	Р	BSBI SL,	-	F	5								-	-		$\left - \right $	-	Ρ	JDS	
Triticum aestivum	Bread Wheat		BSBI	-						-		-	Р		-	-	$\left - \right $		Р	JDS	
Tulipa gesneriana	Tulip	Ρ	CFR																E	020	First and only record from a rubbish dump at 494.545 (section 1a) in 1993 (CFR)
Ulex europaeus	Common Gorse	P?	NL5																E		No certain records from the Road, but likely to have been present - J.M. Webb noted that, on a journey along the Road from Cambridge, "past Worsted Lodge the blackthorn appears, the gorse has vanished" (NL5)
Ulmus glabra	Wych Elm English Elm							Р							1	P			P P	JDS JDS	A record of "Ulmus sp." in 1998 (SL)
Ulmus procera	°							г	1												could have referred to this taxon
Ulmus minor Ulmus glabra x minor	Small-leaved Elm Huntingdon Elm			-	F	5										P			P P	JDS JDS	A record of "Ulmus sp." in 1998 (SL)
Urtica dioica	Common Nettle	P	CFR, SL,					Ρ							 P				Ρ	JDS	could have referred to this taxon
Urtica urens	Small Nettle		BSBI							I	5									JDS	
Valerianella locusta	Common Cornsalad	Ρ	CFR, BSBI																?		Seen in 1997 from tetrad 54Z (CFR)
Verbascum thapsus	Great Mullein	Ρ	SL		F	5			Р										P P	JDS	
Verbascum virgatum Veronica agrestis	Twiggy Mullein Green Field-						 		Р	Р									P	JDS JDS	On earth bank erected to prevent
Veronica beccabunga	Speedwell Brooklime																Р		P	JDS	access to the road from A11 (JDS) In stream at Mark's Grave (JDS)
Veronica chamedrys	Germander Speedwell	Ρ	SL, BSBI					Ρ							Р				Ρ	JDS	
Veronica hederifolia	lvy-leaved							Ρ											Ρ	JDS	
Veronica persica	Speedwell Common Field-	Р	BSBI										Р		Р			_	Ρ	JDS	
Viburnum lantana	Speedwell Wayfaring-tree	Р	BSBI				 			I	>	R			R			_	Ρ	JDS	One plant seen at 578.489 (section 6) in
Viburnum opulus	Guelder-rose	Р	CFR	-	_		 -						P		0				Р	JDS,	2008 (DJB)
Vicia cracca	Tufted Vetch	Р	SL,		F	5									F				Р	DJB JDS,	
Vicia hirsuta	Hairy Tare		BSBI SL												·				?	DJB	Surprisingly, the first and only record is
	.,																				from 1998, when it was noted as "locally frequent" in Sections 3-4 (SL)
Vicia faba	Broad Bean	-	055										Ļ		P	•			Р	JDS	
Vinca major	Greater Periwinkle	Р	CFR, SL, BSBI										Ρ		Р				Ρ	JDS	
Viola arvensis Viola hirta ssp.	Field Pansy Hairy Violet	P P	BSBI CFR	—	\square								Р				F		P E	JDS	Last seen in 1907, on the NW end of the
calcarea	-															_				D :=	road
<u>Viola hirta ssp. hirta</u> Viola hirta x odorata	Hairy Violet A hybrid violet	Р	BSBI		R				LA		Ρ					F	R		P	DJB JDS, DJB	A 2m x 1m patch seen at 603.480 (section 8) in 2009 (DJB). Also well- known from Mile Road by Copley Hill (CFR and DJB), although this is just off the Roman Road itself
Viola odorata var. dumetorum	Sweet Violet	P?	CFR									R	R	R			0		Ρ		Noted in 1947 in two places in section 1, but these may not have been strictly on the Road. Also 2 patches noted in section 8 in 2009, reported as "var. imberbis" (DJB), but may be better described as beardless var. dumetorum

Viola odorata var. odorata	Sweet Violet	Ρ	SL, BSBI	0	LF				R	F	F		R	Ρ		Noted as "rare" in Sections 3-4 in 1998 (SL). Frequent on steep wooded part of
																section 1d in 2009 (DJB)
Viola odorata var.	Sweet Violet					R								Ρ		A single plant with bright-pink flowers
subcarnea																~70m SE of the Copley Hill junction -
																but not typical var. subcarnea (JDS;
																DJB). Apparently gone by 2010 (DJB)
Viola reichenbachiana	Early Dog-violet				_							F		Ρ	JDS,	
															DJB	