Original HP large format printing materials & supplies

For graphics & technical applications





HP large format printing materials

Consistently outstanding image quality – that's what you see with HP large format printing materials. And with so many options in finish, size, and style, it's easy to find the ideal paper for almost any printing application.

Original HP printing materials are designed to work with the complete system – together with HP printing supplies and the HP DesignJet printer – to provide uncompromising quality, consistency, performance, durability, and value every time.

Ongoing HP innovation includes printing materials with ColorPRO Technology that perform to a strict set of specifications to meet industryleading performance standards. All products with ColorPRO Technology utilize advanced technologies which have been designed together with Original HP inks and HP printers to optimize printing system performance.

Explore the wide range of different types of printing materials, specifically designed to meet the demands of graphics and technical professionals.

Original HP inks and HP printing materials-good chemistry

Original HP inks and HP printing materials are designed together to provide image quality, durability, and consistency you can rely on. Reliable results enable increased productivity and reduced costs.

Original HP inks are more than just ink, and HP large format printing materials are far more than just paper. It's the chemical makeup of each, together with the carefully engineered interaction between the two, that make exceptional results possible. Image quality and consistency so predictable, it's almost cliché. Print permanence that's measured in generations, not months or years. Breakthrough innovations that give you real alternatives to traditional materials that, by nature, must trade off quality, durability, even environmental considerations. The unique chemistry between HP inks and HP large format printing materials changes all that – among the broad array of materials offered in the HP large format printing materials portfolio, you can have it all.








Science & technology

HP Thermal Inkjet technology

Inkjet is a digital printing technology that uses small drops of ink to form an image on a printed media. Drop-on-demand is one type of inkjet technology and it comes in two forms: Piezoelectric and Thermal. Piezoelectric inkjet technology uses mechanical means to eject ink. Thermal Inkjet technology uses heat to vaporize a thin layer of ink to form a bubble that expels a small drop of ink through an orifice or nozzle. These nozzles form part of a customer-replaceable printhead, which receives ink from ink cartridges via ink tubes.

In 1984, HP introduced the first inkjet printer, the 'Thinkjet.' This technology, initially introduced with small-format printers, was quickly adopted for the HP DesignJet large format line of printers.



Firing a nozzle with HP Thermal Inkjet technology

HP Thermal Inkjet inks

Traditional water-based inks (dye- or pigment-based) use water as the primary ink vehicle.

Dye-based inks


These inks contain colorant that provides extremely vivid colors, and are compatible with all inkjet coatings.

Pigment-based inks

Pigment-based inks contain finely ground pieces of a colored material. Due to their larger size, they are much more fade resistant than dye-based inks.

Traditional	water-based inks
Dye-based inks	Pigment-based inks
Dye	Pigment
<10 nanometers	20-200 nanometers
Dissolved in water	Dispersed in water
T series (colored inks)	T series (black ink only) Z series
	Dye-based inks Dye Oye 10 nanometers Dissolved in water

Cross section of an HP photo paper



Inkjet receptive coatings

HP develops inkjet receptive coatings for print media such as paper, photo papers, films, and canvas. HP coatings are designed together with HP inks and printers in order to achieve optimum image quality and durability. The components of these coatings are determined by the properties of the media, the customer's workflow, and the large format printer.

Currently, HP offers more than 30 different types of large format printing materials, most of which are coated materials. The coating can be of a porous nature (typically used in matte fiber-based papers) or it can be swellable (used in traditional inkjet photo papers and films). Each coating formulation may have up to 15 ingredients. HP may develop up to 100 different formulations before the final definitive one is chosen.

Photo papers

A traditional photo paper is made of several layers, including the paper base (fiber core), a top and bottom extruded polyethylene layer, and a light-sensitive coating. Photo papers used in inkjet printers have a similar structure, but the light-sensitive coating is replaced by a transparent coating capable of absorbing the water-based inks: the imaging layer. These coatings can be of a swellable or nano-porous nature.



Swellable coatings, optimized for Original HP dye-based inks

The swellable coating inflates (swells) as the ink is absorbed, then shrinks as water evaporates. This drying process may take some time and the dye is trapped inside the coating. Swellable coatings are only compatible with dye-based inks and they offer excellent fade resistance when designed together with dye-based inks.

Advantages:

- Permanence (dyes are protected inside polymers)
- Image quality
- Gloss uniformity

Limitations:

- Dry time
- Water resistance
- Pigment compatibility

Porous coatings, optimized for Original HP pigment-based inks

Also known as porous or instant-dry, these coatings consist of microscopic particles that are bonded together. These particles form an open, porous structure. The ink is drawn into these open spaces by the capillary action of the coating which occurs during the printing process. These coatings are compatible with both dye- and pigment-based inks. However, when used with dye-based inks, it is important to protect the print (i.e., with lamination), if durability is desired.

Advantages:

- Dry time
- Water resistance
- Gloss uniformity with dyes

Limitations:

- Permanence with dyes
- Scratch resistance with pigments
- Gloss uniformity with pigments

Value proposition


Value proposition of HP printing materials: image quality

Original HP large format printing materials make use of advanced HP-engineered coatings to take the guesswork out of producing high-quality, long-lasting prints. Designed together as a complete printing system, HP large format printers, Original HP inks, and HP printing materials deliver exceptional quality.


To achieve the best print quality results for every type of HP printing material, check for new 'paper presets' frequently at **HPLFMedia.com/paperpresets**.

Printing materials with ColorPRO Technology perform to a strict set of specifications to meet industry-leading performance standards. The specific technology behind media with ColorPRO Technology varies from product to product, however all products with ColorPRO Technology utilize advanced technologies which have been designed together with Original HP inks and HP printers to optimize printing system performance.

Swellable coatings subject the dye to light fade only



Porous coatings subject the dye to light and air fade







Value proposition of HP printing materials: permanence

Permanence refers to properties that define the ability of both the media and the printed image to resist light, air and humidity, fading, thermal degradation, and shelf-life issues.

HP designs and tests all of its inks and large format printing material combinations for optimal durability, knowing that different applications require different test requirements:

- Indoor, home and office display
- Indoor, commercial in-window display
- Outdoor display

HP performs all testing at HP facilities (San Diego, CA; Corvallis, OR; Barcelona, Spain; Singapore). In many cases, Wilhelm Imaging Research (WIR) verifies image permanence results. WIR has become a world-renowned, industry-leading third-party durability test facility for inkjet and other print technologies.

For example, Original HP Photo Inks (pigment-based inks), together with HP Professional Instant-dry Satin Photo Paper provide a display performance behind glass, indoors away from direct sunlight of up to 200 years (as per Wilhelm Imaging Research testing). In similar conditions, HP Premium Photo Papers (Gloss and Satin) printed with Original HP 711 inks last up to 70 years.

For more information, see HPLFMedia.com/hp/printpermanence.

Value proposition of HP printing materials: reliability

HP large format printing materials are designed and tested together with the HP printer and Original HP inks to provide a trouble-free printing experience. All Original HP printing materials are covered by an HP warranty. And in some cases, HP offers warranties tailored to specific sign and display application needs. For more information, see **HPLFMedia.com/MediaWarranties**.

Mechanical characteristics

The mechanical/physical properties of HP printing materials have a direct impact on printing reliability. HP designs and tests our printing materials to provide optimal media loading and paper advancement, which helps to avoid everyday printing issues, such as printhead crashes. Other important considerations during the design process are shown in the photo below:



Imaging characteristics

The imaging characteristics of the inkjet receptive layer developed by HP determine imaging properties as well as fade resistance and water resistance.





Value proposition of HP printing materials: environmental

1. Responsible sourcing and management

FSC®-certified HP printing materials (**HPLFMedia.com/ecosolutions**) carry the Forest Stewardship Council® (FSC) Mix label, signifying that these media support the development of responsible forest management worldwide.

- HP Bright White Inkjet Paper
- HP Coated Paper
- HP Everyday Instant-dry Gloss Photo Paper
- HP Everyday Instant-dry Satin Photo Paper
- HP Everyday Satin Photo Paper
- HP Heavyweight Coated Paper
- HP Matte Litho-realistic Paper, 3-in Core
- HP Natural Tracing Paper
- HP Premium Bond Paper, 3-in Core
- HP Premium Instant-dry Gloss Photo Paper
- HP Premium Instant-dry Satin Photo Paper
- HP Premium Matte Photo Paper
- HP Premium Poster Paper, 3-in Core
- HP Premium Satin Photo Paper
- HP Production Matte Poster Paper, 3-in Core
- HP Production Satin Poster Paper, 3-in Core
- HP Professional Gloss Photo Paper
- HP Professional Satin Photo Paper
- HP PVC-free Durable Smooth Wall Paper
- HP PVC-free Durable Suede Wall Paper
- HP PVC-free Wall Paper
- HP Satin Wrapping Paper, 3-in Core
- HP Special Inkjet Paper
- HP Super Heavyweight Pus Matte Paper, 3-in Core
- HP Universal Blueback Paper, 3-in Core
- HP Universal Bond Paper
- HP Universal Coated Paper
- HP Universal Gloss Photo Paper
- HP Universal Heavyweight Coated Paper
- HP Universal Instant-dry Gloss Photo Paper
- HP Universal Instant-dry Satin Photo Paper
- HP Universal Satin Photo Paper
- HP White Satin Poster Paper

Note: Not all FSC[®] certified products are available in all regions.





2. Recyclability and reuse


Many HP large format printing materials are recyclable through commonly available recycling programs. In addition, many other printing materials are eligible for free, convenient return and recycling through the HP Large Format Media take-back program¹ (see **HPLFMedia.com/ecosolutions)** including the following printing materials:

- HP Satin Wrapping Paper, 3-in Core
- HP Matte Litho-realistic Paper, 3-in Core
- HP Heavyweight Coated Paper
- HP Super Heavyweight Plus Matte Paper, 3-in Core

Value proposition of HP printing materials: consistency

Original HP large format printing materials, Original HP ink supplies, and HP DesignJet large format printers are designed together as a system to provide uncompromising image quality, consistency, performance, durability, and value every time.

Consistency is one key property considered during the manufacturing of HP printing materials. HP implements strict product qualification processes and Plan of Control (PoC) during the paper manufacturing and coating processes. This enables consistent and accurate results time after time. HP Super Heavyweight Plus Matte Paper is one example of this consistency. Its thick inkjet receptive layer is capable of uniformly holding all the ink during the printing process. This ability to uniformly hold the ink over the full width and length of the roll, as well as the paper's constant grammage across different rolls and manufacturing runs, is key. It enables a consistently high color gamut on this matte coated paper, plot to plot, roll to roll.



- ¹ HP Large Format Media take-back program availability varies. Some recyclable HP papers can be recycled through commonly available recycling programs. Recycling programs may not exist in your area. See <u>HPLFMedia.com/hp/</u> ecosolutions for details.
- ² Calculation by the HP IPG Environmental Technology Platform Team (and confirmed by an independent environmental life cycle assessment firm), based on the activities associated with the manufacturing of the product, and comparing 170 g/m² (5-ounce) HP HDPE Reinforced Banner to a traditional 440 g/ m² (13-oz) PVC scrim product using the Swiss Center for Life Cycle Inventories Ecoinvent 2.0 database and model IPCC 2007 version 1.02; primarily for the category of PVC/PET/HDPE, and measuring materials extraction, transportation to the manufacturing site, and greenhouse gas emissions generated during manufacturing.
- ³ Calculation by the HP IPG Environmental Technology Platform Team (and confirmed by an independent environmental life cycle assessment firm), based on the activities associated with the manufacturing of the product, and comparing 200 g/m² (6-ounce) HP Double-sided HDPE Reinforced Banner to a traditional 440 g/m² (13-oz) PVC scrim product using the Swiss Center for Life Cycle Inventories Ecoinvent 2.2 database and model IPCC 2007 version 1.02; primarily for the category of PVC/PET/HDPE, and measuring materials extraction, transportation to the manufacturing site, and greenhouse gas emissions generated during manufacturing.

Cross section of HP Super Heavyweight Plus Matte Paper



HP large format graphics & technical printing materials

Designed together with Original HP inks and the printer

HP offers a broad printing materials portfolio specifically designed to meet the needs of graphics, photography, and technical professionals. All products deliver vivid, high-quality prints and offer excellent price-to-performance ratios.

Key large format applications



Print with the environment in mind

As you and your customers become increasingly concerned with the environmental impact of printing, look to HP for large format printing materials that reflect responsible sourcing practices and offer recycling options. FSC®-certified papers support the development of responsible forest management worldwide. Many HP graphics and technical printing materials are recyclable through commonly available recycling programs and select materials, optimized for sign and display applications, can be recycled through the free, convenient HP Large Format Media take-back program.⁴

4 HP Large Format Media take-back program availability varies. Some recyclable HP papers can be recycled through commonly available recycling programs. Recycling programs may not exist in your area. See HPLFMedia.com/hp/ ecosolutions for details.









COLOR PRO

COLOR PRO

HP bond & coated papers



Bond papers

HP Universal Bond Paper ${}^{\circ}$ FSC[®]-certified (Also available in 3-in core.)

HP Universal Bond Paper with ColorPRO Technology delivers professional quality and striking results at production speed. See more striking colors, crisper text and graphics, and higher-contrast blacks.

Weight: 80 g/m² (21 lb) Thickness/caliper: 106 microns/4.2 mil Whiteness: 160⁶ Brightness: 110%⁷ Opacity: 91%⁸

HP Bright White Inkjet Paper 🏠 FSC®-certified (Also available in 3-in core.)

HP Bright White Inkjet Paper with ColorPRO Technology is our brightest white bond paper. This costeffective paper is ideal for everyday black and color line drawings. See the ColorPRO difference with high-impact graphics and an extended range of colors.

Weight: 90 g/m² (24 lb) Thickness/caliper: 119 microns/4.7 mil Whiteness: 166⁶ Brightness: 113%⁷ Opacity: 94%⁸

HP Coated Paper SSC[®]-certified (Also available in 3-in core.)

Do more with this versatile premium bright white paper—from working comps and design proofs to fine line drawings and illustrations. This premium bright white paper is easy to handle and provides highquality, consistent results.

Weight: 90 g/m² (24 lb) Thickness/caliper: 114 microns/4.5 mil Whiteness: 145° Brightness: 89%¹⁰ Opacity: >96%^{11,8}

HP Satin Wrapping Paper, 3-in Core 🏠 FSC®-certified

Print personal images, logos, and messages, with this customizable wrapping paper. Offer your customers this profitable, custom wrapping paper with little to no investment.

Weight: 100 g/m2 Thickness/caliper: 99 microns/3.9 mil Whiteness: >122⁹¹⁴ Brightness: >97%¹⁰ Opacity: >90%¹¹

HP Universal Coated Paper 🍄 FSC®-certified (Also available in 3-in core.)

HP Universal Coated Paper is an economical material ideal for a variety of technical and graphics applications from working comps and design proofs to POP signage and special event posters.

Weight: 90 g/m² (24 lb) Thickness/caliper: 124 microns/4.9 mil Whiteness: 117¹² Brightness: 89%¹⁰ Opacity: 89%¹¹

HP Universal Heavyweight Coated Paper 🍄 FSC®-certified

This economical printing material is ideal for a variety of medium ink-density graphics and technical applications including presentations, indoor signs, and posters that are frequently replaced.

Weight: 125 g/m² (35 lb) Thickness/caliper: 172microns/6.8 mil Whiteness: 133¹² Brightness: >97%¹⁰ Opacity: >92%¹¹

HP Heavyweight Coated Paper SC®-certified (Also available in 3-in core.)

HP Heavyweight Coated Paper is ideal for durable, long-term applications such as signs and posters. The bright, matte inkjet paper makes colorful, light ink-density images look crisp and smooth.

Weight: 131 g/m² (35 lb) Thickness/caliper: 167 microns/6.6 mil Whiteness: 144¹² Brightness: 89%¹⁰ Opacity: 96%¹¹

HP Super Heavyweight Plus Matte Paper 🛟 (Also available in 3-in core.)

HP Super Heavyweight Plus Matte Paper is a best-in-class graphics display media that delivers sharp image quality and ripple-free prints, even with high ink density. Enhance productivity with broad application versatility, instant dry time, and excellent film laminate compatibility. See a rich, distinctive look and feel with the ultra-white matte finish.

Weight: 200 g/m² (55 lb) Thickness/caliper: 264 microns /10.4 mil Whiteness: >130¹² Brightness: 100%¹⁰ Opacity: 98%¹¹

- ⁵ Can be recycled through commonly available recycling programs.
- ⁶ Per ISO 11475 Test Method.
- ⁷ Per ISO 2470-2 Test Method.
- ⁸ Per ISO 2471 Test Method.
- ⁹ Per CIE Whiteness ISO 11475 D65/10° Outdoor Daylight Test Method.
- ¹⁰ Per TAPPI T-452 Test Method.
- ¹¹ Per TAPPI T-425 Test Method.
- ¹² Per CIE Ganz 82 Test Method.
- ¹³ HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See <u>HPLFMedia.com/</u> ecosolutions for details.
- ¹⁴ Per ASTM E-313 Test Method.
- ¹⁵ Per ISO 2469 Test Method.
- ¹⁶ Per ISO 2470 Test Method.
- ¹⁷ Per CIE Ganz 82 Test Method.
- ¹⁸ Per TAPPI T-452 Test Method.
- ¹⁹ Display permanence rating for interior displays/ away from direct sunlight, under glass by HP Image Permanence Lab. For more information, see HPLFMedia.com.com/printpermanance.





HP technical papers



HP Special Inkjet Paper 🛟 FSC®-certified

HP Special Inkjet Paper is an economical everyday paper, ideal for high/resolution presentation graphics.

Weight: 131 g/m² Thickness/caliper: 172 microns/6.8 mil Whiteness: 240¹² Brightness: 92%¹⁰ Opacity: 92%¹¹

HP Natural Tracing Paper 🍪 FSC®-certified

HP Natural Tracing Paper is designed for reproducible final drawings that are highly durable.

Weight: 90 g/m² Thickness/caliper: 76 microns/3 mil Whiteness: >120²¹ Brightness: 61%¹⁰ Opacity: 25%¹¹

HP Translucent Bond Paper 🏠

This economical alternative to vellum is ideal for reproducible drawings and check prints.

Weight: 63 g/m² Thickness/caliper: 71 microns/2.8 mil Whiteness: >113¹² Brightness: 90%¹⁰ Opacity: 77%¹¹

HP films (graphics & technical)



HP Clear Film 🛟 13

HP Clear Film is ideal for multiple overlays and transparent images. This optically clear film provides excellent ink adhesion and bleed control as well as bright, vivid colors.

Weight: 156 g/m² Thickness/caliper: 119 microns/4.7 mil Whiteness: 130¹² Brightness: >95%¹⁰ Opacity: 8%¹¹

HP Matte Film 🛟 13

Keep track of changes during the review process. Redraw in pen, pencil, or marker on the erasable side, write with pen on the traditional drafting coating on the opposite side. This smear-resistant, archivable, and recyclable¹³ film produces sharp black and color lines and uniform solid areas and is ideal for original and high-volume reproducible drawings.

Weight: 160 g/m² Thickness/caliper: 127 microns/5 mil Whiteness: 130¹² Brightness: 72%¹⁵ Opacity: 34%¹⁶

HP photographic papers



Optimized for Original HP dye-based inks

HP Universal Gloss Photo Paper 🍄²⁰ FSC®-certified

HP Universal Gloss Photo Paper is an economical and versatile choice for presentation graphics, displays, and color presentations.

Weight: 200 g/m² Thickness/caliper: 187 microns/7.4 mil Whiteness: 120¹² Brightness: >95%¹⁶ Opacity: 95%¹¹

HP Universal Satin Photo Paper 🛟²⁰ FSC®-certified

HP Universal Satin Photo Paper is a versatile, economical satin-finish paper that provides excellent image quality and vivid color for presentation graphics, displays, and presentations.

Weight: 200 g/m² Thickness/caliper: 187 microns/7.4 mil Whiteness: 120¹² Brightness: >95%¹⁶ Opacity: 95%¹¹

Optimized for Original HP pigment-based inks

HP Everyday Instant-dry Gloss Photo Paper 🍄 FSC®-certified

Designed for maximum ink absorption, this everyday gloss-finish photo paper includes a porous surface that enables higher ink density, speeds dry time, and achieves vibrant, long-lasting color. And this FSC®-certified paper is recyclable through commonly available recycling programs.²⁰

Weight: 235 g/m² Thickness/caliper: 231 microns/9.1 mil Whiteness: 90²¹ Brightness: 90%^{18,16} Opacity: 96%^{11,22}

HP Everyday Instant-dry Satin Photo Paper 🛟 20 FSC®-certified

Designed for maximum ink absorption, this everyday satin-finish photo paper includes a porous surface that enables higher ink density, speeds dry time, and achieves vibrant, long-lasting color. And this FSC®-certified paper is recyclable through commonly available recycling programs.²⁰

Weight: 235 g/m² Thickness/caliper: 231 microns/9.1 mil Whiteness: 90²¹ Brightness: 90%^{18,16} Opacity: 96%^{11,22}

- ²⁰ In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.
- ²¹ Per ISO 11476 Test Method.
- ²² Per ISO 2471 Test Method.

















²³ In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.

- ²⁴ Indoor display permanence ratings by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see <u>HPLFMedia.com/</u> printpermanence.
- ²⁵ Per ISO 11476 Test Method.
- ²⁶ Per TAPPI T-452 Test Method.
- ²⁷ Per ISO 2471 Test Method.
- ²⁸ Per CIE Ganz 82 Test Method.
- ²⁹ Per DIN 53146 Test Method.
- ³⁰ Per ISO 2470 Test Method.

HP photographic papers (continued)

HP Universal Instant-dry Gloss Photo Paper 🛟 23 FSC®-certified

This economical gloss-finish photo paper has been improved, now offering even higher image quality with deeper blacks and more vivid colors. Prints dry instantly for immediate handling and lamination. And indoor displays on this FSC[®]-certified paper provide exceptional display permanence.²⁴

Weight: 200 g/m² Thickness/caliper: 195 microns/7.7 mil Whiteness: 99²¹ Brightness: > 92%¹⁸ Opacity: > 94.5%²²

HP Universal Instant-dry Satin Photo Paper 🛟²³ FSC®-certified

This economical satin-finish photo paper has been improved, now offering even higher image quality with deeper blacks and more vivid colors. Prints dry instantly for immediate handling and lamination. And indoor displays on this FSC[®]-certified paper provide exceptional display permanence.²⁴

Weight: 200 g/m² Thickness/caliper: 195 microns/7.7 mil Whiteness: 99²¹ Brightness: > 92%¹⁸ Opacity: > 94.5%²²

HP Premium Instant-dry Satin Photo Paper 🛟 23 FSC®-certified

This premium satin-finish photo paper has been improved to offer unrivaled image quality for brilliant photos and high-impact display graphics—from posters and presentations to retail graphics. Prints dry instantly for immediate handling and lamination. And indoor displays on this FSC®-certified paper provide exceptional display permanence.²⁴

Weight: 260 g/m² Thickness/caliper: 261 microns/10.3 mil Whiteness: 104¹² Brightness: 92%¹⁸ Opacity: 97%¹¹

HP Premium Instant-dry Gloss Photo Paper 🛟²³ FSC®-certified

This premium gloss-finish photo paper achieves deep blacks and vivid colors on a brilliantly white sheet for high-quality photos and display graphics. Images seem to pop right off the page with this this FSC[®]- certified paper. Instant-dry prints can be laminated immediately.

Weight: 260 g/m² Thickness/caliper: 261 microns/10.3 mil Whiteness: 105¹² Brightness: 92%¹⁸ Opacity: 97%¹¹

HP Professional Instant-dry Satin Photo Paper

This professional, satin-finish photo paper is ideal for printing photographs with vivid, true-to-life colors, realistic skin tones, rich blacks, and sharp details. The professional-grade weight adds a gallery-ready look and feel and enables easier handling of large-size exhibition prints. Long-lasting display prints provide exceptional display permanence.²⁴

Weight: 300 g/m² Thickness/caliper: 297 microns/11.7 mil Whiteness: > 130¹⁴ Brightness: >100%^{18, 16} Opacity: > 97%¹¹, >95%²²

HP Premium Matte Photo Paper 🛟²³ FSC®-certified

This premium photo paper features a smooth matte surface together with a sturdy 210-g/m² weight ideal for producing professional, ripple-free prints. Instant-dry prints enable immediate lamination.

Weight: 200 g/m² Thickness/caliper: 264 microns /10.4 mil Whiteness: 130¹² Brightness: 100%¹⁶ Opacity: 98%¹¹

HP Satin Wrapping Paper, 3-in Core 🛟 23 FSC®-certified

Print personal images, logos, and messages, with this customizable wrapping paper. Offer your customers this profitable, custom wrapping paper with little to no investment.

Weight: 100 g/m2 Thickness/caliper: 99 microns/3.9 mil Whiteness: 122⁹ Brightness: 97%¹⁰ Opacity: 90%¹¹


HP backlit materials



HP Premium Vivid Color Backlit Film 🛟

With a porous coating on the printable front side, HP Premium Vivid Color Backlit Film enhances image definition and provides excellent color contrast. A thick, stiff construction enables easy handling. Designed together with Original HP pigment inks, this film produces fast-dry prints with excellent indoor, in-window display permanence.³²

Weight: 285 g/m² Thickness/caliper: 220 microns/8.7 mil Whiteness: 90¹², 110²¹ Brightness: ≥80%¹⁸ Opacity: ≥77%¹¹, ≥74%²²



- ³¹ HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See <u>HPLFMedia.com/hp/</u> <u>ecosolutions</u> for details.
- ³² Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see HPLFMedia.

com/hp/t/printpermanence.

- ³³ Per CIE Ganz 82 Test Method.
- $^{\rm 34}~$ Per ISO 11476 Test Method.
- ³⁵ Per TAPPI T-452 Test Method.
- ³⁶ Per TAPPI T-425 Test Method.
- ³⁷ Per ISO 2471 Test Method.

HP self-adhesive materials



HP Universal Adhesive Vinyl, 2 Pack

REACH

An economical, everyday adhesive vinyl ideal for indoor applications. HP Universal Adhesive Vinyl is easy to use and produces long-lasting, eye-catching displays.

Weight:	Thickness/caliper:	Whiteness:	Brightness:	Opacity:
Without liner: 160 g/m ²	Without liner: 144 microns (5.7 mil)	With liner:	With liner:	With liner:
With liner: 300 g/m ²	With liner: 271 microns (10.7 mil)	127 ⁶	100% ¹⁶	>99% ^{11,22}

HP Everyday Adhesive Matte Polypropylene, 2 Pack (Also available in 3-in core.)

A versatile and durable polypropylene film that produces quality prints with excellent color vibrancy at an everyday price. Ideal for both indoor and outdoor applications.

Weight:	Thickness/caliper:	Whiteness:	Brightness:	Opacity:
Without liner: 120 g/m²	Without liner: 180 microns (7.1 mil)	With liner:	With liner:	With liner:
With liner: 168 g/m²	With liner: 215 microns (8.5 mil)	150 ⁶	101% ¹⁶	>96% ^{11, 22}

HP Everyday Adhesive Gloss Polypropylene, 2 Pack

This self-adhesive polypropylene film produces glossy prints with excellent color vibrancy and brilliant, photo-realistic images. Tear-resistant and easy to handle, its strong adhesive ensures secure, reliable mounting.

Weight:	Thickness/caliper:	Whiteness:	Brightness:	Opacity:
Without liner: 140 g/m² With liner: 190 g/m²	Without liner: 193 microns (7.6 mil) With liner: 228 microns (9 mil)	With liner: 90% ²² ,130 ⁶	With liner: 90% ¹⁶	With liner: >95% ¹¹ ,
with thei: 190 g/m ²	with (mer: 226 mit) 015 (3 mit)			>96% ²²

HP Removable Adhesive Fabric

This repositionable adhesive-back fabric is easy to install, reposition, and remove with virtually no residue. Tested and approved for indoor smooth floor graphics and other non-porous surfaces.

Weight:	Thickness/caliper:	Whiteness:	Brightness:	Opacity:
With liner: 289 a/m²	With liner: 304 microns (12 mil)	With liner:	With liner:	With liner:
		118	87% ¹⁶	> 85% ¹¹ ,



HP banner & sign materials



HP Opaque Scrim



HP Opaque Scrim is a matte, opaque PVC banner with a tear-resistant polyester fabric embedded between two white vinyl layers. It is an easy-to-use, high-quality material for banners, decorating, and indoor and outdoor signs.

Weight: 495 g/m² Thickness/caliper: 378 microns/14.9 mil Whiteness: 127¹⁷ Brightness: 98%¹⁸ Opacity: 100%¹¹

HP Premium Matte Polypropylene, 2 Pack 🏠

This versatile, durable matte polypropylene film is water-⁴⁸ and tear-resistant, making it ideal for both indoor and outdoor applications full of brilliant color and edge definition. And it's recyclable.⁴⁷

Weight: 140 g/m² Thickness/caliper: 231 microns (9.1 mil) Whiteness: 140¹⁴ Brightness: >99%¹⁸ Opacity: 96%¹¹, 98%²²

HP Durable Semi-gloss Display Film

HP Durable Semi-gloss Display Film is an opaque, white inkjet-compatible coated PET film designed for pop-up display and roll-up indoor presentation systems. No backside lamination is needed, and this film is resistant to stress from rolling and unrolling.

Weight: 265 g/m² Thickness/caliper: 198 microns/7.8 mil Whiteness: N/A Brightness: 119%³⁰ Opacity: >99%²⁹

HP Everyday Matte Polypropylene, 2 Pack 🛟 13 (Also available in 3-in core.)

Produce high-impact signs with this versatile, durable matte polypropylene film. This tear-resistant substrate is easy to use and handle, and is ideal for both indoor and outdoor applications.

Weight: 120 g/m² Thickness/caliper: 203 microns/8 mil Whiteness: >113²¹ Brightness: >101%¹⁶ Opacity: >96%¹¹

HP Everyday Blockout Display Film

This economical display film has an innovative three-layer construction with polyester and polypropylene which produces rigid, durable displays with excellent lay-flat properties.

Weight:	Thickness/caliper:	Whiteness:	Brightness:	Opacity:
220 g/m²	248 microns (9.8 mil)	133% ^{21, 6}	>95% ³⁰	>99% ²⁷ , 100% ²⁷

HP Durable Synthetic Banner, 2 Pack 🛟

HP Durable Synthetic Banner is engineered with DuPont[™] Tyvek[®] material and together with Original HP inks, produces moderately water-resistant¹ and tear-resistant prints. Indoor prints last over 75 years.

Weight:	Thickness/caliper:	Whiteness:	Brightness:	Opacity:
133 g/m²	299 microns (11.8 mil)	125% ²² , 154 ⁵	>99% ¹⁰ , >102% ¹⁶	>96% ^{11, 12}



HP fine art printing materials



HP Matte Litho-realistic Paper, 3-in Core S²³ FSC®-certified

HP Matte Litho-realistic Paper delivers outstanding results with the look, feel, and longevity of a heavy, matte offset paper. This natural-white paper is ideal for high-quality poster art and other cost-effective art reproductions.

Weight: 269 g/m² Thickness/caliper: 307 microns/12.1 mil Whiteness: 95⁶ Brightness: 95^{% 26} Opacity: >98%¹¹

HP Artist Matte Canvas

HP Artist Matte Canvas has a natural, artistic look and feel for photo enlargements and reproductions. This affordable canvas produces true artistic quality with precise colors on a bright-white, slightly textured matte finish.

Weight: 390 g/m² Thickness/caliper: 396 microns/15.6 mil Whiteness: 117¹⁴ Brightness: 97%²⁶ Opacity: >99%¹¹

HP Professional Matte Canvas


HP Professional Matte Canvas now offers a more consistent base fabric. Museum-quality, matte-finish prints achieve vivid, accurate color reproduction with a bright white surface and improved color gamut ideal for fine art and photographs.⁶² Long-lasting, water-resistant⁶³ prints preserve your work. A flexible finish resists cracking for easier mounting. And broad laminate compatibility includes water-based liquid laminates.

Weight: 392 g/m² Thickness/caliper: 459 microns/18.1 mil Whiteness: 133¹⁴ Brightness: 101%²⁶ Opacity: >99%¹¹

HP Recycled Satin Canvas 🗘 23

Meet environmental goals with this REACH compliant² canvas made with yarn from 100% recycled water bottles.⁶³ This affordable canvas provides single-step print production, eliminating the need for costly and time-consuming top coating and is also available for the HP take-back program¹.

Veight: 330 g/m² Thickness/caliper: 441 n	icrons/17.4 mil Whiteness: 85	Brightness: 89% ²⁶	Opacity: >94% ¹¹
---	-------------------------------	-------------------------------	-----------------------------



- ¹ HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/ecosolutions for details.
- ² Visit HPLFMedia.com/ecosolutions to see how to participate and for HP Planet Partners program availability; program may not be available in your area. Where this program is not available, consult the Material Safety Data Sheet (MSDS) available at HPLFMedia. com/ecosolutions to determine appropriate disposal.



HP graphics and technical printing materials

for HP large format printers

Compatibility and Availability Information

Original HP inks and HP printing materials—system chemistry Original HP inks and printing materials are designed together to provide image quality, durability, and consistency you can rely on. Reliable results enable increased productivity and reduced costs.

Original HP inks are more than just ink, and HP large format printing materials are far more than just paper. It's the chemical makeup of each, together with the carefully engineered interaction between the two, that make exceptional results possible. Image quality and consistency so predictable, it's almost cliché. Print permanence that's measured in generations, not months or years. Breakthrough innovations that give you real alternatives to traditional materials that, by nature, must trade-off quality, durability, even environmental considerations. The unique chemistry between HP inks and HP large format printing materials changes all that – among the broad array of materials offered in the HP large format printing materials portfolio, you can have it all.

Original HP inks and printheads

Original HP printing supplies feature intelligent technology, built into the ink cartridges, printheads, and the printer. These critical system components communicate interactively to provide automatic and continuous adjustments that optimize print quality and maximize printhead life. Individually-replaceable printheads enable easy, low-maintenance, cost-effective printing.

Designed with the environment in mind

Many HP graphics and technical printing materials are recyclable through commonly available recycling programs. And in some cases, HP offers the free, convenient HP Large Format Media take-back program.¹ And the HP Planet Partners program provides easy, convenient return and recycling of most Original HP DesignJet ink cartridges and printheads.²

Compatibility & Availability Chart

Printer availability varies by region. Americas includes the United States, Canada, and Latin America. Europe includes Europe, Middle East, and Africa.

		phics and	Γ		jion																				
	Printi	n <mark>g Mate</mark> ria	ls			- 1	avail	ability	′			HP p	igm	ent i	nks					HP dye c					
	Part number	Metric size (mm x m)	Imperial size (in x ft)	3-in Core 2 Pack	4 Pack 44-roll Tub	88-roll Tub	Americas Japan	Asia (not Japan) Furone	DesignJet Z2100	DesignJet Z2600	DesignJet Z3100 DesignJet Z3200	DesignJet Z5200 DesignJet Z5400	DesignJet Z5600	DesignJet Z6100	DesignJet Z6200 DesignJet Z6600 DesignJet Z6610 DesignJet Z6800 DesignJet Z6810	DesignJet Z6 DesignJet Z9+	DesignJet 5000 Dye DesignJet 5500 Dye DesignJet D5800	DesignJet T100/ T120/T125/T130	DesignJet T520/ T525/T530 DesignJet T730 DesignJet T830 MFP	Designat 1710 Designat 1710 Designat 1770 Designat 17190 Designat 171100 Designat 17120 Designat 17200 Designat 17200	Designat 1920 Designat 1930 Designat 11300 Designat 11300 Designat 12500 MFP Designat 12500 MFP Designat 12500 MFP Designat 12500 MFP	DesignJet XL 3600 MFP	DesignJet T1 700 DesignJet T620	DesignJet T7200	DesignJet 111 DesignJet 130 ³
HP Bond and Coated Pap	ers																							<u> </u>	
	SA025A	610 x 45,7							•	•	•	•	•	•	•	•	•	•	•	•	•		•		
	Q1396A	610 x 45,7	24 x 150							•	•	•	•	•	٠	٠		•	•	•	•	•			
	Q1397A	914 x 45,7	36 x 150						•		4	•	•	•	•	•	•		•		•			•	
	Q1398A	1067 x 45,7	42 x 150						0		•	•	•	•	٠	٩	•			3					
	M2N04A	457 x 152,4	18 x 500																			•			
	K6B88A	610 x 152,4	24 x 500																						
HP Universal Bond Paper (FSC® certified)⁴ ⊗⁵	M2N05A	762 x 152,4	30 x 500																						
	L4L08A	914 x 152,4	36 x 500																						
	Q8751A	914 x 175	36 x 574											•	٠				36						
	M2N06A	914 x 175,2	36 x 575																						
	Q8003A	(A1) 594 x 45,7							•	ullet	•	•	•	•	•	•	•	•	•	•	•				
	Q8004A	(A1) 594 x 91,4								•	٠	•	•	•	٠	٠	٠			•	•		•		
	Q8005A	(A0) 841 x 91,4							•		4	•	•	•	•	4	•			49	•			•	
	C1860A	610 x 45,7	24 x 150						•	•	•	•	•	•	•	•	٠	•	٠	•	•	•	• •		
	C1861A	914 x 45,7	36 x 150						4		4	•	•	•	•	4	•		0	49	•		•		
	C6035A	610 x 45,7								•	•	•	•	•	•	•		•	٠	•	•		• •		
	C6036A	914 x 45,7							•		4	•	•	•	•	4	•		- 60		•		•	•	
HP Bright White Inkjet Paper	C6810A	914 x 91,4	36 x 300						0		•	•	•	•	٠	٩	•			3	•	•	•	•	
(FSC [®] certified) ⁴ ⊗⁵	L4Z44A	610 x 152,4	24 x 500																						
	L4Z45A	914 x 152,4	36 x 500																						
	Q1446A	(A2) 420 x 45,7				\square					•	•	•	•	•	•	•	•	•	•	•	•		•	
	Q1445A	(A1) 594 x 45,7									•		•	•	•	•	٠			•	•				
Q1	Q1444A	(A0) 841 x 45,7							•		4	•	•	•	٠	4			30		•				

	HD Gra	phics and					Printer availability varies by region. Americas includes the United Stat and Latin America. Europe includes Europe, Middle East, and Africa. HP DesignJet Printer/Photo Printer/Multifunction Printer Compatibility and Ink Technology																		
	Printir	ipines and 19 Materia	als	nca	at			Regio ailab				н	Pnia	ment		rinter	r/Photo F	Printe	er/Multifund	-	ty and Ink Technology olor inks				
	Part number	Metric size (mm x m)	Imperial size (in x ft)	3-in Core	2 Pack 4 Pack	44-roll Tub		luenel		DesignJet Z2100	DesignJet Z3100		Ť			DesignJet Z6 DesignJet Z9+	DesignJet 5000 Dye DesignJet 5500 Dye DesignJet D5800	DesignJet T100/ T120/T125/T130	DesignJet T520/ T525/T530 DesignJet T730 DesignJet T830 MFP		Designate 1920 Designate 1930 Designate 1930 Designate 11500 Designate 17500 Designate 17500 MFP Designate 12500 MFP Designate 12500 MFP	DesignJet T3500 MFP DesignJet XL 3600 MFP	DesignJet T1700	DesignJet T620 DesignJet T7100	DesignJet T7200
P Bond and Coated Pap	1								-		-	_		_	1	-		-	1				—	_	_
	VOD54A	457 x 152,4	18 x 500												•7								Щ	_	
	V0D55A	457 x 152,4	18 x 500												•7								Ц		
	V0D58A	610 x 152,4	24 x 500												•7								\square		
	V0D59A	610 x 152,4	24 x 500												•7										
P 20-lb Bond	V0D60A	762 x 152,4	30 x 500			П									•7										
ith ColorPRO ≥chnology® ⊗⁵	V0D62A	762 x 152,4	30 x 500												•7								\square		_
	V0D66A	914 x 152,4	36 x 500						1						•7										
		914 x 152,4	36 x 500		-										7	1	1	1						-	-
		1016 x 152,4	40 x 500			T		$\left \right $	+						•									+	
	Y3P48A	1016 x 152,4	40 x 500		-			+	+	\vdash	-	+	+	-	7	-						-	P	+	4
															-										
		610 x 45,7	24 x 150	+ +									4				•	•		•				4	2
	Q1405B	914 x 45,7	36 x 150				-			4	4					٩			36	•	•	•		\bot	
P Universal bated Paper	Q1406B	1067 x 45,7	42 x 150							4	0	9				•									
SC [®] certified)⁴ ⊗⁵	Q1408B	1524 x 45,7	60 x 150											60	60		60								
	L5C74A	914 x 91,4	36 x 300			П				1 07	G	7	7)7 💽	7 •7						•7				7
	L5C73A	(A0) 841 x 91,4				Π	T	\square		1 97	4	7	7	7	7			1			7		Π	1	7
	C6019B	610 x 45,7	24 x 150			$^{++}$																	•		
	-	914 x 45,7	36 x 150	+ +		H				0	0	0				0		-	35	•	•				
HP Coated Paper				+ +		++				•	0					0					-	-	-		-
	C6567B	1067 x 45,7	42 x 150	+ +		++				•	9	9			-	•	-					_		+	-
SC [®] certified)⁴ ⊗⁵	C6568B	1372 x 45,7	54 x 150			\square	-							60	<u></u>		60			-			\square	_	_
	C6980A	914 x 91,4	36 x 300							4	0	9				•				•	•				
	Q1442A	(A1) 594 x 45,7																		•	•				
	Q1441A	(A0) 841 x 45,7								•	0					•			60	•	•				
	Z6G70A	762 x 45,7	30 x 150			Π				1 97	4)7 🕑	07 🥨	07 🗨	7 •7	11 ⁷							Π		
	4WM99A	914 x 45,7								1 07	0	7	07 0	7	7 •7	111									
P Satin Irapping Paper	4WN17A	610 x 152,4	24 x 500			Ħ				•7	7		7	7	7 •7	1		1	1					T	٦
SC [®] certified) ⁴ ⊗⁵		762 x 152,4	30 x 500			++				111		0	-	-	7 • 7								\vdash	+	
	-					++			+	-	_	-		-		-		-				_	⊢	+	_
		914 x 152,4	36 x 500			$\left \right $				1 07		4	07 @	07	7										_
		610 x 30,5	24 x 100	+ +		$\left \right $													•	•	•	•			
	Q1413B	914 x 30,5	36 x 100			\square					٩	_				4			35	4	•	•			
P Universal	Q1414B	1067 x 30,5	42 x 100							4	4				-	٩				•			\bullet		
eavyweight	Q1416B	1524 x 30,5	60 x 100											60	50		60						Ш		
oated Paper SC® certified)⁴ ⊛⁵	D9R44B	914 x 61	36 x 200							3 7	4	07	7)7 🗨	7 •7	1111111111111					•7				7
-sc- certineu) · 🕁-	D9R46B	1372 x 61	54 x 200											0	7 🐠7										
	D9R47B	1524 x 61	60 x 200			П								0	7 💷 7										
	L5C80A	914 x 91,4	36 x 300			П																	\square		
	C6029C	610 x 30,5	24 x 100																	•	•				
	C6030C	914 x 30,5	36 x 100			Π				4	4				•	•	•		30	4	•			1	
D Hoommunicht		1067 x 30,5	42 x 100	+ +		$\uparrow \uparrow$						9				•								1	
P Heavyweight oated Paper		1372 x 30,5	54 x 100	+ +		Ħ						T	T	60	-		60		1				<u> </u>		-
SC [®] certified) ⁴ (€) ⁵		1524 x 30,5	60 x 100	+ +		+				\square		+		0			60							+	
		1067 x 68,5	42 x 225	+ +		$\left\{ \right\}$				0	6	9			-	•	•			•				+	
	Q1956A	1524 x 68,5	42 x 225	+ +		+		$\left \right $						60	-	-	60						H	+	-
	-	610 x 30,5	24 x 100	+ +										-						•	•	•			
		610 x 30,5 914 x 30,5				+				9		9	_	_	-	•						-			•
			36 x 100			\square		\square		•••	0		_	-	-	0	-			0	•		$ \rightarrow $	_	-
P Super Heavyweight	Q6628B	1067 x 30,5	42 x 100	+-+		$\left \right $				•	9	9			-	•								+	
lus Matte Paper		1524 x 30,5	60 x 100			$\left \right $		H			-			<u></u>		-	<u></u>	-					H	╇	
SC® certified)⁴ 🛞⁵		914 x 61	36 x 200			$\left \right $			+	3 7	0	_	-		-		-	-			•7	•	\vdash	_	7
		1067 x 61	42 x 200			$\left \right $			-	4 97	4	07			-	-						-	F-	4	7
	D9R38A	1372 x 61	54 x 200											0									\square	\perp	
	D9R39A	1524 x 61	60 x 200											0	7 O 7										

Compatibility & Availability Chart

Printer availability varies by region. Americas includes the United States, Canada, and Latin America. Europe includes Europe, Middle East, and Africa.

		ipati										y '					and Latin America. Europe includes Europe, Middle East, and Africa.								
		phics and		lica	l			egior							-	rinter	/Photo F	Printe	r/Multifund	tion Printer Compatibilit					
	Printi	n <mark>g Mate</mark> ria					ava	ilabil	ity			HP			inks				4	HP dye co		ЧFР		Π	Щ
	Part number	Metric size (mm x m)	Imperial size (in x ft)	3-in Core	4 Pack	44-roll Tub 88-roll Tub	Americas	Japan Asia (not Japan)	Europe Docision lot 72100	DesignJet Z2600	DesignJet Z3100 DesignJet Z3200	DesignJet Z5200 DesignJet Z5400	DesignJet Z5600	DesignJet Z6100	DesignJet Z6200 DesignJet Z6600 DesignJet Z6610 DesignJet Z6800 DesignJet Z6810	DesignJet Z6 DesignJet Z9+	DesignJet 5000 Dy DesignJet 5500 Dy DesignJet D5800	DesignJet T100/ T120/T125/T130	DesignJet T520/ T525/T530 DesignJet T730 DesignJet T830 MF	Design let T610 Design let T770 Design let T795 Design let T795 Design let T1100 Design let T1120 Design let T11200 Design let T1200 Design let T1300 Design let T2300 M	Design.let T320 Design.let T320 Design.let T1530 Design.let T1530 Design.let T1530 MPP Design.let T2530 MPP Design.let T2530 MPP Design.let T2530 MPP Design.let T2530 MPP	DesignJet XL 3600 I	DesignJet T1700 DesignJet T620	Design Jet T7100 Nacim Let T7200	DesignJet 110 ³
HP Technical Papers	51621D	C10 45 7	24150	П	—															-	-				
HP Special Inkjet Paper (FSC® certified)⁴ ∰⁵		610 x 45,7 914 x 45,7	24 x 150 36 x 150	\vdash	+						•									•	•		-		
		610 x 45,7	24 x 150		-					_	•	•		•				•	•	•	•		• •		
HP Natural Tracing Paper (FSC® certified)⁴ ↔		914 x 45,7	36 x 150		1						•	•	•	•	•			-	30	•	•			•	Η-Η-
(FSC ^o certified) [*]	Q1439A	(A1) 594 x 45,7		Π	Т		Π				•	•	•	\bullet					•	•	•		••	•	
HP Translucent Bond Paper अ⁵⁵	C3860A	610 x 45,7	24 x 150								•	•	•	•	•		٠		•	•	•		•••		
	C3859A	914 x 45,7	36 x 150							9	4	•	•	•	•				30	49	•		•		Щ
HP Films (Graphics and			24 75	П																					
HP Clear Film 🛞¹		610 x 22,9	24 x 75	\square	_					9	-		•			•					•				+++
	C3875A	914 x 22,9	36 x 75	\square	-						•	•	-	•	-		•		-	-	-				
HP Matte Film 🛞¹	51642A	610 x 38,1	24 x 125		_						•	•	•	•	•	•			•	•	•				
		914 x 38,1	36 x 125							9	49		•	•		49			30	49	•		•		Щ
HP Photographic Pape HP Premium Matte		610 x 30,5	24 x 100		Τ									٠						٠	•		• •		
Photo Paper (FSC® certified)⁴ �€⁵	CG460B	914 x 30,5	36 x 100	Π						0	•	•	•	•		4	٠			49	•		•	•	\square
	Q8916A	610 x 30,5	24 x 100	Ħ								•	•	•											\square
HP Everyday Instant-dry	Q8917A	914 x 30,5	36 x 100	T						0	4		•	•		4						П	T		
Gloss Photo Paper (FSC® certified)⁴ अि	Q8918A	1067 x 30,5	42 x 100	Ħ						0	٩		•	•		•						Ħ			Ħ
	Q8919A	1524 x 30,5	60 x 100	Ħ								1		1	50							П	T	1	
	Q8920A	610 x 30,5	24 x 100	Ħ							•	•	•	•	•										
	Q8921A	914 x 30,5	36 x 100	Π				••		0	4		•	•		4						\square			Ш
HP Everyday Instant-dry Satin Photo Paper	Q8922A	1067 x 30,5	42 x 100							D	٩		•	•		٩									\square
(FSC® certified)⁴ 🛞ଃ	Q8923A	1524 x 30,5	60 x 100	П										1	60							П	T	\square	Ш
	CG842A	1524 x 61					Π							6	60										\square
	Q1426B	610 x 30,5	24 x 100	П													•			•	•		• •		
HP Universal Gloss Photo Paper	Q1427B	914 x 30,5	36 x 100																	49	•		•		\square
(FSC® certified)⁴ 🛞⁰	Q1428B	1067 x 30,5	42 x 100		T															•		П			
	Q1420B	610 x 30,5	24 x 100																	•	•		• •		
HP Universal Satin Photo Paper	Q1421B	914 x 30,5	36 x 100	П													•				•		•		m
(FSC® certified)⁴ 🏵®	Q1422B	1067 x 30,5	42 x 100																	4			•		
	Q6574A	610 x 30,5	24 x 100	Ħ	t						•	•	•	•		•	•	•	•	•	•		•	•	
	Q6575A	914 x 30,5	36 x 100	Ħ						Ð	٩		•	•		•			30	0	•		•		\square
HP Universal Instant-dry	Q6576A	1067 x 30,5	42 x 100	П				••		D	4	•	•	•		49	•			49		Π	•	•	m
Gloss Photo Paper (FSC® certified)⁴ (8€) [®]	Q6578A	1524 x 30,5	60 x 100		t			••						•	•		50								
	Q8754A	1067 x 61	42 x 200	Π						D	•	•	•	•		•								•	
	Q8756A	1524 x 61	60 x 200		T									•	٩										
	Q6579A	610 x 30,5	24 x 100	Π		Π		••			٠	•	•	•			٠		٠	•	•		•		
	Q6580A	914 x 30,5	36 x 100					••		Ð	•		•	•	•	٩	٠		9	49	•		•	•	\square
	Q6581A	1067 x 30,5	42 x 100	Ħ						D	٩	•	•	•	•	•	•			•			•	•	TT
HP Universal Instant-dry Satin Photo Paper	Q6582A	1270 x 30,5	50 x 100	$ \uparrow $										60	5 0		50					$\left \right $			++
(FSC [®] certified) ⁴ 🛞 ⁸	Q6583A	1524 x 30,5	60 x 100	+	T									60			30						+	-	++
	Q8755A	1067 x 61	42 x 200	++					00	0	•		•	•	•	49	-					\square	+		+++
				+	-					-				60	-								-	-	++
	Q8757A	1524 x 61	60 x 200											9	.										

		npatil				A	Va	nila	ab	il	it	y (Cł	la	rt				/ailability America									ates,	Cana	ıda,	
		aphics and ng Materia	Region HP DesignJet Printer availability HP pigment inks									r/Photo Printer/Multifunction Printer Compatibility and Ink Technology																			
	Part number	Metric size (mm x m)	Imperial size (in x ft)	3-in Core 2 Pack	X Hub	oll Tub		it Japan)	et Z2100	DesignJet Z2600	jnJet Z3100 jnJet Z3200	Τ			DesignJet Z6200 DesignJet Z6600 DesignJet Z6610 DesignJet Z6800 DesignJet Z6810	jn Jet Z6 jn Jet Z9+	in Jet 5000 Dye In Jet 5500 Dye In Jet D5800	jnJet T100/ / T125/ T130	nJet T520/ / T530 nJet T730 nJet T830 MFP	nJet T610 nJet T770	Designlet T790 Designlet T795 Designlet T1100	mJet T1120 InJet T1200 InJet T1300			nJet T1600 InJet T2500 MFP	nJet 12500 MFP nJet T2600 MFP nJet T3500 MFP	DesignJet XL 3600 MFP	DesignJet T1700	DesignJet T7100	nJet 111	inJet 130 ³
	Part	Metri (mm	lmpe (in x i	3-in (2 Pac	4 Pac	88-10	Americas	Asia (no Furane	Desig	Desig	Desig	Desig	Desig	Desig	Desig Desig Desig	Desig	Desig Desig Desig	Desig T120	Desig T525 Desig	Desig	Desig Desig	Desig Desig	Desig	Desig	Desig	Desig	Desig	Desig	Desig	Desig	Desig
HP Photographic Pape	rs (conti	nued)					_				_												_						_	_	
	Q7991A	610 x 22,9	24 x 75							•	•	•	•	•	•										•		•		•		
HP Premium Instant-drv	Q7993A	914 x 30,5	36 x 100				•		•		٩	•	•	•	•	•	•								•		•	•	•	,	
Gloss Photo Paper	Q7995A	1067 x 30,5	42 x 100						•		٩	٠	•	ullet	•	•												\bullet		/	
(FSC [®] certified) ⁴ 🏵 ⁸	Q7997A	1270 x 30,5	50 x 100	Π	Π	Π		П						60	60		60											Π		Т	Π
	Q7999A	1524 x 30,5	60 x 100											•	50		30											\square			
	Q7992A	610 x 22,9	24 x 75	TT	Ħ					•	•	•	\bullet	\bullet	•		•								•		•			T	Π
	Q7994A	914 x 30,5	36 x 100						0		٩			\bullet		•											•				Η
HP Premium Instant-dry Satin Photo Paper	Q7996A	1067 x 30,5	42 x 100						0	1	٩	•	•	\bullet	•	•	•													T	
(FSC [®] certified) ⁴ 🛞 ⁸	Q7998A	1270 x 30,5	50 x 100											60	60		50						+					H		T	
	Q8000A	1524 x 30,5	60 x 100											60	60		60			1									1	Т	Π
HP Professional	Q8759A	610 x 15,2	24 x 50						07		•7	•7		•7	7													H		+	Η
Instant-dry Satin Photo Paper (FSC® certified) ⁴ 🛞 ⁸	Q8840A	1118 x 15,2	44 x 50						1111111111111		@ 7	•7		۔ 100	5 07									_		_		H	+	T	Η
HP Backlit Materials									1-1		-	-		-	_					_								Ĺ			Ч
	CR660B	914 x 30,5	36 x 100						111	(1 7,9	•7	•7	•7	•7	1	•7											•7		7	
HP Backlit Polyester	CR661B	1067 x 30,5	42 x 100			П			111	(7,9	•7	•7	•7	•7	()7	•7											•7		,	П
Film 🛞 ¹	CR662B	1372 x 30,5	54 x 100											3 7	50 7		3 07														Η
	CR663B	1524 x 30,5	60 x 100							T				3 07	60 7		60 7									_				Т	Н
	Q8747A	914 x 30,5	36 x 100						0		@ 9	•			•	Θ							+							+	Η
	Q8748A	1067 x 30,5	42 x 100						0	-	۔ ۵۹۰	•	•	•	•	6	•			-										T	Η
HP Premium Vivid Color Backlit Film 🛞	Q8749A	1372 x 30,5	54 x 100							+	•	-	-	60	60	-	60											H	+	+	Η
-				$\left \cdot \right $	$\left \right $	+				+	_			•						-			-					┝─╊	┿	╀	Η
HP Self-adhesive Mate	Q8750A	1524 x 30,5	60 x 100											9														Щ			Ц
	8SU04A	610 x 30,5	24 x 100						•7	•7	•7	•7	•7	•7	•7	•7		•7	36 7						•7			•7		7	Г
HP Removable Adhesive Fabric	8SU06A	1067 x 30,5	42 x 100			П			1111	T	@ 7	•7	•7	•7	•7	(0 7							T					•7		7	Π
(REACH compliant) ¹⁰	8SU09A	1524 x 30,5	60 x 100											3 7	50 7													rt			Н
HP Everyday Adhesive	COF28A	914 x 22,9	36 x 75			П			•		•	•	\bullet	•	•	Θ			30		4				•		•			T	П
Gloss Polypropylene	COF29A	1067 x 22,9	42 x 75						•		0		•	•	٠	٩					4										
	COF18A	610 x 22,9	24 x 75			Π				•	•	•	•	•	٠		٠		٠		•				•		•			Ē	П
	COF19A	914 x 22,9	36 x 75						•		4		•	•	٠	Θ	٠		36		4				•		•			ŗ	
HP Everyday Adhesive Matte Polypropylene	COF20A	1067 x 22,9	42 x 75						•		4	•	\bullet	•	٠	Θ					49									'	Π
	COF22A	1524 x 22,9	60 x 75											٩	O		60														
	D9R24A	914 x 30,5	36 x 100						1111		1 97	•7	•7	•7	•7	() ⁷									•7		•	•7	•	1	Π
	D9R25A	1067 x 30,5	42 x 100						1111111111111		1 07	•7	•7	•7	•7	@ 7												•7		1	
	D9R26A	1270 x 30,5	50 x 100											3 07	50 7													\square			
	D9R27A	1524 x 30,5	60 x 100											3 7	50 7																
HP Universal Adhesive Vinyl	C2T51A	914 x 20	36 x 65						•		•	•	•	•	٠	9	٠		36		49				•		•		•	,	
(REACH compliant) ¹⁰	C2T52A	1067 x 20	42 x 65						0		٩	٠	•	•	٠	0	٠				4)	

Compatibility & Availability Chart

Printer availability varies by region. Americas includes the United States, Canada, and Latin America. Europe includes Europe, Middle East, and Africa.

		lipati																	n America.							Atrici	a.			
		aphics and ng Materi		gion ability	-							Printer	ter/Photo Printer/Multifunction Printer Compatibility and Ink Technology HP dye color inks																	
	Part number	Metric size (mm x m)	٩	3-in Core 2 Pack	4 Pack	44-roll Tub 88-roll Tub	Americas Japan	iot Japan)	et Z2100	DesignJet Z2600 Design let 73100	DesignJet Z3200			_	Design Jet Z6200 Design Jet Z6600 Design Jet Z6610 Design Jet Z6800 Design Jet Z6810	DesignJet Z6 DesignJet Z9+	DesignJet 5000 Dye DesignJet 5500 Dye DesignJet D5800	DesignJet T100/ T120/T125/T130	DesignJet T520/ T525/ T530 DesignJet T730 DesignJet T830 MFP	DesignJet T610 DesignJet T770 DesignJet T790					DesignJet T2500 MFP DesignJet T2530 MFP DesignJet T2600 MFP	Design Jet T3500 MFP	DesignJet XL 3600 MFP DesignJet T1700	DesignJet T620	DesignJet T7100 DesignJet T7200	DesignJet 111 DesignJet 130 ³
HP Banner and Sign M	aterials																													
	CH022A	610 x 30,5	24 x 100						-	-	•	•	•	•	•	•	•	•	•		•			•	·	-			•	
	CH023A	914 x 30,5	36 x 100						•	(4	•	•	•	•	٩			0		4			•					•	
	CH025A	1067 x 30,5	42 x 100						•	(4	•	•	•	•	٩					4						•		•	
	CH026A	1270 x 30,5	50 x 100											•	0		60													
HP Everyday Matte	CH027A	1524 x 30,5	60 x 100				••							•	60		60									Τ	Τ	Π		
Polypropylene 🛞	CH024A	914 x 61	36 x 200			Π			•	(1	•				٩					4				,			Ħ	•	
	D9R28A	914 x 61	36 x 200			Т		++-	1111111111111			•7	•7	•7	•7	(D 7								•	7	-		Ħ	•7	
	D9R29A	1067 x 61	42 x 200						(0 7	0	1 07 (7	-	07	•	111										+	+	+	•7	+
	D9R30A	1270 x 61											-	D 7	607	•										+	+	╀╋	-	
			50 x 200		$\left \right $	+				_		-	-	-												_	+	┢		
	D9R31A	1524 x 61	60 x 200		$\left \right $	+				-	+		-+	D7	©7											4	+	\square		4
HP Everyday	Y3Z17A	914 x 30,5	36 x 100						@ 7	(D 7 (•7	-	•7	•7	1 07	•7							•	·			1	•7	
Blockout Display Film (REACH compliant) ¹⁰	Y3Z19A	1270 x 30,5											0	D7	1 07		50 7													
	Y3Z2OA	1524 x 30,5	60 x 100				•						0	D 7	50 7		607													
	C2T53A	914 x 22,9	36 x 75						0		•	•		•	•	٩								•					•	
HP Premium Matte Polypropylene 🛞¹	C2T54A	1067 x 22,9	42 x 75						•	(1	•	•	•	٠	٩											•	Ī	•	П
i otypiopytene 🕁	C5G02A	1524 x 22,9	60 x 75											•	3 0		50											Ħ		
HP Durable Semi-gloss	Q6620B	914 x 15,2	36 x 50			Т			0		0	•			•	•	•									T	T	Ħ		
Display Film	COF12A	914 x 22,9	36 x 75			+			0		4		•	•	•	•	•							•				+	•	+
HP Durable Synthetic									+	-		-	-	-	-		-										-	॑	-	
Banner 🛞 🕺	COF13A	1067 x 22,9	42 x 75			+			4	-	0	•	-	•	•	٩	•									_	+	⊢	•	
	COF14A	1524 x 22,9	60 x 75									_	-+	0	0		60										+	Щ		Щ
	Q8675C	610 x 15,2	24 x 50		$\left \right $	-				-	-	-	-	•	•	•	•							•	·	_		╆		
HP Opaque Scrim	Q1898C	914 x 15,2	36 x 50		$\left \right $					_	-	-	-	•	•	8	•								/	_		┼┼		
(REACH compliant) ¹⁰	Q1899C Q1901C	1067 x 15,2	42 x 50 54 x 50		\vdash	+				-	•	-	-	•	60	9	60									-	+-	┢		
	Q1902C	1524 x 15,2	60 x 50		$\left \right $									• •	 0			-								+	+	H		
		610 x 30,5	24 x 100		$\left \right $					7	+		-	07	•7		-									+	+	\mathbb{H}		H
HP Production Banner		914 x 30,5	36 x 100							-			•7	•7	•									_			1	Ħ		
(REACH compliant) ¹⁰	3WW64A	1016 x 30,5	40 x 100										•7	•7	•7													Ħ		
HP Fine Art Printing M	laterials													_												_	_			
		610 x 15,2	24 x 50							_	•	•	•	•	•	•	٠									\perp	\perp	Ц		
HP Recycled Satin Canvas 🛞¹		914 x 15,2	36 x 50								-	-	-		٠	٩										_	_	Щ		
(REACH compliant) ¹⁰	4NT73A	1118 x 15,2	44 x 50							-	•	•	-	©	<u></u>	•	60									\rightarrow	+	\parallel		
	4NT74A	1524 x 15,2	60 x 50										-	(<u>60</u>		50										+	\square		<u> </u>
HP Artist Matte Canvas	E4J54B E4J55B	610 x 15,2 914 x 15,2	24 x 50		\vdash					-	-	•	-	•	•	•	•									+	_	┢		+
	E4J55B	1067 x 15,2	36 x 50 42 x 50		$\left \right $	+			0		•	-	-	•	•	9	•									+	+	₩		
	E4J57A	1118 x 15,2	44 x 50		+						-	•	-	•	60	•	60										+	H		+
	E4J58B	1524 x 15,2	60 x 50							+	-	-		•	60		60										+	Ħ		
HP Professional Matte Canvas	E4J59C	610 x 15,2	24 x 50								•	•	-	•	•		•											+		+
	E4J60B	914 x 15,2	36 x 50		Ħ	П			0	-	-	-	-	•	•	•	•										T	Ħ		
	E4J61B	1067 x 15,2	42 x 50						0		0	•	•	•	٠	•														
	J3E86A	1118 x 15,2	44 x 50						٩		0	•	•	1	60	٩	60													T
	J3E87B	1524 x 15,2	60 x 50											1	60		60													
	K6B77A	610 x 30,5	24 x 100		\square				•7	-	-	•7	•7	•7	•7	•7	•7										\perp	\prod		
HP Matte Litho-realistic Paper	K6B78A	914 x 30,5	36 x 100		\square				3 7		-	-	-	•7	•7	1 7	•7										4	4		Ш
(FSC [®] certified) ⁴ [™] 5	K6B80A	1118 x 30,5	44 x 100		\square				@ 7	4	D 7 (•7	-	D7	6 07	1 07	1 07										\perp	$\downarrow\downarrow$		
	K6B82A	1524 x 30,5	60 x 100											D 7	60 7		50 7													



Take advantage of free return through the HP Large Format Media take-back program.



The mark of responsible forestry FSC®-certified HP printing materials carry the Forest Stewardship Council® (FSC) Mix label, signifying that these media support the development of responsible forest management worldwide.

Note: Not all FSC[®]-certified products are available in all regions.



REACH (Registration, Evaluation, Authorization, and Restriction of Chemicals) is a regulation of the European Union, adopted to improve the protection of human health and the environment from risks that can be posed by chemicals. The following HP large format printing materials have approved fire certifications. For more information see **HPLFMedia.com/hp/en/flame-resistant**.

	B1	NFPA	Class A	ASTM E84	ASTM E84-16
HP Opaque Scrim					
HP Removable Adhesive Fabric				•	
HP Backlit Polyester Film					

- Compatible only with the 36-inch (914 mm) version of the printer series.
- Ocompatible only with the 44-inch (1118 mm) version of the printer series.
- Compatible only with the 60-inch (1524 mm) version of the printer series.
- ¹ HP Large Format Media take-back program availability varies. Programs may not exist in your area. See HPLFMedia.com/ecosolutions for details.
- ² Visit hp.com/recycle to see how to participate and for HP Planet Partners program features and availability; program may not be available in your area. Where this program is not available, and for other consumables not included in the program, consult the Material Safety Data Sheet (MSDS) available at hp.com/go/ecodata to determine appropriate disposal.
- ³ Roll feed accessory required.
- BMG trademark license code FSC[®]-C115319, see **fsc.org**. HP trademark licence code FSC[®]-C017543, see **fsc.org**. Not all FSC[®]-certified products are available in all regions.
- ⁵ Can be recycled through commonly available recycling programs.
- ⁶ Additional sizes available, please visit HPLFMedia.com.
- ⁷ Requires 3-in core adapter.
- ⁸ Papers can be recycled according to region-specific practices. In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.
- ⁹ Compatible with the HP DesignJet Z3200 Photo Printer series only.
- ¹⁰ As of the date of this document, this product does not contain any of the chemicals on the EU's Candidate List for Authorization (otherwise known as Substances of Very High Concern) in concentrations exceeding 0.1%. To determine the status of SVHC in HP products, see the HP REACH Article 33 Declaration published at HP Printing Products and Consumable Supplies at hp.com/hpinfo/globalcitizenship/environment/productdata/reachall-products.html. Logo source: Copyright European Chemicals Agency.



HP is a registered trademark of HP Development Company, L.P. and is used by Brand Management Group on license from HP Development Company, L.P.

^{© 2020} HP Development Company, L.P. © 2020 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

How to order HP technical and graphics large format printing materials

Explore the wide range of different types of printing materials, specifically designed to meet the demands of graphics and technical professionals.

Order online at <u>HPLFMedia.com</u> or contact us at:

Americas

- U.S., Canada: 888-893-4668
- Mexico, Latin America: +01-800-681-6740

Europe, Middle East, and Africa

- Spain & Portugal: +34 935 479 700
- United Kingdom & Ireland: +44 (0) 24 7718 0068
- France: +33 (0)1 84 88 00 35
- Ltaly: +39 02 9475 4971
- Germany: +49 (0) 3030 806 625
- Alps, Benelux & Nordics: +32 28 080 750
- Central & Eastern Europe: + 42 022 888 2053

Asia Pacific

- Australia: +61 2 8038 5013
- Singapore: +65 3158 4677

We look forward to working with you and providing you with the best possible products, service, and support.

For more information, visit our website at: http://HPLFMedia.com

For detailed information on the HP large format printing materials portfolio and to order, visit HPLFMedia.com

