

Data Sheet FUJITSU Notebook LIFEBOOK U904

Perform with Brilliance

The FUJITSU Notebook LIFEBOOK U904 is an attractively fully-featured Ultrabook™ for business professionals. The outstanding thin design of only 15.5 mm (0.61-inch) from only 1.33 kg (2.9 lbs) allows you to travel in complete comfort, while the solid magnesium housing ensures durability. Its super-crisp 35.6cm (14.0-inch) frameless WQHD+ IGZO display also supports touch input. What's more, an extended battery runtime, backlit keyboard, ultimate security features and optional embedded 4G/LTE offer you the exceptional mobility with your notebook outside the office. With the optional port replicator ultimate convenience is guaranteed in the office.

Ultra-slim design in combination with good looks

Outstanding mobility in every situation

Stylish and ultra-slim notebook at only 15.5 mm (0.61-inch) with a weight from only 1.33 kg (2.9 lbs), frameless 35.6 cm (14.0-inch) WQHD+ IGZO display for extraordinary resolution and brightness for indoor and outdoor, touchscreen option

Mobile office on the go

Highest productivity on business trips

Solid magnesium housing and aluminum palm rest, extended battery runtime, optional backlit keyboard, Hybrid Drives (SSHD) or Solid State Drives (SSD), ShockSensor for hard disk drive protection, Anytime USB Charge functionality to charge phones and media devices even when the system is turned off

Maximum security for professionals

Enterprise-grade security to protect most valuable asset – your company data

■ Full Disk Encryption (FDE), embedded palm vein or fingerprint sensor, optional TPM

Ultimate connectivity

Flexibility to work and be available wherever you are

 Pull-out LAN connector, port replicator option, embedded 4G/LTE or 3G/UMTS option, WLAN and Bluetooth













Page 1 / 7 www.fujitsu.com/fts/mobile

Components

Base unit	LIFEBOOK U904 14.0-inch black/silver		
Operating systems			
Operating system	Windows 8.1 Pro 64-bit Windows 8.1 64-bit Windows 7 Professional 64-bit		
Operating system compatible	Windows 7 Professional 32-bit Windows 8 64-bit Windows 8 32-bit		
Processor	Intel® Core™ i5-4200U processor (1.6 GHz,		
	Intel® Core™ i7-4600U processor (2.1 GHz,		
	Intel® Core™ i5-4300U processor (1.9 GHz,		
	*Processor only for retail, SMB, education a	,	
	Intel® Core™ vPro™ Processor - Best Platfor	n for Businesses of all sizes	
Memory modules	2 GB (1 module(s) 2 GB) DDR3 L, 1,600 MI	Iz, PC3-12800, SO DIMM	
•	4 GB (1 module(s) 4 GB) DDR3 L, 1,600 MI		
	8 GB (1 module(s) 8 GB) DDR3 L, 1,600 MH	Iz, PC3-12800, SO DIMM	
Hard disk drives (internal)	SSHD, 500 GB / 16 GB SSD Cache, 2.5-inch,	S.M.A.R.T.	
	SSD SATA III FDE, 256 GB, 2.5-inch		
	SSD SATA III, 512 GB, 2.5-inch		
	SSD SATA III, 256 GB, 2.5-inch		
	SSD SATA III, 128 GB, 2.5-inch		
Hard disk notes	One Gigabyte equals one billion bytes, who		
	Accessible capacity may vary, also dependi		
	Up to 20 GB of HDD space is reserved for sy	stem recovery	
	Internal HDD interface: S-ATA III (6GBit/s)		
Interface add on cards/components (optional)			
3G/4G (optional)	Sierra Wireless EM8805 (Downlink speed 4	2 Mbit/s, Uplink speed 5.76 Mbit/s)	
, ,	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		
WLAN (optional)	Intel® Dual Band Wireless-N 7260 a/b/g/n with integrated Bluetooth		
Display	35.6 cm (14-inch),LED backlight,(WQHD+),Anti-glare IGZO non-touch display,magnesium,3,200 x 1,800 pixel,1,000:1,400 cd/m 2		
Multimedia			
Camera	Built-in webcam, HD	Built-in webcam (HD) with Status LED	
	•	` '	

Base unit

Base unit	LIFEBOOK U904 14.0-inch black/silver	
General system information		
Chipset	Integrated	
Chipset notes	Supports iAMT 9.0 Intel® vPro™ requires Core i5-43xx & i7-46xx CPU, Intel WLAN 7260 a/b/g/n, TPM module	
Supported capacity RAM (max.)	10 GB	
Memory slots	1 DIMM (DDR3L)	

Page 2 / 7 www.fujitsu.com/fts/mobile

General system information		
Memory notes	DDR3L - 1,600 MHz	
LAN	2 GB onboard, 1 DIMM Slot with max 8 GB Built-in 10/100/1,000 MBit/s Intel® 218LM	
BIOS features		
	BIOS based on Phoenix SecureCore	
Audio type Audio codec	On board	
Audio codec Audio features	Realtek ALC283 Stereo speakers	
	stereo speakers	
Display		
Display notes	ISO 9241-307 - Pixel class II, Viewing Angel: 80/80	
Graphics		
Base unit	LIFEBOOK U904 14.0-inch black/silver	
TFT resolution (HDMI)	up to 1,920 x 1,080	
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	
TFT resolution (DisplayPort on Port	up to 2,560 x 1,600	
Replicator)		
Graphics brand name	Intel® HD Graphics 4400	
Graphics features	3 Display Support (2 external, 1 internal)	
Graphics notes	Shared memory depending on main memory size and operating system	
Interfaces		
DC-in	1	
Audio: line-out / headphone	1 (combo port with Audio line-in)	
Audio: line-in / microphone	1 (combo port with Audio line-out)	
Internal microphones	2 (digital)	
USB 3.0 total	2 (1 with Anytime USB Charge functionality)	
HDMI	1	
Ethernet (RJ-45)	1 (pull-out connector)	
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)	
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE module)	
Port Replicator interfaces (optional)		
DC-in	1 (19V)	
Power on switch	1	
USB 3.0 total	4	
DisplayPort	1 (up to 2560 x 1600)	
VGA	1 (up to 1920 x 1200)	
DVI	1 (up to 1920 x 1200)	
Ethernet (RJ-45)	1 (10/100/1000)	
Kensington Lock support	1 (Port Rep only)	
Notes	Port replicator supports 0-Watts functionality	
Keyboard and pointing devices		
	Backlit isolation keyboard	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.0 mm	
	Multi gesture touchpad with integrated mouse button functionality	
	EcoButton Status LED	
	Status LED	
Wireless technologies		
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, Bluetooth antenna shared with WLAN	
WLAN notes	Import and usage according to country-specific regulations.	
Power supply		
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter	
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology	
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter	


Page 3 / 7 www.fujitsu.com/fts/mobile

Power supply		
Notes	65W AC Adapter for usage with system/ min. 80W AC Adapter for usage with Port Replicator	
1st battery	Lithium polymer battery 4-cell, 45 Wh	
Runtime 1st battery	Up to 10:00 h	
Battery charging time	~120 min	
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.	
Noise emission		
Noise emission	Please refer to the Eco Declaration	
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	329.9 x 229.9 x 15.5 mm	
,	12.98 x 9.05 x 0.61 inch	
Weight	From 1.39 kg with touch display, with non-touch display from 1.33 kg	
Weight (lbs)	From 3.1 lbs with touch display, with non-touch display from 2.9 lbs	
Weight notes	Weight may vary depending on actual configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F)	
Operating relative humidity	20 - 85 %	
Compliance		
Europe	CE CB	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.0 EPEAT® Gold (dedicated regions)	
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	Adobe® Reader® (pdf reader) McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win8: Microsoft Push Button Recovery (hard disk based recovery) Win7: Fujitsu Recovery (hard disk based recovery)	
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows® Connection manager (optional with 4G/LTE or 3G/UMTS) CyberLink YouCam (webcam software)	
Manageability		
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 9.0 (depending on CPU)	
Manageability software	DeskView Client DeskView Instant BIOS Management	

Page 4 / 7 www.fujitsu.com/fts/mobile

Manageability	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) WBEM (Web Based Enterprise Management) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2)
User Security	Embedded palm vein sensor (optional) Embedded fingerprint sensor (optional) USB SmartCard Reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)

Warranty		
Warranty period	2 years (for countries within EMEIA)	
Warranty type	Collect & Return Service / Bring-in Service (depending on country)	
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty	
Product Support Services - the perfect extension		
Recommended Service	9x5, Onsite Response Time: Next Business Day	
Spare Parts availability	5 years after end of product life	
Service Weblink	htttp://ts.fujitsu.com/Supportservice	



notebookcheck test result: good, FUJITSU Notebook LIFEBOOK U904 Ultrabook, notebookcheck.com - Germany April 2014

Recommended Accessories

Page 5 / 7 www.fujitsu.com/fts/mobile

Port Replicator for LIFEBOOK U904



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options. It takes just a second S26391-F1347-L100 to attach your notebook to the Port Replicator to connect to your external display, keyboard and mouse. Choose from a selection of port replicators to suit your Notebook and enjoy a hassle free and tidy workplace.

Microsaver® DS Ultra thin



The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key.

Order Code: S26361-F1650-L900

Supreme Case



The Supreme Case protects notebooks with up to 15.6-inch screens and provides ample storage for power adapters, office supplies and documents. S26391-F1192-L900 The high-quality leather used for this case is sure to impress with its strong, yet lightweight structure and rich, dark color. Customers will also be pleased to note the smooth interior design of the bag, as well as the robust metal clips which keep your notebook safe. The professional finish, elegant design and carrying comfort of this model make it the ideal business case.

Order Code:

Wireless Notebook Mouse WI610



The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

Order Code: S26381-K460-L100

External Super Multi Drive



For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you. S26341-F103-L135 Upgrade your notebook or PC with this external drive and use it wherever you are.

Order Code:

VGA Conversion Cable (HDMI to VGA)



The FUJITSU VGA Conversion Cable enables you to view content from your HDMI capable device when the available projector or external display only has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.

Order Code: S26391-F938-L900

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK U904, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U904, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2016 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2016-05-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2016 Fujitsu Technology Solutions GmbH