

Data Sheet

Fujitsu Display E19-6 LED Displays

Advanced display 48.3 cm (19-inch)
Best energy saving solutions for office applications

The E19-6 LED combines comfortable ergonomics with best-in-class energy saving technology like ECO operation mode.

Environment-friendly LED technology with unique, high efficient energy saving solutions like ECO operation mode and ECO standby

Convenient and fatigue-proof longtime-usage with excellent visual ergonomics for the office

Proven connectivity with DVI and Analog

Representative design with space saving front frame and smart details like discretely integrated speakers



reddot design award
winner 2011



Technical details

Special features

ECO button, ECO Status LED: 3 colors for 3 modes

Ergonomic stand

Stand removable

Tilt angle -5° / +15°

Picture performance

Contrast - typical 1000:1

Contrast - advanced 2,000,000:1

Response time typical 5 ms

Viewing angle (h/v) - typical 170°/170° CR5:1

Color performance 16.7 million colors (Hi-FRC)

Brightness - typical 250 cd/m²

Size and resolution

Aspect ratio 5:4

Diagonal Size 48.3 cm (19-inch)

Resolution (native) 1280 x 1024 pixel (recommended)

Resolution (interpolated) 1024 x 768 pixel, 800 x 600 pixel, 640 x 480 pixel

Picture size 376 x 301 mm

Pixel Pitch 0.294 mm

Frequencies

Horizontal 30 - 83 kHz

Vertical 56 - 76 Hz

Connectivity

DVI 1 x DVI (HDCP)

VGA/D-SUB 1 x D-SUB

Audio signal output 3.5 mm stereo phone jack

Audio signal input 3.5 mm stereo phone jack

Audio sound output 2 x 1 W

Ease-of-use menu

Languages Arabic, Czech, Danish, Dutch, English, Finnish, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Japanese

Brightness / Contrast Brightness, Contrast, Black level, Auto level

Color 6500K, 9300K, Native, Custom Color (R,G,B)

Image adjust Clock, Phase, H-Position, V-Position, Expansion

Audio Mute, Volume

Information Model name, S/N, Resolution/mode, Signal input

Setup Input select, Language, DDC-CI, OSD-Timeout, Factory recall

Power consumption (typical, w/o sound)

Soft switch off 0.1 W

Power save mode 0.1 W

Operating with EPA settings 19 W

Operating maximum brightness 25 W

Power notes w/o sound

Electrical values

Rated voltage range 100 V - 240 V

Rated frequency range 50 Hz - 60 Hz

Protection class 1

Compliance

Europe CE certification according to EC Directive 2004/108/EEC, EN 60950, Nordic Swan, RoHS, WEEE, IT-Eco-Declaration

Model E19-6

Germany	TÜV GS
Russia	GOST
USA/Canada	FCC Class B, cUL
Japan	VCCI
Saudi Arabia	SASO
Mexico	NOM
Global	TCO Displays 5.1, ENERGY STAR® 5.0, EPEAT® Silver (dedicated regions), ISO9241-307 (Pixel fault class I)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Quality and Reliability	
MTBF (demonstrated)	70000 h
Dimensions / Weight / Environmental	
Dimension without stand (W x D x H)	411 x 58 x 348 mm
Dimension with stand (W x D x H)	411 x 193 x 389 mm
Weight (packed)	4.8 kg
Weight (unpacked)	3.1 kg
Weight (Monitor only)	2,9 kg
Operating ambient temperature	5 - 35°C
Miscellaneous	
Miscellaneous	VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock prepared
Package content	
Display delivered accessories	D-SUB Data cable 1.8 m , Audio cable 1.8 m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8 m, Quickstart flyer, Getting Started Manual, Warranty booklet
Display delivered accessories notes	Data cables and audio cable detachable on display
Order information	
Order Code	RUN:K1376-V160
EAN-No.	4049699393143
Warranty	
Standard Warranty	3 years
Service level	Collect & Return Service (depending on country)
Service Weblink	http://ts.fujitsu.com/Supportservice

More information

Fujitsu platform solutions

In addition to Fujitsu Display E19-6 LED, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu Display E19-6 LED, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://ts.fujitsu.com/displays>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

Contact

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2011-07-29 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions