

Simplification List for SAP S/4HANA 1610 Feature Pack Stack 01



Table of Content

1	Introduction.....	17
1.1	<i>Purpose of the Document.....</i>	18
1.2	<i>General Topics for the Simplification List.....</i>	18
1.3	<i>System Conversion Sequence.....</i>	20
1.4	<i>The Simplification List 1610 FPS1 – this document.....</i>	21
2	Master Data.....	23
2.1	<i>S4TWL - MDM 3.0 integration.....</i>	23
2.2	<i>S4TWL - SRM Product Master.....</i>	23
2.3	<i>S4TWL - Logistics Batch Management.....</i>	25
2.4	<i>S4TWL - Classifications functionality of customer master.....</i>	26
2.5	<i>S4TWL - Product catalog.....</i>	26
2.6	<i>S4TWL - Object Identifier Type Code.....</i>	27
2.7	<i>S4TWL: Business partner data exchange between SAP CRM and S/4HANA.....</i>	28
2.8	<i>S4TWL - External Interfacing BAPIs, IMG Nodes and BOR objects of SCM.....</i>	31
2.9	<i>S4TWL - HANA-based Analytics for Master Data Governance.....</i>	40
2.10	<i>S4TWL - Business Partner BUT000/Header Level Time Dependency.....</i>	41
2.11	<i>S4TWL - BADI SCI_ADDRESS_SEARCH (Duplicate Check) is not available in S/4HANA....</i>	43
2.12	<i>S4TWL - Business Partner Approach.....</i>	44
2.13	<i>S4TWL - Simplified Product Master Table.....</i>	47
2.14	<i>S4TWL - Material Number Field Length Extension.....</i>	48
2.15	<i>S4TWL - Simplification of copy/reference handling.....</i>	55
2.16	<i>S4TWL - Foreign Trade fields in Material Master.....</i>	57
2.17	<i>S4TWL - MRP fields in Material Master.....</i>	57
2.18	<i>S4TWL - Material Type SERV.....</i>	58
2.19	<i>S4TWL - Product Catalog functionality for integration with Internet Application Components</i>	62
3	Sales & Distribution.....	63
3.1	<i>S4TWL - Business Role Internal Sales Representative.....</i>	63
3.2	<i>S4TWL - Webshops by Internet Sales or Web Channel Experience Management.....</i>	64
3.3	<i>S4TWL - Commodity Management Sales.....</i>	65

3.4	<i>S4TWL - Sales Activities</i>	67
3.5	<i>S4TWL - Billing Document Output Management</i>	70
3.6	<i>S4TWL - SD Rebate Processing replaced by Settlement Management</i>	71
3.7	<i>S4TWL -Miscellaneous minor functionalities in SD Area</i>	72
3.8	<i>S4TWL - SD Complaint Handling</i>	73
3.9	<i>S4TWL - SD – FI/CA Integration with distributed systems</i>	74
3.10	<i>S4TWL - SD Simplified Data Models</i>	76
3.11	<i>S4TWL - Enterprise Search in SD and LE</i>	78
3.12	<i>S4TWL - Data Model Changes in SD Pricing</i>	79
3.13	<i>S4TWL - Foreign Trade</i>	83
3.14	<i>S4TWL - Credit Management</i>	93
3.15	<i>S4TWL - ERP SD Revenue Recognition</i>	96
3.16	<i>S4TWL - Optimization of SD Rebate Processing for TPM Customers</i>	97
3.17	<i>S4TWL - Simplification in SD Analytics</i>	99
3.18	<i>S4TWL - Advanced Order Processing and Billing for Contractors to the public sect</i>	100
3.19	<i>S4TWL - Operational Data Provisioning</i>	102
4	Customer Service	103
4.1	<i>S4TWL - PH_Sample iView</i>	103
4.2	<i>S4TWL - Customer Interaction Center (CIC)</i>	104
5	Procurement	105
5.1	<i>S4TWL - MM-PUR WebDynpro Applications</i>	105
5.2	<i>S4TWL - Classic MM-PUR GUI Transactions replacement</i>	107
5.3	<i>S4TWL - Dedicated SAP Supplier Lifecycle Management (SAP SLC) business processes</i>	109
5.4	<i>S4TWL - Supplier Distribution via MDG-S</i>	109
5.5	<i>S4TWL - Authority Concept for Supplier Invoice</i>	110
5.6	<i>S4TWL - Foreign Trade within SAP S/4HANA Procurement</i>	111
5.7	<i>S4TWL - Commodity Management Procurement</i>	122
5.8	<i>S4TWL - Automatic Document Adjustment</i>	124
5.9	<i>S4TWL - RFQ Simplified Transaction</i>	126
5.10	<i>S4TWL - Co-Deployment of SAP SRM</i>	127
5.11	<i>S4TWL - Co-Deployment of SAP Supplier Lifecycle Management (SAP SLC)</i>	128
5.12	<i>S4TWL - Vendor evaluation based on LIS</i>	129
5.13	<i>S4TWL - Subsequent Settlement - Vendor Rebate Arrangements</i>	130
5.14	<i>S4TWL - ERP Shopping Cart</i>	131

5.15	<i>S4TWL - Internet Application Components (IAC)</i>	132
5.16	<i>S4TWL - MDM Catalog</i>	133
5.17	<i>S4TWL - Pricing Data Model Simplification</i>	134
5.18	<i>S4TWL - Output Management Adoption in Purchase Order</i>	135
6	Logistics – AB	136
6.1	<i>S4TWL - Agency Business</i>	136
7	Logistics – ATP	163
7.1	<i>S4TWL - New advanced ATP in SAP S/4HANA – Table VBBS</i>	163
7.2	<i>S4TWL - icon (E2open)</i>	164
7.3	<i>S4TWL - New fashion solution</i>	165
8	Logistics – DSD	165
8.1	<i>S4TWL - Direct Store Delivery</i>	165
9	Logistics - Environment, Health & Safety (EHS)	167
9.1	<i>S4TWL - Deprecation of EHS Data Series and Amounts</i>	167
9.2	<i>S4TWL - Deprecation of 'Inspect Safety Control' Fiori app</i>	168
9.3	<i>S4TWL - Deprecation of 'Retrieve Safety Information' Fiori app</i>	168
9.4	<i>S4TWL - Simplification of Authorizations in Incident Management</i>	169
9.5	<i>S4TWL - Removal of EHS Home Screens</i>	171
9.6	<i>S4TWL - Simplification of Incident Management workflows</i>	172
9.7	<i>S4TWL - Changed data model for listed substances</i>	173
9.8	<i>S4TWL - Industrial Hygiene and EC interfaces</i>	174
9.9	<i>S4TWL - Occupational Health</i>	176
9.10	<i>S4TWL - Waste Management</i>	177
9.11	<i>S4TWL - Simplification in Incident Management and Risk Assessment</i>	178
9.12	<i>S4TWL - EHS Environment Management</i>	180
9.13	<i>S4TWL - Removal of EHS workflows for requesting controls, impacts, agents</i>	180
9.14	<i>S4TWL - Responsible person for Planned Maintenance at EHS locations</i>	182
9.15	<i>S4TWL - Remote integration scenarios of EHS</i>	183
9.16	<i>S4TWL - Collection of various small and medium sized changes in EHS</i>	184
10	Logistics – GT	185
10.1	<i>S4TWL - Global Trade Management</i>	185
11	Logistics - MM-IM	187
11.1	<i>S4TWL - DATA MODEL IN INVENTORY MANAGEMENT (MM-IM)</i>	187

11.2	<i>S4TWL - AVAILABILITY OF TRANSACTIONS IN MM-IM</i>	196
11.3	<i>S4TWL - Material Ledger Obligatory for Material Valuation</i>	197
11.4	<i>S4TWL - Material Valuation - Statistical moving average price</i>	201
11.5	<i>S4TWL - Performance optimizations within Material Document Processing - lock behavior and stock underrun protection</i>	203
11.6	<i>S4TWL - Material Valuation Data Model Simplification in S/4HANA 1610 and Higher</i>	209
11.7	<i>S4TWL - Goods movements without exclusive locking by material valuation</i>	214
11.8	<i>S4TWL - CWM in SAP S/4HANA</i>	216
12	Logistics – PLM	223
12.1	<i>S4TWL - Engineering Desktop (EDesk)</i>	223
12.2	<i>S4TWL - DMS - STEP Support</i>	224
12.3	<i>S4TWL - DMS Documents@WEB</i>	225
12.4	<i>S4TWL - Variant Configuration</i>	226
12.5	<i>S4TWL - Classification</i>	227
12.6	<i>S4TWL - IPPE-BOM Converter</i>	231
12.7	<i>S4TWL - BOM, Routing, Production Version</i>	232
12.8	<i>S4TWL - SAP PLM Recipe Development</i>	233
12.9	<i>S4TWL - Engineering Change Management ECR/ECO</i>	234
12.10	<i>S4TWL - Enterprise Search in SAP Product Lifecycle Management (SAP PLM)</i>	236
12.11	<i>S4TWL - Engineering Change Management Change Sequence Graph</i>	237
12.12	<i>S4TWL - Engineering Workbench</i>	238
12.13	<i>S4TWL - Collaborative Engineering</i>	238
12.14	<i>S4TWL - iPPE Time Analysis</i>	239
12.15	<i>S4TWL - Integration to SAP Portfolio and Project Management</i>	240
12.16	<i>S4TWL - Routing Component Assignment</i>	241
12.17	<i>S4TWL - Release Management Framework</i>	242
12.18	<i>S4TWL - Engineering Record</i>	243
12.19	<i>S4TWL - PLM Labeling Usage</i>	243
12.20	<i>S4TWL - Engineering Record with LAMA</i>	244
12.21	<i>S4TWL - Assemblies</i>	244
12.22	<i>S4TWL - Product Designer Workbench</i>	245
12.23	<i>S4TWL - Access Control Management (ACM)</i>	246
12.24	<i>S4TWL - cFolders</i>	247
12.25	<i>S4TWL - cDesk</i>	248

12.26	<i>S4TWL - Recipe Management</i>	249
12.27	<i>S4TWL - Engineering Client Viewer (ECL)</i>	251
12.28	<i>S4TWL - Easy Document Management (Easy DMS)</i>	252
13	Logistics – PP	253
13.1	<i>S4TWL - ERP Line-Balancing and Sequencing</i>	253
13.2	<i>S4TWL - MRP in HANA</i>	254
13.3	<i>S4TWL - Planning File</i>	258
13.4	<i>S4TWL - Total Dependent Requirements</i>	260
13.5	<i>S4TWL - Forecast Based Planning</i>	262
13.6	<i>S4TWL - Demand Forecasting</i>	263
13.7	<i>S4TWL - Release status for different RFC function modules revoked</i>	264
13.8	<i>S4TWL - Computer Aided Processing Planning (CAP)</i>	265
13.9	<i>S4TWL - ABAP-List-Based PI-Sheets</i>	266
13.10	<i>S4TWL - ANSI/ISA S95 Interface</i>	267
13.11	<i>S4TWL - PP-MRP - Subcontracting</i>	267
13.12	<i>S4TWL - Digital Signature</i>	269
13.13	<i>S4TWL - Electronic Records</i>	270
13.14	<i>S4TWL - Downtimes Functionality</i>	271
13.15	<i>S4TWL - MiniApps PP-PI</i>	271
13.16	<i>S4TWL - Process Data Evaluation (PP-PI-PEV)</i>	272
13.17	<i>S4TWL - Campaign Weighing and Dispensing</i>	273
13.18	<i>S4TWL - Production Campaign (ERP)</i>	273
13.19	<i>S4TWL - Electronic Batch Record</i>	274
13.20	<i>S4TWL - Process Messages</i>	275
13.21	<i>S4TWL - Control Recipes/Instructions</i>	275
13.22	<i>S4TWL - Storage Location MRP</i>	276
13.23	<i>S4TWL - Process Operator Cockpits</i>	277
13.24	<i>S4TWL - Material Identification/Reconciliation</i>	278
13.25	<i>S4TWL - Flow Manufacturing</i>	278
13.26	<i>S4TWL - FMP in S4HANA</i>	279
13.27	<i>S4TWL - Process Flow Scheduling (PP-PI)</i>	280
13.28	<i>S4TWL - Rate and Rough-Cut Planning</i>	281
13.29	<i>S4TWL - Planning Horizon</i>	282
13.30	<i>S4TWL - Batch History</i>	284

13.31	<i>S4TWL - Selected Business Functions in PP area.....</i>	284
13.32	<i>S4TWL - External Interfaces in PP</i>	286
13.33	<i>S4TWL - Graphical Planning Table.....</i>	288
13.34	<i>S4TWL - Logistic Information System in PP</i>	289
13.35	<i>S4TWL - Sales and Operation Planning.....</i>	291
13.36	<i>S4TWL - Simplified Sourcing</i>	292
13.37	<i>S4TWL - Browser-based Process Instruction-Sheets/Electronic Work Instructions</i>	298
13.38	<i>S4TWL - Internet Kanban.....</i>	299
14	Logistics – PS.....	300
14.1	<i>S4TWL - Simplification of Date Planning Transactions</i>	300
14.2	<i>S4TWL - Workforce Planning</i>	302
14.3	<i>S4TWL - Progress Tracking & Monitoring Dates.....</i>	302
14.4	<i>S4TWL - Project Claim Factsheet.....</i>	303
14.5	<i>S4TWL - Project Reporting</i>	304
14.6	<i>S4TWL - Selected Project System Interfaces</i>	309
14.7	<i>S4TWL - Construction Progress Report and Valuation</i>	310
14.8	<i>S4TWL - Project System ITS Services</i>	311
14.9	<i>S4TWL - Selected PS Business Function Capabilities.....</i>	312
14.10	<i>S4TWL - Selected Logistics Capabilities.....</i>	313
14.11	<i>S4TWL - Simplification of maintenance transactions.....</i>	314
14.12	<i>S4TWL - Selected Project System BAPIs.....</i>	315
14.13	<i>S4TWL - Handling Large Projects Business Functions</i>	316
14.14	<i>S4TWL - Navigation to Project Builder instead of special maintenance functions</i>	317
14.15	<i>S4TWL - Production Resources and Tools functions for projects</i>	319
14.16	<i>S4TWL - Project Planning Board, Gantt-Chart, Hierarchy and Network Graphics.....</i>	319
14.17	<i>S4TWL - Current simulation functions in project system</i>	320
14.18	<i>S4TWL - Specific PS archiving transactions</i>	321
14.19	<i>S4TWL - Project texts (PS texts).....</i>	322
14.20	<i>S4TWL - Claim Management</i>	323
14.21	<i>S4TWL - Selected project financial planning and control functions</i>	324
15	Logistics – PSS.....	326
15.1	<i>S4TWL - MyApps for Product Safety and Dangerous Goods Management</i>	326
15.2	<i>S4TWL - PS&S SARA Reports.....</i>	327
15.3	<i>S4TWL - Substance Volume Tracking Selection Criteria based on tables VBUK and VB</i>	327

15.4	<i>S4TWL - Simplification in Product Compliance for Discrete Industry</i>	329
15.5	<i>S4TWL - QM Interface</i>	331
15.6	<i>S4TWL - IUCLID5 Interface</i>	332
15.7	<i>S4TWL - PS&S Enterprise Search Model</i>	333
15.8	<i>S4TWL - Hazardous Substance Management</i>	333
15.9	<i>S4TWL - Add-On: SAP Product and REACH Compliance (SPRC)</i>	334
15.10	<i>S4TWL - Add-On: EHS Web-Interface</i>	335
15.11	<i>S4TWL - Add-On: Genifix (Labelling solution)</i>	336
15.12	<i>S4TWL - BW Extractors for Dangerous Goods Management and Specification Management</i>	336
15.13	<i>S4TWL - PS&S Key Figures</i>	337
16	Logistics – PM	338
16.1	<i>S4TWL - LIS in EAM</i>	338
16.2	<i>S4TWL - Download Data in MS Access out of List</i>	340
16.3	<i>S4TWL - Scheduling of Maintenance Plan</i>	340
16.4	<i>S4TWL - Mobile Asset Management (MAM)</i>	341
16.5	<i>S4TWL - Batch Input for Enterprise Asset Management (EAM)</i>	342
16.6	<i>S4TWL - Change Order and Operations IW37,IW49</i>	343
16.7	<i>S4TWL - WebDynpro Application for Maintenance Planner (<= EhP4)</i>	344
16.8	<i>S4TWL - Enterprise Search in EAM</i>	345
17	Logistics – QM	346
17.1	<i>S4TWL - Quality Management Information System (QMIS)</i>	346
17.2	<i>S4TWL - Quality Inspection Engine (QIE)</i>	347
17.3	<i>S4TWL - Results Recording</i>	347
17.4	<i>S4TWL - ITS services in QM</i>	348
17.5	<i>S4TWL - QM WEB Workplace (MiniApps) based on ITS Services</i>	349
18	Logistics – WM	351
18.1	<i>S4TWL - Warehouse Management (WM)</i>	351
19	Logistics – TRA	352
19.1	<i>S4TWL - Transportation (LE-TRA)</i>	352
20	Financials – General	353
20.1	<i>S4TWL - DATA MODEL CHANGES IN FIN</i>	353
20.2	<i>S4TWL - REPLACED TRANSACTION CODES AND PROGRAMS IN FIN</i>	360
21	Financials - General Ledger	365

21.1	<i>S4TWL - GENERAL LEDGER</i>	365
21.2	<i>S4TWL - SAP INVOICE AND GOODS RECEIPT RECONCILIATION</i>	367
21.3	<i>S4TWL - SAP HANA ODP ON HANA CALC VIEW-BASED REPORTING</i>	368
21.4	<i>S4TWL - Closing Cockpit with S/4 HANA OP</i>	368
21.5	<i>S4TWL - Currencies in Universal Journal</i>	369
22	Financials - Accounts Payable/Accounts Receivable	373
22.1	<i>S4TWL - SAP Working Capital Analytics/DSO and DPO</i>	373
22.2	<i>S4TWL - Integration with FSCM Biller Direct (FI-AR)</i>	374
22.3	<i>S4TWL - Integration with FSCM Biller Direct (FI-AP)</i>	375
23	Financials - Asset Accounting	376
23.1	<i>S4TWL - DATA STRUCTURE CHANGES IN ASSET ACCOUNTING</i>	376
23.2	<i>S4TWL - ASSET ACCOUNTING</i>	376
23.3	<i>S4TWL - INTEGRATION TO LEASE ACCOUNTING ENGINE (LAE)</i>	377
23.4	<i>S4TWL - JOINT VENTURE ACCOUNTING (JVA)</i>	377
23.5	<i>S4TWL - SELECTED BUSINESS FUNCTIONS IN FINANCIAL ACCOUNTING (FI-GL AND FI-AA)</i> 378	
24	Financials - Cash Management	380
24.1	<i>S4TWL - CASH MANAGEMENT - GENERAL</i>	380
25	Financials – Controlling	387
25.1	<i>S4TWL Reference and Simulation Costing</i>	387
25.2	<i>S4TWL - Summarization Hierarchies in Controlling</i>	388
25.3	<i>S4TWL - Technical Changes in Material Ledger with Actual Costing</i>	390
25.4	<i>S4TWL - TECHNICAL CHANGES IN CONTROLLING</i>	396
25.5	<i>S4TWL - PROFIT AND LOSS PLANNING AND PROFIT CENTER PLANNING</i>	397
25.6	<i>S4TWL - ACTIVITY-BASED COSTING</i>	400
25.7	<i>S4TWL - GENERAL COST OBJECTS AND COST OBJECT HIERARCHIES</i>	401
25.8	<i>S4TWL - TRANSFER PRICES/ PARALLEL DELTA VERSIONS</i>	404
25.9	<i>S4TWL - ALE SCENARIOS</i>	405
25.10	<i>S4TWL - COST ELEMENTS</i>	406
25.11	<i>S4TWL - Reporting/Analytics in Controlling</i>	408
25.12	<i>S4TWL - Profitability Analysis</i>	411
26	Financials - Treasury and Risk Management	413
26.1	<i>S4TWL - Master Agreements</i>	413

26.2	<i>S4TWL - Offers</i>	414
26.3	<i>S4TWL - Simulation in Transaction Management</i>	414
26.4	<i>S4TWL - Correspondence Functionality</i>	415
26.5	<i>S4TWL - Interest Rate and Yield Curve Functionality</i>	417
26.6	<i>S4TWL - Commodity Risk Management</i>	418
26.7	<i>S4TWL - Credit Risk Analyzer Link to Cash Management</i>	419
26.8	<i>S4TWL - Exposure Management 1.0</i>	420
26.9	<i>S4TWL - Drilldown Reporting in Treasury and Risk Management</i>	422
26.10	<i>S4TWL - Quantity Ledger Always Active for Money Market Transactions</i>	422
26.11	<i>S4TWL - Several Kinds of Financial Objects Disabled</i>	422
26.12	<i>S4TWL - Accrual/Deferral of Expenses and Revenues</i>	423
26.13	<i>S4TWL - Drawable Bonds</i>	424
27	Financials – Miscellaneous	424
27.1	<i>S4TWL - Credit Management</i>	424
27.2	<i>S4TWL - Technical Changes in Material Ledger</i>	427
27.3	<i>S4TWL - Real Estate Classic</i>	429
27.4	<i>S4TWL - SAP Data Aging for SAP S/4HANA Finance</i>	429
27.5	<i>S4TWL - Conversion to S/4HANA 1610 Material Ledger and Actual Costing</i>	431
28	Financials - International Trade	433
28.1	<i>S4TWL - Material classification with commodity codes</i>	433
29	Globalization	434
29.1	<i>S4TWL - Globalization – Logistics</i>	434
29.2	<i>S4TWL - Globalization – Financials</i>	435
30	Human Resources	435
30.1	<i>S4TWL - General HCM Approach within SAP S/4HANA</i>	435
30.2	<i>S4TWL - Conversion of Employees to Business Partners</i>	437
30.3	<i>S4TWL - SAP Learning Solution</i>	438
30.4	<i>S4TWL - SAP E-Recruiting</i>	438
30.5	<i>S4TWL - Java-Based ESS and MSS</i>	438
31	Industry – Cross	438
31.1	<i>S4TWL - BRIM - Billing of Event Detail Records (EDR)</i>	438
31.2	<i>S4TWL - BRIM - Common Object Layer (COL)</i>	439
31.3	<i>S4TWL - BRIM - Integration with FSCM Biller Direct (FI-CA)</i>	440

31.4	<i>S4TWL - BRIM - Solution Sales and Billing</i>	441
31.5	<i>S4TWL - BRIM – Immediate Master Data Replication to SAP Convergent Charging</i>	442
32	Industry Banking	443
32.1	<i>S4TWL - SEM Banking</i>	443
33	Industry Beverage	445
33.1	<i>S4TWL - IS-Beverage Cleanup</i>	445
33.2	<i>S4TWL - IS-Beverage solution</i>	446
33.3	<i>S4TWL - Empties Management and Pendulum List</i>	447
34	Industry Defense&Security	448
34.1	<i>S4TWL - DFPS eSOA services</i>	448
34.2	<i>S4TWL - BI content, Datasources and extractors for DFPS</i>	449
34.3	<i>S4TWL - Integration of DFPS with Investigative Case Management (ICM)</i>	450
34.4	<i>S4TWL - Integration of DFPS with Environmental Compliance</i>	451
35	Industry DIMP - Aerospace & Defense	452
35.1	<i>S4TWL - Collective Processing Pegging</i>	452
35.2	<i>S4TWL - Cost Distribution Processing</i>	453
35.3	<i>S4TWL - Manufacturer Part Number</i>	454
35.4	<i>S4TWL - Flight Scheduling</i>	459
35.5	<i>S4TWL - Enhancements Actual Labour Costing / Time Recording</i>	460
35.6	<i>S4TWL - Enhancements Subcontracting Special Stock Types Not Available</i>	461
35.7	<i>S4TWL - AECMA SPEC 2000M Military Version</i>	461
36	Industry DIMP – Automotive	462
36.1	<i>S4TWL - Tracking Inbound</i>	462
36.2	<i>S4TWL - Supplier Workplace</i>	463
36.3	<i>S4TWL - External Service Providers</i>	465
36.4	<i>S4TWL - Cross-System Transit between Two Plants</i>	466
36.5	<i>S4TWL - Long Material Number</i>	468
36.6	<i>S4TWL - Material Version</i>	470
36.7	<i>S4TWL - Planning Regular Route Shipments</i>	472
36.8	<i>S4TWL - BSP based Dealer Portal</i>	474
36.9	<i>S4TWL – Web-Based Dealer Portal</i>	475
37	Industry DIMP - EC&O	476
37.1	<i>S4TWL - Obsolete BAPIS of Bill of Services (BOS)</i>	476

37.2	<i>S4TWL - BOS Cost Transfer to PS removed</i>	477
37.3	<i>S4TWL - ZDEP ETM CATS package</i>	477
37.4	<i>S4TWL - ETM General</i>	478
37.5	<i>S4TWL - ETM (Equipment and Tools Management) Tables Obsolete</i>	479
37.6	<i>S4TWL - REAL ESTATE SALES (HOMEBUILDING)</i>	479
37.7	<i>S4TWL Business Package for Subcontracting (EC&O)</i>	480
38	Industry DIMP - High Tec	481
38.1	<i>S4TWL - Manufacturing Execution Systems</i>	481
38.2	<i>S4TWL - RosettaNet</i>	482
38.3	<i>S4TWL - Software License Management</i>	482
38.4	<i>S4TWL - Installed Base Management</i>	483
38.5	<i>S4TWL - Contract Management Enhancements</i>	484
38.6	<i>S4TWL - Billing Process Enhancements</i>	484
38.7	<i>S4TWL - Software Maintenance Processing</i>	485
38.8	<i>S4TWL - User Exits in DRM</i>	486
38.9	<i>S4TWL - Condition Technique in DRM: Rule Configuration</i>	487
38.10	<i>S4TWL - Manufacturer/Supplier Processes</i>	487
38.11	<i>S4TWL - Distributor/Reseller Processes</i>	489
39	Industry DIMP – Mill	491
39.1	<i>S4TWL - Non ferrous metal processing</i>	491
39.2	<i>S4TWL - Sales Order Versions</i>	492
39.3	<i>S4TWL - Stock Overview and Object Search by Characteristics</i>	493
39.4	<i>S4TWL - Mill specific enhancements to scheduling PRTs</i>	494
39.5	<i>S4TWL - Process batch</i>	495
39.6	<i>S4TWL - Fast entry of characteristic values in trading contract</i>	496
39.7	<i>S4TWL - Selection by characteristics in mass processing of orders</i>	497
39.8	<i>S4TWL - Fast entry of characteristic values in sales document</i>	498
40	Industry Retail & Fashion	499
40.1	<i>S4TWL - Logistical Variant</i>	499
40.2	<i>S4TWL - SAP Forecasting & Replenishment Integration</i>	500
40.3	<i>S4TWL - Retail Power Lists</i>	501
40.4	<i>S4TWL - Retail Closed BW Scenarios</i>	501
40.5	<i>S4TWL - Retail Markdown Plan</i>	502
40.6	<i>S4TWL - Retail Bonus Buy</i>	503

40.7	<i>S4TWL - Retail Sales Forecasting</i>	504
40.8	<i>S4TWL - Retail Order Optimizing: Load Build, Investment Buy</i>	505
40.9	<i>S4TWL - Retail Rapid Replenishment</i>	505
40.10	<i>S4TWL - Retail Additional</i>	506
40.11	<i>S4TWL - Article Discontinuation</i>	507
40.12	<i>S4TWL - GDS simplified Inbound Price Catalog Interface</i>	508
40.13	<i>S4TWL - Business Partner for Site Master</i>	509
40.14	<i>S4TWL - Article Hierarchy</i>	509
40.15	<i>S4TWL - Market Basket Calculation</i>	510
40.16	<i>S4TWL - Merchandise and Assortment Planning (ERP based)</i>	511
40.17	<i>S4TWL - Retail Method of Accounting</i>	512
40.18	<i>S4TWL - Perishables Procurement</i>	513
40.19	<i>S4TWL - Fresh Item Procurement</i>	514
40.20	<i>S4TWL - Retail Ledger / Profit Center Analytics</i>	514
40.21	<i>S4TWL - Goods Receipt Capacity Check</i>	515
40.22	<i>S4TWL - Omnichannel Promotion Pricing</i>	516
40.23	<i>S4TWL - Online Store</i>	517
40.24	<i>S4TWL - Generic Article Harmonization</i>	517
40.25	<i>S4TWL - Retail Labeling</i>	519
40.26	<i>S4TWL - Seasonal Procurement</i>	519
40.27	<i>S4TWL - Replenishment</i>	520
40.28	<i>S4TWL - Retail Information System</i>	521
40.29	<i>S4TWL - SAP Retail Store</i>	522
40.30	<i>S4TWL - Retail iViews</i>	523
40.31	<i>S4TWL - Prepack Allocation Planning</i>	524
40.32	<i>S4TWL - Assortment List</i>	524
40.33	<i>S4TWL - In-store food production integration</i>	525
40.34	<i>S4TWL - PRICAT Outbound</i>	526
40.35	<i>S4TWL - Retail Business Function Harmonization</i>	527
40.36	<i>S4TWL - Retail Obsolete Transactions</i>	527
40.37	<i>S4TWL - Value and Quota Scales</i>	532
40.38	<i>S4TWL - AIN</i>	532
40.39	<i>S4TWL - Retail Season Conversion</i>	533
40.40	<i>S4TWL - SAP Smart Business for Retail Promotion Execution</i>	535
40.41	<i>S4TWL - Retail Factsheets</i>	535

40.42	<i>S4TWL - Retail Short Text Replacement</i>	536
40.43	<i>S4TWL - Retail Store Fiori App</i>	537
40.44	<i>S4TWL - SAP AFS Integration</i>	537
40.45	<i>S4TWL - POS Outbound via Idoc WP_PLU</i>	538
40.46	<i>S4TWL - Valuation in Retail</i>	539
40.47	<i>S4TWL - Retail Demand Management Integration</i>	540
41	Industry Public Sector	541
41.1	<i>S4TWL - Specific fields on Business Partner</i>	541
41.2	<i>S4TWL - Fund Accounting based on Special Ledger</i>	542
41.3	<i>S4TWL - Data Structure changes in BCS</i>	544
41.4	<i>S4TWL - Funds Management Dimensions as part of the Universal Journal</i>	545
41.5	<i>S4TWL - Functionality for BCS Multi-level Budget Structure</i>	547
41.6	<i>S4TWL - Functionality Average Daily Balance-based Distribution</i>	549
41.7	<i>S4TWL - Authorization in Funds Management</i>	550
41.8	<i>S4TWL - Former Budgeting System (FBS) in Funds Management</i>	552
41.9	<i>S4TWL - Functionality German Local Authorities</i>	554
41.10	<i>S4TWL - Functionality for FACTS I and FACTS II (Federal Agencies Centralized Trial Balance System)</i>	554
41.11	<i>S4TWL - Expenditure Certification</i>	556
42	Industry Telecommunications	558
42.1	<i>S4TWL - Lock and unlock services using IST_TDATA</i>	558
42.2	<i>S4TWL - PORTAL ROLES FOR NETWORK LIFECYCLE MANAGEMENT (NLM)</i>	559
43	Industry Utilities	560
43.1	<i>S4TWL - CVI Integration for SAP ISU</i>	560
43.2	<i>S4TWL - Multichannel Foundation for Utilities</i>	561
43.3	<i>S4TWL - Waste & Recycling - General</i>	562
43.4	<i>S4TWL - Monitoring Profile Value Import</i>	564
43.5	<i>S4TWL - Utilities Customer Electronic Services (UCES)</i>	565
43.6	<i>S4TWL - Stock and Transaction</i>	565
43.7	<i>S4TWL - IS-U Sales Processing</i>	566
43.8	<i>S4TWL - Marketing - IS-U Loyalty Program</i>	566
43.9	<i>S4TWL - Front Office (EC20)</i>	567
43.10	<i>S4TWL - GIS Business Connector</i>	567
43.11	<i>S4TWL - Enterprise Services for SAP for Utilities (IS-U)</i>	568

43.12	<i>S4TWL - Central and Eastern European localization for Utility & Telco</i>	568
44	Industry Oil	570
44.1	<i>S4TWL - Handling Oil & Gas obsolete t-codes Oil</i>	570
44.2	<i>S4TWL - Optimization in Oil & Gas - TD module for STO and sales order with POD b business scenario</i>	572
44.3	<i>S4TWL - Data Model in Oil & Gas Inventory management</i>	573
44.4	<i>S4TWL - Optimization in Oil&Gas - Inter company sales - Cross border excise duty</i>	578
44.5	<i>S4TWL - IS-OIL Proper sign operation for ACDOCA</i>	580
44.6	<i>S4TWL - Unit of Measure (UoM) Group enhancement</i>	581
44.7	<i>S4TWL - eNetting Deprecation</i>	583
44.8	<i>S4TWL - Dynamic Scheduling depreciation</i>	584
44.9	<i>S4TWL - Financial Based netting depreciation</i>	585
44.10	<i>S4TWL - Oil & Gas inconsistency reports depreciation</i>	586
45	Cross Topics	589
45.1	<i>S4TWL - FIORI APPLICATIONS FOR SUITE ON HANA ON-PREMISE</i>	589
45.2	<i>S4TWL - SAP S/4HANA AND SAP BUSINESS WAREHOUSE CONTENT</i>	591
45.3	<i>S4TWL - Social Intelligence</i>	591
45.4	<i>S4TWL - Custom Fields</i>	592
45.5	<i>S4TWL - Side Panel functionality in SAP S/4HANA (on-premise)</i>	593
45.6	<i>S4TWL - Changed Interfaces</i>	596
45.7	<i>S4TWL - OUTPUT MANAGEMENT</i>	597
45.8	<i>S4TWL - SAP HANA LIVE REPORTING</i>	601
45.9	<i>S4TWL - ENTERPRISE SEARCH</i>	602
45.10	<i>S4TWL - Ariba Network Integration</i>	603
45.11	<i>S4TWL - INTERNET PRICING AND CONFIGURATOR (SAP IPC)</i>	605
45.12	<i>S4TWL - JOB SCHEDULING</i>	606
45.13	<i>S4TWL - LEGACY SYSTEM MIGRATION WORKBENCH</i>	608
46	Portfolio and Project Management (PPM)	610
46.1	<i>S4TWL - Web Dynpro Applications for Resource Maintenance in SAP Portfolio and Project Management for SAP S/4HANA</i>	610
46.2	<i>S4TWL - Workforce Deployment (WFD) integration in SAP Portfolio and Project Management for SAP S/4HANA</i>	611
46.3	<i>S4TWL - Integration to SAP cFolders in SAP Portfolio and Project Management for SAP S/4HANA</i>	612
46.4	<i>S4TWL - KM Documents in SAP Portfolio and Project Management for SAP S/4HANA</i>	613

46.5	<i>S4TWL - SRM Integration in SAP Portfolio and Project Management for SAP S/4HANA.....</i>	613
46.6	<i>S4TWL - cFolders not available anymore in SAP Portfolio and Project Management f.....</i>	614
46.7	<i>S4TWL - Global Settings in SAP Portfolio and Project Management for SAP S/4HANA.....</i>	615
46.8	<i>S4TWL - Fiori apps of UI FOR SAP PORTF PROJ MGMT 6.0 in SAP Portfolio and Projec</i>	627
46.9	<i>S4TWL - Portfolio Structure Graphic in SAP Portfolio and Project Management for SAP S/4HANA.....</i>	628
46.10	<i>S4TWL - SAP Smart Forms in SAP Portfolio and Project Management for SAP S/4HANA...</i>	628
46.11	<i>S4TWL - Resource Management Web Dynpro Views in SAP Portfolio and Project Management</i>	629
46.12	<i>S4TWL - WebDAV and EasyDMS Integration in SAP Portfolio and Project Management....</i>	630
46.13	<i>S4TWL - SAP Portal Integration in SAP Portfolio and Project Management</i>	630
46.14	<i>S4TWL - cRoom Integration in SAP Portfolio and Project Management for SAP S/4HANA .</i>	631
46.15	<i>S4TWL - xPD Integration in SAP Portfolio and Project Management for SAP S/4HANA</i>	632
46.16	<i>S4TWL - Xcelsius Integration in SAP Portfolio and Project Management for SAP S/4 HANA</i>	632
46.17	<i>S4TWL - SAP BusinessObjects Explorer Integration in SAP EPPM.....</i>	633
46.18	<i>S4TWL - Project simulation in SAP Portfolio and Project Management for SAP S/4HANA..</i>	634
46.19	<i>S4TWL - Simplification of data model in SAP Portfolio and Project Management</i>	635
46.20	<i>S4TWL - Deletion of obsolete packages in EPPM</i>	636
46.21	<i>S4TWL - Business Partner in SAP Portfolio and Project Management for SAP S/4HANA</i>	636
46.22	<i>S4TWL - Simplified ACLs (Access Control Lists) concept in SAP Portfolio and Project Management for SAP S/4HANA</i>	637
46.23	<i>S4TWL - SAP Web Dynpro usage in SAP Port. and Proj. Management for SAP S/4HANA ...</i>	638
46.24	<i>S4TWL - Changes compared to older releases than SAP Port. and Proj. Mngt. 6.1</i>	640
46.25	<i>S4TWL - Not strategic functionalities within SAP S/4HANA</i>	641
46.26	<i>S4TWL - Control Plans in SAP Portfolio and Project Management for SAP S/4HANA</i>	642
46.27	<i>S4TWL - HTTP-Based Document Management in SAP Portfolio and Project Management f</i>	643
46.28	<i>S4TWL - Object Links to SAP Environmental Compliance in SAP Portfolio and Project Management</i>	644
46.29	<i>S4TWL - Microsoft Project Import/Export in SAP Portfolio and Project Management</i>	645

1 Introduction

SAP® S/4HANA is SAP's next-generation business suite. As such, it is not a legal successor of any SAP Business Suite product. It is a new product, built entirely on one of the most advanced in-memory platforms today – SAP HANA® – and incorporates modern design principles through the SAP Fiori user experience (UX). SAP S/4HANA delivers massive simplifications (customer adoption, data model, user experience, decision making, business processes and models) and innovations (Internet of Things, Big Data, business networks, and mobile-first) to help businesses Run Simple in the digital economy.

Through its approach to building SAP S/4HANA, SAP is re-architecting its solution for modern business processes that the ever-increasing digitization of the world demands. Re-architecting a solution that has been growing over the past 25 years and has, at points, evolved into different data structures and architectures means that we also have to decide on one data structure and architecture as we move forward. This is the only way that we can prepare the solution for increased simplicity and faster innovation cycles.

Example: In the current ERP system, we have two general ledgers: the classical general ledger and the new general ledger. The new general ledger was introduced mainly as a result of the need to support multiple valuation methods. As progressed in SAP S/4HANA, we naturally had to decide on one general ledger structure. We went with the structure of the new general ledger, which offers much higher flexibility.

In most cases, SAP is pursuing the functional strategies that were already laid out in the existing Business Suite world, where many innovations originate from (as in the example above). Consequently, it is possible to prepare for the system conversion to SAP S/4HANA by already adopting the future target capabilities in the classic SAP Business Suite.

That being said, SAP is taking on responsibility for managing the impact of these decisions.

- Many of the changes are purely technical and will have no or only limited impact on people's work; therefore, they will not trigger business change management. Such changes will be mandatory when converting a system to SAP S/4HANA.
- Other decisions are of a more strategic nature, determining which version of functional support will evolve into the digital era and provide the capabilities that today's unstoppable business process innovation demands. When these strategic directions demand change management through adoption, SAP will generally keep the traditional capabilities available as compatibility scope, enabling a predominantly technical migration of these processes and leaving the timing of change management as a customer decision. Change management may

therefore take place during the initial conversion or be postponed to a later point in time.

When compared to the number of SAP Business Suite products that appear in this list, the total list of simplifications for SAP S/4HANA may appear rather long. However, SAP does not foresee that any one customer system will be affected by all of them, because the simplifications cover all capabilities of the system, including industry solutions. This list should be treated as a complete inventory that needs to be mapped against a productive environment to determine the impact of converting.

SAP expects that the same applies to custom code that our customers or partners have implemented. This code has grown over time, and experience has shown that a large share of custom code is not even used anymore. Simplifying your own extensions will benefit the general simplification of your system. To ease this process, SAP will provide an analysis to identify custom code in the context of these changes, thereby quantifying the effort involved in custom code migration into a projectable quantity.

In addition, customers should be aware of the fact that only SAP S/4HANA packages (and no other software) shall be deployed on an SAP S/4HANA installation. Details are provided in the Software Use Rights document.

To enable our customers to better plan and estimate their path to SAP S/4HANA, we have created the “Simplification List for SAP S/4HANA”. In this list we describe in detail, on a functional level, what happens to individual transactions and solution capabilities in SAP S/4HANA. Compared to the SAP Business Suite products, we have in some cases merged certain functionality with other elements or reflected it within a new solution or architecture.

1.1 Purpose of the Document

The purpose of this document is to support customers in converting their system from SAP ERP 6.x or SAP Simple Finance, to SAP S/4HANA.

Note: The Simplification List for SAP S/4HANA is edition/release dependent. In this collection we focus on SAP S/4HANA 1610.

For future SAP S/4HANA releases, a new list will be made available.

1.2 General Topics for the Simplification List

For a typical ERP 6.x customer, moving to the SAP S/4HANA On-premise edition requires a database migration to SAP HANA (if the customer is not yet running SAP HANA), followed by the installation of the new simplified code. Changes in adaption on the customer’s side are also required.

The most prominent example for which the customer needs to adapt to these SAP S/4HANA On-premise edition 1511 delivery simplifications is the custom code, which needs to be compliant with the data structure and scope of the appropriate SAP S/4HANA release.



In addition, customers should be aware of the fact that only S/4HANA packages (and no other software) shall be deployed on an S/4HANA installation. Details are set forth in the Software Use Rights document.

Customers' expectation related to the move to the SAP S/4HANA On-premise edition delivery is that SAP informs and provides guidance about the required steps and tasks on this journey.

Based on the "*Simplification List for SAP S/4HANA*", SAP will provide information about the SAP S/4HANA On-Premise delivery related simplifications for each application/functional area. The Simplification List is a collection of individual "Simplification Items" that focus on what needs to be considered throughout an implementation or system conversion project from SAP ERP 6.X Customers to SAP S/4HANA On-premise edition.

Simplification Item Information

Each Simplification Item will provide the following information:

- Description, Business Impact, and Recommendations
- SAP Notes (for related Pre-Checks or Custom Code Checks)

Description

The Simplification List is structured into different application / functional areas that you should already be familiar with from SAP Business Suite, with a short explanation about the technical change.

Business Process-Related Information

Here you will find a description of what the Simplification Item means for the related business processes.

Recommendations

The dedicated recommendations provide a description about how the related custom code needs to be adapted (based on SAP Notes).

Note: The recommendations and SAP Notes are formulated in a general manner corresponding to a standard customer SAP Business Suite architecture and may therefore differ depending on the System Landscape that is actually in place.

Simplification Categories

The simplification items can be categorized based on their type of impact:

- **Re-architecting for SAP HANA in-memory platform**
Used for functionality that is optimized to leverage the capabilities of the SAP HANA database, for example the new data model.
- **Consolidation of existing functionalities**
Functionality that is unified in the core and optimized according to the principle

of one, but from a business process and user perspective, the functionality basically remains the same.

- **No functional equivalent**

Compared to the SAP Business Suite, there may be no functional equivalent available in the SAP S/4HANA On-premise edition delivery, because SAP S/4HANA is not a legal successor of an SAP Business Suite product. Alternative functionality with application innovation is in many cases already available in an SAP S/4HANA scope, or it is on the roadmap.

Related Business Impact Note

With SAP S/4HANA 1610 the text of the single simplification items are maintained in separate SAP Notes (so called Business Impact Notes). An XLS sheet with an overview of the Simplification Items and their corresponding SAP Notes and application components can be found as attachment in SAP Note [2313884](#).

1.3 System Conversion Sequence

SAP provides a process for the conversion to SAP S/4HANA. The following figure gives an overview of the tools, the phases, and the activities involved in the process.

Recommendation: We recommend that you do the activities in the sequence shown in the figure and explained in the sections below.




Figure 1: SAP S/4HANA System Conversion Sequence

For more details see SAP S/4HANA Conversion Guide 1610 within SAP Help:

<http://help.sap.com/s4hana>

Maintenance Planner

You have to use the Maintenance Planner to do the system conversion to SAP S/4HANA On-premise edition. Based on the Maintenance Planner, which is recommended to run in an early phase of the SAP S/4HANA System Conversion Project, the following items are checks if they are supported for the conversion:

- Any **Add-Ons** to your system¹
- Any active **Business Functions** in your system²
- **Industry Solutions**³

If there is no valid conversion path for any of the items listed above (for example, an add-on is not released for the conversion yet), the Maintenance Planner prevents the conversion. After the check, the Maintenance Planner generates the download files (add-ons, packages, DBDs, and the stack configuration file) and creates the stack configuration file (stack.xml), which is used by SUM to convert to SAP S/4HANA On-premise edition.

Pre-Check Relevance

Pre-checks are shipped to customers that want to convert to SAP S/4HANA On-premise edition in the form of SAP Notes. Customers can use these pre-checks to find out what mandatory steps they have to carry out before converting to SAP S/4HANA. The results list the instances that need to be addressed before attempting the conversion process.

Custom Code-Related Information

To support the customer in detecting custom code that needs to be adapted for the move to SAP S/4HANA, SAP offered custom code analysis tools (as part of NW 7.50). The customer can verify if his current custom code will be compliant with the SAP S/4HANA On-premise edition data structures and scope. For more Info see details related to custom code within SAP Documentation: [SAP Help](#)

1.4 The Simplification List 1610 FPS1 – this document

The Simplification List for SAP S/4HANA 1610 Feature Package Stack 01 provides the information related to the Simplification List Items which are applicable for customers doing a system conversion from SAP ERP 6.0 to SAP S/4HANA 1610 FPS1.

The Simplification List Items and corresponding Business Impact Notes

The text of the Simplification Items included in this Simplification List is generated based on corresponding SAP Notes (they are called in the context of the Simplification List the *Business Impact Notes*). Examples:

Simplification Item	Business Impact Note
Business Partner Approach	2265093
Material Number Field Length Extension	2267140

¹ For a list of supported add-ons, see SAP Note 2214409

² SAP Notes 2240359 for the Always-Off Business Functions and 2240360 for the Always-On Business Functions

³ See SAP Note 2214213 for supported industry solutions



You can find the corresponding Business Impact Note in the Simplification List as XLS. The Business Impact Note might contain additional information related to the Simplification Item. For example, references to other SAP Notes or additional How-To-Guides. For example, the Simplification Item related to the Business Partner Approach contains a PDF describing the detailed Business Partner Conversion Activities. Please be aware that we do not include this additional information in the Simplification List document.

In this sense the Simplification List document is always a collection of the texts of the dedicated Simplification Item which is stored as original in the corresponding Business Impact Notes at the time this document was created. As the content of the related Business Impact Notes may change based on new insights at a later point of time, you should always read the related Business Impact Note directly for the latest version. In case you have questions or requests to improve the text related to a Simplification Item feel free to open a support ticket based on the component of the Business Impact note.

The generation of the Simplification List document based on the business impact note does have an influence to the format and the length of this document.

New Simplification List Items with SAP S/4HANA 1610

With SAP S/4HANA 1610 the functional scope of SAP S/4HANA has been enhanced. For example, additional industries are supported (e.g. Oil and Retail are supported now) or the SAP Add-On *SAP Portfolio and Project Management 1.0 for SAP S/4HANA*. Accordingly, there are additional Simplification Items listed in this document which go aside to this enhanced functional scope of SAP S/4HANA. In the Simplification List as XLS the Simplification Items which are new with SAP S/4HANA 1610 are marked accordingly.

The Simplification List Items as XLS

Beside the Simplification List as PDF (this document) the Simplification List is available additionally in XLS format as attachment of SAP Note [2313884](#). In this note you can find different XLS spreadsheets for the different SAP S/4HANA releases. The Simplification List 1610 spreadsheet does contain the following information:

- Simplification Items which are new with SAP S/4HANA 1610
 - Items which are new and related to the industries Oil and Retail (supported with SAP S/4HANA 1610)
 - Simplification Items related to SAP Add-On Portfolio and Project Management (PPM)
 - New “Core” items in SAP S/4HANA (this includes items which changed their simplification category – example: industry DIMP-Automotive – simplification “Long Material Number”)

- Simplification Items which are relevant for the upgrade from SAP S/4HANA On-Premise edition 1511 to SAP S/4HANA 1610

2 Master Data

2.1 S4TWL - MDM 3.0 integration

Application Components: LO-MD-MM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267295	MDM 3.0 integration

Description

The MDM specific transaction codes for IDoc processing (inbound and extraction) are not available within SAP S/4HANA, on-premise edition 1511.

Business Process related information

MDM3.0 was discontinued, all known customer implementations have migrated to Netweaver MDM or Master Data Governance. All known customer implementations have already replaced the MDM specific IDoc processing according to SAP note 1529387 "Tables MDMFDBEVENT, MDMFDBID, MDMFDBPR growing significantly"

Transaction not available in SAP S/4HANA on-premise edition 1511	MDM_CLNT_EXTR "Local Extraction"
--	----------------------------------

Required and Recommended Action(s)

None

Related SAP Notes

General SAP Note related to Simplification Item	SAP Note: 1529387
---	-------------------

2.2 S4TWL - SRM Product Master

Application Components: AP-MD-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267297	SRM Product Master

Description

The functional scope of SAP Supplier Relationship Management (SAP SRM) will gradually be made available within SAP S/4HANA. The related functions will become part of the procurement solution of SAP S/4HANA. Technically, the procurement solution within SAP S/4HANA is not a successor to the SAP SRM components. Therefore, the SAP SRM software components and SAP S/4HANA cannot be installed on the same system.

For more details see Simplification Item [Co-Deployment of SAP SRM](#).

Accordingly the SRM Product Master is not available in SAP S/4HANA, on-premise edition 1511.

Business Process related information

There is no influence on the business processes, as the SRM product master was not used in ERP functionality.

Transaction not available in SAP S/4HANA on-premise edition 1511	<ul style="list-style-type: none"> • COM_PR_MDCHECK • COMC_MATERIALID_ALL • COMC_PR_ALTID • COMC_PR_ALTID_BSP • COMC_PR_OBJ_FAM • COMC_PR_OBJ_FAM1 • COMC_PR_RFCDEST • COMC_PRODUCT_IDX • COMC_SERVICEID_ALL • COMCMATERIALID • COMCPRAUTHGROUP • COMCPRD_BSP_ID • COMCPRFORMAT • COMCPRLOGSYS • COMCPRMSG • COMCPRYPENRO
--	---

	<ul style="list-style-type: none"> • COMCSERVICEID • COMM_DEL_PRWB_USER • COMM_EXTRSET • COMM_HIERARCHY • COMM_IOBJ_RECATEG • COMM_MSG01 • COMM_PRAPPLCAT • COMM_PRDARC • COMM_PROD_RECATEG • COMMPR_PCU1 • COMMPR01 • COMMPR02 • CRM_PRODUCT_LOG • CRM_PRODUCT_STA • CRMCFSPRODID
--	---

Required and Recommended Action(s)

None

2.3 S4TWL - Logistics Batch Management

Application Components: LO-BM-MD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267298	Logistics Batch Management

Description

The following transactions related to Logistics Batch Management are not available in SAP S/4HANA, on-premise edition 1511: MSC1, MSC2, MSC3 and MSC4. The functional equivalent in SAP S/4HANA, on-premise edition 1511 are the following transactions:

- MSC1N Create Batch
- MSC2N Change Batch
- MSC3N Display Batch
- MSC4N Display Change Documents for Batch

As of Release 4.6A, the maintenance of batch master data has been completely reworked and assigned to new transaction codes. Already at this point in time it was recommended to use the new transaction codes (MSC*N). The previous transactions and with that the belonging program code are not available within SAP S/4HANA, on-premise edition 1511.

Business Process related information

No influence on the business process alternatively mentioned transaction codes need to be used.

Transaction not available in SAP S/4HANA on-premise edition 1511	MSC1
	MSC2
	MSC3
	MSC4

2.4 S4TWL - Classifications functionality of customer master

Application Components: LO-MD-BP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267303	Classifications functionality of customer master

Description

In traditional ERP systems, you could classify customers using transactions for customer master data maintenance (using the menu Extras -> Classification). These transactions are not available in SAP S/4HANA, on-premise edition 1511. The available Business Partner related transaction BP does currently not support the functionality of classifications for customer master data in SAP S/4HANA, on-premise edition 1511.

2.5 S4TWL - Product catalog

Application Components: LO-MD-PC

Related Notes:

Note Type	Note Number	Note Description
-----------	-------------	------------------

Business Impact	2267292	Product catalog
-----------------	-------------------------	-----------------

Description

Product Catalog functionality was used in the past as means of integration to web-channel solutions.

Hybris is the strategic solution to support web-channel processes, with the respective backend Integration. Thus, Product Catalog functionality is not part of the target architecture.

Business Process related information

Hybris is the strategic solution to support web-channel processes, with the respective backend Integration. Thus, Integration via Product Catalog is not part of the target architecture in SAP S/4HANA.

Transaction not available in SAP S/4HANA.	WPC1 Prepare product catalog IDocs WPC2 Prepare item IDocs WPC3 Prepare catalog change IDocs WPC4 Prepare item change IDocs WPC5 Convert product catalog WWCD Product catalog: Display change docs. WWM1 Create product catalog WWM2 Change product catalog WWM3 Display product catalog WWM4 Copy product catalog WWM5 Delete product catalog
---	--

Required and Recommended Action(s)

Switch to strategic solution.

2.6 S4TWL - Object Identifier Type Code

Application Components: CA-MDG-KM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267294	Object Identifier Type Code

Description

The field NO_CONVERSION is not available in the definition of object identifier type codes (also known as scheme IDs table MDGI_IDSTC_BS). Any existing usages have already been switched to non-conversion data elements in their key structures. In the "key mapping" IMG activity "Define Object Identifiers", the checkbox "No Conversion" was removed, as it was not considered any more.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

None

2.7 S4TWL: Business partner data exchange between SAP CRM and S/4HANA

Application Components: CRM-MD-BP-IF,S4CORE

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2285062	Business partner data exchange between SAP CRM and S/4HANA, On-Premise-Edition

This SAP Note is relevant for you if the following applies:

- You are using an SAP ERP release and support package that is lower than the following releases and support packages:
 - SAP enhancement package 6 for SAP ERP 6.0
 - SAP enhancement package 7 (SP11) for SAP ERP 6.0
 - SAP enhancement package 8 (SP01) for SAP ERP 6.0
- You are using a live integration of SAP CRM and SAP ERP.
- You are planning to convert from SAP ERP to SAP S/4HANA, on-premise edition.
- You are planning to activate the customer vendor integration (CVI) in SAP ERP and start a mass synchronization based on the customer master or vendor master (Customizing activity *Synchronization of Mass Data*) to generate business partners.

Introduction

In SAP S/4HANA, on-premise edition, the central business partner approach is mandatory. The master data is processed using the SAP Business Partner in combination with an activated CVI, and the customer or vendor master is updated automatically in the background. For more information, see the simplification item *Business Partner Approach* (SAP Note 2265093).

If you have not worked with the CVI beforehand, you need to activate it and generate business partners before converting your system to SAP S/4HANA, on-premise edition. In addition, you have to make settings to set up the business partner data exchange between SAP S/4HANA, on-premise edition and SAP CRM.

Business Process Information

There is no effect on business processes if the settings are performed as described in this SAP Note.

Required and Recommended Actions

Note that you must perform the pre-conversion actions described in this SAP Note before activating the CVI and starting mass synchronization.

1. Required Actions in SAP ERP

A Business Add-In (BAdI) implementation has been provided to ensure that the mass synchronization does not generate new GUIDs instead of using the existing GUIDs from the CRM mapping tables. The BAdI is contained in SAP Note 2283695.

It is imperative that SAP Note 2283695 is implemented before the Customer Vendor Integration (CVI) is activated and the mass synchronization of customer master or customer vendor data for the generation of business partners is started. If you start the synchronization before SAP Note 2283695 has been implemented, the mapping between business partners that is used in an integration scenario with SAP CRM is irretrievably lost.

A check report has been provided to examine whether the BAdI implementation is available in your system. In addition, a check report is available that identifies any existing inconsistencies (if you have been using an active CVI already) or any inconsistencies that appear after mass synchronization. For more information about the check reports, see SAP Note 2304337.

2. Required actions in SAP S/4HANA, on-premise edition

Settings for integration of SAP CRM with SAP S/4HANA, on premise-edition 1511 Feature Package Stack 01

If you want to integrate your SAP CRM system with SAP S/4HANA, on premise-edition 1511 FPS 01, several limitations apply to the exchange of business partner data. For more information, see SAP Note 2231667. Most of the limitations are resolved with SAP S/4HANA, on premise-edition 1511 FPS 02.

In the integration scenario with SAP S/4HANA, on premise-edition 1511 FPS 01, you must make the settings described in SAP Notes 1968132 and 2070408.

Settings for integration of SAP CRM with SAP S/4HANA, on premise-edition 1511 FPS 02, or a higher FPS

You need to adjust the settings in transaction COM_BUPA_CALL_FU according to SAP Note 2283810.

Download Objects and Filters

(Note that the download objects named in the following paragraph are located in S/4HANA, on-premise edition, and the transactions are located in SAP CRM.)

We recommend to use the download objects BUPA_MAIN and BUPA_REL for initial loads and request. Due to the fact that in SAP S/4HANA, on-premise solution, the SAP Business Partner is the main master data object for processing customer and vendor master data, the download objects BUPA_MAIN and BUPA_REL now also support all general, customer-specific, and vendor-specific data.

Download object VENDOR_MAIN is not available. The download objects CUSTOMER_MAIN and CUSTOMER_REL continue to be available for initial loads (transaction R3AS) and requests (transactions R3AR2 and R3AR4). We recommend that you only use these download objects for specifying filters that are specific to the customer master, like sales area details, account IDs, and partner functions.

In addition, filter conditions maintained in transaction R3AC1 for CUSTOMER_MAIN and CUSTOMER_REL continue to be considered when downloading business partners and their related customers from SAP S/4HANA, on-premise edition, to SAP CRM.

3. Miscellaneous required actions

See SAP Note 2286880 for handling error messages regarding SEPA and partner functions in SAP CRM. No manual actions are required after implementing the SAP Note.



If you have implemented the user exits DE_BALE or DE_AALE in SAP ERP, see SAP Note 2289876.

For further information about business partner synchronization, see SAP Note 2265093.

2.8 S4TWL - External Interfacing BAPIs, IMG Nodes and BOR objects of SCM

Application Components: SCM-BAS-INT-EXT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2333694	External Interfacing BAPIs, IMG Nodes and BOR objects of SAP SCM-APO

SAP APO system is being migrated to SAP S/4HANA, on-premise edition. During this process, SAP APO SWCs are added to S/4. As a result of this stack extension, few SAP APO business processes, IDOC, BAPIs and IMG activities will not be available and be part of S/4 layer.

The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description

Some IDOC Basic Types, IMG Customization Nodes and BOR (Business Object Repository) objects are not available in SAP S/4HANA. These were available in standalone SAP APO systems before migrating to SAP S/4 HANA

Business Process related information

Following IDOC Basic types, IMG Customization Entries and BOR objects are not available in SAP S/4HANA.

PRDAPS_DELETELOCPRODUCTMULTI01	R3TR/ IDOC	MSCMB_BAPI_MD	IDOC basic type is for deletion of one or more location products.
--------------------------------	---------------	---------------	---

PRDAPS_DELETELOCPRODUCTMULTI02	R3TR/ IDOC	MSCMB_BAPI_MD	IDOC basic type is for deletion of one or more location products.
PRDAPS_DELETEPRODUCTMULTIPLE01	R3TR/ IDOC	MSCMB_BAPI_MD	IDOC basic type is for deletion of one or more products.
PRDAPS_DELETEPRODUCTMULTIPLE02	R3TR/ IDOC	MSCMB_BAPI_MD	IDOC basic type is for deletion of one or more products.
ABC indicator	IMG Activity		IMG activity shall be disabled from SCM; however, this is now to be used from ERP customization.
Rounding Profile	IMG Activity		IMG activity shall be disabled from SCM, however this is now to be used from ERP customization.
Maintain ATP group	IMG Activity		IMG activity shall be disabled from SCM, however this is now to be used from ERP customization.
Dangerous Goods Indicator Profile	IMG Activity		IMG activity shall be



			disabled from SCM, however this is now to be used from ERP customization.
Merchandise Distribution - Adjustment Profile	IMG Activity		IMG activity shall be disabled from ERP, however this is now to be used from SCM customization.
Specify Output Format of Product Number	IMG Activity		IMG activity shall be disabled from SCM, however this is now to be used from ERP customization.
BUS10001 Product APS	R3TR SOBJ	MSCMB_BAPI_MD	BOR Object shall be deleted. SCM master data fields are added to ERP Product Master (Material Master). It is not possible to create or maintain SCM master data fields from SCM transactions/ BORs/ BAPIs or APIs

BUS10015	Location Product Hierarchy	R3TR SOBJ	MSCMB_BAPI_MD	<p>BOR Object shall be deleted. SCM master data fields are added to ERP Product Master (Material Master).</p> <p>It is not possible to create or maintain SCM master data fields from SCM transactions/ BORs/ BAPIs or APIs</p>
BUS10017	Product Hierarchy	R3TR SOBJ	MSCMB_BAPI_MD	<p>BOR Object shall be deleted. SCM master data fields are added to ERP Product Master (Material Master).</p> <p>It is not possible to create or maintain SCM master data fields from SCM transactions/ BORs/ BAPIs or APIs</p>
BUS10011	PartnerProductAPS	R3TR SOBJ	MSCMB_BAPI_MD	<p>BOR Object shall be deleted. SCM</p>

			<p>master data fields are added to ERP Product Master (Material Master).</p> <p>It is not possible to create or maintain SCM master data fields from SCM transactions/ BORs/ BAPIs or APIs</p>
/SCMB/TG_BAPI_LOCPROD_UPD	LIMU FUNC	/SCMB/PTRIG	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
/SCMB/TG_BAPI_LOCPROD_UPD2	LIMU FUNC	/SCMB/PTRIG	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
/SCMB/TG_BAPI_PROD_UPD	LIMU FUNC	/SCMB/PTRIG	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
/SCMB/TG_BAPI_PROD_UPD2	LIMU FUNC	/SCMB/PTRIG	As a result of stack extension of

			SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRTPRDSRVAPS_GETLIST2	LIMU FUNC	MSCMB_BAPI_MD_PRT	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRTPRDSRVAPS_SAVEMULTI2	LIMU FUNC	MSCMB_BAPI_MD_PRT	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRDSRVAPS_REMOVECLASSES	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRDSRVAPS_GETCLASSES	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRDSRVAPS_SETCLASSES	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted

BAPI_PRDSRVAPS_REMOVEITEMS	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRDSRVAPS_DELMULTI	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRDSRVAPS_GETLIST	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRDSRVAPS_REQUESTLIST	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRDSRVAPS_REQUESTLIST2	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRDSRVAPS_SAVEMULTI_30A	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4

			HANA, FM shall be blacklisted
BAPI_PRDSRVAPS_SAVEMULTI2	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_LPHSRVAPS_GETDETAIL	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_LPHSRVAPS_REMOVENODES	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_LPHSRVAPS_REQUESTDETAIL	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_LPHSRVAPS_SAVENODES	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PHSRVAPS_REMOVENODES	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack

			extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PHSRVAPS_REQUESTDETAIL	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PHSRVAPS_SAVENODES	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PRTPRDSRVAPS_DELETEMULTI	LIMU FUNC	MSCMB_BAPI_MD_PRT	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PHSRVAPS_GETDETAIL	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted
BAPI_PHSRVAPSIF_RECEIVEDETAIL	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM

			shall be blacklisted
BAPI_PRDSRVAPSIF_RECEIVELIST2	LIMU FUNC	MSCMB_BAPI_MD	As a result of stack extension of SAP-APO SWCs to S/4 HANA, FM shall be blacklisted

Required and Recommended Action(s)

Knowledge transfer to key and end users

2.9 S4TWL - HANA-based Analytics for Master Data Governance

Application Components: CA-MDG-ANR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2375319	S4TWL – HANA-based Analytics for Master Data Governance

Description

SAP HANA-based Analytics for Master Data Governance is not available within SAP S/4HANA, on-premise edition 1511 and higher.

Business Process related information

With this system conversion the content generation for SAP HANA-based Analytics for Master Data Governance is no longer available.

Required and Recommended Action(s)

Please check if SAP HANA-based Analytics for Master Data Governance is in use.

How to Determine Relevancy

Check if content for SAP HANA-based Analytics for Master Data Governance has been generated. This can be done via the following steps:

- Use transaction SLG1 and check if log entries for MDG_ANA_HANA are existing.
- Check if generated content is available on the HANA Database. This can be done for example by looking for calculation view 'ChangeRequestHeader'.

2.10 S4TWL - Business Partner BUT000/Header Level Time Dependency

Application Components: LO-MD-BP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2379157	Business Partner BUT000/Header Level Time Dependency

You are doing a system conversion to SAP S/4HANA. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description

The time dependency functionality in Business Partner is not supported in the header level (BUT000). Though the functionality is available through SPRO, SAP strongly recommends that the end user should NOT maintain the header level data using Customizing.

Customers who have activated time dependency in SAP ERP before the SAP S/4HANA system conversion or in the SAP S/4HANA, on-premise edition 1511 release, refer to the section *Required and Recommended Action(s)*.

Business Process Related Information

Switch-on and switch-off of the time dependency at BUT000 level will result in certain additional activities. For instance, switching OFF the table BUT000_TD converts the time dependent entries to time independent entries.

Once the BUT000_TD is ON, we can create time slice for central BP. The currently valid time slice will be stored in BUT000 table and the past/future time slice will be stored in BUT000_TD table.

When BUT000_TD is switched OFF:

- If the BP had split validities in BUT000 and BUT000_TD tables, you will not be able to open or edit this BP.
- The following error message appears:
Data set BUT000 for BP 00000000XXX maintained time-dependently, despite inactive Time dep. message appears (Hot News Note 1759416).

Required and Recommended Action(s)

For customers who have not enabled time dependency:

- Do not enable the time dependency at the header level (BUT000) using SPRO.

For customers who have enabled time dependency in releases prior to 1610/11:

You need to deactivate time dependency. It is a one-time process.

1. Run the report Z_NTD_BUT000 attached with this Note. To run this:
 1. Call up SE38.
 2. Enter Z_NTD_BUT00 and choose *Create*.
 3. Choose type as *Executable Program*.
 4. Paste the code content from the attachment.
 5. Save, activate, and then execute the report.
2. This Z report will delete all the BUT000_TD entries (past and future entries) and extend the BUT000 entries (current entry) from 1.1.0001 to 31.12.9999 (which means loss of past/future data).
3. Deactivate TD for BUT000 in V_TB056 view. Now you will not be able to maintain future/past entries for central BP.

Notes:

- The report Z_NTD_BUT000 has a test run mode and *BP range* as the selection parameter.

How to Determine Relevancy

This simplification item is relevant in case the time dependency is enabled in BUT000_TD.

2.11 S4TWL - BADI SCI_ADDRESS_SEARCH (Duplicate Check) is not available in S/4HANA

Application Components: LO-MD-BP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2416027	BADI SCI_ADDRESS_SEARCH (Duplicate Check) is not available in S/4HANA

Symptom

You are doing a system conversion to S/4HANA On Premise. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Other Terms

Duplicate Check, BAdI SIC_ADDRESS_SEARCH

Reason and Prerequisites

The BAdI SIC_ADDRESS_SEARCH was not designed to meet the newer generation codings of S/4HANA which gets called in Fiori smart template apps such as Manage Customer Master, Manage Supplier Master and so on. When this BAdI is activated, the apps generate errors such as program termination or run time exceptions occur.

SOLUTION

Description

The duplicate check using the BAdI SIC_ADDRESS_SEARCH to find duplicate addresses is no more available in S/4HANA.

Business Process related information

This BAdI was used to implement a check that identifies potentially duplicate addresses (in create and edit mode) and notifies the user. The user could decide whether the new account or contact is required or is in fact a duplicate of an existing account or contact.

While not supporting this BAdI implementation, S/4HANA is in a conceptualize stage for a better solution.

Required and Recommended Action(s)

Be informed that the BAdI SIC_ADDRESS_SEARCH for duplicate check has been deactivated.

How to Determine Relevancy

This is relevant for all S/4HANA customers.

2.12 S4TWL - Business Partner Approach

Application Components: LO-MD-BP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2265093	Business Partner Approach

You are doing a system conversion to SAP S/4HANA, on-premise edition 1511 or 1610. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description

There are redundant object models in the traditional ERP system. Here the vendor master and customer master is used. The (mandatory) target approach in S/4HANA is the Business Partner approach.

Business Partner is now capable of centrally managing master data for business partners, customers, and vendors. With current development, BP is the single point of entry to create, edit, and display master data for business partners, customers, and vendors.

Additional Remarks:

- It is planned to check the introduction of the Customer/Vendor Integration in the pre-checks and the technical Conversion procedure of SAP S/4HANA on-premise edition 1610. A system where the customer/vendor integration is not in place will be declined for the transition.

- The Business Partner Approach is not mandatory for the SAP Simple Finance, on-premise edition 1503 and 1605.

Business Process related information

Only SAP Business Suite customer with C/V integration in place can move to SAP S/4HANA, on-premise(Conversion approach). It's recommended but not mandatory that BuPa ID and Customer-ID / Vendor ID are the same.

The user interface for SAP S/4HANA is transaction BP. There is no specific user interface for customer/vendor like known from SAP Business Suite (the appropriate specific transaction like XD01, XD02, XD03 or VD01, VD02, VD03 / XK01, XK02, XK03 or MK01, MK02, MK03 etc. are not available in SAP S/4HANA on-premise)

Transaction not available in SAP S/4HANA on-premise edition	FD01, FD02, FD03, FD05, FD06, FD0 FK01, FK02, FK03, FK05, FK06 MAP1, MAP2, MAP3 MK01, MK02, MK03, MK05, MK06, MK12, MK18, MK19, V-03, V-04, V-05, V-06, V-07, V-08, V-09, V-11, V+21, V+22, V+23 VAP1, VAP2, VAP3 VD01, VD02, VD03, VD05, VD06 XD01, XD02, XD03, XD05, XD06, XD07 XK01, XK02, XK03, XK05, XK06, XK07
---	---

Required and Recommended Action(s)

Before you begin the BP conversion from an SAP ERP system to an SAP S/4 HANA system, you have to answer the questions

- Whether the Business Partner ID and Customer-ID /Vendor ID should be the same in the S/4 HANA System?

The keys for a smooth synchronization of the ERP customer/vendor into the S/4 system with the business partner as the leading object are beside Business Partner Know-How also consistent customer/vendor data and valid and consistent custom/vendor and Business Partner customizing entries. For this reason, the customer/vendor data has to be cleaned up before it can be converted into the S/4 Business Partner.

Prepare: Pre-Checks and clean-up customer/vendor data in the ERP System

- Implement SAP S/4HANA Conversion Pre-Checks according to the SAP S/4HANA Conversion guide chapter Pre-Checks.
- Activate Business Function CA_BP_SOA.
In case that the Business Function CA_BP_SOA not yet in the system exist you



have to create a new Business Function in the customer namespace with the switches VENDOR_SFWS_SC1 and VENDOR_SFWS_SC2. The new customer specific Business Function must be of type Enterprise Business Function (G) - see also Mandatory checks for customer, vendor and contact.

- Check CVI customizing and trigger necessary changes e.g. missing BP Role Category, Define Number Assignments according to the S/4 Conversion guide chapter Introduce Business Partner Approach (Customer Vendor Integration).
- Check and maintain BP customizing e.g. missing tax types.
- Check and clean-up customer/vendor data e.g. missing @-sign in the e-mail address.

Synchronization

- Synchronization (Data load) is done via Synchronization Cockpit according to the S/4 Conversion guide Customer Vendor Integration.
- In case of an error during the synchronization process due to data/customizing mismatch you will find the errors in the monitor tab button Call PPO in Synchronization Cockpit.
- Run Business Partner Pre-Check PRECHECK_UPGRADATION_REPORT to verify the results according to the note 2211312.

Conversion Process

- Conversion Process must be triggered according to the BP_Conversion Document.pdf attached to this Note.

Business Partner Post Processing

- The customer/vendor transformation is bidirectional. You can both process customer/vendor master records from business partner maintenance as well as populate data from customer/vendor processing to the business partner. After the successful S/4 conversion process you have to activate the post processing for direction Business Partner → Customer /Vendor according to the S/4 Conversion guide chapter Customer Vendor Integration.

Related SAP Notes & Additional Information

Conversion Pre-Checks	SAP Notes: 2211312, 2210486, 2216176
Other SAP Notes	SAP Note: 1623677, 954816
SAP Help	Refer to the attachments (in SAP Note 2265093): <ul style="list-style-type: none"> • BP_Conversion Document.pdf: <i>Description of business partner conversion activities</i>

	<ul style="list-style-type: none"> 01_TOP-Item_MD_Business-Partner-Approach_Version1.0.pdf: <i>Presentation on Business Partner Approach and Customer Vendor Integration during Conversion</i>
--	---

Industry Specific Actions

IS-OIL Specific Actions:

- In S4HANA all the IS-OIL specific fields (including customer BDRP data fields) have been adapted as per the new Framework of BP.
- The IS-OIL Fields related to Vendor and Customer now have been moved to BP under the roles FLCU01 (Customer), FLVN01 (Vendor).

2.13 S4TWL - Simplified Product Master Table

Application Components: LO-MD-MM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267138	Simplified Product Master Table

Description

Table T130F (Table of Field attributes) does have delivery class E (E = Control table, SAP and customer have separate key areas). In SAP Business Suite the delivery class of table T130F is G (G= Customizing table, protected against SAP Update, only INS all).

Business Process related information

No influence on business processes expected

Required and Recommended Action(s)

None

2.14 S4TWL - Material Number Field Length Extension

Application Components: LO-MD-MM,CA-FLE-MAT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267140	Material Number Field Length Extension Material Number Field Length Extension

In SAP S/4HANA, the material number field length has been extended from 18 to 40 characters. This change was first implemented in SAP S/4HANA, on-premise edition 1511 and affects this release and higher releases.

SAP S/4HANA can support a material number with 40 characters. The appropriate related SAP development entities (domains, data elements, structures, table types, and transparent tables, external and internal interfaces, user interfaces, and so on) have been adapted accordingly. Where required, automated logic is in place and executed automatically in case a customer converts his current SAP Business Suite system into SAP S/4HANA.

Nevertheless, there might be constellations where a customer needs to be aware about. For example:

- In certain constellations there might be the requirement to adapt custom code related to the material number field length extension.
- In a multi-system landscape, the customer has to decide if and when to switch on the extended material number functionality, as the switch impacts how compatible the system communicates within a system landscape.

In the following chapters, the different aspects of the material number field length extension are described.

Overview

With SAP S/4HANA, on-premise edition 1511, the maximum field length of the material number was extended from 18 to 40 characters.

The material number field length extension was done with SAP S/4HANA and is available starting with the SAP S/4HANA, on-premise edition 1511. For the first step

into SAP S/4HANA SAP Simple Finance, on-premise edition 1503 the maximum field length is still 18 characters long. Additional remark: SAP S/4HANA Finance 1605 based on Enhancement Package 8 is as well be based on an 18 characters long material number.

Consistent Usage in System-Internal Coding

Extending the material number means that in the coding within the system it must be ensured that 40 characters can be handled at all relevant coding places. Especially, it must be made sure that the material number will not be truncated to its former length of 18 characters as this would result in data loss.

In an SAP system, this consistent behavior is usually ensured by the fact that all data elements used to type relevant fields are derived from the same domain, the domain defining the technical length of the derived fields. Whenever coding uses these fields, the coding is automatically adapted when the domain changes.

For the material number itself we identified the domains that are used to define material number fields. All these domains have been extended to 40 characters.

Besides these direct usages of the material, it may be that a specific material is also used in other fields. An example may be characteristic values: A material may well be used as characteristic value. For all such fields for which a material besides other possible values is a valid content, it has been checked that these fields are long enough to hold the extended material number. These fields (or the underlying domains) have been extended as well. Extending further dependent fields of course means that the usages of the fields have been investigated as well.

Extending such target fields which are not material numbers by themselves was only done if the material number needs to be handled in the field, as extending a field usually trigger follow up changes. At several places, the material number is used as reference, template, or for other reasons but another (shorter) value, for example, a GUID, could be used as well. In these and other similar cases, it may be the better choice to switch to another value. Using this other value has been done at all places where this was appropriate.

Overall, the complete data flow in the system has been analyzed to identify all places at which a material number was moved to a field that was not long enough for a 40 character material number. All these conflicts have been handled in one of the ways described above. Such an analysis also needs to be done in customer or partner coding.

The described changes have also been applied to parameters of all interfaces that are usually called only within one system, that is, local function modules, class methods, BADIs etc. In the types and structures used as parameters in these local calls, the material number has simply been extended to 40 characters. The same is true for other extended fields as well. This was usually also done for unreleased remote enabled function

modules as the main use case for such function modules is an internal decoupling within one system.

For interfaces that are usually called remotely, a different way has been chosen. For more information, see the specific chapter below.

Storage of the Material Number on the Database

Extending the material number on the database means that the field length of the MATNR field on the database has been extended from 18 to 40 characters. This has been done in all tables (and all fields within the tables) in which a material number can be stored.

Although the maximum length of the database field used to store the material number is now 40 characters, the way how the material number content is stored in the database field has not been changed compared to SAP Business Suite. This means that for such fields usually no data conversion is needed when converting from SAP Business Suite to SAP S/4HANA.

This holds especially true for pure numeric material numbers. With standard Customizing (leading zeroes are not significant, lexicographic flag not set), pure numeric material numbers are still restricted to 18 characters and will be filled up on the database only up to 18 characters by leading zeroes. This is the same behaviour as in SAP Business Suite.

Overall, the chosen way of storing material number content avoids data conversions in the database. Note that data conversion will be needed when a material number is stored in a field that has a concatenated content, and the material number is part of that concatenated content: Concatenation in the code uses the complete technical length of the field (which now is 40 characters) and is also reflected in the database content. This will be explained in detail later in this Simplification Item.

If you have activated the DIMP (Discrete Industries & Mill Products) long material number or manufacturer parts number, the content that is stored in the database for the material number will need to be changed. For further information see the section below and the references therein.

The Material Number in Released External Interfaces

Usually a customer has a multi-system landscape: The ERP system is connected to miscellaneous internal and external (SAP or non-SAP) systems. Accordingly, a SAP S/4HANA system with a material number field length of 40 characters needs to consider this multi-system landscape requirement where not all related systems are able to deal with a 40 character material number.

Furthermore, it cannot be assumed that all ERP systems in a customer landscape will be converted to SAP S/4HANA at the same point in time. That means that the external interfaces used for integration have to be compatible to old versions of the interface.

This is especially relevant for the commonly used integration techniques BAPI, RFC, and IDoc as these techniques rely on a fixed length and sequence of fields in the transmitted data. Simply extending the material number field (or other extended fields) in these interfaces would therefore technically break the version compatibility.

We have decided to provide a technical-version compatibility for released external interfaces in the way that is commonly used and proposed for BAPI interfaces: The already existing field keeps its original length and a new field has been added at the end of the structure (or as new parameter) that allows transmitting material numbers with 40 characters.

Besides this, it must be ensured that no material number (or other extended field) can be maintained in the system with a content length greater than the old length of the field. To enforce this and to make the field length extension as far as possible non-disruptive for the SAP S/4HANA customers, the extended material number functionality must be switched on explicitly. Only after this decision it is possible to allow more than 18 characters for the material number.

The changes described have been done for BAPIs, IDocs, and released remote-enabled function modules. This has additionally been implemented where necessary for remote function calls issued by the SAP S/4HANA system and for unreleased remote-enabled function modules that are used to communicate with other SAP Business Suite products like SAP SCM or SAP CRM.

A complete list of relevant function modules, IDocs, and structures that have been extended in this way can be found in the piece lists in the simplification database.

For released WebServices, adding a new field or extending the material number field was not necessary as these services usually already allow material numbers with up to 60 characters in their interfaces.

After an SAP Business Suite System has been converted to SAP S/4HANA or a SAP S/4HANA was newly installed, the extended material number functionality will by default be switched off.

System Behaviour Depending on the Extended Material Number Switch

If the extended material number functionality is **NOT** switched on, the system behaves as follows:

- After an SAP Business Suite System was converted to SAP S/4HANA, on-premise edition 1511, the B2B and A2A communication via BAPIs, IDOCs, Web-Services, released RFCs (inbound), and remotely called RFCs (outbound) still work without further changes.
- The shorter versions of the extended fields
 - are still part of the interfaces.
 - are still filled when sending data.
 - are still understood when retrieving data.
 - If the extended field is used as part of a communicated concatenated field, this concatenated field is still sent in the original field in the old short format and is interpreted in the inbound case in the old short format.
 - The system prevents that data is created that cannot be sent via the old interface, that is the usage of the extended fields is restricted to the old length.
 - Communication partners can still rely on the old known behaviour of the interfaces.
 - The long version of the extended field in the interfaces is filled and interpreted, too. This means that the communication partners can already adapt their interfaces for using the long field although only short material numbers are allowed.
For example, the 18 character material number is also communicated via the 40 character field. This is also true if the extended field is used as part of a communicated concatenated field: the new extended field will contain and expect the new long format.

When extended material number functionality is **switched on**, the system no longer guarantees that all fields are filled in a way that they can be transmitted via the old fields. Therefore the following applies:

- Material numbers and other extended fields can be used with the full length (40 characters).
- That means:
 - It cannot longer be guaranteed that the old short fields can be filled or accepted: if the material number or other extended fields are used with more than the original length, the shorter version of an extended field cannot longer be filled in the interface and is therefore left empty.
 - This is also true for concatenated keys containing extended fields. If the value that is part of the concatenate is longer than the original field length, the concatenate can only be sent and evaluated in the new format.
 - Before SAP S/4HANA, on-premise edition 1511 FPS2 the old short fields have not been filled or accepted when the extended material number functionality is switched on. This has been changed with SAP S/4HANA, on-premise edition 1511 FPS2:
 - If the current value of the material number or the current value of another extended field still fits into the old short field in the

interface, the short field is filled in outbound and accepted in inbound as well.

- This is also true for concatenated values: if the old format can still be used because the current value of the extended field contained in the concatenate is short enough, the old format is still sent in outbound and accepted in inbound in the old short field.
- Communication partner have to adjust to the new fields and data formats.
Be aware: All SAP Business Suite systems are communication partners!

Internal Calls of External Interfaces

As described in the previous chapters, different strategies have been chosen for internal and for released external APIs.

If a released external API is called internally, that is locally within one system, it is always ensured that the call can be done with new extended field length, no compatibility is required. Therefore and to be safe when extended material number functionality is activated all internal calls of external interfaces must only use the newly added extended fields.

This is also true if structures are used internally that are also used in released external interfaces and that therefore have been changed in the way described. Then only the new extended field shall be used in all internal coding, too.

System Settings to Activate the Extended Material Number Functionality

The **default** setting, both after the move to SAP S/4HANA and for new installations, is that the extended material number functionality is NOT activated. To use a material number with 40 characters, the customer needs to activate this functionality. The following settings are required for that:

1. Activation of the Extended Material Number Functionality
The activation is realized as client-dependent customizing table.
IMG → Cross-Application Components → General Application Functions
→ Field length Extension → Activate extended fields
Alternative: Transaction FLETS (For the table maintenance the authorization group FLE [authorization object S_TABU_DIS] is required).
2. Changing the Material Number Format
Transaction OMSL allows a customer-specific settings regarding the material number field length. Here the settings need to be adapted to allow a field length of more than 18 characters.
Define Output Format of Material Number can be accessed via IMG (→ Logistics General → Material Master → Basic Settings)

Note:

If the extended material number functionality is activated in a system, it cannot be easily deactivated as values may exist in different fields that are only allowed with extended material number.

The Long Material Number within the DIMP Add-On (Discrete Industries & Mill Products)

The extension of the material number is a well-known requirement in SAP Business Suite requested by several customers. An Add-On solution was provided several years ago as part of the industry solution Discrete Industries & Mill Products (DIMP). The so-called *DIMP LAMA-functionality* is a part of the industry solution Automotive which is one component of the Add-On DIMP (Discrete Industries & Mill Products). See SAP Note 1597790.

Although the industry solution DIMP is part of SAP S/4HANA, the already existing DIMP LAMA-functionality for a long material number (LAMA) will *not be part of SAP S/4HANA*. In S/4HANA the material number is natively extended to 40 characters. Special conversion steps are needed to migrate the existing DIMP LAMA solution to the new S/4HANA extended material number.

For further information on the conversion of the DIMP LAMA-functionality and the DIMP Manufacturer Parts Number to S/4HANA please check notes [2270396](#) and [2270836](#).

ALE Change Pointers

ALE change pointer entries related to Master Data Distribution (see SAP Help: [LINK](#)) have to be processed completely upfront to the move to SAP S/4HANA. Changes recorded before conversion will no longer be available compatibly after conversion to SAP S/4HANA.

SAP Notes and Restrictions related to Material Number Field Length Extension

Conversion Pre-Checks related to Material Number Field Length Extension

- It's recommended to execute conversion pre-check (for details see SAP Note: 2216958). For the conversion of selection variants see SAP Note 1696821 for details.
- Note that code adaptations will be needed even if you decide not to activate the extended material number functionality and stay with 18 characters

Custom Code related information

- See SAP Note: 2215424, 2215852

Restrictions

- SAP S/4HANA restriction note:
 - 2214213 for SAP S/4HANA, on-premise edition 1511
 - 2333141 for SAP S/4HANA 1610
- Collection of restriction related to MFLE: 2233100
 - - ALE generation for BAPIs: SAP Note 2232497
 - Extended Material Number in Suite Integration: SAP Note 2232396
 - Extended Material Number Display in Archived Data: SAP Note 2232391
 - Length of Customer and Supplier Material Number: SAP Note 2232366
 - Extended Material Number in LIS: SAP Note 2232362
 - Product Structure Browser: SAP Note 2229892
 - Characteristic Values in PLM: SAP Note 2229860

-

2.15 S4TWL - Simplification of copy/reference handling

Application Components: LO-MD-MM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2330063	Simplification of copy/reference handling

During the preparation of the migration to an S/4 system, the preliminary checks return either an error or a warning with the check ID SAP_APPL_LO_MD_MM_T130F_CHECK. The error message indicates that the table T130F contains entries that are either not yet included in the table T130F_C or that have differing contents.

In an S/4 HANA system, the entries delivered by SAP can no longer be adjusted customer-specifically, with the result that deviating settings are overwritten with the SAP delivery settings during an upgrade. To prevent any customer-specific settings in T130F for the copy control being replaced in the material master and the article master, an S/4 HANA system Release 101 or higher contains an additional Customizing table T130F_C, which allows alternative maintenance of the copy control to the SAP delivery. The settings in T130F_C are then taken into account during the maintenance of material master and article master data.

Therefore, all entries from the table T130F that are relevant for the copy control must be copied to the new table T130F_C, and their field contents must be identical.

If the precheck issues a warning message, it may be the case that the fields relevant for copying control from T130F have to be copied to the new table T130F_C. However, it is only necessary to copy the entries if the S/4 HANA target release is higher than or equal to 101. In this case, it is advisable to migrate the entries from T130F to the table T130F_C to when the warning appears, as described in the "Solution" section. Otherwise the system will later issue an error message during the migration phase when you execute the precheck because the system only then contains the information concerning the S/4 HANA target release to which the data is migrated. To proceed further, you must then first carry out the data migration.

If the S/4 HANA target release is equal to 100, the system only issues a warning during the migration phase because the new table does not exist in this release. In this case, proceed with the migration process.

If you use an SAP ERP for Retail system that requires at least the S/4 HANA target release version 101, the system issues an error message at all times if the precheck determines inconsistencies. The data migration must be carried out in any case.

Description

In SAP S/4HANA, the table type of the table T130F has been changed so that the entries delivered by SAP can no longer be changed in a customer system without a modification. It is simply possible to create new, customer-specific entries in customer namespaces predefined especially for the purpose. However, since some of the fields in T130F control the copy behavior during the creation of products, and in Retail also when you change them, these settings should be retained during a migration. For this purpose, the relevant fields of T130F must be copied beforehand to a new Customizing table T130F_C so that these settings can continue to be defined customer-specifically.

Required and recommended actions

Execute the migration precheck.

Implement the report RMMT130F_CPY in your SAP ERP system with the aid of SAP Note 2323185. In addition, you must implement the new table T130F_C in your system based on the correction instructions in SAP Note 2324325.

Execute the report with the standard settings. If entries are to be migrated, remove the indicator for the test mode on the initial screen and execute the report again. Check the messages output to establish whether the entries in all clients have been migrated successfully.

Related SAP Notes



Migration precheck	SAP Note: 2206932
Migration report	SAP Note: 2323185, 2324325

2.16 S4TWL - Foreign Trade fields in Material Master

Application Components: LO-MD-MM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267225	Foreign Trade fields in Material Master

1.1.1.1.1 Description

The Foreign Trade functionality as part of Sales & Distribution is not available within SAP S/4HANA, on-premise edition 1511. The functional equivalent in SAP S/4HANA is SAP Global Trade Services (GTS). For more information see Simplification Item related to Foreign Trade in Sales & Distribution

The below mentioned fields for **Letter of Credit/ Legal control/ Export control/ Preference management** in Foreign Trade is supported by GTS from S/4HANA 1511 release onwards and not through Material Master:

- CAP product list no.
- CAP prod. group
- Preference status
- Vendor decl. status
- Exemption Certificate
- Exemption Cert. No.
- Iss.date of ex.cert.
- Military goods

1.1.1.1.2 Related SAP Notes

General information about this Simplification Item	SAP Note 2204534
--	------------------

2.17 S4TWL - MRP fields in Material Master

Application Components: LO-MD-MM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267246	MRP fields in Material Master

Description

The SAP S/4HANA simplification is done on the following tabs in transaction MM01/02/03.

1. Lot Size data in MRP1 Tab: unit of measure group is considered in only retail henceforth it is not required to switch it on in the material master.
 - **Unit of Measure Group**
2. Procurement in MRP2: MRP considers quota arrangements always, henceforth it is not required to switch it on in the material master.
 - **Quota arr. usage.**
3. BOM explosion /dependent Requirement tab in MRP4
 - **Selection Method**
4. Repetitive manufacturing /assembly /deployment strategy tab of MRP4
 - **Action control**
 - **fair share rule**
 - **push distribution**
 - **Deployment horizon.**
5. Storage Location in MRP4
 - **SLoc MRP indicator**
 - **spec.proc.type SLoc**
 - **Reorder Point**
 - **Replenishment qty.**
6. Also the backend database fields for these "omitted functionality" remains existing in the system.

For more information see simplification item in Production Planning Storage Location MRP.

Related SAP Notes

General information about this Simplification Item	SAP Note 2224371
--	------------------

2.18 S4TWL - Material Type SERV

Application Components: LO-MD-MM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267247	Material Type SERV

Description

Material type "SERV" for services is introduced for Product Master in S/4HANA for simplification purposes. When you use material type SERV, some fields and departments that are irrelevant in S/4 are hidden from the screen. This gives all transactions relevant for material master, a leaner and simplified look.

Therefore, a new material type SERV (Service Materials) is created with reduced user departments and fields in the classical transactions: MM01/MM02/MM03.

As of SAP S/4HANA, on-premise edition 1511 release changes are done as listed below:

1. Supported user departments :

- Accounting
 - Purchasing
 - Basic Data
 - Sales
2. The selected fields are hidden only from the material type "Service Materials", however, they are supported for other material types.

2. Below fields/tabs are not available for SERV:

Basic data 1

- EAN/ UPC
- EAN Category
- Product allocation
- Assign Effected vals
- Matl Grp Package Matls

Basic data 2

Sales General/Plant

- Replacement part
- Availability check
- Material freight grp

- Shipping Data - Trans. Grp, LoadingGrp, Setup time, Proc. time, Base qty
- Packaging material data - Matl Grp Pack.Matls, Maximum level, Packaging mat. Type, Stack ability factor, Allowed pkg weight, Excess wt tolerance, Allowed pkg volume, Excess volume tol., Ref. mat. for pckg, Closed
- General plant parameter - Neg. stocks, SerialNoProfile, DistProf, SerializLevel, IUID-Relevant, External Allocation of UII, IUID Type

Purchasing

- Material freight grp
- Other data - GR Processing time, Post to insp. stock, Critical Part, Source list, Quota arr. usage, JIT delivery sched.

Accounting 1

- VC: Sales order stk
- Price control nur Wert S
- Moving price
- Total Stock
- Proj. stk val. Class
- Total Value
- Valuated Un
- Accounting Previous Year (Button)
 - MovAvgPrice PP
 - Total stock
 - Total value PP
- Std cost estimate (Button)

Accounting 2

Sales: Sales Org 1

- X-distr. Chain status
- Valid from
- Dchain-spec status
- Valid from
- Min. dely qty
- Delivery Unit

Sales: Sales Org 2

- Matl statistics grp
- Product attributes - Product attribute 1/2/3/4/5/6/7/8/9/10

As of S/4HANA 1605 CE and 1511 FPS2, additionally, the following fields are not supported for Service Materials (SERV) type:

Basic data 1

- X-plant matl status
- Lab/Office
- Prod. Hierarchy
- Valid from
- Packaging material data (entire section)

Sales General/Plant

- Qual.f.FreeGoodsDis.

Purchasing

- Qual.f.FreeGoodsDis.

Accounting 1

- ML act indicator

Sales: sales org. 2

- Product Hierarchy

Required and Recommended Action(s)

Configurations required for SERV that are part of SET:

1. Material type SERV(Table T134, delivery class: G)
 1. This attribute of SERV is provided by SET content
2. Screen sequence control(SPRO transaction: OMT3E)
 1. Table T133K Influencing Factors: Screen Sequence No. / Delivery Class: G
 2. Tables T133S and T133T are also part of SET content

Related SAP Notes

General information about this Simplification Item	SAP Note 2224251
--	------------------

2.19 S4TWL - Product Catalog functionality for integration with Internet Application Components

Application Components: LO-MD-PC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267250	Product Catalog functionality for integration with Internet Application Components

Description

A subset of the Product Catalog functionality was used in the past as means of integration to the SAP ERP built in Online Store (related to IAC, Internet Application Components). As the built-in Online Store is not relevant anymore, this type of integration is not needed anymore. Hybris is the strategic solution to support web-channel processes, with the respective backend Integration.

Business Process related information

Business Process related information for the current software Version: SAP ERP Online Store is not relevant anymore.

Transaction not available in SAP S/4HANA on-premise edition 1511	WCU1 Maintain customer WCUM Maintain customer WW10 IAC product catalog WW20 IAC Online Store WW30 SD part for IAC MM-SD
--	---

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	SAP Note: 2226782
---------------------------------	-------------------

3 Sales & Distribution

3.1 S4TWL - Business Role Internal Sales Representative

Application Components: SD-SLS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271150	Business Role Internal Sales Representative

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

The Internal Sales Representative (ISR) business role was originally built to support sales representatives who work in close coordination with customers, as well as logistical and financial departments collaborating with sales. This role became available with SAP ERP 6.0 and was enhanced in SAP ERP EhP4 and SAP ERP EhP5. Two options to run this role existed, accessible through either the SAP Portal or by using the Business Client (as part of SAP NetWeaver).

In SAP S/4HANA, the Internal Sales Representative (ISR) business role is not available. This also includes the POWLs (Personal Object Work Lists).

Instead, a set of new FIORI roles, such as SAP_BR_INTERNAL_SALES_REP, are offered as successors. As a first step, these roles offer a basic set of transactions that are typically needed for the day-to-day work of a sales representative. During the next releases, these roles will be further enhanced with custom-made apps based on FIORI. For more information about this new concept, see SAP Note 2223838.

Business Process related information

Transaction not available in SAP S/4HANA	VPW1	Change View "Tasks"
	VPWL	Change View "Maintain Portal Targets"

Required and Recommended Action(s)

Adaption to the new FIORI role concept

How to Determine Relevancy

This Transition Worklist Item is relevant if the customer is using the business role Internal Sales Representative (ISR).

3.2 S4TWL - Webshops by Internet Sales or Web Channel Experience Management

Application Components: WEC-APP-SLS-ERP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271161	Webshops by Internet Sales or Web Channel Experience Management

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

Web shops resp. e-commerce solutions based on SAP Internet Sales (component CRM-ISA), SAP E-Commerce (component CRM-ISE), SAP Web Channel (component CRM-MD-PCT) or SAP Web Channel Experience Management (component WEC) are not available in SAP S/4HANA. From a technical point of view, these components require TREX and IPC. Both components, however, are not available in SAP S/4HANA. From a strategic point of view, the required web shop functionality based on the SAP S/4HANA backend is provided by SAP hybris e-commerce in SAP S/4HANA 6.0.

Business Process-Related Information

Customers that use web shops resp. e-commerce solutions based on the components mentioned above and are planning to move to SAP S/4HANA shall use the SAP hybris e-commerce solution instead (available with S/4HANA 6.0).

Transaction not available in SAP S/4HANA	Transactions
	<ul style="list-style-type: none"> • ISA_CAT_REPLICATION Replication of product catalogs to TREX • ISA_CAT_REPL_DELETE ISA: Deletion of indices created by product catalog replication

	<p>Also the following customizing t-code are not available:</p> <ul style="list-style-type: none">• S_EB5_05000537• S_EB5_05000608• S_EB5_05000609• S_EB5_05000612• S_EB5_05000660• S_EB5_05000669• S_EB5_05000670• S_EB5_05000679• S_EB5_05000680• S_EB5_05000691• S_EB5_05000692• S_EB5_05000762• S_EBJ_98000052• S_EBJ_98000078• S_EBS_44000154• S_EBS_44000345• S_EBS_44000346• S_EBS_44000415• S_EBS_44000421• S_EBS_44000427• S_EBS_44000505• S_EBS_44000536
--	---

Required and Recommended Action(s)

None

How to Determine Relevancy

This Transition Worklist Item is relevant if the customer is using a web shop or an e-commerce solution based on one of the components mentioned above.

3.3 S4TWL - Commodity Management Sales

Application Components: CA-GTF-PR-CPF,LO-CMM,LO-CMM-BF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267352	Commodity Management Sales

You are doing a system conversion to SAP S/4HANA, on-premise edition 1511 or SAP S/4HANA 1610. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

Commodity Sales is switched off technically in SAP S/4HANA, on-premise edition 1511 and SAP S/4HANA 1610.

The main functional building blocks that have been deactivated are:

- Commodity Management Integration in Sales E2E Process and Documents
- Commodity Management Integration in Global Trade Management
- Commodity Pricing / Commodity Pricing Engine (CPE) / Configurable Parameters & Formulas (CPF)
- Basis & Future Pricing
- Differential / Final Invoicing & Billing
- Commodity master data
- Market data management for commodity prices and price curves
- Day End / Month End Processing
- Commodity Analytics (End of Day, Position Reporting, Mark to Market)

Business Process-Related Information

The sales processes are not yet supported by commodity management functions.

Required and Recommended Action(s)

None

Related SAP Notes

Conversion pre-checks	The central pre-transformation check will check the deactivated CM Business Functions. Check if the Commodity Business Functions are active if yes, the upgrade with active Commodity Management Business Functions to SAP
-----------------------	---

	<p>S/4HANA, on-premise edition 1511 or SAP S/4HANA 1610 is not possible.</p> <p>The following Commodity Management Business Functions have been deactivated in SAP S/4HANA, on-premise edition 1511 or SAP S/4HANA 1610:</p> <p>Business Functions: Commodity Sales</p> <ul style="list-style-type: none"> • LOG_CPE_SD_MM • LOG_CPE_FA_FE • LOG_SD_COMMODITY • LOG_SD_COMMODITY_02 • LOG_SD_COMMODITY_03 • LOG_SD_COMMODITY_04 • LOG_SD_COMMODITY_05 • COMMODITY_PROC_SALES_01
General information	SAP Note: 2226096

3.4 S4TWL - Sales Activities

Application Components: SD-CAS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267375	Sales Activities

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

Sales Support: Computer-Aided Selling (SD-CAS) - (see SAP Help [LINK](#)) is not available in SAP S/4HANA, because it is not the target architecture. We recommended that you use SAP CRM on-premise (side-by-side with SAP S/4HANA) or SAP Cloud for Customer.

Business Process-Related Information

Sales Support is no longer available in SAP S/4HANA. The creation of new business documents or editing of migrated business documents is not possible.

Transaction not available in SAP S/4HANA	OV/8	Test Data - Transfer Data - Cond.
	OV/9	Display Test Data
	OV1Z	Define Product Allocation Procedure
	OV2Z	Define Product Allocation Object
	OV3Z	Determine Prod. Allocation Hierarchy
	OV5Z	Maintain Consumption Periods
	OV7Z	Create Characteristics for Rem.Alloc
	OV8Z	Check Settings
	OV9Z	Suitable Statistical Structures
	OVBR	Assignment to Item Category
	OVBS	Rule Table for Determining Dates
	OVCB	Structure of Reporting View
	OVCC	Assign View to User
	OVCD	Definition of Reporting View
	OVCE	Control Update of Perform.Measures
	OVCF	Control Reporting - Info Blocks
	OVCJ	C SD Set Workflow Action box
	OVL5	Maintain Transit Time
	SDCAS_MCQ	Call MC/Q From Address Selection
	V+01	Create Sales Call
	V+02	Create Telephone Call
	V+03	Create Sales Letter
	V+11	Create Direct Mailing
	V+21	Create Sales Prospect
	V+22	Create Competitor
	V+23	Create Business Partner
	VC_2	Customer Fact Sheet PDF Version
	VC/2	Customer Master Data Sheet
	VC/A	Sales Activity Description 01
	VC/B	Sales Activity Description 02
	VC/C	Sales Activity Description 03
	VC/D	Sales Activity Description 04
	VC/E	Sales Activity Description 05
	VC/F	Sales Activity Description 06
	VC/G	Sales Activity Description 07
	VC/H	Sales Activity Description 08
	VC/I	Sales Activity Description 09
	VC/J	Sales Activity Description 10

VC01	Create Sales Activity
VC010102	Only Follow-up Activities
VC010103	Do not Delete Mail. Camp.+Addresses
VC010104	Internet mailing
VC01N	Edit Sales Activity
VC01N_DRAG_KONTAKT	Edit Sales Activity
VC01N_DRAG_MAILING	Edit Sales Activity
VC01N_M	Edit Mailing
VC02	Change Sales Activity
VC05	Sales support monitor
VC06	Parallel Processing for Address List
VC10	Report Tree - Select Addresses
VC10_BMENU	Area Menu for VC10
VC15	Crossmatching
VCR1	Competitive products
VCU3	Display Incompletion Log
VIM6	Customer Exits: Data Selection
VMG1	Create Material Group 1
VMG2	Create Material Group 2
VMG3	Create Material Group 3
VMG4	Create Material Group 4
VMG5	Create Material Group 5
VN05	No.Assignment for Address List(SSup)
VN06	Create No.Interval-Sales Activities
VOC1	Customizing for List of Addresses
VUC2	Maintain Incompletion Log
VV51	Create Output for Sales Activity
VV52	Change Output: Sales Activity
VV53	Display Output: Sales Activity
VVCB	Maintain Activity Authorization

Required and Recommended Action(s)

If sales support functionality is requested, we recommend that customers start evaluating a side-by-side CRM on-premise scenario, or that they use Cloud for Customer.

Related SAP Notes

Custom code-related information	SAP Note: 2214585
---------------------------------	-------------------

3.5 S4TWL - Billing Document Output Management

Application Components: SD-BIL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267376	Billing Document Output Management

In SAP S/4HANA, a new output management approach has been implemented and is set as the default for newly created billing documents.

Output management for SAP S/4HANA includes cloud qualities such as extensibility enablement, multi-tenancy enablement, and modification-free configuration. Therefore, the entire configuration differs from the configuration that is used when output management is based on NAST. The configuration is based on BRF+, which is accessible for customers. In SAP S/4HANA, the target architecture is based on Adobe Document Server and Adobe Forms only. For the form determination rules (along with other output parameters), BRF+ functionality is used (in combination with message determination).

Because output management for SAP S/4HANA only supports the "pure" output channels, while the NAST-based output is also used for several kinds of post-processing, output management for SAP S/4HANA cannot be used if one of the following NAST transmission mediums is required:

- 8 Special function
- 9 Events (SAP Business Workflow)
- A Distribution (ALE)
- T Tasks (SAP Business Workflow)

In this case, please switch back to NAST:

In release 1610 there is a new customizing activity "Manage Application Object Type Activation" where this can be controlled centrally.

You can find the Customizing under output control:

Transaction SPRO

SAP Reference IMG -> Cross-Application Components -> Output Control -> Manage Application Object Type Activation

Choose "Application Inactive" if you want to switch back to NAST.

For older releases, please refer to the included correction instruction on how to switch back to NAST-based output management for all billing documents.

The new output management is used for newly created billing documents. Billing documents that are migrated from legacy systems, and for which NAST-based output has been determined, can be processed with this technology.

If output management for SAP S/4HANA is used, the configuration settings that are related to output management in Sales & Distribution in the area of billing / customer invoicing need to be adapted.

The following forms are delivered by SAP and can be adapted:

- SDBIL_CI_STANDARD_... used for standard customer invoices
- SDBIL_CI_PROF_SRV_... used for professional service invoices
- SDBIL_CM_STANDARD_... used for credit memos
- SDBIL_IL_STANDARD_... used for invoice lists

Because the forms may differ from country to country, there is a separate form for each country. For example, SDBIL_CI_STANDARD_DE is for Germany.

For technical and implementation details, please refer to simplification Item Output Management SAP Note [2228611](#)

3.6 S4TWL - SD Rebate Processing replaced by Settlement Management

Application Components: SD-BIL-RB

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267377	SD Rebate Processing replaced by Settlement Management



You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

In general, SD Rebate Processing is not available within SAP S/4HANA. The functional equivalent of SD Rebate Processing in SAP S/4HANA is Settlement Management.

However, there is one exception: CRM TPM customers can still use SD Rebate Processing for their business process, but have to adapt to an SAP S/4HANA-optimized solution (cp. simplification item Optimization of SD Rebate Processing for TPM Customers).

Business Process-Related Information

In SAP S/4HANA, Settlement Management replaces SD Rebate Processing, which means that existing rebate agreements can only be processed up until the end of the validity date of the agreement and must then be closed by a final settlement. New agreements can only be created based on condition contracts. Therefore, the corresponding transaction codes VBO1 resp. VB(D for the creation of rebate agreements is not available anymore.

Transaction not available in SAP S/4HANA	VBO1	Create Rebate Agreement
	VB(D	Extend Rebate Agreements

Required and Recommended Action(s)

See the attached document for more detailed information.

How to Determine Relevancy

Use SE16 to check table KONA: If table KONA contains records with ABTYP = A then SD Rebate Processing is used.

Related SAP Notes

Custom code-related information	SAP Note: 2226380
---------------------------------	-------------------

3.7 S4TWL -Miscellaneous minor functionalities in SD Area

Application Components: SD-SLS-GF,SD-BIL,SD-MD-CM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267395	Miscellaneous minor functionalities in SD Area

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

In a lot of cases, SAP ERP contains several versions of the same or similar functionality, for example, SAPGUI transactions or BAPI function modules. Older versions are marked as deprecated or obsolete, but are still available for compatibility reasons.

In SAP S/4HANA, only the most recent and most comprehensive version is available for many of these objects. Deprecated versions have been disabled. In the SD area, a couple of deprecated BAPI function modules and SAPGUI transactions have been disabled. SAP Note 2228098 contains a list of objects not available in SAP S/4HANA and, if available, the respective successor object.

Business Process-Related Information

No impact on business processes expected.

Required and Recommended Action(s)

None

How to Determine Relevancy

This Transition Worklist Item is relevant if the custom code check shows results that refer to note 2228098, or if the customer directly uses any of the transactions or programs listed in note 2228098 as deprecated objects.

3.8 S4TWL - SD Complaint Handling

Application Components: SD-BIL-IV-CP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267398	SD Complaint Handling

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

The industry-specific SD complaints handling in ERP is not available within SAP S/4HANA. The functional equivalent to be used is the standard SD complaints handling (Transaction CMP_PROCESSING).

Business Process-Related Information

The industry-specific SD complaints handling is related to business function LOG_SD_EACOMPLAINTS. Customers that have this business function active in SAP Business Suite start system can convert to SAP S/4HANA. However, independently of the activation status of the business function LOG_SD_EACOMPLAINTS, the corresponding functionality is not available in SAP S/4HANA. Customers that do not have the business function LOG_SD_EACOMPLAINTS active in the SAP Business Suite start release are not able to activate the business function after the conversion to SAP S/4HANA. This business function is defined as obsolete in SAP S/4HANA.

Transaction not available in SAP S/4HANA	WCMP_PROCESSING Complaints Processing WCMP_MASS Mass Complaints Processing Customer Number WCMP_RESULT Results Display for Mass Complaints Processing
--	---

Required and Recommended Action(s)

None

Related SAP Notes

Custom code-related information	SAP Note 2239184
---------------------------------	------------------

3.9 S4TWL - SD – FI/CA Integration with distributed systems

Application Components: SD-BIL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267400	SD – FI/CA Integration with distributed systems

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

The integration between Contract Accounts Receivable and Payable (FI-CA) and Sales and Distribution (SD), when using each component in separate systems, is not yet available in SAP S/4HANA on-premise edition. However, FI-CA can be used as before within SAP S/4HANA. The system conversion to SAP S/4HANA will be blocked for customers that have activated the Business Function LOG_SD_FICA_DISTRIBUTED in their ERP system. Therefore, as a prerequisite for the system conversion, the customer has to deactivate the (reversible) Business Function LOG_SD_FICA_DISTRIBUTED in his ERP system.

Business Process-Related Information

Customers that used the integration between FI-CA and SD in a distributed scenario and are planning to move to SAP S/4HANA on-premise edition have to use FI-CA within SAP S/4HANA.

Transaction not available in SAP S/4HANA	Customizing t-codes: S_EBJ_98000092
--	-------------------------------------

Required and Recommended Action(s)

Applies to cases in which a customer has used the integration between FI-CA and SD in a distributed scenario in ERP:

Either use FI-CA within SAP S/4HANA instead or move to SAP S/4HANA on premise edition 1511 SP02 or a higher release.

To check if the SD-FI-CA integration with distributed systems is used, call the Switch Framework Browser (transaction SFW_BROWSER). Check if the business function LOG_SD_FICA_DISTRIBUTED is active.

Related SAP Notes

Custom code-related information	SAP Note 2239189
---------------------------------	------------------

3.10 S4TWL - SD Simplified Data Models

Application Components: SD-BF,SD-BF-MIG

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267306	SD Simplified Data Models

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

The following data model simplifications have been implemented for the SD area:

- Elimination of status tables VBUK, VBUP: Status fields have been moved to the corresponding header and item tables - VBAK and VBAP for sales documents, LIKP and LIPS for deliveries, VBRK for billing documents
- Simplification of document flow table VBFA
- Field length extension of SD document category:
 - Data element VBTYP (Char1) has been replaced by data element VBTYPL (Char4);
 - Field VBTYP_EXT (Char4) has been eliminated
- Elimination of redundancies Document index tables VAKPA, VAPMA, VLKPA, VLPMA, VRKPA, VRPMA
- Elimination of redundancies
 - Rebate index table VBOX: See simplification item "SD Rebate Processing replaced by Settlement Management", SAP Note [2267377](#).
 - LIS tables S066, S067: See simplification item "Credit Management", SAP Note [2270544](#).

Key benefits of the data model changes:

- Reduced memory footprint (simplified document flow, elimination of index tables, fewer aggregates)
- Increased performance of HANA queries
- Functional scope enhancement through extended field lengths

The changes are described in more detail in the guidelines attached to the related SAP Note 2198647.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

1. Adapt customer code according to the custom code check results, see SAP Note 2198647 for a detailed description.
2. If you have added one or more append structures to database tables VBUK or VBUP (document status header and item table) in the source release to store additional data for documents that are persistent in tables VBAK/VBAP, LIKP/LIPS, or VBRK, and these fields are to be used in SAP S/4HANA, you must ensure that the appended fields are added to the respective document tables.

An append field to the document header status table VBUK must be added to one or several of the document header tables VBAK, LIKP, or VBRK. This decision depends on which of the document types the respective field is relevant for. An append field to document item status table VBUP must be added to one or more of the document item tables VBAP or LIPS. Again, the choice depends on which of the document types the respective field is relevant for.

Each append field must have the same name and the same data type as it does in the source table, and each one has to be appended to the table-specific status include structure (DDIC structures VBAK_STATUS, LIKP_STATUS, VBRK_STATUS, VBAP_STATUS or LIPS_STATUS). Only then will the field be considered by the automatic data conversion from VBUK to VBAK/LIKP/VBRK and from VBUP to VBAP/LIPS, as well as by read function modules that can be used to replace direct SELECTs to the deprecated status tables VBUK/VBUP.

Do not choose a different field name or data type. Do not append the field directly to the document table. It is possible to have several append structures for one status include structure.

When do you have to add the append fields to the status include structures in order to have the data transferred automatically during the SAP S/4HANA system conversion?

In the development system, you have to add the fields during phase ACT_UPG, when you are prompted for SPDD. In all other systems, you may use modification adjustment transports or customer transport integration during the upgrade-like conversion. The append fields must be contained in one of the custom transport requests from the development system.

The conversion pre-check class CLS4H_CHECKS_SD_DATA_MODEL delivered via SAP Note 2224436 provides a check for such append fields and issues a warning if such append fields are recognized in the source release. The warning refers to the necessary action to add the append fields to the status include structures.

How to Determine Relevancy

This Transition Worklist Item is relevant if the custom code check shows results that refer to note 2198647.

Related SAP Notes

Conversion pre-checks	SAP Note 2224436
Custom code-related information	Customer code has to be adapted according to the cookbooks in SAP Note 2198647.

3.11 S4TWL - Enterprise Search in SD and LE

Application Components: SD-SLS,SD-BIL,LE-SHP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2355169	Enterprise Search in SD and LE

Description

With SAP S/4HANA, on-premise edition 1511 the Enterprise Search models are now replication free search models (using HANA DB tables instead) within SAP Enterprise Asset Management SAP EAM).

Business Process related information

With the new solution the following searches will not work:

SD

- Search for Sales Documents, for example Sales Orders, Sales Quotations, Sales Group Contracts and Sales Contracts
- Search for Customer Billing Documents and Invoice Lists

LE related

- Search for Inbound Deliveries, Outbound Deliveries and Return Deliveries

Required and Recommended Action(s)

No changes expected in the business process.

3.12 S4TWL - Data Model Changes in SD Pricing

Application Components: SD-BF-PR,SD-MD-CM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267308	Data Model Changes in SD Pricing

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

- Business documents within the SAP Business Suite, such as the sales order and the purchase order, are used to store the pricing result in database table KONV. In SAP S/4HANA, table KONV has been replaced in its data persistency role by the new table PRCD_ELEMENTS. However, KONV is and can still be used for data declaration purposes. It still defines the structure of the pricing result within the application code. The content of KONV is transferred to PRCD_ELEMENTS when moving to SAP S/4HANA.
- The following DDIC changes and interface changes have been made to the condition technique:
 - DDIC changes:
 - The concatenated variable key field VAKEY of a condition table has been removed from all condition header tables, including KONH (pricing), NACH (output determination), KOND3

- (campaign determination), KONDN (free goods determination), KONHM (portfolio determination), J_3GPRLHD (CEM price list determination), and WIND (document index). The concatenated variable data field VADAT has also been removed. This was done to avoid data migration of these tables as a result of the material number extension.
- For internal processing, long data elements VAKEY_LONG and VADAT_KO_LONG with length CHAR255 have been introduced.
 - The content of the new long VAKEY and VADAT can be determined at runtime using methods of the service class CL_COND_VAKEY_SRV.
- Data element QUDIW (special value source in access sequence) has been extended from CHAR20 to CHAR50. Data element SKONDTAB (CHAR128, for archiving SD conditions) has been replaced by SDKONTAB_LONG (CHAR512). Data element KOND_DATA (used for general condition determination) has been extended from CHAR255 to CHAR512.
 - Interface changes:
 - Batch input of price condition records (program RV14BTCI):
 - For compatibility reasons, the field VAKEY_LONG (CHAR255) has been added to the batch input structures. If this field is filled or used by external programs, the content of this field is used instead of the content of the still existing field VAKEY.
 - IDOC COND_A for price condition records:
 - For compatibility reasons, the fields MATNR_LONG (CHAR40), UPMAT_LONG (CHAR40), BOMAT_LONG (CHAR40), and VAKEY_255 and VADAT_255 have been added to the COND_A IDOC segments. If these fields for the extended material number or long VAKEY/VADAT are to be filled in addition to the still existing short fields, the content of the long fields has priority.
 - Several data elements have been extended, especially the key field ZAEHK in table KONV with the data element DZAEHK.
 - The maximum number of possible accesses in an access sequence (DTEL KOLNR) has been increased from 99 to 999. Therefore, the solution described in SAP Pilot Note 1812828 (only relevant for customers for which this note was released) is no longer necessary nor valid. Any content from this solution will automatically be transferred to the standard tables during the conversion process to SAP S/4HANA.

Data Element	Description	Former Length	New Length
KOLNR, EVSNR, FSELNR	Number of access in access sequence	NUMC2	NUMC3
KOBED, KOFRM, KOFRA, GRLNR, KOFRS	Pricing formula and requirement number	NUMC3	NUMC7
DZAEHK, DZAEHK_IND, DZAEKO, BBP_ZAEHK	Condition counter in pricing result	NUMC2	NUMC3
GRLNR	Group condition routine	NUMC2	NUMC7
KALKS, KALVG	Customer and document classification for pricing procedure determination	CHAR1	CHAR2

- In addition, the following elements in KONV have also been changed:

Element	Description	Type of Change
KOLNR3	Access Sequence - Access Number	Field is obsolete. Possible field content will be merged with content of KOLNR and moved to PRCD_ELEMENTS
STUFE	Level (in multi-level BOM explosions)	Field is obsolete and will not be transferred to PRCD_ELEMENTS
WEGXX	Path (for multi-level BOM explosions)	Field is obsolete and will not be transferred to PRCD_ELEMENTS

Business Process-Related Information

No impact on business processes is expected.

Required and Recommended Action(s)

- Carefully follow the instructions in SAP Notes 2188695, 2189301, and 2220005.
- If you have added one or more append structures to database table KONV in the source release to store additional data, and these fields are to be used in SAP S/4HANA, you must ensure that the appended fields are also added to the new structure PRCS_ELEMENTS_DATA, which is included in all necessary tables and structures, such as database tables PRCD_ELEMENTS and PRCD_ELEM_DRAFT, for example.

Each append field must have the same name and the same data type as it does in the source table.

When do you have to add the append fields to the structure PRCS_ELEMENTS_DATA?

- In the development system, you have to add the fields to PRCS_ELEMENTS_DATA during phase ACT_UPG, when you are prompted for SPDD.
This is necessary to ensure that the automatic data migration transfers the field content from KONV to PRCD_ELEMENTS during the upgrade-like conversion.
- In all other systems, you may use modification adjustment transports or customer transport integration during the upgrade-like conversion for the appends to structure PRCS_ELEMENTS_DATA.
The append fields must be contained in one of the custom transport requests from the development system.
- The conversion pre-check delivered via SAP Note 2188735 provides a check for such append fields and issues a warning if these append fields are recognized in the source release. The warning refers to the necessary action to add the append fields to the new database tables. An overview over the pre-checks is provided in SAP Note. 2313318.
- In the development system, you have to make all necessary adjustments in your code to deal with the changed data model. See SAP Note 2220005 for more information. You need to do this before going productive again.
- SAP provides an automated migration to migrate data from the old database table KONV to the new database table PRCD_ELEMENTS. However, the document currency field WAERK of table PRCD_ELEMENTS needs to be filled with the currency of the related document header. To reduce downtime, it was decided to move this step to the post-processing phase. Within the automatic migration, the currency is filled with the technical currency '2', allowing the system to correctly convert PRCD_ELEMENT to KONV format and vice versa. However, to fill the currency consistently in accordance with the related document, SAP recommends that you run the post-processing report PRC_MIG_POST_PROCESSING as soon as possible. After a recommended test, this report is supposed to run on the productive data. However, note that running the report is not mandatory before going productive again. Its execution can be postponed to a later point in time.

Related SAP Notes

General information	Carefully follow the instructions in SAP Notes 2188695, 2189301, 2313318, and 2220005
Conversion pre-checks	SAP Note: Pre-checks delivered with Note 2188735
Custom code-related information	SAP Note: 2220005

3.13 S4TWL - Foreign Trade

Application Components: SD-FT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267310	Foreign Trade

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

There are currently two software services for international trade transactions: Foreign Trade and SAP Global Trade Services (GTS). Foreign Trade is part of the standard Sales and Distribution (SD) scope. SAP GTS is an external service that can be installed on an additional instance. As of SAP S/4HANA, the Foreign Trade functionality will be not available because SAP GTS is the successor for this business requirement. For Intrastat, customers can leverage functions within SAP S/4HANA. For Legal Control and Preference Management, you can use functions based on SAP GTS. SAP GTS can be natively integrated with SAP S/4HANA. Letter of Credit is planned to be covered by Treasury and Risk Management. For this plan, Treasury and Risk Management would be integrated with SAP S/4HANA Sales for the processing of Letter of Credit. Additional functions for Import and Export Management are available with SAP GTS.

Business Process-Related Information

The customer needs to check whether third-party foreign trade systems are in use for foreign trade processes. Because of the replaced foreign trade functionality in SAP S/4HANA, it is possible that the third-party foreign trade system will need to be adjusted by the respective third-party solution/service provider. However, SAP GTS can be connected to SAP S/4HANA to run the respective foreign trade processes.

Transaction not available in SAP S/4HANA	VX99	FT/Customs: General overview
	EN99	General Foreign Trade Processing
	VI09X	Change FT Data in Purchasing Doc.
	VI08X	Display FT data in purchasing doc.

VI80X	Change FT Data in Goods Receipt
VI79X	Display FT Data in Goods Receipt
VI77X	Change FT Data in Outbound Delivery
VI64X	Display FT Data in Outbound Delivery
VI14X	Change FT Data in Billing Document
VI10X	Display FT Data in Billing Document
VIIM	FT: Op. Cockpit: Purchase order
VIWE	FT: Op. Cockpit: Goods Receipt
VIEX	FT: Journal Export Actual
VE85	Change Statistical Value – Import
VE86	Display Statistical Value – Import
VE88	Change Statistical Value – Export
VE89	Display Statistical Value – Export
VE87	Change Stat.Value – Subcontracting
VEI3	Display Stat.Value – Subcontracting
OVE1	Commodity Code / Import code no.
VXCZ	INTRASTAT: Form - Czech Republic
VXHU	INTRASTAT: Form - Hungary
VXPL	INTRASTAT: Form – Poland
VXSK	INTRASTAT: Form – Slovakia
VEBE	INTRASTAT: XML File - Belgium
VECZ	INTRASTAT: File - Czech Republic
VEHU	INTRASTAT: File – Hungary

VEPL	Create INTRASTAT CUSDEC EDI PL
VESK	Create INTRASTAT CUSDEC EDI SK
VEIA	Create INTRASTAT CUSDEC EDI SE
VEIB	Create INTRASTAT CUSDEC EDI PT
VEID	Create INTRASTAT CUSDEC EDI LU
VEI0	Create INTRASTAT CUSDEC EDI IE
VEI7	Create INTRASTAT CUSDEC EDI GB
VEI8	Create INTRASTAT CUSDEC EDI AT
VEI9	Create INTRASTAT CUSDEC EDI ES
VE02	INTRASTAT: Create Form – Germany
VE03	INTRASTAT: Create File - Germany
VE06	INTRASTAT: Paper Form – Belgien
VE07	Create INTRASTAT Form for France
VE08	Create INTRASTAT File for Italy
VE09	Create INTRASTAT file for Belgium
VE10	Create INTRASTAT file for Holland
VE11	Create INTRASTAT file for Spain
VE12	Create INTRASTAT form for Holland
VE15	Create disk - INTRA/EXTRA/KOBRA/VAR
VE16	Create INTRASTAT form for Austria
VE17	Create INTRASTAT form for Sweden
VE32	INTRASTAT: Paper Form – Ireland
VE37	INTRASTAT: File - France

VE33	INTRASTAT: Paper Form - U.K.
VE42	INTRASTAT: File - Denmark
VE45	INTRASTAT: Paper Form – Greece
VE46	INTRASTAT: File - Finland
VE95	Create INTRASTAT papers: Portugal
VICZ	Create INTRASTAT CUSDEC EDI CZ
VIII	Create INTRASTAT XML IE
VEFU	Foreign Trade: Add INTRASTAT Data
VIMM	Decl. Recpts/Disptch Min. Oil Prod.
VE96	EXTRASTAT Data Select.: Init. Screen
VE04	EXTRASTAT: Data selection for export
VE05	EXTRASTAT: Create File – Germany
VE97	Create EXTRASTAT tape: Netherlands
VEXU	Foreign Trade: Add EXTRASTAT Data
VE13	KOBRA data selection: export Germany
VE14	Create KOBRA file for Germany
VE15	Create disk - INTRA/EXTRA/KOBRA/VAR
VE21	VAR: Selection of bill. docs Switz.
VE22	Create VAR form for Switzerland
VE23	V.A.R.: File – Switzerland
VE18	SED data selection for USA exporter
VE25	SED: Selection: USA Carriers
VE19	Create SED form for USA

VE20	Create AERP file for USA
VE27	HMF: Selection – USA
VXJ1	MITI Declarations
VXJ2	Declaration of ImportBill.Docs Japan
VEIAI	INTRASTAT Archiving
VEIAE	EXTRASTAT Archiving
VE81	Check Report: General FT Data
VE73	Goods Catalog: Create Document
VE74	Goods Catalog: Create Diskette
VXA5	Document. Payments: Print Monitoring
VXA7	Documentary Payments: Simulation
ENSV	Data Service
VX01N	Create License
VX02N	Change License
VX03N	Display License
VX22N	Change License Data
VX23N	Display license data
VE31	Blocked SD Documents
VE30	Existing licenses
VE29	Assigned Documents for Each License
VE82	Check Report: Export Control Data
VI83	Check Customer Master/Legal Control

VX07	Simulation: License Check
VX09	Simulation: Embargo Check
VX08	Simulation: Boycott List Check
VX16	BAFA diskette: Selection
VX17	Create BAFA diskette
VX10	Countries of Destination for License
VX05	Customers for License
VX06	Export Control Classes for License
VE56	Check Export Control for Consistency
VI84	Doc.Payments: Check Customer Master
VX14N	Maintain Financial Document
VX11N	Create Financial Document
VX12N	Change Financial Document
VX13N	Display Financial Document
VI73N	Foreign Trade: Maintain Long-Term Vendor Declaration
VI74N	FT: Display Vendor Declaration
VI78	Foreign Trade: Countries
VI54	Customs Approval Numbers
VI55	Approval Number per Plant
VED1	Print Parameters for Export Documents
OVE1	Commodity Code / Import Code Number
VPAR	Archiving Preference Logs

VFAI	Archiving – INTRASTAT
VFAE	Archiving – EXTRASTAT
FTUS	Foreign Trade: Maintain User Data
ENCO	Printing / Communication
ENGK	Legal Control
ENLO	Documentary payments
ENPA	Foreign Trade: Periodic Declarations
ENPR	Preference Processing
ENGR	Periodic Declarations
ENSV	Foreign Trade Data Maintenance
ENZD	Customs Objects: Documentation/Info.
VOIM	Check Import Purchase Order
VOWE	Check Goods Receipt
VI09X	Change Import Purchase Order
VI53X	Change Goods Receipt
VOLI	Check Export Delivery
VOEX	Check Export Billing Document
VI77X	Change Export Delivery
VI14X	Change Export Billing Document
VI85	Check Report: Vendor Master
VE81X	Check Report: General Foreign Trade Data
VE82X	Check Report: Export Control Data

VE83X	Check Report: Preference Data
VI86	Cross-plant Check of Foreign Trade Data
VI82X	Foreign Trade: Customer Master Consistency – General
VI83X	Foreign Trade: Customer Master Consistency – Control
VI84X	Foreign Trade: Customer Master Consistency - Letter of Credit
VIE4	Periodic Declarations: Log of Incomplete Items
VE24X	Foreign Trade: Information Commodity Code
VI24X	Foreign Trade: Information Import Code Number
FTIM	Journal: Purchase Orders
FTGR	Journal: Goods Receipts
FTIM	Import Order Analysis
FTGR	Import Gds Receipt Analysis
FTEX	Export Bill. Documents Journal
FTEX	Exp.bill.doc.analysis
VE30	Expiring Licenses
VE29	Sales Orders for a License
VXA2	Financial Documents: List
VXA1	Financial Documents: SD Documents
VI74N	Display Vendor Declaration
CAAT	Foreign Trade: Call up FT Atrium
VIUL	Foreign Trade: Data Upload

VIBA	Send IDoc Output-AES-Initial Procg
VIBC	Send IDoc Output-AES-Error in Procg
VIBB	Send IDoc Output-AES-Repeat Procg
VIB7	Send IDoc Output - Initial Procg
VIB9	Send IDoc Output - Error in Procg
VIB8	Send IDoc Output - Repeat Procg
VIB4	Print Transaction: Initial Procg
VIB6	Print Transaction: Error in Procg
VIB5	Print Transaction: Repeat Procg
VIB3	Foreign Trade Output Status
VEII	SAPMSED8: Call IMPINV01
VEIE	SAPMSED8: Call EXPINV02
VX00	Preference Handling
LEAN	Request long-term VendDecl. (vendor)
LEMA	Dun long-term vendor decl. (vendor)
VE67	Aggregate Vendor Declarations
LEER	Create long-term VenDecl. (customer)
VE55	Preference Determination: Individual
VE54	Preference Determination: Collective
VEB5	Calculate Assemblies Individually
VEB6	Calculate Assemblies Collectively
VEPR	Customs log

VE91	Display Preference Values
VE90	Change preference values
VE83	Check Report: Preference Data
VE66	Preference Procedure
VE65	Preference Reg./Percentage Rates
VE64	Commodity Code/Customs Areas
VE94	Load Commodity Code for EU Countries
VEM4	Merge: EU - Commodity Code
VI94	Load Import Code Nos - EU Countries
VIM4	Merge: EU - Import Code Number
VA94	Load Commodity Codes for Japan
VAM4	Merge: Japan - Commodity Code
VP94	Load Import Code No. for Japan
VPM4	Merge: Japan - Import Code Number
VEU4	Load Commodity Code-Other Countries
VEI4	Merge: Remaining Commodity Codes
VIU4	Load Import Code No.-Other Countries
VII4	Merge: Rest - Import Code Number
VE24	Comm. Code Number Information (old)
VI24	Code Number Information – Import
VI20	Display Customs Quota
VI21	Display Pharmaceutical Products
VI22	Display Customs Exemption

VI23	Display Preferential Customs Duties
VI19	Display Third-country Customs Duties
VI18	Display Anti-dumping
VXA3	Financial Documents: Blocked Docs
VXA2	Existing Financial Documents
VE68	Request Vendor Declarations
VI75	Vendor Declarations - Dunning notice
VE84	Monitoring: Purchasing Info Records
VE83	Check Report: Preference Data
VXSIM	Simulate Import
WZFT01	FT: Wizard - Declara. to Auth. (MM)
WZFT02	FT: Wizard - Declara. to Auth. (SD)

Required and Recommended Action(s)

Analysis of all foreign trade processes that are currently in use.

Related SAP Notes

Conversion pre-checks	SAP Note: 2205202
Custom code-related information	SAP Note: 2223144

3.14 S4TWL - Credit Management

Application Components: FI-AR-CR,SD-BF-CM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270544	SAP Credit Management

You are doing a system conversion to SAP S/4HANA and you are using Credit Management (FI-AR-CR) on SAP ERP. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

Credit Management (FI-AR-CR) is not available as part of SAP S/4HANA. The functional equivalent in SAP S/4HANA is SAP Credit Management (FIN-FSCM-CR).

Business Process-Related Information

You need to migrate FI-AR-CR to FIN-FSCM-CR. This migration comprises several elements:

- Configuration data
- Master data
- Credit exposure data
- Credit decision data

The migration from one-system landscapes is supported by tools that SAP provides.

Influence on Business Processes

There will be no change to your business processes because of the migration. However, some transactions become obsolete and are replaced by new transactions. Here are some examples for such cases:

Examples for replaced transactions in SAP S/4HANA	<p>For the maintenance of the credit account master data, transaction FD32 is replaced by transaction UKM_BP.</p> <p>For releasing credit-blocked sales orders, transaction VKM1 is replaced by transaction UKM_MY_DCDS. To use transaction UKM_MY_DCDS, the credit specialist might need additional authorizations. As a workaround, the transactions VKM1 and VKM4 are still available.</p>
Transactions not available in SAP S/4HANA	<p>F.28 - Customers: Reset Credit Limit F.31 - Credit Management - Overview F.32 - Credit Management - Missing Data F.33 - Credit Management - Brief Overview F.34 - Credit Management - Mass Change FCV1 - Create A/R Summary FCV2 - Delete A/R Summary FCV3 - Early Warning List FD24 - Credit Limit Changes FD32 - Change Customer Credit Management (but FD33</p>

	still available for Migration checks) FDK43 - Credit Management - Master Data List S_ALR_87012215 - Display Changes to Credit Management S_ALR_87012218 - Credit Master Sheet VKM2 - Released SD Documents VKM3 - Sales Documents VKM5 - Deliveries
Reports not available in SAP S/4HANA	RFARI020 - FI-ARI: Extract from credit master data RFARI030 - FI-ARI: Import credit master data RFDLILZE - Credit Management: Branch/Head Office Reconciliation Program RFDKLI*NACC Reports RFDKLxx Reports

The following settings in Customizing are affected by the migration:

- All IMG activities for SAP Credit Management are listed in Customizing under the following path: *Financial Supply Chain Management > Credit Management*.
- The credit limit check for sales document types can only be specified as type D in SAP Credit Management or can be left empty (no credit limit check). The credit limit check types A, B, and C are no longer available.
- The credit check when changing critical fields has been removed from the SD side.
- The payment guarantee-related Letter of Credit has been removed from the SD side.
- A credit check on the basis of the maximum document value is not supported in SAP S/4HANA 1511 SP00 and SP01.
It is supported as of SAP S/4HANA 1511 FPS2.

Required and Recommended Action(s)

1. Prerequisites for the migration to SAP Credit Management:

- You have completed all documents related to payment guarantee Letter of Credit.
- You have completed the migration for Accounting.
- If you are running on your own code, you have eliminated the usage of SAP objects in your own code. For details on how to adapt user-defined customer code that relies on the changed objects, see the following SAP Notes:
 - 2227014 (Financials)
 - 2227014 (SD)

2. Perform the recommended actions in the Task List PDF attached to this Note (only available in English). This list is only valid for the conversion of one-system landscapes.

Related SAP Notes

Custom code-related information (SD)	SAP Note: 2217124
Custom code-related information (Financials)	SAP Note: 2227014

3.15 S4TWL - ERP SD Revenue Recognition

Application Components: SD-BIL-RR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267342	ERP SD Revenue Recognition

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

ERP SD Revenue Recognition (see SAP Help: [Link](#)) is not available within SAP S/4HANA. The newly available SAP Revenue Accounting and Reporting functionality should be used instead.

The new functionality supports the new revenue accounting standard as outlined in IFRS15 and adapted by local GAAPs. The migration to the new solution is required to comply with IFRS15, even if no upgrade to SAP S/4HANA is performed.

Business Process-Related Information

Sales and Distribution (SD) Revenue Recognition is not available in SAP S/4HANA. None of the SD Revenue Recognition functionality will work in SAP S/4HANA.

For sales orders or contracts that were processed by SD Revenue Recognition and are **not** migrated to SAP Revenue Accounting and Reporting, this includes:

- Realize deferred revenue
- Realize revenue before invoice posting
- Defer revenue at invoice posting
- Check SD Revenue Recognition data consistency
- Cancel SD Revenue Recognition postings

Transaction not available in SAP S/4HANA	VF42 "Update Sales Documents"
	VF43 "Revenue Recognition: Posting Doc"
	VF44 "Revenue Recognition: Work List"
	VF45 "Revenue Recognition: Revenue Report"
	VF46 "Revenue Recognition: Cancellation"
	VF47 "Revenue Recognition: Consistency Check"
	VF48 "Revenue Recognition: Compare Report"

Required and Recommended Action(s)

Prior to the Conversion to SAP S/4HANA, you need to migrate all sales order and contracts processed by SD Revenue Recognition to SAP Revenue Accounting and Reporting that are

- not fully delivered and invoiced
- have deferred revenue still to be realized
- and for which you expect follow-on activities like increase quantity, create credit memo or cancel invoice

Please note that release 1.1 of SAP Revenue Accounting and Reporting does not include the full functional capabilities of SD Revenue Recognition. Examples of unavailable functionalities in SAP S/4HANA include:

- Revenue Recognition Type D (billing-based): Invoice cap and exchange rate per invoice are not available.
- Call Off Orders: While SD Contracts are supported call of orders are not available.

If you are using SD Revenue Recognition, you need to evaluate whether a migration to SAP Revenue Accounting and Reporting is possible for your business before you decide to convert to SAP S/4HANA.

You can find more details about the migration to SAP Revenue Accounting and Reporting can in the migration chapter of the online help ([RevAcc Help](#)) and in the administrator guide for the product SAP SD Integration with SAP Revenue Accounting and Reporting: [Admin Guide Integration SD](#)

Related SAP Notes

Conversion pre-checks	SAP Note: 2227824
Custom code-related information	SAP Note: 2225170

3.16 S4TWL - Optimization of SD Rebate Processing for TPM Customers

Application Components: SD-BIL-RB

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267344	Optimization of SD Rebate Processing for TPM Customers

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

Customers who will integrate their existing CRM TPM scenario with SAP S/4HANA need to use SD Rebate Processing, even though a successor is already being provided by Settlement Management (cp. simplification item SD Rebate Processing replaced by Settlement Management).

For these customers, the existing SD Rebate functionality has been optimized with regard to the database footprint. For this purpose, from a technical viewpoint, the rebate index table VBOX is not available.

Business Process-Related information

Please note that TPM customers are also unable to neither create new rebate agreements in SAP S/4HANA nor extend existing ones (cp. simplification item SD Rebate Processing replaced by Settlement Management). However, for the TPM process this is not necessary at all, since for this business process, rebate agreements are created by CRM TPM.

Transaction not available in SAP S/4HANA	VBO1	Create Rebate Agreement
	VB(D)	Extend Rebate Agreements

Required and Recommended Action(s)

- If the customer is using the extended SD rebate processing, a rebuild of the S469 content is required after the upgrade.
- The customer has to maintain new customizing settings.

How to Determine Relevancy

This Transition Worklist Item is relevant if the customer is using Trade Promotion Management in his CRM system which is connected with the ERP system.

Related SAP Notes

Custom code-related information	SAP Note: 2200691
---------------------------------	-------------------

3.17 S4TWL - Simplification in SD Analytics

Application Components: SD-IS,SD-HBA-VDM,SD-HBA-SOF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267348	Simplification in SD Analytics

You are doing a system conversion to SAP S/4HANA. The following SAP S/4HANA Transition Worklist item applies in this scenario.

Description

Simplification in SD Analytics follows the overall analytics strategy in SAP S/4HANA (see CT_ANAN - Analytics): Instead of prebuilt aggregates and/or redundant data for analytical purposes, the SAP S/4HANA Analytics approach is based on ODATA and Open CDS (also known as ABAP-managed Core Data Services (CDS)), which sit directly on top of the original database. Corresponding analytics content will be provided within SAP S/4HANA. This content will grow over time.

CDS Basic Views Represent the Core Entities in SD

The SD-specific business objects Sales Order, Customer Invoice, Outbound Delivery, and many others on top of database tables VBAK, LIKP, and VBRK are represented by CDS views that encompass access of the analytics CDS queries to the database in a uniform manner. This is achieved by offering semantic field names and associations to connected business objects, such as Customer, Material, and so on.

All analytics content will be built on top of these core entities.

Incoming Sales Orders and Sales Volume Based on CDS Views

The initially delivered analytics content consists of two CDS queries: Incoming Sales Orders and Sales Volume. These two exemplify the capability of SAP S/4HANA to report directly on the database, without any prebuilt aggregates, but with the possibility to make use of all dimensions for grouping, aggregation, and filtering on the fly.



New Persistent Fields in the Database

To make effective use of SAP S/4HANA's capabilities for SD Analytics, there are new persistent fields in the database (which, in the past, were only calculated on the fly):

- Sales Order Open Delivery Quantity and Amount (on schedule line level - VBEP)
- Sales Order Requested Quantity in Base Unit (on item level - VBAP)

Allowance for Using BW and LIS/SIS^[1]

Customers are allowed to extract data from SAP S/4HANA to their own BW-Hub and to make extended use of the LIS/SIS^[2] tool, as long as the CDS-based approach in SD is not yet available in a comparable standard.

Business Process-Related Information

No impact on business processes is expected.

Transaction not available in SAP S/4HANA	VA06	Sales Order Monitor
--	------	---------------------

Required and Recommended Action(s)

None

How to Determine Relevancy

This Transition Worklist Item is relevant if the customer is using LIS/SIS or if the customer is extracting data from SAP S/4HANA to their own BW-Hub.

Related SAP Notes

Custom code-related information	SAP Note: 2227750
---------------------------------	-------------------

^[1] Functionality available in the SAP S/4HANA delivery, but not considered as future technology. Functional equivalent is available.

^[2] Note: If you use a material number longer than 18 characters - see restriction note Extended Material Number in LIS: SAP Note 2232362.

3.18 S4TWL - Advanced Order Processing and Billing for Contractors to the public sect

Application Components: SD-SLS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267350	Advanced Order Processing and Billing for Contractors to the Public Sector

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

The functionality Advanced Order Processing and Billing for contractors to the public sector is not available in SAP S/4HANA (and not on the roadmap).

Business Process-Related information

Customers using Advanced Order Processing and Billing for contractors to the public sector in ERP that are planning to move to SAP S/4HANA need to remodel their business processes accordingly.

Transaction not available in SAP S/4HANA	VACB Advanced Order Processing and Billing Customizing t-codes: <ul style="list-style-type: none"> • /CBAD/98000075 • /CBAD/98000076 • /CBAD/98000077 • /CBAD/98000078 • /CBAD/98000079 • /CBAD/98000080 • /CBAD/98000081 • /CBAD/98000082 • /CBAD/98000083 • /CBAD/98000084 • /CBAD/98000085 • /CBAD/98000086
--	--

Related SAP Notes

Custom code-related information	SAP Note: 2223800
---------------------------------	-------------------

3.19 S4TWL - Operational Data Provisioning

Application Components: SD-SLS-GF-RE

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267351	Operational Data Provisioning

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

Operational Data Provisioning in SD (see SAP Help: [Link](#)) is not available in SAP S/4HANA.

Simplification in SD Analytics follows the overall analytics strategy in SAP S/4HANA (see Simplification Item SD Analytics): The SAP S/4HANA Analytics approach is based on ODATA and Open CDS (also known as ABAP-managed Core Data Services (CDS)), which sit directly on top of the original database. Corresponding analytics content will be provided in SAP S/4HANA. This content will grow over time.

Successor: HANA Analytics

CDS Basic Views Representing the Core Entities in SD

The SD-specific business objects Sales Order, Customer Invoice, Outbound Delivery, and many others on top of database tables VBAK, LIKP, and VBRK are represented by CDS views that encompass access of the analytics CDS queries to the database in a uniform manner by offering semantic field names and associations to connected business objects as Customer, Material, and so on.

All analytics content will be built on top of these core entities.

Business Process-Related Information

No impact on business processes is expected.

Required and Recommended Action(s)

If operational or analytical reporting is requested, it is recommended that the customer starts evaluating the use of HANA Analytics.

How to Determine Relevancy

This Transition Worklist Item is relevant if the customer has used Operational Data Provisioning in SD.

Related SAP Notes

Custom code-related information	SAP Note: 2228056
---------------------------------	-------------------

4 Customer Service

4.1 S4TWL - PH_Sample iView

Application Components: LO-PDM-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271201	PH_Sample-iView

Description

The iView was as an option for Pharmaceutical Sales Reps who were running CRM Mobile Sales to manage their inventory of free samples. This functionality is not available within SAP S/4HANA. No functional equivalent is available.

Business Process related information

Business Processes using this solution will no longer work. An alternative solution has to be developed in a customer project.

Required and Recommended Action(s)

Customers using the solution have to develop their own UI on their platform of choice to be deployed to mobile devices of their sales reps.

How to Determine Relevancy

The iView was meant to be used to provide pharmaceutical sales reps with the ability to review their stock of drug samples (van stock). It provides a view into the standard ERP inventory.

This note is relevant for customers using the SAP Portal and have configured this iView.

Related SAP Notes

Custom Code related information	As this is an iView, customers were not able to develop custom code
---------------------------------	---

4.2 S4TWL - Customer Interaction Center (CIC)

Application Components: CS-CI

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267412	Customer Interaction Center (CIC)

Description

Transaction CIC0 provides a basic Call Center help desk application which is technically outdated and not available within SAP S/4HANA. CRM on Premise, Cloud 4 Service and SAP Hybris provide state of the art successors for interaction center help desk use cases.

Business Process related information

Business processes that require a help desk / call center integration cannot be executed in the customer interaction center any more. Instead they have to be integrated into the interaction center / help desk applications offered by CRM on Premise, Cloud 4 Service or SAP Hybris.

Transaction not available in SAP S/4HANA on-premise edition 1511	CIC0
---	------

Required and Recommended Action(s)

Business processes that require a help desk / call center integration should be integrated into the interaction center / help desk applications offered by CRM on Premise, Cloud 4 Service or SAP Hybris.

Related SAP Notes

Custom Code related information	See SAP Note 2229726
---------------------------------	----------------------

5 Procurement

5.1 S4TWL - MM-PUR WebDynpro Applications

Application Components: MM-PUR-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267445	MM-PUR WebDynpro Applications

Description

WebDynpro Applications of SAP ERP Materials Management (MM) are not available with SAP S/4HANA, on-premise edition 1511 any more.

The corresponding functionality is replaced with existing SAP GUI transactions, Fiori applications or Smart Business within SAP S/4HANA, on-premise edition 1511.

The coverage of Fiori applications will grow over time.

Business Process related information

ABAP Web Dynpro Applications not available in SAP S/4HANA.

WebDynpro Application	Description	SAP S/4HANA Replacement
MMPUR_CPPR_MAIN_APPL	Collective Processing of Purchase Requisition	SAP GUI report BBP_EXTREQ_TRANSFER, Fiori Application
MMPUR_SPPR_MAIN_APPL	Purchase Requisition Processing	SAP GUI transaction ME51N, Fiori Application
MMPUR_ACCOUNT_ASSIGN_COMP	Account assignments	
MMPUR_ADDRESS_COMP	Display Address	

MMPUR_BWLAUNCHER_APP	BW Starter	Smart Business? BW Integration?
MMPUR_CFOLDERS_EP_EVENT	Document Storage	
MMPUR_CFOLDERS_URL_APP	Document Storage	
MMPUR_DISPLSCHEDULELINE_APP	Display of Delivery Schedule Lines for Item	
MMPUR_DOCTRK_APP	Document Tracing	
MMPUR_DOC_TRACE	Graphical document tracing	
MMPUR_FINDSUPPLIER_COMP	Find Supplier	
MMPUR_FORECAST_APP	Expected Contract Release Orders	Smart Business?
MMPUR_MAVERICK_APP	Maverick Buying Analysis	Smart Business?
MMPUR_PRICECOND_APP	Pricing Conditions	
MMPUR_RELEASEDOC_APP	Contract Release Order	
MMPUR_REL_STRAT_APP	Release Strategy	
MMPUR_SRCOFSUPPLY_APP	Display Sources of Supply	
MMPUR_UI_PR_APP	Purchase Requisition Processing	
MMPUR_VNDCONF_APP	Process Different Vendor Confirmations	
MMPUR_VNDCTCDTA_APP	Display of Vendor Contact Data Including	

	Contact Persons	
MMPUR_VNDPARTNER_APP	Display of Partner Roles of a Vendor	

Related SAP Notes

Custom Code related information	SAP Note: 2228261
---------------------------------	-------------------

5.2 S4TWL - Classic MM-PUR GUI Transactions replacement

Application Components: MM-PUR-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267449	Classic MM-PUR GUI Transactions replacement

Description

Classic SAP ERP Materials Management (MM) transactions and BAPIs for the business objects Purchase Order, Purchase Requisition, and Supplier Invoice have been replaced by the corresponding transactions and BAPIs made available with SAP R/3 Enterprise 4.70. With SAP S/4HANA, on-premise, these classic MM transactions and BAPIs will no longer be available. The replacements that are available since SAP R/3 Enterprise 4.70 shall be used.

Business Process related information

No influence on business processes expected

Transaction not available in SAP S/4HANA on-premise edition 1511	ME21
	ME22
	ME23
	ME24
	ME25

	ME26
	ME27
	ME28
	ME51
	ME52
	ME53
	ME54
	ME59
	MR01
	MR1M
BAPIs not available SAP S/4HANA on-premise edition 1511	BAPI_PO_CREATE BAPI_REQUISITION_CREATE BAPI_PO_GETDETAIL

Required and Recommended Action(s)

See SAP notes:

- 1803189: FAQ: End of Support of ME21, ME51, and BAPI_PO_CREATE etc.
- 144081: Replacing MR01 / Functions of MR1M (Release 4.6)

Related SAP Notes

Custom Code related information	<p>SAP Notes:</p> <ul style="list-style-type: none"> • 1803189: FAQ: End of Support of ME21, ME51, and BAPI_PO_CREATE etc. • 144081: Replacing MR01 / Functions of MR1M (Release 4.6)
---------------------------------	---



5.3 S4TWL - Dedicated SAP Supplier Lifecycle Management (SAP SLC) business processes

Application Components: SLC-SUP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271188	Dedicated SAP Supplier Lifecycle Management (SAP SLC) business processes

Description

The following processes of SAP Supplier Lifecycle Management (SAP SLC) are not available within SAP S/4HANA, on-premise edition 1511:

- All sell-side processes: Supplier Registration and Supplier Data Maintenance
- Several buy-side processes: Supplier Hierarchies, Supplier Classification, Area of Validity in Supplier Evaluation, Supplier Qualification, Certificate Management, External Tasks in Activity Management

Business Process related information

The functional scope of Supplier and Category Management in SAP S/4HANA is currently not identical with the SAP SLC functionalities.

Required and Recommended Action(s)

We recommend that you evaluate on a project basis whether you want to use Supplier and Category Management in SAP S/4HANA or whether you want to use SAP SLC as a standalone system to leverage the full functional scope of SAP SLC.

Related SAP Notes

Conversion Pre-Checks	Pre-check required to guide customers who have installed SAP SLC and SAP ERP on one server. See Simplification Item Co-Deployment of SAP Supplier Lifecycle Management (SAP SLC) for details.
-----------------------	---

5.4 S4TWL - Supplier Distribution via MDG-S

Application Components: SLC-SUP



Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267719	Supplier Distribution via MDG-S

Description

After the conversion of SAP ERP to S/4HANA, customers who have been using SAP SLC as a standalone system communicating with SAP ERP have to use MDG-S (Master Data Governance for Suppliers) for supplier distribution.

Business Process related information

SAP S/4HANA leverages MDG-S for supplier distribution. The MDG-S license is not part of the SAP S/4HANA license.

Required and Recommended Action(s)

A project needs to be set up to implement MDG-S for supplier distribution.

Related SAP Notes

Custom Code related information	If customers have enhanced interfaces for point-to-point supplier distribution from SAP SLC to SAP ERP using the SLC integration component in SAP ERP, communication with MDG-S must be enhanced accordingly.
---------------------------------	---

5.5 S4TWL - Authority Concept for Supplier Invoice

Application Components: MM-IV

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271189	Authority Concept for Supplier Invoice

Description

The previous concept was based on checking header data against the item authorization object for all items. The system checked for all items if a user was allowed to complete certain activities in the plants.

With the new concept, the behaviour of the system is more comprehensive. The new concept introduces a header authorization object that enables the system to perform the following authorization checks:

- Check header data against the header authorization object (M_RECH_BUK). This authorization object checks the common activities a user performs for the header company code.
- Check item data against the item authorization object (M_RECH_WRK). This authorization object checks the common activities a user performs for the plant for the respective item.

Business Process related information

No influence on business processes expected

Required and Recommended Action(s)

You must edit the user roles. Users working with supplier invoices, additionally need the authorizations based on M_RECH_BUK.

The standard roles delivered with SAP S/4HANA contain this new authorization object. If the customer roles are derived from these standard roles, you must do the following:

- Edit the values of the organizational levels for the new authorization object M_RECH_BUK.
- Regenerate the profiles related to the roles using PFCG.

If you have created a role by yourself, you must manually insert the authorization object M_RECH_BUK into the role. You can do this preliminary work once SAP S/4HANA is available.

5.6 S4TWL - Foreign Trade within SAP S/4HANA Procurement

Application Components: MM-FT

Related Notes:

Note Type	Note Number	Note Description
-----------	-------------	------------------

Business Impact	2267740	Foreign Trade within SAP S/4HANA Procurement
-----------------	-------------------------	--

Description

Currently there are two software services for international trade transactions: Foreign Trade and SAP Global Trade Services (GTS). Foreign Trade is part of standard Materials Management (MM).

SAP GTS is an external service that can be installed on a separate instance. With SAP S/4HANA on-premise edition 1511, the foreign trade solution will be not available because SAP Global Trade Services is the successor for the business requirement.

For *Intrastat* a customer can leverage functionality within SAP S/4HANA, on-premise edition 1511.

Additional functions for import and export management are available with SAP GTS.

Business Process related information

The customer needs to check whether 3rd party foreign trade systems are in use for foreign trade processes. Because of the replaced foreign trade functionality in S/4HANA, it is possible that 3rd party foreign trade system will need adjustments by the respective 3rd party Solution/Service Provider. However, SAP GTS can be connected to S/4HANA to run the respective foreign trade processes.

Transaction not available in SAP S/4HANA on-premise edition 1511	VX99	FT/Customs: General overview
	EN99	General Foreign Trade Processing
	VI09X	Change FT Data in Purchasing Doc.
	VI08X	Display FT data in purchasing doc.
	VI80X	Change FT Data in Goods Receipt
	VI79X	Display FT Data in Goods Receipt
	VI77X	Change FT Data in Outbound Delivery
	VI64X	Display FT Data in Outbound Delivery
	VI14X	Change FT Data in Billing Document

VI10X	Display FT Data in Billing Document
VIIM	FT: Op. Cockpit: Purchase order
VIWE	FT: Op. Cockpit: Goods Receipt
VIEX	FT: Journal Export Actual
VE85	Change Statistical Value – Import
VE86	Display Statistical Value – Import
VE88	Change Statistical Value – Export
VE89	Display Statistical Value – Export
VE87	Change Stat.Value – Subcontracting
VEI3	Display Stat.Value – Subcontracting
OVE1	Commodity Code / Import code no.
VXCZ	INTRASTAT: Form - Czech Republic
VXHU	INTRASTAT: Form - Hungary
VXPL	INTRASTAT: Form – Poland
VXSK	INTRASTAT: Form – Slovakia
VEBE	INTRASTAT: XML File - Belgium
VECZ	INTRASTAT: File - Czech Republic
VEHU	INTRASTAT: File – Hungary
VEPL	Create INTRASTAT CUSDEC EDI PL
VESK	Create INTRASTAT CUSDEC EDI SK
VEIA	Create INTRASTAT CUSDEC EDI SE
VEIB	Create INTRASTAT CUSDEC EDI PT
VEID	Create INTRASTAT CUSDEC EDI LU

VEI0	Create INTRASTAT CUSDEC EDI IE
VEI7	Create INTRASTAT CUSDEC EDI GB
VEI8	Create INTRASTAT CUSDEC EDI AT
VEI9	Create INTRASTAT CUSDEC EDI ES
VE02	INTRASTAT: Create Form – Germany
VE03	INTRASTAT: Create File - Germany
VE06	INTRASTAT: Paper Form – Belgien
VE07	Create INTRASTAT Form for France
VE08	Create INTRASTAT File for Italy
VE09	Create INTRASTAT file for Belgium
VE10	Create INTRASTAT file for Holland
VE11	Create INTRASTAT file for Spain
VE12	Create INTRASTAT form for Holland
VE15	Create disk - INTRA/EXTRA/KOBRA/VAR
VE16	Create INTRASTAT form for Austria
VE17	Create INTRASTAT form for Sweden
VE32	INTRASTAT: Paper Form – Ireland
VE37	INTRASTAT: File - France
VE33	INTRASTAT: Paper Form - U.K.
VE42	INTRASTAT: File - Denmark
VE45	INTRASTAT: Paper Form – Greece
VE46	INTRASTAT: File - Finland
VE95	Create INTRASTAT papers: Portugal

VICZ	Create INTRASTAT CUSDEC EDI CZ
VIII	Create INTRASTAT XML IE
VEFU	Foreign Trade: Add INTRASTAT Data
VIMM	Decl. Recpts/Disptch Min. Oil Prod.
VE96	EXTRASTAT Data Select.: Init. Screen
VE04	EXTRASTAT: Data selection for export
VE05	EXTRASTAT: Create File – Germany
VE97	Create EXTRASTAT tape: Netherlands
VEXU	Foreign Trade: Add EXTRASTAT Data
VE13	KOBRA data selection: export Germany
VE14	Create KOBRA file for Germany
VE15	Create disk - INTRA/EXTRA/KOBRA/VAR
VE21	VAR: Selection of bill. docs Switz.
VE22	Create VAR form for Switzerland
VE23	V.A.R.: File – Switzerland
VE18	SED data selection for USA exporter
VE25	SED: Selection: USA Carriers
VE19	Create SED form for USA
VE20	Create AERP file for USA
VE27	HMF: Selection – USA
VXJ1	MITI Declarations
VXJ2	Declaration of ImportBill.Docs Japan
VEIAI	INTRASTAT Archiving

VEIAE	EXTRASTAT Archiving
VE81	Check Report: General FT Data
VE73	Goods Catalog: Create Document
VE74	Goods Catalog: Create Diskette
VXA5	Document. Payments: Print Monitoring
VXA7	Documentary Payments: Simulation
ENSV	Data Service
VX01N	Create License
VX02N	Change License
VX03N	Display License
VX22N	Change License Data
VX23N	Display license data
VE31	Blocked SD Documents
VE30	Existing licenses
VE29	Assigned Documents for Each License
VE82	Check Report: Export Control Data
VI83	Check Customer Master/Legal Control
VX07	Simulation: License Check
VX09	Simulation: Embargo Check
VX08	Simulation: Boycott List Check
VX16	BAFA diskette: Selection
VX17	Create BAFA diskette

VX10	Countries of Destination for License
VX05	Customers for License
VX06	Export Control Classes for License
VE56	Check Export Control for Consistency
VI84	Doc.Payments: Check Customer Master
VX14N	Maintain Financial Document
VX11N	Create Financial Document
VX12N	Change Financial Document
VX13N	Display Financial Document
VI73N	Foreign Trade: Maintain Long-Term Vendor Declaration
VI74N	FT: Display Vendor Declaration
VI78	Foreign Trade: Countries
VI54	Customs Approval Numbers
VI55	Approval Number per Plant
VED1	Print Parameters for Export Documents
OVE1	Commodity Code / Import Code Number
VPAR	Archiving Preference Logs
VFAI	Archiving – INTRASTAT
VFAE	Archiving – EXTRASTAT
FTUS	Foreign Trade: Maintain User Data
ENCO	Printing / Communication
ENGK	Legal Control

ENLO	Documentary payments
ENPR	Preference Processing
ENGR	Periodic Declarations
ENSV	Foreign Trade Data Maintenance
ENZD	Customs Objects: Documentation/Info.
VOIM	Check Import Purchase Order
VOWE	Check Goods Receipt
VI09X	Change Import Purchase Order
VI53X	Change Goods Receipt
VOLI	Check Export Delivery
VOEX	Check Export Billing Document
VI77X	Change Export Delivery
VI14X	Change Export Billing Document
VI85	Check Report: Vendor Master
VE81X	Check Report: General Foreign Trade Data
VE82X	Check Report: Export Control Data
VE83X	Check Report: Preference Data
VI86	Cross-plant Check of Foreign Trade Data
VI82X	Foreign Trade: Customer Master Consistency – General
VI83X	Foreign Trade: Customer Master Consistency – Control
VI84X	Foreign Trade: Customer Master Consistency - Letter of Credit

VIE4	Periodic Declarations: Log of Incomplete Items
VE24X	Foreign Trade: Information Commodity Code
VI24X	Foreign Trade: Information Import Code Number
FTIM	Journal: Purchase Orders
FTGR	Journal: Goods Receipts
FTIM	Import Order Analysis
FTGR	Import Gds Receipt Analysis
FTEX	Export Bill. Documents Journal
FTEX	Exp.bill.doc.analysis
VE30	Expiring Licenses
VE29	Sales Orders for a License
VXA2	Financial Documents: List
VXA1	Financial Documents: SD Documents
VI74N	Display Vendor Declaration
CAAT	Foreign Trade: Call up FT Atrium
VIUL	Foreign Trade: Data Upload
VIBA	Send IDoc Output-AES-Initial Procg
VIBC	Send IDoc Output-AES-Error in Procg
VIBB	Send IDoc Output-AES-Repeat Procg
VIB7	Send IDoc Output - Initial Procg
VIB9	Send IDoc Output - Error in Procg
VIB8	Send IDoc Output - Repeat Procg

VIB4	Print Transaction: Initial Procg
VIB6	Print Transaction: Error in Procg
VIB5	Print Transaction: Repeat Procg
VIB3	Foreign Trade Output Status
VEII	SAPMSED8: Call IMPINV01
VEIE	SAPMSED8: Call EXPINV02
VX00	Preference Handling
LEAN	Request long-term VendDecl. (vendor)
LEMA	Dun long-term vendor decl. (vendor)
VE67	Aggregate Vendor Declarations
LEER	Create long-term VenDecl. (customer)
VE55	Preference Determination: Individual
VE54	Preference Determination: Collective
VEB5	Calculate Assemblies Individually
VEB6	Calculate Assemblies Collectively
VEPR	Customs log
VE91	Display Preference Values
VE90	Change preference values
VE83	Check Report: Preference Data
VE66	Preference Procedure
VE65	Preference Reg./Percentage Rates
VE64	Commodity Code/Customs Areas

VE94	Load Commodity Code for EU Countries
VEM4	Merge: EU - Commodity Code
VI94	Load Import Code Nos - EU Countries
VIM4	Merge: EU - Import Code Number
VA94	Load Commodity Codes for Japan
VAM4	Merge: Japan - Commodity Code
VP94	Load Import Code No. for Japan
VPM4	Merge: Japan - Import Code Number
VEU4	Load Commodity Code-Other Countries
VEI4	Merge: Remaining Commodity Codes
VIU4	Load Import Code No.-Other Countries
VII4	Merge: Rest - Import Code Number
VE24	Comm. Code Number Information (old)
VI24	Code Number Information – Import
VI20	Display Customs Quota
VI21	Display Pharmaceutical Products
VI22	Display Customs Exemption
VI23	Display Preferential Customs Duties
VI19	Display Third-country Customs Duties
VI18	Display Anti-dumping
VXA3	Financial Documents: Blocked Docs
VXA2	Existing Financial Documents
VE68	Request Vendor Declarations

VI75	Vendor Declarations - Dunning notice
VE84	Monitoring: Purchasing Info Records
VE83	Check Report: Preference Data
VXSIM	Simulate Import
WZFT01	FT: Wizard - Declara. to Auth. (MM)
WZFT02	FT: Wizard - Declara. to Auth. (SD)

Required and Recommended Action(s)

Analysis of all currently used foreign trade processes.

Related SAP Notes

Custom Code related information	SAP Note: 2223144
---------------------------------	-------------------

5.7 S4TWL - Commodity Management Procurement

Application Components: CA-GTF-PR-CPF,LO-CMM,LO-CMM-BF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267741	Commodity Management Procurement

Description

Commodity Procurement is switched off technically in SAP S/4HANA, on-premise edition 1511 and SAP S/4HANA 1610.

The deactivated main functional building blocks are:

- Commodity Management Integration in Procurement E2E Process and Documents
- Commodity Management Integration in Global Trade Management
- Commodity Pricing / Commodity Pricing Engine (CPE) / Configurable Parameters & Formulas (CPF)



- Basis & Future Pricing
- Differential / Final Invoicing & Billing
- Commodity master data
- Market data management for commodity prices and price curves
- Day End / Month End Processing
- Commodity Analytics (End of Day, Position Reporting, Mark to Market)

Business Process-Related Information

Commodity Management cannot be activated.

The procurement processes are not yet supported by commodity management functions.

Required and Recommended Action(s)

None

Related SAP Notes

<p>Conversion Pre-Checks</p>	<p>The central pre-transformation check will check the deactivated CM Business Functions. Check if the Commodity Business Functions are active if yes, the System Conversion with active Commodity Management Business Functions to SAP S/4HANA on-premise edition 1511 or SAP S/4HANA 1610 is not possible.</p> <p>The following Commodity Management Business Functions have been deactivated in SAP S/4HANA, on-premise edition 1511 and SAP S/4HANA 1610:</p> <p>Business Functions: Commodity Procurement</p> <ul style="list-style-type: none"> • LOG_CPE_SD_MM • LOG_CPE_FA_FE • LOG_MM_COMMODITY • LOG_MM_COMMODITY_02 • LOG_MM_COMMODITY_03 • LOG_MM_COMMODITY_04 • LOG_MM_COMMODITY_05 • COMMODITY_PROC_SALES_01
<p>General Information</p>	<p>SAP Note: 2226096</p>

2267741

5.8 S4TWL - Automatic Document Adjustment

Application Components: IS-R-PUR-ADA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267742	Automatic Document Adjustment

Description

In SAP S/4HANA, the following differences to the process of automatic document adjustment apply:

1. The direct entry function is activated per default for all document categories to simplify the creation of worklist entries.
2. The field length of the Material Number data element (MATNR) is 40 characters. As a consequence, the field length of data element 'VAKEY' is enhanced and the database tables WIND and S111 have also been adjusted.

Business Process related information

1. In SAP S/4HANA, the indicator for direct entry is set now automatically during the update process of conditions. This means that:
 - When a user saves a condition change - including the creation of a new condition - an entry is made in the worklist (table WIND) for all document categories with valid Customizing settings.
 - For worklist creation, the transaction MEI4 can no longer be used.

For more information, please see SAP Note 519685 (Conversion of the procedure for Worklist creation).

Note also that change pointers do not have to be updated for message type CONDBI if direct entries are activated. With the conversion to the 'direct entry' procedure, you can deactivate the **update of change pointers** if you do not use it for other purposes

2. Rebuilding business data volume (tables WIND and S111)

- SAP recommends that you process all open worklist entries completely before conversion to SAP S/4HANA. In this case, no activities for automatic document adjustment are required after the system conversion process
- If the worklist cannot be completed in the SAP ERP system, you can proceed with the procedure described in section 'Required and Recommended Actions on Start Release.'

Transaction not available in SAP S/4HANA on-premise edition 1511	MEI4 - Create Worklist
--	------------------------

Required and Recommended Action(s)

If in the ERP system the worklist could not be completely processed, a rebuilding of the worklist for automatic document adjustment is required in SAP S/4HANA, on-premise edition 1511 -> please follow in this case the following procedure:

- Delete the content for automatic document adjustment of table S111 (Report RMEBEIN6 (transaction MEI6)) and
- Delete the content of table WIND (Report RMEBEIN5 (transaction MEI5))
- Rebuild the table entries for S111 and WIND for the used document categories by using the appropriate setup reports (see below). Make sure that the filter selection for rebuilding the S111 entries is meaningful by selecting the appropriate organizational criteria (time, org data, docnr, ...) [Rebuild is in SAP S/4HANA]

Doc. category	Description	Report for rebuilding S111 and WIND entries
01	Purchase Order	RMEBEIN3
02	Scheduling Agreement	RMEBEIN3
10	Sales Price Calculation	RWVKP012
11	Sales Price Calculation Index	RWVKP012
20	Customer billing document	RMEBEIL3
30	Vendor billing document	RMEBEIL3
31	Expense document	RMEBEIL3
32	Vendor settlement document	RMEBEIV3
35	Remuneration list	RMEBEIL3
40	Vendor settlement request	RMEBEIZ3
50	Assortment List	RMEBEIN3
55	POS-Outbound	RMEBEIN3
60	Customer settlement	RMEBEIK3

If you want to process multiple applications in one step (subsequent settlement and automatic document adjustment), you can also use report RMCENEUA.

Related SAP Notes

Conversion Pre-Checks	SAP Notes: 2192984, 2215169
-----------------------	-----------------------------

5.9 S4TWL - RFQ Simplified Transaction

Application Components: MM-PUR-RFQ

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2332710	RFQ Simplified Transaction

The previous concept was based on Request for Quote with a mandatory Supplier Field. In addition it was only possible to enter one Supplier Quote per Request for Quote. This does not fit to different Sourcing Integration Scenarios (Example Ariba Sourcing, Ariba Spot Quote).

With the new concept, the behaviour of the system allows to send RFQ via Fiori App to external sourcing platforms without a Supplier included and to receive from them multiple Supplier Quotes.

Following IDOCS and Transactions related to Request for Quote are not considered as the target architecture (Functionality available in current SAP S/4HANA delivery but not considered as future technology. Functional equivalent is not available).

It is planned to replace them with cXML messages:

REQOTE (Basic Idoc type = ORDERS05) is the IDOC for RFQ

QUOTES (Basic Idoc type = ORDERS05) is the Idoc for Quote

The following transactions are not strategic anymore and it is planned to replace them with corresponding Fiori Apps:

ME41	Create	Create Request For Quotation
ME42	Change	Change Request For Quotation
ME43	Display	Display Request For Quotation
ME44	Maintain Supplement	Maintain RFQ Supplement
ME45	Release	Release RFQ
ME47	Maintain	Create Quotation
ME48	Display	Display Quotation
ME49	Price Comparison List	Price Comparison List
ME4B	RFQs by Requirement Tracking Number	RFQs by Requirement Tracking Number
ME4C	RFQs by Material Group	RFQs by Material Group



ME4L	RFQs by Vendor	RFQs by Supplier
ME4M	RFQs by Material	RFQs by Material
ME4N	RFQs by RFQ Number	RFQs by RFQ Number
ME4S	RFQs per Collective Number	RFQs by Collective Number

Business Process related information

Before using the new Fiori App you need to close your open RFQ created with the old transactions.

Required and Recommended Action(s)

You must edit the user roles . As soon as the new Fiori Apps will be available also the standard roles delivered with SAP S/4HANA contain this new authorization object.

5.10 S4TWL - Co-Deployment of SAP SRM

Application Components: MM-PUR-GF,SRM-CAT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271166	Co-Deployment of SAP SRM

Description

Technically, the procurement solution within SAP S/4HANA is not a successor to the SAP SRM components. Therefore, the SAP SRM software components and SAP S/4HANA cannot be installed on the same system. Technically, it is not a co-deployment, but in the future the procurement solution will evolve to take over the SAP SRM functions. The functional scope is described in the content of the feature scope description of SAP S/4HANA.

Business Process related information

Customers with SAP SRM and SAP Business Suite on one server need to re-implement the procurement processes on the SAP S/4HANA, on-premise edition system which have been used on SAP Business Suite source release within the SAP SRM installation. It is not possible to install the SAP SRM software components within the SAP S/4HANA stack. The functional scope of the new procurement solution available with the first release of SAP S/4HANA is not identical with the SAP SRM functions.

Required and Recommended Action(s)

Perform Conversion pre-check to identify the constellation on SAP Business Suite start release.

5.11 S4TWL - Co-Deployment of SAP Supplier Lifecycle Management (SAP SLC)

Application Components: SLC-SUP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267413	Co-Deployment of SAP Supplier Lifecycle Management (SAP SLC)

Description

The goal is that - over time - the functional scope of SAP Supplier Lifecycle Management (SAP SLC) will be available within the SAP S/4HANA stack. Customers who have deployed SAP Supplier Lifecycle Management on SAP ERP and want to migrate to S/4HANA can continue to use those parts of the SAP SLC functionality that have been integrated into the S/4HANA Core and are referred to as "Supplier and Category Management". For the functional differences, see simplification item Dedicated SAP Supplier Lifecycle Management (SAP SLC) business processes. Customers who have been using a standalone SAP SLC system can continue to use it, but have to use MDG-S for supplier data integration. For more information, see simplification item Dedicated SAP Supplier Lifecycle Management (SAP SLC) business processes.

Business Process related information

The functional scope of Supplier and Category Management in SAP S/4HANA is currently not identical with the SAP SLC functionalities.

Master categories in purchasing category are not available. As a successor, material groups are available in purchasing categories.

Required and Recommended Action(s)

Perform the Conversion pre-check to identify the state of the SAP ERP before the conversion to SAP S/4HANA.

Related SAP Notes

Conversion Pre-Checks	SAP Note: Implementation 2186288 Description 2187627
-----------------------	--

5.12 S4TWL - Vendor evaluation based on LIS

Application Components: MM-PUR-GF-LIS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267414	Vendor evaluation based on LIS

Description

The current vendor evaluation based on Logistics Information System (Note: If you use a material number longer than 18 characters - see restriction note Extended Material Number in LIS: SAP Note 2232362.) is still available with SAP S/4HANA, on-premise edition 1511, but is not considered the target architecture (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available.). We recommend that you use the SAP HANA reporting capabilities for vendor evaluation based on CDS views and smart business technology.

Business Process related information

The current functions are unchanged within SAP S/4HANA, on-premise edition 1511. No influence on business processes expected.

Required and Recommended Action(s)

We recommend that you use the SAP HANA reporting capabilities for vendor evaluation based on CDS views and smart business technology.

Related SAP Notes

Custom Code related information	SAP Note: 2228247
---------------------------------	-------------------

5.13 S4TWL - Subsequent Settlement - Vendor Rebate Arrangements

Application Components: MM_PUR_VM_SET

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267415	Subsequent Settlement - Vendor Rebate Arrangements

Description

In SAP S/4HANA, the Subsequent Settlement (MM-PUR-VM-SET) application is replaced by the new Contract Settlement (LO-GT-CHB) application. For this reason, the functional scope of subsequent settlement has been restricted, that is, in SAP S/4HANA, it is no longer possible to:

- Create new rebate arrangements using transaction MEB1 or
- Extend existing rebate arrangements using transactions MEBV / MEB7 / MEBH

Additionally, as a consequence of the material field length extension in the SAP S/4HANA landscape, the structure of table S111 was adjusted. This can have some impact if the business volume data has to be rebuilt in the SAP S/4HANA system.

Business Process related information

In SAP S/4HANA, Contract Settlement replaces Subsequent Settlement, which means that existing rebate agreements can only be processed up until the end of the validity date of the agreement and must then be closed by a final settlement. Afterwards new agreements can only be created based on condition contracts.

Furthermore, if recompilation of the business volume data in SAP S/4HANA, on-premise edition 1511 is required, the index table S111 has to be rebuilt as described in SAP Note 73214 (Subseq.settl.: Retrospec.compltn/recompltn of busin.vol.data).

Transaction not available in SAP S/4HANA on-premise edition 1511	MEB1; MEB7; MEBV, MEBH
--	------------------------

Required and Recommended Action(s)

In SAP S/4HANA there are no direct activities required for continuing the business process for subsequent settlement, with the only exception that the agreements have to be closed after the end of the validity period.

If a recompilation of the business volume data is required, the table S111 has to be rebuilt with the report RMEBEIN3 as described in note 73214

Related SAP Notes

Conversion Pre-Checks	SAP Notes: 2194923, 2215220
Related SAP Notes	SAP Note: 73214

5.14 S4TWL - ERP Shopping Cart

Application Components: MM-PUR-SSP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271168	ERP Shopping Cart

Description

The SAP ERP shopping cart function is not available within SAP S/4HANA, on-premise edition 1511 and will be replaced by S/4HANA Self Service Procurement. The shopping cart function in SAP Business Suite is associated to the business function LOG_MM_SSP_1.

The business function LOG_MM_SSP_1 needs to be in status OFF in the start release.

Business Process related information

Transaction not available in SAP S/4HANA on-premise edition 1511	/SRMERP/BRFP_DSS_SC
	/SRMERP/BRFP_DS_APPR
	/SRMERP/BRFP_DS_SC
	/SRMERP/BRFP_FOOTY
	/SRMERP/BRFP_FOO_TYP
	/SRMERP/BRFP_MATGRP
	/SRMERP/BRFP_MOV_TYP

SRMERP/BRFP_PROC_L
/SRMERP/BRFP_PROC_S
/SRMERP/BRFP_PURGRP
/SRMERP/DISPLAY_LOGS
/SRMERP/SC_ARCHIVING
/SRMERP/SNUM
/SRMERP/WF_GEN
/SRMERP/WDA_I_CAT_ADAPTER
/SRMERP/WDA_I_DSS_DS
/SRMERP/WDA_I_SC_ESS
/SRMERP/WDA_I_SC_FS_ESS
/SRMERP/WDA_I_SC_ITM_ESS
/SRMERP/WDA_I_WSCP
/SRMERP/WDA_I_WSCP_ADMIN
/SRMERP/WF_TRACE

Required and Recommended Action(s)

Business function LOG_MM_SSP_1 needs to be in status OFF in the start release.

5.15 S4TWL - Internet Application Components (IAC)

Application Components: MM-PUR-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267441	Internet Application Components (IAC)

Description

As of SAP S/4HANA the Materials Management (MM) Internet Application Components (IAC) is not available in SAP S/4HANA, on-premise edition 1511.

Transaction not available in SAP S/4HANA on-premise edition 1511	MEW0	Procurement Transaction
	MEW1	Create Requirement Request
	MEW2	Status Display: Requirement Requests
	MEW3	Collective Release of Purchase Reqs.
	MEW5	Collective Release of Purchase Order
	MEW6	Assign Purchase Orders WEB
	MEWP	Web based PO

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	SAP Note: 2228250
---------------------------------	-------------------

5.16 S4TWL - MDM Catalog

Application Components: MM-PUR-SSP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271184	MDM Catalog

Description



The SAP SRM MDM catalog is no more available in S/4HANA. He is replaced by the catalog search function as part of S/4HANA Self Service Procurement. In the first release of SAP S/4HANA, on-premise edition a limited functional scope might be available compared to the SAP SRM MDM catalog. An available SAP SRM MDM catalog instance can still be integrated with S/4HANA as a punch-out catalog via OCI.

Business Process related information

S/4HANA Self Service Procurement must be used instead of the SAP SRM MDM catalog, the content of which needs to be imported into S/4HANA via OCI5 (<http://scn.sap.com/docs/DOC-35441>).

Catalog content will be managed as part of S/4HANA Self Service Procurement.

Required and Recommended Action(s)

None

5.17 S4TWL - Pricing Data Model Simplification

Application Components: SD-BF-PR,SD-MD-CM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267442	Pricing Data Model Simplification

You are doing a system conversion to SAP S/4HANA. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

See the information provided in the Sales & Distribution area in simplification item Data Model Changes in SD Pricing. On a basic level, this information is also relevant for the pricing in procurement.

Business Process-Related information

See simplification item Data Model Changes in SD Pricing.

Required and Recommended Action(s)

See simplification item Data Model Changes in SD Pricing.

Related SAP Notes

General information	Carefully follow the instructions in SAP Notes 2188695, 2189301, and 2220005.
Conversion pre-checks	SAP Note: Pre-checks delivered with Note 2188735.
Custom code-related information	SAP Note: 2220005

5.18 S4TWL - Output Management Adoption in Purchase Order

Application Components: MM-PUR-PO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267444	Output Management Adoption in Purchase Order

Description

With SAP S/4HANA a new Output Management approach is in place. By design, the new output management includes cloud qualities such as extensibility enablement, multi tenancy enablement and modification free configuration. Therefore, the complete configuration differs from the configuration that is used when output management is based on NAST. The configuration is based on BRF+ which is accessible for Customers. In SAP S/4HANA, the target architecture is based on Adobe Document Server and Adobe Forms only. For the form determination rules (along with other output parameters) BRF+ functionality is used (in this sense in combination with the message determination).

Nevertheless Output management based on NAST is still supported for new documents in purchase order. Purchase orders which are migrated from legacy systems and for which NAST based output has been determined, can be processed with the new and with NAST technology. The user can decide whether he wants to use for all new purchase orders the new output management or NAST. Therefore in Procurement for purchase order there is a need to adapt the configuration settings related to Output Management.

In purchase order it is recommended to use Adobe Forms but due to compatibility the form technologies known from Business Suite (like SmartForms, SapScript) are supported as well. This is also true for the print reports.

In Purchase order processing it is recommended to use Adobe Forms but due to compatibility the form technologies known from Business Suite (like SmartForms, SapScript) are supported as well. This is also true for the print reports.

In contrast to the output management based on NAST the new output management supports only the Channels PRINT, EMAIL, XML (for Ariba Network Integration) and IDOC (for on premise). Other channels are not supported by default.

Additional information to the new output management in SAP S4/HANA can be found in the general simplification item related to Output Management (Cross Topic Area)

Business Process related information

Output Management for Purchase Order has to be configured. In cases where there is not customer specific configuration for the new output management for purchase orders, it will not be possible to print purchase orders or to send purchase orders via e-mail or XML.

6 Logistics – AB

6.1 S4TWL - Agency Business

Application Components: LO-AB

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267743	Agency Business

Description

- Simplification of DB Key Fields and tables structures (WBRL, WBRRE, WBRF, WBRFN and WBRP)
- Replacement of concatenated fields by corresponding new fields in mentioned DB tables (Details mentioned notes below)
- Replaced fields are moved to the dynamical part of the communication structures to avoid runtime errors and to ensure the same system behaviour as before
- All redundant transaction and reports or business processes where replaces by one unified set of transaction, reports and business processes

Business Process related information

The application simplification offers now for each business process step one single transaction instead of many. Redundant functionalities were combined into one transaction or business process. This will help to streamline each single business step and to reduce unnecessary complexity by eliminating of similar business processes steps.

The Remuneration Request List is not available within SAP S/4HANA. The functional equivalent in SAP S/4HANA is the Extended Remuneration List offers the same business capability as well. This means that the customizing of the Extended Remuneration List has to be set up to ensure that the same documents are created. The replacement of the Remuneration List by the extended one can be done before or after the system conversion to SAP S/4HANA, on-premise edition 1511. Details about the system configuration kind be found in the note: 2197892

The Standard Settlement Methods to generate Settlement Documents is not available win SAP S/4HANA. The functional equivalent in SAP S/4HANA is the New Settlement Method. The System will adjust all documents which were created with reference to standard settlement method and the customizing data automatically. So you have to process the documents with respect to the business process steps of the new settlement method. Details about the system configuration kind be found in the note: 2197898

Transaction Codes and Reports not available in SAP S/4HANA

Here you will find a list of all transactions or reports which are not available within SAP S/4HANA and the corresponding successor transactions or reports (see also note 2204135).

Obsolete Report	Obsolete Report Title	Obsolete Tcode	Successor Report	Successor Report Title	Successor Tcode
RWLF1001	Billing docs (header data)	WLFB	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1002	Billing documents (with item data)	WLFC	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1003	Settlement Document Lists (Header Information)	WLFD	RWLF1051	List Output Settlement Management Documents	WLI2

RWLF1004	Settlement Document Lists (With Item Data)	WLFE	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1005	Settlement Requests (Header Information)	WLFG	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1006	Settlement Requests (With Item Data)	WLFH	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1007	Settlement Request Lists (Header Data)	WLFO	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1008	Settlement Request List (Item Data)	WLFP	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1009	Customer Settlement Lists (Header Data)	WLFQ	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1010	Customer Settlement Lists (With Item Data)	WLFR	RWLF1051	List Output Settlement Management Documents	WLI2

RWLF1011	Display Relevant Payment Documents for Settlement Document List Creation	WLRA	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF1012	Display Relevant Billing Documents for Creation of Settlement Document Lists	WLRB	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF1013	Display Relevant Customer Settlement Lists for Settlement Document List Creation	WBLRB	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF1014	Customer Settlement (Header Information)	S_ALO_96000193	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1015	Customer Settlement (With Item Data)	S_ALO_96000194	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1016	Expenses Settlement (Header)	S_ALO_96000195	RWLF1051	List Output Settlement Management Documents	WLI2

	Information)				
RWLF1017	Expenses Settlement (With Item Data)	S_ALO_96000196	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1018	Display Customer Settlements for Settlement Document List Creation	S_ALO_96000198	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF1019	Relevant Expenses Settlements for Settlement Document List Creation	S_ALO_96000334	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF1050	List Output Single Documents	WLI1	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1052	List Output List Documents	WLI3	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1CHD	Display Change Document for Settlement Management		RWLF_CHANGE_DOCUMENTS	Display Change Documents	WLF_CHANGE_DOCUMENTS

	Documents				
RWLF1K01	Conditions for Settlement Requests (Vendor)		RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1K02	Conditions for Settlement Request Lists		RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1K03	Conditions for Settlement Document Lists		RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1K04	Conditions for Settlement Requests (Customer)		RWLF1051	List Output Settlement Management Documents	WLI2
RWLF1K05	Conditions for Customer Settlement List Documents		RWLF1051	List Output Settlement Management Documents	WLI2
RWLF2001	Mass Release of Settlement Documents to Accounting	WLFF	RWLF2056	Mass Release of Settlement Management Documents	WAB_RELEASE

RWLF2002	Mass Cancellation of Settlement Requests	WLFJ	RWLF2055	Mass Cancellation of Settlement Management Documents	WAB_CANCEL
RWLF2003	Mass Cancellation of Billing Documents	WLFJ	RWLF2055	Mass Cancellation of Settlement Management Documents	WAB_CANCEL
RWLF2004	Mass release of billing documents to accounting	WLFK	RWLF2056	Mass Release of Settlement Management Documents	WAB_RELEASE
RWLF2005	Mass Release of Remuneration Lists to Accounting	WFLF	RWLF2056	Mass Release of Settlement Management Documents	WAB_RELEASE
RWLF2006	Generate Settlement Document Lists from Vendor Billing Documents	WLFM	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CREATE
RWLF2007	Generate Remuneration Lists from Payment Documents	WLFN	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CREATE

RWLF2008	Mass Release of Settlement Request Lists to Accounting	WRL4	RWLF2056	Mass Release of Settlement Management Documents	WAB_RELEASE
RWLF2009	Mass release of posting lists to Accounting	WBL4	RWLF2056	Mass Release of Settlement Management Documents	WAB_RELEASE
RWLF2010	Create posting lists from preceding documents	WBLR	RWLF2052	Generate Customer Settlement Lists from Settlement Documents	WBLRN
RWLF2011	Create Settlement Document Lists from Customer Settlement Lists	WLFV	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CREATE
RWLF2012	Complete Settlement Request Lists	WLFW	RWLF2057	Mass Completion of Settlement Management Documents	WAB_CLOSE
RWLF2013	Mass Release of Customer Remuner	WLFLK	RWLF2056	Mass Release of Settlement Management Documents	WAB_RELEASE

	ation Lists to Financial Accounti ng				
RWLF20 14	Create Custome r Settleme nts for Settleme nt Requests	S_ALO_960 00192	RWLF2051	Generate Customer Settlements from Settlement Documents	WLF1K
RWLF20 16	Create Remuner ation Lists from Custome r Settleme nts	S_ALO_960 00197	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CR EATE
RWLF20 18	Mass Release of Custome r Settleme nts for Financial Accounti ng	S_ALO_960 00212	RWLF2056	Mass Release of Settlement Management Documents	WAB_RELEASE
RWLF20 19	Mass Cancellat ion of Settleme nt Request Lists	S_ALO_960 00307	RWLF2055	Mass Cancellation of Settlement Management Documents	WAB_CANCEL
RWLF20 20	Mass Cancellat ion of Custome r	S_ALO_960 00308	RWLF2055	Mass Cancellation of Settlement Management Documents	WAB_CANCEL

	Settlements				
RWLF2021	Mass Cancellation of Remuneration Lists	S_ALO_96000306	RWLF2055	Mass Cancellation of Settlement Management Documents	WAB_CANCEL
RWLF2022	Mass Cancellation of Customer Settlement Lists	S_ALO_96000309	RWLF2055	Mass Cancellation of Settlement Management Documents	WAB_CANCEL
RWLF2023	Mass Price Determination for Settlement Request Lists	S_ALO_96000324	RWLF2054	Mass Pricing for Settlement Management Documents	WAB_PRICING
RWLF2024	Mass Price Determination for Payment Documents	S_ALO_96000325	RWLF2054	Mass Pricing for Settlement Management Documents	WAB_PRICING
RWLF2025	Create Remuneration Lists from Expense Settlements	S_ALO_96000333	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CREATE
RWLF2026	Mass Release of Expense Settlements for Financial	S_ALO_96000335	RWLF2056	Mass Release of Settlement Management Documents	WAB_RELEASE

	Accounting				
RWLF2027	Mass Cancellation of Expense Settlement	S_ALO_96000336	RWLF2055	Mass Cancellation of Settlement Management Documents	WAB_CANCEL
RWLF2028	Complete Settlement Requests	S_AC0_52000143	RWLF2057	Mass Completion of Settlement Management Documents	WAB_CLOSE
RWLF2029	Complete Vendor Billing Documents	S_AC0_52000169	RWLF2057	Mass Completion of Settlement Management Documents	WAB_CLOSE
RWLF2030	Create Settlement Request Lists from Preceding Documents	WRLV	RWLF2053	Generate Vendor Settlement Lists from Settlement Documents	WRLVN
RWLF2031	Complete Expenses Settlements	S_AC0_52000170	RWLF2057	Mass Completion of Settlement Management Documents	WAB_CLOSE
RWLF2032	Reopen Settlement Requests	S_AC0_52000172	RWLF2058	Mass Reopening of Settlement Management Documents	WAB_REOPEN
RWLF2033	Reopen Vendor Billing Documents	S_AC0_52000174	RWLF2058	Mass Reopening of Settlement Management Documents	WAB_REOPEN

RWLF2034	Reopen Expenses Settlements	S_AC0_52000175	RWLF2058	Mass Reopening of Settlement Management Documents	WAB_REOPEN
RWLF2059	Generate Posting Lists from Settlement Requests	WBLRO	RWLF2052	Generate Customer Settlement Lists from Settlement Documents	WBLRN
RWLF2059D	Dispatcher: Create Posting Lists	WBLRO_DISPATCH	RWLF2052D	Dispatcher: Create Customer Settlement Lists	WBLRN_DISP
RWLF2060	Generate Customer Settlements from Settlement Requests	WLF1KO	RWLF2051	Generate Customer Settlements from Settlement Documents	WLF1K
RWLF2061	Create Settlement Lists from Settlement Requests	WRLVO	RWLF2053	Generate Vendor Settlement Lists from Settlement Documents	WRLVN
RWLF4001	Delete Archived Vendor Billing Documents from the Database	WACLFR	WLF_DEL	Archiving Vendor Billing Docs and Vendor Settlements: Delete Program	
RWLF4002	Delete Archived Customer Settlements	WACBLR	WBU_DEL	Archiving Customer Settlement Lists: Delete Program	

	nt Lists from Database				
RWLF4003	Delete Archived Settlement Document Lists from Database	WACLRR	WRECH_DEL	Archiving Settlement Document Lists: Delete Program	
RWLF4004	Delete Archived Settlement Documents from Database	WACZRR	WZR_DEL	Archiving Settlement Documents: Delete Program	
RWLF4005	Delete Archived Vendor Settlement Lists from Database	WACRLR	WREG_DEL	Archiving Vendor Settlement Lists: Delete Program	
RWLF4006	Delete Archived Customer Settlements from Database	WACCIR	WCI_DEL	Archiving Customer Settlements: Delete Program	
RWLF4007	Delete Archived Expense Settlements from Database	WACSIR	WSI_DEL	Archiving Expense Settlements: Delete Program	
RWLF7001	Display Document Flow of Vendor Billing	WFL1	RWLF1051	List Output Settlement Management Documents	WLI2

	Documents				
RWLF7002	Display Document Flow for Customer Settlement Lists	WFL2	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF7003	Display Document Flow for Settlement Document Lists	WFL3	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF7004	Display Document Flow for Settlement Document	WFL4	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF7005	Display Document Flow for Vendor Settlement Lists	WFL5	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF9002	Generate Extended Remuneration Lists From Payment Documents	S_ALN_01000170	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CREATE
RWLF9003	Create Extended Remuneration	S_ALN_01000171	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CREATE

	ation Lists From Posting Lists				
RWLF90 04	Settleme nt Docume nts for Applicati on Status	WAPZR	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF90 05	Vendor Settleme nt Lists for Applicati on Status	WAPRL	RWLF1051	List Output Settlement Management Documents	WLI2
RWLF90 06	Generate Remuner ation Lists from Vendor Billing Docume nts	S_ALN_010 00172	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CR EATE
RWLF90 07	Generate Remuner ation Lists From Custome r Settleme nts	S_ALN_010 00173	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CR EATE
RWLF90 08	Generate Remuner ation Lists From Expense Settleme nts	S_ALN_010 00174	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CR EATE
RWLF90 09	Relevant Payment	S_ALN_010 00175	RWLF_SETTLEM ENT_LIST_RL	Worklist based Creation of	WLFSLRL

	Documents For Extended Remuneration List Creation			Settlement Document List (Dialog)	
RWLF9010	Relevant Customer Settlements For Extended Remuneration List Creation	S_ALN_01000176	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF9011	Relevant Posting Lists For Extended Remuneration List Creation	S_ALN_01000177	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF9012	Relevant Expense Settlements for Extended Remuneration List Creation	S_ALN_01000178	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF9013	Relevant Vendor Billing Documents, Extended Remuneration List Creation	S_ALN_01000179	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF9014	Simulate Generation of Remuneration Lists	S_ALN_01000371	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM

	From Payment Documents				
RWLF9015	Simulate Generation of Remuneration Lists From Posting Lists	S_ALN_01000372	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM
RWLF9016	Simulate Generation of Remuneration Lists From Customer Settlements	S_ALN_01000373	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM
RWLF9017	Generate Simulation of Remuneration Lists From Expense Settlements	S_ALN_01000375	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM
RWLF9018	Simulate Generation of Remuneration List From Vendor Billing Documents	S_ALN_01000376	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM

RWLF9019	Create Extended Remuneration Lists from Remuneration Lists	S_AEN_10000032	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CR EATE
RWLF9020	Relevant Remuneration Lists for Extended Remuneration List Creation	S_AEN_10000033	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF9021	Create Simulation of Remuneration Lists from Remuneration Lists	S_AEN_10000034	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM
RWLF9022	Generate Extended Remuneration Lists from Preceding Documents	S_AEN_10000060	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CR EATE
RWLF9023	Relevant Preceding Documents for Extended Remuneration Lists	S_AEN_10000065	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL

	ation List Creation				
RWLF90 24	Create Simulati on of Remuner ation Lists from Precedin g Docume nts	S_AEN_100 00066	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM
RWLF90 28	Generate Extended Remuner ation Lists from FI Docume nts	S_E37_1700 0019	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CR EATE
RWLF90 29	Generate Simulati on Remuner ation Lists from FI Docume nts	S_E37_1700 0020	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM
RWLF90 30	Generate Remuner ation Lists from Vendor Settleme nts	S_PRN_530 00718	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CR EATE
RWLF90 31	Generate Simulati on of Remuner ation Lists from	S_PRN_530 00719	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM

	Vendor Settlements				
RWLF9032	Relevant Vendor Settlements for Extended Remuneration List Creation	S_PRN_53000720	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF9033	Generate Extended Remuneration Lists from SD Billing Documents	S_E4R_35000021	RWLF9039	Create Settlement Document Lists	WLF_RRLE_CREATE
RWLF9034	Generate Simulation of Remuneration Lists from SD Billing Documents	S_E4R_35000022	RWLF9042	Simulate Settlement Document Lists	WLF_RRLE_SIM
RWLF9037	Relevant SD Billing Documents for Extended Remuneration List Creation	S_E4R_35000025	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL
RWLF9038	Relevant FI Documents for Extended Remuneration	S_E4R_35000024	RWLF_SETTLEMENT_LIST_RL	Worklist based Creation of Settlement Document List (Dialog)	WLFSLRL

	ation List Creation				
RWLF90 80	Posting List Creation Dispatcher	S_AEN_10 000037	RWLF2052D	Dispatcher: Create Customer Settlement Lists	WBLRN_DISP
RWLF90 81	Custome r Settleme nt Creation Dispatcher	S_AEN_100 00038	RWLF2051D	Dispatcher: Create Customer Settlements	WLF1K_DISP
RWLF90 82	Mass Release Dispatcher	S_AEN_100 00075	RWLF2056D	Dispatcher: Mass Release of Settlement Management Doc.	WAB_RELEASE _DISP
RWLF90 83	Settleme nt Request List Creation Dispatcher	S_AEN_100 00074	RWLF2053D	Dispatcher: Create Vendor Settlement Lists	WRLVN_DISP
RWLF90 84	Extended Remuner ation List Creation Dispatcher	S_AEN_100 00083	RWLF9039D	Dispatcher: Create Settlement Document Lists	WLF_RRLE_CR EATE_DISP
RWLF90 85	Dispatch er Message Output	S_E37_1700 0021	RWLFWR14D	Dispatcher: Message Output for Settlement Mgmt Documents	WLN14D
RWLF90 86	Dispatch er Mass Reversal		RWLF2055D	Dispatcher: Mass Cancellation of Settlement Management Docs	WAB_CANCEL_ DISP

RWLFFLOW	Display Document Flow Information for Settlement Management Documents	WLFU	RWLF1051	List Output Settlement Management Documents	WLI2
RWLFIDOC	Extended IDoc Reporting	WLFDIR	RWLFIDOC_NEW	IDoc Processing	WLF_IDOC
RWLFM30	Automatic Document Adjustment of Vendor Billing Documents	WLFM30	RWLFM99	Automatic Document Adjustment of Settlement Management Documents	WLFM99
RWLFM31	Automatic Document Adjustment of Expenses Documents	WLFM31	RWLFM99	Automatic Document Adjustment of Settlement Management Documents	WLFM99
RWLFM32	Automatic Document Adjustment of Vendor Settlements	WLFM32	RWLFM99	Automatic Document Adjustment of Settlement Management Documents	WLFM99
RWLFM60	Automatic	WLFM60	RWLFM99	Automatic Document	WLFM99

	Document Adjustment of Customer Settlements			Adjustment of Settlement Management Documents	
RWLFM40	Automatic Document Adjustment of Payment Documents	WLFM40	RWLFM99	Automatic Document Adjustment of Settlement Management Documents	WLFM99
RWLFWR01	Messages from Vendor Billing Documents	WLN1	RWLFWR14	Issue Messages from Settlement Management Documents	WLN14
RWLFWR02	Messages from Customer Settlement Lists	WLN2	RWLFWR14	Issue Messages from Settlement Management Documents	WLN14
RWLFWR03	Messages from Remuneration Lists for Vendor Billing Documents	WLN3	RWLFWR14	Issue Messages from Settlement Management Documents	WLN14
RWLFWR04	Messages from settlement requests	WLN4	RWLFWR14	Issue Messages from Settlement Management Documents	WLN14
RWLFWR05	Messages from	WLN5	RWLFWR14	Issue Messages from	WLN14

	Settlement Request Lists			Settlement Management Documents	
RWLFWR06	Messages from Remuneration Lists for Settlement Requests	WLN6	RWLFWR14	Issue Messages from Settlement Management Documents	WLN14
RWLFWR10	Messages from Customer Settlements	WLN10	RWLFWR14	Issue Messages from Settlement Management Documents	WLN14
RWLFWR11	Messages from Expenses Settlements	WLN11	RWLFWR14	Issue Messages from Settlement Management Documents	WLN14
RWLFWR12	Messages from Remuneration Lists for Customer Settlements	WLN12	RWLFWR14	Issue Messages from Settlement Management Documents	WLN14
RWLFWR13	Messages from Remuneration Lists for Expenses Settlements	WLN13	RWLFWR14	Issue Messages from Settlement Management Documents	WLN14
RWLWRCINV	Archive Customer Settlements	WACCIA	WCI_WRI	Archiving Customer Settlements: Write Program	

RWLWRI LS	Archive Settleme nt Docume nt List	WACLA	WRECH_WRI	Archiving Settlement Document Lists: Write Program	
RWLWRI NV	Archive Vendor Billing Docume nts	WACLFA	WLF_WRI	Archiving Vendor Billing Docs and Vendor Settlements: Write Program	
RWLWR PLS	Archive Custome r Settleme nt Lists	WACBA	WBU_WRI	Archiving Customer Settlement Lists: Write Program	
RWLWR SINV	Activate Expense Settleme nts	WACZIA	WSI_WRI	Archiving Expense Settlements: Write Program	
RWLWR SLS	Archive Settleme nt Request List	WACRLA	WREG_WRI	Archiving Vendor Settlement Lists: Write Program	
RWLWR SMR	Archive Settleme nt Docume nts	WACZRA	WZR_WRI	Archiving Settlement Documents: Write Program	
RWLF30 01	Read Vendor Billing Docume nts from the Archive (Display Items)	WLFT	RWLFLIST	Document Monitor	WLI5
RWLF30 02	Read Custome r Settleme nt Lists	WLA8	RWLFLIST	Document Monitor	WLI5

	from the Archive (Display Items)				
RWLF3003	Read Settlement Document Lists from the Archive (Display Items)	WLA5	RWLFLIST	Document Monitor	WLI5
RWLF3004	Read Settlement Documents from the Archive (Display Items)	WLA6	RWLFLIST	Document Monitor	WLI5
RWLF3005	Read Vendor Settlement Lists from the Archive (With Items)	WLA7	RWLFLIST	Document Monitor	WLI5
RWLF3006	Read Customer Settlements (with Item Data) from the Archive	WLACII	RWLFLIST	Document Monitor	WLI5
RWLF3007	Read Expense Settlements (with Item Data)	WLASII	RWLFLIST	Document Monitor	WLI5

	from the Archive				
RWLF9060	List Output of Inbound IDoc for Settlement Request List	WRLI	RWLFIDOC_NE W	IDoc Monitor	WLF_IDOC
RWLF9061	List Output of Inbound IDocs for Payment Documents	WZRI	RWLFIDOC_NE W	Idoc Monitor	WLF_IDOC

Obsolete Tcode	Successor Tcode
WLR1	WLFSLRL
WBL1	WBLRN
OAGZ	n/a

Required and Recommended Action(s)

Pre-Check is performed for the component LO-AB. Custom code adoption on the new DB-Design can be checked in the start release to identify the code places which have to adjust to the new DB-Structures. Batch or online processes which needed the obsolete transactions or reports have to be adjusted so that the new transactions and reports are used instead the obsolete once. Mostly all replaced reports and transaction where part of the solution portfolio of SAP_APPL and EA-RETAIL of the Business Suite To simplify the Conversion to S/4 it is recommended to adjust the business process in the start release by a step by step replacement of the obsolete transactions by the once which will be part of S/4. You have to activate the software component EA-RETAIL to use the successor reports or transactions. You can also adopt the business processes in S/4 without to change the processes in the current release.

Related SAP Notes

Custom Code related information	SAP Notes: 2197892, 2197898, 2204135, 2203518.
---------------------------------	--

7 Logistics – ATP

7.1 S4TWL - New advanced ATP in SAP S/4HANA – Table VBBS

Application Components: SD-BF-AC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267745	New advanced ATP in SAP S/4HANA – Table VBBS

You are doing a system conversion to SAP S/4HANA, on-premise edition. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

Database table VBBS contained pre-aggregated sales requirements. The requested (OMENG) and confirmed (VMENG) quantities were aggregated on a daily basis. With the new HANA ATP, we do not need pre-aggregation anymore, and therefore this table is obsolete.

Instead of the VBBS we use the VBBE, where each ATP-relevant requirement is explicitly stored. The old ERP-ATP check code is also redirected to use VBBE.

Business Process-Related Information

No impact on business processes is expected.

The customizing where the VBBS could previously be activated in the Business Suite has been deactivated in SAP S/4HANA, on-premise edition 1511. New entries will automatically "choose" to use VBBE instead of VBBS.

Required and Recommended Action(s)

There are two optional checks to be carried out before the upgrade to verify if the VBBS is used:

1. Start transaction "SE16" and display the entries in table "VBBS". If there are any entries, the XPRA has to run. If there are no entries, the second step has to be executed.
2. Start transaction "OVZ2" and check the entries for the fields "SUMAU" and "SUMLF". If there is any entry other than "A: Single records", the XPRA needs to be executed.

If you are still using table VBBS, please read the related note 2209696 how to convert your data after upgrade.

If you have custom code calling table VBBS, create a db view on table VBBE, and use that view instead of the table VBBS.

Related SAP Notes

Custom code-related information	SAP Note: 2209696
---------------------------------	-------------------

7.2 S4TWL - icon (E2open)

Application Components: SD-BF-AC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267747	icon (E2open)

Description

The interface to [icon-scm](#) (now E2open) is not available in SAP S/4HANA. Accordingly this external planning engine is not available in SAP S/4HANA.

Business Process related information

The icon-scm planning engine and algorithms can't be used any more.

Business processes which are based on the icon-scm planning engine and algorithms can't be used any more.

Required and Recommended Action(s)

Check if the icon-scm integration is necessary. If YES you have to re-consider the system conversion to SAP S/4HANA.

Related SAP Notes

Custom Code related information	SAP Note: 2228349
---------------------------------	-------------------

7.3 S4TWL - New fashion solution

Application Components: SD-BF-AC,CA-ATP-PAC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267749	New fashion solution

Description

The new fashion solution comprising characteristic based ATP is not available in SAP S/4HANA. Appropriate Business Function LOG_SEGMENTATION will be 'always off' within SAP S/4HANA, on-premise edition.

Business Process related information

Business processes which are based on ATP check for segmentation cannot be used any more. Business processes which are based on the new fashion solution can't be used any more.

Required and Recommended Action(s)

Do not convert to SAP S/4HANA for now if you rely on stock segmentation.

8 Logistics – DSD

8.1 S4TWL - Direct Store Delivery

Application Components: LE-DSD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273317	Direct Store Delivery

Description

The Direct Store Delivery (LE-DSD) functionalities are not available within SAP S/4HANA 1511. The Direct Store Delivery functionality is on the roadmap for SAP S/4HANA.

Remark:

- The Direct Store Delivery (LE-DSD) is related to Business Function EA-SCM. In SAP S/4HANA 1511 the status of Business Function EA-SCM is defined as "always_off". If a business function was switched on in the start release system, but defined as "always_off" in the target release, then a system conversion is not possible. It is planned to change the state of Business Function EA-SCM so that a system conversion is possible for customers having business function EA-SCM switched on.
- Customers having Business Function EA-SCM not switched on in the start release system cannot switch on this Business Function in SAP S/4HANA.

Business Process-Related Information

The Direct Store Delivery (LE-DSD) functionality is not available within SAP S/4HANA 1511. Accordingly the related business processes are not available within SAP S/4HANA.

Transaction not available in SAP S/4HANA 1511	/DSD/DE_ENTRY Tour Data Entry: Entry /DSD/DE_FUPREC Tour Data Entry Control /DSD/DE_SL Tour Data Entry: Selection /DSD/DX_AUDIT Display DEX data for audit purpose /DSD/RP_DYNDISP Dynamic Transportation Planning /DSD/SL_COCKPIT Settlement Cockpit /DSD/SL_FSR DSD Final Settlement Run /DSD/SL_RADB Fill Route Accounting DB /DSD/ST_TOUR Overview of DSD Tours /DSD/SV_LC_COUNT Confirm Load /DSD/SV_MAN_COR Reprocess MM Record /DSD/SV_RL_RELEASE Release Final Unloading Document /DSD/SV_STOCK_AD_CR Create SV Material Movements /DSD/SV_STOCK_AD_DP Display SV Material
---	---

	Movements
	/DSD/VC_VL Maintain Visit List
	/DSD/VC_VL_VIEW Display Sales Call List
	/DSD/VC_VP Maintain Visit Plans
	/DSD/VC_VP_CREATE Create Sales Call Schedules
	/DSD/VC_VP_VIEW Display Sales Call Schedules

9 Logistics - Environment, Health & Safety (EHS)

9.1 S4TWL - Deprecation of EHS Data Series and Amounts

Application Components: EHS-MGM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2338405	Deprecation of EHS Data Series and Amounts

Description

EHS data series information used to be stored in the so called Data Series and Amount objects in EHS. These data objects were renovated and their information now is stored in different tables.

- All data dictionary objects (like data elements, tables and so on) were marked as obsolete (but they still exist).
- All standard coding (like classes, function modules and so on) working with the above data was deleted.

Note: These data dictionary objects and database tables had already been marked as "obsolete" with S/4HANA 1511.

Business Process related information

See note 2065178.

Required and Recommended Action(s)

See note 2065178.

How to Determine Relevancy

This Simplification Item is relevant if you are using EHS Data Series and/or Amounts. This is usually the case if table EHFNDD_DTS_ROOT has 5 or more entries.

9.2 S4TWL - Deprecation of 'Inspect Safety Control' Fiori app

Application Components: EHS-MGM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2343825	Deprecation of 'Inspect Safety Control' Fiori app

Description

The Fiori application 'Inspect Safety Control' has been been deprecated and is no longer available under S/4HANA.

Business Process related information

There is currently no successor application available.

Required and Recommended Action(s)

Inform your business users.

How to Determine Relevancy

This Simplification Item is relevant if you have the 'Inspect Safety Control' Fiori application in use.

9.3 S4TWL - Deprecation of 'Retrieve Safety Information' Fiori app

Application Components: EHS-MGM,EHS-MGM-RAS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2343826	Deprecation of 'Retrieve Safety Information' Fiori app

Description

The Fiori application 'Retrieve Safety Information' has been deprecated and is no longer available under S/4HANA.

Business Process related information

There is currently no successor application available.

Required and Recommended Action(s)

Inform your business users.

How to Determine Relevancy

This Simplification Item is relevant if you have the 'Retrieve Safety Information' Fiori application in use.

9.4 S4TWL - Simplification of Authorizations in Incident Management

Application Components: EHS-MGM-INC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2350330	Simplification of Authorizations in Incident Management

Description

The authorization concept for Incident Management was quite hard to handle for some of the existing authorization objects. Therefore the concept was renovated and authorization objects were replaced.

The following authorization objects have been set to obsolete (but they still exist):

- EHHSS_INC1 (EHSM: Incident)
- EHHSS_INC3 (EHSM: Incident Group)
- EHHSS_INC5 (EHSM: Incident by Location)

The following authorization objects have been newly introduced:

- EHHSS_INC6 (EHS: Incident)
 - This replaces EHHSS_INC1 and EHHSS_INC5

- EHHSS_INC7 (EHS: Incident Group)
 - This replaces EHHSS_INC3

Most authorization criteria which previously were covered by EHHSS_INC5 are now covered by EHHSS_INC6. But some of the criteria from EHHSS_INC5 (like for example 'Location Authorization Group') no longer exist; the mitigation of this missing authorization aspect is planned to be done in a successor release of S/4HANA 1610.

The standard implementations of the following BAdIs together with their implementing standard classes were removed (the BAdIs themselves still exist; customer implementations are not touched):

- BADI_EHHSS_INC_EXT_AUTH_CHECK (extended authorization check based on EHHSS_INC3)
- BADI_EHHSS_INC_EXT_LOC_CHECK (extended authorization check based on EHHSS_INC5)

These BAdIs (see also SAP Implementation Guide (IMG)): Environment, Health and Safety ↗ Incident Management ↗ Business Add-Ins ↗ Business Add-Ins for Authorization ↗ BAdI: Extended Authorization Checks) are the place where the authorization checks for the now obsolete authorization objects EHHSS_INC3 and EHHSS_INC5 took place. As the standard implementations do no longer exist, EHHSS_INC3 and EHHSS_INC5 are now ignored by the standard.

Business Process related information

Incident Management will not work before you have adjusted your business roles in a way that they also contain the newly introduced authorization objects.

Required and Recommended Action(s)

Review your authorization concept and your EHS roles. Replace the obsolete authorization objects accordingly with the new authorization objects EHHSS_INC6 and EHHSS_INC7.

In case you want to perform additional authorization checks based on the now obsolete authorization objects EHHSS_INC3 and EHHSS_INC5, do a customer implementation of the above mentioned BAdIs. In this case make sure that your users still own the appropriate authorizations. SAP recommends to consider this option thoroughly and only use it if the new authorization objects are not sufficient and you cannot wait for the planned extensions of the authorization concept.

In case you have previously already done a custom implementation of the above BAdIs please keep in mind the following:

- If you have written your own class or have copied the SAP class as basis for your own implementation, please be aware that these BAdIs are still active and working. You need to de-activate them if you want to de-activate the processing of EHHSS_INC3 and EHHSS_INC5.
- If you have derived your custom implementation class from the standard implementation class of the BAdI, please be aware that this derived class will be deleted during the upgrade!

How to Determine Relevancy

This Simplification Item is relevant if you have EHS Incident Management in use. This is usually the case if table EHHSSD_INC_ROOT has 20 or more entries.

9.5 S4TWL - Removal of EHS Home Screens

Application Components: EHS-MGM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2350447	Removal of EHS Home Screens

Description

The following EHS roles used to have a home page to enter the system:

- Industrial Hygienist (SAP_EHSM_HSS_HYGIENIST)
- Corporate Health & Safety Manager (SAP_EHSM_HSS_HSMGRCORP)
- Hazardous Material Manager / Hazardous Substance Manager (SAP_EHSM_HSS_HAZSUBMGR)
- Sampling Technician (SAP_EHSM_HSS_SMPLTECH)
- Incident Manager (SAP_EHSM_HSS_INCIDENT_MANAGER)

These home pages are no longer available in SAP S/4HANA.

Business Process related information

The users of the mentioned roles should use the following alternative approaches to access the former home page functionality:

- To access the **overview charts** from the former home pages, use the corresponding SAP Fiori launchpad tiles.



- Example: To get the same information as from the "Risks" chart on the former Industrial Hygienist home page, use the "Risk overview" tile from the SAP Fiori launchpad.
- To access the **applications and activities** which were accessible via links on the former home pages, use the corresponding SAP Fiori launchpad tiles.
 - Example: To start the "Search/edit risks" application as known from the former Industrial Hygienist home page, use the "Manage Risks" tile from the SAP Fiori launchpad.

Required and Recommended Action(s)

Inform the end users about the changed user interface (UI) and how Fiori and the SAP Fiori launchpad replace the former UI concepts.

How to Determine Relevancy

This Simplification Item is relevant if you use Risk Assessment or Incident Management. This is usually the case if either table EHHSSD_INC_ROOT or table EHHSSD_RAS_ROOT has 20 or more entries.

9.6 S4TWL - Simplification of Incident Management workflows

Application Components: EHS-MGM-INC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2350795	Simplification of Incident Management workflows

Description

In case of a fatality or when a cost collector has been added to an incident, workflows can be triggered to notify relevant people. These workflows have been re-worked.

The following functions in Incident Management have been replaced with new functions:

- **Fatality notification** workflow to inform stakeholders when a fatality was maintained in an incident
- **Inform involved** workflow which allows the user to notify involved persons about an added cost collector

The workflow templates *500006 Fatality Email* and *800022 Inform Involved* and the contained tasks remain the same. Only internal logic of workflow templates and tasks has been changed.

Business Process related information

There are no changes in the general business logic.

Required and Recommended Action(s)

If you have used the standard template, no action is required.

If you have copied one of the above mentioned workflow templates, perform the following actions:

- Deactivate the delivered workflow template 500006 / 800022.
- Double check the triggering event of your copied template and also check the parameter binding of the event.
- If required, copy the new template and adapt it to your requirements.

How to Determine Relevancy

This Simplification Item is relevant if you use Incident Management. This is usually the case if table EHHSSD_INC_ROOT has 20 or more entries.

9.7 S4TWL - Changed data model for listed substances

Application Components: EHS-MGM,EHS-MGM-RAS,EHS-MGM-PRC,EHS-MGM-ENV

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2376165	Changed data model for listed substances

Description

A new table for listed substances has been introduced. This table serves to eliminate duplicates between the listed substances that are created by customers and the ones that are delivered as content.

After the upgrade, you need to transfer your listed substances to this new table and eliminate duplicate entries.

Business Process related information

There are no changes in the general business logic.

Required and Recommended Action(s)

Run the following reports manually:

- Report **R_EHFND_LISU_MIGRATION** transfers existing listed substances from table EHFNDD_LISU_ROOT to the new table EHFNDD_LISU_RT.
- Report **R_EHFND_LISU_SUBSTITUTE** eliminates duplicate entries by replacing customer-specific listed substances with SAP-specific listed substances.

How to Determine Relevancy

This Simplification Item is relevant if you make use of listed substances in EHS. This is normally the case if you have EHS Risk Assessment, EHS Environment Management or Product and Reach Compliance in use.

9.8 S4TWL - Industrial Hygiene and EC interfaces

Application Components: EHS-IHS,XAP-EM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267781	Industrial Hygiene and EC interfaces

Description

With *SAP EHS Management* as part of *SAP ERP*, customers can use the *Industrial Hygiene and Safety* (EHS-IHS) solution for managing incidents and performing risk assessments. In *SAP S/4HANA* on-premise edition 1511, this solution is no longer available. However, customers can use the incident management solution and the health and safety management solution of *Environment, Health, and Safety* as part of *SAP S/4HANA* to support their business processes.

Interfaces to SAP Environmental Compliance

Customers can use *SAP Environmental Compliance* (SAP EC) to support emissions and compliance-relevant processes. In addition, *Environmental Compliance* provides interfaces to exchange data with other applications.



In SAP S/4HANA on-premise edition 1511, the following interfaces are not available:

1. Environmental Compliance - Specification Database:
 - Environmental Compliance will not be able to read specification data or units of measurement from *Environment, Health, and Safety* as part of *SAP S/4HANA*
2. Environmental Compliance - Incident:
 - Environmental Compliance will not be able to read incident or location data from *Environment, Health, and Safety* as part of *SAP S/4HANA*
3. EAM - Environmental Compliance:
 - Enterprise Asset Management (EAM), as part of *SAP S/4HANA*, will not be able to display Environmental Compliance data

A successor solution for *SAP Environmental Compliance* is planned for *Environment, Health, and Safety* in a future *SAP S/4HANA* delivery.

Business Process related information

Industrial Hygiene and Safety (EHS-IHS) is replaced by the new incident management solution and health and safety management solution of *Environment, Health, and Safety* as part of *SAP S/4HANA*.

Business processes are described in the documentation for *Environment, Health, and Safety* as part of *SAP S/4HANA*.

Trans actio n not avail able in SAP S/4H ANA on- premi se editio n 1511	CBIH02,CBIH03,CBIH12,CBIH13,CBIH14,CBIH42,CBIH43,CBIH50,CBIH51, CBIH52,CBIH72, CBIH73,CBIH82,CBIH83,CBIH88,CBIH89,CBIHB0,CBIHB1,CBIHB2,CBIHB3 ,CBIHB4,CBIHB5,CBIHB6,CBIHM2,CBIHM3,CBIHMR01,CBIHMR02, CBIHMR03,CBIHMR04,CBIHMR05,CBIHMR06,CBIHMR07,CBIHMR08,CBI HMR09,CBIHT0,CBIHT1,CBIHT2,CBIHT3,CBIHT4,CBIHT5,CBIHT6,CBIHT7
---	---

Related SAP Notes

Custom Code related information	SAP Note: 2217206
---------------------------------	-------------------

9.9 S4TWL - Occupational Health

Application Components: EHS-HEA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267782	Occupational Health

Description

With *SAP EHS Management* as part of *SAP ERP*, customers can use the *Occupational Health* (EHS-HEA) function to support general employee occupational healthcare in their company. In *SAP S/4HANA* on-premise edition 1511, this solution is no longer available and there is no successor solution.

Business Process related information

Occupational Health (EHS-HEA) is not available in *SAP S/4HANA* and the related business processes are no longer supported.

Transaction not available in SAP S/4H ANA on- premis e editio n 1511	EHSAMBTAET,EHSASSIGN,EHSASSLTA,EHSASSPERS, EHSBC02,EHSBP11,EHSBP12,EHSBP13,EHSBP31,EHSBP32,EHSBP33,EHS BP41,EHSBP42,EHSBP43,EHSBP51,EHSBP52,EHSBP53, EHSCALPROX,EHSCBER,EHSCDCT, EHSCMAS,EHSDATIMP,EHSDIAGS L,EHSEVAL00,EHSEXIST0, EHSB_C_NR_EXA_C,EHSB_C_NR_NEWPE,EHSB_C_NR_RECNE,EHSB_C_ NR_VAC_I,EHSB_D_CALPHYS,EHSB_D_PCP, EHSBQUEST,EHSBQUEST01,EHSPERSHC1,EHSPP01,EHSPRANZ,EHSPR LOE,EHSQCATOH,EHSQEVAL01,EHSQUESTOH, EHSSCAN,EHSSERV,EHSSERV01,EHSSERV11,EHSSERV30,EHSSER50,E HSSTRU00,EHSSUGGP,EHSTERM01, EHSVA02,EHSVU01,EHSVU01_SELSCREEN,EHSVU11,EHSVU21,EHSVU3 1
---	--

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	SAP Note: 2217205
---------------------------------	-------------------

9.10 S4TWL - Waste Management

Application Components: EHS-WA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267783	Waste Management

Description

With *SAP EHS Management* as part of *SAP ERP*, customers can use the *Waste Management* (EHS-WA) solution for handling waste disposal processes within their company. In *SAP S/4HANA* on-premise edition 1511, this solution is not available.

Business Process related information

Waste Management (EHS-WA) is not available in *SAP S/4HANA* and the related business processes are no longer supported.

Transaction not available in SAP S/4HANA on-premise edition	WAA01, WAA02, WAA03, WAA04, WAA10, WAA11, WAA12, WAA13, WAA19, WAA20, WAA21, WAA22, WAA23, WAA24, WAA25, WAA26, WAAP, WACB01, WACM01, WACM02, WACM03, WACM04, WACM10, WACM30, WACO02, WACO02OLD, WACO03OLD, WACO04OLD, WACS1, WACS2, WACS3, WACS4, WACS6, WADC, WADI, WAE01, WAE02, WAE03, WAE10, WAEA, WAGE, WAM01, WAM02, WAM03, WAM04, WAM05, WAMC, WAMI, WAMR, WANP, WAREP001, WASM100, WASM101, WASM102, WASM109, WASS100, WASS101, WASS102, WASS103, WASS104, WASS105, WASS106, WASS107, WASS108, WASS110, WASS111, WASS112, WASS113, WASS114, WASS115, WASS116, WASS117, W
---	---

n 1511	ASS118,WASS119,WASS120,WASS121,WASS122,WASS123,WASS124, WATR,WATREE
-----------	--

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	SAP Note: 2217202
---------------------------------	-------------------

9.11 S4TWL - Simplification in Incident Management and Risk Assessment

Application Components: EHS-MGM-RAS,EHS-MGM-INC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267784	Simplification in Incident Management and Risk Assessment

Description

With component extension for *SAP EHS Management*, customers can use the *Incident Management* (EHS-MGM-INC) solution and the *Risk Assessment* (EHS-MGM-RAS) solution for managing their health and safety business processes. In *SAP S/4HANA* on-premise edition 1511, some functions are not available.

Incident Management

The following incident management functions are not available in *SAP S/4HANA*:

- BI extraction and queries for incident reporting
- GRC integration of incidents
- MM integration for released material as part of incidents
- Novareto integration for incidents
- eSOA services for incidents
- Enterprise search for incidents
- Direct creation of HR absences from incidents
- Creation of quality notifications from incidents
- Creation of service notifications from incidents

- Service orders for financial tracking

Risk Assessment

The following risk assessment functions are not available in *SAP S/4HANA*:

- BI extraction and queries for chemicals
- Amounts/data series
- Creation of customer notifications from risk assessments
- Creation of quality notifications from risk assessments
- Identification of risks effected by OEL changes
- IH work area integration with locations

Business Process related information

Incident reporting is not available in *SAP S/4HANA* on-premise edition 1511. There is no functional equivalent available.

Reporting for chemicals is not available in *SAP S/4HANA* on-premise edition 1511. There is no functional equivalent available.

The amounts/data series function is not available within *SAP S/4HANA*, on-premise edition 1511. You can collect amounts using workplace sampling process. For more information, see SAP Note [2065178](#).

Required and Recommended Actions

Recommended actions for Incident Management:

- Close all open quality notifications for incidents.
- Set the end date of recurring quality notifications for incidents to a date that is earlier than the conversion to the target system.
- Close all open customer service notifications for incidents.
- Set the end date of recurring customer service notifications for incidents to a date that is earlier than the conversion to the target system.

Recommended actions for Risk Assessment:

- Close all open quality notifications for risk assessments.
- Set the end date of recurring quality notifications for risk assessments to a date that is earlier than the conversion to the target system.
- Close all open customer service notifications for risk assessments.
- Set the end date of recurring customer service notifications for risk assessments to a date that is earlier than the conversion to the target system.

Related SAP Notes

Conversion Pre-Checks	SAP Note: 2194782
Custom Code related information	SAP Note: 2217208
Additional related SAP Notes	SAP Note: 2065178

9.12 S4TWL - EHS Environment Management

Application Components: EHS-MGM-ENV

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273316	EHS Environment Management

With component extension for *SAP EHS Management*, customers can use *Environment Management* (EHS-MGM-ENV) solution for managing their air and greenhouse gas emissions business processes. In *SAP S/4Hana* on-premise edition this functionality is not yet available but it is on the road map.

Environment Management solution is not available in *SAP S/4Hana*.

However the provision of successor function in a future *SAP S/4Hana* delivery is planned.

Our recommendation for current Environment Management customers is to stay with their current solution until the function is available in *SAP S/4Hana* delivery.

Related SAP Notes

Conversion Pre-Checks	SAP Note: 2194782
-----------------------	-------------------

9.13 S4TWL - Removal of EHS workflows for requesting controls, impacts, agents

Application Components: EHS-MGM-RAS

Related Notes:

Note Type	Note Number	Note Description
-----------	-------------	------------------

Business Impact	2330017	Removal of EHS workflows for requesting controls, impacts, agents
-----------------	-------------------------	---

Description

Within EHS Risk Assessment there used to be various places where - during a process - the user could request the creation of certain missing master data objects by clicking a link or a button and thereby starting a creation workflow to an administrator. As these workflows are quite cumbersome and oversized for that task, this functionality was removed and the workflows were deleted.

The following functions no longer exist in Health and Safety Management (formerly known as Risk Assessment)

- **Requesting controls ...**
 - ... while editing controls in a Risk Assessment
 - ... while indentifying risks using the guided activity for *Risk Identification*
- **Requesting impacts ...**
 - ... while editing impacts in the *Edit Impact* popup window
 - ... while indentifying risks using the guided activity for *Risk Identification*
- **Requesting agents ...**
 - ... while indentifying risks using the guided activity for *Risk Identification*
- **Requesting hazards ...**
 - ... while indentifying risks using the guided activity for *Risk Identification*

Technical Details

The following WebDynpro component configurations were changed so that the according buttons and links are no longer shown on the screens.

- EHHSS_RAS_OIF_NEWCONTR_LST (for Controls)
- EHHSS_RAS_IDENTIF_CON_LST (for Controls)
- EHHSS_RAS_OIF_REV_IMP_LST (for Impacts)
- EHHSS_RAS_IDENTIF_IMP_LST (for Impacts)
- EHHSS_RAS_HAZ_PHYS_AGT_LST (for Agents)
- EHHSS_RAS_IDENTIF_HAZARD_LST (for Hazards)
- EHHSS_RAS_HAZ_PHYS_AGT_LST (for Hazards)
- EHHSS_RAS_IDENTIF_HAZ_JHA_LST (for Hazards)
- EHHSS_RAS_IDENTIF_CHM_DLG_LST (for Hazards)
- EHHSS_RAS_IDENTIF_AIRBOR_DLG_LST (for Hazards)

Business Process related information

The creation of needed master data within the above processes will have to be managed differently in the future. Triggering an administrator to perform this activity should be done via traditional channels like telephone or email.

Required and Recommended Action(s)

Knowledge transfer to key and end users.

How to Determine Relevancy

This Simplification Item is relevant if you have EHS Risk Assessment in use. This is usually the case if table EHHSSD_RAS_ROOT has 20 or more entries.

9.14 S4TWL - Responsible person for Planned Maintenance at EHS locations

Application Components: EHS-MGM,EHS-MGM-RAS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2329611	Responsible person for Planned Maintenance at EHS locations

Description

The EHS Location master data object used to have a screen to maintain the Planned Maintenance responsible person for this location. In SAP S/4HANA this screen is not shown for locations which are linked to S/4HANA Enterprise Asset Management (EAM) objects (like equipments or functional locations).

Business Process related information

The Planned Maintenance responsible person is redundant information within EHS as it already has been maintained at the linked EAM object. Users can jump to the linked EAM object from EHS by clicking on it. There the responsible person can be viewed.

Required and Recommended Action(s)

Knowledge transfer to key and end users.

How to Determine Relevancy

This Simplification Item is relevant if you have EHS Risk Assessment in use. This is usually the case if table EHHSSD_RAS_ROOT has 20 or more entries.

9.15 S4TWL - Remote integration scenarios of EHS

Application Components: EHS-MGM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2329574	Remote integration scenarios of EHS

Description

The following remote integration scenarios for EHS under S/4HANA are no longer supported:

- Integration of EHS with an external **Enterprise Asset Management** (EAM, PM) system
- Integration of EHS with an external **Work Clearance Management** (WCM) system
- Integration of EHS with an external **Material Management / Inventory Management** (MM/IM) system
- Integration of EHS with an external **substance or specification database**
- Integration of EHS with an external **Financials** (FIN/Accounting) system
- Integration of EHS with an external **Human Resources, Human Capital Management**(HR, HCM) system
- Integration of EHS with an external **business partner** (BuPa) administration

Business partner process-related information

It is only possible in S/4HANA with the S/4HANA own functions and modules to integrate the above areas. Other integrations are not supported.

Required and recommended action(s)

Contact your SAP Account Manager, if you currently connect EHS with an external system of the type described above, and discuss possible alternatives.

Determination of relevance

This simplification item is relevant if you want to connect EHS with one or several external systems of the types mentioned above.

9.16 S4TWL - Collection of various small and medium sized changes in EHS

Application Components: EHS-MGM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2336396	Collection of various small and medium sized changes in EHS

You want to convert component extension for *SAP EHS Management* or *EHS Management* as part of *SAP ERP* to *SAP S/4HANA 1610*.

The attached conversion information provides information about specific activities for *Environment, Health, and Safety* that you have to carry out before or after the conversion.

For general information about converting to *SAP S/4HANA*, see the conversion guide on the SAP Help Portal at http://help.sap.com/s4hana_op_1610.

Description

see attachment

Business Process related information

see attachment

Required and Recommended Action(s)

see attachment

How to Determine Relevancy

This Simplification Item is relevant if you have EHS Risk Assessment or EHS Incident Management in use. This is usually the case if table EHHSSD_RAS_ROOT has 20 or more entries or if table EHHSSD_INC_ROOT has 20 or more entries.

10 Logistics – GT

10.1 S4TWL - Global Trade Management

Application Components: LO-GT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267785	S4TWL - Global Trade Management

Description

- Simplification of DB Key Fields and tables structures (WBHF, WBGT, WBIT, WBASSOC, WCOCOF, WB2_D_BUSVOLBASE, WB2_D_BVB_SETTL)
- Replacement of concatenated fields by corresponding new fields in mentioned DB tables (Future details can be found in the mentioned notes below)
- Change of Domain definition from CHAR to NUMC for item number related fields
- Replaced fields are moved to the dynamical part of the communication structures to avoid runtime errors and to ensure the same system behaviour as before

Business Process related information

Dictionary changes will have no influence on the business processes as such. Custom related code has to be adjusted to adopt the new data model. If one of the obsolete transactions or reports is used within the business process the new transactions and reports have to be used instead. Differential Invoicing is not part of SAP S/4 HANA anymore because these transactions are replaced already in SAP ERP EHP7.

Transaction Codes and Reports not available in SAP S/4HANA

See also note 2204137

Obsolete Report	Obsolete Report Title	Obsolete TCode	Successor Report	Successor Report Title	Success or TCode
RWB2B001	Trading Contract: General Document Overview	WB24	RWB2BR EL	Trading Contract: Follow on document processing	WBRR

RWB2B001	Trading Contract: General Document Overview	WB25_COM P	RWB2BM AS	Mass Processing (Release and Status update)	WB24N
WB2B_CREATE_ TC_USER	Create User For TC At Web	WB2B_NET USER			
RWB2DI001	Generate Differential Invoices	WB2DI1			
RWB2DI002	Over of Billing Documents relevant for Creating Differential Invs	WB2DI2			
RWB2DI003	Process Billing Documents regarding Differential Invoices	WB2DI3			
RWB2DI004	Process Billing Documents regarding Differential Invoice s	WB2DI4			
RWB2B006	Trading Contract: Financial Documents	WB31			

Obsolete TCode	Successor TCode
POFO1	POFO31
POFO2	POFO32
POFO3	POFO33

Required and Recommended Action(s)

Pre-Check is performed for the component LO-GT. Custom code adoption on the new DB-Design can be checked in the start release to identify the code places which have to adjust to the new DB-Structures. Batch or online processes which needed the obsolete transactions or reports have to be adjusted so that the new transactions and reports are used instead.

Related SAP Notes

Custom Code related information	SAP Notes: 2198031, 2204137, 2198035
---------------------------------	--------------------------------------

11 Logistics - MM-IM

11.1 S4TWL - DATA MODEL IN INVENTORY MANAGEMENT (MM-IM)

Application Components: MM-IM-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2206980	DATA MODEL IN INVENTORY MANAGEMENT (MM-IM)

You want to install SAP S/4HANA and need additional information how to adjust your customer enhancements, modifications or own functionalities to the new, simplified data model of SAP S/4HANA Supply Chain (MM - Inventory Management).

You want to have informations about what is different in SAP S/4HANA Supply Chain (MM - Inventory Management) compared to Suite on HANA MM-IM.

You have customer enhancements, modifications or own functionalities in the area of inventory management (component MM-IM) which were built for SAP ERP 6.0.

You are using functionalities which behave different in SAP S/4HANA Supply Chain (MM - Inventory Management) compared to Suite on HANA.

The SAP ERP 6.0 stock inventory management data model consists of the two document tables MKPF for document header information and MSEG for document item data. Additionally there were aggregated actual stock quantity data stored in several tables. Some of these tables do also store material master data attributes like the tables MARC, MARD and MCHB. Such tables with material master data attributes as well as actual stock quantities will be named as hybrid tables in the following. In contrast there are also tables like MSSA containing only aggregated actual stock quantities for sales order stock. Such tables will be called in the following as replaced aggregation tables.

With S/4HANA this data model has been changed significantly. The new de-normalized table MATDOC has been introduced which contains the former header and item data of a material document as well as a lot of further attributes. Material document data will be stored in MATDOC only and not anymore in MKPF and MSEG. Additionally the aggregated actual stock quantities will not be persisted anymore in the hybrid or replaced aggregation tables. Instead, actual stock quantity data will be calculated on-the-fly from the new material document table MATDOC for which some of those additional special fields are used. Hence, with the new MM-IM data model the system will work on database level in an INSERT only mode without DB locks. Nevertheless, for stock decreasing processes there will be still ABAP locks to ensure stock consistency. A further advantage of the new MM-IM data model is the capability of simple and fast reporting because the most information is all in one place: MATDOC.

All below mentioned tables of the SAP ERP 6.0 product do still exist in S/4HANA as DDIC definition as well as database object and the hybrid tables will still be used to store the material master data attributes. For compatibility reasons there are Core Data Service (CDS) Views assigned as proxy objects to all those tables ensuring that each read access to one of the mentioned tables below still returns the data as before in SAP ERP 6.0. The CDS Views do the on-the-fly aggregation of actual stock quantities from the new MM-IM data model and join the master data attributes from the material master data table. Hence all customer coding reading data from those tables will work as before because each read access to one of the tables will get redirected in the database interface layer of NetWeaver to the assigned CDS view. Write accesses to those tables have to be adjusted.

The affected tables are:

Table	Table description	DDL Source of CDS View for redirect	View to read the content of the database table (w/o redirect to compatibility view)	View to read the master data attributes only
MKPF	Material document header	NSDM_DDL_MKPF	NSDM_MIG_MKPF	-
MSEG	Material document item	NSDM_DDL_MSEG	NSDM_MIG_MSEG	-
MARC	Plant Data for Material	NSDM_DDL_MARC	NSDM_MIG_MARC	V_MARC_M D

MARD	Storage Location Data for Material	NSDM_DDL_MARD	NSDM_MIG_MARD	V_MARD_M D
MCHB	Batch stocks	NSDM_DDL_MCHB	NSDM_MIG_MCHB	V_MCHB_M D
MKOL	Special Stocks from Vendor	NSDM_DDL_MKOL	NSDM_MIG_MKOL	V_MKOL_M D
MSLB	Special Stocks with Vendor	NSDM_DDL_MSLB	NSDM_MIG_MSLB	V_MSLB_MD
MSKA	Sales Order Stock	NSDM_DDL_MSKA	NSDM_MIG_MSKA	V_MSKA_M D
MSSA	Total Customer Orders on Hand	NSDM_DDL_MSSA	NSDM_MIG_MSSA	-
MSPR	Project Stock	NSDM_DDL_MSPR	NSDM_MIG_MSPR	V_MSPR_M D
MSSL	Total Special Stocks with Vendor	NSDM_DDL_MSSL	NSDM_MIG_MSSL	
MSSQ	Project Stock Total	NSDM_DDL_MSSQ	NSDM_MIG_MSSQ	-
MSKU	Special Stocks with Customer	NSDM_DDL_MSKA	NSDM_MIG_MSKU	V_MSKU_M D
MSTB	Stock in Transit	NSDM_DDL_MSTB	NSDM_MIG_MSTB	-

MSTE	Stock in Transit to Sales and Distribution Document	NSDM_DDL_MSTE	NSDM_MIG_MSTE	-
MSTQ	Stock in Transit for Project	NSDM_DDL_MSTQ	NSDM_MIG_MSTQ	-
MCSD	DIMP: Customer Stock	NSDM_DDL_MCSD	NSDM_MIG_MCSD	MCSD_MD
MCSS	DIMP: Total Customer Stock	NSDM_DDL_MCSS	NSDM_MIG_MCSS	MCSS_MD
MSCD	DIMP: Customer stock with vendor	NSDM_DDL_MSCD	NSDM_MIG_MSCD	MSCD_MD
MSCS	DIMP: Customer stock with vendor - Total	NSDM_DDL_MSCS	NSDM_MIG_MSCS	MSCS_MD
MSFD	DIMP: Sales Order Stock with Vendor	NSDM_DDL_MSFD	NSDM_MIG_MSFD	MSFD_MD
MSFS	DIMP: Sales Order Stock with Vendor - Total	NSDM_DDL_MSFS	NSDM_MIG_MSFS	MSFS_MD

MSID	DIMP: Vendor Stock with Vendor	NSDM_DDL_MSID	NSDM_MIG_MSID	MSID_MD
MSIS	DIMP: Vendor Stock with Vendor - Total	NSDM_DDL_MSIS	NSDM_MIG_MSIS	MSIS_MD
MSRD	DIMP: Project Stock with Vendor	NSDM_DDL_MSRD	NSDM_MIG_MSRD	MSRD_MD
MSRS	DIMP: Project Stock with Vendor - Total	NSDM_DDL_MSRS	NSDM_MIG_MSRS	MSRS_MD
MARCH	History	NSDM_DDL_MARCH	NSDM_MIG_MARCH	-
MARDH	History	NSDM_DDL_MARDH	NSDM_MIG_MARDH	-
MCHBH	History	NSDM_DDL_MCHBH	NSDM_MIG_MCHBH	-
MKOLH	History	NSDM_DDL_MKOLH	NSDM_MIG_MKOLH	-
MSLBH	History	NSDM_DDL_MSLBH	NSDM_MIG_MSLBH	-
MSKAH	History	NSDM_DDL_MSKAH	NSDM_MIG_MSKAH	-
MSSAH	History	NSDM_DDL_MSSAH	NSDM_MIG_MSSAH	-
MSPRH	History	NSDM_DDL_MSPRH	NSDM_MIG_MSPRH	-

MSSQ H	History	NSDM_DDL_MSSQ H	NSDM_MIG_MSSQ H	-
MSKU H	History	NSDM_DDL_MSKA H	NSDM_MIG_MSKA H	-
MSTBH	History	NSDM_DDL_MSTB H	NSDM_MIG_MSTB H	-
MSTEH	History	NSDM_DDL_MSTE H	NSDM_MIG_MSTE H	-
MSTQ H	History	NSDM_DDL_MSTQ H	NSDM_MIG_MSTQ H	-
MCSD H	History	NSDM_DDL_MCSD H	NSDM_MIG_MCSD H	-
MCSS H	History	NSDM_DDL_MCSS H	NSDM_MIG_MCSS H	-
MSCD H	History	NSDM_DDL_MSCD H	NSDM_MIG_MSCD H	-
MSFDH	History	NSDM_DDL_MSFD H	NSDM_MIG_MSFD H	-
MSIDH	History	NSDM_DDL_MSIDH	NSDM_MIG_MSIDH	-
MSRD H	History	NSDM_DDL_MSRD H	NSDM_MIG_MSRD H	-

The hybrid tables of the former Industry Solution DIMP have now new tables containing the material master data only. The name of the new tables is presented in the right column of above table.

According to the fact that data will not persisted anymore in the header and item tables MKPF and MSEG the transaction DB15 behaves differently in the environment of archiving.

Transaction DB15, which allows the retrieval of statistical data for DB tables grouped by the archiving objects that refer to these tables, does not provide correct information for tables MKPF and MSEG. When selecting tables from which data is archived for archiving object MM_MATBEL, and navigating to Online Space or Space Statistics for tables MKPF or MSEG, the statistics No. Records and Table Space are shown in the result screen. These numbers are taken from the original tables MKPF and MSEG, and not calculated by redirecting the request to table MATDOC. Consequently, when executing archiving for

arching object MM_MATBEL, this will have no effect on the numbers shown for tables MKPF and MSEG in transaction DB15.

One impact of the simplified MM-IM data model does exist if there are customer APPENDs or INCLUDEs with customer fields on the mentioned tables. The NetWeaver redirect capability requires that DB table and assigned proxy view is compatible in the structure: number of fields, their sequence and their type. Thus if there is an APPEND or INCLUDE on one of the above mentioned tables then the assigned DDL source of the CDS view must be made compatible. In some cases for S/4HANA on-premise 1511 this does not require customer interaction especially in those cases where the append has been put at the end of a table which is strongly recommended (not somewhere in between which may happen if a table is composed by include structures like for MARC). For other cases and in general for S/4HANA on-premise 1610 the structure of the proxy view can be made compatible to the table by extension view. This extension view is always an extension to the above mentioned view in the DDL source of the CDS view used for redirect. In the extension view the fields have to be listed in exactly the same order as in the append. For more information about view extension see e.g. [SAP NetWeaver 7.4 documentation](#).

Another impact of the simplified MM-IM data model is a performance decrease of DB read operations on the above mentioned tables just because a data fetch on one of the mentioned tables is in S/4HANA slower than in SAP ERP 6.0 due to the on-the-fly aggregation and the JOIN operation. Hence performance critical customer coding may be adjusted to improve performance. Furthermore customer coding writing data to aggregated actual stock quantity or to the former document header or item table shall be adjusted!

1. Customer Appends

With SAP Note [2194618](#) and [2197392](#) SAP offers a check to be executed on the start release to identify APPEND issues described in the following sub chapters. Hence customer is not forced to scan all above listed tables manually.

1.1 Customer Appends on the former document tables MKPF and MSEG

If there are APPENDs on MKPF and MSEG where fields with the same fieldname do exist then there is a name conflict in case that the content of field MKPF-A is different from field MSEG-A (fields with same name and identical content do exist on MKPF and MSEG also in SAP Standard for performance reasons e.g. BUDAT). In this case it is required to add a further field A_NEW to the append, copy the data from A to A_NEW with a special customer program and then all coding sections, Dynpros, etc. need to be adjusted to use A_NEW and then field A needs to be dropped from the append. This must be done before migration from ERP 6.0 to S/4HANA.

If the attributes in the APPENDs or INCLUDEs (e.g. CI_M* INCLUDEs as introduced with consulting note 906314) on table MKPF and MSEG do have a master data or process

controlling character then the fields from the APPENDS/INCLUDEs need to be appended to the table MATDOC and the assigned proxy views can be made compatible via extension views.

In case of a system conversion all these customer fields in such APPENDs or INCLUDEs need to be appended to table MATDOC during the ACT_UPG phase (SPDD). It has to be done in any case before the MM-IM conversion program will be executed which move the data from MKPF and MSEG to MATDOC otherwise data in customer fields gets lost. The structure compatibility between table MKPF/MSEG and their assigned proxy view shall be created directly after system conversion by creating extend views, see note [2242679](#).

Fields from APPENDs/INCLUDEs to table MKPF should be appended to sub structure NSDM_S_HEADER of table MATDOC.

Fields from APPENDs/INCLUDEs to table MSEG should be appended to sub structure NSDM_S_ITEM of table MATDOC.

1.1.1 Customer include CI_COBL in table MSEG

Table MSEG contains the customer include CI_COBL where customers can insert own fields. The CI_COBL include has been made available also in the new MM-IM data model with note [2240878](#). This note must be applied before the data migration starts in the ACT_UPG phase (SPDD); otherwise you may lose data. With the implemented CI_COBL the table MSEG and its assigned proxy view is not compatible in their structure anymore. The structural compatibility can be re-created by applying note [2242679](#). This must be done directly after system conversion has been finished.

1.2 Customer Appends on the hybrid and replaced aggregation tables

1.2.1 Fields containing material master data attributes

If the append is not at the end of the hybrid table then the append should be moved to the end if possible and then no further action is required because the delivered DDL sources for the proxy views provide the \$EXTENSION feature within S/4HANA on-premise 1511. Due to too many side effects like unpredictable sequence of fields from APPENDs, this has been changed with S/4HANA On-Premise 1610 where always an EXTEND VIEW for a CDS proxy view has to be created for an APPEND on a material master data table. For the DIMP tables the append has to be appended also to the new pure DIMP material master data tables. The structural compatibility between table and CDS proxy view can be re-created by applying note [2242679](#). This must be done directly after system conversion has been finished (e.g. creating just an EXTEND VIEW with the customer fields using ABAP Development Tools for S/4HANA On Premise 1610 and higher).

For replaced aggregation tables appends with master data attributes are not supported. If such appends are really required in the customer processes then the approach described in the next chapter maybe feasible. In the core functionality of material document processing there will be no write process on these tables. Thus update of the fields in the appends requires maybe some additional customer coding.

1.2.2 Fields representing a customer defined stock type or quantity/value to be aggregated

If own stock types or a dimension which needs to be aggregated have been introduced by the customer then the view stack of the CDS view assigned to the table with the additional stock type needs to be modified. Right now, there is no technology support for modification free enhancement. If the stock type has not been introduced by new entries or enhancements in the tables T156x (T156, T156SY, T156M, T156F) - which controls in the core functionality the mapping between a posting and a stock type - then the process logic needs to be adapted.

1.3 Customer Appends on views

There are several views in SAP Standard which also do have an assigned proxy view because the view provide actual stock quantity data. View and assigned proxy view must be compatible in structure too. If there are customer appends on such view the same rules as for tables apply. Views with assigned proxy compatibility view can be determined by searching via transaction SE16N in table DD02L with TABCLASS = VIEW and VIEWREF <> " or you may use above mentioned check functionality in your start release.

1.3.1 Customer views on MKPF/MSEG

Views are database objects and thus a view is executed on the database. Because the table MKPF and MSEG will not contain data anymore (except legacy data from migration) such a customer view will never return any record. Such views have to be either adjusted by fetching data from table MATDOC or to be created new as DDL source with a different name. In the last case all usages of the old DDIC SQL view must be replaced by the new CDS view.

1.3.2 Customer views on material master attributes

Such views using only material master data attributes from the hybrid tables do not need to be changed.

1.3.3 Customer views using aggregated stock quantity data

Customer views having at least one actual stock quantity aggregate cannot be used anymore because

- the field representing this aggregate on the database will be empty forever
- the quantity must be aggregated from table MATDOC which is not possible with DDIC SQL views.

Such views must be defined new as DDL source with a new name. Each of the above mentioned DDL sources can be used as template. All usages of the old DDIC SQL view must be replaced by the new CDS view.

2 Code adjustments and optimizations

Technically it is still possible to do DB write operations (INSERT, UPDATE, DELETE, MODIFY) on the tables MKPF, MSEG as well as the fields representing actual stock quantities in the hybrid and replaced aggregation tables. But such write operations are without any effect! Therefore write operations on MKPF, MSEG as well as the fields representing actual stock quantities in the hybrid and replaced aggregation tables shall be removed from customer coding. Write operations on the material master data attributes in the hybrid tables are still possible. Write operations on table MATDOC and your moved customer append fields are done by class CL_NSDM_STOCK.

DB read operations on the hybrid and replaced aggregation tables have a performance decrease. In general, it shall be avoided to read any stock quantities when only master data is required. Therefore it is recommended to adjust the customer coding in the following way:

- If material master data as well as actual stock quantity data are required then the SELECT....<table> should be replaced by using a data access method from class CL_NSDM_SELECT_<table>. These classes provide access methods for single as well as array read operations.
- If material master data are required then the SELECT....<table> should be replaced by SELECT....V_<table>_MD where V_<table>_MD is one of the above mentioned views for master data access. Alternatively corresponding material master data read methods in the class CL_NSDM_SELECT_<table> can be used. Also the data type declarations should be adjusted from TYPE...<table> to TYPE...V_<table>_MD.
- If actual stock quantity data are required then the SELECT....<table> should be replaced by SELECT....NSDM_V_<table>_DIFF where NSDM_V_<table>_DIFF is one of the views in the view stack of the above mentioned proxy view. Also the data type declarations should be adjusted from TYPE...<table> to TYPE...NSDM_V_<table>_DIFF.
- For table MARC and field STAWN valid from S/4HANA On Premise 1610 please read note [#mce_temp_url#](#)

For performance critical coding parts these adjustments are strongly recommended. For non critical parts it is optional short term but recommended on long term.

To identify such locations, it is required to make use of the where-used functionality of transaction SE11 and considering other techniques like transaction CODE_SCANNER to find locations which SE11 cannot handle like dynamic programming or native SQL statements.

Consider SAP Note [28022](#) if there are issues with the where-used functionality in the customer system. In the where-used dialog it is possible via the button "Search Range" to search specific for key words like SELECT, INSERT and so on.

11.2 S4TWL - AVAILABILITY OF TRANSACTIONS IN MM-IM

Application Components: MM-IM-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2210569	AVAILABILITY OF TRANSACTIONS IN MM-IM

The following transactions for entering and displaying goods movements (material documents) - called "MB transactions" - below, have been replaced by the single-screen generalized transaction MIGO:

- MB01, MB02, MB03, MB04, MB05, MB0A, MB11, MB1A, MB1B, MB1C, MB31, MBNL, MBRL, MBSF, MBSL, MBST and MBSU

The transaction MMBE_OLD has been replaced by transaction MMBE. Alternatively there is also the Fiori App Stock Overview

These transaction do still exist as transaction codes but calling these transaction codes from the menu has the consequence that an error message is raised.

These transaction codes shall not be used in customer coding.

The transaction codes will be deprecated in the near future.

Transaction were already outdated in SAP ERP 6.0x.

Use transaction MIGO or MMBE in dialog.

Replace customer coding using these MB transaction codes by make use of function module BAPI_GOODSMVT_CREATE-

11.3 S4TWL - Material Ledger Obligatory for Material Valuation

Application Components: MM-IM-GF-VAL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267834	Material Ledger Obligatory for Material Valuation

Description

This simplification makes it mandatory to use the Material Ledger (ML) in all SAP S/4HANA systems. After the technical SUM migration, the Material Ledger needs to be migrated.

Relevant IMG migration activities:

- Customizing migration:
 - **from SAP ERP or SAP Simple Finance to SAP S/4HANA 1511:**
transaction: SPRO --> Migration from SAP ERP Accounting powered by SAP HANA --> Preparations and Migration of Customizing --> Preparations and Migration of Customizing for Material Ledger --> Migrate Material Ledger Customizing
 - **from SAP ERP or SAP Simple Finance to SAP S/4HANA 1610:**
transaction: SPRO --> Migration to SAP S/4HANA Finance --> Preparations and Migration of Customizing --> Preparations and Migration of Customizing for Material Ledger --> Migrate Material Ledger Customizing
- Data migration:
 - **from SAP ERP or SAP Simple Finance to SAP S/4HANA 1511:**
transaction: SPRO --> Migration from SAP ERP Accounting powered by SAP HANA --> Migration --> Material Ledger Migration
 - **from SAP ERP or SAP Simple Finance to SAP S/4HANA 1610:**
transaction: SPRO --> Migration to SAP S/4HANA Finance --> Data Migration --> Start and Monitor Data Migration

You need to migrate the Material Ledger even if you are already using SAP Simple Finance (that is, you are migrating from SAP Simple Finance to SAP S/4 HANA Inventory Management). In addition, you need to migrate the Material Ledger even if you are already using the Material Ledger in your source system. If you performing an upgrade from S/4HANA 1511 to S/4HANA 1610, no manual IMG Material Ledger data migration is necessary.

Latest trends in material management aim for improved and more flexible valuation methods in multiple currencies and parallel accounting standards while simultaneously reducing required system resources and improving scalability of the business processes. Since the data model of the Material Ledger module supports these business requirements, it was chosen as the basis for material inventory valuation in the new SAP S/4HANA solution.

It is very important to distinguish between Material Ledger, in its role as an inventory subledger in Accounting, and the business feature Actual Costing. Material Ledger, as the inventory subledger, values material inventories in multiple currencies and GAAPs in parallel. In addition Material Ledger is a basic prerequisite for the use of Actual Costing.

With Actual Costing you can value your material inventories, work in process, and cost of goods sold with weighted average unit costs that are being calculated after the fact by evaluating business transactions of one or more posting periods. Actual Costing also provides additional features, such as actual cost component splits.

Even though activation of Material Ledger is now mandatory, activation of Actual Costing is still optional.

Before S/4HANA, the inventory valuation tables xBEW(H) - tables: EBEW, EBEWH, MBEW, MBEWH, OBEW, OBEWH, QBEW, QBEWH - contain transactional as well as master data attributes.

With S/4HANA, the inventory valuation tables do still exist as DDIC definitions as well as database objects. However, they will only be used to store material master data attributes. The transactional fields LBKUM, SALK3 and SALKV will be retrieved from the Material Ledger. (From **S/4HANA 1610** these transactional fields will be retrieved from the Universal Journal Entry Line Items table ACDOCA and the Material Ledger table. For more detailed information please see SAP Note: 2337383). Hence, those fields are not updated anymore in the original xBEW(H) tables. As a consequence, the above mentioned tables need to be updated less often, which leads to a higher throughput due to fewer database locks.

For compatibility reasons there are Core Data Service (CDS) Views assigned as proxy objects to all those tables ensuring that each read access to one of the mentioned tables still returns the data as before. The CDS views consist of database joins in order to retrieve both master data from the original xBEW(H) table and transactional data from Material Ledger tables. (From **S/4HANA 1610** transactional data from the Universal Journal Entry Line Items table ACDOCA and the Material Ledger table. For more detailed information please see SAP Note: 2337383).

Hence all customer coding, reading data from those tables, will work as before because each read access to one of the tables will get redirected in the database interface layer of NetWeaver to the assigned CDS view. Write accesses to those tables have to be adjusted if transactional fields are affected.

The following table gives an overview of the new relevant database objects in the S/4HANA Inventory Valuation data model:

Table	Table description	DDL source of CDS view for redirect (proxy view)	View to read the content of the original database table (w/o redirect to proxy view)	View to read master data attributes only
EBEW	Sales Order Stock Valuation	MBV_EBEW	MBVEBEWOLD	V_EBEW_MD

EBEWH	History of Sales Order Stock Valuation	MBV_EBEWH	MBVEBEWHOLD	V_EBEWH_MD
MBEW	Material Valuation	MBV_MBEW	MBVMBEWOLD	V_MBEW_MD
MBEWH	History of Material Valuation	MBV_MBEWH	MBVMBEWHOLD	V_MBEWH_MD
OBEW	Valuated Stock with Subcontractor (Japan)	MBV_OBEW	MBVOBEWOLD	V_OBEW_MD
OBEWH	History of Valuated Stock with Subcontractor (Japan)	MBV_OBEWH	MBVOBEWHOLD	V_OBEWH_MD
QBEW	Project Stock Valuation	MBV_QBEW	MBVQBEWOLD	V_QBEW_MD
QBEWH	History of Project Stock Valuation	MBV_QBEWH	MBVQBEWHOLD	V_QBEWH_MD

Table 1: Affected tables with information about corresponding proxy objects, views for accessing original database table and views for reading master data only

Business Process related information

If customers are not already using the material ledger, it will be activated during the conversion process. In MM02 and MR21 material prices can now be maintained in multiple currencies. In Financials the inventory account balances are calculated separately for each currency and result therefore in a cleaner and more consistent valuation in other currencies than the local currency.

Transaction not available in SAP S/4HANA on-premise edition 1511	MMPI: Initialize period for material master records (Not available with activated Material Ledger)
--	--

Required and Recommended Action(s)

Perform Conversion Pre-Checks on start release to identify start situation

Related SAP Notes

Conversion Pre-Checks	SAP Note: 2194618 SAP Note: 2129306
Custom Code related information	SAP Notes: 1804812

11.4 S4TWL - Material Valuation - Statistical moving average price

Application Components: MM-IM-GF-VAL,MM-IM-GF-LOCK

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267835	Material Valuation - Statistical moving average price

Description

One major innovation of SAP S/4HANA in the area of MM-IM is the significant increase of transactional data throughput for high-volume transactions, especially goods movements. To enable this from a technical point of view, it is necessary for the application logic to avoid exclusive locking on the application layer.

For goods movements this can be achieved (with a few exceptions) for materials with price control "Standard", where the relationship between unit costs for material inventory (standard price) on the one hand, and inventory quantity and inventory value on the other hand, is kept constant during goods movements. To calculate a consistent moving average valuation, the system is still forced to use exclusive locks. Therefore it is not possible to achieve the same increase in transactional data throughput for materials with price control "Moving Average" as for materials with price control Standard.

In SAP ERP, for materials with price control "Standard" the system also calculates a moving average valuation in parallel, the so-called "statistical" moving average price. Obviously this statistical valuation requires exclusive locking as well. As previously mentioned, exclusive locking limits the transactional data throughput, and therefore needs to be avoided in SAP S/4HANA. In consequence, this parallel statistical moving average valuation is not available in SAP S/4HANA, on-premise edition 1511.

Deactivation of the statistical moving average is not mandatory in SAP S/4HANA, but is nevertheless recommended in order to achieve a significant increase of transactional data throughput for goods movements. It is important to note that the deactivation is not reversible.

As a result, end users creating material master data in SAP S/4HANA have to select one of the following material valuation methods for a material:

- Price control "Standard", which offers a fixed price inventory valuation and no parallel "statistical" moving average valuation. Only dedicated business transactions can change unit costs (e.g. MR21). But a significantly increased transactional data throughput for goods movements can be achieved.
- Price control "Moving Average", with which unit costs of material inventory can be changed by any business transaction, but transactional data throughput is still limited by exclusive locking.

In addition, the following database table fields are affected by the deactivation of the statistical moving average:

- In table MBEW, EBEW, OBEW, QBEW the fields SALKV and VERPR are not updated anymore for materials with price control Standard. The same applies to the history tables MBEWH, EBEWH, OBEWH and QBEWH.
- In table CKMLCR the fields PVPRS and SALKV are not updated anymore for materials with price control Standard.
- In table MLCR the fields SALKV, SALKV_OLD and PVPRS_OLD are not updated anymore for materials with price control Standard.
- If Actual Costing is used, the above mentioned fields will still be updated with the periodic unit price during the Actual Costing Closing Steps.

As a consequence of not updating the above-mentioned fields, the statistical moving average price and the value based on the statistical moving average price are no longer available on the user interface. This concerns the following transaction codes: MM01, MM02, MM03, CKM3 and MR21.

Business Process related information

As its name implies, the statistical moving average price is purely statistical and does not have any impact on actual financials-relevant valuation.

Without the statistical moving average price, an alternative way of valuation needs to be used in few scenarios. This concerns, for instance, Balance Sheet Valuation and Product Cost Planning, where selection/valuation variants must be checked and adapted.

Required and Recommended Action(s)

If within custom code the fields mentioned above under Description are evaluated for materials with price control Standard, then this usage should be removed. One possible reaction to this change could be to use instead of the V-Price (VERPR) either the S-Price (STPRS) or the V-Price (VERPR) depending on the configured price control for the respective material.

To identify such locations, it is required to make use of the where-used functionality of transaction code SE11 and to consider other techniques like transaction code CODE_SCANNER to find locations which SE11 cannot handle such as dynamic programming or native SQL statements.

Finally, the report SAPRCKM_NO_EXCLUSIVELY_LOCKING can be used to deactivate the statistical moving average price. This can be done for converted systems running the S/4HANA on-premise edition. In the S/4HANA cloud edition or new installs of the SAP S/4HANA on-premise edition, the statistical moving average price is disabled by default.

11.5 S4TWL - Performance optimizations within Material Document Processing - lock behavior and stock underrun protection

Performance optimizations within Material Document Processing - lock behavior and stock underrun protection

Application Components: MM-IM,MM-IM-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2319579	Performance optimizations within Material Document Processing - lock behavior and stock underrun protection

1. General

With the introduction of the new MM-IM data model there are opportunities and drawbacks. The opportunities will offer new process modes whereas the drawbacks require changes of the process behavior. Both will have effects on follow-on processes or side processes.

2. Opportunities

2.1 Locks to protect stock

With the introduction of the new MM-IM data model in S/4HANA OP1511 there are no UPDATE processes on the actual stock quantity fields in the material master and stock aggregate tables anymore. Instead of the UPDATES only INSERTs into the new material document table will be done. Hence from a data base perspective there are no locks anymore on DB level. That enables - from a DB perspective - parallel execution of material document processing. Anyway, from a business perspective there are still logical locks required because

1. Consistency with material master data (i.e. prevent parallel change of master data attributes). This can be ensured already with a shared logical lock because with such a lock a change of material master is protected.
2. Defined sequence of material documents (e.g. for moving average price).
3. Consistency with stock quantity (check availability if negative stock is not allowed).

The consistency with master data and with stock quantity (1 + 3) is necessary in any case. The defined sequence of material documents (2) is ensured only in the case that exclusive lock is chosen in the customizing. Regarding the lock of materials to enable a consistent quantity check (lock reason 3) there are currently two different kinds of lock strategies: early exclusive quantity lock and late exclusive quantity lock.

2.2 Early lock strategy

In the early exclusive lock strategy, all material master data and quantities are read in an array fetch before the item processing (except for special stocks) and exclusive locks are set during the entire processing of the material document. As this implies that valid quantities are read from the buffer, this option has the best performance regarding process runtime, but on the other hand it has a worst performance regarding process throughput in scenarios with many equal material items in parallel processes.

2.3 Late lock strategy

In the late exclusive lock strategy, the material master data and quantities are read also in an array fetch before the item processing but no exclusive locks are set. An exclusive lock will be set only for a short period of time during the item processing for each specific item. This exclusive lock will be converted into a shared lock after checks for stock underrun.

As the new MM-IM data model changes the old key figure model to an account model this enables a more finer granular locking for the late quantity lock case starting with S/4HANA OP1610 and CE1608. For the key figure model the locks have been set on material and plant level in S/4HANA OP1511. With the account model the locks can be set on material, plant, storage location, stock identifier, special stock identifier level (in principle what defines the stock in the new model) starting with S/4HANA OP1610 and CE1608. Hence, even in parallel processes the probability for a lock collision is rather likely. Furthermore, by changing the sequence of sub-process steps under the hood of the exclusive lock in the late lock strategy the duration of this exclusive lock can be shortened.

With S/4HANA OP1610 and CE1608 a further option to increase throughput will be introduced. This is the option to define in the customizing that, for the late lock strategy, no exclusive lock shall be set. In this case only late shared locks will be set which really enables parallel material document processing (stock underrun checks are still possible

because in this case all processes communicate their withdrawals to the lock server who in this case serves as second storage for stock changes (first storage is the DB) and the calculation operates on data from the first and the second storage).

2.4. Locks on batches

Locks on batch materials will be set in the current process to protect parallel changes of the batch master. In S/4HANA OP1511 those locks will be set without any conditions, means they will be set even if the material document posting does not change any of the batch master data. Starting with S/4HANA OP1610 and CE1608, to reduce the collision rate of parallel material document postings for batch material line items those batch locks will be set only if the batch master data like production date or best before date are entered during the MM-IM document processing and these data differ from the data on the DB.

3. Overcome drawbacks

With the introduction of the new MM-IM data model for S/4HANA OP1511 the material stock quantity data are not stored anymore as pre aggregated data in the old hybrid (containing material master and material actual stock quantity data) or aggregate (containing only material actual stock quantity data) tables. Instead the material stock quantity data will be calculated on-the-fly from the material document table. For applications this is transparent because the calculation of stock data as well as the determination of the material master data will be done via CDS-compatibility views which are assigned as proxy objects to those tables with hybrid or aggregate character and each fetch to the tables get redirected in the DBI layer to the assigned proxy view. According to the on-the-fly calculation, read accesses to those hybrid and aggregate tables are much slower than in Suite on HANA where the aggregated quantity changes have been stored in these tables as actual stock quantity data.

During material document processing, material data is read from the database in general in an array fetch at the beginning of the processing. A second access to the database to read material data will be done in case of the late exclusive lock during the item processing. In both cases due to the compatibility view the material master as well as the material stock quantity data will be read whereas in the prefetch only the master data is required and during the late exclusive lock phase only the material stock quantity data is required.

To turn the drawback of on-the-fly calculation into an advantage the following will be introduced with S/4HANA OP1610 and CE1608:

- during the prefetch phase only the material master data will be read into internal buffers by using the pure material master data views to retrieve the data from DB

- during the item processing the stock quantity data will be read in the account model from the data base, and this will be done only in case of stock decreasing processes where negative stocks are prohibited

Because it is known that HANA can process a single array fetch faster than many single fetches, the stock quantity read and stock underrun check mentioned in the last bullet point can also be done outside of the item processing. This array operation, which does also the lock operation, is executed directly in the function module MB_CREATE_GOODS_MOVEMENT after the item processing therein has been finished. The decision whether the read and check operations are done during or after item processing is done at the beginning of the processing. The new BAdI BADI_NSDM_READ_STOCK can be used by customers to overrule the decision.

This changes to turn the drawbacks have been done irrespective of the lock strategy. It is effective in early as well as late lock strategy.

Hence for S/4HANA OP1610 and CE1608, the adaptation done for the late lock strategy allows parallel execution of material document processes whereas the stock quantity read from DB and stock underrun check reduces the processing time of a single material document process. Overall it increases the performance of material document processing in S/4HANA OP1610 and CE1608 compared to S/4HANA OP1511 and Suite on HANA.

4. Permission of negative stocks

It is possible to allow on plant level negative stocks. Also on storage location level negative stocks can be permitted. And for the material itself a negative stock can be enabled. All this was possible to configure already in S/4HANA OP1511 and also in Suite on HANA. If on all 3 level the permission on negative stock has been granted then in S/4HANA OP1610 and CE1608

1. no locks at all will be set in the late lock strategy case.
2. no stock determination from the data base will be done and no stock underrun check will be executed (in both lock strategies).

Hence for such a configuration and setting of material master data the runtime and the throughput may increase further.

5. Business process related information

5.1 Modifications in the coding of Material Document Processing

As already described in the Overcome Drawback section, stock quantity data will be read and calculated only for stock decreasing processes where negative stocks are prohibited. And this will be done, if necessary, in the new account model. Hence, the actual stock

quantity fields in the internal tables XMabc tables used and routed internally are always zero and cannot be used for any subsequent calculation incorporated in the material document processing. There is no option to populate these actual stock quantity fields in the internal tables XMabc tables anymore! Thus, customer coding modifications using stock quantity data from those XMabc internal tables must be adjusted. Stock change information is available

```
via it_stock_change = cl_nsdmm_mim_read_stock=>get_instance( )-  
>get_stock_change_for_bte( ).
```

5.2 Logistics Information System (LIS)

LIS processing during any document processing means that document data will be prepared (transformed) into LIS structures and those data will be finally written into so called LIS information structures. Customers can enrich those data structures as well as define their own information structures. LIS processing means that the document processing time gets enlarged, increases significantly the memory footprint due to the LIS information structures and forces (at least for MM-IM) a serialized processing in case of V1 mode. Data in those LIS information structures will be used for special reporting by customers.

A forced serialization of MM-IM document processing due to active LIS and a customizing of late lock strategy to enable parallel processing for MM-IM does not make sense at all. Furthermore several LIS key figures like # of times a zero stock would be reached by a posting, cannot be determined reliable in parallel processes. Hence, active LIS and late lock mode is defined now as an inconsistent system state starting with S/4HANA OP1610 and CE1608!

Furthermore, because several fields in internal structures (exactly those stock quantity fields of the former key figure model like field LABST in the internal structure XMARD) are not populated with data anymore with the active optimization, absolute stock quantities can not be send via the INVCON0x IDOC (message type INVCON).

If an On-Premise system is configured for early lock strategy then LIS and the INVCON message type can be used. In this case the processing will be internally switched into the legacy mode. That means that none of the above described optimizations will be executed. This is necessary just because the optimized coding does not fill the internal XMabc tables with stock data in the key figure model anymore (just because in many cases stock data are not calculated at all) and the data in those internal tables are required for LIS processing and the INVCON message type.

MM-IM development plans to provide step by step Virtual Data Model (VDM) views as successor for LIS. The first VDM's released with S/4HANA OP1610 and CE1608 will be for stock quantity reporting.

Introduction of new MM-IM data model enables improvements in lock behavior and reduction of processing time and increase of throughput.

Switching the lock strategies

The toggling between early lock and late lock strategy can be done via customizing transaction OMJI. Marking the flag "Exclusive block" means early lock strategy whereas marking "Late exclusive block" means late lock strategy. Toggling of these two lock modes is possible. The setting of "no exclusive lock" for the late lock strategy has to be done by executing program SAPRCKM_NO_EXCLUSIVELY_LOCKING. This change can not be undone. For this setting please refer especially to note 2267835.

The strategy late lock/non-exclusive seems to be a good strategy if - by business means - it is ensured that goods receipt postings are always be processed before goods issue or transfer postings are done.

LIS

LIS settings can be done by executing the customizing transaction OMO9. LIS update processing is only possible for early lock strategy. For late lock strategies LIS has to be deactivated by setting "No updating" for all LIS info structures (in transaction OMO9 do a double click on an info structure; the Parameters dialog box appears and in this dialog mark "No updating"; do that for each info structure). Toggling on/off of LIS is not that easy as for the lock strategies. Toggling LIS from off to on requires the re-generation of the content of the LIS info structures.

Permission of negative stocks

At first the permission has to be granted on plant level. Go to SAP IMG --> Materials Management --> Inventory Management and Physical Inventory --> Plant Parameters. Here you can grant negative stocks on special stock types.

At second the permission has to be granted on storage location level. Go to SAP IMG (or use customizing transaction OMJ1) --> Materials Management --> Inventory Management and Physical Inventory --> Goods Issue / Transfer Postings --> Allow negative stocks. Here you can grant negative stocks for storage locations in a plant assigned to a valuation area.

At third the permission has to be granted for the material itself. Execute material maintenance (e.g. transaction MM02) and enter the tab "Plant data / stor. 2". Mark flag "Neg. stocks in plant"

Customer modifications



Real modification of SAP coding by customers in the area of function group MBWL or the MIGO main program SAPMM07M and its includes using stock aggregate data from the internal tables XMacb must be refactored. Implemented BAdI methods are not affected by this.

11.6 S4TWL - Material Valuation Data Model Simplification in S/4HANA 1610 and Higher

Application Components: MM-IM-GF-VAL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2337383	Material Valuation Data Model Simplification in S/4HANA 1610 and Higher

You are doing an upgrade from SAP S/4HANA 1511 to SAP S/4HANA 1610, on-premise edition. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description

If you upgrade from SAP S/4HANA 1511 to SAP S/4HANA 1610, the Material Ledger (ML) functionalities will be changed for simplification.

The impacts on the inventory valuation tables xBEW(H) - tables: EBEW, EBEWH, MBEW, MBEWH, OBEW, OBEWH, QBEW, QBEWH - are described in the following:

The transactional fields LBKUM, SALK3 and VKSAL will be retrieved from the Universal Journal Entry Line Items table (ACDOCA) with on-the-fly aggregation. And the transactional field SALKV will be retrieved from the Material Ledger table.

For compatibility reasons there are Core Data Service (CDS) Views assigned as proxy objects to all those tables, ensuring that each read access to one of the mentioned tables still returns the data as before. The CDS views consist of database joins in order to retrieve both master data from the original xBEW(H) table and transactional data from Universal Journal Entry Line Items table and Material Ledger table.

Hence all customer coding, reading data from those tables, will work as before because each read access to one of the tables will get redirected in the database interface layer of

NetWeaver to the assigned CDS view. Write accesses to those tables have to be adjusted if transactional fields are affected.

One impact of the simplified MM-IM Inventory Valuation data model does exist if there are customer appends on the mentioned tables. The NetWeaver redirect capability requires that the database table and the assigned proxy view are compatible in the structure with respect to the number of fields and their type. Thus, if there is an append on one of the above mentioned tables, the assigned DDL source of the CDS proxy view must be made compatible.

Another impact of the simplified inventory valuation data model is a performance decrease of database read operations on the above mentioned tables. A data fetch on one of the mentioned tables in S/4HANA is slower than in SAP ERP 6.0 due to JOIN operations and on-the-fly aggregation. Hence performance-critical customer coding may need to be adjusted to improve performance.

1. Customer appends on xBEW(H) tables

In order to identify append issues, you can execute method GET_S4_DEV_SYSTEM_RESULTS of class CL_S4_CHECKS_MM_IM. Please focus only on the results of the xBEW(H)-tables.

If the check identifies appends on xBEW(H) tables, view extensions of the following CDS views need to be created or adapted.

Table with customer appends	DDL sources of CDS-views which needs to be enhanced or replaced
EBEW	- MBV_EBEW
EBEWH	- MBV_EBEWH
MBEW	- MBV_MBEW
MBEWH	- MBV_MBEWH
OBEW	- MBV_OBEW
OBEWH	- MBV_OBEWH
QBEW	- MBV_QBEW
QBEWH	- MBV_QBEWH

Table 1: Affected CDS views which needs to be enhanced or replaced in case of customer appends

If you upgrade from S/4HANA 1511 to S/4HANA 1610, you do not need the view extensions for the views listed in table 2 anymore. These view extensions should be deleted.

Table with customer appends	DDL sources of CDS-views for which view extensions are not
EBEW	<ul style="list-style-type: none"> - MBV_EBEW_EXT - MBV_EBEW_ML_ONLY - MBV_EBEW_BASIS - MBV_EBEW_CASE
EBEWH	<ul style="list-style-type: none"> - MBV_EBEWH_EXT - MBV_EBEWH_ASSOC - MBV_EBEWH_ML_ONLY - MBV_EBEWH_BASIS - MBV_EBEWH_CASE
MBEW	<ul style="list-style-type: none"> - MBV_MBEW_EXT - MBV_MBEW_ML_ONLY - MBV_MBEW_BASIS - MBV_MBEW_CASE - MBV_MBEW_MOTH_SEG
MBEWH	<ul style="list-style-type: none"> - MBV_MBEWH_EXT - MBV_MBEWH_ASSOC - MBV_MBEWH_ML_ONLY - MBV_MBEWH_BASIS - MBV_MBEWH_CASE - MBV_MBEWH_MOTH_SEG

OBEW	<ul style="list-style-type: none"> - MBV_OBEW_EXT - MBV_OBEW_ML_ONLY - MBV_OBEW_BASIS - MBV_OBEW_CASE
OBEWH	<ul style="list-style-type: none"> - MBV_OBEWH_EXT - MBV_OBEWH_ASSOC - MBV_OBEWH_ML_ONLY - MBV_OBEWH_BASIS - MBV_OBEWH_CASE
QBEW	<ul style="list-style-type: none"> - MBV_QBEW_EXT - MBV_QBEW_ML_ONLY - MBV_QBEW_BASIS - MBV_QBEW_CASE
QBEWH	<ul style="list-style-type: none"> - MBV_QBEWH_EXT - MBV_QBEWH_ASSOC - MBV_QBEWH_ML_ONLY - MBV_QBEWH_BASIS - MBV_QBEWH_CASE

Table 2: Affected CDS views for which view extensions are not needed anymore

1.1 Fields containing material master data attributes

If customer appends only contain material master data attributes, the views could be made compatible by extension views. Extension views ensure that fields, defined in the extension view, are appended at the end of the extended view.

An extension view needs to be defined for the CDS-view, listed in table 1, for the corresponding xBEW(H) table.

For more information about view extension see [SAP NetWeaver 7.4 documentation](#)

1.2 Fields representing a customer defined quantity/value to be aggregated

If customer appends contain aggregated fields, the proxy view (same approach as described for material master data attributes) and most probably also the views in the view-hierarchy needs to be replaced by new CDS views in the customer namespace. This view must contain the same fields and types as the corresponding xBEW(H) table. The newly created CDS view must be specified as a new proxy view via transaction SE11 --> Menu --> Extras --> Proxy Object.

In most cases extension views cannot be used, since currently they do not support aggregate expressions.

2. Code adjustments and optimizations

DB read operations on the xBEW(H) tables have a performance decrease, since transactional data is retrieved from the Universal Journal Entry Line Items table and the Material Ledger via database joins and aggregation. Consequently, reading transactional data should be avoided when only master data is required. Therefore it is recommended to adjust the customer coding in the following way:

- If material master data as well as transactional data is required, the SELECT <table> should be replaced by using a data access method from class CL_MBV_SELECT_<table>. These classes provide access methods for single (SINGLE_READ) as well as array (ARRAY_READ) read operations.
- If only material master data is required, the SELECT <table> should be replaced by SELECT on view V_<table>_MD. Alternatively, corresponding material master data read methods (READ_MASTER_DATA) in the class CL_MBV_SELECT_<table> can be used. Also the data type declarations should be adjusted from TYPE <table> to TYPE V_<table>_MD.
- If only transactional fields are required, the SELECT <table> could be replaced by using the data access methods ARRAY_READ_TRANSACTIONAL_DATA and SINGLE_READ_TRANSACTIONAL_DATA from class CL_MBV_SELECT_<table>.

For performance critical coding parts, these adjustments are strongly recommended. For non-critical parts it is optional in the short term but recommended in the long term.

To identify such locations, it is required to make use of the where-used functionality of transaction SE11 and considering other techniques like transaction CODE_SCANNER to find locations which SE11 cannot handle – like dynamic programming or native SQL statements.

If there are issues with the where-used functionality in the customer system, see SAP Note [28022](#). In the where-used dialog it is possible via the button "Search Range" to search for specific key words like SELECT, INSERT and so on.

11.7 S4TWL - Goods movements without exclusive locking by material valuation

Application Components: MM-IM-GF-LOCK

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2338387	Goods movements without exclusive locking by material valuation

Description

One major innovation of SAP S/4HANA in the area of MM-IM is the significant increase of transactional data throughput for high volume transactions, especially goods movements. To enable this from a technical point of view, it is necessary for the application logic to avoid exclusive locking on the application layer.

Currently two different locking methods are available for goods movements:

- The first method locks all affected materials exclusively on their plant level during the entire document processing stage. This method offers the fastest document processing speed, since only a few locks need to be set and all required material data only needs to be read once for the whole process. The drawback of this method is a high lock collision probability for similar parallel postings. Moreover, this effect worsens with document size since every additional item extends the total exclusive locking duration and scope. This method is called Exclusive block in Customizing.
- The second method involves individual locking of material master and valuation data. Reduced exclusive locking times are used to minimize the collision probability between parallel postings. To achieve this, intended stock changes are communicated early in the process via the central enqueue server. All similar postings need to read these numbers from the enqueue server and take them into account along with the data read from the database. The drawback of this method is increased effort resulting in a longer total runtime for each document. This method is called Late block in Customizing.

With SAP S/4HANA, on-premise edition 1511, a new option to increase transactional data throughput for materials with Standard price control was introduced (for anonymous stock only). This option requires deactivation of the statistical moving average price and activation of Late block. With SAP S/4HANA, on-premise edition 1610, this option also includes materials with Moving Average price control and all special stock types. The benefit of this option is that exclusive locking is no longer required for material valuation, which enables parallel material document processing. However, exclusive locking is still required if material master data is created or changed by a goods movement. Material master data is created by a goods movement if split valuation is used and a new batch has to be created, for instance. Changes of material master data concerns especially materials with Moving Average price control. When a goods movement changes the ratio between the stock value (SALK3) and the valued stock quantity (LBKUM), the moving average price must be adjusted accordingly, which ultimately requires an exclusive lock until the V1 update. The quantity/value ratio is mainly changed by goods movements with an external value (for example, from the purchase order). However, if the change originates due to rounding differences only, the moving average price is not adjusted.

SAP for Oil & Gas currently does not benefit from the new option and the recommendation is to use Exclusive block. In addition, exclusive locking is still required, if SAP Note 1704534 (Deactivation of delivery costs for ML update) has been implemented.

Business Process related information

The drawback of the new option described above is that temporary inconsistencies due to rounding differences may occur:

- Valuated stock quantity (LBKUM) = 0 and Stock Value (SALK3) \neq 0
- Valuated stock quantity (LBKUM) > 0 and Stock Value (SALK3) < 0
- Valuated stock quantity (LBKUM) < 0 and Stock Value (SALK3) > 0

In addition, the same inconsistencies can occur for value-only articles with VKSAL instead of LBKUM, if SAP for Retail is used. These inconsistencies are temporary because they are usually corrected by the next goods movement. Otherwise, transaction code MR23 (Adjustment of Inventory Value) is available to correct inconsistent stock values. You can find more information about the Adjustment of Inventory Value transaction in the SAP Help Portal.

Required and Recommended Action(s)

See SAP Note 2267835 for more information about the deactivation of statistical moving average price, which is the prerequisite to increase transactional data throughput as described above.

11.8 S4TWL - CWM in SAP S/4HANA

Application Components: IS-CWM,MM-IM-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2358928	CWM in SAP S/4HANA

CWM is not supported in SAP S/4HANA until S/4HANA On premise 1610 FPS01 even though CWM objects are technically given in S4CORE (QRT_STAG).

If you have activated the Industry Solution IS-CWM and want to upgrade to S/4HANA On premise 1610 FPS01, the following SAP S/4HANA transition worklist item is applicable.

Note, that the following features will not be supported by CWM in SAP S/4HANA:

- The 'old architecture' of Industry Solution IS-CWM that was part until SAP enhancement package 3 for SAP ERP 6.0
- The category of the unit of measure for a material with value 'B' = Parallel Unit of Measure (BUoM is Valuation Unit of Measure)
- Flexible Material Prices (FMP) a small application to furthermore support the price types of the 'old architecture'

In addition to the mentioned features there are some additional changes which might have impact on customer coding related to CWM (see chapter description).

1. No further support of CWM business function /CWM/BF (old CWM Architecture) in SAP S/4HANA

When the CWM-solution is made available in SAP S/4HANA, the old architecture of the industry solution IS-CWM (SAP ERP 6.0) will not be supported on SAP S/4HANA anymore.

The 'new architecture' of IS-CWM was introduced in SAP enhancement package 4 for SAP ERP 6.0. This 'new architecture' is harmonized with the SAP ERP standard and removes the dependencies to components Inventory Accounting (FIN-BAC-INV) and Logistics Inventory Management Engine (LIME). With SAP enhancement package 5 for SAP ERP 6.0, SAP provides migration tools (see note 1450225 - SAP CWM: Data Migration from Old to New Architecture and its attachments).

Please be aware that this migration is a project that requires preparation. SAP strongly recommends to contact the CWM Solution Management before!

Check if the business functions /CWM/BF or /CWM/CM_1 are active in any client. Use the transaction SFW_BROWSER and expand the subtree for Business Function Set /CWM/BFS. If the business function /CWM/BF is active and you intend to move to SAP S/4HANA you have to do a migration to switch to the new architecture of CWM on SAP ERP 6.0.

In case business function /CWM/CM_1 is active you are using the new architecture and no further action is needed.

Â

2. Category of Parallel Unit of Measure

In ECC 6.0 IS-CWM supports two categories of parallel unit of measure (PUoM). These are maintained in the material master, choosing the additional data tab *Unit of measure*. The category of the unit of measure for a material with value 'B' (Parallel Unit of Measure (BUoM is Valuation Unit of Measure)) will NOT be supported in SAP S/4HANA.

CWM does NOT support the unit of measure category 'B' because of the following reasons:

- For CWM it is unnecessary to store quantities in a second unit of measure, such as category 'B', without any depending functionality.
- In SAP S/4HANA the category 'B' is reserved for Extended Warehouse Management (EWM). For EWM the category 'B' will control the usage of a PUoM only for the EWM solution in S4CORE.

You can check whether you use category 'B' with transaction SE16. Enter table 'MARM' and make sure that field /CWM/TY2TQ is on the selection screen. If done select entry 'B' for this field and execute. In case you get the message 'No table entries found for specified key' no further steps are required. If you find any materials please refer to note 2358909 for further information.

3. Flexible Material Prices (FMP)

With the removal of the 'old architecture' all prices of Inventory Accounting (InvAcc) had to be shifted to standard tables. Especially the last prices for material valuation were transferred into table MBEW. But not all prices could be stored in the particular standard tables.

For compatibility reasons FMP solution was developed to cover these self-ruled price types. With S/4HANA the Flexible Material Prices is not supported.

You can check whether you use FMP with transaction SE16. Enter table /FMP/D_MP_PRIC and check if there are entries available. In case there are no entries you can be sure that this module was not used in the past at all. For more information, see note: 2414624.

In case of further questions please contact the CWM Solution Management.

4. BOR, BAPI, IDoc and ALE changes

Business objects (BOR-objects) and its function modules are provided to connect system and solutions. Once released they have to stay stable (only enhanced in a compatible way) and customers can rely on it.

Following the strategy to bring CWM into S4CORE the decision was taken to omit CWM BOR-objects and to enhance the standard objects and its corresponding function modules instead.

Customer have to check if any obsolete CWM object (Type definition or Function Module) is used by own customer coding. If any usage location is found the respective coding has to be revised and adjusted using the standard functionality listed below!

The following CWM BOR-objects are deleted:

Deleted BOR object	Standard substitute	Description
/CWM/BUS06	BUS1001006	Standard material
/CWM/BUS15	BUS2015	Inbound delivery
/CWM/BUS17	BUS2017	Goods Movement
/CWM/BUS28	BUS2028	Material inventory
/CWM/BUS42	BUS2142	REM Backflush
/CWM/BUS70	BUS3070	Handling unit
/CWM/LIKP	LIKP	Outbound Delivery

(Use transaction SWO1 to inspect the Business Objects)

The following list of removed objects should support an investigation of own coding.

Obsolete Object Type	Method	Message Type	Substituting Message Type
/CWM/BUS06	SAVEDATA	/CWM/MATMAS_BAPI	MATMAS_BAPI

/CWM/BUS06	SAVEREPLICA	/CWM/MATMAS_MASS_B API	MATMAS_MASS_ BAPI
/CWM/BUS15	CONFIRMDECENT RAL	/CWM/SHP_IBDLV_CONFI RM_DEC	SHP_IBDLV_CONF IRM_DECENTRAL
/CWM/BUS15	DELIVERYCHANG E	/CWM/SHP_IBDLV_CHAN GE	SHP_IBDLV_CHAN GE
/CWM/BUS15	SAVEREPLICA	/CWM/SHP_IBDLV_SAVE_ REPLICA	SHP_IBDLV_SAVE_ _REPLICA
/CWM/BUS17	CREATEFROMDAT A	/CWM/MBGMCR	MBGMCR
/CWM/LIKP	CONFIRMDECENT RAL	/CWM/SHP_OBDLV_CONF IRM_DEC	SHP_OBDLV_CON FIRM_DECENTRA L
/CWM/LIKP	DELIVERYCHANG E	/CWM/SHP_OBDLV_CHAN GE	SHP_OBDLV_CHA NGE
/CWM/LIKP	SAVEREPLICA	/CWM/SHP_OBDLV_SAVE_ _REPLICA	SHP_OBDLV_SAV E_REPLICA
/CWM/LIKP	SPLITDECENTRAL	/CWM/SHP_OBDLV_SPLIT _DECENTRAL	SHP_OBDLV_SPLI T_DECENTRAL
Obsolete Object Type	Method	IDOC Type	Substituting IDOC Type
/CWM/BUS06	SAVEDATA	/CWM/MATMAS_BAPI01	MATMAS_BAPI04
/CWM/BUS06	SAVEREPLICA	/CWM/MATMAS_MASS_B API01	MATMAS_MASS_ BAPI04
/CWM/BUS15	CONFIRMDECENT RAL	/CWM/SHP_IBDLV_CONFI RM_DEC01	SHP_IBDLV_CONF IRM_DECENTRAL 04
/CWM/BUS15	DELIVERYCHANG E	/CWM/SHP_IBDLV_CHAN GE01	SHP_IBDLV_CHAN GE02
/CWM/BUS15	SAVEREPLICA	/CWM/SHP_IBDLV_SAVE_ REPLICA01	SHP_IBDLV_SAVE_ _REPLICA05
/CWM/BUS17	CREATEFROMDAT A	/CWM/MBGMCR01	MBGMCR04
/CWM/LIKP	CONFIRMDECENT RAL	/CWM/SHP_OBDLV_CONF IRM_DEC01	SHP_OBDLV_CON FIRM_DECENTRA L05
/CWM/LIKP	DELIVERYCHANG E	/CWM/SHP_OBDLV_CHAN GE01	SHP_OBDLV_CHA NGE02
/CWM/LIKP	SAVEREPLICA	/CWM/SHP_OBDLV_SAVE_ _REPLICA01	SHP_OBDLV_SAV E_REPLICA06
/CWM/LIKP	SPLITDECENTRAL	/CWM/SHP_OBDLV_SPLIT _DECENTR01	SHP_OBDLV_SPLI T_DECENTRAL02

Obsolete Object Type	Method	Function module for outbound ALE	Substituting function module
/CWM/BUS06	SAVEDATA	/CWM/ALE_MATERIAL_SAVEDATA	does not exist
/CWM/BUS06	SAVEREPLICA	/CWM/ALE_MATERIAL_SAVEREPLICA	does not exist
/CWM/BUS15	CONFIRMDECENTRAL	/CWM/ALE_INB_DELVRY_CONFIRMDEC	ALE_INB_DELIVERY_CONFIRM_DEC
/CWM/BUS15	DELIVERYCHANGE	/CWM/ALE_INB_DELVRY_CHANGE	ALE_INB_DELIVERY_CHANGE
/CWM/BUS15	SAVEREPLICA	/CWM/ALE_INB_DELVRY_SAVEREPL	ALE_INB_DELIVERY_SAVEREPLICA
/CWM/BUS17	CREATEFROMDATA	/CWM/ALE_GOODSMVT_CREATE	ALE_GOODSMVT_CREATE
/CWM/LIKP	CONFIRMDECENTRAL	/CWM/ALE_OUT_DELVRY_CONFIRMDEC	ALE_OUTB_DELIVERY_CONFIRM_DEC
/CWM/LIKP	DELIVERYCHANGE	/CWM/ALE_OUT_DELVRY_CHANGE	ALE_OUTB_DELIVERY_CHANGE
/CWM/LIKP	SAVEREPLICA	/CWM/ALE_OUT_DELVRY_SAVEREPL	ALE_OUTB_DELIVERY_SAVEREPLICA
/CWM/LIKP	SPLITDECENTRAL	/CWM/ALE_OUT_DELVRY_SPLIT_DEC	ALE_OUTB_DELIVERY_SPLIT_DEC
Obsolete Object Type	Method	Function module for inbound ALE	Substituting function module
/CWM/BUS06	SAVEDATA	/CWM/IDOC_INPUT_MTMAS_BAPI	IDOC_INPUT_MTMAS_BAPI
/CWM/BUS06	SAVEREPLICA	/CWM/IDOC_INPUT_MTMAS_MASS_BA	IDOC_INPUT_MTMAS_MASS_BAPI
/CWM/BUS15	CONFIRMDECENTRAL	/CWM/IDOC_INPUT_SHP_IBDLV_CONF	IDOC_INPUT_SHP_IBDLV_CONFIRM_DEC
/CWM/BUS15	DELIVERYCHANGE	/CWM/IDOC_INPUT_SHP_IBDLV_CHAN	IDOC_INPUT_SHP_IBDLV_CHANGE
/CWM/BUS15	SAVEREPLICA	/CWM/IDOC_INPUT_SHP_IBDLV_SAVE	IDOC_INPUT_SHP_IBDLV_SAVE_REPL
/CWM/BUS17	CREATEFROMDATA	/CWM/IDOC_INPUT_MBMCR	IDOC_INPUT_MBMCR

/CWM/LIKP	CONFIRMDECENTRAL	/CWM/IDOC_INPUT_SHP_OBDLV_CONF	IDOC_INPUT_SHP_OBDLVCONFIRM_DEC
/CWM/LIKP	DELIVERYCHANGE	/CWM/IDOC_INPUT_SHP_OBDLV_CHAN	IDOC_INPUT_SHP_OBDLV_CHANGE
/CWM/LIKP	SAVEREPLICA	/CWM/IDOC_INPUT_SHP_OBDLV_SAVE	IDOC_INPUT_SHP_OBDLV_SAVE_REPL
/CWM/LIKP	SPLITDECENTRAL	/CWM/IDOC_INPUT_SHP_OBDLV_SPLT	IDOC_INPUT_SHP_OBDLV_SPLIT_DEC
Obsolete Object Type	Method	IS-CWM Segment	Substituting segment
/CWM/BUS06	SAVEDATA	/CWM/E1BP_MBEW	does not exist
Â	Â	/CWM/E1BP_MBEWX	does not exist
Â	Â	/CWM/E1BP_MATRETURN2	E1BP_MATRETURN2
Â	Â	/CWM/E1BP_MARM	does not exist
Â	Â	/CWM/E1BP_MARMX	does not exist
/CWM/BUS06	SAVEREPLICA	/CWM/E1BPE1MBEW	does not exist
Â	Â	/CWM/E1BPE1MBEWX	does not exist
Â	Â	/CWM/E1MATMAS_MASS_BAPI	E1MATMAS_MASS_BAPI
Â	Â	/CWM/E1BPE1MARM	does not exist
Â	Â	/CWM/E1BPE1MARMX	does not exist
/CWM/BUS15	CONFIRMDECENTRAL	Â	Â
/CWM/BUS15	DELIVERYCHANGE	/CWM/E1SHP_IBDLV_CHANGE	E1SHP_IBDLV_CHANGE
/CWM/BUS15	SAVEREPLICA	/CWM/E1SHP_IBDLV_SAVE_REPLI	E1SHP_IBDLV_SAVE_REPLICA
/CWM/BUS17	CREATEFROMDATA	Â	Â
/CWM/LIKP	CONFIRMDECENTRAL	/CWM/E1SHP_OBDLV_CONFIRM_DE	E1SHP_OBDLV_CONFIRM_DECENTRAL
/CWM/LIKP	DELIVERYCHANGE	/CWM/E1SHP_OBDLV_CHANGE	E1SHP_OBDLV_CHANGE
/CWM/LIKP	SAVEREPLICA	/CWM/E1SHP_OBDLV_SAVE_REPLI	E1SHP_OBDLV_SAVE_REPLICA
/CWM/LIKP	SPLITDECENTRAL	/CWM/E1SHP_OBDLV_SPLIT_DECE	E1SHP_OBDLV_SPLIT_DECENTRAL

(Use transaction BDBG to inspect Message types, IDoc types, Segments and Function Modules for ALE.)

5. Screen Sequences CW and CE for Material Master

Screen sequences 'CW' and 'CE' for Material Master are not delivered as part of CWM in S/4HANA. Although existing sequences can be migrated to S/4HANA they are no longer supported by SAP and should be replaced by standard sequences.

In IS-CWM special Screen sequences were delivered to integrate required CW information in the material master:

- CW (Catch Weight Management)
- CE (CWM with EWM Views)

These Screen Sequences CW and CE are not necessary in S/4HANA because the CW related information is integrated in the standard screen sequence '21'.

In the unlikely case that a customer had defined additional screens these customer entries have to be integrated in the used standard '21'.

Please use transaction OMT3B to review the definitions.

Please use transaction OMT3E to review the Screen sequence control.

Please use transaction OMT3U to review *Organizational levels*.

6. Removal of attributes within CWM

There are some table attributes which are (or will be) no longer supported in a CWM activated solution.

If one of the objects in the following list is used within customer coding, it has to be adjusted to ensure a correct system behavior.

- Tolerance Group: use field *CWQTOLGR* of table MARA instead of '**CWM/TOLGR**'
CWM and EWM use the same tolerance group values. Different semantic tolerance checks for CWM and EWM have to be harmonized.
- Category/Type of a Unit of Measure: use field *TY2TQ* of table MARM instead of '**CWM/TY2TQ**'
- In IS-CWM, **KZWSM** of table MARA and **KZWSO** of table MARM was set to *B* for all CW materials. In S/4HANA this flag will not be set by CWM. For CW material, its content will be set according to the settings of Active Ingredient Management in the same way as for standard materials.

7. Removal of BAdI-Definitions

The following listed Business Add-In (BAdI) are no longer available in S/4HANA. Any related customer implementation is obsolete and can also be removed.

- /CWM/TOLERANCE_GROUP (Tolerance Group)
- /CWM/DEFAULT_STOCK_O (Conversion of the BUoM or the PUoM to an alternative UoM)
- /CWM/DEFAULT_MIGO (Allows the entry quantity, the parallel entry quantity and the entry units of measure to be proposed for catch weight materials in transaction MIGO)

12 Logistics – PLM

12.1 S4TWL - Engineering Desktop (EDesk)

Application Components: PLM-WUI-APP-EDK

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267868	Engineering Desktop (E-Desktop)

Description

With SAP S/4HANA, on-premise edition 1511 the EDesk functionality within SAP Product Lifecycle Management (SAP PLM) application is not available. As successor functionality for CAD integration requirements, customers can use SAP Engineering Control Center for SAP S/4HANA, on-premise edition.

For more information see SAP Note: 2234028

Business Process related information

Customers will not be able to store CAD files directly in SAP DMS. Downstream processes like Visual Enterprise Function will be restricted. Customer might use alternative solution SAP Engineering Center, planned for further S/4HANA release.

Process for CAD-Data Management (derive BOM, store drawings, generation/consumption of viewable) cannot be implemented.

Transaction not available in SAP S/4HANA on-premise edition 1511	EDESK_CUS, EDESK_IPPE
--	-----------------------

Required and Recommended Action(s)

Customers can move to SAP Engineering Control Center for SAP S/4HANA.

Custom Code related information

EDESK is not a "reuse" component. EDESK is rather an application with hooked in BAdis and custom code. If the CDESK-Application is not available, no BAdis are executed and therefore custom code is not executed.

12.2 S4TWL - DMS - STEP Support

Application Components: LO-PDM-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267870	DMS - STEP Support

Description

With SAP S/4HANA, on-premise edition 1511 the STEP support within SAP Product Lifecycle Management (SAP PLM) is not available. Standard for exchanging Product Model data is not available in SAP S/4HANA, on-premise edition 1511.

Business Process related information

STEP is used for export Product Model data in format like XML. But this is not used by many customers due to changing standard for exchanging the data.

No influence on business process expected and Product Model data can still be extracted using various custom methods.

Transaction not available in SAP S/4HANA on-premise edition 1511	STEP10, STEP20
--	----------------

Required and Recommended Action(s)

Check if there is any scenario which is using STEP and use alternative methods to exchange the data.

Related SAP Notes

Custom Code related information	SAP Note: 2216258
---------------------------------	-------------------

12.3 S4TWL - DMS Documents@WEB

Application Components: CA-DMS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267871	DMS Documents@WEB

Description

With SAP S/4HANA, on-premise edition 1511 [Documents@web](#) is not available.

Documents @ Web transactions like CVW* are not available in SAP S/4HANA, on-premise edition 1511. This is obsolete now and PLM WUI can be used for the same

Business Process related information

Use PLM WUI.

Transaction not available in SAP S/4HANA on-premise edition 1511	CVW*
--	------

Required and Recommended Action(s)

Check if Web Document is used anywhere. Use PLM WUI or FIORI tiles for CV transactions.

Related SAP Notes

Custom Code related information	SAP Note: 2217857
---------------------------------	-------------------

12.4 S4TWL - Variant Configuration

Application Components: LO-VC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267873	Variant Configuration

Description

The following functionality is disabled in SAP S/4HANA, On Premise 1511:

- Object dependencies of type **actions** have been documented as obsolete. Creation of object dependencies of type actions isn't possible anymore (e.g. transaction CU01). Configuration models containing actions are still supported and behave like before, but new actions can't be created.
- It's not possible to maintain "**Classification as Selection Condition**" in Material BOM items anymore (e.g. transactions CS01, CS02). If in Material BOM items classes as selection condition are already maintained, the BOM explosion will work as before. But it's not allowed to use "Classification as Selection Condition" for BOM items, where it wasn't used before.
- Transactions have been removed (see list below)

Business Process related information

- Object dependencies of type procedures should be used instead of type **actions**. It's recommended to substitute existing actions by procedures in the configuration models.
- Class nodes should be used in Material BOM items instead of "**Classification as selection condition**". It's recommended to make this substitution also in existing material BOMs.

Transaction not available in SAP S/4HANA on-premise edition 1511	CU51E -> Included in CU51 CU52 -> Included in CU51 CU52E -> Included in CU51 CU55 -> Obsolete CU80 -> Use PMEVC instead CUMODEL -> Use PMEVC instead
--	---

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	SAP Notes: 2210904 , 2214906
---------------------------------	------------------------------

12.5 S4TWL - Classification

Application Components: CA-CL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267878	Classification

Description

With SAP S/4HANA, on-premise edition 1511 transactions of the Classification are renovated so that transactions may have changed functionality or may be completely removed within SAP Product Lifecycle Management (SAP PLM).

- User Defined Data Type (031) for characteristics has been removed.
- Rename Characteristic functionality has been disabled.
- Parameter Effectivity has been hidden.
- Due to security reasons batch import has been limited and batch import is possible only from presentation server.

Business Process related information

Parameter Effectivity has been hidden for classification in the SAP S/4HANA, on-premise edition 1511 shipment. As an alternative solution, Variant Configuration shall be used with object based dependencies.

Transaction not available in SAP S/4HANA on- premise edition 1511	CL20	Assign Object to Classes
	CL22	Allocate Class to Classes
	CL24	Assign Objects to One Class
	CL6E	Copy DIN Standard
	CL6F	Copy DIN Characteristic Data
	CL6G	Create Material w. DIN Char. Data
	CL6R	Direct Input for Classes
	CLB1	Batch Input for Classification
	CLB2	Direct Input for Classification
	CLB3	Display Classification File
	GENC	Generate Source Code
	O005	C CL Characteristic Default Settings
	O021	Class Data Transfer
	O023	Display Class Maintenance Data File
	O024	Transfer Class Data: Direct Input
	S_ABA_72000139	
	S_ABA_72000140	
	S_ALR_87003718	IMG Activity: SIMG_CFMENUO00001CL
	S_ALR_87003725	IMG Activity: SIMG_CFMENUO0000008
	S_ALR_87003732	IMG Activity: SIMG_CFMENUO0000016

S_ALR_87003741	IMG Activity: SIMG_CFMENUO000O002
S_ALR_87003752	IMG Activity: SIMG_CFMENUO000SMOD
S_ALR_87003765	IMG Activity: SIMG_CFMENUO000MERK
S_ALR_87003777	IMG Activity: SIMG_CFMENUO000KLAS
S_ALR_87003789	IMG Activity: SIMG_CFMENUO0002239
S_ALR_87003802	IMG Activity: SIMG_CFMENUO000O12A
S_ALR_87003812	IMG Activity: SIMG_CFMENUO000O003
S_ALR_87003831	IMG Activity: SIMG_CFMENUO000O005
S_ALR_87003842	IMG Activity: SIMG_CFMENUO000O004
S_ALR_87003852	IMG Activity: SIMG_CFMENUO000O017
S_ALR_87003863	IMG Activity: SIMG_CFMENUO000O006
S_ALR_87009587	
S_AX6_42000002	IMG Activity: BWCLBW_CTBW
S_S6B_86000002	IMG Activity: CTWUL_LOCDEP
S_S6B_86000003	IMG Activity: CTWUL_LOCDEP

S_S6B_86000004	
S_S6B_86000005	
S_S6B_86000006	
CLNA	Namespace f. Classes/Characteristics
CT01	Create Characteristic
CT02	Change Characteristic
CT03	Display Characteristic
CT05	Create Characteristic
CT06	Display Characteristic
CT11	Use CT12 instead
CT21	Batch Input for Characteristics
CT22	Maint. Seq. File for Characteristics
CT23	Display Chars for Change Number
CT24	Display Change Numbers Used
CT25	Where-Used List of Chars in Deps
CTCP	Copy C tables for characteristics
S_ABA_72000141	
CL2A	Classification Status
CL6B	Object List
CL6D	Classes Without Superior Class
CL6M	Delete Class (with Assignments)
CL6O	Plus-Minus Object Display

CL2B	Class Types
CL6A	Class List
CL6Q	Where-Used List for Classes
CL6T	Copy Text for Classes
CLCP	Copy Classification C Tables
S_ALR_87009588	.
S_ALR_87011758	.
CL21	Display Object in Classes
CL23	Display Class for Classes
CL25	Display Objects in Class
CL26	Mass Release of Assignments
CL30	Find Objects in Classes

Required and Recommended Action(s)

No special actions required. In case hidden functionality is needed, it can be reactivated by following the steps in SAP Note **2213569**.

Related SAP Notes

Custom Code related information	SAP Note: 2213569
---------------------------------	-------------------

12.6 S4TWL - IPPE-BOM Converter

Application Components: PLM-PPM-PDN

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267879	IPPE-BOM Converter

Description

With SAP S/4HANA, on-premise edition 1511 the IPPE-BOM Converter within SAP Product Lifecycle Management (SAP PLM) is not available. Customers using this functionality might consider using Product Structure Management and Product Structure Synchronization instead of iPPE and BOM Converter. Please observe that iPPE and PSM are two separate applications and a migration might be necessary.

Business Process related information

iPPE CMP structures cannot be converted to classic BOMs anymore.

Transfer of iPPE to BOM

Transaction not available in SAP S/4HANA on-premise edition 1511	PPECS
--	-------

Required and Recommended Action(s)

Customers using this functionality should evaluate if Product Structure Management and Product Structure Synchronization fit their needs.

Related SAP Notes

Custom Code related information	SAP Note: 2226275
---------------------------------	-------------------

12.7 S4TWL - BOM, Routing, Production Version

Application Components: LO-MD-BOM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267880	BOM, Routing, Production Version

Description

With SAP S/4HANA, on-premise edition 1511, the functional relation between Bill of Material (BOM), Routing and Production Version has changed.

The Customizing for date validity is no longer considered for BOM explosion. Instead, only BOMs with valid production version are considered during BOM explosion.

Therefore, it is now mandatory for Manufacturing BOMs to maintain the product version for correct BOM explosion. For all BOMs in the system, it is recommended to maintain product versions using the report *Product Version Migration for BOM* (transaction code CS_BOM_PRODVER_MIGRATION).

Maintaining product version enables to combine the BOM and Routing entities which helps in streamlining the release/ revision process in future.

The customizing that determines the items valid for BOM explosion now has the default value 2 (Version with latest valid-from date). This customizing is available in *Define Modification Parameters* under *Production -> Basic Data -> Bill of Material -> Control Data for Bills of Material*.

Business Process related information

BOM Explosion for Manufacturing BOM will depend on Production Versions only.

Manufacturing BOM determination can only happen via production version.

Required and Recommended Action(s)

An interactive migration report has been provided to create new production versions based on existing BOM data.

Run Report CS_BOM_PRODVER_MIGRATION to create Production Versions.

Related SAP Notes

Custom Code related information	SAP Notes: 2215061, 2215123
---------------------------------	-----------------------------

12.8 S4TWL - SAP PLM Recipe Development

Application Components: PLM-WUI-RCP-SPE,PLM-WUI-RCP-LBL,PLM-WUI-RCP-RCP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267893	SAP PLM Recipe Development

Fast Entry screen and Compliance with Expert server not supported on S/4 HANA

Description

With SAP S/4HANA, on-premise edition 1511 following functional changes were done:

- 1) Maintenance a specification using the Fast Entry Screen is not available. A successor is planned.
- 2) The compliance check functionality will the ABAP based implementation and will not support and will not need the EH&S Expert Server

Business Process related information

Fast Entry Screen: This tool cannot be used however there's a successor product planned.

Compliance check without expert server: A successor product is also planned, currently functionality is limited to use without expert server, which means a narrower functionality. No influence on Business Processes expected. Users shall use the already available maintenance for the specification.

Related SAP Notes

Custom Code related information	SAP Note: 2212999
---------------------------------	-------------------

How to Determine Relevancy

- Compliance Check with the Expert Server is used if entries exist in DB Table EHSBC_RC_PARA (check with SE16)

12.9 S4TWL - Engineering Change Management ECR/ECO

Application Components: PLM-WUI-OBJ-ECN,LO-ECH,CA-GTF-ECM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267918	Engineering Change Management ECR/ECO

Description

With SAP S/4HANA the current the Engineering Change Record / Engineering Change Order functionality within SAP Product Lifecycle Management (SAP PLM) is not available anymore. It is recommended for new customers to use Engineering Record instead for tracking, approving and facilitating (change management) purposes.

Business Process related information

Managing (tracking, approving and facilitating) changes will still be possible. The Engineering Record (only available on Web UI) shall be used for this.

The change number will serve to identify the explicit changes and the Engineering Record is to be used to manage the whole process. The approval process, the objects to be changed will all be part of the Engineering Record, while the change number will solely be used to facilitate the changes after approval has been given.

Transaction not available in SAP S/4HANA on-premise edition 1511	CC31 - Create Change Request CC32 - Change Change Request CC33 - Display Change Request CC62 - Conversion of change packages OS72 - ECH: Workflow for ECR/ECO OS73 - ECH: Workflow for Object Mgmt Record
--	--

Required and Recommended Action(s)

Existing and running Change Requests and Change Orders should be finished before system upgrade is facilitated as working with these type of object will not be possible in S/4HANA. Additional settings will be required in the system for the Customer to use the Engineering Record. Set up Engineering Record (ER Types, status network, BRF+) and Process Route (Activities, services, process route templates, BRF+) for tracking, approving and facilitating business object related changes.

How to Determine Relevancy

- The Engineering Change Request / Engineering Change Order functionality is used if entries exist in DB Table AENR where the CCART field is filled (check with SE16)
- Use ST03N (on the production system, if possible) to check transaction profile of the complete last month, whether the following transactions have been used: CC31, CC32, CC33, CC62, OS72, OS73

12.10 S4TWL - Enterprise Search in SAP Product Lifecycle Management (SAP PLM)

Application Components: PLM-WUI-APP-SEA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267836	Enterprise Search in SAP Product Lifecycle Management (SAP PLM)

Description

With SAP S/4HANA, on-premise edition 1511 the Enterprise Search models are now replication free search models (using HANA DB tables instead) within SAP Product Lifecycle Management (SAP PLM).

Business Process related information

With the new solution the following searches are not available in SAP S/4HANA:

- Document search with linked documents
- Document search with attached document content
- Synchronization BOM to BOM search with assigned MBOMs
- Synchronization PSM to BOM search with source PSM Structure and target MBOMs
- MBOM, Recipe and PSM search with assigned classification data
- MBOM, Recipe and PSM search with assigned document data
- Specification and PSM search with status data
- Label search with recipe data origin
- Recipe search with formula item quantity
- Search for any object with IDs without leading zeroes

Required and Recommended Action(s)

Customizing and Custom Code related information	SAP Note: 2217234
---	-------------------

How to Determine Relevancy

1. Navigate to the PLM Search customizing: Product Lifecycle Management (PLM) -> PLM Web User Interface -> PLM Web Applications -> PLM Search -> Define Settings for PLM Search

2. Check if any of the following columns contains entries referring to a custom search model or a class that resides in the customer namespace:
 1. Object Type of Service
 2. Result Class Name
 3. Key Conv. Class Name
 4. Configuration ID

12.11 S4TWL - Engineering Change Management Change Sequence Graph

Application Components: LO-ECH

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267920	Engineering Change Management Change Sequence Graph

Description

With SAP S/4HANA the current Change Sequence Graph functionality within SAP Product Lifecycle Management (SAP PLM) is not available anymore.

Business Process related information

No influence on business processes expected.

Transaction not available in SAP S/4HANA on-premise edition 1511	CCSEQ_CSGUPD - Update Change Sequence Graph CCSEQ_CUST - Activate Change Sequence Graph CCSEQ_CYCLE - Display Cycles
--	--

Required and Recommended Action(s)

None

How to Determine Relevancy

- Change Sequence Graph is used if entries exist in DB Tables ENODE or EDGE (check with SE16)

12.12 S4TWL - Engineering Workbench

Application Components: LO-EWB

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267943	Engineering Workbench

Description

With SAP S/4HANA, on-premise edition 1511 the Engineering Workbench is not the target architecture and will not receive any further updates (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available).

Business Process related information

Customers using Engineering Workbench today will be required to use alternative UIs, e.g. in Fiori, Web UI or GUI to maintain BOMs and Routings.

Transaction not available in SAP S/4HANA on-premise edition 1511	CEWB (affected but not removed)
--	---------------------------------

Required and Recommended Action(s)

Please use another transaction in WUI in place of Engineering Workbench.

12.13 S4TWL - Collaborative Engineering

Application Components: LO-CEP,LO-CEP-CTL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268017	Collaborative Engineering

Description

With SAP S/4HANA, on-premise edition 1511 the Collaborative Engineering is not available. SAP recommends to evaluate SAP Mobile Documents as a substitute for selected collaboration scenarios.

Business Process related information

The Collaborative Engineering Functionality is not available and current alternative solutions like e.g. Mobile Documents should be evaluated as alternatives.

Transaction not available in SAP S/4HANA on-premise edition 1511	CE01 CE02 CE03 CEP_R3_MON
--	------------------------------------

Required and Recommended Action(s)

Evaluate Mobile Document as alternative for collaboration.

Related SAP Notes

Custom Code related information	SAP Note: 2226803
---------------------------------	-------------------

12.14 S4TWL - iPPE Time Analysis

Application Components: AP-PPE-ACT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268018	iPPE Time Analysis

Description

In SAP S/4HANA, the integration of time analysis tools into the *iPPE Workbench* is not available. This integration was previously available via the customizing transaction *OPPE07*. This transaction will be removed.

Business Process related information



Transaction not available in SAP S/4HANA on-premise edition 1511	OPPE07
--	--------

Required and Recommended Action(s)

If the integration of a time analysis tool into the iPPE workbench was done via transaction OPPE07, this integration has to be done by customer own implementation now.

Related SAP Notes

Custom Code related information	Transaction OPPE07 is not available any longer
---------------------------------	--

12.15 S4TWL - Integration to SAP Portfolio and Project Management

Application Components: PPM-PFM,PPM-FIO,PPM-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268020	Integration to SAP Portfolio and Project Management

Description

SAP Portfolio and Project Management is integrated with ERP in various ways. SAP plans to simplify and improve this integration in the way to ease configuration and leverage HANA capabilities (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

The integration topics are:

- Integration of Portfolio Management with ERP Project System, ERP Plant Maintenance, ERP Financials etc.
- Object Links between SAP Portfolio and Project Management objects and ERP objects (various)
- Integration of Project Management with ERP Financials via the Generic Cost Collector/Accounting Object Manager
- Integration of Project Management with PLM Document Management

- CATS Integration for time recording

For the time being, customers can continue using the integration as it is offered today.

Screen enhancements were done (not necessary complete) in:

- Internal Order displaying data from project in PPM
- Value help for internal orders to search for orders created by PPM
- Project System projects displaying data from project in PPM
- CATS displaying project and task from PPM

Configuration in customizing tree (see attachments)

Controlling cockpit for "Collaboration Projects" (see attachments)

(Only the first transaction "Cockpit for Controlling Integration (cProjects)" is affected, the others are standard CO transactions.)

Business Process related information

No influence on business processes expected

Required and Recommended Action(s)

None

12.16 S4TWL - Routing Component Assignment

Application Components: PLM-WUI-APP-RTG

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268041	Routing Component Assignment

Description

With SAP S/4HANA, on-premise edition 1511 the current Routing Component Assignment (RCA) in Guided Structure Synchronization is not available. As Visual Enterprise Manufacturing Planner would be the successor for RCA.

Business Process related information

Following features shall be accomplished using VEMP

- Creation of MBOM from EBOM via Routing
- Component Allocation from MBOM to Routing

Required and Recommended Action(s)

Switch Component Allocation Process from RCA to VEMP or Routing UI

Related SAP Notes

Custom Code related information	SAP Note: 2216303
---------------------------------	-------------------

12.17 S4TWL - Release Management Framework

Application Components: PLM-PPM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268042	Release Management Framework

Description

With SAP S/4HANA, on-premise edition 1511 the current Release Management Framework functionality within SAP Product Lifecycle Management (SAP PLM) is not available anymore. It is recommended for new customers to have a look at the Engineering Record and check if the functionality there covers your requirements.

Business Process related information

Managing Releases with the Release Management Framework will not be possible any longer.

Transaction not available in SAP S/4HANA on-premise edition 1511	RLMFW_CUST, RLMFW_NUM, RLMFW_OOCU
--	-----------------------------------

Required and Recommended Action(s)

Required and Recommended Action(s)

It is recommended for new customers to have a look at the Engineering Record and check if the functionality there covers your requirements.

Related SAP Notes

Custom Code related information	SAP Note: 2226357
---------------------------------	-------------------

12.18 S4TWL - Engineering Record

Application Components: PLM-WUI-OBJ-ECR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268043	Engineering Record

Description

The PLM Web UI Engineering Record (ER) will be renovated. Customers can still continue to use the existing functionalities of Engineering Record (ER) within SAP S/4HANA, on-premise edition 1511. Moreover, the renovated Engineering Record (ER) will be available in the future.

Business Process related information

Customers can still continue to use the existing functionalities of Engineering Record (ER) within SAP S/4HANA, on-premise edition 1511. The renovated Engineering Record (ER) will be available in the future.

12.19 S4TWL - PLM Labeling Usage

Application Components: PLM-WUI-RCP, PLM-WUI-RCP-LBL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2387911	PLM Labeling Usage

SAP PLM Recipe Development Labeling Usage hiding

SAP PLM Recipe Development Usage hiding

12.20 S4TWL - Engineering Record with LAMA

Application Components: PLM-WUI-OBJ-ECR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2401762	Engineering Record with LAMA

12.21 S4TWL - Assemblies

Application Components: PLM-WUI-OBJ-PSM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267840	Assemblies

Description

In SAP S/4HANA, the functions related to *Assemblies* in product structure management within *SAP Product Lifecycle Management (SAP PLM)* are not available.

Business Process related information

Product Assembly is not available in SAP S/4HANA, on-premise edition 1511. If customers would like to activate it, they need to follow the steps described in SAP note: 2217112. General PFCG related authorizations can apply.

Following functionalities are no longer available:

- Creation of Product Assemblies
- Changing Product Assemblies
- The navigation to the Product Assembly Web UI
- Support of Product Assemblies in the Engineering Record
- Display of Product Assemblies in the Object Navigator
- Usage of Product Assembly Groups as Phantom Assemblies in the Product Structure Management Web UI

Required and Recommended Action(s)

Customers moving from SAP Business Suite to SAP S/4HANA, on-premise edition 1511 can use the report /PLMI/ER_ASM_DELETION to remove Product Assembly related entries from the Engineering Record and Object Navigator customizing.

Related SAP Notes

Custom Code related information	SAP Note: 2217112
---------------------------------	-------------------

12.22 S4TWL - Product Designer Workbench

Application Components: LO-MD-PPW

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267841	Product Designer Workbench

Description

In SAP S/4HANA, the functions related to the *Product Designer Workbench*, previously accessible via transaction *PDN*, have been removed from *SAP Product Lifecycle Management* (SAP PLM). It is recommended that customers use the product structure management functions provided in SAP PLM for any related business requirements.

Business Process related information

Following objects are not available in SAP S/4HANA

- iPPE-objects not type of CMP-application of the product structure
 - Colour nodes (type COL)
 - Generic nodes (type GEN)
 - Focus nodes (type FOC)

- Concept nodes (type CON)
 - Non-configurable part of the product structure, e.g. variant assembly
 - Alternatives of the product structure

Following functionalities are not available

- Priority definition for nodes
- Variant differentiation

Transaction not available in SAP S/4HANA on-premise edition 1511	PDN
--	-----

Required and Recommended Action(s)

Customers shall move to Product Structure for SAP S/4HANA, on-premise edition 1511.

Related SAP Notes

Custom Code related information	SAP Note: 2226431
---------------------------------	-------------------

12.23 S4TWL - Access Control Management (ACM)

Application Components: PLM-WUI-APP-ACC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267842	Access Control Management (ACM)

Description

The PLM specific Access Control Management will be deactivated in the SAP S/4HANA shipment and is planned to be replaced by a generic authorization concept for SAP S/4HANA. Access Control related UI fields are removed from the PLM objects' Web screens. Authorization restriction is not in place so these fields won't be considered and system won't restrict authorizations.

Customers requiring that functionally before the successor is in place should contact SAP for additional information. Also please check the related SAP Note: 2212593

Business Process related information

Hiding the ACM for SAP S/4HANA means that no PLM object specific authorization is in place by default. If customers would like to activate it, they need to follow the steps described in SAP note: 2212593. General PFCG related authorizations can be used.

PLM Object specific authorizations not available by default.

Required and Recommended Action(s)

none

Related SAP Notes

Custom Code related information	SAP Note 2212593
---------------------------------	------------------

How to Determine Relevancy

This Simplification Item is relevant if:

- ACM objects are linked to Business Objects, thus entries exist in DB Table /PLMB/AUTH_OBSID (check with SE16)
- ACM is used if entries exist in DB Table HRP7600 where Otype=CC, as these entries contain ACM type objects (check with SE16)

12.24 S4TWL - cFolders

Application Components: PLM-CFO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267845	cFolders

Description

With SAP S/4HANA, on-premise edition 1511 the current cFolder interfaces is not available. SAP recommends to evaluate SAP Mobile Documents as a substitute for selected collaboration scenarios.

No screen enhancements are known.

Business Process related information

It is no longer possible to exchange data (Documents, Materials, Bill of Materials, iPPE Objects) between PLM and cFolders.

Transaction not available in SAP S/4HANA on-premise edition 1511	CFI01 Importing Documents CFE01 Exporting Documents CFI02 Importing Documents, Materials and Bills of Material CFE02 Exporting Documents, Materials and Bills of Material CFI03 Importing Documents, Materials, Bills of Material and iPPE Objects CFE03 Exporting Documents, Materials, Bills of Material and iPPE Objects CFC01 Customizing for cFolders backend integration CFC02 Customizing for cFolders backend integration, BOMs
--	--

Required and Recommended Action(s)

Customers have to establish data exchange processes with partners using other techniques like SAP Jam or SAP Mobile Documents.

Related SAP Notes

Custom Code related information	SAP Note: 2224778
---------------------------------	-------------------

12.25 S4TWL - cDesk

Application Components: CA-CAD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267850	CDESK

Description

The CAD Integration in SAP PLM (cDesk) is not available in SAP S/4HANA. As an alternative customers can use SAP Engineering Control Center for SAP S/4HANA.

For more information see SAP Note: 2234028

Business Process related information

Customers will not be able to store CAD files directly in SAP DMS. Downstream processes like Visual Enterprise Function will be restricted.

Customers might use alternative solution SAP Engineering Control Center.

Process for CAD-Data Management (derive BOM, store drawings, generation/consumption of viewable) cannot be implemented.

in SAP S/4HANA on-premise edition 1511	CDESK, CDESK_CUS, CDESK_DEL_DBTRACE, CDESK_READ_DBTRACE, CDESK_SAVE_DBTRACE
--	---

Required and Recommended Action(s)

Customers can move to SAP Engineering Control Center for SAP S/4HANA.

12.26 S4TWL - Recipe Management

Application Components: PLM-RM-REC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267863	Recipe Management

Description

SAP PLM Recipe Management (RM) is not available in SAP S/4HANA. This also affects PLM RM sub-functions such as Labelling, Trial Management and Handover to Manufacturing. The appropriate business requirements are covered within successor functionality SAP S/4HANA PLM Recipe Development (excluding Trial Management.)

The takeover of recipes from SAP Business Suite into SAP S/4HANA is supported, so the recipes are available and can be displayed after the system conversion to SAP S/4HANA. To use and further develop them, they need to be migrated via the migration function integrated into recipes in SAP S/4HANA PLM Recipe Development.

Business Process related information

Functions related to PLM Recipe Development (RM), such as the Recipe Workbench, Recipe, Labelling and Trial Management, are not available within SAP S/4HANA. The functional equivalent is SAP PLM Recipe Development (RD).



The customer needs to implement development processes based on SAP PLM Recipe Development which will change the user interaction with the software and might include minor process changes. It also allows users to leverage new capabilities of PLM Recipe Development to increase the software based support for the product developer.

Transaction not available in SAP S/4HANA on-premise edition 1511	<table border="0"> <tr><td>RMWB</td><td>Start Workbench</td></tr> <tr><td>BD_GEN_GRCP</td><td>General Recipe Distribution</td></tr> <tr><td>BD_GEN_SRCF</td><td>Replicate Site Recipe</td></tr> <tr><td>FRML02</td><td>Edit Recipe Formula</td></tr> <tr><td>FRML03</td><td>Display Recipe Formula</td></tr> <tr><td>FRML04</td><td>Formula Information System</td></tr> <tr><td>MRTRS_START</td><td>Start MR Transformation</td></tr> <tr><td>MRTRSC01</td><td>RFC Destination of GR</td></tr> <tr><td>MRTRSC02</td><td>Master Recipe Generation</td></tr> <tr><td>RMSL02</td><td>Change Label Set</td></tr> <tr><td>RMSL03</td><td>Display Label Set</td></tr> <tr><td>RMSTAT</td><td>Mass Status Change</td></tr> </table>	RMWB	Start Workbench	BD_GEN_GRCP	General Recipe Distribution	BD_GEN_SRCF	Replicate Site Recipe	FRML02	Edit Recipe Formula	FRML03	Display Recipe Formula	FRML04	Formula Information System	MRTRS_START	Start MR Transformation	MRTRSC01	RFC Destination of GR	MRTRSC02	Master Recipe Generation	RMSL02	Change Label Set	RMSL03	Display Label Set	RMSTAT	Mass Status Change
RMWB	Start Workbench																								
BD_GEN_GRCP	General Recipe Distribution																								
BD_GEN_SRCF	Replicate Site Recipe																								
FRML02	Edit Recipe Formula																								
FRML03	Display Recipe Formula																								
FRML04	Formula Information System																								
MRTRS_START	Start MR Transformation																								
MRTRSC01	RFC Destination of GR																								
MRTRSC02	Master Recipe Generation																								
RMSL02	Change Label Set																								
RMSL03	Display Label Set																								
RMSTAT	Mass Status Change																								
Customizing Transaction not available in SAP S/4HANA on-premise edition 1511	ORCP*, RCP*, RMS*, RMX*																								

Required and Recommended Action(s)

Projects need to migrate their processes from PLM Recipe Management functional capabilities to PLM Recipe Development functional capabilities.

Data Migration from RM recipes to RD recipes is an integrated part of the tool and can be executed after the system conversion SAP S/4HANA. For the detailed steps, follow the guides for the migration from PLM RM to PLM RD.

The specification object is not impacted by the switch over to PLM RD.

Related SAP Notes

Conversion Pre-Checks	<ul style="list-style-type: none"> • Does the customer use TRIAL MANAGEMENT • Check which recipes, formulas and label objects need to be migrated • Migration transactions - executable before or after system conversion <ul style="list-style-type: none"> ○ /PLMI/RCP_MIGRATION Recipe Migration ○ /PLMI/RMSL_MIGRATION Migration of Label Sets
-----------------------	--

Custom Code related information	SAP Note: 2222345
---------------------------------	-------------------

How to Determine Relevancy

- The PLM Recipe Management is used if entries exist in DB Table RMSAT_HDR or RMXTT_TRIAL_HD (check with SE16)
- Use ST03N (on the production system, if possible) to check transaction profile of the complete last month, whether the following transactions have been used: RMWB, FRML02, FRML03, FRML04, RMSL02, RMSL03

12.27 S4TWL - Engineering Client Viewer (ECL)

Application Components: CA-DMS-EAI

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267864	Engineering Client Viewer (ECL)

Description

With SAP S/4HANA, on-premise edition 1511 the ECL-Viewer Functionality within SAP Product Lifecycle Management (SAP PLM) will no longer be available. Parts of the functionality and use cases can be covered by SAP Visual Enterprise Viewer.

Business Process related information

2D and 3D viewing in GUI transactions with ECL viewer will not be available any longer

You may consider Visual Enterprise Viewer as an alternative in some transactions like e.g. Document Management and for some of the file formats for other file formats you may think about using the frontend application instead where appropriate

Influence on Business Processes

None - technology simplification

Required and Recommended Action(s)

In case Visual Enterprise Viewer shall be used, check the appropriate customizing.

Related SAP Notes

Custom Code related information	No influence expected since no open interfaces are available and the usage is stopped before launching itself. BAPI 'EASYDMS_ECL_OPEN_DOCUMENT' will issue an error if it is called remotely in custom code.
---------------------------------	--

12.28 S4TWL - Easy Document Management (Easy DMS)

Application Components: CA-DMS-EUI,CA-DMS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267866	Easy Document Management (Easy DMS)

Description

With SAP S/4HANA, on-premise edition 1511 the Easy DMS Functionality within SAP Product Lifecycle Management (SAP PLM) will no longer be available. As an alternative, customers using easy DMS may consider the PLM DMS integration into SAP Mobile Documents.

Business Process related information

Use DMS integration with Mobile document

Business processes can be achieved by using DMS and Mobile Document integration.

Transaction not available in SAP S/4HANA on-premise edition 1511	EASYDMS_CUS
--	-------------

Required and Recommended Action(s)

Switch to DMS and Mobile Doc integration which is more powerful.

Related SAP Notes

Custom Code related information	Custom plugin developed (in VC++) for Easy DMS solution has no influence as the application usage is stopped at log-in level.
---------------------------------	---

13 Logistics – PP

13.1 S4TWL - ERP Line-Balancing and Sequencing

Application Components: PP-FLW,PP-FLW-LDS,PP-FLW-SEQ

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268084	ERP Line-Balancing and Sequencing

Description

Sequence planning determines the production sequence of planned orders on assembly lines operating at a constant rate or takt. It is part of repetitive manufacturing and only suitable for repetitive manufacturing planned orders.

SAP recommends to perform sequencing planning for assembly lines with PPDS. Sequencing in PPDS is superior to sequencing in ERP for the following reasons:

- PPDS sequencing in the short term horizon works together with PPDS model-mix planning for the mid-term horizon
- You can define restrictions like "Minimum distance restrictions between two units with a certain characteristic" or "At most x units per day with a certain characteristic"
- PPDS optimizers can compute production sequences that minimize violations of restrictions

The classic sequence planning transactions are still available but will be replaced in a future S/4HANA release by a PPDS based solution (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available).

Business Process related information

Please refer to [PPDS Model mix planning](#) in help.SAP.com to get an idea of PPDS sequence planning.

Required and Recommended Action(s)

The classic sequence planning transactions are still available but will be replaced in a future SAP S/4HANA release by a PPDS based solution. No immediate action is required but we recommend making yourself familiar with PPDS model mix planning.

Related SAP Notes

Custom Code related information	Sequence planning in PPDS is an all-new implementation. Any enhancements or modifications of ERP sequence planning will not work if PPDS sequence planning is used.
---------------------------------	---

13.2 S4TWL - MRP in HANA

Application Components: PP-MRP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268085	MRP in SAP HANA

Description

Production planners have to make sure material is available when needed. MRP assists production planners with this task. The MRP run determines expected material shortages and creates planned orders, purchase requisitions, or delivery schedule lines to cover the expected material shortages. A shortage exists for a material if the material is subject to demand-driven planning and if the total quantity of material requirements (sales orders, stock transfer requirements, production requirements, and forecast requirements) up to a certain point in time exceeds the total quantity of material receipts (inventory, production orders, purchase orders, delivery schedule lines, firmed planned orders, and firmed purchase requisitions).

SAP S/4HANA features MRP Live; an MRP run optimized for SAP HANA. MRP Live reads material receipts and requirements, calculates shortages, and creates planned orders and purchase requisitions all in one database procedure. This minimizes the volume of data that has to be copied from the database server to the application server and back, which considerably improves performance. MRP Live has some additional advantages including the following, for example:

- The definition of the planning scope is more flexible. MRP Live allows you to plan a set of materials with all components, materials for which a certain production planner is responsible, or one material across all plants.
- If a material is transferred from one plant to another then the stock-transfer requirement is not known in the supplying plant until after the material has been planned in the receiving plant. MRP Live determines the sequence in which materials have to be planned across several plants.
- MRP Live is a prerequisite for the future production planning and detailed scheduling PP/DS solution in SAP S/4HANA.

Classic MRP is still available as an interim solution (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available), which at the moment has to be used for creating MRP lists.

Business Process related information

MRP live differs from classic MRP in the following aspects:

- MRP live does not write MRP lists.
- Multi-level, make-to-order planning (transaction MD50) is not optimized for HANA.
- Individual project planning (transaction MD51) is not optimized for HANA.
- The creation indicator for purchase requisitions is not available in MRP Live. MRP Live always creates purchase requisitions if the material is procured externally.
- The creation indicator for delivery schedule lines is not available in MRP Live. MRP Live always creates delivery schedule lines if a valid delivery schedule exists.

MRP Lists

MRP lists were intended for checking the MRP result. MRP lists were used to find materials with issues quickly. MRP lists are snapshots of the material supply and demand situation at the time of the last MRP run. The snapshot is often outdated. With HANA, stock/requirements lists can be read with high speed. The MRP apps determine materials with issues in real-time. In SAP S/4HANA there is no need for outdated MRP lists.

Planning of individual make-to-order sales orders and projects

Multi-level, make-to-order planning was a performance measure only. Rather than planning all planning segments, the system only planned a selected planning segment.

Thanks to the speed of HANA, it is no longer required to support this performance measure. This also makes the MRP run simpler.

Creation indicators

Classic MRP has a complicated set of rules for instructing the MRP run to create either purchase requisitions or planned orders for externally procured materials. A similar set of rules instructs classic MRP to create delivery schedule lines, purchase requisitions, or planned orders for externally procured materials with valid delivery schedules. Creation indicators are defined in MRP groups, on the initial screen of the MRP run, and default values are defined in the code. This is a complex logic with very limited business value. Planned orders for external procurement have to be converted into purchase requisitions eventually. Creating planned orders first and converting them into purchase requisitions is an unnecessary process step.

Creation indicators were originally intended to separate the responsibilities of production planners and purchasers. Production planners were responsible for planned orders and purchasers were responsible for purchase requisitions. Today the roles of production planners and purchasers have changed. Purchasers very often focus on negotiating contracts with suppliers while the operative creation of purchase requisitions and purchase order handling is left to material planners and MRP.

Therefore MRP live always creates delivery schedule lines for externally procured material with valid delivery schedules and it creates purchase requisitions for all other externally procured material.

The sourcing BAdI PPH_MRP_SOURCING_BADI => SOS_DET_ADJUST allows you to change the MRP element type of a material receipt to be created by MRP. Implement this BAdI if you want MRP live to create planned orders rather than purchase requisitions for externally procured materials.

Required and Recommended Action(s)

Classic MRP is still available in the SAP S/4HANA on-premise edition 1511. You can start using MRP live rather than the classic MRP at any time. Therefore, there is no need to become active on the start release. Before you start using MRP live, check the following:

- Re-implement BAdI implementations and extensions of the classic MRP as AMDP BAdIs.
- Make yourself familiar with the MRP apps and check whether they can be used as a successor to MRP lists if you used MRP lists in the past.

Related SAP Notes

Conversion Pre-Checks	No																								
Custom Code related information	<p>MRP Live is implemented in SQLScript running on the database server as opposed to classic ABAP code, which is performed on the application server. Any enhancement or BAdI implementation of the classic MRP run does not work with MRP Live. A new set of AMDP BAdIs will be available for MRP Live from SAP S/4HANA on-premise edition 1603. BAdI implementations of the classic MRP have to be translated into AMDP BAdI implementations if still required. This affects the following BAdIs:</p> <table border="1"> <thead> <tr> <th>Purpose</th> <th>Classic BAdI or extension</th> <th>AMDP BAdI</th> <th>Comment</th> </tr> </thead> <tbody> <tr> <td>Subcontracting logic</td> <td>MD_SUBCONT_LO GIC</td> <td>PPH_MRP_RUN_BADI => MDPS_ADJUST</td> <td>See simplification item 2.1.11.1PP-MRP - Subcontracting</td> </tr> <tr> <td>Reading material receipts and requirements</td> <td>MD_CHANGE_MRP_DATA</td> <td>PPH_MRP_RUN_BADI => MDPS_ADJUST</td> <td></td> </tr> <tr> <td>Scheduling of stock transfer requirements</td> <td>MD_STOCK_TRANSFER</td> <td>PPH_MRP_RUN_BADI => MDPS_ADJUST</td> <td></td> </tr> <tr> <td>User-defined MRP elements in MRP</td> <td>MD_ADD_ELEMENT_S</td> <td>PPH_MRP_RUN_BADI => MDPS_ADJUST</td> <td></td> </tr> <tr> <td>Planned independent requirement consumption</td> <td>MD_PIR_FLEX_CO NS</td> <td>PPH_MRP_RUN_BADI => MDPS_ADJUST</td> <td></td> </tr> </tbody> </table>	Purpose	Classic BAdI or extension	AMDP BAdI	Comment	Subcontracting logic	MD_SUBCONT_LO GIC	PPH_MRP_RUN_BADI => MDPS_ADJUST	See simplification item 2.1.11.1PP-MRP - Subcontracting	Reading material receipts and requirements	MD_CHANGE_MRP_DATA	PPH_MRP_RUN_BADI => MDPS_ADJUST		Scheduling of stock transfer requirements	MD_STOCK_TRANSFER	PPH_MRP_RUN_BADI => MDPS_ADJUST		User-defined MRP elements in MRP	MD_ADD_ELEMENT_S	PPH_MRP_RUN_BADI => MDPS_ADJUST		Planned independent requirement consumption	MD_PIR_FLEX_CO NS	PPH_MRP_RUN_BADI => MDPS_ADJUST	
Purpose	Classic BAdI or extension	AMDP BAdI	Comment																						
Subcontracting logic	MD_SUBCONT_LO GIC	PPH_MRP_RUN_BADI => MDPS_ADJUST	See simplification item 2.1.11.1PP-MRP - Subcontracting																						
Reading material receipts and requirements	MD_CHANGE_MRP_DATA	PPH_MRP_RUN_BADI => MDPS_ADJUST																							
Scheduling of stock transfer requirements	MD_STOCK_TRANSFER	PPH_MRP_RUN_BADI => MDPS_ADJUST																							
User-defined MRP elements in MRP	MD_ADD_ELEMENT_S	PPH_MRP_RUN_BADI => MDPS_ADJUST																							
Planned independent requirement consumption	MD_PIR_FLEX_CO NS	PPH_MRP_RUN_BADI => MDPS_ADJUST																							

Change planning parameters	MD_MRP_PARAME TERS	PPH_MRP_LOTSIZING_BAD I => LOT_SIZE_CALC PPH_MRP_NETTING_BADI => NET_REQ_CALC	
Change MRP list	MD_MRP_LIST		MRP lists are not available by MRP Live
Change purchase requisitions created by MRP	MD_PURREQ_CHA NGE, MD_PURREQ_POST	PPH_MRP_RUN_BADI => PURREQ_BEFORE_UPDATE ADJUST	
Change planned orders created by MRP	MD_PLDORD_CHA NGE, MD_PLDORD_POS T	PPH_MRP_RUN_BADI => PLANORD_BEFORE_UPDA TE_ADJUST	
Source of supply determination in MRP	MD_MODIFY_SOU RCE, MD_MODIFY_PRO DVERS	PPH_MRP_SOURCING_BAD I => SOS_DET_ADJUST	See simplification item 2.1.11.7 Simplified Sourcing
Package size for parallel processing	MD_MRP_RUN_PA RALLEL	MRP_DISPATCHER_BADI => DISPATCH_CREATE_TASK	
Material selection for MRP run	Extension M61X0001	PPH_MRP_NETTING_BADI => AT_PLANNING_FILE_ENTR IES_READ	

13.3 S4TWL - Planning File

Application Components: PP-MRP,PP-MP-LTP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268088	Planning File

Description

Context

MRP calculations are complex and therefore an MRP run can be lengthy. An important means to improve MRP performance is net change planning. An MRP running in net change planning mode only plans materials that have experienced a relevant change since the previous MRP run. A material has to be planned by the next MRP if the material was received or issued, if a material requirement like, for example, a sales order was changed, or if master data like the BOM or the product master was changed. The planning file stores the materials that have to be planned by the next MRP.

Description

The new planning file does not have columns for low level code and record type. This information does not have to be copied from the material master into the planning file when updating the planning file. The MRP planning run reads the low level code of all materials requiring planning from the material master.

Reason

In SAP S/4HANA the planning file was optimized for simplified update logic, consistency and for update performance.

Business Process related information

In the classic Business Suite, reports RMMDVM10 and RMMDVM20 made a first setup of planning file entries and checked planning file consistency for operative planning. In SAP S/4HANA, run report PPH_SETUP_MRPRECORDS instead. For long-term planning, the reports RMMDVL10 and RMMDVL20 are replaced by the report PPH_SETUP_MRPRECORDS_SIMU.

SAP S/4HANA, on-premise edition 1511 no longer supports net change planning in the planning horizon (processing key NETPL). MRP always determines material shortages for all known material requirements. MRP can no longer cover only the material shortages inside a limited planning horizon. This is valid both for the classic MRP and MRP Live. For details refer to simplification item [2.1.11.35](#) Planning Horizon.

Transaction not available in SAP S/4HANA on-premise edition 1511	<p>MDAB, MDRE (batch versions of above reports for operative planning file entries replaced by PPH_MDAB)</p> <p>MSAB, MSAC (batch version of above reports for long-term planning. Planning file entries replaced by PPH_MSAB and PPH_MSAC).</p>
---	--

Reports (not available in SAP S/4HANA)	<p>RMDBVM00, RMDBVM10 (for conversion MDVM/MDVL into DBVM/DBVL and back),</p> <p>RMMDVM10, RMMDVM20 (creation and consistency check for MDVM/DBVM), RMMDVL10, RMMDVL20 (creation and deletion for MDVL/DBVL).</p>
---	---

Required and Recommended Action(s)

No actions are required on start release. After the system conversion, you should run report PPH_SETUP_MRPRECORDS to populate the new planning file table with operative MRP records (PP-MRP) and the report PPH_SETUP_MRPRECORDS_SIMU for simulative MRP records (PP-MP-LTP).

Related SAP Notes

Conversion Pre-Checks	
Custom Code related information	<p>The original planning files MDVM/MDVL and DBVM/DBVL no longer exist. They were replaced by the new planning file PPH_DBVM.</p> <p>If your custom code creates planning file entries directly by updating or inserting into tables MDVM, MDVL, DBVM, or DBVL, then you have to adapt the custom code and call function module DISPSATZ_ERSTELLEN instead. If your custom code only reads from the tables DBVM or DBVL, no adaption is necessary. Queries from table DBVM or DBVL will be redirected to the new planning file PPH_DBVM by compatibility views.</p> <p>See note 2227059</p>

13.4 S4TWL - Total Dependent Requirements

Application Components: PP-MRP

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2268089	Total Dependent Requirements

Description

Context

MRP runtime depends among many other factors on the number of material receipts and requirements that have to be read to compute a material's shortages. Materials, which are component of very many BOMs, can have many thousands of dependent requirements. Total dependent requirements reduced the number of dependent requirements, which had to be read by MRP at the expense of possible locking conflicts when updating the total dependent requirements.

Description of Simplification

HANA is very good at summing up many rows in a table. There is no need to compute and write totals every time a single record is changed. Neither MRP Live nor the classic MRP support total dependent requirements in SAP S/4HANA.

Reason

BOM explosion creates dependent requirements for all component materials needed to manufacture a material. Total dependent requirements create locking problems if the same component material is used in the BOM of different materials. MRP live creates very many planned orders in parallel. Locking conflicts would impair parallel processing and total MRP runtime.

Business Process related information

Business processes are not changed. MRP reads individual dependent requirements rather than total dependent requirements.

Required and Recommended Action(s)

Follow the instructions for "Clean up Total Requirements" in the SAP help portal ([Link](#))

Related SAP Notes

Custom Code related information	Custom code reading one of the tables RQIT, RQHD, or MDRI will no longer work. Read table RESB instead. See SAP Note 2229126
---------------------------------	---

13.5 S4TWL - Forecast Based Planning

Application Components: PP-MRP,MM-CBP-CBP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268095	Forecast Based Planning

Description

In forecast based planning (MRP type VV) the MRP creates planned orders or purchase requisitions if total forecast demand up to a certain point of time exceeds the total firmed receipt quantity up to the same point of time. The total firmed receipt quantity includes inventory, production orders, purchase orders, firmed planned orders, and firmed purchase requisitions. Forecast based planning is a simple planning procedure, which does not require managing planned independent requirements. For Forecast based planning the following things need to be considered:

- MRP live does not perform forecast based planning in HANA but sends the affected materials into the classic ABAP planning procedure. This results in a performance loss.
- Forecast demand and planned independent requirements are semantically very similar. Planned independent requirements can be created from forecast demand
- The system records all changes of planned independent requirements which facilitates reporting

Business Process related information

If you decide to replace forecast based planning by MRP type planning proceed as follows:

- Step 1: Convert forecast requirements into planned independent requirements (PIR)
- Step 2: Change MRP type VV to one of the MRP types PD, P1, P2, P3, or P4

Required and Recommended Action(s)

No mandatory action

13.6 S4TWL - Demand Forecasting

Application Components: PP-MP-MFC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268100	Demand Forecasting

Description

Demand forecasting estimates future material demand based on historic material consumption data. The material demand forecast can be copied into planned independent requirements or it can be used to compute safety stocks and reorder points.

Classic demand forecasting copies the consumption history into an ABAP application server, performs the forecasting algorithm in ABAP and writes the result back into the database. Copying data between database server and ABAP application server takes time.

HANA has a built in library of forecasting algorithms, which could be utilized for forecasting material demand. A future demand forecasting solution will probably perform the forecasting algorithm in HANA utilizing HANA's forecasting library.

Transactions MP30, MP31, MP32, MP33, MP38, and MP39 are still available in SAP S/4HANA on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet). Currently there is no functional equivalent available within SAP S/4HANA, on-premise edition 1511.

Business Process related information

Business processes will not change if the forecasting algorithm is changed.

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	Custom code or BAdi-implementations in material demand forecasting will not be called when demand forecasting is performed in HANA.
---------------------------------	---

13.7 S4TWL - Release status for different RFC function modules revoked

Application Components: PP-SFC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268112	Release status for different RFC function modules revoked

Description

RFC function modules use dictionary structures to type exporting or importing parameters. Some of the fields in the dictionary structures have been extended (for example the material ID fields, which are usually named "MATERIAL" and typed with domain "MATNR"). It was not possible to keep the short version of these fields and add an additional longer version as the same dictionary structures are also used in very many internal interfaces. Therefore the released status of the following RFC function modules was revoked.

Function Module	Structure	Affected fields
COCF_SN_CREATE_EAM	RIQS5	BAUTL, MATNR, EMATNR, RM_MATNR
COCF_SN_CREATE_PP	RIQS5	BAUTL, MATNR, EMATNR, RM_MATNR
COCF_SN_GET_LIST_EAM	COCF_S_SN_LIST_FLAT	MATNR, EMATNR, RM_MATNR
COCF_SN_GET_LIST_PP	COCF_S_SN_LIST_FLAT	MATNR, EMATNR, RM_MATNR

Business Process related information

No influence on business processes expected

Required and Recommended Action(s)

Check custom code

How to Determine Relevancy

If you call the above mentioned RFC function modules from within custom code and if you do not use data elements typed with domain "MATNR" then you have to adjust the data types used in the custom code. See note 2199837

13.8 S4TWL - Computer Aided Processing Planning (CAP)

Application Components: PP-BD-CAP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268114	Computer Aided Planning (CAP)

Description

Standard value calculation with "Computer Aided Process Planning" CAPP was intended to determine the processing durations for production operations. Standard values can be determined in several ways:

- Time studies
- Estimating
- Polling
- Sampling and statistical procedures for determining times (for example, period time sheets) Calculation methods (for example, MTM, WF and planned times)

Standard value calculation with CAPP allows you to define formulas, with which durations can be computed based on product properties. CAPP is not available in SAP S/4HANA.

Business Process related information

Consider alternative approaches to determine standard values. SAP S/4HANA features reports for comparing planned and actual processing durations. This can be used to implement feedback control processes to manage standard values.

Transaction not available in SAP S/4HANA on-premise edition 1511	CE11, CE12, CE13, CE21, CE22, CE23, CE31, CE32, CE33, CE41
--	--

Required and Recommended Action(s)

If you used CAPP you should consider alternative approaches and tools to determine standard values.

13.9 S4TWL - ABAP-List-Based PI-Sheets

Application Components: PP-PI-PMA-MGT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268116	ABAP-List-Based PI-Sheets

Description

Starting with R/3 4.6 C the previously used ABAP list-based process instruction sheets have been replaced by browser-based PI sheets (see SAP Note 397504 - Support for ABAP list-based PI sheet). Currently only very few customers (less than 5 known) still use ABAP list-based PI sheets. The code needed for list-based PI sheets is still available in SAP S/4HANA on-premise edition 1511 but will be not available in a future release. Use browser-based PI sheets for the time being.

Business Process related information

Customers that used ABAP list-based PI sheets temporarily have to switch to browser-based PI sheets: The corresponding control recipe destinations of type 1 (ABAP-based PI sheets) have to be replaced with control recipe destinations of type 4 (browser-based PI sheets). This mostly affects the used master recipes and process orders.

Browser-based PI sheets offer a better support of the business processes that include the usage of ABAP-list based PI sheets. No effects on business processes are expected.

Transactions CO55, CO60, CO60XT, CO64, and CO67 are still available but will be replaced in a future release when a successor for browser-based PI sheets is available. The possibility to select ABAP list-based PI sheets is still available in SAP S/4HANA, on-premise edition 1511 but will be not available in a future release.

Required and Recommended Action(s)

Start exchanging control recipe destinations of type 1 (ABAP list-based PI sheets) with master recipes (process orders). Create and send test control recipes for the exchanged control recipe destinations. Check the browser-based PI sheets that are generated from the test control recipes.

Recommended:

- Use XStep-based process instructions instead of characteristic-based process instructions

- Replace generation scopes and filters that are defined in customizing (of the control recipe destination) with XStep-based generation scopes and valuation symbols

13.10 S4TWL - ANSI/ISA S95 Interface

Application Components: LO-S95

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268117	ANSI/ISA S95 Interface

Description

Usage of the ANSI /ISA S95 interface is not possible in S/4HANA. Use MES Integration or the POI Interface instead.

Business Process related information

Usage of the ANSI/ISA S95 interface is not possible anymore.

Required and Recommended Action(s)

Use the POI interface or the MES interface to connect SAP S/4HANA to an MES system or a planning system. For details, see the MES integration documentation ([link](#)) and the POI documentation ([link](#)).

13.11 S4TWL - PP-MRP - Subcontracting

Application Components: PP-MRP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268044	PP-MRP - Subcontracting

Context

SAP ERP had three different ways of planning parts to be provided to a subcontractor:

- Planning subcontracting demand together with internal demand in the make-to-stock planning section (3.0-logic)
- Separating subcontracting demand and stock into single subcontracting planning sections (one section per subcontractor) and planning uncovered subcontracting demand together with internal demand in the make-to-stock planning section (4.0-logic)
- Planning separately the demand of every subcontractor by means of subcontracting MRP areas (available from SAP ERP release 4.5)

Description

In SAP S/4HANA on-premise edition 1511, the 4.0 logic was removed while the 4.5 logic was simplified. The SAP S/4HANA MRP uses default planning parameters if MRP-area-specific material master records do not exist. You only have to create an MRP area for every subcontractor. Of course, it is still possible to create MRP area/supplier-specific material master data if required.

Reason

This simplification has the following advantages:

- Separate planning of every subcontractor is possible without having to create an MRP-area-specific material master record.
- The planning logic is simplified. There are two rather than three different ways to plan parts to be provided to a subcontractor.

Business Process related information

The default way of planning parts to be provided to subcontractors is based on MRP areas. A subcontracting MRP area should be created for every subcontractor. It is not required to create an MRP-area-specific material master record for every part to be provided to the subcontractor, but of course it is possible if you want to overrule the default planning parameters.

Required and Recommended Action(s)

If you have several subcontractors requiring the same component materials and if you do not yet use MRP areas to plan the required components then proceed as follows:

- Create MRP areas for every subcontractor (can be done before or after upgrade)
- Run regenerative MRP after the upgrade

Related SAP Notes

Custom Code related information	SAP Note: 2227532
---------------------------------	-------------------

13.12 S4TWL - Digital Signature

Application Components: CA-DSG

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268120	Digital Signature

Description

Digital signature legacy functionality is based on function modules of package CJ in SAP_APPL. The code needed for the legacy functionality is still available in SAP S/4HANA, on-premise edition 1610 (Functionality available in SAP S/4HANA on-premise edition 1610 delivery but not considered as future technology. Functional equivalent is available).

Since SAP_ABA 6.20 the successor functionality (class-based signature tool, package DS) is available. Implementations of digital signature functionality using class-based signature tool is easier to establish. Use the class-based signature tool instead of the legacy functionality.

Business Process related information

No influence on business processes expected. Transaction DSAL is still available in SAP S/4HANA, on-premise edition 1610 but will be replaced by a successor functionality in a future release.

Required and Recommended Action(s)

Check before the upgrade that all open signature processes are completed. This is generally relevant for all signature processes, independent of the signature functionality used (legacy or class-based signature tool).

Related SAP Notes

SAP Note	SAP Note: 700495
----------	------------------

13.13 S4TWL - Electronic Records

Application Components: LO-ELR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268131	Electronic Records

Description

Electronic records (LO-ELR) provide tools for evaluation of the logs that can be written for changes in database table content. These logs are stored in database table DBTABLOG. It is also possible to display change documents and logs of long text changes. Electronic records are part of the SAP functionality that supports legal compliance in the regulated environment (production of active ingredients and pharmaceuticals).

Since SAP_BASIS 7.03, the successor functionality (NetWeaver-based audit trail) is available in SAP_BASIS (package S_AUT). In addition to the functionality of the electronic records, the NetWeaver-based audit trail provides the following functions:

- Access to archived change documents and database table records
- Compliance with the Information Lifecycle management (ILM) standard of SAP
- Improved functionality to define custom selections on database table logs and change documents

The NetWeaver-based audit trail provides a migration report to transfer the customizing settings of the electronic records.

The functionality of electronic records is still available in SAP S/4HANA, on-premise edition 1610 (Functionality available in SAP S/4HANA on-premise edition but not considered as future technology. Functional equivalent is available).

Business Process related information

No changes to business processes. Transactions AUT01 - AUT05, AUT10 are still available in SAP S/4HANA, on-premise edition 1610 as an interim solution.

Required and Recommended Action(s)

If necessary, transfer the customizing settings using SAP report AUT_MIGRATE_ENHAT_DB_DATA in old release before migrating to SAP S/4HANA, on-premise edition 1610.

13.14 S4TWL - Downtimes Functionality

Application Components: PP-PI-MD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271203	Downtimes Functionality

Description

Downtimes functionality (PP-PI-DTR) was developed in SAP R/3 4.6 C, but its productive usage has been withdrawn (as described in SAP Note 333382 - Downtimes: Function not available/released). The usage of downtimes functionality is therefore withdrawn in SAP S/4HANA.

Business Process related information

No changes on business processes expected

Required and Recommended Action(s)

None

13.15 S4TWL - MiniApps PP-PI

Application Components: PP-PI-MD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271204	MiniApps PP-PI

Description

In SAP R/3 4.6 C, coding was created to support MiniApps and workplaces. MiniApps and workplaces were never released for productive usage and has been removed in SAP S4HANA. The idea of the MiniApps have been used to implement the Fiori launch pad and the monitor material shortage app.

Business Process related information

No changes on business processes expected

Required and Recommended Action(s)

None

13.16 S4TWL - Process Data Evaluation (PP-PI-PEV)

Application Components: PP-PI-PEV

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270267	Process Data Evaluation (PP-PI-PEV)

Description

In SAP R/3 4.7, the support for process data evaluation was stopped (see SAP Note 511488 - Support set for process data evaluation). The functionality of process data evaluation is still available in SAP S/4HANA, on-premise edition 1610 (Functionality available in SAP S/4HANA on-premise edition but not considered as future technology. Functional equivalent is not available yet).

Business Process related information

No influence on business processes expected

Required and Recommended Action(s)

None

13.17 S4TWL - Campaign Weighing and Dispensing

Application Components: PP-PI-PMA-CWD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270200	Campaign Weighing and Dispensing

Description

The functionality of campaign weighing and dispensing was not used productively. The corresponding xMII content is not available anymore. The functionality is still available in SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available)

Business Process related information

No changes to business processes. The weighing solution of the SAP PP-PI consulting organization does support the required functionality. Transaction CMATRANGE is still visible in SAP S/4HANA, on-premise edition 1511.

Required and Recommended Action(s)

None

13.18 S4TWL - Production Campaign (ERP)

Application Components: PP-PI-PCM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270216	Production Campaign (ERP)

Description

The functionality of production campaign is still available in SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

Business Process related information

Transactions CPCN, PCA1-PCA3, and PCCO are still available.

13.19 S4TWL - Electronic Batch Record

Application Components: PP-PI-PDO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270218	Electronic Batch Record

Description

The functionality of electronic batch record (EBR) is required by customers who work in a regulated environment (production of active ingredients, pharmaceuticals, and so on).

The content of the EBR is stored in optical archives (using SAP ArchiveLink technology). EBR Content is revisited during external audits. The content has to be available for 10 years on average.

The functionality is still available and working in SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

Before upgrading to SAP S/4HANA, on-premise edition 1511, it is recommended that you complete all open approval procedures for electronic batch records.

13.20 S4TWL - Process Messages

Application Components: PP-PI-PMA-MSG

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270231	Process Messages

Description

The functionality of process messages is still available in SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

Business Process related information

No influence on business processes expected.

13.21 S4TWL - Control Recipes/Instructions

Application Components: PP-PI-PMA-RCP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270233	Control Recipes/Instructions

Description

The functionality of control recipes and control instructions is still available in SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

Not required.

13.22 S4TWL - Storage Location MRP

Application Components: PP-MRP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268045	Storage Location MRP

Description

Context

In SAP ERP, storage locations can be excluded from MRP planning or they can be planned separately from other storage locations. In the latter case a reorder point procedure with maximum lot size is used which triggers transport reservations to fill up the storage location.

MRP areas cover the very same business requirements. Materials with MRP-area-specific MRP type 'ND' (no MRP) can be used instead of materials with a storage location excluded from MRP. Materials with MRP-area-specific MRP type 'VB' (reorder point planning) can be used instead of materials with separately planned storage locations. The storage location functionality is a subset of the MRP areas capabilities.

Description of Simplification

The S/4HANA MRP only plans on plant and MRP area level. Planning on storage location level is not available in SAP S/4HANA, on-premise edition 1511.

Reason

The reason for this change are:

- The MRP logic is simplified. There is only one solution for planning on storage location level
- The MRP area logic is more advanced than the logic for planning on storage location level. All MRP types and lot-sizing procedures are possible on MRP area level
- The system creates planning file entries on plant and MRP area level. If planning is required on MRP area level, then the system only plans the affected MRP area. The system does not create planning file entries on storage location level and it did not do so in SAP ERP. The SAP ERP MRP had to plan all separately planned storage locations and the plant level every time inventory or an expected receipt

was changed in a single separately planned storage location. Planning on MRP area level is more efficient

Business Process related information

Storage Location MRP is not available in SAP S/4HANA, on-premise edition 1511. Planning on MRP area level has to be used instead.

Required and Recommended Action(s)

Conversion Pre-Checks raise an error if storage location MRP is used in the source ERP system. Run report MRP_AREA_STORAGE_LOC_MIGRATION if the pre-checks detect that storage location MRP is used. The report first checks some prerequisites like MRP types, lot-sizing procedures, and MRP areas in customizing. If the required customizing entries are missing, you have to create them manually. Follow the instructions provided by the report. If all prerequisites are fulfilled, then the report generates material master records for planning on MRP area level using the storage location material records. After the report was performed, planning is done on MRP area level, also if MRP is performed on the start release.

Related SAP Notes

Conversion Pre-Checks	SAP Note: 2216528
Custom Code related information	SAP Note: 2227579

13.23 S4TWL - Process Operator Cockpits

Application Components: PP-PI-PMA-OPC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270235	Process Operator Cockpits

Description

The functionality of process operator cockpits (POC) is still available in SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

Business Process related information

No influence on business processes expected

Required and Recommended Action(s)

Not required.

13.24 S4TWL - Material Identification/Reconciliation

Application Components: PP-PI-MIR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270236	Material Identification/Reconciliation

Description

The functionality of material identification/reconciliation is still available in SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

Business Process related information

No influence on business processes expected

Required and Recommended Action(s)

Not required

13.25 S4TWL - Flow Manufacturing

Application Components: PP-FLW

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270237	Flow Manufacturing

Description

The functionality of flow manufacturing including line design and sequence planning is still available in SAP S/4HANA, on-premise edition (Functionality available in SAP S/4HANA on-premise edition but not considered as future technology. Functional equivalent is available). PPDS model mix planning and sequencing is the successor of flow manufacturing. PPDS was originally part of the SAP Advanced Planning and Optimization (SAP APO) but is now part of S/4HANA.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

SAP recommends to use model mix planning and sequencing in PPDS.

Related SAP Notes

Custom Code related information	ERP coding enhancements will not be supported after replacement with PPDS.
---------------------------------	--

13.26 S4TWL - FMP in S4HANA

Application Components: IS-CWM,MM-IM-GF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2414624	Flexible Material Prices (FMP) in SAP S/4HANA

Symptom

If you have activated the Business Function /CWM/FMP of the Industry Solution IS-CWM, the following SAP S/4HANA transition worklist item is applicable.

Flexible Material Prices (FMP) is not supported in SAP S/4HANA even though objects are technically given in QRT_STAG.

Other Terms

FMP, CWM, IS-CWM, S/4HANA, Simplification List, Flexible Material Prices

Reason and Prerequisites

Module FMP was introduced with EHP5 of the Industry Solution IS-CWM to support the customer created price types within the migration to the 'new architecture' of CWM (for more details please see also note 2358928).

In Inventory Accounting as part of the 'old Architecture' all prices were organized in price types. With the migration all existing and important prices were transferred into the standard tables of ERP. But in case a customer had created own price types the related prices had to be stored in FMP since there was no separate data storage in ERP available.

In seldom cases customer used this opportunity and defined own price types. So SAP decided to not support the FMP-module anymore in S/4HANA.

Solution

To check the usage of own price types in FMP call transaction SE16, select table '/FMP/D_MP_PRIC' and execute. Press the button 'Number of Entries' and in case the appearing popup shows no entries found you are sure that no own prices were maintained in FMP.

Please be aware that for S/4HANA:

- FMP-data cannot be migrated
- a call of FMP transactions and reports will cause a dump (Blacklisted objects)
- objects starting with '/FMP/' must not be used in customer coding (see note 2296016)

13.27 S4TWL - Process Flow Scheduling (PP-PI)

Application Components: PP-PI-PMA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273079	Process Flow Scheduling (PP-PI)

Description

The process flow scheduler PFS was a scheduling tool for the process industries offered by SAP. Since SAP R/3 4.6 C, the process flow scheduler is replaced by SAP Advanced

Planning and Optimization APO (see also SAP Note 217113 - PFS: Missing functions). The PFS interfaces is not available in SAP S/4HANA.

Required and Recommended Action(s)

Use PPDS for detailed planning and scheduling of bottleneck resources. PPDS in part of SAP S/4HANA.

13.28 S4TWL - Rate and Rough-Cut Planning

Application Components: PP-CRP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270240	Rate and Rough-Cut Planning

Description

SAP ERP production versions allowed you to reference routings, rate routings, and rough-cut planning profiles in parallel. MRP then created capacity requirements for detailed planning, rate-based planning, and rough-cut planning in parallel. The detailed capacity requirements originated from the explosion of routings, the rate-based capacity requirements originated from the explosion of rate routings, and the rough-cut capacity requirements originated from the explosion of rough-cut planning profiles.

S/4 has only one scheduling level. The S/4 MRP explodes the one routing defined in the production version, which can be a routing, a rate routing, or a rough-cut planning profile. This was changed for the following reasons:

- S/4 planned orders and production orders have consistent capacity requirements. There are no discrepancies between detailed planning, rough-cut planning, and rate-based planning
- A production process is performed either on an assembly line or in a job-shop environment. If something is produced on a takt-based assembly line, then the production process should be modelled by a rate routing. If something is produced in a job-shop environment then the production process should be modelled by a standard routing. There is no production process that is both rate-based and job-shop simultaneously. Therefore there is no need to perform rate-based and detailed scheduling in parallel. Of course it is still possible to define alternative production versions for the same material, where one production version is performed on an assembly line and the other one is performed in a job-shop. A

single production version, however, always has a single model of the production process.

- Different scheduling levels make reporting on capacities utilization and capacity load more difficult. Users always have to specify the scheduling level.
- S/4 can easily aggregate capacity requirements originating from different production versions. In SAP ERP, however, you were only allowed to aggregate the capacity requirements of a selected scheduling level. You had to make sure not to mix the detailed capacity requirements and rate-based capacity requirements. Analytics on capacity load across departments was difficult if one department used job-shop manufacturing and the other used assembly lines.
- Two scheduling levels double the runtime needed for scheduling. Three scheduling levels triple the runtime needed for scheduling.
- Capacity planning in S/4 shall be simple. PPDS offers advanced capacity planning features for the more difficult planning problems.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

The Conversion pre-check raises a warning if you use scheduling levels other than "Detailed planning". In this case you should check the production versions. The unfortunate naming of the scheduling levels could have resulted in a separation of job-shop and rate based capacity planning. Copy any rate routings from scheduling level "Rate-based planning" to scheduling level "Detailed planning" if the production process is modelled by a rate routing and if the routing is only defined for scheduling level "Rate-based planning".

Related SAP Notes

Conversion Pre-Checks	Pre-Check class CLS4H_PP_MRP
-----------------------	------------------------------

13.29 S4TWL - Planning Horizon

Application Components: PP-MRP,PP-MP-MPS,PP-MP-LTP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270241	Planning Horizon

Description

The SAP ERP MRP covered material demand inside the planning horizon only if processing key "NETPL" was used. It covered all material demand if processing key "NETCH" was used. Planning inside the planning horizon was a performance measure intended to improve MRP runtime. With planning inside the planning horizon, MRP had to create fewer planned orders and was therefore running faster. This was achieved at the expense of a more complicated planning procedure. Planning horizons for materials on different BOM levels had to be aligned. Periodically, net change planning with processing key "NETCH" had to be performed in order to create planned orders for material demand in the more distant future.

The S/4 MRP always covers all material demand. Planning inside the planning horizon is no longer available. Thanks to performance improvements of MRP in HANA, the additional performance improvements of net change planning are negligible and do not justify the additional effort.

Business Process related information

A planning run is usually executed in batch mode via the planning batch transactions MDBT for MRP, MSBT for Long Term Planning and MDBS for MPS-Planning. In that context, variants can be defined. If old variants still contain the processing key NETPL, they won't work anymore.

Required and Recommended Action(s)

If there are still variants for the planning run batch Transactions having the processing key filled with NETPL, these variants have to be deleted.

Customers can build their own planning application using the BAPI *BAPI_MATERIAL_PLANNING*. The BAPI has got the same planning parameter options as the classical planning transactions. In that context the processing key NETPL cannot be used any more.

Conversion Pre-Checks and Custom Code related information

Custom Code related information	Customers can build their own planning application using the BAPI <i>BAPI_MATERIAL_PLANNING</i> . The BAPI has got the same planning parameter options as the classical planning transactions. In that context the processing key NETPL cannot be used any more.
---------------------------------	--

13.30 S4TWL - Batch History

Application Components: LO-BM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270242	Batch History

Description

The functionality Batch History is considered as not the target architecture within SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available). The available functional equivalent is global batch traceability (GBT)

Business Process related information

No influence on business processes expected. The transaction codes related to Batch History are still available within SAP S/4HANA, on-premise edition 1511.

13.31 S4TWL - Selected Business Functions in PP area

Application Components: PP-PI-PEV

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271206	Selected Business Functions in PP area

Description

Selected PP business functions are not the target architecture in SAP S/4 HANA, on-premise edition 1511 FPS1:

- The usage of the following PP business functions are not the target architecture in SAP S/4 HANA. With SAP S/4 HANA, on-premise edition 1511 FPS1 they are changed to customer-switchable and obsolete in SAP S/4 HANA, on-premise edition 1511 FPS1:
 - LOG_PP_INTELI_01 (Power list for process manufacturing)

- LOG_PP_PRSP (Portal for production supervisor)
- EA-SCM

- The following PP business functions are customer-switchable and obsolete in SAP S/4 HANA, on-premise edition 1511 FPS1. The related functions are planned to be replaced in future:
 - LOG_PP_BATCH_HISTORY
 - LOG_PP_CFB (Food and Beverage Solution)

Basic Information related to Business Functions

If a business function was switched ON in the Business Suite start release system, but defined as always_off in the SAP S/4HANA, on-premise edition target release, then a system conversion is not possible with this release. See SAP Note 2240359 - SAP S/4HANA, on-premise edition 1511: Always-Off Business Functions. If a business function is defined as "customer_switchable" in the target release (SAP S/4HANA, on-premise edition 1511 FPS1), then the business function status remains unchanged from the status on start release. Business Functions defined as obsolete cannot be switched ON

Customer having one or all of these business functions switched ON in Business Suite start release can execute the system conversion. Nevertheless the functionality related to these business functions is not available within SAP S/4 HANA, on-premise edition 1511 FPS1.

Customers having none of these business functions switched ON in Business Suite start release cannot activate these business functions after the system conversion to SAP S/4 HANA, on-premise edition 1511 FPS1.

Business Process related Information

Business function LOG_PP_INTELI_01 offered a production supervisor work list. This is available as of S/4HANA on premise edition 1611 release as Fiori apps "Manage production order operations" and "Manage production orders".

Business function LOG_PP_PRSP offered portal roles for the production supervisor. This is available as of S/4HANA on premise edition 1511 release as Fiori roles and launchpad.

Enterprise extension EA-SCM offered various functions like

- Direct Store Delivery DSD
- Cross Docking
- Vehicle Space Optimization
- Logistical Value Added Services

Successor functions for cross docking and vehicle space optimization are available in transportation management SCM-TM.

Originally enterprise extension EA-SCM also switched PI-sheets, X-steps, MES integration, and production order splitting. These functions have been removed from the switch. In other words the PI-sheets, X-steps, MES integration, and production order splitting work in S/4HANA on premise edition even if business function EA-SCM is switched off. Please also note the corresponding notes for PI-sheets and MES integration.

The functions switched by business function LOG_PP_BATCH_HISTORY will be replaced by global batch traceability in a future release.

Business function LOG_PP_CFB switched various functions like

- Catch Weight Management
- Various print reports
- Weigh scale integration
- Enhanced production version management

Catch weight management is available in S/4HANA w/o switching.

One of the CFB functions were reports CFB_PV_MRP_PREP_MIXCAL and CFB_PV_MRP_RELEASE_LOCK allow to move production versions between active and inactive production versions, which were stored in a separate databases. Inactive production versions were invisible to MRP. In S/4HANA production versions have status "Blocked for automatic sourcing", which serves the same purpose. If you used reports CFB_PV_MRP_PREP_MIXCAL or CFB_PV_MRP_RELEASE_LOCK then use the production version status in future.

13.32 S4TWL - External Interfaces in PP

Application Components: PP-MES,LO-SCI

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268048	External Interfaces in PP

Description

The following interfaces to external systems are not available in SAP S/4HANA:

Interface	Package	Reason
-----------	---------	--------

PFS-Interface	CPFS	The process flow scheduler PFS was a scheduling tool for the process industries offered by SAP. It was replaced by SAP-SCM with R/3 release 4.6C. See also separate simplification item 2.1.11.33Process Flow Scheduling (PP-PI)
LPO-Interface	XLPO	Lean planning and operations LPO was an algorithm for levelling production based on lean principles. The algorithm was never productized
Icon Interface	/SCRM/*	Icon was a response management solution. SAP's preferred solution for response management is IBP for response
CBP Interface	CBPC	The constraint-based planning interface (CBP interface) was replaced by the POI interface in 2002. For details, see note 500526
KK2 Interface		This interface used an outdated interface technology (flat file)
KK5 Interface		This interface used an outdated interface technology (flat file)
S95 Interface		See separate simplification item 2.1.11.19ANSI/ISA S95 Interface

Use the POI interface or the integration with Manufacturing Execution Systems instead.

Business Process related information

Use the POI interface or the MES interface to connect SAP S/4HANA to an MES system or a planning system. For details, see the [MES integration documentation](#) and the [POI documentation](#)

Transaction not available in SAP S/4HANA on-premise edition 1511	CBP1, CBP2, CBP3, CBP4, CBP5, CBP6, CBP7, CBPV, CBCACT, CBCAT, CBCBRG, CBCF, CBCMLGMRP, CBCMLGSOP, CBCMLS, CBCMOD, CBCMSV, CBCMTG, CBCONFMRP, CBCONFSOP, CBCPAR, CBCS, CBCSTEP, CBPRO, PFSE, PX01, PX02, PX03, PX04, PX05
RFC-enabled function modules are not available in SAP S/4HANA	LPO_BOM_GETDETAIL, LPO_DEMANDS_GETLIST, LPO_ITEM_GETDETAIL, LPO_MATDATA_FIND, LPO_MATDATA_GETDETAIL, LPO_PLANT_GETLIST, LPO_PRODCOMPLETE_GETLIST, LPO_PRODCONF_CREATE, LPO_PRODSHIPMENT_GETLIST, LPO_ROUTE_GEDETAIL,

LPO_SCHEDULEPLAN_UPDATE, LPO_STOCK_GETLIST, LPO_WORKCENTER_FIND, LPO_WORKCENTER_GETDETAIL, CBP_MRP_DEMORDERLIST_GET_RFC, CBP_MRP_DEMORDER_GET_RFC, CBP_MRP_MANORDERLIST_GET_RFC, CBP_MRP_MANORDER_GET_RFC, CBP_MRP_PLAN_DISMISS_RFC, CBP_MRP_PLAN_REQUEST_RFC, CBP_MRP_PLAN_SAVE_RFC, CBP_MRP_PLAN_STARTUP_RFC, CBP_EXC_CAPACITY_REQT_REQUEST, CBP_EXC_DELKZ_DESC_REQUEST, CBP_EXC_OPER_DURATION_REQUEST, CBP_EXC_WC_CAPACITY_REQUEST, CBP_SOP_PLAN_DISMISS_RFC, CBP_SOP_PLAN_REQUEST_RFC, CBP_SOP_PLAN_SAVE, CBP_SOP_PLAN_SAVE_RFC, CBP_SOP_PLAN_STARTUP_RFC, CBP_GEN_INTERACTIVE_START_RFC

Required and Recommended Action(s)

Check if you call any of the above mentioned RFC-enabled function modules from an external system. Call RFC function modules of the POI interface instead.

Related SAP Notes

Custom Code related information	SAP Note: 2226966
---------------------------------	-------------------

13.33 S4TWL - Graphical Planning Table

Application Components: PP-CRP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268050	Graphical Planning Table

Description

The graphical planning table (also known as graphical planning board or Gantt chart) can be used for capacity load levelling and sequence planning. The graphical planning table is still available in SAP S/4HANA, but not considered as the target architecture. Currently there is no functional equivalent available within SAP S/4HANA, on-premise edition 151 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

Business Process related information

The future graphical planning table implementation will support the basic features like changing operation start times or resources by drag and drop. The influence on business processes should therefore be minimal. It will however not be possible to translate customizing and personalization of the classic graphical planning table into a UI configuration of a future graphical planning table.

Required and Recommended Action(s)

Invest reasonably in the classic planning board

13.34 S4TWL - Logistic Information System in PP

Application Components: PP-IS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268063	Logistic Information System in PP

Description

Remark: For the general approach regarding analytics within SAP S/4HANA see the following analytics simplification item in cross topics area.

The shop floor information system is part of the logistics information system LIS (Note: If you use a material number longer than 18 characters - see restriction note Extended Material Number in LIS: SAP Note 2232362). The LIS can be used to compare planned vs. actual parameters like lead time, execution time, queue times, scrap, and so on. The classic ERP implementation of the LIS has some specifics:



- LIS operates on redundant data. Every business transaction not only updates the business documents, but also pre-aggregated data in LIS. Performance suffers, locking conflicts might occur, and memory is wasted
- LIS operates on pre-aggregated data. It is not possible to drill down into the individual business documents. Multi-dimensional reporting (aka Slicing and dicing) is only possible for dimensions provided in the pre-aggregated data
- LIS uses an old UI technology making multi-dimensional reporting clumsy
- LIS only supports material numbers with up to 30 characters

Future production analytics will be based on HANA, CDS views aggregating transactional data dynamically, and powerful analytical UIs for multi-dimensional reporting. With this it will be possible to replace the current LIS. You will be able to use classic LIS and the future production analytics in parallel for some time as long as you do not switch off the update of the LIS tables (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology). Once future production analytics supports all your analytics requirements, you can switch off the update of the LIS tables. Once you have switched off updating LIS tables, you will notice the following improvements:

- Improved performance of many transactions (fewer tables to update, fewer locking conflicts)
- Less memory required

Business Process related information

The following reports require a closer look:

Kanban: Info structure S029 collects frequency information of status changes. This information is only stored in S029. In future we intend to collect not only frequency information but the individual historic Kanban events. Any information in S029 will be lost after this change is implemented.

Required and Recommended Action(s)

Invest reasonably in the LIS. The LIS is intended as an interim solution, which can be used until PP analytics in HANA has the required scope. This also allows you to migrate your business processes step by step from SAP ERP to SAP S/4HANA, on-premise edition 1511.

Related SAP Notes

Custom Code related information	Enhancements and modifications of the LIS will not work for the future analytics solution.
---------------------------------	--

	<p>Custom reports reading one of the following tables will not work after the update of the LIS tables is switched off:</p> <ul style="list-style-type: none"> • S021: Order item data for material • S022: Operation data for work center • S023: Totals for material • S024: Totals for work center • S025: Run Schedule • S026: Material usage • S028: Reporting point statistics • S029: Kanban • S094: Stock/Requirements Analysis • S225: Goods receipts: repetitive manufacturing • S227: Product costs: repetitive manufacturing <p>These tables will be replaced by CDS views providing more or less the same information but with different column names and structures.</p>
--	---

13.35 S4TWL - Sales and Operation Planning

Application Components: PP-SOP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268064	Sales and Operation Planning

Description

Sales & Operations Planning (SOP) is a forecasting and planning tool for setting targets for sales and production based on historical, current, or estimated data. SOP is used for long-term strategic planning, not short-term tactical planning. Resource requirements can be computed to determine work center load and utilization. SOP is often performed on aggregated levels such as product groups and work-center hierarchies. Sales & Operations Planning includes standard SOP and flexible planning. Standard SOP comes preconfigured with the system. Flexible planning offers options for customized configuration.

Sales & Operations Planning (SOP) will be replaced by [Integrated Business Planning IBP](#) (Functionality available in SAP S/4HANA delivery but not considered as future

technology). Integrated Business Planning supports all SOP features plus advanced statistical forecasting, multi-level supply planning, an optimizer, collaboration tools, an Excel-based UI, and Web-based UIs.

Required and Recommended Action(s)

PP SOP is intended as a bridge or interim solution, which can be used until IBP is available as part of SAP S/4HANA and which allows you a stepwise system conversion from SAP ERP to SAP S/4HANA.

Related SAP Notes

Custom Code related information	Integrated Business Planning (IBP) is an all-new implementation for sales and operations planning. Any enhancements or modifications of SOP will not work once IBP is used.
---------------------------------	---

13.36 S4TWL - Simplified Sourcing

Application Components: PP-MRP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268069	Simplified Sourcing

Description

Context

MRP determines material shortages, then determines lot sizes, and then sources of supply. Lot sizing can decide to cover several material shortages with just one material receipt. After lot sizing, the planned material receipts with the requirement date and quantity are known. Subsequently sourcing determines whether the required quantity is manufactured or purchased and from which supplier the material is purchased.

Description of Simplification

The Basic idea of this simplification is a reduced set possible sources of supply. SAP S/4HANA supports the following types of sources of supply:

- Production versions
- Delivery schedules
- Purchasing contracts
- Purchasing info records

Sources of supply have a common set of attributes like a temporal validity interval and a quantitative validity interval.

Sourcing selects valid sources of supply with the following conditions:

- The source of supply is a production version
 - and the procurement type of the material is either 'E' (in-house production) or 'X' (Both procurement types)
 - and the production version is neither "Locked for any usage" nor "Locked for automatic sourcing"
 - and the planned material receipt's quantity is inside the quantity range of the production version
 - and the planned material receipt's delivery date is in the validity period of the production version
- The source of supply is a purchasing info record
 - and the procurement type is 'F' (external procurement)
 - and the purchasing info record is flagged for "Relevant for automatic sourcing"
 - and the planned material receipt's quantity is inside the quantity range of the purchasing info record
 - and the planned material receipt's delivery date is in the validity period of the purchasing info record
- The source of supply is a delivery schedule and the procurement type is 'F' (external procurement)
- The source of supply is a purchasing contract and the procurement type is 'F' (external procurement)

Quota arrangements can be used to prioritize sources of supply in case several sources of supply are valid simultaneously. If sourcing determines several valid sources of supply for the same material, plant, quantity, and date, but does not find any quota arrangements, then it prefers production versions over delivery schedules, delivery schedules over purchasing contracts, and purchasing contracts over purchasing info records. If sourcing selects a production version as source of supply, then the material receipt is going to be a planned order. If sourcing selects a purchasing info record, then the planned material receipt is going to be a purchase requisition.

The SAP S/4HANA sourcing logic differs from the classic business suite sourcing logic in the following aspects:

Business Suite Logic	SAP S/4HANA Logic	Reason
----------------------	-------------------	--------

<p>Material master attribute "Selection Method" MARC-ALTSL determines if MRP finds a BOM via the BOM's validity period, the BOM's quantity range, or via production version</p>	<p>Production versions are the only source of supply for in-house production. The material master attribute MARC-ALTSL no longer exists. Sourcing selects material BOMs only if a suitable production version exists. Sourcing does not need production versions to find make-to-order and make-to-project bills of material, but production versions are required to select routings also if make-to-order or make-to-project BOMs are used.</p>	<p>Simplification of the sourcing logic; symmetry of different sources of supply; only production versions are integrated into quota arrangements; only production versions make sure BOM and routing fit together</p>
<p>The order type attribute "Routing selection" T399X-ARBPA determines how a routing is determined during production order creation. The attribute can be defined in customizing transaction OPL8.</p>	<p>Production versions are the only source of supply for in-house production. A production version references a routing. This routing is used to create production orders</p>	<p>Simplification of the sourcing logic</p>
<p>The production version has a locking indicator with values 'Locked' and 'Not locked'. MRP only selects production versions that are not locked.</p>	<p>MRP only selects production versions that are neither 'Locked for any usage' nor "Locked for automatic sourcing."</p>	<p>The new status "Locked for automatic sourcing" corresponds to the "Relevant for automatic sourcing" indicator on the purchasing info record (Symmetry); you can use one production version (maybe with an artificial routing) as the default for new planned orders and manually dispatch these planned orders to proper lines/work centers</p>
<p>Phantom assemblies are exploded with the method defined in the phantom assembly's material master attribute MARC-ALTSL.</p>	<p>Production versions are the only source of supply for phantom assemblies. If a phantom assembly production version exists with the same ID as the production version exploded on finished material</p>	<p>Simplified sourcing logic and the possibility to synchronize BOM explosion on several BOM levels.</p>

	level, then the phantom BOM explosion explodes the BOM defined in the production version with the same production version ID. If no such production version exists, then the system searches for a phantom assembly production version using the explosion date and the quantity.	
Subcontracting purchase requisitions are exploded with the method defined in the material master attribute MARC-ALTSL	Production versions are the only source of supply for subcontracting. If you use subcontracting purchasing info records to define the supplier, you should define the production version in the purchasing info record. In all other cases, the system selects the material's production versions, also for subcontracting	Simplified sourcing logic and the possibility to define a supplier-specific production version. Different suppliers may need different subcontracting components from the client while procuring the other parts from elsewhere
MRP only selects purchasing info records if a source list entry exists that references the supplier referenced in the info record	Purchasing info records are a source of supply in their own right. MRP selects purchasing info records if the "relevant for automatic sourcing" indicator is set in the purchasing info record	Simplification of the sourcing logic: It is not required to create a source list entry on top of the purchasing info record
MRP uses source lists to determine vendors, contracts, or delivery schedules	Source lists are not considered in the S/4HANA on-premise edition 1511 until SP01. In later releases source lists can be used to provide additional information for sources of supply. For example, the source list may be used to block a source of supply or MRP-enable it only for a limited period of time. Alternatively quota arrangements can be used as a workaround.	Optionally, source lists can be used to temporarily block a source of supply or MRP-enable it only for a limited period of time.
MRP only considers quota arrangements if the	MRP considers quota arrangements always. It is not	In the early days of MRP, reading and considering quota arrangements was

material master attribute MARC-USEQU is set	required to switch it on in the material master	expensive. MARC-USEQU was a performance measure, with which you could switch off quota arrangements in MRP to improve performance. MRP in HANA does not suffer much from considering quota arrangements.
--	--	--

Reason

Simplified sourcing in SAP S/4HANA is simpler than sourcing in the classic SAP ERP for the following reasons:

- The different sources of supply are pretty symmetrical. Sources of supply have a temporal validity, a quantitative validity, a deletion indicator, and a "relevant for automatic sourcing" indicator. The sourcing logic can treat the different sources of supply in a uniform way
- Quota arrangements can be used to prioritize any of the possible sources of supply
- Purchasing info records are proper sources of supply. The SAP S/4HANA MRP can select purchasing info records without source list entries. It is sufficient to define the supplier information of a material in the purchasing info record.
- Production versions make sure BOM and routing fit together
- Production versions have always been the only in-house production source of supply integrated with APO PP/DS. With production versions as the only in-house production source of supply, ERP sourcing and PP/DS sourcing become more similar.
- Purchasing info records, contracts, and delivery schedules have always been the external procurement sources of supply integrated with APO. With purchasing info records being proper sources of supply, ERP sourcing and PP/DS sourcing become more similar
- A unified source of supply model is the basis for future innovations in sourcing

Business Process related information

If you want a BOM or routing to be considered by MRP, you have to create a production version.

If you want MRP to source a purchase requisition from a certain supplier, you no longer have to define a source list entry. It is sufficient to set the indicator "relevant for automatic sourcing" in the purchasing info record.

Required and Recommended Action(s)

-Actions required for manufactured materials

Check if production versions exist for those BOMs and routings that should be considered by MRP. The Conversion pre-check mentioned above can be used to this end. Report CS_BOM_PRODVER_MIGRATION creates proposals for production versions based on BOM validities. Run the report and accept or reject the proposed production versions. Note 2194785 contains report CS_BOM_PRODVER_MIGRATION.

-Actions required for externally procured materials

Analyse your source list entries

- No action is required if source list entries refer to contracts and delivery schedules. S/4HANA sourcing finds contracts and delivery schedules without source list entries.
- Activate the automatic sourcing indicator in the corresponding purchasing info record if the source list entry only refers to a supplier and if the supplier shall be selectable by MRP

Related SAP Notes

Conversion Pre-Checks	<p>The pre-check with the check ID "SAP_PP_MRP_PRODVERS_FOR_BOMS_CHECKS" checks if there are materials for which the SAP ERP MRP would find a BOM but not the SAP S/4HANA MRP. The SAP S/4HANA MRP only finds BOMs with valid production versions. SAP ERP MRP also finds BOMs with valid temporal or quantitative validity intervals if the BOM selection method specifies BOM selection using date or quantity. The pre-check raises a warning if a material has a BOM that is valid in the future and if the BOM selection method MARC-ALTSL is not yet specifying production versions as source of supply. If the pre-check detects such issues, proceed as described in section "Required and Recommended Actions on Start Release".</p> <p>The Conversion Pre-check is not mandatory and it only raises a warning, so you do not have to create production versions for dead materials, for materials for which you do not expect the need to produce the material. It is however recommended to perform the pre-check and create production versions for all materials likely to be manufactured in future.</p>
Custom Code related information	SAP Note: 2226333

	<p>If you implemented BADI MD_MODIFY_SOURCE in SAP ERP, you should check if the intended functionality still works. Also check the changes related to the Simplification Item 2.1.11.1 MRP in HANA.</p> <ul style="list-style-type: none"> • See note 2226333 for details
--	--

13.37 S4TWL - Browser-based Process Instruction-Sheets/Electronic Work Instructions

Application Components: PP-PI-PMA-PMC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268070	Browser-based Process Instruction-Sheets/Electronic Work Instructions

Description

The functionality of browser-based PI sheets and electronic work instructions is still available in SAP S/4HANA on-premise edition (Functionality available in SAP S/4HANA on-premise edition but not considered as future technology. Functional equivalent is not available yet). There is no functional equivalent as alternative available within SAP S/4HANA, on-premise edition.

[Browser-based Process Instruction Sheets \(PI-Sheets\)](#) and [electronic work instructions \(EWI\)](#) are based on a framework that allows the creation of worker UIs optimized for the needs of individual workers. The content of the PI sheets/EWI is rendered as plain HTML and displayed in the [SAP HTML Viewer](#) of ABAP dynpros. It requires SAPWinGUI as UI technology and does not work with SAPWebGUI. Because SAPWinGUI is used, the browser-based PI sheets and EWIs are dependent on MS Internet Explorer (technical prerequisite for HTML viewer).

Content of browser-based PI sheets and EWIs is defined using process instruction characteristics (XStep-based process instructions or characteristic-based process instructions [only PI sheets]). Based on the process instruction content, the [control recipes/control instructions](#) are created. If the control recipes/instructions belong to the control recipe destination of type 4, the corresponding browser-based PI sheet/EWI is created when the control recipe/instruction is sent.

The rendered HTML content of browser-based PI sheets and EWIs uses XSL and CSS. SAP standard XSL and CSS can easily be exchanged by custom style sheets. This allows easy custom adoption of the UI at the customer.

Browser-based PI sheets are used in the regulated environment (pharma production, and so on) to control and track the production execution. They can be archived to optical archives as part of the [electronic batch record \(EBR\)](#) to ensure compliant manufacturing (comply with US CFR21 part 11 and so on).

Starting with SAP R/3 4.6 C, formerly used ABAP-list based process instruction sheets have been replaced by browser-based PI sheets (see SAP Note [397504 - Support for ABAP list-based PI sheet](#)). Related functionality is still part of SAP ECC and S/4 -> separate simplification item.

Business Process related information

A future production operator UI will be built using state-of-the-art UI technology. It will not be possible to translate the UI configuration of browser-based PI sheets/EWIs into a UI configuration of a future worker UI. It has to be checked if the XSteps (the building blocks for browser-based PI sheets/EWIs) can be used as the basis for generating modern worker UIs.

Required and Recommended Action(s)

You can still use PI-sheets using SAP-GUI for Windows.

Invest reasonably in electronic work instructions and browser-based PI sheets.

Related SAP Notes

Custom Code related information	Enhancements and modifications of the browser-based PI sheets/EWIs will not work for future worker UIs.
---------------------------------	---

13.38 S4TWL - Internet Kanban

Application Components: PP-KAB-CRL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2268082	Internet-Kanban

Description

Internet Kanban allowed suppliers to log onto a manufacturer's system and view the status of Kanban containers in the manufacturer's system. It used a primitive browser UI to support suppliers without SAP-GUI. Adjustments were required but sensitive from a security point of view. Deep HTML knowledge was required to implement the required adjustments.

With the availability of the HTML-GUI, it is no longer necessary to hand-craft your own UIs. FIORI UIs will be another alternative in the future to display the Kanban status.

Business Process related information

There are several alternatives to internet Kanban

- Use SNC for supplier collaboration
- Give suppliers access to Transaction PK13N in the HTML-GUI and adapt it to your needs using screen personas

Transaction not available in SAP S/4HANA on-premise edition 1511	PKW1
--	------

Required and Recommended Action(s)

Check whether you grant access to transaction PKW1 to your suppliers.

Related SAP Notes

Custom Code related information	SAP Note: 2228178
---------------------------------	-------------------

14 Logistics – PS

14.1 S4TWL - Simplification of Date Planning Transactions

Application Components: PS-DAT

Related Notes:

Note Type	Note Number	Note Description
-----------	-------------	------------------

Business Impact	2267188	Simplification of Date Planning Transactions
-----------------	-------------------------	--

Description

There are currently multiple (partially redundant) transaction available to plan dates in projects. It's the target to have to simplify the related transaction in future. Accordingly the recommendation is to use the Project Builder transaction CJ20N for this business requirements even if other transactions are still available with SAP S/4HANA 1511 (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is available.).

For cross network scheduling still transactions CN24 and CN24N are available with SAP S/4HANA 1511, however, these transactions are planned to be replaced by other, simplified cross project / network scheduling functions in future and hence are not the target architecture as well.

Overall hence the following date planning / scheduling transactions are categorized not as the target architecture:

- CN24N Overall Network Scheduling
- CN24 Overall Network Scheduling
- CJ21 Change Basic Dates
- CJ22 Display Basic Dates
- CJ23 Change Forecast Dates
- CJ24 Display Forecast Dates
- CJ25 Change Actual Dates
- CJ26 Display Actual Dates
- CJ29 Update WBS (Forecast)

Business Process related information

The currently parallel (partly redundant) transactions for date planning and scheduling are still available with SAP S/4HANA 1511 but they are not the target architecture. Customer invest (for example related custom code or new end user knowledge transfer) need to consider this.

Required and Recommended Action(s)

End user knowledge transfer required to switch from multiple date planning transactions to single maintenance transaction CJ20N.

14.2 S4TWL - Workforce Planning

Application Components: PS-CRP-WFP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267189	Workforce Planning

Description

There are currently several workforce planning functions such as usage of PS teams and transactions CMP2/CMP3/CMP9 available. These traditional transactions are still supported with SAP S/4HANA 1511 in project system but they are not considered as the target architecture (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet.). It's the target to have simplified and improved ways of workforce planning available in future.

The following transactions are hence categorized not to be the target architecture:

- CMP2 Workforce Planning: Project View
- CMP3 Workforce Planning: Work Center View
- CMP9 Workforce Planning - Reporting

Business Process related information

Still the existing workforce planning functions can be used. However, these functions and related transactions are not the target architecture any longer and might be replaced in future by other solutions which might not provide exactly the same functional scope of currently existing functions.

Required and Recommended Action(s)

None

14.3 S4TWL - Progress Tracking & Monitoring Dates

Application Components: PS-PRG-TRC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267190	Progress Tracking & Monitoring Dates

Description

Current progress tracking and project monitoring function in Project System are still available with SAP S/4HANA 1511 but not considered as the target architecture (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet.). It is recommended not to continue to enable progress tracking for PS objects and project monitoring function. It is the intention in future to offer a simplified solution for this business requirements.

The following transactions are hence categorized not to be the target architecture:

- NTWXPDP Progress Tracking: Networks
- WBSXPDP Progress Tracking: WBS
- NWTM Monitoring Network Dates
- ACOMPXPDP Progress Tracking Evaluations
- AXPDP Progress Tracking Evaluations
- COMPXPDP Progress Tracking for Components
- DEXP Expediting
- EXPDP Expediting

Business Process related information

Still the existing progress tracking and monitoring dates functions can be used. However, these functions and related transactions are not the target architecture and might be replaced in future by other solutions which might not provide exactly the same functional scope of currently existing functions.

Required and Recommended Action(s)

None

14.4 S4TWL - Project Claim Factsheet

Application Components: PS-CLM

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2267283	Project Claim Factsheet

Description

With SAP S/4HANA 1511 the Project Claim factsheet will not be available anymore since the claim functionality is categorized not as the target architecture (see note 2267169).

Business Process related information

No influence on business processes expected

Required and Recommended Action(s)

- It is recommended using Project Issue and Change Management functionality and not PS claim Management for appropriate business requirement.
- Knowledge Transfer to key- and end-user

14.5 S4TWL - Project Reporting

Application Components: PS-IS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267286	Project Reporting

Description

Current project reporting and analytic functions in Project System (PS) are still available with SAP S/4HANA 1511 but not considered as the target architecture (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet.). It is intended to offer a simplified and even more flexible solution leveraging SAP HANA capabilities in an optimized way for this business requirements in future. Please note that for example in Financials partly already simplified reports exist with role SAP_SFİN_BCR_C ONTROLLER, which could be used as replacements for certain PS reports.

The following transactions are hence categorized not to be the target architecture:

- CN40 Project Overview
- CN41 Structure Overview
- CN42 Overview: Project Definitions
- CN43 Overview: WBS Elements
- CN44 Overview: Planned Orders
- CN45 Overview: Orders
- CN46 Overview: Networks
- CN47 Overview: Activities/Elements
- CN48 Overview: Confirmations
- CN49 Overview: Relationships
- CN50 Overview: Capacity Requirements
- CN51 Overview: PRTs
- CN52 Overview: Components
- CN53 Overview: Milestones
- CN60 Change Documents for Projects/Netw.
- CN70 Overview: Batch variants
- CN71 Create versions
- CNB1 Purchase requisitions for project
- CNB2 Purchase orders for project
- CNMT Milestone Trend Analysis
- CNS40 Project Overview
- CNS41 Structure Overview
- CNS42 Overview: Project Definitions
- CNS43 Overview: WBS Elements
- CNS44 Overview: Planned Orders
- CNS45 Overview: Orders
- CNS46 Overview: Networks
- CNS47 Overview: Activities/Elements
- CNS48 Overview: Confirmations
- CNS49 Overview: Relationships
- CNS50 Overview: Capacity Requirements
- CNS51 Overview: PRTs
- CNS52 Overview: Components
- CNS53 Overview: Milestones
- CNS54 Overview: Sales Document
- CNS55 Overview: Sales and Dist. Doc. Items
- CNS60 Change Documents for Projects/Netw.
- CNS71 Create versions
- CNS83 PS: Archiving project - Info System
- CNSE5 Progress Analysis
- CJH1 Reconstruct Project Inheritance
- CJH2 Project Inheritance Log
- CJSA Data Transfer to SAP-EIS
- CJSB Select Key Figure and Characteristic
- CN41N Project structure overview

- CNPAR Partner Overview
- CJ74 Project Actual Cost Line Items
- CJ76 Project Commitment Line Items
- CJ7M Project Plan Cost Line Items
- CJ80 Availability Control - Overview
- CJ81 Update Report List
- CJBBS1 Planning Board Report Assignment
- CJBBS2 Structure Overview Report Asst
- CJE0 Run Hierarchy Report
- CJE1 Create Hierarchy Report
- CJE2 Change Hierarchy Report
- CJE3 Display Hierarchy Report
- CJE4 Create Project Report Layout
- CJE5 Change Project Report Layout
- CJE6 Display Project Report Layout
- CJEA Call Hierarchy Report
- CJEB Background Processing, Hier.Reports
- CJEC Maintain Project Crcy Trans.Type
- CJEK Copy Interfaces/Reports
- CJEM Project Reports: Test Monitor
- CJEN Reconstruct: Summarized Proj.Data
- CJEO Transport Reports
- CJEP Transport Forms
- CJEQ Import Reports from Client
- CJET Translation Tool - Drilldown
- CJEV Maintain Global Variable
- CJEX Reorganize Drilldown Reports
- CJEY Reorganize Report Data
- CJEZ Reorganize Forms
- CJI1 Project Budget Line Items
- CJI2 Budget Line Items: Document Chain
- CJI3 Project Actual Cost Line Items
- CJI3N Projects Line Items Actual Costs New
- CJI4 Project Plan Cost Line Items
- CJI4N Projects Line Items Plnd Costs New
- CJI5 Project Commitment Line Items
- CJI8 Project Budget Line Items
- CJI9 Project Struct.Pld Costs Line Items
- CJIA Project Actual and Commt Paymt LIs
- CJIB Project Plan Payment Line Items
- CJIF Projects: Profitability Analysis LI
- CJT2 Project Actual Payment Line Items
- CJVC Value Category Checking Program
- OPI1 Maintain Value Categories
- OPI2 Value Categories for Cost Elements

- OPI3 Update Control: File RPSCO
- OPI4 Commitment Item Value Categories
- OPI5 Value Categories for Stag.Key Figs
- OPI8 Display Value Category
- S_ALR_87013503 SObj: Actual/Plan/Variance
- S_ALR_87013504 SObj: Actual/Plan/Commitment
- S_ALR_87013505 SObj: Current/Cumulated/Total
- S_ALR_87013511 Order Profit
- S_ALR_87013512 SObj: Actual/Plan/Variance
- S_ALR_87013513 SObj: Current/Cumulated/Total
- S_ALR_87013531 Costs/Revenues/Expenditures/Receipts
- S_ALR_87013532 Plan/Actual/Variance
- S_ALR_87013533 Plan/Actual/Cmmt/Rem.Plan/Assigned
- S_ALR_87013534 Plan 1/Plan 2/Actual/Commitments
- S_ALR_87013535 Actual in COArea/Object/Trans. Curr.
- S_ALR_87013536 Plan/Actual/Down Payment as Expense
- S_ALR_87013537 Commitment Detail
- S_ALR_87013538 Project Version Comparison:Act./Plan
- S_ALR_87013539 Project Version Comparison: Plan
- S_ALR_87013540 Forecast
- S_ALR_87013541 Project Interest: Plan/Actual
- S_ALR_87013542 Actual/Comm/Total/Plan in COAr crcy
- S_ALR_87013543 Act/plan/variance abs. / % var.
- S_ALR_87013544 Actual/Plan Comparison: Periods
- S_ALR_87013545 Period Comparison - Actual
- S_ALR_87013546 Commitments: Period comparison
- S_ALR_87013547 Period Comparison - Plan
- S_ALR_87013548 Stat. key figures/periods
- S_ALR_87013549 Act/plan compare with partner
- S_ALR_87013550 Debit in object/CO area currency
- S_ALR_87013551 Plan: Debits in obj./CO area crcy
- S_ALR_87013552 Debit/credit actual
- S_ALR_87013553 Debit/credit plan
- S_ALR_87013554 Comparison of 2 plan versions
- S_ALR_87013555 Project results
- S_ALR_87013556 Funds Overview
- S_ALR_87013557 Budget/Actual/Variance
- S_ALR_87013558 Budget/Actual/Commitmt/Rem.Plan/Assg
- S_ALR_87013559 Budget/Distributed/Plan/Distributed
- S_ALR_87013560 Budget updates
- S_ALR_87013561 Availability Control
- S_ALR_87013562 Annual Overview
- S_ALR_87013563 Structure
- S_ALR_87013564 Plan/Actual/Variance
- S_ALR_87013565 Planned Contribution Margin

- S_ALR_87013566 Actual Contribution Margin
- S_ALR_87013567 Quotation/Order/Plan/Actual
- S_ALR_87013568 Project Results
- S_ALR_87013569 Incoming Orders/Balance
- S_ALR_87013570 Act/plan/variance abs. / % var.
- S_ALR_87013571 Actual/Plan Comparison: Periods
- S_ALR_87013572 Project results
- S_ALR_87013573 Overview
- S_ALR_87013574 Expenditures
- S_ALR_87013575 Revenues
- S_ALR_87013577 Costs/Revenues/Expenditures/Receipts
- S_ALR_87015124 Progress Analysis
- S_ALR_87015125 Progress Analysis: Detail
- S_ALR_87100185 Actual Costs Per Month, Current FY
- S_ALR_87100186 Plan Costs per Month, Current FY
- S_ALR_87100187 Commitment per Month, Current FY
- S_ALR_87100188 Cumulated Actual Costs
- S_ALR_87100189 Actual/Planned Time Series
- S_ALR_87100190 Actual/Plan/Var Project + Respons
- S_ALR_87100191 Receipts/Expenditures in Fiscal Year
- CN42N Overview: Project Definitions
- CN43N Overview: WBS Elements
- CN44N Overview: Planned Orders
- CN45N Overview: Orders
- CN46N Overview: Networks
- CN47N Overview: Activities/Elements
- CN48N Overview: Confirmations
- CN49N Overview: Relationships
- CN50N Overview: Capacity Requirements
- CN51N Overview: PRTs
- CN52N Overview: Components
- CN53N Overview: Milestones
- CN54N Overview: Sales Document
- CN55N Overview: Sales and Dist. Doc. Items
- CNVL Variable Overviews
- OPU8 Overview Var.: Header Line Info Sys.
- OPU9 Overview Variant: Item Line
- CNE5 Progress Analysis
- CJCD Change documents: WBS
- CODC Change Documents for Network

Please note that PS analytical apps from Smart Business for Project Execution will not be immediately available with SAP S/4HANA 1511 but similar functions are planned for future releases. Hence SAP Fiori apps corresponding to the following apps are planned to be delivered only after SAP S/4HANA 1511:

- F0293 WBS Element Cost Variance
- F0294 WBS Element Costs at Risk
- F0297 Due Project Milestones
- F0298 Overdue Project Milestones
- F0299 Overdue Project PO Items
- F0300 Due Project PO Items
- F0301 Due Network Activities
- F0302 Overdue Network Activities
- F0303 Due WBS Elements
- F0304 Overdue WBS Elements
- F0305 Project Missing Parts
- F0306 Project Open Reservations
- F0630 WBS-Element Revenue Variance
- F0631 WBS-Element planned cost variance
- F0632 WBS-Element Exceeding Work
- F0633 WBS-Element Pending Work
- F0635 Project Report
- F0696 WBS Element Percentage of Completion
- F0697 WBS Element Earned Value
- F0698 Project Earned Value
- F0699 Project Percentage of Completion

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

None – the functionality is available in SAP S/4HANA, on-premise edition 1511.

14.6 S4TWL - Selected Project System Interfaces

Application Components: PS-ST-INT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267288	Selected Project System Interfaces

Description

Selected Project System Interface are not available in SAP S/4HANA 1511:

- OpenPS for Microsoft Project for a bidirectional data exchange with Microsoft Project (the usage of SAP Enterprise Project Connection (EPC) for a data exchange with Microsoft Project Server could be considered instead) transaction OPENPS for the download of activities to Palm Pilot
- MPX up- and download functions including transactions CN06 and CN07 and related functions in PS reporting transactions such as CN41 etc.
- Export to Graneda and Microsoft Access (see also 1670678 - New features in SAP GUI for Windows 7.30)

Business Process related information

The selected interfaces listed above will not be available anymore in SAP S/4HANA 1511. Alternative solutions such as SAP Enterprise Project Connection or leveraging PS BAPIs should be considered.

Transaction Codes not available in SAP S/4HANA	CN06	MPX Download: Standard Network
	CN07	MPX Upload: Standard Network
	OPENPS	Download Activities to Palm Pilot

Required and Recommended Action(s)

Knowledge Transfer to key- and end user.

14.7 S4TWL - Construction Progress Report and Valuation

Application Components: PS-REV-CPR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267289	Construction Progress Report and Valuation

Description

The Construction Progress Report and Valuation function is not available in SAP S/4HANA 1511.

Business Process related information

The Construction Progress Report and Valuations functions and related transactions are not available in SAP S/4HANA 1511.

Transaction Codes not available in SAP S/4HANA	/SAPPCE/PNV01	Create Construction Progress Report
	/SAPPCE/PNV03	Display Construction Progress Report
	/SAPPCE/PNV04	Display construction progress report
	/SAPPCE/PNV05	Create and Change CPR
	/SAPPCE/PNV07	Create and Change Remaining Plan

Required and Recommended Action(s)

Knowledge Transfer to key- and end-user. A customer specific solution or a switch to SAP standard functions should be considered.

14.8 S4TWL - Project System ITS Services

Application Components: PS-CON

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267331	Project System ITS Services

Description

The following ITS services in Project System are not available any longer in S/4HANA as of SAP S/4HANA 1511:

- CNW1 WWW: Confirmation
- CNW4 Project Documents
- SR10 Claims

Business Process related information



Selected ITS services for document search, confirmations and creation of claims are not available as of SAP S/4HANA 1511.

Required and Recommended Action(s)

Knowledge Transfer to key- and end user.

14.9 S4TWL - Selected PS Business Function Capabilities

Application Components: PS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267333	Selected PS Business Function Capabilities

Description

Selected PS business functions and related transactions are not the target architecture anymore in SAP S/4HANA 1511.

With SAP S/4 HANA 1511 - FPS1 the following business functions are switchable but obsolete:

- OPS_PS_CI_3
- LOG_XPD_EXT_1

The following PS business functions are customer-switchable in SAP S/4 HANA 1511 FPS1. The related functions are intended to be replaced in future by improved functions and hence are not the target architecture (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet.).

- OPS_PS_CI_1
- OPS_PS_CI_2

The following transactions are hence categorized not to be the target architecture:

- CN08CI Config. of Commercial Proj Inception
- CNACLD PS ACL Deletion Program transaction
- CNSKFDEF SKF defaults for project elements

Basic Information related to Business Functions

If a business function was switched ON in the Business Suite start release system, but defined as always_off in the SAP S/4HANA, on-premise edition target release, then a system conversion is not possible with this release. See SAP Note 2240359 - SAP S/4HANA, on-premise edition 1511: Always-Off Business Functions. If a business function is defined as "customer_switchable" in the target release (SAP S/4HANA, on-premise edition 1511 FPS1), then the business function status remains unchanged from the status on start release. Business Functions defined as obsolete cannot be switched ON

Business Process related information

Customer having one or all of these business functions switched ON in Business Suite start release can execute the system conversion. Customers having none of these business functions switched ON in Business Suite start release cannot activate the obsolete business functions after the system conversion to SAP S/4 HANA 1511.

The Business Functions OPS_PS_CI_1 and OPS_PS_CI_2 are available and selectable with SAP S/4HANA 1511, but the related functionalities are not considered as target architecture.

Alternative standard functions should be considered.

Required and Recommended Action(s)

None

14.10 S4TWL - Selected Logistics Capabilities

Application Components: PS-MAT-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267384	Selected Logistics Capabilities

Description

Selected PS logistics functions are not the target architecture in SAP S/4HANA (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet.). However, the functions are still available in SAP S/4HANA 1511.

The following transactions are categorized not as the target architecture and are planned to be replaced by new functions in future:

- CNMM Project-Oriented Procurement
- CNC4 Consistency checks for WBS
- CNC5 Consistency checks sales order/proj.

In addition it is also intended to provide alternative solutions for using the non-valuated project stock and the Open Catalog Interface (OCI).

Business Process related information

No influence on business processes expected functionality still available

Required and Recommended Action(s)

None

14.11 S4TWL - Simplification of maintenance transactions

Application Components: PS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270246	Simplification of maintenance transactions

Description

There are currently multiple, partially redundant transactions to maintain projects in project system. It's the target to have one single maintenance transaction in future. The target transaction is transaction CJ20N Project Builder. The following maintenance transactions are hence categorized not as target architecture (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is available):

- CJ01 Create Work Breakdown Structure
- CJ02 Change Work Breakdown Structure
- CJ03 Display Work Breakdown Structure
- CJ06 Create Project Definition
- CJ07 Change Project Definition
- CJ08 Display Project Definition
- CJ11 Create WBS Element

- CJ12 Change WBS Element
- CJ13 Display WBS Element
- CJ14 Display WBS Element (From DMS)
- CJ20 Structure planning
- CJ2A Display structure planning
- CJ2D Structure planning
- OPUM Maintain Subprojects
- CN19 Display Activity (From DMS)
- CN20 Dsply network/act.bsc data init.scrn
- CN21 Create Network
- CN22 Change Network
- CN23 Display Network
- CJ27 Project planning board
- CJ2B Change project planning board
- CJ2C Display project planning board
- CN26 Display Mat.Comp/Init: Ntwk,Acty,Itm
- CN26N Display Mat. Components (From DMS)

Business Process related information

Transaction CJ20N Project Builder is the strategic functionality related to project maintenance. The currently parallel (partly redundant) transactions are still available with SAP S/4HANA 1511 but they are not the target architecture. However, navigation e.g. from strategic reports or other strategic transactions to the list of maintenance transactions not the target architecture will be exchanged by navigation to the Project Builder transaction CJ20N. Customer invest (for example related custom code or new end user knowledge transfer) need to consider this.

Required and Recommended Action(s)

It's recommended to use single maintenance transaction CJ20N (Project Builder) instead of using multiple project related transactions.

End user knowledge transfer required to switch from multiple transactions to single maintenance transaction CJ20N.

14.12 S4TWL - Selected Project System BAPIs

Application Components: PS-ST

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2267386	Selected Project System BAPIs

Description

The Project System (PS) BAPIs referring to business objects ProjectDefinition, Network, and WorkBreakdownStruct (as part of CN package) are not considered as the target architecture in SAP S/4HANA 1511 (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent available.). The functionality is still available in SAP S/4HANA 1511, but it is recommended to use the corresponding BAPIs for business objects ProjectDefinitionPI, NetworkPI, and WBSPI (within package CNIF_PI) instead.

Business Process related information

No influence on business processes expected functionality still available

Required and Recommended Action(s)

It is recommended to verify if it is possible to use the corresponding BAPIs for business objects ProjectDefinitionPI, NetworkPI, and WBSPI (within package CNIF_PI).

14.13 S4TWL - Handling Large Projects Business Functions

Application Components: PS-HLP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2352369	Handling Large Projects Business Functions

Description

Project System business functions for Handling Large Projects and related transactions are not the target architecture anymore in SAP S/4HANA.

With SAP S/4 HANA 1511 - FPS1 hence the following business functions are switchable (to enable technical conversion) but obsolete:

- OPS_PS_HLP_1
- OPS_PS_HLP_2

The following transactions and related IMG activities are categorized not to be the target architecture and cannot be used any longer with SAP S/4HANA:

- PSHLP10 Project Worklist
- PSHLP20 Project Editor
- PSHLP30 Draft Workbench
- PSHLP90 Administrator Workbench

Basic Information related to Business Functions

If a business function was switched ON in the Business Suite start release system, but defined as always_off in the SAP S/4HANA, on-premise edition target release, then a system conversion is not possible with this release. See SAP Note 2240359 - SAP S/4HANA, on-premise edition 1511: Always-Off Business Functions. If a business function is defined as "customer_switchable" in the target release (SAP S/4HANA, on-premise edition 1511 FPS1), then the business function status remains unchanged from the status on start release. Business Functions defined as obsolete cannot be switched ON

Business Process related information

Customer having these business functions switched ON in Business Suite start release can execute the system conversion. Nevertheless the functionality related to the business functions OPS_PS_HLP_1, OPS_PS_HLP_2 are not available within SAP S/4 HANA 1511. Customers having none of these business functions switched ON in Business Suite start release cannot activate these business functions after the system conversion to SAP S/4 HANA 1511.

Alternative standard functions should be considered. Instead of Handling Large Projects transactions e.g. the Project Builder transaction should be used.

Required and Recommended Action(s)

None

14.14 S4TWL - Navigation to Project Builder instead of special maintenance functions

Application Components: PS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270261	Navigation to Project Builder instead of special maintenance functions

Description

There are currently multiple, partially redundant transactions to maintain projects. It's the target to have one single maintenance transaction in future. The target transaction is transaction CJ20N Project Builder. See as well SAP note 2270246. With SAP S/4HANA 1511 the target for links and references in reports, still classified as relevant for the target architecture, is going to the single maintenance transaction CJ20N (Project Builder). For reports classified as not strategic anymore the navigation has not been adopted.

Business Process related information

Transaction CJ20N Project Builder is the strategic functionality related to project maintenance. The currently parallel (partly redundant) transactions are still available with SAP S/4HANA 1511 but they are not the target architecture. Customer invest (for example related custom code or new end user knowledge transfer) need to consider this.

With SAP S/4HANA 1511 the target for links and references in strategic reports and transactions is going to single maintenance transaction CJ20N (Project Builder) and not longer to other project related transactions. A customer can re-enable on project specific basis the link and reference to the old (multiple) transactions, which are still available.

Required and Recommended Action(s)

It's recommended to use single maintenance transaction CJ20N (Project Builder) instead of using multiple project related transactions and accordingly the links and references from related transactions should have CJ20N (Project Builder).

End user knowledge transfer required to switch from multiple transactions to single maintenance transaction CJ20N.

Custom Code related information

In case of custom code for special maintenance functions only, customer should consider to enable the custom code for the Project Builder transactions

14.15 S4TWL - Production Resources and Tools functions for projects

Application Components: PS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270262	Production Resources and Tools functions for projects

Description

The current handling of Production Resources and Tools (PRT) is not the target architecture (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet) in SAP S/4HANA 1511 since the Project Builder transaction does not support PRTs. Currently no functional equivalent for Production Resources and Tools (PRT) for projects in SAP S/4HANA 1511 exist. PRTs will not be available in the Project Builder transaction CJ20N.

Business Process related information

No functional equivalent for Production Resources and Tools (PRT) exist in SAP S/4HANA 1511. Still old special maintenance functions can be used for PRT handling. However, please note that special maintenance functions are not the target architecture and the Project Builder transaction does not support PRTs (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

Required and Recommended Action(s)

Knowledge Transfer to key- and end user, usage of alternatives to PRTs need to be considered

14.16 S4TWL - Project Planning Board, Gantt-Chart, Hierarchy and Network Graphics

Application Components: PS

Related Notes:

Note Type	Note Number	Note Description
-----------	-------------	------------------

Business Impact	2270263	Project Planning Board, Gantt-Chart, Hierarchy and Network Graphics
-----------------	-------------------------	---

Description

Please be informed that graphics in Project System including Gantt charts, network graphics and hierarchy graphics might be replaced in future by new graphic user interface patterns. The existing graphical views hence are categorized not as the target architecture (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet). Because of this also the following transactions are categorized not as the target architecture:

- CJ27 Project planning board
- CJ2B Change project planning board
- CJ2C Display project planning board

Business Process related information

Still the existing graphics and corresponding transactions can be used. However, the graphics might be replaced in future by new and improved graphic user interface patterns which might not provide exactly the same functional scope of currently existing functions.

Required and Recommended Action(s)

Knowledge Transfer to key- and end user

14.17 S4TWL - Current simulation functions in project system

Application Components: PS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270264	Current simulation functions in project system

Description

With SAP S/4HANA 1511 the current simulation functions in project system are still available but not considered as the target architecture (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet).

The following transactions are hence categorized not as the target architecture:

- CJV1 Create project version (simulation)
- CJV2 Change project version (simulation)
- CJV3 Display Project Version (Simulation)
- CJV4 Transfer project
- CJV5 Delete simulation version
- CJV6 Maintenance: Version administration
- CJV7 Display transfer log

Business Process related information

Still the existing simulation functions can be used. However, the existing simulation functions and related transactions are not the target architecture and might be replaced in future by other, improved simulation capabilities which might not provide exactly the same functional scope of currently existing functions.

14.18 S4TWL - Specific PS archiving transactions

Application Components: PS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270265	Specific PS archiving transactions

Description

With SAP S/4HANA 1511 the Project system specific archiving transactions are still available, but they are not considered as the target architecture any longer (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology).

Functional equivalent is available). It is recommended to use the central archiving transaction SARA instead.

The following transactions are categorized not as the target architecture:

- CN80 Archiving project structures
- CN81 PS: Archiving project - preliminary
- CN82 PS: Archiving project structures
- CN83 PS: Archiving project - Info System
- CN84 PS: Archiving project - admin.
- CN85 PS: Delete operative structures
- CN99 Archiving Standard Networks
- KBEA Trsfr Price Docs: Set Del.Indicator
- KBEB Trsfr Price Docs: Generate Archive
- KBEC Trsfr Price Docs: Manage Archive

Business Process related information

Still the existing project specific archiving transactions can be used. However, these transactions are not the target architecture. Going forward it is recommended to use the central archiving transaction SARA instead.

Required and Recommended Action(s)

- It is recommended to use central archiving transaction SARA instead of project system specific transactions.
- Knowledge Transfer to key- and end-user

14.19 S4TWL - Project texts (PS texts)

Application Components: PS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270266	Project texts (PS texts)

Description

With SAP S/4HANA 1511 in Project System the Project texts (PS texts) are not considered as the target architecture (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet). It is planned to replace the PS texts with alternative functionality.

The following transactions are hence categorized not as the target architecture as well:

- CN04 Edit PS Text Catalog
- CN05 Display PS Text Catalog

Business Process related information

Still the Project texts can be used. However, this function is not the target architecture. Going forward it is recommended to use alternative ways of document handling for projects.

14.20 S4TWL - Claim Management

Application Components: PS-CLM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267169	Claim Management

Description

With SAP S/4HANA 1511 the Project System Claim Management is still available but not considered as the target architecture (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available). It is recommended to use alternative solutions such as Project Issue and Change Management for this business requirement.

The following transactions are hence categorized not as the target architecture:

- CLM1 Create Claim

- CLM10 Claim Overview
- CLM11 Claim Hierarchy
- CLM2 Change Claim
- CLM3 Display Claim

Please note that hence also the factsheet/object page Project Claim will not be available with SAP S/4HANA 1511 (see note 2267283).

Business Process related information

Still the existing claim management functionality can be used. However, the related functions and transactions are not the target architecture.

Going forward it is recommended to use alternative solutions such as Project Issue and Change Management for this business requirement. This might require also process changes as claim management and Project Issue and Change Management partially provide different capabilities.

Required and Recommended Action(s)

It is recommended to use Project Issue and Change Management functionality and not PS claim management for appropriate business requirement.

Knowledge Transfer to key- and end-user, evaluation of Project Issue and Change Management as alternative to PS claim management.

14.21 S4TWL - Selected project financial planning and control functions

Application Components: PS-COS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267182	Selected project financial planning and control functions

Description

With SAP S/4HANA 1511 project financial planning and control functions including the Easy Cost Planning (ECP) tool are still available but not considered as the target architecture (Functionality available in SAP S/4HANA 1511 delivery but not considered as future technology. Functional equivalent is not available yet.) any longer since it is

planned to provide improved project costing and project financial planning tools addressing customer needs.

The following transactions are hence categorized not as the target architecture:

- CJFA Analysis of Data Trans. into PS Cash
- CJFN CBM Payment Converter
- CJ48 Change Payment Planning: Init.Screen
- CJ49 Display Payment Planning: Init.Screen
- FM48 Change Financial Budget: Initial Scn
- FM49 Display Financial Budget: Init.Scrn
- CJ8V Period Close for Project Selection
- CJC1 Maintenance Dialog for Stat.by Per.
- CJC2 Maintain Planned Status Changes
- CJSJ Generate WBS Element Group
- CJZ1 Act. Int Calc.: Projects Coll. Proc.
- CJZ2 Actual Int.Calc.: Project Individ.Prc.
- CJZ3 Plan Int.Calc.: Project Individ.Prc.
- CJZ5 Plan Int.Calc.: Project Coll.Prc.
- CJZ6 Actual Int.Calc.: Individ.CO Order Prc
- CJZ7 Planned Int.Calc: Individ.CO Ord.Proc.
- CJZ8 Actual Int.Calc.: Coll.CO Order Prc.
- CJZ9 Plan Int.Calc.: Coll.CO Order Prc.
- CNFOWB Forecast Workbench
- CJ9D Copy Plan Versions
- CJ9ECP Project System: Easy Cost Planning
- CJ9K Network Costing
- CJ9L Forecast Costs: Individual Projects
- CJ9M Forecast Costs: Coll.Project Proc.
- CJ9Q Integrated Planning for Ntwks(Coll.)
- CJ9QS Integrated Planning for Ntwks (Ind.)
- CNPAWB Progress Analysis Workbench
- DP101 Reset Billing Plan Date
- DP80 SM: Resource-Related Quotation
- DP81 PS: Sales Pricing
- DP82 PS: Sales Pricing Project
- DP98 Resource for Billing Request
- DP99A Doc.Flow Reporting - Res.-Rel. Bill.
- DP99B Doc.Flow for Res.-Rel. Bill. - SD
- DP99C Doc.Flow for Res.-Rel. Bill.-Service
- DP60 Change Accounting Indicator in LI
- DP70 Conversion of Individual Orders
- RKPSANALYSE RKPSANALYSE
- CJF1 Create Transfer Price Agreement
- CJF2 Change Transfer Price Agreement

- CJF3 Display Transfer Price Agreement
- CJF4 Transfer Price Agreement List
- CJG1 Enter Transfer Price Allocation
- CJG3 Display Transfer Price Allocation
- CJG4 Enter Trsfr Price Allocation: List
- CJG5 Cancel Transfer Price Allocation
- CJL2 Collective Agreement
- CNPRG Network Progress

Business Process related information

No influence on business processes expected.

15 Logistics – PSS

15.1 S4TWL - MyApps for Product Safety and Dangerous Goods Management

Application Components: EHS-SAF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267436	MyApps for Product Safety and Dangerous Goods Management

You are carrying out a system conversion to SAP S/4HANA, on-premise edition. The following SAP S/4HANA transition worklist item is applicable in this case.

Description

SAP PS&S MyApps function modules are not available within SAP S/4HANA.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

None

How to Determine Relevancy

None

15.2 S4TWL - PS&S SARA Reports

Application Components: EHS-HSM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267438	PS&S-SARA- Reports

Description

The creation of SARA reports is not available within SAP S/4HANA. A successor functionality is on the roadmap for a future release.

Business Process related information

Transaction CBIHSR01 is not available in SAP S/4HANA.

15.3 S4TWL - Substance Volume Tracking Selection Criteria based on tables VBUK and VB

Application Components: EHS-SAF-RCK

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267439	Substance Volume Tracking Selection Criteria based on tables VBUK and VB

You are carrying out a system conversion to SAP S/4HANA, on-premise edition. The following SAP S/4HANA transition worklist item is applicable in this case.

Description

In many countries regulations require that chemicals and hazardous substances must be registered if they are purchased, imported, produced, sold, or exported in specific quantities and within a certain period. SAP Substance Volume Tracking helps companies to comply with the relevant regulations by recording the quantities of substances that need to be tracked. By comparing the recorded quantities with the limit values, the system can issue a warning in good time before a limit value is exceeded. If a limit value is exceeded, the system can also block the relevant business process. This means companies can ensure that they stay within the quantity limits.

In substance volume tracking, the system reads logistics data from the following tables depending on the scenario:

Scenario	Scenario Category	Tables	Date for Planned Quantities
PUR	PURCHASE_REQUISITION	EBAN	EBAN-LFDAT: Delivery date of item
PUR	PURCHASE	EKKO, EKPO, EKET, MKPF, MSEG	EKET-EINDT: Delivery date of item
SO	SALES	VBAK, VBAP, VBEP, VBPA, VBUP	VBEP-EDATU: Schedule line date
SO	DELIVERY	LIKP, LIPS, VBPA, VBUP, MKPF, MSEG	LIKP-WADAT: Planned date of goods movement
IMP	PURCHASE_REQUISITION	EBAN	EBAN-LFDAT: Delivery date of item
IMP	PURCHASE	EKKO, EKPO, EKET, MKPF, MSEG	EKET-EINDT: Delivery date of item
EXP	SALES	VBAK, VBAP, VBEP, VBPA, VBUP	VBEP-EDATU: Schedule line date
EXP	DELIVERY	LIKP, LIPS, VBPA, VBUP, MKPF, MSEG	LIKP-WADAT: Planned date of goods movement

PRO	PRODUCTION	AUFK, AFKO, AFPO, RESB, MKPF, MSEG	AFKO-GSTRS: Scheduled start
PRO	REPET_MANUFACTU RING	PLAF, RESB, MKPF, MSEG	PLAF- PSTTR: Basic start date
CON	PRODUCTION	AUFK, AFKO, AFPO, RESB, MKPF, MSEG	AFKO-GSTRS: Scheduled start
CON	REPET_MANUFACTU RING	PLAF, RESB, MKPF, MSEG	PLAF- PSTTR: Basic start date

As a result of the SAP S/4HANA data model change in Sales & Distribution, tables VBUK and VBUP are no longer supported in this Customizing activity. Selection criteria which relate to the status of a sales document need to be defined based on the corresponding header and item tables (VBAK, VBAP, LIKP and LIPS). For further details of the data model change see Simplification Item in Sales & Distribution area.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

Adaption of the selection criteria for substance volume tracking as described in SAP Note 2198406.

How to Determine Relevancy

Check the selection criteria for substance volume tracking as described in SAP Note 2198406.

15.4 S4TWT - Simplification in Product Compliance for Discrete Industry

Application Components: EHS-MGM-PRC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267461	Simplification in Product Compliance for Discrete Industry

Description

With component extension for SAP EHS Management, customers can use the *Product Compliance for Discrete Industry* (EHS-MGM-PRC) solution for managing their product safety and stewardship business processes. In SAP S/4HANA on-premise edition 1511 and later, some functions are not available.

- BI extraction and queries for product compliance reporting including the roles SAP_EHSM_PRC_BI_EXTR and SAP_EHSM_PRC_BW_ANALYTICS
- Compliance Assessment Workflows
- Compliance Requirement Check Conflict Workflows
- Automated updated of contact person information upon import from Supplier declarations from SAP Product Stewardship Network

Business Process related information

In SAP S/4HANA on-premise edition the compliance reporting in BI is not available. For parts of the BI reporting, the compliance explorer and the exemption explorer is a functional equivalent.

If you are using *SAP Product Stewardship Network* to collaborate with your suppliers, the contact person information are not updated automatically any more in SAP S/4HANA on-premise edition.

The following compliance requirement check conflict workflow templates are not available in *SAP S/4HANA*, on-premise edition. They have been replaced with a new application that allows exploring the compliance requirement check conflicts based on native master data using CDS views.

Workflow Template / Process Control Object

00600054 - EHPRC_CHK_BA
 00600049 - EHPRC_CHK_CH
 00600056 - EHPRC_CHK_IM
 00600069 - EHPRC_CHK_JG
 00600053 - EHPRC_CHK_SV
 00600068 - EHPRC_CHK_RO

Class Name / Event

CL_EHPRC_PCO_COMP_REQ_BASE
 CL_EHPRC_PCO_COMP_REQ_CHROH
 CL_EHPRC_PCO_CMP_REQ_IMDS
 CL_EHPRC_PCO_CMP_REQ_JIG
 CL_EHPRC_PCO_COMP_REQ_SVHC
 CL_EHPRC_PCO_COMP_REQ_EUROH

The following compliance assessment workflow templates are not available in *SAP S/4HANA*, on-premise edition. The assessment processes for components and products have been replaced with a new application that provides an overview of running assessments for products and components based on native master data using CDS views.



Workflow Template / Process Control	Class Name / Event	Type of Assessment
Object		
00600070 - EHPRC_BMASMT	CL_EHPRC_PCO_BASMAT_ASSMNT	Basic Material Assessment
00600071 - EHPRC_COASMT	CL_EHPRC_PCO_COMP_ASSMNT	Component Assessment
00600062 - EHPRC_PRASMT	CL_EHPRC_PCO_PROD_ASSMNT	Product Assessment

Required and Recommended Action(s)

Details about the necessary activities before and after converting, you find in the attachment. Ensure that you always have the latest version of the document.

15.5 S4TWL - QM Interface

Application Components: EHS-SAF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267387	QM- Interface

You are carrying out a system conversion to SAP S/4HANA, on-premise edition. The following SAP S/4HANA transition worklist item is applicable in this case.

Description

The previous PSS QM interface is not available within SAP S/4HANA. The corresponding menu item 'QM Inspection Plan Creation' has been removed from transaction CG02 (Substance Workbench) and CG02BD (Specification Workbench). The appropriate business requirements are covered within the successor functionality for SAP Quality Management: Integration of Inspection Plans in EHS.

Business Process related information

Customers who are still using the previous QM interface need to start using the new functionality within SAP QM (See SAP Help: [Link](#)).

With the new QM interface, the inclusion of PS&S data into an inspection plan is now triggered from the QM module (pull mechanism) vs the PS&S module (push mechanism).

Required and Recommended Action(s)

Use the new QM Interface to create master inspection characteristics based on specifications.

How to Determine Relevancy

None

15.6 S4TWL - IUCLID5 Interface

Application Components: EHS-SAF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267389	IUCLID5 Interface

You are carrying out a system conversion to SAP S/4HANA, on-premise edition. The following SAP S/4HANA transition worklist item is applicable in this case.

Description

The IUCLID5 interface to exchange PS&S data between the PS&S specification database and an IUCLID5 system was a pilot implementation. The pilot implementation was cancelled in 2011. The corresponding functionality is not available within SAP S/4HANA.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

None

How to Determine Relevancy

None

15.7 S4TWL - PS&S Enterprise Search Model

Application Components: EHS-SAF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267421	PS&S-Enterprise-Search-Modell

Description

The existing Enterprise Search Model for the PS&S specification data base (based on data replication) has been replaced in SAP S/4HANA with a replication free search model. The search model and the data replication development objects of the previous search model have been deleted. The Enterprise Search Model for specification data can only be used via the corresponding Recipe Development transactions.

Business Process related information

See generic Transition Worklist Item for Enterprise Search for details.

Required and Recommended Action(s)

Use the new Enterprise Search Model. In case of customer-specific enhancements of the previous Enterprise Search Model, the enhancements have to carry over into the new replication free Search Model (if they are still required).

15.8 S4TWL - Hazardous Substance Management

Application Components: EHS-HSM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267422	Hazardous Substance Management

Description

The existing functionality SAP Hazardous Substance Management (EHS-HSM) can be used within SAP S/4HANA, however the use of component SAP Risk Assessment (EHS-MGM-RAS) is recommended instead (Functionality available in SAP S/4HANA delivery but not considered as future technology. Functional equivalent is available.).



Business Process related information

Some adjustments in the SAP Easy Access menu have been made:

- The menu item Hazardous Substance Management has been removed from the Product Safety and Stewardship SAP Easy Access Menu.
- The two menu items Hazardous Substance Master and Filling from Specification Management are now located under: Logistics Product Safety and Stewardship - Product Safety - Tools - Hazardous Substance Master.

SAP Risk Assessment provides a disjunctive functionality without any dependency on Hazardous Substance Management.

15.9 S4TWL - Add-On: SAP Product and REACH Compliance (SPRC)

Application Components: EHS-SRC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267423	Add-On: SAP Product and REACH Compliance (SPRC)

Description

The add-on SAP Product and REACH Compliance (SPRC) will not be supported within SAP S/4HANA.

SPRC supports process and discrete industry manufacturers in meeting the respective directives and regulations. Both need to prove the safety of substances, products, and their uses according to the REACH (Registration, Evaluation and Authorization of Chemicals) chemical regulation. Discrete industry manufacturers need to provide proof of compliance with environmental directives, such as EU RoHS, China RoHS, JIG, and GADSL.

Product Compliance Management of SAP Environment, Health and Safety Management Extension EHSM provides compliance functionality for the needs of the discrete industry. If you use the discrete industry solution of SPRC or Compliance for Products (CfP), you are able to migrate to *Product Compliance Management*.

For the process industry solution of SPRC, no successor exists.

The focus of SPRC version 2.0 was to support process and discrete industry manufacturers to become REACH compliant by using functionalities, such as campaign

management for supply chain communication, bulk material assessment and registration and endpoint management.

With the deadline for the last REACH registration period in 2018, the focus of customers will switch towards functionality which supports them to remain REACH compliant. The provision of new cloud-enabled solution capabilities, which take these new requirements into account, is planned within SAP S/4HANA.

Business Process related information

No influence on business processes expected

The tools of SPRC version 2.0 will only be relevant for process industry manufacturers until the deadline of the last REACH registration period in 2018. The focus of customers will then switch to functionality which supports them to remain REACH compliant.

All transaction codes which were delivered with the SPRC add-on are not available within SAP S/4HANA.

Required and Recommended Action(s)

You need to uninstall the add-on before you do a system conversion to SAP S/4HANA. Follow SAP Note [2298456](#) to perform the uninstallation.

If you use the discrete industry solution of SPRC or CFP, you are able to migrate to *Product Compliance Management of SAP Environment, Health and Safety Management (EHSM)*, which provides functionalities for discrete industries. For details refer to <http://help.sap.com/ehs-comp> or SAP Note [1489703](#).

15.10 S4TWL - Add-On: EHS Web-Interface

Application Components: EHS-BD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267426	Add-On: EHS-Web-Interface

Description

The add-on EHS Web-Interface will not be supported with SAP S/4HANA.

Business Process related information

You are no longer able to publish your reports on the internet or intranet.

Required and Recommended Action(s)

You need to uninstall the add-on before you do a system conversion to SAP S/4HANA. Follow SAP Note [2307624](#) to perform the uninstallation.

15.11 S4TWL - Add-On: Genifix (Labelling solution)

Application Components: EHS-SAF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267427	Add-On: Genifix (Labelling solution)

Description

The add-on Genifix (labeling solution) will not be supported within SAP S/4HANA. Successor functionality is available in SAP component [SAP Global Label Management \(EHS-SAF-GLM\)](#).

Business Process related information

All transaction codes which were delivered with the Genifix add-on are not available within SAP S/4HANA.

Required and Recommended Action(s)

You can migrate to SAP Global Label Management (EHS-SAF-GLM).

You need to uninstall the add-on before you do a system conversion to SAP S/4HANA. It is not yet possible to uninstall the add-on via the SAP Add-On Installation Tool (SAINT).

15.12 S4TWL - BW Extractors for Dangerous Goods Management and Specification Management

Application Components: EHS-SAF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267432	BW Extractors for Dangerous Goods Management and Specification Management

You are carrying out a system conversion to SAP S/4HANA, on-premise edition. The following SAP S/4HANA transition worklist item is applicable in this case.

Description

The relevant BW extractors and data sources for Dangerous Goods Management and Specification Management are not available within SAP S/4HANA.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

None

How to Determine Relevancy

None

15.13 S4TWL - PS&S Key Figures

Application Components: EHS-SAF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267434	PS&S Key Figures

You are carrying out a system conversion to SAP S/4HANA, on-premise edition. The following SAP S/4HANA transition worklist item is applicable in this case.

Description

The SAP PS&S key figure functionality is not available within SAP S/4HANA.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

None

How to Determine Relevancy

None

16 Logistics – PM

16.1 S4TWL - LIS in EAM

Application Components: PM-IS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2267463	LIS in EAM

Description

Remark: For the general approach regarding analytics within SAP S/4HANA see the following analytics simplification item in cross topics area.

The plant maintenance information system is part of the logistics information system LIS (Note: If you use a material number longer than 18 characters - see restriction note Extended Material Number in LIS: SAP Note 2232362). The LIS can be used to evaluate Equipment's, Functional Locations, Notifications and Order. The classic ERP implementation of the LIS has some specifics:

- LIS operates on redundant data. Every business transaction not only updates the business documents, but also pre-aggregated data in LIS. Performance suffers, locking conflicts might occur, and memory is wasted

- LIS operates on pre-aggregated data. It is not possible to drill down into the individual business documents. Multi-dimensional reporting (aka Slicing and dicing) is only possible for dimensions provided in the pre-aggregated data
- LIS uses an old UI technology making multi-dimensional reporting clumsy
- LIS only supports material numbers with up to 30 characters

Future plant maintenance analytics will be based on HANA, CDS views aggregating transactional data dynamically, and powerful analytical UIs for multi-dimensional reporting. With this it will be possible to replace the current LIS. You will be able to use classic LIS and the future plant maintenance specific analytics in parallel for some time as long as you do not switch off the update of the LIS tables (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology). Once future plant maintenance analytics supports all your analytics requirements, you can switch off the update of the LIS tables. Once you have switched off updating LIS tables, you will notice the following improvements:

- Improved performance of many transactions (fewer tables to update, fewer locking conflicts)
- Less memory required

Business Process related information

Required and Recommended Action(s)

Invest reasonably in the LIS. The LIS is intended as an interim solution, which can be used until PM analytics in HANA has the required scope. This also allows you to migrate your business processes step by step from SAP ERP to SAP S/4HANA, on-premise edition 1511

Custom Code Related information:

Enhancements and modifications of the LIS will not work for the future analytic solution

Custom reports reading one of the following tables will not work after the update of the LIS tables is switched off:

- S061 Location and planning
- S062 Object class and manufacturer
- S063 Damage analysis 30
- S064 Damage analysis
- S065 Object statistics
- S070 Breakdown statistics
- S114 Vehicle Consumption Analysis
- S115 Cost Evaluation
- S116 Customer Analysis

These tables will be replaced by CDS views providing more or less the same information but with different column names and structures.

16.2 S4TWL - Download Data in MS Access out of List

Application Components: PM,PM-EQM-LE,PM-WOC-LE

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270076	Download Data in MS Access out of List

Description

In most of our list in SAP GUI download to MS Access is offered. This functionality is not the target architecture, it's recommended to download to MS EXCEL or Open Office instead (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available.). We plan to discontinue this functionality in one of the next releases

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

Do not Invest in the download to access functionality. instead use download to Excel or Open Office . Within Excel / Open Office you can use the embedded tools for populating an DB.

Custom Code Related information:

In Case you use this functionality plan to populate your MS Access DB in a different way.

16.3 S4TWL - Scheduling of Maintenance Plan

Application Components: PM,PM-PRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270078	Scheduling of Maintenance Plan

Description

Transaction IP30 is doing scheduling for Maintenance Plans. Within this scheduling outdated technology (Batch Input) is used.

Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet. We plan to discontinue this in one of the next Releases.

The new transaction for doing mass scheduling is IP30H which is optimized for HANA and is offering parallel processing at a much higher speed.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

Review your background Jobs which you most probably have scheduled periodically for transaction IP30 (Reports RISTRA20) and create new background jobs for IP30H (Report RISTRA20H).

16.4 S4TWL - Mobile Asset Management (MAM)

Application Components: PM,PM-WOC-MB

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270080	Mobile Asset Management (MAM)

Description

Product Mobile Asset Management (MAM) functionality is not the target architecture within SAP S/4HANA, on-premise edition 1511. The available functional equivalent is

SAP Work Manager (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available.).

We plan to discontinue the Objects mentioned in the piecelist and delete these objects in a future release of S/4

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

Please check if you use any of the objects mentioned in the piecelist in any of your Custom Applications , reports etc and replace these.

16.5 S4TWL - Batch Input for Enterprise Asset Management (EAM)

Application Components: PM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270107	Batch Input for Enterprise Asset Management (EAM)

Description

Transaction IBIP is using Batch Input as an technology to create transactional data for all EAM Objects (Equipment, Functional Location, Notification, Order, Maintenance Plan, Task List...). This is an outdated technology.

Within EAM we plan to discontinue to support this technology in a future release.

Batch Input programs may also no longer work as transactions may have changed functionality or may be completely removed within some areas

Currently there is no functional equivalent for enterprise asset management (EAM) within SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not fully available yet.).

Plant Maintenance offers a set of API's which are supporting the creation / change of Plant Maintenance data like:



- Equipment
 - BAPI_EQUI_CREATE
 - BAPI_EQUI_CHANGE
 - BAPI_EQUI_GET_DETAIL
- Functional Location
 - BAPI_FUNCLOC_CREATE
 - BAPI_FUNCLOC_CHANGE
 - BAPI_FUNCLOC_GET_DETAIL
- Notification
 - BAPI_ALM_NOTIF_CREATE
 - BAPI_ALM_NOTIF_DATA_ADD
 - BAPI_ALM_NOTIF_DATA_MODIFY
 - BAPI_ALM_NOTIF_GET_DETAIL
- Maintenance Order
 - BAPI_ALM_ORDER_MAINTAIN

Please also review the following blogs in SCN

<https://blogs.sap.com/2015/11/24/eam-bapi-s-support-now-custom-fields-and-user-status/>

<https://blogs.sap.com/2015/12/14/eam-order-notification-api-s-support-now-custom-fields-and-user-status/>

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

Please check if you use Batch Input for creating / changing Plant Maintenance data. If Yes do not invest further in this kind of technology. Recommendation within EAM is to use the API’s wherever possible.

16.6 S4TWL - Change Order and Operations IW37,IW49

Application Components: PM,PM-WOC-MO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270108	Change Order and Operations transaction IW37, IW49

Description

Within PM we plan to discontinue IW37, IW49 in a future release.

Currently there is no functional equivalent for enterprise asset management (EAM) within SAP S/4HANA, on-premise edition 1511 (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not fully available yet.). It's recommend to use transaction IW37n, IW47n instead.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

In case you use the transaction IW37, IW49, please use IW37n or Iw47n instead.

16.7 S4TWL - WebDynpro Application for Maintenance Planner (<= EhP4)

Application Components: PM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270110	WebDynpro Application for Maintenance Planner (<= EhP4)

You are doing a system conversion to SAP S/4HANA, on-premise edition. You are using PM Functionality fo Maintenance Planer, Worker or Supervisor deliivered (<= EhP4). The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description

Old WD Application covering Maintenance Worker, Planner, and Supervisor delivered in Business Suite in Release <= EhP4 is not the target architecture (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available.).

We plan to discontinue this functionality in one of the next release.

Please use the new Maintenance Planner and Maintenance Worker Role which is available in S4.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

Activate the Business Function to get full functionality of Maintenance Planner and Maintenance Worker Role

- LOG_EAM_SIMPLICITY_3
- LOG_EAM_SIMPLICITY_4
- LOG_EAM_SIMPLICITY_5
- LOG_EAM_SIMPLICITY_6

16.8 S4TWL - Enterprise Search in EAM

Application Components: PLM-WUI-APP-SEA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270123	Enterprise Search in EAM

Description

With SAP S/4HANA, on-premise edition 1511 the Enterprise Search models are now replication free search models (using HANA DB tables instead) within SAP Enterprise Asset Management SAP EAM).

Business Process related information

All related EAM search models have been transferred to replication free search models.

As well within the EAM Web Dynpro the search models are now used for certain object within the value help which allows user to sophisticatedly search for the corresponding values

For PLM search models please review Note 2217234

Required and Recommended Action(s)

1. You have to activate the Enterprise search models
Please check our How To Guide in SCN. <https://blogs.sap.com/2016/07/01/eam->

enterprise-search-how-to-guide/

Here you find all Configuration capabilities within Enterprise search and it will guide you through how you can change Enterprise Search to your specific needs.

2. In case you intend to use the value help within EAM Web Dynpro App's please refer to
Innovation Discovery: Enterprise search functionality and a master data information center within the SAP Enterprise Asset Management solution chapter Enterprise search in the Input Help you find a ppt with the configuration steps.
<https://zinnovationdiscovery-supportportal.dispatcher.hana.ondemand.com/#/innovation/6CAE8B27FCC31ED5A995CA1EED5A222A>
3. In case you have maintained special setting for Value help in Customizing under Plant Maintenance -> Maintenance Roles -> Maintenance Worker -> Configure Search help Assignment
 - o check if value help is sufficient for finding the right values
If yes delete corresponding entry
If no leave this as it is, In this case the value help you have defined will be used

17 Logistics – QM

17.1 S4TWL - Quality Management Information System (QMIS)

Application Components: QM-QC-IS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270193	Quality Management Information System (QMIS)

Description

The Quality Management Information System (QMIS) which is part of the Logistics Information System (LIS) is not the target architecture (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet.) anymore within SAP S/4HANA and will be replaced by corresponding new applications in the future. This applies to evaluations for quality notifications as well as inspection lots and related data.

Business Process related information

No influence on business processes expected. Customers should just consider this when they think about investments into their QMIS functionality. The old functionality will stay available until the new functionality is released.

17.2 S4TWL - Quality Inspection Engine (QIE)

Application Components: CA-QIE

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270197	Quality Inspection Engine (QIE)

Description

The Quality Inspection Engine (QIE) which is part of EWM is not the target architecture (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet.) within SAP S/4HANA and will be replaced by corresponding new functions in the future.

Business Process related information

No influence on business processes yet. Customers should consider this when they use QIE for other purposes. The old functionality will stay available until the new functionality is released.

17.3 S4TWL - Results Recording

Application Components: QM-IM-RR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270124	Results Recording

Description

The functionality to create worklists for mobile devices such as PalmPilot (transaction QEHI) is not available within SAP S/4HANA, on-premise edition 1511.

Business Process related information

As an alternative, you could use the POWL and the WebDynpro application for results recording that is included in the PFCG role for NWBC Quality Inspector (SAP_SR_QUALITY_INSPECT_5).

Transaction not available in SAP S/4HANA on-premise edition 1511	QEHI
--	------

Required and Recommended Action(s)

Knowledge transfer to key and end users

17.4 S4TWL - ITS services in QM

Application Components: QM-QN,QM-IM-RR,QM-QC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270126	ITS-Services in QM

Description

SAP Internet Transaction Server (ITS) is considered to be an old technique. Therefore the ITS services for the Internet Application Components (IAC) in QM are not available within SAP S/4HANA, on-premise edition 1511.

Business Process related information

As alternatives, you could use the corresponding QM transactions in SAP GUI for HTML or you could use the WebDynpro applications mentioned below, which are part of the PFCG role for NWBC Quality Inspector (SAP_SR_QUALITY_INSPECT_5).

a) Results Recoding: WebDynpro application QI_RECORD_RESULTS_ETI_APPL

b) Quality Notifications: WebDynpro application QIMT_NOTIFICATION_APP

c) Certificates: No WebDynpro application available. However, existing QM transactions are still available, such as QC20, QC21

Transaction Code	Corresponding ITS Service	Description	Package	Application Component	Area
QC40	QC40	Internet Certificate for Delivery	QC	QM-CA-MD	Basic Data for Certificates
QC40A	QC40A	Internet Certificate for Delivery	QC	QM-CA-MD	Basic Data for Certificates
QC42	QC42	Batch certificate on WWW	QC	QM-CA-MD	Basic Data for Certificates
QEW01	QEW01	Results Recording on Web	QEW	QM-IM	Quality Inspection
QEW01V	QEW01V	Variant Maint.: Recording on Web	QEW	QM-IM	Quality Inspection
QMW1	QMW1	Create quality notification (WWW)	QQM	QM-QN	Quality Notifications
QISR	QISR	Internal Service Request	QNWEB	QM	Quality Notifications
QISRW	QISRW	Internal Service Request on the Web	QNWEB	QM	Quality Notifications

Required and Recommended Action(s)

Knowledge transfer to key and end users

17.5 S4TWL - QM WEB Workplace (MiniApps) based on ITS Services

Application Components: QM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270129	QM WEB Workplace (MiniApps) based on ITS Services

Description

SAP Internet Transaction Server (ITS) and mySAP Workplace are not available within SAP S/4HANA. Therefore the MiniApps that are based on these techniques are not available within SAP S/4HANA.

Business Process related information

As alternatives, you could use the corresponding QM transactions in SAP GUI for HTML or the corresponding Web Dynpro applications, which are part of the PFCG role for NWBC Quality Inspector (SAP_SR_QUALITY_INSPECT_5).

Transaction not available in SAP S/4HANA on-premise edition 1511	IQS8WP	IQS8 - Call from Workplace/MiniApp
	IQS9WP	IQS9 - Call from Workplace/MiniApp
	QA32WP	QA32 - Call from Workplace/MiniApp
	QE09WP	Call QE09 from Workplace
	QPQA32	QM MiniApp Selection Variant
	QPQGC1	QM MiniApp Selection Variant
	QPQM10	QM MiniApp Selection Variant
	QPQM13	QM MiniApp Selection Variant
	QM10WP	QM10 - Call from Workplace/MiniApp
	QM13WP	QM13 - Call from Workplace/MiniApp
	QPIQS8 QM	MiniApp Selection Variant
	QPIQS9 QM	MiniApp Selection Variant
	WAO_QA32WP	QA32 -Call from Workplace/MiniApp
	WAO_QM10WP	QM10 - Call from Workplace/MiniApp

	WAO_QM13WP QM13 - Call from Workplace/MiniApp
	WAO_QPQA32 QM iView Selection Variant Insp.Lot
	WAO_QPQM10 QM iView Selection Variant Notificat
	WAO_QPQM13 QM iView Selection Variant Task

Required and Recommended Action(s)

Knowledge transfer to key and end users

18 Logistics – WM

18.1 S4TWL - Warehouse Management (WM)

Application Components: LE-WM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270211	Warehouse Management (WM)

Description

The Warehouse Management (LE-WM) is not the target architecture anymore within SAP S/4HANA, on-premise edition (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is available.). The (already available) alternative functionality is Extended Warehouse Management (SAP EWM).

Business Process related information

No influence on business processes expected related to the Warehouse Management. The functionality related to Warehouse Management (LE-WM) and the other components described above is still available within the SAP S/4HANA architecture stack. All related functionalities can be used in an unchanged manner.

Required and Recommended Action(s)

The Warehouse Management (LE-WM) and the other components described above is not the target architecture within SAP S/4HANA, on-premise edition. The (already available) alternative functionality is Extended Warehouse Management (SAP EWM) and a customer could start introducing EWM upfront to the SAP S/4HANA installation.

19 Logistics – TRA

19.1 S4TWL - Transportation (LE-TRA)

Application Components: LE-TRA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270199	Transportation (LE-TRA)

Description

The Logistics Execution Transportation (LE-TRA) is not the target architecture within SAP S/4HANA. The Functionality is available in SAP S/4HANA but not considered as future technology. The (already available) alternative functionality is Transportation Management (SAP TM).

Business Process related information

No influence on business processes expected on the current business processes related to the Logistics Execution Transportation (LE-TRA). The related functionality are still available within the SAP S/4HANA.

Required and Recommended Action(s)

The Logistics Execution Transportation (LE-TRA) is not the target architecture anymore within SAP S/4HANA, on-premise edition. The (already available) alternative functionality is Transportation Management (SAP TM) and a customer could start introducing SAP TM upfront to the SAP S/4HANA installation.

How to determine Relevancy

The Simplification Item is relevant in case the related customizing for LE-TRA is maintained.

--> SPRO: Definition - Logistics Execution - Transportation

20 Financials – General

20.1 S4TWL - DATA MODEL CHANGES IN FIN

Application Components: FI,CO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270333	DATA MODEL CHANGES IN FIN

Description

With the installation of SAP Simple Finance, on-premise edition totals and application index tables were removed and replaced by identically-named DDL SQL views, called compatibility views. These views are generated from DDL sources. This replacement takes place during the add-on installation of SAP Simple Finance using SUM related data is secured into backup tables. The compatibility views ensure database SELECTs work as before. However, write access (INSERT, UPDATE, DELETE, MODIFY) was removed from SAP standard, or has to be removed from custom code refer to SAP note [1976487](#).

Original Table	Compatibility View (identically-named view in DDIC)	DDL Source (for the identically-named DDIC View)	Backup Table (for original table content)
BSAD	BSAD	BSAD_DDL	BSAD_BCK
BSAK	BSAK	BSAK_DDL	BSAK_BCK
BSAS	BSAS	BSAS_DDL	BSAS_BCK
BSID	BSID	BSID_DDL	BSID_BCK
BSIK	BSIK	BSIK_DDL	BSIK_BCK
BSIS	BSIS	BSIS_DDL	BSIS_BCK
FAGLBSAS	FAGLBSAS	FAGLBSAS_DDL	FAGLBSAS_BCK
FAGLBSIS	FAGLBSIS	FAGLBSIS_DDL	FAGLBSIS_BCK
GLT0	GLT0	GLT0_DDL	GLT0_BCK

KNC1	KNC1	KNC1_DDL	KNC1_BCK
KNC3	KNC3	KNC3_DDL	KNC3_BCK
LFC1	LFC1	LFC1_DDL	LFC1_BCK
LFC3	LFC3	LFC3_DDL	LFC3_BCK
COSP	COSP	V_COSP_DDL	COSP_BAK
COSS	COSS	V_COSS_DDL	COSS_BAK
FAGLFLEXT	FAGLFLEXT	V_FAGLFLEXT_DDL	FAGLFLEXT_BCK

In SAP Simple Finance, on-premise edition add-on 2.0 and SAP S/4HANA on-premise edition 1511, additional tables were (partially) replaced by Universal Journal (ACDOCA). The approach for compatibility views in release 2.0 differs from 1.0 in the following ways:

- Compatibility views do not have the same name as the original tables.
- Instead, the database interface (DBI) redirects all related database table SELECTs to a compatibility view, which retrieves the same data based on the new data model (ACDOCA, and so on).
- The connection between table and compatibility view is NOT created during the installation w/ SUM

Again, write access (INSERT, UPDATE, DELETE, MODIFY) was adapted in SAP standard, or has to be adapted in custom code refer to SAP note [1976487](#).

Original Table	Compatibility View (view in DDIC for redirect)	DDL Source (for the identically-named DDIC view)	View to read the content of the database table (w/o redirect to compatibility view)
ANEA	FAAV_ANEA	FAA_ANEA	FAAV_ANEA_ORI
ANEK	FAAV_ANEK	FAA_ANEK	FAAV_ANEK_ORI
ANEP	FAAV_ANEP	FAA_ANEP	FAAV_ANEP_ORI
ANLC	FAAV_ANLC	FAA_ANLC	FAAV_ANLC_ORI
ANLP	FAAV_ANLP	FAA_ANLP	FAAV_ANLP_ORI
BSIM	V_BSIM	BSIM_DDL	V_BSIM_ORI
CKMI1	V_CKMI1	V_CKMI1_DDL	V_CKMI1_ORI
COEP	V_COEP	V_COEP	V_COEP_ORI
FAGLFLEXA	FGLV_FAGLFLEXA	FGL_FAGLFLEXA	V_FAGLFLEXA_ORI
MLCD	V_MLCD	V_MLCD_DDL	V_MLCD_ORI
MLCR	V_MLCR	V_MLCR_DDL	V_MLCR_ORI

MLHD	V_MLHD	V_MLHD_DDL	V_MLHD_ORI
MLIT	V_MLIT	V_MLIT_DDL	V_MLIT_ORI
MLPP	V_MLPP	V_MLPP_DDL	V_MLPP_ORI
T012K	V_T012K_BAM	V_T012K_BAM_DDL	V_T012K_MIG
T012T	V_T012T_BAM	V_T012T_DDL	V_T012T_MIG
FMGLFLEX A	FGLV_FMGLFLEXA	FGL_FMGLFLEXA	V_FMGLFLEXA _ORI
FMGLFLEX T	FGLV_FMGLFLEXT	FGL_FMGLFLEXT	V_FMGLFLEXT _ORI
PSGLFLEX A	FGLV_PSGLFLEXA	FGL_PSGLFLEXA	-
PSGLFLEX T	FGLV_PSGLFLEXT	FGL_PSGLFLEXT	-
JVGLFLEX A	FGLV_JVGLFLEXA	FGL_JVGLFLEXA	V_JVGLFLEXA _ORI
JVGLFLEX T	FGLV_JVGLFLEXT	FGL_JVGLFLEXT	V_JVGLFLEXT _ORI
ZZ<CUST> A *	ZFGLV_GLSI_C<numbe r>	ZFGL_GLSI_C<numbe r>	-
ZZ<CUST> T *	ZFGLV_GLTT_C<numb er>	ZFGL_GLTT_C<numb er>	-

Besides the database tables, some old, related DDIC database views were replaced, either by equivalent code, a new identically-named DDL SQL compatibility view, or an automatic redirect to a new compatibility view. For the views that have been replaced by code, custom code also needs to be adapted refer to SAP note [1976487](#). Similarly, customer-owned DDIC views referencing the database tables or views affected need to be replaced by equivalent code.

Original DDIC database view	Obsolete database table used	As of release	Replaced by	Compatibility View	DDL Source (for the compatibility view)
BKPF_BSAD	BSAD	sFIN 1.0	Identically-named DDL view	BKPF_BSAD	BKPF_BSAD_DDL
BKPF_BSAD_A EDAT	BSAD	sFIN 1.0	Identically-named DDL view	BKPF_BSAD_AED AT	BKPF_BSAD_AEDA T_DDL

BKPF_BSAK	BSAK	sFIN 1.0	Identically-named DDL view	BKPF_BSAK	BKPF_BSAK_DDL
BKPF_BSAK_AEDAT	BSAK	sFIN 1.0	Identically-named DDL view	BKPF_BSAK_AEDAT	BKPF_BSAK_AED_DDL
BKPF_BSID	BSID	sFIN 1.0	Identically-named DDL view	BKPF_BSID	BKPF_BSID_DDL
BKPF_BSID_AEDAT	BSID	sFIN 1.0	Identically-named DDL view	BKPF_BSID_AEDAT	BKPF_BSID_AEDAT_DDL
BKPF_BSIK	BSIK	sFIN 1.0	Identically-named DDL view	BKPF_BSIK	BKPF_BSIK_DDL
BKPF_BSIK_AEDAT	BSIK	sFIN 1.0	Identically-named DDL view	BKPF_BSIK_AEDAT	BKPF_BSIK_AEDAT_DDL
GLT0_AEDAT	GLT0	sFIN 1.0	Identically-named DDL view	GLT0_AEDAT	GLT0_AEDAT_DDL
KNC1_AEDAT	KNC1	sFIN 1.0	Identically-named DDL view	KNC1_AEDAT	KNC1_AEDAT_DDL
KNC3_AEDAT	KNC3	sFIN 1.0	Identically-named DDL view	KNC3_AEDAT	KNC3_AEDAT_DDL
LFC1_AEDAT	LFC1	sFIN 1.0	Identically-named DDL view	LFC1_AEDAT	LFC1_AEDAT_DDL
LFC3_AEDAT	LFC3	sFIN 1.0	Identically-named DDL view	LFC3_AEDAT	LFC3_AEDAT_DDL
TXW_J_WITH	BSAK	sFIN 1.0	Identically-named DDL view	TXW_J_WITH	TXW_J_WITH_DDL
V_COSP_A	COSP	sFIN 1.0	Code		
V_COSS_A	COSS	sFIN 1.0	Code		
VB_DEBI	BSID	sFIN 1.0	Identically-named DDL view	VB_DEBI	VB_DEBI_DDL

VF_BSID	BSID	sFIN 1.0	Identically-named DDL view	VF_BSID	VF_BSID_DDL
VFC_DEBI	KNC1	sFIN 1.0	Identically-named DDL view	VFC_DEBI	VFC_DEBI_DDL
VFC_KRED	LFC1	sFIN 1.0	Identically-named DDL view	VFC_KRED	VFC_KRED_DDL
ENT2006	GLT0	sFIN 1.0	Code		
ENT2163	KNC1	sFIN 1.0	Code		
ENT2164	LFC1	sFIN 1.0	Code		
ENT2165	KNC3	sFIN 1.0	Code		
ENT2166	LFC3	sFIN 1.0	Code		
EPIC_V_BRS_B SAS	BSAS	sFIN 1.0	Code		
EPIC_V_BRS_B SIS	BSIS	sFIN 1.0	Code		
EPIC_V_BSID	BSID	sFIN 1.0	Code		
EPIC_V_BSIK	BSIK	sFIN 1.0	Code		
EPIC_V_CUSTO MER	BSID	sFIN 1.0	Code		
EPIC_V_VEND OR	BSIK	sFIN 1.0	Code		
FMKK_BKPF_B SAK	BSAK	sFIN 1.0	Code		
FMKK_BKPF_B SIK	BSIK	sFIN 1.0	Code		
/GRC/V_BANK_ ACCT	T012	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	V_GRC_BANK_AC CT	V_GRC_BANK_AC CT_DDL
ANEKPV	ANEP	SAP Simple Finance, on- premise	Compatibili ty view (redirect)	FAAV_ANEKPV	FAA_ANEKPV

		edition 1503			
COPC_V_T012_ SKB1	T012K	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	V_COPC_T012_SK B1	V_COPC_V_T012_S KB1_DDL
COPC_V_T035D	T012K	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	V_COPC_T035D	V_COPC_V_T035D_ DDL
COVP	COEP	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	V_COVP	V_COVP_DDL
FAP_V_CMP_H BACC	T012	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	V_FAP_CMP_HBA CC	V_FAP_V_CMP_HB ACC_DDL
MLREADST	MLHD	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	V_MLREADST	V_MLREADST_DD L
MLREPORT	MLIT	SAP Simple Finance, on- premise	Compatibili ty view (redirect)	V_MLREPORT	V_MLREPORT_DD L

		edition 1503			
MLXXV	MLHD	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	V_MLXXV	V_MLXXV_DDL
V_ANEPK	ANEP	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	FAAV_V_ANEPK	FAA_V_ANEPK
V_ANLAB	ANEP	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	FAAV_V_ANLAB	FAA_V_ANLAB
V_ANLSUM_1	ANLA	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	FAAV_V_ANLSU M_1	FAA_V_ANLSUM_1
V_ANLSUM_2	ANEP	SAP Simple Finance, on- premise edition 1503	Compatibili ty view (redirect)	FAAV_V_ANLSU M_2	FAA_V_ANLSUM_2
V_ANLSUM_5	ANLA	SAP Simple Finance, on- premise	Compatibili ty view (redirect)	FAAV_V_ANLSU M_5	FAA_V_ANLSUM_5

		edition 1503			
--	--	-----------------	--	--	--

Business Process related information

There are mandatory configuration steps in General Ledger, Asset Accounting, Account-Based CO-PA, and Cash Management (if used).

IMG -> Migration from SAP ERP to SAP Accounting powered by SAP HANA

20.2 S4TWL - REPLACED TRANSACTION CODES AND PROGRAMS IN FIN

Application Components: FI,CO,FIN-FSCM,AC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270335	REPLACED TRANSACTION CODES AND PROGRAMS IN FIN

Task: Check if the customer uses any of the transactions or programs listed below, in the column "Old Functionality".

Procedure: Use transaction ST03N to list transaction codes and programs used in the system in the past.

Rating:

If at least one transaction or program listed below has been used -> YELLOW

If none of the transactions or programs listed below has been used -> GREEN

Description

With the installation of the SAP Simple Finance on-premise edition, certain transaction codes and programs in the application areas of AC, CO, FI, AA and FIN - compared to

EhP7 for SAP ERP 6.0 - have been replaced with newer transactions, programs, or WebDynpro applications. The transactions, programs, and WebDynpro applications and its replacements that are affected are listed in the table below.

Refer to SAP Note [1946054](#) for more details.

Old Functionality	Type	New Functionality	Type	Text	Included in Role
FS01	TA	FS00	TA	Create G/L Accounts	
FS02	TA	FS00	TA	Change G/L Accounts	
FS03	TA	FS00	TA	Display G/L Accounts	
KP06	TA	FCOM_IP_CC_CO STELEM01	WEB DYN	Change Cost and Activity Inputs	SAP_SFIN_ACC_PLANNING
KP07	TA	FCOM_IP_CC_CO STELEM01	WEB DYN	Display Cost and Activity Inputs	SAP_SFIN_ACC_PLANNING
KP65	TA	FCOM_IP_CC_CO STELEM01	WEB DYN	Create Cost Planning Layout	SAP_SFIN_ACC_PLANNING
KP66	TA	FCOM_IP_CC_CO STELEM01	WEB DYN	Change Cost Planning Layout	SAP_SFIN_ACC_PLANNING
KP67	TA	FCOM_IP_CC_CO STELEM01	WEB DYN	Display Cost Planning Layout	SAP_SFIN_ACC_PLANNING
CJ40	TA	FCOM_IP_PROJ_O VERALL01	WEB DYN	Change Project Plan	SAP_SFIN_ACC_PLANNING
CJ41	TA	FCOM_IP_PROJ_O VERALL01	WEB DYN	Display Project Plan	SAP_SFIN_ACC_PLANNING
CJ42	TA	FCOM_IP_PROJ_O VERALL01	WEB DYN	Change Project Revenues	SAP_SFIN_ACC_PLANNING
CJ43	TA	FCOM_IP_PROJ_O VERALL01	WEB DYN	Display Project Revenues	SAP_SFIN_ACC_PLANNING
CJR2	TA	FCOM_IP_PROJ_C OSTELEM01	WEB DYN	PS: Change plan CElem/Activ. input	SAP_SFIN_ACC_PLANNING
CJR3	TA	FCOM_IP_PROJ_C OSTELEM01	WEB DYN	PS: Display plan CElem/Activ. input	SAP_SFIN_ACC_PLANNING
CJR4	TA	FCOM_IP_PROJ_C OSTELEM01	WEB DYN	PS: Change plan primary cost element	SAP_SFIN_ACC_PLANNING
CJR5	TA	FCOM_IP_PROJ_C OSTELEM01	WEB DYN	PS: Display plan primary cost elem.	SAP_SFIN_ACC_PLANNING

CJR6	TA	FCOM_IP_PROJ_C OSTELEM01	WEB DYN	PS: Change activity input planning	SAP_SFIN_ACC_ PLANNING
KPF6	TA	FCOM_IP_ORD_C OSTELEM01	WEB DYN	Change CElem/Activity Input Planning	SAP_SFIN_ACC_ PLANNING
KPF7	TA	FCOM_IP_ORD_C OSTELEM01	WEB DYN	Display CElem./Acty Input Planning	SAP_SFIN_ACC_ PLANNING
KO14	TA	FCOM_IP_ORD_C OSTELEM01	WEB DYN	Copy Planing for Internal Orders	SAP_SFIN_ACC_ PLANNING
KPG7	TA	FCOM_IP_ORD_C OSTELEM01	WEB DYN	Display Cost Planning Layout	SAP_SFIN_ACC_ PLANNING
CK11	TA	CK11N	TA	Create Product Cost Estimate	
CK13	TA	CK13N	TA	Display Product Cost Estimate	
CK41	TA	CK40N	TA	Create Costing Run	
CK42	TA	CK40N	TA	Change Costing Run	
CK43	TA	CK40N	TA	Display Costing Run	
CK60	TA	CK40N	TA	Preselection for Material/Plant	
CK62	TA	CK40N	TA	Find Structure: BOM Explosion	
CK64	TA	CK40N	TA	Run: Cost Estimate of Objects	
CK66	TA	CK40N	TA	Mark Run for Release	
CK68	TA	CK40N	TA	Release Costing Run	
CK74	TA	CK74N	TA	Create Additive Costs	
KB11	TA	KB11N	TA	Enter Reposting of Primary Costs	
KB21	TA	KB21N	TA	Enter Activity Allocation	
KB31	TA	KB31N	TA	Enter Statistical Key Figures	
KB33	TA	KB33N	TA	Display Statistical Key Figures	
KB34	TA	KB34N	TA	Reverse Statistical Key Figures	
KB51	TA	KB51N	TA	Enter Activity Posting	

KE21	TA	KE21N	TA	Create CO-PA line item	
KE23	TA	KE24	TA	Display CO-PA line item	
KKE1	TA	CKUC	TA	Add Base Planning Object	
KKE2	TA	CKUC	TA	Change Base Planning Object	
KKE3	TA	CKUC	TA	Display Base Planning Object	
KKEC	TA	CKUC	TA	Compare Base Object - Unit Cost Est	
KKED	TA	CKUC	TA	BOM for Base Planning Objects	
KKB4	TA	CKUC	TA	Itemization for Base Planning Obj.	
KKBF	TA	KKR0	TA	Order Selection (Classification)	
KKPHIE	TA	CKMDUVMAT/CKMDUVACT (Distribution)	TA	Cost Object Hierarchy	
KKP2	TA	CKMDUVMAT/CKMDUVACT (Distribution)	TA	Change Hierarchy Master Record	
KKP4	TA	CKMDUVMAT/CKMDUVACT (Distribution)	TA	Display Cost Object Hierarchy	
KKP6	TA	CKMDUVMAT/CKMDUVACT (Distribution)	TA	Cost Object: Analysis	
KKPX	TA	CKMDUVMAT/CKMDUVACT (Distribution)	TA	Actual Cost Distribution: Cost Obj.	
KKPY	Ta	CKMDUVMAT/CKMDUVACT (Distribution)	TA	Actual Cost Distribution: Cost Obj.	
RFDOPO10	PROG	RFDEPL00	PROG		
F.24	TA	RFINTITAR/RFINTITAP	PROG	A/R: Interest for Days Overdue	

F.2A	TA	RFINTITAR/RFINT ITAP	PRO G	A/R Overdue Int.: Post (Without OI)	
F.2B	TA	RFINTITAR/RFINT ITAP	PRO G	A/R Overdue Int.: Post (with OI)	
F.2C	TA	RFINTITAR/RFINT ITAP	PRO G	Calc.cust.int.on arr.: w/o postings	
F.4A	TA	RFINTITAR/RFINT ITAP	PRO G	Calc.vend.int.on arr.: Post (w/o OI)	
F.4B	TA	RFINTITAR/RFINT ITAP	PRO G	Calc.vend.int.on arr.: Post(with OI)	
F.4C	TA	RFINTITAR/RFINT ITAP	PRO G	Calc.vend.int.on arr.: w/o postings	
FA39	TA	RFINTITAR/RFINT ITAP	PRO G	List of Customer Open Items	
F.47	TA	RFINTITAR/RFINT ITAP	PRO G	Vendors: calc.of interest on arrears	
RFFOD__ L	PR OG	PMW		Payment Medium Germany - Pmts in Ger.For.Tr.Regis (Z1 Form)/Foreign DME	
RFFOD__ S	PR OG	PMW		International Payment Medium - Check (without check management)	
RFFOUS_ T	PR OG	PMW		Payment Medium USA - Transfers/Bank Direct Debits in ACH Format	
RFFOM20 0	PR OG	PMW		International Payment Medium - SWIFT Format MT200	
RFFOM20 2	PR OG	PMW		International Payment Medium - SWIFT Format MT202	
RFFOM21 0	PR OG	PMW		International Payment Medium - SWIFT Format MT210	
RAGITT0 1	PR OG	S_ALR_87011990	TRA N	Asset History Sheet	

FAGL_FC_VAL	TA	FAGL_FCV	TRAN	Foreign Currency Valuation	
S_PL0_86000030	TA	FIS_FPM_GRID_GLACC_BAL	WEB DYN	G/L Account Balances	SAP_SFIN_ACC_CLOSING
S_PCO_36000218	TA	FCOM_FIS_AR_OVP	WEB DYN	Receivables Segment	SAP_SFIN_ACC_CLOSING
S_PCO_36000219	TA	FCOM_FIS_AP_OVP	WEB DYN	Payables Segment	SAP_SFIN_ACC_CLOSING
S_ALR_87012326	TA	FCOM_FIS_GLACCOUNT_OVP	WEB DYN	Chart of Accounts	SAP_SFIN_ACC_CLOSING
S_E38_98000088	TA	Profit Center Group: Plan/Actual/Dif	FIORI	Profit Center - Plan/Actual (Fiori-ID: F0926; Query: /ERP/SFIN_M01_Q2701)	
S_E38_98000089	TA	Profit Center Group: Plan/Plan/Actual	FIORI	Profit-Center - Plan/Actual current year (Fiori-ID: F0932; Query: /ERP/SFIN_M01_Q2702)	
S_AC0_52000887	TA	Receivables: Profit Center	WEB DYN	Receivables Profit Center	SAP_SFIN_ACC_CLOSING
S_AC0_52000888	TA	Payables: Profit Center	WEB DYN	Payables Profit center	SAP_SFIN_ACC_CLOSING
S_ALR_87100992	TA	Account Assignment Manual		no replacement	

21 Financials - General Ledger

21.1 S4TWL - GENERAL LEDGER

Application Components: FI-GL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270339	GENERAL LEDGER

Description

General Ledger in S/4H is based in the Universal Journal; the line items are stored in the new database table ACDOCA, optimized to SAP HANA.

You can migrate Ledgers of New General Ledger of the Business Suite or the Classic General Ledger GL to the Universal Journal in S/4H. Please note, that the number of Ledgers and the configuration of its currency will stay; it is not possible to introduce new ledgers or new currencies during the migration to S/4H. If Classic General Ledger was used, the ledger '00' is migrated to the new leading ledger '0L' of the universal journal.

As Controlling is now part of the Universal Journal as well, now all CO internal actual postings are visible in General Ledger as well. The secondary cost elements are part of the chart of accounts. There is no longer a need for Co realtime integration for transfer of secondary CO postings to NewGL or the Reconciliation Ledger of Classic GL.

It is not possible to introduce new currencies in GL during the migration to S/4H. The order (resp. technical fieldnames in table ACDOCA) of the currencies might change during the migration from Classic or New GL, as the the currency type of the controlling are will determine the second currency (fieldname KSL), but the compatibility view for classic or New GL guarantee that the reporting based on these structures shows the same result as before.

Required and Recommended Action(s)

Mandatory application configuration steps related to General Ledger.

IMG -> Preparation and Migration of Customizing for the General Ledger

The step "Migrate General Customizing" migrates all important customizing around ledgers, currencies and CO integration. It is important to carry out this step before manual changes are done in the img activities below this activity.

Therefore we recommend to go through all activities of "Preparation and Migration of Customizing for the General Ledger" in its sequence in the UI.

Please use the consistency check (Execute Consistency Check of General Ledger Settings, tx FINS_CUST_CONS_CHK) and clean up all inconsistencies prior to the migration of transactional data. If the consistency check raises messages for company codes, which are not used productively, you can exclude these by activating the flag "Template" in view V_001_TEMPLATE.



21.2 S4TWL - SAP INVOICE AND GOODS RECEIPT RECONCILIATION

Application Components: FI-GL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270359	SAP INVOICE AND GOODS RECEIPT RECONCILIATION

You already implemented SAP Business Suite powered by SAP HANA, SAP Simple Finance Add-On or SAP S/4HANA Finance and activated the content in SAP HANA Studio to support SAP Invoice and Goods Receipt Reconciliation.

Description

"SAP HANA Live" provides reporting capabilities for Business Suite and Suite on HANA customers. A strategic decision was taken to switch the technology from Calculation Views to CDS Views with SAP S/4HANA. Reporting scenarios built with the SAP HANA Live content, such as the "Goods Receipt Invoice Receipt Reconciliation Monitor" in Business Suite, Suite on HANA, or Simple Finance installations have to be rebuilt manually with CDS Views in SAP S/4HANA.

With SAP Invoice and Goods Receipt Reconciliation (part of the HANA License), every Business Suite, SoH, or Simple Finance Customer could organize the processing of GR/R differences. This functionality is not available for SAP S/4HANA, on-premise edition 1511. The transactions and apps to process GR/IR differences such as MR11 remain available, only the monitoring and organization capabilities added by SAP Invoice and Goods Receipt Reconciliation are no longer available.

Business Process related information

Customers traditionally use Microsoft Excel sheets and other reporting means to monitor and organize the GR/IR account. With SAP S/4HANA, they have to revert to these methods.

Monitoring of GR/IR Account needs to be organized by the customer

21.3 S4TWL - SAP HANA ODP ON HANA CALC VIEW-BASED REPORTING

Application Components: FI-GL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270360	SAP HANA ODP ON HANA CALC VIEW-BASED REPORTING

Description

With Simple Finance 1.0, one reporting option was to use Embedded BW functionality based on ODPs, which in turn use Calculation Views for real time data access. A strategic decision was taken to switch the technology from Calculation Views to CDS Views with SAP S/4HANA Reporting scenarios built with these ODPs. Simple Finance installations 1.0 or 1503 have to be rebuilt manually with CDS Views in SAP S/4HANA and Simple Finance 1602 SP 1602.

Business Process related information

It should be possible to rebuild all existing reporting scenarios with CDS Views.

Required and Recommended Action(s)

If such ODPs are used, time and resources should be planned for migration to CDS Views.

Customers will have to rebuild the reporting scenarios using CDS Views. End users will have to redo personalization and variants of reports

21.4 S4TWL - Closing Cockpit with S/4 HANA OP

Application Components: FI-GL-GL-G

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2332547	Closing Cockpit with SAP S/4HANA, On-Premise-Edition

Task: Check if the customer uses any of the Business Functions FIN_ACC_LOCAL_CLOSE, FIN_ACC_LOCAL_CLOSE_2, FIN_ACC_LOCAL_CLOSE_3 are active.

Procedure: Use transaction SFW5 to list active Enterprise Business Functions.

Description:

The functionality of the standard Closing cockpit is available, but defined as "not the target architecture" in SAP S/4 HANA 1511, 1610 or subsequent release. See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#). Thus transaction codes CLOCO, CLOCOC, CLOCOS and CLOCOT are supported but are part of compatibility scope in S/4 HANA OP. The Business Functions FIN_ACC_LOCAL_CLOSE, FIN_ACC_LOCAL_CLOSE_2, FIN_ACC_LOCAL_CLOSE_3 are flagged as obsolete in S/4 HANA OP.

Business Process related information

If any of the Business Functions listed above are active, consider to use the Add-On Financials Closing Cockpit 2.0 instead.

21.5 S4TWL - Currencies in Universal Journal

Application Components: FI-GL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2344012	Currencies in Universal Journal

You are doing a system conversion to SAP S/4HANA. All currency configurations can be migrated to the universal journal of S/4H. This note provides information on the new configuration capabilities for parallel currencies in FI and CO.

This note is relevant, if you are use FI / CO in S/4HANA.

Situation in ECC:

In the Business Suite (ECC) there used to be up to 3 parallel currencies in FI (table T001A / tx OB22) and 2 parallel currencies in CO (TKA01 / tx OKKP): CO area currency and object currency.

The currencies of non leading ledgers in NewGL (T882G) were a subset of the currencies in the leading ledger (T001A).

One of the CO currencies needed to be the local currency (CT 10), but it was not necessary that the other currency in CO was also configured in FI.

Situation in S/4H:

With the universal journal and the common line item table ACDOCA for FI and CO, there is also a central currency configuration for the universal journal. As the currency configuration depends on the universal journal ledgers, there is a combined view cluster for ledgers and currencies, tx FINSC_LEDGER.

IMG menu path: Financial Accounting(New) - Financial Accounting Global Settings (New) - Ledgers - Ledger - Define Settings for Ledgers and Currency Types.

Overview on amounts fields of the Universal Journal (as of S/4H 1610 and S/4H Finance 1605)

ACDOCA Fieldname	Description	
WSL	Amount in Transaction Currency (Document Currency)	Original currency of the transaction, not contained in balances, as it might happen that different currencies cannot be aggregated; corresponds to BSEG-WRBTR.
TSL	Amount in Balance Transaction Currency	Amount converted to the currency of the G/L account, in order to allow aggregation on G/L account level; corresponds to BSEG-PSWBT.
HSL	Amount in Company Code Currency (Local Currency)	Currency of the company code; corresponds to BSEG-DMBETR in FI and object currency in CO (except co area currency type is local currency)
KSL	Amount in Global Currency	Currency type configured in the controlling area (TKA01-CTYP)
OSL	Amount in Freely Defined Currency 1	Currency configured per ledger and company code in tx finsc_ledger
VSL	Amount in Freely Defined Currency 2	Currency configured per ledger and company code in tx finsc_ledger
BSL	Amount in Freely Defined Currency 3	Currency configured per ledger and company code in tx finsc_ledger
CSL	Amount in Freely Defined Currency 4	Currency configured per ledger and company code in tx finsc_ledger
DSL	Amount in Freely Defined Currency 5	Currency configured per ledger and company code in tx finsc_ledger

ESL	Amount in Freely Defined Currency 6	Currency configured per ledger and company code in tx finsc_ledger
FSL	Amount in Freely Defined Currency 7	Currency configured per ledger and company code in tx finsc_ledger
GSL	Amount in Freely Defined Currency 8	Currency configured per ledger and company code in tx finsc_ledger
CO_OSL	Amount in Object currency of CO	Object currency of CO, only if it is really the object currency (70)

The second and third parallel currencies of FI (BSEG-DMBE2 or BSEG-DMBE3) correspond to 2 amount fields of KSL - GSL according to configuration in tx FINSC_LEDGER.

Table BSEG is not extended and still contains only 3 parallel currencies. Our goal is to implement full process integration of all currencies fields in all processes in accounting.

Overview on supported processes for currency fields

Our goal is to implement full process integration of all currency fields in all processes in accounting. With S/4H 1610 (or S/4H Finance 1605) we achieved the following coverage:

	HSL	KSL	OSL	VSL	BSL	CSL	DSL	ESL	FSL	GSL
Example configuration										
<i>Universal Journal (ACDOCA)</i>	10	30	40	50	60	Z1	Z2	Z3	Z4	Z5
<i>BSEG and Fixed Asset Accounting</i>	10	30	40							
<i>Material Ledger</i>	10	30	40							
<i>Controlling</i>	10	30								
Supported Processes (for example config.)										
Realtime Currency Conversion	X	X	X	X	X	X	X	X	X	X
Balance zero per Journal Entry	X	X	X	X	X	X	X	X	X	X
Open Item Management (FI-AP, FI-AR, FI-GL)	X	X	X	X	X	X	X	X	X	X
Foreign Currency Valuation	X	X	X	X	X	X	X	X	X	X
Regrouping	X	X	X	1	1	1	1	1	1	1
GL and CO Allocations	X	X	X	X	X	X	X	X	X	X

Fixed Asset Accounting	X	X	X	1	1	1	1	1	1	1
Material Ledger	X	X	X	1	1	1	1	1	1	1
CO Settlement	X	X	1	1	1	1	1	1	1	1
CO Reposting	X	X	1	1	1	1	1	1	1	1

This means that **all** journal entry items are converted in the accounting interface for all configured currencies, regardless of the source where the business transaction originates from. In the accounting interface the journal entry is converted according to the conversion settings in tx FINSC_LEDGER (exchange rate type,), and balance zero per journal entry is guaranteed.

Some processes require more than a mere document wise currency conversion with the current rate. These processes require that the amounts are converted with rates of the historical data being processed. This is not yet supported for all processes. We achieved this for open item management in FI-AP, FI-AR, and FI-GL or for CO and GL allocations, but not yet for Fixed Asset depreciations or CO settlements.

As a fallback the amounts are converted with the current exchange rate. In such a case there might remain a difference caused by rounding effects or different exchange rates for the amount fields which are marked with '1' in the above table.

Overview on supported reporting for currency fields

With S/4H 1610 the currencies that are not stored in BSEG can be displayed in following UIs:

Description	Transaction Code
Display Document	FB03
Display Document in General Ledger View	FB03L
Display G/L Account Balances	FAGLB03
Display G/L Account Line Items	FAGLL03
Line Item Browser	FAGLL03H
Display G/L Account Line Items	Fiori App
Journal Entry Analyzer	Fiori App
Audit Journal	Fiori App
Display Financial Statement	Fiori App

Usage of new currencies

New Installations

- You can configure the new currencies in the universal journal.
- Please carefully consider which currencies are integrated with BSEG, FI-AA, CO, ML, FI-AA, and which is generically converted.

Migration of Customer Installations

- Migration from ERP, SFIN 1503 or S/4H 1511
- Old currency configuration is migrated to universal journal without changes of the used currencies.
- S/4H Migration is not able to introduce new currencies.
- ERP Installations using transfer pricing make use of the new currency fields, as all currencies/valuations combinations are migrated to the same ledger.
- Usage of additional currencies is not possible without a conversion project. You must not simply configure additional currencies, as the existing data does not contain the new currencies, and some open processes would not work properly, if the currency configuration was changed.

Currency configuration in previous S/4H releases

In S/4H 1511 there were only 2 freely defined currencies (WSL, TSL, HSL, KSL, OSL, VSL, FSL) . There was no realtime conversion available for the customer defined currency types. Foreign currency valuation could be used as a substitute for the missing realtime conversion.

In SFIN 1503 there are amounts fields (WSL, TSL, HSL, KSL, OSL, VSL) to cover the CO and FI amount fields of ECC.

22 Financials - Accounts Payable/Accounts Receivable

22.1 S4TWL - SAP Working Capital Analytics/DSO and DPO

Application Components: FI-AP,FI-AR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270383	SAP Working Capital Analytics/DSO and DPO

Description

With SAP Working Capital Analytics, an innovative means of analyzing DSO and DPO was provided to every Business Suite, SoH, or Simple Finance Customer (part of the HANA License). This functionality is not available within SAP S/4HANA. Alternative reports for DSO and DPO analysis are available, covering the most important aspects of DSO and DPO analysis.

Business Process related information

DSO and DPO Analysis have to move to the new reports.

Required and Recommended Action(s)

DSO and DPO Analysis have to move to the new reports.

22.2 S4TWL - Integration with FSCM Biller Direct (FI-AR)

Application Components: FIN-FSCM-BD-AR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270384	Integration with FSCM Biller Direct (FI-AR)

Description

With the integration of SAP Accounts Receivable (FI-AR) with FSCM Biller Direct it is possible to offer to end-customers the convenience of receiving invoices, viewing account status, and making payments online as a self-service. The functionality is not considered as the target architecture. The Customer can still continue to use the functionality to make the system conversion to SAP S/4HANA, on-premise edition 1511 less disruptive (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet.).

Business Process related information

The functionality integration of SAP Accounts Receivable (FI-AR) with FSCM Biller Direct is not the target architecture, but still available and can be used within SAP S/4HANA, on-premise edition 1511.

Required and Recommended Action(s)

None

22.3 S4TWL - Integration with FSCM Biller Direct (FI-AP)

Application Components: FIN-FSCM-BD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270386	Integration with FSCM Biller Direct (FI-AP)

Description

With the integration of SAP Accounts Payable (FI-AP) with FSCM Biller Direct it is possible to offer to end-vendors the convenience of uploading invoices, monitor the corresponding account movements online as a self-service. The functionality is not considered as the target architecture. The Customer can still continue to use the functionality to make the system conversion to SAP S/4HANA, on-premise edition 1511 less disruptive (Functionality available in SAP S/4HANA on-premise edition 1511 delivery but not considered as future technology. Functional equivalent is not available yet.).

Business Process related information

The functionality integration of SAP Accounts Payable (FI-AP) with FSCM Biller Direct is not the target architecture, but still available and can be used within SAP S/4HANA, on-premise edition 1511.

Required and Recommended Action(s)

None

23 Financials - Asset Accounting

23.1 S4TWL - DATA STRUCTURE CHANGES IN ASSET ACCOUNTING

Application Components: FI-AA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270387	Data Structure Changes in Asset Accounting

Description

Actual items

- Actual data of ANEK, ANEP, ANEA, ANLP, ANLC is now stored in table ACDOCA. ANEK data is stored in BKPF.
- Compatibility views FAAV_<TABLENAME> (for example, FAAV_ANEK) are provided in order to reproduce the old structures.
- Access to old data in tables still possible via the views FAAV_<TABLENAME>_ORI (for example, FAAV_ANEA_ORI)
- Non-actual items
- Statistical data (for example, for tax purposes) previously stored in ANEP, ANEA, ANLP, ANLC is now stored in table FAAT_DOC_IT
- Plan data previously stored in ANLP and ANLC is now stored in FAAT_PLAN_VALUES

23.2 S4TWL - ASSET ACCOUNTING

Application Components: FI-AA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270388	Asset Accounting

Description

Classic Asset Accounting is mostly transformed automatically into the New Asset Accounting.

Required and Recommended Action(s)

Execute mandatory application configuration steps related to Asset Accounting.

IMG -> Preparations and Migration of Customizing for Asset Accounting

23.3 S4TWL - INTEGRATION TO LEASE ACCOUNTING ENGINE (LAE)

Application Components: FI-LA, CRM-LAM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270391	Integration to Lease Accounting Engine (LAE)

Description

If you have one at least one entry in table TFILA_FA_002 this note is relevant for you!

The LAE (Lease Accounting Engine) does not support the new Asset Accounting which is automatically activated in S4H.

For more information, see SAP Help portal at <http://help.sap.com/sfin200> -> Application Help: SAP ERP Central Component -> Accounting ->

SAP Simple Finance, on-premise edition -> Migration to SAP Accounting powered by SAP HANA -> Migration to New Asset Accounting

23.4 S4TWL - JOINT VENTURE ACCOUNTING (JVA)

Application Components: FI-AA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270392	Joint Venture Accounting (JVA)



You are converting your system to SAP S/4HANA. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Prerequisites:

Joint Venture Accounting is active and at least one of the transactions listed below are used. This means that

- Component 'JVA' is active in table TRWCA: See transaction SM30 for table TRWCA and check that the record for COMP = JVA has a "To year" greater or equal to the current year.
- For at least one company code the global JVA parameters have been maintained: A record has been created on view V_T8JZA with transaction GJZA.
- You are using the AM/MM Method 8 ("United States (COPAS)") or a different one, for which records have been defined on table T8JHL .

Description

With SAP S/4HANA, on-premise edition 1511 (or SAP S/4HANA Finance Edition 1503 SPS2, or higher releases of this add-on), Asset Management transfers in Joint Venture Accounting are no longer supported. This comprises the following transactions:

- GJT1 - Asset to WiP
- GJT2 - Asset to asset
- GJT3 - Asset retirement
- GJT4 - Asset sale
- GJT5 - WIP to WIP
- GJT6 - WIP to Asset
- GJT0 - Reverse.

For more information (for example, on business processes and recommended workarounds), please refer to SAP Note [2137314 - Joint Venture Accounting with SAP Simple Finance powered by SAP HANA](#) and the attachment in that Note.

23.5 S4TWL - SELECTED BUSINESS FUNCTIONS IN FINANCIAL ACCOUNTING (FI-GL AND FI-AA)

Application Components: FI-AA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2257555	SELECTED BUSINESS FUNCTIONS IN FINANCIAL ACCOUNTING (FI-GL AND FI-AA)

Description

Selected business functions in Financial Accounting are not the target architecture in SAP S/4 HANA 1511:

- The usage of the following Financial Accounting business functions are not the target architecture in SAP S/4 HANA. With SAP S/4 HANA 1511 FPS2 they are changed to *customer-switchable* and *obsolete* in SAP S/4 HANA:
 - FIN_AA_CI_1: FI-AA, Asset Accounting.
 - FIN_GL_REORG_1: FI-GL (new), Profitcenter Reorganization and Segmentreporting
 - FIN_GL_REORG_SEG: FI-GL (new), Segment Reorganization

Basic Information related to Business Functions

If a business function was switched ON in the Business Suite start release system, but defined as *always_off* in the SAP S/4HANA, on-premise edition target release, then a system conversion is not possible with this release. See SAP Note 2240359 - SAP S/4HANA, on-premise edition 1511: Always-Off Business Functions. If a business function is defined as "customer_switchable" in the target release (SAP S/4HANA, on-premise edition 1511), then the business function status remains unchanged from the status on start release. Business Functions defined as *obsolete* cannot be switched ON

Business Process related information

As of support pack FPS 2, Customer having one or all of these business functions switched ON in Business Suite start release can execute the system conversion. Nevertheless the functionality related to business functions FIN_GL_REORG_1 and FIN_GL_REORG_SEG is not available and not supported within SAP S/4 HANA, on-premise edition 1511. Functionality related to business function FIN_AA_CI_1 is part of the standard and active independent of the business function state.

Customers having none of these business functions switched ON in Business Suite start release cannot activate these business functions after the system conversion to SAP S/4 HANA, on-premise edition 1511.

24 Financials - Cash Management

24.1 S4TWL - CASH MANAGEMENT - GENERAL

Application Components: FIN-FSCM-CLM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270400	SAP Cash Management - GENERAL

Description

Once customers have installed SAP S/4HANA, SAP Cash Management is the only compatible cash management product to be used. The classic Cash and Liquidity Management (Cash Management and Liquidity Planner) is not officially supported in SAP S/4HANA. An SAP Business Suite customer using classic Cash and Liquidity Management needs to activate the new SAP Cash Management after converting to SAP S/4HANA.

Comparison of Functional Scope

The following table summarizes the differences between the classic Cash and Liquidity Management (Cash Management and Liquidity Planner) and SAP Cash Management.

	Classic Cash and Liquidity Management	SAP Cash Management, delivered with SAP S/4HANA 1511	SAP Cash Management, delivered with SAP S/4HANA 1610 (Delta to 1511)
Banks / Bank Accounts	<ul style="list-style-type: none"> • Create Bank: FI01 • Change Bank: FI02 • Display Bank: FI03 • House Bank / House Bank Account: FI12 • Business Partner (Role TR0703): BP 	<p>The following transaction codes are replaced by the new Fiori app <i>Manage Banks</i>, which can be accessed from the Fiori Launchpad.</p> <ul style="list-style-type: none"> • Create Bank: FI01 • Change Bank: FI02 • Display Bank: FI03 <p>Bank Account Management (BAM)</p> <ul style="list-style-type: none"> • Bank hierarchy based on bank business partners • Free-style bank account groups allow ad-hoc watch for several bank accounts. 	<p>Centralized bank account management is supported.</p> <p>Bank accounts can be replicated via iDoc to other systems on Simple Finance 1503, S/4HANA Finance 1605+, S/4HANA OP 1610+, SAP ERP 6.0 EhP6+.</p>

		<ul style="list-style-type: none"> • Fuzzy search for bank accounts • Attachments • The transaction FI12 House Bank / House Bank Account is no longer supported. Instead, you use the following apps via the Fiori Launchpad to manage house banks and house bank accounts: <ul style="list-style-type: none"> ○ Define house banks: Use the Fiori app <i>Manage Banks</i> ○ Define house bank accounts: You can do so in the Fiori app <i>Manage Bank Accounts</i> by editing the bank account master data, on the <i>Connectivity Path</i> tab. ○ House bank and house bank accounts are longer configuration data, instead they are maintained as master data. • Database table T012K is redirected to the new BAM tables. <p>Bank Account Management Lite (BAM Lite):</p> <p>A basic version of Bank Account Management is provided for customers without the license of SAP Cash Management. It provides:</p> <ul style="list-style-type: none"> • Attributes include account holder, internal contact persons, and house bank account related settings on bank accounts. • No workflow-based bank account processes. • The transaction FI12 House Bank / House Bank Account is no longer supported. Instead, you use the following apps via the Fiori Launchpad to manage house banks and house bank accounts: <ul style="list-style-type: none"> ○ Define house banks: Use the Fiori app <i>Manage Banks</i> 	
--	--	---	--



		<ul style="list-style-type: none"> ○ Define house bank accounts: You can do so in the Fiori app Manage Bank Accounts by editing the bank account master data, on the <i>Connectivity Path</i> tab. ○ House bank and house bank accounts are longer configuration data, instead they are maintained as master data. ● For information on the differences between BAM and BAM Lite, see SAP note 2165520. 	
Cash Position / Liquidity Forecast	<p>Cash Position: FF7A</p> <p>Liquidity Forecast: FF7B</p> <p>Data Integration:</p> <ul style="list-style-type: none"> ● Bank statement accounting documents ● Payment accounting documents ● AR/AP accounting documents ● Memo records ● Purchase orders ● Sales orders ● TRM ● CML ● FI-CA ● Real-Estate ● Public Sector 	<p>Cash Position:</p> <ul style="list-style-type: none"> ● Use app Cash Position to check high-level KPIs. ● Use app Cash Position Details to display detailed positions on bank accounts. <p>Liquidity Forecast:</p> <p>Use SAP BusinessObjects Analysis, edition for Microsoft Office (AO) or transaction code RSRT to open the BW queries for liquidity forecast.</p> <p>Data Integration:</p> <ul style="list-style-type: none"> ● Bank statements ● Bank statement Accounting documents ● Payment accounting documents ● AR/AP accounting documents ● Memo records ● TRM ● CML ● FI-CA ● Not integrated: Industry-specific data sources, sales orders, purchase orders, fund, grant. 	<p>Liquidity Forecast:</p> <p>You can now use the following Fiori apps in your Fiori launchpad:</p> <ul style="list-style-type: none"> ● Liquidity Forecast ● Liquidity Forecast Detail <p>Data Integration:</p> <ul style="list-style-type: none"> ● MM (Materials Management) ● SD (Sales and Distribution)
Memo Record	<ul style="list-style-type: none"> ● Create memo records: FF63 	<p>FF63 and FF65 are supported with cash management accounts replaced by house banks and house bank accounts.</p>	<p>You can now use the following Fiori apps in your Fiori launchpad:</p>



	<ul style="list-style-type: none"> • Display memo records List: FF65 		<ul style="list-style-type: none"> • Actual Cash Flow • Cash Flow - Detailed Analysis
Payment (F110, F111)	<ul style="list-style-type: none"> • F110 • F111 	F110 and F111 are supported as before.	
Liquidity Planner	<p>Plan part:</p> <ul style="list-style-type: none"> • BPC or BW-IP set up in a separate system. • ETL for master data and transactional data is necessary. <p>Actual part:</p> <ul style="list-style-type: none"> • Actual Cash Flow Report:FLQREP <p>Configuration:</p> <ul style="list-style-type: none"> • Account assignment through Query and Query Sequence 	<p>Plan part:</p> <ul style="list-style-type: none"> • Embedded Liquidity Plan with BPC/PAK (Planning Application Kit) and Design Studio UI. • No ETL is needed. • Automated liquidity forecast is integrated. <p>Actual part:</p> <ul style="list-style-type: none"> • Old transaction is no longer supported. • You can use SAP BusinessObjects Analysis, edition for Microsoft Office (AO) or transaction code RSRT to show the integrated actual cash flow information. <p>Configuration:</p> <ul style="list-style-type: none"> • Account assignment through Query and Query Sequence 	<p>Actual part:</p> <p>You can now use the following Fiori Theme apps in your Fiori launchpad:</p> <ul style="list-style-type: none"> • Actual Cash Flow • Cash Flow - Detailed Analysis
Cash Concentration	<ul style="list-style-type: none"> • Create: FF73 • Access with Variant: FF74 • Print Confirmations: FF.8 • Post: FF.9 	<p>Cash Concentration can work based on the new Bank Account Management (BAM) accounts in the Fiori app Manage Bank Accounts.</p> <p>Cash pools can be defined by creating bank account groups in BAM applications directly.</p>	
Distributed Cash	Load remote Cash Position and Liquidity Forecast data through IDOC.	Retrieve remote Liquidity Planner actual data and cash summary data of classic cash into the One Exposure of S/4 HANA Cash Management.	

Business Process Related Information

Transactions not available in SAP S/4HANA	FF\$3
	FF\$4

FF\$5
FF\$6
FF\$7
FF\$A
FF\$B
FF\$C
FF\$D
FF\$L
FF\$S
FF\$X
FF-3
FF-4
FF-5
FF-6
FF.8
FF.9
FF.D
FF/1
FF/8
FF69
FF70
FF71

FF72
FF7A
FF7B
FF:1
FFTL
FFZK
FLQAB
FLQAC
FLQAD
FLQAF
FLQAL
FLQAM
FLQAM_TP
FLQC10
FLQC12
FLQC13
FLQC13F
FLQC1A
FLQC2
FLQC20

Required and Recommended Actions

- With the use of SAP S/4HANA, the old transactions of maintaining house bank accounts are no longer supported. Instead, you manage your house bank accounts in the new bank account master data, using either the Bank Account Management

Lite or the full version of Bank Account Management (with SAP Cash Management). As a result, before you go live with SAP S/4HANA, you must migrate house bank accounts if there are any.

- All the apps must be accessed from the Fiori Launchpad.
- Customers who were using the full SAP Cash Management and are upgrading to SAP S/4HANA 1610 from Simple Finance 1503, S/4HANA Finance 1605 and S/4HANA OP 1511, should configure the customizing activity **Define Basic Settings** under "Financial Supply Chain Management"->"Cash and Liquidity Management"->"General Settings".

How to Determine Relevancy

You can identify via this description if the Simplification Item might be relevant.

Task 1: Check result of report FINS_PRE_CHECK_SF1N_1503 for the use of classic Cash Management.

Procedure:

Check if one the following messages is shown:

- If there is no company codes with active cash management found, it means classic Cash Management is not used;
- If indicator for cash management is active for the following company codes, you then need to check the following manually:
 1. Run transaction SE16
 2. Check the table entries in one of the following tables: FDM1, FDM2, FDMV, FDS1, FDS2, FDSB, FDSB2, FDSBDIST, FDSP, FDSR, FDSR2, FDSRDIST, FDT1, FDW1, FDD1, FDES, FDESIST, FDFIEP, FDI1, FDLF, FDLF2, FDRE.
 3. If you find no entries, it means classic Cash Management is not used; If you find any entries, it means classic Cash Management is used.

Rating: Yellow, if classic Cash Management is used; Otherwise, it's green.

Task 2: Check manually for the use of Liquidity Planner.

Procedure:

1. Run transaction SE16
2. Check the table entries in one of the following tables: FLQSUM and FLQSUM_FC.
3. If you find no entries, it means Liquidity Planner is not used; If you find any entries, it means Liquidity Planner is used.

Rating: Yellow, if Liquidity Planner is used; Otherwise, it's green.

If classic Cash Management and Liquidity Planner are used (e.g. for cash position reporting), you need to re-implement the new SAP Cash Management.

25 Financials – Controlling

25.1 S4TWL Reference and Simulation Costing

Application Components: CO-PC-PCP-REF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2349294	Reference and Simulation Costing

Description

You are currently using base planning objects to store cost estimates that can be included in cost estimates for projects, sales orders and so on as items of type B (base planning object). The creation of cost estimates with reference to base planning objects is no longer supported in SAP S/4HANA. Instead you are recommended to use transaction CKECP to prepare ad-hoc cost estimates and CKUC to prepare multilevel material cost estimates where BOMs and routings are not available for the material in question.

Task: Check, if base planning objects are used in the customer system.

Procedure: Call transaction se16 and select CKHS. On the selection screen you have to enter BZOBJ = '1' and use action 'Number of Entries' to determine the number of base planning objects.

Rating:

Simplification item and note is not relevant for the customer, if no CKHS entries exists with BZOBJ = '1'.

Business Process related information

Check your existing processes for cost estimation to determine whether you use costing items of type B (base planning object) as references for other cost estimates.

Transaction not available in SAP S/4HANA on-premise edition 1511	Transaction Code
Create Base Planning Object	KKE1
Change Base Planning Object	KKE2
Display Base Planning Object	KKE3
Revaluate Base Planning Object	KKEB
Base Planning Object vs. Other Unit Cost Estimate	KKEC
Costed Multilevel BOM (only Base Planning Object Exploded)	KKED
Itemization	KKB4
Overview of Base Planning Objects	S_ALR_87013028
Where Used List of Base Planning Objects	S_ALR_87013029
Multilevel Explosion of Base Planning Object	S_ALR_87013036

Required and Recommended Action(s)

Remove above transactions from existing roles and train users to work with alternative transactions.

25.2 S4TWL - Summarization Hierarchies in Controlling

Application Components: CO-PC-IS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2349282	Summarization Hierarchies in Controlling

Description

You are currently using summarization hierarchies, order hierarchies, or project hierarchies and want to understand the impact of moving to SAP S/4HANA. Summarization hierarchies allow you to aggregate data on orders or projects using the characteristics in the order header. In existing systems you can identify the use of summarization hierarchies by the fact that there are object numbers beginning with VD in

tables COSP and COSS and entires for the hierarchy structure exist in View V_KKRO_OR_NEW.

The layers of the hierarchy are created using transaction KKRO (Create Summarization Hierarchy). The top node of the hierarchy is always the controlling area. The next layers might be company code, plant, product hierarchy and material. In SAP ERP the totals for each node in the hierarchy were calculated using a data collection run (transaction KKRC) that typically ran at period close and calculated the totals for each material, each product group, each plant and each company code in the above example and updated these values to the CO totals tables (COSP and COSS) as summarization objects (object type VD). The results of these aggregations could be viewed using transaction KKBC_HOE.

SAP S/4HANA offers a new transaction KKBC_HOE_H that uses the hierarchy structure defined using transaction KKRO but aggregates the order values on the fly and displays the results by node immediately. Note that this aggregation will aggregate actual costs, commitments, planned costs, and so on, but does not calculate target costs or variances on the fly. You must run transaction KKS1 or KKS1H to calculate target costs and variances before executing the new transaction.

Business Process related information

Transaction KKRC and KKBC_HOE are typically executed at period close since they require the pre-calculation of target costs. You can now run KKBC_HOE_H more frequently since it is not updating to the totals records by period, providing that you also run the target cost calculation KKS1 or KKS1H first.

Transaction not available in SAP S/4HANA on-premise edition 1511	Transaction Code
Data Collection Run	KKRC
Analyze Summarization Hierarchy	KKBC_HOE

Required and Recommended Action(s)

Check your existing roles to determine which include transaction KKBC_HOE and KKRC and replace by KKBC_HOE_H.

25.3 S4TWL - Technical Changes in Material Ledger with Actual Costing

Application Components: CO-PC-ACT,FIN-MIG-ML

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2354768	Technical Changes in Material Ledger with Actual Costing

Material Ledger Actual Costing has been activated already in the system before the system conversion to SAP S/4HANA.

You can verify if Material Ledger Actual Costing is active for one or more plants via SAP Reference IMG / SAP Customizing Implementation Guide (transaction SPRO)

-> Controlling

-> Product Cost Controlling

-> Actual Costing/Material Ledger

-> Actual Costing

-> Activate Actual Costing

-- Activate Actual Costing

=> Checkbox 'Act.Costing' (Updating Is Active in Actual Costing)

When this checkbox is marked, this means that Material Ledger Actual Costing is active in this plant.

Technically this can be verified via database table T001W, field MGVUPD. 'X' means that Material Ledger Actual Costing is active in this plant.

In addition, the table T001W shows the link between the plant and the valuation area.

Description

With S/4HANA the data model for material ledger data has been changed significantly, especially when actual costing is active.

The main purpose for the changed data model is:

- Simplified Data Model
- Simplification of Calculation Logic
- Leverage the Strength of HANA

Business Process related information

- Reduce complexity and improve runtime in the Material Ledger Costing Cockpit for Actual Costing
- Example: 4 separate process steps ('Single-Level Price Determination', 'Multilevel Price Determination', 'Revaluation of Consumption', 'WIP Revaluation') are merged to one process step ('Settlement')
- New 2-dimensional distribution logic to avoid rounding errors
- Less "not-distributed" values
- No lock conflicts caused by material movements (in current period)
- Change of standard price for materials and activities within the period is supported

Required and Recommended Action(s)

- It is recommended to deactivate the statistical moving average price to benefit from performance improvements (non reversible).
- Separate currency customizing of Material Ledger (transactions OMX2 / OMX3) has become obligatory, Material Ledger is acting on a subset of the currencies defined for Financials. There is no default Material Ledger Type 0000 anymore.
- It is not allowed to use a ML Type that references to currency settings defined in FI or CO (flags Currency Types from FI resp. Currency Types from CO). Instead you have to define explicitly the currency and valuation types that are relevant for Material Ledger.
- Steps to be executed: 1. Define the currency and valuation types that are relevant for Material Ledger using transaction OMX2. 2. Afterwards assign this ML Type to your valuation area using transaction OMX3.
- Before system conversion is started, all Material Ledger costing runs, no matter if actual costing (transaction CKMLCP) or alternative valuation run (transaction CKMLCPAVR) need to be finished (e.g. step 'post closing' successfully executed, no error, no materials with status 'open'). Reason: After system conversion to SAP S/4HANA it will not be possible to do any changes on costing runs created before system conversion.
- It is not allowed to change Material Ledger costing runs, nor to run steps of Material Ledger costing runs during the process of system conversion.
- It is not allowed to activate or deactivate Material Ledger Actual Costing during the process of system conversion for one or more plants.

Details:

Simplified Data Model

- **Tables MLDOC and MLDOCCCS**
 - The new Material Ledger Document tables MLDOC and MLDOCCCS replace most former periodic tables (MLHD, MLIT, MLPP, MLPPF, MLCR, MLCRF, MLKEPH, CKMLPP, CKMLCR, MLCD, CKMLMV003, CKMLMV004, CKMLPPWIP, CKMLKEPH). For more information refer to note 2352383.
 - Some of the former periodic tables are still required for the following purposes:
 - The Material Ledger Closing Document is stored in the former ML document tables (ML*)
 - Standard Price. Periodic Unit Price and Price Control are still managed in table CKMLCR
 - Cost Component Split for Prices is still managed in tables CKMLPRKEKO and CKMLPRKEPH
 - The design of tables MLDOC/ MLDOCCCS allows storing both line item and aggregated data.
 - Periodic transactions (goods movements, activity confirmation, etc.) update tables MLDOC/ MLDOCCCS with line item data using the INSERT ONLY principle.
 - Material Ledger Period Close creates (run-dependent) settlement records in tables MLDOC/ MLDOCCCS to store the results from Actual Costing. These records are stored under the costing run key (field Run Reference) so that they are visible only by the corresponding costing run. In this way different runs (e.g. a periodic run and an AVR) can store their results independently from each other.
 - Important design changes
 - Single- and multilevel differences are no longer distinguished. In table MLDOC all price/exchange rate differences are stored in fields PRD/KDM. In table MLDOCCCS the CCS for price/exchange rate differences are stored under the CCS types E/F (field MLCCT).
 - The CCS is stored in a table format using the cost component (field ELEMENT) as additional key. This allows increasing the number of cost components without modification.
 - The CCS for preliminary valuation is always stored

- **Tables MLDOC_EXTRACT and MLDOCCCS_EXTRACT**
 - The table MLDOC_EXTRACT holds information about quantity and valuation changes. Transaction based updates, like goods movements or invoice receipts, usually update tables MLDOC and MLDOC_EXTRACT

in parallel. But table MLDOC_EXTRACT can be compressed. After compression, the table will contain only one entry per cost estimate number, period and currency type valuation view. Table MLDOC_EXTRACT allows fast and efficient calculation of total quantity and total value, by cumulating all records for specific cost estimate number(s). The same is true for table MLDOCCCS_EXTRACT which has been designed for holding cost component information. During period shift (transaction MMPV) the tables MLDOC_EXTRACT and MLDOCCCS_EXTRACT will be compressed automatically for periods older than previous period. Manual compression via program FCML4H_RMLDOC_EXTRACT_COMPRESS or via function module FCML4H_MLDOC_EXTRACT_COMPRESS is possible and recommended in case of very high number of material movements.

- **Table MLRUNLIST**
 - Table MLRUNLIST replaces the former table CKMLMV011 (Object List for Costing Run), but has some additional functions:
 - Materials and activities selected for a costing run are stored under the corresponding run id.
 - It manages the period status of materials and activities

Data Conversion

In case Material Ledger Actual Costing has been activated already in the system, in one or more valuation areas, before the system conversion to SAP S/4HANA (when the system is e.g. on release SAP ERP 6.0 or on SAP Simple Finance), the tables MLDOC, MLDOCCCS, MLDOC_EXTRACT and MLDOCCCS_EXTRACT are filled automatically with data, during Migration Step M10: Migrate Material Ledger Master Data for the valuation areas, where Material Ledger Actual Costing has been activated. The data will be created starting from last period of previous year until the current period in the system. All material related goods movements or price changes from previous years will be converted to the MLDOC tables as if the goods movement or the price change has taken place in the last period of previous year. The data of the current year will be converted not based on single material documents or price change documents, but there will be one entry per period, per currency type and valuation view, per category (e.g. "Receipts"), per process category (e.g. "Production") and per production process. Data related to ML Alternative Valuation Runs are not converted automatically during Migration Step M10.

Functional changes/improvements

Material Price Analysis (Transaction CKM3):

- No separate view for Cost Components, but integrated in main screen
- Flag for selection of cost components not relevant for material valuation, or only cost components relevant for material valuation; by default selection of inventory relevant cost component split
- Display of WIP Reduction for material; by default WIP Reduction is hidden; If WIP reduction is displayed, both WIP reduction and consumption of WIP for order are shown in opposite sign in different folder.
- Plan/Actual Comparison is removed in new CKM3
- Technically, data are retrieved from table MLDOC, MLDOCCCS and MLDOC_EXTRACT and MLDOCCCS_EXTRACT

Remark: Data older than last period of previous year (related to the time of system conversion) cannot be displayed via transaction CKM3 because the 'old' data has not been converted to the MLDOC-tables. To show data older than last period of previous year you can use transaction CKM3OLD('Material Price Analysis') or CKM3PHOLD('Material Price History')

ML Actual Costing Cockpit (Transaction CKMLCPAVR):

- In the transactions CKMLCP and CKMLCPAVR, there is an additional parameter Application. This means that the application can be chosen so that it is possible to process Alternative Valuation Runs via the transaction CKMLCP and Actual Costing Runs via the transaction CKMLCPAVR.
- In the toolbar of the transactions CKMLCP and CKMLCPAVR, there is a new button next to the Display <-> Change-Button to switch the application from Costing Run to Run Reference and back.
- When the application is switched to Run Reference, a run reference can be created, changed or displayed. A run reference is a reference that contains all settings of an Alternative Valuation Run. It can be used when creating an Alternative Valuation Run but it is only mandatory for creating Alternative Valuation Runs for Parallel COGM. It can also be created for a single period run, for year-to-date run or for a rolling run.
- There are 2 options for creating an AVR:
 - Create a Classic AVR which is the same like before.
 - Create an AVR with run reference which means the settings are taken from the run reference and cant be changed. Only the plants must be chosen.
- Some of the programs and therefore also the steps in the section Processing have changed. The new steps of an ML costing run are:
 - Selection (program FCML4H_SELECTION)
 - Preparation (program FCML4H_PREPROCESSOR)

- Settlement (program FCML4H_SETTLEMENT)
 - Post Closing (program FCML4H_POST_CLOSING)
- It is no longer possible to use delta posting runs.
- Additionally to the status of the materials, the status of the activity types is displayed in the section Processing. The button Activity Types for displaying the activity types value flow has been removed.
- The section Costing Results has been removed. It will be replaced by the report FCML4H_RUN_DISPLAY_MATERIALS that displays a material list with status. It will called via the button Results in the section Processing.

- The classical CKMLCP steps *Single Level Price Determination*, *Multilevel Price Determination*, *Revaluation of Consumption* and *WIP Revaluation* have been replaced by the new step *Settlement* which essentially does all cost allocations and actual price calculations. Additionally the step *Preparation* is required to prepare the data (e.g. reading of apportionment structures, actual activity prices, cost sequence determination).
- A change of standard price for materials and activities within the period is now supported
- Easier reprocessing: If a material is reprocessed by settlement the depending materials on higher costing levels which need to be reprocessed are recognized automatically
- Consumption Price Differences (i.e. Price Differences updated in Consumption Folder) are now taken into account
- A new 2-dimensional distribution logic avoids rounding errors. The new CKM3 will match vertically and horizontally even on level of Cost Components
- Price Limiter Logic is accurate on level of Cost Component Split
- Materials and Activity Types are widely treated as equivalent objects. The cost allocation logic is essentially the same. The same reports (e.g. CKM3, CKMVFM) can be used for both of them (-> to be enabled yet!)
- Alternative Valuation Run (AVR):
 - The new AVR do no longer copy the data into a separate key area. (Only the settlement records are stored under the AVR Run Reference, see above). In particular, the cumulation of several period is done On-the-fly.
 - The former step *Cumulate Data* is no longer needed
 - The complex rescale logic, which adjusts all materials data to a common preliminary AVR price, is no longer needed.
 - All AVR can now handle WIP
 - Post Closing:
 - Post Closing uses a push logic (in accordance to the new Settlement). This means that the price differences rolled from an input to the output are now posted in the closing document of the input (material/activity)

- For activity types (and business processes) a new posting has been introduced. See the documentation in transaction OBYC for the new transaction key PRL:
*Price differences for activity types or business processes. During settlement in the material ledger, these price differences are posted from cost centers
 (Transaction/Account Modification GBB/AUI) to the material ledger (transaction PRL) and then further allocated to the receivers (inished products/WIP).*

Restrictions

- AVR Delta Posting Logic is not available
- External Ending/Cumulated Inventory Valuation is currently not available
- The BAdI CKMLAVR_SIM is currently not available
- Material Ledger Costing Runs and Alternative Valuation Runs, which have been created before the system conversion cannot be changed nor reversed any more after the conversion to SAP S/4HANA
- Material Ledger Valuated Quantity Structure (Transaction CKMLQS) is currently not available

25.4 S4TWL - TECHNICAL CHANGES IN CONTROLLING

Application Components: CO-PA,CO-PC,CO-OM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270404	TECHNICAL CHANGES IN CONTROLLING

Description

Actual Items:

- Actual data of COEP (WRTTP = 04) is now stored in ACDOCA.
- Actual statistical data of COEP (WRTTP = 11) is stored in ACDOCA using additional columns for the statistical account assignments and in COEP for compatibility access.
- Actual data needed for long-term orders/projects from COSP_BAK, COSS_BAK is stored in table ACDOCA.
- Currently, COBK is written as before.

- Compatibility views V_<TABLENAME> (for example, V_COEP) are provided to reproduce the old structures.
- Access to old data in tables is still possible via the views V_<TABLENAME>_ORI (for example, V_COEP_ORI).
- Value types other than 04 and 11 are still stored in COEP, COSP_BAK, COSS_BAK.

Business Process related information

The former tables COEP, COSP, and COSS are replaced by views of the same name, so-called compatibility views.

CO standard transactions are adapted in a stepwise manner to access the new universal journal table (ACDOCA) directly instead of using compatibility views.

From a business point of view, all classic transactions are still running - based on compatibility views or using direct access to ACDOCA.

These views calculate the old total table structures on the fly. They provide a bridge to the new data model.

Customer coding still runs based on compatibility views.

Required and Recommended Action(s)

Please check your customer-specific programs using CO tables.

Customer coding should be adapted by replacing the access via compatibility views with direct access to ACDOCA for value types 04 and 11.

Details are described in note 2185026.

Related SAP Notes

2185026	Compatibility views COSP, COSS, COEP, COVP: How do you optimize their use.
Notes linked in 2185026	

25.5 S4TWL - PROFIT AND LOSS PLANNING AND PROFIT CENTER PLANNING

Application Components: CO-OM,FI-GL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270407	PROFIT AND LOSS PLANNING AND PROFIT CENTER PLANNING

This Simplification Item is relevant if:

- Profit Center Planning is used if entries exist in Table GLPCP (check with SE16).
- CO-OM Planning is used if entries exist in Table COEJ (check with SE16).
- P&L Planning is used: Use ST03N (on the production system, if possible) to check transaction profile of the complete last month, whether the following transactions have been used: FSE5N, FSE6N, FAGLPLSET, GP12N, GP12NA

Description

CO-OM planning, P&L planning, and profit center planning are now covered by SAP BPC for S/4HANA Finance (formerly known as Integrated Business Planning) (SAP Note 2081400). If you do not want to use SAP BPC for S/4HANA but classic FI-GL and CO-OM planning functions instead, you can continue to use the classic planning transactions. Bear in mind, however, that in this case the planning results are written to the totals tables and require "plan integration" to share data between plans. Reports designed specifically for use with S/4 HANA Finance do not read these totals tables.

- FI-GL Planning - SAP Note 2253067 describes how to reactivate
- Cost Center Planning by Cost Element - no longer in menu but can be used in SAP S/4 HANA
- Order Planning by Cost Element - no longer in menu but can be used in SAP S/4 HANA
- Project Planning by Cost Element - no longer in menu but can be used in SAP S/4 HANA
- Project Planning Overall - no longer in menu but can be used in SAP S/4 HANA

Customer project required to activate SAP BPC for S/4HANA Finance and adapt the delivered queries to customer needs. Customers preferring to delay such a project can reactivate the classic planning transactions using the SAP Notes described above.

Note that it is also possible to run the two solutions in parallel. SAP Note 2061419 describes how to retract data from SAP BPC for S/4HANA Finance into the totals tables so that this data can be used as a basis for cost center allocations and activity price calculation and order/project budget setting and settlements and to extract the data back to SAP BPC for S/4HANA Finance so that it is available for reporting when the planning cycle is complete.

Business Process related information

If SAP BPC for S/4HANA Finance is desired or required, then SAP BPC for S/4HANA Finance has to be set up (SAP Note 2081400). Implications:

- Customer roles (menus and authorizations) may need to be adapted.
- Decision needed as to whether plan/actual reporting will be based on totals tables or take place using SAP S/4HANA Finance reports
- Decision needed as to whether planning data is needed for follow-on processes in S/4HANA Finance (e.g. target cost calculation for cost centers, project budgeting)
- Decision needed as to whether order and project planning is required for reporting and budgeting purposes in Investment Management
- Implications : SAP BPC needs to be installed and configured, respective front-ends chosen, and so on.

Transactions which have been removed from the menu in SAP S/4HANA on-premise edition 1511	GP12N, GP12NA, FAGLP03 (plan data entry in FI) plus plan assessment cycles (FAGLGA4* transactions) and plan distribution cycles (FAGLGA2* transactions) CJ40/CJ42 (overall planning on projects) KP06/KP07 (cost centre planning), CJR2/CJR3 (project planning) and KPF6/KPF7 (order planning)
--	---

Required and Recommended Action(s)

- Decision needed concerning scope of existing planning processes, requirements for plan/actual reporting and ability to use delivered business content for SAP BPC for S/4HANA Finance.
- Activate SAP BPC for S/4HANA Finance and compare against project needs.
- No changes to existing tables. Instead new business content for SAP BPC for S/4HANA Finance must be activated as described in SAP Note 2081400.
- Follow steps in Installation Guide provided with SAP Note 1972819. Explore SAP BPC functions to extend scope (e.g. use of business process flows)

Related SAP Notes

Conversion Pre-Checks	Please check scope of existing planning activities and determine whether they can be covered using the business content currently available for SAP BPC for S/4HANA Finance. If you are currently using activity price calculation to set activity rates or Investment Planning, you can still use Integrated Business Planning for Finance but will need to retract the results to tables COSP_BAK, COSS_BAK to perform the follow-on processes. If you are using costing-based CO-PA the table structure will remain unchanged and there will be no loss of functionality.
Related SAP Notes	SAP Note: 2081400, 1972819

25.6 S4TWL - ACTIVITY-BASED COSTING

Application Components: CO-OM-ABC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270408	ACTIVITY-BASED COSTING

Task: Check if "Activity Based Costing" is activated in any controlling area.

Procedure: Go to implementation guide (Transaction SPRO) --> Controlling --> General Controlling --> Maintain Controlling Area--> On the popup chose "Maintain Controlling Area".

Check any relevant controlling area: Choose the controlling area. Press "Activate components/control indicators": Check whether the entry "Activate components/control indicators" is activated.

Alternatively: Instead of checking all customizing entries for all controlling areas manually, you could also check via transaction SE16 whether table TKA00 contains at least one entry with the field value TKA00-COABC = 1 ("Component Active for Parallel Calculation") or 2 ("Component Active for Parallel Calculation and Integrated Calculation"). If TKA00-COABC is empty the component "Activity Based Costing" is not active.

Rating:

If at least one controlling area has set "Component Active for Parallel Calculation" or "Component Active for Parallel Calculation and Integrated Calculation" this note is relevant for you.

If all controlling areas have set "Component Not Active" this note is not relevant for you.

Description

Activity-Based Costing (CO-OM-ABC) using delta versions is not available in SAP S/4HANA. Delta versions in general are not available in SAP S/4HANA, so the option to use Parallel Activity Based Costing (setting in the controlling area) is no longer available. Activity-Based Costing using version 0 (Integrated Activity Based Costing in the controlling area settings) is still supported.

Business Process related information

Allocations performed in parallel activity based costing are no longer supported.

Transaction not available in SAP S/4HANA on-premise edition 1511	Transaction codes do not distinguish parallel and operative activity based costing, so transaction codes remain in the menu but are not available for delta versions (error message).
---	---

Required and Recommended Action(s)

Activate Operational Activity Based Costing.

Related SAP Notes

Conversion Pre-Checks	Check controlling area settings in customizing to determine the type of Activity Based Costing which is active. Check version settings in Customizing to determine whether there are CO versions other than version 0 that contain actual data.
-----------------------	---

25.7 S4TWL - GENERAL COST OBJECTS AND COST OBJECT HIERARCHIES

Application Components: CO-PC-OBJ

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270411	GENERAL COST OBJECTS AND COST OBJECT HIERARCHIES

Description

General Cost Objects and Cost Object Hierarchies are not available within SAP S/4HANA, on-premise edition 1511.

Business Process related information

General Cost Objects are not available within SAP S/4HANA, on-premise edition 1511 (consider using internal orders or product cost collectors instead). The associated functions were previously part of the menu Controlling > Product Cost Controlling >



Cost Object Controlling > Intangible Goods and Services. Note that a general cost object is not the same as a CO object which can refer to orders, WBS elements or any item to which costs can be assigned.

Cost Object Hierarchies are not available within SAP S/4HANA, on-premise edition 1511 (consider using summarization hierarchies for aggregation of costs on manufacturing orders and distribution of usage variances function to distribute inventory differences and activity differences instead). The associated functions were previously part of the menu Controlling > Product Cost Controlling > Cost Object Controlling > Product Cost by Period.

Custom Code to update cost object to CO tables will still run. Contact SAP for pilot note to release functions for short term use.

Where the cost object hierarchy is being used to aggregate costs collected on the manufacturing orders, it is recommended that an order hierarchy be used instead. These hierarchies are created by using transaction KKR0 and are aggregated at runtime by using transaction KKBC_HOE_H. Note that this transaction behaves like transaction KKBC_HOE but does not require a data collection run to pre-aggregate the data for each hierarchy node.

Where the cost object hierarchy is used to collect costs at an aggregate level and then distribute them to the associated manufacturing orders, it is recommended that transaction CKMATDUV be used to distribute material usage variances and CKMDUVACT to distribute activity usage variances.

Analyze reporting processes to determine whether cost objects are used as an account assignment and understand the nature of the costs posted to the cost object nodes. Use distribution of usage variances function as an alternative for cost distribution.

Analyze reporting processes to determine whether cost objects are used to aggregate costs and understand the nature of the reporting hierarchy (representation of profit centers, cost centers, responsibility areas) and determine alternative ways of reporting.

<p>Transaction not available in SAP S/4HANA on-premise edition 1511</p>	<p>KKC1, KKC2, KKC3 - Create, change and display general cost object</p> <p>KKPH - General cost objects - collective entry</p> <p>KKH1, KKH2, KKH3 - Create, change and display cost object groups</p> <p>KK16, KK17 - Cost object planning by cost element and activity</p> <p>KK46, KK47 - Cost object planning by statistical key figure</p>
--	---

<p>KKC4, KKC5, KKC& - Create, change and display cumulative cost object planning</p> <p>KKBC_KTR - Analyze cost object</p> <p>KKC5 - Display cost object line items</p> <p>CPTG, CPTH - Template allocation for cost objects</p> <p>KKN1, KKN2 - Revaluation of actual prices for cost objects</p> <p>KKPZ, KKPJ - Overhead allocation for cost objects</p> <p>KK88, KK89 - Settlement of cost objects</p> <p>KKPHIE - Cost Object Hierarchy (consider using an order hierarchy KKBC_HOE_H instead and building the hierarchy nodes using transaction KKR0)</p> <p>KKP2 - Change Hierarchy Master Record (no hierarchy master record is required with order hierarchies, but the hierarchy is built dynamically using fields in the order master)</p> <p>KKP4 - Display Cost Object Hierarchy(no hierarchy master record is required with order hierarchies)</p> <p>KKP6 - Cost Object Analysis (consider using an order hierarchy KKBC_HOE_H instead)</p> <p>KKPX - Actual Cost Distribution: Cost Objects (consider using distribution of usage variances (transactions CKMATDUV.and CKACTIONDUV instead)</p> <p>KKPY -.Actual Cost Distribution: Cost Objects (consider using distribution of usage variances instead)</p> <p>KKAO, KKAV - WIP Calculation for cost object hierarchies</p> <p>KKP5, KKPT - Variance calculation for cost object hierarchies</p> <p>BAPI_COSTOBJECT_GETDETAIL and BAPI_COSTOBJECT_GETLIST</p>
--

Required and Recommended Action(s)

Do not activate Cost Objects in controlling area. Do not build a data model that requires use of general cost objects or cost object hierarchies.

Investigate alternative solutions outlined above if you are using cost objects or cost object hierarchies as you move to SAP S/4HANA.

Adjust roles and authorizations to remove deprecated transactions.

25.8 S4TWL - TRANSFER PRICES/ PARALLEL DELTA VERSIONS

Application Components: CO-PA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270414	TRANSFER PRICES/ PARALLEL DELTA VERSIONS

Task: Check if any currency and valuation profile is assigned to any controlling area:

Procedure: Go to implementation guide (Transaction SPRO) --> Controlling --> General Controlling --> Multiple Valuation Approaches/Transfer Prices --> Basic Settings Select 'Maintain Controlling Area' --> 'Assign Currency&Valuation Profile to Controlling Area

If there is any entry in column C+V Profile this note is relevant for you.

Description

The functionality for valuing the transfer of goods or services according to legal, group, or profit center valuation is supported as of SAP S/4 HANA 1610. The Functionality is not available in SAP S/4HANA 1511, on-premise edition.

Transfer prices provide parallel valuation methods for legal, group, and profit center valuation.

- The legal perspective looks at the business transactions from a company's point of view. Pricing is driven by legal requirements and tax optimization strategies.
- Profit center valuation looks at profit centers as independent entities within the group.
- The group view considers the group as a whole. The processes are valued by eliminating intercompany/inter-profit center profits.

With the merge of FI and CO into the Universal Journal, a new approach for parallel valuations was implemented:



Transfer prices can be updated within a ledger containing all valuation views or alternatively with separate ledgers per valuation view.

Parallel delta versions for actuals in Controlling are used for statistical line items updating table COEP only.

All other actual line items updating table ACDOCA use the new data model.

Installed based customers using transfer prices in ERP can migrate to SAP S/4HANA 1610.

The migration of transactional data involves a transformation from the ERP data model to the SAP S/4HANA data model in Financials.

The necessary Customizing steps can be found in the Preparations and Migration of Customizing area under Preparations and Migration of Customizing for General Ledger.

The functionality of Multiple Valuation of Cost of Goods Manufactured providing parallel valuations in CO according to multiple accounting principles is not yet supported in SAP S/4HANA.

ABC using delta versions is not supported in SAP S/4HANA (for more details see note 2270408 - Activity-Based Costing).

Business Process related information

All business processes supporting transfer pricing in ERP are re-enabled in S/4 HANA 1610.

Related SAP Notes

Conversion Pre-Checks	Check against currency and valuation profiles during migration.
-----------------------	---

25.9 S4TWL - ALE SCENARIOS

Application Components: CO-PA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270416	ALE SCENARIOS

This note is relevant if you are using ALE scenario for GL accounts/Cost Elements.

Enter Easy Access menu and navigate to:

Tools --> ALE --> ALE Administration --> Runtime Settings --> Partner Profiles

Select the partner profile for Logical Systems (Partner Type LS).

Select you productive client.

If the outbound parameters contain message type GLMAST or COELEM this note is relevant for you.

Description

ALE for transactional data --> see note 2313879

Master Data ALE for GL Accounts/cost elements --> see note 2355812

Required and Recommended Action(s)

- no actions required

25.10 S4TWL - COST ELEMENTS

Application Components: CO-PA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270419	COST ELEMENTS

This note is relevant for you when your start release for the system conversion is an ERP release. It is not relevant if your start release is S/4HANA Finance or S/4HANA.

Description

Cost elements become part of the chart of accounts. They are maintained in GL account master data. There is no separate cost element master data maintenance.

Account master record includes new field for cost element category which classifies GL accounts into the following types:

- Balance Sheet Account - Account that is posted from business transactions. The balance of a balance sheet account is carried forward at fiscal year-end.
- Nonoperating Expense or Income - Income statement account that records expenses or gains from activities that are not part of the main purpose of the company, such as gains realized from financial investments by a manufacturing company.
- Primary Costs or Revenue - Income statement account that functions as a cost element for primary costs or revenue. Primary costs reflect operating expenses such as payroll, selling expenses, or administration costs.
- Secondary Costs - Income statement account that functions as a cost element for secondary costs. Secondary costs result from value flows within the organization, such as internal activity cost allocations, overhead allocations, and settlement transactions.

Accordingly GL accounts have now attributed on three levels:

- *Chart of accounts area* - Contains the data that is valid for all company codes, such as the account number.
- *Company-code-specific area* - Contains data that may vary from one company code to another, such as the currency.
- *Controlling-area-specific area* - Contains data that may vary from one controlling area to another, such as the cost element category. Only needed for accounts of the type Primary Costs or Revenue and Secondary Costs.

Default account assignments for cost elements can be set in transaction OKB9 rather than in the cost element master.

Field status groups can remain unchanged.

Existing GL accounts and cost elements are migrated into new data model automatically by a separate step within the migration process.

The migration adds the new GL account category and creates for the secondary cost elements the required entries in the chart of accounts.

Implications: Customer roles (menus and authorizations) need to be adjusted. To maintain primary and secondary cost elements you will need authorization for both G/L accounts and cost elements.

To allow postings in specific periods ensure that postings are allowed for the appropriate accounts in GL and in parallel for the appropriate CO business transactions (transaction OKP1).

Business Process related information



The universal journal contains one field account that covers both G/L accounts and cost elements. The account master offers new account types for primary costs/revenues and secondary costs.

G/L accounts of account type primary costs/revenues require a CO account assignment (cost centers, account, project, CO-PA characteristic).

G/L accounts of account type secondary costs will be updated during direct activity allocation, assessment, distribution, settlement, and so on.

New reports such as the trial balance will display all postings (primary and secondary) by account. Classic reports will display cost elements via compatibility views.

Customizing settings such as costing sheets, cost component structures, settlement profiles, allocations, and so on will continue to display cost elements.

All journal entries are recorded under G/L accounts, including primary costs (wages, salaries, depreciation, raw materials, and so on) and secondary costs (direct and indirect activity allocations, settlement, and so on).

Cost element groups are still available to group accounts of type primary or secondary cost element for selection and reporting.

<p>Transaction not available in SAP S/4HANA on-premise edition 1511</p>	<p>KA01 - Create primary cost element</p> <p>KA02 - Change cost element</p> <p>KA03 - Display cost element</p> <p>KA06 - Create secondary cost element</p> <p>Default account assignments (cost center, order) will be transferred from cost element masters to table TKA3A (view using transaction OKB9).</p>
--	--

Required and Recommended Action(s)

- Design for chart of accounts must include all profit and loss accounts and secondary cost elements that represent value flows within the company.

25.11 S4TWL - Reporting/Analytics in Controlling

Application Components: CO-OM-IS,CO-PA-IS,CO-PC-IS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2349297	Reporting/Analytics in Controlling

This note is relevant if you are doing a conversion from ERP ECC 6.0 (EHP 7 or higher) to S/4 HANA.

Description

You want to use the new reporting tools and the universal journal for your reporting tasks, but need to understand which controlling reports are not yet covered in SAP S/4HANA. You also need to understand where the plan data for reporting resides.

The universal journal brings together the account assignments traditionally considered to be part of Controlling (cost center, order, WBS element, and so on), Profitability Analysis (products, product groups, customers, customer groups, regions, and so on) and Enterprise Controlling (profit center). This provides a profit and loss statement with a drill-down to the above reporting dimensions and dedicated reports by profit center, functional area, cost center, internal order, project, and market segment. The merge of accounts and cost elements means that you also effectively see CO postings in the trial balance and related reports.

From a reporting point of view this means that the conventional component barriers, no longer hold. Where a drill-down report in the general ledger could previously drill down by any dimension in FAGLFLEXT but not to the CO account assignments, with SAP S/4HANA you have more flexibility and can report on any of the dimensions listed above. Nevertheless if you continue to use a classic drill-down report (built using transaction FGI1), you will only see the reporting dimensions that were previously available in the SAP General Ledger, because you are technically using a compatibility view. These reports also currently show planning data created for the GL dimensions using transaction GP12N. Reports in Controlling also work with compatibility views. This means that they continue to display cost elements and cost element groups rather than accounts and account groups. The classic reports also read planning data created using transactions KP06 (cost centers), KPF6 (internal orders) and CJR2 (projects).

To use the **new** reports, you will have to activate the relevant Fiori apps, and in some cases the embedded BW content within SAP S/4HANA to enable these reports. There are Fiori apps for reporting on cost centers, internal orders, projects, and sales order items. The account structure for these reports can be based on the financial statement version or on the cost element groups. For cost centers, internal orders, and projects you can distinguish between real and statistical postings in reporting. Nonetheless, you need to be aware that plan/actual reporting is based on SAP BPC for S/4 HANA Finance and you will need to activate the appropriate planning applications and BW content. Planning

functions exist that transfer data from the classic planning transactions to the new data structures.

There are **not yet** Fiori apps for reporting on commitments for any of the CO account assignments. For the cost centers there are not yet Fiori apps for reporting on target costs, variance categories, and intercompany eliminations. For the internal orders and projects, there are not yet Fiori apps for reporting on budget, allotted costs, work in process or results analysis. For the sales orders, there are not yet Fiori apps for reporting on cost estimates or results analysis. For these reporting tasks, you will need to continue to use Report Writer/Painter or drill-down reports as appropriate. You can identify the need for such reports by checking whether entries for WIP and variances are shown in table COSB and commitments in table COOI. Target costs and intercompany eliminations are identified by the value type WRTYP in table COEP.

If you choose to use a mixture of new applications and classic tools, you should be aware that it is possible to retract planning data from SAP BPC to cost center planning, order planning and project planning and to fill the general ledger and profit center plan via plan integration in order to provide the appropriate plan/actual reports by cost element.

There are Fiori apps for reporting on market segments based on the account-based approach. Plan/actual reporting here is also based on SAP BPC and you will need to activate the appropriate planning applications and BW content. SAP S/4HANA includes new functions allowing you to derive the market segments at the time of postings to cost centers, orders, and projects. Such market segment information is only available in the new reporting apps.

Traditional drill-down reports, built using transaction KE30, and the line item report (KE24) will continue to work, but will only show revenues and costs where the account assignment is a CO-PA characteristic (ie values are assigned to object type EO). Costing-based CO-PA continues to be supported.

The existing extractors to SAP BW will continue to work. You should also consider using the new datasource 0FI_ACDOCA_10 to extract the complete universal journal to SAP BW, where BW runs as a dedicated data warehouse, rather than in embedded mode.

Business Process related information

Analyze existing roles to determine which reporting applications are used by which business users. Check against Fiori business catalogs to determine which reporting apps can be offered to which user groups.



Analyze existing roles in SAP BW to determine whether some operational reporting applications can be moved back into SAP S/4HANA.

Check existing planning process and determine whether it is possible to move some (or even all) planning activities to SAP BPC.ä€€

Transaction not available in SAP S/4HANA on-premise edition 1511	All transactions available, but are making use of compatibility views
--	---

Required and Recommended Action(s)

All existing reports in Report Writer/Painter, drill-down reporting and ABAP List Views (ALV) will continue to work using compatibility views but will not provide insight beyond what was already available in SAP ERP.

Activate appropriate Fiori reporting apps and test with end users. Check existing planning process and determine whether it is possible to move some (or even all) planning activities to SAP BPC.

25.12 S4TWL - Profitability Analysis

Application Components: CO-PA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2349278	Profitability Analysis

Task: Check if any type of Profitability Analysis is activated in your system.

Procedure: Go to implementation guide (Transaction SPRO) --> Controlling --> Profitability Analysis --> Flows of Actual Values --> Activate Profitability Analysis. If there is an activation flag in the columns costing-based or account-based this note is relevant for you.

Description

The universal journal (ACDOCA) is the heart of Accounting and includes all Profitability Analysis (CO-PA) characteristics in order to allow multi-dimensional reporting by market segment. The universal journal includes columns for the standard CO-PA characteristics and all additional characteristics included in an organizations operating concern (up to fifty characteristics). If you have already configured an operating concern, columns will be created for each of the CO-PA characteristics during migration.

If you have worked with account-based CO-PA in SAP ERP, you no longer need to reduce the number of characteristics available in account-based CO-PA compared to costing-based CO-PA, but can include all available characteristics in the universal journal. It is not possible to use more than 50 characteristics in one operating concern.

Business Process related information

If you currently work with costing-based CO-PA, you can continue to run both approaches in parallel, by making the appropriate settings per controlling area. The essential difference is that costing-based CO-PA is a **key figure** based model, rather than an **account**-based model. Account-based CO-PA covers record types F (billing documents, B (direct FI postings), C (settlement) and D (assessment) in costing-based CO-PA.

There is no direct migration from costing-based CO-PA to account-based CO-PA. Please bear in mind the following general principles as you consider a conversion:

- Revenues and sales deductions are included in CO-PA whenever the price conditions are mapped to an **account**. Statistical price conditions are **not** included.
- Cost of goods sold (COGS) postings are captured at the time of the goods issue from the warehouse. New functions are available to split the COGS posting to multiple accounts in accordance with the relative weight of the assigned cost components. Functions to support the matching principle between revenues and COGS are planned.
- Production order variances can be split to multiple accounts to separate scrap, price variances, quantity variances, and so on.
- Assessment cycles and settlement will update under secondary cost elements. Depending on how many value fields you used before, you may need to define additional cost elements and adjust your cycles/settlement profiles to give you the required detail.
- You may be able to replace some assessment cycles and settlements by having the system derive the CO-PA characteristics at the time of posting instead of moving them from the cost center, order or project at period close.

- Top-down distribution works in account-based CO-PA, but you must include the account/cost element in the selection criteria.
- New fields are included in the universal journal for the invoice quantities. BADIs can be used to convert e.g. the quantity from the invoice to a base unit of measure and from there to a reporting unit.

Transaction not available in SAP S/4HANA on-premise edition 1511	All transactions available, but some transactions (e.g. KE27) only support costing-based CO-PA.
--	---

Required and Recommended Action(s)

Analyze existing reporting requirements to understand how market segment reporting is handled today. Also include transfer of profitability information to other systems, including data warehouses.

If costing-based CO-PA is currently used, analyze what workarounds are being used to reconcile the profit and loss statement with costing-based CO-PA to determine whether these will be required in the future.

26 Financials - Treasury and Risk Management

26.1 S4TWL - Master Agreements

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270523	Master Agreements

Description

Master agreements are not available in SAP S4/HANA.

Read the following information in case the pre-upgrade check in your system issues a message for the check ID SI11_MASTER_AGREEMENTS "Master Agreements": This check issues a warning if it finds entries in the database which indicate that master agreements were created in some client of the system. The warning message is for your information, no further mandatory action is required.

Read the following information in case the custom code analysis has detected customer coding related to this transition worklist item: SAP objects which are used by the detected customer code shall not be used any more. Adapt the customer code accordingly.

26.2 S4TWL - Offers

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270526	Offers

Description

Offers in transaction management are not available in S4/HANA.

Read the following information in case the pre-upgrade check in your system issues a message for the check ID SI12_OFFERS "Offers": This check issues a warning if it finds entries in the database which indicate that offers were created in some client of the system. The warning message is for your information, no further mandatory action is required.

Read the following information in case the custom code analysis has detected customer coding related to this transition worklist item: SAP objects which are used by the detected customer code shall not be used any more. Adapt the customer code accordingly.

26.3 S4TWL - Simulation in Transaction Management

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270527	Simulation in Transaction Management

Description

Simulations in transaction management are not available in S/4HANA.



Read the following information in case the pre-upgrade check in your system issues a message for the check ID SI13_SIMULATION "Simulation in Transaction Manager": This check issues a warning if it finds entries in the database which indicate that simulations were created in some clients of the system. The warning message is for your information, no further mandatory action is required.

Read the following information in case the custom code analysis has detected customer coding related to this transition worklist item: SAP objects which are used by the detected customer code shall not be used any more. Adapt the customer code accordingly.

26.4 S4TWL - Correspondence Functionality

Application Components: FIN-FSCM-TRM-TM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270450	Correspondence Functionality

Description

Starting with *SAP enhancement package 4 for SAP ERP 6.0 the Treasury and Risk Management* provides a new correspondence framework that provides a highly automated process for incoming and outgoing correspondence (details can be found in enhancement package 4 EKT material). Within *SAP enhancement package 5 for SAP ERP 6.0* this correspondence framework was enhanced (details can be found in enhancement package 5 EKT material).

When switching to the correspondence framework new customizing is necessary. It is possible to migrate customizing from old correspondence functionality, but this will create many technical customizing entries. SAP strongly recommends that you do not migrate and instead manually create necessary customizing.

In SAP ERP starting with *SAP enhancement package 4 for SAP ERP 6.0* you can activate the correspondence framework via business function FIN_TRM_CORR_FW. With *SAP enhancement package 5 for SAP ERP 6.0* business function FIN_TRM_CORR_FW_2 is available.

In *SAP S/4HANA 1511* both business functions are always on and correspondence framework is active, because the old correspondence functionality is not that flexible as

the Correspondence Framework and also uses SAPscript forms, so this outdated functionality is not available anymore in *SAP S/4HANA 1511*.

Required and Recommended Action(s)

Customers have to implement the Correspondence Framework before they go to SAP S/4HANA 1511.

If you are not using old correspondence functionality and you do not plan to use correspondence framework you can upgrade to S/4HANA without any difficulties.

If you are using old correspondence functionality and upgrade to *SAP S/4HANA* from a release in which correspondence framework is technically available, SAP recommends that you activate correspondence framework and create necessary customizing before upgrading to *SAP S/4HANA*. However it is possible to upgrade to *SAP S/4HANA* without activating correspondence framework, but in that case you cannot create correspondence in *SAP S/4HANA* until customizing for the Correspondence Framework is available (which is an own project and needs time).

If you are using old correspondence functionality and upgrade to SAP S/4HANA from an older release in which correspondence framework is technically not available, SAP recommends that you first upgrade to a release in which correspondence framework is available and activate correspondence framework including necessary customizing creation, before upgrading to SAP S/4HANA. However it is possible to upgrade to *SAP S/4HANA* without activating Correspondence Framework, but in that case you cannot create correspondence in *SAP S/4HANA* until customizing for the Correspondence Framework is available (which is an own project and needs time).

Pre-Upgrade-Check

The pre-upgrade check for *SAP S/4HANA* transition issues a warning with check ID S11_TCOR if business function FIN_TRM_CORR_FW (more precise: switch FTRMO_SFWS_SC_C02S04_CORR) is not active and at least one client exists in system in which correspondence was created with old correspondence functionality within last year (database table VTBKORES contain according entry). Information: SAP reserved clients 000 and 001 are exempt from the check.

The warning message is for your information. As described above SAP recommends that you first setup correspondence framework before you upgrade to *SAP S/4HANA* as this project takes some time. If you are sure you can run *SAP S/4HANA* without correspondence functionality you can upgrade to *SAP S/4HANA* despite warning message.

You can stop the warning message from appearing by activating business function FIN_TRM_CORR_FW.

26.5 S4TWL - Interest Rate and Yield Curve Functionality

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270461	Interest Rate and Yield Curve Functionality

Description

The classical yield curve functionality has been replaced by the more flexible yield curve framework, which enables you to do the following:

- Define reference interest rates with independent payment and compounding frequencies of less than one year
- Define basis spreads (tenor or currency spreads) and basis spread curves in market data management
- Add basis spread curves and credit spread curves to yield curves and account for them in net present value calculations

Refer to note 1873119 for more information on the yield curve framework functionality and technical availability.

In SAP ERP, the yield curve framework can be activated via business function FIN_TRM_YCF and a customizing activity. In S/4HANA, on-premise-edition, it is always active, irrespective of the customizing setting.

Required and Recommended Action(s)

The definition of reference interest rates and yield curves in customizing differs between the classical yield curve functionality and the yield curve framework. Therefore, the customizing needs to be adapted when switching to the new yield curve framework. Report FTBB_YC_MIGRATE is available to partly automate the necessary migration steps.

If you upgrade to S/4HANA from a release in which the yield curve framework is technically available, SAP recommends that you activate the yield curve framework before upgrading to S/4HANA.

If you upgrade to S4/HANA directly from an older release, in which the yield curve framework is not yet available, you have to perform the migration to the yield curve

framework in S4/HANA before you can continue using yield-curve related functionality, such as the calculation of NPVs with transaction TPM60.

Refer to note 1873119 and its related notes for more information on the yield curve framework.

The pre-upgrade-check for S4/H transition issues a warning with check ID SI5_YCF if at least one client exists in the system in which the yield curve framework is not active, or if the system is on a release level in which the yield curve framework is not yet technically available. (Clients 000 and 001 are exempt from the check.)

How to Determine Relevancy

Use transaction SFW_BROWSER to check the activation status of object FIN_TRM_YCF .

If the business function is not activated, the classical interest rate and yield curve functionality is active.

If the business function is activated, use transaction SPRO to check the status of the following customizing activity:

Financial Supply Chain Management -> Treasury and Risk Management -> Basic Functions -> Market Data Management -> Settings for Ref. Interest Rates and Yield Curves -> Activate Yield Curve Framework

If the Yield Curve Framework is activated in the customizing, the classical interest rate and yield curve functionality is not technically in use anymore. Otherwise it is still active.

26.6 S4TWL - Commodity Risk Management

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270469	Commodity Risk Management

Description

Commodity Risk Management is switched off technically in SAP S/4HANA, on-premise edition 1511 and SAP S/4HANA 1610.

The following main functional building blocks are deactivated:

- Commodity master data
- Market data management for commodity prices and price curves
- Exposure Management for commodity price risk exposures
- Financial transaction management for commodity derivatives
- Market Risk Analyzer functionality for commodity derivatives and commodity price risk exposures

Business Process-Related Information

Commodity Management cannot be activated within SAP S/4HANA on-premise edition 1511 and SAP S/4HANA 1610.

Required and Recommended Action(s)

Execute the Conversion Pre-Checks. The central pre-transformation check checks the deactivated CM Business Functions. Check if the Commodity Business Functions are active if yes, the system conversion with active Commodity Management Business Functions to SAP S/4HANA, on-premise edition 1511 or SAP S/4HANA 1610 is not possible. The following Commodity Management Business Functions have been deactivated in SAP S/4HANA, on-premise edition 1511 and SAP S/4HANA 1610:

- FIN_TRM_COMM_RM
- FIN_TRM_COMM_RM_2
- LOG_TRM_INT_1
- FIN_TRM_COMM_RM_3
- FIN_TRM_COMM_RM_4
- FIN_TRM_COMM_RM_5
- FIN_TRM_COMM_RM_6
- COMMODITY_MANAGEMENT_01
- COMMODITY_MANAGEMENT_02

26.7 S4TWL - Credit Risk Analyzer Link to Cash Management

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270470	Credit Risk Analyzer Link to Cash Management

Description

The link from classical Cash Management to the Treasury and Risk Management analyzers (transactions RMCM and KLMAP) has been disabled in S4/HANA.

Required and Recommended Actions

Read the following information in case the Pre-Upgrade-Check in your system issues a message for the check ID SI5_CM_TO_CRA "Classic cash management link to analyzers":

The link from classic cash management to the analyzers (transactions RMCM and KLMAP) is no longer supported in S/4HANA. This check issues a warning if it finds entries in the corresponding customizing table KLCMMAPPING in any client of the system. The warning message is for your information, no further mandatory action is required. You can stop the warning message from appearing by removing all customizing entries from table KLCMMAPPING (transaction KLMAP) in all clients of the system.

Read the following information in case the custom code analysis has detected customer coding related to this transition worklist item:

SAP objects which are used by the detected customer code are deprecated and shall not be used any more. The customer code will not work any more.

26.8 S4TWL - Exposure Management 1.0

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2340804	Exposure Management 1.0 within Treasury and Risk Management

The *Exposure Management 1.0* is no longer the target architecture and has been disabled technically. *Exposure Management 2.0* is the more flexible and comprehensive successor application. There is no standard migration tool from *Exposure Management 1.0* to

Exposure Management 2.0 though. You have to set up *Exposure Management 2.0* and transfer the data into the new application just in the same way as if you had used another software system before and wanted to migrate to the SAP solution.

The basic functionality of the *Exposure Management 2.0* is available with the business functions *TRM, Hedge and Exposure Management, New Financial Product* (FIN_TRM_LR_FI_AN_2) delivered with *SAP ERP 6.0 enhancement package 4*.

There are several other business functions, for example, *TRM, Enhancements in Exposure Management 2.0* (FIN_TRM_LR_FI_AN_4) delivered with *SAP ERP 6.0 enhancement package 7*. These business functions are always on in SAP S/4HANA.

Customers have to implement the *Exposure Management 2.0* **before** they go to SAP S/4HANA.

- If you are not using *Exposure Management 1.0* and you do not plan to use *Exposure Management 2.0* you can upgrade to SAP S/4HANA without any difficulties.
- If you are using *Exposure Management 1.0* and upgrade to SAP S/4HANA from a release in which *Exposure Management 2.0* is technically available, SAP recommends that you set up *Exposure Management 2.0* and create necessary customizing before upgrading to SAP S/4HANA. However it is possible to upgrade to SAP S/4HANA without setting up *Exposure Management 2.0*, but in that case you cannot use *Exposure Management 2.0* in SAP S/4HANA until customizing for the *Exposure Management 2.0* is available (which is an own project and needs time).
- If you are using *Exposure Management 1.0* and upgrade to SAP S/4HANA from an older release in which *Exposure Management 2.0* is technically not available, SAP recommends that you first upgrade to a release in which *Exposure Management 2.0* is available and set up the *Exposure Management 2.0* including necessary customizing creation, before upgrading to SAP S/4HANA. However it is possible to upgrade to SAP S/4HANA without setting up *Exposure Management 2.0*, but in that case you cannot use *Exposure Management 2.0* in SAP S/4HANA until customizing for the *Exposure Management 2.0* is available (which is an own project and needs time).

Read the following information in case the Pre-Upgrade-Check in your system issues a message for the check ID SI6_EXP_MGT_10 "Exposure Management 1.0": This check issues a warning if it finds entries in the database which means that exposures have been entered in at least one client in the system. The warning message is for your information, no further mandatory action is required.

Read the following information in case the custom code analysis has detected customer coding related to this transition worklist item: SAP objects which are used by the detected

customer code are deprecated and shall not be used any more. The customer code will not work any more.

26.9 S4TWL - Drilldown Reporting in Treasury and Risk Management

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270522	Drilldown Reporting in Treasury and Risk Management

Description

The drilldown reporting has been disabled for Treasury and Risk Management. For reporting purposes, you can use the logical databases available for the TRM.

26.10 S4TWL - Quantity Ledger Always Active for Money Market Transactions

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270529	Quantity Ledger Always Active for Money Market Transactions

Description

The quantity ledger is now always used for money market transactions.

26.11 S4TWL - Several Kinds of Financial Objects Disabled

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270530	Several Kinds of Financial Objects Disabled

Description

The creation of the following outdated kinds of financial objects has been disabled in Risk Management:

- Security Order
- Positions
- Variable Transactions
- Positions of Fictitious/Simulated Transactions
- Facilities
- Non-Interest Profit and Loss Items

26.12 S4TWL - Accrual/Deferral of Expenses and Revenues

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270462	Accrual/Deferral of Expenses and Revenues

Description

The old functions for the accrual/deferral of expenses and revenues have been replaced by a central function for the accrual/deferral of expenses and revenues for all kinds of financial transactions.

Required and Recommended Action(s)

The customers have to implement the new central accrual/deferral of expenses and Revenues functionality before they go to SAP S/4HANA On Premise 1511 Edition.

26.13 S4TWL - Drawable Bonds

Application Components: FIN-FSCM-TRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270521	Drawable Bonds

Description

Drawable bonds based on product category 041 are not available within SAP S/4HANA, on-premise edition 1511, and subsequent releases.

Required and Recommended Actions

Currently there is no Pre-Upgrade-Check available to check if this Simplification Item is a valid restriction for your system conversion.

27 Financials – Miscellaneous

27.1 S4TWL - Credit Management

Application Components: FI-AR-CR,FIN-FSCM-CR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270544	SAP Credit Management

You are doing a system conversion to SAP S/4HANA and you are using Credit Management (FI-AR-CR) on SAP ERP. In this scenario, the following SAP S/4HANA Transition Worklist item applies.

Description

Credit Management (FI-AR-CR) is not available as part of SAP S/4HANA. The functional equivalent in SAP S/4HANA is SAP Credit Management (FIN-FSCM-CR).

Business Process-Related Information

You need to migrate FI-AR-CR to FIN-FSCM-CR. This migration comprises several elements:

- Configuration data
- Master data
- Credit exposure data
- Credit decision data

The migration from one-system landscapes is supported by tools that SAP provides.

Influence on Business Processes

There will be no change to your business processes because of the migration. However, some transactions become obsolete and are replaced by new transactions. Here are some examples for such cases:

Examples for replaced transactions in SAP S/4HANA	<p>For the maintenance of the credit account master data, transaction FD32 is replaced by transaction UKM_BP.</p> <p>For releasing credit-blocked sales orders, transaction VKM1 is replaced by transaction UKM_MY_DCDS. To use transaction UKM_MY_DCDS, the credit specialist might need additional authorizations. As a workaround, the transactions VKM1 and VKM4 are still available.</p>
Transactions not available in SAP S/4HANA	<p>F.28 - Customers: Reset Credit Limit F.31 - Credit Management - Overview F.32 - Credit Management - Missing Data F.33 - Credit Management - Brief Overview F.34 - Credit Management - Mass Change FCV1 - Create A/R Summary FCV2 - Delete A/R Summary FCV3 - Early Warning List FD24 - Credit Limit Changes FD32 - Change Customer Credit Management (but FD33 still available for Migration checks) FDK43 - Credit Management - Master Data List S_ALR_87012215 - Display Changes to Credit Management S_ALR_87012218 - Credit Master Sheet VKM2 - Released SD Documents VKM3 - Sales Documents VKM5 - Deliveries</p>
Reports not available in SAP S/4HANA	<p>RFARI020 - FI-ARI: Extract from credit master data RFARI030 - FI-ARI: Import credit master data</p>

	RFDFILZE - Credit Management: Branch/Head Office Reconciliation Program RFDKLI*NACC Reports RFDKLxx Reports
--	--

The following settings in Customizing are affected by the migration:

- All IMG activities for SAP Credit Management are listed in Customizing under the following path: *Financial Supply Chain Management > Credit Management*.
- The credit limit check for sales document types can only be specified as type D in SAP Credit Management or can be left empty (no credit limit check). The credit limit check types A, B, and C are no longer available.
- The credit check when changing critical fields has been removed from the SD side.
- The payment guarantee-related Letter of Credit has been removed from the SD side.
- A credit check on the basis of the maximum document value is not supported in SAP S/4HANA 1511 SP00 and SP01.
It is supported as of SAP S/4HANA 1511 FPS2.

Required and Recommended Action(s)

1. Prerequisites for the migration to SAP Credit Management:

- You have completed all documents related to payment guarantee Letter of Credit.
- You have completed the migration for Accounting.
- If you are running on your own code, you have eliminated the usage of SAP objects in your own code. For details on how to adapt user-defined customer code that relies on the changed objects, see the following SAP Notes:
 - 2227014 (Financials)
 - 2227014 (SD)

2. Perform the recommended actions in the Task List PDF attached to this Note (only available in English). This list is only valid for the conversion of one-system landscapes.

Related SAP Notes

Custom code-related information (SD)	SAP Note: 2217124
Custom code-related information (Financials)	SAP Note: 2227014

27.2 S4TWL - Technical Changes in Material Ledger

Application Components: CO-PC-ACT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270546	Technical Changes in Material Ledger
Business Impact	2332591	Technical Changes in Material Ledger

This simplification makes it obligatory to use the Material Ledger (ML) which is now part of the standard and automatically active in all SAP S/4HANA systems.

Actual Costing (including Actual Cost Component Split) is still optional.

When an existing SAP system is converted to SAP S/4HANA, the Material Ledger will be activated during the migration process (if not already active). If any additional plants are added at a later point in time, the material ledger has to be activated for those plants (valuation areas) manually via transaction OMX1.

As a consequence of the close integration of Material Ledger into sFIN processes, further simplification, refactoring, and process redesign has been implemented. This has incompatible effects especially on database table design and therefore direct SQL accesses to the affected tables.

The content of most of the former Material Ledger database tables is now stored in table ACDOCA which allows simpler and faster (HANA optimized) access to the data. The attributes of the ML data model that are relevant for the inventory subledger functionality are now part of table ACDOCA. The former tables are obsolete. Therefore the following tables must not be accessed anymore via SQL statements. In most cases a corresponding access function or class has been provided that must be used instead.

- Period Totals and Prices
 - CKMLPP Material Ledger Period Totals Records Quantity
 - CKMLCR Material Ledger: Period Totals Records Values
 - Access function: CKMS_PERIOD_READ_WITH_ITAB
- Material Ledger Document and associated views
 - MLHD
 - MLIT
 - MLPP
 - MLPPF
 - MLCR

- MLCRF
- MLCRP
- MLMST
- Access functions: CKML_F_DOCUMENT_READ_MLHD, CKML_F_DOCUMENT_READ_MLXX
- Further tables (with no access function): MLKEPH, MLPRKEKO, MLPRKEPH
- Obsolete database views: MLXXV, MLREPORT, MLREADST
- Index for Accounting Documents for Material
 - CKMI1
 - Obsolete, no further access possible

In addition, some further simplifications have to be taken into account:

- Separate currency customizing of Material Ledger (transactions OMX2 / OMX3) is now mandatory. The Material Ledger acts on the currencies defined for the leading ledger in Financials.
There is no default Material Ledger Type 0000 anymore.
Customizing in Financial applications allows you to assign more than three currency and valuation types as being relevant in your company code. As the Material Ledger still supports only three currency and valuation types, it is no longer allowed to use an ML Type that references currency settings defined in FI or CO (flags Currency Types from FI and Currency Types from CO). Instead you have to explicitly define the currency and valuation types that are relevant for the Material Ledger.
Steps to be executed:
 1. Use transaction OMX2 to define the currency and valuation types that are relevant for the Material Ledger.
 2. Then use transaction OMX3 to assign this ML Type to your valuation area.
- See also note <https://i7p.wdf.sap.corp/sap/support/notes/2291076>
- Material Price Analysis (transaction CKM3 / CKM3N)
The transaction CKM3/CKM3N was refactored and now provides a simplified and improved view of materials in plants with active Actual Costing. It replaces the former CKM3 view Price Determination Structure.
The former CKM3 Price History view is still available via transaction CKM3PH for all materials (independent of price determination control and active Actual Costing).
All other views formerly offered by CKM3/CKM3N are no longer available.
- For details about new Actual Costing simplification, please check the corresponding upgrade information SAP Note.

27.3 S4TWL - Real Estate Classic

Application Components: RE-RT,RE-IS,RE-IT,RE-BP,RE-TP,RE-CP,RE-BD,RE-CO,RE-PR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270550	Real Estate Classic

Description

SAP Real Estate Management is the real estate solution from SAP. From SAP ECC up to and including SAP ERP 6.0, SAP has provided two versions of the real estate solution. The older version is "Real Estate Classic (RE Classic)" and the new version is "Real Estate Flexible (RE-FX)" (see SAP Note [443311](#)).

The editions SAP S/4HANA on premise 1511 and SAP S/4HANA Finance 1503 (and all other OP versions) do not support Real Estate Classic (RE Classic). The business requirements can be covered by using Real Estate Flexible (RE-FX) functionality. As RE-FX is the more up-to-date solution and has a much broader functional scope (see SAP Note [517673](#)), only RE-FX is included as the RE component in the SAP S/4HANA on-premise edition.

Business Process related information

Before the system conversion to SAP S/4HANA, on-premise edition 1511 (or SAP S/4HANA Finance edition 1503, or higher releases), customers who use RE Classic need to migrate RE Classic to RE-FX as part of a migration project. It is not possible to migrate after switching to SAP S/4HANA. Customers have to be aware, that it is not possible anymore to view and display classic RE data in S/4 HANA.

Migrating data from Classic RE to RE-FX is not a simple technical conversion. Similar to a legacy data transfer, the migration must be planned as a project and executed. In this sense, the migration programs are the technical support for the data transfer project. A migration project can be more or less time consuming depending on how complex your data is, the capacity in which you work with customer developments and the extent to which you use the RE-FX functions.

For more information, see SAP Note [828160](#).

27.4 S4TWL - SAP Data Aging for SAP S/4HANA Finance

Application Components: FI-GL-GL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2170722	SAP Data Aging for SAP S/4HANA Finance

This SAP Note is relevant if you carry out a migration from ECC 6.0 (EHP 7+) or already use SAP S/4HANA Finance, on-premise edition and want to restrict the data volume in the FI document area. In this case, you can use SAP Data Aging.

You must note the following things or implement the corresponding corrections:

- Adjustment of the customer programs during an access to aggregates and application indexes for Financial Accounting (SAP Note 2076652). The following adjustments are required for all SAP Simple Finance releases. SAP standard programs are adjusted with the delivery of SAP Simple Finance 1.0.
- Adjustment of customer programs during access to the general ledger view in conjunction with the entry view (SAP Note 2143420). The described adjustments are required only if you have already moved FI documents to the historic part of the database for SAP Simple Finance 1.0 and if you use SAP Simple Finance 1503 or above. Adjustments to SAP standard programs were delivered with SAP Note 2164573.
- Adjustment of customer programs during access to CO/ML/AA data from the database in conjunction with archived data (SAP Note 2170778 for CO, SAP Note 2190816 for ML, SAP Note 2190818 for AA). This is required as of SAP Simple Finance 1503. Adjustments to SAP standard programs were not required.
- Adjustment of customer programs during access to old CO/ML data. In addition to the archive, data in the historic area of the database is accessed. Consulting note 2190841 and SAP Note 2175897 are available for SAP standard programs.
- Adjustment of aging object FI_DOCUMENT for journal entry. SAP Note 2178388 is a prerequisite for the use of the aging run as of SAP Simple Finance 1503.
- Adjustment of existing archiving. With SAP Simple Finance 1503, some tables are no longer archived or are only written to the archive as copies. This is due to the fact that this information is now persisted in the journal entry. A further consequence of this and of the migration to the new persistence is restricted reload options for archiving objects that offer these.

For some adjustments, corrections were necessary after the delivery of the release. These are listed in case they are suitable for use as templates for your own corrections. Note that pure corrections are not collected here.

The FAQ note 2190848 for SAP Data Aging in SAP Simple Finance is also available.

27.5 S4TWL - Conversion to S/4HANA 1610 Material Ledger and Actual Costing

Application Components: FIN-MIG-ML

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2352383	Conversion to S/4HANA 1610 Material Ledger and Actual Costing
Business Impact	2354768	Technical Changes in Material Ledger with Actual Costing
Business Impact	2332591	Technical Changes in Material Ledger

This simplification makes it obligatory to use the Material Ledger (ML) which is now part of the standard and automatically active in all SAP S/4HANA systems.

Actual Costing (including Actual Cost Component Split) is still optional.

When an existing SAP system is converted to SAP S/4HANA, the Material Ledger will be activated during the migration process (if not already active). If any additional plants are added at a later point in time, the material ledger has to be activated for those plants (valuation areas) manually via transaction OMX1.

As a consequence of the close integration of Material Ledger into sFIN processes, further simplification, refactoring, and process redesign has been implemented. This has incompatible effects especially on database table design and therefore direct SQL accesses to the affected tables.

The content of most of the former Material Ledger database tables is now stored in table ACDOCA which allows simpler and faster (HANA optimized) access to the data. The attributes of the ML data model that are relevant for the inventory subledger functionality are now part of table ACDOCA. The former tables are obsolete. Therefore the following tables must not be accessed anymore via SQL statements. In most cases a corresponding access function or class has been provided that must be used instead.

- Period Totals and Prices
 - CKMLPP Material Ledger Period Totals Records Quantity
 - CKMLCR Material Ledger: Period Totals Records Values
 - Access function: CKMS_PERIOD_READ_WITH_ITAB
- Material Ledger Document and associated views
 - MLHD

- MLIT
- MLPP
- MLPPF
- MLCR
- MLCRF
- MLCRP
- MLMST
- Access functions: CKML_F_DOCUMENT_READ_MLHD, CKML_F_DOCUMENT_READ_MLXX
- Further tables (with no access function): MLKEPH, MLPRKEKO, MLPRKEPH
- Obsolete database views: MLXXV, MLREPORT, MLREADST
- Index for Accounting Documents for Material
 - CKMI1
 - Obsolete, no further access possible

In addition, some further simplifications have to be taken into account:

- Separate currency customizing of Material Ledger (transactions OMX2 / OMX3) is now mandatory. The Material Ledger acts on the currencies defined for the leading ledger in Financials.
There is no default Material Ledger Type 0000 anymore.
Customizing in Financial applications allows you to assign more than three currency and valuation types as being relevant in your company code. As the Material Ledger still supports only three currency and valuation types, it is no longer allowed to use an ML Type that references currency settings defined in FI or CO (flags Currency Types from FI and Currency Types from CO). Instead you have to explicitly define the currency and valuation types that are relevant for the Material Ledger.
Steps to be executed:
 1. Use transaction OMX2 to define the currency and valuation types that are relevant for the Material Ledger.
 2. Then use transaction OMX3 to assign this ML Type to your valuation area.
- See also note <https://i7p.wdf.sap.corp/sap/support/notes/2291076>
- Material Price Analysis (transaction CKM3 / CKM3N)
The transaction CKM3/CKM3N was refactored and now provides a simplified and improved view of materials in plants with active Actual Costing. It replaces the former CKM3 view Price Determination Structure.
The former CKM3 Price History view is still available via transaction CKM3PH for all materials (independent of price determination control and active Actual Costing).
All other views formerly offered by CKM3/CKM3N are no longer available.
- For details about new Actual Costing simplification, please check the corresponding upgrade information SAP Note.

28 Financials - International Trade

28.1 S4TWL - Material classification with commodity codes

Application Components: SLL-LEG-FUN-CLS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2376556	Material classification with commodity codes

You are doing a system conversion to SAP S/4HANA 1610.

You classify materials with commodity codes in transaction MM01 / MM02.

This functionality (material classification with commodity codes) is redesigned in SAP S/4HANA 1610. Following redesign apply:

1. Management of commodity codes

- Old in ECC and S/4HANA 1511: not time-dependent, valid for a country
- New in S/4HANA 1610: time-dependent, valid for a country or multiple countries, new app, new data model

2. Classification of materials with commodity codes

- Old in ECC and S/4HANA 1511: not time-dependent, valid for material and plant, done in material master apps (e.g. MM01, MM02)
- New in S/4HANA 1610: time-dependent, valid for material and a country or multiple countries, new FIORI apps, new data model

Before conversion you can run the pre-check report to check if there is inconsistent data. Inconsistent data is not taken over in new data model. If there is inconsistent data, you can check and correct it (Details in note 2332472) before conversion is triggered.

During upgrade to S/4HANA 1610, a XPRA - /SAPSL/XPRA_1610_MARC_STAWN - migrates classification data to new data model.

How to Determine Relevancy

This Simplification Item is relevant if you classify materials using commodity code. You are likely using this functionality if you find non initial values in field STAWN of table MARC.

Required and Recommended Action(s)

- Knowledge transfer to key and end users

29 Globalization

29.1 S4TWL - Globalization – Logistics

Application Components: XX-CSC-XX,FI-LOC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270312	Globalization – Logistics

Description

The following functionality related to Country Version for Brazil is not available in SAP S/4HANA, on-premise Edition 1511:

- Legal Books and Fixed Asset taxes credit (ICMS and PIS/COFINS).

TAXBRJ Tax procedure has restricted maintenance but it is still available for compatibility reasons.

Required and Recommended Action(s)

SAP recommends using the following:

- TAXBRA tax procedure for the tax calculation.
- SAP Tax Declaration Framework for Fiscal and Accounting Legal Reporting.

Note: SAP Tax Declaration Framework is part of the Compatible Add-ons and requires an additional license.

Related SAP Notes

General	SAP Note: 2244803 - Fiscal and Accounting Legal Reporting for SAP S/4HANA, on premise edition 1511
Custom Code related information	SAP Note: 2195701

29.2 S4TWL - Globalization – Financials

Application Components: XX-CSC-XX,FI-LOC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270311	Globalization – Financials

Description

With the installation of the SAP S/4HANA on-premise edition 1511, certain country-specific transaction codes and programs in the application area of Financials have been replaced with newer transactions or programs (compared to EhP7 for SAP ERP 6.0). For more details about the affected transactions and programs and their replacements, refer to SAP Notes 2029012 and 2227963.

30 Human Resources

30.1 S4TWL - General HCM Approach within SAP S/4HANA

Application Components: PA-BC,PY-XX

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273108	General HCM Approach within SAP S/4HANA

Description

SuccessFactors, the next generation HCM suite in the public Cloud, is the go-forward HCM solution for both editions of SAP S/4HANA, cloud and on premise. Productized integration exists today so customers can easily connect these solutions. Customers choosing SAP S/4HANA as their next-generation business suite deserve a next-generation HCM suite and this is the focus of SuccessFactors. SuccessFactors connect easily with SAP S/4HANA with productized integration based on HCI content

Productized Integrations among SuccessFactors with SAP S/4HANA on-premise based on HCI content will be available with SAP S/4HANA, on-premise edition 1511.

SAP S/4HANA customers may also using SAP ERP HCM on-premise and might not be willing/able to move to SuccessFactors in the near term and like to continue to use SAP ERP HCM. SAP HCM can be run in either a separate instance or single instance with SAP S/4HANA. The integration among both on-premise instances (SAP HCM with SAP S/4HANA on-premise) will be available via ALE in case SAP HCM is running on separate instance. In case SAP HCM is running inside of SAP S/4HANA on-premise then the integration is automatically given as part of so-called Compatibility Mode.

Business Process related information

When using S/4HANA and SAP HCM in one system (Compatibility Mode), then only the Software components SAP-HR and EA-HR are still available in SAP S/4HANA.

The go-to architecture in the HCM area is SuccessFactors, in particular SAP SuccessFactors Employee Central for Core HR, SAP SuccessFactors Learning for Learning, and SAP SuccessFactors Recruiting Management for Recruiting.

It's not planned to provide application simplifications based on the traditional SAP HCM functionalities. As example: It is not planned to offer Fiori-based user interfaces for these traditional functionalities. SAPGui based functionality stay unchanged for those customers unable to make the move to SuccessFactors in the near term.

Required and Recommended Action(s)

The go-to architecture in the HCM area is SuccessFactors. Accordingly it is recommended to move the human resources-related functionalities to SuccessFactors.

30.2 S4TWL - Conversion of Employees to Business Partners

Application Components: PA-BC,PY-XX

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2340095	Conversion of Employees to Business Partners

Description

SuccessFactors, the next generation HCM suite in the public Cloud, is the go-forward HCM solution for both editions of SAP S/4HANA, cloud and on premise. Productized integration exists today so customers can easily connect these solutions. Customers choosing SAP S/4HANA as their next-generation business suite deserve a next-generation HCM suite and this is the focus of SuccessFactors. SuccessFactors connect easily with SAP S/4HANA with productized integration based on HCI content. Productized Integrations among SuccessFactors with SAP S/4HANA on-premise based on HCI content are available with SAP S/4HANA, on-premise edition 1511, and onwards.

SAP S/4HANA customers may also using SAP ERP HCM on-premise and might not be willing/able to move to SuccessFactors in the near term and like to continue to use SAP ERP HCM. SAP HCM can be run in either a separate instance or single instance with SAP S/4HANA. The integration among both on-premise instances (SAP HCM with SAP S/4HANA on-premise) will be available via ALE in case SAP HCM is running on separate instance. In case SAP HCM is running inside of SAP S/4HANA on-premise then the integration is automatically given as part of so-called Compatibility Mode.

Business Process related information

The new data model in S/4HANA is based on Business Partners (BP). A BP must be assigned to each employee.

Required and Recommended Action(s)

After transformation to S/4HANA, the migration report /SHCM/RH_SYNC_BUPA_FROM_EMPL must be executed before productive use of the system. Due to customizing dependencies, the report cannot be executed in technical downtime.

30.3 S4TWL - SAP Learning Solution

Application Components: PE-LSO

Related Notes:

Note Type	Note Number	Note Description
Release Restriction	2383837	SAP Learning Solution

30.4 S4TWL - SAP E-Recruiting

Application Components: PA-ER

Related Notes:

Note Type	Note Number	Note Description
Release Restriction	2383888	SAP E-Recruiting

30.5 S4TWL - Java-Based ESS and MSS

Application Components: PA-ESS

Related Notes:

Note Type	Note Number	Note Description
Release Restriction	2383879	Java-Based ESS and MSS

31 Industry – Cross

31.1 S4TWL - BRIM - Billing of Event Detail Records (EDR)

Application Components: FI-CA-BI

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271210	BRIM - Billing of Event Detail Records (EDR)

Description

EDR Management is used to transfer event detail records (EDR) from an external system, manage the received information and prepare it for billing.

The BRIM solution covers CRM, CI / FI-CA (ERP) and SAP Convergent Charging components/systems. It was developed to charge and bill single events like Toll Collects or downloads. The Event Detail Records solution was replaced by BIT BILLING in 2008.

Business Process related information

No influence on business processes expected. All EDR customers are informed.

Required and Recommended Action(s)

To check if you use EDR Management, call the transaction SE16 and check for entries in the table DFKKBIBILLACC_H.

31.2 S4TWL - BRIM - Common Object Layer (COL)

Application Components: FI-CA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270317	BRIM - Common Object Layer (COL)

Description

The Common Object Layer Framework (COL framework) can be used to distribute data (e.g. master data, provider contracts) from the SAP CRM System to the SAP Convergent Charging and SAP ERP System. In SAP S/4HANA, on-premise edition the distribution between these systems is done directly, the framework is not provided any more.

The BRIM solution covers CRM, FI-CA (ERP) and SAP Convergent Charging components/systems.

The Common Object Layer was developed in SAP_APPL to provide the technical possibility to distribute master data from ERP to SAP Convergent Charging without using the software component FI-CA. However, no customer used this feature. The BRIM solution is always used with the FI-CA or CI component. Thus, the Common Object Layer is not available in SAP S/4HANA, on-premise edition. The distribution of objects is directly done in the software component FI-CA now.

Business Process related information

No influence on business processes expected for customers: the master data distribution still works in SAP S/4HANA, on-premise.

Required and Recommended Action(s)

To check if you distribute master data with the help of the COL framework without using the component FI-CA, call the transaction SE61 to check the table BADIIMPL_ENH. Enter "ISX_MD_COL_SCENARIO" and "ISX_MD_COL_ADAPTER" in the field BADI_NAME. Check if there are any entries starting with Z* or Y* in the column BADI_IMPL (BAdI Implementation).

31.3 S4TWL - BRIM - Integration with FSCM Biller Direct (FI-CA)

Application Components: FI-CA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271233	BRIM - Integration with FSCM Biller Direct (FI-CA)

Description

With the integration of SAP Contract Accounts Receivable and Payable (FI-CA) with FSCM Biller Direct it is possible to offer end-customers the convenience of receiving invoices, viewing account statuses, and making payments online as a self-service. The functionality is not considered as the target architecture, but customers can still continue to use it to make the upgrade to S/4 less disruptive (Functionality is available in SAP S/4HANA on-premise edition delivery but not considered as future technology. Functional equivalent is not available).

Business Process related information

The functionality Biller Direct with FI-CA is not the target architecture, but still available and can be used within SAP S/4HANA, on-premise edition.

Required and Recommended Action(s)

To check if you use FSCM Biller Direct, call the transaction SE16 to check for entries in the table DEBPPEVENTLOG.

31.4 S4TWL - BRIM - Solution Sales and Billing

Application Components: FI-CAX,SD-BIL-IV-CB

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271236	BRIM - Solution Sales and Billing

Description

The BRIM/Hybris Billing solution covers CRM, CI / FI-CA (ERP) and SAP Convergent Charging components/systems.

The creation of provider contracts starts in CRM. For the integration of provider contracts in SAP Contract Accounts Receivable and Payable, SAP Convergent Invoicing and finally SD Billing with FI-AR, the provider contracts need additional information for the processing in SD. In addition to that, business agreements that are assigned to a business partner need to be created automatically in the background without replication in CRM. As the follow up processing of CI Billing Documents in SD Billing is currently not available in SAP S/4HANA, on-premise edition, this feature is not provided. Billing and invoicing of consumption data is still possible in FI-CA but not with SD and FI-AR.

In addition, the BRIM SD deployment variant was developed to invoice consumption data also in SD billing with accounting in FI-AR. This solution is currently not available in SAP S/4HANA, on-premise edition. Therefore, the additions on the provider contract with SD Billing relevant data and the background creation of contract accounts in ERP without existing contract accounts in CRM are not required.

UPDATE:

Meanwhile, the integration of CI Billing Documents in SAP Convergent Invoicing into SD Billing is available for S/4HANA in the form of "SAP S/4HANA for Subscription Billing, Sales and Distribution Option 1.0" as part of Hybris Billing. For further details please check note 2347269 - "Release strategy of the ABAP Add-On SOLINVE 800".

Therefore, the business function FICAX_SOLESALSBILL has been reenabled and set to customer switchable. For further details check note 2348426 - "Reactivation of Business Function FICAXSOLSALESBILL".

Required and Recommended Action(s)

To check if you use Solution Sales and Billing, call the transaction SE16 to check for entries in table /SOIN/CI_DOCFLOW.

31.5 S4TWL - BRIM – Immediate Master Data Replication to SAP Convergent Charging

Application Components: FI-CA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2271238	BRIM – Immediate Master Data Replication to SAP Convergent Charging

Description

In SAP S/4HANA, on-premise edition the master data replication from FI-CA to SAP Convergent Charging is only supported as joint replication. For example, master data (business partners, contract accounts, prepaid accounts) is only replicated to SAP Convergent Charging if the data for the related provider contract is received in FI-CA. This means that the master data of business partners, contract accounts and prepaid accounts cannot be replicated immediately and independently of each other to SAP Convergent Charging any more.

Business Process related information

No influence on business process since the master data replication (as Joint Master Data Replication approach) still works in S/4HANA on-premise.

Required and Recommended Action(s)

One of the following business functions needs to be activated:

- FICAX_INV_2G
- ISU_INV_2G

- PSCD_COLLECTIONS_MANAGEMENT_4G
- TEL_INV_2G

Afterwards, the joint master data replication needs to be activated in the IMG customizing under Contract Accounts Receivable and Payable -> Integration -> Convergent Charging -> Activate Joint Replication of All Master Data. For further activities, please refer to the documentation of this IMG activity.

Using an integrated SAP CRM system, you need to activate the joint master data replication in SAP CRM by customizing the distribution schema of your order distribution infrastructure (ODI) accordingly. The step types "Call ERP Message contract activation MCC (PCMA)" and "Call ERP Message Contract Deactivation MCC (PCMD)" need to be used (instead of "Call ERP Message contract activation (PCEA)" and "Call ERP Message contract deactivation (PCED)"). In addition, call the SAP ERP contract update with the correct settings. You can make the relevant settings and define distribution schemas in the customizing for Customer Relationship Management under *Cross-Industry Functions -> Provider Order and Contract Management -> Transactions -> Document Distribution -> Define Settings for Document Distribution*. Activate the joint replication of master data in SAP ERP according to the corresponding documentation. Maintain the settings that specify how often you can retry locking the contract for the asynchronous status updates from SAP ERP in the customizing for Customer Relationship Management under *Cross-Industry Functions -> Provider Order and Contract Management -> Joint Distribution and Multiple SAP CC Systems for a SAP CRM System -> Settings for Joint Distribution and Multiple SAP CC Systems -> Settings for Document Distribution*.

To check if you use the joint replication of master data, call the transaction SM31 to check the customizing table DFKK_CC_MD_REL for entries and if the flags CCREL and CCSEQUENCE are set. If CCREL is set and CCSEQUENCE is empty, you are not using joint replication and need to take further action. If CCSEQUENCE does not exist, you have to upgrade to at least SAP Enhancement Package 7 (SP08) for SAP ERP 6.0 and then take further action. If both flags are set or both flags are empty, you do not need to do anything. Alternatively to transaction SM31, go to the implementation guide (transaction SPRO) and check the following customizing path: Financial Accounting -> Contract Accounts Receivable and Payable -> Integration -> Convergent Charging -> Activate Replication of Business Partners and Accounts to SAP CC.

32 Industry Banking

32.1 S4TWL - SEM Banking

Application Components: IS-B-PA,IS-B-DP,IS-B-RA,IS-B-SA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270318	SEM Banking

Description

The SEM Banking functionality is not included in SAP S/4HANA.

Larger parts of the SEM Banking functionality have already been replaced by the Bank Analyzer (part of the Banking platform "Banking Services from SAP"), but it's important to note there are still functions, which have no successor.

A technical disablement of SEM Banking was done as follows:

- The SEM Banking menu was disabled (hidden)
- The SEM Banking IMG was disabled (hidden)
- Central SEM Banking transactions will terminate with an "A-message"

It's not allowed to execute SEM Banking transactions anymore.

Business Process related information

The whole SEM Banking application with its parts "Datapool", "Profit Analyzer", "Risk Analyzer" and "Strategy Analyzer" won't be offered in the context of SAP S/4HANA.

Transaction not available in SAP S/4HANA	All SEM Banking related transaction codes for "Datapool", "Profit Analyzer", "Risk Analyzer" and "Strategy Analyzer".
---	---

Required and Recommended Action(s)

Users of SEM Banking have to evaluate alternatives to the usage of SEM Banking in SAP S/4HANA systems (e.g. replacement of SEM Banking functionality by the Bank Analyzer or keeping SEM Banking on a separate ERP installation).

How to Determine Relevancy

There is an active risk management area and / or there is an active Banking operating concern in the system

Related SAP Notes

Custom Code related information	For more details see SAP Note 2211665
---------------------------------	---------------------------------------

33 Industry Beverage

33.1 S4TWL - IS-Beverage Cleanup

Application Components: SD-SLS-PLL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2224144	IS-Beverage Cleanup

In 2004 the IS-Beverage solution has been moved to ERP. Some of the functionalities were never available for ERP customers whereas others are available but there are not much customers using those functionalities. The functionalities which were never available in ERP as well as some of the later functionalities are deprecated in S/4HANA.

- For the deprecated IS-Beverage functionality Sales Returns there is the successor Advanced Return Management available.
- For the deprecated IS-Beverage functionality Excise Duty - which is released for German alcohol tax only - there will be right now no successor available.
- Objects of the IS-Beverage functionality Empties Management are still available in S/4HANA but the functionality itself can not be used because all transactions of this functionality are on the black list.

With the transition from ERP to S/4HANA old Beverage functionalities will not be available anymore because there is either a successor functionality available or a functionality with restricted usage has been deprecated completely.

If objects (DDIC or repository) are used in customer code which belong to the deprecated packages then this customer coding need to be adjusted by using the correct objects from the core. All those objects belong to the namespace /BEV*. You may use the report RS_ABAP_SOURCE_SCAN to identify customer coding using objects /BEV*

Mandatory activities related to this note:

- Before system conversion (before start of SUM)
 - Remove all usages of the related SAP objects from your customer coding (as shown by the Custom Code Migration Worklist - SYCM)
- During system conversion (in SPDD during SUM uptime phase)
- After system conversion (after end of SUM)

33.2 S4TWL - IS-Beverage solution

Application Components: SD-SLS-RE-SR,SD-SLS-PLL,SD-BF-EC,MM-IM-ED,SD-BF-AC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2224144	IS-Beverage solution

In 2004 the IS-Beverage solution has been moved to ERP. Some of the functionalities were never available for ERP customers whereas others are available but there are not much customers using those functionalities. The functionalities which were never available in ERP as well as some of the later functionalities are deprecated in S/4HANA.

- For the deprecated IS-Beverage functionality Sales Returns there is the successor Advanced Return Management available.
- For the deprecated IS-Beverage functionality Excise Duty - which is released for German alcohol tax only - there will be right now no successor available.
- Objects of the IS-Beverage functionality Empties Management are still available in S/4HANA but the functionality itself can not be used because all transactions of this functionality are on the black list.

With the transition from ERP to S/4HANA old Beverage functionalities will not be available anymore because there is either a successor functionality available or a functionality with restricted usage has been deprecated completely.

If objects (DDIC or repository) are used in customer code which belong to the deprecated packages then this customer coding need to be adjusted by using the correct objects from the core. All those objects belong to the namespace /BEV*. You may use the report RS_ABAP_SOURCE_SCAN to identify customer coding using objects /BEV*

Mandatory activities related to this note:

- Before system conversion (before start of SUM)
 - Remove all usages of the related SAP objects from your customer coding (as shown by the Custom Code Migration Worklist - SYCM)
- During system conversion (in SPDD during SUM uptime phase)
- After system conversion (after end of SUM)

33.3 S4TWL - Empties Management and Pendulum List

Application Components: SD-BIL-EM,MM-PUR-EM,SD-BIL-RB-PL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2224144	Empties Management and Pendulum List

In 2004 the IS-Beverage solution has been moved to ERP. Some of the functionalities were never available for ERP customers whereas others are available but there are not much customers using those functionalities. The functionalities which were never available in ERP as well as some of the later functionalities are deprecated in S/4HANA.

- For the deprecated IS-Beverage functionality Sales Returns there is the successor Advanced Return Management available.
- For the deprecated IS-Beverage functionality Excise Duty - which is released for German alcohol tax only - there will be right now no successor available.
- Objects of the IS-Beverage functionality Empties Management are still available in S/4HANA but the functionality itself can not be used because all transactions of this functionality are on the black list.

With the transition from ERP to S/4HANA old Beverage functionalities will not be available anymore because there is either a successor functionality available or a functionality with restricted usage has been deprecated completely.

If objects (DDIC or repository) are used in customer code which belong to the deprecated packages then this customer coding need to be adjusted by using the correct objects from the core. All those objects belong to the namespace /BEV*. You may use the report RS_ABAP_SOURCE_SCAN to identify customer coding using objects /BEV*

Mandatory activities related to this note:

- Before system conversion (before start of SUM)
 - Remove all usages of the related SAP objects from your customer coding (as shown by the Custom Code Migration Worklist - SYCM)
- During system conversion (in SPDD during SUM uptime phase)
- After system conversion (after end of SUM)

34 Industry Defense & Security

34.1 S4TWL - DFPS eSOA services

Application Components: IS-DFS-OF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273297	eSOA Services for DFPS

Description

The enterprise services (eSOA services) for DFPS are not available in SAP S/4HANA. Currently there is no functional equivalent available. Depending on customer requests they may be replaced by OData services in the future.

Business Process related information

The feature of accessing Defense & Security data via eSOA services (Service Definitions and XML name spaces containing *DFPS*) is not available in SAP S/4HANA.

Examples of affected service definitions:

- /ISDFPS/FUERPMNTASSGMNTUPDRC
- FunctionalUnitERPMaintenanceAssignmentUpdateRequestConfirmation_In
- /ISDFPS/FUERPSRVASSGMNTUPDRC -
FunctionalUnitERPServiceOfferUpdateRequestConfirmation_In

Required and Recommended Action(s)

Implement Business Scenarios and Business Processes based on the functionality available within SAP S/4HANA.

How to Determine Relevancy

The simplification item is **not relevant**, if Enterprise Extension EA-DFP (DefenseForces&PublicSecurity) is **deactivated**. In this case no additional checks are necessary. You can check the status via transactions SFW_BROWSER (Switch Framework Browser) or SFW5 (Switch Framework Customizing).

If Enterprise Extension EA-DFP is active in the SAP Business Suite system, you can check via transactions WSADMIN or SOAMANAGER for activated DFPS eSOA services.

Customers with activated eSOA services for DFPS in Business Suite can execute the system conversion. Nevertheless the functionality is not available within SAP S/4 HANA.

34.2 S4TWL - BI content, Datasources and extractors for DFPS

Application Components: BW-BCT-DFS-PM,BW-BCT-DFS-MM,BW-BCT-DFS-OF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273294	BI content, Datasources and extractors for DFPS

Description

BI content, Data Sources and Extractors for DFPS are not available in SAP S/4HANA. Depending on customer requests they may be replaced by real-time operational reporting with SAP S/4HANA Embedded Analytics utilizing Virtual Data Models, and CDS-Views in the future.

Business Process related information

BI content based on data sources and extractors for DFPS in the SAP Business Suite is not available in SAP S/4HANA.

Required and Recommended Action(s)

Implement Business Scenarios and Business Processes based on the functionality available within SAP S/4HANA.

Start exploring the new possibilities for real-Time operational reporting using SAP S/4HANA Analytics which enables key users to create and modify reports, KPIs or any other analytical artefacts according to their needs.

How to Determine Relevancy

You can check in the following way whether **SAP BW OLTP Sources for DFPS are actively used**:

- Call transaction SE16N for table ROOSOURCE
- Enter selection criteria APPLNM = IS-DFS-BW (Application Component), and OBJVERS = A (active OLTP Source Version)

In case of results being displayed for the selection, active SAP BW OLTP sources for DFPS exist.

In this case you may want to check details in transactions RSA2 or RSA5.

Customers with active BI content or data sources for DFPS in Business Suite can execute the system conversion.

Nevertheless the functionality is not available within SAP S/4 HANA.

34.3 S4TWL - Integration of DFPS with Investigative Case Management (ICM)

Application Components: IS-DFS-ICM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273299	Integration of DFPS with Investigative Case Management (ICM)

Description

The integration of DFPS with the CRM solution of Investigative Case Management is not available in SAP S/4HANA due to missing customer adoption in the SAP Business Suite. There is no functional equivalent available in SAP S/4HANA.

Business Process related information

The features provided by the activation of Business Function DFPS_ICM_OF are not available in SAP S/4HANA, e.g.

- Necessary *technical prerequisites* for accessing Organizational Flexibility functions from a CRM system for implementing the Investigative Case Management System.
- Display of the assignment of a *case ID* to an operation in the Structures Workbench application.
- Assignment of a position to a force element via the A/B 290 relationship to specify which position is responsible for an operation as the *operation planner*.

Required and Recommended Action(s)

Implement Business Scenarios and Business Processes based on the functionality available within SAP S/4HANA.

How to Determine Relevancy

Check in transaction SFW5, whether Business Function DFPS_ICM_OF is available and has been activated in your existing SAP Business Suite system.

34.4 S4TWL - Integration of DFPS with Environmental Compliance

Application Components: IS-DFS-EHS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273311	Integration of DFPS with Environmental Compliance

Description

The integration of DFPS with Environmental Compliance is not available in SAP S/4HANA, due to the simplification of the central EH&S solution making Business Function OPS_EC_INTEGRATION (Environmental Compliance Integration in Enterprise Asset Management) obsolete. There is no functional equivalent available in SAP S/4HANA.

Business Process related information

Business function OPS_EC_INTEGRATION, and as a consequence the DFPS-related features provided by the Business Function, are not available in SAP S/4HANA, e.g.

- Distribution of Facility Master Data from Environmental Compliance
- Generation, import and archiving of Checklists (PDF Forms)

Check SAP Note 1161250 for additional information on those topics.

Required and Recommended Action(s)

Implement Business Scenarios and Business Processes based on the functionality available within SAP S/4HANA.

How to Determine Relevancy

The simplification item is possibly relevant if Business Function OPS_EC_INTEGRATION (Environmental Compliance Integration in Enterprise Asset Management) is active in your existing SAP Business Suite system.. You can check the status via transactions SFW_BROWSER (Switch Framework Browser) or SFW5 (Switch Framework Customizing).

Customers having Business Function OPS_EC_INTEGRATION switched ON in Business Suite can execute the system conversion. Nevertheless the functionality related to the Business Function is not available within SAP S/4 HANA. Customers not having the Business function switched ON in Business Suite cannot activate it after the system conversion to SAP S/4 HANA.

35 Industry DIMP - Aerospace & Defense

35.1 S4TWL - Collective Processing Pegging

Application Components: IS-ADEC,IS-ADEC-GPD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270832	Collective Processing Pegging

Description

With SAP S/4HANA, transaction PEG01 (*Pegging: Collective Processing*) and its programs are not available. The old transaction PEG01 is replaced by transaction PEG01N (*A&D GPD Pegging: Collective Processing*).

Business Process related information

Transaction PEG01 (*Pegging: Collective Processing*) is not available with SAP S/4HANA. Customers need to use transaction PEG01N as the successor transaction.

Transaction not available in SAP S/4HANA	Transaction PEG01 (replaced by PEG01N)
--	--

Required and Recommended Action(s)

Start using transaction PEG01N in SAP S/4HANA and educate the end user.

Related SAP Notes

Custom code related information	SAP Note 2200942
---------------------------------	---------------------

35.2 S4TWL - Cost Distribution Processing

Application Components: IS-ADEC-GPD,IS-ADEC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270834	Cost Distribution Processing

Description

With SAP S/4HANA, transaction DIS01 (*Cost Distribution Processing*) and its program are not available. The old transaction DIS01 is replaced by the new transaction DIS01N (*GPD Cost Distribution: Collective Processing*).

Business Process related information

Transaction DIS01 (Cost Distribution Processing) is not available with SAP S/4HANA. Customers need to use transaction DIS01N as the successor transaction.

Transaction not available in SAP S/4HANA	Transaction DIS01 (replaced by DIS01N)
--	--

Required and Recommended Action(s)

Start using transaction DIS01N in SAP S/4HANA and educate the end user.

Related SAP Notes

Custom Code related information	SAP Note: 2200942
---------------------------------	-------------------

35.3 S4TWL - Manufacturer Part Number

Application Components: IS-ADEC-MPN

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2348023	Manufacturer Part Number

Description

The functionality for the Manufacturer Part Number (MPN) is not available in SAP S/4HANA 1511.

Refer to SAP Note 2270836 for more information.

The industry solution for the manufacturer part number is changed technically in SAP S/4HANA 1610.

The newly redesigned solution for Manufacturer Part Number will be available from SAP S/4HANA 1610 onwards.

The below points specify details about the changes at the technical level as well as the changes with respect to configuration of the MPN in SAP S/4HANA 1610:

- **How MPN will be stored and rendered**

In SAP S/4HANA 1610 release, MPN has been technically redesigned. MPN material number will be stored as key(MATNR) in MARA table. Hence conversion exit which was used in earlier releases, is no longer relevant.

MPN Material number is the concatenation of Manufacturing Part number and External Manufacturer separated by the delimiter specified in *Logistics - General --> Interchangeability of Parts --> Specify Settings for Inventory-Managed MPN*.

eg: Manufacturing Part number = 'MPN123' External Manufacturer = 'MANF1'
Delimiter = ':', then the MPN Material number formed will be 'MPN123:MANF1'.

If Manufacturer Part number is a numerical Material number and no manufacturer is specified, then the part number will be suffixed with the delimiter specified in the customizing settings(This behavior is enabled only if lexicographical flag is switched off).

eg: Manufacturer Part number = 1234 and External Manufacturer = ' ', then MPN Material number formed will be '1234:'.

The above behavior is relevant only if 'Concatenated Material No.' option is selected for the material type of the MPN Material.

- **Concatenation checkbox in material types**

MPN functionality is activated when you select 'Activate Inventory-Managed MPN' in the Customizing. You can reach the new settings using the path: *Logistics - General --> Interchangeability of Parts --> Specify Settings for Inventory-Managed MPN.*

From the SAP S/4HANA 1610 release onwards, Inventory Managed MPN will be created as the material number (MARA-MATNR) itself.

The MPN attributes like MFRPN and EMNFR are maintained in the initial screen of the material master.

These fields are editable only if the following settings are enabled in the 'Material Type' Customizing by following the path: *Logistics-General -->Material Master --> Basic Settings --> Material Types --> Define Attributes of Material Types*

'Concatenated Material No.' field should be enabled.

For more information related to the settings, refer to the documentation of the field 'Concatenated Material No.'.

- **MPN numbers can no longer be changed once created in SAP S/4HANA**

In the ECC-DIMP systems, MPN number can be maintained as an additional value for the material in the 'Basic Data1' tab as well as in 'Purchasing' view.

With the help of the conversion exit, MPN values were displayed as the material number.

In SAP S/4HANA, this approach is not available due to its shortcoming like performance impact and maintenance effort.

Also with the extension of material field length to 40 characters, it will be possible to use the field for storing the MPN material number.

MPN materials will be stored and displayed as the material number itself. Hence the name of the MPN material cannot be changed once created.

This behavior is enabled only if 'Concatenated Material No.' indicator is enabled in the respective 'Material Type' Customizing.

- **MPN data held in MIGO transaction will not be converted in SAP S/4HANA**

MIGO transaction enables saving of MPN data for a user using the option 'Hold' so that it could be reused later in the application.

During migration to SAP S/4HANA, this MPN data will not be converted.

Hence MPN data thus saved before migration cannot be used in SAP S/4HANA.

Customer needs to maintain the entry again.

- **Non-MPN materials that contain MFRPN (Manufacturer Part Number) will have different behavior in SAP S/4HANA**

In the **ECC-DIMP** system, if the DIMP 'Conversion exit' is activated, then the external material number stored in the table MATERIALID field MATNR_EXT will be displayed instead of the material number. The external material number will be populated in the case of LAMA and MPN.

This behavior is enabled irrespective of the material type. For material type HALB, if the MPN information is maintained in the 'Purchasing' view tab in the material master and 'Conversion exit' is activated from the Customizing, the MPN material will be displayed instead of the generated material number.

In **SAP S/4HANA**, the following behavior is different. If the MPN is activated and concatenation checkbox is enabled in the respective material type Customizing, MPN information maintained in the material master will be displayed and stored as the material number itself. Otherwise the MPN information will behave as a normal attribute of a material.

- **Individual attributes of the material MFRPN (Manufacturer Part Number) and EMNFR (External Manufacturer) should not be updated in SAP S/4HANA**

If the concatenation checkbox is enabled for a material type, then the individual attributes MFRPN and EMNFR should not be updated manually. This will lead to inconsistencies in the master data.

In SAP S/4HANA, MPN material number is derived by concatenating Manufacturing Part Number and External Manufacturer in the material master. Hence it is restricted to change these MPN attributes once the material is created through the UI as well as SAP-delivered APIs.

This restriction is applicable only if MPN is enabled with the concatenation checkbox in the Customizing.

Customer should ensure that the MPN material name should not get modified in SAP S/4HANA.

- **Following online transaction will not work after system conversion with MPN materials in SAP S/4HANA**

Transactions MM17 and MMCC are not available for MPN materials in SAP S/4HANA.

- **Use of new APIs for interacting with SAP S/4HANA system from non-SAP S/4HANA system during material creation**

While transferring a material created in the non-SAP S/4HANA to SAP S/4HANA system using any API, the RFC-enabled function module MPN01_MATNR_DERIVE should be called by giving destination as SAP S/4HANA system. This function module will return the MPN material number confirming with the SAP S/4HANA system.

For more information, refer to the documentation of the function module MPN01_MATNR_DERIVE.

- **Report variants will be ignored during migration to SAP S/4HANA**

Screen variants that are created in ECC-DIMP system will be ignored during migration to SAP S/4HANA.

Customer needs to create the variants again in the SAP S/4HANA.

- **Parts Interchangeability in SAP S/4HANA**

The Parts interchangeability functionality earlier part of the ECC-DIMP is now available as part of SAP S/4HANA 1610. The functionality is decoupled from MPN (Manufacturer Part Number) and works without an MPN material.

Additionally the ECC-DIMP fields of vendor master are available as part of business partner fields in SAP S/4HANA 1610.

The Purchasing view of business partner role "FLVN01 Vendor " is enhanced with the Interchangeability tab.

- **Usage of MATERIALID table**

MATERIALID table should not be used any more in the coding. For more information refer the section 'Reference to MATERIALID table' of note 2228241.

- **Web services**

Web services will change incompatibly when conversion exit is used and MPN material without manufacturer is sent. In S/4HANA if the MPN material is numerical and external manufacturer is not mentioned, then the delimiter is added as suffix to the MPN Material number. For eg: MPN Material number, if no external manufacturer is provided, is displayed as shown below:

DIMP LAMA	S/4HANA
000123	000123:

- **BI Content**

Proposed solution for DIMP LAMA anyway relies on BI content modification by the customer (FAQ note 735529 as proposal, BW note 906913)

For S/4HANA connection customer shall adapt this existing modification. Replicate MATERIALID again (we have enhanced this extractor) and add a new transfer rule where needed when he uses the old solution

May get a visible difference between MATNR in S/4HANA and in BW for MPN w/o manufacturer

- **Deprecated objects**

Object Type	Object Name	Remarks
FUNC	MPN01_CHECK_MPN_CONVERSION	It is no longer relevant as there is no conversion done for the MPN Material. MPN Material is stored directly in MARA-MATNR.
DTEL	MPN_OUTLEN	Use the data element 'OUTPUTLEN' instead
MSAG	AD_MPN_MESS	The messages contained in the message class is not relevant. Should you need it, please copy the message to a new message class.
PROG	FMPN30LCCD	Not relevant. Remove the usage of this include from your code
PROG	MPNUPGRADE01 MPNUPGRADE02	This is a reconciliation report after upgrade in EHP releases. Not required. There are separate conversion programs available for

	MPNUPGRADETOP RMPNAFTERUPGRADE	conversion to S/4HANA1610 release.
PROG	RIXPRA_ISAD30 RIXPRA_ISAD30_3	Conversions for older release in EHP. No longer relevant

Required and Recommended Action(s)

Refer to the below SAP Notes before performing the system conversion to SAP S/4HANA:

SAP Notes	2334012
	2334008
	2270836
	2360860

35.4 S4TWL - Flight Scheduling

Application Components: IS-ADEC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270837	Flight Scheduling

Description

The DIMP A&D Flight Scheduling solution functionality is not available with SAP S/4HANA.

A&D Flight Scheduling solution was developed, but never released for productive use for customers.

Business Process related information

No influence on business processes expected no productive use for customer.

Required and Recommended Action(s)

No actions required from the customer side.

Related SAP Notes

Custom code related information	SAP Note: 2382229
---------------------------------	-------------------

35.5 S4TWL - Enhancements Actual Labour Costing / Time Recording

Application Components: IS-ADEC-ALC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270838	Enhancements Actual Labour Costing / Time Recording

Description

The DIMP Enhancements Actual Labour Costing / Time Recording functionality is not available with SAP S/4HANA.

DIMP Enhancements Actual Labour Costing / Time Recording (See SAP Note 1856717 2013) was never released to the customer.

No further developments are planned in this area.

Purpose of function

Read-only directory traversal in Activity Allocation Conversion IS-ADEC-ALC contains a vulnerability through which an attacker can potentially read arbitrary files on the remote server, possibly disclosing confidential information.

Business Process related information

Report 'RAD02_PROJBASED_OP_IT_LIST' is not available in SAP S/4HANA.

No influence on business processes expected no productive use for customer

Required and Recommended Action(s)

None

35.6 S4TWL - Enhancements Subcontracting Special Stock Types Not Available

Application Components: IS-ADEC,IS-ADEC-SUB

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270839	Enhancements Subcontracting Special Stock Types Not Available

Description

DIMP Enhancements Subcontracting special stock types "SC RTP" (I), "SC Vendor consignment" (J), "Customer Stock" (B), "SCCustomerOrderStock" (F) are not available within SAP S/4HANA 1511.

Business Process related information

No influence on business processes expected

Required and Recommended Action(s)

Knowledge Transfer to the end user about the non availability of the special stocks in SAP S/4HANA 1511.

"Customer Stock" (B) and "SCCustomerOrderStock" (F) will be available from SAP S/4HANA 1610 onwards.

35.7 S4TWL - AECMA SPEC 2000M Military Version

Application Components: IS-ADEC,IS-ADEC-SPC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270840	AECMA SPEC 2000M Military Version

Description

Enhancements AECMA SPEC 2000M Military version is not available in SAP S/4HANA. Consider using the solution SPEC2K Interface for ATA SPEC 2000.

Related SAP Notes

Pre Check	2349033
Custom code check	2382203

36 Industry DIMP – Automotive

36.1 S4TWL - Tracking Inbound

Application Components: IS-A-TRI

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270352	Tracking Inbound

Description

The automotive industry solution in SAP ERP Discrete Industries & Mill Products (ECC-DIMP) for tracking of inbound deliveries and shipments is not available with SAP S/4HANA.

To calculate and track the exact time of arrival, the recipient of goods could use the tracking of inbound deliveries and shipments. Event information could be received via EDI message with type TRXSTA and processed with reference to an inbound delivery or inbound shipment. The event location had to be defined as node of a route assigned to the delivery or shipment document. The event time is used then to calculate the expected time of arrival based on the duration information stored with the route for scheduling.

The automotive industry solution for tracking of inbound deliveries and shipments has a low customer adoption rate. With SAP Transportation Management, a much more comprehensive and scalable solution exists.

Business Process related information

The industry-specific solution for tracking of inbound deliveries and shipments is not available with SAP S/4HANA.

How to Determine Relevancy

The Simplification Item is relevant, if:

- EDI messages of message type TRXSTA have been processed (check for entries with MESTYP = 'TRXSTA' in table EDIDC with transaction SE16)

Required and Recommended Action(s)

Evaluate SAP Transportation Management to manage and track shipments and related deliveries before conversion to SAP S/4HANA.

Archive EDI messages of message type TRXSTA before conversion to SAP S/4HANA.

Related SAP Notes

Custom Code Check	SAP Note 2228139
-------------------	------------------

36.2 S4TWL - Supplier Workplace

Application Components: IS-A-SWP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270354	Supplier Workplace

Description

The Supplier Workplace (SWP) is an early collaboration solution in SAP ERP Discrete Industries & Mill Products (ECC-DIMP), enabling suppliers to access supplier-related data directly from the SAP ERP system of a company in addition or as an alternative to EDI communication. With SWP, the company could allow their suppliers to display



purchasing documents and price information, view and confirm scheduling agreement releases, create, change or display inbound deliveries, view goods receipt and settlement information, and returnable packaging account information.

The Supplier Workplace has a low customer adoption rate, is not strategic and the technology used is no longer the target architecture, therefore it will be not available with SAP S/4HANA.

With SAP Ariba and Ariba Networks or SAP Supply Network Collaboration (SNC), there are successors available.

Business Process related information

Implementing a successor solution for supplier collaboration will result in a change in the IT system landscape and integration as well as in the business applications used for supplier collaboration.

Not all scenarios covered by SWP are supported by the successor products.

<p>Transactions not available in SAP S/4HANA</p>	<p>ISAUTO_SICASN1, ISAUTO_SICASN2, ISAUTO_SICASN3, ISAUTO_SICASN4, ISAUTO_SICBC, ISAUTO_SICCO, ISAUTO_SICDDL1, ISAUTO_SICENG, ISAUTO_SICIV, ISAUTO_SICJIT, ISAUTO_SICPDI, ISAUTO_SICPH, ISAUTO_SICPI, ISAUTO_SICRL, ISAUTO_SICRLRD, ISAUTO_SICRPM, ISAUTO_SICSR, ISA_SICALERT, ISA_SICKANBAN, ISI_BCI, ISI_BCO, ISI_POD, ISI_PR, ISIFI_CP, ISIFI_CS, ISIFI_ESP, ISIFI_OEPM, ISIFI_POD, ISIFI_PUL, ISIFI_SM, ISIFI_SUMJIT, ISIFI_TRACK, ISIT_PR, SIC_MA, SIC_MD, ME69</p>
--	--

How to Determine Relevancy

The Simplification Item is relevant, if:

- The industry switch AM_SWP is active (check with transaction SFW1), and
- Supplier Workplace users have been assigned to vendors (check for entries in table ISAUTOSICVENDTAB with transaction SE16)

Required and Recommended Action(s)

Evaluate SAP Ariba / Ariba Networks or SAP Supply Network Collaboration as successor or alternative solution.

Remove all Supplier Workplace users assigned to vendors from table ISAUTOSICVENDTAB.

Related SAP Notes

Pre Check	SAP Note 2326822
Custom Code Check	SAP Note 2228218

36.3 S4TWL - External Service Providers

Application Components: IS-A-ESP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270357	External Service Providers

Description

The automotive industry solution in SAP ERP Discrete Industries & Mill Products (ECC-DIMP) for managing supplier stock at External Service Providers (ESP) is not available in SAP S/4HANA.

The solution had been addressed to companies purchasing direct material from vendors who put the products to stock at an ESP for replenishment to the customer. The stock at the ESP is still owned by the vendor until the supply to the customer who requests a just in time replenishment directly from the ESP to the production.

An EDI message with type STOACT allowed the transmission of the current vendor stock for each product in inventory at the ESP; the inbound processing compared that stock information with the current vendor consignment stock at a defined storage location assigned to the ESP and posted the differences. It was recommended to exclude the ESP storage location from MRP to not consider the vendor's stock into account when planning and creating delivery schedules. For evaluation reasons, the vendor consignment stock at ESP storage locations could be included when defining selection rules for the stock/requirements list.

Business Process related information

The automotive solution for managing supplier stock at external service providers (ESP) had a very low adoption rate and is not available in SAP S/4HANA. Managing vendor consignment stock in general is available in SAP S/4HANA and stock at storage locations could be separated in MRP by defining specific storage location MRP areas.

Transactions not available in SAP S/4HANA	OESP, ESPLOG, ESPLOGD
---	-----------------------

How to Determine Relevancy

The Simplification Item is relevant, if:

- Plant and storage location parameters for ESP processing have been maintained (check for entries in tables ESPPL and ESPST with transaction SE16), and
- EDI messages of message type STOACT have been processed (check for entries with MESTYP = 'STOACT' in table EDIDC with transaction SE16)

Required and Recommended Action(s)

Evaluate a redesign of the affected business process before the conversion to SAP S/4HANA.

Remove all entries in tables ESPPL and ESPST before the conversion to SAP S/4HANA.

Archive all EDI messages of message type STOACT before the conversion to SAP S/4HANA.

Related SAP Notes

Custom Code Check	SAP Note 2228219
-------------------	------------------

36.4 S4TWL - Cross-System Transit between Two Plants

Application Components: IS-A-XLO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270358	Cross-System Transit between Two Plants

Description

The automotive industry solution for cross-system transit between two plants addressed the need to manage stock in transit between different plants of a company operating in different SAP ERP systems. The goods issue posting at the supplying plant resulted in a goods movement posting to the stock in transit of the receiving plant using a remote function call in the target system. The goods in transit are then managed and valued automatically by the receiving plant. A goods receipt in the receiving plant then resulted in a transfer posting from the stock in transit to a storage location stock. The automotive industry solution focused especially on the usage of scheduling agreements for procurement between the plants.

That solution had a very low adoption rate and is not available in SAP S/4HANA.

Business Process related information

The automotive industry solution for managing stock in transit for goods transferred between two plants of a company operating in different systems is not available in SAP S/4HANA.

Transactions not available in S/4HANA	XLOC, XLOR, XLOS
---------------------------------------	------------------

How to Determine Relevancy

The Simplification Item is relevant, if:

- Purchasing documents exist with document types maintained for cross-system stock in transit (check first for entries in table T161 with XLOKZ <> initial with transaction SE16; use all BSART found in T161 to check for entries in table EKKO with transaction SE16)
- Sales documents exist with schedule lines with movement types for cross-system stock in transit (check for entries with BWART = '6A1', '6A3', '6AA' or '6AC' in table VBEP with transaction SE16)
- The transaction codes XLOC, XLOR or XLOS are used

Required and Recommended Action(s)

Evaluate a redesign of the affected business process before the conversion to SAP S/4HANA.

Archive all purchasing documents with document types maintained for cross-system stock in transit before the conversion to SAP S/4HANA.

Archive all sales documents with the movement types for cross-system stock in transit or remove all related schedule lines before the conversion to SAP S/4HANA.

Related SAP Notes

Pre Check	SAP Note 2349033
Custom Code Check	SAP Note 2228220

36.5 S4TWL - Long Material Number

Application Components: IS-A-LMN

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270396	Long Material Number

You are doing a system conversion to SAP S/4HANA. The following SAP S/4HANA Transition Worklist item is applicable in this case, if you are using the automotive industry solution for the long material number in SAP ERP for Discrete Industries & Mill Products.

Description

In SAP ERP, the automotive industry solution for the long material number did not extend the material number used as key and reference field in database tables. Instead it provided an additional extended representation of the material number up to 40 characters and a conversion from the 18 characters internal representation to the external representation and vice versa. The external representation has been entered and displayed on user interfaces and has been added to technical interfaces like BAPIs and IDOCs. The solution is activated with business function MGV_LAMA. It had restrictions and with its necessary conversions between an internal and external representation, it is suboptimal from a performance perspective.

In SAP S/4HANA, the material number is natively extended to 40 characters, therefore the automotive industry solution for the long material number is obsolete and will not be supported.

For more information on the material number field length extension in SAP S/4HANA, see SAP Note 2267140.

A conversion to SAP S/4HANA 1511 is not supported; In SAP S/4HANA 1511, the business function `MGV_LAMA` is set to "Always off".

Business Process related information

The industry solution for long material numbers has been replaced by a natively extended material number, clearly beneficial with regards to simplification, performance and integration.

The industry solution for long material numbers and its replacement by an extended material number requires a database conversion replacing the internal representation of the material number by the external representation. Not in all cases it will be an identical exchange and not in all cases an exchange might be supported.

Interfaces like BAPIs, IDocs or Webservices had been extended by the industry solution for long material numbers, and they had been extended additionally for the natively extended material number. The interfaces might not provide the material numbers in exactly the same way before and after the conversion. A compatibility mode is provided to support the interface extensions of the industry solution for long material numbers.

For more details on conversion to S/4HANA with respect to long material numbers, refer to SAP Note 2360860.

How to Determine Relevancy

The Simplification Item is relevant, if:

- The Business Function `MGV_LAMA` has been activated (check with transaction `SFW2` or `SFW_BROWSER`).

Required and Recommended Action(s)

Consider SAP Note 2384347 for proceeding with the conversion to SAP S/4HANA.

If you are using SAP Master Data Governance (MDG), execute report `MDG_HDB_MAT_MIGRATE_LONGTEXT` right after migration.

If you are using SAF-T (Standard Audit File for Tax) reporting according to regulations in Portugal and other European countries, refresh the extraction tables after conversion. See SAP Note 2341690 for more information.

Related SAP Notes

Restrictions	SAP Note 2384347
Pre-Check	SAP Note 2326776
Custom Code Check	SAP Note 2228241

36.6 S4TWL - Material Version

Application Components: IS-A-LMN

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270398	Material Version

Description

The automotive industry solution for material versions in SAP ERP Discrete Industries & Mill Products (ECC-DIMP) is based on the industry solution for the long material number which is activated using the business function `MGV_LAMA`.

The implementation of the long material number will be fundamentally changed in SAP S/4HANA, and considering the limited functionality and value of the solution for material versions and the very low customer adoption rate, that solution will be not available with SAP S/4HANA.

Features of the material versioning solution in SAP ERP Discrete Industries & Mill Products

When material versioning had been activated in SAP ERP, a version could be created with reference to a non-versioned material (called "header material"). Each version is created as an own material master, uniquely identified by the material number of the header material and its version ID.

The master data maintenance of a material version is controlled by the version type and the logistics switch. The version type specified with each material version created defines which material attributes are version-specific and could be maintained for each version independently (like it is valid for non-versioned material) and which shall be equal for the header material and all its versions. For these attributes, a change will be applied to the header material and all other versions simultaneously.

The logistics switch controls whether logistics-relevant views could be maintained for a material version or not. One reason is to create material versions for documentary reasons like minor changes in drawings etc. Another reason is to use material versions in logistics only in early phases of product development where changes occur often and continue in the mature phases of the lifecycle with the header material only.

Except for the master data maintenance, the only application specifically handling material versions is the BOM explosion from iPPE (Integrated Product and Process Engineering). An iPPE could be maintained just using header materials as components, so new material versions do not require the maintenance of iPPE objects. During BOM explosion, a valid material version with active logistics switch is dynamically determined and the header material replaced by its version if found. The validity for material versions is determined via ECM (Engineering Change Management) which is obligatory for material versions to be used. All other applications do not distinguish between header material and material versions.

A conversion to SAP S/4HANA 1511 is not supported; In SAP S/4HANA 1511, the business function MGV_LAMA is set to "Always off".

Business Process related information

The automotive industry solution for material versions is not available with SAP S/4HANA.

Material versions as material master referring to a header material with version ID and version type could not be maintained. Instead, material versions could be maintained as other materials with a material number combining the header material number and the version ID. Version type specific material master maintenance, logistics switch and material version determination during iPPE explosion according to the validity defined in ECM is not supported.

Transactions not available in S/4HANA	MMLS, TCLSVERS, VTCU
---------------------------------------	----------------------

How to Determine Relevancy

The Simplification Item is relevant, if:

- The Business Function MGV_LAMA has been activated (check with transaction SFW2), and
- Material versions have been activated (check TMCNV-MVAKT = 'X' with transaction SE16), and
- Material versions have been maintained (check for entries in table MATERIALID, field MATNR_VERS with transaction SE16)

Required and Recommended Action(s)

A conversion of material versions is not supported by the standard conversion tools for long material numbers. Create an incident on application component IS-A-LMN with short text "S4HANA conversion for material versions required" to get support in converting material versions to normal material numbers in SAP S/4HANA.

Related SAP Notes

Pre-Check	SAP Note 2326776
Custom Code Check	SAP Note 2228242

36.7 S4TWL - Planning Regular Route Shipments

Application Components: IS-A-TP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270399	Planning Regular Route Shipments

Description

The automotive industry solution for planning inbound shipments for regular routes based on route schedules in SAP ERP Discrete Industries & Mill Products (ECC-DIMP) is not available in SAP S/4HANA.

Regular routes like milk-run tours lead to recurrent shipments. Route schedules could be defined as basis for generating these recurrent inbound shipments. Inbound deliveries created based on shipping notifications from suppliers could be directly linked as items to



the generated inbound shipments. The inbound shipments could then be used for goods receipt processing collectively for all inbound deliveries shipped together.

Planning regular route shipments has a low customer adoption and is not available in SAP S/4HANA.

With SAP Transportation Management, a new solution for planning, executing and settling shipments is available.

Business Process related information

In SAP S/4HANA, the automotive industry solution for maintaining schedules for regular routes and planning and creating inbound shipments based on route schedules is not available.

Transactions not available in SAP S/4HANA	VL51A, VL52A, VL53A, VL54A
---	----------------------------

How to Determine Relevancy

The Simplification Item is relevant, if:

- Route schedules have been maintained (check for entries in table BORRTTS with transaction SE16)
- Route schedule determination records have been maintained (check for entries in table BORRTFI with transaction SE16)

Required and Recommended Action(s)

Evaluate SAP Transportation Management for planning and scheduling shipments before conversion to SAP S/4HANA.

Remove route schedules and route schedule determination records before conversion to SAP S/4HANA.

Related SAP Notes

Custom Code Check	SAP Note 2227568
-------------------	------------------

36.8 S4TWL - BSP based Dealer Portal

Application Components: IS-A-DP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273102	BSP based Dealer Portal

Description

The automotive industry solution in SAP ERP Discrete Industries & Mill Products (ECC-DIMP) includes two different Dealer Portals. For simplification reasons, only one Dealer Portal solution is supported in SAP S/4HANA.

The Dealer Portal based on Discrete Industries Web Interface (DIWI) and Business Server Pages (BSP) is not available in SAP S/4HANA.

The successor Web Dynpro based Dealer Portal, introduced with SAP ERP 6.04 and accessible via SAP Netweaver Business Client, is available in SAP S/4HANA.

The Web Dynpro based Dealer Portal allows managing vehicle sales, spare parts procurement, and warranty claim processing in collaboration with dealers.

Business Process related information

The Dealer Portal based on Discrete Industries Web Interface (DIWI) and Business Server Pages is not available with SAP S/4HANA.

The Web Dynpro based Dealer Portal is recommended as successor application.

The user interface changes by the Dealer Portal switch, but the business processes are not affected.

How to Determine Relevancy

The Simplification Item is relevant, if:

- a user to partner mapping for the BSP based Dealer Portal exists (check for entries in database table /SAPDII/CUSPRMAP with transaction SE16), or

- a logical system to RFC destination mapping for the BSP based Dealer Portal exists (check for entries in database table /SAPDII/CSYSRFCM with transaction SE16), or
- a partner to system mapping for the BSP based Dealer Portal exists (check for entries in database table /SAPDII/CPRSYSM with transaction SE16).

Required and Recommended Action(s)

The migration to the Web Dynpro based Dealer Portal is recommended before doing the system conversion to SAP S/4HANA.

For migration purposes, move

- the user to partner mapping for the BSP based Dealer Portal to the one for the Web Dynpro based Dealer Portal with transaction DPCOMMON_MAP_U_P
- the logical system to RFC destination mapping for the BSP based Dealer Portal to the one for the Web Dynpro based Dealer Portal with transaction DPCOMMON_MAP_S_R
- the partner to system mapping for the BSP based Dealer Portal to the one for the Web Dynpro based Dealer Portal with transaction DPCOMMON_MAP_P_S

A training for dealer users regarding the Web Dynpro based Dealer Portal is expected to be required.

Enhancements to the BSP based Dealer Portal have to be reimplemented for the Web Dynpro Dealer Portal, if applicable.

Remove the settings for the BSP based Dealer Portal after migrating to the Web Dynpro based Dealer Portal before doing the system conversion to SAP S/4HANA.

Related SAP Notes

Custom Code Check	SAP Note 2228244
-------------------	------------------

36.9 S4TWL – Web-Based Dealer Portal

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2352485	Web Dynpro based Dealer Portal

Description

The Web Dynpro based Dealer Portal allows managing vehicle sales, spare parts procurement, and warranty claim processing in collaboration with dealers. That Dealer Portal solution is not strategic anymore with SAP S/4HANA from a target architecture perspective.

Business Process related information

No alternative or successor solution is available so far, but the target architecture would be based on SAP Hybris Commerce for B2B collaboration with Dealers, with integration to SAP S/4HANA.

37 Industry DIMP - EC&O

37.1 S4TWL - Obsolete BAPIS of Bill of Services (BOS)

Application Components: IS-ADEC-BOQ

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2301522	Obsolete BAPIS of Bill of Services (BOS)

Description

Certain BAPIS provided for the Bills of Services functionality are not available in SAP S/4HANA.

Business Process related information

As an alternative, you could use other provided BAPIS for the Bills of Services functionality.

Required and Recommended Action(s)

Check if the BAPIS included in the piece list are used in custom code. If yes, you must adapt the custom code.

37.2 S4TWL - BOS Cost Transfer to PS removed

Application Components: IS-ADEC-BOQ

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273314	BOS Cost Transfer to PS removed

In SAP S/4 HANA the Bills of Services (BOS) functionality is available to be used. Nevertheless be aware that the related functionality is considered to be a Non-Strategic-function.

Restrictions:

In SAP S/4 HANA Bills of Services functionality transfer cost to the Project is no longer available . Please contact SAP via a customer message

37.3 S4TWL - ZDEP ETM CATS package

Application Components: IS-ADEC-ETM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2350332	ZDEP ETM CATS package

Transaction SCAT is obsolete in SAP S/4HANA

The package /SAPCEM/CATT is replaced with the package /SAPCEM/CATT_REPORT.

SCAT test cases /SAPCEM/BAL90, /SAPCEM/BGL91 are replaced with the reports /SAPCEM/BAL90, /SAPCEM/BGL91

Please use the replaced objects which are in the form of reports.

for other objects in the package /SAPCEM/CATT has no equivalent objects or reports available as of SAP S/4HANA 1610

37.4 S4TWL - ETM General

Application Components: IS-ADEC-ETM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2326777	Equipment and Tools Management (ETM General)

Description

ETM functionality is available from SAP S/4HANA 1610 release with the possibility of creating ETM master data recipient as a business partner. Customers who used ETM functionality in their earlier ERP releases will have to plan ETM recipient data migration to business partner.

A conversion to SAP S/4HANA 1511 is not supported. In SAP S/4HANA 1511, ETM is not available.

Business Process Related Information

There is no change in ETM functionality except the changes to ETM recipient. Nevertheless the related functionality is classified in the simplification list as Non-Strategic-function

Required and Recommended Action(s)

Please consider to convert the ETM recipient related customer master records to business partner records. Refer to the SAP Note 2265093. Ensure that you perform the following pre-requisite steps during conversion of ECC DIMP ETM recipient to Business partner :

1. Perform additional Customizing for ETM recipient:
 - a) Create an ETM-specific grouping and assign it to a business partner number range
 - b) Assign the ETM-specific grouping to the J3G account group
2. Ensure that the Customizing settings from the Customizing client are copied to the productive client
3. Ensure that the business partner assignment is set to required or optional entry in the customizing transaction OBD2- (As mentioned in steps below)
 - a) Choose customer account group J3G

- b) Double-click *Sales data* in the *Field status* group box
- c) Double-click *Partner usage* in the *Select Group* group box
- d) Set the Business partner assignment as required or an optional entry

Restrictions:

Graphical Planning Board Transaction for ETM: As part of the ETM enablement the Graphical Planning Board transaction is as well available via the classic SAP GUI Client. Nevertheless due to technical limitation the Graphical Planning Board transaction is not available as an SAP Fiori Visual Theme for classic applications and SAP Fiori Launchpad.

37.5 S4TWL - ETM (Equipment and Tools Management) Tables Obsolete

Application Components: IS-ADEC-ETM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2301533	ETM (Equipment and Tools Management) Tables Obsolete

Description

Certain tables in the ETM package are not required anymore. Therefore, these tables are removed. There is no change in functionality.

Business Process related information

No change in the process.

Required and Recommended Action(s)

No action required.

37.6 S4TWL - REAL ESTATE SALES (HOMEBUILDING)

Application Components: IS-ADEC-HBS

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2197116	REAL ESTATE SALES (HOMEBUILDING)

Before doing a system conversion to SAP S/4HANA, check if HBS functionality was active in your system.

As HBS functionality is not available in SAP S/4HANA, all HBS related data would be lost during conversion. Please ensure that you take necessary steps to backup HBS data.

Objects under ECO_HBS and ECO_HBS_APP switches and objects under DI_HBS and DI_HBS_APP packages will not be available after system conversion.

SAP Note 2343388 gives more detailed information on the objects which will not be available after conversion.

37.7 S4TWL Business Package for Subcontracting (EC&O)

Application Components: EP-PCT-IEC-S

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2389447	Business Package for Subcontracting (EC&O)

Description

Subcontracting Portal is not available with SAP S/4HANA.

Business Process Related Information

Required and Recommended Action(S)

38 Industry DIMP - High Tec

38.1 S4TWL - Manufacturing Execution Systems

Application Components: IS-HT-MES

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2383042	Manufacturer Execution Systems

Description

Industry Solution High Tech Manufacturing Execution (IS-HT-MES) was an add-on solution developed for High Tech semiconductor manufacturers.

This solution is used to track the semiconductor manufacturing process using process orders, with enhanced capabilities around lot split, lot merge, lot rework, lot genealogy, lot inheritance, lot search and Statistical Process Control (SPC) quality inspection.

Support for IS-HT-MES was made unavailable starting with ECC-DIMP 6.0 EhP4 (see SAP Note 1162438). Similarly, IS-HT-MES is also not available with SAP S/4HANA.

Depending on the customer business process, SAP S/4HANA may address certain of the requirements that were addressed by IS-HT-MES.

Business Process related information

Transactions not available in SAP S/4HANA	/SAPHT/MESCL30 - Batch Characteristic Search /SAPHT/MESZMLG - Batch Genealogy /SAPHT/MESZPRM - Formula parameter dynamic generation /SAPHT/SPCZQ02 - QM: SPC Review Control Chart
---	--

38.2 S4TWL - RosettaNet

Application Components: IS-HT-RN

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2383076	RosettaNet

Description

Industry Solution HighTech RosettaNet (IS-HT-RN) was an add-on solution providing and RNIF adapter to support B2B collaboration for the RosettaNet industry standard.

Support for IS-HT-RN was made unavailable starting with ECC-DIMP 6.0 EhP4 (see SAP note 1168556).

Similarly, IS-HT-RN is not available with SAP S/4HANA, and there is no successor functionality available in SAP S/4HANA.

Business Process related information

Business Add-Ins not available in SAP S/4HANA	/SAPHT/RN_DUNS - RosettaNet Building Block: DUNS implementation /SAPHT/RN_GTIN1 - RosettaNet Building Block: GTIN implementation /SAPHT/RN_USER_DUNS - RosettaNet Building Block: DUNS implementation - User exit /SAPHT/RN_USER_GTIN - RosettaNet Building Block: GTIN implementation - User exit
---	---

38.3 S4TWL - Software License Management

Application Components: IS-HT-SW-LIC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270848	Software License Management

Description

Software License Management was part of the IS-HT-SW industry solution.

It supports business processes for licensing software, such as: Software License creation, Version Change processing, Product Bundle creation, Software License pricing.

IS-SW and thus Software License Management capabilities are not available in SAP S/4HANA.

There is currently no functional equivalent available in SAP S/4HANA.

Business Process related information

Transaction not available in SAP S/4HANA	VBSY Billing Plan Synchronization
--	-----------------------------------

38.4 S4TWL - Installed Base Management

Application Components: IS-HT-SW-IB

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270849	Installed Base Management

Description

Installed Base Management was part of the IS-SW industry solution.

It used the SAP Installed Base (IBASE) database to manage software licenses, with capabilities including: business data inheritance, license bump processing, IBASE record splits.

IS-SW and thus Installed Base Management capabilities have not been brought in to SAP S/4HANA.

There is no specific, targeted successor solution in SAP S/4HANA for these capabilities.

Business Process related information

Transaction not available in SAP S/4HANA	PASW - Partner Inheritance Switch
--	-----------------------------------

38.5 S4TWL - Contract Management Enhancements

Application Components: IS-HT-SW-CM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270850	Contract Management Enhancements

Description

Contract Management Enhancements was part of the IS-SW industry solution.

It enhanced standard capabilities for managing contracts, such as: sold-to party eligibility, contract availability period, contract messages, contract assignment, and price protection.

It also provided more of a usability enhancement to manage multiple business partners as part of a contract list.

IS-SW and thus Contract Management Enhancements capabilities have not been brought in to SAP S/4HANA.

There is no specific, targeted successor solution in SAP S/4HANA for these capabilities.

However, some basic contract management capabilities have been moved in to SAP S/4HANA.

Although managing business partners in the contract is done in a different way, e.g., add individual business partners (sold-to parties) versus a contract list.

38.6 S4TWL - Billing Process Enhancements

Application Components: IS-HT-SW-BIL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270851	Billing Process Enhancements

Description

Billing Process Enhancements was part of the IS-SW industry solution.

It provided billing plan synchronization and billing plan type determination, specifically to link/synchronize billing plans and with software license orders, e.g., if the software license order was changed from 10 to 15 users then the previous order would be closed and a new one created/linked.

IS-SW and thus Billing Process Enhancements capabilities are not available with SAP S/4HANA.

There is no specific, targeted successor solution in SAP S/4HANA for these capabilities.

38.7 S4TWL - Software Maintenance Processing

Application Components: IS-HT-SW-SMP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270852	Software Maintenance Processing

Description

Software Maintenance was part of the IS-SW industry solution.

It supports the process of distributing new levels of software code to licensed customers, specifically: maintenance level management (MLM), to distribute maintenance code/corrections/fixes; and Version Change Protection (VCP), to automatically a new software product or version change to licensed customers (providing a new license).

IS-SW and Billing Process Enhancements capabilities are not available in SAP S/4HANA.

There is no specific, targeted successor solution in SAP S/4HANA for these capabilities.

Business Process related information

Transaction not available in SAP S/4HANA	OK32 - SMP Order Due List
--	---------------------------

	OK30 - Software Maintenance Process OK36 - SMP Log
--	---

38.8 S4TWL - User Exits in DRM

Application Components: IS-HT-DRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270853	User Exits in DRM

Description

Distributor Reseller Management (DRM) was part of the Discrete Industries and Mill Products (DIMP) industry solution.

DRM supports business processes for the distribution and resale of High Tech products, from the perspective of both a High Tech Manufacturer and a Distributor.

It provided capabilities such as ship-and-debit agreements, sell-in and sell-through distribution, drop-shipment to distributor customer, ship-and-debit claims processing, price change and price protection.

User Exits in DRM provided specific user-exit enhancements to the core DRM solution.

All of these user exits are Business Add-Ins (BAIs).

DRM is not available in SAP S/4 HANA and thus User Exits in DRM is also not available SAP S/4HANA.

Within SAP Business Suite, DRM had been superseded by the SAP CRM Channel Management for High Tech solution.

SAP Channel Management for High Tech solution is not available with SAP S/4HANA.

38.9 S4TWL - Condition Technique in DRM: Rule Configuration

Application Components: IS-HT-DRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270855	Condition Technique in DRM: Rule Configuration

Description

Distributor Reseller Management (DRM) was part of the Discrete Industries and Mill Products (DIMP) industry solution.

DRM supports business processes for the distribution and resale of High-Tech products, from the perspective of both a High-Tech Manufacturer and a Distributor.

It provided capabilities such as ship-and-debit agreements, sell-in and sell-through distribution, drop-shipment to distributor customer, ship-and-debit claims processing, price change and price protection.

Condition Technique in DRM: Rule Configuration provided rules configuration enhancements to the core DRM solution, specifically to treat claims differently depending on parameters such as tracking partner, sales area, material, etc.

Within SAP Business Suite, DRM had been superseded by the SAP CRM Channel Management for High Tech solution.

DRM and thus Condition Technique in DRM: Rule Configuration have not been brought into SAP S/4HANA.

SAP Channel Management for High Tech is also not available in SAP S/4HANA.

There is no specific, targeted successor solution in SAP S/4HANA for these capabilities.

38.10 S4TWL - Manufacturer/Supplier Processes

Application Components: IS-HT-DRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270856	Manufacturer/Supplier Processes

Description

Distributor Reseller Management (DRM) was part of the Discrete Industries and Mill Products (DIMP) industry solution.

DRM supports business processes for the distribution and resale of High Tech products, from the perspective of both a High Tech Manufacturer and a Distributor.

It provided capabilities such as ship-and-debit agreements, sell-in and sell-through distribution, drop-shipment to distributor customer, ship-and-debit claims processing, price change and price protection.

Manufacturer/Supplier Processes provided the core capabilities for High Tech Manufacturers.

Within SAP Business Suite, DRM had been superseded by the SAP CRM Channel Management for High Tech solution.

DRM and thus Manufacturer/Supplier Processes have not been brought into SAP S/4HANA, nor has SAP Channel Management for High Tech been brought into SAP S/4HANA.

Thus, there is no specific, targeted successor solution in SAP S/4HANA for these capabilities.

Business Process related information

Transactions not available in SAP S/4HANA	DRMPMS_C - Price Protection (Create Due List) DRMPMS_P - Price Protection (Change/Process Due List) DRMPMS_D - Price Protection (Display Due List) DRMPMS Price Protection (Background Processing) DRMCLMS Ship-and-Debit DRMBUMS Bill-up
---	--

DRMIRMS	Inventory Reconciliation
DRMLMMS	Manual Lot Maintenance
DRMR3MS	SAP Transactions
DRMSTGMS	DRM Staging Area
DRMXMRPT	Transmission Report
DRMCDMS	Discrepancy in Ship-and-Debit Claims
DRMMSBUSMET	Business Metrics
DRMPCMS	Price Protection Correction Report
DRMPEMS	Partner Validation Report

38.11 S4TWL - Distributor/Reseller Processes

Application Components: IS-HT-DRM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270858	Distributor/Reseller Processes

Description

Distributor Reseller Management (DRM) was part of the Discrete Industries and Mill Products (DIMP) industry solution.

DRM supports business processes for the distribution and resale of High Tech products, from the perspective of both a High Tech Manufacturer and a Distributor.

It provided capabilities such as ship-and-debit agreements, sell-in and sell-through distribution, drop-shipment to distributor customer, ship-and-debit claims processing, price change and price protection.

Distributor/Reseller Processes provided the core capabilities for HighTech Manufacturers.

Within SAP Business Suite, DRM had been superseded by the SAP CRM Channel Management for High Tech solution.

DRM and thus Distributor/Reseller Processes have not been brought into SAP S/4HANA, nor has SAP Channel Management for HighTech been brought into SAP S/4HANA.

Condition Technique in DRM: Rule Configuration is not available in SAP S/4HANA.

Thus, there is no specific, targeted successor solution in SAP S/4HANA for these capabilities.

Business Process related information

Transactions not available in SAP S/4HANA	/SAPHT/DRMPPDR_C - Price Protection (Create Due List) /SAPHT/DRMPPDR_P - Price Protection (Change/Process Due List) /SAPHT/DRMPPDR_D - Price Protection (Display Due List) /SAPHT/DRMPPDR Price Protection (Background Processing) /SAPHT/DRMCLDR Ship-and-Debit /SAPHT/DRMBUDR Bill-up /SAPHT/DRMR3DR Transactions Tracking & Processing /SAPHT/DRMSTGDR Processing of Staging Items /SAPHT/DRMLMDR Manual Lot Maintenance /SAPHT/DRMIADR Invalid Ship and Debit Agreements report /SAPHT/DRMDRBUSMET Business Metrics report /SAPHT/DRMIMRCN Inventory Management Reconciliation report /SAPHT/DRMSLSRPOUT DRM Sales report
---	---

39 Industry DIMP – Mill

39.1 S4TWL - Non ferrous metal processing

Application Components: IS-MP-NF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270403	Non Ferrous Metal Processing

Description

Non Ferrous Metal Processing functionality enables to consider fluctuating metal prices in area of Sales and Purchasing pricing. In SAP ERP the functionality is part of Industry Solution Mill Products. In parallel in SAP ERP the new Solution SAP Commodity Management is available.

SAP Commodity Management is for SAP the strategic solution with new innovations. It is planned to replace the Non Ferrous Metal (NFM) functionality in longterm.

In SAP S/4HANA on-premise edition 1511 release the NFM functionality is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#)

As SAP Commodity Management is not yet included in S/4HANA, the NFM functionality is still available in this release for time being.

Business Process related information

In S/4HANA on-premise edition 1511 the SD and MM-PUR documents does not get default value in field exchange key (the key for the stock exchange, e.g. LME). User must enter this information manually into the SD/MM documents. Reason: Customer / Vendor master transactions are combined into new Business Partner transaction "BP". The NFM field Exchange key is not available anymore in transaction "BP" and therefore can not passed over to SD / MM documents.

Required and Recommended Action

No special actions for Non Ferrous Metal customers during transition from SAP ERP to SAP S/4HANA on-premise edition 1511.

How to Determine Relevancy

The simplification item is possibly relevant if the Business Function DIMP_SDUD (Discrete Indus. - Mill Products) is active in your system. You can check its status via transaction SFW_BROWSER (Switch Framework Browser) under object DIMP. Furthermore, the NF Metal Activated indicator is set at Customizing step IMG -> Logistics - General -> NF Metal Processing -> NF Cross-Application Components -> Maintain Basic Settings for NF Metal Processing.

The simplification item is relevant if there are entries in table /NFM/TORDERPOS. You can use transaction SE16 to verify.

39.2 S4TWL - Sales Order Versions

Application Components: IS-MP-SD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270405	Sales Order Versions

Description

The special Mill Sales Order Versions function is not available in S/4HANA. For more information, see SAP Note 2226678

Business Process related information

This sales order versions function cannot be used anymore.

Required and Recommended Action(s)

How to Determine Relevancy

The simplification item is possibly relevant if the Business Function DIMP_SDUD (Discrete Indus. - Mill Products) is active in your system. You can check its status via transaction SFW_BROWSER (Switch Framework Browser) under object DIMP.

The item is relevant if there are any entries in table VSVBUK_CN and VSVBUP_CN. You can use transaction SE16 to verify.

Related SAP Notes

Custom Code related information	SAP Note: 2226678
---------------------------------	-------------------

39.3 S4TWL - Stock Overview and Object Search by Characteristics

Application Components: IS-MP-MM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270409	Stock Overview and Object Search by Characteristics

Description

This function displays stocks and objects (such as orders) with particular characteristics.

The following Customizing activity is not available in S/4HANA:

Path: *Materials Management --> Inventory Management and Physical Inventory --> Reporting --> Define Profiles for Selection by Characteristics*

Transaction: OMILL_MMCL

S_KM5_93000002MILL_CUST IMG Activity: SIMGMPWMM_OMILL_MMCL

The following transaction is not available in S/4HANA:

SAP Easy Access Menu: *Logistics ->Material Management ->Inventory Management ->Environment*

- *Stock*
- *Stock overview by characteristics*

Transaction: MMCL - Stock overview and Object Search by characteristics

MMCLMILL_BAS Stock Overview by Characteristics

The transaction MMCL has been replaced with the transaction BMBC (Batch Information Cockpit).

Business Process related information

Business Process supported based on BMBC - Batch Information Cockpit can be used to fulfil the requirements.

Required and Recommended Action(s)

BMBC - Batch Information Cockpit can be used to fulfil the requirements.

How to Determine Relevancy

The simplification item is possibly relevant if the Business Function DIMP_SDUD (Discrete Indus. - Mill Products) is active in your system. You can check its status via transaction SFW_BROWSER (Switch Framework Browser) under object DIMP.

The item is relevant if you are using transaction MMCL.

Related SAP Notes

Custom Code related information	<p>If you have enhanced MMCL Report (Stock Overview and Object Search by Characteristics), you need to bring the enhancements to the successor transaction BMBC (Batch Information Cockpit) also</p> <p>For more information, see SAP Note 2226677</p>
---------------------------------	--

39.4 S4TWL - Mill specific enhancements to scheduling PRTs

Application Components: IS-MP-PP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270410	Mill specific enhancements to scheduling PRTs

Description

The mill specific function that enhances the handling of production resources and tools (PRTs) in the context of production orders is not available in SAP S/4HANA.

The customizing activity is not available in S/4HANA: 'Permit Assignment of PRTs to Work Centers', which was under IMG Path: *Production ->Shop Floor Control ->Master Data ->Production Resources/Tools*.

The following transactions are not available in S/4HANA:

- /SAPMP/TOOL_POOL_CHK - Compare PRT Pool, which was under SAP Easy Access Menu: *Logistics ->Production ->Master Data ->Production Resources and Tools*.
- /SAPMP/TOOL_REPLACE -Replace PRT in Order, which was under SAP Easy Access Menu: *Logistics ->Production ->Shop Floor Control ->Order*

Business Process related information

The PRT handling is reduced only by scope of these mill features. The special Mill Scheduling PRT functions are not available in SAP S/4HANA.

How to Determine Relevancy

The simplification item is possibly relevant if the Business Function DIMP_SDUD (Discrete Indus. - Mill Products) is active in your system. You can check its status via transaction SFW_BROWSER (Switch Framework Browser) under object DIMP

The item is relevant to you if you are using the transaction /SAPMP/TOOL_REPLACE or /SAPMP/TOOL_POOL_CHK.

Related SAP Notes

Custom Code related information	SAP Note: 2226674
---------------------------------	-------------------

39.5 S4TWL - Process batch

Application Components: IS-MP-PP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270412	Process Batch

Description

The Mill specific Process Batch functionality (see [SAP Help](#)) is not available in SAP S/4HANA as the successor core solution WIP Batch (Work in Process Batch) is already

available. The process batch is a batch that you create for the production order so that you can document the properties of a material during the production process.

Business Process related information

The WIP Batch provides similar functionality of process batch with additional features, but has the limitation in SAP S/4HANA, on-premise edition 1511, that the Mill specific order combination function is not available. As of SAP S/4HANA 1610, WIP Batch is enhanced to support order combination for both production and process orders.

Required and Recommended Action(s)

It is required to use/convert to WIP Batch functionality in SAP S/4HANA. Please refer to SAP Note 2326769 for migration from process batch to WIP batch. Please refer to SAP Note 2346054 for information on enhancement to support order combination with WIP Batch.

How to Determine Relevancy

The simplification item is possibly relevant if the Business Function DIMP_SDUD (Discrete Indus. - Mill Products) is active in your system. You can check its status via transaction SFW_BROWSER (Switch Framework Browser) under object DIMP

The item is relevant to you if you have been using process batch functionality. You are using process batch functionality if there are valid entries in table MILL_PBWU. You may use transaction SE16 to check.

39.6 S4TWL - Fast entry of characteristic values in trading contract

Application Components: IS-MP-LO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2381873	Fast entry of characteristic values in trading contract

You are doing a system conversion from an older release to SAP S/4HANA 1610 or newer. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description



As of SAP S/4HANA 1610, the fast entry of characteristic values functionality from tab page 'Fast Data Entry' is merged into Item Overview tab page in trading contract transactions WB21, WB22, and WB23.

Business Process related information

The customer can expect an integrated and unified user interface for display and maintenance of configuration characteristic values of items on the same tab page.

Required and Recommended Actions

If you have been using the functionality prior to SAP S/4HANA 1610 and convert to SAP S/4HANA 1610 or newer releases, you have to note down existing settings before system conversion and apply those settings after conversion in customizing. Please refer to SAP note 2337868.

How to Determine Relevancy

The simplification item is possibly relevant if the Business Function /SAPMP/GEN_CI_1 (Mill, OrderToCash & Global Trade) is active in your system. You can check its status via transaction SFW_BROWSER (Switch Framework Browser) under object DIMP.

The simplification item is relevant if you are using fast entry of characteristic values in trading contract transactions WB21, WB22, WB23. You are likely using the fast entry of characteristic values in trading contract if there are own specific entries for transaction type Trading Contract in customizing step Define Application Group for Characteristic Display and Define Characteristics Display for Overview Screen under IMG Logistics General->Global Trade Management->Trading contract->Fast Entry of Characteristics.

39.7 S4TWL - Selection by characteristics in mass processing of orders

Application Components: IS-MP-PP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2381891	Selection by characteristics in mass processing of orders

You are doing a system conversion from an older release to SAP S/4HANA 1610 or newer. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description

As of SAP S/4HANA 1610, the feature selection by characteristics in mill specific transaction /SAPMP/PP_COHV is merged into transactions for Mass processing of Production orders (COHV) and Mass Processing of Process Orders (COHVPI).

Business Process related information

The users can make selection of manufacturing orders by characteristics along with other selection criteria of transactions COHV and COHVPI.

Required and Recommended Actions

Customers using transaction /SAPMP/PP_COHV in the past now need to shift to transaction COHV and/or COHVPI instead. Please refer SAP note 2358159.

How to Determine Relevancy

The simplification item is possibly relevant if the Business Function DIMP_SDUD (Discrete Indus. - Mill Products) is active in your system. You can check its status via transaction SFW_BROWSER (Switch Framework Browser) under object DIMP.

The simplification item is relevant if you are using the mill specific transaction /SAPMP/PP_COHV.

39.8 S4TWL - Fast entry of characteristic values in sales document

Application Components: IS-MP-SD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2381843	Fast entry of characteristic values in sales document

You are doing a system conversion from an older release to SAP S/4HANA 1610 or newer. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description

As of SAP S/4HANA 1610, the fast entry of characteristic values functionality from tab page 'Fast data entry' is merged into tab page Configuration in sales document transactions like VA01, VA02, and VA03.

Business Process related information

The customer can expect an integrated and unified user interface for display and maintenance of configuration characteristic values of items on the same tab page.

Required and Recommended Actions

If you have been using the fast entry of characteristic values functionality prior to SAP S/4HANA 1610 and convert to SAP S/4HANA 1610 or newer releases, you have to make the settings in customizing for sales document item configuration. For more information, please refer to SAP note 2319234.

How to Determine Relevancy

The simplification item is possibly relevant if the Business Function DIMP_SDUD (Discrete Indus. - Mill Products) is active in your system. You can check its status via transaction SFW_BROWSER (Switch Framework Browser) under object DIMP.

The simplification item is relevant if you are using Fast data entry tab page in one or more of the transactions VA01, VA02, VA03, VA11, VA12, VA13, VA21, VA22, VA23, VA41, VA42, VA43. You are likely using the Fast data entry tab page if there are own specific entries for transaction type Sales Document in customizing step Define Application Group for Characteristic Display and Define Characteristics Display for Overview Screen under IMG ->Sales and Distribution->Sales Document->Fast Data Entry of Characteristics in Sales Documents.

40 Industry Retail & Fashion

40.1 S4TWL - Logistical Variant

Application Components: IS-R,IS-R-BD,IS-R-BD-ART

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368655	Logistical Variants

Description

For articles with several units of measures it was possible via logistical variants to a) manage the stocks of an article separately for different units of measure and b) plan requirements according to the unit of measure

Business Process related information

In SAP S/4HANA logistical variants are not available anymore.

Required and Recommended Action(s)

There is no equivalent functionality to logistical variants available in SAP S/4HANA. It is under evaluation whether there will be functionality in a future release to address the business requirement.

How to Determine Relevancy

This Simplification Item is relevant if logistical variants are used. This can be checked via transaction SE16N. Enter table MARA and check whether there are entries with field BFLME (Logistical Variant) not equal blank.

40.2 S4TWL - SAP Forecasting & Replenishment Integration

Application Components: SCM-FRE,SCM-FRE-ERP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371177	SAP Forecasting & Replenishment Integration

Description

In SAP S/4HANA Retail for merchandise management, functionality to support SAP Forecasting & Replenishment integration is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#) .

Business Process related information

SAP evaluates whether to develop a replenishment solution as a consuming application on SAP Customer Activity Repository. Unified Demand Forecasting (UDF) is already available part of SAP Customer Activity Repository.

Required and Recommended Action

No special actions for SAP Forecasting & Replenishment integration is needed when converting from SAP ERP to SAP S/4HANA.

Move to strategic replenishment solution once available.

How to Determine Relevancy

This Simplification Item is relevant if Forecasting & Replenishment integration is used. This is the case if transactions FRE*, WRF_DISP*, WRF_REF* are used.

40.3 S4TWL - Retail Power Lists

Application Components: LO-SRS,LO-SRS-IM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371193	Retail-POWER-Lists

Description

In SAP S/4HANA Retail for merchandise management, retail power lists are available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#).

Business Process related information

Move to strategic technology once available, e.g. relevant CDS content.

Required and Recommended Action

No special action for retail power lists is needed when converting from SAP ERP to SAP S/4HANA.

40.4 S4TWL - Retail Closed BW Scenarios

Application Components: BW-BCT,BW-BCT-ISR,BW-BCT-ISR-AA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371195	Retail Closed BW Scenarios

Description

In SAP S/4HANA Retail for merchandise management, retail closed loop BW scenarios are available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#).

Business Process related information

Move to strategic technology once relevant content for CDS, or BW/4HANA is available.

Required and Recommended Action

No special action for retail closed loop BW scenarios is needed when converting from SAP ERP to SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if retail closed loop BW scenarios are used. This is for example the case if transactions WA56 is used. This also can be checked via transaction SE16N. Enter table TMCW_AA_QRY and check whether there are any entries, this is a good indicator for usage.

40.5 S4TWL - Retail Markdown Plan

Application Components: LO-MD,LO-MD-PR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371590	Retail Markdown Plan

Description

In SAP S/4HANA Retail for merchandise management, functionality of retail markdown plan is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#).

Business Process related information

Move to available functionality of markdown profile integrating in the price planning workbench.

Furthermore, SAP evaluates whether to develop a price and markdown optimization solution as a consuming application on SAP Customer Activity Repository.

Required and Recommended Action

No special actions for retail markdown plan is needed when converting from SAP ERP to SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if markdown planning is used.

This is the case if transactions WMF*, WMR* are used.

This also can be checked via transaction SE16N. Enter table WMFH, or WMFP and check whether there are any entries.

40.6 S4TWL - Retail Bonus Buy

Application Components: SD-BF-FG,SD-BF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371559	Retail Bonus Buy

Description

In SAP S/4HANA Retail for merchandise management, bonus buy functionality via transactions VBK1 VBK2 VBK3 VBK6 is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#).

Business Process related information

Move to available bonus buy functionality via transactions RDMBB*.

Required and Recommended Action

No special actions for bonus buy is needed when converting from SAP ERP to SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if market basket calculation is used.

This is the case if transactions VBK1 VBK2 VBK3 VBK6 are used.

This also can be checked via transaction SE16N. Enter table KONBBYH and check whether there are any entries.

40.7 S4TWL - Retail Sales Forecasting

Application Components: IS-R-PUR-AHD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371616	Retail Sales Forecasting

Description

In SAP S/4HANA Retail for merchandise management, retail sales forecasting is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#) .

Business Process related information

The following areas are affected:

- Sales forecasting for stores
- Import of external forecast data
- Forecast with AHD (Alternative Historical Data)

UDF (Unified Demand Forecast) is strategic for forecasting in retail, which is part of SAP Customer Activity Repository.

Required and Recommended Action

No special actions for retail sales forecasting is needed when converting from SAP ERP to SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if retail sale forecasting is used.

This is the case if transactions MAHD*, MDRD*, WFCS*, MPR2 are used.

This also can be checked via transaction SE16N. Enter table MAHD, WFCS_WRFT and check whether there are any entries.

40.8 S4TWL - Retail Order Optimizing: Load Build, Investment Buy

Application Components: IS-R,IS-R-PUR,IS-R-PUR-LB

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371602	Retail Order Optimizing: Load Build, Investment Buy

Description

In SAP S/4HANA Retail for merchandise management, functionality to support order optimizing via load build, and investment buy is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#).

Business Process related information

SAP evaluates whether to develop order optimizing functionality part of a future replenishment solution.

Required and Recommended Action

No special actions for order optimizing via load build, and investment buy is needed when converting from SAP ERP to SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if retail order optimizing is used.

This is the case if transactions WLB* are used.

This also can be checked via transaction SE16N. Enter table WVFB, WBO* and check whether there are any entries.

40.9 S4TWL - Retail Rapid Replenishment

Application Components: IS-R-PUR,IS-R,IS-R-PUR-RP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371539	Retail Rapid Replenishment

Description

In SAP S/4HANA Retail for merchandise management, rapid replenishment and planning workbench is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#).

Business Process related information

There is SAP Forecasting & Replenishment as an existing solution alternative.

Furthermore, SAP evaluates whether to develop a future replenishment solution as an consuming application on SAP Customer Activity Repository.

Required and Recommended Action

No special actions for rapid replenishment is needed when converting from SAP ERP to SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if rapid replenishment, or planning workbench is used.

This is the case if transactions WRP1R, WWP* are used.

40.10 S4TWL - Retail Additional

Application Components: LO-ADM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371631	Retail Additional

Description

In SAP S/4HANA Retail for merchandise management, additional functionality is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#).

Business Process related information

For the use cases of additional the alternatives are:

- There is an existing Fiori app to print labels.
- There is existing functionality of value added services for activities or products which are applied to ordered products that enhance their value, worth, functionality, or usefulness. It is planned to enhance functionality of value added services in future releases.
- To support processes of floor ready merchandise: development of a future solution closely integrated with SAP EWM is under evaluation.

Required and Recommended Action

No special actions for additional functionality is needed when converting from SAP ERP to SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if additional functionality is used.

This is the case if transactions WTAD*, WRF_WTAD*, WTR1, WTR2, WRF_WTR3 are used.

This also can be checked via transaction SE16N. Enter table WTADDI and check whether there are any entries.

40.11 S4TWL - Article Discontinuation

Application Components: IS-R,IS-R-BD,IS-R-BD-ART

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368683	Article Discontinuation via transactions WSE*

Description

At the end of the lifetime of an article, the discontinuation needs to be carried out to remove the relevant article segments.

Business Process related information

In SAP S/4HANA article discontinuation via transactions WSE1, WSE2, WSE3, WSE4, WSE5, WSE8 is not available anymore.

Article discontinuation should be carried out via transaction WRF_DIS_SEL, and WRF_DIS_MON which are richer in functionality than WSE*.

Required and Recommended Action(s)

Switch to article discontinuation via transactions WRF_DIS_SEL, and WRF_DIS_MON.

How to Determine Relevancy

This Simplification Item is relevant if transactions WSE1, WSE2, WSE3, WSE4, WSE8 are used.

40.12 S4TWL - GDS simplified Inbound Price Catalog Interface

Application Components: IS-R-BD-PCT-IN

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2340264	GDS simplified Inbound Price Catalog Interface

You are doing a system conversion to SAP S/4HANA, and you are using GDS functionality. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description

In SAP S/4HANA GDS only works if the latest Open Catalog Interface (either enterprise service or IDoc PRICECATALOGUE) is used. IDoc PRICAT is not supported anymore. Also transaction PRICAT is not supported anymore. Transactions W_SYNC or W_PRICAT_MAINTAIN need to be used.

Business Process related information

It is required that the latest Open Catalog Interface is used.

Required and Recommended Action(s)

Execute process as described in referenced note 2326511.

How to Determine Relevancy

This Simplification Item is relevant if GDS is used.
This is the case if transactions PRICAT, W_SYNC, W_PRICAT_MAINTAIN are used.

40.13 S4TWL - Business Partner for Site Master

Application Components: LO-RFM,LO-RFM-MD,LO-RFM-MD-SIT,IS-R-BD-SIT,LO-MD-PL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2339008	Business Partner for Site Master

Description

With S/4HANA 1610 the Business Partner harmonization becomes available for the site. Sites can be migrated during the upgrade so they fulfill the new Business Partner paradigm in S/4HANA (every customer/supplier master record must have a Business Partner as leading entity; this was not possible on ERP for customers/vendors assigned to retail sites).

Business Process related information

The Business Partner will be the leading object. Certain functionality of department store/shop concept is not available SAP S/4HANA. Transactions WRFCATEGORYSHOP, WRFCLOSESHOPS, WRFDELIVERYSITESHOPS, WRFREGIONSHOPS, WRFSHOPCAT, WRFSHOPDEP, WRF_ARC_DEPSHOP, WRF_TCHAIN_MIGR, WSHOPMIGR are not available.

Required and Recommended Action(s)

Follow instructions in the referenced note.

How to Determine Relevancy

This Simplification Item is relevant if retail sites are used.
This is the case if transactions WB* are used.
This can be checked via transaction SE16N. Enter table T001W and check whether there are entries with field VLFKZ (Plant Category) not equal blank.

40.14 S4TWL - Article Hierarchy

Application Components: IS-R,IS-R-BD,IS-R-BD-CDT

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2368680	Article Hierarchy via transactions MATGRP*

Description

The article hierarchy allows grouping of articles, using a customer-oriented structure. This means it is possible to map any hierarchical grouping of articles, in particular the consumer decision tree (CDT). The CDT is oriented around consumers and their needs and, as far as possible, it reflects how, and according to what needs the consumer decides to make a purchase.

Business Process related information

In SAP S/4HANA article hierarchy maintenance via transactions MATGRP* is not available anymore.

Article hierarchies should be maintained via transactions WMATGRP* which are richer in functionality than MATGRP*.

Required and Recommended Action(s)

Switch to article hierarchies via transactions WMATGRP*.

How to Determine Relevancy

This Simplification Item is relevant if article hierarchy of this type is used. This is the case if transactions MATGRP01 - MATGRP07 are used. This also can be checked via transaction SE16N. Enter table MATGRP_HIER and check whether there are any entries.

40.15 S4TWL - Market Basket Calculation

Application Components: LO-MD,LO-MD-RPC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368716	Market Basket Calculation

Description

Market basket price calculation allowed changing sales prices for a group of articles and sites, based on sales and gross margin figures for the articles in the market-basket, while simulating the effects of these changes on the total gross revenue from the market.

Business Process related information

In SAP S/4HANA market basket calculation is not available anymore (as it is based on key figures from RIS (Retail Information System), which is not available anymore).

Required and Recommended Action(s)

There is no equivalent functionality to market basket calculation available in SAP S/4HANA. It is under evaluation whether there will be functionality in a future release, or as a consuming solution on SAP Customer Activity Repository to address the business requirement.

How to Determine Relevancy

This Simplification Item is relevant if market basket calculation is used.

This is the case if transactions WKK1 - WKK4 are used.

This also can be checked via transaction SE16N. Enter table WWKK, or WWKP and check whether there are any entries.

40.16 S4TWL - Merchandise and Assortment Planning (ERP based)

Application Components: LO-MAP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368741	Merchandise and Assortment Planning (ERP based)

Description

Merchandise and assortment planning/category management offered planning functionalities, analysis and reporting options, for seasonal and non seasonal retailers,

Business Process related information

In SAP S/4HANA, merchandise and assortment planning/category management is not available anymore (software packages CM_MAP, WIS_PLAN, transaction CMMAP*,



WXP*), as it is based on key figures from RIS (Retail Information System), which is not available anymore.

Please note that this is not the BW based solution SAP Merchandise and Assortment Planning (SAP MAP).

Strategic solutions are SAP Merchandise Planning for Retail, and SAP Assortment Planning for Retail, based on SAP Customer Activity Repository.

Required and Recommended Action(s)

Switch to strategic solutions SAP Merchandise Planning for Retail, and SAP Assortment Planning for Retail.

How to Determine Relevancy

This Simplification Item is relevant if Merchandise and Assortment Planning/category management is used.

This is the case if transactions WXP*, or CMMAP* are used.

This also can be checked via transaction SE16N. Enter tables S202 S203 S204 S206 S207 S208 S209 S210 S211 S212 S214 S216 S217 S218 S219 and check whether there are any entries.

40.17 S4TWL - Retail Method of Accounting

Application Components: IS-R,IS-R-LG,IS-R-LG-RMA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368736	Retail Method of Accounting

Description

The traditional retail method of accounting (RMA) is an averaging method that was practiced in the retail industry. Its philosophy is based on tracking and calculating inventory information that drives margins, compensation, reporting, buying, pricing, and other merchandizing decisions. It was developed before the advent of perpetual inventory systems.

Business Process related information

In SAP S/4HANA, retail method of accounting is not available anymore.

Functionality of eRMA (extended Retail Method of Accounting) is still available.

Required and Recommended Action(s)

Switch to eRMA.

How to Determine Relevancy

This Simplification Item is relevant if Retail Method of Accounting is used.

This is the case if transactions WRMA* are used.

This also can be checked via transaction SE16N. Enter table WRMA_CLIENT and check whether there are any entries.

40.18 S4TWL - Perishables Procurement

Application Components: IS-R,IS-R-PUR,IS-R-PUR-PER

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368739	Perishables Procurement

Description

A perishables buyer needs to have all the relevant data available in order to make a qualified decision about the perishables assortments, quantities, prices, source of supply, delivery dates and the distribution. To address this need, the central Perishables Procurement Work Center was developed. This work center supported the buyer with tools and consolidated informations that are required to manage purchasing\distribution decisions for perishables across the company.

Business Process related information

In SAP S/4HANA, perishables procurement is not available anymore.

Required and Recommended Action(s)

There is no equivalent functionality to perishables procurement available in SAP S/4HANA. It is under evaluation whether there will be functionality in a future release.

How to Determine Relevancy



This Simplification Item is relevant if perishables procurement is used.
 This is the case if transactions WDFR, WDFR2, WDFR3 are used.
 This also can be checked via transaction SE16N. Enter table WDFR_DISP and check whether there are any entries.

40.19 S4TWL - Fresh Item Procurement

Application Components: MM-PUR,MM-PUR-FIP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368747	Fresh Item Procurement

Description

Fresh item procurement was used to procure special perishable products, which are usually characterized by a brief shelf life and are often offered by multiple vendors with restricted delivery capacity.

Business Process related information

In SAP S/4HANA, fresh item procurement is not available anymore.

Required and Recommended Action(s)

There is no equivalent functionality to fresh item procurement available in SAP S/4HANA. It is under evaluation whether there will be functionality in a future release.

How to Determine Relevancy

This Simplification Item is relevant if fresh item procurement is used.
 This is the case if transactions FIP_MD, FIP_SD, FIP_TD are used.

40.20 S4TWL - Retail Ledger / Profit Center Analytics

Application Components: FI-RL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368803	Retail-Ledger/Profit Center Analytics

Description

The planning application "Profit Center Analytics in Retail: Store Planning" allowed planning the finances for stores in the retail sector. A store was portrayed as a profit center and a cost center. It was possible to perform both revenue planning and cost planning for the stores.

Business Process related information

In SAP S/4HANA, Retail Ledger / Profit Center Analytics is not available anymore.

Required and Recommended Action(s)

Strategic planning solutions are SAP Merchandise Planning for Retail, and SAP Assortment Planning for Retail

How to Determine Relevancy

This Simplification Item is relevant if profit center analytics is used.

This is the case if transactions RETAIL_* are used.

This also can be checked via transaction SE16N. Enter table PCRRETAILA and check whether there are any entries.

40.21 S4TWL - Goods Receipt Capacity Check

Application Components: MM-PUR,MM-PUR-OPT,MM-PUR-OPT-GRC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368785	Goods Receipt Capacity Check

Description

Goods receipt capacity was used for checking the schedule and the delivery dates of a vendor. Thus, allowing to distribute the load of the goods receipt evenly, avoiding bottlenecks during inbound delivery.

Business Process related information

In SAP S/4HANA, goods receipt capacity check is not available anymore.

Required and Recommended Action(s)

There is no equivalent functionality to goods receipt capacity check available in SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if goods receipt capacity check is used.

This is the case if transactions WGRC* are used.

This also can be checked via transaction SE16N. Enter table WGRC_ACT* and check whether there are any entries.

40.22 S4TWL - Omnichannel Promotion Pricing

Application Components: LO-RFM,LO-RFM-OPP

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2417861	Omnichannel Promotion Pricing

Symptom

You are doing a system conversion to SAP S/4HANA. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Solution

Description

TBD

Business Process related information

In SAP S/4HANA omnichannel promotion pricing is not available anymore.

Required and Recommended Action(s)

There is no equivalent functionality to omnichannel promotion pricing available in SAP S/4HANA. It is under evaluation whether there will be functionality in a future release to address the business requirement.

How to Determine Relevancy

This Simplification Item is relevant if S4TWL - Project simulation in SAP Portfolio and Project Management for SAP S/4H omichannel promotion pricing used. This can be checked if Business Function ISR_RETAIL_OPP is activated. This can be checked via transaction SFW2.

40.23 S4TWL - Online Store

Application Components: LO-MD,LO-MD-PC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368835	Online-Store (IAC)

Description

The online store was a solution for electronic commerce. The online store could be configured for consumer-to-business and for business-to-business use.

Business Process related information

In SAP S/4HANA, online store functionality is not available anymore.

Required and Recommended Action(s)

SAP Hybris Commerce is the strategic solution for omnichannel commerce.

How to Determine Relevancy

This Simplification Item is relevant if online store is used.
This is the case if transactions WW10, WW20, WW30 are used.

40.24 S4TWL - Generic Article Harmonization

Application Components: LO-RFM,LO-RFM-MD,LO-RFM-MD-ART

Related Notes:

Note Type	Note Number	Note Description
-----------	-------------	------------------

Business Impact	2339010	Generic Article Harmonization
Business Impact	2381429	S/4HANA data model changes In Retail Generic Article

Description

With S/4HANA, generic article harmonization with configurable materials becomes available. With that a generic article is assigned to a configuration class and the variant-creating characteristics for that generic article are taken from that configuration class. The valuation of the variant-creating characteristics of the variants is stored within the configuration storage (IBase). For this reason, the existing generic articles, the variant-creating characteristics and the variants need to be migrated during the upgrade.

Business Process related information

Business processes will not be affected. As the variant-creating characteristics are no longer linked to a merchandise category or characteristics profile, but to configuration classes, a re-classification of the merchandise category/characteristics profile of a generic article is no longer restricted by the assignment of variant-creating characteristics to merchandise categories/characteristics profiles.

Required and Recommended Action(s)

The complete data migration process is divided into three phases: manual started pre-migration activities, automated migration processes during downtime, and manual started post-migration activities.

The 1st phase includes the required manual execution of Pre-Migration reports in the SAP ERP for Retail system in all clients. Please implement the SAP Note 2331707 to get the pre-migration reports.

The 2nd phase includes the automatic execution of another migration report which will be executed by the SUM tool during the downtime.

The 3rd and the last phase includes the recommended manual execution of a Post-Migration report in the converted SAP S/4HANA system in all clients. Please refer to SAP Note 2350650 for more details.

How to Determine Relevancy

This Simplification Item is relevant if generic articles and variants are used. This can be checked via transaction SE16N. Enter table MARA and check whether there are entries with field ATTYP (Material Category) 01 (generic article) or 02 (variant).

40.25 S4TWL - Retail Labeling

Application Components: LO-ADM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368870	Retail Labeling

Description

It was possible to trigger label printing via retail labeling.

Business Process related information

In SAP S/4HANA, retail labeling (software package WETI) via transactions WEBU, WENA, WESO is not available anymore

Required and Recommended Action(s)

The Fiori app Print Lables should be used to trigger label printing.

How to Determine Relevancy

This Simplification Item is relevant if labeling is used.

This is the case if transactions WEBU, WENA, WESA are used.

40.26 S4TWL - Seasonal Procurement

Application Components: IS-R,IS-R-PUR,IS-R-PUR-POF

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368913	Seasonal Procurement

Description

Seasonal procurement covers purchasing processes that are specially designed to suit the requirements of seasonal procurement of retail goods, for example, from the area of fashion.

Business Process related information

In SAP S/4HANA, seasonal procurement is not available anymore.

Software packages WRF_APC, WRF_AT_GENERATE, WRF_PRC_CON_APPL, WRF_PRC_CTR_APPL, WRF_PRC_OTB_APPL, WRF_PRC_POHF_APPL, WRF_SEAS.

Transactions: WRFAPC*, WA10, WCOC*, WPCTR*, WOTB*, WPOHF*, WRFROCAT, WOOS.

Required and Recommended Action(s)

Processes for fashion retailers that are available already or will be released in the future should be used for seasonal procurement. Planning solutions SAP Merchandising Planning for Retail, and SAP Assortment Planning for Retail should be considered as well.

How to Determine Relevancy

This Simplification Item is relevant if seasonal procurement is used.

This is the case if transactions WRFAPC*, WA10, WCOC*, WOTB*, WPCTR*, WPOHF*, WRFROCAT, WOOS are used.

This also can be checked via transaction SE16N. Enter table WRF_APC_PLH and check whether there are any entries.

This also can be checked via transaction SE16N. Enter table EKKO and check whether there are entries with field POHF_TYPE (Seasonal Purchase Order Processing) is not equal blank.

40.27 S4TWL - Replenishment

Application Components: IS-R,IS-R-PUR-RP,IS-R-PUR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370106	Retail Replenishment

Description

Replenishment calculates the procurement dates and quantities for articles per store, based on various parameters (e.g. on-hand inventory, forecasted demand, shelf space), and can also create the resulting procurement documents.

Business Process related information

A) In SAP S/4HANA, some retail specific replenishment functionality (main transaction WRP1) and multi-step replenishment (transactions WRFE, WRSO, WRSR, ...) are not available anymore.

B) Generic Materials Requirements Planning (MRP) functionality is available (main transaction MD01). For details see referenced note.

MRP Live (transaction MD01N) is available. Certain retail specifics available in SAP ERP in transactions MD01 are not available in MRP Live (neither in SAP ERP nor SAP S/4HANA):

- Time phased planning MRP types
- Determination of internal supply source (e.g. distribution center as supply source for store)
- Considering the specifics of structured articles (such as display, sales sets, prepack)
- Promotion check

Required and Recommended Action(s)

A) Rapid Replenishment (transaction WRP1R) covers a similar scope, but is superior from a performance perspective.

B) Use "classic" MRP (transaction MD01)

How to Determine Relevancy

This Simplification Item is relevant if replenishment is used.

This is the case if transactions WR30, WR31, WR94, WR95, WRP1, WRFE, WRSO, WRSR, MD01N are used.

40.28 S4TWL - Retail Information System

Application Components: IS-R,IS-R-IS,IS-R-IS-RIS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370131	Retail Information System (RIS)

Description

The information systems used to plan, control, and monitor business events at different stages in the decision-making process. Tools were available in Customizing to allow a self-defined information system to be created and tailored to specific requirements.

Business Process related information

In SAP S/4HANA, RIS functionality is not available anymore.

Required and Recommended Action(s)

RIS (Retail Information System) technology is not available anymore. To cover operational reporting requirements CDS (Core Data Services) technology should be used. It is planned to offer retail specific content in a future release.

How to Determine Relevancy

This Simplification Item is relevant if RIS is used.

This also can be checked via transaction SE16N. Enter table S077 S078 S079 S080 S081 S082 S083 S084 S085 S086 S087 S105 S106 S107 S108 S110 S117 S119 S120 S121 S122 S123 S124 S160 S200 S202 S203 S204 S205 S206 S207 S208 S209 S210 S211 S212 S214 S216 S217 S218 S219 S270 S271 S272 S273 S274 S275 S276 S277 S278 S279 and check whether there are any entries.

40.29 S4TWL - SAP Retail Store

Application Components: LO-SRS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370133	SAP Retail Store

Description

SAP Retail Store enhanced and optimized tools available for executing store-oriented processes by providing store associates with specially developed store management functions. It offered a web-based user interface that was tailored specifically to the requirements of stores.

Business Process related information

In SAP S/4HANA, SAP Retail Store is not available anymore.

Required and Recommended Action(s)

Simplified user interfaces to support store associates/managers are available as Fiori apps or as part of In-Store MIM (Merchandise and Inventory Management) (Web Dynpro ABAP).

How to Determine Relevancy

This Simplification Item is relevant if SAP Retail Store is used.

This is the case if transactions WCSO WCSOD WCU2 WSAK WSAM_ENTRY WSAU WSGM WSHT WSSW WSTA WSTE WSTE_NEW WSTED WSTI WSTL WSTP WSTSA WSTU WSTV WSTV_R_PDC_MATDATA WOSCR_CBL WSRS_HI_MENU are used. This is not a complete list.

40.30 S4TWL - Retail iViews

Application Components: MM-PUR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370183	iViews for Retail Buying

Description

An iView (integrated view) was a logical portal content building block representing a visual application or part thereof. There were some iViews to support retail buying.

Business Process related information

In SAP S/4HANA, retail buying iViews are not available anymore.

Required and Recommended Action(s)

In SAP S/4HANA there are alternatives to display the information.

How to Determine Relevancy

This Simplification Item is relevant if iViews for retail buying are used.

This can be observed if functions modules WRB RFC_GET_OPEN_PO_OVERVIEW, WRB RFC_GET_VENDOR_OPEN_PO, WRB RFC_GET_OOS_OVERVIEW, WRB RFC_VENDOR_GET_OUTOFSTOCKS, WRB RFC_VENDOR_GET_CONTACTDATA are called.

40.31 S4TWL - Prepack Allocation Planning

Application Components: IS-R-BD,IS-R,IS-R-BD-ART

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370151	Prepack Allocation Planning

Description

Prepacks are integrated into the allocation planning process. Via prepack allocation planning it was possible to define prepacks for a generic article using existing quota scales (size curves) or by manually entering size distributions. Allocation tables and vendor purchase orders could be generated and kept synchronized.

Business Process related information

In SAP S/4HANA, prepack allocation planning is not available anymore.

Required and Recommended Action(s)

There is no equivalent functionality to prepack allocation planning available in SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if prepack allocation planning is used. This is the case if transactions WSTN11, WSTN13, WSTN14, WSTN15 are used. This also can be checked via transaction SE16N. Enter table WSTN_PP_HEADER and check whether there are any entries.

40.32 S4TWL - Assortment List

Application Components: IS-R,IS-R-IFC,IS-R-IFC-AL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370146	Assortment List

Description

Assortment List can be used, among other use cases, to send article information to POS, or store merchandise management solutions. It comprises all the article the respective store carries. Information per store includes short text, GTIN, unit of measure, sales prices etc. It is possible to send a manual, initial or a delta version of the assortment list.

Business Process related information

In SAP S/4HANA, assortment list functionality via transaction WBBA, WDBI, WDBI_ALV, WDBM, WDBM_ALV, WDBU, WDBU_ALV is not available anymore.

Required and Recommended Action(s)

Assortment List HPR (High Performance Retailing) functionality via transaction WDB*HPR* is still available in SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if assortment list is used.
This is the case if transactions WBBA, WDBI, WDBI_ALV, WDBM, WDBM_ALV, WDBU, WDBU_ALV are used.

40.33 S4TWL - In-store food production integration

Application Components: LO-MD,LO-MD-FPD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370148	In-store food production integration

Description

In the retail grocery industry it can be relevant to manage processes involving a store's fresh items.

The in-store food production integration enabled integration to an external In-Store Food Production (ISFP) software solution.

Business Process related information

In SAP S/4HANA, in-store food production integration is not available anymore.

Required and Recommended Action(s)

There are other communication scenarios in SAP S/4HANA to allow integration with non-SAP solutions.

How to Determine Relevancy

This Simplification Item is relevant if in-store food production integration is used.

This is the case if enterprise services
 StoreERPReplicationBulkRequest_Out
 StoreGroupERPReplicationBulkRequest_Out
 SupplierERPReplicationBulkRequest_Out
 PhysicalInventoryCountERPRequest_Out
 PhysicalInventoryCountERPCreateRequest_In
 PhysicalInventoryCountERPConfirmation_In
 GoodsMovementERPCreateRequest_In
 GoodsMovementERPNotification_Out
 are used.

40.34 S4TWL - PRICAT Outbound

Application Components: IS-R,IS-R-BD,IS-R-BD-PCT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370164	PRICAT Outbound

Description

PRICAT outbound was used to send material master data and price information to business partners.

Business Process related information

In SAP S/4HANA, PRICAT outbound is not available anymore.

Required and Recommended Action(s)

There are other communication scenarios in SAP S/4HANA to send article information.

How to Determine Relevancy

This Simplification Item is relevant if PRICAT outbound is used.

This is the case if transactions VPRE, VPRICAT, WEB_PRICAT, WPRI are used.

This also can be checked via transaction SE16N. Enter table PRICAT_K001 and check whether there are any entries.

40.35 S4TWL - Retail Business Function Harmonization

Application Components: LO-RFM,LO-RFM-SWT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2339317	Retail Business Function Harmonization

Description

In SAP S/4HANA the structure of the Retail Business Functions was reorganized and simplified so that most of the Retail functions and features can be switched on by the Enterprise Business Function ISR_RETAILSYSTEM..

Business Process related information

Business processes will not be affected directly. For details see referenced note.

Required and Recommended Action(s)

No activity is needed. For details see referenced note.

How to Determine Relevancy

This Simplification Item is relevant if you have activated the Business Function Set ISR_RETAIL. This can be checked via transaction SFW5.

40.36 S4TWL - Retail Obsolete Transactions

Application Components: IS-R

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370655	Retail Obsolete Transactions

Description

With the installation of the SAP S/4HANA, certain transactions will not be available anymore.

Business Process related information

Transactions which are not available anymore in SAP S/4HANA are listed below.

Required and Recommended Action(s)

Obsolete Transaction	Description of Transaction	Alternative Transaction
CLWA	Create Material Group (MMS)	was already obsolete in SAP ERP
CLWB	Change Material Group (MMS)	was already obsolete in SAP ERP
CLWC	Display Material Group (MMS)	was already obsolete in SAP ERP
CLWD	Delete Material Group (MMS)	was already obsolete in SAP ERP
CLWJ	Change Generic Article (MMS)	was already obsolete in SAP ERP
CLWK	Display Generic article (MMS)	was already obsolete in SAP ERP
CLWL	Delete Generic Article (MMS)	was already obsolete in SAP ERP
WTRA1	Maintain Runtime Customizing Table	not relevant anymore
WTRA2	Runtime Measurement: Delete Logs	not relevant anymore
WTRA3	Runtime Measurement: Display Logs	not relevant anymore
WA05	Alloc Tbl FDG: Generate POs	was already obsolete in SAP ERP
WA06	Alloc Tbl FDG: Generate Deliveries	was already obsolete in SAP ERP
WA07	Alloc Tbl FDG: Generate Whrse Orders	was already obsolete in SAP ERP
WA12	Create Reminders/Accept Plnd Qties	was never released
WA15A	Mess.Deter., Alloc Tbl: Creat.Cond.R	WA/A
WA15B	Mess.Deter.,Alloc Tbl: Chng Cond.Rec	WA/B
WA15C	Mess.Deter.Alloc Tbl: Displ Cond.Rec	WA/C
WA40	Adjust Alloc Tbl After Entering GR	was already obsolete in SAP ERP

WA50	Generate Allocation Rule	obsolete because of deprecated RIS
WA53	Create Selection Variants	obsolete because of deprecated RIS
WA54	Generate Alloc Rule / Test RIS-L	obsolete because of deprecated RIS
WA60	Create Selection Variant for PO	obsolete because of deprecated RIS
WC11	Batch Changes, Assortments	batch transaction of "real" transaction
WC21	Batch Reorg Data in LIS	batch transaction of "real" transaction
WC25	Batch Assortment List/Shelf-Edge Lab	batch transaction of "real" transaction
WC26	Batch Forecast	batch transaction of "real" transaction
WC27	Batch Requirements Planning per Plnt	batch transaction of "real" transaction
WC33	Batch worklist for doc. index	batch transaction of "real" transaction
WC41	Assortment List: Initial. & FullVers	batch transaction of "real" transaction
WER_RULE_PROC_TEST	Test program for processing rules	test transaction
WB07	Change plant/customer assignment	not relevant anymore
WB08	Change plant/vendor assignment	not relevant anymore
WB30	Mass maintenance MG to plant	WB30N
WB35	Layout overview	obsolete because of deprecated RIS
WBTE	Export plant data (file transfer)	not relevant anymore
WBTI	Import plants (file transfer)	not relevant anymore
WBTIMEX	Site Master Transport	not relevant anymore
WBTIMEX_CUST	Customize Site Master Transport	not relevant anymore
WDH1	Maintain plant hierarchy (SD)	not relevant anymore
WDH2	Display customer hierarchy (SD)	not relevant anymore
WOG3	Plant groups	was already obsolete in SAP ERP
WF10A	Collective PO Without Tabstrips	WF10
WF50A	Adjust Distribution	WF50
WF80_DEL	Display Delivery Generation Logs	WF80
WF90_DEL	Delete Delivery Generation Logs	WF90
WLB3	Autom. opt. PO-based load building	WLB13
WGDS_CONFIRM	Send confirmation	not relevant anymore
WGDS_CONFIRM_MANAGER	Confirmation manager	not relevant anymore
ARTE	Replace Articles in Layout Modules	not relevant anymore
WLAM	Layout Maintenance	WLWBN

WLMM	Layout Module Maintenance	WLWBN
WLMV	Maintenance of Layout Module Version	WLWBN
WLWB	Layout Workbench	WLWBN
WPLG	Space Management	WPLGN
WRFMATCHARVAL	Char. Value Change to Variants	not relevant anymore
WRF_WSOA1	Create Assortments	WSOA1
WRF_WSOA2	Change Assortments	WSOA2
WRF_WSOA3	Display Assortments	WSOA3
WRF_WSOA4	Delete Assortment	WSOA4
W_PRICAT_ASSIGN_001	Assignment ILN Vendor Pur. Group	not relevant anymore
W_PRICAT_ASSIGN_003	Assignment SAP Mat. Gr. - Purch.Gr.	not relevant anymore
W_PRICAT_SEL_CREATE	Maintain Price Catalog	not relevant anymore
WRF_PRICAT_LOG1	Log for Price Catalog	not relevant anymore
WSFP_LOG_ALL_IN	Ind Processing, All Logs	WESLOG
WSFP_LOG_ALL_OUT	All Logs	WESLOG
WSFP_LOG_CHG_OUT	Change Messages Log	WESLOG
WSFP_LOG_INIT_OUT	Initial Data Transfer	WESLOG
WSFP_LOG_INTERNAL	For Internal Use Only	WESLOG
WSFP_LOG_MAN_OUT	Manual Selection	WESLOG
WSFP_TRANSFER	Master Data Transfer	WESOUT
WLAN	Listing Conditions for Layout Module	not relevant anymore
WSK3	Assortment copy, batch input	not relevant anymore
WSL3	Material listed in plant before?	WSL11
WSL4	Analyze material in module	not relevant anymore
WSL5	Modules in plant	not relevant anymore
WSL6	Assortment structure, Plants	not relevant anymore
WSL7	Vendor material list	not relevant anymore
WSLA	Assortment Users per Assortment	not relevant anymore
WSLB	Assortment per Assortment User	not relevant anymore
WSLG	Compare promotion POs - sales orders	was already obsolete in SAP ERP
WSM4	Relist after ch. plant/ mat. grp mas	was already obsolete in SAP ERP
WSM6	Delete Individual Listing, Material	WSE6
WSM7	Delete Individual Listing, Material	WSE6
WSM8	Setup assrt.owner assortment as WRF6	WSM3

WSM11	replicate sales data to site level	not relevant anymore
WSOA5	Assign assortment to customer	WSOA2
WSOE	Assign material groups	was already obsolete in SAP ERP
WSP6	Delete ind. listing, mat. - plant	WSE6
WSOSDISPLAY	Display Possible Sources of Supply	not relevant anymore
MGW0	Create Components for Set Material	was already obsolete in SAP ERP
MGW1	Display Components for Set Material	was already obsolete in SAP ERP
MGW2	Create Components for Display Matl	was already obsolete in SAP ERP
MGW3	Display Components for Display Matl	was already obsolete in SAP ERP
MGW4	Create Components for Prepack Matl	was already obsolete in SAP ERP
MGW5	Display Components for Prepack Matl	was already obsolete in SAP ERP
MGW6	Create Components for Full Product	was already obsolete in SAP ERP
MGW7	Display Components for Full Product	was already obsolete in SAP ERP
MGW 8	Change Components for Set Material	was already obsolete in SAP ERP
MGW9	Change Components for Display Matl	was already obsolete in SAP ERP
MGWA	Change Components for Prepack	was already obsolete in SAP ERP
MGWB	Change Components for Full Product	was already obsolete in SAP ERP
DUMMY_MASS_VENDOR	Load programs global data	not relevant anymore
MASS_VENDOR	Vendor Mass Maintenance	not relevant anymore
WMATGRP06	Copy Article Hierarchy	not relevant anymore
WMATGRP08	Simulation of Article hierarchy copy	not relevant anymore
WOOS	Order View	not relevant anymore
WDKR	Create customer from vendor	not relevant anymore

How to Determine Relevancy

This Simplification Item is relevant if any of the above listed transactions is used.

40.37 S4TWL - Value and Quota Scales

Application Components: IS-R,IS-R-BD-MC,IS-R-BD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2340247	Value and Quota Scales

Description

For variants of a generic article it is possible to define ratios for the respective variants via value and quota scales. Those ratios can be used in purchase orders, or allocation tables to propose default quantities for procurement.

Business Process related information

In SAP S/4HANA value and quota scales are not available anymore.

Distribution curve is the strategic solution with similar semantics but richer in functionality than value and quota scales.

Required and Recommended Action(s)

Switch to strategic functionality of distribution curves.

How to Determine Relevancy

This Simplification Item is relevant if value and quota scales are is used.

This is the case if transactions WC01 WQ01 WQ02 WQ03 WQ04 WQ05 WQ11 WQ12 WQ13 WQ14 WQ15 WQ21 are used.

This also can be checked via transaction SE16N. Enter table WMQK, or WMWK and check whether there are any entries.

40.38 S4TWL - AIN

Application Components: XX-CSC,XX-CSC-IN

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2370138	AIN (India Margin Protection) (Localization for India)

Description

Via AIN the following functions could be performed for India:

- Control the price fluctuations and protect the margin agreed between the buyer and the vendor during the procurement process.
- Update the MRP (Maximum Retail Price) of an article in the purchase order (PO) and the article master if there is a change in the MRP when you receive the goods from the vendor

Business Process related information

In SAP S/4HANA, AIN (India Margin Protection) is not available anymore.

Required and Recommended Action(s)

There is no equivalent functionality to AIN available in SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if AIN is used.

This is the case if transactions J1IR01 J1IR02 J1IR03 J1IR10 J1IR20 J1IRAIN01 J1IRAIN02 J1IRAIN03 J1IRAIN10 J1IRAIN20 are used.

This also can be checked via transaction SE16N. Enter table J_1IRAINHDR and check whether there are any entries.

40.39 S4TWL - Retail Season Conversion

Application Components: LO-MD,LO-MD-SE

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2365665	Retail Season Conversion

Description

In SAP S/4HANA certain functionality is not supported anymore, among others the Retail Season (e.g. customizing tables T6WSP, TWSAI).

With the conversion, the following new season fields are introduced:

- SEASON YEAR
- SEASON
- COLLECTION
- THEME

The old season fields in the article master on the Basic Data (table MARA) are not used anymore. The new season fields will be maintained on Basic Data 2 (table FSH_SEASONS_MAT).

Business Process related information

The season will not be defined in the customizing anymore, instead there is the Season Workbench (transaction FSH_SWB) available as a application transaction.

Part of the conversion from SAP ERP to SAP S/4HANA, article need to be resassigned from "old" to "new" season.

With the conversion, the following tables are filled automatically:

- Assignment season to article
 - FSH_SEASONS_MAT
- Season definition
 - FSH_SEASONS
 - FSH_SEASONS_T
 - FSH_SD_PERIODS
 - FSH_MM_PERIODS
 - FSH_COLLECTIONS
 - FSH_COLLECTION_T

Note: The season fields are no longer maintained in table MARA. All relevant season information is now maintained in table FSH_SEASONS_MAT.

Required and Recommended Action(s)

During the conversion, the following reports are executed automatically:

- R_FSH_S4_SEASONS_MD_MIG to convert the season Customizing data
- R_FSH_S4_SEASONS_MAT_MIG_XPRA (XPRA) to convert the season assignment to article

In case of problems during the conversion, you can execute these reports manually.

Note that R_FSH_S4_SEASONS_MAT_MIG_XPRA is a cross-client enabled report, whereas R_FSH_S4_SEASONS_MD_MIG has to be executed in each client required.

How to Determine Relevancy

This Simplification Item is relevant if retail season is used.

This can be checked via transaction SE16N. Enter table MARA and check whether there are entries with field SAISO (Season) not equal blank.

40.40 S4TWL - SAP Smart Business for Retail Promotion Execution

Application Components: LO-MD,LO-MD-PR

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2377767	SAP Smart Business for Retail Promotion Execution

Description

SAP Smart Business for Retail Promotion Execution offers insight-to-action capabilities based on real-time overviews to mitigate exceptions for promotion execution.

Business Process related information

In SAP S/4HANA, SAP Smart Business for Retail Promotion Execution (based on SAP HANA Live VDM (Virtual Data Model)) is not available.

Required and Recommended Action(s)

There is no equivalent functionality to SAP Smart Business for Retail Promotion Execution available in SAP S/4HANA. It is under evaluation whether there will be functionality in a future release.

40.41 S4TWL - Retail Factsheets

Application Components: LO-MD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2377780	Retail Factsheets

Description

Fiori Factsheets allow to user friendly display of business objects.

Business Process related information

In SAP S/4HANA, retail specific Fiori Factsheets for article, site, allocation, promotion, and bonus buy are not available anymore.

Required and Recommended Action(s)

There is no equivalent functionality. It is under evaluation whether there will be Object Pages for those business objects in a future release.

40.42 S4TWL - Retail Short Text Replacement

Application Components: LO-MD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2377816	Retail Short Text Replacement

Description

Via short text replacement industry specific terminology can be used on user interfaces. In Retail, e.g. material, plant, material group, factory calendar are not common terms. Terms article, site, merchandise category, logistics calendar are more common.

Business Process related information

In SAP S/4HANA, retail short text replacement (as described in note 897714) is not available anymore.

Required and Recommended Action(s)

There is no equivalent functionality. It is under evaluation how to provide industry specific terminology in a future release.

How to Determine Relevancy

This Simplification Item is relevant if retail short text replacement is used. Call transaction MM01. If it reads "Create Article" the replacement is used, if it reads "Create Material" it is not used.

40.43 S4TWL - Retail Store Fiori App

Application Components: LO-SRS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2342914	Retail Store, SAP-Fiori-App

You are doing a system conversion to SAP S/4HANA, and you are using the Fiori app for transfer stock. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Description

In SAP S/4HANA, some table structures have changed. Thus, open transfer stock documents need to be closed prior to the conversion.

Business Process related information

Business processes will not be affected.

Required and Recommended Action(s)

Please, follow instructions of referenced note.

How to Determine Relevancy

This Simplification Item is relevant if the Fiori app for transfer stock is used. This can be checked via transaction SE16N. Enter table TRF_DOC_HEAD and check whether the table exists or there are any entries in the table.

40.44 S4TWL - SAP AFS Integration

Application Components: CA-DMS

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2371161	SAP-AFS-Integration

Description

SAP Apparel & Footwear (SAP AFS) is not part of the SAP S/4HANA solution portfolio. It is planned to release verticalized fashion processes in the future.

In SAP S/4HANA the functionality to integrate with SAP AFS is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#)

Business Process related information

Move to verticalized fashion processes once available.

Required and Recommended Action

No special actions for the SAP AFS integration scenario is needed when converting from SAP ERP to SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if Apparel and Footwear integration is used. This is the case if transaction WAFS is used.

40.45 S4TWL - POS Outbound via Idoc WP_PLU

Application Components: SD-POS,SD-POS-OUT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371149	POS Outbound via Idoc WP_PLU

Description

In SAP S/4HANA Retail for merchandise management, there are several alternatives for sending product information to stores (typically to POS solutions, or in-store merchandise management solutions). In SAP S/4HANA 1610 release sending information via IDoc WP_PLU is available, but

defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#)

Business Process related information

Move to other communication methods (e.g. Assortment List (High Performance Retailing), enterprise service Merchandise Replication).

Required and Recommended Action

No special actions for POS outbound scenario via IDoc WP_PLU is needed when converting from SAP ERP to SAP S/4HANA.

40.46 S4TWL - Valuation in Retail

Application Components: MM-IM,MM-IM-GF,MM-IM-GF-SAV

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2365503	Retail Revaluation

Data model changes in Material Ledger and Accounting (see note #2337368) have affected the way, retail revaluations are posted. When you are using the stock valuation at sales price, as this is usual in retail systems, this note describes the changes, that may be relevant for custom coding.

Revaluations affecting margins are posting financial documents

Function Module STOCK_SALES_PRICE_REVALUATION, as well as the FORMS purchase_price_calculate and purchase_prepare_price_data have been changed, so that they are posting financial documents at the end. In SAP ERP this was the case for the revaluation not affecting margins only. The financial posting leads to entries in tables ACDOCA and ACDOCA_M_EXTRACT which are used to aggregate the MBEW-VKSAL field. (See changes in Material Ledger note #2337368).

Revaluations not affecting margins are updating stock values at cost in alternative material ledger currencies

When a revaluation leads to changes in the stock value at purchasing price, this change is now posted in all material ledger currencies. This is normally the case, when you use a

revaluation profile "not affecting margins". This change is implemented in FORM add_material_ledger_currencies in include LWBW1F09.

How to Determine Relevancy

This Simplification Item is relevant if sales price valuation, or value-only articles are is used.

This can be checked via transaction SE16N.

Sales price valuation: Enter table T001K and check whether there are entries with field XVKBW (Sales price valuation active) not equal blank.

Value-only article: Enter table T023W and check whether there are entries with field WWGPA (Material group material) not equal blank. If this is the case, that is a good indicator that value-only articles are used.

40.47 S4TWL - Retail Demand Management Integration

Application Components: LO-MD-RDM,LO-MD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2371157	Retail Demand Management Integration

Description

SAP Retail Demand Management is not part of the SAP S/4HANA solutions portfolio.

In SAP S/4HANA Retail for merchandise management, functionality to support Retail Demand Management integration is available, but defined as "not strategic any more". See SAP note [2269324 - Compatibility Scope Matrix for SAP S/4HANA, on-premise edition](#).

Business Process related information

Move to other available communication methods.

Required and Recommended Action

No special actions for Retail Demand Management integration is needed when converting from SAP ERP to SAP S/4HANA.

How to Determine Relevancy

This Simplification Item is relevant if retail demand management integration is used. This is the case if transactions RDMCHG RDMINI RDMMAN RDMREO RDMSEL RDM_S* are used.

41 Industry Public Sector

41.1 S4TWL - Specific fields on Business Partner

Application Components: PSM-FG

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270420	Specific fields on Business Partner

Description

With the introduction of Business Partner and Customer/Vendor Integration (CVI) as mandatory aspects of SAP S/4HANA, customer and vendor master record creation, maintenance and display is only possible via the Business Partner functionality. In both customer and vendor client and company code-specific tables, specific fields relevant for US Federal Financials had been added, which are now also available via the business partner transaction 'BP'. Refer to the simplification item for business partner for general information (*Business Partner Approach*).

Business Process related information

Business Partner transaction 'BP' is now used to create, change or display customer or vendor data. This also applies to the specific fields required in US Financials. Use the role for 'Business Partner Vendor (FI part)' (FLVN01) and 'Business Partner Customer (FI part)' (FLCU01) and the tabs 'Customer - USFG Fields' and 'Vendor - USFG Fields' to display and maintain the specific fields.

The business process is not affected, only a different transaction needs to be used

Transaction not available in SAP S/4HANA	FK01
	FK02
	FK03

	XXK01
	XXK02
	XXK03
	FD01
	FD02
	FD03
	XD01
	XD02
	XD03

How to determine relevancy

please refer to OSS note 2265093 for a general overview of the Business Partner conversion concept and how to to determine relevancy.

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	Customer code to create or change customer or vendor master data needs to be changed such that the business partner is created or maintained instead. The alignment with customer/vendor master data tables is the executed automatically as part of the CVI feature. For more details see SAP Note: 2226131
---------------------------------	---

41.2 S4TWL - Fund Accounting based on Special Ledger

Application Components: PSM-FA

Related Notes:

Note Type	Note Number	Note Description
-----------	-------------	------------------

Business Impact	2270444	Fund Accounting based on Special Ledger
-----------------	-------------------------	---

Description

In SAP S/4HANA, the Universal Journal is the functionality to reflect the General Ledger (GL). All master data entities required to support fund accounting (like Functional Area and Fund) are available in the Universal Journal database table ACDOCA. Document splitting as the core feature to achieve self-balancing accounting documents by Fund also is available in the standard General Ledger in SAP S/4HANA.

A migration from New General Ledger as well as from the classic General Ledger into a basic implementation of the General Ledger using the Universal Journal is mostly done automatically - see simplification item General Ledger for details.

Any functionality based on Special Ledger (and therefore Fund Accounting based on Special Ledger as well), whether built as a custom implementation or based on SAP recommendations, is still supported in SAP S/4HANA. However, new developments / simplifications will be based on the Universal Journal Entry only. Customers currently using Fund Accounting based on Special Ledger might consider a migration to New General Ledger with document splitting prior to the system conversion to SAP S/4HANA (due to the fact that a direct migration from Special Ledger with document splitting to the GL with Universal Journal and document splitting in SAP S/4HANA is not yet available).

Business Process related information

The available successor functionality offers the same processes and features.

How to determine relevancy

Go to transaction SE16N and type T881 into the table field. Enter "FI" into the selection field Application and "SL" into the selection field Subapplication. Click on the execute button (or F8). Look for any ledger with a Totals Table in the "ZZ*" name range. Remember this table name. Click on the back button (F3). Enter the name of the totals table that was found in the previous step as Table, and execute. If no entries are found in the table, nothing else has to be done.

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	There is no direct influence expected, custom code remains functional. With a Conversion from Fund Accounting based on Special Ledger to any new approach, all custom coding will need to be adjusted
---------------------------------	---

41.3 S4TWL - Data Structure changes in BCS

Application Components: PSM-FM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270445	Data Structure changes in BCS

Description

All 3 aggregate/totals tables in the Budget Control System (BCS) are no longer updated. The totals table update has been replaced as follows:

- Budget totals, stored in table FMBDT: For any budget change, BCS has always created corresponding line items, stored in table FMBDP. With SAP S/4HANA, totals are no longer updated in table FMBDT, instead they are calculated via FMBDP. As the line items already exist, no migration is needed for migrating customers. A compatibility view is attached as proxy object to the totals table (CDS view V_FMBDT).
- Revenue Increasing Budget (RIB) totals, stored in table FMRBT: For this table, normally no customer has ever written any line items. However, since RIB rules are strictly year-dependent, a simple reconstruction is needed for upgrade customers: Run TA FMRBREINIT for the current fiscal year to populate the line item table FMRBP, making the RIB functions work again. The table FMRBT is no longer update. A compatibility view is attached as proxy object to the totals table (CDS view V_FMRBT).
- Active Availability Control (AVC) totals, stored table FMAVCT: For this table normally no customer has written change or line items. The update of the change records for AVC in table FMAVCT_RECON_YR is initiated by executing the re-initialization of AVC data via transaction FMAVCREINIT. Until execution, the totals table will still be updated for migrating customers. For new customers (in the sense of no technical migration from a non-SAP S/4HANA system), change records will be created from the beginning and the totals table is not updated. There is a compatibility view for AVC, the CDS view V_FMAVCT_COMPAT. However, this view is not yet attached as proxy object to table FMAVCT.



Business Process related information

The change is of technical nature. All business processes and transactions remain functional and appear unchanged to users

How to determine relevancy

Go to transaction SE16N and check if there are any entries in the totals table FMRBT for Revenue Increasing Budget. If there are any entries in the table, run transaction FMRBREINIT for the current fiscal year to populate the line item table, as described above.

Related SAP Notes

Custom Code related information	No technical object has been deleted or changed, thus no syntax error will occur, However, data content is changed and needs to be considered For more details see SAP note 2226129
---------------------------------	--

41.4 S4TWL - Funds Management Dimensions as part of the Universal Journal

Application Components: PSM-FA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270449	Funds Management Dimensions as part of the Universal Journal

Description

All fields which used to be supported in the standard newGL tables for Public Sector, FMGLFEXx and PSGLFLEXx, (such as Functional Area and Fund) are now part of the Universal Journal Entry table ACDOCA.

The new journal entry feature offers all dimensions needed to generate financial as well as management information compliant with Public Sector accounting regulations.

Document splitting functionality remains as before

Migration from New General Ledger to Universal Journal Entry also manages Public Sector Management (PSM) fields and specific source tables.

Compatibility views for the no longer updated newGL tables are generated as part of the migration process

Business Process related information

Customers will technically use the Universal Journal as the GL transaction data table.

Transaction not available in SAP S/4HANA	See the respective FI-GL simplification items.
---	--

How to determine relevancy

Go to transaction SE16N and type T881 into the table field. Click on the execute button (or F8). Look for the row where the column named Leading Ledger has an X and Subapplication is PSM or PSX. Check that row for the name of the leading ledger, which is indicated by the column called Totals Table. Remember this table name. Click on the back button (F3). Enter the name of the totals table that was found in the previous step, and execute. If there are entries in the table, above information given under "Description" and below required and recommended actions apply. If no entries are found in the leading ledger table, nothing else has to be done

Required and Recommended Action(s)

Due to the existence of compatibility views, custom code for reporting purposes does not need to be changed to continue to display GL data. You should however consider to exchange access to GL data by natively accessing the universal journal table ACDOCA to benefit from the flexibility that this new concept offers. Also, consider that the concept of compatibility views puts the focus on compatibility of the new structures with old structures, not on improving the performance of old access

Code that is used to maintain GL settings should no longer be executed. You need to adapt such coding to the new GL functionality using the new GL configuration.

Code that is used to post journal voucher entries via GL entry documents is not affected and will continue to work.

Data migration activities are required and covered in the documentation for the universal journal.

Related SAP Notes

Custom Code related information	<p>All related objects do still exist, no technical problems (like syntax errors) will occur all existing data resulting from the use of classic GL or newGL in the Business Suite will remain untouched/unchanged compatibility views do exist which technically read data from the universal journal table ACDOCA but present them to consumer programs under their old name and structure</p> <p>For more details see SAP Note: 2226134</p>
---------------------------------	--

41.5 S4TWL - Functionality for BCS Multi-level Budget Structure

Application Components: PSM-FM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270464	Functionality for BCS Multi-level Budget Structure

Description

Multi-level Budget Structure (MBS) in the Budget Control System allows a customer to perform hierarchical budget processes like:

- top-down distribution
- bottom-up roll-up

The functionality does support timeframe-dependent definition of hierarchies of Funds Management master data.

The functionality was only used by less than 5 productive customers in the Business Suite, and deemed as complex to configure and complex to handle. It was this decided to discontinue the functionality without commitment that any kind of successor would be offered with a future release

It is therefore no longer considered the target architecture in SAP S/4HANA. Activation of BF in SAP S/4HANA is not supported for new customers, customers with BF activated in Business Suite and migrating to SAP S/4HANA should contact SAP Product Management to discuss strategy going forward.

Business Process related information

A customer needs to decide if hierarchy-based budget processes are relevant to him and how to reflect them with the remaining functionality. No standard suggestion can be given.

The existing Business Processes cannot be executed in a hierarchical environment any longer.

<p>Transaction not available in SAP S/4HANA on-premise edition 1511</p>	<p>FMHIE_CHANGE</p> <p>FMHIE_CHKINCONDATA FMHIE_CHKINCONDISTR</p> <p>FMHIE_COPY FMHIE_DELETE</p> <p>FMHIE_DISPLAY</p> <p>FMHIE_EXPORT FMHIE_GENERATION FMHIE_HIEID FMHIE_IMPORT</p>
--	---

How to determine relevancy

Go to transaction SFW5 and check if any of the two MBS business functions PSM_FM_BCS_MBS and PSM_FM_BCS_MBS_2 are turned ON or not. If both of the Business Function are not turned ON then nothing has to be done. If either one or both of the Business Functions are turned ON, then please proceed as mentioned above.

Required and Recommended Action(s)

None.

Related SAP Notes

Custom Code related information	SAP Note: 2226122
---------------------------------	-------------------

41.6 S4TWL - Functionality Average Daily Balance-based Distribution

Application Components: PSM-FA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270466	Functionality Average Daily Balance-based Distribution

Description

The Average Daily Balance-based Distribution (ADB) functionality is not available with SAP S/4HANA. The architecture of the functionality would require considerable rework to follow the simplification paradigms of SAP S/4HANA. This is not justified as it has only been used by very few customers. The functionality is not part of a legal requirement.

Technically, the functionality has only been disabled, all objects and all existing data remains in place

Business Process related information

The feature did require to keep a complete copy of the leading general ledger on a daily fiscal year variant basis to support the calculation of average daily balances. This data is no longer needed/supported thus reducing the data footprint. The distribution result are FI journal voucher documents which remain unchanged. Also, as the functionality is only disabled, the full configuration and calculation trail that had existed is still available for review purposes.

If the business process is still used, a customer needs to establish distribution-relevant information from the leading ledger via an analytical approach (possible, but no content made directly available), calculate the distribution and enter a journal voucher to distribute the amounts in question from source to target.

Transaction not available in SAP S/4HANA	FMADB_CREATE_FYV
	FMADB_CUSTOM
	FMADB_POST
	FMADB_TRACE

How to determine relevancy

Execute transaction SM34, enter view cluster VC_FMADB. Click on Display.

- Select each ADB rule (table FMADB_HEADER), and look for records in the following folders:
 - Pool account assignments (tables FMADB_POOL)
 - Bank Accounts (FMADB_GLACCOUNT)
 - Incoming Interest Posting (table FMADB_INT_DOC) without blanks in document type and account fields
 - Transfer Parameters (table FMADB_DOC) without blanks in document type, posting keys and target account fields
- If all these customizing records are found for at least one ADB rule (header), please proceed as described above.

Required and Recommended Action(s)

In order to distribute remaining amounts based on prior to using S/4HANA, run report RFFMS_ADB_INTERESTS_POST. After migration to S/4HANA, undistributed amounts need to manage as described above.

Related SAP Notes

Custom Code related information	SAP Note: 2226071
---------------------------------	-------------------

41.7 S4TWL - Authorization in Funds Management

Application Components: PSM-FM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2339149	Authorization in Funds Management

Description

In the Business Suite, authorizations for Funds Management master data elements could be maintained in two ways:

- old authorization concept (up until 4.6c) based on the key of the respective master data object
- new authorization concept (beginning with SAP R/3 Enterprise EA-PS 200) using 'authorization groups'

In SAP S/4HANA, the decision was taken to only support the use of authorization groups.

Business Process related information

Customers need to switch to the new authorization concept provided with SAP R/3 Enterprise, which is the only concept supported in S/4HANA.

Influence on Business Processes

Revise your authorization concept for Funds Management by determining authorization groups, rather than assigning individual master data keys to the respective authorization object.

How to determine relevancy

Go to transaction SE16N. Enter the name of the table FMISPS. Click on execute or F8. In the table entry check the value of the field AUTH_CHECK_OLD. If the value is blank, nothing has to be done. If the value is X that means you are still using the old authorization concept that is not supported anymore.

Required and Recommended Action(s)

In the ECC source system which you are planning to convert to SAP S/4HANA,

1. Assign authorization groups to your master data objects by using the following transactions:

- Maintain Commitment Item (transaction FM CIA)
- Create/change Funds Center (transaction FM SA/FM SB)
- Create/change Fund (transaction FM 5I/FM 5U)
- Edit Budget Period (transaction FM BPD)
- Process Functional Area (transaction FM FUNCTION)
- Edit Funded Program (transaction FM MEASURE)

2. Assign the authorization groups used in the above master data transactions to the authorization objects and remove the individual master data keys from the authorization objects. Make sure the new or revised authorization objects are included in the respective user roles (transaction PFCG).

3. De-activate the 'old authorization' concept in the IMG menu of Funds Management using Public Sector Management --> Funds Management Government --> Basic Settings --> Authorization check --> Activate Old Authorization Check

Make sure the flags are unchecked in this entry

4. De-activate the BAdI for 'Partially Activate Old Activities' in the IMG menu of Funds Management using Public Sector Management --> Funds Management Government --> Basic Settings --> Authorization check --> BAdI: Partially Activate Old Activities

Make sure no active BAdIs remain here.

41.8 S4TWL - Former Budgeting System (FBS) in Funds Management

Application Components: PSM-FM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270413	Former Budgeting System (FBS) in Funds Management

Description

In the Business Suite, the process budget maintenance was reflected by two tools, the older Former Budgeting System or FBS (co-development with the Project System budget capabilities) and the more recent Budget Control System (BCS). While a migration from FBS to BCS is available since release ECC 5.0 already, a large number of customers was quite satisfied with FBS and never saw a business need to execute the migration. SAP did never announce the end of life for FBS in the Business Suite.

For SAP S/4HANA, the decision was taken to only support BCS as a tool, also because the architecture of BCS is much more suitable to the simplification approach.

Business Process related information

Customers need to reconsider their needs in budget maintenance and how these are best reflected in BCS. Different objects and configuration (compared to FBS) is available to support budget maintenance. The BCS tool is already available since ECC 5.0, thus impact analysis, PoCs, migration tests and migration can take place before the system conversion to SAP S/4HANA.

Once on SAP S/4HANA, the FBS data is still available but operational transactions are blocked. As the typical timeframe of an approved budget is one year, the time remaining after system conversion to SAP S/4HANA might not be sufficient to consider and execute a smooth Conversion. It is therefore recommended from a business perspective to perform the FBS -> BCS migration before the system conversion to SAP S/4HANA.

How to determine relevancy

1. Using transaction SE16N, read table FM01 to get the list of all FM areas in the client.
2. Using transaction SE16N, read BCS configuration table FMBCSA for each FM area defined in table FM01.
 - **Case 1: BCS is active.** If the maintained year (fiscal year) is earlier than or equal to the current fiscal year of the FM area, BCS is already in use. **No action is required.**
 - **Case 2: FBS to BCS migration is planned for future years.** Maintained fiscal year is later than current fiscal year. Check if migration from FBS was already completed by selecting from the BCS budget header table FMBH using transaction code SE16N.
 - If an FMBH entry was found, then migration to BCS was already completed. **No action is required.**
 - If no FMBH entry was found, migration to BCS was not completed and **FBS might still be in use.** Proceed as described above in Business Process related information to migrate FBS to BCS
 - **Case 3: FBS is still active.** If no entry is found for an FM area:
 - look for entries in the totals tables BPJA and BPGE (for OBJNR like FSXXXX* where XXXX is the FM area)
 - If an entry is found in one of the totals table (BPJA or BPGE), then migration to BCS was not performed and **FBS might still be in use. Proceed as described above** in Business Process related information to migrate FBS to BCS.
 - If NO entry is found in any of the 2 tables (BPJA or BPGE), FBS has not been used. **No action is required.**

Influence on Business Processes

The business process change is not predictable and strongly depends on the chosen implementation of BCS.

Required and Recommended Action(s)

None

Related SAP Notes

Conversion Pre-Checks	
Custom Code related information	The FBS tool is only technically disabled, not removed. Customer code referencing FBS objects thus remains technically functional. Customers need to analyse what their code is doing and need to

	consider if and how to reflect this in BCS. A complete rewrite will be required as the two tools do not share objects. For more details see SAP Note: 2226048
--	--

41.9 S4TWL - Functionality German Local Authorities

Application Components: PSM-FM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270467	Functionality German Local Authorities

Description

In Funds Management, all transactions, configuration and master data attributes related specifically to German Local Authorities have been disabled/hidden by a switch.

How to determine relevancy

Go to transaction SE16N and type FMISPS" to the table field.

Click on the execute button (or F8).

Check field KOM_ACTIVE. If the field value is empty, no action is required. If the field value is "X", please proceed as follows.

Business Process related information

Customers requiring functionality from the scope of the objects removed need to check on an individual basis if and how their needs can be satisfied with the remaining Funds Management functionality. Affected business processes cannot be executed any longer.

Related SAP Notes

Custom Code related information	SAP Note: 2226072
---------------------------------	-------------------

41.10 S4TWL - Functionality for FACTS I and FACTS II (Federal Agencies Centralized Trial Balance System)

Application Components: PSM-FG

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270415	Functionality for FACTS I and FACTS II (Federal Agencies Centralized Trial Balance System)

Symptom

You are doing a system conversion to SAP S/4HANA. The following SAP S/4HANA Transition Worklist item is applicable in this case.

Solution

Description

As mandated by US Treasury, the US Federal specific Trial Balance System has been changed from FACTS I (Federal Agencies Centralized

Trial Balance System I) and FACTS II (Federal Agencies Centralized Trial Balance System II) to GTAS (Government-wide Treasury Account Symbol Adjusted Trial Balance System) starting with fiscal year 2014. SAP's US Federal Ledger 95 (FMUSGA and FMUSFGT) is now the single reporting ledger for financial reports such as GTAS bulk files and Trial Balances. It replaces the US Federal Ledgers 96 and 97 (FMUSFGFACTS1A, FMUSFGFACTS1T as well as FMUSFGFACTS2A and FMUSFGFACTS2T).

Business Process related information

All known customer implementations have already switched to GTAS, aligning with the legal regulations for FACTS/GTAS. This entry just appears for the record.

The business process remains as is.

Transaction not available in SAP S/4HANA	RFACTS1_BL
	RFACTS1_FILE_SEND
	RFACTS2_BL
	RFACTS2_UPLMAF
	RFACTS2_MAF

	RFACTS2_EXTRACT
	RFACTS2_FOOTNOTE
	RFACTS2_EDITS
	RFACTS2_FILE_SEND

How to determine relevancy

Go to transaction SE16N and type *FMUSFGFACTS1A* into the table field Enter the current fiscal year (RYEAR) and prior year for selection. Click on the execute button (or F8).

If no entries were found in the selection, type in table name *FMUSFGFACTS2A* instead, enter the current fiscal year (RYEAR) and prior year, and execute.

If entries are found in either of the selections, look at note 2225817. If no entries are found in either of the selections, nothing else has to be done.

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	<p>All related objects do still exist, thus no technical problems (like syntax errors) will occur all existing data resulting from the use of ADB in the Business Suite will remain untouched/unchanged</p> <p>Custom code for reporting purposes does not need to be changed to continue to display existing FACTS results and rules. Code that is used to maintain the FACTS settings or to execute FACTS functionality can no longer be executed.</p> <p>This is documented in SAP note 2225817.</p>
---------------------------------	---

41.11 S4TWL - Expenditure Certification

Application Components: PSM-EC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270418	Expenditure Certification

Description

Expenditure Certification is a functionality which was based on a legal framework of subsidy funding from the European Community. This type of funding was last approved by the European Union in 2012, after which the legal framework was changed such that the detailed kind of process is no longer legally required. Due to this, and as Expenditure Certification also was only used by a few customers in ERP, it is no longer considered the target architecture in SAP S/4HANA. Activation of BF in SAP S/4HANA is not supported for new customers, customers with BF activated in Business Suite and migrating to S/4HANA should contact SAP Product Management to discuss strategy going forward. Currently there is no functional equivalent as alternative available.

Business Process related information

Customers, who used Expenditure Certification in ERP and are planning to move to S/4HANA, have to remodel their business processes accordingly if they still see a need or use for such functionality.

Transaction not available in SAP S/4HANA on-premise edition 1511	FMECDERIVE
	FMECDERIVER
	FMEUFDD
	FMEUFFINTYP
	FMEUFINTERV
	FMEUFLEVELS
	FMEUFLP1
	FMEUFLP2
	FMEUFPROC
	FMEUFRCODE
	FMEUFTAXHAN

How to determine relevancy

Go to transaction SFW2 and check if the Business Function PSM_EXP_CERT is active or not. If the activation status of the Business Function is not ON then they have to do nothing.

If the Activation status of the Business Function is ON: Go to transaction SE16N, check if there are any entries in the table FMEUFRUN. If there are any entries in the table FMEUFRUN, then please refer to the note 2270418. If no entries are found, no action is needed.

Required and Recommended Action(s)

None

Related SAP Notes

Custom Code related information	SAP note 226049
---------------------------------	-----------------

42 Industry Telecommunications

42.1 S4TWL - Lock and unlock services using IST_TDATA

Application Components: IS-T-CA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270468	Lock and unlock services using IST_TDATA

Description

In the table IST-TDATA telecommunication services data is stored that is used by Receivables Management - Contract (RM-CA) to create requests for locking or unlocking services. In case the provider order in Accounting Receivables Management (RM-CA) is used, this table is not needed any more. All necessary data can be retrieved from the provider contract.

Business Process related information

If you are already using database table IST_TDATA for managing telecommunication services and the provider contract as well, you can continue storing telecommunication service data in database table IST_TDATA. In case you decide to stop using table IST_TDATA RM-CA, items that are already posted (still overdue and reason for locking the telecommunication service) are still processed based on the functionality that is using the database table IST_TDATA. New open items, posted on a provider contract and causing a request for locking the telecommunication service, are processed based on the provider order data and do not lead to new entries in the database table IST_TDATA.

To discontinue using the database table IST_TDATA please change the settings in customizing:

SAP Telecommunications -> Basic Settings -> Telecommunications Services in SAP RM-CA -> Define Basic Settings for Managing Service Data

Required and Recommended Action(s)

No changes in business processes, it might (if you decided for) only have an influence on the technical level in the sense of "how necessary information are being retrieved from the system".

To check if table IST_TDATA is used, call the transaction SE16 to check for entries in the table IST_TDATA.

42.2 S4TWL - PORTAL ROLES FOR NETWORK LIFECYCLE MANAGEMENT (NLM)

Application Components: IS-T-NM-PCT

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2273101	PORTAL ROLES FOR NETWORK LIFECYCLE MANAGEMENT (NLM)

Description

Portal roles (SAP ERP) for the Network Lifecycle Management (NLM) area of the telecommunications sector are not available within SAP S/4HANA, on-premise edition (no functional equivalent available).

This functionality was intended to implement the following portal roles as business packages for the Network Lifecycle Management area of the telecommunications sector:

- Business Package for Site Technician (Telecommunications)
- Business Package for Workforce Manager (Telecommunications)
- Business Package for Network Operation Manager (Telecommunications)

Business Process related information

No influence on business processes as the functionality itself is still available. This note is only related to the possibility of implementing the portal roles.

43 Industry Utilities

43.1 S4TWL - CVI Integration for SAP ISU

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2344100	CVI Integration for SAP ISU

Description

In SAP S/4HANA, on-premise edition, the central business partner approach is mandatory. Customer and vendor master record creation, maintenance and display is only possible via the Business Partner functionality (Transaction 'BP'). For more information, see the simplification item Business Partner Approach (SAP Note 2265093).

Consequently, the former concept of SAP IS-U Business Partner and SAP SD Customer integration in SAP ERP has been substituted by SAP Customer Vendor Integration (CVI) in SAP S/4HANA.

Please note that it is planned to check the introduction of the Customer/Vendor Integration in the pre-checks and the technical Conversion procedure of SAP S/4HANA, on-premise edition 1511. A system where the customer/vendor integration is not in place will be declined for the transition.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

In addition to following the required steps as suggested in the 'Required and Recommended Action(s)' section of SAP Note 2265093, execute the following two reports for data conversion:

Report Name	Purpose
REU_CVI_CUST_LINK	Establishes a link between the business partner and the customer as required by the standard Customer Vendor Integration (CVI) solution
REU_CVI_EKUN_TO_BUT0ID	Converts the ISU-specific identification fields from the table EKUN to the table BUT0ID in the system

SAP Note 2202282 is used for the SAP S/4 HANA IS-UT master check for the system conversion check in order to ensure the data conversion. If the aforementioned two reports are not run, the system master check **S4TC** will fail.

Related Information

For further information, please see

- [Conversion Guide for SAP S/4HANA 1511, on-premise edition](#)
- *IS-U Specifics on the Set-Up-and-Load-Guide for the Business Partner in SAP S/4HANA.* (attached with this note)
- *IS-U Specifications for the Set-Up and Load Guide for Business Partner Relationships and Partner Roles* (attached with this note)

43.2 S4TWL - Multichannel Foundation for Utilities

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2329190	SAP Multichannel Foundation for Utilities

You currently use or are planning to use product [SAP Multichannel Foundation for Utilities and Public Sector](#) for your B2C consumer self-services and

Description

SAP Multichannel Foundation for Utilities and Public Sector (SAP MCF) offers utilities companies a powerful and cost-effective way to extend their customer interactions to digital channels such as Mobile, Web, and Social. SAP MCF exposes business processes out of SAP IS-U and SAP CRM for Utilities by way of OData services enabling the utilities company to offer self-service apps and website for their consumers.

MCF is delivered as 3 add-ons: UMCERP01 on SAP ERP, UMCCRM01 on SAP CRM and UMCUI501 on SAP Gateway. The SAP ERP and SAP CRM add-ons contain OData services for self-service business processes whereas the SAP Gateway add-on UMCUI501 contains two template SAPUI5 apps/UIs that are integrated with the OData services. These SAPUI5 template apps serve as examples demonstrating the consumption of SAP MCF's OData services and how they may be integrated into a self-service website or mobile app.

With SAP S/4HANA 1610, the SAP ERP add-on UMCERP01 has been retrofitted into the IS-UT layer. The SAP CRM add-on UMCCRM01 remains unaffected and you can continue to use it after conversion of your SAP ERP system to SAP S/4HANA 1610. If you are currently using one of the two SAPUI5 template apps delivered in add-on UMCUI501 or are using your own UI/mobile app, you will need to adapt the code as per the instructions in this Note (See "Required and Recommended Action(s)" section below) and the corresponding custom code SAP note: 2352104. Optionally, you can also use our new SAPUI5 responsive UI template delivered in a new UI SAP Gateway add-on called UIS4MCF. This new UI template is pre-integrated into SAP Multichannel Foundation for Utilities and Public Sector on S/4HANA 1610.

These instructions will also apply if you use the SAP MCF mobile app called SAP Self-Service for Utilities for Android and iOS. The code of the mobile app will need to be adapted as well.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

Follow the instructions in SAP note: 2352104 and the attached Cookbook.

43.3 S4TWL - Waste & Recycling - General

Application Components: IS-U-WA,CRM-WA,XX-EOD-IS-U-WA,SV-SMG-ICO-IWR,XX-PART-PLG-WAS,BW-BCT-WA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2232552	Waste & Recycling - General

SAP Waste and Recycling is not released for SAP S/4HANA, on-premise 1511 and subsequent. Customers should

- either run SAP Waste and Recycling on a SAP Business Suite on HANA release (if you want to use HANA as a database for the SAP Business Suite)
- or run SAP S/4HANA without SAP Waste and Recycling as separate installation.

Furthermore the following data sources are not release and must not be used if you run SAP S/HANA 1511 and subsequent.

- 0UC_CM_NCL_WDO
- 0UC_CM_CL_WDO
- 0UC_EWAELOCSD
- 0UC_EWAOBJ
- 0UC_EWAOBJH
- 0UC_EWAOBJH_DATES
- 0UC_EWAOBJH_DIFFCULT
- 0UC_EWAOBJH_UPOS
- 0UC_EWAPROPSD
- 0UC_PCKGDSPOS
- 0UC_PCKGDSREG
- 0UC_SAMPLE
- 0UC_WA_WDOHEAD
- 0UC_WDOITEM
- 0UC_WDOWDAT
- 0UC_WDO_RES
- 0UC_WDPROC
- 0UC_WEIGHPROC
- 0UCCLEANOBJ_ATTR
- 0UCCLEANOBJ_TEXT
- 0UC_CLEAN_ATTR
- 0UC_CLEAN_TEXT
- 0UC_EHSWABPID_ATTR
- 0UC_PROP_ATTR
- 0UC_PROP_TEXT
- 0UC_SERVTYP_ATTR
- 0UC_SERVTYP_TEXT
- 0UC_VEHICLE_ATTR
- 0UC_VEHICLE_TEXT

- 0UC_WDIFFNT_ATTR
- 0UC_WDIFFNT_TEXT
- 0UC_WDPLANT_ATTR
- 0UC_WDPLANT_TEXT
- 0UC_WODREL_TEXT
- 0UC_WPRODAR_ATTR
- 0UC_WPRODAR_TEXT
- 0UC_WROUTE_ATTR
- 0UC_WROUTE_TEXT
- 0UC_WRTHMD_TEXT
- 0UC_WRTHMM_TEXT
- 0UC_WRTHMW_TEXT
- 0UC_WSRVDCH_TEXT
- 0UC_WSRVGRP_TEXT
- 0UC_WSTCST_ATTR
- 0UC_WSTCST_TEXT
- 0UC_WSTSRV_TEXT
- 0UC_WWINTLVL_TEXT

43.4 S4TWL - Monitoring Profile Value Import

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270502	Monitoring Profile Value Import

Description

SAP EDM (Energy Data Management) provides a transaction for monitoring the import of profile data from external sources into the SAP EDM data repository. The former transaction EDM1 has been replaced by the new transaction EDM1N that provides more functional features, improved enhancement capabilities and improved user interfaces.

Usage of SAP EDM and specifically import of EDM profile data is indicated by entries in table EEDMIMPORTLOG_DB (checked via transaction SE16).

Business Process related information

No change in business process

Transaction not available in SAP S/4HANA on-premise edition 1511	EDM1
--	------

43.5 S4TWL - Utilities Customer Electronic Services (UCES)

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270504	Utilities Customer Electronic Services (UCES)

Functionality Utilities Customer Electronic Services (UCES) is not available in SAP S/4HANA 1511. Functional equivalent named Multichannel Foundation for Utilities and Public Sector (MCF) is planned for shipment in SAP S/4HANA 1610.

MCF provides a set of standardized and reusable OData services that consist of self-service scenarios that enable customers to securely access and manage key account information and perform important self-service activities online, like bill payment, entering meter readings, creating inquiries, sending requests to a utility company and so on.

43.6 S4TWL - Stock and Transaction

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270505	Stock and Transaction

Description

IS-U Stock and Transaction Statistics based on Logistics Information System (LIS) is not available within SAP S/4HANA, on-premise edition 1511.

The corresponding functionality and transactions can be found in SAP Business Suite in the SAP Easy Access menu under "Utilities Industry" - "Information System" - "Utilities



Information System" - "Stock Statistics" and "Transaction Statistics", respectively. In SAP S/4HANA, "Stock Statistics" and "Transaction Statistics" are not available anymore.

Usage of UIS is indicated by entries in database tables TE789C and TE790C with ACTIVE field set to X. If no entries exist, this note is not relevant for you. The check can be done via transaction SE16.

43.7 S4TWL - IS-U Sales Processing

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270507	IS-U Sales Processing

Description

IS-U Sales Processing is not available within SAP S/4HANA, on-premise edition 1511.

Transactions ISU_SALES_QUOTATION - Create Sales Quotation - and ISU_SALES_ORDER - Create Sales Order - are not available in SAP S/4HANA.

Usage of IS-U Sales Processing is indicated by entries in database table ESALES_PRODSALES. If there are no entries, this note is not relevant for you.

43.8 S4TWL - Marketing - IS-U Loyalty Program

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270509	Marketing - IS-U Loyalty Program

Description

IS-U Loyalty Program is not available within SAP S/4HANA, on-premise edition 1511.

All functionality and transactions related to Loyalty Program are not available in SAP S/4HANA.

Usage of Loyalty Management is indicated by entries in table ELACC.

43.9 S4TWL - Front Office (EC20)

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270510	Front-Office (EC20)

Description

IS-U Front Office (EC20) is not available within SAP S/4HANA, on-premise edition 1511.

43.10 S4TWL - GIS Business Connector

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270511	GIS-Business-Connector

Description

IS-U GIS Business Connector is not available within SAP S/4HANA, on-premise edition 1511.

An indicator for usage of IS-U GIS Business Connector is the existence of entries in table GCCA.

43.11 S4TWL - Enterprise Services for SAP for Utilities (IS-U)

Application Components: IS-U

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270513	S4TWL - Enterprise Services for SAP for Utilities (IS-U)

Description

The following Enterprise Services for SAP for Utilities (IS-U) are not available in SAP S/4HANA, on-premise edition 1511, and following releases:

- TEST_UtilitiesConnectionStatusChangeRequestConfirmation_Out
- TEST_UtilitiesConnectionStatusChangeRequestCancelRequest_In
- TEST_UtilitiesConnectionStatusChangeRequestRequest_In
- UtilitiesConnectionStatusChangeRequestConfirmation_In
- UtilitiesConnectionStatusChangeRequestCancelRequest_Out
- UtilitiesConnectionStatusChangeRequestRequest_Out
- UtilitiesTimeSeriesBundleItemCreateConfirmation_In
- UtilitiesTimeSeriesBundleItemCreateRequest_In
- UtilitiesTimeSeriesBundleItemCreateConfirmation_Out
- UtilitiesTimeSeriesBundleItemCreateRequest_Out

There is no precise check on the usage of obsolete Enterprise Services. Looking for service messages of these obsolete enterprise services in the monitoring transactions SXMB_MONI (using Monitor for Processed XML Messages) and SRT_MONI indicates the usage.

Please check referenced notes 1541831 - UtilitiesConnectionProcessing enterprise services in EHP5 - and 1527380 - Deprecated ES, EHP6 for ERP, UtilitiesTimeSeriesProcessing - for detailed information.

43.12 S4TWL - Central and Eastern European localization for Utility & Telco

Application Components: XX-CSC-CZ-IS-U,XX-CSC-BG-IS-U,XX-CSC-GR-IS-U,XX-CSC-HU-IS-U,XX-CSC-RO-IS-U,XX-CSC-PL-IS-U,XX-CSC-RU-IS-U,XX-CSC-SI-IS-U,XX-CSC-SK-IS-U,XX-CSC-TR-IS-U,XX-CSC-UA-IS-U,XX-CSC-BG-FICA,XX-CSC-CZ-FICA,XX-CSC-GR-FICA,XX-CSC-PL-FICA,XX-CSC-RO-FICA,XX-CSC-RU-FICA,XX-CSC-SI-FICA,XX-CSC-SK-FICA,XX-CSC-UA-FICA,XX-CSC-HU-FICA

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2338097	Central and Eastern European localization for Utility & Telco

Description

As of SAP S/4HANA 1610 (components FI-CA 801 and IS-UT 801) the localization Add-On CEEISUT for Telco and Utilities industries is retrofitted into SAP S/4HANA - see the release strategy SAP Note 1014997. Appends of DDIC objects enhancing core structures and tables shipped with the CEEISUT have become switchable. Therefore it is necessary to have these **Switches** switched on (in active state) before upgrade to S/4HANA in order to avoid any data loss.

A customer using CEEISUT need to ensure that a dedicated **Business Function Set** is active before he converts his system to SAP S/4HANA - either UTILITIES or TELCO.

The related pre-check (see the SAP Note 2314696) raises an error when CEEISUT Add-On is installed and none of the following **Business Function Sets** is in active state or any its underlying object (**Business Function, Switch, Package**) is not present in an active version in a system or any of **Business Functions** or **Switches** is not in active state. See the hierarchy of both **Business Function Sets** below.

Business Function Set 'UTILITIES':

- Business Function /SAPCE/ISU_LOC_CEE
 - Switch /SAPCE/ISU_LOC_CEE_SFWS_02
 - Switch Package /SAPCE/IU_LOC_CEE_SFWS_02
 - Switch /SAPCE/FICA_LOC_CEE_SFWS_02
 - Switch Package SAPCE/FK_LOC_CEE_SFWS_02
- Business Function ISU_UTIL_WASTE
 - Switch /SAPCE/ISU_LOC_CEE_SFWS_01
 - Switch Package /SAPCE/IU_LOC_CEE_SFWS_01
 - Switch /SAPCE/FICA_LOC_CEE_SFWS_01
 - Switch Package /SAPCE/FK_LOC_CEE_SFWS_01

Business Function Set 'TELCO':

- Business Function /SAPCE/TEL_LOC_CEE
 - Switch /SAPCE/FICA_LOC_CEE_SFWS_02
 - Switch Package /SAPCE/FK_LOC_CEE_SFWS_02
- Business Function /SAPCE/TEL_LOC_CEE_HIDDEN
 - Switch /SAPCE/ISU_LOC_CEE_SFWS_01
 - Switch Package /SAPCE/IU_LOC_CEE_SFWS_01
- Business Function RM_CA
-

- Switch /SAPCE/FICA_LOC_CEE_SFWS_01
 - Switch Package /SAPCE/FK_LOC_CEE_SFWS_01

Business Process related information

No influence on business processes and custom code.

Required and Recommended Action(s)

Execute related pre-check (see the SAP Note 2314696) on SAP Business Suite start-release.

44 Industry Oil

44.1 S4TWL - Handling Oil & Gas obsolete t-codes Oil

Application Components: IS-OIL-DS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2328674	OIL Transaction codes will not be available.

You are using a SAP ERP system and intend to perform the upgrade-like conversion to SAP S/4 HANA 1610.

With the installation of the SAP S/4HANA on premise edition certain Transaction codes in the application areas of IS-OIL compared to EhP7 for SAP ERP 6.0 - have been deprecated/removed and partially replaced with newer transactions.

Transaction codes which are not supported or replaced by newer applications in SAP S/4HANA IS-OIL are listed below.

SAP ERP contains few SAPGUI transactions in SAP IS-OIL in Older versions will not be available, but are still supported for compatibility reasons.

With the installation of the SAP S/4HANA on premise edition 1610, certain transaction codes in the application areas of IS-OIL - compared to EhP7 for SAP ERP 6.0 - will not be available and partially replaced with newer transactions.

All usages of SAP few OIL transaction codes will not be available, and partially replaced with newer transactions.

Below you find a list of OIL Tcodes and the respective successor Tcode if a successor Tcode is available.

It is recommended to use the successor Tcode instead of the older Tcode.

Reference to obsolete transactions in BAPIs/BDC/LSMW etc. should be adapted to new transaction code.

Obsolete Transaction code	Older Transaction Code	Successor Tcode
O300	IS-Oil Administration info system	SE43
O3C1	Create Oil Conversion Defaults	O3DEFAULTS
O3C2	Change Oil Conversion Defaults	O3DEFAULTS
O4KC	Revaluation active check report 2/2	No Replacement available
O4KE	Excise Duty Valuation record 2/3	No Replacement available
O4KG	Excise Duty Stock values 2/3	No Replacement available
O4KH	Excise Duty Stock values 3/3	No Replacement available
O4KI	Excise Duty Valuation record 3/3	No Replacement available
O4NC	Create Nomination	O4NCN/O4NM
O4NS	Display Nomination	O4NSN/O4NM
O4NV	Change Nomination	O4NM
O4T0	IS-OIL TSW (Trader's & Scheduler's W	No Replacement available
O4TC	Generate Stock Projection	O4TCN
O4TCB	Generate Stock Projection for batch	O4TCN
O4TDL	OIL-TSW Delete Location	O402N
O4TE	OIL-TSW: Enter movement ticket	O4TE
O4TE_CORRECT	OIL-TSW: Correct ticket actualization	O4TENCORR
O4TE_REVERSE	OIL-TSW: Reverse ticket actualization	O4TENREV
O4TF	OIL-TSW: Change ticket	O4TFN
O4TG	OIL-TSW: Display Ticket	O4TGN
O4TH	OIL-TSW: Delete movement ticket	O4THN
O4TO	Work list	O4TO_LIST
O4TW	OIL-TSW Create Location	O401
O4TX	OIL-TSW Change Location	O402
O4TY	OIL-TSW Display Location	O403
O547	Reconciliation OIA07	No Replacement available
O548	Reconcile Movb. Netting balance	No Replacement available

How to Determine Relevancy

This item is relevant for all IS-Oil customer

44.2 S4TWL - Optimization in Oil & Gas - TD module for STO and sales order with POD b business scenario

Application Components: IS-OIL-DS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2328639	Optimization in Oil Gas - TD module for STO and sales order with POD business scenario

You are doing a system conversion to SAP S/4HANA, on-premise edition 1610.

This is an IS-OIL note for the SAP S/4HANA on premise 1610 release. If you do not have IS-OIL, this note doesn't apply to you. This note is specific to TD -Sales Orders with PoD Check & Intra Company STOs

The following SAP S/4HANA Transition Worklist item is applicable in this case.

While performing Load Confirmation (TD process- O4G1) for Sales Order (with PoD) & STO process, the system would throw an error saying there is no stock in Intransit storage location XXXX for the given material. This is because of the new SAP S/4HANA MM-IM optimization and performance re-design during execution of MIGO.

When we perform load confirmation for example, in STO the movements which will post are 311 which will put the stock to in transit (Vehicle) and then this will be issued with a 647(GI) movement followed by 101 movement all in single material document.

But now in SAP S/4HANA re-design data model, we have separate stock checks for 311 movement, 647& 101 respectively, resulting in stock deficit as it is not considering the fact that the same posting is also bringing in stock.

This issue is handled by splitting into two material documents one material document for 311 movement (stock into in transit) and another material document for 641/647 (in case of STO) followed by 101 movement for the same outbound delivery at the time of load confirmation

How to Determine Relevancy

This item is relevant for all IS-Oil customer

44.3 S4TWL - Data Model in Oil & Gas Inventory management

Application Components: IS-OIL-DS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2328419	Data Model in Oil & Gas Inventory management

Description

The SAP ERP 6.0 stock inventory management data model consists of the two document tables MKPF for document header information and MSEG for document item data. In addition Oil & Gas has MSEGO1 for quantity conversion parameters for material documents and MSEGO2 Material Document Quantities in Additional Units of Measure. Additionally there were aggregated actual stock quantity data stored in several tables. Some of these tables do also store material master data attributes like the tables MARCO1, MARDO1, MCHBO1, MKOLO1, MSLBO1, MSKAO1, MSKUO1 & MSPRO1. Such tables with material master data attributes as well as actual stock quantities will be named as hybrid tables in the following. There were also tables like MARCHO1, MARDHO1, MCHABO1, MKOLHO1, MSLBHO1, MSKAHO1, MSKUHO1 & MSPRHO1 which holds periodical history data.

With SAP S/4HANA 1610, this data model has changed significantly. The new de-normalized table MATDOC is introduced which contains the former header and item data of a material document as well as a lot of further attributes. Material document data will be stored in MATDOC only and not anymore in MKPF and MSEG. Oil appends from MKPF & MSEG are added to MATDOC as an append. To be in line with core data model MATDOCOIL table has been introduced which contains former MSEGO1 & MSEGO2 table data and some attributes from core MATDOC table. Additionally the aggregated actual stock quantities will not be available anymore in the hybrid or replaced aggregation tables. Instead, actual stock quantity data will be calculated on-the-fly from the new material document table MATDOCOIL for which some of those additional special fields are used.

The affected tables are listed below:

Table	Table Description	Core CDS View	DDL Source of CDS View for redirect	View to read the content of the database table (w/o redirect to compatibility view)	View to read the master data attributes only
MBEW	Material Valuation	MBV_MBEW_EXT	OIH_OILEMBEW7_MBEW_EXT_DDL		
			CWM_MBEW_EXT_DDL		
		MBV_MBEW_ML_ONLY	OIH_OILEMBEW7_MBEW_ML_DDL		
			CWM_MBEW_ML_DDL		
		MBV_MBEW_BASIS	OIH_OILEMBEW7_MBEW_BASIS_DDL		
			CWM_MBEW_BASIS_DDL		
		MBV_MBEW_CASE	OIH_OILEMBEW7_MBEW_CASE_DDL		
CWM_MBEW_CASE_DDL					
MBV_MBEW_MOTH_SEG	OIH_OILEMBEW7_MBEW_MOTH_DDL				
	CWM_MBEW_MOTH_SEG_DDL				
MBV_MBEW	OIH_OILEMBEW7_MBEW_DDL				
	CWM_MBEW_DDL				
EBEW	Sales Order Stock Valuation	MBV_EBEW_EXT	OIH_OILEMBEW7_EBEW_EXT_DDL		
			OIH_OILEMBEW7_EBEW_ML_DDL		
		MBV_EBEW_BASIS	OIH_OILEMBEW7_EBEW_BASIS_DDL		
			OIH_OILEMBEW7_EBEW_CASE_DDL		
		MBV_EBEW	OIH_OILEMBEW7_EBEW_DDL		
QBEW	Project Stock Valuation	MBV_QBEW_EXT	OIH_OILEMBEW7_QBEW_EXT_DDL		
			OIH_OILEMBEW7_QBEW_ML_DDL		
		MBV_QBEW_BASIS	OIH_OILEMBEW7_QBEW_BASIS_DDL		
			OIH_OILEMBEW7_QBEW_CASE_DDL		
		MBV_QBEW	OIH_OILEMBEW7_QBEW_DDL		
OBEW	Valuated Stock with Subcontractor	MBV_OBEW_EXT	OIH_OILEMBEW7_OBEW_EXT_DDL		
			OIH_OILEMBEW7_OBEW_ML_DDL		
		MBV_OBEW_BASIS	OIH_OILEMBEW7_OBEW_BASIS_DDL		
			OIH_OILEMBEW7_OBEW_CASE_DDL		
		MBV_OBEW	OIH_OILEMBEW7_OBEW_DDL		
MARC	Plant Data for Material	NSDM_DDL_MARC	CWM_MARC_COSTING		
			OI0_COMMON_2_OILMARC_DDL		
MKPF	Header: Material Document	NSDM_DDL_MKPF	OI0_COMMON_2_OILMKPF_DDL		
MSEG	Document Segment: Material	NSDM_DDL_MSEG	CWM_MSEG_DDL		
			OI0_COMMON_2_OILMSEG_DDL		
			OIO_OIOMSEG_DDL		
MA07V	Material Master: DB View for Inventory Management	NSDM_E_MA07V	OI0_COMMON_OILVAP_MA07V_DDL		
VAPMA	Sales Index: Order Items by Material	V_VAPMA	OIF_OILVAPMA_DDL		
MARCO1	Appendix for Additional Quantities at Plant Level		OIB_DDL_MARCO1	V_OIB_MG_MARCO1	V_MARC_O1_MD

MARDO1	Appendix for Storage Location Additional Quantities		OIB_DDL_MARDO1	V_OIB_MG_MARDO1	V_MARDO1_MD
MCHBO1	Appendix for Additional Quantities at Batch Level		OIB_DDL_MCHBO1	V_OIB_MG_MCHBO1	V_MCHBO1_MD
MKOLO1	Special stocks from vendor additional quantity appendix		OIB_DDL_MKOLO1	V_OIB_MG_MKOLO1	V_MKOLO1_MD
MSLBO1	Appendix for Special Stocks with Vendors: Add. Quantities		OIB_DDL_MSLBO1	V_OIB_MG_MSLBO1	V_MSLBO1_MD
MSKAO1	Special Stocks Appendix: Additional Quantities		OIB_DDL_MSMAO1	V_OIB_MG_MSMAO1	V_MSMAO1_MD
MSKUO1	Appendix for Special Stocks with Customers: Add. Quantities		OIB_DDL_MSMAO1	V_OIB_MG_MSMAO1	V_MSMAO1_MD
MSPRO1	Project Stock additional quantities		OIB_DDL_MSPRO1	V_OIB_MG_MSPRO1	V_MSPRO1_MD
MARCHO1	MARCH: Additional quantities appendix		OIB_DDL_MARCHO1	V_OIB_MG_MARCHO1	
MARDHO1	MARDH: Additional quantities appendix		OIB_DDL_MARDHO1	V_OIB_MG_MARDHO1	
MCHBHO1	Appendix for Additional Quantities at Batch Level		OIB_DDL_MCHBHO1	V_OIB_MG_MCHBHO1	
MKOLHO1	MKOLH: Additional quantities appendix		OIB_DDL_MKOLHO1	V_OIB_MG_MKOLHO1	
MSLBHO1	MSLB: Additional quantities appendix		OIB_DDL_MSLBHO1	V_OIB_MG_MSLBHO1	
MSKAHO1	MSKAH: Additional quantities appendix		OIB_DDL_MSMAHO1	V_OIB_MG_MSMAHO1	
MSKUHO1	MSKUH: Additional quantities appendix		OIB_DDL_MSMAHO1	V_OIB_MG_MSMAHO1	
MSPRHO1	MSPRH: Additional quantities appendix		OIB_DDL_MSPRHO1	V_OIB_MG_MSPRHO1	
MSEGO1	Quantity Conversion Parameters for Material Documents		OIB_DDL_MSEGO1	V_OIB_MG_MSEGO1	
MSEGO2	Material Document Quantities in Additional Units of Measure		OIB_DDL_MSEGO2	V_OIB_MG_MSEGO2	

Business Process related information

MATDOCOIL Table

MATDOCOIL table has the following structure.

- Some technical key fields, optimized for memory consumption
- Stock identifier fields from MATDOC table
- All fields from the existing oil document table MSEGO1
- All fields from the existing oil document table MSEGO2 in column format with provision of 60 UoMs

Material Stock condensate table MATDOCOILEXTRACT

MATDOCOILEXTRACT is the condensed table of MATDOCOIL which contains technical key fields to optimize memory consumption, stock identifier fields, period fields and additional quantity fields.

Records will be inserted in this condensate table MATDOCOILEXTRACT at the same time as records are inserted in the material document table MATDOCOIL.

The Pre-compacting functionality

- Running at the period end closing
- Can be scheduled as periodic job
- Creates a condensate from all records having the same values in its stock identifying fields
- Inserts this condensate as new record and deletes all records contributing to this condensate. Hence the actual stock needs to be calculated only from this condensate and all document records created since the last Pre-Compacting run. Thus, the overall number of records in the condensate table is much less than in the material document table as well as the number of records to be aggregated on-the-fly is less resulting in high performance.

UoM Index Table

As per the new SAP S/4HANA data model, table MATDOCOIL contains MSEGO2 data. This table stores multiple UoMs in columnar format as UoM1 | UoM2 | €|€|.. UoM60 (provision is made to store up to 60 UOMs). Earlier in MSEGO2, UoMs were stored in row format.

In SAP S/4HANA, columnar storage is supported due to performance improvements. Therefore if each UoM is provided with index number and stored in respective columns, aggregation will be faster in HANA DB. Thus MATDOCOIL_INDEX table would be used to determine the position of the UoMs and their quantities during the data insert to MATDOCOIL table.

MATDOCOIL_INDEX table get updated as follows

- Initial Load: This is based on MSEGO2 & MARCO1, the UoMs would be updated to the Oil index table MATDOCOIL_INDEX during migration.
- Delta Load: When the posting is done, the UoM is checked for existence in the MATDOCOIL_INDEX table. If not present, then that UoM is added by assigning next index number.

Flexible framework for UoM extension after 60 UoM

According to SAP S4 HANA redesign in HPM, the system supports up to 60 unique UoMs. Once the UoM count exceeds 60, the user will not be able to post material documents with new UoM. To overcome this problem a flexible framework is provided to customers.

As per the framework when the UoM count reached to warning limit (total UoM fields 5 UoM fields i.e. $60-5 = 55$), an information message will be popped up in MIGO process stating UoM count has reached XX number, to retain smooth operation implement SAP note 2293641.

Data Archiving in S/4HANA for HPM (MATDOCOIL)

With SAP S/4HANA the database design for material documents was changed from the old tables MKPF and MSEG to the new table MATDOC and in IS-OIL from MSEG01 and MSEG02 to MATDOCOIL. For the tables MKPF, MSEG, MSEG01 and MSEG02 an archiving function is in place through the archiving object MM_MATBEL. The existing implementation of the archiving object MM_MATBEL shall be changed in a way that it works with the new table while existing settings for this archiving object are still valid and data which has already been archived in the customer environment is still accessible.

When material documents are moved from the DB into archive files it must be ensured that the calculation of the current stock level, as well as of historical stock levels is still working accurately. As the stock level is calculated on the basis of all stock movements for a particular stock identifier, this means that the archiving of material documents goes together with the creation of representatives for the archived entities.

It must be ensured that the aging and deletion of archived material documents does not happen in parallel. For this purpose a new lock object EMATDOC_AGING with client (MANDT) as lock parameter is introduced. When starting data aging for aging object MM_MATDOC in the aging runtime an exclusive lock shall be raised, while the delete program for material documents shall raise a shared lock for the same client.

A new program NSDM_MM_MATBEL_POST_PROCESSING (package MBND_ARCHIVING) is provided to consolidate the archive representatives (i.e. records of type ARC_DELTA) that were created by report RM07MADES. Consolidation means that the key figures of all representatives having the same aggregation key are aggregated into a single new representative and inserted into the table MATDOC and MATDOCOIL, while the representatives forming this new representative are deleted from the table MATDOC and MATDOCOIL.

It must be ensured that the aging and consolidation of archive representatives does not happen in parallel. For this purpose, the same lock object is used that is already applied to protect the aging and deletion of material documents (i.e. lock object EMATDOC_AGING). But as compared to the delete program, where a shared lock is used to enable the parallel execution of the delete process, the post processing program



shall raise an exclusive lock. By using an exclusive lock it is ensured that the post processing program is called only once at a time (i.e. it must not run parallel).

Old BAdI implementation for Oil and Gas (OI0_MM_MATBEL_WRITE) is deleted from the BAdI ARC_MM_MATBEL_WRITE as the BAdI call is inappropriate.

The material documents already present in the customers archive will still be accessible as before. There will be no difference from the user perspective between material documents archived before the changes described and material documents archived after these changes.

Required and Recommended Action(s)

- Any update to MKPF, MSEG, MSEGO1 & MSEGO2 tables in custom code needs to be changed for MATDOC & MATDOCOIL tables correspondingly.
- Custom appends in MKPF & MSEG need to be created in MATDOC table and similarly MSEGO1 & MSEGO2 appends in MATDOCOIL table.
- If UoMs were exceeding more than 60, refer & implement SAP note 2293641.
- Select queries on hybrid core & oil tables only for master fetch will be replaced with corresponding master data views to improve the performance. For this refer SAP note 2328444.
- Any inconsistency between MATDOC & MATDOCOIL will be corrected by running report ROIBSCAN_MISSING_O1O2. Existing inconsistency report of MSEG with MSEGO1 & MSEGO2 is modified to check inconsistency between MATDOC & MATDOCOIL and update the same. For this refer SAP note 2328561.
- ADQNT float field of MSEGO2 table has been obsolete due least usage of field. No more value available in the field. For this refer SAP note 2328455.

How to Determine Relevancy

This item is relevant for all IS-Oil customer

44.4 S4TWL - Optimization in Oil&Gas - Inter company sales - Cross border excise duty

Application Components: IS-OIL-DS

Related Notes:

Note Type	Note Number	Note Description
-----------	-------------	------------------

Business Impact	2347421	Optimization in Oil & Gas - Inter company sales- Cross border excise duty
-----------------	-------------------------	---

This is an IS-OIL specific note for the SAP S/4HANA on premise edition 1610 release. If you do not have IS-OIL, this note doesn't apply to you. This note does not apply to you if TDP-Cross-Company/Cross-Border Sales and Stock Transfers BC set is not activated in your system

You are doing a system conversion to SAP S/4HANA on premise edition 1610, the following SAP S/4HANA note supports inter-company sales- Cross Border Excise duty movement cancellation.

In TDP, Intercompany sales Cross Border Excise duty business process concept of notional plant is introduced to handle the tax determination, when we perform PGI against the outbound delivery the following movements will be posted: 601 from supplying plant, 501 (Goods receipt without PO) movement into notional plant & 601 from notional plant

However, when we perform material movement (inter company) cancellation (through VL09), the availability check will occur at every line item and throws error (deficit of stock) at notional plant.

This will impact 3 different variants

- a) delivered; CoT@Load
- b) delivered; CoT@Discharge outside TD
- c) delivered: Customer Pickup

With the new SAP S/4HANA MM-IM optimization, single item process as well as array processing is possible. With the single processing the items will be processed item by item & throws error (deficit of stock).

The solution for this scenario is by implementing a BADI BADI_NSDM_READ_STOCK, which checks whether there is a notional plant in OIH79 table and if exists, assign 'A' (array processing) to variable IS_SINGLE_OR_ARRAY which will take care of inter company Sales (cross border excise duty) reversal scenarios.

Software components

*IS-OIL***How to Determine Relevancy**

This item is relevant for all IS-Oil customer

44.5 S4TWL - IS-OIL Proper sign operation for ACDOCA

Application Components: IS-OIL-DS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2350150	IS-OIL Proper sign operation for ACDOCA

In SAP S/4HANA, on-premise edition 1610, IS-OIL can support a sign operation in ACDOCA. Where required, automated logic is in place and executed automatically in case a customer converts the current SAP Business Suite system into SAP S/4HANA, on-premise edition 1610.

Nevertheless there might be constellations where a customer needs to be aware about. For example:

- Any FI Posting happened in the system Excise duty values come with sign operation, Condition credit indicator H with negative values posting can see in ACDOCA

Overview

With SAP S/4HANA, on-premise edition 1610, posting proper sign operation adapted in ACDOCA.

Posting any FI document with Credit Indicator H, negative sign values applied to posting document and Debit indicator S there is no sign-operation applied.

Posting proper sign to ACDOCA we implemented BADI BADI_OIL_ACDOCA_POST_SIGN and with Implementing Class CL_OIL_ACDOCA_POST_SIGN.

Coding part done in above class using interface method
IF_BADI_FINS_ACDOC_POST_EV_INT~SUBST_ACDOCA_EXTENSION_FIELDS

System Behavior Depending on the IS-Oil Switch

If the IS-OIL functionality is switched on, then only proper sign operation posting into ACDOCA.

Software Component

IS-OIL

How to Determine Relevancy

This item is relevant for all IS-Oil customer

44.6 S4TWL - Unit of Measure (UoM) Group enhancement

Application Components: IS-OIL-DS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2328459	Unit of Measure (UoM) Group enhancement

UoM group 'xxx' assigned to a material; not possible to change or delete

- 1) Program will consider QCI parameter values from O3DEFAULTS (as the starting point). It is good to maintain QCI parameter values for all the combinations (Material/Plant/Storage Location/Batch) that are affected by adding a new UoM to the UoM group.
- 2) If there are any physical inventory count document for which physical inventory posting is not yet done, either post the physical inventory document or delete the physical inventory count document before adding new UoM to UoM group.

A report “R_OIB_01_UOM_ADD_INSERT_SUM” has been developed, which adds the new UoM into UoM group and adjust the stock for all the materials belonging to UoM group for the new UoM by inserting summary records.

Description

UoM group is one of the major object in HPM module of IS-OIL. UoM attached to material decides additional UoMs for that material. Hence it plays a major role in stock calculation, document posting and display if stock. In older IS-Oil releases, it was not possible to add new UoM to existing UoM group (where there are material documents for the materials which are assigned with the UoM group in context). This restriction will block few business scenarios for customers. IS-OIL SAP S4HANA 1610 release does not have this restriction and customer can add a new UoM to existing UoM group (where there are material documents for the materials which are assigned with the UoM group in context). Changing/deleting of UoMs in UoM group is not possible. Whenever a new UoM is added to UoM group, system adjusts stock (at Plant/Storage Location/Batch level) with respect to new UoMs for all the materials which were assigned to that UoM group.

Report “R_OIB_01_UOM_ADD_INSERT_SUM” must be executed which will add new UoM to UoM group and adjusts the stock for all the materials belonging to UoM group by inserting summary records for new UoM. Summary record will not have material document number.

The report needs to be executed in individual system. In order to be in sync between all the systems of landscape, the report has to run in Development, Quality and Production system in sequence.

Enter the UoM Group that needs to be enhanced and the UoM that has to be added to the UoM Group. By default ‘Test Mode’ flag is ON so that the end user can simulate to see if there are any errors. Simulation output shows which all combinations (Material/Plant/Storage location/Batch) are affected, if there are any issues and for which all combinations summary record can be created. If there are issues, it is suggested to fix the issues and run the report again. Once all the issues are fixed, user can run the report by removing the flag for ‘Test Mode’.

Role ‘SAP_ISOIL_UOM_GR’ Authorization object OIB_UOM with activity 48 for Simulation and 10 for Post (or Update) needs to be assigned to the user for executing this report.

Use cases handled:

1. If a material is marked for deletion, program still creates summary record but ‘Material flag for deletion’ column is marked ‘x’ (as just FYI)
2. Negative stocks are also handled with QCI conversion to new UoM

3. If material in context has few material postings (GR & GI) and nett stock in base UoM is 0, as the base UoM stock is zero, no summary record is created
4. Stock in Base UoM is negligible quantity (Ex: 0,001 KG) and newly added UoM is biggest UoM (Ex: MBL), as conversion of 0,001 KG to MBL will lead to ~0 value, summary record with 0 quantity will be added and stock in MBL will be shown as 0 in MMBE for newly added UoM (i.e. MBL)
5. If there are more than 1 O3DEFAULTS maintained for same material/plant/storage location, most relevant record (active and valid on current date) will be considered for QCI conversion to new UoM
6. There are some cases where material documents are created with a UoM (For Ex: BBL) which is not part of UoM group. In such cases, program ensures that the new UoM's quantity in summary record is calculated such that new quantity of base UoM when converted to new UoM will match properly

Base UoM had net quantity as 360 KG and assuming correct QCI conversion into BBL is 2

1. Case1: If BBL was part of only few material documents, assuming net quantity in BBL from existing material documents is 1 BBL, Summary record will be created for BBL as 1 so that in MMBE after summary record is created, stock for BBL will be shown as 2
2. Case2: If BBL was part of only few material documents, assuming net quantity in BBL from existing material documents is 0 BBL, Summary record will be created for BBL as 0 so that in MMBE after summary record is created, stock for BBL will be shown as 2
3. Case3: If BBL was part of only few material documents, assuming net quantity in BBL from existing material documents is -1 BBL, Summary record will be created for BBL as 3 so that in MMBE after summary record is created, stock for BBL will be shown as 2

Business Process related information.

New functionality available in SAP S4HANA 1610

How to Determine Relevancy

This item is relevant for all IS-Oil customer

44.7 S4TWL - eNetting Deprecation

Application Components: IS-OIL-DS

Related Notes:

Note Type	Note Number	Note Description
-----------	-------------	------------------



Business Impact	2328548	eNetting functionality in exchanges module is not available in S/4 HANA
-----------------	-------------------------	---

Description:

eNetting application is used for exchange reconciliation and was available till 4.6C version of ERP. The exchange detail statement generated from R/3 is transmitted to eNetting application for exchange reconciliation. The data transfer between an R/3 system and a non-R/3 system is typically achieved using the IDOC interface. In the eNetting scenario, the exchange detail statement IDOC is generated from the R/3 system and is transmitted to the SAP Business Connector (middleware tool) through ALE integration technology. The SAP Business Connector is then responsible for the transformation of the data from IDOC to XML that is used for further processing by the eNetting application. SAP has stopped supporting middleware tool SAP Business Connector with the latest solutions like Process integration availability.

Business Process related information

eNetting functionality was available till 4.6C version of ERP which is not available in SAP S/4HANA 1610.

Required and Recommended Action:

There is no equivalent functionality of eNetting available in SAP S/4HANA 1610.

How to Determine Relevancy

This item is relevant for all IS-Oil customer

44.8 S4TWL - Dynamic Scheduling deprecation

Application Components: IS-OIL-DS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2328538	Dynamic scheduling functionality in TSW module is not available in SAP S/4HANA 1610

Dynamic scheduling application is an integration of Stock Projection Worksheet (SPW) and Three-way pegging (3WP) functionality. The application integrates these two applications so that when a user makes a data-change in one application, he can see the effect of it in the other application in real-time (without requiring a data-save). This allows the user to create simulations in 3-way pegging, see its effects on the inventory in the Stock Projection, modify the simulations, undo-redo changes, make changes to already published nomination. Once satisfied, the user can save these changes to the database. As this application is not used much and thus is removed in SAP S/4HANA 1610.

Description:

Dynamic scheduling application is an integration of Stock Projection Worksheet (SPW) and Three-way pegging (3WP) functionality. Dynamic Scheduling integrates these two applications so that when a user makes a data-change in one application, they can see the effect of it in the other application in real-time (without requiring a data-save). This allows the user to create simulations in 3-way pegging, see its effect on the inventory in the Stock Projection, modify the simulations, undo/redo changes, and make changes to already published nomination. Once satisfied, the user can save these changes to the database. As SAP has come up with similar applications recently, it creates confusion to customers with similar solutions and hence Dynamic Scheduling has been removed in SAP S/4HANA 1610.

Business Process related information: Dynamic scheduling is an integration of SPW and 3WP functionality which has been removed from SAP S/4HANA 1610.

Required and Recommended Action: There is no equivalent functionality of dynamic scheduling available in SAP S/4HANA 1610, but advanced functionalities like Inventory Planning Workbench (IPW) and Nomination Planning Workbench (NPW) are available.

How to Determine Relevancy

This item is relevant for all IS-Oil customer

44.9 S4TWL - Financial Based netting depreciation

Application Components: IS-OIL-DS

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2328017	Financial based Netting functionality in exchanges

Description

Financial Based Netting is not available within SAP S/4HANA 1610. But you can still display and process existing Financial Based Netting documents.

Business Process related information

The Transaction codes O54X(Create Selection) , O3A4(Create netting document) used to create Financial Based Netting are removed from SAP S/4HANA 1610.

As an alternative, you should use Movement Based Netting functionality in Exchanges module.

Transactions not available in SAP S/4HANA on-premise edition 1610 : O54X and O3A4

How to Determine Relevancy

This item is relevant for all IS-Oil customer

44.10 S4TWL - Oil & Gas inconsistency reports deprecation

Application Components: IS-OIL-DS

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2328561	Oil & Gas inconsistency reports deprecation in HPM

Description

In SAP S4HANA 1610 there is a change in MM-IM data model. Data is moved from existing MM-IM tables to new tables MATDOC and MATDOCOIL. Due to this change the old inconsistency check reports for aggregate and history tables are now deprecated.

The following table provides the change details regarding the new data model:

Data Storage as per Old Data Model	Data Storage as per New Data Model	Details
MKPF	MATDOC	No data is stored in MKPF
MSEG	MATDOC	No data is stored in MSEG
MSEGO1	MATDOCOIL	No data is stored in MSEGO1
MSEGO2	MATDOCOIL	No data is stored in MSEGO2
Core Aggregate tables (MARC...)	Aggregate Table + MATDOC	Master data is stored in Aggregate table, the transactional data is calculated on the fly from MATDOC using redirect CDS view
Oil Aggregate tables (MARCO1...)	Aggregate Table + MATDOCOIL	Master data is stored in Aggregate table, the transactional data is calculated on the fly from MATDOCOIL using redirect CDS view
Core History Tables (MARCH...)	Aggregate Table + MATDOCOIL	Master data is stored in Aggregate table, the transactional data is calculated on the fly from MATDOC using redirect CDS view
Oil History Tables (MARCHO1€)	Aggregate Table + MATDOCOIL	Master data is stored in Aggregate table, the transactional data is calculated on the fly from MATDOCOIL using redirect CDS view

Business Process related information

As per the old data model the data was maintained in the Aggregate/History tables for both Core and Oil & Gas, there was a necessity to check and correct any inconsistency between the Core and Oil tables. The reports for this purpose are as listed below:

- ROIBCHAR (MARD01 Inconsistency check)
- ROIBSCAN_MCHBO1 (MARD01 Inconsistency check)
- ROIBSCAN_SEL_MSEGO2 (Oil Aggregate table Inconsistency check)
- ROIBSCAN_SEL_MSEGO2_H (Oil History table Inconsistency check)
- Since the new data model eliminates data storage in the Aggregate/History tables there is no longer the requirement to correct inconsistencies between the Core and Oil counterpart tables. The 4 reports mentioned above are deprecated with SAP S4HANA 1610.

Required and Recommended Actions

The reports for inconsistency check in the Oil Aggregate/History tables are no longer available.

To check for inconsistency between MATDOC and MATDOCOIL the following report can be executed:

- ROIBSCAN_MISSING_O1O2

Data Storage as per Old Data Model	Data Storage as per New Data Model	Details
MKPF	MATDOC	No data is stored in MKPF
MSEG	MATDOC	No data is stored in MSEG
MSEGO1	MATDOCOIL	No data is stored in MSEGO1
MSEGO2	MATDOCOIL	No data is stored in MSEGO2
Core Aggregate tables (MARC...)	Aggregate Table + MATDOC	Master data is stored in Aggregate table, the transactional data is calculated on the fly from MATDOC
Oil Aggregate tables (MARCO1...)	Aggregate Table + MATDOCOIL	Master data is stored in Aggregate table, the transactional data is calculated on the fly from MATDOCOIL
Core History Tables (MARCH...)	Aggregate Table + MATDOCOIL	Master data is stored in Aggregate table, the transactional data is calculated on the fly from MATDOC
Oil History Tables (MARCHO1€!)	Aggregate Table + MATDOCOIL	Master data is stored in Aggregate table, the transactional data is calculated on the fly from MATDOCOIL

How to Determine Relevancy

This item is relevant for all IS-Oil customer

45 Cross Topics

45.1 S4TWL - FIORI APPLICATIONS FOR SUITE ON HANA ON-PREMISE

Application Components: XX-SER-REL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2288828	FIORI APPLICATIONS FOR SUITE ON HANA ON-PREMISE

You are doing a system conversion to SAP S/4HANA, on-premise edition. You already use existing Fiori Apps in your Business Suite (e.g. ERP Enhancement Packages) landscape and would like to understand the conversion behavior and adoption needs on the frontend server.

SAP S/4HANA, on-premise edition comes with a corresponding UI product for frontend server installation. The new SAP S/4HANA, on-premise edition UI product is not the successor of any Business Suite product and delivers a set of applications which is from a technical and scope perspective independent from any previous Business Suite UI product. This implies the following conversion behaviour:

1. Different product scope

There is no automatism that apps from Business Suite will be offered in the same way for SAP S/4HANA, on-premise edition as well. Apps might be replaced, enhanced, changed, implemented using different technology or not offered in the SAP S/4HANA context. The available app scope can be checked in the [SAP Fiori apps reference library](#) (see detailed description below).

2. No automated conversion

The central frontend server must support multiple back-end systems. Therefore it is not possible to convert the existing settings from Business Suite applications during the installation as this would break the existing apps and Business Suite installations on the same frontend server. The new S/4HANA UI product can be co-deployed and runs only against the SAP S/4HANA, on-premise edition back-end. Also the other way round, existing Business Suite UI products will not run against a SAP S/4HANA, on-premise edition back-end. Configuration details for every app can be found in the [SAP Fiori apps reference library](#).

Use the [SAP Fiori apps reference library](#) to check which applications are available for SAP S/4HANA, on-premise and for configuration details.

Option 1: Filter those apps, which are available in S/4HANA on-premise edition

In SAP Fiori apps reference library, use the Filter Required Back-End Product and select SAP S/4HANA, on-premise edition to display a list of all Fiori apps available. This filter can be combined with other filters like Line of Business or Role.

Option 2: Check availability in SAP S/4HANA on-premise edition for a single app

Select the Fiori app in the SAP Fiori apps reference library. A drop-down list box will appear in the header area of the app details page, if the app is available in multiple products. In case the selected app is not available for S/4HANA on-premise edition check, whether a successor app exist. You will can directly navigate to the successor app from the bottom of the PRODUCT FEATURES tab.

Example: Fiori app My Spend for ERP has a successor My Spend, which is available for ERP Add-On SAP FIORI for SAP SFIN 1503 as well as S/4 HANA on-premise 1511

Option 3: Check availability in in S/4HANA on-premise edition for multiple apps

Filter and select all apps you want to check. Activate Aggregate at the bottom of the app list to display a consolidated view about all selected apps. Select SAP S/4HANA, on-premise edition in the drop-down on top of the list. All apps which are not available for SAP S/4HANA, on-premise edition will be highlighted as not available at the bottom of the list of selected apps.

Check in the details of the individual apps whether a successor app is available (see option 2 above).

Additional information provided per application area (where required):

- [Note 2242596 - Release Information: Changes in Fiori Content in S/4Hana Finance, on-premise edition 1605 \(sFIN 3.0\)](#)
- [Note 2290488 - Changes in Fiori Application for SAP S/4 HANA in Sales and Distribution](#)

45.2 S4TWL - SAP S/4HANA AND SAP BUSINESS WAREHOUSE CONTENT

Application Components: BW-BCT-GEN

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2289424	SAP S/4HANA AND SAP BUSINESS WAREHOUSE CONTENT

You are doing a new installation or system conversion to SAP S/4HANA, on-premise or cloud edition. The following item is applicable in this case.

Description

The BI-content software components BI_CONT and BI_CONT_XT are not supported in all the editions and releases of SAP S/4HANA (cloud and on premise), even though they are technically installable.

Business Process related information

The BI-content software components BI_CONT and BI_CONT_XT are not supported in all the editions and releases of SAP S/4HANA (cloud and on premise), even though they are technically installable.

Required and Recommended Action(s)

Knowledge Transfer to key- and end-user. Extractors for S/4HANA are in general available but please check the central restriction note [2214213](#) and the individual notes linked there for extractors that might not be released.

For new installations we highly recommend to not install the software components BI_CONT and BI_CONT_XT at all.

45.3 S4TWL - Social Intelligence

Application Components: CA-EPT-SMI

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2323655	Social Intelligence

Social Intelligence data harvesting features were provided in ERP EhP7 and EhP8. Customer could harvest data from social sources like Twitter, Facebook, etc. After text analysis using HANA, the sentiment data used to be stored in underlying BS_FND tables. Consent Management and Archiving features were also provided.

These features will not be available in S/4 from the initial release

As of now, there is no alternative for this solution in S/4 HANA

45.4 S4TWL - Custom Fields

Application Components: BC-SRV-APS-EXT-FLD

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2320132	Custom Fields

You have done a system conversion to SAP S/4HANA. Now, the following item of the SAP S/4HANA transition worklist is applicable if you have extension fields and want to use them in:

- SAP Fiori apps
- CDS-based analytical reports
- Adobe-based print forms
- Email templates
- OData services

Description

With SAP S/4HANA, custom fields can be managed with the SAP Fiori app Custom Fields and Logic. This app, together with other SAP Fiori apps, can be used to add custom fields to OData services, CDS views, or SAP Fiori apps, for example.

Business Process-Related Information



In the SAP GUI transaction SCFD_EUI, existing custom fields can be enabled for use in the app Custom Fields and Logic. In some cases, existing fields need to be prepared in advance.

For more information, see [Enabling Custom Database Fields for Usage in SAP Fiori Applications](#).

Required and Recommended Actions

Use the transaction SCFD_EUI to enable your existing custom fields for use in the app Custom Fields and Logic, and to see preparation steps, if necessary.

For more information, see [Enabling Custom Database Fields for Usage in SAP Fiori Applications](#).

45.5 S4TWL - Side Panel functionality in SAP S/4HANA (on-premise)

Application Components: FI

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2340424	Side Panel functionality in SAP S/4HANA (on-premise)

SAP S/4HANA (on-premise) comes with a new UI product. The S/4HANA (on-premise) UI product is not the successor of any Business Suite product and delivers a set of applications which is from a technical and scope perspective independent from any previous Business Suite UI product. The SAP Business Client Side Panel functionality is available in S/4HANA (on-premise). Some of the Business Suite Side Panel CHIPs (Collaborative Human Interface Part) are no longer available in S/4HANA and the delivered CHIP catalog is adjusted accordingly.

A CHIP (Collaborative Human Interface Part) is an encapsulated piece of software used to provide functions in collaboration with other CHIPs in a Web Dynpro ABAP Page Builder page or side panel. All available CHIPs are registered in a library (CHIP catalog). From a technical point of view, CHIPs are Web Dynpro ABAP components that implement a specific Web Dynpro component interface.

More information is available

at: http://help.sap.com/erp2005_ehp_07/helpdata/en/f2/f8478f40ca420991a72eed8f222c8d/content.htm?current_toc=/en/58/327666e82b47fd83db69eddce954bd/plain.htm

The new program paradigm in S/4HANA and the consumption of functionality via SAP Fiori results in an adjustment of the delivered CHIP catalog for the SAP Business Client Side Panel functionality.

The following SAP Business Client Side Panel CHIPS are no longer available:

CHIP Name	CHIP
BSSP_LPD_FI_AP	Accounts Payable Reporting (Links)
BSSP_LPD_FI_AR	Accounts Receivable Reporting (Links)
BSSP_LPD_FI_AA	Asset Accounting Reporting (Links)
BSSP_LPD_CO_OM_CCA	Cost Center Reporting (Links)
BSSP_LPD_FI_GL	General Ledger Reporting (Links)
BSSP_LPD_CO_OM_OPA	Internal Order Reporting (Links)
BSSP_LPD_PM_OM_OPA	Maintenance / Service Order Reporting (Links)
BSSP_LPD_CO_PC	Product Cost Reporting (Links)
BSSP_LPD_FI_GL_PRCTR	Profit Center Reporting (Links)
BSSP_FI_AA_POSTED_DEPREC	Asset Accounting: Posted Depreciation (Reports (Display as Form / List))
BSSP_CO_OM_CC_ACT_PLAN_AGGR	Cost Center: Cumulative Actual/Planned Costs (Reports (Display as Form / List))
BSSP_FI_AR_TOTALS	Cost Center Balance: Totals (Reports (Display as Form / List))
BSSP_FI_AR_DUE_ANALYSIS	Customer Due Date Analysis (Reports (Display as Form / List))
BSSP_FI_AR_DUE_FORECAST	Customer Due Date Forecast (Reports (Display as Form / List))
BSSP_FI_AR_OVERDUE	Customer Overdue Analysis (Reports (Display as Form / List))
BSSP_CO_OM_IO_ACT_PLAN_AGGR	Internal Order: Cumulative Actual/Planned Costs (Reports (Display as Form / List))
BSSP_CO_PC_MAT_ACT_PLAN_AGGR	Material: Aggregated Actual / Planned Costs (Reports (Display as Form / List))
BSSP_GR_IR_GOODS_RECEIPT	Purchase Order History: Goods Receipt (Reports (Display as Form / List))
BSSP_GR_IR_INVOICE_RECEIPT	Purchase Order History: Invoice Receipt(Reports (Display as Form / List))
BSSP_GR_IR_OPEN_ITEM	Purchase Order: Open Items (Reports (Display as Form / List))
BSSP_FI_AP_TOTALS	Vendor Balance Totals (Reports (Display as Form / List))
BSSP_FI_AP_DUE_ANALYSIS	Vendor Due Date Analysis (Reports (Display as Form / List))
BSSP_FI_AP_DUE_FORECAST	Vendor Due Date Forecast (Reports (Display as Form / List))
BSSP_FI_AP_OVERDUE	Vendor Overdue Analysis (Reports (Display as Form / List))
BSSP_FI_AA_POSTED_DEPREC_C	Asset Accounting: Posted Depreciation (Reports (Display as Chart))

BSSP_CO_OM_CC_PERIOD_BD_C	Cost Center: Breakdown Actual/Planned Costs by Period (Reports (Display as Chart))
BSSP_CO_OM_CC_ACT_PLAN_AGGR_C	Cost Center: Cumulative Actual/Planned Costs (Reports (Display as Chart))
BSSP_FI_AR_PERIOD_C	Customer Balance: Period Drilldown (Reports (Display as Chart))
BSSP_FI_AR_TOTALS_C	Customer Balance: Totals (Reports (Display as Chart))
BSSP_FI_AR_DUE_ANALYSIS_C	Customer Due Date Analysis (Reports (Display as Chart))
BSSP_FI_AR_DUE_FORECAST_C	Customer Due Date Forecast (Reports (Display as Chart))
BSSP_FI_AR_OVERDUE_C	Customer Overdue Analysis (Reports (Display as Chart))
BSSP_FI_GL_ACC_BALANCE_C	G/L Account Balance (Reports (Display as Chart))
BSSP_CO_OM_IO_PERIOD_BD_C	Internal Order: Actual/Planned Costs by Period (Reports (Display as Chart))
BSSP_CO_OM_IO_ACT_PLAN_AGGR_C	Internal Order: Cumulative Actual/Planned Costs (Reports (Display as Chart))
BSSP_CO_PC_MAT_ACT_PLAN_AGGR_C	Material: Aggregated Actual / Planned Costs (Reports (Display as Chart))
BSSP_CO_PC_MAT_PERIOD_BD_C	Material: Breakdown Actual/Planned Costs by Period (Reports (Display as Chart))
BSSP_FI_AP_PERIOD_C	Vendor Balance: Period Drilldown (Reports (Display as Chart))
BSSP_FI_AP_TOTALS_C	Vendor Balance Totals (Reports (Display as Chart))
BSSP_FI_AP_DUE_ANALYSIS_C	Vendor Due Date Analysis (Reports (Display as Chart))
BSSP_FI_AP_DUE_FORECAST_C	Vendor Due Date Forecast (Reports (Display as Chart))
BSSP_FI_AP_OVERDUE_C	Vendor Overdue Analysis (Reports (Display as Chart))
BSSP_FI_AA_POSTED_DEPREC_C2	Asset Accounting: Posted Depreciation (Reports (Display as HTML5 Chart))
BSSP_CO_OM_CC_PERIOD_BD_C2	Cost Center: Breakdown Actual/Planned Costs by Period (Reports (Display as HTML5 Chart))
BSSP_CO_OM_CC_ACT_PLAN_AGGR_C2	Cost Center: Cumulative Actual/Planned Costs (Reports (Display as HTML5 Chart))
BSSP_FI_AR_PERIOD_C2	Customer Balance: Period Drilldown (Reports (Display as HTML5 Chart))
BSSP_FI_AR_TOTALS_C2	Customer Balance: Totals (Reports (Display as HTML5 Chart))
BSSP_FI_AR_DUE_ANALYSIS_C2	Customer Due Date Analysis (Reports (Display as HTML5 Chart))
BSSP_FI_AR_DUE_FORECAST_C2	Customer Due Date Forecast (Reports (Display as HTML5 Chart))
BSSP_FI_AR_OVERDUE_C2	Customer Overdue Analysis (Reports (Display as HTML5 Chart))
BSSP_FI_GL_ACC_BALANCE_C2	G/L Account Balance (Reports (Display as HTML5 Chart))

BSSP_CO_OM_IO_PERIOD_BD_C2	Internal Order: Actual/Planned Costs by Period (Reports (Display as HTML5 Chart))
BSSP_CO_OM_IO_ACT_PLAN_AGGR_C2	Internal Order: Cumulative Actual/Planned Costs (Reports (Display as HTML5 Chart))
BSSP_CO_PC_MAT_ACT_PLANAGGR_C2	Material: Aggregated Actual / Planned Costs (Reports (Display as HTML5 Chart))
BSSP_CO_PC_MAT_PERIOD_BD_C2	Material: Breakdown Actual/Planned Costs by Period (Reports (Display as HTML5 Chart))
BSSP_FI_AP_PERIOD_C2	Vendor Balance: Period Drilldown (Reports (Display as HTML5 Chart))
BSSP_FI_AP_TOTALS_C2	Vendor Balance Totals (Reports (Display as HTML5 Chart))
BSSP_FI_AP_DUE_ANALYSIS_C2	Vendor Due Date Analysis (Reports (Display as HTML5 Chart))
BSSP_FI_AP_DUE_FORECAST_C2	Vendor Due Date Forecast (Reports (Display as HTML5 Chart))
BSSP_FI_AP_OVERDUE_C2	Vendor Overdue Analysis (Reports (Display as HTML5 Chart))

45.6 S4TWL - Changed Interfaces

Application Components: XX-SER-REL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2259818	RFC enabled Function Modules with incompatible signature change compared to its version in ERP are blocked from external access.

Many RFC Function Modules that were delivered with ERP, are now available in S4HANA delivering same functionality and services. RFC Function Modules can be categorized by their "Release" Status : Released implies an RFC enabled Function Module can be called from any remote SAP or non SAP Application ; Not Released implies an RFC Function Module is not accessible by customer but can be called from any remote SAP application and hence used internally for cross application communication.

In S4HANA, some small percentage of RFC enabled Function Modules (with either Released and Not Released status) have had their signature modified in an incompatible way, compared to the signature of their version in ERP. RFC enabled Function Module use memory copy to transfer parameters between the source and target in most cases and thus any incompatible change to the signature of the RFC enabled Function Module may lead to the target receiving incomplete or garbled data as

parameter value. Using these Function Modules across-system may harm the data integrity of your S4HANA System.

Also some RFC enabled Function Modules have been marked as Obsolete and hence they too are blocked from external access.

An RFC Enabled Function Module that has been blocked from external or remote access and this can be verified by remotely calling this RFC Enabled Function Module on your S4HANA on-premise system and receiving a short dump as described in the note # 2249880.

Please check the attached PDF document for the names of the RFC Enabled Function Modules that are blocked from external access.

In case any RFC enabled Function Module's external access needs to be un-blocked, please follow the instructions mentioned in the note # [2249880](#)

45.7 S4TWL - OUTPUT MANAGEMENT

Application Components: CA-GTF-OC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2228611	OUTPUT MANAGEMENT

Ursache und Voraussetzungen

The new output management is going to be the successor of all other output management frameworks (SD Output Control, FI Correspondence, FI-CA Print Workbench, CRM Post-Processing). However, all other frameworks are still available and can be used. It is not mandatory to use the new output management.

Business applications that have already adopted the new output management use it by default. Nonetheless, customers can always revert back to the other supported framework. How this reversion is realized depends on the business application (for example via SAP Note or by implementation of an enhancement point). It is also possible to re-enable the new output management again at a later point in time.

Hence, the new output management for SAP S/4HANA coexists with other frameworks. Customers can decide on business application level which framework supports their output scenarios best.

For more details on output management usage in a specific business application please check the simplification item of that business applications.

The output management for SAP S/4HANA comprises all functionalities and processes that are related to the output of documents. This includes the integration of output management functions into the business applications, the reuse component *output control*, as well as the SAP NetWeaver technologies and the technical infrastructure.

Output control is the central element of output management. It serves as an interface between business applications and SAP NetWeaver technologies.

Note that although output control is by definition one of several parts of output management, the term *output management* is often used to describe the functionality of output control.

When you use applications that have adopted the new output control, please consider the following aspects and consult the following SAP Notes:

- **Technical setup** - SAP Note 2292571
- **Configuration** - SAP Note 2292539
- New form templates used by output control:
 - **Form templates with fragments** - SAP Note 2292646
 - **Master form templates** - SAP Note 2292681
 - **Customized forms** - SAP Note 2294198
 - **Customized master forms** - SAP Note 2367080
- Conversion (see below)

Features and functions

The following table provides an overview of existing features and functions of the new output control:

Supported channels	<ul style="list-style-type: none"> • Printer – Using the spool • Email – Allows flexible configuration of sender and recipient(s) as well as use of email templates • XML – Integration with the Ariba Network • IDoc (limited support only; for more information, see below)
Supported UI technologies	<ul style="list-style-type: none"> • Fiori • SAP GUI and SAP GUI for HTML
Supported form technologies	<ul style="list-style-type: none"> • PDF-based print forms with fragments (default) • PDF-based print forms • Smart Forms • SAPscript

Master form templates	A master form template defines a universally valid layout and features reusable parts of a form, such as header, footer, or logo (only available for PDF-based print forms with fragments). This allows you to maintain general content and application-specific content separately. If you make changes in the general content (master form), the application forms will be updated accordingly.
Determination of master form templates	Master form templates can be determined based on preconfigured parameters, such as company, sender country, or channel. This makes it easy to define separate logos or footer texts per company.
Output parameter determination via BRFplus	All output parameters can be automatically determined via a configuration activity based on BRFplus. The benefits are: <ul style="list-style-type: none"> • You can send multiple messages to multiple recipients using multiple channels at the same time. • You can configure anything without the need for ABAP exits. • You can base each determination step on application-specific fields that can be extended. • You can use predelivered content/determination rules to simply run output control out of the box. • Extensibility via CDS is supported.
Dispatch time	Immediately or scheduled via batch job (application-specific)
Application log	The system creates one application log per output request instance. In addition, you can filter messages by output request item. You can display the log in the business application or via transaction SLG1 once an output item has been processed.
Used frameworks/services	<ul style="list-style-type: none"> • BOPF • BRFplus • KPro • Gateway Services • Fiori • Web Dynpro • SAP GUI

IDoc

Currently, IDocs are not fully supported by the new output management. Their use is restricted to business applications that previously used NAST. Furthermore, the following limitations apply:

- Only output types which can be mapped 1:1 to the NAST-KSCHL can use IDoc.

- Only business partner-based communication is supported, but no communication to logical systems (no ALE support).
- Manually created output items cannot be used for IDoc, as the partner role cannot be set for such items.

Please check your business requirements against these limitations. Refer to the simplification item list of the business applications to check which business scenarios support the use of IDoc.

Conversion

In the ECC Business Suite, different output frameworks are used in different applications (SD Output Control, FI Correspondence, FI-CA Print Workbench, CRM Post-Processing Framework).

Considering the conversion of an existing system to SAP S/4HANA, it becomes evident that **there cannot be one generic approach to cover the conversion** of all other OM frameworks.

Looking further into the most prominent existing OM framework *SD Output control (NAST)*, it becomes clear that:

- 100% feature parity is not a given (and, most likely, is not wanted).
- Migration of data cannot be performed because even the NAST is highly generic.

Therefore, the recommendation is not to carry out a conversion, but to establish a coexistence of old and new output management.

This means:

- For existing customers who are using the old output management:
 - Data from the old OM is kept.
 - Customizing for the old OM is kept.
 - Customers need to customize the new OM.
 - Documents that were processed in the old OM will still be processed using the old OM.
 - New documents will only use the new OM (if the corresponding application has already adopted this framework).
- For new customers
 - Customers need to customize the new OM.
 - All documents will be using the new OM (if the corresponding application has already adopted this framework).

45.8 S4TWL - SAP HANA LIVE REPORTING

Application Components: XX-SER-REL

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2270382	SAP HANA Live Reporting

Description

SAP HANA Live provides reporting capabilities for Business Suite and Suite on HANA customers. In S/4HANA, database tables have changed in many areas. Thus, the Hana Live Calc Views will not work on those changed structures. In addition, a strategic decision was taken to switch the technology from Calculation Views to CDS Views with SAP S/4HANA. Reporting scenarios built with the SAP HANA Live content in Business Suite, Suite on HANA, or Simple Finance installations have either to be adjusted manually to the changed DB-table structures or to be rebuilt manually with CDS Views in SAP S/4HANA.

Business Process related information

It should be possible to rebuild all existing reporting scenarios with CDS Views. Limitations might exist with respect to consumption.

Required and Recommended Action(s)

If HANA Live views are used, time and resources should be planned for migration to CDS Views or for implementation of the additional RDS package (if that is available).

Related SAP Notes

Custom Code related information	If the customer copied calc views delivered by SAP or created user-defined calc views on top of SAP delivered views, those potentially need to be redone to reflect changed DB-table structures (in case there are some).
---------------------------------	---

45.9 S4TWL - ENTERPRISE SEARCH

Application Components: BC-EIM-ESH

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2318521	Enterprise Search

Description

ESH_SEARCH was the generic search UI of Enterprise Search in previous releases. Its successor in SAP S/4HANA is the integrated search functionality in the Fiori Launchpad.

Business Process related information

If a customer migrates from an older release to SAP S/4HANA and if he created his own search models or enhanced existing ones before, he needs to migrate his enhancements to the maybe changed standard search models of SAP S/4HANA.

Note that the navigation targets are not maintained any longer in the Enterprise Search model, but in the Fiori Launchpad Designer.

Transaction not available in SAP S/4HANA 1511	ESH_SEARCH
---	------------

Required and Recommended Action(s)

The search functionality is always available in the header area of the Fiori Launchpad. So you don't need a transaction code to start it.

The users may need a general introduction into the Fiori Launchpad. Only if the customer created his own search models or enhanced existing ones before, he needs to migrate his enhancements to the maybe changed standard search models of SAP S/4HANA. Note that the navigation targets are not maintained any longer in the Enterprise Search model, but in the Fiori Launchpad Designer.

Related SAP Notes

Custom Code related information	SAP Note: 2227007
---------------------------------	-------------------

45.10 S4TWL - Ariba Network Integration

Application Components: BNS-ARI-SE

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2341836	Ariba Network Integration in SAP S/4HANA on-premise edition

You are planning a system conversion from SAP ERP to SAP S/4HANA on premise. The information below is important.

This SAP Note is relevant if you use the SAP ERP add-on of Ariba Network Integration 1.0 for SAP Business Suite. In SAP S/4HANA, Ariba Network integration functionality is not provided as an add-on but as part of the SAP S/4HANA core product.

As of now, not all integration processes and messages that are provided with Ariba Network Integration 1.0 for SAP Business Suite are available in SAP S/4HANA. After the conversion from SAP ERP to SAP S/4HANA, the processes and cXML messages listed below are not supported by SAP S/4HANA.

Business Process Related Information

Note the restrictions for SAP S/4HANA, on-premise edition 1511 listed below.

The following processes are not supported:

- Processing of CC invoices (invoices transferred from SAP S/4HANA to Ariba Network)
- Service procurement/invoicing process
- Payment process
- Discount management process
- Processing of scheduling agreement releases
- Consignment process
- Subcontracting process
- Processing of forecast data
- Multi-tier purchase order processing
- Purchase order return items processing
- Integration processes for suppliers

The following cXML message types are not available:

- ReceiptRequest

- CopyRequest.InvoiceDetailRequest
- ServiceEntryRequest
- PaymentRemittanceRequest
- PaymentRemittanceStatusUpdateRequest
- PaymentProposalRequest
- CopyRequest.PaymentProposalRequest
- ProductActivityMessage
- ComponentConsumptionRequest
- ProductReplenishmentMessage
- QuoteRequest
- QuoteMessage

Note the restrictions for SAP S/4HANA, on-premise edition 1610 listed below.

The following processes are not supported:

- Processing of CC invoices (FI invoices transferred from SAP S/4HANA to Ariba Network)
- Processing of scheduling agreement releases
- Consignment process
- Subcontracting process
- Processing of forecast data
- Multi-tier purchase order processing
- Purchase order return items processing
- Integration processes for suppliers

The following cXML message types are not available:

- ProductActivityMessage
- ComponentConsumptionRequest
- ProductReplenishmentMessage

Required and Recommended Action

- Implement the master conversion pre-check SAP Note "2182725 - S4TC Delivery of the SAP S/4HANA System Conversion Checks" and follow the instructions in this note.
- For Ariba Network Integration, also implement the pre-check SAP Note "2237932 - S4TC Ariba BS Add-On Master Check for SAP S/4HANA System Conversion Checks". This note is also listed within the master note.
- If pre-checks fail, see the following SAP Note: "2246865 - S/4 Transition: Activities after failed PreChecks".
- Access SAP Note: "2341836 - S4TWL - Ariba Network Integration in SAP S/4HANA on-premise edition", download the following documents, and follow the steps described.

- Before the conversion: S4H_CONV_INTEGRATION_ARIBA_NETWORK_PREP C.PDF
- After the conversion: S4H_CONV_INTEGRATION_ARIBA_NETWORK_POSTC.PDF

45.11 S4TWL - INTERNET PRICING AND CONFIGURATOR (SAP IPC)

Application Components: AP-CFG

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2318509	Internet Pricing and Configurator (IPC)

Description

The Internet Pricing and Configurator (SAP IPC) is not released within SAP S/4HANA. For scenarios and business processes where the Internet Pricing and Configurator is currently used alternative functionality like ABAP-based configuration (LO-VC) can be used in SAP S/4HANA.

Business Process related information

In the Business Suite, The Internet Pricing and Configurator (aka SAP AP Configuration Engine) is usually used for the following use cases:

- Configuration Processes in SD/MM (incl. Pricing) as alternative to LO-VC
- Creation of Material Variants
- For the Vehicle Management System (VMS), SAP IPC could be used for vehicle configuration as alternative to the variant configuration (LO-VC). For each vehicle model defined as configurable material, the configuration engine could be switched from variant configuration to SAP IPC and vice versa
- Configuration Simulation in combination with SAP CRM
- Web Channel (aka Internet Sales) ERP Edition - this application is not released with S/4HANA

For scenarios and business processes where the Internet Pricing and Configurator is currently used alternative functionality like ABAP-based configuration (LO-VC) can be used in SAP S/4HANA.

Required and Recommended Action(s)

Implement Business Scenarios and Business Processes based on the functionality available within SAP S/4HANA like ABAP-based configuration (LO-VC). Revert entries in CUCFGSW if needed.

How to Determine Relevancy

There is no unambiguous single indicator whether IPC is productively used. However, there are a number of hints:

- If table IBIB shows any entries in field KBID, configurations created with IPC have been stored. This is an indicator at least for usage in the past.
- Table TCUUISCEN contains mandatory information for the configuration UI. If this table contains records, at least the installation has been set up. It is quite likely that IPC is actively used.
- Table CUCFGSW contains the "IPC Switch". If this table contains records, master data has been set up to use IPC instead of VC. This is not only an indicator for IPC usage, moreover entries must be reverted prior to conversion to S/4HANA.

Related SAP Notes

Custom Code related information	SAP Note: 2238670
---------------------------------	-------------------

45.12 S4TWL - JOB SCHEDULING

Application Components: BC-CCM-BTC

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2318468	JOB SCHEDULING

SAP S/4HANA contains a new component which automatically schedules certain technical background jobs. Deleting or modifying such jobs manually (via transaction SM37) will not have a lasting effect since the automation mechanism will re-schedule these jobs with predefined attributes. Job Definitions can be customized or deactivated via transaction SJOBREPO.

Description

Scheduling (and monitoring) "Standard Jobs" (e.g. SAP_REORG_SPOOL, SAP_REORG_ABAPDUMPS, SAP_REORG_JOBS etc.) was a manual action in SAP

ERP. Choosing Standard Jobs in transaction SM36 displayed a table of standard job templates which the customer could choose to schedule.

In SAP S/4HANA, this manual action has been replaced by an automatic mechanism, the Technical Job Repository. SAP S/4HANA Technical Job Repository takes care of scheduling (and de-scheduling) necessary standard jobs (as defined and delivered by SAP) automatically, without any user intervention.

Nevertheless, in case of conflicts, it is possible to do customizations to job definitions, for example modify the execution period (or start time) of a job or disable automatic job scheduling of a job entirely.

Two important job definitions which should be reviewed by customers after upgrade to SAP S/4HANA are described here:

1) SAP_REORG_JOBS:

This job definition schedules report RSBTCDEL2 daily in client 000 with variant SAP&001. This report+variant performs deletion of background jobs older than 14 days. If customer desires different deletion criteria (for example delete all jobs older than 7 days), disable SAP-delivered job definition SAP_REORG_JOBS via transaction SJOBREPO (must be logged on in client 000 because this job definition is only relevant for client 000) and schedule a custom job with custom variant.

2) SAP_REORG_SPOOL:

This job definition schedules report RSPO0041 daily in client 000 with variant SAP&001. This report+variant performs deletion of spool requests that have reached their deletion date in all clients. If customer desires different spool deletion criteria, disable SAP-delivered job definition SAP_REORG_SPOOL via transaction SJOBREPO (must be logged on in client 000) and schedule a custom job with custom variant.

Note: It is possible for customers to create customer-owned job definitions via transaction SE80.

For more information and a guide to SAP S/4HANA Technical Job Repository, see SAP Note 2190119.

Business Process related information

No influence on business processes expected.

Required and Recommended Action(s)

None.

45.13 S4TWL - LEGACY SYSTEM MIGRATION WORKBENCH

Application Components: BC-SRV-DX-LSM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2287723	LEGACY SYSTEM MIGRATION WORKBENCH (LSMW) in SAP S/4HANA, On-Premise-Edition

The LSMW (Legacy System Migration Workbench) function is still available within SAP S/4HANA, (on-premise edition) but not considered as the migration tool. LSMW might propose *incorrect* migration interfaces that cannot be used in SAP S/4HANA anymore.

This SAP note is valid only for customers implementing SAP S/4HANA 1511 (on premise edition) or higher (e.g. SAP S/4HANA 1610).

The Legacy System Migration Workbench (LSMW) is an SAP NetWeaver tool for data migration that was first introduced with R/2 to R/3 migrations. It uses standard interfaces like BAPIs, IDocs, Direct Input and Batch Input programs and recordings. Due to this nature, the use of LSMW is **restricted** for migrations to SAP S/4HANA.

For restrictions on certain Batch Input or Direct Input programs that are used by LSMW, please get in touch with the application components directly.

The Legacy System Migration Workbench (LSMW) can only be considered as a migration tool for SAP S/4HANA using workarounds and careful testing for each and every object. The use of LSMW for data load to SAP S/4HANA is *not recommended* and at the *customer's own risk*.

There are two workarounds already available. There is no commitment from SAP to provide such workarounds for all objects that were available before with the SAP Business Suite. Please use the links below to get more information about the workarounds:

1. Business Partner
<https://blogs.sap.com/2016/03/10/uploading-business-partner-data-using-lsmw>
2. Asset Management data:
<http://service.sap.com/sap/support/notes/2208321>

When using the workarounds, you have to carefully test the process so that you can ensure that it is actually working for you. The workarounds might not work for you and in any case.

Also expect restrictions around transaction recording (as this is not possible with the new SAP Fiori screens) and changed interfaces (for instance the Business Partner CVI interface instead of customer and vendor IDocs). Standard Batch Input programs may also no longer work as transactions may have changed functionality or may be completely removed within some areas. For example, due to security reasons batch import has been limited for RCCLBI02 program. Also, transactions for customer master data (FD*/XD*) and vendor master data (FK*/XK*) cannot be used anymore due to the change to the Business Partner data model in SAP S/4HANA.

Instead, SAP S/4HANA data migration content called **SAP Rapid Data Migration** based on **SAP Data Services** software is offered to migrate data into SAP S/4HANA (on premise). You can find more information under the link below:

<http://service.sap.com/public/rds-dm2s4op>

This content has been specifically built for the new SAP S/4HANA target system, its interfaces and data structures. The content is free of charge and can be downloaded under the link above. There are two ways to leverage the content:

1. **Base: Data Integrator**

SAP S/4HANA customers have access to a basic Data Integrator license key that comes with the underlying SAP HANA license (HANA REAB or HANA Enterprise). This key code applied to SAP Data Services provides full ETL functionalities (Extract, Transform, Load). Thus, it replaces a mapping and load tool like LSMW with the Rapid Data Migration content. With this basic data load functionality of SAP Data Services and together with the Rapid Data Migration content, legacy data can be loaded into SAP S/4HANA (on premise) including data validation but without further Data Quality (de-duplication, data cleansing) and reporting capabilities. For this use case with the aforementioned functionality, SAP Data Services is free of charge and there is no additional cost.

2. **Full: Data Services**

Using the full SAP Data Services license (separately licensed and not part of SAP S/4HANA) unleashes all Data Quality features like data cleansing and de-duplication for mitigating risk during the data migration process of a new SAP S/4HANA implementation.

In addition, there is a new basic tool included in SAP S/4HANA (starting with SAP S/4HANA 1610) that is called SAP S/4HANA Migration Cockpit. This tool can be an alternative for smaller projects and could also be used in addition to the Rapid Data Migration content. For more information, please click on the link below:

<https://blogs.sap.com/2016/06/21/how-to-migrate-to-sap-s4hana>



In an SAP S/4HANA 1610 on-premise system, you can start the S/4HANA Migration Cockpit (WebUI) with t-code LTMC and will need role SAP_CA_DMC_MC_USER. For field enhancements you can use the Migration Object Modeler (t-code LTMOM and role SAP_CA_DMC_MC_DEVELOPER). For more information, please visit the web pages below:

SAP S/4HANA Migration Cockpit:

https://support.sap.com/content/dam/SAAP/Sol_Pack/Library/FactSheets/BH5_S4HANA_1611_EN_XX.htm

SAP S/4HANA Migration Object Modeler:

https://support.sap.com/content/dam/SAAP/Sol_Pack/Library/FactSheets/BH4_S4HANA_1611_EN_XX.htm

How to Determine Relevancy

This simplification item is relevant if you plan to continue to use Legacy System Migration Workbench to migrate Data into SAP S/4HANA after System Conversion

46 Portfolio and Project Management (PPM)

46.1 S4TWL - Web Dynpro Applications for Resource Maintenance in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2358376	Web Dynpro Applications for Resource Maintenance in SAP Portfolio and Project Management for SAP S/4HANA

Description

The Web Dynpro application 'Create Resource' is no longer available. Furthermore, it is no longer possible to edit standard fields of a business partner with the Web Dynpro

application 'Edit Resource'. Use the standard functions for creating and editing business partner data.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

Please see note 2379542 for further information on Business Partner in SAP Portfolio and Project Management for SAP S/4HANA. No further actions expected.

How to determine relevancy

This transition worklist item is relevant for you, if you are using the WebDynpro applications 'Create resource' or 'Edit resource'. SAP Note 2321885 provides a pre-conversion check for this feature.

Related SAP Notes

Conversion pre-checks	SAP Note 2321885
-----------------------	------------------

46.2 S4TWL - Workforce Deployment (WFD) integration in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2358519	Workforce Deployment (WFD) integration in SAP Portfolio and Project Management for SAP S/4HANA

Description

Workforce Deployment is not longer available for Resource Management in Project Management of SAP Portfolio and Project Management for SAP S/4HANA.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

No further actions expected.

How to Determine Relevancy

Transition Worklist item is relevant, if you use Workforce Deployment.

Related SAP Notes

46.3 S4TWL - Integration to SAP cFolders in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2358921	Integration in SAP cFolders in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, the SAP cFolders Integration functionality is no longer supported.

Business Process-Related Information

It is no longer possible to exchange data between SAP Portfolio and Project Management for SAP S/4HANA and SAP cFolders.

Required and Recommended Action(s)

SAP recommends to evaluate SAP Document Center as a substitute for selected collaboration scenarios.

How to Determine Relevancy

This Transition Worklist item is relevant if cFolders and SAP Portfolio and Project Management is used.



46.4 S4TWL - KM Documents in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2354985	KM Documents in SAP Portfolio and Project Management for SAP S/4HANA

In SAP Portfolio and Project Management for SAP S/4HANA, the usage of Knowledge Management (KM) for Document Management is no longer available.

SAP Note 2321885 provides a pre-conversion check for this feature.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

In order to prevent the loss of the linkage between documents stored in KM and SAP Portfolio and Project Management for SAP S/4HANA during the system conversion, it is required to switch from the KM based document management to a KPRO based solution. For this, migrate your KM documents to KPRO documents using the report /RPM/MIGRATE_KM_DOCS. For this, you can use the report /RPM/MIGRATE_KM_DOCS. You can find more information in the Upgrade Master Guide of the current start release.

How to Determine Relevancy

This Simplification Item is relevant if in the customizing of global settings the value of the setting Area:0007, Name:0022 is empty (not 'X').

46.5 S4TWL - SRM Integration in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2359354	SRM Integration in SAP Portfolio and Project Management for SAP S/4HANA

Description

The SRM Integration for external service procurement is not available in SAP Portfolio and Project Management for SAP S/4HANA.

SAP Note 2321885 provides a pre-conversion check for this feature.

Business Process related information

It is not possible anymore to order external materials and resources directly from Project Management through SRM.

Required and Recommended Action(s)

The SRM Integration related data cannot be migrated to SAP Portfolio and Project Management for SAP S/4HANA, therefore it is required to clean up the data before the system conversion in order to prevent any data loss. Archive the corresponding projects or delete not needed SRM Integration related data before you continue the system conversion.

46.6 S4TWL - cFolders not available anymore in SAP Portfolio and Project Management f

Application Components: PLM-CFO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2348430	- cFolders not available anymore in SAP Portfolio and Project Management for SAP S/4HANA

Description

With SAP Portfolio and Project Management for SAP S/4HANA, the cFolders component is not available anymore. SAP recommends to evaluate SAP Document Center as a substitute for selected collaboration scenarios.

SAP Note 2321885 provides a pre-conversion check for this feature.

Business Process related information

All the features of cFolders application and all the integration between cFolders and other applications, e.g. SAP PLM, SAP SRM etc., are not available anymore.

Required and Recommended Action(s)

Because cFolders is not available anymore with SAP Portfolio and Project Management for SAP S/4HANA, customers need to archive existing cFolders data before the system conversion by following the steps below:

1. This step is mandatory to continue the conversion. Go to the collaboration overview page, select the collaborations you would like to archive, and click 'Archive' button in the toolbar above the list. Then the system will set a deletion indicator and remove the collaboration from the collaboration overview.
2. This step is not mandatory for the conversion, but it's highly recommended to keep the integrity of your data. Use SAP Data Archiving and archive object 'CFX_ARCH' to archive the collaboration data.

For the collaboration with partners, customers could consider to use other products like SAP Document Center.

How to Determine Relevancy

This Simplification Item is relevant if:

- cFolders is used if entries exist in Table CFX_COL, and column TO_BE_ARCHIVED is not set to 'X' (check with SE16)

46.7 S4TWL - Global Settings in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2359662	Global Settings in SAP Portfolio and Project Management for SAP S/4HANA

Description

The following Customizing settings under SAP Portfolio and Project Management -
 > Project Management -> Basic Settings -> Check Global Settings have been changed in
 SAP Portfolio and Project Management for SAP S/4HANA.

Area	Text	Name	Text	Delivered Default Settings Value	Availability in S/4HANA PPM
2	Master Switches	5	Integration with Other Components (see SAP Note 1391444)		Switch will be removed. Feature will be activated by default. In most cases, using the features require further configuration.
2	Master Switches	7	Integration with PS and FI/CO (see SAP Note 1427365)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
2	Master Switches	8	Enhanced Capital and Resource Mgmt Switch (see SAP Note 1457426)	X	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
2	Master Switches	13	Flag is Obsolete (SAP Note 1759150)		Switch is obsolete and will be deleted.
2	Master Switches	14	Flag is Obsolete - Change Documents for Financial and Capacity Planning		Switch is obsolete and will be deleted.
2	Master Switches	15	Milestone Filter for Tasks ('X'=On, ' '=Off)	X	Switch will be removed.

					Feature will be activated by default. In most cases, using the feature requires further configuration.
2	Master Switches	16	Accumulate the Number of Objects in the Dashboard ('X'=On, '='=Off)	X	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
2	Master Switches	17	Flag is obsolete (SAP Note 1780409)		Switch is obsolete and will be deleted.
2	Master Switches	18	Flag is Obsolete - Automatic Refresh of Project Dashboards ('X'=On, '='=Off)		Switch is obsolete and will be deleted.
2	Master Switches	21	Integration with PLM Engineering Record ('X' = ON, " = OFF)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
2	Master Switches	22	Activate Operative Object Links ('X' = ON, " = OFF)	X	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	21	DEPRECATED: Display Additional Information on Gantt Chart (' ': No, 'X': Yes)		Switch is obsolete and will be deleted.
6	User Interface Settings	23	Flag is obsolete (SAP Note 1756616)		Switch is obsolete and will be deleted.

6	User Interface Settings	24	Flag is obsolete (SAP Note 1769591)		Switch is obsolete and will be deleted.
6	User Interface Settings	26	Display Additional Information on Multi-Project Monitor (' ': No, 'X': Yes)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	28	Adjustment of Structure Tree Area by Splitter ('X'=Enabled, '='=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	29	Delete Button in Project Dashboard ('X'=Yes, '='=No)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	30	Data Aggregation in Projects ('X'=Enabled, '='=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	31	Fullscreen Mode for Graphical View ('X'=Enabled, '='=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.

6	User Interface Settings	32	Move-Up/Move-Down Buttons in Project ('X'=Yes, '='=No)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	33	Summary of Project Data in Multi-Project Monitor ('X'=Yes, '='=No)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	34	Concurrent Status Changes for Multiple Tasks ('X'=Enabled, '='=Disabled)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	35	Display Mirrored Task Relationships in MP Monitor ('X'=Enabled, '='=Disabled)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	36	Assignment of Multiple Roles to Tasks at a Time ('X'=Enabled, '='=Disabled)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	37	Allow Constraint Icons without Add. Info. in Graphical View ('X'=On, '='=Off)	Switch will be removed. Feature will be

					activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	38	Enhance Display of Details Window in Graphical View ('X'=On, '=Off)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	40	Additional Display Options for Assignments to Project Elements ('=No, 'X'=Yes)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	41	One-Click Completion of Subordinate Project Elements ('=No, 'X'=Yes)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
6	User Interface Settings	42	Improved Alignment of Project Evaluation Display ('=No, 'X'=Yes)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
7	General Default Values	17	SAP Notes Language Independent	X	Switch will be removed. Feature will be activated by default. In most cases, using the

					feature requires further configuration.
7	General Default Values	22	Document Alignment(' ': KM, 'X': KPRO)	X	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
7	General Default Values	23	Default number of columns initially displayed in Financial and Capacity Planning		Switch is obsolete and will be deleted.
7	General Default Values	27	Check-in/Check-out of Documents (' ': Normal, 'X': HTTP-Based)		Switch will be Removed. Feature will no longer be available.
7	General Default Values	28	HTTP Destination for SAP BusinessObjects Explorer		Switch will be Removed. Feature will no longer be available.
7	General Default Values	31	Flag is obsolete (SAP Note 1677356)		Switch is obsolete and will be deleted.
7	General Default Values	36	Flag is obsolete: Activate calculation of derived capacity attribute		Switch is obsolete and will be deleted.
7	General Default Values	38	Flag is obsolete (SAP Note 1755486)		Switch is obsolete and will be deleted.
7	General Default Values	39	Activate Multiple Object Selection for Reporting Cockpit ('X' =Yes, '' = No)	X	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
7	General Default Values	40	Flag is obsolete		Switch is obsolete and will be deleted.

7	General Default Values	46	Override Authorizations for Documents in Item Versions ('X'=Yes, ' '=No)	Switch will be removed. Feature will be activated available by default. In most cases, using the feature requires further configuration.
9	Portfolio Item Project Integration	9	Use Project Calendar for Linked Item ('X'=Yes, ' '=No)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
11	Staffing and Resource Management	1	Updating Staffing According To Tasks ('X'=Enabled, ' '=Disabled)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
11	Staffing and Resource Management	2	Confirmed Role Efforts in Staffing Overview of Projects ('X'=Yes, ' '=No)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
11	Staffing and Resource Management	3	Export of Cross-Project Resource/Staffing Data ('X'=Enabled, ' '=Disabled)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.

11	Staffing and Resource Management	4	Consider User Group Authorization in Resource Management (Yes = 'X', No = '')	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
11	Staffing and Resource Management	5	Personalized Layout for Resource Management Screens ('X'=Yes, '='=No)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
11	Staffing and Resource Management	6	SAP Notes in Cross-Project Staffing Overview ('X'=Yes, '='=No)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
11	Staffing and Resource Management	7	Updating Multiple Roles According to Tasks ('X'=Enabled, '='=Disabled)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
11	Staffing and Resource Management	8	Project Number as Search Criterion in Role Search ('X'=Yes, '='=No)	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
11	Staffing and Resource Management	12	Retain Node Expansion After Saving in Overview Screens ('X'=Yes, '='=No)	Switch will be removed. Feature will be

					activated by default. In most cases, using the feature requires further configuration.
12	Scheduling and Project Structuring	1	Automatic Scheduling of All Project Elements ('X'=Enabled, '='=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
12	Scheduling and Project Structuring	3	Creation/Deletion of Multiple Relationships ('X'=Enabled, '='=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
12	Scheduling and Project Structuring	4	Optimization of Task and Milestone Relationships ('X'=Enabled, '='=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
12	Scheduling and Project Structuring	5	Changing Scheduling Type in Project ('X'=Enabled, '='=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
12	Scheduling and Project Structuring	6	Preserve Relationships When Canceling Tasks ('X'=Enabled, '='=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the

					feature requires further configuration.
13	Additional Features	1	Sending E-Mails from Project Elements ('X' = Enabled, '' = Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
13	Additional Features	2	Export/Import of Templates ('X'=Enabled, ''=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
13	Additional Features	4	Comparison with Actual Dates in Graphical View ('X'=Enabled, ''=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
13	Additional Features	5	Export of Multi-Project Monitor Data ('X'=Enabled, ''=Disabled)		Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
13	Additional Features	6	Export of Resource Planning Data ('X'=Enabled, ''=Disabled)	X	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.

13	Additional Features	7	Export of Graphical View ('X'=Enabled, ''=Disabled)	X	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
13	Additional Features	8	Export of Evaluation Data ('X'=Enabled, ''=Disabled)	X	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.
13	Additional Features	9	Project-Specific Display of Earliest or Latest Dates ('X'=Enabled, ''=Disabled)	X	Switch will be removed. Feature will be activated by default. In most cases, using the feature requires further configuration.

SAP Note 2321885 provides a pre-conversion check for some of these features.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

Review the settings in your system before the conversion. If you have overwritten the default values, SAP recommends to delete the entries that have been deleted by SAP.

How to Determine Relevancy

This Transition Worklist item is relevant if you are using SAP Portfolio and Project Management for SAP S/4HANA.

Related SAP Notes



Conversion pre-checks	SAP Note 2321885
Http-based Check-In/Check-out	SAP Note 2353984

46.8 S4TWL - Fiori apps of UI FOR SAP PORTF PROJ MGMT 6.0 in SAP Portfolio and Projec

Application Components: PPM-PRO,PPM-PFM,PPM-FIO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2360044	Fiori apps of UI FOR SAP PORTF PROJ MGMT 6.0 in SAP Portfolio and Project Management for SAP S/4HANA

Description

The SAP Fiori apps of the UI FOR SAP PORTF PROJ MGMT 6.0 product version are no longer supported

For the Program Manager role, the following SAP Fiori apps are not available anymore:

- Approve Decision Points
- Create Portfolio Item Proposals
- Change Portfolio Items

For the Project Team Member role, a new Confirm Project Tasks app is available.

Business Process-Related Information

The functionality is also provided by corresponding Web Dynpro applications, therefore no major impact is expected.

Required and Recommended Action(s)

If you are using the apps for the Program Manager role, check the Web Dynpro applications.

How to Determine Relevancy



If you are using Fiori applications, check on the frontend system in the service catalog (transaction /IWFND/MAINT_SERVICE) whether the ODATA Services PPM_PFMITPR_CRE, PPM_PFMITPR_CHG, PPM_PFMDCPT_APV and PPM_PROTSK_CNF are used.

46.9 S4TWL - Portfolio Structure Graphic in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2360046	Portfolio Structure Graphic in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, the graphic view of the portfolio structure is no longer available.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

The table view for the portfolio structure is still available. No further actions expected.

How to determine Relevancy

This SAP S/4HANA Transition Worklist item is relevant if you are using portfolio management.

46.10 S4TWL - SAP Smart Forms in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2359421	SAP Smart Forms in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, SAP Smart Forms for printing Project Management information like Status Reports and so on are no longer available. Instead the Adobe PDF-based Forms can be used.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

No further actions expected.

How to Determine Relevancy

To determine if this Simplification Item is relevant please check if you use SAP Smart Forms for printing Project Management information.

46.11 S4TWL - Resource Management Web Dynpro Views in SAP Portfolio and Project Management

Application Components: PPM-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2359330	Resource Management Web Dynpro Views in SAP Portfolio and Project Management for SAP S/4HANA

Description

The old Resource Management views (invisible by default, but possible to make them visible by BAdI DPR_RES_OVERVIEW) are not available in SAP Portfolio and Project Management for SAP S/4HANA. Instead the new overview views can be used.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

No further actions expected.

46.12 S4TWL - WebDAV and EasyDMS Integration in SAP Portfolio and Project Management

Application Components: PPM-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2359479	WebDAV- and EasyDMS-Integration in SAP Portfolio and Project Management für SAP S/4HANA

In SAP Portfolio and Project Management for SAP S/4HANA, the WebDAV integration and EasyDMS integration are not available.

Business Process-Related Information

It is no longer possible to exchange data using WebDAV integration or EasyDMS integration.

Required and Recommended Action(s)

SAP recommends to evaluate SAP Document Center as a substitute.

How to Determine Relevancy

To determine if this Simplification Item is relevant please check if you use WebDAV and EasyDMS Integration.

46.13 S4TWL - SAP Portal Integration in SAP Portfolio and Project Management

Application Components: PPM-PRO

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2361179	S4TWL - SAP-Portal-Integration in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, the integration to SAP NetWeaver Portal is not available.

Business Process-Related Information

SAP recommends to evaluate SAP NetWeaver Business Client as a substitute.

How to Determine Relevancy

This Simplification Item is relevant if SAP Portfolio and Project Management runs in an SAP NetWeaver Portal.

46.14 S4TWL - cRoom Integration in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2361186	cRoom-Integration in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, the cRoom integration is not available.

Business Process-Related Information

It is no longer possible to exchange data using the cRoom integration.

Required and Recommended Action(s)

SAP recommends to evaluate SAP Document Center as a substitute.

How to Determine Relevancy

To determine if this Simplification Item is relevant please check if you use cRoom integration.

46.15 S4TWL - xPD Integration in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2361181	xPD-Integration in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, the SAP xPD integration is no longer available.

Business Process-Related Information

It is no longer possible to exchange data between SAP Portfolio and Project Management for SAP S/4HANA and SAP xPD.

Required and Recommended Action(s)

SAP recommends to evaluate SAP Innovation Management as a substitute.

46.16 S4TWL - Xcelsius Integration in SAP Portfolio and Project Management for SAP S/4 HANA

Application Components: PPM-PFM

Related Notes:



Note Type	Note Number	Note Description
Business Impact	2361194	Xcelsius-Integration in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, the Xcelsius integration is not available.

Business Process-Related Information

It is no longer possible to exchange data using Xcelsius integration.

Required and Recommended Action(s)

No further actions expected.

How to Determine Relevancy

To determine if this Simplification Item is relevant please check if you use Xcelsius integration.

46.17 S4TWL - SAP BusinessObjects Explorer Integration in SAP EPPM

Application Components: PPM-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2361202	SAP BusinessObjects Explorer Integration in SAP Portfolio and Project Management for SAP S/4HANA

Symptom

You want to convert your existing system landscape from SAP Portfolio and Project Management to SAP Portfolio and Project Management for SAP S/4HANA. The following SAP Portfolio and Project Management for SAP S/4HANA Transition Worklist item is applicable in this case.

Solution

Description

In SAP Portfolio and Project Management for SAP S/4HANA, the SAP BusinessObjects Explorer integration is not available.

Business Process-Related Information

It is no longer possible to analyze data using SAP BusinessObjects Explorer integration.

Required and Recommended Action(s)

No further actions expected.

How to Determine Relevancy

This Simplification Item is relevant if in the customizing of global settings the setting 0007/0028 contains HTTP destination.

46.18 S4TWL - Project simulation in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2361201	Project simulation in SAP Portfolio and Project Management for SAP S/4HANA

Symptom

You want to convert your existing system landscape from SAP Portfolio and Project Management to SAP Portfolio and Project Management for SAP S/4HANA. The following SAP Portfolio and Project Management for SAP S/4HANA Transition Worklist item is applicable in this case.

Solution

Description

In SAP Portfolio and Project Management for SAP S/4HANA, project simulation without an operative project is not available.

Business Process-Related Information

It is only possible to create project simulations based on operative projects.

Required and Recommended Action(s)

No further actions expected.

46.19 S4TWL - Simplification of data model in SAP Portfolio and Project Management

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2361690	Simplification of data model in SAP Portfolio and Project Management for SAP S/4HANA

Description

With SAP Portfolio and Project Management for SAP S/4HANA, the current data model is considered as not strategic in SAP Portfolio and Project Management for SAP S/4HANA, because there is a known need to change or replace the current data model by a simplified one. The current data model can still be used with SAP Portfolio and Project Management 1.0 for SAP S/4HANA to enable an end-to-end business process, but could be changed, removed or replaced according to the roadmap for SAP Portfolio and Project Management for SAP S/4HANA.

Business Process related information

Changes or replacements of the current data model should primarily influence how a business process is supported by the solution, but do not necessarily lead to a change of the business process itself.

Required and Recommended Action(s)

The current data model is still used in SAP Portfolio and Project Management 1.0 for SAP S/4HANA to enable an end-to-end business process, but will be subject of renovation and simplification according to the roadmap for SAP Portfolio and Project Management for SAP S/4HANA.

46.20 S4TWL - Deletion of obsolete packages in EPPM

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2368899	Deletion of obsolete packages in EPPM

Description

In SAP Portfolio and Project Management for SAP S/4HANA, packages with development objects that were already obsolete in SAP Portfolio and Project Management 6.1 have been deleted.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

No further actions necessary.

Related SAP Notes

46.21 S4TWL - Business Partner in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2379542	Business Partner in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA user assignments of business partners of type 'Resource' are no longer available. User Assignments using

transaction BP are no longer possible, therefore you cannot create a business partner of type 'Employee' with user assignment using transaction BP.

Required and Recommended Action(s)

SAP recommends to evaluate other options to use business partners of type 'Employee' for which user assignments are still possible according to Human Resources processes, for example:

1. Use transaction PA40 (action Hiring) to create a minimum set of HR master data
2. Use transaction PA30 to maintain the user information in infotype 0105/0001
3. Run report /SHCM/RH_SYNC_BUPA_FROM_EMPL (S/4 HANA BUPA Synchronization)

A business partner of type 'Employee' is then created which has an user assignment. For this business partner also the type 'Resource' can be maintained, e.g. to define a cost rate.

How to Determine Relevancy

This Simplification Item is relevant if business partners of type 'Employee' and type 'Resource' with user assignments have been used in SAP Portfolio and Project Management.

46.22 S4TWL - Simplified ACLs (Access Control Lists) concept in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2343374	Simplified ACLs (Access Control Lists) concept in SAP Portfolio and Project Management for SAP S/4HANA

Description

A simplified ACLs (Access Control Lists) concept in SAP Portfolio and Project Management for SAP S/4HANA is now in place to reduce business complexity. Some options are not available any longer and a simplified logic leads to different results. Major changes are:

a) Authorizations related to organizational units of project elements are not available in SAP Portfolio and Project Management for SAP S/4HANA.

- b) 'NoAuth' activity is not available in SAP Portfolio and Project Management for SAP S/4HANA.
- c) User Groups are only considered up to the third level until the level 3 and activities are only considered up to the fifth level.

SAP Note 2321885 provides a pre-conversion check for this feature.

Business Process related information

Since the new and simplified ACLs (Access Control Lists) concept is now used, depending on the maintained authorizations the results of authorization determination could now differ from results of the non simplified authorization concept in the SAP Portfolio and Project Management solution. You can now check and adapt the authorizations maintained in your projects according to the information given by the pre-check.

Required and Recommended Action(s)

In case you used some of the options not available any longer, adjust the maintained authorizations and in addition make knowledge transfer to key and end users.

The note 2321885 contains the report DPR_PRE_CHECK_S4MIG_AUTHREF to analyze the authorizations in a more detailed way than the corresponding pre-conversion check.

How to Determine Relevancy

This Simplification Item is relevant in case options have been used that are no longer supported or in case authorizations have been set up in such a way that the new authorization logic leads to different results.

46.23 S4TWL - SAP Web Dynpro usage in SAP Port. and Proj. Management for SAP S/4HANA

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2349580	SAP Web Dynpro usage in SAP Portfolio and Project Management für SAP S/4HANA

Description

With SAP Portfolio and Project Management for SAP S/4HANA, it is planned to revise various features in order to simplify the solution. This includes the renovation of the user interface, whereas SAP Fiori is the preferred technology. That means that the SAP Web Dynpro based user interfaces of SAP Portfolio and Project Management for SAP S/4HANA are considered as not strategic anymore, means no major improvements are currently planned based on this technology for the solution. This applies to the portfolio management and project management part of SAP Portfolio and Project Management for SAP S/4HANA and comprises for example:

- SAP Web Dynpro based dashboards (e.g. project dashboard) and table views (e.g. table view for the project structure)
- SAP Web Dynpro based detail screens (e.g. detail view for the project structure or for the portfolio item)
- SAP Web Dynpro based functionalities, e.g. project favorites for the project dashboard.

As the renovation with SAP Fiori is planned based on a step-wise approach according to the roadmap of SAP Portfolio and Project Management for SAP S/4HANA and will take some time, the SAP Web Dynpro based user interface can still be used to enable end-to-end business processes.

Business Process related information

The renovation of the user interface of SAP Portfolio and Project Management for SAP S/4HANA with SAP Fiori is planned to happen along business roles, to provide a more simple solution for e.g. the project manager.

Required and Recommended Action(s)

No immediate action required, but with each additionally released SAP Fiori based app you should check if you could apply it for your business process.

How to Determine Relevancy

This item is relevant for every customer of SAP Portfolio and Project Management for SAP S/4HANA.

46.24 S4TWL - Changes compared to older releases than SAP Port. and Proj. Mngt. 6.1

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2349633	Changes compared to older releases than SAP Portfolio and Project Management 6.1

Description

SAP provides transition worklist items based on changes between SAP Portfolio and Project Management 6.1 and SAP Portfolio and Project Management for SAP S/4HANA. SAP does not provide transition worklist items for changes that happened already between older releases and SAP Portfolio and Project Management 6.1.

SAP Note 2321885 provides a pre-conversion check for this feature.

Business Process related information

Each release of SAP Portfolio and Project Management may contain changes which could impact business processes.

Required and Recommended Action(s)

In case you plan a conversion from a release older than SAP Portfolio and Project Management 6.1 to SAP Portfolio and Project Management for SAP S/4HANA, you need to read and check all Release Notes and Upgrade Master Guides of all releases between your start release and (including) SAP Portfolio and Project Management 6.1.

How to Determine Relevancy

Check the release of your SAP Portfolio and Project Management installation by logon the ABAP system, open "System" -> "Status.." in the menu and click the button "Components" in the opened dialog.

46.25 S4TWL - Not strategic functionalities within SAP S/4HANA

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2349713	Not strategic functionalities within SAP S/4HANA

Description

With SAP Portfolio and Project Management for SAP S/4HANA, many features are changed in order to improve and simplify the solution. To streamline the solution, some features are removed. SAP plans to continue to improve, simplify and streamline SAP Portfolio and Project Management for SAP S/4HANA in future. The list below summarizes features which SAP considers as not strategic in SAP Portfolio and Project Management for SAP S/4HANA, because there is a known need to change or replace them in future. These features can still be used with SAP Portfolio and Project Management 1.0 for SAP S/4HANA to enable an end-to-end business process, but could be changed, removed or replaced by another feature in future according to the roadmap of SAP Portfolio and Project Management for SAP S/4HANA.

- Document management: There is a known need to adjust this feature with the planned SAP Fiori Attachment Service.
- Phase approvals: There is a known need for a more generic approval feature, means a feature which also enables an approval process of e.g. milestones.
- Decision flow management: With SAP Portfolio and Project Management for SAP S/4HANA, it is planned to simplify the object and data model. Based on that, there is a known need to adjust the decision flow management accordingly.
- Field control: There is a known need to streamline the different field control features of the solution.
- SAP Smart Forms for E-Mail: There is a known need to replace SAP Smart Forms.
- Business Context Viewer: There is a known need to streamline different analytical features.
- Extractors for SAP Business Warehouse: There is a known need to streamline different analytical features.
- RFC enabled function modules of the project management as well as of the portfolio management part: Both have never been released for usage by customer.
- Integration to the PLM object navigator: There is a known need for a renovation of this feature with SAP Fiori. According to that, the integration needs to be adjusted.
- Search within documents with SAP TREX: There is a known need to streamline different search capabilities.

- Integration with SAP Identity Management: There is a known need to streamline different capabilities.

Business Process related information

Changes or replacements of the mentioned features should primarily influence how a business process is supported by the solution, but do not necessarily lead to a change of the business process itself.

Required and Recommended Action(s)

No immediate action required, but customers should be aware that one or more of the mentioned features could be changed, removed or replaced by another feature in future.

How to Determine Relevancy

This item is relevant for every customer of SAP Portfolio and Project Management for SAP S/4HANA.

46.26 S4TWL - Control Plans in SAP Portfolio and Project Management for SAP S/4HANA

Application Components: PPM-PRO

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2353885	Control Plans in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, control plans (incl., for example. control plan templates and search for control plan objects) are not available anymore. SAP recommends to evaluate the control plan functionality in SAP S/4HANA as a substitute.

SAP Note 2321885 provides a pre-conversion check for this feature.

Business Process-Related Information

In case that control plans are used, the corresponding business processes have to be adapted.

Required and Recommended Action(s)

The control plan data cannot be migrated to SAP Portfolio and Project Management for SAP S/4HANA, therefore it is required to clean up the data before the system conversion in order to prevent any data loss. Archive the corresponding projects or delete not needed control plan data before you continue the system conversion.

The control plan UI field customizing (customer own) cannot be migrated to SAP Portfolio and Project Management for SAP S/4HANA, therefore needs to be deleted. Further details are described in the consulting note 2363785.

46.27 S4TWL - HTTP-Based Document Management in SAP Portfolio and Project Management f

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2353984	HTTP-Based Document Management in SAP Portfolio and Project Management for SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, the HTTP-Based Document Management for the check-in/check-out of documents is no longer available. The HTTP-Based check-in/check-out feature had provided the possibility to upload and download documents including the possibility to checkout a document and open a document with the specified client application. The HTTP-based check-in/check-out required a Java installation and a valid certificate on client-side.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

The functionality to upload and download documents is still available and can be used. No further actions necessary.

How to Determine Relevancy



Please check the Global Settings in Customizing: SAP Portfolio and Project Management -> Project Management -> Basic Settings -> Override Default Global Settings. If Master Switch 0007 (General Default Values) 0027 (Check-in/Check-out of Documents (' ': Normal, 'X': HTTP-Based)) is set to X, the Transition Worklist item is relevant.

Related SAP Notes

Conversion pre-checks	SAP Note 2321885
-----------------------	------------------

46.28 S4TWL - Object Links to SAP Environmental Compliance in SAP Portfolio and Project Management

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2359065	Object Links to SAP Environmental Compliance in SAP Portfolio and Project Management for SAP S/4HANA

Description

Object Links to SAP Environmental Compliance are not longer available in SAP Portfolio and Project Management for SAP S/4HANA.

Business Process-Related Information

Objects from SAP Environmental Compliance can't be linked to a project or portfolio item anymore in SAP Portfolio and Project Management for SAP S/4HANA.

Required and Recommended Action(s)

In case you plan to use a similar functionality in SAP Portfolio and Project Management for SAP S/4HANA, you may create a custom own object link type.

Related SAP Notes

46.29 S4TWL - Microsoft Project Import/Export in SAP Portfolio and Project Management

Application Components: PPM-PRO,PPM-PFM

Related Notes:

Note Type	Note Number	Note Description
Business Impact	2358463	Microsoft Project Import/Export in SAP Portfolio and Project Management für SAP S/4HANA

Description

In SAP Portfolio and Project Management for SAP S/4HANA, the import/export function for Microsoft Project Client data has been changed. The system no longer uses the binary file format of Microsoft Project (.MPP). Instead the XML format for Microsoft Project is used. Neither an ActiveX installation nor a definition of security lists for office controls is required.

Business Process-Related Information

No effects on business processes are expected.

Required and Recommended Action(s)

No further actions are expected.

How to determine relevancy

This transition worklist item is relevant, if Microsoft Project Import or Export is used. SAP Note 2321885 provides a pre-conversion check for this feature.