



2020 Sales and Product Training













Your Trainer











Your HydraMaster Sales Reps













2020 Sales and Product Training

Index/Agenda

About
HydraMasterCompetitive
Analysis

Direct Drive Truckmounts

Slide-In Truckmounts

Selling Truckmounts

Tools & Wands

Truckmount Accessories

High
Performance
Portable
Extractors

Restoration Equipment

Addendum: Chemicals









What are the three different categories of truckmounts and what are the related advantages and disadvantages of each?







There are 3 types of truckmounts

- 1) Direct Drive (sometimes referred to as clutch drive or PTO)
- 2) Slide-In Units
- 3) Mobile Truckmounts



Enabling the success of the cleaning and restoration contractor through innovative design, quality construction, reliable performance, and unparalleled support









There are 3 types of truckmounts 1) Direct Drive (sometimes referred to as clutch drive or PTO)

- Direct drive units are powered by the engine of the host vehicle and are known for their simplicity, ease of operation and training, reduced downtime, and long-term reliability. They provide for a more safe, secure, and quieter operation as they can be operated with the van doors closed. Their incredibly small footprint in the van leaves you more room to haul all your other gear.
- Direct drive truckmounts tend to have a higher resale value when the time comes for you to replace them.
- Perhaps most importantly HydraMaster is the leading manufacturer and seller of direct drive truckmounts in the world. We have been making them longer and understand them better than anyone.

















There are 3 types of truckmounts **Slide-in Truckmounts**

- Slide-in truckmounts get their power from a self-contained air cooled or water-cooled engine.
- They basically "slide" into the back of a van, box truck, or trailer. They range from entry level machines to multi-wand powerhouses.
- They have a wider range of choices in horsepower, vacuum size, and versatility in the vehicle you mount them into.
- They are generally less expensive to get into than a direct drive truckmount and can more easily be paired with used vans or vehicles.
- As your business grows and changes, if you change or upgrade your vehicle, a slide-in can be removed and re-installed much easier and for less cost than a direct drive truckmount.
- HydraMaster was one of the original inventors of truckmounts, and has been manufacturing slide-in truckmounts since 1971.











BOXXER 318HP









There are 3 types of truckmounts **Mobile Truckmounts**

- The TMTG does not require the contractor or facility to permanently tie up a vehicle. The unit is simply forklifted into the transport vehicle for delivery to the job site, or shipped by container or crate to the worksite.
- The complete self-contained, turn-key system can be transported via flatbed or pick-up truck, van, trailer, or even an industrial cart. The complete system includes: a wastewater recovery tank; high capacity automatic wastewater disposal system (for pumping wastewater to an on-location sanitary sewage access point); fuel tank; vacuum and solution hoses mounted on a high capacity hose reel; and a cleaning and extraction wand.
- A mobile platform is ideal for restoration companies who don't want to tie-up a work vehicle at a large job site and for facility managers at university and corporate campuses and resorts who need to move a truckmount from location to location.













Questions to ask to help the customer choose the right truckmount for their business

- Do you do mostly commercial or residential cleaning, or a mix? Night, day, or both?
- How much hose do you use on your average job? 150', 250', more?
- How "mechanical" are you?
- What else will you need to carry in your van?
- Do you do dual wand cleaning on a regular basis?
- Are you going to run the machine yourself or count mainly on technicians that work for you?
- How far are you from your local HydraMaster distributor and authorized service center?

Watch this video: https://youtu.be/ihzCOPxYXBg









HydraMaster Truckmount Elevator Sales Pitch "Cheat Sheet"

DIRECT DRIVE TRUCKMOUNTS

CDS DIRECT DRIVE

- 1. #1 selling direct drive truckmount in the world
- 2. Easy to operate and train low maintenance
- 3. Leaves the most cargo room of any truckmount





CDS XDRIVE DIRECT DRIVE

- 1. Only direct drive that can op in a unibody van
- 2. Hybrid electronic technology
- 3. Rivals the power, heat, vacuum, and performance of the biggest slide-ins







LIQUID (WATER) COOLED ENGINE SLIDE-IN TRUCKMOUNTS

TITAN 575

- 1. Relentless dual wand workhorse
- 2. Easy access magnetic panels
- 3. Liquid cooled 32.5HP Kubota engine for reliability and longevity

Ideal for : gearheads who want big, bad marbines, companies that want to operate their marbine for a long time. Meticulous owner-operators



TITAN H20

- 1. Purpose built for water extraction
- 2. No pressure/solution side reduces maintenance
- 3. Liquid cooled 32.5HP Kubota engine for reliability and longevity

Ideal for : restoration companies and contractors, plumbers







MOBILE TRUCKMOUNT

TMTG4000 Truckmount to Go

- 1. The mobile truckmount that does not require a truck.
- 2. Both extraction and cleaning capability
- 3. Automatic wastewater disposal system included

Ideal for : nestoration contractors, college and corporate campus facility managers, rental, resorts. casinos, amisement parks







HydraMaster warranty service is rated #1 by distributor mechanics! "We've got your back"







www.hydramaster.com | 800.426.1301 | 425.775.7272

HydraMaster Truckmount Elevator Sales Pitch "Cheat Sheet"

AIR-COOLED ENGINE SLIDE-IN TRUCKMOUNTS

- 1, 31HP, 400+CFM, 240'F, 2 Wands = The numbers add up
- 2. Most economical true dual wand unit
- 3. In a class all by itself

Ideal for: companies wanting dual wand tleaning at an economical price, restoration contractors meticulous owner-operators, geneticads



- 1. "Sweet spot" machine more horsepower, more heat
- 2. Better heat control less water dumping
- 3. Better air circulation no belt cooling fans required

Ideal for: Residential and commercial carpet cleaning companies, budget sensitive customers need a higher level of performance, most dide-in users, simplicity lovers







Boxxer 318HP

- 1. Up to 1500psi cleaning pressure for hard surface
- 2. Addresses reality of flooring marketplace
- 3. Stainless steel solution pump, high pressure heater coil
- 4. Hydra-Clutch plus high pressure perfect for restoration

Ideal for Cleaning companies who specialize or want a dedicated truck for hard surface dearing and pressure washing, restoration contractors and construction clean-up companies who don't use a truckmount every day





TITAN 325

- 1. Affordable value, radical performance step up
- 2. Hydra-Clutch for water extraction
- 3. Hotter than ever best performance in its class
- 3. Easy maintenance with high level of reliability

lideal for: first time truckmount buyers and portable users, restoration companies who don't need a truckmount every day, every level, new companies, simplicity lovers

HYDRAMASTER BRAND AND COMPANY - 5 KEY DIFFERENTIATORS

- 1. Hotter in every class of machine and hold and maintain heat better
- Better control over heat bypass less water
- RPM of vacuum blower set at factory recommendation extends life
- Longevity HydraMaster has a proven 49 year track record
- We have a real warranty and we stand behind what we sell



- "Tough as nails" ITIAN quality with sleek new design . More intuitive and easier to use panel directions and graphics make it easier to train new
- techniciams, and easier to maintain Enhanced appearance makes an impression on your professionalism to your deaning or
- pestocation postnesses Trackmounts that match your perseverance in delivering optimum performance to your



www.hydramaster.com | 800,426,1301 | 425,775,7272













What do we mean when we say HydraMaster has "your back" when it comes to truckmounts?







BOXXER. Series

HydraMaster warranty service is rated #1 by distributor mechanics!









What do we mean by HydraMaster has "your back" when it comes to truckmounts?

We call it the HydraMaster Hassle-Free "Ownership Experience"

- HydraMaster is the industry leader in manufacturing truckmount cleaning systems, accessories and chemicals. For almost 5 decades, HydraMaster has stood behind its products 100%.
- There is nothing limited about our support when it comes to supporting
 HydraMaster equipment owners. While some manufacturers tout the
 length of their warranties, if you read the fine print, you will see it is a
 "limited" warranty.
- HydraMaster provides a two or three year (depending upon the model of truckmount) comprehensive warranty. Think of it more like a "bumper to bumper" warranty than a "limited" warranty.





What do we mean by HydraMaster has "your back" when it comes to truckmounts?

We call it the HydraMaster Hassle-Free "Ownership Experience"

- Hassle-Free Warranty Service means that on the rare occasion that something does go wrong outside of regular maintenance, your local HydraMaster distributor and HydraMaster combine to provide you with hassle-free warranty support. Understanding how the blower warranties actually work is important.
- In fact, Distributor mechanics consistently rate HydraMaster
 Truckmounts #1 when it comes to hassle free warranty service and
 support. When there is an issue, we work hard to get you up and
 running and keep you running.









What do we mean by HydraMaster has "your back" when it comes to truckmounts?

We call it the HydraMaster Hassle-Free "Ownership Experience"

Some other ways we make the Ownership Experience Hassle Free:

- 7/24/365 Internet Technical Support and Advice
 - Manuals at our website
 - Youtube library
 - HydraMaster University
- HydraMaster Truckmount Troubleshooting Smartphone App
- HydraMaster reliability, durability, and dependability
- Uncompromising Performance.
- Phone Technical Support
- Join the HydraMaster Owner's Group on Facebook

Watch this video: https://youtu.be/fDHtQLsTPcc











A new, FREE online training center for cleaning and restoration professionals

HydraMaster UNIVERSITY

The Most Innovative Wand and Tool Family in the



SELECTING THE RIGHT PRODUCT

ON THE JOB PROCEDURES

TECHNICAL SERVICE AND SUPPORT

BUSINESS MANAGEMENT AND MARKETING

How Do I Know What Hard Surface





HASSLE-FREE













5 Key Differentiators - Truckmounts



- 10 degrees hotter on each machine and HydraMaster truckmounts hold and maintain their heat better
- 2. HydraMaster truckmounts have better control over heat. Sapphire Scientific/Prochem machines only have three settings and bypass more water
- 3. Sapphire Scientific/Prochem claim higher performance on CFM and vacuum... but at what expense?
- 4. Longevity HydraMaster has a 48 year proven track record
- 5. HydraMaster has a real warranty. We stand behind what we sell.









Other Truckmount Manufacturers



























MULTI-STEAM





























A short review of a long history at HydraMaster















Comparison Testing of Truckmounts - Beyond Spec's and Components

Chris Ryan Doyle Bloss





- So you guys are always wanting to talk truckmount "techno-weenie, gearhead" talk with us, and we are always trying to point you back to what it means when it comes to making money...
 - Vacuum and CFM Are you having issues with drying time? Really?
 - Temperature are you selling the benefits of the sanitizing levels your truckmount can maintain?
 - Dual wand cleaning when was the last time you did this? Have you really thought this through?



Definition of Testing

- Take measurements to check the quality, performance, or reliability, especially before putting it into widespread use or practice
- A particular process or method for trying or assessing
- Judge or measure by means of an examination



What are we Testing?

Performance Testing – Temperature, Pressure, Vacuum, Vibration, Noise

Endurance Testing – System reliability, Component Reliability, Accelerated Life, Beta programs

Comparative Testing – Competitive Equipment Analysis, Component Selection

Input Testing - Data for FEA Software (Finite Element Analysis),

Feasibility Testing – New Product Development, New Technology, Supplier Qualification

Production Testing – Final Assembly Verification



Temperature Performance Testing

One of the main factors in machine performance is solution temperature. To determine the equivalent effectiveness of any system the input and output variables must be precisely controlled. Vacuum Pressure Hg, Solution Flow Volume, Ambient, and Inlet Water Temp.

Controlling your environment is Key!

Due a variety of internal differences in equipment; plumbing, component variation, heat exchange design, and other nuisances it easy to misinterpret performance if done incorrectly



Example of Temperature Performance Testing


Vacuum @ 12"Hg Vacuum.......Vacuum Gauge +/- 0.10 Resolution 1.25 GPM (Simulates #6 Jet @ 300 PSI)......Measured Container/Weight Ambient @ 100 F..........Environmentally controlled Inlet Water @ 70 F........Heated inlet water with Mixing Valve Multimode Timer (10of/10off,20on/10off,Cont,NoFlow).......Precision Timer

Changing anyone one of these factors by 5-10% can increase or decrease the temperature output by 5 degrees F or more.

This protocol evaluates the system rather than the environment by reducing as much variability as possible. We also use all our own test equipment rather than rely on the machine instrumentation, these gauges typically have a much lower tolerance range.


With this setup any machine or system can be tested with a level of accuracy and consistency to be compared to another tested in this way.













Air Flow Performance Testing

Another significant factor machine performance is blower CFM. Depending of the purpose there are many different ways to conduct such testing. The quality of the instrumentation again is critical, many blowers are capable easily exceeding the abilities of many low cost measuring devices.

Many of these air flow test are to understand the value of hose lengths, hose diameter, tool design, machine efficiency and so on. Other testing that validates air flow is water recovery.




Example of CFM Testing

Many of the tests that we have and can record requires very specific instrumentation and methods:


Hot wire Anemometer Inline Flow Sensors Inline Flow Meters Water Recovery Vane Anemometer













Endurance Testing

This is also referred to as "Accelerated Life Testing". The design of this test is to take real world operating conditions and accelerate them. The information from this condensed test allows for a better understanding of how the machine may fair over several years in the field. This is typically conducted over several months 24/7 to achieve a run time of 1500 hours.

Ideally we are trying to simulated the worst modes at a highest greatest possible frequency to highlight any potential issues in a design




Example of Endurance Testing

As an example; we have cycled the vacuum on and off several times in one minute to simulate the same amount cycles that would occur of several days.

Vacuum - 12cycle/min (3 sec On/2 sec Off)
Total Hours Run – 1500
Average Run Time/Day – 23 Hour
Total Calendar time to Achieve Hours – 65 Days
Total Vacuum Cycles – 1 Million

We are able to achieve a large amount of cycles in the shortest amount time possible to simulate some of the worst measured conditions we've found on gasoline engines.















Comparative Testing


We typically measure two similar machines or components to determine the characteristic of each one. When comparing machines that have different heating systems, components, plumbing and so on needs to be evaluated as a complete system. Our performance testing protocol manages those differences to give all systems a fair evaluation. Other factors that are tested. Horsepower capacity, Ambient Temperatures, noise, vibration, BP / Air to Fuel ratio, CFM

Careful detail to vacuum lift, flow rate, and ambient temperatures is paramount to trust your data. Slight changes in each of these parameters can have a large affect, many times multiple runs are required





Comparative Testing Outputs













Comparative Testing Results

When everything is said and done this information is important to tell us where we good at things and where we need to improve. There are many manufacturers and component suppliers out there that know what they're doing. The more informed we are the better we can respond to trends in the carpet cleaning industry



Input Testing

Once a project has kicked off it is important to understand what the components are capable of and how they will interact with it's environment. With data provided in this testing we can utilize software such as Finite Element Analysis to map out vibration and stresses in multiple iterations before building prototypes.


Better understanding of these characteristics can allow you to review ten times the amount of configurations than conventional means.




Example of Input Testing

Many of the testing that we have and can record requires very specific instrumentation

Load Cell.....Force
Strain Gauge....Strain
Accelerometer....Vibration









Result of Input Testing

Before committing to a design we can determine the best geometry for a given frame, bracket, or mold to have its highest rate of success.







Beta Testing

The purpose of the Beta field test is to gain real world feedback. The Field Test unit is a highly refined machine called a "Beta". This machine will reflect exactly what will be built in production. The machine as a whole will be subjected to elements and factors that cannot be tested in a contained environment. This is the final major test that will be performed prior to production release. Depending on the size of the project this phase could take 3-6 months.

The beta test output can result in changes to the design of the machine as well as the targeted release in the project.

Users are chosen based on availability. The overall hours per day is important, ideally on average 300 to 400 hours is achievable in a 3 month period. Job variety and continuous running modes are required to verify all potential operating requirements.





HydraMaster TITAN 425 Vs. Sapphire 370



Summary of Advantages

- It has all the power and performance you need without overkill. The 23HP Briggs & Stratton Vanguard Engine provides you with more horsepower than most machines in its class 12% more power which will allow your machine to operate better at elevated conditions and under maximum load conditions. This also extends the life of the engine.
- Control is a key also the TITAN 425 allows you to choose the exact cleaning solution temperature you want rather than
 just a pre-determined setting.
- Simplicity reigns supreme, starting with the fact that the proven coupling system open configuration allows for excellent air circulation, while the competition's belt driven system requires a belt cooling fan, adding one more layer of complexity.
- The TITAN 425 is equipped with a waterbox drain valve which makes the machine easier to freeze guard, descale and service. With the competition's machine the water box has to be drained by running the machine.
- Plus because the TITAN 425 is 150 to 200# lighter than the competition, you will get improved gas mileage from your van and less wear on vehicle components.
- The TITAN 425 is easier to maintain too. It is designed around the HydraMaster "Arms-Length" philosophy of accessibility. The TITAN 425 blower drive system can be easily serviced in less than an hour with easily accessibility to the drive system. Blower oil drain hoses make changing your blower oil easier to do, and with less mess. The competition uses plugs that are hard to get to. Magnetic panels allow for guick and easy access to all components.
- The patented heat control system with the ADC Control Diverter manages heat for more consistent temperature delivery
 and far less water dumping. In fact, in comparison testing, the TITAN 425 maintains a 5-10° Fahrenheit temperature
 advantage versus the competition in a continuous flow mode for hard surface cleaning and pressure washing.
- The Opti-Air Flow System reduces noise resulting in a quieter machine. The compact footprint maximizes the van space creating greater cubic feet for your gear and without being too "top-heavy" like some machines.
- Finally, the helical gear splash lube tri-lobe blower produces 350+ CFM resulting in faster drying carpets and floors and better water extraction.

	TITAN			
	425	Sapphire 370		
Frame Dimensions (H/W/L)		34.5 / 16 / 44.9		
Console Weight	563	652		
Engine	Briggs and Stratton	Kohler Command Pro (674 CC)		
Gross HP	23	20.5		
RPM (Max Load)	3000	2800		
Fuel Consumption	1.1	0		
Ignition Type	Electric Keystart	Electric Keystart		
Vacuum Blower	Tuthill Vacuum and Blower Systems	Gardner Denver Tri-Flow		
Model/Size	4005 Tri-Lobe	TF-406		
RPM (Max Load)	3000	3176		
Vacuum (Max)	12	14		
High Pressure Pump	General Pump	General Pump		
Model/Size	HTX18135	HTX18135		
Clutch	Ogura	Ogura		
Туре	Plunger	Plunger		
Operating Pressure (Max)	1000	1500		
Volume	3.9	3.4		
RPM	1725	1400		
Drive System	Direct Coupling	Dual B Sec Belt		
-	Hayes 40 Series	Gates BX		
Engine Exhaust Diverter	Poppet Style	Thrust Plate Design		
Mounting	External inline with Exhaust Tubing	Integrated into HX		
Material	Stainless Steel	Stainless Steel		
Chemical System	Stainless Steel Last-Step	Stainless Steel Last-Step		
Manufacturer	General Pump	General Pump		
Heating System	Finned Tube Heat Exchanger	2 Pass Coil		
Material	Copper Tube / Aluminum Fin	Stainless Steel		
Recovery Tank	70 Gallon Universal Recovery Tank	90 Gallon Universal Recovery Tani		
Actual Volume (Total)	70	79		
Shutoff Volume	52.16	69 (Published @ 7		
Dimensions (H/W/L)	38.5 / 40 / 13.5	35.5 × 40 × 14.75		
Dry Weight	113	136		
Shutoff Full Weight	548	711		
Standard Features				
Hour Meter	Yes	Yes		
Chemical Flow Meter	Yes	Yes		
Chemical Flow Control Valve	Yes	Yes		
Vacuum Gauge	Yes	Yes		
Solution Pressure Gauge	Yes	Yes		
Solution Pressure Adjustment	Yes	Yes		
Pre-Wired Pump-In Switch	Yes	No		
Pre-wired APO Switch	Yes	Yes		
Fresh Water Inlet	Yes	Yes		
Water System Drain Valve	Yes	No		
Diagnostic Status Lights	Yes	No		
Engine Choke	Manual	Manual		
Engine Throttle	Manual Pull	Manual Rotating		
Electrical Circuit Protection	Fuses	Circuit Breakers		
Solution Temp Control	Adjustable Rheostat	Four Position Switch		
Standard Equipment	Aujustable fillebatat	rour rosition switch		
Solution Hose	2 x 50 Feet Solution	2 x 50 Feet Solution		
Vacuum Hose	2 x 50 Feet Solution 2 x 50 Foot Vacuum	2 x 50 Feet Solution 2 x 50 Foot Vacuum		
Vacuum Hose Wand	2" Evolution Wand	2" Stainless Wand		
wand	2" Evolution wand	z. stainless warld		
Thru Floor Kit	Optional	Unknown		

Testing Definitions

Standardized Performance Testing

HydraMaster "Standard" testing is an internal evaluation testing not made for public use. This test standard was created in 2000 to reduce the variables that has any influence on the machines ability to heat water. The parameters that are used are:

Vacuum @ 12"Hg Vacuum

Volume set based on the size wand that is used for the machine:

1.00 GPM (Simulates #4 Jet @ 300 PSI)

1.25 GPM (Simulates #6 Jet @ 300 PSI)

1.50 GPM (Simulates #8 Jet @ 300 PSI)

Ambient @ 100 F


Inlet Water @ 70 F

This protocol evaluates the system rather than the environment or conditions such as referencing flowrate from pressure. We also use all our own test equipment rather than rely on the gauges on the machine. These gauges are all unreliable when performing this test.

Maximum Equivalency Performance Testing

This test is done to see how the performance of each machine matches up when set at equivalent maximum conditions even if it goes beyond the maximum of one machine.

Performance (Maximum Equivalency)















	10	9	*	8	*	9	*	,TO	ō
FEATURE	Vanguard 3054	Vanguard 3564	Kohler CH620	Vanguard 3854	Kohler CH640	Vanguard 3864	Kohler CH680	Vanguard 5434	Kohler CH940
Power (HP)		18.0	19.0	21.0	20.5	23.0	22.5	81.0	32.5
Weight (lbs)	16.0 72.0	74.0	90.0	77.0	90.0	77.0	90.0	123.0	131.0
Power to Weight Ratio (HP/lb) Size (in)	0.22	0.24	0.21	0.27	0.23	0.30	0.25	0.25	0.25
Langth	10.98	12.51	14.00	12.52	14.00	12.52	34.00	14.92	16.6
Width	36.34	36.34	17.70	16.02	17,70	16.02	17.70	19.53	16.8
Height	17.24	17.24	19.00	17.68	19.00	17.68	19.00	28.54	27.5
Carburetor Barrels	1	1	1		1	2	1	2	2
Full Pressure with Filter Oil Cooler	Yes	Yes	Yes	Yes	Yes	Yes Standard	Yes	Yes	Yes
CALIFORNIA Emissions Certification (hrs)	1,000	1.000	1,000	1,000	1,000	1,000	1,000		
EPA Emissions Certification (hrs)	1,000	1,000	1,000	1,000	1.000	1,000	1,000	1,000	1,000
Service Dealers	Global	Global	Global	Globel	Global	Global	Global	Global	Global
Warranty (Commercial yrs)	3	3	3	3	3	- 3	.3	3	3











Green shows 8657

The Vanguard Engines are significantly Smaller and Lighter then the Command Pro

- The M38 engine is 13 pounds lighter and ~1.5 inches smaller in all directions compared to the CH640
- The Vanguard Engines Have Great Power/Weight Ratios













The Vanguard Engines are Hard Working with Solid Commercial Warranties

- All engines are certified at the highest level of government emissions regulations
- Full 3 Year Commercial Warranty















The Vanguard Engines have the Best Support

- 12,000 B&S Dealers
- Global Dealer Network
- QR codes provides instant information from your smart phone

















Product Improvement

- Focused Effort on Warranty Analysis and Product Improvement
- Improve Engine Sealing
 - (1) Upgrade Crankcase Gasket
 - Production May 2016
 - (2) Upgrade Valve Cover Gasket
 - Production 2016
 - (3) Upgrade Manufacturing and Sourcing for Crankshaft Oil Seal
 - Production 2012















HydraMaster Heat Systems

- Simple single output controller reliably used for over 19 years. Technology pioneered by HydraMaster and copied by other manufacturers.
- Smoother delivery of temperature, less heat spikes or low temperature lulls.
- Specifically design and size the heat exchangers to start at the minimum required system back pressure.
- Less wasted water back to the recovery tank with the full diverter temperature control
- Heat exchanger reliability: whenever the heat is not required, engine exhaust is bypassed. Only blower exhaust is contacting the internal components. First two rows being copper to increase the exhaust temperature rating.









TITAN 425 Heat System

Divert exhaust to control water temperature. Smoother deliver of temperature, less heat spikes or low temperature lulls.

Open high air flow 7 Fins Per Inch heat exchanger. Starts at the minimum required system back pressure of 15" H2O

Excellent heat exchanger reliability, when ever the heat is not required engine exhaust is bypassed. Only blower exhaust is contacting the internal components



First two rows of fins will be copper to withstand plenum temps, the remainder be aluminum












HydraMaster 575 Heat System

Full Exhaust Diverter System, blower and engine exhaust



9 FPI with a large 10" x 10" cross section. Starts at the minimum required system back pressure of 15" H2O

Side flange mount for quick removal

- Non Re-circulating system No Orifice no wasted dumping water
- Single circuit HX Efficient heat transfer
- First two rows of fins will be copper to withstand plenum temps, the remainder be aluminum

Easy to access RTD located on the side of the HX












TITAN 425 Vs Sapphire 370 Performance











Cleaning for Health – The value of heat

The value of heat in the cleaning process should also be reinforced at this point.

- Most understand that the use of heat accelerates most chemical reactions resulting in deeper cleaning and often reduced drying times.
- But the use of heat in the role of the removal and treatment of unwanted substances, including biological germs and viruses has been scientifically measured and demonstrated in studies(conducted between 1991 and 2014) sponsored by
 - Division of the United States Environmental Protection Agency
 - Research Triangle Institute
 - Air Quality Sciences
 - Airmid Health Group
 - Others















Cleaning for Health – The Value of Heat

The value of heat in the cleaning process should also be reinforced at this point

 Measured reductions in biological contaminants can be clearly demonstrated in carpets, textiles, upholstery, and hard surface floors after the use of high performance truckmounted cleaning equipment that can maintain temperatures across the surfaces being cleaned of 160°+ F.














Cleaning for Health – The definition of clean













Cleaning for Health – Measuring Clean



Substances in Mitigation guidance Carpet		Vacuuming Effect	HW Extraction Effect	
Soils	Walk-off mat and frequent vacuuming		High	
Atmospheric Dusts	Vacuuming Cleaning and Ventilation	Moderate to High	High	
Toxic PM	Walk-off mat and frequent vacuuming	Moderate to High,	High	
Fibers	Containment	High	Hgh	
VOC	Ventilation	N/A	N/A	
Chemical/Pesticide	Activity management	Low	High	
Allergans				
Pollen	Walk-off mat and frequent vacuuming	High	High	
Fungi	Dry, walk-off mat and frequent vacuuming	High	High	
Mycotoxin	Dry, walk-off mat and frequent vacuuming	Moderate to High	High	
Mide	Dry, frequent vacuuming	Moderate to High	Moderate to High	
Cockreach	Dry, trequent vacuuming	Moderate to High	Moderate to High	
Cat and Dog	Activity management	Moderate	Moderate to High	
Infectious Agents				
Bacteria	Frequent cleaning	Low to Moderate	Moderate to High	
Endotoxin	Frequent cleaning	Moderate to High	High	
Viruses	Frequent cleaning	Low	High	











Understanding Vacuum Systems










Questions on Vacuums

- How do you measure vacuum pressure?
- Why do most machines limit vacuum pressure to 15" Hg?
- Do two similar machines using blowers of the same size produce the same amount of vacuum?
- What is CFM?
- Why is airflow important?
- Who are the most common manufacturers of blowers in the industry?
- What is the ideal RPM for a blower?
- How do you choose the right sized blower?



How Do You Measure Vacuum Pressure?

- Vacuum pressure is measured in inches of mercury ("Hg)
- One "Hg is the amount of vacuum required to raise a column of mercury one inch
- One "Hg = to 13.7" of water





Why Do Most Machines Limit Vacuum Pressure to 15" Hg?

- When more air is being sucked out of the recovery tank by the blower than is being pulled in through the wand, a vacuum is formed inside the tank (the needed air is pulled through the vacuum relief valve)
- If the vacuum pressure in the tank becomes too great, components such as the blower or tank could be damaged
- To prevent damage, a relief valve is used to limit this vacuum pressure
- Adjusting the relief valve to a limit other than that set at the factory could result in damage to the equipment



Do Two Similar Machines Using the Same Sized Blower Produce the Same Amount of Vacuum?


The amount of vacuum that a machine can make depends upon many factors, such as:

- Inlet and outlet port size
- Inlet temperature
- Operating elevation
- Blower RPM



What is CFM?

- A CFM is a unit of measure of airflow
- This unit represents the volume of air, measured in cubic feet, moved in one minute (this is how much air moves from the wand to the recovery tank in one minute)




Why Is Airflow Important?

- As air moves it can capture and sweep up loose soil, similar to how a stream of high-pressure water can wash away dirt from a surface
- The greater the airflow, the more soil, water, and debris a vacuum system can suck up
- If the airflow through a vacuum system is restricted then its performance will suffer
- The greater the airflow, the faster the carpet will dry



Air Watt Curve Comparison





Who are the Most Common Manufacturers of Blowers in the Industry?

- Tuthill
- Roots
- Sutorbilt



Blower Comparison

Model Number		Blower	Connection	Vacuum Pressure ²	Max. Flow ³		
Tuthill ¹	Roots	Sutorbilt	Size (in)	Size (in)	("Hg @ RPM)	(CFM)	
3003	33	3ML	3"	2"	15 @ 3600	222	
3006	36	3LL	3"	2"	15 @ 3600	367	
4005	45	4ML	4"	2 ½"	15 @ 3600	436	
4007	47	4LL	4"	3"	15 @ 3600	574	
5006	56	5ML	5"	4"	15 @ 2850	630	
5009	59	5LL	5"	4"	15 @ 2850	921	

- 1. Dominator Tri-Lobe is manufactured by Tuthill exclusively for HydraMaster.
- 2. Maximum vacuum pressure at rated RPM is measured at blower inlet given sufficient airflow to maintain a safe operating temperature.
- 3. Maximum airflow is measured at 0"Hg @ 3600 RPM for models 3003 4007.
- Maximum airflow is measured at 0"Hg @ 2850 RPM for models 5006 & 5009.
 NOTE: THE BLOWER MANUFACTURER RECOMMENDS OPEATING THE UNITS AT 80% OF IT'S CAPACITY.



What Is the Ideal RPM for a Blower?

- Operating a blower at too high an RPM will damage it, while operating it too slowly will result in poor performance
- To achieve an optimum balance in reliability and performance a blower should be run at 80% of its maximum rated RPM









How Do You Choose the Right Size Blower?

- A blower should be chosen according to the work that will be • required of it
- As an example, a 2" vacuum hose 150 feet long can move only 240 CFM, so a blower that can produce more airflow would be unnecessary
- If a blower is designed to move more air than it is allowed to • due to airflow restrictions, then it will overheat and could possibly become damaged









Blower Operating Speed

- The Blower keeps cool by moving air through it
- Operating at less than 80% of it's capacity, moves less air through it, causing it to run hotter
- When the blower is run in excess of 80% of it's capacity, it
 moves more air through it, causing all the components to work
 harder, causing it to run hotter
- Running the blower slower or faster than 80% of its capacity shortens the life









High Pressure Pumps













Purpose of Bypass Regulator

Adjust the out going pressure of the pump

- Direct the water flow from the pump in two directions
- One direction is through the "Bypass Side"
- The other direction is through the "High Pressure Side"
- The orifice in the Cleaning Tool determines how many GPM's flows through the "Out" Port & the "Bypass" Port





Pressure System Chart

Handy Chart For Your Pressure System

Standard Nozzle Selection Chart

St'd Nozzle	Equiv. Orifice			Nozzie '	Volume (GPM) at 1	Various P	ressures	(PSI)					
(Size) Number	Diam. (Inches)	40	100	250	500	600	700	800	1000	1200	1500	2000	2500	3000
2.0	0.034	0.20	0.32	0.50	0.71	0.77	0.84	0.89	1.00	1.10	1.20	1.40	1.60	1.70
4.0	0.052	0.40	0.63	1.00	1.40	1.50	1.70	1.80	2.00	2.20	2.40	2.80	3.20	3.50
4.5	0.055	0.45	0.71	1.10	1.60	1.70	1.90	2.00	2.20	2.40	2.80	3.20	3.60	3.90
5.0	0.057	0.50	0.79	1.30	1.80	1.90	2.10	2.20	2.50	2.70	3.10	3.50	4.00	4.30
5.5	0.060	0.55	0.87	1.40	1.90	2,10	2.30	2.50	2.80	3.00	3.40	3.90	4.30	4.80
6.0	0.062	0.60	0.95	1.50	2.10	2.30	2.50	2.70	3.00	3.30	3.70	4.20	4.70	5.2
6.5	0.064	0.65	1.00	1.60	2.30	2.50	2.70	2.90	3.30	3.60	4.00	4.60	5.10	5.60
7.0	0.067	0.70	1.10	1.80	2.50	2.70	2.90	3.10	3.50	3.80	4.30	5.00	5.50	6.1
7.5	0.070	0.75	1.20	1.90	2.70	2.90	3.10	3.40	3.80	4.10	4.60	5.30	5.90	6.5
8.0	0.072	0.80	1,30	2.00	2.80	3.10	3,30	3.60	4.00	4.40	4.90	5.60	6.30	6.9
8.5	0.074	0.85	1.30	2.30	3.00	3.30	3.60	3.80	4.30	4.60	5.20	6.00	6.70	7.4
9.0	0.076	0.90	1.40	2.30	3.20	3.50	3.80	4.00	4.50	4.90	5.50	6.40	7.10	7.6
9.5	0.078	0.95	1.50	2.40	3.40	3.70	4.00	4.20	4.80	5.20	5.80	6.70	7.50	8.2
10.0	0.080	1.00	1.60	2.50	3.50	3.90	4.20	4.50	5.00	5.50	6.10	7.10	7.90	8.7
12.0	0.087	1.20	1.90	3.00	4.20	4.60	5.00	5.40	6.00	6.60	7.30	8.50	9.50	10.4
15.0	0.094	1.50	2.40	3.80	5.30	5.80	6.30	6.70	7.50	8.20	9.20	10.60	11.90	13.0
20.0	0.109	2.00	3.20	5.00	7.10	7.70	8.40	8.90	10.00	11.00	12.20	14.10	15.80	17,3
30.0	0.141	3.00	4.70	7.50	10.60	11.60	12.50	13.40	15.00	16.40	18.40	21.20	23.70	26.0
40.0	0.156	4.00	6.30	10.00	14.10	15.50	16.70	17.90	20.00	21.90	24.50	28.30	31.60	34.6

"A commonly used standard for nozzle size is the "nozzle number" which is equivalent to the nozzle capacity in GPM at 4000 PSI Spray angle does not affect nozzle volume.






Jet Size and GPB

Nozzle Size#	Orifice Size	100 PSI GPM	250 PSI GPM	500 PSI GPM	600 PSI GPM	700 PSI GPM	800 PSI GPM	1000 PSI GPM
2.0	.034	.32	.50	.71	.77	.84	.89	1.00
4.0	.052	.63	1.00	1.40	1.50	1.70	1.80	2.00
4.5	.055	.71	1.10	1.60	1.70	1.90	2.00	2.20
5.0	.057	.79	1.30	1.80	1.90	2.10	2.20	2.50
5.5	.060	.87	1.40	1.90	2.10	2.30	2.50	2.80
6.0	.062	.95	1.50	2.10	2.30	2.50	2.70	3.00
6.5	.064	1.00	1.60	2.30	2.50	2.70	2.90	3.30
7.0	.067	1.10	1.80	2.50	2.70	2.90	3.10	3.50
7.5	.070	1.20	1.90	2.70	2.90	3.10	3.40	3.80






Chemical Flow Competitors







Chemical Flow Diagram: HydraMaster








Old Last-Step Chemical Pumps

- Last-Step chemical injection
- No chemicals run through the pump or heat exchanger systems




Easy access to chemical pump diaphragm for maintenance








New Style Anatomy Chemical Pump







Anatomy of the Chemical Pump










Bypass Regulator







9	_	U		_	,			
TRUCKMOUNT COMPARISON CHART			2020	Updated 11/12/2019				
Hedal	Engine		Plane Rate/	Practice/	Varte Tank/	*	Parkage Variables	2020
AIR COOLED SLIDE	IN UNITS							
Entry Lavel								
HydraPlacter TITAN 328 HydraPlacter TITAN 328	******	Hydrofougil Hydrofougil	- 11	- :::	-:-	Talkill #### 81		\$ 14,681.78 \$ 14,929.88
		Grarrat						
Bapphire Establific Regardiths Dedicated Hard Sarface	HIND KAMES	TX 18 18 1 17	1.1	""		Talkill HEED DA		§ 14,284.00
HydraMarker Enuser 218HF	*****	9747731 WYX:48485		***	"	Talkill ####01	PR quit.	19,230.00
Hydraftarter Enumer 210HF	1000 0 1 1	9747731 HTX:48485		***		Talkill 888804	100 a.d. (aabadaa 0.00 attii	£ 19,899.00
Espekira Esiantifia 2000HE	NUMB KANGA	Grarest HTS28485	- 11	****	"	Interkiji dagyk	Titalian Wast	£ 22,499.00
Mid-Nined	1100 11001			- ""			110111111111111111111111111111111111111	* EE,440.00
HydraMarker TITAN 428		9747731 HTX:48485		****		Talkill ###171		10,049.09
HydraMarker TITAN 425		9747731 HTX:48481	4.4	****	***	T-15-111 4881 TL		£ 20,192.09
Freshem Legend ST	PROP NAMES	Graced	1.1	****	- 11	Estackiii eneva		10,679.00
Freshem Legend GT	PROP KANA	Graced	- 11	****	***	Estackiii eneve		19,210.00
Eapphire Estentific 270	HARD KANAGE	0747731 HTX548485	- 1.1	***				\$ 20,00£.00
Espekira Esiantifia 270	THUR KANGE	9747721 HTX548485	1.1	****	***			£ 20,769.00
D1V4								
HydraMarter Bunner Ht.	****	WTX:48485		***		T-04/01 488771	Halich Cark Camplian	4 23,279.09
HydraMarter Banner III.		9747721 HTX:48481	4.4	***	***	T-15111 488775	Hall Co. Cark Campillan	4 23,939,90
LIQUID COOLED SE								
Single Wood								
Frankem Peak 900	THIP KARALAN	HTX: 18181	1.7	***		1.1	CO CORD Complicat	\$ 22,057.00
Prashem Peak 900	HHE Kasasaki	HTX:18131	1.7	""	***	Interkill These	CO CORP Camplical	\$ 22,279.00
D1 V4								
HydraMaster TITAN 575 - 2019	11.1HF Kitali	HTX:18111	4.4		- "	Talkill #887TL	Halica Cark Camplian	\$ 27,701.05
HydraMaster TITAN 575 - 2019	HARRIE KANAL	HTX-18181				T-15/11 488775	Hall CA Cark Complian	\$ 27,995.40
APERSTO	THIP KANAL	HT100101	1.1	""		alaskiii 488 71.9	Mat CA Cark Complian	\$ 27,942.00
APEH 570	THE KALL	HT355183	1.1	1111	***	ALCANIA MATERIA	Hall CR Cark Complian	\$ 20,477.00
Sapphire Everest 970HP	THE HEALT	Grarral	1.1	1111	111	Erro		\$ 37,515.00
			Fine		Waste			
Hedel	Kenter	Pers	BPH B	Par	Tank/	Wiener.	Pankage	
Direct Drive/PTO T								
	D							
HydraHarter ODE 4.8 Eatra	Piccitic It./I	Grarrat MTHS18185		****	""	T-15111 4887 TL	Batta Heat Basadas	\$ 29,779.00
HydraMarter CDE «DRIVE	ti-ittu tuurutu	Grarrat HTX518185		****	***			\$ 29,998.00
EummitFTE	Firethir Drier	UTSPASS	1.1	****	***		****************	\$ 20,030.00
							18 97.27	
Dutler	Drive Madi Direct Drive	CATICE		****	.,,	Euro 1.101	W	\$ 25,995.00
Olean ca Campact 45	1 Franks FTO	CATION	1.1	1111		Euro Carr	Warranta	4 24,132.50
Oleanou Oumpact 47	18.000.070	CATACE	1.1	****	***	Rost LETT	Warranta	\$ 25,064.50
Mobile Truckmount	N							
HydraPlanter TPITG4000	Dis Control	Grarest WY N. 18185		****		T-15/11 488575	Charles Side Capable	\$ 22,998.00
Dedicated Vater/Fit							en ann ann earan	22,999,00
Hydra Marker Tikan HEO	St. SHE Kabala	H.O.	11.0	8.0		T-01-01 4887 TA		§ 19,298.00
	EBBF Kakler Rie		H.O.	H.A.	Wastruater		Handrid and France	
Dri-Eas HVE-LL Large Lare Entr	Cutri	H.O.	H.O.	H.A.	Frag	Intertiti OFFI	Lett Cantained	\$ 21,920.00









HydraMaster Resources

Visit our website:

www.hydramaster.com

For part number look-up and distributor pricing

www.hydradealer.com (must have log-in)

For equipment operations and maintenance support visit

Manuals at our website https://hydramaster.com/hydramaster-manuals/ or

Youtube library (www.youtube.com/hydramasterty)

HydraMaster University (www.hydramaster.com/university)

For product application assistance, visit

https://hydramaster.com/cleaning-guides/or

download our smart phone apps: https://hydramaster.com/hydramaster.support-app/ OR https://hydramaster.com/cleanmaster-solutions-app/.

You can also visit our blog: https://thecleansceneblog.wordpress.com/

HydraMaster University (www.hydramaster.com/university)

Visit us on social media:

Facebook: https://www.facebook.com/cleansolutions/

Twitter: https://twitter.com/HvdraMasterUSA

Linkedin: https://www.linkedin.com/company/hydramaster

Youtube: www.youtube.com/hydramastertv

Product Sales Videos (HydraMaster TV)

www.youtube.com/hydramastertv











HydraMaster Resources

HvdraMaster Contacts - 800-426-1031 or 425-775-7272

Technical Support (Truckmounts and portables): Louie Patayon < louie.patayon@hydramaster.com> or Dennis Russell < dennis.russell@hydramaster> or dial option 2 when you call our office

Inside sales: Bridget Jensen bridget.jensen@hydramaster.com or extension 1717 or Nelia Viloria nelia.viloria@hydramaster.com or extension 1717

Outside Sales: Darren Watts at extension 1308, 425-268-6604, or <u>Darren.watts@hydramaster.com</u>; Mike Lombardozzi at 631-896-2330 or michael.lombardozzi@hydramaster.com

Customer Service: Joe Kraus < joe.kraus@hydramaster.com > or extension 1314

President/CEO/Sales Management: Josh Howard at extension 1323 or <josh.howard@hydramaster.com

Marketing or Graphics help: Doyle Bloss, extension 1728 or doyle.bloss@hydramaster.com or Janelle Ligrani, extension 1616 or janelle.ligrani@hydramaster.com

IT - HydraDealer access and log-in: Stuart Baretta at extension 1129 or <stuart.baretta@hydramaster.com

Accounting: Contact Harold Alexander, CFO, at extension 1815 or <u>Harold.alexander@hydramaster.com</u>, <u>Oka Kencanawati Accounts Payable at ap@hydramaster.com or extension 1124</u>, or Suzie Scott Accounts Receivable at ar@hydramaster.com or extension 1417

Procurement: Wayne Williams, VP of Supply Chain, at extension 1828 or <wayne.williams@hydramaster.com>

Product Management: Chris Ryan <chris.ryan@hydramaster.com> or extension 1320

Shipping Questions (LTL-Truck): Jason Ortiz <shipping@hydramaster.com> or extension 1711

Shipping Questions (small package): Matt Cogan <matthew.cogan@hydramaster> or extension 1625

Engineering: Contact Rob Dobbs, Vice President of Engineering at extension 1135 or <robert.dobbs@hydramaster.com



























11 x 17" posters or counter signs – available on request



























11" x 17" posters or counter signs - available upon request









Authorized Master Distributor





3' x 10' banner

Earned through sales performance or incentives













Earned through sales performance or incentives

3' x 5' logo mat















Showroom display cart

Earned through sales performance or incentives











A World-Wide Leader in Truckmounted Cleaning Equipment



Enabling the success of the cleaning and restoration contractor through innovative design, quality construction, reliable performance, and unparalleled support












We've Got Your Back!

HivdraMaster

HydraMaster warranty service is rated #1 by distributor mechanics!



- Uncompromising Performance Clean faster, clean hotter, and dry faster to help you make more money. Best in class performance at every level.
- Hassle-Free Warranty Service on the rare occasion something goes wrong outside of regular maintenance, your local HydraMaster distributor and HydraMaster combine to provide you with hassle-free warranty support.







BOXXER Series

















HydraMaster Truckmount Troubleshooting App

This app will help you troubleshoot some common questions while operating and maintaining your HydraMaster equipment.



HydraMaster Distributor Locator

· Great for training technicians

 Access diagrams, charts, videos and more!

 Quick link to HydraMaster Tech Support

 GM/Ford Service **Dealer Locator**





Solution: Read the error code flashes and refer to the code chart in your owners manual or in the controller code section of this app.

The controllers are not getting power. Solution: Check the recover tank float switch, fuse FUS and relay CR3 for proper operation.

The SEIC (van throttle control) may have dropped

tion. Check the van idle speed when the hine is turned on. It should increase to 2000 within a few seconds of turning the machine see the Engine start up section of this leshocting guide.















HydraMaster Truckmount Elevator Sales Speech "Cheat Sheet"

CDS DIRECT DRIVE

- 1. #1 selling direct drive truckmount in the world
- 2. Easy to operate and train low maintenance
- 3. Leaves the most cargo room of any truckmount





CDS xDRIVE DIRECT DRIVE

- 1. Only direct drive that can go in a unibody van
- 2. Hybrid electronic technology
- 3. Rivals the power, heat, vacuum, and performance of the biggest slide-ins





TITAN 575

- 1. Relentless dual wand workhorse
- 2. Easy access magnetic panels
- 3. Liquid cooled 32.5HP Kubota engine for reliability and longevity



TITAN H20

- Purpose built for water extraction
- 2. No pressure/solution side reduces maintenance
- Liquid cooled 32.5HP Kubota engine for reliability and longevity



TMTG4000 Truckmount to Go

- 1. The mobile truckmount that does not require a truck
- Both extraction and cleaning capability
- 3. Automatic wastewater disposal system included

BOXXER XL

- 1. 31HP, 400+CFM, 240°F, 2 Wands = The numbers add up
- 2. Most economical true dual wand unit
- 3. In a class all by itself





TITAN 425

- 1. Sweet spot machine more horsepower, more heat
- 2. Better heat control, less water dumping
- 3. Better air circulation no belt cooling fans required



BOXXER 318HP

- 1. Up to 1500psi cleaning pressure for hard surface.
- 2. Addresses reality of flooring marketplace
- 3. Stainless steel solution pump, high pressure heater coil
- 4. Hydra-Clutch plus high pressure perfect for restoration



TITAN 325

- 1. Affordable value, radical performance entry level, step up
- 1. Hydra-Clutch for water extraction
- Easy maintenance with high level of reliability



Hydra Mas

LASSLE-FREE

HydraMaster warranty/serviçe is rated #1 by distributor/ mechanics!

"We've got your back" 🔀 🚺 🗸 📆











HydraMaster Distributor Flash Drive Contents

- Ads for your email blasting and social media posts this includes jpeg formatted ads for our
 equipment, tools, chemicals, and accessories that you can use in your own email blasts and in
 social media posts.
- Chemical Resources -- this includes the full cleaning reference guide, distributor order forms, safety data sheets, product information sheets, high and low respictures and more for the full HydraMaster line of chemicals
- . Distributor Meeting presentations from our 2019 Distributor conference
- · HydraMaster Accessory and Tools Product Information Sheets
- HydraMaster Commercial product information sheets, product pictures, and price lists for our new HydraMaster Commercial division.
- HydraMaster Portable Product Information Sheets
- · HydraMaster Product photos photos for your website and use of all of HydraMaster products
- HydraMaster Restoration Product Information Sheets
- HydraMaster Sales and Product Training essentially what is contained in your sales training notebook. Includes PowerPoints to train your staff
- HydraMaster Website Metching URL The specifics of how to be listed under the "Buy Online" option of HydraMaster.com
- Product in Use Photos a collection of jpeg formatted photos of various HydraMaster products in use and truckmount installs
- Product Sales and Social Media Videos videos for all of our truckmounts, portable, tools, and accessories as well as our chemicals
- Showroom Banners and Posters- a collection of posters you can print out yourself for your showroom
- TreadMaster product information sheets and pictures for HydraMaster's escalator cleaning machine
- Truckmount Product Information Sheets
- 2019 Distributor Price List for major products
- HydraMaster Rotating PowerPoint presentation for presentation on your showroom television.









Product Information Sheets - Truckmounts



























Product Information Sheets – Portables, Restoration











Product Information Sheets – TreadMaster













Product Information Sheets – Tools & Accessories




























Product Information Sheets – Tools & Accessories



















The #1 Selling Direct Drive Truckmount in the World





- Space saving design
- Smallest industry footprint
- Salsa Heat Booster now standard
- Unit of choice for restoration and fleet operations
- Easy to train, easy to operate, easy to service

I need a machine to clean any surface at any time of the day or night at any location. It needs to leave me room in my hig for the rest of my equipment, be easy to maintain, and make me money for a long, long time.

I need a HydraMaster CDS







I need my machine to leave enough room in my rig for all my other money making gear.

> Smallest footprint in the industry. Compact, space saving design allows for flexibility in van set up.

Perfect for hauling restoration equipment (airmovers, dehumidifiers, directed heat), power wands, RX20's, upholstery tools, rotary hard surface tools, chemical solutions, hauling rugs and furniture and more. Say "yes" to virtually any hard or textile surface cleaning or restoration job and make that cash with a CDS Direct Drive truckmount from HydraMaster.

















I need my machine to make me money even if I can't turn my own wrench.

> Lower maintenance and ease of serviceability reduces costs and downtime, plain and simple.

Your CDS comes with a nationwide network of factory authorized warranty and service centers featuring the best distributors in the industry. The open design of the CDS makes for easy access to internal components, centrally located, protected wiring box, easy access to all drain hoses, means the daily, weekly and periodic maintenance is a breeze.













4 I need my machine to make money for aLONG, long time.

Reliable. Durable. Dependable.

CDS Direct Drive Truckmounts, the industry's longest proven track record of performance and success. HydraMaster longevity and reputation means we will be here for years to come to support you. Maximum return on investment and highest resale value in the industry















44 I need my machine to make money when my technicians are running it.

> Simple-to-operate and easy to train your cleaning techs.

The CDS is the perfect choice for fleet operations. More of the largest carpet cleaning and restoration companies in the USA choose the HydraMaster CDS as their truckmount of choice more than any other truckmount.

















4 I need my machine to make money no matter what surface I am cleaning.

Flexible and powerful performance allows for many uses

The CDS gives you consistent hot cleaning solutions and pressures for whatever you are cleaning. A perfect cleaning machine and ideal for flood and water damage restoration work, pressure washing, stone, tile and concrete cleaning and more. More types of jobs, more money for you.















I need a machine to clean any surface at anytime of the day or night at any location. It needs to leave me room in my rig for the rest of my equipment, be easy to maintain, and make me money for a long, long time.



I need a HydraMaster CDS











Specifications:

Power Transfer Package

- CDS Electronic speed control (ESC technology increases vacuum efficiency by 30% and reduce fuel consumption
- Over-Drive[™] power train technology low engine RPM design boosts vacuum and cfm performance and lowers fuel consumption to only 1.6gph
- Double u-jointed flexible drive shaft
- Heavy duty electrically activated clutch
- Improved reliability, reduced vibration
- Shaft-capture safety system
- High temperature, high performance bearings

Vacuum: 4007 Dominator Tri-Lobe Blower, 400+ CFM

- HydraMaster exclusive design
- Dual oil bath design with sight level windows
- Durable helical gear drive
- Pulsation and sound reduced

Solution Pump: Plunger pump with 1200 operating psi

- 4.0 gpm solution pump
- Smooth operation 3-stage plunger design
- Operator adjustable pressure from 0 to 1200psi
- Last-step chemical pulse pump/chemical injection means no chemicals pass through the water pump or heat exchangers

Heating System:

- Mounted on the recovery tank, the dual tube & shell heat exchangers tie into the vehicle coolant system, taking advantage of the massive BTU production of the vehicle engine
- The Meat Booster System[™] includes a blower exhaust tube and fin heat exchanger to boost cleaning solution temperature production by 30-45°F. The Sales now comes standard with all CDS units.

Dimensions: - 39"H x 24"W x 41"D








Salsa - Heat Boosting System

The Salsa Heat Booster System on your CDS can increase your heat 30-45°F. HydraMaster engineers have designed with the Salea m a water heating system that keeps you in the heat – even when using two wands, or using high production, high water flow tools like the HydraMaster RX-20.

The Salsa ™ is the hottest blower heat exchanger on the market, it produces working temperatures as high as 235°F.

If you have been looking for a machine with the simplicity, reliability, and ease of operation of a direct-drive and the high heat of a slide-in, the CDS Salea ™ is the machine for you.

















"On the fence? Have them call me."

Don S. from Kentucky had challenge professional cleaners sometimes face. His relatively new van and direct drive truckmount were totaled by the insurance company after an accident. He had jobs booked and customers waiting. So he found a HydraMaster CDS van/machine package all ready to go. He purchased it, put it to work right away, and was amazed by the results.

"I am very impressed with my HydraMaster CDS. If you have someone on the bubble between the other guy's direct drive and this unit, you have them contact me.

This unit blows their direct drive out of the water"









Don't just listen to us, see what some of the thousands of happy CDS owners have to say:

"Loving our CDS! It's been six months already and we could not imagine owning a slide-in ever again!" Kait. CleanMaster Services

"We use the CDS and love 'em. We are already ready for another new one!"

Shawn, Extreme Clean Carpet Cleaning

"I have a CDS in my truck and it is the best unit I have ever had. HydraMaster is the best of the best!" William, Super Clean Carpet Care

"I love mine. It has 4875 hours on it, and it purrs like a kitten but has the cleaning power of a lion! Very rare that we ever have a problem. By far the most reliable machine I have ever seen."

Larry, Regency Carpet Care



After owning five other Hydramaster truckmounts, I just purchased my first CDS 4.8 and installed it in a new Chevy 14' box truck. I love the fact it takes up so little space and allows me more room to carry more equipment to clean with. I also love the fact I can lock it up when I am doing a cleaning job in a rough part of town."

Scott, Master Steam

"I love my CDS! I can lock it up and leave it to go inside and clean without worry of things being stolen. It's quieter than slide-in truckmounts and offers a lot more equipment for my jobs> It is simpler for my technicians to use, requires less maintenance, and has fewer breakdowns than most slide-in truckmounts. I seriously love my CDS's – I own three of them now and won't go with anything else. Thanks HydraMaster - I am a convert!"

Aaron, Aaron Quality Cleaners















Why a HydraMaster Direct Drive Truckmount is the choice of so many cleaning and restoration professionals













Direct Drive Truckmounts















Slide-in vs. Direct Drives

Truckmounts are available as either slide-ins or direct drives. Slide-in machines basically "slide" into the back of a van or box truck and are powered by their own engines. In contrast, direct drives are attached to a van's drive train or use the engine to power a generator in order to use the vehicle's motor for heat and power.



Direct drives tap a van's engine for power and heat via a clutch system attached to the vehicle's drive train or via a generator that is attached to the motor to create a hybrid like electric power system. With no engine to wear and tear, they require much less maintenance and offer the highest reliability and longevity. Direct drives take up less cargo space than slideins, too, leaving more room for additional equipment.















Safe and secure quieter operation. Ability to close doors during operation. Protects internal contents from weather exposure. Quiet operation allows for nighttime commercial cleaning and restoration work.

















Smallest footprint in the industry. Compact, space saving design allows for flexibility in van set up. Perfect for hauling restoration equipment (airmovers, dehumidifiers, directed heat), power wands, RX20 rotary jet extractors, rotary hard surface tools, chemical solutions, hauling rugs and furniture, airmovers and dehumidifiers and more.


















Lower maintenance and ease of serviceability reduces costs and downtime.

















TRACK RECORD MATTERS

Reliable, durable, and dependable. HydraMaster Direct Drive truckmounts have the industry's longest proven track record (1985 – present) of performance and success.

















Simple to operate and easy to train technicians make the **HydraMaster CDS or CDS xDRIVE** the perfect choice for fleet operations and less mechanically inclined owner/operators.

















Even weight distribution reduces wear on van (less tires, shocks, brakes due to less weight and centrality of weight)



















Excellent warranty coverage with superior customer support and service through national distribution network and corporate customer care team.

We've Got Your Back!

HydraMaster warranty service is rated #1 by distributor mechanics!















Value – maximum return on investment and highest re-sale value in the industry.















Flexible and powerful performance allows for many uses. A perfect cleaning machine ideal for flood and water damage restoration work, pressure washing, hard surface cleaning and more.



















Doesn't owning a Direct Drive require that you purchase a new van increasing your cost and potential payments?

A. When looking at purchasing any new truckmount, it often makes good business sense to invest in a new van or vehicle simultaneously. Your new truckmount can make a powerful impression on your potential customers. You want to make sure that your vehicle makes that same powerful impression. Plus with used van prices on the rise and innovative financing programs from our partner finance companies, you can often finance a new van and HydraMaster CDS or CDS xDRIVE unit for easy monthly payments and end up with your dream vehicle and set-up.

What happens if I'm in an accident with my van? Now I'm completely down-andout of business for who knows how long!

A. Most insurance policies will cover both van and unit and often times you could have a new van and new unit as quick as pulling your slide in unit, finding a new van and re-installing it. In fact, most rental companies will not allow you to drill the holes necessary in a rental vehicle to move your slide-in into anyways.











Can the HydraMaster CDS or CDS xDRIVE do everything I may want or need to do as a cleaner or restorer?

The HydraMaster CDS or CDS xDRIVE provides you with all the power and performance you need for cleaning and restoring any surface. Think of a **CDS** as a 200HP unit, because it gets its power from your van engine. CDS units have low medium and high, for upholstery, single wand and dual wand. The CDS will match power and performance with virtually all slide-ins, except for 50+ HP water cooled engine slide-ins. With the HydraMaster CDS XDRIVE producing a consistent 18-20KW of power, you are getting the equivalent of a 27-31HP slide-in unit. Even if you plan on dual wanding on every job, the HydraMaster CDS or CDS xDRIVE will provide you with all the power and flexibility you need.











A. Hey, gas ain't cheap. How does the fuel consumption of a CDS compare to that of a slide-in unit?

Both HydraMaster Direct Drive truckmounts are fuel misers and wallet friendly. With the CDS, HydraMaster's exclusive Electronic Speed Control (ESC) is engineered to work in conjunction with Ford & General Motors engine control systems to optimize van fuel efficiency during CDS operation. That provides you with all of the benefits of operating a **CDS**unit with fuel consumption (1.5-1.7 gpm) that is equal to most mid-size truckmounts, and better than a typical large format truckmount. Even better, a CDS uses that same fuel consumption that the engine needs to power the van to create a continuous flow of hot water for cleaning and sanitizing carpet and hard surfaces. The CDS xDRIVE provides you with a range of setting designed for you to be ready to take on the most simple to the most challenging cleaning jobs. The proprietary ECONOMY FUEL SAVER and BOOST settings are the first of their kind for a direct drive truckmount. Fuel consumption with a CDS xDRIVE ranges from 1.48 to 1.95 gph – the equivalent or less than a mid-size slide-in truckmount. Fuel efficient consumption and squeezing every ounce of energy out of that fuel, what could be more "earth friendly" and "wallet friendly" than that?











FAOS

IDS 4.8 VERDRIVE

Doesn't a HydraMaster CDS or CDS xDRIVE cost a lot more than most slide-ins?

HydraMaster CDS or CDS xDRIVE costs you just a little more than a powerful air-cooled engine slide in unit and about the same or less than a water cooled engine slide-in. We believe when making any truckmount investment you should begin with your three to four year goal in mind. Plus, the HydraMaster CDS or CDS xDRIVE requires the least maintenance and is the easiest unit to train your staff to use. In addition, the space saving design allows you to store more equipment which means you don't have to spend money on another vehicle to transport accessories. A HydraMaster CDS or CDS xDRIVE typically has simpler and less extensive service intervals and you have to maintain your van engine either way. The HydraMaster CDS or CDS xDRIVEsimply lasts longer than entry level slide-in units so when you eventually pay off your HydraMaster CDS or CDS xDRIVE in 4-6 years, your unit will likely still be running strong. You also decrease maintenance costs on both the machine and your van (shocks, brakes, tires, etc...) due to carrying less weight and even weight distribution will offset any extra increase in payments.

In addition, both the **HydraMaster CDS** and **CDS xDRIVE** are backed by the HydraMaster Ownership Experience Guarantee. We've got your back when it comes to support. The reliable track record of our direct drive truckmounts has been so dependable that both the **CDS** and the **CDS xDRIVE** come with a three year warranty. Compare that with the typical two year warranty on a slide-in truckmount and you have another reason why a direct drive truckmount from HydraMaster is such a worthy investment.













Q. What type of vans can I install a HydraMaster CDS or CDS xDRIVE in? Can I install it in a smaller "transit van?"

• We recommend you install your CDS in a new Chevy Express or GMC cargo van. Our 45+ years' experience manufacturing both slide-in and direct drive truckmounts tells us that most cleaning operations these days are too diversified and need to carry too much equipment to make a small transit van or "min-van" format practical. The **CDS** can sometimes be installed in low mileage used Chevy Van. A good general rule of thumb is less than 2 years old and less than 30,000 miles on the engine. Talk with your nearest HydraMaster distributor for more information.

The CDS xDRIVE must be installed in a 2016+ T250 or T350 Ford Transit. It can be the low, middle, or high roof option. It MUST be the 3.7L gas engine.

Both HydraMaster Direct Drive truckmounts provide you with the smallest footprint in the industry. Their compact, space-saving design allows you maximum flexibility in your van set-up. It is perfect for hauling restoration equipment (airmovers, dehumidifiers, directed heat), power wands, RX-20's, upholstery tools, rotary hard surface tools, chemical solutions, hauling rugs and furniture and more. The HydraMaster CDS or CDS xDRIVE allows you to say "yes" to virtually any hard or textile surface cleaning or restoration job











A. How does a HydraMaster CDS or CDS xDRIVE affect the longevity of the van it is installed in?

First the HydraMaster CDS or CDS xDRIVE provides more even weight distribution across the van than with most slide-in units and actually reduces wear on the van (lighter in weight, less tire wear, shocks, and brakes due to less weight and centrality of weight). The CDS runs the van at a low RPM and is only utilizing around 18% of the available capacity of the engine. It is like driving a van around on the freeway at about 25 to 30 miles an hour. Plus, there is no stopping or starting and puts very little wear on the engine. Many vans with CDS units have well over 150,000 miles on them with the same CDS unit still inside. In addition, when the time comes that the van engine needs to be replaced, changing an engine on a van is only marginally more expensive that replacing a liquid cooled engine on a slide in.















Does Chevy and/or Ford approve the installation of a direct drive truckmount into their vehicles? Won't it void the van warranty?

First off, let us address one of the most commonly mistaken and often repeated myths about aftermarket modifications of vans. HydraMaster is unaware of any specific certification or approval program maintained by Chevy or Ford when it comes to after-market modifications of their vans – whether it be ambulance conversions, news truck conversions, camper conversions, box truck modifications, or direct drive or power take off truckmount installations. HydraMaster has manufactured and installed the CDS direct drive truckmount in more than 15,000 Chevy Vans since 1979. In doing so we have worked with the GM Upfitter Group – a liaison group that provides us with access to GM's engineering data. The GM Upfitter Group does not provide any sort of certification or approval for Special Vehicle Manufacturers like ourselves. Instead they provide Integration Best Practice Manuals for areas of the vehicle affected in our conversion process. Here is a link to the GM Upfitter website: https://www.gmupfitter.com/pages/about-us. We work with a similar group at Ford in relation to the Ford Transit and the CDS xDRIVE.











Does Chevy and/or Ford approve the installation of a direct drive truckmount into their vehicles? Won't it void the van warranty? (Continued)

• In reference to potentially affecting your warranty protection on the van, the manufacturer's policies are clear: The installation of the after market modification needs to follow the upfitter guidelines. Their policy has always been that if the modification caused a GM component to fail they will not warranty the component. If the modification did not cause "x" component to fail it will be covered under warranty unless it is determined the failure was caused from lack of maintenance. Our fleet of 15,000 CDS units are serviced by dealerships nationwide. We work with one of the largest Chevy and Ford fleet dealers in the United States, and in many places, our distributors and/or end user customers purchase vans from dealerships of their own preference. GM and their dealer network have almost always dependably honored the GM warranty unless it is determined that a failure is the direct result of the special vehicle modification.











Q. Does Chevy and/or Ford approve the installation of a direct drive truckmount into their vehicles? Won't it void the van warranty? (Continued)

about their warranty that unfairly attribute the cause to aftermarket modifications. The Federal Trade Commission requires that a manufacturer or dealer be able to demonstrate that a failure is the direct result of the special vehicle modification before denying warranty coverage. Even if a particular failure is demonstrated to be caused by an aftermarket modification the warranty remains in effect for all other parts of the vehicle. Here is a link to the U.S. Federal Trade Commission Website discussion of the Magnussson – Moss Act. Pay particular attention to the point about after-market modifications: https://www.consumer.ftc.gov/articles/0138-auto-warranties-routine-maintenance.



What is the MAGNUSON
MOSS WARRANTY ACT
and How Does it
Impact You?











Q. Does Chevy and/or Ford approve the installation of a direct drive truckmount into their vehicles? Won't it void the van warranty? (Continued)

🕰 There is one other practical consideration to keep in mind here. This applies to your van even if you have a slide-in. It has been our experience that is almost always smoother when taking your van in for service or maintenance to work with a Ford or Chevy dealership that has a strong commercial fleet division. There are many smaller, consumer focused dealerships that when you take your vehicle in for a potential warranty service, if they see any modification at all – anything from an after market remote starter – to a box conversion – to a direct drive truckmount installation, their first reaction is that they really don't want to work on it at all. They throw out the modification as a potential "fly-in-the-ointment" when it comes to your warranty coverage. Everything is computer driven now. They need to plug into the SEIC system, and when they see after market things plugged into that also, they just occasionally are full of excuses. Mindfully, not all small or consumer based dealers are like this. Just keep in mind that ultimately, if a local Ford or Chevy dealer is not cooperating with you, there are always alternatives. Those with fleet divisions generally are easier to work with. As previously stated, GM and Ford and their dealer networks have almost always dependably honored the warranty unless it is determined that a failure is the direct result of the special vehicle modification.











Why are HydraMaster Direct-Drive Truckmounts the #1 Choice for Restoration Contractors















Reliability

You need your Truckmount to be reliable and dependable. The last thing you need is for your machine to go down in the middle of a large restoration job where downtime is already working against the home or business owner. HydraMaster Direct Drive truckmounts are designed and proven to be the most reliable truckmounts on the market.















Ease of Operation and Training

Direct Drive Truckmounts are the easiest truckmount to operate so your training curve is greatly reduced and you can have *newly hired technicians being productive in the field faster.*













Security and Noise Reduction

With the CDS or CDS xDRIVE, you can close the doors on your vehicle while running the equipment. You won't be upsetting any neighbors and the police because when you close the doors of your van, you won't be much louder than an idling van. Plus, with your vehicle totally locked up, you can operate securely knowing no one is pilfering around in your vehicle while your technicians are extracting water in a building











More Room

- Space is so important on a restoration work truck. You have to have room to haul all of your restoration gear. The more gear you can fit in your vehicle, the more you can put on the job. And that means revenue.
- With an extended Chevy van you have 170 cubic feet of space for what every equipment you need for that restoration job.
- With a mid or high roof Ford Transit you have even more room – plus you can stand up in the van!
- The CDS and CDS xDRIVE have the *smallest footprints of* any truckmounts in the industry and will leave you with the most room of any truckmount on the market.













Versatility

Versatility in cleaning AND extraction – your truckmount is a beast when it comes to all of the cleaning challenges you may face on a restoration job: carpet & upholstery cleaning; hard surface floor cleaning; sidewalk, porch and entry way cleaning; water extraction; and pressure washing. Both the CDS and the CDS xDRIVE handle all of these challenges and more with no problems.



























Sanitization

- You work so hard to sanitize surfaces that have been affected by water intrusion with disinfectants. Have you ever considered the incredibly important sanitizing effects of hot water from your truckmount?
- Indoor air quality tests performed on behalf of the EPA in the 1990's showed a massive reduction in biological contamination in carpeting simply from being cleaned with a truckmount. Add to that fact the recent tests in 2014 that showed a *reduction in allergens and mold* spores in carpeting when cleaned with a truckmount.
- Maintaining consistently hot cleaning solution across a textile or hard surface improves the healthfulness of an already compromised indoor environment.















Productivity

Extracting or cleaning a hard or soft surface does require labor to do the job. A truckmount allows you to do it faster and better. A truckmount with maximum vacuum and heat that consistently runs at its highest level like the CDS or CDS xDRIVE makes you even more productive.











Protects the Contents of Your Van from the Elements

Have you noticed that weather does not necessarily cooperate with you needing to extract water on a job site? Or clean up the mess? Rain, snow, wind, hail, sleet, and even extreme cold are not match for your CDS or CDS xDRIVE truckmount. Why? You can close up your van and operate with the doors closed. You don't have to worry about the contents of your van getting wet, dirty, or being frozen. They are all snug and protected inside your warm running vehicle.













Nothing beats the performance of a Direct Drive truckmount from HydraMaster on a restoration job site. With the extraction performance you get from a Truckmount you will be able to extract all water possible, do it in a timely and efficient manner and be able to place your drying equipment faster and move onto the next job quicker.













Gearhead? Performance Freak? Dual wand beast? Want everything the biggest and baddest?









You are not compromising anything when you invest in a **HydraMaster Direct Drive Truckmount**

Whether your focus on simply on wanting to have the highest level of performance and power; or you are driven by an intense dedication to desired cleaning job outcomes (cleaner carpet, maximum appearance improvement, and faster drying times); you may feel like your next truckmount investment needs to be focused on the biggest and baddest truckmount out there. You may have even heard or been told a HydraMaster Direct Drive Truckmount can't match the performance of some 50+HP powered large slide-in truckmount. If you can take the emotional attachment out of it, when you do a quick fact check, or even better, actually use a direct drive truckmount, you will find out that they deliver everything you are demanding, and then some.











Let's look at some of the most commonly brought up ideas about max performance from a truckmount:

Horsepower

Um this one is kind of a no-brainer. The HydraMaster CDS and CDS xDRIVE get their power from a 200+HP water cooled engine. But it is not just about engine size. It is about the efficient transfer of power to the other components of a truckmount at the lowest consumption of gas. A HydraMaster Direct Drive truckmount powers up to a 4.8 positive displacement vacuum blower and all of the other components, and only consumes between 1.3 and 1.7 gph of gas.













Let's look at some of the most commonly brought up ideas about max performance from a truckmount:

Vacuum

Instead of focusing on the randomly assigned number scheme on the vacuum blower, consider that you are trying to be able to maintain vacuum performance even as your vacuum hose runs extend beyond the traditional 150-200' "pull" of an average residential home. It's all about extraction efficiency and reduced drying time – whether you are cleaning a 1200 square foot house, a multi-level apartment building, or a 250,000 square foot convention center. The most important person to satisfy with your vacuum power is your customer. If the carpet dries faster, they are happy. Vacuum performance tables tell the story that gearheads often want to ignore – there is very little more usable vacuum performance out of a so called #5 blower than the high performance vacuum blower system in the CDS xDRIVE. So stretch out those long hose runs of 400' feet or more. In fact, we will stack the vacuum performance of the CDS and CDS xDRIVE right up against those big bad slide ins that cost more than \$35,000.















Let's look at some of the most commonly brought up ideas about max performance from a truckmount:

Heat

This is another easy one. A direct drive truckmount gets it heat source from the same things as the "biggest, baddest" truckmount – the engine, the blower exhaust, and collected ambient hot air. With the HydraMaster CDS xDRIVE, you even have the additional source of cooling the controller. A direct drive truckmount transfers the engine heat of a 200HP+ engine versus a 30-60HP water cooled engine of the biggest and baddest slide-ins. In the end, you are producing 200-245 F solution temperatures to the cleaning job. HydraMaster CDS xDRIVE owners who have operated larger slide-in models tell us that their xDRIVE gets a higher level of consistent heat.













Let's look at some of the most commonly brought up ideas about max performance from a truckmount:

Dual wand cleaning

Let's address this from a practical and a theoretical standpoint. First, dual wand cleaning is no problem with the HydraMaster CDS and CDS xDRIVE. In fact they have always been plumbed for both solution temperature and vacuum recovery to be fully ready to efficiently dual wand clean. Side by side, you will see they maintain just as high of a temperature and vacuum CFM under a dual wand load as the biggest slideins. But let's just say you are one of those performance freaks who want triple wand capacity. The first question I would ask is how often do you anticipate having the need for triple wand cleaning? Perhaps a few times per year? Multiple wands cleaning is just as much about how you set the job site up, and how your technicians work together as it is about the capacity of your truckmount. Doesn't matter how big of a blower you have if one of your technicians is taking a break and has the wand leaning up against the wall.















Let's look at some of the most commonly brought up ideas about max performance from a truckmount:

Dual wand cleaning

So if you only need triple wand cleaning a few times a year, you have a couple of choices:

- You can invest \$35,000 to \$40,000 in a slide-in truckmount that you are going to use to its full capacity less than 5% of the time. This means that 95% of the time, you are spending more on gas and consumption than you really need to. Plus during those 95% of jobs, your total equipment investment can only be used on one job site.
- For about the same amount of money as one of those big, bad truckmounts, you can buy a HydraMaster CDS Direct Drive truckmount and a Boxxer 318 Slide-in. If you need three wands on a few jobs you've got it. Plus you can book two jobs instead of one the rest of the time















Let's look at some of the most commonly brought up ideas about max performance from a truckmount:

Pressure washing capabilities

This is really a matter of how much solution pressure you need. The 1200 psi produced by your HydraMaster Direct Drive Truckmount, along with the heating system, will allow you to adequately do most pressure washing jobs. Most of the big, bad truckmounts come with a 2000 or 3000 psi solution pressure capacity. If you have never pressure washed with 3000 psi, you need to be careful. That level of focused stream can sometimes cause damage to wood, floor and wall grout, and more. Once again, how many jobs would you need 3000 psi on? If you have a whole bunch of jobs requiring 3000psi, why not just invest in a \$3000 – \$4000 Hot water pressure washer?















Let's look at some of the most commonly brought up ideas about max performance from a truckmount:

You are not compromising

So as you can see a HydraMaster Direct Drive Truckmount provides to you all the power and performance you are demanding, and then some. Ready to open your gear filled mind to the possibility that a Direct Drive truckmount delivers everything you need? We promise to let you be your gearhead self with your new HydraMaster CDS or CDS xDRIVE.







































CDS XDRIVE XCCELERATED DRIVE SYSTEM

- INSTALLED IN A FORD TRANSIT the ideal state-of-the-art work vehicle for the cleaning and restoration professional
- XDRIVE XCELLERATED DRIVE SYSTEM providing the most precise, consistent power delivery control of any truckmount made for better cleaning performance
- PATENT PENDING DESIGN AND ENGINEERING True innovation in an electric energy delivery system for a Direct Drive Truckmount
- SOFT START-SOFT SHUTDOWN SYSTEM Smoother operation and less stress on all major components
- ARM'S LENGTH ACCESS AND SERVICEABILITY, CONSTRUCTED FOR EASE OF INSTALLATION - No more tensioning v-belts and lining up drive shafts and couplers
- BOOST SETTING for those especially challenging cleaning jobs




























How Does The CDSX DRIVE Power Delivery System Work?

• The CDS XDrive will revolutionize direct drive and pto truckmounts in the cleaning and restoration industry with computer programmed operational precision.

 The CDS XDRIVE uses the power and heating source already provided by the host vehicle engine.
















How Does The CDS XDRIVE Power Delivery System Work?

- The concept behind the revolutionary, game changing technology of the CDS XDRIVE lies in the XCELLERATED Drive System. The XCCELERATED Drive System is state-of-the-art technology that uses a specially designed and engine mounted generator to transfer energy to a computerized power monitoring controller. This collected energy is delivered at precise pre-programmed consistent levels to an electric motor. The electric motor powers a shaft and belt system delivering consistent direct non-fluctuating energy to the vacuum blower and solution pump.
- This patent pending design provides the most consistent power delivery control to the vacuum blower and other major components of ANY truckmount – slide-in or direct - providing your customers with faster drying times and more consistent cleaning!













The Next Generation of Direct Drive Truckmounts CDS XDRIVE **CCELERATED DRIVE SYSTEM**

How Does The CDS XDRIVE Power Delivery System Work?


- This computerized system provides a higher level of consistent energy transfer than a drive shaft or power take off system, reducing the fluctuations in vacuum blower airflow production for a more consistent drying performance.
- Essentially, a drive shaft or power take off system has been replaced with precise, computerized electric energy delivering system. The wear and tear on the engine of the van is reduced.
- Power is no longer measured in RPM's and Horsepower. These measurements have been replaced with wattage generation. The CDS xDRIVE produces a maximum power flow of 18 Kw.











Soft Start - Soft Shutdown System for smoother operation

 This computerized power system provides a soft start to ramp up rpm's to the vacuum blower and a soft shutdown to ramp down rpm's. This smoother delivery extends the life of the vacuum blower and puts less stress on all major components

Time











Provides you with a BOOST setting for those especially challenging cleaning jobs

- The proprietary BOOST setting is the first of its kind for a direct-drive truckmount. It allows your truckmount to maximize blower speed to optimize system performance. If you need more vacuum cfm, more vacuum lift, and maximum cleaning solution temperature, the BOOST setting is ready for you!
- The precision controller automatically safeguards against overheating and maintains reliable operating conditions under extreme conditions.
 You don't have to worry about anything other than cleaning those trashed carpets or hard surface floors or extracting those big floods.














Constructed for ease of installation

 All components, including heat exchanger and noise suppression silencer, are built into the drop in console connected to waste tank, maximizing cargo space

• Front end power generation unit mounts on existing alternator mount and requires no permanent modification to vehicle
















"Arms - Length" Access and Serviceability

- Automatic belt tensioner allows easy belt changes and alignment
- Improved access to blower, solution pump, and filters
- Eliminated drive shaft and pillow blocks (as compared to conventional direct drive units) reduces need for associated lubrication and maintenance

Gone are the days of tensioning v-belts, lining up drive shafts, replacing couplers. With the xDrive system maintenance is reduced to nothing more than regular oil changes.













How Does the CDS XDrive Heating System Work

The CDS XDRIVE employs a multi-stage thermal accumulation and heat exchanger system to create a consistent hot cleaning solution temperature that maximizes at 235 degrees Fahrenheit and can consistently maintain 180-210 degree temperatures at a constant solution flow of 1.25 gpm. The first heat exchanger system employs a fin tube heat exchanger that transfers the hot solution generated by the host vehicle engine. The second stage of the system captures the direct heat being generated by the vacuum blower.











Durable TriFlow Gardner Denver 4008 Tri-Lobe blower

- Delivers superior cfm production reducing drying times and increasing water extraction capability.
- Dual oil bath splash lubrication design with sight level windows for reduced maintenance intervals and superior durability.
- Patented Tri-Lobe design for quiet operation and low pulsation
- Independent oil sumps prevent cross-contamination and allow the vacuum pump to operate safely on an incline
- Produces vacuum at 13" Hg and flows up to 455 CFM.











General Emperor HTXS Series High Performance Solution Pump

- 4.0gpm solution pump with smoother operating 3-stage plunger design
- Operator adjustable pressure from 0 to 1200 psi
- Last step chemical pulse pump/chemical injection means no chemicals pass through the water pump or heat exchangers
- Electric clutch controlled for smooth solution delivery
- Uses patented "high-tech" packings for increased reliability and longevity along with nickel plated valve plugs and manifold
- Specifically designed for the rigorous on-off flow cycles and higher ambient temperatures on a truckmount















Specifications/Performance Ratings

	CFM		Vacuum		Solution Temperature		Solution	Fuel	Kilowatts		10/d
	Max	Average	Max	Average	Max	Average	Pressure*	Consumption	Max	Average	Wands
BOOST	456	369	14" Hg	12" Hg	240°F	210-220°F		1.95 GPH	14.5	12.7	Dual
HIGH	424	337	14" Hg	12" Hg	240°F	210-220°F	0 to 1,200 PSI		13.4	11.9	Dual
MID	392	305	14" Hg	12" Hg	230°F	210-220°F	0 to		12.6	11.1	Single
ECONOMY FUEL SAVER	360	286	14" Hg	10" Hg	220°F	200-220°F		♦ 1.48 GPH	11.6	9.1	Single

*Economy setting not recommended for hard surface cleaning









CCELERATED DRIVE SYSTEM

Engineered for Performance - Adopts time tested, proven technology from the CDS 4.8 Overdrive with Salsa for superior reliability, longevity, and heat performance

Advantages of a Direct Drive Truckmount

• Safe and secure quieter operation. Ability to close doors during operation. Protects internal contents from weather exposure. Quiet operation allows for nighttime commercial cleaning and restoration work.

Smallest footprint in the industry. Compact, space saving design allows for flexibility in van set up. Perfect for hauling restoration equipment (airmovers, dehumidifiers, directed heat), power wands, RX20 NEXTGEN rotary jet extraction wand, EVOLUTION RX12 rotary hard surface tools, chemical solutions, upholstery tools, hauling rugs and furniture and more













Advantages of a Direct Drive Truckmount

- Lower maintenance and ease of serviceability reduces costs and downtime.
- Simple to operate and easy to train technicians make Direct Drives the perfect choice for fleet operations and less mechanically inclined owner/operators
- Even weight distribution reduces wear on van (less tires, shocks, brakes due to less weight and centrality of weight)
- Excellent warranty coverage with superior customer support and service through national distribution network and corporate customer care team









Advantages of a Direct Drive Truckmount

- Value maximum return on investment and highest re-sale values in the industry
- Flexible and powerful performance allows for many uses. A perfect cleaning machine and ideal for flood and water damage restoration work, pressure washing, hard surface cleaning and more.
- HydraMaster longevity and reputation. We will be here for years to come to support you.











3.7L TI-VCT V6

Responsive standard V6 performance.

- . Responsive performance: 275 horsepower; 260 lb./tl. of torque
- Twin independent variable cam timing (Ti-VCT) technology for performance across the entire power band
- Prep Package available for conversion to compressed natural gas (CNG) or propone autogas

vehicle will be equipped with the standard factory gassiline fuel system. This package does not include compressed natural gas-temperate fuel tanks and time, etc. See your desire for dehale.

An efficient platform for the modern Transit design.

- · Lightweight unibody construction
- Front, rear and side rails welded with the floor pan,
 crossmembers and torque boxes forming a single body
- Built with high-strength steel as well as boron steel in select areas



















































































































































































































We feel honored to be part of something as great as the HydraMaster CDS xDRIVE!

The X-Drive has served us faithfully and powerfully. We really like the entire setup and all the engineering that you all have put into it.

Here are some photos of our van. We had the van insulated with spray foam and the walls covered in 1/2" plywood. Don't miss the "rainbow" cutout allowing for the recovery tank lid to open!



Jordan Flory Clean and Restore













We have now operated our CDS xDrive for about 300 system hours, and I must say we are thrilled with the truck mount. Its quiet, its efficient, and incredibly powerful. In fact since switching from our previous Butler System, the cost savings from maintenance and fuel (40% decrease!) alone is paying for this van right now. We will be buying another one this year, and expect to continue to add more of these systems to our fleet. Thank you HydraMaster for turning us on to this new technology.

Chris Wheeler













NEW TITAN SERIES







































































































"Tough as Nails" TITAN quality with a sleek new design









More intuitive and easier to use panel directions and graphics make it easier to train new technicians and easier to maintain







Enhanced appearance makes an impression on your professionalism to your cleaning or restoration customer









Truckmounts that match your perseverance at delivering optimum performance to your customers









Legendary performance and reliability from the innovation leader since 1971































Relentless









Dual wand workhorse













Relentless





TITAN 575

Performance in the most challenging environments











- Liquid Cooled Kubota 32.5HP Engine Delivers Maximum Power and Reliable Longevity.
- **Uncompromising Cleaning Solution Temperature -**Best in class performance - single wand, dual wand, or hard surface cleaning. Unwavering heat from 230°-250° F.

Vacuum and Water Extraction Recovery - 400+ CFM for

- Faster Drying, Faster Restoration!
- Dual Wand Capable plumbed and prepared for you to double your productivity when you need to!
 - Patented Heat Control System, ADC Control Diverter manages heat for more consistent temperature delivery and virtually eliminates dumping fresh water during cleaning and water extraction.
- Quieter Performance Opti Air Flow System and dual oil bath helical gear tri-lobe blower reduces noise resulting in the quietest machine in its class.
- Simplified Maintenance "Arms Length" design and removable magnetic panels allow for easy access to crucial components and serviceable parts.















When it comes to cleaning solution temperature, there are a lot of empty promises made with truckmounts. The TITAN 575 from HydraMaster deliver uncompromising, unwavering hot cleaning solution temperature even under the most demanding conditions.





















In fact, field testing clearly demonstrates that the TITAN 575 consistently produced 20-30°F degree higher temperatures under carpet and hard surface cleaning solution flow demand than comparable leading brand heat exchange truckmounts. If you want the hottest truckmount, the TITAN 575 is for you.

















The TITAN 575 is a TITAN amongst truckmounts, allowing you to run two wands so you can take on those big cleaning jobs with confidence and get the job done twice as fast. Incorporating HydraMaster's industry exclusive true water conservation system, it can be inactive under a full vacuum load for as long as 40 minutes without wasting fresh water.



















That means you can move furniture or apply prespray without running to shut off your machine, and your fresh water and recovery tanks need to be filled and emptied less often. Your hot water is used on the job, not dumped into the recovery tank, saving precious fuel each and every day. The **TITAN 575** was designed for reliability and serviceability; removable magnetic panels make maintenance a cinch. For EXTREME performance in a compact and reliable package, the **TITAN 575** has got your back.







Invest in your unlimited future







"I purchased a TITAN 575 about 2 months ago. I wish i had known about the capabilities of the 575 a long time ago. This machine is amazing! With my Prochem® Peak® I would spend 20 minutes warming it up. Not anymore! The heat on the TITAN 575 is incredible. I have drying times as little as 1 hour and I can clean all day on my 100 gallon tank. I just had to let you know because there are a lot of carpet cleaners that don't know just how advanced HydraMaster truckmounts have become. Thank you!"

John Rogers













Specifications:

Engine: Kubota 32.5HP Liquid Cooled Engine

- Fuel efficient 1.7 qph at 300psi
- **Keyless electronic ignition**
- Exceptionally rigid cast iron block
- 3 cylinder OHV design

Solution Pump: Plunger pump with 2000 operating psi

- General HTX-1813 4.0 gpm solution pump
- 1200 psi heated pressure

Vacuum: 4007 Dominator Tri-Lobe Blower, 400+ CFM

- Direct coupler driven
- HydraMaster exclusive design
- Dual oil bath design with sight level windows
- Durable helical gear drive

Heating System: Full Divert Tube and finned tube Heat Exchanger

- Automatic Diverter Control (ADC) temperature control
- Attains 265°F temperature (200-210°F continuous flow at 1.25GPM)
- Patented design and function: U.S. Patent No. 8,032,976

Dimensions: - 39"H x 26"W x 45"D

Wand Capability: Dual wand, full performance

Weight: 900lbs (console weight)

Chemical System:

- Last-step chemical injection,
- Meter controlled

Applications:

- Residential, Large Commercial Carpet Cleaning
- Pressure Washing with full waste recovery capabilities
- **Upholstery Cleaning**
- Stone, Tile and Grout Cleaning
- Hard surface high pressure cleaning

















Relentless...

- Dual Wand Workhorse
- · Performance in the most challenging environments





- Uncompromising Cleaning Solution Temperature -Best in class performance - single wand, dual wand, or hard surface cleaning. Unwavering heat from 230°-250° F.
- Vacuum and Water Extraction Recovery 400+ CFM for Faster Drying Faster Restarations
- Dual Wand Capable plumbed and prepared for you to double your productivity when you
- Patented Heat Control System, ADC Control Diverter manages heat for more consistent temperature delivery and virtually eliminates dumping fresh water during cleaning and water extraction.
- Queter Performance Opti Air Flow System and dual oil ath helical gear tri-lobe blower reduces noise resulting in the quietest machine in its class.

Simplified Maintenance - "Arms Length" design and removable magnetic panels allow for easy access to crucial components and serviceable parts



TITAN 575



Applications:

- BustWater Ceating
- . Residental and Commercial Carpet Cleaning.
- Pressure Washing with full waste recovery capabilities
- Upholstery Cleaning
- . Concrete, Stone, Tile and Grout Cleaning
- Water Extraction

What do we mean by TITAN TOUGH?

- "Tough as Nails" TITAN quality with a sleek new design
- More intuitive and easier to use panel directions and graphics make it easier to train new technicians and easier to maintain.
- Enhanced appearance makes an impression on your professionalism to your cleaning or restaration customer
- Truckmounts that match your penseverance at delivering optimum. performance to your customers.
- Legendary performance and reliability from the innovation leader since 1971



TITAN 575



· Electrical carriet projection

· Soldier termerature central soluctor

. Solution Hose Length 100 t a 1/4"

· Recovery Tank: 70 gallon MaxwArtin

Constion & maintenance manual

. Endowkered Hydrolitester tacket

* Wassum Hose Length 100 ft a 2"

. Wand Whip Line: 10 ft x 1-10*

· Furne statch switch

* Ten solution nutlets

+50 ft water supply live

· Sattery bex

white installation at

Standard Equipment

- · Burtima hour mater
- . Devoice flow mater ID-32 GPH1
- . Character flow control valve +5 pallen chemical i.e.
- . Vacuum gauge (0-30" Hol
- . Solution pressure grage (0.1,500 PSI)
- . Solution pressure adjustment
- . Pre-wind outpolit switch
- + Pre-wind AINOS Switch
- + Front water inlet
- + Motor custom shain valve
- . Starrings steel carpet clearwing wand
- . Divertor makes beeth ADC head combotic
- . Diverter/blubb package for food work

Kubota* 32.5 HP Liquid Cooled Engine

- Xedea electronic ignition
- Expectionally cost cast too taxes
- 2 cylinder DHV dealpr
- Feet-officient technology, 1,3 GPH at \$50 PGL
- . Some mondaturers warranty

- Opening at 2000 NPM

4397 Cominator" Tri-Labs Blows · Norskhame sections done

- Dual oil both design with sight level wrotine
- Diurative herical pear dines.
- + 400+ CFM



General HTX-1813 High

Pressure Pensa

a Visite Deci Assets of Assessment

+ 4.0 SPM retonal

Multi-Stage Thormal Capture and Heat Exchange System with MAX-TEMP Control provides unwavering cleaning solution temperature (238-250°F) and unprecedented control

Eigiter and Mower subscut for and take heat each one

- · ACC Uniterate Starter valve control to become heat set become virtuals eliminates dumping fresh select fluring dickning of select selection
- Case to access and remove case the easy alwaying and marriedness



- MIKK TERP hear elector control allows this exchanger to be bypassed when you want to remissio leaving temperature for dollarsy uptoletary or cut-pile carpet



Antional Accessories

- . 100 Cather Mass-Air Recovers Tank Upgrade . AMDS - Automatic Wastewater Disposal System
- . RX20 NEXTGEN Ridary Jet Extraction World
- . Dr.Mester 3 Upholetery Tool
- *EVOLUTION IT Ward
- * FYOYLITION SHIP WAY!
- *EVOLUTION Food Extraction Wave
- *EVOLUTION GLIDED Bandway Tool
- +EVOLUTION 9X12 Rosey Hard Surface Wand
- +70 Gallier Babrica et Freefwater Tank
- . Through Floor Exhaust 10
- . HistoCradia Finatovator Tami/Hoss Fluid Condo
- . 200-200 Capacity Hose Heets resmust and
- *2000PSI saffeoded pressure washing litt.

Machine Specifications

- Development of Wallette St. D.
- Weight 900 bs
- Chemical System last step observed mystem, make township Ward Diminity Day


















A ferocious appetite for clean & dry





The perfect balance of power and simplicity















A ferocious appetite for clean & dry

Key Features

More Power

23 HP Air Cooled Engine - Briggs & Stratton® Vanguard™ Air Cooled Engine.

Quieter Performance

Opti-Air® Flow System - Reduces noise resulting in the quietest machine in its class.

₩ Patented

Heat Control System - ADC Control Diverter valve manages heat for more consistent temperature delivery and far less water dumping.

Compact

Footprint - Maximizes the van space more efficiently creating greater cubic feet for your gear.

Simpler

Maintenance - "Arms-length" design and removable panels allow easy access to crucial components and serviceable parts, including the heat exchanger.

Stronger

Vacuum - Helical gear splash lube tri-lobe blower produces 350+ CFM resulting in faster drying carpet and floors.





More horsepower, more heat













TITAN 425 vs The Competition

It has all the power and performance you need without overkill. The 23HP Briggs & Stratton Vanguard Engine provides you with more horsepower than most machines in its class – 12% more power which will allow your machine to operate better at elevated conditions and under maximum load conditions. This also extends the life of the engine.



- Control is a key also the TITAN 425 allows you to choose the exact cleaning solution temperature you want rather than just a predetermined setting.
- Simplicity reigns supreme, starting with the fact that the proven coupling system open configuration allows for excellent air circulation, while the competition's belt driven system requires a belt cooling fan, adding one more layer of complexity.

Better heat control, less dumping













TITAN 425 vs The Competition

- The TITAN 425 is equipped with a water box drain valve which makes the machine easier to freeze quard, descale and service. With the competition's machine the water box has to be drained by running the machine.
- Plus because the TITAN 425 is 150# lighter than the competition, you will get improved gas mileage from your van and less wear on vehicle components.
- The TITAN 425 is easier to maintain too. It is designed around the HydraMaster "Arms-Length" philosophy of accessibility.















TITAN 425 vs The Competition

- The TITAN 425 blower drive system can be easily serviced in less than an hour with easily accessibility to the drive system. Blower oil drain hoses make changing your blower oil easier to do, and with less mess. The competition uses plugs that are hard to get to. Magnetic panels allow for quick and easy access to all components.
- The patented heat control system with the ADC Control Diverter manages heat for more consistent temperature delivery and far less water dumping. In fact, in comparison testing, the Boxxer 423S maintains a 5-10° Fahrenheit temperature advantage versus the competition in a continuous flow mode for hard surface cleaning and pressure washing.
- The OptiAir Flow System reduces noise resulting in a quieter machine. The compact footprint maximizes the van space creating greater cubic feet for your gear and without being too "topheavy" like some machines.
- Finally, the helical gear splash lube tri-lobe blower produces 350+ CFM resulting in faster drying carpets and floors and better water extraction.



ITAN 425









Easier, Quieter, and Ready for Your Greatest Cleaning Challenge

- The TITAN 425 has also reduced noise by optimizing airflow with the OPTI-AIR™ flow system through the entire machine which provides more consistent heat performance and makes the machine quieter in operation. You can clean everything from the filthiest carpet, to the most delicate upholstery fabric, to the grimiest tile or concrete floor.
- The TITAN 425 heat control system automatically manages water heating – allowing less water dumping, and gives more consistent temperatures during intermittent wand use; e.g., moving furniture while cleaning. With heated solution of 1000psi, you are ready for just about any cleaning job. It's excellent for flood extraction too.















Briggs and Stratton Vanguard Engine

- 23 HP Engine
- Dependable 2 Cylinder OHV Design
- Fuel-Efficient Technology
- External Oil Cooler
- **Keyed** ignition
- Engine choke and throttle
- 1.1 gph fuel consumption

MD Pneumatics Competitor 4005 Tri-Lobe

Blower

- HydraMaster Exclusive Design
- Pulsation and Sound Reduced
- No Grease Fittings, Oil bath at both ends
- Helical Gear Drive
- Oil Level Sight Windows



Multi-Stage Heat Exchangers

- Advanced Heat-Exchanger System
- 240° Maximum Temperature, 160° to 235° Operating Range
- Stainless steel coil Engine Exhaust Exchanger
- Divert tube and fin Blower **Exhaust Exchanger**

Comet Pressure Pump

- 3.5 gpm plunger solution pump
- Operating Pressure, 0 to 1,000 PSI
- **Electric Clutch**

Dimensions: - 24"W x 32"H x 36"D

Wand Capability: Single

Weight: 563 lbs. (Console weight)

ITAN 425

Chemical System: Last-step chemical injection, meter controlled

Applications:

- Residential, Commercial **Carpet Cleaning**
- Pressure Washing with full waste recovery capabilities
- **Upholstery Cleaning**
- Concrete, stone, Tile and **Grout Cleaning**
- Hard surface high pressure cleaning
- Water extraction















A Ferocious Appetite for Clean and Dry

More horsepower, more heat Better heat control, less dumping



23 MF Air Cooled Engine - Briggs & Strotton* Vanguard* Air Cooled Engine.

Quieter Performance

Opti-Air* Flow System - Reduces noise resulting in the quietest machine in its class.

Heat Control System - ADC Control Diverter valve manages heat for more consistent temperature delivery and for less water dumping

Footprint - Maximizes the van space more efficiently creating greater cubic feet for your gear.

Mointenance - "Arms-length," design and removable panels allow easy access to crucial components and serviceable parts, including the heat exchanger

Vocuum - Helical gear splash tube tri-labe blower produces 350+ CFM resulting in faster drying corpet



HydraMaster warranty service is rated #1 by distributor mechanics

- Uproutery Cleaning
- . Concrete, Stone, The and Grout Cleaning.

- More intuitive and easier to use panel directions and graphics make it easier to train new technicians and easier to maintain
- Enhanced appearance makes an impression on your professionalism to your cleaning or restaration customer
- performance to your customers
- Legendary performance and reliability from the



litan Tough



TITAN 425

Applications:

- Pressure Washing with full waste recovery capabillies.

- Water extraction

What do we mean by TITAN TOUGH?

- "Tough as Nots" TITAN quality with a sleek new design
- Truckmounts that match your perseverance at delivering optimum
- innovation leader since 1971



Easier, Quieter, and Ready for Your Greatest Cleaning Challenge



Standard Equipment

- + Rumma bout meter
- +Chemical Box meter (6-10 GP+6. . Chemical flow control valve
- +5 gallon otherwical sug
- . Vacuum gauge (5:307 Ho)
- +Solution programs places (5.1 (00) PSI) . Souther property adjustment
- . Pro-winet pump-in switch
- . Pro-wined APO Switch
- · Fresh water intel
- · Water involved chargospher
- . Stanless steel carpet cleaning word
- . Diverter valve (with ADC heat control)
- . Diserted claich package for floori work

- · Electrical circuit protection
- . Pump chách swách Solution temperature control selector
- . Two solution outlets
- . Solution Hose Length: 100 ft x 1/4"
- . Vacuum Hose Longth: 100 ft s 2"
- · Ward White Line: 10 t x 1-10"
- 50 ft water oursely line
- . Receivery Tank: 70 centers Manual ...
- · Battery tice · Use installation bit · Embroidered HydraMaster (schall
- . Through Floor Enhaust Kill Dperation & marketonous manual.

Outional Accessories

+ Drikkester S Lisholetery Took

+ EVOLUTION Flood Extraction Want

. EVOLUTION OLIDED Upochaery Tox

+EVOLUTION 2" Wood

+ EVOLUTION State Want

4 500 Gallon Mays Air Recovery Taris Upgrade

+ ANDS - Automatic Wastewater Disposal System

+ RXXX NEXTGEN Rotory Jet Extraction Wand

- . EVOLUTION RIVER Return Head Section Ward • 20 Gallon Subsequet Festivester Tara . HydroCooks Freshauter Tark/Hone Real Control
- + 200-307 Canacity Hose Reets manual and

Engine: 23 HP Briggs & Stratton* Vanguard* Air Cooled

Kwed contine

WARRIED.

. Engine choke and Throttle

· Naturaciós Serviccability -


3 year menufacturers



- Dependable 2 Culinder OHV
- · Fuel-Efficient Technology
- · External Oil Coster
- Operating at 3000 FPM.

Vacuum: 4005 Deminator" Tri-Lobe Blower, 358+ CFM + Turbill accis Th Lobo Blower · No Grosse Pitters

- HudisMisdar Euclusive Design
- . Direct Couple: Driven
- Pulsation and Sound Reduced
- 4 Duni Oil Bath Design with Sight Leve Windows
 - . Duratile Inidical Gear Drive



Heating System: Thornal Capture and Heat Exchange System Divert tube and fin heat outhanger sustany

- DAD'Y Masiroury Torroundary



- **Machine Specifications** - Demonstres, DATM x 357H x 367D
- Twight 563 to icomole mily Demos Solom last step during reader, more controled
- Want Capacity Single







Step up your game







Affordable Value . . . Radical Performance!













Step up your game

Perfectly sized for companies who do residential and light commercial who also do water damage restoration! Finally, you don't have to put up with barely adequate performance to get an affordable entry-level machine. The **TITAN 325** takes the entry level truckmount to new heights. It's perfect for operators who want to step up their game.





Affordable Value . . . Radical Performance!

















Plus the new TITAN 325 is equipped with an expanded fin tubed heat exchange thermal accumulation system with 40% more heating capacity than before. The TITAN 325 has been tested to be the HOTTEST machine in its class





Affordable Value . . . Radical Performance!

TITAN 325











Affordable Value . . . **Radical Performance!**

- Reliable, Fuel Efficient Power Briggs & Stratton Vanguard 18HP gas/petrol engine.
- Space saving footprint for more cargo space to carry all of year other gear
- Simple to operate and maintain Intuitive, easy to use panel directions and graphics make it easier to train new technicians and easier to maintain
- 40% more heating capacity expanded fin tubed heat exchange/thermal accumulation system produces the hottest cleaning solution of any machine in its class.
- Powerful recovery Tuthill Competitor 3006 Vacuum Blower produces consistent, reliable vacuum with hardened precision helical gears
- Hydra-Clutch equipped, Perfect for water extraction and water damage restoration - The new HydraClutch™ pump clutch allows the solution pressure side of the machine to be turned off while performing flood and water extraction with your truckmount which reduces wear and protects components















The HydraClutch™ pump clutch allows the solution pressure side of the machine to be turned off while performing flood and water extraction with your truckmount which reduces wear and protects components. The primary advantage is the machine does not require a water source to be connected to the machine to keep operating. With the pump turned off the machine will not add water to the recovery tank, as it no longer is required to pump high pressure water to maintain internal temperatures. This allows for an increased capacity in the recovery tank, maximizing your time in extracting water. This also enables the machine to be operated in any location as it is not necessary to be near a fresh water source.















Best of all, you'll be investing in a truckmount with the reliability and proven track record that only comes with owning a HydraMaster.

Key Features:

- Space saving design takes up less cubic feet in the van or trailer
- Compact, tested design easy for new operators to learn how to achieve excellent results
- **Hydra-Clutch Pump Clutch Standard**
- Hard surface cleaning at 1,000 psi
- Easy Maintenance, high reliability
- **Quieter operation**

















Machine Specifications:

Briggs & Stratton®

Vanguard™ Engine:


- Fuel-efficient 18 HP engine
- Reliable 2 cylinder OHV design
- Keyed ignition
- Easy maintenance

Competitor® SL 3006 Blower

- Hardened, precision helical gears
- Double row ball bearings at gear end
- Precision machined ductile iron rotors
- Dual oil bath design with oil level sight windows

Comet High Pressure Pump:

- 3.5 gpm capacity
- Operating pressure, 0 to 1,000 psi
- Clean carpet and hard surfaces



Weight: 570 lbs

Ignition: Electric key start

Hydra-Clutch Pump Clutch

Chemical System: last-step chemical injection, meter controlled

Heating System: Expanded Finned tube heat exchanger /thermal accumulator with copper tubes for max temperature up to 220°F(170-200°F at 1.25qpm water flow)

Wand Capacity: Single

Fuel Consumption: 1.0 gph

Uses: Residential and Light Commercial



Affordable Value . Tough Radical Performance!











Step up your game

Affordable Value ... Radical Performance!

Perfectly sized for companies who do residential and light commercial who also do water damage restoration! ready you don't how to put up with bonly odequate performance to get on offordable error level. mochine. The TITAN 325 tokes the entry level truckmount to new heights. It's perfect for operators who want to step up their game. Plus the new TITAN 325 is equipped with an expanded fin tubed heat exchange thermal accumulation system with 40% more heating copacity than before. The TITAN 325 has been tested to be the HOTTEST monthing in its close

- Reliable, Fuet Efficient Power Briggs & Strotton Vanquard IBHP gas/petrol engine.
- Space saving footprint for more cargo space to party all of year other gear
- Simple to operate and maintain intuitive; easy to use panel directions and graphics make it easier to train new technicions and easier to maintain
 - 40% more heating copacity expanded fin tubed heat exchange/thermal accumulation system. produces the hottest cleaning solution of any machine in its class.
- Powerful recovery Tuch I Competicor 3006 Vacuum Slower produces consistent, reliable vacuum with hardened precision helical gears
- Hydra-Clutch equipped, Perfect for water extraction and water damage restoration - The new HydroClutch* pump clutch allows the solution pressure side of the machine to be turned off while performing flood and water extraction with your truckmount which reduces wear and protects companents







HydraMaster warranty service is rated #1 by distributor mechanics

approxima, With the pump sumed off the machine will not sold active to the recovery tank, as a new longer to required to pump high pressure water to mention internet temperatures. The observe or increased capacity in the recovery own, maching your time in emaching water. The observations will be a provided to the publishing water than the special of the publishing water to be observed to the mychine to be operated to they become as it is not recessory. to be recruit fresh water source.



What do we mean by TITAN TOUGH?

- "Tough as Nails" TITAN quality with a sleek new design
- More intuitive and easier to use panel directions and graphics make it easier to train new technicians and easier to maintain
- Enhanced appearance makes an impression on your professionalism to your cleaning or restoration customer
- Truckmounts that match your perseverance at delivering optimum. performance to your customers
- Legendary performance and reliability from the innovation leader since 1971



TITAN 325 Hotter, Easier, Quieter, and Ready for your greatest cleaning or restoration challenge

Electrical circuit protection (resettable)

Solution temperature coverol selector.

rijection, mater controlled • Hydra-Clutch Pump Clutch for water

Operation and maintenance manual (CD)

includes stainless steel litter and litter

banket, 36 1/2°L x 10 1/2°W x 31°H, 100

+ 70 selfor MexaAr¹⁹ recovery lank

. Stankes steel last-step chemical

ediraction

. Battery box

Van decal

+ 5 gallon chemical sug

+ Man instruction kill

Standard Equipment

- . Chemical flow meter ID-10 gath
- . Runtime hour meter Chemical flow control valve.
- Vacuum gauge (0-30" Hg)
 Solution pressure gauge (0-2500 ps)
 Solution pressure experiment
 Pre-ward numerial watch
 Pre-ward for AWDS (Automatic

- Wastewater Disposal System) . Fresh water inlet
- · Water eystern drain valve
- Solution Hose Length: 100 ft a 1/4"
- + Vacuum Hose Length: 100 ft x 2"
- + 1.5 Inch EVOLUTION Wand
- Engine choke
 Engine throdle

this (100 gallon recovery tank optional)

Engine: Briggs & Stratton® Vanguard® Air Cooled

- Fuel-efficient 18 HP Brigge & Stratton ** V-Twin Vanguard** industrial series engine
- · Religio 2 cylinder OHV design
- Electric losy start, 1.0 gah fuel consumption

Vacuum: Competitor® St. 3006 Blower

- . Low vibration, pulsation and sound reduced
- · Hardened precision helical pears.
- Double row ball

Comet High Pressure Pump



- · 3.5 open capacity
- · Operating pressure, 0 to 1,000 healed psi, with Hydra/Clutch™ pump clutch for water extraction
- Clean carpet and hard surfaces

bearings at pear end

- Dust oil torth design with

call level sight windows

Precision machined

ductile iron rators.

Heating: Thormal Capture and Heat Exchange System

- Divertisible and fin heat exchanger system 240'F Maximum Temperature (170-200'F at
- 1.25gpm water flow



Ontional Accessories

- . 100 Gallon Macs-Air Recovery Tierk Uncrade
- ANDS Administra Westewater Discount Senters
- + Itx20 MEXTGEN Robey Jet Extraction Wand . DriMarter II Unhaintery Tool
- + EVOLUTION P Went
- * FVOLUTION State Want
- +EVOLUTION Flood Extraction Want
- **+EVOLUTION GLIDED Lignoistery Tool**
- + EVOLUTION RX12 Retary Hard Surface Wand
- +70 Gallon Submount Frontwicker Tank
- +Through Floor Exhaust KR
- HvittoCtorfo Freshwater Taris Hose Real Coroto
- . 200-500 Capacity Hose Floris manual and

Machine Specifications

- Wand Capacity, Single Uses: Residential and Light Commercial/ Water
- Dimensiona: 24°W x 317t x 38°D















www.hydramaster.com | 800.426.1301 | 425,775,7272

www.hydramaster.com | 800,426,1301 | 425,775,7272





TITAN H20











Purpose Built for Restoration and Flood Work

Purpose built to extract water, the TITAN H20 is a specialist in its field. HydraMaster has designed this machine exclusively for the water and fire damage restoration contractor. It has everything you need to remove water in a hurry, but it's 75% easier to operate than a traditional truckmount and requires 50% less maintenance.



TITANHO









Purpose Built for Restoration and Flood Work

The TITAN H20 has the power you need for major flood work and water removal in a hurry. With a liquid cooled, 32.5HP engine and over 400+CFM, there's more than enough power to handle extralong hose reaches with dual wands to achieve quick-drying.



TITAN₁₁P₂O









TITANHO

Specifications:

Engine: Kubota 32.5HP Liquid Cooled Engine

- Fuel efficient 1.7 gph at 300psi
- Keyless electronic ignition
- Exceptionally rigid cast iron block
- 3 cylinder OHV design



- Direct coupler driven
- HydraMaster exclusive design
- Dual oil bath design with sight level windows
- Durable helical gear drive

Dimensions: - 39"H x 26"W x 45"D

Wand Capability: Dual wand, full performance

Weight: 775lbs (console weight)















Mobile Truckmounts













TRUCKMOUNT TO GO MODELLE GLEANING & RESTORATION FLANT













TRUCKMOUNT TO GO "MODILE CLEANING & RESTORATION FLANT

TMTG4000"















TRUCKMOUNT TO GO MODELLE CLEANING & RESTORATION FLANT



What is a Truckmount to Go?

The HydraMaster TMTG4000 Truck Mount to Go is a mobile, high performance cleaning and extraction system designed for restoration and cleaning contractors, facility managers, and disaster emergency response teams who need an easy to operate and easy to transport unit. It can be directly delivered to the job site and off-loaded for immediate and on-going deep cleaning and extraction of carpets, upholstery, hard surface floors, sidewalk, porches and entry way cleaning; water and flood extraction, and pressure washing where immediate collection of cleaning solutions and soiling are beneficial.









TRUCKMOUNT TO GO TO MODILE GLEANING & RESTORATION PLANT





How does it work?

The complete self-contained, turn-key system can be transported via flatbed or pick-up truck, van, trailer, container, pod, or even an industrial cart. As the unit provides its own power, no electricity is needed. The complete system includes: a wastewater recovery tank; high capacity automatic wastewater disposal system (for pumping wastewater to an on-location sanitary sewage access point); fuel tank; solution hoses mounted on a high capacity hose reel; vacuum hoses mounted on a hook, and a cleaning and extraction wand. In addition, the TMTG uses a state-of-the-art heat exchange system to heat the cleaning solution which, eliminates the need for the second fuel source required by hot water pressure washers.









TRUCKMOUNT TO GO TO MODILE GLEANING & RESTORATION PLANT

TMTG4000



Permanent Vehicle Mounting is Not Required

The TMTG does not require the contractor or facility to permanently tie up the transport vehicle. The unit is simply forklifted into the transport vehicle for delivery to the job site, or shipped by container or crate to the worksite.

Applications

- **Carpet Cleaning**
- Water and flood extraction
- **Upholstery Cleaning**
- Stone, Tile & Concrete Floor Cleaning
- **Hard Surface Floors**
- **Water Damage Restoration**
- **Pressure Washing**
- ☐ Vehicle Detailing









TRUCKMOUNT TO GO TO MODILE GLEANING & RESTORATION PLANT



- TMTG is not just limited to water extraction like other mobile systems. It provides restorative, deep cleaning and water extraction capabilities. Most restoration job sites require comprehensive deep cleaning needs after the flood waters have been extracted
- ✓ Proven power, vacuum, and cleaning solution delivery platform used on HydraMaster's most popular slide-in mounted truckmount systems
- Protective sub-frame equipped with forklift guides for safe and easy loading and unloading
- Lightweight enough it can be loaded on John Deere ProGator® or Toro Workman ® utility vehicles for easy transport on college and industrial campuses, amusement parks, and resorts.







TRUCKMOUNT TO GO MOBILE GLEANING & RESTORATION PLANT



Specifications

- Power Plant: 23HP Briggs & Stratton Vanguard Air Cooled gasoline engine operating at 3000 RPM (Approximately 1.1 gph of fuel consumption)
- Vacuum Blower: Tuthill Dominator 4005 positive displacement blower. Directly coupled for Vacuum to 12"Hg and up to 350+ CFM
- Solution Pump: Comet 3.5 gpm solution pump with up to 1000 operating psi
- Heating System: Dual stage Thermal Capture and Heat Exchange System for cleaning solution temperatures consistently maintained above 200°F at 1.5gpm water flow
- Frame: Corrosion-resistant powder coated steel
- Automatic Wastewater Disposal System
- Fuel tank and supply system will be EPA/CARB certified for permeation and evaporative emissions compliance and is NFPA approved for safety







TRUCKMOUNT TO GO MODELLE GLEANING & RESTORATION FLANT















31 H.P., 400+ CFM, 1200 PSI HOT, 245°F



<\$\$22,000

The numbers add up to your perfect truckmount









You get uncompromising performance in a high level dual wand power-packed truckmount from the Boxxer XL. Incorporating time tested "best concepts" in design and engineering provides built-in reliability. Yet the Boxxer XL provides innovative and industry- first features that place it on a level previously unachieved for a machine in its class.



















Utilizing the HydraMaster Water Conservation System, it can be inactive under a full vacuum load for as long as 40 minutes without wasting fresh water. Whether you are setting up for carpet cleaning, or doing water extraction on a flood job, the "no-dump"/full bypass heat exchanger system means your hot water is used on the job, not dumped into the recovery tank, saving precious fuel every day.

















The Boxxer XL also sets a new standard for quieter operation due to innovative concepts and design in routing and controlling the flow of blower air and exhaust gas. The Boxxer XL produces a decibel level of 68db (at industry standard measurements of 12" Hg, 1.6 gpm water flow with closed doors). This is equivalent to the noise level previously only available with clutch drive, direct drive systems. The Boxxer XL is 20% quieter than a comparable slide-in truckmount.



The numbers add up to your perfect truckmount













The Boxxer XL produces performance levels that most truckmounts only dream about – True dual wand capabilities; **400+CFM** (static measurement), **attains 245°F temperature** (185°F continuous flow at 1.25GPM); and proven and tested coupler direct driven blower. Time tested and proven frame and drive system reduces vibration and wear on componentry. Accessibility and serviceability with removable magnetic panels makes maintenance a breeze.



The numbers add up to your perfect truckmount













Specifications:

Engine: 31 HP Briggs & Stratton Air Cooled Engine

- Fuel efficient 1.6 qph
- **Keyed** ignition
- **Nationwide serviceability**

Solution Pump: Plunger pump with 1200 operating psi

- General HTX-1813 4.0 gpm solution pump
- Electric clutch-control

Vacuum: 4007 Dominator Tri-Lobe Blower, 400+ CFM

- Direct coupler driven
- HydraMaster exclusive design
- Dual oil bath design with sight level windows
- Durable helical gear drive

Heating System: Full Divert Tube and finned tube Heat **Exchanger**

- **Automatic Diverter Control (ADC) temperature control**
- Attains 245°F temperature (185°F continuous flow at 1.25GPM)
- Patented design and function: U.S. Patent No. 8,032,976

Dimensions: - 39"H x 24"W x 41"D









It is time for you to add a hard surface dedicated cleaning machine and van to your fleet.



Featuring . . . The BOXXER 318HP from HydraMaster, the right truckmount for the realities of the cleaning marketplace.

Emboldening Cleaning Business Owners with the Next Most Important Step for Their Success.



















Emboldening Cleaning Business Owners with the Next Most Important Step for Their Success.













Pressure Wash with Heat at 1500 psi...

The all new Boxxer 318HP is a dedicated hard surface cleaning and pressure washing truckmounted extractor designed specifically to provide heated water at pressures up to 1500 psi, yet affordable enough to start your business or add to your carpet cleaning fleet. With the residential market share for carpet as a floor covering having fallen by 30% in the last 5 years, the market for restorative cleaning of tile, stone, and concrete floors is growing larger every year.



Emboldening Cleaning Business Owners with the Next Most Important Step for Their Success.



BOXXER 318HP Hydra










The Boxxer 318HP is equipped with several exclusive features which make it ideal for dedicated hard surface cleaning.

- First, the chemical solution pump is constructed of stainless steel (Most truckmount chemical solution pumps are brass) with an integrated shut-off valve to deal with the higher pressures typically associated with hard surface cleaning.
- Secondly, a specially engineered heater coil is used to withstand the rigors of constant high pressure cleaning applications (up to 1500psi.)
- Finally, keeping the hot water flowing (180-210°F) even at higher pressures allows you to take advantage of the cleaning power of hot water to reduce chemical usage.

Emboldening Cleaning Business Owners with the Next Most Important Step for Their Success.













- The Boxxer 318HP provides you with pressure washing capabilities, but with the powerful 3006 Competitor SL Vacuum Blower, you have waste water recovery capabilities no pressure washer has.
- The powerful 1500 psi pressure is complimented by the fact the water is heated without using a secondary fuel source.
- The Boxxer 318HP comes standard with the HydraMaster RX-15H rotary hard surface tool meaning you are equipped and ready to clean on day one.
- The maintenance friendly design of the Boxxer 318HP includes glass sights to monitor oil levels and the unique last step chemical injection system eliminates chemical build-up in the pump and heat exchanger.

Emboldening Cleaning Business Owners with the Next Most Important Step for Their Success.











Briggs & Stratton® Vanguard™ Engine:

- Fuel-efficient 18HP engine, 1.0GPH
- Reliable 2 cylinder OHV design
- Keyed ignition
- Easy maintenance

Competitor® SL 3006 Blower

- Hardened, precision helical gears
- Double row ball bearings at gear end
- Precision machined ductile iron rotors
- Dual oil bath design with oil level sight windows

High Pressure Pump:

- 3.5 qpm capacity
- Operating pressure, 0 to 1,500 psi
- Clean carpet and hard surfaces and pressure wash

Emboldening Cleaning Business Owners with the Next Most Important Step for Their Success.

Machine Specifications:

- Dimensions: 24"W x 31"H x 36"D
- Weight: 570 lbs
- Ignition: Electric key start
- Chemical System: last-step chemical injection, meter controlled
- Heating System: Finned tube heat exchanger with stainless steel tubes
- Wand Capacity: Single
- Fuel Consumption: 1.0 qph
- Uses: Residential and Commercial





















5 Around Selling - Truckmounts













Selling HM Truckmounts

- Look at what 'selling' is
- Ask tough questions of ourselves
- Look at types of customers
- Hands-on presentation
- Close the sale











Evolution Wand Series

Rotationally Molded Delrin

Glide Wands and Tools



The #1 selling professional cleaning wand series in the world!

Now the full line of Evolution Wands and tools provide the professional cleaner and restorer with a wide range of problem solving and quick drying options whether using a truckmount or portable extractor, doing water damage and flood extraction, cleaning hard surface floors, or taking care of fine upholstery.











About the Evolution Wand Technology

HydraMaster took wand and tool design to the next level with the development of the technology with the Evolution Wand Series. Using a copolymer process to rotationally mold cleaning wands has resulted in tools that are lighter, more durable, and outperform traditional stainless steel wands and tools. Through scientific testing, the Evolution Wand series was designed to smooth airflow and boost water recovery performance. Side by side comparative testing of the 1.5" Evolution Wand against many of the other types of wands available resulted in ½ of the residual moisture per square foot, and has shown unmatched performance versus any other type of wand.

AND DESCRIPTION OF THE PERSON OF THE PERSON





About the Evolution Wand Technology

The rotationally molded wand heads and aircraft aluminum tubes make the Evolution Wand Series nearly half the weight as comparable stainless steel wands and tools. Evolution wands and tools are custom fitted with a Delrin® acetyl glide with a glide holder that is molded or mounted to the wand or tool head for an airtight fit. Many aftermarket Teflon glides used on traditional wands are designed to fit a wide variety of tools and often don't fit well and slip and slide off. The Delrin_® glides are especially matched to the glide holder on each Evolution Wand giving it an airtight seal and making it easily replaceable.













Evolution Wand Series

Rotationally Molded Delrin® Glide Wands and Tools

About the EVOLUTION Wand Series

HydraMaster took wand and tool design to the next level with the EVOLUTION Wand Series. By using a copolymer process to rotationally mold cleaning wands and handles our tools that are lighter, more durable, and outperform traditional wands and tools. Through scientific testing, the EVOLUTION Wand series was designed to smooth airflow and boost water recovery performance. The laminar airflow design improves airflow, increases extraction performance, and reduces drying time.















1.5" Evolution Wand

Rotationally Molded Delrin Glide Carpet Cleaning Wand (13" head, 2 jet)

Half the Weight, Twice the Performance

- Rotationally molded to reduce weight and increase durability
- Laminar airflow design improves water recovery, increases extraction performance, and reduces drying time
- Laboratory tested to leave less residual moisture in the carpet
- Delrin glide holder is rotationally molded into the wand head for airtight fit and no slippage
- Designed to be used with both truckmounts and portable extractors (all jet sizes included)



Part #000-163-034











1.5" Evolution Wand

Rotationally Molded Delrin Glide Carpet Cleaning Wand (13" head, 2 jet)

Specifications: 1.5", 2-jet Evolution Wand (13")

- 13" head, 2 jet
- Weight: 6.5 lbs.
- Head: Roto-molded LLDPE
- Glide Receiver: 6061T6 aircraft aluminum
- Glide holder: Delrin removable, replaceable
- Vacuum tube: 1.5" powder coated 6061 T6 aircraft aluminum
- Jets: (2) 110° #1 tips .8 GPM AT 500 psi
- Solution Line: 3000psi high pressure hose with stainless steel end fittings
- For 100-200 psi portables, use #001 jets (installed)
- For 200psi+ portables, and BOXXER 318, 318HP, 423S Truckmounts, use #002 jets (included)
- For BOXXER XL, Titan 575, 875 use #003 jets. (included)







Part #000-163-034













2.0" Truckmount Evolution Wand

Rotationally Molded Delrin Glide Carpet Cleaning Wand (16" head, 6 jet)

2", 6-jet Evolution Truckmount Wand (16')

- Weight: 8.8 lbs.
- Head: 16" wide rotomolded head designed for laminar airflow
- Glide Receiver: 6061T6 aircraft aluminum
- Glide: Delrin removable, replaceable
- Vacuum tube: 2" powder coated 6061 T6 aircraft aluminum
- Jets: (6) #1 tips (4-110 °/2-95 ° on ends) 1.75 GPM AT 500 psi
- Solution Line: Parker ¼" 3000psi high pressure hose with hydraulic swaged fittings
- Valve: Rated to 1200 psi
- Flow: At 500psi 1.75 gallons per minute

Part #000-163-035











2.0" Truckmount Evolution Wand

Rotationally Molded Delrin Glide Carpet Cleaning Wand (16" head, 6 jet)

Half the Weight, Twice the Performance

- Rotationally molded to reduce weight (only 8.8#) and increase durability
- Laminar airflow design improves airflow, increases extraction performance, and reduces drying time
- 2" diameter vacuum tube increases airflow for faster drying and fits perfectly to 2" vacuum hose without the need for reducing couplers that can limit performance
- 6 stainless steel spray jets are strategically placed on the stainless steel spray bar for maximum coverage, and the wide 16" cleaning head increase productivity by 30% over 1.5" wand











Evolution Titanium 2" Wand

Rotationally Molded Head, Titanium Tube, Delrin Glide Carpet Cleaning Wand (16" head, 6 jet wand)

The lightest head and the lightest and most durable wand tube

- Designed for maximum corrosion resistance, yet 2lbs. lighter than a 2" stainless steel wand
- Flow control orifice keeps maximum control over flow and reduces clogging
- Durable, yet lightweight
- Titanium tube
- Rotationally molded to reduce weight and increase durability
- Laminar airflow design improves water recovery which increases extraction performance and reduces drying times

Better Cleaning, Faster Drying, Reduced Fatigue





Part #000-163-054








Evolution Titanium 2" Wand

Rotationally Molded Head, Titanium Shaft, Delrin Glide Carpet Cleaning Wand (16" head, 6 jet wand)

Specifications

- Weight: 8.8 lbs.
- Head: 16" wide rotomolded head designed for laminar airflow
- Glide holder: 304 stainless steel
- Glide: Delrin removable, replaceable custom airtight fit
- Vacuum tube: 2" powder coated Grade 2 Titanium
- Stainless Steel jets: (6) #1 tips (4-110 °/2-95 ° on ends)
- Solution Line: Parker ¼" 3000psi high pressure hose with stainless steel end fittings
- Valve: Rated to 2500 psi
- Flow: At 500psi 1.75 gallons per minute











Evolution Flood Extraction Wand


Rotationally Molded Head, Delrin Glide Water Extraction Wand (16" head)

The Aluminum tube and Rotomold head make it extremely lightweight helping reduce fatigue on the technician. The sealed Delrin® glides help push the wand across the carpet, and are tapered to keep a good seal on the fibers.

No other tool has made such a dramatic increase in water recovery due to its laminar airflow design

Specifications

- Weight: 6.8 lbs.
- Head: 16" wide rotomold head designed for laminar airflow
- Glide Receiver: 6061T6 aircraft aluminum
- Glide: Delrin removable, replaceable
- Vacuum tube: 2" powder coated 6061 T6 aircraft aluminum












Evolution Stair Wand

Rotationally Molded Head, Delrin Glide Wand for Stairs and Hard to Reach Places (10" head, 1-jet)

Lighter and more durable than stainless steel stair wands and tools

- Through scientific testing, the Evolution Stair Wand was designed to smooth airflow and boost water recovery performance. A rotationally molded head and aircraft aluminum tube make the Evolution Stair Wand lighter than most other stair wands or tools and more durable
- Ergonomically angled wand tube for fatigue reduction
- Laminar like airflow design improves airflow, increases extraction performance, and reduces drying time – leaves less residual moisture
- Delrin glide is mounted to the rotationally molded head for easy removal, clean-out, and replacement
- Brass check valve/stainless steel Inline filter with brass quickconnect prevents clogging and is easy to clean out
- 10" head with single jet spray application









Part #000-163-759



Evolution Stair Wand

Rotationally Molded Head, Delrin Glide Wand for Stairs and Hard to Reach Places (10" head, 1-jet)

Specifications

- Weight: 4.5 lbs.
- Head: 10" Roto-molded LLDPE
- Glide: Delrin® removable, replaceable
- Vacuum tube: 1.5" powder coated 6061 T6 aircraft aluminum
- Jet: 1 #004 tip- 1.12gpm AT 500 psi
- Solution Line: High performance 1/4" 3000psi high pressure hose with stainless steel end fittings
- Valve: Rated to 1000 psi (recommended usage 100 – 500psi)





Part #000-163-759







Evolution Glided Upholstery Tool

Rotationally Molded Head, Delrin® Glided Upholstery Tool (4" head, shear angle single jet)

New to the Evolution line of cleaning tools for the cleaning and restoration professional and the cleaning contractor is the Evolution Glided Upholstery Tool. This durable, rotationally molded tool is lighter than conventional steel upholstery tools, reducing hand and wrist fatigue in upholstery cleaning. The Evolution Upholstery Tool was designed to smooth airflow and boost water recovery performance as compared to the harsh angles of a steel tool. Best of all, the glided head moves across the upholstery fabric better and increases water recovery.















Evolution Glided Upholstery Tool

Rotationally Molded Head, Delrin® Glided Upholstery Tool (4" head, shear angle single jet)

- The cleaning angle of the single jet shears across the fabric rather than directly down onto it greatly reducing your chances of over-wetting.
- Rotationally molded to reduce weight and increase durability
- Laminar like airflow design improves airflow, increases extraction performance, and reduces drying time.
- Ergonomically designed to reduce operator fatigue and ensure proper recovery when cleaning surfaces with unique geometry.
- Delrin glide is mounted to the rotationally molded tool head for airtight fit and no slippage
- Plastic glide is less likely to develop burrs than a steel tool head which could damage delicate upholstery fabrics. Also, glide can be replaced when worn















Evolution Glided Upholstery Tool

Rotationally Molded Head, Delrin® Glided Upholstery Tool (4" head, shear angle single jet)

Specifications

Weight: 1.5#

Head: 4" Roto-molded LLDPE

Glide: Delrin® – removable, replaceable

Jet: #002 tip

Valve: Rated to 1200psi (Solution pressure of 40-

80psi is recommended on upholstery)





Part #000-163-617











Evolution Wand Rack/Holder

Rugged and Durable ABS Plastic

Quit fumbling around in the back of your van or work vehicle trying to find the right place for your Evolution Wands. Those clips don't hold up and often don't fit, but you need to clear floor space and have a place where your technicians know the wand always goes. The Evolution Multi-Purpose Wand Rack/Holder is designed to provide a more professional look to your van, while simultaneously increasing your van organization and efficiency. It protects your wands, and all of the other contents of your van from damage being inflicted by falling wands.

1.5" Holder: Part #000-078-945 2.0" Holder: Part #000-078-946

















Evolution Wand Rack/Holder

Rugged and Durable ABS Plastic

Specifications

- The Evolution Multi-Purpose Wand Rack is manufactured with black durable ABS plastic that is corrosion resistant
- Comes in a 1.5" version and a 2" version. The 1.5" version is specifically designed to hold the 1.5 **Evolution Wand or Evolution Stair Wand. It will also** hold most standard stainless steel 1.5" wands and some 1.5" "S" Bend stainless steel wands. The 2" version is designed to hold the 2" Evolution Wand and the 2" Titanium Evolution Wand. It will also hold most standard stainless steel or Titanium 2.0" wands and some 2.0" "S" Bend stainless steel wands
- The auto-secure tensioner "locks" the wand in place so it will not fall out, even when making sudden stops or turning sharp corners
- Can be mounted either to the side of the van or the roof















Evolution Wand Rack/Holder

Rugged and Durable ABS Plastic

Specifications

- Added slot will simultaneously store and hold a carpet grooming tool or rake (van side-mount only)
- 3 additional holes on the rack allow you to use bungee cords/wraps to store other hoses and accessories in place
- Standard kits come with two brackets
- Recommended mounting is directly to the rib of the van
- Two kits can be mounted on one wall to hold multiple wands

1.5" Holder: Part #000-078-945

2.0" Holder: Part #000-078-946















Evolution Wand Series

Rotationally Molded Delrin_® Glide Wands and Tools

About the EVOLUTION Wand Series

HydraMaster took wand and tool design to the next level with the EVOLUTION Wand Series. By using a copolymer process to rotationally mold cleaning wands and handles our tools that are lighter, more durable, and outperform traditional wands and tools. Through scientific testing, the EVOLUTION Wand series was designed to smooth airflow and boost water recovery performance. The laminar airflow design improves airflow, increases extraction performance, and reduces drying time.















The most well thought out ergonomic design of any upholstery tool in the industry.

No repetitive motion strain or syndrome here!

driMASTER 3 Upholstery Cleaning Tool

 Continuous hi-flow jetless cleaning technology for better productivity and faster cleaning.

 Shearing effect and innovative vacuum design virtually eliminates the most common cause of upholstery cleaning problems - overwetting.

· Molded glides on the tool lips allows for smoother, safer flow accross even the most delicate fabrics.












Hi-Flow Hyper-Velocity Jetless Cleaning Technology















Hi-Flow Hyper-Velocity Jetless Cleaning Technology

The problem with conventional upholstery cleaning tools

- Cleaning upholstery fabrics with conventional tools has traditionally meant the technician had to bypass the power of their cleaning equipment rather than taking advantage of it
- To avoid spraying water too deep into the upholstery and causing overwetting, the technician had to reduce their solution flow and their solution pressure
- With extreme soiling, multiple wet passes would mean soaking and overwetting the fabric and the cushion behind it, leading to slower cleaning and increased potential for fabric bleeding, browning, and shrinkage













Hi-Flow Hyper-Velocity Jetless Cleaning Technology

The problem with conventional upholstery cleaning tools

- Plus, as the solution dripped from the tool or gathered at the end of the tool pass, it was easy for streaking to occur
- The low solution pressure and water flow rates will often not activate the heating functions of your truckmount, meaning that you are forced to clean with lukewarm water or too scalding hot of water















Hi-Flow Hyper-Velocity Jetless Cleaning Technology

Hi-Flow Hyper-Velocity Jetless Cleaning Technology Virtually eliminates the most common cause of upholstery cleaning problems, overwetting – helping you greatly reduce the chances of bleeding, shrinking, and browning




















Hi-Flow Hyper-Velocity Jetless Cleaning Technology

Hi-Flow, Hyper-Velocity fluid stream technology
Allows you to utilize the power of your truckmount or high
performance portable extractor rather than by-passing it and
keeps your truckmount heating system operating throughout
the cleaning














drimaster 3





Hi-Flow Hyper-Velocity Jetless Cleaning Technology

Solution is applied in thin, flat hyper-velocity fluid stream for even application. The constant solution flow is trained by the patented injector bar and slotted vacuum port system. The cleaning solution shears across the fabric, rather than directly spraying into it, which greatly minimizes the likelihood of over-wetting the fabric. Plus, the immediate vacuum recovery of solution flow means less residual moisture


















Hi-Flow Hyper-Velocity Jetless Cleaning Technology

- Faster cleaning means more money for you, less fatiguing means you can clean upholstery in volume
- Leaves the fabric cleaner and dryer
- 20% larger cleaning head means faster cleaning than the competitive upholstery tools
- No carpel tunnel syndrome here Jetless, no trigger valve technology for less hand strain
- No heat loss from atomizing














Hi-Flow Hyper-Velocity Jetless Cleaning Technology

3rd Generation Enhancements

Molded glide lips means a smoother surface with nothing to wear out virtually eliminating any chance of fabric snagging
















Hi-Flow Hyper-Velocity Jetless Cleaning Technology

3rd Generation Enhancements

The tool is easy to clean out and even easier to service! Just undo four screws and remove the nose cone for complete access. Push to connect fittings between the valve and bar jet allow for cleaning access and easy replacement.
















Hi-Flow Hyper-Velocity Jetless Cleaning Technology

3rd Generation Enhancements

If nose cone gets dropped, cracked or chipped, just replace the nose cone. This extends the useful life of your tool for long term profitable cleaning.















Hi-Flow Hyper-Velocity Jetless Cleaning Technology

A perfect spot and stain removal tool for oriental rugs – flushes though the rug for better removal without overwetting!















Hi-Flow Hyper-Velocity Jetless Cleaning Technology

Also the ideal high productivity tool for office partitions (cubicle) cleaning – safe and effective - better soil removal without overwetting!



















The Stakes Have Been Raised...













The Stakes Have Been Raised...

The RX20 set the standard for Rotary Jet Extraction® cleaning, with over 25,500 units sold over the last 36 years. Now, the New RX20 NEXTGEN Rotary Jet Extraction® Tool redefines that standard and "ups the ante."


















Easier to handle, more comfortable to operate

- Additional momentary switch sustains head rotation and allows user to operate with left hand only
- Additional lower rear carry handle













Easier to handle, more comfortable to operate

 No slip handle locking mechanism is easier to use and self locking – tee handle, spring pull, latches with positive locks at 5-7 degree increments







New feature extends your cleaning reach, optimizes productivity

On-board crevice tool with robust design and storage bracket increases your cleaning reach and allows for uninterrupted deep cleaning/vacuuming of edges and corners The customer and technician can see the soil being extracted through the clear tube













Less fatiguing, operate longer

- Comfortable re-designed ergonomic operator handle
- Handle angle positioned for comfort and productivity (15 degrees up, 10.5 degrees back)













Enhanced engineering design reduces complexity, easier to train technicians

- Redesigned and enhanced label artwork and color graphics provide detailed operation instructions right on the handle
 - Smooth wheels help prevent picking up debris during transport











Streamlined manufacturing practices

- Reduction in number of parts, and more of the mechanisms built into the cast and molded handle
- 35 years of accumulated knowledge in manufacturing resulted in improved processes and designs



























- The RX20 NextGen Rotary Jet Extractor® continues to revolutionize the way professional cleaners and restorers deep clean carpets.
- It cleans the carpet fiber from five different angles. With three spray jets matched with 5 vacuum slots that are independently suspended by a flexible spring arm, the RX20 NextGen makes over 650 cleaning passes per minute. This super agitation, combined with the unit's weight cleans a carpet deeper, extracting soil and cleaning solution.













The rotating head cleans all sides of the carpet fiber, fluffing up and restoring the pile. The cleaning head floats and glides across the carpet. The self-propelled RX20 NextGen glides over the carpet; the rotary action of the cleaning head does all the work. The RX20 NextGen sweeps back and forth with just a slight change of balance on the handle. The effort needed to use an RX20 NextGen is a fraction of that used scrubbing back and forth with a wand.



Best of all, the extraction recovery performance of the RX20 NextGen dries the carpet faster than ever. The results are astounding, especially on extremely soiled, matted carpet.











- The RX20 NextGen delivers consistent results all day long and is not operator dependent. Using a rotary jet extractor often means you'll be cleaning at the same quick pace at the end of the day as when you started; consistent effort that translates into consistent quality and happy customers.
- Customers will be impressed by the high-tech approach to cleaning that the RX20 NextGen provides, setting your cleaning company apart from those that use a conventional scrub or drag wand. Experience has shown this to be true as repeat customers often call specifically requesting the rotary extraction of an RX20 NextGen.













"It is like that famous battery bunny. It just keeps going and going and going. It does not tire out even after I have, which means I clean consistently the same way throughout the job

> and day" Bruce D.



















Now the RX20 NEXTGEN is available in a version that is optimized for use with high performance portable extractors - Part # 700-041-334

You can use this special version of the RX20 NEXTGEN with a high performance portable extractor like the PEX 500, the HydraPort 400 or 1200 psi model, or the King Cobra 1200 Pro. It comes down to the air flow needs of your extractor matching up best with the rotary tool.
















Now the RX20 NEXTGEN is available in a version that is optimized for use with high performance portable extractors -Part # 700-041-334

- HydraMaster has changed with jets and skids on this special model. The jets allow the standard volume of water to flow onto the carpet, but the genius part is the skids are designed specifically for lower air flow (that portables need) and optimized for the best recovery.
- There are five smaller quick connect jets on the portable version of the RX20 NEXTGEN that are designed to complement the portable version of the stainless skids that allow for optimizing the lesser vacuum you see out of portables.














Now the RX20 NEXTGEN is available in a version that is optimized for use with high performance portable extractors - Part # 700-041-334

- Special angles on the skids have been demonstrated to enhance water recovery with the less vacuum flow of a portable extractor.
- In addition, the opening of the vacuum orifice on the skid is smaller for the portable version
- The special skids and supporting jets are designed to optimize water recovery with a portable extractor and reduce drying times.











Now the RX20 NEXTGEN is available in a version that is optimized for use with high performance portable extractors - Part # 700-041-334

 The RX20 NEXTGEN portable version works best with portable extractors producing 400psi or more in solution pressure














The RX20 is not just a carpet extraction tool... An often overlooked gem for water extraction during water damage restoration

- An independent water extraction test by a leading trade association demonstrated that heavier rotary extraction wands like the RX20 NextGen did a better job at extracting water from glue down carpets than many wands specifically designed for water extraction only
- n fact, even on residential style carpet the RX20 outperformed many so called dedicated extraction wands at water recovery from a flooded carpet.
- Multiple passes of head across the carpet ensures a higher level of water extraction and faster drying.
- Finally, just like in cleaning, when using the RX20 NextGen for water extraction, it reduces fatigue, and keeps up maximum extraction even when the restoration technician is worn out.












The RX20 is not just a carpet extraction tool...


Low moisture carpet cleaning – bonnet or encapsulation RX Pad and Bonnet Driver - This attachment allows the RX to quickly convert to drive carpet cleaning bonnet pads Part No. 190-041-024























The RX20 is not just a carpet extraction tool...

Hard surface floor deep cleaning, stripping, or scrubbing – luxury vinyl tile, ceramic or porcelain tile, natural stone, and finished concrete

RX Hard Floor Attachment - LD

Suitable for Light Duty (LD) scrubbing of vinyl, terrazzo, slate and marble surfaces. The brush on this attachment replaces red pads. Part No. 190-041-024

RX Hard Floor Attachment - MD Suitable for Medium Duty (MD) to aggressive scrubbing and stripping of resilient floors, terrazzo, quarry tile and concrete floors. The brush on this attachment replaces brown and black pads and will outlast them more than 100 to 1.

Part No. 190-041-025

RX Hard Floor Attachment – HD Designed for Heavy Duty (HD) to most aggressive stripping and scrubbing of resilient floors, terrazzo, quarry tile and concrete floors. The brush on this attachment replaces high productivity pads. Part No. 190-041-025



















But don't just take our word for it. Listen to what the legion of RX20 owners and fans have to say: I have used the RX20 for as long as I could remember. When I was 3-6 years old my dad would have me sit on the motor for extra weight, we ended up burning up a motor. I use it on 90% of my jobs commercial and residential.

VS Restoration Carpet Cleaning

I've used a RX20 for 10 years on every single job and love it. **Jeff Galley**











RX20 # Kydra

But don't just take our word for it. Listen to what the legion of RX20 owners and fans have to say:

I have been using one [RX20] since I was a kid helping my dad, we use them on probably 99.9% of our jobs, it has also become one of our main marketing tools, seeing that hardly no one else in our area uses a rotary of any kind! The funny thing is that I have met other so called professionals in our area (with 25 years plus experience, so says their ads) who have never seen such a thing! We've been using them for 15 plus years definitely our best investment!

Marty J















But don't just take our word for it. Listen to what the legion of RX20 owners and fans have to say:

Especially in this current market the RX20 sets a standard that not all service providers can match. Those who are not the top of the food chain will be eliminated. My RX20 allows me out perform other competitors. **Anthony Wynkoop**

The RX20 does a great job cleaning carpet. ... I have a lot of customers that think the only thing that can get their carpet clean is the RX20.











But don't just take our word for it. Listen to what the legion of RX20 owners and fans have to say:

Heavily soiled carpets are really where the RX-20 shines. As far as I'm concerned the RX20 really comes in handy as far as making a pretty hard job a lot easier. Extremeclean



We use the RX20 on everything. It will set you apart from your competition for sure! All American Carpet Cleaning, Branson MO

I've had 5 Rx's different models ... The RX is almost bulletproof. Paul Brown













But don't just take our word for it. Listen to what the legion of RX20 owners and fans have to say:

The RX20 has a track record of I believe more than 15 or 20 years doing great for commercial applications. CE Carpet Care, Torrance, CA

The RX20 is an awesome machine I plan to buy down the road. I used one frequently at my old job and loved

Todd's Carpet and Tile, Las Vegas, NV

I use my RX20 on everything I love it Spectrum Floor Cleaning















We asked professional cleaners and restorers what kind of jobs they would never try to do without their RX20?

I just did a 20,000 square foot building in Washington DC. 10 floors with the Titan and the RX20. Of course the customer was amazed. Ryan G.

The RX20 is an awesome tool for making carpet very clean....Love it! Brian H.

EVERY SINGLE CUT PILE CARPET I HAVE EVER DONE! Love that machine! Joseph R.



RX20 WydraMaster









We asked professional cleaners and restorers what kind of jobs they would never try to do without their RX-20?

All of them! Jeff G.

Three story court house in Tupelo, Mississippi – Elvis's birth place. Used my Boxxer and my RX20 and did an unbelievable job. I love my machine and my RX20. Stephen H.

Long hallways in a retirement center. Well truthfully, all our jobs! Ed H.














RX20 # HydraMaster

We asked professional cleaners and restorers what kind of jobs they would never try to do without their RX-20?

I clean some nasty, trashed apartment carpets. Without my RX20 I would be screwed! Mark V.

The RX20 is the best! Gustavo B.

Too many to count or name. Best was a pub and a brewery. Matt H.

Every job! Shawn M.















We asked professional cleaners and restorers what kind of jobs they would never try to do without their RX20?

The RX20 is a lifesaver. There is no way I would clean commercial carpet or large jobs without it. Great piece of equipment! John B.



Every job I do! Matt H.

Every job, every day! Randy G.

Large carpeted gymnasium. Larry H













We asked professional cleaners and restorers what kind of jobs they would never try to do without their RX20?

Nightclubs and bars. It just cuts through the crud! Allan S.

Hospital in Baltimore, Maryland. John B.

















Truckmount Accessories – Freshwater Tanks

A well designed freshwater storage tank:

- Increases available floor space in the van
- Reduces set-up and tear-down time at the job site
- Delivers freshwater to your truckmount consistently and effectively



















Truckmount Accessories – Freshwater Tanks



What advantages does having a freshwater tank provide to your carpet cleaning operations?

- No stumbling around in gardens and behind thorny bushes trying to find a hose hook-up
- On commercial jobs, you won't spend 45 minutes looking for a water hose hook-up only to find out you don't have the right adapter
- You can ensure that your freshwater comes from a clean, consistent source
- · One less hose to have to run
- · Easier and faster set-up, quicker and more efficient tear down on every job
- Completely self-contained operation
- · Reduce job cancellations on sites where water access is locked up or water has been turned off.
- Make sure you have water available on restoration jobs where availability might be in question













HYDRATANK 110G FRESHWATER TANK

Get the most room from your van with the HYDRATANK 110G Freshwater Tank. This tank can be mounted over the wheel-well or installed vertically. The durable ultrathick wall polyethylene construction safely and conveniently keeps you equipped to clean turn-key.

The kit includes:

- freshwater tank with float valve
- mounting hardware
- chemical storage tray















HYDRATANK 110G FRESHWATER TANK

Durable Compact · Easy to Install . Float valve automatically shuts off water when tank is full . Heavy duty brass garden hose quick connect makes connection a snap . 110 gallon capacity, yet only 60" x 34" x 18" · Storage shelf for chemicals and hand tools . Dump valve for fast flush of Weight system - Installs at either end of (LxWxH) 00 x 81 x 30 Dimensions . Epoxy coated steel mounting Color White: hardware standard, stainless steel optional Tank Size 110 Gallon · Universal wheel well installation · Fast and simple installation · All stainless steel fasteners · Durable ultra thick wall polyethylene construction . 5 year warranty on tank Most installations









of this tank require a pump in kit. Pump kit part number: 000-079-081





Part number: 000-159-115

70 Gallon Submount (Underbelly) FWT

The HydraMaster 70 Gallon Sub-Mount RMT Freshwater Tank has some specific features you should consider:

- Manufactured of rotationally molded from durable polyethylene
- Actual capacity of 70 gallons
- Space-saving sub-mount design frees up space in your van
- Unlike over-wheel freshwater tanks, weight is evenly distributed, preventing premature wear on tires, shocks, and struts











70 Gallon Submount (Underbelly) FWT

The HydraMaster 70 Gallon Sub-Mount RMT Freshwater Tank has some specific features you should consider:

- Manufactured of rotationally molded from durable polyethylene
- Actual capacity of 70 gallons
- Space-saving sub-mount design frees up space in your van
- Unlike over-wheel freshwater tanks, weight is evenly distributed, preventing premature wear on tires, shocks, and struts













70 Gallon Submount (Underbelly) FWT

The HydraMaster 70 Gallon Sub-Mount RMT Freshwater Tank has some specific features you should consider:

- Standard Flojet® bladder in-line pump reduces pulsing, and reduces cycling of diaphragm pump
- Translucent material allows for easy determination of whether the tank is full and fill-up is controlled by 1" overflow hose on the back of the tank
- Access port at the back of the tank allows for easy clean-out and inspection
- Can be configured for a Boxxer 318, Boxxer 318HP, Boxxer 323HP, Boxxer 421, and Boxxer 423S, TITAN 325, & TITAN 425









85 Gallon SubMount Freshwater Tank

Dual purpose: Can be mounted under your truckmount OR under your HydraMaster hose reel combination

Sleek, elegant, and time-saving: the HydraMaster 85 Gallon SubMount Freshwater tank has a roto-molded tank and is constructed with a no-rust, powder coated steel frame. This freshwater tank is rich with features:

- easy access fill shut off valve
- onnections for vacuum hose
- drain valve
- pump out connections
- ₩ 46"W x 44"L x 12"H



Overflow port on top of tank is plumbed through the floor of the vehicle. In case the float valve fails, the water exits the vehicle instead of flooding the interior.

Your five gallon extraction rinse chemical jug fits snugly into the molded holder and the top left side of the tank.



With separately purchased **required** mounting kits, the 85 gallon SubMount Freshwater tank can fit securely under your Boxxer 318, 318HP, 423, XL, TITAN 325, TITAN 425 and TITAN 575. HydraMaster vacuum and pressure hose and combo hose reel configurations require no mounting kits.


















85 Gallon SubMount Freshwater Tank

Dual purpose: Can be mounted under your truckmount OR under your HydraMaster hose reel combination





85 Gallon Submount Freshwater Tank: Part # 000-159-118 Boxxer 318, 318HP, TITAN 325 Mounting Kit: Part # 000-079-102 Boxxer 423S, TITAN 425 Mounting Kit: Part# 000-079-092

Boxxer XL Mounting Kit: Part # 000-079-138 TITAN 575 Mounting Kit: Part # 000-079-125

























Maximize space in your van, improve your productivity, store and easily retrieve your hose, and have freshwater available at all times.

- With 125 gallons of freshwater instantly available, every job will be hassle-free. The durable, roto-molded rust resistant hose reels hold 200-250' of vacuum and solution (pressure) hose* with options to customize and expand your capacity.
- The electric vacuum hose reel provides for powered retraction (via a convenient footswitch) to reduce fatigue and time spent "tearing" down on the job site. The frame is constructed of high quality powder coated steel, stainless steel, and aluminum to reduce rust and corrosion.
- The Inlet water pump has up to 4.5 gpm capacity to continuously feed to the solution pump on your truckmount.
- Finally, the HydraCradle is also equipped with a convenient mounting station for your in-line injection sprayer.










Maximize space in your van, improve your productivity, store and easily retrieve your hose, and have freshwater available at all times.

- The New Series HydraCradle has eliminated the live hook-up for your vacuum hose reel. The reel will now have a bearing on both sides that are held in place by two stainless steel collars. This enhancement allows for less tension on the axle allows for the end user to pull hose off easier
 - Lower amperage draw on the motor
 - Lowers torque on the belt and pulleys
 - Reduces maintenance on the axle
 - No loss of vacuum flow and cfm due to the air having to "travel" through 200-250' of rolled up vacuum hose
- Another enhancement in the new series of the HydraCradle is the use of aluminum and stainless steel components and parts designed to reduce corrosion.
- Finally, the new series HydraCradle will have a next generation upgraded solution reel swivel



































Heavy Duty Hose Reels







Heavy duty industrial strength powder coated steel provides durability not available with standard hose reels













Results Based Cleaning, Extraction, and Drying: Restorative, Deep Cleaning











PEX 500 **Heated Portable Extractor**









Results Based Cleaning, Extraction, and Drying: Restorative, Deep Cleaning











Mobile and Maneuverable

The PEX 500 is designed with the end user's needs in mind. Features like:

- The upright, dolly design with roller wheels allow for easy loading, unloading and stair climbing.
- The "Easy Transport" features of the PEX also crown it as the king of mobility. A special wand caddy is molded into the design of the machine. A retractable hose wrap holds your vacuum and solution hose. Cord wraps hold your electrical cords.
- Its ergonomic handles, even weight distribution, and compact size makes it maneuverable in tight spaces. It is the easiest high performance extractor in the world to move through a facility, reducing the chance of operator injury.
- All of these features combine to make the PEX easier to use for one person.















Power, Performance, and Ideal for Noise Sensitive **Environments**

For performance, the PEX 500 has all the power and versatility you expect from a HydraMaster extractor to have and more!

- Dual 3-stage vacuums and on-demand 212°F heat from the industry leading 2000W heater provide unmatched cleaning power.
- 50-500PSI adjustable solution cleaning pressure
- The PEX is the perfect machine to pair with the RX20 **NEXTGEN** Rotary jet Extractor for restorative cleaning at higher cleaning rates.
- The smart dual circuit indicator light lets you know you are ready to clean without blowing any breakers.
- The PEX 500 is an incredibly quiet machine ideal for noise sensitive environments!















Easy to Use, Easy to Maintain

- Simple, intuitive controls require less training for the operator.
- The easy to access solution fill port is below knee level for easier filling.
- The sloped recovery tank allows for simpler wastewater emptying and easier tank clean-out. The innovative waste tank design also reduces foaming, speeds up cleaning and maximizes vacuum recovery.
- There are two heat settings for easy operation: High for carpet and Low for upholstery cleaning.
- The innovative solution pressure relief valve on the back of the machine allows for quick changing from one tool to another and speeds you up when shutting down.
- For maintenance, it doesn't get any easier than the PEX "clamshell" design. Simply remove four screws and open the hinged tanks for full access to all internal components on the machine.
- environments!











Elegant Simplicity with One Configuration

The PEX 500 has been designed to provide you with ultimate cleaning performance. It comes only in one configuration so you don't have to worry about what capacity solution pump, or what type of vacuum motor to use. We did your homework for you to bring you the highest rated heated extractor performance in its class, maximized for restorative, deep cleaning and extraction in all applications.















Verified and Certified

But you don't just have to take our word for it, let the proven performance of the CRI Seal of Approval Gold certification speak for the power of the PEX! This certification also makes the machine verified for use in **LEED Certified facilities.**

























PEX 500

HIGH PERFORMANCE HEATED EXTRACTOR

Features and Benefits

- Dual 3 stage Vacuums: Dual vacuums with unrestricted airflow produce 200" waterlift for superior water recovery, industry first innovative fresh air intake for each vacuum improved vacuum life.
- Solution pump with easy to adjust pressures from 50 to 500psi with pressure regulator.
- Heater Element: In-line, after the pump for longer life and instant heat up to 212 °F at the wand tip, lifetime warranty. 2000W in-line heater has highest capacity in the industry. Two heat settings: High for carpet and Low for upholstery.
- Low Moisture System: Less water combined with higher heat means faster drying, less chance of shrinkage or wicking from the carpet pad or cushion.
- Smart Circuit Locator: Identifies separate lines to reduce blown circuits and downtime.
- Tanks & Bodies: Lightweight, rotationally molded with 5 year warranty against cracks, leaks and dents. Unique "clam-shell" design for easy maintenance.
- Low Noise: Low dB day-time-quiet operation with innovative sound deadening chamber.
- Top Warranty: Industry leading, 2 year parts and labor warranty standard on the PEX Series, 5 years on roto-molded tanks.
- Wand caddy, retractable cord wrap and large rear wheels make the PEX very easy to transport.













"Deep cleaning with 60-90 minute dry times." - Casino Maintenance Staff




"Combined with our RX20 and Evolution wand, we were knocking our 2,000 square feet per hour." - Building Service Contractor

"A space and time saver! We can transport the PEX throughout our facility with ease because everything we need can be loaded right into it." - Custodial Supervisor

"It saved my back! Because of its upright dolly design, it is so much easier to load and unload out of our van and lift up and down stairs."







	Specifications
Tank Capacity	12 gallon solution tank, 10 gallon recovery tank
Vacuum	Dual 5.7", 3-stage, in series
Vac Shutoff	Ball float
Pump	Positive displacement adjustable 50-500 psi
Waterlift	200"
He at	Two heat settings: High (212°F) for carpet extraction, or Low (145°F) for upholstery
Heater	2000 Watts
Gauge	Glycerin filled pressure gauge
Solution Pressure Relief Valve	Turn switch conveniently located on back allows for quick change from one-tool to another
Wheels	12" non-marking
Electrical Cords	2 each 25" detachable 12/3gauge, hospital grade plugs
Wand	Evolution Rotationally Molded Wand, tw in tip for 500 psi
Dimensions	39"H x 25"W x 33"L
Weight	110 lbs.
CRI SOA Certification	GOLD, LEEDS eligible
Part No.	56384887 – Machine only 56385431 – Machine with 25' of vacuumand Solution hose and 1.5"

Evolution Wand







PEX 500

Heated Portable Extractor







For more information, and where to buy, visit: https://hydramaster.com/product/pex500/





Results Based Cleaning, Extraction, and Drying: Restorative, Deep Cleaning











The TreadMaster™

Automatic Escalator Cleaner























Cleans treads and moving walkways effortlessly

For over 25 years, TreadMaster has been the leading escalator and moving walkway cleaner worldwide. This self-contained, compact unit cleans and polishes unsightly stair treads.















Unique, hands-off system

- Cleans and polishes in one continuous motion
 - First the brush cleans inside the tread step
 - Then the pad polishes the tread step
- Powerful vacuum collects all residue
- Brings back the original luster
- Cleans escalators and moving walkways effortlessly without needing staff supervision
- Uses 98% less labor than conventional methods
- Brush sizes available to fit 23", 24", 32" and 40" width escalators (most are 40")















TreadMaster cleaning is efficient

The ease of set-up and take-down makes cleaning escalator treads and moving walkways a "hands-off" job. TreadMaster frees up personnel to perform other tasks while the TreadMaster is at work. The built-in vacuum system, easily replaceable heavy duty polishing pad and nylon-grit brush ensures complete and thorough cleaning













TreadMaster cleaning is safe

One-stop, automatic cleaning eliminates risky, manual cleaning procedures. TreadMaster removes unsafe substances from stair tread surfaces, reducing the risk of liability hazards for customers and employees. TreadMaster also comes with a handy clip-on "ESCALATOR CLEANING IN PROGRESS" sign to deter escalator passengers.















A simple three-step process

- Simply position the TreadMaster at the bottom of the escalator
- Lower the cleaning head into position
- Activate the escalator.

Without any repositioning during any part of the cleaning process, TreadMaster cleans the tread width completely and thoroughly. Most escalators respond best to multiple hours of cleaning with the TreadMaster.



The TreadMaster does not clean the platform, risers (although a manual brush for the risers is included with your TreadMaster), and hand rails













Features

- Durable, roto-molded construction
- Quiet riding wheels
- Replaceable polishing pads and brushes
- · Crevice tool for hard to reach areas
- Each head is custom cut to fit 19.5" 40" to accommodate most escalator models
- Available for moving sidewalks
- Low Maintenance


Specifications

Vacuum Motor (2) 1-5/8 HP Power Draw 13.8 AMPS

Body:

21.5" x 31.5" x 47", 84 lbs.

All sizes also available in 220 volt.















Part Number	Description	Full Description
100-100-004	TM 110v Range 19.5" TO 22.5"	Includes: base machine, replaceable polishing
100-100-001	TM 110v Range 23.0" TO 26.0"	pads, nylon grit brush, soft blue brush for painted
100-100-006	TM 110v Range 26.5" TO 29.5"	escalators, power cord, "Cleaning in Progress" sign,
100-100-002	TM 110v Range 30.0° TO 33.0°	crevice tool, riser brush, owner's manual.
100-100-005	TM 110v Range 33.5° TO 36.5°	
100-100-003	TM 110v Range 37.0° TO 40.0°	
190-100-010	ASSY BRUSH & HEAD 19.5-22.5	Head assemblies only. Use one base machine and
190-100-011	ASSY BRUSH & HEAD 23.0-26.0	order an extra head to clean a different width.
190-100-016	ASSY BRUSH & HEAD 26.5-29.5	
190-100-012	ASSY BRUSH & HEAD 30.0-33.0	
190-100-015	ASSY BRUSH & HEAD 33.5-36.5	
190-100-013	ASSY BRUSH & HEAD 37.0-40.0	
000-016-060	RISER BRUSH	Manually cleans the risers.
000-049-115	FILTER BAG-CLOTH- TREADMASTER	Filter Bag to capture debris.
000-078-201	SPARE PADS 24 INCH / 6 PER CAS	Replacement polishing pads come 6 in a pack.
000-078-203	SPARE PADS 32 INCH / 6 PER CAS	Section of the sectio
000-078-205	SPARE PADS 40 INCH / 6 PER CAS	
101-100-040	BRUSH 19.5-22.5 TRDMR LGR MOD-LIGHT GREEN	Replacement brushes for painted escalators.
101-100-044	BRUSH 23.0-26.0 TRDMR LGR MOD-LIGHT GREEN	
101-100-039	BRUSH 26.5-29.5 TRDMR LGR MOD-LIGHT GREEN	
101-100-045	BRUSH 30.0-33.0 TRDMR LGR MOD-LIGHT GREEN	- 4
101-100-038	BRUSH 33.5-36.5 TRDMR LGR MOD-LIGHT GREEN	
101-100-046	BRUSH 37.0-40.0 TRDMR LGR MOD-LIGHT GREEN	
101-100-034	BRUSH 19.5-22.5 TRDMR BL MOD-BLUE NYLON GRIT	Replacement brushes with nylon grit tip for unpainted
101-100-041	BRUSH 23.0-26.0 TRDMR BL MOD-BLUE NYLON GRIT	escalators.
101-100-036	BRUSH 26.5-29.5 TRDMR BL MOD-BLUE NYLON GRIT	
101-100-042	BRUSH 30.0-33.0 TRDMR BL MOD-BLUE NYLON GRIT	
101-100-037	BRUSH 33.5-36.5 TROMR BL MOD-BLUE NYLON GRIT	
101-100-043	BRUSH 37.0-40.0 TRDMR BL MOD-BLUE NYLON GRIT	











Escalator Tread Spot Cleaner

- Escalator Tread Spot Cleaner is an excellent product to use in conjunction with the TreadMaster. This fast acting spot cleaner is designed specially for use on aluminum escalator steps.
- It helps to remove oily and sticky spots and spills and gum that the brushes of the TreadMaster could not. You simply spray it on the spots and spills while the TreadMaster is working for best and fastest results. It can also be used in between TreadMaster cleanings for spot and spill treatment
- Escalator Tread Spot Cleaner is non-flammable and non-conductive so it can be used while motor and equipment are operating.



Part Number: 000-031-105 (12 - 20 ounce cans per case)















The TreadMaster™

Automatic Escalator Cleaner

For more information, and where to buy, visit: https://hydramaster.com/product/treadmaster/















Choosing the right cleaning solution can make YOU the hero.









Results Based Cleaning, Extraction, and Drying: Restorative, Deep Cleaning



























Unique Selling Points



0000

Smartphone/Tablet
Procedures App



Digital 2019 – 2020 Catalog














Product Information Sheets



 Pre-vacuuming of all areas to be cleaned is recommended prior to beginning cleaning procedures.



2 Always pretest all cleaning solutions in an inconspicuous area for colorfastness prior to application. 3 Select the right prespray/ preconditionentraffic lane cleaner based on fiber content, traffic and soiling conditions, and cleaning frequency.

4 For increased efficiency, apply presprays/preconditioners/ traffic lane cleaners with njection sprayer to take advantage of solution pressure and heat created by your high performance portable extractor or truckmount. You can also use a "pump-up" pressure aprayer, or electric or traffery powered sprayer. Apply in even overlapping patterns.



5 For faster cleaning and thorough distribution and agitation of presprays preconditioners/traffic lane cleaners, consider using mechanical or manual carpet grooming or brushing tool.





www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com

0000

Continues

1219 Hymidation of Agric Insuran

Interactive Cleaning Procedures Guide











CLEAN Master Hiydra Master

HYDRAMASTER CHEMICAL PRODUCT COMPARISON Carpet Cleaning Chemicals - Revised 94/98/9917											
Chamber!		Particulation	Property	Temperatura Separatura	100200000	-	Palter	Service by one-Chris	-	Assetsed	State.
Capel	District Stageton	be too	Statem artists bis-	ft=0	harise	Super Li	Samelee	Trapes Trapes	-	Delphi Helini	heppe
	New	Sale, Sale III No ole Seastbake	Title For sell Titles See	Sees.	Stella Indias Trafe part Comm	Sape Tells (4% Decem	Courts.	Street, Tellrunn States, Starter	Person	1847E	-
Specially Specially	(44) (44)	Refere	Net feet	Tolk Jan.	Selection Selection	(SA) Por	Solve than	566.52		568	
100 mm to 100 mm	Contracts Flanders	Balanda	mat (Stand	intest beent	(m) (m)		These Lond From:			tranter Pear	
	Name :		Section	Seefae Jan 11	ned larg	Compa Name of	to team	Toronto Toronto Surrento		Year Day Tunks	
Casper Statustist Systems State Feetle State Sta State State State State State State State State State State Sta State State State State State State State State State State Sta Sta State State State State Sta Sta Sta State Sta Sta Sta Sta S	Status oto Section	before betreett	Stanfeliot Stanfeliot Joseffic	-	UNION (NO CH)	Alas Pag. Mars Pag. Mil	Distance Station People	State State See Seat	Superior Contract	Talcue Desc	-
	the	Brisse, eth, Stuffmal Baland Chesses	Agriculture:	-	delle. Nel del	Tomas II. Socies	200 (100 (100 (100 (100 (100 (100 (100 (traction		On the last	
	(Inhans Fluids	Spin-1985	Stern flore. Time Prior	langham () due tions	In lies	Terrana d	tave for Union (tolone) Train final Incide	People Page Intergral Francis		(ne hay hase	
	1949	Rath Class The Part I (gald note House and	-	lmiles 2	Sulfa tree for	That Selection (ME)	in the	mer Northead		(nr)ny frants	ands.
							-				
Rettale Root or Cartesia	-	Motore	Triple Stranger	Status Status Contacto Nati	Francisco Francisco	Temporal Services	State State State State States		Name Name	Tues Tues	
Cooper. Deletion	desare	Bee Ox		Al flor Seda flor	Na Palic January	Tourist Security	Secret Name &	Total He Desired New			
	SEC.	Therein Ton.	the line	James Treat	Sel-Sec	Ter-Sales		7.17-			-
Add Stee	inesette	Continue Name	Imperi	ipra Tra			ASS And Congressions Prints		Tiyan hou		

Competitive Comparison "Like Product" Chart



Safety Data Sheets



Laminated Wallet Mixing Guide/Fiber ID-Burn Chart

BOOSTING INSTRUCTIONS/DILUTIONS

Hudrellisser DT

Orested Human





life 10 source or of solution with the quarts of too system to 5 or comprise

Add feet powder surcas to each moset gallon of presumy

For injection sprayer, add 8 powder oursign to mised presons in 5 of container

Add two puress to each most gallon of presprey

For injuntion spream add 8 purples to mixed prespote in Eigh container

My 12 coastering of chemical with 5 gas of hot were tree 5 or cents











Print Ad



Facebook Ads















Product Stone	Asidential Miles		Commercial Spins	Commercial Bytes Consus Boiling	Station Street,		*****	San Mainter	Approximate Waltersoners
The sprops.									
Indiana (NI) (II)									
Later Still Cli.									
See Citical									
Description of the column of t									
National Ref Co.									
Indiana (E) (E)									
Without Cl. Std - Cl.									
Contract Section 65 (C)									190
Buildings W. Alf					1000				
Irrector	-								
MARIE SECTION									
STATE OF STREET									
tendar M TS									
THE SECTION SECTION							H		
Darrison Tree 6th Chi							-		
lander)	-	-	-	_	-	-	-		_
	-	-			-	-	-		
hoodhalar 10:10	-		٠		٠	_	_		_
Sendon C All To					(0.5)				
Polisieris.	_								
Deple See HEAT						*			
on Western Emagnelelan									
Delivery Territories									
TO SECURE OF SURE									*
	Arrest and appli	-	_	-		-			_

CLEANING PROCEDURE GUIDES

Commission Curpet

Commi

Mixing and Dilutions Charts

Application Guides















Seasonal Spotting Guides















Showroom Banners





























Chemical Ads











Introducing

MAXXTREME Prespray

MAXXTREME Prespray is THE FIRST CHOICE for LAST RESORT Cleaning for synthetic carpet and ceramic or porcelain tile.

It isn't just for restorative cleaning, it's for resurrection cleaning.

You know the jobs I am talking about:

- People who could easily star on the television show hoarders
- The guys and gals who rebuild their motorcycle engines... in their living room, because it is too cold outside.
- That restaurant that has apparently never heard of using a degreaser in their kitchen.
- Folks who don't take very good care of their floors and expect you to perform a miracle















Introducing

MAXX TREME Prespray

MAXXTREME Prespray is THE FIRST CHOICE for LAST RESORT Cleaning for synthetic carpet and ceramic or porcelain tile.

Why a powder?

- More cleaning power packed inside
- You aren't paying to ship water
- Mixed according to directions, MAXXTREME will cost you only around 70 cents per mixed gallon

The carpet manufacturers and interior designers have not done us any favors by moving so many people into polyester, olefin, or triexta carpet that don't clean up as well as nylon. But you have to work as fast as you always have in cleaning. MAXXTREME will help you still get that night and day difference in cleaning your customers have come to expect.











Introducing MAXXTREME Prespray

MAXXTREME Prespray is THE FIRST CHOICE for LAST RESORT Cleaning for synthetic carpet and ceramic or porcelain tile.

It has a ready to use pH of 11.5-12, comes packed in a case of 4 four – 6.5# jars, and is available from your local HydraMaster distributor. You might even be able to pick up a free sample at an upcoming event to try it out!

The part # is 950-148-B and we will be taking orders AND shipping at the distributor conference.

Contractor price is \$145.50 per case.














Blitzs GreaseBreaker



Heavy Duty Powdered Carpet Pre-Spray

incorporating our famous solvent elegating booster, filts with Graces Breaker gams to work immediately breaking down and dissolving heavy built up oil besed soins. This economical powder pre-spray will mett the grimy soil away right before your eyes.

Concentrated powder Blitz with GreaseBreaker will cut through the worst greasy, oily soils faster and easier.



- Non-enzyme formula doesn't need extended dwell time.
- . The versatility of 6ktz with GresseSreaker will allow you to effectively clean trashed and neplected carpets, as well as high soft environments. like restaurants and dirty apartmeets.
- · Bitz with GreaseBreaker has a pleasurit citrus fragrance that leaven a fresh clean smell to the room without being averpowering.
- . Being a super concentrate powder. Bitz with GreaseBreaker will save you money. It dissolves quickly and easily

Makeys pro less all country socialists in an incompanious area for outsidedness provide

- For increased efficiency, easily Fifth with DownstDuater with an ejection spream to take advantage of equities pressure and heat created by your high performance portable
- Mile I as you galloo of hot water for purey op sprayer. For an in line injection sprayer, nor 15 oc. of chamical pair 5 quarts of for water Shake seet for compete reving
- Report evenly across the corpet Allow 3 5 resistant for dwall time. Do not about to dry Estruct with a computate affairne extraction detergent or exciting the agency made. For faster cleaning, reduced largers, and more effective and comment, extract with the FIR-20 flux and
- Correction Tool, in furnishing during grammers are the Contains cleaning wood. Far fester drying, especially poncedor theraps of an areal.

contribugat or downstraft as



Par# 550-146 000

30 Pound Pail

HASSLE-FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



6.5 Pound Jar. Case of 4 x 6.5 Pound Jar and















Soil Break

High Powered Powder Enzyme Carpet Pre-Spray


Soil Break on ultra-concentrated powder that is ideal for prespraying of restaurant scarpets, automotive repair centures, and other carpets that are subjected to massive amounts of all and greats based soiling

most stubborn build-up of caked on oil, grease, protein and sticky soils in the most challenging environments.

Soil Break is a synergistic concentration

of enzymes, solvents, surfactants and

builders that work together to tackle the



 This unique combination of enzymes works to accomplish the task in less time than with conventional enzyme prosprays. Sci-Break broaks down surface torsion test, allowing datergants and item agents to dean deep down.



Please rood the full later directions before skinning.

- 1. Pris facilità chara gi colorina i in in incompazione arce de calencia rese prer la qualiciaria. El rei incompazione del processo qualificación del processo portativa entratorio en trasmación. Vasi una mán que a l'auraja qui processo progres, or monte, or latera processo qualificación del processo que processo que processo que processo que processo que processo que por la processo que process
- Apply in common higher problem.

 1 No. Soldhaw at a case of 2 or, per public of that by lever in a purity-or sprayer. In a cayolast features report specific and the two Signs of Estings when it for the public specific and the specific specific and the specific specific specific and the specific spec
- Elisar with compatito white carecide amoget a colorativity on. For hard-density that distings, and more effective self-ensity, each with the first of least possible float, in formal amost ensity and ensity action of energy event.

 The factor dyna, repeatily elisard construments are by traded the self-anneal, one flagal or density all moves after theory.

 Advantable at move after theory.



Arediable in: 6.5 Pound Jan. Case of 4 s.6.5 Pound Jan 40 Pound Pail Hart # 950-120

HASSLE-FREE

008

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales.g/hydramaster.com
























Heavy Duty Powdered Pre-spray For Extremely Soiled Carpeting and Tile

Some floors are simply so dirty and heavily solied you just have to throw the works at them. That is what MAXXTESME is all shout. By using the cleaning power of situalinity and combining state of the art law foaming surfactorits and grease busing solvents, it binds, emulaties, dissolves, breaks down and melts away the grimlest of soils.

MAXXTREME Prespray is your FIRST CHOICE for LAST RESORT Cleaning for synthetic carpet and ceramic or porcelain tile.

It isn't just for restorative cleaning, it's for resurrection cleaning.



- People who could easily star on the felevision show hoarders.
- The guys and gals who rebuild their motorcycle engines... in their living room, because it is too cold outside.
- That restaurant that has apparently never heard of using a degreaser in their kitchen.
- Folks who don't take very good care of their floors and expect you to perform a miracle

Why a powder?

- . More cleaning power packed inside
- You aren't paying to ship water
- Mixed according to directions, MAXXTREME will cost you only around 70 cents per mixed gallon

It has a ready to use pH of 11.5-12, comes packed in a case of 4 four — 8.5# jars, and is available from your local HydraMassiar distributor. You might even be able to pick up a free sample at an upcoming event to by it out!







HASSLE FREE







Quake HD



High Definition Cleaning Carpet Prespray & Traffic Lane Cleaner

Uncompromising cleaning power is now. available in a VOC compliant formula with Quake HD, Quake HD is a VOC compliant formula that contains the industry exclusive component TritanoP* - an Integrated bland of specialized polymers, organic sequestrants, and surfactants.





- · Quake HO is a VOC compliant formula that contains the industry exclusive component Tritanoi^{tes} - on integrated blend of specialized polymers, organic synthesizers, and surfactares.
- Uncompromising cleaning power in a VOC compliant formula.
- Quake HO is a super-concentrated pre-spray, designed to be used at 1 part solution to 8 to 24 parts water depending upon solling
- · Contains anti-resoling additives which keep the curpet cleaner langer and does not leave sticky residue.

- processes and hear created by your high personages portable extractor or supremount. You this life use a "purepuig" plenture sprayer, or entere or suffery powered carrier. Apply in even, involuting patients.
 Prospens with 5 part Qualut HD record 24 parts link maker. For present uniting, mix Qualut HD.
- 1 good solution on A-12 points within For reproduced injection agreeyer, exist 1 parent water with 4 teachts of Quake HD rittle 5 count container.
- For capped with light levels of calculating groups and of consymmetric country by adding 2 content of Consett west with making policy of Quality 100.
- Extract with a composite alkaline extraction extraction extracted an arithmeticalism, time if or between strong, return tague, and were effective test removal, extract with the 4X 25 feating
- & For latter styleg impocally in hurse conductored, contains the use of are count; contribugal, or showerful) as-



5-Gelfon Bucket 606

Part # 850-127

HASSLE FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Avoidable in: 1 Golton: Case of 4 a 1 Galton.











Quake



Heavy Duty Pre-Spray & Traffic Lane Cleaner

Quake is the perfect corpet prespray and traffic lane cleaner for fifthy apartments, rental units, and communical corpets. It is packed with uncompromising, hard-core cleaning. chemistry.

Quake will cut through grimy grease, oil, food and beverage spills like they were not even there. It is packed with uncompromising, hard core cleaning chemistry.



. Quake is low fearing, flas a mild flagrance and itrises free of the carpet for low residue cleaning.

permit the full lated directions before charging

Away project of closing whiten in an improposate and for minforming plan to

For received officerray, upply Quate, with Epichon sprayer to take advantage of substant posture and four country by your high performance partitle extractor or fundament. You can also use a "partition" yourself sprayer, or electric or father parented sprayer. Analysis

Processy with 4 port Quake relace 24 parts had water Fox authors; solving, rea Quake 1 part solution to 8.12 parts water. The standard equipper spayor, relating spart years with him garde of Dusta into Siguet carrieror

 Escapetr with high levels of poked-on species and oil contamentation consider operating by adding two issues of Greasethroker with each inseed gallor of Garder. Exect WK a competitive alkaline execution intergent or acotinestology more. For finite

channel, rectains tompic, and more effective and commonly established with the SX-25 Strang Extraction fluid in Earthure Horse environments use the Explicitor coupling worst.

#. For factor drying, expecually in hund determinants, provide the use of an outal, contribuye in doorshift of reover after changing.



606

HASSLE-FREE

Part # 950/125

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Annabation in: 1 God orc Cosmit 4 x 1 Godini

Product cannot drip via or bright














PolyBreak

Olefin, Polyester, and Triexta Carpet Prespray and Preconditioning Agent

PolyBreak is specially formulated to effectively clean heavily solled cleffn, polyester, and triexto carpets with a specialized bland of surfactants, solvents, and emulsifiers that are designed to suspend, dismise, disladge, and emulsity, and litt ally soils

PolyBreak meets and exceeds the exacting requirements for cleaning heavily soiled olefin carpeting. You can restore the appearance level of most lightly colored olefin carpets with this solution, including olefin berbers.



- · A systematic bland of surfactants penetrates that water repolling characteristic of defin for effective removal of ground-in solling.
- . PolyBreak is a VDC compliant formula that contains the industry exchange component Tribino(** - on integrated blend of specialized encapsulating polymers, organic successinats, and specialty surfactores.

Manus person Rangs per son all chinnen wholers in an recomplexace and be construented

- For becaused officiency, apply Prophosok with an expedient speayer to take activatings of solution are and fault created by your high portamence particle percetor or incremount. You CAT AND LINE & "CARRE-OF" DESCRIPE VALUES OF WHITE OF THE PAY DESCRIPE ADDRESS. AND AS
- Principles With 1 part Profession resent with 37 parts for water of surviva of column resent with one gates of ter water). For extreme policy and Missour solling ima 1 pair solution to 10 parts water (A reacces of solution with one gallet of her water). For countered egection sposyer missione quantificates with their quarter of Quarter into 5 quart consisten-
- Expect with a compatible alkaline extractor distrigue or active-politoring tend. For learn charging, restaural futures, and many effective and remaind, not sait with the RX-20 Manage Extraction limit of Extract dates environments not the Localist moving which
- Tor food styre, repositly in hund programmers, consider the use of an owall contributed or downshift all



606

www.hydromaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Available in: 1 Gallon, Case of 4 x 1 Gallon.

HASSLE-FREE

Part # 550-135













FastBreak HD

High Definition Cleaning Carpet Prespray & Traffic Lane Cleaner

Fastilinak HD is a VOC compliant formula that contains the industry exclusive component. Intransi[®] on integrated bland of specialised polyment, organic synthesizers, and surfactorits. With the unprecedented cleaning power and performance of Tritanol**, you will experience deep restorative cleaning in high definition. It just works better at 32-64! dilution!



- Fast Broak HD is a special blend of surfactures, and is packed with soil bursting, greave cutting and dissolving regreterers with an unboutable cleaning power that our-cleans competitive products.
- . Highly affective on all synthesic fibers and commercial wool carpets

Attendo pre sen

Minology pre-hand all cleaning schillers in an incomposition area for coordinates or print to
application.

- 3 For various efficiency apply FooDivisi 10 with an equation sparying recent an extremely of volume pressure, and fast contains for year high preferences provides which as the state of the volume of pressure sprayer of volume to be being present sprayer sparying each contributing programming.
- 1. For resistance having leading, the 1-year reduces sets 3.0 years week (4 years) to 1 years as 1 years (200 feet). The highest values pain 1 year (obtains with 64 years water Expenses to 1 years) and the Expenses of 1 years of reduces the 1 years of reduces with 4 years of reduces we 2 years conserved.
- 4 For corpers with high levels of calend-on groups and of cureborrooting, currelling bounding by withing a statement of Carenter-Bender with each resent paths of F-rot Bende HD.
- Edead will a comparise abusine exhibitor desemble of exclinate/pag reserves better (learning industrial finings, and many offendors of removal, subset with the IEX 20 Seator Extension Sea
- For finite sharing expectably in humal environments, consider the use of on axial membraga, in monatout an impreation forces;



Aveilable at 1 Gellor: Crise of 4 x 1 gallor; 5 gallon put Part # 850-132

HASSLE-FREE

000

www.hydramaster.com | 800.426.1301 | 425.775.7272 safes@hydramaster.com













www.incomposition.com | 400 also late | 400 cm, cm, chir





www.hydramaster.com | 800.426.1301 | 425.775.7272

0000

FastBreak



Ultra Concentrated Carpet Pre-Spray

Quickly breaks down surface tension to allow detergents and rinse agents to clean deep down.

Fast Break



- + FastBreak is an ultra-concentrated blend (32.64.1) of solvents surfactority and haliders that will make first work of even the toughest traffic lanes. FastBreak is a special blend of surfactorits, and is packed with soft busting, grease cutting and dissolving ingredients with an unbeatable clearing power that out-clears competitive products - at a safe pH of 9.5.
- . Concentrated 32:1 cliution rate, using 4 cv. per gollon of water
- + Highly effective on mylon and olefin fibers.
- · FastBreak may be used with Grazzie Breaker for oily soft or other difficult carpet restorations

Manys pro less at crassing subdiers in an incomplexate term for constituences provide

- amendationary, apply Farithroak with unorganism sprayers take uncomings of soution. persuan and host created by your high portamistics portains extrained or transmissed. You can also use a "pump-up" procure sprayer or electric or hallony processed sprayer. Apply in nate post lagaring patterns.

 For modifying to being soming, this man part solution with 5d parts worst died survives to a
- pallow .521bors to 3.765 femal. For lighter salling mit one part solution with 64 parts motor
- 8. His corpets with high levels of collection groups and oil contamination, complex booking by stating two openies of Chrossofbroker with contribution go like of Tatifferin.
- Extract with a comparable offsales activation delerged or activate struct respect to the factor according technical holique, and more effective and monoral current with the RX-20 Record Figuresian Took in Equation decree continuously, use the Eventure country named
- S. For hoose strying, expensivly e bank savianen population this is selected any policy contributed or clowershift on





HASSLE-FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Associate to: T Gallon; Connect 4 a T gallon; fi gallon poil

THE BOW CAT FOR IND ID the Tolkewing HERTE, CA. CT. D.C., NA. M.S. ME, M. HE, M. HE, M. THE, PA. PR. UT. VA. V.

Product cannot this via or trought













Release & OxyBreak



1:15-24 Synthetic is Wood Economical is Springertical Corpora

Carpet Prespray and Low Moisture Encapsulation Solution

Release with Oxytinack** works extremely effectively as a law maletture encapsulation corpet cleaning solution, particularly on carpets exposed to large amount of active spills.



- The chaning power of Release Carpet Pre-spray starts to work on contract to descrive. dishedge, and encopsulate soil, greene, and all for casior removal during the extraction process, whose the used of any interioristly added solvents, prorightate or other additions which would disquality its designation as a green cleaning solution.
- Rolease with Daybrack^{to} works extremely affectively as a low moisture encapsulation cleaning solution when used as directed.
- Encopsulating polymers surburd, and bond to soil allowing it to be removed from the corpet in subsequent vacuuming.
- Meets the standards of cleaning and care for all synthetic and most wool carpet, including warranted stain resistant carpet.
- It can be used as a spotting solution to effectively remove many beverage spills and stakes, including coffee and sea.

CHILDREN

Please rest the full latest directions before changing

Directors -- For user us a corpor prosperay

- Abunyo pao sest tili abusang nobisors in un inconspicurate area for colorfictores.
- For element officers, apply flatours with Distance** with an epiction sprayer in Value absorbage in halidator provision and host productivy pair high performance particle with activative of bulkingsam. Apply in over contraging printers.
- 3. Reviewing with 1 pain Relation with Conference with 14 paint and version (1.5) accorded with 1 paths and in earth 144 leaves vollege, in conference 1 paint with 12 paint accorded 12 paint accorded 12 paint accorded 12 paint accorded 15 pain
- 6. For faster drying consider the use of an association of consertings, or presented on conver after



Avolable in 1 Gallan Case of 4 s 1 Gallan Part F 500-405

HASSLE FREE

000



















HydraDri PRI-TRRAT STUDING STREET

Ultra-Concentrated Liquid Carpet Cleaning Extraction Detergent

Hydrobri is an ultra-concentrated, heavy duty extraction determent especially formulated to work at cleaning temperatures. associated with truckmounts and heated portable extractors.





- + HydraDni is highly concentrated, with anti-corrosive agents and low foarming properties, which makes it ideal to use in all hot water contraction units.
- · Hydraffri is a minimum residue cleaner, which allows for a langer losting, higher level of appearance between professional cleanings.

Antonio per ent de desarro unidose e persona planta sem de calabitatem per la

- For trackmounts, mo. T.S. presents of HydraChi Into Expellence of easter enter to make a stock antidion. For warranted state tentifiant carpets, not your column flow restor from 2 to 2 gets for fective-saled neglected carpets, set your solution how mean at 5 year. For perhits orbitates, res 7-2 current of Hybrid's with togethers of water to your solution
- Extract cause throughly mixing saw to skew observing heavy solved areas and use a sity. students Bythe capetilester and resent to sensor packer. For laster circumg reduced fidigue, and many officetors not consold, colours with the RIA-20 Rickey Exercises Too. byfurman three enstroments our for Electron choping want For factor drying, expectable in hand proconnects, contable the see of an area.
- contributed, or chowerhold per mance offer chosening
- 6. Each pound of Psycholin charge up to 2,000 separer



Available in: 6.5 Pourel Jur. Case of 4 x 6.5 Pourel Jun 40 Proped Pail Part # 350-100

HASSLE-FREE

600

HydraDr

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com
















HydraFREE



Soap & Detergent Free Effervescent Carpet & Upholstery Cleaning Solution

Extraordinary cleaning results can be your espectation, while the soop and detergent free formula leaves the carpet squeaky clean and the tree rinsing salution leaves the corpet refreshed with no sticky residue. HydraFREE contains no harsh chlorinated solvents, surfactants, butyls, enzymes, bacteria, and bleach, yet it provides excellent cleaning results on carpet that has been exposed to high levels of grease, oil, and dirt.



- . It is odor-free in one dilution and leaves no sticky sneep or detergent residues that can contribute to repitive-script of the carriet after cleaning and spotting wick back.
- + HydraFREE also uses the effervescent cleaning power of activated except to assist in soil suspension and entraction.

Follow of desirant combine for best results.

Fire this known to recent table, rate, 3 caps 17.3 pounds) of powder with the gallions of his respec Microsoff and substitute flow some on trackmount between 2-3 gpt. For partiable extractions.

For 2 to 3 powder survivor with two galants of water.
For transcriptional and executable part many effective and executal consist with the 500,00

Making Establish Trial to be effect these preferences have the Endelse channel world.

If Fire thomas underg, was I compare at poweled with area quelest of that makes Fire recomments legal with may 1-2 pare on of powers with one gation of hat water

I for use with an in-line intention sprayer, may 12 month of powers with the quote at wome. The . For faster observing rick, and fully, or are representative and common, exclusive with the NX-20

Hallary Extraction Fool for furniture blomas broke entertry saw the Evolution Streaming wand. As a few resolutes borned chairwing assuran Mis Pay concer of powder with him galaxy of hot water. Sproy carpet and bosset with resect

Notate or charge berest pull when a



Port # 955-552

Available in: 7.5 Pearst Jan Cone of 4 a 6.5 Pearst Ju-

HASSLE-FREE

000

www.hydramaster.com | 800.426.1301 | 425,775,7272 sales@hydramaster.com



















0000

www.hydramaneckern 1 000,400 (88) 1 495 776 7070





20-451-5 | Gallon 60-451-0 | 17-5-6-6

Extraordinary cleaning results can be your expectation, while the scap and detergent free formula leaves the carbet equeaky clear and the free rinsing solution leaves the carpet retreshed with no sticky residue, HydraFREE contains no harsh chlorinated solvens, surfactorits, buly's, enzymes, bacteria, and bleach, yet it provides excellent cleaning results on carpet that has been exposed to high levels of grease, oil, and cirt.

Try HydraFREE from

www.HydraMaster.com

liydra

Hydra-Clean High morest

Ultra-Concentrated Liquid Carpet Cleaning Extraction Detergent

Hydro-Clean completes the maximum soil. removal, minimum residue sleaning process of the professional hat water entraction cleaning, virtually eliminating re-soiling issues common to many carper cleaning solutions.

Hydra-Clean allows you to use your solution pressure to remove soil that is deeply embedded into the carpet pile with emulsifiers that hold the soil in suspension for easy removal.



- A gallon of Hydro-Clean is so concentrated it will make 320 gallons or more of ready to use cleaning solution and will clean up to 35,000. square feet of carpet.
- · Hydra-Clean is a VOC compliant formula that contains the industry. exclusive component Tritanol^{2nt} - an integrated blend of specialized encapsulating polymers, organic synthesizers, and surfactorts.

Manny Decadors 1. Albany per, and 18 decarring solutions in an excomplessus into the colorinances prior to

- Setted and grade the assertances Hydroblaster preconditioning pre-spray volume in a For partially with, one hydro-Close is a remot? or per hydros of ween in trademount units, one if igual of Hydro-Close with 5 gallero of ween to make a concernated
- Committee throughly making here to make down in many coloid error and one only make in digitar input brack and internal to conver guides. For fatter converge endured Larges, and more effective and normal, extract with the RX-25 Rodon Extraction Tool. At furniture theme environments use the Evolution cleaning event.
- For terms drying expectably in hand endoannesses, consider the size of an open contributed or remarkable or person ofter charmes.



www.hydramaster.com | 800,426,1301 | 425,775,7272 sales@hydramoster.com



Port # USO-110

HASSLE-FREE



Available in 1 Gallon, Case of 4 s 1 Gallon and 5 Gallon
















Peroxide Activated Carpet Extraction Detergent

RinesFree Liquid* contains only ingredients that have been identified by industry listing. and certification groups as meeting the standard for greener salutions.

The cleaning power of RinseFree Liquid™is increased with the addition of OxyBreak™ to synergistically activate other ingredients and enhance soil break down and removal through the power of oxidation.



- · Rimseffree contains only ingredients identified by industry listing and conflication groups as meeting the standard for greener solutions.
- Used in conjunction with Release Carpet Prespray, Rinsefree Liquid completes the greener hat water extraction carpet cleaning job RinseFree emutaties and lifts away loosered soil.
- The free rinsing formula contains HydraMasker's exclusive ingredient Tritanol**, which hope carpot stay cisseer longer and eliminates rapid re-solling. It rinses freely from carpet and leaves no residue.
- . The cleaning power of RinseFree Liquid is increased with the addition of OxyBreak** to synergistically activate other ingredients and enhance softmark down and removal through the power of oxidation.

Phone med the fall blad is of controlled a manner.

The resident being published in recognization of the substance plus is much over a Partie manner of the substance plus and the substance plus and the companion corporate.

- I Fir husbyroughted schalars cleaning concentrate. Mis one quart (1) reacted of southers with their gallows of water. Set incommond solution flow renter of 3-3 gph. For postable authorizing equipment, this had ounces of filtransives solution with the galaxie of easier 1. Extract with ChiefMoster Hyriafrico Littled Corpet Estigation Descripes, For Solar
- showing reduced believe and many officials out renovation act with the RIX 20 Rosery

5. For finite drying, consider the use of an outal coverhage, or despected or



Available in 1 Callon: Case of 4 x 1 Collon: Firt# 800-405

HASSLE-FREE

000

www.hydramaster.com | 800.426,1301 | 425,775,7272 sales@hydramaster.com


















Neutralizing Emulsifier Anti-Resoiling Rinse

ClearWater Rinse completes the maximum extraction cleaning job on a neutralizing rings. It pit neutralism the carpet, contains emutallying rinse agents to complete soil removal, and utilizes exclusive technology to help prevent re-salling.

Using Clearwater Rinse as your final extraction rinse allows you to get the carpet cleaner than with conventional acid rinses, and helps the carpet to stay cleaner, longer.



- Using ClearWater Rinse as your final critisation rinse allows you to get the carpet cleaner than with conventional acid mises, and helps the carpet to stay cleaner, longer
- · Restores the pH of the carpet to its natural state, protects against browning and yettowing, and stabilizes carpet dyes.

Always pio sea of downing solutions in an excessproper was for colorian was power to

- Deathface River is formated as a resolution; then appeal as the final depth decimal.

 Frieigh a corpor consists machine, has post thinking contain and neutrinoping and
- In a portraite extractor, rep. 1-2 per of Charleston Rights with 5 gallers of water, by a Macketown. This I quart of Countries House to 5 galloos of water II word as a stand above observing regard without the use of a prespery in a walk behind extractor was 1 port solubor with 64 parts maker 17 somess to a gallery).
- For factor diseasing, restacted falligue, and more effection sold remained, extract with the PO-26 Remary Extraction Task in Furniture desire environments use the Enviation electrics
- For funct thyrey, respectively in human ununchments consider the late of an owner need thought or closesofrott on



000

HASSLE-FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Available in: 1 Gallors Case of 4 s 1 Gallon.















Your final extraction rinse should leave your oustomer's. carpet squeaky-clean, smelling refreshed, with a softer hell pH neutralized and it should look clean longer

Oh years, it also needs to be able to dissolve and emulsify solling that your prespray country reach.

Can you say your rinse does all that?

Using Clearwater Rings as your final extraction deterpent sold reutraliting nines allows you to deep clean better than conventional acid rinses with encapsulating properties and polymers to help the carpet stay cleaner longer.

Try ClearWater Rinse from


www.HydraMaster.com - 800.426.1301



Triple Strength Low Moisture Encapsulation Carpet Cleaning Solution

ZipDri Encup TS is the only encapsulation cleaner that contains Tritanot** on integrated blend of specialized encapsulating polymers, organic sequestrants, and specialty surfacturits

ZipDri Encap TS is the most ultraconcentrated encapsulation cleaner on the market, utilizing only 2 to 4 ounces of solution per gallon of water.



- When carpets are disarred according to directions, you will experience. drying times between 10 minutes and an hour
- ZipDri Encag TS will work wonders on communical glue down carpets. but can be safely and effectively used on synthesic and wool commercial and residential carpet. Best of all. ZipDri Encap T5 qualities as a SateClean formula.
- The only encapsulation cleaner that contains Tittanol^{tol} which helps separate ground in soiting from the corpet fiber.

Prison built for full laber steeckurs, before cleaning

- If For running making, this one part ZipOn Ermay F5 with 12-64 parts has water (2-4 custom of
- location with a gallor of world into a pump up, storbill, or futbry powered procure sprayer For housely polices, min over part poliution with 10 parts water.
- Apply the ready-to-one solution as a mist in a construent, evertipping pultons. Use more subures is heavily exist areas. For best results, upply with electric or bettery provinced opcom-4. Agents the solution and the carpet with a country recoling spherical bresh enumers, man-
- planetary relary basis excellent, orbital agrorise modern, or orbital Mempoo broth. If using ZoCn Energy 75 with a borner pail system, this solution 8 currons to a gallon, and
- apply to coupe and both sides of bonner past. Proceed to cover in normal reserver viceres; or cracing borness when the part copy, structure and 6. Allow the solution to constitute the

Michael Res count throughly after the

couped allows as of the court extractabled



HASSLE-FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Available in: 1 Gallon: Case of 4 x 1 Gallon.















rates : extending the carpet life-cycle, greatlyreduced area downtime; and peartive apparance WATERCOMMIT. ZipDri Encap TS is the most ultra-concentrated

eneagewistion closurer on the market, utilizing only 2 to 4 purces of epitation per gallor of water

Try ZigBri Encag TS from .



Release § OxyBreak




ETTO per tr. to the or trade of the or trade o

Syldieta & Moor Dominical & Residential Curpos

Carpet Prespray and Low Moisture Encapsulation Solution

Release with Drytheak** corics estremely effectively as a low moisture encapsulation corpet cleaning solution, personalizing on corpets exposed to a large amount of cortee spills.





- Release with Coyleteakth works extremely effectively as a low moisture encapsulation clearing solution when used as directed.
- Encapsisising polymers surround, and bond to soil allowing it to be removed from the carpet in subvequent vacuuming.
- Meets the standards of cleaning and care for all synthetic and most wool carpet, including warranted stain resistant carpet.
- R can be used as a spotting solution to effectively remove many beverage spills and stams, including coffee and issu.

Directions.

Please your tier hat hader please, we have choosing Discourse of the loss on a despet arraying.

1. Always per first all timeway satisface or an impropriation with for colorfolies or

 For Expressed Millerby, upply Reviews with Chydrosia?" With an especial survive to take sharings of authors pressed in activate control by pair high polymorary periods exhaute of the level of Apply is seen merbaging politics.

This improve with 1 paint from which Conflowed** model with 14 paint and year 15 control of aboting with 1 paint of wealth 15 to become of aboting with 1 paint paint 15 paint paint 16 paint paint 16 paint paint 16 paint paint 16 paint paint

For force drying consider the use of an associated for receive often

www.hydramaster.com | 800.426.1301 | 425.775.7272



Part # 800 405

HASSLE-FREE





Available in 1 Gallon: Case of 4 x 1 Gallon.
















Citrus Based Cleaning Booster, Degreaser, and Fragrance Additive

Oreasethreeker can be applied as a ready-touse degreaser. It is an excellent restoration cleaner for smoke damaged hard surfaces. Your customers will love the refreshing fragrance of Greaustreaker

GreaseBreaker is the perfect extra power punch when you encounter a heavy buildup of caked on grease and oxidized oils in a heavily soiled carpet.



 GmasseBreaker is used as a boester to your favorite carpet prespray. If will cut through the worst greasy, only soils faster and easier. so you do not have to over-scrub or agitate and over-well the corpet to get it cleaned! Gressveltreaker can also be applied as a mady-to-use degressor. It is an excellent restoration cleaner for smoke damaged flard surfaces.

- specific to take advertises of Solution processes and least constict by your two porturnamie partiale extractor or trackmount. Values also use a "parta sp" pressure sprayer, or electric or bothery powered sprayer: Apply in over secritaging potents
- As a general purpose degreeter and borster, min 1-2 curron of Green-Broaker with each manufaction of curper presiding or your composities hard nurface channel presiding E Extract with a compatible allumic extraction discipline and history make it in Lesen cleaning, reduced falliges, and more effective unit reproced, extract with the EX-20 florery Extraction float in turniture denial one-commonst use the Evolution cleaning want.
- For locker draing, inspecially in humal environments, consider the lose of an usual contributed or downtraft or reaver ofter cleaning A Durant hazart sikultre extraction detergents or acut magnifying time with Granel Verbe

through the party in your Ottogrand for one or



000

Part # 850-160

HASSLE-FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Assistance in 1 Gallon, Case of 4 x 1 Gallon

Product Calmid ship via air Reight














HydraBoost CT



pri 11.0-12/0 1:31-44 Consent Printed Controls Coloris, Position 5 (0:47)

High-Powered Concrete and Tile Cleaner and Degreaser/Booster Additive

rtydroBoost CT is a powdered, high-powered concrete and tile and grout cleaner and degreaser designed to safety and effectively alsooner, brook down, distortion and emulally even the grimmest soils. HydraBoost CT safely and effectively elimintes even the grimiest soils sfrom concrete, finished concrete, and ceramic, porcelain, and quarry tile floors and surfaces.




- Hydra@cost CT will work with virtually any brush agitation system, automatic floor scrubber, or even a map and bucket cleaning system.
- The oxygenated cleaning power also trakes it an tibul borning agent for tracked and reglected carpet first has been exposed to high traits of syspensitio of sand grassic. Simply add a couple of suncis to your favorite traffic train cleaner/precord/sover.

Discours as a pre-trusper expenses for the sed group force.

- This penalty is ultimosame mainted. For terrind solines, one if an around 4 hybrid board CT possible with large gallets of when is that water risk is produced a purpor. For instrume solings, while years have an around 6 produced with a gallet of view or form that are instrumed in produced and applicat of view or folks with or the produced and application. For against and strongly is taken reportion. Springer, min. 12 not of provider small fill commonwealth and the folks of provider small fill commonwealth and the folks of providers and fill commonwealth and the folks of the folks of
- 3. Supplement status with supplements and Renative permit surface in the channel. You can use a pumpuse surject or a belong provised garget. If preferred, you can easily related substant without with a latery ment, stanget, or what appearation professional equations of watery or part of control equations of the control of the contr
- 15 minutes of dwell from an the scholars has been seen and the contract power.

 5. For freet counts, agitate and except cleaning coletion using earth or his value and a rotary addition and earther that we have the county of the coletion contains and a state of the coletion and a fine of the coletion and a fine of the coletion and the coletion a
- aptission toold surface streeter. For sight spinors or criseosing sometime surfaces, use a need surface resembly responses to the street, as made
- 6. When seem has been remail through about how to day.





HASSLE-FREE

000

www.hydramaster.com | 800,426,1301 | 425,775,7272 sales@hydramaster.com















and cultocal surfaces expressed to high lemms of pressed and self-continuoustion. If does no

effect he use of hard obscingles according ensural spirits, making the surface appear

chair and readour his? The originatest chairing proves of hydrollosses CT also makes it an ideal boostling agent for tracked and replacted paper that has been exposed to high levels.

Jivdra Master

of physicians are greated Simply and a couple of ourses of HydroBeste 🗇 to your

to-one raffic and deanarprecand toke to the attirate in deliving power

Try HydraBoost CT from

www.hydramaster.com | 800.426.1301 | 425.775.7272

Airpaldinity.

DeFoam PROTECTAN

Powdered Defoaming Additive

It prevents foom from forming in wands and hoses. Best of all, the adorless granules will net affect pis or after cleaning performance. De-Foam breaks down existing foam residue which makes your vacuum recovery more efficient and keeps your waste tank from prematurely filling up.



- · DeFount** is a powerful artis-barring agent that can breakdown even the toughest detergent residues. One of the most frustrating things is carpet cleanur can face is when the recovery tank files up and it is 90% from. HydraMaster powdered DeFoam contains a trade secret. unti-foaming agent. When sprinkled on the carpet, DeFoam breaks. down form before it gets to your machine.
- It is safer for you and your customers the active ingredient is also used in food processing. Unlike some liquid defoamers that leave a sticky residue behind. ClearMoster DeFoort is a neidue free formula. It breaks down existing foam residue which makes your vacuum recovery more efficient and keeps your mastertank from prematurely filling up.

Alleges provided of channel adultants in an increspectation and for colorations provide

- Apply threat consists of union to couper and replace to intermine the passance of females. To control from bold 40 to waste task, salt one name of Co-Point to your wests have
- this would have at the charlest want and set the values put the salution though
- For bennes fours make by the corput, sportroply (green), forceford or Trinches bent't De-
- incomes or converse ma-
- preciate an encoded to
- Assentate to 6.5 Pound for Cone of 4 x 6.5 Pound for Proceed to clear it reven



Par # 550-177

000

www.hydramaster.com | 800.426.1301 | 425,775,7272 sales@hydramaster.com















Complete Guard BITTION AND MA

Multi-Level Carpet and Fabric Stain and Soil Protector

Complete Guard coats libers with a dyeblocking stain transer to protect them from the stains and common household food and beverage spills. Complete Guard protects the fiber completely, not just at the top like conventional protectors.

Complete Guard's uses state-of-the-art, environmentally preferred short-chain fluorochemical technology to protect against damaging dry soils as well as both water-based and oil-based spills



. Complete Goard protects the curpet three ways: from the top with flurochemicals, from inside the fibers out with dye blockers, and from The outside in with polymers

- L Mengap parties has used faculties. If it is considered the companion of the season for the season for the season of the seaso Disks by resing 1 part savenesses process/ with 2 parts outer
- Apply in the tray channel capper using an electric or full try presence tyropic maintaining. 35 to 50 per with an 500 to 300 fee for mode. Apply enough over entire credet our time.
- Coverage depuests on coupet pile density, i.e. heavy pile resolutivel requires T HTU galler per 400 sq. ft. low pile commerces requires 1 RTU galler per 800 sq. ft. For Yutler Mylling, InspectoRy
- corredor the use of an emal enrichagili or downdratina



000

Part # 35D-24T

HASSLE-FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Aveilable in: 1 Gallon, Case of # # 1 Gallon.













FabricMaster FF

Natural and Delicate Fabric Pre-spray for Gentle Cleaning

this neutral set cleaning formula is specifically formulated by use on upholistery fathics constructed with natural fibers, especially fine cottons, and fathics with delicate, intricate weave textures and patterns.

FabricMaster F

This specialized formula is specifically designed to break down, dissolve, and emulsify the soils and spills most common to upholstery fabrics.



Specialized sustactants are used in this formula that do not over not the fabric like typical surfactants, althoroug you to deem the warface without sosking the back of the latest. Fabric-Moster Fine Fabric Preappray contains the same stain removing additive that is in our famous SpotMaster Pro XP spector, effectively removing many beautrage spills without the need for special stain treatments. Fabric-Master Fine Fabric-Pre-spiny can also be used to make a Hattlan cotton stranger formula by slength making in SpecMaster CSR.

and the same of

I warmer peac good milital pages several consocial factories

 Bearing product all decising stations in an incompanion, and for collaboration great to applicable.
 For light to resolute and, the one part habitative FF with high parts water 170 content of

- acknowled gallin of season are ignaped. For heavy leaking do not dilute. The inner of a Tomore a Parkner Carton pre-specy, and it provide reasons of Occur Mester Spokensolar CSR to
- outh record gation of Federal Moster Floor Fallet, Pro-speny

 5. Apply with head haid years up or tragger spenyer to be seen, asset going that school the units.
- Apply with hand hard parts up as trigger sprayer to be even, awaiting one ratio as not a few arms.
- E. Allow to sixed for 2-3 markets, the careful rule to over spray or broadle visit
- 1 And the will be read on books in books (ref)
- b. For heat results extract area with Countificater RhamCloc alligning the HydroMester Chiffware 11 (sphotomy Charleng Tool
- For feath skying, expecually in humal uniterestric, consider the use of an axial contragal or downbrill on source alter channing.



606

Part # 550-220

HASSLE-FREE

www.hydromaster.com | 800.426.1301 | 425.775.7272 sales@hydromaster.com



Available by 1 Gallati Case of 4 x 1 Gallan














FabricMaster HD William In Section 19 Secti

Self-Neutralizing Uphoistery & Fabric Preconditioning Agent

Fabrickesser HD is designed to brook down, dissolve, and omutally soils and spile body cits, hair treatments, difforms alls, shoe scuffs, spiled food and beverages, crocked colors from clothes, newsprint, treat pet hair.

abricMaster HD

This specialized formula is specifically designed to break down, dissolve, and emulsify the soils and spills most common to upholstery fabrics.



- FabricMaster HD is a self-neutralizing formula that cleans with the power of alkalints, but then self-mutralizes an it drive. It is designed for use on synthetic uphostery fabrics. It does all of this with the cleaning power of odoriesis arminoria, combined with specialized selection and seafactoris.
- FabricMaster HD is a low forming formula that does not inside a sticky residue.

Marky Urreston

- Visitalists basic manuages; turbor covering immening procedu.
- Despit per let all desiring soldiers in an interruptions are in extrinsives, print to applicates.
 To dept to resident and true 1 part Fairs March 10 both 4 parts water 132 section of
- whites with 1 action of water, and sproper. For fearing tolling, and 1 and substance with 1 part substance with 64 current of water).

 4. Agoly with the initial pump up or engant sproper to an own, processing, and across the
- notice and of the basis heigh cleaned.

 After to death for 2-3 natures, the control to be over young or broads over a
- E. Agrice will be be the state of the extra term.

 T. For heat could restore you will Consider an Envelop allowing the HydroMoure
- T. For best results extract seen self- Chardilener Results utiling the Hybridister Distriction 3 tourishney Charging Tool.
- For factor drying expectably to figure controvereds, consider the too of on cold contribuyal





Part # 850-200

HASSLE-FREE

www.hydramaster.com | 800.426,1301 | 425,775,7272 sales@hydramaster.com



Available in 1 Collors Case of 4 x 1 Gallen













WWW. Tryston Tolking all and AGE 1889 1 428 TTE 7270

www.hydramaster.com | 800.426.1301 | 425.775.7272

0000

Natural Orange



Spot and Stain Remover and Upholstery Pre-spotter

Natural Orange is a long time HydraMoster favorite for removing problem spots and safe from upholstery as well as a litration. soll apot remover. Natural Grange week natural citrus solvents to create a gentle. effective spotter and pre-spotter

Natural Orange

A simple, light application of this amazing product will soften and loosen tough oilbound soil without harm to the fabric.



This product has a neutral pH, and contains no harst solvents. As a spotting solution it is especially effective on grease and oil based spots common to upholstery fabrics such as cooking grease, fluid olis, gels, and treatments, and body oils. It is also idea for removing softled airborns ofs.

have read the full little therefore before channels.

Always per time of channels solutions in an information of one by constructions provide

- For standard spin commend application, itself part solution with 10 parts want in a support Military many, may 7 part on time with 7 parts when
- Apply Natural Disease with an even spins and located for a too menany. Apply plorty of
- 3. When to should 2 it rests days





000

Part # HINI-HINI

HASSLE FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydromaster.com



Available in 1 Gollen Case of 4 x 1 Gollen













WoolMaster PERMITTERS Sharing Filts A. Errica House & Surfaces

Rug and Fabric Preconditioner

Hydraticaster is pleased to provide you with a preconditioner/pre-spray specifically formulated to safety and effectively clean oriental rugs, wool rugs, corpet, and fabric natural and cotton fiber rugs and tabric and other investment testing.



WoolMaster combines specialized

encapsulation surfactants, detergents,

and conditioning agents to specifically

target the solis that rugs and fabrics are

cleaning professional, working effectively at both "on-location" and "in-plant" cleaning set-ups. + It can be applied like a typical prespray or used effectively in a rug wusteng pit.



are at pre-residenced/persuggest for kilo and group fluids

Always per soil of thinking billisters in an acceptable and for coordistrons prior to

- allowers senty HalksSolv with reaction spream to lake advertage of solution presigns and heat excelled be your high performance portable extractor to Kuchingari. You can also use a "purposa" parrowe sproyer or electro or futtery
- restrictive cleaning, prengray right 1 part Hydrofolly nexted years 4 parts are water (32 names) of solution with one golden of water). For contractment cleaning, the HydroSolv 1 part scharce to 16-37 parts water. For standard rejection sprayer, risk over
- allow solution to most 3.5 remains. Even augmony with broken comparable with the one
- Exercities whaten interrupts PX-29 temps Ensures for both that water water territor.

 But SXTE-It Street interference fool or any high provides water completes with him.
- In Forticities dryony, expectedly or human environments, consider the consist an exect contributed. or downdraft air mover after clearing



fivolizable in 1 Gallon, Case of 4 x 1 Gallon. Part # 350-242

000

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com
















Rinseout Rinseout Rinseout Right State R

Rug, Fine Fabric & Textile Acid-Neutralizing Rinse/Treatment

tinecart is a specially formulated neutrollung, detergent hee ocid rives for the final step in the acts and effective cleaning of criental rugs, natural tabeic uphositery, investment bestiles, and corpeting.

RinseOut

RinseOut neutralizes alkaline and detergent residues and leaves the rug, fabric or carpet with a softer feel. It is safe to use on wool and other natural fabrics, as well as synthetic fibers.



- It is safe to use on wool and other natural fabrics, as well as synthetic fibers. It can also assist in dissolving and breaking down pet unine daposits as well we read subtantion mell backing.
- . Contains corrosion inhibitors to protect your equipment
- FörsseOut is an utra-concentrated product that will make up to 320 gallium of neutralizing rinse.

Photographics.

Please sour the full lider, mencioles ferfore amoning.

Note: The performed inclined for channes or initial regionarilla recovered section in "in plant." When coursing raps can be about in protect status floors, intelligent status and other sections with some from conting in status controls with real from the resident or floors. Chandy region approximation of Free balance, and, meeting and course treatment and plants.

The less of cleaning solutions is an incomprovate and for constrainess prior to application.
 To bit used as a restricting rises following the application of pro-gray or proceedings in

- Solden such in Wind Masse, EdingMode IID, EdingMode Fire Editio, or Foodbrea IID.

 Fire application through a particle enhance, may 24 surpline of each on the long pulsors of water Fire and on transporter, and not each IIT control of transport enhanced and interest and transporter and sentence III control of transport enhanced in the control of 2 miles.
- For finish Charring, reduced began, and none effective self removal, worself with the ISX 2D finishing Large-Barr Tod in furnished dense communication are that I entains obtaining used.

 The force having constituting and of a self-constituting or dependent or recovering the consistency.
- For Extraoring processors will provide the same contribute to describe the control of solutions with one gather of water Lightly more over the carpet rule or better with one of carpet rule or better the carpet rule or better rule or bett

#iydra Maste

Part # 350-140

Available in: 1 Gallon Case of 4 x 1 Gallon

HASSLE-FREE

000

www.hydramaster.com | 800,426,1301 | 425,775,7272 sales@hydramaster.com















CONTRACTOR OF CHICAGO AND ADDRESS OF CONTRACTOR OF CONTRAC

Spotting Kit

Everything you need for almost any spot and stain.



- Guart of CrockOut 1—Chickeng Stale Removes
- Quart of Rodffmak 1—Rod Starr and Colored Food Comping brosh and Distrik State Remover
- Quart of O.J.—Gollad Citrus Solvent Spaceality Adhesive (15th 16) obsorbent collections
- Chief of SpotMester Get XP—Golled Stair Romover Insulated carrying beg protects solutions from interest the DR Based Soots and Street
- Buet of SpoManter Pro XP--First Response Spot and Stain Remove
- heat and extreme cold to prolong useful life of

Count of UPS-Acid Spotter and Urine Protroutment

Bone (spotting) spatular

Soot and strin removal quide





www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydromaster.com
















SpotMaster Pro XP



Extreme Performance First Response Spot & Stain Remover

Cleaning professional's first response solution to a wide variety of common food and beverage spills onto corpet and wholstery. SpotMaster Pro XP moves to the next step in extreme performance in spot and stain removal for common food and beverage spills, antiseptics, protein stains, ink. lipstick, grease, oil, and tar.



- SpotMaster Pro XIP is the ideal spot removes for most common food. and beverage spills. Additives make it a stain eliminator on more problematic states like jodine and red wine. It is your best response for protein spills and steins like ear, blood, milk and grass stains:
- + Encupsulating polymers help provent wick-back of spots and stairs. without any additional treatments or steps uncompromising cleaning power in a VCC correlant formula.

The text of chissing conducts is an inconspicuous area for uportations provide approxima-Referencially extent contemporal technical paying spots of for subsetting who has an overlain up. For encountermentals, overyour sporting spatials to review out trush makes of as provide

- Apply SpolMarker Prin XF asseged to live upon or main arring your flip top application 4. Agreed scales of the first contaminated area with your spotting speaks or tool. But up or certain been that results from a platest or use beiging leach and coloring tower to already as much
- Forme with wome until blox up or contact over fluorings to
- If discolarable percent and is solved solube, proceed to apply Spothbyter Get XP according No directions. If the course of house was have a valurally destroid caller (expend), apply three to Out I accombigge discount of the segre of the season beams from a year of the heal color setted that status, children's that shows sports miles, apply find linear 1 percentage, to descripers

Available in: 1 Quart. Case of 12 x 1 Quart. Part # 350-240

HASSLE-FREE

000 www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com















0000 work Application and Children (1988) Will Property



SpotMaster Gel XP



Extreme Performance Gelled Solvent Oil Based Spot & Stain Remover

SpotMaster Gel XP is a gelled solvent-adiable spot and stain remover for inks, markets. paint, nail polish and more.





- Designed to effectively remove or lighter all kinds of stein causing inks. (ballpoint, duplicating, ink jet, stamp pad, permanent marker, and more) along with lates, enumed spray, and other types of paints:
- . Breaks down codded grosse and oil soils, and removes or lightons stains coused by shoe polish, rail polish, cosmetics, and for
- Spotmaster Gel XP is formulated to be in compliance with the latest VOC emession regulations, and is fast acting, stays on the surface of the spot, and is safe on most natural and synthetic fibers (Do not use on acetate uphobilery fibers):
- The gelied solution sits on the spot rather than immediately absorbing. down into the carpet like a typical solvent sporter does.

and the Rull below amorations, better releasing

- age. First encreased materials, land sprinting sparsits to retrieve on much material as possible.
- Pake fulley in the top of the numerical with the sharp end of a sporting spatials. Apply Specification the logical Wiles book or share
- Aginale rotation into the commitment new with your reprints quickly or took
- is they up an imply of the stall an popular with a robofast colors absorbed travel Consume
- uning a farturing brank with found to force as much of the material as possible into the tower Regional processor was formig as confor througher letter advancement frowed to interioria. Hirtor with water and blot up or consect area throoughly
- Sportferent Con VP will offermore retrieved must school and of based work and with Assessed of discussions upply

Knock Cut 1 according to directions









Available in 1 Dust: Cope of 12 x 1 Quet.

Product carries ship vio air freigne













UPS



Urine Pre-spray Neutralizing Treatment

UPS is for use as a urine contamination neutralizer and as an incredibity effective acid detergent spotter for treating bornin, saft, or alkaline based spots and spills on parget and uphalatery.

UPS is a special synergistic blend of acid neutralizers, detergents, ador counteractants, and decontamination deodorizers.



- Can effectively elements odor on some urine disposits. Pretreating the urine with UPS makes all enzyme and encapsulating pet odor doodorization solutions work fester and effectively.
- It can often be used to eliminate spots caused by coffee, test, wire, soft drinks, as well as to noutralize and brook down the build-up of many co-meit compounds is carpeting. UPS has a refreshing, clear scent.

Description

Please read the full lated decision between clearing.

For pro-knowled and resmittation of artic communication and deposits:

- Physical dichemic public in a recomplision are to catalogues participal, dans

 this USS 1 paid outdoor with 4 tripots want to that make depending upon recently of conferences.
- Uning a special applicates was the same properties offered server. Make were true the UPStherape comes to linear control, with the sounce increase for reconstitution of the Adapt for the measure of duestions.
- 5. Chiscon state contentions. Build through and control with a set surface consideration on word. Second uses forceastly
- It follows dying consider the use of an used, combigat, or discreted an income who converge.



www.hydramaster.com | 800,426,1301 | 425,775,7272 sales@hydramaster.com



Part # #00-475

HASSLE-FREE



Available in 1 Quart, Core of 12 x 1 Quart, 1 Geton: Creo of 4 x 1 Getos













UPS - Urine Pre-spray Neutralizing Treatment

- It disposes and breats down the lipids (that is the study south) and satis that leady your bearins stain remainer and/or decolorair from working as effectively as they could.
- Whether you are using an entalgoidating food? Type denoticizes the HydraWarter Model. Place, as inspired denoticize, or an oxidizing state and other recover like HydraWarter USA with ModelPlace, prespring the contaminated area with USA poor to treatment will serve you time and make, your blockwart from a Mactive.
- There is NO pot ador and atom treatment job that UPS won't help are.
- UPS is the perfect increment for defeate coordinatings to increase all the traces of pet union whether on-tocoordinating washing at that

Hydralitises UPS Urine Pro-spray Neutralizing Treatment will make every pat oder and stain job go fester, easier, and stare effectively.

WALL THE REPORTED LAWS I WITH APPLICATE LINE P. AUG. PRO. POST.

Available at your authorized HydraWester distributor

www.HydraMaster.com - 800.426.1301



0000





Gelled Solvent Specialty Adhesive Remover

OJ uses all natural citrus salvents to dissolve and break down specialty adhesives, tape residues, and other all and grease based materials from hard surfaces, carpet, and upholebery without the use of harsh or todo chloringted solvents

OJ turns to a gel on contact keeping the solution on the material you are trying to remove, not penetrating into the surface below.



- about any surface, with no sticky residue. · GJ is the leading setting Gum Remover in the industry.
- . You get twice as much product when you purchase OJ in comparison. to other gum removers.

- Aways prome of cleaning sources in an expressions area for constraines area to
 - norwarty lotter of escens wridlen
- 4 Auth OI mayers the contemporar being means
- Supply the product into and evalent to historial error spetial care in
- E. Alber 2.3 remains of deadlines.
 T. Bild up or surges up returns unknown along with any adherine or other reads. That has been
- Bt Richts or trettact the even facing chrome? Exposely.





HASSLE-FREE

Par # 100-600




















Red Break 1



One-Part Red Stain & Colored Beverage Stain Remover

RedBreak 1 is a revalutionary breakthrough in stain removal science. Utilizing reducing and polymer technology, Red Break Talliers the structure of difficult stains by removing them or molding them invisible.

Red Break I is a one part system that requires no mixing and no waste of product. The perfect carpet prespray for filthy, trashed, and neglected carpeting.



- . This product is safe and effective on virtually any stain caused by a common household lood or beverage spill and is recommended only for use on synthetic curpet fibers. Red Break 1 is designed for use. by trained eleaning professionals. If often works simply by applying solution directly to the stain. For stubborn stress, the application of heat as an accelerator can enhance the treatment process.
- Ideal for commercial corocts and rortal units

- The probabilization reducing therebes which can remove color from none fibers, majoris. or fedirics. Names pre-trest all alluming solutions in an incompanion area for confidences prior to opplication.
- 2. Clear the statest area with recent theories processes prior to the application of the product
- 4. Miles 35 seconds to 2 minutes of classification, Many source are minuted simply by computing the
- Erestical disceteologyremens, esopply solutes liberally study's directly to the start.
- If Accompany serving with hear. If using a low promises, high volume stours garanteer made as a and paper necessary, simply please shorts would be sid an available across. Check them provide a few every 30 seconds to 2 minutes. If using a stood iros, cover chinest area with a set white. and move the non-every 25-30 seconds and shock the area.
- When the sharries completely disappoint is analy estruction with with their water. If a slight petition distributions involves, rangels

the documents will marry up them.

Part # 950-247

Aveilable by 1 Quart: Cone of 12 x 1 Quart

HASSLE-FREE



www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com















breakfrough in stan removal science

RedBreak t is a one part system that

Try RedBreak 1 from ... Hiydra Master

www.HydraMaster.com


requires no moons and no weste of

Uniting reducing and polymer

them or making from invisible.

prothet

technology, RedBreak 1 alters the structure of difficult stains by removing




Knock Out 1




Oxidizing Stain Remover

Knock Out I is the next generation in one part oscillaring stock memowers. Since it is a convenient, one part, ready to use product, there is no mesoy mixing or throwing awing of mixed formula when you are done.



KnockOutl effectively removes difficult

stains caused by mustard, furniture



 Special additives allow KnockOut 1 to go well beyond so called magic stain removers. In the flicknessy removes most difficult scans caused by masterd, further states, wood stain, studioon urine stains, plant stains, and world. Stress caused by wire, coffee, tee, jacons, bernins are no match for KnockOut 1.

Director

"Phone road the full later descripts before descript

6. As a main renover that contains cooking bloods there is always the informations of rate too, off layer types and those and falses. Always project all treating solutions in an accomplication when the cooking/electric projections are only on synthetic Barris capies, and barris.
3. Accoss Out its reconstructed for projectional use only on synthetic Barris capies, and barris.

- Read Out to recommended by protectional use only on systems. Here, carpet, and futnose
 to not decommended by use on askeral floors, well falses. Use only as decored:
- 1. Chart shocked area famogify. Horove as truck of the starring recent on process with
- commenced applicing techniques betten applying 160ch (Ea 1 1 4 Apply assign 6 America or Libert (Ea 1 1 4 Apply assign 6 America) occurs for a Shirton or of the distance. After to libert five to see mission. It Applices with applicing application of temping based, and (bit with allow), contribute or large projections.
- Stress and extract area theroughly to remove an much of the sixth and resistant as possible. If any residual techniques and yellow Dur Lagain Moores by:
- 2 So not page that results agely resort the KFTP CHILDREN AND PETS AWAY FROM
- 3. After appropriate training performing material and other boot from the commit hermonic social can be followed one from the registration of an including social recovers like finish that 1 and materials give thermol records with the color of a false which light from other wides a discribing. The higher this recently of the whole which light, the record long time procedure will be nationally a figure to account a facility of a superior of a record of a re



Available in: 1 Quart, Case of 12 x 1 Quart. Part # 550-254



HASSLE FREE

www.hydromaster.com | 800.426.1301 | 425.775.7272 sales@hydromaster.com















RustBreak

Rust Removing Spotting Solution

Bust Break is a sofer way to remove crusted and stubborn rust stains that can appear on corpet and uphalatery. If works as fast and effectively as other harsh acid rust removers, without the risk and exposure

RustBreak has a controlled acid pH so that it does not need a neutralizing solution after use, simply a clear water extraction.



- . RustBrank has 4 times the rust removing ability of citric or coolic acid. based rust solutions and begins to work immediately on contact. No ting woring or long dwell times. + it removes rust stains left by metal filing cabinets that get wet as well
- as metal surfaces that come into contact with sest corpot when the cleaning technician neglects to insert a protective tab or Styrotoam
- · RustBreak is also effective for many mineral based soils such as motal stairs, water stairs and rings, it will lighten up many water stains. It is also excellent for removing mineral surface floors and concrete floors

- ersone nab sener for hill belot describes before characy
- Report for constituence prior to approxime.

 Apply substant Alf connects thereby by affected sens. Here protected given and well
- wateron into rust star with specting spirate
- Abbut to deed for 1 to 2 incores, attrough you should see some effect about provedutely . Thoracagney extract area outh close week



www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramoster.com



Available in 1 Quart; Case of 12 a 1 Quart

Port # 350-757

000













Natural Orange




Spot and Stain Remover and Upholstery Pre-spotter

Natural Grange is a long time HydraMaxter lavarite for removing problem spots and soils from upholstery as well as a litration sof spot remover, featural Orange uses natural citrus solvents to create a gentle. effective spotter and pre-spotter

Natural Orange





- · Formulated especially for the removal of oily spots or soil, it is ideal for furniture or carpets. Its special blend of orange based solvents and surfactants also makes it for carpot filtration stains.
- With a pleasant fragrance. Natural Orange depotorizes as it cleans. After cleaning, the fabric is left with a noticeable, fresh, clean scient. This product him a neutral pH, and contains no harsh solvents.
- · As a spotting solution it is especially effective on grease and oil hased spots common to upholstery fabrics such as cooking grease, hair oils, gels, and treatments, and body oils. It is also idea for removing settled aktorne oils.

- se must the full label directions before choosing.
- Alongo pre-tent of changing solutions in an encomplicated president collections pater to
- For signified spor renewal application, stor I start solution with 10 ports water as a length surneer. He kee scenting books, or havel light pump-up sprayer. For honey duty spills and Mission saling rise 5 part solution with 2 parts water
- Rooty National Change, with an over apply and to dwall for a too menders. Apply pictory of
- at the context out to over spray or broute with





000

HASSLE-FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Australia in 1 Gallon Council 4 a 1 Gallon
















SpotMaster CSR



Coffee & Stain Removal Solution

SpotMaster CSR - Coffee and Stain Remover is an effective, easy to mix powdered coffee and mild the stain remover.

As a modified reducing stain remover, SpotMaster CSR can be used effectively to remove stains caused by coffee, tea, herbal tea, and other tannin stains.



- If you are cleaning a carpeted area that has coffee spills spread for and wide, there is no faster or more effective way to eliminate coffee
- One 1.25# far of powder makes almost four collons of ready to use solution, and the fact that is a concentrated powder makes it easy and inexpensive to ship.

Please result the full rates directions before charging

- For one on a majo commonly solution.

 T. Per level of channel solutions, it is in company on a complete to the bettern page 1, and 1, a Z. Carobilly new Z growthis out of CSUI you Tug, of his moon you a region sprawn. Head obto
- aimed for coursess. Avoid privating provides or vigor 4. Solume spring started area with mixed solution
- After 2.5 minutes of chick time.
- I. Filtrace present of story removes often drying reposit application.
- it For tweer drying, expectely in hamid environments, consider the use of an asset. centrifugal or disensifial ar mover after deciring three mig presentation with the libric control of columns
- Mile I march of CSR lettl coch pased galler of Charliffrance Fabockhaum Five Fates.
- Aboryo pro-bost of channing solutions in an incompetition among contributions Proceed to clear uptobery in accordance with including standards



www.hydramaster.com | 800.426.1301 | 425,775,7272 sales@hydramaster.com



Available to 1.25 Pound for Cour

HASSLE-FREE

Part # 550-244



CLEAN MASSE

















Triple Action Bonding, Encapsulating & Absorbing Odor Counteractant

44. If it has affacts odors with a multi-faceful affack including pet urine, mustiness, and vamit, it works affectively on a broad spectrum of organic odors.

It is a binding, bonding, encapsulating, pairing, and absorbing deodorizer that will safely and effectively eliminate pet urine and feces odors.



 MultiPhase goes to work deodortang immediately, making the rest of your cleaning job more pleasant.

Denman

The Section As Collection of Brown which are inspected of after Received in court of probability of the property of the Collection of the

- Fin more againstown. We WARPhens I part solution with 4 parts within On solving union consequenced by a car law in time concentrated mistage or even images, depending upon solved or the color.
 Usualized configuration legal or solving many Materings design with the party.
- and contain. After to their S.20 minutes. Extend and Executivity, professing with subscribus activation but.

 4. For one all logging describers. Mor 1 per Maris Trow with 3 parts of more. Project water.
- Follows as togging decisions Mo. 1 part More Trees with 2 parts of witer. Project school sonstitut surfaces. Never inflam accretion or fogged schools.
- E. As a traversy critical for political extension, and 2 countries of ManiPhotos with each spilling in the manifestation of the spilling of the service described information in manifestation (as a political of the Manifestation of the spilling of part retical concentrated coloration description or manifestation recognition of control of the spilling of the spillin

HiydraMaster

www.hydramaster.com | 800.426.1301 | 425,775,7272 sales@hydramaster.com



S-Golden Ruicker

Pays # 800-500

HASSLE FREE



Avoilable by T Gallery Cone of 4 a 1 Gallery.













"Order stought the hest per urbon value elementary. I have ever used."
— Chinag Technism, Personan Carpet Care
"This product made before that the "cide" products and corp. a lot less."

Triple Action Bonding, Encapsulating & Absorbing Odor Counteractant

Odor Counteractant

Systematic access some focusity segseparatic day access of the section of

To amandomery a price of the firm or a good to serve or MAP were to a company or the trap apple of the trap of the trap apple of the trap of the trap

Owner, Season Carrier Chemistry

www.fustormaster.com | WitCaleston | 429,775,775

the rules of the "OTRE" weedware

1/3 the price of the "CIDE" products

www.HydraMaster.com - 800.428.1301

www.hydramaster.com | 800.426.1301 | 425.775.7272

8000

OdorMate Tropical Breeze



Tropical Breeze Scented Odor Eliminator, Deodorizer, and Cleaning Additive

OsorMate Tropicot Breeze is a general purpose odor eliminator, deodoriter, and cleaning additive designed for use on corpet, uphoistery, and loundry, it also works extremely well in general space pritingboots

OdorMate contains odor encapsulating ingredients that eliminate the odor, not just mask it. Ideal for eliminating tobacco and cannabis smoke odors.

- . The versatility of OdorMate Tropical Breeze allows it to be effectively used as a direct spray poining agent heavy duty deodorizer; it can be added to most any cleaning solution; and can be applied through a wet foggins machine.
- + Utilizing OdorMate Tropical Steeze will leave any carpet or room. smoling doon and refreshed, but it is also powerful enough to counteract severe maloclars.
- · OdorMato Tropical Broozn is the ideal professional strength odor eliminator for cooking odors, body adors, and general adors.



Description:
For application as a process property disobotion

- Manage, passiver oil relating tradeurs in an expension was he constituted pass to
- Was four nament of polyton With two gollon of water (1.32) into a sprayer. For many days registers, who T2 warrons of solution with tisse pools which (1.4) was a syringer

- Mways pre-test all enorary solutions in an incomposeus area for courtesizess prov to
- . Mischel research solution with any prolemical trailing of channing volution (prosperty or extraction of sale on a new transport scholars Music protest at occuring volumes in an incomplication area for colorfestness plor to
- May 32 common of resistion with owe golden of water (1 34) into your frequen-
- 3 Apply according to began recognishmen



www.hydramoster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



HASSLE-FREE

Awardés in 1 Gallon, Case of 4 a T Gallon














OdorMate Tropical Recese is a general purpose siche ministration depotorizer, and dewring additive designed for one on carnet. upholitery, soundry. It also works extremely will in general space

The versit key of OdorMate Tropical Breeze allows it to be effectively used as a direct spray paining agent heavy duty deodorized it can be added to most any cleaning solution; and can be abplied through a wet logging machine

8000

Appartment.

CONTRACTOR OF THE RESIDENCE AND PERSONS ASSESSED.



Botani-Phase

Botanical Decontamination Deodorizer for Odors from Moisture Buildup

Ideal decorater for rentanction and remericition sites, contents cleaning and decorations, carpet and upholistery cleaning, decontemination and edor control jobs, und more.



HydraMaster Botani-Phase represents

the newest renewable and sustainable

natural deodorizing technology as it derives its odor eliminating and

decontamination capabilities directly

from plant extracts.

- Rother than add synthetic fragmoces which only mask the odor, why
 not use a natural, plant besed deadorizer to clear the air, refresh the
 more, and deadorize tests pages and non-pages surfaces?
- Contains no enzymes, bikaches, solvents, phenois, quats, policiers, bucteria, or chemical desemblicars.

Mung Direntons

The last mouth is both at ones which are married door. Someone or with rateprocuring among memoral front of floative closing and one story in product. These stands of some other floating floating proposed in the among of indep producing usages, floating floating floating rate control is usually also discount of the last to good motor effectively. The float of application surfaces for control parties for the processing.

- The term approximes. Me these these are part solution with feer parts water for security and continuousless, apply butter Please arranged.

 Whether contact to consiste a position provides a leading or with a new Whole or deather 10 months.
- and then silve to any the neway, ourseless or suping to impleted

 8. Fire late on higging translations are inject feature Processes in a part of earlier Process water
- sensions selected. Review thinks alternate in hopped policies. Water and will occupantly as forms or hardway are presented shall applying.

 It is a sension gradient. For portion independent on two seasons of fictory-Processing.
- early galor of perceived environs shouped or restriction. The foreign early galor of perceived environment of the perceived environment of the perceived environment perceived environment of the perceived environment of

_liydraMaste

(f) (2) (a) www.hydramaster.com | 800.426,1301 | 425,775,7272 | sales@hydramaster.com



fivolistic in 1 Gallon, Case of 4 x 1 Gallon.

HASSLE-FREE

Part # #00-500















UPS



Urine Pre-spray Neutralizing Treatment

UPS is for use as a utilite contamination neutrolizer and as an increality effective acid detergent spatter for treating tannin, sait, or altafine based spats and spills on corpet and upholstery.




UPS is a special synergistic blend of

acid neutralizers, detergents, odor

counteractants, and decontamination

deodorizers.



 It can often be used to eliminate spots caused by coffee, tea, wine, soff chinks, as well as to ecutative and break down the build-up of many ice met compounds in carpeting. UPS has a refreshing, clean scent.



Neces result the full label directions, before chances

For you transferred and resittatives of some consumentum and seponds.

T this test of cleaning solution in accompanious and he colorisation in process approximation.

- Mile UPS 1 part without 64th 440 parts warm or test water depending upon severity of communities.
- Clarky or spring applicable, behavior spring the abbottom access, bloke have that the CPS existent control in Chief activate with the access make full for moral effective incurrence.
 A Novo 3 for 10 monature, in depend one.
- On service contamination. But it is early automative to sub-surface extraction our in month. Exercic ones financially.
- For feiter drying consister the sac of an over, contragal, or develop an energy abordering.



www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



Part # 800-475

HASSLE-FREE

Available in: 1 Quart: Case of 12 x 1 Quart: 1.

Gallon, Carin of 4 a 1 Gallon

















Oxidizing Urine Stain Remover with Deodorizing and Stain Removal Power

USR with MultiPhose user the affervescent cleanting, stain removal, and deadartring power of activated anygen syneral stically combined with the encapsulating and bonding oder elimination power of MultiPhose.





- It also contains anti-respiling properties that keep the treated area from
- · Best of all, with USR with Multi-Phase you ase less product than with other pewder asidzers making it more economical

State modificial who incomes before country

This pireful is salt and efficient on all spillatic carpets. Not reconstructed for your creat

Add force of proving yet gather of water was the hadrest valve provides trace hith degrees bouleton it will be asset May one golden by 2.5 pusher burster. The local will rise to the bay in

Consider pulling black contaminated corpst and dispetal of corpet customs. If residue, said the

Signature people with minut USE substitute

Except singular from corpor. For land moults, plus a full outsignion contaction warmer or took Charak curps for color and source stops 5-7 it anostes

10. Abusys Migran of pay original mount solution as office borrow distances in reports. 11. Apply Kreick Out T. Francy stain remains

offer above procedure.

www.hydramoster.com | 800.426.1301 | 425.776.7272 sales@hydromaster.com

Assistable by 6.5 Pouret Int. Case of 6 a 6.5 Propert Lie



HASSLE-FREE













the visuosus, bubbling meturs goes

right to work eleminating even the recet

saldson unes blans, when the oder is

elemented through the power of contribute and MalbPhase. Try USR with MultiPhase from

HydraSolv





High Powered Tile and Grout Cleaner and Degreaser

HydraSolv¹⁰ is a high powered sleaning and degreening agent specifically formulated for peramic, perceipin, and quarry tile floars and their grout times.

HydraSolv is used as a pre-spray or pretreatment on tile and grout to loosen, breakdown, dissolve, and emulsify even the arimiest of soils.



- · HydraSolv is formulated to be used as a pre-treatment on floors being cleaned with an auto-scrubber or in a mop and finse system.
- + HydraSoly is also an excellent cleaner for hand surfaces that have boon exposed to fire and smoke as it effectively removes sext.

As a use moureup transparent for the and count forces

Fro sect all cleaning coalitions in an inconspicuous arm for construction grow to application. for lacroscopt officiency, aggly Hydrofish with experture sprayer to lake deboration of scanner processor and from created by your high professioners properly contribute or has because Yvia

AUTO AREA OF THE PROPERTY PROTECTION OF A MARKETS OF EARLING PROCESSES APPLY TO waters of subdiant with one gallon of water). For investmence cleaning, ma HydraSoly 1 part

substant to TR ST posts water. For wandant election sproper, elle one dwart were with to a After solution to dised 2-5 minutes. Extra againstment brothers compatiting with the entitigened

- well be feetal.
- Electric the substance stilling the RX-20 Rossy Discourse Tool with hard surface stillar transfer the RXTGH Rosey Hert Saltice Set, or my high preniare word compatible with land
- It For looke thying consider the use of an usual contribution is shown built or record after choosing



Assists at: 1 Gallon, Case of 4 x 1 Gallon Port # 950-165

HASSLE-FREE

000

www.hydramaster.com | 800.428.1301 | 425.775.7272 sales@hydramaster.com

















Get results with HydraSolv

www.nydromatter.com (900 438 1981) 425.775.7272

0000




HydraBoost CT



gal 15.0-12.0 1.32-64 Commin Feedad Coccess Debets Perceive & Dobry 100 a Street France

High-Powered Concrete and Tile Cleaner and Degreaser/Booster Additive

Hydrodioost CT is a powdered, high-powered concrete and tile and grout cleaner and degreaser designed to sofely and effectively dissolve, broak down, dislodge, and smurally even the granises sols. HydraBoost CT safely and effectively elimintes even the grimlest soils sfrom concrete, finished concrete, and ceramic, porcelain, and quarry tile floors and surfaces.



- HydraSocia: CT will mork with virtually any brush againtion system, automobic floor scrubber, or even a mop and bucket cleaning system.
- The oxygeneted deaning power also makes it an ideal boosting agent for trashed and neglected cagest that has been exposed to high levels of oxygeneted oils and grosse. Simply add a couple of curces to your friends traffic aims disunsignmentationer.

Directors as a pro-inservers/progray for 80 and great filters

- Among ments were wirely consequently in Section 2. The product is in the product in the product
- 1. Equip vision substant with spacing monely and internally account station in the shared. We can also as a particular spacing station or a feature processor appropriate professional country can apply make small stationary with a station processor and substant spaced country or a stationary or a stationary and substant spaced country and substantial spaced country or an application and substantial spaced country or an appropriate professionary or space or other.
- Many to 1. 10 minutes of Meet time. For concrete, if Many time them steply about et along 10 minutes of dwell time as declarate time. Here is much time the decision power power.

 The family woulds, against and assess of dwelling addition using water or find water, and a rowry.
- 6. The faunt records a righter, well extend observing solution using water or find nature and a record appropriate particular from the play oppose or expectably unreliable surfaces. It was a food nations observed quality and to design while faunt and the play of the
- Available in 6.5 Payand Jar, Case of 4 x 6.5 Pound Jar.

 Fuel # IEG-782.





HASSLE-FREE

000

www.hydramaster.com | 800.426.1301 | 425.775.7272 safes@hydramaster.com















and Judatois sigilaries explosed by high levers of presser and sill continuoustion. If does no

effect for one of hard obtained a scients of eneral series, money for series science

their and readus hat The originated channy power of hydroflood CT and makes it as

deal boundary agent for treatment and supported carpor that has been exposed to high levels.

JivdraMaster

of payament of and crease Simply and a couple of purpose of hydralises III to your

favorte traffic and deanargreened toker for the ultimate in cleaning power

Try HydraBoost CT from

www.hydramaster.com | 800.426.1301 | 425.775.7272

Marakharin



Heavy Duty Powdered Pre-soray For Extremely Soiled Carpeting and Tile

Some floors are simply so dirty and heavily soiled you just have to throw the works at them. That is what MAXXTREME is all about. By using the cleaning power of alkalinity and combining state of the art law fooming surfactants and grease busting servents, it binds, emulcifies, dissolves, breaks downand melts away the grimlest of sails.

MAXXTREME Prespray is your FIRST CHOICE for LAST RESORT Cleaning for synthetic carpet and ceramic or porcelain tile.

It isn't just for restorative cleaning, it's for resurrection cleaning.



You know the jobs I am talking about

- · People who could easily star on the television show hourders
- . The guys and gals who rebuild their motorcycle engines... in their living room, because it is too cold outside.
- . That restaurant that has apparently never heard of using a degreaser
- . Folks who don't take very good care of their floors and expect you to perform a miracle

Why a pander?

- More cleaning power packed inside.
- You aren't paying to ship water
- · Mixed according to directions, MAXXTREME will cost you only around 70 cents per mixed gation

It has a ready to use pH of 11.5-12, comes packed in a case of 4 four - 6.54 jars, and is available from your local HydraMaster distributor. You might even be able to pick up a free sample at an upcoming event to try it out!











Heavy Duty Powdered Pre-spray For Extremely Solled Carpeting and Tile

Some floors are simply as have to throw the works of them. That is what MAXXTREME is all about. By using the cleaning power of steaking and combining state of the art ow fooming suffections and grade builting solverts, it bind emusifies, dissolves, bradia down and melts away the grimmest of pails.

MAXXTREME Prinspray IN YOUR FREST CHOICE **SOF LAST RESORT** Cleaning for synthetic corpet and seramic of porcelain tite.

t isn't just for restorative cleaning, it's for resurrection cleaning









HASSLE-FREE



Q.C.T. S OxyBreak




Peroxide Activated Quarry & Ceramic Tile and Concrete Cleaner and Brightener

OCT with DayBreak is a syrrogistic combination of epocially surfactoris. Rydrogen perceils, and D-Lincenso Part quickly cleans and brightens the granted concrets, quarry the, and contrast tie and great from, finiterin, and walks.

C.T. OxyBrea

QCT with OxyBreak'" will work effectively with hard surface attachments, as well as rotary and stationary hard surface cleaning wands.



- OCT with CkySteak** brightens grout without attacking and dominer/stong. It also self neutralizes so you don't need to worry about neutralizing the grout lines after cleaning them.
- It works effectively with hard surface attachments for the RX-20 Retary Extractor, as well as retary and stationary hard surface cleaning wands.

Director

Plante social for full label distillars before country

Many period of cleaning solutions in oil incompanies who for culturation or plan to application.

- 2. The notified visiting, we 12 outcop 10 qualf of nutrition with a policy of visiting in the source 11-4, total a professional garge applicable for heavy orders, frost outcomes their partial of source within pattern of visiting many or tow applicable partial partial registrate for application from a policy in visiting and partial registrate surregistrate partial registrate surregistrate partial registrate surregistrate partial registrate part
- 1. Apply the observation overly in an entirepting pattern actions the surface to be consect. You can see apply vened states with a damp on any expert or that protections opposition may be provided by the protection opposition and surface obtaining, though your may water other to make used the first oil to get malapooles. If all the substate is batch to 2-10 minutes, Applied on the your force than it is more than a surface of the continuous of the protection of the protection.
- 3. For law closests, and highering much, option and once in the angular and an angular oversal in obey presents book in type spore, or an annual authorization with lover good, and interces your necker-closests, yeard or seeply may plan retreated these forces the anotherization of the company of the company of the company of the company of the company.
 3. For later type, reporting in terms and annual contraction, provide the company of the company.
- to fire latter dryers, expectedly or framed environments, injection the said of our case, contributed, as street dryers after charges;
- filtres ignayed used for outside application with water throughly after each use.



Avoilable in: 1 Gallan Casy of 4 x 1 Gallan that # 900-150

> www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



HASSLE-FREE














HydraStone




Heavy Duty Stone and Tile Cleaning Solution

HydraStone Heavy Duty Stone, Tile and Grout Cleaning solution is specially formulated for the heavy duty cleaning of natural stone Roors and surfaces, as well as like and grout Soors and walls

HydraStone





· HydruStone is designed to be applied as a presprity/pretreatment spray to loosen, dissolve, break down and emulsify built up solling. and to assist in stain removal. It is the ideal stone and tile deemer for stone and tile surfaces that have been affected by smoke and soot. clamage following a fire or furnace pulf-back.

or rough the full little of the course budges charmed.

Swing or valuery floor prior to deep cleaning to namely perforten with the seminated

For named solvey, Mr. I past HydraStone with 10 parts water into apolytic ID common of

- conserving above of waters. For Impacy scaling, rate 1 part Hydra Stone with 8 parts scalar 18 surfaces, that I part Hydradianne with 12 parts water chief of solutional pation of water
- Allow several president of desertions but to not allow selection to day
- Gathar Blank Plany Recel to the agreemed with a great farests.
- For face mount, openin and current stocking measure using high previous warm or feet work from a 1922 with a hard surface attachment, hard surface string agreement and or high provides hard fartists years. Your portable or Trackmoursed sistnesse should research a measure of 800 year and a recomment of 1250 year. For more ventrion surfaces, consider completed soften word or many may with chair water and work.

 For finding drying, expectedly in hundrenesses, somethir the second or anial, continued or
- description of recover other coloning.
- 8. After the floor has drived, storoider the most for application of Hydrofical transport the surface.



Available in 5 Gallon Case of 4 x 3 Gallon 000

HASSLE-FREE

Part # 960-777

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com
















HydraVitalize

Acid Stone, Tile and Grout Revitalizing & Renewing Cleaning Solution

Hydral/Railze is used to rensw and rettors stone, the and great that has not responded effectively to other types of steaming or that has been exceed to a build-up of hard eater scans riescosès, grout hope, soas soum, patturine deposits, nust and efforcecance. The acid cleaning action revelopes and whoeve the appearance of carenic, perceion and query life, as well as provid practic, whate and perdutures.

HydraVItalize

HydraVitalize breaks down and removes scale and soap scum, removes the white haze caused by efflorescence and removes the oxidized and imbedded soil from porous grout.



- If uses a safer and mider proprietary acid than conventional acids so d. emits fewer vapors and requires fewer precautions.
- . This acid-based cleaner will etch or damage most marble, limistorie and travertine surfaces, so only use on recommended surfaces and always pre-test in an inconspicuous men first.

Read edite little before avery. One only so thereint, Relive Chartery, save of surfaces are some And Charmey of the and group. Which discuss with any tolknow, take special procedures to

- proved spheres or spits in the model surfaces, participally sharters short application. Agaly Hydrorthistas: For normal walking rox 1 part schalor with fee parts water. For heavy
- soling nex 1 part cousins with 1 part water. For rearing resistances is, nex 1 part cousine Apply solution generalizing to Rose with sprayer or muc-
- Cartain Brein, Fassy execut to the supposed by this grown brush.
- For best results, agiliate and outsid literating nations using high precious were to fail water from a 10020 with in hard surface, attachment, hard surface instacy extraction fool or high pressure Food surface yound. Your portable or Truckmang sed extractor should murrate a minimum of 2000 you seek a requirem of 1200 you. For more correlate surfaces, consider uning a faint building wood or singly responts close water and rinne. Specially level hatel hard surface pressure charmy instrint will be very helpful of an elearning countertupe, walls. stong octors, and in hight places
- For grout, it is important to lead robbe the clearing solution residue. Mulicire port high of some on MydroScAv WAR 22 aurts regard and apply for group. After special introduced black term and
- 6. For factor driving, expecually in humal environments, consider the one of an oxisis contribute.
- or downtraft or mover after cleaning
- for application of HelitaSeal in group nations to present the group



606

HASSLE-FREE

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramaster.com



dvalable in 1 Gallon: Case of 4 x 1 Gallon

Product cannot ship via air fruight













HydraSeal



Premium Stone, Concrete, and Grout Water Based Sealer

HydroSeal Fremium Stone, Concrete, and Grout Water based Sealer preserves and grateats the Investment in fine floors and surfaces by providing advanced penetrating bonded protection at the molecular level.



fivolizable in 1 Gallon, Case of 4 x 1 Gallon. Part # \$50-767

600

Penetrates deep into porous surfaces and protects against water and oil based spills and stains, chemical degradation, biological growth, and efflorescence, while preserving the natural look of the surface, and not effecting slip resistance.

- HydraSeal can be used as an interior or exerior treatment.
- · HydraSnal is the ideal product when applying a clear sealer to great since it can be sorared or sponged onto grout lines and solveneed or mappind off non-porous coramic and percelain tile, and stone: decreasing the application time.
- . Hydra/Seal preserves the natural look of the surface, and does not effect sign resistance during claiming

Oranguay. House present total follows coming. One cody as discussed, Web car we make the completes per Number of precounts were Defend analysing model, suption must be place.

- Berlander for porchase, ground commis, and other rangonium man mode from upply singles to the groundings only
- HuttaSed Promise Storic Occurse and Grout Seater & ready to one and should be applied unarge. Study thursagily better application. Coolings should be between 500 to 1,000 to, it gas gallen approximate on the preventy of the hardway and the commander. implied by not only or ordine confuces
- Scular may be applied to damp bahasin, approximately one time after maint has been removed him change procedure. They dryer for great the best of a procedure.
- Apply name with great the applicator. Squeegee excess critic great and eight up nevarinter. off of rain parces size. If a white hape develops on title, it all off with white painting part and a 175 rpm many floor machine.
- For water their agriculture (move or execute), agrey on much their agreed with a bount with hypothesis: Bloom, A preferred population method is to Bloomby apply an even cost comparisons part part inter-ordered. Allow scales to governate the surface for 15, 30 rais and During this films: (Britilitate social) over entire area to amuse even penchason. Homosc emany such its veging embs surface tho suggly with clear, dry trouts. A Second cost easy to necessary when I have interesting of billing on nowly account group concerns. or More and see if it streams into ablody readly. Here is second cost

www.hydramaster.com | 800.426.1301 | 425.775.7272 sales@hydramoster.com



















2020 Sales and Product Training Thank you for the opportunity!









