

## Dell<sup>™</sup> 7130cdn colour laser printer



# Bring brilliant, professional quality, A3 colour printing in-house with the Dell 7130cdn colour printer

#### Professional colour printing - power performance

The Dell 7130cdn Colour Printer can produce brilliant colour prints at an impressive 35 A4 or 20 A3 pages per minute (ppm) in both mono and colour. The 7130cdn delivers crisp text quality and brilliant colour printouts with true 1200 x 1200 dpi print resolution and PANTONE<sup>®</sup> certified colours. Dell's innovative image and colour enhancement tool provides easy yet professional manipulation of colour saturation.

#### **Exceptional long-term value**

You can save time and money by printing in-house with the Dell 7130cdn. The Dell 7130cdn is equipped with a 1 GHz high-performance processor and 512 MB RAM. First Print Out Time (FPOT) is as fast as 6.5 seconds in both mono and colour. True black mode printing allows you to minimise unnecessary depletion of the colour drum. And you can manage your printing costs even more with ColourTrack, which lets you control user access to colour printing.

#### **Diverse printing options**

The 7130cdn comes standard with duplexer for two-sided printing and has numerous printing options ideal for printing brochures, newsletters, and reports. Printing features include heavy media handling up to 250 gsm cover stock from the multi-purpose drawer, RAM collation, scaling, watermarks, cover pages, separation pages, N-Up printing, and much more. An additional 500 sheet paper drawer and 1500 sheet high-capacity feeder drawer are available, enabling less frequent paper refi lls and easy access to different types of media. An optional wheeled stand provides storage for a complete set of toner cartridges.

#### **Outstanding reliability**

Experience peace of mind with the Dell 7130cdn, which is designed to handle the most difficult print jobs with ease. The robust maximum monthly duty cycle of up to 150 000 pages per month, high-capacity black and colour toner cartridges that help reduce the need for user intervention, and the standard 12 months Next-Business-Day On-Site Service After Remote Diagnosis<sup>5</sup> are just some of the features that make this printer a reliable partner for virtually all your printing jobs.



## Product benefits

#### Outstanding colour printing

The Dell 7130cdn colour printer with ColourbyDell produces brilliant, professional-colour print quality. The Dell 7130cdn delivers exceptionally sharp and crisp text and printout colours are PANTONE® certified for accurate, professional-quality colour reproduction. A sophisticated new LED-based print engine design and new toner formulation delivers higher gloss finish on coated paper and more saturated colour reproduction.

#### An impressive performer in colour or monochrome

Dell's fi rst A3 colour printer lets you print at speeds of up to 35 A4 or 20 A3 pages per minute (ppm) in colour or mono at a true resolution of 1200  $\times$  1200 dpi.

#### Expandable printing options

The 7130cdn is built to expand with your business. Create professional collaterals in-house with diverse printing options such as duplex printing, A3 booklet printing and collation, and the ability to handle heavy paper (250 gsm cover). You can add optional paper drawers, memory, hard drive, and a printer stand with castors to store supplies.

#### Low total cost of printing

The Dell 7130cdn's consumables help keep costs in check. Highcapacity black and colour toner cartridges deliver a low printing cost per page. A built-in duplexer means you can print on both sides, which together with an in-driver print mode allows you to print multiple pages on one sheet of paper, reducing your paper costs.

#### Solid warranty and exceptional service

Should something go wrong, Dell's standard 12 months Basic Next Business Day On-Site Service After Remote Diagnosis<sup>5</sup> can help get your 7130cdn up and running again promptly. Protect your investment even longer with an optional hardware warranty extension for up to four additional years.

#### Environmentally conscious design

Help safeguard the planet while protecting your bottom line with the Dell 7130cdn. Duplex printing reduces unnecessary paper usage. The Dell 7130cdn is Energy Star<sup>®</sup> qualified. According to the US Environmental Protection Agency, Energy Star-qualified products are up to 25% more power efficient on average than conventional models.<sup>3</sup> The Dell 7130cdn has been designed to help reduce the use of materials and hazardous materials. Dell printer users can return toner cartridges to Dell for recycling at no additional cost. Dell also helps customers dispose of old printers and other computer equipment in an environmentally conscious manner. (Recycling options apply to certain western European countries only.)



Control panel view



Top view









Connectivity



Toner cartridges

#### Get the most out of your Dell printer with genuine Dell options and supplies

Toner cartridges <sup>1</sup>	Dell 7130cdn black toner cartridge standard and high capacity: approximately 19,000 pages; Dell 7130cdn cyan toner cartridge standard: approximately 11,000 pages;or high capacity: approximately 20,000 pages Dell 7130cdn magenta toner cartridge standard: approximately 11,000 pages;or high capacity: approximately 20,000 pages Dell 7130cdn yellow toner cartridge standard: approximately 11,000 pages;or high capacity: approximately 20,000 pages Toner yield testing in accordance with ISO 19798 testing methodology. Actual yields will vary with usage and environmental conditions.
Additional paper drawer	An additional 500 sheet paper drawer and 1500 sheet high-capacity feeder drawer are available for this printer, enabling less frequent paper refills or easy access to different types of media
Additional memory	Up to 2 GB via 2 x 144-pin DDR2 SO-DIMM slot is available that can help speed the processing of large complex print files
Local disk	A 80 GB Hard Disk is available, which will help support stored, delayed, secure and proof printing, print spooling, and print collating
Connectivity	Dell 1,8m Ethernet cable or Dell 3m USB cable
Service and support	12 months Next, Next Business Day On-Site Service After Remote Diagnosis <sup>5</sup> options, extendable up to four additional years
Printer Stand	An optional wheeled stand provides storage for a complete set of toner cartridges

## Dell 7130cdn colour laser printer

Brilliant, professional quality, A3 colour printer that can print on multiple types of media in a variety of formats. **Product description Printer specifications** Networked A3 colour printer Туре Print speed<sup>2</sup> Simplex, 1200 x 600 dpi Up to 35 A4 pages per minute (ppm) or 20 A3 ppm, in colour or monochrome (Actual print speed will vary with use.) Duplex, 1200 x 600 dpi Up to 28 duplex A4 pages per minute (ppm) or 13 duplex A3 ppm, in colour or monochrome (Actual print speed will vary with use.) From power on to ready state on LCD: Average 70 sec Warm-up Time First Page Out From ready state (Simplex Letter, 1200 x 600 dpi): as fast as 6.5 sec in colour or mono (Actual print speed will vary with use) Resolution Standard - 1200 x 600 dpi (default); Enhanced - 1200 x 1200 dpi; Photo - 1200 x 1200 dpi 128 x 64 graphics backlit LCD text , 6-button cluster, 1 LED: Status (green, yellow, and red) User Interface Adobe® PostScript® 3<sup>™</sup>; PCL® 5c; PDF direct v1.4 Data Streams Processor speed 1GHz Memory, standard/maximum Read-only Memory (ROM) Standard memory 512 MB RAM; can be expanded to 2 GB maximum using optional 2 x 1 GB 144 pin DDR2 SO-DIMM slots Run on HDD (programs, fonts) Usage Rate Input Sources Maximum Usage Rate (Duty Cycle): Up to 150 000 pages per month Standard: 100 sheet multipurpose tray, 500 sheet Build-in drawer; Maximum: 2100 sheets (standard 100 sheet multipurpose tray + standard 500 sheet drawer, plus optional 1500 sheet paper feeder unit) Available input options 500 sheet feeder and 1500 sheet feeder Output Destinations 400 sheet output bin Media Types For 100 sheet Multipurpose tray/500 sheet standard drawer: Plain paper (Light, Normal, Thick), Glossy Paper (Light, Normal, Thick), Transparency, Coloured Paper, Letterhead, Labels, Card Stock (Light, Normal, Thick, Extra Thick), Envelope, Preprinted, Prepunched, Recycle Paper, Special Paper sizes Preset paper size: A3, A4, A5, A6, B4 JIS, B5 JIS, B5 ISO, US Letter, US Legal, Executive, Statement, US Folio, Tabloid Extra, 100-sheet Multipurpose Drawer Envelope (89 x 102 mm to 300 x 1240 mm); Custom size: 89 mm x 99 mm to 320 mm x 1200 mm; Supported weights: 70 to 280 gsm Preset paper sizes: A3 (SEF), A4 (LEF/SEF), A5 (SEF), B4 JIS (SEF), B5 JIS (LEF/SEF), Tabloid (SEF), US Letter (LEF/SEF), 500 sheet Standard Tray Executive (LEF/SEF), Statement (SEF), US Folio (SEF), US Legal (SEF); Custom paper size: 140 mm x 182 mm to 297 mm x 432 mm; Supported Weight: 70 to 250 gsm Optional 500/ 1500 sheet Drawer Preset paper sizes: A3 (SEF), A4 (LEF/SEF), A5 (SEF), B4 JIS (SEF), B5 JIS (LEF/SEF), Tabloid (SEF), Letter (LEF/SEF), Executive (LEF/SEF), Statement (SEF), US Folio (SEF), US Legal (SEF), 12 x 18 (SEF), 13 x 18 (SEF); Custom paper sizes: 140 mm x 182 mm to 330 mm x 457 mm Supported weights: 70 gsm to 250 gsm Supported paper weights: 70 gsm to 220 gsm; Supported paper sizes: 128 mm x 139 mm to 322 mm x 457 mm Duplexer borklat or Landscape orientation, Copy Count (multiple copies), duplex printing, multi-page printing (N-up), Collate, booklet printing, Mirror Image, Scaling, Watermarks, Colour Adjustments, Image orientations, Covers, Page re-order Page Layout Options 305 mm x 1192 mm Maximum printable area Connectivity USB 2.0 High speed supported (Type-B connector), Gigabit Ethernet Adobe® PostScript® 3™: 139 fonts; PCL® 5c: 81 fonts, PDF direct v1.4 Interfaces Languages and fonts Windows<sup>®</sup> 2000 32 Bit: (Professional, Server, Advanced Server, Terminal Server, Citrix 2000 Server, Windows<sup>®</sup> 2000 Advanced Server Cluster) Windows<sup>®</sup> XP SP2 Server 2003 32 Bit (Home XP2, Professional SP2, Windows<sup>®</sup> Server 2003, Terminal Server, Citrix XP Server, Windows Server<sup>®</sup> 2003 Cluster), Windows Vista<sup>®</sup> 32/64 bit (Vista Home Basic, Vista Home Premium, Vista Business, Vista Ultimate), XP/Server 2003 64 Bit for AMD & Intel<sup>®</sup> XP0 SP2, Windows<sup>®</sup> XP Definition of CH Bit Server, Windows Charge 2007 CL Bit Server, 2007 Server, Windows<sup>®</sup> XP SP2, Windows<sup>®</sup> XP SP2, Windows<sup>®</sup> XP Client operating systems Professional 64-Bit Edition, Windows Server® 2003 64 Bit Edition), Windows® XP SP3, Windows® 7 (Feb. 2010) on CD and Web Packages Windows® 2000 SP2-4, Windows Server® 2003 SP1, Windows Server® 2003 x 32/x64, Windows Server® 2008 x32/x64, UNIX® (Solaris™ 9, 10, HP-UX 11.0, 11i, IBM AIX 5), Linux® (Red Hat® Enterprise, Fedora Core 1-7, SUSE(Novell), NetWare Novell 5.x/6.x Bindery PServer, NDX Server Model, NDPS Printer through Queue mode, NDPS Printer through LPR mode Network operating systems Not available Wireless options TCP/IP, IPv4, and IPv6, LPR/LPD, Port9100, FTP/TFTP, IPP, WSD, HTTP, HTTPS, SSL, NBNS(WINS), SMTP, DNS, SLP, SSDP, Transport/Network protocols SNMP v1/v2c/v3, DHCP, BOOTP, AutoIP, Apple Talk, Ether Talk Physical specifications Temperature 10°C to 32°C; Relative Humidity: 10% to 85%; Altitude: 2,500 m or less above mean sea level Operating environment Storage Temperature Temperature -20°C to 48°C; Relative Humidity: 10% to 85%, non-condensing; Altitude: 6,000 m or less above mean sea level Acoustics<sup>6</sup> Printing (Simplex Mode) Sound Pressure, Bystander position (LpAm): 26 dBA Average Sound Pressure at 1 m, declared: 52 dBA Average Sound Power (LWAm), declared: 6.8 Bels Standby Mode Power Specifications Average Sound Power (LWAm), declared: 5.1 Bels 220 to 240 v AC 50  $\pm$  3 Hz nominal Power Consumption Continuous printing: 670 W; Standby mode: 94 W; Power Saver mode: 11 W; Off : 0.4 watts3 (Energy Star® compliant) Current: 6 amps or less at 230 v AC Typical Energy Consumption<sup>7</sup> 5.15kWh per week Power Save 30 min Printer management Dell Printer Configuration Web Tool; Dell ColourTrackPrinter Standard MIB

## Dell 7130cdn colour laser printer

<b>Consumables</b> <sup>1</sup> Ship-With Capacity Standard Capacity High Capacity Imaging drum Waste toner container	19,000 page capacity (black); 11,000 page capacity (cyan, magenta and yellow) 19,000 page capacity (black); 11,000 page capacity (cyan, magenta and yellow) 20,000 page capacity (cyan, magenta and yellow) for approximately 80,000 pages for approximately 20,000 pages
<b>Printer specifications</b> Shipping Dimensions (W x D x H) Printer Dimensions (W x D x H)	783 mm x 768 mm x 650 mm; Shipping Weight: 84 kg 640 mm x 665 mm x 399 mm; Printer Weight: 66 kg
<b>Product certifications</b> Safety certifications Other certifications and compliances	CE; cCSAus; IEC 60950-1; GS-Mark; EMC certifi cations: EN 55022; EN 55024; EN61000-3-2 and IEC 61000-3-3, FCC Part 15/Class A ; Energy Star® Qualified Ver 1.1, Adobe® PostScript®, Microsoft® WHQL, PANTONE® Color Approved, RoHS4, Mac OS compatible (Bonjour), IPv6 Ready, Citrix Ready, SAP™ Support (March 2010)
Supported languages Printer Documentation, Printer Embedded Web Server, Printer Operator Panel and Printer software	English, French, Italian, German, Spanish This printer is currently available only in the following countries as of November 2009: France, Germany, Ireland and United Kingdom
<b>Specifications for 500 sheet Paper</b> Capacity Sensing Dimensions (W x D x H)	<b>Drawer Option</b> 500 sheets Paper empty, Paper type, Paper size 559 mm x 665 mm x 133 mm; Weight: 13 kg
Specifications for paper drawer op Capacity Sensing Dimensions (W x D x H) Specifications for Hard Disk Option Capacity Standard Service Service Options Toner Recycling Contents in Box	1500 sheets Paper empty, Paper type, Paper size 559 mm x 665 mm x 371 mm; Weight: 33 kg
	3 testing methodology. Yields vary with usage and environmental conditions. ispectively) simplex (single-sided) page using default print mode (1200 dpi). Actual print speed may vary depending upon system configuration, nplexity

2 Print speed quoted refers to A4 or A5 (respectively) simplex (single-sided) page using default print mode (1200 qpi). Actual print speed may vary depending upon system configuration, software application and document complexity
3 For details on energy efficiency of Energy Star qualifi ed products, refer to: http://www.energystar.gov
4 Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances (RoHS) dated 27 January 2003.
5 Service may be provided by third party. Technician will be dispatched if necessary following phone-based troubleshooting. Subject to parts availability, geographical restrictions and terms of service contract. Service timing dependent upon time of day call placed to Dell. Defective unit must be returned. Replacements may be refurbished.
6 Tested in accordance with ISO 7779 and reported in accordance with ISO 9296, Acoustics - Declared noise emission values of computer and business equipment.
7 The Typical Energy Consumption value is derived from printer energy consumption specifi cations combined with typical business printing usage for this model. The midpoint of the Typical Monthly Print Volume is assumed to be printed at 30 minute intervals across a 10 hour business day (0800-1800). 5 days per week. A mixture of 50% mono: colour is assumed. The printer enters standby mode when the print job is complete, and enters sleep mode after the default period. The printer is assumed to remain in sleep mode at all other times including two weekend days. Energy consumption will be further reduced if the printer is powered down when not in use for long periods. Actual energy consumption will vary according to print volume and usage patterns. according to print volume and usage patterns.

©2009 Dell Corporation Limited. Dell, the Dell logo and Dell Toner Management System are registered trademarks or trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Microsoft, Windows and Windows NT are registered trademarks or trademarks of Microsoft Corporation. Dell Products, Dell House, The Boulevard, Cain Road, Bracknell, Berkshire, RG12 1LF, UK.