

Dell professional laser printers

Hit *print* and save with Dell





Consider what happens when you hit *print*. On the surface, it seems like an insignificant action at a low cost. But, when you consider that every employee in your organization is hitting *print* multiple times a day over the course of a fiscal year, you realize that this one tiny action can represent a significant cost to your organization — a potentially "unmanaged" cost that, when managed proactively, is one of the top 20 ways to cut IT expenses, according to Gartner.¹

You can partner with Dell to reduce your printing costs over time. Dell's printer and multifunction device lineup is engineered to reduce your total cost of print by providing increased product reliability plus extensive warranty and maintenance coverage.

Reduce costs, increase output, and maximize uptime

When you hit *print*, you can be sure that Dell is helping you control operational costs. Dell reduces your costs to procure and manage printers, offers you reliable products, increases your total printer output, and backs its printers with one of the best standard warranties in the business.

Save up to 30% over HP on your total cost of printing with Dell printers²

Dell engineers its line of professional printers to help organizations of all sizes proactively save up to 30% of their total cost of printing — a combination of printer acquisition cost, consumables cost, and service cost over a three-year period — compared to HP.

Comparison Table	Dell 5330dn Laser Printer	HP LaserJet 4015dn	Savings
Acquisition Price	\$1,099	\$1,479	26%
Consumables Cost (3 Years)	\$824	\$912	10%
Service Cost	3 Years of Dell Next Business Day On-Site Service after Remote Diagnosis ² \$0	HP 3-Year Next-Business- Day On-Site Service \$349	100%
Total Cost of Printing	\$1,923	\$2,740	30%

With savings like these, you can invest more into IT

For instance, if your organization purchased 100 Dell 5330dn laser printers (instead of 100 units of the comparable HP Laserjet 4015dn), you could save up to \$81,000 over three years — enough **to purchase 84 Dell Latitude E6410 notebooks** (\$960 ea).³

BLI BUYERS LAB 2010 PICK 1980e Old Law Pinter



Key Dell printers have received honors for reliability, high quality, exceptional performance and real value⁵

Get up to 11% more printer output capacity per month over HP

Dell engineers its workgroup and enterprise network printers to handle up to 11% more output per month, as measured in maximum monthly duty cycle, than comparable HP printers.⁴ That means you get more printouts per month from your frequently-used printers compared to HP. Users can print more and you can network more users to a single printer to get the most out of Dell's extra print output capacity.

Not only can you get more from your Dell printers, you can also feel confident that Dell printers are reliable. In fact, several Dell printers have been recognized for their outstanding quality and reliability by Buyer's Laboratory Inc.⁵, and several models have also been awarded "best in class" in the 2009 and 2010 *Better Buys for Business Editor's Choice Awards*.

Dell's here to help maximize your printer uptime and minimize maintenance

- Dell covers ongoing maintenance & parts with our standard warranty

 Dell is so confident in the reliability of its printers that we cover the ongoing maintenance during the warranty period a benefit few other vendors offer today. That means that you won't have unexpected maintenance costs since all components are covered. For example: if the fuser kit breaks (up to a \$300 cost), Dell will replace it at no charge under our standard warranty.
- Dell printers and supplies are available in more places
 Dell now offers printers and toner through distributors, resellers, and retailers so you can get supplies when and where you need them.

Let Dell help you manage your printing costs proactively with:

- Lower initial printer procurement costs
- · Lower operational costs over time
- Award-winning, reliable products
- · Improved printer output capacity, and
- One of the best standard warranties in the business
- $1. \ \ Neal\ Weinberg, \textit{Network World}, October\ 15,\ 2008\ 05:03\ PM\ EST; \ http://www.networkworld.com/news/2008/101508-gartner.html$
- 2. HP P4015dn is \$1479 www.hp.com as of 10/8/10; Dell 5330dn is \$1099 www.dell.com as of 10/8/10
- 3. Starting price on the Dell E6410 at \$960 www.dell.com as of 10/8/10
- 4. Based on maximum duty cycle comparisons and pricing on new Dell line vs. comparable HP product, using Dell workgroup (5000 series) and enterprise workgroup (7000 series) laser printers and comparable HP laser printers. Maximum monthly duty cycle is the recommended maximum total number of pages per month the printer can print. Dell does not guarantee performance if printer exceeds maximum duty cycle in specified time period.
- 5. BLI awarded the Dell 5130cdn color laser printer "Pick of the Year 2010" for "Outstanding Legal-Size Departmental Color Printer" and the Dell 3333dn and Dell 3335dn multifunction laser printers "Pick of the Year 2010" for "Outstanding Small Workgroup Monochrome Multifunction Printer." Better Buys for Business awarded several Dell laser printers its Editors Choice Award for 2009 and 2010 for their market-leading speed, value, and power.

Environmentally efficient

Several of Dell's latest LED printers use EA-Eco toner, including the 1250c, 1350cnw, 1355cn and 1355cnw. And in 2009, Dell introduced the 5130cdn, Dell's first laser printer with EA-Eco toner. The Dell 5130cdn is one of the fastest A4 color laser printer in the world and can consume up to 32% less power with the new EA-Eco Toner during printing compared to the HP CLJ4700n/dn while still producing rich, glossy printouts. Furthermore, it comes with a standard duplexer that can achieve 80% duplex speed efficiency. The result: you can reduce energy consumption and paper usage without sacrificing print quality, speed, and workflow.

	Color printers	
Dell™ 7130cdn color printer	Dell™ 5130cdn color laser printer	Dell™ 3130cn Duplex color laser printer
High-speed, professional-quality color printing for high-volume workgroups at a low total cost of printing Recommended for medium to large networked workgroups	High-speed, professional-quality color printing for high-volume workgroups at a low total cost of printing Recommended for medium to large networked workgroups	High-speed, true-to-life color and monochrome laser printing Designed for large workgroups in a networked environment
Prints up to 35 ppm black and up to 35 ppm color	Prints up to 47 ppm black and up to 47 ppm color	Prints up to 31 ppm black and up to 26 ppm color
Up to 150,000 pages/month	Up to 110,000 pages/month	Up to 70,000 pages/month
Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	Up to 600 x 600 dpi
USB 2.0, Gigabit Ethernet	USB 2.0, Gigabit Ethernet, Wireless Port (for optional wireless), USB Host Port, Parallel Port	USB 2.0 High speed supported (Type-B connector); IEEE 1284 Parallel Port; Ethernet 10Base-T/100Base-TX

(actual print speed will vary with use)	Prints up to 35 ppm black and up to 35 ppm color	Prints up to 47 ppm black and up to 47 ppm color	Prints up to 31 ppm black and up to 26 ppm color
Maximum duty cycle	Up to 150,000 pages/month	Up to 110,000 pages/month	Up to 70,000 pages/month
Print resolution	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	Up to 600 x 600 dpi
Ports (cable not included)	USB 2.0, Gigabit Ethernet	USB 2.0, Gigabit Ethernet, Wireless Port (for optional wireless), USB Host Port, Parallel Port	USB 2.0 High speed supported (Type-B connector); IEEE 1284 Parallel Port; Ethernet 10Base-T/100Base-TX
Print languages	PCL® 5c, PDF direct v1.4, Adobe® PS® 3™	PCL® 5c/5e/6, PS 3	PCL® 6 Emulation (includes PCL 5e), Adobe® PostScript® 3™
Fonts	PCL® 5c: 81 fonts, Adobe® PS® 3™: 139 fonts	PCL 5c, 5e/6 Emulation: 81 fonts, Adobe® PS® 3™: 136 fonts	PCL® 5e/6 Emulation: 81 fonts; Adobe® PostScript® 3™: 136 fonts
Memory	512 MB standard, upgradable to 2 GB RAM Hard Drive Optional: 80 GB	256 MB standard, upgradable to 1280 MB RAM Hard Drive Optional: 80 GB	Standard: 256 MB Optional: Up to 1024 MB via one 200-pin DDR2 DIMM slot
Processor speed	1 GHz	800 MHz	400 MHz
Dimensions & weight (WxDxH)	25.2" x 26.2" x 15.7" 145.2 lbs.	22.1" x 20.0" x 17.0" 99 lbs.	15.8" × 19.8" × 18.5" 55.7 lbs.
Consumables: toner capacity (ship-with)	Up to 19,000 black, 11,000 color ¹⁰	Up to 9,000 black, 6,000 color ¹⁰	Up to 4,000 pages black, 3,000 pages color ¹⁰
Consumables: toner, high-yield	Up to 19,000 black, 20,000 each color ¹⁰	Up to 18,000 black, 12,000 each color ¹⁰	Up to 9,000 pages black and each color ¹⁰
Standard/max. paper input	Standard: 100-sheet multipurpose tray, 500-sheet paper tray/Max: 2,100 sheets via addition of optional 3 x 500-sheet feeder. Standard integrated two-sided printing unit.	Standard: 150-sheet multipurpose tray, 550-sheet paper tray/Max: 2,900 sheets via addition of optional 1x 1,100 + 2 x 550-sheet feeder. Standard integrated two-sided printing unit.	Standard: 150-sheet multipurpose tray +250-sheet drawer/Max: 950 sheets via addition of optional 550-sheet drawer
Paper-handling	500-sheet feeder printer stand and	550-sheet drawer, 1,100-sheet drawer with stand, Output Expander: 1,000-sheet	550-sheet drawer

Speed (Letter)

Fonts	PCL® 5c: 81 fonts, Adobe® PS® 3™: 139 fonts	PCL 5c, 5e/6 Emulation: 81 fonts, Adobe® PS® 3™: 136 fonts	PCL® 5e/6 Emulation: 81 fonts; Adobe® PostScript® 3™: 136 fonts
Memory	512 MB standard, upgradable to 2 GB RAM Hard Drive Optional: 80 GB	256 MB standard, upgradable to 1280 MB RAM Hard Drive Optional: 80 GB	Standard: 256 MB Optional: Up to 1024 MB via one 200-pin DDR2 DIMM slot
Processor speed	1 GHz	800 MHz	400 MHz
Dimensions & weight (WxDxH)	25.2" x 26.2" x 15.7" 145.2 lbs.	22.1" x 20.0" x 17.0" 99 lbs.	15.8" x 19.8" x 18.5" 55.7 lbs.
Consumables: toner capacity (ship-with)	Up to 19,000 black, 11,000 color ¹⁰	Up to 9,000 black, 6,000 color ¹⁰	Up to 4,000 pages black, 3,000 pages color ¹⁰
Consumables: toner, high-yield	Up to 19,000 black, 20,000 each color ¹⁰	Up to 18,000 black, 12,000 each color ¹⁰	Up to 9,000 pages black and each color ¹⁰
Standard/max. paper input	Standard: 100-sheet multipurpose tray, 500-sheet paper tray/Max: 2,100 sheets via addition of optional 3 x 500-sheet feeder. Standard integrated two-sided printing unit.	Standard: 150-sheet multipurpose tray, 550-sheet paper tray/Max: 2,900 sheets via addition of optional 1x 1,100 + 2 x 550-sheet feeder. Standard integrated two-sided printing unit.	Standard: 150-sheet multipurpose tray +250-sheet drawer/Max: 950 sheets via addition of optional 550-sheet drawer
Paper-handling options	500-sheet feeder printer stand and 1,500-sheet feeder	550-sheet drawer, 1,100-sheet drawer with stand, Output Expander: 1,000-sheet Staple, Stacker, Off set Output Expander (All in one Finisher)	550-sheet drawer
Other networking options	N/A	Dell 5130cdn External Wireless ¹¹ Adapter	Dell 2130cn/3130cn Wireless ¹¹ Printer Adapter
Standard service	1-Year Basic NBD On-Site Response Service After Remote Diagnosis ⁷	3-Year Basic NBD On-Site Response Service After Remote Diagnosis ⁷	1-Year Next Business Day On-Site Response Service After Remote Diagnosis ⁷

	Color printers	
Dell™ 2150cn and 2150cdn color laser printer	Dell™ 1350cnw color printer	Dell™ 1250c color printer
Automatic two-sided duplex printing can help save on printing costs Recommended for small businesses and workgroups	World's smallest letter-size color laser-class network printer** Recommended for SMBs and small workgroups	World's smallest letter-size color laser-class printer** Recommended for small and home offices, and small businesses
Prints up to 24 ppm black and color	Prints up to 15 ppm black and up to 12 ppm color	Prints up to 12 ppm black and up to 10 ppm color
Up to 40,000 pages/month	Up to 30,000 pages/month	Up to 30,000 pages/month
Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
USB 2.0 (high speed), Ethernet port 10/100/1000 BASE-T, Wireless port (For optional dongle)	USB 2.0 (high speed), 10/100 BASE-T Ethernet, WiFi	USB 2.0 (high speed)
PCL 5e, PCL 5C, PCL 6, XPS (host-based)	GDI	GDI
HP PCL® 6 Emulation: 80 scalable fonts	Host-based, Windows® fonts	Host-based, Windows® fonts
Standard: 256 MB DDR2-400MHz, 144-pin SO-DIMM; Slots: DDR2 SO-DIMM slot x 1	128 MB standard	64 MB standard
400 MHz	384 MHz	192 MHz
15.8" x 16" x 16.3" 44.1 lbs. with duplexer	15.5" x 11.8" x 8.9" 23.3 lbs.	15.5" x 11.8" x 8.9" 23.1 lbs.
In to 1200 pages black and each color ¹⁰	Up to 700 pages black and each color ¹⁰	l in to 700 pages black and each color ¹⁰

SO DII WI, SIOCS. DDNZ SO DII W SIOCX I		
400 MHz	384 MHz	192 MHz
15.8" x 16" x 16.3" 44.1 lbs. with duplexer	15.5" x 11.8" x 8.9" 23.3 lbs.	15.5" x 11.8" x 8.9" 23.1 lbs.
Up to 1,200 pages black and each color ¹⁰	Up to 700 pages black and each color ¹⁰	Up to 700 pages black and each color ¹⁰
Up to 3,000 pages black, 2,500 pages color ¹⁰	Up to 2,000 pages black, 1,400 pages color ¹⁰	Up to 2,000 pages black, 1,400 pages color ¹⁰
Standard: 250-sheet drawer + 1-sheet multi- purpose tray/Max: 501 sheets via addition of optional 250-sheet tray. Standard integrated two-sided printing unit in "cdn" version only.	Standard: 150-sheet drawer + 10-sheet bypass tray/Max: 160 sheets	Standard: 150-sheet drawer/Max: 150 sheets
250-sheet tray	N/A	N/A
Dell Wireless ¹¹ Card for 2150cn/cdn, 2155cn/cdn	N/A	N/A
1-Year NBD Advanced Exchange Service ⁸	1-Year NBD Advanced Exchange Service ⁸	1-Year NBD Advanced Exchange Service ⁸

	Dell™ 3115cn multifunction color laser printer	Dell™ 2155cn/cdn multifunction color laser printers	Dell™ 2145cn multifunction color laser printer	Dell™ 1355cn/cnw multi- function color printers
	High-performance multi- function color laser with network printing, scanning, and faxing; stand-alone copying Recommended for medi- um networked workgroups	 Professional-quality print, copy, fax and scan capabilities all in one convenient device Recommended for small and medium sized businesses and small workgroups 	 Professional-quality prints and copies with fast print speeds Recommended for small and medium businesses 	World's smallest 4-in-1 multifunction color laser-class network printer** Recommended for small and medium sized businesses and small workgroups
Speed (Letter) (actual print speed will vary with use)	Prints up to 31 ppm black/ 17 ppm color; copies up to 30 ppm black/17 ppm color	Prints up to 24 ppm black and color	Prints up to 21 ppm black and color	Prints up to 15 ppm black and up to 12 ppm color
Maximum duty cycle	Up to 60,000 pages/ month	Up to 40,000 pages/month	Up to 65,000 pages/ month	Up to 30,000 pages/ month
Print resolution	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi	Up to 600 x 600 dpi
Ports (cable not included)	USB 2.0, Parallel, Ethernet	Standard interfaces: USB 2.0 (high speed); Ethernet port 10/100/1000 BASE-T; Wireless port (For optional dongle); USB host port (USB 2.0 embedded host port for USB memory)	USB 2.0, Ethernet, USB 2.0 host port	USB 2.0 high speed supported, 10/100 BASE-T Ethernet, WiFi (1355cnwonly)
Print languages	PCL6, PCL5e, Adobe PS 3	PCL 5e, PCL 5C, PCL 6, XPS (host-based)	PS3, PCL5c, PCL6	GDI
Fonts	PCL5e/6 Emulation: 81 fonts; Adobe PS 3: 136 fonts	HP PCL® 6 Emulation: 80 scalable fonts	PCL5c/6 Emulation: 56 fonts; Adobe PS 3: 136 fonts	Host-based, Windows® fonts
Memory	128 MB for printing, 128 MB for copy/scan/fax, upgradable to 1152 MB (printing only)	Standard: 256 MB DDR2-400MHz, 144-pin SO-DIMM; Slots: DDR2 SO-DIMM slot x 1 Optional: 512 MB	128 MB standard, upgradable to 384 MB	128 MB standard
Processor speed	400 MHz	533 MHz	360 MHz	295 MHz
Dimensions & weight (WxDxH)	18.1" x 22.4" x 28.7" 79.4 lbs.	17.2" x 21.1" x 22.8" 66.1 lbs. with duplexer	18.4" x 19.6" x 25.6" 79.4 lbs. (including toner cartridge)	16.1" x 14.9" x 13.3" 34.1 lbs.
Consumables: toner capacity (ship-with)	Up to 5,000 pages black, 4,000 pages each color ¹⁰	Up to 1,200 pages black and each color ¹⁰	Up to 2,500 pages black, 2,000 pages each color ¹⁰	Up to 700 pages black, 700 pages each color ¹⁰
Consumables: toner, high-yield	Up to 8,000 pages each color ¹⁰	Up to 3,000 pages black, 2,500 pages each color; Dual pack: 3,000 pages x 2 units (black only)10	Up to 5,500 pages black, 5,000 each color ¹⁰	Up to 2,000 pages black, 1,400 pages each color ¹⁰
Standard/max. paper input	400 sheets/950 sheets (Max. one additional drawer)	Standard: 250-sheet drawer + 1-sheet multipurpose tray/Max: 501 sheets via addition of optional 250-sheet tray	Standard: 250 sheets + 100 sheets (multipurpose tray)/ Max: 850 sheets (with optional 500-sheet tray) 50-sheet DADF	Standard: 150-sheet drawer + 10-sheet bypass tray/Max: 160 sheets
Paper-handling options	550-sheet drawer, duplexer (for two-sided printing)	250-sheet tray	500-sheet drawer (up to 1 additional)	N/A
Other networking options	Dell Multi-Protocol Card with Wireless Printer ¹¹ Adapter 3310 USB	Dell Wireless ¹¹ Card for 2150cn/cdn, 2155cn/cdn	N/A	N/A
Standard service	1-Year Basic NBD On-Site Response Service After Remote Diagnosis ⁷	1-Year Basic NBD On-Site Response Service After Remote Diagnosis ⁷	1-Year Basic NBD On- Site Response Service After Remote Diagnosis ⁷	1-Year NBD Advanced Exchange Service ⁸

Color multifunction printers

		Monochrome laser printer	s
	Dell™ 7330dn laser printer	Dell™ 5530dn laser printer	Dell™ 5350dn laser printer
	11x17-wide-format that offers exceptionally low total cost of printing Recommended for large workgroup, high print volume environments	Dell's fastest single function monochrome laser printer delivers exceptional performance and value Recommended for mid to large networked workgroups	 Fast, high performance networked laser printer with wide variety of expandability options Recommended for large workgroups in an enterprise environment
Speed (letter) (actual print speed will vary with use)	Prints up to 50 ppm	Prints up to 55 ppm	Prints up to 50 ppm letter
Maximum duty cycle	Up to 300,000 pages/month	Up to 275,000 pages/month	Up to 225,000 pages/month
Print resolution	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi
Ports (cable not included)	USB 2.0, Parallel, Ethernet	Ethernet, USB 2.0, front host port, rear host port, one available internal solution port	Ethernet, USB 2.0 device port, 1 front full speed USB host port, 1 available internal solution port
Print languages	PS3, PCL6	PCL 5e, PCL 6, PPDS 4, PS 3, xHTML, PDF 1.6, DirectImage, XPS	PCL® 5e, PCL 6, HTML, PPDS 4, XPS and PS 3, PDF 1.6, DirectImage
Fonts	139 Scalable fonts PS, 85 Scalable fonts PCL	158 Scalable PS fonts, 84 Scalable PCD fonts	3 of 9 scalable PCL 5e fonts, 158 scalable PS fonts, 2 PCL bitmap fonts, 39 scalable PPDS fonts, 5 PPDS bitmap fonts, 84 scalable PCL fonts, OCR-A, OCR-B scalable PCL 5e fonts
Memory	256 MB standard, upgradable to 1280 MB	256 MB standard, upgradable to 1280 MB	128 MB standard, upgradable to 640 MB
Processor speed	500 MHz	600 MHz	500 MHz
Dimensions & weight (WxDxH)	25.12" x 20.67" x 19.6" 99.22 lbs.	17.2" x 16.7" x 20.1" 51.6 lbs.	16.8" x 16.7" x 20.1" 50.7 lbs.
Consumables: toner capacity (ship-with)	Up to 35,000 ⁹	Up to 10,000°	Up to 7,000 (Ship-with up to 10,000) ⁹
Consumables: toner, high-yield	Up to 35,000 ⁹	Up to 25,000 (high yield) Up to 36,000 (extra high yield) ⁹	Up to 21,000 (Extra high: up to 30,000)9
Standard/max. paper input	1,000-sheet + 100-sheet (multipurpose tray)/ 4,100-sheet (with optional 1,000-sheet & 2,000-sheet drawers)	550-sheet + 100-sheet (multipurpose tray)/4,300 sheets	550-sheet covered tray + 100-sheet multipurpose tray/4,300 sheets

Memory	256 MB standard, upgradable to 1280 MB	256 MB standard, upgradable to 1280 MB	128 MB standard, upgradable to 640 MB
Processor speed	500 MHz	600 MHz	500 MHz
Dimensions & weight (WxDxH)	25.12" x 20.67" x 19.6" 99.22 lbs.	17.2" x 16.7" x 20.1" 51.6 lbs.	16.8" x 16.7" x 20.1" 50.7 lbs.
Consumables: toner capacity (ship-with)	Up to 35,000°	Up to 10,000°	Up to 7,000 (Ship-with up to 10,000) ⁹
Consumables: toner, high-yield	Up to 35,000 ⁹	Up to 25,000 (high yield) Up to 36,000 (extra high yield) ⁹	Up to 21,000 (Extra high: up to 30,000)9
Standard/max. paper input	1,000-sheet + 100-sheet (multipurpose tray)/ 4,100-sheet (with optional 1,000-sheet & 2,000-sheet drawers)	550-sheet + 100-sheet (multipurpose tray)/4,300 sheets	550-sheet covered tray + 100-sheet multipurpose tray/4,300 sheets
Paper-handling options	3,500-sheet stacker or 3,500-sheet finisher	Input: 250-sheet drawer, 550-sheet drawer, 2,000-sheet high capacity feeder, envelope feeder, 550-sheet lockable drawer Output: 550 output expander, 1,850-sheet high-capacity Output Stacker, 5-bin mailbox, staple finisher	Input: 550-sheet drawer, 2,000-sheet high-capacity feeder, envelope feeder Output: 550-sheet output expander, 5-bin mailbox capacity, 1,850-sheet output stacker, staple finisher
Other networking options	N/A	Optional: Parallel 1284-B Card, Serial RS232 Card, Gigabit Ethernet Print Server, Wireless ¹¹ Print Server	N8120 Gigabit Ethernet Print Server, Parallel 1284-B Interface Card, RS-232C Serial Inter- face Card, N8150 Wireless ¹¹ Print Server
Standard service	1-Year Basic NBD On-Site Response Service After Remote Diagnosis ⁷	3-Year NBD On-site Service After Remote Diagnosis ⁷ ; 1-Year Limited Hardware Warranty ⁶	3-Year NBD On-site Service After Remote Diagnosis ⁷ ; 1-Year Limited Hardware Warranty ⁶

Monochrome laser printers

Dell™ 5330dn laser printer

- High-volume, high-speed workgroup printing at a low cost per page
- Recommended for medium to large networked workgroups



Dell™ 5230n and 5230dn laser printers

- High performance, robust and expandable monochrome laser printers
- Recommended for large workgroups



Dell™ 3330dn laser printer

- Networked laser printer offering exceptional productivity
- Black & white Performance with an intuitive user experience



			0
Speed (letter) (actual print speed will vary with use)	Prints up to 50 ppm	Up to 45 ppm	Prints up to 40 ppm
Maximum duty cycle	Up to 250,000 pages/month	Up to 200,000 pages/month	Up to 80,000 pages/month
Print resolution	Up to 600 x 600 dpi	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi
Ports (cable not included)	USB 2.0, Parallel, Gigabit Ethernet	Ethernet, USB 2.0, front host port, rear host port, one available internal solution port	USB 2.0, Parallel, Ethernet
Print languages	PS3, PCL6	PCL® 5e, PCL 6, xHTML, PPDS 4, XPS and PS® 3	PS3, PCL5e/6
Fonts	136 Scalable fonts PS, 93 Scalable fonts PCL	158 Scalable PS fonts, 84 Scalable PCD fonts	84 Scalable PCL fonts, 91 Scalable PS fonts
Memory	256 MB standard, upgradable to 768 MB	128 MB standard, upgradable to 640 MB	64 MB standard, upgradable to 576 MB
Processor speed	500 MHz	500 MHz	466 MHz
Dimensions & weight (WxDxH)	16.34" x 18.74" x 14.84" 47 lbs.	Without duplex: 13.7" x 16.7" x 19.4" 40.6 lbs. With duplex: 15.8" x 16.7" x 25.2" 51.6 lbs.	16.6" x 14.53" x 10.2" 31.15 lbs.
Consumables: toner, standard capacity (ship-with)	Up to 10,000°	Up to 7,000°	Up to 7,000°
Consumables: toner, high-yield	Up to 20,0009	Up to 21,0009	Up to 14,000 ⁹
Standard/max. paper input	500-sheet + 100-sheet (multipur- pose tray)/3,200-sheet (with optional 500-sheet drawer & 2,100-sheet high-capacity feeder)	250-sheet covered tray and 100-sheet multipurpose tray/4,000 sheets	250-sheet + 50-sheet (multipurpose tray) 850-sheet (with optional 550-sheet tray)
Paper-handling options	500-sheet drawer (up to 3 additional), 2,100-sheet high-capacity feeder, 600-sheet output expander	Input: 550-sheet drawer, 2,000-sheet high-capacity feeder, envelope feeder, 250-sheet duplex option (for n model) Output: 550-sheet output expander 5-bin mailbox capacity, 1,850-sheet output stacker, staple finisher	550-sheet paper tray (up to 1 additional)
Other networking options	Dell 5330dn Internal Wireless ¹¹ Adapter	Gigabit Ethernet Print Server, Parallel 1284-B Interface Card, RS-232C Serial Interface Card, Wireless ¹¹ Print Server	N/A
Standard service	3-Year Basic NBD On-Site Response Service After Remote Diagnosis ⁷	3-Year NBD On-site Service After Remote Diagnosis ⁷ ; 1-Year Limited Hardware Warranty ⁶	1-Year Basic NBD Advanced Exchange Service ⁸

Monochrome laser printers			
Dell™ 2350d and 2350dn laser printers	Dell™ 2230d laser printer	Dell™ 1130 and 1130n laser printers	
Compact yet fast, productive and reliable monochrome laser printers Recommended for workgroup use	 Affordable high performance black and white laser printing Recommended for home and small business 	 Entry-level laser printers with fast, high-quality output Recommended for remote offices, small workgroups or personal use 	
No. 1			
Prints up to 40 ppm	Prints up to 35 ppm	1130: Up to 19 ppm 1130n: Up to 24 ppm	
Up to 60,000 pages/month	Up to 35,000 pages/month	1130: Up to 10,000 pages/month 1130n: Up to 12,000 pages/month	
Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	
High speed USB 2.0 port, Parallel IEEE-1284, 10/100 baseTX RJ45 Ethernet port (Dell 2330dn)	USB 2.0, Parallel	1130: USB 2.0 1130n: USB 2.0, Ethernet Base Tx	
PCL 5e Emulation, PCL 6 Emulation, PostScript 3 Emulation	PS3, PCL5e/6	1130: SPL (GDI) 1130n: SPL (GDI), PCL 5e, PCL 6, Epson/IBM emulation	
3 of 9 scalable PCL 5e fonts in Narrow, Regular and Wide, 2 PCL bitmap fonts, 84 scalable PCL fonts, OCR-A, OCR-B scalable PCL 5e fonts, 89 scalable PostScript fonts	89 Scalable PS3/PCL fonts	1130: Host-based, Windows® fonts 1130n: OCR-A, OCR-B	
Dell 2350d: 32 MB upgradeable to 160 MB via optional 128 MB memory module; Dell 2350dn: 32 MB upgradeable to 288 MB via optional 256 MB memory module	32 MB standard, upgradable to 160 MB	1130: 8 MB/max 1130n: 64 MB/max	
400 MHz	400 MHz	1130: 150 MHz 1130n: 360 MHz	
10.2" x 16.6" x 14.5" 31.2 lbs.	15.98" x 14.55" x 10.2" 29.77 lbs.	14.2" x 15.3" x 7.8" 1130: 16 lbs.; 1130n: 16.1 lbs.	
Up to 2,000 pages ⁹	Up to 1,000°	Up to 1,500 (Ship-with up to 700)9	
Up to 6,000 pages ⁹	Up to 3,500 ⁹	Up to 2,500°	
Standard: 250 sheet covered drawer and 50 sheet multipurpose tray/max: 850 sheets via 50-sheet multipurpose tray + 1 x optional 550-sheet drawer Standard integrated two-sided printing unit.	Standard: 250 sheets + 1-sheet (multipurpose tray); Max: 501 sheets (250-sheet drawer + 1-sheet multipurpose tray + 1 x optional 550-sheet drawer)	250 sheets via standard tray and 1-sheet feeder/251 sheets (250-sheet standard tray plus 1-sheet feeder)	
550-sheet drawer	250-sheet paper tray (up to 1 additional)	N/A	
N/A	N/A	N/A	
1-Year NBD Advance Exchange Service ⁸	1-Year NBD Advanced Exchange Service ⁸	1-Year NBD Advance Exchange Service ⁸	

	Monochrome multifunction lase	er printers
Dell™ 5535dn multifunction laser printer	Dell™ 3333dn and Dell 3335dn multifunction laser printers	Dell™ 2355dn multifunction laser printer
 Superb 4-in-1 functionality plus ultra-high productivity and speed Recommended for large work- groups and organizations 	 Fast monochrome laser printers with multifunctional convenience Recommended for small and medium workgroups 	 Networked monochrome laser multifunction printer with 4.3" color LCD touch screen, and enhanced, simplified workflow Recommended for workgroup use
Prints up to 55 ppm letter	Prints up to 40 ppm letter	Prints up to 35 ppm letter
Up to 275,000 pages/month average	Up to 80,000 pages/month	Up to 80,000 pages/month
Up to 1200 x 1200 dpi	Up to 1200 x 1200 dpi	Up to 600 x 600 dpi
Ethernet, USB 2.0 high-speed device port, front USB 2.0, rear USB 2.0, one available internal solution port	Ethernet, USB 2.0 device port, front USB 2.0, rear USB 2.0, one available internal solution port	Rear: USB 2.0 High speed port (type B connector), Ethernet 10/100 BaseT RJ-45 port, RJ-11 telephone and fax port (cables included); Front: USB 1.1 full speed (supports direct printing/scanning to/from USB memory key) – supported formats: PDF, JPEG, BMP, TIFF
PCL® 5e, PCL 6, PPDS 4, PS 3, HTML, PDF 1.6, DirectImage, XPS	PCL® 5e, PCL 6, PPDS 4, PS® 3, HTML, PDF 1.6, XPS, DirectImage, HBPv3	PCL® 6, PCL® 5e, PS 3
PCL Bitmapped 2, PCL Scalable 89, PS Scalable 158, PPDS Bitmapped 5, PPDS Scalable 39	91 Scalable PS fonts, 84 Scalable PCL fonts	136 scalable PS3 fonts, 93 scalable, including OCR-A, OCR-B; 1 bitmapped PCL Font; customized fonts downloadable into 512kb internal flash memory
256 MB standard	128 MB standard	256 MB
600 MHz	500 MHz	360 MHz
40.2" x 27.6" x 28.9" 100 lbs.	21.5" x 19.2" x 17.2" 50 lbs.	18.3" x 17.5" x 18.1" 44.3 lbs.
Up to 7,000 (Ship-with up to 18,000) ⁹	Up to 8,000 (Ship-with up to 7,000) ⁹	Up to 3,000 pages black (Ship-with up to 3,000)9
Up to 25,000 (Extra high: up to 36,000) ⁹	Up to 14,000°	Up to 10,000 pages black ⁹
550-sheet tray + 100 sheets (multipurpose tray)/3,200	250-sheet tray and 550-sheet tray + 50-sheet multipurpose tray / 800 sheets + 50-sheet multipurpose tray	Standard: 250 sheet (Tray 1) / 50 sheet (MPF)/Max: 550 sheets via addition of 250-sheet optional tray Standard integrated two-sided printing unit
550-sheet drawer, 250-sheet drawer, 2,000-sheet high- capacity feeder, 550-sheet lockable drawer	550-sheet tray	250-sheet tray
Parallel 1284-B Card, Serial RS232 Card, External Serial RS232 Card, Gigabit (10/100/1000 Base T) Ethernet Print Server, Wireless Print Server ¹¹	Parallel 1284-B Card, Serial RS232 Card, External Serial RS232 Card, Gigabit (10/100/1000 Base T) Ethernet Print Server, Wireless Print Server ¹¹	Wireless ¹¹ Adapter
	Dell TM 5535dn multifunction laser printer • Superb 4-in-1 functionality plus ultra-high productivity and speed • Recommended for large work-groups and organizations Prints up to 55 ppm letter Up to 275,000 pages/month average Up to 1200 x 1200 dpi Ethernet, USB 2.0 high-speed device port, front USB 2.0, rear USB 2.0, one available internal solution port PCL® 5e, PCL 6, PPDS 4, PS 3, HTML, PDF 1.6, DirectImage, XPS PCL Bitmapped 2, PCL Scalable 89, PS Scalable 158, PPDS Bitmapped 5, PPDS Scalable 39 256 MB standard 600 MHz 40.2" x 27.6" x 28.9" 100 lbs. Up to 7,000 (Ship-with up to 18,000)9 Up to 25,000 (Extra high: up to 36,000)9 550-sheet tray + 100 sheets (multipurpose tray)/3,200 550-sheet drawer, 250-sheet drawer, 2,000-sheet high-capacity feeder, 550-sheet lockable drawer Parallel 1284-B Card, Serial RS232 Card, External Serial RS232 Card, Gigabit (10/100/1000 Base T) Ethernet Print Server, Wireless	**Superb 4-in-1 functionality plus ultra-high productivity and speed **Recommended for large workgroups and organizations** Prints up to 55 ppm letter

Monochrome multifunction laser printers												
Dell™ 2335dn multifunction laser printer	Dell™ 1135n multifunction laser printer											
 Fast and reliable networked monochrome laser multifunction printer Recommended for workgroup use 	 Reliable, affordable multifunction laser printer with fax, scan and copy capabilities Recommended for small businesses and small workgroups 											
Prints up to 35 ppm black	Prints up to 23 ppm letter											
Up to 60,000 pages/month	Up to 12,000 pages/month											
Up to 600 x 600 dpi	Up to 600 x 600 dpi											
Rear: USB 2.0 High speed port (type B connector), Ethernet 10/100 BaseT RJ-45 port, RJ-11 telephone and fax port (cables included); Front: USB 1.1 full	LIGHT O.O. Fellowers											

Up to 600 x 600 dpi	Up to 600 x 600 dpi								
Rear: USB 2.0 High speed port (type B connector), Ethernet 10/100 BaseT RJ-45 port, RJ-11 telephone and fax port (cables included); Front: USB 1.1 full speed (supports direct printing/scanning to/from USB memory key) – supported formats: PDF (Dell 2335dn generated), JPEG, BMP, TIFF	USB 2.0, Ethernet								
PCL® 5e, PCL 6 and PostScript® Level 3 Emulation	SPL (GDI)								
136 Scalable PS3, 93 Scalable including OCR-A, OCR-B, 1-bitmapped PCL Fonts	Host-based Windows® fonts								
256MB standard (which supports secured printing feature as standard), optional 256 MB module (512 MB maximum)	128 MB standard/max								
366 MHz	360 MHz								
18.3" x 17.3" x 18.2" 39 lbs.	16.4 " x 16.3" x 12.6" 25.4 lbs.								
Up to 3,000 pages black ⁹	Up to 1,500 pages (Ship-with up to 700 pages) ⁹								
Up to 6,000 pages black ⁹	Up to 2,500 pages ⁹								
Standard: 250 sheet (Tray 1) / 50 sheet (MPF)/Max: 550 sheets via addition of 250-sheet optional tray Standard integrated two-sided printing unit.	250 sheets via standard tray + 1-sheet feeder/251 sheets (250-sheet standard tray + 1-sheet feeder)								
250-sheet tray	N/A								
Wireless ¹¹ card for Dell 2335dn	N/A								

1-year NBD Advanced Exchange Service8

1-Year NBD On-site Service after Remote Diagnosis 7

Protect your image with service and support

You and your work will look good over the long term with a variety of optional Dell service packages tailored to varying customer requirements. Dell ProSupport¹² offers an advanced level of technical support expertise at a dedicated 24x7, toll-free number with a variety of response-time options. Enjoy the convenience of Dell ProSupport On-Site Repair Service After Remote Diagnosis,⁷ which is offered with select printers. For issues covered by your Limited Hardware Warranty,⁶ a technician and/or part will be dispatched, if necessary, usually within 1 or 2 business days following completion of Remote Diagnosis.⁷

Next business day advanced exchange service⁸ (select printers)

If you have a problem with your printer during your limited hardware warranty⁶ period that can't be fixed with phone-based support and troubleshooting, we will ship you a replacement unit the next business day.⁸ All you do is set up your new printer and ship back the defective unit, prepaid by Dell.

Maintenance kit coverage

Fuser maintenance kit replacement is included in the base and extended limited hardware warranties⁶ for most Dell Laser Printers based on usage and service level.

		Color printers											Monochrome printers												
D 11	Sir	ngle	function	on	Μu	Single function										Multifunction									
Dell printers	7130cdn	5130cdn	3130cn Duplex	2150cn/ 2150cdn	1350cnw	1250c	3115cn	2155cn/ cdn	2145cn	1355cn/ cnw	7330dn	5530dn	5350dn	5330dn	5230n/dn	3330dn	2350d/dn	2230d	1130/ 1130n	5535dn	3335dn/ 3333dn	2355dn	2335dn	1135n	
Standard service																									
1-year NBD Advanced Exchange Service ⁸				~	~	~				~						~	~	~	~		~	~	~	~	
1-year NBD On-Site Service After Remote Diagnosis ⁷	~		~				~	~	~		~														
3-year NBD On-Site Service		~										~	>	>	>					~					
Fuser maintenance kit	~	~	~	~	~	~	~	>	~	~	~	~	>	>	Y	~	>	~	~	~	~	~	~	~	
Toner cartridge limited warranty	~	~	~	~	~	~	~	~	~	~	~	~	>	~	~	~	Y	~	~	~	~	~	~	~	
Extended service options																									
Up to 3 years NBD Advanced Exchange ⁸																			~						
Up to 5 years NBD Advanced Exchange ⁸				~	~	~				~						~	~	~			~	~	~	~	
Up to 5 years NBD On-Site Service After Remote Diagnosis ⁷	~	~	~	>			~	>	~		~	~	>	<	>	~	>	~		~	>	>	>		
Up to 5 years 4-hour On-Site Service After Remote Diagnosis ⁷		~										~	>	>	~					~					
Printer installation	~	~	~	~	~	>	>	>	~	>	~	>	>	<	>	>	>	>	>	>	>	Y	>	~	
Asset tagging	~	~	~	~	~	>	~	>	~	>		>	>	~	Y	>	>	>	>	>	>	Y	>	~	
Warranty Parts Direct (with NBD only)		~	~	~	~	~	~	>	~	~		~	>	>	~	~	>	~	~	~	~	~	>	~	
Leasing	~	~	~	~	~	~	~	~	~	~	~	~	>	>	~	~	>	~	~	~	~	~	~	~	
GSA compliant	~	~	~				~		~					~		~	~			~		~	~		
OCONUS Support		~					~							~		~	~			~		~	~		
Dell ProSupport ¹² service options																									
Dell ProSupport offer with up to 2, 3, 4 or 5 years NBD Advanced Exchange ⁸				~	~	~				~						~	\	~			~	~	~	~	
Dell ProSupport offer with up to 2, 3, 4 or 5 years NBD On-Site Service After Remote Diagnosis ⁷		~	~	~			~	~	~			~	~	>	~	~	>	~		~	~	~	~		
Dell ProSupport offer with up to 2, 3, 4 or 5 years NBD with On-Site Diagnosis		~	~	~			~	~	~			~	~	>	~	~	>	~		~	~	~	~		
Dell ProSupport offer with up to 2, 3, 4 or 5 years 4-hour SBD On-Site Service After Remote Diagnosis ⁷		~										~	>	~	>					~					

Learn more at dell.com/Printers

- * Dell cannot be responsible for errors and omissions in typography or photography.
- ** Based on a comparison of printer volume, (W x D x H) performed by Dell in August 2010 with paper tray closed.
- 6. For a copy of limited hardware warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or visit dell.com/warranty.
- 7. Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty and not resolved remotely, technician and/or part will be dispatched, usually in 1 or 2 business days following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 8. Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply
- 9. Dell Laser Printer 1130/1130n, 1135n, 2230d, 2335dn, 2350d/dn, 2355dn, 3330dn, 3333dn/3335dn, 5230n/dn, 5330dn, 5530dn, 5530dn, 5535dn and 7330dn black toner yield based on printing pages in accordance with ISO/IEC 19752 testing methodology. Yields vary with usage and environmental conditions.
- 10. Dell Color Laser Printer 1250c, 1350cnw, 1355cn/cnw, 2145cn, 2150cn/cdn, 2155cn/cdn, 3115cn, 3130cn duplex, 5130cdn, and 7130cdn black and color toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.
- 11. PC must have a wireless card or be connected to a wireless network, and have the printer software installed for proper function.
- 12. Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions

