

WORKS IN GENERAL LITERATURE.

I.

COLONEL MURE'S CRITICAL HISTORY of the LANGUAGE and LITERATURE of ANCIENT GREECE. 3 vols. 8vo. 36s.

II.

BISHOP THIRLWALL'S HISTORY of GREECE. New Edition, revised; with Notes and Maps. 8 vols. 8vo. £4. 16s.
[Vols. I. to V. already published.]

III.

THE Rev. CHAS. MERIVALE'S HISTORY of the ROMANS under THE EMPIRE. Vols. I. and II. 8vo. 28s.

IV.

MR. MACAULAY'S LAYS of ANCIENT ROME: with IVRY and THE ARMADA. 16mo. 4s. 6d.; morocco, 10s. 6d.

V.

MR. MACAULAY'S LAYS of ANCIENT ROME. With Woodcuts, chiefly from the Antique, drawn by George Scharf. Fep. 4to. 21s.; morocco, 42s.

VI.

MR. A. RICH'S ILLUSTRATED COMPANION to the LATIN DICTIONARY and GREEK LEXICON. With 2,000 Woodcuts from the Antique. Post 8vo. 21s.

VII.

THE Rev. J. E. RIDDLE'S COPIOUS and CRITICAL LATIN-ENGLISH LEXICON. 4to. 50s.

VIII.

MR. C. D. YONGE'S NEW LATIN GRADUS AD PARNASUM; containing every Word used by the Poets of good Authority. Post 8vo. 9s.

IX.

MR. C. D. YONGE'S NEW ENGLISH-GREEK LEXICON; containing all the Greek Words used by Writers of good Authority. 4to. 21s.

X.

THE Rev. T. H. HORNE'S INTRODUCTION to the CRITICAL STUDY and KNOWLEDGE of the SCRIPTURES. New Edition; with Maps, &c. 5 vols. 8vo. 63s.; calf, £5.


XI.

THE Rev. F. C. COOK'S EDITION of the ACTS of the APOSTLES; with Commentary and Practical and Devotional Suggestions. Post 8vo. 8s. 6d.

XII.

MRS. JAMESON'S SACRED and LEGENDARY ART: with Etchings by the Author, and Woodcuts. 2 vols. square crown 8vo. 42s.

LONDON: LONGMAN, BROWN, GREEN, AND LONGMANS.





SUPPLEMENT
TO
LOUDON'S
HORTUS BRITANNICUS.

Q12 302
L 586 R

LONDON:
SPOTTISWOODES and SHAW,
New-street-Square.

S U P P L E M E N T

TO

LOUDON'S

HORTUS BRITANNICUS:

INCLUDING

All the Plants introduced into Britain,

ALL THE NEWLY DISCOVERED BRITISH SPECIES, AND ALL THE
KINDS ORIGINATED IN BRITISH GARDENS.

UP TO

MARCH, 1850;

WITH

A NEW GENERAL INDEX TO THE WHOLE WORK,

INCLUDING THE SUPPLEMENT.

PREPARED BY W. H. BAXTER, ASSISTED BY D. WOOSTER, UNDER THE
DIRECTION OF MRS. LOUDON.

LONDON:

LONGMAN, BROWN, GREEN, AND LONGMANS,

PATERNOSTER-ROW.

1850.



PREFACE TO THE SUPPLEMENT.

WHEN Mr. Loudon published the First Edition of the *Hortus Britannicus* in 1830, he added all the plants that had been introduced after the Work had been compiled, and while it was going through the press, in a Supplement; and he promised his readers that additional Supplements of new plants should be added from time to time as they became necessary. Two additional Supplements, and a Supplementary List, were thus added; but as it was found extremely troublesome to look through all these when it was wished to know what new plants of any particular genus had been introduced, it has been thought best, now that a new list is required, to amalgamate all the previous ones, together with the new plants, into one single Supplement, only adding a Supplementary List of the new plants introduced while the principal Work was going through the press. The Supplement and List have been prepared by Mr. W. H. Baxter and Mr. David Wooster, under my superintendence; and the greatest pains have been taken to render both as correct as possible.

The only typographical difference in this Supplement from the body of the Work is, that the synonymes are printed in Italics.


It now only remains to thank all those who have kindly aided in the preparation of this Supplement, and more especially the following:—Mr. Baxter, senior, of Oxford, M. Francis Rauch, Mr. George Gordon, Mr. E. Jenner, Messrs. Knight and Perry, Mr. Robert Fortune, and Mr. Low of Clapton.

J. W. L.

Bayswater, June 13. 1850.



Digitized by the Internet Archive
in 2016



<https://archive.org/details/supplementtoloud00loud>

C O N T E N T S.

	Page
PREFACE - - - - -	- 469
Additional Names of Books referred to - - - - -	- 473
Additional Abbreviations - - - - -	- 475
Additional Authorities for Generic and Specific Names - - - - -	- 476
<hr/>	
I. Plants with Conspicuous Flowers, and Ferns - - - - -	- 479
II. Músci, Hepáticae, Algæ, Lichènes, and Fúngi - - - - -	- 660
III. Supplementary List - - - - -	- 686
GENERAL INDEX to the body of the work, and to the Supplement - - - - -	- 691

ADDITIONAL NAMES OF BOOKS REFERRED TO.

- A. & S. Albertini (J. B. de) and Schweinitz (L. D. de). *Conspectus Fungorum in Lusatiæ Superioris Agro Niskiensi crescentium e Methodo Personiana.* 1 vol. 8vo. Lipsiæ. 1805.
- A. b. Arboretum et Fruticetum Britannicum. By J. C. Loudon, F. L. S., &c. 8 vols. 8vo. London, 1835—1838.
- Ach. E. Acharius. *Methodus illustrandi omnes detectos Lichenes; cum Supplemento.*
- Ann. n. h. *Annals of Natural History; being a continuation of the Magazine of Botany and Zoology.* 8vo. London.
- B & S. Bruch et Schimper. *Bryologie Europæa, seu Genera Muscorum Europæorum Monographiæ illustrata.* Nos. 1. to 40. 4to. Stuttgart, 1840—47.
- Bab. Man. Brit. Bot. *Manual of British Botany, containing the Flowering Plants and Ferns, arranged according to the Natural Orders.* By C. C. Babington, M. A. 2nd ed. 12mo. London, 1848.
- Baill. A *Treatise on the Esculent Funguses of England, containing an account of their classical history, uses, characters, development, structure, nutritious properties, modes of cooking and preserving, &c.* By Charles David Badham, M.D. 1 vol. 4to. London, 1847.
- Bate orch. *The Orchidaceæ of Mexico and Guatemala.* By James Bateman, Esq. Elcph. fol. London, 1838.
- Batsch }
Batsch cont. } See Batsch fun.
1. & 2.
Bau. cat. Baumann's *Catalogi Horti Bollwyl-leriani.*
- Baud. tr. Baudrillart. *Traité Général des Eaux et Forêts.* 5 vols. 4to. Paris, 1825.
- Bax. br. fl. pl. *British Phænogamous Botany, or Figures and Descriptions of the Genera of British Flowering Plants.* By W. Baxter, A. L. S., F. H. S., &c. 6 vols. 8vo. Oxford, 1834—43.
- Baxt. crypt. oxon. *Stirpes Cryptogamæ Oxonienses; or dried Specimens of Cryptogamous Plants collected in the Vicinity of Oxford.* By W. Baxter, A. L. S., &c. Fasc. 1. & 2. 4to. Oxford, 1835—28.
- Benth. Pl. Hartw. *Plantæ Hartwegianæ.* By G. Benth. Esq. 8vo.
- Berk alg. *Gleanings of British Algæ; being an Appendix to the Supplement to Eng. Bot.* By the Rev. M. J. Berkeley, M. A. London, 8vo. 1833.
- Berk. fun. *British Fungi; consisting of dried Specimens of the Species described in Vol. V. of the Eng. Flor., &c. Id. Fasc. 1. & 2.* London, 1836.
- Bil. syr. Jac. Jul. La Billardière. *Icones Plantarum Syriæ rariorum.* Dec. v. Paris, 1791—1812. 5 vols. 4to.
- Bir. bot. g. *The Birmingham Botanic Garden.* Conducted by G. B. Knowles, F. L. S., and F. Westcott. 1 vol. 4to. 1837.
- Bot. gard. *The Botanic Garden; or, Magazine of Hardy Flowering Plants cultivated in Great Britain.* By B. Maund, F. L. S. 1824. (Continued monthly.)
- Bot. zeit. *Flora oder Botanische Zeitung.* Ratisbon. 8vo. 1 vol. yearly.
- Botanist. *The Botanist.* Conducted by B. Maund, Esq., F. L. S., assisted by Professor Henslow. 5 vols small 4to.
- Bry. ger. B. Nees von Esenbeck, C. G.; Hornschuch, F.; et Sturm, J. *Bryologia Germanica, oder Beschreibung der in Deutschland, &c. 2 vols. 8vo. Niirnb. 1823—31.*
- Bunge ennm. pl. chinens. *Enumeratio Plantarum quas in China boreali collegit Dr. Al. Bunge.* 1831. (Published in the *Mém. Acad. Scien. Petersb., &c.* 1833.)
- Cam. mon. Cambessèdes's *Monograph of the Spiræas, in the Annales des Sciences Naturelles, tom. i.*
- Chab. sc. Chabrey (Dominicus). *Omnium Stirpium Sciagraphia.* Fol. 1677.
- Chan. ill. *Illustrations, by Alfred Chandler, and Descriptions, by William Beattie Booth, of the Camellieæ.* 1 vol. imperial 4to. London, 1831.
- Conda. L. Corda. *Algæ, in Sturm's Deutschlands Flora.*
- Cord. ic. *Icones Fungorum hucusque cognitiorum.* A. C. I. Corda. Prague, 1840.
- Curt. br. en. *British Entomology; being Illustrations and Descriptions of the Genera of Insects found in Great Britain and Ireland, &c.* By J. Curtis, F. L. S., &c. 13 vols. 8vo. London, 1824—36.
- Dec. fl. fr. A. P. Decandolle et Lamarck. *Flore Française.* 5 vols. 8vo. Paris, 1805—15.
- Dec. hort. monsp. See H. mon.
- Dec. prod. A. P. Decandolle's *Prodromus systematicus naturalis Regni Vegetabilis, &c.* 13 vols. 8vo. Paris, 1834—49.
- Delect s m. hort. *Hamburg. J. G. C. Lehmann. Semina in Horto Botanico Hamburgensi collecta.* Hamburg, 4to, yearly.
- Ehr. Die *Infusions thierchen, als Vollkommene Organismen; ein Blick in das tiefere organische Leben der Natur, &c.* Von Prof. Ehrenberg. Royal folio. Leipzig.
- Encyc. bot sup. See Poir. dict. suppl.
- E. of T. & S. An *Encyclopadia of Trees and Shrubs; being the Arboretum et Fruticetum Britannicum abridged.* By J. C. Loudon, F. L. S., H. S., &c. 1 vol. 8vo. London, 1842.
- Fl. australasiæ. See Sw. ac. in. ic.
- Fl. br. Pohl (Jo. Imman.). *Icones Plantarum Brasiliensium rariorum.* Fol. 2 vols. Vienna, 1828—31, continued.
- Fl. cab. *The Floral Cabinet.* By G. B. Knowles, F. L. S., and F. Westcott. 3 vols. 4to. London and Birmingham, 1837, 1838.
- Fl. des Antilles. See Fl. ant.
- Fl. jav. *Blume (Carolus Ludovicus), M. D. Adjutore Joanne Baptista Fischer, M. D. Flora Javæ necnon Insularum adjacentium, &c. Folio.* Brussels, 1828, continued.
- Fl. hib. *Flora Hibernica.* By J. T. Mackay, A. L. S., M. R. I. A., &c. 8vo. Dublin, 1836.
- Fl. lap. cd. 2. *Linnaeus (Carolus). Flora Laponica.* Editio 2a, curante J. E. Smith. Londini, 1792.
- Fl. mag. *The Floricultural Magazine and Miscellany of Gardening. Con-*

- ducted by Robert Marnock. 8vo. 1836.
- Fl. med. Tenore (Michel). Saggio sulle Qualità medicinali delle piante Neapolitane. 8vo. Napoli, 1808.
- Fl. rust. Flora Rustica; exhibiting accurate figures of such plants as are either useful or injurious in Husbandry, &c. By F. Nodder, and T. Martyn, B.D., F.R.S., &c. 4 vols. 8vo. pl. 144. London, 1792-94.
- Florig. Brit Florigraphia Britannica; or, Engravings and Descriptions of the Flowering Plants and Ferns of Britain. By R. Deakin, F.R.C.S.E., & R. Marnock. 8vo. Sheffield, 1837.
- Fries El. Elenchus Fungorum sistens Commentarium in Systema Mycologicum. Autore Elias Fries. 2 vols., 8vo. Gryphiswaldia, 1828.
- Fries sys. Mycol. Fries (Elias). Systema Mycologicum, sistens Fungorum Ordines, Genera et Species, huc usque cognitatas, quas ad Normam Methodi Naturalis determinavit, disposuit atque descripsit. 3 vols., 8vo. Gryphiswaldia, 1821-33.
- Gar. ch. } The Gardeners' Chronicle and
Gard. Chron. } Agricultural Gazette. Folio. London, 1841-50. (Continued weekly.)
- G. Don's gen. syst. of gard. & bot. A general System of Gardening and Botany, &c., founded on Miller's Dictionary, and arranged according to the Nat. Syst. By G. Don, F.L.S. 4 vols. 4to. London, 1831-8.
- Gus. pl. Gusone (Joannes), M.D. Plantæ rariores, quas in Itinere per Oras Ionii ac Adriatici Maris et per Regiones Sannii ac Aprutii collegit Joannes Gusone, M.D. 4to. Napoli, 1826.
- Guss. prod. fl. sic. Gussone's Flora Siculæ Prodrum. Neap. 1829.
- H. & A.'s bot. of Beech. voy. Sir W. J. Hooker and Dr. Arnott's Botany of Captain Beechey's Voyage to the Pacific, &c., in 1825-8. 4to. London, 1830-3.
- H. & H. Hoppe et Hornschuch, Reise nach d. Adriat. Meere, c. icone.
- Hamilt. Prod. Ind. Occ. Prodrum Plantarum Indiæ Occidentalis. By W. Hamilton. 1 vol. 12mo. London, 1825.
- Harv. Man. Br. Alg. A Manual of the British Algae; containing generic and specific Descriptions of all the known British Species of Sea-weeds and Confervæ, both marine and fresh water. By the Hon. William Henry Harvey. 1 vol. 8vo. London, 1841.
- Herb. petrop. Herbarium Petropolitatum of Dr. Fischer.
- Hern. incx. Hernandez (Franciscus). Nova Plantarum, Animalium, et Mineralium Mexicanorum Historia. 1 vol. folio, with wood cuts. Romæ, 1651.
- H. mus. exot. Musci exotici; containing Figures and Descriptions of new or little known Foreign Mosses and other Crypt. Plants. By Sir W. J. Hooker. 2 vols. royal 4to, pl. 226. London, 1818-20.
- Hook. am. } Hooker (Sir William Jackson).
Hook. fl. bor. am. } Flora Boreali-Americana. Published in 4to. numbers.
- Hook. sp. fil. Species Filicum; or, a Synopsis of all known Ferns, with Descriptions of each, and Plates of the rarer Species. By Sir W. J. Hooker, K.H., &c. Vol. 1. London, 1846.
- Horn. enum. hort. hafn. Hornemann's (J. W.) Enumeratio Plantarum Horti Botanici Hafniensis. 8vo. Hafniæ, 1807.
- Huben. Hubener (J. W. P.). Hepaticologia Germanica oder Beschreibung der Deutschen Lchermoose. 8vo. Mannheim, 1834.
- Ind. sem. pet. Index Seminum Horti Petropolitani. From 1834, yearly.
- Ind. sem. göt. Index Seminum Horti Academ. Göttingensis. 1834. Pamph.
- J. H. S. } The Journal of the Horticult-
Journ. Hort. Soc. } ural Society of London. 5
vols. 8vo. London, 1846-50.
- Jenn. Fl. Tumb. Wells. A Flora of Tunbridge Wells; being a List of Indigenous Plants within a radius of fifteen miles around that place. By Edward Jenner, A.L.S. 1 vol. 12mo. Tunbridge, Wells.
- Klotz. Klotzsch (J. F.). Herbarium vivum Mycologicum sistens Fungorum per Germaniam crescentium. 4to. fasc. 1. 1832.
- Kze. Kunze (G.). Die Farnkräuter, &c. 4to. Leipzig, 1840.
- Ladies' m. g. } The Ladies' Magazine of Gar-
Lad. mag. gard. } dening. By Mrs. Loudon. 1
vol. 8vo. London, 1842.
- Led. alt. Ledebour (Carolus Fredericus). Icones Plantarum Altaicarum. Fol. Berolina, 1830.
- Led. fl. ros. } C. F. Ledebour's Icones Plantarum
Led. ic. } novarum vel imperfecte cognita-
rum, Floram Rossicam, &c., Rigæ, &c. Folio, 1829.
- Lej. fl. spa. Lejeune, A.L.S. Flore des Environs de Spa. 2 vols. 8vo. Liège, 1811-13.
- Lindl. gen. et. sp. orch. pl. The Genera and Species of Orchideous Plants. By John Lindley, Ph. D., F. R. S., &c. 8vo. London, 1830.
- Lindl. Nat. Syst. Bot. An Introduction to the Natural System of Botany; or, a Systematic View of the Organisation, Natural Affinities, and Geographical Distribution of the whole Vegetable Kingdom. By John Lindley, Ph. D., F.R.S., L.S., G.S., &c. 1 vol. 8vo. London, 1836.
- Linnaea. D. F. L. von Schlechtendal's Linuæ; ein Journal für die Botanik in ihrem ganzen Umfange. 25 vols. 8vo. Berlin und Halle, 1826-50. (Continued.)
- Lond. Journ. Bot. The London Journal of Botany; containing Figures and Descriptions of such Plants as recommend themselves, by their novelty, rarity, history, or uses; together with Botanical Notices and Information, and occasional Memoirs of eminent Botanists. By Sir W. J. Hooker, K.H., D.C.L., F.R.S., & L.S., &c. 7 vols. 8vo. London, 1842-8.
- Lour. fl. coch. Loureiro (John). Flora Cochinchinensis. 2 vols. 4to. Lisbon, 1790.
- Mag. zool. Magazine of Zoology and Botany. Conducted by Sir W. Jardine, Burt., P. J. Selby, Esq., and Dr. Johnston of Berwick.
- Mic. syl. A. Michaux's N. American Sylva; or, a Descriptio of the Forest Trees of the U. States, &c., translated from the French. 3 vols. 8vo. pl. 156. Paris, 1819.
- Mon. nar. Narcissinearum Monographia. By A.H. Haworth, Esq. Pamph. 8vo. London, 1831.
- N. Duh. See Duh. no.
- Nees gen. et sp. ast. Nees von Esenbeck (C.G.). Genera et Species Asteriarum. Norimbergæ, 1833. 8vo.
- Nees synops. ast. Id. Synopsis Asterum herbaceorum. 4to. Erlang, 1818.
- Nov. comm. acad. imp. petrop. Novi Commentarii Academiæ Scientiarum imperialis Petropolitanae. 4to. Petropoli, 1755, continued.
- Nut. fl. ark. Nuttall's Flora of Arkansas.
- Pall. fl. ros. See Pall. ros.
- Pall. nord. beytr. P. S. Pallas. Neue nordische Beiträge zur Physikalschen, &c. 7 vols. fol. Petersb. und Leipz. 1781-96.
- Paxt. fl. ga. Paxton's Flower Garden. Edited by Dr. Lindley and Joseph Paxton. 4to. London, 1850. (Continued monthly.)

P. m. b.	} The Magazine of Botany and Register of Flowering Plants. By J. Paxton, F. L. S., &c., 16 vols. 4to. 1834—50.	Rich. con.	Richard (Louis Claude). <i>Mémoires sur les Conifères</i> . 1 vol. fol. Stuttgart, 1826.
Paxt. mag.		Royle ill.	Illustrations of the Botany and other Branches of the Natural History of the Himalayan Mountains, and of the Flora of Cashmere. By J. Forbes Royle, M.D., F.R.S., &c. 2 vols. fol. London, 1833—39.
Pers. myc.	C. H. Persoon's <i>Mycologia Europæa</i> . 3 vols. 8vo. pl. 30. Erlang, 1822—28.	Rub. ger.	See Nees r. g.
Pfeiff. en.	Dr. Pfeiffer's <i>Enumeratio Cactearum</i> . 8vo.	Sal. wob.	<i>Salicetum Woburnense</i> . By His Grace the Duke of Bedford. Royal 8vo. 1829.
Phytol.	The <i>Phytologist</i> : A popular Botanical Miscellany. Conducted by Edward Newman. 8vo. Nos. 1—91. London, 1841—48.	Sch. phil. ic.	See Sc. phil.
Pin. wob.	<i>Pinetum Woburnense</i> . By His Grace the Duke of Bedford. Royal 8vo. 1839.	Schult. fil. syst.	Roemer (J.J.) et Schultes (F.A.). <i>Systema Vegetabilium</i> . 7 vols. 8vo. Stuttgart, 1817—35. (Continued.) Vols. v. and vi. by S. alone, and vol. vii. by S. filius.
Pl. hun.	See W. & K.	Sert. orch.	<i>Sertum Orchidaceum</i> . By J. Lindley, Ph. D., F. R. S., &c. Fol. London, 1838.
Poc. or.	A Description of the East and some other Countries. By R. Pococke. 2 vols. fol. London, 1743—45.	Spreng. syst. veg.	<i>Systema Vegetabilium Caroli Linnæi</i> , cur. Curtio Sprengel. 4 vols. 8vo. Göttinge, 1827.
Poepp. Exs.	Poeppig (E.). His dried specimens of Plants.	Ster. den.	Sternberg in <i>Denkschriften der Königlich-Baierischen Botanischen Gesellschaft in Regensburg</i> . 4to. Regensburg, 1818, continued.
Poir. dict.	J. L. M. Poiret. <i>Encyclopédie Méthodique, ou Dictionnaire de Botanique</i> . Paris, 1804—8; being vols. v.—viii. of Lamarck's <i>Encyclopédie Méthodique</i> , &c.	Sw. fl. gar. 2 s.	Sweet (Robert). <i>The British Flower Garden</i> . Second Series. London, 1831—38.
Poir. dict. suppl.	J. L. M. Poiret's <i>Encyclopédie Méthodique Supplément au Dictionnaire de Botanique</i> . 4 vols. 4to. Paris, 1810—16.	Sw. guide.	Sweet (Robert). <i>The Florist's Guide and Cultivator's Directory</i> . 8vo. with plates. London, 1831.
Pom. mag.	<i>Pomological Magazine</i> . 3 vols. 8vo. London, 1833.	Ten. fl. neap.	See Fl. Nap.
Rad. fil.	} J. Raddi. <i>Plantarum Brasiliensium nova Genera et Species, &c. Pars I. (Filices.) Fol.</i> Florence, 1825.	Thun. act. Lin.	Thunberg in the <i>Transactions of the Linnæan Society</i> .
Radd. bras. fil.		Ralfs desmid.	Tr. ros.
Ralfs br. desmid.	} The British Desmidiæ. By John Ralfs, M.R.C.S., Honorary Member of the Penzance Natural History Society, &c. The drawings by Edward Jenner, A.L.S. 1 vol. 8vo. London, 1848.	Uc. pl. ad Lin. op. addend.	Bernard. <i>Ucria. Plantæ ad Linnæi Opus addendæ</i> . Palermo.
Rees's cyclop.	Rees's <i>Cyclopædia</i> . 39 vols. 4to. London, 1819.	Vitt.	Vittadini (C.). <i>Monographia Tubercæarum</i> . 4to. Mediolani, 1831.
Rchb. rar.	Reichenbach (H. G. L.). <i>Icones et Descriptiones Plantarum</i> . 4to. Lipsiæ, 1822, et seq.		

ADDITIONAL ABBREVIATIONS.

Hybrid. Known or presumed to be hybrid, but where raised not precisely known.
 English hybrid, Scotch hybrid, &c. Hybrid, with the country in which it has been raised stated.
 Gardens. Varieties which have appeared and are preserved in gardens.

COLUMN 2. *English Name.*

bkd.	barked.	pro. prostrate.
d.	decumbent.	sep. sepaled.
per.	perianthcd.	w. wood.
pro.	procumbent.	

COLUMN 8. *Colour of the Flower.*

Bf.	buff.	Sal. salmon-coloured.
Car.	carmine.	

ADDITIONAL AUTHORITIES FOR GENERIC AND SPECIFIC NAMES.

- A. B.* *Arboretum et Fruticetum Britannicum.* By J. C. Loudon, F.L.S., &c. 8 vols. 8vo. London, 1835—38.
- Abb.* *Abbot.* An amateur of botany.
- A. Dec.* *Alphonse Decandolle.* Author of *Monographie des Campanulées*, and son of the distinguished Decandolle.
- Aitn.* *G. J. Aitna,* Esq. A British botanist.
- Arn.* *Dr. Arnott.* One of the authors of the *Bot. of Capt. Beechey's Voy.*, &c.
- A. P.* } *Alexander Pope*, of the Handsworth Nursery.
- B & W.* } *Barthing and Wendland.*
- Bab.* *C. C. Babington,* Esq. An English hotanist.
- Badh.* *Charles David Badham,* M.D. A writer on English Esculent Fungi.
- Banc.* *John Bancroft,* M.D., of Jamaica.
- Bate.* *Jas. Bateman,* Esq., F.L.S., &c. Author of the splendid *Orchidaceæ of Mexico and Guatemala.*
- Baxt MSS.* *Manuscripts of Mr. William Baxter*, a collector of plants in New Holland in 1827—29.
- Berk.* *Rev. M. J. Berkeley,* F.L.S., &c. An eminent English cryptogamic botanist.
- Bertero.* *Carolus Josephus Bertero.* Author of *Specimen medicum nonnullis indigenis Stirpes continens exoticis succedaneas.* 4to. Taurini, 1811.
- Berl. MSS.* *Berlandier's MSS.*
- Bevis.* See *J. B.*
- Bidwill.* *J. T. Bidwill,* Esq. A botanical traveller in Australia.
- Bigel.* *Jacob Bigelow,* M.D. Professor of botany at Boston, U. S., and author of *American Medical Botany*, and of *Florula Bostoniensis.*
- Bishop.* *David Bishop.* Curator of the Botanic Garden, Belfast, and author of *Causal Botany.*
- Bocc.* *Paolo Boccane.* Author of *Museo di Pianta rare della Sicilia*, &c. 4to. Venetia, 1697.
- Booth.* *William Beattie Booth.* Describer of the Camellias figured in *Chandler's Illustrations of the Camelliaæ.*
- Borrer.* *William Borrer,* Esq. A writer on British plants, and one of the authors of *Lichenographia Britannica.*
- Bree.* *W. T. Bree,* A.M. A discriminative amateur botanist.
- Brondeau.* *Louis de Brondeau.* A French botanist.
- Broome.* *C. E. Broome,* Esq. A British botanist, and a writer on Fungi.
- Burnet.* *G. T. Burnet,* F.L.S., &c. Late professor of botany, King's College, London.
- Calcy.* *George Caley.* For ten years a botanical collector in New South Wales, and afterwards curator of the Botanic Garden at St. Vincent.
- Catras.* *Catras.* A nurseryman of Bordeaux.
- C. Sm.* *Christian Smith.* Companion of Von Buch in the Canary Islands.
- Chandl.* *Chandler.* Author of *Illustrations of the Caeoliceæ.*
- Chev.* *Chevallier.* Author of *Flora générale des Euvirons de Paris.*
- Clark.* *Captain Clark,* who accompanied Captain Lewis to the Rocky Mountains.
- Commer.* *Philibert Commerson.* A French traveller and botanist.
- Cook.* *Captain S. E. Cook,* of Carlton, near Dartington.
- Cord.* *Corda.* A cryptogamic botanist.
- Dalm.* *Dalman.* A Swedish botanist.
- D. C.* } *Mr. David Cameron,* A. L. S., &c.
- [D. Cam.]* } *Late curator of the Birmingham Botanic Garden.*
- Dcns.* *John Dcnsen,* A.L.S. Curator of the Botanic Garden, Bury St. Edmunds, from 1821 to 1829.
- Decaisne.* A writer in the *Annales des Sciences Naturelles.*
- Desm.* *J. B. H. J. Desmazières.* A French hotanist, and a writer on the cryptogamous plants of France.
- Dick.* *George Dickie,* M.D., F.L.S. Lecturer on botany in the University and at King's College, Aberdeen.
- Don F.* *Don of Forfar,* F.L.S., &c. A Scotch botanist.
- Don. ms.* *Douglas's Manuscript Names.*
- Donn.* *Donn.* Formerly curator of the Cambridge Botanic Garden.
- Drège.* A botanical collector at the Cape.
- Drum.* *Mr. James Drummond.* Colonial botanist at Swan River.
- Eck. & Zey.* *Echlon and Zeyher.* Zealous investigators of the Flora of Africa.
- E. of P.* *Encyclopædia of Plants.* By J. C. Loudon, F.L.S., &c. 8vo. London, 1831; new ed. 1841.
- Endt.* *Stephen Endlicher.* A German hotaist and author.
- Eschsch.* *F. Eschscholtz,* M.D. A celebrated naturalist.
- F. & M.* *Fischer,* a Russian hotanist, and *Meyer,* a German hotaist.
- Fee.* *M. Fee.* A South-American cryptogamic botanist.
- Fenzl.* *Dr. Fenzl.* Author of a Monograph of *Alsiuæ.*
- Fing.* *Fingeruth* in Linnæus. See Linnæus.
- Floerke.* *H. J. Floerke.* A German cryptogamic botanist.
- Forb.* *James Forbes,* A.L.S. Gardener to His Grace the Duke of Bedford, at Woburn Abbey.
- Fort.* } *Robert Fortune.* A successful investigator of the Fl. of China as botanical collector of the London Hort. Society, and some time curator of the Physic Garden of the Society of Apothecaries, Chelsea.
- Fr.* See *Frœs.*
- F. S.* *F. W. Smith.* An English amateur.
- G. Anders.* *George Anderson.* Author of a Monograph on *Pæonies* in vol. xii. of the *Linnæan Transactions*, and a collector of willows.
- Gard.* } *G. Gardner,* Esq. A botanical collector and traveller in Brazil.
- Gardn.* } *Gaudichaud.* A French hotanist.
- G. & H.* *Dr. Gillics and Sir W. J. Hooker.*
- [G. B. K.]* *G. B. Knowles,* F.L.S. One of the co-conductors of the *Floral Cabinet.*
- G. E. Sm.* *Gerard Edwards Smith.* Author of a *Flora of South Kent.*
- [G. G.]* } *G. Gordon.* The able superintendent of the Arboretum and Plant departments in the Garden of the Lond. Hort. Soc.
- G. M.* } *Gardener's Magazine.* By J. C. Loudon, F.L.S. 1826—44. 19 vols. 8vo.
- Gode.* *Godefray.* A nurseryman at Ville d'Avray, near Paris.
- Gowan.* *Dr. Gowan.* Some time superintendent of the Botanic Garden at Saharumpur.
- Gow.* *J. R. Gowen,* Esq. Originator of hybrid *Azaleas* and *Rhododendrons* at Earl Caernarvon's, at Highclere.
- Græf.* *John Græffer.* Author of a *Descriptive Catalogue of upwards of 1100 Spectes and Varieties of Herbaceous or Perennial Plants.* 8vo. 1789.
- Griff.* *Mrs Griffiths,* of Torquay, Devonshire.
- Gris.* } *Grisbach.*
- Griseb.* } *Grisbach.*
- Gunn.* *Gunner.*

- Guss.* *Joannes Gussone*, M.D. Director of the Royal Botanic Garden at Palermo, and a botanical author.
- Hartweg.* *M. T. Hartweg*. Some time botanical collector in California, &c. for the Loud. Hort. Soc.; and now Director of the Gardens of the Grand Duke of Baden, at Schwezingen.
- Hartwiss.* *Hartwiss.*. A German botanist.
- Harv.* *William Henry Harvey*, M.D., M.R.I.A. Professor of botany in the University of Dublin, and author of *Phycologia Britannica*, and other works on Algæ.
- Hass.* *Arthur Hill Hassall*, F.L.S. A British botanist, and a writer on the British freshwater Algæ.
- Hassk.* *Hasskartl*.
- H. B. & K.* *Humboldt, Bonpland, and Kunth*, German botanists.
- Hens.* *Rev. J. Henslow*. Professor of botany in the University of Cambridge.
- Heavard.* *R. Heavard*, Esq. A British botanist.
- H. Göt.* *Of the Göttingen Botanic Garden.*
- H. & A.* *Sir W. J. Hooker*, F.R.S., &c., and *Dr. Arnott*, F.R.S.E., &c. Authors of the Botany of Captain Bechey's Voyage to the Pacific, &c.
- H. & H.* *Hoppe and Hornschuch*. German cryptogamic botanists.
- H. Bel.* *Of the Belgium Garden.*
- Her. B.* *Sir Joseph Banks's Herbarium*, preserved in the British Museum.
- Her. Doug.* *Douglas's Herbarium*, in the keeping of the Horticultural Society.
- Hod.* } *Hodgins*. Nurseryman, Haddonstown, }
Hodgins. } near Wicklow.
- Hook & Harv.* See *Hook*, and also *Harv.*
- Hort. Oxon.* *Of the Oxford Botanic Garden.*
- Höss.* *Franz von Höss*. Author of *Anleit. die Bäume und die Sträucher Oesterreichs*, &c. 1830.
- H. Pct.* *Hortus Petropolitanus*.
- H. S.* *Of the Horticultural Society's Garden, Chiswick.*
- Huben.* *J. W. P. Hubener*. A German botanist.
- Hüg.* *Baron C. de Hügel* of Vienna.
- Jack.* *William Jack*. A writer in the Botanical Miscellany on the plants of the Malay Islands.
- J. B.* *J. Bevis*. Gardener to J. Allcard, Esq.
- J. C.* } *J. Cree*, of the Adlestone Nursery.
- J. Cree.* }
- Jenn.* *Edward Jenner*, A.L.S. A British botanist, and an indefatigable investigator of the more minute British freshwater Algæ, especially the Desmidiæ.
- John.* *Dr. Johnston*. A botanist, and author of a Flora of Berwick upon Tweed, &c.
- J. Sm.* *J. Smith*, A.L.S. Curator of the Royal Botanic Garden, Kew.
- [*K. & P.*] *Knight and Perry*, of the Exotic Nursery, King's Road, Chelsea.
- Karw.* *Baron Karwinski*. A zealous promoter of botany in Germany.
- Kaulf.* *G. Fred. Kaulfuss*, M.D. Author of a work on Ferns, and demonstrator of botany at Halle. He died in 1831.
- K. & W.* *Knoules and Westcott*. Conductors of the Floral Cabinet.
- K. & Z.* *Baron Karwinski and Zuccarini*. Zealous promoters of botany in Germany.
- Ker.* *Ker*. A describer of plants in the Bot. Reg.
- Klot.* *Klotzsch*. A German writer on Fungi.
- Künze.* A German botanist, and a writer on Ferns, Fungi, Carices, &c.
- Lamour.* *Lamourouz*. Author of *Dissertations sur plusieurs Espèces de Fucus*. 4to. Agen, 1832.
- Lanth.* *T. Lanth*. Author of *Dissertatio de Acere*.
- Laws.* *Charles Lawson*. Author of the *Agriculturist's Manual*.
- Leech.* *Rev. J. E. Leech*, M.A. A British botanist, and a writer on British Willows.
- Lesch.* *Leschenault de la Tour*. A French botanist.
- Lessing.* *C. F. Lessing*. A writer on Compositeæ, and resident at Berlin.
- Lex.* *John Lexarza*. A French botanical author.
- Lex. & Lat.* *J. Lexarza and P. La Llave*. Authors of *Descripciones novarum Vegetabilium*. 2 fasc. 8vo. Mexico, 1824—5.
- Libosch.* *D. Liboschütz*. A foreign botanist.
- L. man.* *Linnaei Mantissa Plantarum altera*. 8vo. Holm. 1771.
- Loud.* See *Loudon*.
- Low.* *Hugh Low*. Nurseryman, Clapton.
- Low.* *Rev. R. T. Lowe*. Travelling bachelior of the University of Cambridge.
- Mack.* *J. T. Mackay*, A.L.S., &c. Author of *Flora Hibernica*.
- Mak.* *M. Jacob Makoy*. Nurseryman, Liège, Belgium.
- Mal.* *Malcolm*, W. F.L.S., &c. Late nurseryman at Kensington.
- Marn.* *Robert Marnock*. Curator of the Royal Botanic Garden, Regent's Park, London.
- Mast.* *W. Masters*, F.H.S., of the Canterbury Nursery, and Curator of the Canterbury Museum.
- Matth.* *Patrick Matthew*. A writer on Naval Timber, &c.
- Mauud.* *B. Mauud*, F.L.S., &c. Conductor of the "Botanic Garden."
- Maur.* *Ernest Mauri*. A botanical author.
- M. B.* See *Dieb.*
- Meisn.* *Meisner*.
- Mer.* *X. V. Mercat*. Author of *Nouvelle Flore des Environs de Paris*.
- Mey.* *F. J. F. Meyen*, Ph.D., M.D. Late Professor of Botany in the University of Berlin.
- Miel.* *Mieltschaffër*. A German botanist.
- Miq.* *F. A. G. Miquel*. A botanist of Leyden.
- Moench Supp.* *Moench's Supplementum ad Methodum*, &c.
- Moon.* *Moon*. A traveller and collector in Ceylon.
- Moon Cat.* *Moon's Catalogue of the Plants of Ceylon*.
- Moore.* *Mr. D. Moore*, A.L.S., F.B.S. Curator of the Glasnevin Botanic Garden, Dublin.
- Morr.* *Charles Morren*, M.D. Professor of Botany in the University of Liège.
- Müll.* *Müller*. A botanical author.
- Mr. fil.* *Michaux the Younger*. Author of *Histoire des Arbres de l'Amérique*.
- Nectoux.* *H. Nectoux*. A French botanist and traveller.
- Neill.* *Dr. Neill*, F.R.S.E., F.L.S., &c., of Canon Mills Cottage. A zealous botanist and promoter of horticult. ure.
- Opiz.* *Opiz*. A German botanist.
- P.* See *Ph.*
- Pappe.* *Dr. Pappe*, of Cape Town.
- Park.* *John Parkinson*. Author of *Theatrum Botanicum*. fol. 1640.
- Parker, ms.* *C. Parker, Esq.*, of Demerara.
- Paxt.* *Joseph Paxton*, F.L.S., H.S., &c. Editor of the Magazine of Botany, and gardener to His Grace the Duke of Devonshire, at Chatsworth.
- P. B.* See *Br.*
- P. B. Webb.* *Philip Barker Webb*, Esq. A traveller in the Canaries, who sent these species of plants not previously in British gardens.
- P. Don.* Editor of the 13th edition of "Donn's Hortus Cantabrigiensis." 8vo. 1845.
- Penny.* *George Penny*, A.L.S. Botanical cultivator in the Epsom Nursery.
- Perrot.* *Perrotet*. A French botanist.
- Pf.* } *Dr. Pfeiffer*, of Cassel. A writer in the }
Pfeiff. } *Garten Zeitung*.
- P. c.* } *Pococke*. A traveller in the East.
- Pr. C.* *Prince's* (of New York) *Nursery Catalogue*.
- Puer.* *Puerari*. A professor at Copenhagen.
- Ratfs.* *John Ratfs*, M.R.C.S. A British botanist, and a writer on, and a diligent investigator of, the British Desmidiæ; a tribe of very minute Algæ.
- Rehb.* *G. C. Reichenbach*. A German botanist.
- R. Cun.* *R. Cunningham*, A.L.S., &c. The late botanical collector, in Australia, for Kew Gardens.
- [*R. F.*] See *Fort.*
- Richards.* *John Richardson*, M.D. A traveller in the northern parts of British America, and author of the Appendix on Natural History to Franklin's Travels.
- Riedel.* *L. Riedel*. A botanical collector attached to the Botanic Garden at St. Petersburg.
- Robil.* *Robillard*. A French botanist.
- Rochler.* *Rochler*. Author of a Catalogue of Garden Plants.
- Ron.* *Ronalds*. A nurseryman at Brentford.
- Ross.* *Rossignol*. A French botanist.
- Royle.* *Dr. Royle*, V.P.R.S., &c., Professor of Mat. Med. in King's College, London;

- Author of Illustrations of the Natural History of the Himalayas, &c.
- S. & C.* *Schlechtendahl and Chamisso.* German botanists.
- S. & D.* *Schiede and Deppe.* Writers on the history of Mexico.
- S. & E.* *Schott,* a traveller in Brazil, and *Endlicher,* a German botanist.
- Scheidw.* *Scheidweiler.*
- Sch.-fl.* *Schultes fils.* A Bavarian botanist.
- Seringe.* *N. C. Seringe.* A Swiss writer on systematic botany in Decandolle's *Prodromus*, &c.
- Shaw.* *T. Shaw.* Author of Travels or Observations relating to several parts of Barbary and the Levant.
- Shut.* *R. J. Shuttleworth, Esq.* A botanist, and a writer on the botany of the Alps of the Canton of Valais, Switzerland.
- Sieboldt.* *Dr. Von Sieboldt.* A Bavarian botanist.
- Sm. Ayr.* *Smith.* Nurseryman of Ayr.
- Somm.* *S. C. Sommerfeldt.* A foreign botanist, and a botanical author.
- Spach.* A writer in the *Annales des Sciences Naturelles*.
- Spruce.* *R. Spruce, Esq., F. B. S. E.* A British botanist, and a traveller and botanical collector in the Pyrenees, &c., and a writer on Bryology in the *London Journal of Botany*.
- Str.* *Hon. W. F. Strangways.* A learned investigator of the Flora of Europe.
- T. & B.* *Turner and Borrer.* English cryptogamic botanists.
- Tausch.* *Tausch.* A German botanist.
- Tayl.* *Dr. Taylor, F. L. S., &c.* An eminent cryptogamic botanist.
- Thwaites.* *G. H. K. Thwaites, Esq.* A British botanist, and Director of the Ceylon Botanic Garden.
- Tongue.* *R. Tongue,* of Forton Cottage, Lancaster.
- Traut.* *Ern. Rud. a Trautvetter.* Attached to the Botanic Garden of St. Petersburg.
- Trew.* *C. J. Trew.* A botanical author.
- Turcz.* *Turczaninow.* A traveller in Siberia.
- Vahl.* *Martin Vahl.* Professor of botany at Copenhagen, and a botanical author.
- Veitch.* *Veitch.* Nurseryman, &c., Exeter.
- Vellozo.* *Vellozo.* A Portuguese botanist.
- Vis.* *Dr. Visiani.* A writer on the Flora of Dalmatia.
- W. & M.* *Weber and Mohr.* German cryptogamists.
- W. & N.* *A. Weite and Ch. G. Nres von Esenbeck.* Authors of *Rubi Germanici*.
- Wall. & Royle.* See *Wal.*, and also *Royle*.
- Wand.* *Wanderoth.*
- Westc.* *Westcott.* One of the conductors of the Floral Cabinet.
- [*W.H.B.*] *W. H. Baxter,* of the Oxford Botanic Garden.
- Wils.* *Wilson.* A cryptogamic botanist.
- Wray.* *Dr. Wray.* Resident at Augusta, in Georgia.
- Youell.* *Youell.* A nurseryman at Yarmouth, Norfolk.
- Zucc.* } *J. G. Zuccarini.* Author of a Monograph on the genus *Oxalis*, and of other papers.
- Zuccar.* }

SUPPLEMENT

TO

LOUDON'S HORTUS BRITANNICUS.

* A † prefixed to genera indicates that they have been already registered, but are here rearranged according to the latest authorities; † prefixed to species, it denotes that they also have been previously registered, but with less perfect details.

I.

PLANTS WITH CONSPICUOUS FLOWERS, AND FERNS.

Systematic Name and Authority.	English Name.	Habit.	Habitation in the Garden.	Popular Character.	Height in Feet.	Time of Flowering.	Colour of the Flower.	Native Country.	Year of Introduction of Exotics, and of the Introduction of British Species.	Propagation.	Soil.	Reference to Figures.
3277. 623a. <i>ABELIA</i> Dec.	<i>ABELIA</i> . (<i>C. Abel</i> , physician to embassy to China, 1818.)								1846.			<i>Caprifol.</i> 14—2.
27971 -	- <i>floribunda</i> <i>Decaisne</i>	copious-flwg	or	3 ap.my	Psh.R. Oaxaca	1846.						C s.l.p Bot. mag. 4316
27972 -	- <i>Vesalea floribunda</i> and <i>V. hirta</i> Mart. & Galeot.											Bullet. de l'Acad. Brux. xi. No. 3. p. 31.
27973 -	- <i>rupéstris</i> <i>Lindl.</i>	rock-inhabiting	or	2 au.s	W.Pa.R. China	1844.						C s.l.p Bot. reg. 1846.8
27973 -	- <i>triflora</i> <i>R.Br.</i>	three-flwd	†	ira?10 ...	Pa.R. E. Indies	1847.						C s.l.p Wal.pl.as.ra.1.15
†2686. <i>ABIES</i> <i>Sal.</i>	<i>SPRUCE FIR.</i> (<i>Apios</i> , a pear tree; cones like its fruit.)											<i>Coniferæ.</i>
23614	<i>excelsa</i> <i>Dec.</i>	lofty, Norway	♂	tm 120 ap	Ap	N. Europe	1548.	S s.l.	Lamb. pi. 2. 1. 35			
	<i>communis</i> <i>Hort.</i>	<i>Picea</i> Mill. <i>Pinus A'bies</i> L.										
	1 <i>communis</i> <i>A.B.</i>	common	♂	tm 120 ap	Ap	N. Europe	1548.	S s.l.	A. b. f. 2212			
	2 <i>nlgra</i> <i>A.B.</i>	black-lvd	♂	tm 120 ap	Ap			C s.l.			A. b. pl. 338a
	3 <i>carpatica</i> <i>A.B.</i>	Carpathian	♂	tm 50 ap.my	Ap	Carp. mo			C s.l.			
	4 <i>péndula</i> <i>A.B.</i>	pendulous-bran.	♂	or 120 ap	Ap			C s.l.			
	5 <i>fol. variegatis</i> <i>A.B.</i>	variegated-lvd	♂	or 40 ap	Ap	N. Europe			C s.l.			
	6 <i>foliis variegatis</i> <i>Lo. C.</i>											
	7 <i>Clanbrasiliana</i> <i>A.B.</i>	Clanbrasil's	♂	or 4 my	Ap	Moirá			C co			
	8 <i>pygmaea</i> <i>A.B.</i>	dwarf	♂	or ...	Ap	Florence Ct.			C s.l.			
	9 <i>tenuifolia</i> <i>A.B.</i>	slender-lvd	♂	or ...	Ap			C s.l.			
	10 <i>gigantea</i> <i>A.B.</i>	gigantic	♂	tm ...	Ap			C s.l.			
	11 <i>monströsa</i> <i>A.B.</i>	monstrous	♂	or ...	Ap			C s.l.			
	12 <i>alba</i> <i>Mr.</i>	white	♂	tm 50 my.jn	Ap	N. Amer.	1700.	S s.l.	Lamb. pi. 2. 1. 36			
	13 <i>Pinus álba</i> <i>Ait.</i>	<i>P. canadensis</i> <i>Duroi.</i>										
	14 <i>nána</i> <i>Dickson</i>	dwarf	♂	or ...	Ap			L s.l.			
	15 <i>nlgra</i> <i>Ait.</i>	black	♂	tm 70 my.jn	Ap	N. Amer.	1700.	S s.l.	Lamb. pi. 2. 1. 37			
	16 <i>Pinus nigra</i> <i>Ait.</i>	<i>P. mariána</i> <i>Ehr.</i>										
	17 <i>rúbra</i> <i>Poir.</i>	<i>Neufound.</i> red	♂	tm 50 my	Ap	N. Amer.	1755.	S s.l.	Lamb. pi. 2. 1. 38			
	18 <i>Smithiana</i> <i>Wall.</i>	<i>Sm.'s Himalayan</i>	♂	tm 50 ...	Ap	Kamaou	1818.	S s.l.	Lamb. pi. 3. 88			
	19 <i>Pinus Smithiana</i> <i>Wall.</i>	<i>P. Kútrow</i> <i>Royle.</i>										
	20 <i>orientális</i> <i>Tourn.</i>	Oriental	♂	or 30 my	Ap	Levant	1825.	S co	Lamb. pi. 2. 1. 39			
	21 <i>P. orientális</i> <i>Lamb.</i>	? <i>A. excelsa</i> var. <i>A. B.</i>										
	22 <i>Douglasii</i> <i>Lindl.</i>	Douglas's	♂	tm 100 my	Ap	N. Amer.	1826.	S s.l.	Lamb. pi. 3. 90			
	23 <i>Pinus taxifolia</i> <i>Lamb.</i>	<i>Pin. ed. 2. 2. 47., Pursh.</i>										
	24 <i>2 taxifolia</i> <i>A.B.</i>	Yew-lvd	♂	tm ... my	Ap	N. Amer.			S s.l.			A. b. f. 2231
	25 <i>Menziesii</i> <i>Dougl.</i>	Menzies's	♂	tm ...	Ap	California	1831.	C s.l.	Lamb. pi. 3. 89			
	26 <i>Pinus Menziesii</i> <i>Lamb.</i>	<i>Sm.'s Himalayan</i>										
	27 <i>canadensis</i> <i>L.</i>	Can. Hemlock Spr.	♂	or 60 my	Ap	N. Amer.	1736.	S s.l.	Lamb. pi. 1. 45			
	28 <i>Pinus canadensis</i> <i>L.</i>	<i>P. americana</i> <i>Duroi.</i>										
	29 <i>422. ABRONIA.</i>											
	30 <i>3467a mellifera</i> <i>Dougl.</i>	honey-bearing	♂	Δ pr	½ jn.au	W	California	1826.	D s.p			Bot. mag. 2879
	31 <i>27977 -</i>	neat	♂	Δ pr	½ jl.au	P	California	1848.	D s.p			
	32 <i>27978 -</i>	rose cld flwd.	♂	Δ pr	½ jl.au.	Ro	California	1847.	D s.p			

3278. 2023a. *ABUTILON* Kth. *ABUTILON*. (Arabic name of a plant analogous to the marsh-mallow.) *Malvaceæ*.
 18091 *pulchellum* Svt. pretty $\frac{\square}{\square}$ fra 8 sp W N.S.W. 1821. C pl. Sw fl. g. 2. s. 287
Sida (section *Abütillon*) *pulchella* Bonp., Loudon's Hort. Brit. No. 18091. *Abütillon pulchellum* Sweet
 in his Hort. Brit. ed. 2., Hooker in Bot. Mag. 2753.
 27979 - *striatum* Dicks. striated $\frac{\square}{\square}$ or 4 mr R.V Brazil 1837. C co. Botanist, no. 144.
Sida picta, Bot. Mag. 3840.
 27980 - *venosum* veined-flwd $\frac{\square}{\square}$ or ?10 jl.au $\frac{\square}{\square}$ or ?6 my R.Y Brazil ... C r.m
 27981 18114 *vitifolium* Presl vine-leaved $\frac{\square}{\square}$ or 6 my Pa.B Chili 1844. C r.m Bot. mag. 4134
Sida diffolia Cav., Dec., Spreng., Hook. et Arn. Bot. Misc. v. 3, p. 154.
 27982 - *grävöleus* W. & A. heavy-scented $\frac{\square}{\square}$ or 6 an. s O.R. E. Indies ?1842. C r.m
Sida grävöleus Roxb., Dec., Spreng., Wall. Cat. n. 1856. *S. hirta* Reichenb. *S. tomentosa* Wall. Cat. n. 1852b.
 27983 - *integerrimum* Hook entire-leaved $\frac{\square}{\square}$ or 14 my Y N. Gren. ... C lt Bot. mag. 4360
 27984 - *Bedfordianum* Hook. D. of Bedford's $\frac{\square}{\square}$ or 15 n Y.R Brazil 1824. C co. Bot. mag. 3892
 27985 - *æoniiflorum* Hook. Pæony-flwd $\frac{\square}{\square}$ or ?8 j R.Ro Org 1843. ? C s.l.p Bot. mag. 4170
 27986 - *rufinæus* St. Hil. rusty-nerved $\frac{\square}{\square}$ or ... jl.au Str. Brazil 1846. ? C p
 27987 - *aurantiacum* St. Hil. orange-cld flwd $\frac{\square}{\square}$ or ... O Brazil ... C
 27988 18094a *esulentum* St. Hil. esculent-flwd $\frac{\square}{\square}$ esc 8 s P Rio Jan. ... C
 All the species given in p. 291., under *Sida* 111 *Abütillon*, are referred to this genus.

2837. *ACA'CIA*.24645 *deciplens*.

- 2 prænansia *Grah.* bitten *lvd* $\frac{\square}{\square}$ or 3 mr.ju Y N. Holl. 1830. C s.l.p Bot. mag. 3244
 27989 24650a *tristis* *Grah.* bitt *græca* $\frac{\square}{\square}$ or 18 7m.ap Y N. Holl. 1828. C s.l.p Bot. mag. 3420
 †24667a *verniciiflva* *Cun.* varnish-flowing $\frac{\square}{\square}$ or 6 mr.my Y N. Holl. 1823. C s.l.p Bot. mag. 3266
 Syn.: No. 24682. *Hort. Brit.*; and also No. 24732, according to Cunningham in *Bot. Mag.*
 †24667b *grävöleus* *Cun.* strong-scented $\frac{\square}{\square}$ or 15 ap.jn Y V. D. L. ... C s.l.p Bot. mag. 3279
 27990 24668a *brévipes* *Cun.* short-petioled $\frac{\square}{\square}$ or 6 ap Y N. S. W. 1810 ? C s.l.p Bot. mag. 3358
 †24676a *undulæfolia* *Cun.* waved-leaved $\frac{\square}{\square}$ or 4 ap.jn Y N. S. W. 1824. S s.l.p Bot. mag. 3394
 No. 24689. in p. 407.
 †24679 *elongata* *Sieb.* long-branched $\frac{\square}{\square}$ or 6 ap.jn Y N. S. W. 1823. C s.l.p Bot. mag. 3337
 †24688 *Cunninghami* *Ait.* Cunningham's $\frac{\square}{\square}$ or 4 ap.jn Y N. Holl. 1823. C s.l.p Bot. cab. 1225
 †24716 *unbrösa* *Cun.* shade-inhabiting $\frac{\square}{\square}$ fra 25 ap Pa.Y N. S. W. 1823. C s.l.p Bot. mag. 3338
 27991 24743a *intermedia* *Cun.* intermediate $\frac{\square}{\square}$ or 8 ... Y N. Holl. 1818. ? C s.l.p Bot. mag. 3203
 27992 24817a *plumbösa* *Low* feathery-leaved $\frac{\square}{\square}$ or 20 ? ... Y ... C s.l.p Bot. mag. 3265
 27993 - *prænans* *Low* holding *prickled* $\frac{\square}{\square}$ or 40 ... Y ... C s.l.p Bot. mag. 3408
 27994 - *cordatäna* *Lindl.* 5-angled $\frac{\square}{\square}$ or 5 ap Y N. Ho. s.w.c 1830. C p Bot. reg. 1521
 27995 - *astringens* *Ait.* astringent $\frac{\square}{\square}$ nr ... N. S. W. 1823. C s.l.p
 27996 - *cuneata* *Benth.* wedge-shaped $\frac{\square}{\square}$ or ... Sw. River 1837. C s.l.p
 27997 - *delibrata* *Ait.* ragged-barked $\frac{\square}{\square}$ or ... N. Holl. 1820. C s.l.p
 27998 - *dependens* *Ait.* dependent $\frac{\square}{\square}$ or ... V. D. L. 1819. C s.l.p
 27999 - *holosericea* *Ait.* silky $\frac{\square}{\square}$ or ... N. Holl. 1820. C s.l.p
 28000 - *humifösa* *Ait.* trailing $\frac{\square}{\square}$ or ... N. Holl. 1820. C s.l.p
 28001 - *Lawsoni* *Ait.* Lawson's $\frac{\square}{\square}$ or ... N. S. W. ... C s.l.p
 28002 - *leptocarpa* *Ait.* slender-podded $\frac{\square}{\square}$ or ... N. Holl. 1821. C s.l.p
 28003 - *ligulata* *Ait.* strap-shaped $\frac{\square}{\square}$ or ... N. S. W. 1818. C s.l.p
 28004 - *neurocarpa* *Ait.* nerved-fruited $\frac{\square}{\square}$ or ... N. Holl. 1820. C s.l.p
 28005 - *persoonioides* *Ait.* Persoonia-like $\frac{\square}{\square}$ or ... N. Holl. ... C s.l.p
 28006 - *sericata* *Ait.* silky $\frac{\square}{\square}$ or ... N. Holl. 1820. C s.l.p
 28007 - *Simsii* *Ait.* Sims's $\frac{\square}{\square}$ or ... N. Holl. 1819. C s.l.p
 28008 - *spectabilis* *Cun.* remarkable $\frac{\square}{\square}$ or ... ap Y N. S. W. 1837. C s.l.p B. reg. 1843, 46
 28009 - *stenophylla* *Ait.* narrow-lvd $\frac{\square}{\square}$ or ... N. S. W. 1818. C s.l.p
 28010 - *umbellata* *Ait.* umbellate $\frac{\square}{\square}$ or ... N. Holl. 1819. C s.l.p
 28011 - *viminälis* *Ait.* twiggy $\frac{\square}{\square}$ or ... N. Holl. 1820. C s.l.p
 28012 - *vomeriformis* *Ait.* share-shaped $\frac{\square}{\square}$ or ... N. Holl. 1818. C s.l.p
 28013 - *xylocarpa* *Ait.* woody-podded $\frac{\square}{\square}$ or ... N. Holl. 1820. C s.l.p
 28014 - *dentifera* *Benth.* tooth-bearing $\frac{\square}{\square}$ or ... ap Y Sw. River 1839. C s.l.p Botanist, 179.
 28015 - *rotundifolia* *Hook.* round-leaved $\frac{\square}{\square}$ or 3 ap Y N. Holl. 1842. C s.p.1 Bot. mag. 4041
 28016 24740a *péndula* *Cun.* pendulous $\frac{\square}{\square}$ or 8 ap.my Y N. Holl. 1823. C p.1
 28017 - *platyptera* *Lindl.* broad-winged $\frac{\square}{\square}$ or 3 mr.ap Y S. River 1840. C s.l.p Bot. mag. 3933
 28018 - *Riceana* *Henslow* *Mr. Spring* Rice's $\frac{\square}{\square}$ or 4 mr Y V. D. L. 1835. C s.l.p. Botanist, 133
 28019 24765a *sapindöides* *Cun.* Sapindus-like $\frac{\square}{\square}$ or 20 ... Y Moreton B. 1830. S p.1
 28020 - *ceclastriöföla* *Benth.* *Celastrus*-lvd $\frac{\square}{\square}$ or 6 mr Y S. River 1843. ? C s.l.p Bot. mag. 4306
 28021 24645a *deltöidea* *Cunn. Mss.* deltoid-lvd $\frac{\square}{\square}$ or 5 mr.ap Y N. Holl. 1824. C s.l.p
 28022 - *ixiophylla* *Benth.* clammy-lvd $\frac{\square}{\square}$ or ?2 mr.ap Y N. S. W. 1844. S.C r.s.l. [11. 123
 28023 24719a *cultriformis* *Paxt.* knife-shaped-lvd $\frac{\square}{\square}$ or 15 ap.my Y N. Holl. 1829. ? C s.l.p Paxt. mag. bot.
 ? *cultrata* *Ait.*
 28024 24736a *moë'stra* *Lindl.* mourning $\frac{\square}{\square}$ or ... ap D.I. Y N. Holl. ... s.l.p Bot. r. 1846. 67
 28025 - *leptoneura* *Benth.* slender-nerved $\frac{\square}{\square}$ or 6 ap. Y S. River ?1846. C s.l.p Bot. mag. 4350
 28026 - *oncinoöphylla* *Lindl.* hook-leaved $\frac{\square}{\square}$ or 7 mr.ap. Y S. River ?1846. C s.l.p Bot. mag. 4356
 28027 - *argyrophylla* *Hook.* silver-lvd $\frac{\square}{\square}$ or ?8 ap. Y S. River ?1846. C s.l.p Bot. mag. 4384
 28028 - *urophylla* *Lindl.* tail-leaved $\frac{\square}{\square}$ fra ... mr.jn. Pa.P S. River 1836. C s.l.p
 28029 - *cyanoöphylla* *Benth.* blue-leaved $\frac{\square}{\square}$ or ... ap.jn. Y S. River 1838. C s.l.p
 28030 - *auro-nödis* *Lindl.* shining-yellow $\frac{\square}{\square}$ or ... ap.jn. Y S. River ... C s.l.p
 28031 - *Drummondii* *Benth.* Drummond's $\frac{\square}{\square}$ or ... mr.jn. Y S. River 1842. C s.l.p
 Plants bearing the names *A. hybrida*, *A. nervösa*, and *A. squamata*, are now (Dec. 1848) in the Exotic Nursery, Chelsea.

82. *AC'E'NA*.

- 28032 775a *nyriophylla* *Lindl.* many-leaved $\frac{\square}{\square}$ Δ cu 1 my.jn. G Mendoza 1828. D co
 28033 - *spléndens* *Hook.* splendid $\frac{\square}{\square}$ Δ spl Chili 1838. S l.p [D. Cameron]
 2726. *ACA'LYPHA*.
 28034 - *hernandöföla* *Spr.* *Hernandia*-lvd $\frac{\square}{\square}$ G Jamaica 1825. C co
 28035 - *elliöptica* *Spr.* elliptic-lvd $\frac{\square}{\square}$ G Jamaica 1825. C co
 28036 - *anemiöides* *Kth.* Anemia-like $\frac{\square}{\square}$ G Mexico 1829. C co
 28037 - *purpuräsceus* *Kth.* purple-bracted $\frac{\square}{\square}$ G Mexico 1827. C co
 28038 - *cordata* *Thunb.* cordate-lvd $\frac{\square}{\square}$ G C. G. H. 1836. C co

3279. 2520b. *ACANTHOPHI'PIUM* *Blume.* *ACANTHOPHIPIUM*. (Application unknown.) *Orchidææ*. 3. —
 28039 - *bicolor* *Lindl.* 2-cld-perianth $\frac{\square}{\square}$ or $\frac{\square}{\square}$ jn. Y.R Ceylon 1833? O fib.p Bot. reg. 1730.
 28040 - *syllhetëne* *Lindl.* Sylhet $\frac{\square}{\square}$ or ... my.au.W.F Sylhet 1839. D p.r.w
 28041 - *striatum* *Lindl.* striped-flwd $\frac{\square}{\square}$ cu ... jn. J. Fr.W. str. Nepal 1836. D p.r.w
 28042 - *javanicum* *Blume* Javaneæ $\frac{\square}{\square}$ or 1 Cap. Y. Pa.P. str. Java? 1843. D fib.p Bot. r. 1846, 7

1722. *ACA'NTIUS* 15474 *leicifolius* L.; Syn. *Dicivaria leicifolia* N. Von Esenbeck.

†2867. *A'CER* L. *MAPLE*. (*Acer*, hard, or sharp, from *ac*, Celtic, a point; used for lances.) *Aceræca*.

I. *INDIVI'SA*. — *Leaves undivided.*

25047	oblongum <i>Walt.</i>	oblong-leaved	♣	or	20 f.	G.w.	Nepal.	1824.	S	co	A. b. f. 113	
†25048	tataricum <i>L.</i>	Tartarian	♣		tm 20	my.jn	G.y	Tartary	1759.	L	co	Den br.160.t.104
28043	- - lavigatum <i>Walt.</i>	smooth	♣?		or 40	...	G	Nepal	1840.	L	co	W. pl. as. ra.

II. *TRI'LONA*. — *Leaves 3-lobed, or trifid; rarely 5-lobed.*

25049	spicatum <i>L.</i>	spiked-fl'd	♣	or	25 ap.	my.G.y	N. Amer.	1750.	L	s.l.	Schm. ar. 1. 11
	montanum <i>H. K.</i> ,	Platanus-like	♣		or 412	...	Da Roï.	parviflorum	Ehrh.		
25050	striatum <i>L.</i>	striped-barked	♣	or	20 my.	jn.G.y	N. Amer.	1755.	L	co	Mic. ar. 2. 17
	pennsylvanicum <i>L. sp.</i> ,	<i>silver-var.-lvd</i>	♣		or 412	...	canadense	Marsh, Duh.	hiflorum	Bosc.	

III. *QU'NQVE'LOBA*. — *Leaves 5-lobed, or 5-cleft.*

25051	macrophyllum <i>P.</i>	long-leaved	♣	or	25 my.	jn.G.y	N. Amer.	1812.	L	co	Hook. am. 1. 38	
25052	platanoides <i>L.</i>	Platanus-like	♣	or	tm 50	my.jl	G.y	Europe	1683.	S	co	Schm. ar. 1. 3, 4
	2 Lobelii <i>A. B.</i>	Lobel's	♣		tm 50	my.jl	G.y	Naples	...	L	co	A. b. f. 120
	3 variegat. <i>Hay</i>	<i>silver-var.-lvd</i>	♣	or	30 my.	jl.G.y	Europe	1683.	L	co		
	4 laciniatum <i>Dec.</i>	<i>cut-leaved</i>	♣	or	? 30 my.	jl.G.y	G.y	seedling	...	L	co	A. b. f. 121
	<i>A. p. crispum</i> Lanth.											
28044	- - colchicum <i>Hartwiss</i>	colchicum	♣	or	Abchasiën	1840.	L	co		
	2 rubrum	red-lvd	♣	or	Abchasiën	1840.	L	co		
25053	saccharinum <i>L.</i>	sugar	♣		tm 40	ap.my	Y	N. Amer.	1735.	S	s.l	Mic. ar. 2. 15.
	2 nigrum <i>A. B.</i>	black	♣		tm 40	ap.my	G.y	N. Amer.	1812.	L	s.l	Mic. ar. 2. 16.
	nigrum <i>Mx</i> ,	<i>Brit.</i>	♣		or 412	...	G. Don.					
25054	Pseudo-Platanus <i>L.</i>	long-leaved	♣	or	50 ap.	my.G.y	Britain	hed.	S	co	Eng. bot. 303	
	2 longifolia	long-leaved	♣	or	50 ap.	my	Ap	L	co	
	<i>A. longifolium</i> Booth.											
	3 flavo variegata <i>A. yell.</i>	<i>var.-lvd</i>	♣	or	50 ap.	my.G.y	Britain	gard.	L	co		
	4 albo varieg. <i>Hay.</i>	<i>white-var.-lvd</i>	♣	or	50 ap.	my.G.y	Britain	gard.	L	co		
	5 purpurea <i>Hort.</i>	<i>purple-lvd</i>	♣	or	...	ap.my.G.y	G.y	seedling	1828.	L	co	
	6 subobtusa <i>Dec.</i>	<i>subobtus-lvd</i>	♣	or	50 ap.	my.G.y	Britain	gard.	L	co		
	<i>A. opulifolium</i> Thuil. vitifolium Opiz.											
	7 pëndula	weeping	♣	or	...	ap.my	Ap	G	co	[K. & P.]
28045	25054a	caudatum <i>Walt.</i>	tail-lobed-lvd.	♣	or	50 ap.	my.G	N. India	1845.	L	co	[G. G.]
25055	obtusatum <i>Kt.</i>	obtusely-lobed-lvd	♣	or	40 my.	G.y	Hungary	1835.	L	co	Trat. ar. 1. 14 ic	
	25055a	neapolitanum <i>Ten.</i>	hybridum <i>Hort.</i>	♣			Gard.	in 1834.				
25056	barbatum <i>Mr.</i>	bearded-calyxed	♣	tm	20 ap.	my.G.y	N. Amer.	1812.	S	s.l	A. b. f. 125	
	25056a	carolinianum <i>Bolt.</i>	trilobatum <i>Hort.</i>	♣			Gard.	in 1835.				

IV. *MULTI'FIDA*. — *Leaves 5- rarely 7-lobed.*

25057	Opalus <i>Dec.</i>	Opalus	♣	or	50 my.	jn.G.y	Corfica	1752.	L	co	Baud. tr. 5. 13	
	rotundifolium <i>Lam.</i>	sticticum <i>Lanth.</i>	♣				villosum	Pres.				
25058	opulifolium <i>Vill.</i>	Guelder-rose-lv	♣	or	20 my.	jn.G.y	S. France	1823.	L	co	Trat. ar. 1. 13. ic	
	hispanicum <i>Pou.</i>	vernum <i>Reyn.</i>	♣				montanum	C. Bauh.				
25059	circinatum <i>Fh.</i>	round-leaved	♣	or	30 ap.	my.G.y	N. Amer.	1827.	L	co	Hook. am. 39	
28046	25059a	dissectum <i>Thunb.</i>	dissected-lvd	♣	or	30 my	G	Japan	1845.	L	co	[G. G.]
25060	palmatum <i>Thunb.</i>	palmate-leaved	♣	or	? 10	...	G	Japan	1820.	L	co	Trat. ar. 1. 17 ic
25061	eriocarpum <i>Mr.</i>	woolly-fruited	♣	tm	25 ap.	my.G.y	N. Amer.	1725.	L	s.l	Trat. ar. 18	
	25061a	dasyacarpum <i>W.</i>	lomentosum <i>Il. Par.</i>	♣			glaucum	Marsh.	virginianum	Duh.	rubrum	Wan.
25062	rubrum <i>L.</i>	red-flowering	♣	tm	20 ap.	my	R	N. Amer.	16-16.	L	s.l	Mic. ar. 2. 14
	25062a	virginianum <i>Herm.</i>	cooclineum <i>Ait.</i>	♣								

Vars. 2 coccineum and 3 intermedium differ so very little from this species as hardly to be worth cultivation as distinct. The leaves of *A. r.* coccineum are somewhat redder in spring, when they expand than those of *A. rubrum*.

25063	monepsectanum <i>L.</i>	Montpelier	♣	or	8 my.	jn.G.y	S. Europe	1739.	L	co	Schm. ar. 1. 14	
	25063a	trilobum <i>Manch.</i>	trifolium <i>Duh.</i>	♣			trilobatum	Lam.				
25064	campêtre <i>L.</i>	field	♣	or	25 my.	jn.G.y	Britain	hed.	S	co	Eng. bot. 304	
	1 hebecarpum <i>Dec.</i>	downy-fruited	♣	or	25 my.	jn.G.y	Britain	hed.	L	co		
	campêtre <i>Walt.</i>	<i>mötte</i> Opiz.	♣									
	2 foliis varieg. <i>A. B.</i>	<i>variegated-lvd</i>	♣	or	25 my.	jn.G.y	Britain	gard.	L	co		
	3 collinum <i>Walt.</i>	<i>hill-inhabiting</i>	♣	or	25 my.	jn.G.y	France	...	L	co		
	4 austriacum <i>Trat.</i>	<i>Austrian</i>	♣	or	30 my.	jn.G.y	Austria	...	L	co	A. b. pl. 32	
	5 levigatum <i>Hort.</i>	<i>smooth-lvd</i>	♣	or	30 my.	jn.G.y	L	co		
	6 nanum <i>Hort.</i>	<i>dwarf</i>	♣	or	...	my.jn	G.y	L	co	
	7 rubris	<i>red samara</i>	♣	or	...	my.jn	G.y	?1841.	L	co	
	8 heterocarpum	<i>various-shpd-sam.</i>	♣	or	...	my.jn	G.y	?1841.	L	co	
25065	creticum <i>L.</i>	Cretan	♣	or	6 my.	jn.G.y	Levant	1752.	L	co	Schm. ar. 15	
	25065a	heterophyllum <i>W.</i>	sempervirens <i>L. man.</i>	♣								
28047	- - byrcanicum <i>F. & M.</i>	Hyrcanian	♣	or	G	Caucasus	1838.	L	co	

2487. *A'CERAS*.
28048 22515a *secundiflora* *Lindl.* one-sided-spiked ♣ cu $\frac{3}{4}$ ap *Di. V.* *S. Eur.* 1829? *D* *1p* *Bot. reg.* 1525

2387.	<i>ACHILLEA</i>											
28049	21800a	acuminata <i>Led.</i> ?	acuminated	♣	or	2 au.	s	W	1830.	D	co
	21847	Millefolium.										
	3 variegata <i>Hort.</i>	<i>variegated-lvd</i>	♣	or	2 jn.	s	W	Britain	gard.	D	co	
28050	- -	vermicularis <i>Trin.</i>	worm-like	♣	or	1 $\frac{1}{2}$ jl.	au	Y	Russia	1835.	D	co
	- -	amœna <i>Mey.</i>										
28051	- -	sylvatica <i>Dec.</i>	wind-inhab.	♣	or	...	jl.s.	W	Calabria	1830.	D	co
28052	- -	albicaulis <i>Dec.</i>	white-stemmed	♣	or	...	jl.au	Pa. Y.	Caucasus	1836.	D	co

3280. 1796a. *ACHIME'NES* *P. B.* (*a* augm. *cheimaino*, to suffer from cold; tenderness.) *Gesneraceæ*. 14. 2.
28053 - - rosea *Lindl.* rosy ♣ Δ or 1 jn.s *Pk* Guatemala 1840. *R* *lt* *Bot. reg.* 1841, 65
†15993 *coccinea* scarlet ♣ Δ or 1 jn.s *S* Jamaica 1778. *R* *lt*
Cyrilla pulchella *L'Herit.* *Treviranæ* *coccinea* *W. en.* No. 15993 in p. 252.
1 venusta beautiful ♣ Δ or 1 jn.s *Psh.* Li. Y. hybr. ?1846. *R* *lt* *Paxt.* m. xv. 121.1
2 coc. intermedia intermediate ♣ Δ or 1 jn.s *Bt.* S. hybrid ?1846. *R* *lt* *Paxt.* m. xv. 121.2
3 coc. superba superb scarlet ♣ Δ or 1 jn.s *Dp.* S. hybrid ?1846. *R* *lt* *Paxt.* m. xv. 121.3
4 c. grandifl. ignea large-flwd bt. sc. ♣ Δ or 1 jn.s *Cr.* S. hybrid ?1846. *R* *lt* *Paxt.* m. xv. 121.4

- 28054 - - *pyropæa Lindl.* fiery red-flwd $\frac{1}{2}$ \square or 1 j.n.s Bt.S Guatem. 1847. R lt J.II.S. 2. t.4. f. 1.
 28055 - - *formosa* beautiful $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ j.n.s Bt.S.br.spt. ... ?1846. R lt
 28056 - - *cândida Lindl.* white-flwd $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ j.l.s W Guatem. 1848. R lt J.II.S. 3. 317 fig.
 28057 - - *miserâ Lindl.* poor-flwd $\frac{1}{2}$ \square or 1 j.l.s Wsh.P sp. Guatem. ?1848. R lt
 28058 - - *multiflora Gard.* many-flowered $\frac{1}{2}$ \square or 1 au Pa.L Brazil 1842. R co Bot. mag 3993
 28059 - - *grandiflora Dec.* large-flowered $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ j.l.s Rsh.P Mexico 1842. R lt Bot. mag. 4012
 28060 - - *Sknoerri Lindl.* Skinner's $\frac{1}{2}$ \square or 2 j.l.s Ro.P Guatem. 1847. R lt J.H.S. 2. t.4. f.2.
 28061 - - *Liepmänni* Liepmann's $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ j.n.s Li.P ... ?1845. R lt
 28062 - - *pâtenâ Benth.* spreading-flwd $\frac{1}{2}$ \square or 1 j.n.au Rh.V Mexico 1846. R lt Paxt m. 13.197
 28063 - - *longiflora Dec.* long-flowered $\frac{1}{2}$ \square or 1 j.n.o V Guatem. 1841. C lt Bot. reg. 1842. 19.
 28064 - - *Kleeî Skinner* Klee's $\frac{1}{2}$ \square or 1 a.u.s Ro.P Guatem. 1848. R lt [G. G.]
 28065 - - *pedunculata Benth.* long-stalked $\frac{1}{2}$ \square or 2 j.l.s S. y Guatem. 1840. R lt Bot. reg. 1842. 31
 28066 - - *hirsutâ Lindl.* hairy $\frac{1}{2}$ \square or 2 $\frac{1}{2}$ j.l.au Dp.ro.y Guat. 1844. R lt Bot. mag. 4144 [4359
 28067 - - *atrosanguinea* blood-red-cld-flwd $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ j.n.s C.Bff.dk.spt. Hyb. ?1845. R lt [4359
 28068 - - *ocellata Hook.* eyeleted $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ au S. y Guat. 1847. R rot. lvs. l. p. Bot. m.
 28069 - - *picta Benth.* painted $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ j.l.s Y.R.St Mexico 1843. R lt Bot. mag. 4126
 28070 - - *cupreata Hook.* copper-cld-flwd $\frac{1}{2}$ \square or 1 ap.jn S Sona 1845. C.R.lt Bot. mag. 4312
 28071 - - *argyrostigma Hook.* silvery-spot. flwd $\frac{1}{2}$ \square or 1 j.n.au W.R.St.Mart. 1845. R lt Bot. mag. 4175
 28072 - - *Knighti* Knight's $\frac{1}{2}$ \square or 1 aut W ... 1847. R lt [K. & P.]
 28073 - - *Lindeni* Linden's $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ aut S ... 1847. R lt [K. & P.]
3281. 1548a. A'CHLYS Dec. ACHLYS, the goddess of obscurity; genus obscure.) 13. 1. *Podophyllacæe.*
 28074 - - *triphÿlla Dec.* three-leaved $\frac{1}{2}$ \square or ... ap.jn W N. Amer. 1827. D s.l.p. Hook. am. 12
3282. 2227a. ACHYRON PHORUS D. Don. (Achyron, chaff, phoreo, to bear; receptacle.) *Com. Eich. 2.*
 28075 - - *maculata D.* Don spotted-leaved $\frac{1}{2}$ \square or 1 j.n.jl Y England ch. hi. D s.l Eng. bot. 225
Hypoche'ris maculata L. No. 20190., and also Nos. 20189. and 20197. belong to this genus.
3283. 2543c. ACIANTHERA Scheidw. ACIANTHERA. (Akis, point, anthera, anther.) *Orchidacæe Malar.*
 28076 - - *punctata Scheidw.* spotted-flwd $\frac{1}{2}$ \square or ... ap.jl Gsh.gy. Brazil. 1840. D fib. p.
3284. 962a. A'CI'S Sal. ACIS. (Acis, a shepherd, son of Faunus.) *Amaryllidæe. 3.*
 28077 - - *roseus Swt.* rose-coloured $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ au.s R Corsica 1820. O s.l Sw. fl. gar. 301
Leucodjum roseum Mart.
 28078 - - *grandiflorus Red.* great-flowered $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ au.s W Numidia 1820. O s.l Bot. reg. 544
 28079 - - *trichophyllus Swt.* hair-leaved $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ ja.f W Spain 1820. O s.l
Leucodjum trichophyllum Brot. No. 7786., and also 7789, belong to this genus.
3285. 673a. ACMADENIA B. & W. ACMADENIA. (Akme, a point, aden, a gland; anthers.) *Rutidæeæ. 1.—5.*
 28080 - - *tetragona Hill.* four-angled $\frac{1}{2}$ \square or 2 ap.jl W C. G. Il. 1798. C p.l Thun. v. 4. 5
Adenandra tetragona Swt. No. 5573.
3286. 1482b. ACME N.A Dec. ACMEENA. (Acmeena, a nymph of Venus's) *Myrtidæeæ. 1.—2.*
 28081 - - *floribunda Dec.* bundle-flwd $\frac{1}{2}$ \square or 6 j.l.au W N. Holl. 1788. C s.l Veo. mal. 75
Metrosideros floribundus Sm. No. 12680.
1600. ACONI'TUM.
 28082 2141 22a ochranthum Led. pale-flowered $\frac{1}{2}$ \square or 4 j.l.au Y Russia 1834. D co
 28083 14205a Stoerckiannum B.C. Stoerck's $\frac{1}{2}$ \square or 4 au B Austria 1824. D co Bot. cab. 1991
 Whether this be the A. Stoerckiannum Rehb. we have not the means to ascertain; nor whether it be
 the A. paniculatum var. Stoerckiannum of M. Seringe in Dec. Pr. i. 60.
 28084 - - *chinensis Siebold* Chinese $\frac{1}{2}$ \square or 4 s B China 1833. R co Paxt. mag. 5. 1
 28085 14188a Lamarecki Rehb. Lamarck's $\frac{1}{2}$ \square or 2 j.n.au Pa.Y Pyrenees 1817. D co
pyrenæicum Lam. not L.
 28086 - - *Nuttalli Swt.* Nuttall's $\frac{1}{2}$ \square or 5 jn.o Pa.B N. Amer. 1829. D co
pallidum Nut.
 28087 - - *moldavicum Bes.* Moldavian $\frac{1}{2}$ \square or 5 jn.o Psh Moldavia 1830. D co
 28088 - - *ovatum Lindl.* ovate-flwd $\frac{1}{2}$ \square or 2 $\frac{1}{2}$ au G.R.P.Cashmere 1839. D co Bot. gard. 870.
 28089 - - *autumnale Lindl.* autumnal-flwd $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ s.d B China 1846. R co
3287. 2560a. ACRIOPSPIS Bl. ACRIOPSPIS. (Akris, summit, opsis, eye.) *Orchidacæeæ.*
 28090 - - *densiflora Lindl.* crowded-flwd $\frac{1}{2}$ \square or ... Yh.gr.ro.w Borneo ?1846. D fib. p.
 28091 - - *picta Lindl.* painted-flwd $\frac{1}{2}$ \square or ... j.l.s W.G.P Bantam 1842. D fib. p.
3288. 1688b. ACROCEPHALUS Benth. (Akros, summit, kephale, head; flowers on branch tops.) *Lab. 1.—3.*
 28092 - - *capitata Benth.* headed $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ j.l.au W Chioa 1806. S s.l
Lumnitzera capitata W. No. 15240.
3289. 1191a. ACRONYCHIA Forster. (Akros, the top, onyx, a claw; incurved points of petals.) *Rutidæeæ.*
 28093 - - *Cunninghami Hk.* Cunningham's $\frac{1}{2}$ \square or 7 my.jn W Moretoo Bay 1838 C co B. mag. 3994
3290. 2537a. ACROPERA Lindl. ACROPERA. (Akros, the extremity, pera, a bag; appendage to labellum.) *Orchid.*
 28094 - - *Loddigesi Lindl.* Loddiges's $\frac{1}{2}$ \square or $\frac{2}{3}$ au.s Pa.Y.P Mexico 1828. D p.r.w Bot. mag. 3563
Maxillaria gateata Bot. Cab. 1645.
 2 major larger-flwd $\frac{1}{2}$ \square or 1 au.s Pa.Y D fib. p
 3 citrina citron-cld-flwd $\frac{1}{2}$ \square or $\frac{2}{3}$ au.s Ci D fib. p
 28095 - - *Batemanii Lindl.* Mr. Bateman's $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ au.s ... Nicaragua 1847. D fib. p
Tetrazjgia clavaignôides Bot. mag. 4383.
3291. 1207a. ACROPHYLLUM Benth. ACROPHYLLUM. (Akros, summit, phyllon, leaf.) *Cunoniæeæ. 10.—1.*
 28096 - - *verticillatum Don* whorl-tid $\frac{1}{2}$ \square or 2 my.jn W.R.N. Holl. 1835. C s.l.p. Bot. mag. 4050
A. vendsam Benth. *Catycômis verticillata* Don. *Weinmannia vendsa* K. & W.
3292. 2921a. ACROPTERIS J. Sm. ACROPTERIS. (Akros, a point, pteris, a fern) *Crypt. Filices. 24.—1*
 28097 - - *radiata Swz.* raved $\frac{1}{2}$ \square or ... j.l.s Br. N. Amer. ... D l.p
Asplenium radiatum Swz.
 28098 - - *austrâlis J. Sm.* western $\frac{1}{2}$ \square or ... Br. N. Holl. ... D l.p
Asplenium austrâle Swz.
 28099 - - *canariensis J. Sm.* Canary $\frac{1}{2}$ \square or ... j.l. Br. Canaries 1824. D l.p
Asplenium canariense W.
 28100 - - *serra J. Sm.* saw-leaved $\frac{1}{2}$ \square or ... ap.s Br. N. Eur. 1844. D l.p
Asplenium serra Fisch.
 28101 - - *platyphÿlla J. Sm.* flat-leaved $\frac{1}{2}$ \square or ... Br. Y Malacca ... D p.l
 28102 - - *oxyphÿlla J. Sm.* sharp-leaved $\frac{1}{2}$ \square or ... Br. Y Iof.Luzon ... D p.l

28103 -	- pellucidâ	pellucid	☒ ☒ or ...	Br	Lof Luzon	...	D	p.1
28101 -	- caudata	caudate	☒ ☒ or ...	Br	Lof Luzon	...	D	p.1
28105 -	- falcata	falcate	☒ ☒ or 21	Br	India	1843.	D	p.1
28106 -	- varians	varying	☒ ☒ or ...	Br	Lof Luzon	...	D	p.1
28107 -	- spathulna	spathulate	☒ ☒ or ...	Br	Lof Luzon	...	D	p.1
28108 -	- laserpitifolia	Laserpitium-lyd	☒ ☒ or ...	Br	Lof Luzon	...	D	p.1

Also nos. 25436, 25443, 25460, and 25469 of the genus *Asplenium* L.

2902. ACROSTICHUM. I. INDIVISA.

28109 -	- citrifolium Spr.	Citron-leaf	☒ ☒ or ½ s	Br	W. Indies	...	D	1 p
28110 -	- scolopendrium Spr.	Scolopendr.-like	☒ ☒ or 1½ au	Br	W. Indies	...	D	1 p
28111 -	- latifolium Swz.	broad-leaved	☒ ☒ or 1	Br	Jamaica	...	D	1 p

25313 crinitum Swz. Syn. *Dictyoglossum crinitum*. J. Sm. Hook. et Grev. ic. fil. 1.

II. DIVISA.

28112 25315a	grânde Cœn.	magnificent	☒ ☒ or 6	Br	Moreton B	8828.	D	1 p
--------------	-------------	-------------	----------	----	-----------	-------	---	-----

III. PINNATA.

28113 25317a	flagelliferum Wal.	rod-bearing	☒ ☒ or 2	Br	E. Indies	1828.	D	1 p. II. & G. 23.
28114 25318a	asplenifolium Swz.	Asplenium-lyd	☒ ☒ or 1	...	Brazil ?	1833.	D	1 p
28115 25318b	juglandifol. Kauf.	Walnut-lyd	☒ ☒ or 2	...	Surinam	1832.	D	1 p

3293. -	- ACROSTOPHYLLUM Lindl.	ACROSTOPHYLL. (<i>Acros</i> , summit, <i>phyllon</i> , a leaf.)						<i>Orchidaceæ</i> . 20.—1
28116 -	- khasyanum Lindl.	Khasyan	☒ ☒ cu	E. Indies	1838.	D	fib.p

264. ACTINOPHLOA 2262 prostrata Lag. Syn. *Bouteloua prostrata* Lag., *Chondrosium prostratum* Kth.

846. ACTINOTUS.

28117 6789a	leucoccephalus Benth.	white-headed	Swan Riv.	1837.	D	s.1
-------------	-----------------------	--------------	-----	-----	-----------	-------	---	-----

3294. 1378a.	ADA'MIA Wal.	(J Adam, M.D., of Calcutta.)						<i>Caprifoliaceæ</i> § <i>Hydrangeaceæ</i> Lindl. 10.—5.
28118 -	- cyanæa Wal.	blue-berried	☒ ☒ or 4	jn.au	Pk Nepal	1829.	C	1 p. Bot. mag. 3046
28119 -	- versicolor Fortune	party-coloured	☒ ☒ or 3	jl.s	B. W Hongkong	1845.	C	p.1 [R F.]
28120 -	- sylvatica Meissn.	wood	☒ ☒ or ...	jn.s	Pa.B India	1846.	C	p.1 [G.G.]

675. ADENANDRA.

28121 -	- linearis Hil.	linear-leaved	☒ ☒ or 1	mr jl	W C.G.H.	1800.	C	p.1
---------	-----------------	---------------	----------	-------	----------	-------	---	-----

Diosma linearis Thun. No. 5541.

311. ADENANTHOS.

28122 2584a	terminalis B.R.	terminal-flwd	☒ ☒ or	S. River	...	S	s.p.1
28123 2584b	barbigerâ B. R.	bearded	☒ ☒ or	S. River	...	S	s.p.1

3295 535a.	A DENIUM A. Dec.	A DENIUM. (<i>Aden</i> , native locality.)						<i>Apocynaceæ</i> . 5.—1.
28124 -	- honghel A. Dec.	Honghel-bush	☒ ☒ or ?3	ja	Ro.C Aden	?1845.	C	s.p.1 Bot.reg.1846.54

3296 1706a.	A DENOCALYMNA Mart.	A DENOCALYMNA. (<i>Aden</i> , a gland; <i>kalumna</i> , a covering.)						<i>Bignon</i> . 14.—2.
28125 -	- comosum Dec.	tufted-bracts	☒ ☒ or 20	s.o	Y Rio	1841.	C	s.1-p Bot. mag. 4210

605. ADENOPHORA.

†4925	verticillata Fis.	whorl-lyd	☒ ☒ or 2½	jl	L.B Siberia	1783.	D	s.1 Sw.fl.gar.2.s.160
								<i>Campânula verticillata</i> W. C. <i>tetraphylla</i> Thun.
28126 4916a	reticulata Fis.	netted	☒ ☒ or 2	my	Pa.B Siberia	1829.	D	co

3297 -	- ADENOSTOMA Hook. & Arn.	A DENOSTOMA. (<i>aden</i> , a gland, <i>stoma</i> , a mouth.)						<i>Sanguisorbaceæ</i> .
28127 -	- fasciculata Hook.	fasciated	☒ ☒ or 3	...	W California	1848.	C	1 p

3298. 2335a	A DENOTRICHIA Lindl.	A DENOTRICHIA. (<i>Aden</i> , a gland; <i>thrix</i> , hair.)						<i>Comp. Jacobææ</i> . 1.
28128 -	- amplexicaulis Lindl.	stem-clasping	☒ ☒ pr. 2	my	Y Chile	1826.	S	co Bot.reg.1190

1980. ADESMIA.

†17684	pendula Dec.	pendulous-ftd	☒ ☒ or 1	su	O.Y Buen.Ayr.	1825.	S	s.1 Sw.fl.gar.2.s.322
28129 -	- Loudonia H. & A.	Loudon's	☒ ☒ or 2	my.jn	Y Chile	1832.	S	p.1 Bot.reg.1720
								<i>Loudonia anthyllodes</i> Bertero MSS., according to Mr. Thomas Bridges, Valparaiso.
28130 -	- viscosa G. & H.	clammy-herbaged	☒ ☒ or 12	my.o	Y. Taw Chile	1832.	C	1 t. Sw.fl.gar.2.s.230
28131 -	- uspalatensis Gill.	Uspallatan	☒ ☒ pr. 1	jl	Y Chile	1832.	C	s.1 Sw.fl.gar.2.s.222
28132 -	- microphylla Hook.	small-leaved	☒ ☒ or 2	va.sea	Y Valparai.	1830.	S	s.1 Bot.cab.1692
28133 -	- glutinosa Gill. & Hook.	clammy-lyd	☒ ☒ or 2	...	Y Chile	1831.	S	s.1

2930. ADIANTUM.

28134 -	- obliquum W.	oblique	☒ ☒ or 1	aut	Br W.Indies	1826.	D	p.1 II. & G. ic. fil. 190
	- laetum Swz.							
28135 -	- fovearum Hum.	♀ cave-inhab.	☒ ☒ or 1	my	Br W.Indies	1840.	D	p.1 Radd. bras.f.77.A.
28136 -	- concinnum Hum.	neat	☒ ☒ or 1½	ju	Br N. Holl.	...	D	p.1
28137 -	- flabellifolium Bevis	fan-leaved	☒ ☒ or 1	s	Br Jamaica	...	D	p.1
28138 -	- foliosum Lud.	leafy	☒ ☒ or 3	au	Br	D	p.1
28139 25540a	pubescens Schk.	downy	☒ ☒ or 1	ap.my	Br N. Holl.	1830.	D	p.1 Schk. fil. t. 116
28140 -	- aethiopicum L.	Ethiopian	☒ ☒ or 1½	jn.o	Br C.G. H.	1838.	D	s.p
28141 -	- Moritzianum L.	Moritz's	☒ ☒ or 1	jn.o	Br S. Amer.	1838.	D	s.p
28142 -	- lunulatum W.	lunulate	☒ ☒ or	Br 1. of Luz.	...	D	p.1
28143 -	- hirsutum Bory.	hairy	☒ ☒ or	Br 1. of Luz.	...	D	p.1
28144 -	- caudatum L.	tailed	☒ ☒ or	Br Mindanao	...	D	p.1
28145 -	- brasiliense Radd.	Brasilian	☒ ☒ or 1½	...	Br Brazil	1844.	D	p.1 Radd. bras. fil. 76
28146 -	- cristatum L.	crested	☒ ☒ or 1	...	Br Jamaica	1844.	D	p.1 Pl. fil. 54
28147 -	- setulosum J. Sm.	bristle-bearing	☒ ☒ or 1	...	Br Norfolk I.	1845.	D	p.1
28148 -	- curvatum Kauf.	curved	☒ ☒ or 2	...	Br Brazil	1841.	D	p.1

2050 ADLUMIA Raf. ADLUMIA. (*Major Adlum*, an American cultivator of and writer on vines, not from *Adlumino*, as given in p. 294. in some copies.)

1634. ADO-NIS.

28149 -	- sibirica Pat.	Siberian	☒ ☒ or 2	ap.my	Y Siberia	1827.	D	co
28150 -	- davurica Richb.	Dahurian	☒ ☒ or 1	ap.my	Y Siberia	1827.	D	co Rchb. ic. 321
28151 -	- distorta Ten.	distorted	☒ ☒ or 1	ap.my	Y Naples	1827.	D	co Fl.med. 448 1

- 3299 951a. *ÆCHIMEA*. *Lindl.* *ÆCHNEA*. (*Aichme*, a point; rigid points on the calyx.) *Bromeliaceæ*. 6. 1.
 28152 - Mertensii Schult. Merten's $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ mr.ap G.R Demerara 1830? Sk. p.i.s. Bot. mag. 3186
 28153 - fulgens Paxt. brilliant $\frac{1}{2}$ Δ or 1 mr.ap S Cayenne 1842. Sk. s.p.l. Pax.mag.x.173.
 28154 - suavolens K. & W. sweet-sctd $\frac{1}{2}$ Δ or 2 $\frac{1}{2}$ f.ap Pk Brazil 1838. D l. p. s. Fl. cab. 134.
 28155 - discolor Hook. two-coloured $\frac{1}{2}$ Δ or 2 d.f P.R ? Brazil ... D s.p.l Bot. mag. 4293
360. *EGP'HILA*.
 28156 3134a lævis G. Don. smooth $\frac{1}{2}$ \square or 2 jn.l Y Guiana 1824. C l.p. Aub. Gui. 1 250
 28157 - grandiflora Hook. large-flowered $\frac{1}{2}$ \square or 2 n.d. Y Havannah? 1843 C lt. r. 1 Bot. mag. 4230
3300. 499a. *EGO'CHLOA*. *EGOCHLOA*. (*Air*, a goat; *chloa*, a green herb; some species fetid.) *Polemoniaceæ*. 5. 1.
 28158 - intertexta Benth. interwoven \circ cu $\frac{1}{2}$? ... B? California 1833. S lt.r
 28159 - cotulaefolia Benth. Cotula-leaved \circ cu 2? ... B? California 1833. S lt.r
 28160 - pubescens Benth. downy-hcbaged \circ cu 1? ... B? California 1833. S lt.r
 28161 - pungens Benth. prickly-lvd \circ cu $\frac{1}{2}$ jn.s B California 1826. S s.l Bot. mag. 2977
Gilva pungens Douglas, Hook. Bot. mag. 2377. *Navarretia squarrosa* H. & A.
 28162 - eryngioides Benth. Eryngium-like \circ cu ... Chile 1833. S lt.r
 28163 - atractylifolides Benth. Atractylis-like \circ cu 2 jn.jl Pa.Li California 1833. S lt.r
 Has the habit of *Atractylis lûmitis*.
Navarretia atractylifolides R. & P.
856. *ËGOPO'DIUM* 6839. *Podagraria*.
 2 variegata Dens. variegated $\frac{1}{2}$ Δ or 1 my.jl W England sh. pl. Sk co
3301. 1468a. *ËONIUM* *Webb*. (One of the syns. adduced by Dioscorides to *Sempervivum arbræum*.) *Crassulacæ*.
 28164 - cruentum *Webb* bloody $\frac{1}{2}$ \square or 2 my Y Canaries 1834. C s.p.l Bot. reg. 1841. 61
 28165 - Youngianum *Webb* Young's $\frac{1}{2}$ \square or 3 jn. Y Canaries 1842. C lt.l Bot. reg. 1844. 35
 No. 12481. in p. 193. belongs to this genus.
2565. *ËERIDES* 22779 odoratum *Lou*. Bot. mag. 4139. *Syn. A. cornutum* Roxb. Bot. reg. 1485.
 28166 - crispum *Lindl.* crisp-flowered $\frac{1}{2}$ Δ or 1 my Pk W Eastlnd. 1840. D p.r.w Bot. reg. 1842. 55.
Synonymæ: A. Brookii Paxt. Mag. Bot. vol. ix. p. 145.
 28167 - quinquevulnerum *Lindl.* 5-wounded $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn Pk. G Philippines 1838. D p.r.w P.m.viii. p.241.
 28168 - affine *Wal.* related $\frac{1}{2}$ Δ or 1 a Psh. Ro. Spot. Nepal 1838. D p.r.w Bert. orch. 15
multiflorum Rox.
 28169 - maculosum *Lindl.* spotted-flwd $\frac{1}{2}$ Δ fra 1 $\frac{1}{2}$ jn.jl Pa. Ro. Spot P E.I. 1842. D block B. r. 1845. 58.
 28170 - virens *Lindl.* green-lvd $\frac{1}{2}$ Δ fra 1 ap Pa. blotched P Java 1842. D block Bot. reg. 1844. 41
3302. 1796a. *ËSCHYNA'THUS* *Jack*. (*Aischuno*, to be ashamed, *anthos*, flower; colour.) *Cyrtandraceæ*. 14.—2.
 28171 - grandiflorus G. Don. large-flowered $\frac{1}{2}$ Δ or 5 au.s S.B.G.Y Khoseca 1838. C p.r.w. Paxt. mag. 5. 241
Incarvillea parasitica Rox., *Trichospermum grandiflorum* D. Don., *Ascrinthes parasiticus* Wall.
 28172 - maculatus *Lindl.* spotted $\frac{1}{2}$ Δ or 3 au.n S India 1839. C p.r.w. Bot. reg. 1841. 28.
 28173 - ramosissimus Paxt. most branching $\frac{1}{2}$ Δ or 3 jn S Khoseca 1836. D trees Paxt. m. vi. 195
 28174 - Paxtoni Hort. Mr. Paxton's $\frac{1}{2}$ Δ or ... Dl. R. ... 1839. C lt Jour. H.S. iv. 79 fig.
 28175 - purpurascens *Hassk.* purplish-green $\frac{1}{2}$ Δ or 1 mr. Psh. G Java 1844. C fib.p. Bot. mag. 4236
Ë. albida Alph. Dec. Prodr. v. 9. p. 262., *Bignonia albida* Bl. Cat. H. B. Bogor. ed. l. p. 87., *Trichosporum*
album Nees, in Bot. Zeit. 1825. p. 144., *Lysionotus album* Bl. Bijdr. p. 765.
 28176 - Lobbianus *Veitch* Lobb's $\frac{1}{2}$ Δ or 1 jn.au S Java 1845. C fib.p Bot. mag. 4260
 28177 - pulcher *Dec.* beautiful $\frac{1}{2}$ Δ or 1 jn.jl. S Java 1845. C fib.p Bot. mag. 4264
 28178 - speciosus *Hook* showy $\frac{1}{2}$ Δ or 2 my.jn. O.S. Java 1845. C fib.p Bot. mag. 4320
 28179 - longiflorus *Bl.* long-flwd $\frac{1}{2}$ Δ or 2 jl.au Psh. S Java 1845. C fib.p Bot. mag. 4328
Lysionotus longiflorus Blume.
 28180 - miniatus *Lindl.* vermilion-cld-flwd $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ jn.jl Ver. Java ?1845. C fib.p Bot. reg. 1846. 61
radicans Wall. nec. Jack; ? *Trichosporum radicans* Bl. Bijdr.
 28181 - Boschianus *Vanden Bosch's* $\frac{1}{2}$ Δ or pros mr S.Y Java 1844. C fib.p Paxt. mag. 13. 175
 28182 - Horsfieldi Hort. Horsfield's $\frac{1}{2}$ Δ or 2 jl.au S Java 1843. C fib.p
 28183 - zebraina Hort. striped-leaved $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ 1847. C fib.p
 28184 - Aucklandi Low Lord Auckland's $\frac{1}{2}$ Δ or ... S.O Borneo 1847. C fib.p
1137. *ËSCULUS* 9278 *Hippocastanum*.
 2 flore pleno A. B. double flowered $\frac{1}{2}$ or 40 ap.my W gardens ... L co
 3 aureo-variegatum yellow-var.-lvd $\frac{1}{2}$ cu ... ap.my W B co
 4 argenteo-variegatum white-var.-lvd $\frac{1}{2}$ or ... ap.my W B co
 5 incisum *Booth*. cut-leaved $\frac{1}{2}$ or ... my W hybrid ... G co
asplenifolium Hort., *laciniatum* Hort.
 Another variety, named *Ë. H.* heterophyllum, is in the Exotic Nursery, Chelsea.
3303. 2492a. *ËTHERIA* *Lindl.* *ËTHERIA*. (*Ether*, the air.) *Orchidacæ*. 20.—1.
 28185 - occulta *Lindl.* hidden-flwd $\frac{1}{2}$ Δ cu ... my.jn W.G Mauritius 1838. D turly p.l
Goodyera occulta Thouars, *Platyplepis goodyeroides* A. Rich.
1876. *ËTHIONE'MA*.
 28186 16569a membranaceum *Dec.* memb.-podded $\frac{1}{2}$ rk pr $\frac{1}{2}$ jn.au Li Persia 1829. S s.l Sw. fl. gar 2. s. 69
 28187 16569b parviflorum *Sart.* small-flowered $\frac{1}{2}$ rk pr $\frac{1}{2}$ jn.au Li Persia 1830. S s.l
 28188 - heterocarpum *Gay.* variable-podded $\frac{1}{2}$ Δ or jl.au P Armenia 1837. D co
3304. 2211b. *ËTHONIA* D. Don *ËTHONIA*. (*Ethon*, one of Phœbus's horses.) *Comp. Cich.* 2.—3.
 28189 - fruticosâ D. Don shrubby $\frac{1}{2}$ \square or 2 jn.jl. Y Madeira 1785 C co
Hieracium fruticosum W. 20072. No. 20144. of *Crêpis* also belongs to this genus.
3305. 1796b. *AGA'LMYLA* *Bl.* (*Agalma*, an ornament, *hule*, a forest.) *Gesneriacæ*.
 28190 - staminea *Bl.* long-stamened $\frac{1}{2}$ Δ or 2 n.d S Java 1846. C s.p. Paxt. mag. xv. 73
3306. 2537b. *AGANPSIA* *Lindl.* (*Aganos*, desirable; pretty appearance of the plant.) *Orchidacæ*. 20.—1.
 28191 - pulchella *Lindl.* pretty $\frac{1}{2}$ Δ pr $\frac{1}{2}$ W Demerara 1839. D r.w.p. Bot. reg. 1840. 32
1005. *AGAPAN'THUS* 8208 umbellatus.
 3 albidus *Bot.* white-flwd $\frac{1}{2}$ Δ or 3 jn.au W gardens ... R r.m Botanist, 86
 4 albidus *Dens.* whitish-flwd $\frac{1}{2}$ Δ or 2 s.o Wsh C. G. H. gard. D r.m
 5 maximus largest $\frac{1}{2}$ Δ or 3 jn.au B gardens ... R r.m Bot. reg. 1843. 7
3307. 73a. *AGATHE'LPIS* *Chois.* *AGATHELPIS*. (*Agathos*, pleasant, and *theis*, woman.) *Selaginacæ*. 14.—2.
 28192 - angustifolia *Chois.* narrow-lvd $\frac{1}{2}$ \square or ... my.au W C. G. H. 1823. C s.l p
Eranthemum angustifolium L.; *Selago angustifolia* W.
 28193 - parvifolia *Chois.* small-leaved $\frac{1}{2}$ \square or ... my.au W C. G. H. 1816. C s.l p

3308. - - AGATHOPHYLLUM W. AGATHOPHYLLUM. (*Agathos*, pretty, *phylon*, a leaf.) *Lauræacæ*. 9.—1.
 28194 - - aromaticum Presl. aromatic ☐ or ... W W. Indies 1843. C s.l.p

3309, 2203a. AGATHYRSUS D. Don AGATHYRSUS. (*Agathos*, pretty, *thyrsos*, a thyrse; flowers.) *Comp. Cich.* 9.—11.
 28195 - - sibiricus D. Don Siberian ☐ Δ or 2 j.l.s B Siberia 1759. D co Gm. sl. 2 3
Sónchus sibiricus L. No. 19843., and also Nos. 19844, 19845, 19846, 19847, 19853, 19854, 19855, and 19856.
 belong to this genus.

948. AGAVE.

28196 7674a polyacanthoides? *Ot. Polyacantha-like* ☐ Δ or ... Mexico 1835. Sk r.m
 28197 - - elegans Hort. elegant ☐ Δ or ... Sk l.p
 28198 - - glaucescens? *Otto* glaucescent ☐ Δ or ... Mexico 1835. Sk r.m
 28199 - - pulcherrima? *Otto* prettiest ☐ Δ or ... Mexico 1835. Sk r.m
 28200 7668a brachystachys Cav. short-spiked ☐ Δ or 3½ su G Mexico 1826. Sk r.m Red. lil. 485
spicata Rcd. not Cav.
 28201 7669a univittata Haw one-stripped ☐ Δ or ... Mexico 1830. Sk r.m
 28202 7668a Saponaria Lindl. soap ☐ Δ ec ... s.n Din.P Peru 1837. Sk r.m Bot. reg. 1839. 55
 28203 - - atrovirens Karw. dark-green ☐ Δ or ... Mexico 1838. Sk lt
 28204 - - sobolifera Karw. soboliferous ☐ Δ or ... G Mexico 1838. Sk lt
 28205 - - potatorum Karw. drinkers ☐ Δ or ... G Mexico 1838. Sk lt
 28206 - - Scolymus Karw. Scolymus ☐ Δ or ... Mexico 1838. Sk lt
 28207 - - latifolia Karw. broad-leaved ☐ Δ or ... Mexico 1838. Sk lt
 28208 - - laxa Karw. loose ☐ Δ or ... Mexico 1838. Sk lt
 28209 - - glabra Karw. smooth ☐ Δ or ... Mexico 1838. Sk lt
 28210 - - macracantha Karw. large-spined ☐ Δ or ... Mexico 1838. Sk lt
 28211 - - serrulata Karw. serrulate ☐ Δ or ... Mexico 1838. Sk lt

2271. AGE'RATUM 20573 latifolium Cav.; syn. *Phalacræ'a latifolia* Dec.

3310. - - AGLAOMORPHA Schott. AGLAOM. (*Aglao*s, beautiful, *morpha*, form.) *Crypt. Filices.* 24.—1.
 28212 - - Meyeriana Schott. Meyer's ☐ Δ or ... my.s Y I. of Luzon ... D p.l
Psidium elegans Presl.

3311. - - AGONIOPTERIS Presl. AGONIOPTERIS. *Cryptogamia Filices.* 24.—1.
 28213 - - subdiaphana Presl. subdiaphanous ☐ Δ or ... Br India ... D p.l
Acróstichum subdiaphanum Hook.

3312 1415a. AGROSTEMMA L. ROSE CAMPION. (*Agros*, field, *stemma*, a crown; flowers.) *Sitenacæ.* 10.—4.
 28214 - - decumbens Desv. MSS. decumbent Δ or 1 jn.au C.R. L co
peruvianus Haw. MSS. herbarique. Near *A. coronaria*, but in its decumbent stems, and in its foliage very distinct.
 28215 12005a Bungeana D. Don Bunge's ☐ Δ or 1 jl. S? A. Rus. 1834? SCD 1 Sw. fl. gar. 2. s. 317
L. gchnis Bungeana Hort.
 †12017 pyrenæica G. Don Pyrenean ☐ Δ pr ½ jn.jl Pa.Ro Pyrenees 1819. D p.l Sw. fl. gar. 2. s. 202
L. gchnis pyrenæica Berg., Hort. Brit. No. 12017. p. 186.

203. AGROSTIS.

1727 vulgaris
 2 variegata Desv. variegated-lvd ☐ Δ or ¼ jl.au Ap England gard. D co
 28216 1748a elegans Thun. elegant ☐ Δ or 1 jn.jl Ap Russia 1834. S co
 219. A'IRA.
 28217 1835a elegans Kth. elegant ☐ Δ or ... jl.au Ap Switzerl. 1824. S co Host. gr. 4 35
 28218 - - 2c8. AIROPSIS.
 - pulchella neat ☐ Δ un 1 ap Ap 1831. D co
 1646. A'JUGA 14685 réptans
 4 variegata Hort. variegated-lvd ☐ Δ pr ¼ my.jn B Britain ... D co
 14690 furcata Lk. Syn. *Craniotome versicolor* G. Don.

3313. - - AKEBIA Decaisne. AKEBIA. (*Fagi-Kadsura-Akcbi*; its Japanese name.) *Lardizabalacæ.* 21.—6.
 28219 - - quinata Decaisne five-leaved ☐ Δ fra ... mr. D.Pk Chusan 1844. C lt.l Bot. reg. 1847. 28
Rajania quinata Thunb.

337. ALCHEMILLA.

- conjuncta Bab. allied ☐ Δ or ½ jn.jl G Britain Mount. D s.p

2711. ALEURITES.

- cordata Ait. cordate ☐ Δ or ... Ap Japan 1818. C r.m Thun. jap. 27

525. ALLAMA'NDA.

28222 4359a Schottii Hook. Schott's ☐ spl ... au.s O.Y Brazil 1846. C lt Bot. mag. 4351
 28223 4359b Anblet's Anblet's ☐ spl ... su Pa.Y Brazil 1847. C p.l Bot. mag. 4411
?grandiflora Lam. *Orelia grandiflora* Aublet Guyan. l. t. 106.
 28224 - - angustifolia narrow-lvd ☐ Δ or ... su Y 1848. C p.l [K. & P.]

2923. ALLANTO'DIA.

28225 - - Brunonis Wall. Brown's ☐ Δ or ... mr.jn. Y E. Indies ... D p.l
 28226 - - strigosa Bevis strigose ☐ Δ or 2 mr.d Br. Madeira ... D p.l

405. ALLIONIA.

28227 3402a ovata Ph. ovate-lvced ☐ Δ or 1½ jl.au F N. Amer. 1827. S co

1046. A'LLIUM.

28228 - - Fischeri Swt. Fischer's ☐ Δ cu 1 jn.o Li Siberia 1829. O s.l
 28229 - - cinereum Lch. grey ☐ Δ cu 1 jl.au Str Siberia 1829. O s.l
 28230 - - azureum Led. azure ☐ Δ or ¾ o B Siberia 1830. O co Bot. reg. 1840. 51
cæruleum Pallas, *cæruleescens* G. Don; *Bot. Reg.* 1840. 51.
 28231 8700a pûchrum Clark pretty ☐ Δ pr 1 jn.jl Y S. Eur. ... O co
 28232 8708a nudicaule Lch. naked-stmd. ☐ Δ or 1 jn.jl W 1829. O co
 28233 - - euosum Lk. & O. well-scented ☐ Δ or 1 jn.jl Y 1829. O co
 28234 - - glandulosum Lk. & O. glandular ☐ Δ or 1 jn.jl W? 1829. O co
 28235 - - Babingtonii Bor. Babington's ☐ Δ pr 4 au P Eng. Ire. ... O co Eng. Bot. 2906
Halleri Bab. not of G. Don.
 28236 - - sibiricum Linn. Siberian ☐ Δ pr 1½ jn.jl Pa.R. England ... O co Eng. Bot. 2934

- 3314 - ALLOPLECTUS Dec. ALLOPLECTUS. (*Allos*, diverse, *plekein*, to plait; margin of sep.) *Gen.*
 †16045 *dichrus* Dec. two-coloured \square or 2 my.au Y.Dk.P Brazil 1826. C p.l Bot. mag. 4216
Besleria dichrus Spr., *B. bicolor* Schott, A. Schöttli Donn, *A. sparsiflorus* Mart., *Hypocyrta discolor*
 Lindl. Bot. reg., *Colúmea zebra* Hort.
- 28237 - c6cnora Hook. whole-eld.fwd. \square or 2 mr.ap. R ?Brazil 1846. C p.l Bot. mag. 4371
criscalyx Hort.
- 28238 - speciosus showy \square or 2 su P 1848. C p.l [K. & P.]
 28239 - repens Hook. creeping-habit \square or $\frac{1}{2}$ f. Y St. Martha ?1844. C p.l Bot. mag. 4250
 To this genus are also referred Nos. 16043 and 16044.
- 2914 ALLOSORUS.
 28240 - ciliatus Presl. ciliated Δ or ... my.au Br. D p.l
 28241 - hirsutus Presl. hairy Δ or ... my.au Br. Canada ... D p.l
 28242 - Brunonianus J. Sm. Brown's Δ or ... jn.au Br. E. Indies ... D p.l
Cryptogramma Brunoniæ Wall.
 28243 - acrostichoides Spr. Acrostichum-like Δ or ... jl. s. Y N. Amer. 1827 D p.l Hook. fil. t. 29
2607. A'LNUS.
 23055 glutinosa.
 7 oxyacanthifolia A.B. Oxyacan-lvd $\frac{1}{2}$ or 20 my.jl Ap L co A. b. f. 1539
A. oxyacanthifolia Lo. C., and No. 23067. in p. 378.
 8 macrocarpa A.B. long-fruited $\frac{1}{2}$ or 20 my.jl Ap L co
A. macrocarpa Lo. C., and No. 23062. in p. 378.
- 23057 incana W.
 4 glauca A. B. glaucous $\frac{1}{2}$ or 20 my.jl Ap N. Amer. 1820. L co
A. glauca Mx. No. 23058. p. 378.
- 23061a tviridis Dec. *grecn-ld* $\frac{1}{2}$ or 6 ap.my Ap Hungary 1820. L co Den. br. 96
Bétula ovata Schr. No. 23063. p. 378.
- 28244 - barbata Mey. bearded $\frac{1}{2}$ or ... mr. Ap Russia 1838. L co E. of T. f. 1522
 28245 - subcordata Mey. subcordate $\frac{1}{2}$ or ... Ap Russia 1838. L co [D. Camerow.]
 28246 - denticulata Fisch. toothed-lvd. $\frac{1}{2}$ or ?60 ... Ap Russia ?1840. L co
 28247 - jorullensis Kth. Jorullo $\frac{1}{2}$ or ... Ap Mexico ... L co
- 3315 - ALONA Lindl. ALONA. (Anagram of *Nolina*.) *Nolina*æccæ. 5-1.
 28248 - cælestis Lindl. sky-blue fwd. \square or 2 jl.au Pa.B Chile 1843. C s.l.p Bot. reg. 1844. 46
 28249 - rostrata Lindl. beaked \square or ... jl.au B Coquimbo ... C s.l.p
 28250 - obtusa Lindl. obtuse-lvd. \square or ... jl.au B Coquimbo ... C s.l.p
 28251 - carnosa Lindl. fleshy-lvd. \square or ... B Coquimbo ... C s.l.p
 28252 - baccata Lindl. berry-bearing \square or ... Y Coquimbo ... C s.l.p
 28253 - longifolia Lindl. long-leaved \square or ... B Coquimbo ... C s.l.p
 28254 - glandulosa Lindl. glandulose \square or ... B Valparaiso ... C s.l.p
 28255 - tomentosa Lindl. woolly \square or ... W Valparaiso ... C s.l.p
 28256 - revoluta Lindl. revolute-fwd. \square or ... B Peru ... C s.l.p
1813. ALONSO A.
 28257 16071a intermedia Lod. intermediate \square or 2 year S hybrid? ... C s.p Bot. cab. 1456
212. ALOPECURUS.
 28258 - angustifolius Sib. narrow-leaved Δ un ... ap Levant 1818. D co Fl. gr. 64
Polypogon vaginatus W.; *Colobachne vaginata* R. and S.
8. ALPYNIA.
 101. nütans Rosc. Paxt. mag. vol. 13. p. 125, where we find the following syns.: *Rencaemia nütans*; *Zerimbet speciosum*; *Globba nütans*, and *G. sylvestris*.
 28259 - magnifica Boj. magnificent $\frac{1}{2}$ Δ spl 10 au R Mauritius 1830. D r.l Bot. mag. 3192
902. ALSINE.
 28260 7251a laricifolia Wahl. larch-leaved $\frac{1}{2}$ Δ cu $\frac{1}{2}$... Siberia 1834. D l.p
2937. ALSOPHILA.
 28261 - áspera Spr. rough $\frac{1}{2}$ Δ or ... jn.au Br. Y W. Indies 1834. D p.l Hook. et Bau. g. f. 22
 28262 - caudata J. Sm. tailed $\frac{1}{2}$ Δ or ... jn.au Br. Y L of Luzon ... D p.l
 28263 - extensa J. Br. extending $\frac{1}{2}$ Δ or ... ap.jl Br. Y L of Luzon ... D p.l
 28264 - glauca J. Sm. glaucous $\frac{1}{2}$ Δ or ... my.au Br. Y L of Luzon ... D p.l
Polypodium contaminans Wall.
 28265 - capensis J. Sm. Cape $\frac{1}{2}$ Δ or ?20 ... Br C.G.H. 1845. D p.l
Hemitelia capensis R. Br.
 28266 - Hostmanni J. Sm. Hostmann's $\frac{1}{2}$ Δ or ... Br Guiana 1845. D p.l llook. sp. fl. 646
Hemitelia Hostmanni Hook.
 28267 - ferox Presl. $\frac{1}{2}$ Δ or ... Br Guiana 1815. D p.l
 No. 25386 is also referred to this genus.
979. ALSTREMERIA.
 28263 8041a lineatiflora Fl. Per. lined-fwd. $\frac{1}{2}$ Δ or ?1 jn.jl Pk. Y Peru ... R s.l.p Bot. reg. 1843. 58
 28269 8042a bicolor Ait. two-coloured Δ or ... jn.o ... Chile 1826. R l.s.p Bot. cab. 1497
 8043 Hookeri Swt. *puchella* Sims. Bot. cab. 1272.
 2 pállida J. C. pale $\frac{1}{2}$ Δ or 2 jn.l Pa.Pk Chile ?1834. R l.s.p
?A. pállida Grah.
 3 pilosa Lindl. hairy-leaved $\frac{1}{2}$ Δ spl 1 au S Chile ... S l.s.p Bot. reg. 1410
 28270 8043a Barclayana Hort. Barclay's $\frac{1}{2}$ Δ or 5 jn.au O R l.s.p
 8044 Simsii Swt. is *rosea* Hook. Sw. fl. gar. 267. No. 8044.
 28271 8044a pállida Grah. pale $\frac{1}{2}$ Δ el 2 s.o Pk.R Chile? 1827. O l.p
 28272 8044b hæmantha R. & P. blood-eld-fwd. $\frac{1}{2}$ Δ or 23 jl Pk.O Chile 1830. O l.p Sw. fl. gr. 2 s.159
 28273 8044c chilensis J. C. Chilean $\frac{1}{2}$ Δ or 2 jn.jl Pk Chile ?1834. R l.s.p
 28274 8044d Berteroiana Penny Bertero's $\frac{1}{2}$ Δ or 2 jn.jl Pa.Pk Chile ... R l.s.p
 28275 8044e psittacina Leh. parrot $\frac{1}{2}$ Δ el 6 s.o C.P Mexico 1829. O l.p Sw. fl. gar. 2 s.15
 28276 8049b Errebaudtii H. Bel. Errebaudt's $\frac{1}{2}$ Δ or 2 au.s W.spt hybrid 1835 R l.s.p Bot. 237
 28277 - versicolor R. & P. varrous-eld.(sep) $\frac{1}{2}$ Δ spl 2 jn O.spt Chile 1831. D l.p Sw. fl. gar. 2 s.205
aurantiaca D. Don. *paucæ* Hort., *Penny in Gard. Mag.*, vol. ix. p. 490.
 28278 - Neillii Gill. $\frac{1}{2}$ Δ el 2 jn Pa.RoMendoza 1827. O l.p Bot. mag. 3105
 28279 - nemorosa Gard. wood $\frac{1}{2}$ Δ or 2 n R.Y Organ Ms 1840. O l.p Bot. mag. 3958
 28280 - magnifica Herb. $\frac{1}{2}$ Δ or ?2 ... Coquimbo 1843. D s.l.p
 28281 - chorillensis Herb. Chorillo $\frac{1}{2}$ Δ or ... Peru 1843. D s.l.p
 28282 - violæcea violet-eld-fwd. $\frac{1}{2}$ Δ or ... aut V 1848. R p.l [K. and P.]
 28283 - odorata sweet-scented $\frac{1}{2}$ Δ fra ... aut 1848. R p.l [K. and P.]
 28284 - rosea rose-eld-fwd. $\frac{1}{2}$ Δ or ... aut Ro 1848. R p.l [K. and P.]

727. ALTERNANTHERA.
 28285 - filiformis Link thread-shaped $\frac{1}{2}$ Δ un W 1-p
 28286 - nodiflora R. Br. knot flowered $\frac{1}{2}$ Δ in ... su W N. Holl. 1826. D 1-p
 Nos. 5968 and 9699 in. p. 91. are species of *Buchtzia Martius*.
2007. ALTHEA.
 28287 1785a Sieber's Sieber's $\frac{1}{2}$ \circ or 5 jl.au P Sicily 1829. S co
 28288 17861a leucantha Fis. is nudiflora Lindl.
1840. ALYSSUM.
 16245 orientale.
 28289 - 2 variegatum Hort. variegated-lvd $\frac{1}{2}$ or 1 ap.my Y gardens ... C co
 - micranthum Mey. small-flowered $\frac{1}{2}$ cu $\frac{1}{2}$ an.s Y Russia 1836. S co
 28290 - procumbens Hort. trailing $\frac{1}{2}$ Δ rk C co
532. ALYXIA.
 †4373 Gynopogon R. & S bearded-styled $\frac{1}{2}$ \square or 5 ... W Norfolk I.1831. C p.1
Gynopogon Alyxia Forster. *Alyxia Försteri* Cun. MSS. 1830.
 28291 4374a daphnoides Cun. Daphne-like $\frac{1}{2}$ fra? 5? ... W Norfolk I.1831. C p.1 Bot. mag. 3313
 †4374 ruscifolia R. Br. Butcher's-br.-lvd $\frac{1}{2}$ fra 5 au.W N. Holl. 1820. C p.1 Bot. mag. 3312
Richardsoni Surt No. 4373. p. 67.
 2 pugionifloris Cun. dagger-lvd $\frac{1}{2}$ Δ fra? s W Moreton B 1830. C p.1
Gynopogon pugionifloris Cun. MSS. in 1828. *A. pugionifloris* Cun. *A. ruscifolia* var. *pugionifloris*
 Cun. in *Bot. Mag.* May, 1834.
2628. AMARANTUS 23228. cauliflorus Lk. ; syn. *Lecanocarpus nepalensis* N. V. Esenb.
569. AMARYLLIS.
 28292 - Banksiana Lindl. *Sir J. Banks's* $\frac{1}{2}$ Δ or 2 au s Pk C.G.H. 1840. O s.1 Bot. reg. 1842. 11
 With Nos. 7895, 7896, 7897, and 7898, constitute the genus *Amaryllis* of Herb. See *Hippeastrum*.
1512. AMELANCHIER.
 3002 ovalis.
 2 subcordata Dec. subcordate-lvd $\frac{1}{2}$ or ... ap.my W N. Amer. ... L co
Ardisia subcordata Raf. *Malus microcarpa* Raf. *Petromœtes ovalis subcordata* Jacq.
 3 semi-integrifolia half-entire-lvd $\frac{1}{2}$ or ... ap.my W N. Amer. ... L co
 28293 13002a florida Lindl. flowery $\frac{1}{2}$ or 12 my.jn W N. Amer. 1826. L co Bot. reg. 1589
 2 parvifolia A. B. small-flowered $\frac{1}{2}$ or 3 my.jn W L co
3316. 1988a. AMHERSTIA Wall. AMHERSTIA. (*Countess Amherst*, and her daughter *Lady Sarah*.) *Legumin*
 28294 - nobilis Wall. noble $\frac{1}{2}$ \square spl40 mr V.w.y Martaban 1837. S lt. r.m. Wal.pl.as.ra.1
1976. AMPELA 17668 zygomeris Bot. Mag. 4008. ; Paxt. mag. bot. 13. 173.
397. AMMANNIA.
 28295 3327a Wormsköldi H.ber. Wormsköld's \square un 1 jl R Brazil 1827. S co
 28296 - senegalensis Dec. Senegal \square un ... jl.au G Senegal 1836. S s.1
 28297 - vesicatöria Dec. bladdered \square un ... jl.au Y E. Indies 1825. S s.1
 28298 - occidentalis Dec. western \square un ... jl.au G Portorica 1829. S s.1
3317. - AMMODENDRON Fisch. AMMODEND. (*Ammos*, sand ; *dendron*, a tree ; habit. of shb.) *Lcg.* 10-1.
 28299 - Siever's Fisch. Sievers's $\frac{1}{2}$ or 4 jn.jl P Siberia 1837. S co
Robinia argentea Siev., *Podalyria argentea* W., *Sophora bifolia* Pall.
3318. 2208a. AMMOGONTON Dec. AMMOGONT. (*Ammos*, sand ; *ginton*, neighbour ; habitat.) *Compositæ* 19-1.
 28300 - scorzoneriöf. Dec. Scorzonera-lvd $\frac{1}{2}$ Δ un ... jn.jl Y N. Amer. 1834. D co
1337. AMMYRSINE.
 28301 11004a prostrata Swt. prostrate $\frac{1}{2}$ or $\frac{1}{2}$ my.jn W N. Amer. ... L p.s Sw. fl. gar. ic in
13. AMOMUM.
 28302 - vitellinum yk-of-egg-cld-fld $\frac{1}{2}$ \square or 2 ap.my O.R ?E. Indies ... R lt Bot. reg. 1847. 52
1973. AMORPHA 17656 fruticösa.
 2 angustifolia Ph. narrow-leaved $\frac{1}{2}$ or 9 jn.jl P C s.p
 3 emarginata Ph. emarginate-lvd $\frac{1}{2}$ or 9 jn.jl P Carolina 1724. C s.p
 4 Lewisii Lo. C. Lewis's $\frac{1}{2}$ or 9 jn.jl Y ?N. Amer. 1820. C s.p
Æ. Lewisii Lo. C. No. 17662. p. 283.
 5 cærulea Lo. C. blue $\frac{1}{2}$ or 9 jn.jl B C s.p
3319. 1210a. AMPELYGONUM Lindl. (*Ampelos*, a vine, *gonu*, a joint ; stems.) *Polyödneæ*.
 28303 - chinënsë Lindl. Chinese $\frac{1}{2}$ \square or 2? jl.au Ysh.W Saharaupur ... R s.1
2275. AMPHREPHIS. Nos. 20607 and 20608 in p. 335. are referred to the genus *Centratherum* Cass.
3320. 1706a. AMPHYCOME Royle. AMPHYCOME. (*Amphi*, around, and *kome*, hair ; seeds.) *Bignoniæccæ*.
 28304 - arguta Royle finely cut $\frac{1}{2}$ \square pr 3 au L Himalayas ... C lp Bot. reg. 1838. 19
3321. - AM SINCKIA Lehmann. AM SINCKIA. (Said to be given in honour of M. Amsinck.) *Boraginæccæ*.
 28305 - angustifolia Lehmann narrow-leaved \circ pr $\frac{1}{2}$ jn.jl ... N. Amer. 1836. S co
 28306 - lycopsioides Lehmann. Lycopsis-like \circ pr $\frac{1}{2}$ Chile 1836. S co
 28307 - intermedia G. Don. intermediate \circ pr jn.jl Y California 1836. S co
 28308 - spectabilis G. Don. showy \circ pr $\frac{1}{2}$ jn.jl Y California 1836. S co
1498. AMYGDALUS.
 28309 - pedunculata Pall. pedunculated $\frac{1}{2}$ pr 2 1833. L co
Paltasii Led.
- 12841 incana Bot. Reg., 1839. 58. ; A. nana var. incana Arb. Brit. ii. p. 674.
 12844 communis
 6 dulcis sweet $\frac{1}{2}$ or 15 mr.ap R B 1
 7 fl. plëno dbl.-fld. $\frac{1}{2}$ or 15 mr.ap R B 1
 8 föllis variegatis varieg.-leaved $\frac{1}{2}$ or 15 mr.ap R B 1
 9 grandiflora rosea great ro.-cld-fld $\frac{1}{2}$ or 15 mr.ap Ro B 1 [K. & P.]
 10 pendula drooping $\frac{1}{2}$ or 15 mr.ap W B 1 [K. & P.]
 11 salicifolia willow-leaved $\frac{1}{2}$ or 15 mr.ap W B 1 [K. & P.]
 I i 4

28310	-	807. ANA'BASIS. - Ammodendron <i>Mcq.</i>	Sand-tree	♂	└	cu	jl.o	G	Caucasus	1836.	C	I.p	
28311	12183a	1449. ANACA'MPSEROS. intermedia <i>Haw.</i>	intermediate	♀	└	cu	½ jl.au	Pk	C. G. H.	1824.	C	s.l	
28312	-	2486. ANACA'MPTIS. - quadrupunctata <i>Lk.</i>	four-spotted	♂	△	pr	...	my.jn	P	Italy	1828.	R	h.l Ten.fl.neap.89.
28313	-	3322 - ANA'CHARIS. <i>Rich.</i> - Alsinastrum <i>Bab.</i> <i>Udora</i> Nntt.	ANACHARIS. (Ana, without, charis, grace.) Alsine-like	♂	△	cu	plt.s		Hydrocharidææ. England	Ponds	D	co Ann. N. H. v. 8. [2d Ser.t. 8.]	
28314	-	2382. ANA'CYCLUS. - pyrethrum <i>Lehm.</i>	Pyrethrum-like	♀	△	cu	1837.	D	co	
28315	-	- alexandrinus <i>W.</i> <i>Cyrtolopis alexandrina</i> Dec.	Alexandrian	○	un	...	ju.au	Y	Egypt	1828.	L	co	
Nos. 21737 and 21738 are referred to the genus <i>Lyonnætia</i> Dec.													
28316	-	3323. 314a. ANADE'NIA R. Br. ANADENIA. - pulchella R. Br.	(A. priv., aden, a gland; nectariferous wanting.) neat	♂	└	or	2	...	Y	N. Holl.	1824.	C	p.l
28317	-	- Manglessii <i>Grh.</i>	Mangles'	♂	└	or	3	ap.jl	Y	S. River	1836.	C	s.p
28318	-	- Aquifolia B. R.	holly-leaved	♂	└	or	S. River	...	C	s.p
28319	-	- flexuosa B. R.	flexuous	♂	└	or	S. River	...	C	s.p
28320	-	- gracilis B. R.	slender-habit	♂	└	or	S. River	...	C	s.p
28321	-	- tenuiflora B. R.	slender-flwd.	♂	└	or	S. River	...	C	s.p
458. ANAGA'LLIS.													
3851		Monelli.											
28322	3852a	2 <i>Ulicina</i> D. Don 3 <i>Willmoreana</i> Hook. 4 <i>Phillipsii</i> 5 <i>Breweri</i>	<i>Lilac.flwd.</i> Willmore's Phillip's Brewer's	♀	└	└	or	1	my	Li	1836.	C	p.l Sw. fl. gar. 377
28323	-	alternifolia <i>Lindl.</i>	alternate-leaved	♀	└	or	P.B.Y.RMadeira	1834?	C	lt Bot. mag. 3380
28324	-	- Webbiana Penny	P. B. Webb's	♀	└	or	B	Gardens	...	C
28325	-	- Welsiana Penny	Wells's	♀	└	or	ju.o	R	Gardens	...
28325	-	- Marryattæ Swt.	Mrs. Marryat's	♀	└	or	ap.jl	Y.Pk Rio Jan.	1839.	C
3853		28325 tenella L. Syn. <i>Tirasekia tenella</i> Schmidt.		♀	└	or	my.n	B	Portugal	1828.
3853		28325 tenella L. Syn. <i>Tirasekia tenella</i> Schmidt.		♀	└	or	my.n	Cop	Eng. hyb. 1830.	C
3853		28325 tenella L. Syn. <i>Tirasekia tenella</i> Schmidt.		♀	└	or	my.n	Cop	Eug. hyb. 1828.	C
3324.	707a.	ANCHIETEA Hil. ANCHIETEA. (P. Anchieta, a Brazilian writer on plants.)											5. 1. <i>Violaridæ</i> . 1.
15822		pyrifolia G. Don	Pear-leaved	♂	└	or	3	jl.au	W	Brazil	1822.	C	p.l Mart. br. 16
		<i>Calyptrion pyrifolium</i> Hort. brit. p. 89.											
432. ANCHU'SA.													
28326	-	- petiolata Hook.	petiolated	♀	└	or	1	o	P	Nepal	1840.	D	co Bot. mag. 3858
28327	-	- parviflora G. Don	small-flowered	○	or	1	jn.o	B	Levant	1827.	S	co	
28328	-	- aggregata G. Don	clustered flwd.	○	or	B	Levant	1827.	S
28329	-	- cespitosa G. Don	tufted	○	or	jn.o	B	Levant	1828.
28330	-	- crispa G. Don	curled	♀	└	or	1	jn.o	B	Corsica	1835.	D	co
1341. ANDRO'MEDA 11036 poliifolia													
		6 grandiflora B. C.	large-flowered	♀	or	1	ap	Pk	Ingria	1790.	L	p	Bot. cab. 1714
		7 revoluta B. C.	revolute-leaved	♀	or	1	ap.my	Pk	N. Europe	1783.	L	p	Bot. cab. 1725
28331	-	- sinensis B. C.	Chinese	♀	└	or	2	jn	Bh	China	1826.	L	s.p Bot. cab. 1648
28332	11036a	phillyreaifolia Hook. <i>Phillyrea</i> -lvd		♀	└	or	1	ja	W	W. Florida	1842.	L	s.p Bot. reg. 1844. 36
11044		<i>salicifolia</i> <i>Commer.</i> Willow-lvd		♀	└	or	3	my	P. Gsh	Mauritius, Mad.	1828?	L	s.p Bot. mag. 3286
"Hitherto, we possess only figures [of this species] made from native specimens."— <i>Sir W. J. Hooker.</i>													
If this be the <i>A. salicifolia</i> <i>Hort.</i> , of <i>Hort. Brit.</i> No. 11044, is a distinct species or variety. That this latter is a distinct species is probable from Mr. Sweet's referring it to the genus <i>Lyonia</i> . See his <i>Hort. Brit.</i> , ed. 2. p. 331.													
450. ANDRO'SACE.													
28333	3761a	carinata <i>Torrey</i>	keeled	♀	└	or	ap	Y	N. Amer.	1826.
28334	3763a	linearis <i>Grh.</i>	linear-leaved	♀	└	or	ap.my	W	N. Amer.	1826.
28335	-	- lanuginosa <i>Wall.</i>	woolly-leaved	♀	└	or	jn.o	Ro.Li	Himalaya	1841.
28336	3760a	macrocarpa <i>Led.</i>	large-capsuled	○	or	ju.au	W	Siberia	1827.
28337	3764a	acaulis <i>Lk. & O.</i>	stalkless	○	or	jl.au	W	Siberia	1825.
113. ANEILE'MA.													
28338	-	- crispata <i>Ait.</i>	curled-lvd	♀	└	or		N. Holl.	1822.	D
2947. ANEMIA.													
28339	25654a	tenella <i>Sw.</i>	slender	♀	└	or	Br	W. Indies	1843.	D
	25654	<i>Phillitidis</i> <i>Swz.</i> ; syn. <i>Anemidictyon</i>		♀	└	or	1	au	Br	Brazil	...	D	
28340	25655a	longifolia <i>Rad.</i>	long-leaved	♀	└	or	1	ja.d	Br	Brazil	1829.	D	
28341	25656a	collina <i>Rad.</i>	hill	♀	└	or	1	ja.d	Br	Brazil	1829.	D	
		<i>hirta</i> <i>Sw.</i>											[141.]
28342	-	- laciniata <i>Lk.</i>	cut-leaved	♀	└	or	1	ja.d	Br	Brazil	1794.	D	
28343	-	- radicans <i>Rad.</i>	rooting	♀	└	or	1	Br	Brazil	...	
28344	-	- coccinea <i>Lk. & O.?</i>	scarlet	♀	└	or	1	jn.o	Br	...	1830.	D	
28345	-	- flexuosa <i>Swz.</i>	flexuose	♀	└	or	1	Br	S. Amer.	1831.	
		<i>Raddiana</i> <i>Lk.</i>											
28346	-	- repens <i>Raddi</i>	creeping	♀	└	or	Br	Brazil	1831.	
1629. ANEMONE 14400 cernua <i>Ladics'</i> <i>Mag. of Gard. t. 2. fig. 1.</i>													
14402		<i>Pulsatilla</i> .											
		2 <i>albida</i> <i>Hort.</i>	whitish flwd	♀	└	or	ap.my	Wsh	Germany	1834.
		3 <i>rubra</i> <i>Lam.</i>	red-flwd	♀	└	or	ap.my	Rsh.	P.Germany	1834.
14413		stellata <i>Dec.</i>	purple-flowered	♀	└	or	ap.my	P	Italy	1597.
14413		<i>hortensis</i>	red-lead-eld-flwd	♀	└	or	ap.my	Bt.R	gardens	...
14414		3 <i>miniata</i> J. C.		♀	└	or	my.jn	Y	Portugal	1597.
		<i>palmata</i>		♀	└	or	my.jn	Y	Portugal	1597.
		1 <i>flöre flavo</i>	yellow-flowered	♀	└	or	my.jn	Y	Portugal	1597.
		2 <i>flöre pleno</i> <i>Swz.</i>	double-flwd	♀	└	or	my.jn	Y	Portugal	1597.

- ? 3 flore albido whitfish-flwd ✨ Δ or 2 my Wsh D co Bot. mag. 2079
 14421 nemorosa blue flwd ✨ Δ or 1 mr.my L.B Britain gard. R co
 28347 14422a Fischeriana Dec. Fischler's ✨ Δ or 1 ap.my W Siberia 1827. D co
 14429 virginiana large-flowered 3 Δ or 2 my.jn W gardens ... R s.p
 28348 14430a vitifolia Buc. Vine-leaved 3 Δ or 3 s W Nepal 1829. S l Bot. reg. 1385
 28349 14430b Hudsoniana Rich Hudson's 3 Δ or 1 jn.jl W N. Amer. 1827. D co
 28350 - Nuttalliana Dec. Nuttall's 3 Δ or 1 jn.jl W N. Amer. 1827. D co
 28351 - rivularis Buc. river 3 Δ or 1 jn.au W N. of India 1840. S. d Bot. reg. 1842.8
 28352 14433a umbellata W. umbell'd 3 Δ or 1 my W Levant 1824. S a l D'Less. 18
 28353 - Richardsonii Hook. Richardson's 3 Δ or 1 ap.jl Y N. Amer. 1827. S s l Hook. am. 4. A
 28354 - deltoidea Lindl. deltoide 3 Δ or ... ap.jl W Columbia 1827. S s l Hook. am. 3. A
 28355 - montana Hort. mountain 3 Δ or 1 ju P Switzerl. 1830. D co Bot. gard. 795
 28356 - longicaapa Lindl. long-scaped 3 Δ or ... jn.s W N. India 1839. D lt
 28357 - japonica Sieb. Japan 3 Δ or 2 au.o Ro China 1844. R lt. l Bot. mag. 4341
 Some hybrids between this species and *A. vitifolia* have been raised by Mr. Gordon of the Hort. Soc. Garden.

28358 14433b obtusiloba Don. obtuse-lbd.-lwd 3 Δ or 1 jn.jl W Himalayas 1843? S. D s.p l B. reg 1844. 65
Gavaniana Wall. Cat. No. 4688.
 ANETHUM J. Sm. ANETHUM. *Cryptogamia Fiteses*. 24.—1.
 See ANETHUM.

1807. ANGELO'NIA.
 28359 - cornigera Hook. horn-bearing □ pr 1 au P Brazil 1839. S co Bot. mag. 3848
Synonyme : *A. ciliata Gardner*.
 28360 - Gardneri Hook. Mr. Gardner's 3 Δ or 3 my L Pernambuco 1838. D s l Bot. mag. 3754
 28361 - angustifolia Benth. narrow-lvd 3 Δ or 1 jn.o Dp.V Mexico 1846. C lt J. l. S. 3. 243 fig.
 3325. - ANGIOPTERIS Hoffm. ANGIOPTERIS. (*Aggion*, a vessel, *pterus*, a wing.) *Crypt. Fil.* 24.—1.
 28362 - evetica Hoffm. evetic 3 Δ or ... ap.au Br l. of Luzon ... D p l

- 3326 1482a. ANGOPHORA Cav. ANGOPHORA. (*Aggos*, a vessel, *phoro*, to bear; form of fruit.) *Myrtaceæ*. 2.—3.
 28363 - cordifolia Cav. heart-leaved 3 Δ or 6 ny.au Y N. Holl. 1789. C s l Bot. mag. 1963
Metrosideros hispida Sm. No. 12679; *hirsuta* Andr.
 28364 - lanceolata Cav. lanceolate-lvd 3 Δ or 6 ny.au Y N. Holl. 1816. C s l Gac. fr. 1. 34. 2
Metrosideros costatus Pers. No. 12681.

2569. ANGRÆCUM.
 28365 - eburneum Thou. ivory-tipped 3 Δ or 1 1/2 n.ja G.w Madagas. 1826. D p r w Bot. reg. 1522
 28366 - caudatum Lindl. tailed-labellumed 3 Δ or 1 1/2 au W.y.g.S. Leone 1834? D r w Bot. reg. 1844
 28367 - distichum Lindl. two-rowed-lvd 3 Δ or 1 o W S. Leone 1834? D p r w Bot. reg. 1781
 28368 - micranthum Lindl. small-flowered 3 Δ or 1 f W S. Leone 1834? D p r w Bot. reg. 1772
 28369 - subulatum Lo. C. awl-shaped 3 Δ or ... my.au W S. Leone 1832. D fib p
 28370 - bilobum Lindl. two-lobed 3 Δ or 1 s W. Pk Africa 1830. D fib p Bot. 1841. 35
 28371 - funale Lindl. cord-like 3 Δ or ... n.d G.W W. Indies 1845? D bl Bot. mag. 4295
Eccleclades fundalis Lindl. gen. et sp. Orchid., *Epidendrum funale* Sw. Prodr., *Limodrum funale* Sw. Fl. Ind. Occ.
 28372 - apiculatum Hook. apiculated 3 Δ or 1/2 ... W S. Leone 1844. D fib p Bot. mag. 4159
 28373 - ashtancium Lindl. Ashantee 3 Δ or 1/2 jn Cin Ashantee 1842. D fib p
 28374 - pellucidum Lindl. transparent 3 Δ or 1 u Pa.ysh.g S. Leone 1841. D fib p B. reg. 1844. 2
 28375 - gladiifolium Lindl. sword-leaved 3 Δ or 1 sp.su W. Y l. of Bourb. 1838. D fib p B. reg. 1840. 68
 28376 - clandestinum Lindl. concealed-flwd 3 Δ or ... su G.W S. Leone 1835. D fib p
 28377 - pertusum Lindl. broken 3 Δ or ... aut W S. Leone 1836. D fib p
 28378 - teretifolium Lindl. straw-leaved 3 Δ or ... su.aut W S. Leone 1837. D fib p
 28379 - armeniacum Lindl. apricot-cld.-flwd 3 Δ or ... su.aut Apr S. Leone 1838. D fib p
 28380 - vesicatum Lindl. bladder 3 Δ or ... o.d W Ashantee 1840. D fib p
 28381 - caulifera Lindl. caulescent 3 Δ or ... o.d W India ... D fib p
 28382 - odoratissimum Lindl. very sweet-scd 3 Δ or ... su.aut W S. Leone 1832. D fib p
 28383 - herbaceum Lindl. herbaceous 3 Δ or ... su.aut W Mauritius 1834. D fib p

2531. ANGULO'A.
 28384 - Clowesii Lindl. Clowes's 3 Δ or 1 1/2 my Y.W. Columbia 1842. D p r w B. reg. 1844. 63
 28385 - 2 floribus Baviæ &c. Hk. straw-cld.-flwd 3 Δ or 1 1/2 my Str 1845? D p r w Bot. mag. 4313
 28386 - Ruckeri Lindl. Rucker's 3 Δ or 1 1/2 my Y.spt c 1845? D p r w Bot. reg. 1846. 41
 28387 - superba H. B. & K. superb.-flwd 3 Δ or ... C.d.k.p Mexico ... D fib p
 28387 - uniflora Lindl. one-flwd 3 Δ or ... ap.jn Cea Peru 1843. D fib p
 28387 - 2 rosea with pink flwrs. 3 Δ or ... ap.jn Pk D fib p

2589. ANGURIA.
 28388 - Mackayana Mackay's 3 Δ or 1847. C l p [K. & P.]

- 3327 - A'NIA Lindl. ANIA. (The name of a Roman widow, celebrated for her beauty) *Orchidaceæ*. 20.—1.
 28389 - bicornis Lindl. two-horned-anth. 3 Δ or 1/2 mr Y.G. Ceylon 1841? R rgh.p B. reg. 1844. 8

943. ANIGOZANTHOS. (*Anischo*, to elevate, *anthos*, flower; flowers elevated on a naked stem.—*D. Don*.)
 28390 - Manglesi D. Don Mr. Mangles's 3 Δ or 3 my G Swan Riv. 1833. D p l Sw. fl. gar. 2. s. 265
 2 angustifolius Lindl. narrow-lvd 3 Δ or 3 my.s G.R N. Holl. ? 1836. D p l Bot. reg. 2012
 7657 flavida
 2 bicolor Lindl. two-cld.-flwd 3 Δ or 3 my.s S.G D s p Bot. reg. 1838. 64
 28391 - coccinea? Lindl. scarlet 3 Δ or 5 jn.au S Swan Riv. 1847. D p l Paxt. mag. 5. 271
 28392 - humilis Lindl. dwarf 3 Δ or ... my.jn C Swan Riv. 1842. D s p l
 28393 - fuliginosus Hook. sooty 3 Δ or 3 ... Lem Australia ... D p l Bot. mag. 4291
 28394 - pulcherrimus Hook. beautiful 3 Δ or 2 1/2 ... Y Swan Riv. 1844. D lt.s l Bot. mag. 4180

132. ANISANTHUS 1200 splendens var. hybridus Bot. Reg. 1842. 53.

3328. 1689b. ANISOCHILUS Wal. ANISOCHILUS. (*Anisos*, unequal, *chelos*, a lip.) *Labidæ*. 1.—4.
 28395 - carnosa Benth. fleshy 3 Δ or 1 1/2 jn.s Li E. Indies 1788. S co Am. ac. 10. 3
Lavandula carnosa L. No. 14928.

3329. 1840a. ANODO'NTEA Dec. (*A*, destitute, *odontos*, of a tooth; stamens.) 15. 2 *Cruciferae*. 10.
 28396 - obovata Led. obovate 3 Δ or 1/2 su Y 1830. C ro
 Nos. 16269, 16270, 16271, 16272, 16273, and 16274. of *Alfissum* are now referred to this genus.

- 3330 - - ANECTOCII'PLUS *Blume*. ANECTOCII'LUS. (*Anoiktos*, open, *cheilos*, lip; apex spreading.) *Orchidacæe*.
 28397 - - setæceus *Blume* fringed-*lvd.* ☞ ☒ cu $\frac{1}{2}$ jn R.w.G Java 1836. D st.r.w Bot. reg. 2010
Chrysobâphus Roxburghii Wall.; *Folium petiolatum* Rumph. Amb. 6. p. 93. t. 41. f. 2.; *King Plant*.
130. ANOMATHE'CA.
 28398 1196a cruenta *Lindl.* bloody ☞ ☒ or 1 my.s Bd C.G.H 1830. O s.p.l Bot. reg. 1369
1622. ANO'NA.
 †14366 palustris *L.* wa. or *allig. ap.* † ☐ or 15 jn Gsh.y.R. W.Indies 1731. C r.m Bot. mag. 4296
3331. - - ANO'PTERUS *Labill.* ANOPTERUS. (*Ano*, upwards, *pteron*, a wing; seeds.) *Saxifragæe*, 10—1
 28399 - - glandulosus *Labill.* glandular-*lvd.* ☞ ☐ or 3 d.j W.Ro.V.D.L 1846. C pl Bot. mag. 4377
3332. 341a. ANO'TIS *Dec.* ANOTIS. (*A*, priv., *ous otos*, an ear; teeth to the calyx.) *Rubiacæe*. 4.—1.
 28400 - - rotundifolia *Dec.* round-leaved ☞ ☒ un ... mr.jn W N.Amer 1831. D s.p
 28401 - - cuspidata *Dec.* cuspidate ☞ ☐ un ... mr.jn W Trioidad 1824. C s.p.l
 28402 - - ciliolosa *G. Don.* ciliated-*lvd.* ☞ ☒ rk $\frac{1}{2}$ jn.s Pa.Li N.Amer. 1832. D s.p Bot. gard. 683
 ?*Houstonia ciliolosa* Torrey; *Hedyotis ciliolosa* Hook.
3333. 2569a. ANSE'LLIA *Lindl.* ANSELLIA. (*Mr. Ansell*; attached to the Niger Expedition.) *Orchidacæe*, 20—1
 28403 - - africana *Lindl.* African ☞ ☒ or 2 f Pa.g.P.sp Africa. 1844. D fib.p Bot. reg. 1846. 30
2318. ANTENNA'RIA.
 28404 20929a hyperborea *D. Don* northern ☞ ☒ Δ pr $\frac{1}{2}$ jl Wsh 1.of Skye mou. D p.l Eng. bot. 2640
2384. A'NTHEMIS.
 28405 - - mucronulatum *Bert.* mucronulate ☐ pr Italy 1836. S co
 21757. Cótula *L.*; Syn. *Marúta Cótula* *Dec.*
281. ANTHE'PHORA.
 28406 2384a villosa *R. & S.* villose ☐ cu .. au.s Ap W.Indies 1824. S p.l
1064. ANTHE'RICUM 8899 serotinum *L.*, syn. *Lloydia serotina* *Swt.*
 28407 - - cæruleum bluish ... my Bsh.p
1814. ANTHOCE'RCIS.
 28408 16073a ilicifolia *Cun.* Holly-leaved ☞ ☐ pr 6 jn.jl Y.R.G S.River ?1844. C s.p.l Bot. mag. 4200
3334. 550a. ANTHOCLEI'STA *Afz.* ANTHOCLEISTA. (*Anthos*, a flower, *kleistos*, shut up.) *Apocynæe*. 1.
 28409 - - macrophylla *G. Don* long-leaved † ☐ or 20 ... W S.Lcone 1820. C pl
820. ANTHRI'SCUS,
 Nns. 6582. and 6577. of *Chærophylum* belong to this genus.
3335. 331a. ANTHURIUM *S. & E.* ANTHURIUM. (*Anthos*, flower, *oura*, tail; floriferous spadix.) *Aroidæe*. 4. 1.
 †2784 gracile *Lindl.* slender-spaded ☞ ☒ cu $\frac{2}{3}$ my.jn G Trin., Dem1825. Sk s.p Bot. reg. 1635
Pòthos gracilis *Rudge*, No. 2784. in p. 42.
- 28410 - - reflexa *Lk. & O.* reflexed ☞ ☒ cu ... s.o Br Brazil 1828. D p.l
 28411 - - reptans *Lk. & O.* creeping ☞ ☒ cu ... s.o Br Brazil 1828. C p.l
 28412 - - rubescens *Lk. & O.* reddish ☞ ☒ cu ... s.o Br Brazil 1828. D p.l
 28413 - - longifolia *Lk. & O.* long-leaved ☞ ☒ cu 1 ... Ap Mexico 1829. Sk l.p
 28414 - - glauca *Lk. & O.* glaucous ☞ ☒ cu 1 ... Ap Mexico 1829. Sk l.p
 28415 - - microphylla *Hook.* small-leaved ☞ ☒ cu $\frac{1}{3}$ s Ap Brazil 1829. Sk l.p Bot. mag. 2953
- *Messrs. Schott and Endlicher have lately, in a very elaborate memoir, separated (and, we think, rightly) the American plants usually referred to *Pòthos* from that genus, and have given them the new name of *Anthurium*. The type of the genus *Pòthos*, in the acceptance of these learned botanists, is the *P. scandens* *Bot. Reg. 1337.*—*Lindley*.
 To this genus are now referred Nos. 2781, 2782, 2784, 2785, 2787, 2788, 2789, 2791, 2792, 2793, 2794, 2795, 2796, 2797, and 2799.
1968. ANTHY'LLIS.
 17625 Vulneraria
 4 hirsutissima *Dec.* very hairy ☞ ☒ Δ pr $\frac{1}{2}$ my.au D.R.s Europe 1816. S co
A. italica *Hort.*
- 28416 17625a Webbiana *Penny* Webb's ☞ ☒ Δ or $\frac{2}{3}$ my.jl Pa.Ro Tenerife 1829. S s.l Bot. mag. 3284
 28417 17623a polycéphala *Desf.* many-headed ☞ ☒ Δ or $\frac{1}{2}$ jn.jl Y Barbary 1829. S s.l Desf. at. 195
- 3336 - - ANTIARIS *Lesch.* UPAS TREE. (*Antiar* or *Antschar*, its Javanese name.) *Urticæe*. 21—4.
 28418 - - toxicaria *L.* poisonous † ☐ p 40 ... G Java 1844. ... s.l.p
- 3337 - - ANTIGRAMMA *Presl.* ANTIGRAMMA. (*Anti*, like, *gramma*, writing.) *Crypt. Filices*. 24—1.
 28419 - - rhizophylla *J. Sm.* rooting-leaved ☞ ☒ Δ or ... my.au Br D p.l
Asplenium rhizophyllum *L.* No. 25433., in p. 419.
1774. ANTIRRHINUM 15770 màjus
 5 variegatum *Dens.* variegated-*lvd.* ☞ ☒ Δ or 1 $\frac{1}{2}$ jn.au R England gard. C ru
 28420 15775a ochroleucum *Hort.* pale yellow ☞ ☒ Δ or 4 jn.au Pa.y C co
 28421 - - glandulosum *Lindl.* glandular haired ☐ or 2 au.s R.P.y California 1834? S co Bot. reg. 1933
 28422 15779a montevidense *Lk.* Monte Videan ☐ or 1 jl R M.Video 1829. S co
2929. ANTRO'PHYUM.
 28423 - - cayennense *Spr.* Cayenne ☞ ☒ Δ or Br Cayenne ... D p.l
 28424 - - coriaceum *Spr.* leathery ☞ ☒ Δ or Br D p.l
 28425 - - reticulatum *Kaulf.* netted ☞ ☒ Δ or Br D p.l
 28426 - - semicostatum *Blume* semicostate ☞ ☒ Δ or Br 1.of Luzon ... D p.l
 28427 - - obtusum *Kaulf.* blunt-leaved ☞ ☒ Δ or Br 1.of Luzon ... D p.l
 28428 - - latifolium *Reinw.* broad-leaved ☞ ☒ Δ or Br 1.of Luzon ... D p.l
1256. AO'TUS 10549 villosa *Sm.*; syn. *ericoides* *G. Don.*
 28429 - - gracillima *Meisn.* most slender ☞ ☐ or 3 my Y.r S.River 1844. C s.p Bot. mag. 4146
2208. APA'RGIA 19944 strigosa *Bieb.*; syn. *Asterðlhriz asperina* *Dec.*

1731. APHELA'NDRA.
 28430 15531a aurantiaca Lindl. orange old-flwd 𠄎 □ spl 3 au s O S.Amer. 1841. C l.p. Bot. mag. 4224
Hesmasandra aurantiaca Hort.
 28431 - glabrata W. smooth-lvd 𠄎 □ or 1 1/2 aut Y S.Amer. 1848. C p.1 [K. & P.]
 28432 - fulgens glowing 𠄎 □ spl 1 1/2 aut O.S. ... 1847. C p.1 [K. & P.]
 28433 - tetragona four-angled 𠄎 □ spl 2 aut ... 1846. C p.1 [K. & P.]
Fraxinata, no. 15531, in p. 245.
- 3338, 2520a. APLE'CTRUM Swt. APLECTRUM. (A. without, *plektron*, a spur; flower.) 20. 1. *Orchidaceae*.
 28434 - hymenale Swt. wintry 𠄎 △ cu 1 ... Br N.Amer. 1827. O s.p
Corallorhiza hymenalis Nut.
2326. APHELE'XIS.
 20996. humilis
 1 macrantha large-flwd dwarf 𠄎 □ or 2 my.jn Pk ... ?1845. C s.p P. m. b. xv. p 269
 20999. cnicoides Swt.; syn. *Hclipterum filiformis* Dec.
655. A'PIUM.
 28435 - chilense Dec. chilian ○ or ... jn.au W Chili 1836. S co
3339. 1204a. APLOPHY'LLUM J. APLOPHYLLUM. (*Haploos*, simple, *phyllon*, leaf; leaves simple.) *Rutidaceae*. 6.—8.
 28436 - patavinum J. Paduan 𠄎 △ un 1 1/2 jn.s G.Y Italy 1819. C co Mic. gen. 19, f. 2
Ruta patavina L. No. 10920.
 28437 - Buxbaumii J. Buxbaum's 𠄎 △ un 1 1/2 jn.au Y Levant 1828. C co
 28438 10921a tuberculatum J. warted 𠄎 △ un 1 1/2 jn.au Y Egypt 1824. C co
 Nos. 10921, 10922, 10923, 10924, and 10925, in p. 169., belong to this genus.
- 3339* 2240a. APLOTA'XIS Dec. APLOTAXIS. (*Haploos*, simple, *taxis*, a series; pappus.) *Compositae* & *Carlinaceae*.
 †20239 Frolovii Dec. Frolov's 𠄎 △ or 2 jl.au R Siberia 1827. D co Led. ill. 352
Saussurea lyrata Fis.
 †20336 candelans Dec. whitened ○ or 3 jl.au P Nepal 1820. S co
Cirsium heteromallum Spr.
 28439 - albescens Dec. whitish 𠄎 △ or 3 jl.au Pa.P India ... D co
1123. APONOGE'TON.
 28440 9170a junceifolium rush-lvd 𠄎 △ or flt su W ... 1847. S p.1 [K. & P.]
3340. 2547a. A'PORUM Blume. APORUM. (*Aporus*, a running shoot; appearance.) 20. 1. *Orchidaceae*.
 28441 - anceps Lindl. two-edged-stn 𠄎 △ cu 1/2 year Y.G Bengal 1826.? D p.r.v Bot. reg. 1239
Dendrobium anceps Bot. reg. 1239.
 28442 - Leonis Lindl. lion's mouth 𠄎 △ cu ... year R.Br Singapore 1837. D fib.p
 28443 - sinuatum Lindl. sinuated 𠄎 △ cu ... su Y.G Singapore 1839. D fib.p
 28444 - cuspidatum Lindl. hooked 𠄎 △ cu ... year St E. Indies 1826. D fib.p
 28445 - pulchellum Lindl. beautiful 𠄎 △ pr ... su W Manila 1837. D fib.p
 28446 - serrum L. C. saw-like 𠄎 △ cu ... year W Singapore 1840. D fib.p
 28447 - indivisum Bl. undivided 𠄎 △ cu ... su Br Manila 1839. D fib.p
1605. AQUILE'GIA.
 14286 vulgaris
 6 elegans A. P. elegant 𠄎 △ or 1 my.jl P Europe gard. D co
 28448 14288a Garnieriana Swt. Miss Garnier's 𠄎 △ or 1 1/2 my.jl P.Str Eng.hyb. 1829. D co Sw.fil.gar.2. s.103
 14289 glandulosa
 1 discolor Ait. two-coloured 𠄎 △ or ... my.jn ... Siberia 1789. D s.p Bot. 219
 28449 14289a jucunda Fisch. joyous-looking 𠄎 △ or 1 1/2 jn.au B.W Siberia ... D s.p Bot. reg. 1847. 19
glandulosa of Sweet's Flower Garden, 2d ser. t. 55., not of Fis.; *alpina* Delessert, not of Linn.
 14293 canadensis
 2 lutea Hort. yellow-flwd 𠄎 △ or 1 ap.my Pa.Y N.Amer. 1835. S s.p.1
 28450 14294a arctica Hort. arctic 𠄎 △ or 1 my.jn R.Y ?Siberia ... S s.p.1
 28451 - brachyceras F. & M. short-spurred 𠄎 △ or 3/4 my B N. Europel 1838. D co Bot. gard. 755
 28452 - glauca Lindl. glaucous 𠄎 △ or 2 my.jn Pa.Y Himalayas 1839. D co Bot. reg. 1840. 46
 28453 - Skinneri Hook. Mr. Skinner's 𠄎 △ or 1/2 ap.my S.G Guatemalal 1841. D co Bot. mag. 3919
 28454 - fragrans Benth. fragrant 𠄎 △ or 3/4 my Pa.Y Himalayas 1839. D co. Botanist, 181
 28455 - pubiflora Lindl. woolly-flwd 𠄎 △ or ... my.au Pa P. N. India 1839. D s.p.1
 28456 - leptoceras F. & M. slender-horned 𠄎 △ or 1 jn.au V.str.g Siberia 1846. S.D. lt.s.1 B.reg. 1847. 64
Fraxinea Torrey and Gray; *macrantha* Hook. and Arn., *Bot. mag.* t. 4407, the flowers are white, tinged with blue.
1827. A'RABIS.
 28457 - retrofracta Grah. bent back 𠄎 △ ap.jl Bh N. Amer. 1827. S ru Hook. am.
Turritis retrofracta Hook. am. 17. f. A.
 16156 praecox W. & K. [? *procarrens* W. & K.] 𠄎 △ or 1/2 jn.jl W gardens ... D l.p
 16178 variegata Dens. variegated-lvd 𠄎 △ or 1/2 jn.jl W gardens ... D l.p
 16135 albida. variegated-lvd 𠄎 △ or 1 f R Calabria 1832. S s.1 Bot. mag. 3216
 28458 16133a rosea Dec. rosy-flwd 𠄎 △ ? or 1 f W
 16135 albida. variegated-lvd 𠄎 △ pr 3/4 ja.o W gardens ... D s.1
 28459 - flexuosa Ten. zigzag 𠄎 △ Naples 1832. S co
 28460 - lilacina Schr. Lilac-ld-flwd 𠄎 △ or 1 au.s Li 1832. S co
911. ARA'LIA.
 28461 7289a sambucifolia Cun. Elder-leaved 𠄎 □ or 5 au G N. Holl. 1823. C s.1
 28462 7299a macropbylla Cun. large-leaved 𠄎 □ or 6 ... G Norfolk I. 1831. C s.1
 28463 7295a japonica R. Br. Japan 1838. R p.1
 28464 7295b edulis Sieb. eatable-rooted 𠄎 □ ec ... G Japan 1843. R p.1
 28465 - trifoliata three-leaved 𠄎 □ or ... G N. Zeal. 1842. C.G p.1 [K. & P.]
 28466 - Shepherdii Shepherd's 𠄎 □ or ... G N. Zeal. 1842. C.G p.1 [K. & P.]
 28467 - crassifolia Solander thick-leaved 𠄎 □ or ?10 ... ?G N. Zeal. 1846. R p.1 Hook. ic. pl. 583,4
heterophylla Sol. Mss.
1345. A'RBRUTUS.
 28468 - Menziesii Ph. Menzies's 𠄎 □ or ... W N. Amer. 1827. L s.1
 11073 hybrida 2 Milleri Swt. Miller's 𠄎 □ or 10 s.n W hybrid 1839. L co

- 28469 11075a *procera Dou.* tall ❶ — or 15? my Gsh. W.N.W. Am. 1835. L s.l Bot. reg. 1573
 11079 *tomentosa Ph.* woolly-br. & pet ❶ —? or 4? mr W California 1826. L p.l Bot. mag. 3320
 2 nuda *H. & A. glabrous-branched* Hook. in Fl. Bor. Am. vol. ii. t. 129. fig. 4.
 28170 11079a *pilosa Grah.* hairy-branched ❶ — cu $\frac{1}{2}$ my W Mexico 1829? L l.p Bot. mag. 3177
 28471 - - *speciosa Dickson* showy ❶ — or Mexico 1837. L l.p
 11075 *laurifolia Bot. Reg.* 1839, t. 67.
 In the Horticultural Society's Garden there is a species bearing the name of *A. nepalensis*; and in the Exotic Nursery, Chelsea, there is a plant under the name of *A. myrtifolia*, probably an *Arctostaphylos*.
3341. 874a. ARCHANGE'LICA *Hofm.* ARCHANGELICA. (Supposed *archangelicæ virtutes.*) *Umbeliferae.* 1.
 28472 - - *officinalis Hofm.* officinal ❶ ○ cul 4 jn.au G England wat.pl S m.s Fl. dan. 206
Angélica Archangélica L. No. 6957. p. 107.
 28473 - - *Gmelini Dec.* Gmelin's ❶ △ un ... jl.au W Kamschat. 1827. D co
 28474 - - *decurrrens G. Don.* decurrent-*lvd* ❶ △ un ... jl.au W Altai 1836. D co
 No. 6958 in p. 107. also belongs to this genus.
1346. ARCTOSTA'PHYLOS.
 28475 - - *nitida Hook.* shining ❶ — or 4 my W Mexico 1836. L s.p.l Bot. mag. 3904
discolor Dec.; A'ybutus discolor Hook.; A'ybutus nitida Hort.
 28476 - - *pungens H. B. et K. pointed* ❶ — pr 1 f W Mexico 1839 L s.l.p Bot. mag. 3927
tomentosa β Lindl. in Bot. reg. sub. t. 1791.
 28477 - - *longifolius Benth.* long-leaved ❶ — or Mexico 1847. L p [G. G.]
2429. ARCTOTHE'CA.
 28478 - - *grandiflora Dec.* great-flowered ❶ △ or 1½ jl.s Y C. G. H. 1833. D p.l
2449. ARCTO'TIS.
 28479 - - *Schraderi* Schrader's ❶ □ or ... my.au P C. G. H. 1832. S p l
Vcnidium Schraderi Dec.
571. ARDYSIA.
 28480 4572a *hymenandra Wal.* membrane-ant. ❶ — or 8 my.jl Pk Silhet 1828. C p.l
 28481 - - *odontophylla Wal.* tooth-leaved ❶ □ or 26 jl Pa. Salm. R Bengal 1834. C s.p Bot. reg. 1892
2682. ARE'CA 23570 *montana.*
 Synonyme: *Eutérpe montana Grah.* Bot. mag. 3874.
1390. ARENA'RIA 11652 *rùbra*; syn. *Lepigònum rùbrum Fries.* Nos. 11653, 11655, and 11656 are also placed by Fries under this genus.
 28482 11684a *rubella Wahl.* reddish-*flvd* ❶ △ pr $\frac{1}{2}$ my.au R Scotl. Benlawers. D s.p Wa. lap. 6
chevrefolli G. Don (discovered in Scotland in 1790), *hirta Fl. dan.* 1646.
 28483 - - *biiflora Spr.* two-flowered ❶ △ or $\frac{1}{2}$... W Switzerd. 1818. D s.p Al. ped. 44 f. 1
 28484 - - *memorosa Kth.* sylvan ❶ △ pr $\frac{1}{2}$ su W S. Amer. 1832. D co
 28485 - - *norvegica Gunn.* Norwegian ❶ △ w $\frac{1}{2}$ jl.au W Scotland ... D s.l E. B. 2852
449. ARE'TIA.
 28486 3750a *pubescens Dec.* pubescent ❶ △ pr $\frac{1}{2}$ my.jn W Switzerl. 1824. D s.p Bot. cab. 1273
3342. - - ARE'TIUM. [Should be ANE'TIUM, which see.]
 28487 - - *citrifolium J. Sm.* Citron-*lvd* ❶ □ or Br W. Indies ... D p.l
1554. ARGEMONE.
 28488 - - *Barclaiana Penny* *My. Barclay's* ❶ △ or 5 jn.n Crea Mexico 1827. S co
intermedia Swt. hort. brit. ed. 2. p. 585. but subsequently to the publication of Mr. Penny's name in Gard. mag. vi. 115.
 28489 13796a *ochroleuca Sut.* yellowish white ○ or 2 jl.au Su Mexico 1827. S co Sw. fl. gar. 242
sulphurea, no. 13796.
493. ARGYREIA.
 28490 4244a *pomacea Sut.* apple-*fruitcd* ❶ □ or Pk E. Indies 1828. C r.m Gae. fr. 2. 178
Lettsomia pomacea Rox.
 4246 *uniiflora Swt.* Syn. *Rivea hypocrateriformis G. Don.*
3343. 2673a. ARIOP'SIS *Grah.* ARIOPSIS. (*Aron, the Arum, opsis, resemblance.*) *Aroidæ.*
 28491 - - *peltata Grah.* peltate-*lvd* ❶ □ cu $\frac{1}{2}$ au P Bombay 1844. D l.p Bot. mag. 4222
Ramusatia vivipara Wight, not of Schott.
3344. 2673b. ARISCEMA *Mart.* ARISCEMA. (A Greek name.) *Aroidæ.* 21.—1.
 28492 - - *Murrayi Hook.* Murray's ❶ □ cu $\frac{1}{2}$ mr.ap Ap. Bombay 1847. R lt
Arum Murrayi Grah.
 Nos. 23510, 23516, 23518, and 23520 in p. 386 belong to this genus.
195. ARISTIDA.
 28493 - - *dichotoma Kth.* forked ❶ ○ cu ... jn.au Ap. N. Amer. 1826. S co
Curtopogon dichotomus R. & S.
2582. ARISTOLO'CHIA.
 28494 22834a *chilensis Lindl.* Chilian ❶ △ cu 6? s P.g Chile 1832? D s.l Bot. reg. 1680
 " It is nearly related to *A. glatica* of the South of Europe, but it is very different in the form of its leaves."
 28495 22845a *foetens Lindl.* stinking-*flowered* ❶ □ or 20? jn Va. P. y W Indies 1832? C p.l Bot. reg. 1824
 28496 22849a *cymbifera Mart.* boat-*flvd* ❶ □ or 20 jl.au Y. P. St. Paul 1829. C p.l Bot. reg. 1543
 28497 - - *trifida Lam.* trifid-*leaved* ❶ □ cu ? 15 ... Gsh. Y. B. a Caraccas ... C p.l Botanist, 3
 28498 - - *saccata Wall.* pouch-*flvd* ❶ □ cu 20 s Y. psh. n Silhet 1829. C l.p Bot. mag. 2640
 28499 - - *ciliosa G. B.* fringed ❶ □ cu ? 6 s P.g N. Patag. 1836. D s.l.p Botanist, 96
 28500 - - *caudata Lindl.* tailed-*lipped* ❶ △ cu 5 jn L.d Brazil 1828. Sk lt. l. r Bot. reg. 1453
 28501 - - *hyperborea Hort.* northern ❶ □ or 20 my P.Lam ? India 1836. D 1 Pakt. mag. 6. 53
 28502 - - *gigas Lindl.* giant ❶ □ cu 6 jn.l P Guatamala 1841. C s.p.l Bot. reg. 1842. 60
grandiflora Swz., Bot. mag. 4368 and 4369; cordiflora Mutis; scandens &c. Br. Jam.
 28503 - - *gigantea Mart.* gigantic-*flvd* ❶ △ or 20 ap P.y Brazil ? 1844. C lt.l Bot. mag. 4221
 28504 - - *ornithocéphala Hook.* bird's-head ❶ △ or 20 my Y. Bksh. P. Brazil 1838. C lt.l Bot. mag. 4120
 28505 - - *anguicida Jac.* snake ❶ □ cu 25 d W. Br. spot N. Gren. 1845. C lt Bot. mag. 4361

1438. ARISTOTE'LIA 12121 *Mâcqui.*
 2 *variegata Dens.* variegated-*lvd*

Elæocarpæ D. Don, *Homalinea* Dec.
 ... C 1

1500. ARMENTACA.
 12848 *vulgaris*
 3 fol.-varieg. Hort. variegated-ldv $\frac{y}{x}$ or 15 f.mr W B eo
 4 flore-pleno Hort. double-flowered $\frac{y}{x}$ or 15 f.mr W B eo
928. ARMERIA.
 7460 *vulgaris*
 2 alba Hort. white-flwd $\frac{y}{x}$ Δ or $\frac{1}{2}$ jn.s W Britain gard. D co
 3 coccinea Hort. scarlet-flwd $\frac{y}{x}$ Δ or $\frac{1}{2}$ jn.s D.R Britain gard. D co
 17469 *cephalotes Lk.* large-headed $\frac{y}{x}$ Δ or 2 au S Pk Arabia 1800. D p.l Bot. mag. 4123
latifolia Willd.; Stutice Armeria major Jacq.; S. Pseudo-Armeria Murr. Syst. p. 300; Brot. Fl. Lus.
 p. 488; Desf. Fl. Alt. 1. p. 275.
 28506 - - hybrida A. P. hybrid $\frac{y}{x}$ Δ or $\frac{3}{4}$... R hybrid ... D s.l
 28507 - - Popeana Hort. Pope's hybrid $\frac{y}{x}$ Δ or $\frac{1}{2}$... R hybrid ... D s.l
 28508 - - fasciculata R. et S. fascicled $\frac{y}{x}$ Δ pr $\frac{1}{2}$ au Pk S.Europe 1838. D co Bot. reg. 1841.21
3345. 2554b. ARPOPHYLLUM L. ARPOPHYLLUM. (Arpe, a sickle, phyllon, a leaf.) *Orehidaceae*. 20.—1.
 28509 - - coccineum Lo. C. scarlet-flwd $\frac{y}{x}$ Δ or ... my jl S Mexico 1843. D fb p
 28510 - - spicatum Lat. spiked $\frac{y}{x}$ Δ pr ... s.o Pk Mexico 1839. D fb p
 28511 - - giganteum Lo. C. gigantic $\frac{y}{x}$ Δ or 1 $\frac{1}{2}$ su Br.Pk Jamaica 1839. D fb.p
3346. 852a. ARRACA'CA Bancroft. (Euphorbia from *Arracacha*, the name of the plant in Santa Fe.) *Umbel.*
 16821 *esculenta Dec.* esculent $\frac{y}{x}$ Δ esc 3 jn jl Brsh.R Santa Fe 1823. D r.m Bot. mag. 3092
Conium Arracacha Hooker, and Loud hort. brit. No. 6821.
3347. 1781a. ARTANE'MA D. Don. (*Artao*, to append, *nema*, filament; filaments toothed.) *Scrophularineae.*
fimbriatum D. Don. fringed-coralcd $\frac{y}{x}$ Δ or 3 jn.au Pa.Br.Morton B.1830. C p.l Bot. mag. 3104
Torenia? scabra Grah., Bot. Cab. 1990., Bot. Mag. 3104., Gard. Mag. 9. 707.
 We consider it essentially distinguished from *Torenia* by its deeply parted calyx, the serrated lobes of its corolla, the structure of its stamens, the form and consistence of its capsule, and, finally, by its large succulent placenta.—D. Don.
2313. ARTEMISIA.
 20828 *vulgaris*
 2 variegata Hort. variegated-ldv $\frac{y}{x}$ Δ pr 2 au.s P Britain gard. D co
 20861. *Abrótanum*
 2 humile Hort. low $\frac{y}{x}$ or 1 $\frac{1}{2}$ au.o Y.G S. Europe ... D co
 3 tobolskianum Hort. Tobolskian $\frac{y}{x}$ or 5 au.o Y.G D c eo
 28512 - - aprica Led. sunny $\frac{y}{x}$ Δ ... 2 ... Pa. 1834. D co
 28513 20826a *lactiflora Wal.* pale-flowered $\frac{y}{x}$ Δ cu 2 n ... Pa.W Nepal 1828. C s.l
3348. 1182a. ARTHROSTEMMA Pavon. (*Arthron*, joint, *stemma*, crown; anthers jointed upon filam.) 8.1. *Melast. 23.*
 28514 - - nitidum Grah. glossy-leaved $\frac{y}{x}$ or 2 jl Pa.Li B. Ayres 1839. S p.l Bot. mag. 3412
 28515 - - fragile Lindl. brittle $\frac{y}{x}$ or 3 jn.s Rosy P Mexico 1846. C l.p H.M.J. II. S. 3. 75. fig.
 19584 *versicolor Dec.* changing-ldv $\frac{y}{x}$ Δ or $\frac{1}{2}$ s Pk Brazil 1825. C s.p Bot. mag. 3078
Rhæzia versicolor Lindl., Bot. reg. 1066.
2673. ARUM 23508 *Dracunculus L.*; syn. *Dracunculus vulgare* Sm. No. 23507 is also referred to the genus *Dracunculus* Sm. Nos. 23510, 23516, 23518, and 23520; syn. *Ariscena* sp. Mart. 23515 campanulatum Roxb.; syn. *Polygonum Roxburghii* Sm. No. 23513; syn. *Sauromatum pedatum* Sm. 23521; syn. *Thomsonia bulbifera* Sm. 23523 Colocasia; syn. *Colocasia antiquorum* Sm. 23525 and 23535; syn. *Biadrum* sps. Sm. 23534, 23543, and 23544; syn. *Typhonium* sps. Sm. 23539; syn. *Aglaonema integrifolia* Sm.
- 3349 - - ARUNDINA Blume. ARUNDINA. (*Arundo*, a reed; resemblance.) *Orch. Epidendree.*
 28516 - - bambusifolia Blume Bambusa-leaved $\frac{y}{x}$ Δ spl ... 3 P Nepal ... D p.r.w
 28517 - - densa Lindl. dense-flowered $\frac{y}{x}$ Δ or 1 Singapore 1842. D p.r.w Bot. reg. 1842. 33.
 28518 - - chinensis Bl. Chinese $\frac{y}{x}$ Δ or 2 s.d Pk Hong Kong 1844. R turfey pag [R.F.]
230. ARUNDO 1910. *ténax Vahl.* Syn. *Ampelodesmos tenax* Kth.; 1911 *festucæa* W. en. Syn. *Ampelodesmos festucæa* W. en.
 28519 - - lappónica Vahl. $\frac{y}{x}$ Δ un 3 jn.jl Ap Ireland ... Sk co
3350. - - ASAGRE'A Lindl. (*Dr. Asa Gray*, one of the authors of the *Fl. N. Amer.*) *Melanthaceae*. 6.—3.
 28520 - - officinalis Schlecht. officinal $\frac{y}{x}$ Δ cu 5 s.o W Mexico 1839. D l.s Bot. reg. 1839. 33.
Veratrum officinale Schlecht.; *Helonias officinale* D. Don, Sabadilla Hort.
771. ASCLEPIAS 6173 longifolia Ph.; syn. *Polyotus* G. Don; *Gomphocarpus longifolius* Spr.; *Acerates longifolia* Don, Hort. Cant.
 28521 - - vestita Hook. clothed $\frac{y}{x}$ Δ or 3 o Ysh.G P. N. Amer. 1843. D p.l Bot. mag. 4106
 28522 - - Douglasii Hook. Douglas's $\frac{y}{x}$ Δ or 1 $\frac{1}{2}$ aut Rsh. P.G. N.W. Am. 1846. D co Bot. mag. 4413
 28523 - - Greeniana Nut. Green's $\frac{y}{x}$ Δ pr 2 all sca W N. Amer. 1828. D p.l
1074. ASPARAGUS.
 28524 - - Smithianus P.B. Webb Smith's $\frac{y}{x}$ Δ cu ... G Teneriffe 1829. R p.l
 28525 - - plocamoides P.B. Webb Plocama-lik $\frac{y}{x}$ Δ cu ... G Teneriffe 1829. R p.l
 28526 - - lucidus Lindl. shining $\frac{y}{x}$ Δ cu 10 my.jl G Macao ? 1842. R l.p
3351. ASPASIA Lindl. ASPASIA. (*Aspaxomai*, I embrace; column by labellum.) *Orchidaceae*.
 28527 - - variegata Lindl. variegated-flwd $\frac{y}{x}$ Δ fra $\frac{3}{4}$ f G.spot.v.r S. Amer. 1836. O p.r.w Bot. reg. 1907
 28528 - - epidendroides Lindl. Epidendrum-lik $\frac{y}{x}$ Δ cu 1 ... W.v.M. Br Panama 1833. D p.r.w Bot. mag 3662
 28529 - - lunata Lindl. crescent-mrkd $\frac{y}{x}$ Δ cu ... Ysh.W.P.br Rio 1843. D fb p
350. ASPE'RULA.
 28530 - - trichoides Dec. hairy O pr ... jn jl G.w Persia 1838. S co
 3062. *galioides*
 28531 - - tyralca Dec. Tyrian $\frac{y}{x}$ Δ or $\frac{3}{4}$ my. jn W Levant 1829. D s.l
 28532 - - Scutellaria Vis. Skullcap $\frac{y}{x}$ Δ cu 1 ... Russia 1838. D co [D. Cameron.]
 28532 - - nitida Sm. glossy $\frac{y}{x}$ Δ or $\frac{1}{2}$ jl.s Pk Greece 1829. D co Fl. gr. 124
1061. ASPHODELUS.
 8869 *luteus*
 2 sibiricus Lindl. Siberian $\frac{y}{x}$ Δ or 2 ap.my Pa.Y Siberia 1829? D co Bot. reg. 1507
 28533 8869a *capillaris Reb.* hair-leaved $\frac{y}{x}$ Δ or 4 my.jn Y S. Europe ... R co
 28534 8876a *prolifer Bed.* proliferous O cu $\frac{1}{2}$ jn.o Wsh Armenia 1824. S co Bux. c. 2. 36. 2
 28535 - - microcarpus Vis. small-podded $\frac{y}{x}$ Δ Dalmatia 1831. O l.p

1204. ASPIDI'STRA.									
28536	- elätior	taller	✓	Δ	or	2	o.n	Br	Japan 1835. D 1.p
	2 variegata Hort.	variegated	✓	Δ	or	2	o.n	Br	Japan 1835. D 1.p
2938. ASPI'DIUM.									
28537	25612a dumetorum Sm.	thicket	✓	Δ	or	3	jl	Br	Britain sh.ro D p
28538	- singaporianum Wal.	Singapore	✓	Δ	or	...	sp	Br	Malacca ... D p.1
28539	- decurrens Presl.	decurrent	✓	Δ	or	...	su	Br	1.of Luzon ... D p.1
28540	- grande J. Sm.	grand	✓	Δ	or	...	su	Br	E. Indies ... D p.1
28541	- alatum Hook.	winged	✓	Δ	or	...	aut	Br	E. Indies ... D p.1
28542	- repandum W.	repand	✓	Δ	or	...	aut	Br	1.of Luzon ... D p.1
2921. ASPLE'NIUM.									
28543	- pulchrum Bevis	fair	✓	Δ	or	1	3/4 jl	Br	Jamaica ... D p.1
28544	- salicifolium Spr.	Willow-leaved	✓	Δ	or	1	my s	Br	W. Indies 1841. D p.1
28545	- depréssum Hort.	depressed	✓	Δ	or	1	au	Br D p.1
28546	- alatum Humb.	winged	✓	Δ	or	1	...	Br	W. Indies ... D 1.p
28547	- biauirtum Hort.	two-eared	✓	Δ	or	1	jl	Br	W. Indies ... D p.1
28548	- diversifolium Cun.	various leaved	✓	Δ	or	1	3/4 f	Br	N. Zeal. 1831. D p.1
28549	- ambiguum Rad.	doubtful	✓	Δ	or	1	...	Br	W. Indies ... D p.1
28550	- auritum Swz.	eared	✓	Δ	or	1	jl.n	Br	S. Amer. 1829. D p.1
28551	- cuneatum Lam.	wedge-shaped	✓	Δ	or	1	s.n	Br	W. Ind. ? 1832. D p.1
28552	- maderense Penny	Madeira	✓	Δ	or	1	jd.	Br	Madeira 1828. D p.1
Related to præmorsum Swz.?									
28553	- obtusifolium L.	obtuse-leaved	✓	Δ	or	3	...	Br	Jamaica 1838. D p.1
28554	- lacteum H.K.	milky	✓	Δ	or	...	my.au Y	W. Indies ... D p.1	
28555	- lucidum H.K.	shining	✓	Δ	or	...	my.au Y	W. Indies 1843 D p.1	
28556	- fissum Spr.	cleft-fronds	✓	Δ	or	...	ap.jl	Br	Hungary 1825. D p.1
28557	- sulcatum Spr.	furrowed	✓	Δ	or	...	jl	Br	W. Indies 1827. D p.1
28558	- canariense Spr.	canary	✓	Δ	or	...	jl	Br	Canaries 1824. D p.1
28559	- dimidiatum Spr.	halved	✓	Δ	or	...	jl.s	Br	W. Indies 1827. D p.1
28560	- resectum Spr.	shredded	✓	Δ	or	...	jl.au	Br	Mauritius 1820. D p.1
28561	- pulchrum Led.	fair	✓	Δ	or	...	jn.jl	Br.y	Jamaica ... D p.1
28562	- erbosum H. K.	torn	✓	Δ	or	...	jn.s	Br.y	W. Indies ... D p.1
28563	- serrulatum H. K.	serrulated	✓	Δ	or	...	jn.s	Br.y	India ... D p.1
28564	- vittæforme Cav.	band-like	✓	Δ	or	Br.y	1.of Luzon ... D p.1
28565	- scolopendrioides J.S.	hart's-tongue-lk	✓	Δ	or	...	ilo	Br	1. of Leyte 1840. D p.1
28566	- salicifolium J. Sm.	willow-like	✓	Δ	or	...	my.au	Br	E. Indies 1839. D p.1
28567	- persicifolium J. Sm.	peach-leaved	✓	Δ	or	Br	1. of Luzon ... D p.1
28568	- calophyllum J. Sm.	beautiful-leaved	✓	Δ	or	...	jn.s	Br	1. of Luzon ... D p.1
28569	- longissimum Reinv.	longest	✓	Δ	or	...	ju.s	Br	Malacca 1840. D p.1
28570	- elongatum Swz.	elongated	✓	Δ	or	...	jn.s	Br.y	Malacca 1840. D p.1
25433 rhizophyllum L., syn. Antigramma rhizophylla J. Sm.									
3352. 2179a. ASTARTEA Dec. ASTARTEA. (Astarte, the Syrian Venus.) Myrtæcæ. 1.									
28571	- fasciculata Dec.	fascicled	✓	□	or	3	...	N. Holl	... C s.1.p Lab. n. h. 2.170
Melaleuca fascicularis Lab., no. 19627 in p. 319.									
3353. ASTELIA R. Br. ASTELIA. (A, without, stelechos, a stem.) Asphodæcæ.									
28572	- Banksii R. Br.	Sir Jos. Banks's	✓	Δ	un	N. Zeal.	1837. D it
2337. A'STER.									
21309 puniceus.									
	2 demissum Lindl.	dwarf	✓	Δ	or	2	au'	B	Eng.gard.1820? D co Bot. reg. 1636
†1332	2 eminens W.	tall-stemmed	✓	Δ	or	7	s.o	B	U. States ... D co Bot. reg. 1614
	2 virgineus Nees.	pure white rayed	✓	Δ	or	3	s.o	W.y	U. States ... D co Bot. reg. 1656
" A Juncus H. K. A. longifolius Lam. A. virgineus Nees Synop. Ast. A. eminens var. virgineus Nees Gen. et Sp. Ast. A. albus of English gardeners." (Bot. Reg. 1656.)									
21234 alpinus									
	3 ramosus	branchy	✓	Δ	or	1	2 1/2 my.au	B	Europe ... D co Bot. cab. 1829
28573	21294 castoreiæicus? F.&G.	Arabian Cassia	✓	Δ	or	2	s	P	Russia 1834. D co Bot. gard. 672
28574	- abutilus Hek	Cabul	✓	Δ	or	3	au.o	P	Cabul 1842. D co
21222 Cymbalaria L.; syn. Manjchia brachygloussa Cass.									
Nos. 21216, 21225, 21226, and 21350, are referred to the genus Felicia Dec.									
21261 paludosus H.K.; syn. Hiclastrum paludosum Dec.									
Nos. 21243 and 21324 in pp. 346, 347., are referred to the genus Sericocarpus Dec.									
21312 hispidus Lam.; syn. Heteropappus hispidus Dec.									
Nos. 21247, 21253, 21262, and 21351 constitute the genus Tripodium Dec.									
Nos. 21272, 21273, 21275, and 21323 belong to the genus Diplostèphium Dec.									
Nos. 21297, 21364, and 21369 are species of Bidia Dec.									
3354. 1725a. ASTERACA'NTHA N. V. E. ASTERACANTHA. (Aster, a star, akantha, a splne.) Acanthæcæ. 14.—2.									
†15485	longifolia N. V. E.	long-leaved	✓	Δ	or	2	jl.s	B	E. Indies 1781. D it
Barleria longifolia L., no. 15485 in p. 244.									
3355. 346b. ASTEROCE'PHALUS Vail. STARHEAD. (Aster, star, kephale, head; seeds.) Dipsacæcæ. 52.—60.									
28575	- canescens Spr.	canescent	✓	Δ	or	1	jl.au	Li	Hungary 1802. D co W.&K. 53
Scabiosa canescens Kit. No. 2906.									
2954 bannaticus									
	2 albus Hort.	white-flowered	✓	Δ	or	3	jl.au	W gard. D co
28576	- paucisetus Jac.	few-bristled	✓	Δ	or	2	jl.s	Str	S. Europe 1827. S co
Also no. 2907 to the end of the genus Scabiosa, no. 2923 excluded.									
3356. - ASTI'RIA Lindl. ASTIRIA. (A, privative, steiros, sterile; steile stamens wanting.) Byttneriæcæ. 16.—2									
28577	- rosea Lindl.	rose-cld-flwd	↑	□	or	...	in.r.p	Pa. Ro	Mauritius 1833. C p.1 Bot. reg. 1844.49.
2102. ASTRA'GALUS									
18876 hypoglottis									
	2 alba Hort.	white-flowered	✗	Δ	or	1	jn.jl	W gard. D s.c
28578	18915a reticulatus Bieb.	netted	○	pr	jn.jl	B	Iberia 1828. S co
28579	18919a reticulatus Led.	short-horned	○	pr	jn.jl	Y	Tauria 1828. S co
28580	18946a chlorostachys Lindl.	green-spiked	✓	Δ	or	3	s.o	G.y	Nepal 1824. D co
28581	18958a hrewiflorus Dec.	short-flowered	✓	Δ	or	...	my.jl	P	Armeuia 1826. S s.1. Bot. cab. 1389
28582	18969a baicalensis Pall.	Baical	✓	Δ	or	...	au.n	Y	Siberia 1830. D co

- 28583 - - succulentous *Rich.* succulent $\frac{y}{y} \Delta$ nr 1 jn.jl P N. Amer. 1827. S s.l Bot. reg. 1324
 This is by some botanists thought identical with *carinosus* Nut. and *caryocarpus* of the *Bot. reg.* 1. e. No. 1890 of *Hort. Brit.*; it is, however, provisionally retained here until the supposed identity is confirmed or disproved.
- 28584 - - inflatus *Gill.* inflated $\frac{y}{y} \Delta$ or 1 my.jn P Mendoza 1827. C s.l
 28585 - - calycinus *Bieb.* long-calyxed $\frac{y}{y} \Delta$ or ... jl.au ... Caucasus 1819. D co
 28586 - - dasyanthus *Pall.* hairy-flowered $\frac{y}{y} \Delta$ or 1 jn.jl. Y Hungary 1819. D co W. & K. 46.
 28587 - - hymenocarpus membranous *flwd* $\frac{y}{y} \Delta$ or 4 jl.au Y Russia 1835. D co
 28588 - - lactiflorus *Led.* milk-flowered $\frac{y}{y} \Delta$ W Siberia 1832. D s.l
 28589 - - Schanginianus *Led.* Schang's $\frac{y}{y} \Delta$ or 1 ... Y Siberia 1832. D s.l
 28590 - - macrocephalus *W.* long-headed $\frac{y}{y} \Delta$ or 4 ... Y Caucasus 1831. D s.l
 28591 - - procumbens *H. & A.* procumbent $\frac{y}{y} \Delta$? or $\frac{1}{2}$ jay Y.B.P Chile 1832. S co Bot. mag. 3263
 28592 - - sylvicolus *Pall.* wood $\frac{y}{y} \Delta$ or Armenia 1831. D s.l
886. ASTRA'NTIA.
 28593 7090a Biebersteinii F. & M. Bieberstein's $\frac{y}{y} \Delta$ pr 2 my.s ... Caucasus 1835. D p.l
major Bieb., not of L.
- 2107 ASTROLOBIUM 19003 ebracteatum *Dec.*, syn. *Arthrodibium ebracteatum* E. bot. sup. 2844, Bax. Br.Fl.Pl. [509.]
3357. 2765a ASTRONIUM Jac. ASTRONIUM. (*Astron*, a star; calyx.) *Terebinthaceæ.* 22.—5.
 28594 - - graveolens *Dec.* strong-scented $\frac{y}{y} \square$ or ... my.jl R S. Amer. 1826. C p.l
3358. 867a ASTROTRICHA *Dec.* ASTROTRICHA. (*Astron*, a star, *thrix*, a hair; hairs stellate.) *Umbellifera.* 5.—2.
 28595 - - floccosa *Dec.* woolly $\frac{y}{y} \square$ or ... my.jl W N.S.W. 1825. C s.p
 28596 - - ledifolia *Dec.* *Ledum*-lvd $\frac{y}{y} \square$ or ... my.jl W N.S.W. 1830. C s.p
3359. - - ASYSTASIA *Nees.* ASYSTASIA. (Derivation unknown.) *Acanthaceæ.*
 28597 - - Coromandeliana *Nees.* Coromandel $\frac{y}{y} \square$ nr ... jl.s Dp.Li India 1845. C p.l Bot. mag. 4248
Ruellia Coromandeliana Herb. Madras, *Justicia Gangetica* Linn. Amœn., β *Ruellia secunda* Wall. Cat.,
Ruellia intrusa Vahl. Symb. v. 1. p. 45., Wild. Sp. Pl. v. 3. p. 367., γ *Ruellia secunda* Vahl. Symb. v. 3. p. 84, Spr. Syst. Veget. v. 2. p. 824, *Ruellia obliqua* Herb. Wight. Wall. Cat. n. 2399 d.
3360. 2203b ATALANTHUS *D. Don* ATALANTHUS. (*Atalos*, soft, *anthos*, a flower.) *Comp. Cich.* 3.
 28598 - - pinnatus *D. Don.* pinnate $\frac{y}{y} \square$ jun 3 jn.jl. Y Teneriffe 1820. S co
Prenanthes pinnata L. No. 19915., and also Nos. 19914, and 19916, belong to this genus.
835. ATHAMA'NTA.
 28599 6711a macedonica *Spr.* Macedonian $\frac{y}{y} \square$ cu 2 jl.au Pa.Y Greece 1596. S co Black. 382
Bibon macedonicum L. No. 6745.
 28600 - - stricta *Led.* upright $\frac{y}{y} \Delta$ un ... jn.jl W Siberia 1831. D co
2308. ATHIANA'SIA Nos. 20758. and 20764. are placed in the genus *Holophyllum* *Dec.*
 20770. parviflora L.; syn. *Hymenoclepis parviflora* Cass.
 20774. pinnata *Thun.*; syn. *Hymenoclepis pinnata* Meyer.
 20762. 20773. and 20788., in p. 338., constitute the genus *Morjysia* *Cass.*
3361. - - ATHYRIUM *Roth.* ATHYRIUM. (Derivation unknown.) *Crypt. Filices.* 24.—1.
 28601 - - spectabile *J. Sm.* showy $\frac{y}{y} \square$ or ... jl.o Y E. Indies ... D p.l
Asplenium spectabile Wall.
 28602 - - multicaudatum *J. Sm.* many-tailed $\frac{y}{y} \square$ or Y E. Indies ... D p.l
Asplenium multicaudatum Wall.
 28603 - - incisum *J. Sm.* cut-lvd $\frac{y}{y} \square$ or ... jl.s Y E. Indies ... D p.l
Asplenium incisum Wall.
 Nos. 25458, 25465, 25466, of the genus *Asplenium*, as given in p. 420., and nos. 25430, and 25432, of the genus *Allantodia*, are referred to this genus.
- 2249 ATRA'CTYLIS.
 28604 - - mexicana *L.* Mexican $\frac{y}{y} \square$ un ... jn.au W Mexico 1828. C co
Lycoseris mexicana *Dec.*
1630. ATRA'GENE.
 14439 americana
 28605 - - obliqua *Don.* ms. oblique $\frac{y}{y}$ or 15 my.jn P Rocky M. ... L s.p
 28606 - - macropetala *Led.* large-petaled $\frac{y}{y}$ or Russia 1831. L l
2862. A'TRIPLEX.
 28606 - - deltoides *Bab.* triangular-lvd \square w 2 jn.o G England waste pl. S cn E. B. 2860
 28607 - - marina *L.* marine \square w ... jl.au G Britain sea co. S co
584. A'TROPA 4641 arborescens *L.* Syn. *Agnistus arborescens* G. Don.
 28608 - - acuminata *Boyle.* acuminate-lvd $\frac{y}{y} \Delta$ cu 4 jn.jl D.L.Y Chin.Tar. 1846. D co
2062. A'UCUBA japónica is, in p. 379., wrongly placed in the class Monœcia, and order Tetrândria; it belongs to Diœcia Tetrândria; and it is presumed that only the female sex has been yet introduced into Britain; at least, all the plants to be met with in blossom (and these are not few every spring) are of this sex. There is a variety with large leaves, striped down the middle.
3362. 76a. AUDIBERTIA *Benth.* AUDIBERTIA. (*M. Audibert*, of Tarascon, nurseryman.) 2. 1. *Lab.* 1.
 28609 - - incana *Benth.* hoary $\frac{y}{y}$ cu 1½ jl.s Pa B Columbia 1827. S co Bot. reg. 1469
Salvia carnosa Her. Doug.
3363. 692d. AUDOUINIA *Brong.* AUDOUINIA. (*A. Audouin*, an entomol. and friend of Brongniart.) *Bruniæ.* 1.
 28610 - - capitata *Brong.* headed $\frac{y}{y} \square$ or 1½ my.jl P C. G. H. 1790 C p.l
Diisma capitata L. No. 5552.
223. AVE'NA.
 28611 - - latifolia *Host* broad-leaved $\frac{y}{y} \Delta$ un ... Ap Austria ... D co Host gr. 4. t. 32
521. AZA'LEA.
 4341 indica
 6 phenicea.
 2 splendens *D. Don* splendid $\frac{y}{y} \square$ spl 10 f R hybrid 1835. L s.p Sw. fl. gar. 2. s. 385
 7 Rawsonii *Paxt.* Rawson's $\frac{y}{y}$ or 2 my C Eng. hybrid. 1833. L p.l Paxt. mag. 3. 123

- 8 lateritia *Lindl.* brick-red-*cl.* 彙 or 2 my Bri China 1833. C p.l Bot. reg. 1700
 9 variegata *Lindl.* varieg-*cl.* 彙 or 3 my Ro.W China 1832. C p.l Bot. reg. 1716
 10 speciosa *D. Don* showy 彙 spl 4 my P Eng.hyb. 1830. C p.l Sw. fl. gar. 2. s. 284
 11 ignescens *Swt.* fiery 彙 spl 2 mr. my Br. C China ... C p.l Sw. fl. gar. 2. s. 128
 28612 4341a *ichfolia Hook.* Ledum-leaved 彙 or 2 mr. my W China 1819. C p.l Bot. mag. 2901
indica 4 alba, No. 4341.
 28613 4341b *Danielstana Paxt. Mrs. Daniel's* 彙 spl 3? ... Carm. China 1830. L s.p Paxt. mag. 1. 129
 4343 *pónica*
 7 versicolor *Lindl.* various-*cl.* 彙 or 4 mr. my Y. r. w. Eng. hyb. 1827. L s.p Bot. reg. 15559
 8 coronarium *D. Don* garland 彙 or 7 my jn rich Y. Holland 1832? L s.p 1 Sw. fl. g. 2. s. t. 331
 9 árdens *D. Don* fiery-*cl.* 彙 spl 4 my Bt. o. r? Holland hyb. L p.l Sw. fl. gar. 2. s. 306
 " Doubtless a hybrid production between *R. flavum* and one of the varieties of *nudiflorum*."—*D. Don*
 10 cándida *A. P.* white 彙 or 3 my W Eng. hyb. 1834. L s.p
 ? sp. *Seymouri* Herb. *Seymour's* 彙 or ... Str. psh Eng. hyb. ... L s.p
 4344 *calendulæa*
 9 subcúprea *Govt.* copper-*cl.* 彙 or 4 my jn Cop hybrid 1827. L p.l Bot. reg. 1366
 10 lépida *Govcn* pretty-flowered 彙 or 4 my jn Va hybrid ... L p.l Bot. reg. 1402
 11 *Stapletoiana Lindl. Miss Stapleton's* 彙 or 4 my jn Ro hybrid 1827. L p.l Bot. reg. 1407
 12 fúlgida *Hook.* shining 彙 or 4 sp O. B ? hybrid ... L p.l Bot. mag. 3439
 It had been received at "the Glasgow Botanic Garden, from Mr. Malcom, as the var. *fúlgida* of *Azalea calendulæa*. It is, we [Sir W. J. Hooker] believe, a hybrid variety, and, if we may judge from the appearance, between *R. pónica* [It is not to be doubted that Sir W. J. Hooker has here meant the *R. flavum* of *D. Don*, the *Azalea pónica* L.] and *R. nudiflorum* var. *coccineum*; but of the parentage we will not undertake to speak."—*Sir W. J. Hooker.*
 4347 *nudiflora*
 45 thyrseflóra thyrsé flowered 彙 or 3 jn D.s seedling 1827. L p.l Bot. reg. 1367
 46 scintillans *Lindl.* sparkling 彙 or 4 my jn O.s Eng. hyb. 1827. L s.p Bot. reg. 1461
 47 *eximia D. Don* choice 彙 spl 3? ap C Eng. hyb. 1829. L p.l Sw. fl. gar. 2. s. 291
 In the *Gardener's Magazine*, vol. vii. p. 62., we noticed, from the Botanical Register, t. 1305., the hybrid *azaleas* raised at Highclere from seeds of an autumnal-flowering kind, *A. nudiflora rubescens Hort.*, fertilised by the pollen of that variety of *A. calendulæa* which is known by the name of *Lee's Triumphant*, and we proposed to give the names of these in our Supplement. As some of these, however, have been subsequently published in the Botanical Register, and apparently not by the precise names which were first applied to them, we omit our tabular details of all that have not been separately published, and merely here register the names as first applied, which will at least show how many hybrids deemed distinguishable have been originated at Highclere:—*Cardonia, Govènia, polyántha, basilissa, imperatrix, habrántha, hábropis, charièssa, jasmínodora, sangui-nea, Herbèrtiana, eugènes, eùprepes, eudæmon, calocórpye, calostèphane, calodèndron, aurotincta, aretincta, Auroræ, pretiòsa, delicata, erythraea, calántha, ochroleuca, inclétha, póikila, régia, dictátrix, pónica versicolor, pónica expansa, and many others.*
 28614 4347a *Mortèrii Swt.* Morter's 彙 or 4 my jn F hybrid ... L s.p Sw. fl. gar. 2. s. 10
 2 præstans *Swt.* excelling 彙 or 4 my jn Cop hybrid ... L s.p
 28615 - - *squamata Lindl.* scaly 彙 or 2 f. mr Pk Hong Kong 1844. C s.p Bot. reg. 1847. 3
 28616 - - *obtusá Lindl.* blunt-leaved 彙 or 1 1/2 ap R N. of China 1844. C s.p Bot. reg. 1846. 37
 28617 - - *ovata Lindl.* ovate-leaved 彙 or 8 my Pk N. of China 1844. C s.p J. H. S. 2. t. 2
 2 álba *Fortune* white-flowered 彙 or 8 my W N. of China 1844. C s.p [R. F.]
 3364. 568a. AZA'RA R. & P. (*Joseph Nicholas Azara*, a Spanish promoter of science.) 13. 1. 3. *Biræcæ.*
 - dentata *R. & P.* toothed-leaved 彙 fra 10 jn.s Y Valparaiso 1830? L s.l Bot. reg. 178
 28619 - - *integrifolia R. & P.* entire-leaved 彙 fra 18 jn. au Y? w? Conception 1832. C l.p Fl. per. 5. 4668
 28620 - - *serrata R. & P.* serrate-*lvd.* 彙 or 12 ... Chill 1832. C l.p.
 125. BABLA'NA 1134 plicata
 2 multiplex *J. C.* full flowered 彙 nr 1/2 my jn P C. G. H. 1834. O s.p
 28621 - - bicolor two-*cl.*-*flwd* 彙 or ... my jn B.W O s.p
 3365. - - BABINGTONIA *Lindl.* BABINGTONIA. (*C. C. Babington, Esq., St. John's Coll. Cambr.*) *Myrtæcæ.*
 28622 - - *Camphoræ Lindl.* Camphorwort 彙 pr. 7 su. Pksh Vasse R. 1841. C s.p Bot. reg. 1842. 10
 2235. BACA'ZIA spinosa *Fl. Per.*; syn. *Chuquirága spinosa Dec.*
 2329. BA'CCHARIS.
 28623 - - alata *H. ber.* winged-*stmd* 彙 cu 5 d Pa. Y S l.p
 The male sex.
 28624 - - *lycopodioides Spr.* club-moss-like 彙 cu ... jl. au W Mauritius 1828. C p.l Lin. tr. 697. 2
Eriothrix lycopodioides Dec.
 Nos. 21007, and 21010, in p. 342. are referred to the genus *Plúchea Dec.*; so are also Nos. 21014, 21016, 21037, 21039, 21040, and 21043, of the genus *CONY'ZA L.*
 3366. 1487a. BACKHOU'SIA *Hook. et Harv.* (*Jas. Backhouse*, trav. in Australia and S. Afr.) *Myrtæcæ.* 12.—1.
 28625 - - *myrtifolia Hook. et Harv.* myrtle-*lvd.* 彙 or 16 ... Pa. Y N. S. W. ... C s.p Bot. mag. 4133
 1172. BÆ'CKIA.
 28626 9397a saxicola *Cun.* rock-inhabiting 彙 or 2 jl. au W N. Hnll. 1824. C p.l
 3367. - - BÆ'RIA F. & M. BAERIA. (*Professor Baer*, of the University of Dorpat.) *Composi'æ.*
 28627 - - *chrysostoma F. & M.* golden-mouthed 彙 el 1 ap jn Y California 1835. S co Sw. fl. gar. 2. s. 395
 3368. 1414a. BALBISIA *Civ.* (*John Baptist Balbis*, botanical author.) 10. 5. *Ficoideæ D. Don. Oraldæ Dec.*
 28628 - - *pedunculáris D. Don* long-pedunc. 彙 or 1 au Y Chile 1828. C s.p Bot. reg. 1392
Ledocárpon Desf. pedunculáre Lindl. in Bot. reg. 1392. *Cruickshánskia cisiflora Hook.* in Bot. mis. t. 90.
 The late Mr. David Don remarked that *Cavanilles* founded this genus, and published it at Madrid in 1804, in the *Anales des Ciencias Naturales*. *Desfontaines* published it in 1818, by the name of *Ledocárpon*.
 Dr. Brown has shown the genus *Balbisia* of Willdenow to be the same as *Linnaeus's* genus *Tridax*; consequently the law of priority, by which *Tridax L.* abrogates *Balbisia Willd.*, causes *Balbisia Cav.* to abrogate the genera *Ledocárpon Desf.* and *Cruickshánskia Hook.* Mr. Don referred this genus *Balbisia* to *Ficoideæ*, which he thought connected it with the small group *Reaumuriææ*.
 1671. BALLO'TA 15026 nigra.
 2 boreális R. northern 彙 w 2 jl. au P England Waste Pl. D co
 3 ruderalis *Fries* rubbish 彙 w 3 jl. au P or W England Waste Pl. D co R. Icon. f. 1039

697. *BALSAMINA*.
 28629 - *Mastersiana* Paxt. Mr. Masters's \square or 1 my.o C Khoseca Hills 1837. S co Paxt. mag. vi. 75
2310. *BALSAMINA*. Nos. 20776, 20777, and 20778 are referred to the genus *Plagius* Dec.
1393. *BANISTERIA*.
 28630 - *tenuis* Lindl. slender $\underline{\text{L}}$ or ... Bt.Y B. Ayres ... C p.l
325. *BA'NKSIA*.
 28631 - *Hügelii* R. Br. Hügel's L or ... Y N. S. W 1837. C s.p
 28632 - *ilicifolia* R. Br. Holly-leaved L or ... S K. G. S. 1837. C s.p
 28633 - *Menziesii* R. Br. Menzies's L or ... Y Swan R. 1837. C p.l
 28634 2710a *Browni* B. ext. MSS. Brown's L or ... my.au ... N. Holl. 1830. C l.p
 28635 2712a *Goodii* R. Br. Good's L or N. Holl. 1830. C l.p
 28636 2714a *Baxteri* H. Br. Baxter's L or N. Holl. 1830. C l.p
 28637 2716a *Solandra* R. Br. Solander's L or ... S N. Holl. 1830. C l.p
 28638 2720a *Baueri* R. Br. Bauer's L or N. Holl. 1830. C l.p
 28639 2722a *Caléyi* R. Br. Caléy's L or N. Holl. 1830. C l.p
 28640 2705a *Cunninghamii* Sieb. Cunningham's L or 6 year Pa.Y N. Holl. 1822. C s.p
littoralis var. Lindl. in Bot. reg. 1363. "*littoralis* f." Grahm in Bot. mag. 3060. *ledifolia* Cun.
1244. *BAPTYSIA*.
 28641 10479a *minor* Lch. smaller $\frac{3}{4}$ Δ or 1 $\frac{1}{2}$ jn.jl B N. Amer. 1829. D co
 28642 10484a *versicolor* Lod. various-cld $\frac{3}{4}$ Δ or 4 jl.au Li.P N. Amer. 1824. D co Bot. cab. 1144
944. *BARBACE'NIA*.
 28643 7659a *squamata* Paxt. scaly-stalked L \square or $\frac{3}{4}$ jn S Organ Mts. 1841. D s.p.ru Bot. mag. 4136
Veitchia squamata Herb.
 28644 - *purpurea* Hook. purple-flwd L \square or ... mr.ap P Brazil 1822. O s.l.p Bot. mag. 2777
 28645 - *gracilis* Lindl. slender L \square or ... mr.ap R Brazil ... O s.l.p
1822. *BARBARE'IA*.
 28646 - *arcuata* Andr. bowed L Δ un 2 jl.au Y Germany 1833. D co
 28647 - *orthoceras* Lod. straight-horned L Δ un 1 $\frac{1}{2}$ jn.au Y D co
 28648 - *stricta* Andr. upright L Δ w ... my.au Y Britain ... S co
3369. - *BARKERIA* K. & W. *BARKERIA*. (*G. Barker*, Esq., of Springfield, a bot. patron.) *Orchidaceæ*.
 28649 - *elegans* K. & W. elegant L \square cl 1 $\frac{1}{2}$ sp L.W Mexico ?1836. D block Fl. cab. 40
 28650 - *spectabilis* Bate. showy L \square or 1 jn Li.spot Guatemala 1841. D block Paxt. m. x. 169
 28651 - *Lindleyana* Bate. Dr. Lindley's L \square or 1 d Ro.Li.C Costa Rica 1841. D block Paxt. m. 13. 193
1725. *BARLE'RIA*.
 28652 - *lupulina* Lindl. Hop-headed L \square or 2 au Y Mauritius 1824. C p.l Bot. reg. 1483
Dicliptera spinosa Lod. bot. cab. 1244.
 15485 *longifolia* L.; syn. *Asteracantha longifolia* N. Von Esenbeck.
3370. - *BARNADESIA* Lin. f.'s. *BARNADESIA*. (*Michael Barnades*, a Spanish botanist.) *Compositæ*.
 28653 - *rosea* Lindl. rose-coloured L \square or 1 my Pk S. Amer. 1840. C s.p.l Bot. reg. 1843.29
2484. *BARTHOLINIA*.
 28654 - *pectinata* R. Br. pectinated-lidd L \square el $\frac{3}{4}$ au Pa.V C. G. H 1787. O s.l Bot. reg. 1653
1477. *BARTONIA*.
 28654 - *albescens* Gill. white-stalked O cu 2 jl.n Pa.Y Chile 1831. S s.l Sw.fl.gar.2.s.182
 28655 - *aurea* Lindl. golden-flowered O or 3 jl Go California 1833. S m.s.r.m Bot. reg. 1831
676. *BARYOSMA*.
 28656 - *crenulata* W. crenulated-lvd L \square or 2 $\frac{3}{4}$ mr.ap Bh C. G. H ... C p.l Bot. mag. 3413
 28657 5579a *pulchella* Hit. neat L \square or 2 f.s P C. G. H 1787. C p.l Bot. mag. 1357
Agathosma pulchella W. No. 5581, also 5582.
3371. 491a. *BATA'TAS* Choisy. *BATATAS*. (Malay name.) *Convolvulaceæ*. 5.—1.
 28658 - *betacea* Lindl. Beet-like L \square or 6 au P.w Demerara 1839. p.l Bot. reg. 1840. 56
 28659 - *Willdenovii* G. Don Willdenow's L \square un 10 jl.au P 1818. S r.m
Ipomœa heterophylla Or. No. 4077. in p. 61.
 28660 - *bonariensis* Lindl. B. Ayres L \square or 10 au P B. Ayres 1826. S r.m Bot. mag. 3665
Ipomœa bonariensis Bot. mag. 3665.
 Nos. 4077, 4081, 4083, 4085, 4086, 4088, 4089, 4093, 4106, 4126, 4170, and 4178, of the genus *Ipomœa*, as given in pp. 61, 62, and 63., belong also to this genus.
3372. 2537a. *BATEMAN'NIA* Lindl. *BATEMANNIA*. (*James Bateman*, Esq., of Knypersley Hall.) *Orchidaceæ*. 1.
 28661 - *Colleyi* Lindl. Colley's L \square or $\frac{3}{4}$ au P.w.g Demerara 1834. D p.r.w. Bot. reg. 1714
1268. *BAUHINIA* 10652 *forcicata* Bot. mag. 3741.
 10669 *corymbosa* Bot. reg. 1839. 47.
 28662 10673a *cumanensis* H. & B. Cumana L \square or 20 jl W Cumana 1826. C p.l Bot. reg. 1133
3373. 1910a. *BEATONIA* Herb. *BEATONIA*. (*D. Beaton*, a skilful pract. gardener.) *Iridaceæ*. 16.—2.
 28663 - *atrata* Herb. dark-flowered L Δ or 2 ap.jl Dk.P Brazil 1843. O lt
 28664 - *curvata* Herb. curved-stalked L Δ or ap.jl P R. Del Monte 1843. O lt
 28665 - *purpurea* Herb. purple-flowered L \square or ... ap.jl P Brazil 1841. O lt Bot. mag. 3779
2182. *BEAUFO'RTIA*.
 28666 - *Dampieri* Cun. Dampier's L \square or 2 my Pk Hartog's I. 1823. C s.p Bot. mag. 3272
B. carinata, No. 19656.
 28667 - *splendens* Baz. MSS. splendid L \square spl 3 ... S N. Holl. 1830. C l.p Paxt. m. 13. 145
 28668 - *purpurea* Lindl. purple-flowered L \square or ... jl.au P Australia 1841. C s.p
Schizopclera purpurea Colla.
 28669 - *macrostemon* Cun. large-stamened L \square or ... jl.au P Australia 1843. C s.p
Schizopclera macrostemon Colla.
3374. 1687a. *BE'CIUM* Lindl. *BECIUM*. (*Bekion*, a name assigned by Dioscorides to the sage; resemb.) *Labiataæ*.
 28670 - *bicolor* Lindl. two-cld-flwd L \square or 2 au W.Li Abyssinia 1842. C co Bot. reg. 1843. 15
 K k

12654.	BEGONIA L.	BEGONIA.	(Michael Begon, a French promoter of botany.)	<i>Begoniaceæ.</i>	21.—9.
23346	tuberbosa Dry.	tuberous	✱ \square or $\frac{1}{2}$ jls	W	Amboyna 1810. R s.l.f.m Ru, am. 5, 169. 2
	<i>Empetrum acetosum</i> Rmph.				
23343	discolor R. Dr.	two-coloured- <i>lvd</i>	✱ \square or 3	my. s	W China 1804. R s.l.f.m Bot. mag. 1473
	<i>Evansiana Andrews.</i>				
28671	-	multibulbillosa Mar.	bulbillose	✱ \square cu 1 $\frac{1}{2}$ Brazil 1830. R s.l.p
23351	-	picta Sm.	painted	✱ \square or $\frac{1}{2}$ s	Pk Nepal 1818. R s.l.f.m Bot. cab. 571
	<i>hirta</i> Wall. MSS.				
28672	-	diversifolia Graham.	various-leaved	✱ \square or 1 o	Pk Mexico 1829. C s.l.p Bot mag. 2966
28673	-	monoptera Lk.	one-winged	✱ \square or 2 au	W Brazil 1829. R s.l.f.m Bot. mag. 3564
28674	-	bulbillifera Lk.	small-bulb-bearing	✱ \square or 1 jls.	W.Pk Peru 1827. C s.l.f.m
28675	-	octopetala Herit.	eight-petaled	✱ \square or 2 o.n	Gsh wPeru 1835. R s.l.p Bot. mag. 3559
	<i>grandiflora</i> K. & W.				
28676	-	aurantiaca Hort.	orange-coloured	✱ \square or ...	Bt.O India ... O s.l.p
28677	-	stigmösa Lindl.	spotted-leaved	✱ \square or 2 $\frac{1}{2}$...	Gsh.w ... R s.l.p
28678	-	Barkèri K. & W.	Barker's	✱ \square or 4 all sea	W Mexico ... R s.l.p
23349	diptera Dry.	two-winged	✱ \square or 1	jn.jl	W C.G.H. 1822. R s.l.f.m
	<i>obliqua</i> L.				
28679	-	Martiana Lk.	Martius's	✱ \square or 3	jls Pa.Pk Brazil 18'9. R s.l.f.m
23366	scändens Swtz.	climbing	✱ \square or 3	jl.au	W Guiana 1822. R s.l.f.m Aub.gui. 2, 349
	<i>glabra</i> Aubl., <i>populifolia</i> Schott Mss., <i>denticulata</i> H. B. & K.				
28680	-	peltilolia Schott	petlate-leaved	✱ \square or 3	... W Brazil ... C s.l.f.m
28681	-	muricata Bl. Cat.	muricate	✱ \square or 3	ju.au W Brazil ... C s.l.f.m
23345	macrophylla Dry.	long-leaved	✱ \square or 3	my. s	W Jamaica 1793. C s.l.f.m Pl. ic. 34. 45. 1.
	<i>grandifolia</i> Jacq.				
28682	-	geraniifolia Hook.	Geranium-lvd.	✱ \square or 1 $\frac{1}{2}$ s	W.R Lima 1833. C s.l.f.m Bot. mag. 3387
28683	-	punctata Klotzsch	spotted	✱ \square or ...	my.o Ro.S Mexico 1839. C s.l.f.m
	<i>Eupetalum punctatum</i> Lindl.				
28684	-	heracleifolia Cham.	cow-parsnep-lvd	✱ \square or 2	all sea Pa.PkMexico 1831. D s.l.f.m Bot. reg. 1668
	<i>2 radiata</i> Graham.	rayed	✱ \square or 2	all sea Pa.PkMexico ... D s.l.f.m	
28685	-	crassicaulis Lindl.	thick scaped	✱ \square or 3	ap.my W Guatemala 1841. C s.l.f.m Bot. r. 1842. 44
28686	-	ramentacea Paet	saw-dusty	✱ \square or 1	all sea Pk Brazil 1839. C s.l.p Px. m. bot. 12. 73
28687	-	hydrocotylifolia Hk	hydrocotyle-lvd	✱ \square or $\frac{1}{2}$	mr.ap Pk ... D s.l.f.m Bot. mag. 4131
28688	-	2 hifolia Dry.	hybrid	✱ \square or $\frac{1}{2}$	mr.ap Pk ... D s.l.f.m
28688	-	fubricaulis Hook.	rod-stemmed	✱ \square or $\frac{1}{2}$	all sea fh W Brazil ... D s.l.f.m Bot. mag. 4172
28689	-	pentaphylla W.P. Mss.	five-leaved	✱ \square or 3	jls W Brazil ... C s.l.f.m
	<i>muricata</i> Scheidw.				
28690	-	digitata Raddi	fingered-leaved	✱ \square or 3	jn.jl W Brazil ... C s.l.f.m
	<i>verticillata</i> Vellozo				
28691	-	Lindleyana W. Mss. Dr.	Lindley's	✱ \square or 3	jn.jl W Guatemala ... C s.l.f.m
	<i>vitifolia</i> Lindl. not of Schott.				
23367	palmata D. Don.	palmate	✱ \square or 1 $\frac{1}{2}$	jl.au W Nepal 1819. D s.l.p	
28692	-	parvifolia Schott.	small-leaved	✱ \square or 3	year W C. G. H. 1835. C s.l.p Bot. mag. 3720
23362	hirsuta Aubl.	hairy-leaved	✱ \square or 1	my.jn W W. Indies 1789. C s.l.p Aub. gui. 2, 349	
	<i>humilis</i> Bonpl., not of Dryander.				
28693	-	sinuata Graham.	sinuated	✱ \square or 2	my.jn W ... 1836. C s.l.p Bot. mag. 3731
28694	-	vitifolia Schott.	vine-leaved	✱ \square or 3	ap.my W Brazil ... C s.l.f.m
	<i>grandis</i> Otto Mss., <i>reniformis</i> Hook.				
28695	-	acerifolia H. B. & K.	maple-leaved	✱ \square or 3	aus ... Brazil 1829. C s.l.f.m
28696	-	platanifolia Schott.	plane-tree-lvd.	✱ \square or 10	s Pksh Brazil 1829. C s.l.f.m Pax.m. 3. 125
28697	-	longipes Hook.	long-pediceal	✱ \square or 3 $\frac{1}{2}$	mr.au W Mexico 1828. C s.l.p Bot. mag. 3701
28698	-	albo-coccinea Hook.	sect. and wht-flw.	✱ \square or 1	ap.my W.s India 1844. C s.l.f.m Bot. mag. 4172
23344	reniformis Dry.	kidney-sh. lvd.	✱ \square or 1	jn.jl W Brazil 1818. C s.l.f.m	
28699	-	homonyma J. H. S.	homonymous	✱ \square or 3	jn.s W Brazil ... C s.l.p
28700	-	Dregei Otto.	Drege's	✱ \square or 2	year W C. G. H. 1838. C s.l.p
	<i>parvifolia</i> E. Meyer Mss.				
28701	-	cucullata Jacq.	hooded	✱ \square or 3	year W Brazil ... C s.l.p
28702	-	acutifolia Jacq.	pointed-leaved	✱ \square or ...	jls W W. Indies 1822. C s.l.p
	<i>purpurea</i> Swtz.				
28703	-	aptera Blume.	wingless	✱ \square or 3	jls W Java ... C s.l.p
28704	-	laurina	laurel-leaved	✱ \square or 3	my.jl Pk ... C s.l.f.m
23354	undulata Schott.	waved-leaved	✱ \square or 2	jn.jl W Brazil 1825. C s.l.f.m Bot. mag. 2773	
23364	ulmifolia H. B. & K.	elm-leaved	✱ \square or 2	my.jn W S. Amer. 1822. C s.l.f.m Bot. cab. 638	
28705	-	castaneaefolia Otto	chestnut-leaved	✱ \square or 2	mr.ap F Brazil 1838. C s.l.f.m
28706	-	dipetala Graham.	two-petaled	✱ \square or 3	ap.s Pk Bombay 1827. C s.l.f.m Bot. mag. 2849
28707	-	Meyeri Hook.	Meyer's	✱ \square or 3	f.o W Brazil 1838. C s.l.p Bot. mag. 4100
28708	-	sanguinea Raddi	blood-red-leaved	✱ \square or 3	ju.au W Brazil 1829. C s.l.f.m Bot. mag. 3520
28709	-	Fischeri Otto	Fischer's	✱ \square or 1 $\frac{1}{2}$	f.mr W Brazil 1835. C s.l.f.m Bot. mag. 3532
28710	-	rupestrirs	rock	✱ \square or 2	... Pk Brazil ... C s.l.p
23365	maculata Raddi	silver-spotted	✱ \square or 3	jl.o W Brazil 1819. C s.l.f.m Bot. reg. 666	
	<i>argyrostigma</i> Fisch.				
23342	dehiscens Jacq.	forked	✱ \square or 2	jl.au W Caracas 1800. C s.l.f.m Jac. ic. 3. 619	
23361	pulehellii Raddi	neat	✱ \square or $\frac{1}{2}$	jl.au W Brazil 1823. C s.l.p	
23358	acuminata Dry.	acute-leaved	✱ \square or 2	my.d W Jamaica 1790. C s.l.p Bot. reg. 364	
28711	-	incarnata Lk.	flesh-cld-ftud	✱ \square or 2	o.j Pk S. Amer. 1826. C s.l.f.m Bot. mag. 2900
	<i>insignis</i> Graham.				
28712	-	zebrina Hort.	zebra	✱ \square or 3	... Pk Brazil 21845. C s.l.p
28713	-	papillosa Lindl.	papillose	✱ \square or 3	ap.s Pk Brazil 1826. C s.l.p Bot. mag. 2846
28714	-	villösa Lindl.	villous	✱ \square or 1	jl.au W S. Amer. ... C s.l.p Bot. reg. 1252
23357	disticha Lk.	two-rowed	✱ \square or 1	jl.o W Brazil 1824. C s.l.f.m	
23341	nitida Ait.	shining leaved	✱ \square or 2	my.d W Jamaica 1777. C s.l.f.m Par. lon. 72	
	<i>obliqua</i> Herit., <i>minor</i> Jacq.				
23355	suaveolens Hav.	sweet-scented	✱ \square or 1 $\frac{1}{2}$	jl.o W W. Ind. 1816. C s.l.f.m Bot. cab. 69	
	<i>odorata</i> W., <i>humilis</i> Bot. reg. 284.				
28715	-	coccinea Hook.	scarlet-flowered	✱ \square or 3	mr.myS Brazil 1842. C s.l.p Bot. mag. 3990
28716	-	manicata Cels.	collared	✱ \square or 3	mr.myF Brazil ... C s.l.f.m
28717	-	fagifolia Fisch.	beech-leaved	✱ \square or 3	... F Brazil 1838. C s.l.p
28718	-	fuchsoides Hook.	fuchsia-like	✱ \square or 5	jn.s S N. Gren. 1846. C s.l.f.m Bot. mag. 4281
23353	pátula Haw.	spreading	✱ \square or 1	jn.jl W W. Ind. 1818. C s.l.f.m	
	<i>pauciflora</i> Lindl.				
28719	-	semperflorens L.	ever flowering	✱ \square or 2	year Pk Brazil 1829. C s.l.p Bot. cab. 1439
28720	-	Hookeri Swt.	Sr W. Hooker's	✱ \square or 2	year Pk Mexico 1827. C s.l.p Bot. mag. 2920
	<i>scempiflorens</i> Bot. mag., not of Lk.				
23350	spathulata Haw.	sp thulate	✱ \square or 1 $\frac{1}{2}$	jl.o W W. Ind. 1819. C s.l.f.m Bot. cab. 107	
23360	humilis Dry.	humble	✱ \square or W W. Ind. 1788. C s.l.f.m Lin. tr. 1. 15	

- 23356 *hirtella* Lk. small-hairy ♀ ☐ or 1 jl.o W ?Brazil 1824. C s.l.f.m
 28721 - - *petalodes* Lindl. petaled ♀ ☐ or 1½ ap Ro.W Brazil 1832. C s.l.f.m Bot. reg. 1757
 28722 - - *acida* Vellozo acid ♀ ☐ or 1 ... W Brazil 1847. C s.l.p
 28723 - - *biserrata* Lindl. biserrate-*led* ♀ ☐ or 2 jn.au [Pa. Pk Guatem. 1847. C s.l.p
1426. **BEJARIA.** [175. fig.]
 28724 - - *coarctata* H. & B. close-headed ♀ ☐ or 5 ... P Peru ?1847. C s.l.p Gard. Chron. 1848.
 28725 - - *cinnamomea* Lindl. cinnamon ♀ ☐ or Peru ?1847. C s.l.p
 28726 - - *acutians* Mutis glowing ♀ ☐ or 12 ... Ro Peru ?1846. C s.l.p
 28727 - - *ledifolia* Ledum-leaved ♀ ☐ or 5 spr 1847. C s.l.p [K. & P.]
1055. **BELLEVALIA.**
 28728 - - *syriaca* Herb. Syrian ♀ △ or ... my O.B Aleppo 1844. C s.p.1
2361. **BE'LLIS.**
 28729 - - *integriolia* Mx. entire-leaved ○ pr ½ jn.jl W.psh.v Texas 1834? S lt Bot. mag. 3455
2062. **BE'LLIUM.**
 28730 21590a intermedium J. C. intermediate ♀ △ cu ½ jn.o W D co
 28731 - - *crassifolium* Mor. thick-leaved ♀ △ or ½ jn W.V Sardinia 1831. C p.l Sw. fl. gar. 2. s. 278
3375. 58a. **BELOPERONE** Nees. (*Belos*, arrow, *perone*, strap; connectivum.) *Acanthaceae.* 3 —
 28732 - - *oblongata* Nees oblong-leaved ♀ ☐ or 3 s Ro.P Br.-zil 1832. C p.l Bot. reg. 1657
Beloperone Nees in *Wallich's Pl. As. Rav.* 3. 102., *Justicia oblongata* Lk. & O. No. 538 in p. 9. also belongs to this genus.
3376. 40a. **BENTHAMIA** Lindl. (*George Bentham*, Esq., Secretary of the London Hort. Soc.) *Cornaceae.* 1.
 28733 - - *fragifera* Lindl. strawberry-*frd* ♀ or 10 su Ysh E. Ind. 1825. L co Bot. reg. 1579
 28734 - - *japonica* Sieb. Japanese ♀ or Japan ?1847. C lt
3377. 692c. **BERA'RDIA** Brong. **BERARDIA.** (*Berard*, professor of chemistry at Montpellier.) *Bruniaceae.* 2 — 3
 28735 - - *palaeaca* Brong. chaffy ♀ ☐ or 2 jl.au W C.G.H. 1791. C p.l
Brania palaeaca, No. 5657. No. 5661. also belongs to this genus.
- †1090. **BE'RBERRIS** L. **BERBERRY.** (*Berbërys*, its Arabic name.) *Berberideae.* 6.—1.
 § *Leaves thin, deciduous. Flowers solitary.*
 9062 *sibirica* Pall. Siberian ♀ or 2½ my.jn Y Siberia 1790. Sk co Pall. ros. 2. 67.
altica Pall. § *Leaves thin, mostly deciduous. Flowers in racemes.*
 9063 *vulgaris* L. common ♀ or 10 my.jn Y Britain bu.pl Sk co Eng. Bot. 49.
atensis Presl; *macrocarpa* of some; *Pipperidge tree*, Dr. Turner.
 2 lutea yellow-fruited ♀ or 10 my.jn Y Sk co
 3 alba white-fruited ♀ or 10 my.jn Y Sk co
 4 violacea fruit violaceous ♀ or 10 my.jn Y Sk co
 5 purpurea fruit purple ♀ or 10 my.jn Y Sk co
inominata Kalm. black-fruited ♀ or 10 my.jn Y Sk co
 6 nigra sweet red-frtd ♀ or 10 my.jn Y Sk co
 7 dulcis or 10 my.jn Y Sk co
 8 asperma seedless ♀ or 10 my.jn Y Sk co
 9 longifolia long-leaved ♀ or 10 my.jn Y Sk co
 10 glauca glaucous-*lvd* ♀ or 10 my.jn Y Sk co
glauca Booth. gentle-spineless ♀ or 10 my.jn Y Sk co
 11 mitis brown-shoots ♀ or 10 my.jn Y Sk co
 12 provincialis purple-leaved ♀ or 10 my.jn Y 2141 Sk co
 13 foliis purpureis emarginate-*ptd.* ♀ or 7 my.jn Y Siberia 1820. Sk co E.of T.S.p.44.f.55.
 9058 *emarginata* W. Cretan ♀ or 3 my.jn Y Crete 1759. Sk co Fl. gar. 242.
 9061 *cretica* L. crataegus-like ♀ or 6 my.jn Y A. Minor 1823. Sk co E.of T.S.p.45.f.59.
 28736 - - *crataegina* Dec. or 6 my.jn Y Nepal Sk co Bot. reg. 1844. 44.
 28737 - - *umbellata* Wall. *Mss. umbellate-frwd* ♀ or 6 my.jn Y Nepal Sk co Bot. reg. 1844. 44.
angulosa Wall.
 9056 *iberica* Stev. Iberian ♀ or 5 my.jn Y Iberia 1790. Sk co Dend. brit. 26.
sinensis Wal.
 9057 *canadensis* Mill. Canadian ♀ or 5 my.jn Y Canada 1759. Sk co E.of T.S.p.46.f.61.
vulgaris Mx.; *vulgaris var. canadensis* Martyn's Miller, No. 1.
 9059 *sinensis* Desf. Chinese ♀ or 5 my.jn Y China 1800. Sk co E.of T.S.p.46.f.62.
 28738 - - *floribunda* Wall. *Mss. many-flowered* ♀ or 10 my.jn Y Nepal Sk co
- §§ *Leaves leathery, evergreen, or sub-evergreen. Flowers solitary, or in clusters.*
 28739 - - *dulcis* D. Don sweet-fruited ♀ or 5 mr.jn Y St. Magel. 1830. Sk co Swt. B.F.G. 2. s. 100
 28740 - - *buxifolia* Lam. Box-leaved ♀ or 3 d.mr Y St. Magel. ?1830. Sk co E. of T.S.p.47. f. 65
 28741 - - *actinacantha* Mart. ray-spined ♀ or 3 my.jn Y St. Magel. ?1830. Sk co E. of T.S.p.47. f. 66
Mahonia Knightii of some of the London nurserymen.
 9063 *heterophylla* Jus. various-leaved ♀ or 3 jn.jl O St. Magel. 1823. Sk co Hook. ex. fl. 1. 14
ilicifolia Forst. Bot. mag. 4308.; *tricuspidata* Smith.
 28742 - - *empetrifolia* Lam. Empetrum-*lvd* ♀ or 2 d.mr Y Chili 1830. Sk co Lam. ill. 253. 4
 28743 - - *Wallichiana* Roxb. Dr. Wallich's ♀ or 4 jn.jl Y E. Indies 1820. Sk co
- §§§ *Leaves leathery, evergreen, or sub evergreen. Flowers in racemes.*
 28744 - - *dealbata* Lindl. whitened-*lvd* ♀ or 5 d.mr Y Mexico 1830. Sk co Bot. reg. 1750
glauca Hort.
 28745 - - *hypoleuca* Lindl. white-under-side-*ld* ♀ or 5 my Pa.Y N. India ?1840. Sk co J. H. S. 2. 246. fig.
 9064 *asiatica* Roxb. Asiatic ♀ or 8 my.jn Y Nepal 1820. Sk co E. of T.S.p.49. f 70
tinctoria Lesch.
 9060 *aristata* Dec. bristled tooth-*lvd* ♀ or 10 my.jl Y Nepal 1820. Sk co Bot. reg. 729
angustifolia Roxb.; *Chitria Buch.*
 28746 - - *parviflora* Lindl. small-*frwd.* ♀ or 3 my Y ?S. Amer. ?1846. Sk co J. Il. S. 2. 244. fig.
 28747 - - *coriaria* Royle tanner's ♀ or 10 my.jn Y Himalayas 1835. Sk co Bot. reg. 1841. 46
- §§§§ *Uncertain to which Section they belong.*
 28748 - - *macrophylla* Veitch long-leaved ♀ ? or Y Japan 1847. Sk co [G. G.]
 28749 - - *angulosa* Wall. angular ♀ or Y N.of India 1844. Sk co [G. G.]
658. **BERCHEMIA.**
 28750 - - *floribunda* Brong. many-flowered ♀ ☐ or W Nepal 1827. C l.p
3378. 1672a. **BERINGERIA** Neck. **BERINGERIA.** (*Beringer*, probably a man's name.) *Labiatae.* 8—9.
 28751 - - *cinerea* Benth. cinereous ♀ △ or 1 jn.jl Pa.P Spain 1823. D co
Marrubium cinereum Desr. Nos. 15041. 15048. 15049. 15040. 15045. 15043. 15046. 15047. belong to this genus.

3379. 692a. BERZELIA Brong. BERZELIA. (*Berzelius*, a celebrated chemist.) *Bruniæca*. 2.
28752 - abrotanoides Brong. Southernw.-lk $\frac{\text{♂}}{\text{♀}}$ or $\frac{\text{♂}}{\text{♀}}$ 13 my. jl W C. G. H. 1787. C p.1 Bot. cab. 355
Brunia abrotanoides, No. 5658, and also 5651. belong to this genus.
3380. BE'SSERA Schultes fil. (In honour of *Dr. Bessey*, Professor of Botany at Brody, &c.) *Liliæca*.
28753 - elegans Lindl. elegant $\frac{\text{♂}}{\text{♀}}$ or 2 jn. o C Mexico 1839. D p.s Bot. reg. 1838. 34
28754 - fistulosa Herb. ho'low-leaved $\frac{\text{♂}}{\text{♀}}$ Δ or 1 s P.w Mexico 1831. O s.l.p Bot. reg. 1546
Pharium fistulosum Herb. Bot. reg.
3381. 95a. BE'TCKIA Dec. (*M. Betcke*, who has described many species of *Valeriana*.) *Valerianæca*.
28755 - major Dec. larger O pr $\frac{1}{2}$ jn. s Ro N. Califor. 1836. S co
28756 - samolifolia F. & M. Samolus-leaved O pr 1 jl. au Ro Chile 1835. S co
1668. BETO'NICA 14962 officinâlis
28757 - serotina Host white-flowered $\frac{\text{♂}}{\text{♀}}$ Δ or 1 jl. au W Britain woods. D co
late-flowering $\frac{\text{♂}}{\text{♀}}$ Δ pr $\frac{1}{2}$ au R Austria 1832. D co
2608. BE'TULA.
23069 álba
2 péndula Sm. pendulous $\frac{\text{♂}}{\text{♀}}$ or ... ap. jn Ap Britain ... S co
péndula Roth. No. 23070. verrucosa Ehrh. álba 2. p. 378. péndulis virgulis Loes.
3 pubescens A. B. pubescent $\frac{\text{♂}}{\text{♀}}$ or 30 ap. my Ap Germany 1812. S co
pubescens Ehr. No. 23085.
4 póntica A. B. Pontic $\frac{\text{♂}}{\text{♀}}$ tm 70 ap. my Ap Turkey ... S s.p. Jac. h. vin. 2. 122
póntica, No. 23082.
5 urticifolia A. B. Nettle-leaved $\frac{\text{♂}}{\text{♀}}$ tm 40 ap. my Ap S s.p.
urticifolia Lo. C.
6 dalecárica L. Dalecarlian $\frac{\text{♂}}{\text{♀}}$ tm 40 ap. my Ap Europe ... S co
B. álba 3. p. 378.
7 macrocárpá W. long-fruited $\frac{\text{♂}}{\text{♀}}$ tm 46 ap. my Ap Europe ... S co
B. álba 4. p. 378.
8 foliis variegatis A. B. varieg.-lvd $\frac{\text{♂}}{\text{♀}}$ or ... ap. my Ap S co
28758 - mollis Lindl. soft $\frac{\text{♂}}{\text{♀}}$ or ... Ap Himalayas 1840. L co
- 23071 populifolia
2 laciniata A. B. cut-leaved $\frac{\text{♂}}{\text{♀}}$ or 30 jl Ap L co
laciniata Lod.
3 péndula A. B. pendulous $\frac{\text{♂}}{\text{♀}}$ or ... jl Ap I co
péndula Lo. C.
23077 papyrácea.
2 trichoclada Hort. hairy-twigged $\frac{\text{♂}}{\text{♀}}$ or ... jn Ap L co
4 platyphýlla Hort. broad-leaved $\frac{\text{♂}}{\text{♀}}$ tm 50 jn Ap L co
28759 23077a Bhojputra Wall. Bhojputra $\frac{\text{♂}}{\text{♀}}$ or 250 ... Ap Himalayas 1840. L co
23080 nána
3 stricta Lod. strict $\frac{\text{♂}}{\text{♀}}$ or ... my Ap L co
28760 - grândis Schr. great $\frac{\text{♂}}{\text{♀}}$ tm ... Ap N. Amer. 1834. L co
28761 - palléscens Hort. palish $\frac{\text{♂}}{\text{♀}}$ or 6 ... Ap L co
28762 - Scopóli Hort. Scopoli's $\frac{\text{♂}}{\text{♀}}$ or 6 ... Ap L co
There is, in the Exotic Nursery, Chelsea, a plant under the name of *B. rotundifolia*.
2284. BIDENS.
28763 20644a macrosperma Fis. long-seeded O or 1 jn. jl Y Siberia 1829. S co
28764 - coronata Ait. crowned O or ... jl. s ... 1829. S co
28765 - serrulata Ait. serrulated O or ... jl. s ... 1829. S co
3382. BIDWILLIA Herb. BIDWILLIA. (*— Bidwill*, Esq., a zealous botanist.) *Liliæca*. 6—1.
28766 - glaucescens Herb. glaucescent $\frac{\text{♂}}{\text{♀}}$ Δ or ... my W Australia 1843. O s.l.p
3383. 1404a. BIFBERSTEINIA Dec. (*L. B. Fred. Marschall de Bieberstein*, a Rus. bot.) *Zygophyl.* 10—4.
28767 - odora G. Don sweet $\frac{\text{♂}}{\text{♀}}$ or ... my. jl Y Altai 1837. C p.l
3384. 2537a. BIFRENARIA Lindl. BIFRENARIA. (*Bis*, twice, *frænum*, a bridle.) 1. *Orchidæca* Vándæca.
28768 - aurantiaca Lindl. orange-cld $\frac{\text{♂}}{\text{♀}}$ or $\frac{3}{4}$ o O Demerara 1834. D p.r.w Bot. reg. 1875
28769 - inodora Lindl. scentless $\frac{\text{♂}}{\text{♀}}$ or 1 $\frac{1}{2}$ ap Brsh. G.R. Rio 1839. D fib.p
1706. BIGONIA.
28770 - serrulata Wal. serrulate $\frac{\text{♂}}{\text{♀}}$ or ... E. Indies 1832. C l.p
28771 - adenophýlla Wal. glanded-leaved $\frac{\text{♂}}{\text{♀}}$ or ... E. Indies 1832. C l.p
28772 15390a jasmínoides Cyn. Jasmine-like $\frac{\text{♂}}{\text{♀}}$ or 30 ... P Moreton B1830. C p.l Bot. mag. 400. 4
Técoma jasmínoides Bot. reg.
28773 15397a spicáta Lock. spiked-flowered $\frac{\text{♂}}{\text{♀}}$ or ... Trinidad 1822. C l.p
28774 15353a gracilis B. C. slender $\frac{\text{♂}}{\text{♀}}$ or 50 ap Y S. Amer. 1810. C lt.l Bot. cab. 1705
15361 picta Bot. Reg. 1842. 45; and *Past. Mag.* Bot. vol. x. p. 125.
28775 - Tweediana Lindl. Mr. Tweedie's $\frac{\text{♂}}{\text{♀}}$ or 20 jn Y Bu. Ayres 1838. C l.p.s Bot. reg. 1840. 45
28776 - spicósa showy $\frac{\text{♂}}{\text{♀}}$ or 20 ap. my Pk Uruguay 1838. C s.l Bot. mag. 3883
28777 15393a amœna Wal. pleasing $\frac{\text{♂}}{\text{♀}}$ or 20 ... Pa. Y. E. Indies 1828. C p.l
amœna Wal.
15392 indica, syn. *Spathódæca pentândra* Hook. Bot. mag. 3681. *Calosánthes indica* Blume.
28778 - Caroline Lindl. *Lady Caroline's* $\frac{\text{♂}}{\text{♀}}$ or ? 10 my W. Y. ? B. Ayres 1840. C l.p Bot. reg. 1844. 54
B. sanguinea præcox, B. atropurpurea, and B. flavæ are names applied to plants in the Exotic Nursery, Chelsea, but we cannot learn enough respecting them to enable us to enter them here in detail.
671. BILLARDIERA.
28779 5529a ovalis Lindl. oval-lvd $\frac{\text{♂}}{\text{♀}}$ or 20? my Gsh. Y V. D. L. 1833? S s.p Bot. reg. 1719
For " $\frac{\text{♂}}{\text{♀}}$," in *Hort. Brit.* Nos. 5527 to 5532, read " $\frac{\text{♂}}{\text{♀}}$."
957. BILLBERGIA.
28780 - zonáta zoned-lvd $\frac{\text{♂}}{\text{♀}}$ or 1 $\frac{1}{2}$ mr. ap W Brazil 1843. Sk s.p
28781 7754a fasciáta B. R. banded $\frac{\text{♂}}{\text{♀}}$ or $\frac{1}{2}$ au B. R. Rio Jan. 1825. Sk r.m Bot. reg. 1130
28782 - crúenta Hook. hoody $\frac{\text{♂}}{\text{♀}}$ or 1 f.mr B. R. Rio Jan. 1824. Sk s.p Bot. mag. 2892
28783 7752a bicolor B. C. two-coloured $\frac{\text{♂}}{\text{♀}}$ or $\frac{3}{4}$... Ro. B. Rio Jan. 1829? Sk s.p Bot. cab. 1819
28784 - purpúreo-rósea Hk. purp. & rosy $\frac{\text{♂}}{\text{♀}}$ or 2 n Ho. P. Brazil 1831. Sk r.m Bot. mag. 3304

1954. BISCUTEFLA.
 28785 - longifolia *Vil.* long-leaved ♀ Δ un ... Switzerl. 1832. D co
 If this be the B. longifolia of Villars, it is De Candolle's var. *a* of B. saxatilis, No. 16393.
1465. BLACKWELLIA.
 28786 - padifera *Lindl.* Birdcherry fldw ■ □ or 6 aus W Chile 1827. C s.p Bot. reg. 1308
1006. BLANDFORDIA.
 28787 8212a marginata *Herb.* rough-edged. *lvd* ♀ Δ or 2 ... O.R V. D. L. 1842. S s.l.p Bot. reg. 1845.18
 28788 8211a intermedia *Herb.* intermediate ♀ Δ or ... s Bt.Y N. Holl. ... D s.l.p
2918. BLECHNUM.
 28789 - polypodioides *Rad.* Polypodium-lk. ♀ Δ or 1 my Br W. Indies 1829. D p.l
 28790 - - gracile *Otto* slender ♀ Δ el ¾ d Br Brazil 1830. D s.p Bot. cab. 1905
 28791 - - angustifolium *W.* narrow-leaved ♀ Δ or 1 jl Br W. Indies ... D 1 p
 28792 - - hastatum *Kauf.* halbert-shaped ♀ Δ or 1 jl Br Chile 1841. D p.l II. & G. ic. fil. 192
 28793 - - intermedium *Lk.* intermediate ♀ Δ or 1 aus Br Brazil 1838. D 1 p
 28794 - - triangulare *Lk.* triangular ♀ Δ cu ... Br Mexico 1841. D fib.p
 28795 - - lanceola *Swz.* lance-leaved ♀ Δ or ¾ w Br Brazil 1829. D fib.p Bot. mag. 3240
 28796 - - trifoliatum *Kauf.* three-leaved ♀ Δ or ... Br Brazil 1841. D fib.p
 28797 - - denticulatum *Spr.* toothed ♀ Δ or ... jn.s Br.Y Teneriffe 1826. D p.l
 28798 - - corcovadense *J. Sm.* Corcovado ♀ Δ or 4 ... Br.Y Brazil 1834. D p.l
 ? *brasilense* No. 25422 in p. 419, or a slight variety of it.
 28799 - - orientale *L.* eastern ♀ Δ or ... jl.o Br E. Indies ... D p.l
 28800 - - Fontanesianum *Gaud.* Desfontaines' ♀ Δ or ... jl.o Br Brazil ... D p.l
 - *Sudëria cyathoides* *Kauf.*
 28801 - - nitidum *Presl* shining ♀ Δ or ... Br.Y 1 of Luzon ... D p.l
 28802 - - Finlaysonianum *Hk.* Finlayson's ♀ Δ or ... Br.Y Malacca ... D p.l
3385. 74a. BLEPHILIA *Raf.* BLEPHILIA. (*Blcpharis*, eye-lash; sepals fringed?) *Labiata*. 2.—3.
 28803 - - ciliata *Raf.* ciliated ♀ Δ or 3 jn.s R N. Amer. ... D co
 - *Monarda ciliata* *L.* No. 630., and *hirsuta* No. 632.
2558. BLETTIA 22752 Tankervilleæ. Synonyme: *Phajus grandifolius* Loureiro.
 22753 verecunda
 28804 22753a patula *Hook.* Shepherd's ♀ Δ or 2 ja.m Dp.P Jamaica 1825? D p.l Bot. mag. 3319
 28805 22753b gracilis *B. C.* spreading-flwd ♀ Δ el 2 mr. P Hayti 1830. O p.r.w Bot. mag. 3518
 28806 22754a acutipetala *Hook.* slender-scaped ♀ Δ pr 1½ jl.au Y.R Mexico 1830. D p.l Bot. reg. 1681
 acutipetala *Hook.* acute-petaled ♀ Δ or 5 ... Pa.Ro S. Carol. 1831? O p.l Bot. mag. 3217
Limodorum altum vel tuberosum *Jac.*
 28807 - - vellica *Lindl.* reflexed-sepalcd ♀ Δ or 2 n P.g.w Mexico 1833? O p.l Bot. reg. 1760
 28808 - - havanensis *Booth* Havannah ♀ Δ or 2½ ... Peach Havanah 1835. O p.l
 28809 - - Parkinsoni *Hook.* Mr. Parkinson's ♀ Δ cu 1 ja R.Y. Mexico 1838. D p.l Bot. mag. 3736
 28810 - - secunda *Lindl.* second ♀ Δ or ... G.St.Ctds. Mexico ? O p.l
 28811 - - catenulata *Lindl.* linked ♀ Δ or 1½ my.jn P. Peru 1844. O p.l
 28812 22757a Gebina *Lindl.* Japanese ♀ Δ or 1 ap W.Pa.V Japan 1846. R p.l Bot. reg. 1847. 60
 22758 capitata. Syn. *Evelyna capitata* Pöppig.
2194. BLUMENBA'CHIA.
 28813 - - multifida *Hook.* multifid-leaved ♀ ○ or 1 jl.n Gsh.R.Y B.Ayres 1826. S r.m Bot. mag. 3599
2364. BE'BERA.
 28814 - - incana *Lindl.* hoary-herbaged ■ □ or 1½ n G Mexico 1828? S tl.l Bot. reg. 1602
2613. BEHME'RIA.
 28815 23117a castanceæfolia *Cun.* Chestnut-leaved ♀ □ un 15 n Gsh Norfolk 1.1831. C s.l
19. BOERHAA'VIA.
 28816 - - mutabilis *Ait.* changeable ... Δ or ... o.d ... N. Holl. 1821. S co
3386. 2551a. BOLBOPHYLLUM *Thou.* (*Bolbos*, a bulb, *phyllon*, a leaf; mode of leafing.) *Orchidacea*.
 28817 - - apiferum *Bate.* bee-flowered ♀ □ cu ¼ my D.R. Gambia R. 1835. D p.r.w
 28818 - - barbigerum *Lindl.* bearded ♀ Δ cu ¼ jn R S. Leone 1835. D p.r.w Bot. reg. 1942
 28819 - - cocodrum *Lindl.* Cocoa-nut ♀ Δ cu 1 ja F S. Leone 1835. D p.r.w Bot. reg. 1964
 28820 - - leopardinum *Lindl.* leopard-spotted ♀ Δ spl ... Ysh.G.P E. Indies ... D p.r.w
 28821 - - saltatorium *Lindl.* dancing ♀ Δ pr ½ d R S. Leone 1835. D p.r.w Bot. reg. 1970
 28822 - - setigerum *Lindl.* bristle-bearing ♀ Δ or ... Demerara ... D p.r.w
 28823 - - bracteolatum *Lindl.* bracteolated ♀ Δ cu 1 jl R.Y.P. Demerara 1836. D p.r.w Bot. reg. 1838. 57
 28824 - - umbellatum *Lindl.* umbellate ♀ Δ cu ¼ au Gsh.Y.R.sp. Nepal 1837. D p.r.w Bot. mag. 4267
 28825 - - cupreum *Lindl.* copper-cld. *flwd* ♀ Δ or ... ap.jn Cop Manila 1837. D fib.p
 28826 - - iuscum *Lindl.* brown-flwd ♀ Δ or ... su Br S. Leone 1837. D fib.p
 28827 - - sordidum *Lindl.* fleshy ♀ Δ or ... sp Ol.Br Guatemala 1839. D fib.p
 28828 - - limbatum *Lindl.* bordered ♀ Δ un ... sp Dk.P. Singapore 1839. D fib.p
 28829 - - flavium *Lindl.* yellowish ♀ Δ or ... su Pa.Y S. Leone 1838. D fib.p
 28830 - - occultum *Lindl.* hidden-flwd ♀ Δ or ... S. Leone ... D fib.p
 28831 - - imbricatum *Lindl.* imbricate ♀ Δ or ... su Dk.P S. Leone 1838. D fib.p
 28832 - - clandestinum *Lindl.* concealed-flwd ♀ Δ or ... year Bk. Singapore 1838. D fib.p
 28833 - - adenopetalum *Lindl.* glanded-petaled ♀ Δ or ... year Y. Singapore 1838. D fib.p
 28834 - - calamarium *Lindl.* reed-like ♀ Δ or ... Y.P S. Leone 1842. D fib.p Bot. mag. 4088
 28835 - - auricomum *Lindl.* golden-haired ♀ Δ or ... su Y India 1840. D fib.p
 28836 - - miserum *Lo. C.* poor ♀ Δ or ... su ... India 1838. D fib.p
 28837 - - tetragonum *P. Don* four-sided ♀ Δ or ... mr Br.C S. Leone 1833. D fib.p
 28838 - - cylindricum *Lindl.* cylindrical ♀ Δ or ... mr Br India 1837. D fib.p
 28839 - - clavatum *Lo. C.* clubbed ♀ Δ or ... ap.my C Mauritius 1837. D fib.p
 28840 - - erectum *Lindl.* upright ♀ Δ or ... ap.my ... Mauritius 1834. D fib.p
 28841 - - macranthum *Lindl.* large-flowered ♀ Δ or ¾ mr Pa.L.C.sp Singapore 1842 D block Bot. reg. 1844. 13
 28842 - - Careyænum *Spr.* Dr. Carey's ♀ Δ or ¾ ... Y.spot Nepal ? 1843 D block Bot. mag. 4166
 28843 - - hirtum *Lindl.* hairy ♀ Δ or ... Wsh E. Indies 1746 D fib.p
 28844 - - Lobbi *Lindl.* Lobb's ♀ Δ or ... Y. Cin.Br.sp Java 1846. D fib.p
 28845 - - Cheiri *Lindl.* Cheiri ♀ Δ cu ... jn.jl G.Br.str Manila 21843. D fib.p
 28846 - - radiatum *P. Don* rayed ♀ Δ or ... mr.ap Br.Y India 1836. D fib.p
 28847 - - vaginatum *P. Don* sheathed ♀ Δ or ... mr.ap Br Singapore 1840. D fib.p
 28848 - - pileatum *Lindl.* hat-anthercd ♀ Δ or ... Och.P.v Singapore 1840. D fib.p

98. **BOLDO**'A. sweet-scented ♀ | fra 20 d Pa.gsh.w Chili 1824. C p.l Bot. rcg.1845. 57
28849 - frāgrans *Juss.* Peumus frāgrans Pers. No. 21437 in p. 402 of this catal.; P. Bóidu *Mol.*; *Ruizla frāgrans* Fl. peruv.
3387. 43a. **BOLIVARIA** Schlec. BOLIVARIA. (In honour of the great *Bolivar*.) 2. l. *Jasminæa*. 1.
28850 - trifida *Schlec.* trifid ♀ | or 2 jl Y Chile 1828. C l.p
3388. 979a. **BOMAREA** W. H. BOMAREA. (Unexplained.) *Amaryllidaceæ.*
28851 - simplex *W. H.* simple ♀ | pr 3 jn Pk Cusco 1839. C r.m Bot mag. 3363
18045 *Salsilla* L. Salsilla ♀ | or 5 my jl P.v.o Chile 1831. D l.s.p Sw.fl.gar.2.s.269
18047 *edulis* *Tus.* cable-tubercd ♀ | clt 6 jn jl G.C S. Amer. 1806. D l.s.p Bot. mag. 1613
Salsilla of some botanists of Britain, but not of Linnaeus. Tussac has named this species *A. cadalis* in his
Flore des Antilles. — D. Don, No. 8045. in p. 123.
- 28852 - acutifolia *Lk. & O.* acute-leaved ♀ | or 6 au.o R.y.g Mexico 1829. O l.p Sw. fl.gar. 2.s.77
2 adrea *A. P.* golden ♀ | or 6 au.o Go seedling ... O l.p Bot. No. 137.
3 punctata *Herb.* dotted-flwd ♀ | or 6 au.o O l.p
3389. 1086a. **BONGARDA** Mey. BONGARDIA. (*H. G. Bongard*, a French botanist.) *Berberidæa.*
28853 - Rauwolfii *Mey.* Rauwolf's ♀ | or 1 ap Y Persia 1836. D p.l
Leontice Chrysogonum L.
54. **BONNA**'YA.
28854 - brachycarpa *G. Don* short-capsuled ☐ | pr ... jn.s V E. Indies 1829. S l.t
410. **BORAGO**. Nos. 3651 and 3652 in p. 55, now constitute the genus *Trachystemon* G. Don.
1949. **BORBONIA**.
28855 17322a *crififolia* *Thun.* Heath-leaved ♀ | or 2 ja.f Pk C.G.H. 1821. S p.l
2214. **BORKHAUSIA** 20106 *versicolor* *Spr.*; syn. *Pzeris versicolor* *Dec.*
20117 *aspera* *Lk.*; syn. *Endoptera aspera* *Dec.*
1152. **BORO**'NIA.
28856 9322a *triphylia* *Sieb.* three-leaved ♀ | pr 2 ... Pk N. Holl. 1840. C s.p B. reg. 1841. 47
B. ledifolia *Paxton.*
9326 *aneanomifolia* *Paxt. Mag. of Bot.* vol. ix. p. 123.; *B. Fraseri* *Bot. mag.* 4052.
28857 9327a *crenulata* *Paxt.* crenulate-flwd ♀ | or 2 my.au R K.G.S ... C s.p Paxt. mag. 4. 267
28858 - *microphylia* *Sieb.* small-flwd ♀ | or 2 su Pk N. Holl. 1846. C s.p [K. & P.]
28859 - *spathulata* *B. R.* spathulate-flwd ♀ | or ... Pk Swan Riv. ... C s.p
28860 - *teretifolia* *B. R.* round-leaved ♀ | or ... Pk Swan Riv. ... C s.p
28861 - *scabra* *B. R.* rough ♀ | or ... Pk Swan Riv. ... C s.p
28862 - *viminea* *B. R.* twiggly ♀ | or ... Pk Swan Riv. ... C s.p
1943. **BOSSIA**'A
28863 - paucifolia *Benth.* few-leaved ♀ | or 2 ap O.R N. Holl. 1841. C p.l.s Bot. reg. 1843. 63
virgata *Hook.* Bot. mag. 3986.
28864 - *virgata* *Hook.* twiggly ♀ | pr 2 jn Y.R Swan Riv. 1841. s.p Bot. mag. 3986
28865 - *eriocarpa* *Benth.* woolly-seeded ♀ | or 1 ... Diny K.G.S 1837. C s.l.p
28866 - *disticha* *Lindl.* two-rowed ♀ | pr 2 mr Y Swan Riv. 1840. C s.p Bot. reg. 1841. 55
28867 - *tenuiculis* *Grah.* slender-stmd ♀ | or ½ mr Y V.D.L 1836. C s.p Bot. mag. 3895
3390. - **BOTRYADENIA** F. & M. BOTRYADENIA. (*Botrys*, a cluster, *aden.* an acorn.) *Compositæ. Astéræa.*
28868 - Gmelini *F. & M.* Gmelin's ♀ | or 1 ... Russia 1836. ... l.p
3391. - **BOUSSINGAULTIA** H. B. & K. (*J. B. Boussingault*, a celebrated naturalist.) *Chenopodiæa.*
28869 - *basellides* *Hum.* Basella-like ♀ | fra? 25 jn.l Wsh. S. Amer.? 1835. D p.l Bot. mag. 3620
378. **BOUVA**'RDIA.
28870 - angustifolia *Hort.* narrow-leaved ♀ | or 2 au.s S Mexico 1833. C s.l Paxt. mag. of
3268 *triphylia* *Sal.*
4 splendens splendid ♀ | or 2 ap.n S ?Mexico 1838. D co Bot. mag. 3781
B. splendens *Graham.* Bot. mag. 3781.
28871 - *flava* *Decaisne* yellow ♀ | or 1½ mr Y ?Mexico ?1845. C s.l.p Bot. reg. 1846. 32
28872 - *strigillosa* strigillose ♀ | or 3 jn.au Y.R Mexico ?1845. C s.p.l
28873 - *Cavanillesii* *Dec.* Cavanilles's ♀ | pr 1½ my.su S Mexico 1846. C p.l J.H.S. 3. 246. fig.
3392. 2361a. **BRACHYCOMA** Cass. SWAN DAISY. (*Brachys*, short, *komē*, hair; shortness of pappus.) *Compositæ* 19.
28874 - *iberidifolia* *Benth.* iberis-leaved ○ | or ½ su P Swan Riv. 1840. S co Bot. reg. 1841. 9
2 albiflora white-flwd ○ | or ½ su W Swan Riv. ... S co
3393. 195a. **BRACHYELYTRUM** R. & S. BRACHYELYTRUM. (*Brachys*, short, *elytron*, involucreum.) *Graminæa*. 3.—2
28875 - *aristatum* *R. & S.* awned ♀ | or 1 jn jl Ap N. Amer. 1827. D co
Muhlenbergia erecta *Otto*; *Dilpajrum aristatum* *Mx.*
3394. 2339a **BRACHYGLOTTIS** *Forst.* BRACHYGLOTTIS. (*Brachys*, short, *glottis*, tongue.) *Compositæ* *æ Jacobææ.*
28876 21439a *repanda* *Forst.* spreading ♀ | or 8 ... N. Zea. 1834. C l.p
243. **BRACHYPODIUM**.
28877 - maximum *Kth.* largest ♀ | or 2 ap 1832. D co
28878 - *mexicanum* *Otto* Mexican ♀ | or 1½ ap ... Mexico 1832. D co
28879 2094a *Barrelieri* *R. & S.* Barrelier's ♀ | or ... jn.au Ap Spain 1827. S co
28880 2100a *megastachyum* *R. & S.* long-spiked ♀ | or ... jn.au Ap S.Europe 1826. S co
28881 2100b *macrostachyum* *R. & S.* large-spiked ♀ | or ... jn.au Ap S.Europe 1826. S co
3395. 2330a. **BRACHYRIS** *Dec.* BRACHYRIS. (*Brachys*, short, *achyron*, palea.) *Compositæ* 19.—2.
28882 - *Euthamiae* *Dec.* strong-scented ♀ | or au.o Y Missouri 1827. D co
Solidago Sorothræa *Ph.*
1250. **BRACHYSEMA**.
28883 - *villosa* *Hort.* villous ♀ | or ?3 my.jn C S. River ... C p
28884 - *bracteata* *Benth.* bracteated ♀ | or ?3 my.jn C S. River 1842. C p
28885 - *platyptera* *Hort.* broad-winged-std ♀ | or ... jn.jn C S. River 1844. C p

28886 -	791. BRACHYSTE'LMA.								
	- <i>crispum</i> <i>Grah.</i>	curled- <i>led</i>	☒ Δ el	¼ au.o	Br. Y C. G. H.	1829.	C s.l	Bot. mag.	3016
28887	6332a <i>spatulata</i> <i>Lindl.</i>	<i>spatulata</i> - <i>led</i>	☒ Δ cu	1 junj	G C. G. H.	1826.	C s.l	Bot. reg.	1113
3396	737a. BRANDE'SIA	Mart. BRANDESIA. (The name of a German botanist.)						<i>Amaranthaceae</i> .	5.—1.
28888 -	- <i>puberula</i> <i>Mart.</i>	pubescent	☒ □ cu ...	jun.s	W Brazil	1825.	C s-p		
	- <i>Achyranthes capituliflora</i> <i>Hort.</i>								
28889 -	- <i>villosa</i> <i>Mart.</i>	villous	☒ □ cu ...	jun.s	W Brazil	1826.	S s-p		
	5939 <i>porrigens</i> in p. 91. is also referred to this genus.								
	2562. BRASAVO'LA.								
28890 -	- <i>Digbyana</i> <i>Lindl.</i>	Mr. Digby's	☒ □ or	2½ jl	G.w Honduras	?1845.	D fib p	Bot. reg.	1846.53
28891 -	- <i>retusa</i> <i>Lindl.</i>	retuse	☒ □ or ...	mr	W.G Maracaybo	?1846.	D fib.p		
28892 -	- <i>Martiana</i> <i>Lindl.</i>	Dr. Martius's	☒ □ cu	1 o	W.y Brazil	..	D sto.&ro.	Bo.reg	1839.5
28893 -	- <i>angustata</i> <i>Lindl.</i>	narrowed	☒ □ or	Ysh.G.v. Demerara	?1838.	D p.r.w		
28894 -	- <i>cuspidata</i> <i>Hook.</i>	spear-tipped	☒ □ cl	½ ...	W Trinidad	1838.	D p.r.w	Bot. mag.	3722
28895 -	- <i>nodosa</i> <i>Lindl.</i>	knotty	☒ □ fra	1 o	Ysh.G. Mexico	1828.	D p.r.w	Bot. reg.	1465
28896 -	- <i>venosa</i> <i>Lindl.</i>	veiny-tipped	☒ □ or	1 o	W.G.y Honduras	1839.	D p.r.w	Bot. reg.	1840.39
28897 -	- <i>glauca</i> <i>Bate.</i>	glaucous	☒ □ or	1 ...	W.G.y Mexico	1837.	D p.r.w	Bot. reg.	1840.44
28898 -	- <i>Perrin's</i> <i>Lindl.</i>	Perrin's	☒ □ or	1 s	G.w Rio Janeiro	1831.	D p.r.w	Bot. reg.	1561
28899 -	- <i>cordata</i> <i>Lindl.</i>	heart-tipped	☒ □ cu	1 ja	G.w Brazil	..	D sto.roc.	Bot. reg.	1914
28900	22768a <i>tuberculata</i> <i>Hook.</i>	tubercled	☒ □ pr	½ ja	W-y Botaf. B.	1827.	D p.r.w	Bot. mag.	2878
	2526. BRASSIA.								
28901 -	- <i>Lanceana</i> <i>Lindl.</i>	Lance's	☒ □ cl	f.au	Y. Spot Surinam	1833.	D lf.m	Bot. reg.	1754
	2 viridiflora	green-flowered	☒ □ cu	su	G.P.Y	D fib.p	Bot. mag. 3794
28902 -	- <i>pumila</i> <i>Lindl.</i>	dwarf	☒ □ el	su	P.A.Y.P	D fib.p	
	? <i>Lanceana</i> var.								
28903 -	- <i>verrucosa</i> <i>Bate.</i>	warty-tipped	☒ □ el	su	Gsh.Y Mexico	1838.	D fib.p	Bate. orch.	22
28904 -	- <i>brachiata</i> <i>Lindl.</i>	long-armed	☒ □ or	2 w	G.Br Guatemala	1840.	D fib.p	Bot. reg.	1847.29
	<i>Wrayer</i> <i>Hort.</i>								
28905 -	- <i>angusta</i> <i>Lindl.</i>	narrow-flwd	☒ □ cu	w.sp	Pa.Y Brazil	...	D fib.p		
28906 -	- <i>bidens</i> <i>Lindl.</i>	two-toothed	☒ □ cu	su	Y.Br Brazil	1842.	D fib.p		
28907 -	- <i>aristata</i> <i>Lindl.</i>	awned	☒ □ cu	o.n	Y.Br Guatemala	...	D fib.p		
28908 -	- <i>peruviana</i>	Peruvian	☒ □ cu	su	Y.G.P. Peru	...	D fib.p		
28909 -	- <i>cochleata</i> <i>K. & W.</i>	spoon-tipped	☒ □ el	1 my.jn	G.Br Demerara	1834.	D p.r.w	Fl. cab.	53
28910 -	- <i>macrostachya</i> <i>Lindl.</i>	long-spiked	☒ □ cl	2 o	Y Demerara?	1835.	D p.r.w	Sert. orch.	6
28911 -	- <i>Lawrenciana</i> <i>Lindl.</i>	Mrs. Lawrence's	☒ □ or	1 ja	Y.B Brazil	1839.	D p.r.w	Bot. reg.	1841.18
	1883. BRASSICA.								
28912 -	- <i>chinensis</i> <i>L.</i>	Chinese	○	un 3 jl.o	Y China	1838.	S co		
	3397. 2540c. BRAVO'A	Lal. BRAVOA. (<i>Bravo</i> , a Mexican botanist.)						<i>Orchidaceae</i> .	20.—1.
28913 -	- <i>geminiiflora</i> <i>Lal.</i>	twin-flowered	☒ □ cu	su	O Mexico	1838.	D fib.p		
	1824. BRA'YA.								
28914	16130a <i>pilosa</i> <i>Hook.</i>	hairy	☒ Δ cu	¼ ap.jn	P N. Amer.	1827.	S p.l	Hook. am.	17.A
	3398. 845b. BRIGNO'LIA	Bert. BRIGNOLIA. (<i>J. L. Brignoli</i> , a professor at Verona.)						<i>Umbelliferae</i> .	1.
	6800 <i>panacifolia</i> <i>Brig.</i>	Panax-leaved	☒ Δ or	1 ju.au	W Sicily	1686.	D s.p	Jac. vin.	2. 133
	<i>Sium siculum</i> <i>L.</i>	No. 6800.							
	141. BRODLE'A.								
28915 -	- <i>californica</i> <i>Lindl.</i>	Californian	☒	or ... jl.o	Pa.B California	1848.	O s.l	J.H.S. iv.	84. fig.
	951. BROME'LLA.								
28916 -	- <i>discolor</i> <i>Lindl.</i>	two-coloured	☒ □ or	?	mr.myPk.br S. Amer.	...	Sk r.m		
28917	7692a <i>cruenta</i> <i>Grah.</i>	bloody	☒ Δ or	2 aus.	B.w Rio Jan.	1824.	Sk r.m		
	3399. - BROMHEA'DIA	Lindl. BROMHEANIA. (<i>Sir E. F. Bromhead</i> , Bart., F.R.S.)						<i>Orchidaceae</i> .	20.—1.
28918 -	- <i>palustris</i> <i>Lindl.</i>	marsh	☒ □ or	4 ju	W.Pk Sumatra	1840.	D p	Bot. mag.	4001
	241. BRO'MUS.								
28919	2058a <i>pátulus</i> <i>Kth.</i>	spreading	☒ ○ un	ju.au	Ap France	1836.	S co		
28920	2068a <i>Schraderi</i> <i>Kth.</i>	Schrader's	☒ ○ un	ju.au	Ap Carolina	1835.	S co		
28921	2069a <i>montanus</i> <i>R. & S.</i>	mountain	☒ ○ un	jl.au	Ap Switzerl	1827.	S co		
28922	2084a <i>tortilis</i> <i>Presl.</i>	twisted	☒ ○ un	jl.au	Ap Sicily	1825.	S co		
28923	2084b <i>brachystachys</i> <i>F. & M.</i>	short-spiked	☒ ○ un	ju.au	Ap	1837.	S co	
28924	2084c <i>brizæiformis</i> <i>F. & M.</i>	briza-like	☒ ○ un	ju.au	Ap	1837.	S co	
28925 -	- <i>Willdenowii</i> <i>Kth.</i>	Willdenow's	☒ ○ un	jl.au	Ap	1835.	D co	
	3400. 2170a. BRONGNIA'RTIA	H. B. & Kth. (<i>M. Adolphe Brongniart</i> , a Fr. bot.)						<i>Legum. Geófrce</i> .	1.
28926 -	- <i>podalyrioides</i> <i>Kth.</i>	Podalyria-like	☒ □ or	1 s.n	F N. Spain	1827.	C 1 p	H. & B. n.g.	588
28927 -	- <i>sericea</i> <i>Schlecht.</i>	silky	☒ □ or ...	ju.au	Din.P Mexico	?1841.	C s.l.p		
	2470. BROTE'RA	2242l <i>corymbosa</i> <i>W.</i> ; syn. <i>Cardopatum corymbdsum</i> <i>Dec.</i>							
	2552. BROUGHTO'NIA.								
28928 -	- <i>nitida</i> <i>Herb.</i>	glossy	☒ □ or	1½ junj	R E. Indies	1824.	D p.r.w		
28929 -	- <i>adrea</i> <i>Lindl.</i>	golden	☒ □ or ...	su.aut	Bt.R Mexico	1836.	D fib.p		
	22725 <i>sanguinea</i> <i>R. Br. coctnca</i> <i>Hook.</i>	Bot. mag. 3536. <i>Dendrobium sanguineum</i> <i>Swt. Fl. Gard.</i>							
	<i>Epidendrum sanguineum</i> <i>Swt. Prod.</i>								
	2756. BROUSSONET'IA	24203 <i>papyrifera</i>							
	2 <i>cuticulata</i> <i>A. B.</i>	<i>cuticulate-leaved</i>	☒ ○ or	12 fs	Ap French var.	1824.	C co		
	<i>B. spatulata</i> , No. 24204. <i>cuticulata</i>	<i>Bon Jard.</i> 1833. <i>navicularis</i> <i>Lo. C.</i> 1836.							
	3 <i>fructu albo</i> <i>Hort.</i>	white-fruited	☒ □ or	12 fs	Ap	C co	[K. & P.]	
	4 <i>macrophylla</i>	large-leaved	☒ □ or	su	Ap	C.G co	[K. & P.]	
	5 <i>variegata</i>	variegated- <i>led</i>	☒ □ or	su	Ap	1846.	C.G co	[K. & P.]
	6 <i>dissecta</i>	dissected	☒ □ cu	su	Ap	1847.	C.G co	[K. & P.]
	1794. BROWA'LLIA.							<i>Solanecae</i>	D. Don.
28930	15986a <i>grandiflora</i> <i>Grah.</i>	large-flowered	☒ □ or	2 jn.d	I.i.Y Peru	1829.	S p.l	Bot. mag.	3 669
28931 -	- <i>speciosa</i> <i>Hook.</i>	showy- <i>flwd</i>	☒ □ or	2 s	P Quindiu	1846.	S p.l	Bot. mag.	639.
28932 -	- <i>Jamesonii</i>	Jameson's	☒ □ or ...		O.Y	C p.d		

1938. BRO'WNEA 17273 coccinea Jac. Bot. mag. 3964.
 28938 17275a racemosa Jac. clustered ☐ or 6 ... Ro Caraccas 1826. C s.l Jac. fr. 25. 16
 28934 17274a grandiceps Jac. large-headed ☐ spl 6 ... R Caraccas 1829. C s.l Bot. reg. 1841.30
 28935 - Ariza Benth. Ariza ☐ or ... S S.America 1843. C s.l
482. BRUGMAN'SIA.
 28936 - bicolor Pers. two-cld-coro. ☐ or 20 o.n Ro Peru 1833. C l Bot. reg. 1739
 sanguinea R. & P.
 28937 4016a cornigera Hook. horn-bearing ☐ or 10 jl.o W.G OrganMts?1846. C r.m Bot. mag. 4252
 Datūra cornigera Hook. Bot. mag. 2 flore pleno double-flwd ☐ or 10 jl.o W ... ?1846. C r.m
 Knight Hort.
 28938 - lutea yellow-flwd ☐ or 20 s.n Y ... C r.m
 28939 - Waymāni Paxt. Wayman's ☐ or ?2 my.jn W.P S.Amer. 1837. C l.p Paxt. mag. 4.241
3401. 617a. BRUNONIA Smith. BRUNONIA. (Robert Brown, Esq., a learned systematic Botanist.) Goodenivæ.
 28940 - australis R. Br. southern ☐ or 1 jn.au B New Holl.1834. D? 1? Bot. reg. 1833
1811. BRUNSFELSIA nitida ☐ or 5 jn.jl Y Jamaica ... C r.m Bot. mag. 4287
 β jamaicensis? Benth. Jamaica
967. BRUNSVIGIA.
 28941 - grandiflora Lindl. large-flowered ☐ or 1 au.s Pk C.G.H. 1827. O r.m Bot. reg. 1335
 7879 coranica large-flowered ☐ cu 1 s Pa C.G.H. 1826? O r.m Bot. reg. 1219
 2 pallida pale-flowered ☐ cu 1 s Pa C.G.H. 1826? O r.m Bot. reg. 1219
 Amarillid's coranica var. pallida Lindl.
3402. 2576a. BRYOBIUM Lindl. BRYOBIUM. (Bryo, to abound, bio, to live.) Orchidæcæ. 20.—1
 28942 - pubescens Lindl. pubescent ☐ or ¼ au G E. Indies 1835. D fib.p
365. B'UDLEA.
 28943 3219a connata R. & P. connate-leaved ☐ or 5 my O Peru 1826. C l.p Bot. mag. 2853
 28944 3226a heterophylla B. R. variable-leaved ☐ or 10 my Y S. Amer. ... S l.p Bot. reg. 1259
 28945 - Lindleyana Fortune Prof. Lindley's ☐ or 6 jl.au Dk.v China 1844. C co Bot. reg. 1846. 4
3403. 1135a. BUGINVILLEA Commerson. (Bougainville, a French navigator.) 8.1. Nicotaginæ.
 28946 - spectabilis J. showy ☐ or 15 ... Pk S. Amer. 1829. C l Lam. il. 294
 28947 - splendens splendid ☐ spl ... su ... 1848. C p l [K. & P.]
 28948 - vitifolia vine-ldv ☐ or ... su ... 1848. C p l [K. & P.]
1060. BULBYNE.
 28949 - glauca R. & S. glaucous ☐ or 1½ jn W Chile 1828. D l.p Bot. cab. 1580
 28950 - floribunda Schr. many-flowered ☐ cu 1 s.o Y.G ... 1836. D l
 28951 - suavis Lindl. sweet ☐ or pr ... my Y N. Holl. 1837. S s.p
947. BUONAPARTEA.
 28952 - gracilis Swt. slender ☐ or 2 ... Mexico 1828. C s.l
861. BUPLEURUM.
 28953 - altaicum Led. Altaic ☐ or un ... Altai 1831. D co
 28954 - prostratum Led. prostrate ☐ or 2 jl.au Ysh ... D co
 28955 6861a multinerve Dec. many-nerved ☐ or 3 ... Ysh Altai ... D co
3404. 2521a. BURLINGTONIA Lindl. BURLINGTONIA. (Countess of Burlington.) Orchidæcæ. 1.—5.
 28956 - candida Lindl. snow-white ☐ or de 1 ap W Demerara 1834. D p.r.w Bot. reg. t.1927
 Rodriguezia Batemanni Lindl.
 28957 - venusta Lindl. beautiful ☐ or ... ap.jl Pk Brazil ... D fib.p [193
 28958 - rigida Lindl. rigid ☐ or pr 1 ap Pk.W ?1836. D p.r.w Pax.m.bot.viii.
 28959 - maculata Lindl. spotted ☐ or lra ½ my Y.B Brazil 1837. D p.r.w Bot. reg. 1839.44
3405. 2363a BURRIELIA Dec. BURRIELIA. (J.M. Burriel, author of Travels in California, in 1758.) Compos. 19.—2
 28960 - gracilis Dec. slender ☐ or ¼ su Y Californial 1834. S co Bot. mag. 3758
1252. BURTONIA.
 28961 - conferta Dec. clustered-flwd. ☐ or 2 jl.s V S.W.N.Holl.1830. C s.p Bot. reg. 1600
 28962 - brunoides Brûnia-like ☐ or 1½ ap.my Y N. Holl. ?1844. C s.p.l
 28963 - pulchella Meisn. beautiful ☐ or pr 2 ap.jn P S. River ?1846. C s.p Bot. mag. 4392
 28964 - villosa Meisn. villose ☐ or 2 my P.y S. River ?1846. C s.p Bot. mag. 4410
2609. BU'XUS 23089 sempervirens
 1 arborescens Mill. arborescent ☐ or 30 ap.my Y.G Britain ... C co
 2 argentea Hort. silver-varieg. ☐ or 30 ap.my Y.G Britain gar. C co
 3 aurea Hort. golden-varieg. ☐ or 30 ap.my Y.G Britain gar. C co
 4 marginata Hort. yellow-edged ☐ or 30 ap.my Y.G Britain gar. C co
 2 angustifolia Mill. variegated-ldv ☐ or 30 ap.my Y.G Britain ... C co
 variegata Hort. ☐ or 30 ap.my Y.G ... C co
 4 myrtifolia Lam. myrtle-leaved ☐ or 8 ap.my Y.G ... C co
3406. 178a. CABRE'RA Lag. CABRE'RA. (The name of a Spanish general.) Graminæ. 3.—2
 28965 - chrysolepharis Lag golden-spiked ☐ or un ... jn.jl Ap. S.Amer. 1822. D s.l
2289. CACA'LIA. Nos. 20680, 20692, and 20695 are species of Adenostyles Cass.
 20685, 20686, and 20687 are syn. with Evilia sp. Cass.
 20701 peltata Kth.; syn. Psacalium peltatum Dec.
 20683 and 20684 are species of the genus Gynandra Dec.
 20669 to 20678 are referred to the genus Kleimia L.
2922. CÆNOPTERIS.
 28966 - myriophylla Spr. myriad-leaved ☐ or 1 ja.d Br W.Indies ... D p.l
 28967 - thalictroides Hort. Thalictrum-like ☐ or 1 s Br Jamaica ... D p.l
 28968 - rhyzophylla Sm. rooting-leaved ☐ or 1 jn.o Br W.Indies 1827. D p.l
2272. CELESTINA 20578 carūla Cass.; syn. Conochnium celestinum Dec.

2160. CALA'NUS 19508 bicolor Bot. reg. 1845. 31.

2516. CALADE'NIA.

28969	- <i>gracilis Ait.</i>	slender	* [] or	N.S.W.	...	R	p.l
28970	- <i>Pateronii R. Br.</i>	Paterson's	* [] or	N.S.W.	...	R	p.l
28971	- <i>dilatata R. Br.</i>	broad-lipped	* [] or	N.S.W.	...	R	p.l
28972	- <i>clavigera Ait.</i>	club-lipped	* [] or	N.S.W.	...	R	p.l
28973	- <i>margiata Lindl.</i>	marginated	* [] or ...	my.au	P	S. River	...	R
28974	- <i>longicauda Lindl.</i>	long-spurred	* [] or ...	jl.s	Y	S. River	...	R
28975	- <i>repens Lindl.</i>	creeping	* [] or ...	aus.	P	S. River	...	R
28976	- <i>ixioides Lindl.</i>	ixia-like	* [] or ...	my.jn	Y	S. River	...	R
28977	- <i>denticulata Lindl.</i>	toothed	* [] or	Y	S. River	...	R
28978	- <i>unguiculata Lindl.</i>	unguiculate	* [] or ...	au.o	Y	S. River	...	R
28979	- <i>hirta Lindl.</i>	hairy	* [] or ...	my.jl	Y	S. River	...	R
28980	- <i>gemmata Lindl.</i>	budded	* [] or ...	my.jl	P	S. River	...	R
28981	- <i>pilifera Lindl.</i>	piliferous	* [] or ...	aus.	P	S. River	...	R
28982	- <i>mollis Lindl.</i>	soft	* [] or	Y	S. River	...	R
28983	- <i>elongata Lindl.</i>	elongated	* [] or ...	my	Y	S. River	...	R

2672. CALA'DIUM.

29084	- <i>zamiaefolium Lod.</i>	Zamia-leaved	✓ [] cu 2	...	Y	Brazil	...	R	s.p
29085	- <i>lividum B.C.</i>	livid	✓ [] cu 1	s	Din	W. Indies 1828.	D	l.p	Bot. cab. 1590
29086	- <i>petiolatum Hook.</i>	petiolated	✓ [] or 1	jn	P	Fernando Po 1832.	T	s.p	Bot. mag. 3729

23483 scandens *W.*; syn. *Culcasia scandens* Beauv., *Denhamia scandens* Schott.
Nos. 23484 and 23487; syn. *Dicffenbachia* sp. Sm.; 23485, 23493; syn. *Colocasia* sp. Ray; Nos. 23486 and 23529; syn. *Alocasia* sp. Sm.; 23488 xanthorhizum *W.*; syn. *Xanthosoma jacquinii* Sm.; to this genus also belongs No. 23496. Nos. 23489, 23490, 23492, 23503; syn. *Philodendron* sp. Sm.; 23497; syn. *Peltandra virginica* Sm. 23500; syn. *Remusatia viviparum* Sch. 23505; syn. *Syngonium auritum* Sm. 23506; syn. *Acotias* *helleborifolium* Sm.

231. CALAMAGRO'STIS.

29087	1912a	intermedia R. & S.	intermediate	☞ [] un	...	jl	Ap	Carlsruhe 1827.	D	bog
29088	1917a	purpurascens Lindl.	purplish	☞ [] un	...	jl.au	Ap	N. Amer. 1827.	D	bog

Deycezia purpurascens Kth. Some authors refer Nos. 1743 and 1744 in p. 25., and Nos. 193, 1918, 1921, 1922, 1923, 1924, 1925, and 1928, in p. 29. to the genus *Deycezia* Kth.

1683. CALAMIN'THA

28989	-	15179 grandiflora	variegated- <i>lvd</i>	✓ [] [] or 1	jn.s	R	gardens	...	D	co
	-	2 variegata Penny	wood	✓ [] [] or 1	au.s	Pa.	RoEngland	...	D	co

28989 - *sylvatica*

3407.	1715a.	CALA'MPELIS D. Don.	CALAMPELIS.	(Kalos, pretty, amplexi, a vine.)						<i>Bignoniaceae.</i>
28990	-	scabra D. Don.	scabrous	✓ [] [] pr	6	jl.au	O	Chile	1824.	C
	-	Eccremocarpus scaber R. & P. No. 15438.								l.s Sw. fl. gar. 2d. s. 30

3408.	1448a.	CALANDRINIA II. & B. CALANDRINIA.	(J. L. Calandrini, a Genevese botanist.)							<i>Portulacae.</i> 5.-16.
28991	-	grandiflora Lindl.	great-flowered	✓ [] [] pr	1	jn.jl	P	Chile	1826.	C
28992	-	ascendens Hort.	ascending	✓ [] [] pr	1	p.l
28993	-	paniculata Dec.	panicked	✓ [] [] or 1	1	jl.au	P	Brazil	1816.	C
28994	-	speciosa Lindl.	showy	✓ [] [] or 1	1	s.l
28995	-	arenaria Lindl.	sand-inhabiting	✓ [] [] cu	1	s.l
28996	-	discolor Schr.	two-eld- <i>lvd</i>	✓ [] [] or 1	1	jl.au	Bt.	Ro Chile?	1834?	S
28997	-	Liavea Ait.	La Liave's	✓ [] [] or	ap.my	...	Mexico	...	C
28998	-	monandra Dec.	monandrous	✓ [] [] or	1835.	S
28999	-	umbellata R. & P.	umbel- <i>flwg</i>	✓ [] [] or 1	1	jn.jl	Rsh	P	Chili	?
		<i>Talinum paniculatum</i> R. & P., No. 12171., also 12172, and 12175. belong to this genus.								?

2571. CALA'NTHE.

29000	-	australis Ait.	southern	✓ [] [] or	N.S.W.	1823.	D	p.l
29001	-	densiflora Lindl.	dense-racemed	✓ [] [] or 1	3	...	Y	Sylhet	1832?	D
29002	-	discolor Lindl.	discoloured	✓ [] [] or ...	ap.jn	Br.	W. Japan	1836	D	p.l
29003	-	bicolor Lindl.	two-coloured	✓ [] [] or ...	ap.jn	Br.	O Japan	1836	D	p.l
	-	<i>Amblyglottis flavo</i> Blume.								
29004	-	furcata Bate. MS.	forked	✓ [] [] or ...	jl.o	W	Luzon Isles	1837.	D	p.l
29005	-	Masuca Lindl.	Masuca	✓ [] [] or 2	jn.au	Li.P	Nepal	1838.	D	...
	-	<i>Blétia Masuca</i> Don Prodr. fl. nep. 30.; <i>Amblyglottis veratrifolia</i> F. B. J.								...
29006	-	curculigoides Wall.	yellow-spiked	✓ [] [] or 2	n	Bt.	y.C. Malacca	1844.	D	...
29007	-	verulita Lindl.	clothed	✓ [] [] or 2	1	n
29008	-	versicolor Lindl.	various-eld- <i>flwd</i>	✓ [] [] or ...	aut	W.B	Mauritius	1836.	D	s.p.l
29009	-	flavicans Lindl.	yellowish- <i>flwd</i>	✓ [] [] or ...	aut	Cr.B	E. Indies	1837.	D	s.p.l
29010	-	ochracea Lindl.	ochraceous	✓ [] [] or ...	ap.jn	Y	Japan	1836.	D	s.p.l

3. CALA'THEA.

29011	51a	orbiculata B. C.	round-leaved	✓ [] [] or 2	2	aus	Y	W. Indies?	1830.	D
29012	51b	grandifolia Lindl.	great-leaved	✓ [] [] or 2	2	year	Y	Rio Jan.	1826.	D
29013	-	macilentata Lindl.	meagre	✓ [] [] or 2	2	year	W. Li. St.	Rio Jan.	1826.	D
29014	-	villösa Lindl.	villose	✓ [] [] or 3	jl	Y	Demerara	1842.	O	s.l.p
		<i>Phrynium villösum</i> Lo. C.								...

65. CALCEOLA'RIA.

577		integrifolia.								
		2 angustifolia Lindl.	narrow-lvd	✓ [] [] or 2	aus.	Y	Chile	1822.	C	l.p
29015	577a	ascendens B. R.	ascending	✓ [] [] or 1	jl.s	Y	Cordiller.	1826.	C	l.p
29016	577b	viscosissima Lindl.	clammiest	✓ [] [] or 3	my.o	Go.	Y Chile	1832.	C	s.p
		<i>integrifolia</i> γ <i>viscosissima</i> Hooker in <i>Bot. Mag.</i> 3214., <i>rugösa macrophylla</i> Hort., <i>rugösa latifolia</i> Herb.								
29017	577c	sessilis R. & P.	sessile-leaved	✓ [] [] or 1	1	s	Y	Valparaiso	1832	C
29018	578a	purpurea Grath.	purple-flowered	✓ [] [] or 1	jl.s	P	Chile	1827.	D	l.p
		2 elegans D. Don	elegant	✓ [] [] or 1	jl.s	Pa.	P Chile	1832.	D	l.p
		3 picta D. Don	Painted- <i>cor.</i>	✓ [] [] or 1	su	W.p	Eng. gard.	1832?	D	l.r
29019	578b	Youngii Penny	Young's	✓ [] [] spl 2	my.o	Och.	& D. Eng.	hyb.	1830.	D
		2 pallidior Penny	paler	✓ [] [] or 2	my.o	Pa	Eng.	hyb.	1830.	D
		3 dilicta Penny	beloved	✓ [] [] or 2	my.o	Dk.	Br. Eng.	hyb.	1830.	D
		4 ätra Penny	dark	✓ [] [] spl 2	my.o	Bt.	Eng.	hyb.	1830.	D
		Intermediate between corymbösa and arachnöidea.								
29020	578c	Martineauæ Stet.	Martineau's	✓ [] [] or 1	ap.au	Y.	spt Fotherg.	cor 1831.	D	l.r
29021	578d	Wheeleri Swt.	Wheeler's	✓ [] [] or 1	my.o	P	Eng.	hyb.	1831.	D

- 29022 - - *Gellaniāna* Penny Gellan's $\frac{1}{2}$ Δ spl 4 all sea Och. & D. Eng. hyb. 1830. D r.m.
Intermediate between *corymbōsa* and *purpurea*.
- 29023 - - *hians* Penny gaping $\frac{1}{2}$ Δ or 1 my.o Y Eng. hyb. 1830. D r.m.
- 29024 - - *Hopēana* Morrison's MSS. Hope's $\frac{1}{2}$ Δ or $\frac{1}{3}$ my.o Y Eng. hyb. 1830. D r.m.
Intermediate between *corymbōsa* and *plantaginea*.
- 29025 - - *Morrisoni* Penny Morrison's $\frac{1}{2}$ Δ or 2 my.o Och Eng. hyb. 1830. C l.p.
Intermediate between *Fothergilli* and *integrifolia*?
- 29026 - - *polyantha* Penny many-flowered $\frac{1}{2}$ Δ or 3 my.o Y Eng. hyb. 1830. D r.m.
- 29027 - - *arachnoidea* *Grah.* cobweb-like $\frac{1}{2}$ Δ or 1 jn.s Y Chili 1827. D l.p. Bot. mag. 2874
tinctoria Gill.
2 *alba* *Hort.* white-flowered $\frac{1}{2}$ Δ or 1 jn.s W D l.p.
3 *refulgens* *D. Don* *refulgent-cor.* $\frac{1}{2}$ Δ or 1 jn.s Bt. Ru. R. Eng. hyb. 1833? D r.l.t Sw. fl. gar. 2. s. 227
29028 - - *bicolor* *Grah.* two-coloured $\frac{1}{2}$ nr 2 aus. Y. Wsh Peru 1829. C t Bot. reg. 1374
diffusa Lindl. in Bot. reg.
- 29029 - - *angustiflora* *R. & P.* narrow-flwd $\frac{1}{2}$ Δ or $\frac{1}{3}$ jn Y Peru 1830? C p Bot. mag. 3094
- 29030 - - *Herbertiana* Lindl. Herbert's $\frac{1}{2}$ Δ or 2 my.o Y Chili 1828. S p Bot. reg. 1313
2 *parviflora* Lindl. small-flowered $\frac{1}{2}$ Δ or 2 my Y Valparaiso 1832. C p.s.1 Bot. reg. 1576
- 29031 - - *crenatiiflora* Cav. notched-tipped $\frac{1}{2}$ Δ or $\frac{1}{3}$ jn.s Y. spot Chileo 1831. S p.s.1 Bot. mag. 3255
anomala Pers. *penitula* D. Don in Sweet's Brit. Flower-Garden. 2. s. t. 155.
- 29032 - - *Atkinsiana* D. Don Atkins's $\frac{1}{2}$ Δ or $\frac{1}{3}$ jn.o Y. R. Eng. hyb. 1830. D p Sw. fl. gar. 2. s. 168
- 29033 - - *mirabilis* *K. & W.* admirable $\frac{1}{2}$ Δ spl 2 ... P Eng. hyb. 1834. D r.m. Fl. cab. n. 17
Intermediate between *C. penitula* and *C. insignis*.
- 29034 - - *thyrsiflora* *Grah.* thyrse-flowered $\frac{1}{2}$ Δ or $\frac{1}{3}$ jn. Y Chili 1827. C p.1 Bot. mag. 2915
- 29035 - - *polifolia* Hook. Poly-leaved $\frac{1}{2}$ Δ cu 1 jl Y Chili 1826. D l.p. Bot. mag. 2857
- 29036 - - *connata* Hook. connate-leaved $\frac{1}{2}$ Δ or 3 jn.au Y Chili 1824. D l.p. Bot. mag. 2897
floribunda Lindl. Bot. reg. 1214. *paniculata* Herb.
- 29037 - - *floribunda* *H. B. K.* copious-flwd $\frac{1}{2}$ Δ or $\frac{1}{3}$ s Y Chili 1843. C s.l.p. Bot. mag. 4154
- 29038 - - *alba* *R. et P.* white-flwd $\frac{1}{2}$ Δ or $\frac{1}{3}$ s W Chili 1843. C s.l.p. Bot. mag. 4. 57
- 29039 579a *plantaginea* Sm. Plantain-leaved $\frac{1}{2}$ Δ or 1 au Y Chili 1827. D l.p. Bot. mag. 2805
- 29040 - - *Robinsoni* Robinson's $\frac{1}{2}$ Δ or 1 jn.s Y hybrid ... C s.l.p
- 29041 - - *chiloensis* Lindl. Chiloe $\frac{1}{2}$ Δ or 2 au Y Chileo 1840. C r.m. Bot. reg. 1476
- 29042 - - *amplexicaulis* *H. B. K.* stem-clasping $\frac{1}{2}$ Δ or $\frac{1}{3}$ my.jl Y Peru ?1846. C l.p. Bot. mag. 4300
chelidonioides *H. B. K.*
1 *Leedsii* Hook. Leeds' ? Δ or ... Y Bolivia ?1846. D l.t
- 29043 - - *cuneiflora* *R. & P.* wedge-shpd. *-lvd* $\frac{1}{2}$ Δ or ? $\frac{1}{3}$ aut Pa. Lem Bolivia 1846. C l.t
For garden varieties, see the Nursery Catalogues.
2448. CALE'NDULA.
- 29044 - - *Astērias* *Fis et Mey.* star \bigcirc or $\frac{1}{3}$ o Y North of Europe 1838. S co Bot. gard. 766
- 29045 22272a *mexicana* Lk. Mexican \bigcirc or $\frac{1}{3}$ jn.s Y Mexico 1829. S co
- 29046 - - *persica* Dec. Persian \bigcirc or ... jn.s Y Persia 1830. S co
- 29047 - - *gracilis* Dec. slender \bigcirc or ... jn.s Y Persia 1836. S co
Of this genus, the species Nos. 22276 to 22282 inclusive, 22284, and 22285, in p. 363, are referred to the genus *Dianorhthoëca* Dec.
Nos. 22283 and 22286, in p. 363, are referred to the genus *Tripteris* Dec.
2509. CALE'YA.
- 29048 - - *nigrita* Lindl. blackish-flwd $\frac{1}{2}$ Δ cu ... Bksh S. River ... D turf. p.1
Calēana nigrita Lindl.
3409. - - *CALIPHU'RIA* Herb. CALIPHURIA. (Derivation unknown.) *Amaryllidaceæ.* 6.—1.
- 29049 - - *Hartwegiana* Herb. Hartweg's $\frac{1}{2}$ Δ or ... G.W New Gren. 1843. \bigcirc s.l.p
3410. 2833a *CALLIA'NDRA* Benth. CALLIANDRA. (*Kallos*, beautiful, *aner*, *andros*, stamen.) *Leguminosæ* § *Mim.* 16.—8.
- 29050 - - *Tweediei* Benth. Tweedie's $\frac{1}{2}$ Δ or 26 mr.ap S S. Brazil ?1844 ... s.p.1 Bot. mag. 4188.
- 29051 - - *Harrisii* Lindl. Mr. Harris's $\frac{1}{2}$ Δ or 20 f Pk Mexico 1838. C l.p.s. Bot. reg. 1839. 41
Inga Harrisii Lindl.
3411. - - *CALLICE'PHALUS* Mey. CALLICEPHALUS. (*Kallos*, beauty, *kephale*, head; flowers.) *Compōsitæ.*
- 29052 - - *nitens* Mey. shining $\frac{1}{2}$ Δ or ... P Iberia ... D co
Centaurēa nitens Bieb.
3412. - - *CALLY'CHROA* Fischer. CALLYCHROA. (*Kallos*, beauty, *chroa*, colour; flower.) *Compōsitæ.*
- 29053 - - *platyglossa* Fisch. broad-rayed \bigcirc cl 1 o Y N. Calif. 1835. S co Swt. fl. gar. 373
3413. 2211a. *CALLIOPE'A* D. Don. CALLIOPEA. (*Calliope*, one of the Muses.) *Comp. Cich.* 1.
- 29054 - - *aurea* D. Don golden $\frac{1}{2}$ Δ or $\frac{1}{3}$ my.jl D.Y Italy 1789. D co Jac. au. 3. 297
Leontodon aureum L. *Hieracium aureum* Sco. No. 19973.
2418. CALLIO'PSIS.
- 22016 *tinctoria*, syn. *bicolor* B. M.
2 *atrosanguinea* *Mauud* \bigcirc or 3 jl.o Dk. Bd N. Amcr. 1823. S co Bot. gard. t 538
- 29055 22016a *Drummondii* D. Don Drummond's \bigcirc or 2 s Y. rsh. br. spot 1835. S co Sw. fl. gar. 2. s. 315
Coreōpsis diversifolia Bot. mag. 3474.
- 29056 22016b *Atkinsoniana* Doug. Atkinson's \bigcirc or 2 su Y.Br Columbia 1826. L co Bot. reg. 1376
3414. - - *CALLIPRO'RA* Lindl. CALLIPRORA. (*Kalē*, pretty, *prora*, front; its beauty.) *Asphodiceæ.* 6. 1.
- 29057 - - *lutea* Lindl. yellow-flowered $\frac{1}{2}$ Δ or $\frac{1}{3}$ jl Y N. Calif. 1831? \bigcirc p Bot. reg. 1590
3415. - - *CALLIPSYCHE* Herb. CALLIPSYCHE. (*Kallos*, beautiful, *psyche*, a butterfly.) *Amaryllidaceæ.* 6.—1.
- 29058 - - *eucrosioides* Herb. Eucrosia-like $\frac{1}{2}$ Δ or 2 mr S.G Mexico ?1843. \bigcirc R.r.l Bot. reg. 1845. 45
- CALLI'STA. See ERICA.*.*
1249. CALLI'STACHYS.
- 29059 - - *retusa* B. C. retuse-leaved $\frac{1}{2}$ Δ or 4 jn.au Y N. Holl. 1830? C s.p. Bot. cab. 1983
- 29060 - - *longifolia* Paxt. long-leaved $\frac{1}{2}$ Δ or 5 jn' Y.Br W S. River 1839. C l.p.s. Pax. mag. viii. 31.
- 29061 - - *linearis* Benth. linear $\frac{1}{2}$ Δ or 2 o R S. River 1833. C p. s. Bot. mag. 3882.
C. sordida *Grah.*
1483. CALLISTE'MON.
- 29062 12693a *salignum* Dec. Willow-leaved $\frac{1}{2}$ Δ or 6 my.jl Y N. Holl. 1788. C p.1 Bot. mag. 1821
Metrosideros salignus Sm.

- 29063 12701a scaber *Lod.* scabrous 𠄎 □ or 4 jl R N. Holl. 1820. C p1 Bot. cab. 1288. 7
 29061 - - microstachyum *L.* small-spiked 𠄎 □ or 5 nr R² N. Holl. 1836? C s.p Bot. reg. 1833
 29065 - - brachyandrum *Lindl* short-stemmed 𠄎 □ or 3 o C.Y S. Austr. 1848. C s.1
 29066 - - phœniceum *Lindl.* purple 𠄎 □ or 3 mr.ap Psh S. River 1843. C s.1

3416. - - CALLITHAU' MA *W. Herb.* (*Kallos*, pretty, *thau*ma, admiration.) *Amaryllidææ*. 6.—1.
 29067 - - viridiflorum *W. H.* green flwd }
 29063 - - angustifolium *W. H.* narrow-lvd } 𠄎 □ cu 1 jn G Peru 1837. O r.m Bot. mag. 3866

28. CALLITRICHE.

- 29069 211a pedunculata *Dec.* peduncled 𠄎 O ? w 1 ap.o W Scotland dit. S aq Eng. bot. 2606
 29070 - - platycarpa *Kutz.* broad-fruited 𠄎 □ w ... my.s ... Britain Shal.Water K. icon. t. 883.—889

3417. 2693a. CA'LLITRIS *Ven.* CALLITRIS (*Kallos*, beauty; appearance.) *Coniferæ*. 1.—2.
 29071 - - cupressiformis *Ven.* Cypress-fmnd 𠄎 □ or 20 ... Ap N. Holl. 1826. S s.1
 29072 - - triquetra three-sided 𠄎 □ or ... Ap C. G. Il. 1820. S s.1
 29073 - - quadrivalvis *Vent.* four-valved 𠄎 □ or 20 liny Ap Barbary 1815. S co Bot. cab. 844
Thûja articulata Desf. No. 23662 in p. 388. *Cupressus fructu quadrivalvi* Shaw. *Thûja strôbilis tetracônis*, &c. Vail.
 There are plants at Elvaston Castle and in some of the nurseries, bearing the names of C. Fothergill, ?Cupressus Fothergill; and C. macrostachya *Hort.*

3418. 1111a. CALOCH'ORTUS *Ph.* CALOCHORTUS. (*Kalos*, handsome, *chortos*, grass.) *Liliæcææ*. 3.
 29074 - - nitidus *Don.* shining 𠄎 Δ pr 𠄎 au P Californial826. O s.p Hort. tr. 7. 9
 29075 - - macrocarpus *Dou.* long-fruited 𠄎 Δ spl 2 au P Californial826. O s.p Bot. reg. 1152
 29076 - - elegans *Ph.* elegant 𠄎 Δ pr 𠄎 in.jl W Californial826. O s.p Hort. tr. 7. 9
 29077 - - splendens *Dou.* splendid-cor 𠄎 Δ spl 1 𠄎 au.s Li Californial832 ? O s.p Bot. reg. 1675
 29078 - - venustus *Dou.* handsome-cor 𠄎 Δ spl 1 𠄎 au.s W.spt Californial832 ? O s.p Bot. reg. 1669
 29079 - - luteus *Dou.* yellow-petale 𠄎 Δ or 1 s.o Y.G.spt Californial834. O s.p Bot. reg. 1367

3419. 1727a. CALO'PHANES *D. Don.* (*Kalos*, beautiful, *phaino*, to appear; flowers.) *Acanthæcææ*
 29080 - - oblongifolia *D. Don* oblong-leaved 𠄎 Δ or 1 au B Carolina 1832. D l.p Sw. fl. gar. 2. s. 181
Ruêtha oblongifolia Michaux.

3420. - - CALOSCO'RDUM *Herb.* CALOSCORDUM. (*Kalos*, beautiful, *shordon*, garlic.) *Liliæcææ*. 6.—1.
 29081 - - nerieiflorum *Herb.* Nerine-flowered 𠄎 □ pr 𠄎 ... Pk Chusan 1843. O s.l.p Bot. reg. 1847. 5

938. CALOSTE'MMA.
 29082 7649a Cunningham's 𠄎 Δ or ... my.jn ... MoretonBay ... O s.1
 29083 - - carneum *Lindl.* flesh-cld-flwd 𠄎 Δ or 1 ap F Australia 1836. O s.p.l Bot. reg. 1840. 26

2181. CALOTHA'MNUS.
 29084 19653a Knight's Hort. Knight's 𠄎 □ or ... year S Australia 1839. C s.p

766. CALO'TROPIS. (" Literally ' beautifully twisted,' corolla [of C. gigantea]."—*Dr. Lindley.*)
 𠄎 16135 procera *R. Br.* tall 𠄎 □ or 10 ap W.psh.r P.Praya 1714. C s.l.it Bot. reg. 1792

1643. CA'LTHA.
 29085 - - biflora *Dec.* two-flowered 𠄎 Δ or 𠄎 my.jl W N. Amer. 1827. D aq
 29086 - - leptocépala *Dec.* small-sepated 𠄎 Δ or 1 my.jl W N. Amer. 1827. D aq Hook. am. 10
 29087 - - sagittata *Cav.* arrow-leaved 𠄎 Δ or 𠄎 𠄎 au.s Ysh.G Falkl. 1. 1841. D bog Bot. mag. 4056
 29088 - - Goveniána *Royle* Gowen's 𠄎 Δ or N. India 1848. D bog

- †1532. CALYCA'NTHUS *L.* ALISPICE. (*Kalyx*, calyx, *anthos*, flower; coloured calyx.) *Calycanthæcææ*.
 13703 floridus *W.* flowery, *Car. Alts.* 𠄎 fra 6 my.au Br Carolina 1726. L l.p Bot. mag. 503

- stérilis* Walt.
 1 oblongus *Ait.* oblong-leaved 𠄎 fra 6 my.au Br L l.p
 2 ovatus *Ait.* ovate-leaved 𠄎 fra 6 my.au Br L l.p
 3 asplenifolius *Lod.* Asplenium-lvd 𠄎 fra 6 my.au Br L l.p
 4 ferax *Lod.* fertile-flowered 𠄎 fra 6 my.au Br L l.p
 5 glaucus *Lod.* glaucous-leaved 𠄎 fra 6 my.au Br L l.p
 6 modorus *Lod.* nearly scentless 𠄎 fra 6 my.jn Br L l.p
 7 longifolius *Lod.* elongated-lvd 𠄎 fra 6 my.au Br L l.p
 8 variegatus *Lod.* variegated-lvd 𠄎 fra 6 my.au Br L l.p
 13704 glaucus *W.* glaucous-leaved 𠄎 fra 6 my.au Br Carolina 1726. L l.p Bot. reg. 404
fértilis Walt. No. 13704. in p. 214.
 2 oblongifolius *Nutt.* oblong-leaved 𠄎 fra 4 my.au Br N. Amer. 1820. L l.p
C. oblongifolius, No. 13706. in p. 214.
 13705 levigatus *W.* smooth-leaved 𠄎 fra 3 my.jl Br N. Amer. 1806. ... Bot. reg. 481
C. pennsylvanicus Lo. C. No. 13707 in p. 214.
 29089 - - macrophyllus *Hartweg* long-leaved 𠄎 or 6 California 1848. L l.p

707. CALY'PTRION 5822 pyrifolium *Mart.*; syn. *Anchieta pyrifolia* St. Hil.

494. CALYSTE'GIA.
 29090 4248a pubescens *Lindl.* pubescent (*oble fl.*) 𠄎 ? Δ or ? 15 jn.s Pa.Ro China 1844. R lt Bot. reg. 1846. 42

- †1495. CA'LYTHRIX *Lab.* (*Kalyx*, calyx, *thrix*, hair; terminations of calyx.) *Myrtæcææ*. 12.—
 †12833 glabra *B. Br.* glabrous-lvd 𠄎 □ or 4 ap.jn W Austrana 1818. C s.1 Bot. reg. 409
 †12834 virgata *Cun.* twiggy-bran. 𠄎 □ or 2 ap.au? W N. S. W. 1823. C s.p Bot. mag. 3323
ericoides Cun. in Field's *New South Wales*, p. 350. The specific name unsuited, being applicable to all the species of the genus. (*Cun. in Bot. Mag.*, 3323.)

- 29091 12835a scabra *Dec.* rough-lvd & bracted 𠄎 □ or 4 ap.jn W Australia 1824. C p.1
 29092 - - sapphirina *Lindl.* violet-coloured 𠄎 □ or 2 ... B S. River 1843. C s.p.1
 29093 - - aurea *Lindl.* golden-flwd 𠄎 □ or ... Go S. River 1843. C s.p.1
 29094 - - variabilis *Lindl.* changeable 𠄎 □ or ... my Li S. River 1842. C s.p.1
 29095 - - breviseta *Lindl.* short-bristled 𠄎 □ or ... Pa.Li S. River 1841. C s.p.1
 29096 - - glutinosa *Lindl.* glutinous 𠄎 □ or ... my.jl Y.P S. River ... C s.p.1
 29097 - - angulata *Lindl.* angular-stemmed 𠄎 □ or ... Y S. River 1842. C s.p.1

2548. CANAR'IDIUM 22719 ochroleucum; syn. *Cymbidium ochroleucum* Lindl. Bot. mag. 4141.

3421. -	- CAMARO'TIS Lindl.	(Kamara, chamber, ous, ear; form of labellum.)	Orchidæca. 20.—1.
29098 -	- purpûrea Lindl.	purple-flowered	£ Δ pr ½ my Pk E. Indies 1837. D p.r.w. Paxt.mag.vii.
29699 -	- obtûsa Lindl.	blunt-leaved	£ Δ obûsa ... ap.jl Ro.Y India 1844. D fûp. [25
29100 -	- brasiliënsis Lindl.	Brazilian	£ Δ cu ... su W Brazil 1838. D fûp.

3422. 1064a	CAMA'SSIA Lindl.	(Quamash or Camass, native name in N.W. America.)	6.1 Asphodèleæ. 1.—
29101 -	- esculënta Lindl.	esculent	♂ Δ or 1½ jl D.P Columbia 1827. O p Bot. reg. 1486
	M. Rafinesque, as early as 1817, had named this plant Quamásia esculënta.		See his Medical Flora, vol. ii. p. 255.

29102	18161a	hýbrida Mak.	hybrid	or	Liège	...	I	p.1
29103	18163a	maliflora Lindl.	Apple-flowered	pr 8 f.n	Pk	China	1818.	I p.1 Bot. reg. 547
		Sasánqua 2 plëna rãbra in p. 292.	C. Sasánqua rôsea Hort.					

18166 japónica

48	Reevesiana L.	Reeves's	spl 10 sp	C. Wsh	China	1829.?	I	p.1 Bot. reg. 1501
49	compacta B. C.	compact-flwd	or 4 n.f	W	Eng.sdlg.	...	I	p.1 Bot. cab. 1836
50	Donckelæri	Donckelæer's	spl 10 f.my	W.Pk	seedling	...	I	p.1 Bot. reg. t. 1854
51	rôsea G. Don	Rose-like-flwd	spl 10 f.my	Ro	China	1821.	I	p.1
52	Parksii H. Tr.	Park's	spl 10 f.my	Bt.Ro	China	...	I	p.1
53	Sabiniana H. Tr.	Sabine's	spl 10 f.my	W	China	1824.	I	p.1
54	ximîna Chandl.	choice	spl 10 f.my	Dp.Ro	seedling	...	I	p.1 Chan. ill. 12
55	Wiltoni Chandl.	Lady Wilton's	spl 10 f.my	St	seedling	...	I	p.1 Chau. ill. 23
56	Woodsii Chandl.	Wood's	spl 10 f.my	Pa R	seedling	...	I	p.1 Chan. i.1. 13
57	rôsea Chandl.	rosy-coloured	spl 10 f.my	Ri.Ro	seedling	...	I	p.1 Chan. ill. 29
58	splëndens Chandl.	splendid	spl 10 f.my	Bt.R	seedling	...	I	p.1 Chan. ill. 35
	C.j. coccinea Hort. Brit. p. 293.							
59	epsomënsis Chandl.	Epsom	spl 10 f.my	Dp.R	seedling	...	I	p.1 Chan. ill. 40
60	Knightsii Lodd.	Knight's	spl 10 f.my	S	seedling	...	I	p.1 Bot. Cab. 1463
61	Elphinstonia	Elphinstone's	spl 10 f.my	R	seedling	...	I	p.1 Chan. ill. 13
62	Susanna G. M.	S. Thompson's	spl 10 f.my	W.pk.st	seedling	...	I	p.1
63	Mártha G. M.	Martba Poole's	spl 10 f.my	Bh.pk.st	seedling	...	I	p.1
64	Wadiëna G. M.	Wadie's	spl 10 f.my	Dead W	seedling	...	I	p.1
65	Prëssii rôsea Paxt.	Press' dbl. rose	spl 10 f.my	Ro.str.garden	hyb.	...	I	p.1 Paxt. mag.v.171
66	Rôsa sinënsis Lod.	Chin. Rose	or 10 f.my	R	hybrid	...	D	p.1 Bot. cab. 1455
67	speciosa Hort. tr.	Raues' showy	spl 10 mr	Dp.R	China	1824.	I	p.1 Chan. ill. 32
68	elegans Booth	elegant	spl 10 ja	Ro	seedling	...	I	p.1 Chan. ill. 26
69	imbricata Booth	imbricated	spl 10 mr	C.R	China	1824.	I	p.1 Bot. reg. 1398
70	álba semiduplex Booth	white sem.	spl 10 mr.apw	W	China	1822.	I	p.1 Chan. ill. 33
71	concinna Booth	not	spl 10 ap	Ro	seedling	1819.	I	p.1 Chan. ill. 34
72	Colvilli Swt.	Colwill's	or 10 ap	Bh.Spot	Eng.hyb.	1824.	I	p.1 Sw. fl.gar.2.s.2
73	Sweetiana Swt.	Sweet's	or 10 f	Ro.Va	Eng.hyb.	1824.?	I	p.1 Sw.fl.gar.2.s.133
74	paoniaflora álba	paony-fld white	or 10 f.my	W	China	1820.	I	p.1
75	Bealii	Beal's	or 10 f.my	C	seedling	...	I	p.1
76	Bealii rôsea	Beal's rose-ctd.	or 10 f.my	Ro	seedling	1845.	I	p.1
77	rosafiora	rose-flwd	or 10 f.my	R	seedling	...	I	p.1
78	Cliveana	Lady H. Clive's	or 10 f.my	R	seedling	...	I	p.1
79	Egertonia	Mrs. Egerton's	or 10 f.my	R	seedling	...	I	p.1
80	Guthrieana	Guthrie's	spl 10 f.my	Dp.C	seedling	1844.	I	p.1
81	Lôwii	Low's	spl 10 f.my	Dp.Ro	seedling	1844.	I	p.1
82	centifolia	100-leaved	spl 10 f.my	Bt.C	seedling	1845.	I	p.1
83	miniata	vermilion	spl 10 f.my	Ver.W	seedling	1847.	I	p.1
84	imbricata álba	imbricated white	spl 10 f.my	W	seedling	1847.	I	p.1
85	heterophýlla	various-leaved	spl 10 f.my	R	seedling	...	I	p.1
86	radiata	single-rayed	or 10 f.my	R	seedling	...	I	p.1
87	Barnabiaz	Mrs. Barnaby's	spl 10 f.my	Pk	seedling	...	I	p.1
88	Gussonia	Mrs. Gussone's	spl 10 f.my	R	seedling	...	I	p.1
89	supina	supine	or 10 f.my	R	seedling	...	I	p.1
90	argentea	silvery	spl 10 f.my	R.W	seedling	...	I	p.1
91	Pereyæ	Des. Northumberl.	spl 10 ap	Ro	seedling	...	I	p.1
92	Woodii	Wood's	spl 10 f.my	Ro	seedling	...	I	p.1
93	Hibbertii	Hibbert's	spl 10 f.my	R	seedling	...	I	p.1
94	princeps	princely	spl 10 f.my	S	seedling	...	I	p.1
95	basilica		spl 10 f.my	R	seedling	...	I	p.1
96	Byronii	Ld. Byron's	spl 10 f.my	Ro	seedling	...	I	p.1
97	sanguinea	single-scarlet	spl 10 f.my	S	seedling	...	I	p.1
98	carnescens	flesh-cld or flwd	spl 10 f.my	F	seedling	...	I	p.1
99	sericea	silky	spl 10 f.my	Ro	seedling	...	I	p.1
100	grandis	grand	spl 10 f.my	R.W.Str	seedling	...	I	p.1
101	caryophylloides	carnation-like	spl 10 f.my	W.Ro.Str	seedling	...	I	p.1
102	optime	best	spl 10 f.my	W.C.Str	seedling	...	I	p.1
103	gigantea	gigantic	spl 10 f.my	Ro	seedling	...	I	p.1
104	purpurascens	purplish	spl 10 f.my	Psh.R	seedling	...	I	p.1
105	bicolor	two-cld-flwd	spl 10 f.my	Ro.W	seedling	...	I	p.1
106	lucida	shining	spl 10 f.my	R	seedling	...	I	p.1
107	ornata		spl 10 f.my	Pk	seedling	...	I	p.1
108	papaveracea	poppy-flwd	spl 10 f.my	R	seedling	...	I	p.1
109	rotundifolia	round-lvd	spl 10 f.my	R	seedling	...	I	p.1
110	Herbertii	Herbert's	spl 10 f.my	Ro	seedling	...	I	p.1
111	Sporforthiana	Sporforth	spl 10 f.my	W	seedling	...	I	p.1
112	Sporforthiana rôsea	Sporforth-r.c.	spl 10 f.my	Ro	seedling	...	I	p.1
113	reflexa	reflexed-petaled	spl 10 f.my	C	seedling	...	I	p.1
114	Haylockii	Haylock's	spl 10 f.my	W	seedling	...	I	p.1
115	Rothschildii	Bn. Rothschild's	spl 10 f.my	W	seedling	...	I	p.1
116	Albërtii	Prince Albert's	spl 10 f.my	R.W.Str	seedling	...	I	p.1 Paxt. mag. bot. [viii. 53
117	aëlica Lodd.	courtly	spl 10 f.my	Blush	seedling	1847.	I	p.1
118	Alcmène Herb.	Alcmena's	spl 10 f.my	Dp.Ro	seedling	1846.	I	p.1

29104	4937a	Nuttallii Penny	Nuttall's	Δ or 1 jl.o	B	N.Amer.	1829.	D	co
	4931	frágilis							
		2 hirsuta Lindl.	hairy-herbaged	Δ or 1 s	B	S. of Italy	1833.?	S	co Bot. reg. 1738
29105 -	-	Barrelieri Mar.	Barrelier's	Δ or 1 s	B	R	co Fl. mag. 1. t.12
	4536	carpatica							

	2 álba <i>A. P.</i>	white-flowered	☿	△	or	½	jn'au	W	gard.	D	co	
4937	rotundifolia												
	1 fl. pleno <i>Hort.</i>	double-flwd	☿	△	or	¼	jn.au	B	Britain	gard.	D	co	
	3 fl. álbo pl. <i>Hort.</i>	dble-white-flwd	☿	△	or	¾	jn.au	W	Britain	gard.	D	co	
29106 4965a	filifolia <i>W.</i>	Lily-leaved	☿	△	or	3	my.s	B	Siberia	1784.	D	p.1	
	<i>Adenóphora liliifolia</i> No. 4917.												
29107 -	- grándis <i>Fisch. et Mey.</i>	large	☿	△	or	3	au	P	Natolia	1842.	D	co	
4973	nitida												
	3 fl. cerúleo pl. <i>Hort.</i>	dble-blue-flwd	☿	△	or	¾	jl.s	B	D	p.1	
	4 fl. álbo pl. <i>Hort.</i>	dble-white-flwd	☿	△	or	¾	jl.s	W	D	p.1	
4975	rhombóidea												
	2 rúbra <i>J. C.</i>	red flowered	☿	△	or	1	jl.s	Rsh.Li	Switacr.	...	D	co	
	<i>C. rúbra</i> <i>Hort.</i>												
4977	latifolia												
	3 macrántha <i>A. P.</i>	long-flowered	☿	△	or	3	jl	Li	hybrid	1834.	D	co	
4978	macrántha												
	2 polýantha <i>Hook.</i>	many-flowered	☿	△	or	5	jn.jl	B	Russia	1830.	D	co	
4986	trachelioides											Bot. mag. 3347	
	7 fl. purp. pl. <i>Hort.</i>	dble-purple-flwd	☿	△	or	3	jl.s	P	D	co	
4996	glomeráta												
	3a álba eláta <i>A. P.</i>	tall white	☿	△	or	3	my.s	W	Britain	hybrid	D	co	
	5 pállida <i>A. P.</i>	pale-flowered	☿	△	or	1	my.s	Pa.Y	Britain	hybrid	D	co	
	6 lilácina <i>Hort.</i>	lilac-flowered	☿	△	or	1	my.s	Ll	Britain	hybrid	D	co	
	7 cerúlea eláta <i>A.P.</i>	tall blue	☿	△	or	3	my.s	B	Britain	hybrid	D	co	
	8 fl. pl. purpíreo	dble-purple-flwd	☿	△	or	2	my.s	Pa.P	gard.	D	co	
5019	barbáta												
	2 cyánea <i>D. Don.</i>	dark blue	☿	△	or	1	jl	B	1836.	R	p.1	
5022	Medium												
	3 fl. álbo pl. <i>Hort.</i>	dble-white-flwd	☿	○	or	3	jn.s	W	Germany	...	D	co	
	4 fl. purp. pl. <i>Hort.</i>	dble-purple-flwd	☿	○	or	3	jn.s	P	Germany	...	D	co	
29108 5054a	gargánica <i>Ten.</i>	Garganian	☿	△	?	or	½	jl.au	Pa.B	Mt.St.Ang.1830?	S	p.1	
	There is a variety with smooth leaves, and one with hairy leaves, and one with hairy leaves, and one with hairy leaves. <i>C. gargánica</i> <i>Ten.</i> comes very near to <i>C. Elátines</i> <i>L.</i> , but appears to be sufficiently distinct. — <i>D. Don.</i>												
29109 -	- murális <i>Maud</i>	wall	☿	△	?	or	½	s	B	S. Europe	1835.	R	co
29110 25022a	nóbilis <i>Lindl.</i>	noble	☿	△	?	or	4	jl.au	Pa.P.sp	China	1842.	D	lt
29111 25051a	sylvática <i>Wall.</i>	wood-inhabiting	☿	○	or	1½	jn.jl	B	Nepal	1844.	S	lt	
	<i>stricta</i> <i>Wall.</i> not of <i>L.</i> ; <i>integerrima</i> <i>Hort.</i>												

3423.	2789a.	<i>CANA'RIMUM</i> <i>L.</i>	<i>CANARIUM.</i>	(<i>Canari</i> , its name in the Malay language.)	<i>Burscracca.</i>	22.	6.						
29112 -	-	microcárpum <i>Dec.</i>	small-fruited	☿	○	or	50	...	W	Moluccas	1826.	C	p.1
29113 -	-	comúne <i>Dec.</i>	common	☿	○	or	50	...	W	Moluccas	1821.	C	p.1
29114 -	-	<i>Pimela</i> <i>Dec.</i>	<i>Pimela</i>	☿	○	or	50	...	W	China	1823.	C	p.1

1984.	<i>CANAVA'LLA.</i>											
29115 17094a	bonariénsis <i>Lindl.</i>	Buenos Ayrean	☿	△	or	10	jn.au	P	B. Ayres	1826.	C	1.p

2185.	<i>CANDO'LLA.</i>												
29116 -	-	Brunónis <i>Hüg.</i>	Brown's	☿	○	or	6	my.au	Y	Swan R.	1837.	C	s.p
29117 -	-	Hügelii <i>Endl.</i>	Hügel's	☿	○	or	6	my.au	Y	Swan R.	1837.	C	s.p
29118 -	-	tétrandra <i>Lindl.</i>	tetrandrous	☿	○	or	7	jn	Y	S. River	1842.	C	s.p.1

1.	<i>CA'NNA.</i>												
29119 -	-	Achiras <i>Gill.</i>	Achiras	☿	△	or	4½	au	D.r	Mendoza	1829.	D	r.m
29120 -	-	lagunénsis <i>Lindl.</i>	Laguna	☿	△	or	5	s	Y.	Spot Laguna	1828.	D	r.m
29121	5a	discolor <i>Lindl.</i>	various-cld. <i>Jvd</i>	☿	△	or	10	u	S	Trinidad	1827.	R	m
29122	32a	Recevsii <i>Lindl.</i>	Reeves's	☿	△	or	5	my	Y	China	1835.	R	m
	33	glauca											
	3	rúbro-lútea <i>Hook.</i>	yel. and red	☿	△	or	4½	au	Y.r	Jamaica	1834?	D	r.m

3424.	499b.	<i>CA'NTUA</i> <i>Juss.</i>	<i>CANTUA.</i>	(<i>Cantu</i> , the Peruvian name of one of the species.)	<i>Polemoniáceæ.</i>	5.	—2.						
29123 -	-	pyrifolia <i>Juss.</i>	pear-leaved	☿	○	or	3?	mr	Crea	Peru	1846.	C	s.p
		<i>Periphragmos flexuosus</i> Ruiz et Pav.;	<i>P. pyrifolia</i> <i>Hort.</i>										
29124 -	-	bicolor	two-coloured	☿	○	or	4	my	R.v	Peru	1846.	C	s.p.1

1539.	<i>CA'PPARIS.</i>											
29125 13747a	petáta <i>Lock.</i>	peltate-leaved	☿	○	or	6	Trinidad	1827.	C	p.1
29126 13721a	chinénsis <i>G. Don.</i>	Chinese	☿	○	or	4	jn.au	W	S. Amer.	1827.	C	s.1

1803.	<i>CAPRA'RIA.</i>	Nos. 16014 and 16015 in p. 252. are species of <i>Freylinia</i> <i>G. Don.</i>
-------	-------------------	--

621.	<i>CAPRIFO'LIUM.</i>												
5209	dioicium <i>R. & S.</i>	<i>syn. parviflorum</i> <i>Ph.</i> ; <i>bracteosum</i> <i>Mx.</i> ; <i>media</i> <i>Murr.</i> ; <i>glacum</i> <i>Mench.</i>											
5210	sempervirens <i>R. & S.</i>												
	3 májor <i>Ait.</i>	larger-flwd	☿	○	or	20	my.au	S	C	s.p	
	4 Brównii <i>Gordon</i>	Brown's	☿	○	or	20	my.au	Bt.S	C	s.p	
29127 5213a	Douglásii <i>Lindl.</i>	Douglas's	☿	○	or	20	jl.s	O	N. Amer.	1824.	C	co	
5215	impléxum												
	2 baleáricum <i>Viv.</i>	Baleaic	☿	○	or	8	jn.s	Crea	'Minorca	...	C	s.1	
	<i>C. baleáricum</i> <i>Dum.</i>	<i>Lonicera baleárica</i> <i>Dec.</i>	<i>L. Caprifolium</i> <i>Desf.</i>										
29128 5213b	hispidulum <i>Lindl.</i>	rather hispid	☿	☿	or	...	jl	Ro	N.W.Amer.	1827.	C	p.1	
29129 -	-	occidentále <i>Lindl.</i>	western	☿	○	or	20	jn.au	O Ft.	Vancouver	1824.	C	co
5213	hirsutum <i>Dens.</i>	hairy-leaved	☿	○	or	20	my.jn	Y	Canada	1822.	C	co	

5217	<i>Lonicera hirsuta</i> <i>Hooker</i> in <i>Curt. bot. mag.</i> 3103.												
5218	<i>Lonicera R. & S.</i> <i>Syn. Lonicera confusa</i> <i>Dec.</i> ; <i>Nintoda confusa</i> <i>Swt. H. B.</i> ed. 2.												
5219	<i>Nepalénsis G. Don.</i> <i>Syn. Nintoda longiflora</i> <i>G. Don.</i> ; <i>C. japonicum</i> <i>Dec.</i>												
5219	chinénsis <i>Wats.</i> Additional <i>syn. Lonicera japonica</i> <i>Thunb.</i> ; <i>Nintoda japonica</i> <i>Swt. H. B.</i> ed. 2.												
29130 -	-	tubulosum <i>Benth.</i>	tubulose	☿	○	or	S	Mexico	1846.	C	co

593.	<i>CA'PUSICUM.</i>												
29131 -	-	ustulatum <i>Paxt.</i>	burnt	☿	○	or	1½	n	W	Chile	1837.	S	1
29132 4860a	tomatífóme <i>Fing.</i>	tomato-shaped	☿	○	or	1½	jl	Wsh	S	s.1	

29131 -	-	ustulatum <i>Paxt.</i>	burnt	☿	○	or	1½	n	W	Chile	1837.	S	1
29132 4860a	tomatífóme <i>Fing.</i>	tomato-shaped	☿	○	or	1½	jl	Wsh	S	s.1	

2091. *CARAGANA*.
 18809 frutescens
 1 latifolia Dec. broad-leafleted 或 or 6 ap.my Y L co
 2 angustifolia A. B. narrow-leafleted 或 or 6 ap.my Y Odessa ... L co
 18810 Redóvski
 2 præcox Fis. early 或 or 3 ap Y G co
 18813 pygmaea
 2 arenaria Fis. sand 或 or 1 ap.my Y Sk s.l
 29133 - Gerardiana Gerard's 或 or ... Himalayas 1839. G co [K. & P.]
 29134 - triflora Lindl. three-flowered 或 or ... Gsh.Y ... ?1847. L co
792. *CARALLUM*.
 29135 6334a fimbriata Wal. fringed 或 cu ½ aut Pa.Y E. Indies 1829. C s.l Wal.pl. as. ra. 8
 29136 - crenulata Wal. erenulated 或 cu ½ aut Pa.Y E. Indies 1829. C s.l Wal.pl. as. ra. 7
Bouccerdia crenulata G. Don.
1217. *CARDIOSPERMUM*.
 29137 10336a canescens Wal. hoary 或 or 20 all sea Gsh.W E. Indies 1828. S l.p Wal.pl. as. ra. 11
1829. *CARDA*MINE 16195 pratensis
 3 plena alba A. P. dblc-white-flwd 或 or 1 ap.my W gardens ... D m.s
2241. *CARDUUS* 20277 leucographus L.; syn. *Trimnus leucographus* Dec.
 29138 20282a alpinus Dec. allied 或 or jl.au P Naples 1830. D co
 29139 20282b myriacanthus Dec. 1000-spined 或 or jl.au P N. Africa 1836. S co
2599. *CAREX*.
 29140 - podocarpa R. Br. fruit-stalked 或 cu 2 jn.jl Br N. Amer. 1827. D p
 29141 - Vahl's Vahl's 或 cu 2 au Br Scotland mound. D p Eng. bot. 2656
 29142 23014a depauperata Good. few-flowered 或 cu 1 my.jn Ap Eng. dr.wo D s.l Eng. bot. 1098
 29143 - nigra All. black 或 un ... my.jn Ap Italy 1818. Sk bog
 29144 - frigida All. frigid 或 un ... my.jn Ap Switzer. 1818. Sk bog Schk. car. 58
 29145 - baldensis Spr. Mt. Baldo 或 un my.jl Ap Mt. Baldo 1829. Sk bog
 29146 - diluta Bieb. diluted 或 un jn.jl Ap Caucasus 1836. Sk bog
 29147 - leontochuca Mey. smooth-beaked 或 un jn.jl Ap Caucasus 1836. Sk bog
 29148 - oligocarpa W. few-seeded 或 un my.jl Ap N. Amer. 1825. Sk bog
 29149 - corsica Otto Corsican 或 un jn Ap Corsica 1825. Sk bog
 29150 - eriophora F. wool-bearing 或 un jn Ap Dahuria 1828. Sk bog
 29151 - Bonninghausiana Weihe Bnhause's 或 un 1½ jn Ap England ... Sk bog Eng. bot. 2910
 29152 - punctata Gaud. spotted 或 un 1½ jn Ap England ... Sk bog
 22992 phaeostachya Sm. Syn. *vaginata* Tausch. E. B. t. 2731.
 29153 - irrigua Hartm. well watered 或 un 1 ju Ap Eng. Scot. Spr. bogs Sk bog
 †23003 vulgaris Fries common 或 un 1½ my.jn Ap Britain bogs Sk bog Eng. bot. 1507
caespitosa Hort. Brit. 23003 in p. 377, but not of Linnaeus, as there stated, *Goodenovia Gay and Bab.*
 29154 - Grahami Boott. Graham's 或 un ... my.jn Ap ?England bogs Sk bog Eng. bot. 2923
 29155 - Hailstoni Hailstone's 或 un ½ my.jn Ap England bogs Sk bog
 29156 - montana L. mountain 或 un ½ my.jn Ap England mound Sk bog Eng. bot. 2924
2327. *CARPESIUM* 21000 cernuum L. ?Syn. *pubescens* Wall. Cat. no. 3199.
 29157 - torulosum F. twisted 或 un ... jn.au Y Siberia 1823. D co
 29158 - Wulfenianum Schreb. Wulfen's 或 un ... jn.au Y Siberia 1829. S co
2661. *CARPINUS* 23383 Bétulus
 5 aurea variegata golden var.-lvd 或 or 20 mr.my Ap 1845. G l [K. & P.]
859. *CARUM*.
 No. 6811 of Sison belongs to this genus.
2665. *CARYA* 23399 tomentosa
 2 maxima Nut. greatest-fruited 或 tm 60 ap.my Ap N. Amer. ... G co
- CASSA*'NDRA. See *ERRA*. * * *
3125. 2901f. *CASSEBEE*'RA Kauf. *CASSEBEE*RA. *Cryptogamia Filices*. 24—1.
 29159 - farinosa J. Sm. mealy 或 or 1½ jn.jl Br.Y Nepal 1840. D p.l H. and G. ic. fil. 134
 Pteris farinosa Swz., *Chelidanthus farinosa* Hook. and Grev. ic. fil. t. 134.
 29160 - triphylla Kauf. three-leaved 或 or ... my.au Br I. of Luzon 1842. D p.l
 29161 - inframarginalis J. Sm. marg. beneath 或 or ... my.au Br Mexico 1841. D p.l
 29162 - pinnata Kauf. pinnated 或 or ... ap.jl Br ... D p.l
 29163 - cuneata J. Sm. wedge-shpd.-lvd 或 or ... Br Mexico 1831. D p.l
Chelidanthus cuneata Lk. and Otto.
 Also Nos. 25495, 25497, and 25510, of the genus *Pteris* in pp. 420—1.
3426. 21759a. *CASSELIA* Nees von E. *CASSELIA*. (Derivation not known.) *Verbenacæ*.
 29164 - integrifolia N. von E. entire-lvdr 或 or Pa. Li W Brazil 1843. C s.p.l Paxt. m. xv. 75
Duranta Fischeri Mart.
1271. *CASSIA*.
 †10779 glandulosa L. glanded 或 or 5 jn.au Y W. Indies 1822. S p.l Bot. mag. 3135
 Sir W. J. Hooker has noted that he quite believes this to be the glandulosa L.; but he has queried its identity with the glandulosa of Dec. *Prodr.* and *Spreng. Syst.*
 29165 - Flindersi Ait. Flinders's 或 or ... N. S. W. 1818. C p.l
 29166 10690a Herbentiana Lindl. Herbert's 或 or 9 n Y Barbadoes 1828? S l.p Bot. reg. 1422
 29167 - brevifolia Lam. short-lvced 或 or ... jn.jl Y Madagas. 1824. S s.l
2465. *CASSIPU*A R. Br.
 29168 - speciosa Ait. showy 或 or ... jn.au ... N. S. W. ... D l.p
- CASSI*-OPE. See *ERRA*. * * *
2659. *CASTA*'NEA.
 29169 - indica Rox. Indian 或 or 40 ... E. Indies 1827.
 23377 vesca
 †2 asplenifolia Lo. C. Asplen-lvd 或 tm 50 my.jn G Europe ... L co
C. heterophylla laciniata and *salicifolia* Hort.

3	coehleata L.o. C.	spiral	Y	or ...	my.jn G	L	co	
4	glabra L.o. C.	smooth- <i>lvd</i>	Y	or ...	my.jn G	L	co	
		C. v. <i>foliis lucidis</i> Hort.								
5	glauca A. B.	glauous- <i>lvd</i>	Y	or ...	my.jn G	L	co	
6	variegata A. B.	varieg- <i>lvd</i>	Y	or ...	my.jn G	L	co	
		C. v. <i>foliis aureis</i> L.o. C.								
7	americana A. B.	American	Y	or ...	my.jn G	L	co	
		C. <i>vesca</i> Mx.								
8	pumila	dwarf	Y	or ...	my.jn G	1846.	G	1 [K. and P.]	
9	lucida	shining- <i>lvd</i>	Y	or ...	my.jn G	1846.	G	1 [K. and P.]	
10	Princei	Prince's	Y	or ...	my.jn G	1846.	G	1 [K. and P.]	
11	corallina variegata		Y	or ...	my.jn G	1846.	G	1 [K. and P.]	
12	ecullata	hooded	Y	or ...	my.jn G	1846.	G	1 [K. and P.]	
29170	- chrysophylla	golden- <i>lvd</i>	? or	?Mexico'	1848.	L	co [G. G.]	
3427. 1269a.	CASTANOSPERMUM Cum.	MORETON BAY CHESTNUT. (<i>Castanea</i> , chestnut, <i>sperma</i> , seed.) <i>Leg.</i>								
29171	- australe Cum.	southern	Y	fr 40	... Saf	N. Holl.	1828.	L	1 Bot. mis. 51, 52	
3428. 2793b.	CASTELLA Turp.	CASTELA.								
29172	- Nicholsoni G. Don	Nicholson's	Y	or Cop	Antigua	1830.	C	Lp Hk. bot. misc. 1 54	
		C. <i>Claveringi</i> Lindl. No. 22653 in p. 370.								
1767.	CASTILLEJA.									
29173 15750a	serrata Hort.	serrated	Y	pr 1	my.jn B	1829.	C	c.p	
2232.	CATANANCHE	20213 caerulea								
	2 bicolor Penny	two-coloured	Y	Δ or 3	jl.o	W.B	gardens	1827.	D	co
†2530.	CATASETUM Rich.	FEELER-WORT. (<i>Kata</i> , downward, <i>seta</i> , a bristle; two horns of col.) <i>Orchid</i> 20								
29174	- maculatum Kth.	spotted- <i>flvd</i>	Y	or 3	aut	G.P.sp	N. Gren.	1836.	D	fib.p Bot. reg. 1840. 62
	2 integerrimum	very entire- <i>lipped</i>	Y	or 3	aut	G.P.sp	Mexico	D	fib.p Bot. mag. 3823
29175	- serratum Lindl.	serrated- <i>lipped</i>	Y	or ...	aut	Pa. G.Y	Panama	1814.	D	fib.p
22652	tridentatum Hook.	three-toothed	Y	or 2	jl.au	Y.Br	Trinidad	1822.	D	fib.p Hook. ex. fl. 90
	2 Claveringi	Capt. Clavering's	Y	or 2	jl.au	Y.Br	Brazil	1822.	D	fib.p Bot. reg. 840
		C. <i>Claveringi</i> Lindl. No. 22653 in p. 370.								
3	macrocarpum	large-fruited	Y	or 2	aut	Y.P	Brazil	D	fib.p
4	floribundum	bundle- <i>flvd</i>	Y	or 2	n	Y.Br	Trinidad	1824.	D	fib.p Hook. ex. fl. 151
		C. <i>Floribundum</i> Hook. No. 22654 in p. 370.								
		<i>Monachanthus viridis</i> Lindl. bot. reg. 1792.								
5	atropurpureum	dark-purple- <i>flvd</i>	Y	or 2	aut	Dk.P	Demerara	..	D	fib.p
6	aureum	golden- <i>flvd</i>	Y	or 2	aut	Y	Demerara	..	D	fib.p
7	viridiflorum	green- <i>flvd</i>	Y	or 2	aut	G	Demerara	..	D	fib.p
22655	Hookeri Lindl.	Sir W.J. Hooker's	Y	or 1	½ n	Y.P	Brazil	1816.	D	fib.p
22656	cristatum Lindl.	crested	Y	or 2	aut	G.w.P	Brazil	1823.	D	fib.p Bot. reg. 966
		<i>Myanthus cristatus</i> .								
22657	semiapertum Hook.	half open	Y	or 1	n	Y.G	Brazil	1826.	D	fib.p Bot. reg. 1708
		<i>inapertum</i> Hook. ex. fl. 213.								
29176	- luridum Lindl.	lurid	Y	or 1	w	G.v.Br	Brazil	1832.	D	fib.p Bot. reg. 1667
29177	- pium N. v. E.	pure	Y	or 1	w	Y.G	Brazil	1824.	D	fib.p Bot. mag. 3388
29178	- Milleri Lodd.	Miller's	Y	or 2	w	G.S. sp	Brazil	1837.	D	fib.p
29179	- roseo-album Lindl.	rose- <i>fld.</i> & w. <i>fld.</i>	Y	or 2	su. aut	R.W	Para	1836.	D	fib.p Bot. mag. 3796
		<i>Monachanthus roseo-almus</i> Hook. bot. mag. 3796.								
29180	- globiflora Hook.	globe- <i>flvd</i>	Y	or 1	w	Ol.Br	Brazil	1840.	D	fib.p Bot. mag. 3912
29181	- Waillesi Hook.	Wailles'	Y	or 1	w	G	Honduras	1840.	D	fib.p Bot. mag. 3937
29182	- viridi-flavum Hook.	greenish-yellow	Y	or 1	w	G.Y	Brazil	1842.	D	fib.p Bot. mag. 4017
29183	- ochraceum Lindl.	ochraceous	Y	or ...	w	Och	Mexico	1843.	D	fib.p
29184	- atratum Lindl.	dark- <i>flvd</i>	Y	or 1	a.us	P.G	Brazil	1837.	D	fib.p Bot. reg. 1838. 63
29185	- discolor Lindl.	two-coloured	Y	or 1	w	P.Y	Demerara	1834.	D	fib.p Bot. reg. 1735
		<i>Monachanthus discolor</i> Lindl.								
2	viridiflorum	green- <i>flvd</i>	Y	or 1	aut	G	Demerara	..	D	fib.p Bot. mag. 3601
3	fimbriatum	fringed- <i>lipped</i>	Y	or 1	aut	G.W	Pernamb.	1837.	D	fib.p Bot. mag. 3768
		<i>Monachanthus fimbriatus</i> Gard. MSS.								
4	Bushnani	Bushman's	Y	or 1	aut	Y.G	Demerara	...	D	fib.p Bot. mag. 3832
29186	- longifolium Lindl.	long-leaved	Y	or 2	aut	Y.R	Mexico	1839.	D	fib.p Bot. mag. 3819
		<i>Monachanthus longifolius</i> Hook. Bot. mag. 3819.								
29187	- fuliginosum Lindl.	sooty	Y	or ...	aut	G.P	Mexico	1839.	D	fib.p
29188	- Russellianum Hk. D. of Bedford's		Y	or 3	aut	G.S	Guatemala	1838.	D	fib.p Bot. mag. 3777
		<i>Mormodes Russelliana</i> Lindl.								
29189	- proboscideum Lindl.	long-snouted	Y	or ...	su	Br.G	Demerara	1839.	D	fib.p
29190	- cernuum Lindl.	drooping	Y	or 1	½ su	P.G	Rio Jan.	1832.	D	fib.p Bot. reg. 1721
		<i>trifidum</i> Hook. Bot. mag. 3262.								
29191	- barbatum Lindl.	bearded	Y	or 3	sp	G.P	Demerara	1834.	D	fib.p Bot. reg. 1778
2	labello albo	white- <i>lipped</i>	Y	or 3	sp	G.W	Demerara	1835.	D	fib.p Bot. mag. 3514
3	immaculatum	spotless	Y	or 3	sp	G.P	Demerara	1835.	D	fib.p Fl. cab. 37
29192	- cornutum Lindl.	horned	Y	or ...	sp.su	G.P.v	Demerara	1840.	D	fib.p Bot. reg. 1841. 5, 2
		<i>Myanthus cornutum</i> Lindl.								
29193	- naso Lindl.	nose-like- <i>lipped</i>	Y	or ...	jl.au	Pk.C.P.s	Mexico	1842.	D	fib.p
29194	- planiceps Lindl.	flat-headed	Y	or 1	su	G	Y Span. Main	1840.	D	fib.p Bot. reg. 1843. 9
29195	- tabulata Lindl.	table-formed	Y	or	P.G	Guatemala	1843.	D	fib.p
29196	- abruptum Hook.	blunt- <i>lipped</i>	Y	or 1	su	G	S. Amer.	1842.	D	fib.p Bot. mag. 3929
29197	- lanceiferum Lindl.	lance-bearing	Y	or ...	sp.su	P.G	Brazil	1839.	D	fib.p Bot. reg. 1841. 5. 5
29198	- deltoidicum Lindl.	deltoid- <i>lipped</i>	Y	or 1	½ aut	D.G.P	Demerara	1835.	D	fib.p Bot. reg. 1896
		<i>Myanthus deltoidicum</i> Lindl.								
29199	- saccatum Lindl.	saccate	Y	or ...	su. aut	G.P.w	Demerara	1810.	D	fib.p
		<i>Myanthus saccatum</i> Lindl.								
29200	- laminatum Lindl.	laminated	Y	or ...	su	G.P	Mexico	1839.	D	fib.p Sert. Orchid. t. 30
		<i>Myanthus laminatum</i> Hort.								
2	eburneum	ivory- <i>lipped</i>	Y	or ...	su	W.G	Mexico	1839.	D	fib.p Bot. reg. 1841. 5. 4
29201	- trulla Lindl.	trowel- <i>lipped</i>	Y	or ...	aut	G.Br.P	S. Amer.	1840.	D	fib.p Bot. reg. 1841. 34
29202	- poriferum Lindl.	pore-bearing	Y	or ...	aut	P.G	Demerara	1837.	D	fib.p
29203	- spinosum Lindl.	spiny- <i>lipped</i>	Y	or 1	aut	G.Br	Brazil	1840.	D	fib.p Bot. mag. 3802
		<i>Myanthus spinosus</i> Hook.								
29204	- caldsum Lindl.	callose	Y	or 1	aut	Rsh. Br. G	LaGuayra	...	D	fib.p
	2 grandiflorum	great- <i>flvd</i>	Y	or 1	aut	G.Rsh. P	Columbia	...	D	fib.p Bot. mag. 4219
381.	CATESBEA.									
29205	- Lindeniana	Linden's	Y	or 2	su	C	p.l [K. and P.]

3429. 710a *CATHA* Lindl. CATHA. (*Catha*, an Arabic name.) *Rhamnaceæ*. 5.—1.
 29206 - *paniculata* Lindl. panicked $\frac{\text{♂}}{\text{♀}}$ or 3 my jn Gsb E. Indies 1841. C s.p.l
 To this genus belong also, Nos. 5457 to 5464, inclusive, in p. 83.
- †2553. CATTLE'YA Lindl. CATTLEYA. (*W. Catley*, member of the London Hort. Soc.) *Orchidaceæ*. 20.—1
 22726 labiata Lindl. dark lipped $\frac{\text{♀}}{\text{♂}}$ spl 1 jl.au V S. Amer. 1818. D fib.p Lindl. col. 33
 2 atrosanguinea dark-red $\frac{\text{♀}}{\text{♂}}$ spl 1 jl.au Dk.R S. Amer. ... D fib.p Paxt.mag.vii. 73
 3 Mossiæ Mrs. Moss's $\frac{\text{♀}}{\text{♂}}$ spl 1 jn.au V La Guayra 1836. D fib.p Bot. mag. 3669
 29207 - Lemoniâna Lindl. Sir C. Lemon's $\frac{\text{♀}}{\text{♂}}$ spl $\frac{2}{3}$ aut Pa.ro.y Brazil 1842. D fib.p Bot. reg. 1846.35
labiata var. *Lemoniâna* Booth.
- 29208 - lobata Lindl. lobed pet. & lip. $\frac{\text{♀}}{\text{♂}}$ or ... P.v.C.veins Brazil 1847. D fib.p
 22727 Loddigesiâ Lindl. Loddiges's $\frac{\text{♀}}{\text{♂}}$ el 1 jn.au V S. Amer. 1815. D fib.p Hook. ex. fl. 186
Epidendrum violaceum Lodd. bot. cab. 337.
- 29209 - intermedia Hook. intermediate $\frac{\text{♀}}{\text{♂}}$ or 1 su Ro.w Brazil 1824. D fib.p Bot. mag. 2851
 2 pallida $\frac{\text{♀}}{\text{♂}}$ or 1 su Pa.R Brazil 1835. D fib.p Bot. reg. 1919
 3 angustifolia narrow-leaved $\frac{\text{♀}}{\text{♂}}$ or 1 aut Li.P Brazil 1836. D fib.p Bot. mag. 3711
Perrinii Lindl. Bot. veg. 1838. t. 2; *Levia Perrinii* Bate.
- 22728 Forbessi Lindl. Forbes's $\frac{\text{♀}}{\text{♂}}$ or $\frac{2}{3}$ aut Pk. S. Amer. 1823. D fib.p Bot. reg. 4085
 29210 - Harrisoni Bate. Harrison's $\frac{\text{♀}}{\text{♂}}$ or 1 su.aut V.W Guiana 1825. D fib.p
Loddigesiâ β *violacea* Hort.
- 29211 - superba Lindl. superb $\frac{\text{♀}}{\text{♂}}$ spl 1 aut Ro.C Guiana 1838. D fib.p Bot. mag. 4083
Schombürgkii Lo. C. *Orchid.* No. 434.
- 29212 - bicolor Lindl. two-coloured $\frac{\text{♀}}{\text{♂}}$ or 1 su.aut O.V S. Amer. 1837. D fib.p
guttata 2 *Russelliâna*. Bot. mag. 3693.
 29213 - guttata Lindl. spotted-flwd $\frac{\text{♀}}{\text{♂}}$ or 1 su.aut Var.G Brazil 1827. D fib.p Bot. reg. 1406
 2 elatior taller $\frac{\text{♀}}{\text{♂}}$ or ... su.aut ... Brazil ... D fib.p
 29214 - Aclandæ Lindl. Lady Acland's $\frac{\text{♀}}{\text{♂}}$ or $\frac{1}{2}$ jl.au P.G Brazil 1839. D fib.p Bot. reg. 1840.43
 29215 - granubsa Lindl. granulated-lpd $\frac{\text{♀}}{\text{♂}}$ or 1 su Var Guatemala 1836. D fib.p
 2 *Russelliâna* *D. of Bedford's* $\frac{\text{♀}}{\text{♂}}$ or 1 su E.w.o Pariba ... D fib.p Bot. reg. 1845.59
 29216 - Skinneri Bate. Skinner's $\frac{\text{♀}}{\text{♂}}$ spl $\frac{1}{2}$ aut Ro Guatemala 1836. D fib.p Bot. mag. 4270
 2 atrorosea dark rose-*old* $\frac{\text{♀}}{\text{♂}}$ sp $\frac{1}{2}$ aut Dk.ro Guatemala 1836. D fib.p
 29217 - odoratissima Bate. sweetest $\frac{\text{♀}}{\text{♂}}$ fra ... aut P Demerara 1836. D fib.p
 29218 - pumila Hook. dwarf $\frac{\text{♀}}{\text{♂}}$ or ... aut Ro.pk Essequibo 1836. D fib.p Bot. mag. 3656
 29219 - bulbosa Lindl. bulbous $\frac{\text{♀}}{\text{♂}}$ or $\frac{1}{2}$ spr Li.C Brazil 1846. D fib.p Bot. reg. 1847.42
 29220 - citrina Lindl. citron-*old*-flwd $\frac{\text{♀}}{\text{♂}}$ or ... spr Ci.C Mexico 1835. D fib.p Bot. mag. 3742
 29221 - crispa Lindl. curled-flwd $\frac{\text{♀}}{\text{♂}}$ spl 1 aut W.pk Rio Jan. 1826. D fib.p Bot. reg. 1172
 29222 - Walkeriana Gard. Walker's $\frac{\text{♀}}{\text{♂}}$ or ... spr Li.C Brazil ... D fib.p
 29223 - maxima Lindl. largest $\frac{\text{♀}}{\text{♂}}$ spl $\frac{1}{2}$ spr Li.P Colombia 1843. D fib.p Bot. reg. 1846. 1
 29224 - maritima Lindl. sea-side $\frac{\text{♀}}{\text{♂}}$ or ... Li.W B. Ayres ... D fib.p
 29225 - Aremburgi Lindl. Count Aremburg's $\frac{\text{♀}}{\text{♂}}$ or ... spr Li.P Brazil 1843. D fib.p
 29226 - candida Lo. C. white-flwd $\frac{\text{♀}}{\text{♂}}$ or ... W Brazil 1838. D fib.p
 29227 - marginata Paxt. margined $\frac{\text{♀}}{\text{♂}}$ or ... su. Li.C Mexico 1842. D fib.p Paxt.mag.10.265
668. CEANO'THUS.
 5500 azdreus
- 29228 - 2 flore albo Hort. white-flwd $\frac{\text{♂}}{\text{♀}}$ or 10 ap W ... C p.l
 - collinus Dou. hill $\frac{\text{♂}}{\text{♀}}$ or 1 mrs. Li N. Amer. 1827. C p.l Bir. bot. g. 13
Douglasi Don.
- 29229 5500a pallidus Lindl. pale $\frac{\text{♂}}{\text{♀}}$ or 10 su Pa.B N. Amer. ... C co Bot. reg. 1840.20
azdreus pallidus Hort., *intermedius* Hort.
- 29230 - divaricatus Nutt. divaricate $\frac{\text{♂}}{\text{♀}}$ or 4 ... B California 1842. C l.p
 29231 - thyrsoïdus Eschsch. thyrse-bearing $\frac{\text{♂}}{\text{♀}}$ or 6 my B California ... C co Bot. reg. 1844.33
divaricatus Hort., not of Nutt.
- 29232 - dentatus toothed $\frac{\text{♂}}{\text{♀}}$ or 3 ... B California 1848. C co
 29233 - rigidus stiff $\frac{\text{♂}}{\text{♀}}$ or 4 ... B California 1848. C co
 29234 - papillosus papillose $\frac{\text{♂}}{\text{♀}}$ or 8 ... B California 1848. C co
 29235 - cuneatus Doug. wedge-shaped $\frac{\text{♂}}{\text{♀}}$ or 4 ... California 1848. C co
 Nos. 5491 and 5494 in p. 84 are species of *Scditia* Brongniart.
690. CEDRE'LA.
 29236 - australis Ait. southern $\frac{\text{♂}}{\text{♀}}$ or ... N.S.W. 1823. C p.l
3430. - CEDRONE'LLA March. CEDRONELLA. (A diminutive of *Kedros*, the cedar.) *Lamiaceæ*. 14.—1.
 29237 - pallida Lindl. pale-flwd $\frac{\text{♂}}{\text{♀}}$ or $\frac{1}{2}$ o Pa.D.I.R N.Mex. 1845. S lt Bot. reg. 1846.29
 Nos. 15196 and 15201 also belong to this genus.
2658. CE'DRUS 23636 Libani
 2 fol. argenteis A.B. silvery-lvd $\frac{\text{♂}}{\text{♀}}$ or 80 my Ap ... C s.l
 3 nana A.B. dwarf $\frac{\text{♂}}{\text{♀}}$ or ... Ap ... L s.l
 29238 - africanus Gordon Mt. Atlas Cedar $\frac{\text{♂}}{\text{♀}}$ or ... my Ap Mt. Atlas 1843. G.S s.l
elegans Hort., *argenteus* Hort.
662. CELA'STRUS.
 29239 5440a rostratus Dec. beaked $\frac{\text{♂}}{\text{♀}}$ or ... my.ju W C. G. H. 1821. C s.p
 5448 trygnus Lam. Syn. *obtusifolius* Dec. box-thorn-like $\frac{\text{♂}}{\text{♀}}$ or ... aus. W Canaries 1821. C s.p
 29240 5447a lycioides Dec. large fruited $\frac{\text{♂}}{\text{♀}}$ or ... W Peru 1826. C s.p
 29241 5442a macrocarpus Dec.
735. CELO'SIA.
 †6004 coccinea L. scarlet-*in*flor. $\frac{\text{♂}}{\text{♀}}$ or 5 jn.s S China 1597. S r.m Bot. reg. 1834
1812. CE'LSIA.
 29242 - heterophylla Pers. various-leaved $\frac{\text{♂}}{\text{♀}}$ or ... jl.s Ysh .. 1829. S co
2870. CE'LTIS.
 29243 - canescens H. & B. hoary $\frac{\text{♂}}{\text{♀}}$? or 40 .. G Mexico 1840. S co
Spônia canescens H. & B.
 Nos. 25075 to 25081 inclusive; syn. *Spônia* sps. Commers.
2434. CENTAURE'A.
 29244 - arguta Nees sharp-notched $\frac{\text{♂}}{\text{♀}}$ or ... jl.s Str Canaries 1829. S s.l
 29245 - pulchra Lindl. beautiful $\frac{\text{♂}}{\text{♀}}$ or 1 jn B.C Cashmere 1838. S co Bot. reg. 1840.28
 22167 *Crupina* L.; syn. *Crupina vulgaris* Cass.

- 29246 - - polchĕlla Dec. neat ○ nr 2 jn.jl P Persia 1836. S en
 29247 - - chilĕnsis Dec. (hiliān ○ or 1½ jn.jl I J Chili 1836. S co
 29248 - - Kartschiāna Dec. Kartschi's ½ Δ or 2 jn.au P Caroliā 1836. D co
 29249 - - Weidmanniāna F. & M. Weidmann's ½ Δ or 2 jl.au Rō Natoliā 1836. D co
 29250 - - squarrosa Dec. squarrose ½ Δ or 1½ jl.au P Persia 1836. D co
 29251 - - fuscāta Dec. brownish ○ or jl.au Y Sardinia 1830. S co
 29252 - - Torrediāna Dec. Torre's ○ or 1½ jl.au P Naples 1830. S co
 Nos. 22163, 22166, 22168, 22169, 22223, and 22224 are referred to the genus *Amberbōa* Dec.
3431. 1362a. CENTRADEŅIA G. Don. (*Kentron*, spur, *adĕn*, gland; append. to anthers.) *Melastomācĕe*.
 29253 - - rōsea Lindl. rose-coloured ½ □ pr 1 ja W Mexico 1840. C s.p. Bot. reg. 1843. 20.
Doncklĕaria diversifolia of some of the London nurseries.
3432. 2543c. CENTRANTHEŅRA Lindl. CENTRANTHERA. (*Kentron*, a spur, *anthera*, a flower.) *Orchidācĕe*. 20.—i
 29254 - - punctāta Lindl. spotted-flwd. ½ □ cu ... su Spot Brazil 1840. D fib. p
3433. 2411a. CENTROCARPHA D. Don. (*Kentron*, sharp point, *karphe*, chaff; paleae bristly.) 19.3. *Comp. Helic*. 7
 29255 - - subtomēdosa D. Don rather downy ½ Δ or 3 au.s Y N. Amer. 1802. D co
 29256 - - triloba D. Don three-lobed ○ or 4 au.s Y N. Amer. 1699. S co
Rudbeckia triloba L.
 29257 - - hĕrta D. Don hairy ½ Δ or 2 jn.n Y N. Amer. 1714. D co Sw. fl. gar. 82
Rudbeckia hĕrta Sw. fl. gar.
 29258 - - fulgida D. Don fulgid ½ Δ or 2 jl.au Y N. Amer. 1760. D co Bot. mag. 1996
 29259 - - chrysmēla D. Don yell. & dark flwd ½ Δ or 2 jls Y S. Amer. 1821. D co
acutifolia Swt's. hort. brit. ed. 2. p. 310. *Rudbeckia Newmāni* Hort. Loudon's hort. brit. p. 358.
 29260 - - chrysantha Dens. yellow-flwd ½ Δ or 2 jls Y gardens ... D co
 29261 - - spatulata D. Don spatulate-lobed ½ Δ or 2 au.n Y N. Amer. 1825. D p.1
 29262 - - gracilis D. Don slender ½ Δ or 1 au.n Y N. Amer. 1825. D p.1
 29262 - - vādula D. Don rasp ○ or ... jl.au Y Georgia 1825. S co
Rudbeckia vādula Ph.
 29263 - - grandiflora Swt. great-flowered ½ Δ or 3½ s Y N. Amer. 1830. D co Sw. fl. gar. 2 s. 87
Rudbeckia nudicatĕis Nut. not of others.
 29264 - - moschāta J. C. musk-scented ½ Δ or 4 au.s Y? N. Amer. ... D co
Rudbeckia moschāta Lod.
3434. 2447a. CENTROCLIŅIUM D. Don. (*Kentron*, sharp point, *klĕin*, bed.) 19. 2. *Compositĕe Labiatiflorĕe*.
 29265 - - reflexum Hook. reflexed-scaled ○ or 2 au Rō Peru 1830. S it Bot. mag. 3114
Onoseris salicifolia of Hum. & Kth. is thought to be near akin to this.
 29266 - - appressum Hook. appressed-scaled ½ □ or 2 jn Rō Peru 1830. S it Bot. mag. 3115
 "Differs from *C. albicans* D. Don in its entire leaves; and from *Onoseris angustifolia* Hum. & Kth. in its larger and broader foliage."
3435. 609a. CENTROPOGON Benth. (*Kentron*, a spur, and *pogon*, a beard; flowers.) *LOBELIĀcĕe*. 5.—1.
 29267 - - cordifolium Lindl. heart-leaved ½ □ or ... jn.au Rō Guatēmalā 1839. D p.1
 29268 - - fastuosum proud ½ □ or 2 ... Rō ... D p.1
 Also no. 5104 in p. 78.
650. CEPHAELIS Dec. CEPHAELIS. (*Kephalĕ*, a head; flwrs cepitate.) *Rubiĕcĕe*. 5.—1.
 29269 - - Ipeacuanha Rich. Ipeacuanha ½ □ m ½ j Gsh.w Brazil 1842. C r.m. Bot. mag. 4063
C. emetica Pers. Syn. 1. p. 203.; *Calliŕocĕa* Ipeacuanha Brot. in *Linn. Trans.*
 29270 5352a glāhna Dec. smooth ½ □ or ... my.au B Trinidad 1820. C s.l.p
 29271 5352b Swartzii Dec. Swartz's ½ □ or ... B W. Indies 1824. C s.l.p
 5354 involuĕrāta W. Syn. *Carapichea Aubletii* Dec.
 5356 axillāris Swz. Syn. *Stuteria carycina* Dec.
3436. 2291a. CERADIA Lindl. CERADIA. (*Keras*, kerados, a horn; horned appearance of its branches.) *Compositĕe*.
 29272 - - fureātā Lindl. forked ½ □ cu ... ja.f Pa.Y W. Africa 1841. C s.l
- CERAMIA. See ERICA. *.*
1416. CERASTIUM.
 29273 12050a Biebersteinii Dec. Bieberstein's ½ Δ or ¾ jn.jl W Caucasus 1820. D C s.l Bot. gard. 515
 "This, probably, is the true species of *De Candolle*, but certainly not that of Sir W. J. Hooker." — B. Maund. If so, and if Sir W. J. Hooker's be the subject of *Bot. Mag.* t. 2782, then to No. 12050., in p. 187., either the authority or the figure cited does not belong: perhaps some of the details, too, do not.
 29274 - - purpurascens Adams purplish ½ Δ or ... jl W 1831. D co [D. Cameron.]
collinum Hort.
 29275 - - glomeratum Thuil. glomerated ○ or 1837. S co
 29276 - - Ledebouri Spr. Ledebour's Δ rk ¼ ju.jl W Siberia ... S co
 29277 - - micropĕrĕmum Mey. small-seeded ○ rk S co
 29278 - - Scarani Ten. Scarani's ½ Δ rk Naples ... D co
 29279 - - macrocārupum Hort. long-seeded ○ rk S co [D. Cameron.]
 29280 - - chlorĕfolium F. & M. Chlora-leaved ½ Δ pr 2 jl.o W Russia 1838. S co
 29281 12038a pĕpĕllum Curt. dwarf ○ w ... my W England ... S l Curt. Lon. 2. 92
 Mr. Bavington considers this specifically distinct from *C. semidecādrum* of *Linn.*
 29282 - - atrovirens Bab. dark-green ○ w ny.jl British Sandy pl. D s.l
1502. CERASUS.
 112877 japonica Lois. Japan ½ or 3 mr.my P.Eh China 1834? B 1 Bot. reg. 1801
japonica G. Don in his Gen. Syst. of Gard. and Bot. *Prānus japonica* Lindl. in Bot. Reg. t. 1801.
 2 flore plĕno-ālbō white-dbl-flwd ½ or 2 mr.ap W N. China 1846. B co
 12879 Mahāleb
 2 fructu flāvō Hort. yellow-fruited ½ or 20 ap.my W G co
 3 latifolium Hort. broad-leaved ½ or 20 ap.my W G co
 12880 Pādus
 5 *aucubĕfolia* Aucuba-leaved ½ or? 20 ap.my W 1845. G 1 [K. & P.]
 6 heterophylla various-leaved ½ or? 20 ap.my W 1845. G 1 [K. & P.]
 7 argĕntĕa silver-blotched ½ or? 20 ap.my W 1846. G 1 [K. & P.]
 12884 serōtina
 2 retōsa Scr. obtuse-leaved ½ or 30 my.jn ... S. Amer. ... G co
 12887 L.aurocerasus
 2 variegāta Hort. varieg-leaved ½ or 12 ap.my W C co
 L l

- 3 angustifolia Hort. narrow-leaved 或 8 ap. my W C co
Hortgia capensis in some nurseries, although the latter is a totally different plant.
 Vars. *cólchica* and *Emerélii*, Belgic varieties, are in some of the nurseries.
- 29283 12863a *scrullata* *scrullate-lob* 或 4 ap. my W China 1822. G co
Prñus serrulata Lindl.
- 29284 - *saltina* willow-leaved 或 4 ap. my W China 1822. G co
Prñus saltina Lindl.
- 29285 - *cornuta* Hort. horned 或 710 ... W 1842. G co
3437. CERATODA'CTYLIS J. Sm. CERATODACTYLIS. (*Keras*, a horn, *dactylos*, a finger.) *Crypt. Filices*. 24.—1.
 29286 - *osmundoides* J. Sm. *Osmunda*-like 或 7 jn. au Br. Mexico ... D p1
Allosorus Karwinskü Kunze.
3438. - CERATOSTEMA Lindl. HORN BERRY. (Long horns terminating the stamens.) *Vaccinidææ.*
 29287 - *longiflorum* Lindl. long-flowered 或 ... C Peru 18146. C p Gar. Ch. 1848. 87 fig.
550. CERBERA 4461 fruticosa Rox. Syn. *Kópsia fruticosa* Dec., Bot. mag. 4220; *Calpicarpum* Rox-
búrghii Don. Dict. v. 4. p. 100.
1265. CER'RCIS 10631 Siliquástrum
 4 roseum A. B. rose-coloured 或 20 ap. my R seedling ... L co
 10632 canadensis
 2 pubescens Ph. pubescent 或 18 my. jn Pa. R L co
- †1472. CER'EUS. (*Cereus*, a torch or taper; resemblance. — *Lindley*.)
- 29288 - *amblyogonum* P. Don blunt-angled 或 ... S. Amer. 1836. C s.l.p
 29289 - *arcuatus* Hort. arched 或 ... W 1835. C s.l.p
 29290 - *bonariensis* Tre. Buenos-Ayres 或 ... B. Ayres 1836. C s.l.p
 29291 - *carulésceus* Pfeiff. bluish 或 3 jl. au W Brazil 1829. C s.l.p Bot. mag. 3922
Ethiops Haw.
 29292 - *caesius* Hort. grey 或 1836. C s.l.p
 29293 - *candicans* Hort. whitish 或 1830. C s.l.p
 29294 - *caudatus* Gill. tailed 或 ... Chile 1829. C s.l.p
 29295 - *cinerascens* Dec. greyish 或 ... Mexico 1830. C s.l.p
 29296 - *Colvilli* Swt. Colvill's 或 ... jn. o Ro English hyb. ... C s.l.p
 29297 12572c Dépper l. k. & O. Deppe's 或 gr ½ ... Mexico 1826. C p1
 29298 - *eriphorum* Hort. woolly 或 1835. C s.l.p
 29299 - *extensus* Salm. long-stemmed 或 6 au Pa. Ro Trinidad ... C s.l.p Bot. mag. 4066
squamatus Pfeiff.
 29300 - *ferox* Haw. ferocious 或 gr ... Brazil 1827. C s.l
 29301 - *flagiformis* Karw. flagiform 或 ... Mexico 1834. C s.l.p
 29302 - *formosus* Dec. handsome 或 ... W B. Ayres 1834. C s.l.p
 29303 - *gemmaus* Karw. bud 或 ... jls. ... Mexico 1834. C s.l.p
 29304 - *glaucescens* Tweedie glaucescent 或 or ... B. Ayres 1836. C s.l.p
 29305 - *glaucus* Salm glaucous 或 or ... Brazil 1835. C s.l.p
- 12585 grandiflorus
- 29306 - *Maynardæ* Paxt. *Lady Maynard's* 或 spl ... ap. my Dp. O. R hybrid 1837. C s.p Pax. mag. 14. 75
 29307 - *heteracanthus* Twe. variable-spined 或 or ... B. Ayres 1835. C s.l.p
 29308 - *Jamacaru* Salm *Jamacaru* 或 or ... W Brazil 1835. C s.l.p
 29309 - *latevirens* Salm pale-green 或 or 1836. C s.l.p
 29310 - *Lanceanus* Hort. Lance's 或 or ... my. s S Guiana 1834. C s.l.p
 29311 - *Leeanus* Hook. Mr. Lee's 或 or 1 ... Bri. R Mexico ? C s.l.p Bot. mag. t. 4417
 29312 - *leptacanthus* Dec. slender-spined 或 or 1835. C s.l.p
 29313 - *macracanthus* Hort. large-spined 或 or 1830. C s.l.p
 29314 12586a *Mallisoni* Hort. Mallison's 或 or 6 ... W St. Dom. 1830. C s.l.p
 A hybrid between *C. speciosissimus* and *C. flagelliformis*.
 29315 - *Martianus* Zucc. *Martius's* 或 or 2 ap Pk Mexico 1838. C s.l.p Bot. mag. 3763
 29316 - *myriocaulon* Mart. 1000-stemmed 或 or 1835. C s.l.p
 29317 - *nigricans* Hort. blackish 或 or 1835. C s.l.p
 29318 - *nigrospinus* Tweedie black-spined 或 or ... B. Ayres 1836. C s.l.p
 29319 - *nycticallus* Lk. night-beauty 或 or 1834. C s.l.p
 29320 - *ochroleucus* Hort. cream-coloured 或 or ... St S. Amer. 1835. C s.l.p
 29321 - *Olfersii* Otto Olfers's 或 or 1830. C s.l.p
 29322 - *oxygonus* Otto sharp-angled 或 or ... Brazil 1829. C s.l.p
 29323 - *paniculatus* Dec. panicled 或 or ... W. R St. Dom. 1827. C s.l.p
 29324 - *pellucidus* Otto pellucid 或 or 1830. C s.l.p
 29325 12573a *Pitajaya* Dec. *Pitajaya* 或 or 6 jl W Carthag. 1836. C s.p1 Bot. mag. 4084
undulosus Dec.; *variabilis* Pfeiff. Enum. Cact. p. 105.
 29326 12572a *polygonus* Lam. many-angled 或 gr 10 ... W St. Dom. 1826. C s.l
 29327 - *prismaticus* Salm prismatic 或 gr
 29328 - *propinquus* Salm allied 或 or 1855. C s.l.p
 29329 - *ramosus* Karw. branched 或 or ... jl. au ... Mexico 1838. C s.l.p
 29330 12572b *rosaceus* Lk. & O. rosy 或 gr ... Ro 1826. C p
 29331 - *Schrankii* Zucc. Schrank's 或 or 1835. C s.l.p
 29332 12549a *senilis* Salm old 或 gr 10 ... R Mexico 1823. O s.p
 29333 - *setaceus* Salm bristly 或 gr ... Brazil ... O s.p
 29334 12564a *sétiger* Haw. bristle-bearing 或 gr ... Brazil 1828. C s.l
 29335 12565a *speciosissimus*-*grandiflorus* W. H. B. 或 or 76 jn. jl S. P Oxford G. 1839. C s.l.p
- 12565 speciosissimus
- 1 minimus
 2 Maynardii
 3 Lemonianus
 29336 - *spinebarris* Otto bearded-spined 或 or ... S English hyb. ... C s.l.p
 29337 - *tenuatus* Hort. slender 或 or ... S English hyb. ... C s.l.p
 29338 - *tenuis* Salm slender 或 gr ... R Brazil ... O s.p
 29339 - *tenuissimus* P. Don very slender 或 or 1835. C s.l.p
 29340 - *tortuosus* Tweedie twisted 或 or ... B. Ayres 1836. C s.l.p
 †12559 *triangularis* Haw. triangular 或 or 7 s W. Y Mexico 1690. C s.l.ru Bot. reg. 1807
 29341 - *tunicatus* G. Don tunicated 或 or ... Brazil 1832. C s.l.p
 29342 - *turbinatus* P. Don turbinate 或 gr 1835. C s.l.p
 29343 12559a *undatus* Haw. wavy 或 gr ... China 1829. C s.l
 29344 - *variabilis* Otto variable 或 or ... S. Amer. 1836. C s.l.p

439. CERPENTHE.
29345 3646a alpina G. Don alpine ○ or ... ju.o P.Y.Carpaz Mts 1827. S co

CEROCARPUS californicus. A myrtaceous plant bearing this name has been lately introduced to the Hort. Soc. Gard. at Chiswick.

778. CEROPEGIA. (*Kerpegeion*, a candelabrum; resemblance borne by the umbels.)
29346 6211a Wrighti Grah. Dr. Wright's ☞ ☒ cu 20 su G.P E. Indies 1832. D l.p Bot. mag. 3267
29347 6213a Lushii Grah. Mr. Lush's ☞ ☒ cu ... o G.P E. Indies 1833. O p.l Bot. mag. 5360
29348 - viucifolia Hook. Vine-leaved ☞ ☒ cu 20 s P Bombay 1837. C l.p Bot. mag. 3749
29349 - elegans Wal. elegant ☞ ☒ or 20 au.o P E. Indies 1828. D l.p Bot. mag. 3015
29350 - oculata Hook. ocellated-flwd ☞ ☒ cu 26 s G.bd.spt Bombay ?1842. C l.p Bot. mag. 4093

583. CE'STRUM.
29351 - viridiflorum Hook. green-flwd ☞ ☐ fra 2 au G S. Brazil 1836. C co Bot. mag. 4022
29352 4616a alaternoides Ham. Alaternus-like ☞ ☐ or 6 f.ap Pa.Y Trinidad 1824. C p.l Bot. mag. 2929
29353 - acuminatum Swt. acuminate ☞ ☐ pr 6 s.o Gsh.v Mexico 1824. C ca
29354 - aurantiacum Lindl. orange-cld-flwd ☞ ☐ or 3 au.s O Guatemala 1843? C lt.l Bot. reg. 1845. 22
29355 - roseum H.B. & K. rose-cld-flwd ☞ ☐ or 3 jl.au Ro Mexico 1839. C lt
29356 - multiflorum G. Don many-flwd ☞ ☐ or ... my.jn G S. Amer. 1825. C p.l
29357 - thyrsoideum H.B. & K bunch-flwd ☞ ☐ or ... my.jl St Mexico 1826. C p.l
29358 - exstipulatum Led. exstipulate ☞ ☐ or ... jin.jl G S. Amer. 1824. C p.l
Nos. 4618 and 4639 in p. 71 constitute the genus *Accotantia* G. Don.

3439. - CHABREA Dec. CHABREA. (*D. Chaubrey* of Geneva; a bot. of 17th cent.) *Compsoita*. 19.—1.
29359 - runcinata Hook. runcinate ○ or 13 jl.au W Chili ... S co Bot. mag. 4116
Leuchæia runcinata Gill. et Don; *Chabræa rosea* Dec. in Deless. Ic. 4. t.90.; *Perdicium roseum* Poepp. Exs. n. 378.; *Lasiorkiza rosea* Poepp. 3. n. 216.

3440. - CHENESTES Miers CHENESTES. (*Chaino*, to gape.) *Solanææ*.
29360 - lanceolata Miers lanceolate-lvd ☞ ☐ or 5 jl.s Psh.BQuindiu ?1846. C l.p.s Bot. mag. 4333

3441. 1806a. CHENO'STOMA Benth. (*Chaino*, to gape, *stoma*, mouth.) *Scrophulariæcæ*. 14.—2.
29361 - polyanthum Benth. many-flowered ☞ ☐ pr 3 jl.s Li C. G. H. ... C lt Bot. reg. 1847. 32
Also Nos. 16023, 16025, 16026, 16027, and 16039, in p. 253.

821. CHEROPHYLLUM 6600 Claytoni Pers., syn. *Osmorhiza brevistylis* Dec.
29362 6595a Villarsii Kroch. Villars's ○ un ... jl.au W Dauphny 1836. S co

3442. 2356a. CHETACHLËNA D. Don. (*Chaitè*, hair, *chlatna*, covering.) 19. 2. *Com. Lab*. 1.—3.
29363 - odorata D. Don sweet-scented ☞ ☐ or 1 au.s R Chile 1830. S sl

2349. CHETANTHERA. (*Chaitè*, a bristle, *anthera*, an anther; bristles at base of anthers.)
†21549 serrata R. & P. sawed-lvd ☞ ☐ or 1/2 jl.au Y Chile 1827. D p.l Sw.f.gar. 2. s. 214
serrata R. & P., D. Don. *chilensis* Dec. *Perdicium chilense* W. *Proslia serrata* D. Don. No. 215. 19.
in p. 350., where *Desv.* is probably an error for *Dec.*
29364 - tenuifolia Dec. fine-leaved ☞ ☐ or ... jl.au Y Chil' 1837. D co
29365 - linearis Dec. linear-leaved ☞ ☐ or ... jl.au Y Chili 1837. S co

3443. 1362a. CHETOGA'STRA Dec. CHETOGASTRA. (*Chaitè*, hair, *gaster*, belly; ovary.) *Melastomæcæ*. 1.—28.
29366 - lanceolata Dec. lanceolate-lvd ☞ ☐ pr 1 ja W Trinidad 1820. S p.l Bot. mag. 2825
Rhæxia lanceolata Bon. Rhex. 21.
29367 - gracilis Hook. slender ☞ ☐ pr 1 jn R.Li Brazil 1834. S p.l Bot. mag. 3481
29368 - strigosa Dec. strigose ☞ ☐ or 1/2 au. W Ho.P W. Ind. ?1848. C s.p.l Paxt.m.xv.265

3444. - CHARIA'NTHUS D. Don. (*Charis*, beautiful, *anthos*, a flower.) *Melastomæcæ*. 8.—1.
29369 - coccinea D. Don scarlet-flwd ☞ ☐ or 5 aut S Cayenne 1848. C p.l [K. & P.]
Melastoma coccinea Rich., *M. alpina* Swartz.

3445. 1749a. CHASCA'NUM E. Meyer. CHASCANUM. (*Chaskō*, to gape; from the gaping calyx.) *Verbenæcæ*.
29370 - cuneifolium E. Mey. wedge shaped-lvd ☞ ☐ pr 4 ap W C. G. H. 1821. C s.l.p Botanist, 196

3446. 1677a. CHASMO'NIA Lindl. CHASMANIA. (*Chasua*, to gape wide; calyx.) *Labiatæ*.
29371 - incisa Lindl. cut-leaved ○ or 2 jl.au Pk Levant 1566. S co Bot. reg. 1244
Moluccella spinosa, No. 15101.

2932. CHEILANTHES.
29372 - sinuosa Hort. scalloped ☞ ☐ or 1 au Br W Indies ... D p.l [J. Bevis.]
29373 - rubra Don rufous ☞ ☐ or 3/4 ... Brsh.Br.W.Indies ... D p.l [J. Bevis.]
29374 - macrophylla long-leaved ☞ ☐ or 1 au Br W. Indies ... D p.l [J. Bevis.]
29375 - dicksonioides Hort. Dicksonia-like ☞ ☐ or 4 au Br D p.l [J. Bevis.]
29376 - micropteris Lk. small-winged ☞ ☐ or 4/5 jl.o Br 1838. D s.p
29377 - profusa Kunze dangling ☞ ☐ or 1/2 jl.n Br 1838. D s.p
29378 - rufescens Lk. reddish ☞ ☐ or 1/2 jl.o Br 1838. D s.p
29379 - crenulata Lk. & O.? crenulated ☞ ☐ or 1 ... Br 1831. D p.l
29380 - spectabilis Kaulf. showy ☞ ☐ or 5 o.d Br Brazil 1829. D p.l
29381 - viscosa Lk. viscid ☞ ☐ or ... Br Mexico 1841. D p.l

1818. CHEIRANTHUS 16695 Cheir.
13 hæmânthus variegatus var. blood ☞ ☐ or 2 ap.jl Id S. Europe gard. C co [J. Cree.]
14 purpureus purple-flowered ☞ ☐ or 2 ap.jl P S. Europe gard. C co [J. Cree.]
15 purp. variegatus varieg. purple ☞ ☐ or 2 ap.jl P S. Europe gard. C co [J. Cree.]

3447. 2531a. CHEIRO'STYLIS Lindl. CHEIROSTYLIS. (*Cheir*, the hand, *stylos*, a style.) *Orchiidæcæ*. 20.—1.
29382 - parvifolia Lindl. small-leaved ☞ ☐ cu ... su W Ceylon 1838. D fib.p

1549. CHELIDON'NIUM 13763 majus
2 flore plèno double-flowered ☞ ☐ pr 2 ap.o Y Britain gard. D co [W. H. B.]

1718. CHELO'NE.
29383 15450a speciosa Hort. showy ☞ ☐ or 4 jl.s Pa.R ?N. Amer. ... D p.l
15462 barbata, syn. *Pentstemon barbatus* Lindl L | 2

- 2 mājor larger $\frac{1}{2}$ Δ or 4 j.n.s O.s D p.1 [J. Crce.]
 3 cārnea flesh-clad-flwd $\frac{1}{2}$ Δ or 3 j.l.au F Mexico ... D p.1
 4 mexīcana Mexican $\frac{1}{2}$ Δ or 3 j.l.au R Mexico 1838. D p.1
 29384 15462a centranthifolia Bent. Cent.-leaved $\frac{1}{2}$ Δ or 7 j.l.n S California 1834? D co Bot. reg. 1737
 29385 15460a nemorosa Dou. grove $\frac{1}{2}$ Δ or 1 j.l.s P N. Amer. 1827. S r.m Bot. reg. 1211
810. CHENOPO'DIUM 6493 multifidum L., syn. *Roubièva multifida* Tand.
 6468 Bónus Henricus L., syn. *Agathophytum Bónus-Henricus* Tand.
729. CHENOLE'A 5989 diffusa, syn. *Kóchia sericea* R. & S., *Salsòla sericea* H. K.
3448. 1692a. CHILO'DIA R. Br. CHILODIA. (*Cheilos*, lip, odous, tooth; tip of lower lip of calyx bifid.) *Labiatae*.
 29386 - - scutellarioides R. Br. Scutellaria-lk $\frac{1}{2}$ pr 2 $\frac{1}{2}$ var. sea V N.S. Wales 1828. S p.1 Bot. mag. 3405
1534. CHIMONA'NTHUS 13709 fragrans
 4 parviflora Hort. small-flowered $\frac{1}{2}$ fra 8 ... Y.R L l.p
38. CHIONA'NTHUS 280 virgīnica
 2 latifolia Catesb. broad-leaved $\frac{1}{2}$ or 30 my.jl W Carolina 1736. C p.1 Cat. car. 69
C. v. var. montana Ph.
 3 angustifolia Ait. narrow-leaved $\frac{1}{2}$ or 30 my.jl W C p.1
C. trifida Mench.
 4 maritima Ph. marine $\frac{1}{2}$ or 10 my.jl W N. Amer. 1736. C p.1
C. maritima Lod. No. 281. in p. 5.
3449. - - CHIRTA Ham. (Altered from the vernacular name of one of the species.) *Cyrtandraeae*. 14.—2.
 29347 - - sinēnsis Lindl. Chinese $\frac{1}{2}$ Δ or $\frac{1}{2}$ j.l.o Pa.R.Li China 1844. C s.l.p Bot. mag. 4284
 29388 - - Walkēria Gard. Mrs. Gen. Walker's $\frac{1}{2}$ Δ or $\frac{1}{2}$ all sea P.y Ceylon 1845. C s.l.p Bot. mag. 4327
 29389 - - zeylānica Hook. Ceylon $\frac{1}{2}$ Δ or $\frac{1}{2}$ j.l.au P.y Ceylon 1845. C s.l.p Bot. mag. 4182
 29390 - - Moon's Gard. Mr. Moon's $\frac{1}{2}$ Δ spl 2 j.l.au Pa.P.y Ceylon 1847. C s.p.1 Bot. mag. 4405
Martynia lanceolata Moon Cat. Ceyl. Pl. p. 45.
465. CHIRO'NIA.
 29391 3872a serpyllifolia Lch. wild thyme-lyd $\frac{1}{2}$ Δ or 1 j.l.s ... C. G. H. 1829. C s.p
 29392 - - pedunculāris Lindl. long-pedunc. $\frac{1}{2}$ Δ or 3 $\frac{1}{2}$ j.l.o P 1820? C p Bot. reg. 1803
trinervis Hort., not of *Linnæus*. — *Lindley*.
 29393 - - floribūnda Paxt. abundant-flwg $\frac{1}{2}$ Δ or 1 j.n.au Pk C. G. H. ?1843. C s.p.1 Paxt. m. 12. 123
Fischeri Hort.
 3876 decussata, syn. *O'rphium frutescens* E. Meyer, Paxt. mag. bot. 13. 221.; *Rossinia frutescens* of some.
 29394 - - glutinosa Paxt. glutinous $\frac{1}{2}$ Δ or 3 ... R.L? ?1844. C l.p.l. Paxt.m.xv.215
174. CHLOA'NTHES.
 29395 15622a rosmarinifolia Cun. Rosemary-lyd $\frac{1}{2}$ Δ or 2 j.n.au G.y N. Holl. 1823. C p.1
1176. CHLO'RA.
 29396 - - serotina Koch late-flowering \circ cu 1 n Y 1832 S l.p
perfoliata var. Spr.
3450. - - CHLORE'A Lindl. CHLORE'A. (*Chloros*, green; hue of the flower.) *Orchidæae*.
 29397 - - longibracteata Benth. long-bracted $\frac{1}{2}$ Δ cu 1 s.o W.y Chili 1837. D l.p Botanist. 94
 29398 - - virēscens Lindl. green-veined $\frac{1}{2}$ Δ or ? $\frac{1}{2}$ my O.G.veins Chili ... D rough.s.p Bot.r. 1845. 49
Chrysantha Pöppig and Endlicher, nov. gen. et sp. l. 31.
26. CHLORA'NTHUS.
 29399 226a elatior R. Br. taller $\frac{1}{2}$ \square fra 6 ap.s Y China 1804. C co
- CHO'NA. See ERICA.*.*
2205. CHONDRI'LLA.
 29400 - - brevirostris Dec. short-beaked \circ un ... j.l.s Y Siberia 1837. S co
 29401 - - stricta Dec. straight $\frac{1}{2}$ Δ un ... j.l.s Y Siberia 1837. S co
3451. 537a. CHONER'PHA. A genus comprising Nos. 4389, 4394, 4395, and 4397 in p. 67.
3452. - - CHORE'TIS Herb. CHORETIS. (*Choretus*, rustic.) *Amaryllidæae*.
 29402 - - glauca Herb. glaucous $\frac{1}{2}$ \square or 1 au W Mexico 1837. O s Flor. cab. 2. 101
1246. CHORO'ZEMA. (*Choros*, dance, zema, drink; circumstances of its discovery.)
 29403 10495a triangulata Lindl. 3-angled $\frac{1}{2}$ Δ or $\frac{1}{2}$ ap S N. Holl. 1830. C s.p Bot. reg. 1513
 29404 10500a ovatum Lindl. ovate-leaved $\frac{1}{2}$ Δ el 1 my S N. Holl. 1830. C s.p Bot. reg. 1528
 29405 - - spartioides B. C. Spartium-like $\frac{1}{2}$ Δ or $\frac{1}{2}$ sp Y.R N. Holl. 1832. C s.p Bot. cab. 1953
 29406 - - cordatum Lindl. cordate-leaved $\frac{1}{2}$ Δ pr 2 ap R N.S.W. ... C s.p Bot. reg. 1838. 10
 29407 - - varium Benth. various-leaved $\frac{1}{2}$ Δ or 4 jn Y.R. S. River 1837. C s.p Bot. reg. 1839. 49,
 [and Paxt. mag. of bot. vol. vi. p. 175.]
 2 grandiflorum great-flwd $\frac{1}{2}$ Δ or 3 spr O.S N. Holl. 1844. C p.1 [K. & P.]
 29408 - - Dicksoni R. G. Mr. Dickson's $\frac{1}{2}$ Δ pr 3 my.s S.y Swan Riv. 1836. C s.p.1 Botanist, 166
 29409 - - spectabile Benth. showy $\frac{1}{2}$ Δ pr 2 my O.R Swan Riv. 1840. S C s.p.1 Bot. reg. 1841. 45
 29410 - - Hügelii Hügel's $\frac{1}{2}$ Δ pr 2 aut.spr O N. Holl. ... C p.1 [K. & P.]
 29411 - - Lawrenciana Mrs. Lawrence's $\frac{1}{2}$ Δ or 3 spr O.S N. Holl. 1845. C p.1 [K. & P.]
 29412 - - mucronata Hügel mucronate $\frac{1}{2}$ Δ or 3 spr Dp.O N. Holl. 1845. C p.1 [K. & P.]
2374. CHRYSA'NTHEMUM.
 29413 21649a rutheniacum Pis. Russian $\frac{1}{2}$ Δ or $\frac{1}{2}$ j.n.au Pk Russia 1827. D co
 21648 perustillum Lois.; syn. *Nanánthea perustilla* Dec.
3453. - - CHRYSÆIS Lindl. CHRYSÆIS. (*Chryseis* (*chrysos*, gold), a Homeric beauty; flowers.) *Papaveræae*.
 29414 - - californica Cham. Californian \circ or 1 j.l.o Y California 1826. S co Sw. fl. gar. 265
Eschscholtzia californica.
 29415 - - crocea Benth. Saffron-eld $\frac{1}{2}$ Δ or 1 j.l.o Saf California 1833. S co Bot. mag. 3496
Eschscholtzia crocea Benth.
 29416 - - fumariifolia Lab. Fumaria-leaved $\frac{1}{2}$ or ... j.l.o Y Mexico 1827. S co Bot. mag. 3061
Eschscholtzia fumariifolia B. M.
 29417 - - compacta Lindl. compact $\frac{1}{2}$ Δ or 1 j.l.o Y California ... S co Bot. reg. 1948

2294. CHRYSO'COMA. scaly-stalked * Δ or 2 my Y N. S. W. 1837. C co Bot. mag. 3625
 29418 - squamata Lab. Dec. 20724 *Linosyris L.*; syn. *Linosyris vulgaris* Dec. Nos. 20728, and 20729 are also referred to the genus *Linosyris*.
556. CHRYSOPHYLLUM.
 29419 †4490 monopyrenum Swz. one-stoned ♀ □ or 30 au.mr W W. Indies 1812. C r.m Bot. mag. 3303
3454. 1495b CHRYSORRHOE Lindl. CHRYSORRHOE. (*Chryso*, gold (colour of flowers), *rheo*, to flow. *Myrtaceae*.
 29420 - serrata Lindl. serrated-*lnd* * □ or ... my.jl Go S. River 1841. C s.p.l [12.—1.
 29421 - nitens Lindl. shining-*flwd* * □ or ... my.jl Go S. River ... C s.p.l
3455. 2115a. CHRYSOSTEMMA Lessing. CHRYSOSTEMMA. (*Chryso*, gold, *stemma*, crown; flowers.) *Compositae*.
 †21995 tripteris Lessing three-winged ♀ Δ or 6 au.o Y N. Amer. 1737. D p.l Bot. mag. 3583
Coreopsis tripteris L.
3456. - CHYMOCARPUS D. Don. CHYMOCARPUS. (*Chymos*, juicy, *karpos*, fruit; berry.) *Tropaeolaceae*. 1.—2.
 †9316 pentaphyllus D. Don. five-leaved ♀ Δ or 4 au.o R.G.P Bu. Ayres 1830. C s.p.l Sw.fl.gar.2.s.245
Tropaeolum pentaphyllum Lam.
3457. - CHYSSIS Lindl. CHYSSIS. (*Chyssi*, melting; pollen masses, as it were, fused together.) *Orchidaceae*.
 29422 - aurea Lindl. golden-flowered ♀ □ or 1 s Y Venezuela 1834. D p.r.w Bot. reg. 1937
 29423 - bracteescens Lindl. bracteated ♀ Δ or 1 ap W.Y Mexico 1840. D p.r.w Bot. reg. 1841. 23
 29424 - laevis Lindl. smooth ♀ □ or ... su Y.Br Brazil 1839. D fib.p
2936. CIBO TIUM.
 29425 2578a Barometz J.Sm. Barometz * □ cu 6 ... Br China 1824. R l.p Schk. cr. sup. 31
Aspidium Barometz Hort., C. glaucescens Kunze. Tartarian-Lamb.
 29426 2578b Schiedèi Schlecht. Schiedèi's * □ or 6 ... Br Mexico 1846. R l.p Hook. sp. fil. 30
2131. CINCER. dotted ○ or ... jl.au 1820. S co
2340. CINERARIA.
 29428 - macrophylla Led. long-leaved ♀ Δ or 8 jl.au Y Altai M. 1831. S lt Bot. gard. 524
Ligularia macrophylla Dec.
 29429 - auriculata Led. eared ♀ Δ or 3 au Y 1831. D co
Senecio racemosus Dec.
 29430 - thyrsoidea Led. thyrus-formed ♀ Δ or Russia 1832. D co
Ligularia thyrsoidea Dec.
 29431 - multiflora Herit. many-flowered ♀ Δ or 2 su W Teneriffe 1829. D l.p
Senecio multiflorus Dec.
 29432 - fussiliginoides Webb. Coltsfoot-like ♀ Δ or 2 aut Li Teneriffe 1829. D l.p [D. Cameron.]
 2 Waterhouseiana Pax. Waterhouse's * □ or 2 mr.jn R hybrid †1835. C l.p Paxt. mag. 4. 219
 29433 - renifolia Mey. kidney-leaved ♀ Δ or 2 jn Y Russia 1833. D r.m Bot. gard. 619
Ligularia renifolia Dec.
 29434 - gibbosa Guss. gibbose * Δ or Sicily ... C l.p
Senecio gibbosus Dec.
 29435 - flamma Turcz. flame-*cl'd* ♀ Δ or Fla Dahuria ... D l.p
Senecio flammeeus Dec.
 29436 - Fischeriana Hort. Fischer's ♀ Δ or C. G. H. 1824. C l.p [D. Cameron.]
 29437 21457a vestita Haw. clothed * □ cu 3 ... Y C. G. H. 1824. C p.l
 29438 21488a scapiflora Herit. scape-*flwd* * □ or 1 jl Y C. G. H. 1829. C l.p
- 21446 cruenta. Syn. *Senecio cruenta* Bot. Reg. 1839. 7.
 21463 lanata var. Syn. *Senecio Heritieri* Dec. var. *cyanophthalmus* Hort., Bot. mag. 3827.
 21440 lactea. Syn. *Senecio populifolius* Dec. var. *luteus* Lindl., Bot. reg. 1839. 45.
2524. CIRRHÆA Lindl. (*Cirrhus*, a tendril; form of rostellum)
 †22642 viridi-purpurea B.C. green & purple ♀ Δ or 2 my G.P.spt Brazil 1827. D lt. moss potsh Bot.
Gongora viridi-purpurea of Hooker in Bot. Mag., t. 2978. C. Loddigesii Lindl. *Cymbidium dependens*
 Bot. cab. 936. *Cirrhæa dependens* No. 22642. in p. 370.
- 29439 - 2 Fryana Fl. Cah. Fry's ♀ Δ or 2 su G.P.spt ... D fib.p Fl. Cab. 94
 29440 - fusco-lutea Lindl. dusky yellow ♀ Δ or 1 my Fus.Y Brazil 1834. D p.r.w
 29441 - tristis Lindl. dull-*cl'd*-*flwd* ♀ Δ or 3 jn D.P.G.R.Mexico 1834. O p.r.w Bot. reg. 1899
 29441 - Warreana B. C. Mr. Warre's ♀ Δ or 1 ... Y.Br Brazil 1831. ? D p.m.p Bot. cab. 1999
 29442 - obtusata Lindl. blunt-*petaled* ♀ Δ or 2 s Y.r.sp. Rio Jan. 1835. D p.r.w Bot. reg. 2005
 29443 - pallida Lo. C. pale-*flwd* ♀ Δ or ... su.aut ... Brazil 1837. D fib.p
 29444 - saccata Lindl. saccate ♀ Δ or ... aus Y.G Brazil 1835. D fib.p
fusco-lutea Bot. mag. 3726, not of Lindl.
- 29445 - picta Lindl. painted ♀ Δ or pr ... my.jl P Brazil 1830. D fib.p
 29446 - squalens Lindl. squalid ♀ Δ or ... my.jl .. Brazil 1836. D fib.p
 29447 - albo-viridis Lo. C. white & green-*flwd* ♀ Δ or ... my.jl W.G Brazil 1838. D fib.p
 29448 - rubro-purpurea Lo. C. red & purp-*flwd* ♀ Δ or ... my.jl R.P Brazil 1838. D fib.p
 29449 - Russelliana Lo. C. Dk. of Bedford's ♀ Δ or ... my.jl G.R Brazil 1837. D fib.p
 29450 - atropurpurea Lo. C. dark-purple-*flwd* ♀ Δ or ... ap.my Dk.P Mexico 1838. D fib.p
3458. - CIRRHOPETALUM Lindl. CIRRHOPETALUM. (*Kirrhos*, tawny, *petalon*, petal; flowers.) *Orch.*
 29451 - Thousarii Lindl. Thousari's ♀ Δ cu 1 jl Y.B Brazil Y.B Society Is. ... D p.r.w Bot. reg. 1838. 11
Bulbophyllum longiflorum Thou. *Zygoglossum unbellatum* Reinw. ... D p.r.w Bot. reg. 1980
- 29452 - Wallichii Lindl. Wallich's ♀ Δ or Knl Nepal ... D p.r.w Bot. reg. 1980
 29453 - cornutum Lindl. horned-*sepalis* ♀ Δ or 2 1/2 au D.L.P Khosea 21837. D p.r.w
 29454 - Medusa Lindl. Madusa's head ♀ Δ or 1/2 ... Ysh Sincapore 1840. D p.r.w Bot. reg. 1842. 12
 29455 - chinense Lindl. Chinese ♀ Δ or 1/2 jn FawnR China 1840. D p.r.w Bot. reg. 1843. 49
 29456 - candelabrum Lindl. chandelier ♀ Δ or ... my.jn Pk.S Manilla 1843. D fib.p
 29457 - caspitosum Lindl. tufted ♀ Δ or ... su Pa.Y E. Indies 1836. D fib.p
 29458 - cornutum Lindl. horned ♀ Δ or ... su P E. Indies 1837. D fib.p
 29459 - vaginatum Lindl. sheathed ♀ Δ or ... su Pa.St Singapore 1838. D fib.p
 29460 - picturatum Lindl. pictured ♀ Δ or ... sp P.R India 1838. D fib.p
 29461 - auratum Lindl. gold-edged ♀ Δ or 1/2 sp Ysh. Manilla 1840. D fib.p Bot. reg. 1843. 61
 29462 - Macraei Lindl. MacRae's ♀ Δ or ... su Br.Y Ceylon 1839. D fib.p Bot. mag. t. 4422
 29463 - Cumingii Lindl. Cuming's ♀ Δ or ... my.jl R. Philippines 1839. D fib.p
 29464 - nitans Lindl. nodding-*flwd* ♀ Δ or 1/2 su Sr Manilla 1838. D fib.p Bot. mag. t. 4418
 29465 - fimbriatum Lindl. fringed ♀ Δ or 1/2 su G.P Bombay 1838. D fib.p Bot. mag. 4391
 29466 - maculosum Lindl. spotted-*flwd* ♀ Δ or G.P E. Indies 1841. D fib.p

- 29467 - - *Roxbúrgii* Lindl. Roxburgh's $\text{£} \square$ or ... my.jl Y E. Indies ... D fib.p
 29468 - - elongátum Lindl. elongated $\text{£} \square$ or ... my.jl ... Java ... D fib.p
Ephippium elongátum Blume.
 29469 - - capitátum Lindl. capitate $\text{£} \square$ or Java ... D fib.p
Ephippium capitátum Blume.
 29470 - - antenniferum Lindl. antenna-bearing $\text{£} \square$ or Br Philippines 1841. D fib.p
 29471 - - maxilláre Lindl. maxilla-like $\text{£} \square$ or Philippines 1839. D fib.p
 29472 - - Blumí Lindl. Blume's $\text{£} \square$ or ... au ... Java ... D fib.p
Ephippium ciliátum Blume.
 29473 - - compréssum Lindl. flattened-stmd $\text{£} \square$ or ... su ... Java ... D fib.p
Ephippium compréssum Blume.
2243. CÍRSIUM.
 29474 - - mexicanum Dec. Mexican \square cu 4 au.n W Mexico 1837. S co
 29475 20366a Försteri Sm. Forster's $\text{£} \Delta$ w 3½ jl.au C Eng. bogs,wds D co
 29476 - - Gmelini Spr. Gmelin's $\text{£} \Delta$ or ... jl.au P Russia ... D co
acaule var. γ Mey.
 29477 - - rhizocéphalum Mey. rooting $\text{£} \Delta$ Pa.Y Caucasus 1836. D co
 20396 scleránthum Bieb.; syn. *Echináis carlinoides* Dec.
 20336 heteromállum Spr.; syn. *Apoláxis cándicans* Dec.
 20327 Acárna Dec.; syn. *Pseudon Acárna* Dec.
 Nos. 20341, 20350, 20351, 20358, 20377, and 20378, are referred to the genus *Chamaepácea* Dec.
1589. CÍSTUS.
 13932 villosus.
 2 rotundifolius A. B. round-leaved $\text{£} \square$ or 2 jn.jl P S. Europe ... C s.l Sw. cis. 75
C. rotundifolius Swt. C. villosus β viréscens Dec.
 13934 incánus
 2 canéscens A. B. canescent-ld $\text{£} \square$ or 2 jn.au P S. Europe ... C s.p Sw. cis. 45
C. canéscens Swt. p. 219. *Cistus más* Clus. *C. incánus* var. β Dec.
 13944 salviaefolius
 2 erectiúsculus Dec. rather erect $\text{£} \square$ or 2 jn.jl W C s.p
 3 ochroleúcus Dec. yellowish white $\text{£} \square$ or 2 jn.jl Ysh C s.p
 13945a Cupaniánus
 2 acutifolius A. B. acute-leaved $\text{£} \square$ or 1 my.s W S Europe ?1827. C s.l Sw. cis. 78
C. acutifolius Swt. *C. salviaefolius* β humifusus Dec.
 29478 - - lusitánicus Hort. Portuguese $\text{£} \square$ or 3 jl.s Y Portugal 1830. C s.e Bot. gard. 649
 29479 13953a oblongifolius Swt. oblong-leaved $\text{£} \square$ or 3 jn.jl W S. Europe ... C co Sw. cis. 67
 29480 13956a asperifolius Swt. rough-leaved $\text{£} \square$ or 2 jn.jl W S. Europe ... C s.l Sw. cis. 87
3459. 689a. CITRÍOBATUS Cun. ORANGE THORN. (*Citream*, a citron, *batos*, a thorn; fruit and habit.) *Pittos.* 2
 29481 - - multiflora Cun. many-flowered $\text{£} \square$ or 3 n.d ... N.S.W. 1818.
 29482 - - pauciflora Cun. few-flowered $\text{£} \square$ d ... N.Holl.trol 1822.
2187. CÍTRUS 19677 buxifolia Dec.; syn. *Severinia buxifolia* Lindl.
2383. CLADA'NTHUS.
 29483 - - canéscens Swt. whitish $\text{£} \square$ or 1 mr.au Y Canaries 1829. S s.l Sw. fl.gar.2.s.ic.in
1185. CLA'RKIA.
 10047 pulchélla
 2 flore álbo Swt. white-flowered \square or 1½ jn W N. Amer. 1826. S co Sw. fl.gar.2.s.157
 29484 10047a elegans Dou. elegant \square or 2 jl Ro.P California 1832. S s.l Bot. reg. 1575
 2 flore pléno Hort. double-flwd \square or 2 jl.s Pa.Rogardens ... S s.l [W. II. B.]
 29485 - - gauróides Dou. ms. Gaura-like \square or 1 au P California 1834. S p.l Sw. fl. gar. 379
rhombóidea Dou. in Hort. Fl. Bor. Amer., l. p. 214.; Lindl. Bot. reg. 1981.
527. CLAVTJA.
 29486 - - ornáta D. Don. adorned $\text{£} \square$ or 12 n O Caraccas 1829. C r.m Bot. reg. 1764
Theophrásta longifolia Jac.
696. CLAYTONIA.
 29487 5679a acutifolia Pall. acute-leaved $\text{£} \Delta$ or 1½ ... W Siberia 1827. O l.p
 29488 5679b Vestiana Fis. Vest's $\text{£} \Delta$ or 1 ... Ro Altai 1827. D l.p
 5675 virginiana L. Virginian notch-ptld $\text{£} \Delta$ or ¼ mr.au W N.Amer. 1748. O s.l Pluk. al. 102. 3
 29489 5675a acutiflora Swt. acute-petaled $\text{£} \Delta$ or ¼ mr.au W N.Amer. ... O s.l Bot. mag. 941
virginica Bot. mag. 941. Hort. brit. No. 5675, not of Lin.—*C. virginiana acutiflora* Dec. prod. 3. 361.
 29490 - - longifolia Penny long-leaved $\text{£} \Delta$ or ¼ ja.jn W N.Amer. 1827. S p
 29491 - - polyphylla Penny many-leaved $\text{£} \Delta$ or ½ f.jn Pa.Pk N.Amer. 1827. S p
 Two species hitherto confused with *virginica* and *grandiflora*.
 29492 5681a cubensis H. & B. Cuba \square cu ¼ my.jl W Cuba 1829. S co H. & B. l. t. 26
 29493 - - gypsophilóides Fis. Gypsophila-like \square or ¾ o Pk N. Califor. 1835. S o.p Sw. fl. gar. 375
 29494 - - californica H. Pet. Californian Pa. Dl. Y.g India ?1844. D fib.p
3460. 2569b. CLEISOSTOMA Lindl. CLEISOSTOMA. (*Kleio*, to close, *stoma*, a mouth.) *Orchidácea.* 20.—1.
 29495 - - rúseum Lindl. rose-cld.-flwd $\text{£} \Delta$ pr ... su.aut R Str Manila 1838. D fib.p
 29496 - - tridentátum Lindl. three-toothed $\text{£} \Delta$ pr R.W N. Holl. ... D fib.p
 29497 - - latifólium Lindl. broad-leaved $\text{£} \Delta$ pr ... su.aut Y.R Singapore 1839. D fib.p
 29498 - - maculósum Lindl. spotted-flwd $\text{£} \Delta$ pr ... su.aut Y.Br. Ceylon 1839. D fib.p
 29499 - - dealbátum Lindl. whitened $\text{£} \Delta$ pr ... n.d Y.W Manila 1840. D fib.p
 29500 - - decipiens Lindl. deceiving $\text{£} \Delta$ cu ... su.aut Och Ceylon 1843. D fib.p
 29501 - - spicatúum Lindl. spiked $\text{£} \Delta$ or ... my R.Y. Borneo ?1846. D fib.p
 29502 - - tonósum Lindl. violet-scented $\text{£} \Delta$ fra 2 mr Y.R. Manila ?1843. D fib.p Bot. reg. 1847.41
 29503 - - discolor Lindl. two-coloured $\text{£} \Delta$ cu Pa. Dl. Y.g India ?1844. D fib.p
1631. CLÉMATIS.
 14442 Flámmula
 4 rubélla Dec. reddish-sepaled $\text{£} \text{†}$ or 20 jl.o Rsh L co
 5 cespitósa Dec. tufted $\text{£} \text{†}$ or 20 jl.o ?W L co
C. cespitósa Scop. *C. Flámmula* Bert.
 14448 Vltáiba
 2 integráta A. B. entire-leaved $\text{£} \text{†}$ or 20 jl.s W L co
 14450 virginiana
 2 bractéata Dec. bracted $\text{£} \text{†}$ or 15 jn.au G L s.p
C. bractéata Moench. Supp.

- 14460 *grandiflora* Dec. is *chlorantha* Lindl. Bot. reg. 1234.
 29504 14468a *smilacifolia* Walt. Smilax-leaved β or 20 ju.l Br.Bk E.Indies 1824. L r.l Bot. mag. 4259
C. glandulosa ?Bl. l. c. *C. subpeltata* Wall. Pl. As. Rar. p. 19. t. 20.
 29505 - *tubulosa* Hook. tubular-flwd β or 2 a.us B China 1845. L.C r.l Bot. mag. 4269
 29506 - *montana* Ham. mountain β or 20 my W Nepal 1831? L l Sw.fl gar.2.s.253
anemoniflora Don.
 β . grandiflora Hook. large-flwd β or 20 ap.s W Nepal ... L.C r.l Bot. mag. 4061
 14470 *integrifolia*
 4 *latifolia* Hort. broad-leaved γ Δ or 4 ju.au P D co
 29507 14470a *indivisa* W. undivided-*lvd* β or 20 ap.my W.crea.N.Zeal. ... L p.l
 2 lobata Hook. lobed-*lvd* β or 20 ap.my W.crea.N.Zeal. 1847. L p.l Bot. mag. 4398
 29508 - *californica* Californian β or 1840. L p.l
 14172 *florida*
 3 *Sieboldiitii* D. Don Siebold's β or 10 ju P.G Japan 1836. L s.l Sw. fl. gar. 396
C. ϕ bicolor Lindl. in Bot. reg. 1838. 25.
 14473 *Viticella*
 1 *caerulea* A. B. blue-flowered β or 20 ju.s B L co
 2 *purpurea* A. B. purple-flowered β or 20 ju.s P L co
 3 *multiflex* G. Don double-flowered β or 20 ju.s P L co
V. 2 plicata p. 228. *pulchella* Pers.
 4 *tenuifolia* Dec. slender-leafleted β or 20 ju.s C L co
C. tenuifolia lusitanica Tou.
 29509 14474a *viornoides* Schr. Viorna-like β or 8 ju.s Li N. Amer. 1828. S co
 29510 - *odorata* Wal. fragrant-flwd β or V ... E. Indies 1831. S l
 29511 - *caerulea* Lindl. violet-flowered β or 10 ap V Japan 1836. L s.l Bot. reg. 1955
caerulea grandiflora Hort.
 29512 - *lathyrifolia* Bess. Lathyrus-leaved γ Δ or 4 ju.au W 1836. D.S co Bot. reg. 1839. 61
 29513 - *hispida* Dec. Nepal or ... my ... Nepal 1835. C l.p
 29514 - *hexapala* Dec. six-petaled β fra 3 ap Pa.G N. Zeal. 1844. S lt Bot. reg. 1846. 44
 29515 - *Grahami* Benth. Graham's β Δ or 15 au Pa.G Mexico 1846. C l J.H. S. 2. 315. fig.
 29516 - *graveolens* Lindl. heavy-smelling β or ... ju.au Pa.Y Chin.Tar. 1845. C lt.l J.H.S. 1. 307. fig
 1904. CLEOME.
 29517 - *speciosissima* Deppe most showy \circ or ... ju.s P Mexico 1827. S co Bot. reg. 1312
 29518 - *lutea* Hook. yellow \circ or 1 jl.au Pa.Y N. Amer. 1840. s.l Bot. reg. 1841. 67
C. alycea For. et Gray. *Peritoma alycea* Nutt.
 16719 *dendroidea* Schrad. tree-like β or 5 ... P Brazil 1828. S s.l Bot. mag. 3296
 29519 - *droserifolia* G. Don Drosera-*lvd* β or ... my.au Y.Vi Egypt 1837. D lt
 29520 - *trinervia* Fries three-nerved \circ or ... my.au Y Arabia 1837. S lt
 1752. CLERODENDRON.
 29521 15665a *scandens* Pall. climbing β or 12 year W.Ro S.Leone ?1846. C lt.r.m Bot. mag. 4354
 29522 - *capitatum* Schum. capitata-*inflor.* β spl. 75 au.o Crea S.Leone ?1846. C lt.r.m Bot. mag. 4355
Volckameria capitata W.
 29523 - *splendens* G. Don splendid β or 10 ju S S. Leone 1839. C s.p Bot. reg. 1842. 7
 15668 *macrophyllum* B. long-leaved β or 8 n.d W Java ?1844. C p.l
C. phyllomega Steud. Nomencl. 1. p. 382, No. 15668 in p. 247 of this work being only a variety of *C. serratum* D. Don.
 15681 *squmatum* Vahl. Syn. *speciosissimum* Paxt. Mag. of bot. 3. 217.
 15683 *infortunatum* L. unlucky β spl. 3 jl.s S Ceylon ... C l.p Bot. reg. 1844. 19
 15687 *fragrans* Ven. fragrant β or 6 au Pk China 1794. C s.l Bot. reg. 1838. 41
 2 *Bore plano* double-flwd β or 3 w Pa.Pk China ... C s.l
 29524 15691a *emirrense* Boj. Emire β or 3 fm.r W Madagasc. 1822. C p.l Bot. mag. 2925
 29525 - *Hügelii* Lindl. Hügel's β or 5 ju.au C S. Leone 1842. C l.p
 29526 - *Kämpferi* Hort. Kämpfer's β or 4 ju.au S S. Amer. 1843. C l.p
 29527 - *cordatum* D. Don cordate-*lvd* β or 3 ju.au W Nepal 1826. C l.p
 29528 - *dentatum* H. & B. tooth-leaved β or ... my.au W E. Indies 1826. C l.p
 29529 - *nerifolium* H. & B. Oleander-leaved β or ... my.au W E. Indies 1824. C l.p
 29530 - *sinuatum* Hook. sinuate-*lvd* β or 3 ?ap.my W S. Leone ... C p.l Bot. mag. 4255
 29531 - *Bethunianum* Low Capt. Bethune's β sp 10 ... S.W Borneo 1847. C p.l
 1347. CLYTHRRA.
 29532 - *mexicana* Dec. Mexican β or 10 su W Mexico 1840. C s.p.l
 29533 - *quercifolia* Lindl. Oak-leaved β or 10 su W Mexico 1840. L s.p Bot. reg. 1842. 23
 3461. 2099a. CLIANTHUS Sol. GLORY PEA. (*Kletos*, glory, *anthos*, flower; noble aspect.) *Leguminosae*. 17. 4
 29534 - *punicus* Sol. crimson-cor. β spl 3 my.jn C N. Zeal. 1832? C p Bot. reg. 1775
Donia punicea G. Don's Gen. Syst. of Gard. and Bot., ii. 468.
 29535 - *carneus* Lindl. flesh-coloured β or 6 ap.my Pk Philip's Is. 1840. C r.m Bot. reg. 1841. 51
Sireblorhiza speciosa Endl.
 2812. CLIFFORTIA.
 29536 - *graminea* Dec. grass-leaved β or ... ju.jl Pa.Y C.G.H. 1825. C p.l
 29537 - *ferruginea* Dec. rusty β or ... ju.jl Pa.Y C.G.H. 1823. C p.l
 3462. 1927a. CLINTONIA Dou. CLINTONIA. (*De Witt Clinton*, late governor of the State of N. York.) *lobelia*. 1.
 29538 - *elegans* Dou. elegant \circ pr $\frac{1}{2}$ jl.au B Colombia 1827. S co Bot. reg. 1241
 29539 - *pulchella* Lindl. pretty \circ fl $\frac{1}{2}$ jl.au B.w.y Colombia ?1831. S co Bot. reg. 1909
 3463. - *CLIOCOCCA* Bab. CLIOCOCCA. (*Cleio*, to close; and *coccus*, a grain or carpel.) *Linaceae*.
 29540 - *tenuifolia* slender-*lvd* γ Δ cu $\frac{1}{2}$ jl P Australia 1837? S ... Linn. Tr.v.20. t.3
 2073. CLITORIA.
 29541 - *fulgens* Paxt. bright-*flwd* β or ... my S Brazil 1841. C s.p.l Paxt. mag. 11. 121
Centrosema coccinea Hort.
 18688. Ternatea.
 1. major Paxt. large-*flwd* β or 4 a.us Bt.b.w Sydney 1845. C s.p.l Paxt. mag. 13. 79
 3464. 965a. CLYVEA Lindl. CLYVEA. (Named in compliment to the Duchess of Northumberland.) *Amaryllidaceae*. 1.
 29542 - *nobilis* Lindl. noble γ Δ spl $\frac{1}{2}$ my.au R.y G.G.H. 1823. O r.m Bot. reg. 1182
Imatophyllum Aitoni Hook. Bot. Mag. 2856.
 3465. - *CLOWESIA* Lindl. CLOWESIA. (*The late Rev. John Clowes*, of Broughton Hall, near Manch.) *Orchid*.
 29543 - *rosea* Lindl. rosy β Δ cu $\frac{1}{2}$ nr W.Pk Brazil 1842. D p.r.w Bot. reg. 1843. 39
 L l 4

2877. CLUSIA. tetrandrous $\frac{1}{2}$ \square or W S.Amer. 1820. C r.m
29544 - - Havètia *W.* *Havètia laurifolia* Kth.
860. CNIDIUM.
29545 6855a dahuricum *F. & M.* dahurian $\frac{1}{2}$ Δ un ... jn.au ... Canada 1837. D co
3466. 2717a. CNIDOSCULUS *Pohl.* CNIDOSCULUS. (*Knide*, a needle, *skolos*, a spine.) *Euphorbiaceæ.* 28.—8.
29546 - - *Marcgraavii* *Pohl.* *Marcgraav's* $\frac{1}{2}$ \square or ... jl.au W Brazil 1823. C r.n
29547 - - *vitifolius* *Pohl.* vine-leaved $\frac{1}{2}$ \square or ... jl.au W Brazil 1823. C r.m
Nos. 23837, 23839, 23844, and 23845 in. p. 391. are also referred to this genus.
498. COBCEA.
29548 - - stipularis *Lindl.* large-stipuled $\frac{1}{2}$ Δ or 20 my.o G Mexico 1839. S p.l Bot. reg. 1841. 25
29549 - - macrostema *Hook.* long-stamened $\frac{1}{2}$ \square or 20 n Y.G Guayaquil 1839. S co Bot. mag. 3780
C. lutea D. Don in Ed. Phil. Journ. 1824; *C. acuminata* Dec.
3467. 935a. COBURGHIA *Swt.* COBURGHIA. (*Prince Coburgh.*) *Amaryllidæ.* 1.—2.
29550 - - incarnata *Swt.* flesh-coloured $\frac{1}{2}$ Δ spl 2 au.s S Quito 1826. D p.l Sw.fl.gar 2d.s.17
Pancratium incarnatum Kth.
29551 - - fulva *Herb.* tawny-flowered $\frac{1}{2}$ Δ or 1 f Taw S.Amer. 1829? O l.r.m Bot. reg. 1497
29552 - - coccinea scarlet $\frac{1}{2}$ Δ or 1 mr S Cordillera 1839. O r.m Bot. mag. 3665
29553 - - trichroma *W. Herb.* three-coloured $\frac{1}{2}$ Δ or 1 jn S.G.w Andes 1837. O r.m Bot. mag. 3-67
29554 - - humilis *Herb.* humble $\frac{1}{2}$ Δ or $\frac{1}{2}$ mr.ap S Andes 1841. O r.m Bot. reg. 1842. 46
29555 - - versicolor *Herb.* changeable $\frac{1}{2}$ Δ or 2 d.ja S.G.Taw Andes 1841. O r.m Bot. reg. 1842. 66
29556 - - stylisa *Lindl.* long-styled $\frac{1}{2}$ Δ pr ... mr O.R. Quito 1847? O s.l.f.m
29557 - - miniata *Lindl.* vermilion-cld $\frac{1}{2}$ Δ or 3 ap.my Ver Peru 1843. O l.p
1212. COCCOLOBA. (*Kokkos*, fruit (in this case, seed), *lobos*, a lobe; lobed seeds.—*Lindley.*)
29558 10302a virens *Lindl.* green $\frac{1}{2}$ \square cu ... au Y.G ?W.Ind. ?1825. C r.m Bot. reg. 1816
3468. 2512a. CŒLIA *Lo. C.* CŒLIA. (*Derivation not known.*) *Orchidaceæ.* 20.—1.
29559 - - Baueriána *Lindl.* Bauer's $\frac{1}{2}$ Δ fra ... sp W Mexico 1834. D fib.p
Epidendrum tripterum Smith.
29560 - - macrostachya *Lindl.* large-spiked $\frac{1}{2}$ Δ or ... ap.jn R Guatemala 1840. D fib.p
2542. CŒLOGYNE.
29561 - - flaccida *Lindl.* drooping $\frac{1}{2}$ Δ el 1 f W.y Noakote 1829. D p.r.w Bot. mag. 3318
29562 - - maculata *Lindl.* spotted-flwd $\frac{1}{2}$ Δ spl ... au W.str.bd Pundua ... D p.r.w
29563 - - cristata *Lindl.* crested $\frac{1}{2}$ Δ el W Nepal ... D p.r.w Bot. reg. 1841. 57
29564 - - Wallichiana *Lindl.* Wallich's $\frac{1}{2}$ Δ el P Pundua ... D p.r.w Paxt. mag. 6. 25
29565 - - ocellata *Lindl.* eyed $\frac{1}{2}$ Δ el 1 W.o Nepal ... D p.r.w Bot. mag. 3767
29566 - - Gardneriana *Wall.* Mr. Gardner's $\frac{1}{2}$ Δ or 1 d W.y Khos.Hills 1837. D Paxt. mag. 6. 73
29567 - - prolifera *Lindl.* Mr. Gardner's $\frac{1}{2}$ Δ or au Brh.y.E.Indies 1836. D fib.p
29568 - - Cumingi *Lindl.* Mr. Cumings $\frac{1}{2}$ Δ or 2 ja W.y Sincapore 1840. D p.r.w Bot. reg. 1841. 29
29569 - - ochracea *Lindl.* ochre spotted $\frac{1}{2}$ Δ or $\frac{1}{2}$ ap W.och.spt India 1845. D block Bot. reg. 1846. 69
29570 - - speciosa *Lindl.* showy *flwd* $\frac{1}{2}$ Δ or $\frac{1}{2}$ o Taw.Br.w.Java 1846. D block Bot. reg. 1847. 23
29571 - - præcox *Paxt.* early *flwg* $\frac{1}{2}$ Δ or $\frac{1}{2}$ n Psh li.w.spt Nepal 1840. D fib.p Paxt. mag. 14. 7
29572 - - fuscescens *Lindl.* brownish $\frac{1}{2}$ Δ cu n Gsh.y.Br.spts ... 1843. D fib.p
29573 - - plantaginea *Lo. C.* plantain-*lwd* $\frac{1}{2}$ Δ cu n Pa.y Sincapore 1840. D fib.p
29574 - - ovalis *Lindl.* oval $\frac{1}{2}$ Δ or St Silhet 1837. D fib.p
29575 - - trinervis *Lindl.* three-nerved $\frac{1}{2}$ Δ or sp W.y Sincapore 1840. D fib.p
29576 - - barbata *Lindl.* bearded-*flwd* $\frac{1}{2}$ Δ or su W.y rkE.Indies 1838. D fib.p
29577 - - undulata *P. Don.* waved-*lwd* $\frac{1}{2}$ Δ or jl.au W.y E.Indies 1840 D fib.p
29578 - - fuliginosa *Lindl.* dusky $\frac{1}{2}$ Δ or Br E.Indies 1840. D fib.p
29579 - - testacea *Lindl.* shell-like $\frac{1}{2}$ Δ or my.jn Din.Br Sincapore 1839. D fib.p
29580 - - intermedia *Wall.* intermediate $\frac{1}{2}$ Δ or E.Indies 1840. D fib.p
29581 - - elata *Wall.* tall $\frac{1}{2}$ Δ or mr.ap W.y India 1840. D fib.p
29582 - - flavida *Wall.* yellowish $\frac{1}{2}$ Δ or ap.my Y India 1838. D fib.p
29583 - - decora *Wall.* comely $\frac{1}{2}$ Δ or mr.ap W India 1837. D fib.p
29584 - - nigrescens *P. Don.* blackish $\frac{1}{2}$ Δ or mr.ap Bksh India 1838. D fib.p
29585 - - brunnea *Lindl.* russet $\frac{1}{2}$ Δ or n.d Gsh.y.Br.sptE.Ind. 1844. D fib.p
1119. COLCHICUM 9155 autumnale
5 atropurpureum dark purple $\frac{1}{2}$ Δ or $\frac{1}{2}$ s.o D.p Britain gard. O co [*J. Cree*]
6 purpureum striatum purple-striped $\frac{1}{2}$ Δ or $\frac{1}{2}$ s.o P.St Britain gard. O co [*J. Cree*]
7 striatum plenum striped.double $\frac{1}{2}$ Δ or $\frac{1}{2}$ s.o Lt.St Britain gard. O co [*J. Cree*]
29586 9160a chionseæ *Haw.MSS.* Chio $\frac{1}{2}$ Δ or $\frac{1}{2}$ o P Chio ... O co
3469. - - COLEA *Bojer.* COLA. (*Gen. Sir G. Lowry Cole*, governor of the Mauritius.) *Bignoniaceæ.*
29587 - - floribunda *Bojer.* abundant-flwg $\frac{1}{2}$ \square or 8 au Y.W Madagas. 1839. C co Bot. reg. 1841. 19
3470. 675a. COLEONEMA *B. & W.* COLEONEMA. (*Koleos*, a sheath, *nema* a filament) *Rutaceæ.* 1.—3.
29588 - - alba *B. & W.* white $\frac{1}{2}$ \square or 2 mr.jl W C.G.H. 1800. C p.l
Drösmia alba Thun. No. 5544.
29589 - - albichrum *Hook.* beautiful $\frac{1}{2}$ \square or 6 ap.my Ro C.G.H.? ... C p.l Bot. mag. 3340
Has long been cultivated, in the green-house of the botanic garden of Glasgow, under the name of *Diösmia angustifolia*; a name only of the gardens, and implying a character common to others of the genus. The plant comes unquestionably within the genus *Coleonema*.—*Hooker.*
3471. 1689a. COLEUS *Lou.* COLEUS. (*Koleos*, a sheath; united stamens.) *Labiatae.* 2.—11.
29590 - - aromatics *Benth.* aromatic $\frac{1}{2}$ \square fra $\frac{1}{2}$ mr.my Pa.V India 1826. C p.l Bot. reg. 1520
ambianicus *Lou. Génera odorata* Hort.
29591 - - barbatus *Benth.* bearded $\frac{1}{2}$ \square or 3 o.n B Abyssinia 1806. C l.p Bot. mag 2036
Plectranthus barbatus Bot. Rep. 6. *Forsköhlfi* *B. M.* Nos. 15251. and 15242. belong to this genus.
3472. - - COLLANIA *Herb.* COLLANIA. (*Derivation not given.*) *Amaryllidæ.*
29592 - - Andinamarca *Herb.* Andinamarca $\frac{1}{2}$ \square or p6 ap S.G Peru 1844. D lt.l Bot. mag. 4247
29593 - - dulcis *Hook.* sweet-*flwd* $\frac{1}{2}$ \square or ... au R.G Peru 1845. D s.l.p Bot. reg. 1847. 34

667. COLLE'TIA.
 29594 - - hórrida *Brong.* horrid-*aspected* \blacksquare cu ... my.jn Gsh.W.P Chilil 1832. ?S s.l Bot. reg. 1776
fíror Gill. and Hook. in Bot. Misc. l. 154. t. 44. f. B.
 29595 5486a *ulicina G. Don* furze-like \blacksquare or 2 my.jl Pa.Y Chill ... C l.p Bot. mis. 43
 29596 5486b *cruciata G. Don* crossed-*lvd* \blacksquare or ... Pa.Y Chill 1824. C l.p
 29597 - - *serratifólia Vcnt.* serrated-*lvd* \blacksquare or ... W Peru ?1843. C p.l
3473. 2715a. COLLIGUAJA. Mol. COLLIGUAJA. (Native name.) *Euphorbiaceæ.*
 29598 - - odorífera *Mol.* odoriferous \blacksquare or 6? ... Gsh.W. Chill 1831. Bot. mis. 40
1804. COLLYNSIA.
 29599 16019a bicolor *Benth.* 2-coloured-*flwd* \bigcirc or 1 $\frac{1}{2}$ ny.s W.P California 1833. S lp Bot. reg. 1734
 29600 16019b heterophýlla *Nut.* various-leaved \bigcirc or 1 $\frac{1}{2}$ j.lau P.W Colombia 1833. S co Bot. mag. 3695
 29601 - - *sparsiflóra G. Don* scattered-*flwd* \bigcirc or 1 my.au VI California 1836. S co
 29602 - - *tinctória Hartw.* dyer's \bigcirc or 1 my.au Pa.Pk California 1848. S co [G. G.]
473. COLLO'MIA *Nut.* *Polemoniaceæ. 7.*
 29603 - - heterophýlla *Hook.* various-leaved \bigcirc or $\frac{2}{3}$ jn.s Pk N.W.Am. 1826. S co Bot. mag. 2895
 29604 - - *Cavanillesii H. & A. Cavanilles's* \bigcirc or 1 $\frac{1}{2}$ jn.n R.Y Chili 1832. S co Bot. mag. 3468
Phlox lineáris Cav. ic., not *Collomia lineáris* Nut. *Collomia Cavanillesii H. & A.* Bot. of Beech. Voy. v. i. p. 37. 1831. *C. coccinea* Lehmann, Delect. Sem. Hort. Hamburg., 1832; Bot. reg. t. 1622. C.
lateritia D. Don in *Sw. ft. gar.* 2. s. t. 206.
 29605 - - *grandiflóra Dou.* large-flowered \bigcirc or 2 jn.o Saf N.W.Am. 1826. S co Bot. reg. 1174
 13924 *lineáris Nut.* linear-leaved \bigcirc or 1 jn.o R N.W.Am. 1826. S co Bot. reg. 1166
 29606 - - *gillóides Benth.* Gillia-like \bigcirc or 1 jn.o Pk N.W.Am. 1833. S co
 It corolla resembles that of *C. grácilis*.
 29607 - - *glutinósa Benth.* glutinous \bigcirc or pro jn.o ... California 1833. S co
 Its corolla resembles that of *C. grácilis*.
 29608 - - *grácilis Dou.* slender \bigcirc or $\frac{1}{2}$ jn.s Pk N.W.Am. 1826. S co Bot. mag. 2924
2075. COLOGA'NIA.
 29609 - - *pulchella H. et Kth.* pretty $\frac{3}{4}$ Δ or 3 s Ro Mexico 1837. C p.l Botanist, no. 110
3474. 1101a. CLOPHO'NIA *Kth.* COLOPHONIA. (Yielding a resin like *Colophon.*) 6. l. *Terebinthaceæ. 1.*
 29610 - - *mauritiána Kth.* Mauritian $\frac{1}{2}$ \square ec ... P Mauritius 1846. S s.l
3475. 668a. COLUBRINA *Brong.* COLUBRINA. (*Coluber*, a snake; twisted stems.) *Rhámneæ. 4.—8.*
 29611 - - *ferruginósa Brong.* ferruginous \square tm 20 my.n G Bahama 1.1762. L p.1 Jac. vin. 3. 50
Ceanothus colubrinus, No. 5496. Nos. 5493. 5497. and 5499. also belong to this genus.
 29612 - - *triflóra Brong.* three-flwd \blacksquare or ... Pa.Y Mexico 1826. L p.l
1797. COLUMNEA.
 29613 - - *Schiedeana Paxt.* Schiede's $\frac{2}{3}$ $\frac{1}{2}$ m or $\frac{1}{2}$ su O Mexico 1840. C s p Paxt. mag. ix. 31
 29614 - - *aureo-nitens Hook.* bright-golden \blacksquare or 1 $\frac{1}{2}$ o.ap Y Columbia 1847. C p.l Bot. mag. 4294
 29615 - - *crassiflóla Hort.* thick-leaved \blacksquare or 1 m.r.jn S ?Mexico 1845. C p.l Bot. mag. 4330
 29616 - - *spléndens Paxt.* splendid-*flwd* \blacksquare or 2 n S Brazil 1841. C p.l Paxt. mag. 10. 5
C. grandiflóra, and *Nematánthus Guilleminiana*, are given as synonyms in Paxt. Mag. of Bot., but without the names of their authors.
3476. - - COLVILLEA *Boj.* COLVILLEA. (The late Sir Charles Colville, Governor of the Mauritius.) *Legumin.*
 29617 - - *racemosa B. R.* grand-racemed \square sp 45 ap.my S Madagas. ... S pl Bot. m. 3325, 3326
3477. - - COMAROSTA'PHYLIS *Endl.* GRITBERRY. (*Komaros*, the arbutus, *slaphyllis*, a bunch of grapes.) *Eri.*
 29618 - - *arbutóides Lindl.* Arbutus-like \blacksquare pr 6 o.my W Guatemala 1840. C s p Bot. reg. 1843. 30
 29619 - - *poliflóla B. R.* polium-leaved \blacksquare or ... my.o C Guatemala 1840. C s p
1527. COMARUM 13576 palústre 2 variegátum striped-leaved $\frac{3}{4}$ Δ cu 1 $\frac{1}{2}$ jn.jl P Britain gard. D s.p [J. Cree.]
1203. COMBRETUM 10200 grandiflórum Paxt. Mag. Bot. vol. ix. p. 169.
 29620 - - *latifórum Don* broad-leaved $\frac{1}{2}$ \square or ... ny Bt.R E. Indies ?1843. C lt.s.p Paxt. mag. 12. 103
macrophýllum Roxb.
 29621 - - *Wrightianum* Wright's $\frac{1}{2}$ \square or 10 ... India 1845. C p.l [K. & P.]
1931. COMESPERRMA.
 29622 - - *grácilis Part.* slender $\frac{1}{2}$ \square or 3 ap B ?Australia 1834. C p.l Paxt. mag. v. 15
 29623 - - *virgata Dec.* twiggy $\frac{1}{2}$ \square or ... my.au P Australia 1826. C s.p
 29624 - - *ericina Dec.* heath-like $\frac{1}{2}$ \square or ... my.au P Australia 1822. C s.p
 29625 - - *coridiólida Fl.* coris-leaved $\frac{1}{2}$ \square or ... my.au P Australia 1822. C s.p
112. COMMELINA 977 cœléstis 2 álba white-*flwd* $\frac{3}{4}$ Δ or 3 jn.au W R lt
 29626 978a *grácilis R. & P.* slender $\frac{1}{2}$ Δ or 1 jl B Lima 1830. C s.l Bot. mag. 3047
 29627 - - *cucullata L.* hooded \square or ... jn.s B Brazil 1825. S l.p
 29628 - - *clandestina Mart.* inobvious-*flwd* $\frac{3}{4}$ Δ un 1 jn Bsh Brazil 1832. O l.p
 29629 981a *orchióides Booth.* orchis-like $\frac{3}{4}$ Δ or ... y.jn B Mexico 1837. R s.p
3478. 2793a. COMMIPHORA *Jac.* COMMIPHORA. (*Kommi*, gum, *phero*, to bear.) *Orchidaceæ.*
 29630 - - *madagascariénsis Jac.* Madagascar ... o ... Madagas. 1820. ... Jac. sc. 249
3479. 2538a. COMPARETTIA *Pöp.* COMPARETTIA. (*A. Comparetti*, an Italian botanist.) *Orchidaceæ.*
 29631 - - *falcata Pöp.* falcate $\frac{1}{2}$ Δ el $\frac{1}{2}$... Ro Mexico 1836. D p.r.w Bot. reg. 1838. 68
 29632 - - *coccinea Lindl.* scarlet $\frac{1}{2}$ Δ or $\frac{1}{2}$ au S ?Brazil 1837. D p.r.w Bot. reg. 1838. 68
 29633 - - *rosea Lindl.* rose-coloured $\frac{1}{2}$ Δ or $\frac{1}{2}$ su Ro Spa. Main 1840. D block Paxt. mag. x. 1
3480. 885b. CONDYLOCA'RPUS *Hofm.* CONDYLOCARPUS. (*Kondyle*, a knob, *karpos*, fruit; margin.) *Umbel. 3.*
 29634 - - *officinális Koch* officinal \square w 2 $\frac{1}{2}$ jl. F England cor. fi S co Eng. bot. 2440
Tordylium officinále L. No. 7082. Nos. 7084. and 7087. also belong to this genus.
3481. 2612a. CONOCE'PHALUS *Blume* CONOCEPHALUS. (*Konos*, a cone, *kephale*, a head; form.) *Urticææ. 1.—12.*
 29635 - - *naucleifórus Lindl.* Nauclea-*flwd* \blacksquare \square cu 10 year Y Chittagon. 1820. C p.l Bot. reg. 1203
Urtica naucleiflóra Rox.

3482. 821a. **CONOPODIUM Koch** CONOPODIUM. (*Konos*, a cone, *podium*, a little foot; *disk.*) *Umbelliferae*. 3.
 29636 - *denudatum Koch* denuded Δ Δ un 2 jn.jl W S. Amer. ... D co
Bimum denudatum Dec.
 29637 - *canadense Koch* Canadian Δ Δ un 1½ jl.au W N. Amer. 1699. D co
Chærophyllum canadense Pers. No. 6599. No. 6600. also belongs to this genus.

312. **CONOSPERMUM.**
 29638 - *cæruleum R. Br.* blue Δ Δ or ... B N. Holl. 1830. S l.p
 29639 - *triplicerveum R. Br.* three-nerved Δ Δ or ... B N. Holl. 1830. S l.p
 29640 2586a *tenuifolium R. Br.* thin-leaved Δ Δ or 3 jn.au W N. Holl. 1824. C s.p
 29641 2589a *acinaefolium Grab.* scymitar-lyd Δ Δ or 3 jn.au W N. Holl. 1824. C s.p
 29642 - *Hügelii Lindl.* *Baron Hügel's* Δ Δ or ... S. River ... C s.p.l
 29643 - *sclerophyllum Lindl.* hard-leaved Δ Δ or ... S. River ... C s.p
 29644 - *densiflorum Lindl.* dense-flwd Δ Δ or ... S. River ... C s.p
 29645 - *acerosum Lindl.* slender-lyd Δ Δ or ... S. River ... C s.p
 29646 - *incurvum Lindl.* incurved-lyd Δ Δ or ... S. River ... C s.p
 29647 - *glumaceum Lindl.* chaffy Δ Δ or ... S. River ... C s.p
 29648 - *undulatum Lindl.* waved-lyd Δ Δ or ... S. River ... C s.p
 29649 - *capitatum Lindl.* capitata Δ Δ or ... B S. Amer. 1842. C p.l

945. **CONOSTYLIS.**
 29650 - *juncæ Hügel* rushy Δ Δ pr ... s.o St N. Holl. 1838. D s.p
 29651 - *auræa Lindl.* golden-flwd Δ Δ or ... Go S. River ... D s.p
 29652 - *dealbata Lindl.* mealy-stemmed Δ Δ or ... S. River ... D s.p
 29653 - *caricina Lindl.* sedge-like Δ Δ or ... Y S. River 1842. D s.p
 29654 - *setosa Lindl.* bristly Δ Δ or ... C S. River 1843. D s.p
 29655 - *bracteata Lindl.* bracteated Δ Δ or ... S. River ... D s.p

3483. 1698a. **CONRADIA G. Don.** CONRADIA. (*Conrad Gesner*, see *Gésnera*.) *Gesneriæca.* 14.—2.
 29656 - *floribunda Part.* many-flwd Δ Δ or ... o.d Dp.Rsh.S?S.Amer.1847. C p.l Pakt. mag. xv.99
 Nos. 15323, 15327, and 15336 in p. 241 belong also to this genus.

492. **CONVOLVULUS.**
 29657 421a *albivenus Lindl.* white-veined-lyd Δ Δ or 6 s Pa.Pk Algoa Bay 1823. C p.l Bot. rcg. 1116
 423a *scoparia Syn. Rhodantha scoparia* Webb.
 4205 *pentánthus Syn. Jacquemontia pentántha* Benth. in Botanist. t. 197.
 29658 - *canescens H.B.K.* hoary Δ Δ or ... B Bogota ?1846.C s.l.p Bot. reg. 1847. 27
Convolutus potyánthus Schlecht. & Chamisso in Linnaea, 1830. p. 117; *J. villosa* β Choisy, l.c.
 29659 - *ocellatus Hook.* purple-eyed Δ Δ or 1½ au W.Rsh.F S.Africa ... S.C.s.l.p Bot. mag. 4065

2330. **CONYZA.**
 29660 21031a *genistelloides Lam.* Genista-like Δ Δ or 4 ... Y S. Amer. 1824. C p.l
 29661 - *chilensis Spr.* Chilean Δ Δ or ... Chili 1828. S co
 Nos. 21015, 21034, and 21048 are now referred to the genus *Bidmea* Dec.
 21031 *rugosa Vahl.*; syn. *Commidéndrum rugosum* Dec.
 21025, 21027, and 21029.; syn. *Phagnalon sp.* Dec.
 21054 *virgata L.*; syn. *Pterocaulon virgatum* Dec.
 21030 *sericea H. K.*; syn. *Schizogyne sericea* Dec.

3484. 974a. **COOPERIA Herh.** COOPERIA. (*Joseph Cooper*, a skilful English cultivator.) *Amaryllidæca.*
 29662 - *Drummondii Herb.* Drummond's Δ Δ cu ½ ?su W.a Texas ?1835. O ?p.l Bot. reg. 1835
?Sceptránthus Drummondii. Bot. mag. 3727.
 29663 - *chlorosolen Herb.* green-tubed Δ Δ cu ?½ ... W.g Texas ?1835. O ?p.l

563. **CORDIA.**
 29664 - *grandiflora Lindl.* large-flowered Δ Δ or ... au W S. Amer. ?1827. C l.p Bot. rcg. 1491
 29665 - *latifolia Rum.* broad-leaved Δ Δ or ... jn.au ... E. Indies 1824. C p.l Ru. ani. 2. 75

1072. **CORDYLÆNE.**
 29666 - *australis Endl.* Australian Δ Δ or Norf. Isld. 1837. Sk p.l Bot. mag. 2835
Charlvoodia 8458 australis in p. 130; Bot. mag. 2835; *C. Ráuphii Hook.* Bot. mag. 4279. *Sansoniæra*
fruticosa Bl. Enum. Fl. Jav. vol. i. p. 11., *Terminaldia 25029 angustifolia* in p. 412.

2415. **COREOPSIS.**
 29667 21993a *filifolia Hook.* thread-leaved Δ Δ or 2 au.s Y Texas 1835 S p.l Bot. mag. 3505
 29668 22001a *diversifolia Hook.* various-leaved Δ Δ or 2 jl B.o.br Texas 1825. S co Bot. mag. 3474
auriculata var. diversifolia Elliott, Carol. vol. ii. p. 437.
 29669 22016a *longipes Hook.* long-stalked Δ Δ or el 2 ma.au Y Texas ?1835. S co Bot. mag. 3586
 29670 - *coronata Hook.* crowned Δ Δ or 2 su.aut Y.br.s Texas 1835. S co Bot. mag. 3460
 29671 21576a *amplexicaulis Cav.* stem-clasping Δ Δ un 4 jl.au Y S. Amer. 1806. D p.l
Simsia amplexicaulis Pers. No. 22019. in p. 359. *Ximenesia amplexicaulis* Kth.
 21995 *tripteris L.*; syn. *Chrysostemma tripteris* Dec.

3485. 681a. **CORETHROSTYLIS Endl.** CORETHROSTYLIS. (*Korethron*, a broom.) *Lasiopetalæca.* 5.—1.
 29672 - *bracteata Endl.* rosy-bracted Δ Δ or ?3 ap.my Ro.Cc S.River. 1843. C s.p Bot. reg. 1844.47

27. **CORISPERMUM.**
 29673 239a *sabulosum Led.* sandy Δ Δ cu 1 jl.au Ap Siberia 1826. S co

†401. **CORNUS L.** Dogwood. (*Cornu*, a horn; hardness of the wood.) *Cornacæca.*

1. **NUDIFLORÆ.** — *Flowers corymbosæ or panicled, without an involucre. Trees or Shrubs.*
 § i. *Leaves alternate.*
 3377 *alternifolia L.* alternate-leaved Δ Δ or 15 s W N. Amer. 1760. L co Schm. ar. 2. 70
altérna Marshl.
 § ii. *Leaves opposite.*
 3378 *sanguinea L.* blood-red Δ Δ or 10 jn.jl W Britain woods L co Eng. bot. 249
fœmina Ray.
 2 *foliis variegatis* Lod. variegated-lyd Δ Δ or 10 jn.jl W Britain hed. C co
 3379 *álba L.* white-berried Δ Δ or 10 ny.jl W Siberia 1741. L co Mil. ic. 104
stolonifera Mx. *tatarica* Mill. ic.
 2 *sibirica* Lod. Siberian Δ Δ or 10 jn.s W Siberia 1824. C co
 3380 *stricta Lam.* straight-bran. Δ Δ or 10 jn.jl W N. Amer. 1758. C co Schm. ar. 2. 67
fastigiata Mx. *sanguinea* Walt., not of *L. cyanocarpus* Gmel. *canadensis* Hort. Par. *cærucá* Mcc. ic., not of Lam.

2414. **CO'SMEA.**
 29693 - tenuifolius Lindl. slender-leaved \square pr 2 s.n R.Y Mexico 21836. D co Bot. reg. 2007
 29694 - diversifolius Otto various-leaved \square pr 3 jn.o L N. Amer. 1835. D co Fl. cab. li. 47
 29695 - scabiosoides H. B. & K. Scabious-like \triangle pr 4 au.s S Mexico ... R l Bot. reg. 1838. 15
517. **COSMELIA.**
 †4324 rubra R. Br. red-coralae \square or 1½ my Ro. R N. Holl. 1826. C s.p Bot. reg. 1822
11. **CO'STUS.**
 29696 - pictus D. Don. variegated-flwd \square or 1½ au Y.P Mexico 21830. D s.l Bot. reg. 1594
 29697 139a discolor Rosc. 2-coloured-lwd \square or 4 my.s W Maranh. 1823. D s.l Rosc. scit. 81
- †1513. **COTONEASTER Med.** (Cotonca, quince tree, aster, corruption of *ad instar*; similitude.) *Rosaceae.*
 1. — *Leaves deciduous. Shrubs.*
 13003 vulgaris Lindl. common \square or 4 my.jl Pk Wales ch. cl. S l Eng. b. sup. 2173
Mespilus Cotoncæster L. \square
 1 erythrocarpa Led. red fruited \square or 4 ap.my Pk L co
 2 melanocarpa Led. dark-fruited \square or 8 ap.my ... L co
Mespilus Cotoncæster Pall. M. melanocarpa Fisch. C. melanocarpa Lodd. \square
 3 depressa Fries depressed \square or Sweden ... L co
 13004 tomentosa Lindl. woolly \square or 4 ap.my Pk Jura 1759. L co
Mespilus tomentosa W., not of Lam. M. erythrocarpa Dec. \square
 13005 laxiflora Jac. loose-flowered \square or ... ap Pk 1826. G l Bot. reg. 1305
vulgaris var. *laxiflora* Lindl. \square
 2 uniflora Fies. one-flowered \square or ... ap G l
 29698 - denticulata Benth. toothed-lwd \square or 6 ... S.W Mexico 1839. G co E. of T. S. f. 741
Nägelia denticulata Morren. \square
11. — *Subevergreen or deciduous. Tall Shrubs, or low Trees.*
 13006 frigida Wal. frigid \square or 10 ap.my W Nepal 1824. G l Bot. reg. 1229
Pyrus Nüssia Ham. in *Prod. fl. nep.* \square
 13007 affinis Lindl. related (to *C. frigida*) \square or ? 10 ap.my? W Nepal 1828. G l
Mespilus microgyrrima Ham. ms. M. affinis D. Don. *Prod. fl. nep.* \square
 13007a acuminata Lindl. acuminate-lwd \square or 10 ap.my Pk Nepal 1820. Bot. cab. 919
Mespilus acuminata Lod. Bot. cab. \square
 13007b nummularia Lindl. money-lik-lwd \square or 15 ap.my W Nepal 1824. G l
elliptica Hort. *Mespilus Cuile* Hort. \square
 C. laevis. There is a plant under this name in Messrs. Loddiges's arborctum, which appears to approach
 C. nummularia. \square
- 29699 - bacillaris Wall. \square or ?Nepal 1841. G l
111. — *Leaves evergreen, leathery. Low shrubs, with prostrate branches; Trailers, but not properly Creepers.*
 13007c rotundifolia Wall. round-leaved \square or 3 ap.my W Nepal 1825. L co Bot. mag. 1187
microphylla β *Uva-ursi* Lindl. Bot. reg. *Uva-ursi* Hort. \square
 29700 - luxifolia Wall. box-leaved \square or 3 ap.my W Neelgherry 1824. L co E. of T. S. f. 749
 2 marginata white-margined \square or 3 ap.my W Saharanpore 1838. L co
- IV. *Uncertain to which section it belongs.*
 29701 - Roylei H. S. Dr. Royle's \square or W N. India 1845. L co
2380. **CO'TULA** 21726 viscosa L.; syn. *Eclètes viscosa* Dec. \square
 29702 - pusilla Thun. small \square un ... jls Y C. G. H. 1835. S co
 29703 - bifolia Thun. thread-leaved \square un ... jls Y C. G. H. 1835. S co
1409. **COTYLEDON.**
 29704 11797a cuneiformis Haw. wedge-shap.-lwd \square cu $\frac{1}{2}$ C. G. H. 1823. C s.l
 29705 11808a interjecta Haw. interjected \square cu $\frac{1}{2}$ C. G. H. 1824. C s.l
 29706 - Lievenii Led. Lieven's \square cu $\frac{1}{2}$ my R Altai 1832. D l.p
Umbilicus Lievenii G. Don. \square
 29707 - Sempervivum Bieb. Sempervivum-lik \square cu $\frac{1}{2}$ Caucasus 1836. S l.p Fl. Cab. 116.
Umbilicus Sempervivum Dec. \square
3488. - COUSYNIA Mey. COUSINIA. (Cousin, a French botanist.) *Compositæ Cynaræ.*
 29708 - macrocephala Mey. long-headed \square or Pa.Y S s.l
 29709 - cynaroides Mey. Cynara-like \square or W Caucasus ... S s.l
 29710 - hystrix Mey. porcupine \square or Russia 1838. D co
 29711 - tenella F. & M. tender \square or ... jn.jl P America 1837. S co
 29712 - Hohenákéri F. & M. Hohcnaker's \square or ... jls Y Caucasus 1836. D co
3489. 1535a. **COWANIA** D. Don COWANIA. (James Cowan, an English merchant.) *Rosaceae.*
 29713 - plicata D. Don plaited-leaved \square pr 2 jn R Mexlco ... D s.p Sw. fl. gar. 400
- CRABO'WSKIA** G. Don. See **GRABO'WSKIA** Schlecht.
1896. **CRA'MBE.**
 29714 16674a juncæa Bieb. rush-like \square or 2 my.jn W Iberia 1828. D s.l
3490. 2261a. **CRASPE'DIA** Lessing CRASPEDIA. (*Kraspedon*, a fringe; pappus.) *Compositæ.*
 29715 - macrocephala Hook. large-headed \square cu or 1½ ... Ysh. W V. D. L. 1834. S s.l? Bot. mag. 3415
 29716 - glauca Lindl. glaucous-herbd \square cu ? 1½ ap Y N. Holl. 1836. S s.l? Bot. reg. 1908
 29717 - plebeia Cun. plebeian \square cu N. Holl. 1823. C s.l
- †1506. **CRATÆGUS** L. HAWTHORN. (*Kratos*, strength; hardness and strength of wood.) *Rosaceae Pômæa.*
 1. *Cocci'NEÆ.* — *Leaves cordate, lobed, acutely serrated. Flowers and Fruit large. Plants large and of free and vigorous growth.*
 12895 coccinea L. scarlet-fruited \square or 20 my.jn W N. Amer. ... S co Den. br. 62
 C. æstivalis Booth. *Mespilus æstivalis* Walt. M. coccinea Mill., N. Du Ham. \square
 2 corallina A. B. coralline \square or 15 my.jn W France ... G co A. b. f. 565
 C. cordilina Lod. No. 12942. in p. 201. C. pyriformis of some collections. \square

- 3 *indentata* A. B. indented-leaved ♀ or 12 my.jn W B co A. b. f. 566
C. indentata Lo. C.
 4 *máxima* Lod. largest lvd. & flt. ♀ or 20 my.jn W S. Europe ... B co
C. c. spinosa Godefroy. C. ? *flabellata* Hort. ? No. 12931. in p. 201.
 5 *neapolitana* Hort. Neapolitan ♀ or ... my.jn ... Naples ... B co
Méspilus constantinopolitana Godefroy.
 12896 *glandulosa* W. glandular ♀ or 15 my.jn W N. Amer. 1750. B co Den. br. 58
Méspilus rotundifolia Ehrh. Párus *glandulosa* Moench. C. *rotundifolia* Booth.
 2 *succulenta* Fis. succulent-flt. ♀ or Germany ... B co
 3 *subvillosa* A. B. subvillose ♀ or W ?1832. B co A. b. f. 568
 C. *subvillosa* Fis.
 4 *macracantha* Lindl. long.-spined ♀ or 20 my.jn W N. Amer. 1819. B co A. b. f. 572
C. macracantha Lod., Arb. brit. p. 819. C. *spina longissima* Lee.
 2 minor A. B. smaller-fruited ♀ or 20 my.jn W N. Amer. ... B co A. b. f. 573

II. PUNCTATE. — Leaves not lobed, large, with many nerves. Bark white, or ash-coloured. Fruit large or small.

- 12897 *punctata* Ait. dotted fruited ♀ or 15 my.jn W N. Amer. 1746. B co Den. br. 57
Crús-gállí Duroi. *Méspilus cuneifolia* Ehrh. M. *punctata* Link. M. *cornifolia* Lam.
 1 *rúbra* Ph. red-fruited ♀ or 20 my.jn W N. Amer. ... B co A. b. f. 569
C. edúlis Ronalds.
 2 *rúbra stricta* Hort. upright red ♀ or 20 my.jn W N. Amer. ... B co
C. p. stricta Ronalds.
 3 *aúrea* Ph. golden-fruited ♀ or 30 my.ju W N. Amer. 1724. B co Den. br. 59
 ?C. *flava*, No. 12916. in p. 201. C. *p. flava* Hort. C. *dúlcis* Ronalds. C. *edúlis* Lod. C. *pentágyna flava* Godefroy.
 4 *brevispina* Dou. short-spined ♀ or ... my.jn W N. Amer. ... B co A. b. f. 2462
 12898 *pyrifolia* Ait. Pear-tree-lvd ♀ or 20 my.jn W N. Amer. 1765 B co Bot. reg. 1877
leucophlaeos Moench. *radiata* Lod. *tomentosa* Duroi. *Méspilus latifolia* Lam. M. *Calpodendron* Ehrh. M. *pyrifolia* Link. M. *cornifolia* Poir., Booth. C. *latifolia* Ronalds.

III. CRU'S-GALLI. — Leaves without lobes. Fruit small, or middle-sized, round, dark green till nearly ripe, when ripe scarlet. Spines very long, and bent like the spur of a cock.

- 12890 *Crús-gállí* L. cock's spur ♀ or 20 my.jn W N. Amer. 1691. B co Den. br. 56
lúcida Wang. *cuneifolia* Lod. *Méspilus lúcida* Ehrh. M. *Crús-gállí* Poir. M. *hyemátis* Walt. M. *cuneifolia* Moench.
 2 *spléndens* Dec. shining ♀ or 20 my.jn W N. Amer. ... B co Pluk. al. 46. 1
 C. *arbutifolia* and C. *spléndens* Ait.
 3 *pyracanthifolia* Dec. *Pyracantha*-lvd ♀ or 20 my.jn W N. Amer. ... B co A. b. f. 580
C. pyracanthifolia Lod. *Méspilus lúcida* Dum.
 4 *salicifolia* Dec. Willow-leaved ♀ or 20 my.jn W N. Amer. ... B co A. b. f. 578
C. salicifolia Hort.
 5 *lineáris* Dec. linear-leaved ♀ or 20 my.jn W N. Amer. ... B co A. b. f. 577
C. lineáris Lod. *Méspilus lineáris* Desf.
 6 *nána* Dec. dwarf ♀ or 4 my.jn W N. Amer. ... B co A. b. f. 552
Méspilus nana Dum.
 12900 *ovalifolia* Horn. oval-leaved ♀ or 30 my.jn W N. Amer. 1810. B co Bot. reg. 1860
Crús-gállí ovalifolia Lindl. *elliptica* Lod.
 12901 *prunifolia* Bosc Plum-tree-lvd ♀ or 20 my.jn W N. Amer. 1818. B co Bot. reg. 1868
Crús-gállí prunifolia Lindl. *caroliniana* Lod. *Méspilus prunifolia* Poir.
 2 *ingestria* A. B. Ingestrie ♀ or 20 my.jn ... Eng. hyb. ... B co
C. ingestria Lod.

IV. NIGRE. — Leaves middle-sized, deeply lobed. Lobes pointed. Fruit round, black or purple. Tree rather fastigate, with few or no spines. Bark smooth.

- 12902 *nigra* W & K. black-fruited ♀ or 20 ap.my W Hungary 1819. B co Den. br. 64
Méspilus nigra W. *carpática* Lod.
 12903 *purpurea* Bosc purple-bran. ♀ or 15 my.jn W ?Altaic M. 1822. B co Den. br. 60
sanguinea Hort.
 2 *altáica* A. B. Altaic ♀ or 15 my.jn W Altaic M. ... B co A. b. f. 583
C. altáica Led.

V. DOUGLASSII. — Leaves small, and not lobed as in the preceding section. Spines rather numerous and rigid. Fruit small, and dark purple. Palp soft and watery.

- 29718 12904 *Douglássi* Lindl. Douglas's ♀ or 15 my. W N.W.Am. 1827. S.G co Bot. reg. 1810

VI. FLAVÆ. — Leaves small, obovate, slightly lobed, and serrated. Flowers frequently solitary. Spines numerous, straight, and more slender than in any other division. Fruit top, or pear-shaped; yellow, or greenish yellow.

- 12905 *flava* Ait. yellow-fruited ♀ or 20 my. W N. Amer. 1724. B co Den. br. 50
glandulosa Mx. not of Walt. *Méspilus Michxarií* Pers. C. *caroliniana* Poir. *flavissima* Hort.
 12906 *lobata* Bosc lobed-leaved ♀ or 15 my.jn W B co A. b. f. 589
Méspilus lobata Poir. C. *lutea* Hort.
 29719 12907 *trilobata* Lod. three-lobed-lvd. ♀ or 15 my.jn W hybrid ?1820. B co ?Bot. cab. 1100
C. spinosissima Lee, ?Lod. Bot. Cab.

VII. APIFOLIE. — Leaves deltoid, or somewhat resembling those of the common thorn. Fruit also of the same colour. But the tree has a totally different habit, having the shoots loose and spreading, weak, and almost without thorns.

- 12908 *apifolia* Mr. Parsley-leaved ♀ or 15 my.jn W N. Amer. 1812. B co A. b. f. 589
Oxyacantha Walt. *apifolia major* Lod.
 2 minor A. B. less ♀ or ... my.jn W B co A. b. f. 588
C. apifolia Lod.

VIII. MICROCARPÆ. — Fruit small, round, red. Flowers small, produced in corymbs, later in the season than in any of the other species. Spines few, but sometimes very large.

- 12909 *cordata* Mil. heart-leaved ♀ or 20 ju.jl W N. Amer. 1738. B co Bot. reg. 1151
populifolia Walt. *Méspilus acerifolia* Poir. Dict.
 12910 *spathulata* Ell. spatula-shaped ♀ or 15 my.jn W N. Amer. 1806. B co Bot. reg. 1846
microcarpa Lindl. Bot. Reg.

- IX. AZAROLLI. — *Fruit large, round or pear-shaped; yellow or red; eatable. Leaves wedge-shaped, 3-cleft or more, shining, pubescent, or hairy. Spines few, or none.*
- 12911 *Azarölus* L. Azarole ♀ or 15 my.jn W S. Europe 1640. B co Bot. rep. 579
Pyrus Azarölus Scop. Car. Mespilus Azarölus Al. ped.
- 12912 marocaina Pers. Maroc ♀ or 15 my.jn W Morocco 1822. B co A. b. f. 594
Fmaïra L. according to Dec.
- 12913 *Arönia* Bosc Aronia ♀ or 15 my.jn W S. Europe 1810. B co Poc. or. 85
Mespilus Arönia Willd. N. Du Ham. C. Azarölus ♂ Willd. sp. C. *Jissa* Lod. M. *orientälis apifölio sübtus hirsütö* Pocock.
- 2 grandiflora great-flwd ♀ or 15 my.jn W 1846. G co [K. & P.]
 orientälis Bosc Eastern ♀ or 15 my.jn W S. Europe 1810. B co Bot. rep. 590
Mespilus orientälis Poir. C. *odoratissima* Bot. rep.
 2 sanguinea A. B. blood-cld-ftd ♀ or 15 my.jn W Crimea 1810. B co Bot. reg. 1852
 C. *orientälis* Lindl. Bot. reg. C. *sanguinea* Schrader Index Sem. Hort. Acad. Gött. 1831. C. *tanacetifolia 2 laurica* Dec.
- 12915 *tanacetifolia* Pers. Tansy-leaved ♀ or 15 my.jn W Greece 1789. B co Bot. rep. 591
Mespilus tanacetifolia Poir. Dict., N. Du Ham. M. *pinnäta* Dum. ? M. *Celsiana* Dum.
 2 gläbra Lod. smooth ♀ or ? 15 my.jn W Germany ? 1810. B co A. b. f. 598
 3 *Leeäna* A. B. Lee's ♀ or 20 jn W hybrid ? 1825. B co A. b. f. 599
 C. *incisa* Lee.
- X. HETEROPHY'LLÆ. — *Leaves cuneate, and subsistent. Fruit long, middle-sized, and crimson.*
- 12916 heterophylla Flu. various-leaved ♀ or 20 my.jn W N. Amcr. 1816. B co Bot. reg. 1847
- XI. OXYACANTHÆ. — *Leaves obovate, trifid, or variously cut. Flowers numerous, in corymbs. Fruit generally red.*
- 12917 *Oxyacantha* L. sharp-thorned ♀ or 15 my.jn W Britain hed. S co Eng. bot. 2054
Mespilus Oxyacantha Gartin.
 2 obtusata Dec. obtuse-lobed ♀ or 15 my.jn W France 1822. B co Bot. reg. 1128
Mespilus Oxyacantha integrifolia Wallr. C. *Oxyacanthoides* Thuill. No. 12929. p. 201., Lindl. Bot. reg.
 C. *Oxyacantha* Fl. Dan.
 3 sibirica A. B. Siberian 1-styled ♀ or 15 my.jn W Siberia ... B co Pal. ros. 112
 C. *sibirica* Lo. C. C. *monögyina* L.
 4 transylvanica Hort. Transylvanian ♀ or 15 my.jn W Transylv. ... B co
 ?Probably only C. O. 3 *sibirica*.
 5 quercifolia Booth Oak-leaved ♀ or ? my.jn W Hamb. 21834. B co A. b. f. 608
 6 laciniata A. B. cut-leaved ♀ or 12 my.jn W Sicily 1816. B co A. b. f. 603
 C. *laciniata* Lo. C.
 7 pterifolia A. B. brake leaved ♀ or 15 my.jn W B co A. b. f. 604
 C. *pterifolia* Lo. C. C. *pectinata* Hort.
 8 eriocarpa Lindl. woolly-fruited ♀ or 15 my.jn W Britain woods B co A. b. f. 607
 C. *eriocarpa* Lo. C. No. 12921. p. 201.
 9 purpurea Penny purple shoots ♀ or ... my.jn ... Eng. hyb. ... B co A. b. f. 611
 10 Olivieriäna A. B. Oliver's ♀ or 20 my.jn W As. Min. 1820. B co Bot. reg. 1933
 C. *Olivieriäna* Bosc. C. *Olivieriäna* and C. *orientälis* Lo. C.
 11 melanocarpa A. B. black-fruited ♀ or 20 my.jn W Tauria 1820. B co Bot. reg. 1874
 C. *fissa* Lec. C. O. *platyphylla* Lo. C. C. *platyphylla* Lindl. Bot. reg.
 12 aurea Hort. golden fruited ♀ or 15 my.jn W B co A. b. f. 610
 C. *flava* Hort.
 13 aurantiaca Booth orange-cld-ftd ♀ or ... my.jn W B co
 Mr. Wilson found, in Ayrshire, a variety with greenish-orange fruit. — *Hooker.*
 14 leucocarpa A. B. white-fruited ♀ or 15 my.jn W Britain hed. B co
 15 mültiplex Hort. double-flowered ♀ or 15 my.jn W B co A. b. f. 609
 C. O. *piena* Hort.
 16 rösea Hort. roseate-flwd ♀ or 15 my.jn P Britain hed. B co A. b. f. 612
 17 punicea Lo. C. scarlet-flwcred ♀ or 15 my.jn S B co Bot. cab. 1363
 C. O. *rösea superba* Hort.
 18 puniceo fl. pl. Hort. scarlet-double ♀ or 15 my.jn D. R. B co
 19 fol. aureis Lod. yellow-varieg. ♀ or 15 my.jn W B co
 20 fol. argenteis Hort. white-var.-lvd ♀ or 15 my.jn W B co
 21 stricta Lod. upright ♀ or 15 my.jn W Eng. hyb. 1825. B co A. b. pl. 152
 C. O. *rigida* Ronalds.
 22 Celsiana Hort. Cels's ♀ or 15 my.jn W B co
 23 pëndula Lod. drooping-bran. ♀ or ... my.jn W hybrid ... B co
 24 regina Hort. Queen Mary's thorn ♀ or 30 my.jn W Scotland gar B co A. b. pl. 153
 25 præcox Hort. early-flwg. ♀ or 20 d. my W Glastonb. ... B co
 26 monögyina A. B. one-styled ♀ or 15 my.jn W B co
 C. *monögyina* Jac.
 27 apctala Lod. petalless ♀ or 15 my.jn Ap B co
 28 lucida A. B. shining-leaved ♀ or 15 my.jn W B co
 29 capitata Sm. Ayr. capitate-flwg ♀ or 15 my.jn W B co
 30 flexuosa Sm. Ayr. zigzag-bran. ♀ or 15 my.jn W B co
 31 oxyphylla sharp-lvd. pend ♀ or ... my.jn W Seedling ? 1840. G co
 32 fröctü cocineo large scarlt-ftd. ♀ or 20 my.jn W Seedling ... G co
- XII. PARVIFOLIÆ. — *Leaves small, ovate, serrated or notched, but scarcely lobed. Fruit green, or greenish yellow; rather large and hard.*
- 12918 parvifolia Ait. small-leaved ♂ or 6 my.jn W N. Amer. 1704. B co Den. br. 65
Mespilus axillaris Pers. M. *tomentosä* Poir. M. *zanthocarpus* L. fil. M. *parvifolia* Wats. Den. br. C. C. *viridis, axillaris, betulifolia, florida, tincaris* Lo. C.
 2 florida Lod. Florida ♂ or 6 my.jn W N. Amer. ... B co A. b. f. 613
 C. *florida* Lo. C. No. 12943. in p. 201.
 3 grossularifolia A. B. Gooseb.-lvd ♂ or 6 my.jn W B co A. b. f. 616
 C. *tincaris* Lo. C.
 12919 virginica Lod. Virginian ♂ or 5 my.jn W Virginia 1812. B co A. b. f. 615
virginiana Hort.
- XIII. MEXICANA. — *Leaves large, oval, lanceolate, notched, and serrated. Fruit large, green or greenish yellow.*
- 12920 mexicana M. & S. Mexican ♀ or 15 my.jn W Mexico 1823. B co Sw. d. gar. 2. s. 300
stipulacea Lo. C. *Lambertiäna* Hort.

NIV. PYRACANTHA. — *Leaves oval, lanceolate, glabrous, entire, small, evergreen. Fruit numerous, of a bright coral colour.*

12921	<i>Pyracantha Pers.</i>	<i>Pyracantha</i>	♂	or 10	my	W	S.Europe	1629.	S	s.l	Pal. ros. 13. f. 2
2	<i>crenulata A. B.</i>	<i>crenulata</i>	♂	or 10	my	jn	Nepal	18.0.	B	s.l	Bot. reg. 1844. 52
	<i>Crenulata Rox. ms.</i>						200., Lindl. in Liu.				Trans., Don's Mill. <i>Mespilus crenulata</i>
		D. Don.									
3	<i>fructu albo</i>	<i>white-fruited</i>	♂	or 10	my	jn	W	?	1841.	C s.l

XV. *Uncertain to which section they belong.*

29720 -	- stipularis Kunth ¹	stipulate	♀	or ...	my	Pk	Quito	1843.	G	co	
29721 -	- Lây Gordon	<i>Mr. Tradescant Lay's</i>	♀	or 10	N.ofChina	1844.	G	co	
3491 -	- CREMOLOBUS Dec.	CREMOLONUS. (<i>Kremao</i> , to suspend lobos, a pod.)									<i>Cruciferae</i> . 15.—1.
29722 -	- chilensis Dec.	Chilian	♂	or	jn	jl	Y	Chili	1820.	S	co
		<i>Biscutella chilensis</i> Lagasca.									

2215. CREPIS.

29723 -	- póntica Hort.	Pontic	♂	Δ	un ...	au	Y	1832.	D	co	[<i>D. Cameron.</i>]
29724 -	- multicaulis Led.	many-stemmed	♂	⊙	un ...	au	Y	Altai	1832.	S	co	Led. alt. 1. 36
29725	20142a	<i>croatica W. & K.</i>	♂	⊙	un 1	jn.au	Y	Hungary	1829.	S	co	
29726 -	- macrorhiza Her. B.	long-rooted	♂	Δ	Y	Madeira	1829.	S	s.l	End. mag. 2988
	20131	<i>Dioscoridis L.</i> ; syn. <i>Endoptera Dioscoridis Dec.</i>										
	20119	<i>rigens H. K.</i> ; syn. <i>Microderis rigens Dec.</i>										

1765. CRESCENTIA.

†15745	<i>Cujete L.</i>	Cujete	♀	⊕	cc ...	Ysh.G.rsh	W.Indies	1690.	C	r.m	Bot. mag. 3430
--------	------------------	--------	---	---	--------	-----------	----------	-------	---	-----	----------------

964. CRINUM.

29727	7807a	<i>purpurascens Herb.</i>	purplish	♂	Δ	or ...	my.au	P	Fernan.P	1826.	O	r.m
29728	7821a	<i>Lancei Herb.</i>	Lance's	♂	Δ	or ...	jn.o	R.w	Surinam	1825.	O	r.m
29729	7850a	<i>algoense Herb.</i>	Algoa Bay	♂	Δ	or ...	au.o	R.w	C. G. H.	1826.	O	r.m
29730	7850b	<i>caffrum Herb.</i>	Caffre	♂	Δ	or ...	au.o	R.w	C. G. H.	1825.	O	r.m
29731 -	- Baconi Herb.	Bacon's	♂	Δ	or ...	jn.s	R.w	Eng. hyb.	1826.	O	r.m	
29732 -	- brachynema Herb.	short-stamened	♂	Δ	fra	W	E. Indies	1840.	O	r.m	

†116. CROCUS L. CROCUS.

(*Krokin*, Chaldee.)

Iridae. 3.—1.

I. INVOLUCRATI. — *Crocuses having an involucre below the flowers.*

§ Membranacei. *Bulb-coats membranous.*

29733 -	- fvallicola Herb.	valley	♂	Δ	or ...	o	W	Trebizond	Alps ...	O	co	B. reg. 1847. 16. 3
29734 -	- Cambessedeanus Gay.	Cambessedes's	♂	Δ	or	W	Majorca	...	O	co	B. reg. 1845. 37. 4

§§ Parallelobi. *Bulb-coats with parallel fibres.*

1026	pyrenæus Park.	pyrenean	♂	Δ	or ½	s	P	England	mea.	O	co	Eng. Bot. 491
	nudiflorus Sm. E. b. 491.	multifidus Ramond.						speciosus	Eng. bot. supp.	2752.		
29735 -	- asturicus Herb.	Asturian	♂	Δ	or ¼	o	P	Asturia	1842.	O	co	

§§§ Subparalléli. *Bulb-coats with confluent parallel fibres.*

†1025	serotinus H. K.	late autumnal	♂	Δ	or ½	s.n	V	Spain	1805.	O	co	Eng. bot. 1267
29736 -	- Salzmannianus Her. Salzmann's		♂	Δ	or	Africa	1806.	O	co	B. reg. 1847. 4. 4
	Satzmanni Gay.	tingitānus Herb. bot. inag. 3868. f. 2.										
†1013	versicolor Ker	party-coloured	♂	Δ	or ¼	f.mr	P	S. Europe	1629.	O	co	Bot. mag. 1110

Garden Varieties.

§ 1. Grey, striped.	plumōsus Sab.	stellātus Sab.
Gawleri Sab.	venūstus Sab.	penicillātus J. C.
neglectus Sab.	élegans Sab.	pulchellus J. C.
similis Sab.		propinquus Sab.
	§ 3. Lilac, striped.	affinis Sab.
	violāceus Sab.	urbānus Sab.
§ 2. Purple, striped.	Ilawórhii Sab.	pálidus J. C.
purpureus Sab.	lineātus Sab.	inconspicuus Sab.

29737 -	- Imperatōnius Herb. Imperato's		♂	Δ	or ½	f.mr	Li	Naples	1830.	O	s.l	Bot. reg. 1993
	Imperati Ten.											

§§§§ Subreticulati. *Bulb-coats partly reticulate.*

29738 -	- suavēolens Bert.	sweet-scented	♂	Δ	or ½	s	Pa.Y	Naples	1830.	O	co	Bot. mag. t. 364
29739 -	- insularis Gay	isolated	♂	Δ	or ...	sp	...	Corsica	...	O	co	Bot. reg. 1843. 21
	1 majör	larger	♂	Δ	or ...	sp	O	co	
	2 médius	medium	♂	Δ	or ...	sp	O	co	
	3 minimus	least	♂	Δ	or ...	sp	V	O	co	
	4 geminiflorus	twin-flwd	♂	Δ	or ...	sp	O	co	

§§§§§ Reticulati. *Bulb-coats reticulate.*

29740 -	- oddrus Bivona.	sweet-scented	♂	Δ	or ½	o.n	...	Sicily	1830.	O	co		
	1 longiflorus	long-flwd	♂	Δ	or ½	o.n	O	co	B. reg. 1844. 3. 4	
	longiflorus Raf.	serotinus Bert. not of others.											
	2 meltēnsis	Maltese	♂	Δ	or ½	o.n	...	Malta	...	O	co	B. reg. 1844. 3. 5	
29741 -	- Hadriaticus Herb.	Hadriatic	♂	Δ	or ...	o.n	O	co		
	1 Chrysohelōnicus	Chrysohelonian	♂	Δ	or ...	o.n	...	Chrysoheloni...	...	O	co	B. r. 1847. 16. 8, 9	
	2 Saundersianus	Saunders's	♂	Δ	or ...	s	O	co	B. reg. 1847. 16. 7	
29742 -	- Cartwrightianus Herb.	Cartwright's	♂	Δ	or ½	s.o	W.P.Y	Candia	...	O	co	B. 1844. 3. 3, 1845. 37. 6	
	2 crēticus	Cretan	♂	Δ	or ...	o.n	Pa.Y	Candia	...	O	co	B. reg. 1845. 37. 7	
	1027	Pallasianus Herb.	Pallas's	♂	Δ	or ½	o.n	Li	Crimea	1821.	O	co	B. reg. 1844. 3. 2
	?Pallasi Biob.												
29743 -	- Thomasiānus Herb. Thomas's		♂	Δ	or ½	sp	B	S. Italy	1830.	O	co	B. reg. 1844. 3. 6	
	Thomasi Ten.												
	1 princeps	fringed-leaved											
	2 lævis	smooth-leaved											
†1024	satvus Linn.	cultivated saffron	♂	Δ	or ¼	s.o	V	England	mea.	O	s.l	Eng. bot. 343	
	autumnalis E. bot.												
29744 -	- médius Balbis	intermediate	♂	Δ	or ...	s.o	...	Liguria	...	O	co	B. reg. 1845. 37. 5	
29745 -	- Clusianus Herb.	Clusius's	♂	Δ	or ...	s.o	...	Portugal	1835.	O	co	B. reg. 1845. 37. 8	
	montānus I. Clusius.												



29746 -	- Byzantinus Park.	Byzantine	♂ Δ or ... s.o	... Hungary	... O co	B; reg. 1847. 4. 5
†1010	- <i>Banaticus</i> Gay.	<i>speciosus</i> Reich.	♂ Δ or ... s.o	... Hungary	... O co	B; reg. 1847. 4. 5
	- <i>vernus</i> L.	vernal	♂ Δ or ½ f.ap	England	mea. O co	Eng. bot. 344
	1 comanis					
	1 obovatus	obovate	♂ Δ or ¼ f.ap	W Alps	... O co	
	1 C. <i>albiflorus</i> Sch.					
	2 elatior	taller	♂ Δ or ¼ f.ap	... Alps	... O co	
	3 albidiflorus	white-flwd	♂ Δ or ¼ f.ap	W Carinthia	... O co	
	4 aprilis	April	♂ Δ or ½ ap	V	... O co	
	5 parviflorus	small-flwd	♂ Δ or ¼ f.ap	W.v Spluseu	... O co	
	2 neapolitanus	Neapolitan	♂ Δ or ½ ap	P Naples	... O co	B. M. 860. & 2240

Garden Varieties.

§ 1. Purple and Lilac.	<i>pállens</i> Sab.	§ 5. Grey, striped.	<i>Glorianella</i> Sab.	§ 6. White, striped.
<i>puniceus</i> Sab.	<i>minutus</i> Sab.	<i>Gloriana</i> Sab.	<i>crassus</i> Sab.	
<i>purpureus</i> Sab	<i>nanus</i> J. C.	<i>élegans</i> J. C.	<i>Andersoni</i> J. C.	
<i>marginatus</i> Sab.	<i>pállidus</i> Sab.	<i>speciosus</i> J. C.	<i>penicillatus</i> J. C.	
<i>Sabini</i> Ander.	<i>neapolitanus</i> præcox Sab.	<i>variegatus</i> Sab.	<i>stellatus</i> J. C.	
<i>grandis</i> Sab.	<i>litæmus</i> maculatus J. C.	<i>tormentosus</i> J. C.	<i>albivus</i> J. C.	
<i>obovatus</i> Sab.	<i>litæmus</i> præcox Sab.	<i>propinquus</i> Sab.	<i>párvulus</i> Sab.	
<i>concinuus</i> Sab.		<i>dentosus</i> Sab.	<i>unilineatus</i> J. C.	
<i>Phæthou</i> Sab.		<i>decorus</i> J. C.	<i>trilineatus</i> Sab.	
<i>purpurascens</i> J. C.	§ 2. Purple feathered.	<i>bicolor</i> Sab.	<i>obsoletus</i> J. C.	
<i>gracilis</i> J. C.	<i>pietus</i> Sab.	<i>affinis</i> J. C.		
<i>maculosus</i> Sab.	<i>fucatus</i> Sab.	<i>emarginatus</i> J. C.		
<i>plumosus</i> J. C.		<i>reticulatus</i> Sab.		
<i>turbinatus</i> Sab.	§ 3. Spotted.	<i>griseus</i> Sab.		
<i>clavatus</i> Sab.	<i>dorsalis</i> Sab.	<i>pectinatus</i> Sab.		
<i>violaceus</i> Sab.	<i>tungus</i> Sab.	<i>incurvus</i> Sab.		
<i>dubius</i> Sab.	<i>tungus</i> maior Sab.	<i>lineellus</i> Sab.		
<i>pruinosus</i> Sab.	<i>leucorhynchus</i> Sab.	<i>obesus</i> Sab.		
<i>fusiformis</i> Sab.		<i>spectabilis</i> J. C.		
<i>stylisus</i> Sab.	§ 4. Lilac, striped.	<i>obtusus</i> J. C.		
<i>plumbeus</i> Sab.	<i>pulehellus</i> Sab.			
<i>inflatus</i> Sab.	<i>lineatus</i> Sab.			
<i>tulipaceus</i> Sab.	<i>striatus</i> Sab.			

II. NUDIFLORI. — Crocus having no involucre. § Reticulati. *Bulb.coats reticulate.*

29747 -	- <i>nivalis</i> Bory.	snowy	♂ Δ or ... f.mr	... Morea	... O co	Bot. reg. 1847.4.2
29748 -	- <i>sublimis</i> Herb.	<i>Bot. reg. 1845. Misc. 73; ?Sieberianus</i> Gay.				
	1 <i>cancelatus</i> Herb.	cross-barred	♂ Δ or ...	V Mt. Taurus	... O co	
	1 <i>Kotschiensis</i>	Kotschy's	♂ Δ or ...	P Mt. Taurus	... O co	
29749 -	2 <i>margaritaceus</i>	pearly	♂ Δ or ...	P Mt. Taurus	... O co	Bot. reg. 1847. 16.4
	3 <i>Mazziaricus</i> Herb.	Mazziari's	♂ Δ or ...	W.v Caria	... O co	Bot. reg. 1847. 16.5, 6
	- <i>damascenus</i> Herb.	Damascus	♂ Δ or ... s.o	... Damascus?	1844. O co	Bot. reg. 1845. 37.1
29750 -	- <i>Fleischerianus</i> Gay	Fleischer's	♂ Δ or ...	W Smyrna	... O co	
	1 <i>reticulatus</i> Bieb.	netted	♂ Δ or ½ mr	Y.St S.Europe	1605. O co	
†1017	<i>sustianus</i> Ker in Bot. mag. 652.					
	1 <i>auritextus</i>	cloth of gold	♂ Δ or ½ mr.ap	Go	... O co	
	1 <i>reflexus</i>	reflexed	♂ Δ or ½ mr.ap	Y.Str.Crimea	1605. O co	Bot. mag. 652
	2 <i>rectilimbus</i> Herb.	strght-bdred	♂ Δ or ½ mr.ap	Y.Str.Gardens	... O co	
	3 <i>immaculatus</i> Herb.	spotless	♂ Δ or ½ mr.ap	Y	... O co	
	1 C. <i>fulvus</i> Pallas.					
	2 <i>variegatus</i>	variegated	♂ Δ or ½ mr.ap O co	
	3 <i>dalmaticus</i>	Dalmatian	♂ Δ or ½ mr.ap O co	
	4 <i>albicans</i>	cloth of silver	♂ Δ or ½ mr.ap	Wsh Odessa	... O co	Bot. reg. 1847.16.2
	5 <i>ancyrensis</i>	Angora	♂ Δ or ½ mr.ap	Y Angora	... O co	
29751 -	- <i>gargaricus</i> Herb.	Gargarian	♂ Δ or ¼ ...	Go.Y Mt.Gargarus	... O co	Bot. reg. 1847. 16.1

§§ Parallelo-Fibrosi. *Bulb.coats with parallel fibres.*

†1021	<i>lagenæformis</i> Salisb.	bottle-flwd	♂ Δ or ¼ mr	D.Y Greece	... O co	Fl. gr. 1. 25
1	<i>auræus</i>	golden crocus	♂ Δ or ¼ mr	Go.Y Greece	... O co	Bot. mag. 2286
	1 <i>trilineatus</i>	three-lined	♂ Δ or ¼ mr	Y.B	... O co	
2	<i>sulphurascens</i>	pale sulphur	♂ Δ or ¼ mr	Pa.Su	... O co	
	3 <i>albus</i>	white-flwd	♂ Δ or ¼ mr	W	... O co	
4	<i>lacteus</i>	cream-cld	♂ Δ or ¼ mr	Crea Greece	1629. O co	Bot. mag. 1111
	1 C. <i>maziacicus</i> β.	Bot. mag. 1111.				
5	<i>lacteus penicillatus</i> Sab.		♂ Δ or ¼ mr	Pa.cr	... O co	Bot. mag. 2655
	6 <i>lutescens</i> Herb.	yellowish	♂ Δ or ¼ mr	Pa.Y	... O co	Bot. mag. 3869
7	<i>sulphureus</i> Ker	sulphur-cld	♂ Δ or ¼ mr	Pa.Y S.Europe	1629. O co	Bot. mag. 1384
	8 <i>pállidus</i> Sab.	pale-flwd	♂ Δ or ¼ mr	Pa.sul	... O co	
2	<i>striatus</i> Ker	striated	♂ Δ or ¼ mr	Y S.Europe	1629. O co	Bot. mag. 938
	3 <i>stellaris</i> Haw.	starry	♂ Δ or ¼ mr	Y	... O co	
4	<i>syriacus</i> ?	Syrian	♂ Δ or ¼ mr	Y Syria	... O co	
	5 <i>lutæus</i> Lam.	common yellow	♂ Δ or ¼ mr	Y Turkey	1629. O co	Bot. mag. 45
1	C. <i>vernus</i> Bot. mag. 45.	C. <i>maziacicus</i> Ker.				
	6 <i>Olivieriæus</i>	Olivier's	♂ Δ or ... mr	Y Chios	... O co	
1	C. <i>Olivieri</i> Gay.					
	7 <i>hæmicus</i> Herb.	Hæmus	♂ Δ or ... mr	... Mt.Hæmus	... O co	
8	<i>Landerianus</i>	Lander's	♂ Δ or ... mr	Y	... O co	
	9 <i>candidus</i>	white	♂ Δ or ... mr	W Mt.Gargarus	... O co	
29752 -	- <i>Suterianus</i> Herb.	Suter's	♂ Δ or ¼ mr	Bt.Y Angora	... O co	Bot. reg. 1847.4.1
29753 -	- <i>chrysanthus</i> Herb.	golden-flwd	♂ Δ or ¼ f.mr	Go Rhodope	... O co	
	- <i>annulatus</i> Herb.	ringed	♂ Δ or ¼ mr	W S.E.Eupe	1629. O co	
29754 -	1 <i>biflorus</i> Mill.	two-flwd	♂ Δ or ¼ mr	W Crimea	1629. O co	Bot. mag. 845
	1 <i>stigmatosus</i> Sab.	long-styled	♂ Δ or ¼ mr	W	... O co	
2	<i>Adamicus</i> Herb.	Adam's	♂ Δ or ¼ mr	P Caucasus	... O co	Bot. mag. 3868
	1 <i>Adami</i> Gay.					
3	<i>nubigena</i> Herb.	cl ud	♂ Δ or ... mr	?W Mt.Gargarus?	1845 O co	
	4 <i>purpurascens</i>	purplish-flwd	♂ Δ or ... mr	P Dalmatia	... O co	
5	<i>albus</i> Herb.	white-flwd	♂ Δ or ... mr	W Opschina	... O co	
	6 <i>pustillus</i> Ten.	dwarf	♂ Δ or ¼ f.mr	W.B Naples	1824. O co	Bot. cab. 1454
1	<i>Tenorianus</i> Hb.	Tenore's	♂ Δ or ¼ f.mr	W Naples	... O co	

2	argenteus Herb.	silvery	♂	△	or	♁	f.mr	W	Pisa	...	O	co
	minus Bot. Mag.											
3	lineatus Herb.	lined	♂	△	or	...	f.mr	...	Parma	...	O	co
7	caeruleus Herb.	bluish	♂	△	or	...	f.mr	Bsh	Naples	...	O	co
8	estriatus	unstreaked-sepalis	♂	△	or	...	f.mr	Li	Florence	...	O	co
	björdus Bot. reg. 1987.											Bot. reg. 1987
9	tauricus Herb.	Taurian	♂	△	or	...	f.mr	...	Odessa	...	O	co
10	græcus Herb.	Grecian	♂	△	or	...	f.mr	...	Greece	...	O	co
	björdus Bory.											
29755	- acurius Herb.											
	Sibthorpianus Bot. reg. 1845. Misc. p. 5.											
29756	- speciosus Bieb.	Stauric showy	♂	△	or	...	s.o	W.V	Trebizond	...	O	co
	1 caucasicus	Caucasian	♂	△	or	...	s.o	P	Hungary	...	O	co
	2 transylvanicus	Transylvanian	♂	△	or	...	s.o	P	Caucasus	...	O	co
	3 laxior	looser	♂	△	or	...	s.o	P	O	co
29757	- pulchellus Herb.	neat	♂	△	or	...	s.o	Pa.B	Mt. Atlas	...	O	co
29758	- Tournefortianus Gay	Tournefort's	♂	△	or	...	o.n	...	Gk Archip.	...	O	co
	parvulus ? Bot. mag.											Bot. reg. 1845. 37.3
29759	- Boryanus Gay	Bory's	♂	△	or	...	s.o	W	Morea	...	O	co
	C. Ionicus Bot. reg. 1845. Misc. p. 3.											Bot. reg. 1847. 16.10
	C. venericis Tapp.								C. caspius Fisch.			

1952. CROTALARIA.

29760	17387a striata Hook.	striated-flwd	♂	□	or	3	...	Y.R	Maur.?	1831.	S	l.p
29761	17387b dichotoma Grah.	dichotomous	♂	□	or	1	jl	Y	Mexico	1824.	s	

2715. CROTON.

29762	23804a rosarinifolia Cun.	Rosemary-lvd	♂	or	5	jn	jl	...	N. Holl.	1824.	C	co
	23812 picta Roeb. ; syn. Codæum pictum Jacq.											Bot. mag. 3200

1310. CROWEA.

29763	- elliptica Hügel	elliptic-lvd	♂	□	or	3	su. aut	...	N. Holl.	1845.	C	p.s
-------	-------------------	--------------	---	---	----	---	---------	-----	----------	-------	---	-----

3492.	2715a. CROZO'PHORA Neck.	CROZOPHORA.	(Not explained.)				<i>Euphorbiaceæ</i> . 1.—10.					
29764	- tinctoria J.	dyeing	○	dy	3	jl	W.G	S. Europe	1570.	S	p.l	Ac. pet. 1712. 17
	<i>Croton tinctoria</i> W. No. 23808.											

356. CRUCIANELLA.

29765	- glânica Ten.	Ghilan	♂	△	rk	pro	jl. au	Y	Persia	...	D	co
29766	- aspera Bieb.	rough	♂	△	rk	pro	jl. au	Gsh.	ylberia	1837.	D	co
29767	- stylosa Trin.	long-styled	♂	△	or	1	jn. au	P	Russia	1836.	D	co
29768	- suaveolens Mey.	sweet smelling	♂	△	or	1	jl. au	Y	Russia	1838.	D	co
29769	3112a exasperata F. & M.	irritated	♂	△	un	...	jn. au	Y	Persia	1837.	D	co
29770	3112b hispida F. & M.	rather-hispid	♂	△	un	...	jn. au	Y	Persia	1837.	D	co
29771	3112c hispida Dec.	hispid	♂	△	un	...	jn. au	P	Vera Cruz	...	D	p.l

3493.	2503a. CRY'BE Lindl.	CRYPE. (<i>Krubeis</i> , concealed; column hidden by floral envelopes.)	<i>Orchidaceæ</i> .									
29772	- rosea Lindl.	rose-coloured	♂	□	or	1	jn	Pa.G	Mexico	1834.	D	p.r.w

3494. 1201a. CRYPTADENIA Endl. CRYPTADENIA. (*Kruptos*, hidden, *aden*, a gland.) *Thymelæceæ*. 8.—1.

29773	- uniflora Meisn.	one-flwd	♂	□	or	1	myjn	Pa.Ro	C.G.H.	1759.	C	s.p
	<i>Passerina uniflora</i> , No. 10178 in p. 157. Nos. 10187 and 10189 are also placed by Prof. Meisner under this genus.											Bot. mag. 4143

711. CRYPTANDRA 5873 obovata Sicb. Syn. *Bartlingia obovata* G. Don.

29774	- arbutiflora Fenzl	Arbutus-flwd	♂	□	or	W	S. River	1837.	C	s.p
29775	- suavis Lindl.	sweet-scented	♂	□	or	1	ja	W	S. River	1843.	C	s.p

3495.	443b. CRYPTANTHA G. Don.	CRYPTANTHA. (<i>Kruptos</i> , hidden, <i>anthos</i> , a flower.)	<i>Boraginææ</i> . 5.—1.									
29776	- glomerata G. Don	glomerated	○	un	...	jn. jl	B.W	Chili	1836.	S	co	
29777	- microcarpa G. Don	small-fruited	○	un	...	jn. jl	B	Chili	1836.	S	co	

3496.	- CRYPTOCHILUS Wall.	CRYPTOCHILUS. (<i>Kruptos</i> , hidden, <i>cheilos</i> , lip; by calyx.)	<i>Orchidaceæ</i> .									
29778	- sanguinea Wall.	blood-coloured	♂	□	pr	1	jn	S	Nepal	...	D	p.r.w

3497. - CRYPTOMERIA Thunb. JAPAN CEDAR. (*Kruptos*, hidden, *meris*, a part.) *Coniferææ*.

29779	- japonica Thunb.	Japanese	♂	or	100	my. jl	Ap	Japan	1846.	S	co	
-------	-------------------	----------	---	----	-----	--------	----	-------	-------	---	----	--

There is a dwarf variety (*C. j. pygmæa*) in some of the nurseries.

3498.	2523b. CRYPTO'SANUS Lindl.	(Not explained.)	<i>Orchidaceææ</i> . 20.—1.									
29780	- scriptus Lindl.		♂	□	cu	...	su	G.R	Brazil	1841.	D	fib.p

3499. 980a. CUMMI'NGIA D. Don CUMMINGIA. (*Lady Gordon Cumming*, of Altyre, near Forres, N.B.) *Aspho*. 1.—2.

29781	- campanulata D. Don	campanulate	♂	△	el	¾	jl. n	B	Chile	1823.	O	l.p
	<i>Conanthera campanulata</i> Hook. No. 8050.											Sw. fl. gar. 257
29782	- trimaculata D. Don	three-spotted	♂	△	el	¾	d	B	Chile	1829.	O	p
29783	- tenella D. Don	delicate	♂	△	or	¾	n.d	B	Chile	1829.	O	p.l

1158. CUPANIA.

29784	9352a setigera Cun.	bristle-bearing	♂	□	or	20	n.d	...	Moreton B.	1830.	C	p.l
-------	---------------------	-----------------	---	---	----	----	-----	-----	------------	-------	---	-----

1454. CUPHEA.

29785	- silenoides Nees	Silene-like	○	or	1	¾	au. o	Bd.P	Mexico	1836.	S	lt
29786	12213a Llavea Dec.	Llave's	♂	□	cu	1	¾	jn	C	Mexico	1830.	S
29787	- strigillosa Lindl.	coarse-haired	♂	□	or	1	¾	l.o	R.V.Br	Mexico	1844.	C
	<i>pubiflora</i> Benth.											Bot. reg. 1846. 14
29788	- platycentra Benth.	broad-centred	♂	□	or	1	¾	jn. o	S.w. Brh.P	Mexico	1845.	C
	2 álba	white-flwd	♂	□	or	1	¾	jn. o	W	1848.	C
29789	- cordata R. & P.	heart	♂	□	or	1	¾	jn. au	S	Peru	1842.	C
29790	- miniata Don	vermil.-cld-flwd	♂	□	or	1	¾	jn. s	S.P	?S. Amer.	1845.	C
	2 purpurea	purple-flwd	♂	□	or	1	¾	jn. s	Psh	1847.	C
	<i>C. purpurea</i> Hort.											Bot. mag. 4362
												Bot. reg. 1386
												Bot. reg. 1846. 14
												Paxt. mag. 13.267
												C. lt. p
												Bot. mag. 4208
												C. lt. s. p
												Bot. mag. 14.101

2692.	CUPRESSUS	23651 sempervirens		♀	or 20	my	Ap	England	gard.	1848.	G	co		
		3 variegata	variegated											
		23653 thyoïdes												
		2 fol. variegat.	Hort. variegated-lvd	♂	or ...	ap.my	Ap	?	Ireland	1831.	?	L co		
29791 -		- thurifera	H.B. & K. frankin.-bearing	♂	or ...	ap.my	Ap		Mexico	1836.	S	co		
		?	Conté's Forb.											
29792 -		- funebris	Endl. Funerbal	♂	or 20	ap.my	Ap	China	1849.	S	co			
29793 -		- Goveniana	Gordon Mr. Goven's	♂	or 12	ap.my	Ap	California	1848.	S	co			
29794 -		- macrocarpa	Hartw. large-fruited	♂	or 60	...	Ap	California	1847.	S	co			
			Lambertiana Gordon.											
	14.	CURCUMA.												
29795 -		- parviflora	Wall. small-flowered	♀	or	2	o.f.	W.y	Prome	1828.	D	s.l		
29796 -		- Roscoeana	Wall. Mr. Roscoe's	♀	or	1	aud	S.y	E. Indies	1837.	D	l.s		
												Wal. pl. as. ra. 5.		
												Paxt. mag. vii. 1		
	918.	CURTOGYNE.												
29797		7394a undosa	Haw. wavy-leaved	♀	or	1	au	W	C.G.H.	1824.	C	p.i		
	798.	CUSCUTA.												
29798		6409a epilinum	G. Don Flax	♀	or	cu	...	W	Britain	On flax	S	par. E. B. t. 2850		
29799		6409b monogyina	G. Don one-styled	♀	or	cu	...	W	Levant	1818.	S	par. Fl. gr. 237		
29800		6409c lupulina	G. Don Hop-like	♀	or	cu	...	W	Silesia	1824.	S	par.		
29801		6409d macrocarpa	G. Don large-seeded	♀	or	cu	...	W	Siberia	1827.	S	par.		
29802		6412a odorata	G. Don sweet-scented	♀	or	cu	...	W	Lima	1820.	S	par.		
29803 -		- californica	Choi. Californian	♀	or	cu	...	W	California	1847.	S	par. J.H.S. 3.167. fig.		
29804 -		- trifolii	Bab. Clover	♀	or	cu	...	Wsh	Britain	On clov.	S	par. E. B. t. 2898		
3500. -		- CYANA'NTHUS	Wall. CYANANTHUS.											
29805 -		- lobatus	Wall. lobed	♀	or	2	3	a.s	B	Himalayas	1845.	C	s.p.l.f.m Bot. reg. 1847 6	
	1085.	CYANE'LLA.												
29806		9035a odoratissima	Lindl. most fragrant	♀	or	1	jl.au	R	C. G. H.	1826.	O	s.p		
	3501.	1180a. CYANTH'AMNUS	End. CYANTHAMNUS.											
29807 -		- ramösus	B. R. branched	♀	or	W	B. S. River	...	C	p.l		
29808 -		- tenuis	B. R. slender	♀	or	B	S. River	...	C	p.l		
	2941.	CYATHE'A.												
29809 -		- medullaris	P. Don lofty	♀	or	Br.Y	N. Zealand	...	D	p.l		
29810 -		- dealbata	P. Don whitened	♀	or	Br.Y	N. Zealand	...	D	p.l		
29811 -		- petiolata	J. Sm. petiolate	♀	or	Br.Y	Jamaica	...	D	p.l		
29812 -		- integrä	J. Sm. entire-lvd	♀	or	Br.Y	I. of Luzon	...	D	p.l		
	455.	CY'CLAMEN	3820 pärsicum											
		4 lilaceum	Lilac-cld-flwd	♀	or	1	2	f.ap	Li	S	p.l [J. Cree.]		
		5 punctatum	spotted-flwd	♀	or	1	2	f.ap	W.li	S	p.l [J. Cree.]		
		6 laciniatum	jagged-petaled	♀	or	1	2	ap.jn	R.w	S	p.l Bot. reg. 1055		
29813 -		- hiericum	Goldie Georgian	♀	or	1	2	Asiatic G.	1831.	S	l.p	
29814		3819a littorale	Lindl. shore-inhabiting	♀	or	1	2	...	Dp.ro	L. of Como	1845.	S	s.l.f.m Bot. reg. 1846. 56	
3502.	1018a.	CYCLOBO'THRA	Swt. (Kyklos, circle, bothros, pit; nectariferous depression in each petal.)											
29815 -		- lutea	Lindl. yellow-petaled	♀	or	1	2	a.s	Y	Mexico	1827.	O	p.l Bot. reg. 1663	
			C. barbata Swt. in Brit. Flow. Gard. l. s. 273.											
29816 -		- pulchella	Benth. pretty-flowered	♀	or	1	a.s	Y	California	1832	?	O	p.l Bot. reg. 1662.	
29817 -		- alba	Benth. white-petaled	♀	or	1	a.s	W	California	1832.	?	O	p.l Bot. reg. 1661	
29818 -		- purpurea	Swt. purple	♀	or	3	a.s	P.G	Mexico	1827.	O	p.l Sw. fl. gar. 2.s.20		
			Fritillaria purpurea Kth.											
29819 -		- monophylla	Lindl. single-leaved	♀	or	1	2	...	Bt.Y	California	1848.	O	s.p.l.J.H.S. iv. 81. fig.	
3503. -		- CYCLO'GYNE	Benth. CYCLOGYNE.											
29820 -		- canescens	Eenth. hoary	♀	or	1	my	P	Swan Riv.	1839.	C	r.l		
												P. m. of b.vii.199		
3504. -		- CYCLOPE'LTI'S	J. Sm. CYCLOPELTI'S.											
29821 -		- semicordata	J. Sm. semicordate	♀	or	3	...	Br	Jamaica	1844.	D	p.l		
			Aspidium semicordatum Swz.									Pf. fil. 113		
	1243.	CYCLO'PIA.												
29822		10475a tenuifolia	Leh. fine-leaved	♀	or	4	jl.au	Y	C. G. H.	1829.	C	p.l		
3505.	2530a.	CYCNOC'HES	Lindl SWANWORT.											
29823 -		- Loddigesi	Lindl. Loddiges's	♀	or	1	ju.jl	G.spt	Surinam	1830.	D	p.r.w Bot. reg. 1742		
			2 leucochilum white-lipped	♀	or	1	aut	G.W	D	fib.p Bot. mag. 3855		
29824 -		- pentadactylon	Lindl. five-fing. red	♀	or	1	nr	Gsh.br	Brazil	1841.	D	p.r.w		
29825 -		- chlorochilum	Klotzsch's green-lipped	♀	or	2	ju.jl	G	Demerara	1838.	D	p.r.w.Sert. orch. 16		
29826 -		- maculatum	Lindl. spotted	♀	or	1	d	Pa.Y.	LaGuayra	1839.	D	Bot. no. 156		
29827 -		- ventricosum	Bate. ventricose-lipp'd	♀	or	2	aut	G.W.	Guatemala	1835.	D	fib.p Bate. orch. 5		
			1 Egertonianam Bate. Sir F. Egerton's	♀	or	2	aut	Di.P	Mexico	1835.	D	p.r.w Bot. mag. 4054		
			2 viride Lindl. green-flwd.	♀	or	2	2	Pa.G	Oaxaca	1842.	D	fib.p Bot. reg. 1846. 16		
			stelliferum Lodd. cat. No. 1017.											
	1508.	CYDO'NIA	12985 japönica											
			3 fl. semi-pleno Hort. semi-dble-flwd	♂	or	4	year	R	L	r.l		
12986		sinensis												
			2 pyramidalis pyramidal	♀	or	...	my.jn	W	1847.	G	co [K. & P.]		
	2523.	CYMBIDIUM.												
		22636 ensifolium												
			2 estriatum Lindl. streakless	♀	or	2	fra	2	ju.o	G.R.sp	China	...	D	l.p Bot. reg. 1796
29828 -		- giganteum	Lindl. great	♀	or	Ysh.st	P. C. G. H.	...	D	p.r.w		
29829 -		- marginatum	Lindl. vrd. edg.-sepal	♀	or	1	n	Y	Rio Jan.	1829.	D	p.r.w Bot. reg. 1530		
			"Maxillaria gracilis Bot. Cab., 1837. [and Gard. Mag., vol. viii. p. 603. 606.] is either this in a sickly state, or a nearly allied species." - Lindl. in Bot. Neg. 1530.											
29830 -		- viridescens	Lindl. greenish-flwd	♀	or	...	ap.my	Pa.Y	Japan	1837.	?	D	p.r.w	
29831 -		- pubescens	Lindl. pubescent	♀	or	1	o	C.G.Y	Singapore	1834.	D	p.r.w Bot. reg. 1841. 38		

29832 -	-	<i>péndulum Swartz</i>	pendulous	£ ⊠ or 3 au	Y.r.w Nepal	1837.	O	r.w.p	Bot. reg. 1840. 25
		<i>crassifolium</i> Wall.	<i>Epidéndrum péndulum</i> Roxb.						
		1 brevilábne <i>Lindl.</i>	short-lipped	£ ⊠ or 2 jl	Gsh. Y.r.w Singapore	...	D	turfy p	Bot. reg. 1844. 94
29833 -	-	<i>Devonianum Part. D. of Devonshire's</i>		£ ⊠ or 1 mr.ap	DI cr.p.s India	1837.	D	block	Paxt. m. b. 10. 97
29834 -	-	<i>gigantéum Walt.</i>	<i>gigantic-habit</i>	£ ⊠ or 2 1/2 n	G.y.r.spt. Nepal	?	1837.	D	fib.p Paxt.m.b.12. 241
		<i>Limodórum longifolium</i> not gigantéum of Swt., that being <i>Cyrtopéra gigantea</i> of Lindl.							
29835 -	-	<i>Mastérsii Griffith</i>	Masters's	£ ⊠ or 1 1/2 d	Gsh. w.y E. Indies	1841.	D	turfy p.p.s. B. r.	1845. 50
29836 -	-	<i>eburnéum Lindl.</i>	ivory-white <i>flwd</i>	£ ⊠ or 1 my	W. Y.stp E. Indies	?	1846.	D	fib.p Bot. reg. 1847. 67
29837 -	-	<i>bicolor Lindl.</i>	two-col. <i>flwd</i>	£ ⊠ or ... su	P.C Ceylon	1837.	D	fib.p	
29838 -	-	<i>iridifolium Lindl.</i>	iris-leaved	£ ⊠ cu ... su	P India	1837.	D	fib.p	
29839 -	-	<i>élegans</i>	elegant	£ ⊠ el ... aut	... E. Indies	1840.	D	fib.p	
29840 -	-	<i>gigantéum Lindl.</i>	gigantic	£ ⊠ cu ... aut	Var. C. G. H.	...	D	fib.p	
29841 -	-	<i>mádidum Lindl.</i>	moist	£ ⊠ cu ... su	Y.G India	1839.	D	fib.p	
29842 -	-	<i>diúrnium Lindl.</i>	<i>day-flwg</i>	£ ⊠ cu Bahamas	...	D	fib.p	
29843 -	-	<i>chloránthum Lindl.</i>	green-flwd	£ ⊠ cu ... w	G.Y.C. Nepal	1840.	D	fib.p	

1189. CYMINO'SMA.

29844 11084a	-	<i>oblongifolia Hook.</i>	oblong-leaved	£ ⊠ or 6? su. aut	W N. S. W.	1824.	C	lt. l	Bot. mag. 3322
		<i>Géla oblongifolia</i> Cun. 1832.							
		<i>Cyminósma oblongifolia</i> Cun. MSS. in <i>Bot. Mag.</i> , May, 1834. " Closely allied to <i>C. pedunculata</i> Dec.; which is the same as the <i>Géla lancoolata</i> Lou., according to Dr. Brown, and, consequently, as <i>Ximènia? lancoolata</i> Dec.; especially to that variety figured by Loddiges (<i>Bot. Cab.</i> 938.), with short peduncles." — <i>Sir W. J. Hooker.</i>							

761. CYNA'NCHUM.

29845 -	-	<i>A'rghel</i> Del.	Arghel	£ ⊠ cu 1 1/2 jn	Gsh. W Egypt	1831.	C	l.p	Del. æg. 20. 2
		<i>oleifolium</i> Nectoux.							

2247. CY'NARA.

29846 20422a	-	<i>glomerata Thun.</i>	clustered	£ ⊠ or 1/2 jl.s	P	C. G. H.	1824.	D	co
		<i>Stobæa glomerata</i> Spr.							

435. CYNOGLOSSUM.

29847 -	-	<i>anchusoides Lindl.</i>	Anchusa-like	£ ⊠ cu 1 my	P.B Cashmere or Thibet	1840.	S	co B.r.	1842. 14
29848 -	-	<i>celéstinum Lindl.</i>	celestial <i>blue</i>	£ ⊠ or 2	B.w North of India	1837.	S	co Bot. reg.	1839. 36
29849 -	-	<i>glóchidiatum Benth.</i>	burred	£ ⊠ pr 2 jn	B India	1840.	S	co	Bot. reg. 1841. 15
29850 -	-	<i>grandiflorum Benth.</i>	great-flowered?	£ ⊠ or 3 ...	B.w Cashmere	...	D	p.l	
29851 -	-	<i>longiflorum Royle</i>	long-flowered	£ ⊠ pr 1 1/2 su	P.A Cashmere	1839.	D	co	Bot. reg. 1840. 50
29852 -	-	<i>lateriflorum Lam.</i>	side-flwd	£ ⊠ or ... jn. jl	P Europe	1836.	S	co	
29853 -	-	<i>divaricatum G. Don</i>	divaricate	£ ⊠ or ... jn. jl	P Siberia	1836.	S	co	
		Nos. 3610. and 3614. in p. 54. are now referred to the genus <i>Mattia</i> G. Don.							

3506. -	-	<i>CYNO'RCHIS</i> <i>Thou.</i>	DOG ORCHIS.	(<i>Kyon</i> , a dog, <i>orchis</i> , orchis.)					<i>Orchiidæca.</i>	
29854 -	-	<i>fastigiata Lindl.</i>	fastigate	£ ⊠ cu 1/2 ap	G.r	1. France	1835?	R	s.l	Bot. reg. 1838

1912. CYPE'LLA.

29855 -	-	<i>Drummondii</i> Grah.	Drummond's	£ ⊠ or ... jn	P.y.b SanFelipe	1834.	O	s.p	Ed. jour. 20
---------	---	-------------------------	------------	---------------	-----------------	-------	---	-----	--------------

163. CYPE'BUS.

29856 1441a	-	<i>kyllingoides Vahl.</i>	Kyllinga-like	£ ⊠ un ... jl.s	Ap N. Amer.	1828.	D	bog	
29857 1442a	-	<i>margaritæcus R. & S.</i>	pearl dwarf	£ ⊠ un ... jl.s	Ap Guinea	1822.	D	bog	
29858 1442b	-	<i>pygmaeus Rtb.</i>	dwarf	£ ⊠ un ... jl.s	Ap E. Indies	1827.	D	bog	Rtb gr. 14. 4, 5
29859 1445a	-	<i>filiformis R. & S.</i>	filiform	£ ⊠ un ... jl.s	Ap Jamaica	1825.	D	bog	
29860 1445b	-	<i>ténuis R. & S.</i>	slender	£ ⊠ un ... jl.s	Ap Jamaica	1825.	D	bog	
29861 1443a	-	<i>diáandrus R. & S.</i>	two-stamened	£ ⊠ un ... jl.au	Ap N. Amer.	1827.	D	bog	
29862 1443b	-	<i>háspan R. & S.</i>	Haspan	£ ⊠ un ... jl.au	Ap Trinidad	1824.	D	bog	
29863 1443c	-	<i>formidus R. & S.</i>	handsome	£ ⊠ cu ... jl.s	Ap N. Amer.	1827.	D	bog	
29864 1450a	-	<i>confertus R. & S.</i>	crowded <i>flwd</i>	£ ⊠ cu ... jl.s	Ap W. Indies	1825.	D	bog	
29865 1450b	-	<i>scutarræus R. & S.</i>	scutrose	£ ⊠ cu ... jl.s	Ap E. Indies	1828.	D	bog	
29866 1457a	-	<i>tuberosus R. & S.</i>	tuberous-rooted	£ ⊠ cu ... my.s	Ap N. Amer.	1827.	D	bog	
29867 1457b	-	<i>rotundus R. & S.</i>	round-rooted	£ ⊠ cu ... my.s	Ap Africa	1828.	D	bog	
29868 1467a	-	<i>speciabilis Schreb.</i>	showy	£ ⊠ cu ... jl.au	Ap S. Europe	1827.	D	bog	
29869 1482a	-	<i>múltiplex Lk.</i>	many-spiked	£ ⊠ cu ... jl	Ap	1829.	D	bog
29870 1482b	-	<i>xanthocoma Otto</i>	yellow-haired	£ ⊠ cu ... jl	Ap Sicily	1829.	D	bog	

3507. 965a.	-	<i>CYPHONE'MA</i> <i>Hook.</i>	CYPHONEMA.	(<i>Kuphos</i> , a curve, <i>nema</i> , a filament.)					<i>Amaryllidæca.</i> 6.—1.
29871 -	-	<i>Loddigesiana</i> Hook.	Loddiges's	£ ⊠ or Valparaiso	1838.	O	r.m	

2580. CYPRIPE'DIUM.

29872 22815a	-	<i>ventricosum Swz.</i>	bellied	£ ⊠ or 3/4 ...	P Siberia	1828.	R	s.p	Sw. fl. gar. 2. s. 1	
29873 -	-	<i>macránthum Swz.</i>	long-flowered	£ ⊠ or 3/4 ...	P Siberia	1828.	R	s.p	Bot. mag. 2938	
29874 -	-	<i>guttárum Swz.</i>	spotted	£ ⊠ or 3/4 ...	Spot Siberia	1828.	R	s.p	Am. rut. 22	
29875 -	-	<i>barbatum</i>	bearded	£ ⊠ or 1/2 su	Va Mt. Ophir	1840.	D	s.l	Bot. reg. 1842. 17	
29876 -	-	<i>purpurátum Lindl.</i>	purple <i>flwd</i>	£ ⊠ or n	P Malay Ar.	1836.	R	s.p	Bot. reg. 1891	
29877 -	-	<i>trapezium L. & Lex.</i>	trapez	£ ⊠ or 1 jn	Y.r Mexico	?	1844.	R	s.p	Bot. reg. 1846. 58
29878 -	-	<i>Lôwi</i> Lindl.	Mr. Low's	£ ⊠ or 1 ap.my	Va Bornco	?	1847.	R	s.p	Gar. Chron. 1847. 765 [fig.]

965. CYRTA'NTHUS.

29879 786a	-	<i>cárueus Lindl.</i>	flesh-coloured	£ ⊠ or 1 au	F	C. G. H.	...	O	r.m	Bot. reg. 1462
------------	---	-----------------------	----------------	-------------	---	----------	-----	---	-----	----------------

3508. -	-	<i>CYRTOCHYLUM</i> <i>H. & K.</i>	CYRTOCHYLUM.	(<i>Kyrtos</i> , convex, <i>cheilos</i> , lip; labellum.)					<i>Orchidæca.</i>
29880 -	-	<i>flavescens Lindl.</i>	straw-col. <i>flwd</i>	£ ⊠ or 1 jn	Str.spt Mexico	1830.	D	p.r.w	Bot. reg. 1627
29881 -	-	<i>maculátum Lindl.</i>	spotted	£ ⊠ cu 1 ...	G.y.r. Mexico	...	D	p.r.w	Bot. mag. 3880
		2 parviflorum	small-flowered	£ ⊠ cu 1 spr	W.Y.p Guatemala	1839.	D	fib.p	
		3 ecoriátum	hornless	£ ⊠ cu 1 spr	... Mexico	1840.	D	fib.p	Bot. mag. 3836
29882 -	-	<i>stellátum Lindl.</i>	starry <i>flwd</i>	£ ⊠ cu ... sp.su	W Brazil	1839.	D	fib.p	Scrt. orch. 7
29883 -	-	<i>bictioniense Bate.</i>	Bicton	£ ⊠ or 2 n	R Guatemala	1836.	D	p.r.w	Bate. orch. 6
29884 -	-	<i>filipes Lindl.</i>	thread-stalked	£ ⊠ or 1 ju	Y.b Guatemala	1840.	D	p.r.w	Bot. reg. 1841. 49
29885 -	-	<i>mystacium Lindl.</i>	whiskered	£ ⊠ or 1 1/2 ...	Y.w Peru	1837.	D	p.r.w	Bot. reg. 1839. 62

3509. -	-	<i>CYRTOGONIUM</i> <i>J. Sm.</i>	CYRTOGONIUM.	(<i>Kyrtos</i> , convex, <i>gonia</i> , an angle.)					<i>Crypt. Filices.</i> 24.—1.
29886 -	-	<i>flagelliferum Blume</i>	rod-bearing	£ ⊠ or ... su	Br E. Indies	1825.	D	p.l	Hook. fil. t. 23
		<i>Acrostichum flagelliferum</i> Wall.							
29887 -	-	<i>repándum Wall.</i>	spreading	£ ⊠ or ... su	Br E. Indies	...	D	p.l	
		<i>Acrostichum repándum</i> Blume.							

- 29888 - - *diversifolium* Wall. various-lyd ☞ ☒ or ... su Br E. Indies ... D p.1
Acróstichum diversifolium Blume.
- 29889 - - *costatum* Blume ribbed ☞ ☒ or ... su Br E. Indies ... D p.1
 29890 - - *virens* Hook. green ☞ ☒ or ... su Br Java ... D p.1
 29891 - - *punctulatum* Rad. small-dotted ☞ ☒ or ... su Br Java ... D p.1
 29892 - - *scândens* Kaulf. climbing ☞ ☒ or ... su Br E. Indies ... D p.1
 29893 - - *crispátulum* Wall. curled ☞ ☒ or ... su Br E. Indies ... D p.1
 29894 - - *subcrenátum* Wall. subcrenate ☞ ☒ or ... su Br E. Indies ... D p.1
 29895 - - *serratifolium* Wall. serrate-lyd ☞ ☒ or ... su Br E. Indies ... D p.1
 29896 - - *laciniátum* J. Sm. jagged-lyd ☞ ☒ or ... su Br I. of Leyte ... D p.1
 29897 - - *sinuosum* J. Sm. crooked ☞ ☒ or ... su Br I. Luzon ... D p.1
3510. - - **CYRTOMIUM** Presl. **CYRTOMIUM.** (Not explained.) *Crypt. Filices.* 24.—1.
 29898 - - *falcatum* Swz. sickle-like-lyd ☞ ☒ or ... su Y Japan 1838. D p.1
 29899 - - *caryotideum* Wall. Caryota-like ☞ ☒ or ... su Y S. Amer. ... D p.1
Aspidium caryotideum Wall.
3511. 2541a. **CYRTOPERA** Lindl. **CYRTOPERA.** (*Kyrtos*, convex, *pera*, a pouch.) *Orchidææ.* 20.—1.
 29900 - - *flavescens* Lindl. yellowish ☞ ☒ or ... jn.jl Pa.Y Mexico 1830. D fib.p
 29901 - - *flava* Lindl. yellow ☞ ☒ or 3 jn.jl Y E. Indies 1831. D fib.p
Cyrtopodium flavum Swt.
 29902 - - *plicata* Lo. C. plaited-lyd ☞ ☒ or India 1840. D fib.p
 Also No. 22695 in p. 371.
3512. - - **CYRTOPHLEBIUM** R. Br. **CYRTOPHLEBIUM.** (*Kyrtos*, curved, *phlebs*, a vein.) *Crypt. Filices.* 24.—1.
 29903 - - *nitidum* Kaulf. shining ☞ ☒ or ... su Y W. Indies ... D p.1
 29904 - - *decurrens* Raddi decurrent ☞ ☒ or 4 su Y Brazil ... D p.1
 Nos. 25341, 25343, and 25346 of the genus *Polypodium* belong to this genus.
2541. **CYRTOPODIUM.**
punctatum Lindl. spotted ☞ ☒ or 3 ap.my Gsh.y.r Brazil 1823. D p.r.w Bot. mag. 2507
Epidendrum punctatum Lin. sp. p. 1348., No. 22732. in p. 372.
 29905 - - *Willmorei* K. & W. Willmore's ☞ ☒ el 4½ jn.jl G.y.r Vcnez. 1834. D p.1 Bir. bot. g. 4
3513. - - **CYSTANTHE** Grah. (*Kystis*, a bladder, and *anthē*, a flower; form of flower bud.) *Epacridææ.*
 29906 - - *sprengeloides* Grah. Sprengelia-like ☞ ☒ cu 3½ ... Y.w V. D. L. 1836. C s.l Bot. mag. 3826
3514. - - **CYSTOPTERIS.** This genus comprises Nos. 25604, 25616, 25617, 25619, 25620, and 25626 of *Aspidium* as given in pp. 422—3 of this work.
1964. **CYTISUS.**
 17518 *álbus*
 2 *luteus* yellow-flwd ☞ or 8 my Y gardens ... G co [A. Pope.]
 17519 *Lebúrnum*
 2 *quercifolium* Hort. Oak-leaved ☞ or 15 my.jn Y G co
 C. L. 2 *incisum* Hort.
 3 *péndulum* Hort. pendulous-bran ☞ or ... my.jn Y G co
 4 *fol.-variegatis* A. B. variegated-lyd ☞ or 15 my.jn Y G co
 5 *purpurascens* Hort. purplish-flwd ☞ or 15 my.jn Psh Paris hyg. G co Bot. reg. 1965
 C. L. *purpureum* Hort. C. *Adami* Poir.
 6 *fragrans* Hort. fragrant ☞ or 15 my.jn Y gardens ... G co
 17520 *alpinus*
 2 *péndulus* A. B. pendulous-bran. ☞ or ... jn Y hybrid co
 3 *odoratus* Hort. sweet-scented ☞ or ... jn Y gardens ... G co
 29907 - - *Weldénii* Jacq. Baron Weldeu's ☞ or 10 ap.my Y Dalmatia 1840. C s.l Bot. reg. 1843. 40
 29908 17523a *æolicus* Guss. Æolian ☞ or 7 my Y Stroma. 1836. S s.l Bot. reg. 1902
 17527 *scoparius*
 3 *flöre-plèno* Hort. double-flwd ☞ or 6 ap.jl Y England gard. C co
 4 *foliis variegatis* variegated-lyd ☞ or 6 ap.jl Y gardenes ... C co [A. Pope.]
 17529 *låniger*
 2 *rigidus* Dec. rigid-spined ☞ or 6 jn.jl Y C s.l
 2 *racemósus* Marn. raceme-flwd ☞ ☒ or 3 my.jn Y 1835. ? C p.1 Fl. mag. 18
Genista bracteolata Link. Bot. reg. 1840. 23.
 29910 - - *rhodophèna* Lindl. beautiful ☞ ☒ or 2 my.jl Y C s.p.1
 29911 - - *microphýlla* Lindl. small-leaved ☞ ☒ or 2 my.jl Y C s.p.1
 29912 - - *filipes* Lindl. thready-stemd. ☞ ☒ or ... ur.d W Teneriffe 1838. C p.1
 29913 - - *uralénsis* Led. Uralian ☞ or 2 my.jn ... Russia 1832. L
 29914 17538a *élegans* Ait. elegant ☞ ☒ or 3 su Y C. G. H. 1821. S s.l
3515. 1174a. **DABECIA** D. Don. **DABECIA.** (*St. Daboc's Heath*, the name in Ireland.) *Ericacææ.*
 No. 9944. and its varieties were, by the late Professor Don, referred to this genus.
2691. **DACRYDIUM.**
 29915 23650a *elátum* Wall. lofty ☞ ☒ or 20 ... Ap Pulo Pen. 1830. C l.p
Juniperus elata Rox.
 29916 - - *cxcelsum* Cun. tall ☞ ☒ or Ap N. Zeal. ... C s.l
 29917 - - *taxifolium* Cun. Yew-leaved ☞ ☒ or Ap N. Zeal. 1843. C s.l
 29918 - - *Mai* Cun. Mai ☞ ☒ or Ap N. Zeal. 1843. C s.l
 29919 - - *Franklandii* Frankland's ☞ ☒ or Ap 1844. C l [K. & P.]
3516. 2048a. **DACTYLICAPNOS** Wal. (*Daktylos*, finger, *kapnos*, fumitory; berries finger-shaped.) *Fumariacææ.*
 29920 - - *thalictrioidia* Wall. ☞ ☒ or 3 au.o Y.Br Nepal 1831. S lt Sw.fl.gar. 2. s.127
Dielytra scândens Don prod. fl. nep.
236. **DACTYLIS** 1958 glomerata
 2 *variegata* Dens. variegated-lyd ☞ ☒ or ½ jn.jl Ap gardens ... D s
 29921 1906a *aristata* Ehren. awncd ☞ ☒ or ... jn.jl Ap Egypt 1828. S co
 29922 - - *cespitosa* tufted ☞ ☒ or ... ag ?4 ... Ap Falklandl. 1843. S p
Festuca abellata Lam. Tussac grass.
2363. **DA'ILLIA.**
 29923 - - *Barkèræ* K. & W. Miss Barker's ☞ ☒ or 2 jl.n Bh Mexico 1837. D co Fl. cab. 127
excésa

	2 anemonæfðra Bot. Anem.-flwd	♂	□	or	30	n	J.	Mexico	1830.	C	s.l	Botanist, 88	
29924 -	- glabrata Link.	smooth	△	○	or	3	jl	L	Mexico	1840.	S	c	Bot. reg. 1840, 29
29925 -	- scapigera Link & Otto	scape-bearing	♀	□	or	2	ju	W	Mexico	1837.			Fl. cab. no. 118

2684. *DA'MMARA* álba and *D. rubricaulis*, introduced in 1844, are in the Exotic Nursery, Chelsea.

617. DAMPIE'RA.

29926 -	- cinnæta R. Br.	wedge-lvd	♀	△	or	...	my.s	B	S. River	...	C	s.p.l
29927 -	- linearis R. Br.	linear-lvd	♀	△	or	B	S. River	1840.	C	s.p.l
29928 -	- fascicilata R. Br.	bundle-flwd	♀	△	or	...	my.jl	B	S. River	1841.	C	s.p.l
29929 -	- coronata R. Br.	crowned-flwd	♀	△	or	...	my.jl	B	S. River	...	C	s.p.
29930 -	- alata R. Br.	winged-lvd	♀	△	or	...	my.jl	B	S. River	1842.	C	s.p.
29931 -	- lavenderiacea R. Br.	lavender-lvd	♀	△	or	B	S. River	1843.	C	s.p.l
29932 -	- tæris R. Br.	round-lvd	♀	△	or	...	jn.au	B	S. River	...	C	s.p.l

1197. DA'PHNE.

10139	põntica	3 fl.-variegatis	Lod.	variegated-lvd	♂	or	4	ap.my	G.y	C	s.l
10142	odora	2 rðbra D. Don	red-perianthed	♂	□	or	2	n	Pk	China	1831.?C	p.lf-m.s	Sw.fl.g.2.s.320
29933	10147a	Aucklândii Lindl.	Ld. Auckland's	♂	or	?	2	Himalayas	?1841.	C	p.l
10149	Cucurum	2 foliis variegatis	A.B	variegated-lvd	♂	or	1	ap.s	Pk	G	s.p
		3 grandiflorum	great-flwd	♂	or	1	ap.s	Pk	C	s.p
29934 -	- viridiflora Ait.	green-flwd	♂	or	G	Nepal	1829.	C	s.l	
29935 -	- austrâlis Cyr.	southern	♂	or	3	ap.au	P	Naples	1838.	C	s.l	Bot. reg. 1838. 56	
29936 -	- japonica Sieb.	Japan	♂	□	or	2	f.inr	Pk	Japan	1840.	C	co	Pax.m.bot.viii.175
29937 -	- Fortûni Lindl.	Fortune's	♂	or	3	ap.my	Li	N. China	1844.	C	s.l.p	J. H. S. 2. t. 1	

3517. 2921b. *D'AREA* W. DAREA. (Not explained.) *Crypt. Filices.* 24.—1.

29938 -	- diversifolia Cunn.	diverse-lvd	♀	△	or	2	mr	Br	N. Zeal.	1831.	D	p.l
29939 -	- rutafolia J. Sm.	Rue-lvd	♀	△	or	Br	W. Indies	...	D	p.l
29940 -	- myriophylla J. Sm.	1000-lvd	♀	△	or	...	su	Br	S. Amer.	...	D	p.l
29941 -	- alata Spr.	winged	♀	△	or	...	su	Br	W. Indies	...	D	p.l
29942 -	- scândens P. Don	climbing	♀	△	or	...	su	Br.Y	I. of Leyte	...	D	p.l
		Also Nos. 25433, 25454, 25470, 25471, and 25475 of the genus <i>Asplenium</i> L.										

DASYANTHES. See ERICA.*.*.

3518. 925a. DASYSTEMON Dec. DASYSTEMON. (*Dasys*, thick, *stemon*, a stamen.) *Crassulæcæ.* 5.—5.
29943 - calycinum Dec. leafy-calyled ○ or ... jn.s W Australia 1823. S lt

481. DATURA.

29944	4010a	quercifolia G. Don	oak-leaved	○	or	...	jl.o	Li	Mexico	1824.	S	r.m	
29945	4010b	álba G. Don	white-flwd	○	or	...	jl.o	W	E. Indies	...	S	r.m	
		Métel Roxb. not of L.											
29946	4009a	hýbrida G. Don	hybrid	♀	△	or	...	jl.o	W	Hybrid	1826.	S	r.m
29947	4012a	fruticosa G. Don	shrubby	♂	□	or	...	jn.o	W	S. Amer.	1825.	C	r.m
29948	4015a	cornigera Hook.	horn-bearing	♂	□	or	10	jn.au	W.G	OrganMts.	...	C	r.lt
		<i>Brugmansia Knightii</i> Hort.										Bot. mag. 4262	

2933. DAVA'LLIA.

29949 -	- pentaphylla Bl.	five-lvd	♀	△	or	...	ap	Br.Y	Singapore	...	D	p.l
29950 -	- alata J. Sm.	wined	♀	△	or	...	su	Br.Y	E. Indies	...	D	p.l
29951 -	- sólida Swz.	solid	♀	△	or	2	su	Br.Y	E. Indies	...	D	p.l
29952 -	- elegans Swz.	elegant	♀	△	or	...	su	Br.Y	1. Luzon	...	D	p.l
29953 -	- retusa Swz.	blunt	♀	△	or	...	su	Br.Y	1. Luzon	...	D	p.l
29954 -	- tenuifolia Swz.	slender-lvd	♀	△	or	...	su.aut	Br.Y	1. Luzon	...	D	p.l

2090. DAUBENTONIA.

29955 -	- Tripetiana Poir.	M. Tripet's	♂	□	or	3	au	S.O	B. Ayres	1840.	C	co	Lad. mag. gard. 3
---------	--------------------	-------------	---	---	----	---	----	-----	----------	-------	---	----	-------------------

3519. 1058a. DAUBENYA Lindl. (*Dr. Charles Danbeny*, Professor of Botany at Oxford.) *Asphodèleæ.* 1.
29956 - adrea Lindl. golden-eld-flwd ♀ △ or ½ jn Y C. G. H. 1832.?O s.l Bot. reg. 1813
29957 - fúlvá Lindl. tawny ♀ cu ½ au S ?Madagascar ?1836.O co Bot. reg. 1839.53

825. DAUCUS.

29958 -	- scilicus Tineo	Sicilian	♂	○	un	1	jn.jl	Y.Rsh	Sicily	1836.	S	co
---------	------------------	----------	---	---	----	---	-------	-------	--------	-------	---	----

1263. DAVIESIA.

29959 -	- linearis B. C.	linear-leaved	♂	□	or	1½	my	Y	N. S. W.	1827.	C	s.l	Bot. cab. 1615
29960	10617a	leptophylla Cunn.	slender-leaved	♂	□	or	2	ap.jn	Y	N. Holl.	1824.	C	s.l.p
29961 -	- phlyodes Cunn.	bladdery	♂	□	or	2	ap.jn	Y	N. Holl.	1824.	C	s.l.p	Bot. mag. 4244
29962	10612a	virgata Cunn.	twiggy	♂	□	or	2	jn	Taw.br	N.H.M.	1827.?C	s.l.p	Bot. mag. 3196
29963	10624a	genistoides Ait.	Genista-like	♂	□	or	N. Holl.	...	C	s.l.p	Bot. cab. 1552
29964 -	- polyphylla Benth.	many-leaved	♂	□	or	...	ap.my	Y	S. River	1842.	C	s.l.p	
29965 -	- ramulosa Benth.	branching	♂	□	or	...	ap.my	Y	S. River	1842.	C	s.l.p	
29966 -	- pedunculata Benth.	peduncled	♂	□	or	...	ap.my	Y	S. River	...	C	s.l.p	
29967 -	- longifolia Benth.	long-leaved	♂	□	or	...	ap.my	Y	S. River	1840.	C	s.l.p	
29968 -	- quadrilatera Benth.	four-sided-lvd	♂	□	or	...	ap.my	Y	S. River	1840.	C	s.l.p	

3520. 1372a. DE'CODON Gm. DECODON. (*Dekas*, ten, *odous*, a tooth; calyx.) *Salicariæ.* 1.
29969 - verticillatus Ell. whorl-flowered ♀ △ or 2 jl.s P N. Amer. 1759. D p.l
Nesæa verticillata Kth. No. 12159.

1583. DELI'MA.
29970 - nitida Vahl shining-leaved ♀ □ or 10 aut Y Trinidad 1830. C l.p
M m 3

1599. DELPHINIUM.										
14132 grandiflorum										
	3a album plenum	double white	Δ	Δ	or	2	jn.s	W.g	gard. D co [J. Cree.]
	6 ribrum	red-flowered	Δ	Δ	or	3	jn.s	Rsh.P	gard. D co [J. Cree.]
	7 halmii	Thun's	Δ	Δ	or	...	jn.s	B	England	hyb. D co [A. Popc.]
29971	14133a Menziesii Dec.	Menzies's	Δ	Δ	spl	2	jn.jl	B	N. Amer.	1826. D p.l Bot. reg. 1192
29972	14133b altaicum Fis.	Altaian	Δ	Δ	or	4	jn.jl	B	Altaia	1829. D co
14134 cheilanthum "large-lipped" D. Don.										
	2 multiplex D. Don	multiplex-sep.	Δ	Δ	spl	5	jn	Dp.Bl	England	hyb. D co Bot. reg. 1944
	D. Barlowii Hort.									
29973	14147a discolor Fis.	two-coloured	Δ	Δ	or	6	jl.s	B.w	Siberia	1834. D co
29974	14150a moschlatum Hort.	musk-scented	Δ	Δ	or	6	jl.s	D.B	Switzerl.	1834. D co
14154 intermedium										
	2 pallidum Lindl.	pale blue	Δ	Δ	or	7	jl	B	1836. D co Bot. reg. 1969
	3 caeruleus Lindl.	downy-leaved	Δ	Δ	or	7	jl	L.B	1836. 2D co Bot. reg. 1984
	4 saphirinum Lindl.	sapph. blue-ftwd	Δ	Δ	or	7	jl	B	D co
29975	- tenuissimum Sibth.	slenderest-bran.	Δ	Δ	or	1	au	P	Greece	1835. S r.m Fl. gr. 6. 505
	diaricatum Led.	in Fisch. et Mey.	Ind.	Sem.	Hort. Impert.	Petrop.	1835. p. 7.	and	Flor. cab.	No. 16.
29976	- vimineum D. Don	wand-like	Δ	Δ	pr	4	au	B	N. Amer.	1835. D p.l
29977	- laxiflorum Dec.	loose-flowered	Δ	Δ	or	4	jn	B	Siberia	... D co Bot. reg. 1838. 30
29978	- decorum F. et M.	decorous	Δ	Δ	or	1 1/2	my	P	New Californial	1838. S D co Bot. reg. 1840. 64
2547. DENDROBIUM.										
29979	- acerosum Lindl.	chaffy	Δ	Δ	or	...	su	Y.Pk	Sincapore	1839. D fib.p
29980	- aciculare Lindl.	needle-td	Δ	Δ	cu	...	su	Y	Sincapore	1839. D fib.p
	Onychium aciculare Lal.									
29981	- aduncum Wall.	hooked	Δ	Δ	or	22	jl	Pa.F	India	?1841. D turf.p Bot. r. 1846. 15
29982	- aggregatum Roz.	clustered	Δ	Δ	or	1	mr.ap	W	India	1828. D p.r.w Bot. reg. 1695
29983	- amecum Lindl.	rock	Δ	Δ	or	...	aut	W.G	Nepal	1840. D fib.p
29984	- amecum Lindl.	lovely	Δ	Δ	or	...	sp	Pk.Y	E. Indies	1841. D fib.p
29985	- ampulum Lindl.	ample	Δ	Δ	spl	D p.r.w Paxt. mag. 7. 121
29986	- andosum Lindl.	scentsless	Δ	Δ	or	1 1/2	my.jn	Li	Phil. Islds	1840. D block Paxt. mag. 15. 97
29987	- antennatum Lindl.	horned-ptaled	Δ	Δ	or	...	au.n	...	N. Guinea	... D fib.p
29988	- aqueum Lindl.	watery	Δ	Δ	pr	1	n	W	India	1841. D p.r.w Bot. reg. 1843. 54
29989	- aureum Lindl.	golden-ftwd	Δ	Δ	or	1	spr	W.Go	Ceylon	1837. D fib.p
	2 pallidum Lindl.	pale golden-ftwd	Δ	Δ	or	1	ja.nr	Pa.Y.w	Ceylon?	... D tres Bot. reg. 1839. 20
29990	- bicameratum Lindl	two-chambered	Δ	Δ	or	Y.P	N. India	1837. D fib.p
29991	- biflorum Lindl.	two-ftwd	Δ	Δ	or	Sincapore	1838. D fib.p
29992	- oculatum Hook.	dark-eyed	Δ	Δ	spl	2	s	O.Bd.	R.spt	Nepal ... D p. Bot. mag. 4160
29993	- breviserum Lindl.	short-ftwd	Δ	Δ	or	...	su	G.B	E. Indies	... D fib.p
29994	- calaniforme Lindl.	recl-like	Δ	Δ	or	Li.Y.P.	Australia	1839. D fib.p
29995	- calcareum Lindl.	calcareous	Δ	Δ	un	...	w	G	Sincapore	1838. D fib.p
29996	- candidum Lindl.	white-ftwd	Δ	Δ	or	...	ap.jn	W	E. Indies	1836. D fib.p
29997	- Cambridgeanum Pxt. D.	of Cambridge	Δ	Δ	or	1	o	Y.P	Khoseea	1837. D fib.p
29998	- cassythoides	Cassya-like	Δ	Δ	or	...	s.o	Y	Australia	1839. D fib.p
29999	- caeruleum Wal.	bluish	Δ	Δ	or	2	ap	B.P	Khoseea	1837. D trunks Sert. orch. 18
30000	- chlorops Lindl.	green-eyed	Δ	Δ	or	...	jn	Nankin	G Bombay	?1843. D fib.p
	barbatulum Lindl.									
30001	22718a chrysanthum Wal.	golden-ftwd	Δ	Δ	or	1	f	Y	Nepal	1828. D p.r.w Bot. reg. 1259
30002	- chrysotoxum Lindl.	golden-arched	Δ	Δ	or	1	mr	Bt.y.o	India	?1846. D fib.p Bot. reg. 1847. 36
30003	- complanatum Lindl.	flattened-ftwd	Δ	Δ	or	...	su	...	Australia	... D fib.p
30004	- compressum Lindl.	flat-stemmed	Δ	Δ	cu	1/2	au	Y	Ceylon	1840. D turf.p Bot. r. 1844. 53
30005	- crassulifolium Lm.	Crassula-ftwd	Δ	Δ	or	Australia	... D fib.p
30006	- cretaceum Lindl.	chalk-white	Δ	Δ	or	?	Di.W.C.	veins	Java	?1846. D D p. Bot. reg. 1847. 62
30007	- crinitum		Δ	Δ	cu	Ysh	Ceylon	?1843. D fib.p
	Desmotrichum crinitum Blume.									
30008	- crispatum Lindl.	crisped	Δ	Δ	or	W	E. Indies	1838. D fib.p
†22709	- crumenatum Swz.	pouch-stemmed	Δ	Δ	el	1	au	W	Ceylon	1836. D trces Bot. reg. 1839. 22
	Angraecum crumenatum Rumphius;	Onychium crumenatum Blume.								
30009	- cucumerinum M.Leay	cucumber	Δ	Δ	cu	1/2	jn	W.P	N. Holl.	1842. D p.r.w Bot. reg. 1843. 37
30010	22707a cupreum Herb.	copper-ld	Δ	Δ	or	2 1/2	jn.jl	Pa.Cap	E. Indies	1825 ?D p.r.w Bot. reg. 1779
30011	- Dalhousianum Pxt.	Lady Dalhousie's	Δ	Δ	or	3	Pa.Ro.	Bd.spt	India	... D bask. sphag. B.r. 1846.10
30012	- denudans Lindl.	denuding	Δ	Δ	or	...	jn.jl	W.G	Nepal	1838. D fib.p
30013	- densiflorum Wal.	dense-flowered	Δ	Δ	or	1 1/2	my	Y	Nepal	1830. ?... D p.r.w Bot. reg. 1828
30014	- Devonianum Pxt.	D. of Devonshire's	Δ	Δ	or	1	ap.my	Y.P	Khoseea	1837. D fib.p
30015	- discolor Lindl.	dull-coloured	Δ	Δ	or	4	o	Y.B	Java	1838. D p.r.w Bot. reg. 1841. 52
30016	- Egeronia Lindl.	Lady Egerton's	Δ	Δ	or	Pk.Dl.Y.P	D
30017	- elongatum Lindl.	lengthened	Δ	Δ	or	1 1/2	w	Y.P	Australia	1838. D fib.p
30018	- excisum Lindl.	cut-out	Δ	Δ	or	...	sp	W	Sincapore	1839. D fib.p
30019	- Farmarii Paxt.	Mr. Farmer's	Δ	Δ	or	?	1/2	mr	Pa.Str.Y	E. Indies 1847. D fib.p Paxt. mag. 15. 241
30020	- formosum	handsome	Δ	Δ	spl	1 1/2	ap.my	W.Y	Khoseea	1837. D tree Paxt. mag. 6. 49
30021	- gemellum Lindl.	tw	Δ	Δ	or	Ysh.G	Sincapore	1838. D fib.p
30022	- Gibsonii Paxt.	Mr. Gibson's	Δ	Δ	or	...	jn.o	O.Y	Khoseea	1837. D p.r.w Paxt. mag. 5.169
30023	- Griffithianum Lindl.	Griffith's	Δ	Δ	or	...	sp	Y	E. Indies	1838. D fib.p
30024	- herbaceum Lindl.	herbaceous	Δ	Δ	or	...	year	G	E. Indies	1840. D fib.p
30025	- heterocaryum Lindl.	various-fruited	Δ	Δ	or	Str.Br	E. Indies	1839. D fib.p
30026	- Heyneanum Lindl.	Heyne's	Δ	Δ	or	...	sn O	P	streaks Bombay	?1838. D fib.p
30027	- hymenophyllum	membrane-ftwd	Δ	Δ	cu	...	my.jn	Gsh	D fib.p
30028	- intermedium Lo.C.	intermediate	Δ	Δ	or	E. Indies	1837. D fib.p
30029	- Jenkinsii Wall.	Capt. Jenkins's	Δ	Δ	pr	1	my	Y	Gualpara	1838. D p.r.w Bot. reg. 1839. 37
30030	- junceum Lindl.	rush-ftwd	Δ	Δ	or	...	sp	G.P	Sincapore	1829. D fib.p
30031	- Kingianum Bidwill	MSS. Ca. King's	Δ	Δ	or	1/2	o	Pk.c.spt	N. Holl.	1843. D block Bot. reg. 1845. 61
30032	- Kuhlii Lindl.	Kuhl's	Δ	Δ	or	22	o	Ro	Java	?1844. D Bot. reg. 1847. 47
	Pedilonum Kuhlfi Blume Bijdr. p. 321.									
30033	- longicolle Lindl.	long-necked	Δ	Δ	or	...	jn.jl	Str	Sincapore	1838. D fib.p
	Desmotrichum longicolle Lal.									
30034	- longicornum Lindl.	long-spurred	Δ	Δ	or	1	my	W	Nepal	1828. D p.r.w Bot. reg. 1315
30035	- Macraei Lindl.	Macrae's	Δ	Δ	or	...	sp	...	Ceylon	1839. D fib.p
30036	- macranthum Lindl.	large-ftwd	Δ	Δ	or	2	ap	Li	Manilla	1841. D fib.p Bot. mag. 3970
	macrophyllum Lodd.									
30037	- macrostachyum Lindl.	long-spiked	Δ	Δ	or	G	Ceylon	1829. D p.r.w
30038	- mesochlorum Lindl.		Δ	Δ	or	...	jn.W.v.	G.stain	?1846.1D
30039	- minutum Lo. C.	small	Δ	Δ	or	...	sp	W	N. Holl.	1836. D fib.p
30040	- Mirbelianum Lindl.	Mirbel's	Δ	Δ	or	Li	Guinea	... D fib.p
30041	- miserum Lo. C.	poor	Δ	Δ	or	...	sp	W	Philippines	1838. D fib.p

30042 -	- moschätum Wal.	musk-scented	☞ ☒ or	Pa.Y Pegu	1828.	D	p.r.w Bot. mag. 3837
30043 -	- multicaule Lindl.	many-stemmed	☞ ☒ or ... su	W.Y Singapore	1835.	D	fib.p
30044 -	- nobile Lindl.	noble	☞ ☒ pr 2 f	Gsh.v.p China	1837.?	D	p.r.w Sert. orch. 3
30045 -	- Paxtoni Lindl.	Paxton's	☞ ☒ or ... su	O.Y Kbos.Hls.	1837.	D	fib.p Paxt.mag.Bot.5.109
30046 -	- planifolbe Lindl.	flat-ovate-bulb.	☞ ☒ or ... su	W.P Manila	1840.	D	fib.p
30047 -	- pleatite Lindl.	fan-like-lob	☞ ☒ or ... sp	DI.Y Manila	1836.	D	fib.p
30048 -	- pugioniforme Lindl.	dagger-sh.-lvd	☞ ☒ or ... s.o	Y Australia	...	D	fib.p
30049 22706a	- pulchellum B. C.	fair	☞ ☒ or 1 f	W.R.o.v India	1830	D	miss Bot. cab. 1935
30050 -	- pygmaeum Lindl.	dwarf	☞ ☒ cu Illawara	...	D	fib.p
	<i>Calyci Cuan.</i>						
30051 -	- revolutum Lindl.	revolute	☞ ☒ or ... su	W.O Manila	1839.	D	fib.p
30052 -	- rhombum Lindl.	rhomb-tipped	☞ ☒ or 1 au	P.A.Y Manila	1840.	D	p.r.w Bot. reg. 1843. 17
30053 -	- Ruckeri Lindl.	Rucker's	☞ ☒ or ?] f	O.Pk Philippines...	...	D	turf.p.pots. B.r.1843.60
30054 -	- rugosum Lindl.	rough	☞ ☒ or ... su	... Manila	...	D	fib.p
30055 -	- salaccense Lindl.	Salacca	☞ ☒ or	Y.P Manila	...	D	fib.p
3/056 -	- sanguinolentum Lindl.	blood-stained	☞ ☒ or ½ au	Y.V.S Ceylon	1842.	D	p.r.w Bot. reg. 1843. 6
30057 -	- schennum Lindl.	fluted	☞ ☒ cu	W.C N. Holl.	1845.	D	fib.p
30058 -	- scopa Lindl.	broom	☞ ☒ or ... jls	W Manila	1840.	D	fib.p
30059 -	- secundum Lindl.	side-flwrg	☞ ☒ or ... su	Ro Sumatra	1828.	D	fib.p
30060 -	- stuposum Lindl.	stupose	☞ ☒ or ... su	W E. Indies	1837.	D	fib.p
30061 -	- sulcatum Lindl.	furrowed	☞ ☒ or 1 ap	O India	1837.	D	miss Bot reg. 1838. 65
30062 -	- taurinum Lindl.	bull-headed	☞ ☒ or 5 o	Ro.p.w Manila	1841.	D	p.r.w Bot. reg. 1843. 28
30063 -	- tres Lindl.	taper-leaved	☞ ☒ fra... sp	W Singapore	1837.	D	fib.p
30064 -	- tetragonum Lindl.	four-angled	☞ ☒ or ... su	G.v.Br.r Australia	...	D	fib.p
30065 -	- triadenum Lindl.	three-gland.-lvd	☞ ☒ or ?2	W.R.v.spt E. Ind.	1845.	D	fib.p Bot. reg. 1847. 1
30066 -	- vaginatum Lindl.	sheathed	☞ ☒ or	Pa.Str r Singapore	...	D	fib.p
30067 -	- Veitchianum Lindl.	Mr. Veitch's	☞ ☒ spl	Y.w.g.c veins Java	1846.	D	fib.p
30068 -	- veratrifolium Lindl.	Veratrum-lvd	☞ ☒ or ... o.n	Li Guinea	...	D	fib.p

D. Pierardi Rox No. 22706. in p. 371. is synonymous with *D. cucullatum* R. Br. No. 22713. in the same page. (See Bot. Reg. May, 1835.)

3521. 2526b.	DENDROCHYLUM Bl.	DENDROCH.	(<i>Dendron</i> , a tree, <i>cheilos</i> , a lip.)	<i>Orchidaceae</i> .	20.—1.		
30069 -	- filiforme Lindl.	thread-like-stem.	☞ ☒ cu ... su	G.Y Manila	1836.	D	fib.p
30070 -	- glumaceum Lindl.	glumaceous	☞ ☒ cu ... su	G Philippines	1838.	D	fib.p
30071 -	- latifolium Lindl.	broad-lvd	☞ ☒ cu ... su	G Manila	1836.	D	fib.p
30072 -	- abbreviatum Lindl.	shortened	☞ ☒ cu ... su	G.W Java	1840.	D	fib.p
30073 -	- longifolium Lo. C.	long-lvd	☞ ☒ cu ... su	G.W Singapore	1840.	D	fib.p

3522 -	- DENDROMECON Benth.	(<i>Dendron</i> , tree, <i>mekon</i> , poppy; habit and affinity.)	<i>Papaveraceae</i> .	1.			
30074 -	- rigida Benth.	stiff-habited	☞ ☒ or ?2	Y? Califor.	1833. S	...	Hort. tr. 2.s.1.407

Mr. Benthham has written *Dendromecon rigidum*; as *mekon* is feminine, we have written *rigida*.

1831. DENTARIA.							
30075 -	- dasifloba Turcz.	hairy-lobed	☞ ☒ Δ Russia	1838.	D	co

3523. 1985a.	DE'RRIS Dec.	DERRIS. (<i>Derris</i> , a skin; consist. of legumes.)	<i>Leguminosae</i> .	17.—4.			
30076 -	- trifoliata Dec.	three-leaved	☞ ☒ or ... ap.jn	W China	1826.	S	l.p

221. DESCHA'MPSIA.							
30077 1850a	paludosa Marsh.	marsh	☞ ☒ Δ un 3 jn.jl	Ap Germany	1829.	S	co
	<i>Aira paludosa</i> Roth.						
30078 1850b	brevifolia R. & S.	short-feaved	☞ ☒ Δ un ... my.jn	Ap Melvillef.	1827.	S	co

2836. DESMAN'THUS	24633 plenus W.	syn. <i>Neptunia plena</i> Benth., Bot. reg. 1846. 3; <i>Mimosa plena</i> L; <i>M. punctata</i> L; <i>M. adenantha</i> Roxb. Fl. ind.; <i>Desmanthus punctatus</i> Willd. l. c. p. 1047; <i>D. polyphyllum</i> Dec. Prod. 2. 444, <i>Neptunia polyphylla</i> Benth. l. c. 2. 129.					
30079 -	- polyphyllum Dec.	many-lvd	☞ ☒ cu ... jls	W	1826.	S	lt
30080 -	- depressus Dec.	depressed	☞ ☒ cu ... jls	W W.Indies	1828.	S	lt
30081 -	- nutans Dec.	nodding	☞ ☒ pr ... jn.jl	Ro.Y Senegal	1826.	S	lt

DE'SMIA. See ERU'CA.*.*

2120. DESMO'DIUM.							
30082 19084a	nutans Wal.	nodding flwd	☞ ☒ or 3 jl.au	P E. Indies	1823.	C	s.p Bot. mag. 2867

3524. 33a.	DESVAU'XIA R. Br.	DESVAUXIA. (<i>N. Desvauz</i> , a French botanist.)					
30083 -	- Billardièri Ait.	Labillardière's	☞ ☒ or ... jn.jl	G N. Holl.	1823.	S	co

Centropitris cuspidata L. Tr.

3525 -	- DEU'TZIA Thun. DEUTZIA. (<i>John Deutz</i> , sheriff of Amsterdam; a bot. patron.)						<i>Philadelpheae</i> . 1.
30084 -	- scabra Thun.	rough-leaved	☞ ☒ or 6? my	W Japan	1833.	C	co Bot. reg. 1718
30085 -	- corymbosa R. Br.	corymb-flwg	☞ ☒ or 5 jn	W Nepal	1838.	C	co Bot. reg. 1840. 5
30086 -	- staminea R. Br.	broad-stamened	☞ ☒ or ?3 my jn	W Kamaon	1841.	C	lt Bot. reg. 1847. 13
30087 -	- gracilis Sieb.	slender	☞ ☒ or ... spr	?W Japan	...	C	co [K. & P.]
30088 -	- svinguinea	red-flwd	☞ ☒ or ... spr	R	C	co [K. & P.]

3526 -	- DIACA'LPE Blume	DIACALPE. (Derivation unknown.)					<i>Crypt. Filices</i> . 24.—1.
30089 -	- aspidioides Blume	Aspidium-like	☞ ☒ or ... jlo	Y Java	...	D	p.l

1386. DIA'NTHUS.							
11385	barbatus						
	2 flore-pleno Hort.	double-flwd	☞ ☒ or 1½ jn.au	W.ro seedling	gard. C	r.l	
	3 latifolius	broad-lvd	☞ ☒ or ½ jn.s	S	1826.	C r.l
	<i>pimilus</i> Hort.						
11387	aggregatus Sw. fl. gar. 2 s. 166.						
	2 flore-pleno Hort.	double-flwd	☞ ☒ or 1 jn.au	C	seedling	1832.?	C r.l
11394	ferrugineus Bot. Reg. 1839. t. 15.						
	2 sulphureus Hens. sulphur-ctd		☞ ☒ or 1½ au	Su Italy	1836.	S	p.l Botanist, 22
30090 11469a	Libanotis Lab.	Rosemary	☞ ☒ or 4 au	W.spt Mt. Leb.	1830.	C	l.p Bot. reg. 1548
30091 -	- Seguièri Hort.	Seguier's	☞ ☒ Switzerl.	1832.	C	co
3/092 -	- spinosus Led.	spiny	☞ ☒ or 2 au	Pk Mt. Leb.	1831.	C	co
30093 -	- tauricus Hort.	Taurian	☞ ☒ or 1 au	Pk Tauria	1831.	D	co
3/094 11396a	nanus Swt.	dwarf	☞ ☒ or ¾ jls	C Switzerl.	1820.	S	s.l
30095 11434a	ciliatus Guss.	ciliated	☞ ☒ or 1½ jn.au	Pk Naples	1829.	S	co Gus. pl. 33
30096 11451c	buchtormensis Led.	Buchtormian	☞ ☒ or ... jl.au	R Russia	1826.	S	s.l

- 30097 11467a *erubescens* *Tr.* blushing $\text{✓} \triangle$ or ... jl.au Bh Pyrenees 1825. S s.l
 11469 *Fischeri* *Spr.* white $\text{✓} \triangle$ or 1½ jn.o W gardens 1830. C co
 30098 11393a *gigantæus* *Urv.* gigantic $\text{✓} \triangle$ or 3 jl.au P Greece 1824. S co Sw. fl. gar. 288
 30099 11449a *stictus* *Prest* Sicilian $\text{✓} \triangle$ or ½ jn.au R Sicily 1829. C s.l
 30100 - *Hendersonianus* *Pxt.* Henderson's $\text{✓} \triangle$ or 1 jn.au C hybrid ... C s.l. fl. m. Pxt. m. 14. 126
 Probably between *D. Caryophyllus* and *D. chinensis*.
3527. - *DIASTEMA* *Benth.* *DIASTEMA.* (*DiaSTEMA*, intervalum; ?between *Achimenes* and *Gesnera.*) *Gesnera.*
 30101 - *ocroleuca* *Hook.* pale-yellow-*flwd* $\text{✓} \square$ or 1 au Pa.Y Sierra Nevada? 1845. R. C. lt Bot. mag. 4254
3528. - *DIBLEMMA* *J. Sm.* *DIBLEMMA.* (Derivation unknown.) *Crypt. Filices.* 24.—1.
 30102 - *samarënsis* *J. Sm.* Samarese $\text{✓} \triangle$ or E. Indies ... D p.l
3529. 2550a. *DICHEA* *Lo. C.* *DICHEA.* (Meaning unexplained.) *Orchidææ.* 20.—1.
 30103 - *ochracea* ochraceous $\text{✓} \triangle$ or Pa. OchDemerara... D fib.p
 30104 - *glauca* *Lindl.* glaucous $\text{✓} \triangle$ or W.Y Mexico 1844. D fib.p
 Also No. 22723 of the genus *Isochilus* in p. 371.
1004. *DICHORIZA* *NDRA.*
 30105 - *pecta* *B. C.* painted-leaved $\text{✓} \triangle$ or ½ s.o B S. Amer. 1830. D lt.l Bot. cab. 1667
 30106 - *discolor* two-cl'd $\text{✓} \triangle$ or ... aut B 1848. R p.l [K. & P.]
 30107 - *ovalifolia* oval-lvd $\text{✓} \triangle$ cu ... my.jn P Brazil 1846 R p.l Pxt. mag. xv. 5
D. ovata *Pxt.*
2934. *DICKSONIA.*
 30108 - *davallioides* *R. Br.* Davallia-like $\text{✓} \triangle$ or 3 s.o Br N. Holl. ... D l.p [J. Bevis.]
 30109 - *rubiginosa* *Kaulf.* rusty $\text{✓} \square$ or Br Brazil ... S l.p
 30110 - *adiantoides* *Hum.* Adiantum-like $\text{✓} \square$ or 5 a.u.d Br W. Indies 1828. S p.l
 30111 - *squamosa* *Endl.* stately $\text{✓} \square$ or Br.Y N. Zeal. ... S p.l
 30112 - *antàrtica* *Endl.* Antarctic $\text{✓} \square$ or Br N. Zeal. ... S p.l
59. *DICLPTERA.*
 30113 558a *spinosa* *Lod.* spiny $\text{✓} \square$ or 2 ap.jl Y Mauritius 1824. C p.l Bot. cab. 1244
3530. - *DICRYPTA* *Lindl.* *DICRYPTA.* (*Dis*, two, *krypto*, to conceal; pollen masses.) *Orch. Vandææ.*
 30114 - *crassifolia* *Lindl.* thick-leaved $\text{✓} \triangle$ cu 1 year Y Brazil 1830. D p.r.w Bot. reg. 1028
Heterotis crassifolia *Lindl.* Bot. reg.
 30115 - *bicolor* *Bate.* two-coloured $\text{✓} \square$ cu 1 year Y.k Demer. 1834. D p.r.w
 30116 - *iridifolia* *Bate.* Iris-leaved $\text{✓} \square$ cu 1 year Str.sp Trinidad 1835. D p.r.w
 30117 - *discolor* *G. Lodd.* discoloured $\text{✓} \square$ cu ... year O D fib.p
1308. *DICTAMNUS.*
 30118 10909a *angustifolius* *Swt.* narrow-leaved $\text{✓} \triangle$ or 2 my.jl Li Altai 1821. S s.l Sw. fl. gar. 2. s. 93
3531. - *DICTYOPTERIS* *Prest* *DICTYOPTERIS.* (*Diktyon*, a net; *pterus*, a fern.) *Crypt. Filices.* 24.—1.
 30119 - *lanceolata* *A. Cunn.* lanceolate $\text{✓} \triangle$ or ... jn.au Br.Y Mauritius 1824. D p.l Hook. fil. t. 43
Grammitis lanceolata *A. Cunn.*, ?Spr.
 30120 - *attenuata* *R. Br.* attenuated $\text{✓} \triangle$ or ... jn.au Y N. Holl. 1828. D p.l
Dictymia attenuata *J. Sm.*
 30121 - *pteroides* *Prest* Brake-like $\text{✓} \triangle$ or ... jn.au Y Australia 1842. D p.l
 30122 - *macrodonata* *Reinw.* large-toothed $\text{✓} \triangle$ or ... my.au Br.Y Australia 1840. D p.l
1713. *DIDYMOCARPUS.*
 30123 - *crinita* *Jack.* long-haired $\text{✓} \triangle$ or 1 jn W.Y ?Java 1845. D lt.r.m
3532. 2924a. *DIDYMOCHLENA* *Desv.* *DIDYMOCHLENA.* (*Didymos*, double, *chlema*, cloak; indusium.) *Crypt.*
 30124 - *truncatula* *Szw.* little tree $\text{✓} \square$ or 4 mys Br Brazil 1839. S p.l
sinuosa *Desv.*; ?*pulcherrima* *Radd.*; *Tegularia adiantifolia* *Reinw.*; *Aspidium squamatum* *W.*
2049. *DIELYTRA* *Borc.* *DIELYTRA.* (*Dis*, double, *clotron*, a sheath or covering.)
 Substitute this word for *Dicylra*, p. 294., in some copies.
 30125 - *spectabilis* *Dec.* beautiful $\text{✓} \triangle$ or 1½ ap.my R.W N. of China 1846. R p.l J. H. S. 2. t. 3
3533. - *DIENIA* *Lindl.* *DIENIA.* (Meaning unexplained.) *Orchidææ.* 20.—1.
 30126 - *cordata* *Lindl.* cordate $\text{✓} \triangle$ cu ... n.d G Mexico 1837. D fib.p
 30127 - *Myurus* *Lindl.* mouse-tail $\text{✓} \triangle$ cu ... n.d ... Mexico 1842. D fib.p
3534. 142a. *DIETES* *Sal.* (*Dis*, twice, *etes*, an associate; related to *Iris* and *Moræa*.) *Iridææ.*
 30128 - *bicolor* *Sweet's MSS.* two-coloured $\text{✓} \triangle$ or 2 jl.o Y.d D l.p Bot. reg. 1401
Iris bicolor *Lindl.* in Bot. reg.
 30129 - *iridoides* *Swt.* Iris-like $\text{✓} \triangle$ or ½ ap.my W.B C. G. H. 1758. D l.p Bot. mag. 693
Iris maraioides *Ker & Hort. brit.* p. 19. No. 1267.; *Moræa iridoides* *Bot.* *Moræa odorata* *Hook.*
 30130 - *catenulata* *Swt.* chain-dotted $\text{✓} \triangle$ or 1½ ap.au W.B Madagas. 1826. D l.p Bot. reg. 1074
Moræa catenulata *Bot. reg.*
1789. *DIGITALIS* 15912 purpurea
 3 superiora *Pxt.* superb-*flwd* $\text{✓} \square$ or 3 jn.s Bh.Dp.P. spts gar 1842. D lt Pxt. mag. 10. 29
 30131 15922a *lacinata* *Lindl.* fringed-leaved $\text{✓} \triangle$ pr 1½ jn jl Y Spain 1827. D r.m Bot. reg. 1201
 15932 *lutea*
 2 *fuscata* dyed $\text{✓} \triangle$ or 2 jl.au D co Bot. mag. 3925
 30132 - *Campbelliana* Campbell's $\text{✓} \triangle$ or 3 jn.au B.Y England hyb. D co
hybrida *Maund* *Bot. gar.*
185. *DIGITARIA.*
 30133 1583a *Andersbr* *Otto* Anderson's $\text{✓} \triangle$ un ... jn.au Ap Mt. Video 1825. S co
 30134 1583b *eriogona* *Schreb.* woolly-angled $\text{✓} \square$ un 1 jn.au Ap S. Amer. 1825. S co
 30135 1583c *pilifera* *Lk.* hairy $\text{✓} \square$ un ... jn.au Ap Mt. Video 1825. S co
 30136 1583d *violascens* *Lk.* violet $\text{✓} \square$ or ... jn.au Ap Mt. Video 1825. S co
1257. *DILLWYNIA.*
 30137 - *speciosa* *Pxt.* showy $\text{✓} \square$ or 2 my.jn O.c ?N.S. Wales 1838. C s.l.p Pxt. mag. vii. 27
 30138 - *glycinifolia* *Sm.* Glycine-leaved $\text{✓} \square$ el 1½ ap O.ro N. Holl. 1830. S s.p Bot. reg. 1514
 30139 - *clavata* *Pxt.* club-shaped $\text{✓} \square$ or 3 ap.my Y.R S. River 1811. C s.p Pxt. mag. 11. 5

3535. 2554a. DINE'MA Lindl. DINEMA. (Dis, double; nema, a filament.) *Orchidacæ*. 20.—1.
 30140 - polybilbon Lindl. many-bulbed $\text{£} \square$ or $\frac{1}{4}$... Gsh.y.R. Jamaica ... D p.r.w.Bot. mag. 4067
Epidænum polybilbon Swartz, no. 22738, in p. 372.
 30141 - palæaceum Lindl. chaffy $\text{£} \square$ or ... w Pa.Str Guatemala 1835. D fib.p

3536. 2813a. D'ON Lindl. (Dis, two, and oon, an egg; each scale bearing two ovules.) *Cycadæcæ*. 22.—11.
 30142 - -edule Lindl. eatable-scedd $\text{£} \square$ ec 22 ... Ap Mexico 1843. Sk s.l.p

673. DIO'SMA.
 30143 5562a spherocéphala Lod.round-headed $\text{♣} \square$ or ... mr.my W? C. G. H. ... C p.l Bot. cab. 1490

2880. DIOSPYROS 25185 edulis; *Diospyros Sapôta Roxb.* Bot. Mag. 3988.
 25192 Kâki is the *Embryopteris Kâki L.*, *D. chiûensis* Blume.

2618. DIO'TIS 23171 ceratoides W.; syn. *Ceratospérmum papposum* Pers. *Azgris ceratoides* Jac.

3537. 1783a. DIP'LACUS Nut. DIP'LACUS. (Dis, two, plax, plakos, a placenta; capsule.) *Scrophulariæcæ*.
 30144 - -punicea Nut. scarlet-flwd $\text{♣} \square$ or 4 year S Californ. 1837. C r.m Bot. mag. 3655

3538. - -DIPLADE'NIA A. Dec. DIPLADENIA. (Diptos, double, aden, a gland.) *Apocynæcæ*. 5.—1.
 30145 - -crassinôda A. Dec. knob-jointed $\text{£} \square$ or 10 o Rosy R Rio Jan. ... C s.p Bot. reg. 1844.64
Echites crassinôda Gardner in Hook. Journ. Bot. i. 544.; *E. crassa* Hort.
 30146 - -spléndens Hook. splendid $\text{£} \square$ or 10 jl.o Ro OrganMts.1841. C s.l.p Bot. mag. 3976
Echites spléndens Hook.
 30147 - -atropurpurea Lindl. dark-purple $\text{£} \square$ or 10 jl Dk.p S. Brazil 1842. C s.l.p Bot. reg. 1843.27
Echites atropurpurea Lindl.
 30148 - -urophylla Hook. tail-lvd $\text{♣} \square$ or 3 ... Dp.sal Brazil 1847. C s.l.p. Bot. mag. 4414
Dipladenia nobilis and *D. rosa campêstris* are names applied to plants in the Exotic Nursery, Chelsea
 — January 1849.

2925. DIPLA'ZIUM.
 30149 - -acuminatum Rad. acuminated $\text{£} \square$ or $\frac{1}{2}$... Brazil ... D p.l Rad. fil. t. 57. f. 1
 30150 - -barbadense W. Barbadoes $\text{£} \square$ or ... jl.s Br W. Indies 1822 D p.l
 30151 - -decussatum Sm. decussate $\text{£} \square$ or 2 su Br Mauritius 1840. D p.l
 30152 - -frondosum Wall. frondose $\text{£} \square$ or ... aut Br E. Indies ... D p.l
 30153 - -undulosum Swz. wavy $\text{£} \square$ or ... aut Br D p.l
 30154 - -integrifolium Bl. entire-lvd $\text{£} \square$ or ... su Br Java ... D p.l
 30155 - -porrectum J. Sm. stretched-out $\text{£} \square$ or ... Br.Y Malacca ... D p.l
Asplenium porrectum Wall.
 30156 - -deflexum J. Sm. deflexed $\text{£} \square$ or ... Br Malacca ... D p.l
 30157 - -Schkuhrî J. Sm. Schkuhr's $\text{£} \square$ or ... Br Malacca ... D p.l
Asplenium ambiguum Schk.
 30158 - -extensum J. Sm. lengthened $\text{£} \square$ or ... Br Malacca ... D p.l
 30159 - -affine J. Sm. allied $\text{£} \square$ or ... Br.Y LofLuzon ... D p.l
 30160 - -ebenum J. Sm. black $\text{£} \square$ or ... Br.Y LofLuzon ... D p.l
 30161 - -caudatum J. Sm. tailed $\text{£} \square$ or ... Br LofLuzon ... D p.l

25491 malabâricum Spr.; syn. *Callipteris malabârica* J. Sm., *Anisogonium seramporêense* Presl, *Digrammâria ambigua* Presl.
 Probably the species given in this work under the genus *Orygônium* Presl are referrible to the genus *Callipteris* J. Sm.
 Nos. 25461 and 25462 in p. 420 belong to this genus.

3539. - -DIPLOLE'NA Desf. DIPLOLE'NA. (Diploos, double, lena, a cloak; double involucreum.) *Rutæcæ*.
 30162 - -Dampieri Desf. Dampier's $\text{♣} \square$ cu 4 su G.C Swan R. 1837. C p Bot. mag. 4059

3540. 2337a. DIPLOPA'PPUS Cass. DIPLOPAPPUS. (Diploos, double, pappos, pappus; fruit.) *Compositæ* *Asiêr*.
 30163 - -incânus Lindl. hoary-herbage $\text{£} \square$ or 2 aut L.L.y Californ. 1832. C s.l Bot. reg. 1693
 To this genus also belong Nos. 21227, 21228, 21230, 21246, and 21248. in p. 346.

3541. - -DIPLOPE'LTIS Endl. DIPOPELTIS. (Diploos, double, pelte, a shield; bilamellate disk.) *Sapindæcæ*.
 30164 - -Hügelî Endl. Baron Hügel's $\text{♣} \square$ cl 1 s.o Pksh Swan R. 1837. C p.l Bot. reg. 1839.69

3542. 1727a. DIPTERACA'NTHUS Nees DIPTER. (Dipteros, two-winged; akantos, Acanthus.) *Acanthæcæ*. 14.—2.
 30165 - -scândens climbing $\text{£} \square$ or ... W C s.l.p
 Nos. 15498 and 15507, in p. 244, belong also to this genus.

2473. DISA 22425 cornûta Swz.; syn. *Satýrium cornutum* Thunb.; *O'rchis cornuta* Linn. sp. Pl.; Bot. mag. 4091.
 22428 prasinâta B. R.; syn. *Monodenia prasinata* Lk. & Otto.
 Nos. 22431 and 22433 constitute the genus *Schizoditium* Lk. & Otto.
 22434 graminifolia Banks; syn. *Herschellia graminifolia* Lk. & Otto.

3543. 393a. DISCARIA G. Don DISCARIA. (Diskos, a disk; broad disk.) *Rhamnæcæ*. 4.—1.
 30166 - -austrâlis G. Don southern $\text{♣} \square$ or ... my.au Y N. Holl. 1824. C s.p.l Bot. mis. 1. 45

3544. 1923a. DISE'MMA Lab. DISEMMA. (Dis, double, stemma, a crown; crown double.) *Passifloræcæ*. 2.—4.
 30167 - -Herbertiana Dec. Herbert's $\text{£} \square$ or 30 jl.au G.w N. Holl. 1821. C l.p Bot. reg. 737
Murucija Herbertiana Swt. No. 16925.
 30168 - -aurântia Lab. orange $\text{£} \square$ or 15 jl O.R N.Caledon?1842 C p.l Bot. mag. 4140
Murucija aurântia Pers. Syn. 2. p. 222; *Passiflora aurântia* Forst. Prodr. p. 326.
 No. 16926 in p. 270. belongs to this genus.

3545. - -DISOCA'CTUS Lindl. DISOACTUS. (Dis, twice, isos, equal, and kaktos) *Cactæcæ*. 13.—1.
 30169 - -bifôrmis Lindl. two-shaped $\text{♣} \square$ or 2½ jn.jl Dp.pk Honduras 1839. C s.l.p Bot. reg. 1845.9
Cercus bifôrmis Lindl. in Bot. reg. misc. 1843, p. 66.

2493. DIU'RIS.
 30170 - -Drummôndi Lindl. Drummond's $\text{♣} \square$ cu ... my.ju Y S. River ... R p.l
 30171 - -laxiflora Lindl. loose-flowered $\text{♣} \square$ cu ... jn.jl Y S. River ... R p.l
 30172 - -corymbosa Lindl. corymbosc $\text{♣} \square$ cu ... au.s Y S. River ... R p.l
 30173 - -filifolia Lindl. thread leaved $\text{♣} \square$ cu ... jl.s Y S. River ... R p.l
 30174 - -porrifolia Lindl. leek-leaved $\text{♣} \square$ cu ... jl.s Y S. River ... R p.l

454. DODECA'THEON.
3816 *Medäa*
1 *lilacænum* Swt. Lilac-flowered $\frac{1}{2}$ Δ or 1 ap.jn Li Virginia 1744. D l Bot. mag. 12
2 *albiflorum* Swt. white-flowered $\frac{1}{2}$ Δ or 1 ap.jn W gardens 1824. D l Bot. cab. 1489
3 *elegans* Swt. elegant $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ ap.jl Ro gardens 1827. D l Sw. fl. gar. 2. s. 60
4 *gigantæum* Swt. gigantic $\frac{1}{2}$ Δ or 2 ap.jl Li gardens 1819. D l
30175 - *integrifolium* Mz. entire-leaved $\frac{1}{2}$ Δ or $\frac{1}{2}$ ap.jn L.P N. Amer. 1829. D l p Pluk. al. 76. 6
1179. DODONÆA.
30176 9969a *paullinifolia* Cun. Paullinia-ld $\frac{1}{2}$ \square un 4 jn.jl G N. Holl. 1826. C p.l
30177 - *ceratocarpa* Lindl. horn-seeded $\frac{1}{2}$ \square or K. G. S. 1837. C p.l
1994. DOMBEYA.
30178 - *cannabina* H. & B. hemp $\frac{1}{2}$ \square or 10 mr W Mauritius ... C s.p
30179 - *erythroxylon* red-wooded $\frac{1}{2}$ \square or ... ja W ... ?1847 C s.p
839. DONDIA 6734 *Epipactis* Spr. Syn. *Iacquetia Epipactis* Dec.
DONDIA. See CLAU'STUS in p. 519.
2920. DOODIA.
30180 - *lunulata* J. Sm. lunulate $\frac{1}{2}$ Δ or ... su Y N. S. W. 1834. D p.l
30181 - *Kunthiana* Gaud. Kunth's $\frac{1}{2}$ Δ or ... su Br Australia ... D p.l
30182 - *blechnoides* Cunn. Blechnum-like $\frac{1}{2}$ Δ or ... su Br. Y. N. Holl. 1835. D p.l
marima J. Sm.
2353. DORONICUM.
30183 - *cordifolium* Wulf. heart-leaved $\frac{1}{2}$ Δ or Russia 1838. D co
30184 - *macrophyllum* H. Götz. large-leaved $\frac{1}{2}$ Δ or 2 jl Y ... 1828. D co
339. DORSTENIA.
30185 2836a *tubicina* R. & P. trumpet-flwd $\frac{1}{2}$ \square cu $\frac{1}{2}$ au G Trinidad 1817. D p.l Bot. mag. 2804
2067. DORYCNIUM.
30186 - *intermediatum* Mey. intermediate $\frac{1}{2}$ Δ or ... jn.au W Caucasus 1836. D s.l
3546. - *DORYOPTERIS* J. Sm. DORYOPTERIS. (*Dory*, spear; *ptéris*, a fern.) *Crypt. Filices*. 24.—1.
30187 - *cordifolia* J. Sm. heart-leaved $\frac{1}{2}$ \square or ... jn.o Pa.y.Br Brazil ... D p.l
30188 - *Wallichii* J. Sm. Wallich's $\frac{1}{2}$ \square or ... jn.o Pa.y.Br E. Indies ... D p.l
Nos. 25494, 25496, and 25510 of the genus *Pteris*, are referred to this genus.
3547. 450a. DOUGLASSIA Lindl. DOUGLASSIA. (*David Douglas*, a botanical collector.) *Primulacæa*. 1.
30189 - *nivalis* Lindl. snow $\frac{1}{2}$ Δ or $\frac{1}{2}$ ap P Rocky Mts. 1827. S s.p Bot. reg. 1886
1846. DRABA.
30190 16292a *crassifolia* Graham. thick-leaved $\frac{1}{2}$ Δ or $\frac{1}{2}$ my.jl Y N. Amer. 1826. S s.l
30191 16315a *gracilis* Graham. slender $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn.jl Y N. Amer. 1827. S co
lutea β *longipes* Rich.
30192 16317a *nummularia* Lk. Moneywort-ld \square un $\frac{1}{2}$ my.jn W 1828. S co
30193 - *stylaris* Gay styled $\frac{1}{2}$ \square or 1832. S l.p
30194 - *grandiflora* Mey. large-flowered $\frac{1}{2}$ Δ or W Altai 1832. D l.p
30195 - *tridentata* Dec. three-toothed $\frac{1}{2}$ Δ or pr 1 jl.o Y Russia 1838. D co
1020. DRACENA.
30196 8460a *salicifolia* Ait. willow-leaved $\frac{1}{2}$ \square or C p.l
+8467 *terminalis* Jac. terminal-*infior.* $\frac{1}{2}$ \square or 12 mr W S. Sea I. 1820. C r.l Bot. reg. 1749
30197 8461a *brasiliensis* Poyrn. Brazilian $\frac{1}{2}$ \square or 6 .. W Brazil 1825. S p.l
30198 8471a *sarculosa* Lindl. succulose $\frac{1}{2}$ \square or pr 4 jl W S. Leone 1821. Sk p.l Bot. reg. 1169
1685. DRACOCEPHALUM.
15204 *altaense* Lar. Altaic $\frac{1}{2}$ Δ or $\frac{1}{2}$ jl B Altai 1759. D r m Sw. fl. gar. 2. s. 57
grandiflorum Hort. brit. No. 15204.
30199 15199a *origanoides* W. Marjoram-like $\frac{1}{2}$ \square or $\frac{1}{2}$ jl ... Siberia 1829. D s.l.p
30200 15214a *mexicana* Kth. Mexican $\frac{1}{2}$ Δ or 2 jn.au B Mexico 1832. D co
30201 15199a *pinnatum* L. pinnate-leaved $\frac{1}{2}$ Δ or pro ... B Siberia 1832. D l.p
No. 15196 *cordatum* Nut., syn. *Cedronella cordata* G. Don., and No. 15201 *canariense* L., syn. *Cedronella triphylla* G. Don.
3548. 2495c. DRAKÆA Lindl. DRAKÆA. (?Miss Drake, who drew the plates in the Bot. Reg.) *Orchidacæa*. 20.—1.
30202 - *elastica* Lindl. elastic $\frac{1}{2}$ Δ or cu ... au.o Var S. River ... D t.f.p.l
3549. 848c. DREPANOPHYLLUM Hofm. DREPANOPH. (*Drepanon*, scythe, *phyllon*, leaf; form.) *Umbel*. 1.
30203 - *agreste* Hofm. field $\frac{1}{2}$ Δ un 2 jn W Europe 1726. D m.s Jac. au. 3. 257
Sium Falcaria L. No. 6798.
1077. DRYPIDA.
30204 - *villosa* Lindl. villous $\frac{1}{2}$ Δ or ... my.jn G.St C. G. H. 1826. O s.p Bot. reg. 1346
30205 - *lanceolata* R. S. spear-leaved $\frac{1}{2}$ Δ or ... au.o Y.G C. G. H. 1774. O s.p And. rep. 299
Lachenalia repens Andr. bot. rep. 299.
30206 - *longipedunculata* long peduncled $\frac{1}{2}$ Δ or ... s.o G.P C. G. H. 1800. O s.p Sch. mo. 100
1602. DRYMYS.
30207 - *chilensis* Miers Chilian $\frac{1}{2}$ \square fra 12 ... W Chili 1829. C l.p
922. DRO'SERA.
30208 - *macrantha* Endl. large-flwd $\frac{1}{2}$ Δ or pr ... jn.jl Ro S. River ... D bog
30209 - *macrophylla* Endl. large-leaved $\frac{1}{2}$ Δ or pr ... jn.jl W S. River 1842. D bog
30210 - *giganta* Endl. gigantic $\frac{1}{2}$ Δ or pr ... jn.jl W S. River ... D bog
30211 - *pallida* Endl. pale $\frac{1}{2}$ Δ or pr ... jn.jl W S. River 1843. D bog
30212 - *erythrorhiza* Endl. scarlet-rooted $\frac{1}{2}$ Δ or pr ... jn.jl W S. River 1843. D bog
30213 - *stolonifera* Endl. creeping-rooted $\frac{1}{2}$ Δ or pr ... jn.jl W S. River ... D bog
30214 - *filicaulis* Endl. thready-stemmd. $\frac{1}{2}$ Δ or p ... my.jn Ro S. River 1841. D bog

3550. 805a. DRUMMO'NDIA Dec. DRUMMONDIA. (Mr. Drummond, botanical collector.) 5. 2. *Saxifragaceæ*. 1.
30215 - - mitellodes Dec. Mitella-like $\text{£} \Delta$ cu $\frac{1}{2}$ jn Ysh Rocky Mts. ... D p Bot. mag. 2933
Mitella pentandra Hook.

326. DRYA'NDRA.

30216 273a foliolata ? R. Br. leafleted $\text{£} \Delta$ or N. Holl. 1830. C l p
30217 273a arctoides R. Br. Arctotis-like $\text{£} \Delta$ or N. Holl. 1830. C l p Bot. mag. 4035
30218 273a calophylla R. Br. beautiful-lyd $\text{£} \Delta$ or N. Holl. 1830. C l p
30219 - - bipinnatifida R. Br. bipinnatifid $\text{£} \Delta$ or S. River 1840. C s.p.l
30220 - - Fraseri R. Br. Fraser's $\text{£} \Delta$ or S. River 1840. C s.p.l
30221 - - carduacea R. Br. Thistle-like $\text{£} \Delta$ or S. River 1840. C s.p.l
30222 - - nobilis R. Br. noble $\text{£} \Delta$ or S. River 1840. C s.p.l
30223 - - stuposa R. Br. heavy $\text{£} \Delta$ or S. River 1840. C s.p.l
30224 - - proteoides R. Br. Protea-like $\text{£} \Delta$ or S. River 1840. C s.p.l
30225 - - tenuifolia R. Br. slender-lyd $\text{£} \Delta$ or S. River 1840. C s.p.l
30226 - - favosa R. Br. $\text{£} \Delta$ or S. River 1840. C s.p.l
30227 - - carduacea Lindl. thistle-like $\text{£} \Delta$ or 3 ap.my Y S. River ... C s.p
 β angustifolia Hook. narrow-leaved $\text{£} \Delta$ or 3 ap.my Y S. River ... C s.p Bot. mag. 4317
2737 fornosa R. Br., Bot. mag. 4102.

1535. DRYAS.

13710 octopetala
30228 13710a Drummond's Drummond's less $\text{£} \Delta$ cu $\frac{1}{2}$ jn.au W D s.p.l
octopetala Ph. $\text{£} \Delta$ pr $\frac{1}{2}$ jn.au W N. Amer. 1828. D s.p
30229 13710b intermedia Hort. intermediate $\text{£} \Delta$ pr $\frac{1}{2}$ jn.au W N. Amer. 1832. D s.p.l
30230 - - decapetala Nutt. 10-petaled $\text{£} \Delta$ pr ... jl.au W N. Amer. 1839. D p
30231 - - depressa Bab. depressed $\text{£} \Delta$ pr $\frac{1}{2}$ jn.jl W Ireland ... D s.p

903. DRYMARIA.

30232 7254a gracilis Lk. slender $\text{£} \Delta$ un $\frac{1}{2}$ jn.s W Brazil 1829. S co
30233 7254b palustris G. Don marsh $\text{£} \Delta$ pr ... jn.au W Mexico 1830. D bog
30234 7254c villosa G. Don villose $\text{£} \Delta$ pr ... jn.au W Mexico 1837. D co

3551. - - DRYMOGLO'SSUM J. Sm. (*Drymos*, forest, glossum, a tongue; fronds.) *Crypt. Filices*. 24.—1.
30235 - - pilosellodes Presl Pilosella-lik $\text{£} \Delta$ or ... su Y W. Indies 1828. D p.l
30236 - - lanceolatum L. lance-lyd $\text{£} \Delta$ or ... su Y E. Indies 1843. D p.l Pl. fil. t. 132
30237 - - spatulatum Presl spatulate $\text{£} \Delta$ or ... su Y India ... D p.l
30238 - - carnosum J. Sm. fleshy $\text{£} \Delta$ or ... su Br.Y Australia ... D p.l
Niphobolus carnosus A. Cunn.

3552. 1809a. DRYMONIA Mart. DRYMONIA. (*Drymonia*, woodland; habit of species.) *Gesneriaceæ*. 14.—2.
30239 - - punctata Lindl. spotted-lyd $\text{£} \Delta$ or $\frac{2}{3}$ jl.au Pa.y.s Guatemala 1843. D.C s.p.l Bot. mag. 4089
30240 - - bicolor Mart. two-coloured $\text{£} \Delta$ or 6 ... P.y W. Indies 1806. C l p Jac. sc. 3. 290
Besleria serrulata Jac. No. 16048. in p. 253.

3553. - - DRYNARIA Bory DRYNARIA. (Derivation unknown.) *Crypt. Filices*. 24.—1.

30241 - - coronans Wall. crowned $\text{£} \Delta$ or ... sp Y W. Indies ... D p.l
30242 - - diversifolia J. Sm. diverse-lyd $\text{£} \Delta$ or ... su Y Australia ... D p.l
Polydium diversifolium R. Br.
30243 - - propinqua Wall. allied $\text{£} \Delta$ or ... su Y E. Indies ... D p.l
30244 - - loriformis Wall. strap-like $\text{£} \Delta$ or ... su Y E. Indies ... D p.l
30245 - - normalis D. Don normal $\text{£} \Delta$ or ... su Y Nepal ... D p.l
30246 - - stenophylla J. Sm. narrow-leaved $\text{£} \Delta$ or ... su Y E. Indies ... D p.l
Polydium stenophyllum Blume.
30247 - - leiorrhiza Wall. smooth-rooted $\text{£} \Delta$ or ... su Y Nepal 1844. D p.l
Polydium cuspidatum D. Don.
30248 - - Wallichii R. Br. Wallich's $\text{£} \Delta$ or ... su Y E. Indies ... D p.l
30249 - - plantaginea W. plantain-like $\text{£} \Delta$ or ... sp Y E. Indies 1842. D p.l
? Polydium plantagineum Jac., No. 25349, in p. 417.
30250 - - hemionitidea Wall. spleen-wort-lik $\text{£} \Delta$ or 2 su Y Nepal ... D p.l
D. membranacea.
30251 - - coriacea Sm. leathery $\text{£} \Delta$ or ... su Y India 1840. D p.l
30252 - - caspitosa Sm. tufted $\text{£} \Delta$ or ... su Y India 1841. D p.l
30253 - - Horsfieldii R. Br. Horsfield's $\text{£} \Delta$ or ... su Y Java ... D p.l
Polydium dipteris Blume.

25350. phymatodes L.; syn. *D. vulgaris* J. Sm.
30254 - - cuspidiflora J. Sm. pointed-lyd $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
Polydium cuspidiflorum Reinw.
30255 - - palmata J. Sm. palmate $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
Polydium palmatum Blume.
30256 - - glauca J. Sm. glaucous $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
30257 - - lomarioides J. Sm. Lomaria-lik $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
30258 - - rabida J. Sm. red $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
30259 - - albido squamata J. S. white-scaled $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
Polydium cuspidatum Reinw.
30260 - - neglecta J. Sm. neglected $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
Polydium neglectum Blume.
30261 - - rupestre J. Sm. rock $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
Polydium rupestre Blume.
30262 - - undulata J. Sm. waved-lyd $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
30263 - - subfalcata J. Sm. subfalcate $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
30264 - - longissima J. Sm. longest-lyd $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
30265 - - dubia J. Sm. doubtful $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
30266 - - longifrons J. Sm. long-lyd $\text{£} \Delta$ or Br.Y l of Luzon ... D p.l
Polydium quercifolium, No. 25354, in p. 418.
30267 - - irioides J. Sm. Iris-like $\text{£} \Delta$ or 3 mr.ap Br.Y N. Holl. 1824. D p.l
Polydium irioides Spr., P. *polyccephalum* Wall., *Microsorium irregularare* Lk.
Nos. 25351, 25352, 25354, and 25377 as *D. capitellata* J. Sm. belong to this genus.

3554. 2911a. DRYOPTERIS Sm. DRYOPTERIS. (Not explained.) *Crypt. Filices*. 24.—1.
30268 - - sagittifolia H. K. arrow-leaved $\text{£} \Delta$ or ... ap.n Y E. Indies D p.l

3555. - - *DRYOSTACHYUM* J. Sm. DRYOST. (Not explained.) *Crypt. Filices.* 24.—1.
 30269 - - caudatum J. Sm. tailed $\frac{1}{2}$ \square or ... su Y Celebes 1812. D p.1
 30270 - - splendens J. Sm. splendid $\frac{1}{2}$ \square or ... su Y Lof Luzon 1842. D p.1
 30271 - - pilosum J. Sm. hairy $\frac{1}{2}$ \square or ... su Y Lof Luzon 1841. D p.1
3556. 330a. DUFRE'SNEA Dec. DUFRESNE. (*P. Dufresne*, M.D., a French botanist.) *Valeriana.* 4.—1.
 30272 - - orientalis Dec. oriental $\frac{1}{2}$ Δ pr Ro Levant 1838. D co
2270. DUMERPLIA 20570 paniculata Lag.; syn. *Jungia ferruginea* Dec.
3557. 219a. DUPONTIA R. & S. DUPONTIA. (Derivation unknown.) *Graminae.* 3.—2.
 30273 - - Fischeri R. & S. Fischer's $\frac{1}{2}$ Δ un ju.au Ap Melville. 1827. S co
2649. DUVAU'A.
- 30274 23319a ovata Lindl. ovate-leaved $\frac{1}{2}$ \square or 6 jl Gsh Chili 1824. C l.p Bot. reg. 1568
 30275 - - latifolia Gill. broad-leaved $\frac{1}{2}$ \square or 20 jn I Ysh Chili 1830. C l.p Bot. reg. 1580
depdens γ Hook. Bot. Mis. 3. 176.
 30276 23319b longifolia Lindl. long-leaved $\frac{1}{2}$ $\frac{1}{2}$ or 3 jn I Pa.Y B.Ayres ?1835. C co Bot. reg. 1843. 59
3558. 954a. DYCKIA Sch. fil. (*Prince of Salm-Reiferscheid-Dyck*, a great lover of gardening.) *Bromeliacea.* 3.
 30277 - - rariflora Sch. fil. scattered-flwd $\frac{1}{2}$ \square or 2 jn O Brazil 1832. O S ... Bot. reg. 1782
3559. 1639b. DYSOPHYLLA Blume. DYSOPHYLLA. (*Dysodes*, fetid, *phyllon*, leaf; smell?) *Labiate.* 2.—12.
 30278 - - quadrifolia Benth. four-leaved $\frac{1}{2}$ \square or 2 jn I P Nepal 1820. C s.l
Mentha quadrifolia Rox. No. 14859.
 30279 - - pumila Benth. dwarf $\frac{1}{2}$ Δ cu $\frac{1}{2}$ jls. P Nepal 1826. D co Bot. mag. 2907
Mentha pumila Grah. *verticillata* D. Don.
 30280 - - stellata Benth. starchy-*fol* $\frac{1}{2}$ Δ or 2 I o Pk Malabar ... D s.p.l Bot. reg. 1845. 23
3560. 2569c. FARINA Lindl. FARINA. (Not explained.) *Orchidacea.* 20.—1.
 30281 - - mucronata Lindl. mucronate $\frac{1}{2}$ \square or mr.au W N.Zeal. ... D fib.p
 30282 - - suavæolens Lindl. sweet-scented $\frac{1}{2}$ \square fra my.jl.W.Y.spots N.Zeal. 1843. D fib.p
1981. E'BENUS.
- 30283 17687a Sibthorpia Dec. Sibthorp's $\frac{1}{2}$ \square or jl.au Pk Greece 1826. S p.l
3561. 980a. ECHEA'NDIA Ort. ECHEANDIA. (Derivation unknown.) *Asphodæe.* 6.—1.
 30284 - - terniflora Ort. three-flwd $\frac{1}{2}$ \square cu jn ... Mexico 1837. O lt
Conanthera Echeandia Pers.; *Anthericum reflexum* Cav.
3562. 1409c. ECHEVERIA Dec. ECHEVERIA. (*Echeveri*, a botanical draughtsman.) *Crassulacea.* 4.—5.
foecinea Dec. scarlet-flwd $\frac{1}{2}$ \square or 2 o S Mexico 1816. C s.l Bot. cab. 832
Cotyledon corcinea Cav. No. 11823.
 30285 - - grandifolia Haw. great-leaved $\frac{1}{2}$ \square or 2 o O Mexico 1828. C s.l Sw. fl. gar. 275
 30286 - - gibbiflora Dec. gibbous-flwd $\frac{1}{2}$ \square or 2 jlo. Y.Pk Mexico 1826. C s.l Bot. reg. 1247
 30287 - - rosea Lindl. rosy $\frac{1}{2}$ \square or 1 ap P.Y Mexico 1840. D s.p Bot. reg. 1842. 22
 30288 - - racemosa Otto racemose-flwd $\frac{1}{2}$ Δ or 2 o C Mexico 1836. C s.l Botanist, 11
 30289 - - pulverulenta B. R. powdery $\frac{1}{2}$ \square or ap.my W.R.G.Mexico 1848. C s.l.p
 30290 - - bracteolata Lk. bracteolate $\frac{1}{2}$ \square or Rsh.y Caraccas ... C s.l.p
 30291 - - acutifolia Lindl. acute-leaved $\frac{1}{2}$ Δ or 1 ap S.Y Mexico 1841. D s.l Bot. reg. 1842. 29
 30292 - - secunda Booth secund $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn.au R.G Mexico 1837. R s.l Bot. reg. 1840. 57
 30293 - - Scheeri Lindl. Scheer's $\frac{1}{2}$ \square or 1 $\frac{1}{2}$ o.n C.Y Mexico 21841. S.Lvs.s.p.l Bot. reg. 1845. 27
 30294 - - retusa Lindl. blunt-leaved $\frac{1}{2}$ \square or 1 n.ap. C.Y Mexico 1846. S.Lvs.s.p.l Bot. reg. 1845. 57
 30295 - - lurida Lindl. lurid $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn S.Y Mexico 1840. D l.p.s Bot. reg. 1841. 1
 No. 11826 also belongs to this genus.
3563. 2411b. ECHINA'CEA Mocn. ECHINACEA. (*Echinus*, a hedgehog; receptacle.) *Comp. Hel.* 3.—4.
 30296 - - heterophylla D. Don variable-lvd $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ s.o P Mexico 1829. D co Sw. fl. gar. 2. s.32
Corcopsis heterophylla Cav.
 30297 - - purpurea D. Don purple-flwd $\frac{1}{2}$ Δ or 4 jlo. R N. Amer. 1699. D co Bot. mag. 2
Rudbeckia purpurea L., No. 21979 in p. 358.
 30298 - - serotina D. Don late-flowering $\frac{1}{2}$ Δ or 3 au.o R N. Amer. 1816. D co Sw. fl. gar. 4
Rudbeckia serotina Sw. fl. gar. 4., No. 21973 in p. 355.
 30299 - - napifolia Sert. Rape-leaved $\frac{1}{2}$ Δ or 2 jlo.au Y N. Spain 1824. D p.l
Rudbeckia napifolia Kth., no. 21975 in p. 358.
 30300 - - heterophylla D. Don various-lvd $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ s.o R Mexico 1828. D co Sw. fl. gar. 2. s.32
 30301 - - intermedia Penny intermediate $\frac{1}{2}$ Δ or 4 au.o R Eng. hyb. 1826. D co Paxt. m. xv. p. 79
 30302 - - Dicksoni Lindl. Dickson's $\frac{1}{2}$ Δ or 1 f. au.s L Mexico ... D co Bot. reg. 1838. 27
 30303 - - dubia Kn. & West. doubtful $\frac{1}{2}$ Δ or 4 s.o Li Mexico 1837. D co Flor. cab. 1341
3564. - - ECHINOCA'CTUS. (*Echinus*, the sea urchin, *kaktos*, cactus; resemblance in spine-bearing ridges.)
 30304 - - acutangulus Karw. acute-angled $\frac{1}{2}$ gr Mexico 1838. O s.p.l
 30305 - - acutus Dec. sharp-ribbed $\frac{1}{2}$ gr ap.jl ... Mt. Video 1828. O s.p.l
 30306 - - agglomeratus Karw. agglomerated $\frac{1}{2}$ gr ju.au ... Mexico 1838. O s.p.l
 30307 - - anconianus Hort. Anconian $\frac{1}{2}$ gr ap.jn ... Ancona 1824. O s.p
 30308 - - arcuata Lk. & O. arched $\frac{1}{2}$ gr $\frac{1}{2}$ jl Mt. Video ... O s.p L. & O. dis. 23
 30309 - - centeterius Pfeiff. many-spined $\frac{1}{2}$ gr $\frac{1}{2}$ jl Y.R Mexico 1840. O s.p Bot. mag 3974
 30310 - - chlorothalmus Hook. green-eyed $\frac{1}{2}$ or $\frac{1}{2}$ jn I P.W R. del Mte ... O s.p.l Bot. mag. 4373
 30311 - - coccineus Hort. scarlet-flwd $\frac{1}{2}$ gr S ... 1835. O s.p
 30312 - - concinnus Hort. neat-habit $\frac{1}{2}$ gr $\frac{1}{2}$ mr.ap Y Mt. Video 1828. O s.p Bot. mag. 4115
orthacanthus Lk. et Otto.
 30313 - - cornigerus Dec. horn-bearing $\frac{1}{2}$ gr 1 jls. W Mexico 1830. O s.p
 30314 - - corymbodes H. Eerol. club-shaped $\frac{1}{2}$ or $\frac{1}{2}$ o Y.C S. Amer. 1837. C s.p.l Bot. mag. 3906
 30315 - - crispata Dec. curled $\frac{1}{2}$ gr $\frac{1}{2}$ P Mexico ... O s.p Dec. cac. 8
 30316 - - cylindricus Hort. cylindrical $\frac{1}{2}$ gr Mexico 1836. O s.p.l
 30317 - - densa Lk. & O. dense $\frac{1}{2}$ gr Mexico 1829. O s.p
 30318 - - depressa Lk. & O. depressed $\frac{1}{2}$ gr $\frac{1}{2}$ S. Amer. 1798. O s.p
Cactus depressa Haw. No. 12513.
 30319 - - echinatus Hort. echinated $\frac{1}{2}$ gr ap.jn ... Mexico 1830. O s.p.l
 30320 - - edulis Sm. eatable $\frac{1}{2}$ gr Y Mexico ... O s.p.l
 30321 - - Eyriesii Otto Eyrie's $\frac{1}{2}$ fra 1 su W.Y Mexico 1829. O s.p Bot. reg. 1707
 30322 - - glauca Lindl. glaucous $\frac{1}{2}$ fra 1 jl W.G C Lru Bot. reg. 1838. 31
 30323 - - exculptus Hort. eugraven $\frac{1}{2}$ gr ap.jn ... 1836. O s.p.l
 30323 - - formosus Hort. beautiful $\frac{1}{2}$ gr Mexico ... O s.p.l

	fgbbōsa Dec.	gibbous	n	gr	½	jl.au	W	Jamaica	1808.	O	s.p	Bot. reg. 137		
	<i>Cercus gibbōsus</i> Swt. No. 12545.													
30324	- Gilliesii Hort.	Gillies's	n	gr	Mexico	1830.	O	s.p.			
30325	- gladiatus Dec.	sword-spined	n	gr	Mexico	1826.	O	s.p.			
30326	- glaucus Karw.	glaucous	n	gr	Mexico	1838.	O	s.p.			
30327	- hexadēphorus Lem.	hexadion	n	gr	½	jn	W.Pa.n	Tampico	...	O	s.p.	Bot. mag. 4311		
30328	- inflatus Gil.	inflated	n	gr	Chili	1828.	O	s.p.			
30329	- ingens Karw.	huge	n	gr	Mexico	1838.	O	s.p.			
	Intortā Dec.	twisted-spined	n	gr	1	jn.jl	P	Antigua	1768.	O	s.p.	Pl. am. 3. 8		
	<i>Cactus intortā</i> Haw. No. 12520.													
30330	- intricatus Dec.	intricate	n	gr	...	ap.jl	...	Mt. Video	1828.	O	s.p.			
30331	- Langsdorffii G. D.	Langsdorf's	n	gr	Y	Brazil	1833.	O	s.p.			
30332	- Leeana Hook.	Lee's	n	gr	½	my.jn	Pa.Su	B. Ayres	1840.	O	s.p.	Bot. mag. 4184		
30333	- Lecchei G. Don	Lecche's	n	gr	...	jl.au	Y	S. Amer.	1833.	O	s.p.			
30334	- Linkii G. Don	Link's	n	gr	...	jl.au	Y	Mexico	1828.	O	s.p.			
30335	- Mackeana Hook.	Mackie's	n	gr	½	...	Y.w	Chili	-1836.	O	s.p.	Bot. mag. 3561		
30336	- mammillarioides Dec.	Mammil.-lk	n	gr	½	...	Y.R	Chili	1836.	O	s.p.	Bot. mag. 3558		
30337	- meloactiiformis Hk.	Melon.-th.-lk	n	gr	½	...	W	Mexico	...	O	s.p.	Dec. cac. 10		
30338	- meoacantha Lk.	less-spined	n	gr	½	Jannica	...	O	s.p.	L. & O. dis. 15		
30339	- montevidensis G.D.	Monte Video	n	gr	Y	Mt. Video	1835.	O	s.p.			
30340	- multiflorus Hook.	many-flwd	n	gr	½	jn	O	s.p.	Bot. mag. 4181		
30341	- myrtostigma Sa. Dk.	many-spotted	n	gr	1	jl	Pa.Str	Mexico	?1843.	O	s.p.	Bot. mag. 4177		
	<i>Astrophyton myrtostigma</i> Lemaire.													
30342	- obvallata Dec.	fenced round	n	gr	½	...	P	Mexico	...	O	s.p.	Dec. cac. 9		
30343	- orthacanthus Dec.	straight-spined	n	gr	Mt. Video	1824.	O	s.p.			
30344	- Ottonis Lk.	Otto's	n	gr	Mexico	1829.	O	s.p.			
30345	- oxyacanthus Hort.	sharp-spined	n	gr	1830.	O	s.p.			
30346	- pachycentrus Lehm.	thick-spined	n	gr	1836.	O	s.p.			
30347	- oxygona Lk. & O.	sharp-angled	n	gr	1	my	Pa.Ro	Brazil	1831.?	C	s.l	Bot. reg. 1717		
30348	- parvispina Lk. & O.	small-spined	n	gr	½	S. Amer.	...	O	s.p.			
	<i>Cactus parvispina</i> Haw. Nos. 12514, and 2515.													
30349	- pectiniferus Lemaire	pectinated	n	gr	½	ap.my	Pa.G.ro	Mexico	?1844.	O	s.p.	Bot. mag. 4190		
30350	- Pentlandii Hort.	Pentland's	n	gr	½	jl	Ro	O	s.p.	Bot. mag. 4124		
30351	- platycanthus Hort.	broad-spined	n	gr	Mexico	1837.	O	s.p.			
30352	- polyacanthus Hort.	many-spined	n	gr	Mexico	1837.	O	s.p.			
30353	- pulchella Martus	neat	n	gr	...	au.n	W.Bh	Mexico	1831.	O	s.p.			
30354	- recurva Dec.	recurved-spined	n	gr	1	Mexico	1796.	O	s.p.			
	<i>Cactus recurva</i> Mil. nobilis L. No. 12519.													
30355	- rhodanthus Don	rose-flwd	n	gr	1835.	O	s.p.			
30356	- Salmiana Lk. & O.	Salm's	n	gr	½	Curacoa	...	O	s.p.	L. & O. dis. 13		
30357	- Scopā Hort. Berol.	Broom	n	or	½	ap	Y.s	Brazil	1838.	C	s.p.	Bot. reg. 1839. 24		
	<i>Cactus Scopā</i> Link. & <i>Cercus Scopā</i> Dec.													
30358	- sessiliflorus Hort.	sessile-flwd	n	gr	1834.	O	s.p.			
30359	- spiralis Karw.	spiral	n	gr	Mexico	1835.	O	s.p.			
30360	- subuliferus Dec.	awl-spined	n	gr	Mexico	1834.	O	s.p.			
30361	- subgibbusus Haw.	subgibbose	n	gr	...	jl.au	W	Chili	1830.	O	s.p.			
30362	- sulcata Lk. & O.	furrowed	n	gr	Mexico	1829.	O	s.p.			
30363	- tenuispina Lk. & O.	fine-spined	n	gr	½	...	Y	Brazil	...	O	s.p.	Bot. mag. 3963		
30364	- tephraacanthus Lk.	ashy-spined	n	gr	½	Brazil	1825.	O	s.p.			
30365	- thelephorus Hort.	nipple-bearing	n	gr	1834.	O	s.p.			
30366	- tuberculatus Dec.	tuberled	n	gr	Mexico	1826.	O	s.p.			
30367	- tubiflorus Hort.	tube-flowered	n	gr	½	...	W	Mexico	?1836.	O	s.p.	Bot. mag. 3627		
30368	- Williamsii Lemaire	Williams's	n	gr	½	jn.jl	W.Ro	Mexico	?1845.	O	s.p.	Bot. mag. 4296		
30369	- xanthacanthus Hort.	yellow-spined	n	gr	1825.	O	s.p.			
188. ECHINOCHLOA.														
30370	1665a hispida R. & S.	hispid	n	o	un...	jl.au	Ap	Egypt	1829.	S	co			
2468. ECHINOPS.														
30371	- bannaticus		n	o	?	W	Hungary	1832.	S	co [D. Cameron.]		
	2 albus	white	n	o	?			
30372	- dahuricus Fis.	Dahurian	n	o	?	3	au	B	Dahuria	1828.	D	co		
30373	- pungens	pungent	n	o	Russia	1835.	S	co [D. Camcro.]		
30374	- platylepis Traut.	broad-scaled	n	o	B	...	1835.	S	co		
30375	- Tournefortii Led.	Tournefort's	n	o	Caucasus	1835.	S	co		
30376	- Gmelini Turcz.	Gmelin's	n	o	W.B	...	1835.	S	co		
30377	- glaberrimus Dec.	most glabrous	n	o	?	B	Sinai	1830.	D	co	
426. ECHINOSPERMUM 3519 pátulum Lch. is squarrosūm, No. 3519.														
30378	- zeylanicum G. Don	Ceylon	n	o	un	...	jn.s	B	Ceylon	1826.	S	co		
30379	- heteracantha G. Don	various-spined	n	o	un	...	jn.jl	B	Siberia	1826.	S	co		
30380	- macranthum G. Don	large-flwd	n	o	un	...	jn.jl	B	Siberia	1827.	S	co		
30381	- intermedium G. Don	intermediate	n	o	un	...	jn.jl	B	Altai	1836.	S	co		
30382	- strictum G. Don	straight	n	o	un	...	jn.jl	B	Altai	1836.	S	co		
30383	- Wahlbanum G. Don	Vahl's	n	o	un	...	jn.jl	B	Egypt	1836.	S	co		
30384	- leiocarpum F. & M.	smooth-fruited	n	o	un	...	jn.jl	B	Persia	1836.	S	co		
537. ECHITES 4393 caryophyllata Rox. Syn. Agonósma Roxburghii G. Don.														
30385	4394a cymosa Val.	cymose	n	o	or	10	E. Indies	1828.	C	p.l		
30386	- hirsuta Ruiz & Pav.	hairy	n	o	or	10	...	Y.Ro	Organ Mst	1841.	C	s.l.p	Bot. mag. 3997	
30387	- stellaris Lindl.	star-eyed-cor.	n	o	or	10	R. v R. Janeiro	1831.	R	p.l	Bot. reg. 1664	
30388	- Fraxinea A. Dec.	River Fraxinea	n	o	or	Dp ro.g	Brazil	?1845.	C	p.l	Bot. reg. 1847. 24
Echites nūans, E. bicolor and E. odorata. We find these names applied to plants, in some of the nurseries, but we have not been able to obtain sufficient information respecting them to insert them here in detail — January 1849.														
445. ECHIUM.														
30389	- petraeum Tratt.	rock	n	pr	2	my	...	Pk.Li	Dalmatia	1842.	C	s.l.p	Bot. reg. 1843. 26	
30390	- calycinum G. Don	large-calyxed	n	o	or	...	jn.au	B.Y	S. Europe	1829.	S	co		
30391	- asperinum G. Don	very-rough	n	o	or	...	jl.au	B	Caucasus	1826.	S	co		
30392	- dahuricum G. Don	Dahurian	n	o	or	...	jl.au	B	Dahuria	1827.	S	co		
30393	- angustifolium G. Don	narrow-leaved	n	o	or	...	jl.au	B	Spain	1826.	S	co		
30394	- Lagascaeum G. Don	Lagasca's	n	o	or	...	jl.au	Li	Spain	1826.	D	co		
30395	- arenarium Guss.	sand-inhabiting	n	o	or	...	jl.au	P	Calabria	1826.	S	co		

3565. 1197a. EDG'WORTHIA C. A. Meyer. ENG'WORTHIA. *Thymelæcææ*. 8.—1.
30396 - - *chrysantha Lindl.* golden-*ftnd* 𠄎 □ fra?3 f.ap Go Chusan 1845. L s.l.p Bot. reg. 1847. 48
papyrifera Zucc.; *Daphne papyrifera* Sieb.
1235. EDWA'RDSIA.
20397 - - *Macnabiâna* Grah. Mr. MacNab's 𠄎 or 6 jl.au Y ?1820. C co Bot. mag. 3735
30398 10439a *chilensis* Miers Chilian 𠄎 or ... ap.my Y Chili 1822. L I Bot. reg. 1798
Sophora macrocarpa Sm. Bot. cab. 1125.
10443 *minima* Lo. C. is the *E. myriophyllum* Wand. (A. B. p. 567.)
565. EHRE'TIA. Nos. 4549 and 4550 in p. 70. are now referred to the genus *Carmôna* G. Don.
341. ELEA'GNUS.
†2841 *hortensis* Bieb. garden 𠄎 or 20 jl Y S. Europe 1633. C co Pal. ros. 1. 4
angustifolia L.; *songárica* Fis., *inermis* Mill. Dict.
2 *dactyliformis* date-shpd.-*ftd* 𠄎 or C co
3 *orientalis* Oriental 𠄎 or 10 jl.au Ap Levant 1748. L p.l Pal. ros. 1. 5
orientalis L. No. 2843. in p. 42.
4 *spinosa* prickly 𠄎 or C co
spinosa L.
30399 - - *parvifolia* Wall. small leaved 𠄎 fra10 jn W N.of India 1842. S I Bot. reg. 1843. 51
30400 - - *triflora* Fis. three-leaved 𠄎 or W Nepal 1825. C p.l
30401 - - *umbellata* Dec. umbellate 𠄎 or W Nepal 1829. C p.l
30402 - - *salicifolia* ?D. Don willow-*lvd* 𠄎 or W C p.l
30403 - - *canadensis* Canadian 𠄎 or W Canada 1848. C p.l [K. & P.]
2777. ELÆ'IS.
30404 24269a *spectabilis* Lod. Cat. showy 𠄎 □ or Pa. Y E. Indies 1831. S r.m
1434. ELEOCARPUS.
30405 12117a *grandiflorus* Wal. large-flowered 𠄎 □ or 20 ... W E. Indies 1829. C p.l
672. ELEODE'NDRON.
30406 - - *capense* Eck. et Zey. Cape 𠄎 □ cu 18 jn G C. G. H. 1828. C co Bot. mag. 3835
3566. 825a. ELEOSEL'NUM Dec. MARSH PARSLEY. (*Elaiâ*, an olive, *selinon*, parsley.) *Umbellifera*. 5.—2.
30407 - - *meoides* Dec. Meum-like 𠄎 Δ un... jn.au Y S. Europe 1830. D co
3567. 2941c. ELAPHOGL'OSSUM Schott ELAPHOGLOSSUM. (*Elcphas*, elephant, *glossa*, tongue.) *Crypt. Filices*. 24.—1.
30408 - - *âpodum* Kauf. stemless 𠄎 □ or ... su Br. Y W. Indies 1824. D p.l
Acrostichum âpodum Hook.
30409 - - *viscosum* Swz. clammy 𠄎 □ or ... jn.o Br. Y W. Indies 1826. D p.l
Acrostichum viscosum Hook.
30410 - - *callaefolium* J. Sm. Calla-*lvd* 𠄎 □ or ... aut Br. Y W. Indies 1841. D p.l
30411 - - *coniforme* Swz. conformed 𠄎 □ or ... aut Br. Y C. G. H. 1841. D p.l
30412 - - *squamosum* Swz. scaly 𠄎 □ or ... su.aut Br. Y W. Indies ... D p.l
30413 - - *scolopendrifolium* J. Sm. Scolopendri 𠄎 □ or Br Brazil 1841. D p.l Radd. bras. fil. 16
30414 - - *villosum* Swz. villous 𠄎 □ or 1 su.aut Br. Y W. Indies 1846. D p.l H. & G. ic. fil. 95
30415 - - *obtusifolium* blunt-*lvd* 𠄎 □ or ... sp Br. Y Lof Luzon ... D p.l
Acrostichum obtusifolium Wall., *decurrens* Blume.
30416 - - *Blumeânum* J. Sm. Blume's 𠄎 □ or ... su Br. Y Lof Luzon ... D p.l
Also Nos. 25311 and 25312 in p. 417.
159. ELEOCHARIS.
30417 1417a *plantaginea* R. & S. plantain-like 𠄎 □ cu ... jl.s Ap E. Indies 1828. D bog
30418 1424a *capitata* R. & S. headed 𠄎 □ cu ... jl.s Ap America 1824. D bog
30419 1424b *intermedia* R. & S. intermediate 𠄎 Δ cu ... jl.s Ap Pennsylv. 1826. D bog
30420 - - *pârvula* L. least 𠄎? ○ cu 1½ jl Ap England' Mud. P1 S mud
2460. ELEPHA'NTOPUS. Nos. 22380 and 22385; syn. *Distréptus* sps. Dec.
259. ELEUSINE.
30421 2242a *rigida* Kth. rigid 𠄎 ○ cu ... jl.s Ap Mt. Video 1826. S co
30422 2242b *cereâlis* Kth. rye-like 𠄎 ○ cu ... jl.s Ap Egypt 1827. S co
30423 2242c *ovâlis* Ehren. oval-spiked 𠄎 ○ cu ... jl.s Ap Egypt 1827. S co
30424 2242d *tristichya* Kth. three-spiked 𠄎 ○ cu ... jl.s Ap Egypt 1827. S co
30425 2242e *oligostachya* Kth. few-spiked 𠄎 ○ cu ... jl.s Ap 1832. S co
30426 2242f *distans* Kth. distant 𠄎 ○ cu ... jl.s Ap 1832. S co
3568. 145b. ELEUTHERINE Herb. ELEUTHERINE. (Not explained.) *Iridæcææ*. 16.—1.
30427 - - *auómala* Herb. anomalous 𠄎 Δ | or ½ ap W O s.l.p Bot. reg. 1843. 57
3569. 964a. ELISE'NA Herb. ELISENA. (Derivation not given.) *Amaryllidæcææ*. 6.—1.
30428 - - *longipétala* Lindl. long-petaled 𠄎 □ or 3 mr W Lima 1837. O s.l Bot. mag. 3873
300. ELODEA.
30429 - - *pulchella* H. C. pretty 𠄎 Δ | or Ro E. Indies 1831.
1655. ELSHO'LTZIA.
30430 - - *incisa* Benth. cut 𠄎 Δ | or 1 s W Nepal 1824. D It
Mentha incisa and *M. fauriana* Wall. MSS., *M. blânda* Dec., *Perilla leptostachya* D. Don, *Hýptis sta-*
chyoides Lk., *Aphanochilus incisus* Benth.
30431 - - *blânda* Benth. mild 𠄎 Δ | fra 1½ s Gsh. W Nepal 1824. D It Bot. mag. 3091
Mentha blânda Wall. MSS., *Perilla clâta* D. Don, *Aphanochilus blândus* Benth.
272. E'LYMUS.
30432 - - *daburicus* Led. Dahurian 𠄎 Δ un... jn.jl Ap Dahuria 1835. D co [D. Cameron.]
30433 2336a *mollis* Kth. soft 𠄎 Δ un... jn.jl Ap Kamschatka 1829. S co
30434 2346a *altaicus* Kth. Altaic 𠄎 Δ un... jn.au Ap Altai 1829. S co
3570. 324a. EMBO'THRIUM Forst. EMBOTHRIUM. (*Em*, in, *bothrion*, a little pit; anthers.) *Protocæcææ*. 1.—2.
30435 - - *strobilinum* Lab. strobile-like 𠄎 □ or 3 ap G. Y N. Holl. 1824. C s.p Lab. n. h. 265

2739. E'MPETRUM.		24111 nigrum		2 scoticum Hook.		Scotch	or 2 ap.	my Ap	Scotland m.he L. s.p		
30436	24111a	rubrum Willd.	red-fruited	fr. pro ...	Br. P.	Patagonia 1833. ? L. s.p				Bot. reg. 1783	
The sex of the specimen figured is the female. "We have hitherto seen only fertile individuals alive; but, in all probability, sterile ones exist somewhere in collections." — <i>Dr. Lindley.</i>											
1899. ENARTHROCARPUS.		30437 16688a		lyratum Dec.	lyrate	(O or 1/2 jn.)	Y.P.	Alexand.	1836.	S. co	
3571. 2553a.		ENCYCLIA Hook.	ENCYCLIA.	(Egkylteo, to wrap round; column by lip.)	Orchidaceae.	1.					
30438	-	viridiflora Hook.	green-flowered	cu 1 f	G	Rio Jan.	1827.	D	p.r.w	Bot. mag. 2831	
1573. ENTELEA.		30439 -		palmita Lindl.	palmate	or 4 ...	W	C p.l	
		30440 13852a		pubescens R. Br.	pubescent	or ...	myjl	W	N. Zealand	1836. C p.l	
		30441 13852b		palmita R. Br.	palmate-lobd	or ...	myjl	W	N. Zealand	1830. C p.l	
504. E'PACRIS.		30442 -		coccinea Paxt.	scarlet	or 3 mr.ap	S	hybrid	1838.	C co	
		30443 -		ceræfiora Grab.	wax-flowered	or 2 mr.ap	W	V.D.L.	1831.	C s.p	
		30444 -		campanulata B. C.	bell-flowered	or 3 f.mr	Dp.Bh	N.Holl.	1830.	C s.p	
				2 alba B. C.	white-flowered	or 2 mr	W	N.S.W.	1830.	C s.p	
				3 maxima	largest-bell-flwd	or 3 f.mr	Dk.C	...	1848.	C s.p	
		30445 -		variabilis B. C.	variable	or 2 ja.f	PK	N.S.W.	1829.	C s.p	
		30446 -		nivalis B. C.	snowy-flowered	or 3 mr	W	N. Holl.	1829.	C s.p	
		30447 4277a		miniata Lindl.	vermilion-cld-flw	or 3 my	Ve.Ro	N.Holl.	...	C s.p	
Probably only a variety of <i>E. grandiflora</i> .											
30448 -		dubia Lindl.	doubtful	or 3 mr.ap	W	C s.p	
30449 4277b		autumnalis Paxt.	autumnal-flw	or 3 o.n	C.Pa.Ro	hybrid	C s.p	
30450 -		tauntoniensis Paxt.	the Taunton	or 23 n.d	S.Pk	hybrid	?	1842	C s.p	Paxt. m. b. 14. 195	
30451 -		hyacinthiflora Hend.	hyacinth-flwd	or 23 n.d	Ro.Li	hybrid	?	1844	C s.p		
4283. Impressa		30452 -		parviflora Lindl.	small-flwd	or 3 ap.jl	R	...	1838.	C s.p	
		30453 -		densiflora	crowded-flwd	or 2 ap.jn	Bh	...	1848.	C s.p	
		30454 -		bicolor	two-cld-flwd	or 2 ap.jn	Dp.C.W	...	1848.	C s.p	
		30454 -		delicata	delicate	or 2 ap.jn	Bh.W	...	1848.	C s.p	
		30455 -		andromediflora	Andromeda-flwd	or 2 ...	W.Ro	...	1848.	C s.p	
2824. E'PHEDRA.		30456 -		minor Jacq.	less	cu	Ap	...	1838. L co	
2554. EPIDE'NDRUM.		30457 22730a		ae'mulum Lindl.	emulous	or 2 f	Li	Para	1834.	D s.p	
		30458 -		aëridiforme Lindl.	Aërides-like	or 1 d	Gsh.W	Rio	1839.	D block	
		30459 -		aciculare Lindl.	needle-shaped	cu ... my.jn	P.W	Bahamas	1840.	D fib.p	
		30460 -		adenocaulon Lindl.	glanded-stemd.	cu ...	W	Mexico	...	D fib.p	
		30461 -		alatum Bate.	winged	or 21 jl	G.W.R	Guatemala?	1845.	D bank, sphag. Bot. reg.	
		30462 -		antenniferum HBK.	antenna-bearing	cu ... ap.my	G.Br	Mexico	1837.	D fib.p	
		30463 -		arbusculum Lindl.	little-tree	cu ... my.jl	Choc.Y	Mexico	1841.	D fib.p	
		30464 22741b		armeniacum Lindl.	Apricot-cld-ftd	pr 2 jn	Cl	Brazil	1834.	D p.r.w	
		30465 -		articulatum Lindl.	jointed	or ... su	G.P	Mexico	1838.	D fib.p	
		30466 -		aromaticum Bate.	aromatic	el 3 my	Pa.Y	Guatemala?	1835.	D p.r.w	
		30467 -		asperum Lindl.	rough	cu ... w	W	Mexico	1836.	D fib.p	
		30468 -		aurantiacum Lindl.	orange-cld-flwd	or ... my.ju	O	Guatemala?	1836.	D fib.p	
		30469 -		auritum Lindl.	eared	cu ...	Pa.G	Guatemala	...	D fib.p	
		30470 -		auropurpureum Ldl.	gold and purple	or ... jn.jl	Go.P	Hispaniola	...	D fib.p	
		30471 -		bicornutum Hook.	two horned	fra 13 ap	W.sp	Trinidad	1831.	2D p.r.w	
		30472 -		bifidum Aubl.	bifid-tipped	or 1 1/2 jl	P.v.w.G	W. Indies	1834.	2D p.r.w	
		30473 -		bifloratum Lindl.	two-grooved	cu ... ap.my	G.W	Brazil	1836.	D fib.p	
		30474 -		Boothianum Lindl.	Booth's	or ... s.o	Y.G	Cuba	1835.	D fib.p	
		30475 -		bracteolatum Lindl.	bracteolate	pr	Guayaquil	1840.	D fib.p	
		30476 -		bractescens Lindl.	bractescent	or ...	P.W	D fib.p	
		30477 -		calamarium Lindl.	reed-like	cu ... su	Y.C	Brazil	1837.	D fib.p	
		30478 -		Candollei Lindl.	Decandolle's	or ... jn.jl	Br.Y	Mexico	1839.	D fib.p	
		30479 -		cauleferum Lindl.	stem-flwrg	cu ... su	Str	Brazil	1837.	D fib.p	
		30480 -		cephiferae Hook.	Onion-rooted	or 3 m	O	Mexico	1838.	D p.r.w	
		30481 -		ceratistes Lindl.	horned	or o	G.Wsh	Spanish M.	1843.	D fib.p	
		30482 -		chloranthum Lindl.	green-flwd	cu o.d	G	Demerara	...	D fib.p	
		30483 -		cinnabarium Lindl.	cinnabar-cld	or 1 my	C	Pernambuco	1841.	D p.r.w	
		30484 -		clavatum Lindl.	club-stemmed	cu 3 jl	G.W	Cumana	1834.	D p.r.w	
		30485 -		collare Lindl.	banded	or 1 1/2 su	W	Guatemala?	1842.	D fib.p	
		30486 -		calochilum Hook.	beautiful-lipped	or 2 s.o	B.Y	Guatemala?	1839.	D p.r.w	
		30487 -		conopseum Bartr.	gnat-like-flwd	cu ...	Ysh.	G.N Amer.	1775.	D p.r.w	
		30488 -		coriaceum Parker	coriaceous	or 1 ...	G.P	Demerara	...	D p.r.w	
		30489 -		cubense Lindl.	Cuban	or ... sp	W.Y.P	Cuba	1842.	D fib.p	
		30490 -		cucullatum Lindl.	hooded	or ... sp	W	Para	1835.	D fib.p	
		30490 -		densiflorum Hook.	dense-flwd	or ... aut	G.W	Mexico	1838.	D fib.p	
fibriflorum H. B. & K.											
30491 -		dichotomum Lindl.	dichotomous	or ... su	G.W	Demerara	1838.	D	fib.p		
30492 -		dichrosum Lindl.	two-cld-flwd	or ... jn.jl	W.Ro	Pernamb.	1843.	D	fib.p		
30493 -		dibum Lindl.	two-eared	cu ... ap.jn	Ch	Guatemala?	1842.	D	fib.p		
30494 -		dipus Lindl.	two-footed	cu 1 jn	W.G.Br.	Brazil	...	D	fib.p	Bot. reg. 1845. 4	
30495 -		equitans Forst.	riding-lobd	cu ... mr.my	Br	Vera Cruz	1836.	D	fib.p		
30496 -		flavum Lindl.	yellowish	cu ...	Pa.Y	Brazil	?	1840.	D	fib.p	
30497 -		ferrugineum L. C.	rusty	or ... ap.jn	Br.G	Guatemala?	1835.	D	fib.p		
30498 -		flexuosum Lindl.	zigzag	cu ... ap.my	W G	Demer. ar	1836.	D	fib.p		
30499 -		gigantum Lindl.	gigantic	cu ... su	G	Brazil	1843.	D	fib.p		
30500 -		gladiatum Lindl.	sword-leaved	cu ... year	G	Mexico	1839.	D	fib.p		
30501 -		glutinatum Lindl.	clammy	or ... j.lau	G.P.w	Rio Jan.	...	D	fib.p		
30502 -		gracile Lindl.	slender	fra 3 s	Y.r.g	Bahamas	1833.	2D	p.r.w	Bot. reg. 1765	
30503 -		Grahams Hook.	Dr. Graham's	or 2 s	B.Y.R	Mexico	1840.	D	p.r.w	Bot. mag. 3985	
30504 -		granicum Lindl.	grained	pr ...	G.W	Guiana	1840.	D	fib.p		
30505 -		Hanburyi Lindl.	Hanbury's	or 2	P.Ro.c.	veins Mex.	1843.	D	fib.p		

30506	22743a	Harris ^{onia} Hook.	Mrs. Harrison's	£	∆	or	1	...	Pa.G	Brazil	1830.?	D	p.r.w	Bot. mag. 3209	
30507		- hastatum Lindl.	hastate-lipped	£	∆	pr	...	su	P.w.g	Bolanos	1839.	D	fib.p		
30508		- havanæns L. C.	Havannah	£	∆	or	...	su	...	Brazil	1826.	D	fib.p		
30509		- herbæcum Lo. C.	herbaceous	£	∆	or	...	su	...	Brazil	1837.	D	fib.p		
30510		- Hormidium Lindl.	?clary	£	∆	au	Y.G	Mexico	1836.	D	fib.p		
30511		- incumbens Lindl.	incumbent	£	∆	cu	...	su	G.P	Mexico	1838.	D	fib.p		
30512		- ionosmum Lindl.	violet-scented	£	∆	fra	...	my jl	Y.G	Guiana	1837.	D	fib.p		
30513		- inversum Lindl.	inverse	£	∆	cu	...	su	Str.P	Brazil	1840.	D	fib.p		
30514		- lacertinum Lindl.	lizard-tailed	£	∆	or	...	su	G	Guatemala	1837.	D	fib.p		
30515		- lacerum Lindl.	jagged-lipped	£	∆	pr	...	su	Pk	Mexico	1835.	D	fib.p		
30516		- lamellatum Lindl.	lamellated	£	∆	or	...	su	Pk	Honduras	1842.	D	fib.p		
30517		- lancifolium	lance-lvd	£	∆	or	Mexico	...	D	fib.p		
30518		- latilabrum Lindl.	broad-lipped	£	∆	or	...	sp	G	Brazil	1838.	D	fib.p		
30519		- lentiginosum Lindl.	freckled	£	∆	or	...	su	...	Brazil	1837.	D	fib.p		
30520		- leucocillum Lindl.	white-lipped	£	∆	or	...	su	W.G	Caracas	1840.	D	fib.p		
30521		- ligulatum Lindl.	strap-leaved	£	∆	or	...	sp	Br.Y	Mexico	...	D	fib.p		
30522		- limbatum Lindl.	bordered	£	∆	or	...	au	Y.Br	Guatemala	1842.	D	fib.p		
30523		- Lindenii Lindl.	Mr. Linden's	£	∆	or	Sal.Ro	Merida	1842.	D	fib.p		
30524		- Linkianum Lindl.	Link's	£	∆	or	Y.W	Mexico	1840.	D	fib.p		
30525		- lividum Lindl.	livid	£	∆	cu	...	su	P	S. Amer.	1837.	D	fib.p		
30526		- longibibon Lo. C.	long-bulbed	£	∆	or	Guiana	1839.	D	fib.p		
30527		- longicollis Lindl.	long-necked	£	∆	or	l	f	W.Y	Demerara	1837.	D	fib.p	Bot. mag. 4165	
30528		- macrochilum Lindl.	large-lipped	£	∆	or	...	sp	P.Ro	Guatemala	1835.	D	fib.p	Bot. mag. 3534	
		- 2 album Lindl.	white-lipped	£	∆	or	...	sp	W.Ro	S. Amer.	...	D	fib.p		
30529		- michuacanum Lal.	Michuacan	£	∆	or	Pa.Y.W	Mexico	1840.	D	fib.p		
30530		- microphyllum Lindl.	small-leaved	£	∆	cu	...	su	P	Demerara	1838.	D	fib.p		
30531		- miserum Lindl.	poor	£	∆	cu	...	sp	G.Br	Oaxaca	?1828.	D	fib.p		
30532		- Monroeanum Lo. C.	Monroe's	£	∆	or	...	su	W.P	Guatemala	1840.	D	fib.p		
30533		- nemorale Lindl.	wood	£	∆	or	...	su	P	Mexico	1840.	D	fib.p		
30534		- nævsum Lindl.	freckled	£	∆	pr	...	lap	W.Y.p	Irish	Oaxaca	1845.	D	fib.p	
	†22747	- nocturnum L.	night-fragrant	£	∆	or	1	o n	Y. W.	Indies	1816.	D	p.r.w	Bot. mag. 3298	
		- 2 latifolium Lindl.	broad-leaved	£	∆	or	1	o n	Y. W.	Indies	1836.	D	p.r.w	Bot. reg. 1961	
30535		- ochraceum Lindl.	ochraceous	£	∆	cu	...	jl au	Str	Guatemala	1837.	D	fib.p		
30536	22730a	- odoratissimum Lindl.	sweetest-sectd	£	∆	fra	1	u	G.R	Yon Jan.	1829.	D	p.r.w	Bot. reg. 1415	
		- Encyfia patens Hook. in Bot. mag.					3013.		Macra	dænia	tutescens	Bot. cab. 1556.		but not of Bot. reg.	
30537	22730b	- oncidoides Lindl.	Oncidium-like	£	∆	fra	3	ju	Y.Br	S. Amer.	1823	D	p.r.w	Bot. reg. 1623	
30538		- orchidiflorum Salz.	orchis-flwd	£	∆	or	Br	Bahia	...	D	fib.p		
30539		- ovalifolium Lindl.	oval-leaved	£	∆	pr	...	ap j l	W	Brazil	1835.	D	fib.p		
30540		- ovulum Lindl.	egg-like	£	∆	or	...	jl au	G.W	Bolanos	1842.	D	fib.p		
30541		- pachyanthum Lindl.	thick-flwd	£	∆	cu	...	su	G	Guiana	1837.	D	fib.p		
30542		- papillosum Bate.	warty-fruited	£	∆	or	2	j n	G.w	Mexico	1837.	D	p.r.w	Bot. mag. 3631	
30543		- Parkinsonianum Hk. Mr. Parkinson's	falcatum Lindl.	£	∆	or	2	s	Y	Mexico	1838.	D	p.r.w	Bot. inag. 3773	
30544		- pastoris Lindl.	shepherd	£	∆	cu	...	mr j n	W.g.p	Mexico	1836.	D	fib.p		
30545		- phœniceum Lindl.	purple	£	∆	or	½	su	P.Ro	Cuba	1840.	D	p.r.w	Paxt. mag. ix. 97	
30546		- pictum Lindl.	paintcd	£	∆	or	...	su	Y.	Demerara	1837.	D	fib.p		
30547		- plicatum Lindl.	plaitcd-lipped	£	∆	or	1	ja	F.G	S. Cuba	1846.	D	...	Bot. reg. 1847. 35	
30548		- polyanthum Lindl.	many-flwd	£	∆	or	...	su	P.	Guatemala	1838.	D	fib.p		
30549		- polystachyum Lindl.	many-spiked	£	∆	or	...	mr j n	Y	Peru	1840.	D	fib.p		
30550		- primulinum Lindl.	primrose-scented	£	∆	fra	...	sp	Br	Mexico	1835.	D	fib.p		
30551		- pterocarpum Lindl.	winged-fruited	£	∆	pr	...	su	Y.Pk.	C Mexico	1836.	D	fib.p		
30552		- pûrum Lindl.	pure	£	∆	cu	½	s	Pa.G	Caracas	?1843.	D	fib.p		
30553		- pygmæum Hook.	pygmy	£	∆	cu	½	ja	G.w	Brazil	1831.	D	p.r.w	Bot. mag. 3233	
30554		- pyriforme Lindl.	p-shpd-psd bulbs	£	∆	pr	1	d ja	Rsh.g	str.C Cuba	1846.	D	fib.p	Bot. reg. 1847. 50	
30555		- radiatum Lindl.	ray-flwd	£	∆	or	1	o n	Gsh.	P Mexico	...	D	fib.p	Bot. reg. 1844. 45	
		- marginatum Lk., Klotzsch, and Otto.							Icones	Plantarum.	t. 36.				
30556		- ramosum Lindl.	branching	£	∆	cu	...	sp	G	Dominica	1828.	D	fib.p		
30557		- raniferum Bate.	frog-bearing	£	∆	cu	¾	...	G.B	Mexico	1841.	D	p.r.w	Bot. reg. 1842. 42	
30558		- rhizophorum Lindl.	rooting	£	∆	cu	...	jn j l	P	Mexico	1836.	D	fib.p		
30559		- rigidum Jac.	rigid-petaled	£	∆	cu	1	o	Ysh.G	Dominical	1826.	D	p.r.w	Bot. cab. 1600	
30560		- rubroinctum Lindl.	red-edged	£	∆	fra	...	w	Ysh.G.p	...	D	fib.p			
30561		- rûm Lindl.	reddish-flwd	£	∆	el	¾	my	Rsh	Rio	1842.	D	block		
30562		- Schomburgkii Lindl.	Schomburgk's	£	∆	el	2	jl au	S.	Amer.	1837.	D	p.r.w	Bot. reg. 1838. 53	
30563		- selligerum Bate.	saddle-formed	£	∆	or	...	ap j n	P.W	Guatemala	1835.	D	fib.p		
30564		- seriatum Lindl.	seriated	£	∆	or	...	ap j n	W.G	Mexico	1837.	D	fib.p		
30565		- sessiliflorum Lindl.	sessile-flwd	£	∆	cu	...	ap my	Br.W	Demerara	1836.	D	fib.p		
30566		- Skinneri Bate. MSS. Skinner's		£	∆	cu	¾	jl	G.W	Cumana	1834.	D	p.r.w	Bot. reg. 1870	
		- 2 major	large-flowered	£	∆	or	1	n	Li.P	...	1847.	D	block	Paxt. mag. xv. 1	
		- Barkëria Skinneri var. major Paxt.													
30567		- smaragdinum Lindl.	green	£	∆	year	G	Demerara	1837.	D	fib.p		
30568		- squalidum Lindl.	squalid	£	∆	cu	...	mr j n	Y.Br	Mexico	1840.	D	fib.p		
30569		- Stamfordidnum Bate. Stamford's	basilare Link, Klotzsch, and Otto.	lc. p. 2. p. 111. t. 45.				sp	G.w.r	Guatemala	1836.	D	fib.p		
30570		- stenopetalum Hook.	acute-petaled	£	∆	or	1	l mr	Ro	Jamaica	1834.?	D	p.r.w	Bot. mag. 3410	
30571		- striatum Thunb.	striated	£	∆	or	...	su	W.R	Mexico	1838.	D	fib.p		
30572		- subæquium Lindl.	rather brown	£	∆	cu	¾	...	Pa	Di.Br	Mexico	1845.	D	fib.p	
30573		- tenuiflorum L.	slender-flwd	£	∆	cu	...	sp	G.	Guiana	1836.	D	fib.p		
30574		- tessellatum Bate.	checker-flwd	£	∆	cu	1	jn j l	G.Br	Guam.	1836.	D	p.r.w	Bot. mag. 3638	
30575		- tridactylum Lindl.	three-fingered	£	∆	cu	...	su	Y	Brazil	1837.	D	fib.p		
30576		- trides L. C.	three-toothed	£	∆	cu	...	ap my	W.G	Demerara	1836.	D	fib.p		
30577		- tripunctatum Lindl.	three-spotted	£	∆	cu	...	my j l	G.Cit	Mexico	1838.	D	fib.p		
30578		- trinitatis Lindl.	Trinidad	£	∆	cu	...	su aut	G Y	Trinidad	1838.	D	fib.p		
30579		- uniflorum Lindl.	one flwd	£	∆	cu	...	su	Y.G	Mexico	1837.	D	fib.p		
30580		- varicosum Lindl.	varicose	£	∆	cu	...	ap j n	Br	Guatem.	1834.	D	fib.p		
		- leiobulbon Hook.													
30581		- variegatum Hook.	varieg.-lvd&flwd	£	∆	or	1	ja	G.P	Rio Jan.	1830.	D	p.r.w	Bot. mag. 3151	
30582		- vensum Lindl.	veined-lipped	£	∆	pr	...	su	V.W	Mexico	1839.	D	fib.p		
30583		- verrucosum Lindl.	warted-pedicel.	£	∆	or	1	...	Ro	C Mexico	?1845.	D	block	Paxt. m. 13. 101	
30584		- vesicatum Lindl.	bladdered	£	∆	or	...	su	G.W	Essequibo	1837.	D	fib.p		
30585		- vrens Lindl.	green	£	∆	cu	G	Serampore	...	D	fib.p		
30586		- virgatum Lindl.	twiggy	£	∆	cu	...	su	G.Br	Mexico	1838.	D	fib.p		
30587		- viridi-purpureum Hook.	purp.-green	£	∆	or	1	½ au	Psh.G	Jamaica	...	D	p.r.w	Bot. mag. 3666	
30588		- viscidum Lindl.	viscid	£	∆	cu	...	su	W	Mexico	1838.	D	fib.p		

Alixum viscidum Knowles and Westcott.

30580	- vitellinum	yolk-of-egg- <i>cl'd</i>	<i>flwd</i>	£	☒	or	1	n	Rsh.	O.Oaxaca	1842.	D	turfy p	Bot. mag. 4107		
30590	- viviparum	<i>Lindl.</i>	viviparous	£	☒	or	...	sp	W	Guiana	1838.	D	fib. p			
1040. EPIGEA 11030 repens <i>Arb. Brit.</i> , p. 1126.																
	2 rubicunda	<i>D. Don</i>	red-flowered	£	☒	pr	½	mr	R	1836.	L	s.p	Sw. fl. gar. 384		
1186. EPILOBIUM 10054 hirsutum																
	2 variegatum	<i>Dens.</i>	variegated- <i>lvd</i>	£	☒	or	4	jl.au	Ro	England	wat. pl.	Sk	co			
30591	- minutum	<i>Lindl.</i>	small	£	☒	pr	1	jl.o	W	Russia	1838.	D	co			
30592	10053a	crassifolium	<i>Lch.</i>	thick-leaved	£	☒	or	1	jn.l	R	1829.	S	co		
30593	- virgatum	<i>Fries</i>	twiggy	£	☒	pr	2	jl.au	...	Britain	...	D	co	Florigr. Br. f. 624		
390. EPIMEIDIUM.																
30594	3311a	hexandrum	<i>Hook.</i>	six-stamened	£	☒	cu	¾	ap.my	Li	N.Amer.	1827.	D	s.l	Hook. am. 13	
30595	3311b	diphyllum	<i>Lod.</i>	two-leaved	£	☒	pr	¾	my	W	Japan	1830.;	D	l.t.	Bot. mag. 3443	
30596	3311c	macranthum	<i>Lindl.</i>	large-flowered	£	☒	pr	1½	ap	Li.P	Japan	1835.	D	s.l	Bot. reg. 1906	
		grandiflorum	<i>Sieb.</i>													
30597	3311d	violaceum	<i>Sieb.</i>	Violet-coloured	£	☒	or	¾	ap.my	V	Japan	1835.	D	p.I	Paxt. mag. 5. 123	
30598	-	Muschianum	<i>M. & D. Mussch's</i>		£	☒	cu	1	mr	W	Japan	1838.	C	co	Bot. mag. 3745	
2507. EPIPACTIS.																
30599	22586a	purpurata	<i>Sm.</i>	purple	£	☒	or	1	jn	...	Eng.	sha. wo.	D	l		
	22586	latifolia														
	2	media	<i>Fries</i>	intermediate	£	☒	or	1½	au	G.P	England	woods	D	l.p	R. fc. f. 1141. 1142	
	3	purpurata	<i>Sm.</i>	purple	£	☒	or	1½	au	G.Pk	England	...	D	l.p	E. B. t. 2775	
	4	ovalis	<i>Bab.</i>	oval	£	☒	or	1½	jl	Bh.R	Eng. Mt. sides	D	l.p	E. B. t. 2884		
3572.	2547a.	EPIPHORA	<i>Lindl.</i>	EPIPHORA.					(Not explained.)	<i>Orchidaceæ.</i>	20.—1.					
30600	-	pubescens	<i>Lindl.</i>	pubescent	£	☒	or	...	year	Br.Y	Delagoa Bay	1838.	D	fib. p		
1473. EPIPHYLLUM 12592 speciosum																
	2	Jenkinsonii		Jenkinson's	£	☒	spl	3	ap.my	C	Eng. hyb.	...	C	s.p		
	3	lateritia		brick red	£	☒	spl	3	ap.my	C	Eng. hyb.	1828.	C	s.p	Botanist, t. 12	
30601	-	latifrons	<i>Zucc.</i>	broad-stemmed	£	☒	or	10	au	W	S. Amer.	1830.	C	s.l	Bot. mag. 3813	
		Cereus	<i>orypétalus</i>	<i>Dec.</i>												
30602	-	crenatum		crenated	£	☒	spl	2	my	Pa.	Crea	Honduras	1839.	C	p.I	Bot. reg. 1844. 31
		Cereus	<i>crenatus</i>	<i>Lindl.</i>												
30603	12591a	Hookeri	<i>Haw.</i>	Str W. Hooker's	£	☒	or	2	jn	W	S. Amer.	...	C	s.p		
		Cactus	<i>phyllanthus</i>	<i>Hook.</i>												
30604	12592a	Ackermanni	<i>Haw.</i>	Ackermann's	£	☒	or	2	jn	S	Mexico	1829.	C	s.p		
		majör		larger- <i>flwd</i>	£	☒	or	2	jn.l	S	C	s.p		
30605	-	crispatum	<i>Haw.</i>	curled	£	☒	gr	1½	jn.au	Pa.Y	Brazil	1829.	C	s.l.p		
30606	-	rhombeum		rhomboid	£	☒	or	1½	jn.au	Pa.Y	Brazil	1835.	C	s.l.p		
30607	-	longifolium		long-leaved	£	☒	or	...	jn.l	...	Mexico	1838.	C	s.l.p		
	12593	truncatum			£	☒	or	1½	my	V	C	s.p		
		violaceum		violet- <i>cl'd</i> - <i>flwd</i>	£	☒	or	1	my	V	C	s.p		
		Russellianum		<i>Dk. of Bedford's</i>	£	☒	or	1	my	Pk	Brazil	1839.	C	s.p	Bot. mag. 3717	
		Cereus	<i>Russellianus</i>	<i>Gard. MSS.</i>												
30608	-	Rückeri		Mr. Rucker's	£	☒	or	...	jn.l	V.C	hybrid	?1835.	C	s.l		
3573.	-	EPISCIA	<i>Dec.</i>	EPISCIA. (<i>Epi</i> , upon, <i>scia</i> , a shadow. The sps. love shade.)											<i>Gesneriaceæ.</i> 14.—1.	
30609	-	bicolor	<i>Hook.</i>	two-colored- <i>flwd</i>	£	☒	pr	½	jl.au	P.W	N.Grenada	1847.	C	p	Bot. mag. 4390	
															Nos. 16046 and 16047, in p. 253, are also referred to this genus.	
3574.	-	EPITHECIA	<i>K. & W.</i>	EPITHECIA. (<i>Epitheke</i> , an appendage; shape of the flower.)											<i>Orchidaceæ.</i>	
30610	-	glauca	<i>K. & W.</i>	glaucous	£	☒	el	½	ju	G.P	Mexico	1837.	D	r.w	Fl. cab. 87	
2554. EQUIRETUM.																
30611	25690a	Drummondii	<i>Hook. Drummond's</i>		£	☒	cu	1	ap	Br	Scotland	al.bogs	D	p.I		
61. ERA'NTHEMUM.																
30612	-	fecundum	<i>Lindl.</i>	ever-blowing	£	☒	or	1½	all sea.	Li	Brazil	1829?	C	p.I	Bot. reg. 1494	
30613	-	montanum	<i>Rozb.</i>	mountain	£	☒	or	2	ap.my	Li	India	1840.	C		Bot. mag. 4031	
		562	variabile	<i>R. Br.</i>											Paxt. mag. bot. 13. 75.	
30614	-	albiflorum	<i>Hook.</i>	white-flwd	£	☒	or	2½	o.n	W	Bahia	?1843.	C	s.l.p	Bot. mag. 4225	
3575.	2181a.	EREMEA	<i>Lindl.</i>	EREMEA. (Not explained.)											<i>Myrtaceæ.</i> 18.—3.	
30615	-	ericifolia	<i>Lindl.</i>	heath leaved	£	☒	or	Gsh.w	S. River	...	C	s.l.p		
30616	-	pilosa	<i>Lindl.</i>	hairy	£	☒	or	...	my.jl	Pk	S. River	1842.	C	s.p		
		Metrosideros	<i>pauciflora</i>	<i>Endl.</i>												
30617	-	finibriata	<i>Lindl.</i>	fringed- <i>flwd</i>	£	☒	or	...	jn.au	P	S. River	1841.	C	s.l.p		
EREMIA. See ERICA.*.*																
3576.	1664a.	EREMOSTACHYS	<i>Bunge</i>	DESERT-ROD. (<i>Eremos</i> , solitary, <i>stachys</i> , a spike.)											<i>Lamiaceæ.</i> 14.—1.	
30618	-	lacinata	<i>Bunge</i>	flag-leaved	£	☒	or	6	my.jn	Gsh.w.o	Caucasus?	1843.	S	r.s.l	Bot. reg. 1845. 52	
															Also Nos. 15085 and 15104 in p. 238.	
1059. EREMURUS.																
30619	8849a	caucasicus	<i>Stev.</i>	Caucasian	£	☒	☒	or	...	my.jn	Y	Caucasus	1834.	D	s.I	
2559. ERIA.																
30620	-	acutifolia	<i>Lindl.</i>	pointed- <i>lvd</i>	£	☒	un	...	w	W.pk.y	E. Indies	1840.	D	fib.p		
30621	-	armeniaca	<i>Lindl.</i>	apricot-coloured	£	☒	or	1	o	O.C	Philipp. Is.	1834.	D	p.r.w	Bot. reg. 1841. 42	
30622	-	bicolor	<i>Lindl.</i>	two-coloured	£	☒	or	...	aut	W	Ceylon	1840.	D	p.r.w		
30623	-	bipunctata	<i>Lindl.</i>	two-spotted	£	☒	or	W	Singapore	...	D	fib.p	[1844. 29	
		bracteatus	<i>Lindl.</i>	long-bracted	£	☒	or	½	...	Gsh.w.	Singapore	1842.	D	fib.p	turfy p.potsherds B. r.	
30624	-	crinita	<i>Lindl.</i>	keeled	£	☒	or	...	my.jn	W	India	1838.	D	fib.p		
30625	-	clavicaulis	<i>Lindl.</i>	club-stemmed	£	☒	or	...	su	W.pk	E. Indies	1839.	D	fib.p		
30627	-	cochleata	<i>Lindl.</i>	shell- <i>flwd</i>	£	☒	or	...	su	G.w	Manilla	1843.	D	fib.p		
30628	-	convallarioides	<i>Lin.</i>	Lilyof Valley lk.	£	☒	pr	½	au	W	E. Indies	1839.	D	p.r.w	Bct. reg. 1841. 62	
		Pinolia	<i>alba</i>	<i>Haw.</i> ; <i>Otomeria</i>	<i>spicata</i>	<i>D. Don</i> ; <i>O. convallarioides</i>	<i>Wall.</i>									
		2	majör	larger-habit	£	☒	or	1	...	W	D	fib.p	Bot. reg. 1847. 63	
30629	-	densiflora	<i>Lindl.</i>	close-flowered	£	☒	or	...	au.n	...	Java	...	D	p.r.w		

30630	-	denticulata Lindl.	toothed	£	or ...	s.o	W	Singapore 1839.	D	fib.p	
30631	-	Dillwynii Hook.	Dillwyn <i>Ulectyus</i> 's	£	or 1	mr	Crea	Philip. Is. 21842.	D	fib.p	Bot. mag. 4163
30632	-	excavata Lindl.	hollowed	£	or ...	s.o	W	Singapore 1835.	D	fib.p	
30633	-	farinosa Lindl.	mealy	£	or ...	ap.my	W	Ceylon 1837.	D	fib.p	
30634	-	ferruginea Lindl.	rusty	£	or 2	mr	Pk	Calcutta 1837.	D	r.w.p	Bot. reg. 1839. 35
30635	-	flava Lindl.	yellow	£	or ...	su	Y	India ...	D	fib.p	
30636	-	floribunda Lindl.	abundant-flwg	£	or 1	su	W.pk	Singapore 1842.	D	fib.p	Bot. reg. 1844. 20
30637	-	longilobis Lindl.	long-lipped	£	or ...	s.o	W	Philippines 1838.	D	fib.p	
30638	-	mucronata Lindl.	mucronate	£	or ...	su	W	E. Indies 1837.	D	fib.p	
30639	-	multiflora Lindl.	many-flwd	£	or ...	su	W	Singapore 1841.	D	fib.p	
30640	-	nodans Lindl.	nodding	£	or ...	s.o	Y.w	Singapore 1838.	D	fib.p	
30641	-	obesa Lindl.	swollen	£	or	W	Singapore ...	D	fib.p	
30642	-	ovata Lindl.	ovate	£	or	Crea.w	Singapore ...	D	fib.p	
30643	-	paniculata Lindl.	panicked	£	or ...	w	G.P	E. Indies 1839.	D	p.r.w	Bot. reg. 1971
30644	-	pannea Lindl.	cloth-like	£	or ...	su	Y.pk	Singapore 1839.	D	fib.p	
30645	-	platycaulis Lindl.	flat-stemmed	£	or ...	su	W	Java 1838.	D	fib.p	
30646	-	polyura Lindl.	many-tailed	£	or ...	1/2	W	Manilla 1840.	D	p.r.w	Bot. reg. 1842. 32
30647	-	profusa Lindl.	profuse-flwg	£	or ...	mr jl	I.G	Ceylon 1838.	D	fib.p	
30648	-	pulchella Lindl.	pretty	£	pr ...	su	Y	Singapore 1839.	D	fib.p	
30649	-	pumila Lindl.	dwarf	£	or ...	s.n	Pk	E. Indies 1838.	D	fib.p	
30650	-	velutina Lindl.	velvety	£	un ...	su	Pa.y	Singapore 1839.	D	fib.p	[reg. 1845. 2]
30651	-	vestita Lindl.	clothed	£	or ?!	...	W.Rh.BR	Singapore ...	D	turify	p.potsherds Bot.

1173. ERICA.

9667 arborea

30652	-	4 mtina Hort.	least	£	or ...	f.jn	W	C	s.p
30653	-	Barclayana Roll.	Barclay's	£	or ...	ap.my	C	hybrid	1843.	C	s.p
30654	-	Batemiana Roll.	Batemans'	£	or ...	ap.my	...	hybrid	...	C	s.p
30654	-	canthariiformis B.C.	cantharis-flwd	£	or ...	my.jn	W	C.G.H.	1829?	C	s.p
30655	9848a	Cavendishii Paxt.	D. of Devonshire's	£	or 3	my.jl	Gsh.y	hybrid	...	C	s.p
	9774	cinerea		£	or 1	jns	Pa.P	Britain	...	L	s.p
		6 pallida Lod.	pale purple-flwd	£	or 1	jns	P	Britain	...	L	s.p
		7 prolifera Lod.	proliferous-flwd	£	or 1	jns	P	Britain	...	L	s.p
		8 stricta Lod.	strict	£	or 1	jns	P	Britain	...	L	s.p
30656	9416a	chloroloma Lindl.	green-tipped	£	or 2	n	C.G	?C.G.H.	...	C	s.p
30657	9667a	codonobdes Lindl.	bell-formed	£	or 12	f m	Pa.ro	C	l.s.p
30658	-	crinita Lod.	hairy	£	or 2	...	R	C.G.H.	1826.	C	p.l
30659	-	dichromata B. C.	two-coloured	£	or 3	aut.w	Y.pk	C.G.H.	1800.	C	s.p
	9854	florida		£	pr 3	my	Ro	hybrid	1837.	C	s.p
30660	-	hispidia B. C.	hairy-leaved	£	or 1 1/2	ju	Pk	C.G.H.	1792.	C	s.p
30661	-	Macnabiana Paxt.	Mr. M'Nab's	£	or 1	au	Pk	hybrid	1837.	C	s.p
30662	9370a	Murrayana Turnbull	Murray's	£	or 2 1/2	hybrid	1837.	C	s.p
30663	-	Neillii Paxt.	Dr. Neill's	£	or	Pk.v	hybrid	...	C	s.p
30664	-	octofaria Penny	8-rowed	£	or 1	my.jl	Pk	C.G.H.	1829.	C	s.p
30665	-	ovalifolia G. Don	oval-lyd	£	or	W.pk	N. India	21842	...	C
30666	9398a	penicillata Sal.	penicil	£	or 2	va.sea.	Ro	C.G.H.	1792.	C	s.p
30667	9504a	pseudovestita Bot.	hybrid clothed	£	pr 2	my	Pk	hybrid	...	C	s.p
30668	-	quadrata B. C.	square-mouthed	£	or 1 1/2	my	W	C.G.H.	1829.	C	s.p
	†9820	recurvata Bedf.	drooping	£	or 2	my	B.w.r	C.G.H.	1810.	C	s.p
		"Eurydome recurvata	Don, Syst. of Gard.	and Bot. iii.	817."
											— Sir W. J. Hooker.
30669	9422a	rigida Lod.	stiff	£	or 2	jl.au	Pk	C.G.H.	1820.	C	s.p
30670	-	rubida Lod.	red	£	or 2	my.jn	W.R	C.G.H.	1826.	C	s.p
30671	-	sordida B. C.	unbeautiful	£	or 3	jn.jl	R	C.G.H.	1810.	C	s.p

Cannot be No. 9459. p. 147., as its flowers are figured as perfectly smooth.

9572 tricolor

30672	§ iii.	undulata B. C.	waved-tubed	£	or ...	my.au	Pk	seedling	1836.	C	s.p
		9814 vagans		£	or 1?	su	Ro	C. G. H.	1827.	C	s.p
		4 rubescens Bree	rubescens	£	or 1	jl.au	Pa.R	Cornwall	hea.	L	c.s
		5 purpurascens Bree	purpurascens	£	or 1	jl.au	Psh	Cornwall	hea.	L	c.s
30673	§ v.	Beaumontiana Bree	Beaumont's	£	or 1	jn	W	C. G. H.	1820.	C	s.p
30674	-	verecunda B. C.	ruddy-flwd	£	or 3	su.aur	Ro	C. G. H.	1820.	C	s.p
30675	-	vernalis B. C.	vernal	£	or 3	mr.ap	Pk	C. G. H.	1827.	C	s.p
30676	9800a?	villosiuscula B. C.	slightly villose	£	or 1 1/2	my	Li	C. G. H.	1829.?	C	s.p
	9504	vestita		£	or 2 1/2	my.jn	Pk	C. G. H.	1827.	C	s.p
30677	-	Willmorei K. & W.	Willmore's	£	or 3	jl	Pk	hybrid	1837.	C	s.p

The late Professor Don, in the *Edinburgh New Philosophical Journal* for July, 1834, produced "An Attempt at a New Arrangement of the Ericaceae."

* The names of the proposed groups, the etymology of their names, and the species typical of the groups, are the following:

Erica (*E. cinerea* L.), *Gypsocephalis* (etymon not given. *E. vagans* L.), *Pachysa* (*pachys*, thick; substance of the corolla. *E. ardens* Andr.), *Ceramia* (*keramion*, a little pitcher. *E. urceolaris* Soland.), *Dœmia* (*desme*, a little bundle; flowers crowded. *E. conferta* Andr.), *Eurylepis* (*eurys*, broad, *lepis*, a scale; calyxine scales dilated. *E. Halicacaba* L.), *Eurystegia* (*eurys*, broad, *stega*, a cover; calyx large. *E. glauca* Andr.), *Lophandra* (*lophos*, crest, *andr*, a man or stamen; cells of the anthers crested. *E. pyramidalis* Andr.), *Lamprotis* (*lamprotis*, splendour; calyx glistening. *E. calycina* L.), *Callista* (*kallistos*, most beautiful. *E. Walkeri* Andr.), *Eurydome* (*eurys*, broad, *loma*, a margin; limb of the corolla dilated. *E. Aitonii* Willd.), *Chona* (*chone*, a funnel; figure of the corolla. *E. sanguinea*), *Syringodæa* (*syrigx*, *syrigox*, a reed or pipe; corolla longly tubular. *E. vestita*), *Dasyanthès* (*dasy*, hairy, *anthos*, flower; corolla hairy. *E. Sparrmannii* L.), *Ectasis* (*ektasis*, extension; stamens prominent. *E. Flukentii* L.), *Eriodœmia* (*erion*, wool, *desme*, a little bundle; the flowers resemble. *E. capitata* L.), *Octopora* (*okto*, eight, *pora*, a sack; capsule eight-celled. *E. Bergiana* L.), *Erèmia* (*eremia*, solitary; seeds one in each cell. *E. tûta* Thunb.), *Salaxis* *Salisbury* (neither etymon nor type is given), *Callana* *Salisbury* (*E. vulgâris* L.), *Blœria* L., *Andrœmedia* L., *Cassiope* (*Cassiope*, the mother of Andromeda. *Andrœmedia* tetragona L.), *Cassandra* (*Cassandra*, the daughter of Priam and Hecuba. *A. calyculata* L.), *Zenobia* (*Zenobia*, the queen of Palmyra, distinguished for her virtue and learning. *A. speciosa* Mx.), *Lyonia* Nut. (*A. paniculata* L.), *Leucothœ* (a poetic name. *A. axillaris* Solander), *Pteris* (one of the muses. *A. formosa* Wall.), *Phyllodoce* (one of Cyrene's attendant nymphs. *A. carulea* L.), *Bryanthus* *Gmelin* (*Menziësia* bryantha Swz., and *empetriformis* Ph.), *Dabœcia* (*Andrœmedia* *Dabœcii* L., *Menziësia* *polifolia* J.). *Menziësia* ferruginea and *globularis* constitute, it is remarked, a genus altogether dissimilar, and to be referred to the *Glôbdœreæ*. (See *Gard. Mag.*, vol. x. p. 401.)

2332. ERIGERON.
 30678 21061a elongatus Led. lengthened $\frac{3}{2}$ O un 1 jl Wsh Siberia 1829. D co
 30679 - ciliatus Led. ciliated $\frac{3}{2}$ O un W Siberia 1832. D co
Conyza altatica Dec.
 21072 delphinifolius W. en.; syn. *Polyactidinum delphinifolium* Dec.
 21082 carolinianus L.; syn. *Phalacroloema obtusifolium* D. Don.
 30679* 21086a Lehmanni Spr. Lehmann's $\frac{3}{2}$ Δ or ... jls. Li 1828. D s.1
 30680 21087a involuératus Lk. involucred $\frac{3}{2}$ Δ or P Brazil 1828. D 1p
 30681 21087b armeriæfolius Fís. Thrift-leaved $\frac{3}{2}$ Δ or ... jn.au P Balcal 1829. D 1p
 30682 21090a ásper Nut. rough $\frac{3}{2}$ Δ or ... aus. W N. Amer. 1828. D s.1
 30683 21090b hùmile Grah. humble $\frac{3}{2}$ Δ pr 1 aus. F N. Amer. 1828. D co H. & B. n. 4. 396
 21092 gramineus L.; syn. *Arctogeron gramineum* Dec.
 30684 - squarrosus Lindl. squarrose $\frac{3}{2}$ Δ un ... jl.o B N.W.Am. 1838. D co
 30685 - pubescens Kth. pubescent $\frac{3}{2}$ Δ pr ... jl.n W Mexico 1827. D co
Heterochaeta pubescens Dec.
 Nos. 21038, 21063, and 21085 are referred to the genus *Stenactis* Dec.
293. ERIOCAU'LON.
 30686 2414a sexangulare Ait. six-angled $\frac{3}{2}$ Δ cu ... au.o W E. Indies 1819. D bog. Bur. in. 9
 30687 - decangulare Ph. 10-angled $\frac{3}{2}$ Δ cu 2½ jl.o W N. Amer. 1826. D aq Bot. mag. 3126
2515. ERIOCHI'LUS.
 30688 - scaber Lindl. rough $\frac{3}{2}$ Δ or ... s.o ... S. River ... R p.1
 30689 - latifolius Lindl. broad-leaved $\frac{3}{2}$ Δ or ... o.n ... S. River ... R p.1
 30690 - multiflorus Lindl. many-flwd $\frac{3}{2}$ Δ or ... mr.ap ... S. River ... R p.1
 30691 - dilatatus Lindl. dilated $\frac{3}{2}$ Δ or ... my.au ... S. River ... R p.1
3577. 2411a. ERIO'COMA Kth. ERIOCOMA. (*Erion*, wool, *kome*, hair; *paleæ*.) *Comp. Hct.* 1.
 30692 - fragrans D. Don fragrant $\frac{3}{2}$ or 3 s W Mexico 1828. C co
 30693 - floribunda Kth. many-flowered $\frac{3}{2}$ or 3 s.n W Mexico 1828. C co
Montagnea floribunda Dec.
3578. - ERIOCHA'SMA J. Sm. ERIOCHASMA. (*Erion*, wool, and *chasmæ*, a rent.) *Crypt. Filices* 24—1.
 30694 - rufa Prest rufous $\frac{3}{2}$ Δ or ... aus. Br W. Indies 1830. D fib.p
Cheilanthes rufa Leh.; *Nothochlaena rufa* J. Sm.
 30695 - hypoleuca Kunze under-white $\frac{3}{2}$ Δ or ... jl.au Br.Y W. Indies ... D fib.p
 30696 - sulcata Lk. furrowed $\frac{3}{2}$ Δ or ... su Br.Y N. S. W ... D fib.p
 30697 - stellipilis J. Sm. starry-haired $\frac{3}{2}$ Δ or ... su Br.Pa.Y N.S.W 1840. D fib.p
 30698 - tomentosa Desv. woolly $\frac{3}{2}$ Δ or ... su Br.Pa.Y 1842. D fib.p
Nothochlaena tomentosa J. Sm.
 Also Nos. 25394—5 of *Nothochlaena* R. Br. and Nos. 25563—4 of *Cheilanthes* Swz.
2030. ERIODE'NDRON 18146 anfractu'dum
 2 caribæum Hook. Caribbean $\frac{3}{2}$ Δ tm70 ... Crea.R W. Indies 1739. S p.1 Bot. mag. 3360
E. caribæum No. 18148. in p. 292.
- ERIODE'SMIA. See ERI'CA.*.*
1231. ERIO'GONUM.
 30699 - compositum Don. compound $\frac{3}{2}$ Δ pr 1½ my.in Ysh.W New Alb. ... C m.s Bot. mag. 1774
2026. ERIOLE'NA.
 30700 - Candollii Wal. De Candolle's $\frac{3}{2}$ Δ or 40 d Y Prome 1828. C s.p Wal. pl. as. ra.64
3579. 2360a. ERIOPHY'LLUM Lag. ERIOPHYLLUM. (*Erion*, wool, *phyllon*, a leaf; woolly foliage.) *Comp. Hctia.* 1.
 30701 - cæspitosum Lag. turfy $\frac{3}{2}$ Δ or 1 my.jn Y N. Amer. 1826. D co Bot. reg. 1167
Trichopogon lanatum Nut., *Actinella lanata* Ph., *Bahia lanata* Dec.
 30702 - oppositifolium Nut. opposite-lvd $\frac{3}{2}$ Δ or 1½ my.f Y N. Amer. 1832. D co
3580. - ERIOP'SIS Lindl. ERIOPSIS. (*Ería*, a well known genus, *opsis*, resemblance.) *Orchid. § Vandææ*.—*Marit.*
 30703 - biloba Lindl. two-lbd-lipped $\frac{3}{2}$ Δ or 1½ s O.R.G. D Bot. reg. 1847. 18
1311. ERIOSTEMON.
 †10930 myoporoides Dec. Myoporum-like $\frac{3}{2}$ Δ or 3 sp W N. Holl. 1823. C s.p.1 Bot. mag. 3180
 30704 - gracilis Grah. graceful $\frac{3}{2}$ Δ pr 1 jl Li N. Holl. 1831. C p.1
 30705 - glaucescens Ait. glaucescent $\frac{3}{2}$ Δ or ... su Li N. Holl. 1824. C s.p.1
 30706 - latifolium Hügel broad-leaved $\frac{3}{2}$ Δ or 3 spr W N. Holl. 1845. C s.p.1 [K. & P.]
 30707 - intermedium $\frac{3}{2}$ Δ or ... su Bh C s.p.1
 30708 - scaber Paxt. rough-leaved $\frac{3}{2}$ Δ or 1½ ap.jn Pksh N. S. W. ?1840. C s.p.1 Paxt. mag. 13.127
 30709 - neriiifolium Sieb. Oleander-lvd $\frac{3}{2}$ Δ or 4 ap.my Pa.Pk N. Holl. 1847. C s.p.1
3581. 216. ERI'SMA Rud. ERISMA. (*Erisma*, contest; genus long disputed.) 1.1. *Vochysiææ*. 1.—3.
 30710 - floribundum Rud. many-flowered $\frac{3}{2}$ Δ or B Guiana 1825. S p.1 Trat. tab. 105
383. ERNODE'A 3296 montana Sm. Syn. *Putoria calábrica* Dec.
1927. ERO'DIUM.
 30711 - geifolium Ten. Geum-leaved $\frac{3}{2}$ or 1 ... Li 1835. S co
 30712 - pulverulentum W. powdered $\frac{3}{2}$ or 1 ... Li Spain ... S co
1901. ERUCA'RIA.
 30713 - persica Hort. Persian $\frac{3}{2}$ or ?W Persia 1834. S co [D. Cameron.]
822. ERY'NGIUM.
 30714 - macrophyllum Hort. large-leaved $\frac{3}{2}$ Δ or 1831. D co [D. Cameron.]
 30715 - gramineum Dec. grass-leaved $\frac{3}{2}$ Δ or ... jl.o B N. Spain 1825. D s.1
 30716 - moncephalum Dec one-headed $\frac{3}{2}$ Δ or ... jl.o P Mexico 1824. D s.1
 30717 - ternatum Dec. ternate-leaved $\frac{3}{2}$ Δ or ... jls P Crete ... D s.1
 30718 - Baldwinii Dec. Baldwin's $\frac{3}{2}$ Δ or ... jls B Carolina 1824. D s.1
 30719 - Carlina Dec. Carlina-like $\frac{3}{2}$ Δ or ... au.o B N. Spain 1827. D s.1
 30720 - crinitum Dec. fringe-leaved $\frac{3}{2}$ Δ or ... jl.au B Spain 1826. D s.1
1867. ERY'SIMUM.
 30721 - Perowskianum F. et M. Perowski's $\frac{3}{2}$ or 1½ jn O.S Palestine 1838. S co Flor. cab. no. 96
 N n 2

30722	16487a	exaltatum Andr.	exalted	⚗	○ un 1	myjl	Y	Podolia	1829.	S	co	
30723	16493a	Marschallianum Andr.	Marschall's	⚗	○ un 1	my.jl	Y	Podolia	1829.	S	co	
30724	-	altaicum Mey.	Altai	⚗	○ un 1	s	Y	Altai	1831.	S	co	
30725	-	crassipes F. & M.	thick-petioled	⚗	△ or 1	jn.s	Y	1835.	S	co	
467. ERYTHRÆA.												
30726	3887a	Massoni Swt.	Masson's	⚗	┘ or ...	jl.au	Y	Azores	1777.	S	s.p	

2162. ERYTHRINA 19514 herbæca												
		1 Bidwillii Herb.	Mr. Bidwill's	⚗	┘ spl 24	jn.s	S	hybrid	...	C	l.p	
30727	19521a	australis Cunn.	Australian	⚗	┘ or 30	jn.s	S	Moreton Bay	1830.	C	r.m	
30728	-	nana Bowie	dwarf	⚗	┘ or 30	jn.s	S	1823.	S	r.m	
3582. - ERYTHROCHITON Nees et Martius. RED-COAT. (From erythros, red, and chiton, a coat.) Rut.												
30729	-	brasiliensis N. et M.	Brazilian	⚗	┘ or 10	jl	W	Brazil	1842.	C	s.l	

1028. ERYTHRONIUM L. DOG'S-TOOTH VIOLET. (Erythros, red; leaves and flowers.) 6. l. Liliaceæ. 5.												
		8526 Dens canis L.	Dog's tooth, or com.	⚗	△ or	¼ mr	R.Li	Europe	1596.	O	co	
30730	8526a	longifolium Mill.	long-leaved	⚗	△ or	¼ mr	R.Li	Europe	1596.	O	co	
		1 rubrum Swt.	red-flowered	⚗	△ or	¼ mr	R.Li	Europe	1596.	O	co	
		2 albidum Vtt.	whitish-flwd	⚗	△ or	¼ mr	Wsh	Italy	1596.	O	co	
		8527 lanceolatum Ph.	lance-leaved	⚗	△ or	¼ ap.my	Y	N. Amer.	1665.	O	p.l	
30731	8527a	grandiflorum Ph.	large-perianthed	⚗	△ or	¼ my	Y	N. W. A.	1826.?O	p	Bot. reg. 1786	
30732	-	gigantum Lindl.	gigantic	⚗	△ spl	N. W. A.	...	O	p	
		8528 albidum Nut.	whitish	⚗	△ or	¼ ap.my	Wsh	Louisiana	1824.	O	p.l	
†687. ESCALLO'NIA Mutis ESCALLONIA. (Escallon, a Spaniard and Amer. traveller.) Escalloniaceæ. 5.—1.												
30733	-	rubra Pers.	red-flwd	⚗	┘ or 3	jl.s	R	Chili	1827.	C	co	
		2 albiflora Hook.	white-flwd	⚗	┘ or 6	jl.s	W	C	co	
		glandulosa Lodd.	Bot. cab. t. 1291.									
		3 pubescens Hook.	pubescent	⚗	┘ or 6	jl.s	R	C	co	
		5639 montevidensis Dec.	Monte Videan	⚗	┘ or 6	jl.s	W	Brazil	1827.	C	co	
		floribunda β montevidensis Schtecht.	in Linnæi; bifida Lk. and Otto.									
		2 floribunda A. B.	many-flwd	⚗	┘ or 6	jl.s	W	C	co	
30734	-	caracasiana Dec.	Caracas	⚗	┘ or	W	Caracas	1827.	C	co	
30735	-	viscosa Lk. & Otto	viscous	⚗	┘ or 5	...	W	Mendoza	1829.	C	p.l	
		5638 discolor Mutis	two-coloured	⚗	┘ or 6	...	W	S. Amer.	1820.	C	p.l	
30736	-	pulverulenta Pers.	dusty-branched	⚗	┘ or 8	jl.s	W	Chili	1831.	C	l.p	
30737	-	illinita Presl	varnished	⚗	┘ or 5	au.s	W	Chili	1830.	C	l.p	
30738	-	organensis Gardn.	Organ Mounts.	⚗	┘ or 3	...	Ro	Organ Mts	1840.	C	l.p	
30739	-	grandiflora	great-flwd	⚗	┘ or 75	jl.s	1846.	C	l.p	
30740	-	incana	hoary	⚗	┘ or ...	jl.s	1847.	C	l.p	

ESCHSCHOLTZIA. See CHRYSE'IS, in p. 516.

1493. EUCALYPTUS.												
		12820 amygdalina Lab.	Almond-leaved	⚗	┘ or 6	jl	W	V. D. L.	1810.	L	s.l	
30741	-	alpina Hort.	alpine	⚗	┘ or	V. D. L.	1834.	L	s.l	
30742	-	splachnicarpon Hook.	Splachnum-fld	⚗	┘ or 16	ap.jl	Y	K.G.'s.Sound	1840.	L	s.p	
30743	-	calophylla Lindl.	beautifl-ld	⚗	┘ or ...	my.jl	W	Australia	1836.	L	s.l	
30744	-	macrocarpa Hook.	large-fruited	⚗	┘ or 6	jn.jl	Ap.S.stam.S.River	1842.	L	s.l	Bot. mag. 4333	

3583. 676a. EUCHÆTIS Bart. EUCHÆTIS. (Eu, well, chaite, a head of hair.) Ruticææ. 5.—1.												
30745	-	glomerata Bart.	close-flwd	⚗	┘ or ...	ap.jl	W	C. G. H.	1821.	C	s.p	
3584. 1185a. EUCHARIDIUM F. & M. EUCHARIDIUM. (Eucharis, agreeable; appearance of the plant.) Onagræcææ.												
30746	-	concinnum F. & M.	neat	○	pr 1	ap s	P	N. Amer.	1836.	S	p.l	

2568. EULOPHIA R. Br. See ZYGOPE'TALUM hereinafter.												
30747	-	lurida Lindl.	lurid-flowered	⚗	△	or 1½	all sea.	P.y.w.S. Leone	1836.?O	p.r.w	Bot. reg. 1821	
30748	-	macrostachya Lindl.	long-spiked	⚗	△	el 2	jn.d	Y.r Ceylon	1836.	R	p.l	
30749	-	squalida Lindl.	squalid	⚗	△	cu ...	su	Dingy Manila	1838.	D	fib.p	

666. EUONYMUS.												
30750	-	bullatus B. C.	bullate	⚗	┘ un	5	my.jn	Pk	Nepal	1828.	C	l.p
		5469 europæus										
		3 fol. variegatis Lo. C.	variegated-ld	⚗	┘ or 15	my.jl	W	L	s.l	
		3 latifolius Lo. C.	broad-leaved	⚗	┘ or 15	my.jl	W	L	s.l	
		4 nanus Lo. C.	dwarf	⚗	┘ or 4	my.jl	W	L	s.l	
		1 pàmilus in p. 84.										
		5 fructu-albo Lo. C.	white-fruited	⚗	┘ or 12	my.jl	W	Britain	...	L	co	
		2 leucocarpus Dec.; and in p. 84.										
30751	5470a	velutinus F. & M.	velvety	⚗	┘ or ...	my.jn	W	Caucasus	1838.	L	co	
		5478 japonicus Bot. reg. 1844. 6.										
		2 maculatus	spotted	⚗	┘ or 6	jn.au	Pk	Japan	1836.	C	l.p	
		3 variegatus	variegated	⚗	┘ or 6	jn.au	Pk	Japan	1836.	C	l.p	
30752	5485a	garcinzofolius Rox.	Garcinia-leaved	⚗	┘ or 12	...	Pa.Y	Nepal	1820.	C	s.l	
30753	-	imbriatus Wall.	fringed	⚗	┘ or ...	my.jl	G	Japan	...	C	co	
30754	-	tingens Wall.	staining	⚗	┘ or	G	Japan	...	C	co	
There are plants under the name of E. caucasicus in Messrs. Loddiges's arboretum.												

2268. EUPATORIUM.												
30755	20524a	Ayapana Ven.?	Ayapana	⚗	┘ m	3? au.o	Li.R	Brazil	1821.	C	lt.l	
30756	-	glandulosum H. & K.	glandulose	⚗	┘ or 3½	ou.n	W	Mexico	1826.?C	lt	Bot. reg. 1723	
20532 macrophyllum L.; syn. Hebeclinium macrophyllum Dec.												
30757	-	Schiedeanum Dec.	Schiede's	⚗	┘ or ...	jn.au	W	Mexico	1833.	D	co	
30758	-	tetragonum Dec.	four-sided	⚗	┘ or	W	Mexico	1832.	C	p.l	
30759	-	Berteroianum Dec.	Bertero's	○	or ...	au.o	W	Guadaloupe	1830.	S	co	
Nos. 20522 and 20534 are referred to the genus Bibóstylis Dec. Nos. 20523 and 20538 are species of Critônia Dec.												

1460. EUPHORBIA.												
30760	12262a	pentagona Haw.	five-angl.d	⚗	┘ gr	3	...	Y	C. G. H.	1824.	C	p.l

- 30761 12292a *spléndens* Baj. shining ☉ \square spl 4 jn.s S I. France 1826. C p.l Bot. mag. 2902
 30762 - *Böjeri* Hook. Bojer's ☉ \square spl 4 n.f Ap Madagas. ... C p.l Bot. mag. 3527
 30763 12318a *angustifolia* Lock. narrow-leaved ☉ \square cu 4 ... Y Trinidad 1827. C p.l
 30764 12422a *Künzei* Leh. Kunze's ☉ \square un 1 jn.jl Ap Europe 1829. S co
 30765 12312a *uniflora* one-flowered ☉ \square cu $\frac{1}{2}$ jl Ap S. Ainer. 1827. D s.l
 30766 - *Tithymalus uniflorus* Haw. in Phil. imag. vol. x. p. 418.
 - *rigida* Bieb. rigid ☉ \square rk $\frac{1}{2}$ my.jn Y.R S. Europe 1829. D ru Bot. reg. 1838. 43
biglandulosa Desf. Cor. Tourn., p. 88. t. 66.; Gussone Fl. Sic., 1. 555. ? *Tithymalus Myrsinites legitimus*
 Clus. Hist., 2. 189. lc.
 †12303 *atropurpurea* W. dark purple ☉ \square or 4 mr Ap Teneriffe 1815. C s.p Bot. mag. 3321
 12453 *amygdaloides* 2 variegata ☉ \square or 2 mr.jn Ap Britaln gard. Sk co [J. Cree.]
 30767 - *fulgens* Karw. fulgent ☉ \square pr 4 jl.s Ap Mexico 1836. C s.p Paxt. mag. lv. 31
jacquiniæflora Hort. Bot. mag. 3673.
 30768 - *cruentata* Grah. red-spotted-*lvd* ☉ \square \triangle cu 2? au.s Ap St. Louis 1831.? S s.l Ed. jour. 26
 30769 - *dictyocarpon* Mey. netted-fruited ☉ \square un $\frac{1}{2}$ au.s Ap 1836. C l.p
 30770 12266a *cucumerina* W. cucumber-like ☉ \square cu $\frac{2}{3}$ my.s G C. G. H. 1838. C s.l
1159. EUPIORIA.
 9359 *Lóngan* Lam. *the Longan fruit* ☉ \square fr 30? my.jn Pa.Y China 1786. L r.m Bot. reg. 1729
2875. EURYA.
 30771 25098a *multiflora* Dec. many-flowered ☉ \square pr 2 ... W Nepal 1823. C p.l
3585. 2337a. EURYBIA Cass. EURYBIA. (*Eurybies*, wide-spreading; its creeping offsets.) *Compositæ.*
 30772 - *corymbosa* Cass. corymbed ☉ \triangle or 2 au.s W N. Amer. 1765. D co Bot. reg. 1532
A'ster corymbosus Ait. Hort. Kew., Willd. Sp. Pl., and probably of Hort. Brit., No. 21366. A. *cordifolia* Mx., not of Nut.
 30773 - *glutinosa* Lindl. glutinous ☉ \square or ... V V. D. L. ... C s.l.p
 This genus includes also Nos. 21218, 21220, 21223, 21224, and 21231. in p. 346.
937. EURYCLES.
 30774 - *Cunninghãmi* Lindl. Cunningham's ☉ \square el 1 mr.ap W N. Holl. 1830. O p.l Bot. reg. 1505
3586. 2879a. EURYCOMA Dec. EURYCOMA. (*Eurys*, broad, *kome*, hair.) *Connaræcæ.* ?5.—1.
 30775 - *longifolia* Dec. long-leaved ☉ \square or ... P E. Indies 1826. C s.p
- EURYLEPIS. See ERICA.*.*
 EURYLOMA. See ERICA.*.*
 EURYSTEGIA. See ERICA.*.*
466. EUSTOMA.
 30776 - *exaltatum* Griseb. tall ☉ \square or 2 jl Psh.B Mexico ? ... S s.p Bot. reg. 1845. 13
 Probably No. 3877. in p. 58. of this work; *Lisianthus exaltatus* Lam. ill.; *L. glaucifolius* Jac. pl. rar. t. 33.; *Chidra exaltata* Gris.; *Urananthus glaucifolius* Benth. Pl. Hartw. p. 46.
1258. EUTA'XIA.
 30777 - *Baxteri* K. & W. Baxter's ☉ \square pr 6 mr.jl Y N. Holl. 1830. C s.p.l Flor. cab. 43
616. EUTHALES.
 30778 - *macrophylla* Lindl. large-*lvd* ☉ \square \triangle or 4 su Y.Br Pt. Augusta 1839. D co Bot. reg. 1841. 3
3587. 478a. EU'TOCA R. Br. EU'TOCA. (*Eutokos*, fruitful; number of seeds.) *Hydrophylleæ.* 2.
 30779 - *multiflora* Dou. many-flowered ☉ \square el $1\frac{1}{2}$ my.jl Li N. Amer. 1826. S co Bot. reg. 1180
Menziësii D. Don, Sw. fl. gar. 2. s. t. 334.
 30780 - *Franklini* R. Br. Franklin's ☉ \square el 1 ap.jl Pk N. Amer. 1827. S p.l Bot. mag. 2985
 30781 - *sericea* Grah. silky ☉ \triangle el 1 my.jl B N. Amer. 1827. S s.l Bot. mag. 3003
 30782 - *viscida* Benth. clammy-haired ☉ \square or 2 jl B.ro California 1834.? S co Bot. reg. 1808
 30783 - *divaricata* Benth. straggling-habited ☉ \square pr d my.jn L.V California 1833.? S lt Bot. reg. 1784
 30784 - *Wrangeliana* Fis. Wrangel's ☉ \square el 1 au B California 1835. S s.l Sw. fl. gar. 2. s. 362
796. EVO'LVULUS.
 30785 - *purpureo-caruleus* Hook. purple-blue ☉ \square pr $1\frac{1}{2}$ jl.au B.P Jamaica? ... C s.p.l Bot. mag. 4202
 Two varieties of this species are figured in Paxton's Mag. of Bot. vol. xv. p. 171.
366. E'XACUM L. 3229 tetragonum ☉ \square or 1 jn Pa.P Concan 1846. S p.l Bot. mag. 4340
β bicolor Hook. two-coloured
3588. 491a. EXOGO'NIUM Benth. EXOGONIUM. (*Exo*, outside, *gonia*, an angle; angular stem.) *Convolvulæcæ.*
 30786 - *Púrga* Benth. true *Jalap* ☉ \square \square or 10 s Ro Jalapa 1838. R lt Bot. mag. 4280
Ipomœa Púrga Wend., Lindl. Flor. Med. No. 809., I. *Schiedeana* Zuccarini, I. Jalapa *Schiede*.
 Nos. 4137 and 4160 of *Ipomœa* belong to this genus.
598. EXOSTEMMA.
 †4892 *longiflorum* R. & S. long-flowered ☉ \square fra 2 jn.jl W.R Caraccas 1820. C p.l Bot. mag. 4186
Cinchona longiflora Lamb. ci. 12.
3589. 1973a. EYSENHARDTIA H.B. & K. EYSENHARDTIA. (*C.W. Eysenhardt*, M. D., a Pruss. Prof.) *Leguminosæ.*
 30787 - *amorphoides* H.B. & K. Amorpha-like ? ☉ \square or 15 ... Pa.Y Mexico ? 1838. C l.p
Dalbergia amorphoides Spr. Syst. Append. 268.
3590. 1304a. FABA'GO Led. BEAN CAPER. (*Faba*, a bean; leaves resemble those of the bean.) *Zygophyl.* 2.—6?
 30788 - *májor* D. Don larger ☉ \triangle or 4 jl.s W.saf Syria 1596. S gra.l Sw. fl. gar. 2. s. 226
Zygophyllum Fabogo L. No. 10886. in. p. 169.
3591. - *FABIANA* R. & P. FABIANA. (*F. Fabiano*, a Spanish botanist.) *Solanæcæ.*
 30789 - *imbricatã* R. & P. scaly ☉ \square or 3 my W Chili 1838. C p.s Bot. reg. 1839. 59
3592. - *FADYENIA* Hook. FADYENIA. (*Dr. Mac Fadyen*, a distinguished botanist.) *Crypt. Filices.* 2.—1.
 30790 - *prolifera* Hook. proliferous ☉ \square or $\frac{1}{2}$ my.s Br Jamaica 1843. D p.l H. & G. ic. fil. 96
Aspladium proliferum H. & G.

575. FAGR'E'A.
30791 4591a obovata Wal. obovate-leaved ♀ □ or 20 ... W Silhet 1816. C s.p. Bot. mag. 4205
- 2662 FA'GUS.
23386 sylvatica
2 purpurea Ait. purple-leaved ♀ tm 60 ap.my Ap Germany ... G co
F. s. 2. atro-rubens Duroi. or ... ap.my Ap G co
3 cuprea Lo. C. copper-clad-lvd ♀ tm 70 ap.my Ap G co
4 fol. var. argenteis silver var.-lvd ♀ or ... ap.my Ap G co
5 fol. var. aureis Hort. golden var.-lvd ♀ or ... ap.my Ap G co
6 heterophylla A. B. various-leaved ♀ or 40 ap.my Ap G s.l
F. s. laciniata Lo. C. F. s. asplenifolia Lo. C. F. s. incisa Hort. F. s. salicifolia Hort.
7 cristata Lo. C. crested-leaved ♀ or 30 ap.my Ap G s
8 pendula Lo. C. pendulous ♀ or ... ap.my Ap G s
9 americana American ♀ tm 100 ap.my Ap N. Amer. ... S co
F. sylvestris Mx.; white Beech Amer.
10 cochleata spoon-lvd ♀ cu ... ap.my Ap Seedling ... G co
- 23387 ferruginea
2 caroliniana A. B. Carolina ♀ or ... Ap Carolina ... G s.l
30792 23387a betuloides Mir. Birch-like ♀ or 50 ... Ap Magellan 1830. L co An. mu. 14. 25
Betula antarctica Forst.
30793 - antarctica Forst. antarctic ♀ or 50 ... Ap Magellan 1830. L co
86. FE'DIA.
30794 - gibbosa Guss. gibbose ○ cu 1 my.jn 1834. S co
3593. 498d. FE'NZLIA Benth. FENZLIA. (Dr. Fenzl, author of a Monograph of Alsineæ.) Polemoniaceæ.
30795 - dianthiflora Benth. Dianthus-flwd ○ or ½ ... P.Y Californ. 1833. S co
2577. FERNANDE'ZIA.
30796 - acuta Lindl. acute-leaved ♀ △ □ cu ½? jn Y.R Trinidad 1834. ?D p.r.w Bot. reg. 1806
30797 - lumifera Lindl. crescent-lipped ♀ △ □ cu ... su Y Manila 1840. D fib.p
30798 - robusta Lo C. robust ♀ △ □ cu ... su Y Guatemala 1841. D fib.p
1909. FERR'ARIA.
30799 - elongata Grah. elongated ♀ △ or ... my.jl D P Mt. Video 1828. O s.p
30800 16759a atrata Lod. darkened ♀ or ½ my.jl D.P C. G. H. ... O s.p Bot. cab. 1356
880. FE'RULA.
30801 6987a campestris Bes. field ♀ △ or 3 jn.jl Y Tauria 1829. S co
30802 - sylvatica Bes. wood ♀ △ or 3 jn.jl Y Podolia 1829. S co
30803 - ammoniac Fis. ammoniac ♀ △ m 6 jn.jl W Persia? 1831. S co
30804 - seseloides Mey. Seseli-like ♀ △ un 2½ ... Y Caucasus ... S co [D. Camcron.]
6994 meoides L., syn. Lophosciadium Millefolium Dec.
- 3593*. 880a. FERULA'GO Koch FERLAGO. (Ferio, to strike; used as rods.) Umhellifera. 2.
30805 - nodiflora Koch knot-flowered ♀ △ un 3 jn.jl Y S. Europe 1596. D s.l Boc. mu. 76
Ferula nodiflora L. No. 6990., also 6988.
238. FESTU'CA.
30806 - geniculata W. jointed ♀ ○ un S co
30807 1970a brachyphylla Kth. short-lvd ♀ △ un ... jn.au Ap Melville Isl. 1827. S co
30808 1979a picta Kth. painted ♀ △ un ... jn.jl Ap Hungary 1826. S co
1636. FICA'RIA 14552 verna Hud., ranunculoides Moench.
3 pallida pale-flowered ♀ △ or ½ mr.my Pa.Y gardens ... D co
This is doubtless the variety which some denominate alba.
2900. FIT'CUS. OVATIFOLIE.—Smooth above; pubescent beneath.
30809 - acuminata Ham. pointed-leaved ♀ □ or 6 ... W Silhet 1830. ?C p.l Bot. mag. 3292
F. cerasiiformis Glasgow Botanic Garden.
30810 25239a urophylla Wal. tail-leaved ♀ □ cu 2 jn Ap India 1829. C lp Bot. cab. 1697
?Isomandra gutta Hook.
30811 25271a lutescens Nois. lutescent ♀ □ un 3 my.jn Ap 1824. C p.l
3594. 13956. FIMBRIA'RIA Bk. FIMBRIARIA. (Fimbria, a fringe; leaves much fringed.) Malpighiaceæ. 10.—3.
30812 - elegans B. R. elegant ♀ □ or Y S. Amer. 1842. C p.l
155. FIMBRISTYLIS.
30813 1385a autumnalis R. & S. autumnal ♀ △ un ... jls Ap N. Amer. 1822. D bog
30814 1385b ferruginea R. & S. rusty ♀ △ un ... jls Ap Jamaica 1825. D bog
3595. 790a. FISCHER'IA G. Don FISCHERIA. (F. E. L. Fischer, M.D., bot. gard. St. Petersburg.) Asclepiadaceæ. 5.—2.
30815 - scandens G. Don climbing ♀ △ □ cu G.Y S. Amer. 1826. C s.l
3596. 41a. FORSYTHIA Vahl FORSYTHIA. (W. Forsyth, his Majesty's gard. at Kensington.) Oleaceæ. 2.—1.
30816 - viridissima Lindl. greenest ♀ or 10 mr Y N. China 1845. C lt Bot. reg. 1847. 39
3597. - FORTUNE'A Lindl. FORTUNE'A. (R. Fortune, a successful investig. of the Fl. of China.) Juglanaceæ.
30817 - chinensis Lindl. Chinese ♀ or 30 jn.au G N. China 1844. C.S co J.H.S. i. 151. fig.
1593. FOTHERG'YLLA.
14082 alnifolia
1 obtusa B. M. obtuse-leaved ♀ or 4 my.jn W N. Amer. 1765. L s.p Bot. mag. 1341
F. major Lodd. Bot. Cab. 1520. F. alnifolia L. fil.
2 acuta Sims acute-leaved ♀ or 4 my.jn W N. Amer. 1765. L s.p Jac. ic. 1. 100
F. Gardeni Jac. No. 14084. in p. 221.
3 major B. M. greater ♀ or 4 my.jn W N. Amer. 1765. L s.p Bot. mag. 1342
F. major B. M. No. 14083. in p. 221.
4 serotina B. M. late-flowering ♀ or 4 au W N. Amer. 1765. L s.p
1526. FRAGA'RIA 13575 indica Dec. syn. Duchesnea fragarioides G. Don.
3598. 1811a. FRANCI'SCEA Pohl FRANCISCEA. (Francis, emperor of Austria.) Solanaceæ. 1.—14.
30818 - uniflora Pohl one-flowered ♀ □ or 3 jn.au W.P Brazil 1826. C l-p B. t. cab. 1332
Hopeana Hook. Bot. mag. 2824.

30819	- latifolia	broad leaved	☐	or	4	aus	P	Rio J	neiro	1840.	C	s.l.p	Bot. mag. 3967	
30820	- hydrangeaeformis	Pohl Hydrangea-lk	☐	or	4	o,d	P	Brazil		1840.	C	l.p	Bot. mag. 4209	
30821	- F. capitata Benth.	acuminate- <i>led</i>	☐	or	cl	2	jn	jl	Bsh. P	Rio Jan.	...	C	l.p	Bot. mag. 4189
30822	- Pohlana Hort.	acuminata <i>Past.</i>	☐	or	3	my	jn	Ro. C	Chili		1831.	S	p.l	Bot. reg. 1834
30823	- angusta	narrow- <i>led</i>	☐	or	2	ju	jl	1847.	C	l.p	
30823	- gracilis	slender	☐	or	2	ju	au	Pa. Crea	1847.	C	l.p	
3599.	1224a. FRANCOA Cav.	(F. Franco, of Valencia, a promoter of botany in the 16th cent.)											8. 4. Galucinea.	
30821	- appendiculata Cav.	appendiced	☐	or	3	my	jn	Ro. C	Chili		1831.	S	p.l	Bot. reg. 1834
30825	- sonchifolia Feu.	Sow-thistle- <i>lvd</i>	☐	or	24	jl	au	Ro. P	Chili		1830.	S	r.l	Bot. cab. 1864
30826	- ramosa D. Don.	branched- <i>in-flor.</i>	☐	or	24	jl	au	W	Chili		1831.	S	p.l	Sw. fl. gar. 2.s. 223
1099.	FRANKENIA.													
30827	9089a pauciflora Dec.	few-flowered	☐	or	pr	1	jn	au	Pk	N. Ho'l.	1824.	C	s.p	Bot. mag. 2896
2887.	FRA'XINUS.													
25157	excelsior W.													
5	nana, syn. F. Theophrasti Hort.													
9a	Kincairnie A. B. Kincairney	golden-barked	☐	or	...	ap	my	G	Kincairney	...	G	co		
11	aurea W.	golden-barked	☐	or	...	ap	my	G	Britain	gard.	G	co		
12	aurea pendula A. B. yellow pendulous	yellow-edged	☐	or	...	ap	my	G	Britain	gard.	G	co		
13	lutea A. B.	yellow-edged	☐	or	20	ap	my	G	Britain	gard.	G	co		
	F. e. 2 aurea, p. 414.													
14	verrucosa Desf.	warted-barked	☐	or	60	ap	my	G	England	Norf.	G	co		
	F. verrucosa Lk., No. 25159.													
15	verrucosa pedunculata pend. -warted	heterophylla	☐	or	...	ap	my	G	England	gard.	G	co		
25160	2 variegata A. B.	variegated- <i>lvd</i>	☐	or	12	ap	my	G	1reland	1836.	G	co		
30828	25160a angustifolia Bauh.	narrow-leaved	☐	or	...	my	G	Spain	1825.	G	co			
25163	lentiscifolia													
2	pendula A. B.	pendulous- <i>bran.</i>	☐	or	...	ap	my	G	Floetbeck	1833.	G	co		
25132	americana													
2	latifolia A. B.	broad-leaved	☐	or	tm	20	my	G	G	co		
25136	pubescens													
2	longifolia W.	long-leaved	☐	or	20	my	G	G	co			
	F. pennsylvanica Marsh.													
3	latifolia W.	broad-leaved	☐	or	20	my	G	G	co			
4	subpubescens Pers.	subpubescent	☐	or	20	my	G	G	co			
25165	sambucifolia													
2	crispa Lod.	curled- <i>laved</i>	☐	or	30	my	jn	G	G	co		
25140	quadragulbata													
2	nervosa Lod.	nervose	☐	or	30	my	G	G	co			
25184	juglandifolia													
2	subintegerrima Vahl	nearly entire	☐	or	240	my	jn	G	G	co		
	juglandifolia β subcerrata W. caroliniana Wang. Nove-Anglie and caroliniana Mill. Dict.													
25166	nana Bosc, syn. Boscii G. Don.													
30829	25171a polemoniifolia Poir.	Gr.-Valer.- <i>lvd</i>	☐	or	...	ap	my	G	N. Amer.	1812.	G	co		
	nana Desf. nana (appendiculata) Pers.													
30830	- xanthoxylodes W.	T.-ache-tree- <i>lk.</i>	☐	or		N. of India	1845.	S.G	co	[G. G.]	
30831	- mexicana	Mexican	☐	or	30		Mexico	1825.	S.G	co	[G. G.]	
1018.	FRITILLARIA.													
8434	imperialis													
1a	rubra pleno	double red- <i>flvd</i>	☐	or	4	mr	ap	R	gardens	...	O	co	[J. Cree.]	
2a	lavva pleno	double-yellow	☐	or	4	mr	ap	Y	gardens	...	O	co	[J. Cree.]	
3	aureata	orange- <i>old-flvd</i>	☐	or	4	mr	ap	O. R	gardens	...	O	co	[J. Cree.]	
4	variegata	variegated- <i>lvd</i>	☐	or	4	mr	ap	R	gardens	...	O	co	[J. Cree.]	
30832	- lusitauica Wik.	Portugal	☐	or	cu	3	...	Pa. Rsh. y	Portug	1844.	O	co		
8447	melagriss													
2	multiplex Penny	full-flowered	☐	or	1	mr	my	P	gardens	...	O	co		
30833	8449a minor Led.	smaller	☐	or	1	my	...	P. spt	Altai M.	1830.	O	p.l	Bot. mag. 3280	
	melagrissoides Patrin in Schult. Syst. Veg. 7. 395. As No. 8449. in p. 120. is on Fischer's, not Patrin's, authority, we cannot tell whether F. minor Led. be the same as that or not.													
30834	- chupra Grak.	copper- <i>old per.</i>	☐	or	1	jl	jl	Cop	Mexico	1834.	O	p.l	Ed. jour. 20. 192	
30835	- Kotschyana Herb.	Kotschy's	☐	or	pr	3	ap	my	P	Hazartschall	1844.	O	l.p	
3600.	- FROLOVIA.	FROLOVIA.	(M. Prolov, a Russian botanist.)										Compositae Cynndree.	
30836	- lyrata Led.	lyre-shaped	☐	or	2	s.o	Su	Altai	1834.	D	co			
	Saussurea Frolovii Led.													
1188.	FUCHSIA.													
10076	macrotymum													
1	discolor Lindl.	two-coloured	☐	or	37	au	R.P	P. Famine	1830?	C	p.l	Bot. reg. 1805		
	"It is difficult to distinguish it botanically from gracilis and tenella; yet it is decidedly different." — Dr. Lindley.													
2	conica D. Don	conic	☐	or	4	jn	o	S.P	Chili	1825.	C	p.l	Bot. reg. 1062	
	conica Lindl. No. 10075. in p. 155.													
3	globosa D. Don	globose- <i>flvd</i>	☐	or	5	jn	s.	C.P	Eng. hyb.	1830.	C	p.l	Bot. reg. 1556	
	F. globosa Hort.													
2	elegans Paxt.	elegant- <i>flvd</i>	☐	or	spl	6	jn	S	Eng. hyb.	1836.	C	p.l	Paxt. mag. iv. 75	
4	gracilis D. Don	slender	☐	or	8	my	o	S.P	Chili	1823.	C	p.l	Bot. reg. 847	
	F. gracilis Lindl. F. decussata Grak.													
5	recurvata Hook.	recurved- <i>sep.</i>	☐	or	spl	7	...	R.v	1r. hyb.	1835.	C	lt.l	Bot. mag. 3521	
	F. recurvata Niven.													
30837	- alpestris Gard.	mountain	☐	or	20	su	S	Brazil	1841.	C	l.p	Bot. mag. 3999		
30838	- bacillaris Lindl.	rod-branched	☐	or	5	su	Ro	Mexico	1829.	C	p.l	Bot. reg. 1480		
30839	10077a micropbylla Kth.	small-leaved	☐	or	6	jn	s.	S.P	Mexico	1828.	C	l.p	Sw. fl. gar. 2.s. 16	
30840	10079a thymifolia Kth.	Thyme-leaved	☐	or	6	my	o	R	Mexico	1827.	C	p.l	Bot. reg. 1284	
30841	- radicans Miers	rooting	☐	or	20	s.o	S	Brazil	1837.	C	co	Bot. reg. 1841. 66		
	integrifolia Cambess.; pyrifolia Presl; Bot. Mag. 3948.													
30842	- cordifolia Benth.	heart-leaved	☐	or	5	aus	S.G	Mexico	1840.				Bot. reg. 1841. 70	
30843	- fulgens Dec.	glowing	☐	or	spl	4	my	o	R	Mexico	1837.	C	p.l	Bot. reg. 1838. 1
30844	- macrantha Hook.	large-flowered	☐	or	2	ap	jn	Ro. a	Pa. C Columbia?	1844.	C	l.p	Bot. mag. 4233	
30845	- splendens Zucc.	splendid	☐	or	6	su	S.C	Mexico	1841.	C	r.m	Bot. reg. 1842. 67		
	cordifolia β Hook. l.c. P. t. 630. (non Lindl.); Bot mag. 4082.													

- 30846 - serratifolia R. & P. serrated-lyd 𠄎 or 5 jl.s R.Pk.Ysh.oPerul1844. C l.p Bot. mag. 4174
 30847 - spectabilis Hook. showy 𠄎 spl 4 jl.o S. Andes of Cuenca1847. C lt Bot. mag. 4375
 30848 - simplicicaulis Lindl. simple-stemmed 𠄎 or ... jn.au C Brazil ... C lt
 30849 - denticulata Lindl. toothed 𠄎 or ... jn.s C Brazil ... C lt
 30850 - dependens pendens-lyd 𠄎 or 4 jn.s C Peru 1848. C lt
 30851 - corymbifera R. et P. cluster-flwd 𠄎 spl 6 su S Peru 1840. C r.m Bot. reg. 1840. 70
 30852 - cylindracea Lindl. cylindrical-flwd 𠄎 el 2 ju S Mexico 1837. C p.l Bot. reg. 1480
 30853 - tetradactyla Lindl. 4-fingered-stigm 𠄎 pr 2 jn.au Ro Guatemala1846. C lt
 For the Garden Hybrids, see the nursery catalogues.
3601. 2017a. FUGOSIA Cav. FUGOSIA. (Bernard Cienfuegos, a Spanish botanist of the 16th century.) *Mabacca*.
 30854 - hakeifolia Hook. Hakea-leaved 𠄎 or 5 au P.Li S. River 1846. C p.l Bot. mag. 4261
 Redoutea heterophylla, No. 18020 in p. 290, belongs to this genus.
171. FUIRENA.
 30855 1509a glomerata R. & S. crowded 𠄎 cu ... jn.au Ap E. Indies 1827. S bog
2052. FUMARIA.
 30856 1822a leucantha Viv. white-flwd O or 1 1/2 au.o W Corsica 1836. S co
 30857 - micrantha Lag. small-flwd O w ... jn.au Pa.p Britain ... S co Eng. bot. 2876
1008. FUNKIA.
 30858 8218a Sieboldiana Dens. Siebold's 𠄎 Δ or 1 jn Li Japan 1830. D r.l Bot. mag. 3663
Hemerocallis Sieboldiana B. C.
 30859 - undulata J. C. waved-leaved 𠄎 Δ or 1 au.s Li Japan 1834. D s.l
 2 variegata variegated-lyd 𠄎 Δ or 1 au.s Li Japan 1834. D s.l [J. Cree.]
 30860 - lanceifolia Dens. lance-leaved 𠄎 Δ or 2 jl.au Li Japan 1824. D s.l Bot. cab. 1658
Hemerocallis lanceifolia Bot. cab. 1658.
 2 fol. variegatis A.P. variegated-lyd 𠄎 Δ or 2 jl.au Li gardens ... D s.l
 30861 - albo-marginata Hk. white-margined 𠄎 Δ or 1 1/2 jl Li.P.W Japan ?1837. D s.l Bot. mag. 3657
949. FURCRAEA.
 30862 7675a longeva K. & Z. long-lived 𠄎 | or 50 my G Mexico 1833. Sk r.m
 7678 cubensis Haw. Cuban 𠄎 Δ or 25 au.n G Cuba 1739. Sk r.m Jac. am. 260. 25
1052. GAEGEA.
 30863 - podolica R. & S. Podolian 𠄎 Δ or ... my ... Podolia 1827. O co
 30864 - rotunda R. & S. Liotard's 𠄎 Δ or ... my ... S. Europe 1825. O co Ster. den. 2. 3
Orythogalum fistularum Red. ill. 221.
 30865 - bulbifera R. & S. bulb-bearing 𠄎 Δ or ... my ... Taurica 1829. O co Rchb. ic. 117
 8747 uniflora G. Don. Hort. Brit. p. 134.
Orythya (the fabled wife of Boreas) *uniflora* G. Don, Sw. fl. gar. 336.
3602. - GAHNIA R. BR. GAHNIA. (H. Gahn, a Swedish botanist.) *Cyperaceae*. 3.—1.
 30866 - procera R. Br. tall 𠄎 Δ un ... jn.jl G N. Zeal. 1837. S s.l
2412. GAILLARDIA 21980 bicolor
 2 Drummondii integerrima Hook. 𠄎 Δ or 2 au Car.v Louisiana 1833. D lt Bot. mag. 3551
Gaillardia picta D. Don, in Swt. Br. Fl. Gar. 2. s. t. 267.
 3 coronata Hort. crowned 𠄎 Δ or 1 1/2 jn.s Y.R gardens .1846. C lt
 30867 - Richardsoni Penny Richardson's 𠄎 Δ or 1 1/2 my.o O N.Amer. 1829. D p.l
3603. 2888a. GALACTODENDRON Hum. Cow TREE. (Gala, milk, dendron, a tree.) *Urticeae*. 1.
 30868 - utile Hum. useful 𠄎 ec 100 Caraccas 1829. S l.p Bot. mag. 3723—4
Palo de Yaca Span.
961. GALANTHUS.
 30869 - reflexus Herb. Mss. reflexed-petaled 𠄎 Δ cu W.G Mt. Gargarus ?1844. O co
3604. 2337a. GALATELLA Cass. (The etymon is not given in the *Bot. Reg.*, t. 1818.) *Compositae*. 3.—4.
 Syn. Certain of the species of the Linnaean genus *Aster*.
 †21290 punctata Nees dotted-leaved 𠄎 Δ or 2 1/2 jl.s V.v Hungary 1815. D co Bot. reg. 1818
Aster punctatus W. & K. *Galettella intermedia* Cass. *Aster desertorum* Fis. *incd.*
3605. - GALEANDRA Lindl. GALEANDRA. (Galea, a casque, aner, an anther; anthers crested.) *Orch.* 20.—1.
 30870 - cristata Lindl. crested-anthered 𠄎 Δ or ... my.jl P Cayenne 1844. D
 30871 - Devoniana Lindl. D. of Devonshire's 𠄎 Δ ... 2 ap.ny W.pk S. Amer. 1840. D p.r.w Botanist, 231
 30872 - Baueri Lindl. Mr. Bauer's 𠄎 Δ or 1/2 au P Guiana 1839. O s.p Bot. reg. 1840. 49
 No. 22783 in p. 372 belongs to this genus.
1972. GALEGA 17652 persica
 2 lilacina Penny Lilac 𠄎 Δ or 3 jn.s Li Persia 1830. D co
1667. GALEOBDOLON 14961 luteum
 2 variegatum striped-leaved 𠄎 Δ pr 1 my.jn Y Britain gard. D co [J. Cree.]
48. GALIPEA.
 30873 462a odoratissima Lindl. most fragrant 𠄎 fra 2 my W Rio Jan. ... C l.p Bot. reg. 1420
348. GALIUM.
 30874 - arenarium Loï. sand 𠄎 Δ un 1 ... Y Sardinia 1832. D co
 30875 - pallescens Presl. pallish 𠄎 Δ un 1835. D co
 30876 - rugosum Dec. rough 𠄎 Δ un D co
 30877 - Barrelieri Barrelier's 𠄎 Δ un D co
 30878 - capillipes Rehb. hairy-stalked 𠄎 Δ ... 1 o W Russia? 1838. D co
 30879 3017a hirsutum Nees hairy 𠄎 cu 1 au.o Gsh.w Teneriffe 1830. D co
 30880 2372a persicum Dec. Persian 𠄎 Δ or ... jl.au Y Persia 1837. D co
 30881 - hincitorum Dec. dyer's 𠄎 Δ un ... jl W N. Amer. 1830. D co
 30882 2987a elatum Pers. tall 𠄎 Δ un ... jl.au W France 1827. D co
 †3031 Vaillantii Dec. Vaillant's 𠄎 w 2 my.au G England Corn Fl. S co
infestum No. 3031. in p. 45.
3606. 1398b. GALPHIMIA Cav. GALPHIMIA. (An anagram of *Malpighia*) *Malpighiaceae*. 1.—7.
 30883 - glauca Cav. glaucous 𠄎 | or 8 ... Y Mexico 1829. C l.p Cav. ic. 5. 489
 30884 - hirsuta Cav. hairy 𠄎 | or ... mr.jn Y Mexico 1824. C l.p

638. GARDE'NIA 5285 florida

1 flore simplicl *lk.* single-flowered fra 5 jn W E. Indies 1831? C 1p Bot. mag. 3349
Probably a species distinct from *G. florida*. See Bot. Mag. t. 3349.

30885 - 3 Fortuni Lindl. Fortune's (*d.-fld*) fra 5 jl.au W N. China 1844. C s.p.1 Bot. reg. 1846. 43
- melleifera Hook. clapper-bearing or 5 ... Crea S. Leone ... C p.1 Bot. mag. 4307
30886 - longistyla Hook. long-styled or 26 jn G.w W. Africa ?1845. C p.1 Bot. mag. 4322

Randia longistyla Dec. Prod. v. 4. p. 388.
30887 - nitida Hook. shining-ld or 3 o.n W S. Leone ... C p.1 Bot. mag. 4343
30888 - Stanleyana Hook. Earl of Derby's or 26 jn.jl W.sp.R S. Leone ?1843. C s.p.1 Bot. mag. 4185
30889 - Devoniana Lindl. D. of Devonshire's fra 26 s W S. Leone ?1845. C s.p.1 Bot. reg. 1846. 63

Randia longiflora Salisb.
30890 - pænnea Lindl. cloth-leaved or 4 jn.jl Y S. Amer. ?1830. C 1p Bot. reg. 1952
30891 - Sherbournei Hook. Mrs. Sherbourne's or 3 jn W.R S. Leone 1842. C co Bot. mag. 4044
G. lucida. This species, probably a native of Sierra Leone, is in the collection at Kew.

3607. 1683a. GARDOQUIA R. & P. GARDOQUIA. (*D. Diego Gardoqui*, a noble Spaniard.) *Labiatae*.
30892 - - discolor *Kth.* two-coloured ap.jl P Caracas 1827. S ...
G. origanoides of Reichenbach is a species of *Lantana*. (Bentham, in Bot. reg. 1300.)
30893 - - Gilliesii Grah. Gillies's pr 3 ju.s Li.y Chill 1828. C p.s Bot. reg. 1812
30894 - - multiflora R. & P. many-flwd pr 1 jn.s S Chili ... C s.1.p Bot. mag. 3772
30895 - - betonicoides Benth. Betony-like pr 3 o Pk Mexico 1837. D co Bot. mag. 3860
? *Cedronella mexicana* Mönch.
Hookeri Benth., syn. *Cunila coccinea* Nutt. No. 615, in p. 10.

3608. - - GARRYA Lindl. GARRYA. (*Nicholas Garry*, secretary of Hudson's Bay Co.) *Garryaceae*. I.
30896 - - elliptica Lindl. elliptic-leaved cu 6 o G N. Calif. 1828. L 1 Bot. reg. 1686
30897 - - laurifolia Hartw. Laurel-ld or 6 ... W Mexico 1839. L 1
30898 - - macrorhyncha Hartw. large-ld or 26 ... G Mexico 1846. L 1 [G. G.]
30899 - - Macfadyeniana Ilkr. Dr. MacFadyen's or 6 ... G Jamaica 1842. L 1 [G. G.]

244I. GASTROCARPHA 22254 runcinata D. Don
Moscaria 20212 pinnatifida Fl. per.

3609. 8a. GASTROCHILUS Wall. Gastr. (*Gastër*, abdomen, and *cheilos*, a lip; larger lip of corolla inflated.)
30900 - - pulcherrima Wall. prettiest or 1 au C.B E. Indies 1841. D co Bot. mag. 3930
30901 - - Jenkinsii Wall. Jenkins's or 2 jn.s O.C E. Indies 1841. D s.p.1
30902 - - longiflora Wall. long-flowered cu 2 jl.au Pk.y Rangoon 1840. D s.p Bot. mag. 4010

3610. 2528a. GASTRODIA R. Br. GASTRODIA. (*Gaster*, a belly, *odous*, a tooth; top of column.) *Orchidaceae*. I.
30903 - - sesamoides R. Br. Sesamum-like cu 1 ap.my W N. Holl. 1826. D p.r.w

1260. GASTROLOBUM.

30904 - - acutum Hook. acute or 1 1/2 mr Y.R S. River 1842. C s.1.p Bot. mag. 4040
30905 105666a retusum Lindl. blunt-leaved or 1 1/2 my O.S N. Holl. 1830. C s.1.p Bot. reg. 1647
30906 - - cordatum B. R. heart-shpd.-ld or ... my.jn Y S. River 1841. C s.1.p
30907 - - villosum Benth. villous or 3 my.jn R.C S. River 1845. C s.1.p Bot. reg. 1847. 45
30908 - - calycinum Benth. large-calxyed or Y S. River ... C s.1.p
30909 - - spinosum Benth. spinose or 3 ap.my Y S. River ... C s.1.p Paxt.mag. 11. 171
Chorozema oppositifolia Hort.
30910 - - oxylobioides Benth. Oxylobium-*lk.* or Y S. River ... C s.1.p
30911 - - trilobum Benth. thrce-lobed-ld or Y S. River ... C s.1.p
30912 - - obovatum Benth. obovate-ld or Y S. River ... C s.1.p
30913 - - spatulatum Benth. spatulate-ld or Y S. River ... C s.1.p

966. GASTRONE'MA.

30914 - - sanguineum Lindl. blood-red-flwd or 1/2 jn.jl Dp,Ro N.Amer. 1845. O s.1 J. H.S. 3. 315.fg.

3611. 747a. GAUDICHAU'DIA H. B. & Kth. (*Charles Gaudichaud*, accomp. Freycinet.) s. I. *Malpighiaceae*. I.
30915 - - cynanchoides H.B. & Kth. Dog's bane-*lk.* or 10 ... Y Mexico 1824. C 5 m H. & B. n. 5. 445

1184. GAU'RA 10045 fruticosa Jac., syn. angustifolia Mx.

30916 10041a parviflora Dou. small-flowered pr 4 au.s Dp,Ro N.Amer. 1835. S p.1 Bot. mag. 3506

3612. 1194a. GAYLUSSA'CIA H. B. & K. (*Gay Lussac*, an eminent French chemist and philos.) *Vacciniaceae*. 10.—1.
30917 - - pseudovaccinium Dec. Bilberry-like or 1 1/2 my R.o Brazil 1843. L s.p Bot. reg. 1844. 62
Andromeda coccinea Sehrad.; *Vaccinium brasiliense* Spreng. syst. ii. 212.
30918 - - rosea H. B. & K. rose-ld.-flwd or ... my.jl R.o Peru 1843. L s.p

3613. - - GE'BLERA F. & M. GEBLERA. (*Gebler*, a German botanist.) *Euphorbiaceae*.
30919 - - suffruticosa F. & M. suffruticose un Russia 1835. L p.1

1732. GEISSOME'RIA.

30920 - - aurantiaca or 2 aut O.R 1848. C p.1 [K. & P.]

3614. 1073a. GEITONOPL'E'SIUM Cun. (*Geiton*, neighbour, *plecion*, near; in affinity and habitat.) *Asphodelaceae*. 3.
†8966 cynosum R. Br. cyme-flowered cu 1 ... G N.S.W 1825. C p.1 Bot. mag. 3131
Luxuriaga cynosa Brown in Prod., 1. 282.
†8967 montanum R. Br. mountain or 1 ... G N. Holl. 1820. C s.p
Luxuriaga montana Brown in Prod.

30921 - - asperum Cun. rough-angled cu N. Holl. 1831.
The Peruvian genus *Luxuriaga*, No. 1076, should now be removed from Hort. Brit., no species of it having ever existed in Britain.

1187. GE'LA. Nat. Ord. *Olinaceae*, not *Onagrariæ* as in Hort. brit. p. 155.

30922 10070a oblongifolia Cun. oblong-leaved or 6 jn Wsh.G N. Holl. 1823. C s.p

3615. 145a. GELASINE Herb. GELASINE. (*Gelasinos*, a smiling dimple.) *Iridaceae*.
30923 - - azurea Herb. blue pr 1 my B S. Amer. 1838. D s Bot. mag. 3779

1963. GENI'STA.

30924 17481a ephedroides Dec. Ephedra-like or 4 jn.s Y Sardinia 1832. C co Bot. gard. 498
17483 triacanthos or 2 my.jl Y Tangier ... C p.1
2 interrupta Dec. interrupted or 2 my.jl Y
Spartium interruptum Cav. Ann.

- 17489 *germânica*
 2 *inermis* *Dec.* nearly unarmed ♀ or 2 jn.au Y L co
- 17503 *tinctoria*
 2 flore pleno *A. P.* double-flwd ♀ or 2 jl Y gardens ... L co
 3 latifolia *Dec.* broad-leaved ♀ or 2 jl Y Auvergne ... L co
 4 *hirsuta* *Dec.* somewhat hairy ♀ or 2 jl.au Y Britain sun. me. L co
 5 *pratensis* *Pot.* meadow ♀ or 2 jl.au Y Italy ... L co
- 17511 *sagittalis*
 2 minor *Dec.* less ♂ or pros. my.jn Y L co
 †17502 *amxantica* *Ten.* Amstantan ♂ or 4 jn Y Naples 1818. L s.1 Sw fl. gar. 2. s. 266
- 30925 - - *Spachiana* *Webb* Spach's ♂ or 2 l, nr Y Canaries ... C s.l.p Bot. mag. 4195
794. **GENTIANA.**
 6347 *asclepiadea*
 2 maior greater ♀ Δ or 2 jl.au B D p.1 [J. Cree.]
 3 ochroleuca yellowish white ♀ Δ or 1 jl.au Crea D p.1
 30926 6349a *plebeia* *Led.* vulgar ♀ Δ or 2 jl.au D.B Germany 1834. D p.1
 6354 *Pneumonanthe*
 3 flore albo white-flowered ♀ Δ or 1 1/2 a.s W.G. Germany 1834. D s.p.1 [J. Cree.]
 30927 6363a *quinqueflora* *Pers.* five-flowered ○ or 1 1/2 o Li N. York ?1834. S s.1 Bot. mag. 3496
 6372 *verna*
 2 flore albo *A. P.* white-flowered ♂ or 1 1/2 ap. my W gardens ... D p.1 Bot. gard. 712
 - - *Gებერი* *Led.* Gebl'er's ♀ Δ or ... R Russia 1832. D l.p
 6358 *Saponaria*
 2 flore albo white-flowered ♀ Δ or 1 a.s W N. Amer. 1826. D p.1
 6382 *Amarilla*
 2 lutea yellow-flwd ○ or 1 1/2 a.s Y S co
 Nos. 6381 to 6388, in p. 98, inclusive, are species of *Eurythäta* *G. Don.*
 Nos. 6349, 6356, 6368 to 6379 inclusive, are species of *Ericala* *G. Don.*
 Nos. 6345, 6350 to 6355, 6358 to 6362 inclusive, and 6366, are species of *Pneumonanthe* *G. Don.*
2529. **GEODORUM.**
 30928 *22651a *facatum* *Lindl.* painted-lab. ♀ □ or 1 jl Ro. Va Ceylon 1832. D l.p Bot. reg. 1687
3616. 2363a. **GEORGINA** *W.* *GEORGINA.* (*J. G. Georgi*, a Russian botanist.) *Comp. Helianthea.* 4.
 30929 - - *crocata* *Lag.* saffron-coloured ♀ Δ or 6 jl.n S Mexico 1802. R p.1 Sw. fl. gar. 282
- 30930 - - *Cervantesii* *Lag.* *Cervantes's* ♀ Δ or 7 n S Mexico ... R p.1 Sw. fl. gar. 2. s. 22
1932. **GERANIUM.**
 17217 *tuberosum*
 2 *ramosum* *Lindl.* branching ♀ Δ pr 1 my. au R Italy 1840. D s.l
- 17233 *pratense*
 2a flore albo pleno dble-white flwd ♀ Δ or 2 my.jl W Britain gard. D co
 30931 17234a *albiflorum* *Hook.* white-flowered ♀ Δ or 1 1/2 su Wsh N. Amer. 1827. D co Bot. mag. 3124
 Has been called *G. maculatum*, and a variety of *G. angulatum*: was brought
 Franklin's second expedition. home at the return of
 30932 17249a *lanuginosum* *Ait.* lanuginous ○ or ... jl. au ... 1817. S co Jac. sc. 140
 17260 *Robertianum*
 2 flore albo *Hort.* white-flwd ○ or 1 ap. o W Britain gard. S co [W. H. B.]
Briccanum *Swt.* No. 17263. in p. 277.
- 30933 - - *asphodeloides* *At.* Asphodel-like ♀ Δ or Levant 1828. D s.1 Fl. gr. 661
 30934 - - *mexicanum* *Ham.* Mexican ♀ Δ pr 1 su L Mexico 1832. S l.p
 30935 - - *affine* *Led.* related ♀ Δ pr 1 my. au B Altaia 1832. D co [D. Cameron.]
 30936 - - *rubiolum* *Lindl.* Bramble leaved ♀ Δ pr 1 jl P Himalayas 1839. D s.p
 30937 - - *erianthemum* *Dec.* woolly-flowered ♀ Δ pr 2 jn. jl C California 1840. D co Bot. reg. 1842. 52
1779. **GERARDIA.**
 30938 - - *aphylla* *Nut.* leafless-stmd ○ or 3 n Ro N. Carol. 1834? S bog
- †1698. **GESNERIA** *L.* *GESNERIA.* (*Conrad Gesner*, of Zurich, the famous botanist.) *Gesneriacee.* 14.—2.
 30939 - - *tuberosa* *Mart.* tuberous-rt'd ♀ □ or 1 1/2 aut S Brazil 1793. C s.p.1 Bot. mag. 3664
- 15333 *rapae* *Graham.* stemless ♀ □ or ... jn. au S Jamaica 1734. R s.p.1 Sl. Jam. 1. 102. 1
- 30040 - - *cochlearis* *Hook.* spoon-ld ♀ □ or 1 jn. au S Organ Mts. 1837. R s.p.1 Bot. mag. 3787
- 15330 *Douglasii* *Lindl.* Douglas's ♀ □ or 1 1/2 ap. jn R. Y Rio Jan. 1826. R s.p.1 Bot. reg. 1110
- 2 *verticillata* whorled-flwd ♀ □ or 1 1/2 ap. jn R.B Rio Jan. 1826. R s.p.1 Bot. mag. 3612
- 30941 - - *rupicola* *Mart.* rock ♀ □ or 3/4 my. su S Brazil 1835. R s.p.1
- 30942 - - *digitalis* *Lindl.* Foxglove-like ♀ □ or ... jn. o S Brazil 1842. R s.p.1
- 30943 - - *macrostachya* *Lindl.* long-spiked ♀ □ or 2 jn. o S Rio Jan. 1825. R s.p.1 Bot. reg. 1202
latifolia *Mart.*
- 15332 *bulbosa* *Ker* bulbous-rt'd ♀ □ or 2 my. jl S Brazil 1816. R s.p.1 Bot. mag. 3886
Méreckii *Wendl.*
- 30944 - - *Cooperi* *Paxt.* Cooper's ♀ □ or 1 1/2 my. jn S Brazil 1829. R s.p.1 Bot. mag. 3041
 2 *lateritia* brick-red ♀ □ or 1 1/2 my. jn S Brazil 1833. R s.p.1 Bot. mag. 4240
 3 *Suttonii* Sutton's ♀ □ or 1 1/2 my. jn S Rio Jan. 1833. R s.p.1 Bot. reg. 1637
- 4 *fucialis* wide-mouthed ♀ □ or 2 my. jl S Brazil 1833. R s.p.1 Bot. reg. 1785
- 30945 - - *caracasana* *Otto* Caracas ♀ □ or 2 jls S Caracas 1842. R s.p.1
- 30946 - - *cordata* heart-shpd.-lvd ♀ □ or 2 jls Pa.S R s.p.1
- 15331 *aggregata* *Ker* aggregate ♀ □ or 2 jn. au S Brazil 1816. R s.p.1 Bot. reg. 329
- 30947 - - *pardina* *Hook.* leopard-spotted ♀ □ or 1 1/2 au. o O.R.spot Brazil 1847. C s.p.1 Bot. mag. 4348
- 30948 - - *macrantha*
 2 *purpurea* purple-flwd ♀ □ or 1 1/2 au. o Psh.S ?1847. R s.p.1
 - *hondensis* *H. B. & K.* Honda ♀ □ or 1 all sea S.Y Honda 1845. R s.p.1 Bot. mag. 4217
- 30950 - - *Libanensis* *Morr.* many-flwd ♀ □ or 1 1/2 jn. au S Cuba 1847. C s.p.1 Bot. mag. 4380
Rytidophyllum multiflorum *Hort.*
- 30951 - - *reflexa* *H. C.* reflexed ♀ □ or ... ap. my S Valparaiso 1837. R s.p.1 Fl. cab. 61
- 30952 - - *Arnoldii* *Hook.* Arnold's ♀ □ or 1 my. au S Brazil 1841. C s.p.1
- 30953 - - *Gardneri* *Hook.* Gardner's ♀ □ or 2 jl. au R Organ Mts. 1841. C s.p.1 Bot. mag. 4121
- 30954 - - *Sellowii* *Mart.* Sellow's ♀ □ or 2 jn. jl S Brazil 1835. C s.p.1 Paxt. mag. 4. 27
- 30955 - - *elongata* *Hum.* elongated ♀ □ or 2 au. s S S. Amer. 1835. C s.p.1 Botanist. 27
 2 *fruticosa* shrubby ♀ □ or 2 au. s C s.p.1 Bot. mag. 3725
oblongata *Paxt* mag. bot., vi. p. 103.
- 30956 - - *elliptica*
 2 *lutea* yellow-flwd ♀ □ or 1 my. jn Y Sta. Martha 1844. C s.p.1 Bot. mag. 4242

30957	-	<i>striata Hook.</i>	upright	♂	△	or	5	jl.s	S	S. Brazil	1834.	C	s.p.l	Bot. mag. 3738
30958	-	<i>sceptrum Mart.</i>	sceptre	♂	△	or	4	aut	R	Brazil	1836.	C	s.p.l	
30959	-	<i>2 ignea</i>	woolly-flwd	♂	△	or	3	aut	Rsh.y	Brazil	1835.	C	s.p.l	Bot. mag. 3576
30960	-	<i>lasiántha Zucc.</i>	March's	♂	△	or	3	aut	S	Mexico	...	C	s.p.l	
30961	-	<i>Márcbii Hook.</i>	Gerard's	♂	△	or	21	o	S	Organ Mta.	1839.	C	s.p.l	Bot. mag. 3744
30962	-	<i>Gerardiana Paet.</i>	zebra	♂	△	or	2	jl.o	S.Y.spot	S. Amer.	1845.	R	s.p.l	Paxt. m. b. 13. 55
30963	-	<i>zebrina Paet.</i>	long-lvd	♂	△	or	2	jl.o	S.Y.spot	S. Amer.	1840.	R	s.p.l	Paxt. m. b. 8. 96
30964	-	<i>longifolia Lindl.</i>	changeable-lvd.	♂	△	or	2	jn.jl	R	Guatemala	1841.	R	s.p.l	Bot. reg. 1812. 40
30965	-	<i>allagoyilla Mart.</i>	spiked	♂	△	or	2	jl.au	O	Brazil	1835.	C	s.p.l	Bot. reg. 1767
30965	-	<i>spicata Ótlo</i>	changeable-lvd.	♂	△	or	...	my.jl	P	Mexico	1831.	C	s.p.l	
30966	-	<i>Schiedeana Hook.</i>	brilliant	♂	△	or	1	jl.o	R	1847.	C	s.p.l	
30967	-	<i>spicata ß Schiedeana Dec. prod.</i>	many-flwd	♂	△	or	1	jl.o	R	1847.	C	s.p.l	
30967	-	<i>polyántha Hook.</i>	dark-red	♂	△	or	2	ans.	C	Brazil	1826.	R	s.p.l	Bot. reg. 1158
30968	-	<i>discolor Paet. mag. bot. 9. 57.</i>	brilliant	♂	△	or	2	ans.	C	Brazil	1826.	R	s.p.l	Bot. reg. 1279
30968	-	<i>rutila Lindl.</i>	dark-red	♂	△	or	2	ans.	C	Brazil	1826.	R	s.p.l	Bot. reg. 1279
30969	-	<i>Lindleyi Hook. Bot. mag. 3602.</i>	clothed	♂	△	or	1	jn.o	O.spot	Bogota	1844.	C	s.p.l	
30970	-	<i>15325 hirsuta H. & B.</i>	hairy	♂	△	or	1	jn.au	P	S. Amer.	1826.	C	s.p.l	
30970	-	<i>möllis H. & K.</i>	soft	♂	△	or	1	ap.ny	S	Caracas	1839.	C	s.p.l	Bot. mag. 3815
30971	-	<i>triflora Hook.</i>	three-flwd	♂	△	or	2	jl.au	Y.R	N.Grenada	1846.	C	s.p.l	Bot. mag. 4342
30972	-	<i>breviflora Lindl.</i>	short-flwd	♂	△	or	1	jl.o	R	1847.	C	s.p.l	
15326	-	<i>pendulina Lindl.</i>	drooping-flwd	♂	△	or	2	jn.au	S	S. Amer.	1825.	C	s.p.l	Bot. reg. 1032
	-	<i>umifolia Hum.</i>												

Nos. 15323, and 15338, in p. 241., constitute the genus *Conradia Martius*.

1530.	GEVUM 13689	chilense	Balbis											
	2	grandiflorum	Lindl. large-flwd	♂	△	spl	1	jn.o	S	S	s.l	Bot. reg. 1348
	3	atrosanguineum	dark-bd-ctd	♂	△	or	2	...	D.Bd	gardens	...	D	co	[A. Pope.]
13691		rivale	white-flwd	♂	△	or	1	jn.jl	W	gardens	...	D	co	[A. Pope.]
		3 álba												

499. GILIA Cav. GILIA. (P. S. Gilio, a Spanish botanist.) *Polemoniácea*. 14.—

I. DACTYLOPHYLLUM. — *Lower leaves opposite, all sessile and pinnately cut. Flowers solitary, on long footstalks. Corolla's tube very short, its limbs spreading. Perhaps the species of this section are properly a genus.* — Benth.

30973	-	<i>liniflora Benth.</i>	Linum-flwd	♂	?	pr	1	?	W?	Californ.	1833.	S	s.l	
			The flowers, in form and size, resemble those of <i>Linum tenuiflorum</i> .											
3 974	-	<i>pharnacoides Benth.</i>	Pharnaceum lk	♂	?	pr	1	?	...	Californ.	1833.	S	s.l	
			Flower half the size of that of <i>G. liniflora</i> .											
30975	-	<i>pusilla Benth.</i>	dwarf	♂	?	cu	1	?	...	Chili	1833.	S	s.l	
			It has the habit of <i>Arenaria tenuifolia</i> ; and its flower is but half the size of that of <i>G. pharnacoides</i> .											

II. IPOMOPSIS. — *Leaves alternate, pinnately cut or pinnatifid. Flowers solitary or associated. The corolla's tube lengthened and protruded far beyond the calyx.*

†4265		coronopifolia	Pers. Coronopus-lvd	♂	△	spl	2	jl.s	S	Carolina	1726.	C	1.p	Bot. reg. 1691
		<i>Ipomopsis elegans</i>	Sm. Exot. bot. 1. 23. t. 13. [and, according to No. 4265, m p. 64., <i>Cántua coronopifolia</i> W.]											
		<i>putchella Dougl.</i>	pretty	♂	△	spl	2	jl.s	S	N.W. Am	1826.	C	1.p	Bot. reg. 1281
		<i>putchella Douglas MSS.</i>	...											
		<i>Ipomopsis elegans Lindl.</i>	Bot. reg. 1281., and also of Michaux; <i>G. aggregata</i> D. Don; <i>Cántua aggregata</i> Ph.											
30976	-	<i>tenuiflora Benth.</i>	slender-corollaed	♂	?	or	2	au	Ro.V	Californ.	1833.	S	co	Bot. reg. 1888
30977	-	<i>arenaria Benth.</i>	sand-inhabiting	♂	?	or	1	?	B	Californ.	1833.	S	s.l	
30978	-	<i>crassifolia Benth.</i>	thick-leaved	♂	?	or	2	?	Ysh	Chili	1832.	S	s.l	

III. EUGLIA. — *Leaves alternate, pinnately cut or pinnatifid. Flowers more or less strictly solitary, or more usually grouped in heads. Corolla's tube as short as, or shorter than, the calyx.*

†4266		inconspicua	Dou. inconspicuous	♂	?	or	2	au	B	N. Amer.	1793.	S	co	Bot. mag. 2883
		<i>Ipomopsis inconspicua</i>	Sm. Exot. bot. [and, according to No. 4266, in p. 64., <i>Gilia parviflora</i> Spr., and <i>Cántua parviflora</i> Ph.]											
30979	4266a	<i>gracilis Dou.</i>	slender	♂	?	or	1	jn.jl	Pk	N. Amer.	1826.	S	co	Bot. mag. 2924
30980	-	<i>tricolor Benth.</i>	three-ld-cor.	♂	?	or	1	jl.s	Lk.P	Californ.	1833.	S	co	Bot. reg. 1704
		<i>2 fl. albicanibus D. Don</i>	whitish	♂	?	or	3	jl.s	Wk.O	Californ.	1833.	S	co	Sw. fl. gar. 2.s. 264
30981	-	<i>laciniflora B. & P.</i>	cut-leaved	♂	?	or	Pk	Chili	1831.	S	co	Fl. per. 123
30982	-	<i>multicaulis Benth.</i>	many-stemmed	♂	?	or	2	?	B	Californ.	1833.	S	co	
30983	-	<i>achilleifolia Benth.</i>	Milfoil-leaved	♂	?	or	1	au.d	P	Californ.	1833.	S	co	Bot. reg. 1682
†4267		<i>capitata Dou.</i>	headed inflor.	♂	?	or	2	jl.n	B	N. Amer.	1826.	S	co	Bot. mag. 2693
		<i>2 corollá álba</i>	white-corollaed	♂	?	or	2	jl.n	W	Gardens	1829.	S	co	[? Dcnsan.]

1516. GILLENIA 13044 trifoliáta greater 3/4 △ or 3 jo.au R.w N. Amer. ... D p.l [J. Cree.]

128.	GLADIOLUS.														
30984	1173a	<i>cochleatus Swt.</i>	spoon-lipped	♂	△	or	1	1/2	mr	W.R	C. G. H.	1829.	O	s.p.l	Sw. fl. gar. 2.s. 140
30985	1188a	<i>natalensis Reinw.</i>	Natal	♂	△	spl	4	au	S.y	Natal Riv.	1830.	O	p.l	Sw. fl. gar. 2.s. 281	
		<i>psittacinus Hooker</i>	in Bot. mag. 3032.							<i>natalensis Reinwardt, Hooker</i>	in Bot. mag.,			in w. in 3084.	
		<i>psittacinus Lindley</i>	in Bot. reg. 1442.												
1189		<i>communis álbus</i>	white-flwd	♂	△	or	2	jn.jl	W	O	r.l	[J. Cree.]	
30986	-	<i>pubbündus Swt.</i>	blush-flwd	♂	△	or	3	...	Bh	Eng. hyb	...	O	r.l	Sw. fl. gar. 2. s. 176	
30987	1189a	<i>gandensis Paet.</i>	Ghent	♂	△	or	3	jn.jl	S.y	Ghent hybrid	O	s.l	s.l	Paxt. m. bot. 11. 27	
30988	-	<i>equinoctialis Herb.</i>	Equinoctial	♂	△	or	...	ap.ny	S	S. Leone	1842.	O	s.l	p	
3 989	-	<i>oppositiflorus Herb.</i>	opposite-flwd	♂	△	or	...	ap.ny	S	Madagasc.	1843.	O	s.l	p	
30990	-	<i>festivus Herb.</i>	festive	♂	△	or	...	jl.s	Y.w	C. G. H.	1844.	O	s.l	p	
30991	-	<i>ramosus Paet.</i>	branching	♂	△	or	5	jl	Pk	C. G. H.	1836.	O	s.p.l	Paxt. m. bot. 6. 99	
30992	-	<i>Mortónus Herb. M. S. Mr. Morton's</i>		♂	△	or	1	1/2	...	S	Africa	1837.	O	s.p	Bot. mag. 3680

1551. GLAUCIUM. 30993 13770a tricolor Berah. three-coloured 0 or 1 jn.s R Persia 1828. S co
30994 13770b arabicum Fries Arabian 0 or ... jn.s R Arabia 1837. S co
30995 13771a persicum Dec. Persian 0 or 1 jn.s R Persia 1829. S co

739. GLAUC 6034 maritima 2 álba white-flwd 1/2 △ pr 1/2 my.jn W Britain gard. D s.l [J. Cree.]

1664. GLECHO'MA 14935 *hederacea*
2 *rösea Dens.* *rosy-tilac* $\frac{3}{4}$ Δ or $\frac{1}{2}$ mr.my Ro.Li Eng.Ipswich D co
3 *variegata Dcns.* *variegated-lyd* $\frac{3}{4}$ Δ or $\frac{1}{2}$ mr.my B England ... D co
2884. GLEDITSCHIA 25125 *sinensis*
2 *inermis N. Duk.* *unarmed* $\frac{1}{2}$ or 20 jn.jl G L p.l
G. *japonica* Lo.C. *G. javanica* Lam. $\frac{1}{2}$
3 *majör Hort.* *larger* $\frac{1}{2}$ or 730 jn.jl G L p.l
G. *körriäa majör* Lo. C.
4 *näna Hort.* *dwarf* $\frac{1}{2}$ or 12 jn.jl G L p.l
G. h. *näna* Hort. Soc. Gard.
5 *pëndula* *weeping* $\frac{1}{2}$ or ... jn.jl G G p.l [K. & P.]
2949. GLEICHE'NIA 25666 *flabellata R. Br.* Syn. *Mertensia flabellata J. Sm.*
- *bifurcata Blume* two-forked $\frac{1}{2}$ Δ or ... ap.jl Br Malacca ... D p.l
30997 - *Hermännri R. Br.* *Hermann's* $\frac{1}{2}$ Δ or ... Br L.of.Luzon 1839. D p.l
30998 - *rigida J. Sm.* *stiff* $\frac{1}{2}$ Δ or ... jn Br L.of.Luzon 1839. D p.l
30999 - *excelsa J. Sm.* *lofty* $\frac{1}{2}$ Δ or ... Br L.of.Luzon ... D p.l
31000 - *semi-vestita Lab.* *half-clothed* $\frac{1}{2}$ Δ or ... my.jl Br Malacca ... D p.l
hecistophylla A. Cunn.; *vulcanicum* Blume.
31001 - *gigantea Wall.* *gigantic* $\frac{1}{2}$ Δ or ... my.au Br E. Indies ... D p.l
31002 - *mucronata Reinw.* *mucronate* $\frac{1}{2}$ Δ or ... Br Mindora ... D p.l
1029. GLORIO'SA.
8529 *supërba*
2 *Leopoldiana* *King Leopold's* $\frac{1}{2}$ Δ or 6 jl.au Y ?1847 O s.p
- 3616*. 1098a. GLOSSOCO'MIA D. Don POUCHBELL. (*Glossokomos*, a money-bag.) *Campanulöccæ.*
31003 - *ovata Lindl.* *ovate-leaved* $\frac{1}{2}$ Δ or 1 jl W N. India 1839. Bot. reg. 1842. 3
Codonopsis ovata Benth.; *Wahlenbergia Roßlet A. Dec.*
31004 - *lürida Lindl.* *fetid* $\frac{1}{2}$ Δ or 3 my.o G.P N. India 1838. S s.p.l
Codonopsis lürida Benth.
2485. GLO'SSULA 22513 *tentaculata Lindl.* Syn. *Glossaspis tentaculata Lk. & Otto*
1702. GLOX'Y'NIA.
31005 15343 *pallidiflora Hook.* *pale-flwd* $\frac{1}{2}$ Δ or 1 aut Pa.B Sta.Martha?1844. C p Bot. mag. 4213
15343 *speciosa*
- Garden varieties.*
- 1 *pällida máxima* *greatest-pale-fld* $\frac{1}{2}$ Δ or 1 aut Pa.B English hyb. C p
2 *Priestleyana* *Priestley's* $\frac{1}{2}$ Δ or $\frac{1}{2}$ aut B hybrid ... C p
3 *?leuconerva* *white-veined-lyd* $\frac{1}{2}$ Δ or 1 aut B ?hybrid 1848. C p
4 *macrophylla* va. *large-lyd* $\frac{1}{2}$ Δ or aut Li hybrid ... C p Bot. mag. 3934
5 *Menziesii* *Menzies's* $\frac{1}{2}$ Δ or aut B.W English hyb. C p
6 *violacea* *violet-cld-flwd* $\frac{1}{2}$ Δ or aut V hybrid 1836. C p
7 *supërba* *superb* $\frac{1}{2}$ Δ or aut V hybrid ... C p Paxt.mag.xi.199.2
8 *máxima* *greatest* $\frac{1}{2}$ Δ or 1 aut P English hyb. C p ?Paxt.mag.v.219
9 *bicolor* *two-cld.-flwd* $\frac{1}{2}$ Δ or 1 aut P.W hybrid ?1843. C p Bot.reg.1844.48.3
10 *Youngiana* *Young's* $\frac{1}{2}$ Δ or aut W.B hybrid ... C p
11 *Wortleyana* *Wortley's* $\frac{1}{2}$ Δ or aut W.B.spot hybrid ... C p
12 *Fyfiäna* *Fyfe's* $\frac{1}{2}$ Δ or aut W.P hybrid ... C p Paxt.mag.xv.169.1
13 *rúbra* *red-flwd* $\frac{1}{2}$ Δ or aut Ro hybrid 1841. C p Paxt. mag.vi.271
14 *rúbra-grandiflora* *large-flwd.-red* $\frac{1}{2}$ Δ or aut Bt.Ro hybrid ?1848. C p
?carminata splendens.
15 *magnifica* *magnificent* $\frac{1}{2}$ Δ or aut Ro hybrid ?1843. C p Bot.reg.1844.48.1
16 *cerina* *waxy* $\frac{1}{2}$ Δ or aut R hybrid ... C p Paxt.mag.xi.199.1
17 *Teuchlerii* *Teuchler's* $\frac{1}{2}$ Δ or aut Ro blotch hybrid ?1847. C p Paxt.mag.xv.169.2
18 *Cartóni* *Cartón's* $\frac{1}{2}$ Δ or 1 aut Bt.Ro.W hybrid ?1843. C p Bot.reg.1844.48.4
19 *inestis* *remarkable* $\frac{1}{2}$ Δ or aut Ro.W hybrid ?1843. C p Bot.reg.1844.48.2
20 *Handleyana* *Handley's* $\frac{1}{2}$ Δ or aut Ro.W hybrid ... C p
21 *Griffini* *Griffin's* $\frac{1}{2}$ Δ or aut W.Dp.Ro hybrid 1817. C p
22 *áibo-sanguinea* *red & white-flwd* $\frac{1}{2}$ Δ or aut W.C hybrid ?1846. C p Paxt.mag.xv.169.3
23 *delicata* *delicate* $\frac{1}{2}$ Δ or aut W.Lem.Br.Spot1849. C p [B. of Y.]
24 *exquisita* *exquisite* $\frac{1}{2}$ Δ or aut W.Lem.Ro.mar1849. C p [B. of Y.]
25 *labiata* *rosy-lipped* $\frac{1}{2}$ Δ or aut W.Psh.C.withCarl849. C p [B. of Y.]
26 *áiba máxima* *greatest wt.-flwd* $\frac{1}{2}$ Δ or 1 aut W English hyb. C p
27 *cándida* *white* $\frac{1}{2}$ Δ or aut W hybrid ... C p
28 *candíssima* *whitest* $\frac{1}{2}$ Δ or aut W hybrid ?1847. C p
29 *fimbriata* *fringed-flwd* $\frac{1}{2}$ Δ or aut W hybrid 1847. C p [K. & P.]
31006 - *Passinghäm Paxt.* *Passingham's* $\frac{1}{2}$ Δ or aut Dp.Rh.V RioJan. 1845. C p Paxt. mag.xii.267
In all probability only a very superior variety of G. *speciosa*, although detected in a wild state on the Corcovado mountains.
31007 - *digitaliflora Paxt.* *foxglove-flwd* $\frac{1}{2}$ Δ or aut G. Paxt.C ... 1842. C p Paxt. mag. x.193
31008 - *tubiflora Hook.* *tube-flwd* $\frac{1}{2}$ Δ or 1 aut W S.Brazil 1841.D.C p Bot. mag. 3971
31009 - *pieta Hort.* *painted-lyd* $\frac{1}{2}$ Δ or ... aut Pa.B S.Amer. 1842. C p
2 *variegata* *variegated-lyd* $\frac{1}{2}$ Δ or ... aut Pa.B S.Amer. ... C p
31010 - *discolor* *two-cld.-lyd* $\frac{1}{2}$ Δ or 1 aut B Brazil 1843. C p
237. GLYCERIA.
31011 1968a *Borreri E. B.* *Borrer's* $\frac{1}{2}$ Δ w ... my.au Ap England ponds D aq Eng. bot. 2797
2080. GLY'CINE. See WISTA'RIA in p. 315., and in an after part of this Supplement.
31012 - *biloba Lindl.* *two-lobed* $\frac{1}{2}$ Δ or 20 n V Mexico 1827. S l.p Bot. reg. 1418
1736. GME'L'INA.
31013 15553a *Rhæcidi Hook.* *Rhæde's* $\frac{1}{2}$ Δ or 14 my O E. Indies ... C p.l Bot. mag. 4395
Cámbulu Rhæde.
2314. GNAPHA'LUM.
31014 - *decurrens Ives* *decurrent* $\frac{1}{2}$ Δ un $\frac{1}{2}$ jn.au Y.Br N. York 1829. S co
3'015 - *Schrædéri Dec.* *Schrader's* $\frac{1}{2}$ Δ un jn.jl P America 1837. D s.l
31016 - *citronum Dec.* *citron-cld* $\frac{1}{2}$ Δ un ... jn.jl Ci Chili 1835. D s.l
31017 - *pubërulum Dec.* *downy* $\frac{1}{2}$ Δ un jn.jl Pa.Y Chili 1837. D s.l
31018 - *Berteroianum Dec.* *Bertero's* $\frac{1}{2}$ Δ un au.s Br Chili 1835. S co
31019 - *candelabrum Horn.* *chandelier* $\frac{1}{2}$ Δ un ... jn.s W Australia 1836. S co
20908 *supinum Vil.*; syn. *Omalotheca supina* Dec.

1199. GNYDIA.
 31020 10174a ochroleuca Led. yellowish white \blacksquare or $1\frac{1}{2}$ ap.my Pa.Y C. G. Hl. 1820. C p.l Bot. cab. 1184
860. GNYDIUM.
 31021 6851a apiolides Spr. Apium like $\frac{1}{2}$ Δ un 2 jn.jl P.Y, Constanti.1816. D co Ven. cels. 97
Lascritium sitaifolium Jac. No. 7016., also 6766. under *G. vendosum*.
3617. 1183a. GODETIA Spach GODETIA. (Unexplained, but, doubtless, a Latinised proper name.) *Onagræca*.
 31022 - lépida Lindl. pretty \square or $1\frac{1}{2}$ au.s Pk Californ. 1835. S tl Bot. reg. 1849
 31023 - rubicunda Lindl. ruddy \square or 2 jl.au P. Fla Californ. 1834. S s.l Bot. reg. 1856
 31024 - vinda Lindl. wine-cld-*flwd* \square or 2 jl.au Bh Californ. 1835. S tl Bot. reg. 1880
 31025 10019a decumbens Dou. decumbent \square or 1 jn.n P Californ. 1827. S co Bot. mag. 2889
 31026 - viminea Dou. twiggy \square or 3 jn.s P Californ. 1826. S co Bot. mag. 2873
 31027 - tenuifolia R. & P. fine-leaved \square or 1 jn.s P Chili 1828. S co Sw. fl. gar. 2. s. 19
Gayana Sp.
 31028 - quadrivulnera Dou. 4-spotted-*petalcd* \square or $1\frac{1}{2}$ s Pk N. Amer. 1826. S co Bot. reg. 1119
 31029 - Lindleyi Dou. Lindley's \square or $1\frac{1}{2}$ jn.n P N. Amer. 1826. S co Bot. mag. 2832
bifrons Lindl. Bot. reg. 1405.
 31030 - albescens Lindl. whitish \square or $1\frac{1}{2}$ jn Pksh Columbia R. 1841 S co Bot. reg. 1842. 9
 31031 - grandiflora Lindl. large-flowered \square or $2\frac{1}{2}$ jn.au Pk Californ. 1838. S co Bot. reg. 1842. 61
 Nos. 10014. 10015. 10016. and 10019. also belong to this genus.
3618. 1581a. GODOYA R. & P. GONOYA. (*Em. de Godoy, Prince of the Peace*.) *Guttiferæ*. 1.—3.
 31032 - geminiflora Mart. bud-flowered \blacksquare or 8 Y Brazil 1820. C p.l Mart. br. 74
3619. 1727a. GOLDFUSSIA Nees (*Dr. Goldfuss, prof. nat. hist. at Bonn.*) *Acanthæcæ*. 13. and 1. doubtful.
 †15508 anisophylla Nees unequal-*lvd* \blacksquare or 3 ju.au B Silhet 1823. C lp Bot. mag. 3404
Ruëlla anisophylla Wal. *R. persicifolia* B. R. *R. amygdalifolia* Hort.
 31033 - isophylla N. von E. equal-leaved \blacksquare or 2 aut Pa.Li Silhet ... C s.p.l Botanist, 244
 31034 - glomerata N. von E. crowded-*flwd* \blacksquare or 1 n P Silhet 1838. C p.l Botanist, 155
1251. GOMPHOLOBIUM.
 31035 10524a tene Lindl. slender \blacksquare or 1 au Y N. Holl. 1830. C p Bot. reg. 1615
 31036 10527a venulosum Lindl. veiny-*lvd* \blacksquare or $1\frac{1}{2}$ jl.au Y N. Holl. 1830. C s.p Bot. reg. 1574
 31037 10533a capitatum Cun. headed-*flwd* \blacksquare or 2 jl Y N. Holl. 1830. S s.p Bot. reg. 1563
 31038 - angustifolium Ait. narrow-leaved \blacksquare or ... su Y N. Holl. 1825. C s.p
 31039 - aristatum Benth. awned \blacksquare or ... su Y Swau R. 1837. C s.p
 31040 - aduncum Cun. hooked \blacksquare or ... su Y N. S. W. 1837. C s.p
 31041 - versicolor Lindl. changeable-*clcd* \blacksquare or $1\frac{1}{2}$ mr.ap O.R.Y Swau R. 1839. C s.p Bot. reg. 1839. 43
 2 caudibus purpureis *Past. purp.-std* \blacksquare or $1\frac{1}{2}$ ap.my O.R.Y N. Holl. 1844. C s.p Paxt.mag. 12. 219
 31042 - Hendersoni Paxt. Hender's \blacksquare or 1 iny S.Y Swau R. 1841. C s.p Paxt.mag. 11. 103
 31043 - Drummondii Br. Drummond's \blacksquare or ... au.o Y Swau R. 1839. C s.p.l
 31044 - venustum Br. graceful \blacksquare or 1 jl Ro.P Swau R. ?1844. C s.p Bot. mag. 4258
737. GOMPHRENA.
 31045 - puichella Mart. pretty-*flwd* ? \square or $1\frac{1}{2}$ jl Ro Brazil ?1843. S s.l.p Bot. mag. 4064
 31046 - villosa Spreng. villous \blacksquare or cu ... jn.au St Mt. Video 1826. C s.p
 31047 - nigricans Mart. blackish-*flwd* \blacksquare or cu ... jn.au Dk Brazil 1827. C s.p
 31048 - callosa Spreng. callose \blacksquare or cu ... jn.s ... S. Amer. 1829. C s.p
 31049 - carnea Jac. flesh-*clcd-*flwd** \blacksquare or ... jls F S. Amer. 1829. C s.p
2546. GONGORA.
 31050 - folva Lindl. tawny $\frac{1}{2}$ Δ cu $\frac{1}{2}$ jl Y.B Mexico 1838. D p.r.w Bot. reg. 1839. 51
 31051 - bufonia Lindl. toad-*skinned* $\frac{1}{2}$ Δ cu 1 my Va Brazil 1838. O r.w.p Bot. reg. 1841. 2
 1 leucochila Lindl. white-lipped $\frac{1}{2}$ Δ or ... Pa.P.W.Y? Mexico ... D rough p Bot. reg. 1847. 17
 31052 - nigrita Lindl. blackish $\frac{1}{2}$ Δ cu ... su Dk.P Demerara 1838. D fib.p
 31053 - truncata Lindl. blunt-*flwd* $\frac{1}{2}$ Δ cu ... ap.my Pa.Y. Br. Mexico 1832. D fib.p Bot. reg. 1845. 56
 31054 - maculata Lindl. spotted-*flwd* $\frac{1}{2}$ Δ or 2 my.o Y.Spot Demerara 1832. D fib.p Bot. reg. 1616
 2 alba white-*flwd* $\frac{1}{2}$ Δ or 2 my.o W Brazil 1840. D fib.p
 3 tricolor three-coloured $\frac{1}{2}$ Δ or 2 my.o Go.Br.W.Panama 1842. D fib.p Bot. reg. 1847. 69
 4 ignea flame-coloured $\frac{1}{2}$ Δ or 2 my.o Fla Brazil 1837. D fib.p
3620. - GONIOPHLEBIUM Presl GONIOPHLEBIUM. (*Gonia, an angle, phleps, a vein.*) *Crypt. Filices*. 24.—1.
 31055 - merifolium Swz. Oleander-*lvd* $\frac{1}{2}$ Δ or 5 su Br Brazil 1837. D p.l
Polypodium merifolium F. & M.
 31056 - albo-punctatum J. Sm. white-dotted $\frac{1}{2}$ Δ or ... su Br.Y S. Amer. 1840. D p.l
 31057 - sepalum J. Sm. enclosed $\frac{1}{2}$ Δ or 1 ... Br Mexico 1841. D p.l Radd. bras. fil. 26
Polypodium hirsutissimum Radd.; *Acrostichum lepidopteris* Lang. et Fisch. ic. fil. t. 2.
 31058 - argutum J. Sm. sharp $\frac{1}{2}$ Δ or ... su Br Nepal 1845. D p.l
 31059 - latipes J. Sm. broad-footed $\frac{1}{2}$ Δ or ... su Br Brazil 1841. D p.l
 31060 - harpedes J. Sm. scimitar-like $\frac{1}{2}$ Δ or ... su Br Brazil 1841. D p.l
 Also Nos. 25340. 25356. 25358. 25370. as *G. menisciifolium* J. Sm., and 25372. of *Polypodium* L. in pp. 417, 418.
3621. 2941b. GONIOPTERIS Presl GONIOPTERIS. (*Gonia, an angle, pteris, a fern.*) *Crypt. Filices*. 24.—1.
 31061 - costata Wall. ribbed $\frac{1}{2}$ Δ or ... su Br.Y E. Indies ... D p.l
 31062 - urophylla Wall. tail-*lvd* $\frac{1}{2}$ Δ or ... su Br.Y E. Indies ... D p.l
 31063 - pennigera Forst. feathered $\frac{1}{2}$ Δ or ... su Br.Y N. Zeal. 1835. D p.l
 31064 - aspera J. Sm. rough $\frac{1}{2}$ Δ or ... aut Br.Y LofLuzon ... D p.l
Polypodium asperum Roxb.
 31065 - rubidium J. Sm. red $\frac{1}{2}$ Δ or ... su Br LofLuzon ... D p.l
 31066 - megalodes J. Sm. picture-like $\frac{1}{2}$ Δ or ... su Br W. Indies 1843. D p.l
 Also Nos. 25331. 25373. and 25388. in pp. 417, 418.
773. GONOLOBUS.
 31067 6183a viridiflorus Mey. green-flowered $\frac{1}{2}$ Δ cu 10 a G S. Amer. 1826. C p.l Bot. reg. 1126
 31068 - hispidus Hook. & Arn. hispid $\frac{1}{2}$ Δ or 4 jl Br Brazil 1837. C e Bot. mag. 3786
1944. GOODIA 17310 polysperma Dec.; syn. *Tephrothamnus tomentosus* G. Don.
 31069 - 2492. GOODYERA.
 - rubicunda Lindl. reddish-*flwd* $\frac{1}{2}$ Δ or ... jl.d W.R Manilla 1838. D l.p
Neottia rubicunda Blume.

2933. GORDONIA 18153 Hæmatóxylon Swz.; syn. *Laplæca Hæmatóxylon* G. Don.
3622. 114a. GOUFFEIA Robil. GOUFFEIA. (*Gouffé de la Cour*, a botanist of Marseilles.) *Caryophyllacæ*.
 31070 - holosteoides F. & M. Holosteum-lk \bigcirc or 2 jn.au W Russia 1836. S co
3623. 258a. GOVENIA Lindl. (*James Robert Gowen, Esq.*, an English botanist.) *Orchidacæ*. 2. or 3.
 31071 - superba Lindl. superb-*aspected* \times \square spl 5 f.mr O Mexico 1828. D s.lt Bot. reg. 1795
 - *Maillaria superba* Lex. & Lal.
- 31072 - *lilæica* Lindl. Lily-*flvd* \times \square el 1 jl Psh.W Mexico ?1837. D p.l Bot. reg. 1838. 13
 31073 - *Gårdneri* Hook. Gardner's \times \square or 2 d G.Y Organ Mts. 1837. D s.lt Bot. mag. 3660
 31074 - *utriculata* Lindl. bladder-*sheath* \times \square or 1 $\frac{1}{2}$ s W Jamaica ?1843. D p.r.w Bot. mag. 4151
Cymbidium utriculatum Sw. in Act. Nov. Ups. 6. p. 75., Lindl. Gen. et Sp. Orchid. p. 170.; *Limodorum utriculatum* Sw. Prodr. p. 119.
- 31075 - *fasciata* Lindl. handed-*flvd* \times \square or ?1 $\frac{1}{2}$ s Y.c. bands Mexico 1842. D rough p.s. Bot. r. 1845. 67
 31076 - *lagenophora* Lindl. bottle-bearing \times \square or ... sp W Mexico 1837. D fib.p
3624. 58a. GRABOWSKIA Schlech. (*Crabòwskia* G. Don.) (*H. Grabowski*, editor of Fl. Silesiaca.) *Solanacæ*.
 4694 boerhaaviafolia
Lycium boerhaaviafolium L. *Ehrétia halimifolia* Hérit. *Lycium heterophyllum* Murray.
 31077 - duplicata Arn. doubled \times \square cu 12 jl W Peru 1838. C co Bot. mag. 3841
3625. - GRAEFLISIA Boissier GRAEFLISIA. (It is not stated why so named.) *Cruciferæ*.
 31078 - saxifragifolia Boissier saxifrage-*lvd* \times \square or $\frac{3}{4}$ jl.au W Persia 1844. S rk
3626. 2523a. GRAMMOTOPHYLLUM Blume (*Grammata*, letters, phyllon, leaf) *Orchidacæ*.
 31079 - speciosum Blume showy \times \square spl 6 ... Y.Br E. Indies 1837. D p.r.w
Angraecum scriptum Ruin. *Epidendrum scriptum* L. *Cymbidium scriptum* Swz.
 31080 - multiflorum Lindl. many flowered \times \square or 2 ... Br.G Manila 1838. D p.r.w Bot. reg. 1839. 65
3627. 2940a. GRAMMITIS Swartz GRAMMITIS. (*Gramma*, writing.) *Crypt. Filices*. 24.—1.
 31081 - lanceolata Spr. lance-*lvd* \times \square or ... su Br.Y Mauritius 1824. D p.l
 31082 - linearis Spr. linear-*lvd* \times \square or ... su Br.Y Jamaica 1828. D p.l
 31083 - cucullata Blume hooded \times \square or ... su Br.Y 1. of Luzon 1840. D p.l
 31084 - hirta Blume hairy \times \square or ... su Br. 1. of Luzon 1840. D p.l
 31085 - australis Bonpl. Australian \times \square or ... su Br.Y N. S. W 1822. D p.l
 31086 - elongata Spr. elongated \times \square or ... su Br.Y W. Indies 1824. D p.l
 31087 - furcata Hook. forked-*lvd* \times \square or ... su Br.Y Trinidad 1826. D p.l
2381. GRANGEA 21730 chinensis Lam.; syn. *Myriogyne minima* Dec.
 21731 minima W.; syn. *Sphaeromorpha centipedia* Dec.
 Nos. 21735. and 21736. are referred to the genus *Dichrocephala* Dec.
53. GRATIOLA.
 31088 473a megalocarpa G. Don large-seeded \times \square pr ... jl.au Pa.Y N. Amer. 1828. D co
acuminata Ph.
 31089 473b pilosa G. Don hairy \times \square pr ... jl.au W N. Amer. 1827. D co
 31090 - tetragona Hook. square-*stmd* \times \square pr 1 au B B. Ayres 1830. D p.l Bot. mag. 3134
316. GREVILLEA.
 31091 2617a planifolia R. Br. MSS. flat-leaved \times \square or 2 ap.m.y Ro N. Holl. 1823. C p.l Bot. reg. 1383
concinna Lindl. not of others. *Scymonaria Swt.* in Gard. mag. vii. p. 506.
 31092 2620a canescens R. Br. hoary-*lvd* \times \square cu 5 ... G.taw P. Jacks. 1824. C s.p Bot. mag. 3185
 31093 - robusta Cun. robust \times \square or 80 ... O Moreton B. 1830. C l.p Bot. mag. 3184
 31094 - Calveyi R. Br. Calvey's \times \square or 5 jn.s R P. Jacks. 1829. C p.l Bot. mag. 3133
 31095 - aquifolia Ait. Holly-leaved \times \square or N. Holl. 1820. C l.p
 31096 - gibbosa Ait. gouty-*stemmed* \times \square or N. Holl. 1821. C l.p
 31097 - bipinnatifida R. Br. bipinnatifid \times \square or Swan R. 1837. C l.p
 31098 - ferruginea Sieb. rusty \times \square or 3 N. S. W. 1837. C l.p Botanist, 153
 31099 - Thelemanni Hallégel Thelemann's \times \square or C N. Holl. 1838. C s.p.l
 31100 - ceratophylla R. Br. horn-leaved \times \square or N. Holl. 1839. C s.p.l
 31101 - longifolia B. R. long-leaved \times \square or R.Y S. River 1836. C s.p.l
 31102 - Lawrenceana B. R. Mrs. Lawrence's \times \square or W S. River 1839. C s.p.l
 31103 - brachyantha B. R. short-flowered \times \square or P S. River ... C s.p.l
 31104 - eriostachya B. R. woolly-spiked \times \square or O S. River ... C s.p.l
2347. GRINDELIA.
 31105 21543a coronopifolia Leh. Coronopus-*lvd* \times \square or 1 $\frac{1}{2}$ j.l.s Y Mexico 1826. C l.p
 21545 ciliata W. en.; syn. *Aplonappus ciliatus* Dec.
3628. 2523a. GROBYA Lindl. GROBYA. (*Lord Grey of Groby*, a patron of horticulture.) *Orchidacæ*. 1.—
 31106 - Amherstii Lindl. Lady Amherst's \times \square or $\frac{1}{2}$ s Och.S Brazil 1829. D p.r.w Bot. reg. 1740
 31107 - galeata Lindl. helmeted \times \square or ... su G.P Brazil 1836. D fib.p
3629. - GU'NNIA Lindl. GUNNIA. (*Mr. Gunn*, of Van Diemen's Land.) *Orchidacæ*. 20.—1.
 31108 - picta Lindl. painted \times \square cu ? $\frac{1}{2}$... Dingy P Sydney 1838. D fib.p
2480. GYMNADE'NIA.
 31109 - humilis Lk. & Otto dwarf \times \square pr ... jn.jl P Naples 1825. R l.p Ten. fl. neap. 90
O'rchis Nicodemii Tenore.
2904. GYMNORAMA.
 31110 - charophylla Desf. Clervil-*lvd* \times \square or $\frac{1}{2}$ j Br Brazil ... D l.p H. & G. ic. 61.45
 31111 - tonenbosa Desv. hairy \times \square or 2 jl Br Brazil 1831. D l.p Radd. fl. bras. 19
 31112 - ochracea Presl yellow \times \square or 1 inr Y B. Ayres ... D l.p
 31113 - cordata Schleg. cordate \times \square or 1 jl.o Br C. G. H. 1838. D s.p
 31114 - Massonii Hort. Masson's \times \square or 1 jn.n Br hybrid 1838. D s.p [D. Cameron.]
 31115 25321a villosa Lk. villose \times \square or ... jn.s Br Brazil 1836. D p.l
Leptogramma villosa J. Sm.
 31116 - hybrida Lk. hybrid \times \square or ... su Y S. Amer. ... D p.l
 31117 - vestita Wall. clothed \times \square or ... su Br.Y W. Indies ... D p.l
 31118 - javanica Bl. Javanese \times \square or ... su Br.Y Java ... D p.l
 31119 - falcata J. Sm. falcate \times \square or ... su Br.Y W. Indies ... D p.l
Hemionitis falcata Hamilton.

3630. 2901c. GYMNOPTERIS *Presl* GYMNOPTERIS. (*Gymnos*, naked, *pterus*, a fern.) *Crypt. Filices*. 24.—1.
 31120 - - *normalis* *J. Sm.* normal $\checkmark \square \Delta$ or ... su Br. Y. Samar. ... D p.l
 31121 - - *taccaefolia* *J. Sm.* yew-lvd $\checkmark \square \Delta$ or ... jn Br. Y. E. Indies ... D p.l
 31122 - - *acuminata* *W.* acuminate $\checkmark \square \Delta$ or ... aut Br. Y. 1831. D p.l
Polybotrya acuminata.
 31123 - - *quercifolia* *Benth.* oak-lvd $\checkmark \square \Delta$ or Br. W. Indies 1840. D p.l
 31124 - - *platyphychos* *J. Sm.* broad-tip $\checkmark \square \Delta$ or Br. W. Indies ... D p.l
 31125 - - *ophioglossoides* *Kaulf.* adder's tongue $\checkmark \square \Delta$ or ... su Br. W. Indies ... D p.l
 31126 - - *subrepanda* *J. Sm.* subrepand $\checkmark \square \Delta$ or ... su Br. Y. I. of Luzon ... D p.l
 31127 - - *triloba* *J. Sm.* three-lobed $\checkmark \square \Delta$ or ... aut Br. Y. I. of Luzon ... D p.l
 31128 - - *axillaris* *Presl* axillary-flwd $\checkmark \square \Delta$ or ... su Br. Y. I. of Luzon ... D p.l
Acrostichum axillare Cav.; *Leptochilus axillaris* Kaulf.

3631. - - GYMNOSPHERA *Blume* GYMNAS. (*Gymnos*, naked, *sphaira*, a sphere.) *Crypt. Filices* 24.—1.
 31129 - - *squamulata* *Blume* scaly $\checkmark \square \Delta$ or ... ap.au Br. Malacca ... D p.l

3632. 1173a. GYPSOCA'LLIS *Sal.* MOOR HEATH (*Gypsos*, lime, *kallos*, beauty; habitat.) *Ericaceæ.*
 31130 9940a *vagens* *Sal.* wandering $\square \Delta$ or 1 jl.au R. Cornw. hea. L s.p Eng. bot. 3
Erica vagans L., No. 9814. in p. 152.
 2 *pallida* *G. Don* pale $\square \Delta$ or 1 jn.au Pa.R L s.p
 3 *rubescens* *Bree* rubescent $\square \Delta$ or 1 jl.au Pa.R Cornw. hea. L. C s
 ? The same as the preceding var.
 4 *purpurascens* *Bree* purplish $\square \Delta$ or 1 jl.au Psh Cornw. hea. L. C s
 5 *alba* *G. Don* white-flwd $\square \Delta$ or 1 jl.au W L s.p
 6 *tencilla* *G. Don* delicate $\square \Delta$ or 1 jl.au W Europe ... L s.p
 31131 9940b *multiflora* *D. Don* many-flowered $\square \Delta$ or 2 jn.n F France 1731. C s.p Bot. cab. 1572
Erica multiflora L. &c., No. 9847. in p. 152.
 2 *alba* *Hort.* white $\square \Delta$ or 2 jn.n W Europe ... C s.p
 31132 9940c *carnea* *D. Don* flesh-ld-flwd $\square \Delta$ or 1 ja.ap F Germany 1763. L s.p Bot. mag. 11
Erica carnea L. &c., No. 9810. in p. 152.
 2 *herbacea* *Hwl.* herbaceous $\square \Delta$ pr 1/2 jn.ap Pk L s.p
 31133 9940d *mediterranea* *D. Don* Mediterr. $\square \Delta$ or 4 mr.my P Portugal 1648. C s.p Bot. mag. 471
Erica mediterranea L. &c., No. 9811. in p. 152.
 Nos. 9494. 9600. 9796. 9815. and 9826. are also referrible to this genus.

1384. GYPSO'PHILA.
 31134 11353a *pubescens* *L. d.* pubescent $\checkmark \Delta$ or 1 jo.jl W Siberia 1829. S co
 31135 - - *Gmelini* *Led.* Gmelin's $\checkmark \Delta$... 1 au W 1831. D co [D. Cameron.]
 31136 - - *saligna* *Schr.* willow $\checkmark \Delta$ pr ... jn.s Pk Europe 1837. D p.l
 31137 - - *Arrostii* *Guss.* Arrosti's $\checkmark \Delta$ un ... jn.s W Calabria 1835. S p.l
 31138 - - *Rokejka* *Dec.* Rokejka $\checkmark \Delta$ un ... jn.au W Egypt 1837. S p.l
 31139 - - *ocellata* *Dec.* eyed $\checkmark \Delta$ un ... jn.au W Greece 1838. S p.l
 31140 - - *spinosa* *Dec.* spiny $\checkmark \Delta$ pr ... jn.jl Pk Persia 1837. S p.l

3633. - - GYRE'NIA *K. & W.* GYRENIA. (*Gyros*, a circle.) ? *Asphodelææ.*
 31141 - - *biflora* *K. & W.* two-flowered $\checkmark \square$ or 2 s.o Gsh Mexico 1837. D p.l

3634. 1645a. GYROSTE'MON *Desf.* (*Gyros*, circle, *stemon*, stamen; concentric arrangement.) 22. 12. *Tiliacæ* ? 4.
 31142 - - *attenuatus* *Hook.* attenuated \uparrow cu 25 Moreton B. 1830. C 1 p Bot. mis. 53
Codonocarpus australis *Cun.* The male flowers of this plant have never been seen, and when they are, should they prove unlike those of *Gyrostemon*, the plant will be the type of the genus *Codonocarpus* *Cun.*

2483. HABENARIA.
 31143 22506a *procera* *Lindl.* tall-stemmed $\checkmark \square \Delta$ cu 2 au W.G S. Leone 1835 D p.r.w Bot. reg. 1859
 31144 - - *gigantea* *Sm.* gigantic $\checkmark \square \Delta$ or 4 ... Gsh.w Bombay 1834. O p.l Bot. mag. 3374
 31145 - - *goodyeroides* *D. Don* Goodyera-like $\checkmark \square \Delta$ or 1 d W Bombay 1834. O p.l Bot. mag. 3397
 31146 22507a *cordata* *Hook.* cordate $\checkmark \square \Delta$ or ... G Madeira 1830. O p.l
 31147 - - *candida* *Lindl.* white-flwd. $\checkmark \square \Delta$ or 1 ... W S. Leone 1844. O p.l

3635. 729a. HABLITZIA *Bieb.* (*M. C. Von Hablitz*, author of travels in the Crimea.) 5. 1. *Chenopodiææ.*
 31148 - - *tamulodes* *Bieb.* Tamul-like $\checkmark \Delta$... jl.o W Caucasus 1828. S

975. HABRANTHUS.
 8028 *gracilitolus*
 31149 8031a *robustus* *Herb.* Booth's $\checkmark \Delta$ pr 1/2 o Pk B. Ayres 1836. O s.l Bot. reg. 1964
 31150 - - *Bagnoldi* *Herb.* Bagnold's $\checkmark \Delta$ or 1 n jn.jl R B. Ayres 1827. O r.m Sw. fl. gar. 2. s. 14
 31151 - - *Andersoni* *Herb.* Anderson's $\checkmark \Delta$ or 1 ap my Y.R M. Video 1829. O s.l Bot. reg. 1396
 5 *texanus* *Herb.* Texian $\checkmark \Delta$ or 1 ... Y Texas 1834. O s.l Bot. inag. 3596
 31152 - - *miniatus* *D. Don* red-flowered $\checkmark \Delta$ or 1/2 jl R Chili 1832. O lt.s Sw. fl. gar. 2. s. 213
 31153 - - *roseus* *Sunt.* rosy $\checkmark \Delta$ or 1/2 jn Ro Chiloe 1828. O r.l Sw. fl. gar. 2. s. 107
 31154 - - *pallidus* *B. C.* pale-flowered $\checkmark \Delta$ or 1 jn Pk Valparai. 1830. O r.m Bot. cab. 1760
 31155 - - *phycelloides* *Herb.* Phycella-like $\checkmark \Delta$ or 3/4 o S Chili 1805. O r.m Bot. reg. 1417
 31156 - - *pumilus* *B. C.* dwarf $\checkmark \Delta$ or 3/4 au R Chili 1831. O s.l Bot. cab. 1771
 31157 - - *pratensis* *Herb.* meadow $\checkmark \Delta$ or 1 my S.Y S. Chili 1840. O 1 Bot. reg. 1842. 35
 2 *quadriflora* *Herb.* 4-flowered $\checkmark \Delta$ or 1 my S.Y S. Chili 1840. O 1
 31158 - - *kermestinus* *Lindl.* crimson $\checkmark \Delta$ or ... aut C Brazil ... O s.l
 31159 - - *nobilis* *Herb.* noble $\checkmark \Delta$ or ... aut C Brazil ... O s.l
 Probably a var. of *kermestinus*.
 31160 - - *concolor* *Lindl.* whole-ld-flwd $\checkmark \Delta$ or 1 1/2 ap.my Straw Mexico ?1844. O s.l.p Bot. reg. 1845. 54

3636. 583a. HABROTHAMNUS *Endl.* HABROTHAMNUS. (*Abrus*, gay, *thamnos*, a shoot.) *Cestracææ.* 5.—1.
 31161 - - *fasciculatus* *Endl.* cluster-flwd $\checkmark \square$ or 5 ap.my S Mexico 1843. C lt.l Bot. mag. 4183
Meyenia fasciculata *Schlecht.*; *H. elegans* *Scheidweiler*; *H. purpureus* *Lindl.* Bot. reg. 1844. 43. *Cestrum roseum* *Hort.*, not of *H. B. & K.*
 31162 - - *corymbosus* *Endl.* corymb-flwd $\checkmark \square$ or 5 my.jn R Mexico ?1843. C lt.l Bot. mag. 4201
Meyenia corymbosa *Schlecht.*
 31163 - - *elegans* *Humb.* elegant $\checkmark \square$ or 4 jl.au P Mexico 1846. C lt
 31164 - - *corymbosus* *Lindl.* corymbose $\checkmark \square$ or 4 jl.au P Mexico ... C lt
 31165 - - *tomentosus* *Lindl.* tomentose $\checkmark \square$ or 4 jl.au P Mexico ... C lt
 31166 - - *cyaneus* *Lindl.* blue-flwd $\checkmark \square$ or 5 jl.au Dp.v Loxa 1843. C lt.m Bot. reg. 1845. 20
Iochroma tubulosa *Benth.*

960. HÆMA'NTHUS.
 31167 - tenuiflorus *W. Herb.* slender-flowered ♂ or 1 ap Br Mozamb. 1839. D rub.s.l Bot. mag. 3870
 7771 magnificus *Herb.* splendid ♀ or 1 ½ my.s S S. Africa 1838. O r.m
317. HA'KEA.
 31168 2673a myricaefolia *Ait.* Gale-leaved or N. Holl. 1823. C s.p Sw. au 455
 ferruginea *Cun.* rusty-barked or 6 my.jl Pa.y N. Holl. 1825. C s.p Bot. mag. 3424
 31169 - arborescens *Ait.* arborescent or N. Holl. 1820. C s.p
 31170 - cristata *R. Br.* crested or Swam R. 1837. C s.p
 31171 - denticulata *R. Br.* denticulated or K. G. S. 1837. C s.p
 31172 - laurina *R. Br.* Laurel-leaved or W N. Holl. 1830. C l.p
 31173 - Baxteri *R. Br.* Baxter's or W N. Holl. 1830. C l.p
 31174 - tuberculata *R. Br.* tubercled or ... my.o W N. Holl. 1830. C l.p
 31175 - undulata *B. R.* waved-*lvd* or S. River ... C s.p
 31176 - trifloris *B. R.* three-formed or S. River ... C s.p
 31177 - glabella *B. R.* smooth or S. River ... C s.p
 31178 - Victoriæ *Hook.* Queen Victoria's or ... W.y S. River ... C s.p
 31179 - pilulifera *B. R.* hair-bearing or S. River ... C s.p
 31180 - cyclocarpa *B. R.* round-fruited or S. River ... C s.p
 31181 - mixta *B. R.* mixed or S. River ... C s.p
3637. 289a. HALIMOCNE'MIS *Mey.* HALIMOCNEMIS. (*Hals*, the sea, *kneme*, a knee.) *Chenopodiæ*. 3.—2.
 31182 - voluta *Mey.* caterpillar un ... jl.au G Tartary 1828. S co
 31183 - sibiricum *R. & S.* Siberian un ... jl.au W Siberia 1829. S co
 31184 - oppositifolium *R. & S.* opposite-*lvd* un ... jl.au W Tartary 1829. S co
 31185 - crassifolium *R. & S.* thick-*lvd* un ... jl.au W Astracan 1828. S co
 31186 - sclerospermum *R. & S.* hard-seeded un ... jl.au W Astracan 1821. S co
3638. 23a. HALOCNE'MUM *Bieb.* HALOCNEMUM. (*Hals*, the sea, *kneme*, a knee.) *Chenopodiæ*. 1.—2.
 31187 - caspicum *R. & S.* Caspian un ... jl.au G Caucasus 1827. S lt
3639. 214a. HARDENBER'GIA *Benth.* HARDENBER. (*Frances Countess Hardenberg.*) *Leguminosæ*.
Kennedy's sps. Vent. and others.
 †19387 monophylla *Benth.* one-leaved or 10 mr.jn P N. S. W. 1790. C s.p Bot. mag. 263
 †2 longiracemosa long-racemed or 10 mr.jn Pk Australia 1828. C s.p Bot. mag. 1336
 †19388 ovata *Benth.* ovate-*lvd* or 6 my.au P N. Holl. 1818. C s.p Bot. mag. 2169
latifolia *Lindl.*
 †19384 Comptoniana *Benth.* Compton's or 12 mr.jn B N. Holl. 1803. C s.p Bot. rep. 298
 31188 - cordata *Benth.* heart-leaved or ... su P Australia 1820. C s.p
 31189 - macrophylla *Lindl.* long-leaved or 15 su P S. River 1835. C s.p Bot. reg. 1862
 31190 - digitata *Lindl.* finger-leaved or 10 sp P S. River 1839. C s.p Bot. reg. 1810. 60
3640. 2206a. HARPA'LYCE D. Don HARPALYCE. (*Harpalyce*, daughter of *Lycurgus*.) *Comp. Cich.* 6.—8.
 31191 - alba *D. Don* white or 3 jl.au W N. Amer. 1762. D p.l Bot. mag. 1079
Prenanthes alba L. No. 19904. Nos. 19906, 19907, 19908, 19910, and 19911. also belong to this genus.
3641. - HARTWEG'IA *Lindl.* HARTWEGIA. (*M. Theodora Hartweg*, collector of Hort. Soc.) *Orchid.* 20.—1.
 31192 - purpurea *Lindl.* purple-*lvd* or 1 su P Vera Cruz 1836. D fib.p
 1 angustifolia *Lindl.* narrow-*lvd* or 1 su Pk Guatemala 1841. D fib.p
 31193 - crassifolia *Lindl.* thick-*lvd* ... 1 ap.jn P Guatemala 1814. D fib.p
1014. HAWO'RTHIA.
 31194 8355a chariperia *Hau.* clear-pearled or ½ my.au G.v C. G. H. 1824. Sk.s.l
3642. 2337a. HAXTO'NIA *Caley.* (*John Haxton*, gardener attached to Lord Macartney's expedition to China.) *Comp.*
 31195 - argophylla *Caley.* *Aster argophyllus* Lab. Mr. David Don describes and defines this genus in the Edinburgh New Philosophical Journal, Oct. 1831, p. 272, and refers to it the *Aster argophyllus* Lab., viscosus Lab., phlogopappus Lab., stellulatus Lab., and tomentosus Willd. and Hort. kew.
3643. 974a. HAYLO'CKIA *Herb.* HAYLOCKIA. (*Matthew Haylock*, gard. to Mr. Herbert.) 6. 1. *Amaryllidæ*. 1.
 31196 - pusilla *Herb.* dwarf or ½ s Str B. Ayres 1829. O s.l Bot. reg. 1371
3644. 584a. HEBECLA'DUS *Miers* HEBECLADUS. (*Ebe*, down, *klados*, a slender stem) *Solanææ*. 5.—1.
 31197 - biflorus *Miers* twin-flwd or 2 jl.au G.P Peru ?1844. C lt.l Bot. mag. 4192
Atropa biflora R. & P.
1735. HEBENSTREI'TIA Nos. 15545, 15546, and 15549 in p. 245 are now referred to the genus *Dischinia* Choisy.
3645. 204a. HEDARO'MA *Lindl.* HEOAROMA. (*Hedys*, sweet, *aroma*, perfume.) *Myrtacæ*. 16.—8.
 31198 - latifolia *Lindl.* broad-*lvd* or ... my.jl G.P S. River ... L s.p
 31199 - pinifolia *Lindl.* pine-leaved or ... my.jl P S. River ... L s.p
 31200 - thymoides *Lindl.* thyme-leaved or ... my.jl P S. River ... L s.p
718. HE'DERA 5891 Hélix
 2 canariensis *Dec.* Canary or 20 o.n G Caucaries ... L co Mag. ber. II. 5. 1
H. canariensis Willd. *Hort. Brit.* No. 5892. or 30 o.n G N. India ... L co
 ? 3 chrysocarpa *Dec.* yellow-berried or 30 o.n G Britain ... L co
H. poetica C. Bauh. ? *Hort. Brit.* II. H. 2. *H. chrysocarpa* Dalech. H. *Dionysias* J. Bauh. H. Hélix Wall.
 4 fol. argenteis *Lod.* silv. striped-*lvd* or 20 o.n G Britain ... L co
 5 foliis adreis *Lod.* gold-striped-*lvd* or 20 o.n G Britain ... L co
 6 digitata *Lod.* palmate-leaved or 20 o.n G Britain ... L co
 7 arborescens *Lod.* arborescent or 8 o.n G Britain ... L co
 8 taurica *Booth* Taurian or ... o.n G Tauria 1841. L co
 This variety has small dark green leaves.
- 31201 - emarginata emarginate or ?G 1848. C p.l [K. & P.]
6. HEDY'CHIUM.
 31202 - stenopetalum *Wal.* narrow-petaled or 7 mr W India 1830. ?D r.l Bot. cab. 1902
 31203 - urophyllum *Wal.* ? tailed-*lvd* fra 5 s Y India 1828. D r.l Bot. cab. 1785
388. HEDYO'TIS.
 31204 - gracilis *Fis.* slender un ... jn.o W Nepal 1828. S s.l.p
Kohatia gracilis *Dec.*
- 2123 HEDY'SARUM 19135 sibiricum *Bot. Gard.* No. 781.

31205	12200a	myrtifolia Hort.	Myrtle-leaved	■	or 5 ...	Y	S. Amer.	1896.	C	l.p
31206	-	linariaefolia Hort.	Linaria-leaved	■	or 5 ...	Y	S. Amer.	1829.	C	l.p
	12200	salicifolia								
		2 grandiflora	great-flwd	■	or 5 aut	Y	C	l.p
3646.	7638a.	HE'NSIA Dec.	HE'NSIA. (<i>Heinsius</i> , translator of Theophrastus.)							<i>Rubiacea.</i>
31207	-	jasminiflora Dec.	jasmine-flwd	■ □	or 4 s	W	Africa	...	C	p l
	2359.	HELENIUM.								
31208	-	undulatum Maund	waved-leaved	Δ	or 3 au.s	Y	Californ.	1830.	D	co
	1590.	HELIA'NTHIUM.								
31209	13978a	ellipticum Pers.	elliptic-leaved	■	or 3 jn.jl	Y	Spain	...	C	s.p
31210	14019a	pulchellum Swt.	neat	■	or ½ my.jl	Y	S. Europe	...	C	co
		atpestre Spr.								
	14045	hyssopifolium								
	4 crocaticum Swt.	saffron-coloured	■	or ½ ...	Cop	Eurnpe	...	C	co	Sw. cis. 93
31211	14045a	Milleri Swt.	Miller's	■	or ½ my.jl	Cop	S. Europe?	...	C	co
31212	14046a	barbatum Pers.	hearded-stipuled	■	or 1 jn.jl	Y	S. Europe	...	C	co
31213	-	tauricum Pis.	Taurian	■	or 1 my.jl	Y	Tauria	...	C	co
31214	14048a	microphyllum Swt.	small-leaved	■	or ½ my.jl	Y	C	en
31215	14051a	macranthum Swt.	long-flowered	■	or 1 my.jl	W.Y	C	co
	2 multiplex Swt.	manifold		■	or 1 my.jl	W.Y	C	en
31216	14053a	confusum Swt.	confused	■	or ½ ...	W	S. Europe	...	C	co
31217	-	stramineum Swt.	straw-coloured	■	or ½ ...	St	Europe	...	C	co
	2 multiplex Swt.	manifold		■	or ½ ...	St	Europe	...	C	co
31218	-	Andersoni Swt.	Anderson's	■	or ½ my.jn	St	S. Europe	...	C	co
31219	14063a	racemosum Dunal	racemose	■	or 1 my.s	W	S. Europe	1820.	C	s.p
31220	14073a	cupreum Swt.	copper-flwd	■	or ½ jn.jl	R	hybrid?	...	C	co
	14075	mutabile								
	2 rouseum Swt.	rose	■	or 1 jn.au	R	S. Europe	...	C	co	Sw. au. 106
	14076	rouseum								
	2 multiplex Swt.	manifold		■	pr ½ jn.jl	Pk	1815.	C	s.p
31221	14076a	diversifolium Swt.	divers-leaved	■	or ½ ...	F	Europe	...	C	co
	13063	umbellatum								
	2 erectum Dec.	erect-stemmed	■	or ... jn.au	W	C	p.l	Sw. cis. 5
	3 Cistus umbellatus Lam.	<i>Cistus verticillatus</i> Brot.								
	3 subdecumbens Dec.	subdecumbent	■	or ... jn.au	W	C	p.l	
		<i>Cistus umbellatus</i> var. α Lam.								
	14037	vulgare Gac.								
		vars. Lee's new double yellow, with dark yellow flowers.								Varieties bearing the names of fl. pl. lnto majus and sanguineum fol. variegatis, have been raised by Mr. Pope of the Hlandsworth Nursery.
31222	14042a	lucidum Horn.	shining-leaved	■	or 1 my.jn	Y	1826.	C	s.l
31223	14057a	lanceolatum Swt.	lanceolate-td	■	or 1 my.au	W.y	hybrid	1818.	C	s.p
	2409.	HELIA'NTHUS.								
31224	21934a	ovatus Leh.	ovate-leaved	○	or 4 jn.o	Y	Mexico	1829.	S	co
31225	21935a	lenticularis Dou.	lenticular	○	or 6 au	Y	N. Amer.	1827.	S	co
31226	21961a	patesus Leh.	spreading	Δ	or 3 jlo	Y	N. Amer.	?1829.	D	co
31227	-	petiolaris Nut.	long-petioled	○	or 3 au.n	Y	Arkansa	1826.	S	co
		asper Roth.								Sw. fl. gar 2.s. 75
31228	-	speciosus Hook.	showy-inflor.	○	or 5 s.n	R	Jorullo?	1833.	S	co
		<i>Letghia speciosa.</i>								Bot. mag. 3295
	21949	linearis Cav.; syn. <i>Leighia linearis</i> Dec.								
3647.	2537b.	HE'LCIA Lindl.	HELCIA. (<i>Helcium</i> , the collar of a horse.)							<i>Orchidaceae.</i>
31229	-	sanguinolenta Lindl.	bloody	£ □	cu	G.W.R.spts.	Guayaquil	1844.	D
	2323.	HELICHRYSUM.								
31230	20977a	incanum Hook.	hoary	£ Δ	pr 2 my	P.y	V. D. L.	1826.	S	s.p
31231	20978a	affine D. Don	related	■	or 1½ jls	Pa.Y	C. G. H.	...	D	s.l
		<i>Gnaphalium arenarium</i> Thun.								
	20992	bracteatum								
	2 involucre albido	whitish-invol.	○	or 3 jlo	Y	Cambr.	1833.	?S	co	
31232	20992a	bicolor Lindl.	two-coloured	○	or 3? au	Y	V. D. L.	1835.	?S	co
31233	-	macranthum Benth.	large-flowered	Δ	or ...	W	Swan R.	1837.	C	s.p
31234	-	spectabile G. Don	showy	□	or 2 my.jl	W	Swan R.	1841.	S	co
31235	-	niveum Grah.	snowy	Δ	or 4 jn	W.Y	Swan R.	1838.	D	co
31236	-	macranthum Benth.	large-flowered	○	or 2 au.s	W	Swan R.	1838.	S	co
31237	-	rupesire Dec.	rock-inhabiting	■	or ... jn.o	Y	Naples	1830.	C	s.p
31238	-	scorpioides Dec.	scorpion-like	■	or ... year	Y	V. D. L.	1837.	C	s.p
31239	-	robustum Paxt.	robust	□	or ... au.o	Y.W	Swan R.	1839.	S	lt
	20982	candidissimum Bieb.; syn. <i>Cladochaeta candidissima</i> Dec.								
	745.	HELICONIA.								
31240	-	bicolor Bot.	two-coloured	£ □	or 3 ...	W.c	Brazil	?1828.	D	p.l
31241	-	pulverulenta Lindl.	dusted-leaved	£ □	or 2 jl	G.s	S. Amer.	?1830.	?D	p.l
	1993.	HELICTERES.								
31242	17745a	virgata Wal.	twiggly	■ □	or 6 ...	R	E. Indies	1831.	C	l.p
31243	-	elongata H. C.	lengthened	■ □	or 6 ...	R	E. Indies	1831.	C	l.p
	1902.	HELIO'PHILA.								
	†16700	trifida Thunb.	trifid	○	pr ¾ jn.jl	B	C. G. H.	1819.	S	s.p
	424.	HELIO'TROPIUM 3476 peruvianum								
	3 Voltairicum Hort.	Voltaire's	■	fra 2 my.s	Dp.Li	hybrid	1847.	C	r.m	
31244	3493a	egyptiacum G. Don	Egyptian	○	or ... jn.o	W	Egypt	1824.	S	r.m
	3486	supinum L. Syn. <i>Piptoclaina supina</i> G. Don.								
31245	-	incanum	hoary	■	or ?2 my.s	W	Peru	?1844.	C	lt
	1641.	HELLE'BORUS.								
31246	-	orientalis Dec.	Eastern	£ Δ	or 1 f.mr	Psh	Greece	1841.	D	s.p
		<i>H. officinalis</i> Fl.Grac. t. 583.								Bot. reg. 1842. 34

- 31247 - - vernalis *D. Don* spring ½ Δ or ⅓ f W Austria 1596. D co Sw.fl.gar.2.s.186
 31248 - - olympicus *Lindl.* Olympian ½ Δ or 2 jn G Bithynia 1842. D s.p Bot. reg. 1842. 58
 31249 - - cypreus *Otto* copper-fld.-ftwd ½ Δ or ... ja.my Cop 1838. D s.p
 31250 - - graveolens *Otto* strong-scented ½ Δ or ... ja.my Pa.y 1838. D s.p
 31251 - - pallidus *Otto* pale-ftwd ½ Δ or ... ja.my W.G 1838. D s.p
9. HELLENIA.
 31252 122a abnormis *Lindl.* irregular ½ □ or 10 s W China 1824. D s.l
3648. - - HELMINTHOSTA·CHYS *Kauf.* (*Helminthion*, a little worm, *stachys*, a spike.) *Crypt. Fil.* 24.—1.
 31253 - - dulcis *Kauf.* sweet ½ □ cu ... jl.n Br I.ofLuzon ... D p.l
1121. HELONIAS *L.* 9165 erythropsperma *Max.*, syn. *Amidanthium Muscatelicum* Gray.
 9166 angustifolia *Max.*, syn. *Amidanthium angustifolium* Gray.
3649. 848a. HELOSCIA·DIUM *Koch* HELOSCIADIUM. (*Helos*, marsh, *skiadion*, umbel.) *Umbelliferae.* 5.—7.
 31254 - - nodiflorum *Koch* knot-flowered ½ Δ w ½ jl au W Britain rivul. D aq Eng.bot. 639
Sium nodiflorum *L.* No. 6796. Nos. 6797. and 6804. nf *Sium*, and Nos. 6809. and 6810. of *Sison*, also belong to this genus.
1007. HEMEROCALLIS 8216 fulva
 2 variegata striped-*lvd* ½ Δ or 4 jn au Cop gardens ... D co [*J. Creec.*]
 3 flore-pleno double-flowered ½ Δ or 4 jn au Cop gardens ... D co [*J. Creec.*]
3650. - - HEMIA·NDRA *Benth.* HEMIANDRA. (*Hemisis*, half, *ancr*, an anther; dimidiata anthers.) *Labiâte.*
 31255 - - rupesstris *Benth.* rock ½ □ or S. River 1837. C s.l
 31256 - - emarginata *Lindl.* emarginate ½ □ or ... my.au W.Pk.S River 1841. C s.l
 31257 - - brevipolia *Lindl.* short-leaved ½ □ or S. River ... C s.l
 31258 - - hirsuta *Lindl.* hairy ½ □ or S. River ... C s.l
3651. 326a. HEMICL·VDIA *R. Br.* (Probably from *hemisus*, half, *kleio*, to shut up.) 4. 1. *Protocæcæ.*
 31259 - - Baxteri *R. Br.* Baxter's ½ □ or 3 jn Y Lucky Bay ... C p.l Bot. reg. 1455
Dryandra falcata *R. Br. Hort. brit.* No. 2736.
3652. - - HEMIDI·CTYUM *Prest* HEMIDICTYUM. (?*Hemisis*, half, *diktyon*, a net.) *Crypt. Fliccs.* 24.—1.
 31260 - - marginatum *Hook.* marginate ½ □ pr Br S. Amer. ... D p.l Hook. fil. t. 55
3653. 1692a. HEMIGE·NIA *G. Don* HEMIGENIA. (*Hemi*, half, *genia*, offspring; anth. one-celled.) *Labiâte.* 14.—1.
 31261 - - purpurea *G. Don* purple-ftwd ½ □ or ... ap.au P N.S.W. 1824. C s.p.l
3654. 2903a. HEMIGO·NIUM *J. Sm.* HEMIGONIUM. (*Hemi*, half, *gonia*, an angle.) *Crypt. Fil.* 24.—1.
 31262 - - caducum *J. Sm.* naked ½ □ cu ... my.s Br W. Indies ... D p.l
Aspidium caducum *Wall.*
2903. HEMIONI·TIS.
 31263 - - pinnata *J. Sm.* pinnate ½ □ or ... aut Br.v E. Indies ... D p.l
 31264 - - cordata *Rozb.* cordate-*lvd* ½ □ or ... aut Br.v E. Indies ... D p.l
3655. 2941a. HEMITELIA *R.Br.* HEMITELIA. (*Hemi*, half, *telia*, a bucket; indusium.) *Crypt. Fil.* 21.—1.
 31265 - - multiflora *Spr.* many-flwd ½ □ cu Br Jamaica 1824. S p.l
 31266 - - hirsuta *R. Br.* horrid ½ □ or?20 Br Jamaica 1843. S p.l Hook. sp. fil. 15
3656. 1727d. HENFREYA *Lindl.* HENFREYA. (*A. Henfrey*, Esq., a distinguished botanist.) *Acanthæcæ.* 14.—2.
 31267 - - scandens *Lindl.* climbing ½ □ or ... ap.ny W S. Leone ?1844. C s.p.l Bot. reg. 1847. 31
1628. HEPA·TICA 14394 americana
 2 álba white-*flowercd* ½ Δ or ⅓ fap W N. Amer. 1835. D s.l [*J. Creec.*]
 3 rubra red-*flowercd* ½ Δ or ⅓ fap R N. Amer. 1835. D s.l [*J. Creec.*]
2256. HERACA·NTHA 20447 arménia *G. Don*; syn. *Onobroma arménium* Dec.
 Nos. 20448 and 20449 in p. 332. are referred to the genus *Kentrophytum* Dec.
884. HERACLEUM.
 31268 - - dissectum *Lod.* jagged-*laved* ½ Δ un 3 jl W Altaia ... S cn
 31269 - - setosum *Lap.* bristly ½ Δ S co
1913. HERBE·RTIA.
 31270 - - pusilla *Swt.* small ½ Δ or ... jn.au St Brazil 1830. O lt
Ferraria pusilla *Link and Otto.*
 31271 - - Drummondii *Herb.* Drummond's ½ Δ or V Texas 1839. O lt
1916. HERMA·NNIA.
 31272 - - inflata *Otto* inflated ½ □ cu 3 au Taw S. Amer. 1829. C l.p
2490. HERMPNIUM.
 31273 - - cordata *Lindl.* heart-*laved* ½ Δ fra ¾ mr.n Ysh.c N.W.Af. 1830. D p.l Bot. mag. 3164
Habenaria cordata *Hooker, Bot. mag.* 3164.
 31274 - - congestum *Lindl.* crowded-*infor.* ½ □ or ... jn.jl W Ncpal 1840. R s.l.p
813. HERNIARIA.
 31275 6532a ciliata *Bab.* ciliated ¼ Δ cu ¼ jl.au G England gra. soil S 1.p E. B. 2857
1801. HERPE·STIS.
 31276 16009a semiserrata *Otto* semiserrate ¾ Δ un ... jl.au W Mexico 1824. D lng
 31277 16009b chrysantha *Otto* golden-flwd ¾ Δ un ... jl.au Y Mexico 1829. D bog
1863. HESPERIS.
 31278 16429a excelsa *Hort.* lofty ½ Δ or 3 my W 1828. S co
 31279 16424a speciosa *Swt.* showy ½ Δ or ½ ap Ro.P Siberia 1829. S 1.ru Sw.fl.gar.2.s.135
3657. - - HESPEROSCO·RDUM *Lindl.* (*Hesperos*, west, *skardon*, garlic; a native of America.) *Asphodæcæ.*
 31280 - - lacteum *Lindl.* milk-white *per.* ½ Δ pr 1 ½ jl W California 1833. O co Bot. reg. 1639
 31281 - - hyacinthinum *Lindl.* Hyacinth-like ½ Δ or 1 jl.au B? 1826. O p.l
Brodiaea grandiflora *Nutt.*

3658. 2336b. HETEROTHECA Dec. HETEROTHECA. (*Heteros*, variable, *theca*, a sheath.) *Compositæ* 19.—2.
 31282 - scabra Dec. rough Δ or ... au. o Y N. Amer. ... D co
Inula scabra Nutt. No. 21563 In p. 351 also belongs to this genus.

3659. - HETEROTRICHUM Dec. HETEROTRICHUM. (*Heteros*, various, *thrix*, hair.) *Melastomaceæ*. 14.—1.
 31283 - macrodon Planch. long-toothed \square or 7 aut W S. Amer. ?1848. C lt. Bot. mag. 4421

3660. 142a. HETEROTROPA Morr. (*Heteros*, various, *tropæ*, change; plant variable) *Asvineæ*. 1.
 31284 - asaroides Morr. Asarum-like Δ cu $\frac{1}{2}$ ap. ny P W Japan 1836. D s.p. Bot. mag. 3716

805. HEUCHERA.
 31285 643a Richardsonii Dou. Richardson's Δ cu 1 ... G N. Amer. 1827. D co
 31286 642a micrantha Dou. small-flowered Δ cu 2 ju. jl Ysh. G Columbia 1827. D co Bot. reg. 1302
 31287 - cylindracea Lindl. cylindrical-pauciflor Δ cl 2 my G N. Amer. 183-. D lp Bot. reg. t. 1924

3661. - HEWARDIA J. Sm. HEWARDIA. (In honour of R. Heward, Esq.) *Crypt. Filices*. 24.—1.
 31288 - adiantoides J. Sm. maiden-hair-like Δ or ... Br Guiana ... D p.1

3662. - HEXADESMIA Lindl. HEXADESMIA. (*Hex*, six, *desmos*, a bond; pollen masses in 6 cells.) *Orchid.* 20.—1.
 31289 - cruriger a Lindl. leg-bearing-flwd Δ cu $\frac{1}{2}$ my W Guatem. 1836. D fib. p.
Hexopæa cruriger a Bate. mss.
 31290 - micrantha Lindl. small-flwd Δ cu $\frac{1}{2}$ su W. G Guatem. ... D fib. p.
 31291 - fasciculata Lindl. bundle-flwd Δ cu ... sp Mexico 1836. D fib. p.
 31292 - bicornis Lindl. two-horned Δ cu ... su ? P Columbia ?1843. D fib. p.

1597. HIBBERTIA.
 31293 1411a flexuosa Can. zigzag Δ or 2 my. au Y N. Holl. 1823. C s.p
 31294 14115a Cunninghamii Ait. Cunningham's Δ or 2 ju Y K. G. S. 1823? C s.p Bot. mag. 3183
Candollea Cunninghamii Bot. No. 85.
 31295 14113a perfoliata Hügel perfoliate Δ or ?3 my Y S. River ... C s.l.p Bot. reg. 1843. 64

2014. HIBISCUS.
 17926 filiflorus
 2 hybridus \square spl 10 jl S Mauritius 1828. C s.p Bot. mag. 2801
 31296 17926a roseus Thore ros.-coloured Δ or 4 jl. s Pk Italy 1827. D bog Sw. fl. gar. 277
 31297 17926b Genèvei Boi Genève's Δ spl 15 ju. jl Ro Mauritius ... C lp Bot. mag. 3144
 31298 17926c splendens Fra. splendid Δ spl 10 my Ro N. Holl. 1828. C r.m Bot. mag. 3025
 31299 17934a pentaspermus Bertero five-seeded \square or 3 jl. o Y Jamaica 1825. S r.m
 31300 17948a Lindlei Wal. Lindley's Δ spl 3 d P India 1828. C lp Bot. reg. 1395
 31301 17949a Erindli Wal. long-haired Δ spl 3 s. o Y R. Prone 1828. S p.l Wal. pl. as. ra. 44
 ?17961 Moschutos L. Mallow Rose Δ spl 4 au. s Pa. r. o. Canada ... D s.l.p Bot. reg. 184-. 7
 No. 17962 in p. 289 of this work, according to Torrey and Gray.
 31302 - Jerroldianus Paxt. Mr. Jerrold's Δ spl 6 ju. au Rsh. c Brazil 1843. R lt Paxt. mag. 13. 1
 31303 17985a africanus Roth. African Δ or 2 ju. o W. P Africa 1826. S co
 31304 17998a Macleayanus Banc. Mac Leay's Δ or ... au. s Y W. Indies 1827. C lp
 31305 - Hügelii Lindl. Baron Hügel's Δ or ... my. s ... S. River 1841. S lt
 31306 - ferox Hook. stinging Δ or ?5 my. s Y N. Grenad. 1844. C lt Bot. mag. 4101 ?
 31307 - grossularif. fol. Miq. gooseberry-ldv Δ or 4 ju. au Bsh. P S. River ... C s.l.p Bot. mag. 4329
 31307* - Cameroni K. & W. Cameron's Δ or 1 ju. R Madagas. 1837. C s.l.p Fl. cab. 82
 31308 - Cameroni fulgens Lindl. hybrid Δ or 4 ju. au S gardens ... C s.l.p Bot. reg. 1844. 28
 A hybrid raised between *H. Cameroni* and *H. fulgens*, which is a garden name for a variety of *H. Rosa-sihensis*.

31509 - lilacinus Lindl. Lilac-flwd \square or 6 ... L N. Holl. 1836. C p.l Bot. reg. 2609
 31310 - collinus hill-inhabiting \square or 4 ja. mr Y. br ... ?1836. S ls [W. H. B.]
 31311 - Wrayæ Lindl. Mrs. Wray's Δ or 10 ... Mauritius 1829. C co Bot. reg. 1840. 69
 31312 - Telfairæ Maund Mrs. Telfair's Δ pr 2 jl I. o Mauritius 1825. C s.l.p Botanist, 212
 31313 - multifidus Hort. many-parted-ldv Δ or 3 au B. pk Swan Riv. 1837. C ls Paxt. mag. vii. 1-3

2211. HIERACIUM.
 31314 - Ledebourii Ledebour's Δ un 1 su Y 1832. D co [D. Cameron.]
 31315 - Jacquinii Vil. Jacquin's Δ un 1832. D co
 31316 - heterophyllum various-ldv Δ pr 2 au. s Y woods D co
 31317 - Lapyroussi La Peyrouse's Δ un $\frac{1}{2}$ s Y England ... D co Eng. bot. 2915
 31318 - nudicaule naked-stemmed Δ un ... Y Scotland ... D co
 31319 - Schmidtii Tausch Schmidt's Δ pr $\frac{1}{2}$ jo. jl Y D co
 31320 - inuloides Tausch Inula-lk Δ pr 2 to 4 au Y Scotland woods D co
 31321 - rigidum Fr. rigid Δ pr 1 to 2 ju. au Y Britain banks D co
 2 angustifolium narrow-leaved Δ pr 1 to 2 ju. au Y Britain ... D co
 3 pictum Δ pr 1 to 2 ju. au Y Britain ... D co

19973 acreum Sec.; syn. *Calliopæa aurea* D. Don.
 20045 Kalmii L.; syn. *Pachyglpis Kalmii* Dec.
 20069 stipitatum Hoppe; syn. *Willemetia apargioides* Dec.

200. HIEROCHLOE.
 31322 1704a alpina Kth. alpine Δ cu ... ju. jl Ap Melville I. 1827. D co Fl. dan. 1568
 31323 1704b pauciflora Kth. few-flwd Δ cu ... ju. jl Ap Melville I. 1827. D co

3663. - HIGGINNSIA Pers. HIGGINNSIA. (*General O'Higgins*, some time governor of Chili.) *Rubiaceæ*.
 31324 - mexicana Lindl. Mexican Δ or ... my. o Y Mexico 1838. C lp

3664. 602a. HINDSIA Benth. HINDSIA. (Dedicated to R. B. Hinds, Esq., R. N.) *Rubiaceæ*. 5.—1.
 31325 - violacea Benth. violet-ld-flwd Δ or 3 my V. B Organ Mts ?1842. C s.p Bot. mag. 4125
 31326 - longiflora Cham. long-flowered Δ or 2 au B Brazil 1841. C co Bot. mag. 3977
Rondelétia longiflora Cham.
 2 alba white-flwd Δ or 2 my W ?1844. C co

3665. 903a. HIPPEASTRUM Hook. KNIGHT'S STAR. (*Hippæus*, a knight, *astron*, a star.) *Amaryllidaceæ*.
 Although the greater part of the plants now referred to this genus may be found under the genus *Amaryllis* in pp. 121, 122. of the first edition of this work, to prevent confusion it has been necessary to give the genus entire in this place, and to consider the species constituting it cancelled from the pages above stated.
 7899 reticulatum W. Herb. netted-veined Δ or 1 ap. my P Brazil 1777. O r.m Bot. reg. 657
 7900 striatifolium W. Herb. channelled-ldv Δ or 1 ap. my P Brazil 1815. O r.m Bot. reg. 352
 31327 7900a Sweetii W. Herb. Sweet's Δ or $\frac{1}{2}$ year Va hybrid 1820. O r.m (striatifol. John.)

	1 brevifolium P.w	9 amœnum R.w	16 variegatum R.w
	2 superbum C.w	10 affine R.w	17 modestum W.R
	3 obscurum C.w	11 undulæfolium P.w	18 patentissimum S
	4 recurvatum R.hh	12 pallidiflorum Li.w	19 salmoneum R
	5 Wellsianum R.w	13 discolor R.w	20 bistratum C.str
	6 Vallèti P.w	14 expansum S.w	21 ligulæfolium R.w
	7 rugosum P.w	15 nôthum P.w	22 Annesleyanum R.w
	8 versicolor R.w		
7925	Colvilli Swt. Colvill's	♂ ♀ or 1½ jn J R.P.	hybrid 1821. O r.m (reticulato-John.)
	1 purpurascens P.a	5 nervifolium P.r	9 bracteatum R.P
	2 atrorubens Dk.a	6 phœniceum Dk.p	10 parvulum P.w
	3 costatum R.w	7 stenanthum Pa.p.w	
	4 æmulum R.w	8 flaccidum Rsh.p.w	
31328	7925a præclarum Herb. noble	♂ ♀ or 2 ja.d Va	hybrid 1820. O r.m (Johnsôni-stria.)
	1 Colvillianum R.P.w		2 decurum R.P
7923	Johnsôni Herb. Johnou's	♂ ♀ or 2 my.ju St	hybrid 1810. O r.m Bot. cab. 159
	<i>Amaryllis spectabilis</i> L. od.; <i>A. brasilensis</i> Red. lil.		
	1 Mâter Herb. S.w	2 Sorëlla Herb. S.w	3 quartum Herb. S.w
			4 pëndulum Herb. S.w
7937	règium Herb. Mexican Lily	♂ ♀ or 2 my.jn S	Mexico 1725. O r.m Bot. mag. 453
	<i>Amaryllis reginæ</i> L.		
	2 pulverulentum Lod. S		3 vitatum H. tr. S. Hort. trans. 5. 15
31329	7937a formôsum Herb. handsome	♂ ♀ or 2 my.jl Va	hybrid 1820. O r.m (striatifol-règium)
	1 grandiflorum P.w	4 coccineum S	7 dilutum Pa.R.w
	2 pallidum Pa.R.w	5 riogens R.w	8 compactum Pa.R
	3 rubicundum R	6 carnescens F.w	
31330	7937b gloriôsum P. Don gloriosus	♂ ♀ or 2 my.jl Va	hybrid 1820. O r.m (reticulât.règium)
	1 sulcatum R.w	2 rubescens R.w	3 rôseo-âlbum Ro.w
			4 accedens Ve.a
31331	7948 consanguineum P. Don related	♂ ♀ or 1 year O	hybrid 1821. O r.m (Vallèti règium)
	7966 intermedium P. Don intermediate	♂ ♀ or 1½ my.jn St	Brazil 1821. O r.m (regio-eques.)
	7945 spathaceum P. Don spathaceum	♂ ♀ or 1½ year S	hybrid 1821. O r.m Bot. mag. 2315
	7950 vittatum Herb. banded	♂ ♀ or 1 ap.my St	C.G.H. 1769. O r.m Bot. mag. 129
	2 major Lindl. larger	♂ ♀ or 2 my.jl St	C.G.H. 1774. O r.m Bot. mag. 1430
	7951 lineatum P. Don lined	♂ ♀ or ¾ ap.au R.W	S. Amer. 1820. O r.m Col. h. rip. 3
	7952 pûchrum P. Don fair	♂ ♀ or ¾ ap.au P.W	hybrid 1823. O r.m (reticulato-vitt.)
31332	7952a magnificum P. Don magnificent	♂ ♀ or 2 ap.my S.W	hybrid 1823. O r.m (striatifolio-vitt.)
	7959 splendens Herb. splendid	♂ ♀ or 1 my.jn S	hybrid 1820. O r.m (rutilo equo-vitt.)
	1 âltum Herb. R.w.		2 ignescens P. Don S.
31333	7959a sanguineum Herb. deep-red	♂ ♀ or 1 ap.my C.W	hybrid 1819. O r.m (rutilo-vittatum)
31334	7959b micans Herb. glittering	♂ ♀ or 1 ap.my V	hybrid 1820. O r.m (rutilo-crocatum)
	7961 augustum Herb. august	♂ ♀ or 2 jn.o S	hybrid 1822. O r.m (Johnsôni-rutil.)
31335	7981a rigidum P. Don stiff	♂ ♀ or 1 year R.G	hybrid 1822. O r.m (crocato-rutilum)
31336	7981b inclytum Herb. noble	♂ ♀ or 2 year S.W	hybrid 1819. O r.m (fulgido-vittât.)
31337	7981c Carnarvon's Herb. Lord Carnarvon's	♂ ♀ or 1½ year S.W	hybrid 1819. O r.m (vittato-règium)
31338	7981d ârdens Herb. bright	♂ ♀ or 1 year S.Cop	hybrid 1819. O r.m (crocato-règium)
31339	7981e bulbosum Herb. bulbillose	♂ ♀ or	O Brazil 1810. O r.m
	1 subbarbatum Herb. No. 7963. S. Bot. mag. 2475.		5 pallidum Herb. R.
	2 rutilum Herb. No. 7977. S. Bot. reg. 23.		6 acuminatum Herb. No. 7969. Cop. Bot. reg. 534
	3 fulgidum Herb. No. 7962. S. Bot. reg. 226.		7 crocatum Herb. No. 7967. Saf. Bot. reg. 38
	4 Simsianum Herb. No. 7987. S. Bot. mag. 1943.		
31340	7981f flôridum Herb. flowery	♂ ♀ or 1 ap.au S.W	hybrid 1820. O r.m (fulgido-rutilum)
31341	7981g majôr Herb. larger	♂ ♀ or 2 ap.au S.Cop	hybrid 1820. O r.m (acuminato-rû.)
	7970 venosum Herb. veiny	♂ ♀ or 1 jn.o St	hybrid 1822. O r.m (vittato-Johns.)
31342	7970a inversum Herb. confused	♂ ♀ or 1 jn.o S.W	hybrid 1812. O r.m (Johnsôni-vitt.)
31343	7970b sidereum Herb. bright	♂ ♀ or 1 jn.o S	hybrid 1820. O r.m (sanguin-subb.)
31344	7970c stellatum Herb. starry	♂ ♀ or 1 jn.o S	hybrid 1820. O r.m (subbarb-sang.)
31345	7970d renovatum Herb. renewed	♂ ♀ or 1 ap.au S.W	hybrid 1820. O r.m (splendèto-ful.)
31346	7970e expansum Herb. expanded	♂ ♀ or 1½ ap.au S.W	hybrid 1820. O r.m (equâstri-flôr.)
31347	7970f beatum Herb. blessed	♂ ♀ or 1 ap.au S.Cop	hybrid 1820. O r.m (Johnsôn' acu.)
	1 tricolor P. Don R.P.G.		3 crispatum P. Don R.Cop.
	2 macranthum P. R.Cop.		4 tricuspis P. Don S. O.
31348	7970g lugubris Herb. mournful	♂ ♀ or 1 ap.au S.O	hybrid 1820. O r.m (stylôso-Johns.)
	1 sombrëllum Herb. Cop.	2 grisellum Herb. Pa.Gy.	3 porporinum Herb. Br.
31349	7970h triste Herb. sad	♂ ♀ or 1 ap.au S.Cop	hybrid 1814. O r.m (Johnsôn'styl.)
31350	7970i Brookesii Herb. Brookes's	♂ ♀ or 1½ ap.au S.Cop	hybrid 1820. O r.m (crocato-John.)
31351	7970j aurantiacum Herb. orange-eld-flwd	♂ ♀ or ... ap.au O	hybrid 1820. O r.m (regio-acumi.)
	1 Camillus Herb. O.S.	2 anabile P. Don S.O.	3 fulvum P. Don Cop.
31352	7970k platypetalum P. Don broad-petaled	♂ ♀ or 1½ ap.au S.O	hybrid 1820. O r.m (acuminato-rè.)
31353	7970l intermixtum P. Don intermixed	♂ ♀ or 1 ap.au R.W	hybrid 1820. O r.m (equâstri-règi.)
	7974 Hoôdii Swt. Hood's	♂ ♀ or 1 jn.o S.W	hybrid 1822. O r.m (regio-fulgi.)
31354	7974a Cooperi Herb. Cooper's	♂ ♀ or 1 jn.o Cop	hybrid 1820. O r.m (crocato-acumi.)
31355	7974b elegans Herb. elegant	♂ ♀ or 1 ap.au S.W	hybrid 1820. O r.m (formôso-vittâ.)
31356	7974c Burghclerianum Herb. Burghcler's	♂ ♀ or 1½ ap.au S.W	hybrid 1820. O r.m (splendèto-vitt.)
31357	7974d concinnum Herb. neat	♂ ♀ or 1 ap.au S.W	hybrid 1820. O r.m (formôso-John.)
31358	7974e anceps Herb. double	♂ ♀ or 1½ ap.au S.W	hybrid 1820. O r.m (flôrido-Johns.)
31359	7974f incônstantis P. Don inconstant	♂ ♀ or 1½ ap.au S.O	hybrid 1820. O r.m (acuminato-John.)
	1 vendum P. Don R.Cop.	5 breviflorum P. Don R.Cop.	9 lineolatum P. Don R.
	2 glaucescens P. Don R.Cop.	6 dilectum P. Don S.	10 imperialis P. Don S.
	3 varium P. Don R.Cop.	7 tortulosum P. Don S.O.	11 pumetulosum P. Don Pa.S.
	4 crispiflorum P. Don S.	8 veniflorum P. Don R.V.	12 delicatum P. Don S.P.
	7968 stylôsum B. M. stylose	♂ ♀ or 1 my.jn R.	Maraniam 1821. O r.m Bot. mag. 2278
31360	7968a spirium P. Don spurious	♂ ♀ or 1 ap.au S.Cop	hybrid 1822. O r.m (acuminato-rè.)
	1 carinatum P. Don keel'd-flwd	♂ ♀ or 1 ap.au R.Cop	hybrid 1822. O r.m
7933	striatiflorum Swt. striated-flwd	♂ ♀ or 1½ year St	hybrid 1821. O r.m (acuminato-Swe.)
	1 consobrinum P. Don Psh.Pk.; syn. No. 7934. p. 122.		2 diversicolor P. Don R.W.P.
31361	7933a breviflorum Herb. short-flwd	♂ ♀ or 3 ap.my W.R	B. Ayres 1836. O r.m Bot. mag. 3519
31362	7933b nôbile Herb. noble	♂ ♀ or 1½ ap.my St	P hybrid 1820. O r.m (acumin-striati.)
31363	7933c venistum Herb. lovely	♂ ♀ or 1 year S.P.	hybrid 1820. O r.m (fulgido-striati.)

31364	7933 <i>f</i> <i>Göwena</i> Herb.	Gowen's	♂	△	or	1½	year	P. Cop hybrid	1820.	O	r.m.	(striatifid-aeum.)		
	1 'Agathum <i>P. Don</i>	Agathum	♂	△	or	1½	year	P.S. hybrid	1820.	O	r.m.			
31365	7933 <i>c</i> <i>Harrisonianum</i>	Harrison's	♂	△	or	1	year	P. hybrid	1824.	O	r.m.	(striatifid-styl.)		
31366	7933 <i>f</i> <i>triplex</i> Herb.	triple	♂	△	or	1½	year	S.P. hybrid	1820.	O	r.m.	(Göwena-vittat.)		
31367	7933 <i>g</i> <i>ambiguum</i> Herb.	ambiguous	♂	△	or	...	ju.au	W.R. Peru	...	O	r.m.			
	1 longiflorum <i>Hook.</i>	long flwd	♂	△	or	...	ju.au	W.R. Lima	1836.	O	r.m.	Bot. mag. 3542		
31368	7933 <i>h</i> <i>pulcherrimum</i> <i>P. Don</i>	fairrest	♂	△	or	...	ap.au	P. Cop. hybrid	1824.	O	r.m.	(Sweetii-pulve.)		
	1 <i>Calisto</i> <i>P. Don</i>	Calisto	♂	△	or	...	ap.au	P. R. Cop. hybrid	1824.	O	r.m.			
31369	7933 <i>i</i> <i>bellum</i> Herb.	pretty	♂	△	or	...	ap.au	P. R. W. hybrid	1824.	O	r.m.	(Sweetii-Carn.)		
31370	7933 <i>k</i> <i>variatum</i> <i>P. Don</i>	varied	♂	△	or	1	ap.au	S.P. hybrid	1824.	O	r.m.	(formoso-im.ér.)		
31371	7933 <i>l</i> <i>discolor</i> Herb.	two-coloured	♂	△	or	...	ap.au	S. Br hybrid	1824.	O	r.m.	(Johnsönd-triste.)		
31372	7933 <i>m</i> <i>quintuplex</i> Herb.	fivefold	♂	△	or	...	ap.au	P. R hybrid	1824.	O	r.m.	(Harrisönd-triste.)		
31373	7933 <i>n</i> <i>eximium</i> Herb.	choice	♂	△	or	1½	ap.au	Va hybrid	1824.	O	r.m.	(Göwena-Illuc.)		
	7986 <i>equestre</i> <i>Ker</i>	equestrian	♂	△	or	1	ju.o	S	W. Indies	1870.	O	r.m.	Bot. mag. 305	
	<i>Barbadoes</i> <i>Lily.</i>													
	1 <i>majör</i> <i>S.</i>	Bot. reg. 234.												
	7987 <i>miniatum</i> <i>P. Don</i>	vermillion	♂	△	or	1	ju.jl	Ve	Peru	1825.	O	r.m.		
	7989 <i>solandriiflorum</i> <i>B.M</i>	Solandra-flwd	♂	△	or	1½	ap	W	S. Amer.	1820.	O	r.m.	Bot. mag. 3771	
	1 <i>rübör</i> - <i>striatum</i> <i>B. M.</i>	R. W. B. M. 2573.												
	2 <i>purpurascens</i> <i>P.W.</i>	3 <i>conspicuum</i> <i>P. Don</i>												
31374	7989 <i>a</i> <i>Hayloeki</i> Herb.	Haylock's	♂	△	or	1½	ap.jn	St.P	hybrid	1820.	O	r.m.	(solandriif.-aeu.)	
31375	7989 <i>b</i> <i>Herberti</i> <i>P. Don</i>	Herbert's	♂	△	or	1½	ap.jn	Va	hybrid	1820.	O	r.m.	(solandriif.-styl.)	
	1 <i>lóngum</i> <i>V.a.</i>	2 <i>carneolum</i> <i>F.</i>												
	2 <i>magnificum</i> <i>V.a.</i>													
31376	7989 <i>c</i> <i>Highclerianum</i> <i>P.D.</i>	Highclere	♂	△	or	1½	ap.jn	Va	hybrid	1820.	O	r.m.		
	7991 <i>ealyptatum</i> <i>P. Don</i>	calyptrated	♂	△	or	1½	ap.au	G	Brazil	1816.	O	r.m.	Bot. reg. 164	
	7992 <i>aüicum</i> <i>P. Don</i>	courtly	♂	△	or	1½	my.au	G.S	Brazil	1810.	O	r.m.	Bot. reg. 444	
	1 <i>platypetalum</i> <i>S.G.</i>	Bot. reg. 1038.												
	2 <i>glaucocephalum</i> <i>S.G.</i>	Bot. mag. 2983.												
	7993 <i>psittacnum</i> <i>P. Don</i>	parrot-like	♂	△	or	1½	my.au	G.S	Brazil	1816.	O	r.m.	Bot. reg. 199	
31377	7993 <i>a</i> <i>Griffini</i> <i>H.</i>	Griffin's	♂	△	or	...	year	S.G	hybrid	1820.	O	r.m.	(psittacno-John.)	
	1 <i>Napoleönum</i> <i>Herb. S.G</i>													
	2 <i>retinerium</i> <i>S.G.</i>													
	3 <i>recurviflorum</i> <i>S.G.</i>													
	4 <i>campanulatum</i> <i>R.G.</i>													
	5 <i>quadrilineatum</i> <i>S.P. G.</i>													
	6 <i>albo-cinctum</i> <i>W.S</i>													
	7 <i>quadricolor</i> <i>S.P.G.W</i>													
31378	7993 <i>b</i> <i>affine</i> <i>P. Don</i>	related	♂	△	or	1½	year	S.G	hybrid	1822.	O	r.m.	(psittacno-régi.)	
	1 <i>canaliculatum</i> <i>S.G.</i>													
	2 <i>membranaceum</i> <i>R.P.G.</i>													
	3 <i>purpureo-striatum</i> <i>R.P.</i>													
	4 <i>latifidum</i> <i>R.P.G.</i>													
	7995 <i>tortuosum</i> <i>P. Don</i>	twisted	♂	△	or	1½	ju.o	St	hybrid	1822.	O	r.m.	(psittacno-equés.)	
31379	7995 <i>a</i> <i>multistriatum</i> <i>P. Don</i>	many-channelled	♂	△	or	1½	year	S.W	hybrid	1822.	O	r.m.	(psittacno-Vall.)	
31380	7995 <i>b</i> <i>pretiosum</i> Herb.	precious	♂	△	or	1½	year	S.G	hybrid	1824.	O	r.m.	(psittacno-Grif.)	
31381	7995 <i>c</i> <i>sinistrum</i> Herb.	unlucky	♂	△	or	1½	year	S.W.	hybrid	1824.	O	r.m.	(Griff-im-vittatum)	
31382	7995 <i>d</i> <i>anomalum</i> <i>B. R.</i>	anomalous	♂	△	or	R	S. Amer.	...	O	r.m.		
31383	7995 <i>e</i> <i>organense</i> <i>B. R.</i>	Organ	♂	△	or	R.W	Brazil	1841.	O	r.m.		
891. HIPPOMATHRUM <i>Lk.</i> 7108 <i>siculum</i> <i>Lk.</i> , syn. <i>Egomathrum pterochæna</i> <i>Dec.</i> ; Fl. gr. 238.														
2755. HIPPOPHAE 24201 <i>rhamnoides</i>														
	2 <i>angustifolia</i> <i>Lod.</i>	narrow-leaved	♂	△	or	12	ap.my	Ap	Sk	co		
3666. 823 <i>a</i> . HOHENACKERIA <i>F. & M.</i> HOHENACKERIA. (? <i>R.F. Hohenacker</i> , a German bot.) <i>Umbelliferae</i> . 5.—2.														
31384	-	<i>bupleurifolia</i> <i>F. & M.</i>	Hare's ear-ld	○	un	...	ju.jl	...	Gandscha	1836.	S	co		
501. HOPTZIA.														
†1269	<i>mexicana</i> <i>Lin.</i>	Mexican	♂	△	or	3	...	S	Mexico	1824.	C	lp		
	<i>Lascäta</i> <i>coccinea</i> <i>G. Don</i>	Cántua Hoitzia <i>W.</i> , <i>C. coccinea</i> <i>Poir.</i>												
3667.	547 <i>a</i> . HOLARRHENA <i>R. Br.</i>	HOLARRHENA. (<i>Holos</i> , entire, <i>arrhen</i> , a male; anthers.)							<i>Apocýneæ.</i>					
31385	-	<i>villösa</i> <i>Ait.</i>	villose	♂	△	or	E. Indies	1820.	C	r.m.		
3668. HOLBÖLLIA <i>Wall.</i> (<i>Fr. L. Holbæll</i> , Superint. of Royal Bot. Gard. Copenhagen.) <i>Lardizabalæcæ</i> . 21.—6.														
31386	-	<i>latifolia</i> <i>Wall.</i>	broad-leaved	♂	△	or	10	inr	G	Nepal	...	C	lt	
	<i>Stavtonia latifolia</i> <i>Wall.</i>	Cat. no. 4950.												
31387	-	<i>acuminata</i> <i>Lindl.</i>	acuminate-tipt	♂	△	or	Psh	Nepal	?1846.	C	s.l.p	
3669. 2897 <i>b</i> . HOLIGARNA <i>Rox.</i> HOLIGARNA. (Name in Karnata.) 23. I. <i>Terebinthæcæ</i> . 1.														
31388	-	<i>longifolia</i> <i>Rox.</i>	long-leaved	♂	△	or	60	...	W	E. Indies	1828.	C	r.m.	
	<i>Rox.</i>	cor. 3. 282												
290. HOLOSTEUM.														
31389	2487 <i>a</i>	<i>sperguloides</i> <i>Lch.</i>	Spurrey-like	○	un	½	jl	W	Europe	1829.	S	co		
3670. 1372 <i>b</i> . HORKE'LIA <i>Cham.</i> HORKELIA. (<i>John Horkel</i> , professor of physiology at Berlin.) <i>Rosæcæ</i> . 1.—2.														
31390	-	<i>eongësta</i> <i>Dou.</i>	crowded-flwd	♂	△	or	2	au	W	N. Amer.	1826.	D	co	
31391	-	<i>fúsea</i> <i>Lindl.</i>	dusky	♂	△	or	2	ju.au	W.Br	N. Amer.	...	D	co	
3671. 1663 <i>a</i> . HORMINUM <i>Pers.</i> HORMINUM. (<i>Hormao</i> , to incite; qualities.) <i>Labiatæ</i> . 1.														
31392	-	<i>pyrenæica</i> <i>Pers.</i>	Pyrenean	♂	△	or	1	ju.jl	B	Pyrenees	1820.	D	co	
31393	-	<i>virginicum</i> <i>Dec.</i>	Virginian	♂	△	or	2	jl	R	N. Amer.	1832.	D	co	
3672. 2068 <i>a</i> . HOSACKIA <i>Dou.</i> HOSACKIA. (<i>D. Hosack</i> , M.D. F.R.S., of New York.) <i>Leg. Pap. Lot.</i> 2.—4.														
31394	-	<i>bicolor</i> <i>Dou.</i>	two-coloured	♂	△	or	½	jl.s	Y.w	N. Amer.	1836.	D	co	
	<i>Lötus pinnatus</i> <i>Hook.</i>	Bot. mag. 2913.												
31395	-	<i>Purshiana</i> <i>B. R.</i>	Pursh's	♂	△	or	½	ju.au	Y	N. Amer.	1824.	S	co	
	<i>Lötus sericeus</i> <i>Ph.</i>													
31396	-	<i>stolonifera</i> <i>Lindl.</i>	creeping-rooted	♂	△	or	3	ju	R	N. Amer.?	1830.	S	s.l	
31397	-	<i>decumbens</i> <i>Benth.</i>	decumbent	♂	△	or	½	jl.s	Y	N. Amer.	1827.	S	s	
31398	-	<i>parviflora</i> <i>Benth.</i>	small-flowered	♂	△	or	½	jl.s	Y	N. Amer.	1827.	S	s	
31399	-	<i>crassifolia</i> <i>Lindl.</i>	thick-leaved	♂	△	or	Y	California	1833.	D	s.l	
31400	-	<i>Wrangeliana</i> <i>G. Don</i>	Wrangel's	○	co	Y	California	1836.	S	s.l	
	<i>Lötus Wrangelianus</i> <i>F. & M.</i>													
31401	-	<i>subpinnata</i> <i>G. Don</i>	subpinnate-ld	○	co	Y	Chili	1836.	S	s.l	
	<i>Lötus subpinnatus</i> <i>Herb.</i>													
3673.— HOULLETTIA <i>Ad. Brong.</i> (<i>M. Houllet</i> , who accomp. M. Guillemin to Brazil.) <i>Orchid.</i> 20.—1.														
31402	-	<i>vittata</i> <i>Lindl.</i>	striped	♂	△	or	1	su	Br.Y	Brazil	1841.	D	p.r.w	
31403	-	<i>Brockehurstiana</i> <i>Brong.</i>	Mr. Brock.	♂	△	or	2	su	Y.P.	Spot	Brazil	1841.	D	p.r.w
	<i>Maxillária Brockehurstiana</i> <i>Lindl.</i> ,	Bot. reg. 1841. 27.												

343. HOUSTONIA.
 31404 2857a *serpyllifolia* Mx. wild thyme-*lvd* ♀ Δ pr ½ jn.au W N. Amer. 1826. D s.p Bot. mag. 2822
 31405 2858a *longifolia* Gac. long-leaved ♀ Δ cu ½ ... S N. Amer. ... S p Bot. mag. 3099
 31406 2858b *albiflora* Grah. f white-flowered ♀ Δ pr ... my.au W N. Amer. 1828. D s.p
1940. HOVEA 17281 lanceolata
 2 linearis *Lindl.* linear-*lvsced* 𐄂 □ or 3 mr P N. Holl. ... S p.l Bot. reg. 1427
 Is this the H. linearis of *Brown*; the *Poiratia* linearis of *Smith*?
- 31407 17284a *villosa* *Lindl.* shaggy 𐄂 □ cl 3 ap Ll N. Holl. 1829. ? C s.p Bot. reg. 1512
 31408 - - *pungens* *Hüg.* pungent 𐄂 □ or K. G. S. 1837. C s.p Paxt. mag. vi. 101
 2. major, larger in all its parts; Paxt. mag. bot. x. 51.
 31409 - - *Manglésii* *Lindl.* Capt. Mangles's 𐄂 □ pr 1 ja P Swan R. 1836. C eo Bot. reg. 1838. 62
 31410 - - *crispa* *Lindl.* curled 𐄂 □ or 2 f P Swan R. 1837. C s.p
 31411 - - *racemulosa* *Benth.* spikeletted 𐄂 □ pr 2 my L Swan R. 1841. C s.p Bot. reg. 1843. 4
 31412 17282a *apiculata* *Cten.* small-pointed 𐄂 □ or 3 mr.jl P N. Holl. 1824. C s.p
 31413 - - *splendens* *Paxt.* splendid 𐄂 □ pr 2 my.jl B.W Swan R. 1840. C eo Paxt. mag. x. 103
 31414 - - *ilicifolia* *All. Cun.* holly-leaved 𐄂 □ or ?3 ap P.Y Swan R. ?1842. C.S p Bot. reg. 1841. 58
 31415 - - *trispërma* three-seeded my V
776. HOY'A.
 6203 *camosa*
 2 foliis variegatis variegated-*lvd* 𐄂 □ or 10 jl.au Pk I. r.m
 31416 6204a *pallida* *Lindl.* pale 𐄂 □ or 6 jl.au W E. Indies 1815. C r.m Bot. eab. 1309
lanccolata Hort. No. 6204. *acuta* Haw.
 31417 - - *coriacea* *Blume* leathery 𐄂 □ or ?2 au W.Y Manilla 1833. C r.w Bot. reg. 1839. 18
Cyrtoceras vepëum Bennett.
 31418 - - *cinnamomifolia* cinnamon-*lvd* 𐄂 □ or 10 jl Pa.G.Choc. Java 1847. C coarse p Bot. mag. 4347
 31419 - - *bëlla* *Hook.* beautiful 𐄂 □ cl ?1½ jn W.P Taung Kola 1847. C rough p Bot. mag. 4402
 31420 - - *imperialis* *Lindl.* imperial 𐄂 □ spl?20 jn.jl Psh.Br.W Borneo 1847. C r.m.p Bot. mag. 4397
 31421 - - *campanulata* *Bl.* bell-*flvd* 𐄂 □ or ... ap Gsh.Y Java 1845. C.L.r.m Bot. reg. 1847. 54
 ?*Physostëma campanulatum* Decaisne in Dec. Prod. 8. 633.
 31422 - - *fruticosa* shrubby 𐄂 □ or 1848. C p.l [K. & P.]
1445. HUDSONIA.
 31423 1214a *Nuttallii* Swt. Nuttall's 𐄂 □ pr 1 my.jn ... Virginia ... L s.l Sw. cis. 19
3674. 498a. HÜGELIA *Benth.* HÜGELIA. (*Baron Charles de Hügel* of Vienna.) *Polcmniacëæ*. 4.—
Hügelia Richb. is *Didiscus* *Dec.*
 31424 - - *densifolia* *Benth.* crowded-*lvd* ○ pr ½ jl.au B California 1833. S co
 31425 - - *elongata* *Benth.* lengthened-*bran* ○ pr ½ jl.au Dp.B California 1833. S co J. H. S. 2. 312. fig.
 31426 - - *virgata* *Benth.* twigg ○ pr ½ jl.au Dp.B California 1833. S co
 31427 - - *lutea* *Benth.* yellow-*flvd* ○ pr ½ jl.au Y California 1833. S co
 31428 - - *lanata* *Lindl.* woolly ○ pr ½ jl.au Lt.B? California 1847. S eo
3675. - - HUMATA *Can.* HUMATA. (Derivation not given.) *Crypt. Filices*. 21.—1.
 31429 - - *angustata* *P. Don* narrow 𐄂 □ or ... ap.o Br.Y Singapore ... D p.l
Davallia angustata Wall.
 31430 - - *heterophylla* *J. Sm.* various-*lvd* 𐄂 □ or ... ap.o Br.Y Samar ... D p.l
Davallia lobulosa Wall.; *D. heterophylla* *Sm.*
 31431 - - *pedata* *P. Don* pedate 𐄂 □ or ... my.n Br.Y E. Indies ... D p.l
Davallia cordifolia *Reinw.*; *D. subimbricata* *Blume.*
 31432 - - *pectinata* *P. Don* comb-like 𐄂 □ or ... ap.o Br.Y I.ofLuzon ... D p.l
Davallia pectinata *Sm.*
2772. HUMULUS 24250 *Lupulus*
 2 variegatus striped-*lvd* 𐄂 Δ pr 15 jn.au Y Britain gard. D eo [J. Creck.]
- 3675.* 1562a. HUNNEMANIA *Swt.* HUNNEMANIA. (*John Hunneman*, a zealous botanist.) *Papaverracëæ*. 1.
 31433 - - *fumariæfolia* *Swt.* *Fumaria*-*lvd* 𐄂 Δ or 2 ... Y Mexico 1827. S r.m Sw. fl. gar. 276
3676. - - HUNTLEYA *Bate.* HUNTLEYA. (*Rev. John Thomas Huntley* of Kimbolton.) *Orchidacëæ*.
 31434 - - *melægria* *Lindl.* Guinea hen 𐄂 □ spl 1 jn Y.r.w.Brazil 1838. D p.r.w Bot. reg. 1839. 14
 31435 - - *riolæa* *Lindl.* violet-*old-flvd* 𐄂 □ or ... Rich.V D p.r.w Paxt. mag. viii. 1
 31436 - - *sessiliflora* *Bate.* sessile-*flvd* 𐄂 □ or ... jls.V Guiana 1835. D lib.p
1080. HYACINTHUS.
 31437 - - *spicatus* *Sm.* spike-*flowering* 𐄂 Δ or ½ f Blsh Zante 1826. O l.p Bot. reg. 1869
 31438 - - *brumalis* *Haw. MSS.* winter 𐄂 Δ or ½ f.mr various O eo
3677. - - HYBANTHERA *Lk. & Otto* (*Hybos*, a curve, *anthera*, an anther; anth. gibbous.) *Asclepiadacëæ*. 5.—1.
 31439 - - *cordifolia* *Lindl.* heart-shaped-*lvd* 𐄂 □ or ... G.W Brazil 1840. C p.l
1378. HYDRANGEA.
 11230 arborëseens
 2 discolor *Ser.* 2-coloured-*lvd* 𐄂 or 6 jl.au W.G L p.l
 11232 nivea
 2 glabëlla *Ser.* smoothish-*lvd* 𐄂 or 5 jl.au W.G ?gard.var. ... L p.l
 31410 11235a *japonica* *Sieboldt* Japan 𐄂 □ or 3 my.jl Pa.Ro Japan ?1840. C p.l Bot. reg. 1844. 61
 β *cærulea* *Hook.* blue-*flowerced* 𐄂 □ or 3 au.o W.B Japan ... C p.l Bot. mag. 4253
 ?*Azisai* *Sieboldt.*
 31441 - - *Belzoni* *Sieb. & Zucc.* Belzoni's 𐄂 □ or ?3 ... B Japan ... C l.p
 31442 - - *stellata* *Sieb. & Zucc.* starry-*flvd* 𐄂 □ or ?3 ... Pk Japan ... C l.p
Sitsitan *Sieb. nov. act.* xiv. 11. 692.
863. HYDROCOYLE.
 31443 6907a *prolifera* *Lk. & O.* proliferous 𐄂 □ un ½ ap.jn G Brazil 1824. D p
 31444 - - *pulehella* *Dec.* pretty 𐄂 □ pr ½ my.au G N. Holl. 1836. D bog
 31445 - - *canariënsis* *Dec.* Canary 𐄂 □ un ½ ap.jn G Canaries 1828. D bog
795. HYDROLEA.
 16394 *spindsa* *L.* thorny 𐄂 □ or 1 jn.au B S. Amer. 1791. C s.l.p Bot. rep. 566
trigyna Paxt. mag. bot. 13. 247.
3678. 1727b. HYDROMESTUS *Lindl.* HYDROMESTUS. (*Hydor*, water, *mestus*, full.) *Acanthacëæ*. 14.—2.
 31446 - - *maculatus* *Lindl.* spotted 𐄂 □ or 2 my.jn Y Mexico 1842. C l.p

3679. - - HYDROTÆNIA *Lindl.* WATER-BAND. (*Hydōr*, water, *tainia*, a band; mark on petals.) *Iridaceæ.*
 31447. - - melægriis *Lindl.* spotted $\text{♂} \Delta$ or 1 my V Mexico 1838. O s.p. Bot. reg. 1812. 39
 31448. - - lobata *Herb.* lobed-*leafed* $\text{♂} \Delta$ or 1 $\frac{1}{2}$ my.jl Y.P. Lima. 1813. O 1.p
3680. 709a. HYMENANTHERA *R. Br.* HYMENANTHERA. (*Hymen*, membrane, *anthera*, anther.) *Violariæc.* 1.
 31449. - - dentata *R. Br.* toothed-*leaved* $\text{♂} \square$ or 6 ap.my Y N. Holl. 1820. C p.1
- 3680.* 934a. HYMENOCALLIS *Herb.* HYMENOCALLIS. (Derivation not given.) *Amaryllidaceæ.*
 31450. - - Staplesii *Herb.* Staples's $\text{♂} \Delta$ or ... ju.jl W Mexico 1826. O r.m
 31451. - - Harrisiana *Herb.* Harris's $\text{♂} \Delta$ or W Mexico 1837. O s.p.1
 31452. - - Skinneri *Herb.* Skinner's $\text{♂} \Delta$ or ... mr ... Guatemala 1840. O p.1
 31453. - - bistubata *Herb.* double-tubed $\text{♂} \Delta$ or 1 $\frac{1}{2}$ ap ... Mexico 1840. O p.1
 Nos. 7616, 7619, 7620, 7622, 3, 5, 6, 7, 9. 7630, 7631, 2, 4, 6, and 8. in p. 117. are also referred to this genus.
3681. 1664a. HYMENOCATER *F. & M.* (*Hymen*, a membrane, *krater*, a cup; large mem.-calyx.) *Labiatac.* 14.—1.
 31454. - - bituminosus *F. & M.* bituminous $\text{♂} \square$ un $\text{?} \frac{1}{2}$ ju.jl V.w Persia 1836. C s.1.p
2276. HYMENOPAPPUS 20612 pedatus *Lag.*; syn. *Florestina pedata* *Dec.*
2943. HYMENOPHYLLUM.
 31455. - - Wilsoni *Hook.* Wilson's $\text{♂} \Delta$ el $\frac{1}{2}$ my.jn Br Britain mol.ro. D 1.p Eng. bot. 2686
 31456. - - hirsutum *Spr.* hairy $\text{♂} \Delta$ el ... su Br.Y Trinidad 1823. D 1.p II. & G. ic. fil. 84
 31457. - - flexuosum *A. Cunn.* flexuose $\text{♂} \Delta$ el ... sp Br.Y N. Zeal. ... D 1.p
 31458. - - sanguinolentum *Stuz.* bloody $\text{♂} \Delta$ el ... su Br.Y N. Zeal. ... D 1.p
 31459. - - dilatatum *Stuz.* dilated $\text{♂} \Delta$ el ... aut Br.Y N. Zeal. ... D 1.p
 31460. - - nitens *R. Br.* shining $\text{♂} \Delta$ cl ... su.aut Br.Y N. Zeal. ... D 1.p
 31461. - - fimbriatum *J. Sm.* fringed $\text{♂} \Delta$ el ... sp Br.Y Lof Luzon ... D 1.p
 31462. - - bivalve *Forst.* 2-valved $\text{♂} \Delta$ cl ... su Br.Y Lof Luzon ... D 1.p
 31463. - - polyanthus *Spr.* many-flwd $\text{♂} \Delta$ el ... aut Br.Y W. Indies 1824. D 1.p 11.&G. ic. fil. 12g
3682. 1812a. HYMENOPYRAMIS. (*Hymen*, a membrane, *pyramis*, a pyramid; substance and growth.) *Ferac.* 14.—2.
 31464. - - brachiata *Wal.* arm-branched $\text{♂} \square$ E. Indies 1832. C 1.p
3683. - - HYMENOXYS *Cass.* (*Hymen*, a membrane, and *oxys*, sharp; scales of pappus.) *Compositæ.*
 31465. - - californica *Hook.* Californian \circ pr 1 s Y California 1838. S co Bot. mag. 3828
487. HYOSCYAMUS.
 31466 4039a *Datura* Forsk. *Datura-like* $\text{♂} \square$ or 1 $\frac{1}{2}$ my.jl Y Egypt 1829. C p.1
 31467 4044a *micranthus* *Lcd.* small-flowered \circ un 1 $\frac{1}{2}$ ju.jl Y Aricaia 1829. S co
 31468. - - Camerarii *F. & M.* Camerarius's \circ or ... jl.au Y.P S. Europe ... S co
 Nos. 4041. and 4045. in p. 61. are now referred to the genus *Physoclaina* G. Don.
408. HYPÆCOUM.
 31469 3409a *imbèrbe* *Dec.* beardless \circ or $\frac{1}{2}$ my.ju Y Cyprus 1833. S co Fl. gr. 156
2190. HYPÆRICUM.
 31470 219732a *galloides* *Lam.* Galium-*lk.-leafed* $\text{♂} \square$ or 2 jl.s Y N. Amer. ... D s.1
 31471 219732b *axillare* *Lam.* axillary-*leafed* $\text{♂} \square$ or 2 jl Y Georgia ... D s.1
 31472. - - fasciculatum *W.*; exclusive of the synonyms of *Mx.* and *Pursh.* II. *Còris* *Walt.*
 31473. - - macrocarpum *Ait.* long-seeded $\text{♂} \Delta$ or ... jl.au ... N. Amer. 1828. D co
 31473. - - verticillatum *Thun.* verticillate $\text{♂} \square$ pr $\frac{1}{2}$ au Y C. G. II. 1784. C p.1 Bot. ga. d. 630
 31474. - - nepalense *Royle* Nepal $\text{♂} \square$ or 1 $\frac{1}{2}$ aut Y Nepal ?1836. C p.1
 31475. - - Gebleri *Led.* Gebler's $\text{♂} \square$ or ... ju.au Y Altai 1829. Sk s.1
- 19737 *perforatum*
 2 *angustifolium* narrow-*lvd* $\text{♂} \Delta$ or 1 $\frac{1}{2}$ jl.au Y Britain hu.pl D co
veronense *Schrank.*
 31476. - - *linariifolium* *Vahl* *Linaria-leafed* $\text{♂} \Delta$ or ... jl Y Britain riv. sides D p.1 Eng. bot. 2851
3684. 1482c. HYPOCALYPTOMA *Endl.* (*Hypo*, under, *calymma*, a veil; bracts hide the calyx from below.) *Myrtacæc.*
 31477. - - robatum *Endl.* robust $\text{♂} \square$ or 1 my PK New Holland 1842. C 1.p Bot. reg. 1813. 8
 31478. - - angustifolium *Endl.* narrow-*lvd* $\text{♂} \square$ fra ? 2 ju.au W.S. River 1842. C s.p.1
 31479. - - suave *Lindl.* sweet-scented $\text{♂} \square$ fra ... jl.au W.S. River 1844. C s.p.1
?angustifolium var.
2227. HYPOCHÆRIS.
 31480. - - neapolitana *Dec.* Neapolitan $\text{♂} \Delta$ un ... jl.au Y Naples 1836. D co
3685. 1698b. HYPOCYRTA *Mart.* (*Hypo*, beneath, and *kurtos*, gibbous; projection of one side of corolla.) *Gesneriæc.*
 31481. - - strigillosa *Mart.* rough-*leaved* $\text{♂} \square$ or 2 my S.Y Organ Mts. 1842. D p Bot. mag. 4047
 31482. - - leucostoma *Hook.* white-mouthed $\text{♂} \square$ or 1 ap Y.W N. Grenada ?1846. C p.1 Bot. mag. 4310
 31483. - - glabra *Hook.* shining-*leafed* $\text{♂} \square$ or 1 ju.jl S.O ?S. Amer. 1847. C p Bot. mag. 4346
3686. - - HYPODERRIS *Brown.* HYPODERRIS. (*Hypo*, under, *derris*, a skin; fronds.) *Crypt. Filices.* 24.—1.
 31484. - - Brôwnii *J. Sm.* Brown's $\text{♂} \Delta$ or 2 my.o Br Trinidad ... D p.1
3687. 164a. HYPOELYTRUM *Rich.* (*Elytron*, covering, *hypo*, under; bractes under glumes.) 3. 1. *Cyperacæc.* 1.
 31485. - - argenteum *Vahl* silvery $\text{♂} \Delta$ cu ... jl.au W.P E. ndies 1824. D p.1
3688. 2901d. HYPOLEPIS *Presl.* HYPOLEPIS. (*Hypo*, under, *lepis*, a scale.) *Crypt. Filices.* 24.—1.
 31486. - - tenuifolia *Bernh.* slender-*lvd* $\text{♂} \Delta$ or ... su Br N.S.W 1824. D p.1
Cheilanthes tenuifolia *Bonpl.*
 31487. - - repens *J. Sm.* creeping $\text{♂} \Delta$ or 5 aut Br W. Indies ... D p.1
Lonchitis repens *L.*; *Cheilanthes repens* *Spr.*
 31488. - - aculeata *J. Sm.* aculeated $\text{♂} \Delta$ or ... aut Br Jamaica 1811. D p.1
Dicksonia aculeata *Spr.*; *Cheilanthes aculeata* *Kaulf.*
 31489. - - rugulosa *J. Sm.* rather rough $\text{♂} \Delta$ or ... aut Br V.D. Land 1814. D p.1
Polypodium rugulosum *Labill.*
981. HYPOXIS.
 31490. - - gracilis *Lch.* slender $\text{♂} \Delta$ pr $\frac{1}{2}$ su Y Mexico 1829. O 1.p
 31491. - - ramosa *B. C.* branchy-*stemd* $\text{♂} \Delta$ or $\frac{1}{2}$ ju.jl Y C. G. H. 1828. ?O s.p Bot. cab. 1336
1653. HYSSOPUS 11769 officinalis
 2 variegatus variegat-*d-leafed* $\text{♂} \square$ pr 1 $\frac{1}{2}$ ju.s B gardens ... C co [J. Cree]
 3 fibre rubro red-flowered $\text{♂} \square$ pr 2 ju.s R gardens ... C co [J. Cree]
 (O o - 1)

1853. IBERIS.
 31492 16363a coronària *D. Don* crown-flug O or 1 jn W 1836. S co Sw. fl. gar. 2. s. 359
411. PLEX.
 3416 Aquifolium
 12 heterophyllum *Hort.* various-lvd ♀ or 20 ap.jn W Britain hea. G co
 3 angustifol. *Hort.* narrow-leaved ♀ or 20 ap.jn W Britain ... G co
 4 latifolium *Hort.* broad-leaved ♀ or 20 ap.jn W Britain ... G co
 5 altaclerense *Hort.* High Clere ♀ or 20 ap.jn W Britain ... G co
 6 marginatum *Hort.* thick-marg.-lvd ♀ or 20 ap.jn W Britain ... G co
 7 laurifolium *Hort.* Laurel-leaved ♀ or 20 ap.jn W Britain ... G co
 8 ciliatum *Hort.* ciliated-leaved ♀ or 20 ap.jn W Britain ... G co
 9 cil. minus *Hort.* smaller-cil.-lvd ♀ or 20 ap.jn W Britain ... G co
 10 recurvum *Hort.* recurved-lvd ♀ or 20 ap.jn W Britain ... G co
 11 serratifol. *Hort.* serrated-leaved ♀ or 20 ap.jn W Britain ... G co
 12 crispum *Hort.* curled-leaved ♀ or 20 ap.jn W Britain ... G co
 13t ferox *Hort.* fierce ♀ or 20 ap.jn W Britain ... G co
 14t crassifol. *Hort.* thick-leaved ♀ or 20 ap.jn W Britain ... G co
 15 senescens *Suct.* aged, spineless ♀ or 20 ap.jn W Britain ... G co
 16t albo-marg. *Hort.* white-edg.-lvd ♀ or 20 ap.jn W Britain ... G co
 17t aëreo-marg. *Hort.* gold-edg.-lvd ♀ or 20 ap.jn W Britain ... G co
 18 albo-pictum *Hort.* Milkmaid ♀ or 20 ap.jn W Britain ... G co
 9 medio pictum *Hort.* Brit. p. 51. ♀
 19 aëreo-pict. *Hort.* gold-spot.-lvd ♀ or 20 ap.jn W Britain ... G co
 20 ferox-arg. *Hort.* silver-hedgehog ♀ or 20 ap.jn W Britain ... G co
 21 ferox-aür. *Hort.* gold-hedgehog ♀ or 20 ap.jn W Britain ... G co
 22 fructu-luteo *Hort.* yellow-berried ♀ or 20 ap.jn W Britain ... G co
 6 flavum *Hort.* Brit. p. 51. ♀
 23 fructu albo *Hort.* white-berried ♀ or 20 ap.jn W Britain ... G co
 24 fructu nigro *Hort.* black-berried ♀ or 20 ap.jn W G co
 Of vars. 16, 17, and 19. there are numerous subvarieties, differing in the width of the leaves and in the degree of variegation.
- 3419 Perado H.K., syn. 1. *platyphylla* Webb et Berthel. Fl. can. t. 68.; Bot. mag. 4079.; *maderensis* Lam. dict.
 31493 - latifolia *Thunb.* broad-leaved ♀ or 20 ... W Japan 1840. G co
 31494 - serrata *Thunb.* saw-leaved ♀ or ... W Japan 1840. G co
 31495 - Macoucoua Pers. Macoucoua ♀ or 40 ... W Trinidad 1846. C p.l. Aubl. guian. 1. 34
acuminata W., Cassine *Macroucena* Sieb. not of L., *Macoucoua guianensis* Aubl. guian. 1. t. 34.
 31496 - dipyrrena *Wall.* two-seeded ♀ or 12 ap.my W 1840. G co
Cunninghami, and *Dentoni* of the *Nurscries*.
 31497 - magellanica ♀ or ... W Maellan 1838. C p.l
Nlex Wallichii, *I. magnifica*, and *I. Torajo* are in the Exotic Nursery, Chelsea.
726. ILLECEBRUM 5961 cymdsum *Vil.*, syn. *Chactonfchia cymdosa* Dec.
1615. ILLI'CIUM.
 31498 - religiosum L. holy ♀ or 4 mr Y.G Japan 1842. C s.p Bot. mag. 3065
698. IMPATIENS.
 31499 - longicornu W., syn. *Hydrocera nãtans* Blume. ♀ or ... my.o ... E. Indies ... S r.m
 5697 pallida *Nutt.* pale-flowered O or 2½ jn.o Pa.Y N. Amer. 1812. S p Eng. bot. 937
Noli me tangere Eng. bot., not of others.
 31500 5697a borealis *Sut.* northern O or 3 jn.o Y Denmark ... S p Fl. dan. 582
 5698 Noli me tangere L. Touch-me-not O or 3 jn.o Y.r Engl. Essex ... S p
 31501 - fulva *Nutt.* yellow O or 3 au. O.Y Engl. riv. sides S s.p Eng. bot. 2794
 31502 - repens *Moon* creeping-habit ♀ or 1½ jn.o Y Ceylon 1848. S.C r.m Bot. mag. 4104
 31503 - scapiflora *Heyne* scape-flowered ♀ or ½ au L E. Indies 1835. S r.m Bot. mag. 3587
bulbosa *Moon* Cat.; *acutis* Arn.
 31504 - platypetala *Lindl.* broad-petaled ♀ or 1½ jn.au Dp.Ro Java 1845. C lt Bot. reg. 1846 68
Balsamina latifolia *Hort.*, not of *Dec.*
 31505 - glanduligera *Lindl.* gland-bearing O or 12 au DI.C Nepal 1839. S r.m Bot. reg. 1840. 22
 31506 - macrochila *Lindl.* long-lipped O or 8 jl.au Pk India 1839. S r.m Bot. reg. 1840. 8
 31507 - tricornis *Lindl.* three-horned O or 6 jn.au Y.spot India 1859. S r.m Bot. reg. 1840. 9
 31508 - candida *Lindl.* white O or 6 au W.spot CH Himalayas 1839. S r.m Bot. reg. 1841. 20
 31509 - picta *K. & W.* painted ? O or 2 jn Pk E. Indies 1837. S p Fl. cab. no. 128
 31510 - rosea *Lindl.* rose-coloured O or 8 au Pk Himalayas 1839. S r.m Bot. reg. 1841. 27
2072. INDIGO'FERA.
 31511 - sylvatica *Steb.* wood ♀ or 8 jn.jl Ro.Li N.Holl. 1825. C s.l Bot. mag. 3000
 Identical with No. 18658., but distinct from No. 18659., and is *I. speciosa* Hortul.
 †18655 atropurpurea *Ham.* dark purple ♀ or 5 au D.P.C Nepal 1816. C s.p Bot. reg. 1744
 31512 18685a violacea *Rox.* Violet-coral. ♀ or 5 ... P.ro E. Indies ?1819. C s.l Bot. mag. 3348
 31513 - stachyodes *Lindl.* long-spiked ♀ or 6 s L.C India 1839. C r.m Bot. reg. 1843. 14
 31514 - Dósua *Don* Dosua ♀ or 6 s Pk Nepal 1819. C r.m Bot. reg. 1842. 57
 31515 - stipularis *Link* large-stipuled ♀ or 1 my Pk S. Africa 1816. C co Botanist, 191
 31516 - decora *Lindl.* comely ♀ or 2 ... Pa.Ro Shanghai 1844. C s.l.p Bot. reg. 1846. 22
2833. I'NGA.
 31517 - cyclocarpa *W.* circle-podded ♀ or 60 ... W Caracca 1826. C p.l
 31518 - *Fringa* Jacq. Jiringa ♀ or ... W Malacca 1828. C p.l
 31519 - *Sãman* W. Saman ♀ or 60 ... Jamaica 1826. C p.l
 31520 - stipularis *Dec.* stipular ♀ or ... Cayenne 1831. C p.l
2345. I'NULA.
 31521 - glabra *Bes.* smooth ♀ or ... jn.au Y Caucasus 1831. D co
 31522 - triloba three-lobed ♀ or ... jl.au Y Sinai 1837. D co
 Nos. 21507, 21525, and 21526. in p. 350 are now referred to the genus *Chrysopsis* *Dec.*
 21534 foetida L.; *Nidorilla foetida* *Dec.*
 Nos. 21514, and 21515. in p. 350. are now referred to the genus *Francauria* *Dec.*
- 10'CHROMA *Benth.* See HABROTHAMNUS, in p. 559.
3689. - - IONOPSPIDIUM *Rchb.* VIOLET-CRESS. (*Ionopsis*, violet-faced, *cidios*, resemblance.) *Cranifera*. 15.
 †1333 aciale *Rchb.* stemless O or ¼ ap.o Li Lisbon 1845. S lt Bot. reg. 1816. 51
Cochlicaria acutis *Desf.*; *C. pusilla* *Brotero*.

2567.	IONO'PSIS.									
31523 -	- tères Lindt.	terete	£	∇	cu	¼	su	Li.St	Demerara	1838. D fib.p
31524 -	- tēnera Lindt.	delicate-habited	£	∇	pr	1	my	W.pk	Cuba	1835. D p.r.w Bot. reg. 1904
491. IPOMOE'A 4165 blānda; <i>Ipomoea cyndsa</i> Choisy Bot. reg. 1843. 24.										
31525 -	- Tweedii Hook.	Mr. Tweedie's	£	∇	l	pr	6	su	Rsh.P Parana	1838. C co Bot. mag. 3078
31526 4083a	- Horsfallia Hook.	Mrs. Horsfall's	£	∇	spl	20	d ja	Ro	Africa?	1833. C p.l Bot. mag. 3315
31527 -	- pulchella Roth.	pretty	£	∇	or	20	d ja	P	Ceylon	1845. C p.l Bot. mag. 4305
31528 4083b	- Hardingii Hend.	Harding's	£	∇	or	20	jl au	Rsh.P	Hybrid	1840. C p.l Paxt. mag. 11. 917
Between <i>Horsfallia</i> and <i>rūbro-cærulea</i> .										
31529 -	- rūbro-cærulea Hook.	reddish blue	£	∇	spl	8?	s n	B.a	Mexico	1833. 28. p.l Bot. mag. 3297
31530 -	- Aitonii Lindl.	Aiton's	£	∇	or	10	ap o	Pa.P S.C r.m Bot. reg. 1794
31531 -	- Schiediana Ham.	Schiede's	£	∇	spl	...	o	B S l.p
31532 -	- crassipes Hook.	thick-flwr.-stkd	£	∇	or	23	au	P	S.Africa?	1842. S.C p.l Bot. mag. 4068
4090 armāta R. & P., <i>I. muricata</i> Cav., Bot. mag. 4301; <i>Convolutus capillaceus</i> H.B.K. Nov. Gen. v. 3. p. 97.; Spreng. Syst. Veg. l. p. 613; <i>Canta tuberosa</i> Roem. et Sch. l. c. p. 793.										
31533 -	- melana Lindl.		£	∇	or	20	ap my	Pk.W C lt
31534 -	- Learii Paxt.	Mr. Lear's	£	∇	or	30	s	Dk.R	Ceylon	1839. C co Paxt. mag. vi. 267
<i>Pharbitis Learii</i> Benth. Botanist, 1839.										
31535 -	- Sellowii Penny	Sellow's	£	∇	...	10	1831. C p.l	...
31536 -	- tyrianthina Lindl.	purple	£	∇	or	10	au n	Dk.P	California	1838. C r.m Paxt. mag. viii. 73
31537 -	- batatodes Benth.	Batatas-like	£	∇	or	6	su	P.C	Mexico	1840. C l.p.s Bot. reg. 1841. 36
31538 -	- longifolia Benth.	long-leaved	£	∇	or	5	jl s	W	Mexico	1838. S l Bot. reg. 1840. 21
31539 -	- ficifolia Lindl.	fig-leaved	£	∇	or	3	n	P	Bu. Ayres	1840. C co Bot. reg. 1841. 13
31540 -	- simplex Thunb.	simple-stemkd	£	∇	or	3	jl	Pa.P	Africa	1844. ... p.l Bot. mag. 4206
The species of the genus <i>Ipomoea</i> , as given in pp. 61, 62, and 63, now constitute the genera <i>Quamō</i> lit <i>Tourn.</i> , <i>Leptocallis</i> G. Don, <i>Batatas Rumph.</i> , <i>Pharbitis</i> Choisy, <i>Calonjction</i> Choisy, <i>Evogonium</i> Choisy, <i>Anisica</i> Choisy.										

3690. -	- YPSEA Lindt.	IPSEA.	(Not explained.)							<i>Orchidaceæ</i> . 20.—1.
31541 -	- speciosa Lo. C.	showy	£	∇	or	...	my s	...	Ceylon	1840. D fib.p

2767. IREST'NE 24243 elātiōr Rich.; syn. *Rōsea elātiōr* Mart.

142. FRIS.											
1231 florentina											
2 minor J. C. less											
1235 germanica white-flowered											
2 flore albo J. C. white-flowered											
1240 orientalis, syn. <i>hamatophylla</i> Fis. <i>sibirica sanguinea</i> Bot. mag.											
31542	1244a	imbriata Lindl.	emblicated-bract.	£	∇	or	2	my	Lem R co Bot. reg. 1845. 35
1245 variegata											
2 De Berg H. Bel. De Berg's											
3 Van de Will H. Bel. Van de Will's											
31543	1250a	deflexa K. & W.	deflexed	£	∇	or	1	jn	l	Nepal	1833. R p.l Fl. cab. 51
31544	1251a	frāgrans Lindl.	sweet-scented	£	∇	or	...	jn j	B.W. P.	India	1839. D s.p
31545	1255a	taurica Lod.	Taurian	£	∇	or	½	ap my	Y	Tauria	1827. O co Bot. cab. 1506
1258 pūnila											
2 alba white-flwd											
3 alba cærulea white and blue											
4 cærulea blue flwd											
31546	1367a	crassifolia B. C.	thick-lvd	£	∇	or	½	jl au	Pa.B	C. G. H	1830? D s.l Bot. cab. 1861
1268 Pseud-Acorus											
3 variegata variegated-lvd											
1291 sibirica											
1 flore-pleno double-flowered											
missouriensis pleno Hort.											
31547	1297a	ensata Vahl	sword-shpd-lvd.	£	∇	or	1	jn j	B.P	Austria	1786. D co
31548	1302a	setosa Fisch.	bristle-pointed	£	∇	or	1	jn j	Pa.P	E. Siberia?	1845. D co Bot. reg. 1847. 10
Setosily No. 1302 of this catalogue; <i>brevicaulis</i> Schult. Mant.											
31549	1303a	tēnax Dou.	tough	£	∇	or	1	ap my	P	California	1826. D p.l Bot. reg. 1218
31550	1305a	longifolia Svt.	long-leaved	£	∇	or	½	ap	P.	Gsh Naples	1829. D lt Sw. fl. gar. 2. s. 146
1312 reticulata Bot. gard. 748.											
31551 -	- Blondovii Led.	Blondow's		£	∇	or	Altai	1832. D co
31552 -	- nertchinskia Fis.	Nertchinsk		£	∇	or	½	my	B	Siberia	1831. D r Bot. cab. 1843
31553 -	- levigata Fis.	smooth		£	∇	or	1836. D l.p	
31554 -	- frāgrans Lindl.	fragrant		£	∇	fra	Li.W	India	1834. D co
31555	1313a	clandestina	clandestine	£	∇	or	1	Brazil	1829. O s.l.p
31556 -	- bicolor Hort.	two-coloured		£	∇	or	1	my	Y.P O co Paxt. mag. ix. 29
31557 -	- Hookeri Penny	Hooker's		£	∇	or	1	my jn	P	N. Amer.	1826. D co
<i>tripetata</i> B. M. 2886, not of <i>Walter</i> .											

1877. ISAY'TIS.

31558	16582a	oblongata Dec.	oblong	£	∇	or	2	my	Y	Baical	1829. S co
31559 -	- variegata Led.	variegated		£	∇	or	2	my	Y	Siberia	1828. S co
31560 -	- megacarpa Fis.	large-fruited		£	∇	or	2	my	Y	Persia	1829. S co
31561 -	- dasycarpa Led.	thick-fruited		£	∇	or	2	my	Y	Siberia	1828. S co
31562 -	- latistiqua Fis.	broad-podded		£	∇	or	2	my	Y	Persia	1829. S co
31563 -	- indigotica Fort.	indigo		£	∇	or	1	my jn	Y	N. of China	1846. S co J. H. S. l. p. 271. fig.

2856. ISCHEMUM 24957 aristatum Sal.; syn. *Meoschium aristatum* Roem. & Sch.

3691.	2375a.	ISME'LLA Cass.	ISMELIA.	(Origin unknown.)						<i>Compositæ Anthemidæ</i> . Sp. several.	
31564	21713a	maderensis D. Don	Madeira	£	∇	or	2	ap	Str	Madeira	1834. C lt.s Sw. fl. gar. 2. s. 342

935. ISME'NE.

31565 -	- Knightii K. & W.	Knight's		£	∇	el	2	mr	W	Florida	1836. Sk r.m Fl. cab. 59
<i>Hymenocallis rotata</i> Bot. cab. t. 19; <i>Pancratium rotatum</i> Bot. mag. 827.											
31566 -	- Macleana Herb. lit.	M-Lean's	<i>Aman.</i>	£	∇	or	2	jn	W	Lima	1837. O s.p Bot. mag. 3675
7642 Amānacas											
2 sulphurea Herb. sulphur											
It was originated from a seed of <i>Isme'ne Amānacas</i> which had been fertilised by the pollen of <i>l. calathina Herbert.</i> [In <i>Hort. Brit.</i> , p. 117., the neuter adjective calathinum is wrongly associated with <i>Isme'ne</i> , instead of the feminine calathina.]											

- 31567 - - *virscens Lindl.* greenish
31568 - - *deflexa Herb.* deflexed
 2550. **ISOCHYLUS** 22723 *graminifolium Kth.*; syn. *Dichæa graminoides Lindl.*
 31569 - - *fusiforme Lindl.* fusiform
31570 - - *lividum Lindl.* livid
31570* - - *carosiflorum Lo. C.* fleshy-flwd
 157. **ISOLEPIS.**
 31571 1394a *supina R. & S.* trailing
31572 1392a *Vahlî R. & S.* Vahl's
31573 1392b *Mieheliana R. & S.* Miehel's
31574 1395a *angularis R. & S.* angular-stem'd
31575 1395b *curvifolia R. & S.* curved-lvd
31576 1395c *pubigera Schr.* pubescent
31577 1395d *Ehrenbergii Otto* Ehrenberg's
31578 1395e *Saviana Seb.* Savi's
31579 - - *Savii S. & M.* Savi's
Scirpus Savii Spreng.
 2 monostachys Hook. *Isotepis pygmaea Kunth.*
 3692. - - **ISOLOMA** J. Sm. **ISOLOMA.** (*Isos*, equal, *loma*, fringe.) *Crypt. Filices* 24.—1.
 31580 - - *divergens J. Sm.* divergent
31581 - - *lanuginosa J. Sm.* woolly
 3693. - - **ISOMERIS.** **ISOMERIS.** (*Isos*, equal, *meris*, part; parts of inflor.) *Capparidæceæ.*
 31582 - - *arboorea Nutt.* tree
 3194. - - **ISONA'NDRA** Wight **ISONANORA.** (*Isos*, equal, *ancr*, an anther.) *Sapo'acæ.*
 31583 - - *Gutta* Gutta-*Percba*
 303. **ISOPOGON.**
 31584 - - *attenuatus R. Br.* attenuated-lvd.
31585 - - *sphaerocephalus Lindl.* round-headed
31586 - - *Baxteri R. Br.* Baxter's
31587 - - *Loudonî R. Br.* Loudon's
spathulatus R. Br.
 2 linearis R. Br. linear
 31588 - - *scaber Lindl.* rough-leaved
31589 - - *roseus Lindl.* rose-cld.-flwd
 3695. - - **ISOTROPIS** Benth. **ISOTROPIS.** (*Isos*, equal, *tropes*, a keel.) *Leguminosæ* 10.—1.
 31590 - - *striata Benth.* striated-flwd
 3696. 998a. **IXIOLIRION** Herb. **IXIA-LILY.** (*Ixia*, and *leirion*, a lily.) *Amaryllidæcæ*, § *Cauliscentes* 6.—1.
 31591 - - *montanum Herb.* mountain
Amaryllis montana Red. Lil.; *A. tatarica* Pall.; and, according to Paxt. Mag. bot. 13. 151., *Alstræmeria montana*.
 379. **IXORA** 3271 *coccinea L.*
 2 superba
 31592 3279a *sessilis Wal.* sessile-flowered
31593 - - *Griffithii Hook.* Griffith's
I. hydrangeæ forms of the nurseries.
 31591 - - *javânica Part.* Javanese
31595 - - *odorata Hook.* sweet-scented
 ?*Pavetta gracilis* Dec.
 31596 - - *lancofolia Hook.* lance-leaved
31597 - - *salicifolia Low* willow-leaved
 3697. 585a. **JABOROSA** J. **JADROSA.** (*Jaborôbbh*, Arabic name for the mandrake; affinity.) 5. 1. *Solanacæ.*
 31598 - - *runcinata Lam.* runcinate
31599 - - *integrifolia Hort.* entire-leaved
 1253. **JACKSONIA.**
 31600 - - *Sternbergiana Hüg.* Sternberg's
31601 - - *thesioides Ait.* Thesium-like
31602 - - *densiflora Benth.* crowded-flwd
31603 - - *floribunda Endl.* many-flwd
31604 - - *grandiflora B. R.* large flwd
 3698. 491a. **JACQUEMONTIA** Choisy. (*Victor Jacquemont*, a traveller in the E. Indies.) *Convolvulæcæ* 5.—1.
 31605 - - *canescens Benth.* hoary
 3698.* 1487a. **JAMBOSA** Rum. **JAMBOSA.** (*Jambos*, aboriginal name.) *Myrtacæ* 6.—18.
 31606 - - *vulgaris Dec.* common
Eugenia Jambos L. No. 12732.; also Nos. 12745, 12721, 12729, 12733, and 12725, belong to this genus.
 3699. - - **JAMESONIA** H. & G. **JAMESONIA.** (*Dr. Jameson*, Prof. of Bot. at Quito.) *Crypt. Filices* 24.—1.
 31607 - - *imbricata H. & G.* imbricated
Allosorus imbricatus Presl; *Pteris imbricata Swz.*
 2718. **JANTPHA.**
 31603 23853a *angustifolia Pohl* narrow-leaved
The flowers of the other species in Hort. Brit. p. 392. are brown, not "green," coloured.
 716. **JASIONE.**
 31609 5889a *humilis A. Dec.* dwarf
31610 5889b *foliosa G. Don* leafy
 43. **JASMINUM.**
 31611 - - *caudatum Wal.* long-tailed
31612 304a *lanceolarium For.* lanceolar-flwd
 323 *revolutum B. R.*, syn. *chrysanthum* Wall.

31613	323a	pubigerum <i>D. Don</i>	down-bearing	♂	or 10	mr.o	Y	Nepal	1827.	C	1	Bot. reg. 1409
		<i>Waltichianum Lindl.</i>										
31614	324a	affine <i>Royte</i>	related	♂	or ...	ju.o	W	Himalayas	1843.	C	co	Bot. reg. 1845, 26
31615	-	nudiflorum <i>Lindl.</i>	naked-flwd	♂	or 3	f.mr	Y	China	1844.	C	lt	Bot. reg. 1846, 48
		<i>J. praecox</i> of some authors.										
31616	-	ligustrifolium <i>Lindl.</i>	lilac-lvd	♂	or ...	my.jl	W	Nepal	1839.	C	s.l.p	
31617	-	syringifolium <i>Wall.</i>	lilac-lvd	♂	or	W	E. Indies	1838.	C	s.l.p	
31618	-	subulatum <i>Lindl.</i>	awl-shaped-lvd	♂	or ...	my.jl	Y	China	1839.	C	s.l.p	
31619	-	dianthifolium	Dianthus-lvd	♂	or ...	my.jn	W	C	s.l.p	

2717. JA'TROPHA. gouty-stalked ♀ □ cu 1½ ... O.r Sta. Martha 1847. C 1p Bot. mag. 4376
 - podágrica *Hook.*

2832. JOLLI'FIA 24572 africana *Del.*; syn. *Amplocisoyus scandens* G. Don.

3700. 1484a. JOSS'NIA Com. JOSSINIA. (Not known.) *Myrtaceae.* l.—s.
 31621 - orbiculata *Dec.* orbicular-lvd ♀ □ or 6 ... W Bourbon 1823. C p1

3701. 482a. JUANU'LLOA R. & P. (*Don Gco. Juan, and Don Anto. Ulloa*, disting. Spaniards.) *Solanaceae.* 5.—1.
 31622 - parastica *R. & P.* parasitic ♀ □ or 3 my.jn O Peru 1840. C r.m or block B.m. 4118
Ulloa parastica Pers. syn.; *Brugmansia parviflora* Hort.; *B. floribunda* Hort., Paxt. mag. vol. 9. 3.

2664. JU'GLANS.

23394	régla											
2	máxima <i>A. B.</i>	largest-fruited	♀	tm	50	ap.my	Ap	G	co	Noi. jar. 16
	<i>J. fructu máximo</i> Bauh.											
3	ténera <i>A. B.</i>	thin-shelled	♀	tm	50	ap.my	Ap	G	co	
4	serótina <i>Desf.</i>	late-vegetating	♀	tm	50	ap.my	Ap	G	co	
5	laciniata <i>A. B.</i>	cut-leaved	♀	tm	50	ap.my	Ap	G	co	
	<i>J. heterophylla</i> Hort.	<i>J. siliicifolia</i> <i>Lod.</i>										
6	péndula	weeping	♀	or ...	ap.my	Ap	G	l	[K. & P.]	

994. JU'NCUS.

8126	capitatus <i>Wiegand</i>	headed	○ ?	cu	½	my.jl	Ap	Jersey	san.gr.	S	s	
31623	- diffusus <i>Hope</i>	spreading	♂	un	2	jl.au	Ap	Scotland	wel.pl.	D	m.s	
31624	- fusco-ater <i>Schreb.</i>	dark-brown	♂	Δ	w	jl.au	Ap	Europe	...	D	m.s	
31625	- nigrifolius <i>Don</i>	blackish	♂	Δ	w	jl.au	Ap	Britain	bog.pl.	D	e.p	Eng. bot. 2643-

†2922. JUN'PERUS *L.* JUNIPER. (*Junceprus*, rough or rude, *Celt.*; stiff shrubs.) *Coniferae.*

I. OXY'CEDRI. — *Leaves spreading in the adult plants.* D. Don.

24511	communis <i>L.</i>	common	♂	clt	5	my.jn	Ap	Britain	heaths	S	s.l	Eng. bot. 1110
	1 vulgaris <i>Park.</i>	common	♂	clt	5	my.jn	Ap	Britain	heaths	S	s.l	
	<i>J. v. fruticosá</i> Bauh.	<i>J. c. erectis</i> Pursh.										
2	suecica <i>Mil.</i>	Swedish	♂	or 12	my.jn	Ap	N. Europe	...	L	s.l		
	<i>J. suecica</i> <i>Mil.</i>	<i>J. vulgaris arbor</i> Bauh.										
3	nána <i>W.</i>	dwarf	♂	or 2	my.jn	Ap	Siberia	...	S	l.p	Pal. ros 54.	A. B.
	<i>J. c. β</i> Fl. Br., Lightl., <i>L. J. c. saxatilis</i> Fall.	<i>J. alpina</i> Ray, Bauh. hist., Clus. pann., <i>Lod. J. alpina minor</i> Ger.										
	<i>J. c. montána</i> Ait.											
4	oblonga <i>Hort.</i>	oblong-fruited	♂	or ...	my.jn	Ap	?Paris	1826.?	L	s.l		
5	ob. péndula <i>Lod.</i>	ob. pendulous	♂	or 5	my.jn	Ap	L	s.l		
	Small plants, doubtless varieties of <i>J. communis</i> , are in Messrs. Loddiges's collection, under the names of <i>J. canadensis</i> , <i>J. cracovia</i> , and <i>J. hibernica</i> .											
24512	Oxycedrus <i>L.</i>	Sharp Cedar	♂	or 15	my.jn	Ap	Spain	1739.	C	s.l	Duh. ar. 2.	128
24513	macrocarpa <i>Sm.</i>	large-fruited	♂	or ...	my.jn	Ap	Greece	...	S	s.l		
24514	drupacea <i>Lab.</i>	drupaceous	♂	or 4	my.jn	Ap	Syria	1820.	L	s.l		
	<i>Häbhel fructus</i> Clus.											
24515	virginiana <i>L.</i>	Virg. Red Cedar	♂	tm	30	my.jn	Ap	N. Amer.	1664.	S	s.p	Mic. ar. 3. 5
	2 humilis <i>Lod.</i>	humble	♂	or 12	my.jn	Ap	N. Amer.	1800.	L	s.l		
	3 caroliniana <i>Duroi</i>	Carolina	♂	or ...	my.jn	Ap	Carolina	...	L	s.p		
	4 péndula	weeping	♂	or 20	my.jn	Ap	seedling	...	G	l		
	5 horizontalis	horizon-branc.	♂	or ...	my.jn	Ap	seedling	...	G	l		
	6 foliis varieg. <i>Greg.</i>	variegated-lvd	♂	or 20	my.jn	Ap	seedling	1848.	G	l		
24516	bermudiána <i>L.</i>	Bermudas Cedar	♂	tm	20	my.jn	Ap	Bermud.	1683.	S	p.l	Her. lug. 347

II. SABI'NE. — *Leaves of the adult plant imbricated.* D. Don.

24517	Sabina <i>L.</i>	common Savin	♂	m	4	my.jn	Ap	S. Eur.	1548.	L	s.l	Pal. ros. 56. f. 2
	1 cupressifolia <i>Ait.</i>	Cypress-lvd	♂	m	4	my.jn	Ap	S. Eur.	1548.	L	s.l	
	<i>J. hudsónica</i> <i>Mil.</i>	<i>Sabina</i> <i>Dod. S. folio Cupressi</i> Bauh.										
2	tamariscifolia <i>Ait.</i>	Tamarisk-lvd	♂	m	4	my.jn	Ap	S. Eur.	1562.	L	s.l	
3	foliis variegatis	variegated-lvd	♂	or 4	my.jn	Ap	Europe	gard.	L	s.l		
4	prostrata <i>A. B.</i>	prostrate	♀.	or ½	my.jn	Ap	N. Amer.	...	R	s.l		
	<i>J. prostrata</i> <i>Mx. J. repens</i> Nutt.	<i>J. hudsónica</i> <i>Lod.</i>										
5	alpina <i>A. B.</i>	alpine	♀.	or 1½	my.jn	Ap	Britain	sc.mo.	L	s.l		
	<i>J. alpina</i> <i>Lo. C.</i>											
24518	daurica <i>Pal.</i>	Daurian	♂.	or ...	jn.au	Ap	Dauria	1791.	L	s.l	Bot. rep. 534	
24519	phoenicea <i>L.</i>	Phoenician	♂	or 20	my.jn	Ap	S. Eur.	1683.	C	s.l	Pal. ros. 57	
24520	lycea <i>L.</i>	Lycian	♂	or 8	my.jn	Ap	S. Eur.	1683.	L	s.l	fol. ros. 56	
24521	thuriferá <i>L.</i>	incense-bearing	♂	or 30	my.jn	Ap	S. Eur.	1752.	L	s.l		
24522	excelsa <i>W.</i>	tall	♂	tm	20	...	Ap	Siberia	1806.	L	s.l	
24523	squamata <i>D. Don</i>	scalded, <i>Creeping C.</i>	♂	or 4	my.jn	Ap	Nepal	1824.	L	s.l		
24524	recurva <i>Ham.</i>	recurved	♂	or 4	my.jn	Ap	Nepal	1817.	L	s.l		
24525	uvifera <i>D. Don</i>	grape-bearing	♂	or	Ap	C. Horn	1800.?	L	s.l		
24526	barbadensis	Barbadoes	♂	or 1	tm	...	Ap	Florida	1811.	L	s.l	Pluk. al. 197. 4
24527	chinénsis <i>L.</i>	Chinese	♂	or 3	my.jn	Ap	China	1804.	L	p.l		
	2 Smithii <i>Loudon</i> , Smith's of <i>Ayr.</i>	The plant to which this name is applied in appearance closely resembles <i>J. chinénsis</i> . The plant in the Hort. Soc. Gard. is of vigorous growth, and worthy a place in every garden. There is a plant extant in some Scotch nurseries, commonly called <i>J. nepalensis</i> , which is, in all probability, identical with <i>J. c. 2 Smithii</i> <i>Loudon</i> .										

III. Uncertain to which division they belong.

31626	-	Hermánni <i>Spr.</i>	Hermann's	♂ ?	or ...	my.jn	Ap	S	G	s.l
31627	-	tetrágoná <i>Lindl.</i>	four-angled	♂	or ...	my.jn	Ap	Mexico	1836.	S	G	s.l

- 31628 - - flaccida *Lindl.* weak ☐ or ... myjn Ap Mexico 1836. S.g.s.l
 31629 - - mexicana *Schiede* Mexican ☐ or ... myjn Ap Mexico 1846. S.g.s.l
 31630 - - hemisphaerica *Spr.* round-headed ☐ or ... myjn Ap Mt. Etna ?1844. S.g.s.l
58. JUSTICIA.
 31631 492a ventricosa *Wal.* ventricose ☐ or 3 jn.jl W.R China 1826. C p.l Bot. mag. 2766
 507 polysperma *Rox.*; syn. *Hemidaphnis polysperma* N. Von Esenbeck.
 31632 537a nodosa *Hook.* knotty-stem ☐ or 2 s R Brazil 1820. C p.l Bot. mag. 2913
 521 asperula *Wal.* roughish ☐ or 2 su Pk India 1829. C lt.l Bot. cab. 1681
- quadricularis* *Hook.* Bot. mag. 2845.
 31633 - - carnea *Lindl.* flesh-coloured ☐ spl 4 au.s F Rio Jan. 1827. C l.p Bot. reg. 1397
 31634 - - venusta *Wal.* beautiful ☐ or 5 s P Bengal ... C l.p Bot. reg. 1380
 31635 - - amabilis *Hook.* lovely ☐ or ... R S. Amer. ... C l.p
 31636 496a Macdonelliae *Mrs. Mc. Donnl.'s* ☐ or ... n.d. Y C p.l
 No. 546 in Hort. Brit., is but a synonyme of no. 547.
3702. - - KADURA *Juss.* (*Tuto-Kadura* or *Sane-Kadura*, Japan name of *K. japonica*.) *Schizandraea*. 22.—12.
 31637 - - japonica *Dunal* Japan ☐ or ... jn.s W Japan ?1846. L.C s.p.l Kæm. am. t. 477
Uvaria japonica L. *U. heteroclita* Roxb.
12. KEMPFERIA.
 31638 - - elegans *Wal.* elegant $\frac{3}{4}$ ☐ or 1 ... P Pegu 1828. D s.l Wal. pl. as. ra. 27
 31639 147a Roseoana *Rosc.* Roseoc's $\frac{3}{4}$ ☐ or $\frac{1}{2}$ o W E. Indies 1827. R s.l Bot. reg. 1212
3703. 2810a. KAGENECKIA R. & P. KAGENECKIA. (*M. de Kageneck*, a German statesman.) *Rosaceae*, § *Quillajia*. 3.
 31640 - - oblonga *D. Don* oblong-leaved ☐ or 10 jn W Chili ? 1830? L?C l Bot. reg. 1836
cratægifolia *Lindl.* *cratægoides* *D. Don.*
234. KAULFUSSIA 21495 amelloides *Nees*; syn. *Charis heterophylla* *Dec.*
2144. KENNEDYA 19379 rubicunda *Jen.*; syn. *Camptosema rubicunda* *Hook. et Arn.*
 31641 19379a nigricans *Lindl.* dark-corollaed ☐ or 3? fjn D.P.G N. Holl. 1832? C s.p Bot. reg. 1715
 19380 prostrata
 2 minor smaller ☐ or ... ap.jl R N. Holl. 1836. S p.l [D. Cameron.]
 31642 19380a Marryattae *Lindl.* *Mrs. Marryat's* ☐ or 4 ap.jl S Australia 1834. S s.p Bot. reg. 1790
3704. 2253a. KENTROPHYLLUM *Neck.* KENTROPHYLLUM. (*Kentron*, spine, *phyllon*, leaf) *Comp. Card.*
 120440 arborescens *Hook.* shrubby ☐ or 6 au.n Y Spain 1731. C s.p Bot. mag. 3302
Onobroma arborescens *Spr.* *Carthamus arborescens* L.
- 153I. KERRIA.
 13702 japonica *Dec.* Japan ☐ or 6 year Y Japan ?1834. L co Sw. fl. gar. 2. s. 337
 2 flore pleno double-flwd ☐ or 6 year Y Japan 1804. ... Bot. mag. 1296
Cochorus japonicus L., and No. 13702. in p. 214.
3705. 1561b. KIELMEYERA *Mart.* KIELMEYERA. (*C. F. D. Kielmeyer*, patron of bot.) *Ternstroemiaceae*. 13.—1.
 31643 - - excelsa *G. Don* tall ☐ or ... jlo W Brazil 1833. C s.p.l
3706. 987a. KINGIA R. BR. GRASS TREE. (*Captn. P. King*, R. N., a cel. circumnavig.) *Juncaceae*. 6.—1.
 31644 - - australis southern ☐ or ... St Australia 1830. Sk s.l
2291. KLEINIA. Nos. 20703. to 20708. inclusive, in p. 337, are referred by *De Candolle* to the genus *Porophyllum*.
354. KNOXIA.
 31645 3097a exserta *Dec.* exserted ☐ or ... jn.au W Ceylon 1828. S s.l.p
235. KELEBRIA.
 31646 1948a albescens *R. & S.* whitish ☐ Δ un ... jn.au Ap S. France 1829. S co
 1949a setacea *Kth.* bristly ☐ Δ un ... jn.au Ap S. Europe 1825. S co
 31648 1956a laxa *Kth.* loose-flwd ☐ Δ un ... jn.jl Ap Egypt 1829. S co
3707. - - KREYSIGIA *Reich.* KREYSIGIA. (In honour of *F. L. Kreyzig*, a German bot.) *Melanthaceae*.
 31649 - - multiflora *Reich.* many-flwd $\frac{3}{4}$ ☐ or 1 su Pa.l N. Holl. 1823. Sk p.l Bot. mag. 3905
Tripladenia Cunninghamii *D. Don.*
2220. KRIGIA 20168 amplexicaulis *Nut.*; syn. *Cynthia amplexicaulis* *D. Don.*
2269. KUHNIA.
 31650 20569a rosmarinifolia *Balb.* Rosemary-lvd ☐ Δ or 1 jl.au W Cuba 1828. D p.l
 31651 - - linearifolia *Spr.* linear-leaved ☐ or 1 ... Brazil 1829. C p.l An. mu. 12. 61. 1
Kleimia linearifolia *J.* *Jaluma linearis* *Pers.*
3708. 2648a. KUNTHIA *Hum.* KUNTHIA. (*C. S. Kunth*, an acute Prussian botanist.) *Pitnec.* 1.
 31652 - - montana *Hum.* mountain ☐ or 10 ... N. Gren. 1829. S r.m Il. & B. ll. t. 122
165. KYLLINGIA.
 31653 1439a cruciformis *R. & S.* cross-formed ☐ Δ un ... jn.jl Ap E. Indies 1825. D bog
 31654 1492a odorata *R. & S.* fragrant ☐ Δ fra ... jl.au Ap S. Amer. 1822. D bog
3709. 1274a. LABICHEA *A Benth.* LABICHEA. (*M. Labiche*, a French naval officer.) *Leguminosae*. 10.—1.
 31655 - - lanceolata *Benth.* lanceolate ☐ or ... my.jl ... Swan R. 1837. C l.p
 31656 - - bipunctata *Paxt.* two-pointed ☐ or 3 mr.ap Y Swan R. 1840. S s.p Paxt. mag. x. 149
3710. - - LABISIA *Lindl.* (*Labis*, a spoon; corollas resemble the bowls of small spoons.) *Myrsinaceae*. 5.—1.
 31657 - - pothoua *Lindl.* Pothos-like ☐ Δ or 21 ju F Penang ?1843. S s.l.p Bot. reg. 1845. 48
12154. LABLAVIA, LABLAVIA. (*Lablab* means, in Arabic, a twining plant.) *Leg. Pap. Phacel.* 5.—
 19481 vulgaris as in p. 316., except that the figure in Sw. Fl. Gar. 2. s. 236. is preferable to that in Bot. Mag. 896.
 2 purpurea *Dec.*
Lablab purpureus *G. Don* in Hort. Brit. No. 19485. *Dolichos purpureus* *Jac.*

3 albiflora Dec.

Láblab *bengalensis* G. Don in Hort. Brit. No. 19486. *Dolichos bengalensis* Jac.; and Mr. D. Don teaches, in Sw. Fl. Gar. 2. s. 236. (and, in doing so, goes farther than Decaudolle), that the following names are but synonyms of this variety: — *Dolichos albus* Lou., D. Láblab *Guertner*, Láblab *nankimicus* Savi, and Láblab *euocarpyus* Savi.

3711. 2523a. LACÆNA *Lindl.* (A name of *Helen*; applied to this plant on account of its beauty.) *Orchidaceæ.*
31658 - - bicolor *Lindl.* two-coloured £ ◻ or 1 my Dl.Gsh.y.p Guatemala. 1842. D block B. r. 1844. 50

2204. LACTUCA 19871 *intybeica* Jac.; syn. *Brachyránthus intybeicus* Dec.

31659 19876a undulata *Dec.* waved ◻ un ... jl.au P S. Europe 1837. S co

1083. LACHENA/LIA.

31660 9015a pállida *Thun.* pale-flowered ◻ ◻ or 3 sp Pa. B C.G.H. 1782. O p.l Bot. reg. 1350
2 minor *Lindl.* smaller ◻ ◻ or 3 s Pa. B C.G.H. 1782. ? O p.l Bot. reg. 314
3 cærulescens *Lindl.* bluish ◻ ◻ or 3 sp Bsh C.G.H. 1782. O p.l Bot. reg. 1945

3712. 2553a. LÆLIA *Lindl.* LÆLIA. (*Lælia*, a vestal virgin.) *Orchidaceæ.*
31661 - - ánceps *Lindl.* two-edged-sepd £ ◻ el 1 1/2 d Pa. P Mexico 1833. ? O p.r.w Bot. reg. 1751
2 Barkeriana *Lindl.* Barker's £ ◻ el 1 1/2 d P Mexico 1833. O p.r.w Bot. reg. 1947
31662 - - autumnalis *Lex.* autumnal £ ◻ spl 3 au.o Li. P Mexico 1836. D p.r.w Bate. orch. 9
31663 - - cinnabarina *Lindl.* cinnabar-flwd £ ◻ el 2 my Ve Brazil 1836. D p.r.w Bot. mag. 4302
31664 - - álvida *Lindl.* white £ ◻ fra W. C. Oaxaca ... D p.r.w Bot. reg. 1839. 54
1 violacea ... violet-eld.-lipped £ ◻ fra W. V. D p.r.w Bot. reg. 1840. 41
31665 - - rubescens *Lindl.* blushing £ ◻ or 3 my Pk. D p.r.w Bot. reg. 1840. 41
31666 - - acuminata *Lindl.* acuminate £ ◻ or 2 ja Pk.w Mexico 1840. D p.r.w Bot. reg. 1841. 24
"Flor de Jesus."
31667 - - furfuracea *Lindl.* scurfy-stalked £ ◻ or 1 1/2 n Pk. Mexico 1838. D p.r.w Bot. reg. 1839. 26
31668 - - grandiflora *Lindl.* large-flwd £ ◻ spl 1 sp Li. V Guatem. 1840. D fib.p
31669 - - majalis *Lindl.* May-flwg £ ◻ spl 3 my Ro. Li Mexico ... D block Bot. reg. 1844. 30
"Flor de Mayo."
31670 - - supérbiens *Lindl.* gorgeous flwd £ ◻ spl 1 n Li. P. v Guatem. ? 1840. D block Bot. mag. 4090
31671 - - pedunculata *Lindl.* pedunculated £ ◻ or 1 au.s Pa. Li Guatem. ? 1840. D block Bot. mag. 4099
31672 - - flava *Lindl.* yellow-flwd £ ◻ or ... au Y. Brazil 1840. D fib.p
31673 - - purpureascens *Lindl.* purplish £ ◻ or ... au Ysh Brazil 1839. D fib.p
31674 - - rupestris *Lindl.* rocky £ ◻ or V. Brazil 1840. D fib.p
31675 - - viridis *Lindl.* greenish-flwd £ ◻ cu ... aut Pa. ysh. g. Brazil 1843. D fib.p
31676 - - erythrobólbon red bulbod £ ◻ or ... aut ... Brazil 1843. D fib.p
31677 - - cándida *Lo. C.* white-flwd £ ◻ or ... aut W Bolanos 1840. D fib.p
2 incarnata *Lo. C.* flesh-eld.-flwd £ ◻ or ... aut F Bolanos 1840. D fib.p
31678 - - epidendróides *Hort.* Epidendrum-lik £ ◻ or ... su P. C Brazil 1839. D fib.p

3713. - - LAFOËNSIA *Vandellii* LAFOËNSIA. (In honour of the Duke of Lafoëns.) *Lythraceæ.*
31679 - - microphýlla *Pohl* small-lvcd ◻ ◻ or Brazil 1847. C p.l [K. & P.]
Vandelliana *Dec.*

2695. LAGENARIA.

31680 - - vittata *Dec.* banded ✱ ◻ cu ... jn.s W E. Indies ... S r.m
31681 - - idólatrica *Dec.* pear-fruited ✱ ◻ cu ... jn.s W E. Indies ... S r.m

3714. - - LAGENO-PHORA *Endl.* LAGENO-PHORA. (*Lagenos*, flask, *phoros*, bearing.) *Compositæ Astérceæ.*
31682 - - Försteri *Endl.* Förster's £ ◻ or Y. P N. Zeal. 1837. D lt.s.1

1587. LAGERSTRÖMIA 13918 *indica*

2 rósea *B. C.* rosy ◻ ◻ or 12 au.s Ro China 1825. C r.l Bot. cab. 1765
3 álba white-flwd ◻ ◻ or 12 au.s W China 1816. C r.l
31683 13918a speciosa *Dec.* showy ◻ ◻ or ... au.s Ro China 1826. C r.l
31684 13918b elegans *Paxt.* elegant ◻ ◻ or 10 au.s Ro. y E. Indies 1841. C s.l Paxt. mag. xiv. 269

3715. 1941a. LA'LAGE *Lindl.* LALAGE. (*Lalage*, a lively dame in Horace; appearance.) *Leguminosæ* l. —
31685 - - ornata *Lindl.* gay-flowering ◻ ◻ or 2: ap Y. bd. P.N. Holl. 1830. C p Bot. reg. 1722
31686 - - hovea'flua *Paxt.* Hovea-leaved ◻ ◻ or 2 l Y. R. P.N. Holl. 1841. C s.p Paxt. mag. ix. 171

319. LAMBERTIA.

31687 - - propinqua *R. Br.* related ◻ ◻ or N. Holl. 1830. C l p
31688 - - ericifolia *R. Br.* Heath-leaved ◻ ◻ or N. Holl. 1830. C l p
31689 - - ovalifolia oval-leaved ◻ ◻ or N. Holl. 1836. C p
31690 - - multiflora *B. R.* many-flwd ◻ ◻ or O S. River ... C s.p

1665. LAMMIUM.

31691 14941a longiflorum *Ten.* long-flowered ¥ ◻ or 1 mr Pk S. Europe ... D co Eng. bot. 2550
maculatum Eng. bot. not of Flor. grac.
2 álbum white-flwd ¥ ◻ pr 1 mr W gardens ... D co
14939 rugosum white-flowered ¥ ◻ pr 1 jl.au W gardens ... D co
31692 14951a intermedium *Fries* intermediate ¥ ◻ or w 3/4 ju.s Pk Scot. Ire. Waste Pl. S. s.l Eng. bot. 2914

3716. 1767a. LAMOUROUXIA *H. B. & K.* (*F. Lamouroux*, a naturalist.) *Scrophulariaceæ* 14. — 2.
31693 - - multifida *H. B. & K.* multifid ¥ ◻ or 1 1/2 ... S Mexico 1846. C p.l
Stenochilus elegans *W.*
31694 - - cordata *Cham.* heart-shpd.-lvd. ¥ ◻ or 1 1/2 ... S Mexico 1846. C p.l [G. G.]

LAMPROTIS. See ERICA.*.

3717. - - LANKESTERIA *Lindl.* (*Dr. Edwin Lankester*, F. R. S.; a botanical author.) *Acanthaceæ* 14. — 2.
31695 - - parviflora *Lindl.* small-flwd ◻ ◻ or ... s.u Y Africa ... C s.p.l Bot. reg. 1846. 12

1738. LANTANA.

31696 15584a mollis *Grah.* soft ◻ ◻ or 4 mr.au R.w Mexico 1828. C co
15565 nivea
2 mutabilis *Hook.* changeable-hued ◻ ◻ or 5 my.jn Y. Ro. C l p Bot. mag. 3110
No. 15566. belongs to the section *luermes*.
31697 - - Se lovidana *L. & O. Sellow's* ◻ ◻ or 1 d.ja Psh. R. Montevid. 1822. C p.l Bot. mag. 2981

126. LAPEYROUSIA. See Peyrouisia.

3718. - LAPLA'CEA St. Hil. (*Laplace*, the distinguished philos. and mathemat.) *Ternestramiæca*. 13.—5.
 31698 - - semiserrata St. Hil. semiserrated-*lvd* \square or 2 au.s W Brazil 1812. C 1 p Bot. mag. 4129
Hæmècharis semiserrata Mart. et Zucc. Nov. Gen. et Sp. Bras. 1. p. 107. t. 67.; *Lindleya Nees*; *Wickstrœmia fruticosa* Schrad.
 No. 18153. also belongs to this genus.

193. LAPPAGO 1680 racemosa Schreb.; syn. *Tragus racemösus* R. & S.; *Cenchrus racemösus* L.

- 2 alièna *Spr.* \square or 1 jn.au Ap Brazil 1826. S co
 31699 1680a biflora *Kth.* two-flowered \square or 1 jn.au Ap E. Indies 1821. S co

3719. 1389a. LARBREA Hil. LARBREA. (*Abbé Larbré*, a botanical author.) *Paronychia*. 1.
 31700 - - aquatica Hil. water \square or 1 jn.jl W Britain rivul. S bogs Eng. bot. 1074
Stellaria uliginosa Cur., *aquatica* Poll. *Larbræ aquatica*, in p. 187., is a true *Cerastium*.

†2687. LA'RIX Sal. LARCH. (*Lar.*, fat. *Celt.*; producing abundance of resin.) *Conifera*.
 23633 europæa *Dec.* European \square tm 80 mr.ap Ap Germany 1629. S s.l. Lam. pi. ed. 2.2.48

- 1 communis *Laws.* common \square tm 80 mr.ap Ap Germany 1629. S s.l.
 2 laxa *Laws.* loose-headed \square tm ... mr.ap Ap S s.l.
 3 compacta *Laws.* compact-labul \square or ... mr.ap Ap S s.l.
 4 pèndula *Laws.* weeping \square tm ... mr.ap Ap Tyrol S s.l.
 5 repens *Laws.* creeping-bran. \square tm ... mr.ap Ap S s.l.
 6 flore rubro *A. B.* red-flowered \square tm 80 mr.ap Ap Germany 1629. S s.l.
 7 flore albo *A. B.* white-flowered \square tm 80 mr.ap Ap Tyrol S s.l.
 8 sibirica *A. B.* Siberian \square tm ... ap Ap Siberia 1824. S s.l.
L. sibirica Fis. ? *L. archangèlica* *Laws.* *L. rossica* *Sab.* *Pinus L. sibirica* *Lo. C.*
 9 dahurica *A. B.* Dahurian \square or ... mr.ap Ap Dahuria 1827. C co
L. dahurica *Laws.*
 10 intermedia *A. B.* intermediate \square tm ... mr Ap Altai 1816. S s.l.
L. intermedia *Laws.* *Pinus intermedia* *Lo. C.*
 23634 americana *Mr.* American \square tm 80 my Ap N. Amer. 1739. S s.l. Lam. pi. ed. 2. 50
Pinus laricina *Duroi.* *P. microcarpa* *Willd.* *Abies microcarpa* *Poir.*
 1 rubra *A. B.* red-coned \square tm ... Ap N. Amer. 1760. S s.l.
L. microcarpa *Laws.* *Pinus microcarpa* *Ph.*
 2 pèndula *A. B.* pendulous-bran. \square or ... Ap N. Amer. 1739. S s.l.
L. pèndula *Laws.* *Pinus pèndula* *Ait.* *P. intermedia* *Duroi.* *P. L. nigra* *Marsh.* *Abies pèndula*
Poir. dict.
 3 prolifera *A. B.* proliferous-bran. \square or ... Ap S s.l.
L. prolifera *Mal*
 31701 - - leptolepis *Sieboldt* slender-scaled \square or ... sp Ap Japan 1843. S s.l. [G. G.]

1307. LA'RREA.

- 31702 - - divaricata *Cav.* straddling \square or 2 jn.s Y B. Ayres 1829. S s.l. Cav. ic. 6. 560

881. LASERPITUM.

- 31703 7025a Stevèni F. & M. Steven's \square Δ un ... jn jl W Caucasus 1838. D co
 31704 - - pratense *Led.* field \square Δ un ... jn jl W Siberia 1827. D co
 31705 - - laxiflora *F.* loose-flwd \square Δ un ... jn jl W Siberia 1828. D co

3719*. 331b. LA'SIA *Schott.* No. 2798. as *Lasia aculeata* and No. 2802. in p. 42., are referred to this genus by some botanical authors.

3720. 183b. LASIAGROSTIS *Kth.* LASIAGROSTIS. (*Lasios*, hairy, *agrostis*, Gr. for all grasses.) *Gramineæ*. 3.—2.
 31706 - - splendens *Kth.* splendid \square Δ or ... jn.au Ap Siberia 1836. S co
Sipa splendens *Trin.*

3721. 1360a. LASIA'NDRA *Dec.* LASIANDRA. (*Lasios*, hairy, and *aner*, andros; tuft of hair on filam.) *Melastomæcæ*.
 31707 - - petiolata *Graham* petiolated \square or 5 jn.jy Pa. P ? Brazil 1836. C co Bot. mag. 3766
Pleroma petiolata *Benth.*
 Nos. 11177. and 11179. in p. 174. belong to this genus.

680. LASIOPETALUM.

- 31708 - - macrophyllum *Grah.* large-leaved \square or 5 my P.G N.S. Wales 1835. C s.p Bot. mag. 3908

3722. - - LASIOPUS *D. Don* LASIOPUS. (*Lasios*, hairy, *pous*, foot; flower stalks.) *Comp. Cichor. Hiv.*
 31709 - - sonchoides *D. Don* Sowthistle-like \square Δ or $\frac{3}{4}$ au. o Y Armenia ? 1834. D co Sw. fl. gar. 2. s. 340

3723. - - LASTHE'NIA *Dec.* LASTHENIA. (Meaning of the name not given.) *Compositæ*. 2.—
 31710 - - glabrata *Lindl.* smooth-surfaced \square or 1 my.jn Y California 1834. S co Bot. reg 1780
Hologome glabrata *Bartl.*, Bot. mag. 3730.

- 31711 - - californica *Dec.* Californian \square or 1 ... Y California 1834. S co Bot. reg. 1823

- 31712 - - obtusifolia *Dec.* blunt-lvd \square or 1 my.jn Y Chili 1833. S co

3724. - - LASTREA *Presl* LASTREA. (Meaning unknown.) *Crypt. Filices*. 24.—1.
 31713 - - vestita *J. Sm.* clothed \square or ... Y Brazil 1845. D p.l Radd. bras. fil. 36
Polypodium vestitum *Radd.*

- 31714 - - atrata *Wall.* blackish \square or ... su Y E. Indies ... D l.p

- 31715 - - appendiculata *Wall.* appendiculate \square or ... su Y E. Indies ... D l.p

- 31716 - - multijuga *Wall.* many-paired \square or ... aut Y E. Indies 1839. D l.p

- 31717 - - patentissima *Wall.* very spreading \square or ... aut Y E. Indies 1825. D l.p

- 31718 - - macrocarpa *Wall.* large-seeded \square or ... aut Y E. Indies 1827. D l.p

- 31719 - - eriocarpa *Wall.* woolly-seeded \square or ... su Y E. Indies 1827. D l.p

- 31720 - - indivisa *Swe.* undivided \square or ... su Y W. Indies 1840. D l.p

- 31721 - - Sprengelii *Kaulf.* Sprengel's \square or ... aut Y India ... D l.p

- 31722 - - polyphylla *Kaulf.* many-lvd \square or ... aut Y India ... D l.p

- 31723 - - viscosa *J. Sm.* clammy \square or ... su Y Malacca 1839. D l.p

- 31724 - - similis *J. Sm.* like \square or ... aut Br. Y Malacca ... D l.p

- 31725 - - lata *J. Sm.* broad \square or ... sp Y Lof. Luzon 1840. D l.p

- 31726 - - verrucosa *J. Sm.* warty \square or ... sp Y Lof. Luzon ... D l.p

- 31727 - - propinqua *J. Sm.* allied \square or ... su Y Lof. Luzon ... D l.p

- 31728 - - spectabilis *J. Sm.* showy \square or ... su Br. Y Lof. Luzon ... D l.p
Aspidium spectabile *Blume.*

- 31729 - - membranifolia *Presl* membra. lvd ♀ ☒ or Y Lof.Luzon 1814. D l.p
 31730 - - intermedia *Sm.* intermediate ♀ ☒ or ... su Br.Y N. Amer. 1838. D l.p
 31731 - - ligulata *J. Sm.* ligulate-lvd ♀ ☒ or ... su Br.Y I of Luzon 1839. D l.p
 31732 - - exigua *J. Sm.* lit-le ♀ ☒ or Br.Y I of Luzon ... D l.p
 Nos. 25592, 25594, 25595, 25596, 25600, 25601, 25603, 25606, 25608, 25609, 25612, 25613, and 25623. of the genus *Aspidium*, as given in p. 422., are by some authors referred to this genus.

2136. LA'THYRUS.

- 31733 19287a Armitageanus *Westc.* Armitage's ♂ or 10 jn.au P.B Brazil 1829. S & C It.s.l Bot. gard. 526
 19288 latifolius
 2 albiflorus *Sut.* white-flowered ♀ Δ or 5 jls W gardens ... D s.l
 19289 rotundifolius *Hort. Brit.* p. 313. l. rotundifolius var. ellipticus D. Don. Swt. fl. gar. 2. s. 333.
 31734 19296a venosus *Mbl.* veiny ♀ Δ or 4 jn.jl W.R. Pennsylv. ... D p.l
 31735 19322a decacephalus *Ph.* ten-leaved ♀ Δ or 4 jn R.Li N. Amer. 1829. S co Bot. mag. 3123
 31736 - - nervosus *Lam.* nervd ♀ ☐ pr 3 su B S. Brazil 1840. D co Bot. mag. 3987
 31737 - - alticus *Led.* Altaic ♀ Δ or ... jn.au V Altai 1832. D co
 31738 - - ciliatus *Guss.* ciliate ○ un... au Pa Naples 1832. S co
 31739 - - pubescens *H. et A.* downy ♀ pr 3 my P.B S. Brazil 1840. D co Bot. mag. 3996
 31740 - - tomentosus *Wessl.* woolly ♀ Δ pr 3 su Li B. Ayres 1839. D s.l Botanist. 205
 31741 - - purpurco-ceruleus *K. & H.* pur.-bluc ♀ Δ pr 10 au.s P.B Brazil ?1836. D l.p Fl. cnh 2. 177
 31742 - - Macraei *Mac* Rae's ♀ Δ or 3 o P.W Chili 1824. D l.p Bot. gard. 871

1226. LA'URUS 10387 n'obilis

- 4 variegata *Sut.* variegated-lvd ♀ or 20 ap.my Y.W C s.l
 5 latifolia *Mill.* broad-leaved ♀ or ... ap.my Y.W Asia ... C s.l
 6 crispula *Lod.* curled-leaved ♀ or 20 ap.my Y.W C s.l
 7 flore pleno *Duh.* double-flwd ♀ or 20 ap.my Y.W C s.l
 31743 10388a bullata *Burc.* blistered, African oak ♀ ☐ or ... jn G C. G. H. 1833. C l.p
Oreodaphne Nees Von Eisenbeck (*Mountain Laurel*) bullata Bot. mag. 3921.
 31744 - - regalis *Doug.* royal ♀ or California 1847. C s.l [G. G.]

2008. LAVA'TERA.

- - salvitellensis *Brig.* Salvitella ○ el 6 su Pk 1831. S co
 2288. LA'VE'NIA. Nos. 20667. and 20668. in p. 336. are synonymous with *Adenostemma* *sps.* Dec.

3725. - - LECANOPTERIS *Blume* LECANOPTERIS. (?*Lekane*, a basin, *ptervis*, a fern.) *Crypt. Filices.* 24.—1
 31746 - - carnosa *Blume* fleshy-lvd ♀ ☒ or ... my.au Y Java ... D p.l

1588. LE'CYTHIS 13927 bracteata *Aub.*; syn. *Courouppita guianensis* Dec.

3726. - - LEDEBOURIA *Roth.* LEDEBOURIA. (*C. F. Ledebour*, a botanical traveller.) *Asphodiceae.*
 31747 - - hyacinthina *Roth* hyaciuth-like ♀ Δ cu ½ ... Gsh.W E. Indies 1832. O p.l Bot. mag. 3226

LEDEBURIA pimpinelloides *Lk.*; syn. *Pimpinella peregrina* Lin. Mant. p. 357.

1414a. LEDOCARPUM. See Balbista.

288. LE'ERSIA.

- 31748 2404a lenticularis *Kth.* round-glumed ♂ Δ un ... jl.au Ap N. Amer. 1825. D co
 31749 2404b brasiliensis *Kth.* Brazilian ♂ ☒ un ... jl.au Ap Brazil 1826. D p.l

3727. 483a. LEIA'NTHUS *Grise.* LEIANTHUS. (*Leios*, smooth, *anthos*, a flower.) *Gentianaceae.* 5.—1.
 †4018 longifolius *Griseb.* long-leaved ♂ ☐ or 2 jn.jl Y Jamaica 1753 C l.p Bot. mag. 4169
Lisianthus longifolius No. 4018. in p. 61.; *Tachia longifolia* Mart. in Don's Gard. Dict. 4. 197.
 31750 - - nigrescens *Hook.* black-flwd ☐ or 1½ jl.au Psh.BK Mexico 1842. S s.l.p Bot. mag. 4013
Lisianthus nigrescens.
 †4022 umbellatus *Griseb.* umbellate-flwd ♂ ☐ or 20 my G Jamaica 1843? C It.l Bot. mag. 4243
Lisianthus umbellatus Swz. Prod. p. 40., Fl. Ind. Occ. v. i. p. 350., Spreng. Syst. Veg. 1. p. 585.

3728. 678a. LEMONIA *Lindl.* LEMONIA (Sir Charles Lemon, Bart., M.P., a patron of bot.) *Ruticaceae.* 5.—1.
 31751 - - spectabilis *Lindl.* beautiful ♂ ☐ or ... au C Cuba 1839. C co Bot. reg. 1840. 59

3729. 2086a. LENNEA *Klotzsch* LENNEA. (*M. Lenné*, a celeb. landscape-gardener.) *Leguminosae.* 17.—5.
 31752 - - robinoides *Klotzsch* robinia-like ? ♀ ☐ or ... my C Mexico 1843. *Calombophe Ehrhcnbergiana* Kze.

3730. 2540a LEOCHILUS *Lindl.* LEOCHILUS. (*Leios*, smooth, *cheilos*, a lip.) *Orchidaceae.* 20.—1.
 31753 - - sanguinolentus *Lindl.* bloody ♀ pr un ... C. P. spots LaGuayra 1843. D fil.p
 31754 - - herbaceus *Lindl.* herbaceous ♀ Δ un ... Gsh.W.PaPaLaGuayra 1843. D fil.p
oneidioides K. & W., syn. *Rodriguezia maculata* Hort.; *Oncidium macranthum* Bot. mag. 3845.

2207. LEON'TODON 19929 bulbosus *L.*; syn. *Aetheorhiza bulbosa* Dec.
 31755 - - ceratoporus *Lcd.* horn-bearing ♂ Δ un ... au Y Russia 1831. D co
Taraxacum ceratophorum Dec.
 31756 - - glaucanthos *Lcd.* sky-blue-flwd ♂ Δ un ... au Pa.Y Russia 1831. D co
Taraxacum glaucanthum Dec.
 31757 - - leucanthos *Lcd.* white-flowered ♂ Δ un ... au Wsh.Y Russia 1831. D co
Taraxacum bicolor Dec.

3731. - - LEPA'NTHES *Swz.* (*Lepos*, bark, or *lepis*, small, *anthos*, flower; size and habitat.) *Orchidaceae.* 1—
 31758 - - tridentata *Swz.* 3-toothed-lvd ♀ ☒ cu ½ ja P.Y Jamaica 1834. ?D mo Bot. reg. 1762
 31759 - - sanguinea *Hook.* blood-td.-flwd ♀ ☒ cu ½ ... Bd Jamaica ?1813. D cocoa-n.husk B.m. 4112

3732. - - LEPICHO'SMA *J. Sm.* LEPICHO'SMA. (*Lepis*, small, and *kosmos*, an ornament.) *Crypt. Filices.* 24.—1.
 31760 - - sinuata *Kauf.* sinuated ♀ ☒ pr ... su Br Peru 1831. D p.l
 31761 - - myriophylla *J. Sm.* 1600-leaved ♀ ☒ pr ... su Br S. Amer. ... D p.l
Cheilanthes myriophylla Hort., *Notochlaena myriophylla* J. Sm.
 Also No. 25393. in p. 418. and No. 25566. in p. 422.

3733. - - LEPICY'STIS *J. Sm.* LEPICY'STIS. (*Lepis*, small, *hystis*, a bladder.) *Crypt. Filices.* 24.—1.
 31762 - - macrocarpa *Presl* large-seeded ♀ ☒ pr ... su Y D p.l
Pleopeltis pinnatifida H. & G.

- 31763 - Tweedieana J. Sm. Tweedie's $\text{Y} \square \Delta$ pr ... su Y Brazil ... D p.l
Goniophlebium Tweedieanum Hook.
 Also No. 25363. in p. 418.
1873. LEPI'DIUM.
 31764 - cordatum W. heart-shaped $\text{Y} \Delta$ un 1 ... Siberia 1832. D co
 31765 - Ecklonii P-klon's O cu 1 jn.s W 1832. S co [D. Cameron.]
 31766 - Gussóni Schr. Gussone's O pr $\frac{1}{2}$ jn.s W S co
Thlaspi pubescens Guss.
 31767 - Cunninghamianum F. & M. Cunningham's O or ... W 1836. S co
 31768 - densiflorum Schr. crowded-flwd O un 1 my.jl W 1835. S co
 31769 - micranthum Led. small-flowered O un 1 jn.au W 1835. S co
 31770 - Menziesii Dec. Menzies's $\text{Y} \Delta$ or $\frac{1}{2}$ jn. W N. Amer. 1837. D co
3734. 1473a. LEPI'SMIUM Pfeiff. LEPI'SMIUM. (*Lepis*, a scale; little scales at the crenatures.) *Cactæcæ*. 12.—1.
 31771 - commune Pfeiff. common $\text{u} \square$ gr ... su. au. Pa. Brazil 1836. C s.l Bot. mag. 3763
Cereus squamulosus Salm. C. elegans Hort.
 31772 - Myosurus Pfeiff. mouse-tail-lk. $\text{u} \square$ gr 4 aut Pa. Y Brazil 1837. C s.l Bot. mag. 3755
Cereus tenuispinus Haw. C. Myosurus Salm Dyck, *Cactus tenuis* Schaff.
 31773 - paradoxum paradoxical $\text{u} \square$ gr 3 ... Brazil 1846. C s.l
Alternanthera Hort.
44. LEPTA'NDRA.
 31774 3:8a Meyeri G. Don Meyer's $\text{Y} \Delta$ or ... jl. au B Dahuria 1837. D co
Veronica tubiflora F. & M.
3735. 2495a. LEPTO'CERAS Lindl. LEPTOCERAS. (*Leptos*, slender, *keras*, a horn.) *Orchidæcæ*. 20.—1.
 31775 - fimbriata Lindl. fringed $\text{Y} \Delta$ or ... my.jn Y S. River ... D fib.p.l
 31776 - pectinata Lindl. comb-like $\text{Y} \Delta$ or ... S. River ... D fib.p.l
 31777 - oblonga Lindl. oblong $\text{Y} \Delta$ or ... my.jl Y S. River ... D fib.p.l
3736. - LEPTODE'RMIS Wall. LEPTODERMIS. (*Leptos*, slender, *derma*, the skin.) *Rubiæcæ*. 5.—1.
 31778 - lanceolata Wall. lanceolate-ld $\text{u} \square$ or 3 aut Pa. Y Nepal ?1842. C s.l
Hamiltônia fruticosa D. Don.
3737. - LEPTOGRAMMA J. Sm. LEPTOGRAMMA. (*Leptos*, slender, *gramma*, writing.) *Crypt. Filices*. 24.—1.
 31779 - polypodioides J. Sm. Polypodium-lk $\text{Y} \square \Delta$ pr ... su Br. Y Brazil ... D p.l
Gymnogramma polypodioides Spr.
 31780 - asplenoides Swz. Asplenium-like $\text{Y} \square$ or ... su Br. Y Jamaica ... D p.l
Gymnogramma asplenoides Spr.
 31781 - villosa J. Sm. villose $\text{Y} \square$ or 2 su Br. Y Brazil 1836. D p.l
Gymnogramma villosa Lk.
3738. 498c. LEPTOSIPHON Benth. LEPTOSIPHON. (*Leptos*, slender, *siphon*, tube.) *Polcmoniæcæ*. 5.—
Leaves opposite, sessile, palmately cut. Flowers in dense corymbose heads.
 31782 - grandiflorum Benth. large-flowered O or 1 $\frac{1}{2}$ au. o B. Go Californ. 1833. S co
 31783 - androsæceum Benth. Androsace-like O or 1? au. o Dp. B. G. Californ. 1833. S co
 Corolla smaller, and more intensely coloured than in *L. grandiflorum*.
 31784 - luteus Benth. yellow-flwd O or 1 $\frac{1}{2}$ au. o Dp. Y Californ. 1833. S co
 31785 - pallidus pale yellow-flwd O or 1 $\frac{1}{2}$ au. o Pa. Y Californ. 1833. S co
 31786 - parviflorum Benth. small-flowered O or 1 $\frac{1}{2}$ au. o Y Californ. 1833. S co
 31786 - densiflorum Benth. clustered-flwd O cl $\frac{1}{2}$ ap. o P Californ. 1833. S p Bot. reg. 1725
 2 corolla albâ white-coralled O cl $\frac{1}{2}$ ap. o W Californ. 1833. S p Bot. reg. 1725
 Mr. Bentham suspects that the last-named species may possibly be the type of a genus intermediate between Leptosiphon and the *Gilizæ* of the section *Dactylophyllum*.
1480. LEPTOSPERMUM 12653 scoparium
 2 grandiflorum Hook. large flowered $\text{u} \square$ or 5 sp. su W. Ro P. Jacks. 1817. C p.l Bot. mag. 3419
 12670 ambiguum Sm., syn. *Stenospermum corifolium* Swt.
 12650 marginatum Lab., syn. *Billotta marginata* G. Don.
L. bullatum. A plant bearing this name is in the nurseries.
3739. 2332a. LEPTOSTE'LMA D. Don (*Leptos*, slender, *stelma*, crown; slender rays. form.) 19. 2. *Comp. Ast.* 1.
 31787 - maximum D. Don largest $\text{Y} \Delta$ or 6 s.n Wsh Mexico 1827. D co Sw. fl. gar. 2 s. 38
3740. - LEPTOTES Lindl. LEPTOTES. (*Leptos*, slender; leaves.) 20. 1. *Orchidæcæ* § *Epidendrea*.
 31788 - bicolor Lindl. two-cld flwd $\text{Y} \Delta$ or $\frac{1}{2}$ ap W. a Brazil 1831. ?D It potsh. mo. B. r. 1625
 2 glaucophylla Hook. glaucous-ld $\text{Y} \Delta$ or ... f.m.r W Organ Mts. 1838. D fib. p. Bot. mag. 3734
 31789 - unicolor Lindl. one-cld $\text{Y} \Delta$ or ... ap. my W Brazil 1840. D fib. p
614. LESCHENAU'LTIA.
 31790 5182a oblata Swt. oblata $\text{u} \square$ pr 1 ap.jl O N. Holl. 1824. C p.l Sw. au. 46
Baxteri, No. 5182.
 31791 - biloba Lindl. two-lobed $\text{u} \square$ or 1 jn B N. Holl. 1840. C s.p Paxt. m. viii. 151
 31792 - splendens Hook. splendid $\text{u} \square$ spl $\frac{1}{2}$ jn. au S N. Holl. 1844. C p Bot. mag. 4256
 31793 - arcuata De Vriese bowed-branched $\text{u} \square$ or 1 au Y. S S. River 1844. C p Bot. mag. 4265
2098. LESSE'RTIA.
 31794 - vesicaria Dec. bladder-podded $\text{O} \square$ pr ... jn. au P C. G. H. 1825. S s.
 31795 - virgata L. C. twiggy $\text{O} \square$ or ... jn. au P C. G. H. 1828. S s.l
 31796 - tomentosa Dec. tomentose $\text{O} \square$ pr $\frac{1}{2}$ jn. au P C. G. H. 1822. S s.l
3741. - LEUCHTENBERGIA Hook. LEUCHTENBERGIA. *Cactæcæ*. 12.—1.
 31797 - Principis Hook. noble $\text{u} \square$ spl 1 jn. jl Y Mexico ?1847. O s.l Bot. mag. 4393
3742. 1783a. LEUCOCARPUS D. Don LEUCOCARPUS. (*Leukos*, white, *karpos*, berry.) 14. 2. *Scrophularina*. 1.
 31798 - alatus D. Don winged stalked $\text{O} \square$ cu 2 o Y Vera Cruz 1830. S p.l Sw. fl. gar. 2. s. 124
Conochea atata Grah. in Edin. new phil. Journ. vol. vi. ? p. 142. *Mimulus perfoliatus* Kth. and Bot. mag. 3067.
3743. 141a. LEUCOCORYNE Lindl. LEUCO. (*Leukos*, white, *korune*, a club; sterile anthers.) *Asphodæcæ*. 2.—3.
 31799 - odorata Lindl. sweet-scented $\text{Y} \Delta$ or 1 au W Valparaiso 1826. O p.l Bot. reg. 1293
 †1230 alliacea Miers Garlic-scented $\text{Y} \Delta$ pr 1 ap. my Pa. B Chili 1825. R s.p Paxt. mag. 11. 101
Brodiaea alliacea No. 1230. in p. 19. No. 1228, in the same page, also belongs to this genus.

962. *LEUCOJUM* 7785 vērnum *L.*; syn. *Erinodma verna* Herb.
 3 mūltiplex *Penny full-flowered* ♂ Δ or $\frac{2}{3}$ f.mr W gardens ... O co

518. *LEUCOPOGON*.

- 31800 4330a polystāchys *R. Br.* many-spiked ♀ | or 2 my.au W N. Holl. 1826. C l.p Bot. cab. 1436
 31801 4335a interrūptus *R. Br.* interrupted ♀ | or 3 my.jl W N. Holl. 1826. C l.p Bot. cab. 1451
 4326 Rieher *R. Br. L. parviflōra* Lindl. Bot. Reg. 1560. *Styphētia parviflōra* Bot. rep. 287.
 31802 - verticillātus *R. Br.* whorled ♀ | or K.G.S. 1837. C l.p

3744. - *LEUCOSTEGIA* Presl *LEUCOSTEGIA*. (*Leukos*, white, *steges*, a covering.) *Crypt. Filices*. 24.—1.

- 31803 - hirsūta *J. Sm.* hairy ♀ Δ or ... su Br.Y 1 of Luzon ... D p.1
 31804 - affinis *J. Sm.* related ♀ Δ or ... su Br. I of Luzon ... D p.1
 31805 - falcinēlla small-sickle-*leaf* ♀ Δ or ... su Br.Y E. Indies ... D p.1
Davālia falcinēlla Presl.

3745. 1341a. *LEUCO'THŌE* D. Don *LEUCOTHŌE*. (*Leucothoe*, a poetic name.) *Ericacēae*.
 31806 - pūlchra *Dec.* elegant ♀ | el 2½ my W Caraccas ... L p Bot. mag. 4314
Andrōmeda pūlchra Cham.; *Aganōta pūlchra* G. Don.
 Nos. 11047. 11048. 11049. 11050. and 11056. in p. 172. belong to this genus.

3746. 875b. *LEVPSTICUM* Koch *LEVISTICUM*. (*Levo*, to assuage; relieves flatulency.) *Umbelliferae*. 1.
 31807 - officināle *Koch* officinal ♀ Δ cul 6 jn.jl Y Italy 1596. D co Black. 275
Ltāgisticum Levisticum L. No. 6965.

3747. 1555a. *LEWISIA* Ph. *LEWISIA* (*Capt. M. Lewis*, who accompanied Clarke to the Rocky Mountains.) *Crasul.* 1.
 31808 - rediviva *Ph.* revived ♀ Δ or ½ jl W N. Amer. 1826. D s.p

2370. *LEYSERA* 21617 polifolia *Thun.*; syn. *Printzia Bérghii* *Des.*; *Aster pappōsus* *W.*

3748. 1495c. *LHO'TSKYA* Sch. *LHO'TSKYA*. (Dr. John Lhotsky, a German botanist.) *Myrtācae*. 12.—1.
 31809 - violācea *Lindl.* violet-*col.* *fl.* ♀ | or V S. River 1843. C s.p.1
 31810 - acutifolia *Lindl.* sharp-leaved ♀ | or ... jn.au Pa.Y S. River ... C s.p.1

2265. *LIA'TRIS*.

- 31811 20489a graminifolia *W.* Grass-leaved ♀ Δ | or 3 au s P N. Amer. ... D p.1
 31812 20500a bellidifolia *Mx.* Daisy-leaved ♀ Δ | or 2 au o P N. Amer. ... D p.1
 31813 - boreālis *Pax.* northern ♀ Δ el 1½ au s Pk N. Amer. ... D p.1 *Paxt. mag.* 5. 27
 31814 20492a propinqua *Hook.* related ♀ Δ | or 2 s P N. Amer. 1838. D p.1 Bot. mag. 3829

148. *LIBERTIA* Spr. *LIBERTIA*. (*Mademoiselle M. A. Libert de Mabney*, a Belgian.) *Iridae*. 4.—

Synonymes. This genus was separated from *Sisyrinchium* by Dr. Brown, who gave to it the name of *Renealmia*; a name applied by Linnaeus, but subsequently suppressed by Smith, to some or all of the species of the modern genus *Alpinia*; but, as the genus *Renealmia* has been restored, upon good grounds, by Roscoe, it becomes necessary to adopt, from Sprengel, the appellation *Libertia* for the genus of Brown, which is a most natural one. The *Libertia* of Dumortier is *Hōsta* of Trattinnick, and *Fānkia* of Sprengel; and *Libertia* of Lejeune scarcely appears different from Brown's [? from Brōmus]. (*Sir W. J. Hooker, Bot. Mag.* 3294.)

- Libertia* Spr. *Renealmia* *R. Br. Nematostigma* Dietrich. The *Libertia* of Lejeune, or *Michclaria* of Dumortier, is considered, with good reason, to be a *Brōmus*. (*Dr. Lindley, Bot. Reg.* 1630.)
 †1368 grandiflōra *R. Br.* large-flowered ♀ Δ | or 1½ ap W N. Zeal. 1822. D p.1 Sw. fl. gar. 64
 31815 1368a formōsa *Grah.* handsome ♀ Δ | or 1½ my W Chioe 1831. D p.1 Bot. reg. 1630
 †1369 paniculāta *R. Br.* panicked ♀ Δ | or 1½ ap au W N. Holl. 1823. D p.1
 †1370 pulchēlla *R. Br.* pretty ♀ Δ | or 1 ap jl W N. Holl. 1823. D p.1

3749. - *LIEBIGIA* *Dec.* *LIEBIGIA*. (Professor *J. Liebig*, a distinguished German chemist.) *Cyrtandrācae*. 14.—2.
 31816 - speciosa *Dec.* showy ♀ Δ | or 1½ jn.au Pa. Yeh.w.p.Java 1846. C p Bot. mag. 4315
Tromsdorfia speciosa *Blume*.

715. *LIGHTFOOTIA*.

5856 *Loddigsi* *A. Dec.* *Loddiges's tenella* *Dec. Lod. and Hort. brit.* p. 90. ♀ | el ¾ jl.au Pa.B C.G.H. 1822. C p.1 Bot. cab. 1038

875. *LIGU'STICUM*.

31817 6971a ferulaceum *All.* Ferula-like ♀ O | un 1 jl Pa.P Switzerl. 1775. S co
Laserpitium lūcidum *W. No.* 7018. No. 6938. of *Selinum* belongs to this genus.

40. *LIGU'STRUM* 289 vulgāre

- 2a chlorocārpum *A.B.* green-berried ♀ or 8 jn.jl W Britain ... L co
 31818 289a spicātum *D. Don* spike-flowered ♀ or 8 jn.jl W Nepal 1823. C co Bot. mag. 2921
nepalēse *Wal.*
 31819 - japōnicum Japanese ♀ fra ... jn W Japan 1846. L co
 31820 - vestitum *Wall.* clothed ♀ | or ... ap.jl W Nepal 1840. L co

1016. *LILIUM* 8392 cāndidum β; syn. *peregrinum* *Mill.*, *Swt. Fl. Gard.* 2. s. t. 367. *L. byzantinum* *Swert.*
Floril. t. 45.; *L. c. byzantinum* *Lob. ic. t.* 163. f. 2.

- 8392 cāndidum
 5 punctātum *Hort.* spotted *fl.* ♀ Δ | or 4 jn.jl W.P Nepal 1835. O r m
 31821 8392a peregrinum *R. & S.* foreign ♀ Δ | or 4 jn.jl W China ... O co
 31822 8393a Buschianum *Lo. C. Busch's* ♀ Δ | or 1 jn O Siberia 1829. O lt.1 Bot. cab. 1628
 31823 8394a eximium *Sieb.* splendid ♀ Δ | spl 4 jl.au W Japan 1834. O r.m Bot. gard. 733
speciosissimum *Hort. l. longiflorum* of some.
 31824 8395a speciosum *Thun.* showy ♀ Δ | spl 2 au C Japan 1833. O p.1 Bot. reg. t. 2000
speciosum *Thun. Act. Linn.* 3. p. 333. *L. supērbum* *Thun. Fl. Jap.* 134. *Kashiōgo vulgō* *Konōkio* *Jurl.*
Kämpf. Ancn. 871. *L. lancifolium* *Hort.*
 2 punctātum spotted-*fl.* ♀ Δ | spl 3 jl.au W.spt Japan 1835. O r.m [J. Cree.]
lancifolium rōseum *Paxt. mag. of bot.* v. 267.
 3 *Kämpfēri* *Kämpfer's* ♀ Δ | spl 3 jl.au Ro.P Japan 1833. O r.m
 4 *ābum* *Paxt.* white *fl.* ♀ Δ | spl 3 jl.au W Japan 1833. O r.m Bot. mag. 3785
 5 rūbrum red-*fl.* ♀ Δ | spl 3 jl.au R Japan 1833. O r.m
 31825 8396a aurantium *Haw.* orange-*col.* *fl.* ♀ Δ | or 3 jn jl D.O Italy ... O co *Paxt. mag.* vi. 127
 2 flore plēno double-flowered ♀ Δ | or 3 jn jl D.O O co [J. Cree.]
 3 variegātum variegated-*leaf* ♀ Δ | or 3 jn.jl D.O O co [J. Cree.]
 4 mīnus smaller ♀ Δ | or 2 jn.jl O O co [J. Cree.]

- 8397 bulbiferum
 3 minus smaller $\delta \Delta$ or 2 jn.jl O O co [J. Cree.]
 4 variegatum variegated-*lvd* $\delta \Delta$ or 2 jn.jl O O co [J. Cree.]
 31826 8396a atrouagineum Sieb. dark-blood-*clt* $\delta \Delta$ or 2 jl.au D.R Japan 1835. O r.m
fulgens Hort.
 31827 8396b Thunbergianum R.&S. Thunberg's $\delta \Delta$ or 1½ jl.au O.S Japan 1835. O r.m Bot. reg. 1839. 38
aurantianum Sieb. *bulbiferum* Thunb.
 31828 8402a coruscans Hort. glittering $\delta \Delta$ or 2 au.s S O r.m
 8408 *Martagon*
 3 sépals plúrimis dble-flowered $\delta \Delta$ or 3 jn.au P Gardens ... O co
 4 sépals álbis white-sepaled $\delta \Delta$ or 2½ jn.au W Germany ... O co
 5 ábo piéno dble-white-*flwd* $\delta \Delta$ or 3 jl.au W Germany ... O co [J. Cree.]
 6 pállidum pale-*flwd* $\delta \Delta$ or 3 jn.jl Li O co
 7 élitum tall-*habit* $\delta \Delta$ or 3 jn.jl P O co
 8 dorsipunctátum spotted-backed $\delta \Delta$ or 3 jn.jl P O co
 9 perpurpáreum deep purple $\delta \Delta$ or 3 jn.jl Dk.P O co
 10 purúreum purple $\delta \Delta$ or 3 jn.jl P O co
 11 ocelláre eyed $\delta \Delta$ or 3 jn.jl P O co
 12 petioláre petioled $\delta \Delta$ or 3 jn.jl P O co
 31829 - testáceum Lindl. testaceous $\delta \Delta$ or 3 jn Pa.O.R.spt Japan 1841. O p.l Bot. reg. 1843. 11
 8413 *Pomponium*
 2 flóre piéno double-flwd $\delta \Delta$ or 3 jn.jl R O co [J. Cree.]
 31830 8414a sibiricum Hort. Siberian $\delta \Delta$ or 2 jn.jl Y Siberia ... O p.l
 8412 pyrenáicum Gou.
 2 flóre piéno dble-flowered $\delta \Delta$ or 2 jl.au Y O co [J. Cree.]
 †8417 tenuifolium Fis. slender-leaved $\delta \Delta$ or 1 jn.jl S Siberia 1820. O p.l Sw. fl.gar. 2. s.275
 31831 - Thomsonianum Lindl. Dr. Thomson's $\delta \Delta$ or 3 ap Ro Mussooree 1843. O s.l.p Bot. reg. 1845. 1
rosicum β Wall. Cat. No. 5077; *Fritillaria Thomsoniana* Royle *ll.* p. 388. t.92.
 31832 - pulchellum Fisch. prett. $\delta \Delta$ or ... S Dahuria 1829. O r.m
 31833 - alstromerifolium Haw. MSS. Alstr.-*lvd* $\delta \Delta$ or ... jn.au Dk.S 1830. O r.m
 31834 - volubile Haw. MSS. twining $\delta \Delta$ or ... jl.au C 1830. O r.m
 31835 - excelsum Paxt. tall $\delta \Delta$ or ... jl.au St Japan ... O r.m
3750. - LIMNANTHES R. Br. LIMNANTHES. (*Limne*, lake, *anthos*, flower; *habitat*.) 10. 1. *Limnánthea*.
 31836 - Douglasii R. Br. Douglas's δ fra 1 au Y.v Californ. 1833. S m.s Bot. reg. 1673
 31837 - rosea Benth. rose-coloured δ pr ½ su Pk Californ. 1848. S co J. H. S. iv. 78. fig
 31838 - álba Hartw. white-flowered δ pr ½ su W Californ. 1848. S co [G. G.]
1558. LIMNOCHARIS. LIMNOCHARIS. (*Limne*, lake, *charis*, grace or ornament; appearance.) *Butómæa*.
 31839 - Humboldtii Rich. Humboldt's $\delta \Delta$ or 1½ ap Pa.Y B. Ayres 1831. S m.s Bot mag. 3248
 †1825 Plumieri Rich., syn. *marginata* H. & B., *Aïisma fida* L.
1320. LIMONIA.
 31840 10957a australis Csm. southern δ | or 25 su W N. Holl. 1830. C r.m
 31841 - scádens Wal. climbing δ | or ... su W E. Indies 1823. C r.m
3751. 4985. LINANTHUS Benth. LINANTHUS. (*Linon*, flax, *anthos*, flower.) 5. 1. *Potemoniæcæ*. 1.
 31842 - dichotomus Benth. forked-branched δ or 1½? ... Pk Californ. 1833. S co
 Flowers solitary in the forks; towards the tips of the branches, numerous and clustered; corolla of the size and form, and nearly of the colour, of that of *Linum suffruticosum*.
1775. LINARIA.
 15783 Cymbalaria
 2 variegata variegated-*lvd* δ pr ½ my-n V England gard. D s.l [A. Pope.]
 3 álba white-*flwd* δ pr ½ my-n W England gard. D s.l [A. Pope.]
 31843 15786a aquitriloba Spr. equal-3-lobed $\delta \Delta$ or 1½ jn.jl P Sardinia 1829. S co Bot. mag. 2941
 31844 15788a marginata Desf. margined $\delta \Delta$ or ... jlo Ysh Barbary 1820. D s.l
 31845 - delphinoides Gay Delphinium-like δ pr 1½ jlo B Russia 1838. S co Fl. cab. 115
 31846 15789a circinata D. Don curled-*lvd* ... or ... jn.jl Y N. Africa 1833. S s.l Sw. fl.gar. 2. s. 235
 15813 tristis
 2 lútea Penny yellow-*flwd* $\delta \Delta$ or 1 jls Y England gard. D s.l
 31847 15818a purpurascens Bernh. purpurascens $\delta \Delta$ or 1½ jn.jl P S. Europe 1829. S co
 15828 monspessulana
 2 álba J. C. white-*flwd* $\delta \Delta$ or 3 jl.au W D co
 15822 répens H. K. 2 Bauhin? Gaud. Bauhin's $\delta \Delta$ or 1 au.s Y Eng. & Ire. banks D co
 3 sépium Altm. hedge $\delta \Delta$ or 1 au.s Y D co
3752. 1791a. LINDENBERGIA Lk. (*J. B. Lindenberg*, who wrote on Europ. Hepaticæ.) *Scrophulariæcæ*. 14.—2.
 31848 - urticafolia G. Don nettle-leaved δ un 1 jn.au Y.P E. Indies 1830. S co
3753. 601a. LINDENIA R. Br. LINDENIA. (*Mr. J. Linden*, a traveller in Colombia and Cuba.) *Rubiæcæ*. 5.—1.
 31849 - rivalis R. Br. rival δ | or ... C Mexico 1838. C s.p.l
3754. 1505a. LINDLEYA Humb. and Kunth LINDLEYA. (*Professor Lindley*.) *Rosacæ* § *Quillajæcæ*. 12.—5.
 31850 - mespiloides H. & K. Mespilus-like δ | or 12 jl W Mexico 1839. G lt. I. Bot. reg. 1844. 27
2931. LINDSEA.
 31851 - oblongifolia Reinw. oblong-*lvd* $\delta \Delta$ el ... su Br E. Indies ... D p.l
 31852 - elegans Hook. elegant $\delta \Delta$ el ... su Br E. Indies 1840. D p.l
 31853 - rigida J. Sm. stiff $\delta \Delta$ or 1 su Br Malacca 1839. D p.l
 31854 - stricta Dry. upright $\delta \Delta$ or ... su Br Malacca 1839. D p.l
 31855 - decomposita W. unfitted $\delta \Delta$ or ... su Br Malacca ... D p.l
 31856 - tenera Dry. tender $\delta \Delta$ or ... su Br Malacca ... D p.l
 31857 - reniformis Dry. kidney-shld-*lvd* $\delta \Delta$ or ... su Br Trinidad 1826. D p.l
 31858 - concinna J. Sm. neat $\delta \Delta$ el ... su Br I. of Luz. 1842. D p.l
 31859 - cultrata Swz. knife-shaped $\delta \Delta$ or ... su Br I. of Luz. 1840. D p.l
 31860 - adiantoides J. Sm. Maiden-hair-*lk* $\delta \Delta$ el ... su Br I. of Luz. 1840. D p.l
921. LINUM.
 31861 7412a Cumingi B. C. Cuming's δ | or 3 su Y Chili 1830. C p.l Bot. cab. 1996
 7428 anglicum
 2 álbum A. P. white-*flwd*. $\delta \Delta$ or 2 jn.jl W gardens ... D p.l

- 31862 7428a monógynum Forst. *concrete*-styled $\frac{3}{4} \Delta$ or .2 ju.au W N. Zeal. 1832. S s.l Sw.fl. gar.2.s. 270
7432 alpinum
- 31863 - - pallidum A. P. white-flwd $\frac{3}{4} \Delta$ or $\frac{3}{4}$ j.l.au W gardens ... D p.l
31864 - - Berendieri Hook. palsh $\frac{3}{4} \Delta$ or 1 ja Li Siberia 1831. D p.l
Berendier's $\circ ?$ or 72 au Y.o Bejar 1835. S s.l Bot. mag. 3180
- 31865 - - agræste Brot. wild \circ or 2 ... Li Portugal 1836. S co
31866 - - altaicum Fis. Altaic $\frac{3}{4} \Delta$ or 1 ju.au B Altai 1829. S co
2059. LIPARIA.
31867 - - páruva Vogel small $\frac{3}{4} \square$ or 2 mr.ap Y C.G.H. 1840. C co Bot. mag. 4034
2576. LIPARIS.
31868 22808a elata Lindl. tall $\frac{3}{4} \square$ cu 2 j.l.au Br Rio Jan. 1826. D p.s Bot. reg. 1175
31869 22804a guineensis Lindl. Guinea $\frac{3}{4} \square$ cu $\frac{1}{2}$ s G S. Leone 1832. O s.p.l Bot. reg. 1671
31870 - - Walkèriæ Grah. Mrs. Walker's $\frac{3}{4} \square$ cu $\frac{1}{2}$... P.C Ceylon 1834. O s.p.l Bot. mag. 3770
31871 - - alata Schultw. winged $\frac{3}{4} \square$ or $\frac{1}{2}$ jn.jl P.C Mexico 1840. D fib.p
31872 - - zeylánea Lo. C. Ceylon $\frac{3}{4} \square$ cu ... su Y Ceylon 1837. D fib.p
31873 - - tristis Lo. C. sad $\frac{3}{4} \square$ cu ... su Y Ceylon 1835. D fib.p
31874 - - pendula Lindl. drooping $\frac{3}{4} \square$ cu ... su G India 1837. D fib.p.l
31875 - - spatulata Lindl. spatulate $\frac{3}{4} \square$ cu ... au.G India 1838. D fib.p.l
31876 - - discolor Lindl. two-ld $\frac{3}{4} \square$ cu ... my.jn G.Br Demerara 1836. D fib.p
31877 - - áncupes Lodd. C. two-edged $\frac{3}{4} \square$ cu ... j.l.au Br.y India 1837. D fib.p
31878 - - ferruginea Lindl. rusty-tipped $\frac{3}{4} \square$ cu ... ja G.ap Penang 1848. D fib.p
3755. 388a. LIPOSTOMA D. Don LIPOS. (*Lipo*, to fall from, *stoma*, mouth; lid from capsule) *Rubiæccæ*, l.
31879 3308a campanuliflora D. Don bell-flowered $\frac{3}{4} \square$ pr $\frac{1}{2}$ jn.au B Brazil 1825. C l.p Bot. mag. 2840
Æginitia capitata Grah. *Hedyotis campanuliflora* Hook.
1740. LI'PPIA.
31880 15588a dulcis Hort. sweet $\frac{3}{4} \square$ pr $\frac{1}{2}$ jn.s W Trinidad ?1827. D p.l
483. LISIA'NTHUS.
31881 4019a Russelliænsis Hook.D. of Bedford's \square or 3 j.l.au P Mexico 1835. S l.p Bot. mag. t. 3626
L. glaucifolius Nut. Fl. Ark. p. 197. (not Jac.), *Eustoma Russelliænum* G. Don.
31882 - - acutangulus R. & P. sharp-angled \square or 3 jn.au G Sta. Martha?1845. S s.p Bot. mag. 4324
L. trifidus H. B. K. Nov. Gen. Am. v. 3. p. 142.; *L. tetragonus* Benth. Plant. Hartweg. n. 496.
507. LISSA'NTHE.
31883 - - stellata K. & W. starry $\frac{3}{4} \square$ or ... ap.my W N. Holl. 1836. C s.p
31884 - - verticillata Lindl. verticillate $\frac{3}{4} \square$ or ... mr.ap DLP N. Holl. ... C s.p
2527. LISSOCHILUS.
31885 - - rufiflorus Lindl. small-flowered $\frac{3}{4} \square$ or 1 d Y.a.g Algoa B. 1836. D p.r.w Botanist, 172
31886 - - roseus Lindl. rose-cl'd-flwd $\frac{3}{4} \square$ or ?2 f Ro.Br S. Leone ?1841. D l.p Bot. reg. 1844. 12
Dendrobium roseum of some.
429. LITHOSPÆRMIUM.
31887 3531a scabrum Thun. rough $\frac{3}{4} \square$ or $\frac{1}{2}$ s.o W C. G. H. 1822. D co
31888 3537a rosmarinifolium Ten. Rosemary-ld $\frac{3}{4} \square$ or $\frac{1}{2}$ s B Capri 1833. C co Bot. reg. 1736
Distinct from the *L. rosmarinifolium* Viv., the *L. rosmarinifolium* Rchb., and the *L. fruticosum* L.—
Dr. Lindley.
31889 - - canescens Lehm. hoary $\frac{3}{4} \square$ or $\frac{3}{4}$ my O N. Amer. 1847. D co Bot. mag. 4389
Balschia canescens Mx., *B. conspicua* Rich., *L. conspicuum* Spr.
3756. 2797a. LITHREA Hook. LITHREA. (Not explained.) *Terebinthæccæ*. 22.—9.
31890 - - caustica Hook. caustic $\frac{3}{4} \square$ or ... Pa.y Chili 1832. C p.l
Rhus caustica Dec.
3757. 2930b. LITOBROCKIA Presl. LITOBROCKIA. (It is not stated why so named.) *Crypt. Filices*. 24.—1.
31891 - - splendens Kunzf. splendid $\frac{3}{4} \square$ or ... jn.au Br.pa.y W. Indies ... D p.l
31892 - - ampla Kunze large $\frac{3}{4} \square$ or ... my.au Br.pa.y W. Indies ... D p.l
31893 - - spinulosa Raddi spinulose $\frac{3}{4} \square$ or ... Br.pa.y W. Indies ... D p.l
31894 - - polita Lk. polished $\frac{3}{4} \square$ or 6 su Br.pa.y Jamaica 1841. D p.l
31895 - - decurrens Presl decurrent $\frac{3}{4} \square$ or ... su Br.pa.y Brazil ... D p.l
31896 - - davallioides J. Sm. Davallia-like $\frac{3}{4} \square$ or ... Pa.y D p.l
31897 - - macroptera Lk. large winged $\frac{3}{4} \square$ or ... Br.y W. Indies ... D p.l
31898 - - Hænkeana Presl Hænke's $\frac{3}{4} \square$ or ... su Br.y D p.l
31899 - - intermedia J. Sm. intermediate $\frac{3}{4} \square$ or ... su Br.y l. of Luzon ... D p.l
31900 - - aurita J. Sm. eared $\frac{3}{4} \square$ or ... j.l.au Br.y l. of Luzon ... D p.l
- Also Nos. 25501. 25502. 25516. 25517. 25522. of the genus *Pteris*, and Nos. 25529. and 25530. of the genus *Lonchitis*, in pp. 420 & 421.
2193. LOASA.
31901 19770a hispida L. hispid $\frac{3}{4} \square$ or 2 j.l.au Y Lima 1830. S s.l Bot. mag. 3057
ambrosiæfolia J. and Lindl. in Bot. reg. 1390.
31902 19771a incana Grah. $\frac{3}{4} \square$ or 2 $\frac{1}{2}$ on W Peru 1830. S co Bot. mag. 3048
31903 - - álba D. Don white-flowered $\frac{3}{4} \square$ or 1 j.l.o W Chili 1831. S co Sw.fl. gar.2.s. 192
31904 - - lateritia Hook. red-flowered $\frac{3}{4} \square$ or 20 iny R Tucum. 1835. S s.l Bot. mag. 3632
Caiphora lateritia Benth.
31905 - - Pentlandii Paxt. Mr Pentland's \square or 4 au S Peru 1840. S s.l Paxt. mag. ix. 7
Caiphora Pentlandii Paxt.
31906 - - Herbèrtii Paxt. Rev. W. Herbert's $\frac{3}{4} \square$ or 6 su S hybrid 1842. S s.p Paxt. mag. ix. 269
Caiphora Herbèrtii.
31907 - - lùelda bright-leaved \square or ... j.l.s W.y.c S s.p.l
609. LOBE'LIA 5071 unidentata H. K.; syn. *Parastranthus unidentatus* G. Don, to which genus Nos. 5128. and 5130. in p. 78. also belong.
31908 5074a arguta B. R. sharp-notched $\frac{3}{4} \square$ or 2 s Y Chili 1824. D l.p Bot. reg. 973
31909 5079a robusta Fis. robust $\frac{3}{4} \square$ or 3? au P Hayti 1830. D s.l Bot. mag. 3138
31910 5087a gigantæa Cav. gigantic $\frac{3}{4} \square$ or 14 au.n O S. Amer. 1828. C p.l Cav. ic. 6. 513
5088 longiflora L., syn. *Hippobroma longiflora* G. Don.
P p 2

- 31911 5093a *begoniaefolia* Wal. Begonia-lvd 2 Δ pr $\frac{1}{2}$ jn.jl Pa.B Nepal 1827. D co
5095 fulgens
1 multiflora many-flowered $\frac{1}{2}$ Δ or 4 my.s S 1847. Sk s.p Paxt. mag. xv. 7
2 pyramidalis pyramidal $\frac{1}{2}$ Δ or 4 my.s S 1847. Sk s.p Paxt. mag. xv. 7
3 Marryattae Mrs. Marryat's $\frac{1}{2}$ Δ or 3 my.s C.P 1847. Sk s.p Paxt. mag. xv. 7
31912 - ignea Hort. fiery $\frac{1}{2}$ Δ or 4 au.s S Mexico 1838. D.C.I Paxt. mag. vi. 247
31913 5098a propinqua Hort. related $\frac{1}{2}$ Δ or 4 jn.o S hybrid ... D s.p.l
5099 splendens
2 atrosanguinea dark-red $\frac{1}{2}$ Δ or 3 my.s Dk.R hybrid 1843. ... Bot. mag. 4002
31914 5102a mucronata Cav. mucronate-lvd $\frac{1}{2}$ Δ or 3 au Bt.C Chili 1821. D l.p Bot. mag. 3267
31915 5102b polyphylla H. & A. many-lvd $\frac{1}{2}$ Δ or 4 $\frac{1}{2}$ s D.P Valpar. 1829. D l.t.r Sw. fl. gar. 2 s. 242
- "This, mucronata, and *Tupa*, from the same country, are very nearly allied; being found to differ chiefly in the proportionate length of the tube of the corolla, the degree of development of the bractees, and in the presence or absence of downiness on the stem and leaves. *L. polyphylla* has the largest bractees, the shortest tube to the corolla, and is almost wholly glabrous." — *D. Don*.
- 5103 syphilitica
2 alba white-flowered $\frac{1}{2}$ Δ or 3 jl.o W D s.p.l [*A. Popc.*]
3 hybrida Hook. hybrid $\frac{1}{2}$ Δ or 2 jn.o B English hybrid C s.p Bot. mag. 3604
L. speciosa, and *L. Milleri Hort.*
- 31916 5103a colorata Snt. coloured-lvd $\frac{1}{2}$ Δ or 5 jn.o B.o N. Amer. 1832. D p.l Sw. fl. gar. 2 s. 180
31917 - thapsoidae mullein-like $\frac{1}{2}$ Δ or 6 ... R.o.P Organ Mts. ?1843. D r. l.t. Bot. mag. 4150
Rapitium thapsoidum Presl, *Prod. Lob.* p. 24.; ?*Geniostoma brasiliense* Spreng.
31918 - glandulosa Dec glandular $\frac{1}{2}$ Δ or 2 $\frac{1}{2}$ s.o Pa.B N. Carolina? 1845. D lt Bot. reg. 1846. 6
crassiuscula Mx. Fl. Bor. Amer. 2 152, Nutt. Gen. Am. 2 p. 176; *Rapitium glandulosum* Presl, *Prod.* p. 21.
- 31919 - crispa Grah. curled $\frac{1}{2}$ Δ or 2 jl.o B N. Amer. 1825. D s.p
31920 - speciosa Hort. showy, *Low's purple* $\frac{1}{2}$ Δ or 2 my.o P Scotch hybrid 1838. D p.l Bot. reg. 1445
Presumed to be between *L. syphilitica*, and either fulgens, cardinalis, or splendens.
31921 - purpurea Lindl. purple $\frac{1}{2}$ Δ or 1 jn.o P Valparai. 1825. C p.l Bot. reg. 1325
31922 5131a Kraüssi Grah. Krass's $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ ja.f R Dominica 1828. D p.l Bot. mag. 3012
31923 5138a heteromalla Jac. diversely-haired $\frac{1}{2}$ Δ or ... B 1829. D p.l
31924 5138b mollis Grah. soft $\frac{1}{2}$ Δ or ... my.au P Dominica 1828. D p.l
31925 5138c rugulosa Grah. wrinkled $\frac{1}{2}$ Δ or ... my.au W New Zeal. 1828. D p.l
31926 5142a hypocrateriformis R. Br. salver-flwd $\frac{1}{2}$ Δ or 1 s P N. Holl. 1829. S p Bot. mag. 3075
31927 - celestis Nut. heavenly $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn.o B N. Amer. 1831. D co Paxt. mag. xv. 103
31928 - maculata Penny spotted $\frac{1}{2}$ Δ pr $\frac{1}{2}$ my.o W New Zeal. 1829. D co
5104 surinamensis L., syn. *Centropogon surinamensis* R. Br., *Siphocampylus surinamensis* G. Don.
31929 - multiflora K. & W. many-flwd $\frac{1}{2}$ Δ or ... jn.o S. River 1838. D lt
- 5113 puberula
2 glabella Hook. smoothish-herb $\frac{1}{2}$ Δ or 3 jl.au B.P Louisiana 1832. D p.l Bot. mag. 3292
- 5120 Erinus
2 grandiflora large-flowered $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn.s B gardens 1841. C lt Paxt. mag. x. 75
3 compacta compact-habit $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn.s B gardens ... C lt
4 compacta alba white-flwd.-compact $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn.s W gardens 1847. C lt
5 lœdica shining $\frac{1}{2}$ Δ or ... jn.s B.W gardens ... C lt
- 31930 - Bridgèsii Hook. Mr. Bridges's $\frac{1}{2}$ Δ or 4 jn Pk Chili 1836. S p Bot. mag. 3671
31931 - ramosa Benth. branching $\frac{1}{2}$ Δ or 2 jn.o D.B Swan Riv. 1838. D co Botanist, 93
31932 - odorata Grah. fragrant-flwd $\frac{1}{2}$ Δ fra $\frac{1}{2}$ aut W B. Ayres 1832. D p.l
31933 - heterophylla Lab. various-lvd $\frac{1}{2}$ Δ pr 2 s B V. D. L. 1837. D p.l Bot. reg. 2014
2 m'jor larger $\frac{1}{2}$ Δ or 3 aut B D p.l Paxt. mag. ix. 101
31934 - atrocarulea A. P. dark blue-flwd $\frac{1}{2}$ Δ or 2 ... D.B hybrid 1836. D p.l
31935 - longifolia A. P. long-leaved $\frac{1}{2}$ Δ or 5 ... P hybrid 1834. D p.l
31936 - violacea A. P. Violet-coloured $\frac{1}{2}$ Δ or 2 ... V hybrid 1836. D p.l
31937 - stellata A. P. starry $\frac{1}{2}$ Δ or 3 ... C hybrid 1836. D p.l
31938 - grandis A. P. great $\frac{1}{2}$ Δ or 5 ... P hybrid 1834. D p.l
31939 - texensis Dec. Texian $\frac{1}{2}$ Δ or ... jls S Texas 1845. D r.m
31940 - brasiliensis Brazilian $\frac{1}{2}$ Δ or 4 aut Ro.Carny hybrid ?1846. D r.m
471. LOGAN'IA.
31941 - Ægüstrina Cun. Privet-like $\frac{1}{2}$ Δ or ... N. Zeal. 1837. C l.p.s
3758. 2901a. LOMAGRA'MMA J. Sm. LOMAGRAMMA. (*Loma*, fringe, *gramma*, writing.) *Crypt. Fil* 24.—1.
31942 - pterioides J. Sm. Brake-like $\frac{1}{2}$ Δ or ... my.au Br Lof Luzon 1840. D p.l
2917. LOMA'RIA.
31943 2540br Patersoni Spr. Paterson's $\frac{1}{2}$ Δ or $\frac{1}{2}$ s Br N. Holl. 1830. D p.l
31944 2540sb lanceolata Spr. lance-shaped $\frac{1}{2}$ Δ or $\frac{1}{2}$ s Br N. Holl. 1830. D p.l
- Both these are species of Brown's genus *Stegania*.
31945 - attenuata W. attenuated $\frac{1}{2}$ Δ or 1 jls Br 1838. D l.p
31946 - vestita Blume clothed $\frac{1}{2}$ Δ or ... Br Lof Luzon ... D p.l
aurita Reinw., *chilensis* Kaulf., *ornifolia* Presl.
- 31947 - Fraseri Endl. Fraser's $\frac{1}{2}$ Δ or ... Br N. Zeal. ... D p.l
31948 - antarctica Hook. antarctic $\frac{1}{2}$ Δ or ... Br Magellan 1843. D p.l
31949 - Boryana W. Bory's $\frac{1}{2}$ Δ or ... Br D p.l
31950 - Gilliesii R. Br. Gillies's $\frac{1}{2}$ Δ or ... Br Brazil ... D p.l
31951 - discolor W. two-coloured $\frac{1}{2}$ Δ or ... Br Brazil ... D p.l
31952 - fluviatilis R. Br. floating $\frac{1}{2}$ Δ cu flt ... Br D
322. LOMA'TIA 2693 tinctoria Br., Bot. mag. 4110.; syn. *Embóthrium tinctorium* Labill. Nov. Holl. t. 42, 43; *Tricondylus tinctorius* Knight & Salisbury, Prot. 122.
2695 bicifolia Bot. mag. 4023.
2928. LONCHITIS.
31953 - aurita L. eared $\frac{1}{2}$ Δ or ... su Br W. Indies ... D p.l
31954 - pubescens W. pubescent $\frac{1}{2}$ Δ or ... su Br W. Indies ... D p.l
31955 - glabra Swz. smooth $\frac{1}{2}$ Δ or ... su Br W. Indies ... D p.l
622. LONP'CEA.
5220 nigra
2 campaniflora A. B. bell-flowered $\frac{1}{2}$ or 4 my Y N. Amer. ... C co Bot. cab. 1361
Xyloctenium campaniflorum Lod. Bot. Cab.
5222 tatãrica
3 albiflora Dec. white-flowered $\frac{1}{2}$ or 10 ap.my W C co
L. pyrenæica.
4 lutea Lod. yellow-flwd $\frac{1}{2}$ or 10 ap.my Y C co
5 latifolia Lod. broad-leaved $\frac{1}{2}$ or 10 ap.my ?Pk C co

5225 Xylósteum

- 2 leucocharpum Dec. white-berried 彙 or 8 jn.jl Y Britain ... C co
- 3 xanthocharpum Dec. yellow-berried 彙 or 8 ju.jl Y Britain ... C co
- 4 melanocharpum Dec. black-berried 彙 or 8 jn.jl Y Britain ... C co
- 31956 - - diversifolia Wall. various-leaved 彙 or 4 my.jn Y Kamaon ... C lt.l Bot. reg. 1844. 33
- 31957 - - discolor Lindl. two-clid 彙 or 4 jn Gsh.y.R India ... C lt.l Bot. reg. 1847. 44
- 31958 - - involucrel Spr. involucred 彙 cu 3 ny Y Huds. Bay 1824. C p.l Bot. reg. 1179
- 31959 - - Lebedourii Fisch. Ledebour's 彙 or 3 jn.jl Y.R California 1838. C co E. T. & S. f. 1000
- Pallasii* Led. Fl. Ross.; *Chamaecrasus caribea* Delarb.; *L. villosa* Mühl. Cat.; *Xylósteum villosum* Mx.; *X. Solmsii* Eaton *Man. Bot.*; *L. velutina* Dec.; *L. altaica* Pall.; *L. canadensis* Duh.
- 31960 - - angustifolia Wall. narrow-leaved 彙 or 5 ap.my Pa.Y N.India ?1847.C co J. H. S. 3.238. fig.

18. LOPEZIA.

- 31961 - - lineata Zucc. line-leaved 彙 | pr 3 ja.f R Mexico 1839. S co Bot. reg. 1840. 40

LOPHA'NDRA. See ERICA*.*.

3759. 1653a. LOPHAN'THUS Benth. LOPHAN. (*Lophos*, crest, *anthos*, flower; appearance of flower.) *Labiatæ*. 5.—6.

- 31962 - - urticifolius Dou. Nettle-leaved 彙 Δ or 2 jl.au B N. Amer. 1826. S co
 - 31963 - - anisatus Benth. Anise-scented 彙 Δ or 3 jl.s B N. Amer. 1825. S co Bot. reg. 1282
- Hyssopus anisatus* Nut. *discolor* Desf. as well as Nos. 14772, 14773, and 14774. of *Hyssopus*, and No. 14812. of *Nepeta* belong to this genus.

3760. - - LOPHOLEPIS J. Sm. LOPHOLEPIS. (*Lophos*, a crest, *lepis*, a scale.) *Crypt. Filices*. 24.—1.

- 31964 - - ciliatum W. ciliated 彙 | pr ... su Y W. Indies ... D p.l
 - 31965 - - tectum Kauf. roof 彙 | pr ... su Y W. Indies ... D p.l
- Also No. 25337, in p. 417.

3761. 1777a. LOPHOSPERMUM D. Don. (*Lophos*, a crest, *sprma*, seed; crested seeds.) 14. 2. *Scrophulariæ*. 2.

- 31966 - - erubescens D. Don blushing 彙 | or 10 jn.o Ro. Japala 1830. C s.l Bot. reg. 1381
 - scandens* Bot. mag. 3037, 3038.; Sw. fl. gar. 2. s. 68., but corrected to *erubescens* at t. 75.
 - 2 spectabile showy 彙 | or 10 jn.o Ro. W. sp. Eng. seedl. 21845. C s.l p. Paxt. m. b. 8. 75
 - 3 Hendersoni Hendersons' 彙 | or 10 jn.o Dp. ro. Eng. seedl. 21845. C s.l p.
 - 4 Cliftoni Cliftons' 彙 | or 10 jn.o Dp. Bt. ro. Eng. seedl. 1847. C s.l p.
 - 31967 - - scandens D. Don climbing 彙 | or 10 jn.o P Mexico 1835. C s.l p Bot. mag. 3650
 - 31968 - - atrosanguineum Zucc. dark-blooded 彙 | or 10 jn.o D.P Mexico 1833. C p.l Sw. fl. gar. 2. s. 250
- Rhodochiton volubile* Zuccarini, in 1829; *Lophospermum atrosanguineum* Zuccarini, in 1832; *Lophospermum Rhodochilton* D. Don, in 1834.

3762. 2750a. LORANTHUS L. (*Lorum*, a lash, *anthos*, flower; shape and substance.) 6. 1. *Loranthæ*. 250.

- 31969 - - europæus L. European 彙 | or ... Gsh Europe 1824. Sk p.r.w Jac. am. 30
 - 31970 - - floribundus Lab. many-flowered 彙 | or 3 ... Y N. Holl. 1830. C 1 p. Lab. n. h. 113
- terrestris* Swt. in his Hort. Brit. ed. 2. p. 392.

2068. LOTUS 18594 microphyllus Hook.; syn. *Orostropis microphyllus* G. Don.

18587 corniculatus

- 5 flore pleno Hort. double-flwd 彙 Δ or ½ jn.au Y Britain gard. D co
- 31971 - - depressus Ait. depressed 彙 Δ or ... jn.au ... Hungary 1819. D co
- 31972 - - spectabilis Choit. remarkable 彙 | or 2 ... Y Teneriffe 1819. C l p
- 31973 - - portosanctanus P. B. Webb Porto Santo 彙 | or ... Y Por. Santo 1829. C co
- 31974 - - arenarius Brot. sand 彙 | or ½ ap Y Teneriffe 1831. S s.l Bot. reg. 1488
- 31975 - - tenuifolius Pall. slender-ldd 彙 Δ pr ... jl.s Y Europe 1837. D s.l
- 31976 - - uliginosus Sch. bog 彙 Δ pr ... jn.au Y Europe 1836. D s.l

3763. 1224a. LOUDO'NIA B. R. (*J. C. Loudon*, *Esg.*, a great promoter of gard. and bot.) *Haloragæ*. 8.—4.

- 31977 - - aërea B. R. golden-flwd 彙 | or ... Y Swan R. ... C s.p
- 31978 - - scoparia B. R. broom-like 彙 | or ... Y Swan R. ... C s.p
- 31979 - - cordigera B. R. heart-shaped 彙 | or ... Y Swan R. ... C s.p

2828. LOUREIRA 24553 glandulosa Cav. and 24554 cuneifolia Cav. in p. 404; syn. *Mozinna* sps. Ortega.

3764. 1522a. LOWEA Lindl. LOWEA. (*Rev Mr. Lowe*, travelling bachelor of the Univ. of Cambr.) *Rosæcæ*.

- 31980 - - berberifolia Pall. Berberry-ldd 彙 | or 1 ½ jn.jl Y Persia 1790. L r.m Bot. reg. 1261
- Rosa berberifolia* No. 13380, in p. 208.

3765. - - LOXOGRAMMA J. Sm. LOXOGRAMMA. *Cryptogamia Filices*. 24.—1.

- 31981 - - lanceolata J. Sm. lance-ldd 彙 | pr ... my.au Y E. Indies ... D p.l

1503. LUBINIA Com. LUBINIA. (*M. de St. Lubin*, a traveller in the E. Ind.) 5. 1. *Primulæcæ*. 1.

- 4273 atropurpurea Lk. dark purple 彙 Δ or 2 su. aut P C. G. H. 1820. Sk l.p Sw. fl. gar. 2. s. 34

643. LUCULLA.

- 31982 5331a Pinciana Hook. Pince's 彙 | or 5 au.s W Nepal ?1843.C p.l Bot. mag. 4132

2630. LUFFA.

- 31983 - - Plukenetiana Dec. Plukenet's 彙 | cu ... jn.o Y E. Indies ... S lt
- 31984 - - clavata H. & B. clavate 彙 | cu ... jn.o Y E. Indies 1820. S lt
- 31985 - - amara H. & B. bitter 彙 | cu ... jn.o Y E. Indies 1820. S lt
- 31986 - - graveolens H. & B. strong-scented 彙 | cu ... jn.o Y E. Indies 1823. S lt

3766. 2195a. LUHEA W. LUHEA. (*Charles Vander Luhe*, a German botanist.) 18. 2. *Tiliacæ*. 11.

- 31987 - - paniculata Mart. panicld 彙 | Ro Brazil 1824. C s l Mart. br. 62
- 31988 - - caracasana Caraccasian 彙 | or Ro Caraccas 1847. C p.l [K. & P.]

3767. 2570a. LUISIA Lindl. LUISIA. (Derivation not given.) *Orchidæcæ*. 20.—1.

- 31989 - - alpina Lindl. alpine 彙 | pr ... su. aut G.P E. Indies 1837. D hb p

1688. LUMNITZERA 15240 capitata W., syn. *Acrocéphalus capitatus* G. Don.

1985. LUPINUS.

- 31990 17706a micranthus Dou. small-flowered 彙 | or ½ my.jl P.B N. Amer. 1826. S co Bot. reg. 1251
- 31991 17709a laxiflorus Dou. loose-flowered 彙 Δ or 1 au B.Pk Columbia 1826. R co Bot. reg. 1140
- 31992 - - lepidus Dou. pretty 彙 Δ or ½ au.s B.Pk Columbia 1826. S co Bot. reg. 1149

31993 -	- ornātus Dou.	ornamented	Δ	or	2	my.n	B.Pk	Columbia	1826.	S	co	Bot. reg. 1216	
31994 -	- Sabiniānus Dou.	Sabine's	Δ	or	3	ny	Y	Columbia	1827.	S	s.l	Bot. reg. 1435	
31995 -	- Cruckshanksii Hook.	Cruckshanks's	Δ	or	5	jl.au	Va	Peru	1829.	S	s.l	Bot. mag. 3056	
31996 -	- pulchellus Sut.	pretty	Δ	or	3	jn.o	B.P	Mexico	1828.	C	s.l	Sw. fl. gar. 2. s. 67	
31997 -	- Marshallianus Swt.	Marshall's	Δ	or	5	ilo	B	Eng. hyb.	1830. ?	C	s.l	Sw. fl. gar. 2. s. 139	
31998 -	- littoralis Dou.	shore	Δ	or	1	jn.o	B.Pk	Columbia	1826.	S	co	Bot. reg. 1198	
31999 -	- arbustus Dou.	shrub	Δ	or	1	jl.au	Pa.P	California	1826.	S	co	Bot. reg. 1230	
32000 -	- aridus Dou.	arid	Δ	or	1	au.s	P.B	N. Amer.	1827.	S	co	Bot. reg. 1242	
	17711 polyphyllus Dou.	many-leaved	Δ	or	4	spl	jl	B	Columbia	1826.	S	s.l	Bot. reg. 1696
	2 albiflorus Lindl.	white-flowered	Δ	or	4	jn.s	W	Columbia	1826.	S	s.l	Bot. reg. 1377	
	3 pallidus J. C.	pale-flwd	Δ	or	4	jn.au	Pa.B	England	gard.	S	co	Bot. reg. 1505	
32001	17711a rivularis Lindl.	river side	Δ	or	3	my.s	W.B.P	California	1831.	S	s.l	Sw. fl. gar. 2. s. 356	
32002	17711b macrophyllus Benth.	large-leaved	Δ	or	4	jn.au	D.P	N. Amer.	...	S	co	Bot. reg. 1217	
32003	17711c grandifolius Don	large-leaved	Δ	or	4	jn.au	P.Br	N. Amer.	...	S	co	Bot. reg. 1840. 38	
32004	17711d tristic Benth.	sad	Δ	or	4	jn.au	P	Mexico	1839.	S	co	Bot. reg. 1839. 56	
32005 -	- leptocarpus Benth.	slender-fruited	Δ	or	3	su	P	Mexico	1839.	S	co	Bot. reg. 1217	
32006 -	- Barkeri Lindl.	Mr. Barker's	Δ	or	3	jn	B.P.V	Mexico	1838.	S	co	Bot. reg. 1829. 56	
32007	17711e plumosus Dou.	feathery	Δ	or	3	jn	B	California	...	S	co	Bot. reg. 1217	
32008	17716a versicolor Sut.	party-coloured	Δ	or	5	jl.s	Pk.B	Mexico	1825.	C	s.l	Sw. fl. gar. 2. s. 1	
32009	17717a tomentosus Dec.	tomentose	Δ	or	6	jn	jl	Pk.W	Peru	1825.	C	s.l	Sw. fl. gar. 261
32010 -	- canaliculatus Swt.	channeled	Δ	or	4	jn.au	B	B. Ayres	1828.	C	p.l	Sw. fl. gar. 283	
32011 -	- pubescens Lindl.	pubescent	Δ	or	2	ilo	B	Guatemala.	1843.	D	co	Bot. reg. 1642	
32012	17717b incanus Grh.	hoary-herbaged	Δ	or	3	jn.o	Pa.Li	B. Ayres	? 1832.	S	s.l	Bot. mag. 3283	
32013 -	- lucidus Benth.	shining-leaved	Δ	or	2	jl.au	P	N. Amer.	...	S	co	Bot. reg. 1839. 31	
32014 -	- albifrons Benth.	hoary-herbaged	Δ	or	3	jn.s	Dp.B	California	1833.	C	s.l	Bot. reg. 1705	
32015 -	- Hartwegii Lindl.	Mr. Hartweg's	Δ	or	3	jn.o	Dk.B.Pk	Mexico	1838.	S	co	Bot. reg. 1705	
32016	17766a nanus Benth.	dwarf	Δ	or	1	jl.s	B.Va	California	1833.	S	co	Bot. reg. 1705	
32017 -	- affinis Agardh	related	Δ	or	3	jn.s	B.W.spts	California	1848.	S	co	Bot. reg. 1689	
32018 -	- bimaculatus Hook.	twin-spotted	Δ	or	B	Texas	1855.	S	lts.s	Sw. fl. g. 2. s. 314	
32019 -	- densiflorus Benth.	dense-inflor.	Δ	or	2	jn	W.pk	Californ.	1833.	S	s.l	Bot. reg. 1581	
32020 -	- elegans H. & K.	elegant	Δ	or	2	jn	V.ro	Mexico	1831.	S	s.l	[D. Cameron.]	
32021 -	- exaltatus	tall	Δ	or	S	l	[D. Cameron.]	
32022 -	- hirsutissimus Benth.	most hairy	Δ	or	3	jn.s	P.R	Californ.	1833.	S	s.l	Hort. tr. 2. s. 1. 411	
32023 -	- latifolius Lindl.	broad-leaved	Δ	or	1	jl	B	Californ.	21834.	S	l.p	Bot. reg. t. 1891	
32024 -	- leptophyllus Benth.	narrow-leaved	Δ	or	1	jl.s	B.l	Californ.	1833.	S	s.l	Bot. reg. 1670	
32025 -	- subcarnosus Hook.	subcarnose-lvd	Δ	or	1	jl	Dp.B	Texas	1835.	S	s.l	Bot. mag. 3467	
32026 -	- texensis Hook.	Texas	Δ	or	1	jl	Dp.B	S. Felipe	...	S	s.l	Bot. mag. 3492	
32027 -	- versicolor Lindl.	party-coloured	Δ	or	2	my.s	B.y.P	Californ.	21831.	S	co	Bot. reg. 1979	
32028 -	- arvensis Benth.	field	Δ	or	1	jl.au	B.y	Peru	1843.	S	co	Bot. reg. 1844. 1	
32029 -	- ramosissimus Benth.	much-branched	Δ	or	3	jn.o	P.B	Chimbor.	1844.	S	co	Bot. reg. 1845. 25	
32030 -	- Ehreubergii Schlecht.	Ehrenberg's	Δ	or	3	jn	jl	P.y.w	Mexico	1846.	S	co	Bot. reg. 1847. 11
3768. -	- LUXEMBURGIA St. Hil.	LUXEMBURGIA. (In honour of the Duke of Luxemb.)										Sauvagesiæccæ. 16.—8.	
32031 -	- ciliosa Gardner	fringed-lvd	Δ	or	4	jn	jl	Y	Organ Mts.	1841.	C	p	Bot. mag. 4048
	- Plectanthera ciliosa Mart.	Nov. Gen. et Sp. Bras. vol. i. p. 40.											
32032 -	- corymbosa P. Don	corymbose	Δ	or	...	my.au	Y	Brazil	...	L	s.p		
	995. LU'ZULA.												
32033	8152a capensis Lk.	Cape	Δ	or	1	my.jn	Ap	C. G. H.	1829.	D	m.s		
32034 -	- Berthelottii Nees	Berthelott's	Δ	or	D	co	
	1076. LUZURIA'GA, p. 137. The plants in Britain hitherto referred to this genus having been proved distinct, and constituted into the genus Geitonopodium (given in p. 553. of this Supplement), Luzuriaga must now be abolished from Hort. brit. Mr. D. Don has ascertained that the genus Luzuriaga belongs not to Asphodelææ, but to Smilicææ.												
3769.	2537a. LYCA'STE Lindl.	LYCASTE. (A beautiful woman of Sicily.)										Orchidæccæ. 20.—1.	
32035 -	- macrophylla Lindl.	large-leaved	Δ	or	D	fib.p
	Maxillaria macrophylla Bot. reg.												
32036 -	- plana Lindl.	flat-lvd	Δ	or	1	w	C.W	Bolivia	1842.	D	fib.p	Bot. reg. 1843.35	
	Maxillaria plana Bot. reg.												
32037 -	- costata Lindl.	ribbed	Δ	or	D	fib.p
32038 -	- lanipes Lindl.	woolly-pedunc.	Δ	or	D	fib.p
32039 -	- gigantea Lindl.	gigantic	Δ	or	2	w	Pa.G	Guayaquil	1841.	D	fib.p	Bot. reg. 1845. 34	
	Maxillaria Heynderickxii Morren.												
32040 -	- fulvescens Hook.	tawny-flwd	Δ	or	2	...	Taw.O	Columbia	...	D	Bot. mag. 4193		
32041 -	- Déppii	Deppie's	Δ	or	1	jn	jl	R.G.y.N.	Spain	1828.	D	fib.p	
	Maxillaria Déppii Bot. Cab.												
32042 -	- Skinneri Lindl.	Skinner's	Δ	or	1	w	W.Ro	Guatemala	21841.	D	fib.p	Pact. mag. xi. 1	
	Maxillaria Skinneri Bate.												
	†22670 aromática												
	Maxillaria aromática Grh.	22670. in p. 370.											
	2 retusa Lindl.	retuse-lobed-tipped	Δ	or	1	my.jl	O.G	Lima	...	D	fib.p		
32043 -	- cruenta Lindl.	bloody	Δ	or	1	w	Y.C	Guatemala	1841.	D	fib.p	Bot. reg. 1842. 13	
	Maxillaria cruenta Lindl. Bot. reg., M. Skinneri Hort. not of Bate.												
32044 -	- crinita Lindl.	hairy	Δ	or	1	w	Y	Oaxaca	1840.	D	fib.p		
32045 -	- tetragona Lindl.	four-angled	Δ	or	1	jn	jl	G.P	Rio Jan.	1827.	D	fib.p	Bot. reg. 1428
	Maxillaria tetragona Bot. mag. 3146.												
	†22666 Barringtonia, syn. Epidendrum Barringtonia Sm., Dendrobium Barringtonia Swartz., Nov. Act. Ups. 2. 82., Colax Barringtonia Lindl. Bot. reg. 897., Dendrobium citidatum Swartz. Pers. Syn. 2. 523. ? Maxillaria citidatum Fl. Peruv. Syst. p. 221., Lindl. in Bot. reg. 1206., Maxillaria Barringtonia Lodd. Bot. cab. 1824., Lindl. Gen. et Sp. Orchid. No. 23.												
32046 -	- ciliata Hook.	ciliated	Δ	or	...	su	...	Brazil	1838.	D	fib.p	Bot. mag. 4061	
	†22667 Harrisonia, syn. Maxillaria Harrisonia No. 22667. in p. 370.												
	2 filba	white-flwd	Δ	or	1	su	W	Brazil	1839.	D	fib.p		
32047 -	- tyrianthina Lo. C.	bright-violet-ctd	Δ	or	...	su	Bt.V	Brazil	1836.	D	fib.p		
	Maxillaria tyrianthina Hort.												
32048 -	- Colleyi Lindl.	Colley's	Δ	or	...	su	Br	Demerara	1836.	D	fib.p		
	Maxillaria Colleyi Bate.												
	†22668 parvula Lo. C.	small	Δ	or	...	su	W.P	Brazil	1835.	D	fib.p	Hook. ex. fl. t. 217	
	Maxillaria parvula Hook. Ex. Fl., No. 22668. in p. 370.												
	1415. LY'CHNIS.												
12018	Flös cuculi		Δ	or	1	su	W	Britain	...	D	co		
	3 albiflora Penny	white-flowered	Δ	or	1	su	W	Britain	...	D	co		

- 12004 *chaicedónica L.*
4 flore álbo pléno *Goldie* dble-w.-flwd Δ or 2 ju.jl W gardens ... D 1
588. **LYCICIUM.**
14678 *árum L.* African \blacksquare or 10 su Liv.P N. Africa 1712. C co Sw. d. g. s. 324
4688 *europæum* 2 *chrysoácarpum* yellow-fruited $\frac{1}{2}$ or 12 my.jn C co
3 *sphaerocárpum* roundish-fruited $\frac{1}{2}$ or 12 my.jn C co
4684 *ruthénicum Mur., syn. tatáricum Pall.*
2 *cáspicum Pall.* Caspian $\frac{1}{2}$ or ... ju.au ... Casp. Sea ... C s.p Pall. ros. 49. it
32049 - *fuchsíoides H. B. K.* Fuchsia-like \blacksquare or 5 ju.au S Azoques ?1843. C p.l Bot. mag. 4149
2955. **LYCOPODIUM.**
32050 - *brasiliéns Rad.* Brazilian $\frac{1}{2}$ \square or $\frac{1}{2}$ n Br Brazil ... D p.l
apothécium Bcvia.
32051 - *cæ'sium Lindl.* blue $\frac{1}{2}$ Δ or $\frac{1}{2}$ China 1845. C p.l [R. F.]
32052 - *invólvens* folding in $\frac{1}{2}$ Δ el $\frac{3}{4}$ Brazil 1841. C p.l
32052* - *plumódsum* feathercd $\frac{1}{2}$ Δ el $\frac{3}{4}$ C p.l
umbródsum.
32053 - *cordátum* cordate $\frac{1}{2}$ \square pr 1 1838. D p.l [D. Camrou]
Selignílla cordáta Spr.
32054 - *circinárum L.* circinate $\frac{1}{2}$ Δ el $\frac{1}{2}$ E. Indies 1831. D p.l
32055 - *stoloníferum Stez.* stoloniferous $\frac{1}{2}$ Δ cu $\frac{1}{2}$ Brazil 1831. D p.l
444. **LYCOPSIIS.**
13668 *echioides L.* Viper's Buglo.-lk Δ pr 1 ju.jl Y.P.spt Armenia ... S co Bot. mag. 4409
Arabia echioides Alph. Dec., Bot. mag., *Lithospérnum erectum* F. & M.
69. **LYCO'PUS.**
32056 601a *sinuáta G. Don* sinuate-ld Δ or ... au.o W N. Amer. 1812. D co
601b *virginicus β quercifolius Ph.; syn. L. macrophylus G. Don.*
3770. 9696. **LYCO'RIS Herb.** LYCORIS. (A mythological name.) *Amaryllidææ.* 6.—1.
32057 - *straminea Lindl* straw-ld-flwd $\frac{1}{2}$ Δ pr ... ju.au Str.Pk China 1845. O co
Nos. 7889. and 7890. in p. 121. are also referred to this genus.
2946. **LYGO'DIUM.**
32058 - *mexicánum Presl* Mexican $\frac{1}{2}$ \square cu Br Mexico 1831. D 1 p
1342. **LYO'NIA.**
32059 - *jamaicénsis Dec.* Jamaica \blacksquare or 2 ju.jl W Jamaica ... L s.p Bot. mag. 4273
To the species already given in p. 172. Nos. 11046. 11040. 11052. 11055. and 11044. may be added.
3771. 1806a. **LYPERIA Benth.** LYPERIA. (*Lyceros*, sad; colour of the flowers.) *Scrophulariææ.* 14.—2.
32060 - *pinnatifida Benth.* pinnatifid-ld $\frac{1}{2}$ \square pr $\frac{1}{2}$ su P.c Africa ?1810. C lt
Manúla pinnatifida L.
To this genus are referred Nos. 15891. and 15892. in p. 250. of the genus *Erinus*, and Nos. 16028. 16033. and 16038. in p. 253. of the genus *Manúla*.
457. **LYSIMACHIA.**
32061 3828a *cáudida Lindl.* white-flwd $\frac{1}{2}$ Δ pr 1 ju.au W China 1846. C co
32062 3830a *lobelíoides Lindl.* Lobelia-like $\frac{1}{2}$ Δ pr 1 jl.au.s W N. of Ind. 1840. D co Bot. reg. 1842. 6
32063 3836a *affinis Penny* related $\frac{1}{2}$ Δ or 2 $\frac{1}{2}$ jl.s Y D co
Close on, but distinct from, *L. verticillata Pall.*
- 3842 *nómorum*
2 variegátum
32064 3842a *azórica Horn?* Azorean $\frac{1}{2}$ Δ or $\frac{1}{2}$ ju.jl Y England gard. D m s [J. Cree.]
Azores ?1831. ?D 1 p Bot. mag. 3273
3772. 17966. **LYSIONOTUS D. Don.** (*Luo*, to release, *notos*, the back; opening of cap.) *Gesneriææ.* 14.—2.
32065 - *longiflorus* long-flwd $\frac{1}{2}$ \square or pro n.d C Java ... D fib.p
1451. **LYTHRUM.**
32066 12197a *thesioides Bieb.* Thesium-like \circ or 1 jl.s Li Caucasus 1828. S s.l
3773. 1652a. **MACBRIDEA Elliot** MACBRIDEA. (*James Macbride*, M.D. of S. Carolina.) *Labiatæ.* 14.—1.
32067 - *pálmera G. Don* pretty $\frac{1}{2}$ \square pr ... jl.s R.St Carolina 1804. C s.l.p
Thymbra caroliniana Walter.
3774. 24956. **MACDONALDIA Lindl.** MACDONALDIA. *Orchidææ.* 20.—1.
32068 - *Smithiana Lindl.* Smith's $\frac{1}{2}$ Δ or ... my.jn Y S. River ... D turfy p.l
32069 - *variegata Lindl.* variegated-flwd $\frac{1}{2}$ Δ or ... my.jn P S. River ... D turfy p.l
32070 - *spiralis Lindl.* spiral-flwd $\frac{1}{2}$ Δ or ... ju.jl P S. River ... D turfy p.l
32071 - *cyanea Lindl.* blue-flwd $\frac{1}{2}$ Δ or ... my B S. River ... D turfy p.l
32072 - *cóncolor Lindl.* one-coloured $\frac{1}{2}$ Δ or ... my Y S. River ... D turfy p.l
32073 - *antennifera Lindl.* antenna-bearg. $\frac{1}{2}$ Δ or ... au.s P S. River ... D turfy p.l
- 3774.* - **MACLEA'NIA Hook.** (In honour of *John Maclean*, Esq., of Lima.) *Ericææ.*
32074 - *angulata Hook.* angled-flwercd $\frac{1}{2}$ \square or 3 ju S.Y Peru 1842. C co Bot. mag. 3979
32075 - *longiflora Lindl.* long-flwd $\frac{1}{2}$ \blacksquare or 5 ... R Andes ?1843. C s.l.p Bot. reg. 1844. 25
32076 - *cordata* heart-shaped-ld $\frac{1}{2}$ \blacksquare or ... O Mexico 1848. C s.l.p
2543. **MACRADENIA R.Br.** LONG-GLAND Lindl. (Long caudicula of pollen masses.) 20.1. *Orchidææ.* 2.
32077 - *triandra Lindl.* three-anthered $\frac{1}{2}$ \square cu $\frac{1}{2}$ ny P.w.g Surinam ... D p.r.w
32078 - *mitica Lindl.* beardless $\frac{1}{2}$ \square cu $\frac{1}{2}$ ju.au W.R Trinidad 1835. D p.r.w
3775. 430a. **MACROME'RIA Don** MACROMERIA. (*Makros*, long, *meris*, a part; flws. of genus.) *Boraginææ.* 5.1.
32079 - *exsérta Don* exserted-stamens $\frac{1}{2}$ \square or 3 au.o Y Mexico 1846. S s.l.p Bot. reg. 1847. 26
1828. **MACROPODIUM.**
32080 16182a *laciniátum Hook.* cut-leaved \circ pr 1 ju.s W N. Amer. 1827. S ru Bot. mis. 68
3776. 2204a. **MACROHY'NCHIUS Dec.** MAC. (*Makros*, long, *rhyngchos*, a beak.) *Compositæ.* 19.—1.
32081 - *levigátus Dec.* smooth \circ or ... ju.jl Y Chili 1836. S co
P p 4

- 32082 - - *pteroeárpus* Dec. wing-fruited O or ... jn.jl Y Chili 1836. S co
 32083 - - *aurantiacus* Dec. orange-cld-ftwd O 'or ... jn.jl O Chili 1838. S co
3777. 676a. MACROSTYLIS *B. & W.* MACROSTYLIS. (*Makros*, long, *stylis*, a style.) *Rutáceæ*. 2.—4.
 32084 - - *barbata* Hil. bearded 𠄎 | or 2 ap.jn W C. G. H. 1810. C p.l
 Agathósma barbata Spr.
 32085 - - *barbígera* Bart. beard-bearing 𠄎 | or ... ap.jl Li C. G. H. 1826. C s.p.l
 32086 - - *cordáta* G. Don cordate-*lwd* 𠄎 | or ... ap.jl Li C. G. H. 1823. C s.p.l
 32087 - - *squarrósa* Bart. squarrose 𠄎 | or ... ap.jl Li C. G. H. 1821. C s.p.l
 Nos. 5589. and 5583. in p. 85. belong to this genus.
2331. *MA'DIA*, change to *MADA'RIA*. (*Madaros*, bald; the achenia.)
 32088 - - *élegans* D. Don elegant O or 1½ aut Y N.W.Am. 1831. S co Bot. reg. 1458
 32089 - - *corymbósa* Lindl. corymbose O or ... aut W California 1847. S co
1618. MAGNO'LIA.
 14332 *grandiflóra*
 9 *angustifolia* Hort. narrow-leaved 𠄎 or 20 jn.o W Paris 1825. L l.p
 10 *Hárwicus* Hort. Harwick 𠄎 or ... su ... hybrid ... L l.p
 Between M. *grandiflóra* *exoniénsis* and M. *fuscáta*.
 14336 *acumináta*
 2 *Candólli* Savi De Candolle's 𠄎 or 60 my.jl Gsh L s.l Bib. it. 224
 3 *máxima* Lod. largest-leaved 𠄎 or 60 my.jl L s.l
 14342 *conspícua*
 2 *Soulangeána* A. B. Soulangé's 𠄎 | or 3 ap. P.w hybrid 1826. C p.l Sw. fl. gar. 260
 M. Soulangeána Hort. Brit. p. 226.
 3 *Alexandrina* Hort. *Emp.* Alexandr. 𠄎 | or 3 mr.my ... Fr. hyb. 1831. C p.l
 4 *speciósa* Hort. showy; a French hybrid, scarcely distinguishable from the last.
 5 *citriodóra* Hort. lemon-scented; a French hybrid, but little known, and without merit as a new variety.
 14344 *purpúrea*; syn. *obováta* Thun.
 3 hýbrida Hort. hybrid — a dwarf variety.
- 32090 14343a odoratíssima *Retáv.* sweetest-sectd 𠄎 | or 10 jl.au Y.w Java 1829. G p.l
 M. insignis, M. superba, M. Fischeri, M. Hammóudi, M. triúmphans, M. *grandiflóra* *præ'cox*, and M. *grandiflóra* *crispa*. There are plants bearing these names in the Exotic Nursery, Chelsea. Jan'y. 1849.
- †1091. MAHO'NIA Nut. MAHO'NIA. (*Bernard M Mahon*, of N. Amer.; a lover of botany.) *Berberidáceæ*. 6.—1.
 †9070 *fasciálaris* Dec. crowded-*racem.* 𠄎 or 6 mr.my Y Californiá 1819. Sk co Bot. reg. 702
 Berberis pinnáta Lag.; *diversifolia* Swt.; *Ash* *Berry*.
 32091 5070a *pállida* Hort. pale-flwd 𠄎 | or 5 my Pa.y.g Mexico 1842.L s.l.f.m Bot. reg. 1844. [16
 Berberis pállida Lindl.
 9069 *Aquifolium* Nut. Holly-leaved 𠄎 or 6 ap.my Y N. Amer. 1823. Sk co Bot. reg. 1425
 Berberis Aquifolium Ph.
 9068 *nervósa* Nut. nerve-leaved 𠄎 or 3 o.mr Y N. Amer. 1822. Sk co Bot. reg. 1426
 Berberis glutinácea Pen. Cyc.; B. *nervósa* Ph. & Tor. & Gray.
 32092 - - *répens* G. Don creeping-rooted 𠄎 or 2 ap.my Y N. Amer. 1822. Sk co Bot. reg. 1176
 Berberis Aquifolium Lindl. Bot. reg.; B. *répens* Pen. Cyc.; B. *Aquifolium* var. *répens* Tor. & Gray.
 2 *répens* *fasciálaris* *crpg.* *rttd.* *clstd.* *flwd* 𠄎 or 3 mr.my Y hybrid ... Sk co
 32093 - - *tenuifolia* Lindl. slender-leaved 𠄎 | or 6 o.d Y Mexico 1842. C.G s.l.p Bot. reg. 1844. 26
 fraxinifolia Hook.
 32094 - - *Fortúni* Lindl. Fortune's 𠄎 or 3 my.au Y N. China 1846. Sk co
 32095 - - *grácilis* slender 𠄎 or 6 ... Y Mexico 1841. Sk s.l.p
 32096 - - *trifoliáta* Lindl. trifoliolate 𠄎 | or 3 ap.my Y Mexico 1839. Sk co Bot. reg. 1845. 10
 Berberis trifoliáta Hartw.
3778. 2540a. MALACHADE'NIA Lindl. (*Malakos*, soft, *aden*, a gland; & gland of pollen masses.) *Orchidáceæ*.
 32097 - - *claváta* Lindl. club-stalked 𠄎 | or 2 su.au G.Br.spot Brazil 1843. D p.r.w Bot. mag. 4334
1862. MALCOMIA.
 32098 - - *intermediá* Mey. intermediate O or ... jn.au P Caraccas 1837. S co
 32099 - - *runcináta* Mey. runcinate O or ... jn.jl P Caraccas 1837. S co
- 3778*. 1922a. MALESHERBIA R. & P. (*L. de Malesherbes*; Freuch patriot, and patron of botany.) 16.2. *Malesherbiáceæ*.
 32100 - - *humilis* D. Don humble O ... ½ ... W Chili 1831. S s.l
 32101 - - *linearifolia* Poir. linear-leaved O ? | or 1½ aut P.B Chili 1831. S l Bot. mag. 3362
 paniculáta Don in Ed. Ph. Journ. 1827; *coronáta* Don in Sw. Fl. Gar. 167. — See Gard. Mag. viii. 722.
 32102 - - *thyrsiflóra* Dec. thyrse-flowered 𠄎 | or ... jls Y Chili 1832. C l.p
 32103 - - *fasciálaris* D. Don fasciated 𠄎 | or ... jls W Chili 1832. C l.p
2004. MA'LVA.
 32104 17795a *italíca* Poll. Italian 𠄎 | or 3 jl.o P Italy 1829. D co
 32105 17797a *purpuráta* Lindl. empurpled 𠄎 | or 1½ jn.o P.R And. Chili 1825. S co Bot. reg. 1362
 32106 - - *campanulifóides* B.C. Campanula-like 𠄎 | or 1 jn.o Bh N. Amer. 1825. S l.p Bot. cab. 1670
 32107 - - *anguláta* Penny angulated 𠄎 | or 1 jn.o P 1830. D co
 32108 - - *Creevína* Hook. Cree's 𠄎 | or 2 jl.o R 1835. C co Bot. mag. 3698
 2 álba white-flowered 𠄎 | or 2 jl.o W hybrid ... C co
- 17831 *Munródna*
 2 májor J. C. larger 𠄎 | or 3 jls O hybrid 1835. C r.m
 32109 - - *comúna* K. & W. neat 𠄎 | or 5 ap.jn L S. Amer. 1835. C s.p Fl. cab. 38
 32110 - - *Mullérii* Koch. Muller's 𠄎 | or 3 jl.o ... Sardinia 1832. S co
 32111 - - *Morénii* Poll. Moren's 𠄎 | or 3 jl.o R Italy 1829. S l.p
 32112 - - *vitifolia* Cerv. Vine-leaved 𠄎 | or 3 s W Mexico 1828. S co
 32113 - - *laterítia* Hook. brick-coloured 𠄎 | or 1 ½ s R Bu. Ayres 1840. D co Bot. mag. 3846
 32114 - - *campanuláta* Part. campanulate 𠄎 | or 1 jn.s Li 1838. C co Puxt. m. ix. 173
 Those of the species of *Málva* described in p. 287., to which Nos. 17835. 17836. 17837. 17838. 17842. are prefixed, are now deemed species of *Sphæralceæ*; & two other species, and one variety, are described in G. Don's *Syst.* 2 on No. 17835., see in *Gard.* Mag., 9. 616.
1471. MAMMILLA'RIA.
 32115 - - *acanthophlégma* Leh. lace-spined 𠄎 | or gr 1835. O s.p
 32116 - - *Andréæ* Otto Andrea's 𠄎 | or r 1 1835. O s.p.l
 32117 - - *anguláris* Otto angular 𠄎 | or gr 1835. O s.p
 32118 - - *atráta* Mack. dark green 𠄎 | or gr ½ ... Pk O s.p Bot. mag 2642
 32119 - - *aúrita* Otto eared 𠄎 | or gr Mexico 1833. O s.p
 32120 - - *canéscens* Otto hoary 𠄎 | or gr S. Amer. 1827. O s.p

32121 -	- <i>carnea</i> Zucc.	flesh- <i>clad.-flwd</i>	gr	F	1835.	O	s.p
32122 -	- <i>chrysacantha</i> Otto	golden-spined	gr	Y	S. Amer.	1827.	O	s.p
32123 -	- <i>cirriliifera</i> Karw.	tendrill-bearing	gr	Mexico	1838.	O	s.p
32124 -	- <i>clava Pfeiff.</i>	club-shaped	or 1	jn	Str	O s.l.p Bot. mag. 4358
32125 -	- <i>caespitosa</i> Otto	tufted	gr	S. Amer.	1827.	O	s.p
32126 -	- <i>cocinea</i> Gill.	scarlet-flwd	gr	S	Chili	1827.	O	s.p
32127 -	- <i>columnaris</i> Karw.	columnar	gr 1	Mexico	1834.	O	s.p
32128 -	- <i>corioides</i> Bosch.	leather-like	gr	jn.au	R	S. Amer.	1835.	O s.p.l
32129 -	- <i>crinita</i> Dec.	hairy	gr	Mexico	1833.	O	s.p
32130 -	- <i>cristata</i>	crested	gr	O s.p
32131 -	- <i>depressa</i> Dec.	depressed	gr	jn.au	R.G	S. Amer.	1800.	O s.p
	<i>discolor</i> Dec. <i>not. of Haworth, Spinii Colla Hort.</i>							rip. ic.
32132 -	- <i>echinaria</i> Dec.	hedge-hog	gr	Mexico	1833.	O	s.p
32133 -	- <i>elegans</i> Dec.	elegant	gr	Mexico	1833.	O	s.p
32134 -	- <i>floribunda</i> Hook.	copious-flwg	gr	Pk	Chili	...	C s.l Bot. mag. 3647
32135	1252 <i>a fulvispina</i> Haw.	brown-spined	gr	Brazil	1829.	O	s.p
32136 -	- <i>elongata</i> Dec.	elongated	gr	Mexico	1833.	O	s.p
32137 -	- <i>fuscata</i> Otto	brownish	gr	S. Amer.	1827.	O	s.p
32138 -	- <i>geminisplna</i> Dec.	twin spined	gr	R	Mexico	1823.	O s.p
32139 -	- <i>glochidiata</i> Karw.	glochidiate	gr	Mexico	1838.	O	s.p
32140 -	- <i>glomerata</i> Dec.	tufted	gr	R	St. Domin.	1825.	O s.p
32141 -	- <i>hystrix</i> Karw.	Porcupine	gr	Mexico	1838.	O	s.p
32142 -	- <i>intertexta</i> Dec.	interwoven	gr	Mexico	1833.	O	s.p
32143 -	- <i>Karwinskii</i> Zucc.	Karwinski's	gr	1836.	O	s.p
32144 -	- <i>Lehmanni</i> Hook.	Lehmann's	gr	O s.p
	<i>ochracantha</i> and <i>leucacantha</i> Dec.		cu ½	Y	Mexico	...	O ru Bot. mag. 3634
32145 -	- <i>longimamma</i> Dec.	long-teated	gr	Mexico	1835.	O	s.p
32146 -	- <i>loricata</i> Mart.	harnessed	gr	1835.	O	s.p
32147 -	- <i>microtheca</i> Martius	small-teated	gr	1836.	O	s.p
32148 -	- <i>nivea</i> Wendl.	white-spined	gr	1834.	O	s.p
32149 -	- <i>polyedra</i> Martius	many-teated	gr	1836.	O	s.p
32150 -	- <i>polychæla</i> Martius	many-teated	gr	1833.	O	s.p
32151 -	- <i>pulchra</i> Haw.	pretty	gr	jn	Ro	Mexico	1826.	O ru Bot. reg. 1328
32152 -	- <i>pycnacantha</i> Mart.	densely-spined	or ½	jl	Y	Mexico	1841.	O s.p Bot. mag. 3972
32153 -	- <i>pyramidalis</i> Otto	pyramidal	gr	Mexico	1835.	O	s.p.l
32154 -	- <i>quadrispina</i> Karw.	four-spined	gr	Mexico	1838.	O	s.p
32155 -	- <i>rhodantha</i> Otto	rose-flwd	gr	Ro	1836.	O s.p.l
	<i>atrata</i> Hort.							
32156 -	- <i>Seitziana</i> Mart.	Seitz's	gr	1835.	O	s.p
32157 -	- <i>speciosa</i> Gill.	showy	gr	R	Chili	1827.	O s.p
32158 -	- <i>sphacelata</i> Martius	sphacelate	gr	1836.	O	s.p
32159 -	- <i>stellata</i> Karw.	golden-starred	gr	1835.	O	s.p
32160 -	- <i>subangularis</i> Dec.	subangular	gr	Mexico	1833.	O	s.p
32161 -	- <i>subrosea</i> Dec.	suberosous	gr	Mexico	1833.	O	s.p
32162 -	- <i>subpolyedra</i> Salm	subpolyedrous	gr	1836.	O	s.p
32163 -	- <i>superexta</i> Martius	covered above	gr	1835.	O	s.p
32164 -	- <i>teutaclata</i> Hort.	stinging	gr	1836.	O	s.p
32165 -	- <i>tenuis</i> Dec.	slender	gr ½	my	Pa Y	1830.	O ru Bot. reg. 1523
32166 -	- <i>tetracantha</i> Salm	four-spined	gr ½	jl	Ro	Mexico	...	O s.p.l Bot. mag. 4060
32167 -	- <i>turbinata</i> Hook.	top-shaped	gr ½	jl	Str	Mexico	1838.	O s.p Bot. mag. 3984
32168 -	- <i>vetula</i> Martius	oldish	gr	1835.	O	s.p
32169 -	- <i>Wildiana</i> Otto	Wild's	gr	O s.p
32170 -	- <i>Zuccariniana</i> Mart.	Zuccarini's	gr	1835.	O	s.p
3779 -	- <i>MANDEVILLA</i> Lindl. (<i>H. J. Mandeville, Esq., H. B. M. minister at Buenos Ayres.</i>)							<i>Apocynaceæ.</i>
32171 -	- <i>suavolens</i> Lindl.	sweet-scented	½	or 20	jn.au	W	B. Ayres	1837. C co Bot. reg. 1840. 7
	585. <i>MANDRA'GORA.</i>							
32172	4645 <i>a macrocarpa</i> Bert.	large-fruited	½	Δ p	... au.s	P	Italy	1830. S s.l Sw. fl. gr. 2. s. t. 325
	<i>autumnalis</i> Swt. fl. gar.							
	389. <i>MANE'TTIA.</i>							
32173 -	- <i>glabra</i> S. & C.	smooth-surf.	½	or 5?	aud	S	B. Ayres	1831. C p.l Sw. fl. gar. 2. s. 233
	<i>M. cordifolia</i> Hooker in Bot. Mag. t. 3202.						Gard. Mag. 36	107.
32174 -	- <i>bicolor</i> Part.	two-coloured	½	or 3	fmr	C Y	Brazil	1842. C s.p.l Paxt. bot. x. 27
32175 -	- <i>splendens</i> B. R.	splendid	½	or	my.au	C	Caracas	1840. C s.p.l
32176 -	- <i>uniflora</i> H. B. K.	one-flowered	½	or 3	s.d	R.Ro.Sta.	Martha	1844. C s.l.p
	3780. 314 <i>a MANGLE'SIA</i> Lindl. <i>MANGLE'SIA.</i> (<i>Captain Jas. Mangels, R N., a lover of botany.</i>)							<i>Proteaceæ.</i> 4.—1.
32177 -	- <i>glabrata</i> B. R.	smooth	½	or 2	mr.jn	W	S. River	1838. C s.p
	<i>Grevillea Manglesi</i> Hort.							
32178 -	- <i>purpurea</i> B. R.	purple-flwd	½	or ...	ap.jl	P	S. River	1839. C s.p
32179 -	- <i>vestita</i> B. R.	clothed	½	or ...	my	P	S. River	... C s.p
	2. <i>MARA'NTA.</i>							
32180	41 <i>a cuspidata</i> Rose.	pointed	½	or 2	ju.au	Y	S. Leone	1822. D s.l Rosc. scit. 31
	47 <i>bicolor</i>							
	2 <i>minor</i> B. C.	smaller	½	or ½	f.m	W	S. Amer.	1828. ? D r.l Bot. cab. 1924
32181 -	- <i>lineata</i>	white-lined-lyd	½	or 1	1848. D s.l [K. & P.]
	2 <i>rosea</i>	rose-clad-lined-lyd	½	or 1	1848. D s.l [K. & P.]
	<i>M. lineata</i> and the variety <i>rosea</i> , two very elegant plants, were imported by Messrs. Knight and Perry during the summer of 1848; but we can find no description of them.							
	2552. <i>MARA'TTIA.</i>							
32182	2568 <i>1a laevis</i> Sm.	smooth	½	or 2	...	Br	Jamaica	... D p.l
32183 -	- <i>cicutæfolia</i> Kaulf.	Cicutæ-lyd	½	or	Br	Brazil	1843. D p.l
32184 -	- <i>elegans</i> Endl.	elegant	½	or 8	...	Br	Norfolk I.	... D p.l
	3781. - <i>MARCE'TIA</i> Dec. <i>MARCE'TIA.</i> (<i>Dr. Marce't, of Geneva, a writer on vegetable poisons.</i>)							<i>Melastomaceæ.</i>
32185 -	- <i>decussata</i> Graham.	cross-leaved	½	or ½	s.o	Pk	Brazil	1810. C co Botanist, 223
	<i>Rhætia decussata</i> Mart. & Schrank.							
32186 -	- <i>excoriata</i> Dec.	loose-barked	½	or 1	su	W	Mexico	1842. C s.p Bot. reg. 1843. 31
	1542. <i>MARCGRAA'VIA.</i>							
32187	13753 <i>a picta</i> Dec.	painted-leaved	½	or	G	Guiana	1827. C s.l.p



3782. 82a. MARGYRICA'RPUS R. & P. MARGYRI. (*Margaron*, pearl, *karpos*, fruit; resemblance.) *Rosacæa*. l.
32188 - setosus R. & P. bristly $\text{■} \square \text{cu} 2 \dots$ G Peru 1829. C s.p Fl. per. 1. 8. f. d.
3783. 680a. MARIA'NTHUS Hügel. (*Maria*, Mary, *anthos*, a flower; in honour of the Virgin Mary.) *Pittosporicæa*.
32189 - carthoo-punctatus Lk. *Ki*. O. bl.-sp $\text{■} \square \text{or} 4 \text{mr}$ B S. River 1840. S s.p 3893
Campylauthera elegans Hort.
32190 - fruticosus shrubby $\text{■} \square \text{or} \dots$ S. River 1841. S s.p
144. MA'RICA.
32191 - coléstis Lch. blue-blossomed $\text{■} \square \text{or} 3 \text{au}$ Li Mexico 1829. O l.p
32192 1333a grácilis Herb. slender $\text{■} \square \text{el} 2 \text{au}$ P.y.w Brazil 1830. O l.p Bot. mag. 3713
32193 - longifolia Lk. & O. long-leaved $\text{■} \square \text{or} \dots \text{jn.o}$ Str Brazil 1830. D p.l
3784. 1561a. MARILA Pers. MARILA. (*Marille*, sparks; sparkling fringe to seeds.) *Ternstramiacæa*. 13.—1.
32194 - racemosa G. Don racemose-flwd $\text{■} \square \text{or} 12 \text{au}$ Y.G W. Indies 1827. C s.p.l
166. MARI'SCUS.
32195 1501a retrofractus R. & S. retrofracted $\text{■} \square \text{cu} \dots \text{jl.au}$ Ap N. Amer. 1827. D bog
3785. 1195a. MA'RLEA Rox. MARLEA. (*Marliyu*, its Bengal name.) *Alangiacæa*.
32196 - begoniæfolia Rox. Begonia-leaved $\text{■} \square \text{or} 4 \text{su}$ Y China 1824. C p.l
775. MARS DENIA.
32197 - flavescens Can. yellowish-flwd $\text{■} \square \text{fra}^20? \text{jn.au}$ Ysh N. Holl. 1830.?C s.l Bot. mag. 3280
32198 - maculata Hook. spotted-flwd $\text{■} \square \text{or} 20 \dots$ Psh.Br Sta.Marthal834. C s.l Bot. mag. 4299
2280. MARSHA'LLIA.
32199 - cæspitosa Nut. tufted $\text{■} \square \text{or} 1 \text{jl.au}$ P.w Texas 1837. D co Bot. mag. 3704
1720. MARTY'NIA.
32200 - fragrans Lindl. fragrant $\text{■} \square \text{or} 2 \text{jn.au}$ Rch.P.R Mexico 1840. S r.m Bot. reg. 1841. 6
3786. - MASDEVA'LLIA R. & P. MASDEVALLIA. (*Joseph Masdevall*, a Spanish botanist.) *Orchidæacæa*.
32201 - infracta Lindl. broken $\text{■} \square \text{cu} \dots$ Wsh.Y Brazil ... D p.r.w
32202 - floribunda Lindl. many-flwd $\text{■} \square \text{cu} \frac{1}{2} \text{my.au}$ Br.Y Mexico 1842. D fib.p
32203 - fenestrata Lindl. windowed $\text{■} \square \text{cu} \frac{1}{2} \text{o.d}$ Bd Jamaica 1843. D fib.p Bot. mag. 4164
32204 - cûprea Lindl. copper-eld.-scpal. $\text{■} \square \text{or} \frac{1}{2}$ P.cop Cayenne 1843. D fib.p
3787. - MASTACA'NTHUS Endl. (*Mastar*, a moustache, *anthos*, a flower.) *Verbenacæa*. 14.—11.
32205 - sinçnsis Endl. Chinese $\text{■} \square \text{or} 1 \text{a.us}$ V Chusan 1845. C s.p.l Bot. reg. 1846. 2
Bárbula sinçnsis Loureiro Fl. Cochinch. 444.
3788. - MATON'IA Brown. (*W.G. Maton*, M.D., F.R.S. &c., V.-P. of the Lin. Soc.) *Crypt.Filices*. 24.—1.
32206 - pectinata Brown comb-like-frond $\text{■} \square \text{or} \dots \text{my.s}$ Y Mt. Ophir 1839. D p.l
2376. MATRICA'RIA 21715 Chamomilla
2 flore pleno Hort. double-flwd O or 1 my.jl W Britain gard. S co
1817. MATTHI'OLA.
32207 - sicula Presl Sicilian O or 1½ jn.au Li Sicily 1835. S co
1778. MAURA'NDYA 15858 Barelaiyana
2 álba white-flwd $\text{■} \square \text{or} 10 \text{year}$ W gardens 1842. C l.p
2537. MAXILLA'RIA.
32208 - aciculáris Lindl. needle-shaped $\text{■} \square \text{cu} \dots \text{w}$ P Brazil 1836. D fib.p
32209 - acutifolia Lo. C. sharp-leaved $\text{■} \square \text{cu} \dots \dots$ Xalapa 1837. D fib.p
32210 - acutipéala Hook. sharp-petaled $\text{■} \square \text{or} \frac{1}{2} \text{mr.ap}$ O.R. C. Amer. 1842. D ... Bot. mag. 3966
32211 - atrorubens Lindl. dark-red $\text{■} \square \text{or} \dots \text{su}$ Dk.R Mexico 1841. D fib.p
32212 - atropurpurea B. C. dark-purple $\text{■} \square \text{or} 1 \text{jl.au}$ D.P Brazil 1828. D p.r.w Bot. cab. 1877
32213 22672a aëreo-fulva Hook. golden-brown $\text{■} \square \text{pr} 1 \text{my.jn}$ G.ob.r S. Amer. 1836.?D p.r.w Bot. mag. t. 2789
32214 - barbata Lindl. bearded $\text{■} \square \text{or} \dots \text{my.jl}$ Y Mexico 1830. D fib.p
32215 - Boothii Lindl. Booth's $\text{■} \square \text{or} \dots \text{su}$ Y Guatemala 1838. D fib.p
32216 - bractescens Lindl. bractescent $\text{■} \square \text{cu} \dots \text{o.n}$ Y.Br Mexico 1840. D fib.p
32217 - candida Lindl. whitened $\text{■} \square \text{cu} \dots \text{su}$ W Brazil 1839. D fib.p
32218 - chlorantha Lindl. green-flwd $\text{■} \square \text{cu} \dots \text{my.s}$ G Demerara 1836. D fib.p
32219 - ciliata Lindl. fringed $\text{■} \square \text{cu} \dots \text{a.us}$ S. Amer. 1826. D p.r.w Bot. reg. 1206
32220 - concava Lindl. concave $\text{■} \square \text{cu} \dots \text{jl.au}$... Guatemalal843. D fib.p
32221 - corrugata Lindl. corrugated $\text{■} \square \text{cu} \dots \text{my.jl}$ Pa.Y.Mexico ... D fib.p
32222 - crassifolia Lo. C. thick-leaved $\text{■} \square \text{or} \dots \dots$ Brazil 1836. D fib.p
32223* - cristata; syn. *Paphinia cristata* Lindl.
32223 - crocea Lindl. Saffron-coloured $\text{■} \square \text{cu} \frac{1}{2} \text{au}$ Saf Rio Jan. 1833. O p.r.w Bot. reg. 1799
"It is obviously allied to *M. picta* and *M. punctata*." — *W. B. Booth*, who has drawn and described the species in the *Bot. Reg.*, except naming and diagnosing it.
32224 - cucullata Lindl. hooded $\text{■} \square \text{cu} \dots \text{s.o}$ Br.R S. Amer. 1836. D fib.p
32225 - curta Lindl. short $\text{■} \square \text{cu} \dots \text{ap.my}$ Str Brazil 1837. D fib.p
32226 - decolor Lindl. pale-ycl.-flwd $\text{■} \square \text{or} 1 \text{ja}$ Pa.Y Jamaica 1830. D p.r.w Bot. reg. 1549
(For an enumeration of 17 other species, living in British collections, see *Bot. reg.* 1549.)
32227 - decora Lindl. decorous $\text{■} \square \text{el} \text{su}$ W Mexico 1837. D fib.p
32228 - densa Lindl. dense-racemed $\text{■} \square \text{or} \dots \text{ja}$ W.pk Mexico 1834.?O p.r.w Bot. reg. 1804
32229 - foveata Lindl. pitted $\text{■} \square \text{cu} \dots \text{f.ap}$ Str Demerara 1838. D fib.p
32230 - galeata Lindl. helmeted $\text{■} \square \text{cu} \dots \dots$ D.I.P Brazil ... D fib.p
32231 - glauca Lindl. glaucous $\text{■} \square \text{cu} \dots \text{ap.my}$ Str Guiana 1836. D fib.p
32232 - Henchmanni Hook. Henchman's $\text{■} \square \text{cu} 1 \text{ap.my}$ P Mexico 1835.?D p.r.w Bot. mag 3614
32233 - imbricata Lo. C. imbricated $\text{■} \square \dots \dots \dots$ Jamaica 1830. D fib.p
32234 - jugosus Lindl. ridged $\text{■} \square \dots \dots \dots$ C Brazil 1837. D fib.p
Côlar jugosus Lindl.
32235 - Lyonii Lindl. Mr. Lyon's $\text{■} \square \text{cu} \dots \dots$ Psh.Br.Y Mexico 1845. D fib.p
32236 - Macleanii Lindl. Mac Leay's $\text{■} \square \text{cu} \dots \text{year}$ R.Br.W Mexico 1838. D fib.p
32237 - mädida Lindl. moist $\text{■} \square \text{cu} \dots \text{year}$ Str Brazil ... D fib.p
32238 - macrobulbon Hook. large-pseudo-bulb $\text{■} \square \text{or} 1 \frac{1}{2} \dots$ Y Sta. Martha ?1843. D p.r.w Bot. mag. 4228
32239 - melægris Lindl. guinea-fowl $\text{■} \square \text{cu} \dots \text{my.jn}$ Y.P Oaxaca 1842. D fib.p
32240 - ochroleuca Bot. Cab. yellowish $\text{■} \square \text{or} \dots \text{w.sp}$ Str Brazil 1830. D fib.p
32241 - ornithoglossa Lo. C. bird's-tongue $\text{■} \square \text{cu} \dots \text{w}$... Mexico 1842. D fib.p

- 32242 - - *pálens L.o.C.* pale *flwd* £ ☒ cu Demerara 1836. D fib.p
 32243 - - *palmá-leaved Lindl.* palm-leaved £ ☒ or D fib.p
 32244 - - *pieta Hoak.* speckled-*flwd* £ ☒ or ¾ n.d O.R.br Brazil 1830. P o p r.w Bot. reg. 1082
 32245 - - *placanthèra Lindl.* flat-anthered £ ☒ or ... su G.W Brazil 1835. D fib.p Bot. mag. 3173
Colax placanthèra Lindl. Bot. reg. misc. 1843. p. 50.
 32246 - - *porrecta Lindl.* stretched £ ☒ cu ... sp Bf Brazil 1837. D fib.p
 32247 - - *psittacina Bate.* parrot-*flwd* £ ☒ or 1 o R.Y Mexico 1835. D p.r.w
 32248 - - *pumila Hoak.* dwarf £ ☒ cu ¼ ap.m.y P Demerara ?1835. D p.r.w Bot. mag. 3613
 32249 - - *punctata B. C.* spotted-*scapled* £ ☒ fra ½ n.d W.sp.t Brazil 1828. ?D lt.moss ptsh B. c. 1914
 32250 - - *purpurascens K. & W.* purplish £ ☒ or ... year Psh Brazil 1837. D fib.p
 32251 - - *rhómbea Lindl.* rhomboid £ ☒ cu ... sp ... S. Amer. 1836. D fib.p
 32252 - - *rollissonii Lindl.* Rollisson's £ ☒ or ¼ au Y Brazil 1836. D p.r.w Bot. reg. 1838. 40
 32253 - - *rufescens Lindl.* brownish £ ☒ cu ½ d Ysh.sp Trinidad 1834. ?D p.r.w Bot. reg. 1848
fasciata Lindl.
 32254 - - *rugosa Lindl.* rough £ ☒ pr ... ap.jn Pa.Y.P Brazil 1842. D fib.p
 32255 - - *scabrilungus Lindl.* rough-labelium £ ☒ or ... Psh.v Loxa ?1843...
 32256 - - *setigera Lindl.* bristle-bearing £ ☒ or ... year Pa.Y.Pk.La.Guayra?1844 ...
 32257 - - *sinuosa Bate.* wavy-*stemmed* £ ☒ cu 1 ½ o Str Demerara 1834. D p.r.w
 22664 *squálens Hook. Bot. m. 2955. is Xylobium squálens Bot. reg. 732., Colax Harrissonie Bot. reg. 897. No. 22664.*
 32258 - - *Steclii*; syn. *Scuticaria Steclii Lindl.*
 32259 - - *stenopétala Lindl.* narrow-petaled £ ☒ cu ... w Var Demerara 1836. D fib.p
 32260 - - *subulata Lindl.* subulate £ ☒ cu ... o.n Br.R Brazil 1841. D fib.p
 32261 - - *tenuifolia Lindl.* slender-leaved £ ☒ pr 1 my.jn R.Y Vera Cruz 1837. D wood Bot. reg. 1839. 8
 32262 - - *triangularis Lindl.* triangular-*sepal.* £ ☒ or 1 d Br.mot C.Guatem. ?1843. D fib.p
 32263 - - *uncata Lindl.* hooked £ ☒ cu ... ap.jn Br. Demerara 1836. D fib.p
 32264 - - *variabilis Lindl.* variable £ ☒ cu ... year P Mexico 1836. D fib.p
 32265 - - *2 unipunctata Lindl.* one-spotted £ ☒ cu ... my.au Y.G Vera Cruz 1836. D fib.p
 32265 - - *viridis Lindl.* green-*flwd* £ ☒ or ... su G.P Brazil 1835. D fib.p Bot. reg. 1510
Colax viridis Lindl. Bot. reg. misc. 1843. p. 50.
 32266 - - *vitellina Lindl.* yolk-of-egg-*ctd* £ ☒ or ½ jn Y.B Brazil 1838. D p.r.w Bot. reg. 1839. 12
 2468. *MAY'TENUS.*
 22267 *253a chilensis Dec.* Chilean 卐 ☐ or 8 my G.Y Chili 1829. ?C p s.l Bot. reg. 1702
 Dr. Lindley suspects that this may be even the same as *M. boaria Mol., No. 253. of Hort. Brit.*
 1553. *MEGANOPI'SIS.*
 32268 *13793a heterophylla Benth.* various-leaved ♀ ? △ ? pr 1 ? ... O.R Californ. 1833. S co Hort. tr. 2 s. 1.408
 32269 - - *crassifolia Benth.* thick-leaved ♀ ? △ ? pr 1 ? ... O.R Californ. 1833. S co Hort. tr. 2 s. 1.408
 2061. *MEDICA'GO.*
 32270 - - *clypeata Lindl.* shielded ○ cu ... su Y N.of India 1837. S co
 3789. - *MEDINILLA Gaud.* (In honour of *Don José de Medinilla y Pinca*, gov. of Marianne Is.) *Metastomæcæ.*
 32271 - - *erythrophylla Bl.* red-leaved 卐 ☐ or 2 su Pk E. Indies 1837. C p.l Paxt.mag.ix.p.79
 32272 - - *speciosa Bl.* showy 卐 ☐ or 4 jl Pa.Ro.Java ?1845. C p.l Bot. mag. 4321
Metastoma ezimia Bl. Bijdr. p. 1072. (non Jack.), M. speciosa Reinw. in Bl.
 2545. *MEGACLI'NIUM.*
 32273 - - *máximum Lindl.* largest £ ☒ cu 1 au G S. Leone 1836. D p.r.w Bot. reg. 1959
 32274 - - *oxypterum Lindl.* sharp-winged £ ☒ or ... aut G S. Leone 1840. D fib.p
 32275 - - *velutinum Lindl.* velvety £ ☒ or P.Y C.C.Castle ?1846. D fib.p
 32276 - - *Bôlo Lindl.* toad-like-*flwd* £ ☒ cu ... mr.jn Br.P S. Leone 1839. D fib.p
 256. *MEGASTA'CHYA.*
 32277 *2230a Boryana R. & S.* Bory's 卐 ☐ un ... jl.au Ap Mauritius 1822. S co
 32278 *2230b riparia R. & S.* crowded 卐 ☐ un ... jl.au Ap E. Indies 1824. S co
 32279 *2230c mucronata R. & S.* mucronated 卐 ☐ un ... jl.s Ap Africa 1822. S co
 32280 *2230d polymorpha R. & S.* many-shaped 卐 ☐ cu ... jl.s Ap Tropics 1826. S co
 2179. *MELALEUC'A.*
 32281 *19603a Fraseri Hook.* Fraser's 卐 ☐ or 1 ½ su Pa.Ro.N.S.W. 1829. C p.l Bot. mag. 3210
 32282 - - *Hügelii Endl.* Hügel's 卐 ☐ or ... su W S. River 1837. C s.l.p
 32283 *19643a theciformis Cun.* Tea-shaped 卐 ☐ or 3 ... N. Holl. 1824. C s.l.p
 32284 - - *juniperoides Dec.* juniper-like 卐 ☐ or 3 jn.au St N.S.W. 1830. C s.l.p
 32285 - - *seriata Lindl.* serbate 卐 ☐ or ... jn.au Ro S. River ... C s.l.p
 32286 - - *trichophylla Lindl.* hair-leaved 卐 ☐ or ... jn.au Pk S. River ... C s.l.p
 32287 - - *páticeps Lindl.* small-headed 卐 ☐ or ... my.jl Pk S. River 1842. C s.l.p
 32288 - - *callistemonæa Lindl.* beautiful-stam. 卐 ☐ or ... jn P Ro S. River ... C s.l.p
 32289 - - *spinosa Lindl.* spiny 卐 ☐ or ... jl Y S. River ... C s.l.p
 32290 - - *viminea Lindl.* twiggy 卐 ☐ or W S. River 1839. C s.l.p
 32291 - - *rádula Lindl.* rasp 卐 ☐ or ... my.jl Pk S. River ... C s.l.p
 2446. *MELAMPO'DIUM* 22268 *hùmile Swz.; syn. Acanthospérmum hùmile Dec.*
 3790. *2897a. MELANORRHŒA Wal. BLACK VARNISH TREE.* (*Melas*, black, *rheo*, to flow; juice.) *Terebin.* 1.
 32292 - - *usitata Wal.* common 卐 ☐ us 50 ... R E. Indies 1829. C l.p Wal.plas.ra.11,12
 3791. *873a. MELANOSELI'NIUM Haqm.* *MELANOSEL.* (*Melas*, black, *selcion*, parsley; appearance.) *Umhel.* 1.
 32293 - - *decipiens Haqm.* deceiving 卐 ☐ un 2 jn.jl W Madeira 1785. D co Schk.han.3.13
Selinum decipiens Wnl. No. 6941.
 1111. *MELAN'THIUM* 9119 *unifibrum Jac.; syn. Kôbea Breyniana R. S.*
 32294 - - *triquètrum* three-sided ☒ ☒ pr ... my.W.Pk.P.spot ?1847. O p.l
 127. *MELASPHERULA.*
 32295 *1155a parviflora Lod.* small-flowered ☒ ☒ or ¼ ap.au Y C. G. H. ... O s.p.l Bot. cab. 1444
 1356. *MELASTOMA.*
 32296 *11143a Banksii Cun.* Sir J. Banks's 卐 ☐ or 1 ½ ... N. Holl. 1824. C p.l
 1293. *MELIA.*
 32297 *10865a australis Surt.* New Holland ↑ ☐ or ... Li N. S. W. 1824. C s.l
 3792. *2773a. MELI'CYTTUS Forst.* (*Meli.* honey, *cytos*, a cavity, on tip of filaments.) *Flacouriæcæ.* 22.—5.
 32298 - - *ramiflorus i.c.* branch-flwd 卐 ☐ or 6 ... Wsh N. Zeal. 1822. C p.l

1684. MELISSA.
15187 officinalis
1 variegata striped-leaved $\frac{1}{2}$ Δ pr 1 jn.o W gardens ... D co
32299 - microphylla Benth. small-leaved $\frac{1}{2}$ Δ fr $\frac{1}{2}$ jn.o P Corsica 1829. D s.l.p
Thymus coccineus Pers.; *A'cynos coccineus* G. Don.
- 3792.* 1470a. MELOCACTUS C. Bauh. MELON THISTLE. (*Melos*, a melon, *cactus*; shape.) *Cactaceæ*. 6.—10.
†12511 communis Lk. & O. common $\frac{1}{2}$ \square gr $\frac{1}{2}$ jl.au R W. Indies 1688. O s.p Dec. pl. 112
Cactus Melocactus L.
32300 - pyramidalis Lk. & O. pyramidal $\frac{1}{2}$ \square gr $\frac{1}{2}$... R Caraccas ... O s.p L. & O. dis. 25
32301 - placentiformis Dec. piacenta-shpd $\frac{1}{2}$ \square gr $\frac{1}{2}$... R Brazil ... O s.p L. & O. dis. 21
Bésleri Lk. & O.
32302 - Sellowii Dec. Sellow's $\frac{1}{2}$ \square gr $\frac{1}{2}$ Brazil ... O s.p L. & O. dis. 22
Echinocactus Sellowii Lk. & O.
32303 - polyacantha Dec. many-spined $\frac{1}{2}$ \square gr $\frac{1}{2}$ Brazil ... O s.p L. & O. dis. 16.1
Echinocactus polyacantha Lk. & O.
32304 - meonacanthus Dec. oblong $\frac{1}{2}$ \square gr Jamaica 1836. O s.p.1
32305 - amarus Hoff. lovely $\frac{1}{2}$ \square gr S ... 1835. O s.p.1
32306 - excavatus Hort. excavated $\frac{1}{2}$ \square gr Mexico 1834. O s.p.1
32307 - Grengelii Hort. Grengel's $\frac{1}{2}$ \square gr W. Indies 1836. O s.p.1
No. 12512. belongs also to this genus.
2905. MENISCIMUM.
32308 25333a palustre Rad. marsh $\frac{1}{2}$ \square or 4 my Br Brazil 1837. D l.p Radd. fil. bras. 20
32309 25333b triphyllum Swz. three-leaved $\frac{1}{2}$ \square or 1 ... Br Ceylon ... D l.p
32310 - cuspidatum Bl. cuspidate $\frac{1}{2}$ \square or ... my.jn Br l.of Luzon ... D p.l
2806. MENISPERMUM.
32311 24435a planifolium Wal. flat-leaved $\frac{1}{2}$ \square un 20 ... Y E. Indies 1828. C p.l
3793. 1858a MENONVILLEA Dec. MENONVILLE. (*M. Thierry de Menonville*, a French naturalist.) *Cruciferae*.
32312 - filifolia Fisch. thread-leaved \circ el 1 au Gsh. W Chili 1836. S s.l Sw. fl. gar. 2. s.371
32313 - linearis Dec. linear-leaved \circ or ... au W Chili 1836. S co
1659. MENTHA.
32314 - Requienii Benth. Requier's $\frac{1}{2}$ Δ cu $\frac{1}{2}$ jl.au Li Corsica 1829. D s.l
Thymus parviflorus Req., *Audiberti pusilla* Benth.
32315 14876a brevispicata Lch. short-spiked $\frac{1}{2}$ Δ un $\frac{1}{2}$... P Siberia 1829. D co
1478. MENTZELIA.
32316 12637a hispida Willd. hispid $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ ap Y Peru 1831. S s.l Bot. mag. 3205
32317 - stipitata Dec. stalked $\frac{1}{2}$ Δ or 2 o Y Mexico 1835. C s.l Botanist, 34
1174. MENZIESIA 9946 campetiformis Bot. Gard. 762.
9944 polifolia See DABGE'cia in p. 532.
1120. MERENDE'RA 9163 caucásica Bot. Mag. 3690.
1363. MERIANA.
32318 - caranthea large-flwd $\frac{1}{2}$ \square or 1847. C p.l [K. & P.]
1520. MESEMBRYANTHEMUM.
†13174 rubroinctum Haw. red-edged-ld $\frac{1}{2}$ \square or $\frac{1}{2}$ my Pk C. G. H. 1811. C s.l Bot. reg. 1732
32319 13177a lacrum Salm jagged $\frac{1}{2}$ \square or $\frac{1}{2}$ jn.au Pk C. G. H. 1811. C s.l Bot. cab. 1279
dimidiatum Haw. No. 13177.
32320 13298a alsinifolium Hort. Chickweed-ld \square or $\frac{1}{2}$ jl ... N. Holl. ?1827. S s.l
13303 tricolor; syn. *pyropaeum*.
32321 - californicum Lindl. Californian $\frac{1}{2}$ \square or ... aut P California 1847. S s.l [G. G.]
3794. - MESOCHLENA R. Br. MESOCHLENA. (*Mesos*, middle, *chlaina*, a cloak.) *Crypt. Fittices*. 24.—1.
32322 - moluccana R. Br. Moluccan $\frac{1}{2}$ \square or ... su Y Molucca ... D p.l
32323 - javanica R. Br. Javanese $\frac{1}{2}$ \square or ... su Y Java ... D p.l
32324 - asplenifolides J. Sm. Asplenium-lik $\frac{1}{2}$ \square or ... su Y E. Indies ... D p.l
Sphaerostephanus asplenifolides J. Sm.; *Polypodium villosum* Presl.
1505. ME'SPILUS.
†12894 lobata Poir. lobed-leaved $\frac{1}{2}$ or 15 my.jn W 1800. G co Bot. mag. 3442
lobata Poir. *Encyc. bot. suppl.* 4. 71. *Smithii* Dec. *Prod.*, 2. 633. *grandiflora* Smith, *Exot. bot.* 1.
p. 33. t. 18.
447. MESSERSCHMIDTIA.
32325 - caracasana R. Br. Caraccas $\frac{1}{2}$ \square or ... my.s W Caraccas 1828. C p.l
32326 - velutina Kth. velvety $\frac{1}{2}$ \square or 10 jn.s W Mexico 1826. C p.l
32327 - umbellata $\frac{1}{2}$ \square or ... jn.s W Mexico 1826. C p.l
1482. METROSIDEROS.
32328 - robusta A. Cunn. robust $\frac{1}{2}$ \square fra 80 jn S N. Zeal. 1845. C s.l.p J.H.S.3.p.3116g.
2395. MEYERA 21881 sessilis Swz.; syn. *Enhjdra sessilis* Dec.
1177. MICHAUXIA.
32329 9951a decandra Fis. decandrous $\frac{1}{2}$ \square or 3 jl.au L.B? Persia 1829. S s.l
19951 laevigata Ven. smooth $\frac{1}{2}$ \square or 11 au.o W N. Persia 1820. S.l.r.l Bot. mag. 3128
368. MICROCALE 3234 filiforme Lk.; syn. *Cicéndia filiforme* Adanson.
3795. - MICROLEPIA Presl MICROLEPIA. (*Mikros*, small, *lepis*, a scale.) *Crypt. Fittices*. 24.—1.
32330 - pinnata pinnated $\frac{1}{2}$ \square or ... su.aut Br.Y l.of Luzon ... D p.l
Davillia pinnata Cav.; *flagellifera* Wall.
32331 - cristata J. Sm. crested $\frac{1}{2}$ \square or ... su.aut Br l.of Luzon ... D p.l
32332 - trichosticha J. Sm. hairy-spiked $\frac{1}{2}$ \square or ... su.aut Br Samar ... D p.l
3796. 1681a. MICROME'RIA Benth. MICROME'RIA. (*Mikros*, small, *meris*, a part.) *Labiatae*. 2.—?
32333 - Teneriffe Benth. Teneriffe $\frac{1}{2}$ \square or 1 jn.jl P Teneriffe 1829. C co
Thymus Teneriffe Pers., as well as No. 15165, and several others.

3797.	2566a.	MICROPERA Lindl.	MICROPERA.	(<i>Mikros</i> , small, <i>pera</i> , pouch.)	Orch. <i>Vandæa</i> .
†22600	parviflora R. Br.	small-flowered	✱ Δ cu 1 s.o.	Pa.G.w Pt.Jack.1824.	O m.s Bot. mag. 3377
32334 -	- mediâ R. Br.	middle-sized	✱ Δ cu 2 ...	Pa.G.w K. G. S.1823.	O m.s Bot. mag. 3378
32335 -	- Bânksii Hook.	Banks's	✱ Δ cu N. Zeal.	
	porrifolia Spr.				
	"It appears to stand intermediate between M. rara R. Br. and M. mediâ R. Br.				
3798.	2234a.	MICROSERIS Dec.	MICROSERIS.	(<i>Mikros</i> , small, <i>seris</i> , succory.)	Compôsitæ. 19.—1.
32336 -	- pygmaea Dec.	dwarf	○ un ½ my.au Y	Chili	1830. S co
	<i>Lepidônema chilense</i> F. & M.				
2575.	MICROSTYLIS.				
22682	ophioglossoides				
	2 mexicâna Lindl.	Mexican	✱ Δ cu ½ jl	G Mexico	1829. R p.l Bot. reg. 1290
32337 -	- versicolor Lindl.	changeable	✱ Δ cu 1 jn.o	O China	1830. D p.l Bot. cab. 1751
	<i>Liparis proichilus</i> B. C.				
32338 -	- excavata Lindl.	hollowed	✱ Δ cu ... ap.my	G Mexico	1837. D p.s
32339 -	- hisionantha Lk.	sail-flwd	✱ Δ cu 1 n	Brsh.G Columbia	1842. D p.l Bot. mag. 4103
32340 -	- serrata Batc.	saw-tipped	✱ Δ or ... jl.o	Y Brazil	1835. D
2511.	MICRO'TIS. (<i>Mikros</i> , small, <i>ous</i> , <i>otos</i> , an ear; auricle on each side of the column.) 20. 1. 4.—				
32341 -	- pâllida Lindl.	pale	✱ Δ or ...	Pa.Y Sylhet	... D p.r.w
181.	M'PLIUM.				
32342 -	- amphicarpum Ph.	earth fruited	✱ Δ cu ... jn.jl	Ap N. Amer.	1827. D co
	<i>Amphicarpum Pârshii</i> Kth.				
1078.	M'P'LLA.				
32343 -	- uniflora Grâh.	solitary-flwd	✱ Δ or ¾ d.mr	W.L B. Ayrcs	1826. O p.l Bot. mag. 3327
†8978	biiflora Cav.	two-flowered	✱ Δ or 1 ½ au	W Mexico	1826. D s.l Bot. reg. 1555
3799.	37a.	MILLINGTONIA Rox.	MILLINGTONIA.	(<i>Sir T. Millington</i> , Sav. Prof. Oxford.)	Olèinæ. 1.—5.
32344 -	- simplicifolia Rox.	simple-leaved	♀ □ or 20 ...	Y E. Indies	1828. C p.l
3800.	2526a.	MILTONIA Lindl.	MILTONIA.	(In compliment to Earl Fitzwilliam.)	Orchidææ. 20.—1.
32345 -	- cândida Lindl.	white-tipped	✱ □ or 2 n	Y.r.w Brazil	1838. O p.r.w Pax.m. b. vi. 241
	2 grandiflora Lindl.	large-flwd	✱ Δ or 2 w	W.Rsh.Br. Y.s.Brazil	1837. D fib.p
	3 flavescens Hook.	yellowish-tipped	✱ Δ or 2 w	W.Y Brazil	... D fib.p Bot. mag. 3793
32346 -	- spectabilis Lindl.	showy	✱ Δ or 1 aut	R.St Brazil	1835. D fib.p Bot. mag. 4204
	<i>Macrorchilus Fryânus Knowles & Westcott</i> Fl. cab. 45.				
32347 -	- Clowesii Paxt.	Rev. J. Clowes's	✱ Δ or 1 o.d	P.O.Br Brazil	1840. D p.r.w Pax.m. b. ix. 241
	<i>Odontoglossum Clowesii</i> Lindl. Bot. reg. misc.				
32348 -	- carnea Lindl.	wedge-tipped	✱ Δ or 1 sp	W.Br.y Mexico	1843. D fib.p Bot. reg. 1845. 8
32349 -	- Karwinskii Lindl.	Karwinski's	✱ Δ or 3 aut	Y.V.W.B Mexico	1839. D fib.p J.H.S. iv. 83. fig.
32350 -	- bicolor Lo. C.	two-coloured	✱ Δ or ...	W.R Brazil	1839. D fib.p
32351 -	- odorata Lo. C.	sweet-scented	✱ Δ fra Brazil	1843. D fib.p
32352 -	- flava Lindl.	yellow-flwd	✱ Δ or ... jn.au	Y ... Brazil	1848. D fib.p
2834.	MIMO'SA.				
32353 -	- intermedia Dec.	intermediate	✱ □ or ... su	Ro Caraccas	1825. C p.l
32354 -	- hamata Dec.	hooked	✱ □ or ... su	Ro E. Indies	1820. C p.l
32355 -	- stipulata H. C.	stipuled	✱ □ or ...	P E. Indies	1831. S p.l
32356 -	- marginata Dec.	marginate	✱ □ or C	... C p.l
	<i>mexicana, scandens, and prostrata</i> of the nurseries.				
32357 -	- uruguayensis Hook. & Arn.	Uruguay	✱ □ or 2 jn.jl	Pk Uruguay	1841. C lp Bot. reg. 1842. 33
1783.	M'Y'ULUS.				
15900	luteus				
	3 Wilsoni D. Don	Miss Wilson's	✱ Δ pr ½ jl	Y.spt.P hybrid	†1836.D p.l Sw.f. gar. 2.s. 406
	4 Youngianus Lod.?	Mr. Young's	✱ Δ or ¾ jl.au	Y.spt Chili	†1833.D p.l Bot. mag. 3363
32358	15900a	variegatus Dou.	✱ Δ or 1 su	W.Ro Chili	1831. S lt.l Bot. cab. 1872
32359 -	- Smithii Lindl.	Mr. Smith's	✱ Δ or ¾ fn	Y.spt Eng. hybr.	1832. D p.l Bot. reg. 1674
32360 -	- roseus Lindl.	rosy-flowered	✱ Δ or 1 jl.au	Ro N. Calif.	1831. C p.l Bot. reg. 1591
	2 Maclainianus	Maclain's	✱ Δ spl 1 jls	Ro.C seedling ...	R.m Bot. mag. 3924
32361 -	- cardinalis Dou.	scarlet	○ spl 2 jls	S N.W. Am.	1835. S co Bot. mag. 3560
	2 insignis	remarkable	○ spl 2 jls	S seedling ...	S.C r.m Lad.mag.gard.11
	3 atro-roseus	dark-rose-cld	○ spl 2 jls	Dp.Ro seedling ...	S.C r.m Lad.mag.gard.11
	4 pallidus	pale-rose-cld	○ spl 2 jls	Pa.Ro seedling ...	S.C r.m Lad.mag.gard.11
32362 -	- roseo-cardinalis Hens.	rosy-scarlet	○ pr 2 jls	R hybrid	1837. S co Botanist, 51
	<i>Hodsoni Gard. Mag.</i> , 13. p. 333.				
32362*	- tricolor Hartw.	three-coloured	○ or ... jn.au	Pk.C.y California	1848. S r.m
32363 -	- Harrisonianus Paxt.	Harrison's	? ✱ Δ or ... jls	... English hybr.?	S c.s.l
32364 -	- andicola	Andes-inhab.	✱ Δ un ½ my	Y Chili	1831. D l.p
32365 -	- propinquus Lindl.	related	✱ Δ or ¾ ap.o	Y N. Amer.	1827. D p.l Bot. reg. 1330
1156.	MIMUSOPS.				
32366	9345a	cyanocarpa Cun.	✱ □ or 6 s	Gsh N.co.N.H	1821. C p.l
3800*. 494a.	M'N'A Lal. et Lex. MINA. (<i>Don Francisco Xavier Mina</i> , a Mexican minister.) <i>Convolutæcæ</i> . 5.—1.				
32367 -	- lobata Lal. et Lex.	lobed	○ or 6 su	R.Y Mexico	1841. S co Bot. reg. 1842. 24
421.	MIRA'BILIS 3465 longiflora				
	2 cârnca	flesh-cld-flwd	✱ □ or 2 jn.s	Pk Germany ...	R r.m [J. Cree.]
	3 violæca	Violet cld-flwd	✱ □ or 2 jn.s	V Germany ...	R r.m [J. Cree.]
1264.	MIRBE'LLA.				
32368 -	- floribunda Lindl.	many-flwd	✱ □ or 2 mr.ap	P S. River	1838. C s.l.p Pax.m.b. viii. 103
	10630 Bâxteri, syn. <i>Oxylobium scandens</i> Botanist, No. 114.				
32369 -	- Meisneri Hook.	Meisner's	✱ □ or 2 my	Rsh.P S. River	... C hth.m Bot. mag. t. 4419
	<i>M. ditatata</i> Meisn. in <i>Plant. Preiss.</i> p. 76. (not Br.).				
1382.	MITE'LLA.				
32370	11337a	pentandra Hook.	✱ Δ cu ½ jn	Y N. Amer.	1827. D co Bot. mag. 2933
32371 -	- trifida Grâh.	trifid-leaved	✱ Δ cu ½ my	W N. Amer.	1827. D co

3801. 1797a. MITRA'RIA Cav. MITRARIA. (*Mitra*, a mitre; j form of br. which cover calyx.) *Gesneriæ*. 14.—2.
32372 - - coccinea Cav. scarlet-flwd $\frac{1}{2}$ \square or 74 jl.o S SanCarl.deChiloe1848. C s.p.l Paxt.m.xv.147
3802. - - MOGIP'HANES Mart. MOGIPHANES. (Nnt explained.) *Amaranthiææ*.
32373 - - virgata Schr. twiggv $\frac{1}{2}$ \square cu 3 au.nr Wsh Russia 1836. S. l.s [W.H.B.]
- 3802*. - - MO'HRIA Swz. MOHRIA. (In honour of M. Mohr, an eminent bot. writer.) *Crypt. Filices*.
32374 - - thurifraga Swz. frankincense $\frac{1}{2}$ \triangle or ... Br C.G.H. 1841. D p.l Schk. crypt.143
252. MOLI'NIA.
2128 cærùlea
2 depauperata Lindl.starved $\frac{1}{2}$ \triangle un 1 au Ap ScotlandClo.moD co
3803. 875a. MOLOPOSE'RMUM Koch MOLOPOSPERMUM. (*Molops*, a stripe, *sperma*, a seed.) *Umbellifera*. 1.
†6969 peloponnesiacum Koch Peloponnes. $\frac{1}{2}$ \triangle or 4 my.jl Pa.Y Switzerl. 1598. D co Jac. au. 5. 13
Ligusticum peloponnesiacum L. No. 6969.
3804. 430a. MO'LTKIA G. Don MOLTZIA. (*Count Gaaske Moltke*, a Danish nobleman.) *Boraginæ*. 5.—1.
32375 - - cærùlea G. Don blue-flwd $\frac{1}{2}$ \triangle or I ap.jn B Persia 1829. D co
- MONACHA'NTHUS Lindl. MONK FLOWER. (See *Catasctum*, in p. 511.)
74. MONA'RDA.
618 fistulosa
2 fl. maculata Hook.spotted-tipped $\frac{1}{2}$ \triangle or 3 su Pa.Ro.spt N.Orlea. 1832. D co Bot. mag. 3310
M. menthaefolia H. & Kth.obtuse-leaved $\frac{1}{2}$ \triangle or 2 ju Rsh.P Peru 1830. S p.l Bot. mag. 3122
32376 - - aristata Nut. awned $\frac{1}{2}$ \triangle pr 2 jl.au Pa.Ro N. Amer. 1836. R p.l Bot. mag. 3526
3805. 1679a. MONARDE'LLA Benth. MONARDELLA. (A diminutive of *Monár* a.) *Labiata*. 14.—1.
32377 - - undulata Benth. wavy $\frac{1}{2}$ \square fra $\frac{3}{4}$ in.jl V California 1848. S co No. 15109. in p. 238. belongs to this genus.
3806. 2055a. MONN'INA R. & P. MONNINA. (*Monnino*, Count de Flora Blanca.) 17.3. *Polygalææ*. 29.
32378 - - obtusifolia H. & Kth.obtuse-leaved $\frac{1}{2}$ \square or 2 ju Rsh.P Peru 1830. S p.l Bot. mag. 3122
32379 - - crotalariefolia P. Don crotalaria-lvd $\frac{1}{2}$ \square or ... au.o DI 1840. C s.p
3807. - - MONOCHILUS F. & M. MONOCHILUS. (*Monos*, one, *cheilos*, lip; flower.) *Verbenacææ*.
32380 - - gloxinifolia Fis. Gloxinia-lvd $\frac{1}{2}$ \square or 1838. D p.l
3808. - - MONOGRAMMA Schk. MONOGRAMMA. (*Monos*, one, *gramma*, writing.) *Crypt. Filices*. 2A.—1.
32381 - - trichoides J. Sm. hair-like $\frac{1}{2}$ \square pr ... su Br.Y W. Indies 1825. D p.l
Grammitis trichoides W.
32382 - - graminea Schk. grass-like $\frac{1}{2}$ \square pr ... su Br.Y W. Indies 1830. D p.l
32383 - - furcata Desf. forked-lvd $\frac{1}{2}$ \square pr ... su Br.Y Trinidad 1825. D p.l Hook. fil. t. 62
Grammitis furcata Hook.
3809. - - MONOLOPIA. (*Monolopos*, having a single covering; structure of involucre.) *Compositæ*.
32384 - - major Dec. greater $\frac{1}{2}$ or 3 su Y California 1828. S co Bot. mag. 3839
Helenium Douglasii Hort.
3810. 2543a. MONOMERIA Lindl. MONOMERIA. (*Monos*, one, *meris*, a part.) *Orchidacææ*. 20.—1.
32385 - - nitida Lindl. shining $\frac{1}{2}$ \square cu Mexico 1841. D fib.p
3811. 1460a. MONOTA'XIS Brong. MONOTAXIS. (*Monos*, one, *taxis*, series; j male and female flowers.) *Euphorb*.
32386 - - simplex Brong. simple $\frac{1}{2}$ \square cu ... jl.s G N. Holl. 1838. C p.l
143. MOR'E A.
32387 1327a catenulata Lindl. chain-dotted $\frac{1}{2}$ \square or 1 my W.B Mauritius 1826. D s.p Bot. reg. 1074
84. MOR'INA.
32388 789a longifolia Wall. long-leaved $\frac{1}{2}$ \triangle pr 3 jl.n Ro India 1839. D s.l Bot. reg. 1840. 36
M. Wallichiana Royle *Himal. Bot.* t. 55 ? Bot. mag. 4092
648. MOR'INDA.
32389 - - jasmnoides Cun. Jasmine-like $\frac{1}{2}$ \square cu 6? ap Pa.Bff P. Jacks. 1823. ? C 1.p Bot. mag. 3351
In affinity near to *M. parvifolia* Dec., Cun.
1279. MOR'NINGA.
32390 - - aptera Dec. wingless $\frac{1}{2}$ \square cu ... my.au Y E. Indies 1838. C p.l
3812. 1901a. MOR'ISIA. MORISIA. (*Professor Moris*, the discoverer.) *Crucifera*. 1.—
32391 - - hypogæa fruit-interring $\frac{1}{2}$ \triangle pr $\frac{1}{2}$ ap Y Sardinia 1833. S lt.l Sw. fl. gar. 2 s.290
Sisymbrium monanthos Viv.
3813. 2530b. MORMO'DES Lindl. MORMODES. (*Mormo*, a goblin; appearance of flowers.) *Orchidacææ*.
32392 - - atropurpureum Lindl. dark purple $\frac{1}{2}$ \square cu $\frac{3}{4}$ d D.P Sp. Main 1834. D r.w Bot. reg. 1861
32393 - - pardium Bate. panther $\frac{1}{2}$ \square fra ... St.pt.rsh.p.Oaxaca ... D p.r.w Fl. cab. 113
Cyclostia maculata of Klotzsch, Dr. Lindley considers to be the same as this species.
32394 - - lineatum Bate. streaked $\frac{1}{2}$ \square cu 1 ju Y.P Guatem. 1840. D p.r.w Bot. reg. 1842. 43
32395 - - luxatum Lindl. dislocated $\frac{1}{2}$ \square cu 1 ju Y Mexico 1842. D p.r.w Bot. reg. 1843. 33
32396 - - buccinator Lindl. trumpeter $\frac{1}{2}$ \square or ... aut Pa.G.W.La Guayra1835. D fib.p
32397 - - Cartoni Hook. Carton's $\frac{1}{2}$ \square or 1 o.n Y.R Sta.Martha?1843. D fib.p Bot. mag. 4214
32398 - - aromatum Lindl. aromatic $\frac{1}{2}$ \square or $\frac{3}{4}$... Pa.y.r Mexico ?1840. D fib.p Bot. reg. 1843. 56
3814. 2301a. MOR'NA Lindl. MORNA. (*Morna*, a heroine of the northern romances.) *Compositæ*.
32399 - - nitida Lindl. beautiful $\frac{1}{2}$ \square el 2 ju.au Y S River 1835. C s.p Bot. reg. 1941
32400 - - nivea Lindl. snow-white $\frac{1}{2}$ or 1 $\frac{1}{2}$ my.au W.y N.S.W. ... S l.p Bot. reg. 1838. 9
3815. 774b. MORRE'NIA Lindl. MORRENNIA. (*Professor Charles Morren* of Liège.) *Asclepiadææ*.
32401 - - odorata Lindl. sweet-scented $\frac{1}{2}$ \square fra ... jl.au W B. Ayres 1837. C r.m

2612. MORUS.
 23091 álba
 2 multicaulis Perrot. many-stemmed 𠄎 𠄎 clt ... jn Ap China ... L r.m
 M. latárica Desf., not of L. M. bullata Balbis. M. cucullata Hort.
 3 Morettiana Hort. Moretti's 𠄎 clt ... jn Ap L r.m
 Dandolo's Mulberry.
 4 macrophýllus Lod.
 5 romana Lod.
 4 ovalifolia p. 378.
 6 nervosa Lod. nervous 𠄎 clt ... jn Ap L r.m
 7 itálica Hort. Italian 𠄎 clt 20 jn,jl Ap Italy 1817. L r.m
 M. itálica Lod. No. 23099, in p. 378.
 8 rósea Hort. Rose-like 𠄎 clt 20 jn,jl Ap China ... L r.m
 9 Columbássa Lod. Columba 𠄎 clt ... Ap L r.m
 10 membranacea Lod. membranous 𠄎 clt ... Ap L r.m
 11 sinénsis Hort. Chinese 𠄎 clt 20 ... Ap China 1825. L r.m
 M. sinénsis No. 23096, in p. 378.
 12 píumila Nois. dwarf 𠄎 clt 10 jn,jl Ap 1824. L r.m
 M. píumila No. 23100. ?M. a. nana H. B.
 23102 nigra
 2 laciniata cut-leaved 𠄎 fr 30 jn Ap L co
 32402 23105a cálcar-gállí Can. cock-spur 𠄎 𠄎 ec ... N.S.W. 1830. L r.m
 "Yellow wood vine" of the colonists. It is a shrub which extends itself to a great length, and may eventually be found to belong to the genus MacLúra (Tóxylon Raf.), rather than to Morus
 2231. MOSCHARIA R. & P.
 †20212 pinnatifida R. & P. pinnatifid-leaf O or 2 my.o W Chili 1827. S co Bot. reg. 1564
 Gastrocárpua runcinata D. Don, No. 22254. Mosgia pinnatifida Spr.
 3816. 1688a. MOSCHOSMA Rchb. MOSCHOSMA. (Moschos, musk, osme, smell; odour.) Labiatae. 2.
 32403 - - ocyimoides Benth. Ocyimium-like 𠄎 or 1 1/2 jls W 1823. S co
 Lunnitsera ocyimoides Jac. No. 15237. No. 15238. also belongs to this genus.
 3817. 1364a. MOURIRIA J. MOURIRIA. (Mouriri, its name in Guiana.) Memecleae. 1.-5.
 32404 - - guianensis Aub. Guiana 𠄎 or 6 jls Y Guiana 1817. C p.l. Aub. gul. 1. 180
 Petaloma Mouriri Swz. No. 11189. No. 11188. also belongs to this genus.
 2159. MUCUNA.
 32405 - - elliptica Dec. elliptic-leaf 𠄎 𠄎 | un ... jls Li Peru 1828. C 1.p
 32406 - - combsa Dec. tufted 𠄎 𠄎 | un ... jls W Peru 1827. C 1.p
 3818. 2219a. MULGEDIUM Dec. MULGEDIUM. (Mulgeo, to milk; milky.) Compositae. 19.—
 32407 - - macrorhizon Royle large-rooted 𠄎 Δ or 3/4 au.s B S s.p.l. Bot. reg. 1846. 17
 746. MU'SA 6064 supérba Bot. Mag. 3849, 3850.
 32408 - - chinénsis Saut. dwarf Chinese 𠄎 | or 4 ... S China 1829. Sk r.l
 M. Cavenáshii Paxt. Mag. Bot. 3. p. 51.
 32409 - - zebra zebra 𠄎 Δ or 10 my.jl Y Sk r.m
 1082. MUSCARI.
 32410 8993a pedunculáre Haw. peduncled 𠄎 Δ or 1/2 mr.ap B O co
 32411 8993b parviflorum Desf. small-flowered 𠄎 Δ or ... ap.my B Sicily 1827. O co
 32412 8994a commutatum Guss. dark-purple 𠄎 Δ or 1/2 mr B Italy 1836. O s.l Sw.fl.gar.2. s.369
 642. MUSSÉ'NDA.
 32413 - - macrophýlla Wall. large-leaved 𠄎 | or ?8 jl.au O Nepal ?1845.C p.l Bot. reg. 1846. 24
 5326 coccinea Poir.; syn. Calycophýllum coccineum Dec.
 2356. MUTISIA.
 32414 21570a latifolia D. Don broad-leaved 𠄎 | or 10 ?o Pa.Pk.y Valparai. 1832. C p.l Sw.fl.gar.2. s.288
 32415 - - rlicifolia Hook. Holly-leaved 𠄎 | or 10 ... S. Amer. 1832. C p Paxt.m. b.xv.101
 MYA'NTHUS Lindl. FLY WORT. (See Catasétum, in p. 511.)
 3819. 2559a. MYCARANTHES B. MYCARANTHES. (Derivation not known.) Orchidaceae. 20.—1.
 32416 - - obliqua Lindl. oblique-leaf 𠄎 Δ cu ... W Singapore 1840. D fib.p
 1761. MYOPORUM.
 32417 - - ascéndens R. Br. ascending 𠄎 | or ... jn jl W.v. spts V.D L. 1843. C
 32418 - - serrátum R. Br. saw-leaved 𠄎 | or 6 my W Tasmania ... C s.p Bot. reg. 1845. 15
 Pogonia tetrandra Lab. nov. holl. l. 59. t. 83.
 2217. MYO'SERIS 20149 purpúrea Lk.; syn. Intybéllia purpúrea Dec.
 425. MYOSOTIS.
 3499 caespitosa
 2 macrocalyx long-calyxed 𠄎 pr 3/4 jn,jl B Britain w.pl D co [G. B. K.]
 3506 arvensis
 2 álba white-flowered Δ pr 1/2 my.au W Britain gard. D co [J. Cree.]
 32419 - - californica Fis. Californian O cu 1 1/2 au.s W California. 1837. S co
 32420 3506a collina Hafn. hill O pr 1/2 ap.my B.V Britain d.st.pls co Eng. bot. 2558
 32421 3501a commutata G. Don changed O pr ... jn.au B Europe ... S co
 32422 - - littoralis G. Don sea-shore O pr ... ap.jn B.Y Caspia 1836. S co
 32423 - - clavata G. Don clavate O pr ... jn.au B Siberia 1829. S co
 32424 - - australis G. Don southern O pr ... jn.au B N. S. W. 1824. S co
 32425 - - unguilata G. Don clawed O pr ... jn.au B Siberia 1822. S co
 32426 - - repens Don creeping 𠄎 Δ pr 1 jn,jl Pa.B Britain bog.pl D co Eng. hot. 2703
 32427 - - azórica H. C. Wats. Azorean 𠄎 Δ or 1 aut Dk.B Azores ?1846.D bog Bot. mag. 4122
 From No. 3506. remove the figure cited, and substitute Eng. bot. 2629.
 3819*. 1489a. MY'RCLIA Dec. MYRCIA. (A surname of Venus.) Myrtaceae. 2.—108.
 32428 - - ácris Dec. sharp 𠄎 | or 10 my.jl W W. Indies 1759. C s.p. Pluk. il. 155. 3
 Myrtus ácris No. 12766.; also 12768. and perhaps several of the South American Eugénias.

3820. 2360a. MYRIA'CTIS *Dec.* MYRIACTIS. (*Myrios*, a myriad, *aktin*, a ray.) *Compōsītæ*. 19.—2.
 32429 - - *Guelini Dec.* Guelin's $\frac{1}{2}$ Δ or ... *injl* W Persia 1836. D co
Botryadènia Guelini F. & M.
2751. MYRICA 24185 *cerifera*
 2 *latifolia Ait.* broad-leaved $\frac{1}{2}$ or 6 *my* Ap N. Amer. 1730. L s.p N. duh. 55
M. carolinènsis W., No. 24186. *in p.* 397. M. c. *mèdia Mx.* M. *pennsylvànica Lam.* M. c. *sempervirens Hort.* *Mýrtus brabantica Catesb.*
3821. 899a. MYRICARIA *Desv.* MYRICARIA. (*Murice*, Greek name of tamarisk.) *Tamaricæccæ*.
 7235 *permanica Desv.* Ger. *Tamarisk* $\frac{1}{2}$ or 8 *jn.s* Pk Germany 1582. C m.s Mil. ic. 262. 2
Tamarix germanica L. Hort. Brit. p. 111. T. *decandra Mènich.* *Tamariscus decandrus Lam.* T. *germanicus Lob.*
 7236 *dahùrica Dec.* Dahurian $\frac{1}{2}$ or 6 ... Pk Dahuria 1816. C l.p
Tamarix dahùrica L. Hort. Brit. p. 111. T. *dahùrica Willd.* Act. Berol.
2652. MYRIOPHY'LLUM.
 32430 - - *alterniflorum Dec.* alternate-flwd $\frac{1}{2}$ Δ pr 1 *jl.* au ... British Ponds dit, D l.p Eng. bot. 2854
1489. MYRTUS.
 32431 12761a *melastomoides Cun.* Melastoma-like $\frac{1}{2}$ \square or 15 Moreton B ... C r.l
3822. 795b. NA'MA *G. Don* NAMA. (*Nama*, a stream; habitat. of plants.) *Hydroitæccæ*.
 32432 - - *jamaicènsis G. Don* Jamaica \square or *prosjn.s* B.W Jamaica 1812. S p.l
 32433 - - *undulata G. Don* waved-*lvd* $\frac{1}{2}$ Δ or 1 *jn.s* V Mexico 1826. D p.l
- 3822*. - - NANO'DES *Lindl.* NANODES. (*Nanodes*, pygmy; size of plant.) *Orchidæccæ*.
 32434 - - *discolor Lindl.* green & purple $\frac{1}{2}$ \square au P Rio Jan. 1827. D p.r.w Bot. reg. 1541
3823. - - NAPOLEON'A *Pal.* NAPOLEONA. (The Emperor *Napoleon*.) *Belvisiæccæ*. 16.—6.
 32435 - - *imperialis Pal.* Imperial $\frac{1}{2}$ \square or 6 *my* Apr.C S.Leone 1843. C p.l Bot. mag. 4387
933. NARCISSUS.
 I. *Corbulària Haw.*
 32436 7583a *conspicua D. Don* conspicuous-flwd $\frac{1}{2}$ Δ or $\frac{1}{2}$ *my* Y O ... Sw. fl.gar. 2. s. 326
Corbulària conspicua Haworth, Monog. Narciss. p. i.
 II. *A'jax Haw.*
 32437 7592a *cérnuus Haw.* drooping $\frac{1}{2}$ Δ or 1 *mr.ap* Crea.W Spain? ... O co Sw. fl.gar. 2. s. 101.3
 2 *coròna plèna Haw.* full-crowned $\frac{1}{2}$ Δ or 1 *mr.ap* Crea.W Spain? ... O co Sw. fl.gar. 2. s. 101.4
 32438 7607a *máximus D. Don* largest $\frac{1}{2}$ Δ or 1 *ap* Y O co Sw. fl.gar. 2. s. 286
A'jax máximus Haworth, in his Monog. Narciss.
 7610 *pùmilus*
 2 *flòre plèna A. P.* double-flwd $\frac{1}{2}$ Δ or $\frac{1}{2}$ *mr.ap* Y gardens ... O co
 32439 - - *álbicans Haw.* whitish $\frac{1}{2}$ Δ or 1 *ap* W Spain ... O s.l Sw. fl.gar. 2. s. 165
- XIV. *Hermione Sal. & Haw.*
 32440 7546a *dùbbius Pers.* doubtful $\frac{1}{2}$ Δ or ... *ap* W S. France ... O co Red. lil. 429
 32441 7546b *Cýpri Haw.* Cyprian $\frac{1}{2}$ Δ or 1 *mr.ap* W.y Cyprus ... O co Sw. fl.gar. 2. s. 92
 2 *coròna plèna Haw.* full-crowned $\frac{1}{2}$ Δ or 1 *mr.ap* W.y gardens ... O co
 32442 7558a *intermèdius Red.* intermediate $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ *ap.my* Pa.y Pyrenees ... O co Red. lil. 427
 32443 - - *neglèctus Ten.* neglected $\frac{1}{2}$ Δ or ... *ap.my* W.y Naples 1830. O co
- XVI. *Narcissus Haw.*
 32444 7537a *stellàris Haw.* starry-sepa *ed* $\frac{1}{2}$ Δ or 1 *my* W.c 1629. O co Sw. fl.gar. 2. s. 132
 We place these species under *Narcissus* to agree with the earlier part of our *Hortus Britannicus*; but the late Mr. Haworth, who studied the species of this genus for fifty years, has, in an able pamphlet entitled *Narcissinarum Monographia*, distributed them into sixteen genera, four of which we here exhibit sectionally. We subjoin a synopsis of them, exhibiting his genera in a sectional manner, and attach to his species the numbers of such of their synonymous species as are inserted in the body of the present work in pp. 116. and 117.
- i. *CORBULÀRIA Haw.* 1 *cantábrica*, 2 *álbicans* 7582, 3 *Bulbocòdium* 7583, 4 *tenuifolia* 7586, 5 *aúrea*, 6 *obèsa*, 7 *lobulàta* 7585, 8 *couspicua* 7583a, 9 *seròtina* 7583 as to fig., 10 *gigas*.
 ii. *A'JAX Haw.* 1 *mínimus* 7611, 2 *mínor Par* p. 107. f. 2., β *Par* p. 105., γ *angústus*, 3 *pùmilus* 7610, 4 *cyclamíneus*, 5 *pánuis*, 6 *brévíflorus* 7601 β , 7 *lorifólius* 7601, β *ánceps* 7601, γ , 8 *bicolor* 7602 and 7600, 9 *álbicans* 32439, 10 *tortuòsus* 7592 and 7593 as to fig., 11 *cérnuus* 32437, β *coròna-plèna* 32437 var. 2., 12 *moschátus* 7593 and 7594 as to fig., 13 *Pseudo-Narcissus* 7599. α *pállidus*, β *álbus*, γ *lúteus*, δ *plènus* 7599, 3., ϵ *plèntissimus* 7599, 4., ζ *ryticárpus*, 14 *serrátus* 7595, β *suávís* 7595, 2., γ *rádians*, δ *præcox*, 15 *nóbilis* 7608, Red. lil. 158., 16 *lobulàris* γ 7585, β ? *amplícórna*, γ *plènus*, δ *seòticus*, 17 *rugifólius*, 18 *cámbricus*, 19 *obvallàris* 7605, 20 *spúrius* 7596, 21 *Telamónius* 7598, β *grandiplènus* 7598, 3., γ *plèno plènidus acuminátus*, 22 *propinquus* 7607, 23 *máximus* 32438, 24 *máior* 7606.
 iii. *OL'LEUS*. 1 *abscissus* 7597, 2 *hexangulàris*, 3 *mínor*, 4 *álbus*, 5 *pùmilus*.
 iv. *ASSA'RACUS*. 1 *cápax* 7579, 2 *reflexus*.
 v. *ILLUS*. 1 *cérnuus* 7578, syn. *Ganymèdes cérnuus* Sal. 2 *triándrus* 7577, syn. *Ganymèdes álbus*.
 vi. *GANYMÈDES*. 1 *pulchèllus* 7575, 2 *còncolor* 7573 *Sw. fl. g.* 2. s. 113., 3 *striátulus* 7576, β *parvicòrdna*, 4 *nítans* 7567 and 7572, 5 *álbus*, β *máior* 7574 as to fig.
 vii. *DIOME'DES*. 1 *mínor* 7550, 2 *máior* 7603, 3 *Parkinsoni* *Par* p. 71. 7. 13.
 viii. *TRÓFS*. 1 *puccillifórmis* 7580, syn. *Quèllia pucillifórmis* Sal., 2 *galanthifólius* 7581.
 ix. *QUE'L'RIA*. 1 *aurántia* 7591, β *plèna*, *lúteo-aurántia* 7591, 2., 2 *Goúamí*. 3 *incomparábilis* 7587, 4 *còncolor* 7590, *Par* p. p. 68., β *plèna sulphúrea* 7590, 2., 5 *semipartita* 7589, 6 *álba* 7588, β *plèna niveo-aurántia* 7588, 2., 7 *nivea*.
 x. *SCHISA'NTHEIS*. 1 *orientális* 7551.
 xi. *PHILO'GYNE*. 1 *odròra* 7569, 2 *Campernélii*. 3 *rugulòsa* 7571, 4 *interjècta* 7568, 5 *Curtisii* 7567 as to fig., 6 *calathina*, 7 *triloba* 7567, 8 *mínor* 7570, β *fl. pl. mínor* 7570, 2., γ *fl. pl. máior*, δ *fl. pl. máxima*, 9 *hemínalis* 7564, β *pluriflòra*.
 xii. *JONQU'LLA* 1 *máior Par* p. 94., 7., 2 *mèdia Par* p. 98., 8., 3 *mínor* 7562, 4 *parvicòrdna*.
 xiii. *CHLORÀ'STER*. 1 *fissus* 7565, 2 *integèr*.

xiv. *HEMIPHONÆ*. 1 *intermèdia* 32442, 2 *biflorus* 7559, 3 *compressa* 7558, 4 *primulina* 7560, 5 *biscrenata*, 6 *álba*, 7 *teretifolia* 7557, 8 *rotularis*, 9 *flos-lacta*, 10 *multiflora* 7547 var. 2, β *floribus pallidifloribus*, 11 *subultea*, 12 *perlutea*, 13 *lavæla*, 14 *deflexicaulis*, β *plena*, 15 *trifida*, 16 *aperticorona*, 17 *cupularis* 7547, 18 *solaris*, 19 *latifolia* 7549, *Trewiana* 7542, β *fissicorona*, 21 *flexiflora*, 22 *subcrenata*, 23 *crenulata* 7541, 24 *sulphurea*, 25 *lutea*, 26 *Tazetta* 7546, 27 *Cypri* 32441, β *semiplena* *Par.* p. 85., 22., γ *plena* 32441, 2. *Bot. mag.* 1011., 28 *lacticolor* *Fl. gr.*, 308., 29 *cérina* 7545, 30 *fiatidosa* 7544, 31 *pátula*, 32 *brevisflora*, 33 *auranticorona*, 34 *crispicorona*, 35 *floribunda* 7543, 36 *citrina* 7555, 37 *decora*, 38 *polyanthos*, β , 39 *sulcicaulis*, 40 *Luna* 7553, 41 *chrysantha*, 42 *italica* 7556, 43 *præcox*, 44 *straminea*, 45 *subálbida*, 46 *tenuiflora*, 47 *papyracea* 7552, 48 *dúbia* 32440, 49 *unicolor*, 50 *jasminca* 7552 var. 2, 51 *elegans*, 52 *obsoleta* 7548, 53 *obliterata*, 54 *scrótina* 7566.

xv. *HELENA*. 1 *gracilis* 7563, 2 *tenúior* 7540, 3 *planicorona*, 4 *purpureo-cincta*, 5 *cræceo-cincta*, 6 *púmila*.

xvi. *NARCISSUS*. 1 *poctarum*, 2 *ornatus*, 3 *angustifolius* 7538, 4 *spathulatus*, 5 *álbus*, 6 *diáanthos*, 7 *triflorus*, 8 *biflorus* 7539, 9 *recurvus* 7536, 10 *poeticus* 7537 *syn.*, β *flor.* *plên.* *álbo* 7537 var. 3., γ 7537 var. 2., 11 *patellaris* 7537, β *flor.* *plên.* *álbo* cum *cræceo*, 12 *stellaris* 32444.

1819. NASTURTIUM.

32445 16114a *nâncus* *Dec.* floating $\cong \Delta$ cu 4 my.s Y Siberia 1827. D co Deless. 2. 15
32446 - *nâncus* *Reich.* two-edged-pod. $\cong \Delta$ w 1 jl.au Y Britain Riv.s.D co R. 4364

NAVARETIA. See *ÆGOCHELOA*, in p. 484.

3824. 1046a. NECTAROSORDUM *Lindl.* HONEY GARLIC. (*Nectar*, honey, *skorodon*, garlic.) *Asphodèleæ*.
32447 - *siculum* *Uc.* Sicilian $\cong \Delta$ or $\frac{3}{4}$ jn G.P.W Sicily 1832. O co Bot. reg. 1913
Allium siculum *Uc. Pl.* ad *Lín. Op. Addend.*, n. 7.; *Guss. Prod. Fl. Sic.*, l. p. 398.; *Don in Swt. fl. gar.*, 2. s., t. 349.; *Gard. Mag.*, vol. xii. p. 543.

2774. NEGUNDO 24255 *fraxinifolium*
3 violaceum *Booth* violaceous

3825. 2354a. NEJA *D. Don* NEJA. (Without meaning.) *Compositæ, Astèreæ*. 1.
32448 - *gracilis* *D. Don* slender $\cong \Delta$ un 1 au Y Mexico 1828. S co

1613. NELUMBIUM 14321 *speciosum*
2 *òseum* rose-old-flwd $\cong \square$ or 3 jn.au Ro India ... R s.l Bot. mag. 3916
32449 - *flavescens* yellowish-flwd $\cong \square$ or ... jn.au Ysh Egypt 1847. R s.l [K. & P.]

3826. 1797a. NEMATANTHUS *Dec.* (From *nêma*, a thread, and *anthos*, a flower; thread-like peduncles.)
32450 - *longipes* *Dec.* long-peduncled $\cong \square$ cu 2 d S Brazil 1841. C co Bot. mag. 4018
Columnna splendens *Paxt.*
32451 - *chloronema* *Mart.* green-filament $\cong \square$ or $\frac{1}{2}$ jl S Organ Mts. ... C s.p.l Bot. mag. 4080

1777. NEMESIA.

32452 - *floribunda* *Benth.* many-flowered O or 1 jn.au W.Y C. G. H. ... S s.l Bot. reg. 1838. 39

478. NEMOPHILA.

32453 3938a *parviflora* *Dou?* small-flowered $\cong \Delta$ or 1 jn.au B N. Amer. 1826. S p.l
Phacelia parviflora *R. Br.*
32454 3937a *insignis* *Benth.* showy $\cong \Delta$ or 1 $\frac{1}{2}$ jn.o B Califor. 1833. S r.m Bot. reg. 1713
32455 - *atomaria* *Fis.* speckled $\cong \Delta$ or pr $\frac{1}{2}$ jn.o W.P Califor. 1836. S p.l Bot. reg. 1940
32456 - *discoidæa* discoid $\cong \Delta$ or $\frac{1}{2}$ jn.s Bk.W Califor. ?1845. S co
32457 - *maculata* *Benth.* blotched-flwd O or $\frac{1}{2}$ jn.s W.V.BI Califor. 1848. S co J. H. S. 3. 320.fig.
speciosa *Hartweg.*
32458 - *aurita* *Lindl.* ear-leaved $\cong \Delta$ or 1 $\frac{1}{2}$? my.au P Califor. 1831. S p.l Bot. reg. 1601

2496. NEOPTIA.

32459 2257a *gemipara* *Sm.* bud-bearing $\cong \Delta$ or $\frac{1}{2}$ jl W Ireland mar. O bo
32460 - *calcarata* *Swz.* spurred-lipped $\cong \Delta$ cu $\frac{3}{4}$... Ysh.G Jamaica 1834. ?O s.p Bot. mag. 3403

3827. - NEOTTOPTERIS *J. Sm.* NEOTTOPTERIS. (*Neottia*, a bird's nest, *pterus*, a fern.) *Crypt. Filices*. 21.—1.
25430 *vulgaris* *J. Sm.*, *syn. Asplenium Nidus L.*
32461 - *puillitidis* *D. Don* Hart's-tongue $\cong \Delta$ or ... su Br E. Indies ... D p.l
32462 - *musefolia* *J. Sm.* Musa-leaved $\cong \Delta$ or ... su Br E. Indies ... D p.l
32463 - *Grevillei* *Wall.* Greville's $\cong \Delta$ or ... su Br E. Indies ... D p.l
32464 - *stipitata* *J. Sm.* stipitate $\cong \Delta$ or ... su Br N.S.W ... D p.l

2830. NEPENTHES.

32465 24558a *Rafflesiana* *Jack.* *Sir Stamford Raffles's* $\cong \Delta$ cu 4 s.o Y.Br Singapore 1845. S.C p.l.sphag. Bot.m. 4285
32466 - *ampullacea* *Low* bottle-like $\cong \Delta$ cu Br Borneo 1847. S.C p.l.sphag.
32467 - *Lindleyana* *Low* *Dr. Lindley's* $\cong \Delta$ cu 8 ... P Borneo 1847. S.C p.l.sphag.
32468 - *Loddigesii* *Low* *Loddiges's* $\cong \Delta$ cu Br Borneo 1847. S.C p.l.sphag.
32469 - *Hookeriana* *Low* *Sir W.J. Hooker's* $\cong \Delta$ cu ?20 ... Sarawak 1847. S.C p.l.sphag.
32470 - *lævis* *Lindl.* smooth $\cong \Delta$ cu Java 1848. S.C p.l.sphag.
32471 - *álbo-marginata* white-margined $\cong \Delta$ cu Singapore 1848. S.C p.l.sphag.

1654. NEPETA.

32472 14798a *serpyllifolia* *Bieb.* Wild-Thyme-lvd $\cong \Delta$ or ... jn.au ... Tauria 1828. D co
32473 - *fissa* *Meq.* split $\cong \Delta$ or $\frac{2}{3}$... B Caucasus 1831. D co
láza *Benth.*
32474 - *salviaefolia* *Benth.* sage-lvd $\cong \Delta$ un Himalayas ... D co

3828. 2938a. NEPHRODIUM *Mr.* NEPHRODIUM. (Nephros, a kidney; form of indusium.) *Crypt. Filices*. 24.—1
25586 *Lonchitis*, *syn. Aspidium Lonchitis* *Swz.*
2 *asprirra* *Hort.* very rough $\cong \Delta$ or 1 jl Br N. Amer. ... D l.p
32475 - *tuberosum* *Bory* tuberous $\cong \Delta$ or $\frac{1}{2}$ ja Br W. Indies ... D p.l
32476 - *pennigerum* *Swz.* winged $\cong \Delta$ or 6 ja.d Br W. Indies ... D p.l
32477 - *proliferum* *R. Br.* proliferous $\cong \Delta$ or 1 ... Br Brazil ... D p.l
32478 - *Goldianum* *Hook.* Goldie's $\cong \Delta$ or 2 au Br N. Amer. ... D p.l H. & C. 102
32479 - *Cunninghami* *J. Sm.* *Cunningham's* $\cong \Delta$ or $\frac{1}{2}$ jl Br N. Zeal. ... D p.l
32480 - *lætevirens* *Bevis* lively-green $\cong \Delta$ or 3 ... Br Madeira ... D p.l
32481 - *pungens* *Kauf.* pungent $\cong \Delta$ or 1 ja.d Br W. Indies ... D p.l
32482 - *Hippocrepis* *Swz.* horse-shoe $\cong \Delta$ or 2 my Br Jamaica ... D p.l
32483 - *erintum* *Boj.* haired $\cong \Delta$ or 1 au Br Maurit. 1831. D p.l
32484 - *drépanum* *Swz.* sickle-like $\cong \Delta$ or 2 jl.o Br Madeira? 1831. D p.l

- 32485 - - *lucens* *Boj.* shining $\text{♀} \square \Delta$ or 1 au Br Maurit. 1831. D p.1
 32486 - - *edule* *Dec.* eatable-rooted $\text{♀} \square \Delta$ or ... su Y Nepal 1826. D p.1
 32487 - - *lancastrænsis* *Spr.* Lancaster $\text{♀} \square \Delta$ or ... su Y N. Amer. 1825. D p.1
 32488 - - *platyphyllum* *L.* flat-leaved $\text{♀} \square \Delta$ or ... jn.s Y S. Amer. 1826. D p.1
 32489 - - *obtusum* *W.* blunt-leaved $\text{♀} \square \Delta$ or ... jn.au Y N. Amer. 1827. D p.1
 32490 - - *Baromez* *Hort.* Baromez $\text{♀} \square \Delta$ or ... su Y Tartary 1824. D p.1
 32491 - - *simplicifolium* *J.Sm.* simple-leaved $\text{♀} \square \Delta$ or ... su Y E. Indies 1840. D p.1
 32492 - - *Blumei* *J. Sm.* Blume's $\text{♀} \square \Delta$ or ... su Y E. Indies 1840. D p.1
Gymnogramma canescens Bl.; *Goniopteris canescens* Presl.
 32493 - - *glandulosum* *J. Sm.* glandulose $\text{♀} \square \Delta$ or ... su Y LofLuzon 1840. D p.1
 32494 - - *caudiculatum* *Presl* caudiculate $\text{♀} \square \Delta$ or ... su Y LofLuzon ... D p.1
 32495 - - *abruptum* *J. Sm.* abrupt $\text{♀} \square \Delta$ or ... su Y LofLuzon ... D p.1
 32496 - - *Cuningii* *J. Sm.* Cuning's $\text{♀} \square \Delta$ or 3 sp Y Malacca 1839. D p.1
 32497 - - *terminans* *J. Sm.*, *Aspidium terminans* Wall. $\text{♀} \square \Delta$ or ... su Y Cuba 1841. D p.1
Aspidium angescens Lk.
 Nos. 25583. to 25586 incl., 25500. 25593. 25594. 25596. to 25601. incl., 25603. 25605. to 25611. incl., 25613. 25614. 25615. 25621. 25622. 25623. and 25625. of the genus *Aspidium* as given in pp. 422, 423, are also included in this genus.
- 3299.- - **NEPHROLEPIS** *Schott* NEPHROLEPIS. (*Nephros*, a kidney, *lepis*, a scale.) *Crypt. Fūcites*. 24.—1.
 32498 - - *hirsutula* *Suz.* hairy $\text{♀} \square \Delta$ or ... su Y Malacca ... D p.1
 32499 - - *ensifolia* *Suz.* sword-leaved $\text{♀} \square \Delta$ or ... su Y India ... D p.1
 32500 - - *obliterata* *R. Br.* obliterated $\text{♀} \square \Delta$ or ... su Y N. Holl. 1839. D p.1
 32501 - - *tuberosa* *Bory* tuberous-rt'd $\text{♀} \square \Delta$ or 2 aut Y Jamaica 1841. D p.1
Nephrodium tuberosum *Bory.*
 32502 - - *péndula* *Raddi* drooping $\text{♀} \square \Delta$ or ... aut Y W. Indies ... D p.1
 32503 - - *acuminata* *W.* pointed-*lvd* $\text{♀} \square \Delta$ or ... su Y W. Indies ... D p.1
 32504 - - *punctulata* *Suz.* small-dotted $\text{♀} \square \Delta$ or ... su Y W. Indies ... D p.1
 32505 - - *spléndens* *W.* splendid $\text{♀} \square \Delta$ or ... su Y W. Indies ... D p.1
 32506 - - *vulvillis* *J. Sm.* twining $\text{♀} \square \Delta$ or ... su Y W. Indies ... D p.1
 32507 - - *biseriata* *Schott* twice-serrated $\text{♀} \square \Delta$ or ... jn.s Y LofLuzon ... D p.1
Aspidium biseriatum *Suz.*
 32508 - - *trichomanoides* *J.S.* Trichomanes-lk $\text{♀} \square \Delta$ or ... aut Y LofLuzon ... D p.1
 Also Nos. 25587. 25588., as *N. pectinata* *J. Sm.*, and 25589. in p. 422.
529. **NERIUM.**
 32509 4367a *thyrsiflorum* *Part.* thyrse-flowered $\text{♀} \square \Delta$ or 5 jl.au Rsh.Pk Nepal 1830. L r.m Paxt. mag. 3.73
 4367 *Oleander* *L.* Varieties in the nurseries:—
album duplex grandiflorum plenum purpureum cardinalis
" niveum Grangeannum purpureum plenum
angustifolium variegatum Grisard Dusaulyet Riccardianum
atropurpureum Henri de France sinensis
" grandiflorum " majör
" nigrum lacteolum splendens coccinea
" speciosum " superbum splendidissimum
aurantiacum Leliedri verum spectabilis de Neully
candidissimum lutescens striatum plenum
erocineum luteum grandiflorum Tangle (Ilyanot). Paxt. mag. xi.53
coronarum roseum Mabirii Theophrastianum pyramidalis
cupreum Madam Macpherson tinctorium flore kermesino
elegans Madame Lesieur undulipetalum
foliis variegatis (gold striped) multiflorum venustum
Fonscolombianum nitidum " superbum
formosum odeur de Violette vittatum novum.
formosissimum " " a grande fleur
grandiflorum novum *Pomponium* plenum
3830. 584a. **NETOU'XIA** *H. B. & K.* (*H. Netoux*, author of *Dis. de Cassii Egyptiacis*.) *Solanaceæ*. 5.—1.
 32510 - - *formosa* *H. B. & K.* handsome O pr $\frac{3}{4}$ jl.o Y Mexico 1826. S co
488. **NICOTIANA.**
 32511 - - *rotundifolia* *Lindl.* round-leaved O or W S. River ?1837. S slt
 32512 - - *micrantha* small-flowered O pr 1 jn.au Gsh.W S co [*W. H. B.*]
 32513 4050a *nepalensis* *Lk. & O* Nepal O or 4 jl.s Ro Nepal 1829. S r.m
 32514 4050b *brasiliensis* *Lk. & O* Brazilian O or 4 jl.s Ro Brazil 1825. S r.m
 32515 4050c *petiolata* *Ag.* foot-stalked O or 4 jl.s Ro S. Amer. 1829. S r.m
 32516 4050d *sanguinea* *Lk. & O.* scarlet-flowered O or 4 jl.s S S. Brazil 1829. S r.m
 32517 - - *glauca* *Grah.* glaucous $\text{♀} \square \Delta$ or 20 au.o Y.G B. Ayres 1827. C lp Bot. mag. 2837
 32518 - - *noctiflora* *Hook.* night-flowering $\text{♀} \square \Delta$ or 2 au W.P Chili 1826. S co Bot. mag. 2785
 32519 - - *alata* *Lk.* winged O or 2 au.o W? S. Amer. 1829. S co
 32520 - - *persica* *Lindl.* Persian O or 3 s.o W.G Persia 1831. S slt Bot. reg. 1592
 32521 - - *longiflora* *Cav.* long-tubed-flwd O or 3 jl.s W B. Ayres 1832. S slt Sw.fl.gar.2.s.196
angustifolia, according to Spengel.
3831. 490a. **NIEREMBERGIA** *Kth.* NIEREMB. (*John Eusebius Nieremberg*, a Spanish Jesuit.) 5.1. *Solanææ*.
 32522 - - *linariæfolia* *Grah.* Toadflax-lvd $\text{♀} \square \Delta$ el $\frac{1}{2}$ jl.au Wsh Uruguay 1831. S p? Bot. mag. 3108
 32523 - - *filicæulis* *Lindl.* thread-stmd $\text{♀} \square \Delta$ or 1 my Li B. Ayres 1832. C p Bot. reg. 1649
 32524 - - *calycina* *Hook.* large-calyxd $\text{♀} \square \Delta$ or $\frac{3}{4}$ jl.o W Uruguay 1834. C lt.r Bot. mag. 3371
 32525 - - *aristata* *D. Don* awn-d-lvd $\text{♀} \square \Delta$ ur 30 au W.P Parana 1832. C ps Sw.fl.gar.2.s.255
1606. **NIGELLA.**
 32526 - - *feniculacea* *Dec.* Fennel-like O or 2 jn.au W.B Tauria 1835. S co
 32527 - - *aristata* *Ten.* awned O or 2 jn.s B Athens ... S co Fl. gr. 510
3832. 1697a. **NIPHEDA** *Lindl.* SNOW-WORT. (*Niphos*, snow; in allusion to its spotless flowers.) *Gesneriaceæ*. 14.—2.
 32528 - - *oblõnga* *Lindl.* oblong $\text{♀} \square \Delta$ pr $\frac{1}{2}$ s.d W Guatemala. 1841. C r.l Bot. reg. 1842.5
 32529 - - *albo-lineata* *Hook.* white-lined-lvd $\text{♀} \square \Delta$ pr $\frac{3}{4}$ au.o W N. Gren. 1845. lt lt.l.p Bot. mag. 4282
 32530 - - *rubra* red-tomcnt. $\text{♀} \square \Delta$ pr $\frac{1}{2}$ n.d W ?1846. R lt.l.p
2911. **NIPHO'BOLUS.**
 32531 - - *sinensis* Chinese $\text{♀} \square \Delta$ or $\frac{1}{2}$ s Br China ... D p.1
 32532 - - *albicans* *Blume* whitish $\text{♀} \square \Delta$ or 1 jl Br Ceylon ... D p.1
 32533 - - *floculosus* *J. Sm.* flocculose $\text{♀} \square \Delta$ or ... Br Manilla 1841. D p.1

- 32585 - Bauëri Lk. & Otto Bauer's $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... su W.Y W. Indies ... D fib.p
 32586 - grandiflora Lindl. great-flwd $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... w Pa.Y Brazil 1840. D fib.p
 32587 - tridentata Lindl. three-toothed $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... w Y Demerara 1839. D fib.p
 32588 - græcilis Lindl. slender $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... su Y Brazil 1838. fib.p
 32589 - lanceifolia Hort. lance-ldvd $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... my.jn W Brazil ... D fib.p
 32590 - diaphana Lindl. semitransp.-flwd $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ pr $\frac{1}{2}$... W Brazil 1836. D fib.p
 32591 - cespitosa Lo. C. tufted $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ cu ... su G Trinidad 1836. D fib.p
 32592 - cándida Lo. C. white $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ cu ... su W Brazil 1839. D fib.p
 32593 - crassifolia Lo. C. thick-ldvd $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ cu ... su G Brazil 1836. D fib.p
1687. O'CYMUM.
 32594 - montanum Hook. mountain \square cu $\frac{2}{3}$ my.au W W. Indies 1825. S p.l Bot. mag. 2996
 15234 grandiflorum L'Herit.; syn. Bécium bicolor Lindl. Bot. reg. 1843. 15.; O. abyssinicum Hort. Par.; O. filamentosum Forsk.; Benth.
3840. - ODONTARRHENA Mey. (Odous, a tooth, arrhen, a male; filaments.) Cruciferae.
 32595 - microphylla Led. small-leaved $\text{z} \begin{matrix} \triangle \\ \nabla \end{matrix}$ pr $\frac{1}{4}$... Y 1832. C l.p
 32596 - obovata Mey. obovate-ldvd $\text{z} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... jn.jl Y Altaia 1830. D co
 32597 - Marschalliana Mey. Marschall's $\text{z} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... my.jl Y Caucasus 1827. D co
3841. - ODONTOGLOSSUM H. & K. (Odous, a tooth, glossa a tongue; crest of the labellum.) Orchid. 20-1.
 32598 - cordatum Lindl. cordate $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ el 1 ... Mexico 1837. D p.r.w Fl. cab. no. 100
 32599 - grande Bate. grand $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or 1 d Y.Br Guatemala 1832. D p.r.w Bot. mag. 3955
 2 labelló album white-lipped $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or 1 w Y.W Guatemala ... D fib.p
 32600 - maculatum Lindl. spotted $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or 2 au Y.Br Mexico 1839. O r.w.p Bot. reg. 1840. 30
 32601 - pulchellum Bate. pretty $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or 1 f W.v.c Guatemala 1840. D p.r.w Bot. reg. 1841. 48
 32602 - Rössii Lindl. Ross's $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or $\frac{1}{2}$ au W.g.y.Br Mexico 1838. D p.s Bot. reg. 1839. 48
 32603 - citrosium Lindl. lemon-scented $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or $\frac{1}{2}$ my W.Li Mexico 1841. D p.r.w Bot. reg. 1843. 3
 32604 - parviflorum Lindl. small-flwd $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ cu ... su.aut Dk.P.w Mexico ... D fib.p
 32605 - stellatum Lindl. starry-flwd $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ pr ... su.aut W.G Mexico 1839. D fib.p
 32606 - constrictum Lindl. constricted $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ cu ... ja.ap Va LaGuayra 1841. D fib.p
 - bictoniense Lindl. Bicton $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... su.aut Li.G Guatemala 1837. D fib.p
 2 álba white-lipped $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... su.aut W.G Guatemala 1837. D fib.p
 Zygopetalum africanum B. M.; Cyrtolichium bictoniense Bate.
 32608 - pygmaeum Lo. C. dwarf $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ pr Guatemala 1840. D fib.p
 32609 - candidum Lo. C. white $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ cu ... su W Guatemala 1842. D fib.p
 32610 - Röllie Lo. C. Lady Rolle's $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... su W Guatemala 1841. D fib.p
 32611 - Bergamii Lo. C. Bergami's $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or Mexico 1835. D fib.p
 32612 - Galeottii Lo. C. Galeotti's $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or Mexico 1843. D fib.p
 32613 - Cervantesii Lal.lave Cervantes's $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or $\frac{2}{3}$ mr Pa.F.r.y Oaxaca ?1843. D turfyp Bot. reg. 1845. 36
 32614 - membranaceum L. membrane-shtd. $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ fra $\frac{2}{3}$ mr W.R.spts. Y Mexico 1844. D block Bot. reg. 1845. 34
 Probably only a variety of O. Cervantesii.
 32615 - crispum Lo. C. curled $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ cu Columbia 1844. D fib.p
 32616 - hastulabium Lindl. halbert-lipped $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or 1 au Pa.G.p.N Grenada 1844. D p.r.w Bot. mag. 4272
 32617 - constrictum Lindl. striated $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or Y.Br LaGuayra ... D fib.p
 32618 - leve Lindl. smooth-tipped $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or 1 my Y.Cin.Br.Br Guatemala ... D fib.p Bot. reg. 1844. 39
 32619 - Warneri Lindl. Warner's $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or $\frac{1}{2}$ my D.l.y.str.P. ?1844. D fib.p
 1 purpuratum Lindl. purplish $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or $\frac{1}{2}$ my Y.v.str.P. D fib.p Bot. reg. 1847. 20
 32620 - maxillare Lindl. jaw-bone $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ cu ... s F.r.y. ? Mexico 1846. D fib.p
 32621 - cordatum Lindl. cordate-tipped $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ cu 1 ja G.h.y.Br Mexico 1837. D fib.p Paxt. mag. 13.147
3842. - ODONTOLOMA J. Sm. ODONTOLOMA. (Odous, a tooth, loma, fringe.) Crypt. Filices. 24-1.
 32622 - Boryana J. Sm. Bory's $\text{z} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... Br I.of Luzon ... D p.l
 Davallia Boryana Presl.
 32623 - pulchella J. Sm. neat $\text{z} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... Br I.of Luzon ... D p.l
 32624 - tenuifolia J. Sm. slender-ldvd $\text{z} \begin{matrix} \triangle \\ \nabla \end{matrix}$ or ... su Br E. Indies ... D p.l
 Lindswva tenuifolia Reinw.
3843. 2569a. CECEOCLADES Lindl. (Probably oikco, to inhabit, klados, a branch.) Orchidace. 10.-
 †2791 maculata Lindl. spotted $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ pr 1 o.n Pk Africa 1819. D p.r.w Lindl. col. 15
 Angraecum maculatum Lindl. Bot. Reg. 618., No. 22791. in p. 373.
 †2792 falcata Lindl. falcate $\text{f} \begin{matrix} \triangle \\ \nabla \end{matrix}$ pr $\frac{1}{2}$ n.d W China 1815. D p.r.w Bot. mag. 2097
 Angraecum falcatum Lindl., No. 22792. in p. 373.
1183. ENOTHE'RA.
 †10008 sinuata L. scalloped-leaved $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 2? s Y N. Jersey 1770. S co Bot. mag. 3392
 2 minima Hook. smallest $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or $\frac{2}{3}$ jn.au Y N. Amer. 1825. S co
 32625 - Sellowii Lk. & O. Sellow's $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or ... jl.au Y Mtc. Videol 1831. S co
 †10018 humifusa Nut. ground-spread $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or $\frac{2}{3}$ s Pa.Ro Florida 1824. S co Bot. reg. t. 1829
 concinna D. Don in Sw. fl. gar. 2. s. t. 183.
 32626 10020a pallida Lindl. pale-flowered $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 1 $\frac{1}{2}$ jn.s W.R America 1826. D p.l Bot. reg. 1142
 32627 - biflora D. Don heart-leaved $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 2 s Y Texas 1835. S co Sw. fl. gar. 2. s. 386
 32628 - Drummondii Hook. Drummond's $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or $\frac{2}{3}$? au.s Y Texas 1833. C s.l Bot. mag. 3361
 32629 - græcilis Schr. slender $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 1 ... Y 1833. S co
- 10021 fruticosa
 2 ambigua Hook. ambiguous $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 1 jl Y N. Amer. 1813. D co Bot. mag. 3545
 (E. ambigua Spreng. Syst. Veg., Dcc. Prod. (E. canadensis Gold. in Edin. Phil. Journ., Dec. Prod.
 3 indica Indian $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 1 $\frac{1}{2}$ jl.au Y India ... D.S co Bot. reg. 1841. 11
 10030 glauca
 2 variegata Hort. variegated-ldvd $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 2 my.o Y gardens ... D s.p
 10031 Fraseri
 2 variegata J. C. variegated-ldvd $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 1 my.o Y gardens ... D co
 32630 10037a faraxifolia Hort. Dandelion-ldvd $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or $\frac{1}{2}$ my.au W Peru 1825. S co Sw. fl. gar. 294
 grandiflora R. & P.
 32631 10038a anisfoloba Swt. unequal-lobed $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 2 jn W Chiloe 1828. S co Sw. fl. gar. 2.s. 105
 10039 speciosa
 2 major J. C. larger $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or 6 mr.s W ?N. Amer. ... S co ?Bot. mag. 3189
 32632 10039a Nuttallii Swt. Nuttall's $\text{z} \begin{matrix} \circ \\ \circ \end{matrix}$ or ... my.au W N. Amer. 1811. D co
 10033 rōsea H. K., syn. Hartmannia rōsea Spach.
3841. 388a. OLDENLANDIA L. (H. E. Oldenland, a Dane, who collected plants in 1695.) Rubiaceae. 4.-5.
 32633 - Deppiana S. & C. Depp's $\text{z} \begin{matrix} \square \\ \square \end{matrix}$ cu 1 all sea.W Mexico 1835. C l.p Bot. gard. 1
 Grontogea Deppiana Lk. & O.
 † This genus belongs also Nos. 3302. to 3308. inclusive, in p. 49.

3845.	-	OLEA'NDRA Cav. OLEANDRA.	(Derivation not given.)	Crypt. Filices. 24.—1.
32634	-	neriflorus Cav. Nerium-like	£ ☒ or ... su	Y E. Indies ... D p-l
	-	<i>Ophiolepis verticillata</i> Rafn.	£ ☒ or ... su	Y Nepal ... D p-l
32635	-	Wallichii J. Sm. Wallich's	£ ☒ or ... su	Y E. Indies 1840. D p-l
	-	<i>Neuronia asplenoides</i> D. Don.	£ ☒ or ... su	Y I. of Luzon ... D p-l
32636	-	nodosa H. knotty	£ ☒ or ... aut	Y India 1837. D p-l
32637	-	Cumingii J. Sm. Cuming's	£ ☒ or ... aut	Y India 1837. D p-l
32638	-	articulata Swz. jointed	£ ☒ or ... aut	Y India 1837. D p-l
3846.	7106.	OL'INIA Dec. OLINIA.	(The name of a town in Spain.)	Melastomaceæ. 5.—1.
32639	-	acuminata Lindl. pointed-lvd	■ ☒ or ... my.au G	C. G. II. 1841. C s.p.l
437. OMPHALODES.				
32640	-	mysotoides Decaisne Mouse-ear-like	£ △ or 1½ s.o	Brsh Russia 1838. S co
32641	-	intermedia G. Don intermediate	○ pr ... ap.jn	B Arabia 1836. S co
2540. ONCIDIUM.				
32642	-	amictum Lindl. frilled	£ ☒ or 1 ap	Y. br. blotc Brazil 1846. D fib.p Bot. reg. 1847. 66
32643	22693a	ampliatum Lindl. broad-tipped	£ ☒ or 2 mr	Y America 1832. ? D p.r.w Bot. reg. 1699
		2 major	£ ☒ or ½ ap.my	Br. Y Guatemala 1840. D fib.p
32644	-	ascendens Lindl. ascending	£ ☒ or ½ ap.my	Br. Y Mexico 1837. D fib.p
32645	-	Barkeri Lindl. Mr. Barker's	£ ☒ or 2 f.mr	Cin. br. spts Mexico 1840. D block Paxt. m. b. 14.97
32646	-	Batemaniænum Ldl. Mr. Bateman's	£ ☒ or ... su	Br. Y Guatemala 1838. D fib.p
32647	22688b	bicalidum Lindl. two-warded	£ ☒ or 1 su	Gsh. Y Guatemala 1842. D p.r.w Bot. reg. 1843. 12
32648	-	bicolor Lindl. two-ld.-flvd	£ ☒ or ½ s.	Y. R. spt Span. Main 1841. D fib.p Bot. reg. 1843. 66
	22681	bicornatum Hook. two-horned	£ ☒ or 1 jn	Y. Br Brazil 1830. D p.r.w Bot. mag. 3109
		pubes B. R., No. 22681. in p. 371.		
	22682	bifolium		
		2 pallidum	£ ☒ or ½ su	Pa. Y Mtc. Video 1832. D fib.p
32649	-	brachyphyllum Ldl. short-leaved	£ ☒ or ... su	Y. Br Mexico 1836. D fib.p
32650	-	candidum Lindl. white-flvd	£ ☒ or 1 el ... spr	W Guatemala 1842. D fib.p
32651	22688a	Cavendishianum Bate. Cavendish	£ ☒ or 4 jn	Y. G Guatemala 1836. D p.r.w Bate. orch. 3
32652	22690a	cliatum Lindl. fringed-tipped	£ ☒ or ½ n	Y. R. Brazil 1818. D p.r.w Bot. reg. 1660
32653	-	concolor Hook. one-coloured	£ ☒ or ½ au	Y Organ Mts 1837. D p.r.w Bot. mag. 3752
32654	-	confragosum Lindl. uneven	£ ☒ or ... su	Str Mexico 1835. D fib.p
		2 cornigerum Lindl. horn-bearing	£ ☒ or ½ au	Y. Br Brazil 1829. D p.r.w Bot. reg. 1542
32656	-	crispum B. C. curled-petaled	£ ☒ or 3 jn	Taw Brazil 1831. D p.r.w Bot. cab. 1854
		2 pallidum	£ ☒ or ... su	Pa. Br Brazil 1833. D fib.p
		3 lateum	£ ☒ or ... su	Y Organ Mts 1838. D fib.p
32657	-	curtum Lindl. curtailed	£ ☒ or ... su	Br. Y 1846. D fib.p Bot. reg. 1847. 68
32658	22679a	deltoidum Lindl. triangular-tip.	£ ☒ or 1 o	Y Peru 1836. D p.r.w Bot. reg. 2006
	22679	divaricatum		
		2 cupreum	£ ☒ or 1½ s.n	Cop Brazil ... D fib.p
32659	-	cnstatum Lindl. sword-leaved	£ ☒ or ... spr	Br. Y Brazil 1837. D fib.p
		Pinella Hort.		
32660	-	excavatum Lindl. hollowed	£ ☒ or ... my.jl	Y. Br Peru 1837. D fib.p
32661	-	fimbriatum Lindl. fringed-flvd	£ ☒ or ... su	Y Brazil ... D fib.p
32662	-	fabelliferum Hort. fan-bearing	£ ☒ or ... su.aut	Br. P. Brazil 1843. D fib.p
	22691	flexuosum		
		2 major	£ ☒ or 1½ su	Br. Y Brazil 1839. D fib.p
32663	-	Forbesii Hook. Forbes's	£ ☒ or 1 o	S. Y Organ Mts 1837. D p.r.w Bot. mag. 3705
32664	-	Forkelii P. Don. Forkel's	£ ☒ or ... jl.au	C. V. Mexico 1840. D fib.p
32665	-	hastatum Lindl. halfert-lipped	£ ☒ or ... su	Br. Y Mexico 1840. D fib.p
32666	-	Harrisonianum Ldl. Harrison's	£ ☒ or 1 o?	Y. spt Brazil 1830. D p.r.w Bot. reg. 1569
32667	-	hians Lindl. gaping-flvd	£ ☒ or ... su	Y Brazil 1837. D fib.p
32668	-	incurvum Lindl. incurved	£ ☒ or ... su	Pa. Pk Mexico 1839. D fib.p
32669	-	Inseleyi Bark. Inseley's	£ ☒ or ... spr	Br. Y. O Mexico 1840. D fib.p Paxt. mag. viii. 265
32670	-	intermedium K. & W. intermediate	£ ☒ or 2 mr	O. spt. br Cuba ... D p.r.w Fl. cab. 60
32671	-	iridifolium Lindl. Iris-leaved	£ ☒ or ½ au	Y Mexico 1835. D p.r.w Bot. reg. 1911
32672	-	lacerum Lindl. cut-tipped	£ ☒ or 1½ ap	Pa. y. R Panama 1843. D t. p. pt-shd. B. R. 1846. 27
32673	-	Lanceolatum Lindl. Lance's	£ ☒ or 1½ jn.jl	Y. v. C Surinam 1834. D p.r.w Bot. reg. 1887
32674	22684a	Lemonianum Lindl. Sir C. Lemon's	£ ☒ or ½ my	Y. spt Havannah 1835. D p.r.w Bot. reg. 1789
32675	-	Lindeni Lindl. M. Linden's	£ ☒ or ... my.jl	Guatemala 1840
32676	-	longifolium Lindl. long-leaved	£ ☒ or 3 jn	Y. B Mexico 1841. D p.r.w Bot. reg. 1842. 4
32677	-	lunatum Lindl. crescent-tipped	£ ☒ or 1 jn	Y Demerara 1836. D p.r.w Bot. reg. 1929
	22688	luridum		
		2 guttatum	£ ☒ or 2 su	Y. O Jamaica 1837. D fib.p Bot. reg. 1839. 16
		<i>Epidendrum guttatum</i> L.; <i>Cymbidium guttatum</i> Willd.; <i>Oncidium Bogdii</i> Hort.		
		3 purpuratum	£ ☒ or 2 s.o	C. P. spcl D fib.p
32678	-	macrantherum Hook. large-anthered	£ ☒ or ½ ap	G. P Mexico 1840. O r.w.p Bot. mag. 3845
		<i>Leochilus oncidoides</i> Lindl.		
32679	-	monoceras Hook. one-horned	£ ☒ or 2 ja	Y Rio Jan. 1839. D p.r.w Bot. mag. 3890
		unicorne Lindl.		
32680	-	natum Lindl. dwarf	£ ☒ or ... su	Y. P Guiana 1841. D fib.p
32681	-	nudum Lindl. naked	£ ☒ or ... su	Y. C Caraccas 1834. D fib.p
32682	-	oblongatum Lindl. oblong-lvd	£ ☒ or ... su	Br. Y Mexico ... D fib.p
32683	-	onistum Lindl. loaded	£ ☒ or 2 o	Y Peru 1848. D fib.p
	22683	orthorhynchon		
		2 pallidum	£ ☒ or 2 w	Pa. P Guatemala 1835. D fib.p
32684	-	pachyphyllum Hook. thick-leaved	£ ☒ or 2 ja	Y. R Mexico 1839. D fib.p Bot. mag. 3807
		<i>Cavendishianum Bate.</i>		
32685	-	pectoralis Lindl. breast-plate	£ ☒ or ... su.aut	Br. C Brazil 1842. D fib.p
32686	-	pallidum Lindl. pale	£ ☒ or ... year	Br. Y Brazil 1838. D fib.p
	22693	papilio		
		2 limbatum Hook. bordered	£ ☒ or 1½ spr	Y. O. P Trinidad ... D fib.p Bot. mag. 3733
32687	-	pelicanum Lindl. pelican-beaked	£ ☒ or ... su	Y. C Mexico 1835. D fib.p
32688	-	pendulum	£ ☒ or ... aut	Br. Y Guatemala 1840. D fib.p
32689	-	pergamænum Ldl. parchment	£ ☒ or ... su	Br. Y Guatemala 1838. D fib.p
32690	-	phymatichilum Hort. long-tailed	£ ☒ or 2 ap.my	G. Brsh. R. W. D fib.p
	22691	pubes		
		2 flavescens Hook. yellowish-flvd	£ ☒ or 1 aut	Ysh Rio Jan. ... D fib.p Bot. mag. 3926
	†22680	pulegium Hook. pretty	£ ☒ or 1 jl.au	W. pk. Y. W. Indies 1826. D p.r.w Bot. reg. 1787
	22692	pæmulum		
		2 pallidum	£ ☒ or ½ su	Pa. Y Brazil 1840. D fib.p
32691	-	ramosum Lindl. branching-spkd	£ ☒ or ... su	... Brazil 1838. D fib.p

32692 -	- raniferum Lindl.	frog-bearing	£	∆	pr	1	au.s	Y	Brazil	1838.	D	r.w	Bot. reg. 1838. 48	
	- 2 majus Hook.	larger-flowered	£	∆	pr.	1	au.s	Y	Brazil	...	D	p.r.w	Bot. mag. 3712	
32693 -	- reflexum Lindl.	reflexed	£	∆	or	...	su	Y	Mexico	1836.	D	fib.p		
32694 -	- roseum Hook.	rose-td-flwd	£	∆	or	...	su	Ro	Mexico	1838.	D	fib.p	Bot. mag. 3806	
	<i>Hanñianum Bot. mag.; Henchmänni Lindl.</i>													
32695 -	- Russellianum Lindl.	Russell's	£	∆	or	1	...	Li.P	Rio Jan.	1835.	D	p.r.w	Bot. reg. 1830	
32696 -	- sanguineum Lindl.	red-blotched-flwd	£	∆	or	Pa.Y.C	blot. La Guayra	D	fib.p			
32697 -	- sphacelatum Lindl.	scorched	£	∆	or	2	...	Y.Br	Mexico	1840.	D	p.r.w	Bot. reg. 1842. 30	
32698 -	- sphagiferum Lindl.		£	∆	cu	...	su	Y.Br	Mexico	1842.	D	fib.p		
32699 -	- spilopterum Lindl.	spotted-winged	£	∆	or	3	jl.o	Y.Brsh.P	Mexico	1844.	D	turfy p	Bot. reg. 1845. 40	
32700 -	- stramineum Bate. ms.	straw-td	£	∆	spl	Str	V. Cruz	1837.	D	p.r.w		
32701 -	- suave Lindl.	sweet-scented	£	∆	fra	...	su	Br.Y	Mexico	1843.	D	fib.p		
32702 -	- Suttoni Lindl.	Sutton's	£	∆	or	...	o.d	Br.Y	Mexico	1839.	D	fib.p		
32703 -	- Tayleurii Bate.	Tayleur's	£	∆	or	...	su.aut	Br.Str	Mexico	1836.	D	fib.p		
32704 -	- tenue Lindl.	slender	£	∆	cu	...	au	Y.Br.spt	Guatemala	1841.	O	fib.p	J. H. S. 3. 77. fig.	
32705 -	- tricolor Hook.	three-td-flwd	£	∆	or	1	mr.ap	W.Y.R	Jamaica	1843.	D	fib.p	Bot. mag. 4130	
	422677	triquetrum R. Br.	triangular-td	£	∆	or	3	jl.o	W.P.G	Jamaica	1793.	D	p.r.w	Bot. mag. 3393
32706 -	- trulliferum Lindl.	trowel-lipped	£	∆	or	...	s.o	Y.Br	Brazil	1836.	D	fib.p		
32707 -	- unguiculatum Lindl.	naul-bearing	£	∆	or	3	au.s	Y.Br.spt	Mexico	1845.	D	rough p		
32708 -	- unibrum Both.	one-flowered	£	∆	pr	Y	Organ Mts.	1841.	D	p.r.w	Bot. reg. 1843. 43	
32709 -	- urophyllum Lindl.	tail-leaved	£	∆	pr	4	mr	Y	Brazil	1841.	D	p.r.w	Bot. reg. 1842. 54	
32710 -	- viperinum Bate.	poisonous	£	∆	cu	...	su	Y	Str	Brazil	1836.	D	fib.p	
32711 -	- Wentworthianum Bat. E. Fitzwilliam's		£	∆	or	...	w	S.C	Mexico	1836.	D	fib.p		
		Domianum Bate. MSS.												
32712 -	- Wrayæ Hook.	Mrs. Wray's	£	∆	or	2	...	Y.Br	Mexico	1838.	D	p.r.w	Bot. mag. 3854	

3846 *. - ONCORHY'NCHIUS F. & M. ONCORHYNCHUS. (Onkos, tumour, rhynchos, beak; lip.) *Rhinanthæcæ.*
 32713 - tenellus F. & M. delicate ○ 1837. S co

2253. ONOBRO'MA. Nos. 20441, 20442. and 20443. are synonymous with *Kentrophyltum* sps. Dec.

2124. ONOBRY'CHIS.

32714	19149a	echinata G. Don	echinated	∆	∆	or	...	jn.jl	Pk	Calabria	1831.	S	s.l
	19151a	crinita Dec.	haired	∆	∆	or	...	ju.jl	Li	Levant	1837.	S	s.l
32716	19155a	foveolata Dec.	Sicilian	○	or	...	jn.au	V	Sicily	1828.	S	s.l	
32717	19155b	æquidentata Dec.	equal-toothed	○	or	...	jn.au	R	Levant	1828.	S	s.l	
32718	19155c	heterophylla Dec.	various-leaved	∆	∆	or	...	jn.au	Y	Caucasus	1836.	S	s.l
19157	radiata Bieb.	Bot. reg. 1847. 37.; syn. <i>Hedysarum radiatum</i> Desf.; H. <i>Buzbaümii</i> Bieb. Fl. Taur. cauc. No. 1150.											

1966. ONO'NIS.

17578		fruticosa		∆	or	4	my.jn	Psh.R	Aragon	1680.	C	s.l	
		2 microphylla Dec.	small-leafted	∆	or	2	my.jl	Pk	C	s.l	
17576		rotundifolia		∆	or	2	my.jl	Pk	C	s.l	
		2 aristata Dec.	bearded	∆	or	2	my.jl	Pk	C	s.l	
17581		cenisia		∆	or	1	jn.jl	...	Pyrenes	...	D	s.l	
		2 subaristata Dec.	slightly-bearded	∆	or	1	au	Y	Naples	1832.	S	co	
32719 -	- Denhartii Ten.	Denhardt's		∆	or	S	co	
32720 -	- Æpula Ten.	Æpulan		∆	or	S	co	
32721 -	- hispida Desf.	hispid		∆	or	1	jn.au	...	Barbary	1818.	S	s.l	Desf. at. 189
32722 -	- peduncularis Lindl.	peduncled		∆	or	1	ap	W.Ro	Teneriff	1829.	S	s.l	Bot. reg. 1446

2245. ONOPO'RDUM.

32723 -	- heteracanthum Mey.	various-spined		○	1836.	S	co
---------	----------------------	----------------	--	---	-----	-----	-----	-----	-------	-----	-------	---	----

431. ONO'SMA.

32724 -	- setosum Led.	bristly		∆	∆	or	1	...	Y	Russia	1838.	S	l.p	Fl. Cab. 111
32725	3549a	rigidum Led.	rigid	∆	∆	or	1	au	Pa.Y	Russia	1838.	S	l.p	Led. ic. 238
32726	3551a	montanum G. Don	mountain	∆	∆	pr	...	mr.jn	Y	Levant	1827.	D	co	
32727	3558a	synanthrum F.	connected	∆	∆	un	...	jn.jl	Y	Altai	1827.	D	co	
32728 -	- Gmelinæ Led.	Gmelin's		∆	∆	or	1	ap.au	Str	Altai	1829.	C	s.l	Led. alt. 280
32729 -	- polyphyllum Led.	many-leaved		∆	∆	or	1	jl.au	Str	Tauria	1829.	C	s.l	Led. alt. 24

3847.- ONY'CHIUM Kauf. ONYCHIUM. (Not explained.)

32730 -	- auratum Kauf.	golden		∆	∆	or	Br	N. S. W.	...	D	p.l
32731 -	- capense Kauf.	Cape		∆	∆	or	Br	C. G. H.	...	D	p.l
32732 -	- lucedum Spr.	shining		∆	∆	or	1	jl.s	Br	E. Indies	1844.	D	p.l
		<i>Leptostegia lucedica</i> D. Don.											

328. OPERCULA'RIA.

32733 -	- Lamarckiana Dec.	Lamarck's		○	un	W	N. S. W.	1825.	S	co
	2763	umbellata Gac.; syn. <i>Pömax hirta</i> Dec.											

3848. 794a. OPHEL'IA D. Don OPHELIA. (*Ophelia*, service; plants medicinal.) *Gentianæcæ.* 5.—2.
 32734 - purpurascens D. Don purplish-flwd ∆ pr 3/4 my.au Pk E. Indies 1836. S s.l

1041. OPHIOPO'GON.

32735 -	- prolier Lindl.	proliferous		∆	∆	cu	?	1/4	jl.au	W	Penang	1844.	D	rough s.p
32736 -	- Jaburan B. C.	Jaburan		∆	∆	or	1	jl.au	W	Japan	1830.	D	s.p.l	Bot. cab. 1876

2488. O'PHIRYS.

22520		aranifera		∆	∆	cu	1	ap.my	Br	Rome	1826.	R	s.l	Bot. reg. 1197	
		2 limbata Lindl.	limbate	∆	∆	cu	1	ap.my	Br	Rome	1826.	R	s.l	Bot. reg. 1197	
22521		atrata B. R.; syn., <i>Ceratandra ochroleuca</i> Lk. & Otto; <i>Pterygodum atratum</i> Swt.													
32737 -	- cornuta Stev.	horned		∆	∆	or	3/4	...	Li.Br.G	Corfu	...	R	h.l	Bot. reg. 1846. 52	
		<i>bicornis</i> Sadler in Linnaea; <i>O. aëstrifera</i> Wahlén.													
32738 -	- fuciflora Lindl.	drone-flowered		∆	∆	or	3/4	...	G.Br.Pk	Zaule	...	R	h.l	Bot. reg. 1847. 25	
		<i>Arachnites</i> Eng. bot. supp. t. 2596., not of All.; <i>crabronifera</i> Sebast.; <i>exaltata</i> Ten.; <i>apiculata</i> Rich.; <i>aëstrifera</i> Rehb nec Stev.													
32739 -	- tabanifera Willd.	dun-fly-like		∆	∆	cu	3/4	...	Gsh	Choc.Br	Greece	...	O	h.l	Bot. reg. 1847. 46.1
32740 -	- ferrum equinum Desf.	horse-shoe		∆	∆	cu	3/4	...	Ro.P.Br	Greece	...	O	h.l	Bot. reg. 1847. 46.2	

3849. 883a. OPO'PANAX Koch OPOPANAX. (*Opos*, juice, *panax*, the plant yielding it.) *Umbelliferae.* 1.
 32741 - Chirouicum Koch Chiron's ∆ ∆ in 6 ju.jl Y S. Europe 1640. D co Wood. t. 113
Pustinica Opopanax L. No. 7649.

3850. 2208a.	OPORINEA D. Don	OPORINEA. (<i>Oporinos</i> , autumnal; time of flowering.)	Comp Cich. 1.
32742 -	- autumnalis D. Don	autumnal	Britain mca pas. D co Eng. bot. 830
	<i>Apargia autumnalis</i> W. No. 19948.	Δ w l au Y	
1474. OPU'NTIA.			
32743 -	- álbicans Forb.	whitish-spined	gr Mexico 1835. C s.l.p
32744 -	- alpha Gill.	alpine	gr Chili 1836. C s.l.p
32745 -	- articulata Otto	jointed	gr 1836. C s.l.p
32746 -	- aur-antlaca Lindl.	orange-flwd	gr 3 O.Y 1824. C s.l.ru Bot. reg. 1606
	<i>Cactus aurantiaca</i> Gillies ms.		
†12508	brasiliensis W.	Brazilian	cu 25 jl.au Y Brazil 1816. C s.l Bot. mag. 3293
32747 -	- calacantha Forb.	beautiful-spined	gr 3 1836. C s.l.p
32748 12624a	cylindrica Dec.	cylindrical	gr 3 Peru 1799. C s.l
	<i>Cereus cylindricus</i> Haw. Nn. 12578. No. 12576, also belongs to this genus.		
32749 -	- decipiens Dec.	deceiving	gr ju jl S Mexico 1830. C s.l.p
32750 -	- decumbens Salrn	decumbent	or 3 Pa.y Mexico 1838. C s.p.l Bot. mag. 3914
	<i>O. repens</i> Karw.; <i>O. irrorata</i> Mart.		
32751 -	- dejecta Forb.	dejected	gr Y Cuba 1838. C s.l.p
32752 -	- exuviata Dec.	exuviate	gr ju jl Mexico 1830. C s.l.p
32753 -	- glauca Forb.	glaucous	gr 1835. C s.l.p
32754 -	- glomerata Haw.	glomerated	gr Brazil 1829. C s.l
32755 -	- grandis Forb.	great	gr 1835. C s.l.p
32756 12603b	Hernandezii Dec.	Hernandez's	gr Δ R Mexico 1827. C s.l Hern. Mex. 78. ic
32757 -	- imbricata Dec.	imbricated	gr 3 1820. C s.p
	<i>Cereus imbricatus</i> Haw.		
32758 -	- Kleinæ Dec.	Klein's	gr ju jl Mexico 1836. C s.l.p
32759 -	- leptocaulis Dec.	slender-stemmd.	gr ju jl Mexico 1836. C s.l.p
32760 12603a	leucantha Lk. & O.	white-flowered	gr Δ W S. Amer. 1824. C s.l
32761 -	- leucotriche Dec.	white-haired	gr 4 W Mexico 1836. C s.l.p
32762 12622a	longispina Haw.	long-spined	gr Brazil 1829. C s.l
†12609	monacantha Haw.	single-spined	gr 1? my Y S. Amer. 1816. C s.l Bot. reg. 1726
32763 -	- myriacantha Lk. & O.	10000-spined	gr Mexico 1830. C s.l.p
32764 -	- Nopalillo Karw.	small Nopal	gr Mexico 1838. C s.l.p
32765 -	- Ottonis G. Don	Otto's	gr ju jl Brazil 1830. C s.l.p
32766 -	- párvula Forb.	least	gr Chili 1835. C s.l.p
32767 -	- pubescens Wend.	pubescent	gr ju jl Mexico 1836. C s.l.p
32768 -	- pulvinata Dec.	pulvinate	gr ju jl Mexico 1836. C s.l.p
32769 -	- ramulifera Forb.	branch-bearing	gr ju jl Mexico 1836. C s.l.p
32770 -	- réptans Karw.	creeping	gr Mexico 1838. C s.l.p
32771 -	- rósea Dec.	rose-eld-flwd	gr ju jl Ro Mexico 1830. C s.l.p
32772 -	- rubescens Dec.	red-stemmed	gr ju jl Brazil 1828. C s.l.p
32773 -	- scabris Payson	old man	gr 1837. C s.l.p
32774 -	- spinifera Karw.	golden-spined	gr Mexico 1838. C s.l.p
32775 -	- spinulifera Salrn	spine-bearing	gr Mexico 1836. C s.l.p
32776 -	- stapeliæ Dec.	Stapelia like	gr ju jl Mexico 1830. C s.l.p
	N. B. In the body of this catalogue, several Chilean species of <i>Cactææ</i> have been referred to genera from their appearance in a seedling state, without any knowledge of their fructification or habit when full grown.		
2481. O'RCHIS.			
32777 22471a	quadripunctata Ten.	4-spotted	* Δ or 3 my.jn P Italy 1828. O l.p Fl. nap. 89
32778 22471b	saccata Ten.	saccate	* Δ or 3 my.jn P Sicily 1828. O l.p
32779 22471c	pseudosambucina Ten.	Elder-smellg	* Δ or 3 my P Italy 1828. O l.p Fl. nap. 86a
	2 lutescens Ten.	pale-yellow	* Δ or 3 ju jl Y Italy 1828. O l.p Fl. nap. 86b
32780 -	- fuscescens B. C.	drying-brown	* Δ cu 3 ju Ysh Pennsylv. 1831. O p.lt Bot. cab. 1748
	22477 tephrosánthos		
	2 densiflorum Hook.	crowded-spiked	* Δ or 1 my P.w Europe ... O p.l Bot. mag. 3426
	" <i>O'rehis simia</i> Dec. Fl. Fr. ed. 3. v. 2. p. 249."	<i>Sir W. J. Hooker.</i>	Hence, it probably is also No. 22461. in p. 366.
32781 22484a	foliosa Sol.	leafy-spiked	* Δ or 1 my P Canary I. 1829? D p.s.m Bot. reg. 1701
1680. ORI'GANUM.			
32782 15116a	stoloniferum Bes.	stoloniferous	Δ or 1 ju jl Pk Podolia 1828. D co
	Nos. 15130. and 15132. in p. 238. are species of <i>Amáractus</i> Mœnch.		
3851. 826a.	ORLAYA Hofm.	ORLAYA. (<i>Orlaya</i> , probably the name of some botanist.)	Umbelliferæ. 3.—
32783 -	- platycárpas Koch	broad-fruited	O un 1 ju jl W S. Europe 1800. S co M. h. 9. 14. 2
	<i>Calcatis platycárpas</i> L. No. 6659. Nos. 6663. and 6656. also belong to this genus.		
2549. ORNITHO'DIUM.			
32784 -	- álbum Hook.	white-perian.	Δ or 1 n W Trinidad 1833. D p.r.w Bot. mag. 3306
2557. ORNITHOCE'PHALUS.			
32785 -	- trichorhiza Bate.	hairy-rooted	Δ or cu 3 mr.my Str Trinidad 1835. D p.r.w
1053. ORNITHO'GALUM.			
32786 -	- biflorum D. Don	twin-flowered	Δ el 1 1/2 ap W Peru 1832. ? O p.s Sw.f. gar. 2. s. 246
	<i>Scilla biflora</i> R. & P., Pers., Schult.		
32787 -	- bifolium B. C.	two-leaved	Δ or 3 au W Chili 1831. O s.l Bot. cab. 1802
32788 -	- allaceum B. C.	Allium like	Δ or 3 jl W Chili 1821. O s.l Bot. cab. 1818
32789 -	- chloroleucum Lindl.	greenish-white	Δ or 1 jl Gsh.w Valpar. ?1834. O r.m Bot. reg. 1853
32790 -	- geminiflorum Herb.	twin-flowered	Δ or 1 ... P.Gsh.w Lima ... O r.m
32791 -	- divaricatum Lindl.	spreading	Δ pr 2 jl.au W California 1841. O co Bot. reg. 1842, 28
32792 -	- notatum R. & S.	brown marked	Δ or ... ju.au ... C. G. H. 1825. O r.m Jac. c. 2. 18. 13
	<i>maculatum</i> Jac. not of Thun.		
32793 -	- trigynum Red.	three-styled	Δ or ... ju jl W.G ... 1825. O r.m Red. lil. 417
32794 -	- miniatum Jac.	red-stained	Δ or ... ju jl Y C. G. H. 1790. O r.m Jac. ic. 2. 438
32795 -	- brachystachys Fis.	short-spiked	Δ or ... mr.ap W Daluria 1821. O r.m
32796 -	- Bergii Schlech.	Bergius's	Δ or ... mr.ap W.G ... 1816. O r.m
32797 -	- concinnum Sal.	neat	Δ or 3 ap.y W Portugal 1797. O r.m Bot. mag. 953.
32798 8765a	marginatum Lindl.	white-edged	Δ or 3 mr Gsh.w ... 18143. O r.m Bot. reg. 1845.
32799 8764a	nānum Sibth.	dwarf-habit	Δ or 3 mr Gsh.w Arcadia ?18143. O lt Bot. reg. 1845. 39
	8810 Squilla Bot. mag., syn. <i>Urginea martinia</i> of Sternberg.		

1764. *OROBANCHÆ*.
 32800 - - caryophyllæca Sm. clove-scented $\frac{1}{2}$ Δ cu 1 ... Din. England ... S s.l Eng. bot. 2639
 32801 - - barbata Torr. bearded $\frac{1}{2}$ Δ cu ... jl ... Ireland Onivy par Eng. bot. 2859
 Nos. 15743. and 15744., syn. *Phelipæa* sps. Desf.
2138. *O'ROBUS*.
 19338 Fischeri Swt. Fischer's $\frac{1}{2}$ Δ or 1 my.jl P Siberia ... S co Sw. fl. gar. 289
 19339 vérnus
 2 carneus J. C. flesh-cld-flwd $\frac{1}{2}$ Δ or 1 mr.ap F D co
 32803 19364a atropurpureus Desf. dark purple $\frac{1}{2}$ Δ or 1 my P Algiers 1826. S s.l Bot. reg. 1763
 32804 - - pisiformis Maudsl. pea-formed $\frac{1}{2}$ Δ el 1 my P S. Eur. 1822. R s.l Bot. gar. 634
 32805 19364b stipulaceus Hook. stipulaceous $\frac{1}{2}$ Δ or 6 my P N. Amer.? ... D co Bot. mag. 2537
 32806 - - Jordanii G. Don Jordan's $\frac{1}{2}$ Δ or ... my.jn B Naples 1830. R p.l
 32807 - - longifolius Don long-leaved $\frac{1}{2}$ Δ or ... my.au Li Missouri 1827. R p.l
3852. - - *ORTHOSEPHON Benth.* (From *orthos*, straight, and *siphon*, a tube; form of corolla.) *Labidæa*. 14.—2.
 32808 - - incérvus Benth. incurved \square pr 1 my.jn Pk Silhet 1839. D co Bot. mag. 3847
1181. *OSBECKIA* 9977 stellata Don with small scales \square or 1 $\frac{1}{2}$ s Psh.rkNepal ... C p.l Bot. reg. 1844. 55
 32809 9978a glomerata Dec. glomerate-flwd \square pr 1 $\frac{1}{2}$ jl.au Pk Trinidad 1818. S p.l Bot. mag. 2837
 1818a *Rhexia glomerata* Bot. cab. 334.
 2 albiflora Dec. white-flowered \square or 1 $\frac{1}{2}$ d.ap W Brazil 1821. S p.l Bot. cab. 334
 9978 nepalensis Hook. 2 albiflora Lindl. white-flowered \square or 1 $\frac{1}{2}$ au W Nepal 1829. C p.l Bot. reg. 1475
 32810 - - canescens Mey. canescent \square or ... su W Mexico 1838. C l.p Bot. mag. 3790
2945. *OSMUNDA*.
 32811 - - palustris Lk. & O. marsh $\frac{1}{2}$ \square or 2 $\frac{1}{2}$ jn.au Br 1831. D p.l
 32812 - - Presliana J. Sm. Presl's $\frac{1}{2}$ \square or ... aut Br I. of Luzon ... D l.p
Nephridium banksiaefolium Presl; *Plenastium bromelæefolium* Presl; *Asplenium æreum* Blume.
3853. 1505a. *OSTEOMELES* Lindl. (*Osteon*, a bone, *melon*, an apple; bony endocarp.) *Pomacæa*. 12.—5.
 32813 - - ferruginea rusty \uparrow or ... su 1847. G co [K. & P.]
2450. *OSTEOSPERMUM* 22330 niveum L.; syn. *Microstèphium niveum* Dec.
3854. 874b. *OSTERICUM* Hoffm. (*Osteon*, a bone; seeds?) *Umbelliferae*. 1.
 6964 † pratense Hoffm. meadow $\frac{1}{2}$ Δ un 3 jn.au F Galicia! 1818. D co
Angélica pratensis Spr. No. 6964.
2451. *OTHOÏNA*.
 22350 virginea L. virgin-like $\frac{1}{2}$ \square or 3 s.n Y Africa 1821. C l.p Bot. cab. 728
flabellifolia Bot. cab. 728.
 22343 frutescens Bot. Mag. 3967.
 Nos. 22335. 22336. 22337. 22350. 22357. and 22358. in p. 364. are referred to the genus *Euriops* Dec.
 Nos. 22349. and 22356. are synonymous with *Gamolepis* sps. Dec.
3855. - - *OTOCHILUS* Lindl. (*Ous*, *stos*, an ear, and *cheilos*, a lip; ear-like append. at base of lip.) *Orchid.*
 32814 - - fusca Lindl. brownish $\frac{1}{2}$ \square cu W.B Nepal 1840. D p.r.w Bot. mag. 3921
1414. *O'XALIS*.
 32815 11902a crenata Jac. notched-ptld $\frac{1}{2}$ Δ esc 3 s Y Lima 1829. C s.l Sw. fl. gar. 2. s. 125
 Arracacha G. Don. Syst. bot. and gard. i. 756.
 32816 11906a chinensis Hav. MSS. Chinese $\frac{1}{2}$ Δ pr $\frac{1}{2}$ iny.o Y China ... D co
 11909 Simsii Swt. Sims' $\frac{1}{2}$ Δ or $\frac{1}{2}$ ap.jn C Chili 1822. O s.p Bot. mag. 2415
rosea Sims, Bot. mag., not of others.
 11910 rosea Jac. rosy $\frac{1}{2}$ Δ pr $\frac{1}{2}$ nr.jn Ro Chili 1826. O s.p Bot. mag. 2830
floribunda Bot. reg. 1123, not of Lehmann or of Sweet.
- 32817 11926a chyprea B. C. copper-cld $\frac{1}{2}$ Δ pr $\frac{1}{2}$ ap.jn Cop C. G. H. 1822. O s.p Bot. cab. 824
 32818 11931a tortuosa B. R. twisted $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn Y Cordill. 1825. O s.p Bot. reg. 1249
 32819 11932a Martiana Zuc. Martius's $\frac{1}{2}$ Δ or $\frac{1}{2}$ jl Y Brazil 1829. O s.p Bot. mag. 3938
 32820 - - papilionacea W. butterfly $\frac{1}{2}$ Δ or $\frac{1}{2}$... Va Brazil 1819. O s.p
 32821 11932a mauritiana B. C. Mauritian $\frac{1}{2}$ Δ or $\frac{1}{2}$ s.o Pa.ro I. France 1810. O s.p Bot. cab. 1780
 32822 11933a bipunctata Graham. 2-spotted $\frac{1}{2}$ Δ pr $\frac{1}{2}$ ap.jn Li Brazil 1825. O s.l Sw. fl. gar. 2781
 32823 11933b Deppei B. C. Deppe's $\frac{1}{2}$ Δ el $\frac{1}{2}$ mr.n Cop.a Mexico 1827. O s.p Sw. fl. gar. 2. s. 96
 32824 11933c floribunda Leh. many-flowered $\frac{1}{2}$ Δ or $\frac{1}{2}$ ap.s Ro Brazil 1829. O s.l Sw. fl. gar. 2. s. 54
 32825 11933d palustris Hill. marsh $\frac{1}{2}$ Δ pr ... my.d Li Brazil 1828. O s.p
 32826 11941a Comersonii Pers. Comerson's $\frac{1}{2}$ Δ pr $\frac{1}{2}$ o.n Y Brazil ... O s.p
 32827 11941b granulata K. & W. glandulate $\frac{1}{2}$ Δ pr $\frac{1}{2}$ o.n Y C. G. H. ... O s.p Fl. cab. t. 21
 32828 11959a glandulosa Jac. glandulous $\frac{1}{2}$ Δ pr $\frac{1}{2}$ o.n W C. G. H. 1822. O s.p Jac. ox. 62. 46
 32829 11961a breviscapa Jac. short-scaped $\frac{1}{2}$ Δ pr $\frac{1}{2}$ s.f W C. G. H. 1823. O s.p Jac. ox. 72. 58
 32830 11962a rigidula Jac. stiffish $\frac{1}{2}$ Δ pr $\frac{1}{2}$ s.n W C. G. H. 1822. O s.p Jac. ox. 73. 59
 32831 11963a laxula Thun. loose $\frac{1}{2}$ Δ pr $\frac{1}{2}$ o.d W C. G. H. 1820. O s.p Jac. ox. 71. 57
 32832 11966a strumosa Jac. swollen-styled $\frac{1}{2}$ Δ pr $\frac{1}{2}$ o.f W C. G. H. 1821. O s.p Jac. ox. 79. 64
 32833 11971a fallax Jac. deceptive $\frac{1}{2}$ Δ pr $\frac{1}{2}$ o.n Y C. G. H. 1825. O s.p Jac. ox. 84. 67
 32834 11975a cruentata Jac. bloodied $\frac{1}{2}$ Δ pr $\frac{1}{2}$ s.d P C. G. H. 1826. O s.p Jac. ec. 1. 45
 32835 - - tortuosa Lindl. twisted $\frac{1}{2}$ Δ or 1 jn.au Y Chili 1825. C s.l Bot. reg. 1249
 32836 - - úrbica Hill. cily $\frac{1}{2}$ Δ or ... my.s Li Brazil 1828. D s.l
 †11984 Plotta Col. Plotta's $\frac{1}{2}$ Δ or $\frac{1}{2}$ jl.au Sal C. G. H. 1816. O s.p Bot. reg. 1817
 Seems nearly allied to *compréssa* (Lindley).
- 32837 11985a brasiliensis B. C. Brazilian $\frac{1}{2}$ Δ or 1 my Ro Brazil 1829. O p.l Bot. cab. 1962
spectabilis Hort.; *bipunctata* Graham.
- 32838 11988a Darvelliana Westc. Darwell's $\frac{1}{2}$ Δ pr $\frac{1}{2}$ jl Pa.C O p.l Fl. cab. 93
 11996 flava
- 2 flore pleno Hort. double-flwd $\frac{1}{2}$ Δ pr $\frac{1}{2}$ mr.ap Y O s.p
 32839 - - álba D. Don white-flowered $\frac{1}{2}$ Δ pr $\frac{1}{2}$ my W ?America 1836. ... co Sw. fl. gar. 2. s. 398
 32840 - - Cumingii Herb. Cuming's $\frac{1}{2}$ Δ pr $\frac{1}{2}$ au.s Go Chili 1831. S s.l Bot. reg. 1545
 32841 - - divergens Benth. diverging $\frac{1}{2}$ Δ or $\frac{1}{2}$ jn.s W Mexico 1829. O p.l Bot. reg. 1620
 32842 - - lasiopétala Zuc. hairy-ptened $\frac{1}{2}$ Δ pr $\frac{1}{2}$ jl Pk B. Ayres 1841. S s.p Bot. mag. 3935
 32843 - - rubrocineta Lindl. red-edged $\frac{1}{2}$ Δ pr 1 s Y Guatemala 1841. D r.m Bot. reg. 1842. 64
 32844 - - lasiantha Graham downy-stamened $\frac{1}{2}$ Δ or 1 $\frac{1}{2}$ my Pk Mexico 1840. D co Bot. mag. 3996
 32845 - - sensitiva L. sensitive \square or $\frac{1}{2}$... Y China ?1844. S lt Bot. reg. 1845. 68
Biophytum sensitivum Dec.; *Herba sentiens* Rumph.
- 32846 - - discolor Lindl. two-coloured $\frac{1}{2}$ Δ or ... su V.C Mexico 1844. D lt

- 3856, 1299a. OXLEYA Cun. OXLEYA. (*John Oxley*, late surveyor-general of N. S. W.) 10. l. *Meliaceae*. 1.
 32847 - xanthoxylon Cun. yellow-wooded ♀ | tm 100 N. Holl. 1828. C lt Bot. mis. 54
640. OXYANTHUS.
 32848 - versicolor Lindt. various-cld ♀ | fra Va Cuba ... C p.l
97. OXYBAPHUS.
 32849 - chiliensis Bertero Chilian ♂ Δ or 1 aut Li Chill 1832. S l.p
 32850 929a albidus Nutt. white-td ♀ O cu ... j.l.s Li Carolina 1824. S co
1193. OXYCOCCUS 10090 macrocarpus 2 variegatus Dens. variegated-td n. 2. fr $\frac{2}{3}$ my.jn Pk gardens ... L bog
3857. - - OXYGONIUM Presl OXYGONIUM. (*Oxys*, sharp, *goni*, an angle.) *Crypt. Filices*. 24.—
 32851 - ovatum Wall. ovate ♀ Δ or ... su Br E. Indies 1842. D p.l
 32852 - elegans J. Sm. elegant ♀ Δ or ... j.n.s Br E. Indies 1842. D p.l
 32853 - vittæformis J. Sm. band-like ♀ Δ or ... j.n.s Br E. Indies 1840. D p.l
 32854 - alismæfolium Presl. Alisma-ld ♀ Δ or ... su Br India ... D p.l
1248. OXYLOBRIUM.
 32855 - capitatum Benth. capitate ♀ | or ... su Y Swan R. 1837. C s.p Bot. reg. 1843. 16
 32856 - obovatum Benth. obovate n. | pr 2 ap R.Y Swan R. 1841. C s.p Bot. reg. 1843. 36
cuneatum Benth.
 32857 - parviflorum Benth. small-flwd ♀ | or Y Swan R. 1840. C s.p.l
 32858 - Hügelii Baron Hügel's ♀ | or D.Y 1845. C s.p.l [K. & P.]
755. OXYPE TALUM.
 32859 - solanoides H. & A. Solanum-like ♀ | pr ?3 jn.au Psh. R. S. Brazil ?1847. C p.l Bot. mag. 4367
3858. ?1952a. OXYRAMPHIS Wall. OXYRAMPHIS. (*Oxys*, sharp-pointed, *ramphos*, a peak.) *Fabaceae*. 17.—4.
 32860 - macrostyla Dec. long-styled ♀ | or 4 o.n C.Ro C p.l
2101. OXYTROPIS.
 32861 - argyrophylus silvery-leaved ♀ Δ j.l 1831. D s.l
 32862 18862a sulphureus Fie. sulphureous ♀ Δ or $\frac{1}{2}$ j.l Crea Siberia 1820. D l.p
3859. - - OXYURA Dec. OXYURA. (*Oxys*, sharp, *oura*, a tail; involucre.) *Comp. § Senecioniee*.
 32863 - chrysanthemoides Dec. Chrysanth.-like O or 1 $\frac{1}{2}$ au.s Y Californ. ?1834. S lt.l Bot. reg. 1850
3860. ?2408a. OYEDÆA Dec. OYEDÆA. (Not explained.) *Comp. § Senecioniee*.
 32864 - buphthalmoides Dec. ox-eye-like ♀ | or ... aut Y Peru 1848. C p.l [K. & P.]
Buphthalmum triphyllum Pöpp.
3861. 2571a. PACHYPHYLLUM H. B. & K. PACHYPH. (*Pachys*, thick, *phyllon*, a leaf.) *Orchidaceae*. 20.—1.
 32865 - distichum H. B. & K. two-ranked ♀ Δ cu ... mr.jl G Mexico ...
 32866 - procumbens Lo. C. procumbent ♀ Δ cu pro mr.jl G.B Mexico 1835.
3862. - - PACHYPHYTUM Lk. & Otto PACHYPHYTUM. (*Pachys*, thick, *phyton*, a plant.) *Crassulaceae*. 5.—1.
 32867 - bracteosum Klotzsch bracteated ♀ Δ or C Mexico ... C s.l
3863. 881b. PACHYPLEURUM G. Don PACHYPLEURUM. (*Pachys*, thick, *pleuron*, a rib.) *Umbelliferae*. 5.—2.
 32868 - alpinum G. Don alpine ♀ Δ un ... my.jl W Altai 1837. D co
3864. 537a. PACHYPODIUM Lindl. (*Pachys*, thick, *podion*, peduncle; thick footstalks; 5 l. *Apocynae*. 2.
 †4392 tuberosum Lindl. tuberous-rooted n. | or 1 su W.R C. G. H. 1813. C s.p Bot. cab. 1676
Echites tuberosa Haw. Hort. Brit. No. 4392.
 †4391 succulentum Lindl. succulent n. | or 1 ap.jn W.R C. G. H. 1820. C s.p Bot. reg. 1312
Echites succulenta Thun. Hort. Brit. No. 4391.
1596. PÆONIA.
 14094 *Moutan*
 5 Hümei Sir Abr. Hume's n. or 2 ap.jn P China 1817. L p.l Bot. reg. 379
 6 rōsea-semiplena semi-dble-rose n. or 2 ap.jn R China 1794. L p.l
 7 rōsea-plena double-rose n. or 2 ap.jn R China 1804. L p.l And. rep. 373
 8 Rawesii Rawes's n. or 2 ap.jn Pa. Pk. China 1820. L p.l
 9 cārnea-plena double flesh-cld n. or 2 ap.jn F China ... L p.l
 10 albida plena double white n. or 2 ap.jn W China ... L p.l
 11 variegata D. Don variegated n. spl $\frac{1}{2}$ ap.jn W.P Eng. hy.? ... L p.l Sw. fl. gar. 2. s. 238
 12 lacera Lindl. cut-petaled n. or 3 $\frac{1}{2}$ ap. Bt. Ro. R Eng. seed. 1831. L p.l Bot. reg. 1771
 13 punicea D. Don red-corrallcd n. spl 3? my Car Eng. seed. 1831. ?L p.l Sw. fl. gar. 2. s. 237
 14 speciosa showy n. spl 2 ap.jn Pk China 1825. L lt.l
 15 atropurpurea Gordon dark-pur.-flwd n. or 24 ap.jn P China 1846. L p.l
 16 salmōnea Gordon salmon-cld-flwd n. or ?3 ap.jn Pa. Sal. China 1846. L p.l
 17 picta Gordon painted n. or ?3 ap. my Pa. Ro. Dp. Ro. St. Canton 1845. L r.l
 18 parviflora Gordon small-flwd n. or ?3 ap. my Pa. Ro. Shanghai 1845. L r.l
 19 globosa Gordon globe-inflor n. or 3 ap. my W.P. blotch Shanghai 1845. L r.l
 20 lilacina Gordon lilac-clsd.-flwd n. or 3 ap. my Li China 1845. L r.l
- 14095 albiiflora Pall.
 10 Pötsii Sab. Potts's n. Δ spl 3 jn C China 1822. D s.l Bot. reg. 1436
 11 Reevesii Sab. Reeves's able n. Δ or 2 my.jn Pk China 1822. R s.l
 12 Richardsonii J. C. Richardson's n. Δ or 3 my.jn W seedling 1833. R s.l
 13 festiva n. Δ or 2 $\frac{1}{2}$ my.jn W.R seedling 1838. R s.l Bot. gard. 905
 P. Makoya Fl. mag.
 32869 - Reevesiana Paxt. Reeves's n. | or 3? su Dp. C China ... C r.l Paxt. mag. i. 197
- 14098 officinalis
 7 anemoides Hook. Anemone-flwd n. ♀ or 3 my.jn R 1830. ?D s.l Bot. mag. 3175
 8 Baxteri Sab. Baxter's n. Δ or 3 ... C Oxford gard. R s.l
 9 Sabini Sabine's n. Δ or 3 my.jn D.C seedling ... R s.l
 ?P. peregrina splendens Hort.
 10 variegata J. C. variegated-ld n. Δ or 3 my.jn C R s.l
 11 multipetala many-petaled n. Δ or 3 my.jn C R s.l
- 14102 tenuifolia L.
 2 flore pleno Goldie dble-flowered n. Δ or 1 $\frac{1}{2}$ my.jn R Russia 1831. D co

- 3 latifolia broad-leaved * Δ or 2 my jn D.C R s.l
insignis Hort.
 32870 14104a Wittmanniana Hartwiss Wittmann's * or 2 my Gsh.Y?Abcharia 1842. R s.l Bot. reg. 1846. 9
 14107 arietina
 2 oxoniensis Oxford * Δ or 2 my jn Pa.Bh R s.l
 subvar. fl. albo white-flwd * Δ or 2 my jn W Oxford seedl. R s.l [W. H. B.]
 32871 - versicolor Hort. various-cld * Δ or 1½ my jn Pk.P Scotch seedl. R s.l
 32872 14112a Brönii Dou. Brown's * Δ or 2 my jn R No. Amer. 1826. R s.l Bot. reg. 1839. 30
2019. PALAVIA.
 32873 18023a rhombifolia *Grah.* rhomb-leaved * \square or 1 jn.s R Ro Lima 1829. S co Bot. mag. 3100
3865. - - PANÆTIA Cass. PANÆTIA. (Meaning unknown.) *Compōsita, Helicthryseæ.*
 32874 - - Rūva Lindl. yellow \circ pr ... my R.Go Swan R, 1837. S lt.1
934. PANCRATIUM.
 32875 7639a plicatum *Liv.* plaited-leaved ∇ \square or 1 jl.au W Macao 1827. O r.m Bot. mag. 2908
2730. PANDANUS.
 32876 - - elegans *Spr.* elegant * \square or ... W I. of France 1826. S r.m
 32877 - - laevis *Lour.* smooth * \square or ... W China 1823. S r.m
186. PANICUM.
 32878 1592a cruciforme *Kth.* Eruca-like \circ cu ... jn jl Ap Samos 1837. S co Fl. gr. 59
 32879 1592b Michauxianum R. & S. Michaux's \circ un ... jn jl Ap R. S. Amer. 1835. S co
mölle Mx. not of Swz.
 32880 1624a tenuissimum R. & S. very-slender \square \square un ... jl.s Ap Brazil 1827. D co
Sporobolus minutiflorus Kth.
1552. PAPAVER.
 32881 13772a crœcum *Led.* saffron-cld * Δ or 1 my Saf Altai 1829. S s.l Bot. mag. 3035
 32882 13774a persicum *Lindl.* Persian \circ or 1½ jn jl Bri Persia 1830. S co Bot. reg. 1570
 13789 orientale
 1 cœcolor self-cld.-flwd * Δ or 3 my jn S S. Europe 1714. R co
 2 maculatum spotted-flwd * Δ or 3 my jn S. bk S. Europe 1714. R co Bot. mag. 57
 32883 - - gariepinum *Burch.* South African? \square or 4 jn R S. Africa 1835. S co Bot. mag. 3623
 32884 - - commutatum *Fisch. et Mey.* changeable \circ or 1 aus S Siberia 1839. S co Bot. gard. 776
Rhœas var.
 32885 - - amœnum *Lindl.* lovely \circ or 1½ ... Ve.W. N. India ... S co
268. PAPPOPHORUM 2267 nigricans *R. Br.*; syn. *Enneapogon nigricans* R. & S.
2861. PARIETARIA.
 32886 - - micrantha small-flowered \circ un 8 ... G 1832. S co
2916. PARKE'RIA 25408 pterides *Hook.*; syn. *Ceratopteris Parkèri* J. Sm., Hook. et Grev. ic. fil. t. 97.
 32887 - - Lockharti *H. F.* Lockhart's * \square or ... my.au Br Trinidad 1834. D p.l
910. PARNA'SSIA.
 32888 - - speciosa *Hort.* showy * Δ \square pr ½ jl.au Crea N. Amer. ... D bog
 ?*P. grandifolia* Dec.
728. PARONYCHIA.
 32889 - - canariensis *J.* Canaries * \square \square cu 1 au.o W Teneriffe 1829. C co
3866. 407a. PARRO'TIA C. A. Meyer PARRO'TIA. *Hamamelidææ.*
 32890 - - persica C. A. Meyer Perslan ... Persia 1834. C p.l [K. & P.]
Hamamelis persica Dec.
1825. PARRYA.
 32891 6130a integriflora *G. Don* very entire-lvd * \square or ½ ap.jn Ro.P Siberia 1829. C p.l
Hesperis speciosa Swt.
1201. PASSERINA.
 32892 - - empetrifolia *Lap.* Empetrum-lvd * \square or 2 jn.s Y Spain 1834. C lp
1923. PASSIFLORA.
 32893 16859a phœnicea *Lindl.* crimson \square \square spl 20 s C 1831. C lp Bot. reg. 1603
 32894 - - Billotti's Billotti's \square or ... su W.Pk 1848. C lt [K. & P.]
 32895 - - Neumannii Neumann's \square or ... su Pa.B hybrid 1847. C lt Paxt. mag. xv. 270
 32896 - - amabilis *Hort.* lovely \square or ?10 my S.W. C lt Paxt. mag. 4406
 32897 16864a raii *Alf.* Elm-leaved \square or ... jlo ... W. Indies 1819. C p.l
 32898 16868a Cavaniillesi Dec. Cavaniilles's \square or ... jlo ... W. Indies 1822. C lp Cav. dis. 273
 32899 16874a Anderssoni Dec. Anderson's \square or ... jlo Str St. Lucia 1823. C lp
 32900 - - cephalma *Bory* head-wreath \square or ... jlo ... Brazil 1826. C lp Bory ann. 22. 2
 32901 - - albicans *H. C.* whitish \square or 20 jn.o Wsh Mexico 1826. C r.m
 32902 16885a nigelliflora *Hook.* Nigella-flwd \square or 10 s W.G B. Ayres 1835. C p.l Bot. mag. 3635
 32903?16889a Mayana May's \square or 30 ... Eng. hyb. 1833. C r.m
 32904 - - onychina *Lindl.* *Licut. Sulivan's* \square or 10 n B B. Ayres 1827. C lp Bot. reg. 1838. 21
Sulivani Booth MS.
- 32905 - - tucumanensis *Hook.* Tucuman \square or 10 jl W.G Chili 1836. C p.l Bot. mag. 3636
 32906 - - gossypifolia *Desv.* Cotton-tree-lvd \square \square cu 8 au W W. Indies 1831. C r.l Bot. reg. 1634
hibiscifolia Dec. Prod. 3. 331. — *Dr. Lindl. y.*
- 32907 - - kermesina *L. & O.* crimson \square \square spl 20 all sea C 1831. L r.l Bot. reg. 1633
 2 Lemcheziana *Paxt.* Lemchez's \square or 20 aut S 1834. C p.l Paxt. mag. 14.151
 32908 - - Loudoni *Atkins* Loudon's \square or 20 aut S 1834. C p.l [W. H. B.]
 32909 - - verrucifera *Lindl.* wart-bearing * \square cu 30 ap Pa.G ?Brazil 1837. C p.l Bot. reg. 1840. 52
 32910 16899a Raddiana Dec. Raddi's \square or 10 jl.s W Brazil 1825. C p.l
 32911 - - Middletoniana *Paxt.* Middleton's * \square pr 6 su G.Pk.P S. Amer. 1837. C co Paxt. mag. ix. 51
fragrans Hort.
- 32912 - - actinia *Hook.* sea-anemone-like \square cu 10 f G Brazil 1842. C co Bot. mag. 4009
 32913 - - Mooreana *Hook.* Mr. Moore's \square cu 20 fl W B. Ayres 1837. C co Bot. mag. 3773
 32914 - - alba *G. Don* white \square or ... au.o W Brazil 1830. C p.l
 32915 - - pubescens *Dec.* pubescent \square or ... au.o G.W Caraccas 1825. C p.l

- 32916 - - Buonapar \acute{e} ta Buonaparte's $\text{\textcircled{a}}$ or ... jn R.B.W C p.1
 32917 - - hispida Lindl. hispid $\text{\textcircled{a}}$ or ... my.jl Y.W Mexico 1838. C p.1
 32918 - - difformis H. B. K. deformed $\text{\textcircled{a}}$ or ... s.o G.Bk Sta. Martha 1844. C l.p.^o
 By misapprehension or oversight, all the species of Passiflora, Muruc \acute{u} a, and Tacsonia, in Hort. Brit. pp. 269, 270. are marked as evergreen twiners ($\text{\textcircled{a}}$): none of them entwine, all climb and are evergreen ($\text{\textcircled{b}}$).

1907. PATERSONIA.
 32919 - - sapphirina Lindl. sapphire $\text{\textcircled{a}}$ or ... 1 jl.au B S. River 1837. ... s.p Bot. reg. 1839, 60
 3867. - - PAULOWNIA Sieb. (In honour of the Hereditary Princess of the Netherlands.) Scrophulariaceae 14.—2.
 32920 - - imperialis Sieb. imperial $\text{\textcircled{a}}$ or 30 ap Li Japan 1840. C co Ladies' m. of g., t.1

382. PAVE'ITA.
 32921 3295a castra Bow. Caffrarian $\text{\textcircled{a}}$ or 4 au W C. G. H. 1823. C p.1 Bot. mag. 3580
 32922 3294a tomentosa Dec. woolly $\text{\textcircled{a}}$ or ... au.o W E. Indies 1824. C p.1

1158. PAVIA.
 9283 rubra
 3 sublaciniata Wats. slightly-cut-*lvd* $\text{\textcircled{a}}$ or 6 my.jn R 1823? G co Den. br. 120
 4 humilis A. B. dwarf $\text{\textcircled{a}}$ or 3 my.jn R G co Bot. reg. 1318
 P. humilis G. Don, Hort. Brit. p. 143. *Æsculus humilis* L. od.
 5 humilis pendula A. B. pend. dwarf $\text{\textcircled{a}}$ or ... R G co
 9286 discolor Svt. two-cld-*flwd* $\text{\textcircled{a}}$ or 5 my R.Y N. Amer. 1812. G s.1 Bot. reg. 310
Æsculus discolor Pursh. *Pavia hybrida* Dec., Hort. Brit. p. 143.
 32923 9288a macrocarpa Hort. long-fruited $\text{\textcircled{a}}$ or 20 ... R.v 1826? G co
Æsculus Pavia macrocarpa L. od. *P. macrocarpa* Hort. Soc. Gard.
 32924 - - californica Hartw. Californian $\text{\textcircled{a}}$ or 30 ... W California 1848. G co [G. G.]
 32925 - - indica Wall. Indian $\text{\textcircled{a}}$ or ... N. of India 1844. G co [G. G.]
 There is a plant bearing the name of P. nana in the Exotic Nursery, Chelsea.

2011. PAVONIA Schrankii Spr., Bot. Mag., 3692; syn. 2013. *Lebretonia* 17925 coccinea Schrank in p. 2-8.

3868. - - PAXTONIA (J. Paxton, F.L.S., &c., cond. of Mag. of Bot., and a successful cultivator.) Orchidaceae.
 32926 - - rosea Lindl. rose-coloured $\text{\textcircled{a}}$ or $\text{\textcircled{a}}$ pr $\frac{1}{2}$ s.o Pk Philippines 1837. D p.1 Bot. reg. 1838, 60

1781. PEDICULARIS.
 32927 15880a pyramidata Lindl. pyramidal $\text{\textcircled{a}}$ or ... su P N. India 1838. S p.1
 32928 15885a megalantha Wall. large-headed $\text{\textcircled{a}}$ or ... sp Y Himalayas 1838. S p.1

1929. PELARGONIUM.

Garden Varieties.

- | | | |
|-----------------------------------|--------------------------------------|----------------------------------|
| abutiloides Sw. ger. n. s. 2. | flagrans Sw. ger. n. s. 15. | nütans Sw. ger. n. s. 86. |
| acutidentatum Sw. ger. n. s. 40. | glabrescens Sw. ger. n. s. 41. | Obricuriatum Sw. ger. n. s. 10. |
| acutidentatum Sw. ger. n. s. 36. | graphicum Sw. ger. n. s. 11. | anathifolium Sw. ger. n. s. 12. |
| alatum Sw. ger. n. s. 25. | hamaticum Sw. ger. n. s. 17. | papyraceum Sw. ger. n. s. 21. |
| anacampton Sw. ger. n. s. 64. | heteromallum Sw. ger. n. s. 30. | perclarum Sw. ger. n. s. 67. |
| anisodontum Sw. ger. 398. | Hilliatum Sw. ger. n. s. 47. | penastictum Sw. ger. n. s. 24. |
| bipinnatifidum Sw. ger. n. s. 62. | insculptum Sw. ger. n. s. 65. | perampulum Sw. ger. n. s. 61. |
| calamistratum Sw. ger. n. s. 32. | Kenrickæ Sw. ger. n. s. 58. | Pentonia Sw. ger. n. s. 42. |
| callistum Sw. ger. n. s. 8. | laciniatum (viii.) Sw. ger. n. s. 2. | pecturatum Sw. ger. n. s. 31. |
| carbasiatum Sw. ger. n. s. 34. | latidentatum Sw. ger. n. s. 27. | plectophyllum Sw. ger. n. s. 37. |
| coiphylum Sw. ger. n. s. 3. | Lawrenceanum Sw. ger. n. s. 22. | poculifolium Sw. ger. n. s. 31. |
| compactum Sw. ger. n. s. 70. | Littleanum Sw. ger. n. s. 72. | rhopodetalon Sw. ger. n. s. 13. |
| commixtum Sw. ger. n. s. 11. | Loudonianum Sw. ger. n. s. 16. | saturatum Sw. ger. n. s. 33. |
| concretum Sw. ger. n. s. 23. | magnifolium Sw. ger. n. s. 9. | succulentum Sw. ger. n. s. 69. |
| cordiforme Sw. ger. n. s. 45. | malacophyllum Sw. ger. 397. | suffulium Sw. ger. n. s. 43. |
| cratagifolium Sw. ger. n. s. 18. | malachraefolium Sw. ger. n. s. 1. | tinctum Sw. ger. n. s. 29. |
| Cummingiæ Sw. ger. n. s. 35. | megalanthum Sw. ger. n. s. 3. | toruosum Sw. ger. n. s. 39. |
| Darleydianum Sw. ger. n. s. 63. | megaleon Sw. ger. n. s. 4. | transluens Sw. ger. 395. |
| Debürghe Sw. ger. n. s. 20. | megalostictum Sw. ger. n. s. 7. | urbaniatum Sw. ger. n. s. 46. |
| decorum Sw. ger. n. s. 14. | melanostictum Sw. ger. n. s. 5. | vestifium Sw. ger. n. s. 26. |
| divergens Sw. ger. n. s. 35. | mirabile Sw. ger. n. s. 57. | Victorianum Sw. ger. n. s. 6. |
| dissimile Sw. ger. n. s. 60. | nodosum Sw. ger. n. s. 68. | Yeatmanianum Sw. ger. n. s. 69. |
| eratum Sw. ger. n. s. 28. | nubilum Sw. ger. n. s. 19. | zngiberinum Sw. ger. n. s. 38. |
| fabellifolium Sw. ger. n. s. 44. | | |

- 32929 - - littorale Hig. shore S. River 1837. C r.m
 32930 - - staphisagrioides Swt. Stavesacre-like $\text{\textcircled{a}}$ or $\frac{1}{2}$ my.o P C. G. H. 1827. C r.m Sw. ger. 2. s. 98

373. PENÆA.

- 32931 3249a imbricata Grah. imbricate-*lvd* $\text{\textcircled{a}}$ or 2 jn.jl Pk C. G. H. 1824. C p.1 Bot. mag. 2809

3869. 2873a. PENTACRYPTA Leh. PENTACRYPTA. (Pente, five, krypte, a vault.) Umbellifcræ. 1.
 32932 - - atropurpurea Leh. dark-purple $\text{\textcircled{a}}$ or un 2 ... P Mexico 1829. S co

3870. 2864a. PENTA'PTERA Roxb. PENTAPTERA. (Pente, five, pteron, a wing; fruit.) Combretæcæ. 23.—1.
 32933 - - Arjuna Dec. Arjuna $\text{\textcircled{a}}$ or ... W E. Indies ... C p.1
 32934 - - bialata H. B. two-winged $\text{\textcircled{a}}$ or ... W E. Indies 1825. C p.1
 32935 - - paniculata Dec. panicked $\text{\textcircled{a}}$ or ... W E. Indies 1826. C p.1
 32936 - - tomentosa Dec. tomentose $\text{\textcircled{a}}$ or ... W E. Indies 1824. C p.1

3871. 3886. PE'NTAS Benth. (Pente, five; quinary arrangement of the parts of the flower.) Rubiæcæ. 5.—1.
 32937 - - carnea Benth. flesh-cld-*flwd* $\text{\textcircled{a}}$ or $\frac{1}{2}$ my.jn F Africa 1842. C p.1 Bot. mag. 4086
 32938 - - parviflora Hook. small-flwd $\text{\textcircled{a}}$ or 2 my.jn F S. Africa ... C s.1.p

3872. 974a. PENTLA'NDIA W. Herb. (J. B. Pentland, Esq., Consul-General in Peru.) Amaryllitæcæ. 6.—1.
 32939 - - miniata W. Herb. red-lead cld $\text{\textcircled{a}}$ or 1 au.s R Peru 1839. O co Bot. reg. 1839, 68
 1 lacuosa W. Herb. lacuose $\text{\textcircled{a}}$ or 1 au.s O Peru 1839. O lt
 2 Sulivânica W. Her. Comm. Sulivan's $\text{\textcircled{a}}$ or 1 au.s V Peru 1839. O it

1717. PENTSTEMON.

- 32940 - - gentianoides Humb. Gentian-like $\text{\textcircled{a}}$ or 4 jl.o Psh.B Mexico 1846. C co
 gentianoides terra of the nurseries.

- †15461 *Hartwegii* Lindl. Hartweg's $\text{♀} \Delta$ or 2½ jn.n Di.P Mexico 1825. C co
gentianoides Hort. No. 15461. in p. 244. *Chelone gentianoides* Humb.
2 *coccinea* scarlet $\text{♀} \Delta$ or 2½ jn.n S seedling ... C co
3 *splendens* splendid $\text{♀} \Delta$ or 2½ jn.n S seedling ... C co Paxt. mag. ix. 175
4 *alba* white-flwd $\text{♀} \Delta$ or 2½ jn.n W seedling 1845. C co
5 *diaphanum* transparent $\text{♀} \Delta$ or 2½ jls Ro. S Mexico 1843. C co Bot. reg. 1845. 16
32941 - *miniatus* Lindl. vermilion-oid.-flwd $\text{♀} \Delta$ pr 21 jls Ve. Ro Mexico ?1846. C s.l.d Bot. reg. 1847. 14
32942 - - Mc Ewani McEwan's $\text{♀} \Delta$ or 1½ au.o S hybrid 1844. C It Paxt. m. 14. 174
32943 - - azurum Hartw. blue-flwd $\text{♀} \Delta$ or ½ jn.au B Mexico 1848. C co
32944 - - staticifolius Lindl. Sea-lavender-flwd $\text{♀} \Delta$ or 1½ jn l i Columbia 1833. D p.l Bot. reg. 1770
32945 - - argutus J. B. neat $\text{♀} \Delta$ or 3 ... B Columbia 1825. D p.l Paxt. mag. vi. 271
32946 - - breviflorus Lindl. short-flowered $\text{♀} \Delta$ pr 2 s W.P. California ... D p.l Bot. reg. 1946
32947 - - Cobea'a Nutt. Cobea-flwd $\text{♀} \Delta$ or 2½ aut W.P.Y.R Texas 1835. S s.l Bot. mag. 3465
32948 - - glaberrimus J. B. smoothest $\text{♀} \Delta$ or 2 ... B Columbia 1835. D p.l
32949 - - heterophyllus Lindl. various-leaved $\text{♀} \Delta$ or 1½ jn.o R California 1835. C co Bot. reg. 1899
32950 - - Murrayanus Hook. Murray's scarlet $\text{♀} \Delta$ or 3 aut S S. Felipe 1835. S. D p.l Bot. mag. 3472
32951 - - crassifolius Lindl. thick-leaved $\text{♀} \Delta$ or 1 jn B N. Amer. ... D co Bot. reg. 1838. 16
32952 15444a pulchellus Lindl. pretty $\text{♀} \Delta$ pr 1½ jn.au Li Mexico 1827. D p.l Bot. reg. 1138
Chelone elegans Kth. *Postæmon elegans* No. 15444
32953 - - Scouleri Dou. Scouler's $\text{♀} \Delta$ or 3 my.jn P.B N. Amer. 1827. D co Bot. reg. 1277
32954 15447a diffusa Dou. diffuse $\text{♀} \Delta$ or 1½ jn.p N. Amer. 1826. D p.l Bot. reg. 1132
32955 - - triphylla Dou. three-leaved $\text{♀} \Delta$ or 1½ jl.au Pk California 1827. D p.l Bot. reg. 1245
32956 15457a glandulosa Dou. glandular $\text{♀} \Delta$ or 2 jn.jl Pa.P N. Amer. 1827. D p.l Bot. reg. 1262
32957 - - ovata Dou. ovate-leaved $\text{♀} \Delta$ spl 4 jn.au B N. Amer. 1826. D p.l Bot. mag. 2903
32958 - - speciosa Dou. showy $\text{♀} \Delta$ or 3 jls B N. Amer. 1827. D co Bot. reg. 1270
32959 - - Gordonii Hook. Gordon's $\text{♀} \Delta$ or 1½ jn SkyB Rocky Mts. 21845. C co Bot. mag. 4215
32960 - - acuminata Dou. acuminate $\text{♀} \Delta$ or 1 jn.au P N. Amer. 1827. D co Bot. reg. 1285
32961 - - venusta Dou. graceful $\text{♀} \Delta$ or 2 jls P N. Amer. 1827. C co Bot. reg. 1309
32962 - - pruinosa Dou. frosted $\text{♀} \Delta$ or 1 jn.jl B N. Amer. 1827. D co Bot. reg. 1280
32963 - - deusta Dou. blasted $\text{♀} \Delta$ or 1 ... P N. Amer. 1827. D co
32964 - - attenuata Dou. tapering $\text{♀} \Delta$ or 1½ jl.au Pa.Y N. Amer. 1827. D co Bot. reg. 1295
32965 - - glauca Dou. glaucous $\text{♀} \Delta$ or 1 jn.au Pa.Li N. Amer. 1827. D p.l Bot. reg. 1286
32966 - - procera Dou. tall $\text{♀} \Delta$ or 1 jn.au P N. Amer. 1827. D p.l Bot. mag. 2954
32967 - - conferta Dou. crowded-flwd $\text{♀} \Delta$ or 2 jl.au Pa.Y N. Amer. 1827. D p.l Bot. reg. 1260
32968 - - Mackayanus K. & W. Mackay's $\text{♀} \Delta$ or 1 au P.W.Y Ohio 1834. D co Fl. cab. 2. 117
94. PEPERO'MIA.
32969 - - pallescens Niquel pale $\text{♀} \square$ cu ... jl G Guatemalal 1846. C It
1100. PE'PLIS.
32970 9091a occidentalis Spr. western $\text{♀} \square$ un ¼ jl G Guadalou. 1829. S bog
3873. 2170a. PERAL'TEA Hook. PERALTEA. (*Jos. Peral*, of N. Spain; a botanical collector.) *Leguminosa*. 17.—4.
32971 - - lupinoides Dec. Lupine-like $\text{♀} \square$ or ... s.n P New Spain 1827. C l.p
2355. PERD'CIUM 21569 Anántria R. Br.; syn. *Anántria bellidiástrum* Dec.
1476. PERE'SKIA.
32972 12631a Blèe H. & K. Bleo $\text{♀} \square$ fr 5 o.ja Ro Mexico 1827. C p.l Bot. reg. 1473
32973 - - Petiâche Karw. Petiache $\text{♀} \square$ or Mexico 1838. C s.l.p
32974 - - crassicaulis Zucc. thick-stemmed $\text{♀} \square$ or Mexico 1838. C s.l.p
spathulata Otto MSS.
3874. 2340a. PERICALLIS D. Don. (*Perikalles*, very pretty; radial ligule beautiful.) *Compositæ*. 8.—
32975 - - Tussilâginis D. Don Coltsfoot-flwd $\text{♀} \Delta$ or 1 w.sp Li Tenerife 1829. S s.l Sw.fl.gar. 2 s. 228
Cineraria Tussilâginis Hérit., Hooker in Bot. mag. 3215. *Senecio Tussilâginis* Lindl. in Bot. reg. 1550.
Mr. D. Don has, in the place cited, investigated the structure and affinities of this plant; and deems it a form of a distinct and natural genus, which he has characterised, and named Pericallis. To it he would refer this plant, and *Cineraria cruenta*, aurata, lãcea, lanata, multiflora, populifolia, and malvaefolia. The genus Pericallis has, he has remarked, the habit of *Tussilãgo*, the involucrem of *Othónna*, and the corolla of *Senecio*.
3875. 1670a. PERILO'MIA II. & K. (*Peri*, around, *loma*, margin; fruit with a membranous border.) *Labiatæ*.
32976 - - ocyrnoides Kth. Basil-like $\text{♀} \square$ or 3 au.s P Peru 1829. C s.l Bot. reg. 1394
3876. 2530a. PERISTE'RIA Hook. DOVE FLOWER. (*Peristera*, a dove; its column resembles.) 20. 1. *Orchidacæ*. 1.
32977 - - elata Hook. lofty $\text{♀} \Delta$ or 4 su Ysh Panama 1826. D p.r.w Bot. mag. 3116
32978 - - cærina Lindl. waxen $\text{♀} \Delta$ or 1 jn Y Sp. Main 1835. D p.r.w Bot. reg. 1953
32979 - - guttata K. & W. spotted $\text{♀} \Delta$ or ¼ au R.Y S. Amer. 1837. D p.r.w Fl. cab. 2. 99
ærina var.
32980 - - pëndula Hook. pendulous $\text{♀} \Delta$ or 1 ja Gsh.W Demera. 1835. D p.r.w Bot. mag. 3479
32981 - - Bärkeri Bate. Bärker's $\text{♀} \Delta$ or 2 mr.jn Y Mexico 1837. D p.r.w Bot. mag. 4203
Acineta Bärkeri Paxt. mag. bot. 14. 145.
32982 - - Humboldtii Lindl. *Barron* Humboldt's $\text{♀} \Delta$ or 2 mr R Venezuela 1841. D p.r.w Bot. reg. 1843. 18
Acineta Humboldtii Lindl.
β fulva Hook. tawny-flwd $\text{♀} \Delta$ or 2 jn Taw.Br.sp.s Venezuela 1842. D Bot. mag. 4156
Anguloa superba H. B. K. Nov. Gen. et Sp. Am. l. p. 343. t. 93.; Lindl. Gen. et Sp. Orchid. p. 160.
32983 - - lentiginosa Lo. C. speckled $\text{♀} \Delta$ or ... su Y Guiana 1837. D fib.p
32984 - - stapelioides Lindl. Stapelia-like $\text{♀} \Delta$ cu ... su Pa.Y.Br Sp. Main 1839. D fib.p
3877. - PERI'STYLUS Lk. & Otto PERISTYLUS. (*Peri*, around, *stylos*, the style.) *Orchidacæ*. 20.—1.
32985 - - latifolius Lk. & Otto broad-leaved $\text{♀} \Delta$ or ... my.jl W Mauritius ... R s.l.p
Satyrinum latifolium Thou., Hcrminium latifolium L.
32986 - - goodyeroides Lindl. Goodyera-like $\text{♀} \Delta$ or ... o W Ceylon ?1840. R s.l.p
Nos. 22497. 22455. and 22456. also belong to this genus.
- 3877*. 1341a. PERNE'TTYA Gaudich. (*Dom Pernetty*, author of a Voyage to the Falkland Isles.) *Ericacæ*. 4.
†11080 pùmila Gaudich. dwarf $\text{♀} \square$ or 4 ... W Magellan 1820. L s.p
A'rbutus pùmila Forst., Hort. Brit. No. 11080.
32987 - - mucronata Gaudich. pointed-flwd $\text{♀} \square$ or 6? my.jl W Magellan 1828. L p Bot. reg. 1675
A'rbutus mucronata L. fil., Gralian in Bot. Mag. 3093. [and Bot. gard. 768.
32988 - - angustifolia Lindl. narrow-leaved $\text{♀} \square$ pr 2 jn W Valdivia 1834. C s.p Bot. reg. 1840. 63

1499. *PER'SICA* (*Amigdalus Persica* L.) 12946 vulgâris *Mil.*
 4 álba *Lindl.* white or 14 ap.my W Persia ... B I Bot. reg. 1586
 5 fól. variegâtis *Hort.* varieg.-leaved 彡 or 15 ap.my R Persia ... B co
 6 comp'rêssa *Hort.* flat-fruited fr 15 ap.my R Spain ... B co [K. & P.]
 7 pëndula drooping or ... ap.my W 1842. B co [K. & P.]
 8 hispânica Spanish or ... ap.my W Spain 1847. B co
 9 frâctuo-plêno double-fruited 彡 or 215 ap.my R China ?1845. B co J.H.S. 3. 313. fig.
 10 sanguinea plêna *Gord.* double-red-frwd 彡 or 215 ap.my R China 1845. B co
314. *PERSOO'NIA.*
 32989 2593a pállida *Grah.* pale 彡 or 2 jl O N. Holl. 1824. C s.p.l
 32990 2593b lácida *Lin. Tr.* shining or ... jn.au Y N. S. W 1824. C s.p.l
 32991 2602a spatulâta *R. Br.* spatulate-*lvd* 彡 or 3 my.jl Y N. Holl. 1824. C p.l
 32992 2604a myrtillôides *Sieb.* Myrtillus-like 彡 or ... Y N. S. W 1837. C l.p
 32993 2604b Laurêola *B. R.* Spurge-Laurel-*lk* 彡 or ... Y S. River 1840. C s.p.l
 32994 2604c biloba *B. R.* two lobed-*lvd* 彡 or ... Y S. River ... C s.p.
 32995 2604d brevifôlia *B. R.* short-leaved 彡 or ... Y S. River 1840. C s.p.
 32996 2604e Frasêri *B. R.* Fraser's 彡 or ... Y S. River ... C s.p.
 32997 2604f heterophýlla *B. R.* various-leaved 彡 or ... Y S. River ... C s.p.
 32998 2604g macrostâcha *B. R.* large-spiked 彡 or ... Y S. River ... C s.p.
 32999 2604h Drummôndi *B. R.* Drummond's 彡 or ... S. River ... C s.p.
3878. 2480a. *PERULA'RIA Lindl.* PERULARIA. (Not explained.) *Orchidâccæ.* 20.—1.
 33000 - fuscâscens *Lk. & Otto* dingy 彡 Δ pr ... ap.jn P Siberia ... R s.l.p
O'rchi's fuscâscens L.
3879. 2399a. *PERYMENIUM Dec.* PERYMENIUM. (Derivation not given.) *Compositæ.* 19.—2.
 33001 - Barclayânum *Dec.* Barclay's 彡 or ... jl.o Cop Mexico 1830. C p.l
 33002 - discolor *Dec.* two-coloured 彡 or ... s.n W Mexico 1830. C p.l
3880. 2558a. *PESOMERIA Thou.* PESOMERIA. (From *pipto* (*peso*), to fall, and *meros*, a part.) *Orchidâccæ.*
 33003 - tetragona *Thou.* four-cornier-*stem* 彡 □ cu 2 d Br Maurit. 1837. D p.r.w
3881. 1727c. *PETAL'DIUM Nees.* (? *Petalon*, a petal; on account of its conspicuous corolla) *Acanthâccæ.* 14.—2.
 33004 - barleriôides *Nees* Barleria-like 彡 or 2 jn.au W India ... C s.l.p Bot. mag. 4053
Ruëllia barleriôides Roth.; Spreng., Wall.; *R. bracteâta* Roxb.
1755. *PETRE'A.*
 33005 - Stapeliæ *Paxt.* *Stapelia-flwd* 彡 □ or 20 jn Li ?S. Amer. ... C r.m Paxt. mag. 4. 199
3882. 611a. *PETROMAR'ULA Pers. & A. Dec.* PETROMARULA. (*Petros*, a rock, *maron*, an herb.) *Campan.* 1.—
 †5172 pinnâta *Pers.* winged-*lvd* 彡 Δ or 3 au Pa.B Candia 1640. D r.l Sw.fl.gar. 2.s. 124
Phytûma pinnâtum W. and others, *Hort. Brit.* No. 5172.
302. *PETRO'PHILA.*
 33006 2438a canescens *Cun.* canescent 彡 or 3 ... W N. Holl. 1830. S s.p
 33007 2436a acicularis *R. Br.* needle-*lvd* 彡 cu ... ap W.R K. G. S. 1830. S s.p Bot. mag. 3469
 33008 2442a heterophýlla *Lindl.* various-*lvd* 彡 or ... S. River ... S s.p
 33009 2442b juncifôlia ? *Lindl.* rush-leaved 彡 or ... S. River ... S s.p
 33010 2442c brevifôlia ? *Lindl.* short-leaved 彡 or ... S. River ... S s.p
 33011 2442d glanduligera ? *Lindl.* gland-bearing 彡 or ... S. River ... S s.p
3883. 885a. *PETROSELL'NUM Hofm.* PARSELEY. (*Petros*, a rock, *selînon*, parsley; habitat.) *Umbelliferae.* 3.
 33012 - sativum *Hofm.* cultivated 彡 □ cul 2 jn.jl L.Y Sardinia 1548. S co
A'pium Petroselinum L. No. 6833.; also No. 6807. of Sison, and No. 6975. of Ligústicum.
489. *PETUN'IA.*
 33013 4071a acuminâta *Grah.* acuminate-*lvd* 彡 Δ or 2 jn.s W Chili 1827. S co
 33014 - intermêdia *D. Don* intermediate 彡 Δ or 1 au.o P.y Parana 1832. S lt Sw.fl.gar. 2.s 237
Salpiglossis lineâris Hook., incidentally in the text of Bot. Mag. t. 3113.; stately, and with a figure, in Bot. Mag. t. 3256. Gard. Mag. 9. 621. *Nierembèrgia intermêdia* Graham in Edin. Ph. J. 1833. *Nierembèrgia* section *Petûnia*, species *intermêdia* D. Don, in Sw. Fl. Gard. 2. s. May. 1834. t. 237.
 33015 - phœnicea *D. Don* purple *flwd* 彡 spl 2½ jn.n C.P Bu. Ayr. 1831. C s.l Bot. reg. 1626
Salpiglossis integrifolia Hooker in Bot. Mag. 3113. *Petûnia phœnicea* D. Don. *Nierembèrgia phœnicea* D. Don, with a figure in Sw. Br. Fl. Gard., June, 1833, t. 193. *Petûnia violâcea* Lindl. in Bot. Reg., November, 1833, t. 1626.
 33016 - Atkinsiâna *D. Don* Mr. Atkins's O or 2 jl.o Ro.P Eng. hyb. 1834. C lt Sw.fl.gar. 2.s. 268
882. *PEUCE'DANUM.*
 33017 - geseliôides Segeli-like 彡 Δ un ... 1831. D co
 33018 - dahuricum *Led.* Dahurian 彡 Δ un ... 1831. D co
 Nos. 6934, 6935, 6937, 6940, 6944, 6945, 6947. of *Selinum*, No. 6932, of *Thysselinum*, and No. 6853. of *Cnidium* belong to this genus.
126. *PEYROU'SIA*: substitute this word for *Lapeyroúsia*; and see *Rôchea* for the reason of the change.
3884. 737b. *PFA'FFIA Mart.* PRAFFIA. (— *Pfaff*, a German botanist?) *Amaranthâccæ.* 5.—1.
 33019 - gnaphaliôides *Mart.* cud-weed-like 彡 □ cu ... jn.au W Brazil 1822. C s.p
Celôsia gnaphaliôides L.
2100. *PHA'CA H.*
 33020 18843a canescens *H. & A.* canescent 彡 Δ ... 1 2jn.jl Pa.Ro Valpar. 1831. ?S l
 33021 18844a lûtea *Led.* yellow 彡 Δ pr 1 jl.au Y Siberia 1827. R co
 33022 18844b densifolia *Sm.* crowded-leaved 彡 Δ pr 1 jl.au R California 1822. R co
 33023 18846a astragalina *Dec.* Astragalus-like 彡 Δ pr 1 jn.jl W.B Scotl. Clova mo. S s.l Bot. cab. 429
 33024 18848a triangulâris *Fis.* triangular 彡 Δ pr 1 jl.au B Siberia 1824. R co
 33025 18848b exaltâta *Led.* tall 彡 Δ pr 1 jl.au Y Altai 1828. R co
477. *PHACE'LIA.*
 33026 3934a congêsta *Hook.* grouped-*racem.* O or 1 ½ jn Br.psh.B Texas 1835. S co Bot. mag. 3452
 33027 - tanacetifolia *Benth.* Tansy-leaved O or 2 jn.s V Californ. 1832. S co Bot. reg. 1696
 33028 - vitifolia *Paxt.* Vine-leaved O pr 1 ½ au.o Bt.B Texas 1834. S lt.l Paxt. mag. 3. 121

385. 940b. PHÆDRANA'SSA Herb. PHÆDRANASSA. (*Phaidros*, gay, *anassa*, queen.) *Amaryllidacæ*. 6.—1.
33029 - chloræra Herb. crimson & gr.-flwd ♂ or 1 ja.mr C.G Peru ... O It.s.l Bot. reg. 1845. 17
3846. 2558a. PHA'IUS Paxt. PHAIUS. (*Phaio*, to shine; splendour of the flowers.) *Orchidacæ*. 20.—1.
33030 - bicolor Lindl. two-colour. flwd or 2 jl Ro. Ysh.w Ceylon ... D p.r.w Bot. mag. 4078
†22760 maculatus B. C. spotted-cl-leaved or 2 jajn Y Nepal 1823. D p.r.w Bot. cab. 1803
- 33031 - *Blëia Woodfordii Hort. Brit. No. 22760.* white spl 2 jl W.P.G Nepal ?1837. D p.l Bot. reg. 1838. 33
33032 - Wallichii Paxt. Dr. Wallich's or 2 jl Y.S. Khosae 1837. D p.l Paxt. mag. vi. 193
33033 - callösus Lindl. thick-tipped or ... mr Rsh.Br Java 1848. D
3887. 22554a. PHALENO'PSIS *Blume* BUTTERFLY PLANT. (*Phalaina*, a moth, *opsis*, resemblance.) *Orchidacæ*.
33034 - amabilis Blume lovely or 1½ jn W.r.y Manilla ?1836. D p.r.w Bot. reg. 1838. 34
Epidendrum amabile L.; *Angraecum album majus* Rumph.
2 longifolia long-leaved or ... year. W Manilla 1842.
3 rotundifolia round-leaved or ... year. W Manilla 1837.
33035 - grandiflora Lindl. large-flwd or ... s W Java 1847.
33036 - rosea Lindl. rose-cld-flwd or 1½ ... Dp.V Manilla 1848. D fib.p
1063. PHALA'NGIUM.
33037 882a longifolium Grah. long-leaved or 2 s G Lima 1829. D p.l
8906 pomeridianum
Anthuricum pomeridianum Bot. Reg. 564., Schult. Fil. Syst. 7. p. 475. *Scilla pomeridiana* Dec. Hort.
Monsp. p. 143., Poir. Dict. Suppl. 5. p. 89., Redout. Lil. t. 421. •
216. PHA'LARIAS.
33038 1826a angüsta Kth. narrow un ... jn.au Ap Brazil 1838. S co
- 3887*. 1193a. PHALEROCA'RPUS G. Don PHALEROCARPUS. (*Phalcros*, white, *karpos*, fruit.) *Ericacæ*.
Oxycoëcus, No. 10093. p. 156., is referrible to this genus.
3888. 1911a. PHALOCA'LLIS Hook. (*Phalos*, cone, *kallös*, beauty; delicacy of cone formed by crest.) *Iridacæ*. 16.—1.
33039 - plümbea Lindl. lead-coloured or 1½ at Lead Mexico 1837. O s.l Bot. mag. 3710
Cypella plumbea Lindl.; *Bot. reg.* 1838. misc. p. 71.
3889. 492a. PHARBITIS Choisy. PHARBITIS. (Meaning doubtful.) *Convolvulacæ*.
33 40 - diversifolia Lindl. various-lvd or 8 jns B.R Mexico ?1836. R co Bot. reg. 1988
33041 - ostrina Lindl. purple or 20 su D.P Cuba 1839. C It Bot. reg. 1842. 51
33042 - cathartica Choisy., Bot. mag. 4289., syn. *Ipomœa pudibunda*, No. 4163. in p. 63. of this work, *Convolvulus portoricensis* Spr. Syst. Veg. v. i. p. 593.
906. PHARNA'CEUM.
33043 7259a Hoffmanseggiânum R.&S. Hoffmans. cu 4 jl.au W Brazil 1829. D co
2149. PHASE'OLUS.
33044 - lobatus Hook. lobed-lvd cu 26 s Y Rio Negro?1842.S s.l Bot. mag. 4076
1479. PHILADE'LPHIUS.
33045 12642a Zeyheri Schrad. Zeyher's or 4 jn W N. Amer. ... L co E.of T. & S. f. 824
33046 12642b verrucosus Schrad. warty or 8 jn W N. Amer. 1800. L co Bot. reg. 570
33047 12642c latifolius Schrad. broad-leaved or 10 jn W N. Amer. 1815. L co E.of T. & S. f. 826
33048 12642d floribundus Schrad. bundle-flwd or 10 jn W 1815. L co E.of T. & S. f. 827
33049 12642e speciosus Schrad. showy or 12 jn W 1815. L co Bot. reg. 2003
grandiflorus of German gardeners, *grandiflorus laxus* of other gardeners.
33050 12642f Gordonianus Lindl. Gordon's or 10 jn jl W N. Amer. 1823. L co Bot. reg. 1839. 32
33051 - laxus Schrad. loose-growing or 4 jn jl W N. Amer. 1830. L co Bot. reg. 1839. 39
humilis Hort., *pubescens* L. C.
12644 *grandiflorus* W.; syn. *inodorus* Hort., *laxus* L. C.
12645 *hirsutus* Nutt.; syn. *villosus* L. C., *gracilis* L. C.
33052 12645a tomentosus Wall. woolly or 6 jl W Nepal 1822. L co Royle ill. 46. 1
nepalensis L. C.
33053 12645b triflorus Wall. three-flwd or 4 ... W Himalayas ... L co
33054 - mexicanus Schlec. Mexican or 2 jn W Mexico 1840. C co Bot. reg. 1842. 35*
3890. - PHILIBERTIA Kth. PHILIBERTIA. (*M. Philibert*, a botanical author.) *Asclepiadacæ*.
33055 - gracilis D. Don slender el 6 jn Y.w B. Ayres 1836. C s.l Sw. fl. gar. 2. s. 403
grandiflora Hook., Bot. Mag. 3618. This plant varies much in the colour of the flowers, from pale yellow to greenish yellow blotched with purple, as shown in the Bot. reg. for 1843. 13.
37. PHILLY'REA 269 angustifolia
1 lanceolata Ait. lanceolate-lvd or 8 my.jn W L co
3891. - PHILODE'NDRON Lindl. PHILONENRON. (*Phileo*, to love, *dendron*, a tree; habit.) *Aracæ*.
33056 - crassinervium Lindl. thick-ribbed cu 20 d G.w Brazil 1835. R l.p Bot. reg. 1958
†23489 grandifolium Hf. large-leaved or 6 ap.my W Demerara 1803. C s.p Bot. mag. 3345
Arun grandifolium Jacquin. Not *Caladium grandifolium* Sims in Bot. Mag. t. 2643.
33057 23489a Simsii Hook. Sims's or 6 ap.my W C s.p Bot. mag. 2643
Caladium grandifolium Sims in Bot. Mag. 2643. Not *Arun grandifolium* Jacquin.
33058 23489b fragrantissimum Hook. most fragrant fra 4? ja Crea.r Demerara 1832.7 C s.p Bot. mag. 3314
3892. - PHELEBODIUM J. Sm. PHELEBONIUM. (Not explained.) *Crypt. Filices* 24.—1.
33059 - squamulosum J. Sm. scaly or ... Br Brazil 1843. D p.l
33060 - nitidum J. Sm. shining or ... Br Honduras 1844. D p.l
33061 - pulvinatum J. Sm. cushioned or 23 ... Y Brazil 1841. D p.l
33062 - sporocarpum J. Sm. spore-fruited or 73 ... Y Mexico 1843. D p.l
Polypodium glaucum Hort.
This genus comprises also Nos. 25344. (the *Polypodium glabellum* Heward), 25353. 25355. and 25364. of *Polypodium* in p. 418.
3893. - PHLOGACANTHUS Nees. (*Phlogos*, a flame, and *akanthus*; flowers flame-cld.) *Acanthacæ*.
33063 - curviflorus Nees curved-flowered or 6 n Y.R Silhet 1839. C co Bot. mag. 3783
Justicia curviflora Wall.
33064 - guttatus N. F. E. spotted or 1½ ap.au Y.spt E. Indies 1828. D l.p Bot. reg. 1334
Justicia guttata Wall. No. 493. in p. 8. also belongs to this genus.

1674. PHLO'MIS.
 33065 - - armenulca W. Armenian field $\text{Y} \Delta$ cu 1 jn Y Armenia 1831, D p.1 Sw.fl.gar.2. s.364
 33066 15073a agrária Led. rocky $\text{Y} \Delta$ or ... jn.s P Siberia 1827, D co
 33067 15069a floccosa D. Don flocky $\text{Y} \Delta$ or 2 jl.o Y Egypt 1828, D s.1.p Bot rep. 1300
 33068 - - cashneriana Royle Cashmere $\text{Y} \Delta$ or 2 jl.au Pa.Li Cashmere ... D lt Bot. reg. 1844. 22
 15085 laciniata L., syn. *Eremostachys laciniata* G. Don.

472. PHLO'X.
 3903 virginica
 2 álba J. C. white-flwd $\text{Y} \Delta$ or 1 1/2 jn.au W hybrid 1834, D co
 33069 3906a acutifolia Swt. acute-leaved $\text{Y} \Delta$ or 4 jls. P N. Amer. 1825, D 1.p Swt. fl. gar. ic. in.
 3906 pyramidalis
 4 álba J. C. white-flwd $\text{Y} \Delta$ or 4 jn.au W D co
 33070 3907a cordata Ell. cordate-leaved $\text{Y} \Delta$ or 3 jn.jl Pa.P D p.1 Swt.fl.gar. 2. s.13
 2 grandiflora A. P. large-flowered $\text{Y} \Delta$ or 3 ... Pa.P gardens ... D p.1
 3 rósea Rose-coloured $\text{Y} \Delta$ or 4 jn.au Ro D co
 33071 - - Coldryana Hort. Coldry's $\text{Y} \Delta$ or 2 ... D.C hybrid ... D co Paxt.mag.vii.197
 33072 3907b excelsa Penny tall $\text{Y} \Delta$ or 4 jn.s P N. Amcrr. 1821, D 1.p
 33073 3907c Wheeleriana Swt. Wheeler's $\text{Y} \Delta$ or 3 jn.s Pk hybrid 1824, D 1.p
 33074 3907d Shepherdii Penny Shepherd's $\text{Y} \Delta$ or 3 jn.s P hybrid 1824, D 1.p
 33075 3908a reflexa Swt. reflexed $\text{Y} \Delta$ or 3 jls. R hybrid ... D p.1 Sw. fl. gar. 232
 33076 - - scabra Swt. scabrous $\text{Y} \Delta$ or 3 au Li N. Amer. ... D p.1 Sw. fl. gar. 249
 33077 - - odorata Swt. sweet-scented $\text{Y} \Delta$ or 3 au Li N. Amer. ... D p.1 Sw. fl. gar. 224
 3911 cárnea
 2 mójor A. P. greater $\text{Y} \Delta$ or 1 au F gardens ... D co
 33078 3918a crassifolia B. C. thick-leaved $\text{Y} \Delta$ or 3 ap Ro N. Amer. 1825, C co Bot. cab. 1596
 33079 3920a speciosa Dou. showy $\text{Y} \Delta$ or 1 ... F Columbia 1826, C s.1 Bot. reg. 1351
 33080 3920b procumbens Lch. procumbent $\text{Y} \Delta$ or 1/2 my F N. Amer. 1827, D p.1 Sw. fl. gar. 2. s. 7
 33081 3922a aristata B. C. awned $\text{Y} \Delta$ pr 1/2 ap W Carolina 1828, C p.1 Bot. cab. 1731
 33082 3922b floridana? Nut. Florida $\text{Y} \Delta$ or 1 ap.my F.ro N. Amer. 1834, C s.p.1
 Nuttalliana Hort.
 33083 - - penduliflora Swt. pendulous-flwd $\text{Y} \Delta$ or 3 1/2 aut Ro.Li N. Amer. 1824, D 1 Sw. fl.gar.2. s. 46
 33084 - - disticha Sab. two-rowed $\text{Y} \Delta$ or 5 jl.o R N. Amer. 1826, D co
 33085 - - involuérata Nut. involucred $\text{Y} \Delta$ or 1 jn Li N. Amcrr. 1830, D co
 33086 - - læta Penny charming $\text{Y} \Delta$ or 3 1/2 jls W N. Amer. ... D co
 33087 - - elata Penny tall $\text{Y} \Delta$ or 6 au.o Li N. Amer. 1828, D co
 33088 - - cardiiflora Penny late-flowered $\text{Y} \Delta$ or 2 au.o W N. Amer. 1825, D co Sw. fl. gar. 2. s.31
 longiflora Swt. B. F. G. 2. s. 31., *Sicklindani* Lch.
 2 purpurea purple-flwd $\text{Y} \Delta$ or 2 au.s P hybrid 1836, D co
 33089 - - Drummondii Hook. Drummond's $\text{Y} \Delta$ or 1 su. aut Ro.P Texas 1835, S r.s.1 Bot. mag. 3441
 2 álba white-flwd $\text{Y} \Delta$ or 1 su. aut W seedling ... C lt
 3 splendens splucid $\text{Y} \Delta$ or 1 su. aut Rch. Sseedling ... C lt Paxt.mag. 14.266
 4 Leopoldiana King Leopold's $\text{Y} \Delta$ spl 1 1/2 su. aut C.car.w Belgium hyb. C lt
 33090 - - Ingramiana Hort. Ingram's $\text{Y} \Delta$ or 5 jn.au Li hybrid 1824, D co
 33091 - - omaniflora Hort. all-flowering $\text{Y} \Delta$ or 2 jls. W hybrid ... D co
 33092 - - pulchella Hort. pretty $\text{Y} \Delta$ or 1 1/2 au.o W.pk hybrid 1835, D co
 33093 - - Vernoniána Hort. Vernon's $\text{Y} \Delta$ or 3 jls. P hybrid 1834, D co
 33094 - - atrocaulis A. P. dark-stemmed $\text{Y} \Delta$ or 2 s R Eng.hyb. 1834, D p.1
 Van Houtte's Phlox, a garden variety, is figured in the Bot. reg. for 1843, t. 5.

†2551. PHOLIDO'TA. PHOLIDOTA. (*Pholis*, a scale, *ous*, *otos*, an ear; *bractæ*.) *Orchidàcæ*. 2.
 †2274 imbricata Lindl. imbricated-brct $\text{Y} \Delta$ cu 1 1/2 my Ysh Nepal 1824, D p.r.wBot. reg. 1777
 imbricata Lindl. in Hook. Exot. Fl. t. 135., Loddiges's Bot. Cab. t. 1934., Lindl in Bot. Reg. t. 1777.
 33095 - - pallida Lindl. pale-flowered $\text{Y} \Delta$ cu 1 1/2 ... W India ... D p.r.wBot. reg. 1213
 imbricata Lindl. in Bot. Reg. t. 1213.; but distinct from *imbricata* Lindl. in Bot. Reg. t. 1777., where Dr. Lindley has noted points of distinctness between the two; has abrogated the application of the epithet *imbricata* to this second, and proposed the application, in the stead of it, of the epithet *pallida*.
 33096 - - chinensis Lindl. Chinese $\text{Y} \Delta$ pr 1/2 my Wsh China 1844 D block [R. F.]
 33097 - - conchóidea Lindl. shell-like $\text{Y} \Delta$ or ... sp Br.W Manila 1836, D 6b.p
 33098 - - undulata Lindl. waved-leaved $\text{Y} \Delta$ or ... su Pa.R E. Indies 1839 D 6b.p
 33099 - - aculeata Lindl. prickly $\text{Y} \Delta$ or ... year Y E. Indies 1837, D 6b.p
 33100 - - articulata Lindl. jointed $\text{Y} \Delta$ or ... year W E. Indies 1837, D 6b.p
 33101 - - tristis Lindl. sad $\text{Y} \Delta$ or ... sp Br.W India 1832, D 6b.p

3894. - - PHOTINO'PTERIS J. Sm. PHOTINOPTERIS. (*Phôteinos*, shining, *ptéris*, a fern.) *Crypt. Filices*. 24.—1.
 33102 - - Horsfieldii J. Sm. Horsfield's $\text{Y} \Delta$ or ... mr.au Br Java ... D p.1
Acrostichum rigidum Wall.
 33103 - - simplex J. Sm. simple-fronded $\text{Y} \Delta$ or ... mr.au Br E. Indies ... D p.1

5. PHRY'NIUM.
 33104 69a setosum Rosc. bristly $\text{Y} \Delta$ or 2 my.jl P Rio Jan. 1824. R s.1 Rosc. scit. icon.
 Maránta scindina Grah.
 33105 - - coloratum Hook. coloured $\text{Y} \Delta$ or 2 ap.my O Brazil 1828. D s.1 Bot. mag. 3010

970. PHYCE'LLA.
 33106 - - brevītuba Herb. short-tuهد $\text{Y} \Delta$ or 1 jl S 1856. O r.m Bot. reg. 1943
 8006 ignea
 2 púlchra D. Don pretty $\text{Y} \Delta$ or 1 1/2 o R Valparai. ... O r.m Sw.fl.gar. 2. s.121
 33107 8006a glauca B. C. glaucous-lwd $\text{Y} \Delta$ or 1 jn R Valparai. 1824. O lp Bot. cab. 1746
 ignea var. glauca Bot. mag. 2687.
 33108 - - Herbértiana Lindl. Herbert's $\text{Y} \Delta$ or 1 my.jl R.Y Andes 1825. O r.m Bot. reg. 1341
 33109 - - biflora Lindl. two-flowered $\text{Y} \Delta$ or ... Gsh. Y.S. P O r.m
 33110 - - obtusa Lindl. obtuse $\text{Y} \Delta$ or ... o.n S.O Peru ... O s.p.1
 33111 - - chloràca Kth. green-flwd $\text{Y} \Delta$ or 3 ap.my G Peru 1842. O r.m

710. PHY'LICA Nos. 5827. and 5853. are now referred to the genus *Trichocéphalus* Brongniart.

2708. PHYLLA'NTHUS.
 33112 - - thymoides Thyme-like $\text{Y} \Delta$ cu 1 ... N. Holl. 1835. C p.1 [G. B. K.]
 33113 - - calycinum Lab. large-calyced $\text{Y} \Delta$ pr ... ap.jn ... N. Holl. 1823. C s.p.p

3895. - - PHYLLA'RTHRON Dec. (*Phyllon*, a leaf, *arthros*, a joint; appearance of leaf.) *Bignoniàcæ*. 14.—1.
 33114 - - Bojertiánum Dec. Bojer's $\text{Y} \Delta$ or 3 au Ro Mauritius 1843. C s.p.1 Bot. mag. 4173
Arthropodium madagascariense Bojer Hort. Mauriti. p. 221.

3896. 2690a. PHYLLO'CLADUS Rich. PHYLLOCLADUS. (*Phyllon*, a leaf, *klados*, a branch.) 21. 10. *Coniferae*. 1.
 33115 - rhomboidalis Rich. rhomboidal ♀ □ or 20 ... Ap V.Di.L. 1825. S r.m Rich. con. 3
Rhodocarpus Herit. *asplenifolius* Lab. u. h. 2. 221. No. 23646.
 33116 - trichomanoides Humb. maiden-hair-lik ♀ □ or ... jl Ap V.Di.L. 1840. S r.m
- PHYLLO'DOCE. See ERICA*.*
3897. 774a. PHYSIA'NTHUS Mart. PHYSIANTHUS. (*Physa*, bladder, *anthos*, flower.) 5. 2. *Asclepiadaceae*. 1.—
 33117 - albens Mart. whitish-leaved ♀ □ or 20 au W B. Ayres 1830. S l.p Bot. reg. 1759
Arabia albens G. Don
 33118 - auricomus Grab. golden-haired ♀ □ pr 20 o W Brazil 1836. C s.p Bot. mag. 3891
Schubertia gracilens Lindl. Bot. reg. 1846. 21., *S. auricomus* Decaisne l. c.
3898. 2549a. PHYSY'NGA Lindl. PHYSYNGA. (Not explained.) *Orchidaceae*. 20.—1.
 33119 - prostrata Lindl. prostrate ♀ □ cu pro jl.s G.P Demerara 1837. D fib.p
3899. - PHYSOLO'Bium Benth. PHYSLOBIUM. (*Physa*, bladder, *lobos*, pod; shape.) *Leguminosae*.
 33120 - Stirlingi Hüg. Sir J. Stirling's ♀ □ or 3 mr.jn S Australia 1834. C s.p Bot. reg. 1845
Kennedyia Stirlingii Lindl.
 33121 - carinata Lindl. keeled ♀ □ or 4 jn.au S S. River 1839. C s.p Botanist, 183
gracile Hort.
 33122 - elatum Benth. tall ♀ □ or ... my.jn Y S. River 1837. C s.p
3900. - PHYSOMA'TIUM Kauf. PHYSOMATIUM. (*Physa*, a bladder; inflated indusium.) *Crypt. Filices*.
 33123 - mollé Kauf. soft ♀ □ or 1 jl Br D p.1
 pubescens pubescent ♀ □ or 1 au Br Brazil 1820. D l.p [J. Bevis.]
Wobesia pubescens, No. 25631.
3901. 2572a. PHYSOSIPHON Lindl. (*Physa*, bladder, *siphon*, tube; calyx tubular, inflated.) *Orchidaceae*. 3.
 The species have the habit of species of *Pleurothallis*.
 33124 - Loddigesii Lindl. Loddiges's ♀ □ cu ½ mr.my O N. Spain 1828. D p.r.w Bot. cab. 1601
Stelis tubata Lod. Bot. Cab. 1601.
 Sp. 2d, emarginata Lindl.; syn. *Pleurothallis emarginata* Lindl. Gen. et Sp. Orch. Pl. p. 6.
 Sp. 3d, spiralis Lindl. spiral-spiked from Port St. Catharine in Brazil.
 33125 - carinata Lindl. keeled ♀ □ cu ½ mr.my O D p.r.w
876. PHYSSOPE'RMUM.
 No. 6829. of *Smyrnia* belongs to this genus.
3902. 1685a. PHYSSO'TEGIA Benth. PHYSSOTEGIA. (*Physa*, a bladder, *stega*, a covering; calyx.) *Labiatæ*. 5.
 33126 - virginiana Benth. Virginian ♀ △ or 2 jl.s R N. Amer. 1683. D l.p Bot. mag. 467
Dracoccephalum virginianum L. No. 15192. Nos. 15193. 15194. and 15195, belong to this genus.
 2 flba white-flowered ♀ △ or 3 jl.s W D co
 33127 15192a imbricata Hook. Imbricated *stiva* ♀ △ or 6 su.aut Pa.P. Termae 1833. D co Bot. mag. 3386
 33128 - truncata Benth. truncate-calyx ♀ ○ or 1 Pa.Pk S.Felipe 1834. S lt.l Bot. mag. 3494
3903. - PHYSURUS Lindl. PHYSURUS. (*Physa*, a bladder, and *oura*, a tail.) *Orchidaceae*. 20.—1.
 33129 - pictus Lindl. painted ♀ □ el ½ jn.jl W.Dp.Br.lincs Brazil? 1843. D fib.p
Anactochilus pictus Hort.
 33130 - argenteus silvery-ld ♀ □ el ½ jn.jl W Ceylon ... D fib.p
Anactochilus argenteus Hort.
 33131 - Lobbianus Lobb's ♀ □ el ½ P.Java ?1847. D fib.p
- †2816. PHYTE'LEPHAS R. & P. IVORY NUT. (*Phyton*, a plant, *elephas*, ivory.) *Pandaneæ*. 1.—2.
 †24495 macrocarpa R. & P. long-fruited ♀ □ ec Ap Peru 1822. S r.m
 33132 24495a microcarpa H.B.K. small-fruited ♀ □ or Ap Columbia ... S r.m
611. PHYTEUMA.
 33133 - limonifolium Dec. Limonion-ld ♀ △ or Switzerl. 1832. D co
 [This, probably, is but a synonyme of *P. strictum* Bot. Mag. t. 2145. and Hort. Brit. No. 5173., as Sir J. E. Smith, in a letter dated July 29. 1826, informed me that *P. limonifolium* *Flora Græca*, t. 218., and *Campánula limonifolia* L., are but synonymes of the *P. strictum*; which has been figured in the Bot. Mag. t. 2145.—J. D.]
 33134 - pulchellum F. & M. pretty ♀ △ 1836. D p.l Bot.Gard.No.728
1420. PHYTOLA'CCEA.
 33135 - acinosa Wall. kernel-like ♀ △ or N. India 1844. S.C co [G. G.]
- 3903*. 2696a P'ICEA D. Don SILVER FIR. (*Pis*, pitch; the tree producing abundance of resin.) *Coniferae*.
 33136 - pectinata pectinate ♀ tm 100 my Ap Germany 1603. S l.p Lamb. pin. 2. l. 40
Abies Picea W. No. 23615. in p. 388. *Pinus Picea* L., &c. *Pinus Abies* Duroi. *Abies alba* Mill. Dict.
A. vulgaris Poir. *A. pectinata* Dec. *A. taxifolia* Hort. *A. Picea* Lindl. *A. excelsa* Lk.
 2 tortuosa A. B. twisted-bran. ♀ tm ... my Ap C s.l
 3 foliis varieg. A. B. variegated-ld ♀ or ... my Ap garden var. C s.l
 33137 - cephalonica A. B. Cephalonic ♀ or 60 ... Ap Cephalonic 1824. C s.l A. b. f. 2235. 2236
A. taxifolia Hort. *A. lasiocarpa* Hort. *Picea cephalonica* Gard. Mag. vol. xv. p. 238.
 33138 - naphtha Hort. naphtha ♀ or Ap 1840. S s.l
 33139 - Pinsapo Bois. Pinsapo ♀ tm 65 ... Ap S. Bermejil 1838. S s.l
 33140 - Nordmanniana Loud. Nordmann's ♀ or 80 ... Ap Asia ... S s.l E. of T. S. f. 1950
 † Pichta A. B. Pitch tm 50 my Ap Siberia 1820. S s.l Led. ic. 499
Pinus Pichta Lo. C. P. *sibirica* Led. *A. Pichta* Fy's., No. 23631. in p. 388.
 † balsamea L. balm of Gilead ♀ or 20 my Ap N. Amer. 1696. S s.l Lamb. pin. 2. l. 41
Pinus balsamea L. P. *Abies balsamea* Marsh. *Abies Taxii folio*, &c. Hort. Angl. *A. balsaninica*
 N. Du Ham. *A. balsanifera* Mx., No. 23617. in p. 388.
 2 longifolia Booth long-leaved ♀ or 20 my Ap C s.l
 † Fraseri Ph. Fraser's ♀ or 30 my Ap Pennysl. 1811. S s.l Lamb. pin. 2. l. 42
Pinus Fraseri Ph. *Abies Fraseri* Lindl.
 33141 - grandis Dou. great ♀ tm 170 my Ap N. Calif. 1831. S s.l Lamb. pin. 3. 94
Pinus grandis Dou. ms. Lamb. pin. *Abies grandis* Lindl.
 33142 - amabilis Dou. lovely ♀ tm Ap N. Calif. 1831. S s.l
 ?P. grandis.
 33143 - nobilis Dou. noble ♀ tm Ap N. Amer. 1831. S s.l Lamb. pin. ic.
Pinus nobilis Dou. ms. *Abies nobilis* Lindl.

Webbiána Wal. Webb's \uparrow tm 90 ... Ap Nepal 1822. C s.l Lamb. pin.ed. 2.44
Pinus Webbiána Wal. *P. spectabilis* Lam. Monog., No. 23622. In p. 388. *A. bicus* *Webbiána* Lindl.
 33144 - *Pindrow* Royle \uparrow Pindrow \uparrow tm 100 my Ap Kamaon 1837. C s.l Lamb. pin. 3. 92
Pinus Pindrow Royle III. t. 86. *Tárus Lambertiana* Wal. ?*P. Webbiána* var.

2202. PICRIDIUM.

33145 - *nicifolium* P.B. *Webb* Holly-leaved $\text{Y} \Delta$ or 1 jl o Y Teneriffe 1829. C co

2210. PICRIS.

33146 - *asperrima* roughest $\text{?Y} \Delta$ un V. Di. L. 1858. D co
 33147 - *barbardrum* Lindl. $\text{?Y} \Delta$ ec 3 Australia 1838. D co
 33148 - *nepalensis* Nepal $\text{Y} \Delta$ un 1 jn Y Nepal 1832. D co

PICRIS. See ERICA.*.*

3904. 1192a. PIERARDIA ROX. PIERARDIA. (Mr. Pierard of Kew Green) *Sapiindæcæ* ? 1.
 33149 - *sápida* Rox. well-tasted \uparrow \square fr 20 ... Y Sumatra 1820. C p.l

3005. 1495a. PILEANTHUS Dec. PILEANTHUS. (*Pilos*, a cap, *anthos*, a flower; involucreum.) *Myrtæcæ*. 12.—1.
 33150 - *Limácis* Dec. *Limácis* $\text{Y} \square$ or ... ap. jl W N. Holl. 1824. C s.l.p

3906. - P. PILUMNA Lindl. PILUMNA. (*Pilos*, a cap.) *Orchidæcæ*. 20.—1.
 33151 - *frágrans* Lindl. sweet-scented $\text{Y} \square$ fra... myjl W.y Popayan 1843. D fib.p
 33152 - *láxa* Lindl. loose-flwd $\text{Y} \square$ or $\frac{1}{2}$ o W. Pa. G. P Popayan 1814. D fib.p Bot. reg. 1846. 57

87. PIMPLEA.

33153 796a *humilis* R. Br. humble $\text{Y} \square$ or 1 my.jn W N. Holl. 1824. C s.p Bot. reg. 1268
 33154 796b *intermedia* Lindl. intermediate $\text{Y} \square$ or 2 mr W King G. Sd. 1825. C s.p Bot. reg. 1439
 †797 *agástrina* Lab. *Privet-leaved* $\text{Y} \square$ or 10 mr W V. Di. L. 1823. C s.p Bot. reg. 1827
 33155 - *Hendersóni* Graham Mr. Henderson's $\text{Y} \square$ or 2 jl Pk King G Sd. 1837. C s.p Bot. mag. 3721
 †*affinis* Paxt.
 33156 - *spectabilis* Lindl. showy $\text{Y} \square$ or 3 ap.my W. Pk S. River 1840. C l.p.s Bot. reg. 1841. 33
 33157 799a *diosmæfolia* B. C. Diosma-leaved $\text{Y} \square$ or 1 su Ro N. Holl. 1826. C s.p Bot. cab. 1708
 33158 800a *hispida* R. Br. hispid-flowered $\text{Y} \square$ el 2 jn Bhs.w N. Holl. 1830. C s.p Bot. reg. 1587
 33159 805a *clavata* Lab. clubbed $\text{Y} \square$ cu 3 ap.my W N. Holl. 1824. C s.p
 33160 805b *nivea* Lab. white-herbagcd $\text{Y} \square$ pr 6 ... W N. Holl. 1833. C s.p Bir. bot. g. 9
 33161 - *sylvéstris* R. Br. wood $\text{Y} \square$ el 2 jn Rh N. Holl. 1830. C l.p Bot. reg. 1582
 33162 - *graciliflora* Hook. slender-calyced $\text{Y} \square$ or 3 my.jn W King G. Sd. 1830? C p.l Bot. mag. 3288
 33163 - *arenaria* Cun. sand-inhabiting $\text{Y} \square$ pr 12 jl W N. Zeal. 1827. C s.p Bot. mag. 3270
 Closely allied to *P. cinerea* R.; approaches, also, near to *P. nivea* Lab., as well as to *P. pilosa* Vahl.
 33164 - *hypericina* Cun. *Hypericum-lvd* $\text{Y} \square$ or 3 sp W King G Sd. 1830. C p Bot. mag. 3330
 33165 - *longiflora* Br. long-flowered $\text{Y} \square$ or 4 jn W N. Holl. 1813? C s.p Bot. mag. 3281
 33166 - *laóta* R. Br. woolly $\text{Y} \square$ el 6 my W V. Di. L. 1834. C s.p Botanist, 61
 33167 - *cérnua* R. Br. nodding $\text{Y} \square$ or 3 jl Y Australia 1835. C p.s.l Fl. cab. 2. p. 113
 33168 - *crinita* Lindl. hairy $\text{Y} \square$ pr 1 $\frac{1}{2}$... S.w S. River ... C p.s.l
 33169 - *nána* Graham dwarf $\text{Y} \square$ or $\frac{3}{4}$ ap.jl W S. River 1830. C s.p Bot, mag. 3833
 33170 - *prostráta* Vahl. prostrate $\text{Y} \square$ pr 1 ap.jl W N. Zeal. 1839. C s.p.l
 33171 - *paludosa* R. Br. marsh $\text{Y} \square$ or ... f.ap W N. S. W. 1826. C s.p.l
 P. Nieppergiána, P. Shephérdii, and P. Verschafféii, are in the Exotic Nursery, Chelsea (1849); and P. Weppigiána is in the nursery of Messrs. Henderson, Pine Apple Place. Probably this last species, which is recorded in Paxton's Mag. of Bot., vol. xv., may be the same as P. Nieppergiána.

836. PIMPINE/LLA.

33172 - *fláva* Mey. yellow-flwd $\text{Y} \Delta$ cu 2 aus Y 1835. S co
 33173 - *áurea* Dec. golden $\text{Y} \Delta$ or ... jn.jl Go Persia 1806. S co

66. PINGUI/CULA.

33174 - *orchidóides* Dec. orchis-like $\text{Y} \square$ el $\frac{1}{2}$ d.ja P Mexico 1845. D bog Bot. mag. 4231

†2685. PINUS L. PINE. (*Pinos*, Gr., used by Theophrastus to designate the pine-tree, *Pinos* has for its root *pin*, which signifies fat; because the trees of this genus furnish pitch and tar. Others derive the word from *pin*, or *pyn*, a mountain or rock, *Celt.*; habitat.) *Coniferae*.

§ i. PINÆ.—Leaves generally 2 in a sheath.

A. Natives of Europe.

23575 *sylvéstris* L. wood, Scotch \uparrow tm 80 my Ap Scotland sc.alp S s.l Lamb. pln. 1. 1
rábra Mill. Diet. No. 3., *sylvéstris commúnis* Ait. H. K.

Timber Trees.

1 *vulgáris* Loud. common \uparrow tm 80 my Ap Scotland sc.alp S s.l
 2 *horizontalis* Loud. horizontal-bra \uparrow tm 80 my Ap Scotland sc.alp S s.l
The Highland Pine. Speyside Pine.
 3 *uncinata* Don hooked-coned \uparrow tm 80 my Ap Scotland sc.alp S s.l
 4 *haguenénsis* A. B. Hagenau \uparrow tm 80 my Ap Hagenau 1828. S s.l
 5 *rigénsis* A. B. Riga \uparrow tm 80 my Ap Livonia ... S s.l

Curious or ornamental.

6 *genevénsis* A. B. Geneva \uparrow or 80 my Ap Geneva 1820. S s.l
 7 *monophýlla* Hod. one-leaved \uparrow or ... my Ap S s.l
 8 *scariósa* A. B. scarious \uparrow or ... my Ap France 1820. S s.l
 9 *intermedia* A. B. intermediate \uparrow or ... my Ap Russia ... S s.l
 10 *altaica* Led. Altaic \uparrow or ... my Ap 1836. S s.l
 11 *tortuósa* Don of F. twisted \uparrow or ... my Ap S s.l
 23576 *pumílio* Hæ. dwarf \uparrow or 12 ap.my Ap Carniola 1779. S s.l Lamb. pin. 5
 2 *rubræflóra* A. B. red-flowered \uparrow or 12 ap.my Ap S s.l
 3 *Fischeri* Booth Fischer's \uparrow or ... ap.my Ap 1832. G s.l
 4 *Mughos* Loud. Mugho \uparrow or 10 my.jn Ap Austria ... S co Jac. ic. 1. 193
P. montána Baum. Cat. P. *echináta* Hort. P. *uncinata* Dec.
 5 *náoa* dwarf *Knee Pine* \uparrow or 3 my.jn Ap Styria ... L s.l
 23581 *Laricio* Poir. *Corsican*, *Larch* \uparrow tm 80 ... Ap Cò sica 1814. S s.l Lamb. pin. 2. 28.9
 1 *corsicána* A. B. Corsican \uparrow tm 80 ... Ap Corsica 1814. S s.l
 2 *subviridis* Dub. greenish-coned \uparrow tm 80 ... Ap S s.l
 3 *caramánica* Loud. Caramanian \uparrow tm 40 my Ap S. Eur. 1820. S s.l
 ?*P. romána* H. Cel.

23582	<i>austrilica</i> Höss.	Austrian, <i>Black</i>	♂	tm	Ap	Austria	1835.	S	s.f.	
23583	<i>Pallasiana</i> Lamb.	Pallas's	♂	tm 60	my	Ap	Siberia	1820.	S	s.l.	Lamb. pin. 2. 1. 1
23584	<i>pyrenæica</i> Lap.	Pyrenean	♂	tm 50	...	Ap	Pyren.	...	S	s.l.	
23586	<i>Pinaster</i> Ait.	Pinast., <i>Cluster</i>	♂	tm 60	ap.my	Ap	S. Eur.	1596.	S	s.l.	Lamb. pin. 9. 4. 5
	2 <i>escarënus</i> Loud.		♂	tm ...	ap.my	Ap	Nice	1825.	S	s.l.	
	<i>P. escarëna</i> Risso, <i>Aberdoniaë.</i>										
	3 <i>Lemonianus</i> Loud, <i>Sir C. Lemon's</i>		♂	or 30	ap.my	Ap	S	s.l.	
	<i>P. Lemoniaëa</i> Benth.										
	4 <i>minor</i> Loud, <i>less-coned</i>		♂	tm 60	ap.my	Ap	France	...	S	s.l.	
	<i>P. maritima minor</i> N. Duh.										
	5 <i>foliis variegatis</i> J. C. <i>variegated</i> lvd		♂	or ...	ap.my	Ap	gardens	...	S	s.l.	
	6 <i>maritimus</i> Hort., <i>sea</i>		♂	tm ...	ap.my	Ap	S	s.l.	
	7 <i>chinënsis</i> Hort., <i>Chioese</i>		♂	tm 60	ap.my	Ap	Chioa	...	S	s.l.	
	8 <i>nepalënsis</i> Hort., <i>Nepal</i>		♂	tm ...	ap.my	Ap	Nepal	1824?	S	s.l.	
	9 <i>novus holländicus</i> New Holland		♂	or ...	ap.my	Ap	N. Holl.	1816?	S	s.l.	
	<i>P. nova-zelandica</i> Ait.										
	10 <i>st. helenicus</i> Hort., <i>St. Helena</i>		♂	tm 60	ap.my	Ap	St. Helena	1816?	S	s.l.	
	11 <i>Massoniëna</i> D. Don <i>Masson's</i>		♂	tm 40	ap.my	Ap	China	1824.	S	s.l.	
	23587 <i>Pinea</i> L., <i>Stone Pine</i>		♂	tm 60	my	Ap	S. Eur.	1584.	S	s.l.	Lamb. pi. 11. 6. 7, 8
	2 <i>fragilis</i> N. Duh., <i>thin-shelled</i>		♂	tm 60	my	Ap	S. Eur.	...	S	s.l.	
	3 <i>crëtica</i> Hort., <i>Cretan</i>		♂	tm ...	r.y.	Ap	Crete	...	S	s.l.	
	4 <i>americana</i> Hort., <i>American</i>		♂	tm ...	my	Ap	America	...	S	s.l.	
	23588 <i>halepënsis</i> Ait., <i>Aleppo</i>		♂	tm 40	my	Ap	Levant	1683.	S	s.l.	Lamb. pi. 2. 30. 10
	2 <i>minor</i> Hort., <i>less-coned</i>		♂	tm 40	my	Ap	S	s.l.	
	3 <i>maritima</i> Hort., <i>maritime</i>		♂	tm 40	my	Ap	S	s.l.	
	4 <i>genuësis</i> Loud., <i>Genoa</i>		♂	tm	Ap	Genoa	1830.	S	s.l.	
	<i>P. genuënsis</i> Cook,										
	23589 <i>brütia</i> Ten., <i>Calabrian</i>		♂	tm	Ap	Calabria	...	S	s.l.	
	<i>conglomerata</i> Græf.										

B. Natives of North America.

23577	<i>Banksiana</i> Lamb.	<i>Banks's, Scrub</i>	♂	or 12	my.jn	Ap	Iuds. B.	1785.	S	s.l.	Lamb. pin. 7. 3
23578	<i>lnops</i> Ait.	<i>Jersey, poor</i>	♂	tm 50	ny	Ap	N. Am.	1739.	S	s.l.	Lamb. pin. 18. 13
23579	<i>mltis</i> Mx., <i>soft-leaved</i>		♂	tm 50	my.jn	Ap	N. Am.	1739.	S	s.l.	
	<i>variabilis</i> Pursh.										
23580	<i>pungens</i> Mx., <i>prickly</i>		♂	tm 50	...	Ap	N. Am.	1804.	S	s.l.	Mic. ar. 1. 61. 5
23585	<i>resinosa</i> Ait., <i>resinous, red</i>		♂	tm 50	my	Ap	N. Am.	1756.	S	s.l.	Lamb. pin. 20. 14
	<i>rùbra</i> Mx.,										
33175	- <i>contorta</i> Dougl., <i>twisted-branchd</i>		♂	or	Ap	N.W. Am.	...	S	s.l.	
33176	- <i>turbinata</i> Bosc, <i>top-shaped-cone</i>		♂	or 40	...	Ap	?N. Am.	...	S	s.l.	

§ ii. TERNA'Ë. — Leaves 3 in a sheath.

A. Natives of North America.

23590	<i>Tæda</i> L., <i>Frankinc., Lobolly</i>		♂	tm 30	my.jn	Ap	N. Am.	1713.	S	s.l.	Lamb. pi. 23. 16, 17
	2 <i>alopeurõidea</i> Ait., <i>fox-tail</i>		♂	tm 30	my.jn	Ap	S	s.l.	
33177	- <i>rigida</i> Mill., <i>rigid</i>		♂	tm 50	my.jn	Ap	N. Am.	1750.	L	s.l.	Lamb. pi. 25. 18, 19
	- <i>Fraseri</i> Lo. C., <i>Fraser's</i>		♂	or	Ap	S	s.l.	
	23592 <i>serõtina</i> Mx., <i>late, Pond</i>		♂	or 40	my.jn	Ap	N. Am.	1713.	S	s.l.	Mic. ar. 1. 86. 7
	23593 <i>variabilis</i> Lamb., <i>variable, 2 & 3-lvd</i>		♂	tm 40	my.jn	Ap	N. Am.	1739.	S	s.l.	Lamb. pio. 21. 15
33178	- <i>Benthaniëna</i> Hartw., <i>Bentham's</i>		♂	tm 200	...	Ap	Californ.	1847.	S	lt	J. H. S. iv. 213. fig.
	23594 <i>ponderosa</i> Dou., <i>heavy-wooded</i>		♂	tm 50	...	Ap	N. Am.	1828.	S	co	
	23595 <i>Sabiniëna</i> Dou., <i>Sabine's</i>		♂	or 110	f.mr	Ap	Californ.	1832.	S	s.l.	I. Amb. pin. 2. 2. 80
	23596 <i>Codleri</i> D. Don <i>Coulter's</i>		♂	or 100	...	Ap	Californ.	1832.	S	s.l.	Lamb. pin. 3. 83
	<i>macrocarpa</i> Lindl. <i>ms.</i>										
23599	<i>australis</i> Mr., <i>southern</i>		♂	tm 60	...	Ap	N. Am.	1730.	S	s.l.	Lamb. pin. 27. 20
	<i>palustris</i> W., Ait.,										
	2 <i>excelsa</i> , <i>lofty</i>		♂	tm 60	...	Ap	N. Am.	...	S	s.l.	
	23602 <i>insignis</i> Dou., <i>remarkable</i>		♂	or 60	...	Ap	Californ.	1833.	S	s.l.	
	<i>P. radiata</i> and <i>P. tuberculata</i> , Mr. Hartweg considers only slight varieties of <i>P. insignis</i> .										
	23613 <i>californiëna</i> Lo!, <i>Californian</i>		♂	tm 50	my	Ap	Califoro.	1829?	S	s.l.	
	<i>montereyënsis</i> Godefr., <i>adunca</i> Bosc.										
33179	- <i>muricata</i> D. Don, <i>prickly-coned</i>		♂	or 40	...	Ap	Californ.	1848.	S	s.l.	Lamb. pin. 3. 84
	<i>Edgariëna</i> Hartweg,										
33179*	- <i>Fremontiana</i> Endl., <i>Capt. Fremont's</i>		♂	ec 20	...	Ap	Californ.	1848.	S	s.l.	J. fl. S. iv. 294 fig.
	<i>monophylla</i> (or <i>Nut Pine</i>) Torrey and Fremont; <i>Llavëna</i> , with a thin-shelled seed.										Hartweg.

B. Natives of Mexico.

23603	<i>Teocote</i> S. & D., <i>Teocote, twisted</i>		♂	or 50	...	Ap	Mexico	1826.	S	p.l.	Lamb. pin. 2. 1. 20
	23604 <i>påtula</i> S. & D., <i>spreading-fod</i>		♂	or 60	...	Ap	Mexico	...	S	p.l.	Lamb. pin. 2. 1. 19
33180	23604a <i>Llavëna</i> Otto, <i>Llavëna</i>		♂	or	Ap	Mexico	1830.	S	s.l.	A. E. f. 2180. 1
33181	- <i>cembrõides</i> , <i>Cembra-like</i>		♂	or 30	...	Ap	Orizaba	?1845.	S	lt.	J. H. S. 1. 256. fig.
	<i>Mexican Cembra.</i>										

C. Natives of the Canaries, India, China, and Australia.

23600	<i>canariënsis</i> C. Sm., <i>Canary</i>		♂	or 60	...	Ap	Canaries	1815.	S	s.l.	Lamb. pin. 2. 1. 28
23601	<i>sinënsis</i> Lamb., <i>Chinese</i>		♂	or 40	...	Ap	China	1825.	S	p.l.	Lamb. pin. 2. 1. 29
23597	<i>longifolia</i> Roz., <i>long-leaved</i>		♂	or 40	...	Ap	Nepal	1801.	S	s.l.	Lamb. pin. 2. 1. 21
23598	<i>Gerardiëna</i> Wal., <i>Gerard's</i>		♂	or	Ap	E. Indies	...	S	p.l.	Lamb. pin. 2. 2. 79
	<i>Nësa Govan.</i> ? <i>Chilghõza Elphinstone.</i>										
33182	- <i>timoriënsis</i> Loud., <i>Timor</i>		♂	or	Ap	Timor	?1815.	S	s.l.	

§ iii. QUI'NE. — Leaves 5 in a sheath.

A. Cones with the Scales more or less thickened at the Apex.

a. Natives of Mexico or Guatemala.

33183	- <i>Hartwegi</i> Lindl., <i>Hartweg's</i>		♂	or 40	...	Ap	Mexico	1839.	S	s.l.	E. of T. S. f. f. 1875. -6
33184	- <i>Devoniëna</i> Lindl., <i>D. of Devonshire's</i>		♂	or 80	...	Ap	Mexico	1839.	S	s.l.	E. of T. S. f. f. 1877. -8
33185	- <i>Russelliëna</i> Liodl., <i>D. of Bedford's</i>		♂	or	Ap	Mexico	1839.	S	s.l.	E. of T. S. f. f. 1879. -80
	23606 <i>Montezùma</i> Lamb., <i>Montezuma's</i>		♂	or 60	...	Ap	Mexico	...	S	p.l.	Lamb. pin. 2. 1. 22
	<i>occidentalis</i> Kth.										
	2 <i>Lindleyi</i> Loud., <i>Dr. Lindley's</i>		♂	or 60	...	Ap	Mexico	1839.	S	s.l.	E. of T. S. f. f. 1882. -3
33186	- <i>macrophylla</i> Lindl., <i>long-leaved</i>		♂	or	Ap	Mexico	1839.	S	s.l.	E. of T. S. f. f. 1885. -6
33187	- <i>Pseudò-strobis</i> Lindl., <i>false-Strobis</i>		♂	or	Ap	Mexico	1839.	S	s.l.	E. of T. S. f. f. 1887. -8

33188 -	- <i>filifolia Lindl.</i>	thread-leaved	♂	or 260	...	Ap	Guatemala	1839.	S s.1 E. of T. S. f. f. 1889. 90
23607	<i>leptophylla S. & D.</i>	smooth-ldd	♂	or 80	...	Ap	Mexico	21800. S p.1	Lamb. pin. 2. 1. 21
33189 -	- <i>oöcarpa Schüdc.</i>	egg-shaped-coned	♂	or 40	...	Ap	Mexico	1839. S s.1 E. of T. S. f. f. 1894. 8	
33190 -	- <i>oöcarpoides Lindl.</i>	oöcarpa-like	♂	or	Ap	Guatemala	1839. S s.1	
	<i>Pöcärpa var.</i>								
33191 -	- <i>apulcensis Lindl.</i>	Apulco	♂	or 50	...	Ap	Mexico	1839. S s.1 E. of T. S. f. f. 1899. 1900	
	<i>apulcensis G. Don</i>	in Swt. Hort. Brit. ed. 3. p. 769.							

b. Natives of the West Indies.

23605	<i>occidentälis Swz.</i>	western	♂	tm 80	my jn	Ap	W. Indies	1826. S co	Lamb. pi. 2. 1. 23
	<i>Läriz americana Tou., Ocoté Mexican.</i>								

B. Cones with the Scales not thickened at the Apex.

a. Natives of Europe and Siberia.

23608	<i>Cembra L.</i>	Cembran	♂	tm 60	my	Ap	Siberia	1746. S s.1	Lamb. pi. 31. 23. 24
	<i>1 sibirica Loud.</i>	Siberian	♂	tm 60	my	Ap	Siberia	1746. S s.1	
	<i>2 pygmaea Loud.</i>	pygmy	♂	or 6	my	Ap	Siberia	...	S s.1
	<i>3 helvética Lo. C.</i>	Swiss	♂	tm 40	my	Ap	Switz.	1819? S s.1	

b. Natives of North America.

23609	<i>Ströbus L.</i>	Strobis, Weymouth	♂	tm 100	ap	Ap	N. Am.	1705. S s.1	Lamb. pin. 31. 32
	<i>2 äiba Hort.</i>	white	♂	tm 100	ap	Ap	S s.1
	<i>3 brevifolia Hort.</i>	short-leaved	♂	tm 100	ap	Ap	S s.1
	<i>4 compressa Booth</i>	compressed	♂	tm 100	ap	Ap	Floetbeck	...	S s.1
23611	<i>Lambertiana Dou.</i>	gigantic	♂	tm 150	...	Ap	N. Am.	1827. S p.1	Lamb. pin. 2. 1. 34
23612	<i>monticola Dou.</i>	mountain	♂	tm	...	Ap	California	1831. S p.1	Lamb. pin. 2. 3. 87

c. Natives of Nepal and Mexico.

23610	<i>excelsa Wal.</i>	lofty	♂	tm 100	my jn	Ap	Nepal	1823. S co	Lamb. pin. 2. 1. 33
	<i>Bhotan Pine.</i>								
33192 -	- <i>Ayacahuite C. Ehrenb.</i>	Ayacahuite	♂	or 10	...	Ap	Mexico	1840. S s.1 E. of T. S. f. f. 1919. 20. 21	
33193 -	- <i>Winchesteriana Gor. M. of Winchester's</i>		♂	or 80	...	Ap	Mexico	1846. S lt.1	J. H. S. 2. 159. fig.
33194 -	- <i>Grenvilleae Gordon Lady Grenville's</i>		♂	or 80	...	Ap	Mexico	21846. S lt.1	J. H. S. 2. 78. fig.
33195 -	- <i>Gordoniana Hartw. G. Gordon's</i>		♂	or 80	...	Ap	Mexico	21846. S lt.1	J. H. S. 2. 80. fig.
33196 -	- <i>Orizabae Hartw. Mt. Orizaba</i>		♂	or 30	...	Ap	Orizaba	?1845. S lt.1	J. H. S. 1. 238. fig.

There are plants of *P. parviflora*, a very interesting species introduced from China in 1846, in the Hort. Soc. Garden.

3907. 1239a.	PIPTA'NTHUS Swt.	PIPTANTHUS. (<i>Pipto</i> , to fall, <i>anthos</i> , a flower ; soon falling off.)							<i>Leg. Pap. Soph. 1.</i>
33197 -	- <i>nepalensis Swt.</i>	Nepal	♂	or 10	my jn	Y	Nepal	1821. L r. m.	Sw. fl. gar. 264
	<i>Anagyris indica Wal. No. 10462., Baptisia nepalensis Hook. ex. fl. 131.</i>								

1135. PISO'NIA.

33198	9256a	<i>Olfersiana B. R.</i>	Olfers's	♂	cu	...	my au	Pk	Brazil	1840. C p.1
	2763.	PISTA' CIA.								
	†24214	<i>vera L.</i>	true	♂	or 20	ap. my	Ap	Syria	1770. C l. p	Duh. no. 4. 17
		<i>P. officinarum H. K., Hort. Brit. p. 397.</i>								
		<i>2 trifolia L.</i>	3-leafted	♂	or 20	ap. my	Ap	L l. p
		<i>3 narbonensis Bocc. Narbonne</i>		♂	or 20	ap	Ap	Narbonne	1732. C l. p	Boc. mu. 2. 693
		<i>P. reticulata W., Hort. Brit. p. 397.</i>								

24218 Lentiscus

	†2	<i>angustifolia Dec.</i>	narrow-leaved	♂	or 10	my	Ap	S. Eur.	1667. L r. m
		<i>P. massiliensis Mill. Diet. P. L. 2 massiliensis Hort. Brit. p. 398. P. angustifolia massiliensis Tou.</i>							
		<i>3 chla N. Du Ham., P. chla Desf.,</i>	is a native of Scio, where it produces the mastich.						
33199 -	- <i>mutica Fisch.</i>	beardless	♂	or	Ap	Russia	1844. L l. p	[G. G.]

3908. 25288a.	PISTIA L. PISTIA.								<i>Pistiaceæ.</i>	
33200 -	- <i>Stratiotes L.</i>		♂	ft	½	...	?	Gsh	Jamaica	1843. S sta. wa
	<i>Pistia occidentälis Bl., Kunth.</i>									

3900. 1409b.	PISTOR'NIA Dec.	PISTORINIA. (<i>Pistron</i> , a cup ; affinity to <i>Cotylædon</i> ?)							<i>Crassulacæ. 1.</i>	
33201 -	- <i>hispanica Dec.</i>	Spanish	♀	or pr	½	jn. j	R	Spain	1796. S s.1	Dec. pl. 122
	<i>Cotylædon hispanica L. No. 11830.</i>									

954. PITCAPRNA.

33202 -	- <i>undulatifolia Hook.</i>	waved-leaved	♀	or	1½	my j	W	Brazil	...	Sk s. p.1	Bot. mag. 4241	
	<i>♀ gigantea Hook.</i>	gigantic	♀	or	spl	5	fmr	W	Sk s. p.1	Bot. mag. 4309
	<i>Pitya Altscsteinii Link, Kl. et Otto,</i>											
33203 -	- <i>micrantha Lindl.</i>	small-flwd	♀	or	¾	nir. j	W	Rio Jan.	1841. Sk block			
33204 -	- <i>ringens Lk.</i>	gaping	♀	or	C	?Demerara	...	Sk s. p.1		

679. PITTO'SPORUM.

33205	5606	<i>undulatum</i>									
33205	5615a	<i>variegatum Dens.</i>	variegated-ldd	♂	or	5	fjn	W. y	gardens	...	C p.1
33206	5615b	<i>oleifolium Cus.</i>	Privet-leaved	♂	or	6	s	...	W. co. N. H.	1823. C l. p	
33207 -	- <i>corifolium Cus.</i>	Dogwood-ldd	♂	or	N. Holl.	1823. C r. m	
33208 -	- <i>angustifolium B. C.</i>	narrow-leaved	♀	or	cu	1?	jn	Y	N. S. W.	1830. C l. p	Bot. mag. 3161
33209 -	- <i>bracteolatum Endl.</i>	bracteolate	♀	or	Norfolk	1. 1837. C r. m	Bot. cab. 1859
33210 -	- <i>glabratum Lindl.</i>	smooth	♂	or	or	1½	my jn	Bt. v	Hongkong	1845. C l. p	[R. F.]
33211 -	- <i>Mâyü Hort.</i>	May's	♂	or	or	23	?1845. C p.1	
33212 -	- <i>bicolor Hook.</i>	two-cld	♂	or	or	23	Choc. V. Di. L.	1842. C p.1	

369. PLA'DERA 3235 vi-gata Rox.; syn. *Canscödra diffusa* G. Don. Bot. mis. 3. 25.

3236 decussata Rox.; syn. *Canscödra decussata* G. Don; Bot. mag. 3066.

33213 -	- <i>sidoides Hook.</i>	Sida-like	♂	or	cu	3	s	Ysh	V. Di. L.	...	C p.1	Bot. mag. 3396
---------	-------------------------	-----------	---	----	----	---	---	-----	-----------	-----	-------	----------------

3910. 443a.	PLAGIOBOTRYS G. Don.	(<i>Plagios</i> , transverse, <i>bothrys</i> , a pit; base of carpels.)								<i>Boraginæ. 5. -1.</i>
33214 -	- <i>rufescens G. Don</i>	rufescent	♀	or	un	1	jn. j	W	Chili	1836. S co

412. PLANE'RA 3433 Richárdi Mx.; syn. *P. carpinifolia* Den. Br.

364. PLANTA'GO 3143 major
 3 microstachya small-spiked $\frac{1}{2}$ Δ w ... jn.jl W Ireland tur.bo. D co
 4 scoparia Broom-like $\frac{1}{2}$ Δ cu 1 jn.au Ap D co
 33215 3147a kentuckensis Mx. Kentucky $\frac{1}{2}$ Δ cu $\frac{1}{2}$ jn.jl W N. Amer. 1829. S co
 3160 lanceolata
 2 variegata variegated-lvd $\frac{1}{2}$ Δ pr $\frac{1}{2}$ jn.au G D co
 3 altissima Koch highest $\frac{1}{2}$ Δ w 1 to 2jn.jl W Britain me.pa D co
 4 spharostachya W. & G. round spkd $\frac{1}{2}$ Δ w ... jn.jl W Britain sa. sea sh D s.p
 33216 3169a Cummingiana F. & M. Cumming's $\frac{1}{2}$ Δ un ... jl.au Br Chili 1836. D co
 33217 3173a victorialis R. & S. Victoria $\frac{1}{2}$ Δ un ... jn.s W S. Europe 1824. D co
 3182 maritima
 2 variegata variegated-lvd $\frac{1}{2}$ Δ pr $\frac{1}{2}$ jn.jl W.R Britain gard. D co
 ? 3 vivipara viviparous $\frac{1}{2}$ Δ cu $\frac{1}{2}$ jn.jl Ap Britain gard. D co
 33218 - - garganica Ten. Garganian Δ 1835. S co
 33219 3216a D'Urvillei F. & M. D'Urville's Δ un ... jl.o Br 1836. S co
3311. 2143a. PLA'NTIA Herb. PLANTIA. (Mr. Plant. of Cheadle.) Iridaceæ. 3.—1.
 33220 - - flava Herb. yellow $\frac{1}{2}$ \square or C. G. H. ... O s.p
2668. PLA'TANUS.
 23472 orientalis
 2 acerifolia Ait. Maple-leaved $\frac{1}{2}$ tm 70 ap.my Ap Levant 1724. L s.l A. b. pl. 347, 8
 P. acerifolia W., No. 23474. P. o. *A'ceris folio* Tourn.
 3 hispánica A. B. Spanish $\frac{1}{2}$ tm 70 ap.my Ap Spain ... C s.l
 P. hispánica Lo. C. P. *macrophylla* Cree.
 4 cuneata A. B. wedge-leaved $\frac{1}{2}$ tm 20 ap.my Ap Levant 1739. L s.l A. b. pl. 349
 P. cuneata W., No. 23473. in p. 385. P. o. *undulata* Ait.
 5 laciniata cut-lvd $\frac{1}{2}$ tm 70 ap.my Ap 1845. C.G.I [K. & P.]
 6 monströsa monstrous $\frac{1}{2}$ tm 70 ap.my Ap 1845. C.G.I [K. & P.]
 23475 occidentalis
 2 aërea variegata variegated-lvd $\frac{1}{2}$ or 70 ap.my Ap 1846. C.G.I [K. & P.]
 3 integrifolia entire-lvd $\frac{1}{2}$ or 70 ap.my Ap 1845. C.G.I [K. & P.]
 4 heterophylla various-lvd $\frac{1}{2}$ or ... ap.my Ap America 1842. C.G.I [K. & P.]
 P. *heterophylla* Lindl.
 There is also a kind of Plane in the Exotic Nursery, Chelsea, bearing the name of *P. nepalensis*.

3912. 1708a. PLATYCA'RPUM Kth. PLATYCARPUM. (*Platys*, broad, *karpos*, seed-pod.) 14. 2. *Bignoniaceæ*. 1.
 33221 - - orinocense Kth. Oriinoco $\frac{1}{2}$ \square or 20 ... Pa.ro Oriinoco 1813. C p.l H. & B. n. 2. 104
3913. - - PLATYCE'RIUM Bl. PLATYCERIUM. (*Platys*, broad, and *keras*, a horn.) *Crypt. Filices*.
 33222 - - biförme Bl. two-shaped $\frac{1}{2}$ \square or 4 ... Br E. Indies 1842. S br Hook. gen. fil. 9. B.
Platyceerium grande J. Sm. gen. fil.; *Acrostichum grande* All. Cun. MSS.; *A. fuciförme* Wall. Cat.
 n. 20.
 Nos. 25315. and 25316. of the genus *Acrostichum* in p. 417. are also referred to this genus.
3914. 606a. PLATYCO'DON A. Dec. PLATYCODON. (*Platys*, broad, *kōdōn*, a bell.) *Campanulaceæ*. 1.—
 14926 grandiflorus A. Dec. great-flowered $\frac{1}{2}$ Δ or 1 jn.au B Siberia 1782. D p.l Sw.fl. gar. 2.s. 208
Campanula grandiflora L., *Wahlenbergia pendula* Schr., *Hort. Brit.*, No. 4926.
 2 álba white-flvd $\frac{1}{2}$ Δ or 1 jn.au W N. China 1845. R l.p [R. F.]
 3 semiplena-álba semidubl.-wht.-fl $\frac{1}{2}$ Δ or 1 ju.au W China 1845. C lt [J.H.S. i. 305. fig.

1941. PLATYLO'Bium.

- 33223 17292a obtusangulum Hook. obtuse-angled $\frac{1}{2}$ \square or 1 my Y.R V. Di. L. 1832? S s.p Bot. mag. 3258
 33224 17292b Murrayanum Hook. Murray's $\frac{1}{2}$ \square or 1 my Y.R V. Di. L. 1832. S s.p Bot. mag. 3259
3915. 2901g. PLATYLO'MA J. Sm. PLATYLOMA. (*Platys*, broad, *loma*, an edge.) *Crypt. Filices*. 24.—1.
 33225 - - Bröwnii J. Sm. Brown's $\frac{1}{2}$ \square or ... su Br Australia ... D p.l
Adiantum paradoxum R. Br.
 33226 - - andromedeifol. Kl. *Andromeda-lvd* $\frac{1}{2}$ \square or ... sp Br 1840. D p.l
 33227 - - calomelianos J. Sm. $\frac{1}{2}$ \square or ... Br C. G. H. 1843. D p.l
 33228 - - flexuosa J. Sm. flexuous $\frac{1}{2}$ \square or ... Br Peru 1838. D p.l
 33229 - - ternifolia J. Sm. ternate lvd $\frac{1}{2}$ \square or 1 $\frac{1}{2}$... Br Mexico 1841. D p.l
 Nos. 25498. 25500. 25501. 25506. 25511. and 25512. in pp. 420 and 421. belong to this genus.
3916. 885c. PLATYSPE'RMUM Hofm. PLATYSPERMUM. (*Platys*, broad, *sperma*, seed.) *Umbelliferæ*. 3.
 33230 - - muricatum Hofm. prickly-seeded Δ or 2 jn.jl Pk Barbary 1683. S co Mch. 9. 14. 4
Daucus muricatus L., No. 6648.
 33231 - - pulcherrimum Koch fairest Δ or 2 jn.jl W Levant 1699. S co
Caucalis orientalis Bux. No. 6664. No. 6667. also belongs to this genus.
3917. - - PLATYSTE'MON Benth. PLATYSTEMON. (*Platys*, broad, *stemon*, stamen.) *Papaveraceæ*. 1.—
 33232 - - californicus Benth. Californian Δ or 1 au Y Californ. 1833. S s.l Bot. reg. 1679
Boothia sp. Doumss. Mr. Bentham has felt himself obliged to supersede this name, as he conceives that it would not be distinguished by foreigners from the genus *Boothia* Wallich.
 33233 - - lelocarpus F. & M. smooth-fruited Δ or 1 jn.au W.y Siberia 1837. S co Fl. cab. 2. p. 129
3918. - - PLATYSTI'GMA Benth. PLATYSTIGMA. (*Platys*, broad, *stigma*.) *Papaveraceæ*. 1.—
 33234 - - lineare Benth. linear-leaved $\frac{1}{2}$ Δ pr $\frac{1}{2}$... Y Californ. 1833. S ... Bot. reg. 1954
3919. 2434a. PLECTOCE'PHALUS D. Don. (*Plektos*, plaited, *kephale*, head; scales of involucre.) 19. 4. *Comp. Card*. 4.
 33235 - - americanus D. Don American Δ or 3 au.s Li Arkansas 1824. S s.l Sw.fl. gar. 2.s. 51
 No. 22180. of Hort. brit. p. 361.

1689. PLECTRA'NTHUS 15261 coloratus D. Don; syn. *Geniopsis strobiliferum* G. Don.

3920. - - PLEOCNE'MIA Prout PLEOCNEMIA. (*Plecos*, full, and *nemos*, a grove.) *Crypt. Filices*. 24.—1.
 33236 - - Leuceana Fresl Leucean's $\frac{1}{2}$ \square or ... my.jl Br I. of Luzon ... D p.l
Polypodium Leuceanum Gaud.
 2939. PLEOPE'LTIS.
 33237 - - percussa Cav. stricken $\frac{1}{2}$ \square or Y Brazil 1842. D p.l H. & G. ic. fil. 67

- 33238 - *salicifolia* W. Willow-leaved \square or ... au Y Brazil ... S p.l
Polypodium salicifolium Spr.
 33239 - *clongata* Swz. elongated \sphericalangle or ... my.au Y S. Amer. 1843. D p.l Schk. crypt. t. 7
Phlebodium elongatum J. Sm.; *Grammitis clongata* Swz.; *G. lanceolata* Schk.
 Also Nos. 25339. and 25345. of the genus *Polypodium* in p. 417.

1360. PLEUROMA.

- 33240 - *Benthamiana* Gard. Mr. Bentham's \square or 6 au.o P Brazil 1841. C p.l Bot. mag. 4007
Kunthiana Dec.; *Lasiandra Kunthiana*?; *Paxt. mag.* bot. 12. 125.
 33241 - *Kunthiana* Hook. Prof. Kunth's \square or ... jl Psh. R. Brazil ?1847.C p.l Bot. mag. 4412
Lasiandra Kunthiana Dec.
 33242 - *elegans* Gard. elegant \square or 5 jn Rich P Organ Mts. 1844. C p.l Bot. mag. 4262

3921. - PLEUROGRAMMA Presl PLEUROG. (*Pleura*, side, *gramma*, writing.) *Crypt. Filices*. 24.—1.
 33243 - *linearis* J. Sm. linear-lvd \sphericalangle or ... jn.au Br Jamaica 1823. D p.l
Grammitis linearis Spr.

2539. PLEUROTHALLIS.

- 33244 - *aphthosa* Lindl. aphthose \sphericalangle or ... ja.ap Y Mexico 1839. D fib.p
peduncularis Hook. \sphericalangle cu $\frac{1}{2}$... P Para 1839. D fib.p
 33245 - *barbata* Wret. bearded \sphericalangle cu $\frac{1}{2}$... O.R S. Amer. 1841. D fib.p Bot. mag. 4142
 33246 - *bicanata* Lindl. double-keeled \sphericalangle or ... ap-lvd Br.Pk Mexico 1839. D fib.p
 33247 - *breviflora* Lindl. short-flwd \sphericalangle or ... su ... Trinidad 1836. D fib.p
 33248 - *chitonoides* Lindl. Chiton-like \sphericalangle or ... su Br Demerara 1834. D fib.p
 33249 - *ciliata* Lindl. ciliated \sphericalangle or ... su Br Demerara 1834. D fib.p
 33250 - *circumplexa* Lindl. circumplex \sphericalangle or ... f.ap G Mexico 1837. D fib.p
 33251 - *crassa* Lindl. thick \sphericalangle or ... su G Mexico 1838. D fib.p
 33252 - *crassifolia* L. C. thick-lvd \sphericalangle cu ... su G Guiana 1836. D fib.p
 33253 - *elegans* Lindl. elegant \sphericalangle or ... V N. Grenada ... D fib.p
Dendrobium elegans H. B. & K.
 33254 - *foetens* Lindl. stinking \sphericalangle or ... w P Brazil 1840. D fib.p
 33255 - *flexuosa* Lindl. zigzag \sphericalangle or Peru ... D fib.p
Specklinia flexuosa Pöppig
 33256 - *fragilis* Lindl. brittle \sphericalangle or ... my.jl O.Y Rio Jan. 1839. D fib.p
 33257 - *gelida* Lindl. \sphericalangle or ... my.o St Jamaica 1839. D fib.p
 33258 - *glandulifera* Lindl. gland-bearing \sphericalangle or G Brazil 1837. D fib.p
 33259 - *grandiflora* Lindl. great-flwd \sphericalangle or Peru 1842. D fib.p
 33260 - *Grobii* Lindl. *Ld. Grey*'s Groby's \sphericalangle cu $\frac{1}{4}$ ap Y.R Demerara 1834. D p.r.w Bot. reg. 1797
 33261 - *Hartwegii* Lindl. Hartweg's \sphericalangle or Pa.Y Mexico ... D fib.p
 33262 - *Lanceana* B. C. Lance's \sphericalangle cu $\frac{1}{4}$ au Y.G Surinam 1831. D p.r.w Bot. cab. 1767
 33263 - *lingua* P. Don tongue-lvd \sphericalangle or ... w P Brazil 1842. D fib.p
 33264 - *lutæola* Lindl. yellowish-flwd \sphericalangle or ... Y Brazil 1834. D fib.p
 33265 - *marginata* Lindl. margined \sphericalangle or ... sp F Guatemala 1836. D fib.p
 33266 - *muscoides* Lindl. moss-like \sphericalangle or ... ja.jn P.Y Brazil 1837. D fib.p
 33267 - *oblongifolia* Lindl. oblong-lvd \sphericalangle or R Jamaica ... D fib.p
 33268 - *obovata* Lindl. obovate \sphericalangle or ... my.jn P.Y Brazil 1834 D fib.p
Specklinia obovata Lindl.
 33269 - *occulta* Lindl. hidden-flwd \sphericalangle or ... w Br Brazil 1837. D fib.p
 33270 - *ochracea* Lindl. ochraceous \sphericalangle or ... w Rsh.Y Brazil 1839. D fib.p
 33271 - *octomerioides* Lindl. Octomeria-like \sphericalangle or ... aut ... Mexico ... D fib.p
 33272 - *ophiocephala* Lindl. snake's-head \sphericalangle or ... sp Y Mexico 1837. D fib.p
 33273 - *pachylossa* Lindl. thick-tongued \sphericalangle or ... mr.n P Mexico 1837. D fib.p
 33274 - *pandurifera* Lindl. fiddle-formed \sphericalangle or Y Brazil ... D fib.p
 33275 - *pectinata* Lindl. pectinated \sphericalangle or ... su G.P Brazil 1837. D fib.p
 33276 - *picta* Lindl. painted-flwd \sphericalangle pr $\frac{1}{2}$ o.mr W.R Demerara 1833? D p.r.w Bot. reg. 1825
 33277 - *plantaginea* Lindl. Plantain-like \sphericalangle or Jamaica ... D fib.p
 33278 - *plumosa* Lindl. feathery-petaled \sphericalangle or G.P Trinidad 1840. D fib.p
 33279 22676a *prolifera* Herb. prolificous \sphericalangle pr $\frac{1}{2}$ jl R S Amer. 1827? D p.r.w Bot. reg. 1298
 33280 - *pubescens* Lindl. pubescent \sphericalangle or ... su P.G Mexico 1837. D fib.p
 33281 - *pulchella* Lindl. neat \sphericalangle or Peru ... D fib.p
 33282 - *punctata* Lindl. dotted \sphericalangle or ... ap.jl Y.P Brazil 1832. D fib.p
 33283 - *recurva* Lindl. recurved-spiked \sphericalangle or ... ja.ap Pa.P Brazil 1839. D fib.p
 33284 - *restrepioides* Lindl. Restrepium-like \sphericalangle or P.G Peru ... D fib.p
 33285 - *sauropcephala* B. C. lizard-head-flwd \sphericalangle cu $\frac{1}{2}$ my G Rio Jan. 1829. D p.r.w Bot. mag. 3030
 33286 - *scabriliguis* Lindl. rough-tongued \sphericalangle or Peru ... D fib.p
 33287 - *sempellucidia* L. C. semi-transparent \sphericalangle cu Caraccas 1841. D fib.p
 33288 - *seriata* Lindl. seriated \sphericalangle or ... my.au Pa.Y Rio Jan. 1839. D fib.p
 33289 - *sertularioides* Lindl. Sertularia-like \sphericalangle or W. Jamaica ... D fib.p
Specklinia sertularioides Lk. & Otto.
 33290 - *sicaria* Lindl. dagger-shaped \sphericalangle or ... my.jl G.Y Trinidad 1839. D fib.p
 33291 - *Smithiana* Lindl. Smith's \sphericalangle or ... my G.P Rio Jan. 1842. D fib.p
 33292 - *stenopetala* Lindl. narrow-petaled \sphericalangle or ... su Br.Y Brazil 1837. D fib.p
 33293 - *strupifolia* Lindl. strap-leaved \sphericalangle or ... year P.W Brazil 1837. D fib.p
 33294 - *succosa* Lindl. sappy \sphericalangle or Peru ... D fib.p
 33295 - *tigrina* Bate. tiger-spotted \sphericalangle or ... o.d Y.P Mexico 1838. D fib.p
 33296 - *tricarinata* Lindl. three-keeled \sphericalangle or O Peru ... D fib.p
 33297 - *villosa* Lindl. villose \sphericalangle or ... my.jl P Mexico 1838. D fib.p
 33298 - *vittata* Lindl. banded \sphericalangle or ... ap.jl P Mexico 1837. D fib.p

423. PLUMBAGO 3470 zeylanica Bot. reg. 1846. 23.

- 33299 - *Larpenæ* Lindl. *Lady* Larpen's \square or 2 jl.au Dp.V China 1845. C s.l.p Paxt.m.b.14. 267
 33300 3469a *micrantha* Led. small-flowered \sphericalangle or 3 ... W? Siberia 1829. D co
 33301 3473a *meichæna* Lk. & O. Mexican \square or 3 jl W Mexico 1829 C p.l
 33302 3475a *rhombifolia* Hook. rhomb-leaved \square or $\frac{1}{2}$ s B S. Amer. 1826. S p.l Bot. mag. 2917

544. PLUMIERIA 4426 longifolia Lam.; syn. *Conoposargyia longifolia* G. Don.

- 33303 - *Lambertiana* Lindl. Lambert's \square or 8 jl.au W Mexico 1819. C r.m Bot. reg. 1378
 33304 4436a *parvifolia* Haw. small-leaved \square or ... jl.au W W. Indies 1813. C r.m

254. POA.

- 33305 2142a *arctica* Kth. Arctic \square un ... jl Ap Melville I. 1827. S co
 33306 2142b *abbreviata* Kth. shortened \square un ... jl Ap Melville I. 1827. S co
 33307 2155a *Torreyana* Kth. Torrey's \square un ... jn.jl Ap N. Amer. 1825. S co
 33308 2185a *persica* Kth. Persian \square un ... jn.jl Ap Persia 1836. S co

- 33309 2182a complanata R. & S. flattened
33310 2201a patens Kth. nodding
33311 2201b patens Kth. pale
33312 2201c umbelloides Kth. Umbella-like
33313 2201d pellucida Kth. pellucid
33314 - - - quinquefida Ph. five-cleft
 Tridens quinquefidus R. & S.; *Tridonia cuprea* Jac.
33315 - - Balfourii Par. Dr. Balfour's
33316 - - polynoda Par. many-knotted
33317 - - Parnellii Bab. Parnell's
33318 - - montana Par. mouuntain
3922. 2472a. PODANTHUS *Lag.* PONTANTHUS. (*Pous*, a foot, *anthos*, a flower; stalked.) *Comp. Card. Echin.* 1.—5.
33319 - - *Mitiqui* Lindl. Mitiqui ☞ or 3 au.n Y Chili 1824. C p.l
2690. PODOCARPUS.
33320 - - latifolius Wal. broad-leaved ☞ | or 20 my Ap Pundua 1823. S p.l Wal. p. as. ra. 30
33321 - - Totarra P. Don Totarra ☞ | or Ap V. Di. L. ... S r.m
33322 - - ferruginea P. Don rusty-*cltd* ☞ | or Ap V. Di. L. ... S r.m
2348. PODOLEPIS.
33323 - - aristata Benth. bearded ? | or pr s Y Swan R. 1840. S co Lad. m. of gar. 4
33324 - - contorta Lindl. twisted-florcts ? | or pr $\frac{2}{3}$... Go V. Di. L. 1837. S s.p
1247. PODOLOBIUM.
33325 10502a *berberifolium* B. R. berberry-*lvd* ☞ | or ... ap.jn Y Australia 1839. C s.p.l
1548. PODOPHYLLUM.
33326 - - Embodi Royle ☞ | or ... my ... California 1845. R s.l
2200. PODOSPERMUM.
33327 - - canum Mcy. hoary ☞ | or ... jn.au Y Russia 1838. S co
33328 19803a angustifolium Led. narrow-leaved ☞ | or 1 jn.jl Y S. Europe 1828. S co
3923. - - PODOTHECA Cass. PONOHECA. (*Pous*, foot, *theca*, sheath; stalks of achenia.) *Comp. Scnce.*
33329 - - angustifolia Cass. narrow-leaved O cu 1 $\frac{1}{2}$ s.n Y 1837. S co
 Podosperma angustifolia Lab.
33330 - - gnaphalioides Grah. cudweed-like O p 1 $\frac{1}{2}$ jl.au Y Swan R. 1841. S co Bot. mag. 3920
3924. 1652a. POGO'GYNE Benth. POGOGYNE. (*Pogon*, a beard, *gyne*, a female; villous style.) *Labiatae.* 14.—2.
33331 - - multiflora Benth. many-flwd O or $\frac{1}{2}$ au.s Pa.Li California 1846. S co
2505. POGO'NIA.
33332 - - flabelliformis Lo.C. fan-shaped ☞ | or G India 1839. R l.p
1274. POINCL'ANA.
33333 10805a regia Boj. royal ☞ | or spl 40 ... C Madagasc. 1828. C r.m Bot. mag. 2884
33334 - - Gilliesii Hook. Gillies's ☞ | or spl 10 jl Y S. Amer. 1829. C r.m Sw. fl. gar. 2 s. 31
3925. 1460a. POINSETTIA Gra. (*M. Poinsette*, a Mexican traveller.) *Euphorbiaceae.*
33335 - - pulcherrima Gra. fairest ☞ | or 4 ja.mr Bt.S Mexico 1834. C s.l Bot. mag. 3493
 2 albida Hensl. white-bracted ☞ | or 4 d W Mexico ? 1834. C s.l Botanist, 70
3926. 2088a. POIT'EA Dec. POITEA. (*M. Poiteau*, a French botanist.) *Leguminosae.* 17.—4.
33336 - - galegoides Dec. Galega-like ☞ | or ... jn.au Ro St. Domin. 1826. C s.p.l
3927. 1364b. POIV'VREA Com. POIVVREA. (*N. Poivre*, intendant of the Mauritius in 1766.) *Combretaceae.* 6.—14.
33337 - - coccinea Dec. scarlet ☞ | or 20 jn.d S Madagasc. 1818. C r.m Bot. mag. 2102
 Combretum purpureum Vahl, No. 10197. Nos. 10198, 10199, 10201, 10207, and 10208, also belong to this genus.
33338 - - macrophylla B. R. large-leaved ☞ | or ... mr.my S I. Bourbon 1838. C p.l
474. POLEMONIUM.
3925 rcp.tans larger ☞ | or 1 ap.jn D.B D co
3926 caruleum
33339 - - variegatum J. C. variegated-*lvd* ☞ | or 1 jn.jl B Britain gard. D p.l
 5 grandiflorum great-flwd O or ... jn.jl B India ... S co
33339 - - pulcherrimum Hook. prettiest ☞ | or $\frac{1}{2}$ jl.au B N. Amer. 1827. S co Bot. mag. 2979
33340 3926a lacteum Leh. milk-coloured ☞ | or 1 $\frac{1}{2}$ mj.jn W 1829. D co
33341 3927a moshatum Worm. milky ☞ | or 1 $\frac{1}{2}$ mj.jl Bk N. Amer. 1827. D co
33342 - - Richardsouii Grah. Richardson's ☞ | or $\frac{1}{2}$ jl.o Pa.B N. Amer. 1826. S co Bot. mag. 2800
33343 - - villösium Rudol. villous ☞ | or $\frac{1}{2}$ jn.o Pa.B Siberia 1826. S co Sw. fl. gar. 266
33344 - - humilis R. & S. humble ☞ | or $\frac{1}{2}$ jn.o B N. Amer. 1826. S co Bot. reg. 1304
3928. 2233a. POLYACHYRUS Dec. POLYACHYRUS. (*Poly*, many, *achyrus*, chaff; receptacle.) *Compösite.* 19.—1.
33345 - - Pöppigii Dec. Pöppig's ☞ | or ... jn.au B Chili 1830. D co
 auritus D. Don.
2901. POLYBOTRYA 25309. in p. 417.; ssn. *Offersia cervina* Presl.
33346 - - corcovadensis Raddei Corcovado ☞ | or ... su Br Brazil 1837. D l.p
 Offersia corcovadensis Spr.
33347 - - appendiculata W. appendiculate ☞ | or ... su Br W. Indies ... D l.p
33348 - - speciosa Schott showy ☞ | or ... su Br W. Indies ... D l.p
33349 - - incisa Lk. cut-*lvd* ☞ | or ... su Br W. Indies ... D l.p
33350 - - cylindrica Kauf. cylindrical ☞ | or ... su Br Jamaica 1843. D l.p
33351 - - acuminata Kauf. pointed-*lvd* ☞ | or ... su Br W. Indies ... D l.p
33352 - - osmundacea Humb. Osmonda-like ☞ | or ... su Br Mexico ... D l.p
33353 - - intermedia J. Sm. intermediate ☞ | or ... sp Br Lo. Luzon ... D l.p
33354 - - serrulata J. Sm. serrulated ☞ | or ... su Br Lo. Luzon ... D l.p
33355 - - articulata J. Sm. jointed ☞ | or ... su Br Lo. Luzon ... D l.p
33356 - - apifolia J. Sm. ar ley-*lvd* ☞ | or ... su Br Lo. Luzon ... D l.p

3929. 738a. POLYCARPÆA Dec. POLYCARPÆA. (Polys, many, karpos, a sect.) *Paronychia*. 5.--1.
 33357 - - *memphitica* Dec. memphitic $\text{\textcircled{O}}$ cu ... jl.s W Egypt 1828. S s.p
 33358 - - *brasiliensis* G. Don Brazilian $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ cu ... jn.au W Brazil 1837. S s.p
 Nos. 6024. to 6030. inclusive, in p. 92., are also referred to this genus.

2053. POLY'GALA.
 18224 oppositifolia
 2 major Lindl. larger $\text{\textcircled{H}}$ or 3 ny.au P C. G. H. ... C p.l Bot. reg. 1146
 18250 myrtifolia var. 2 grandiflora Hook.; syn. *P. grandiflora* Lodd. Bot. Cab. 1227.
 33359 18250a thesioides W. Thesium-like $\text{\textcircled{H}}$ or $\frac{2}{3}$ jl B Valpar. 1832. C p.s.1 Sw. fl. g. 2. s. 215
 33360 - - Dalmasiensis Dalmaisia-like $\text{\textcircled{H}}$ or ... su RosyP 1845. C s.l.p [K. & P.]
 33361 - - rubella Dec. reddish-flwd $\text{\textcircled{Y}}$ Δ or $\frac{1}{2}$ jn.jl Rsh N. Amer. 1828. D s.l.p
 33362 - - alba Nutt. white-flwd $\text{\textcircled{Y}}$ Δ or ... jn.jl W Louisiana 1827. D s.l.p
 33363 - - gracilis Lindl. slender $\text{\textcircled{H}}$ or ... my.jl B N.Zealand ... C s.p
Plongifolia Hort.

1040. POLYGO'NATUM 8571 vulgäre
 2 flore pleno double-flwd $\text{\textcircled{Y}}$ Δ or 2 my.jn W.G England gard. D co
 3 minor smaller $\text{\textcircled{Y}}$ Δ or 1 my.jn W.G England gard. D co

1210. POLY'GONUM.
 †10274 adpressum R. Br. appressed-styled $\text{\textcircled{H}}$ $\text{\textcircled{\text{X}}}$ cu 60 my.au W N. Holl. 1822. L 1.p Bot. mag. 3145
Sarcocolla odpressum G. Don.
 33364 - - *oxysema* Led. sharp-sceded $\text{\textcircled{Y}}$ Δ un Russia 1831. D co
 33365 †0247a injucundum E. R. disagreeable $\text{\textcircled{H}}$ or un 2 my G.W Valparaiso 1825. C co Bot. reg. 1250
 33366 10279a acutatum Lch. sharpened $\text{\textcircled{O}}$ or 2 jl.au Pk 1828. S co
 33367 - - amplexicaule D. Don stem-clasping $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or Ruby India 1838. S s.l Bot. reg. 1839. 46
 33368 - - laxum Reich. loose $\text{\textcircled{O}}$ w ... jlo. ... England damp gr.pl. S s.l Eng. bot. 2822
 33369 - - Raii Bab. Itay's $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ w ... aus W England san.sea sh. S s.p Eng. bot. 2805
adbum Florlg. Brit. f. 576.
 33370 - - complexum Cunn. complex $\text{\textcircled{H}}$ or ?2 ... Ysh N.Zealand 1843. C s.l
 33371 - - volcanicum Benth. volcanic $\text{\textcircled{H}}$ pr Mexico 1841. C l.p
 †10279 cymosum Trev. cymbse-flwd $\text{\textcircled{Y}}$ Δ or 1 $\frac{1}{2}$ jl.s W C. Tartary 1827. S.D co Bot. reg. 1846. 26
Fagopyrum cymosum Meisner, Bot. reg. 1846. 26.; *Polygonum acutatum* Lehm. cat. sem. Hamburg. 1820.
 10281 scandens L.; syn. *Anredera spicata* Juss.
 33372 10289a molle B. R. soft-leaved $\text{\textcircled{H}}$ or ... jl.au W E. Indies 1843. C s.l
 33373 - - *vacciniifolium* Wall. Vaccinium-lvd $\text{\textcircled{H}}$ or pro jl.s Pk N. of India 1845. C.L s.l Royle, t. 80. fig. 2
 33374 - - Brunonis Wall. Brown's $\text{\textcircled{H}}$ or $\frac{1}{2}$ aus. Pk N. of India 1845. C.L s.l Royle, t. 80. fig. 3

2908. POLYPO'DIUM.
 33375 - - *vacciniifolium* Fis. Vaccinium-lvd $\text{\textcircled{H}}$ $\text{\textcircled{\text{X}}}$ or $\frac{1}{2}$ s Br W. Indies ... D l.p
 33376 - - *owariense* Desv. $\text{\textcircled{H}}$ or $\frac{1}{2}$... Br S. Leone ... D l.p [J. Bevis.]
 33377 - - *tridifolium* Iris-leaved $\text{\textcircled{H}}$ or $\frac{1}{2}$ jl.d Br D l.p [J. Bevis.]
 33378 25362a Otites Spr. Otites $\text{\textcircled{H}}$ or 5 s.d Br Brazil ?1834. D p.l
 33379 - - *olivaceum* olivaceous $\text{\textcircled{H}}$ or 1 ... Br S. Amer. ... D l.p [J. Bevis.]
 33380 - - *salicifolium* W. Willow-leaved $\text{\textcircled{H}}$ or $\frac{1}{2}$ au Br Brazil ... D l.p
 33381 - - *Schkuhrri* Rad. Schkuhr's $\text{\textcircled{H}}$ or 1 mr Br Brazil 1824. D l.p
pectinatum L. No. 25358. in p. 418.
 33382 - - *tuberosum* tuberoso $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or 2 year Br W. Indies ... D l.p [J. Bevis.]
 33383 - - *simile* L. similar $\text{\textcircled{H}}$ or ... 2 year Br D l.p
 33384 - - *drepanum* sickle $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or 1 year Br Madeira ... D l.p [J. Bevis.]
 33385 - - *proliferum* Kauff. proliferous $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or 1 year Br Madeira ... D l.p Rad. fil. 32
viaparum J. B.
 33386 - - *deflexum* Kauff. deflexed $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or 2 jl Br ?1830. D l.p
 33387 - - *littense* Fis. broad $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or $\frac{1}{2}$ s.d Br Brazil ... D p.l Pl. fil. 68
 25377 *Juglandifolium* H. & B.; syn. *Phanerophlebia juglandifolia* J. Sm.
 33388 - - *verifolium* F. & M. Nerium-lvd $\text{\textcircled{H}}$ or ... su Br Brazil 1837. D p.l
 33389 - - *meniscifolium* Fis. Meniscium-lvd $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Br Brazil 1837. D p.l
 33390 - - *refractum* F. & M. broken $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Br Brazil 1837. D p.l
 33391 - - *obliquatum* Bl. oblique $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Br Lof Luzon 1841. D p.l
 33392 - - *subfalcatum* Bl. subfalcate $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Br Lof Luzon 1839. D p.l
 33393 - - *nütans* Bl. nodding $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Br Malacca ... D p.l
 33394 - - *sertularioides* J. Sm. Sertularia-like $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... sp Br Malacca ... D p.l
 33395 - - *contiguum* J. Sm. contiguous $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... sp Br Lof Luzon 1842. D p.l
Davallia contigua Swartz.
 33396 - - *papillosum* Bl. papillose $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... sp Br Lof Luzon ... D p.l
 33397 - - *serreforme* J. Sm. saw-shaped $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Br Lof Luzon 1841. D p.l
Davallia serreformis Hook.
 33398 - - *recedens* J. Sm. receding $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Br Lof Luzon ... D p.l
 33399 - - *trichodes* Reinw. hair-like $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Br Lof Luzon 840. D p.l
 33400 - - *asperulum* J. Sm. roughish $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... aut Br Lof Luzon 1842. D p.l
 33401 - - *Paradisæ* L. et F. Paradise $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... Br Brazil 1841. D p.l
 33402 - - *subpetiolatum* Hook. subpetiolate $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or 2 ... Br Mexico 1845. D p.l Hoek. ic. pl. 391
 33403 - - *divergens* Willd. divergent $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... Br W. Indies 1841. D p.l Schk. ic. ra. 643
multifidum Jacq.
 33404 - - *alpestre* Spreng. alpine $\text{\textcircled{Y}}$ Δ or $\frac{1}{2}$ jl.au Br Switzerla. 1823. D l.p Schk. crypt. 60
 33405 - - *lachnopedium* Sm. K. downy-footed $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or 4 ... Br Jamaica 1843. D p.l

2555. POLYSTA'CHYA.
 33406 - - *grandiflora* Ldl. MS. large-flowered $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ cu $\frac{1}{2}$ o G.P S. Leone 1837. D p.r.w Bot. mag. 3707
 33407 - - *ramulosa* Lindl. branched $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... s G S. Leone ?1836. D p.r.w
 33408 - - *reflexa* Lindl. reflexed-flwd $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ cu ... aut Pk.WS. Leone 1840. D fib.p
 33409 - - *cærea* Lindl. $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ cu ... aut Br.Y Mexico 1839. D fib.p
 33410 - - *bracteosa* Lindl. bracteose $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ cu $\frac{1}{2}$ su Dl.O.Y.S. Leone 1838. D fib.p Bot. mag. 4161
 33411 - - *affinis* Lindl. allied $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ cu ... au Y.G S. Leone 1839. D fib.p
 33412 - - *zeylanica* Lindl. Ceylon $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ cu ... au G.Y Ceylon ... D fib.p
 33413 - - *clavata* Lindl. club-shaped $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ cu ... su Pa.Y Belize 1840. D fib.p
 33414 - - *cultrata* Lindl. knife-shaped $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ cu ... su St. Brazil 1842. D fib.p

3930. - - POLY'STICHUM Presl. (Polys, many, stichos, order; disposition of sori.) *Crypt. Filices*. 24.--1.
 33415 - - *munium* Kauff. armed $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Y Jamaica 1839. D p.l
 33416 - - *hispidum* J. Sm. hispid $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Y N. Zeal. 1845. D p.l
 33417 - - *aristatum* Swz. awned $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or 1 aut Y Norfolk I. ... D p.l Schk. crypt. 42
 33418 - - *pungens* Presl. stinging $\text{\textcircled{Y}}$ $\text{\textcircled{\text{X}}}$ or ... su Y C. G. H. 1823. D p.l

- 33419 - - denticulatum Swz. toothed $\text{Y} \square \Delta$ or ... su Y Jamaica ... D p.1
Aspidium denticulatum.
- 33420 - - vestitum Swz. clothed $\text{Y} \square \Delta$ or ... su Y N. Zeal. 1842. D p.1 Schk. crypt. 43
 33421 - - prolificum J. Sm. proliferous $\text{Y} \square \Delta$ or ... su Y V. Di. L. 1843. D p.1
 33422 - - discertum J. Sm. parted $\text{Y} \square \Delta$ or ... su Y Nepal ... D p.1
 33423 - - rhomboidem Schottfr. rhomboid $\text{Y} \square \Delta$ or ... su Y E. Indies ... D p.1
 33424 - - conifolium Wall. Hemlock-lvd $\text{Y} \square \Delta$ or $1\frac{1}{2}$ aut Y Ceylon ... D p.1
 33425 - - obtusum J. Sm. blunt $\text{Y} \square \Delta$ or ... aut Y I. of Luzon ... D p.1
 Of the genus *Aspidium*, as given in p. 422, some authors refer Nos. 25583, 25584, 25586, 25588, 25591, 25606, 25607, 25614, 25621, and 25624, to this genus.
670. POMADERRIS.
- 33426 5514a betulina Cun. Birch-leaved $\text{S} \square$ or 5 my jl Y N.S.W. 1823. C p.1
 33427 5517a andromedaefolia Cun. Androm.-lvd $\text{S} \square$ or 5 my jl Y N.S.W. 1824. C p.1
 33428 - - viridifolia Sieb. greenish-brown $\text{S} \square$ or ... ap jl Pa. Y N.S.W. 1821. C s.p.1
 33429 - - figustrina Dec. Privet-like $\text{S} \square$ or ... jn jl W N.S.W. 1826. C s.p.1
3931. 2554c. PONERA Lindl. PONERA. (*Poncros*, miserable; appearance of the plants.) *Orchidaceæ*. 20.—1.
 33430 - - junifolia Lindl. rush-leaved $\text{E} \square \Delta$ cu ... jn jl Mexico 1838. D fib. p. Fl. cab. 127
Epidendrum graminifolium Pavon; *Nemaconia graminifolia* K. & W.
 33431 - - striata Lindl. striated $\text{E} \square \Delta$ pr Bf. O Guatamal 1840. D fib. p
 33432 - - inconspicua Lo. C. inconspicuous $\text{E} \square \Delta$ un Guatamal 1840. D fib. p
959. PONTEDERIA.
- 33433 7758a cærulea Maund blue-flowered $\text{S} \square \Delta$ or 2 au B N. Amer. 1830. D h Bot. gard. 55)
2793. PO'PULUS.
- 24384 canescens
- 2 hybrida Bieb. hybrid Y or 40 mr. ap Ap Caucasus 1816. C co
P. álba Bieb. ?*P. intermedia* Mert. *P. a. crassifolia* Mert. *P. grisea* Lod.
 3 acerifolia A. B. Maple-leaved Y or ... Ap C co
P. acerifolia Lo. C. *P. quercifolia* Hort. *P. palmata* Hort.
 4 arembergica A. B. Aremberg Y or ... Ap 1835. C co
P. arembergica Lo. C. Possibly only the above var. 3.
 5 belgica A. B. Belgic Y or ... Ap S. Europe 1835. C co
P. belgica Lo. C. Probably identical with var. 3.
 6 candicans A. B. whitish Y or ... Ap L co
P. candicans Lo. C. Probably also identical with var. 3.
 7 nivea A. B. snow-white Y or ... Ap C co
P. candicans var. 6. *P. nivea* Lo. C.
 8 egyptiaca Hort. Egyptian Y or ... Ap Egypt ... C co
P. a. pallida Hort.
 9 pendula A. B. pendulous-bran. Y or ... Ap G co
 24386 tremula
 2 pendula A. B. pendulous-bran. Y or ... mr. ap Ap G co
P. pendula Lo. C.
 3 supina A. B. supine Y or ... mr. ap Ap N. Amer. ?1824. C co
P. supina Lo. C., No. 24404. in p. 401.
 4 levigata H. K. smooth Y tm 80 mr. ap Ap N. Amer. 1760. G co Mic. ar. 3 11
P. levigata Ait., No. 24387. in p. 401.
 21391 nigra
 2 viridis Lindl. green-leaved Y or ... mr. ap Ap Britain gard. G co
P. viridis Lo. C.
 3 salicifolia A. B. Willow-leaved Y or ... mr. ap Ap Floetbeck 1834. G co
P. salicifolia Lo. C.
 21393 fastigiata femina female Lombardy Y tm 70 mr. ap Ap Italy 1838. C co
 The male sex only of this tree has hitherto been seen in British gardens.
 21394 monilifera
 2 Lindleyana Booth. Lindl. waved-lvd Y or ... my Ap G co
 3 foliis variegatis Hort. variegated-lv Y or ... my Ap G co
 21397 angulata
 2 nova Aud. There is a plant of this variety in the London Horticultural Society's Garden.
 3 Medusæ Booth. There is a plant of this variety in the Hackney Arboretum.
 24398 balsamifera
 2 riminalis A. B. twiggy Y or 40 mr. ap Ap Altai 1826. C co
P. riminalis Lo. C. *P. salicifolia* Hort. *P. longifolia* Fis., No. 24400. in p. 401.
 3 latifolia Hort. broad-leaved Y or 40 mr. ap Ap C co
 4 intermedia Hort. intermediate Y or ... mr. ap Ap C co Pal. ros. 41
 5 suaveolens A. B. sweet-scented Y or 70 mr. ap Ap Russia 1825. C co
P. suaveolens Fis., No. 24399. in p. 401.
 6 foliis variegatis Mil. variegated-lvd Y or ... mr. ap Ap G co
3932. 2559a. PO'RPAX Lindl. PORPAX. (*Porpax*, a button; in allusion to its pseudo-bulbs.) *Orchidaceæ*.
 33434 - - reticulata Lindl. reticulated $\text{E} \square \Delta$ cu Psh. R D fib. p
3933. - - PORPHYROCOMA Hook. (*Porphyra*, purple, *koma*, head of hair.) *Acanthaceæ*. 14.—2.
 33435 - - lanceolata Hook. lance-shaped-lvd $\text{S} \square$ or 1 ap jn Psh. B 1815. C It. s. p. Bot. mag. 4176
1447. PORTULACA.
- 33436 12158a grandiflora Hook. great-flowered $\text{S} \square \Delta$ or $\frac{1}{2}$ jn jl Y. P. Chili 1827. S s.1 Bot. mag. 2885
 2 lutea Ait. yellow-flwd $\text{S} \square \Delta$ or ... jn jl Y. P. Chili 1827. C s.1
 33437 - - Thellusonii Lindl. Mr. Thelluson's $\text{S} \square$ or 1 su S S. Europe 1839. S p. s.1 Bot. reg. 1840. 31
P. grandiflora rutila Bot. Reg. 1839. misc. No. 114.
 2 splendens splendid $\text{S} \square$ or 1 jn s. Rsh. Pgardens ... S lt
 3 lutea yellow-flwd $\text{S} \square$ or 1 jn s. Y gardens 1847. S lt
 33438 - - Gilliesii Hook. Gillics' $\text{Y} \square \Delta$ or $\frac{1}{2}$ jn jl R. P. Mendoza 1827. S s.1 Bot. mag. 3064
635. POSOQUERIA.
- 33439 - - versicolor Lindl. changeable $\text{S} \square$ or ... au Pk. W. Cuba 1839. C p.1 Bot. reg. 1841. 26
414. POTAMOGETON.
- 33440 3444a acutifolium Lk. acute-leaved $\text{S} \square \Delta$ cu ft jn jl G. v. Britain dit. D co Eng. bot. su. 2610
 33441 - - oblongum Fiv. oblong $\text{S} \square \Delta$ cu ft jl G. Britain dit. str. pds. D co Eng. bot. 2849
 33442 - - plantagineum Ducc. plantain-lvd $\text{S} \square \Delta$ cu ft jn jl G. Britain dit. pea-wa. D co Eng. bot. 2848
 33443 - - longifolium Gay long-leaved $\text{S} \square \Delta$ cu ft au ... Eng. & Irc. dp. wa. D co Eng. bot. 2847

- 33444 - *prælóngum Wulf.* very long $\frac{\Delta}{\Delta}$ cu flt ju ... Britain pds.dit. D co Eng. bot. 2854
 33445 - *zosteræfolium Schum.* *Zostera-lvd* $\frac{\Delta}{\Delta}$ cu flt ju ... Britain riv.lak. D co Eng. bot. 2685
 33446 - *filiförme Noite* thread-shaped $\frac{\Delta}{\Delta}$ cu flt ju,jl ... Britain river D co Eng. bot. 323
pectinatum Sm., not of L., No. 3445. in p. 52. *P. maritimum* Fries, Koch.

1528. POTENTILLA.

- 13577 fruticosä
 2 *dahrica Ser.* Dahurian $\frac{\Delta}{\Delta}$ or 2 jl.s Y Dauria 1824. L co
P. dahrica Hort. Brit.
 3 *tenulosa Ser.* narrow-lobed $\frac{\Delta}{\Delta}$ or 1 ½ jn.o Y N. Amer. 1811. L co Den. br. 70
P. fruticosä ß Nestl. 32 var. γ Lehm. *P. floribunda Ph. Hort. Brit.* No. 13578. in p. 213. *P. tenuifolia* Schleg.
 13579 nivea L.
 2 *macrophylla Ser.* long-leaved $\frac{\Delta}{\Delta}$ cu ¾ jn.au Y N. Amer. 1827. S co Bot. mag. 2982
 33417 - *gracilis Dou.* slender $\frac{\Delta}{\Delta}$ or 1 jn.au Y N. Amer. 1827. S co Bot. mag. 2984
 13597 réptans
 2 *fiöre plèno J. C.* double-flwd $\frac{\Delta}{\Delta}$ pr ½ jn.s Y Britain gard. D co
 3 *variegata J. C.* variegated-*lvd* $\frac{\Delta}{\Delta}$ pr ½ jn.s Y Britain gard. D co
 33448 13613a *mollissima Leh.* softest-*leaved* $\frac{\Delta}{\Delta}$ or 1 ½ jl.s Y Europe 1832. S co Bot. gard. 542
 33449 13613b *arachnoidæa Dou.* cobwebbed $\frac{\Delta}{\Delta}$ or 1 jn.jl Y N. Amer. 1826. D co
 33450 13613c *dealbata Lod.* whitened $\frac{\Delta}{\Delta}$ or ¾ my.jn Y Altai ... D co
 33451 13613d *Richardsoni Dou.* Richardson's $\frac{\Delta}{\Delta}$ or 1 jn.jl Y N. Amer. 1826. D co
 13636 atrosanguinea
 2 *coccinea Hort.* scarlet $\frac{\Delta}{\Delta}$ or 2 jn.s D.S hybrid ... D co
 3 *fulgens Hort.* fulgent $\frac{\Delta}{\Delta}$ or 1 ½ jn.s C hybrid ... D co
 4 *ignescens Hort.* fiery $\frac{\Delta}{\Delta}$ or 1 ½ jn.s C hybrid ... D co
 33452 - *atrosanguinea-pedata Maund (hyb.)* $\frac{\Delta}{\Delta}$ or 1 jn.s Dp.O Eng. hyb. 1831. D co Bot. gard. 385
 13637 formösa D. Don
 2 *Garnieriæna Hort.* Miss Garnier's $\frac{\Delta}{\Delta}$ or 2 jn.s Y,r hybrid ... D co
 3 *Mayana Hort.* May's $\frac{\Delta}{\Delta}$ or 2 jn.s Y,pk hybrid ... D co
 33453 13637a *Russelliana Swt.* Russell's $\frac{\Delta}{\Delta}$ spl ½ jn.au S hybrid ... D co Sw. fl. gar. 279
 - *insignis Royle* showy $\frac{\Delta}{\Delta}$ or 4 su Y Nepal 1840. D co Bot. reg. 1841. 37
 33455 - *bicolor Lindl.* two-*old-flwd* $\frac{\Delta}{\Delta}$ or 1 jl.s Y, Va.R? Cashmere 1844. C co Bot. reg. 1845. 62
 33456 - *M'Nabiana Menzies M'Nab's* $\frac{\Delta}{\Delta}$ or 1 jl.au Bt.O.R hybrid 1843. C lt Paxt. mag. 13.219
 33457 13637b *Hopwoodiana Swt.* Hopwood's $\frac{\Delta}{\Delta}$ or 1 jn.jl Bt.Ro Eng. hyb. 1829. D co Sw. fl. gar. 2. s.61
 33458 13637c *memorali-formosa (hybrid)* $\frac{\Delta}{\Delta}$ or pr my.n O.spt Irish hyb. 1829. D r
Tongbei Hort. tormentillo-formösa Tongue.
 A hybrid between *Tormentilla réptans L. (Potentilla memoratis N.)*, the male parent, and *Potentilla formösa*, the female parent.

- 33459 13637d *Mackayana Swt.* Mackay's $\frac{\Delta}{\Delta}$ or 1 ½ su.aut Y.Pk Eng. hyb. ... D l Sw. fl. gar. 2. s. 43
 33460 13639a *ontopoda Dou.* pedicelled $\frac{\Delta}{\Delta}$ or 1 jl.s Y N. Amer. 1826. D co [J. Cree.]
 33461 13641a *effusa Dou.* effuse $\frac{\Delta}{\Delta}$ or 1 jl.s Y N. Amer. 1826. D co
 33462 13645a *glandulosa Lindl.* glandulose $\frac{\Delta}{\Delta}$ cu 1 au Y Californ. 1830. ?D co Bot. reg. 1583
2 incta Lindl. cut-*leaved* $\frac{\Delta}{\Delta}$ cu 2 jn Y Californ. 1835. D co Bot. reg. 1973
 33463 13646a *missouriæa Horn.* Missouri $\frac{\Delta}{\Delta}$ cu 1 jn.au Y N. Amer. 1827. D co Bot. reg. 1412
 33464 13646b *arguta Ph.* sharp-*toothed* $\frac{\Delta}{\Delta}$ cu 2 jl Ysh.WN. N. Amer. 1818. D co Bot. reg. 1379
 33465 13646c *pectinata Fis.* comb-*leaved* $\frac{\Delta}{\Delta}$ or 1 ½ jn.au Y N. Amer. 1826. D co
 33466 13646d *Hippiana Leh.* Hippiani's $\frac{\Delta}{\Delta}$ or 1 ½ jn.au Y N. Amer. 1826. D co
 33467 13646e *bipinnatifida Dou.* *bipinnatifid-lvd* $\frac{\Delta}{\Delta}$ or 2 jn.au Y N. Amer. 1826. D co
arguta Leh., not of Ph., Spr.
 13647 multiäda
 2 *angustifolia* narrow-leaved $\frac{\Delta}{\Delta}$ pr ¾ my.jl Y Siberia ... D co
 33468 - *hematodeschus Leh.* blood-coloured $\frac{\Delta}{\Delta}$ or 2 jn.au S Mexico 1838. D lp Fl. cab. 119
 33469 - *feruginea Paxt.* rusty-coloured $\frac{\Delta}{\Delta}$ or 1 jl.au O.br hybrid 1835. D co Paxt. mag. 5.223
 33470 - *ornithopoda Tauschbird's-foot* $\frac{\Delta}{\Delta}$ or ... Y ... 1836. D co
 33471 - *Menziesii Paxt.* Menzies's $\frac{\Delta}{\Delta}$ or 3 au S hybrid ?1847. R lt.1 Paxt. mag. xv.247
 33472 - *stolonifera Leh.* stoloniferous $\frac{\Delta}{\Delta}$ or ... jn.au Y Europe 1837. D lt.1
 33473 - *desertorum G. Don* desert $\frac{\Delta}{\Delta}$ or ... jn.au Y Altai 1830. D lt.1
 33474 - *pulcherrima G. Don* very fair $\frac{\Delta}{\Delta}$ or ... my.jl Y N. Amer. 1837. D lt.1
 33475 - *conferta G. Don* crowded $\frac{\Delta}{\Delta}$ or ... jn.jl Y Altai 1837. D lt.1
 33476 - *gariépensis Eck.* Gariep $\frac{\Delta}{\Delta}$ or ... jn.au W C. G. H. 1837. D lt
 33477
 33478

2655. POTERIUM.

- 33479 23369a *verrucosum Lk.* warty $\frac{\Delta}{\Delta}$ un 2 jl G 1828. S co
 331. PO'THOS. See *Anthidium* in p. 490.
 3934. 865a. POZOA Dec. POZOA. (D. Pozo, a Spanish botanist.) *Umbelliferæ.* 5.—2.
 33480 - *coriæca Dec.* leathery-*lvd* $\frac{\Delta}{\Delta}$ or 1 ½ jl.s W Chili 1827. D co

3935. 891a. PRANGOS Dec. PRANGOS. (The native name of *P. pabularia*.) *Umbelliferæ.* 5.—2.

- 33481 - *ulöpfera Dec.* curled-winged $\frac{\Delta}{\Delta}$ un 2 jn.jl Y Persia 1836. D co
 33482 - *feniculæca G. Don* fennel-like $\frac{\Delta}{\Delta}$ un 3 jn.jl Y Caucasus 1837. D co
 33483 - *pabularia Dec.* fodder $\frac{\Delta}{\Delta}$ un 3 jn.jl Y Thibet 1839. D co
 No. 7106. in p. 109. also belongs to this genus.

2510. PRASOPHYLLUM.

- 33484 - *gigantæum Lindl.* gigantic $\frac{\Delta}{\Delta}$ or ... S. River ... R lp
 33485 - *macrotys Lindl.* long-eared $\frac{\Delta}{\Delta}$ or ... my ... S. River ... R lp
 33486 - *ovale Lindl.* oval-*lvd* $\frac{\Delta}{\Delta}$ or ... ap.jn ... S. River ... R lp
 33487 - *gracile Lindl.* slender $\frac{\Delta}{\Delta}$ or ... mr.my ... S. River ... R lp

1737. PRE'MNA.

- 33488 - *aséprrima Wal.* roughest $\frac{\Delta}{\Delta}$ or ... su W E. Indies 1832. C lp
 33489 - *esculénta Rox.?* esculent $\frac{\Delta}{\Delta}$ or 25 su W E. Indies 1824. C sl

2206. PRE'NANTHES 19910 viminea L.; syn. *Phænodus viminea* Dec.

- 33490 - *répens L.* creeping $\frac{\Delta}{\Delta}$ un ?l j.l.s B Siberia 1828. D pl
Chorisma répens D. Don; *Chorisis répens* Dec.
 33491 - *jüncea Ph.* rush-like $\frac{\Delta}{\Delta}$ un ... my.jn Y Missouri 1827. D pl
Lygodësμία jüncea D. Don.
 33492 - *áspera Ait.* rough $\frac{\Delta}{\Delta}$ or .. jl au 1831. D co

3936.	794b. PREPU'SA Mart.	PREPU'SA.	(From <i>prepousa</i> , showy; flowers.)	<i>Gentianacææ</i> .	5.—2
33493 -	- <i>Hookeriána</i> Gard.	Hooker's	☿ ☐ or 1 mr.ap W.C	Brazil	1841. D m.s Bot. mag. 3909
2574. PRESCO'TTIA.					
33494 -	- <i>colobrus</i> Lindl.	colouring	☿ ☐ cu 1½ ja	G.w Brazil	1834. D p.1 Bot. reg. 1916
33495 -	- <i>lanceifolia</i> Lk. & O.	spear-leaved	☿ ☐ or ... w	...	Brazil 1831. D p.1
33496 -	- <i>gigantea</i> Lo. C.	gigantic	☿ ☐ cu ...	G	Brazil 1838. D p.1
451. PRIMULA.					
3766 <i>prænitens</i>					
3 <i>fimbriata rosea</i> fringed-rose- <i>cltd-flwd</i> ☿ ☐ pr 1 ja.o Ro gardens 1833. S s.1 [J. Cree.]					
4 <i>fimbriata alba</i> fringed-white- <i>flwd</i> ☿ ☐ pr 1 ja.o W gardens 1833. S s.1 [J. Cree.]					
33497	3767a <i>verticillata</i> Forsk.	whorled- <i>flwd</i> & <i>lvd</i>	☿ ☐ or ½ mr	Y	Egypt 1826. D s.p Bot. mag. 2842
33498	3773a <i>microcalyx</i> Bong.	small-calyced	☿ ☐ or ... my jn	R	Altai 1838. D s.1
3785	<i>farinosa</i> L.	mealy-leaved	☿ ☐ or ½ jn.jl	R	Eng. moi. pl. D p.1 Sw.fl.gar.2.s.65a
1 small red-flowered					
2 large pale-flowered					
3 white-flowered					
3774	<i>vulgaris</i>		☿ ☐ or ½ jn.jl	Pa.R	England bog. D p.1 Sw.fl.gar.2.s.65b
3774	1 <i>alba Hort.</i>	single-white	☿ ☐ pr ½ mr.my	W	Britain gard. D s.1
3775	<i>elator</i>		☿ ☐ pr ½ mr.my	Br.c	Britain gard. D s.1
3779	<i>Auricula</i>		☿ ☐ pr ½ ap.my	Y	gardens ... D h.1
33499	3781a <i>denticulata</i> Sm.	toothed- <i>lvd</i>	☿ ☐ pr ½ my jn	Li	Nepal 1838. D s.1 Bot. reg. 1842. 47
3782	<i>marginata</i>		☿ ☐ or ... mr.ap	Pk D s.1
33500	3790a <i>longiseapa</i> Led.	greater long-scaped	☿ ☐ or ... mr.my	Li	Altai 1837. D s.1
3791	<i>sibirica</i> Bot. mag. 3167.		☿ ☐ or 1 mr.ap	R.lilac	Altaic M.1832. O p.1 Bot. mag. 3445
33501 -	- <i>integerrima</i> Hook.	very entire	☿ ☐ rk ½ jn.jl	P	Carniola 1826. D p.1 Bot. gard. 651
33502	3791a <i>involuta</i> Wall.	ruffed	☿ ☐ or ½ mr.my	W	N. India 1845. R s.1lf.m Bot. reg. 1846. 31
33503	3791b <i>blunröi</i> Lindl.	<i>Capt. Muuro's</i>	☿ ☐ or ½ mr.my	W	N. India 1845. R s.1lf.m Bot. reg. 1847. 15
33504	3798a <i>glaucescens</i> Moret.	glaucouscent	☿ ☐ or ½ jn.jl	Pk	Switzerl. 1826. D p.1 Sw. fl. gar. 254
<i>caycinea</i> Gau. No. 3798.					
3800	<i>eliata</i>		☿ ☐ or ... ap	Dp.P	Eng. hybrid ...
3802	<i>helvetica</i>		☿ ☐ pr ½ ap.jn	W D s.1
33505	3810a <i>truncata</i> Lch.	white- <i>flwd</i> truncated- <i>lvd</i>	☿ ☐ pr ½ ap.my	P	S. Europe ... D s.1
3810b <i>minima angustifolia</i> Hort.					
33506 -	- <i>venusta</i> Hort.	neat	☿ ☐ or ½ ap.my	P	Hungary 1833. D s.1 Bot. reg. 1983
33507 -	- <i>Fréyeri</i> Hoppe.		☿ ☐ or 1 jn	Y	Nepal 1845. D 1p Bot. mag. 4356
33507 -	- <i>Stuartii</i> Wall.	Stuart's	☿ ☐ or 1 jn	Y	Nepal 1845. D 1p Bot. mag. 4356
1089. PRINOS.					
33508	9043a <i>dubia</i> G. Don	doubtful	☿ or 12 jl.au	W	N. Amer. 1736. L s.p
3937. 2537a. PROMENEA Lindl. PROMENEA. (Not explained.) <i>Orchidacææ</i> . 20.—1.					
33509 -	- <i>stapeloides</i> Lk. & O.	Stapelia-like	☿ ☐ cu ½ s	G.P	Brazil 1828. D p.r.w Bot. reg. 1839. 17
<i>Maxillaria stapeloides</i> Lindl.					
33510 -	- <i>citrina</i>	citron- <i>cltd-flwd</i>	☿ ☐ cu ... su	Ci	Mexico 1840. D fib.p
<i>Maxillaria citrina</i> Lindl.					
33511 -	- <i>xanthina</i> Lindl.	yellow- <i>flwd</i>	☿ ☐ cu ... aut	Y	Brazil 1840. D fib.p
33512 -	- <i>lentiginosa</i> Lindl.	freckled	☿ ☐ cu ... aut	Dk.P	Brazil 1838. D fib.p
33513 -	- <i>Rollissonii</i> Lindl.	Rollisson's	☿ ☐ or ... aut	Pa.Y.P	Brazil 1836. D fib.p Bot. reg. 1838. 40
<i>Maxillaria Rollissonii</i> Bot. reg.					
33514 -	- <i>graminea</i> Lindl.	grass- <i>lvd</i>	☿ ☐ cu ... sp	Y.P	Bahia 1834. D fib.p
<i>Maxillaria graminea</i> Lindl.					
3938. -	- <i>PRONAYA</i> Hügg.	PRONAYA.	(Baron Pronay, a Hungarian nobleman.)	<i>Pittosporacææ</i> .	5.—1.
33515 -	- <i>Elegans</i> Hügel	elegant	☿ ☐ or 74 au	B	N. Holl. 1837. C s.p Paxt. mag. 12. 99
<i>Spiranthera Fraserei</i> Hook.; <i>Campylanthera Fraserei</i> ?Hook.; <i>Billardiera rosmarinifolia</i> Hort.					
1692. PROSTANTHERA.					
33516 -	- <i>prunelloides</i> G. Don	Prunella-like	☿ ☐ or ... ap.jl	P	Australia 1826. C s.p
33517 -	- <i>cærulea</i> G. Don	blue- <i>flwd</i>	☿ ☐ or ... ap.jl	B	Australia 1824. C s.p
33518 -	- <i>saxicola</i> G. Don	rock	☿ ☐ or ... ap.jl	W	Australia 1823. C s.p
33519 -	- <i>marifolia</i> G. Don	Marum-leaved	☿ ☐ or ... ap.jn	W	Australia 1827. C s.p
1694. PRUNE'LLA.					
15306	<i>vulgaris</i>		☿ ☐ or ½ jl.au	Pk	Britain gard. D co
3 flore pleno double- <i>flwd</i>					
4 rubra red- <i>flwd</i> ☿ ☐ pr ½ jl.au R Britain gard. D co					
33520	15310a <i>Marryattæ</i> Hort.	Mrs. Marryatt's	☿ ☐ or 1½ jl.au	P D co [J. Cree.]
33521	15310b <i>Webbiana</i> Hort.	Webb's	☿ ☐ or 1 au.s	Li D co [J. Cree.]
33522 -	- <i>Browniana</i> Penny	Brown's	☿ ☐ or ¾ jl.o	B	N. S. W. 1826. S co
<i>australis</i> Swt. hort. brit. ed. 2. p. 410.					
1501. PRUNUS.					
12852	<i>spinosa</i>		☿ or 10 mr.ap	W	Britain ... G co
5 foliis variegatis <i>Scr.</i> variegated- <i>lvd</i>					
6 flore pleno <i>A. E.</i> double- <i>flwd</i> ☿ or 10 mr.ap W Tarascon ... G co					
12853	<i>insititia</i>		☿ fr 20 ap	W G co
1 fructu nigro Hort. black-fruited					
3 fructu albo yellowish-w.- <i>frd</i> ☿ fr 20 ap W G co					
3 fructu rubro Hort. red-fruited ☿ fr 20 ap W G co					
4 flore pleno Hort. double- <i>flwd</i> ☿ or 20 ap W G co					
12858	<i>domestica</i>		☿ or 20 ap	W G co
2 flore pleno Hort. double- <i>flwd</i> ☿ or 20 ap W G co					
3a myrobálana fol. var. varieg- <i>lvd</i> ☿ or 20 ap W G co					
4 pëndula weeping ☿ or ... W 21838. G co [A. P.]					
5 heterophylla variable- <i>lvd</i> ☿ or 20 ap W 1846. G co [K. & P.]					
33523 -	- <i>Münch</i> Sieb.	Munne	☿ ec ?2	Japau 1841. G co

210. PSA'MMA 1781 arenaria Beauv.; syn. *Ammophila arundinacea* Kth.

- †2071. PSORA'LEA. PSORALEA. (*Psoraleos*, warty; surface tubercled. *Lindley in Bot. 16, g., t. 1769.*)
 33524 18635a macrostachya Dec. long-spiked ♀ Δ or 3 jl P Califom. 1833. 78 s.l. Bot. reg. 1769
 33525 - orbiculata Lindl. round-leaved ♀ Δ or 1/2 jn.jl P Califom. 1835. R p.l. Bot. reg. 1971
 33526 - brachiata Dougl. brachiate ♀ Δ esc 1/2 jn.jl W.B. Pl. Rky. M. 1828. D p.l. Hook. am. 53
 " Allied to *P. esculenta*, and like that species used as food by the natives of the Plains of the Rocky Mountains."—*Drummond.*
 33527 - cinerea Lindl. grey ○ or ... jn.au P Australia 1837. S s.p
 33528 - acutis Stev. stemless ♀ Δ or 1 jn.jl P Iberia 1837. D s.p
 33529 - Mutisii Dec. Mutis's ♀ □ or ... jn.au P Mexico 1828. C s.p

631. PSYCHO'TRIA 5251 megalosperma Vahl; syn. *Chione glabra* Dec.

391. PTE'LEA 3312 trifoliata
 2 variegata. variegated-*lvd* ♀ □ or 12 jn.jl G 1846. G co [K. & P.]
 33530 3312a pinnata L. pinnate ♀ □ or ... my.jl W Norfolk I. 1829. L co
Blackb'erna pinnata Dec.
 2926. PTER'IS 25524 chinensis Lo. C.; syn. *P. crenata* Swz.
 33531 25507a felosma J. Sm. heavy-smelling ♀ □ or 5 jl.au Br Jamaica 1822. D p.l
Plumieri and *memoralis* Hort., but according to Mr. Smith, specifically distinct.
 33532 - sulcata Hort. Berol. sulcate ♀ □ or 5 aut Br Jamaica 1841. D p.l
 33533 - Kingiana Endl. King's ♀ □ or ... Br Norfolk I. 1831. D p.l
 33534 - lata Lk. broad ♀ □ or 3 1/2 ... Br Brazil 1841. D p.l
 25508 memoralis W.; syn. *Campteria memoralis* J. Sm.
 33535 - collina Rad. hill ♀ □ or 1 1/2 jn.n. Br Brazil ... D p.l Rad. fil. 65. t. 2
 33536 - allosorus Lch. Allosorus-like ♀ □ or 1 ... Br D p.l [J. Buis.]
 33537 - ampla Lch. large ♀ □ or 6 jl Br D p.l [J. Buis.]
 33538 - spinulosa Lk. spinulose ♀ □ or 1 1/2 jn.n. Br ?1834. D l.p
 Nos. 25494. and 25496. are species of *Doryopteris* J. Sm.

3939. 2634a. PTEROCAR'YA Kunth. PTEROCARYA. (*Pteron*, a wing, *karya*, common walnut.) *Juglandaceae.*
 †23397 caucásica Kth. Caucasian ♀ tm 40 ap.my 4 N. Amer. ... S co
Juglans fraxinifolia Lam., No. 23397. *J. pterocarpa* Mx., No. 23398. in p. 354. *Rhus obscura* Bieb.
Fraxinus levigata Hort. Par.

3940. 346c. PTEROCE'PHALUS Vail. PTEROCEPHALUS. (*Pteron*, wing, *kephale*, head; seeds.) *Dipsacaceae.* 6.—12.
 33539 - Vaillantii Lag. Vaillant's ○ or 1 jl B Aleppo 1822. S co
Cephalaria Vaillantii R. & S. No. 2882. Nos. 2883. 2884. 2885; and *Scabiosa*, Nos. 2905. and 2923. also belong to this genus.

3941.- - PTERODI'SCUS Hook. (*Pteron*, a wing, *diskos*, a disk; disk of fruit winged.) *Pedaliaceae.* 14.—2.
 33540 - speciosus Hook. showy-*flwd* ♀ □ or ?2 my Rsh. P. S. Africa 1843. ?C s.l.p Bot. mag. 4117

3942.- - PTEROSTE'GIA F. & M. (*Pteron*, wing, *stegos*, covering; involucre winged.) *Polyg.* 6.—3.
 33541 - drymarioides F. & M. Drymaria-like ○ un ... su G.W California 1835. S co

3943. 1779a. PTEROSTY'GMA Endl. WINGPOINT. (*Pteron*, a wing, *stigma*, a stigma.) *Scrophulariaceae.* 14.—2.
 33542 - grandiflorum Benth. large-*flwd* ♀ □ or 1 1/2 jl.au B Hong-Kong 1845. D s.p.l Bot. reg. 1846. 16
Gerardia glutinosa L.; *Digitatis chinensis* Lou.

2518. PTERO'STYLIS. § *Stems leafy; appendix of labelium pencilled at top.*
 33543 - Banksii R. Br. Banks's ♀ Δ cu 1 1/2 d Y.W N. Zeal. 1826. D p.l Bot. mag. 3172
 33544 - vittata Lindl. banded ♀ Δ or ... St S. River ... R p.l
 33545 - barbata Lindl. bearded ♀ Δ or ... m.r Y S. River ... R p.l
 33546 - pyramidalis Lindl. pyramidal ♀ Δ or ... ap.jn ... S. River ... R p.l
 33547 - scabra Lindl. rough ♀ Δ or ... jn.jl Y S. River ... R p.l

2474. PTERYGO'DIUM 22437 volucre Swz.; syn. *Ommatodium volucre* Lk. & Otto.

3944. 844a. PTYCHO'TIS Koch PTYCHOTIS. (*Ptyche*, a plait, *ous*, an ear; petals.) *Umbelliferae.* 4.—6.
 33548 - heterophylla Koch various-leaved ♀ Δ un 1 jl W Pyrenees 1778. S co Jac. vin. 2. 198
Méum heterophyllum Moen. *Séseli Saxifragum* L. *Càrum Bùnius* L. Nos. 6759. 6773. and 6780. of *Séseli*, also belong to this genus.

438. PULMONA'RIA 3634 officinalis
 2 alba J. C. white-*flowered* ♀ Δ pr 1 my.jn W England gard. D co

1262. PULTEN'EA.

- 33549 10582a pedunculata Hook. peduncled ♀ □ or 1 my Y N. Holl. 1820. C s.l.p Bot. mag. 2860
 †10583 flexilis Sm. flexible-*twigged* ♀ □ or 1 1/2 ap.jn Y Pt. Jack. 1801. C s.l.p Bot. reg. 1694
Dillwynia tauricoides Steber.
 10584 eucilla Dec.; syn. *Spadostyles Steberi* Benth.
 33550 - rupesiris rock-*inhab.* ♀ □ or 1 f.my Dp.Y 1845. C s.l.p [K. & P.]
 33551 - brachytropis B. R. short-keeled ♀ □ or 1 1/2 f.my P.O Pt. Augustal 1838. C s.l.p
 †10591a rosmarinifolia Lindl. Rosemary-*lvd* ♀ □ or 2 ap.ju Y N. Holl. 1824. C s.l.p Bot. reg. 1584
 No. 10606. of Hort. Brit., p. 164. It is closely allied to *P. stipularis*; as is also *P. mucronata*.
 33552 - cordata Graham. sharp-*hearted-*lvd** ♀ □ or 2? ap O V. Di. L. 1832. C s.p.l Bot. mag. 3443
 33553 - stenophylla Ait. narrow-leaved ♀ □ or ... ap Y N. Holl. 1824. C s.l.p
 33554 - subumbellata Hook. subumbellate ♀ □ or 1 ap O.V Y V. Di. L. 1831. C s.p.l Bot. mag. 3254
 33555 10611a staphyleoides Cun. Staphylea-like ♀ □ or 2 ap.jl Y N. Holl. 1824. C l.p

1497. PU'NICA 12839 Granatum

- 2 rubrum fl. pl. *Tree* double-*red-*flwd** ♀ or 10 jn.s R S. Europe ... C r.m
 P. G. 3 *pilum* Hort. Brit., p. 199. or 10 jn.s Wsh China ... C r.m Bot. rep. 96
 3 albescens Dec. whitish-*flwd* ♀ or 10 jn.s Wsh C r.m
 P. G. 2 *album* Hort. Brit., p. 199. or 10 jn.s Wsh C r.m
 4 albescens fl. pl. dbl-whitish-*flwd* ♀ or 10 jn.s Wsh C r.m
 5 flavum Hort. yellow-*flwd* ♀ or ... jn.s Y C r.m

3945. 1503a. PU'RSHIA Dec. PURSHIA. (*F. Pursh*, author of Fl. Amer. Sept.) *Rosaceae.* 1.
 33556 - tridentata Dec. 3-toothed-leaved ♀ or 2 ... Y N. Amer. 1826. C l.p Ph. an. 1. 15
Tigarea tridentata Ph.

3946. 955a. *PUYA* Mol. *PUYA*. (Not explained.) *Bromeliæccæ*. 6.—1.
 33557 - heterophylla *Lindl.* various-leaved ♀ [X] cu 1 my Pk Mexico 1838. D p.l Bot. reg. 1840. 71
 33558 - carulea *Miers* blue [X] or ... ap.au B Chili 1827. Sk p.1 Bot. reg. 1840. 11
 33559 - rubricaulis *Miers* red-stemmed ♀ [X] or ... ap.au B.R Chili 1827. Sk p.1
 33560 - recurvata *Lindl.* recurved ♀ [X] or 1 ap.jn W Brazil 1843. Sk s.p
- This genus includes all the species of *Pourretia* given in p. 119.
1679. *PYCNA'NTHEMUM*.
 33561 - ovatum *Nest.* ovate ♀ Δ cu 3 jl.o W N. Amer. 1829. D co
2375. *PYRE'THRUM*.
 33562 - incanum *Led.* hoary ♀ Δ or ... jl.au W Siberia 1831. D 1 p
 21673 simplicifolium *W.*; syn. *Egletes domingensis* Dec.
 21681 diversifolium *Grah.*; syn. *Brachystephium diversifolium* Dec.
3947. 968a. *PYROLIPRION* *Herbert* FLAME LILY. (*Pyr.* fire, *lirion*, lily; colour of perianth.) *Amaryl.* 1.
 33563 - aureum *Herb.* golden-perian. ♀ [X] or 1 ap Go Peru 1833? O p.l Bot. reg. 1724
Amaryllis peruviana Poir., *A. aurea* Fl. Per.
1507. *PYRUS*.
 12944 communis
 4 foliis variegatis *Hort.* varieg.-lvd ♀ or 20 ap W G co
 5 fructu variegato *Hort.* varieg.-fld ♀ fr 20 ap W G co
 6 sanguinolenta *Hort.* bloody ♀ fr 20 ap W G co
 7 fibre pleno *Hort.* double-flwd ♀ or 20 ap W G co
 8 jaspida *Hort.* striped-bark ♀ fr 20 ap W G co
 † 12951 crenata *D. Don* notched-lvd ♀ or 15 my.jn W Nepal 1820 G co Bot. reg. 1655
 33564 12951a variolosa *Wall.* variable-lvd ♀ or 750 ap.my Pksh Nepal 1825. G co A. b. pl. 170
P. Pashia Herm. MSS.
 33565 12955a præcox *Sut.* early, *Paradise* ♀ fr 10 ap Bh Russia 1784. G co
 33566 12957a sinensis *B. R.* Chinese 雄 or 4 my.jn W China ... L co Bot. reg. 1248
 12965 *Aria*
 3 undulata wavy-leaved ♀ or 30 my W S. Europe ... G co
 4 rugosa wrinkled-lvd ♀ or 30 my W S. Europe ... G co
 5 cretica Cretan ♀ or 30 my W Crete ... G co
 6 bullata blistered-leaved ♀ or 30 my W S. Europe ... G co
- 12971 pinnatifida
 2 lanuginosa *A. B.* lanuginous-lvd ♀ tm 40 my.jn W England ... G co
 3 pendula *A. B.* pendulous-bran. ♀ or ... my.jn W England ... G co
Sorbus hybrida pendula Lo. C.
 4 arbutella *A. B.* little tree ♀ or ... my.jn W Germany ... G co
- 12973 aucuparia
 2 fructu luteo *Hort.* yellow-fruited ♀ or 30 my.jn W Britain gard. G co
 3 foliis variegatis *Hort.* varieg.-lvd ♀ or 30 my.jn W Britain gard. G co
 4 fastigiata *Hort.* fastigiate ♀ or ... my.jn W G co
- 12975 *Sorbus*
 2 maliformis *Lo. C.* apple-shaped ♀ fr 30 my.jn W G co
 3 pyriformis *Lo. C.* pear-shaped ♀ fr 30 my.jn W G co
- 12977 spuria
 2 pendula *Hort.* pendulous-bran. ♀ or ... my.jn W 1818. G co
P. s. 2 sambucifolia *Hort. Brit.*, p. 202.
- 12979 arbutifolia. *Bot. mag.* 3698.
 2 intermedia *Lindl.* intermediate 雄 or 4 my.jn W G co
 3 serotina *Lindl.* late 雄 or 4 ju.jl W G co
 4 pumila *A. B.* dwarf 雄 or 1½ my.jn W L.G co
Mespilus pumila Lo. C.
- 33567 12979a grandifolia *Lindl.* great-leaved 雄 or 5 my W N. Amer. ... B co Bot. reg. 1154
 33568 - pubens *Lindl.* downy 雄 or 5 my W B co
 12980 melanocarpa
 2 subpubescens *Lindl.* subpubescent 雄 or 4 my.jn W G co
 33569 12980a depressa *Lindl.* depressed 雄 or 1½ my.jn W L co
P. Michauxii; *P. Schottii* *Led.*, received from Dr. Ledebour; *P. stipulacea* *Hort.*, from the Himalayas; *P. rivularis*, from Mr. Douglas; and *P. heterophylla*, from Dalmatia, are in the London Horticultural Society's Garden.
3948. 323a. *QUADRIA* R. & P. *QUADRIA*. (*Antoine de la Quadra*, a Spanish cultivator.) *Protæcæ*.
 33570 - heterophylla *R. & P.* variable-leaved ♀ [X] fr 40 ... Chili 1826. C p.l Fl. per. 1. 99. 6
Guevina Avellana Mol.
3949. 21a. *QUALEA* Aub. *QUALEA*. (Name given to the tree by the Indians of Guiana.) 1. 1. *Vochysiæ*. 1. 9.
 33571 - violacea *Mart.* Violet-coloured ♀ [X] fra ... V Brazil 1824. S p.l Mart. br. 81
3950. - *QUEKETTIA* *Lindl.* *QUEKETTIA*. (*E. J. Quckett*, F.L.S., a most skilful veget. anatomist.) *Orchid.*
 33572 - microscopica *Lindl.* minute ♀ [X] cu ½ ... G.P. 1839. D p.r.w
- † 2666. *QUERCUS* L. OAK. (*Quer.* fine, *cucz*, tree, *Celt.*) *Corylæcæ*.
 A. *Leaves deciduous.*
 1. RO'BUR.—*British Oaks.*
 23409 pedunculata *W.* peduncled ♀ tm 70 ap.my Ap Britain woods S h.1 Eng. bot. 1342
 2 pubescens *Lo. C.* pubescent ♀ tm 60 ap.my Ap Britain ... G co
 3 fastigiata *A. B.* fastigiate, *Cypr.* ♀ tm 40 ap.my Ap S. Europe 1820. G co A. b. pl. 290
Q. fastigiata Lam., &c., No. 23465. in p. 385. *Q. pyramidalis* *Hort.*
 4 pendula *A. B.* pendulous-bran. ♀ tm 70 ap.my Ap Britain ... G co A. b. f. 1568
Q. pendula Lo. C.
 5 heterophylla *A. B.* various-lvd ♀ or ... ap.my Ap Britain hed. G co A. b. f. 1560
Q. satcifolia *Hort.* *Q. laciniata* Lo. C. *Q. filicifolia*, and *Q. Fennessi* *Hort.*
 6 foliis variegatis *Lo. C.* varieg.-lvd ♀ or 40 ap.my Ap Britain gard. G co
 7 purpurea *A. B.* purple ♀ or ... ap.my Ap Britain ... G co
Q. purpurea Lo. C.
 8 Hodginsii *Lo. C.* Hodgins's ♀ or ... ap.my Ap Britain gard. G co
 23410 sessilifera *Sed.* sessile-flwd ♀ tm 60 ap.my Ap Britain woods S co Eng. bot. 1845
Röbur *W.*, No. 23464. in p. 385. *sésisii* Ehrh. *platyphylus* m. & *J. Dalech.* *tatfolia*, *mas*, &c., *Bauh.*
regalis *Burnet*.

2 pubescens <i>A. B.</i>	pubescent, <i>Durm.</i>	♀	tm 40	ap my	Ap	Britain	...	G co	Fl. rust. 12
3 pubescens <i>W.</i>	No. 23468, in p. 385.	♀	Q s. var. β	Sm.	Q. R.	<i>lanuginosum</i> Lam.	<i>Loch Lomond Oak.</i>		
3 macrocarpa	large-fruited	♀	tm 60	ap my	Ap	Britain	...	G co	E. of T., S. f. 1546
4 falkenbergensis	Falkenberg	♀	or ...	ap my	Ap	Falkenb.	1837.	G co	E. of T., S. f. 1547
5 australis	southern	♀	or ...	ap my	Ap	Portugal	1835.	G co	E. of T., S. f. 1548
? <i>Q. australis</i> Lk.	In Spr. syst.								
23411 pyrenæica <i>W.</i>	Pyrenean	♀	tm 4	ap my	Ap	Pyrenæes	1822.	S co	Duh. no. 7. 56
	<i>Inzlin Pers.</i> , No. 23469 in p. 385.	♀	♂	za		<i>Bosc. nigra</i> Thore.	<i>stolonifera</i> Lap.		
23412 apennina <i>Lam.</i>	Apennine	♀	or 20	ap my	Ap	S. Europe	...	S co	Duh. no. 7. 53
	<i>conglomerata Pers.</i>								
23413 <i>E'sculus L.</i>	<i>Esculus, Italian</i>	♀	tm 30	my	Ap	S. Europe	1739.	S s.l	A. b. f. 1700
	<i>Phægus E'sculus m. & f.</i> Dalech.								

II. CERRIS. — Mossy-cupped, or Turkey, Oaks.

23414 Cerris <i>L.</i>	Bitter Oak, Turkey	♀	tm 50	my	Ap	S. Europe	1735.	S co	Duh. no. 7. 57
	<i>crinita α & β Lam.</i>					<i>burgundiaca, &c.</i> , Bauh.	<i>Q. C. Pinii, &c.</i> , Lob.		

i. Foliage deciduous.

a. Leaves pinnatifid or sinuated. Cups of the acorns mossy.

1 vulgaris <i>A. B.</i>	common form	♀	tm 50	my	Ap	S. Europe	1735.	S co	A. b. f. 1702
	<i>Q. C. frondosa Mill.</i>								
2 pèndula <i>Neill</i>	pendulous-bran.	♀	or 50	my	Ap	S. Europe	...	G co	A. b. f. 1707
3 laciniata	cut-lvd	♀	or ...	my	Ap	seedling	...	G co	
4 variegata <i>Lo. C.</i>	variegated-lvd	♀	or 50	my	Ap	S. Europe	...	G co	

b. Leaves dentate. Cups of the acorns bristly.

5 austriaca <i>A. B.</i>	Austrian	♀	tm 40	my	Ap	Austria	1824.	G co	A. b. pl. 298
	<i>Q. austriaca W.</i> , No. 23457, in p. 385.					<i>Q. Cerris</i> Host.	<i>Q. crinita</i> & <i>Cerris L.</i>	<i>Q. calycè hispido, &c.</i> , Bauh.	<i>Cerris</i> Clus. Hist.
	<i>Cerris minoris ramulus cum flore Ger.</i>					<i>Cerris Pinii minoris glande Lob.</i>			
	<i>E'gilops minoris glande Dord.</i>					<i>Haliphæos, Cerris fer'antia Dalech.</i>			
6 cæna major <i>A. B.</i>	larger hoary-lvd	♀	tm 50	my	Ap	S. Europe	...	G co	A. b. f. 1709
	<i>Q. cæna major Lo. C.</i>								
7 cæna minor <i>A. B.</i>	lesser hoary-lvd	♀	tm ...	my	Ap	S. Europe	...	G co	
8 Ragnal <i>A. B.</i>	Ragnal Oak	♀	tm 50	my	Ap	Ragnal	...	G co	
	<i>Q. Ragnal Lo. C.</i>								

ii. Foliage subevergreen. Leaves dentate. Acorns with bristly cups.

9 fulhamensis <i>A. B.</i>	Fulham	♀	tm 60	my	Ap	Fulham	...	G co	Den. br. 93
	<i>Q. C. 5 dentata, in p. 385.</i>					<i>Q. hybrida var. dentata</i> Swt.			
10 latifolia	broad-leaved	♀	or ...	my	Ap	seedling	...	G co	
11 Lucombeana <i>A. B.</i>	Lucombe, Exeter	♀	tm 70	my	Ap	Exeter	seed.	G co	A. b. pl. 300—5
	<i>Q. exoniensis Hort.</i>					<i>Q. Lucombeana Swt.</i>			

iii. Foliage evergreen, or very nearly so. Leaves varying from dentate to sinuate. Cups of the acorns bristly. Mostly subvarieties of *Q. C. Lucombeana*.

12 crispa <i>A. B.</i>	curled-lvd	♀	tm 70	my	Ap	Exeter	seed.	G co	A. b. pl. 306
	<i>Q. L. crispa Hort.</i>								
13 suberosa <i>A. B.</i>	corky-barked	♀	tm 70	my	Ap	Exeter	seed.	G co	A. b. f. 1717a
	<i>Q. L. suberosa Hort.</i>								
14 incisa <i>A. B.</i>	cut-leaved	♀	tm 70	my	Ap	Exeter	seed.	G co	A. b. f. 1717b
	<i>Q. L. incisa Hort.</i>								
15 dentata <i>A. B.</i>	toothed	♀	tm	Ap	Exeter	seed.	G co	A. b. f. 1716
	<i>Q. L. dentata Hort.</i>								
16 heterophylla <i>A. B.</i>	various-leaved	♀	Ap	Exeter	seed.	G co	A. b. f. 1719
	<i>Q. L. heterophylla Hort.</i>								
23415 <i>E'gilops L.</i>	<i>E'gilops, Valonia</i>	♀	tm 30	...	Ap	Levant	1731.	S s.l	Mil. ic. 2. 215
	<i>Q. orientalis, &c.</i> , Tou.								
2 pèndula <i>A. B.</i>	pendulous-bran.	♀	or	Ap	G co	
3 latifolia <i>A. B.</i>	broad-leaved	♀	tm	Ap	G co	

III. ALBÆ. — White American Oaks.

23416 álba <i>L.</i>	white	♀	tm 60	my	Ap	N. Amer.	1724.	S s.l	Mic. ar. 2. 1
	<i>Q. álba virginiana Park.</i>					<i>Q. a. pinnatifida</i> Walt.			
1 pinnatifida <i>Mx.</i>	pinnatifid	♀	tm 60	my	Ap	N. Amer.	1724.	S s.l	A. b. f. 1723a
	<i>Q. álba Bau. Cat.</i>					<i>Q. a. palustris</i> Marsh.			
2 repanda <i>Mx.</i>	repand-lvd	♀	tm 60	my	Ap	N. Amer.	...	S co	Mic. quer. 5. f. 2
23417 olivæformis <i>Mx.</i>	olive-shpd.-fld	♀	tm 60	my	Ap	N. Amer.	1811.	S h.l	Mic. ar. 2. 2
23418 macrocarpa <i>W.</i>	long-ftd.	♀	tm 40	my	Ap	N. Amer.	1800.	S s.l	Mic. ar. 2. 3
23419 obtusiloba <i>Mx.</i>	blunt-lobed-lvd	♀	tm 60	my	Ap	N. Amer.	1819.	S s.l	Mic. quer. 1
	<i>Q. stellata Wan.</i> , No. 23462, in p. 385.								
23420 lyrata <i>Wall.</i>	lyrate, Swamp Post	♀	or 60	my	Ap	N. Amer.	1786.	S h.l	Mic. ar. 2. 5

IV. PRINUS. — Chestnut Oaks.

23421 Prinus <i>L.</i>	Prinus	♀	tm 60	my	jn	Ap	N. Amer.	1730.	S s.l	Mic. ar. 2. 7
1 palustris <i>Mx.</i>	marsh	♀	tm 90	...	Ap	N. Amer.	1720.	G r.h.l	Mic. quer. 5. t. 6	
	<i>Q. P. palustris Mx.</i>					<i>W., Ait., &c.</i>	<i>Q. castanæfoliis, &c.</i> , Pluk.			
2 monticola <i>Mx.</i>	mountain	♀	tm 60	my	Ap	N. Amer.	1730.	G s.l	Mic. ar. 2. 8	
	<i>Q. montana W.</i> , No. 23435, in p. 385.					<i>Q. Prinus Sm. in Abb. Ins.</i>				
3 acuminata <i>Mz.</i>	acuminate	♀	tm 80	my	Ap	N. Amer.	1822.	G s.l	Mic. quer. 5. t. 8	
	<i>Q. Castanea W.</i> , No. 23433, in p. 384.									
4 pumila <i>Mz.</i>	dwarf	♀	or 4	jn	Ap	N. Amer.	1823.	G s.l	Mic. quer. 9. 1	
	<i>Q. P. Chinquapin Mz. fil.</i>					<i>Q. Chinquapin Pursh.</i>	<i>Q. prinoides W.</i> , No. 23436, in p. 385.			
5 tomentosa <i>Mz.</i>	downy-leaved	♀	tm 70	my	Ap	N. Amer.	...	G s.l	Mic. ar. 5. t. 9	
	<i>Q. P. discolor Mx. fil.</i> , <i>Lo. C.</i>					<i>Q. bicolor W., Ph.</i> , N. Duh.	<i>Q. Michauxii Nutt.</i> , No. 23432, in p. 384.			

V. RUBRÆ. — Red American Oaks.

23422 rubra <i>L.</i>	red, Champion	♀	tm 80	my	Ap	N. Amer.	1739.	S s.l	Mic. ar. 2. 26
	<i>2 taraxacifolia Booth</i>		cu ...	my	Ap	?	1841.	G s.l
23423 coccinea <i>Wan.</i>	scarlet	♀	tm 80	my	Ap	N. Amer.	1691.	S s.l	Mic. ar. 2. 23
	<i>rubra β Ait.</i>								

2346 *annulata Sm.* ring-cupped ♀ | tm 20 ... Ap Nepal 1822. S l.p. A. b. f. 1865
Phullata Ham. MSS. Fkanroöpil D. Don. glauca Lo. C. ? Thunb. acuminata Hort.

XI. Du'BLE. — Oaks not referrible, with certainty, to any of the previous Sections.

§ i. Himalayan Oaks.

33576 - *spicata Sm.* spiked ♀ or Ap Himalaya 1845. S s.l. E. of T. S. f. 1642
squamata Rox.; A'reula Ham. MSS., Wall. pl. as. rar. t. 46.

§ ii. Mexican and other Oaks.

33577 - *xalapensis H. & B.* Xalapa ♀ or 60 ... Ap Mexico 1837. S s.l. E. of T. S. f. 1667
 33578 - *glaucescens H. & B.* glaucescent ♀ or 80 ... Ap Mexico 1839. S s.l. E. of T. S. f. 1668
 33579 - *laurina H. & B.* Laurel-like ♀ or 20 ... Ap Mexico 1837. S s.l. E. of T. S. f. 1673
 33580 - *sideroxylla H. & B.* Iron-wood ♀ or 60 ... Ap Mexico 1839. S s.l. E. of T. S. f. 1674
 33581 - *mexicana H. & B.* Mexican ♀ or 20 ... Ap Mexico 1839. S s.l. E. of T. S. f. 1675
 33582 - *crässipes H. & B.* thick foot-stalked ♀ or 30 ... Ap Mexico 1839. S s.l. E. of T. S. f. 1676
 33583 - *reticulata H. & B.* reticulated ♀ or 80 ... Ap Mexico 1839. S s.l. E. of T. S. f. 1679
 33584 - *spicata H. & B.* spiked-*inflor.* ♀ or 40 ... Ap Mexico 1839. S s.l. E. of T. S. f. 1683
Nof Q. spicata Sm. in Rees's Cycl. no. 12.
 33585 - *confertifolia H. & B.* clustered-lvd ♀ or 15 ... Ap Mexico 1837. S s.l. E. of T. S. f. 1687-8
 33586 - *acutifolia H. & B.* acute-lvd ♀ or 80 ... Ap Mexico 1839. S s.l. E. of T. S. f. 1690
 33587 - *lanceifolia C. & S.* lance-lvd ♀ or Ap Mexico 1839. S s.l.
 33588 - *petiolaris Benth.* long-petioled ♀ or 40 ... Ap Mexico 1839. S s.l.
 33589 - *Skinneri Benth.* Mr. Skinner's ♀ ? or 60 ... Ap Mexico 1843. S s.l. [G. G.]
 33590 - *insignis Hort.* remarkable ♀ ? or 60 ... Ap Mexico 1846. S s.l. [G. G.]
 33591 - *callosa Benth.* hard ♀ ? or 60 ... Ap Mexico 1843. S s.l. [G. G.]
 33592 - *castaneaefolia Meyer* chestnut-lvd ♀ or 60 ... Ap Crimea 1846. S s.l. A. b. f. 1827 [G. G.]

Small plants bearing the names of *Q. Thomasii*, introduced from Gibraltar in 1846, and *Q. californica*, introduced by Mr. Hartweg in 1848, are in the garden of the Horticultural Society.

3951. 1407a. *QUILLAJA G. Don* QUILLAJA. (*Quillai*, its Chilian name.) *Quillaja*. 10.—4.
 33593 - *sapouaria G. Don* soap ♀ or ... ap. jl W Chili 1832. C s.l.p

1355. *QUISQUALIS.*
 33594 - *sinensis Lindl.* Chinese ♀ or ? 10 jl Ro China ? 1842. C l.p Bot. reg. 1844. 15

641. *RA'NDIA.*
 33595 - *Bowieana Cun.* Bowie's ♀ or Pa.Y Brazil 1815. ? C l.p Bot. mag. 3409
 33596 - *oxypetala Lindl.* sharp-petaled ♀ fra Y N. of India 1842. C p.l

1637. *RANUNCULUS.*
 33597 - *Lenormandi Schult.* Lenormand's ♀ Δ pr flt my.au W England wat.pl. D co Eng. bot. 2930
hedraeus var. β grandiflorus Bab. Man. Brit. bot.
 33598 14556a *circinatus Sib.* rounded ♀ Δ pr flt jl W Britain dit. D co Eng. bot. 2669
divaricatus Koch.
 33599 14556b *fluitans Lam.* floating ♀ Δ pr flt jn. jl W Britain rivers D co Eng. bot. 2870
 14562 *millefoliatus*
 2 *grandiflorus D. Don* large-flowered ♀ Δ or 2 ap Y Naples 1833. D l.tl Sw. fl. gar. 2. s. 248
 " *R. garganicus Tenore, 'D. Don* in Sw. Fl. Gar., Gard. Mag. ix. 241, x. 341.
 33600 - *angulatus Presl* angled ♀ Δ or 1 ... Y Naples 1832. D co
 14573 *creticus L.*
 2 *macrophyllus Desf.* large-leaved ♀ Δ or 2 my Y Teneriffe 1658. D l Bot. reg. 1432
 33601 14587a *pallidus Dec.* pale-flowered ♀ Δ or 1 jn. jl Pa.Y hybrid ... D co Sch. mo. 57
 33602 14594a *bupleuroides Brot.* Hare's ear-lvd ♀ Δ or 1 ap. jn Y Portugal 1826. D co
 33603 14598a *niligindus W.* marsh ♀ or 1 jn. jl Y Teneriffe 1826. S bog
 33604 14599a *polypkyllus W.* many-leaved ♀ or cu 2 my jn Y Hungary 1819. D co W. & K. 1. 45
 33605 14606a *lapponicus L.* Lapland ♀ Δ or cu 2 ap. jn Y Lapland 1827. D co Fl. lap. ed. 2. 5
 33606 14608a *Sabini R. Br.* Sabine's ♀ Δ or ... jn. au Y N. Amer. 1827. D co
 33607 14608b *pedatifidus Sm.* pedatifid ♀ Δ or 1 my jn Y Siberia 1827. D co
 33608 14608c *Arcticus Richards* northern ♀ Δ or ... jn. au Y N. Amer. 1827. D co
 33609 14608d *Purshii Richards* Pursh's ♀ Δ or ... jn. au Y N. Amer. 1827. D co
 14612 *acris L.*

5 *albus* white-flowered ♀ Δ cu 1 jn. jl Wch D co
 33610 14615a *rufulus Brot.* reddish-haired ♀ Δ or 2 jn. au Y Portugal 1825. D co
 33611 14619a *Breyanius Cr.* Breynius's ♀ Δ or ... my. jl Y Switzerla 1818. D co

atrecus Schl. villosus Amans s. 227 bon. t. 5.
 33612 14627a *recurvatus Poir.* recurved-seeded ♀ Δ or ... my. jl Y N. Amer. 1827. D co
 33613 - *rhomboides Hook.* rhomboid ♀ Δ or ... my. jn Y N. Amer. 1825. D co Ed. jour. G. 11. 1
 33614 - *glaberrimus Hook.* smoothest ♀ Δ or ... my. jn Y N. Amer. 1827. D co Hook. am. 5. A
 33615 - *brevicaulis Hook.* short-stalked ♀ Δ or ... my. jn Y N. Amer. 1827. D co Hook. am. 7. A
 33616 14628a *cardiophyllus Hook.* heart-lvd ♀ Δ or ... my. jn Y Canada 1829. D co Bot. mag. 2969
 33617 - *Eschscholtzii Hook.* Eschscholtz's ♀ Δ or ... my. jn Y N. Amer. 1827. D co
 33618 14629a *affinis R. Br.* allied ♀ Δ or 1 1/2 my. jl Y N. Amer. 1827. D co
 33619 - *ovalis Raf.* oval ♀ Δ un 1/2 my. jl Y N. Amer. 1827. D co
 33620 - *Schlechtendahlii Hook.* Schlechtendahl's ♀ Δ un 3/4 my. jl Y N. Amer. 1827. D co
 33621 14640a *laciniatius Baug.* fringed ♀ or un 1 jn. au Y Transylv. 1827. S co
 14636 *bulbosus*

4 *ochroleucus Bishop* pale-yellow ♀ Δ or 2 ap. Y Pa.Y England mca. O co
 33622 - *geranioides G. Don* Geranium-like ♀ Δ or ... my. jn Y Mexico 1836. D p.l

3952. - *RAPHISTEMMA Wall.* (*Raphis*, needle, *stemma*, crown; leaflets of the corona.) *Asclepiadaceæ*. 5.—2.
 33623 - *pulchellum Dun* pretty ♀ or ... s.o W Silhet ? 1845. C s.l.p Paxt. mag. 14. 27
Asclepias pulchella. Fergularia campanulata.

3953. 692b. *RASPALIA Brong.* RASPALIA. (*Raspail*, a French botanist.) *Bruniadaæ*. 1.
 33624 - *microphylla Brong.* small-leaved ♀ or 1 jn. au W C. G. H. 1894. C s.l
Briaia microphylla, No. 5660.

1607. *REAMURIA.*
 33625 14311a *vermiculata L.* vermiculated ♀ or 1 jl. o Pk Sicily 1828. C s.p

2017. *REDOUTEA.* See *Fugosia* in p. 532.
 ? 18020 *heterophylla Ven.* various-leaved ♀ or 2 o Pa.Y. R. S. Amer. 1822. S. C. s.l Bot. mag. 4218
Fugosia heterophylla (B. Cienfuegos, a Spanish botanist of the 16th century) Spach, Bot. Mag.

3954. 2026a. *REVEVE'SIA* Lindl. REEVESIA. (John Reeves, Esq. of Canton.) *Byttneriacæ*. 16.—8.
 33626 - - *thyrsoidæ* Lindl. thyrs-lik-flwd ■ □ or 4 ja W China 1826. C p.1 Bot. reg. 1236
3955. 1789a. *REHMANNIA* Libosch. REHMANNIA. (An unexplained name.) *Scrophularinæ*.
 33627 - - *chinensis* Fis. Chinese ½ △ cu 2 ... Din China 1835. C co Bot. reg. 1960
glutinosa Libosch. in Herb. Petrop. *Gerardia glutinosa* Bunge Enum. Pl. Chinens., p. 49. *Digitatis*
glutinosa Gærtn. in Nov. Comm. Acad. Imp. Petrop. 14. p. 544.
2372. *RELHANIA*. Nos. 21623. and 21625.; syn. *E'clopes* sps. Dec.
2566. *RENANTHERA*.
 33628 - - *matutina* Lindl. morning ƒ □ pr 1 s Br.S Manila 1842. D p.r.w Bot. reg. 1843.41
moluccana Blume.
 22780 *arachnites* Lindl., syn. *Aérides arachnites* Swz. No. 22780, in p. 372; *Epidendrum flós àëris* L.;
Limodorum flós àëris Swz. Nov. Act. Imp. Petrop. 17. p. 37; *Arachnis moschifera* Bl. Bj.
1459. *RESEDA*.
 33629 - - *truncata* F. & M. truncate ○ cu 1½ jn.s Y Natolia 1836. S co
3956. 2539a. *RESTREPIA* Kth. RESTREPIA. (Not explained.) *Orchidæcæ*. 20.
 33630 - - *vittata* Lindl. banded ƒ □ cu ½ jn.jl Y.Ro Colombia ... O p.r.w J.H.S. 3.314 fig.
3957. 667a. *RETANILLA* Brong. RETANILLA (Its name in Peru.) *Rhâmneæ*. 2.
 331.31 - - *obcordata* Brong. obcordate-*lvd* ■ □ or 2 ... Y Peru 1822. C 1p Ven. cels 92
Collètia obcordata Ven. No. 5488. No. 5189. also belongs to this genus.
3958. 632a. *RETINIPHYLLUM* Dec. RETINIPHYLLUM. (*Rhctine*, resin, *phyllon*, a leaf.) *Rubiæcæ*. 5.—1.
 33632 - - *secundiflorum* Dec. side-flowering ■ □ or 10 ... W S. Amer. ?1839. C s.p
Nonatelia secundiflora Spr.
657. *RHA'MNUS*.
 5379 *Alaternus*
 7 *angustifolia* A. R. is synonymous with *R. Clusii* Willd. in *Hort. Brit.*, No. 5381. p. 82., and is figured in
 Mill. ic. t. 16. f. 2.
 5388 *catharticus*
 2 *hydrænsis* Jac. Hydrian ½ or 15 my.jn ... Hydra ... L co
 33633 5391a *Wicklius* Jacq. Wicklius ½ or 26 1839. L co
 33634 5395a *amygdalinus* Dec. almond-like ■ □ or 3 jn.jl Y N. Africa ... L co
 5398 *Erythroxylon*
 2 *angustissimum* Dec. narrowest-*lvd* ½ or Caucasus ... L co Pal. ros. 63
R. lycioides Pall.
 33635 5406a *Purshianus* Dec. Pursh's ½ or 6 my.jn G N. Amer. 1826. L co
 33636 - - *umbellatus* Cav. umbellate ½ ? or 6 Mexico 1839. L co
 5409 *Frángula*
 2 *angustifolia* Hort. narrow-leaved ½ or ?12 ap.my W Britain ... L co
 5410 *fatifolius*
 2 *maculatus* spotted ½ or 6 jl G 1845. G I [K & P.]
 33637 - - *cardiocarpus* heart-podded ½ or 1832. L co [D. Camron]
 33638 - - *Pallasii* F. & M. Pallas's ½ or ... s.d G Russia 1838. L co
 33639 - - *spatulifolia* F. & M. spatula-leaved ½ or ... s.d Y Russia 1838. L co
 5411 *Theëzans* L., syn. *Sageretia Theëzans* Brong.
R. burgundiacus: there are plants under this name in Messrs. Loddiges's nursery.
- 2880 *RHA'PIS*.
 33640 - - *áspera* Hort. rough ½ □ or ... my.jn G S. France ... R p.1
 33641 - - *cordata* Hort. heart-leaved ½ □ or ... my.jn G S. France ... R p.1
2433. *RHAPO'NTICA*.
 33642 - - *púchra* Mey. pretty ○ pr Caucasus 1837. S co [G. B. K.]
1232. *RHE'UM*.
 33643 - - *leucorhizum* Fis. white-rooted ½ △ my.jn St' Siberia 1827. D co
1182. *RHE'XIA* 9984 *versicolor* Bot. reg. 1066.; syn. *Arthrostemma versicolor* Dec. Bot. mag. 3678.
3959. 1018a. *RHINOPE'TALUM* Fis. (*Rhin.* nose, *petalon*, petal; base of upper sepal.) *Liliæcæ*. 1.—
 33644 - - *Karelinii* Fis. Kareline's ½ △ pr ¾ ja Pa.Pk.spot Ural 1834?O p.1 Sw.fl.gar. 2.s.283
3960. 2901a. *RHIPIDOPTERIS* Schott RHIPIDOPT. (*Rhipis*, a fan, *ptéris*, a fern.) *Crypt. Filices*. 24.—1.
 33645 - - *peltata* Swz. peltate-*lvd* ½ □ or ... mr.ap Br S. Amer. ... D p.1
Polybotrya peltata J. Sm.
 33646 - - *tripartita* Hook. three-parted ½ □ or ... mr.ap Br Brazil ... D p.1
 33647 - - *bifurcata* Swz. two-forked ½ □ or ... mr.ap Br W. Indies ... D p.1
 33648 - - *fœoiculæea* Hook. Fennel-*lvd* ½ □ or ... mr.ap Br W. Indies ... D p.1
1475. *RHI'PSALIS*.
 33649 - - *brachiata* Hook. brachiate ½ □ cu ¾ mr W B. Ayres 1843. C s.p Bot. mag. 4039
 33650 12625a *Hookeriana* Dec. Hooker's ½ □ cu 1 jl.o W W. Indies ... C s.p Hook. ex. fl. 2
 33651 12630a *cereduscula* Hav. small *Cereus*-*lk* ½ □ cu ¾ jl.au ... Brazil 1829. C s.1
 33652 - - *spatulata* Otto spatulate ½ □ or ... jl.s Y Brazil 1836. C s.1
 33653 - - *pentáptera* Otto five-winged ½ □ or ... my.au W Brazil * 1836. C s.1
3961. - - *RHODAN'THE* Lindl. (*Rhodan.* rose, *anthos*, flower; inner scales rose-coloured.) *Compósitæ*. 1.—
 33654 - - *Manglesii* Lindl. Capt. Mangles's ○ □ or 1½ my.n Ro.Y. S. River 1832?S lt Bot. reg. 1702
3962. 2793a. *RHODIOLA* L. ROSE ROOT. (*Rhodan.* a rose; roots smelling like roses.) *Crassulæcæ*. 2.
 33655 - - *rosea* L. Rose-smelling ½ △ or 1 my.jl Y Britain moun. D co Eng. bot. 508
 33656 - - *sibirica* Hort. Siberian ½ △ or ¼ my.jl Y Siberia 1827. D co
1339. *RHODOE'NDRON*.
 11006 *máximum*
 2 *álbum* Hort. white-flowered ½ or 15 jn.au W " ... L s.p
 3 *lýbridum* Hook. hybrid ½ or W.P hybrid ?1830. L p.1 Bot. mag. 3454
 4 *Standishii* Mr. Standish's spl ... ap.jn V.C hybrid 1842. ... s.p Paxt. mag. xv. 55

†11009 pōnticum													
2	obtusum A. B.	obtusely-veined	■	spl	4	my.jn	P	Armenia	...	L s.p	Den. br. 162		
	R. obtusum, No. 11011.										p. 171.		
3	myrtifolium Lod.	Myrtle-leaved	■	spl	12	my.jn	P	Gibraltar	1763.	L s.p	Bot. cab. 908		
	R. myrtifolium, No. 11017.										p. 171.		
4	pūchrum Swt.	Smith's beautiful	■	□	or	3	ap.jl	Ro	Eng. hyh.	1827.	C s.p	Sw.fl.gar.2.s.117	
	R. indicum γ Smith's Sweet's Hort. Brit. ed. 2. p. 343., and <i>Azalea indica</i> γ Smith's of some others; and is from seeds of <i>A. ledifolia</i> Hook. impregnated with the pollen of the original <i>A. indica</i> .												
5	Lōwī G. M.	Low's	■	spl	3	...	W	Eng. hyb.	...	L s.p			
6	azaleoides A. B.	Azalea-like	■	spl	3	jn.au	Pk	hybrid	17180.	L s.p	Bot. rep. 379		
	R. azaleoides Desf., No. 11014. p. 171.							R. p. β <i>subdeciduum</i> Auidr. Bot. Rep. 379.					
2	odoratum Lod.	sweet-scented	■	or	3	jn.au	Pk	1820.	L s.p			
7	Latiſtīe Herb. Hon. Mrs. W. Herbert's	■	or	...	my	W.o	hybrid	Bot. reg. 1845.51		
8	Ludovicīe Herb. Louisa Herbert's	■	or	...	my	Pa.Ro.	O hybrid	Bot. reg. 1845.60		
9	Aprilis Herb.	April-flowering	■	or	...	ap	Pa.Ro.	y hybrid	...	L s.p	Bot. reg. 1843.62		
Nursery Varieties.													
	admirabile	cæruleſcens	■					grandiflorum			ovatum		
	album	confortum	■					incarnatum			pygmaeum		
	angustifolium	crispum	■					intermedium			regale		
	angustissimum	Dickensii	■					Kalmefolium			robustum		
	arbutifolium	fl. pleno	■					Knightsium			roscum		
	aromaticum	fol. argenteis	■					luteum			salicifolium		
	brometæfolium	fol. aureis	■					macrophyllum			spectabile		
	bullatum	fol. marginatis	■					niaticum			violaceum.		
	cassinifolium	froudosum	■					obtusum					
†11012 arboreum Sm.													
1	sanguineum Lindl.	blood-cld.-cor.	■	□	spl	20	ap.my	S	Nepal	1817.	L s.p	Bot. reg. 890	
2	roseum Swt.	rosy-corollaed	■	□	spl	20	ap.my	Ro	Nepal	1817.	L s.p	Bot. reg. 1240	
3	niveum Swt.	snowy-white	■	□	spl	20	f.ap	W	Nepal	1817.	L s.p	Bot. reg. 1684	
	R. arboreum album Wal.												
4	undulatum Hook.	waved-corollaed	■	or	...	my		Rch. PE.Eng. hyb.	71829.	L	p.l	Sw.fl.gar.2.s.341	
5	venustum D. Don	lovely	■	or	1	mr		Pk.sp Eng. hyb.	1829.	L	s.p	Sw.fl.gar.2.s.285	
6	cinnamomeum B.R.	Cinnamon	■	□	spl	20	jn	P	Nepal	1820.	L s.p	Bot. reg. 1982	
	R. cinnamomeum Wal., No. 11010. in p. 171.												
2	roseum	rose-cld	■	□	spl	20	ju	Ro	L p.l	Bot. mag. 3825	
7	Paxtoni	Mr. Paxton's	■	□	or	...	my	C	E. Indies	hyb.	L s.p	Paxt. mag. 14. 99	
8	Rollissonii	Mr. Rollisson's	■	□	or	...	my	Dp.R	Eng. hyb.	...	L s.p	Bot. reg. 1843. 25	
33657	11015a	Farreræ Swt.	■	or	3	f.mr	L	China	1829.	L s.p	Sw. fl.gar. 2. s. 95		
33658	11015b	Gowenianum Swt.	■	or	4	my.jn	R	hybrid	...	L p.l	Sw. fl. gar. 263		
	11018	ferrugineum											
	2 album D. Don	white-corollaed	■	or	1	jn	W	Pyrenes?	1830.	L s.p	Sw.fl.gar.2.s.258		
	11021	caucasicum											
	2 stramineum Hook.	straw-cld-cor.	■	or	2	ap	Str	L s.p	Bot. mag. 3422		
	3 pulcherrimum Lindl.	most beautiful	■	or	...	mr	Pa.Ro	hybrid	1832.	L	p.l	Bot. reg. 1820	
	4 Nobleæum Hort.	Noble's	■	or	...	mr	Dp.Ro	hybrid	1832.	L	p.l	Bot. reg. 1820	
	5 hybridum	hybrid	■	or	...	mr	W	hybrid	1838.	L	p.l	Bot. mag. 3811	
33659	11022a	barbatum Lod.	■	or	3	Nepal	1829.	L	p.l	Bot. cab. 1944	
	11022b	caucasicum Lod. in the text of Bot. Cab. 1944., in Cat. 15th ed. 1830.											
33660	-	lepidotum Wal.	■	or	¼	...	Ro	Nepal	1829.	L	s.p	Boyle ill. 64	
	11025	catawbiense Mr.											
	2 Russellianum Swt.	Russell's	■	□	or	4	mr	Bt.Ro	hybrid	1827.	L s.p	Sw. fl.gar. 2. s. 91	
	R. Russellianum Swt.												
	3 tigrinum Hort.	tiger-spotted-cor.	■	or	4	mr	Ro.spt	hybrid	...	L s.p			
33661	11025a	alta-clerense Lindl.	■	spl	15	ap.my	C	Eng. hyb.	1827.	L	p.l	Bot. reg. 1414	
33662	11025b	(Garden hybrid)	■	or	3	jn	Li	Eng. hyb.	1825.	L	s.p	Bot. reg. 1449	
33663	-	pūchrum Swt.	■	□	or	3	ap.jl	Ro	Eng. hyb.	1827.	C s.p	Sw.fl.gar.2.s.117	
33664	-	Smithi Swt.	■	□	or	8	sp	Li	Eng. hyb.	1826.	L p.s	Sw. fl.gar. 2. s. 50	
33665	-	fragrans Paxt.	■	□	or	3	my	Li	hybrid	...	C s.p	Paxt. mag. x. 147	
33666	-	album Hook.	■	□	or	2	jn	W	N. Amer.	1835.	C s.l	Bot. mag. 3670	
33667	-	Gibsonii Paxt.	■	□	or	5	my.jn	W	Khosca Hills	1837.	s.l.p	Paxt. m. viii. 217	
33668	-	javanicum Bennett	■	□	or	4	all sea	O.R.sp	Java	1847.	L s.p	Paxt. mag. xv. 217	
	11026	Vivëya javanica Blume.											
	2 flavum Hort.	yellow-flwd	■	□	or	...	all sea	Ysh	Java	1847.	s.p	Bot. mag. t. 4336	
33669	-	barbatum	■	□	or	...	ap.my	Dp.Ro	N. India	71846.	L s.p	J. H. S. 3. xxxv. fig.	
33670	-	nilagirium Hook.	■	□	spl	...	my.jn	Ro	W.Nepal	71840.	L	p	Bot. mag. 4381
33671	-	Brookeanum Low	■	□	spl	...	n.jl	Rsh.	Salm. Borneo	1848.	L	fib.p	J. H. S. 3. 83. fig.
33672	-	gracile Low	■	□	or	6	year	Bt.R	Borneo	1848.	L	fib.p	J. H. S. 3. 85. fig.
33673	-	verticillatum Low	■	□	spl	Rsh.	C.Borneo	1848.	L	fib.p	J. H. S. 3. 87. fig.
33674	-	longiflorum Low	■	□	or	8	...	C	Borneo	1848.	L	fib.p	J. H. S. 3. 89. fig.
33675	-	longiflorum Low	■	□	or	8	...	C	Borneo	1848.	L	fib.p	J. H. S. 3. 89. fig.

The last four species of *Rhododendron* are, in their native locality, epiphytall upon the trunks of trees in damp forests, where the roots, unlike those of the species which inhabit cold climates, become large and fleshy, winding round the trunks of forest trees. See *Low's Sarawak*.

323. RHOPALA.													
33676	2697a	nitida R. Br.	shining	■	□	or	...	Pa.Y	Guiana	1826.	C s.p		
894. RHU'S.													
7148	typhina	1 arboræscens A. B.	arborescent	■	or	25	jl.au	G.y	S co		
7151	glabra	1 hermaphrodita A. B.	hermaphrodite	■	or	8	...	Gsh	Di. el. 243	
	R. glabra Willd. spec.												
2	diœica A. B.	dioecious	■	or	8	Gsh	Lam. il. 207. 1	
23	coccinea A. B.	scarlet-flowered	■	or	10	jl	R	N. Amer.	1726.	S p.l		Den. br. 16	
	R. elegans Ait., W., No. 7152. in p. 110.												
	R. carolinianum Mill. dict.												
7159	copallina	2 leucantha Jac.	white-flowered	■	or	4	aus	Wsh	N. Amer.	...	L p.l	Jac. sc. 342	
33677	7170a	diversiloba Torr. & G.	various-lobd.-lvd	■	or	76	jn	W	California	71843.	L	l.p	Bot. reg. 1845. 38
33678	7212a	pancillata Wal.	panicled	■	or	3	jn	G	Nepal	1823.	C	l	
33679	-	caustica Hook.	caustic	■	□	or	40	...	Gsh.	W.Chili	1828.	C l	
		caustica Hook.											
		Laërus caustica Molina											
		Nos. 7215. aromatica H. K. and 7216. suavæolens H. K. in p. 111., constitute the genus <i>Lobadium</i> of Rafinesque.											

3963. - - RHYNCHOGLOSSUM Dec. (*Rhynchos*, a beak, *glossa*, a tongue; lip of flwr.) *Cyrtandræca*. 2 -1.
 33680 - - zeylânicum Hook. Ceylon [Q] pr 1 jl.au B Ceylon ?1844. S s.p.1 Bot. mag. 4198
3964. - - RHYNCHOSPERMUM A. Dec. RHYNCHOSP. (*Rhynchos*, a beak, *sperma*, a seed.) *Apocynacæ*.
 33681 - - jasmînoides Lindl. Jasmine-like ♀ Δ] fra 3 jl.au W Shaohai 1846. C s.l.p J. H. S. 1. 74. fig.
154. RHYNCHOSPORA.
 33682 - - aurea R. & S. golden-flwd ♂ [X] or ... jl.au G W. Indies 1825. D bog
 33683 - - laxa R. & S. loose-flwd ♂ Δ or ... jl.au Br N. Amer. 1827. D bog
 33684 - - distans Ph. distant ♂ Δ or ... jl.au Ap N. Amer. 1820. D bog

719. *RTBES* L. CURRANT. (*Ribes* of the Arabian physicians, found to be the *Rhèum Ribes*.) *Grossulacæ*.

1. *GROSSULARIÆ*. — *Gooseberries*.

i. *Flowers greenish white*.

- 5894 oxyacanthoides L. Hawthorn-lvd ♂ or 3 ap.my G.W N. Amer. 1705. C co Di. el. 139. 166
 5895 setosum Lindl. bristly ♂ or 4 ap.my G.W N. Amer. 1810. C co Bot. reg. 1237
 5896 triflorum W. three-flowered ♂ or 4 ap.my G.W N. Amer. 1812. L r.1 W. h. b. 1. 61
 staminum Horn. enum. hort. hafn.; triflorum majus Hort.
 33685 5897 niveum Lindl. snowy-flowered ♂ or 5 ap.niy W N. Amer. 1826. L co Bot. reg. 1692
 5898 Cynôsbati L. Dog-bramble ♂ or 4 ap G.W Canada 1759. C s.l Schm. ar. 98
 ?triflorum var.
 1 fructu glâbro A. B. smooth-fruited ♂ or 4 ap Wsh Hud. Bay ... C s.l
 2 fructu aculeato A. B. prickly fruited ♂ or 4 ap Psh I. k. Huron ... C s.l
 5899 divaricatum Dou. spreading-bran. ♂ or 7 ap W N. Amer. 1826. C co Bot. reg. 1359
 triflorum var. Grossularia var. triflora subvar.
 33686 5900 irriguum Dou. well-watered ♂ or 4 ... G.W N. Amer. 1820. C co A. b. f. 721
 triflorum var.
 5901 hirtellum Mr. slightly hairy ♂ or 4 ap.my G.W Canada 1812. L s.l
 5902 gracile Mr. slender-bran. ♂ or 4 ap.my G.W N. Amer. 1812. L s.l
 33687 5903 aciculare Sm. acicular-spined ♂ or ... W Siberia ... L co Led. fl. ros. 230
 Uva-crispa Sievers in Pall. nord. beytr., Pall. fl. ros.
 5904 Grossularia L. common ♂ fr 4 mr.ap G.W Britain hed. C r.m Eng. bot. 1292
 Uva-crispa (Ed. fl. dan. Grossularia hirsuta Mill. Uva-crispa var. 5 sativa Dec.
 2 Uva-crispa smooth-berried ♂ fr 4 mr.ap G.W Britain hed. C r.m Eng. bot. 2057
 Uva-crispa L. Uva-crispa Fuchs. Uva-spina Math. Uva-crispa var. 1 sylvestris Berl.
 3 spinosissima Berl.ms. most spiny ♂ fr 4 mr.ap G.W Britain hed.
 4 reclinata Berl.ms. reclinate-bran. ♂ fr 4 mr.ap G.W Germany 1781. L r.l Schm. ar. 97
 R. reclinata L. Grossularia reclinata Mill.
 5 Besseriana Berl.ms. Besser's ♂ fr 4 mr.ap G.W Cracow ... L r.l
 R. hybridum Bess.
 6 subinermis Berl.ms. sub-unarmed ♂ fr 4 mr.ap G.W Geneva ... L r.l
 ?R. G. reclinata subvar.
 7 macrocarpa Dec. large-berried ♂ fr 4 mr.ap G.W L r.l
 8 bracteata Berl.ms. bracted ♂ fr 4 mr.ap G.W L r.l
 9 himalayana A. B. Himalayan ♂ fr 4 mr.ap G.W Himalayas 1838. C co

ii. *Flowers red*.

- 33688 5905 speciosum Ph. showy flowered ♂ or 4 ap.jn R California 1829. L r.l Sw. fl gar. 2. s. 149
 stamineum Sm. in Rees's Cyclop.; fuchsoides Fl. Mex.; triacanthum Menzies.
 33689 5905a Menziesii Ph. Menzies's ♂ or 5 my.jn R N. Califor. 1830. C co Bot. reg. 1847. 56
 ferox Sm.
 33690 5905b microphyllum H. B. & K. small-lvd ♂ | or 5 ... ?R Mexico ... C co
11. *BOTRYCARPUM*. — *Plants intermediate between Gooseberries and Currants*.
- 5906 orientale Poir. Eastern ♂ or 4 my.jn G.Y Syria 1821. C co
 5907 saxatile Pall. rock ♂ fr 4 ap.my G Siberia 1810. C co Led. alt. 239
 ?alpinum Sievers.
 5908 Diacantha L. fil. twin-prickled ♂ or 4 my.jn G.Y Siberia 1781. L r.l Schm. ar. 97
 5909 lacustre Poir. lake-side ♂ or 4 ap.iny G.Y N. Amer. 1812. C p.1 A. b. f. 724
 oxyacanthoides Mx.
 2 echinatum A. B. hedge-hog ♂ or 1½ ap.my Gsh.y C co
 echinatum Dougl. MS. and A. B. 1st. ed. p. 992; armatum Hort.

111. *RIBESIA*. — *Currants*.

i. *Flowers greenish, or greenish yellow, or reddish; and fruit, in a wild state, red*.

- 5910 rubrum L. common red ♂ fr 4 ap.my G Britain riv.ba C r.m Eng. bot. 1289
 1 sylvestre Dec. wood ♂ fr 4 ap.my G Britain woods C r.m
 2 hortense Dec. garden ♂ fr 4 ap.my G Britain gard. C r.m
 R. rubrum Loï.
 3 carneum Berl.ms. flesh-cld.-ber. ♂ fr 4 ap.my G Britain ... C r.m
 R. rubrum domesticum 2 baccis carneis Wallr. Sched.
 4 variegatum Dec. striped-berried ♂ fr 4 ap.my G Austria ... C r.m
 5 album Ait. white-berried ♂ fr 4 ap.my G Britain ... C r.m
 6 fol. luteo var. Duh.lvs yellow-var. ♂ or 4 ap.my G C r.m
 7 fol. albo var. Duh.lvs white-var. ♂ or 4 ap.my G C r.m
 8 sibiricum Otdaker Russian currant ♂ fr 6 ap.my Gsh.y Russia ... C co
 33691 - - opulifolium Hort. Gueld.-rose-lvd ♂ or 4 ... Russia 1838. C co
 5911 alpinum L. alpine ♂ or 3 ap.my G Britain woods C co Eng. bot. 704
 dioicum Masters.
 1 sterile Wallr. sterile ♂ or 3 ap.my G Britain woods C co
 dioicum Mench.
 2 bacciferum Wallr. berry-bearing ♂ or 3 ap.my G Britain woods C co
 3 pumilum Lindl. dwarf ♂ or 2 ap.my G C co A. b. f. 726
 4 fol. variegatis Hort. variegated-lvd ♂ or 4 ap.my G Britain gard. C co
 5912 petraeum Wulf. rock ♂ or 4 my R England mouo C co Eng. bot 705
 alpinum Del.
 5913 spicatum Robs. spiked-flwd ♂ or 4 ap.my G England m.vo C co Eng. bot. 1290
 5914 carpaticum Kit. Carpathian ♂ or 4 ap.my G Carpathia 1818. C co
 acerrimum Rochel.
 5915 multiflorum Kit. many-flowered ♂ or 5 ap.my G Hungary 1822. C co Bot. mag. 2368
 spicatum Schultes. vitifolium Hort.

5916	trifidum <i>Mr.</i>	trifid-calyced	✱	or pros.ap.my	...	Quebec	1823.	C	co	E. of T. & S. f. 867
5917	albinervum <i>Mx.</i>	white-nerv.-lvd	✱	fr 4 ap.my	G	N. Amer.	...	C	co	
33692	5918 acuminatum <i>Walt.</i>	pointed-lvd	✱	or 5 ap.my	Gsh.	Nepal	1837.	C	co	E. of T. & S. f. 866

ii. *Flowers greenish yellow, sometimes with the tips of the sepals and petals red. Fruit black.*

5919	nlgrum <i>L.</i>	black	✱	fr 5 ap.my	Wsh	Britain	m.hed.C	r.m	Eng. bot. 1291		
	<i>R. ôtidum</i> <i>Mench.</i>										
	2 bâcea flavida <i>G. M. dingy</i>	yel.-ber.	✱	fr 5	...	Bath	hyb.	C	r.m		
	3 bâcea viridi <i>Hort.</i>	green-berried	✱	fr 5	...	Russia	...	C	r.m		
	4 fol. variegatis <i>Hort.</i>	variegated-lvd	✱	or 5	...	Britain	gard.	C	r.m		
5920	triste <i>Pal.</i>	sad-cld-ftwd	✱	or 3 ap.my	Brsh.	Siberia	1820.	C	co	Pal. p. 10	
	<i>R. adactum</i> <i>Lo. C.</i>										
5921	flôridum <i>Hort.</i>	flowery	✱	or 4 ap.my	Y	N. Ainer.	1729.	C	co	Di. el. 244. 315	
	<i>R. nigrum</i> 2 l. <i>R. pennsylvanicum</i> <i>Lam.</i>					<i>R. recurvatum</i> <i>Mx.</i>				Ribèsium nigrum, &c., Di. el.	
	2 grandiflorum <i>Hort.</i>	large-flowered	✱	or 4 ap.my	Y	N. Amer.	...	C	co		
	<i>R. rigens</i> <i>Mx.</i>										
	3 parviflorum <i>Hort.</i>	small-flowered	✱	or 4 ap.my	Y	N. Amer.	...	C	co		
	<i>R. americanum</i> <i>Mill.</i>					<i>Cels;</i> <i>campanulatum</i> <i>Hort.</i>					
5922	procumbens <i>Pal.</i>	procumbent	✱	or 1/2 my	ju	P	Daluria	1804.	L	m.s	Pal. ros. 2. 65
	<i>polycarpon</i> <i>Gin.</i>										
5923	prostratum <i>L.</i>	prostrate	✱	or 1 1/2 ap.my	Y	Newfou.	1812.	L	s.l	Schm. ar. 95	
	<i>glandulosum</i> <i>Ait.</i>										
	2 laxiflorum <i>A. B.</i>	loose-flowered	✱	or 4 ap.my	G.v	N. Amer.	1812.	C	co		
	<i>R. laxiflorum</i> <i>Ph.</i>					<i>R. affine</i> <i>Dou. ms.</i>					
5924	resinosum <i>Ph.</i>	resinous	✱	or 3 ap.my	Y.G	N. Amer.	1800.	L	co	Bot. mag. 1583	
	<i>orientale</i> <i>Catros;</i> <i>reclinatum</i> <i>Hort.</i>										
5925	punctatum <i>R. & P.</i>	dotted-leaved	✱	cu 3 ap.my	G.v	Chill	1826.	C	co	Bot. reg. 1278	
	<i>glandulosum</i> <i>R. & P.</i>										
33693	5925a heterotrichum <i>Mey.</i>	variable-haired	✱	or 2 ap.my	P	Altaia	1837.	C	co	E. of T. & S. f. 876	
	5925b inebrians <i>Lindl.</i>	intoxicating	✱	cu 3 ap	Gsh.	W	N. Amer.	1827.	C	co	Bot. reg. 1471
	5927 cœrum <i>Dou.</i>	waxy-leaved	✱	or 2 ap	W	N. Amer.	1827.	C	co	Bot. reg. 1263	
	5928 viscosissimum <i>Ph.</i>	very clammy	✱	or 4 ap.my	Y	N. Amer.	1826.	C	co	Hook. an. 74	
	<i>Corœsma viscosissima</i> <i>Spach.</i>										
33694	5929 hudsonianum <i>Rich.</i>	Hudson's Bay	✱	or 4	...	W	Hud. Bay	...	C	co	E. of T. & S. f. 879-80
	<i>R. petiolaris</i> <i>Dou. in Hort. Soc. Trans.</i>						7. 514				
5930	glaciale <i>Wal.</i>	icy	✱	or 6 ap.my	W	Nepal	1823.	C	co	E. of T. & S. f. 881	

iii. *Flowers deep red. Fruit black.*

5930a	sanguineum <i>Ph.</i>	bloody-cld-ftwd	✱	or 6 ap.my	Bd	N. Amer.	1826.	C	co	Bot. reg. 1319
	<i>R. malacicum</i> <i>Sm.</i>					<i>Calubotrya sanguinea</i> <i>Spach.</i>				
	2 glutinosum <i>Benth</i>	glutinous	✱	or 6 ap.my	Pa.Pk	N. Amer.	...	C	co	A. b. f. 740
	<i>R. angustum</i> <i>Dou. ms.</i>									
	3 malvaceum <i>Benth.</i>	malvaceous	✱	or 6 ap.my	D.Pk	N. Amer.	...	C	co	Sw. fl. gar. 2. s. 340
	4 atro-rubens <i>Hort.</i>	dark-red-ftwd	✱	or 6 ap.my	D.R	N. Amer.	...	C	co	
33695	- - - albidum <i>Paxt.</i>	whitish	✱	or 4 ap	W.	P.khybrid	1842.	C	co	Paxt. m. b. x. 55
33696	- - - atropurpureum <i>Led.</i>	dark-purpl.-ftwd	✱	or 4 ap.my	P	Siberia	1826.	C	co	
33697	- - - Beatonii <i>Lindl.</i>	Beaton's	✱	or 6 ap.my	Y	hybrid	...	C	co	

IV. SYMPHO-CALYX. — *Calyxes tubular and yellow. Racemes many-flowered. Unarmed Shrubs.*

5930b	aureum <i>Ph</i>	golden-ftwd	✱	or 8 ap.my	Y	Missouri	1812.	C	r.m	Bot. reg. 125
	<i>palmatum</i> <i>Desf.;</i> <i>Chrysobotrya revoluta</i> <i>Spach.</i>									
	1 præcox <i>Lindl.</i>	early-flowering	✱	or 8 ap	Y	N. Amer.	...	C	r.m	
	<i>fragrans</i> <i>Lodd. Bot. cab. 1553.</i>									
	2 villosum <i>Dec.</i>	villos-leaved	✱	or 8 ap.my	Y	C	r.m	
	<i>R. longiflorum</i> <i>Fraser's Cat. 1813.</i>									
	3 serotinum <i>Lindl.</i>	late-flowering	✱	or 8 my	Y	N. Amer.	...	C	r.m	
33698	- - - Gordoni	Gordon's	✱	or 6 ap.my	Y.R	C	co	
5930c	tenuiflorum <i>Lindl.</i>	slender-flwd	✱	cu 6 ap.my	Y	N. Amer.	1812.	C	co	Bot. reg. 1274
	<i>R. aureum</i> <i>Colla Hort. Rip. App.</i>					<i>R. flavum</i> <i>Berl.</i> <i>R. missouriensis</i> <i>Hort.</i>				<i>Chrysobotrya Lindleyana</i>
	1 fructu nigro <i>A. B.</i>	blackish-ber.	✱	or 6 ap.my	Y	C	co	
	2 fructu luteo <i>A. B.</i>	yellow-berried	✱	or 6 ap.my	Y	C	co	
5930d	flavum <i>Colla</i>	yellow-flowered	✱	cu 6 ap.my	Y	N. Amer.	1812.	C	co	Col. h. rip 1. B

1095. RICHARDSONIA.

33699	- stellaris <i>Cham.</i>	starry	○	un 1 jl	W	Brazil	1832.	S	co	
-------	--------------------------	--------	---	---------	---	--------	-------	---	----	--

2719. RIPCINUS 23860 tanarius *W.;* syn. *Mappa tanaria* *Spr.*

33700	- leucocarpus	white-capsuled	○	or ... au.n	W	1827.	S	r.m	
33701	- Krappa		○	or ... au.n	W.F	1827.	S	r.m	
33702	- macrophyllum	large-leaved	○	or ... au.n	W.R	1827.	S	r.m	
33703	- rutilans	red-stalked	○	or ... au.o	R.W	1827.	S	r.m	
33704	- paniculatus	panicked	○	or ... au.o	R.W	1824.	S	r.m	
33705	- undulatus	undulated-leaved	○	or ... au.o	R.W	1827.	S	r.m	

1919. RIEDLEIA.

33706	16845a borbonica <i>Dec.</i>	Bourbon	□	un 2	...	Bourbon	1829.	C	p.l	Cav. dis. 174. 1
-------	------------------------------	---------	---	------	-----	---------	-------	---	-----	------------------

3965.	1908b. RIGIDELLA <i>Lindl.</i>	(Rigidus, rigid; rigidity of flwr.-stalk, when supporting seed-vessel.)	✱	or 5 my	S	Mexico	1839.	S	co	Bot. reg. 1840. 14
33707	- - - flammœa <i>Lindl.</i>	flame-coloured	✱	or 5 my	S	Mexico	1839.	S	co	Bot. reg. 1840. 14
33708	- - - immaculata <i>Lindl.</i>	immaculate	✱	pr 1 au	S	Guatemala	1840.	D	s.l	Bot. reg. 1841. 68
33709	- - - orthantha <i>Paxt.</i>	straight-flwd	✱	or 1 1/2 s.o	S	?Mexico	...	O	s.p.l.f.m	Paxt.m. 14. 121

334. RIVINA.

33710	2805a tinctoria <i>Hamilton</i>	MSS. dyeing	✱	dy 4 my	W	Caraccas	1830.	S	p.l	
	<i>Dr. Hamilton's "Rouge Plant."</i>									May be distinct from all the species in Britain, but near canescens.
33711	2807a latifolia <i>R. & S.</i>	broad-leaved	□	or ... jl.s	P	Maoagascars	1826.	S	r.m	

2086. ROBPNIA.

18773	Pseudacacia									
	2 flore luteo <i>Dum.</i>	yellow-flwd	✱	tm 40 my	jn	Y	G	s.l
	†3 inermis <i>Dec.</i>	unarmed	✱	tm 40 my	jn	W	N. Amer.	...	G	s.l
	†4 crispa <i>Dec.</i>	curled	✱	or 40 my	jn	W	N. Amer.	...	G	s.l

- †5 umbraculifera Dec. umbrella-bearg 卄 or 40 my.jo W N. Amer. ... G s.l
R. inermis Dum.
†6 tortuosa Dec. twisted 卄 or 40 my.ju W G s.l
7 sophorifolia Lk. Sophora-lvd 卄 or 30 my.jn W.R N. Amer.? ... G s.l
R. sophorifolia Hort., No. 18777. in p. 304.
8 amorphifolia Lk. Amorpha-lvd 卄 or 30 my.jn W.R N. Amer.? ... G co
R. amorphifolia Lk., No. 18779. in p. 304.
9 stricta Lk. upright 卄 or 30 my.ju W.R N. Amer.? ... G co
R. stricta Lk., No. 18778. io p. 304.
10 procera Lo. C. tall 卄 or 30 my.jn W.R N. Amer. ... G co
R. procera Lo. C., No. 18776. in p. 304.
11 pendula Or. pendulous 卄 or 30 jn.au Pk N. Amer. ... G s.l
R. pendula Or., No. 18781. in p. 304.
12 monstrosa Lo. C. monstrous 卄 or 30 my.jn W.R N. Amer. ... G co
R. monstrosa Hort., No. 18775. io p. 304.
13 macrophylla Lo. C. large-leafeted 卄 or 30 my.jn W N. Amer. ... G co
14 microphylla Lo. C. small-leafeted 卄 or 30 my.jn W N. Amer. ... G co
15 spectabilis Dum. remarkable 卄 or 30 my.jn W France ... G co
16 latisiliqua Pr. C. broad-podded 卄 or 30 my.jn W G co
- 1872 hispida
2 bana Dec. dwarf 卄 or 1 my.s Pk Carolina ... G s.l
†3 rosea Ph. upright-rose 卄 or 10 my.s R Peru 1810. G co
4 macrophylla Dec. large-leafeted 卄 or 10 my.jn R N. Amer. ... G s.l
R. grandiflora Hort. *R. macrophylla* Schr., No. 18784. in p. 304.
913. RO-CHEA Dec. The Laròchea of Hort. Brit. p. 112. should be Ròchea. De Candolle, in his Prod. 3. 390., very properly asks why should Ròchea be corrupted into Laròchea, when the article is never admitted as part of the name: for example, La Billardièra supplies the generic name Billardièra, Du Hamel that of Hamèlio, &c. To these may be added the names of De Candolle, from which the genus Candòilea is derived; L'Héritier, Heritièra; Dutrochet, Trochèta; La Peyrouse, Peyrousta; and so of many others.
3966. 425a. ROCHE-LIA Rchb. (*Ant. Rochel*, Director of the Bot. Gard. at Pest, Hungary.) *Boraginæ*. 5.—1.
33712 - stellulata Led. starry O pr ½ jo.jl B Siberia 1835. S co
2521. RODRIGUEZIA
33713 22632a Bärkeri Hook. Barker's 卄 ☒ cu 1 ja Pa.G Brazil 1835. D p.r.w Bot. mag. 3497
33714 - planifolia Lindl. flat-leaved 卄 ☒ fra ... ?f ... Brazil? ... D p.r.w Bot. mag. 3504
syn. 2522 Gomèca 22633 recúrva of Lodd. Bot. Cab. 660., not of Bot. Mag. 1748., and, by inference, oot of Hort. Brit. No. 22633.
33715 - laxiflora Lindl. loose-flowered 卄 ☒ cu ½ year G.w.y Brazil 1835. D p.r.w
33716 - crispa Lindl. curled-ftvd 卄 ☒ el 1 s.n G.Y Brazil 1837. D block Bot. reg. 1840.54
33717 - càrnea Lindl. flesh-cld-ftvd 卄 ☒ pr ... su.aut F Columbia 1842. D fib.p
33718 - maculata Lindl. spotted-ftvd 卄 ☒ un 1 su.aut W.R Guatemala 1839. D fib.p
- 3966*. 1303a. REPERA. (*J. Roepfer*, author of *Monogr. of Germ. and Hungarian Euphorbias.*) *Zygophyllæ*.
33719 - aurantiaca Lindl. orange ? 卄 ☒ or ... jl O N. Holl. ?1836. S s.l
602. RONDELETIA
33720 - odorata Jac. scented 卄 ☐ or 3 jl.au R W. lod. 1836. C s.p Fl. eab. 36
33721 - speciosa B. C. showy 卄 ☐ or 3 ap.my S Havan. 1830. C l.p Bot. cab. 1893
2 mājor larger-ftvd 卄 ☐ or 3 ap.my S C l.p
33722 - discolor H. B. & K. two-coloured 卄 ☐ fra 6 ... R.?W NewGran. ... C s.l
Hedyotis discolor Sprengel.
1522. ROSA 13380 berberifolia
2 Hårdii Paxt. Hardy's ? 卄 or ?2 jn.jl Bt.v.r hybrid ?1840. L lt Paxt. mag. 10.195
A hybrid between *R. berberifolia* and *R. involucreata*.
33723 13333a frutescens Bes. copice 卄 or 6 jn.jl ... Volhynia 1818. L co
33724 13396a Dicksoni Lindl. Dickson's 卄 or 5 my.jn D.R Ireland ... L co
- 13406 alpina
4 speciosa Lindl. showy 卄 or 3 jn.jl S L co
5 pimpinellifolia Lindl. Pimpinell-lvd 卄 or L co
R. glandulosa Bel. *R. pygmaea* Bieh. *R. pyrcnaica* β Smith.
6 lagenaria Ser. flask-shaped 卄 or Pyrenees ... L co
7 sorbinella Ser. little sorb 卄 or L co
8 hispidella Ser. slightly hispid 卄 or L co
R. a. coronata Desv.
9 lævis Ser. smooth 卄 or L co A. b. f 483
R. Sangvisòrba majòris, &c., Dil. *R. a. glabra* Desv. *R. a. vulgàris* Red.
10 pyriformis Ser. pear-shpd-fruited 卄 or L co
11 setosa Ser. bristly-calyzed 卄 or L co
R. a. hircina Desv.
12 globosa Desv. globular-fruited 卄 or L co
R. canina ambigua Desv.
13 helleborina Ser. Hellebore-like 卄 or L co
14 pilòcula Ser. pilose-peduncled 卄 or L co
15 turbinata Desv. top-shaped-ftd 卄 or 3 jn.jl Dbl.R L co
R. inermis Delaun., Red. Vil., not of Att. *R. a. flore pleno* God. *R. a. moltiplex* Ser. *R. mixta* Traut.
16 speciosa Hort. Drummond's thornl. 卄 or 3 jn.jl S Cork hyb. G co
- 13426 Sabini
2 gràcilis Hort. slender 卄 or W.R Britain ... L co
- 13427 Doniàna
2 hòrrida Hort. horrid-spined 卄 or 4 my.jn Pk L co
33725 13427a Wilsoni Borrer Wilsoo's 卄 or 3 jn.jl D.Pk Britain ... L co Eng. bot. 2723
R. miltis var. Lindl.
- 13429 centifolia 2 muscosa
2 cristata Hook. crested-calyzed 卄 or 3 jn.jl Pk France 1833. P.L. B.r.m Bot. mag. 3475
gállica
13430 3 arvina Lindl. field 卄 or Silesia ... L co Lind. ros. 69
R. arvina Kr. sil.
40 inapèrta Ser. *Vilmorin Rose* 卄 or Dbl.w.r L co
5 A'gatha Red. *Agatha Rose* 卄 or Ver.db.p L co
6 inermis Ser. unarmed 卄 or Dbl.p L co

	7 parvifolia Ser. small-lyd Burgun. 2	or 1	jn.jl	P	Europe	...	L	co	Bot. reg. 452
	R. parvifolia Ehrh., Hort. Brit. No. 13433.				Ker, Davis, Mill.	R. burgundica Ross.	R. remensis Desf.		
13434	turbinata								
	1 francofurtana Ser. Frankfort Rose 2	or 5	jn.jl	Ro.P	Frankfort	...	L	co	Lind. ros. 73
	R. turbinata Red., Lindl. ros. p. 73.				R. campanulata Ehrh.	R. francofurtana Gm.	R. francofurtensis		
	Desf. Cat.								
13437	villosa								
	12 resinosa Lindl. resinous 2	or ...	jn.jl	R	Ireland	...	L	co	
	R. tomentosa 2 resinosa Hort. Brit. No. 13440.								
	3 pomifera Desv. fruit-bearing 2	or ...	ju.jl	R	L	co	
	R. hispida Poir.								
13440	tomentosa								
	2 scabriuscula Sm. rather rough 2	or 6	jn.jl	Pk	Britain	hed.	L	co	Eng. bot. 1896
	R. scabriuscula Hort. Brit. No. 13439.				R. foetida Batard Suppl.	Red. ros.			
33726	13442 asylvestris Lindl. wood 2	or 7	jn.jl	...	Britain	hed.	L	co	
	R. tomentosa sylvestris Woods.								
13447	lutea								
	3 subrubra Red. petals reddish above 2	or 4	jn	R.Y	L	co	Red. ros. 3. 73
	4 fiores pleno William's double-flwd 2	or	Y	Pitaston sldg.	G	co		
	5 Hoggii D. Don Hogg's 2	or 3	ju	Y	Amer.	gard.	L	r.m	Sw. fl. gar. 2. s. 410
13448	rubiginosa								
	2 Vaillantiana Red. Vaillant's 2	or 6	...	W	L	co	Red. ros. 2. 95
	3 rotundifolia Lindl. round-leaved 2	or	Germany	...	L	co	Lindl. ros. 88
	4 aculeatissima Dup. very prickly 2	or	L	co	
	5 nemoralis Red. grove 2	or	France	...	L	co	Red. ros. 2. 23
	16 umbellata Lindl. umb. brvt. 2	or 4	my.jn	Pk	Germany	...	L	r.m	Law. ros. 65
	R. tenuiglandulosa Mer. R. r. Eglantaria cymosa Woods.				R. sempervirens Roth.	R. r. 3 umbellata			
	Leers, Hort. Brit. p. 211.								
	7 pubera Ser. downy 2	or 4	my.jn	Pk	L	r.m	
	8 grandiflora Lindl. large-flowered 2	or 4	my.jn	L	r.m	
	9 major Ser. greater 2	or	sem.d	L	co	
	10 spinulifolia Ser. leaflets spinul. 2	or	L	co	
	11 flexuosa Lindl. flexible-bran. 2	or	L	co	
	12 parvifolia Lindl. small-leafleted 2	or	Pa.ro	L	co	
	13 Lyoni Hort. Lyon's 2	or	L	co	
13453	13453 Klukii Bes. Kluk's 2	or 6	my.jl	W	Tauria	1819.	L	r.m	
	R. rubiginosa Bieb. R. floribunda Stev., Hort. Brit. No. 13453.				R. balsamea Bes.				
13458	canina								
	2 surculosa Woods spriggy 2	or 4	jn.jl	Pk	Britain	hed.	L	co	
	R. sarcocolla Hort. Brit. No. 13467.								
	3 nuda Woods naked 2	or 6	jn.jl	Pk	Britain	hed.	L	co	
	R. nuda Hort. Brit. No. 13462.								
	4 aciphylia Lindl. needle-leaved 2	or 8	jn.jl	Pk	Britain	...	L	co	Rau. 69
	5 aegyptiaca Lindl. Egyptian 2	or 8	jn.jl	Pk	Egypt	...	L	co	Lindl. ros. 99
	R. indica For. Æg.								
	6 burboniana Desv. Bourbon 2	or 8	jn.jl	sem.d.P	Bourbon	...	L	co	
	R. gallica bourbonica Red. ros.								
	7 nitens Desv. shining-leafeted 2	or 8	jn.jl	L	co	
	R. nitens Desv.								
	8 obtusifolia Desv. blunt-leafeted 2	or 8	jn.jl	L	co	
	R. obtusifolia Desv. R. leucantha Loil., Bast., Dec., not of Bieb.								
	9 glaucescens Desv. glaucous 2	or 8	jn.jl	...	France	...	L	co	
	R. glaucescens Desv. R. canina glauca Desv.								
	10 Schottiana Ser. Schott's 2	or 8	jn.jl	...	Podolia	...	L	co	
	R. glauca Schott.								
	11 pilosifolia Desv. pubescent 2	or	L	co	
	R. hians Bess. Suppl. R. nitida Bess. Enum. R. friedlanderiana Bess. Enum. R. collina Rau. Enum.								
	12 fastigiata Desv. upright 2	or	France	...	L	co	
	R. fastigiata Bast., Red. R. stylosa β Desv.								
	13 hispida Desv. ft. & ped. hispid 2	or	L	co	
	R. c. var. lanceolata, grandiscapitata, and ovoidalis Desv. 1813, p. 114. R. andegavensis Bast. Ess., Dec.								
	R. sempervirens Bast. Ess., Rau. Enum., Lindl. ros., not of L.								
	14 microcarpa Desv. small-fruited 2	or	France	...	L	co	
	15 Meratiana Ser. Merat's 2	or 8	jn.jl	Pk	L	co	
	R. biserrata Mer. Fl. Par., Red. ros.								
	16 ambigua Desv. ambiguous 2	or	L	co	
	R. multinervis Desv. Fl. Spa., Red. ros.								
	17 squarrosa Rau. squarrose 2	or	Germany	...	L	co	
	R. canina β Diet. Fl. Taur.								
	18 rubiflora Ser. raspberry-flwd 2	or	L	co	
33:27	13458 caesia Sm. grey 2	or 6	jn.jl	Pk.w	Scotland	hed.	L	co	Eng. bot. 2367
	R. canina 4 caesia Hort. Brit. p. 211.								
13468	rubrifolia Vill.								
	2 hispidula Ser. hispid-peduncled 2	or ...	ju.jl	R	1822.	L	co	
	13 Redoutea Ser. Redoute's 2	or 3	jn.jl	Pa.R	L	co	Red. ros. 1. 38
	4 inermis Ser. unarmed 2	or ...	ju.jl	P	Switzerl.	...	L	co	
	5 pinnatifida Ser. pinnatifid-sep. 2	or ...	ju.jl	P	Switzerl.	...	L	co	
	R. r. germinibus ovatis and R. montana germinibus glabris Schleich. R. canina globosa Desv.								
13470	indica								
	6 caryophylla Red. clove-scented 2	or	C	p.l	
	7 pannosa Red. pannose 2	or	P.Ro	C	p.l	
	8 cruenta Red. bloody 2	or	C	p.l	
	9 Fraseriana H. B. Fraser's 2	or 4	my.s	Dbl.P	C	p.l	
	R. Fraseriana Hort. Brit. p. 211.								
	10 ruga Lindl. wrinkled 2	or 12	jl	Bh.Wlity	hyb.	C	p.l		Bot. reg. 1389
	11 ochroleuca yellowish white 2	or 2	my.s	Crea	China	1824.	C	p.l	
	12 Blairii D. Don Blair's 2	or 5	jn	R	hybrid	1830.	C	p.l	Sw. fl. gar. 2. s. 405
	13 Smithii Swt. Smith's yel. N. 2	or 5	sp.su	Y	Eng. hyb.	1829.	C	r.l	Sw. fl. gar. 2. s. 159
	14 nivea D. Don white-ble-flwd 2	or 3	jl	W.R	gardens	1831. C	l		Sw. fl. gar. 2. s. 229
	Imported from France, by Mr. Dennis, nurseryman, Chelsea, under the name of Aimé Vibert; and is doubtless a hybrid production, most probably originated between Rosa indica and R. moschata. — D. Don.								
33728	13470? (Garden variety) Clare's 2	or wall or 6	all sea	Dp.C	Italy	...	C	co	Bot. reg. 1438

13481	microphylla 2 álba Hort.	white-flwd	■ or 3	...	W	C	p.1	
13483	arvensis 2 ayrshirca Ser.	Ayrshire	■ ✕ or 20	mys	W	?Amer.	1818.	L	co	
	R. capreolata Neill.	R. sempervirens 2 capreolata D. Don.	or	D. Don.	Hort. Brit.	p. 211.			
	3 hybrida Lindl.	double-hip	■ or	Pa. Pk	hybrid	...	L	co	
13485	sempervirens 2 Russelliana A. B. Russel's		■ ✕ or 20	jn.jl	Bh	Eng. hyb.	...	L	p.1	
	R. Russelliana Hort. Brit. No. 13487.									
	3 Clárei Lindl.	Rose Clare	■ ✕ or ...	jn.jl	Dp.R	Eng. hyb.	...	L	p.1 Bot. reg. 1438	
	4 Leschenaultiana Ktcd.	Leschenault's	■ or 60	jn.jl	V	Neelgherry	...	L	p.1	
13488	multiflora 2 Grevillier Hort.	Grev. 7 Sisters	■ or 20	ap.jl	dbl.	Psh China	...	C	p.1 A. b. f. 513	
	R. Grevillii Hort., Hort. Brit. No. 13489.	R. Rozbarghi Hort., Hort. Brit. No. 13471.							R. platyphlla	
	3 Russelliana Hort. Russel's		■ or	Pk	C	p.1	
	4 Boursaulti G. Don Boursault's		■ or 13	mys.	Pk	hybrid	1821.	C	p.1	
	R. Boursaulti Hort., Hort. Brit. No. 13473.									
3279 13491a	anemoneflora Fortune	Anemone-flwd	■ or 8	jn.au	Pa.Bh	Shanghai	1845.	C	It.1	
13493	sínica Ait. ; Arb. Brit. No. 75. p. 776.									
	R. trifoliata Bosc.	R. ternata Poir.			R. cherokeensis	Donn.	R. nivea	Dec. Hort. Monsp.	Prod. 2 p. 599.	
	R. hystrix Lindl. Moncg.	R. laevigata Michx.							Fl. Bor. Amer.	
7. ROSCOEA.										
33730	96a lutea Royle	yellow-flwd	■ or ...	my.jl	Y	Nepal	1839.	D	s.1.p	
279. ROTTBŒVLLIA.										
33731	2382a glabra Kth.	smooth	■ or un ...	jn.jl	Ap	E. Indies	1822.	S	co	
33732	2382b Cymbachne Kth.	Cymbachne	■ or un ...	jl.au	Ap	E. Indies	1824.	S	co	
	Cymbachne citiata R. & S.									
33733	2382c fasciculata Desf.	fascicled	■ or un ...	jn.jl	Ap	S. Europe	1826.	S	co	
	Lodicularia fasciculata Pohl.									
3967. 1671a.	ROY'LEA Wall. ROYLEA. (Dr. Royle, Prof. of Materia Medica, King's Coll. London.)	Labiatae. 1.—3.								
33734 -	- elegans Wal.	elegant	■ or 3	jl.au	P	Nepal	1824.	C	s.1	
	Ballota cinerea D. Don, No. 15028.									
1523. RUBUS.										
13505	idaeus									
	2 microphyllus Waltr.	small-leaved	■ fr 3	my.jn	W	Britain	hed.	Sk	co	
	There are also, in gardens, varieties with red fruit, yellow fruit, and white fruit, and one which bears twice in the year.									
13508	caesius									
	2 arvensis Waltr.	corn-field	■ fr 2	jn.jl	W	Britain	cor.fi.	Sk	co	
	R. pseudo-caesius Weihe.									
	3 grandiflorus Ser.	large-flowered	■ fr 2	ju.jl	W	Britain	bor.fi.	Sk	co	
	4 parvifolius Waltr.	small-leaved	■ fr 2	jn.jl	W	Britain	bor.fi.	Sk	co	
	5 fol.variegatus Hort.	variegated-lvd	■ or 2	jn.jl	W	Britain	gard.	Sk	co	
33735 13508a	ellipticus Sm.	oval-leaved	■ or cu	W	Nepal	1827.	L	co	
	flavus Ham.									
13513	corylifolius									
	2 canus Waltr.	hoary	■ or 10	jl	W	Britain	hed.	Sk	co	
	3 glandulosus Waltr.	glandulous ped.	■ or 10	jl	W	Britain	hed.	Sk	co	
	R. glandulosus Spr.									
33736 13514a	spectabilis Ph.	showy	■ or 4	ap.my	Dp.R	Columbia	1827.	L	p	
33737 -	- carpiniifolius W. & N.	Hornbeam-lvd	■ cu 10	jl.au	W	Britain	hed.	L	co	
33738 13515a	abruptus Weihe	abrupt	■ or 8	jn.s	W	Britain	m.hed.	L	co	
13516	affinis									
	2 bracteatus Ser.	broad-bracted	■ or 8	jn.s	W	Britain	hed.	
	R. a. 2, et 3 Weihe & Nees Rubi	Germ. 3. b.							Rub. ger. 3. b	
13519	fruticosus									
	2 pomponius Ser.	pompone	■ or 10	jn.s	W.Pk	Britain	gard.	L	co	
	R. fruticosus 2 W. & N.									
	3 tauricus Hort.	Taurian	■ or 10	jn.s	Pksh	L	co	
	4 fl. roseo pl. Baum. C. dbl.-pk-flwd		■ or 10	jn.s	Pk	Britain	hed.	L	co	
	5 fl. 3 plenus Hort. Brit. p. 212.									
	5 fol. variegatus A. B. variegated-lvd		■ or 10	jn.s	Pk	Britain	gard.	L	co	
	6 leucocarpus Ser.	white-fruited	■ or 10	jn.s	W	Britain	hed.	L	co	
	R. f. 2 álbus Hort. Brit. p. 212.									
	7 inermis Ser.	unarmed	■ or 10	jn.s	Pk	Britain	hed.	L	co	
	8 dalmaticus Tr. Ros. Dalmatian		■ or 10	jn.s	Ro	Dalmat.	...	L	co	
	9 concolor Waltr.	one-ld-leaved	■ or 10	jn.s	Pk	Germany	...	L	co	
	10 glandulosus Waltr.	glandulous	■ or 10	jn.s	Pk	Germany	...	L	co	
33739 13519a	villicaulis Weihe	hairy-stemmed	■ or ...	jl.au	W	England	wood.hed.	L	co	
	2 argenteus	silvery-lvd	■ or ...	jl.au	W	England	wood.hed.	L	co	
	3 sylvaticus	wood	■ or ...	jl.au	W	England	wood.hed.	L	co	
	4 tenuis	slender	■ or ...	jl.au	W	England	wood.hed.	L	co	
	5 pubescens	pubescent	■ or ...	jl.au	W	England	wood.hed.	L	co	
33740 13519b	radula Weihe	rasp-like	■ or 8	jl.au	???	Britain	hed.thick.	L	co	
	2 radis	ruide	■ or ...	jl.au	W	Britain	hed.thick.	L	co	
	3 hystrix	porcupine	■ or ...	jl.au	...	Britain	hed.thick.	L	co	
33741 -	- Leightonianus Bab.	Leightons	■ or 10	jl	...	England	hedges	L	co	
33742 -	- lingua Weihe	tongue-lvd	■ or 10	jl.au	...	England	hed.thick.	L	co	
33743 -	- Lejeunii Weihe	Lejeune's	■ or ...	jl.au	...	Chan. Isl.	hed.thick.	L	co	
33744 -	- rotundifolius Wall.	round-lvd	■ or 210	N. of Ind.	1845.	L	C co	
33745 -	- macrophyllus Weihe	long-leaved	■ or 8	jn.s	W	Britain	m.hed.	L	co	
33746 -	- vulgáris Weihe	common	■ or 8	jn.s	W	Britain	m.hed.	L	co	
33747 13533a	diversifolius Weihe	divers-leaved	■ or 8	jn.s	W	Britain	m.hed.	L	co	
33748 -	- discolor Weihe	discoloured	■ or 8	jn.s	W	Britain	m.hed.	L	co	
33749 -	- fusco-ater Weihe	brownish-black	■ or 8	jn.s	W	Britain	m.hed.	L	co	
33750 -	- pallidus Weihe	pale	■ or 8	jn.s	W	Britain	m.hed.	L	co	
33751 -	- Köhleri Weihe	Köhler's	■ or 8	jn.s	W	Britain	m.hed.	L	co	
33752 -	- echinatus Lindl.	echin-ted	■ or 8	jn.s	W	Britain	m.hed.	L	co	
33753 -	- dumetorum Lindl.	thickets'	■ or 8	jn.s	W	Britain	m.hed.	L	co	

33754 13534a setosus Bigel. bristly-stemmed Δ cu 2 my.jl W N. Amer. 1827. L co
 33755 13535a nutkahnus Moc. Nootka Sound Δ or 4 my.o W N. Amer. 1826. Sk co Bot. reg. 1368
 33756 13555a roridus Lindl. dewy-glanded Δ cu ... aut W Madagas. 1831. L 1p Bot. reg. 1607

2411. RUBRICKIA.

33757 - asperima Horn. roughest Δ or 3 s R.w N. Amer. 1832. D co Bot. gar. 647
 33758 - digitata H. K. digitate-leaved Δ or 6 a.us Y N. Amer. 1759. D co M. h. 6. 6. 54
 33759 - laciniata L. cut-leaved Δ or 6 j.l.s Y N. Amer. 1840. D co M. h. 6. 6. 53
 33760 - laevigata Ph. smooth Δ or 3 j.l.au Y Carolina 1812. D co
 33761 - amplexifolia Jac. clasping-leaved Δ or 3 j.l.o Y Louisiana 1793. S co Bot. mag. 3716
Dracopis amplexicaulis Cass., Bot. mag. 3716.

1727. RUFILIA.

33762 - picta B. C. painted Δ or 1 a.p.au B Domingo 1826. C p.l Bot. cab. 1448
 33763 - ciliatiflora Hook. fringe-flowered Δ or 1 $\frac{1}{2}$ s B.P.P Buen.Ayr. 1838. S co Bot. mag. 3718
 33761 - oblongifolia B. C. oblong-leaved Δ or 3? s Ro Brazil 1830. C p.l Bot. cab. 1889
 33765 - elegans Hook. elegant-flwd Δ or 1 aut.w B E. Indies 1834. C p.l Bot. mag. 3389
Roëlla elegans Paxt. mag. bot.
 33766 - Purdieana Hook. Purdie's Δ or 1 $\frac{1}{2}$ jn.jl C ?1845.C 1p Bot. mag. 4298
 33767 - longiflora Hort. long-flwd Δ or ... o Psh.Li C s.l.p Bot. reg. 1816. 13
 33768 - lilacina Lindl. in Bot. reg. 1846. 13., not of Hook., neither is it the R. longiflora of Vahl, nor of Richard.
 33768 - lilacina Hook. lilac-cld.-flwd Δ or 3 jn.au Rosy li C s.p.l Bot. mag. 4147
 15510 macrophylla Fahl. Bot. reg. 1846. 7.
 Nos. 15498. and 15507. in p. 241. are species of *Dipteracanthus* N. von Esenbeck.

1126. RUMEX.

33769 - montevicensis Spr. Monte Video Δ un ... G S. Amer. 1831. D co
 33770 - reticulatus Bess. reticulated Δ un ... j.l.au G Podolia 1824. D co
 33771 - salicifolius Horn. Willow-leaved Δ un 1 jn.s G California ... D co
 33772 - polygonifolia Knotgrass-leaved Δ un 3 au Br Russia 1838. S co [D. Cameron.]

415. RUPPIA.

33773 - rostellata Koch small-beaked Δ cu ft.jl.au G Britain sa. w S s.l Eng. Bot. 136 ?
 33774 - maritima L. sea Δ cu ft.jl.au G England sa. w S s.l R. Icon. 307

2819. RUSCUS.

24500 aculeatus 2 rotundifolius Bar. round-leaved Δ or 1 mr.ap G Sk co Di. el. 251. 324
 24501 hypophyllum 2 trifoliatum A. B. trifoliolate Δ or 2 ... G Zante ... Sk co
R. trifoliatum Mill.

1798. RUSSELLIA.

33775 - juncæa Zuccarini rushy-branched Δ or 3 j.l.au S Mexico 1833? C s.l Bot. reg. 1773

3668. 1698a. RYTHIDOPHYLLUM Mart. RYTHIDOPHYLLUM. (Rytis, wrinkle, phyllon, leaf; surface.) Gesneriaceæ.
 33776 - auriculatum Hook. auricled Δ or 5 n Y.G.R Brazil 1836. C p.l Bot. mag. 3562

3969. 524a. SABPCEA Dec. SABICEA. (Altered from *Sabisabi*, the name of *S. aspera* in Guiana.) Rubiaceæ. 5.—1.
 33777 - aspera Dec. rough Δ or ... W Guiana 1824. C s.p.l Lam. ill. t. 165
Schoenfeldia aspera W.
 33778 - hirta Dec. hairy Δ or ... W Jamaica 1825. C s.p.l

3970. 2566b. SACCOLABIUM Hume SACCOLABIUM. (*Saccus*, a sack, *labium*, a lip; labellum.) Orchidaceæ.

33779 - bifidum Lindl. bifid Δ cu $\frac{1}{2}$ d Pk.Y Manila ?1837. D p.r.w
 33780 - papillosum Lindl. pimples Δ or 1 a.us W.spot India 1828? D p.potsh. Bot. reg. 1552
 33781 - calceolare Lindl. slipper Δ cu ... Ysh.Br Khoseca 1837. D p.r.w Paxt.mag. 6. p. 97
 33782 - denticulatum Paxt. toothed Δ cu $\frac{1}{2}$ ap W Khoseca 1837. O r.w Paxt.mag. 7. p. 146
 33783 - guttatum Lindl. spotted-flwd Δ or 1 iny W.p.spot India? 1819. D blockBot. mag. 4108
 33784 - præmorsum Lindl. bitten-flwd Δ cu ... su W.pk E. Indies 1839. D fib.p
 33785 - Blumei Lindl. Blume's Δ or ... mr.jn Va Java 1835. D fib.p
 33786 - micranthum Lindl. small-flwd Δ pr ... su.aut V E. Indies 1837. D fib.p
? Cleistostoma sp.
 33787 - densiflorum Lindl. crowded-flwd Δ pr ... su.aut Br.Y Manila 1838. D fib.p
 33788 - ochraceum Lindl. ochraceous Δ pr ... my.jl Rsh.Y Ceylon 1838. D fib.p
 33789 - gemmatum Lindl. gem Δ el ... my.jl P E. Indies 1837. D fib.p
 33790 - compressum Lindl. flattened Δ pr ... my.jl P C.W Manila 1838. D fib.p
 33791 - carinatum Lindl. keeled Δ pr ... my.jl Pk E. Indies 1843. D fib.p
 33792 - minutum Lindl. vermilion-cld.-flwd Δ or $\frac{1}{2}$ f O.R Java ?1846. D blockBot. reg. 1847. 58
 33793 - ampullaceum Lindl. flask-formed Δ or $\frac{1}{2}$ au Ro Sylhet ... D fib.p Paxt. mag. 13. 49
Acrides ampullaceum.
 33794 - macrostachyum Bate. long-spiked Δ or ... Va Philippiues 1838. D fib.p

3971. - SAGENIA Presl SAGENIA. (? From *Sagu*, the Malay name of various palms.) Crypt. Filices. 24.—1.
 33795 - coadunata J. Sm. coadunate Δ or 4 ... Br Ceylon 1845. D p.l H. & G. ic. fil. 202
Aspidium coadunatum Wall.
 33796 - calcarea J. Sm. calcareous Δ or ... aut Br 1. of Luzon ... D p.l
 33797 - intermedia J. Sm. intermediate Δ or ... su Br 1. of Luzon ... D p.l
 33798 - platyphylla J. Sm. broad-leaved Δ or 3 su Br 1. of Luzon ... D p.l

416. SAGINA 3451 procumbens

2 pluripétala Dens. many pet. or doub Δ cu $\frac{1}{2}$ my.s Gsh.w England gard. D s.l
 3 pentandra 5-anthered Δ w $\frac{1}{2}$ my.s Gsh Britain way si. D s.l
 4 nodosa knotty Δ w $\frac{1}{2}$ my.s Gsh Britain way si. D s.l
 5 maritima sca Δ w $\frac{1}{2}$ my.s Gsh England ... D s.l
 6 spinosa spiny Δ w $\frac{1}{2}$ my.s Gsh England ... D s.l
 3454 apétala 2 stricta upright Δ w $\frac{1}{2}$ my.jn W Britain ... S co
 S s 4

33827 -	- propinqua <i>Borrer</i>	nearly-related	or 8 ...	Ap	Britain	... C	m.s.	Eng.bot.sup.2729		
33828	24069a <i>damascena Forb.</i>	Damson-leaved	or 12 ap	Ap	England	sc.m	C	Eng.bot.sup.2709		
33429	24017 <i>ambigua Ehrh.</i>	ambiguous	or ...	ap.my Ap	England	gra.heC	m.s.	Eng.bot.sup.2733		
	2 major <i>A. B.</i>	greater	or 5	ap.my Ap	England	hea.gr...	...	Eng.bot.sup.2733		
	<i>S. ambigua</i> β <i>Hook.</i>	<i>S. versifolia</i> <i>Scr.</i>								
	3 <i>spatulata A. B.</i>	spatulate	or ...	ap.my Ap	Germany	... C	m.s.	Eng.bot.sup.2733		
	<i>S. a. γ spatulata</i> <i>Borr.</i>	in Eng. Bot. Sup.	or ...	<i>S. a. γ Hook.</i>				<i>S. spatulata</i> <i>W.</i>		
	4 <i>undulata A. B.</i>	wavy-leaved	or ...	ap.my Ap	England	hea.gr	C	m.s.	Eng.bot.sup.2733	
	<i>S. a. δ undulata</i> <i>Borr.</i>	in Eng. Bot. Sup.								
33830	24072a <i>versicolor Forb.</i>	various-cld.	or 2 my	Ap	Switzerl.	?1824.	C	m.s.	Sal. wob. 77	
33831	24073a <i>Micheliana Forb.</i>	Michel's	or 15 ap	Ap	C	m.s.	Sal. wob. 135	
	Probably <i>S. holosericea</i> <i>W.</i> , No. 24073.	in p. 395.							<i>S. holosericea</i> var. <i>Borr. ms.</i>	
33832 -	- rivularis <i>Forb.</i>	river	or ...	my Ap	Switzerl.	?1824.	C	m.s.	Sal. wob. 102	
33833 -	- atropurpurea <i>Forb.</i>	dark-pur. bran.	or ...	ap Ap	Switzerl.	1824.	C	m.s.	Sal. wob. 156	
33834 -	- coriacea <i>Forb.</i>	leathery-leaved	or 8	mr Ap	Switzerl.	?1825.	C	m.s.	Sal. wob. 162	
33835 -	- Ansoniana <i>Forb.</i>	Anson's	or ...	mr.ap Ap	Switzerl.	?1825.	C	m.s.	Sal. wob. 107	
33836 -	- crispa <i>Forb.</i>	crisp-leaved	or ...	mr.ap Ap	C	m.s.	Sal. wob. 42	
33837 -	- latifolia <i>Forb.</i>	broad-leaved	or ...	mr Ap	C	m.s.	Sal. wob. 118	
33838 -	- vaudensis <i>Forb.</i>	Vaudois	or 3	mr.ap Ap	Switzerl.	?1824.	C	m.s.	Sal. wob. 117	
33839 -	- sordida <i>Forb.</i>	sordid	or ...	ap Ap	Switzerl.	?1824.	C	m.s.	Sal. wob. 101	
33840 -	- grisonensis <i>Forb.</i>	Grisons	or 15	mr.ap Ap	Grisons	?1824.	C	m.s.	Sal. wob. 99	
33841 -	- helvetica <i>Forb.</i>	Swiss	or 14	ap.ap Ap	Switzerl.	1824.	C	m.s.	Sal. wob. 159	
33842 -	- firma <i>Forb.</i>	firm-leaved	or ...	mr.ap Ap	C	m.s.	Sal. wob. 106	
33843 -	- rotundata <i>Forb.</i>	round-leaved	or 15	ap.my Ap	Switzerl.	1824.	C	m.s.	Sal. wob. 104	
33844 -	- dura <i>Forb.</i>	hardy	or ...	ap my Ap	C	m.s.	Sal. wob. 105	
33845 -	- septentrionalis <i>Lo. C.</i>	?syn. <i>S. nigricans</i> <i>Sm.</i>	or ...	No. 23947.						
33846 -	- thymelaeoides <i>Hort.</i>	Wild-Olive-like	or Ap	C	m.s.		
33847 -	- aegyptiaca <i>L.</i>	Egyptian	or Ap	Egypt	...	C	m.s.	Sal. wob. 146	
33848 -	- alpina ? <i>Forb.</i>	alpine	or Ap	C	m.s.	Sal. wob. 149	
33849 -	- berberifolia <i>Pall.</i>	Berberry-lvd	or Ap	Dauria	1824.	C	m.s.	Sal. wob. 140	
33850 -	- villosa <i>Forb.</i>	villous	or 2	... Ap	Switzerl.	...	C	m.s.	Sal. wob. 92	
33851 -	- alnifolia <i>Hort.</i>	Alder-leaved	or Ap	C	m.s.		
33852 -	- betulina <i>Hort.</i>	Birch-like	or Ap	C	m.s.		
33853 -	- fagiifolia <i>W. & K.</i>	Beech-leaved	or Ap	Croatia	...	C	m.s.		
33854 -	- formosa <i>W.</i>	elegant	or Ap	Carinthia	...	C	m.s.	Scop. car. 2. 61	
33855 -	- paludosa <i>Lk.</i>	marsh	or Ap	C	m.s.		
33856 -	- persicifolia <i>Hort.</i>	Peach-tree-lvd	or Ap	C	m.s.		
33857 -	- Trevirana <i>Lk.</i>	Treviranus's	or Ap	Germany	1825.	C	m.s.		
33858 -	- velutina <i>W.</i>	velvet	or Ap	C	m.s.		
3973. -	- SALPICHLENA <i>J. Sm.</i>	SALPICHLENA. (<i>Salpigx</i> , a tube, <i>chlæna</i> , a cloak.)			<i>Crypt. Filices.</i>			24.—1.		
33859 -	- volubilis <i>J. Sm.</i>	twining	or ...	jl.s	Br	Brazil	1842.	D	p.l	
	<i>Bléchnum volubile</i> <i>Kauf.</i>									
3974. 590a.	SALPICHROA <i>Miers</i>	SALPICHROA. (<i>Salpigx</i> , a tube, <i>chroa</i> , colour.)						<i>Solanaceæ.</i>		
33860 -	- glandulosa	glandulous	or ...	jn.jl	Di.Y	Chili	?1844.	C	lt	
1714.	SALPIGLO'SSIS 15436	sinuata <i>R. & P.</i> , syn. <i>S. atropurpurea</i> <i>Grah.</i>	in Bot. mag. t. 2811.							
	2 picta	painte	or spl 2	my.jn	Va	Chili	1820.	S	lt	
	<i>S. picta</i> <i>Swt.</i>	Fl. gar. t. 258., <i>S. straminea</i> β <i>picta</i> <i>Hook.</i>	Bot. mag. 3865.							
	3 straminea	straw-col.-fwd	or 2	my.jn	Cre.	S	lt	
	<i>S. straminea</i> <i>Hook.</i>	ex. fl. t. 229., <i>Sweet's</i> fl. gar. t. 231.								
	4 Barclayana	Barclay's	or	2	my.jn	Br.Y	hybrid	...	S	lt
	<i>S. intermedia</i> <i>Swt.</i> , <i>S. Barclayana</i> <i>Penny MSS.</i>									
3975. -	- SALPIXANTHA <i>Hook.</i>	(<i>Salpigx</i> , a tube, <i>anthos</i> , a flower; flower tubular.)						<i>Acanthaceæ.</i>	14.—2.	
33861 -	- coccinea <i>Hook.</i>	scarlet	or 3	au	S	Jamaica	1842.	C	l.p	
33862	76. SA'LIVIA									
33863	642a ringens <i>Sib.</i>	ringent	or 2	jl	B	Levant	1827.	D	lt	
	642b roseifolia <i>Sm.</i>	rose-leaved	or ...	jl	P	Levant	1827.	C	lt	
	643 pilantha <i>Lk.</i> , syn. <i>S. Linkiana</i> <i>R. & S.</i>									
	651 leucantha <i>Cav.</i>	bot. mag. 4318.								
	652 azurea. In Paxt. mag. bot. 12. 31., we find an enumeration of the following synonyms:— <i>elata</i> ; <i>acuminata</i> ; <i>longifolia</i> ; <i>nicotiana</i> <i>Walter</i> ; <i>angustifolia</i> of some; <i>acuminatissima</i> .									
33864	652a patens <i>Benth.</i>	spreading	or 3	au.o	D.B	Mexico	1838.	C	lt	
	<i>spectabilis</i> <i>Kth.</i> , <i>grandiflora</i> <i>Nees.</i>								<i>Paxt. mag. vi. 1.</i>	
	2 albiiflora	white-flowered	or 3	jn.s	W	seedling	1848.	C	lt	
	657a strictiflora <i>Hook.</i>	erect-flowered	or 3	w	Br.R	Peru	1831.	C	lt	
	658a tubifera <i>Cav.</i>	tube-bearing	or 3	o.n	R	Mexico	1840.	C	co	
	660a punctiflora <i>Parl.</i>	self-head-like	or 1	jl.s	B	Mexico	?1839.	D	s.p.l	
	33868 -	- involucreta <i>Cav.</i>	involved	or 14	jl.s	R	Mexico	1824.	C	lt
	33869 -	663a agglutinata <i>Lag.</i>	clammy	or ...	jn.jl	S	NewSpain	1827.	C	lt
	33870 -	- confertiflora <i>Pohl</i>	crowded-fwd	or 3	au.s	O.R	Brazil	...	C	lt
	var.	short-flowered	or 3	aut	O.R		<i>Bot. mag. 3899</i>	
	33871 -	- Grahami <i>Benth.</i>	Graham's	or 4	jl.o	R	Mexico	1829.	C	s.l
	33872	663b regia <i>Cav.</i>	Regla	or 5	jn	S	Mexico	1839.	C	co
	33873 -	- gesneriflora	Gesnera-fwd	or 3	mr.ap	S	21846.	C	lt
	33874	675a hiensis <i>Benth.</i>	gaping	or 1	my.jn	B.W	Cashmere	1839.	D	co
	33875	686a fulgens <i>Cav.</i>	fulgent	or spl 5	my.o	S	Mexico	1829.	C	s.l
	<i>cardinalis</i> <i>H. B. & K.</i> , <i>splendens</i> var. <i>nana</i> <i>Gard. mag.</i>	figure, apparently the first published in Britain.							vol. v. p. 577. fig. 116.; an excellent and original	
	33876 -	- dolichostachya <i>Lag.</i>	long-spiked	or 6	au.o	S	Mexico	1820.	C	lt
	33877	686a elegans <i>G. Don</i>	elegant	or 4	jl.o	C	Mexico	1820.	C	lt
	<i>incarnata</i> <i>Kth.</i> not of <i>W.</i>									
	33878	687a canescens <i>Mey.</i>	hoary	or 2	jn.au	P	Caucasus	...	C	co
	33879	696a Moorcroftiana <i>Wal.</i>	Moorcroft's	or 3	jn.au	B	India	1838.	D	co
	33880	717a desertorum <i>Sihan.</i>	desert	or 2	o	B	Siberia	1829.	S	co
	719a patula <i>Bot. Gard.</i> 714.									
	33881	720a præcox <i>G. Don</i>	early-flowering	or ...	mr.jn	P	N. Africa	1826.	D	lt
	33882	721a Simsiana <i>B. R.</i>	Sims's	or 3	jn.jl	Pa.B	Russia	1820.	D	p.l
	<i>bractæata</i> <i>Bot. Mag.</i> 2320.								<i>Bot. reg. 1003</i>	
	724	<i>argentea Flor. Cab.</i> , No. 112.								

- 738 triloba L., syn. S. *Clusii Jacq.*
 741 abyssinica ? R. Br., syn. *Meriandra bengalensis* Benth.
- 33883 745a linarioides Hort. Linaria-like
 33884 746a limbata Mey. bordered
 33885 - foliosa Benth. leafy
 33886 - oppositiflora R. et P. opposite-flwd
893. SAMBUCUS.
 7140 nigra
 † virescens Dec. greenish
 S. n. 6 viridis Hort. Brit. p. 110.
 3 leucocarpa A. B. white-berried
 S. n. 7 alba Hort. Brit. p. 110.
 4 laciniata A. B. cut. or Parsley-ld
 S. laciniata Mill. Dict., Hort. Brit. No. 7141.
 5 laciniata adrea yellow-striped
 6 rotundifolia A. B. roundish-leaved
 7 monstrosa A. B. striped-barked
 S. monstrosa Hort.
 8 foliis argenteis A. B. white-var.-ld
 S. n. 2 variegata Hort. Brit. p. 110.
 9 foliis luteis A. B. yellow-var.-ld
 S. n. 3 aurea Hort. Brit. p. 110.
1547. SANGUINARIA.
 33887 13761a grandiflora Rosc. great-flowered
- 338 338. SANGUISORBA.
 33888 2827a praecox Bes. early-flowering
 33889 2827b anustifolia Fis. narrow-leaved
 33890 2830a alpina Dec. alpine
2714. SAPPIUM 23801 filicifolium W.; syn. *Colebogyne liliifolia* H. K.
1385. SAPONARIA.
 33891 11371a calabrica Guss. Calahrian
 33892 11371b cerastioides Fis. Cerastium-like
 33893 - viscosa Mey. viscid
3976. 587. SARACHA R. & P. SARACHA. (*Isidore Saracha*, a Benedictine monk.) *Solanaceae.*
 33894 - viscosa Lk.? clammy-herbgd.
2563. SARCA'NTHUS.
 33895 - guttatus Lindl. spotted
 Aerides guttatum Rox. MSS.
 33896 - pallidus Lindl. pale-flwd
 33897 - hififormis Lindl. thread-like-ld
 33898 - ercocus Lo. C. saffron-cld
2525. SARCOCHI'PLUS.
 †22643 falcatus R. Br. falcate-leaved
 33899 - olivaceus Lindl. olive-flowered
 33900 - parviflorus Lindl. small-flowered
 33901 - unguiculatus Lindl. unguiculate
 33902 - calcæolus Lindl. slipped
 33903 - fisco-luteus Lindl. tawny-yellow
3977. 2496a. SARCOGLOTTIS Prest SARCOGLOTTIS. (?Sarr, flesh, glotta, a tongue.) *Orchidaceae.* 20.—1.
 33904 - rufescens Lindl. brownish-flwd
 Spiranthes rufescens Fischer.
 33905 - rosulata Lindl. frosty-leaved
 Spiranthes rosulata Lindl.
 33906 - diuretica Lindl. diuretic
 Spiranthes diuretica Lk. & Otto; *Neottia diuretica* Lindl.
 33907 - cerina Lindl. waxy
 Spiranthes cerina W.
 33908 - lobata Lindl. lobed
 33909 - diaphana Lindl. diaphanous
 Nos. 22547, 22548, 22549, and 22552. of the genus *Neottia* in p. 368. are now referred to this genus.
757. SARCOSTEMMA.
 33910 - campanulata Lindl. bell-flowered
1555. SARRACENIA.
 33911 13798a Drummond's Hook. Drummond's
 33912 - minor Nut. smaller
1650. SATUREJA.
 33913 - mollis P. B. Webb soft
 33914 - mutica G. Don awned
 Nos. 14750, 14756, 14757, 14759, and 14761. are species of *Micromeria* Benth.
 No. 14760., syn. *Majorana hortensis* Moench.
2477. SATYRIUM.
 33915 - erectum Lindl. erect
 A variety of this species, bearing the name of *S. Herschelli*, is in the garden of the London Hort. Soc.
 33916 - pustulatum Lindl. pustular
 33917 - candidum Lindl. hoary
 33918 - papillosum Lindl. papillose
 Flowers "smell like sweet vernal grass."
 33919 - adreum Paxl. golden-flowered

3985. - - SCHIZOMERIA *D. Don* SCHIZOMERIA. (*Schizo*, to cut, *meris*, part; cut petals.) 10. 2. *Aruliaceæ*. 1.
 33966 - - ovata *D. Don* oval-leaved $\text{♂} \square$ or 8 su W N. Holl. 1825. C s.l
Ceratopetalum ovatum Caley.
3986. 1515a. SCHIZONOTUS *Lindl.* (*Schizo*, to cut, *notos*, the back; cells of capsule split open at back.) *Rosaceæ*.
 33975 - - tomentosus *Lindl.* tomentose ♂ or 8 jlau W Nepal Sk co E. of T. & S. f. 526
Spiræa Lindleyana Wall.
 No. 13037. in p. 203. is also referred to this genus.
1157. SCHMIDÉ'LIA.
 33968 9351a occidentalis *Swz.* occidental $\text{♂} \square$ or 8 W. Indies 1828. C p.l
3987. - - SCHOMBURGKIA *Lindl.* (*Sir R. Schomburgh*, a traveller in Guiana.) *Orchidaceæ*. 20.—1.
 33969 - - tibicinis *Bate.* piper's $\text{♀} \square$ spl 8 Ro Honduras 1836. D Bate. Orch. t. 30
 1 grandiflora *Lindl.* large-flowered $\text{♀} \square$ spl 5 my R.n.r.pk.y D blk Bot. reg. 1845. 30
 33970 - - rosea *Linden* rose-cld.-fldw $\text{♀} \square$ spl D.p.r.pa.ro S.Nevada ... D blk
 33971 - - marginata *Lindl.* bordered $\text{♀} \square$ or 4 au.s R.y Surinam 1834. D trees Sert. orch. 13
 33972 - - crispata *Lindl.* crisp-flowered $\text{♀} \square$ or 23 sp Y.Br Demerara?1837.D blk Bot. reg. 1844. 23
marginata var. *petalis sepalisque immarginatis* Hook. Bot. mag. 3729.
 33973 - - undulata *Lindl.* wavy-petaled $\text{♀} \square$ or ... d.f Br.Ro N.Grenada 1843. D blk Bot. reg. 1845. 53
3988. 1900a. SCHO'UWIA *Dec.* SCHOUWIA. (*J. F. Schouw*, a Danish botanist.) *Cruciferae*. 15.—1.
 33974 - - arabica *Dec.* Arabian O or $\frac{3}{4}$ jn.l P Arabia 1837. D co
Psychine arabica Spreng.
3989. 774b. SCHUBERTIA *Mart.* (*Not. of Mir.* in p. 388., for which see *Taxodium* hereafter.) *Apocynaceæ*. 5.—2.
 33975 - - graveolens *Lindl.* strong-scented $\text{♀} \square$ or ... aut Pa.Y Brazil 1837. C lt
 33976 - - grandiflora *Mart.* great-flowered $\text{♀} \square$ or ... aut W Brazil 1837. C lt
3990. 707b. SCHWEIGGE'RIA *Spreng.* (*Professor Schweiggcr*, one of the authors of a *Flora of Erlangen*.) *Violaceæ*.
 33977 - - pauciflora *Martius* few-flowered $\text{♂} \square$ pr 2 my.jl W Brazil 1838. C co Bot. reg. 1841. 40
Glossorrhæna pauciflora Dec.
49. SCHWE'NKIA.
 33978 463a browalliioides *R. & S.* Browallia-like $\text{♀} \square$ au.s G.P Caraccas 1824. C s.p
 33979 463b Hilairiana *Dec.* St. Hilaire's $\text{O} \square$ au.s G.P Brazil 1826. S s.p.l
912. SCIODAPHYLLUM.
 33980 7300a pulchrum *Wal.* handsome $\text{♂} \square$ or Y E. Indies 1841. C s.p
1054. SCILLA.
 33981 8811a præbracteata *Haw.* long-bracted $\text{♀} \triangle$ or 1 my.jn B S. Europe ... O s.l Bot. mag. 749
peruviana Hort., not. of L.
 8812 peruviana two-cld.-fldw $\text{♀} \triangle$ or 1 my.jn Pa.G.B O s.l Bot. reg. 1843. 48
 33982 - - pubens *Welwitsch* full-grown $\text{♀} \triangle$ or $2\frac{1}{2}$ my.jn B Lumiar ... O s.l
 Similar to *S. peruviana*, but smaller in all its parts.
 33983 - - Bertolonii *Duby* Bertoloni's $\text{♀} \triangle$ pr Pa.Li 1844. O s.l
 33984 8812a Cupaniiana *Guss.* Cupani's $\text{♀} \triangle$ or 1 jn Di.P Sicily 1834. O s.l Bot. reg. 1878
 33985 8812a amœnula *H.* pretty $\text{♀} \triangle$ or $\frac{1}{2}$ mr.ap B Russia 1822. O s.l Bot. mag. 2408
 33986 8812a? villosa *Desf.* villous-leaved $\text{♀} \triangle$ or $\frac{1}{2}$ Li Tripoli 1831. O p.l Bot. mag. 3211
 8818 verna
 2 alba white-flowered $\text{♀} \triangle$ pr $\frac{1}{2}$ ap.my Ro Britain gard. O s.l [*J. Creec.*]
 3 rosea rose-cld.-fldw $\text{♀} \triangle$ pr $\frac{1}{2}$ ap.my Ro Britain gard. O s.l [*J. Creec.*]
 8821 autumnalis
 2 major larger $\text{♀} \triangle$ pr $\frac{1}{2}$ au.s Pk ?Britain ... O co Bot. mag. 919
 3 alba white-flowered $\text{♀} \triangle$ pr $\frac{1}{2}$ au.s W Britain gard. O co [*J. Creec.*]
 33987 8821a obtusifolia *Poir.* blunt-leaved $\text{♀} \triangle$ pr $\frac{1}{2}$ f.ap R S.Europe 1829. O co
 33988 - - rosea *Leh.* rose-coloured $\text{♀} \triangle$ or $\frac{1}{2}$ ap.my Ro Numidia ... O co Bot. ph. 46. 2
byfolia rubra Bot. mag. t. 746. left hand figure, *carnea* Swt. in his Hort. Brit. ed. 2. p. 528.
 8827 campanulata
 2 alba white-flowered $\text{♀} \triangle$ or 1 ap.jn W S.Europe 1683. O co Bot. mag. 1102
 3 carnea flesh-cld.-fldw $\text{♀} \triangle$ or 1 ap.jn Pk S.Europe 1683. O co Bot. mag. 1102
 33989 - - odorata *Brot.* sweet-scented $\text{♀} \triangle$ or ... my.jn B Portugal 1818. O co
 33990 - - pratensis *W. & K.* meadow $\text{♀} \triangle$ or ... my.jn B Hungary 1827. O co Bot. reg. 1839. 63
 33991 - - plumbea *Lindl.* lead-coloured $\text{♀} \triangle$ or 1 ap.jn Le C. G. H. ?1812. O r.m Bot. reg. 1355
 33992 - - pumila *Brot.* dwarf $\text{♀} \triangle$ or ... ap.my P.B Portugal 1819. O s.l
monophyllos Lk.
- 8828 non scripta *L.*, syn. *Myogalum nitans* Lk.
3991. 331a. SCINDA'PSUS *Schott.* Some authors place under this generic name No. 2777. in p. 41. and Nos. 2778, 2779, 2780. 2800, and 2801, in p. 42. of this work.
158. SCIRPUS.
 33993 1399a campestris *R. & S.* field $\text{♂} \triangle$ un j.l.s Ap S.Europe 1824. Sk bog
 33994 1405a pungens *Vahl* pungent $\text{♂} \triangle$ w 1 jn.jl Ap Jersey ponds Sk bog Eng. bot. 2919
triqueter var. $\frac{3}{4}$ Smith.
 33995 1415a thyrseiflorus *Fisch.* thyrse-flwd $\text{♂} \triangle$ un j.l.s Ap Siberia 1821. Sk bog
257. SCLERO'CHLOA.
 33996 - - Borreri *Bab.* Mr. Borreri's $\text{♂} \triangle$ un $\frac{3}{4}$ jn Ap Engiand ... D s.l Eng. bot. 2797
Poa Borreri Hook., *Glyceria Borreri* Bab. in Eng. bot. sup. t. 2797.
3992. 1743a. SCLERÖON *Lindl.* SCLERON. (*Scleros*, hard, *oon*, an egg or seed.) *Verbenaceæ*. 14.—2.
 33997 - - oleinum *Lindl.* olive-like $\text{♂} \square$ or 2 my.au G.W Mexico 1840. C l.p
2924. SCOLOPE'NDRIUM 25483 officinarum
 1 angustifolium narrow-leaved $\text{♀} \triangle$ or $\frac{1}{2}$ j.l Br Britain m.s.pl D l.p [*J. Bevis.*]
 33998 - - pinnatum *J. Sm.* pinnated-ldv $\text{♀} \triangle$ or ?1 su Br India ... D p.l
362. SCOPARIA.
 33999 3141a flava *G. Don* yellow $\text{♀} \square$ cu jn.s Y Brazil 1829. S s.l

2201. SCORZONE'RA.											
34000	19820a	julia Vest	July	☿	△	un	1	my.jn	Y	Austria 1829. S co	
34001	19821a	latifolia Dec.	broad-leaved	☿	△	or	...	jn.au	Y	Persia 1836. D co	
34002	-	stylösa Pers.	long-styled	☿	△	un	...	jl.au	Y	Levant 1822. D co	
Hymenocöna äspera Dec.											
34003	-	pümila Cav.	dwarf	☿	△	un	...	jl.s	Y	Spain 1822. D co	
Zollikofëria pümila Dec.											
1945. SCO'TTIA 17311 dentata Botanist, No. 134.											
84004	17311a	angustifolia Lindl.	narrow-leaved	☿	□	or	6	jn.n	Pk.Y	N. Holl. 1826. C s p Bot. reg. 1266	
34005	17311b	laevis Lindl.	smooth-bran.	☿	□	or	3	jn.s?	Y.s	N. Holl. 1833. C s p Bot. reg. 1652	
1790. SCROPHULARIA.											
34006	-	cordifolia Ait.	heart-leaved	☿	△	or	...	my.jl	...	Hungary 1817. D co W. & K. 73	
34007	15073a	lanata Fis.	woolly	☿	△	or	2	jl.n	Rsh	Siberia 1828. S co	
34008	-	elongata P. B. Webb	elongated	☿	△	or	6	jl.o	Rsh	Teneriffe 1829. S co	
34009	-	Ehrharti Stev.	Ehrhart's	☿	△	un	4	aus	D.P	Britain wet p.D co Eng. bot. 2875	
aquatica Koch, not of L.											
1693. SCUTELLARIA 15290 alpina L.											
2 variegata Hort. variegated-flwd											
34010	-	sanguinea D. Don	blood-red	☿	△	or	½	jn.o	R	Switzerl. ... D s.l Bot. reg. 1460	
34011	-	Tourneforti Benth.	Tournefort's	☿	△	or	1½	jn.o	P 1835. D p.l Sw. fl. gar. 2.s. 399	
34012	-	japonica Maund	Japan	☿	△	or	½	o	B	Japan 17183. C co Bot. gard. 778	
34013	-	macrantha Fisch.	large-flwd	☿	△	or	2½	jl.au	P	China 1844. D.S. It Bot. mag. 4420	
34014	-	incarnata Vent.	flesh-coloured	☿	△	or	1½	jl.au	Ro	Andes 1844. C lt Bot. mag. 4268	
34014	-	Ventenatii Hook.	Ventenat's	☿	△	or	2	jl.au	S	Sta. Martha 1845. C lt Bot. mag. 4271	
34015	-	cordifolia Benth.	heart-leaved	☿	△	or	1	jl.s	S	Mexico 1841. C lt Bot. mag. 4290	
S. splendens Klotzsch, lc. Pl. Rar. Berol. t. 13.; Paxt. mag. bot. 10. p. 99.											
2195. SCYPHANTHUS 19773 grandiflorus Swt.; syn. elegans Paxt. mag. bot. 10. p. 3.											
2702. SE'CHIUM.											
34016	23723a	palmatum Dec.	palmated-Ind	□	□	cu	...	jn.s	Pa.Y	Mexico 1827. S r.m	
2632. SECUR'PNEGA.											
34017	-	Commersoni Ait.	Commerson's	♂	□	or	W 1813. C co	
1410. SED'UM.											
34018	11849a	ibericum Stev.	Iberian	☿	△	pr	½	jn.au	Pk	Spain ... D s.l	
34019	11849b	involutatum Bieb.	clustered	☿	△	pr	½	jn.au	Y D s.l	
34020	11858a	frutescens Brot.	small shrubby	☿	△	pr	½	...	Y	Portugal 1829. C co	
34021	11861a	albescens Haw.	whitish-leaved	☿	△	pr	½	jn.jl	Y	England bar.s. D. s.l	
34022	-	Ewersii Led.	Ewers's	☿	△	or	½	jl.au	Ro	Siberia 1829. C.D.s.l.rn Bot. gard. 513	
34023	-	Sieboldtii Hook.	Sieboldt's	☿	△	or	½	jn.au	B	Japan 1836. C l.p	
34024	11869a	virtutum Haw.	greenish	☿	△	pr	½	jn.jl	Y	Europe 1824. D p.l	
34025	11872a	subclavatum Haw.	subclavate	☿	△	pr	½	N. Amer. 1829. C ru	
11881 album											
2 micranthum small-flowered											
34026	11881a	teretifolium Lam.	taper-leaved	♂	△	pr	½	...	W	England Heref. C ru	
34027	11884a	Guettardii Vil.	Guettard's	♂	□	un	½	jl.au	W	Dauphiny 1829. S co	
11887 acre L.											
2 dimidiatum Haw. less											
34028	-	elongatum Haw.	long-shooted	☿	△	pr	½	jn	Y	England hea. D ru	
34029	-	andegavense Guss.	Andegavenny	☿	△	or	rk	¾	jl.au	Y	England Suf. D ru
34030	-	calabricum Ten.	Calabrian	☿	△	rk	1	jl.au	Wsh	Andeg. 1835. S co	
34030	-	neglectum Ten.	neglected	☿	△	rk	1	aus	W	Calabria 1835. S co	
34031	-	altaicum Fis.	Altai	☿	△	or	Naples 1835. D co	
34032	-	miserum B. R.	meagre	○	or	Altai 1831. D co	
34033	-	globulifolium Moris	globe-leaved	☿	△	or	...	jn.jl	Y	Mexico 1837. S s.l	
34034	-	multicaule B. R.	many-stemmed	☿	△	pr	...	my.jn	Y 1838. C s.l	
Hima. Mts 1838. C s.l											
1742. SELA'GO 15597 ovata Thunb.; syn. Microdon ovatum Chois.											
34035	-	Gilli Hook.	Gill's	☿	□	or	1	mr	Pa.Ro	S. Africa 1829. C s.l Bot. mag. 3028	
34036	-	angustifolia Ait.	narrow-leaved	☿	□	or	...	jl.o	...	C. G. H. 1819. C p.l Bar. af. 47. f. 3	
34037	-	distans Meyer	distant-flwd	☿	□	or	?2	ap.jn	Pa.F C s.p Bot. reg. 1845. 46	
3993. - SELLIGUEA Bory SELLIGUEA. (Not explained.) Crypt. Filices. 24.—1.											
34038	-	macrophylla Blume	large-leaved	☿	□	or	...	su	Y	Java ... D p.l	
34039	-	heterocarpa Blume	various-fruited	☿	□	or	...	aut	Y	Java ... D p.l	
34040	-	pothifolia D. Don	Pothos-leaved	☿	□	or	...	su	Y	Nepal ... D p.l	
Grammitis decurrens Wall. & Hook.											
34041	-	Hamiltoni Presl	Hamilton's	☿	□	or	...	su	Y	Nepal ... D p.l	
Grammitis Hamiltoni Wall.											
34042	-	flavescens Wall.	yellowish	☿	□	or	...	su	Y	E. Indies ... D p.l	
Grammitis flavescens Wall.											
2371. SELLO'A 21521 glutinosa Spr.; syn. Gymnosperma glutinosa Dec.											
1468. SEMPERVIVUM.											
12481 arboreum L.; syn. Eonium arboreum Lindl.											
34043	12490	aureum C. Sm.	syn. Greenovia aurea	☿	□	or	...	d.ja.f	Y	Webb, Bot. mag. 4087. Tenerife 1827. C s.l Bot. reg. 1741	
34043	12481a	uribicum Horn.	city	☿	□	or	...	d.ja.f	Y	Teneriffe 1827. C s.l Bot. reg. 1741	
12509 arachnoideum											
34044	12509a	3 majus	larger	☿	□	or	...	¾	jn.jl	R	?Italy ... D s.p [J. Cree.]
34044	12509b	3 minus	smaller	☿	□	or	...	¾	jn.jl	R	?Italy ... D s.p [J. Cree.]
micranthes P. B. Webb small-flwd											
34045	-	Monanthes spatulata J. C.	forked	☿	□	or	2	G.R	Canaries 1839. D p.l
34045	-	bifurcum	forked	☿	□	or	2	Y	Madeira ... C l [G. B. K.]
34046	-	uviferum P. B. Webb	Uva de Guanches	☿	□	or	Y	Teneriffe 1829. C s.l
2335. SENE'CIO.											
34047	-	ampullaceus Hook.	flask-headed	?	□	or	2	...	Y	Texas 1834. S co Bot. mag. 3487	
34048	-	calamifolius Hook.	reed-leaved	☿	□	or	1	au	Y	C. G. H. 1730. C s.p Bot. mag. 4011	

2491. SERRA'PIAS.
22530 cordigera
2 longipétala Lindl. long-petaled ✕ △ cu 1 ap.my Br Rome 1826. R 1p Bot. reg. 1189
3994. - - SERICOGRAPHIS Dec. SERICOGRAPHIS. (?Serikos, silk, grapho, to write.) *Acanthææ*.
34049 - - Ghiesbreghtiana Dec. Ghiesbreght's n. □ or ?3 o.d Psb.R 1846. C lt Faxt.mag. xv.176
2224. SERTOLA.
34050 - - rubescens Ait. reddish ○ or ... jl.au ... Sicily 1829. S co
34051 20184a apargioides Tinco Apargia-like ♀ △ or 1 ap.my Y Sicily 1829. S co
34052 - - glauca Tinco glaucous ♀ △ or 1 ap.my Y Sicily 1828. S co
34053 - - albicans Tinco whitening ♀ △ or 1 ap.my Y Sicily 1828. S co
2239. SERRA'TULA.
34054 - - glauca Led. glaucous ♀ △ or Russia 1831. D 1p
20244 pulchella. Bot. reg. 1842. 18.
20255 Pteris Bieb.; syn. *Acroptilon Pteris* Dec.
Nos. 20231, 20233, 20237, 20246, 20250, 20252, and 20254. are now referred to the genus *Jurinea* Dec.
844. SE'SELI.
34055 - - stricta Led. straight ♀ ○ un ... jl W Siberia 1831. S co
Nos. 6746, 6747, 6748, 6749, 6750. of *Bubon*, and 6703. of *Athamanta*, belong to this genus.
233. SESLERIA.
34056 1937a albicans Kth. whitish ♀ △ un ... ap.my Ap Carp.Mts.1826. S co
187. SETARIA.
34057 1644a corrugata Kth. rugged-flwd ♀ ○ un ... jl.au Ap Carolina 1828. S co
34058 1657a caudata Kth. tailed ♀ ○ cu ... jl.au Ap Trinidad 1824. S co
2023. SIDA 18078 occidentalis L.; syn. *Gaya occidentalis* Kth.
18091 pulchella; syn. *Plagiānthus Lampēni* Booth, and *Abutilon pulchellum*.
34059 18069a rosea Lk. & O. rosy-petaled ♀ □ or 5 o Ro Brazil 1820. C p.l Bct. mag. 3150
34060 18091a globiflora Hook. globe-flowered ♀ □ or 4 n W Mauritius 1821. C 1.p Bot. mag. 2821
34061 18104a sessiliflora Hook. sessile-flowered ♀ □ or 3 n Y S. Amer. 1827. C co Bot. mag. 2857
34062 - - acuta Brm. acute ♀ □ or 4 ... Psh.Y Java 1820. C 1.p Cav. dis. 2.3
34063 - - sericea Ait. silky 1804. C 1.p
34064 - - aurea B. C. golden-flowered ♀ □ or 1 my.jl O.R India 1830. ?C 1.p Bot. cab. 1842
34065 - - inequalis Lk. & O. unequal ♀ □ or 63 my W ?Brazil 1820. C 1.p Bot. mag. 3436
Its affinity among the species is not stated; but Spreng. *Syst.* is cited, where it may be shown. Received at the Edinburgh Royal Botanic Garden, named *Sida inequalifolia*, from the Berlin Botanic Garden.
- 34066 - - chlorophis Wal. greenish ♀ ○ ?pr 2 n Ysh India 1832. C 1.p
1537. SIEVE'RSIA.
34067 - - rosea Grah. rosy ♀ △ or 1 my ... Rocky Mts. 1827. D p.1
34068 - - elata Lindl. tall ♀ △ or ... jn.jl Y Nepal 1840. D p.1
3995. 882A. SILA'US Bes. SILAUS. (A name used by Pliny.) *Umbelliferae*. 3.
†6852 pratensis Bes. meadow ♀ △ un 2 jn.au Y England me. D co Eng. bot. 2142
Peucedanum Silaus L. *Cnidium Silaus* Spr. No. 6852. Nos. 7032. and 7036. of *Peucedanum* also belong to this genus.
1388. SILE'NE 11480 maritima
2 flore pleno Penny double-flwd ✕ △ rk 1/2 jl.o W England sea.sh. S ru
34069 11489a Steveni Spr. Steven's ♀ △ un 1 jn.jl W Caucasus 1827. S co
34070 11538a cernua Thun. drooping ♀ (○) un 1 ... W C. G. H. 1829. S co
†11586 virginica L. Virginian ♀ △ or 2 my.au S Virginia 1783. D p.l Bot. mag. 3342
Approaches to *S. regia* Sims; but may be known from this by its smaller size, narrower leaves, smaller flowers, and bifid petals.
- †11619 regia Sims royal ♀ △ or 4 1/2 my.au S N. Amer. 1811. C p.l Sw.f.gar. 2. s. 313
11627 compacta; syn. *S. pu. pūrea* K. & W., Fl. cab. 42.
34071 - - altaica Led. Altaic ♀ △ pr 1 au Ysh Altai 1831. D co
34072 - - stylösa stylose ♀ △ pr 1/2 jl Ysh 1831. D co
34073 - - juvenalis Del. youthful ○ or 2 jls. W 1835. S co
34074 - - Cserëi Baum. Cserëi's ○ or 3 jn.au W 1834. S co
34075 - - aprica Turcz. sunny ♀ △ or Russia 1837. S co
34076 11620a laciniata Cav. cutte-petaled ♀ △ or 1 1/2 jl S Mexico 1823. S s.l Bot. reg. 1444
34077 - - speciosa Paxt. showy-flwd ♀ △ or 1 jn.au S ?1842 C.D tify.p Paxt. mag. 10.221
34078 - - Schäfte Gmel. Schafta ♀ △ or 1/2 jn.o Rsh.P Keridach ?1844 S.D lt Bot. reg. 1846. 20
3996. 881A. SILER Seo. SILER. (*Salio*, to shoot up; quick growth.) *Umbelliferae*. 3.
†7006 trilobum Seo. three-lobed-lwd ♀ △ un 4 my.jl W Austria 1796. D co Jac. au. 2. 147
Laserpitium trilobum L. *aquilegifolium* Spr. No. 7006.
2440. S'LPHIUM.
†22246 perfoliatum L. perfoliate-lwd ♀ △ or 7 jl.d Y N. Amer. 1766. D co Bot. mag. 3354
†22250 trifoliatum L. three-leaved ♀ △ or 6 jl.d Y N. Amer. 1755. D co Bot. mag. 3355
2242. S'LYBUM 20310 cernuum Gae.; syn. *Alyrëdia cernua* Dec.
3997. 311A. S'PMSIA R. Br. SIMSIA. (*John Sims*, M. D., an English Botanist.) *Protæcææ*. 1.
34079 - - anethifolia R. Br. Fennel-leaved ♀ □ or 1 1/2 ... Y? N. Holl. 1825. C p.l
1884. SINA'PIS.
34080 16619a perplexicaulis Dec. stem-clasped ○ cu 2 jns. Y Algiers 1829. S co Desf. at. 153
34081 - - pekuensis Lour. Pekin ○ un 2 China 1838. S co
16637 incana L.; syn. *Erucastrum incanum* Koch, Eng. bot. 2843.
3998. 1542a. SINGANA Dec. SINGANA. (*Singan-Singa*, a Guiana name.) *Guttiferae*. 13.—1.
34082 - - guianensis Dec. Guianian ♀ □ or W Guiana 1827. C s.l.p
Sternbeckia lateriflora Willd.
3999. - - SIPHOCAMPYLOS D. Don SIPHOCAMPYLOS. (*Siphon*, tube, *kampylos*, curved; corolla.) *Lobel.*
34083 - - bicolor D. Don two coloured ✕ □ pr 3 ap R.Y Georgia 1835. C s.p Sw.f.gar. 2 s. 389
34084 - - betulifolius G. Don Birch-leaved ✕ □ or 3 jl R.Y Brazil 1840. C 1.p Bot. mag. 3973

34085 -	- longipedunculatus <i>Pohl</i>	long-stalked	□ or 3	ja	R.Y	Brazil	?1840.	C	eo	Bot. mag. 4015
34086 -	- coccineus <i>Hook.</i>	scarlet-flwd	■ or ?3	my.jl	Bt.S	Organ Mts.	1844.	C	s.l.p	Bot. mag. 4178
34087 -	- scandens <i>G. Don</i>	climbing	■	or	Peru	1847.	C	s.l.p	
	<i>Lobelia scandens</i> H. B. & K., <i>L. obtusifolia</i> W.									
34088 -	- duploserratus <i>Pohl</i>	dbl.-serrated-lvd.	□	or 2	...	R	Brazil	1847.	C	s.l.p
	<i>Lobelia triphylla</i> Presl.									
34089 -	- microsoma <i>Hook.</i>	small-mouthed	✓	△	or 3	all sea	S	N.Grenada	1845.	C s.p.l
34090 -	- glandulosus <i>Hook.</i>	glandular-calyced	✓	△	or 3	ju.au	S	Bogota	1845.	C s.p.l
34091 -	- lantaniifolius		✓	△	or 3	ap.my	Psh.	R	Caraccas	1843.
	<i>β glabriusculus</i> <i>Hook.</i> , rather-smooth									
34092 -	- guianensis	Guianian	✓	△	or	Guiana	1847.	C s.p.l
34093 -	- manettiaeflorus <i>Hook.</i>	Manettia-flwd	■	△	or 1	ap.o	R.Y	N.Grenada	1848.	C s.p.l
	<i>nitidus</i> Low C., not of <i>Pohl</i> .									
	No. 5104. In p. 78. is now referred to this genus.									

1865. SISYMBRIUM.

34094	16464a	brachycarpum <i>Rich.</i>	short-fruited	○	un	1/3	jn.jl	Y	N. Amer.	1829.	S	co
34095 -	-	canescens <i>Rich.</i>	canescent	○	un	1	jn.jl	Y	N. Amer.	1827.	S	co

145. SISYRNCHIUM.

34096	1343a	chilense <i>Hook.</i>	Chilian	✓	△	or 1	jn.au	B	Chili	1826.	D	p.l	
34097	1344a	glaucophyllum <i>Penny</i>	glaucous-lvd	✓	△	or 1/2	jn.o	W	N. Amer.	1830.	D	co	
34098 -	-	grandiflorum <i>Don.</i>	large-flowered	✓	△	or 1/2	my.jn	D.P	N. Amer.	1826.	D	p	
34099	1344b	hirtellum <i>Penny</i>	slightly hairy	✓	△	pr	jn.jl	W	N. Amer.	1830.	D	s.p	
34100	1351a	Cummingii <i>Penny</i>	Cumming's	✓	△	pr	1	ju.au	Crea	S. Amer.	1832.	D	s.p
34101	1352a	graminifolium <i>Lindl.</i>	Grass-leaved	✓	△	or 1	ap.my	Y	Chili	1825.	D	s.p	
	2 pumilum <i>Lindl</i> dwarf												
34102 -	-	pedunculatum <i>Gill.</i>	stalked-flwd	✓	△	or 1	s.o	Y	Chili	1825.	D	s.p	
34103	1353a	odoratissimum <i>Lindl.</i>	sweetest-setd	✓	△	or 1	jn	W	S. Amer.	1828.	D	s.p	
34104	1353b	lutescens <i>B. C.</i>	yellowish-flwd	✓	△	or 2 1/2	my.jn	Ysh	Chili	1830.	S	l.l	
34105	1353c	macrocephalum <i>Hort.</i>	large-headed	✓	△	or 1 1/2	jn.au	Ysh	D	s.p	
34106 -	-	maculatum <i>Hook.</i>	spot-petald	✓	△	cr	1	my	Y.spt	Chili	1831.	D	p
34107 -	-	speciosum <i>Hook.</i>	showy	✓	△	or 1	jn	B	Chili	1836.	D	co	
34108 -	-	juncueum <i>Knott.</i>	or <i>West.</i>	reed-like	✓	△	or 1/2	jn.jl	Li	Chili	1832.	O	s.p

Under this head, are given in the *Bot. Reg.* for 1843, the late Dr. Herbert's newly formed genera, comprising the genus *Sisyrynchium* of previous authors.

1. SISYRNCHIUM there includes the species, 1. bermudianum, 2. anceps, 3. mucronatum, 4. ramosum *Herb.*, 5. geniculatum *Herb.*, 6. acuminatum *Herb.*, 7. striatum, 8. tridifolium, 9. micranthum, 10. pedunculatum, 11. juncifolium, 12. roseum *Herb.*
2. PSITHYRISMA *Herb.* 1. narcessoides *Cav.*, odoratissima *Lindl.*, 2. flexuosum.
3. ECHTHRONEMA *Herb.* 1. californicum, 2. tenuifolium, 3. graminifolium, 4. pumilum, 5. maculatum, 6. convolutum *Amer.* not C. G. H. (Species quædam, unnc *Sisyrynchia* auctorum.)
4. ERIPHILEMA *Herb.* 1. grandifolium.
5. CALYNDREA *Herb.* 1. speciosa.
6. GLUMOSIA *Herb.* 1. palmifolium.

4000. -	-	SITOLOBUM <i>Desv.</i>	SITOLOBIUM.						(Not explained.)		<i>Crypt. Filices.</i>	24.—1.
34109 -	-	glutinösium <i>Desv.</i>	clammy	✓	△	or ...	su.aut	Br	E. Indies	...	D	p.l
		<i>Dicksönia glutinosa</i> <i>Wall.</i>										
34110 -	-	dissëctum	dissected	✓	△	or ...	w	Br	E. Indies	...	D	p.l
		<i>Dicksönia dissëcta</i> <i>Swz.</i>										
34111 -	-	pilosüsulum	slightly hairy	✓	△	or ...	aut	Br	E. Indies	...	D	p.l
		<i>Dicksönia pilosüsula</i> <i>W.</i>										
34112 -	-	cuneatum <i>J. Sm.</i>	wedge-shaped	✓	△	or ...	su	Br	I.ofLuzon	...	D	p.l
34113 -	-	fiäccidum	weak	✓	△	or ...	su.aut	Br	I.ofLuzou	...	D	p.l
		<i>Dicksönia fiäccida</i> <i>Swz.</i>										

848. SIVUM.

34114	6794a	cicutarium <i>Gmel.</i>	Cicuta-like	✓	△	or ...	jl.au	W	Siberia	1831.	D	bog	
34115	6795a	podolicum <i>Hort.</i>	Podolian	✓	△	un	1	jl	W	Podolia	1827.	D	co
34116	6801a	virëscens <i>Spr.</i>	greenish	✓	△	un	1	jl	W	Europe	1829.	D	co

1616. SMEATHMANNIA.

34117 -	-	pubescens <i>R. Br.</i>	downy	■	△	or 10	f	W	S. Leone	...	C	s.p
---------	---	-------------------------	-------	---	---	-------	---	---	----------	-----	---	-----

2783. SMILAX.

34118	24299a	Walteri <i>Ph.</i>	Walter's	■	□	or	Virginia	...	Sk	s.p
34119 -	-	sagittifolia <i>B. C.</i>	arrow-leaved	■	□	or 1 1/2	aut	W	China	1820?	D	l.p

2116. SMYTHIA.

34120 -	-	purpurea <i>Hook.</i>	purple-flwd	?	□	or 1	o	P	Bombay	1846.	S	s.l.p
---------	---	-----------------------	-------------	---	---	------	---	---	--------	-------	---	-------

4001, 2553b.	SOBRALIA	Ruiz et Pav.	(In honour of <i>Don F. M. Sobral</i> , a Spanish botanist.)								<i>Orchidacæ.</i>		
34121 -	-	sëssilis <i>Lindl.</i>	sessile	✓	△	or 1	w	Pk	Peru	1840.	D	p.r.w	
34122 -	-	decöra <i>Lindl.</i>	comely	✓	△	or ...	su	Va	Guatemala	1836.	D	fib.p	
34123 -	-	macrantha <i>Lindl.</i>	large-flowered	✓	△	or 6	jn.s	C	Guatemala	1840.	D	fib.p	
		2 spëndens	splendid	✓	△	spl	3	jl.au	Rh.C.P?	Mexico	1845.	D	fib.p
34124 -	-	liliastrum <i>Lindl.</i>	lily-flowered	✓	△	or ...	jn.s	W	Guatemala	1840.	D	fib.p	

592. SOLANDRA.

34125	4611a	guttata <i>D. Don</i>	spotted-flwd	■	□	or 12	jn.jl	P.	W. Mexico	1830.	C	r.m
34126 -	-	la'vis <i>Hook.</i>	smooth-leaved	■	□	or 2	o.n	W	C	lt

591. SOLANUM.

34127	4706a	etuberösium <i>Lindl.</i>	tuberless	✓	△	or 2	jl.o	Dp.P	Chi.i	1833.	D	co	
		Probably only a variety of <i>S. tuberosum</i> .											
34128	4706b	demissum <i>Lindl.</i>	humble	✓	△	ec	1 1/2	jn	...	Mexico	1846.	R	lt
34129 -	-	cardiophyllum <i>Lindl.</i>	heart-leaved	✓	△	cu	1	jn.jl	Crea	Mexico	1846.	R	lt
34130	4714a	runcinatum <i>R. & P.</i>	runcinate-lvd	✓	△	cu	3	o	V	Chili	1831.	S	co
34131	4734a?	Twëedieanum <i>Hook.</i>	Twëedie's	✓	□	or 1	1/2	o	W.P.	B. Ayres	1833.	S	co
34132 -	-	gräcle <i>Otto</i>	slender	✓	□	or	1832.	C	l.p
34133 -	-	ligistrinum <i>B. C.</i>	Privet-leaved	■	□	or 5	my	Dp.Li	Chili	1831.	C	r.l	

J. H. S. 3. 69. fig.
J. H. S. 3. 71. fig.
Sw. fl.gar. 2. s.177
Bot. mag. 3385
Bot. cab. 1963

34134 -	- obtusifolium <i>Ait.</i>	obtuse-leaved	○	or ...	au.s	1831.	S	co		
34135 -	- sinuatum <i>Ait.</i>	scollop-leaved	■	□	or 2½	jl.s	Bsh	1815.	C l.p		
34136 -	- quadranguläre <i>Thun.</i>	quadrangular	■	□	or	P	C. G. H.	1817.	C s.l		
34137 -	- angustifolium <i>Lam.</i>	narrow-leaved	■	□	pr 3	jn	P	B. Ayres	1838.	C s.l.p		
34138 -	- vestitum <i>Zenth.</i>	clothed	■	□	or 6	o	W	Mexico	C co		
34139	4717a	macranthærum <i>Dun.</i>	large-anthered	■	□	or 3s	P	Mexico	1838.	C co		
		<i>S. dulcanaroides</i> Poir.								Bot. reg. 1841. 7		
34140 -	- uncinellum <i>Lindl.</i>	hook-petaled	?	□	pr ...	jl	Pk	1836.	S co		
34141	4708a	jasmînoides <i>Hort.</i>	Jasmine-like	■	□	pr 6	au.d	Pa.B	S. Amer.	1838. C s.l		
		†4830	campanulatum <i>R.Br.</i>	bell-flowered	■	□	or 3	jn	B	N. S. W. ?1836. C co		
				fragrant	■	□	or 14	jn	P	S. Brazil 1835. C p.l		
34142 -	- frâgrans <i>Hook.</i>				■	□	or 2	jn.au	P.Y	S. Amer. 1833. C s.l		
34143 -	- herbatiânum <i>Hort.</i>	Herbert's			■	□	or un ...	jn.au	Gsh.Y B. Ayres ?1837. S s.l			
34144 -	- vernicatum <i>Lindl.</i>	varnished			■	□	or un ...	jn.au	Gsh.Y B. Ayres ?1837. S s.l			
		"The leaves are dark green, with a stain of deep purple on the veins."								(Bot. Reg., Oct. 1833.)		
34145	4773a	dealbatum <i>Lindl.</i>	whitened	■	□	or 3	jn	...	Chili	1825. C s.l		
34146 -	- myrtifolium <i>Lod.</i>	Myrtle-leaved	■	□	or 3	jl.au	B	1840.	C s.l		
34147 -	- cândidum <i>Lindl.</i>	whitened	■	□	or	W	Mexico	1838.	C s.l.p		
34148 -	- concavum <i>Lindl.</i>	concave-leaved	■	□	or ...	jl.au	V	Chili	1839.	C s.l.p		
34149 -	- macranthum <i>Dun.</i>	large-flowered	■	□	or 12	...	Pa.Li	Brazil	...	C l.p		
		4847	Balbisii <i>Dun.</i>							Bot. mag. 4138		
			2 bipinnata	bipinnate	■	□	or 4	su	B	C lt	
										Bot. mag. 3954		
		453.	SOLDANE'LLA.									
34150	3812a	crenata <i>Penny</i>	crenated	■	△	or ½	ap	P	D p.l	
34151	3812b	affinis <i>J. C.</i>	related	■	△	pr ½	ap.my	P	Switzerl.	...	D p.l	
										Sw.fl.gar. 2. s.110		
34152	3813a	Clusii Sims	Clusius's	■	△	or ½	ap.my	P	Germany	...	D p.l	
			Not of Scht.; nor <i>S. montana</i> W., as given in p. 57.							Bot. mag. 2163		
			3814 minima <i>Hoppe</i>	white-flowered	■	△	pr ½	ap.my	Bh	Switzerl.	...	D p.l
			2 alba <i>J. C.</i>									
		2226.	SOLDEVI'LLA	20188	setosa	Lag. ; syn. <i>Hispidella hispânica</i> Dec.						
4002.	711a	SOLENA'NTHA <i>G. Don</i>	SOLENANTHA. (<i>Solen</i> , a tube, <i>anthos</i> , a flower.)								<i>Rhamnaceæ</i> . 5.—1.	
34153 -	- spinosa <i>G. Don</i>	spiny	■	□	or 1½	ap.jl	N	Holl.	1826.	C s.p.l		
		<i>Cryptandra spinosa</i> Cuming.										
4003.	441a.	SOLENA'NTHUS <i>Led.</i>	SOLENANTHUS. (<i>Solen</i> , a tube, <i>anthos</i> , a flower.)								<i>Boraginææ</i> . 5.—1.	
34154 -	- circinatus <i>Led.</i>	rounded	■	△	un 2	jn.au	P	Altai	1837.	D co		
		2339.	SOLIDA'GO.									
34155 -	- leucanthemifolia	Leucanth.-lvd	■	△	1834.	D co		
											[<i>D. Cameron</i> .]	
4004.	671a.	SO'LLYA <i>Lindl.</i>	SOLLYA. (<i>Richard Horsman Solty</i> , versed in veg. phys. and anat.)								5. 1. <i>Pittosp.</i>	
34156	5532a	heterophylla <i>Lindl.</i>	various-leaved	■	□	or 5	jl	B	N. Holl.	1830.	C p.l	
34157	5532b	angustifolia <i>Lindl.</i>	narrow-leaved	■	□	or 8	jn.au	B	V. Di. H.	1823.	C p.l	
			<i>Biltardiera Sm. fusiformis</i> Lab. <i>Hort. brit.</i> No. 5530. p. 84.									
34158 -	- linearis <i>Lindl.</i>	narrow-leaved	■	□	or 5	w	B	S. River	1839.	C p.l		
											Bot. reg. 1840. 3	
		2203.	SO'NCHUS.									
34159 -	- dentatus <i>Led.</i>	toothed	■	△	un	Y	Siberia	1832.	D co		
34160 -	- racemösus <i>Lam.</i>	cluster-flwd	■	△	un	1832.	D co		
		<i>Mulgædium multiflorum</i> Dec.										
		19860	divaricatus <i>Horn.</i> ; syn. <i>Microhynchus nudicaulis</i> Dec.									
4005. -	- SONER'LA <i>Bennett.</i>	(<i>Soolii Soneri-ila</i> , the Khassee name of one of the species.)									<i>Melastomæææ</i> . 3.—1.	
34161 -	- stricta <i>Hook.</i>	upright	□	□	pr ¾	my	Ro	Java	1848.	S p		
											Bot. mag. 4394	
		1237.	SOPHO'RA.									
34162	10446a	velutina <i>Lindl.</i>	velvety	■	□	or 6	jn	Pk	Nepal	...	C p.l	
		10449	tomentösa									
			2 smoother variety <i>Hook.</i>	■	□	or 5	...	Y	Brazil	...	C p.l	
			<i>S. occidentalis</i> L.								Bot. mag. 3390	
34163	10451a	macrocarpa <i>Sm.</i>	large-fruited	■	□	or 6	ap.my	Y	Chili	1822.	L 1	
											Bot. cab. 1125	
		2533.	SOPHRON'PTIS.									
34164 -	- grandiflora <i>Lindl.</i>	large-flowered	■	□	or ½	...	S	Organ Mts.	1837.	D p.r.w		
		<i>Callëya coccinea</i> <i>Lindl.</i> , in text of Bot. reg. t. 1919.									Bot. mag. 3709	
34165 -	- pterocarpa <i>Lo. C.</i>	wing-fruited	■	□	or	R	Guatemala	1842.	D fib.p		
34166 -	- violææa <i>Lindl.</i>	violet-fld.-flwd	■	□	or ...	f.my	V	Mexico	1838.	D p.r.w		
4005.* -	- SORE'MA <i>Lindl.</i>	(<i>Soros</i> , a heap.) Under this genus Dr. Lindley places <i>Nolana paradoxa</i> & <i>N. atriplicifolia</i> .										
4006.	2890a.	SORINDE'FA <i>Thou.</i>	SORINDEIA. (Unknown.)								<i>Terebinthæææ</i> . 1.	
34167 -	- madagascariensis <i>Thou.</i>	Madagasc.	■	□	or 8	...	P	Madagasc.	1828.	C p.l		
4007.	710a.	SOULA'NGLA <i>Brong.</i>	SOULANGIA. (<i>Soulange Bodin</i> , a nurseryman near Paris.)								<i>Rhamnæææ</i> . 6.—8.	
34168 -	- axillaris <i>Brong.</i>	axil-flowered	■	□	or 2	my.jn	W	C. G. H.	1812.	C p.l		
		<i>Phlyca axillaris</i> , No. 5860. Nos. 5856, 5866, 5864, 5854, and 5855, also belong to this genus.										
34169	5866a	rûbra <i>Lindl.</i>	red-flowered	■	□	or 3	d	R	C. G. H.	1827.?C	p.l	
											Bot. reg. 1498	
		1045.	SOWERBE'ÆA.									
34170 -	- laxiflora <i>Lindl.</i>	loose-flowered	■	△	pr 1	my.jl	Pk	S. River	1839.	R s.p		
											Bot. reg. 1841.10	
		122.	SPARA'XIS.									
34171 -	- pendula <i>Ker</i>	pendulous	■	△	or 1	jn	D.p	C. G. H.	1825.	O s.l		
34172 -	- lineata <i>Sut.</i>	red-lined	■	△	or ½	sp	W.Pk	C. G. H.	O s.p.l		
34173 -	- stellaris <i>D. Don</i>	starry-flowered	■	△	or 1	my.jl	P	C. G. H.	1836.	O s.p.l		
34174	1087a	Wattii <i>Paxt.</i>	Watt's	■	△	or ...	au.s	V.Lem.strk	C.G.H.	...	O s.p.l	
		2598.	SPARGA'NIUM.									
34175 -	- americanum <i>Nutt.</i>	American	■	△	un ...	jl.au	Ap	N. Amer.	1823.	Sk co		
		2267.	SPARGANO'PHORUS	20511	verticillata	Mx. ; syn. <i>Sclerölepis verticillatus</i> Dec.						

174. SPARTINA.
 34176 1521a plectra R. & S. smooth Δ un... au Ap N. Amer. 1827. D co
 34177 1525a plectinata Kth. pectinated Δ un... au.s Ap N. Amer. 1827. D co
1962. SPARTIUM.
 17468 juncum L.; syn. *Spartianthus juncus* Mench.
 2 odoratissimum D. Don swtest-sect Δ or 4 jl.s Y Persia 1834. G co Sw. fl. gar. 2. s. 390
acutifolium Lindl.
 3 flore pleno double-flwd Δ or 4 jl.s Y G co
4008. 1761a. SPARTOTHA'MNUS Cun. (*Spartos*, broom, *thamnus*, a shrub; habit.) *Myoporinæ*.
 34178 - - juncus Cun. rushy Δ or 3 au.s W N. Holl. 1819. C 1
4009. 1913a. SPATALA'NTHUS Swt. SPATALANTHUS. (*Spatalos*, delicate, *anthos*, flower.) *Irtdee*. 1.
 34179 - - speciosus Swt. showy Δ spl $\frac{1}{2}$ jn.au It C. G. H. 1825 O s.1 Sw. fl. gar. 300
Trichonema monadelphum Swt. No. 1064.
1708. SPATHO'DEA.
 34180 - - pentandra Hook. five-anthered \uparrow \square or 20 jn Pk India ?1830. C s.1 Bot. mag. 3681
4010. - - SPATHOGLO'TTIS Bl. SPATHOGLOTTIS. (*Spathe*, a sheath, *glotta*, a tongue.) *Orchid.* § *Epid.*—*Blct.*
 34181 - - Fortuni Lindl. Fortune's Δ \square or $\frac{1}{2}$ jld. Y HongKong 1844. R s.p.1 Bot. reg. 1815. 19
 34182 - - plicata Bl. fan-like Δ \square or ... Pa. P Penang ?1843. R s.p.1
- SPECKLI'NIA. See PLEUROTHA'LLIS.
- SPECULA'RIA G. Don is synonymous with *Prismatocarpus* in p. 77.
4011. 1182a. SPENNERA Dec. SPENNERA. (*M. Spenner*, a German botanist.) *Melastomæcæ*. 8.—1.
 \uparrow 11184 aquatica Dec.; syn. *Acidotis aquatica*, No. 11184. in p. 174.
 34183 - - paludosa Dec. marsh Δ \square or ... jn.jl Ro Brazil 1825. C D p.1
 34184 - - fragilis Dec. brittle Δ or ... jn.jl W Trinidad 1822. C p.1
 34185 - - pendulifolia Dec. hanging-leaved Δ or ... my.jn Ro Guiana 1826. C p.1
 34186 - - glandulosa Dec. glandulous Δ or ... my.jn W Guiana 1824. C p.1
1418. SPERGULA.
 34187 12072a pilifera Dec. hair-bearing Δ \triangle pr $\frac{1}{2}$ jn.jl W Corsica 1829. D co
laricina Wul.
 34188 - - vulgaris Bonn. common \square W $\frac{1}{2}$ jn.au W Britain san. fi. S co
352. SPERMACE'CE L. 3087 rubra Jac.; syn. *S. strigosa* Sims, Bot. Mag. 1558.; *Cræsa rubra* Cham. & Schlect., Linn. 5. p. 165., Dec. Prod. 4. p. 567., Botanist, No. 82.
 Nos. 3076. 3085. 3086. and 3088. in p. 46. are referred by De Candolle to the genus *Mitracarpum*.
595. SPERMADICTYON.
 34189 4385a azureum Lindl. azure Δ \square or 4 ja Pa. B Nepal 1823? C 1 p Bot. reg. 1235
4012. 1669a. SPHA'CELE Benth. SPHACELE. (*Sphacelle*, Greek name for Sage.) *Labialæ*. 1.—3.
 34190 - - Lindleyi Benth. Lindley's Δ \square un 2 au Pk Chiii 1825. S co Bot. reg. 1226
Stachys Salmie Lindl.
 34191 - - campaulata B. n. h. bell-flowered Δ \square pr 2 jl.au Pa. B Chili 1800. C s.1 Bot. reg. 1382
4013. 2004a. SPHERA'LCEA Hil. SPHERALCEA. (*Sphaira*, a globe, *alcea*, marsh-mallow.) *Malvæcæ*. 7.
 Syn *Mitra*, sect. 3. *Sphaeroma* Dec. in his Prod. 1. 435.
 \uparrow 17838 angustifolia Hil. narrow-leaved Δ \square pr 8 au.s Pk Mexico 1780. C s.1 Bot. gar. 517
 Nos. 17835. to 17838. and 17841. in p. 287. are referrible to this genus.
1255. SPHEROLOBIUM.
 34192 - - acuminatum B. H. pointed-leaved Δ \square pr 1 my.au O S. River 1843. C s.1 p
4014. - - SPHEROPTERIS Wall. SPHEROPT. (*Sphaira*, a globe, *pterus*, a fern.) *Crypt. Filices*. 24.—1.
 34193 - - barbata Wall. bearded Δ \square or ... aut Y Nepal ... D p.1
Peranema barbata D. Don.
4015. - - SPHEROSTEMA Blume. (*Sphaira*, globe, *stema*, stamen; filaments coadunate.) *Anonæcæ*.
 34194 - - propinquam Blume near akin Δ \square or 10? jl Y Nepal 1828? C p.1 Bot. reg. 1688
4016. - - SPHEROSTIGMA F. & M. SPHEROSTIGMA. (*Sphaira*, globe, *stigma*, stigma.) *Onagrariæ*.
 34195 - - hirtum F. & M. hairy Δ \square cu $\frac{1}{2}$ au.s Y Russia 1836. S co
 34196 - - Chamissonis F. & M. Chamisso's \square pr 1 au.o Y Russia 1837. S co
 34197 - - minutiflorum F. & M. small-flowered \square pr 1 au.o Y Russia 1837. S co
2430. SPHENOGYNE.
 34198 22060a speciosa Maund showy \square or 1 jl.au Y S. Amer. 1836. S co Bot. gar. 625
4017. 554a. SPHENODE'SME Jack. (*Sphenoo*, to wedge up, *dahme*, fascicle; flowers by bractæ.) 5. 1. *Verben*. 4.
 34199 - - pentandra Jack five-stamened Δ \square or ... E. Indies 1823. C s.1
4018. 512a. SPHENOTOMA Swt SPHENOTOMA. (*Sphen*, wedge, *tome*, segment; corolla.) *Epacridæ*. 1.—2.
 \uparrow 14314 gracilis Swt. slender Δ \square or 2 ap.my W N. Holl. 1823. C s. p Sw. au. 44
Dracophyllum gracile R. Br., No. 4314.
 34200 - - capitatum R. Br. head-spiked Δ \square or 1 ap.my W N. S. W. 1830. C turf p Bot. reg. 1515
Dracophyllum capitatum Loddiges' Bot. Cab., Sept. 1832.
1515. SPIRÆA. See also SCHIZONOTUS.
 34201 13009a capitata Ph. headed Δ or 3 jn.jl W Columbia 1827. Sk co
 13010 ulmifolia
 2 phyllantha Ser. leafy Δ or 3 jn.jl W L p.1
 ? *S. foliosa* Poir.
 13014 chamædrifolia
 1 vulgaris Can. Mon. common Δ or 1 $\frac{1}{2}$ jn.jl W L p.1
 2 media Pa. Intermediate Δ or 1 $\frac{1}{2}$ jn.jl W Canada ... L co
S. media Ph., Hort. Brit. No. 13015.
 13 oblongifolia Can. Mon. oblong-ld Δ or 3 my.jn W Hungary 1816. L p.1 W. & K. 3. 235
S. oblongifolia W. & K., Hort. Brit. No. 13016.

- 4 subracemosa Ser. subracemose 或 or 1½ jn.jl W L p.l
 6 incisa Hort. cut-leaved 或 or 1½ jn.jl W Germany ... L p.l
 ? S. incisus Thun.
- 34202? 13014a pubescens Bunge pubescent 或 or 5 mr.ap W Chusan 1844. C lt Bot. reg. 1847. 38
 34203 13020a cuneifolia Wall. wedge-leaved 或 or 3 ... W Nepal 1837. Sk co E.of T. & S. f.510
 canescens D. Don; Dec. Prod.; argentea Hort.
- 13023 hypericifolia
 2 Plukenetiana Ser. Plukenet's 或 or 5 ap.my W Canada ... L co
 S. hypericifolia Lin. Sp. S. h. var. β Dec.
- 34204 13027a cratagifolia Lk. Hawthorn-lvd 或 or 2½ ap.my W 1824. L co
 34205 - lanceolata Poir. lanceolate 或 or ... W Mauritius ... L co
 34206 - Reevesiana Hort. Reeves's 或 or 3 my.jn W China ... C co Bot. reg. 1844. 10
 corymbosa Roxb. Fl. Ind. 2. 512.; not of Rafinesque; frequently confounded with S. lanceolata of Poir.
- 13031 corymbosa
 2 sororia A. B. sister 或 or 2 jl.o W N. Amer. 1829. L co
 S. sororia Penny.
- 34207 - prunifolia
 2 flore pleno Sieboldt double-flwd 或 or 6 mr.ap W China 1844. C co
 34208 13031a vacciniifolia D. Don Vaccinium-lvd 或 or 2 jl.au W Nepal 1820. C p.I Bot. cab. 1403
 adiantifolia Hort.
- 34209 13031b laxiflora Lindl. loose-flowered 或 or 2 jl.au W Nepal 1838. D p.l E.of T.&S. f.2086
 34210 - rotundifolia Lindl. round-leaved 或 or Cashmere ... C lt
- 13034 salicifolia
 1 carnea Ait. flesh-cld flwd 或 or 5 jn.au F ?Britain m.w Sk co Eng. bot. 1408
 5 grandiflora A. B. large-flowered 或 or 4 jl.au Pk Kamsch. 1827? Sk co Bot. cab. 1988
 13036 tomentosa L.; syn. S. Douglasii Hook., Paxt. mag. bot. 12. 195.
- 34211 13036a arizaeifolia Sm. White Beam-lvd 或 or 8 jn.jl Ysh.W N. Amer. 1827. C co Bot. reg. 1365
 34212 13036b fissa Lindl. cut-leaved 或 or 3 ... W Mexico ?1840 C lt
- argentea Benth.
 34213 - expansa Wal. spreading 或 or 23 jn.jl Pk Kamoou 1846. C co
 34214 13038a barbata Wal. bearded 或 or 4 ju W Nepal 1835? D co Bot. reg. 2011
 Hotia japonica Mor. & Decaisne.
- 34215 - kamthatica Dec.
 2 himalensis Lindl. Himalayan 或 or 2 jn.jl W India 1838. D co Bot. reg. 1841. 4
- SPIRA'NTHES. See SARCOGLO'TTIS.
4019. - SPIRONE' MA. (Spira, a spire, nema, a thread; spiral threads in filaments.) Commelinaceæ.
 34216 - fragrans Lindl. fragrant, 或 or 1 my W Mexico ?1839. D co Bot. reg. 1840. 47
4020. - SPREKE'LIA Heister SPREKELIA. (Dr. Sprekel, a German botanist.) Amaryllidææ.
 34217 - cybister W. Herb. tumbler 或 or ... ap W.R Bolivia 1839. D r.l Bot. mag. 3872
 2 brevis Herb. short-flowered 或 or 1 ap.my R.g S. Amer. 1839. O s.l.p Bot. reg. 1840. 33
 Hippocistrium anodatum Lindl.
- 34218 - glauca Lindl. glaucous 或 or 1 my S Mexico 1840. O s.p.l Bot. reg. 1841. 16
 No. 8003. in p. 122. also belongs to this genus.
4021. 692c. STAA'VIA Thun. STAAVIA. (Martin Staaf, a correspondent of Linnæus's.) Brunniaceæ. 3.—4.
 34219 - radiata Thun. radiated 或 or 1 my.jn W C. G. H. 1787. C p.I Pluk. am. 454. 7
 Phytica radiata L. Brønna radiata L.
- 34220 - glutinosa Thun. clammy 或 or 1½ ap.my W C. G. H. 1793. C p.I Bot. cab. 852
 Brønna glutinosa L.
- 34221 - ciliata Brong. ciliated-leaved 或 or 1½ my.jl W C. G. H. 1812. C p.I
 Brønna ciliata, No. 5667.
1669. STA'CHYS.
 14975 còrsica
 2 alba A. white-flowered 或 or ½ jl.au W gardens 1829. D co
 15012 palustris
 2 alba white-flowered 或 or 2 au.s W Britain gard. D co
 3 variegata variegated-lvd 或 or 2 au.s P Britain gard. D co
 34222 - inflata Benth. inflated-calyxed 或 or 2 ½ jl.au Pk N. Africa ?1832. C s.l Bot. reg. 1697
 34223 - setifera Mey. bristly 或 or 1½ ... Rsh.Br Caucasus 1837. D co
 34224 14999a hirsuta Kth. hairy 或 or 2 ... R Mexico 1829. C p.I
 15013 germanica
 2 pubescens Lindl. purple 或 or spl 2 au.o P Germany 1825. D p.I Bot. reg. 1289
 34225 - speciosa Maund showy 或 or 4 jl.au S Mexico 1839. D co Bot. gard. 809
 34226 - sericea Sut. silky 或 or 1 jl.s Li Nepal 1830. D co
 34227 - menthafolia mint-leaved 或 or ... jn.au Y Dalmatia 1838. D co
68. STACHYTA'RPHETA.
 34228 590a elatior R. & S. tall 或 or ... au.n V Brazil 1821. S lt
 34229 592a hirta Kth. hairy 或 or ... my.s V New Gran. 1821. C p.I
 34230 597a Zuccagni R. & S. Zuccagni's 或 or ... jn.au Ro.v 1824. C p.l
 34231 - cerulea blue-flowered 或 or 2 jn.au Dp.n C s.l.p
 ?jamaicensis Vahl, No. 592.
 34232 - aristata Vahl awned-bracteas 或 or 2 s.n Bksh.p S. Amer. ... C p.I Bot. mag. 4211
898. STACKHOU'SIA.
 34233 - monogyne Lab. one-styled 或 or 1 ap Pksh.Li V.Di.L. 1835. C co Bot. reg. 1917
2259. STEHEL'NA 20456 Chamæpedice L.; syn. Chamæpedice mûtica Dec.
4022. - STANHO'PEA Hook. (Earl Stanhope, President of the Medico-Botanical Society.) Orchidaceæ.
 34234 - insignis Hook. notable 或 or 1 jl.o P Trinidad 1826. D p.r.w Bot. mag. 2948
 Ceratohilus insignis Lindl.
- 34235 - grandiflora Lindl. large-flowered 或 or 1 jl.o P Trinidad 1824. D p.r.w Bot. cab. 1414
 Ceratohilus grandiflorus B. C.
- 34236 - eburnea Lindl. ivory-tipped 或 or ½ jl W.P Rio Jan. 1828? D p.r.w Bot. reg. 1529
 34237 - oculata Lindl. eyed 或 or 2 jn.jl Pa.v Mexico 1829. O p.r.w Bot. reg. 1800
 Ceratohilus oculatus Lod. Bot. Cab. 1764.
- 2 Barkeriana Lindl. Barker's 或 or 2 ju.jl ... Mexico ... D fib.p
 34238 - quadricornis Lindl. four-horned 或 or 2 jn Y.sp.s Sp. Main 1836. D p.r.w Bot. reg. 1838. 5
 34239 - Cavendishii Lindl. D. of Devons. 或 or spl 1½ jn.au W.P Peru 1833. D p.r.w

34240	- Lindlèyi Zuccar.	Lindley's	£	□	or	1	au	Br.a	Mexico	1839.	D	p.r.w
34241	- Martiana Bate.	Von Martius's	£	□	or	1	su	Str.p	Mexico	1827.	D	p.r.w Bate. nrch. 27
	- bicolor Lindl.	two-eld.-flwd	£	□	or	1	su	W.c.spot	Mexico	...	D	... Bot. reg. 1843.44
34242	- bucephalus Lindl.	bull-horned	£	□	or	2	au	Go.Br.spot	Guayaquil	?1843.	D	bask. Bot. reg. 1845.24
	- <i>Anguloa grandiflora</i> H. B. & K.											
34243	- inodora Lodd.	scentless	£	□	or	...	jn	Pa.o.g.o.rMexico	?1842.	D	bask. Bot. reg. 1845 65	
34244	- graveolens Lindl.	heavy-scented	£	□	or	...	su	Pa.str.y.w?Guatem.	...	D	bask.	
	- <i>venustum</i> Bate.											
34245	- expansa Lo. C.	expanded	£	□	or	...	su	Va	Mexico	1841.	D	fib.p
34246	- Russelliana Lo. C.	<i>Dk. of Bedford's</i>	£	□	or	...	su	Va	Brazil	1843.	D	fib.p
34247	- maculosa Kn. & West.	spotted	£	□	or	1	au	B.G	Mexico	?1839.	D	p.r.w Fl. cab. no. 121
34248	- tigrina Bate.	tiger-flowered	£	□	or	2	jnjl	P.y	Mexico	1837.	D	p.r.w Bate. orch. 7
34249	- Wardii Lodd. in lit.	Ward's	£	□	or	1	jl.o	Y.ar	Mexico	1836.	D	p.r.w Sert. orch. 20
34250	- Ruckèri Lindl.	Mr. Rucker's	£	□	or	...	su	Str.v.pk	Mexico	1841.	D	fib.p
34251	- saccata Bate.	saccate	£	□	or	...	su	Pa.y.o	Guatem.	1836.	D	fib.p Bate. orch. t. 15
34252	- aurea Lindl.	golden-eld.-flwd	£	□	or	...	su	Go.P	Mexico	1835.	D	fib.p
34253	- Harrisonia Lindl.	Mrs. Harrison's	£	□	or	...	jnjl	...	Brazil	...	D	fib.p
34254	- guttulata Lindl.	small-spotted	£	□	or	...	jnjl	Pa.v.p	Mexico	...	D	fib.p
34255	- aurantia Lodd.	orange-eld.-flwd	£	□	or	...	jnjl	O	La Guayra	...	D	fib.p
34256	- lyncea Lindl.	Lynx-plant	£	□	or	...	jnjl	Va	Mexico	...	D	fib.p
34256*	- tricornis Lindl.	three-horned	£	□	cu	Pk.W	Peru	...	D	p.r.w

779. STAPELIA.

34257	- Gussoneana Jac.	Gussone's	£	□	cu	½	o	R.st	Sicily	1833.	C	s.l Bot. reg. 1731
34258	- cacti ornis Hook.	cactus-like	£	□	gr	½	au	Y.u.st	S.Africa	?1842.	O	s.p.l Bot. mag. 4127
	- <i>Pudanthus cactiformis</i> Hort.											

6249 Gordoni Mas.; syn. *Hedya Gordoni* Sut.

929. STA'TICE.

34259	7480a binervosa G. E. Sm.	2-nerved	£	△	or	1	jn.s	B	England	ch.cl.	S	l Eng. bot. 2663
34260	7480b nana Penny	dwarf	£	△	or	4	jl	B	Britain	...	D	p.l
34261	7484a Coriaria Bieb.	Coriaria-like	£	△	or	1½	jl.au	Ll	Caucasus	...	R	s.l
34262	7506a puhérula Webb	dowry-leaved	£	△	cu	½	my	V.w	L.Graciosa	1830.	S	co Bot. reg. 1450
34263	7506b lolida Penny	leafy	£	△	or	1	my.o	P.w	Graciosa	1830	R	s.l
34264	- aurea Spr.	golden	£	△	or	Go	Siberia	1832.	D	l.p
34265	- grandiflora	large-flowered	£	△	or	1836.	C	l.p [D. Cameron.]
34266	- accedosa W.	needled	£	△	cu	½	jn.jl	Pa.Pk	Mt.Ararat	1829.	S	l.p Bux. c. 2. 18. 10
34267	- imbricata P. B. Webb	imbricated	£	△	or	B	Teneriffe	1829.	D	p.l

7514 monopétala

34258	- arborea Brou.	naked-stemmed tree	£	□	or	3	jl.au	Pa.P	...	1840.	C	lt Bot. reg. 1842. 59
34269	- rhytidifolia Hook.	resp.-leaved	£	□	or	3	au	Pa.V	Teneriffe	1829.	C	p.l Bot. reg. 1859. 6
	- <i>Dicksoniana</i> W.							Dp.Ro?P? Natal	...	C	s.p.l Bot. mag. 4055	

7526 macrophylla Hort., Bot. mag. 4125.; Bot. reg. 1845. 7.

34270	- frutescens Hort.	shrubby	£	△	or	B	Canaries	1847.	C	s.l.p
34271	- Fortuni Lindl.	Fortune's	£	△	or	1	jl.o	Y	China	1844.	D	lt.s.l Bot. reg. 1845. 63
34272	7502a eximia F. & M.	choice	£	△	or	1	jl.s	Pk	Songaria	1844.	D	lt.s.l Bot. reg. 1847. 2
34273	7503a congesta Led.	crowded	£	△	or	...	jl.au	R	Altai	1837.	D	p.l
34274	- rariflora Drej.	thin-flowered	£	△	or	...	jl.au	B	Britain	sea-ct.	D	s.l Eng. Bot. t. 2917

4023. 2074a. STEGANO'TROPIS Lchn.

(*Steganos*, a covering, *tropis*, a keel.) *Leguminosae*. 17.—4.

34275	- conjugatus G. Don	conjugate-ld	£	□	or	...	jujl	Y	S.Amer.	1827.	S	lt
-------	---------------------	--------------	---	---	----	-----	------	---	---------	-------	---	----

2572. STELLIS.

34276	- tubata B. C.	tube-flowered	£	□	cu	½	mr.my	O	N. Spain	1828.	O	p.r.w Bot. cab. 1601
34277	- atropurpurea Hook.	dark-purple	£	□	pr	½	f	D.P	Mexico	1838.	D	p.r.w Bot. mag 3975
34278	- tricylia Lindl.	three-styled	£	□	cu	...	sp	St	Brazil	1837.	D	fib.p
34279	- crassifolia Lindl.	thick-leaved	£	□	cu	...	w	G	W. Indies	1840.	D	fib.p
34280	- pulchella Lindl.	neat	£	□	cu	...	sp	P	Brazil	1839.	D	fib.p
34281	- argentea Lindl.	silvery-tipped	£	□	cu	...	sp	G.P	Guiana	1839.	D	fib.p
34282	- fraternia Lo. C.	brotherly	£	□	cu	...	aut	...	Brazil	1842.	D	fib.p
34283	- ciliaris Hook.	ciliated	£	□	or	...	aut	W.R	Mexico	1838.	D	fib.p
34284	- aprica Lo. C.	sunny	£	□	cu	...	sp	G.Y	Brazil	1836.	D	fib.p
34285	- racemiflora Lo. C.	raceme-flwd	£	□	cu	Pa.G	Jamaica	1838.	D	fib.p
34286	- grandiflora Lo. C.	great-flwd	£	□	or	...	aut	W.R	Guiana	1836.	D	fib.p
34287	- macrostachya Lo. C.	long-spiked	£	□	cu	...	aut	G	Guatem.	1838.	D	fib.p

1795. STEMO'DIA.

34288	- chilensis Benth.	Chilian	£	□	or	1½	au.o	B	Chill	1829.	D	l.p Bot. reg. 1470
-------	--------------------	---------	---	---	----	----	------	---	-------	-------	---	--------------------

4024. 2332a. STENA'CTIS Lindl. STENACTIS. (*Stenos*, narrow, *aktis*, ray; rays of flower.) *Compò-itæ*.

34289	- speciosa Lindl.	showy-flowered	£	△	or	2	jl.o	P	California	1831.	D	co Bot. reg. 1577
-------	-------------------	----------------	---	---	----	---	------	---	------------	-------	---	-------------------

Erigeron speciosus Dec. Nos. 21058. 21063. 21085. as *S. verna* Dec., and No. 21325. as *S. multiradiata* Dec., belong to this genus.

4025. 2839a. STENA'NTHIUM Kth. STENANTHIUM. (*Stenos*, narrow, *anthos*, a flower.) *McLanthæcæ*.

34290	- frigidum Kth.	cold	£	△	cu	3	jn.jl	Bksh.PMt.	Orizaba	1846.	D	p J.H.S. 1. 392. fig.
-------	-----------------	------	---	---	----	---	-------	-----------	---------	-------	---	-----------------------

4026. - STEN'IA Lindl. STENIA. (*Stenos*, narrow; in allusion to the form of the pollen masses.) *Orchidæcæ*.

34291	- pallida Lindl.	pale-flowered	£	□	pr	½	au	Y	Demerara	1837.	D	p.r.w Bot. reg. 1838. 20
-------	------------------	---------------	---	---	----	---	----	---	----------	-------	---	--------------------------

4027. 321a. STENOCA'RPUS Br. STENOCARPUS (*Stenos*, narrow, *karpos*, fruit.) *Protæcæ*.

34292	- Cunninghami Hook.	Cunningham's	£	□	or	16	au	O.S	Moreton Bay	1830.	C	l Bot. mag. 4:63
-------	---------------------	--------------	---	---	----	----	----	-----	-------------	-------	---	------------------

Agnostus sinuata All. Cunn. in p. 580., 2nd ed. of this work.

1762. STENOCHILUS.

34293 15737a viscosus Grh. clammy

S. incanus Lindl. Another species from New Holland, introduced by Major Sir Thomas Mitchell. "It forms a grey bush, looking like an olive or some leafless acacia, and is covered closely with a short white down, consisting of stellate hairs; a circumstance deserving of attention in such a natural order as that of Myoporaceæ." (*B. R. Misc.*, 1839, p. 70.)

4028. 2917a. STENOCHILÆ'NA J. Sm. STENOCHILÆNA. (*Stenos*, narrow, *chlaina*, a cloak.) *Crypt. Filices*. 24.—1.

34294	- scandens J. Sm.	climbing	£	□	or	730	aut	Br	E. Indies	1841.	D	p.l Selk. crypt. 106—7
-------	-------------------	----------	---	---	----	-----	-----	----	-----------	-------	---	------------------------

34295	- spondiifolia Sm.	Hog-plum-ld	£	□	or	...	aut	Br	E. Indies	...	D	p.l
-------	--------------------	-------------	---	---	----	-----	-----	----	-----------	-----	---	-----

- 34296 - - *limonifolia* J. Sm. Limonia-ld $\frac{1}{2}$ \square or ... su. aut Br E. Indies ... D p.l
Lomaria limonifolia.
- 34297 - - *triquetra* Wall. three-sided $\frac{1}{2}$ \square cu ... su. aut Br E. Indies ... D p.l
- 34298 - - *heteromórpha* J. Sm. various-formed $\frac{1}{2}$ \square cu ... su. aut Br Australia ... D p.l
Lomaria filiformis A. Cuon.
 No. 25413. in p. 419. belongs to this genus.
4029. 2537b. STENOCE'RYNE Lindl. STENOCE'RYNE. (*Stenos*, narrow, *koryne*, a club.) *Orchidaceæ*. 20.—1.
- 34299 - - *longicórnis* Lindl. long-horned $\frac{1}{2}$ \square or ... su O.Br Demerara 1836. D fib.p
Bifrenaria longicórnis Bot. reg.
4030. 940a. STENOME'SSON Domb. STENOME'SSON. (*Stenos*, narrow, *messon*, middle; flower.) *Amarylidaceæ*.
 7654† *crocum* Red. saffron-coloured $\frac{1}{2}$ \square or 1 my O Peru 1820. ... s.l Bot. mag. 3615
Chrysiophala crocea Hort. Brit. 7654.
- 34300 - - *vitellolum* Lindl. yolk of egg $\frac{1}{2}$ \square or 1 f Y Lima 1841. O co Bot. reg. 1843. 2
- 34301 - - *auratiacum* Herb. orange-eld-*flwd* $\frac{1}{2}$ \square or ... my O Chili 1843. O s.p.l
Pancratium aurantiacum Klotzsch.
- 34302 - - *eustephioides* Herb. Eustephium-like $\frac{1}{2}$ \square or ... ap Pa.O Quito ... O s.p.l
- 34303 - - *latifolium* Herb. broad-leaved $\frac{1}{2}$ \square or 1 my O Lima 1837. O s.p.l Bot. mag. 3803
- 34304 - - *Hartwegii* Lindl. Hartweg's $\frac{1}{2}$ \square or 1 mr O Quito 1843. O lt.l.p Bot. reg. 1844. 42
- 34305
4031. 2497. STENORHI'NCHUS.
- 34306 - - *cinnabariolum* Lindl. cinnabar-eld-*flwd* $\frac{1}{2}$ \square or ... jl O.R.Y Mexico 1846. D fib.p Bot. reg. 1847. 65
Necttia cinnabarina Llave.
 Nos. 22550. and 22551. in p. 368. are referred to this genus.
- 4032.- - STENOSE'MIA Presl STENOSE'MIA. (Not explained.) *Crypt. Filices*. 24. 1
- 34307 .. - *aurita* Presl eared $\frac{1}{2}$ \square or ... jlo Br Jamaica ... D p.l
Acrostichum auritum Swz.; *Polybótrya aurita* Blume.
- 4033.- - STEPHANO'TIS Brong. (*Stephane*, a crown, *ous*, *otos*, an ear; ear-like append.) *Asclepiadaceæ*. 5.1.
- 34308 - - *floribúoda* Brong. copious-*flwd* $\frac{1}{2}$ \square fra 20 jn. au W Madagascar? 1842. C s.p.l Bot. mag. 4058
Thouársii of the nurseries is a slight variety, having a little colour towards the bottom of the tube of the corolla.
2724. STERCULIA.
- 23869 *Tragacantha* Lindl. Tragacanth $\frac{1}{2}$ \square m 40 my R.Br S.Leone 1793. C l.p Bot. reg. 1353
pubescens G. Don in *Syst. bot. and gard.* 1. 515.
- 34309 23873a lanceolata Cav. lanceolate-*ld* $\frac{1}{2}$ \square un 20 my.jn Br.R China 1822. C p.l Bot. reg. 1256
973. STERNBER'GIA 8015 látea Ker; syn. *Oporánthus láteus* Herbert.
2273. STE'VIA 20605 callósa Crv.; syn. *Florístina callósa* Dec.
- 34310 20589a adenóphora Lag. gland-bearing $\frac{1}{2}$ \square or 2 a.u.s W Chili 1822. D co
- 34311 20605a microphylla Kth. small-leaved $\frac{1}{2}$ \square or 2 a.u.o Bh Mexico 1828. D p.l
- 34312 - - *breviaristata* Hook. et Arn. short-awned $\frac{1}{2}$ \square pr 3 jl l'k S. Amer. 1836. S co Bot. mag. 3792
- 34313 - - *trachelioides* Dec. Trachelium-like $\frac{1}{2}$ \square pr 3 au P Mexico 1838. D co Bot. mag. 3856
- 34314 - - *fasciculáris* Dec. close-headed $\frac{1}{2}$ \square pr 1 o W Mexico 1837. C co Bot reg. 1838.59
- 34315 - - *violácea* Cerv. violet-coloured $\frac{1}{2}$ \square or 3 aut V Mexico 1829. D l.p
4034. 1395a. STIGMAPHY'LLUM Hil. (*Stigma*, a stigma, *phyllum*, a leaf; stigma foliaceous.) *Malpighiaceæ*.
- 34316 - - *aristátum* Lindl. awned-leaved $\frac{1}{2}$ \square or 20 jn. au Y Brazil 1832. ?C p.s.l Bot. reg. 1659
- 34317 - - *auriculátum* Lindl. auricled-leaved $\frac{1}{2}$ \square or 10 ... Y Brazil 1820. C p.s.l
- Banistéria auriculáta* Cav., *Hort. Brit.*, 11746.
- 34318 - - *heterophyllum* Hook. various leaved $\frac{1}{2}$ \square or 10 d Y Tucuman 1841. C s.l Bot. mag. 4014
- 34319 - - *mucronátum* A. Juss. mucroated $\frac{1}{2}$ \square or 10 a.u.s Y Mexico 1846. C p.l
- Banistéria mucronáta* Dec.
- 34320 - - *jatropefolium* Juss. Jatropha-*ld* $\frac{1}{2}$ \square or 73 jl Y Rio Grand ... C s.l.p Bot. reg. 1844. 7
- 34321 - - *ciliátum* Lindl. ciliated-leaved $\frac{1}{2}$ \square or ... o Y Brazil 1840. C s.p.l Paxt. mag. xv. 77
 ?*Banistéria ciliáta* W.
- The scandent species of *Malpighiaceæ* ascend by means of an entwining habit ($\frac{1}{2}$ \square) rather than by means of tendrils of any kind ($\frac{1}{2}$ \square). Accordingly, the sign $\frac{1}{2}$ \square may be substituted in *Hort. Brit.* for the sign $\frac{1}{2}$ \square , in those of the species to which it is attached in the genera *Byrsónima*, *Galphimia*, *Gærtnera*, *Thryallis*, *Hiræya*, *Triopteris*, *Banistéria*, and *Heteropteris*.
194. STI'PA.
- 34322 1692a altaica Kth. Altaian $\frac{1}{2}$ \square or ... jl. au Ap Altai 1836. S co
4035. 183a. STIPAGRO'STIS Kth. (*Stipa* and *Agróstis*.) *Gramineæ*. 3.—2.
- 34323 - - *obtusá* Kth. blunt-awned $\frac{1}{2}$ \square or un ... jn. au Ap Egypt 1828. S co
Aristida obtusa R. & S.
2463. STI'BE 22392 cinérea Thun.; syn. *Scirpium cinérecum* Dec.
 22393 *reféxa* Thun.; syn. *Trichógyné reféxa* Dec.
4036. 1506a. STRANVÆ'SIA Lindl. STRANVÆ'SIA. (*Hon. W. Fox Strangways*; a learned botanist.) *Rosaceæ*.
- 34324 - - *glaucescens* Lindl. grey-leaved $\frac{1}{2}$ or 20 ju W Nepal 1828. B co Bot. reg. 1956
Crataegus glauca Wall. Cat. 673., Arb. Brit. p. 844. f. f. 562. 563.
747. STRELI'TZIA 6067 agústa Thun., Bot. mag. t.t. 4167. 4168.
4037. 117a. STREPTANTHERA Swt. STREPTANTHERA. (*Streptos*, twisted, *anthera*, anther.) *Trideac.* 1.
- 34325 - - *élegans* Swt. elegant $\frac{1}{2}$ \square pr $\frac{1}{2}$ my.jn W.B.Y.C. G. H. 1827. O s.p.l Sw. fl. gar. 209
- 34326 - - *cúprea* Swt. copper-coloured $\frac{1}{2}$ \square or $\frac{1}{2}$ ju. jl Cop C. G. H. 1825. O p.l Sw. fl. gar. 2. s. 122
4038. 1827a. STREPTA'NTHUS Nut. (*Streptos*, twisted, *anthos*, flower; claws of petals.) *Cruciferaæ*.
- 34327 - - *obtusifolius* Hook. blunt-leaved $\frac{1}{2}$ or 1 $\frac{1}{2}$ a.u.s Ro Arkansas 1833. L s.l Bot. mag. 3317
- 34328 - - *hyacinthoides* Hook. Hyacinth-*flwd* $\frac{1}{2}$ or 3 au Bsh.P Texas 1834. S s.l Bot. mag. 3516
4039. 78a. STREPTOCA'RPUS Lindl. STREPTOCA'RPUS. (*Streptos*, twisted, *karpos*, fruit.) *Bignoniaceæ*. 1.
- 34329 - - *Réxii* Lindl. Réx's $\frac{1}{2}$ \square pr $\frac{1}{2}$ year B C. G. H. ... S p.l Bot. reg. 1173
Didyocárpus Réxii Bow., No. 15434.

4040. 1727a. STROBILANTHES Nees. (*Strobilos*, pine cone, *anthos*, flower, inflorescence in bud state.) *Acanth.*
 34330 - *Sabiniana* Nees Sabine's $\text{■} \square$ or 4 w B.P Nepal 1826. C p.l Bot. mag. 3517
 34331 - *Ruellia Sabiniana* Wall. $\text{■} \square$ pr $1\frac{1}{2}$ s.n Pa.Li ... 1846. C p.l
 34332 - *Ruellia maculata* Hort. spotted-leaved $\text{■} \square$ pr 1 s.n Pa.Li ?P. Indies 1847. C p.l Bot. mag. 4366
 34333 - *Ruellia grandis* Hort. milky-leaved $\text{■} \square$ pr 1 s.n Pa.Li ?P. Indies 1847. C p.l Bot. mag. 4366
 34334 - *Ruellia grandis* Hort. callous $\text{■} \square$ or ... my.au B E. Indies 1840. C s.l.p
 34334 - *scabra* Lindl. rough $\text{■} \square$ or 4 my Y India 1840. C p.l Bot. reg. 1841.32
 34335 - *sésiliis* Grah. sessile $\text{■} \square$ pr 4 o Li India 1833. D co Bot. mag. 3902

546. STROPHA'NTHUS.

- 4438 *dichotomus* Dec. forked $\text{■} \square$ or 3 f.d Ro E. Indies 1816. C r.m Bur. in. 68. 26
 4438a *Echites caudata* L. $\text{■} \square$ or 3 f.d Ro E. Indies 1816. C r.m Bur. in. 68. 26
 34336 4438a *divergens* Grah. spreading $\text{■} \square$ or 3 f.d Y China 1816. C r.m Bot. reg. 469
dichotomus Bot. reg. not Dec.

963. STRUMARIA. Nos. 7794, 7796, and 7799; syn. *Inkhofia species* Herbert.

No. 7795; syn. *Carpoliza spiralis* Herbert.

No. 7798; syn. *Hessea stellaris* Herbert.

2581. STYLOIDIUM.

- 34337 22824a *hirsutum* R. Br. hairy-scaped $\text{■} \triangle$ or $\frac{2}{3}$ my.jn Ro K. G. S. 1830. P.S s.p Bot. mag. 3194
 34338 - *juncum* R. Br. rushy $\text{■} \triangle$ cu 2 s Ro K. G. S. 1830. S s.p
 34339 - *recurvum* Grah. recurved $\text{■} \triangle$ or $\frac{1}{2}$ my Pk S. River 1840. C p.l Bot. mag. 3913
 34340 - *ciliatum* Lindl. ciliated $\text{■} \triangle$ cu 1 ap.my Pa.Y S. River 1840. D s.p Bot. mag. 3883
 34341 - *pilosum* Lab. hairy $\text{■} \triangle$ pr 1 su W S. River 1841. S s.p.l Bot. reg. 1842. 41
longifolium Rich.; *Dicksoni* Hort.
 34342 - *Drummondii* Grah. Mr. Drummond's $\text{■} \triangle$ pr 2 n.mr Pk S. River 1838. D co Botanist, 213
 34343 - *Brunonianum* Benth. Dr. Brown's $\text{■} \triangle$ or 1 my Ro S. River 1841. S s.p Bot. reg. 1842. 15
 34344 22828a *fasciculatum* R. Br. bundled $\text{■} \square$ pr $\frac{3}{4}$ au Pk N. Holl. 1830. S s.p Bot. reg. 1459
 34345 - *proliferum* Lindl. proliferous $\text{■} \square$ or ... my au Pk S. River 1839. S p.l
 34346 - *compressum* Lindl. flattened $\text{■} \triangle$ or ... jl.au Y.P S. River ... D p.l
 34347 - *hispidum* Lindl. hispid $\text{■} \triangle$ or ... jl.au W S. River ... D p.l
 34348 - *nudum* Lindl. naked-stemmed $\text{■} \triangle$ or ... jn W S. River 1840. D p.l
 34349 - *pycnostachyum* Lindl. dense-spiked $\text{■} \triangle$ or ... Pk S. River 1843. D p.l
 34350 - *caulescens* Lindl. caulescent $\text{■} \triangle$ or ... Pk S. River ... D p.l
 34351 - *androsaceum* Lindl. Androsace-like $\text{■} \triangle$ or ... W S. River ... D p.l
Centridium androsaceum Vent.
 34352 - *canaliculatum* Lindl. channelled-lvd $\text{■} \triangle$ or ... jl.au Pa.Y S. River ... D p.l
 34353 - *leptostachyum* Lindl. narrow-spiked $\text{■} \triangle$ or ... W S. River ... D p.l
 34354 - *saxifragoides* Lindl. saxifrage-like $\text{■} \triangle$ or ... jn.l Y S. River 1842. D p.l
 34355 - *striatum* Lindl. striated $\text{■} \triangle$ or ... my W S. River ... D p.l
 34356 - *bicolor* Lindl. two-eld.-flwd $\text{■} \triangle$ or ... jl W.P S. River 1843. D p.l
 34357 - *caricifolium* Lindl. sedge-leaved $\text{■} \triangle$ or ... jl W S. River ... D p.l
 34358 - *scabridum* Lindl. rather rough $\text{■} \triangle$ or ... jl.au W S. River 1841. D p.l

4041. 2348a. STYLOLEPIS Lech. STYLOLEPIS. (*Stylos*, a style, *lepis*, a scale; form.) *Comp. Card. Vern. 1.*

- 34359 21347a *gracilis* Lech. slender $\text{■} \triangle$ pr 3 jl.s Pk N. S. W. 1826. S co Sw. fl. gar. 285
Podolepis gracilis Grah.

1066. STYPA'NDRA.

- 34360 8913a *propinqua* Cun. near akin $\text{■} \triangle$ or 1? sp azure N. S. W. 1823. C s.p.l Bot. mag. 3417
 34361 - *frutescens* K. & W. frutescent $\text{■} \square$ cu 2 ju.jl V N. Holl. 1836. C l.p.s Fl. eab. 63

4042. 346a. SUCCISA Fail. DEVIL'S BIT. (*Succisus*, lopped; appearance of roots.) *Dipsacæ.* 18.—24.

- 34362 - *pratensis* Moen. meadow $\text{■} \triangle$ or 1 au.s V Britain pas. D co Eug. bot. 878
Scabiosa Succisa L., No. 2887. No. 2888., and those species from the beginning to No. 2881. of *Cephalaria*, also belong to this genus.

2007. SWAINSONIA.

- 34363 - *Greyana* Lindl. Capt. Grey's $\text{■} \square$ or 2 jl Rosy.p.W.N.Holl. ?1845. C s.l.d Bot. reg. 1846. 66

4043. 2295a. SWAMMERDAMIA Dec. (In honour of *John Swammerdam*, a distinguished entomologist.) *Comp.*

- 34364 - *antennaria* Dec. antennæ-like $\text{■} \square$ or 3 ja.mr W. Vi. L. 18? C co J. H. S. iv. 77. fig.

793. SWERTIA. Nos. 6336. and 6337. in p. 97. are species of *Halenia* G. Don.

SYMPHIAN'DRA Alph. Dec. (*Symphyo*, to grow together, *aner*, anther; anth. connate.) *Camp. 5.—1.*

péndula Alph. Dec. *Sw. fl. g. 2. s. 66.*; the *Campánula péndula* Hort. Brit. 5035. p. 77.

4044. 622a. SYMPHORICARPOS Dill. (*Symphoreë*, to accumulate, *karpós*, fruit.) *Caprifoliacæ.* 5.—1.

- †5237 *vulgaris* Mx. common $\text{■} \square$ or 6 au.s R.V Virginia 1730. Sk co E. of T. & S. f. 1010
Lonicera Symphoricarpos L.; *S. parviflora* Desf.; *Symphoricarpos conglomerata* Pers.; *S. glomerata* Ph.
 34365 - *montanus* H. & B. mountain $\text{■} \square$ or 6 au.s R.V Sk co
Symphoricarpos montanus Spr.; *S. glaucescens* G. Don; *S. mexicanæ* Lodd. Bot. Cab.
 †5238 *racemosa* Mx. racemose-flwd $\text{■} \square$ or 6 jl.s Ro N. Amer. 1817. Sk co Bot. mag. 2211
Symphoricarpos racemosa Ph.; ?*S. elongata* and *S. heterophylla* Presl; *S. leucocarpa* Hort.; *Snowberry*.
 34366 - *occidentalis* Rich. western $\text{■} \square$ or 6 jl.s Pksh N. Amer. Sk co E. of T. & S. f. 1013
Wolf-berry Amer.
 †5230 *punicus* Sims scarlet $\text{■} \square$ or 4 jl.s R N. Amer. 1815. Sk co Bot. mag. 2469

433. SYMPHYTUM.

3588 officinale

- 2 *bohémicum* D. Don Bohemian $\text{■} \triangle$ or $1\frac{1}{2}$ my Bt.C Bohemia 1810. D co Sw. fl. gar. 2. s. 304
S. bohémicum Schmdt.
 †3592 *caucasicum* Bieb. Caucasian $\text{■} \triangle$ or 2 my azure Caucasus 1820. D co Sw. fl. gar. 2. s. 294

4045. - SYNAMMIA Presl SYNAMMIA. (Not explained.) *Crypt. Filices.* 24.—1.

- 34367 - *triloba* Presl three-lobed $\text{■} \square$ or ... iny.o Br E. Indies ... D p.l

4046. 1673a. SYNA'NDRA Nutt. SYNA'NDRA. (*Syn*, together, *aner*, a man; *elose* anthers.) *Labiata.* 11.—1.

- 34368 - *grandiflora* G. Don large-flwd $\text{■} \triangle$ or ... jn.jl St N. Amer. 1827. D lt
 T t 3

4047. - - SYNAPHLEBIUM *J. Sm.* SYNAPHLEB. (*Syn.*, together, *phleps*, a vein.) *Crypt. Filices*. 24.—1.
 34369 - - recurvatum recurved ♀ or ... su Br Malacca ... D p.1
 34370 - - obtusum *J. Sm.* obtuse ♀ or ... su Br Malacca ... D p.1
 34371 - - pectinatum pectinate ♀ or ... su Br E. Indies ... D p.1
 34372 - - lobulosum lobulose ♀ or ... su Br E. Indies ... D p.1
41. SYRINGA.
 290 vulgäris
 3a älba major larger white ♂ or 5 my W Sk co
 3b älba plena double white ♂ or 5 my W Sk co
 S. plena Lo. C.
 6 rubra red-flowered ♂ or 10 my R Sk co
 7 rubra major large-flwd. red ♂ or 10 my R Sk co
 8 rubra plena dble.-flwd. red ♂ or 10 my R 1846. Sk co [K. & P.]
 34373 290a. Josikæ 'a Jac. Josika's ♂ or 8 myjn Dp.LiGermany 1833. Sk co Bot. mag. 3278
 291 chinensis var. rothomagensis subvar. sanguinea red-flowered ♂ or 6 my R Sk co [K. & P.]
 Other varieties, bearing the names of albiflora Noissetæna, Colmairiensis, Versaillienensis flore pleno, rubra trianon, and Prince Notger, are in the Exotic Nursery, Chelsea.
- 292 persica
 4 sativifolia *Lod.* Sage-leaved ♂ or 5 my ... Sk co
 34374 - - Emodi *Wall.* Emodi ♂ or 10 ap W Himalayas ... C s.l Bot. reg. 1845.6
indica *Wall.*
- SYRINGODEA. See ERUCA.*.*
4048. 1490a. SYZYGIUM *Gae.* SYZYGIUM. (*Zuzygium*, its aboriginal name.) *Myrtaceæ*. 3.—24.
 34375 - - caryophyllifolium *Dec.* Clnve-lvd or 20 ... W E. Indies 1822. C s.p Rü. am. 14.1
Calyptorhantes caryophyllifolia, No. 12773. No. 12771., and *Eugenia*, No. 12741., also belong to this genus.
4049. 825b. SZOVITSIA *F. & M.* SZOVITSIA. (*M. Szovits*, a traveller in Persia.) *Umbelliferae*. 5.—2.
 34376 - - calicarpa *F. & M.* beautiful-fruited cu ... jl.au W Persia 1837. S co
548. TABERNÆMONTANA.
 34377 4453a gratissima *Lindl.* most grateful-sctd or 6 m.y.s W E. Indies 1824. C p.l Bot. reg. 1084
 34378 - - densiflora *Wal.* dense-flowered ♂ or 4 jn W E. Indies 1824. C p.l Bot. reg. 1273
 34379 - - dichotoma *Roxb.* forked ♀ or 12 s.o W Ceylon 1840. C r.m Bot. reg. 1841. 53
1925. TACSONIA.
 34380 - - pinnatifida *J.* pinnate-stip. ♂ or 30 ap Pa.Ro Chili 1828. C p.l Sw. fl. gar. 2. s. 156
Passiflora pinnatifida Cav.; *P. pennipes* *Sm.*
 34381 - - mollissima *H. B. & K.* soft-leaved ♂ or 20 aut So Quito ?1844. C s.l.p Bot. mag. 4187
 34382 - - manicata *Benth.* sleeved ♂ or 20 aut S Peru 1843. C s.l.p
4050. - - TÆNIOPSIS *J. Sm.* TÆNIOPSIS. (*Tainia*, a fillet, *opsis*, resemblance.) *Crypt. Filices*. 24.—1.
 34383 - - revoluta *D. Don* revolute ♀ or ... su Br Nepal ... D p.1
 25527 lineata *Suz.*; syn. *Vittaria lineata* *W.*, No. 25527. in p. 421., *Polytaenium lineatum* *Desv.*
2900. TÆNITIS.
 34384 - - chinensis *Spr.* Chinese ♀ or ... su Br China 1828. D p.1
 34385 - - blechnoides *Suz.* Blechnum-like ♀ or ... su Br India ... D p.1
 34386 - - furcata *Spr.* forked ♀ or ... su Br Triuidad 1824. D p.1
Pteropsis furcata *Desv.*
2365. TAGEYES.
 34387 21595a florida *Swt.* florid ♀ or 1 jl.n Y Mexico 1827. D co Sw. fl. gar. 2. s. 35
4051. 1618a. TALAUMA. (The vernacular name of the South American species.) *Magnoliaceæ*. 13. 6.
 34388 - - Candollii *Blume* De Candolle's ♂ fra 15 f.mr Crea.Taw Java 1827. L p.l Bot. reg. 1709
Magnolia odoratissima *Reinwardt.*
 34389 - - Plumieri *Dec.* Plumer's ♂ fra ... W Antilles 1829. L p.1
 No. 14348. in p. 226. belongs to this genus.
899. TA'MARIX.
 34390 - - orientalis eastern ♂ or ... F Babylon 1846. C l.p
1757. TAMONIA.
 34391 15704a spicata *Kth.* spicate or ... au.o B Trinidad 1824. S lt
2312. TANACE'TUM 20790 cauariense *Dec.*; syn. *Gonospermum elegans* *Dec.*
 20793 vulgare
 2 variegatum striped-leaved ♀ Δ pr 2 jl.au Y Britain gard. D co
 34392 - - incanum *Desf.* hoary ♀ Δ un ... Altai 1831. D co
fasciculatum & *Dec.*
 34393 - - longifolium *Wall.* long-leaved ♀ Δ un 2 jn.jl Y Himalayas ... D co
 34394 - - globuliferum *Dec.* globe-bearing or un 1½ s.o Y Russia 1838. S co
- 4052. 550a. TANGHINIA *Poir.* TANGHIN. (Its name in Madagascar.) *Apocynaceæ*.
 14462 veneniflua *Poir.* poison-flowing ♀ or 30 my Fk Madagascar. 1826. C s.p.l Fl. cab. 2. 85
Cerbera Tanghin *Bot. Mag.* 2968. and our p. 68.; *ordal tree of Madagascar*.
Manghas *Flor. Cab. 2.* p. 133.; syn 550. *Cerbera* 4464 *Manghas* *Ham.*
4053. 2811a. TASMANNIA *Dec.* TASMANNIA. (*C. Tasman*, disc. of Van Diemen's Land.) *Winteraceæ*. 22.—11.
 34395 - - dipetala *Bomp.* two-petaled ♂ or ... my.au W N. Holl. 1824. C p.1
 34396 - - aromatica *H. Br.* aromatic ♂ nr 10 ap W.Pk V. Di. L. 1843. C r.l.p Bot. reg. 1845. 43
12680. TAXODIUM *Rich.* DECINOUS CYPRESS. (*Taxus*, yew, *oidos*, like; resemblance.) *Coniferæ*. 2.
 23638 distichum *Rich.* two-ranked-lvd ♀ or 30 my Ap N. Amer. 1640. S s.p Mic. ar. 3. 4. 1
Schubertia disticha *Mirb., Hort. Brit.* p. 388. *Cupressus disticha* *L.*
 1 patens *Att.* spreading ♀ or 20 my Ap N. Amer. 1640. S s.p
 2 nutans *A. B.* drooping ♀ or 20 my Ap N. Amer. 1640. S s.p A. b. f. 2336-8
Schubertia disticha 2. *pendula*, p. 388.
 3 excelsum *Booth* lofty ♀ or ... my Ap S s.p

	4 sinense A. B.	Chinese	☿	or ...	my	Ap	China	...	S	s.p
	<i>T. sinense</i> Noisette.									
	5 s. pendulum A. B.	pendulous	☿	or ...	my	Ap	S	s.p
	<i>T. sinense pendulum</i> Hort.									
	6 nuciferum	nut-bearing	☿	or ...	my	Ap	G	co
	<i>Tarus nucifera</i> Hort.									
23639	capense Spr.	Cape	☿	or	6	ap.my	Ap	C. G. H.	1756.	C p.l
	<i>Schubertia capensis</i> Spr., Hort. Brit., p. 388.							<i>Cupressus juniperoides</i> L.		
34397	- sempervirens Lamb.	evergreen	☿	or	750	...	Ap	N. Zeal.	1843.	C s.l Lam.pl.ed. 2. 2.64
2823. TA'XUS.										
34398	- Harringtonia Knight	<i>E. of Harrington's</i>	☿	or ...	ap.my	Ap	Penang	1837.	C	co Pin. wob. 66
34399	- Makoya Low	Makoy's	☿	or ...	ap.my	Ap	Japan	1838.	C	co
24535 baccata										
	2 fastigiata A. B.	fastigiate, Irish	☿	or	20	mr.ap	Ap	Ireland	1780.	C s.l A. b. pl. 355
	<i>T. fastigiata</i> Lindl.	<i>T. hibernica</i> Hook.						<i>T. b. 2. hibernica</i> , p. 404.		
	3 erecta A. B.	upright	☿	or	Ap	C	s.l seedling
	4 fructu-luteo A. B.	yellow-berried	☿	or ...	f.ap	Ap	Ireland	...	C	s.l
	5 foliis variegatis	variegated-lvd	☿	or	78	mr.ap	Ap	C s.l
	6 sparsifolia	scattered-lvd	☿	or ...	mr.ap	Ap	C	s.l
	7 procumbens	procumbent	☿	or ...	mr.ap	Ap	C	s.l
34100	- Inukaja Knight	Cat. Inukaja	☿	or	Ap	Japan	1838.	G p.l [K. & P.]
34401	- adpressa Hort.	close-pressed	☿	or	Ap	Japan	1844.	G p.l [G. G.]
	<i>Cephalotaxus adpressa</i> Hort.									
1710. TE'COMA.										
34402	15415a meonantha Swt.	less-flowered	☿	or	12	ap.jl	Bh	N. S. W.	1815.	C p.l
4054. 2543a. TELIPO'GON H. B. & K. TELIPOGON. (<i>Telos</i> , an end, <i>pogon</i> , a beard.) <i>Orchidaceæ</i> . 20.—1.										
34403	- obovatus H. B. & K.	obovate	☿	or	cu	...	Y	Peru	1846.	D fib.p
4055. 13'3a. TE'LLIMA R. Br. TELLIMA. (Anagram of <i>Mitella</i> ; separated from it.) <i>Sarifrægæ</i> . 1.—2.										
34104	- grandiflora Dou.	great-flowered	☿	or	cu	1	ap.my	Pk	N. Amer.	1826. D s.p Bot. reg. 1178
862. TENO'RIA 6892 arhorescens Spr.; syn. <i>Heteromôrpha arborescens</i> Dec.										
2083. TEPHRO'SIA.										
34405	- chinensis Lindl.	Chinese	☿	or	...	my.au	Li	China	1822.	C p.l
2864. TERMINA'LIA.										
34406	- Tanibouca Dec.	Tanibouca	☿	or	...	my.jl	W	Guiana	1826.	C p.l
34407	- bengalensis Dec.	Bengal	☿	or	...	jn.au	W	Bengal	1826.	C p.l
4056. 2794a. TETRADENIA N. v. Escnb. TETRADENIA. (<i>Tetra</i> , four, <i>aden</i> , a gland.) <i>Lauræcæ</i> . 22.—8.										
34408	- involucrâta N. v. Escnb.	involucrated	☿	or	...	ja.au	G.Y	E. Indies	1820.	C l.p
	<i>Laurus involucrâta</i> Roxb.									
2069. TETRAGONO'LOBUS.										
34409	- Requienî F. & M.	Requien's	☿	or	...	jl.au	Y	Sardinia	1837.	D s.l
	<i>Lodus Requienî</i> Moris.									
TETRAMI'CRA Lindl. This genus, founded on the <i>Cymbidium rigidum</i> of Willdenow, is the <i>Brasavola</i> elegans of the <i>Bot. Mag.</i> 3098.										
4057. 1717a. TETRANE'MA Ecnth. TETRANEMA. (<i>Tetra</i> , four, <i>nema</i> , a filament; four filaments.) <i>Scrophu.</i>										
34410	- mexicanum Benth.	Mexican	☿	or	pr	1	su	Rsh.F Mexico	1842.	C co Bot. reg. 1843. 52
	<i>Pentstemon mexicanus</i> Hort.									
1227. TETRANTHE'RA.										
34411	- japonica Sibö.	Japan	☿	or	3	ja.my	G.w	Japan	1843.	C l.p
4058. 2526a. TETRAPE'LTIS Wall. TETRAPELTIS. (<i>Tetra</i> , four, <i>pelte</i> , buckler; pollen masses.) <i>Orch. Vandæc.</i>										
34412	- frâgrans Wall.	sweet-scented	☿	or	W	Nepal	...	D p.r.w
4059. 1848a. TETRAPO'MA. TETRAPOMA. (<i>Tetra</i> , four, <i>poma</i> , a cover; capsule 4-valved.) <i>Crucifæræ</i> .										
34413	- barbaræfolium Turcz.	Barbarea-lvd	☿	or	3	jn.jl	Y	Siberia	1834.	S co
1153. TETRATHE'CA.										
34414	- hirsuta Lindl.	hairy	☿	or	2	mr.ap	Ro	?S. River	1843.	C s.p Bot. reg. 1844. 67
	<i>Tremandra Hügeltii</i> Hort.									
34415	- verticillata	verticillate-lvd	☿	or	2	f.mr	V.r	S. River	1845.	C s.p Paxt.mag. 13. 171
	<i>Tremandra verticillata</i> Hort.									
34416	- rubriseta Lindl.	red-bristled	☿	or	2	jl.au	Ro	S. River	1840.	C s.p
34417	- viminea Lindl.	twiggy	☿	or	2	jl.au	P	S. River	...	C s.p
34418	- pilifera Lindl.	pilose	☿	or	2	ju.s	P	S. River	...	C s.p
34419	- nuda Lindl.	naked	☿	or	2	su	C	S. River	1843.	C s.p
4060. - TETRAZY'GIA Swz. TETRAZYGIA. (<i>Tetra</i> , four, <i>zygos</i> , a yoke.) <i>Melastomæcæ</i> . 10.—1.										
34420	- elæagnoides Swz.	Elæagnus-like	☿	or	4	mr	W	W. Indies	...	C p Bot. mag. 4383
1648. TEU'CRUM.										
34421	14704a cånium F. & M.	hoary	☿	or	1½	my.au	P	Caucasus	1836.	D r.m
34422	14698a orchideum Lindl.	Orchis-like	☿	or	1	jl.au	Pk	Chili	1826.	S co Bot. reg. 1255
	<i>heterophyllum</i> Cav.									
34423	- lævigatum Vahl	smoothed	☿	or	1832.	D co
1633. THALI'CTRUM.										
34424	14483a mexicanum Dec.	Mexican	☿	or	2	jl.s	G	Mexico	1826.	D co
34425	14495a Schweiggerr G.	Don Schweigger's	☿	or	3	my.jl	Y	1826.	D co
34426	14503a exaltatum Dec.	exalted	☿	or	...	jn.au	Y	Altai	1837.	D co
34427	14508a sparsiflorum	scattered-flwd	☿	or	...	jn.au	Y	Siberia	1838.	D co

- 34428 14535a apiculatum Hort. apiculated $\frac{3}{4}$ Δ or ... jn Y 1838. D co
 34429 - - repens creeping $\frac{3}{4}$ Δ Russia 1832. D co [D. Cameron.]
 34430 - - appendiculatum appended $\frac{3}{4}$ Δ Russia 1832. D co [D. Cameron.]
 34431 - - microcarpon small-podded $\frac{3}{4}$ Δ Russia 1832. D co [D. Cameron.]
2037. *THEVA* 18160 viridis broad-leaved $\frac{3}{4}$ \square or 4 f.n W China 1825? C p.l Bot. cab. 1828
 34432 18160a assamensis Assam $\frac{3}{4}$ \square or 6 j.a.f W Assam ?1846. C p.l
2500. *THELYMITRA*.
 34433 - - macrophylla Lindl. large-leaved $\frac{3}{4}$ Δ cu ... my.jl P S. River ... R l.p
 34434 - - campanulata Lindl. bell-shaped $\frac{3}{4}$ Δ cu ... my.jl P S. River ... R l.p
 34435 - - stellata Lindl. starry-flwd $\frac{3}{4}$ Δ cu ... jn.s Br S. River ... R l.p
 34436 - - villosa Lindl. villose $\frac{3}{4}$ Δ cu ... j.l.o Y S. River ... R l.p
 34437 - - graminea Lindl. grass-leaved $\frac{3}{4}$ Δ cu ... jn.jl P S. River ... R l.p
526. *THEOPHRASTA*.
 34438 4360a longifolia Jac. long-leaved $\frac{3}{4}$ \square or 20 ... W Caraccas 1828. C r.m
 4360 Jussiehi Lindl.; syn. *T. Henrieti* Hamilt. Prodr. Ind. Occ., *T. americana* Sw. Obs. (non Linn.)
1241. *THERMOPSIS* 10455 fabacea Dec. is synonymous with *T. rhombifolia* Rich., *Thermia rhombifolia* Nut., *Cytisus rhombifolius* Ph., and *Sophora fabacea* Pall. (Hook. Bot. Mag. 3611.)
4061. 11936. *THIBAUIDIA* Wall. *THIBAUDIA*. (After *Thibaut de Bernaud*, Sec. Lin. Soc. Paris.) *Vaccin.* 10.—1.
 34439 - - pulcherrima Wall. beautiful $\frac{3}{4}$ \square or 10 ap.my R.Y N. India ... C p.l Bot. mag. 4303
Pichinchensis Benth.
 34440 - - β glabra Hook. glabrous $\frac{3}{4}$ \square or 6 s Dp.ro Columbia ... C p.l Bot. mag. 4344
 - - microphylla small-leaved $\frac{3}{4}$ \square or 22 ... S Peru 1847. C p.l
1849. *THLASPI*.
 34441 - - umbellatum Stev. umbellate \circ Persia 1837. S co
681. *THOMASIA*.
 34442 5622a dumosa Cun. hushy $\frac{3}{4}$ \square or 2 $\frac{1}{2}$ my.jn W N. Holl. 1826. C p.l
 34443 - - diffusa G. Don diffuse $\frac{3}{4}$ \square or ... ap.jl W N. Holl. 1826. C s.p
 34444 - - canescens Lindl. hoary $\frac{3}{4}$ \square or ... my.au P S. River 1838. C s.p
 34445 - - pauciflora Lindl. few-flowered $\frac{3}{4}$ \square or ... jn.jl R S. River 1841. C s.p
 34446 - - glutinosa Lindl. glutinous $\frac{3}{4}$ \square or ... my.jn R S. River 1840. C s.p
 34447 - - grandiflora Lindl. large-flowered $\frac{3}{4}$ \square or R S. River ... C s.p
 34448 - - paniculata Lindl. panicle $\frac{3}{4}$ \square or ... jn.jl R S. River 1842. C s.p
 34449 - - stipulacea Lindl. stipuled $\frac{3}{4}$ \square or 3 au.s R S. River 1842. C s.p Bot. mag. 4111
4062. 1398a. *THRYALLIS* L. *THRYALLIS*. (Greek name for a plant of the mullein kind.) *Malpighiaceae.* 1.—3.
 34450 - - brachystachys Lindl. short-spiked $\frac{3}{4}$ \square el 10 s.o Y Rio Jan. 1823. C p.s Bot. reg. 1162
- †2693. *THUJA* L. *ARBOR VITÆ*. (*Thyon*, sacrifice; used in, for fumigation.) *Coniferæ*.
 I. *THUJE VERÆ*.—*Cones oblong compressed; scales 4 to 6, coriaceous; smooth, with one tubercle under the apex, two exterior ones shortened; boat-shaped. Seeds compressed, winged.*
 23659 occidentalis L. western, Amer. $\frac{3}{4}$ or 25 my Ap N. Amer. 1596. C co Mic. ar. 3. 29
Theophrasti Bauh. *Arbor Vitæ* Cus.
 2 variegata Marsh. variegated-*lvd* $\frac{3}{4}$ or 25 my Ap C co
 23660 plicata Donn plaited $\frac{3}{4}$ or 20 my Ap Nootka S. 1796. L co
 34451?23660a Donniana Donn's $\frac{3}{4}$ \square or Ap ?1847. G co
- II. *BIOPTA*.—*Cones roundish, squarrose; scales indefinite in number, peltate, woody. Seeds bellying, crustaceous, without wings.*
 23661 orientalis L. oriental, Chinese $\frac{3}{4}$ or 20 my Ap China 1752. L co Deu. br. 149
 2 stricta Hort. strict $\frac{3}{4}$ or 20 my Ap L co
T. pyramidalis Bauh.
 3 tatarica A. B. Tartarian $\frac{3}{4}$ or ?12 my Ap Tartary 1820. L co
T. tatarica Lo. C.
- III. *CYPARISSA*.—*Cones roundish; scales indefinite in number, peltate, woody. Seeds winged at the apex.*
 23662 cupressoides L. Cypress-lk., Africa $\frac{3}{4}$ \square or 10 ... Ap C. G. H. 1799. L p.l A. b. f. 2316
aphylla Burch.
 23663 pendula Lamb. pendulous-bran. $\frac{3}{4}$ or 20 my Ap Tartary 1828. L co Lamb. p. ed. 2. 2. 67
 34452 - - filiformis Lodd. filiform $\frac{3}{4}$ or Ap ?1838. L. Geo Bot. reg. 1842. 20
T. chilensis, a very elegant species, is in the Clapton Nursery.—*January*, 1849.
1734. *THUNBERGIA* 15538 alata
 2 albiniflora white-flwd $\frac{3}{4}$ \square or 4 my.s W C p.l Bot. mag. 3512
 3 aurantiaca orange-*col.*-flwd $\frac{3}{4}$ \square or 4 my.s O 1838. C p.l Paxt. mag. vi. 269
 4 Dóddsii *Dodds's varieg.-lvd.* $\frac{3}{4}$ \square or 4 my.s Dp.O seedling 1847. C p.l Paxt. mag. xv. 221
 34453 - - chrysoptera Hook. golden-eyed $\frac{3}{4}$ \square or 3 jn.au P.B.Y S. Leone 1843. C s.p.l Bot. mag. 4119
 15541 Hawtayneana Wal. Paxt. mag. of bot. vi. p. 147.; syn. *Myriana Hawtayneana* N. Von Esenbeck.
 15540 coccinea Wal.; syn. *Hezacentris coccinea* N. Von Esenbeck.
1681. *THYMUS*.
 15147 Serpyllum white-flwcred $\frac{3}{4}$ pr $\frac{1}{2}$ jn.au W Britain gard. D s.p
 3 variegatum variegated-*lvd* $\frac{3}{4}$ pr $\frac{1}{2}$ jn.au P Britain gard. D s.p
 15156 vulgaris
 3 variegatus variegated-*lvd* $\frac{3}{4}$ pr 1 my.au P Britain gard. C co
 34454 - - azoricus Ait. Azorian $\frac{3}{4}$ or ... ju.au ... Azores 1820. C co
 34455 - - azureus Maund azure $\frac{3}{4}$ or $\frac{1}{2}$ jn P S. Europe ?1830. C co Bot. gard. 604
 34456 - - spicatus spiked $\frac{3}{4}$ or 1 aut P Pyrenees 1832. C l.p [D. Cameron.]
 34457 - - corsicus Pers. Corsican $\frac{3}{4}$ Δ cu ... su Li Corsica 1831. D l.p
4063. ? 61a. *THYRSACANTHUS* Nees *THYRSE-FLOWER*. (? *Thyrus*, a thyrse, *anthos*, a flower.) *Acanthaceæ.* 2.—1.
 34458 - - strictus Nees upright $\frac{3}{4}$ \square or 3 f.mr S C p.l Bot. mag. 4378
Lemairianus Nees, *Eranthemum coccineum* Lcm., *Aphelandra longiscapa* Hlort., *Salpiglossis coccinea* Hlort., *Justicia longiracemosa* Hort.

4064. 1355a. **THYSANOCARPUS** Hook. **THYSANOCARPUS**. (*Thysanos*, a fringe, *karpos*, a fruit.) *Cruciferae*. 15.—1.
 34459 - pulchellus F. & M. neat ○ or ?1 jn jl P N. Califor. 1836. S co
 34460 - elegans F. & M. elegant ○ or ?1 jn jl Pk N. Califor. 1836. S co
 34461 - curvipes Hook. curve-footed-stlkd. ○ or ?1 jn jl B N. Amer. 1836. S co

1050. **THYSANOTUS**.

34462 - ténuis Lindl. slender ♀ △ or ... my Li S. River 1836. C l.p.s Bot. reg. 1838. 50
 34463 - proliferus Lindl. prolificrous ♀ △ cu l au P N. S.W. ... S r.l Bot. reg. 1838. 8
 34464 - intricatus Hort. intricate-stemd. ♀ △ or ½ jl P S. River 1838. D s.l.p Paxt. mag. vi. 243

1381. **TIARELLA**.

34465 11333a colorans *Grah.* colouring ♀ △ un ½ jn.jl W N. Amer. 1827. D co

4065. 678a. **TICOREA** Aubl. **TICOREA**. (?The name of the tree in Guiana.) *Rutaceae*. 5.—1.

34466 - foetida Aubl. strong-scented ♂ or 10 f W Guiana 1825. C s.p
 34467 - *Ozophloeum foetidum* Mill. Diet., *O. trifoliatum* W. ♂ or 10 f W Brazil 1827. C s.p
 34467 - *jasminiflora* St. Hil. jasmine-flwd. ♂ or 20 s W Brazil 1827. C s.p
Sciærus multiflora Nees et Mart.

1910. **TIGRIDIA**.

34468 - Watkinsoni Paxt. Watkinson's ♂ △ or 1½ my.au O.Y.R hybrid ?1837. O lt Paxt. mag. 14. 51
 34469 - violacea Lindl. violet-fld.-flwd ♂ △ or ?1 my.au Psh Mexico 1838. O lt

†1576. **TILIA L.**

13881 *europæa* L. **Europe**, or common ♀ tm 50 jn.au Y.G Britain woods L co Eng. bot. 610

intermedia Hay, p. 218., Dec. *vulgaris* Hayne Dend. *europæa borealis* Wahl.
 2 *microphylla* A. B. small-leaved ♀ tm 50 au.s Y.G Britain woods L co Eng. bot. 1705
T. microphylla Ven., p. 218., *T. e. var. γ* L. *T. ulmifolia* Seo. *T. sylvestris* Desf. *T. parvifolia* Ehrh., Hay. *T. cordata* Mill.

3 *platyphylla* A. B. broad-leaved ♀ tm 50 au.s Y.G Britain woods L co Ven. til. 1. 2

1 *rubra* A. B. red-twigged ♀ tm 50 jn.au Y.G Britain woods L co Ven. til. 1. 2

4 *triflora* Puer. *T. rubra* Dec., Hort. Brit. p. 218. *T. corinthiaca* Bosc. *T. corallina* Hort. Kew. *T. europæa β* rubra Sib. *T. europæa γ* Sm. Fl. Br. *T. grandifolia* β Sm. Eng. Fl.

5 *laciniata* A. B. cut-leaved ♀ tm 50 au Y.G Britain ... L co A. b. pl. 17

7 *aurea* A. B. golden-twigged ♀ tm 50 au Y.G Britain ... L co A. b. pl. 18

6 *platyph. aurea* A. B. golden brd.-lvd ♀ tm 220 ... Y.G Britain ... L co

8 *dasystyla* A. B. hairy-styled ♀ tm 250 jn.au Y.G Tauria ... L co

9 *pendula* weeping ♀ or ... jn.au Y.G 1845. G co [K. & P.]

0 *variegata* variegated-lvd. ♀ or ... jn.au Y.G 1847. G co [K. & P.]

11 *vitifolia* vine leaved ♀ or ... jn.au Y.G 1846. G co [K. & P.]

13882 *alba* W. & K. white ♀ tm 30 jn.au Y.G Hungary 1767. L co Den. br. 71

americana Duroi, *argentea* Desf., Dec., *rotundifolia* Ven. & N. Duh., *tomentosa* Moen.

13883 *americana* L. American ♀ tm 50 jn.jl Y.G N. Amer. 1752. L co Den. br. 134

glabra Ven., Dec., Hayne, G. Don, *caroliniana* Waugh., *canadensis* Mx.

2 *laxiflora* A. B. loose-flowered ♀ tm 50 my.jl W N. Amer. 1820. L co

T. laxiflora Mx., p. 218., Fursch, Dec., Hayne, G. Don.

3 *pubescens* A. B. pubescent ♀ tm 20 jl.au Y.G N. Amer. 1726. L co Den. br. 135

T. pubescens H. K., p. 218., Willd., Dec., G. Don, Vent., Mx., Hayne. *T. caroliniana* Mill. *T. americana* Wall.

4 *pub. leptophylla* A. B. thin-lvd. pub. ♀ tm 20 jl.au Y.G N. Amer. ... L co

T. pubescens leptophylla Ven., p. 218. *T. mississippiensis* Desf.

5 *heterophylla* A. B. various-leaved ♀ tm 30 jn.au Y.G N. Amer. 1811. L co Ven. til. 5

T. heterophylla Ven., p. 218., Dec. *T. alba* Mx.

956. **TILLANDSIA**.

34470 7724a *acutis Lindl.* stemless ♀ △ pr ½ au W Rio Jan. 1826. Sk s.p Bot. reg. 1157

2 *zebrina* zebra ♀ △ or ½ au W Brazil ... Sk s.p

34471 - *rosea Lindl.* rose-headed ♀ △ or 1 my Pk Sk s.l Bot. reg. 1357

34472 - *rubida Lindl.* madder-coloured ♀ △ or ½ f Pk Brazil 1841. Sk s.l Bot. reg. 1842. 63

7728 *bulbosa Hook.*

β *pieta Hook.* painted ♀ △ or ¾ d P Jamaica 1845. Sk block Bot. mag. 4288

34473 - *vitellina Lk. & Otto* yolk of egg-eld. ♀ △ or ... Br. Ot. Venezuela ... Sk fib. p.l

2413. **TITHONIA**.

34474 - *ovata Hook.* ovate ○ or 4 au Y Mexico 1840. S co Bot. mag. 3901

2944. **TOPEA**.

34475 25639a *australis R.Br.* MSS. southern ♀ △ or 2 all sea Br N. Holl. 1831. D l.p

1787. **TORENIA**.

34476 - *cordifolia Roxb.* heart-leaved □ cu ½ o Pa. Li E. Indies 1838. S r.l Bot. mag. 3715

34477 - *scabra R.Br.* rough-leaved ♀ △ or 3 jn.au Pa. B. Moreton B. 1830. C r.l Bot. mag. 3104

Tittmannia scabra Spreng, syst. 2. 800.

†15908 *asiatica* L. asiatic □ cu el 1 ½ all sea P E. Indies 1823. S.C s.p.l Bot. mag. 4249

T. vögans Roxb. Fl. Ind. v. 3. p. 96., *T. hians* Roxb. l. c., *Henckelia atata* Lk., *Bonnaya atata* Spr.

34478 - *concolor Lindl.* one-colored-flwd. □ or 1½ aut P China 1844. C s.p.l Bot. reg. 1846. 62

34479 - *edentula Benth.* toothless □ or 1 jl.au P.Y E. Indies ?1845. S.C s.p.l Bot. mag. 4229

34480 - *arracanensis Part.* Arracacn □ or ... jn.au Dp.P ?1846. C s.p.l Paxt. mag. xv. 197

1529. **TORMENTILLA** 13680 *erecta L.*

2 *flore pleno Sm.* double-flwd ♀ △ or ¼ my.o Y Cardigans. hea. D co

4066. 2893a. **TORREYA** Arnott. **TORREYA**. (*Dr. Torrey*, one of the authors of the N. Amer. Flora.) *Taxaceae*.

34481 - *taxifolia Arn.* Yew-lvd. ♀ or 40 ... Ap Florida 1840. G co E. of T. & S. f. 1755

Taxus montana Nuttall, not of W.; *Stinking Cedar*, Florida.

34482 - *Humboldtii* Humboldt's ♀ or ... Ap 1848. G co [K. & P.]

446. **TOURNEFORTIA**.

34483 3732a *heliotropioides Hook.* Heliotrope-like ♀ □ or 2 my Pa. Li B. Ayres 1829. C l.p Bot. mag. 3096

34484 3741a *maculata G. Don* spotted-fruited ♀ □ or ... jn.s St Carthagenal 1828. C p.l

1719. *TOURRETTIA* 15463 *Iappæca* Bot. Mag. 3749.

This plant, which had been long lost to the country, was reintroduced, Sir W. J. Hooker informs us, in 1837, by John M'Lean, Esq., of Lima. (*Bot. Mag.*)

4067. 1606*a*. *TOFOMITA* Aubl. *TOVOMITA*. (*Tonomite*, the Caribbean name of one of the sps.) *Gutiferae*. 13.—4.
 34485 - - *guianensis* Aubl. Guianan ♀ un 10 ... G Guiana 1827. C lt
Mariáleva guianensis Choisy.
 34486 - - *clusiæfolia* G. Don Clusia-*lvd* ♀ un 10 my.jl G Cayenne 1823. C lt
Micranthèra clusiæfolia Dec., *Ctüsia longifolia* Rich.

867. TRACHYMENE.

- 34487 6922*a* *caribæa* Grâh. sky-blue pr 1½ jl.s B N.Holl. 1827. S s.p Bot. reg. 1225
Didiscus caribæus Dec. Bot. Mag. 2075.
 34488 6921*a* *lanceolata* Spr. lance-leaved or 2 jl W N.Holl. 1829. C s.p
 34489 - - *gigantæa* Ait. gigantic or C s.p
 6921 *linearis* Dec.; syn. *Azorëlla linearifolia* Cav. or 1 my.jn Pa.v N.Holl. ... D s.p
 34490 - - *compressa* Dec. flat-stalked or 1 my.jn Pa.v N.Holl. ... D s.p
Azorëlla compressa Lab.
 34491 - - *ovalis* Dec. oval-leaved or 1 my.jl W N.S.W. ... C s.p
 34492 - - *ovata* Dec. ovate-leaved or 1 my.jn Pa.v N.S.W. ... C s.p
Azorëlla ovata Lab.

1000. TRADESCANTIA.

- 34493 8189*a* *pilosa* Lch. hairy-herbage'd cu 2½ aut B.P Louisiana 1832. D co Bot. mag. 3291
 34494 8190*a* *caricifolia* Hook. Sedge-leaved or 1 au.s B Texas 1835. D r.m Bot. mag. 3546
 34495 - - *congesta* Penny crowded or 2 jl.o B N.Amer. 1826. D co Bot. gard. t. 363
 34496 - - *iridescens* Lindl. iridescent pr ½ jn.au D.Li Mexico 1825. D r.m Bot. reg. 1840. 34
 34497 8182*a* *crässula* Lk. thick or 1 my.au W Brazil 1838. D co Bot. mag. 2935
 34498 - - *tumida* Lindl. tumid or 1 s R Mexico 1839. D co Bot. reg. 1840. 42
 34499 - - *spicàta* Knov. & West. spiked or 2 s.n P Mexico 1837. D co Fl. cab. no. 124
 34500 - - *zebrina* zebra or pros aut.w Rsh.P ?1846. C fib. p.1

2595. *TRAGIA* 22901 *corniculata* Vahl; syn. *Microstachys corniculata* Jac., *Gnomicostachys Vahlii* Spr.

2197. TRAGOPO'GON.
 34501 - - *minor* Fries smaller or 2 jn.jl ... Britain me.pa. S co

4063. 667*b*. TREVOA Cav. TREVOA. (*Trevo*, the name of some botanist.) *Rhamnææ*. 1.—2.
 34502 - - *triplinervis* Gill. triple-nerved or 4 ... G.Y Chili 1828. C p.1 Bot. mis. 55
 34503 - - *quinquenervia* Hook. mis. 5-nerved or 4 jn W Chili 1827. C p.1 Bot. mis. 45. (B)

4069. - - *TRIPAS* Lindl. TRIAS. (*Trias*, three; open flower forming a triangle.) *Orch. Malaxidææ*.
 34504 - - *oblonga* Lindl. oblong el ... n Din.G.P B. Indies ... D p.r.w

2561. TRIBRA'CHIA 22767 *péndula* B. R.; syn. *Bolbophyllum recurvum* Lo. C.

1306. TRIBULUS.
 34505 - - *littoralis* Ait. sea-side or ... jl.au ... N. Holl. 1821. S s.l

4070. - - *TRICHINIUM* R. Br. TRICHINIUM. (From *trichinos*, composed of hairs.) *Anaranthææ*.
 34506 - - *alopecurideum* Lindl. foxtail-like cu 1 my.o P.B N. Holl. 1836. S cone Bot. reg. 1839. 28

4071. - - *TRICHOEN'TRUM* Pöpp. TRICHOEN'TRUM. (*Thrix*, hair, *keutron*, a spur or centre.) *Orchidææ*.
 34507 - - *fuscum* Lindl. brown-flowered cu ½ jl G.W.Mexico 1835. D p.r.w Bot. reg. 1951
Acidium fuscum Lindl.
 34508 - - *recurvum* Lindl. recurved cu ... su.aut W.P Guiana 1842. D fib.p
 34509 - - *candidum* Lindl. white cu ... su.aut W.Y Guatemalal. 1840. D fib.p
 34510 - - *iridifolium* Lindl. Iris-leaved cu ... su.aut Pa.Y Demerara 1837. D fib.p

204. TRICHO'CHLOA.

- 34511 1757*a* *glomerata* Trin. glomerate un ... au.o Ap N. Amer. 1832. D co

2942. TRICHO'MANES.

- 34512 - - *alatum* Spr. winged or ... su Br W. Indies 1824. D p.1
 34513 - - *floribundum* Spr. many-flowered or ... su Br W. Indies 1825. D p.1
 34514 - - *crispum* Spr. curled or ... su Br W. Indies 1828. D p.1
 34515 - - *javanicum* Blume Javanese or ... su Br Java ... D p.1
 34516 - - *gemmatum* J. Sm. budded or ... su Br Malacca ... D p.1
 34517 - - *curvatum* J. Sm. curved or ... sp Br l.of Luzon ... D p.1
 34518 - - *rhomboideum* J. Sm. rhomboid or ... su Br l.of Luzon ... D p.1
 34519 - - *obscurum* Blume obscure cu ... su Br l.of Luzon ... D p.1
 34520 - - *achilleifolium* W. milfoil-leaved pr ... su Br l.of Luzon ... D p.1
 34521 - - *meifolium* Bory meum-leaved pr ... su Br l.of Luzon ... D p.1
 34522 - - *angustatum* Carm. narrowish or ... sp Br l.of Luzon ... D p.1
 34523 - - *humile* Forst. low pr ... sp Br l.of Luzon ... D p.1
 34524 - - *parvulum* Poir. very-small pr ... su Br l.of Luzon ... D p.1
 34525 - - *fusco-glaucescens* glaucous-brown or ... su Br l.of Luzon ... D p.1
 34526 - - *aculeatum* J. Sm. prickly pr ... su Br l.of Luzon ... D p.1
 34527 - - *dissectum* J. Sm. cut-leaved pr ... su Br l.of Luzon ... D p.1

119. TRICHONE'MA.

- 34528 - - *ramiflorum* Swt. branched-flwd or ½ my.jn P Naples 1830. O co
 1059 *cruciatum* Jac. cruciate-leaved or ½ my.jn Ro C. G. H. 1758. O s.p.1 Jac. ic. 2. 290
 34529 1059*a* *longifolium* Swt. long-leaved or ½ my.jn Ro C. G. H. 1758. O s.p.1 Bot. mag. 575
cruciatum Ker in Bot. mag., not of Jac.
 34530 1059*b* *filifolium* Ker thread-leaved or ½ my.jn Y C. G. H. 1812. O s.p.1 Red. lil. 251. 2
 34531 1061*a* *tortuosum* Ker twisted-leaved or ½ my.ju Y C. G. H. 1822. O s.p.1
 34532 - - *subpalæstre* Herb. rather boggy pr ½ ... Li.W Salonica ... O s.p.1 Bot. reg. 1847. 40.1
 34533 - - *Pylium* Herb. Pylium or ½ ... W.Y Navarino ... O s.p.1 Bot. reg. 1847. 40.2

4072. 1064*a*. TRICHOPE'TALUM Lindl. (*Thrix*, hair, *petalon*, a petal; inner per. fringed.) *Asphodèleæ*.
 34534 - - *gracile* Lindl. slender cu 3 jn.au W.G. Chili 1828. D r.m Bot. reg. 1535
 34535 - - *stellatum* Lindl. starry-flowered cu 1 ap W Chili 1829. D co Bot. mag. 3084
Anthëricum? plumosum Bot. Mag. 3084, and possibly of Ruiz and Pavon.

162. TRICHOPIORUM.
 34536 1433a montevidense G. Don Montevidean 曲 ⊠ un 4 my.n Ap S. Amer. 1827. D bog
 Eriophorum montevidense Lk.
 34537 - Lockhartii G. Don Lockhart's 曲 ⊠ un 4 my.n Ap Trinidad 1827. D bog
4073. 2537a. TRICHOPIYLIA Lindl. TRICHOPIYLIA. (Thrix, hair, and pilion, a cap; cap of anther.) Orchidaceæ.
 34538 - tortilis Lindl. twisted-petalled ƒ ⊠ cu ¼ ja W.c Mexico 1835. D p.r.w Bot. reg. 1863
2694. TRICHOSANTHES.
 †23671 colubrina Jac. serpent-like ƒ ⊠ cu 20 jn.jl W Puerto 1817. S It.f.m Bot. reg. 1846. 18
4074. - TRICHOSMA Lindl. HAIR ORCHIS. (Thrix, hair, and kosmos, ornament.) Orchidaceæ.
 34539 - suavis Lindl. sweet ƒ ⊠ pr 1 su W.Y E. Indies 1840. D p.r.w Bot. reg. 1842. 21
 Calogyne coronaria B. R. M. 1841, 178.
2066. TRIFOLIUM.
 34540 - armeniacum Penny Armenian ƒ Δ or 1 jn.o R Armenia 1830. D co
 The name of this species is too similar to that of No. 18471.
 34541 - Wormskiöldii Penny Wormskiöld's ƒ Δ pr ¼ jn.o P 1830. D co
 †18515 reflexum L. reflexed ƒ Δ or ?! jn.jl Ro.W Texas 1794. S l Bot. mag. 3471
 34542 - fucatum Lindl. tinted ƒ Δ or ?! jn Pa.Y.lh Californ. 1834. S bk.p Bot. reg. 1883
 34543 - Gussónii Ten. Gussón's ƒ Δ or 1 ... Wsh 1835. S co
 †18530 involueratum W. involucred ƒ Δ pr 1 jn.jl Lem Mexico 1802. S co
2063. TRIGONELLA.
 34544 - azurea Dec. blue-flowered ƒ Δ or ... jl.s B Caucasus 1837. S co
 34545 - spicata Dec. spiked ƒ Δ or ¼ jn.s Y Grecece 1836. S co
4075. - TRIGONIDIUM Lindl. (Trigonon, triangle, eidos, like; several parts.) Orchidaceæ. 20.—1.
 34546 - obtusum Lindl. blunt-petalled ƒ Δ pr 1 au W.n Demerara 1834. D p.r.w Bot. reg. 1923
 34547 - Egertonianum Bate. Sir P. Egerton's ƒ Δ or 1½ year Y.br Honduras 1837. D p.r.w
 34548 - acuminatum Bate. acuminate ƒ Δ or Str.Br Demerara 1834. D p.r.w
 34549 - tenue Lindl. slender ƒ Δ or ... jl.au P Demerara 1837. D fib.p
 34550 - ringens Lindl. gaping ƒ Δ or ... year Y.G. Mexico 1839. D fib.p
1118. TRILLIUM.
 34551 9140a discolor Wray two-coloured ƒ Δ fra ¼ my G Georgia 1831. D p.l Bot. mag. 3097
 9146 erectum
 3 viridiflorum Hook.palc green-flwd ƒ Δ or ¼ ap.my Pa.G Canada 1805. D s.p Bot. mag. 3250
 T. pendulum W., Hort. Brit. No. 9149.
4076. 1771a. TRIPHYSARIA F. & M. TRIPHYSARIA. (Treis, three, physa, a bladder.) Scrophulariaceæ. 14.—2.
 34552 - versicolor G. Don party-coloured ƒ Δ or ... jn.s W.R Californ. 1837. S co
2233. TRIPTYLION 20216 spinosum. Bot. reg. 1841. 22. Paxt. mag. bot. 10. p. 269.
2180. TRISTANIA.
 34553 19646a albicans Cun. whitish ƒ Δ or 80 jn.jl W N. Holl. 1818. C l.p
 "Turpentine tree" of the colonists.
 †19647 macrophylla Cun. large-leaved ƒ Δ or 50 jn.jl W Moreton B 1824. C l.p
 Tristania laurina R. Br., Hort. Brit. 19647., Bot. Reg. t. 1839.
 34554 - myrtifolia Ait. Myrtle-leaved ƒ Δ or N. Holl. 1818. C s.p
206. TRISTEGIS 1770 glutinosa Nees; syn. Melnis minutiflora Spr.; Suar dia picta ?Hort.
4077. 141b. TRITELEIA Lindl. (Treis, three, teleios, complete; ternary arrangement.) Asphodelæc. 6.—1.
 34555 - grandiflora Lindl. great-flowered ƒ Δ or 2 jl.au B. N. Amer. 1826. O p.l
 34556 - laxa Benth. lax-umbelled ƒ Δ or 1½ jn.jl Dp. B Californ. 1832. ? O p.l Bot. reg. 1685
 34557 - uniflora Lindl. one-flowered ƒ Δ el 1 jn B B. Ayres 1836. O p.l Bot. reg. 1921
 34558 - adrea Lindl. golden-flowered ƒ Δ or 1 ap.jl Y Mte. Video 1838. O p.l
1023. TRITOMA.
 34559 4485a Burchellii Herb. Burchell's ƒ Δ or 1½ jn.jl Y.n C. G. H. 1816. O s.l Bot. reg. 1745
123. TRITONIA.
 34560 - odorata B. C. fragrant ƒ Δ or ½ su Y C. G. H. 1829? O s.p Bot. cab. 1820
 34561 - fucata Lindl. painted ƒ Δ or ... my R.Y C. G. H. 1813. O s.p.l Bot. reg. 1838. 35
 34562 - adrea Pappé golden-eld-flwd ƒ Δ or 2 jl.au O.R Caffraria 1846. R s.l Bot. mag. 4335
- 4077.* - TROCHETIA Dec. (M. Dutrochet, the celebrated French physiologist.) Byttneriaceæ. 16.—8.
 34563 - grandiflora Lindl. large-flwd ƒ Δ or 6 d W.Y Mauritius 1842. C l.p Bot. reg. 1844. 21
4078. 875c. TROCHISANTHES Koch TROCHISANTHES. (Trochiskos, a small wheel, anthos, a flower.) Umbel. 1.
 34564 - nodiflora Koch knot-flowered ƒ Δ un 3 jl.au G Alp. Eur. 1810. D p.l Al. ped. 72
 Ligisticum nodiflorum Vil. No. 6966. Also belongs to this genus.
- †513. TROCHOCARPA R. Br. TROCHOCARPA. (Trochos, a wheel, karpos, fruit; cells.) Epacridæc. 1.
 †4315 laurina R. Br. Laurel-leaved ƒ Δ or 25 ap.au W N. Holl. 1823. C s.p Bot. mag. 3324
1638. TROLLIUS.
 34565 - aconitifolius Lk. Aconitum-lvd ƒ Δ or 2 my Y 1829. D p.l
 34566 - acaculis Lindl. stemless ƒ Δ or ¼ jl Y Casimere 1842. D s.l.p Bot. reg. 1843. 32
 14649 europæus
 3 albus white-flowered ƒ Δ or 1 my.jn Wsh Britain gard. D co
 34567 - Riederianus F. & M. Rieder's ƒ Δ or ... my.jl Y Siberia 1838. D p.l
 34568 - altaicus Mey. Altaian ƒ Δ or ... my.jl Y Altaia 1836. D p.l
1148. TROPÆOLUM.
 9311 majus
 3 atrosanguineum D. Don dark red ƒ Δ or 3 ... Peru gard. var. S co Sw. fl. gar. 2.s.204

- 9315 peregrinum *L.* exotic $\frac{1}{2}$ Δ or 3 jls Y N.Grana. 1810. C s.l Sw. fl. gar. 2. s. 134
aduncum Sm. No. 9312. p. 144.; *Smithii* Dec.
 9317 polyphyllum *Bot. mag.* t. 4042.; and *Paxt. mag. bot.* vol. x. p. 175.
 34569 9317a tricolor *Sot.* three-colored $\frac{1}{2}$ Δ el 12 ju. s O.F Valpara. 1828. C p.l Sw. fl. gar. 270
tricolor *Bot. reg.* 1935.
 34570 9317b Jarráttii *Youell* Jarratt's $\frac{1}{2}$ Δ el 12 ... S.v Santiago 1836. C p.l Paxt. mag. v 29
 34571 - brachyceras *Hook.* short-spurred $\frac{1}{2}$ Δ pr 12 au Y Chili ... C l.p Bot. reg. 1926
 34572 - tuberösium *Maxud* tuberous-rooted $\frac{1}{2}$ Δ cit 3 s Y.R Peru 1837. R.C.R Bot. gar. 633
 34573 - Moritzianum *Klotzsch* *Mr. Moritz's?* $\frac{1}{2}$ Δ or 6 jl Y.R Cumana 1839. S co Bot. mag. 3844
 34574 - cölle *Paxt.* eatable $\frac{1}{2}$ Δ or 6 mr O.G Chili 1841. s.p.l Paxt. mag. ix. 127
 34575 - azureum *Miers* azure $\frac{1}{2}$ Δ or 3 au.s B Chili 1842. C s.l.p Bot. mag. 3985
 34576 - crenatiflorum *Hook.* crenate-petaled $\frac{1}{2}$ Δ or ? 3 jl.au Y Peru 21845. C l.p Bot. mag. 4245
 34577 - speciosum *Endl.* showy-flwd $\frac{1}{2}$ Δ or ? 6 jn.jl R.v Chili 21845. C l.p Bot. mag. 4323
 34578 - umbellatum *Hook.* umbellate $\frac{1}{2}$ Δ or ? 3 jn.jl R.o Pilzhum 21846. C l.p Bot. mag. 4337
 34579 - Lobbianum *Veitch* Lobb's $\frac{1}{2}$ Δ or 6 jls S.R Columbia 1843. C l.p Bot. mag. 4097
2198. TROXIMON 19792 $\frac{1}{2}$ glaucum
 1. The scape and the leaflets of the involucre, which are spreading, hirsutely tomentose, (*Hooker.*)
 $\frac{1}{2}$ Δ or 1 jn.au Y Rocky Mountains. Raised from seeds gathered by Mr. Drummond during Capt.
 'Sir John Franklin's expedition. *Bot. mag.* 3462.
 2. The scape and the leaflets of the involucre, which are erect, perfectly glabrous, (*Hooker.*) *Bot. mag.*
 1667.
 Sir W. J. Hooker has cited *cuspidatum* Ph., and *marginatum* Nut., as syns. of var. 2., with a
 doubt to each.
4079. 668a. TRYMA'LIUM Fenzl TRYMALIUM. (Not explained.) *Rhamnaceæ.* 5.—1.
 34580 - odoratissimum *Fenzl* sweetest-sctd $\frac{1}{2}$ Δ fra... f.m.y Y N. Holl. 1834. C s.p.l
 Nos. 5521, 5522, 5523, and 5524. in p. 84. are also included in this genus.
1026. TULBA'GHIA.
 34581 - violacea *Harv.* violet-flowered $\frac{1}{2}$ Δ pr 1 o P C. G. H. ... O r.m Bot. mag. 3555
1017. TULLIP.A.
 8426 oculus sblis
 34582 8426a 2 persica *Lindl.* Pers. sun's-eye $\frac{1}{2}$ Δ spl 1 mr S.Bk Persia 1826. O co Bot. reg. 1143
 34582 8426a maculens *Bert.* ill-smelling $\frac{1}{2}$ Δ or 1 my Italy? 21827. O co Sw. fl. gar. 2. s. 153
 34583 - 2 variegata *Swt.* variegated-flwd $\frac{1}{2}$ Δ or 1 my R.v Italy? 21827. O co Sw. fl. gar. 2. s. 153
 34583 - scabriscapa *Str.* rough-stemmed $\frac{1}{2}$ Δ or 2 ap.my R.v Italy 1837. O r.m Bot. reg. 1990
 34584 8431a Bonorotiana *Reboul.* Bonorota's $\frac{1}{2}$ Δ or 1 ap.my R.v Italy 21827. O co Sw. fl. gar. 2. s. 116
 34585 - strangulata *Reboul.* choked $\frac{1}{2}$ Δ or 1 ap O co
 34586 - saxatilis *Sieb.* rock $\frac{1}{2}$ Δ or 1 ap.my Y Crete 1827. O co Rchb. rar. 396
 34587 - patens *Ag.* spreading $\frac{1}{2}$ Δ or 1 ap.my W.GySiberia 1829. O co
tricolor *Led., Bot. mag.* t. 3887.
 34588 - Biebersteiniana *R. & S.* Bieberst. $\frac{1}{2}$ Δ or 1 jn.jl Y.P Siberia 21820. O co
 34589 - media *Ag.* middle $\frac{1}{2}$ Δ or 1 my.jn S.w 1828. O co
 34590 - humilis *Herb.* dwarf $\frac{1}{2}$ Δ or ... ap.my R Russia 1840. O s.p.l
4080. 1386a. TUNICA *Koch* TUNICA. (*Tunica*, a coat; seeds.) *Caryophyllaceæ.* 10.—2.
 34591 - dianthoides *F. & M.* pink-like $\frac{1}{2}$ Δ or ... jls R Candia 1838. S p.l Fl. gr. 383
 34592 - pachynota *F. & M.* thick-backed $\frac{1}{2}$ Δ or ... jl.au W Natolia 1838. S p.l
 34593 - illyrica *F. & M.* Illyrian $\frac{1}{2}$ Δ or ... jl.au R Sicily 1838. S p.l Fl. gr. 386
Saponaria illyrica Dec.
 Also No. 11366. in p. 177.
4081. 609a. TUPA *G. Don.* (Name applied by the Indians of Chili to a species of this genus.) *Lobeliaceæ.* 10.
 34594 - hlanda *D. Don* charming $\frac{1}{2}$ Δ or 3 ... Pk Chili ... D lt.I Sw. fl. gar. 2. s. 308
 Nos. 5074, 5081, 5090, and 5102. *syn.* Feuillei, are also referrible to this genus.
992. TUPI'STRA.
 34595 8106a nitans *Lindl.* nodding-flwd $\frac{1}{2}$ Δ cu 1 n Ld E. Indies 1822. R l.p Bot. reg. 1223
4082. 826b. TURGENIA *Hofm.* TURGENIA. (*Turgeo*, to swell; seeds.) *Umbelliferae.* 5.—1.
 34596 - latifolia *Hofm.* broad-leaved $\frac{1}{2}$ Δ un 3 jl.au R England ch. fi. S co Eng. bot. 198
Calcatis latifolia No. 6637.
916. TURGO'SIA.
 34597 7372a pertusula *Haw.* small-pierced $\frac{1}{2}$ Δ or 1 o.n W C. G. H. 1824. C s.l
900. TURNERA 7237 ulmifolia *L.* Bot. mag. 4137.
1295. TURREA' A. ?
 34598 10868a pinnata *Wal.* winged-leaved $\frac{1}{2}$ Δ or 15? mr Pa.Ro Silhet 1828. C l.p Bot. reg. 1413
 34599 - lobata *Lindl.* lobed-leaved $\frac{1}{2}$ Δ or ... jn.s W S. Leone 1842. C l.p Bot. reg. 1844. 4
 34600 - heterophylla *Cunn.* various-leaved $\frac{1}{2}$ Δ or ... my.au W S. Leone ... C l.p
1826. TURRITIS.
 34601 16132a patula *Grah.* spreading $\frac{1}{2}$ Δ un $\frac{1}{2}$ my.jn W N. Amer. 1827. S co
 34602 - stricta *Grah.* strict $\frac{1}{2}$ Δ or ... my.jn W N. Amer. 1827. S co
 34603 - Grahami *Leh.* Graham's $\frac{1}{2}$ Δ or ? W 1832. S co
2333. TUSSILA'GO.
 34604 21106a purpurea *H. K.* purple $\frac{1}{2}$ Δ or 1 jn.au P C. G. H. 1824. D co
 21104 *Petasites L.*; *syn. Petasites vulgaris* Dec. Nos. 21102, 21103, and 21105. are also referred by De Candolle
 to the genus *Petasites*.
 Nos. 21098, 21099, 21100, 21101, and 21106. in' p. 344., constitute De Candolle's genus *Nardosmia*; and
 Nos. 21094, 21095., and 21096., the genus *Homogyne* of Dec.
4083. - TWEEDIA *Hook.* TWEEDIA. (*Mr. Tweedie*, a botanical collector.) *Asclepiadaceæ.* 5.—2
 34605 - carulea *D. Don* blue-flowered $\frac{1}{2}$ Δ or 3 jl.au B B. Ayres 1836? C s.l Sw. fl. gar. 2. s. 407
versicolor *Iloek., Bot. mag.* 3630.
 34606 - floribunda *Paxt.* bundle-flwd $\frac{1}{2}$ Δ or ... su Pk Brazil 1838. C s.l

1960. *ULFEX* 17465 hibérnica *G. Don*, syn. *stricta* Mackay.

17463 europæa
2 ðore pléno ; double-flwd ■ or 6 ap.jn Y Britain ... S co

814. *ULMUS*.

6539 campestris

§ i. Timber trees.

1 vulgáris <i>A. B.</i>	common	♀	tm 80	ap.my	Br	Britain	...	L co
2 latifolia <i>Hort.</i>	broad-leaved	♀	tm 80	ap.my	Br	Britain	...	L co
3 álba <i>Mast.</i>	white	♀	tm 80	ap.my	Br	Britain	...	L co
4 acutifolia <i>Mast.</i>	acute-leaved	♀	tm 80	ap.my	Br	Britain	...	L co
5 stricta <i>Hort.</i>	upright	♀	tm 80	ap.my	Br	Britain	...	L co
6 virens <i>Hort.</i>	green, <i>Kidbrook</i>	♀	tm 80	ap.my	Br	Britain	...	L co
7 cornubiénsis <i>Hort.</i>	Cornish	♀	tm 80	ap.my	Br	Britain	hedg.	L co
<i>U. stricta</i> Lindl.								
8 sarniénsis <i>A. B.</i>	Jersey	♀	tm 80	ap.my	Br	Britain	...	L co
<i>U. sarniénsis</i> Lo. C.								
9 tortuosa <i>A. B.</i>	twisted	♀	tm ...	ap.my	Br	Britain	...	L co
<i>U. tortuosa</i> Lo. C.								

A. b. pl. 230

§ ii. Ornamental or curious trees.

10 fol. variegáti <i>Lod.</i>	lvs. var. with w.	♀	or ...	ap.my	Br	Britain	...	G co
11 actinifolia <i>A. B.</i>	Birch-leaved	♀	or ...	ap.my	Br	Britain	...	G co
12 vimináli <i>A. B.</i>	twiggy	♀	or 30	ap.my	Br	Britain	gard.	G co
13 parvifolia <i>A. B.</i>	small-leaved	♀	or 20	ap.my	Br	Siberia	1822.	G co
<i>U. parvifolia</i> Jac., &c.; No. 6554. in p. 160. <i>U. microphylla</i> Pers., No. 6555. in p. 100. <i>U. pumila</i> W., No. 6553. in p. 100. <i>U. humilis</i> , ? No. 6549. in p. 100. <i>U. pumila</i> var. β (<i>transbaicalénsis</i>) Pall. <i>U. p. foliis pávis</i> , &c., Pluk.								
14 planifolia <i>A. B.</i>	flat-leaved	♀	or 20	ap.my	Br	G co
<i>U. planifolia</i> Hort.								
15 chinénsis <i>A. B.</i>	Chinese	♀	or	Br	China	...	C 1p
<i>U. chinénsis</i> Pers., No. 6556. in p. 100.								
16 cuculláta <i>Hort.</i>	cucullate-lvd	♀	or ...	ap.my	Br	G co
17 concavifolia <i>Hort.</i>	concave-lvd	♀	or ...	ap.my	Br	G co
18 fóliis áureis <i>Hort.</i>	lvs. var with yel.	♀	or ...	ap.my	Br	Britain	gard.	G co
19 viscosa <i>Hort.</i>	viscid	♀	or ...	ap.my	Br	Britain	gard.	G co
<i>U. viscosa</i> Lo. C.								
20 nána <i>Hort.</i>	dwarf	♀	or 2	ap.my	Br	Britain	gard.	G co
6540 suberdsa		♀	or 2	ap.my	Br	Britain	gard.	G co
1 vulgáris <i>A. B.</i>	common	♀	tm 80	ap.my	Br	Holland	...	L co
2 fóliis variegáti <i>Lod.</i>	varieg.-lvd	♀	or 80	ap.my	Br	G co
3 álba <i>A. B.</i>	white-bkd	♀	tm ...	ap.my	Br	Britain	...	G co
4 erecta <i>Lod.</i>	upright	♀	tm 80	ap.my	Br	Britain	...	G co
5 var. broad-leaved	Hertfordshire	♀	tm 80	ap.my	Br	Britain	...	G co
6 var. narrow-lvd	Hertfordshire	♀	tm 80	ap.my	Br	Britain	...	G co
6544 montána <i>E. B.</i>		♀	tm 80	ap.my	Br	Britain	...	G co

§ i. Timber trees.

1 vulgáris <i>A. B.</i>	common	♀	tm 40	ap.my	Br	Britain	hedg.	S co
2 rugosa <i>Mast.</i>	rough-leaved	♀	tm 40	ap.my	Br	Britain	...	G co
3 mājor <i>Mast.</i>	greater	♀	tm ...	ap.my	Br	Britain	...	G co
4 minor <i>Mast.</i>	less	♀	tm ...	ap.my	Br	Britain	...	G co
5 cevennénsis <i>Hort.</i>	Cevcnnes	♀	tm ...	ap.my	Br	Britain	...	G co
6 nigra <i>Hort.</i>	black, <i>Irish</i>	♀	tm 40	ap.my	Br	Ireland	...	G co
7 austrális <i>Hort.</i>	southern	♀	tm ...	ap.my	Br	G co

A. b. pl. 238

§ ii. Ornamental or curious trees.

8 péndula <i>A. B.</i>	pendulous-bran.	♀	or ...	ap.my	Br	Britain	...	G co
<i>U. péndula</i> Lod. <i>U. glabra decumbens</i> Hort. Dur. <i>U. horizontalis</i> Hort. <i>U. rubra</i> Hort. Soc. Gar.								
9 fastigiáta <i>Hort.</i>	fastigate, <i>Exeter</i>	♀	or ...	ap.my	Br	Exeter	1826.	G co
<i>U. coménsis</i> , and <i>U. Fordii</i> Hort. <i>U. glabra replicata</i> Hort., Desf.								
10 crispá <i>A. B.</i>	curled-leaved	♀	or 20	ap.my	Br	N. Amer.	...	G co
? <i>U. crispá</i> , No. 6550.								
6542 glábra		♀	or 20	ap.my	Br	N. Amer.	...	G co

§ i. Timber trees.

1 vulgáris	common	♀	tm 60	ap.my	Br	Britain	hedg.	L co
2 végeta	vigorous, <i>Huntingdon</i>	♀	tm 80	ap.my	Br	Britain	gard.	G co
<i>U. montána végeta</i> Lindl. <i>U. amricána</i> Mast. Chichester Elm. American Elm, of some. ?Scampston Elm.								
3 var.	Scampston	♀	tm 80	ap.my	Br	?America	...	G co
4 mājor <i>A. B.</i>	greater	♀	tm 80	ap.my	Br	Britain	...	G co
5 glandulosa <i>Lindl.</i>	glandulous-lvd	♀	tm ...	ap.my	Br	Britain	...	G co
6 latifolia <i>Lindl.</i>	broad-leaved	♀	tm ...	ap.my	Br	Britain	...	G co
7 microphylla <i>Lindl.</i>	small-leaved	♀	tm ...	ap.my	Br	Britain	...	G co

§ ii. Ornamental or curious trees.

8 péndula <i>A. B.</i>	pendulous	♀	or ...	ap.my	Br	Britain	gard.	G co
9 variegáta <i>H. S.</i>	variegated-lvd	♀	or ...	ap.my	Br	Britain	...	G co
10 ramulosa <i>Booth</i>	branching	♀	or ...	ap.my	Br	Floetbeck	...	G co
6546 americána		♀	or ...	ap.my	Br	Floetbeck	...	G co
1 rúbra <i>Ait.</i>	red-branched	♀	tm 40	ap.my	Br	N. Amer.	...	G co
2 álba <i>Ait.</i>	white-branched	♀	tm 40	ap.my	Br	N. Amer.	...	G co
? <i>U. mollifolia</i> .								
3 péndula <i>Ph.</i>	pendulous	♀	tm ...	ap.my	Br	N. Amer.	...	G co
4 incisa <i>H. S.</i>	cut-leaved	♀	tm ...	ap.my	Br	N. Amer.	...	G co
5 fóliis varieg.	<i>Hort.</i> variegated-lvd	♀	or ...	ap.my	Br	G co

A. b. pl. 242

4. 84. 1409a. *UMBILICUS* Dec. *UMBILICUS*. (*Umbilicus*, the navel; hollow-leaved.) *Crassulacæ*. 4.—5.
34607 - serrátus *Dec.* serrated-leaved ♀ Δ cu $\frac{1}{2}$ jnjl P Siberia 1732. C s.1 Di. el. 95. f. 112
Cotyledon serrata L. No. 11829. Nos. 11828. 11831. and 11832. also belong to this genus

4085. 649a. UNCA'RIA *Gac.* UNCA'RIA. (Uncus, a hook; old petioles.) *Rubiaceæ.* 2.—10.
 34608 - sessilifructus *Roz.* sessile-fruited $\frac{1}{2}$ \square or 10 ... E. Indies 1829. C p.l
 34609 - Gambir *Wal.* Gambier $\frac{1}{2}$ \square or 10 ... Pa.l E. Indies 1825. C p.l Lin. tr. 9. 22
Nauclæa Gambir, No. 5347.
4086. 935a. URCEOLI'NA *Reich.* URCEOLINA. (Urceolus, a pitcher; form of flower.) *Amaryllidaceæ.* 6.—1.
 34610 - pendula *Herb.* pendulous $\frac{1}{2}$ Δ or ... jn Y.G Andes 1837. O s.l
2010. URE'NA.
 34611 - speciosa *Wal.* showy $\frac{1}{2}$ \square or 3 n Pk Ava 1828. S s.l Wal. pl. as. ra 26
2615. URTICA.
 34612 23132a photenophylla *Cun.* shining-leaved $\frac{1}{2}$ \square or 25 ... G Moreton B. 1830. C p.l
 34613 - macrostachya *Wal.* long-spiked $\frac{1}{2}$ \square or G E. Indies 1831.
1620. UVA'RIA.
 34614 - villosa *H. C.* villose $\frac{1}{2}$ \square or E. Indies 1831. C p.l
 34615 14357a longiflora *Wal.* long-flowered $\frac{1}{2}$ \square or E. Indies 1823. C p.l
 34616 14357b fasciculata *Wal.* bundled $\frac{1}{2}$ \square or E. Indies 1823. C p.l
1194. VACCINIUM. (Sir W. J. Hooker has referred this genus to the Linnæan class Decandria, in *Bot. Mag.*, t. 3433., and noticed there that others refer it to the class Octandria.)
 10098 frondatum *H. K.* beautiful $\frac{1}{2}$ or 3 my.jn Pk N. Amer. 1770. L p
venustum H. K., No. 10097.
 10105 resinosum 3 lutescens *Ph.* yellowish-flwd $\frac{1}{2}$ or 2 my.jn Rsh. Y N. Amer. 1804. L p Bot. rep. 125
parviflorum Andr., No. 10106.
 †10107 corymbosum *L.* corymbose-infld $\frac{1}{2}$ or ... my W. bh N. Amer. 1806. L p Bot. mag. 3433
 syn., by Sir W. J. Hooker: *V. amaranthoides* Ait., Bot. Reg. t. 400., †2nd Bot. Rep. t. 138.? *V. dimorphum* Mx.
 2 fuscatum *Hook.* embrowned $\frac{1}{2}$ or 2 my.jn W. pk N. Amer. 1770. L p Bot. reg. 302
 syn., by Sir W. J. Hooker: *V. fuscatum* Ph., Bot. Reg. t. 302. *V. formosum* Andr., Bot. Rep. t. 97. *V. virgatum* Wat. Dendr. t. 33., not Ait. *V. marianum* Wat.
 34617 10107a album *Hook.* white-corrilled $\frac{1}{2}$ or ... my W. N. Amer. 1833? L p Bot. mag. 3428
 Allied to *V. corymbosum* L. It may possibly be the *V. album* of Lam. (not of Linn., for that Sir James Smith has ascertained to be the *Xylosteum ciliatum* β *Ph.*, nor of Pursh, which is *Vaccinium stamineum* ["Andrews's *Bot. Rep.*, not of Linn."]) but the description is too vague to allow a correct conclusion.
 — Sir W. J. Hooker.
 34618 10107b canadense *Hook.* Canadian $\frac{1}{2}$ or 1 my W. R Canada 1825? L p Bot. mag. 3446
 †10117 pennsylvanicum *Mr. Pennsylvanian* $\frac{1}{2}$ fr 1 $\frac{1}{2}$ my.jn W. bh N. Am. r. 1772. L p Bot. mag. 3434
 Sir W. J. Hooker has cited as synonymous the *V. tenellum* Ph., and, with a query, the *V. tenellum* of *Ait. Hort. Kew.* ii. 12.; and has noted that *V. pennsylvanicum* has affinity with *V. corymbosum*.
 †10120 myrtilloides *Mz.* Myrtilus-like $\frac{1}{2}$ or 1 ap. my Pk N. Amer. 1776. L p Bot. mag. 3447
 †10122 caespitosum *Mr.* tufted $\frac{1}{2}$ or 3 my W. dp. bh N. Amer. 1823. L p Bot. mag. 3429
 34619 - leucostomum *Lindl.* white-lipped $\frac{1}{2}$ \square or 2 ... S.W. Peru ? 1847. L p
 34620 - humifusum *Grah.* earth-spread $\frac{1}{2}$ el $\frac{1}{2}$ my W Rocky Mts. 1827. L p
95. VALERIA'NA.
 34621 - Napus *Lindl.* turnip-rooted $\frac{1}{2}$ Δ or W Mexico 1839. R co
 34622 - Mikanie *Lindl.* Mikani's $\frac{1}{2}$ \square or ... jn. jl W Guatemala 1847. C lt
96. VALERIANE'LLA.
 34623 922a congesta *Lindl.* crowded-flowered \circ or 1 jl R Columbia 1826. S co Bot. reg. 1094
 34624 - campanulata *Br.* bell-shaped \circ or 1 S. Europe ... S co
Fedia coronata Vahl.
 34625 - gibbosa *Dec.* gibbose \circ or 1 $\frac{1}{2}$ ap. jl ... Sicily 1837. S co
 34626 - truncata *Dec.* truncate \circ or 1 $\frac{1}{2}$ ap. jl Bh Crete 1828. S co
 34627 - microcarpa *Spr.* small-capsuled \circ or 1 ... ap. jl Bh S. Europe 1828. S co
 34628 - hamata *Dec.* hooked \circ or 1 $\frac{1}{2}$ ap. jl Pk France 1825. S co
 34629 - rotata *R. & S.* rotate \circ or 1 ... ap. jl Bh Italy 1828. S co
 34630 - chenopodiifolia *R. & S.* goosefoot-lyd \circ or 1 ... ap. jl Bh N. Amer. ... S co
 34631 - plagiolephana *F. & M.* oblique-crowned \circ or 1 ... ap. jl W Caucasus 1836. S co
 34632 - muricata *Bieb.* muricate \circ or 1 ... ap. jl Bh Caucasus 1828. S co
 34633 - angulosa *Dec.* angular \circ or 1 ... ap. jl Bh ... 1826. S co
 34634 - sclerocarpa *F. & M.* hard-fruited \circ or 1 ... ap. jl Bh Caucasus 1836. S co
 34635 - brachystephana *Ten.* short-crowned \circ or 1 ... ap. jl Bh Naples 1838. S co
 34636 - oxyrhyncha *F. & M.* sharp-beaked \circ or 1 ... ap. jl Bh Persia 1838. S co
 34637 - gracilis *F. & M.* slender \circ or 1 ... ap. jl Bh Persia 1838. S co
 34638 - Szovitsiana *F. & M.* Szovits's \circ or 1 ... ap. jl Bh Persia 1838. S co
2564. VA'NDA. (The Hindoo name of the original species, *V. Roxburghii*.)
 22776 Roxburghii *Lindl.*
 1 tessellata *Hook.* *scaps and petals* tessellated; syn. *V. Roxburghii* *Br.* in *Bot. Reg.* t. 506., *Sims* in *Bot. Mag.* t. 2245.
 2 unicolor *Hook.* whole-coloured $\frac{1}{2}$ \square or 5 ... Ch. Br China 1843. C: p.r.w Bot. mag. 3416
Jerva Lindl.
 34639 - insignis *Hort.* showy $\frac{1}{2}$ \square or 2 f C. Br. W Java 1878. D fib.p
 34640 - tres *Lindl.* taper-leaved $\frac{1}{2}$ \square or spl 2 jn P. v. w Silhet 1828. C block Bot. reg. 1809
 34641 - lamellata *Lindl.* lamellate $\frac{1}{2}$ \square or ... ju. ap. Pa. Y. r. Manilla? 1837. D p.r.w
 34642 - cresta *Lindl.* crested $\frac{1}{2}$ \square or 1 ap Gsh. v. P Nepal 1840. D p.r.w Bot. reg. 1842. 48
 34643 - Batemanii *Lindl.* Mr. Bateman's $\frac{1}{2}$ \square or spl 23 jn. jl Go. spt. C. Moluccas? 1845. D C fib.p Bot. reg. 1846. 59
tissochloides *Lindl.* *gen. ct sp. orch.* p. 216.; *Ficidia tissochloides* Gaudichaud.
 34644 - violacea *Lindl.* violet-cld-tipped $\frac{1}{2}$ \square or ? f W. V. Manilla 1839. D C fib.p Bot. reg. 1847. 30
 34645 - congesta *Lindl.* crowded-flwd $\frac{1}{2}$ \square or ... su aut Y Ceylon 1839.
 34646 - fusco-viridis *Lindl.* brown & yellow $\frac{1}{2}$ \square or ... sp Br. Gsh. Y ... D fib.p
 34647 - fraus *Lindl.* sweet-scented $\frac{1}{2}$ \square or ... W. Rsh. Br. sp. v. Java? 1847. D fib.p
 34648 - Cumingii *Lindl.* Cuming's $\frac{1}{2}$ \square or ... su Br. Y Philippines 1837. D C fib.p
 34649 - pedunculatis *Lo. C.* peduncled $\frac{1}{2}$ \square or ... su ... Ceylon 1840. D C fib.p
 34650 - parviflora *Lindl.* small-flowered $\frac{1}{2}$ \square or pr ... su Pa. Och. P. ats Bombay? 1843. D C fib.p
637. VANGUIE'RA.
 34651 - velutina *Hook.* velvety $\frac{1}{2}$ \square or 3 my L. G Madaga-car 1829. C co Bot. mag. 3014

2579. *VANILLA*.
 34652 - bicolor *Lindl.* two-coloured $\text{f} \begin{matrix} \square \\ \square \end{matrix}$ fra D.I.R Guiana ... D p.r.w
 34653 - *Palmarum Lindl.* Palm-tree-inhab. $\text{f} \begin{matrix} \square \\ \square \end{matrix}$ fra Bahia 1841. D.C fib.p
 34654 - *Pompona Lindl.* Pompona $\text{f} \begin{matrix} \square \\ \square \end{matrix}$ fra Mexico ... D.C fib.p
 34655 - *acutifolia L. C.* acute-leaved $\text{f} \begin{matrix} \square \\ \square \end{matrix}$ fra G.W Caracaeas 1841. D.C fib.p
 34656 - *claviculata Swartz* tendrilled $\text{f} \begin{matrix} \square \\ \square \end{matrix}$ fra W Cuba 1838. D.C fib.p
 34657 - *africana L. C.* African $\text{f} \begin{matrix} \square \\ \square \end{matrix}$ fra G.W S. Leone 1843. D.C fib.p
919. *VAUANTHES* 7395 chloræfiora *Haw.*; syn. *Grammæthtes chloræfiora* Dec.
619. *VELLEIA*.
 34658 5198a lauceolata *R. Br.* lance-leaved $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or Y S. River 1841. D s.p.1
1024. *VELTHEYMIA* 8489 glauca
 2 fl. rubescenti-purp. *Hook.* red- $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1 ... Rsh C. G. H. 1831°O r.m Bot. mag. 3456
4087. 711b. *VENTILA'GO* Dec. (*Ventilo*, to be exposed to the wind, and *ago*, to drive away.) *Rhamnææ*. 5.—1.
 34659 - *maderapatana Dec.* Madras $\text{f} \begin{matrix} \square \\ \square \end{matrix}$ or ?10 jn jl G E. Indies 1822. C s.p.1
2839. *VERA'TRUM*.
 34660 2493a Lobelænanum *Bernh. Lobel's* $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ... jn.au W S. Europe 1818. D p.1
480. *VERBA'SCUM*
 34661 - *tauricum Hort.* Taurian O or 2 au R ?hybrid ... co Bot. mag. 3799
 34662 - *indicum G. Don* Indian O or ... jl.au Y Nepal 1827. S co
 34663 - *densiflorum G. Don* dense-flowered O or ... jn.au Y Italy 1825. S co
 34664 - *rugulosum G. Don* rugged-leaved O or ... jn.au Y S. Europe 1829. S co
 34665 - *auriculatum Sib.* eared-leaved O or ... jn.au Y Levant 1826. S co Fl. gr. 225
 34666 - *fasciculatum G. Don* clustered-flwd $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ... my.au Y Mt. Sinai 1826. S co
 34667 - *æthiopicum Ehren.* Ethiopian $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ... my.au Y Mt. Sinai 1825. S co
 34668 - *hyoserifolium G. Don* Hyoseris-lvd $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ... jn.au Y Levant 1829. S co
 34669 - *chryserium G. Don* golden $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ... jn.au Y Palestine 1827. S co
 34670 - *urticæfolium G. Don* nettle-leaved O or ... jn.au Y.R 1827. S co
 34671 - *ceratophyllum G. Don* horn-leaved O or ... jn.au Y Levant 1829. S co
 3906 *Osbéckii W.*; syn. *Triguera ambrosiaca* G. Dou.
1749. *VERBE'NA*.
 34672 - *'Tweedieana Hook.* 'Tweedie's $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ el ... s S Brazil 21834. C p.1 Bot. mag. 3541
 34673 - *incisa Hook.* cut-leaved $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ el 2 jns V Panama 1836. C p.1 Bot. mag. 3628
 34674 - *rugosa D. Don* wrinkled-leaved $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 2 jl V Pa. Ayres 1833. P.D. C lt.1 Sw.fl.gar.2.s.318
 34675 - *glandulosa Mor.* glandulaced $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ un 2 su Pa 1832. C 1.p
 34676 - *radicans Hook.* rooting $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1 jns Li Chili 1832. C 1.p Bot. gard. 422
 34677 - *sulphurea D. Don* sulph.-cor. $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1 au Su Chili 1832. C s.1 Sw.fl.gar.2.s.221
 "Nearly related to *V. crithmoides* and *V. radicans* of Gillies and Hooker."
 34678 - *littoralis Hum.* shore O un 3 my.jl Cin S. Amer. 1832. C co
 34679 - *venosa Gill. & Hook.* strong-veined $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 2½ my.s P Pa. Ayres 1830. S s.1 Bot. mag. 3127
 34680 15631a alata *Lk. & Ó.* winged-stemmed $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 5 au.o Ro.r Mon.Vid. 1828. S lt. Sw.fl.gar.2.s.41
 34681 15638a barbata *Grah.* bearded $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ m 1 jns Pk Mexico 1826. S co
 15641 *Aublétia*
 2 *Drummondii Lindl.* Drummond's $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1½ jl L Texas ... D co Bot. reg. t. 1925
V. Drummondii Hort.
 34682 15641a pulchella *Sut.* neat $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ el 1 jns P Pa. Ayres 1827. S co Sw. fl. gar. 295
 2 corolla albida whitish-coral. $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1 jns Wsh Coul 1834. C co
 15642 *Lamberti*
 2 *Rosea D. Don* rosy-flowered $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1½ jl Pk Carolina ... D co Sw.fl.gar.2.s.363
V. Drummondii Hort.
 34683 15642a chamaedrifolia *Sm.* Germander-lvd $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ el 1 jns S Pa. Ayres 1827. C p.1 Sw. fl. gar. 2. s. 9
McLindres Gill.
 34684 - *tenerrimides G. & H.* Germander-like $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 2 au W.Pk S. Amer. 1837. D co Bot. mag. 3694
 34685 - *amœna Hort.* pleasing $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1 s.n P ?Mexico 1839. C co Paxt.m.bot.vil.3
 15654 multifida *R. & P.* in the year 1798; *erinoides W.* in 1809; Dr. Lindley retains "the older designation."
 2 *Sabini D. Don* Sabine's $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 3 jn.o ... Chili 1834. C.L co Sw.fl.gar.2.s.347
 This is identical with *V. multifida* var. *contracta Lindl.*
2399. *VERBESINA* 21894 Boswãllia *L.*; syn. *Glossocardia Boswãllia* Dec
 21899 sativa *H. K.*; syn. *Guizidia oleifera* Dec.
2262. *VERNONIA*.
 34686 20475a axilliflora *Lessing* axillary-flwd $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1½ all sea Li Bahia ... C s.1 Bot. reg. 1464
 34687 20477a acutifolia *Hook.* acute-leaved $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 4 d Pa.p S. Amer. ... C 1.p Bot. mag. 3062
45. *VERONICA*.
 331 maritima
 2 variegata variegated-lvd $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1½ jls B gardens ... D co
 34688 343a exaltata [*? Hort.*] lofty $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 4 jl.au B Siberia 1816. D lt.1 Bot. gard. 543
 34689 373a callistachya *Led.* prettiest-spiked $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 2 jn.jl B Podolia 1829. D co
 34690 359a angustifolia *C. Don* Amagallis-like $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ... my.jl Pa.n Calabria 1836. D co
 34691 - *didyma G. Don* twin-calyzed O or ... all sea B Naples 1827. S co
 31692 - *eratocarpa G. Don* horn-fruited O or ... mr.jn B Caucasus 1835. S co
 34693 416a formosa *R. Br.* beautiful $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 3 ap L V.Di.L 1835. C s.1.p Fl. cab. 106
diosmafolia Flor. Cab.
 34694 416b nivea *R. Br.* snowy-white $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ... my.jl W V.Di.L 1840. C s.1.p
 34695 - *speciosa R. Cunn.* showy-flwd $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 3 jn.au P N. Zeal. 1841. C s.1.p Bot. mag. 4057
 34696 - *salicifolia Forst.* willow-leaved $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 3 jl.au W N. Zeal. 1843. C s.1.p Bot. reg. 1846. 5
Lindleyana Paxt. Mag. of Bot. 12. 247.
- 419 prostrata
 2 *satureiæfolia Hook.* Savory-lvd $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1 my.jn B D co Bot. mag. 3683
- 431 *Chamaedrys*
 2 variegata variegated-lvd $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or 1½ pr ½ jl.au B Britain gard. D co
 442 dianthifolia *Cun.* Pink-leaved $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ½ my.jn B N.Holl. 1823. D p.1
- 34697 454a pollta *Fries* polished $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ½ mr.jl B Britain clt.g. S co Eng. bot. 783
 34698 - *Baumgãrtneri G. Don* Baumgarten's $\text{y} \begin{matrix} \square \\ \square \end{matrix}$ or ... my.jl Pa.n Transylv. 1826. D co

4088. 1372a. VERTICORDIA Dec. VERTICORDIA. (Derivation unexplained.) *Myrtacæ*. 10.—1.
 34699 - - *Brównii* Dec. Brown's 𠄎 or ... ap.my W N. Holl. 1826. C p.1
 34700 - - *Pontanésii* Dec. Desfontaines' 𠄎 or ... ap.my W N. Holl. 1826. C p.1
 34701 - - *insignis* B. R. remarkable 𠄎 or ... ap.jl Pk S. River 1839. C p.1
 34702 - - *heliántha* B. R. sun-flowered 𠄎 or ... my.jl Go S. River ... C p.1
 34703 - - *aceròsa* B. R. chaffy-leaved 𠄎 or ... ap.jn Y S. River 1842. C p.1
 34704 - - *setigera* B. R. bristly-leaved 𠄎 or ... my Li S. River ... C p.1
 34705 - - *densiflora* B. R. dense-flowered 𠄎 or ... jn.jl Pa rk S. River ... C p.1
 34706 - - *pennifera* B. R. feathery 𠄎 or ... mr.my Li S. River 1841. C p.1
1838. VESICARIA.
 34707 16241a *àrctica* Rich. arctic 𠄎 Δ pr ½ au.s Y N. Amer. 1828. S s.p FL dan. 1520
Alýssum àrcticum Fl. dan. 1520.
 34708 - - *àrenòsa* Rich. sandy 𠄎 Δ pr ½ au.s Y N. Amer. 1826. S s.p Bot. mag. 2882
Alýssum àrcticum Hook.
 34709 - - *gràcilis* Hook. slender-stemmed ○ or ⅔ my.au Y Texas 1834. S co Bot. mag. 3533
 34710 - - *grandiflora* Hook. large-flowered ○ or 1½ jl.o Y Texas 1835. S co Bot. mag. 3464
892. FIBURNUM.
 7109 *Thunus*
 2 *hirta* Ait. hairy 𠄎 or 10 s.mr W Portugal ... L co
V. Thunus Mill. Dict., Clus. *V. àcidium* Mil., Hort. Brit., No. 7112
 3 *lúcida* Ait. shining-leaved 𠄎 or 10 mr.d W Algiers ... L co
 subvar. *variegàta* Hort. varieg.-lvd 𠄎 or 10 mr.d W ... L co
 4 *virgàta* Ait. twiggy 𠄎 or 6 mr.d W Italy ... L co
V. strictum 2 *virgàtum* Hort. Brit. p. 109.
 5 *stricta* Hort. strict 𠄎 or 6 mr.d W S. Europe ... L co
V. strictum Hort. Brit. No. 7110.
 subvar. *variegàta* Hort. varieg.-lvd 𠄎 or 6 mr.d W S. Europe ... L co
- 7120 *nùdum*
 2 *squamàtum* A. B. scaly 𠄎 or 5 jl W N. Amer. 1822. L p.1 Den. br. 24
V. squamàtum W., Hort. Brit. No. 7117.
 34711 7121a *cottifolium* D. Don Cotinus-leaved or 8 ap.my W Himalayas 1832. C co Bot. reg. 1650
 34712 - - *Mullàha* Ham. Mullaha 𠄎 or Hinalayas ... C co
stellatàtum Wall.
 34713 - - *plicatùm* Thun. crimped-leaved 𠄎 or 10 my W N. China 1845. G co Bot. reg. 1847. 51
 34714 - - *dilatàtum* Thun. dilated 𠄎 or ¼ ap.my W China 1846. C co
- 7129 *Lantàna*
 2 *grandifolia* Ait. large-leaved 𠄎 𠄎 or 10 my.jn W, ... L p.1
V. L. latifolia Lo. C.
 3 *foliis variegàtis* Lo. C. varieg.-lvd 𠄎 or 10 my.jn W ... ?1841. C co
- 7133 *O'pulus*
 4 *ana* Hort. dwarf 𠄎 or ½ L p.1
 34715 7133a *pygmaea* Royle pygmy 𠄎 or 1½ Himalayas 1841. C co
 34716 - - *macrocephalum* Fort. large-headed 𠄎 or 20 my W N. China 1845. G co Bot. reg. 1847. 43
- 7135 *Oxyccoccus*
 2 *subintegrifolius* Hook. nearly entire 𠄎 or 10 jl W Columbia ... L p.1
 3 *mollis* soft 𠄎 or 10 jl W N. Amer. ?1841. L p.1
V. mollis Mx.; *V. aluifolium* Marsh.
 34717 - - *Awafuki* Sieb. Awafuki 𠄎 or ?Japan 1841. C co
?japònicum Hort.
 34718 - - *sinènsis* Zey. Chinese 𠄎 or China 1841. C co
2133. F'PCIA.
 34719 19202a *polysperma* Ten. many-seeded 𠄎 Δ or 6 jn Pa.P Naples 1833. S co Sw. fl. gar. 2. s. 274
 34720
 34721 - - *pimpinellifides* Mauri Pimpinella-lk. ○ or ... jn.jl ?P Rome 1832. D co
 34722 - - *Bivòni's* Dec. Bivoni's 𠄎 or ... jls R Sicily 1828. R co
 34723 - - *multicaulis* Led. many-stemmed 𠄎 Δ or ... ny.jn B.V Altai 1837. R co
 34724 - - *trichocalyx* G. Don hairy-calyxed ○ or ... jn.au W Sardinia 1836. S co
4089. 1564a. VICTORIA Lindl. WATER-MAIZE. (*Her Majesty the Queen.*) *Nymphaeacæ*, § *Euryalæ*. 13.—1.
 34725 - - *règia* Lindl. majestic 𠄎 ? Δ spl.ft n Ro.w Amazons 1846. S r.l Bot. mag. 4275—8
V. Regina Gray in Mag. of Zool. and Bot. v. 2, 1838, p. 440.; *Nymphaea Victoria* Schomburgk in litt.;
Euryale amazonica Poepp. in Froriep, Notizen, 35. p. 9. Reise, v. 2. p. 432; *V. Cruziana* D'Orbigny,
 l. c. p. 57.
464. VILLARISIA.
 34726 - - *chilènsis* B. C. Chilian 𠄎 Δ or 1 jn Pa.Y Chili 1832? D r.l Bot. cab. 1994
 34727 3867a *geminata* R. Br. twin-peduncled 𠄎 Δ or ft jn.jl Y N. Holl. 1828. O p.1
528. FYNCA 4362 herbàcea
 2 flore plèno double-flowered 𠄎 or 1 jn.jl P gardens 1846. D s.l [K. & P.]
 4363 mltor
 6 flore puniceo *Lod.* red-flowered 𠄎 or 1 mr.s R Britain gard. D co
 4364 mājor
 3 intermèdia intermediate 𠄎 or 1 mr.s B Britain gard. D co
 4 flore mēdia Hort.
 4 flore plèno double-flowered 𠄎 or 1 mr.s B Britain gard. D co
V. mēdia var. flore plèno Hort.
- 4366 rōsea
 4 fōl. variegàtis Hort. varieg.-lvd 𠄎 or 1 inr.o R.w gardens ... C r.m
 No. 4365 pusilla L. and No. 4366 rōsea L. in p. 67., constitute the genus *Catharanthus* of G. Don.
701. FTOLA 5707 palmàta
 2 variegàta *Mauud* variegated-flwd 𠄎 Δ or ½ my.jn B.w N. Amer. ... D p.l Bot. gard. 675
 5708 pedàta
 2 flabellàta D. Don fan-leaved 𠄎 Δ or ½ o Li.P Georgia 1831. D p Sw. fl. gar. 2. s. 247
 Dr. Graham and Mr. D. Don concur in deeming this plant but a variety of *F. pedata* L., and the *F. digitata* Ph. as identical with this variety. Mr. D. Don thinks that the *F. flabellifolia* of Lodd. Bot. Cab. 777. is also identical with it.
 34728 5728a *presmòrsa* Dou. bitten-rooted 𠄎 Δ or ¼ my.jl R Columbia 1826. D co Bot. reg. 1254
 5745 palùstris
 2 pennsylvànica Pennsylvanian 𠄎 Δ or ½ my.jn D.B N. Amer. ... D co

34729	5743a	suavis <i>Bieb.</i>	fragrant	⊕ Δ fra	‡ s	Pa.B	Ukraine	1823.	D	co	Sw. fl. gar. 2. s. 126	
	5752	canina										
		2 rubra <i>A. P.</i>	red-flowered	⊕ Δ	or ‡	ap.ju	R	gardens	...	D	p.1	
		3 álba <i>A. P.</i>	white-flowered	⊕ Δ	or ‡	ap.jn	W	gardens	...	D	p.1	
34730	5752a	flavicornis <i>Sm.</i>	yellow-horned	⊕ Δ	or ‡	my.jl	Y B	Britain	ch.pl.	D	co Eng.bot. 2. ed. 331*	
		5776 canadensis										
		2 discolor	two-coloured	⊕ Δ	or ‡	my.jn	B.W	N. Amer.	?1783.	D	co Sw. fl. gar. 2. s. 62	
34731	5783a	epipilla <i>Led.</i>	naked above	⊕ Δ	or ‡	my.jl	Y	Livonia	1826.	D	co	
		5787 tricolor										
		2 elegans <i>Led.</i>	elegant	⊕ ○	or ‡	su	Vy	Altai	1822.	C	co	
34732	5797a	canadensis <i>P. B.</i>	<i>W. Webb</i> Palma	⊕ Δ	or ‡	my.jl	B	Palma	1826.	C	1 p Bot. gard. 663	
34733		occulta <i>Leh.</i>	hidden	⊕ ○	cu ‡	my.jl	Vy	1832.	S	co	
34734		tripartita <i>G. Don</i>	tripartite	⊕ Δ	or ‡	my.jl	Y	Georgia	1824.	D	co	
34735		disssecta <i>Led.</i>	jagged-leaved	⊕ Δ	or ...	my.jn	V	Altai	1838.	D	co	
34736		pedatifida <i>G. Don</i>	foot-cleft	⊕ Δ	or ‡	my.jl	B	N. Amer.	1827.	D	p.1	
34737		attenuata <i>Swt.</i>	attenuated	⊕ Δ	or ‡	ap.au	W	N. Amer.	1812.	D	p	
		<i>lancoletata</i> Ph. & Nut. <i>sot of L.</i>										
4090.	1415a.	VISCARIA <i>Roehler.</i>	ROCK LYCHNIS. (<i>Viscus</i> , birdlime; stems glutinous.)								<i>Sit-næcæ.</i> 10.—5.	
34738	-	neglecta <i>G. Don</i>	neglected	⊕ Δ	or ‡	my.jl	W	1807.	D	co Bot. gard. 523	
		<i>Lychnis Viscaria albiflora</i> Hort.	(<i>G. Don</i> , in his <i>Syst. of Gard. and Bot.</i> 1. 415.)									
34739	-	oculata <i>Lindl.</i>	dark-eyed	○	or 2	su	Pk.Dp.R	Algiers	1843.	S	co Bot. reg. 1843 53	
		<i>Lychnis aspera</i> Poir.; <i>L. oculata</i> James Backhouse in litt.; <i>L. Carl-Rosa</i> Dec.										
34740	-	succisa <i>Lod.</i>	Swedish	⊕ Δ	pr ‡	jn.s	Pk	Sweden	1824.	D	co Bot. cab. 881	
		No. 12000. in p. 186., as <i>V. vulgaris</i> , and Nos. 12002. and 12003. are referred to this genus.										
2192.	VFSMEA.											
34741	-	glabra <i>R. & P.</i>	smooth	⊕ □	pr 10	jl.au	R	S. Amer.	1824.	C	1 p Bot. cah. 1752	
1743.	PTTEX.											
34742	15620a	bignonioides <i>Kth.</i>	Bignonia-like	⊕ □	or	B	Caracas	1826.	C	1 p	
34743	-	Doniana <i>Swt.</i>	Don's	⊕ □	or	V	S. Leone	1824.	C	1 p	
34744	-	arborescens <i>H. & B.</i>	tree	⊕ □	or	B	E. Indies	1820.	C	1 p	
34745	-	saligna <i>H. & B.</i>	willow-leaved	⊕ □	or	B	E. Indies	1823.	C	1 p	
34746	-	capitata <i>Peris.</i>	headed	⊕ □	or	B	Trinidad	1822.	C	1 p	
34747	-	heterophylla <i>H. & B.</i>	various-leaved	⊕ □	or	B	E. Indies	1820.	C	1 p	
655.	VTIS.											
5362	vinifera											
		2 foliis incanis <i>A.B.</i>	hoary-leaved	⊕	fr 30	jn.jl	G	seedling	...	C	r.m	
		<i>Miller's Grape.</i>	<i>Miller's black Cluster Grape.</i>									
		3 fol. rubescens <i>A.B.</i>	rubescens-lvd	⊕	fr 30	ju.jl	G	C	r.m	
		<i>The Claret Grape.</i>										
		4 apifolia <i>Hort.</i>	Parsley-leaved	⊕	fr 20	jn.jl	G	1648.	C	s.p A. b. f 140	
		<i>V. laciniosa</i> L.; No. 5353. in p. 82.										
34748	-	parvifolia <i>Boyle</i>	small-leaved	⊕	or	G	Himalayas?	1841.	C	r.m	
34749	-	heterophylla <i>Sieb.</i>	various-leaved	⊕ □	or ?10	...	G	Japau	?1841.	C	r.m	
2927.	VITTARIA.											
34750	-	angustifolia <i>Blume</i>	narrow-leaved	⊕ □	or	Br	Malacca	...	D	p.1	
34751	-	zosterifolia <i>W.</i>	Zostera-leaved	⊕ □	or	Br	S. Amer.	...	D	p.1	
34752	-	elongata <i>Suz.</i>	elongated	⊕ □	or	Br	S. Amer.	...	D	p.1	
34753	-	ensiformis <i>Swz.</i>	sword-shpd.-lvd	⊕ □	or	Br	Brazil	...	D	p.1	
4091.	1389b.	VIVIANIA <i>G. Don</i>	VIVIANIA. (<i>D. Viviani</i> , M.D., Prof. bot. at Genoa.)								<i>Caryophyllacæ.</i> 10.—3.	
34754	-	parviflora <i>G. Don</i>	small-flowered	⊕ □	or 2	jl.o	W	Chili	1832.	C	p.1	
34755	-	grandiflora <i>G. Don</i>	large-flowered	⊕ □	or 2	jl.o	R	Chili	1832.	C	p.1	
		<i>Macræa grandiflora</i> B. R.										
34756	-	marifolia <i>Cav.</i>	Marum-leaved	⊕ □	or 2	jl.o	R	Chili	1832.	C	p.1 Bot. misc. t. 50	
		<i>Macræa rosea</i> Lindl.										
4092.	954a.	VRIE'SIA <i>Lindl.</i>	VRIESIA. (In honour of <i>W. de Vriese</i> , Prof. bot. at Amsterdam.)								<i>Bromeliacæ.</i> 6.—1.	
34757	-	psittacina <i>Lindl.</i>	Parrot-lik flvd	⊕ □	el 2	jl	S	Rio Jan.	1826.	C	p.1 Bot. reg. 1843.10	
		<i>Tillandsia psittacina</i> Hook., Bot. Mag. 2841.										
34758	-	speciosa <i>Hook.</i>	showy	⊕ □	sp.1	lj mr.ap	W	?1847.	Sk	p.1 Bot. mag. 4382	
		<i>Tillandsia splendens</i> Hort. Par.										
34759	-	glaucochrylla <i>Hook.</i>	glaucous-leaved	⊕ □	or 1	lj aut	P.W	Sta. Martha?	1847.	Sk	p.1 Bot. mag. 4415	
606.	WAHLENBERGIA.											
34760	-	repens	creeping	⊕ Δ	pr ‡	ju.o	Wsh	1830.	D	co	
2644.	WALLPCHIA.											
34761	-	spectabilis <i>H.C.</i>	showy	⊕ □	or	E. Indies	1831.	S	r.m	
4093.	1302a.	WALLSURA <i>Rox.</i>	WALLSURA. (<i>Wallursi</i> , its Telinga name.)								<i>Meliacæ.</i> 1.—2.	
34762	-	robusta <i>Rox.</i>	robust	⊕ □	or 20	E. Indies	1827.	C	p.1	
34763	-	ternata <i>H. & B.</i>	ternate-leaved	⊕ □	or	W	E. Indies	1830.	C	p.1	
4094.	-	WARREA <i>Lindl.</i>	WARREA. (<i>Fred. Warre</i> , an amateur collector in Brazil.)								<i>Orchid. § Vand., Marillár.</i>	
34764	-	tricolor <i>Lindl.</i>	three-ld. flvd	⊕ □	or 2	au	W.r.v	Brazil	1829.	D	turfy p.s Bot. cab. 1884	
		<i>Marillária Warreana</i> Lod. Bot. Cab.										
34765	-	cyanea <i>Lindl.</i>	blue-tipped	⊕ □	or 1	f.mr	W.B	Colombia	1843.	D	turfy p.s Bot. reg. 1845.28	
34766	-	bidentata <i>Lindl.</i>	bidentate-tipped	⊕ □	or	W	P.W	Caracas	1843.	D	turfy p.s
34767	-	rubescens <i>Lindl.</i>	reddish	⊕ □	or	Rsh	Brazil	1838.	D	turfy p.s
124.	WATSONIA.											
34768	-	compacta <i>B. C.</i>	compact	⊕ Δ	or 1	lj	jn	P	C. G. H.	1821.	O	s.p.1 Bot. cab. 1577
34769	1126a	angusta <i>Ker</i>	narrow-flvd	⊕ Δ	or	my.jl	S	C. G. H.	1825.	O	s.p.1 Jac. ic. 2. 231
646.	WE'BERA.											
34770	5336a	coriacea <i>Wal.</i>	coriaceous-lvd	⊕ □	or 6	...	W	E. Indies	1828.	C	p.1	
	5335	corymbosa, and 5336	cymosa in p. 81. are species of <i>Cyprip</i> (? a proper name) according to De Candolle.									
2436.	WEDELLIA.											
34771	-	aurea <i>D. Don</i>	golden-ld.-cor.	⊕ Δ	or 2	au.s	Go	Mexico	1829.	S	co Bot. mag 3354	
							U					

4095. 2624a. WEIGEA'LA Thun. WEIGELA. (*C. E. Weigel*, author of *Obs. Botanicae*, 1772.) *Caprifoliaceae*. 5.—1.
 34772 - rosea Lindl. rose-cld.-flwd 或 or 8 ap.my W.Pk.China 1844. C lt J. H. S. i. t. 6
1207. WEINMA'NNIA.
 34773 - pubescens pubescent 或 or W 1847. C p.l [K. & P.]
 34774 - paniculata Cav. paniced 或 or W Australia 1831. C p.l
Calceolaria paniculata G. Don.
1649. WESTRI'NGIA.
 34775 14746a eremicola Cun. desert-inhab. 或 or pr 2½ sp.o Pa.B N. S. W. 1823? C p.l Bot. mag. 3138
longifolia Lindl. in Bot. Reg. t. 1481. not of Brown.
 34776 - triphylla Ait. three-leaved 或 or ... nr.my ... N. Holl. 1823. C s.p
4096. 1732a. WHITEFIE'LDIA Hook. (*T. Whitfield Esq.*, a traveller in Western-trop. Africa.) *Acanthaceae*. 14.—2.
 34777 - lateritia Hook. brick-cld.-flwd 或 or 73 o.mr Bri S. Leone 1843. C lp Bot. mag. 4155
4097. 795a. WIGA'NDIA H. & B. WIGANDIA. (*John Wigand*, a bishop of Lithuania.) *Hydrocotyleae*.
 34778 - caracasana H. B. & K. Caracac 或 or 6 ap.jn Li Caracac 1836. S lp Bot. reg. 1966
 34779 - ùrens G. Don stinging 或 or ... ap.jn V Mexico 1827. S p
 34780 - Kùnthii G. Don Kunth's 或 or ... ap.jn B Mexico 1837. D p
4098. 668b. WILLEMET'IA Brong. WILLEMETIA. (*P. R. Willemet*, auth. of *Herbarium Mauritianum*.) *Rhamnaceae*. 1.
 34781 - africana Brong. African 或 or 6 mr.ap B C. G. H. 1712. C p.l
Ceanothus africanus, No. 5510.
2147. WISTA'RIA 19410 sinensis B. R.; syn. *W. Consequana Loudon*.
 2 álba white-flowered 或 or 20 ap.my W N. China 1846. C.L co [R. F.]
359. WITHERI'NGIA.
 34782 - purpurea B. C. purple-corollacd 或 or ½ su Pa.P Chili 1829. C r.l Bot. cab. 1892
- WITTEDE'NIA trifoliata; a greenhouse shrub, introduced in 1848. Mr. Perry of the Exotic Nursery, Chelsea, has supplied this name; but we find no description of such a plant.
2940. WOODSIA.
 34783 - glabella Spr. smoothish 或 or cl ... au.s Br N. Amer. 1827. D p.l
 34784 - obtusa Hook. blunt 或 or ½ jn.li Br N. Amer. 1836. D p.l H. & G. ic. fil. 68
Perrinitiana H. & G., *Aegrophila Perrinitiana* Spr.
 34785 - caucasia J. Sm. Caucasian 或 or ... aut Y Caucasus ... D p.l
2919. WOODWARDIA.
 34786 - japónica Swz. Japanese 或 or ... aut Br Japan ... D p.l
 34787 - thelypteroides Ph. Thelypteris-lik 或 or ... aut Br N. Amer. ... D p.l
535. WRIGH'TIA.
 34788 - pubescens B. C. downy 或 or cu 4? f.mr Gsh.y N. Holl. ... C lp Bot. cab. 1929
63. WULFE'NIA.
 34789 571a Amherstiana Benth. Amherst's 或 or pr ¾ jl Li Ch. Tartary 1846. D co
2188. XANTHOCHY'MUS 19678 picturius Rox.; syn. *Stalagmitis picturius* Murr.
4099. 867b. XANTHOSIA Dec. XANTHOSIA. (*Xanthos*, yellow; tomentum in some species.) *Umbelliferae*. 5.—2.
 34790 - rotundifolia Dec. round-leaved 或 or cu 1½ jn W.R Pt. Jack. 1836. S co Bot. mag. 3582
 34791 - montana Dec. mountain 或 or 2 my.jl W N. S. W. 1826. C s.p Lin. tr. 10. 22. f.1
 34792 - birsuta Dec. hairy 或 or 2 my.jl W N. S. W. 1830. C s.p
2322. XERA'NTHEMUM 20950 orientale W.; syn. *Chardinia orientalis* D. Don.
1115. XEROPHY'LLUM.
 34793 - Sabadilla D. Don Sabadilla 或 or m 3 ... W Vera Cruz 1830. C p.l Hern. mex. 37.
Veratrum Sabadilla Retzrus Observaciones Botanicae. This is the plant which in some collections is denominated *Vellozia squamata*.
2776. XE'ROTES 24265 longifolia R. Br., B. Reg. 1839. 3.; syn. *Lomandra longifolia* Lab. Nov. Holl. i. 92. 119.
133. XIPHIDIUM.
 34794 - giganteum Lindl. gigantic 或 or ? cu ... o W Caracac ?1845. ?Iridae.
110. XY'RIS.
 34795 - altissima B. C. tallest 或 or pr 7 o Y N. Holl. 1826. S bog Bot. cab. 1900
1027. YU'CCA.
 8507 gloriosa
 2 foliis variegatis Lod. varieg.-lvd 或 or 4 jl.au W.G Sk r.l
 8509 aloifolia
 2 variegata variegated-lvd 或 or 2 au.s W.G gardens ... Sk r.l
 3 pendula H. Par. pendulous-lvd 或 or 12 au.s W.G Sk r.l
 8519 filamentosa
 2 variegata variegated-lvd 或 or 2 s.o W.G gardens ... Sk co
 †8517 supérba Haw. superb-inflor 或 or 9 au W.st.P Sk r.l Bot. reg. 1690
Y. gloriosa Bot. Rep. 473.; but it differs from *Y. gloriosa* L. "in the shape of its corolla, and in its arborescent stem."—*Haworth*. "Its leaves are more acutely pointed than those of *Y. gloriosa*."—*Herbert*.
- 34796 8518a pubérula Haw. small downy 或 or 7 au.s W Sk r.l Sw. fl. gar. 251
 34797 8525a grácilis Lk. slender 或 or W Mexico 1829. Sk r.l
 34798 - aletrifórmis Haw. Aletris-like 或 or 2 C. G. H. 1823. Sk s.l
 34799 - longifolia Karw. long-leaved 或 or Mexico 1838. Sk lt
 34800 - serratifolia Karw. saw-leaved 或 or Mexico 1838. Sk lt
 34801 - graminifolia Karw. grass-leaved 或 or Mexico 1838. Sk lt
 34802 - lætevirens Karw. pale-green 或 or Mexico 1838. Sk lt
 34803 - piteairniafolia Karw. Piteairnia-lvd 或 or Mexico, 1838. Sk lt
4100. 2641a. ZALA'CCA Rumph. ZALACCA. (Not explained.) *Palmaceae*. 21.—6.
 34804 - assamica Wall. Assamese 或 or Y Assam 1840. S r.m

2814. ZĀ'MĪA L. The species Nos. 24173. to 24484. inclusive, and No. 24493. in p. 403. constitute the genus *Eucephalartos* Lehm.
1745. ZĀPIĀ'NĪA (rather than Zapānia, as in p. 246.) 15624 nodiflora (knotted-inflorescence).
2 rōsea D. Don rosy-corollaed $\text{f} \Delta$ | pr $\frac{1}{2}$ | j | Pk Chili 1832. D pl Sw.fl.gar.2.s.225
4101. 1186a. ZAUSCHNERIA Prest ZAUSCHNERIA. (?M. Zauschner.) *Onagracea*.
34805 - - californica Prest Californian $\text{f} \Delta$ or 3 jn.o Bt.S Sta.Cruz 1847.S.C lt Paxt. mag. xv. 195
- 4101.* - - ZENO'BLA †11041 speciosa D. Don. in *Ed. Phil. Journ.*, July, 1834, p. 152.; *Swt. Br. Fl. Gar.* 2d series, t. 330.; syn. *Andrōmeda speciosa* Mich., *Hort. Brit.* No. 11041.
974. ZEPHYRA'NTHES.
34806 8017a spofforthiana Her. Spofforth $\text{f} \Delta$ | or $\frac{1}{2}$ | my Ro hybrid 1833.?o r.m Bot. reg. 1746
See also *Sceptranthes* in p. 635.
"It will be necessary to expunge the name of *Z. grandiflora* from the catalogues, as it is a nonentity." — *Lindley*.
- 34807 - - mesochloa Herb. green-centred $\text{f} \Delta$ | or 1 | jn.jl W.G B.Ayres 1825. O s.l Bot. reg. 1361
4102. 2436a. ZEXMENIA Lal. ZEXMENIA. (An anagram of Ximenèsia.) *Comp. Helián.* 19.—4.
34808 - - tagetiflora D. Don Tagetes-flwd $\text{f} \Delta$ | or 2 | s Y Mexico 1829. S co
Lipochaeta tagetiflora G. Don.
4103. 2144b. ZĀ'CHYA Hügg. ZENUYA. (*Countess Molly Zichy Ferraris*, now Princess Metternich.) *Legumin.* 17.—4.
Kennedia species of some authors.
†19381 inophylla Hügg. nerve-leaved $\text{f} \Delta$ | or 4 | su S N. Holl. 1824. C s.p Bot. reg. 1421
†19386 heterophylla various-leaved $\text{f} \Delta$ | or 4 | su P N. Holl. 1824. C s.p
34809 - - Molly Hügg. Molly $\text{f} \Delta$ | or ... | su S S. River 1837. C s.p
34810 - - glabrata Hügg. smooth $\text{f} \Delta$ | or 6 | su S S. River 1834. C l.s.p Bot. mag. 3956
†19390 sericea Hügg. silky $\text{f} \Delta$ | or 4 | su S N. Holl. 1824. C s.p Bot. reg. 1526
dilatata Lindl.
34811 - - villosa Lindl. hairy $\text{f} \Delta$ | or 3 | su R S. River 1841. ... Bot. reg. 1812. 68
34812 - - pannosa Hort. wrinkled-leaved $\text{f} \Delta$ | or 6 | my D.C S. River 1840. C s.l Paxt. m. viii. 147
34813 - - angustifolia narrow-leaved $\text{f} \Delta$ | or ... | su C S. River ... C s.p
34814 - - microphylla small-leaved $\text{f} \Delta$ | or ... | su C C s.p
34815 - - tricolor Lindl. three-coloured $\text{f} \Delta$ | or 1 | my.jn S S. River 1837. C s.p Bot. reg. 1839. 52
399. ZĪ'ERĪA 3342 lævigata *Botanist*, t. 185.
1030. ZIGADENUS.
†8533 commutatus R. & S. changeable $\text{f} \Delta$ or 1 | my.jn Crea N. Amer. 1811. D s.p Bot. mag. 1680
Helōnias glaberrima B. M., not *Z. glaberrimus* Mx.
34816 - - elegans Ph. & Nut. elegant $\text{f} \Delta$ or 1 | my.jn W N. Amer. 1828. D s.p Bot. reg. 1838. 67
glāucus Nut., Bot. Reg. 1838. 67.
10. ZĪ'NGIBER.
34817 - - Amāricans Bl. Amāricans $\text{f} \Delta$ | or 3 | ... Y Penang 1846. D lt
2373. ZĪ'NĪA 21630 elegans
2 coccinea Lindl. scarlet-rayed \bigcirc spl 2 | au.o S Mexico 1829. S cn Bot. reg. 1294
3 radiis albidis white-rayed \bigcirc or 2 | au.o W Brit. Gar. 1832. S co
2634. ZĪZĀ'NĪA. Nos. 23268. and 23270. are species of *Hydropyrum* Lk.
4104. 854a. ZĪZĪA Koch ZĪZĪA. (*J. B. Zizii*, a German botanist.) *Umbelliferae*. 5.—2.
†6831 aërea Koch golden $\text{f} \Delta$ or 2 | my.jn Y N. Amer. 1699. D r.m
Sm̄grynium aëreum L., No. 6831. Nos. 6829. and 6832. also belong to this genus.
660. ZĪZYPHUS 5424 splna-Christi W.
2 incrimis Dec. unarmed $\text{f} \Delta$ or 6 | au.s Gy L pl
34818 6436a melastomoides Cun. Melastoma-like $\text{f} \Delta$ | or 6 | ... N. Holl. 1824. C pl
34819 - - longifolia Wall. long-leaved $\text{f} \Delta$ | or ... | ... Y India 1837. C lp
25. ZOSTERA.
34820 - - nana Roth. dwarf $\text{f} \Delta$ cu ... Ap Britain sea sh.S Eng. bot. 2931
2532. ZYGOPE'TALUM 22659 Mackāii Hook. in *Bot. Mag.* 2748.
2 crinitum Lindl. hairy-lipped $\text{f} \Delta$ | or 1 | o W.spot G Brazil 1829. D p r.w Bot. mag. 3402
Z. Mackāii var. crinitum Hook. in *Bot. Mag.* 3402. *Z. crinitum* Lod. Bot. Cab. 1687. *Eulōphia crinita* Hort. Brit.
‡3 [intermedium] Hooker in *Bot. Mag.* t. 3402. in the text.
Eulōphia Mackāiana Lindl. in *Bot. Reg.* t. 1433.
34821 22659a maxillare Lindl. tooth-like-flwd $\text{f} \Delta$ | or 1 | jn.jl P.G S. Amer. 1829. D p r.w Bnt. mag. 3686
34822 22660a cochleare Lindl. spoon-tipped $\text{f} \Delta$ | or 1 | au Wsh.B.Trinidad ... D p r.w Bnt. reg. 1857
34823 - - stenochlum B. C. narrow-lipped $\text{f} \Delta$ | or $\frac{1}{2}$ | o W.y.spot Brazil 1828. D lt.potsh. Bot. cab. 1923
34824 - - Murrayanum Gard. M.S. Murray's $\text{f} \Delta$ cu $\frac{1}{2}$... G.W Brazil 1837. D p r.w Bot. mag. 3674
34825 - - brachypetalum Lindl. short-petaled $\text{f} \Delta$ cu ... w G.B Brazil 1837. D fib.p J.H.S. iv. xi. fig.
34826 - - tricolor Lindl. three-cld-flwd $\text{f} \Delta$ cu ... Pa.G.w.c Guayana 1845. D fib.p

II.

MU'SCI, HEPATICÆ, ALGÆ, LICHENES, AND FUNGI.

	Systematic Name and Authority.	English Name.	Popular Character.	Length in Inches.	Time of flowering, or when most conspicuous.	Colour of the Plant.	Locality.	Reference to Figures.
3004. ACHNANTHES.								
34827 -	- minutissima Kütz.	most min.	minute frnds.	0	parasitic on other alg.	Hass. b. f. alg. 100.4
34828 -	- æxilis? Kütz.	slender	0	parasitic on other alg.	Hass. b. f. alg. 100.5
3242. ACREMONIUM.								
34829	27786a alternatum Lk.	alternate		3	aut	W	decaying leaves	
3224. ACROSPERMUM.								
34830 -	- gramineum Libert	grassy	jl	...	?on Graminæ	Cord. ic. pt. 3. f. 73
3273. ÆCYDIUM.								
34831 -	- cancellatum Sow.	lattice	mammose	$\frac{1}{4}$	aut	Br	lvs and ft. of pear trs.	Sow. 409, 410
	synonymes: <i>Persoon</i> , Myc. p. 205. n. 2.							<i>Mongcot et Nestler</i> , n. 184. Appendix to <i>Midland Flora</i> , vol. iii. part i. p. 295.
34832 -	- <i>Ari Berk.</i>	Arum	confluent	0	<i>Arum maculatum</i>	
34833 -	- <i>Soldanella Horns.</i>	Soldanella	scattered	0	...	O	<i>Soldanella alpina</i>	
34834 -	- <i>Valerianacærum D.</i>	Valeriana	scattered	0	...	Dirty Y	<i>Valeriana officinalis</i>	
34835 -	- <i>quadrifidum Dec.</i>	quadrifid	scattered	0	spring	Br	<i>Anemone coronaria</i>	
34836 -	- <i>Geranii Dec.</i>	Geranium	clusters	0	...	Br	<i>Geranium pratense</i>	
34837 -	- <i>Behenii Dec.</i>	Behen	loose	0	aut	Br	<i>Silene inflata</i>	
34838 -	- <i>Orobi Dec.</i>	Orobous	small heaps	0	...	W	<i>Orobous tuberosus</i>	
34839 -	- <i>Euphorbiæ Pers.</i>	Spurge	scattered	0	...	O	<i>Euphorbiæ</i>	
34840 -	- <i>asperifolii Pers.</i>	rough-leaf	clustered	...	su. aut	Y	on <i>Boraginæ</i>	
34841 -	- <i>Thesii Lecfe</i>	Thesium	R. Br.	on Thesium	
3118. AGARICUS.								
34842	26870a Maria Klot.	Maria	Hooker's fleshy	3	aut	Brsh	wet soil	
34843	26872z excelsus Fr.	tall	uneq warty	6	aut	Umb. Gy	sandy woods	
34844	26876a polystictus Berk.	many-dot.	inspid	1	jl	R. Br	lawns	
34845	26877a hæmatophyllus Berk.	bloody-leaf	fetid	$\frac{1}{2}$	aut	O. Br	peat earth, &c.	Mag. zool. 1. 15. 1
34846	26880z constrictus Fr.	constricted	flour-scented	2	so	W	meadows, woods	
34847	26883a erubescens Fr.	erubescens	almost scentless	3	o	W. Ruf	amongst beech lvs.	
34848	26884z pærasinus Berk.	Laurel.	scented pleasant	2	o	Pa. Umb	fir plantations	
34849	26896a pachyphyllus Berk.	thick-gilled	gregarious	$\frac{1}{2}$	o	Och	fir plantations	
34850	26897a imbricatus Fr.	imbricated	gregarious	3	so	R. Br	fir plantations	
34851	26907a blandus Berk.	pleasant	tough	2	so	Dove	plantations & roadsides	
34852	26910a decolorans Fr.	discoloured	eatable	2	aut	R	woods	
34853	26934a volentum Fr.	warden pear	quite mild	3	jl. au	Taw	woods	Scheff. 5
34854	26941a fuliginosus Fr.	dk-brown	slightly depressed	2	au. n	Umb	woods	Bull. 567.3 azonites
34855	26919a nigrescens Lasch.	blackish	$\frac{1}{2}$...	Cin. Br	amongst dead lvs.	
34856	26949b phyllophilus Pers.	leaf-loving	swt-scented	$\frac{2}{3}$...	W	amongst dead lvs.	Fl. dan. 1847
34857	26956z fumosus Pers.	smoky	gregarious	2	o	Brsh	woods	Pers. ic. pict. 7.3.4
34858	26975a calyptræformis Berk.	cap-shaped	brittle	1	aut	Ro	wet grass and moss	
34859	26977a minutus Fr.	vermillion	brittle	2	jl. au	S	woods	Fl. dan. 1009. 2
34860	26980a lasclvus Fr.	sportive	strong-sectd	2	o	Pa	woods	
34861	26980b inanænus Fr.	unpleasant	strong-sectd	2	o	Wsh	woods	
34862	26988a pûdens Pers.	modest	velvet-stalk	$\frac{1}{2}$	aut	W	Rockingham forest	
34863	27002a undatus Berk.	waved	tough	$\frac{2}{3}$...	Cin	on stumps & stks.	
34864	27018a Iris Berk.	Iris	brittle	$\frac{1}{2}$...	Sky B	fir stumps	
34865	27018b papæreulus Berk.	mean	farinaceous	$\frac{3}{4}$...	Pa. Och. W	inside dec. stumps	
34866	27032a tenerrimus Berk.	tenderest	gregarious	1	au. d	W	Scotch fir cones & stks.	
34867	27037a campophyllus Berk.	bent-gilled	sol. or subg.	2	au. o	D. Br	on sticks	
34868	27046a sphagnicola Berk.	Sphagnum-inhb.	tough	2	jn	Dy. Och	on Sphagnum acutifolium	
34869	27063a mitis Pers.	smooth	tasteless	W	on Larch	
34870	27074a hypnophilus Pers.	Hypnum-lvge	gregarious	$\frac{1}{2}$...	W	larger mosses and fallen leaves	
34871	27074b chiôneus Pers.	snow-flake	very del.	$\frac{1}{5}$...	Snow W	on wood and dung	
34872	27075a striatulus Pers.	striated	persistent	$\frac{3}{4}$	my. d	Br	fir wood and hazel	
34873	27079a mammosus Bol.	mammose	shining	3	aut	Pksh. Gy	woods & past.	Bolt. 69
34874	27092a ruf. carneus Berk.	rd. flesh-cld	bitterish	$\frac{2}{3}$	s	R. Br	heaths	
34875	27095a limonius Fr.	Citron-cld	floccose	2-4	o	DI. Y	Highland woods	Holmsk. 2. 40
34876	27095b validus Berk.	valid	bulbous	4	s	Taw. Fr	amongst dead lvs. in wds	
34877	27102a cyanus Pers.	blue	Radish-sectd	3	aut	Azure B	King's Cliffe	Ann. n. h. 1. 200
34878	27107a raphanoides Pers.	Radish-sectd	variable	3	jl o	Brsh. Ol	beech & fir woods	Mic. gen. 75. 2
34879	27107b illopidius Bul.	twisted-rttd	not acid	3	jl. n	Och	woods	Bul. her. 586. in pt.
34880	27111a livido-ochraceus Ek.	livid och.	scentless	1	au	1. d	among lvs. in woods	
34881	27116a radicosus Bul.	rooting	tufted	4	au. o	F	woods	Bul. her. 160
34882	27117a adiposus Batsch	greasy	very viscid	D. Y	old stumps	Batsch 31. 113, 114
34883	27123a elatus Batsch	tall	subcarnose	5	au. n	Dy. Och	woods	Batsch cout. 2. 188
34884	27127a lentus Pers.	tough	gregarious	3	s. n	Dy. W	on the ground & bran.	
34885	27129a relicinus Fr.	bent back	gregarious	2	jl. s	Din	among Sphagna	
34886	27131a flocculosus Berk.	flocculose	nauseous	$\frac{1}{2}$...	s	Brsh. Faw	pastures
34887	27132a Hookeri Klot.	Hooker's	fugacious	$\frac{1}{2}$	ap. o	Faw	flower pots	
34888	27148a Rubi Berk.	Bramble	crystalline	$\frac{1}{2}$	au	Ysh	on hr. and sticks	
34889	27150a speciosus Fr.	showy	viscid	$\frac{3}{4}$	o	W. Gy	among rotting weeds	
34890	27151a Loveiæanus Berk.	Lowe's	gregarious	2	o	W. ry. Pa. Pk	decaying speci. ens. of <i>A. nebularis</i>	
34891	27151b mediæus Schum.	middle	slightly viscid	au	...	W	past. after stor. wens. Fl. dan. 1676. 2	
34892	27168a fœnisæii Pers.	hay harvest	gregarious	3	ap	Br. Umb	among grass after rain	

34893 27169z	areolatus Klot.	areolated	fugacious	3	my.o	Och	gardens		
27169	stipatus								
	2 solitarius Berk.	solitary	campanulate	3	o	Taw.Br	on the ground, sticks, &c.		
	3 gramineus Klot.	Grass-inh.	fugacious	3	...	Och. Fus	grassy places		
34894 27169a	Candolleanus Fr.	De-Cannd.	hemis-camp	3	s.o	Dirty W	on the ground	Bul. her. 392	
34895 27169b	fibilloides Pers.	fibrillose	submembr.	3	sp.aut	Dirty W	ang. lvs. on the gr.		
34896 27169c	bullaceus Bul.	studded	very brittle	1	s.o	Chucol.	on dung	Bul. her. 566. 2.	
34897 27169d	cernuus Müll.	nodding	very brittle	4	au n	P.Ld.Br	on the gl. am. chips	Schaff. 205	
34898 27169e	bifrons Berk.	two-faced	very brittle	2	s	Ochl.Br	ditches among sticks		
34899 27169f	atomatus Fr.	spangled	sparkling	3	aus	Dy.W.Br	road-sides among gr.		
34900 27169g	corrugis Pers.	wrinkled	campanulate	4	n	Ro	gar. w. sh. places	Batsch cont. 1. 91	
34901 27174a	striatus Bul.	striated	campanulate	1	sp.aut	Ruf	mea. past. woods	Bul. her.	
34902 27174b	vittellinus Pers.	yolk-of-egg	brittle	1	my	Lem	horse dung		
34903 -	balanus Berk.	mast	obtus umbonate	2	au	Och	beech mast		
34904 -	cyphelloformis Berk.	cup-shaped	gregarious	8	o	Cin	dead Pentstemon ovtn.	Mag. zool. 1. 15. 2	
34905 -	dephens Batsch	marshy	flour-sectd	8	aut	Gy	am.d.lvs. Cárices	Ann. n. h. 1. 201	
	2 rubidus	reddish	pedunculate	4	mr	Gy	am.mos. on mould hot-h.	Mag. zool. 1. 2. 2	
34906 -	mastodeus Fr.	nipple like	scattered	3	o	Dirty W	amongst moss	Mag. zool. 1. 2. 1	
34907 -	pelianthinus Fr.	pale	fecid	2	o	W	King's Cliffe	Mag. zool. 4. 13	
34908 -	reticulatus Pers.	reticulated	brittle	1	aus	V	rotten stumps		
34909 -	bolaris Fr.	lumpy	elegant	1-3	aut	Rsh	beech woods		
34910 -	Centunculus Fr.	Centunculus	smooth	...	au o	G. Y Cin	stumps		
34911 -	erythropus Fr.	red-footed	sub-cæspit.	2	s o	Pash	wood, roots of grass, &c.		
34912 -	unguinosis Fr.	unctuous	camp.-conv.	2	s o	Ld	wet grass and moss		
34913 -	trechisporus Berk.	rough-seeded	granu.spur.	2	au	Umb.Taw	amongst fern leaves	Ann n. h. 1. 200	
34914 -	calyptraformis Berk.	cap-shaped	britt e	1	o	Pk	amongst wet grass		
	cónicus, amarus, Lash.	in Linnaea v. 3. p. 380.							
34915 -	Belle Johnst.	Miss Bell's	solitary	1	o	Br	on dead reeds	Ann. 6. 10. 1-4	
34916 -	helvelloides Bul.	Helvella-like	3	o	Bul. her. 601. 3	
34917 -	rubus Berk.	reddish	4	d	Rsh Gy	on exposed commons		
34918 -	enormus Huds.	well-scented	gregarious	2	sp. L. Br	L. Br	on decayed trees	Bad. esc. f. 11. in pt	
34919 -	jecorinus Berk.	liver-coloured	gregarious	2	au	D Br	about rts. of beech trs.	Ann. n. se. 2. 9. 1	
34920 -	mesodactylus Berk.	wrinkled	2	3	Pa.taw	on the ground in delis Ann.		
34921 -	caperatus Fr.	wrinkled	5	s	Pa.Y	in woods		
34922 -	rachodes Vit.	not esculent	7	parks, &c.		
34923 -	Leightonii Berk.	Mr. Leighton's	3	d	Umb.Br	on a bridge, nr. Shrews.	Ann. 13. 9. 1	
34924 -	petasatus Fr.	broad-hatted	7	on saw-dust in w. vlts.	Ann. 13. 9. 2	
34925									
4105. -	- ANABA'INA Bory	ANABA'INA.	(Ann, up, and b. baino, to mount.)					Crypt. A'lgæ.	
34926 -	flös-äque Bory	water-flower	floating film	...	su	Bsh.G	stagnant waters	Hass.br.fr.alg.75.2	
	Bisus flös-äque Huds.	Fl. Angl. ed. 2. p. 604.,	Lightf. Fl. Scot. p. 999.						
34927 -	licheniformis? Bory	Lichen-formed	3	d	Hass. br. fr. alg. 75. 4	
34928 -	impalpébralis? Bory	su	Bsh.G	under waterfalls	Hass. br. fr. alg. 75. 3	
34929 -	constricta Hass.	contracted	su	Bsh.G	on mosses	Hass. br. fr. alg. 75. 9	
2965. ANICTANGUM.									
34930 25750a	striatum Wils. ms.	striated	depressed	tfts	1	su	Ho	rocks	
	1 subincanum Hook.	sub-hoary	depressed	tfts	1	su	Ho	rocks	
	2 unicolor Hook.	one-cld	depressed	tfts	1	su	...	rocks	
4106. -	- ANKISTRODE'SMUS Corda.	(Aglstrom. a hook, and desmos, a band.)						Crypt. A'lgæ.	
34931 -	falcatus Corda	sickle-shpd	scattered	0	year	Pa.tr.G	pools, pools, &c.	Ralfs br. desm. 34.3	
34932 -	fuciformis Corda	spindle-shpd	scattered	0	year	Pa.G	pools		
34933 -	convolutus Corda	convoluted	scattered	0	year	Pa.G	pools		
3229. A'NTHINA.									
31934 -	- flamma Fries	flame-cld	beautiful	1	aut	Fla	among lvs. of oak, beech, &c.		
4107. -	- APHANIZO'MENON Morren.	(Aphanizomenon, a vanishing thing.)						Crypt. A'lgæ.	
34935 -	- incurvum Morren	incurved	Ireland	Hass. br. fr. alg. 76.6	
4108. -	- APTOGONUM Ralfs	APTOGONUM.	(Aptomai, to touch, and gonos, an angle.)					Crypt. A'lgæ.	
34936 -	- Desmidium Ehr.	Desmidium-lk	scattered	1	...	Pa.G	bogs, &c.	Ralfs br. desm. 32.1 a	
	2 plenum	plane	scattered	Pa.G	bogs, &c.	Ralfs br. desm. 32.1 e	
3205. ARCY'RIA.									
34937 -	- ochroleuca Fries	yellowish white	scattered	1/10	aut	Ysh. W	on rotten wood		
	silacea Ditm. in Stur. Deu. Fl. t. 8.								
3116. ARTHO'NIA.									
34938 26855a	lurida Ach.	lurid	thin crust	2	year	Pa.Br	fir and holly bark	Eng. bot. 2692. 2	
34939 26855b	impollta Borrer	unpolished	th.pow.cst	2	year	Wsh	boards, oak bark	Eng. bot. 2692. 1	
34940 26855a	filicina Tayl.	Holly	thin crust	3	year	Wsh	holly bark	Fl. hib. p. 105	
4109. -	- ARTHR'NIUM Kunze.	ARTHRIINIUM.	(Unexplained.)					Crypt. Fungi.	
34941 -	- Puccinoides Kz.	Puccinia-lk	minute t. bercl	0	on dead lvs. of Eriophorum		
	Törula Eriophori Berk. Br. Fl. v. 2. pt. 2. p. 359.								
4110. -	- ARTHRODE'SMUS Ehr.	ARTHROOSMUS.	(Arthron, a joint, and desmos, a link.)					Crypt. A'lgæ.	
34942 -	- convergens Ehr.	converging-spined	scattered	0	year	D.G	pools, peat-bogs, &c.	Ralfs br. desm. 20.3	
	Staurastrum convergens Ralfs, in Ann. of Nat. Hist. v. 15. p. 158. t. 12. f. 1.								
34943 -	- incus Breb.	anvil-shaped	Pa.G. masses	or scat.	0	year	Pa.G	pools, peat-bogs, &c.	Ralfs br. desm. 20.4
	Staurastrum incus Ralfs, in Ann. of Nat. Hist. v. 15. p. 158. t. 12. f. 2.								
4111. -	- ARTHRONE'MA Hass.	ARTHRONEMA.	(Arthron, a joint, and nema, a thread.)					Crypt. A'lgæ.	
34944 -	- cirrhosum Hass.	tufted	tufts	1	su	Ch	borders of lakes	Hass. br. fr. alg. 68.7	
	Scytonema cirrhosum Hook. Br. Fl. p. 366., Eng. Bot. Supp. t. 2920.								
3145. ASCO'BOLUS.									
34945 27431a	vinosus Berk.	vinous	laciniate	0	...	Dl.p	mole-hills cov. with moss and rabbit dung		
34946 27431b	ciliatus Schmidt	ciliated	gregarious	0	aut	O	cow dung		
34947 27431c	glaber Pers.	smooth	shining	0	aut	O.W	cow dung	Pers. obs. 1. 4. 7	
34948 27431d	Triidii Bernh.	Trefoil-inh.	minnte	0	o	Pa.Y	living clover leaves		

4112. - - ASCOTRYCHIA *Berk.* ASCOTRYCHIA: (*Askos*, a bladder; *thrir*, a hair.) *Crypt. Fungi.*
34949 - - chartarum *Berk.* paper minute tufts 0 year Gysb.Br on w. printed paper Ann. l. 257. 7. 8
3246. ASPERGILLUS.
34950 27791z candidus *Lk.* white compact 0 year W decaying substances
34951 27791a roseus *Lk.* rosy thin 0 year Ro damp paper, lint, &c. Batsch fun. 58
34952 27791b aureus *Berk.* golden scattered 0 year Go.Y bark
34953 27791e mollis *Berk.* soft scattered 0 w Pu.W dead leaves
34954 - - alternatus *Berk.* altern. bran sm. rd. patches 0 year Gy.B on damp paper Ann. l. 262. 8. 11
34955 - - aurantiacus *Berk.* orange-eld 0 year O on elm bark Ann. 6. 13. 22
Nematogonium aurantiacum Desm. Ann. d. Sci. Nat. n. s. v. 2. t. 2. f. 1.
4113. 3072a. ASPEROCOCCUS *Lamour.* (*Asper*, rough, *kokkos*, seed; rough surface.) *Crypt. A'lgæ.*
34956 - - compressus *Griff.* compressed simple 6 su rocks, S. coast of Eng. Eng. bot. t. 2846
Nos. 26464. and 26465. are also referred to this genus by Sir W. J. Hooker.
3178. ASTERO'MA.
34957 27657z reticulatum *Dec.* reticulated creeping 0 aut Bk decaying leaves of *Convallaria majalis*
34958 - - Rösæ *Lib.* Rose-leaf radiating au on rose leaves Ann. 6. 11. 5
34959 - - lăbes *Berk.* spot irregul. patches au Br on poplar leaves Ann. 6. 11. 6. a, b
34960 - - Brăssicæ *Chev.* cabbage au on decayed cabbage leaves
4114. - - AULACOCY'STIS *Hass.* AULACOCYSTIS. (*Aylax*, a grove, and *kystis*, a cell.) *Crypt. A'lgæ.*
34961 - - pellucida *Hass.* transparent bogs Hass.br.fr.al.102.8
Frustralia pellucida Kutz., Jenn. Fl. Tumb. p. 204.
4115. - - BACILLARIA *Gm.* BACILLARIA. (*Bacillum*, a small stick.) *Crypt. A'lgæ.*
34962 - - paradoxica *Gm.* paradoxical Hass.br.fr.al.93.10
4116. 3242a. BACTRIDIDIUM *Kunze* BACTRIDIDIUM. (*Baktron*, a staff, *cidus*, resemblance.) *Crypt. Fungi.*
34963 - - atrovirens *Berk.* dark-green thin 0 w D.Bk.G horiz. surf. of stumps
3103. BEO'MYCSES.
34964 26775a microcephalus *Tayl.* sm.-headed rndish pat. 1-6 ... Gysb.W *Hypnum myosûr.* Fl. lib. p. 78
34965 26775b placophyllus *Wahl.* flat-leaved imbric. pat. ½ ... Wsh walls Ach. 7. 4
4117. - - BALSAMIA *Vitt.* BALSAMIA. (Not explained.) *Crypt. Fungi.*
34966 - - platyspora *Berk.* broad-spored globose ½ o.d Ru in the ground
3040. BA'NGIA.
26238 calophylla *Carm.*; syn. *U'va calophylla* Hass. br. fr. alg. 77. 1.
34967 26238a ciliaris *Hook.* fringed little tufts ... sp Del.Pk old leaves *Zostera mar.*
34968 26238b lætevirens *Harv.* bright-green small tufts ½ su Bt.Y.G Entomórpha întést.
34969 - - læcistris *Carm.* lake scattered 1/10 su D.G lvs. aquatic plants
2991. BARTRAMIA.
34970 - - calcarea *Bruch.* calcareous densely tufted 6 moist shady banks Phyt. l. 1033. a, b, c
4118. - - BARTRAMIDULA *Bruch.* BARTRAMIDULA. (Diminutive of *Bartrâmia*.) *Crypt. Mûsei.*
34971 - - Wilsoni *Bruch.* Mr. Wilson's solitary or tufted ½ ... Gsh.Y in Wales & Scotland Eng. bot. sup. 2919
3035. BATRACHOSPE'RMUM.
34972 - - bombysinum *Bory* silky fine tufts G on pebbles in rivulets Hass. br. fr. alg. 13.3
34973 - - Helmitosum *Bory* ?worm-like fine tufts 2 ... Bsh.G rivers Vail. pa. 6. 6
34974 - - confusum *Hass.* confused fine tufts 2-4 su Pa.B brooks Hass. br. fr. alg. 15. 1
34975 - - stagnale *Hass.* pool fine tufts 2 su Y.G ditches and marshes Di. musc. 7. 44
moniliforme 1 *stagnale* Ag.
†26208 moniliforme *Hass.* necklace shp. fine tufts 2 su G rivers and streams Di. musc. 7. 42
34976 - - pulcherrimum *Hass.* fairest fine tufts V.Gy streams Hass. br. fr. alg. 14. 1
†26207 vågum *Ag.* rambling fine tufts 4 su Bsh streams and ditches Hass. br. fr. alg. 63. 2
34977 - - alpestre *Shut.* alpine fine tufts su Bk rivers Hass. br. fr. alg. 14. 2
34978 - - proliferum *Hass.* proliferous sm. clust. or sol. 1-2 su Gy Hass. br. fr. alg. 63. 1
34979 - - rubrum *Hass.* red fine tufts su Bt.R Hass. alg. 15. 2. 3
34980 - - atrum *Harv.* black fine tufts 1½ su Bk marshes, streamlets Hass. alg. 16. 1. 2
Confirma atra Eng. bot. t. 690.
1 setaceum ?bristle-like Bsh
2 capillinum ?hair-like Bk
4119. 3037a. BELO'NIA *Carm.* BELONIA. (*Belone*, a needle; acienl r filaments.) *Crypt. A'lgæ.*
34981 - - torulosa *Carm.* torulose ext. fleeces aut Vivid G decaying marine A'lgæ
3126. BOLE'TUS.
34982 2724a larinicus *Berk.* Larch reticulate 2 s Dirty W under or near larches
34983 2724a calopus *Pers.* scarlet-stmd pulvinate 2 au Ol heathy woods Schaff. 315
34984 - - parasiticus *Bul.* parasitic gregarious 3 au Dl.Y paras. on Scleroderma Bul. 451. 1
34985 - - satanas *Lucz.* sown on the grnd. un. trees
34986 - - purpureus *Fries* purple jn on the grnd. un. trees
34987 - - alutaceus *Fries* leathery 3 under fir trees
4120. - - BOTRY'DINA *Breb.* BOTRYDINA. (Diminutive of *botrys*, a bunch of grapes.) *Crypt. A'lgæ.*
34988 - - vulgaris *Breb.* common 1. 1. 1? Hass. br. fr. alg. 81. 2
Palmella Grevillei *Berk. Gl. Br. Alg. p. 16. t. 5. f. 1. 2*
4121. - - BOTRY'DIUM *Wallr.* BOTRYDIUM. (*Botrys*, a bunch of grapes.) *Crypt. A'lgæ.*
†26377 granulatum *Grev.* grain-like patches ½ su D.G damp clayey ground Hass. br. fr. alg. 77. 5
Faucheria radicata, No. 26377. in p. 437., *Trichella granulata* Eng. Bot. t. 324.
3247. BO'TRYTIS.
34989 - - grisea *Fr.* grey scattered 0 w Gy decaying vegetables
34990 - - cinerea *Pers.* cinereous 0 ... Cin stems of herbaceous pl.
34991 - - cana *Schmidt* hoary effuse 0 ... Cin rotting sts. and lvs. Bul. her. 504. 7
34992 - - vulgaris *Fr.* common rather fleecy 0 ... Gy rot. plants, gourds, &c. Nees pilze 57
34993 - - vera *Fr.* true rather fleecy 0 ... Gy decaying substances Bot. pil. 132. 3
34994 - - lateritia *Fr.* brick-eld thin 0 ... Brick R hollow potatoes, &c.

34995 -	- crustosa Fr.	crust-like	trifid	0	...	W	stems of plants		
34995 -	- cirtina Berk.	Leam-eld	delicate ptchs.	0	su	Ysh	on dead br. of cherry	Ann. 1. 262. 8. 12	
34997 -	- cirta	short	very minute	0	su	Gy.Br	on <i>Ascomone nemorbs.</i>	Ann. 1. 262. 8. 13	
34998 -	- destructor Berk.	destructive	large patches	...	spr	W	on <i>Albium</i> leaves	Ann. 6. 13. 23	
†27784	- <i>Stachydidium terrestre</i> Fries' Syst. Myc. v. 3. p. 391. l.	ground spreading		1/2	au	W	on dead wood	Ann. 6. 14. 24	
34999 -	- umbellata Dec.	umbellate	spreading	1/2	ja	Gy	on lvs. of plants in g. houses		
35000 -	- infestans Mont.	infesting	spreading	W	on leaves of potatoes	J. II. S. 1. 12. * 19	
35001 -	- Arenaria Berk.	sandwort	spreading	W	on lvs. of Aren. trinerv. J. II. S. 1. 4. 22		
35002 -	- l'icia Berk.	vetch	spreading	W	on leaves of vetches	J. II. S. 1. 4. 23	
35003 -	- arborescens Berk.	arborescent	W	on lvs. of <i>Papaver Rhæas</i>	J. II. S. 1. 4. 24	
35004 -	- ganglioniformis Berk.	swelling-lik	W	on lvs. of gard. lettuce	J. H. S. 1. 4. 25	
3192. ROYSTA.									
35005 27687a	- <i>plumbea</i> Pers.	lead-eld	flexible	1/2	aut	Lea	heaths, pastur.	Bul. her. 192. A. B.	
3058. BRYOPSIIS.									
35006 26384a	- <i>hypnoides</i> Lamour.	Hypnum-lik	uprt. tfts	3	su. aut	Bt. Pa. G	marine rocks	Eng. bot. 2781	
2996. BRYUM.									
35007 25986a	- <i>albicans</i> Wahl.	whitish	thin tufts	2	sp	Pa. G	wet san. pl	Eng. bot. supp. 2836	
35008 25986b	- <i>Ludwigii</i> Spr.	Ludwig's	compact tfts	2	aut	G	mo. wet san. pl.	Eng. bot. supp. 2855	
25998 punctatum.									
35009 26003a	- <i>aquaticum</i> Hook.	water	solitary	3	sp	L. G	sides rocky streams		
35010 -	- <i>affine</i> Brid.	related	4	su	D. L. J.	w. dark recesses	Di. musc. 55. 79	
35011 -	- <i>annotinum</i> Hedw.	summer	patches	1/2	su	G	moist sandy places	Eng. bot. supp. 2856	
35011 -	- <i>gracile</i> Wils.	slender	tufts	1/2	sp	Pa. G	sandst. rocks	Eng. bot. supp. 2835	
35012 -	- <i>Orthodontium lineare</i> Schwæg. suppl. v. 2. p. 2. 124. t. 188. ?			3	sp	Ysh. G	on moors	Eng. bot. supp. 2907	
35013 -	- <i>Mnioides</i> Bruch.	Mnium-lik	solitary	2	in moist san. stubbles	Schwæg. supp. 1.70	
35013 -	- <i>erythrocarpon</i> Schw.	red-fruited	tufts	1/2			
35014 -	- <i>lacustris</i> Brid.	lake	patches	1/2	sp	Rsh	banks, walls, &c.		
35015 -	- <i>cæspitium</i> var. Musc. Brit. p. 201.			1	su	...	rocks		
35016 -	- <i>torquescens</i> B. & S.	torquescent	patches	1	su	...	fields near E. coast		
35016 -	- <i>uliginosum</i> B. & S.	bog	tufts	Bsh. G	Ireland		
35017 -	- <i>recurvifolium</i> Tayl.	recurved-ld	2-4	mountains		
35018 -	- <i>acuminatum</i> B. & S.	sharp-pontd.	sub-solitary	1/2	au	Dp. G	walls nr. Barnard Castle		
35019 -	- <i>cernuum</i> B. & S.	drooping	tufted	1/2	su	Pa. G	in Teesdale		
35020 -	- <i>inclinatum</i> B. & S.	inclining	tufted	1/2	su	Pa. G			
35021 -	- <i>Pohlia inclinata</i> Schwæg. suppl. t. 63. ; <i>Brÿum turbinatum</i> var. H. & T. Musc. Brit. p. 202.			1	su	Dp. G	shady walls		
35022	- <i>obœnicum</i> Horns.	inversely coue-sh	ptchs.	1	su	Dp. G			
35023									
3086. CALICUM.									
26578	- <i>stigonellum</i>								
26581	- <i>sphaeroccephalum</i>	bordered	pimpled	3	aut	Pa. OI	on lichens		
26592	- <i>æarginosum</i>	crusted	crusted	1/2	sp	Pa. Gsh	old wood		
26592	- <i>carulescens</i> Hook.	bluish	granular	1/2	w	Bsh. Gr	old boards		
4122. -	- <i>CALLITHA'MNION</i> Ag.	CALLITHAMNION.					(? <i>Kalc</i> , pretty, <i>thamnos</i> , a twig.)	<i>Crypt. Al'gæ.</i>	
35024 -	- <i>barbatum</i> Ag.	bearded	patches	2	su	R	on mud in deep water	Eng. bot. 2899	
35025 -	- <i>pluma</i>	feathery	short-tfd. ptchs	1/2	su	R	paras. on <i>Laminaria</i>	Eng. bot. 2894	
35026 -	- <i>Conferva plumbea</i> Dillw. Conf. Syn. p. 72. t. F.			2	su	DI. Ro. R	on rocks in the sea	Eng. bot. 2937	
†26322	- <i>Hookeri</i> Ag. <i>Sir W. Hooker's</i> fine tufts			1-3	su	Pa. R	on rocks, or sea-weeds	Eng. bot. 2938	
	- <i>Ceranium Hookeri</i> , No. 26322. p. 436.								
3134. CALOCERA.									
35027 -	- <i>glossoides</i> Fr.	tongue-like	gregarinus	1/2	aut	Ysh	on decayed oak		
3038. CALOTHRIX.									
35028 -	- <i>Mûcor</i> Ag.	Mould-like	transparent	OI. G	on marine <i>Al'gæ</i>		
35029 -	- <i>interrupta</i> Carm.	interrupted	broad tufts	GI. G	on mosses and lichens		
35030 -	- <i>hydroides</i> Harv.	Hydnum-lik	patches	D. OI. G	clayey sea-shore		
35031 -	- <i>cæspitula</i> Harv.	caespitose	close conv. tufts	Bksh. G	marine rocks		
†26280	- <i>mirabilis</i> Ag.	wonderful	little patches	1/2	su	Ærug	on mosses in sm. strms.	Hass. br. fr. alg. 69. 1	
	- <i>Conferva mirabilis</i> Dillw. Conf. t. 96. (not of Eng. Bot. t. 2219.).								
3121. CANTHARELLUS.									
35032 27198a	- <i>laevis</i> Fr.	smooth	very thin	1/2	w	Dirty W	moss	Pers. myc. l. 7. 5	
35033. -	- <i>Brôwnii</i> Berk.	Brown's	1 1/2-2	o	Pa. Och	among grass		
3162. CENANGIUM.									
35034 27604a	- <i>pulveraceum</i> A. & S.	powdery	gregarious	0	...	Bksh	wood		
35035 27604b	- <i>fuliginosum</i> Fr.	dingy	crowded	0	...	Dingy Br	sallows		
4123. 3190c.	- <i>CENOCOCCUM</i> Fr.	CENOCOCCUM.					(<i>Kcnos</i> , empty, <i>kokkos</i> , a berry.)	<i>Crypt. F'ngi.</i>	
35036 -	- <i>geophilum</i> Fr.	earth-loving	shot-like	Bk	woods	Sow. 270	
3230. CEPHALOTRICHUM.									
35037 -	- <i>cirtum</i> Berk.	shortened	scattered	0	...	Br	on leaves of <i>Carices</i>	Ann 6. 12. 13	
3048. CERAMIUM.									
26334	- <i>plumula</i>								
35038 -	- <i>minor</i> Harv.	less	delicate-br.	1	sp su	Pk	sea shore		
35039 -	- <i>cruciatum</i> Ag.	cruciate	densely tftd.	1-3	...	DI. Brsh. R	ocean		
35040 -	- <i>plumulum</i> Harv.	dwarf	distantly bran.	1	...	DI. Brsh. R	sea shore		
35040 -	- <i>lanatum</i> Harv.	woolly	bran. entan.	1-3	...	D. R	sea shore		
35041 -	- <i>polyspernum</i> Ag.	many-ftd	swoln. joints	1-3	...	DI. Ro. R	sea shore		
35042 -	- <i>granulatum</i> Ag.	granulated	eleg. tufted	2-4	...	Brsh. R	on larger <i>Al'gæ</i>		
35043 -	- <i>fasciculatum</i> Harv.	tufted	much-bran.	2-3	...	Fi. P. R	sea shore		
				U	4				

- 35044 - - seminudum *Ag.* half-naked spar.br.below 1—3 ... Fi.D.R sea shore
 35045 - - affine *Harv.* related excess bran. 2—3 ... D.P.R shores of Bute
 35046 - - spinosum *Harv.* spiny plum. sp. lk. $\frac{1}{2}$ —1 ... Dl.R sea shore
 35047 - - gracillimum *Ag.* slenderest exceed. slen. 1—4 ... Ro.R sea shore
 35048 - - tripinnatum *Ag.* tripinnate axill. tufts 1—2 ... Ro.R sea shore
 35049 - - spongiosum *Harv.* spongy shrubby 2—4 ... P sea shore
 35050 - - mesocarpum *Carm.* medial-ftd contig. tufts 0 ... P rocks
 35051 - - virgatum *Harv.* twiggy pencil-lk.tufts $\frac{1}{2}$... Ro.R on C. rubrum
3023. CHÆTO'PHORA.
 35052 - - longæ'va *Carm.* long-lived fronds cont. ... Del.G boggy streamlets
 35053 - - Berkelèyi *Grev.* Berkeley's frond depress. ... Br rocks Berk. alg. 1. 2
 35054 - - elegans *Ag.* elegant subglobose tuft $\frac{1}{2}$ —1 ... Bt.G sticks &c.in stag.pools Hass. alg. 9. 3, 4
3047. CH'ARA.
 26309 hispida
 35055 26310a 2 gracilis *Hook.* slender branched ... jl.au Y.G ditches and lakes
 Hedwigii *Ag.* Hedwig's branched 2 su Y.G pools An. bot. 12
 35056 - - pulchella *E. B.* pretty dense patches... au ... pools Eng. bot. 2824
 35057 - - latifolia *Moore* broad-levd branched ... au ... lakes in Ireland
3065. CHO'NDRIA 26403 pinnatifida
 2 Osmunda *Hook.* Osmunda frond flat 1 su Psh ocean
 3 angusta *Hook.* narrow fr. roundish 1 su Psh ocean
 4 tenuissima *Hook.* slenderest bran. divar. 1 su Psh ocean
4124. - - CHO'RDA *Stack.* СЮРНА. (Chorda, a cord.) *Crypt. Algæ.*
 35058 - - lomentaria *Grev.* constricted simple 3—16 su ... in the sea on rks. & stones Eng. bot. 2902
Scytosiphon filum γ *lomentarius* *Ag.*, *Chorda lomentaria* *Grev.*, and *Asperococcus castaneus* *Hook.* Br. Fl. v. 2. pp. 276, 277.
3027. CHROO'LEPUS.
 35059 - - mesomelas *Carm.* black middle slight bran. ... Dp.Bk dec. sts. of Urtica dioica
 35060 - - Arnottii *Hook.* Arnott's patches ... Bk? old yew trees
4125. - - CINCLIDIUM *Schw.* CINCLIBIUM. (Not explained.) *Crypt. Mæci.*
 35061 - - stygium *Schw.* ?poisonous patches 3—6 su Pa.G in swamps Eng' bot. sup. 2340
4126. - - CLADO'PHORA *Kütz.* CLADOPHORA. (Klados, a branch, and phorco, to bear.) *Crypt. Algæ.*
 35062 - - glomerata *Hass.* clustered large tufts 4—12 su Bt.G streams and wells Hass. alg. 56, 57. 1, 2
Conferva glomerata Dillw. Conf. t. 13. and *Eng. Bot.* t. 2192., not No. 26284. in p. 436.
 Mr. Hassall includes under this species *Conferva ægagropila* L., No. 26296.
 (*Diätoma vulgäris* (*D. tenue*, No. 26110. p. 433.) is often parasitical on this species.)
 35063 - - crispata cross-jointed patches 2 su G mshs. pools, and dtchs Hass. alg. 55. 1, 2
 Under this species, Mr. Hassall includes *Conferva nigricans* Dillw., syn. *C. crispata* Eng. Bot. t. 2350.,
C. flavescens Eng. Bot. t. 2088., and *C. fracta* Eng. Bot. t. 2333. See p. 436. Nos. 26255, 26256, 26290,
 and 26293.
3259. CLADOSPORIUM.
 35064 - - Leesii *Ryl. MS.* Lees's spreading ... Str.col paras. on Monotroparts Phyt. i. 348. 3. p, q, r
4127. - - CLATHRUS *Mich.* CLATHRUS. (Not explained.) *Crypt. Fångi.*
 35065 - - cancellatus *Linn.* latticed solitary 2—4 ... R Isle of Wight Bul. 411
3133. CLAVARIA.
 35066 27309a grisea *Pers.* grey dark-seeded ... Cin on the ground
 35067 27319a rosea *Dalm.* rose-cld gregarious ... Ro pastures Fries obs. 5. 2
 35068 - - flavipes *Pers.* yellow-footed tufted 2 s Ysh.W on peaty gr. und. *Ptëris* *ag.*
 35069 - - crœcea *Pers.* saffron tufted-brchd $\frac{1}{2}$ o.n Saf on the ground
 35070 - - tenuipes *Berk.* slender-footed gregarious 1 su Pa.ca.col on bare heathy grnd Ann. n. se. 2. 266. 9. 2
 35071 - - argillacea *Fr.* argillaceous tufted 1 o.n Pa.Y on bare ground in wds
 35072 - - flaccida *Fr.* flaccid $\frac{1}{10}$ n Och on leaves of Pinus Klotz. exs. n. 122
 35073 - - rufa *Fl. Dan.* tufous gregarious ... Ru in grass fields Fl. Dan. 775. 1
4128. - - CLOSTERIUM *Nitzsch.* CLOSTERIUM. (Kloster, a fine thread.) *Crypt. Algæ.*
 35074 - - lunula *Müller* moon-shpd Dp.G.masses $\frac{1}{62}$ year Bsh.G peat bogs, pools, &c. Ralfs desmid. 27. 1
 35075 - - acerosum *Schrank* chaff-like Dp.G.masses $\frac{1}{58}$ year Bsh.G ponds, water-cour. &c. Ralfs desmid. 27. 2
 35076 - - lanceolatum *Kütz.* lance-shod Dp.G.masses $\frac{1}{63}$ year Bsh.G pools, ponds, &c. Ralfs desmid. 28. 1
Cymbella Hopkirkii *Harv.* Man. of Br. Alg. p. 215.
 35077 - - turgidum *Ehren.* turgid G. mas. or sc. $\frac{1}{59}$ year Pa.G boggy pools, &c. Ralfs desmid. 27. 3
 35078 - - Ehrenbergii *Menegh.* Ehren. Pa.G.m. or sc. $\frac{1}{68}$ year Bsh.G pls. pds. with oth. *Algæ* Ralfs desmid. 28. 2
lanula *Hass.* Br. Freshw. Alg. t. 84. f. 4. ?
- 35079 - - moniliferum *Bory* beaded scattered $\frac{1}{60}$ year Bsh.G pls. &c Conf. & aq. pl. Ralfs desmid. 28. 3
 35080 - - Jenneri *Ralfs* Mr. Jenner's scattered 0 year Bsh.G boggy pools, &c. Ralfs desmid. 28. 6
 35081 - - Leibleinii *Kütz.* M. Leiblein's Pa.G.m. or sc. 0 year Pa.G ponds, pools, &c. Ralfs desmid. 28. 4
 35082 - - Dianæ *Ehren.* Diana's Pa.G.m. or sc. 0 year Bsh.G ponds, boggy pools, &c. Ralfs desmid. 28. 5
 35083 - - didymotocum *Cord.* brown-tipd scattered $\frac{1}{63}$ year Bsh.G boggy pools Ralfs desmid. 28. 7
 35084 - - attenuatum *Ehren.* attenuated Pa.G.m. or sc. $\frac{1}{57}$ year Pa.G boggy pools Ralfs desmid. 29. 5
 35085 - - costatum *Cord.* ribbed scattered $\frac{1}{75}$ year Pa.G boggy pools Ralfs desmid. 29. 1
 35086 - - striolatum *Ehren.* striated G. mas. or sc. $\frac{1}{68}$ year Pa.G peat bogs, pools, &c. Ralfs desmid. 29. 2
 35087 - - intermedium *Ralfs* intermediate Pa.G.m. or sc. $\frac{1}{54}$ year Pa.G boggy pools Ralfs desmid. 29. 3
 35088 - - angustatum *Kütz.* narrow Pa.G.m. or sc. $\frac{1}{60}$ year Pa.G boggy pools Ralfs desmid. 29. 4
 35089 - - juncidum *Ralfs* rush Pa.G.m. or sc. 0 year Pa.G boggy pools Ralfs desmid. 29. 6
 35090 - - lineatum *Ehren.* *Anchly-strepd* Pa.G.m. or sc. $\frac{1}{48}$ year Pa.tr.G boggy pools Ralfs desmid. 30. 1
 35091 - - Ralfsi *Breb.* Mr. Ralfs' G. mas. or sc. $\frac{1}{79}$ year Pa.tr.G boggy pools Ralfs desmid. 30. 2
rostratum *Halls* in Jenner's Fl. of Tonbridge Wells, p. 195.
 35092 - - rostratum *Ehren.* beaked Dp.G.masses $\frac{1}{69}$ year Pa.tr.G pools, water-cour. &c. Ralfs desmid. 30. 3
acus Jenner's Fl. of Tonbridge Wells, p. 196.
- 35093 - - setaceum *Ehren.* bristle-ptd scattered 0 year Pa.tr.G boggy pools Ralfs desmid. 30. 4
 35094 - - cönu *Ehren.* bow-like scattered 0 year Pa.tr.G boggy pools Ralfs desmid. 30. 6
 35095 - - acutum *Lyngb.* acute scattered 0 year Pa.tr.G pools Ralfs desmid. 30. 5
4129. - - COCCOCHLO'RIS *Spreng.* COCCOCHLORIS. (Coccus, a berry, and chloros, green.) *Crypt. Algæ.*
 35096 - - muscicola *Menegh.* moss dwelling near Aberdeun Hass. alg. 78. 3. a, b

35097 -	- depréssa <i>Menegh.</i>	depressed	G	on an old pump	Hass. alg. 78. 4 a, b	
	<i>Palmella depréssa</i> Berk.	Gl. Br. Alg. p. 19. t. 5. f. 4.							
35098 -	- Mooreana <i>Hass.</i>	Mr. Moore's	G	boggy places, Ireland	Hass. alg. 78. 1. a, b	
35099 -	- rivularis <i>Hass.</i>	river	scattered	Bt. G	mountain streams	Hass. alg. 78. 6. a, b	
35100 -	- <i>Palmella rivularis</i> Carm.	In Hook. Br. Fl. p. 397.							
35100 -	- Grevillei <i>Hass.</i>	Dr. Greville's	crowded	G	heathy pl. in moist sit.	Hass. alg. 78. 7. a, b, 8	
	<i>Palmella botryoides</i> , Grev.	Crypt. Fl. t. 243. f. 2. ; ?No. 26137.							
35101 -	- cystifera <i>Hass.</i>	bladdery	near Bristol	Hass. alg. 103. 3	
35102 -	- variabilis <i>Hass.</i>	variable	on thatch	Hass. alg. 103. 4	
35103 -	- obscura <i>Hass.</i>	obscure	limestone rocks	Hass. alg. 103. 5	
4130. -	- COCCONE'MA <i>Hass.</i>	COCCONE'MA.	(Kokkos, a grain, and nema, a thread.)					<i>Crypt. A'lgæ.</i>	
35104 -	- lanceolatum <i>Ehren.</i>	spear-shaped	waterfalls, &c.	Hass. alg. 101. 1	
35105 -	- cymbiforme <i>Ehren.</i>	boat-shaped	reservoirs, &c.	Hass. alg. 101. 2	
35106 -	- cistula <i>Ehren.</i>	casket	waterfalls, &c.	Hass. alg. 101. 3	
35107 -	- ventricosa <i>Hass.</i>	ventricose	waterfalls, &c.	Hass. alg. 101. 4	
	<i>Figibbum</i> Ehr., Jen. Fl. Tunb. p. 206.								
3057. CO'DIUM.									
35108 -	- amphibium	amphibious large patches	¹ / ₁₂ - ¹ / ₆ o.d	G			turfy bks. at hi. w. m.	Ann. 13. 6. 1-3.	
4131. -	- CENOCO'LEUS.	CENOCOLEUS.	(Not explained.)					<i>Crypt. A'lgæ.</i>	
35109 -	- Smithii	Smith's interlacing threads	ou boggy soil	Eng. bot. 2940	
4132. -	- COLEOCHÆ'YTE <i>Breb.</i>	COLEOCHÆTE.	(Koleos, a sheath, and chæte, a bristle.)					<i>Crypt. A'lgæ.</i>	
35110 -	- scutata <i>Breb.</i>	target	very minute	G	on subm. aquatic pits.	Hass. alg. 77 6	
3111. COLLE'MA.									
35111 26803a	- microp'hylum <i>Ach.</i>	small-lvd	imbricated	¹ / ₂ wet w	Gsh.Br	elm bark	Eng. bot. 2721
35112 26805a	- limosum <i>Ach.</i>	slud	scat. pat.	1 wet w	Ol	wet clay soil	Eng. bot. 2704. 1
35113 26817a	- tunæforme <i>Ach.</i>	Tuna-fmd	leafy	Bksh.G.Br	limestone rocks	
35114 -	- dcrnânum <i>Ach.</i>	skinny	leafy-pat.	1 wet w	D.G	calcarous rocks	Eng. bot. 2716. 2
35115 -	- turgidum <i>Ach.</i>	turgid	irreg. pat.	stones, mosses	
35116 -	- ceranoides <i>Borr.</i>	horn-lk	rotundish pat.	¹ / ₂ ...	Ol.Br	chalky soil	Eng. bot. 2704. 2
35117 -	- crispum <i>Borr.</i>	curled	leafy pat.	1 wet w	D.G	stones and walls	Eng. bot. 2716. 1
	<i>C. crispum</i> of Hort. Brit. No. 26805.	is <i>C. cristatum</i> Hook., and <i>C. puidosum</i> Ach.							
35118 -	- synalium <i>Ach.</i>	aggregate	lobed thallus	GI.G	sand bank	
35119 -	- fragile <i>Tayl.</i>	fragile	round pat.	3 year	...	limestone rocks	
3044. CONF'ERVA.									
35120 26251a	- purpurâscens <i>Carm.</i>	purple	Bt.P	boggy pools	
35121 -	- arenosa <i>Carm.</i>	sand	in fleeces	¹ / ₂	sandy shore	Appin
35122 -	- nuda <i>Harv.</i>	naked	loose tufts	3 ...	DI.G	basalt rocks	
35123 -	- gracilis <i>Griff.</i>	slender	tufts	6 ...	Y.G	ocean	
	26251 ericetorum Roth ; syn. <i>Zygogonium ericetorum</i> Kütz., Hass. br. fr. alg. 41. 1, 2.								
3119. COPRINUS.									
35124 27184a	- macrorhizus <i>Pers.</i>	long-rooted solitary	3 ap	Pa.Br				hot-beds	
35125 27185a	- macrocephalus <i>Berk.</i>	long-headed cylin. ca.	2 mr	Slate				putrid dung	
35126 27187a	- Hendersonii <i>Berk.</i>	Hendn.'s very tender	1½ f	Brsh.Cin				hot-beds	
4133. -	- CORTI'CIUM? <i>Berk.</i>	CORTICIUM.	(? Diminutive of cortex, a rind, or bark.)					<i>Crypt. Fungî.</i>	
35127 -	- arachnoidum <i>Berk.</i>	arachnoid patches	W		creeping over mosses, &c.	Ann. 13. 9. 3
35128 -	- velutinum <i>Berk.</i>	velvety patches	Pa.Pk		
4134. -	- CO'RYNE? <i>Schum.</i>	CORYNE.	(Koryne, a club ; form.)					<i>Cryptogâmia Fungî.</i>	
35129 -	- turbinata <i>Schum.</i>	top-shaped simp. or confl.	0 o	DI.W				on oak branches	Cord. ic. fasc. 2. 14
	<i> Tubercularia albida</i> Berk. in Br. Fl. v. 2. pt. 2. p. 354.								
3264. CORYNEUM.									
35130 27856a	- macrospodium <i>Berk.</i>	long-seeded fusiform	0 ...	Bk				beech twigs	
4135. -	- COSMARIUM <i>Corda</i>	COSMARIUM.	(Kosmarion, a small ornament.)					<i>Crypt. A'lgæ.</i>	
35131 -	- quadratum <i>Ralfs</i>	four-sided	scattered	0 year	Pa.G			pools, peat-bogs, &c.	Ralfs desmid. 15. 1
35132 -	- Cūmis <i>Corda</i>	cucumber-shpd.	scattered	0 year	Bt. G			peat-bogs, pools, &c.	Ralfs desmid. 15. 2
35133 -	- Ralfsii <i>Breb.</i>	Mr. Ralfs' cloud-lk. mass.	0 year	Pa.tr.G				boggy pools, &c.	Ralfs desmid. 15. 3
35134 -	- pyramidatum <i>Breb.</i>	pyramidal	scattered	0 year	Bt.G			peat-bogs, pools, &c.	Ralfs desmid. 15. 4
	ovale Ralfs in Ann. of Nat. Hist. v. 14. p. 394. (fo part) t. 11. f. 7. a, b, c.								
35135 -	- tinctum <i>Ralfs</i>	coloured	scattered	0 year	Pa.tr.G			boggy pools, &c.	Ralfs desmid. 32. 7
35136 -	- bioculatum <i>Breb.</i>	two-eyed	scattered	0 year	Pa.G			pools, peat-bogs, &c.	Ralfs desmid. 15. 5
35137 -	- graoatum <i>Breb.</i>	gain-like	scattered	0 year	Pa.tr.G			boggy pools	Ralfs desmid. 32. 6
35138 -	- Meneghini <i>Breb.</i>	Mr. Meneghini's	scattered	0 year	Bt.G			pools, peat-bogs, &c.	Ralfs desmid. 15. 6
35139 -	- crenatum <i>Ralfs</i>	crenate	scattered	0 year	Bt.G			boggy pools, &c.	Ralfs desmid. 15. 7
35140 -	- undulatum? <i>Ralfs</i>	undulated	scattered	0 year	Bt.G			bogs, pools, &c.	Ralfs desmid. 15. 8
35141 -	- tetraophthalmum <i>Kütz.</i>	4 eyed cid-lk. mass.	0 year	D.G				peat-bogs, pools, &c.	Ris.dsm.17.11..33.8
	ovale Jenner's Fl. of Tunbridge Wells, p. 196								
35142 -	- ovale <i>Ralfs</i>	oval	scattered	0 year	Pa.G			peat-bogs, &c.	Ralfs desmid. 15. 9
35143 -	- Boryti <i>Bory</i>	precious-stn.-lk	cloud-lk. m.	0 year	D.G			pools, water-courses	Ralfs desmid. 16. 1
35144 -	- margaritarium <i>Turp.</i>	pearl-bearg. cid-lk. m.	0 year	D.G				bogs, pools, &c.	Ralfs desmid. 16. 2
	<i>Cymbella veyferensis</i> Grev. in Hook. Br. Fl. v. 2. p. 415. ; Harv. Br. Algæ, p. 215.								
35145 -	- Dreissonii <i>Menegh.</i>	M. Brebiss.'s	cid-lk. m.	0 year	Pa.tr.G			pools, peat-bogs, &c.	Ralfs desmid. 16. 3
35146 -	- conspersum <i>Ralfs</i>	dotted	scattered	0 year	Pa.tr.G			peat-bogs, &c.	Ralfs desmid. 16. 4
35147 -	- amœnum <i>Breb.</i>	delicate	scattered	0 year	Bsh.G			boggy pools	Ralfs desmid. 17. 3
35148 -	- biretum <i>Breb.</i>	net-like	cloud-lk. mass.	0 year	Bsh.G			pools, pools, &c.	Ralfs desmid. 16. 5
35149 -	- Broomii <i>Thwaites</i>	Mr. Broome's	cid-lk. m.	0 year	Bt.G			pools, in brack. water	Ralfs desmid. 16. 6
35150 -	- cœlatum <i>Ralfs</i>	embossed	scattered	0 year	Bsh.G			bogs, pools, &c.	Ralfs desmid. 17. 1
35151 -	- ornatum <i>Ralfs</i>	crown-lik. crest.	scattered	0 year	Pa.G			boggy pools, &c.	Ralfs desmid. 16. 7
35152 -	- commissurale <i>Breb.</i>	double-headed	scattered	0 year	Pa.G			pools, &c.	Ralfs desmid. 16. 8
35153 -	- cristatum <i>Ralfs</i>	crested	scattered	0 year	Bsh.G			bogs	Ralfs desmid. 17. 2
35154 -	- Phaseolus <i>Breb.</i>	bean-like	scattered	0 year	Bsh.G			boggy pools	Ralfs desmid. 32. 5
35155 -	- cylindricum <i>Ralfs</i>	cylindrical	scattered	0 year	Bsh.G			wet places, bog. pools	Ralfs desmid. 17. 4
35156 -	- orbiculatum <i>Ralfs</i>	orbicular	scattered	0 year	Bsh.G			peat bogs, &c.	Ralfs des.17.5..33.9
35157 -	- moniliforme <i>Turp.</i>	beaded	scattered	0 year	Bsh.G			peat-bogs. pools. &c.	Ralfs desmid. 17. 6
35158 -	- connatum <i>Breb.</i>	connate	scattered	0 year	Bsh.G			boggy pools	Ralfs desmid.17.10

- 35159 - - *Cucúrbita Breb.* cupp.-glass-shpd scatter. 0 year Bsh.G peat-bogs, pools, &c. Ralfs desmid. 17.7
 35160 - - *Thwaitesii Ralfs* Mr. Thwaites's scattered 0 year Bsh.G pools, &c. Ralfs desmid. 17.8
 35161 - - *eúrtum Breb.* shortened scattered 0 year Pa.G pools, &c. Ralfs desmid. 32.9
 35162 - - *attenuatum Breb.* attenuated scattered 0 year B-h.G pools, &c. Ralfs desmid. 17.9
 35163 - - *túrgidum Breb.* turgid scattered 0 year Bsh.G peat-bogs, pools, &c. Ralfs desmid. 32.8
3201. CRATE'RIMUM.
 35164 27708a *pyrifórmé Dit.* pear-shpd. firm 0 ... Och bark
 35165 27708b *mutábilé Fr.* variable torn 0 ... Go.Y bark, moss, &c.
3207. CRIBRA'RIA.
 35166 27721a *intermédia Berk.* intermediate globose 0 ... Y rotten wood
3276. CYLINDROSPORIUM.
 35167 - - *Ficária Berk.* pile-wort oblong spots 0 ... W on *Ranúculus Ficária* Berk. fun. fasc. 3. n.212
4136. 3011a. CYMBE'LLA Ag. CYMBELLA. (*Cymba*, a boat; in allusion to the form of the pustules.) *Crypt. A'lgæ.*
 35168 - - *hyalina Ag.* hyaline floating ... sp Ol.G shallow ditches
 35169 - - *minor Ag.* less mucous Ysh.Br pools and quiet streams
 35170 - - *cymbifórmis Ag.* boat-shaped ochraceous Pa.Och moist ro. and ground
 35171 - - *Zébro Hass.* zebra on moist sandst. &c. Hass. alg. 100. 8
 35172 - - *túrgidum Hass.* swollen on commons Hass. alg. 100. 7
 35173 - - *árcus Hass.* bowed Hass. alg. 100. 6
4137. 3149a. CYPHE'LLA Fr. CYPHELLA. (*Kuphella*, a cup.) *Crypt. Fúngi.*
 35174 - - *cuticulósa Dick.* skinny minute 0 o.f W decayed grass
 35175 - - *griseo-pállida Wein.* pale grey minute ... ja Pa.Rsh.Gy on hard gravel
4138. 2969a. CYRTODON Br. CYRTODON. (*Kurtos*, convex, *odon*, tooth; in curved peristome.) *Crypt. Músci.*
 †*splachnoides Br.* Splachn.-lk. subsolitary 1½ su Pa.G Scot. moun. Musc. brit. 9
Splachnum tenue Dick., No. 2577. p. 426.
3171. CYTISPORA.
 35176 27639z *rubescens Fr.* rufescent very minute 0 year Rsh bark of *Rosáceæ*
 35177 27639a *carphosperma Fr.* chaffy-seed concepn.none 0 year Str *Rosáceæ*
 35178 27641a *fúgax Bul.* fugacious circular 0 year Dirty Br willow bran. Bul. her. 432. 5
 35179 - - *orbicularis Berk.* orbicular patches ¾ ... Pa.Vin.R small orange gourds Ann. n. h. 1. 7. 6
3152. DACRYMYCES.
 35180 27449a *violáceus Ret.* violaceous compact ½ ... V pear and apple trees
4139. 3246a. DACTYLIIUM Nees DACTYLIIUM. (*Daktylos*, a finger.) *Crypt. Fúngi.*
 35181 27794a *pyriférum Fr.* pear-seeded little tufts 0 aut W mouldering stems of herbaceous pls.
 35182 - - *obovatum Berk.* obovate minute tufts 0 ... W on will. twigs in d.pl. Ann. 6. 14. 26
 35183 - - *sphærocéphalum Berk.* round-headed spread. ⅓ year W on dead twigs of ivy Ann. G. 14. 27
 35184 - - *tenellum Schr.* delicate tufts 0 ... W on mosses in a bot. vasculum
3124. DÆDA'LEA.
 35185 27204a *Bulliardii Fr.* Bulliard's smooth Ru on the ash Bul. her. 482
4140. - - *DASYGLOIA* DASYGLOIA. (Not explained.) *Crypt. A'lgæ.*
 35186 - - *amórpha* irregular dense tufts 1 ... P.Br boggy soil Eng. bot. 2941
3069. DELESSE'RIA.
 26448 *lacerata*
 2 uncinata *Turn.* uncinata narrow 6 jl.o Pa.R ocean
 35187 26451a *Gmelini Lamour* Gmelin's deeply cleft 2—3 su Fi.Pk ocean
3254. DEMANTIUM.
 35188 - - *hispídulum Fr.* bristly round spots 0 year Bk on dead grasses Cord. fasc. 3. 1. 22
 35189 - - *echiuobótryum Fr.* hedgehog grape on decaying walnuts
3009. DESMIDIUM.
 †26121 *Swartzii Ag.* Swartz's loose masses 1½ su Pa.G peat bogs, pools, &c. Ralfs desmid. 4
 35190 - - *quadrangulatum Ralfs* 4-angl. conferva-lk. m 1½ su Pa.G boggy pools Ralfs desmid. 5
4141. - - *DIACHEA* Fries DIACHEA. (Not explained.) *Crypt. Fúngi.*
 35191 - - *élegans Fr.* elegant scattered ⅓ su B on liv. leav. of *Conv.máj.* Bul. 502. 2
3066. DIA'TOMA.
 35192 - - *auritum Lyngb.* eared scattered ... sp Y marine *A'lgæ* Lyng. hyd. 62
 35193 - - *brachygonum Carm.* short-angl. short-down Ysh marine *A'lgæ*
 † - - *vulgáre Bory* common fine film ... su Brsh.G pools and lakes Hass. alg. 94. 1, 2
 † - - *tenue Ag., Grev. Crypt. Fl. t. 354., No. 26110. in p. 433.*
 35194 - - *virésceus Hass.* greenish Gsh ponds Hass. alg. 95. 8
Fragillaria virésceus Ehr.
2978. DYCRANUM.
 35195 - - *flagelláre Hedw.* twiggý patches 3 ... Dp.G woods, Ireland Hed. cryp. 3. 1
 35196 - - *Bloxami Wils.* Bloxam's gregarious ¼ ja BtG on clayey banks Lond. Jour. 4. 9. 1—12
Fissidens Bloxami Wils. in *Lond. Journ. of Bot. v. 4. p. 195.*
 35197 - - *Dillèni* Dillenius's patches 2 w Brsh woods and bog. places Eng. bot. 1597
fuscáscens Turn. Musc. Hib. p. 60. t. 5. f. 1.; No. 25840. var. 3. in p. 428.
4142. 3195a. DIDE'RMA Pers. DIDERMA. (*Dis*, double, *derma*, skin; double peridium.) *Crypt. Fúngi.*
 35198 - - *umbilicatum Pers.* umbilicate subrotund 0 ... Dirty W bark and moss Fl. dan. 1972. 1
 35199 - - *spumarioides Fr.* Spumaria-lk irregular ¼ su W Fl. dan. 1972. 2
 35200 - - *Carmichaelianum Berk.* Carm.'s sessile 0 ... Brick R moss
 35201 - - *nitens Kt* shining crust-like 0 ... Sll.W moss
 35202 - - *cyanescens Fr.* bluish thick 0 ... W dead oak leaves
 35203 - - *deplanatum Fr.* depressed retic. masses 0 ... W dead oak leaves
 35204 - - *contéxtum Pers.* interlaced aggregated ½ su aut Ci on grass, fern, &c.
- Nos. 27635., 27702, 27703, and 27704. in p. 460. are also referred, by Sir W. J. Hooker, to this genus.

3196. DIDYMIUM.									
35205	27695a	peritumum Berk.	pieced	scattered	W	dead stems of herbaceous plants	
35206	27695b	lobatum Nees	lobed	sessile	Bk	moss	Nees pilze 104
35207	27695c	serpula Fr.	serpentine	admate	Bsh	leaves	
35208	-	melanopus Fr.	black-stmd.	gregarious	1/4	su	B	on moss	
		<i>Phsarum clavus</i> A. & S. p. 96. t. 2. f. 2.							
35209	-	xanthopus Fr.	ycl.-stmd	gregarious	...	su.aut	Pa.Br	on ivy leaves	
4143. - DIDYMOCLADON Rafs DIDYMOCLADON. (<i>Didymos</i> , double, and <i>klados</i> , a branch.) <i>Crypt. A'lgæ.</i>									
35210	-	fureticus Berk.	fork-bearing	Pa.G.mas	set	0 year	Pa.G	ponds, pools, &c.	Ralfs desmid. 33. 12
		<i>Staurastrum furcigerum</i> Breb.; <i>Phycæstrum furcigerum</i> Kütz.							
2982. DIDYMODON.									
35211	25867a	crispulus Hook.	curled	tufts	...	my.jn	D.G	limestone rocks	
35212	25867b	brachydontius Hook.	sh.-toothed	tufted	1	su	Bt.G	limestone rocks	
		25868 capillaceus							
35213	-	2 ithyphyllus Hook.	straight-lvd	dense-tufts	...	sp	Bt.G	banks and rocks	
		2 cylindricus Hook.	cylindrical	u	...	ditch banks	
4144. - DIDYMOPRIUM Kütz. DIDYMOPRIUM. (<i>Didymos</i> , twin, or double, and <i>prius</i> , a saw.) <i>Crypt. A'lgæ.</i>									
†	-	Grevillei Kütz.	Dr. Greville's conf.-lk.	mas.	2	sp	Pa.G	boggy pools, &c.	Ralfs desmid. 2
		<i>Desmidium cylindricum</i> Grey. <i>Crypt. Fl. t. 293.-</i> , and No. 26122. in p. 433.							
35214	-	Borreri Ralfs	Mr. Borrer's conf.-lk.	mas.	2	...	Pa.G	peat-bogs, pools, &c.	Ralfs desmid. 3
4145. - DIPLODIA.									
35215	-	liticola Desm.	Holly-br.	dwell.	spots	...	year	Bk	on holly branches
35216	-	Viticola Desm.	Viue-br.	dwell.	spots	...	year	Bk	on vine branches
		<i>Desm. exs. n. 989</i>							
		<i>Desm. exs. n. 989</i>							
3147. DITIO'LA.									
35217	-	nuda Berk.	naked	gregarious	1/3	s	...	on fir stumps	Ann. n. se. v. 2. 9. 4
4146. - DOCIDIUM Breb. DOCIDIUM. (<i>Dokidion</i> , a little beam.) <i>Crypt. A'lgæ.</i>									
35218	-	nodulosum Breb.	wavy	D.G.m. or sc.	1/50	year	D.G	peat-bogs, pools, &c.	Ralfs desmid. 26. 1
35219	-	truncatum Breb.	truncate	D.G.m. or sc.	1/50	year	D.G	pools, peat-bogs, &c.	Ralfs desmid. 26. 2
35220	-	clavatum Kütz.	club-shpd	scattered	1/60	year	Pa.Tr.G	boggy pools	Ralfs desmid. 26. 3
35221	-	Ehrenbergii Ralfs	M. Ehrenb.	Pa.G.m. or sc.	1/50	year	Pa.Tr.G	peat-bogs, pools, &c.	Ralfs desm. 26. 4., 33. 4
		<i>Closterium trabæcula</i> Jemm. <i>Fl. of Tunb. Wells</i> , p. 196.							
35222	-	baculum Breb.	staff-like	scattered	0	year	Pa.Tr.G	boggy pools	Ralfs desmid. 33. 5
35223	-	minutum Ralfs	minute	scattered	0	year	Pa.Tr.G	boggy pools	Ralfs desmid. 26. 5
35224	-	asperum Breb.	rough	Pa.G.m. or sc.	1/64	year	Pa.Tr.G	pools	Ralfs desmid. 26. 6
3159. DOTHIEA.									
35225	27592a	Heraclæi Wermak.	Cow-pars.	opaque	0	...	Bk	leaves of <i>Heraclæum</i> Sphond.	
35226	27594a	Fumago Fr.	Fungoid	subreg.	0	sp	Bk	<i>Ferontia</i> offic. leaves	
35227	27594b	Ranunculæ Fr.	Crowfoot	subreg.	0	sp	Bk	Ranunc. leaves	
35228	27594c	Potentilla Fr.	Potentilla	opaque	0	...	Bk	Potentilla leaves	
		2 reptantis Hook.	creeping	shining	0	...	Bk	Potentilla leaves	
		3 verna Hook.	spring	shining	0	sp	Bk	Potentilla leaves	
35229	-	sphaeroides Fr.	Sphaeria-lk	gregarious	0	year	Bk	on dead twigs of the ash	
35230	-	pyrenophora Fr.	pear-bearg	elliptical	0	year	...	on fallen apple and pear trees	
35231	-	chaetodium Kz.	bristly	scattered	0	au	Bk	on leaves of <i>Rubi</i>	
3036. DRAPARNA'LDIA.									
35232	-	repetita Hass.	renewed	dense tufts	G	pools	Hass. br. fr. alg. 12. 2
35233	-	condensata Hass.	condensed	tufts	G	ponds	Hass. br. fr. alg. 11. 1
35234	-	elongata Hass.	elongated	tufts	Pa.G	horse-troughs, &c.	Hass. br. fr. alg. 10. 3
†	-	nana Hass.	dwarf	like down	1/20	aut	Bsh.G	on dead lvs. and sticks	Hass. br. fr. alg. 10. 4
		<i>Conferva nana</i> Dillw. <i>Conf. t. 30.</i> ; ? <i>Leptonium nanus</i> , No. 26200. in p. 434.							
26209	tenuis Ag.	syn. <i>Stygoconium tenuis</i> Eng. bot. 2913; <i>Conferva proteus</i> Dillw. <i>Conf. 67.</i> , and <i>C. lubrica</i> Dillw. <i>Conf. 57.</i>							
3053. ECTOCA'RPUS.									
35235	26365a	distortus Carm.	deformed	densely matted	6	...	Dp.Ch	Zostera	Eng. bot. 2872
35236	-	pustillus	dwarf	woolly tufts	paras. on A'lgæ	Eng. bot. 2921
35237	-	sphaerophorus Carm.	rd.-fruited	D.G	paras. on A'lgæ	Eng. bot. 2921
4147. - ELACHYSTA. ELACHYSTA. (Not explained.) <i>Crypt. A'lgæ.</i>									
35238	-	flaccida Fr.	flaccid	short tufts	1/2	...	Ol.G	paras. on Fuci	Eng. bot. 2912
		<i>Conferva flaccida</i> Dillw. <i>Conf. t. 53. f. C.</i> (not of Eng. Bot. t. 2310).							
4148. 3190b. ELAPHOMYCES Nees ELAPHOMYCES. (<i>Elaphos</i> , a stag, <i>mukes</i> , a fungus.) <i>Crypt. Fungi.</i>									
35239	-	granulatus A. & S.	granulated	unequal	Bk	dry heathy ground	Nees 147. <i>Tuber</i> cr.
35240	-	muricatus Fr.	muricated	globose	Bk	moun. beech woods	<i>Lyc. Tub.</i>
35241	-	anthracinus Vitt.	coal-black	Bk	in clayey soil	
4149. - ENCYONEMA Kütz. ENCYONEMA (<i>Enkyos</i> , full, and <i>nema</i> , a thread.) <i>Crypt. A'lgæ.</i>									
35242	-	prostratum Kütz.	prostrate	thin stratum	Br	on boards in water	Hass. alg. 100. 10
		<i>Monèma prostrata</i> Berk. <i>Gl. Br. Alg.</i> ; <i>Schizonema prostratum</i> Grev. in Hook. <i>Br. Fl. v. 2. p. 414.</i>							
3088. ENDOCA'RPON.									
35243	26606a	psoromoides Hook.	scab.-like	irreg. pat.	1 1/2	year	DI.Ol.G	elm bark	Eng. bot. 2612. 1
35244	26606a	eplocum Ach.	intertwined	scattered	3/4	year	Ol.G	sand stones	Eng. bot. 2602. 2
35245	26606b	soredium Hook.	scaly	crust	1/4	year	Ol.G	mud walls	Eng. bot. 2612. 2
35246	26606c	pulethellum Borrer	pretty	sm. irreg. pt.	1/4	year	Sil.G	lichens and mosses	
35247	26606d	la'te-virens Turn.	bright gr.	scattered	1/4	year	Bt.G	wet san. rocks	Eng. bot. 2658
35248	26611a	rufo-virens Turn.	reddish gr.	scaly crust	...	year	Ysh.G	rocks	
35249	26611b	sulphurcum Tayl.	sulph. fld.	scaly crust	8	year	...	rocks	
35250	26611c	macrocarpum Tayl.	large-frtd.	small scaly	...	year	Bk	trans. slate	
35251	26611d	rugosum Tayl.	wrinkled	warty crust	24	ap	Gl.Gy	trans. slate	
4150. - ENDOGON'LE Kütz. ENDOGONISE (<i>Endon</i> , within, <i>gonia</i> , an angle.) <i>Crypt. Fungi.</i>									
35252	-	pisiformis Lk.	pea-formed	roundish	Ysh	in woods, under moss	
		<i>Glonum macrocarpum</i> Tul. <i>Fung. Hyp. in Giorn. Bot. Ital.</i>							
35253	-	lactiflua Berk	milky	globose	3/4	o	W	in woods?	

4151. 3061a. ENTEROMORPHA Lk. (Enteron, entrail, morphe, form; appearance.) Crypt. A'lgæ.
 35254 26395a Cornucopiæ Carm. Horn of P. lacin. memb. 1 sp. su D.G pools
 35255 26395b Liukkiäna Grev. Link's much bran. 6 su Pa.G ocean
 Nos. 26385, 26387, and 26388. of Hort. Brit., p. 437., are placed in this genus, by Sir W. J. Hooker, in Eng Flor.
4152. 2993z. ENTOSTHODON Schw. (Entosthe, within, odon, a tooth; insertion of peristome.) Crypt. Masci.
 35266 - Templetoni Schw. Templeton's little pat. 4 su L.G banks Musc. brit. 14
 Weissia Templetoni Hook., No. 25803., in p. 427; Funaria Templetoni E. B. 2524.
4153. - EPPHAGOS. EPIPHAGOS. (Not explained.) Crypt. Fungi.
 35257 - Luxfordii Ryl. MS. Luxford's tufted paras. on Monotropa rts. Phyt. I. 344. f. l. c. d.
4154. - EPOCHNIUM. EPOCHNIUM. (Not explained.) Crypt. Fungi.
 35258 - macrosporioidum Bk. Macsp.-lk thin strm. 0 aut Bsh. Bk on decorticated twigs Ann. l. p. 263. 8. 14
3226. ERY'SIPHE.
 35259 27753a macularis Wallr. spotted powdery 0 su. aut W hop leaves
 35260 27754a tortilis Lk. tortuous loose 0 ... Br under side lvs. of Cornus sanguinea
4155. - EUASTRUM Ehr. EUASTRUM. (Eu, beautiful, and astron, a star.) Crypt. A'lgæ.
 35261 - verrucosum Ehr. warted scattered 0 year Pa.G boggy pools, &c. Ralfs desmid. 11. 2
 35262 - oblongum Grev. oblong cloud-lk. m. 0 year Pa.tr.G bogs, pools, &c. Ralfs desmid. 12
 Echinella oblonga Grev. in Hook. Br. Fl. v. 2. p. 398.
- 35263 - crassum Breb. thick cloud-lk. m. 0 year Pa.G peat-bogs, pools, &c. Ralfs desmid. 11. 3
 Peltia Ralfs in Ann. Nat. Hist. v. 14. t. 7. f. 1.; Hass. Freshwater Algæ, p. 380.
- 35264 - pinnatum Ralfs pinnated scattered 0 year Pa.G boggy pools Ralfs desmid. 13. 1
 35265 - humerosum Ralfs shouldered scattered 0 year Pa.G peat-bogs and pools Ralfs desmid. 13. 2
 35266 - affine Ralfs allied scattered 0 year Pa.G boggy pools Ralfs desmid. 13. 3
 35267 - ampullaceum Ralfs bottle-shpd scattered 0 year Pa.G peat-bogs and pools Ralfs desmid. 13. 4
 35268 - insignis Hass. remarkable cloud-lk. m. 0 year Pa.G peat-bogs, pools, &c. Ralfs desmid. 13. 6
 35269 - Didelta Turp. diple-delta scattered 0 year Pa.G pools, and in bogs Ralfs desmid. 14. 1
 35270 - ansatum Ehr. halted scattered 0 year Pa.G bogs, pools, &c. Ralfs desmid. 14. 2
 35271 - circulare Hass. circuler.-lbd scattered 0 year Pa.G boggy pools, &c. Ralfs des. 13. 5, 14. 3
 35272 - pectinatum Breb. pectinate scattered 0 year Pa.G peat-bogs, pools, &c. Ralfs desmid. 14. 5
 35273 - gemmatum Breb. pearly-lobd scattered 0 year Pa.G peat-bogs, pools, &c. Ralfs desmid. 14. 4
 35274 - rostratum Ralfs heaked scattered 0 year Pa.tr.G peat-bogs, pools, &c. Ralfs desmid. 14. 6
 35275 - elegans Breb. elegant scattered 0 year Pa.tr.G peat-bogs, pools, &c. Ralfs desmid. 14. 7
 spinosum Ralfs in Ann. Nat. Hist. v. 14. p. 193. t. 7. f. 6.; Hass. Br. Freshw. Algæ, p. 384.
- 35276 - binale Turp. binate scattered 0 year Pa.tr.G pools and bogs Ralfs desmid. 14. 8
 35277 - cuneatum Jenner wedge-shpd scattered 0 year Pa.G peat-bogs, &c. Ralfs desmid. 32. 3
 35278 - sublobatum Breb. sub-lobed scattered 0 year Pa.tr.G pools, peat-bogs, &c. Ralfs desmid. 32. 4
4156. - EUNOTIA Ehr. EUNOTIA. (Not explained.) Crypt. A'lgæ.
 35279 - arcus Ehr. arched Ysh. Br bogs Hass. alg. 97. 5
 35280 - dibdon Ehr. two-toothed Ysh. Br bogs Hass. alg. 97. 6
 35281 - tidon Ehr. three-toothed Ysh. Br Cold Bath spr. Tun. W. Hass. alg. 97. 7
 35282 - tetradon Ehr. four-toothed Ysh. Br bogs Hass. alg. 97. 8
3168. EXCI'PULA.
 35283 27636a strigosa Fr. strigose innate 0 aut Bk culms, leaves, grass
3005. FXILA'RIA.
 35284 - capitata little tufts in ditches Hass. alg. 97. 1
 † - ulna ell little tufts 1/2 su Gsh. Y ponds and ditches Hass. alg. 97. 2
 - fasciculata, No. 26106. in p. 432.; Echinella fasciculata β truncata, Grev. Crypt. Fl. t. 16.
 35285 - fascicularis Kütz. bundled little tufts in ditches Hass. alg. 97. 3
 Diatoma t. uncatum Grev. in Brit. Fl. v. 2. p. 407.
 35286 - lunaris Hass. moon-shpd little tufts ditches Hass. alg. 97. 4
3007. FRAGILARIA.
 35287 - aurea Carni. golden mucose Go sea, on A'lgæ
 35288 - diatomoides Grev. Diatoma lk short-down Very Pa. Y sea, on A'lgæ
 35289 - confervoides Grev. Conferva-lk tufted 2-4 sp ... streams
 35290 - rhabdosoma Ehr. twig pools and ditches Hass. alg. 95. 6
4157. 3005a. FRUSTULIA Ag. FRUSTULIA. (Frustula, fragments; of which this genus is composed.) Crypt. A'lgæ.
 35291 26108a fasciata Ag. banded Ol. Och freshwater Fl. hib. p. 251
 35292 26108b Ulva Ag. Ulva Och freshwater Fl. hib. p. 281
 35293 - ?viridis green G bogs Hass. alg. 102. 2
3235. FUSARIUM.
 35294 27774a roseum Lk. rosy gregar. dots 0 ... stems of herbaceous plants
 35295 - lateritium Nees brick-cld spots 0 ... Dl. R on fallen branches of lime, willow, &c.
4158. 3251a. FUSISPORIUM Lk. FUSISPORIUM. (Fusus, spindle, sporos, seed; sporidia fusi(orm.)) Crypt. Fungi.
 35296 - atrovirens Berk. dark green gelatin. mass 0 su G. Bk onions
 35297 - aurantiacum Lk. orange confluent 0 ... Ro decayed cucumbers, &c.
 35298 - Baxii Fr. Box scattered 0 ... Ro dry box leaves [7, 9
 35299 - inoscularis Berk. uniting white tufts 0 ... W on ger. spores of Bunt J. H. S. 2. 113. 1, 2, 3, 6,
 35300 - udum Berk. flabby broad masses... sp O on trees Ann. 6. 14. 28
 35301 - Georginae Kl. Georgina's W on roots of Dálhla Kl. exs. n. 186
 35302 - album Desm. white W on dry gr. lvs. of the oak
 This genus, according to Sir W. J. Hooker, includes also the genus Fusidium, in p. 463.
4159. - GEASTER Mich. STARRY-PUFF-BALL. (Ge, earth, aster, a star.) Crypt. Fungi.
 35303 - rufescens Fr. rufescent subsolitary ... aut Rsh. Br on the ground in wds.
 35304 - fimbriatus Fr. fimbriated subsolitary 1 1/2 aut Rsh. Br on the ground in wds. Sow 80. I. ye. sessile
 35305 - mammosus Chev. mammillary subsolitary 3/4 aut Br woods and heaths Sow. 401. L. recolligens
 35306 - hygrometricus Pers. hygrometric solitary 3/4-1 1/2 aut D. Br on moors Bull. 238. 471. L. stellatum
3193. GEASTRUM.
 35307 27691a striatum Dec. less prominent 0 ... sandy downs
 35308 27691b Bryantii Berk. Bryant's 0 ... under hedges, &c.

4160.	-	<i>GENEA</i> Vitt.	GENEA.	Br	near Bristol	<i>Crypt. Fungi.</i>	
35309	-	<i>papillosa</i> Vitt.	papillose	Br	Bowood Park, Wilts		
35310	-	<i>verrucosa</i> Vitt.	warty	hemispherical	$\frac{1}{2}$	o	B	under ground		
35311	-	<i>Klotzschii</i> Berk.	Klotzsch's	B	Bowood Park		
35312	-	<i>bombicina</i> Vitt.	silky	hemispherical	$\frac{1}{2}$	o	DI.W			
3135. GOMFLO'SSUM.										
35313	27333a	<i>difforme</i> Fr.	distorted	smooth	1	$\frac{1}{2}$	o	Bk	among <i>Hyphnum squarrosum</i>	
35314	27333b	<i>gluti</i> <i>osum Pers.</i>	glutinous	shining stm.	1	...	Bk	grassy places		
3012. GOMPHONE'MA.										
35315	-	<i>ampullaceum</i> Grev.	ampullaceous	subgl.tufts...	sp.su	rivers, on rocks and stones		
35316	-	<i>truncatum Ehr.</i>	truncated	on aquatic plants	Hass. alg. 98. 2	
35317	-	<i>acuminatum Ehr.</i>	acuminated	ponds, on <i>A'lgæ</i>	Hass. alg. 99. 1	
35318	-	<i>cristatum Rafts</i>	crested	on Conf. glomerata	Hass. alg. 100. 1	
35319	-	<i>dichotomum Kütz.</i>	forked	ponds	Hass. alg. 99. 2	
35320	-	<i>Berkeleyi</i> Grev.	Mr. Berkeley's	tuftd.ms	...	sp.su	Taw	on stones in rivers	Hass. alg. 100. 2	
4161. 3066b. GRATELOU'PIA Ag. GRATELOUPIA. (Dr. Grateloup, a French algologist.) <i>Crypt. A'lgæ.</i>										
35321	26433a	<i>filicina</i> Ag.	Fern-lik	pinnate	4	aut	Pksh	ocean	Eng bot. 2780	
3049. GRIFFITHSIA.										
26335 multi-fida										
35322	26336a	<i>simplicifilum</i> Ag.	hair-like	occ.-tufted	2-6	1	Ro.R	sea shore		
			simple-thread	tufts	6	...	R	ocean	Fl. hib. p. 212	
2975. GRIMMIA.										
35323	25802a	<i>atrata</i> Mel.	dark	densely-tuft.	...	aut	almost Bk	rocks	H. mus. exot. 100	
35324	-	<i>orbicularis</i> Bruch.	round-frtd.	round tufts	$\frac{3}{4}$...	Bsh.G	St. Vincent's rocks	Eng. bot. sup. 2588	
4162. - GYMNOPTRION Nees GYMNOPTRION. (Not explained.) <i>Crypt. Hepaticæ.</i>										
35325	-	<i>adustum</i> Nees	brown	$\frac{1}{2}$	mr	Br	on sandst. in rav., &c.	Eng. bot. sup. 2925	
4163. 3262b. GYMNOSPORANGIUM Dec. (Gymnos, naked, sporangium, seed vessel.) <i>Crypt. Fungi.</i>										
35326	-	<i>Juniperi</i> Lk.	Juniper	expand. ms.	O	living twigs of Junip. comm.		
2964. GYMNO'STOMUM.										
35327	25733a	<i>cæspitium</i> W. & M.	Wilson's	tufts	$\frac{1}{2}$	s	...	crv. rocks	Bry. ger. 8. f. 2	
35328	25741a	<i>Wilsoni</i> Hook.	Wilson's	patches	$\frac{1}{2}$	year	...	fields	Bot. mis. 41	
	25743	<i>cœnicum</i>	minute	little spots	...	su	Pa G	fields	Bry. ger. 9. f. 2	
35329	-	<i>tortile Schw.</i>	twisted	large tufts	9	...	Pa.G	wet rocks	Schwæg. sup. 1. 9	
35330	-	<i>sphaerium Schw.</i>	round-frtd.	scattered	$\frac{1}{2}$	au	Ysh.G	borders of pools	Eng. bot. sup. 2830	
4164. - GYROSIGMA Hass. (Gyros, a curve, and sigma, the letter S; form of the frustules.) <i>Crypt. A'lgæ.</i>										
35331	-	<i>hippocampa</i> Hass.	sea-horse	bogs	Hass. alg. 102. 11	
		<i>Frustulia hippocampus</i> Jenn., Fl. Tuub. p. 201.								
4165. 3014a. HEMATOCOCCUS Ag. (Haima, blood, kokkos, berry; colour of many species.) <i>Crypt. A'lgæ.</i>										
35332	26134a	<i>frustulosus</i> Harv.	frustulose	widely spread...	O.Gy	irrigated cliffs		
35333	26134b	<i>sanguineus</i> Ag.	blood-cld	much spread...	Br.R	caverns		
35334	-	<i>Allmani</i> Hass.	admirable	Bd.R	dropp. well, Knaresb.	Hass. alg. 80. 3	
†26133	<i>murorum</i> Hass.	wall	confluent	... year	Ysh.G	on walls and stones	Hass. alg. 81. 4	
		<i>Chlorococcum murorum</i> Grev., Crypt. Fl. t. 325., No. 26133. in p. 433.								
35335	-	<i>cryptophila</i> Hass.	concealed	wide patches	...	year	Bd.R	vaults and caverns	Hass. alg. 80. 1	
35336	-	<i>insignis</i> Hass.	admirable	year	Bd.R	Hass. alg. 80. 6. a, b	
35337	-	<i>Hookeriæna</i> Berk.	Sir W. Hooker's	year	Bd.R	chalk cliffs	Hass. alg. 80. 4	
35338	-	<i>rupëstris</i> Hass.	rock	gelatin. crust	Ol.G	on moist overh. cliffs	Hass. alg. 82. 1	
		<i>Palmella rupëstris</i> Hook., Br. Fl. v. 2. p. 307.								
35339	-	<i>granosus</i> Harv.	granulated	spread. crust	Pa.G	on mosses in bogs	Hass. alg. 81. 6	
		<i>Palmella grandosa</i> Berk., Gl. Br. Alg. p. 19.								
35340	-	<i>alpestris</i> Hass.	alpine	compact.subs	D.OI	in Wales	Hass. alg. 81. 3	
35341	-	<i>sanguineus</i> Ag.	blood-cld	spread. crust	Bd.R	shady rocks	Hass. alg. 79. 2	
		<i>Palmella ? sanguinea</i> Ag. Syn. p. 15.								
35342	-	<i>frustulosus</i> Harv.	greyish-bik	widely spread...	D.Gy	on irrigated cliffs	Hass. alg. 81. 1	
†5343	-	<i>arenarius</i> Hass.	sand	G	Tonbridge Wells	Hass. alg. 76. 10	
35344	-	<i>binâlis</i> Hass.	doutle	G	Hass. alg. 82. 2	
35345	-	<i>furfuræus</i> Hass.	scurfy	aggregate	Ysh.G	on walls & limest. rck	Hass. alg. 82. 4	
		<i>Palmella furfuræca</i> Berk., Gl. Br. Alg. t. 5. f. 3.								
35346	-	<i>lividus</i> Hass	livid	black scurf	Bk	on overhanging cliffs	Hass. alg. 82. 5	
35347	-	<i>æruginosus</i> Hass.	æruginous	Ærug.G	Hass. alg. 82. 3	
35348	-	<i>thelæus</i> Hass.	mostly solitary	G	Rievaul Abbey	Hass. alg. 78. 9	
†26132	<i>vulgaris</i> Hass.	common	widely spread...	G	on walls and trees	Hass. alg. 81. 5	
		<i>Chlorococcum vulgare</i> Grev., No. 26132. in p. 433; <i>Lepraria botryoides</i> Ach., Eng. bot. t. 2148.								
35349	-	<i>microsporus</i> Hass.	small seeded	Pa.G	sand rocks	Hass. alg. 76. 8	
35350	-	<i>minutissimus</i> Hass.	very min.	sph. globules	G	Hass. alg. 76. 9	
4166. - HASSALLIA Berk. HASSALLIA. (A. H. Hassall, a distinguished British botanist.) <i>Crypt. A'lgæ.</i>										
†	-	<i>ocellata</i> Hass.	eyed	dense tufts	1	su	D.Br	springs and bogs	Hass. alg. 67. 2. 6. 7	
		<i>Conferva ocellata</i> Dillw. Syn. Conf. p. 60. t. D., Eng. Bot. t. 2530. <i>Scytonema</i> No. 26179. var. 2. p. 434.								
35351	-	<i>compacta</i> Hass.	compact	tufts	moist rocks	Hass. alg. 68. 3	
35352	-	<i>turfæca</i> Hass.	turf	shaggy stratum...	Y.Br	heath, Sphagnum, &c.	Eng. bot. 2826. 1	
		<i>Scytonema turfæca</i> Eng. Bot.								
†26213	<i>limbata</i> Hass.	bordered	thin layer	sp	V.C	wet rocks	Hass. alg. 67. 6	
		<i>Oscillatoria limbata</i> No. 26213. in p. 435.								
†26178	<i>byssöidea</i> Hass.	Byssus-like	tufts	1	su	B	B	rocks, & trunks of elms	Hass. alg. 67. 5	
		<i>Scytonema byssöideum</i> Ag., No. 26178. in p. 434.								
3258. HELMINTHOSPORIUM.										
35353	27830a	<i>subulatum</i> Nees	subulate	aggregate	0	year	Bk	oak branches		
35354	27831a	<i>fusisporium</i> Berk.	fusif. spor.	dens. agr.	0	year	Bk	rotten sticks		
35355	27831b	<i>nânum</i> Nees	dwarf	scattered	0	w	D.Br	stems of larger herbaceous plants		
35356	27831c	<i>simplex</i> Kunze	simple	aggregate	0	year	Bk	rotten branches		
35357	-	<i>clavariarum</i> Desm.	Clavaria	on <i>Clavaria rugosa</i>		

- †2758 *Tillæ Fr.* Linden punctiform 0 year Bk on dead br. of Linden Ann. 6. 13. 18
Erasporium Tillæ Lk., No. 2758. in p. 464.; *Græ. Crypt. Fl.* t. 208.
- 35358 - - folliculatum Berk. folliculate Umbel.pl.& cabl.stks.Cord. ic. 1. 3. 180
 35359 - - obovatum Berk. obovate dense patches 0 ... Bk old pluks exp. to wet Ann. 6. 13. 19
 35360 - - delicatum Berk. delicate cloudy Bk.spots 0 ... Bk stems of Umbelliferæ Ann. 6. 13. 20
4167. - - HENDERSONIA Berk. (In honour of Mr. J. Henderson, an indefatigable botanist.) *Crypt. Fungi.*
 35361 - - elegans Berk. elegant little spots 0 ap D.Br on culms of com.reed Ann. 6. 11. 9, a-e
4168. - - HYALOTHECA Ehr. (*Hyalos*, glassy, and *theca*, a receptacle.) *Crypt. A'lgæ.*
 † - dissiliens Sm. brittle conf.-like m. 3 su G boggy pools, ponds, &c. Ralfs desmid. 1. 1
Conferva dissiliens Sm. (not *Dillw.*), No. 26258. in p. 435. *Desmidium mucdsum* Ralfs in Ann. N. H. 11. 8. 2.
 †26256 *mucdosa Mert.* slimy conf.-like m. 1½ sp G boggy pools Ralfs desmid. 1. 2
Conferva mucdosa Mert., No. 26256. in p. 435. *Glocephrum mucdsum* Ralfs in Ann. Nat. Hist. 16. 3. 6.
4169. - - HYDNANGIUM Waltr. HYDNANGIUM. (?*Hydnon*, a truffle, and *ageion*, a vessel.) *Crypt. Fungi.*
 35362 - - carotæcolor Berk. carrot-cld oblong ¾ aut Pa.O.R in fir woods
 35363 - - Stephensii Berk. Stephens' oblong ¾ aut D.Ru under ground
4170. - - HYDNOBOLITES Tul. HYDNOBOLITES. (?*Hydnon*, a truffle, and *bolos*, a mass.) *Crypt. Fungi.*
 35364 - - Tulasnei Berk. Tulasne's depresso-glob. 1 au Fer in sandy ground Berk. fun. 4. 302
 35365 - - cerebriiformis brain-shpd globose ... aut ... under ground
3128. HY'DNUM.
- 35366 27262a fuscum Pers. brown shining Ru.Br on wood Pers. myc. 17. 3
 35367 27266a fimbriatum Pers. fringed membran. W fallen br. beech patch.
 35368 27266b lldum Fr. moist elong-patch. 4-5 aut Pa.Y fall. sticks of *U'lmus* sub.
 35369 27269a farinaceum Pers. mealy subbyssoid ... year Pa decayed trunks
 2 hyssoides Berk. hyssoid beaut. bran. W decaying bran.
 35370 - - zonatum Batsch zoned gregarious 2 ... Och on the end. und. oaks Batsch 40. 224
 35371 - - niveum Pers. snow-wh. spreading ... d W decayed lvs., stks., &c. Pers. disp. 4. 6, 7
4171. 3237a. HYDROPHORA Tode. (*Hudor*, water, *phoro*, to bear; watery peridiolum.) *Crypt. Fungi.*
 35372 - - murina Fr. mouse-cld scattered 0 year W rats' dung
 No. 27779. in p. 463. is also referrible to this genus.
4172. - - HYDRURUS Ag. HYDRURUS. (*Hudor*, water, and *oura*, a tail.) *Crypt. A'lgæ.*
 35373 - - Ducluzeli Ag. Ducluzel's gelatinous 2-6 on stones in rivulets Hlss. alg. 77. 3
4173. - - HYGROPHORUS ?Berk. HYGROPHORUS. (*Hygro*, moist, *phoro*, to bear.) *Crypt. Fungi.*
 35374 - - russo-coriaceus Berk. red-leather ¾-1 o.d W in exposed pastures
4174. - - HYMENOGASTER Vitt. HYMENOGASTER. (*Hymen*, membrane, *gaster*, the belly.) *Crypt. Fungi.*
 35375 - - olivaceus Vitt. olive-cld globose 1 aut Oliva under ground
populetorum Berk., Brit. Fungi, fasc. 4. No. 304.
 2 modestus Berk. & Br. modest Pa.Br under ground
 35376 - - vulgaris Tul. MSS. common roundish ... su Wsh under ground
Splanchnomyces tener Corda fasc. 6. ined. t. 8. f. 84. fide Berkeley.
 35377 - - pallidus Berk. pale-cld roundish-dep. ¾ aut W under ground
 35378 - - decorus Tul. handsome W under ground, Epping Forest
 35379 - - Thwaitesii Berk. Thwaites's globose ... aut W under ground
 35380 - - pusillus Berk. small obovate ½ aut W on mossy ground
 35381 - - albus Fr. white flocculent ½ aut Rsh.Br on sandy ground
Rhizopogon albus Hook. Br. Fl. v. 2. pt. 2. p. 229. (exclusive of all synonyms).
 35382 - - tener Berk. tender globose ¾ sp. su W on the gr. in fir pl.
liacinus Berk., Brit. Fung. fasc. 4. No. 305.
 35383 - - citrinus Vitt. lemon-cld globose 1 ... Gsh.Y under ground Berk. fun. 4. 284
 35384 - - luteus Vitt. yellow globose ... su. aut Y under ground
 35385 - - muticus Berk. unarmed globose 1 n W.or Brsh under ground
4175. - - HYMENO'STOMUM Brid. FILM-MOSS. (*Hymen*, a membrane, *stoma*, a mouth.) *Crypt. Musci.*
 35386 - - obliquum Brid. oblique broad patch. ¼ au D.G borders of pools Eng.bot.sup.2831
2994. HYPNUM.
- 35387 25930a flavescens Hook. yellowish broad patch. pr su Pa.Y moist shady rocks
 25940 alopecurum
 2 aquaticum Hook. water branched 3 aut D.G running water
 35388 25945a means Hook. glittering broad patch. pr su Shining Y moist shady rocks
 35389 25946a Jaricinum Hook. Larch-bran. sp boggy ground
 35390 25950a crassinervium Hook. thick-nervd mats 1 aut Bt.G limestone rocks, &c.
 25957 striatum
 2 minus Hook. less loose tufts ... sp Bt.G limestone rocks
 25958 confertum
 2 subsecundifolium sub-sec.-lvd small patch.... w Pa.G trunks of trees
 25960 cordifolium
 2 purpureum Hook. purple loose tufts 4 su P bogs
 35391 - - demissum Wils. low tufts 1 ... Ysh.G stones Eng. bot. 2740
 35392 - - pumilum Wils. dwarf patches 1 ... Y.G on calcareous rocks Eng.bot.sup.2942.1
 35393 - - incurvatum Schw. incurv.-br. creep.stems 2 su G on walls, in woods Eng. bot. sup. 2839
 35394 - - sylvaticum Schw. wood prostrate 1½ aut Bt.G roots of trees, Ireland Eng. bot. sup. 2936
 35395 - - elodes Spr. marsh tufts 3 ... Brsh in wet places
 35396 - - pratense Koch meadow patches 3 road-sides among grass
 35397 - - polyanthus H. & T. many-frtd tufts 3 ... G trees and rocks Eng. bot. sup. 2871
 Not *H. polyanthus* of Eng. Bot. t. 1664., which is only a small variety of *H. cupressiforme*.
 35398 - - caespitosum Wils. tufted tufts ... aut Gsh.Y rts. of trees nr. water Eng. bot. sup. 2878
4176. - - HYSTERA'NGIUM Vitt. HYSTERA'NGIUM. (Not explained.) *Crypt. Fungi.*
 35399 - - nephriticum Berk. nephritic gregarious 1 f W in clayey soil
 35400 - - Thwaitesii Berk. Thwaites's subglobose W under ground
3167. HYSTERIUM.
- 35401 - - Vaccinii Carm. Vaccinium sub-innate 0 year Bk stems of Vac. Myrtillus

4176* 3129a. *IPPEX Fr.* IPPEX. (*Iypez*, a rake, or harrow; hymenium somewhat resembles.) *Crypt. Fungi.*
 35402 - pendulus *Fr.* pendulous very thin 1 mr W pine wood
 35403 - lacteus *Fr.* milk-white clegant 2 ... W beech

3228. ISA'RIA.

35404 - arachnophila *Ditm.* spider-loving on dead spiders *Ditm* deutsch. 55
 35405 - intricata *Fr.* intricate minute tufts $\frac{1}{10}$ aut W on dead Fungi
 35406 - puberula *Berk.* puberulous scattered $\frac{1}{10}$ au Rsh.Gy decayed fl. of *Dahlia* Ann. G. 12. 12

3104. IS'IDIUM.

26776 microsticticum 2 album *Hook.* white tartareous $\frac{1}{2}$ aut W rocks, Ireland
 35407 26777a paradoxum *Ach.* paradoxical crowded pat. $\frac{1}{2}$ aut Gysh rocks

2998. JUNGERMANNIA.

35408 26025 microscopica *Tayl.* microsc. very minute ... Gsh *Hypnum* lbr. Ireland
 35409 26029a turbinata *Wils.* turbinate dense patch. ... sp Ol.G moist or shady places

affinis Wils. in *Hook. Eng. Fl.* p. 111.

26040 scutiformis 26 britanica *Hook.* British dense s. tufts 2 ... Y.G Clova & Cairngorm
 26060 bidentata 2 obtusata *Hook.* obtusc-lvd crowded pat. $1\frac{1}{2}$ w.sp D.G wat. pits, &c., Holt Heath
 26364 barbata 2 minor *Hook.* less crowded pat. ... sp Pa.G rocks, woods, heaths
 26066 reptans 2 bipinnata *Hook.* bipinnate dense tufts ... sp.su Pa.G Ireland, woods, &c.
 26067 trilobata 2 minor *Hook.* less patches ... su Ol.G rocks elev. situations
 3 minima *Hook.* least patches ... su Ol.G S. of Ireland
 26068 platyphylia 2 major *Hook.* greater-lvd patches 2 in.y.au Gl.Y.G walls, rocks, trees
 3 Thuja *Hook.* Thuja patches 2 in.y.au Gl.Brsh walls, rocks, trees
 26075 hamatophylla 2 echinata *Hook.* echinated sm.gr. tufts $\frac{1}{2}$ sp G rocks and trees
 3 exstipulata *Tayl.* stipuleless small tufts $\frac{1}{2}$ sp G rocks and trees
 26080 Tamarisc 2 apiculata *Tayl.* apiculate large patches 3 su Br.G on the earth
 3 tricenata *Wahl.* 3-lobed tufts 1 ... woods and mts. Ireland *Hook.br.jung.* 76.4.7
 35411 - 26080a *Wahl.* *trilobata* var. β and γ *Hook. Brit. Jung.* dense tufts $1\frac{1}{2}$... Ol.G sides of springs, Teesdale
 26080a *Wahl.* *trilobata* var. β and γ *Hook. Brit. Jung.* smaller patches $\frac{1}{2}$... Teesdale
 26080a *Wahl.* *trilobata* var. β and γ *Hook. Brit. Jung.* moss-dwlg. prostrate $\frac{1}{2}$... creeping over mosses, Teesdale
 35412 - uliginosa *Nees* bog Highlands of Scotland
 35413 - subalpina *Nees* subalpine Highlands of Scotland
 35414 - Schraderei *Mart.* Schraderei's Highlands of Scotland
 35415 - Zeyheri *Hüben.* Zeyher's Highlands of Scotland
 35416 - gelida *Tayl.* frozen creeping 1 ... Rsh. Br among Gymnomitron
 35417 - Kunzeana *Hüben.* Kunze's dense patches 1 ... Ol.Br
 35418 - Ralfsi *Wils.* Ralfs' Pa.G near Penzance Eng. bot. 2874
Diplolaena na *Lyellii* *Nees von Esenb.* v. 3. p. 352. Pa.G cliffs near Penzance Eng. bot. 2873
 35419 - calycina *Tayl.* long calyxed large patches 3 mr *Hook. Br. Jung.* t. 47.; ?*endivifolia* Dicks.
 35420 - *epiphylla* var. β *longifolia*, and var. γ *furcigera* *Hook. Br. Jung.* t. 47.; ?*endivifolia* Dicks.
 35421 - *Wilsoni* *Tayl.* Wilson's
 35422 - stellulifera *Tayl.* stelluliferous
 35423 - voluta *Tayl.* rolled Ireland
 35424 - spicata *Tayl.* spiked Ireland
 35425 - Lyoni *Tayl.* Lyon's patches $\frac{3}{4}$ sp Pa.G sides of streams Tr. bot. soc. Edin. 1.7
 35426 - ulicina *Tayl.* Furze creeping $\frac{1}{2}$... Pa.G on stems of *Ulex europ.* in damp pls.
 35427 - riparia *Tayl.* river-bank patches 1 su ... on wet rocks
 35428 - reclusa *Tayl.* open
 35429 - germana *Tayl.* near akin
 35430 - fragilifolia *Tayl.* brittle-lvd
 35431 - nimbosea *Tayl.* rainy
 35432 - curta *Tayl.* short
 35433 - Thujae *Dicks.* Arhor Vita patches 2 ... Brsh.G rocks, trunks of trees, &c.
 35434 - rivularis *Nees* rivulet
 35435 - Dillenii *Tayl.* Dillenius's
 35436 - Aquilegia *Tayl.* Columbine
 35437 - punctata *Tayl.* dotted tufts woods and mountains
 35438 - exigua *Tayl.* small tufts $\frac{1}{2}$... on mountains, Ireland

KNEPFFIA setigera Fr. is named in *Ann. of Nat. Hist. n. s. 2. p. 265.*, as growing on pine.

3078. LAMINARIA.

35438 - fascia γ latior br.-fillet-lk tufted 5-7 year Br sea coast, Ireland Eng. bot. 2845
Fucus fascia Turn. Syn. p. 186.

3093. LECANORA.

35439 - involuta *Tayl.* involute tartareous ... year Wsh.Gy siliceous rocks
 35440 - albo-flavida *Tayl.* yel.-white cracked-cr. 12 year Gsh.Och transition rocks
 35441 - linearis *Tayl.* linear soft scales ... Br crumbling slaty stones
 35442 - milvini *Ach.* kite-like tartar. crust 3-4 year Br grey flinty st. ro. Eng. bot. 2662
 35443 - aipospila *Ach.* er. tartar. rugged 4 ... Brsh.Gy rocks Eng. bot. 2662. 2
 35444 - spodiophaea *Ach.* ashy grey tartar crust 3 year Gy rocks Eng. bot. 2662. 3
 35445 - aspersa *Borrer* sprinkled filmy crust $1\frac{1}{2}$ year Bksh flints Eng. bot. 2728
 35446 - farinaria *Borrer* mealy soft crust 2 year W old rails Eng. bot. 2727
 35447 - pezioides *Borrer* Peziza-like irreg. patches 1 year Gysh.Br on mossy ground Eng. bot. suppl. 2801
 35448 - brunnea *Ach. Syn.* p. 193. (not of Eng. Bot.); *Lichen pezioides* Dicks. Crypt. fasc. 1. p. 10. t. 2. f. 4.
 35449 - coronata *Borrer* crowned granulated cr. 1 year Brsh. Ash turfy ground Eng. bot. 1246, 1247
 35450 - brunnea *Ach., No. 26680.* in p. 442.; *Lichen escharoides* Eng. bot. t. 1247. (excl. Syn. Ach.); *Lichen brunneus* Eng. bot. t. 1246 (not good).

3085. LECIDEA.

35448 26516a prominula *Borrer* prom.-shld. warty 3 year Brsh flints Eng. bot. 2637. 1
 2 fusca *Hook.* br.-crusted er. min. crk. 3 year Br sandstone, sea shore

- 35449 26516b chalybea *Borrer* metallic er. min. crk. ... year Lead. Bk tiles and flint Eng. bot. 2687. 2
 35450 26516c prümnea *Ach.* trunk-*inh.* thin crust 2 year Gysh trunks of trees
 35451 26531a Geomæ *Tayl.* Geoma gran. crust ... year Wsh. W moss
 35452 26531b synochea *Ach.* rugged crust $\frac{3}{4}$ year D. Br old boards
 35453 26541a incompecta *Borrer* loose large pat. 2-3 year Ol. G rugged old elms Eng. bot. 2699
 35454 26543a pulvêra *Borrer* mealy soft crust 2-3 year Pa. G oak bark Eng. bot. 2726
 35455 26545a æruginosa *Borrer* æruginose powdered 1 year D. G decaying rails Eng. bot. 2682
 35456 26555a subcærnea *Ach.* flesh-*cl-d.* tartar. crust ... W rocks
 35457 - - mâcula *Tayl.* spotted thin crust 2 year Gysh. Ol siliceous rocks
 35458 - - mclastigma *Tayl.* black-dotted thin crust 2 year O. G siliceous rocks
 35459 - - fumosa *Ach.* smoky scaly crust ... year Bksh siliceous rocks
 35460 - - recedens *Tayl.* receding scaly crust ... year Smo. Gy siliceous rocks
 35461 - - stellulata *Tayl.* stellulated scaly crust 1 year W siliceous rocks
 35462 - - scabra *Tayl.* rough gran. crust 3 year G siliceous rocks
 35463 - - pulvinata *Tayl.* cushioned large pat. 3 year O. Br moss
 35464 - - Templetoni *Tayl.* Templeton's filmy crust 3 year Wsh. Gy moss
 35465 - - lætens *Tayl.* latent mottled cr. ... Pa. Br stones in woods
 35466 - - lapidicola *Tayl.* stone-*inh.* scaly crust ... year Faw. Br slate rocks
 35467 - - picta *Tayl.* painted wrinkled cr. 8 year Brsh. Gy siliceous slate
 35468 - - fuliginosa *Tayl.* sooty scaly crust 2 year O. Ol siliceous slate
 35469 - - Salvæii *Borrer* Salwey's extens. pat. ... Ysh. W the grd. in rocky sit. Eng. bot. supp. 2861
 35470 - - Wahlenbergii *Ach.* Wahlenberg's patches ... Ysh. G Bea' Nevis, Scotland
3112. LEPRARIA.
 35471 26832a cinereo-sulph. *Ach.* yellow-grey aggreg. gran. ... w Cin Scotch firs
 35472 26832b nigra *F. & B.* black ink-lk.-sts. 3 w Bl squared timber Eng. bot. 2409
3176. LEPTOSTROMA.
 35473 - - junctum *Fr.* Rush spots 0 su. aut Bk n dead stems of *Juncus conglomeratus*
 35474 - - vulgare common minute 0 year Bk on dead stems of *Artemisia*
2993. LE'SKEA.
 35475 - - pulvinata *Wahl.* cushioned large patches 3 w.sp Bt. G on trees near water
 35476 - - Sprucei *Bruch.* Spruce's patches 1 ... Pa. G on basaltic rocks
4177. - LUNULARIA *Mich.* LUNULARIA. (*Lunula*, a hoop or ring.) *Crypt. Hæpaticæ.*
 35477 - - vulgâris *Mich.* common densely greg. 1-3 aut D. G damp shady places *Mich. gen. 4*
Marchantia cruciata Linn.
3191. LYCOPE'RDON.
 35478 - - saccatum *Schum.* hollowed 1 ... boggy meadows
3039. LY'NGBYA.
 †26257 zonata *Hass.* zoned long tuft 3 year G pure & running water Hass. alg. 59.4, 5, 6, & 1, 2, 3
Conferva zonata, No. 2957, in p. 435.; *C. lævens* Dillw. Conf. t. 47.; *C. bicolor* Eng. bot. t. 2288.; *Tynda-*
ridæa bicolor Hook. Br. Fl. p. 361.
- 35479 - - copulata *Hass.* coupled Gsh n stones in ponds Hass. alg. 72. 14
 35480 - - viridens *Hass.* greenish D. G on stones in rivulets Hass. alg. 60. 3
 35481 - - Thompsoni Thompson's Pa. G boggy pools, ditches, &c. Hass. alg. 60. 1, 2
 35482 - - floeosa *Hass.* napped floatg. masses. ... *Conferva fugacissima* Dillw. Conf. supt. t. B.
 35483 - - punctalis *Hass.* dotted masses 1½ ... Ysh. G bogs, marshes, pools Hass. alg. 60. 4
Conferva punctalis Dillw. t. 51.; *Sphæropleta punctalis* Berk. gl. br. alg. t. 3. f. 2.
 35484 - - vermicularis *Hass.* vermicular Ysh. G boggy pools Hass. alg. 60. 5
 35485 - - speciosa *Carm.* showy floating tufts 4 year Bt. G mariæ rocks & Fûci Eng. bot. 2926
 35486 - - Carmichaelii *Harv.* Carmichael's extens. strata 3 year G marine rocks & Fûci Eng. bot. 2927, 1
 35487 - - ferruginea *Ag.* rusty extens. strata ... year Vivid G pools, sea shore Eng. bot. 2927. 2.
- 4177*. 3299a. MACROSPORIUM *Fr.* MACROSPORIUM. (*Makros*, long, *sporos*, a seed.) *Crypt. Fungi.*
 35488 - - Cheiranthi *Fr.* Wallflower pyriform 0 ... Bksh decaying lvs. and stems of Cheir.
 35489 - - Bræssicæ *Berk.* Cabbage antennæ-f. 0 ... Bksh decaying cabbage lvs
 35490 - - sarcinula *Berk.* little bundle wh. downy pat. ... aut Ol. G on decaying orange goulds Ann. 1. 261. 8, 10
 35491 - - concinnum *Berk.* neat elongated spots 0 aut Bk on barked twigs of old hampers Ann. 6. 12. 21
2999. MARCHA'NTIA.
 35492 26092a irrigua *Wils.* water broad patches 1-5 sp D. G dripping places
Hygrophila irrigua Taylor.
 Nos. 26091. and 26092. in p. 432. are referred to the genus *Fegatella Cæsalp.*
3269. MELANCONIUM.
 35493 - - bicolor *Nees* two-coloured round spts 0 year Bk on fallen br. of trees
 35494 - - sphærospærum *Lk.* round-seeded ellip. spts 0 year Bk on reeds
4178. - MELANOGA'STER *Corda* MELANOGASTER. (*Melanos*, black, *gaster*, belly.) *Crypt. Fungi.*
 35495 - - Broomeidans *Berk.* Broome's roundish 1-2 my n Bksh beneath the soil Berk. fung. 4. 285
Tuber moschatum Bull. t. 479.; Sow. t. 426.; Fr. Syst. Myc. v. 2. p. 291.; Hook. Br. Fl. v. 2. pt. 2. p. 228.
 35496 - - ambiguus *Tul.* ambiguous su under fir trees
Octaviania ambiguus Vitt. Man. Tub. p. 18.; *Hyperphiza liguamitosa* Klotzsch, Fl. Regn. Bor. t. 463.
 2 in mycidiis intermediate su ?under fir trees
 35497 - - Berkeleyanus *Broome* *Rev. M. J. Berkeley's* gregarious ... 0 W in sandy fir woods
Rhizopogon rubescens Tul. fide Ann. v. 18. p. 76.
3008. MELOSE'PRA.
 35498 - - arenosa *Moure* sand wet banks, streams Hass. alg. 93. 23
 35499 - - orichæcea *Kütz.* Fawn ditches, slow streams Hass. alg. 93. 6, 7
 †26224 ochræcea *Greu.* ochraceous gelat. masses $\frac{3}{4}$ year Och pools, slow streams Dillw. conf. 62
Oscillatoria ochræcea Lyng., No. 26224. in p. 435. [*Conferva.*]
4179. - MERI'DION *Leib.* MERIDION. (*Meris*, a portion, or particle.) *Crypt. Algae.*
 †26105 circulare *Ag.* circular fine mass $\frac{3}{4}$ sp D. G marshes & riv. on straws *Greuv. crypt. fl. 35*
Echinella circularis *Greuv.*; *Etilaria circularis*, No. 26105. in p. 432.
 35500 - - constrictum *Ralfs* constricted Ysh. Br Cold Bath, on *Frag. vir.* Hass. alg. 96. 7-9
4180. - MERISMOPE'DIA *Meyen* MERISMOPE'DIA. (*Merismos*, a division, and *pedion*, a fetter.) *Crypt. Algae.*
 35501 - - punctata *Meyen* spotted boggy pools Hass. alg. 84. 6
Gonium tranquillum Ehrenb. Inf. t. 3. f. 3.

3122. MERULIUS.

- 35502 27200a aurantiflavus Klot. orange-*cl*d tough 6 my O dead beech trees
 35503 27200b tremuliflavus Schr. parasitic aut Y.Br ash stumps Sow. 346
 35504 - rufus Pers. rufous cartilaginous... aut Ru on dead oak branches Pers. myc. 16. 1. 2
 35505 - porinoides Fr. Porina-like thin crust ... su. aut W on the ground in woods
 35506 - pallens Berk. pale effused patches... Pa. Rsh on fallen decayed branches
 4181. - MESOCARPUS Hass. MESOCARPUS. (*Mesos*, middle, and *karpos*, fruit.) *Crypt. A'lgæ.*
 35507 - scalaris Hass. ladder sp boggy spots, road sides Hass. alg. 42. I
 Mougeotia scalaris Hass. in Ann. of Nat. Hist., v. 10. p. 45. t. 7. f. 7. *Sphaerocarpus scalaris* Hass., Ann. Nat. Hist., v. 12. p. 186. t. 7. f. 8.
 35508 - intricatus Hass. intricate su ... forests Hass. alg. 43. I
 35509 - recurvus Hass. recurved su ... commons Hass. alg. 43. 2
 Sphaerocarpus recurvus Hass., in Ann. Nat. Hist., v. 12. p. 186. t. 7. f. 10.
 35510 - depressus Hass. depressed sp boggy spots Hass. alg. 44. I
 Sphaerocarpus depressus Hass., in Ann. Nat. Hist., v. 12. p. 186. t. 7. f. 11.
 35511 - nummuloides money-like su ... heaths Hass. alg. 45. I
 Sphaerocarpus nummuloides Hass., in Ann. Nat. Hist., v. 12. p. 187. t. 7. f. 12.
 35512 - parvulus Hass. very small sp forests Hass. alg. 45. 2, 3
 Sphaerocarpus parvulus Hass., in Ann. Nat. Hist., v. 11. p. 434.
 35513 - ovalis Hass. oval su ... heaths Hass. alg. 44. 2
 Sphaerocarpus ovalis Hass., in Ann. Nat. Hist., v. 12. p. 189. t. 7. f. 15.
 35514 - angustus Hass. narrow su Hass. alg. 45. 4
 Sphaerocarpus notabilis Hass., in Ann. Nat. Hist., v. 10. p. 46.
 35515 - notabilis Hass. notable su brick-fields Hass. alg. 46. 2

3034. MESOGLOIA.

- 35516 26203a purpurea Harv. purple irreg.-bran. 12-24 ... Dp.P ocean
 35517 26206a Griffithsiana Grev. Griffiths's slen.-bran. 13-16 ... Pa.Ol.G ocean
 35518 26206b viridescens Carm. greenish excess.-bra. 8-12 ... Ol.G ocean
 4182. - MICRASTERIAS Ag. MICRASTERIAS. (*Mikros*, small, and *asterias*, a star.) *Crypt. A'lgæ.*
 35519 - denticulata Breb. toothed cloud-like m. 0 year Bt.tr.G peat bogs, pools, &c. Ralfs desmid. 7. I
 35520 - rotata Grev. wheel-shpd cloud-like m. 0 year Bt.tr.G peat bogs, pools, &c. Ralfs desmid. 8. 1
 Echinella rotata Grev., in Hook. Br. Fl., v. 2. p. 398.; *Eudomia rotata* Harv. Man. Br. Alg. p. 187.
 35521 - fimbriata Ralfs fimbriated scattered 0 year Bt.tr.G boggy pools—rare Ralfs desmid. 8. 2
 35522 - radialis Ag. radiated scattered 0 year Bsh.G boggy pools—rare Ralfs desmid. 8. 3
 35523 - papillosa Breb. papillose cloud-like m. 0 year Bt.tr.G boggy pools, &c. Ralfs desmid. 9. 1
 35524 - furcata Ag. forked scattered 0 year Bsh.G boggy pools—rare Ralfs desmid. 9. 2
 35525 - Crux-Melitensis Ehr. Mell. cross-ik. cld.-lk. m. 0 year Bt.tr.G peat-bgs, pools—rare Ralfs desmid. 9. 3
 35526 - morsa Ralfs jagged scattered 0 year Bt.G boggy pools—rare Ralfs desmid. 10. I
 35527 - truncata Corda truncate cloud-like m. 0 year Bt.G peat-bogs, pools, &c. Ralfs des. 8. 4, 10. 5
 35528 - crenata Breb. crenate scattered 0 year Bt.tr.G boggy pools Ralfs des. 7. 2, 10. 4
 35529 - Jenneri Ralfs Mr. Jenner's cld-like m. 0 year Bt.tr.G peat-bogs, pools, &c. Ralfs desmid. 11. 1
 35530 - oscitans Ralfs gaping cloud-like m. 0 year Bt.tr.G peat-bogs, pools, &c. Ralfs desmid. 10. 2
 Holocystis oscitans Hass. Br. Freshwater Alg. t. 90. f. 4.
 35531 - pinuatifida Kütz. pinuatifid scattered 0 year Pa.tr.G bogs Ralfs desmid. 10. 3

4183. - MICROCOLEUS Desm. MICROCOLEUS. (*Mikros*, small, and *coleus*, a sheath.) *Crypt. A'lgæ.*
 † - repens Harv. creeping slimy mass 1½ su Di.G on soil of road-sides Hass. alg. 70. 3
 Oscillatoria autumnalis 2 vaginata, No. 26215. var. 2. in p. 435., *O. chthonoptiles* β Harv. in Hook. Br. Fl. p. 378., *Conferva vaginata* Eng. Bot. 1995.
 35532 - anguliformis Harv. snake-shpd saltwater marshes Hass. alg. 70. 1
 35533 - gracilis Hass. slender saltwater marshes Hass. alg. 70. 2

4184. - MNIMUM ?Hedw. MNIMUM. (Not explained.) *Crypt. Musci*
 35534 - stellare Hedw. stellate tufts 3 sp Y.G at the roots of trees

4185. - MONORMIA Berk. MONORMIA. (*Monos*, one, and *ormus*, a necklace.) *Crypt. A'lgæ.*
 35535 - intricata Berk. intricate round masses... su ... ditches, canals Hass. alg. 75. 11

3042. MOUGEOTIA.

- 35536 - major Hass. greater ponds Hass. alg. 40. 1

3238. MUCOR.

- 35537 27780a füsiger Lk. fusiform hyaline ... Bk gills of decaying agarics
 35538 27780b clavatus Lk. clavate byssoid ... W.Br.Bk rotten pears
 35539 27780c amethysteus Berk. amethyst rather large ¼ ... W.Pa.Y rotting pears
 35540 27780d delicatulus Berk. delicate minute 0 aut Y rotting gourds
 35541 - subtilissimus Berk. most subtle very minute... W on onions J. H. S. 3.97, 98. 1—3
 35542 - succus Berk. sap spongy masses... my O on stumps of *Aucuba* jap. Ann. 6. 12. 15

4186. - MYRIOTRICHIA Harv. MYRIOTRICHIA. (*Myrios*, myriad, *thrix*, a hair; filaments.) *Crypt. A'lgæ.*
 35543 - claviformis Harv. club-shaped tufted ½ ... Ol Chórda lomentária Fl. hib. p. 182

4187. 3240c. MYXOTRICHUM Kunze MYXOTRICHUM. (*Myza*, gluten, *thrix*, a hair.) *Crypt. Fungi.*

- 35544 - caesium Fr. caesious tufted ... Bsh.Gy rotten branches
 35545 - chartarum Kz. paper ou straw, in damp pl. Berk. fung. 3. 207
 35546 - deflexum Berk. deflexed little patches 0 year Gy on paper Ann. 1. 260. 8. 9

3270. NEMASPORA.

- 35547 27867a Rösse Desm. Rose very delicate 0 ... O bran. *Syringia* vulgaris

3156. NEMATELLA.

- 35548 - viridescens Corda greenish gregarious ... aut Pa.G on U'lex europæa Corda ic. 3. 6. 90
Dacrymyces viridescens Fr. Syst. Myc., v. 2. p. 229.; *Tremella viridescens* Schum.

4188. - NAVICULA Bory NAVICULA. (*Navicula*, a little boat.) *Crypt. A'lgæ.*
 35549 - phœnicenteron Ehr. bogs Hass. alg. 102. 9
 35550 - pælea Hass. chaff bogs Hass. alg. 102. 10
 Frustula gracilis Jenn. Fl. Tunb. p. 204.
 35551 - amphibæna Bory bogs Hass. alg. 102. 5

- 35552 - - *platystoma Ehr.* broad-mouthed..... .. bogs Hass. alg. 102. 6
 35553 - - *nodosa Ehr.* knotted bogs Hass. alg. 102. 7
 ? *Frustulia nodosa* Jenn. Fl. Tunb. p. 204.
 35554 - - *inaequalis Ehr.* unequal bogs Hass. alg. 102. 13
 35555 - - *gibba Ehr.* gibbous bogs Hass. alg. 102. 4
 35556 - - *lanceolata Ehr.* spear-shaped bogs Hass. alg. 102. 14
4189. 3069a. NITOPHYLLUM *Grev.* NITOPHYLLUM. (*Niteo*, to shine, *phyllon*, leaf; glossy surface.) *Crypt. A'lgæ.*
 35557 26451a *ulvöideum Hook.* Ulva-like very tender 3-6 o Bt.Pk ocean Eng. bot. 2134
 35558 26451b *Gmelini Grev.* Gmelin's slightly bran. 1-4 su Psh. It. R ocean Eng. bot. 2779
 Nos. 26448, 26449, 26450, and 26451, of *Hort. Brit.*, p. 438., are transferred to this genus by Dr. Greville.
4190. - - NITZSCHIA *Hass.* NITZSCHIA. (In honour of *M. Nitzsch*.) *Crypt. A'lgæ.*
 35559 - - *elongata Hass.* elongated Hass. alg. 102. 12
3018. NO-STOC.
 35560 - - *vesicarium Dec.* vesicated cartilagin. OI.G road side
 35561 - - *interoscopium Carm.* minute gregarious OI calcareous rocks among moss
 35562 - - *humifusum Carm.* spreading densely aggr. D.G ro. exposed to sea spray
 35563 - - *variegatum Moore* variegated gelatin. mas. Dir. Um moist banks, Ireland Hass. alg. 74. 3
 35564 - - *foliaceum Ag.* leafy circular tufts 1 Dir. Um damp clayey ground Hass. alg. 76. 2
 35565 - - *muscorum Ag.* moss gregarious 1 OI.G calcar. rocks, & moss Hass. alg. 74. 4
 35566 - - *macrospERMUM ?Mench.* lg-seeded spheric. Ærug.G Ireland Hass. alg. 73. 1, 2
4191. - - OCTAVIANA *Vitt.* OCTAVIANA. (Not explained.) *Crypt. Fungii.*
 35567 - - *asterosperma Vitt.* star-seed Y in woods Eng. bot. 2842. 2
4192. - - ODONTE'LLA *Ehr.* ODONTELLA. (Not explained.) *Crypt. A'lgæ.*
 35568 - - *aurita* auricled scattered Y paras. on mar. A'lgæ
4193. 2963a. ODIPODIUM *Schw.* CLUB-STALKED Moss. (*Oidos*, a swelling, *pous*, a foot.) *Crypt. Musci.*
 125739 *Griffithsianum Hook.* Griffiths's little spots $\frac{1}{2}$ su Pa.G mountains Musc. brit. 7
Gynandostomum Griffithsianum, No. 25739, in p. 425.
4194. 3250a. OPIDIUM *Lk.* OIDIUM. (*Oon*, an egg, *eidos*, resemblance.) *Crypt. Fungii.*
 35569 27817a *fulvum Lk.* tawny dense tufts 0 aut Taw rotten wood Corda 37
 35570 27817b *fructigenum Schum.* fruit-sprung tufts 0 aut W decaying pears, apples, &c.
 35571 27817c *Erysiphoides Fr.* Erysip.-lk little heaps 0 aut W leaves of various pls. Corda 53
 35572 27817d *leucoconium Desm.* white dust effused spts. 0 aut W lvs. of rose and other pls.
 35573 - - *chartarum Lk.* paper tufts 0 year OI.Bk on damp paper
 Nos. 27805, and 27806, also are referrible to this genus.
3215. ONYGENA.
 35574 - - *piligena Fr.* hair-offspring gregarious $\frac{1}{2}$ au W on old flannel on the ground
3113. OPE'GRAPHA.
 35575 26835a *cerebrina D. C.* tumid-erctd. thin crust 1 year W calc. stone Eng. bot. 2632. 1
 35576 26835b *tesserata D. C.* tessellated thin crust 2 year Br. Gy rocks Eng. bot. 2632. 2
 35577 - - *saxigena Tayl.* rock thin crust 3 year Brsh mural rocks
 35578 - - *sulcata Pers.* furrowed wrinkled er. 3 year Brsh.Gy holly
2984. ORTHO'TRICHUM.
 35579 - - *stramineum Horns.* straw-like tufts 1 sp Dp.G on an ash tree near the Lune
 35580 - - *coarctatum Pal.* crowded tufts 1 su Br.G on trees in woods
 35581 - - *fastigiatum Bruch.* fastigate tufts 1 sp Pa.G on trees
 35582 - - *pallens Bruch.* pale sm. tufts $\frac{1}{2}$ su Pa.G on basaltic rocks
 35583 - - *pumilum Schw.* dwarf tufts $\frac{3}{4}$ sp D1.G trunks of trees Eng. bot. 2163
 affine β *pumilum*, No. 25883 var. 3. in p. 429., *affine* β *pumilum* Musc. Brit. p. 74.
 35584 - - *Sprucei Mont.* Spruce's tufts $\frac{1}{2}$ sp D.G on trees, rocks, &c., near rivers
 35585 - - *tenellum Bruch.* delicate tufts $\frac{3}{4}$ sp Pa.G on trees near water
3037. OSCILLATO'RIA.
 § i. Filaments Brittle.
 35586 - - *mucoSa Hass.* slimy floating D.Ærug.G ponds Hass. alg. 71. 1
 35587 - - *cinerea Hass.* ash-coloured D1.Ærug.G ponds Hass. alg. 70. 4
 35588 - - *erugescens Drum.* rustyish gelatinous Dp.G bot. of ponds & lakes Hass. alg. 72. 2
 35589 - - *pulchella Hass.* pretty Vivid.G bottoms of ponds Hass. alg. 70. 5
 35590 - - *viridescens Hass.* greenish terrest. strata... .. L.Ærug.G bankisides Hass. alg. 71. 2
 35591 - - *thermalls Hass.* hot-bath sm. filaments... .. str. of hot w., Steventon Hass. alg. 72. 3
 35592 - - *muscorum Ag.* moss creeping $\frac{1}{6}$ Pa.B.G *Hypnum ruscifolium* Hass. alg. 72. 12
- §§ ii. Filaments flexuous, coriaceous.
 35593 - - *turfosa Carm.* turf thick layer Viv.G sods in old turf pits Hass. alg. 72. 6
 35594 - - *violacea Johnston* violaceous gelat. mass D.P rapid streams Hass. alg. 72. 10
 35595 - - *rupëstris Ag.* rock thick stratum... .. Pa.G prec. face of cascades Hass. alg. 72. 11
 35596 - - *spadicea Carm.* chestn. col thin stratum D.G damp mossy earth Hass. 71. 5 & 72. 5
- §§§ iii. Stratum blackish; filaments brittle, not coriaceous.
 35597 - - *contexta Carm.* interwoven thin stratum Shin.Bk on moist ground Hass. alg. 71. 4. 6. 7
 35598 - - *Carmichaelii Hass.* Carmich. thin stratum Bk on moist ground Hass. alg. 71. 8
 35599 - - *terrebriformis Ag.* auger-like spreading marshy places Hass. alg. 72. 4
- §§§§ iv. Filaments brown, brittle, not coriaceous.
 35600 - - *Dickiei Hass.* Dickie's spreading L.Ch pools of fresh water Hass. alg. 72. 13
- §§§§§ v. Filaments collected into close erect tufts.
 f- *Friesii Ag.* Fries's tufts 1 Bt.G on mosses in shad. pl. Fl. Dan. 1602. 1
 Scytonema Bångii, No. 26180, in p. 434.
 35601 - - *lucifera Hurr.* sm. spiny tufts Bksh.G decayed tr. of alder Hass. alg. 65. 5, 6
 26212 *alata Grev.*; syn. *Petalonema alatum* Hass. br. fr. alg. 68. 6.

4195.	3240b.	PACHNOCYBE Berk.	PACHNOCYBE.	(Pachn, hoar-frost. kybe, a head.)	Crypt. Fungi.
35602 -	-	subulata Berk.	subulate	oft. fascie. 1/24-1/6 w.sp	BrsH.Cin sticks, stems, &c.
35603 -	-	grisea Berk.	grey	densely gre. ...	Gy decaying stems
35604 -	-	ferruginea Berk.	ferruginous	shining 0 ...	Fcr deal and decaying substances
35605 -	-	acicula Berk.	acicular	gregarious 1/2 w	Pa rotting stems of herbaceous pls.
35606 -	-	albida Berk.	whitish	gregarious ...	P.W rotten wood
4196. -	-	PACHYPHLEUS Tul.	PACHYPHLEUS.	(Not explained.)	Crypt. Fungi.
35607 -	-	melanoxanthus Tul. bk. & yel.	globose	1/2 o	Bk in parks, &c.
		<i>Choirónyx melanoxanthus</i> Tul. MSS. and Berk. in Ann. Nat. Hist. v. 13. p. 359.			
35608 -	-	cirrus Berk.	lenon-clid	subglobose ...	BrsH.Ci in woods
35609 -	-	conglomeratus	conglomerate	lobed 1 o	Fus.Ru under ground
5094. PARMELIA.					
35610 -	-	horrescens Tayl.	dreading	round patch. 2 ...	G. Ysh.W siliceous rocks
35611 -	-	columnaris Tayl.	columnar	small patch. ...	Pa.Br wet rocks
35612 -	-	sulcata Tayl.	furrowed	round patch. 4 year	Gl.W silic. ro. and trees Jac. c. 4. 20. 2
35613 -	-	rugosa Tayl.	wrinkled	large tufts 6 ...	W heath and rocks
35614 -	-	adglutinata Floerke	clammy	membran. ...	ash and elm
35615 -	-	reticulata Tayl.	reticulated	round patch. 10 ...	Psh.Br rocks
35616 -	-	cartilaginea Ach.	cartilaginous	round patch. 2 year	Gsh.Gy on rocks Eng. bot. 2802
35617 -	-	isidioides Borrer	Isidium-lk.	minute scales. ... year	Gsh.Gy scat. over mosses on trs. Eng. bot. sup. 2808
35618 -	-	erosa Borrer	tooth-edged	large patches. ...	Gsh.Gy on old trees, walls, &c. Eng. bot. sup. 2807
		<i>Lecanora tribacia</i> in part Ach. Syn. 191; <i>Squamaria tribacia</i> in part Hook. Br. Fl. p. 194.			
4197.	3144a.	PATELLARIA Fr.	PATELLARIA.	(Patella, a saucer; form of cup.)	Crypt. Fungi.
35619 -	-	atrata Hedw.	blackish	tough 0 ...	Bk wood
4198. -	-	PEDIASTRUM Meyen	PEDIASTRUM.	(Not explained.)	Crypt. Algæ.
35620 -	-	tetrás Ehr.	four-rayed	scattered 0 year	Pa.Tr.G boggy pools
35621 -	-	heptáctis Ehr.	seven-rayed	scattered 0 year	Pa.Tr.G boggy pools
		<i>simplex</i> Hass. Br. Freshw. Alg. p. 388.; not of other authors.			
35622 -	-	biradiatum Meyen	dbl.-rayed 0 year	Pa.Tr.G boggy pools
35623 -	-	selenea Kütz.	crsst.-bearing	scattered 0 year	Pa.Tr.G pools
		<i>Napoleónis</i> Ralfs, in Ann. of Nat. Hist. v. 14. p. 470. t. 12. f. 6.			
35624 -	-	simplex Meyen	simplex	scattered 0 year	Pa.Tr.G pools
		<i>Napoleónis</i> Hass. Br. Freshw. Alg. t. 92. f. 10, 11.			
35625 -	-	peridium Kütz.	broken	scattered 0 year	Pa.Tr.G ponds, pools, &c.
35626 -	-	granulatum Kütz.	granulated	scattered 0 year	Pa.Tr.G boggy pools
35627 -	-	Napoleónis Turp.	Napoleon's	scattered 0 year	Pa.Tr.G boggy pools
		<i>hexáctis</i> Hass. Br. Freshw. Alg. t. 92. f. 5., and <i>excavatum</i> Hass. Br. Freshw. Alg. t. 92. f. 6.			
35628 -	-	angulosum Ehr.	angular	scattered 0 year	Pa.Tr.G boggy pools
		<i>Boryanum</i> Ralfs, in Ann. of Nat. Hist. v. 14. t. 12. f. 7. (upper figure).			
35629 -	-	Boryanum Turp.	M. Bory's G.mas. or scat.	0 year	Pa.Tr.G ponds, pools, &c.
35630 -	-	ellipticum Ehr.	elliptic 0 year	Pa.Tr.G boggy pools, &c.
		<i>Boryanum</i> Ralfs, in Ann. of Nat. Hist. v. 14. t. 12. f. 8., <i>constrictum</i> ibid. p. 391.			
4199. -	-	PODOSPHENIA ?Hass.	PODOSPHENIA.	(Pous, a foot, and sphen, a wedge.)	Crypt. Algæ.
35631 -	-	oculatum Hass.	eyed	paras. on Algæ in strms. Hass. alg. 100. 9
3245. PENICILLIUM.					
35632	27790a	cándidum Lk.	white	woven ...	P.W decaying substances
35633 -	-	fasciculatum Somm.	fasciculated	tufts ...	aut on dead herb. plants
35634 -	-	subtile Berk.	subtle	mealy bloom 0 sp	W inside of old willows Ann. 6. 14. 25
4200. -	-	PENIUM Breb.	PENIUM.	(Penion, a spindle.)	Crypt. Algæ.
35635 -	-	margaritaceum Ehr.	pearly	scattered 0 year	Bsh.G boggy pools, &c. Ralfs. des. 25. 1., 33.3
		<i>Closterium margaritaceum</i> Jenn. Fl. Tumb. Wells, p. 196.; Hass. Br. Freshw. Alg. p. 376.			
35636 -	-	cylindrus Ehr.	cylindrical	scattered 0 year	Pa.G boggy pools, &c. Ralfs desmid. 25. 2.
35637 -	-	digitus Ehr.	finger-shpd	Ysh.G.mass. 0 year	Ysh.G peat-bogs Ralfs desmid. 25. 3
		<i>Closterium digitus</i> Jenn. Fl. of Tumb. Wells, p. 196.; Hass. Br. Freshw. Alg. p. 376.			
35638 -	-	interrúptum Breb.	interrupt.	scattered 0 year	Pa.G boggy pools
35639 -	-	closterioides Ralfs	Closter.-lk	scattered 1/94 year	Pa.G boggy pools
35640 -	-	truncatum Breb.	truncated	Pa.G.mass. 0 year	Pa.G bogs
35641 -	-	Jenucrí Ralfs	Mr. Jenner's	Pa.G.mass. 0 year	Pa.Tr.G peat-bogs
35642 -	-	Brebissonii Menegh.	Brebisson's	Pa.G.mass. 0 year	Ysh.G wet heaths, bog-pools
		<i>Cylinrocystis Brebissonii</i> Hass. Br. Freshw. Alg. p. 361. t. 92. f. 17.			
4201. -	-	PERISPORIUM Fries	PERISPORIUM.	(Peri, around, and sporos, a seed.)	Crypt. Fungi.
35643 -	-	Arundinis Desm.	reed	ss sp on leaves of reeds
4202.	3088a.	PERTUSARIA Ach.	PERTUSARIA.	(Pertusus, full of holes.)	Crypt. Lichènes.
35644 -	-	isidioides Hook.	Isidium-lk	thick crust 1 1/2 year	Ysh.Br rock Eng. bot. 2622. 1
		Nos. 26616. 26854. 26848. and 26858. are referred by Sir W. J. Hooker to this genus.			
3144. PEZIZIA.					
35645	27368a	Rapulum Bul.	Radish	twisted ... 0	Ysh.Br woods Bul. her. 485. 2
35646	§ iii.	rutilans Fr.	ruddy	nearly sess. 1/2 ...	O.R among moss
35647 -	-	melaloma A. & S.	black-edged	dens. gregar. ...	Dirt.O fir plants and charcoal ground
35648 -	-	araneosa Bul.	cobweb	firm ...	Bul. her. 280
		2 salicina Hook.	Willow	subfloccose ...	Taw old stumps of willow Sow. 369. 5 ?
35649 -	-	leucoloma Hedw.	white-edged	scattered 1/10 ...	W wall-tops
35650	§ iv.	fascicularis A. & S.	fascicled	caespitose ...	Bk ash bark, &c. Sow. 425. 1. 2
35651 -	-	furfuracea Toth	branny	sessile 1/2 ...	Pa.Fur hazel, maple, &c., twigs
35652	27380b	vitellina Pers.	yolk-clid	somehw. tuft. ...	Bt.Y
35653	27381a	clandestina Bul.	clandestin.	pallid ...	f Taw willow wood, grass
35654	27381b	albiviolascens A. & S.	viol. white	scattered 1/2 aut.sp	Snow W dead twigs of whin Alb. & Schw. 8. 4
35655	27391e	melaxantha Fr.	black & yell.	gregarious ...	Bk Gsh.Y decorticated beech
35656	27391f	hispidula Schr.	hispid	shining hairs ...	W on wood
35657	27396a	rufo-olivacea A. & S.	olive villosa-pulv.	Dirt.Ru dead bran. of bramb.
35658	27396b	rhabarbarina Berk.	Rhub.-clid	scattered ...	Och.Fer fallen bran. of roses
35659	27393a	episphe'ria Mart.	on Sphe'ria	parasitic ...	Y on Sphe'ria multif. & undul.
35660	27393b	pineti Zatsch	pinetum	firm ...	W.Br fir cones
35661	27394a	hyalina Pers.	transparent	gregarious ...	w W stumps
35662	27395a	Grevillii Berk.	Greville's	gregarious ...	au Pa.Un stems of herbaceous plants

35663	27398a	<i>cæ'sia Pers.</i>	grey	depressed	Dirty W	fallen oak bran.		
35664	27398b	<i>erratica Fr.</i>	unixed	spreading	3 f	W	beech chips		
35665	27398c	<i>Rosa Pers.</i>	Rose	round pat.	Bt.Br	dry bran. <i>Rosa canina</i>		
35666	27400a	<i>bolæris Batsch</i>	lumpy	variable	1/5 aut	R.Och	dry fallen bran.		
35667	27409a	<i>buccina Pers.</i>	trumpet	gregarious	DI.Y	wood and pine bran.		
35668	27420a	<i>fraginea Pers.</i>	Beech	minute	... aut	Dirty W	beech masts		
35669	27420b	<i>Marchantia Berk.</i>	Marchantia	smooth	1/4 my	Pa.Ysh.Br	fading <i>Marchantia</i> hem.		
35670	27421z	<i>phascoides Fr.</i>	Phasc-like	subgreg.	Pa.Brsh.R	small mosses		
35671	27423a	<i>axillaris Nees</i>	axillary	waxy	1/30 aut	O	<i>Phacelium mnioides</i>		
35672	27423b	<i>xanthostigma Fr.</i>	yellow-dot	orbicular	Go.Y	rotting fir wood		
35673	27423c	<i>leucostigma Fr.</i>	white-dot	scattered	W	soft rotten wood		
35674	27425a	<i>atrata Pers.</i>	blackish	scat.or greg.	1/10 ...	Bksh	wo. and stems of herbaceous plants		
35675	27425a	<i>melanantha Fr.</i>	black & yel.wax		1/12 aut.sp	Bksh	dry dead wood		
35676	27425b	<i>compressa A. & S.</i>	compressed	thru	... year	Bk	hard wood		
35677	27425c	<i>flexilis Fr.</i>	flexuose	immerscd	Pa.Bk	rotting pine wood		
35678	27426d	<i>agaricina Carm.</i>	Agaric-lk	firm	1/4-1/5 ...	D.G	wood		
35679	27426b	<i>sclerotioides Berk.</i>	Sclero.-lk	umbilicate	1/10 ...	R.Br	wood		
35680	27430a	<i>subtilis Fr.</i>	delicate	minute	1/10 ...	W	fir leaves		
35681	-	<i>sauiosa Schr.</i>	sanious	very rare	... aut	Br	with Thel. incrust.	Ann. n. h. 1. 7. 2	
35682	-	<i>fusarioides Berk.</i>	Fusar.-lk	firm	0 sp	Pksh	dead nettle stems	Mag. zool. 1. 2. 4	
35683	-	<i>succosa Berk.</i>	sap	dispersed	1 ...	Pa.Br	on the gnd. in woods	Ann. 6. 10. 5-8	
35684	-	<i>ciborioides Fr.</i>		gregarious	Ru	on oak leaves		
35685	-	<i>versiformis Pers.</i>	vari.-formed	gregarious	1/4 au	Oliva.Bk	on old stumps of ash		
35686	-	<i>Ledi A. & S.</i>	Ledum	scat. or greg.	0 s	Fus	on <i>Arbutus U'va-ursi</i> A. & S. 10. 7		
35687	-	<i>pustulata Pers.</i>	pustulate	sessile	1/2 su	Aut D.Br	on the ground in woods, &c.		
35688	-	<i>caulicola Fr.</i>	stem	gregarious	Ysh.Br	on stems of herb. plants		
35689	-	<i>cartilicis Pers.</i>	bark	gregarious	W			
35690	-	<i>eribasiæ Berk.</i>	woolly-footed	gregarious	1/20 ...	W	on smooth inner surface of bark		
35691	-	<i>Johnstoni Berk. Dr.</i>	Johnstou's spots		1/20 ...	Ru	on decayed sticks		
35692	-	<i>radula Berk.</i>	rasp	sessile	1/2 ...	B	on the ground in woods		
35693	-	<i>trechispora Berk.</i>	rough-seed.	depressed	1/3 ...	Pa.O	on the ground in woods		
3166. PHACIDIUM.									
35694	27616z	<i>carbonaceum Fr.</i>	charcoal	unequal	0 sp	Bk	willow twigs		
35695	27617a	<i>Laurocerasi Desm.</i>	Cherry-Lau.	punctiform	0 year	Bk	fallen leaves of laurel		
35696	27617b	<i>repandum Fr.</i>	repand	subrotund	0 year	...	stems and leaves of herbaceous plants		
3179. PHALLUS.									
35697	27663a	<i>iúsmos Berk.</i>	violet-sctd.	strongly-toothed	Pa.Rsh.Gy	sand hills	Curt. br. en. 10. 469	
2961. PHASCUM.									
25718 crispum									
2 rostellatum Berk. beaked solitary 1/2 sp Pa.G banks and fi. Bry. ger. 6. 14									
35698	25720a	<i>crassinerviium Schw.</i>	thick-nerv.	solitary	1/2 sp	Pa.G	limestone soil	Bry. ger. 4. 3	
25721 patens									
2 recurvifolium Hook recur.-lvd solitary 1/2 sp su Pa.G clay fields Schwæg. sup. 2									
35699	-	<i>Floerkeænum W. & M.</i>	Floerke's	scattered	1/2 sp	Rsh.Br	on Durham coast	Eng. bot. sup. 2887	
2 badium Nees & H. bay-cld 1/2 sp Brsh.G stubble fields Bry. germ. 1. 5. 11									
35700	-	<i>stenophyllum Vait.</i>	narrow-lvd	little patch.	1/2 aut	Ysh.G	borders of pools	Eng. bot. sup. 2829	
P. crassinerviium & P. stenophyllum Bruch & Schimper Bryol. Europæa, 7. t. 2.									
35701	-	<i>triquetrum Spruce</i>	3-cornered	patches	1/2 sp	Kslu.Br	on gnd. among grass	Eng. bot. sup. 2901	
35702	-	<i>alternifolium Bruch</i>	altern.-lvd sp	...			
35703	-								
* This Phascum is not the plant of Hooker, which is the <i>Archidium phascoides</i> of continental botanists. The present plant was formerly discovered in Britain, but long ago, and in very small quantity. It is, in the opinion of Mr. Wilson, a good species.— <i>Phytologist</i> , v. i. p. 266.									
3130. PHLEBIA.									
35704	27272a	<i>radiata Fr.</i>	rayed	tough	3 ...	DI.F	birch		
3173. PHOMA.									
35705	27646a	<i>Dahlia Berk.</i>	Dahlia	scattered	0 w	Ru	decaying dahlia stems		
35706	27646b	<i>Hedera Desm.</i>	Ivy	subglobose	0 year	Bk	small dead shoots of ivy		
35707	-	<i>concentricum Desm.</i>	concentric	0 year	...	on leaves of <i>Yucca</i>		
<i>Depazia Agavæ</i> Mont., Ann. des Sci. Nat., n. s. 1. p. 344.									
<i>Phoma saligna</i> and <i>P. pustulata</i> , Nos. 2746. and 2748. in p. 459., are species of <i>Sphæria</i> , possessing perfect asci.— <i>Berkeley</i> .									
4203	-	-	-	-	-	-	-	-	
4203. - - PHYCOMYCES Kze. PHYCOMYCES. (?Phykos, red alkanet, and myke, a fungus.) Crypt. Fungi.									
35708	-	<i>nitens Kze.</i>	shining year	OI	on walls in oil cellars	Kze. myc. heft. 2. 9	
3197. PHYTSARUM.									
35709	27697a	<i>rubiginosum Chev.</i>	rusty-red	weak	Rust.R	trunks of trees among moss		
35710	27697b	<i>hyalinum Pers.</i>	hyaline	very delicate	Wsh	rotten wood		
35711	-	<i>metallicum Berk.</i>	metallic	very delicate	1/24 w	Pksh.Gy		Mag. zool. 1. 3. 8	
35712	-	<i>utricularæ Chev.</i>	bladder	gregarious	1/12 au	W	on wood	Bul. 417. 1	
35713	-	<i>lilacinum Fr.</i>	lilac-cld	gregarious	... n	LI	on a fallen oak twig		
35714	-	<i>atrum Fr.</i>	black	aggregated	Bk	on fallen oak branches		
3139. PISTILLARIA.									
35715	27344z	<i>means Pers.</i>	glittering	minute	1/12 ...	Ro	on dead thistles	Hof. ger. 7. 2	
35716	27344y	<i>puberula Berk.</i>	puberulous	minute	1/10 ...	W	on <i>Pteris aquilina</i>	Sow. 334. 2.	
35717	27344a	<i>musciçola Pers.</i>	Moss-inh.	very minute	on <i>Hypnum</i> triq.		
35718	27344b	<i>pusilla Pers.</i>	dwarf	nodding, dry	1/10 ...	W	on dead stems of <i>Equisët.</i>		
4204. 3262c. PODISOMA Lk. PODISOMA. (Pous, a foot, soma, a body.) Crypt. Fungi.									
35719	-	<i>follicolum Berk.</i>	leaf-inhab.	masses	D.Br.Bk	juniper leaves		
3125. POLYPORUS.									
35720	27209z	<i>lentus Berk.</i>	tough	1 1/2 broad	1 s	Och	living <i>U'lex</i> euro.		
35721	27221a	<i>amorphus Fr.</i>	deformed	imbricated	... year	Silky W	trunks of fir		
35722	27228a	<i>scoticus Klot.</i>	Scotch	masses	3-18 wid.	Br	trunks of trees		
35723	27228b	<i>fraxineus Bull.</i>	Ash	thick	42 year	Dirty W	ash and elm	Bul. her. 433. 2	
35724	27234a	<i>nigricans Fr.</i>	blackish	very hard	... year	Bk	birch trees		

35725	27236a	undatūs Pers.	waved	effused	... year	Pa. Cin	fir stumps		
35726	27241a	armeniacus Berk.	apricot- <i>old</i>	elegant	... year	Dp. Buff	bark of fir trees		
35727	27249b	páchyypus Fr.	thick-stem	pulvinate	4 jls	Tan	fir woods	Mic. gen. 69. 2	
		2 oliváceus Berk.	olive- <i>old</i>	pulvinate	4 jls	Ol	fir woods	Schæff. 105	
35728	27250a	castáneus Bul.	chestnut- <i>old</i>	insipid	... o	Ch	woods	Bul. her. 329	
35729	-	ciocetus Berk.	surrounded	scat. tufts	2 ...	Pa. Och	very rotten plank	Mag. zool. 1. 2. 3	
35730	-	guérinus Fr.	oak- <i>inh.</i> aut	Y. Br	on old oaks		
35731	-	nítidus Fr.	little nest aut	...	on mountain ash		
35732	-	rútilans Fr.	shining jl	Rsh. Gy	on Quercus sessiliflora		
35733	-	salignus Fr.	willow- <i>inh.</i>	on willows		
		salicinus Grev.		
35734	-	corvinus Pers.	stag	Cin	on beech		
35735	-	celláris Desm.	cellar	in cellars		
35736	-	nítidus Fr.	shining su	...	on wood		
		Bolétus nítidus Pers. Obs. 2. t. 4. f. 1.		
35737	-	bombýcinus Fr.	silky	on decayed wood		
35738	-	vitreus Fr.	glassy	thick	... aut	W	on decaying br. of beech trees		
35739	-	obdúcens Pers.	covering over	W	on old rotten stumps		
35740	-	aneirínus Fr.	confluent	W	on dead fallen twigs		
35741	-	vaporárius Fr.	thin su, aut	Wsh	on dead wood—common		
35742	-	terrétris Fr.	ground	delicate	W	on rotten wood		
35743	-	Stéphénsi	Stéphens's round patch.	$\frac{1}{2}$	o	W	on privet		
4205.	3190a.	POLYSA'CCUM Desf.	POLYSACCUM.			(Polys, many, sakkos, a sack.)	Crypt. Fúngi.		
35744	-	oliváceum Fr.	olivaceous	subrotund	Ol	Highgate Hill	Sow. 424	
3051. POLYSIPHONIA.									
26343		coccinea							
		2 tendúor Dil.	slenderer	bushy tufts	... year	S	ocean		
		3 denudáta Hook.	naked	naked bran.	4 year	S	ocean		
35745	26347a	furcelláta Hook.	forked	floating	6 ...	Bt. R	ocean		
26349		elougáta							
		2 denudáta Harv.	naked	destit. of ram.	8 year	R. Br	ocean		
		3 sanguinolénta Ag.	crimson	bran. spread.	8 year	C	ocean		
35746	26349a	elongélla Hook.	small elon.	shrubby	3 year	R. Br	ocean		
35747	26353a	Richardsoni Hook.	Richardson's	rigid	4 ...	DI. R	ocean		
35748	26358a	thujoides Harv.	Arb.-Vit.-lk.	tufted	3 ...	DI. Br	rocky shores	Eng. bot. 2882	
35749	26358b	crístata Harv.	crested	tufted	ocean		
35750	-	macrocarpa Harv.	large-ftd.	dense tufts	1 ...	Brsh. R	marine rocks	aud A'lgæ Eng. bot. 2881	
		pulvináta Eng. Bot.							
2971. POLYTRICHUM.									
25766		juniperinum							
		2 gracilius Hook.	slender	solitary	... sp	Ol. G	mountains	Eng. bot. 2435	
		P. strictum Menz.							
4206.-	-	POROTHELIUM Mont.	POROTHELIUM.			(Not explained.)	Crypt. Fúngi.		
35751	-	Friesii Mont.	Fries's	on pine wood		
4207.	3251b.	PSILONIA Fr.	PSILONIA.			(Psilos, a spot.)	Crypt. Fúngi.		
35752	-	gilva Hook.	flesh- <i>old</i>	masses	$\frac{1}{12}$ - $\frac{1}{6}$...	Rsh. Gy	flat surf. felled oak		
3271. PUCCINIA.									
35753	-	Veronicárum Dec.	Veronica	aggregate	0 ...	Ysh	Verónica		
35754	-	Glechómatis Dec.	Glechoma	scattered	0 ...	Brsh	ground ivy		
35755	-	Scorodónia Lk.	Wood-sage	large pat.	0 ...	Cin	Teucrium Scorodônia		
35756	-	Finca Berk.	Periwinkle	scattered	0 ...	Ysh	Finca major		
35757	-	Campanúle Carm.	Campanu.	crowded	0 ...	D. Br	Campanúle		
35758	-	clandestína Carm.	hidden	very minute	0 ...	D. Br	Scabiösa Succisa		
35759	-	Syngenesiárum Lk.	Syngenesia	scattered	0 ...	Br	thistles		
35760	-	Gáliörum Lk.	Cheese Rennet	scattered	0 ...	Br	Gálium verum		
35761	-	Cálthe Lk.	Marsh Marigold	scattered	0 ...	Brsh	Cálthe palústris		
35762	-	Lychnideárum Lk.	Lychnidea	scattered	0 ...	Br	Lychnidea		
35763	-	Prunörum Lk.	Plum	scattered	0 ...	Br	plum trees	Bact. cryp. oxon. 83	
4208.	3060a.	PUNCTARIA Grev.	PUNCTARIA. (Punctum, a dot; numerous dotted fructifications.)				Crypt. A'lgæ.		
35764	26393a	plantaginea Grev.	Plant.- <i>hd</i>	dotted lvs	6 su	Br	marine rocks	Eng. bot. 2136	
35765	26393b	latifolia Grev.	broad- <i>lvd</i>	dotted lvs	6 ap. my	Ol. G	marine rocks		
35766	26393c	tenuissima Grev.	slenderest	thin leaves	2-8 su	Ysh. G	ocean, on Zostera		
4209.-	-	RA'DULUM Fr.	(From the root-like appearance of the processes of the hymenium.)				Crypt. Fúngi.		
35767	-	guérinoum Fr.	oak	patches	1-3 br. year	Wsh	on beech and oak		
		† orbiculáre Fr.	circular	patches	2 br. aut. sp	W	trunks of dead birch trs. Grev. crypt. fl. 278		
		Hýdnum rádula Fr., No. 27268, in p. 453.							
4210.-	-	RA'LFESIA E. B.	RALFESIA. (In honour of Mr. Ralfs, author of "British Desmidiæ.")				Crypt. A'lgæ.		
35768	-	deústa E. B.	blasted	lobed	1 ...	Brsh. P	marine rocks	Eng. bot. 2866	
		Padina deústa Hook. Brit. Fl. v. 2. p. 284.							
3108. RAMALINA.									
35769	26787z	polymórpha Ach.	multiform year	Cysh	rocks, stones		
3211. RETICULARIA.									
35770	27726a	olivácea Fr.	olivaceous	membran.	$\frac{1}{2}$ aut	G. Ol	trunks of fallen fir trees		
4211.	3066a.	RHODOMENIA Grev.	RHODOMENIA. (Rhodos, red, hymen, a membrane.)				Crypt. A'lgæ.		
35771	26433a	polycarpa Grev.	many-ftd	branched	7 ...	DI. R	ocean	Grev. cryp. 352	
35772	26433b	soboliferus Grev.	proliferous	bushy tufts	4 ...	D. R	ocean	Eng. bot. 2133	
		Nos. 26411, 26415, 26419, 26425, 26426, 26427, and 26435. of Hort. Brit. p. 438., are referred by Sir W. J. Hooker to this genus.							
3000. RICCIA 26093 gláuca									
		2 obtusa Hook.	obt. segm.	patches	$\frac{1}{2}$ sp	Ysh G	mould of gard. pots		
					X x 3				

3022. RIVULARIA.									
35773	26154a	botryoides <i>Carm.</i>	grape-like	aggregate	Bk	ro.	and stones in streamlets
35774	-	applanata <i>Carm.</i>	flattened	gregarious	Bsh.G	sea	
35775	-	plicata <i>Carm.</i>	wrinkled	dens.greg.	1/10-1/2	...	Dk.G	sea-shore	
35776	-	crustacea <i>Carm.</i>	incrusting	spreading	1/10	...	Ol.G	rocks	
35777	-	plana <i>Hurv.</i>	plane	crustaceous	Dp.Ol.G	marine rocks	
35778	-	pisum <i>Ag.</i>	pea-lik.	glob. fronds	1/10	year	D.G	on aquatic plants	Berk. gl. br. alg. 2.2
35779	-	granulifera <i>Carm.</i>	granuliferous	convex m.	1/2	year	Ol.G	on cliffs exp. to water	Hass. alg. 65. 1, 4
35780	-	viridis <i>Hass.</i>	green	mucous mass	G	Hass. alg. 64. 3, 2
35781	-	crustacea <i>Carm.</i>	incrusting	spreading	Ol.G	rocks	Hass. alg. 65. 1
35781	†	plicata <i>E. B.</i>	plaited	small patch.	D.G	rocks near the sea	Eng. bot. 2911
<i>Collèma corrugatum</i> Ach., No. 26812. in p. 444.									
4212. - SCENEDESMUS <i>Meyen</i> SCENEDESMUS. (<i>Shene</i> , a tent, and <i>desmos</i> , a bond.) <i>Crypt. A'lgæ.</i>									
35782	-	quadricauda <i>Turp.</i>	four-tailed	scattered	0	year	Pa.Tr.G	ponds, pools, &c.	Ralfs desmid. 31.12
35783	-	dimorphus <i>Turp.</i>	two-shaped	scattered	0	year	Pa.Tr.G	pools, &c.	Ralfs desmid. 31.13
35784	-	acutus <i>Meyen</i>	acute	scattered	0	year	Pa.Tr.G	ponds, &c.	Ralfs des. 31.14. & 34.16
35785	-	obliquus <i>Turp.</i>	oblique	scattered	0	year	Pa.Tr.G	ponds, pools, &c.	Ralfs desmid. 31.15
35786	-	obtusus <i>Meyen</i>	obtuse	scattered	0	year	Bsh.G	ponds, pools, &c.	Ralfs desmid. 31.16
35787	-	dùplex <i>Kütz.</i>	double	scattered	0	year	Pa.G	pools	Ralfs desmid. 34.17
35788	-	attenuatus <i>Breb.</i>	attenuated	scattered	0	year	Pa.G	pools	Ralfs desmid. 35.27
3275. SCLEROTIUM.									
35789	27744a	quercigenum <i>Berk.</i>	Oak-trunk	depressed	1/10	w	Bk	barked oak	
		<i>quercinum</i> Pers. in Hort. Brit. p. 461. is <i>S. pástula</i> Dec. in Eng. Fl. vol. v. pt. 2. p. 225.							
35790	27747a	Rubi <i>Carm.</i>	Bramble	rather thin	0	...	(W.-Br.)Bk	framble leaves	
35791	-	medullare <i>Berk.</i>	pith	subglobose	1/6	su	Bk	ins.of stems.	Pteris aquil. Mag. zool. 1. 3. 5
35792	-	neglectum <i>Berk.</i>	neglected	subadate	0	w	D.Br	dead leaves	Aun. u. h. 1. 205
35793	-	capivorum <i>Berk.</i>	onion-scler.	gregarious	1/12	...	Bk	on stems — common	
35794	-	roseum <i>Kneiff</i>	rose-cred	0	...	Ro	pith of <i>Juncus</i> congl. Moug. et Nest. 884	
3029. SCYTONEMA.									
35795	-	hibernicum <i>Hass.</i>	Hibernian	clayey banks, Ireland	Hass. alg. 63. 1
35795	†	myochrous <i>Ag.</i>	mouse-skin	slimy coat	1/4	su	D.Br	stones in alpine rivu.	Hass. alg. 68. 2
		<i>Conferva myochrous</i> Dillw. Conf. t. 19., Eng. Bot. 1555; <i>Conferva mirabilis</i> Eng. Bot. 2219. (not of Dillwyn). Nos. 26179. var. 3. and 26181. in p. 434.							
3251. SEPEDONIUM.									
35796	2781a	roseum <i>Fr.</i>	rosy	fleecy	0	...	Ro	decaying Fungi	
35797	-	Wilsoni <i>Ryl. MS.</i>	Wilson's	fleecy	W	paras. on <i>Monotropa</i> rts.	Phyt. 1.345.2.h,i,k,l
3170. SEPTORIA.									
35798	27638a	Oxyacantha <i>Kunze</i>	Hawthorn	spots	0	aut	P	living hawthorn leaves	
35799	27638b	Ægopodii <i>Desm.</i>	Gout-weed	spots	0	aut	Pa	Ægop. Pod. leaves	
4213. - SOROSPORA <i>Hass.</i> SOROSPORA. (<i>Soros</i> , a cluster or mass, and <i>spora</i> , a seed.) <i>Crypt. A'lgæ.</i>									
35800	†	montana <i>Hass.</i>	mountain	leaf-like	1 1/2	su	R.G	on mosses & lichens	Hass. alg. 79. 1
		<i>Palmella montana</i> Ag., No. 26140. in p. 433.; <i>U'lua montana</i> Eng. Bot. 2193.							
35801	-	Ralfsii <i>Hass.</i>	Mr. Ralfs's	spreading	G	on mosses, Cader Idris	Hass. alg. 79. 3
35801	-	viridescens <i>Hass.</i>	greenish	minute	Bk	on rocks	Hass. alg. 78. 8. a
35802	-	grumosa <i>Hass.</i>	grumose	clotted	Bri.R	on rocks	Hass. alg. 80. 7
3054. SPIACELLARIA.									
35803	26371a	disticha <i>Lyng.</i>	two-ranked	woolly tufts	4	su	Gsh.Ol	ocean	
3157. SPHERIA.									
35804	27460a	Hoekeri <i>Klot.</i>	Hooker's	solitary	2	jn	Shin.Bk	grassy places among moss	
35805	27460a	cohaerens <i>Pers.</i>	coherent	gregarious	Bk	branches, &c.	
35806	27470a	rufa <i>Pers.</i>	reddish	irregular	R.Br	wood	Fl. dan. 1782. 1
35807	27470b	gelatinosa <i>Tode</i>	gelatinous	equal	Varying	fir branches	Fl. dan. 1782. 1. 2
35808	27472a	atropurpurea <i>Fr.</i>	dark-purple	thin	Psh.Bk	rotten wood	
35809	27473a	hotrybosa <i>Fr.</i>	grape-bun.	caespit. cong.	hard oak wood	
35810	27481a	aspera <i>Fr.</i>	rough	gregarious	0	year	Bk	oak branches	
35811	27481b	favacea <i>Fr.</i>	honey-com.	irregular	0	year	Bk	birch wood	Fr. obs. 2. 8. 5
35812	27488a	ceratosperma <i>Tode</i>	horn-seed	erumpent	0	year	Brsh	rose, oak branches, &c.	Tode fun. 131
35813	27488b	hystrix <i>Tode</i>	hedgehog	oval	0	year	Bk	scymnare branches	
35814	27490a	discutiens <i>Berk.</i>	casting	broadly eff.	0	year	Dl.Bk	elm branches	
35815	27490a	firmeti <i>Pers.</i>	dunghill	crust-like	0	year	Bk	horse and cow dung	
35816	27494a	stellulata <i>Fr.</i>	star-mouth	patches	0	year	Dirty W	dry elm branches	
35817	27494b	enteroleuca <i>Fr.</i>	white-flesh	crowded	0	year	W	dried branches	Bul. her. 432. 1
35818	27496a	fibrosa <i>Pers.</i>	fibrous cr.	crowded	0	year	Brsh.Bk	blackthorn	
35819	27498a	talieba <i>Fr.</i>	grit	punctiform	0	year	W	oak branches	
35820	27498b	profusa <i>Fr.</i>	profuse	sooty	0	year	Dirty W	branches of <i>Robinia</i>	Pseud.
35821	27499a	coronata <i>Hoffm.</i>	crowd-like	crowded	0	year	...	oak, hawthorn, rose	Hof. cryp. 1. 5. 4. 5
35822	27500a	ambiens <i>Pers.</i>	ambient	immersed	0	year	Dirty W	Zosææ, &c.	Fl. dan. 2039. 1
35823	27500b	stilbostoma <i>Fr.</i>	shining-mouth	crowded	0	year	Dirty W	trees	
35824	27501a	hypodermia <i>Fr.</i>	hypodermous	thin bk. crust	0	year	Bk	dead elm branches	
35825	27502a	furfuracea <i>Fr.</i>	branny	ab. 12 togeth.	0	year	Y	branches of trees	
35826	27504a	ochracea <i>Gren.</i>	ochraceous	caespitose	0	year	Och	twigs	
35827	27505a	aquifolia <i>Moug.</i>	Holly	caespitose	0	year	Brick R	holly branches	
35828	27505b	dioica <i>Moug.</i>	two-ranked	caespitose	0	year	Bk	branches of trees	
35829	27514a	gyrosa <i>Schwein.</i>	gyrose	lines	0	year	O.Y	thickish bark	
35830	27514b	fuliginosa <i>Pers.</i>	smoky	stuffed	0	year	Din.Br.Bk	willow branches	
35831	27514c	dothidea <i>Moug.</i>	Dothid.-lk	cracked	0	year	Pa.Br	living rose stems	
35832	27519a	longissima <i>Pers.</i>	longest	parallel rows	0	year	Bk	limbs of umbellif. plants	
35833	27520a	Trifolii <i>Pers.</i>	Clover	immersed	0	year	Bk	clover leaves	
35834	27521a	malorum <i>Berk.</i>	apple	glob. or sub. w	0	year	Bksh	fallen apples	
35835	27521b	Yuccæ <i>Schwein.</i>	Yucca	unequal spts.	0	year	Gy	leaves of <i>Yucca</i> gloriosa	
35836	27522a	ceuthocarpa <i>Fr.</i>	hidden-seed	scattered	0	year	Bk	dry poplar leaves	
35837	27522b	ceuthosporoides <i>Berk.</i>	Ceu.-lk	scattered	1/5	aut	Bsh.Br	laurel leaves	
35838	27525a	aquila <i>Fr.</i>	dun	gregarious	0	year	Bun	rotten sticks	Tode fun. 70
35839	27529a	Brassicæ <i>Klot.</i>	Cabbage	arachnoid	0	year	Dirty W	dead cabbage stalks	
35840	27530a	strigosa <i>A. & S.</i>	strigose	hoary	0	year	Pa	fir wood	Abb. & Schw. 5. 7

35841	27539a	<i>platýsca Berk.</i>	Maple	scattered	0	w	O	decayed maple stumps
	27540	<i>sanguinea</i>	2 eúctriëum <i>Berk.</i>	scar	0	w	S	leaves dead tw. <i>Bûx. sem. Mag. zool. 1. 3. 6</i>
35842	27541b	<i>pulverææa Berk.</i>	mealy	spots	0	year	W	scars of <i>Fibûrnum Tmis</i>
35843	27543a	<i>umbrina Berk.</i>	umber- <i>clde</i>	gregarious	0	d	Umb	decaying bean stalks
35844	27546a	<i>sordària Fr.</i>	seurf-like	gregarious	0	year	Bk	moist pine wood
35845	27552z	<i>perùsa Pers.</i>	pierced	scattered	0	year	Bk	hardened wood
35846	-	<i>- excipuliformis Fr.</i>	basin-shpd	scatter-d	0	year	Bk	on bark, &c. Fr. obs. 1. 4, 5
35847	27554a	<i>rost-làta Fr.</i>	small-beaked	gregarious	0	year	Pk	rose and bram. bran.
35848	27555a	<i>livida Fr.</i>	livid	scattered	½	year	Gy	dry branches
35849	27555b	<i>anserina Pers.</i>	goose	immersed	Brsh. Bk	wild wood
35850	27555c	<i>ocellàta Fr.</i>	eyelot	scattered	0	year	Bk	ash, will., &c., bran.
35851	27555d	<i>salicella Fr.</i>	litle Willow	elong patc.	0	year	Pa	willow bran.
35852	27557a	<i>Tilie Pers.</i>	Lime	scattered	0	year	Bk	lime-tree bran.
35853	27557b	<i>prunosa Fr.</i>	pruinose	gregarious	0	sp	Gy	ash twigs
35854	27558a	<i>ràdis Moug.</i>	rustic	effused	0	year	Bk	dead braun. laburnum
35855	27558b	<i>clypeàta Nees</i>	shield-lk	shin. spots	0	sp	Br	dead branble bran.
35856	27558c	<i>Pinàstri Dec.</i>	Pine-leaf	immersed	0	year	Bk	lvs. of firs and pines
35857	27560a	<i>Juglândis Fr.</i>	Walnut	gregarious	0	year	Bk	walnut twigs
35858	27560b	<i>obturàta Fr.</i>	stopped up	regular	0	year	Bk	leaves of <i>Ériëum</i>
35859	27564a	<i>Kèrria Berk.</i>	Kèrria	scattered	0	su	Bk	dead shts. of <i>Kèrria</i> jap.
35860	27567a	<i>Plicis Schæc.</i>	Holly-leaf	gregarious	0	year	Bk	holly leaves
35861	27568z	<i>lirèlla Moug.</i>	ridged	free	0	w.sp	Bksh	<i>Spiræa Ulmària</i>
35862	27569y	<i>pellita Fr.</i>	furred	gregarious	0	year	Bk	larger herb. plants
35863	27568z	<i>comàta Tode</i>	hairy	scattered	0	year	Bk	stems of herbs
35864	27568z	<i>verleicina Fr.</i>	bent back	rather firm	0	year	Bk	grass culms
35865	27568z	<i>Demàtum Pers.</i>	Demat.-lk	gregarious	0	year	Bk	stems of herb. pls.
35866	27568z	<i>rubilla Pers.</i>	reddish	scattered	0	su	Bk	stems of herb. pls. Tode fun. 72
35867	27574a	<i>eulmifraga Fr.</i>	culm-breaking	scattered	0	aut	Bk	wh., rye, &c. culms Sow. 393. 4
35868	27574b	<i>scirpteola Dec.</i>	Rush-inh.	scattered	0	year	Bk	stems of <i>Scirpus lacústris</i>
35869	27575a	<i>Seropulària Desm.</i>	Scrophul.	scattered	0	sp	Bk	capsules of <i>Scr. aquàtia</i>
35870	27575b	<i>inquilina Wall.</i>	tenant	immersed	0	year	Bk	stems of <i>Umbelliferae</i>
35871	27583a	<i>artocreas Tode</i>	meat pie	gregarious	0	year	Bk	beeh, &c., leaves Tode fun. 73
35872	27583b	<i>recutita Fr.</i>	worn	aggreate	0	year	Bk	grass leaves
35873	27587a	<i>brunnòla Fr.</i>	brownish	gregarious	0	aut	Brsh	<i>Convallària</i> dead lvs.
35874	-	<i>hederàcola Fr.</i>	ivy-inh.	gregarious	0	year	Dirty W	green ivy leaves
35875	-	<i>frondicòla Fr.</i>	leaf-inh.	scattered	0	aut	Gysh	Green aspen leaves
35876	-	<i>Dianthi A. & S.</i>	Dianthus	scattered	0	aut	Y	various <i>Caryophýllæ</i>
35877	-	<i>Anglicæ Berk.</i>	Angelica	extr. min.	0	mr	Bk	dead stems of <i>A. sylv. Mag. zool. 1. 3. 7</i>
35878	-	<i>populina Pers.</i>	Poplar	tufted	0	year	Bk	on ash Pers. disp. 2.5.10.11
35879	-	<i>acervàta Fr.</i>	heaped	tufted	0	year	Bk	dead apple trees Berk. fun. 3. 174
35880	-	<i>obducens Schum.</i>	covering	crowded	0	year	Bk	on pales Berk. fun. 3. 177
35881	-	<i>Avellânæ Schm.</i>	Hazel	scattered	0	aut	Bk	dead hazel leaves Berk. fun. 3. 183
35882	-	<i>Ostruthi Fr.</i>	Ostruth.	minute	1/12-1/6	aut	Bk	<i>Angélica sylvèstris</i>
35883	-	<i>cornuicòla Fr.</i>	Cornus-inh.	round dots	1/10	w	Gy	lvs. of <i>Còrnus sanguinea</i>
35884	-	<i>argillàcea Fr.</i>	argillaceous	subglobose	Wsh	on fallen oak branches Fr. obs. 1. 2, 5
35885	-	<i>lutea A. & S.</i>	yellow	gregarious	0	sp	Bk	on very decayed branches <i>A. & S. 1. 1</i>
35886	-	<i>scabròsa Dec.</i>	scabrous	crowded	0	year	Bk	trunk of maple Bull. 468. 5
35887	-	<i>dissecta Fr.</i>	separated	lines	0	aut	Bk	on willow and ash
35888	-	<i>eucribitula Tode</i>	eupping-gl.	gregarious	0	year	lsh	on dead shoots of ash Tode 114. 110
35889	-	<i>pulicàris Fr.</i>	flea-like	gregarious	0	aut	...	dead branches of fig, and on eab. stks.
35890	-	<i>seoriàdea Fr.</i>	cinder	0	on birch twigs
35891	-	<i>confèrta Fr.</i>	crowded	confluent	0	aut	Bk	on leaves of <i>Facèmium uliginòsum</i>
35892	-	<i>rhythimoides Bab.</i>	Rhythisma-lk	scattered	0	s	Bk	on lvs. of <i>Dryas octopétala</i> Ann.6.10.9-15
35893	-	<i>fùlva Fr.</i>	fulvous	scattered	0	...	Str	on box leaves
35894	-	<i>mastòidea Fr.</i>	scattered	0	year	Bk	Bk	on dead twigs of ash
35895	-	<i>villis Fr.</i>	trivial	minute	0	au	Bk	on rotten oak wood
35896	-	<i>lanàta Fr.</i>	woolly	simple	0	au	Fer	und. epid. of <i>Bctula álba</i>
35897	-	<i>epidèrmidis Fr.</i>	cuticle-inh.	scattered	0	year	...	epid. of <i>Lonicera, Sumbæ., &c. Fr. seler. succ. 19</i>
35898	-	<i>epimyes Fr.</i>	upon fungi	gregarious	0	year	Bk	on decayed <i>Thelèphora comédens</i>
35899	-	<i>confòrmis Fr.</i>	cone-shpd	scattered	0	year	Bk	with <i>Sphæria acuta</i>
35900	-	<i>cruciferàrum Fr.</i>	Crucifera-inh.	shining	0	year	Bk	on <i>Erysimum officinàle</i>
35901	-	<i>Ribicòla Fr.</i>	errant-if.-dwel.	spots	0	au	Bk	on errant leaves Ann. 6. 11. 1
35902	-	<i>pállor Berk.</i>	paleness	confluent	0	my	Fawn	on living bramble shoots Ann. 6. 11. 2. a, b
35903	-	<i>concàva Berk.</i>	concave	spots	0	au	Fawn	in pea-pods Ann. 6. 11. 3
35904	-	<i>convolvulicòla Dec.</i>	Convolvulus-dwell.	0	on <i>Convolvulus arvensis</i>
35905	-	<i>pardalòta Mont.</i>	0	on dead st. of <i>Convòlv. mult.</i> Berk.fun.3.175

3066. SPHEROCOCCUS.

26427	<i>crístàtus</i>							
	2 lineàris <i>Turn.</i>	linear		1½	su	Pk	ocean	
26428	<i>confervòides</i>							
	2 procèrrimus <i>Turn.</i>	very tall	gener. simp.	...	aut.w	OI.G	ocean	
	3 àlbis <i>Turn.</i>	whitish	compressed	...	aut.w	Wsh	ocean	
	4 geniculàtis <i>Turn.</i>	jointed	distorted	...	aut.w	OI.G	ocean	

3169. SPHERONEMA.

35906 27637a *blepharistoma Berk.* elliptic-mth. transp. 1/24 aut Vy.pa.Y on agaries Mag. zool. 1. 15

4214 - - *SPHEROSOMA Tul.* SPHEROSOMA. (Not explained.) *Crypt. Fungi.*
 35907 - - *ostiolàtum Tul. MSS.* plicate Bt.Br under lvs. among loose mould

4215. - - *SPHEROZOSMA Corda* SPHEROZOSMA. (*Sphaira*, a sphere, and *zosma*, a girdle.) *Crypt. Algæ.*
 35908 - - *vertebratum Breb.* vertebral conf.-lk.-mas. 1 ... Pa.G boggy pools Ralfs desmid. 6. 1
Desmidium compressum Ralfs in Ann. of Nat. Hist., v. 9. p. 253.; *Sphærozósma unidentàta* Ralfs in Ann. of Nat. Hist., v. 16. t. 3. f. 7.

35909 - - *exevàtum Ralfs* exevated sh.se.flam. 1 peat bogs, pools, &c. Ralfs desmid. 6. 2

4216. - - *SPHEROZYGA Ag.* SPHEROZYGA. (Not explained.) *Crypt. Algæ.*
 35910 - - *Jaebdi Ag.* Jaebdi's D.G on mud Eug. bot. 2826. 2

2963. SPHAGNUM.
 35911 - - *contòrtum Schultz* twisted aquatic 6 year Y.G on moors and in forests
 X x 4

4217.-	- SPHINCTOCYSTIS Hass.	SPHINCTOCYSTIS.	(<i>Sphinktós</i> , constricted, and <i>kystis</i> , a cell.)	<i>Crypt. A'lgæ.</i>
35912 -	- librillis Hass. bogs	Hass. alg. 102. 3
				<i>Frustulia librillis</i> Jenn. Fl. Tunb. p. 204.
4218. 3262a.	SPILOCEA Fr.	ΣΠΙΛΟCΕΑ.	(<i>Spilos</i> , a spot.)	<i>Crypt. Fungi.</i>
35913 -	- pömi Fr.	fruit pyriform	0 aut ...	apples
3083.	SPILOMA 26497	tumidulum		
	2 rosaceum Hook.	rosaceous	spor.copious	2 year V old oak
	3 marginatum Hook.	spors.mar.	spor.few	2 year O smooth bark
	4 cæcolor Hook.	self-colour	spor.sc.any	2 year O oak and ash bark
	5 dâblum Hook.	do.btful	spor.none	2 year ?Rsh oak and ash bark
	6 detritum Hook.	worn	spor.none	2 year ?Rsh hazel
	7 micro-stigma Hook.	small-stig.	spor.none	2 year ... ash in sh. pl
4219. -	- SPIRILLUM Ehr.	SPIRILLUM.	(Not explained.)	<i>Crypt. A'lgæ.</i>
35914 -	- Jennèri Hass.	Mr. Jenner's rocks
35915 -	- rup-tre Hass.	rock	spreading 1/10 Bk rocks
35916 -	- miutissima Hass.	most minute	0 Ireland
35917 -	- Thompsoni Hass.	Thompson's Ireland
4220. -	- SPIROTÆNIA Breb.	SPIROTÆNIA.	(<i>Spira</i> , a spiral line, and <i>tainia</i> , a band.)	<i>Crypt. A'lgæ.</i>
35918 -	- condensata Breb.	closely spiral	scattered	0 year Pa.tr.G peat-bogs, pools, &c. Ralfs desmid. 34. 1
35919 -	- obscura Ralfs	indistin.spiral	scattered	0 year Pa.G peat-bgs., shal.pools,&c.Ralfs desmid. 34.2
4221. 3242b.	SPORENDONEMA Desm.	(Sporos, seed, endon, within, nema, a thread.)		<i>Crypt. Fungi.</i>
35920 -	- casei Desm.	cheese	tufts	0 aut R cheese
35921 -	- muscæ Fr	fly	little tufts	0 ... W flies
3073.	SPOROCHNUS.			
35922 26461a	Cabrèræ Ag.	Cabrera's irreg. forked	6 ...	Pa.F ocean
4222. 3240a.	SPOROBYBE Fr.	SPOROBYBE.	(Sporos, seed, kûbe, a head.)	<i>Crypt. Fungi.</i>
35923 -	- calicoides Fr.	Calicium-lk.	spot-like Bk decaying stems of pls.
35924 -	- byssoides Fr.	byssoid	velv. strat. 1/24	w Bk mouldering stms. Malv.
35925 -	- nigrella Berk.	black	scattered 1/40	su.aut D.Bk on dead lvs. of grass Ann. 6. 13. 16
35926 -	- alternata Berk.	alternate
	<i>Aspergillus alternatus</i> Berk. in Ann. of Nat. Hist., v. 1. p. 262.			
35927 -	- loluhata Berk.	lobed	spreading	... year Bk on coarse linen cloth Ann. 6. 13. 17
4223. 3093a.	SQUAMARIA Hook.	SQUAMARIA.	(Squamia, a scale; thallus scaly.)	<i>Crypt. Lich.</i>
35928 26681a	Muscòrum Hook.	Moss	scaly crust 1/2	year L.Br mosses on rocks
35929 -	- tribæca Hook.	worn	scaly crust Wsh trees, Scotland
35930 -	- miniata Hook.	verm.-old	granul.crust Dp.R Gainsford church
	To this genus belong Nos. 26666, 26667, 26668, 26669, 26670, 26671, 26672, 26673, 26676, 26678, 26679, 26681, 26691, 26693, 26696, 26698, and 26714. of <i>Hort. Brit.</i> p. 442.			
3241.	STACHYLIDIUM.			
35931 27784z	bicolor Lk.	two-eld	down Gy rotting herb. pl. Hof. ger. 2. 13. 1
4224. -	- STAURASTRUM Meyen	STAURASTRUM.	(<i>Stauros</i> , a cross, and <i>astron</i> , a star.)	<i>Crypt. A'lgæ.</i>
35932 -	- dejectum Breb.	curved-sp.	Pa.G.mas. or sc.0	year Pa.G peat-bogs, pools, &c. Ralfs desmid. 20. 5
	<i>macronatum</i> Ralfs in Ann. of Nat. Hist., v. 15. p. 152. t. 10. f. 5.			
35933 -	- cuspidatum Breb.	awl-shpd-sp.	Pa.G.m. or sc.0	year Pa.tr.G peat-bogs, pools, &c. Ralfs des. 21. 1., 33. 10
35934 -	- aristiferum Ralfs	bristle-bearing	scattered	0 year Pa.tr.G bogs Ralfs desmid. 21. 2
35935 -	- Dickiei Ralfs	Dr. Dickie's	scattered	0 year Bsh.G bogs Ralfs desmid. 21. 3
35936 -	- brevispina Breb.	short-spin.	Pa.G.m. or sc.0	year Pa.G peat-bogs, &c. Ralfs desmid. 34. 7
35937 -	- lunatum Ralfs	moon-shaped	scattered	0 year Pa.G boggy pools Ralfs desmid. 34. 12
35938 -	- mûcum Breb.	beardless	scattered	0 year Bsh.G boggy pools Rlf.s.des 21.4., 34. 13
35939 -	- orbiculare Ehr.	orbicular	Pa.G.m. or sc.0	year Bsh.G boggy pools Ralfs desmid. 21. 5
35940 -	- tumidum Breb.	swollen	Dp.G.m. or sc.0	year Bsh.G Ralfs desmid. 21. 6
35941 -	- muricatum Breb.	rough	scattered	0 year Pa.G pools, &c. Ralfs desmid. 22. 2
35942 -	- hirsutum Ehr.	hairy	Pa.G.mas. or sc.0	year Pa.G boggy pools Ralfs desmid. 22. 3
	<i>nuricatum</i> Ralfs in Ann. of Nat. Hist., v. 15. p. 154. t. 11. f. 1. a, b, c.			
35943 -	- tollerum Ralfs	dart-bearing	scattered	0 year Bsh.G boggy pools Ralfs des. 22. 4., 34. 14
35944 -	- hystrix Ralfs	Porcupine	scattered	0 year Bsh.G boggy pools Ralfs desmid. 22. 5
35945 -	- quadrangulare Breb.	quadrangular	scattered	0 year Bsh.G boggy pools Ralfs des. 22. 7., 34. 11
35946 -	- sexcostatum Breb.	six-rayed	scattered	0 year Pa.G wet places, bog, pools, &c. Ralfs desmid. 23. 5
	<i>Jennèri</i> Ralfs in Ann. of Nat. Hist., v. 15. p. 158. t. 11. f. 8.; <i>Gonioctysis Jennèri</i> Hass. Freshw. Alg. p. 355.			
35947 -	- monticulòsum Breb.	forked-spined	scattered	0 year ... pools Ralfs desmid. 34. 9
35948 -	- pungens Breb.	sharp-pointed	scattered	0 year Pa.G boggy pools Ralfs desmid. 34. 10
35949 -	- brachiatum Ralfs	cloven-ray.	Pa.G. in. or sc.0	year Bsh.G boggy pools, &c. Ralfs desmid. 23. 9
	<i>bifidum</i> Ralfs in Ann. of Nat. Hist., v. 15. p. 151. t. 10. f. 3.; <i>Gonioctysis bifidum</i> Hass. Br. Freshw. Alg. p. 355.			
35950 -	- la'væ Ralfs	smooth-rayed	0 year Pa.G pools Ralfs desmid. 23. 10
35951 -	- alternans Breb.	alternating	Pa.G.m. or sc.0	year Pa.G peat-bogs, waterc.&c. Ralfs desmid. 21. 7
	<i>tricorne</i> Ralfs in Ann. of Nat. Hist., v. 15. p. 141. t. 11. f. 2.; Jenner's Fl. of Tunbridge Wells, p. 194.			
35952 -	- punctulatum Breb.	punctulated	scattered	0 year Bsh.G peat-bogs, pools, &c. Ralfs desmid. 22. 1
35953 -	- dilatatum Ehr.	dilated	scattered	0 year Pa.G boggy pools, &c. Ralfs desmid. 21. 8
	<i>Gonioctysis dilatatum</i> Hass. Br. Freshw. Alg. p. 353.			
35954 -	- margaritacum Ehr.	pearly	scattered	0 year Pa.G boggy pools Ralfs desmid. 21. 9
	<i>Gonioctysis margaritacea</i> Hass. Br. Freshw. Alg. p. 356.			
35955 -	- tricòrne Breb.	three-horn.	Pa.G. m. or sc.0	year Pa.G boggy pools, &c. Ralfs des. 22. 11., 34. 8
35956 -	- polymorpium Breb.	many-shpd	Pa.G. m. or sc.0	year Pa.G boggy pools, &c. Ralfs des. 22. 9., 34. 6
35957 -	- gracile Ralfs	slender-rayed	scattered	0 year Pa.G boggy pools Ralfs desmid. 22. 12
	<i>Gonioctysis (Trigonocystis) gracilis</i> Hass. Br. Freshw. Alg. p. 352.			
35958 -	- arachne Ralfs	spider-like	scattered	0 year Pa.G boggy pools Ralfs desmid. 23. 6
	<i>Gonioctysis arachnis</i> Hass. Br. Freshw. Alg. p. 355.			
35959 -	- tetracèrum Kütz.	four-horned	scattered	0 year Pa.G boggy pools Ralfs desmid. 23. 7
	<i>Gonioctysis tetracèrum</i> Hass. Br. Freshw. Alg. p. 354.			
35960 -	- paradoxum Meyen	rough-rayed	scattered	0 year Pa.G boggy pools Ralfs desmid. 23. 8
	<i>Gonioctysis (Staurastrum) paradoxum</i> Hass. Br. Freshw. Alg. p. 354.			
35961 -	- cyrtòcerum Breb.	crooked-horned	scattered	0 year Pa.G boggy pools Ralfs desmid. 22. 10
35962 -	- asperum Breb.	harsh	scattered	0 year Bsh.G boggy pools Ralfs des. 22. 6., 23. 12

35963 -	- <i>avícula</i> <i>Breb.</i>	swallow-tail scattered	0 year	Pa.G	pools, &c.	Ralfs desmid. 23. 11
35964 -	- <i>enörme</i> <i>Ralfs</i>	irregular scattered	0 year	Bsh.G	boggy pools	Ralfs desmid. 23. 11
35965 -	- <i>spongiosum</i> <i>Breb.</i>	spongy scattered	0 year	Pa.G	boggy pools	Ralfs desmid. 23. 4
35966 -	- <i>spongiosum</i> <i>Breb.</i>	uneven-rayed scattered	0 year	Pa.G	pools, bogs, &c.	Ralfs desmid. 23. 3
	<i>aculeatum</i> <i>Ralfs</i> in Ann. of Nat. Hist., v. 15. p. 156. t. 11. f. 4.; <i>Gonioçyctis aculeata</i> <i>Hass.</i> Br. Freshw. Alg. p. 353.					
35967 -	- <i>aculeatum</i> <i>Ehr.</i>	prickly scattered	0 year	Pa.G	peat-bogs, pools, &c.	Ralfs desmid. 23. 2
35968 -	- <i>spinosum</i> <i>Breb.</i>	spinous Pa.G.mass. or sc	0 year	Bsh.G	boggy pools, &c.	Ralfs desmid. 22. 8
35969 -	- <i>vestitum</i> <i>Ralfs</i>	ornamented scattered	0 year	Pa.G	boggy pools	Ralfs desmid. 23. 1
4225. -	- STAUROCARPUS <i>M. Hass.</i>	STAUROCARPUS. (<i>Staurus</i> , a cross, and <i>carpos</i> , fruit.)				<i>Crypt. A'lgæ.</i>
35970 -	- <i>glutinosum</i> <i>Hass.</i>	glutinous	boggy pools	<i>Hass.</i> alg. 47. 1
	<i>Mongroëtia glutinosa</i> <i>Hass.</i> in Ann. of Nat. Hist., v. 12. t. 7. f. 1.					
†26249	- <i>cerulescens</i> <i>Hass.</i>	cerulescent pale patch.	1 1/2 su	P.B	ponds and ditches	<i>Hass.</i> alg. 47. 2
	<i>capucinus</i> <i>Hass.</i> in Ann., v. 12. t. 7. f. 2.; <i>Mongroëtia cerulescens</i> <i>Hort. Brit.</i> No. 26249. in p. 435. <i>Conferva cerulescens</i> <i>Eng. bot.</i> 2457.					
35971 -	- <i>quadrangulum</i> <i>Hass.</i>	quadrangular	sp.su Bsh.G	ponds	<i>Hass.</i> alg. 48. 1
	<i>Mongroëtia quadrangulum</i> <i>Hass.</i> in Ann. Nat. Hist., v. 12. p. 185. t. 7. f. 3.					
35972 -	- <i>viridescens</i> <i>Hass.</i>	greenish	su Bt.G	pools	<i>Hass.</i> alg. 48. 2
	<i>S. affine</i> <i>Hass.</i> in Ann. Nat. Hist., v. 12. p. 185. t. 7. f. 4.					
35973 -	- <i>gracilis</i> <i>Hass.</i>	slender	sp.su G	bogs on heaths	<i>Hass.</i> alg. 49. 1
35974 -	- <i>gracillimus</i> <i>Hass.</i>	most slender	sp.su G	bogs	<i>Hass.</i> alg. 49. 2
	3206. STEMONITIS.					
35975 27719a	- <i>obtusata</i> <i>Fr.</i>	obtuse scattered	Bk	wood	
35976 -	- <i>typhoides</i> <i>Dec.</i>	cats'-tail-lik gregarious	1/2 aut	Fus	on rotten wood	Bull. 477. 2
35977 -	- <i>arcyrioides</i> <i>Somm.</i>	Arctia-like gregarious	B	on dead laurel lvs., &c.	
35978 -	- <i>pulchella</i> <i>Bab.</i>	pretty scattered	1/2 s	Psh.Br	on <i>Pteris aquilua</i>	Ann. 6. 12. 11. a-d
	3105. STEREOCAULON.					
35979 26781a	- <i>botryosum</i> <i>Ach.</i>	grape dens.bran.	1 year	Wsh.Gy	Scotch mount. rocks	
35982 26781b	- <i>Ceréolus</i> <i>Ach.</i>	Corn graun crust	1/4 year	Gysh		<i>Eng. bot.</i> 2667
	3097. STICTIA.					
35981 26731z	- <i>macrophylla</i> <i>Fee</i>	broad-lvd imbricated	2 year	Gsh.Gy	shady ro.	<i>Eng. bot.</i> 2697
35982 26737a	- <i>ciliata</i> <i>Tayl.</i>	ciliated foliaceous	1/2	D. Ol.G	<i>Hypnia</i> on trees	
	3148. STICTIS.					
35983 27435z	- <i>sphaeralis</i> <i>Fr.</i>	spheroid contracted	0 w	B.Bk	barked ash-bran.	
35984 27435a	- <i>pallida</i> <i>Pers.</i>	pallid gregarious	0	Ysh	wood	
35985 27435b	- <i>siergostoma</i> <i>Carm.</i>	unpleasant-m. scattered	0	Bksh	wood	
35986 27437a	- <i>longa</i> <i>Fr.</i>	elongated immersed	1/2	Bk	wood	
35987 -	- <i>phacidioides</i> <i>Fr.</i>	Phacidium-lik	Wsh	on dead leaves of <i>A'rbutus</i> U'va-ursi on lichens	
35988 -	- <i>lichenicola</i> <i>Mont.</i>	Lichen-dwellg.		
35989 -	- <i>nivea</i> <i>Pers.</i>	snow-white	W	on <i>Pinus Pinaster</i>	
35990 -	- <i>hysterioides</i> <i>Desm.</i>	Hysterium-lik	on dead lvs. of <i>Carices</i> Berk. fun. 4. 308	
	3030. STIGONEMA.					
35991 26183a	- <i>panniforme</i> <i>Harr.</i>	cloth-like velvety	D.Br	rocks	<i>Hass.</i> alg. 66. 4, 5
35992 -	- <i>mammillosa</i> <i>Ag.</i>	mammillated tufts	3 su	D.G	alpine rivulets	<i>Hass.</i> alg. 66. 2, 3
35993 -	- <i>interruptum</i> <i>Hass.</i>	variegated close tufts	1/10	Gl.G	on mosses and lichens	<i>Hass.</i> alg. 69. 2
	<i>Cútothrix interrupta</i> <i>Hook.</i> Br. Fl. p. 368.					
35994 -	- <i>minutum</i> <i>Hass.</i>	dwarf little tufts	Oliva	rocks & crust. lichens	<i>Hass.</i> alg. 67. 3, 4
35995						
	3236. STILBUM.					
35996 27777a	- <i>erythrocephalum</i> <i>D.</i>	red-head scattered	Ro	dung	
35997 27777b	- <i>bicolor</i> <i>Pers.</i>	two-eld subrotund	Dirty W	trunks of trees	
35998 27777c	- <i>pellucidum</i> <i>Schr.</i>	pellucid subrotund	Dirty W	wood and rotten fungi	
35999 27777d	- <i>nigrum</i> <i>Berk.</i>	black granulated	1/24	Bk	<i>Eriophorum</i> pubes.	
36000 -	- <i>anomalum</i> <i>Berk.</i>	anomalous fusiform	1/24	Y	dead <i>U'vum</i>	Mag. zool. 1. 3. 9
36001 -	- <i>piliiforme</i> <i>Pers.</i>	hair-shpd very minute	aut Bk	rotten wood	
36002 -	- <i>aurantiacum</i> <i>Bab.</i>	deep yellow scattered	1/2	O	on an elm twig	Ann. 6. 12. 14
	SURIRE'LLA biseriata <i>Breb.</i> and <i>S. Jenneri</i> <i>Hass.</i> are figured in <i>Hass.</i> br. fr. alg. t. 102. f. 1. and f. 15.					
4225. 3115a.	- SYNCESIA <i>Tayl.</i>	SYNCESIA. (Not explained.)				<i>Crypt. Lichenes.</i>
36003 -	- <i>albida</i> <i>Tayl.</i>	whitish thin crust	6 year	Wsh	dry sh. rock	
	SYZYGIATES megalocarpus <i>Ehr.</i> is mentioned in the Ann. of Nat. Hist. v. 1. p. 259. as having been found on decaying agarics.					
4227. -	- TABELLARIA <i>Ralfs</i> (<i>Tabella</i> , a ladder, which the frustules resemble in form.)					<i>Crypt. A'lgæ.</i>
†26109	- <i>focculosa</i> <i>Hass.</i>	small-napp. fine film	1/2 su	Y.Br	ditches, paras. on <i>A'lgæ</i>	<i>Hass.</i> 94.9, 10, 96. 11
	<i>Diatoma focculosum</i> <i>Ag.</i> in Hort. Brit. No. 26109. in p. 433.; <i>Conferva focculosa</i> <i>Eng. Bot.</i> 1761.					
36004 -	- <i>fenestrata</i> <i>Lyng.</i>	fenestrated fine film	su Pa.Y	in streams and pools	<i>Hass.</i> alg. 96. 10
4228. -	- TETMEMORUS <i>Ralfs</i>	TETMEMORUS. (<i>Temma</i> , to cut, and <i>moros</i> , a portion.)				<i>Crypt. A'lgæ.</i>
36005 -	- <i>Breibissonii</i> <i>Menegh.</i>	<i>Breibisson's</i> scattered	0 year	Pa.G	peat bogs, pools, &c.	Ralfs desmid. 24. 1
36006 -	- <i>le'vis</i> <i>Kütz.</i>	smooth Pa.cloud-lik.m.0	year	Pa G	peat bogs, pools, &c.	Ralfs desmid. 24. 3
	<i>granulatus</i> (in part) <i>Ralfs</i> in Ann. of Nat. Hist., v. 14. t. 8. f. 2. d, e, f, g.					
36007 -	- <i>granulatus</i> <i>Breb.</i>	granulated G. mass. or sc.0	year	Pa.G	peat bogs, pools, &c.	Ralfs desmid. 24. 2
4229. -	- TETRACYCLUS <i>Ralfs</i>	TETRACYCLUS. (<i>Tetra</i> , four, and <i>kyklos</i> , a circle.)				<i>Crypt. A'lgæ.</i>
36008 -	- <i>lacustris</i> <i>Ralfs</i>	lake	pools	<i>Hass.</i> alg. 93. 8, 9
4230. -	- TETRASPORA <i>Link</i> (<i>Tetra</i> , four, and <i>spora</i> , a seed; arrangement of the cells.)					<i>Crypt. A'lgæ.</i>
36009 -	- <i>lubrica</i> <i>Ag.</i>	lubricous irreg. mass.	G	gently-running water	<i>Hass.</i> alg. 78. 10
36010 -	- <i>gelatinosa</i> <i>Desv.</i>	gelatinous oval masses	G	streams, Ireland	
36011 -	- <i>bäva</i> <i>Hass.</i>	yellow	Ysh	rocky rivulets	<i>Hass.</i> alg. 78. 11
	3131. THELPHORA.					
36012 27284a	- <i>spadicea</i> <i>Fr.</i>	chestnut-eld wavy	3 aut	P	oak stumps	
36013 27292a	- <i>bysstides</i> <i>Pers.</i>	bysuss-like br. patches	1	Ysh.Br	spruce fr leaves	

36014	27292b	rosea Pers.	Rose-cld	sm. sc. pat.	Ro	rose-bran.	
36015	27292c	miniata Berk.	scarlet	cleant	Bt.S	birch	
36016	27292d	carbonaria Berk.	charcoal	waxy	...	jl	Bt.O	charred gr.in w.weath.	
36017	27292e	lactescens Berk.	milky	thin	Pa.Sal	bark of pine stumps	
36018	27292f	gigantea Pers.	gigantic	hyaline	Milk W	fir wood	
36019	-	livida Fr.	livid	wax-like	Gysh	birch	
36020	-	viscosa Pers.	viscid	smooth	Bsh	on fallen bran.	Fl. dan. 1851. 1
36021	27295a	granulosa Pers.	granulose	thin	Wsh	on wood	
36022	27295b	comedens Nees	decolouring	thin	Ysh.F	dry dec. bran.	Nees sys. 255
36023	27295c	incarnata Nees	incarnate	wax-like	Bt.Ysh.F	on fall. bran., &c.	
36024	27295d	media Fr.	incarnate	pale	Di.Ysh.F	on dry sticks	
36025	27294a	acrina Pers.	Maple	sm. det. pat.	Milk W	maple bark	
36026	27278a	Lauroceraria Berk.	Che. Laurel	gregarious	Pa.Cin	on Cerasus Laurocerarius	
36027	-	Avellana Fr.	Hazel	corky	Rsh.Br	bark and wood	
36028	-	puteana Schum.	well	patches	Ol.Taw	deal in a dairy	Mag. zool. 1. 4. 4
36029	-	cæsia Fr.	grey	soft	2	au	Gy	on the ground in woods	
36030	-	laxa Fr.	loose	membrana	3	aut	Oliva.Per.	on bark and lichens	

3089. THELOTRE'MA.

36031	26613a	Hutchinsia Hook.	Miss Hutchins'	spreading 2 year	W			on the ground	Eng. bot. 2652
4231.	-	THO'REA Bory	THOREA.	(Dr. Thore, a botanical author.)					Crypt. A'lgæ.
36032	-	ramosissima Bory	much-brnctd. lg. mass.	2-4 su	Psh.Bk			rivers	Hass. alg. 16. 3. 4

4232. - - TOLY'POTHRIX Kutz. TOLY'POTHRIX. (Tolype, wool, and thriz, hair.) Crypt. A'lgæ.

§ i. Branches discrete.

36033	-	punctata Hass.	dotted	tufts	rks. und. sp. of cascades	Hass. alg. 69. 3
†26231		distorta Kutz.	distorted	tufts	1	su	D.G	fresh water on stems	Hass. alg. 69. 4
		Conferva distorta Dillw. Conf. t. 22.	Eng. Bot. t. 2577.					Cidothrix distorta Ag., No. 26291. in p. 435.	
36034	-	Berkeleyana Carm.	Mr. Berkeley's scal. tufts	1/2	ivid G	adhering to aq. plants	Hass. alg. 69. 5?
		Cidothrix Berkeleyana Carm., Hook. Br Fl. v. 2. pt. 1. p. 357.							
†26226		nivea Hass.	white	contin. tufts	1/2	year	Pa.Y	sulphur springs	Hass. alg. 69. 6
		Cidothrix nivea Ag., No. 26226. in p. 435.; Conferva nivea Eng. Bot. 2529.							
36035	-	rufescens Carm.	reddish	thin stratum	0	...	Psh	rks. und. sp. of cascades	Hass. alg. 69. 7
		Cidothrix rufescens Carm., Hook. Br. Fl. v. 2. pt. 1. p. 368.							

§ ii. Branches adherent to the main filaments.

36036	-	Dillwynii Hass.	Mr. Dillwyn's little tufts	1/2	moist rocks	Hass. alg. 68. 4, 5
2973.		TO'RTULA							
25777		muralis							
		2 brevipila Hook.	short hair	tufts	1	year	D.G	walls and stones	
25778		rudalis	pale						
		2 levipila Hook.	smooth hair	deep patches	2	year	D.G	clay slate	
25779		subulata							
		2 obtusa Hook.	obtuse-lvd	thick tufts	1 1/2	d	Y.G	banks & shady places	
25783		falax							
		2 finoides Hook.	Flax-like	tufts	2-3	1/2 su	L.G	banks and fi.	
		3 brevicaulis Hook.	short-stmd	tufts	1/2	su	L.G	banks and fi.	Schwæg. sup. 1. 32
25784		gracilis							
		2 viridis Hook.	green	lax tufts	1	...	Br.G	clay banks	Eng. bot. 2553
36037	-	ambigua B. & S.	ambiguous	sm. patches	1/2	w	D.G	on walls	
36038	-	marginata B. & S.	edged	patches	1	sp	D.G	on walls and rocks	
36039	-	papillosa Wils.	papillous	patches	1/2	su	G	on old elms	
36040	-	squarrosa	squarrose	lax tufts	1	su	L.G	chalk pits	
36041	-	vinealis Brid.	vine	loosely tufted	1 1/2	sp	Ysh.G	on wet sandy banks	
		Zygotrichia cylindrica Tayl. in Fl. Hib. pt. 2. p. 26.							
36042	-	cylindrica Wils.	cylindrical	on trees in wet places	
36043	-	latifolia Wils.	broad-lvd		

3262. TO'RULA.

36044	27836a	monilifides Cord.	necklace-lk	aggregate	0	...	Jet Bk	sticks	Corda 38
36045	27836b	ovalispora Berk.	oval spor.	aggregate	0	year	Bk	wood	
36046	27836c	Eriophori Berk.	Eriophor.	minute	0	...	Bk	Eriophor. angust. leaves	
36047	27836d	cylindrica Berk.	cylindrical	fasciated	0	...	Bk	sticks	
36048	-	plantaginis Cord.	Plantain	0	on leaves of plantains	Cord. ic. 3. 1. 11
36049	-	graminis Desm.	grass	0	on dry leaves of Carices	

3150. TREME'LLA.

36050	27439z	fimbriata Pers.	fringed	clustered	Bk	trees	Bul. her. 272
36051	27439y	foliacea Pers.	leaf-like	gelatinous	F.Cin	stumps of trees	Bul. her. 406. A a
		2 violaceus Hook.	violaceous	gelatinous	V	stumps of trees	
36052	2744a	cerebrina Bul.	brain-like	tough	...	w.sp	Dirty W	dead wood	Bul. her. 386
36053	27442a	clavata Pers.	club-shaped	solitary	1	sp	F	rotten wood	Pers. ic. 10. 2
36054	-	torta Willd.	twisted	gregarious	1/2	year	Ysh	on decort. oak branches	
		Dactyomyces tortus Fr. Ep. p. 592., D. stillatus β Fr. Syst. Myc., v. 2. p. 230.							
36055	-	epigæa Berk.	earth	thinW. stratum	0	...	W	spr. over naked soil in wds.	Ann. n. se. 2. 9. 3

3204. TRI'CHIA.

36056	-	Neesiana Cord.	Nees's	gregarious	1/10	on rotten wood	Corda 2. 288
4233.	-	TRICHO'RMUS Allman	TRICHO'RMUS.	(Thriz, a hair, and ormus, a necklace.)					Crypt. A'lgæ.
36057	-	incurvus Allm.	incurved	Pea G	canal docks	Hass. alg. 75.1?

2979. TRICHO'STOMUM.

36058	-	saxatile Tayl.	rock	aggregate	1/2-1	Ireland	
-------	---	----------------	------	-----------	-------	-----	-----	---------	--

3181. TU'BER.

36059	-	Album	white	roundish	1	...	W		Sov. 310
		Choiroidomyces manandriiformis Vitt.							
36060	-	nitidum Vitt.	shining	under ground	Berk. fung. 4. 303
36061	-	rufum Pico	rufous	under ground	

36062 -	-	brumale <i>Vitt.</i>	winter	¾ oja	Br	under ground	
36063 -	-	dryophilum <i>Tul.</i>	oak-fern-loving	gregar. l	...	W	under ground	
36064 -	-	puberulum <i>Berk.</i>	downy	gregarious	W	in sandy ground	

3234. TUBERCULARIA.

36065 27772a	nigricans <i>Lk.</i>	blackened	even	0	year	R.Bk	trunks of trees	Bul. her. 455. 1
36066 27772b	albida <i>Berk.</i>	whitened	hard	0	o	Dirty W	oak bran. wo.	

4234 -	-	TUBURCNIA Fr.	TUBURCNIA.	(Not explained.)			<i>Crypt. Fängt.</i>	
36067 -	-	scabies <i>Berk.</i>	scab	Brsh	on potato tubers	J. H. S. 1. 4. 30, 31

3161. TYMPANIS.

36068 27600a	fraxini <i>Schwein.</i>	Ash-inhab.	small fascel.	0	w.sp	Sh.Bk	dry ash branches	
--------------	-------------------------	------------	---------------	---	------	-------	------------------	--

4235 -	-	TYNDARIDEA <i>Bory.</i>	(<i>Tyndaridae</i> ; the constellations so called of Castor and Pollux.)				<i>Crypt. A'lgæ</i>	
36069 -	-	anomala <i>Rafks</i>	anomalous large masses	1-2	sp	D.G	boggy spots	Hass. alg. 38. 2, 3
36070 -	-	lutescens <i>Hass.</i>	lutescent		Hass. alg. 38. 4
36071 -	-	bicornis <i>Hass.</i>	two-horned		Hass. alg. 38. 5
36072 -	-	insignis <i>Hass.</i>	admirable	su	...	pons	Hass. alg. 38. 6, 7
36073 -	-	stagnalis <i>Hass.</i>	stagnant	heaths and commons	Hass. alg. 38. 9
36074 -	-	immersa <i>Hass.</i>	sunken	Wimbledon common	Hass. alg. 39. 3
36075 -	-	conspicua <i>Hass.</i>	conspicuous		Hass. alg. 39. 1, 2
36076 -	-	Ralfsii <i>Hass.</i>	Mr. Ralfs's	sp	...	boggy places	Hass. alg. 3. 4, 5

To this genus belong also Nos. 26239, 26240, 26241, and 26242. of *Hort. Brit.* p. 435.

3138. TYPHULA.

36077 -	-	gracilis <i>Desm.</i>	slender	sparkling	½	sp	Pa	wheat straw	Ann. n. h. 1. 7. 1
---------	---	-----------------------	---------	-----------	---	----	----	-------------	--------------------

3092. URCEOLARIA.

36078 26530a	rufescens <i>Hook.</i>	reddish	crust thin	2	year	Rsh	sandstone	Eng. bot. 2657
--------------	------------------------	---------	------------	---	------	-----	-----------	----------------

3274. URE'DO.

27927	suaveolens <i>Pers.</i> ; syn. <i>Æcidium Cárdui</i> Sow., who has given a figure of it in his <i>Coloured Figures of English Fungi</i> , lit. t. 398, fig. 5.								
36079 -	-	parvula <i>Berk.</i>	parallel	projecting	0	aut	D.Br	culms and sheaths of rye	
36080 -	-	olivacea <i>Dec.</i>	olivaceous	powdery	0	...	O.L.G	Cæx riparia	
36081 -	-	Scillarum <i>Grev.</i>	Harebell	crowded	0	on the harebell	Baxt.crypt.nxon.40
36082 -	-	Iridis <i>Dub.</i>	Iris	scat. or aggr.	0	...	Pa.Br	Iris fortissima	
36083 -	-	utriculosum <i>Nees</i>	utricled	minute	0	...	P.Bk	Polygoum Hydróp. Nees sys. 6	
36084 -	-	Bète <i>Pers.</i>	Beet	scattered	0	...	Br	Beet root	
36085 -	-	Armérie <i>Dub.</i>	Thrift	scattered	0	...	Ru	Armérie	
36086 -	-	Vince <i>Dec.</i>	Periwinkle	ovoid	0	...	Br	Vince major	
36087 -	-	Vacciniorum <i>Johnst.</i>	Whortlber.	minute	0	...	Ysh	Vaccin. Myrt.	
36088 -	-	crustæa <i>Berk.</i>	crustæa	scat. & aggr.	0	...	Brsh	root leaves of Campán. rotund.	
36089 -	-	Umbellatarum <i>Johnst.</i>	Umbellif.	scattered	0	...	Br	various Umbelliferae	
36090 -	-	Hypericorum <i>Dec.</i>	St. J.'s wt.	scattered	0	...	O	<i>Hyperica</i>	Baxt.crypt.oxon.42
36091 -	-	Caryophyllacearum <i>Johnst.</i>	Caryophyllac.	0	Y	Cerastium sp., Stellaria sp.	
36092 -	-	Epilobii <i>Dec.</i>	Willow herb	scattered	0	...	Br	Epilobia	
36093 -	-	appendiculosa <i>Berk.</i>	long-stalk.	confluent	0	...	Br	Leguminosæ	
36094 -	-	Anthyllidis <i>Grev.</i>	Finger-vtch.	scattered	0	...	Br	Anthyllis Vulneraria	
36095 -	-	Quercus <i>Brondeau</i>	Oak	minute	0	...	O	oak leaves	
36096 -	-	Equiseti <i>Berk.</i>	Mare's-tail	minute	0	...	Bd	Equisetum limosum	
36097 -	-	Poterii <i>Spreng.</i>	Burnet	scattered	0	...	O	Poterium Sangisörba	
36098 -	-	Symphyti <i>Dec.</i>	Symphytum	confluent	0	su aut	Ysh	leaves of comfrey	
36099 -	-	Artemisiæ <i>Lk.</i>	Wormwood	aggregated	0	su aut	Fus	Artemisia Absinth. Berk. fung. 3. 235	
36100 -	-	pompholygodes <i>Schtz.</i>	pompholyg. lk.	0	my	...	Anemone nemorosa Berk. fung. 3. 236	

* It is to be observed that *Uredo Ranunculacearum Dec.* is at least in great part the same species with the present, of which *U. Anemones Dec. Fl. Franc.* is a synonyme. Consequently the species described in *Engl. Fl.* under the name of *U. Ranunculacearum* on *Link's* authority, must bear the name of *Uredo Ficariæ Alb. et Schwein.*—Rev. M. J. Berkeley.

3091. VARIOLARIA.

26626	lactea							
26627	arenaria <i>Hook.</i>	sand-stone	crust-con.	1½	year	Dy.	Lead	sandstone rocks
26622	multi puncta							
35101 26626a	constellata <i>Tayl.</i>	smooth	crust sc. cr.	2	year	Cr		beech and oak
36102 26626b	polychæta <i>Tayl.</i>	constel.	broad pat.	...	year	Gysh.W		birch bark
36103 26626c	torta <i>Tayl.</i>	many-shld.	gran. crust	4	year	Gysh		siliceous rocks
36104 26626d	chlorothecha <i>Tayl.</i>	twisted	very thin cr.	...	year	Wsh		siliceous rocks
36105 26626e	terricola <i>Tayl.</i>	green-shld.	thin powd.cr	...	year	W		siliceous rocks
		grnd.-inhb.	broad pat.	3	year	W		peat

3056. VAUCHERIA.

36106 -	-	repens <i>Hass.</i>	creeping	patches	...	sp	Pa.G	on moist earth	Hass. alg. 6. 7
36107 -	-	hamata <i>Vauch.</i>	entangled	patches	...	sp	Pa.G	ditches	Hass. alg. 5. 1
36108 -	-	aversa <i>Hass.</i>	averse	Pa.G		Hass. alg. 6. 5
36109 -	-	ornithocéphala <i>Ag.</i>	bird's-hd.	lg. bushy	mas. 3-9	aut	Brsh.G	pools and ditches	Hass. alg. 6. 4., 74
36110 -	-	ovoides <i>Vauch.</i>	egg-like	dense masses	2-4	year	D.G	edges of ditches, &c.	Hass. alg. 5. 3
36111 -	-	sessilis <i>Vauch.</i>	sessile	frtd. fltng.	masses	...	sp	pools and ditches	Hass. alg. 4. 2
36112 -	-	polysperma <i>Hass.</i>	many-seed.	small masses	0		Hass. alg. 6. 6
36113 -	-	clavata <i>Vauch.</i>	club-shpd.	tufts	Bt.G	fountains & rivu., stones, &c.	Hass. alg. 2.
36114 -	-	caespitosa <i>E. B.</i>	tufted	dense tufts	...	su	Bt.G	pools, mill-dams, &c.	Eng. bot. 2841

3142. VERPA.

36115 27353a	digitaliformis <i>Pers.</i>	Foxglove-sh.	wrinkled	3	my	Umb	hedge rows	Pers. myc. 7. 1.—
--------------	-----------------------------	--------------	----------	---	----	-----	------------	-------------------

3114. VERRUCA'RIA.

36116 26846a	dermatodes <i>Borrer</i>	vcllum-lk	polished cr.	1	year	L.Gy	birch bark	Eng. bot. 2607. 2
36117 26846b	submersa <i>Hook.</i>	submersed	irreg. pat.	2	year	Gsh	stones under water	Eng. bot. 2768
36118 26846c	olivacea <i>Pers.</i>	olivaceous	irregdish cr.	2	year	O	smooth bark	Eng. bot. 2597. 1
36119 26846d	rhypopta <i>Ach.</i>	dirty	black crust	1	year	Bk	on <i>Gráphis scripta</i>	Eng. bot. 2597. 2
36120 26846e	geminata <i>Ach.</i>	gemmed	very th. film	2	year	Wsh	trunks of trees	Eng. bot. 2617. 2

36121	26846f	bifloris <i>Borrr</i>	two-frmd. thin film	1 year	W	on young oaks	Eng. bot. 2617. 1
36122	26846g	niveo-atra <i>Borrr</i>	wh. and bk. rugose	2 year	W	old timber and elms	Eng. bot. 2637. 1
36123	26846h	ruidis <i>Borrr</i>	ruged ¹ / ₂ granular	¹ / ₂ year	Gy	old boarded buildings	Eng. bot. 2637. 2
36124	26846i	áphæus <i>Borrr</i>	inconspic. thin rug. cr.	¹ / ₂ year	Oly	old elms	Eng. bot. 2642. 1
36125	26846j	leucocephala <i>Ach.</i>	white-hd. irreg. pat.	¹ / ₂ year	Gy.Ol	trunks of trees	Eng. bot. 2642. 2
		2 amphibola <i>Ach.</i>	ambiguously irreg. pat.	¹ / ₂ year	Gysh.W	old bark	Eng. bot. 2642. 2
36126	26849a	cinnina <i>Borrr</i>	neat even crust	¹ / ₂ year	Gy	limestone rocks	Eng. bot. 2623. 1
36127	26849b	immixta <i>Hoffm.</i>	sunk dotted crust	4 year	Gysh.W	calcareous stones	
36128	26849c	lavata <i>Ach.</i>	smooth cracked cr.	1 year	Brsh.Gy	rocky beds of str	Eng. bot. 2623. 2
36129	26851a	murális <i>Ach.</i>	wall thin scaly cr.	2 year	Pa.Gy	walls	Eng. bot. 2647. 2
36130	26851b	epipole'a <i>Ach.</i>	superficial irreg. pat.	¹ / ₂ year	Gysh	rocks	Eng. bot. 2647. 3
36131	26851c	Dufourii <i>Delan.</i>	Dufour's round pat.	1 year	Gysh	calcareous rocks	Eng. bot. 2791
36132	26851d	trachona <i>Ach.</i>	green rock very thin cr.	1 1/2 year	Gysh.G	slaty rocks	Eng. bot. 2647. 1
36133	26853a	Höckeri <i>Borrr</i>	Hooker's small pat.	¹ / ₂ year	W	rocks, on dead mosses	Eng. bot. 2622. 2
36134	-	conícta <i>Tayl.</i>	close thin coat	¹ / ₂ year	Bk	birch bark, Ireland	
36135	-	lithina <i>Ach.</i>	stone scaly crust	2 year	Gysh.G	siliceous rocks, Ireland	
36136	-	lucens <i>Tayl.</i>	shining thin crust	4 my	Psh.Br	siliceous slate	
36137	-	polysticta <i>Borrr</i>	many-dotted very thin cr.	3 year	W	old walls	Eng. bot. 2741
36138	-	rubiginosa <i>Tayl.</i>	rusty very thin cr.	2 year	Rust	siliceous rocks	
36139	-	irrigua <i>Tayl.</i>	plashy subgelat. cr.	1-8 year	Gsh.Gy	wet rocks	
36140	-	fissa <i>Tayl.</i>	cloven cracked cr.	3 year	D.Br	siliceous stones	
36141	-	gemmlera <i>Tayl.</i>	bud-bog powdery cr.	... year	Bsh.Gy	siliceous rocks	
36142	-	circumscripta <i>Tayl.</i>	circumscr. cracked cr.	1 year	Wsh	shaded rocks	
36143	-	peripherica <i>Tayl.</i>	round thin crust	4-12 year	Wsh	siliceous rocks	
36144	-	umbrosa <i>Tayl.</i>	shady thin crust	... year	Oly	shaded rocks	
36145	-	mollis <i>Tayl.</i>	soft powdery cr.	... year	Rust	rocks	
36146	-	crystiboda <i>Tayl.</i>	rusty thin crust	2 year	Pa.Rust	dry rocks	
4236.	-	VESICULIFERA <i>Hass.</i>	VESICULIFERA. (From <i>vesicula</i> , a vesicle, and <i>fero</i> , to bear.)			<i>Crypt. Algæ.</i>	
36147	-	princeps <i>Hass.</i>	principal	ponds	
36148	-	capillaris <i>Hass.</i>	hair-like	ponds	Hass. alg. 50. 1, 2
36149	-	condensata <i>Hass.</i>	condensed	ponds	
36150	-	crassa <i>Hass.</i>	thick	ponds	Hass. alg. 51. 1
36151	-	Landsborougii <i>Hass.</i>	Landsboroug's	ponds	Hass. alg. 51. 2
36152	-	Cuvieri <i>Hass.</i>	Cuvier's	ponds	
36153	-	prolongata <i>Hass.</i>	in Ann. of Nat. Hist., v. 10. p. 390.	reservoirs, &c.	Hass. alg. 52. 1
36154	-	lacustris <i>Hass.</i>	lake-inh.	boggy pools	Hass. alg. 52. 3
36155	-	paludosa <i>Hass.</i>	marsh	... sp	...	pure water	Hass. alg. 50. 3
36156	-	pulchella <i>Hass.</i>	pretty	Bt.G	boggy pools	Hass. alg. 50. 8
36157	-	Ralfsii <i>Hass.</i>	Mr. Ralfs's	ponds	Hass. alg. 50. 4
36158	-	Vaucherii <i>Hass.</i>	Vaucher's	ponds	Hass. alg. 50. 5
36159	-	viridescens <i>Hass.</i>	greenish	ponds	Hass. alg. 50. 6
36160	-	ovata <i>Hass.</i>	egg-shaped	... su	...	ponds	Hass. alg. 51. 3
36161	-	concatenata <i>Hass.</i>	concatenated	... sp.su	...	ponds	Hass. alg. 52. 7
36162	-	Borissii <i>Hass.</i>	Bory's	... sp.su	...	ponds	Hass. alg. 52. 7
36163	-	ciliata <i>Hass.</i>	ciliated	ponds	Hass. alg. 52. 2
36164	-	dissiliens <i>Hass.</i>	bursting	... sp.su	...	ponds	Hass. alg. 50. 7
		<i>Conferva dissiliens</i> of Dillw., or of Eng Bot.					
36165	-	cardiaca <i>Hass.</i>	cardiac	... sp	...	ponds	Hass. alg. 51. 4
36166	-	crispa <i>Hass.</i>	curled	... sp.su	...	boggy pools	Hass. alg. 52. 8
36167	-	fasciata <i>Hass.</i>	banded	... sp.su	...	ponds	Hass. alg. 53. 6
36168	-	sphaerica <i>Hass.</i>	spherical	ponds	Hass. alg. 53. 5
36169	-	compressa <i>Hass.</i>	compressed	ponds	Hass. alg. 53. 4
36170	-	inequalis <i>Hass.</i>	unequal	... sp	...	boggy pools	Hass. alg. 53. 2
36171	-	æqualis <i>Hass.</i>	equal	... sp.su	...	boggy pools	Hass. alg. 53. 3
36172	-	flavescens <i>Hass.</i>	yellowish	... sp.su	...	ponds	Hass. alg. 53. 9
36173	-	affinis <i>Hass.</i>	kindred	... sp.su	...	boggy pools	Hass. alg. 53. 1
36174	-	hexagona <i>Hass.</i>	six-sided	... sp.su	...	ponds	Hass. alg. 53. 11, 12
36175	-	dubia <i>Hass.</i>	dubious	... sp.su	...	ponds	Hass. alg. 53. 14
36176	-	Müller's	Müller's	... sp	...	ponds	Hass. alg. 53. 10
36177	-	Boscii <i>Hass.</i>	Bosc's fine film	1 sp	G	ponds	Hass. alg. 52. 3, 4, 5
		<i>Conferva tumidula</i> E. B., No. 26260, in p. 435.					
36178	-	alata <i>Hass.</i>	winged	ponds	Hass. alg. 53. 8
36179	-	Roth's	Roth's float.cld.lk.m.	¹ / ₂ su	G	ponds and ditches	Hass. alg. 53. 7
		<i>bombicina</i> Hass. in Ann. of Nat. Hist., v. 10. p. 394.; <i>Conferva bombicina</i> , No. 26254, in p. 435.; <i>Conferva sordida</i> Dillw. t. 60.					
36177	-	Candollei <i>Hass.</i>	De Candolle's fine film	1 sp.su	G	ponds	Hass. alg. 52. 9
		<i>vernalis</i> Hass. in Ann. of Nat. Hist., v. 11. p. 434.					
4237.	3143a.	VIBRISSEA <i>Fr.</i>	VIBRISSEA. (<i>Vibro</i> , to vibrate.)			<i>Crypt. Fungi.</i>	
36178	-	truncorum <i>A. B.</i>	trunks simple	1 su	Go.Y	bran. and trun. of trees lying in water	
		2976. WEISSIA					
36179	25805a	elongata <i>H. & H.</i>	elongated dense tufts	rocks	H. mus. exot. 101
4238.	-	XANTHIDIUM <i>Ehr.</i>	XANTHIDIUM. (<i>Xanthos</i> , yellow.)			<i>Crypt. Algæ.</i>	
36180	-	armatum <i>Breb.</i>	armed cld.-lk.mass.	0 year	Bsh.G	peat bogs, pools, &c.	Ralfs desmid. 18
		<i>arcuatum</i> Ralfs in Ann. of Nat. Hist., v. 14. p. 466. t. 12. f. 1. excl. syn., Jenn. Fl. Tunb. Wells, p. 194.					
36181	-	aculeatum <i>Ralfs.</i>	prickly scattered	0 year	Pa.G	boggy pools, &c.	Ralfs desmid. 19. 1
36182	-	Brebissonii <i>Ralfs.</i>	Brebisson's scattered	0 year	Pa.G	ponds, &c.	Ralfs desmid. 19. 2
36183	-	fasciculatum <i>Ehr.</i>	fasciculated scattered	0 year	Pa.G	boggy pools, &c.	Ralfs desmid. 19. 3
36184	-	cristatum <i>Breb.</i>	crested scattered	0 year	Pa.G	boggy pools, &c.	Ralfs desmid. 19. 3
36185	-	octocorne <i>Ehr.</i>	eight-hnd scattered	0 year	Pa.G	dry pools	Ralfs desmid. 20. 2
		<i>Staurastrum</i> ? <i>octocorne</i> Ralfs in Ann. of Nat. Hist., v. 15. p. 159. t. 12. f. 3.					
		XENODOCHUS carbonarius <i>Schlec.</i> is mentioned in the Ann. of Nat. Hist., v. 1. p. 263. as having been found on <i>Urëdo miniata</i> .					
4239.	-	ZYGODESMUS ? <i>Ryl. MS.</i>	ZYGODESMUS. (? <i>Zygos</i> , yoke, and <i>desmos</i> , band, or link.)			<i>Crypt. Fungi.</i>	
36186	-	Berkleyi <i>Ryl. MS.</i>	Berkley's spreading	Br	paras. on <i>Monótropa</i> ts. Phyt. 1. 345. 2. f. g.; 3. y.	
		3041. ZYGNE'MA.					
36187	26239a	epigæ'a <i>Harv.</i>	ground flecce	1 ...	Ysh	road sides and freq. pa.	
36188	-	orbiculare <i>Hass.</i>	orbicular patches	... su	G	ponds, dykes	Hass. alg. 19. 1. 2
36189	-	alternatum <i>Hass.</i>	altern.-branch.	ponds	Hass. alg. 20

36190 -	- interrūptum <i>Hass.</i>	interrupted		<i>Hass.</i> alg. 21
36191 -	- serratum <i>Hass.</i>	serrated		<i>Hass.</i> alg. 23. 1, 2
36192 -	- bella <i>Hass.</i>	pretty	1 ju	...	ponds	
36193 -	- neglectum <i>Hass.</i>	neglected sp.su	Pa.G	ponds	<i>Hass.</i> alg. 23
36194 -	- pellucidum <i>Hass.</i>	pellucid		<i>Hass.</i> alg. 25. 1, 2
36195 -	- rivuläre <i>Hass.</i>	river-inh.	rivers	<i>Hass.</i> alg. 27. 1, 2
36196 -	- värlans <i>Hass.</i>	varying sp	...	ponds	<i>Hass.</i> alg. 29. 1, 2, 3, 4
36197 -	- aestivum <i>Hass.</i>	summer su	...	ponds	<i>Hass.</i> alg. 28. 3, 4
36198 -	- malformatum <i>Hass.</i>	misshaped su	...	ponds	<i>Hass.</i> alg. 30. 1, 2
36199 -	- catenaeförme <i>Hass.</i>	chain-like	ponds	<i>Hass.</i> alg. 30. 3, 4
36200 -	- commune <i>Hass.</i>	common	patches	2 su	Bt.G	ponds	<i>Hass.</i> alg. 24. 5, 6
36201 -	- gracile <i>Hass.</i>	slender		<i>Hass.</i> alg. 30. 5, 6
36202 -	- flavescens <i>Hass.</i>	flavescens sp	...	boggy pools	<i>Hass.</i> alg. 30. 9, 10
36203 -	- parvum <i>Hass.</i>	small su	...	ponds	<i>Hass.</i> alg. 30. 7, 8
36204 -	- Grevilleanum <i>Hass.</i>	Dr. Greville's sp	...	ditches	<i>Hass.</i> alg. 31. 1, 2
36205 -	- inaequale <i>Hass.</i>	unequal		<i>Hass.</i> alg. 32. 1, 2
36206 -	- subventricosum <i>Hass.</i>	subventric. sp	...	ponds	<i>Hass.</i> alg. 32. 3, 4, 5
36207 -	- longatum <i>Hass.</i>	long	masses	... su	...	ponds	<i>Hass.</i> alg. 31. 3, 4
	- <i>Conjugata longata</i> Vauch.						
36208 -	- inflatum <i>Hass.</i>	inflated sp	...	ponds	<i>Hass.</i> alg. 32. 6, 7, 8
	- <i>varians</i> <i>Hass.</i> in Ann. of Nat. Hist., v. 11. p. 431.						
36209 -	- tenuissimum <i>Hass.</i>	slenderest sp	...	ponds	<i>Hass.</i> alg. 32. 9, 10
36210 -	- rostratum <i>Hass.</i>	beaked	ponds	<i>Hass.</i> alg. 33. 1
36211 -	- <i>Woodsi</i> <i>Hass.</i>	Mr. Woods's sp	Pa.G	ponds	<i>Hass.</i> alg. 33
	- <i>Conferva spiralis</i> var. Dillw. Syn. No. 37. p. 50.						
36212 -	- abbreviatum <i>Hass.</i>	shortened	<i>Hass.</i> alg. 34. 4
36213 -	- angulare <i>Hass.</i>	angular su	...	ponds	<i>Hass.</i> alg. 34. 1, 2, 3
36214 -	- malleolum <i>Hass.</i>	?sm.-mallet-sh.	ponds	<i>Hass.</i> alg. 34. 5
36215 -	- affine <i>Hass.</i>	kindred	ponds	<i>Hass.</i> alg. 34. 6
36216 -	- mirabile <i>Hass.</i>	admirable	ponds	<i>Hass.</i> alg. 35. 1, 2, 3
36217 -	- <i>Hassalli</i> Jenn.	Mr. Hassall's sp	...	ponds	<i>Hass.</i> alg. 36. 4, 5
	"Mr. Hassall was the first discoverer of this very distinct and beautiful species, and surely no one better deserves commemoration in the name of a freshwater Alga."— <i>E. Jenner.</i>						
36218 -	- quadratum <i>Hass.</i>	squared sp	...	ponds	<i>Hass.</i> alg. 37. 1, 2
36219 -	- intermedium <i>Hass.</i>	intermediate su	...	ponds	<i>Hass.</i> alg. 37. 3
36220 -	- diductum <i>Hass.</i>	separated	ponds	<i>Hass.</i> alg. 37. 4
36221 -	- <i>Jenneri</i> <i>Hass.</i>	Mr. Jenner's sp.su	...	ponds	<i>Hass.</i> alg. 37. 6, 9
	A beautiful species, named by Mr. Hassall in compliment to Mr. Edward Jenner, A.L.S., a most indefatigable British botanist, and the author of an excellent and very useful <i>Flora of Tunbridge Wells.</i>						
36222 -	- dubium <i>Hass.</i>	doubtful sp.su	...	ponds	<i>Hass.</i> alg. 37. 7
36223 -	- minimum <i>Hass.</i>	least	ponds	<i>Hass.</i> alg. 37. 8
36224 -	- vesicatum <i>Hass.</i>	bladder	ponds	<i>Hass.</i> alg. 37. 5
36225 -	- insigne <i>Hass.</i>	remarkable	ponds	<i>Hass.</i> alg. 103. 1, 2

4243. - - *CALBOA* Lindl. globose CALBOA. (Not explained.) *Convolvitæcæ.*
 36245 - - globosa Lindl. globose $\text{f} \square$ or ?20 aut R Mexico 1846. C s.p.l J.H.S.v.p.83.fig.
4244. - - CALDCLUVIA G. Don CALDCLUVIA. (In honour of Alex. Caldeleigh, Esq) *Cononiæcæ.* 8.—2.
 36246 - - paniculata Lindl. panicked $\text{f} \square$ or ... jn W Australia 1831. C r.m.
Weinmannia paniculata.
4245. - - CALECTASIA Brown CALECTASIA. (Not explained.) *Jinncæ.* 6.—1.
 36247 - - cyanea Brown blue-flwd $\text{f} \square$ or ... jn B Australia 1840. D s.l.
Hütia elegans.
2434. CENTAUREA 22083 nigra $\text{y} \Delta$ or 1 my.jn W Britain pas. D co
 flore albo white-flowered
1472. CERREUS.
 †12518 reductus Lk. restored $\text{r} \square$ or 3 ... W.Pk Mexico 1796. O s.l Bot. mag. 4443
Cactus nobilis Haw. in Hort. Brit. p. 194.
3447. CHEIROSTYLIS.
 36248 - - marmorata Lindl. marbled $\text{f} \square$ or $\frac{2}{3}$ aut W 1849. D spag.lf
1246. CHOROZEMA.
 36249 - - angustifolium narrow-leaved $\text{r} \square$ or ... mr.ap Y.R Australia 1830. C s.p
3460. CLEISTOSTOMA.
 36250 - - fuscum Lindl. brown $\text{f} \square$ or ... o.n Ysh.Br 1846. D fib.p
 36251 - - lanatum Lindl. woolly-racemed $\text{f} \square$ cu ... jl Pa.Y.P Cont.India1848? D fib.p
1752. CLERODENDRON 29531 *Bethuniænum* Low; Bot. mag. 4485.
2542. CÆLOGYNE 29578 fuliginosa; Bot. mag. 4440.
 36252 - - asperata Lindl. rough $\text{f} \square$ or 1 my W Borneo ?1848. D fib.p
 36253 - - Löwii Hort. Mr. Low's $\text{f} \square$ or 1½ my.jn Crea.OBorneo 1847. O block Paxt.m.xvi.225.
667. COLLETIA 29594 hõrrida $\text{f} \square$ or 4 o.n W seedling 1845? C co J. H. S. v. 31. fig.
 2 biconensis Lindl. Bicton
563. COORDIA.
 36254 - - decandra H. & A. decandrous $\text{f} \square$ or 8 ... W N.Chili ... C p.l
- 4246 - - CRINODENDRON Mol. CRINODENDRON. *Tiliæcæ.*
 36255 - - Patagua Patagua $\text{f} \square$ or 8 ... R Chili ... C s.l.p Hk.b.m.iii.t.100
1158. CUPANIA.
 †10088 Cunninghami Hook. Cunningham's $\text{f} \square$ or 40 sp Gsh.W N.Holl. 1825.S.C.p.l Bot. mag. 4470
Stadmannia australis All. Cun. MSS., and No. 10088, in p. 155. of this work.
14. CURCUMA.
 36256 - - cordata Hook. cordate $\text{y} \square$ spl ?2½ jl O.Ro E.Indies ... R lt.l.p Bot. mag. 4435
1002. CYANOTIS vittata Lindl.; syn. 1000. *Tradescantia zebrina* Hort.
3505. CYCNOCHES.
 36257 - - barbatum Lindl. bearded $\text{f} \square$ or 1 my Y.P.spot Costarica ... D turf p Bot. mag. 4479
4247. - - CYRTANTHERA Nees CYRTANTHERA. (*Kyrtos*, curved, *anthera*, an anther.) *Acanthiæcæ.* 2.—1.
 36258 - - catalpæfolia Hook. Catalpa-ld $\text{f} \square$ spl 5 su Dp.Y Honduras 1848. C l.p Bot. mag. 4444
 36259 - - aurantiaca Hook. orange-cld.-flwd $\text{f} \square$ spl ?5 su O ?1848. C l.p Bot. mag. 4463
Calcostylis aurantiaca Makoy's Cat.
3508. CYRTOCHYLUM.
 36260 - - citrinum Hook. lemon-cld.-flwd $\text{f} \square$ or 1 ap Lem Cent.Amer. 1847? D turf p Bot. mag. 4454
2541. CYRTOPODIUM.
 36261 - - cardiophyllum Lindl. heart-shp.-lpld. $\text{f} \square$ or ... au Y.c.spot 1846. D fib.p
2547. DENDROBIUM 36014 *Devoniænum* Paxt.; Hook. Bot. mag. 4429.
 36262 - - tortile Lindl. twisted-petaled $\text{f} \square$ or $\frac{2}{3}$ my W.Romoulmein 1846? D block Bot.mag. 4477
 36263 - - palpebræ Lindl. eye-lash $\text{f} \square$ or ... W.Y Moulmein 1849. D fib.p
4248. - - DESFONTAINIA R. & P. (*M. Desfontaines*, author of *Flora Atlantica*.) *Gentiæcæ.* 5.—1.
 36264 - - spinosa R. & P. spiny $\text{f} \square$ or 10 ... S.Y Patagonia 1848? C s.l.p
D. splendens Humb. and Bonpl., *Linkia peruviana* Pers.
2049. DIELYTRA 30125 spectabilis Dec.; syn. *Eucápnos spectabilis* Sieb., *Corydalis spectabilis* Pers.,
Sumaria spectabilis L., Bot. mag. 4458.
4249. - - DIGNATHE Lindl. DIGNATHE. (Not explained.) *Orchidiæcæ.*
 36265 - - pygmæa Lindl. dwarf $\text{f} \square$ cu $\frac{1}{2}$... G.Y.spot Mexico ... D fib.p
3538. DIPLADENIA.
 36266 - - nobilis Morren noble $\text{f} \square$ or 4 aut Ro S. Amer. 1847. C s.p.l Paxt. m. b. xvi. 4
Echites nobilis of the nurseries.
 2 pale-flowered variety $\text{f} \square$ or 4 aut Wsh S. Amer. 1847. C s.p.l
3542. DIPTERACANTHUS.
 36267 - - spectabilis Hook. showy $\text{r} \square$ or 2 au P.B Peru 1848. C lt Bot. mag. 4494
D. scandens should have been deleted from p. 537., that being only the provisional name under which
Henfreyæ scandens was first exhibited at a meeting of the Hort. Soc. in 1847. See HENFREYÆ in p. 562.
3562. ECHEVERIA.
 36268 - - laxa Lindl. loose-habit $\text{r} \square$ or 2 jl.au Y California 1847. C s.l.p
 36269 - - farinosa Lindl. powdery $\text{r} \square$ or ?1½ jl.au Pa.Lem California 1847. C s.l.p

- 36270 - 3564. ECHINOCACTUS.
- rhodophthalmus Hook. red-eyed $\pi \square$ or $\frac{1}{2}$ au Ro.R Mexico ... O s.p.l Bot. mag. 4486
- 36271 - 3570. EMBOTHRUM.
- coccineum scarlet $\pi \square$ or ... Dp.R ?N. Holl. ... C s.p
2554. EPIDENDRUM 22730 fragrans
var. megalanthum large-flwd $\frac{1}{2} \square$ fra 1 $\frac{1}{2}$ s.o Gsh.W C Guatemala 1848. D fib.p
36272 - - gravidum Lindl. heavy $\frac{1}{2} \square$ cu $\frac{1}{2}$... G Mexico 1837. D fib.p
36273 - - vandifolium Lindl. Vanda-lvd $\frac{1}{2} \square$ fra... ap P.freckled Mexico 1848. D fib.p
390. EPIMEDIUM.
36274 - - pinnatum Fisch. pinnate-lvd $\frac{1}{2} \Delta$ or $\frac{1}{2}$ nr Y Persia ?1848. D lt.l Bot. mag. 4456
3580. ERIOPSIS.
36275 - - rutidifolium Hook. rough-stalked $\frac{1}{2} \square$ or $1\frac{1}{2}$ ju O.r.w N.Grenada 1847? D block Bot. mag. 4437
1311. ERIOSTEMON 30707 intermedium, a native of N. S. Wales; Bot. mag. 4439.
687. ESCALLO'NIA.
36276 - - macrantha Hook. large-flwd $\pi \square$ or 4 jn R Chili ?1847.C l.p Bot. mag. 4473
4250. - - ESPELETIA Dec. ESPELETIA. (Not explained.) *Compositæ.* 19.
36277 - - argentea H. & B. silvery $\pi \square$ or 3 jnjl Y N. Grenada 1845. S.C s.p Bot. mag. 4480
366. EXACUM.
36278 3229a zeylanicum Roxb. Ceylon \square or 1 aut B Ceylon 1843. S p Bot. mag. 4423
Chironia trinervis Lin.; *Lisianthus zeylanicus* Sprengel.
2662. FA'GUS.
36279 - - obliqua oblique \uparrow or 40 ap.my Ap Chili 1849. G co
1344. GAULTHERIA.
36280 - - bracteata G. Don bracteate $\pi \square$ or ?2 ... Ro Andes of Columbia L p Bot. mag. 4461
odorata H. B. & K., Dec. Prod.; *cræta* Vent.; *cordifolia* H. B. & K. Nov. Gen.; *rigida* H. B. & K.;
Andrômeda bracteata Cav. ic. 6. 562. 1.
1698. GE'SNERA.
36281 30944a coruscans Paxt. glittering $\frac{1}{2} \square$ or $1\frac{1}{2}$ jn.au S S. Amer. 1848. C s.p.l Paxt.mag.xvi.194
36282 - - picta Hook. painted-flwd $\frac{1}{2} \square$ or 2 jl.o S.Y Columbia 1848. R p Bot. mag. 4431
1702. GLOXINIA 15343 speciosa
30 Knight's Mr. Knight's $\frac{1}{2} \square$ or $\frac{3}{4}$ aut W.Car hybrid 1848. C p
31 Perry's Mr. Perry's $\frac{1}{2} \square$ or $\frac{3}{4}$ aut R.C hybrid 1848. C p
36283 - - fimbriata Hort.Par. fringed-flwd $\frac{1}{2} \square$ or 1 aut W.Y 1848. C p Bot. mag. 4430
Most probably this may be the same as that given as *G. speciosa* var. *29 fimbriata* in p. 556.
1251. GOMPHOLOBIUM.
36284 - - hirsutum Paxt. hairy $\frac{1}{2} \square$ or ?2 $\frac{1}{2}$ jn Y Swan R. 1844. C s.l.p Paxt.mag.xvi.35
4251. - - GONIO'MA E.Mey. GONIO'MA. (Not explained.) *Apocynææ.*
36285 - - Kamassi Dec. Kamassi $\pi \square$ or ?3 ?1848. C p.l
Tabernamontana Kamassi Eckl.
773. GONOLOBUS.
36286 - - Martianus Hook. Von Martius's $\frac{1}{2} \square$ or ?30 my.jn W Brazil ... C l.p Bot. mag. 4472
1590. HELIA'NTHEMUM.
36287 - - scoparium Nutt. broom π or $\frac{1}{2}$ my.jn Y California 1848. S s.p.l
745. HELICONIA.
36288 - - angustifolia Hook. narrow-lvd $\frac{1}{2} \square$ spl 3 d.ja S.W Brazil ?1845. Sk lt.l Bot. mag. 4475
3656. HENFREYA 31267 scandens Lindl.; syn. *Asystasia scandens* Hook. Bot. mag. 4449; *A. quaterna* Nees; *Ruellia quaterna* Thonning.
776. HOYA 31490 imperialis
2 with short, blunt, wavy leaves, Lindl. in Journ. Hort. Soc. v. p. 81. fig.
379. IXORA.
36289 - - laxiflora Hook. loose-flwd $\pi \square$ fra 4 su W Java ?1847. C lt.l.p Bot. mag. 4482
58. JUSTICIA 502 bracteolata Jacq.; syn. *Thysacanthus bracteolatus* Nees in Dec. Prod., *Odontonema lucidum* Nees in Linnæa; Bot. mag. 4441.
2144. KENNEYA.
36290 - - eximia Lindl. choice $\frac{1}{2} \square$ or ?3 uy.jn S.Y Swan R. 1845. C s.l.p Paxt.mag. xvi. 35
K. tabacina Lab.
4252. - - LACEPEDEA H. B. & K. LACEPEDEA. (In honour of the *Count de Lapepède*.) *Hippocrateææ.* 5.—3.
36291 - - insignis H. B. & K. remarkable $\pi \square$ fra 16 iny W Mexico ?1847. C lt Bot. mag. 4459
Triceraria trinifolia W., *Triceros xalapensis* Spreng.
4253. - - LAPAGERIA Endl. (Josephine Lapagerie, wife of N. Buonaparte.) *Smilacææ.* 6.—1.
36292 - - rosea R. & P. rose-cld.-flwd $\frac{1}{2} \square$ or ?9 ... Dp.r.ro Chili 1847. Sk l.p Bot. mag. 4447
4254. - - LIBOCE'DRUS Endl. LIBOCEORUS. (Not explained.) *Coniferææ.*
36293 - - tetragonus four-sided $\uparrow \square$ or 50 ... Ap Patagonia 1849. S.G s.l
Thuja tetragona.
36294 - - chilensis Endl. Chilian $\uparrow \square$ or 40 ... Ap Chili 1849. S.G s.l
Thuja chilensis Don, Hooker's Lond. Journ. of Bot. 2. 199. t. 4.; *Thuja andina* Pöppig.

- 36295 - 483. LISIA'NTHUS, beautiful 头 □ or 5 aut S N.Granada 1845. S.C p Bot. mag. 4424
 - pulcher Hook.
2193. LOA'SA, painted-flowered □ or 1 aut Y.w.r.Chacapoyas 1848. S lt Bot. mag. 4428
 - picta Hook.
609. LOBE'LIA, dense-flowered ㄥ △ or 1 s.o Pa.B D lt Paxt. m. b. xvi. 66
 - densiflora Paxt.
3774. MACLEA'NIA, dotted-leaved ㄣ □ or 23 aut S Andes of El Ecuador 1847. C l.p Bot. mag. 4426
 - punctata Hook.
1091. MAHO'NIA, Nepal ㄣ ? □ or ... Y N. India ?1848. Sk co
 - nepalensis Wall. Japan ㄣ ? □ or ... Y Japan 1849. Sk co Paxt. fl. gard. l. f. 2
 36300 - japonica Dec. *Ilex japonica* Thunb.; *Berberis japonica* Lindl.; *B. Bealii* Fortune.
2573. MAXILLA'RIA, narrow-sepaled ㄣ □ or 2/3 jl W.Y N.Granada 1846. D block Bot. mag. 4434
 36301 - leptosepala Hook.
4255. - MELLOCA Lindl. MELLOCA. (? *Ullucus*, its native name.) *Chenopodea*. 5.—3.
 36302 - tuberosa Lindl. tuberous-rooted ㄣ △ clt 5 jl.s Gsh S. Amer. 1848. R co
 - Basella tuberosa Kth.; ? of H. & B., No. 7277. in p. 112. of this work; *Gandola tuberosa* Maquin; *Ullucus*, Olluco.
1482. METROSIDEROS, copious-flowering ㄣ □ or 5 my R N. Zeal. ... C s.l Bot. mag. 4471
 36303 - florida Sm. ㄣ □ or 5 d S N. Zeal. ... C s.l Bot. mag. 4488
 36304 - tomentosa A. Rich. downy-leaved
4256. 1477a. MICROSPERMA Hook. MICROSPERMA. (*Mikros*, small, *sperma*, a seed.) *Loasea*. 18.—2.
 36305 - bartonioides Walp. Barton-like □ or 1 su Y Mexico 1849. S lt. l.p Bot. mag. 4491
 - *Eucnida bartonioides* Zuccarini.
3800. MILTONIA 32346 spectabilis ㄣ □ or 1 jl.s P.v Brazil ... D fib.p Bot. mag. 4425
 - *Bil. unicol. prp.-viol. H. purp.-viol. Ad.*
1783. MIMULUS, three-ld.-fldw □ pr 1 jl.au Pk.C.v California 1848. S s.p.l
 36306 - tricolor Hartw.
4257. - MITSCHERLICHIA Kth. MITSCHERLICHIA. *Nyctaginaceae*.
 36307 - spectabilis Kth. ㄣ □ or 23 ... V Peru 1848. C p
 - *Ncea spectabilis* R. & P.
3813. MORMO'DES, freckled ㄣ □ cu 1 1/2 ap Rsh.Br ?1847. D turfyp Bot. mag. 4455
 36308 - lentiginosa Hook.
2159. MUCUNA, large-podded ㄣ □ or 30 d.mr P.G E. Indies 1837. C lt Paxt. m. b. xvi. 97
 36309 - macrocarpa Wall.
3826. NEMATA'NTHUS, ㄣ □ or 2 sp Bd.R Brazil 1848. C turfyp Bot. mag. 4460
 36310 - ionema Mart. *corticola* Schrad.; *Morrelliana* Hort.
3841. ODONTOGLO'SSUM, reddish-flowered ㄣ □ or ... o.n Rsh.W Nicaragual 1848? D fib.p
 36311 - rubescens Lindl.
2540. ONCIDIUM, ㄣ □ or ... ap Y.w.r Brazil? 1848. D fib.p
 36312 - sarcodes Lindl. ㄣ □ or 1 ... Y N.Granada ... D fib.p J.H.S. iv. 267. fig.
 36313 - panchrysium Lindl. ㄣ □ or 1 1/2 mr.ap Y.Br.spot. 1842. O block Paxt. m. xvi. 257
 36314 - Rigby's
3848. OPHELIA, corymbose-inflor. □ or 1 aut Pa.P.w Nilgherry 1849. S s.p Bot. mag. 4489
 36315 - corymbosa Hook.
2488. OPHRYS, wasp-bearing ㄣ cu 2 1/2 ... Y.Br Corfu ... R s.l
 36316 - vespifera W. ㄣ cu Ro.Choc R s.l
 36317 - mammosa Desf.
4258. - OURISIA Comm. OURISIA. (*Ouris*, once Governor of the Moluccas.) *Gesneraceae*. 14.—2.
 36318 - coccinea Pers. scarlet ㄣ △ or 2 ... C Chiloe ... D lt Cav. lc. 6. t. 282
 - *Dichroma coccinea* Cav.
1414. O'XALIS, ㄣ △ pr 2/3 jn.s P Loxa 1846. R s.l.p Bot. mag. 4190
 36319 - elegans H. B. & K. elegant
4259. - PACHYSTIGMA Hook. PACHYSTIGMA. (*Pachys*, thick, *stigma*, a stigma.) *Rutaceae*. 13.—1.
 36320 - pteleoides Hook. Ptelea-like ㄣ □ fra 10 f.nr Crea Jamaica 1844. C p.l Bot. mag. 4436
1596. PÆONIA 14094 Mou'tan 21 versicolor many-ld.-fldw ㄣ or 3 ap.jn P.Ro.Li China 1846. L p.l
 22 atrosanguinea blood-red-ld.-fl ㄣ or 3 ap.jn Bd.R.China 1846. L p.l
 ? The same as var. 15. in p. 601.
1700. PENTARA'PHIA, cubensis Decaisne Cuba ㄣ □ or 1 jl.s S Cuba 1848. C l.p.lf J.H.S. v. 86. fig.
 36321 -
1717. PENTSTEMON, heart-leaved ㄣ or 2 1/2 jn.o R California 1848. C lt Bot. mag. 4497
 36322 - cordifolius Benth. azure-flowered ㄣ △ or 2 my.jn B N. Amer. 1848. D co Bot. mag. 4464
 36323 32960a cyananthus Hook.
3889. PHARETIS, bordered ㄣ or ... s.o V.W Java 1849. S lt
 36324 - limbata Y y

2551. PHOLIDO'TA.
36325 - clypeata Lindl. shield $\text{£} \square$ cu ... aut ?Ysh Borneo 1848. D fib.p
423. PLUMBA'GO 33299 Larpéntæ Lindl.; syn. *Valoradia plumbaginoides* Boiss., *Ceratostigma plumbaginoides* Bunge; Bot. mag. 4478.
1501. PRU'NUS 12858 doméstica 3 myrobálana L.; syn. *Prunus cerasifera* Ehrh.
1399. RHODOF'NDRON 11022 campanulátum D. Don.
2 superbum Past. superb-flwd ☼ or 4 ap.my W hybrid ... L s.p Paxt.m. xvi.193
36326 - Cliviánum Lindl. Dchs. of Northum. ☼ or 8 my W.R hybrid ... L s.p Bot. mag. 4478
"A hybrid, believed to be between *R. catabiense* and *R. arboreum*."
33667 Gibsonii Paxt.; syn. *R. speciosum* Wall. pl. as. ra. 3. t. 207.; Bot. mag. 4457.
4260. - ROUPE'LLIA Wall. & Hook. CREAM-FRUIT. (The family of *Roupell*, pats. of bot.) *Apocynæ*. 5.—1.
36327 - grata Wall. & Hook. agreeable $\text{£} \square$ fra ... my W S. Leone ... C lt Bot. mag. 4466
1727. RUE'LLIA 15510 macrophýlla Vahl; syn. *Stemonacanthus macrophyllus* Nees in Dec. Prod.; Bot. mag. 4448.
1555. SARRACEN'IA 33911 Drummóndi, Paxton's Flow. Gard. t. 1.
4261. 2673a. SAUROMATIUM Endl. (Not explained.) *Aroidæ*. 21.—9.
36328 - guttáta Schott spotted $\text{✱} \square$ cu 23 sp Gsh.Y.spot Java 1848. O lt.l.p Bot. mag. 4465
4010. SPATHOGLOTTIS.
36329 - aurea Lindl. golden-flwd $\text{✱} \square$ or 2 ... Go.R.spot Malacca 1849. R s.p.1
4022. STANHO'PEA.
36330 - cirrhata Lindl. curled $\text{£} \square$ cu Nicaragua 1849. D fib.p Paxt.fl.gar.l.f.19
4262. - STYFFTIA Dec. STIFFTIA. *Comp. Mutis*. 19.
36331 - chrysántha Milan golden-flwd $\text{☼} \square$ or 10 sp Go Brazil ?1840. C lt.l Bot. mag. 4438
548. TABERNEMONTANA.
36332 - longiflora Benth. long-flowered $\text{☼} \square$ fra ?6 ... Crea S. Leone 1848. C l.p Bot. mag. 4484
4263. - TRICHOGLOTTIS Blume TRICHOGLOTTIS. (*Thrix*, hair, *glotta*, a tongue.) *Orchidææ*
36333 - pállens Lindl. pale-flowered $\text{£} \square$ cu ? $\frac{3}{5}$ aut Ysh.G.W Manila ?1849. D fib.p
1148. TROPÆOLUM 9315 peregrinum L.; syn. *T. Smithii* Dec., J. H. S. v. p. 84. fig.
4264. - VAGARIA Herb. VAGARIA. (Not explained.) *Amaryllidææ*.
36334 - parviflora Herb. small-flowered $\text{¶} \triangle$ or $\frac{3}{4}$... W 1847. O s.l
Pancratium parviflorum Redouté.
2564. VA'NDA.
36335 - tricolor Hook. three-cold-flwd $\text{£} \square$ or 2 n.d Cr.o.p.R.spot Java 1847? D block Bot. mag. 4432
4265. - VITTADINIA Rich. (In honour of *C. Vittadini*, author of *Monogr. Tubercarum*.) *Compositæ*.
36336 - triloba Dec. three-lobed $\text{☼} \sqcup$ or 1 ju.s Pa.Li Australia 1848. C lt
Brachycome triloba Gaud.; *Australian Daisy*; and in all probability the *Wittedenia trifoliata* of the Exotic Nursery, Chelsea.
4266. - WAILE'SIA Lindl. WAILESIA. (*G. Wailes*, Esq., of Newcastle-on-Tyne.) *Orchidææ*. 21.—
36337 - picta Lindl. painted $\text{£} \square$ or 1 ... P.y.c.streak Java ?1848. D fib.p Paxt. m. xvi. 321
4094. WA'RREA.
36338 - discolor Lindl. two-coloured $\text{£} \square$ cu ? $\frac{3}{5}$... St.P Costa Rica 1848? D fib.p
36339 - Wailesiana Lindl. *Mr. Wailes's* $\text{£} \square$ pr Crea.V. Brazil 1848? D fib.p
36340 - cándida Lindl. white-flowered $\text{£} \square$ pr ?1 f W.P Bahia 1848? D fib.p Paxt.fl.gar.l.f.22
Huntleya candida Hort.
4101. ZAUSCHNE'RIA 34805 californica
2 latifolia Hook. broad-leaved $\text{☼} \sqcup$ or 1 $\frac{1}{2}$ jl.o S California 1848. C lt Bot. mag. 4493
306. ZIE'RIA 3341 macrophýlla; syn. *Stink-wood*; Bot. mag. 4451.

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
229	A. see Knowltonia	1635	643	Agnóstus	593
160	49 Adóxa	1222	485	Agoniópteri	3311
257	Adysétum	16276	541	Agnósma	486
444	Æchmæa	3299	190	44 Agrimonia	1458
465	Æcidium	3273	158	A. see Aremonia	1209
660	Æ. see Urædo	3274	34	Agrimony	1458
683	Ægeria	3274	74	Agropyrum	270
621	Æglops	23415	189	Agrostemma	1415a
411	74 Æglops	2665	186	A. see Lychnis	2
579	Ægnetia	31879	26	74 Agróstis	203
46	Ægiphila	360	29	A. see Calamagrostis	231
484	Ægle	1585	25	A. see Echinopogon	199
219	Æglochloa	3300	410	A. see Eustachys	2851
565	Ægomáratrum	7108	25	A. see Polypogon	201
105	50 Ægopodium	856	26	A. see Sporobolus	207
484	75 Ægopogon	277	28	A. see Trichochloa	204
658	Ægrophila	34784	392	28 Aguilobouil	271
247	Æcollanthus	1756	456	65 Agynæia	3154
484	Ædium	3301	618	Agryrum	4459
637	Æ. see Sempervivum	1464	43	Áhoáti	2576
373	68 Aeránthes	2570	27	39 Álántus	199
372	68 Aérides	2565	26	75 Áira	219
484	A. see Renanthera	2566	23	A. see Airópsis	208
631	A. see Saccolabium	3970	27	A. see Ávna	223
634	A. see Sarcánthus	2563	28	A. see Catabrosa	223
91	62 Árra	731	535	A. see Corynephorus	130
484	Áschynánthus	3302	124	A. see Deschampsia	221
308	43 Áschynomene	2115	28	A. see Ehrharta	988
284	Æ. see Adesmia	1940	29	A. see Eriachne	222
304	Æ. see Daubentonia	2090	26	A. see Eriátria	235
304	Æ. see Glottidium	2089	26	A. see Kæleria	235
308	Æ. see Pictetia	2112	482	A. see Peribatia	209
304	Æ. see Sesbama	2087	375	75 Álrópsis	203
167	Áschynomene	10784	1271	Air Plant	2565
143	37 Ásculus	1137	203	Áitonia	1930
484	Æ. see Pavia	1138	522	Áizdon	1518
603	Æthaliun	3210	592	Ájácis	14124
461	Æthellæma	15495	1726	Ájæz	1599
244	Ætheorhiza	19929	297	Ájæz	7609
575	Æthéria	3303	485	Ájæz	933
484	31 Æthionema	1876	455	A. see Narcissus	933
263	44 Æthusa	3304	185	60 Á'juga	1646
106	50 Æthusa	3304	869	A. see Anisomeles	1647
105	Æ. see Menum	857	82	Ákèbia	3313
412	African Almond	2866	133	Akee tree	486
648	African Arbor Vite	23662	2693	47 Álangiæz, Or. 82.	1161
337	African Fleabane	2297	485	Álangium	1494
126	African Lily	1005	362	Álaternus	5379
352	African Marigold	21597	2365	31 Álbua	657
575	African oak	31743	1226	71 Álbua	1047
168	Áfzèlia	10843	1285	Álcea	287
168	Áfzèlia	10875	1300	44 Álchemilla	17794
484	Ágalmýla	3305	378	54 Álcina	2004
484	Áganisia	3306	486	A. see Melampodium	337
577	Áganóta	31806	3749	Alcyoniumidum	2437
126	70 Ágapánthus	1005	249	Alcyoniumidum	2446
445	Ágaric	3118	318	Aldeia	3017
445	Ágáricus	3118	485	Álder	3936
439	Ágárum	26471	3078	33 Áldrovánda	477
39	64 Ágástachys	315	105	Álectria	925
109	50 Ágasýllis	890	403	Álectrotophus	3107
349	53 Ágathæa	2341	638	70 Álétris	1771
484	Ágathélpis	3307	638	65 Áleurites	1022
188	64 Ágathophyllum	1427	168	A. see Cróton	2711
516	Ágathophyllum	6468	310	Alexanders	2715
85	39 Ágathósma	677	411	Alexandrian Laurel	854
497	A. see Baryosma	676	142	24506	2819
584	A. see Macrostylis	3777	142	20310	2242
485	53 Ágathýrsus	3309	578	76 Á'LGÆ, Or. 7.	10841
304	43 Ágáti	2088	68	Álgaróba	1283
118	71 Ágave	948	71	Álcástrum	2128
485	A. see Furcraea	949	485	68 Álisma	2988
118	A. see Littæa	950	485	A. see Actinocarpus	1132
334	53 Ágératum	2271	261	A. see Limnócharis	1588
334	A. see Cælestina	2272	161	68 ÁLISMA'CEÆ, Or. 180.	487
855	Ágéria	21803	2487	Álkekéngi	4655
9	Ágéria	573	64	57 Államánda	586
485	Áglaomórpha	3310	14	76 Állantócia	2923
493	Áglaonema	23539	2673	31 Álliaría	1866
495	Ágnistun	4641	584	Álligator Pear	1282
				62 Álliónia	405
				A. see Oxýbaphus	97
				71 Á'llium	1046
				A. see Ceratodactylis	3437
				A. see Jamesonia	3699
				Állspice	1532
				Állspice tree	12774
				Állughas of Ceylon	120
				Állumond	1498
				66 Á'línus	2607
				Álocasia sy. see Caladium	2672
				70 Á'loc	1011
				A. see Á'picra	1015
				A. see Hawórhia	1014
				A. see Pachýndron	1000
				A. see Phyllóna	1021
				Álómia	1010
				53 Álómia	2278
				Álóna	3315
				60 Álonsóda	1813
				74 Álopecúrus	212
				209	486
				61 Álófyia	1739
				Álpine Bistort	10284
				69 Álpínia	8
				34 Álsine	902
				33 Álsodæa	708
				76 Álsóphila	2937
				67	57
				Álstónia	530
				67	123
				Álstræmèria	979
				A. see Bomærea	3388
				570	A. see Ixiolirion
				Áltagána	18806
				62 Álternanthera	727
				34 Álthæa	2007
				47	487
				Áltingia	2821
				Álþjo	2849
				Álþyum	2849
				43	Álysicárpus
				31	43
				Ályssum	1840
				A. see Anodóntea	3329
				A. see Aubriètia	1837
				A. see Farsètia	1835
				A. see Koniga	1842
				A. see Meniòcus	1841
				A. see Schiverckia	1839
				A. see Vesicaria	1838
				Ályssum	15030
				57	Ályxia
				40	Álzatæa
				3	Ámada Ginger
				13	Ámalágo
				117	Ámáncaes
				569	Ámárcus sy.
				2128	Ámaranth
				1132	380
				62	ÁMARANTH'CEÆ, Or. 153.
				380	62
				Ámarántus	2628
				A. see Acroglóchin	2629
				Ámarèlla	6382
				Ámáricans	34817
				70	ÁMARVLL'IDEÆ, Or. 190.
				70	Ámarýllis
				1866	969
				487	A. see Á'llium
				121	A. see Brunsvigia
				505	96
				120	A. see Crinum
				563	A. see Hippéastrum
				570	A. see Ixiolirion
					3696

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	
121	A. see Nerine		968	488	64 Anadènia	3285	375					
123	A. see Phycèlla		970	608	Anactochilus	sy. 3903	489	47	Augùria		2589	
620	A. see Pyrolirion		3947				458	686	Angùria	23698	2609	
123	A. see Vallota		371	488	62 Anagàllis		489	389	A'nia		3327	
123	A. see Zephyrànthes		974	162	43 Anagàrys		1239	489				
245	61 Amsònia		1730	162	A. see Macròtropus		1340	426				
513	Amberbòs, see Centaurèa		2434	118	71 Ananàssa		352	118	Antictanglum		2665	
307	Amier tree		2760	351	Anànria	21569	2755	489	70 Anigozànthos		943	
505	Amblyglòttis sy. see Calánthe		2571	94	57 Anàntherix		769	28	Anil	18652	2072	
381	54 Ambròsia		2631	250	60 Anarrhìnum		1776	42	63 Anisacàntha		336	
202	45 Amelànchier		1512	260	31 Anastàtica		1858	18	69 Anisànthus		132	
487	53 Améllus		2389	410	75 Anathèrum		2847	409				
356	A. see Stárkea		2390	507	A. see Calýptrion		707	262	Aniseed tree		1615	
118	66 AMENTA'CEÆ, Or. 174.		7665	948	54 Anchovy Pear		2578	569	Anisèa, see Ipomœa		491	
57	American Aloe		454	488	59 Anchùsa		432	489	61 Anisochilus		3328	
36	American Cowslip		454	54	A. see Cynoglòssum		435	57	59 Anisodus		486	
227	American Gamboge		54	53	A. see Lithospèrnum		429	232	60 Anisòneles	sy.	2925	
285	44 Amerinum	14380	1623	55	A. see Lycòpsis		444	371	69 Anisopetalum		2544	
285	A. see Brya		1987	55	A. see Nònea		443	103	Anisum	6726	837	
303	A. see Lonchocàrpus		2855	54	A. see Omphalòdes		437	217	61 Anistrodèsmus		4106	
10	60 Amethýstea		70	98	Ancistrocàrpus		290	34	Anisèla	13834	1564	
487	Ambhèrstia		3316	65	55 Andersònia	6423	sy. 801	489	Anòdonta		3329	
686	Amiànthium	sy.	1121	318	44 Andrà		510	490	Anoetochilus		3330	
562	43 Amícia		1976	390	55 Andràchne		2705	490	69 Anomathèca		130	
487	37 Amiròla		2656	431	Andrœa		2997	429	Anòmodon		2986	
50	46 Ammànna		397	260	31 Andròska		1863	226	28 Anòna		1622	
487	50 Ammòphila		841	140	71 Androcymbium		1117	490	A. see Aímina		1626	
103	50 Ammi		397	456	53 Andromàchia		2391	227	A. see Monodèra		1623	
103	A. see Trachyspèrum		840	488	55 Andrómeda		1341	227	28 Anonàcea, Or. 4.			
333	53 Ammòbidum		2264	688	A. see Gaulthèria		1344	284	Anònyms	17675	sy. 1978	
121	Ammòcharis		7877 & 7879	967	A. see Gaylussàcia		3612	490	Anòpterus		3331	
487	Ammodèndron		3317	659	A. see Leucòthoe		3745	490	Anòtis		3717	
487	Ammogèton		3318	409	75 Andropògon		2841	490	Anòtta		1565	
619	Ammòphila	1781	sy. 210	410	A. see Zenòbia	11041	615	489	Anrèdra	10281	1210	
311	Ammòxylon	19193	2130	410	A. see Anathèrum		2847	214	Anselia		3333	
171	55 Ammýrsine		1337	410	A. see Anthistria		2848	340	53 Antennària		2318	
487	69 Amòdum		13	410	A. see Aplùda		2846	490	Anteuphòrbium	20674	2289	
104	Amòdum	6805	849	410	A. see Chrysopògon		2853	336	A. see Monodèra		484	
283	43 Amòrpha		1673	410	A. see Cymbopògon		2844	61	54 A'nthemis		2384	
487	38 AMPELI'DEÆ, Or. 49.		1910	230	A. see Heteropògon		2845	354	A. see Anáyclus		2382	
493	Ampelodèsmos sy.		258	56	A. see Pollinia		2843	490	A. Cladànthus		2383	
132	Ampelòprasum	8603	1046	56	62 Andròsace		2942	354	74 Anthèphora		281	
82	38 Ampelòpsis		656	258	A. see Arètia		449	490	71 Anthèricum		1064	
571	Ampelosityos	24572	2832	325	A. see Dràba		1846	136	A. see Albùca		1047	
487	Ampelýgonum		3319	15	36 Androsànum		2043	490	A. see Arthropòdium		1065	
335	53 Amphèrephís		2275	488	57 Andryàla		2219	133	A. see Bulbìne		1060	
314	44 Amphicàrpa		2143	488	A. see Hieràcium		2211	136	A. see Chlorophyllum		1067	
589	Amphicàrpum		3232	423	72 Anèilèma		113	136	A. see Czàckia		1062	
462	Amphichòrda		3231	488	76 Anèmia		2947	540	A. see Echeandia		3561	
487	Amphicome		3495	488	Anemidictyon		134	134	A. see Gàgea		1052	
242	58 Amphilòbium		1707	227	28 Anemòne		1629	136	A. see Phalàngium		1063	
23	75 Amphipògon		179	229	A. see Hepàtica		1628	462	A. see Trichopetalum		3665	
461	Amphisporium		3212	105	A. see Thalictrum		1633	661	A'nthina		3229	
316	44 Amphodus		2150	492	50 Anèthum		858	410	75 Anthistria		2848	
487	Amsinckia		3321	107	50 Anètium		3342	253	59 Anthocèrcis		1814	
68	57 Amsònia		549	492	A. see Angèlica		874	490	Anthoceros		3001	
199	44 Amýgdalus		1498	105	A. see Archangèlica		3341	432	57 Anthoclelsta		3334	
487	A. see Pèrsica		1499	600	A. see Cròdium		860	490	14	36 A'nthodon		102
145	41 Amyris		1168	107	A. see Ostrèicum		3854	73	215	36 Antholòma		1543
145	A. see Balsamodèndron		1169	112	A. see Sellum		107	18	69 Antholýza		131	
382	A. see Duvaia		2649	253	60 Angelica tree	7284	911	18	A. see Anisànthus		132	
171	A. see Pìcia		1324	389	53 Angiànthus		2466	397	52 Anthospèrnum		2760	
661	Anabalna		4105	489	489 Angiòpterus		3335	101	75 Anthoxànthum		820	
99	63 Anábasis		807	489	460 Angioridium		3203	430	50 Anthriscus		90	
99	A. see Salsòla		808	686	489	47 Angòphora		3326	102	Anthriscus	6668	827
189	48 Anacàmpseros		1449	534	68 Angrœ'cum		2569	490	490 Anthurium		3335	
488	Anacàmpseros	11843	1410	558	A. see Dendrobium		2547	490	A. see Pòthos		331	
184	Anacàmpsis		2486	596	A. see Grammatophyllum		3626	311	43 Anthýllis		1968	
488	41 Anacàrdium		2896	606	A. see Cœcòclades		3843	490	A. see E'benus		1981	
415	A. see Semecàrpus		2897	140	71 Anguillària		1112	398	A. see Lespedèza		2126	
498	Anàcharis		3322	74	71 Angulòvi	4815	591	66	ANTIDÈSMEÆ, Or. 169.			
354	54 Anáyclus		2352	604	68 Angulòva		2531	398	66 Antidésna		2766	
488				643	A. see Peristèria		3876	490	Antigràmma		3337	
					A. see Stanhòpea		4022	490	Antirrhina	11558	1888	
									60 Antirrhinum		1774	

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
249	<i>A. see Linaria</i>	1775	360	54	Arctotheca	2429	<i>A. see Ariscema</i>
250	<i>A. see Nemesia</i>	1777	492			385	<i>A. see Caladium</i>
421			363			606	<i>A. see Philodendron</i>
487	76 Antròphum	2929	492	54	Arctotis	2449	203 Aruncus
290	Antwerp Holly-hock	17859	2007	360	<i>A. see Arctotheca</i>	2429	493 Arundina
91	48 Anychia	730	253	360	<i>A. see Sphenogyne</i>	26	75 Arundinaria
164	43 Adtus	1256	623	253	Arcturus	1810	39
490			461		Arctura	33576	sy. 2666
324	53 Apargia	2208	661		Arcturia	3205	29
490			70	56	Ardisia	571	27
599	<i>A. see Oporinea</i>	3850	492	70	Ardisia	571	27
324	<i>A. see Thracia</i>	2209	70	57	Arduina	573	32
309	Aparines	19077	2120	72	Arca	2682	493
218	35 Apeiba	1571	492		<i>A. see Eutérpe</i>	2643	187
313	Aphaca	19302	2136	382		1209	249
158	62 Aphananthe	1206	158	44	Arenonia	1209	249
42	Aphanes	2824	337	181		1390	187
152	Aphanes	9822	1173	492	34 Arenaria	1390	65 ASA'RINÆ, Or. 165.
661	Aphanizomenon	4107	368	68	Arethusa	2503	333
542	60 Aphanochilus	sy. 1655	367		<i>A. see Bartholina</i>	2484	57
491	61 Aphelandra	1731	369		<i>A. see Pogonia</i>	2505	94
686			56	62	Arctia	449	94
648	<i>A. see Thysacanthus</i>	4063	492		Arctium	3342	94
342			69	56	Argania	559	94
491	53 Aphelaxis	2326	216		Argemone	1554	94
132	76 APHY'LLÆ, Cl. 2.	1044	531		Argemone	1554	94
129	70 A'picra	1015	118	70	Argolasia	942	623
135	44 A'pius	2148	686		Argylia	4241	93
315	<i>A. see Wistaria</i>	2147	64	59	Argyrea	493	95
105	50 A'pium	855	201		Arria	12965	1507
491			492		Arriopsis	3343	455
605	<i>A. see Petroselinum</i>	3883	401	73	Arisarum	2074	661
491	Aplectrum	3358	396		Ariscema	3344	462
558	Apolonopus	21545	sy. 2347	492	<i>A. see Arum</i>	3344	462
491	39 A'pophyllum	3339	493		Arista	138	320
491	A'pota'xis	3339	25	69	Aristea	138	320
518	<i>A. see Cirsium</i>	2243	25		Aristida	195	293
410	75 A'pluda	2846	492	74	Aristida	195	215
68	57 A'pocynum	542	644		<i>A. see Chatæria</i>	196	484
93	<i>A. see Eustegia</i>	758	374		<i>A. see Stipagrostis</i>	4035	414
68	<i>A. see Ichnocarpus</i>	540	492	40	Aristolochia	2582	120
141	73 Aponogeton	1123	686		Aristolochia	2582	120
491	Aporum	3428	492	40	Aristotelia	1438	227
166	A'poucolia	10718	1271	603	Arka	32933	3870
84	Apple-berry	671	374		Arkansa	22832	2582
201	Apple-tree	12955	1507	44	Armeniacæ	1500	137
199	Apricot	1500	493		Armeniacæ	1500	137
661	A'ptogdum	4108	114	62	Arméria	928	493
46	59 A'quartia	358	493		Armoracia	16323	1848
175	41 A'quilaria	1370	583		Arnebica	sy. 444	35
491	28 A'quilegia	1605	351	53	A'rnica	2350	463
251			322	53	Arnopogon	2199	680
491	31 A'rabis	1827	328		Arnoseric	20200	2228
257	<i>A. see Aubriètia</i>	1837		32	Arnotta	664	664
256	<i>A. see Neuroidma</i>	1832		73	Arrot'DEÆ, Or. 204.		55
255	<i>A. see Turrilis</i>	1826	201		Arro'nia	{ 12925 1506	45
318	44 A'rachis	2169	487		Arro'nia	{ 13002 1512	493
23	Arachne	1569	183	493	Arropophyllum	3345	49
624	Arachnis	22780	sy. 2566	105	Arrocacha	6821	852
112	50 Aralia	911	600		Arrocacha	11902	sy. 1414
112	<i>A. see Sciodaphyllum</i>	912	410	75	Arrhenatherum	2855	493
403	50 ABALIA'CEÆ, Or. 99.	2920	140		Arrow-grass	1107	135
403	67 A'rucaria	2821	383		Arrow-head	2653	157
603	<i>A. see Altingia</i>	2821	631		Arrow-root	2	494
608	Ararùia	33117	sy. 3897		Arrow-root	2	494
388	67 A'rbor Vite	2693	227	28	Artabotrys	1624	422
648			493		Artanema	3347	494
172	55 A'rbutus	1345	107	50	Artedia	879	420
491			338	54	Artemisia	2313	517
173	<i>A. see Arctostaphylos</i>	1346	445		Arthemia	530	530
492			661		Arthonia	3116	532
156	<i>A. see Oxycoccus</i>	1193	661		Arthronium	536	536
604	<i>A. see Pernettia</i>	3877	661		Arthronium	4109	549
236	Archangel	1665	661		Arthrocismus	563	410
107	Archangel	6957	874		Arthrobolium	19003	sy. 2107
492	50 Archangelica	3341	661		Arthronema	4111	593
107	Archangelica	6957	874		Arthropophyllum	sy. 3895	594
676	Archidium	see Phas-cum	2961	136	71 Arthropodium	1065	615
328	53 A'rcetium	2237	493		<i>A. see Stypandra</i>	1066	631
331	<i>A. see Berardia</i>	2246	624		Arthrostemma	3348	419
547	Arctogeron	21092	332		<i>A. see Rhexia</i>	1182	494
115	50 A'rcetopus	2898	374	66	Artocarpus	2247	482
492	55 A'rcetostaphylos	1346	386		Artrum	2583	490
156	Arctostaphylos	10093	1194	386	<i>A. see Arisarum</i>	2674	410

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
533	<i>A. see Dærea</i>	3517	71	<i>A. see Phýsalis</i>	596	359	<i>Balsamina</i> 23676 2697
420	<i>A. see Diplázium</i>	2925	72	<i>A. see Sáracha</i>	587	38	<i>BASAM'NEÆ, Or 52.</i>
537			72	Attàlia	3679	338	
417	<i>A. see Menicium</i>	2905	257	31 Aubriètia	1837	497	54 Balsamita 2310
593	<i>A. see Neotópteris</i>	3827	379	51 <i>Aúctaba</i>	2620	340	Balsamita 20886 2313
600	<i>A. see Osmúnda</i>	2945	495			145	41 Balsamodéndron 1169
420	<i>A. see Scolopéndrium</i>	2924	495	Audibértia	3362	168	Balsam of Capevl 1288
107	Assafœ'tida	6997 880	588	<i>A. see Mêntha</i>	1659	413	Balsam tree 2877
648	Assau Tea	34432 2037	455	40 Audouinia	3363	362	54 Baitimóra 2439
592	Assáracus	§ iv. 933	662	Aulacocýstis	4114	124	Bamboe cane 984
285	35 Assònia	1996	396	64 Aúlx	2748	124	75 <i>Bambúsa</i>
494	47 Astartæa	3352	544	Aulízeum	sy. 2554	124	<i>B. see Melocánna</i>
494	Astèlia	3353	36	AURANTIA'CEÆ, Or. 37.	289	124	<i>B. see Nástus</i>
341	53 Astélcma	2320	320	Aurántium	19677 2187	596	<i>Bámmca</i> 17960 2014
341	<i>A. see Helicrýsum</i>	2323	28	Aurícula	3779 451	93	Banana tree 6059 746
93	57 Astéphanus	756	456	Aurícula Jòdæ	27445 3151	43	Bandhooka 3272 379
346	53 <i>A'ster</i>	2337	235	Auriculària	14874 1659	48	Bandhüca 3272 379
494			453	Auriculària 27280 sy.	31	216	Bane-berry 13757 1545
348	<i>A. see Callistèma</i>	2338	690	Australian Daisy	36336 4264	435	Bángia 3040
343	<i>A. see Erigeron</i>	2332	621	Austrian Oak	23414 v. 2666	62	
549	<i>A. see Eurýbia</i>	3585	28	75 <i>Avèna</i>	223	182	
552	<i>A. see Galatèlia</i>	3604	495	<i>A. see Arrhena-</i>		497	37 Banistèria 1393
560	<i>A. see Haxtdònia</i>	3642	410	thèrum	2855	182	<i>B. see Heterópteris</i> 1398
577	<i>A. see Lcysèra</i>	2370	28	<i>A. see Danthònia</i>	226	644	<i>B. see Stigmaphýllum</i> 4034
494	Asteracántha	3354	28	<i>A. see Gaudinia</i>	227	622	<i>Bànja</i> 23445 sy. 2665
96	Astèrias	6230 779	28	<i>A. see Trichæ'ta</i>	225	497	
363	Asteriscus	22449 2440	28	<i>A. see Trisètum</i>	224	1530	64 Bánkisa 3266
494	Asteriscéphalus	3355	28			168	34 Baobab
41	<i>A. see Scabiösa</i>	346	214			163	41 Báphta 1291
58	Asterólinon	3841 sy. 457	183	39 Averrhia	1404	163	43 Baphtia 1244
459	Asteròma	3178	656	61 Avicèunia	1751	497	
661	Asteróphora	3214	266	<i>Avafiki</i>	34717 892	162	<i>B. see Anagyris</i> 1239
461	Asteróthrix	19944 sy. 2208	23	74 Axónopus	180	118	61 <i>B. see Piptánthus</i> 3907
490	Astilbe	1382	375	63 A'xyris	254	497	
177	49 Astiria	3356	537	<i>A. see Diötlis</i>	2618	404	70 Barbacènia 944
494			611	<i>Ayacahuite</i>	33192 2685	182	Barbadoes Cedar 24534 2822
306	43 <i>Astrágalus</i>	2102	548	<i>Ayapána</i>	30755 2268	106	Barbadoes Cherry 1393
494			86	35 <i>Ayènia</i>	684	106	Barbadoes Goose-berry 1476
307	<i>A. see Gulden-stæ'dtia</i>	2103	163	<i>Azadirächta</i>	10865 1293	122	Barbadoes Lily 7986 969
305	<i>A. see Oxýtropis</i>	2101	65	55 <i>Azálea</i>	521	283	<i>Bárba Jovis</i> 17622 1968
305	<i>A. see Phæca</i>	2100	498			522	31 <i>Barbarèa</i> 1822
162	<i>A. see Sophóra</i>	1237	686	<i>A. see Chamælèdon</i>	522	497	
144	40 <i>Astránthus</i>	1146	66	<i>A. see Rhododéndron</i>	1330	202	43 <i>Barbèria</i> 2078
109			625	<i>Azára</i>	3502	586	Bárbula 32205 sy. 3787
495	50 <i>Astrántia</i>	886	496	32 <i>Azaras</i>	12911 1506	328	Bardàna 20227 2237
103	<i>A. see Dóndia</i>	839	201			497	<i>Barkèria</i> 3369
285	35 <i>Astrapa'na</i>	1998	201	<i>Azarole</i>	12911 1506	244	61 <i>Barlèria</i> 1725
382	72 <i>Astroacárium</i>	2647	526			497	<i>B. see Asteracántha</i> 3354
308			201	<i>Azardús</i>	12911 1506	494	<i>B. see Barley</i> 275
495	43 <i>Astrolóbium</i>	2107	526	<i>Azedardúch</i>	10858 1293	35	Barnadèsia 3370
65	55 <i>Astrolóma</i>	508	168	<i>Azma</i>	3313 sy. 3·2	497	71 <i>Barnárdia</i> 1056
495	Astrónium	3357	49	<i>Azisai</i>	31440 sy. 1378	35	59 <i>Barren-wort</i> 390
541	Astrophýtum	sy. 3564	566	<i>Azorólla</i>	sy. 867	59	47 <i>Barringtònia</i> 2039
464	Astrosporium	3267	650	69 <i>Babiània</i>	125	293	<i>B. see Stravádium</i> 2040
495	Astrotricha	3358	17			293	68 <i>Bartholina</i> 3484
495	Asystásia	3359	496	Babingtònia	3365	267	
688	<i>A. see Henfrèya</i>	3656	96	53 <i>Bacázia</i>	2235	196	43 <i>Bartònia</i> 1477
495	53 <i>Atalánthus</i>	3360	328			497	
170	36 <i>Atalántia</i>	1322	496	53 <i>Baccharis</i>	2329	429	<i>Bartrámia</i> 2991
123	Atamasco Lily	8019 974	342			662	Bartramidula 4118
103			496	<i>B. see Brachylæ'na</i>	2328	662	40 <i>Bártsia</i> 1772
495	50 <i>Athamánta</i>	835	342	Bacillària	4115	662	<i>B. see Castillèja</i> 1767
103	<i>A. see Bábbon</i>	842	662	Backhóusia	3365	249	60 <i>B. see Euchróma</i> 1768
105	<i>A. see Cnidium</i>	860	496	Bactridium	4116	241	60 <i>B. see Rhinánthus</i> 1771
107	<i>A. see Ligústicum</i>	875	662	72 <i>Báctris</i>	2640	248	
107	<i>A. see Selinum</i>	873	381	Badger's-bane	14245 1600	249	
638	<i>A. see Séseli</i>	844	224	Bæria	3367	85	39 <i>Baryósma</i> 676
338	54 <i>Athanásia</i>	2308	145	47 <i>Bæ'ckia</i>	1172	318	<i>B. see Diptèrix</i> 2174
495			496			111	63 <i>Basèlia</i> 608
338	<i>A. see Lónas</i>	2309	496	Bæóbotrys	4606 sy. 581	240	<i>B. see Melidca</i> 1687
332	<i>A. see Helháua</i>	2372	71	Bæómnyces	3103	240	56 <i>Bássia</i> 1424
410	75 <i>Atheropónon</i>	2850	620	Bàhia	30701 sy. 3579	187	Bastard Acacia 18773 2086
392	66 <i>Atherosperma</i>	2650	672	<i>Balángnas</i>	23868 2724	304	Bastard Acemella 20620 2280
341	54 <i>Athrixia</i>	2321	541	76 <i>Balántium</i>	2935	335	
495	Athýrium	3361	392	Balbisia	21867 sy. 2388	180	Bastard Atocion 11625 1388
420	Athýrium	25466 2921	422	96 <i>Bálltia</i>	6050 745	240	Bastard Balm 1694
180	Atócion	11624 1388	356	60 <i>Bálltia</i>	1671	295	Bastard Box 18265 2053
459	Atractóbulus	3186	496	<i>B. see Leonùrus</i>	1673	318	Bastard Cabbage tree 2172
332	53 <i>Atractýlis</i>	2249	237	<i>B. see Marrúbium</i>	1672	86	Bastard Cedar 690
495			496	<i>B. see Roylea</i>	3967	318	Bastard Cedar 2176
332	<i>A. see Acárna</i>	2250	496	Bálltia	23426 2666	200	Bastard Cherry 12663 1502
228			237	63 <i>Bálltia</i>	23437 2666	160	Bastard Cinna-mon 10371 1225
495	28 <i>Atrágena</i>	1630	330	Balm of Gi'ead	15201 1685	384	Bastard Cork 23423 2666
228	<i>A. see Navavèlia</i>	1632	630	Balsam	23676 2697	312	Bastard Cracca 19208 2133
139	63 <i>Atrapháxis</i>	1103	384	Balsamia	697	377	Bastard Cyperus 23012 2599
411	65 <i>A'triplicis</i>	2862	622				
495			239				
379	<i>A. see Diötis</i>	2813	239				
495			87				
71	59 <i>A'tropa</i>	584	389				
660	<i>A. see Hebecláudus</i>	3644	662				
71	<i>A. see Mandrágora</i>	585	87				
61	<i>A. see Nicándra</i>	485	497				

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
75 51	Burchéllia	601	248	Calabash tree	1765
328	Burlock	2237	218	Calaba tree	13903 1759
29	Burlock	1907 228	218	Calabura	13853 1574
629	Burgundy Rose	13430 v.	366	Caladènia	2516
504	Burlingdônia	1522	505	Caladium	2672
343	Burnet	3404	385	C. see Philodéndron	3391
103	Burnet Saxifrage	836	606	Calamagróstis	231
102	Bur Parsley	826	29	Calamint	1683
375	Bur Reed	2598	505	Calamíntha	1683
504	Burrièlia	3405	239	Calámpelis	3407
86 33	Bursària	689	505	Calámus	987
415 41	Búrsera	2895	239	Calandrinia	3408
163	43 Burtônia	1292	505	Calánthe	2571
380	Burweed	23187 2627	124	Calàthea	3
403	Butcher's Broom	2819	505	Calathian Violet	6354
317	44 Bútea	2164	505	Calbà	4243
68	BUTO-MEЖ, Or. 181.		1	Calceolària	65
162	68 Bútomus	1234	505	Calceolus	22814 2580
116	Butter and Eggs	7587 933	98	Calcitrapa	22189 2434
344	{ Butter Bar	21102	687	Calcostylis	36259 59
	{ Butter Bar	21104	2333	Calculària	500
371	Butterfly plant	22693 2540	505	C. see Weinmànnia	1207
606	Butterfly plant	3887 373	373	Càlea	2298
224 37	Butter-nut	1601	362	C. see Băccharis	2329
384	Butter-nut	23396 2664	687	C. see Melanathèra	2279
9	Butterwort	66	64	Caleacte	2307
170	Button-flower	1315	687	Calectasia	4245
90	Button tree	713	658	Calèndula	2448
46	Button-weed	352	337	Calèpina	1895
47	Button-wood	361	342	Calèya	2509
429	Buxbaumia	2990	335	Caleàna	59
426	B. see Diphyscium	2966	338	Calècium	3086
378	65 Búxus	2609	687	Calinèa	13915 1584
504		363	54	Caliphària	3409
114 33	Býblis	923	506	Càlla	1142
182 37	Byrononia	1394	265	C. see Richàrdia	3410
434	Byssocladium	3025	369	Calliàndra	3410
661	Byssus	34926 sy.	4105	Callicàrpa	357
234 60	Bytropogon	1658	506	Callicèphalus	3411
86	34 Býtternia	633	441	Callichroa	3412
141	BYZTNEIÀCEÆ, Or. 30.	219	663	Callicóccea, see	
404	Caapèbi	9154 1119	299	Cephaelis	650
263 31	Cabbage	24545 9825	506	Callisà	1457
387	Cabbage tree	1883	143	Calligonum	1463
504	Cabrèra	2682	143	C. see A'triplex	2862
167	Cacalaco	3406	506	Calliopeà	3413
336	53 Cacălia	10815 1275	46	C. see Hieràcium	2211
336	C. see Culcítium	2280	506	Calliòpsis	2418
344	C. see Sencèio	2335	190	Callipòra	3414
318	Cacão	19588 2175	49	Callipsyche	3415
59	Cachanlähuan	3880 467	193	Callisace	59
109 50	Cächryis	889	411	Callisia	871
109	C. see Agasýllis	890	506	Callista	111
103	C. see Athamàntis	835	563	Callistachys	1249
103	C. see Caticalis	826	359	Callistémma	2538
108	C. see Laserpitium	881	506	Callistèmon	1433
194 49	CA'CTÆ, Or. 93.	1470	506	Callithamnion	4122
185	49 Cactus	1472	166	Callithauma	3416
687	C. see Cèreus	1472	166	Callitriche	28
510	C. see Echinocactus	3564	15	Callitris	3417
195	C. see Epiphýllum	1473	163	Calluna	9637 sy. 1173
545	C. see Lepismium	3734	506	Calobòtrya	5930 sy. 719
194	C. see Mammillària	1471	348	Calócera	3134
588	C. see Mlocactus	3792*	197	Calochillus	2502
195	C. see Opúntia	1474	663	Calochòrtus	3418
196	C. see Perúskia	1476	507	Calodéndron	685
196	C. see Rhipsalis	1475	506	Calomòrphe	568
82	44 Cadámba	5345 649	507	Calonèction, see	
168 44	Cadia	1282	507	Ipomœa	491
334	53 Cælestina	2272	149	Calòphaca	2094
404		427	507	Calòphanes	3419
504	76 Cænòpteris	2922	624	Calophýllum	1579
167 44	Cæsálpinia	1275	368	Calopògon	2504
167	C. see Coultèria	1277	507	Calòsarpus	24126 sy. 2742
167	C. see Reichàrdia	1276	86	Calosàntes	15392 sy. 1716
136 71	Cæsia	1068	575	Caloscòrdum	3420
337 53	Cæsùllia	2302	569		
392	Calòchcu	23862 2720	305		
69	Cainita	4487 556	507		
579	Calòphora	sy. 2193	218		
317	44 Cajanus	2160	369		
319	Cajaputi tree	19597 2179	396		
260 31	Cakile	1859	500		
200	C. see Rapistrum	1860	507		
70	Calostemma	938			
47	Calothammus	2181			
	Calothrix	3038			
	C. see Stigonema	3030			
	C. see Tolypothrix	4232			
	Calòtis	2343			
	Calòtropis	766			
	Calpicarpum	sy. 550			
	Caltha	1643			
	Caltrops	1306			
	Caltrops, water	403			
	45 CALYCA'NTHEÆ, Or. 69.				
	45 Calycanthus	1532			
	C. see Chimonanthus	1534			
	CALYCE'REÆ, Or. 107.				
	40 CALYCIFLORÆ, Subor. 2				
	Calycòmis	3231			
	Calycophýlum	5326 sy. 642			
	Calycòtome	17529 sy. 1964			
	Calymènia	932 sy. 97			
	69 Calýps	2578			
	47 Calýptranthes	1490			
	C. see Syzygium	4048			
	33 Calýptrion	707			
	C. see Anchieta	3324			
	39 Calystègia	494			
	47 Calýthia	1495			
	63 Camaridium	2548			
	Camaròtis	3421			
	Camassia	3422			
	31 Camelina	1870			
	35 Camèllia	2038			
	C. see Polýspora	2036			
	35 CAMELLICÆ, Or. 35.				
	547 Camerària	547			
	C. see Tabernamontana	548			
	Càmmara	15576 1738			
	Càmmarum	14200 1600			
	54 Campánula	607			
	C. see Platycodon	3914			
	C. see Symplicandra	615			
	C. see Adenòphora	605			
	C. see Lightfoètia	715			
	C. see Prismaticærus	608			
	C. see Samolus	618			
	C. see Wahlenbergia	606			
	54 CAMPANULACÆÆ, Or. 112.				
	72 Campèlia	1001			
	Campfor tree	10373 1225			
	63 Campforòsma	335			
	Campion	1387			
	Campèria	25508 sy. 2926			
	Campòsèma	19379 sy. 2144			
	Campnylan-thera	32189 sy. 3783			
	62 Campnylanthus	62			
	Canada Rice	23268 2634			
	Canadian Mugwort	20832 2313			
	54 Canarina	1098			
	Canarium	3423			
	Canary Grass	216			
	44 Canavàlia	1934			
	Candleberry Myrtle	2751			
	28 Candòlea	2185			
	C. see Hibbertia	1507			
	Candy Carrot	6710 835			
	31 Candytuft	1853			
	Cane-brake	289			
	36 Canèlia	1439			
	69 Canna	1			
	66 Cannabis	2771			
	69 CA'NNEÆ, Or. 185.				
	Cansòra	369			
	Cantha	4090 sy. 491			
	Canterbury Bells	5022 607			

Lin.	Nat.	Sp. Gen.	Lin.	Nat.	Sp. Gen.	Lin.	Nat.	Sp. Gen.
451			342	53	Carpesium	2372	612	C. see Platyspermum
663	<i>Cantharidus</i>	3121	510	53	Carpesium	2373	102	C. see Torilis
80	51 <i>Canthium</i>	630	383	67	Carpinus	2661	652	C. see Turgènia
80	C. see Gardènia	638	510			2661	264	Cauliflower v.
81	C. see Wèbera	646	383		C. see O'strya	2660	138	Caulophyllum
509	<i>Cantua</i>	3124	68	57	Carpodinus	543	84	40 Ceanothus
555	C. see Gillia	499	225	36	Carpodòntos	1611	512	
565	C. see <i>Hoitzia</i>	501	645		Carpolyza	7795 sy.	821	C. see Colubrina
59	<i>Cantua</i>	3931 sy.	475	317	Carpopò-	2159	584	C. see Pomadèrris
64	<i>Cantua</i>	4265 & 6 sy.	499		gon	19500	658	C. see Willemètra
118	<i>Cantula</i>	7681	949	265	31 <i>Carrichtera</i>	1890	395	66 Cèrophia
111	Cape Jasmine	5265	638	102	Carrot	825	388	Cedar of Goa
121	Cape Phillyrea	7220	895	33	<i>Carthamus</i>	2255	388	23652 2692
192	Caper Spurge	12369	1460	332	C. see Carduncellus	2257	512	Cedar of Liba-
215	32 Caper tree	1539	331		C. see Cirsium	2243	86	2257
421	Capillus Veneris	25546	2930	332	C. see Heraclantha	2256	512	38 Cedrèla
105	50 Capnophyllum	853	126	72	C. see Kentrophylum	3704	512	Cedronòlla
32	CAPPARI' DE.E, Or. 16.		105		Cartonema	1003	538	C. see Dracocèpha-
215	32 Capparid	1539	105	50	Càrum	6849	859	lum
509	C. see Crataeva	1440	619		C. see Ptychotis	3944	512	C. see Gardoquila
188	C. see Morisònia	2045	97	57	Carunculària	787	292	67 Cèdrus
215	C. see Niebùhria	1540	384	66	Càrya	2665	187	34 Cèbra
139	C. see Stephània	1101	510			2665	187	Celandine
252	60 Capraria	1803	224	37	Carydèar	1601		Celandine
509	C. see Stomodia	1795	197	47	Caryophyllus	1488	412	40 CELASTRI' N.E.E, Or. 59.
252	51 CAPRI' FOLIA' C.E.E, Or. 100.	100	178	33	CARYOPHY' L.E.E, Or. 26.			Celàstris
79	51 Caprifolium	621	386	72	Caryòta	2675	512	{ 25069 sy.
259	31 Capsella	1850	175	40	Cascarella	23804	2715	{ 25070 sy.
74	59 Càpsicum	593	415		Casèaria	1369	84	Celàstrus
509	Càput Me-	{ 2348 272	392		Cashew-nut	2896	105	40 Cèlstrus
35	dusa	{ 12281 1460	510		Cassàndra	23851	2718	662
109	315 Caracalla	19414	2149	510	Cassebèra	3425	512	C. see Ceanothus
304	43 Caragana	2091	510		Cassèlia	3426	91	C. see Senàcia
510	119 71 Caraguata	958	167		Càssia	1271	92	Celery
188	45 Caralita	1430	166		C. see Cathartocàr-	605	253	75 CELLULA' RES.
97	57 Caralluma	792	111	40	Cassia	10371	1272	52 Celsòlia
510	Carambola tree	11784	1404	33	C. see Celàstrus	895	253	C. see Æt'rya
183	71 Carandás	4592	576	85	C. see Elaeodèndrum	662	412	C. see Deeringia
168	38 Carapa	1300	51	51	Cassine Dahoon	3426	411	C. see Lestibudèsia
513	Carapichea	5354 sy.	650	365	53 Cassinia	2465	611	C. see Pfàllia
105	Caraway	859	365		C. see Angiánthus	2466	653	59 Cèlsia
256	31 Cardamine	1829	109		Cassioberry bush	7124	892	66 Cèlts
156	C. see Macropodium	1828	510		Cassio	36	36	Cèltsium
256	C. see Pteroneuron	1830	196		Cassùtha	12625	1475	74 Cèncrus
90	Cardamines	5882	714	415	Cassivium	25224 sy.	2897	36 C. see Anthèphora
263	Cardamines	16549	1873	161	64 Cassytha	1230	354	C. see Cènthoèta
2	Cardamom	115 & 158	8	383	67 Castanea	2659	443	C. see Echinària
3	Cardamom	{ 115 118	8	511	Castanospèrnum	3427	360	54 Cènia
3	mum	& 158	13	144	39 Castèla	1151	512	Cenocòccum
237	Cardiaca	15050	1673	511	60 Castilleja	1767	362	Cenomyce
267	Cardinal flower	16721	1904	248	C. see Euehròma	1768	360	53 Centauræa
159	37 Cardiospermum	1217	248		Castor-oil Plant	23854	2719	360
332	Cardoon	20119	2247	392	Casuarlia	2585	329	68 C. see Callièphalus
332	53 Cardopatium	2258	374	67	Casumèdnar	127	10	C. see Galactites
503	C. see Brotèra	2470	3	2	Casùpo	67	5	C. see Leuzea
332	53 Carduncellus	2257	2	75	Catabròsa	220	360	C. see Rhapòntica
332	Cardunculus	20419	2247	12	58 Catálpa	78	512	C. see Serràtia
329	53 Cárduus	2241	328	53	Catanànche	2232	687	Centaúrium
510	C. see Cirsium	2243	511		Catappa	25032	2864	{ 3878 467
329	C. see Serràtia	2239	412		Catappa	25032	2864	22164 2434
330	C. see Silybum	2212	234		Catària	14791	1654	2434
376	73 Càrex	2539	370		68 Catascètum	2500	487	2434
510	C. see Elyna	160	511		Catchfly	1388		2434
377	C. see Uncinia	2601	179		Càtechu	22562	2682	2434
293	47 Carèya	2042	387		Caterpillar	2105	513	2434
415	56 Cargillia	2890	307		Catesbæa	381	535	2434
401	47 Càrica	2801	49		Càtha	3429	513	2434
416	Càrica	25308	2900		Catharànthus	512	512	2434
71	58 Carissa	376	512		Cathartocàrpus	1272	519	2434
332	53 Carlina	2248	656		Catmint	19497	2152	2434
330	C. see Cárduus	2241	167		Cat's Ear	2227	132	2434
330	C. see Cirsium	2243	316		Cat's Tail	2597	184	2434
332	Carline Thistle	2248	233		Cat's-tail Grass	213	82	2434
332	53 Carlowizia	2254	328		Cat Thyme	14737	1648	2434
385	73 Carluòvica	2670	375		Cattlèya	2553	369	2434
301	73 Carmichaèlia	2670	27		C. see Sophronitis	2553	43	2434
542	Carmòna	566	233		Càucalis	826	619	2434
178	Carnation	11419	1386	67	68 C. see Orlàya	3851	645	2434
414	Carob tree	2885	512					2434
292	34 Carollina	2027	640					2434
112	Carollina	7306 sy.	912	102				2434
102	Caròta	6641	825	599				2434

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.						
335	54	Cephalóphora	2274	171	Chamæcistus	11028	1339	2/0	Chickasaw Plum		
647		Cephalotáxus	3440	171	Chamaerfsta	10778	1271			12875 1502	
462		Cephalótrichum	3230	337	Chamaecyparissus			313	Chickling Vetch	19313 2136	
663		Cephalótrichum	3230			20745	2304			2131	
193	44	Cephalótus	1467	399	72 Chamædorea		2778	311	Chick Pea	294	
513		Cerádia	3436	356	Chamæjásme	3760	450	37	Chickweed	902	
513		Cerámia		157	Chamæjásme	10177	1200	111	Chickweed	215	
436		Cerámium		66	55 Chamæledon		522	27	74 Chilichloa	348	
663		Cerámium	3048	400	71 Chamælium		2792	516	Chilidía	2655	
663		C. see Callithámnon	4122	202	Chamæmésipi-			610	Chilichloa	23598	
89	33	Ceranthèra	709		lus	12981	1507	369	68 Chiligrótis	2514	
186				133	Chamæmòly	8649	1046	243	58 Chilopsis	1711	
513			1416	212	Chamæmòrus	13558	1523	173	55 Chimaphila	1350	
187		C. see Larbrèa	{ 1417	332				214	45 Chimonánthus	1534	
574			{ 3719	642	Chamæpeuce	20456	2259	516			
193				518	C. see Cirsium			348	Chiu Aster	2338	
513	44	Cérasus	1502	232	Chamæpitys	14687	1646	648	Chinese Arbor Vitæ	23661 2693	
598			22521	2488	413	72 Chamærops	2883		Chinese Rose	17943 2014	
375	67	Ceratáandra	2590	191	Chamæsyes	12347	1460	238	Chinese tree	14094 1596	
462		Cerátula	3232	375	Chamela'a	22904	2596	221			
375	66	Ceratocárpus	2585	91	62 Chamelissa		722	621		23421	
115	28	Ceratocéphalus	931	91	C. see Cladostachys	725		80	52 Chiococca	628	
642		Ceratochilus	4022	304	Chaméla	18808	2091	5	57 Chionánthus	38	
32	75	Ceratóchloa	247	354	Chamomile		2384	516	Chione	5251	
514		Ceratodáctylis	3137	354	Chamomilla	21715	2376	619	Chirita	3449	
414	44	Ceratòdia	2885	355	Chamomilla	21767	2384	619	58 Chirónia	465	
175	49	Ceratopétalum	1371	367	68 Chamórchis	14349	2489	516			
636		C. see Schizomèria	3985	226	Champin Oak	23422	2666	516			
46		CERATOPHY'LEAE, Or.	78.	621	53 Chaptália			2447	58		
382	46	Ceratophýllum	2651	363	53 Chaptália			3047	59		
602		Ceratopteris	25408	346	Chàra			3047	59		
389	47	Ceratósánthes	2096	664	C. see Nitèlla			3046	174		
537		Ceratospèrium	3438	192	Charácias	12454	1460	132	47 Chitonia	1358	
514		Ceratostigma	33209	439	Charántia	23677	2697	117	70 Chlidianthus	939	
690			359	658	Charántia	20950	2322	117	61 Chloánthes	1744	
68	57	Cérbera	550	515	Charántia	2344	2467	135	58 Chlora	1176	
514		C. see Tanghinia	4052	515	Charàris	21495	2344	135			
645		C. see Tinosola	552	250	Charles's Sceptre	15882	1781	516			
69		C. see Ochrosia	551	254	Charlock	16630	1884	549	C. see Eustoma	466	
165	44	Cércis	1265	130	71 Charlwoódia		1019	516	51 CHLORA'NTHEAE, Or.	102.	
514			182	522	C. see Cordylne		1072	516	Chloræa	3450	
23	74	Corèria		515	Chascànium	3445	4	4	51 Chloránthus	26	
195			1472	515	60 Chasmonia	3446	516				
514	49	Cèrus		389	Châte	23704	2699	592	Chloráster	§ xiii. 933	
687				412	Chébula	25037	2864	463	Chloridium	3243	
537		C. see Disocactus	3545	44	Cheese Rennet	5985	348	410	74 Chliris	2849	
540		C. see Echinocactus	3564	44	76 Chellánthes		2932	410	C. see Antheropogon	2850	
545		C. see Epiphýllum	1473	41	C. see Cassebedra	3425	33	410	C. see Eustachys	2851	
576		C. see Lepismium	3734	515	C. see Eriocháma	3578	433	33	C. see Rhabdóchloa	260	
599		C. see Opuntia	1474	567	C. see Hypolèpis	3688	669	33	Chlorococcus	3013	
55	59	Cerínthe	439	575	C. see Lepichósma	3732	136	71	C. see Hematococcus	4165	
515		Cerocárpus		595	C. see Ochropteris	3839	168	38	Chlorophyllum	1067	
95	57	Ceropègia	778	254	31 Cheiránthus	1818	318	160	Chloroxylon	1298	
515			753	515	C. see Andreóskia	1864	675	318	Chloroxylon	10384	
93		C. see Microloma	2515	260	C. see Barbarea	1822	682	318	Chocolate-nut	2175	
419		Ceroptèris	25407	251	C. see Camellina	1870	109	39	Cholormyces	35607	
621		Céris	23414	2666	C. see Erýsimum	1867	200	39	Choke	12871 & 12873	
385		Céris	23458	2666	C. see Helióphila	1902	390	39	Choko	2702	
621		Cérrus	23414	2666	C. see Malcòmia	1862	48	52	Chomèlia	376	
103		Cervária	6704	835	C. see Sterigma	1828	516		Chòna		
329	53	Cestrinus	2238	260	Chèri	16095	1818	438	Chòndria	3065	
71	60	Cèstrum	583	257	34 Cheirostèmon		1934	664	C. see Sphærococcus	3066	
515				274	Cheiróstytis	3447		323			
417	76	Cétracth	2907	277				516	53 Chondrilla	2205	
443		Cétraria	3096	515	30 Chelidónium	1549	34		Chondrosium		
459		Ceuthósora	3172	687	C. see Romèria	1550	483		2260 & 2261	264	
515		Chabra'a	3439	216	60 Chelone	1718		516	Chonemórpha	3451	
515		Chænèstes	3440	515	C. see Pentstèmon	1717		438	Chórda	4124	
515		Chænóstoma	3441	216				516	Chordária	3071	
101				244	63 Chendèla	729		617	Chorètis	3452	
515	50	Chærophýllum	821	515	Chenópoda	17435	1959	260	31 Chorisma	2206	
490		C. see Anthriscus	820	243	63 CHENOPÓDEAE, Or.	165.		163	Chorispora	1861	
522		C. see Conopodium	3482	604				163			
515		Chætachlæ'na	3442	91	31 Chenopodium	810		516	43 Chorzóma	1246	
350	53	Chætanthèra	2349	279	C. see Kóchria	809	553	687			
515				299	C. see Rhagodia	2863	1623		C. see Gastrolóbium	1260	
25	74	Chætària	196	412	Cherimòdia	14372	1622	331	C. see Podolóbium	1247	
303	43	Chætocalyx	2081	99	22	30 Cherimoyer	14372	1622	350	Christmas Rose	14659
515		Chætogástra	3443	515	34 Cherlèria	1391	83	391	Christ's Eye	21522	
461		Chætómium	3220	99	Cherry	1502	434		Christ's Thorn	659	
568		Chætónychnia	5961	726	Chervil	821	664				
433		Chætóphora	3023	212	Chervil	6646	825	356	54 Chrysanthéllum	2396	
664				227	Chestnut	2659		516	54 Chrysanthemum	2374	
21	73	Chætósora	151	182	34 Chicha			354	C. see Pyréthrum	2375	
436	73	Chætósora	3050	199	Chichester Elm			516	Chysycis	3453	
25	75	Chætùrus	197	101		6542	v. 814	117	70 Chrysihphala	940	
91		Chaff-flower	5967	727							
100	41	Chailletia	815	383							
		CHAILLETIACEAE, Or.	64.	510							
295		Chamæbixus	18265	2053							
200		Chamæcraus	12866	1502							
861		Chamæcraus	31959	622							

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.		
225	29		Columbine	365		22347	<i>Contragerva</i>	2462		262	<i>Coronopus</i>		
356	54		Columbo-root	131	70		Convallaria	1038	144	39	Corræ'a		
252			Columella	2392			C. see Ophiopogon	1041	523		Corrigiola		
521	60		Colúmea	1797	131		C. see Polygónatum	1040	111	48	Corrician Larch		
486			C. see Allopléctus	3314	63	59	CONVOLVULACEÆ, Or.	136.	609		Corticium		
593			C. see Nematánthus	9826	64		Convólulus	494	65	62	Cortusa		
252			C. see Stemodia	1795	62		C. see Calystegia	494	57		Corvisárta		
215	44		Colúria	1536	509		C. see Ipomœa	491	350	53	Corvianthes		
384			Colúrna	23393	606		C. see Pharbitis	3889	523		Coryánthes		
305	43		Colútea	2095	159		Convólulus	10276	1210	12	75	Corycárpus	
305			C. see Sphærophysa	2096	522		Conyza	2330	294	30	68	Corycium	
305			C. see Sutherlandia	2099	522	53	C. see Baccharis	2329	294			C. see Adlúmia	
521			Colvillea	3476	522		C. see Erigeron	2332	294			C. see Dielytra	
408			Colymbœa	24507	496		C. see Psiadia	2454	384	67		Córylus	
92	64		Comándra	741	343		C. see Solidago	2339	523			Corynéphora	
212	44		Comarópsis	1525	547		Coópéria	3484	27	75		Corynéphorus	
521			Comarostaphylis	3477	364		C. see Sceptránthes	3981	665			Córyne	
213	44		Cómarut	1527	170	36	Copátera	1288	464			Corynœum	
521			Comaúrea	20717	2294		Coprinus	3119	84	56		Corynocárpus	
337			COMBRÊTA-CÆBÆ, Or. 72.		635		Cóptis	1642	125	72		Córypha	
157	45		Combrêtum	1203	122	44	Corallodéndrum	19518	213			C. see Chamærops	
614			C. see Poivreá	3927	665		Corallorhiza	2520	125			C. see Taliëra	
276	47		C. see Cospérma	1931	317	68	C. see Aplétrum	3338	359	68		Corysánthes	
521			Comfrey	433	370		Coral tree	19518	2162	400	29		Coscium
145			Comina	9351	1157		Coranic Poison-bulb	7879	97	523		Cosmánthus	
15	72		Commelina	112	491		Corbulária	§ 1.	933	358	54		Cósmea
521			72 COMMELINÆÆ, Or. 200.		317		C. see Narcissus	933	524				Cósmarium
114	35		Commersónia	926	592		Corchorus	1577	65	55			Cosmèlia
86			C. see Byttneria	683	218	35	C. see Kérria	1531	524	139	37		Cossignia
522			Commidéndrum	21031	2330		C. see Cordia	563	338				Cossmary
521			Commiphora	3478	214		C. see Patagónula	565	355				Cóstum
15	41		Comocládia	107	572		C. see Varrónia	564	110				Còta
521			Comparétia	3479	69	59	Corbiacææ, Or. 133.	524	202	45			Còtæster
375	67		COMPARÉTÆÆ, Or. 108.		622		Cordylne	1072	290				Cotton
130			Comptónia	2592	687		C. see Varrónia	2737	21				Cotton Grass
393	71		Conánthæra	23770	2708		Corémium	3244	310				Cotton Rose
529			C. see Cummingia	3499	137	59	Coreòpsis	2415	354	54			Cotton Thistle
540			C. see Echéandia	3561	522	71	C. see Actinómeris	2417	524				Cótula
83	40		Condália	661	522		C. see Bidens	2284	354				C. see Grángca
590			Condonocárpus	sy. 3456	395	67	C. see Calliòpsis	2418	354				C. see Lidbèckia
521	50		Condylocárpus	3480	463		C. see Chrysostéma	3455	524	48			Cótula
435			Conferva	3044	358	54	C. see Cósmea	2414	160				C. see Bryophyllum
665			C. see Batrachospérum	3053	336		C. see Echinacæa	3553	540				C. see Echeveria
662			C. see Callithamnion	4122	359		C. see Silphium	2440	611				C. see Pistorinia
663			C. see Calothrix	3038	506		C. see Simsia	2419	653				C. see Umbilicus
664			C. see Cladophora	4126	517		C. see Ximenèsicæ	2358	34				Couch Grass
433			C. see Desmidium	3009	358		Coreòsma	5928	sy. 719	167	44		Coultèria
667			C. see Drapanádia	3036	358		Corethròstylis	3445	165				Coultèria
667			C. see Elachista	4147	540		Coriander	817	389				Coultèria
669			C. see Hassáliz	4165	362		Coriándrum	817	575				Coultèria
670			C. see Hvalothèca	4168	359		C. see Biforis	818	524				Coultèria
672			C. see Lyngbya	3039	351		Coriária	2757	75	51			Coutaræa
673			C. see Microcòelus	4183	627		CORIARIÆÆ, Or. 58.		48	58			Coutoðœa
678			C. see Scytonema	3029	522		Corindum	10340	1217	188			Còwa
681			C. see Stauronocárpus	2225	101		Coris	461	524				Cowánia
681			C. see Tabellaria	4227	101	50	Corispérum	27	156				Cowbane
682			C. see Tolypothrix	4232	101		Cork tree	{ 23422 } 2666	387				Cowberry
684			C. see Vesiculifera	4237	401	40	Corkwood	13366	1622	177			Cow Grass
684			C. see Zygnema	3041	58	62	Corn-cockle	12019	1415	316			Cowhæb
105	50		CONIFERÆÆ, Or. 176.		4	63	Cornelian Cherry	3380	401	108			Cow Parsley
493			C. see Arracacia	3346	4		Corn Flag	128	57				Cow Parsnep
105			C. see Capnophyllum	853	522		Corniculiária	3109	552				Cow tree
103			C. see Ceanothus	833	622		Cornish Moneywort	15982	1792	524			Cow wheat
103			C. see Trachyspérum	840	226		Cornucopiæ	793	86	311			Crabówska
106			C. see Ulospérum	868	186		Coruus	401	265	31			Crámbe
277	41		Conárus	1937	50		Córnulã	52	263				C. see Sobolcwska
277			C. see Omphalodium	1936	8		C. see Hósta	52	155				Cranberry
576			Conbœa	31798	3743		Cornweed	18980	2104	276			Crane's Bill
90	45		Conocárpus	713	444		COROLLIFLORÆ, Subc. 3.		244	58			Craniolária
521	66		Conocéphalus	3481	252		C. see Securifera	2110	112	48			Craniotome
504			Conoclinium	sy. 2272	22	74	Corónilla	2103	524	53			Craspèdia
613			Conopharngia	sy. 544	12		C. see Securifera	2110	112	48			Crásula
522	50		Conopodium	3482	50		Corónopus	3200	364	113			C. see Curtógyne
39	64		Conospérum	312	522	43							
522			Conostomum	2970	8	61							
426			Conostomum	2970	8								
118	70		Conóstylis	945	307								
522			C. see Lophiola	941	307	43							
522			Conradia	3483	523								
555			C. see Génera	1698	308								
150			Constántia	9729	1173								
42			Contrajerva root	2837	339	47							

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.		
481	55	Cyrilla	695	542	D. see Edgworthia	3565	433						
481		C. see Achimenes	3280	156	D. see Lagetta	1196	666		Desmódium		3009		
252		C. see Trevirana	1796	420	Dãrea	25477 & 8 sy.	2922	670	D. see Didymoprium		4144		
687		Cyrtanthera	4247	92	Dãringtônia	743	679	679	D. see Hyalotheca		4168		
121	70	Cyrtanthus	965	35	Daruel	2328	271	91	D. see Spharozosma		4216		
531		C. see Gastronema	966	175	Darwinia	1372	91	62	Desmoche'ta		724		
566		Cyrtoceras	31417 sy.	633	Dasyanthos				D. see Cladostachys		725		
531		Cyrtochilum	3508	533	Dasyglidia	4140	535	43	Desmódium		2120		
596		C. see Odontoglossum	3841	414	Dasytemon	3518	382	72	Desmóncus		2646		
666		Cyrtodon	4138	396	Date Palm	2745	534		Desvauxia		3524		
531		Cyrtogonium	3509	402	Date Plum	2889	535		Devizia		3525		
488		Cyrtolopia	28315 sy.	32	Datisca	2805	535		Devil's Bit		4042		
532		Cyrtodium	3382	60	Datisca, Or. 15.	645			Devil's Milk		12358		
532		Cyrtopera	3510	533	Datara	481			Dewberry		13508		
532		C. see Cymbidium	2523	504	D. see Brugmansia	482			Deyouzia sy. see				
532		Cyrtophlebium	3512	304					Calamagrostis		231		
371				43	Daubentonia	2090			Diacalpe		3526		
532	68	Cyrtopodium	2541	533	Daubeya	3519			Diachæa		4141		
687				102					DIANE'LPHIA, Cl. 17.				
532		C. see Cyrtopera	3511	533					DIANE'LPHIA, Or. 1.				
369	68	Cyrtostylis	2513	612					D. HEXA'NNRIA, Or. 2.				
532		Cystanthe	3513	103	D. see Platyspermum	825			D. OCTA'NNRIA, Or. 3.				
532		Cystopteris	3514	422	D. see Trachyspermum	840			D. DECA'NNRIA, Or. 4.				
294	30	Cysticapnos	2048	533					DIAN'BRIA, Cl. 2.				
439		Cystosela	3082	566					D. MONOGY'NIA, Or. 1.				
	65	CYTI'NEÆ, Or. 166.		577	D. see Humata	3675			D. DIGY'NIA, Or. 2.				
459		Cytspora	3171	588	D. see Leucostegia	3744			D. TRIGY'NIA, Or. 3.				
666				515	D. see Microlepia	3795							
281	43	Cytisora	1964	696	D. see Odontoloma	3842			Dianella		1071		
532				595	D. see Polypodium	2908							
281		C. see Adenocarpus	1965	163	Davearia	10505 sy.	1247		DIAN'NIA		1386		
317		C. see Cajanus	2160	533					DIAPENSIA		459		
305		C. see Calophaca	2094	164					D. see Pycnidanthera		460		
277		C. see Goodia	1944	126	D. see Jacksonia	1253			DIASIA		1802		
315		C. see Rhynchosis	2145	104	Day Lily	1007			Diasyema		3527		
162		C. see Thermopsis	1241	71	Deadly Carrot	845			DIATOMA		3006		
648				102	Deadly Nightshade	4640			D. see Exilaria		3005		
136	71	Czackia	1062	236	Dead Nettle	1667			D. see Tabellaria		4227		
532		Daboecia	3515	36	Deastella	2523 sy.	306		Diblomma		3528		
388				384					DICERA		1436		
532	67	Dacrydium	2691	646	Deciduous Cypress	12689			DICERMA		2121		
456				533	Décodon	536			Dichæa		3529		
666		Dacriflycnes	3152	162					D. see Isochilus		2550		
673		D. see Nematella	3156	162	DECA'NNIA, Cl. 10.				43	Dichilus	1957		
682		D. see Tremella	3150	175	D. MONOGY'NIA, Or. 1.				27	DICHLAMY'NEÆ, Subd. 1.			
191		Dactylanthos	12285	179	D. DIGY'NIA, Or. 2.				98	59	Dichiondra	799	
		& 12287 sy.	1460	183	D. TRIGY'NIA, Or. 3.				126	72	Dichiondrandra	1004	
532		Dactylicapnos	3516	187	D. PENTAGY'NIA, Or. 4.				536				
29	75	Dactylis	236	188	D. DECAGY'NIA, Or. 5.				85	39	Dichosina	674	
532		D. see Rostraria	242	92	Decumaria	1433			461		Dichosporium	3216	
666		Dactylum	4139	62	Deeringia	733			558		Dichrocephala	3281	
31		Dactyloctenium	261	74	Dégraphis	217			689		Dichroma	36318 sy.	
34		Dactylon	2255	263	Delesseria	3069			422	76	Dicksônia	2934	
452		Dadalea	3124	222					422		D. see Balantium	2935	
666				534					422		D. see Cibidium	2936	
94	57	Dæmia	759	534					567		D. see Hypolepis	3688	
117		Daffodil	7599	933					639		D. see Sitobium	4000	
351		Dahlia	2363	371					9	61	Dicliptera	59	
532		D. see Georgina	3616	534					497		D. see Barleria	1725	
554		Dahoön	3425	411					27		DICOTYLEDON'NEÆ, Cl. 1.		
51	64	Dais	1366	691					427		Dicranum	2978	
351		Daisy	2361	503	D. see A'portum	3340			666		D. see Didymodon	2975	
499				371	D. see Broughtonia	2552			428		D. see Grimmia	2982	
317	44	Dalbërgia	2166	370	D. see Camaridium	2548			428		D. see Leucodon	2981	
308		D. see Diphaca	2111	372	D. see Dipodium	2528			428		D. see Trichostomum	2979	
549		D. see Eysenhardtia	3589	579	D. see E'ria	2559			428		Dierypsa		
303		D. see Lonchocarpus	1971	582	D. see Lissochilus	2527			376		Dierypsa		
283	43	Dalea	1971	586	D. see Lycaste	3769			162				
269		D. see Petalostemum	1922	613	D. see Maxillaria	2537			536		39	Dictamnus	1308
333		Dalea	20523	372	D. see Pleurothallis	2539			238				
393	65	Dalechampia	2727	370	D. see Polystachya	2555			461		Dictamnus	15132	
212	44	Dalibarda	1524	535	D. see Xylobium	2536			536		Dictamnus	3208	
212		D. see Comaropsis	1525	535	D. see Xylobium	2536			536		Dictamnus	3531	
414	40	Dalrymplea	2886	505	Dendrochilum	3521			536		Dictyopteris	3531	
429		Daltonia	2988		Dendromëcon	3522			359	54	Didelta	2425	
142	68	Damasonium	1130	131	Denhamia sy. see	2672			666		Didërma	4142	
142		D. see Actinocarpus	1131	256	Calatiana	1831			2672	31	Didësmis	1898	
387				535	Dëns canis	8526			1028		Didiscus	3674	
533	67	Dammara	2684	74					650		{ 34487 sy.	867	
387		Dammara Pine	2684	51	Dentaria	1831			460		Didymium	3	
79	54	Dampiera	617	535	Dentella	596			667				
533				28	Deodara	23637			2688				
424	76	Dancea	2953	545	Dëpazia	35707 sy.			3173				
3		Dancing Girls	194	535	Dërris	3523			644				
324		Dandelion	2207	545					536				
591		Dandol's Mulberry	2612	547					644				
28	75	Danthonia	226	406					536				
156				535					667				
533	64	Daphne	1197	535					428				
				44	Desmáanthus	2836			667				
					Dësma				232				
									232				
									232				
									241				

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
667	<i>Didymoprium</i>	4144	557	Diplopáppus	3540 314
505	<i>Dielleubachia</i>	sy. 2672	537	Diplopetis	3541 344
291			8	Diplophylum	46 351
536	30 <i>Dielytra</i>	2049	494	Diplostéphium <i>sy.</i>	422 66
687				see <i>Aster</i>	2337 538
532	D. see <i>Dactylicápnos</i>	3516	265	31 <i>Diploáxis</i>	1886 123
536	<i>Diëna</i>	3533	386	72 <i>Diplothémium</i>	2676 300
80	51 <i>Diervilla</i>	624	370	68 <i>Dipodium</i>	2528 534
536	<i>Diets</i>	3534	43	52 <i>DIPSACEÆ, Or. 106.</i>	63
251	60 <i>Digitális</i>	1789	537	48	52 <i>Dipsacus</i>
536	D. see <i>Isopléxis</i>	1788	687		344 538
251	D. see <i>Pterostigma</i>	3943	631	D. see <i>Ruclia</i>	1727 458
619	D. see <i>Rehmánia</i>	3955	318	44 <i>Dipterix</i>	2174 667
24	75 <i>Digitaria</i>	185	157	64 <i>Dírca</i>	1198 538
536			366	68 <i>Disa</i>	2473 604
687	<i>Dignáthe</i>	4219	537	55 <i>Disándra</i>	1134 276
537	<i>Digraumária</i>	sy. 2925	145	537	55 <i>Discaria</i>
18	70 <i>Dilatris</i>	139	537	57	55 <i>Discaria</i>
502	<i>Dilepýrum</i>	sy. 3393	94	57	55 <i>Dischidia</i>
481	<i>Dilivária</i>	sy. 1722	537	48	55 <i>Dis-cinna</i>
105	<i>Dill</i>	858	537	57	55 <i>Disocactus</i>
225	28 <i>Dillénia</i>	1614	366	68	55 <i>Dispers</i>
225	D. see <i>Colbértia</i>	1608	131	71	55 <i>Disporum</i>
225	D. see <i>Tetrácea</i>	1609	426		55 <i>Dissodon</i>
225	D. see <i>Wormia</i>	1610	69	57	55 <i>Dissolena</i>
	28 <i>DILLENIACEÆ, Or. 2.</i>		542	67	55 <i>Distreptus</i>
164	43 <i>Dillwúnia</i>	1257	455		55 <i>Ditiöla</i>
536	D. see <i>Eutáxia</i>	1258	238		55 <i>Dittany of Crete</i>
164	D. see <i>Pulteneæ</i>	1262			55 <i>Dittany of Crete</i>
619	37 <i>Dimocárpus</i>	9358 &	368		55 <i>Diüris</i>
145		sy. 1150	537		55 <i>Docidium</i>
318	<i>Dimórpha</i>	19585	2173		55 <i>Dock</i>
506	<i>Dimorphotheca</i>	sy.	2448		55 <i>Dodária</i>
	see <i>Caléndula</i>		631		55 <i>Dodder</i>
34	74 <i>Dimëbra</i>	265	252	60	55 <i>DONECANDRIA, Cl. 11.</i>
410	D. see <i>Atheropðgon</i>	2850	58		55 <i>D. MONOGYNIA, Or. 1.</i>
34	D. see <i>Waugenhelma</i>	266	187		55 <i>D. DIGY'NIA, Or. 2.</i>
537	<i>Dinëma</i>	3335	187		55 <i>D. TRIGY'NIA, Or. 3.</i>
64	59 <i>Dinëtus</i>	497	190		55 <i>D. PENTAGY'NIA, Or. 4.</i>
316	44 <i>Dibélea</i>	2157	190		55 <i>D. HEXAGY'NIA, Or. 5.</i>
46	52 <i>Dibüda</i>	353	193		55 <i>D. DODECAGY'NIA, Or. 7.</i>
392	<i>DIE'CLA, Cl. 22.</i>		193		55 <i>Dodecátheou</i>
393	D. <i>MONANDRIA, Or. 1.</i>		57	62	55 <i>Dodonæa</i>
393	D. <i>DIA'NDRIA, Or. 2.</i>		53		55 <i>Dog Bramble</i>
395	D. <i>TRIA'NDRIA, Or. 3.</i>		54		55 <i>Dog Orchis</i>
396	D. <i>TETRA'NDRIA, Or. 4.</i>		58		55 <i>Dog Poison</i>
397	D. <i>PENTA'NDRIA, Or. 5.</i>		106		55 <i>Dog's-bane</i>
398	D. <i>HEXA'NDRIA, Or. 6.</i>		68		55 <i>Dog's-bane</i>
401	D. <i>OCTA'NDRIA, Or. 7.</i>		223		55 <i>Dog's Calbage</i>
401	D. <i>ENNEA'NDRIA, Or. 8.</i>		383		55 <i>Dog's-tail Grass</i>
401	D. <i>DECA'NDRIA, Or. 9.</i>		933		55 <i>Dog's-tooth Violet</i>
402	D. <i>DODECA'NDRIA, Or. 10.</i>		131		55 <i>Dogwood</i>
402	D. <i>ICOSA'NDRIA, Or. 11.</i>		548		55 <i>Dólicho</i>
402	D. <i>POLY'NDRIA, Or. 12.</i>		284		55 <i>D. see Canavália</i>
402	D. <i>MONADE'PHIA, Or. 13.</i>		283		55 <i>D. see Cyamópsis</i>
592	<i>Diomëdes, § viii.</i>	933	283		55 <i>D. see Dióclea</i>
357	54 <i>Diomëdia</i>	2407	316		55 <i>D. see Láblab</i>
537	<i>Dion</i>	3536	316		55 <i>D. see Láblabia</i>
170	33 <i>Dionæa</i>	1331	50		55 <i>D. see Macãna</i>
400	70 <i>Dioscörea</i>	2787	522		55 <i>D. see Pachyrhizus</i>
	70 <i>DIOSCORIÆÆ, Or. 192.</i>		316		55 <i>D. see Phaseólus</i>
85	39 <i>Diósmá</i>	673	284		55 <i>D. see Psophocárpus</i>
537			283		55 <i>D. see Rhynchüsia</i>
	D. see <i>Adenándra</i>	675	316		55 <i>D. see Sða</i>
483	D. see <i>Agathósma</i>	677	316		55 <i>D. see Vigna</i>
85	D. see <i>Audouina</i>	3353	572		55 <i>D. see Wistária</i>
35	D. see <i>Baryósma</i>	676	316		55 <i>Doliciócarpus</i>
520	D. see <i>Colconëma</i>	3470	315		55 <i>Dombëya</i>
85	D. see <i>Dichósma</i>	674	316		55 <i>D. see Tourréttia</i>
99	D. see <i>Lincónia</i>	803	315		55 <i>Dónax</i>
414	56 <i>Diospýros</i>	2889	316		55 <i>Dónclæria</i>
537			316		55 <i>Dónúia</i>
379	63 <i>Diódis</i>	2618	315		55 <i>Dónia</i>
537			219		55 <i>Dónia</i>
338	D. see <i>Otánthus</i>	2306	285		55 <i>Dónia</i>
308	43 <i>Diphaca</i>	2111	538		55 <i>Dónia</i>
138	29 <i>Diphylëlia</i>	1088	244		55 <i>Dónia</i>
305	43 <i>Diphýsa</i>	2063	29		55 <i>Dónia</i>
426	D. see <i>Baryósma</i>	2966	518		55 <i>Dónia</i>
31	75 <i>Diphéne</i>	246	103		55 <i>Dónia</i>
537	<i>Diplacus</i>	3537	538		55 <i>Dónia</i>
537	D. see <i>Linconia</i>	803	315		55 <i>Dónia</i>
637	<i>Dipladëna</i>	3538	316		55 <i>Dónia</i>
23	73 <i>Diplázia</i>	175	558		55 <i>Dónia</i>
420	76 <i>Diplázoma</i>	2925	519		55 <i>Dónia</i>
537			419		55 <i>Dónia</i>
351	53 <i>Diplócoma</i>	2354	538		55 <i>Dónia</i>
667	<i>Diplódia</i>	4145	344		55 <i>Dónia</i>
94	57 <i>Diplólepis</i>	760	351		55 <i>Dónia</i>
537	<i>Diplolæ'na</i>	3539	538		55 <i>Dónia</i>
671	<i>Diplolæ'na</i>	35418	sy. 2998		55 <i>Dónia</i>

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.		
146	55		Erica	1173	86			58					
546			<i>E. see Gypsocallis</i>	2568	54*	49	Escallonia	687	59				
659			<i>E. see Meizocisia</i>	1174	688			161	59	Evdivulus	796		
153			Ericala	794	548	49	ESCALLONIA, Or. 95.	48	59	Evosmus	10401 sy. 1226		
554			ERICÆ, Or. 115.		516	30	Eschscholtzia	688	58	Exacum	366		
343			Erigeron	2332	385		<i>E. see Chryseis</i>	3453		<i>E. see Contouba</i>	367		
547			<i>E. see Inula</i>	2345	621		<i>E. see Esculus</i>	23456 2666	48	<i>E. see Hippion</i>	470		
643			<i>E. see Stenactis</i>	4024	688		Espeletia	23413 2666	59	<i>E. see Lucania</i>	471		
464			Eriueum	3263	192		Esula	12430 4650	50	<i>E. see Microcile</i>	361		
577			Eriuosum	7785 sy.	337	54	Ethulia	2292	48	<i>E. see Sabaria</i>	370		
250	60		Erinus	1782	668		Euastrium	4155	40	55	Excacaria	2825	
77			Erinus	5051	198	47	Eucalyptus	1493	458		Excipula	3168	
78			Erinus	5120	607		<i>E. see Fucainos</i>	30125 sy.	2049	653	Exeter Elm	6544 v. 814	
583			<i>E. see Lypertia</i>	3771	548		Euchættis	3583	621	Exeter Oak	23114 v. 2666		
595			<i>E. see Nycterinia</i>	3835	548		Euchariidum	3581	456	Exidia	3151		
202	45		Eriobotrya	1511	164	43	Euchilus	1801	432				
104			Eriocailia	6789 sy.	846	248	60	Euchroma	1768	664			
36					293	402	65	Eucleda	2024	372			
547			73 Eriocaulon	293	260	31	Eucledium	1836	330	64	Exocarpus	2624	
564	54		Erioccephalus	2455	689		Eucledia	36305 sy.	4256	27	EXOGENE, Cl. 1.		
547			Erioclasina	3578	132	71	Eudomis	1012	549	EXOGONIUM	3588		
369			68 Eriochilus	2515	117	70	Eudonia	936	509	<i>E. see Iponæa</i>	491		
547					319	47	Eudamia	2184	464	EXOSPORIUM	3266		
547	54		Eriocoma	3577	197	47	Eugenia	1487	670	<i>E. see Helmintho-</i>			
292			34 Eriodendron	2032	198		<i>E. see Calypranthos</i>	1490		sporum	3258		
547					570		<i>E. see Jambosa</i>	3698*	75	51	Exostemma	598	
547			Eriodensia	2040	293		<i>E. see Stravadium</i>	2040	549				
161			63 Eriogonum	1231	646		<i>E. see Syzygium</i>	4048	249		Eye-bright	1773	
547					372	63	Eulophia	2568	549	43	Faba	2132	
291			35 Eriolæna	2026	548		<i>E. see Zygopetalum</i>	2532	311		Fabago	10886 1304	
331			Eriopappus	20567	268	31	Eunomia	1875	549		Fabago	3590	
21	73		Eriophorum	161	668		Eunomia	4156	549		Fabiiana	3591	
651			<i>E. see Trichophorum</i>	162	84	40	Euoñymus	666	196	47	Fabricia	1481	
547			54 Eriophyllum	3579	548		<i>Eupatoria</i>	12221 1458			<i>F. see Leptosper-</i>		
547					350		<i>Eupatoria</i>	20597 2273	549		mun	1480	
688			Eriopsis	3580	195		<i>Eupatoria</i>	20597 2273	549		Fadyenia	3592	
134			71 Eriosperrum	1051	333	53	Eupatorium	2268	39	39	Fagara	308	
109					548		<i>E. see Cæstina</i>	2272	155		<i>F. see Elaphrium</i>	1190	
547			39 Eriostemon	1311	334		<i>E. see Ozothamnus</i>	2295	398		<i>F. see Evodia</i>	356	
688					337		<i>E. see Eupatorium</i>	21438 2347	315	44	Fagella	2764	
496			Eriothrix	28624 sy.	2329	356	<i>Eupatorium</i>	21438 2347	315	44	Fagella	2764	
639			Eriophlebema, see Sisyrinchium	145	199		<i>Eupatorium</i>	28683 sy.	2654	169	39	Fagotia	1305
331			Erisithales	20390	2243	548		1460	159		Fagopyrum	10250 1210	
547			Erisma	3581	193	65	Euphorbia	1461	615		<i>F. see Polygonum</i>	1210	
188			<i>E. see Dicera</i>	1436	145	65	<i>E. see Pedilanthus</i>	1461	70	57	Fagraea	575	
277			<i>E. see Philotheca</i>	1933	549	37	Euphorbia	1159	384				
237			<i>E. see Stachys</i>	1669	549		<i>Euphorbia</i>	1773	550	67	Fagus	2662	
81	51		Eriothalis	645	249	60	Euphrasia	1538	383		<i>F. see Castanea</i>	2659	
120			Erivum	7818 sy.	964	215	28	Eupomatia	2541	104	Falcaria	6798 848	
49					600		Euriops	3240	621		Falkenberg Oak	23410 v. 2666	
270			52 Eriodæa	1927	413	35	Eurötium	2875	98	59	Falkia	797	
547					549			1564	177		False Armeria	11393 1386	
258			33 Eriophila	1847	217	30	Euryale	4089	622		False Cork tree	23441 2666	
89			33 Eriopiton	702	656		<i>E. see Victoria</i>	3585					
265			31 Eriuca	1887	549	70	Eurycles	937	413		Fan Palm	956	
266			Erucago	16690	1900	117		3586	344		Fan Palm	25112 2843	
547			31 Erucaria	1901	549		<i>Eurycoma</i>	3586	257	31	Farfara	21097 2333	
638			Erucastrum	16637	1884	549	<i>Eurylepis</i>	257	257		1 Parsætia	1835	
312			Erulia	19273	2134	549	<i>Euryloma</i>	257	257		<i>F. see Aubrietia</i>	1837	
312	43		Erivum	2134	549		<i>Eurystegia</i>	257	257		<i>F. see Berterda</i>	1836	
302			<i>E. see Galactia</i>	2076	554		<i>Eurythalia</i>	794	412		<i>Fatæa</i>	25035 2864	
312			<i>E. see Ficia</i>	2133	410	74	Eustachys	2851	397		Faya	24188 2751	
101			50 Eryngium	822	93	57	Eustegia	758	25		Feather Grass	194	
547					58	58	Eustoma	466	50	52	Fedia	86	
101			Eryngo	822	549		<i>E. see Lisianthus</i>	483	654		<i>F. see Valerianella</i>	96	
261			31 Erysimum	1867	579	71	Eustrephus	1073	511		Feeler Wort	2530	
547					137			1258	494		Fegatilla	sy. 2999	
261			<i>E. see Alliaria</i>	1866	164	43	Eutaxia	1258	494		Felicia	sy. 2337	
255			<i>E. see Barbara</i>	1822	549			2643	97		Felwort	793	
255			<i>E. see Notogera</i>	1821	382	72	Eutërpe	2682	420		Female Fern	25465 2921	
261			<i>E. see Sisymbrium</i>	1865	492		<i>E. see Aræca</i>	616	105		Fennel	6847 854	
462			Erysiphe	3226	549	54	Euthales	2296	297		Fennel Flower	1606	
58			58 Erythraea	467	593	53	Euthamia	3587	550		Fenugreek	18387 2063	
317			44 Erythrina	2162	673	59	Eutoca	478	373	63	Fenzlia	3593	
192					365	54	Euxenia	4182	550		Fernandesia	2577	
283			Erythrina	12432	1460	365	<i>Euxenia</i>	2472	49	51	Fernelia	385	
548			Erythrocliton	17666	1975	340	<i>Euxenia</i>	20924 sy.	2317	170	36	Feronia	1325
331			53 Erythrolaena	2244	16		<i>Euxenia</i>	22758 sy.	2558	69	Ferraria	1901	
131			71 Erythronium	1028	200		<i>Euxenia</i>	121	550		<i>F. see Herbertia</i>	1913	
548					593		<i>Euxenia</i>	12895	1506		<i>F. see Tigridia</i>	1910	
168			44 Erythrophloeum	1285	310		<i>Euxenia</i>	2314	20		<i>F. see Viussæxia</i>	147	
547			37 Erythroxyllis, Or. 42.	343	343		<i>Euxenia</i>	267	267		Ferrariola	16756 sy. 1909	
183			Erythroxyllon	1400	1401		<i>Euxenia</i>	19285	2136	400	Ferrula	24378 sy. 2791	
183			<i>E. see Sæthia</i>	1401	443		<i>Euxenia</i>	3101	107	50	Ferula	880	
269			Erythroxyllon	16848	1920	49	39	Evodia	396				

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
104	<i>F. see Bùbon</i>	842	12	57	Fontanèsia
550	<i>F. see Ferulàgo</i>	3593*	429		Fontinàlis
108	<i>F. see Pasticinàca</i>	883	426		<i>F. see Cinclidòtus</i>
107	<i>F. see Sellinum</i>	873	106		Fool's Parsley
550	50 Ferulàgo	3593*	374	66	Forskòlea
107	Ferulàgo	6991	880	550	Forsythia
20	Fescue Grass		238	221	
30			238	550	
50	75 Festicàca		238		Fothergilla
31	<i>F. see Brachypodium</i>	243	550		<i>F. see Chitònia</i>
31	<i>F. see Bròmnis</i>	241	223		Fortunæa
32	<i>F. see Ceratòchloa</i>	247	251		Foxbane
12	<i>F. see Corycòrpus</i>	91	536		Foxglove
532	<i>F. see Dactylis</i>	236	27		Fox-tail Grass
31	<i>F. see Dylàchne</i>	246	212		
29	<i>F. see Glycèria</i>	237	550	44	Fragària
30	<i>F. see Mygalurus</i>	240	433		Fragillària
30	<i>F. see Schedonbrus</i>	239	668		<i>F. see Diótoma</i>
32	<i>F. see Schismus</i>	248	666		60 Francisca
33	<i>F. see Scleròchloa</i>	257	550		Francòca
404	Feuillea	24572 sy.	2832	561	Franceària, see
353	Feverfew		2375	558	Frànula
80	Feverwort		625		Fràngula
464	Fibrillària	27829 sy.	3257	83	
230			139		
500	28 Ficària		1636		33 Frankènia
48	Ficoi'DEE, Or. 22.				33 FRANKENIACEÆ, Or. 25.
415	66 Flcus		2900	387	Frankincense
550			380	54	Franzèria
248	Fiddle-wood		1758	48	Fräsera
243	58 Fièdria		1709	169	Fraxinella
654	Fièlzia	31643 sy.	2564	414	57 Fràxinus
45	Field Bladder		351	551	<i>F. see O'rnus</i>
203	Fig Marigold		1520	12	<i>F. see Pterocarya</i>
415			619	2900	French Marigold
550	Fig tree		1790		
251			2317	509	Freylinia sy. see
340	53 Filàgo		2314		Capraria
340	<i>F. see Gnaphalium</i>		2314		
384	Filbert	23383	2663	217	35 Freziera
				386	Friar's Cowl
203	75 Fricacs, Or. 1.		13039	1515	35 Frièsia
214	Filipendula		13652	1528	5
420			25465	2921	129
422	Filix-màs		25609	2938	551
423	Filmy leaf		2943	530	
670	Film Moss		4175	578	
550	Fimbriària		3594	129	
21			155	401	
550	73 Fimbristylis		185	366	
24			203	551	
26	Fiorin	1712	203	551	
388	Fir		2686	668	
550	Fischèria		3595	662	
263	Fish Poison		15553	1873	669
666	Fis-sidens	35196 sy.	2978	673	
167	Fistula		10799	1272	680
452	Fistulina		3127	187	
402	32 Fiscocortia		2811		
				155	
	32 FISCOURTIANÆ, Or. 17.			551	
140	73 Flagellària		1105	139	
620	Flame Lily		3947	439	
277	Flat Pea		1941	671	
315	54 Flavèria		2462	552	
136			921	623	
138	Flax Lily		1084	22	
58	Flax Star	3841	457	552	
342	Fleabane		2330	621	
47	Fleawort		3209	364	
350			21512	2345	
311	43 Flemingia		2	27	
168	38 Flindèria		1299	294	
261	Flix-weed		16463	1865	
573	Flor de Jesus		31666	3712	
573	Flor de Mayo		31669	3712	
617			20612 sy.	2276	
564			20605 sy.	2273	
186	Florestina		12018	1415	
186	Flo's Cæuli		12007	1415	
123	Flo's Jovis		8042	979	
167	Flo's Martini		1274		
12	Flower Fence		83		
162	Flowering Ash		1234		
186	Flowering Rush		14	539	
598	65 Flüggea		2769		
				118	
	73 FLUVIALES, Or. 205.			552	
79			5225	622	
591	Fly-wort			653	
105	Feniculum		6847	858	
297	Fue'um græcum		18357	2063	
199	40 Fotidia		1496		
	75 FOLIA'CEÆ, Cl. 1.			668	
				428	
				668	
				427	
				126	
				552	
				83	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	
				552	
				280	
				653	
				412	
				668	
				463	
				668	
				118	

GENERAL INDEX.

709

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
553	Géblera	3613	201	Glastonbury Thorn	307
245	61 Geissoméria	1732	216	12919 v.	1506
553	16 69 Geissorhiza	120	555	30 Glaucium	1551
553	Geitonoplessium	3614	92	62 Glaux	739
155	46 Gèla	1187	555	18902	2102
541	G. see <i>Cymindasma</i>	1189	366	Glaux	1664
553	Gelastine	3615	236	60 Glechōma	2884
669	Gèuca	4160	556	44 Gleditschia	2949
402	65 Gèlōnian	2819	413	76 Gleichēnia	1464
71	57 Gèlsēmium	578	556	49 Glinus	15
8	Gèndarāssa	515	423	69 Giōbba	557
612	Geniōsporūm	sy. 1689	556	G. see <i>Alpinia</i>	101
580	Geniōstoma	31917	sy. 600	92 Globe Amaranth	737
81	51 Gèulpa	639	3	Globe Flower	1638
81	Gèulp tree	639	486	Globe Thistle	2468
280	43 Geniūta	1963	92	62 Globulāria, Or.	149
553	G. see <i>Adenocarpus</i>	1965	365	Globulāria	94
162	G. see <i>Cyclophia</i>	1243	43	Globulāria	97
532	G. see <i>Cytisus</i>	1964	62	Globulāria	97
97	Gentian	794	113	Globulāria	97
554	58 Gentiāna	794	670	Glocōprum	sy. 4168
370	68 Gèndiānæ, Or.	129.	556	Glōmus	35252
554	68 Geoddrum	2529	131	71 Gloriōsa	1029
318	44 Geoffrōya	2172	556	Glory Pea	3461
318	G. see <i>Andira</i>	2171	655	Glossārthen	33977
454	Geoglōssum	3135	556	Glossāspis	sy. 2485
669	72 Gèonoma	2782	369	Glossocèardia	21894
82	52 Gèophila	651	367	Glossocèmia	3616*
554	54 Georgina	3616	556	Glossōdia	2517
38	GÈRANIA CÆ, Or.	50.	242	68 Glōssula	2485
276	38 Gerànium	1932	556	43 Glottidium	2089
271	G. see <i>Erodium</i>	1927	68*	55 Gloxinia	1702
273	G. see <i>Pelargonium</i>	1929	639	Clumōsia, see	
385	G. see <i>Sarcocaulon</i>	1992	29	Sisyrrinchium	145
250	60 Gerārđia	1779	33	Glycèria	237
619	G. see <i>Pterostigma</i>	3943	636	G. see <i>Hydrōchloa</i>	258
624	G. see <i>Rehmannia</i>	3955	304	G. see <i>Selerōchloa</i>	33996
250	G. see <i>Seymèria</i>	1780	302	Glycine	2080
69	Gerascānthus	4517	563	43 Glycine	2080
351	53 Gerbèria	2352	314	G. see <i>Amphicarpa</i>	2143
232	German	1648	315	G. see <i>Aplos</i>	2148
55	German Madwort	442	303	G. see <i>Chaetocalyx</i>	2081
596	Gerontōgea	32633	sy. 3444	G. see <i>Fagelia</i>	2146
321	53 Gerōngōn	2196	283	G. see <i>Ponētia</i>	1977
241	55 Gésnera	1698	284	G. see <i>Rhynchōsia</i>	1345
241	G. see <i>Codonophora</i>	1699	314	G. see <i>Rōrhia</i>	1982
520	G. see <i>Coleus</i>	3471	318	G. see <i>Rudōphia</i>	2163
241	G. see <i>Pentarrhaphia</i>	1700	315	G. see <i>Sweetia</i>	2141
123	70 Gèthyllis	977	303	G. see <i>Vandētia</i>	2170
173	45 Gètōnia	1354	428	G. see <i>Wistāria</i>	2147
214	44 Gèum	1530	245	36 Glycōsmis	1323
555	G. see <i>Colūria</i>	1536	340	43 Glycyrrhiza	2082
215	G. see <i>Sievèria</i>	1537	556	Glyphomitron	2980
176	Gèum	11244	1380	61 Gmèlina	1736
12	61 Ghinia	79	341	G. see <i>Antennaria</i>	2318
248	G. see <i>Tamōnia</i>	1757	890	G. see <i>Astèlia</i>	2320
197	Giant Fennel	880	561	G. see <i>Helicrýsum</i>	2323
409	Gigalōbium	24891	2838	G. see <i>Leontopōdium</i>	2324
611	Gigantic Pine	23611	2685	340	294
89	58 Gilia	499	352	G. see <i>Longehamp-sia</i>	2316
555	G. see <i>Ægōchloa</i>	3300	340	G. see <i>Metalasia</i>	2369
203	44 Gillēnia	1516	340	G. see <i>Spiralēpis</i>	2319
555	73 Gilliēsia, Or.	207.	650	Gnemidostachys	2315
271	31 Gillyflower	16078	1817	Gnēmōn	22901
2	Ginger	10	157	Gnētum	23912
143	Gingerbread tree	9300	1143	64 Gnīdia	2729
102	Gingidium	6646	825	G. see <i>Lachnæa</i>	1202
385	Ginkgo	23476	sy. 2659	Gnidium	860
45	Ginseng	25226	2899	Gnidium	6973
113	63 Giōskia	920	156	Gnidium	10141
186	Githago	12019	1415	Gnidium	10141
17	69 Gladolus	128	282	Groat-root	17560
555	G. see <i>Anisāthus</i>	132	203	Goat's-bane	14185
18	G. see <i>Babiāna</i>	125	185	Goat's Beard	2197
18	G. see <i>Synnōtia</i>	129	239	Goat's Beard	13028
19	Gladwyn	1271	142	Goat's Foot	11934
4	Glasswort	23	283	Goat's Foot	11934
				Goat's Origanum	15161
				Goat's Rue	1972
				Goat's Thorn	18956
				Goat's Wheat	16012
				Goatweed	16012
				Godæta	3617
				Godæya	3618
				31 Goldbælia	1881
				Golden Hair	20717
				Golden Rod	812
				Golden Rod	2339
				Golden Rod	9036
				Golden Saxifrage	1379
				Golden Thistle	2479
				Gold of Pleasure	1870
				Goldūssia	3619
				Goldyllocks	2294
				68 Gomèza	2522
				G. see <i>Notyfia</i>	2538
				G. see <i>Rodriguèzia</i>	2321
				39 Gōmphia	1315
				57 Gōmphocarpus	770
				G. see <i>Asclēpias</i>	6173
				43 Gōmpholōbium	1251
				G. see <i>Burdōnia</i>	1252
				G. see <i>Platychillum</i>	1942
				Gōmphonēma	3012
				62 Gōmprēna	737
				G. see <i>Oplothèca</i>	736
				72 Gōmpus	3120
				Gōmūsus	2677
				68 Gōngōra	2546
				G. see <i>Cirrhæa</i>	2524
				G. see <i>Coryanthus</i>	3486
				Gōniocýstis	sy. 4224
				Gōnōma	4251
				Gōniophlègium	3620
				G. see <i>Lepicýstis</i>	3733
				Gōnōpteris	3621
				G. see <i>Nephrodium</i>	3828
				Gōnūm	35501
				Gōnocarpus	sy. 4180
				57 Gōnōlobus	773
				Gonospèrium	20790
				57 Gonostemon	781
				Gōnōdia	615
				G. see <i>Scævola</i>	628
				54 Gōpēndōvæg, Or.	111.
				Good Henry	6468
				810	
				43 Gōōdia	1944
				Good night	4245
				493	
				71 Goodyera	2492
				G. see <i>Æthèria</i>	3303
				Gooseberry	5924 & 5
				Gooseberry	5904
				Goose Corn	8123
				Goosefoot	810
				Goosefoot	17435
				Goose Tansy	13658
				35 Gōrdōnia	2033
				54 Gortèria	2426
				G. see <i>Gazānia</i>	2427
				34 Gossypium	2016
				Gossypium	18150
				40 Gōūātia	2871
				Gōūōtia	3622
				Gōūrd	2198
				Goūrd	23674
				Gōūrd	v. 2695
				Goutweed	856
				Gōvènia	3623
				Grabōwska	3624
				Græ'lsia	3625
				Græ'mia	20606
				Grain of Paradise	162
				210.	
				Graminæ, Or.	210.
				Graminæthes	7355
				Grammatophyllum	3626
				Grammitis	3727
				G. see <i>Monogramma</i>	3808
				G. see <i>Pleocētis</i>	2939
				G. see <i>Pleurogrāma</i>	3921
				G. see <i>Selliguèa</i>	3993

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.					
283	<i>H. see Pueraria</i>	486	<i>H. see Alsóphila</i>	2937	142	<i>H. POLYGYNA, Or. 4.</i>				
284	<i>H. see Stylosánthos</i>	1979	105	852	140	<i>H. TRICYNA, Or. 3.</i>				
310	<i>H. see Taverniera</i>	2122	388		563	Hewárida 3661				
308	<i>H. see Uvária</i>	479			648	Hexacétus 15540 sy. 1734				
284	<i>H. see Zóruia</i>	1978			563	Hexadésmia 3662				
189	} 46 <i>Heimia</i>	1453	398	Hemp	2771	278	Hexoepa sy. 3662			
561		3646	334	Hemp Agrimony	20555	2268	43 Heylánda 1951			
170		1319	236	Hemp Nettle	1666	563	169 38 Iéynea 1302			
561		3647	351	Hen and Chickens	21585 v.	2861	28	Hibbértia 1597		
494	<i>Heléastrum sy. see A'ster</i>	2337	61	Henbane	487	563	} 34 <i>Hibiscus</i>			
593	<i>Heléna, § xv.</i>	933	236	Henbit	14951	289		<i>H. see Pavónia</i> 2011		
561	} 54 <i>Helénium</i>	2359	649	Heockélia	15098 sy.	1787	<i>H. see Thespiáa</i> 2015			
590		<i>H. see Monolopia</i>	3809	670	Hendersónia	4167	384	Hickory tree 23403 2665		
27	<i>Heléochloa</i>	1783 sy.	211	688	Henfréya	3656	} 53 <i>Hierácium</i>			
219				154	Henma plant	9972		<i>H. see Ethónia</i> 3304		
561	} 32 <i>Heliánthemum</i>	1290	562	227	Hepática	1628	<i>H. see Borkhatisia</i> 2214			
688				562	76	HEPA'TICÆ, Or. 6.	326	<i>H. see Calliopea</i> 3413		
358	} 54 <i>Heliánthus</i>	2409	143	HEPA'NDRIA, Cl. 6.	324	324	<i>H. see Hapalosté- phium</i>			
359		<i>H. see Viguiera</i>	2416	143	HEPA'NDRIA, Cl. 7.	25	25	2212		
341	} 53 <i>Helicérysium</i>	2323	143	H. MONOGY'NIA, Or. 1.	563	563	2207			
312		<i>H. see Apheláxis</i>	2326	144	H. DIGY'NIA, Or. 2.	563	563	200		
341	<i>H. see Astéma</i>	2320	144	H. TETRAGY'NIA, Or. 3.	563	563	Higáinsia 3663			
342	<i>H. see Leucostemma</i>	2324	332	H. HEPTAGY'NIA, Or. 4.	609	609	Highland Pine 2685			
342	<i>H. see Phænócoma</i>	2325	562	53 <i>Heracántha</i>	2256	139	51 <i>Hilla</i> 1094			
93			108	50 <i>Heracledum</i>	884	453	} <i>Himántia</i> { 27302 sy. 3131			
561	} 69 <i>Helicónia</i>	745	562	108	<i>H. see Peucedanum</i>	882		3159		
464		<i>Helicospórium</i>	3260	109	109	<i>H. see Zosimia</i>	887	3664		
283	} 34 <i>Helicteres</i>	1993	355	355	Hérba-róta	21794	543	3665		
561		<i>H. see Sterculia</i>	2724	600	Hérba séntiens	32845	1414	54	38 <i>Hippia</i> 2452	
292	<i>Helioarctus</i>	1456	239	239	Herb baroni	15175	1682	579	58 <i>Hippion</i> 470	
561	} 31 <i>Helióphila</i>	1902	562	69 <i>Hierbértia</i>	1913	14	36	<i>Hippobótoma</i> 5088 sy. 409		
357		<i>H. see Heliópsis</i>	2105	277	Herb Paris	10361	1221	10	37 <i>Hippocrátida</i> 100	
52	} 59 <i>Heliotrópium</i>	424	398	Herb Robert	17269	1932	308	36 <i>HIPPOCRATÉACEÆ, Or. 41.</i>		
561		<i>H. see Tiariidum</i>	428	392	35	Hercules's Club	24220	2764	391	65 <i>Hippocrépis</i> 2109
491	<i>Helipterum</i>	20999 sy.	562	35	Hermánia	1916	1099	391	65 <i>Hippomane</i> 2713	
90	<i>Helix</i>	5891	718	413	<i>H. see Mahéria</i>	1917	565	391	<i>H. see Sápium</i> 2214	
231			161	68	<i>Hermánium</i>	2490	397	50	<i>Hippomáthrum</i> 891	
561	<i>Hellebore</i>	1641	367	68	<i>Hermánium</i>	2490	397	50	<i>Hippomáthrum</i> 6762 844	
231	} 28 <i>Helébórus</i>	1641	604	68	<i>H. see Peristylus</i>	3877	397	65	<i>Hipróphne</i> 2755	
561		<i>H. see Coptis</i>	1642	593	68	Herniánc, § xiv.	933	4	65	<i>H. see Shephérdia</i> 2754
231	<i>H. see Eránthis</i>	1640	100	64	Hernándia	2593	170	46	<i>Hippúris</i> 24	
2	} 69 <i>Hellénia</i>	9	562	48	Herniária	813	183	46	<i>Hiptage</i> 10071 sy. 1328	
523		<i>Helmet Flower</i>	3486	270	48	Heron's Bill	1927	176	46	<i>Hiptage</i> 10072 sy. 1328
327	<i>Helminthia</i>	2216	252	60	Herpéstis	1801	82	37	<i>Hiria</i> 1899	
464	<i>Helminthospórium</i>	3258	562	60	Herpéstis	1801	82	44	<i>Hirculus</i> 11266 1380	
669	<i>Helminthostáchys</i>	3648	137	71	Herréria	1075	167	44	<i>Hirtélla</i> 653	
562			537	71	Herschéllia	2473	383	44	<i>Hispidélla</i> 20188 sy. 2226	
562	} 71 <i>Helónias</i>	141	491	71	Hesemasándra	23430 sy.	1731	184	44	<i>Hoffinauséggia</i> 1280
493		<i>H. see Asagraæ</i>	3350	16	69	Hesperántha	121	565	184	<i>Hog Nut</i> 23406 2665
400	<i>H. see Chamælitium</i>	5732	31	69	Hesperidææ	686	64	37	<i>Hog Plum</i> 1465	
140	<i>H. see Lemnátium</i>	2840	260	31	Hesperides	1863	565	37	<i>Hogweed</i> 49	
131			562	31	Héspersis	1863	565	58	<i>Hohenackéria</i> 3666	
562	<i>H. see Zigadónus</i>	1030	562	31	<i>Héspersis</i>	1863	565	58	<i>Hohenbergia</i> sy. 4240	
462	} 50 <i>Helosciádium</i>	3149	255	<i>H. see Andreóskia</i>	1464	565	565	58	<i>Hoitzia</i> 501	
564		<i>Helvélla</i>	3141	260	<i>H. see A'rabis</i>	1827	410	565	58	<i>Holarhèna</i> 3667
70	<i>HEMEROCALLI'DEÆ, Or. 191.</i>		256	<i>H. see Malcómia</i>	1862	410	565	58	<i>Holbóllia</i> 2015	
126	} 70 <i>Hemerocállis</i>	1007	602	<i>H. see Neurolóma</i>	1852	410	565	58	<i>Holcús</i> 2854	
562		<i>H. see Fúncia</i>	1008	647	<i>H. see Párrya</i>	1825	25	565	58	<i>H. see Arhenathèrum</i> 2855
126	<i>H. see Páncratium</i>	934	18	72	Heteranthèra	135	51	58	<i>H. see Chrysopógon</i> 2853	
572	<i>Hemadéphis</i>	507 sy.	54	72	Heterochæta	30685 sy.	2332	287	34	<i>H. see Hierochloa</i> 280
562	<i>Hemárida</i>	3650	647	72	Heterómórpha	6892 sy.	862	242	34	<i>Hollybock</i> 17856 2107
562	<i>Hemidiclia</i>	3651	494	72	Heteropáppus	2337	495	622	61	<i>Holly Oak</i> 23436 2666
93	<i>Hemidésinus</i>	751	377	75	Heteropáppus	2337	495	622	61	<i>Hologyune</i> 31710 sy. 3723
562	<i>Hemidictyum</i>	3652	377	75	Heteropáppus	2337	495	622	61	<i>Hologophyllum sy. see Athaúsia</i> 2308
562	<i>Hemigèna</i>	3653	182	37	Heteropáppus	2337	495	622	61	<i>Holohæmus</i> 1396 157
562	<i>Hemigónium</i>	3654	352	53	Heteropáppus	2337	495	622	61	<i>Holostea</i> 11635 1389
8	<i>Hemimèris</i>	50	458	53	Heteropáppus	2337	495	622	61	<i>Holostèum</i> 290
253	<i>Hemimèris</i>	16070	370	68	Heterotáxis	2534	965	34	34	<i>Holostèum</i> 3195 364
253	<i>Hemimèris</i>	16071 sy.	1813	68	Heterotáxis	2534	965	34	34	<i>Holostèum</i> 11635 1389
417	} 76 <i>Hemionitis</i>	2903	563	68	Heterotáxis	2534	965	34	34	<i>Holostèum</i> 3195 364
562		<i>H. see Antróphyum</i>	2929	563	68	Heterotáxis	2534	965	34	34
421	<i>H. see Dipláziun</i>	2925	99	49	Heúchera	805	133	69	69	<i>Holostèum</i> 11635 1389
417			563	49	Heúchera	805	133	69	69	<i>Holostèum</i> 11635 1389
558	<i>H. see Gymnográmna</i>	2904	392	49	Heúchera	805	133	69	69	<i>Holostèum</i> 11635 1389
417	<i>H. see Menicium</i>	2905	116	49	Heúchera	805	133	69	69	<i>Holostèum</i> 11635 1389
420	<i>Hemionitis</i>	25484	2924	116	Heúchera	805	133	69	69	<i>Holostèum</i> 11635 1389
562	<i>Hemitélia</i>	3655	139	116	Heúchera	805	133	69	69	<i>Holostèum</i> 11635 1389

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
493	Honey Garlic	3824	566	Hybanthëra	3677
513	Honey Locust tree	25119	2884	Hybânthus	5821 sy. 707
79	Honeysuckle	621	670	Hýdnángium	4169
55	Honeywort	439	452	Hýdnobolles	4170
104	Honeywort	849	670	Hýdnum	3128
483	Honghel-bush	23124	3295	<i>H.</i> see Rádulum	4209
9	Hooded Milfoil	67	175	49 Hydránga	1378
643	Hoodia	6249	779	566	1878
429	Hookëria	2992	232	28 Hydrástis	1645
19	<i>H.</i> see Brodiaëa	141	563	Hydrópera	5694 sy. 698
413	Hoop Ash	25077	2870	68 HYDROCHARIDÆE, Or. 179.	
116	Hoop Petticoat	7583	533	401 Hydrócharis	2795
398	} Hop	2772	33	75 Hydróchloa	268
566			106	50 Hydrócotyle	853
383	Hop Hornbeam	2660	566	50	863
335	Hopkirkia	20629 sy.	2283	106	106
296	Hop-like Trefoil	18303	2061	435	Hydrodictyon
			275	423	Hydroglóssum
35	74 Hördeum	275			25649 sy. 2946
237	Horehound	1672	98	Hydroalápathum	9179 1126
565	44 Horkëlia	3670	145	58 Hydrólea	795
565	60 Hornlumum	3671	566	58 HYDROLEACEÆ, Or. 135.	
239	Hornlumum	14933 sy.	1663	566	Hydroméstus
131	Hornlumum	15190 sy.	1684	29	HYDROPELTIDÆE, Or. 8.
211	Hornlumum Clary	727	76	29	Hydropeleis
383	Hornbeam	2661	232	29	Hydrophora
251	60 Hornmännia	1784	670	61	Hydrophora
251	<i>H.</i> see Tittmännia	1785	463	Hydrophora	27779 sy. 3238
32	Horngrass	247		59	HYDROPHYLLÆE, Or. 139.
12	Horn of Plenty	793	86	59	Hydrophyllum
216	Horn Poppy	1551	60	<i>H.</i> see Nemóphila	478
382	Hornwort	2651	59	<i>H.</i> see Phacëlia	477
143	Horsechestnut	1137	659	Hydropterum	sy. 2634
104	Horse Poppy	844	567	Hydrótania	3679
258	31 Horseradish	16323	1848	158	Hydró- § 10237
167	Horseradish tree	1279	160	123	piper § 10365 & 6 sy.
308	Horse-shoe Vetch	2109	670	Hydrurus	4172
424	Horsetail	2954	434	Hydrocrocis	3032
375	Horsetail tree	22873	2954	61	Hydrophila
330	Horse Thistle	2243	672	<i>H.</i> see Marhántia	1728
175	Hortensia	11235 sy.	1378	670	Hydrophorus
565	43 Hosáckia	3672	673	Hylocýstis	35530 sy. 4182
8	61 Hósta	51	165	44	Hymenæa
642	Hotëia	34214 sy.	1515	567	33 Hymenanthëra
400	Hottentot Bread	2735	456	3155	568
111	Hottentot Cherry	7219	895	567	Hymenocállis
205	Hottentot Fig	1520	569	<i>H.</i> see Ismène	935
58	62 Hottônia	456	297	43	Hymenocárpus
565	Houllëia	3673	567	3681	334
54	Hound's Tongue	435	75	51	Hymenodictyon
193	Houseleek	1468	670	49	Hymenogâster
43	} 58 Houstônia	343	495	49	Hymenogone
566					
490	<i>H.</i> see Andôis	3332			Hymenólepis sy. see
48	<i>H.</i> see Bouvárdia	378	335	53	Hymenopáppus
37	73 Houttuýnia	301	567		2276
277	} 43 Hóvea	1940	335	<i>H.</i> see Cephalóphora	2274
566				<i>H.</i> see Polýpterus	2277
296	<i>H.</i> see Plagiólobum	2057	637	Hymenonëma	34002 2201
86	Hóvenia	691	423	519	592
95	} 57 Hoýa	776	423	76	Hymenophýllum
688					
188	} 32 Hudsonia	1445	567	<i>H.</i> see Trichómanes	2942
566					
97	57 Huérnia	790	61	Hymenopýramis	3682
566	Hügëlia	3674	567	Hymenostomum	4175
277	35 Hugônia	1935	61	Hymenoxys	3683
566	Humata	3675	32	59	Hyoscýamus
405	Humble Plant	24613	2834	327	<i>H.</i> see Scopólia
337	53 Hùmea	2301	328	53	Hýóseris
398	} 66 Hùmulus	2772	51	<i>H.</i> see Krigia	2221
566					<i>H.</i> see Lapsána
217	Hungarian Lotus	13810	1556	324	<i>H.</i> see Tarincia
566	30 Innemännia	3675*	167	50	Hypécoum
653	Huntingdon Elm	6542 v.	814	567	408
566	Huntlëya	3676	567	Hyperanthëra	10831 sy.
690	<i>H.</i> see Wárræa	4094	293	36	HYPERICINÆE, Or. 38.
392	65 Húra	2723	225	36	Hypëricum
259	31 Hutchinsia	1851	321	<i>H.</i> see Androsæmum	2043
687	Húttia	sy. 4245	672	<i>H.</i> see Reaumúria	1607
137	Hyacinth	1080	399	<i>H.</i> see Vismæa	2192
137	} 71 Iyacinthus	1080	429	72	Hyperrhiza
566					35496 sy. 4178
135	<i>I.</i> see Bellevalia	1055	429		2179
137	<i>I.</i> see Drimia	1077	427	<i>H.</i> see Anémodon	2986
138	<i>I.</i> see Muscári	1082	429	<i>H.</i> see Dirianum	2978
137	<i>I.</i> see Zuccagnia	1081	567	<i>H.</i> see I.éskæa	2993
402	65 Ilyanáuche	2803	279	Hypocalýma-a	3684
402	Ilyæna Poison	2803	328	43	Hypocalýptus
670	Ilyalothëca	4168	567	53	Hypochæris
					2227
					482
					328
					<i>H.</i> see Robértia
					2223
					Hypocýrta
					3685
					<i>H.</i> see Allopléctus
					3314
					3686
					Hypodéris
					3687
					Hypóelytrum
					57
					61 Hypóestes
					396
					73 Hypolæna
					2739
					Hypolëpis
					3688
					72 Hypóelytrum
					172
					Hypóphitys
					10985 1330
					70 HYPOXIDÆE, Or. 189.
					123
					70 Hypóxis
					981
					567
					61 Hýptis
					1661
					Hyssum
					26928 3118
					567
					Hyssop
					1653
					233
					60 Hyssópus
					1653
					<i>H.</i> see Elshóltzia
					3655
					<i>H.</i> see Lophánthus
					1679
					<i>H.</i> see Stáchys
					1669
					Hysterangium
					4176
					Hystërium
					3167
					Hysteróphorus
					22371 2457
					Hýstrix
					1696
					Hýstrix
					2373 275
					31
					Hþëris
					1853
					<i>I.</i> see Hutchinsia
					1851
					<i>I.</i> see Teesdália
					1852
					Icacorea
					4560 sy. 571
					Iccabo
					12890 1503
					Iceland Moss
					26730 3096
					Ice Plant
					13289 1520
					Ichnocárpus
					540
					68 57
					Icica
					171 41
					Icosánnaria, Cl. 12.
					194
					I. MONOGÝNIA, Or. 1.
					I. DI-PENTAGÝNIA, Or. 2.
					I. POLYGÝNIA, Or. 3.
					Idæus
					13505 1523
					40 Ilex
					411
					<i>I.</i> see Mahônia
					1091
					<i>I.</i> see Hýginda
					411
					<i>I.</i> see Prinos
					1089
					Ilex
					23421 2656
					Ilex
					23436 sy. 2656
					48
					Illicëbrum
					726
					<i>I.</i> see Lahya
					738
					<i>I.</i> see Paronychia
					728
					<i>I.</i> see Philóxerus
					723
					28
					Illicium
					1615
					Illosporium
					3221
					Íllus, § v.
					993
					Imatophýllum
					29542 sy. 3464
					645
					Imhðia
					sy. 963
					38
					Impatiens
					698
					<i>I.</i> see Balsamina
					697
					36 75
					Imperatã
					287
					106 50
					Imperatãria
					870
					<i>I.</i> see Angëlica
					874
					<i>I.</i> see Sellinum
					873
					Incarvillea
					15397 1706
					Incarvillea
					15419 1710
					<i>I.</i> see Æschynán-
					thus
					3302
					Indian Bay
					10388 1226
					Indian Blue
					13805 1555
					Indian Corn
					2602
					Indian Cress
					1148
</					

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	
360	Knapweed	22098	} 2424	14	Lamb's Lettuce	96	336	53	<i>Lavènia</i>	2288		
360	Knapweed	22151		439				575				
44	52 <i>Knaütia</i>		347	671	Laminària	3078	87	33	<i>Lavràdia</i>	700		
175	Knauel		1375	435	Laminària	26286	3040	154	46	<i>Lawsbütia</i>	1180	
699	Knee Pine	23576 v.	2685	236	} 60	<i>Lâmium</i>	1665	134	71	<i>Laxmânüia</i>	1049	
671	Kneiffia		573	573						52		
40	64 <i>Knighthia</i>		324	573	Lamouroúxia		3716	460		Leanglum	3199	
563	Knigh't's Star		3665	573	Lampròtis			157		Leather wood	1198	
91	Knoggrass		726	37	Lampwick	15072	1674	279	43	<i>Lebeckia</i>	1956	
229	28 <i>Knowltonia</i>		1635	118	Lanària	7656	942	301	1	<i>L. see Indigófera</i>	2072	
46	} 52	<i>Knóxia</i>	354	136	Lancashire Asphodel	8923	1070	288	34	<i>Lebrètônia</i>	2013	
572												
377	73 <i>Kobrësia</i>		2600	227	Lancewood	14383	1625	575		<i>Leeanóptèris</i>	3725	
99	63 <i>Kóchia</i>		809	266	Lándra	16634	1817	487		<i>Lecanócarpus</i>	23228 sy. 2628	
516	K. see <i>Chenolèa</i>		729	573	Lanketèria		1718					
29	} 75	<i>Koelèria</i>	235	245	} 61	<i>Lantàna</i>	3737	441		<i>Lecandra</i>	3093	
572												
328	63 <i>Koel'pina</i>	20211 sy.	2230	109	Lantàna	7129	892	675	36	<i>L. see Parmèlia</i>	3094	
37	63 <i>Koefigia</i>		298	688	Lapagèria		4253	126		<i>Lechèa</i>	292	
560	<i>Kohaütia</i>	sy.	388	17	} 59	<i>Lapeyróusia</i>	4253	79		54	<i>Lechenaültia</i>	614
34	<i>Kola</i>		574	574						576		
587	<i>Kólbea</i>	9119 sy.	1111	574	Laplàcea		3718	440		<i>Lecidea</i>	3085	
35	<i>Koleho</i>		109	558	Laplàcea	sy.	2033	671				
145	37 <i>Kölreutèria</i>		1166	328	<i>Láppa</i>	20226	2237	219		47	<i>Lécythis</i>	1588
257	31 <i>Koniga</i>		1842	25	} 74	<i>Lappàgo</i>	193	575				
514	<i>Kópsia</i>	sy.	550	574							575	
242	33 <i>Kramèria</i>		1750	53	<i>Láppula</i>		3518	426	102	50	<i>Ledeboúria</i>	3726
627	<i>Kráppa</i>	33701	2719	188	<i>Láppula</i>		12130	1443	575		<i>Ledebüria</i>	829
572	<i>Kreysigia</i>		3707	328	53 <i>Lapsánia</i>		2228	496			<i>Ledocárpum</i>	23628 sy. 3368
327	} 53	<i>Krígia</i>	2220	328	<i>L. see Rhagadolus</i>		2230	575			<i>Ledocárpum</i>	1414a
572							328	<i>L. see Zacíntha</i>		2229	219	
334	} 53	<i>Kühnia</i>	2269	574	48 <i>Larbrèa</i>		3719	171	55	<i>Lèdum</i>	1336	
572							388	<i>Larch</i>		2687	171	
572	72 <i>Kúnthia</i>		3708	574	28 <i>Lardizabàla</i>			145	38	<i>Leèa</i>	594	
285	35 <i>Kýdia</i>		1999		<i>Laricio</i>	23578	2685	132		<i>Lee Chee</i>	9358	
22	} 73	<i>Kyllínga</i>	165	387	<i>Laricio</i>	23581	2685	367		<i>Leek</i>	8602	
572							609			575		
572	60 <i>LABIATÆ, Or. 142.</i>		3709	574	67 <i>Làrix</i>		2687	575		41	<i>LEGNUMINOSÆ, Or. 67.</i>	
572	<i>Labidhæa</i>		3710	222	<i>Larkspur</i>		1599	575			<i>Leíanthus</i>	3727
316	44 <i>Láblab</i>		2154	112	48 <i>Laròchea</i>		913	361		<i>Leighia</i>	21949 sy. 2400	
572	<i>L. see Lablavia</i>		2154	169	} 39	<i>Lárrea</i>	1307	4	9	<i>Leimánthum</i>	2849	
572	<i>Lablavia</i>		2154	574							171	
171	<i>Labrador Tea</i>		1336	108	50 <i>Laserpitium</i>		881	438		<i>Lemæna</i>	3070	
82	<i>Labrúcea</i>	5369	655	574	<i>L. see Cächrys</i>		889	375	73	<i>Lèmma</i>	2588	
281	<i>Labúrnum</i>	17519	1964	109	<i>L. see Cnidium</i>		860	320	36	<i>Lemon</i>	19665	
593	<i>Lacæna</i>		3711	577	<i>L. see Ligústicum</i>		875	410		<i>Lemon Grass</i>	24916	
272	<i>Lacathèa</i>	18154 sy.	2033	577	<i>L. see Siler</i>		3996	575		<i>Lemônia</i>	3728	
156	<i>Lacebark</i>	10136	1196	638	<i>L. see Thápsia</i>		845	575		<i>Lennæa</i>	3729	
688	<i>Lacepèdeæ</i>		4252	104	<i>Laserwort</i>		881	312		<i>Léns</i>	19268	
138	} 71	<i>Lachenália</i>	1083	104	<i>Laserwort</i>	6785	845	109		<i>Lentàgo</i>	7119	
573							574			3719		
137	<i>L. see Drímia</i>		1077	574	<i>Lásia</i>		3720	312		61	<i>LENTIBULOSÆ, Or. 147.</i>	
538	<i>L. see Zuccàgnia</i>		1081	574	<i>Lasiagróstis</i>		3721	312			<i>Lenticula</i>	19270
137	64 <i>Lachnæa</i>		1202	613	<i>Lasiandra</i>		3721	312			<i>Lentil</i>	19268
18	70 <i>Lachnánthes</i>		140	462	<i>L. see Pleróma</i>		1360	398			<i>Lentiscus</i>	24128
323	53 <i>Lactüca</i>		2204	86	<i>Lasiobotrys</i>		3227	460			<i>Leocárpum</i>	3198
573	} 32	<i>Ládanum</i>	14953	1666	} 35	<i>Lasiopétalum</i>	680	597			<i>Leochilus</i>	3730
236										574		
41	<i>Ladies' Bedstraw</i>	7267	906	86	<i>Lasiopetalum</i>	sy.	3439	138	29	<i>Leonténe</i>	1086	
42	<i>Ladies' Mantle</i>		337	86	54 <i>Lasiopérmum</i>		2305	502		<i>L. see Hongáriáa</i>	3389	
373	<i>Ladies' Slipper</i>		2580	86	<i>L. see Séringia</i>		682	138		<i>L. see Cauphýllum</i>	1087	
256	<i>Ladies' Smock</i>		1829	574	<i>L. see Thomásia</i>		681	324				
368	<i>Ladies' Traces</i>	22557	2496	574	<i>Lasthèna</i>		3723	575	53	<i>Leóntodon</i>	2207	
422	<i>Lady Fern</i>	25601	2938	403	<i>Lastràna</i>		3724	506		<i>L. see Calliopèa</i>	3413	
573	<i>Læ'lia</i>		3712	218	72 <i>Latània</i>		2818	324		<i>L. see Thrinicia</i>	2209	
512	<i>L. see Cattlèya</i>		2553	313	61 <i>Lathræa</i>		1770	138		<i>Leontopétalum</i>	9038	
217	32 <i>Læ'tia</i>		1569	575	43 <i>Láthyru</i>		2136	340	53	<i>Leontopétalum</i>	2316	
573	<i>Læfo'nsia</i>		3713	312	<i>L. see E'rvum</i>		2134	351		<i>Leopárd's-bane</i>	2353	
336	53 <i>Lágasca</i>		2286	314	<i>L. see O'robos</i>		2138	344		<i>Leopard's-</i>	21140	
336	<i>L. see Nócea</i>		2287	192	<i>Láthyru</i>	12369	1460	351		<i>bane</i>	21555	
389	} 47	<i>Lagenària</i>	2695	160	<i>Laugèria</i>	sy.	2636	382	72	<i>Leopoldia</i>	2641	
573							160			1226		<i>Leótia</i>
219	46 <i>Lagerstrœ'mia</i>		1587	200	<i>Laurel Cherry</i>	12887	1502	575		<i>L. see Mitrlua</i>	4137	
573	<i>Lagetta</i>		1196	106	<i>Laureola</i>	10138	1197	236		<i>Leopánthes</i>	3731	
156	64 <i>Lage'cia</i>		717		<i>Laurestine</i>	7109	892	326		<i>Lepichéma</i>	1663	
168	44 <i>Lagonýchium</i>		1284	200	63 <i>LAVINÆ, Or. 158.</i>							
269	<i>Lagópys</i>	16852	1921	415	<i>Laurocárasus</i>	12887	1502	43		<i>Lepicépalus</i>	2879 & 2880	
326	53 <i>Lagóseris</i>		2213	160	77 <i>Lauróphýllus</i>		2894	575		<i>Lepichósma</i>	3732	
326	<i>L. see Borkháusia</i>		2214	575	64 <i>Láurus</i>		1226	244	61	<i>Lepidagathis</i>	1734	
327	<i>L. see Crépis</i>		2215	160	<i>L. see Cinnamódmum</i>		1225	262		31	<i>Lepidium</i>	1873
291	34 <i>Langunc'a</i>		2024	161	<i>L. see Pírsea</i>		1228	576			<i>L. see Fúndmia</i>	1875
883	<i>L. see Amiròdia</i>		2056	625	<i>L. see Ilúis</i>		894	263			<i>L. see Ilutchinsia</i>	1851
39	<i>L. see Hibiscus</i>		2614	647	<i>L. see Tradènia</i>		4056	259			<i>L. see Senebièra</i>	1872
225	75 <i>Lagúrus</i>		198	234	60 <i>Lavándula</i>		1656	262			<i>L. see Teesdàlia</i>	1852
92	48 <i>Laháya</i>		738	489	<i>L. see Anisoehilus</i>		3828	259			<i>Lepidónema</i>	32336 sy. 3798
573	<i>Lálage</i>		3715	287	34 <i>Lavátèra</i>		2008	21	73	<i>Lepidospèrma</i>	152	
85	<i>Lamárkia</i>	5335 sy.	672	575	<i>Lavender</i>		1656	492		<i>Lepigónum</i>	11652 sy. 1390	
40	} 64	<i>Lambértia</i>	319	337	<i>Lavender Cotton</i>		2304	576			<i>Lepismium</i>	3734

Lin. Nat.	Sp.	Gen.	Lin. Nat.	Sp.	Gen.	Lin. Nat.	Sp.	Gen.
445 } 672			125 } 72	998		457		<i>Linum stellatum</i> 3841 457
433 } 669			354 } 54	2378	48	26386		<i>Linza</i> 26386 3059
433 } 669			354 } 54	2379	238			<i>Lion's Ear</i> 1676
433 } 669			354 } 54	577	340			<i>Lion's Foot</i> 2316
262 } 31			1868	50	715	138		<i>Lion's Leaf</i> 9038 1086
6 } 60			97	54	1303	296		<i>Lion's Tail</i> 15097 1676
576 } 72			169		8041	979	43	<i>Liparia</i> 2059
18 } 72			123		sy. 2340	296		<i>L. see Priestlèya</i> 2060
635 } 360			135 } 57		875	373	69	<i>Liparis</i> 2576
350 } 569			107		835	580		<i>L. see Micròstylis</i> 2575
255 } 31			1820		881	659		<i>Lipochæta</i> 34508 <i>sy.</i> 4102
396 } 73			2743		3746	579	51	<i>Lipostoma</i> 3755
33 } 74			262		857	246	61	<i>Lippia</i> 1740
576 } 569			3735		3803	246		<i>L. see Zapània</i> 1745
559 } 576			3630	605	3883	385	67	<i>Liquidambar</i> 2667
576 } 576			3736	107	876	303		<i>Liquorice</i> 2005
576 } 576			3737		876	303		<i>Liquiritia</i> 18721 <i>sy.</i> 2082
558 } 92			107		877	61	28	<i>Liriodendron</i> 1617
92 } 64			2904		4078	579	58	<i>Lisiánthus</i> 483
434 } 667			742	651	832	689		<i>L. see Eùstoma</i> 466
667 } 576			3033	102	401	549		<i>L. see E'xacum</i> 366
576 } 196			3036	5	575	575		<i>L. see Leianthus</i> 3727
576 } 576			3738	577	41	65	55	<i>Lissánthe</i> 507
576 } 576			1480	6	8881	1063	68	<i>Lissochilus</i> 2527
576 } 576			1480	6	8879	1062	370	<i>Listera</i> 2501
576 } 576			1480	6	8879	1062	579	<i>Litchi</i> 9358 1159
576 } 576			1480	6	1016	145	59	<i>Lithospermum</i> 429
576 } 576			1480	6	8814	1054	53	<i>L. see Batschia</i> 430
576 } 576			1480	6	1016	1016	55	<i>L. see Lycónaria</i> 444
576 } 576			1480	6	8814	1054	53	<i>L. see Pulmonaria</i> 438
576 } 576			1480	6	1016	1016	55	<i>Lithraea</i> 3756
576 } 576			1480	6	1016	1016	55	<i>Litobróckia</i> 3757
576 } 576			1480	6	1016	1016	55	<i>Litæa</i> 950
576 } 576			1480	6	33150	3005	161	<i>Litorea</i> 2621
576 } 576			1480	6	19666	2187	622	<i>Litsea</i> <i>sy.</i> 1227
576 } 576			1480	6	1576	144	72	<i>Live Oak</i> 23444 2666
576 } 576			1480	6	19665	2187	635	<i>Livistonia</i> 1125
576 } 576			1480	6	1144	321		<i>Lizard's Tail</i> 1145
576 } 576			1480	6	3750	570		<i>Lizard's Tongue</i> 3978
576 } 576			1480	6	1558	689	48	<i>Loasa</i> 2193
576 } 576			1480	6	28806	2558		<i>L. see Blumenbachia</i> 2194
576 } 576			1480	6	28371	28371		<i>L. see Scyphanthus</i> 2195
576 } 576			1480	6	29234	2923		<i>Loasee, Or. 87.</i>
576 } 576			1480	6	3623	77		<i>Lobadium</i> <i>sy.</i> 894
576 } 576			1480	6	1320	579	54	<i>Lobelia</i> 609
576 } 576			1480	6	1324	90		<i>L. see Cýpha</i> 714
576 } 576			1480	6	1313	78		<i>L. see Monopsis</i> 610
576 } 576			1480	6	654	79		<i>L. see Scaevola</i> 620
576 } 576			1480	6	7490	929	639	<i>L. see Sibhocampylus</i> 3099
576 } 576			1480	6	10963	1322	54	<i>LOBELIACEÆ, Or. 109.</i>
576 } 576			1480	6	19666	2187	610	<i>Lobolly Pine</i> 23590 2085
576 } 576			1480	6	1793	321		<i>Loch Limond Oak</i>
576 } 576			1480	6	3751	3751		23410 <i>v.</i> 2666
576 } 576			1480	6	1775	165		<i>Lockhartia</i> 22809 <i>sy.</i> 2577
576 } 576			1480	6	803	279	43	<i>Locust tree</i> 1269
576 } 576			1480	6	3752	630		<i>Loddigèsia</i> 1555
576 } 576			1480	6	3753	430		<i>Lodolicia</i> 33733 <i>sy.</i> 2819
576 } 576			1480	6	1800	14	48	<i>Lodolia</i> 275
576 } 576			1480	6	1786	565		<i>Loefflingia</i> <i>sy.</i> 501
576 } 576			1480	6	3754	591		<i>Lœdia</i> 4269 <i>sy.</i> 99
576 } 576			1480	6	3718	580	58	<i>Logania</i> 471
576 } 576			1480	6	2931	168		<i>Logwood</i> 1287
576 } 576			1480	6	3842	3842	35	<i>Loliceæria</i> 4354 <i>sy.</i> 522
576 } 576			1480	6	3984	3984	61	<i>Lolium</i> 271
576 } 576			1480	6	14595	1637		<i>Lomagràmma</i> 3758
576 } 576			1480	6	4598	577	658	<i>Lomandra</i> 24265 <i>sy.</i> 2776
576 } 576			1480	6	26157	3022	44	<i>Lomaria</i> 2917
576 } 576			1480	6	36264	4248	40	<i>L. see Stenochlaena</i> 4028
576 } 576			1480	6	1703	580	64	<i>Lomata</i> 322
576 } 576			1480	6	9477	1173		<i>Lomatophyllum</i>
576 } 576			1480	6	81	81		8478 & 9 <i>sy.</i> 1021
576 } 576			1480	6	22579	2504	616	<i>Lombardy Poplar</i> 24393 2793
576 } 576			1480	6	22649	2529	338	<i>Lõnas</i> 2309
576 } 576			1480	6	22753	2558	44	<i>L. see Lõnas</i> 2309
576 } 576			1480	6	22780	2566	44	<i>Lonchitis</i> 2928
576 } 576			1480	6	2294	567		<i>L. see Hypolèpis</i> 3688
576 } 576			1480	6	921	921		<i>L. see Litobróckia</i> 3757
576 } 576			1480	6				<i>Lonchitis</i> 25586 2938

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
183	M. see Buchananiana 1466	23	Mat Grass 176	174	M. see Clidemia 1359
85	M. see Elaeodendrum 672	27	Mat Grass 210	587	M. see Medinilla 3749
183	M. see Spodias 1405	586	Matonia 3788	174	M. see Micoua 1357
406	Mangium 2477 2837	354	Matricaria 2376	154	M. see Oshickia 1181
188	Mangle 12103 1428	586	Matthiola 1817	171	M. see Pleroma 1360
585	Manglesia 3780	254	Matthiola 1817	174	M. see Tococa 1361
70	56 Mangilla 570	586		46	MELASTOMA'CEÆ, Or. 81.
3	Mango Ginger 182 14	381	M. see Guettarda 2636	269	35 Melhania 1920
188	Mangostan 12104 1429	53	59 Mattia 427	168	38 Mella 1253
380	Mangostan 23203 2628	531	M. see Cynoglossum 453	587	
188	36 Mangostana 12104 1429	250		432	38 MELIA'CEÆ, Or. 48.
188	Mangosteen 1429	586		219	39 Meliantha 1704
413	Mango tree 2879	399	72 Mauritia 2781	32	75 Melica 251
188	Mangrove 1428	111	Maurocœnia 7219 895	32	M. see Molinia 252
386	73 Manicaria 2678	316	Maz 19451 2149	32	Melic Grass 251
387	Mânicot 23568 2682	370		65	55 Meliebrus 506
392	Mânhot 23851 2718	586	68 Maxillaria 2537	145	37 Melicœca 1160
288	Mânhot 17936 2014	689		155	39 Melicope 1191
36	74 Manisvurus 282	482	M. see Acropora 3290	587	Melicytus 3792
311	Manna 2128	530	M. see Cymbidium 2523	298	Melilot 2065
12	Manna Ash 786	83	558	298	43 Melibœtus 2065
3	69 Mantisia 16	565	M. see Houlietia 3673	296	M. see Medicago 2061
253	60 Manulea 1806	582	M. see Lycaste 3769	298	M. see Pocockia 2064
583	M. see Lypœria 3771	618	M. see Promœna 3937	297	M. see Trigœnia 2063
412	Maple 2867	637	M. see Warrea 4094	651	Melinis 1770 sy. 206
481	Maple 2867	413	72 Maximilliana 2882	299	
627	Mappa 23860 sy. 2719	216	May Apple 13769 1548	388	60 Melissa 1684
1	69 Maranta 2	5	Mays 25042 2602	239	
585	M. see Phrynum 5	412		35	M. see Calamiflora 1683
607	M. see Phrynum 5	412		2868	M. see Agœta 1684
424	76 Marattia 2952	587	40 Majtenus { 35	240	Melissophyllum 15215 1686
585	Marcœtia 3781	251	60 Mazus 21757 2284	689	Melittis 1686
215	36 Marcgravia 1542	32	Meadow Grass 254	194	Melidœca 4255
585	Marcgravia 1542	229	Meadow Rue 1633	588	49 Melocactus 23701 2659
432	36 MARCGRAVIA'CEÆ, Or. 40.	141	Meadow Saxifrage 1119	124	75 Melocœna 985
672	Marchantia 2999	104	Meadow Saffrage 844	269	35 Melochia 1918
672	Marchantia 2999	203	Meadow Sweet 13040 1515	93	57 Melodina 1919
4	M. see Lunularia 4177	216		389	Melon 23701 2699
586	44 Margyricarpus 3782	587	30 Meconopsis 1553	73	Melongœna 4808 sy. 591
650	Mariava 34485 sy. 4067	140	70 Medœta 1114	389	Melon Pumpkin 23694 2698
586	Marianthus 3783	140	M. see Myrsiphyl- lum 1109	588	Melon Thistle 3792*
20	69 Mœria 144	320	Mœdia 19664 2187	194	Melon Turk's-cap 1470
20	M. see Bobartia 146	296	43 Medicago 2061	433	Melœpepo 23694 2698
20	M. see Sisyrinchium 145	587	M. see Hymenocarpus 2062	375	47 Melœthria 2591
363	Marigold 2448	297	M. see Medick 2061	189	Melvilla 12213 sy. 1454
586	Marila 3784	296	Mœdium 5022 607	156	45 Memœcyon 1195
22	73 Mariscus 166	77	Medlar 1505	257	31 Menisœus 1841
586	Marjoram 1680	200	Medusa's Head 12281 1460	588	76 Menisœium 2905
634	Marjorana 14760 sy. 1650	587	31 Megacarpœa 1855		28 MENISPERMIA'CEÆ, Or. 5.
586	Marœca 3785	190	68 Megaclinium 2545	402	29 Menispermum 2806
219	Marmelos 13916 1585	190	Megœsea 11229 sy. 1380	588	
237	Marrubias- trum { 15052 1673	260	75 Megastœchia 256	400	M. see Cœculus 2788
238	15103 1677	371	M. see Sclerœchia 257	400	M. see Coscinium 2789
237	60 Marrubium 1672	587	Melagœnium 26268 3044	588	M. see Thiacœra 2790
499	M. see Beringœria 3378	175		235	60 Mœntha 1659
95	57 Marsœnia 775	587	Melaleuca 2179	588	M. see Dysophylla 3559
335	53 Marshœlia 2280	33	M. see Astartœa 3352	540	M. see Elshœltzia 1655
586	Marsh Cinquefoil 13576 1527	587	Melampœdium 2446	196	48 Mentzœlia 1478
237	Marsh Mallow 2007	494	Melampyrum 1741	583	58 Menyœntia 463
282	Marsh Marigold 1643	363	53 Melananthœra 2279	58	M. see Villarsia 461
542	Marsh Parsley 3566	587	Melanœdium 3269	153	55 Menziœsia 1174
106	Marsh Pennywort 6900 863	464	Melanogœster 4178	588	Meœschium 24957 sy. 2856
425	76 Marsilea 2960	672	Melanopsidium 1486	509	65 Mercurialis 2794
235	MARSILEA'CEÆ, Or. 4.	197	41 Melanorhœna 3791	401	Mercury 2794
	Marsypianthus 14920 sy. 1661	587	50 Melanoselinum 3791	401	71 Merœndœra 1120
129	8408 1016	269	Melanœxylinum 16849 1920	141	M. see Cœchicum 1119
244	58 Martynia 1720	269	71 MELANTHA'CEÆ, Or. 197.	588	47 Merœna 1363
586	M. see Chœrita 3449	140		80	Merœna 5280 sy. 636
244	M. see Craniolœria 1721	140		632	Merœndœra 741 sy. 76
238	Mœru 15124 1680	587		674	Meridion 4179
233	Mœrum 14737 1648	140		453	Merisma 3132
490	Marœta 21757 sy. 2384	400	M. see Androcœm- bium 1117	80	Merismopœdia 4180
52	Marvel of Peru 421	400	M. see Chamœlirium 2792	634	62 Mertensia 2869
586	Masdevœllia 3786	403	M. see Leimœnthium 2840	672	M. see Gleichœnia 2949
135	71 Massœnia 1058	140	M. see Ornithogloœ- sunn 1113	672	62 Mertensia 2869
533	M. see Daubœnya 3519	140	M. see Wurmbeœa 1116	412	66 Mertensia 2869
586	Mastacœanthus 3787	140		127	56 M. see Gleichœnia 2949
106	Mastherwort { 870	17	69 Melasphœra 127	452	
169	{ 886	587		452	Merœlius 2122
238	Mastic 15128 1680	173	47 Melœstoma 1356	673	M. see Agœria 3118
239	Mastic 15157 1681	587		448	M. see Canthœrellus 3121
239	Mastic 15157 1681	174	M. see Acœtis 1362	451	M. see Mœmbryanthem- mm 1520
398	Mastic tree 24218 2763	515	M. see Charœanthus 3444	203	
145	37 Matœyba 1162	174	M. see Chitœnia 1358	588	

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
594	Nephrólepsis	3829	139	<i>Nóthria</i>	9082
443	Nephrodia	3099	255	31 Notóceras	1821
535	Neptunia	sy.	2836	70	2538
121	70 Nerine	965	595	68 Notýlia	596
121	N. see Brunsvigia	967	167	<i>Nága</i>	10806
67	57 Nerium	529	400	Nummulária	2434
594	N. see Alstónia	530	217	30 Nuphar	1557
67	N. see Tabernamontána	548	227	Nutmeg	2829
189	46 Nesaea	1452	287	Nutmeg	14380
533	N. see Décodon	3529	595	Nut Pine	33179*
189	N. see Heimia	1453	384	34 Nuttállia	2005
262	31 Nésia	1871	595	Nut tree	2663
356	Néstlera	21873	70	Núx-vómica	4585
379	Nettle	2615	5	62 NYCTAGINEÆ, Or. 152.	85
412	Nettle tree	2870	5	57 Nyctáthes	42
594	Netoxia	3830	70	Nyctalæa	4556
302	43 Neurocarpum	2074	595	Nycterina	3855
337	53 Neurolaena	2300	69	56 Nycterisition	592
256	31 Neurolóma	1832	74	59 Nyctérium	592
597	Neurobia	32635	517	30 Nymphæa	1556
390	47 Neurospërma	2702	595	N. see Nuphar	1557
84	New Jersey Tea	5502	668	N. see Victória	4089
203	New Zealand Spinach	13056	1519	29 NYMPHÆACEÆ, Or. 9.	391
196	New Zealand Tea	12653	1480	415	64 Nýssa
61	Nicándra	485	620	384	2892
61	N. see Anisódus	486	28	620	2666
167	Nicker tree	1278	495	Oak	223
309	43 Nicolsônia	2119	595	Oat Grass	371
61	59 Nicotiana	488	97	Obeliscária	3836
594	N. see Petúnia	489	411	Obesía	785
568	Nidorélla	21534	519	Obione	24999
459	Nidulária	3183	270	39 O'chna	1582
419	Nidus	25430	2921	19	598
594	32 Nidubhria	1540	595	O. see Gómphía	1315
605	Nierembergia	3831	34	39 OCHNA'CEÆ, Or. 57.	132
225	N. see Petúnia	489	269	Ochrádëus	3838
594	28 Nigélla	1606	68	34 Ochro	238
182	Nigellástrum	11720	32	Ochroma	1921
72	Nightshade	591	260	34 Ochropteris	3839
367	63 Nigritélla	2482	61	33 Ochrosia	551
509	Nitoda sy. see Caprifólium	621	144	35 Ochrosia	332
387	72 Nipa	2681	144	31 Ochthodium	1857
594	Niphæa	3832	158	Ocote	23605
418	76 Niphobolus	2911	160	161 Ocota	10393
594	N. see Drymoglósum	3551	672	144 OCTA'NDRIA, Cl. 8.	598
328	Nipplewort	2228	372	O. MONOGYNIA, Or. 1.	311
390	Niruri	23757	2708	O. DIGYNIA, Or. 2.	306
303	43 Nissolia	2084	545	O. TRIGYNIA, Or. 3.	418
313	Nissolia	19303	2136	O. TETRAGYNIA, Or. 4.	419
436	Nitella	3046	240	Octaviána	4191
674	Nitophýllum	4189	596	OCTA'NDRIA, Cl. 8.	598
188	49 Nitraria	1446	240	O. MONOGYNIA, Or. 1.	311
595	Nitta tree	1939	68	O. DIGYNIA, Or. 2.	306
277	Nitzschia	4190	596	O. TRIGYNIA, Or. 3.	418
39	64 Nivènia	308	674	O. TETRAGYNIA, Or. 4.	419
100	Nòbla	6559	816	Octaviána	4191
336	53 Nòcca	2287	249	O. see Melanogáster	4178
89	33 Noisétia	706	420	331	331
56	59 Nolana	448	689	598	598
595	N. see Sorèma	4005*	589	331	331
141	71 Nollna	1122	596	598	598
87	Nolltângere	5698	698	331	331
80	52 Nonatèlia	632	596	598	598
624	N. see Retiniphýllum	3958	489	598	598
5	59 Nònea	443	674	598	598
55	N. see Lycópsis	444	102	598	598
296	Nomesuch	18303	2061	598	598
215	36 Noránte	154	83	598	598
595	Nordmánnia	3833	83	598	598
403	Norfolk Island Pine	24509	2820	598	598
388	Norway Spruce	23614	2686	598	598
479	Nóstoc	3018	592	598	598
633	5	57 Notelæa	39	598	598
418	76 Nothochlaena	2910	243	598	598
595	N. see Cheilánthes	2532	399	598	598
422	N. see Eriochámas	3578	83	598	598
547	N. see Lepichómas	3732	287	598	598
575	Oaidenlándia	3302 & 6	388	598	598
31	Oaidenlándia	4886	596	598	598
68	Oaidenlándia	8	344	598	598
121	Old Man's Beard		2196	598	598
57	Olea		36	598	598
5	Oleánder	4367	529	598	598
67	Oleánder		3845	598	598
597	Oleánder		341	598	598
42	Oleaster			598	598
56	OLEIFINÆ, Or. 124.			598	598
614	Olifèrsia		2901	598	598
171	Olibanum tree		1333	598	598
597	Olinia		3846	598	598
5	Olive		36	598	598
15	Olive Bark tree		1367	598	598
102	50 Olivèria		828	598	598
680	Olive-wood		672	598	598
42	Oliveo	36302	4255	598	598
680	Olivestrum	6826	854	598	598
198	47 Olynthia		1492	598	598
597	75 Olyra		2606	598	598
67	Omalánthes		2707	598	598
65	Omalothèca	29098	595	598	598
240	Omate Plant	15263	1689	598	598
619	Ommatódium		2474	598	598
391	65 Omphalea		2712	598	598
165	44 Omphalóbium		1267	598	598
277	41 Omphalóbium		1936	598	598
54	59 Omphalodes		437	598	598
597	45 ONAGRARIÆ, Or. 76.			598	598
371	68 Oncidium		2540	598	598
575	O. see Leochilus		3730	598	598
597	Oncorhynchus		3846*	598	598
1315	One-berry		1221	598	598
132	Onion		8601	598	598
485	Onites		15125	598	598
238	53 Onobroma		2253	598	598
1921	O. see Brótera		2470	598	598
3839	59 Onobroma		2253	598	598
551	365 O. see Carlowizia		2254	598	598
332	O. see Hieracantha		2256	598	598
1857	310		2124	598	598
2685	43 Onobrychis		2124	598	598
1226	598		2125	598	598
598	311		2102	598	598
4191	76 Onoclea		2912	598	598
4191	O. see Lomaria		2917	598	598
4191	43 Ononis		1966	598	598
4191	53 Onopordum		2245	598	598
2560	O. see Berardua		2246	598	598
2559	O. see Carduus		2241	598	598
2359	513 Onoseris, see Centoclinium		3434	598	598
21522	53 Onosma		431	598	598
1687	59 Onosodium		434	598	598
O. see Lumnizera	1688		3847	598	598
1689	59 Onychium		2547	598	598
4163	59 Onychium		3215	598	598
550	54 Ophelia		3848	598	598
3840	76 Ophioglossum		2951	598	598
4192	70 Ophiopogon		1041	598	598
4192	59 Ophiopteris		32634	598	598
6885	51 Ophiorhiza		524	598	598
861	413 Ophiosciron		8592	598	598
1772	74 Ophioxylon		2878	598	598
2547	67 Ophrys		278	598	598
2922	68 Ophrys		2488	598	598
3841	68 Ophrys		2488	598	598
3800	O. see Chamorchis		2489	598	598
3842	O. see Cnallorhiza		2520	598	598
58	O. see Herminium		2490	598	598
3843	O. see Chamorchis		2489	598	598
2569	O. see Cnallorhiza		2520	598	598
2461	O. see Herminium		2490	598	598
4193	O. see Chamorchis		2489	598	598
833	O. see Cnallorhiza		2520	598	598
2642	O. see Herminium		2490	598	598
660	O. see Chamorchis		2489	598	598
658	O. see Cnallorhiza		2520	598	598
1183	O. see Herminium		2490	598	598
25216	O. see Chamorchis		2489	598	598
4194	O. see Cnallorhiza		2520	598	598
533	O. see Herminium		2490	598	598
2893	O. see Chamorchis		2489	598	598
21899	O. see Cnallorhiza		2520	598	598
1716	O. see Herminium		2490	598	598
2777	O. see Chamorchis		2489	598	598
367	O. see Cnallorhiza		2520	598	598
104	O. see Herminium		2490	598	598
17968	O. see Chamorchis		2489	598	598

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.
368			<i>O. see Neóttia</i>	2496				359			<i>Pallásia</i> 22023 & 4 sy.
686			<i>Ophthalmic Berberry</i>	423		76	<i>Osmúnda</i>	392			<i>Pálma Christi</i>
			36241 1090	419			<i>O. see Allosdrus</i>	2914		72	<i>PAL'MÆ, Or. 201.</i>
25			<i>Oplismenus</i> 1675 sy.	189			<i>O. see Aneimia</i>	2947		381	<i>Pálma-Phus</i>
92			<i>Opliotheca</i>	736			<i>O. see Botrychium</i>	2950			23282 sy.
598			<i>Opopanax</i>	3849			<i>O. see Lomária</i>	2917		433	<i>Palmella</i>
644			<i>Oporanthus</i>	973			<i>O. see Lygódium</i>	2946		662	<i>P. see Botrydina</i>
599			<i>Opuntia</i>	8015 sy.			<i>O. see Struthiopteris</i>	2933		665	<i>P. see Coccobolus</i>
109			<i>Opulus</i>	7133			<i>O. see Tódca</i>	2944		669	<i>P. see Hamatococcus</i>
195			<i>Opúntia</i>	1474			<i>O. see Woodwárdia</i>	2919		678	<i>P. see Soróspora</i>
599			<i>Opúntia</i>	26438			<i>Osteomeles</i>	3853		141	<i>Patmetto</i>
438			<i>Orache</i>	3067		54	<i>Osteospermum</i>	2450		552	<i>Patmetto</i>
411			<i>Orange Thorn</i>	3459		50	<i>Ostéricum</i>	3854		602	30868 sy.
518			<i>Orange tree</i>	2187		60	<i>Ostruthium</i>	6928		870	<i>Pana'tia</i>
320			<i>Or'bea</i>	784		67	<i>O'strya</i>	2660		108	<i>Pánaves</i>
96			<i>Orchall</i>	3100		61	<i>Oswego Tea</i>	628		74	<i>Pánax</i>
443			<i>ORCHÍDEÆ, Or. 183.</i>			61	<i>OSYRÍDEÆ, Or. 162.</i>			112	<i>P. see Arália</i>
366			<i>O'rechis</i>	2431		396	<i>Osýris</i>	2747		117	914
599			<i>O. see Anacámptis</i>	2486		183	<i>Osáheite Apple</i>	11787		692	70
537			<i>O. see Disa</i>	2473		173	<i>Osáheite Chestnut</i>	1405		117	<i>P. see Chlidánthus</i>
366			<i>O. see Gymnadènia</i>	2480		381	<i>Osáheite Myrtle</i>	2632		920	<i>P. see Cotyrgia</i>
558			<i>O. see Habenária</i>	2483		338	<i>Oránthus</i>	2306		117	<i>P. see Eúryces</i>
367			<i>O. see Platanthèra</i>	2473		364	<i>Othónna</i>	2451		569	<i>P. see Isméue</i>
365			<i>Ordeal tree of Madagascar</i>	4462 4052		600	<i>Otltes</i>	11493		1388	614
448			<i>Oreádia</i>	26996 3118		689	<i>Otocillus</i>	3855		690	<i>P. see Stenomésson</i>
485			<i>Oreliá</i>	28223 sy.	525	15	<i>Ourisia</i>	4258		393	72
217			<i>Orellána</i>	13835 1565		54	<i>Oustrópis</i>	18594 sy.	2068	393	<i>P. see Vagária</i>
432			<i>Oreópteris</i>	25594 2938		185	<i>Oútea</i>	169		602	72
107			<i>Oreoselinum</i>	6940 873		39	<i>OXALÍDEÆ, Or. 53.</i>			24	<i>Pandanus</i>
234			<i>Origanum</i>	1680		600	<i>Oxalis</i>	1414		24	75
599			<i>Orilava</i>	3851		680	<i>O. see Bióphytum</i>	1413		36	<i>Panicum</i>
599			<i>Ormoárpum</i>	2113		184	<i>Ox-eye</i>	2406		34	<i>P. see Arundinária</i>
162			<i>Ormosia</i>	1238		352	<i>Oxeye Daisy</i>	21643		237	<i>P. see Cynodon</i>
371			<i>Ornithidium</i>	2549		601	<i>Oxleya</i>	3-56		23	<i>P. see Echinoloba</i>
372			<i>Ornithocéphalus</i>	2557		57	<i>Oxlip</i>	3775		451	36
599			<i>Ornithogalum</i>	1053		175	<i>Ox's Horn</i>	11192		1367	237
134			<i>O. see Allium</i>	1046		324	<i>Ox-tongue</i>	2210		2167	30
599			<i>O. see Eriospérmum</i>	1051		210	<i>Oxyacantha</i>	7201		894	602
134			<i>O. see Gagea</i>	1052		101	<i>Oxyacantha</i>	12919		1566	216
552			<i>Ornithoglossum</i>	1113		407	<i>Oxycedrus</i>	24531		2822	
140			<i>Ornithopus</i>	2108		404	<i>Oxycedrus</i>	24738		2837	586
308			<i>O. see Astrolóbbium</i>	2108		155		1193		31	75
308			<i>O. see Myrtiadèus</i>	2114		55	<i>Oxycoccus</i>	6-25		22	73
191			<i>Ornithopus</i>	12296 1460		601	<i>Oxydonium</i>	2925		51	<i>Pappophorum</i>
145			<i>Ornitrophe</i>	9319 & 51. sy.	1157	537	<i>O. see Diplázium</i>	1248		192	76
12			<i>O'rnus</i>	83		43	<i>Oxylobium</i>	755		579	<i>Papaver</i>
248			<i>Orobánche</i>	1764		601		3858		20	<i>P. see Meconópis</i>
600			<i>OROBANCHEÆ, Or. 146.</i>			140	<i>Oxyria</i>	1104		404	30
313			<i>O'robos</i>	2138		94	<i>Oxystelma</i>	763		387	75
600			<i>O. see Platýstylis</i>	2139		305	<i>Oxytropis</i>	2101		411	66
314			<i>Oróntium</i>	990		601	<i>Oxyura</i>	3859		143	66
124			<i>O. see Ròhdea</i>	991		601	<i>Oyedava</i>	3860		160	70
249			<i>Oróntium</i>	15778 1774		464	<i>Ozónium</i>	3256		318	44
184			<i>Oróstachys</i>	11833 sy.	1409	649	<i>Ozothimum</i>	34466 sy.	4065	419	76
516			<i>Orybium</i>	3876 sy.	463	53	<i>Ozothimum</i>	2265		602	76
111			<i>Orpine</i>	904		72	<i>Pachidéndron</i>	1010		277	44
184			<i>Orpine</i>	11841 1410		675	<i>Pachnocybe</i>	4195		167	44
15			<i>Ortégia</i>	114		563	<i>Pachyplepis</i>	20045 sy.	2211	442	76
368			<i>Orthoceras</i>	2499		175	<i>Pachynema</i>	1376		675	76
663			<i>Orthodontium</i>	35013 sy.	2996	675	<i>Pachyphleus</i>	4196		112	33
25			<i>Orthopogon</i>	189		601	<i>Pachyphyllum</i>	3861		602	44
600			<i>Orthosiphon</i>	3852		601	<i>Pachyphyllum</i>	3862		316	44
428			<i>Orthotrichum</i>	2984		601	<i>Pachypleurum</i>	3863		91	48
674			<i>Orthrosánthes</i>	1908		379	<i>Pachypodium</i>	3864		602	72
236			<i>Orvada</i>	14937 1665		689	<i>Pachyrbizus</i>	2155		91	48
552			<i>Orythya</i>	8747 sy.	1052	677	<i>Pachysandra</i>	2617		71	<i>P. see Illicébrum</i>
139			<i>Oryza</i>	1102		200	<i>Pachystigma</i>	4259		71	48
23			<i>Oryzopsis</i>	117		71	<i>Padinia</i>	35768 sy.	4210	602	<i>Páruai</i>
380			<i>Osage Orange</i>	2623		9	<i>Pádus</i>	12880		1502	255
600			<i>Osbéckia</i>	1181		52	<i>Pædræta</i>	577		602	31
173			<i>O. see Melástoma</i>	1356		60	<i>Pæderæta</i>	64		105	605
435			<i>Oscillatðria</i>	3037		221		156		42	<i>Parsley</i>
672			<i>O. see Hassállia</i>	4166		689	<i>Pæonia</i>	156		42	<i>Parsley-piert</i>
673			<i>O. see Melosetra</i>	3008		332	<i>Pæony</i>	156		67	<i>Parsley-piert</i>
395			<i>O. see Microcòleus</i>	4183		290	<i>Pæony</i>	156		108	337
359			<i>Osier</i>	24060 2732		602	<i>Pæony</i>	156		67	173
515			<i>Osmorhiza</i>	6600 sy.	821	83	<i>Pæony</i>	156		57	883
						50	<i>Palafoxia</i>	2260		353	539
						34	<i>Palavia</i>	2019		357	2457
						80	<i>Palicourea</i>	633		23	2375
						83	<i>Palivrus</i>	659		23	2404
								659		23	1507
								23		74	178
								23		74	182

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.			
227				52	PENTA'NDRIA, Cl. 5.	218		218	<i>Petoúmo</i>	13848	1571			
157				52	P. MONOGY'NIA, Or. 1.	247		31	<i>Petræ</i>		1755			
602	74	Passerina	1201	93	P. DIGY'NIA, Or. 2.	605		335	53	<i>Petrôbium</i>	2282			
529		P. see <i>Cryptadènia</i>	3494	109	P. TRIGY'NIA, Or. 3.	605		258	31	<i>Petrocállis</i>	1845			
157		P. see <i>Dâphne</i>	1197	112	P. TETRAGY'NIA, Or. 4.	605		143		<i>Petrocàrya</i>	9301 sy. 1143			
157		P. see <i>Lachnæ'a</i>	1202	112	P. PENTAGY'NIA, Or. 5.	605		485		<i>Petromàrula</i>	3882			
157		P. see <i>Stèllera</i>	1200	115	P. POLYGY'NIA, Or. 6.	605		407		<i>Petromèles</i>	13002 sy. 1512			
151		Passerina	9765	1173	285	35	<i>Peutâpetes</i>	1997						
269				603			<i>Pentâptera</i>	3870	37	64	<i>Petrôphila</i>	302		
602	48	<i>Passiflôra</i>	1923	241				1700	605	50	<i>Petroselinum</i>	3883		
537		P. see <i>Disèmma</i>	3544	689			<i>Pentarâphia</i>	3871	280		<i>Petty Whin</i>	17488 1963		
270		P. see <i>Murucija</i>	1924	603			<i>Péntas</i>	1411	61	59	<i>Petùnia</i>	489		
270		P. see <i>Tacsônia</i>	1925	603			<i>Pénthorum</i>	3872	605					
646				603			<i>Pentlândia</i>	108		50	<i>Peucedanum</i>	882		
269				603			<i>Pentstèmon</i>	1717	605					
602		48	PASSIFLOREÆ, Or. 86.	689				105			<i>P. see Cnidium</i>	860		
269		Passion Flower	1923	603				107			<i>P. see Fèrula</i>	880		
389		<i>Pâstca</i>	23715 v.	2609			P. see <i>Chelone</i>	1718			<i>P. see Silius</i>	3995		
389		Pastoque	23715 v.	2609			P. see <i>Tetranema</i>	4057						
108	50	<i>Pastinâca</i>	883	338	54	<i>Péntzia</i>	2311	402	66	<i>Pèduns</i>	2808			
598		P. see <i>Opôpanax</i>	3849	13				502		<i>Pèduns</i>	28849 sy. 98			
70	59	<i>Patagônula</i>	565	604	66	<i>Peperômia</i>	94	605		<i>Peyroûsia</i>	126			
675		Patellâria	4197	139				454						
267				43	46	<i>Pèpils</i>	1100	675			<i>Peziia</i>	3144		
603	69	<i>Patersônia</i>	1907	601				150						
141		Patiencie	9188	1126	191	<i>Pèpils</i>	12349	1460	150		<i>Peziia</i>	9714 1173		
141		Patièntia	9188	1126	389	<i>Pèplus</i>	12358	1460	605		<i>Pfâfia</i>	3884		
41	52	<i>Patrînia</i>	330	13		<i>Pèpo</i>	23690	2698	305	43	<i>Phæca</i>	2100		
215		P. see <i>Ryânca</i>	1541	438		<i>Pepper</i>	93	605						
165		<i>Paulètia</i>	10648	1268	425	<i>Pepper Dulse</i>	26403	3065	306		<i>P. see Astrâgalus</i>	2102		
159	37	<i>Pauillia</i>	1214	235		<i>Pepper Grass</i>	25713	2958	304		<i>P. see Glottidium</i>	2089		
603		<i>Paulôwnia</i>	3867	198		<i>Peppermint tree</i>	14865	1659	305		<i>P. see Oxytropsis</i>	2101		
49				82				12821	1493	59	59	<i>Phacelia</i>	477	
603		52	<i>Pavètia</i>	382		<i>Pepper Vine</i>	5376	656	605			<i>P. see Nemôphila</i>	478	
570		P. see <i>Ixôra</i>		379	262	<i>Peppercorn</i>	1873	593				<i>Phacidium</i>	3166	
49		<i>Pavètia</i>	3282	379	51	<i>Perâdo</i>	3419	411	675					
143				1138	604	<i>Perâltæ</i>	454	3573	454			<i>Phacorchiza</i>	27340 3138	
603	37	<i>Pavônia</i>	2011	351		<i>Peranema</i>	34193 sy.	4014	189	48	<i>Phacospermæ</i>	1450		
288				64		<i>Perdicium</i>	2355	606			<i>Phacranâssa</i>	3885		
603	34	<i>Pavônia</i>	2011	351	53			617			<i>Phænôpus</i>	sy. 2206		
603		<i>Paxtônia</i>	3868	604		P. see <i>Chabræ'a</i>	3439	522			<i>Phagnalon</i>	sy. see		
313		Pea	2135	515				2349			<i>Conyza</i>	2330		
603		<i>Peach</i>	1499	350		P. see <i>Chætanthèra</i>	2349	621			<i>Phâgus</i>	23413 sy. 2666		
201		Pear	12944	1507	363	P. see <i>Trîxis</i>	2442	606			<i>Phâjus</i>	3886		
620				416	196			501			<i>P. see Blètia</i>	22752 2558		
52		<i>Pearlwort</i>		819	604	49	<i>Perèskia</i>	1476	485		<i>Phalacræ'a</i>	20573 sy. 2271		
101		<i>Pècten</i>	6563	819	604			547			<i>Phalacrolobna</i>	21082 sy. 2332		
97	57	<i>Pectinâria</i>	788	95	774			606				<i>Phalæropsis</i>	3887	
352	53	<i>Pèctis</i>	2368	623		P. see <i>Raphistemma</i>	3052	136		71	<i>Phalângium</i>	1063		
352		P. see <i>Long-châmpsiæ</i>	2369	67		P. see <i>Vallâris</i>	538	606				<i>P. see Nollna</i>	1122	
248	58	<i>PEDALINEÆ, Or. 132.</i>		604		<i>Peribàlia</i>	209	136						
58		<i>Pedâlium</i>	1760	460		<i>Pericâllis</i>	3874	606						
675		<i>Pediâstrum</i>	4198	79		<i>Perichæ'næa</i>	3200	141						
250				1781	235	60	<i>Perilla</i>	1660	606	74	<i>Phâlaris</i>	216		
603	60	<i>Pediculâris</i>	1461	542		P. see <i>Elshôltzia</i>	1655	27				<i>P. see Achnodonton</i>	214	
193	65	<i>Pedilânthus</i>	1781	604		<i>Perilômia</i>	3875	27				<i>P. see Aîra</i>	219	
534		<i>Pedilônium</i>	30032 sy.	2547	461	<i>Periôlia</i>	3222	27				<i>P. see Chilôchloa</i>	215	
42		<i>Pèçpla</i>	2778	331	509	<i>Periphragmos</i>	29123 sy.	3424	27			<i>P. see Crýpsis</i>	211	
42		<i>Peeplee</i>	2778	331				749				<i>P. see Digrâphis</i>	217	
188	39	<i>Pèganum</i>	1444	93	57	<i>Periploca</i>	749	606				<i>Phalerocarpus</i>	3857*	
224	37	<i>Pèkca</i>	14278 sy.	1601	93	P. see <i>Microlobna</i>	753	459						
271				1929	290	34	<i>Periptera</i>	2022	675					
603	38	<i>Pelargônium</i>	1929	675		<i>Perispèrium</i>	4201	606				<i>Phâllus</i>	3179	
307		<i>Pelècinus</i>	18980	2104	604	<i>Peristèria</i>	3876	615				<i>Phalocâllis</i>	3888	
123		<i>Pelogrîna</i>	8040	979	604	<i>Peristylus</i>	3877	607				<i>Phanerophlèbia</i>	sy. 2208	
368	68	<i>Pelèxia</i>	2495	267	32	<i>Peritoma</i>	1905	689				<i>Pharbitis</i>	3889	
132	71	<i>Peliosânthes</i>	1043	519		P. see <i>Cledme</i>	1904	569				<i>P. see Ipomœ'a</i>	491	
411		<i>Pellitory</i>	2861	67		<i>Periwinkle</i>	528	500				<i>Phârium</i>	28754 sy. 3380	
353		<i>Pellitory</i>	21691	2375	604	<i>Pernètya</i>	3877*	111						
354		<i>Pellitory of Spain</i>	21751	2384	161	36	75	<i>Pèrotis</i>	283	606	34	<i>Pharuaceum</i>	906	
250		<i>Pelôria</i>	15845 v.	1775	652	<i>Pèrsea</i>	1228	381		75	<i>Phârus</i>	2635		
505		<i>Peltândra</i>	15845 v.	1775	652	<i>Pèrsian Sun's-eye</i>	8426 v.	1017	425			<i>Phâscum</i>	2961	
258	31	<i>Peltâria</i>	2672	199				1499	605	44	<i>Phasêolus</i>	2149		
266		P. see <i>Heliôphila</i>	1844	605	44	<i>Pèrsica</i>	10232	1210	316			<i>P. see Dôlichos</i>	2152	
443		<i>Peltida</i>	1902	158		<i>Pèrsicària</i>	9720	1173	244	61	<i>Phaylôpsis</i>	1726		
48			3098	150		<i>Pèrsôluta</i>			229			<i>Phæasant's Eye</i>	14537 1634	
603	55	<i>Peuæ'a</i>	373	39	64	<i>Pèrsôônia</i>	314	169	39	<i>Phèbâlium</i>	1312			
48				605		<i>Pertusâria</i>	4202	418			<i>Phègôptèris</i>	25378 2908		
55		PENÆACEÆ, Or. 116.		605		<i>Perculâria</i>	3878	600			<i>Phelipæ'a</i>	sy. 1764		
25	75	<i>Penicillâria</i>	191	605		<i>Perymènium</i>	3879	103	50	50	<i>Phellândrium</i>	838		
463		<i>Penicillium</i>	3245	605		<i>Pesomèria</i>	3880	105			<i>P. see Mèum</i>	857		
675				605		<i>Petalidium</i>	3881	622			<i>Phèllus</i>	23432 2666		
675		<i>Pèniun</i>	4200	605		<i>Petalôma</i>	1364				47	<i>PHILADELPHIÆ, Or. 86.</i>		
23	75	<i>Pennisètum</i>	173	174	45	<i>Petalonema</i>	3817	196						
259		<i>Penny Cress</i>	16336	1849	591	P. see <i>Mouriria</i>		606				47	<i>Philadèlphus</i>	1479
235		<i>Pennyroyal</i>	14901	1659	674			606					<i>Philibèrtia</i>	3890
233		<i>Pennyroyal tree</i>	14751	1650	269	43	<i>Petalostèmium</i>	26212 sy.	3037	5	57	<i>Phillyrea</i>	1922	
106				863	344			606					<i>Philodèndron</i>	3891
184		<i>Pennywort</i>	11831	1409	652		<i>Petasites</i>	21104	2333	606			<i>P. see Calâdium</i>	2672
603	50	<i>Pentacrôpta</i>	3869	604		<i>Pètlâche</i>	32973	1476	505				<i>Phîlogyne</i> , § xi.	933
320	36	<i>Pentadèisma</i>	2189	143	63	<i>Pètvèria</i>	1136	592						

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
277 39	Philotheca 1933	518	Picnemon 20327 sy. 2343	48	53 Plädéra 369
91	Philoxerus 723	54	Picötia 3620 1 & 3 sy. 437	611	24 Plagiánthus 2002
590	P. see Mogtphanes 3802	398	Pieránnia 2763	285	618 P. see Sida 2023
3	3 Phylidrum 17	41	Pieránnia 2202	611	996 Plagióðtrys 3010
453 } 453	Phlèbia 3130	53	Pierídium 2202	497	Plágios sy. 2310
676 } 606	Phlebòdium 3802	324	P. see Helminthia 2216	51	66 Plánera 412
614	P. see Pleopéltis 2959	609	Pleris 20255 2279	612	Plane tree 2668
97	Phlèum 213	327	P. see Helminthia 2216	277	62 PLANTAGINÆÆ, Or. 151.
27	P. see Chilócloa 215	329	Pleris 2212	47	62 Plantágo 364
606	Phlogacáñthus 3893	308	43 Pictètia 2219	612	Plantágo 9253 1132
237 } 60	Phlòmis 1674	609	37 Pierárdia 3904	612	Plantain 364
607 } 238	P. see Leonótis 1676	317	Pigeon Pea 2160	612	Plantain 9253 1132
238	P. see Leucus 1675	379	66 Pilea 2614	612	Plantain tree 746
69	58 Phlóx 472	609	Pileanthus 3905	612	Platanthèra 2478
607 } 521	P. see Collòmia 473	230	Pilewort 1636	612	Plátanus 2668
396	72 Phœnix 2745	478	Pillwort 2258	612	Platycárpum 3912
342	53 Phœnócoma 2325	460	Pilòchus 3189	612	Platycérium 3913
371	68 Pholidòta 2551	324	Pilosèlia 19074 2211	612	Platychilum 1942
607 } 690	Pholídus 290	425	76 Pilulária 2958	612	Platycòdon 3914
396	74 Pholídus 290	609	Pilúmma 3906	612	Platylèpis sy. 3303
459 } 459	Phòma 3173	12	64 Pimelèa 87	612	66 Plátanus 2668
676 } 138	71 Phòrmium 1084	198	47 Pimènta 1491	612	Platycárpum 3912
292	45 Photinia 1509	58	Pimpernel 458	612	Platycérium 3913
607	Photinóptèris 3894	103	50 Pimpinèlla 836	612	Platychilum 1942
465	Phragmidium 3272	575	P. see Ledebùria 849	612	Platycòdon 3914
29	75 Phragmites 229	104	P. see Sison 849	612	Platylèpis sy. 3303
241	60 Phrygia 1697	103	P. see Trágium 837	612	43 Platylòbium 1941
69	Phrygium 5	387	P. see Trinia 847	612	Platylòma 3915
505 } 505	P. see Caláthea 3	81	51 Pincknèya 2635	612	336 53 Platylòma 2285
14	Phù 896 95	609	Pindrow 33144 3903* 2685	612	50 Platyspèrnum 3916
384	Phullàta 23420 2666	387	Pine 2685	612	Platys'èmon 3917
623	Phullàta 23446 sy. 2666	69	Pine 2685	612	Platystigma 3918
667	Phycástrum 35210 sy. 4143	610	Pinea 23587 2685	612	43 Platystyis 2130
123 } 70	Phycèlla 970	118	Pine-apple 952	612	Plectanthèra sy. 3768
607 } 676	Phycómices 4203	609	Pinguicula 66	612	Plectocèphalus 3919
89 } 40	Phýlica 710	118	Pinguin 7685 951	612	61 Plectránthus 1689
607 } 640	P. see Soulangia 4007	177	Pink 1386	612	P. see Còlcus 3471
642	P. see Staàvia 4021	195	Pindia, see Eria 2559	612	P. see Lumnítzera 1688
404	Phyllámphora 24559 2830	608	Pin Pillow 12617 1474	90	Plectrònia 712
300	65 Phyllánthus 2708	387	Pinsápo 35139 3903* 644	161	73 P'lea 1233
391 } 391	P. see E'mblica 2710	388	67 Pinus 2685	690	Plecnásium 32812 sy. 2945
392 } 392	P. see Kirganèlia 2722	479	P. see Abies 2686	612	Plecnèmia 3920
390	P. see Xyloph'elia 2709	388	P. see Cèdrus 2988	612	76 Pleopéltis 2939
607	Phyllárthron 3895	387	P. see Cunninghámia 2683	530	P. see Drynària 3553
100	52 Phyllis 816	387	P. see Dámmara 2684	575	P. see Lepic'fstis 3733
417	Phyllitidis 25346 2908	388	P. see Làrix 2687	174	47 Pleròma 1360
439	Phyllitis 26478 3078	574	P. see Picea 3903* 613	574	P. see Lasiandra 3721
608	Phyllócladus 3896	608	P. see Picea 3903* 613	221	28 Plenràndra 1595
608	Phyllòdoce 1990	13	66 Piper 13	507	50 Pleurográmma 3921
285	44 Phyllòbium 1990	13	P. see Peperòmia 94	371	69 Pleuros'pèrnum 877
130	71 Phyllòma 1021	239	Piperella 15164 1681	613	69 Pleurothállis 2539
116	Phyllógyne 7570 sy. 933	36	Pipewort 293	370	P. see Notýlia 2538
61	59 Phýsalis 485	499	Pipperidge tree 9053 sy. 1900	608	P. see Rhyssophon 3901
460	P. see Nicándra 3197	611	61 Piptánthus 1097	370	P. see Rodriguèzia 2521
676 } 667	P. see Didýmium 3196	23	74 Piptathèrum 183	342	Plécnama 647
608	Physalánthus 3897	561	Piptochlamis 3486 sy. 424	342	Ploghman's Spike-naid 2329
391	Physic Nut 2717	337	53 Piquèria 2293	496	Plàchea sy. see Bacccharis 2329
608	Physiuga 3898	111	Piriquètia 7217 sy. 900	393	65 Plukenètia 2728
567	Physochlamis { 4041 } 4045 } sy. 487	283	43 Piscidia 1975	199	Plum 1501
608	Physolbium 3899	143	P. see Daubentònia 2090	52	62 PLUMBAGINÆÆ, Or. 150.
608	Physomáthium 3900	611	Piscidium 16553 1873	613	62 Plumbágo 423
608	Physosiphon 3901	397	62 Pisonia 1163	68	57 Plumicèria 544
107 } 50	Physospèrnum 876	611	Pistachia Tree 2763	613	98 Pncumonánthe 6354 794
608 } 608	Physostègia 3902	611	41 Pistàcia 2763	534	P. see Gentiana 794
566	Physostèma 31421 sy. 776	611	Pistia 3908	32	75 P'oa 254
608	Phýsdrus 3903	454	Pistillària 3139	26	P. see Airòpsis 208
403 } 72	Phytélephas 2816	374	Pistoldèchia 22860 2582	33	P. see Eragròstis 255
608 } 78	Phytèma 611	48	Pistorinia 3909	33	P. see Hydròchloa 258
605 } 90	P. see Petromáruia 3882	313	43 Pisum 2135	34	P. see Leptócloa 262
190	Phytèma 5884 714	514	P. see O'chrus 2137	33	P. see Megastachya 256
187 } 63	Phytolàcea 12242 1459	118	71 Pitajàya 29325 1472	630	P. see Scleròchloa 257
608 } 97	PHYTOLA'CEÆ, Or. 154. 790	404	Pitcher Leaf 24559 2830	31	P. see Tric'epis 245
608 } 388	PHYTOLA'CEÆ, Or. 154. 3003* 2686	503	Pitcher Plant 2830	32	P. see Triòdia 249
608 } 608	Pichia 23631 3903* 3903*	611	33 PITTOSPORÆÆ, Or. 24. 86	298	43 Pochkèria 2054
				163	Podalýria 6839 856
				487	43 Podalýria 1245
					P. see Ammodòndron 3317

Lin. Nat.	Sp.	Gen.	Lin. Nat.	Sp.	Gen.	Lin. Nat.	Sp.	Gen.
163		P. see Baptisia	1244	158		203		Portulacástrum
282		P. see Requienia	1967	615	63			13047 sy. 1517
162		P. see Thermopsis	1241	159		1211	80	
96	57	Podánthes	782	437		3062	616	51 Posoqueria 635
643		P. see Stapèlia	779	363	54	1211	80	P. see Gardènia 638
614	54	Podánthus	3922	417	76	2443	52	73 Potamogèton 414
419		Pod-fern	2915	615		2908	616	75 Potamòphila 2858
676		Podisòma	4204	456		2937	72	Potato 4706 591
387		Podocàrpus	2690	422		2938	639	
614	67	P. see Phyllòcladus	3896	422		2921	213	41 Potentilla 1528
608		P. see Phyllòcladus	3896	422		2932	617	24 P. see Cómaram 1527
350	63	Podòlepis	2348	539		3553	213	383 P. see Cómaram 1527
614		P. see Stylòlepis	4041	557		3620	617	41 Potèrium 2655
645		P. see Stylòlepis	4041	557		3621	41	73 Pòthos 331
163	43	Podolòbium	1247	557		2904	490	P. see Anthùrium 3335
614		29		417		3688	42	P. see Symplócàrpus 332
		PODOPHYLLACEÆ, Or. 7.		567		3724	389	Pòtira 23691 2698
216	29	Podophýllum	1548	574		2905	389	Potiron 23691 2698
153		P. see Jeffersonia	1178	417		3794	207	Pot Marigold 13300 1520
142	63	Podòpteris	1128	588		2911	556	Pouchelb 3616*
188		Podòria	12129 sy. 1442	418		3892	183	41 Poupèrtia 1407
322	53	Podospèrium	2200	606		3920	119	71 Pournètia 955
614		P. see Podotheca	4199	612		2906	630	P. see Pàya 3946
614		Podospèria	3923	417		2908	617	Pozòza 3334
675		Podostigma	6178 sy. 772	25	74	201	61	61 Pràsium 1696
95		Podotheca	3923	456		212	241	68 Prasophýllum 2510
396		Poet's Cassia	2747	452		369	617	61 Prémna 1737
614		Pogogyne	3924	676		245	617	53 Prenánthes 2206
369	68	Pogònia	2505	646		4050	617	P. see Atalánthus 3360
614		P. see Myóporum	1761	335	53	2277	323	P. see Crèpis 2215
591		P. see Myóporum	1761	677		4205	617	P. see Leóntodon 2207
240	60	Pogostèmon	1690	436		3051	495	P. see Harpályce 3640
663		Pòhla	35022 sy. 2296	677		2036	324	Prèpisa 3936
167	44	Poinciana	1274	292	35	2555	618	68 Prescùtia 2574
614		P. see Coulèria	1277	372	68	2930	373	57 Prestòdia 534
614		Poinsettia	3925	615		3160	618	Prickly Cedar 4338 519
283	43	Poirètia	1977	458		3253	67	25 Prickly Grass 188
277		P. see Hòvea	1940	463		2971	25	43 Priestleya 2060
566		P. see Hòvea	1940	463		670	57	618 Primrose 451
121		Poison Bulb	7878 & 9	967		2763 sy. 328	618	62 Primula 451
70		Poison Bulb	7833	964	40	1497	380	61 PRIMULACEÆ, Or. 148.
70		Poison Nut	4585	574		34654	2579	Prince's Feather 23239 2628
110		Poison Oak	7170	894	55	1016	138	40 Prinos 1089
614		Poitea	3926	89	33	23592	2685	618
614	45	Pòtvea	3927	199		414	577	Printzia 21617 sy. 2370
189	32	Polanisia	1455	619		2587	384	Prinus 23431 2666
58		POLEMONIACEÆ, Or. 134.		655		2165	621	Prinus 23421 2666
59	58	Polemòmium	474	65	55	119	72	Prionitis 15484 1725
614		P. see Polianthes	978	610		959	61	Prismatocàrpus 608
233		Pòlium	14717	1648	52	2494	246	61 P. see Specularia 1746
4	48	Pòlichia	22	375		2793	31	32 Pròchia 1567
410	75	Pòllinia	2843	616		1552	117	66 Pròcis 2616
410		P. see Chrysòpogon	2853	317	44	2793	618	Proiphys 7644 sy. 937
233		Poly	14717	1648		496	515	618 Promenèa 3937
614		Polyachyrus	3928	119	72	497	37	46 Proserpinàca 299
547		Polyactidium	21072 sy. 2332	616		909	168	44 Pròsòpis 1283
318		POLYADELPHIA, Cl. 18.		401		1696	196	240
318		P. DECA'NDRIA, Or. 1.		616		2373	275	61 Prostanthèra 1692
319		P. POLY'NDRIA, Or. 2.		216		3115	459	Prosthèmium 3175
215		POLY'NDRIA, Cl. 13.		602		1155	37	64 Pròtea 304
215		P. MONO'Y'NIA, Or. 1.		401		2291	37	P. see Iso'pogon 303
221		P. DIGY'NIA, Or. 2.		616		4206	38	P. see Leucospèrium 2749
222		P. TRIGY'NIA, Or. 3.		64	59	3932		
224		P. TETRAGY'NIA, Or. 4.		64		3061	38	P. see Mimàtes 305
225		P. PENTAGY'NIA, Or. 5.		112		3933	39	P. seg Nirènia 308
226		P. POLYGY'NIA, Or. 6.		25		8602	1046	37 P. see Petròphila 302
459		Polyangium	3185	36		585	672	38 P. see Serrùria 307
116	71	Polyanthus	7546	933		5353 sy. 672	604	64 PROTÈACEÆ, Or. 160.
614	76	Polybòtrya	2901	337		603	433	Protocècus 3014
559		P. see Gymnòpteris	3630	572		1502	241	61 Prunèlla 1694
624		P. see Klipidòpteris	3660	677		1447	199	44 Prùnis 1501
644		P. see Stenòscmia	4032	616		1448	618	P. see Amýgdalus 1498
615		Polycàrpa	3923	291		907	199	
36	48	Polycàrpon	291	616		1448	618	
15	63	Polycècium	115	132		690	199	
295		Polýgala	2053	85		12886	1502	
615	33	P. see Múndia	2055	75	51	189	48	Portulàca 1447
295		P. see Múrdia	2054	200		189	48	P. see Ta'lnum 1448
405	33	POLYGALEÆ, Or. 22.		200		111	48	Portulacària 907
405		POLYGA'MIA, Cl. 23.		189		48	PORTULACÆÆ, Or. 69.	
413		P. MONOECIA, Or. 1.		616				
131		P. DIOECIA, Or. 2.		189				
615	70	Polygònatum	1040	189				
	63	POLYGO'NEÆ, Or. 157.		48				

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	
190				188	32			1441	402	65	Röttlera	2810
624	32		<i>Acsèda</i>	1459				516			Roubièra	6493 sy. 810
232				627	65			627			Rouge Plaut	33710 334
232	32		<i>RESEDA'CEÆ, Or. 14.</i>	1966	257	31	<i>Ricòtia</i>	101			Rough Chervil	820
396	73		<i>RESTIA'CEÆ, Or. 208.</i>		269			1919	40		<i>Roupàla</i>	2697 sy. 323
396	73		<i>Rèstio</i>	2742	627	35	<i>Riedlèia</i>	1919	650		<i>Rouppèlia</i>	4260
			R. see <i>Thamnochòr-</i>		627			3965	144	70	<i>Roxbùrghia</i>	1149
			tus	2741	54	59	<i>Rindera</i>	436	161		Royal Bay	10388 1226
624				3956	410	75	<i>Ripidium</i>	2842	175	56	<i>Royèna</i>	1373
624	40		<i>Retanilla</i>	3957	131	70	<i>Ripogonum</i>	1037	630	60	<i>Royèla</i>	3967
624			<i>Retiniphylum</i>	3958	365		<i>Ritro</i>	22408 2468	81		<i>Ròyoc</i>	5342 648
461				3211	492		<i>Rivea</i>	4246 sy. 493	85		<i>Rubèntia</i>	5533 sy. 672
677					42			334	45	51	<i>Rubèntia</i>	5637 sy. 686
460			R. see <i>Angloridium</i>	3203	637	63	<i>Rivina</i>		45	51	<i>RUBIA'CEÆ, Or. 103.</i>	349
460				502	433							
64	59		<i>Rètzia</i>	260	678			3022	211			
64	74		<i>Rhabdòchloa</i>	260	678			3021	630		<i>Rùbus</i>	1523
51				3413	410	433						
328	53		<i>Rhagadiolus</i>	2230	434		R. see <i>Corynèphora</i>	3034	358			
324				19965	2210	183	R. see <i>Mesoglàia</i>	1408	631	51	<i>Ruddèckia</i>	2411
412	63		<i>Rhagodia</i>	2863	328	53	<i>Robèrgia</i>	2223	513		R. see <i>Centrocàrpha</i>	3433
					304		<i>Robèrtia</i>	2086	540		R. see <i>Echinocèa</i>	3363
82	40		<i>RHÀ'MNEÆ, Or. 60.</i>		627	43	<i>Robinia</i>	3317	169		<i>Rue</i>	2163
624				657	487		R. see <i>Ammodèndron</i>	2001	241			
83			R. see <i>Berchèmia</i>	658	304		R. see <i>Caragàna</i>	2001	631	61	<i>Ruèllia</i>	1727
84			R. see <i>Ceanòthus</i>	668	304		R. see <i>Halimodèndron</i>	2092	690			
83			R. see <i>Zizyphus</i>	650				2092	690		R. see <i>Aphelàndra</i>	1731
413				2850	303		R. see <i>Lonchocàrpus</i>	2085	245		R. see <i>Asystàsia</i>	3359
621					162		R. see <i>Ormòsia</i>	1238	495		R. see <i>Calòphanes</i>	3419
563					308		R. see <i>Pictètia</i>	2112	507		R. see <i>Crossàndra</i>	1733
624					317		R. see <i>Pongàmia</i>	2165	215		R. see <i>Goldfùssia</i>	3619
161					203		R. see <i>Tephrosia</i>	2083	557		R. see <i>Hènfrèya</i>	3656
214	36		<i>Rhècdia</i>	1533	162		R. see <i>Virgilia</i>	1242	683		R. see <i>Hygròphila</i>	3381
161				1232	620		<i>Ròbur</i>	23461 2656	245		R. see <i>Strobilanthes</i>	4040
624				1532	620		<i>Ròbur</i>	23410 sy. 2656	605			
154					132		<i>Rocambole</i>	8565 1046	615			
624					443		<i>Rocèlla</i>	3100	381		<i>Rùffia</i>	23280 2637
174			R. see <i>Acidòtis</i>	1362	628		<i>Ròchea</i>	913	291	35	<i>Ruizia</i>	2025
174			R. see <i>Aciscanthera</i>	1365	628		<i>Rochèlia</i>	3966	502		<i>Ruizia</i>	28349 sy. 98
493			R. see <i>Arthrostemma</i>	3348	260		<i>Rocket</i>	1863	114	35	<i>Rùlingia</i>	927
515			R. see <i>Chatogàstra</i>	3443	265		<i>Rocket</i>	1887	189		R. see <i>Anacàmpseros</i>	1449
585			R. see <i>Marcètia</i>	3781	657		<i>Rock Lychnis</i>	4090	141	63	<i>Rùmex</i>	1126
600			R. see <i>Osèckia</i>	1181	219		<i>Rock Rose</i>	1589	631			
174			R. see <i>Pleròma</i>	1360	63		<i>Rock Rose</i>	4233 492	142		R. see <i>Emvex</i>	1127
243	60		<i>Rhinànthus</i>	1771	434		<i>Rock Violet</i>	26169 3027	140		R. see <i>Oxyria</i>	1104
624				3959	328	53	<i>Rodigia</i>	2225	109	50	<i>Rùmia</i>	888
126	70		<i>Rhipidodèndron</i>	1009	370	68	<i>Rodriguezia</i>	2521	165		R. see <i>Capnophyllum</i>	853
624				3960	628				532	73	<i>Rùppia</i>	415
196				1475	504		R. see <i>Burlingtònia</i>	3404	631			
624					575		R. see <i>Leochilus</i>	3730	100		<i>Rupture-wort</i>	813
					79	54	<i>Ròclia</i>	613	408	70	<i>Rùscus</i>	2819
					77		R. see <i>Campanula</i>	607	631			
461				3219	621		R. see <i>Ruèllia</i>	1727	124		<i>Rush</i>	904
461				3255	628		<i>Rocèra</i>	3967	323		<i>Rush</i>	19896 2205
188	45		<i>Rhizòphora</i>	1428	124	73	<i>Ròhèca</i>	991	164		<i>Rush Broom</i>	1234
45					559		<i>Rokèjèta</i>	31133 1384	2109	252	<i>Rush Nut</i>	1460 163
459			<i>RHIZOMÈDÆ, Or. 74.</i>		3182	53	<i>Rolàndra</i>	1560	631	60	<i>Russèlia</i>	1798
670					4174	216	<i>Romèria</i>	1550	631			
672			R. see <i>Hymenogàster</i>	4178	75			602			<i>Russian Currant</i>	5910 v. 719
624			R. see <i>Melanogàster</i>	3861	628	51	<i>Rondelètia</i>	602				
624				3962	563		R. see <i>Hindsia</i>	3664	169	39	<i>Rùta</i>	1309
581	48		<i>Rhodiola</i>	3761	396		<i>Rope Grass</i>	2742	491		R. see <i>Aplophylum</i>	3339
171					208	45	<i>Ròsa</i>	1522			<i>RUTA'CEÆ, Or. 55.</i>	
624					628			1522	420		<i>Rùta murària</i>	25469 2921
650					581		R. see <i>Lòwea</i>	3764	86	36	<i>Rùyschia</i>	688
438					299	44	<i>ROSA'CEÆ, Or. 68.</i>		215	32	<i>Ryànea</i>	1541
677					288		<i>Ròsa malabàrica</i>	17978 2014	35		<i>Rye</i>	273
171	55		<i>Rhodòbra</i>	1338				17943 2014	631		<i>Rye Grass</i>	271
522				4234 sy. 492	2	69	<i>Ròsa sinènsis</i>	17943 2014	631		<i>Ryidophyllum</i>	3968
216				13780 1552	2			7	554		R. see <i>Gesnera</i>	1698
					298				437		<i>Rytiphila</i>	3052
					630				493		<i>Sabadilla</i>	28520 sy. 3350
625					638	45	<i>Rose</i>	1522	638		<i>Sabadilla</i>	34793 1115
110					569		<i>Ròsea</i>	24243 sy. 2767	141	72	<i>Sàbal</i>	1124
625					894		<i>Rose Acacia</i>	18782 2086	59	53	<i>Sabbatia</i>	468
125	41		<i>Rhùs</i>	1232	155		<i>Rose Bay</i>	10048 1186	289		<i>Sabbatiffa</i>	17987 2014
620			R. see <i>Lithrèa</i>	3756	186		<i>Rose Campion</i>	1415	631		<i>Sabicea</i>	3969
277			R. see <i>Omphalobium</i>	1936	103		<i>Rosemary</i>	75	36	75	<i>Sàccharum</i>	284
619			R. see <i>Pterocàrya</i>	3939	103		<i>Rosemary</i>	6703 835	36		S. see <i>Eriànthus</i>	285
626			<i>Rhynchoglossum</i>	3963	103		<i>Rosemary</i>	7097 889	36		S. see <i>Imperàta</i>	287
314	44		<i>Rhynchòsia</i>	2145	109		<i>Rose of Heaven</i>	12009 1415	410		S. see <i>Ripidium</i>	2842
626				3964	186		<i>Rose of Jericho</i>	1858	36		S. see <i>Tricholàena</i>	286
21					293		<i>Rose of the World</i>	18166 v. 44	2038		<i>Saccolàbium</i>	3970
626					624			3962	226		<i>Sacculigera</i>	32998 sy. 314
458					109		<i>Rose Root</i>	7133 v. 892	16		<i>Sàllèria</i>	28800 sy. 2918
90					10	60	<i>Rose Snowball-tree</i>	75	10		<i>Saffron</i>	1024 116
626					516			465	633			
627					31	75	<i>Rosmarinus</i>	465	633		<i>Sage</i>	76
47					284	44	<i>Ròstrària</i>	1982	624		<i>Sagènia</i>	3971
432					36		<i>Ròthia</i>	279	52	34	<i>Sagerètia</i>	5411 sy. 657
677					630	74	<i>Rottbòclia</i>	279	52			
139					4			383	378		<i>Sagina</i>	416
143					36		R. see <i>Monèrma</i>	2	632	68	<i>Sagittària</i>	2653
139	73		<i>Richardia</i>	1095	4		R. see <i>Ophiurus</i>	378	632			
139			R. see <i>Richardsonia</i>	1095	36							
627				1095	4							

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	
381	Sago Palm		2637	372	68	Sarcântlius	2563	667	Schinonëna	Sp.	Gen.	
381	72 Sôgus		2637	631	30	Sarcocâpnos	2051	635	41 Schinus	2719	4149	
293	St. Andrew's Cross	18176	2044	254	38	Sarcocallion	1992	382	S. see Duvaia		2649	
				82	51	Sarcocephalus	652	592	Schisanthes, § x.		593	
362	St. Barnaby's Thistle	22208	2434	370	68	Sarcochilus	2525	425	32 75 Schisamus		248	
310	Saintfoin		2124	634					Schistostega		2963	
306	Saintfoin	18894	2102	378	65	Sarcococca	2610	257	31 Schivercëkia		1839	
414	St. John's Bread		615	Sarcoglottis			3977	423	76 Schizæa		2948	
		25130	2885	631	Sarcogonum	sy.	1210	635	29 Schizandra		2625	
320	St. John's Wort		2190	94	57	Sarcobolus	765	380	80 Schizanthus		55	
123	St. Martin's Flower		979	279	43	Sarcophyllum	1958	8	Schizocæna		3983	
		8042	979	937					Schizodium, see		2473	
80	St. Peter's Wort		623	634					Diast	21030	sy.	
320	St. Peter's Wort		623	634					Schizogyne		2330	
		19699	2190	621	30	Sarracënia	1555	522	Schizoloma		3994	
123	Salap		8107	993	399	SARRACENIÆ, Or. 10.		635	Schizomëria		3985	
189	Salicaria		12187	1451	399	Saraparilla	24255	2783	Schizonëta		3010	
	46 Salicôrnia		23	292	Sasangua	18164	2038	433	Schizonëtas		3985	
4	63 Salicôrnia		23	292	Sassafras	10403	1236	636	31 Schizopetalon		1816	
385	Salsibûria		26669	161	Sassafras tree	10403	1226	251	452	Schizophyllum	sy.	
632	Salisia		3972	161					397	Schizopleura	2182	
393	67 Salix		2732	624	60	Saturja	1650	497	53 Schkûbria		2367	
335	53 Sâlmca		2283	3066	68	Satfrium	2477	145	37 Schmidëlia		1157	
385	S. see Carludôvica		2670	634					74 Schmidtia		92	
145	Salpiânthus	935	98	537	S. see Disa		2473	636	Schenanthus	24015	2844	
633	Salpiclœna		3973	365	S. see Gymnadënia		2480	13	Schenodium	24128	sy.	
633	Salpiclœra		3974	367	S. see Nigritëlia		2482	410	Schenoprasum	8620	1046	
243	59 Salpiglôssis		1714	604	S. see O'rechis		2481	396	S. see Cladium		181	
605	S. see Petânia		489	225	S. see Peristylus		3877	132	21 73 Schœnus		150	
633	Salpixântha		3975	635	35	Saurâija	1612	21	S. see Chatôspora		55	
648	S. see Thyrsacântus		4063	690	Saurolôssum		3978	12	S. see Kobrësia		2600	
		19787	2197	493	Sauromâtium	4261	377	21	S. see Scirpus		158	
123	Salsilla	8045	979	144	66	Saurûrus	1145	636	Schombûrgkia		3987	
99	63 Salsôla		808	329	53	Saussûrea	2240	165	44 Schôtia		1266	
99	S. see Anâbâsis		807	635					S. see Omphalidium		1267	
516	S. see Cichnopodium		810	491	S. see Apotâxis	3339	636	165	Schôdwa		3988	
304	Salt tree		2092	87	33	Sauvagësia	699	406	51 Schrâdera		1096	
99	Saltwort		808	404	Savin	24515	2822	85	44 Schrânkia		2835	
107	61 Sâlvia		76	233	Savory	1650	636	608	Schrêbera	5536	sy.	
633	S. see Audibértia		3362	136	Savory Spiderwort	8879	1062	388	Schubertia		3989	
495	76 Sâlvina		2959	264	Savoy Cabbage, § 3. v. 3.	1883	646	5	S. see Physianthus		3897	
425	Sâman	31519	2833	329	Saw-wort	2239	104	67	Schubertia		2689	
568	Sânara	25207	2891	175	49	Saxifraga	1380	118	S. see Taxodium		†2689	
415	6 Sâmbac	294	43	635	49	Saxifrage	1380	8	50 Schültzia		850	
110	51 Sâmbucus		893	175	52	Saxifrage	1380	8	Schwägriehënia	7657	sy.	
634	72 Sâmolus		618	103	49	SAXIFRAGIÆ, Or. 96.		636	Schwëiggëria		3990	
79	63 Sâmpshire		834	43	52	Scabiôsa	346	135	60 Schwëncëkia		49	
175	40 Sâmyda		1368	43	52	Scabiôsa	346	135	Schwenkëldia	33777	sy.	
	40 SAMYDÆ, Or. 62.		1294	494	S. see Asterocëpha-				71 Scella		1054	
168	Sandal tree		402	43	lus		3355	133	S. see Allium	8677	1046	
50	Sandal Wood		2723	43	S. see Cephalâria		315	136	S. see Anthëricum		1064	
392	Sandbox tree		1294	619	S. see Pterocëphalus		3940	135	S. see Bellevalia		1055	
168	38 Sandôricum		19193	2130	645	S. see Succisa	346	599	S. see Ornithogalum		1053	
311	Sandwood		1390	43	Scabious		606	606	S. see Phalangium		1063	
181	Sandwort		1547	635	54	Scæ'vola	620	137	S. see Uropetalon		1079	
216	30 Sanguinâria		338	350	Scælia	21547	sy.	2348	Scinâpsus		3991	
634	44 Sanguisôrba		2655	132	Scallion	8619	v.	1046	60 Sciodaphyllum		912	
42	38 Sanguisôrba	23369	823	63	Scannadonia	4184	492	21	73 Scirpus		158	
634	102 Sanicle		823	63	Scammony	4184	492	636	S. see Eleôcharis		159	
102	50 Santula		1025	653	Scampston Elm	6542	v.	814	21	S. see Isolëpis	157	
130	70 Sanseviëra		1072	101	50	Scândix	819	570	69	SCITAMINEÆ, Or. 184.		
522	S. see Cordyllne		402	335	S. see Anthriscus		820	649	Schiranthus	34467	sy.	
64	Santalacœa, Or. 163.		2304	101	S. see Chærophyllyum		821	11	Scilæra	721	76	
50	64 Sântalum		2382	102	S. see Torilis		827	175	48	Sclerânthus		
337	54 Santolina		2306	635	Scaphylôttis		3979	359	54	Sclerocarpus	1375	
354	S. see Anaclycus		2306	635	Scariola	19879	204	33	75	Sclerôchloa	257	
337	S. see Lasiosperum		2306	635	Scarlet Pomponë	8413	1216	636	Sclerodërma		3190	
338	S. see Otânthus		2306	635	Scelochilus		3990	640	Sclerolëpis	sy.	2267	
355	Santolina	21818	2387	323	Scenedësmus		4212	336	Sclëröou		3992	
339	Sântonica	20836	2313	129	Sceptrânthus		3981	164	43	Sclerothamnus	1259	
355	54 Sanvitâlia		2386	522	Sceptrânthus, see			461	Sclerôthium		3225	
38	38 Saouari Nut		1218	522	Coopëria		3484	678	76	Sclopëndrium	2294	
38	38 SAPINDACÆ, Or. 47.		2714	250	Sceptrum Carolinum	15882	1781	636	53	Scolopëndrium	17294	
159	38 Sâpidus		1385	397	40	Schaffëria	2757	277	53	Scolymus	2236	
391	65 Sâpium		4080	397	S. see Drypetes		2753	328	38	Scolymus	2479	
634	33 Sâponâria		10342	1218	30	75	Schedonorus	239	332	Scolymus	20415	
177	33 S. see Tûnica		4503	561	131	71	Schellâmmeræ	1036	47	60	Scopâria	362
632	159	Sâponâria	4503	561	635	75	Schedonorus	239	332	Scopâria	362	
632	69	Sâpita	10810	1275	140	68	Scheuchzëria	1106	61	59	Scopôlia	490
632	56	Sâpoteæ, Or. 121.		587								
167	72	Sâppân		587								
634	59	Sâracha		587								

Lin. Nat.	Sp.	Gen.	Lin. Nat.	Sp.	Gen.	Lin. Nat.	Sp.	Gen.				
602		<i>S. see Panicum</i>	186	157	64	<i>Stellera</i>	1209	645	<i>Strobilánthes</i>	4010		
439			3073	417		<i>Stemária</i>	25316	2002	<i>Stròbus</i>	23604 26545		
680				252					<i>Stròbus</i>	23609 26845		
680		<i>Sporócybe</i>	4222	613	60	<i>Stemòdia</i>	1795	68				
666		<i>Sporòdum</i>	35188	3254	690	<i>Stemonacánthus</i>		645	59	<i>Strophántlus</i>	546	
463		<i>Sporótrichum</i>	3249	690			15510	1727	333	<i>Střuchum</i>	20512 2267	
642				4020	61			120	70	<i>Střumária</i>	963	
65	55	<i>Sprengelia</i>	509	641		<i>Stemonitis</i>	3206	645				
12		<i>Spring Grass</i>	90	633		<i>Stenáfctis</i>	4021	380		<i>Strumárium</i>	23187 2627	
384				65	55	<i>Stenanthèra</i>	520	41	64	<i>Struthiola</i>	327	
479		<i>Spruce Fir</i>	2656	643		<i>Stenánthium</i>	4025	413	76	<i>Struthiòpteris</i>	2913	
461				40		<i>Stènia</i>	4026	177		<i>Strùthium</i>	11341 1381	
461		<i>S. see Dichospòrium</i>	3216	643	64	<i>Stenocárpus</i>	318	70	57	<i>STRYCHSEÆ, Or. 126.</i>		
190		<i>Spurge</i>	1460	643				292	35	<i>Strýchdos</i>	574	
156		<i>Spurge Laurel</i>	10138	2197	61	<i>Stenochllus</i>	1762	292	35	<i>Stuártia</i>	2034	
89		<i>Spurress Violet</i>	702	613				692		<i>S. see Malachodén-</i>		
187				1418		<i>S. see Lanouroúxia</i>	3716			<i>tron</i>	2035	
680		<i>Squamária</i>	4222	643		<i>Stenochlæna</i>	4028			<i>Stygeoclòmium</i>	3036	
675		<i>S. see Parmèlia</i>	3094	644		<i>Stenocoryne</i>	4029	95	57	<i>Stýlándra</i>	772	
105		<i>Square Parsley</i>	6840	857	644	<i>Stenonésson</i>	4030	54		<i>STRYCI'DEÆ, Or. 110.</i>		
389			23694	2698	117	<i>Stenomlson</i>	7651	940	373	54	<i>Stýlidium</i>	2581
135		<i>Squill</i>	1054	368	68	<i>Stenorhýnchus</i>	4031	645	53	<i>Stýlòlepis</i>	4041	
135		<i>Squilla</i>	8810	1053	614	<i>Stenosèmia</i>	4032	284	43	<i>Stýlosánthes</i>	1979	
389		<i>Squirting Cucumber</i>	23635	2697	576	<i>Stenospermum</i>		136	71	<i>Stýpándra</i>	1066	
642	40	<i>Staðvia</i>	4021	4321			12670	1480	645			
463				321	39	32	<i>Stephània</i>	1101	64	55	<i>Stýphèlia</i>	5658
680		<i>Stachylidium</i>	3241	644		<i>Stephanòtis</i>	4033	65		<i>S. see Cyathòdes</i>	519	
663		<i>S. see Bótrytis</i>	3247	392	35	<i>Stercùlia</i>	2724	65		<i>S. see Leucopògon</i>	518	
236				1669				577				
612	60	<i>Stáchys</i>	444	412		<i>Stereocaulon</i>	3105	65		<i>S. see Monòtoca</i>	515	
641		<i>S. see Sphæcele</i>	4012	651				1882		<i>S. see Trochocárra</i>	513	
237		<i>S. see Zietenia</i>	1670	263	31	<i>Sterigma</i>	34082	3998	173	56	<i>STRYCI'NEÆ, Or. 119.</i>	
9				68	638	<i>Sternbeckia</i>			56	<i>Strák</i>	1352	
642	61	<i>Stachytárfheta</i>	68	123	70	<i>Sternbèrgia</i>	793	384		<i>Suádrá</i>	1770	
111				644	70			1823	622	<i>Süber</i>	23422 2666	
642	65	<i>Stackhoúsia</i>	898	235	31	<i>Stevènia</i>	1823	622		<i>Söber</i>	23440 2666	
155	37	<i>STACKHOUSIA, Or. 168.</i>	1192	644	53	<i>Stèvia</i>	2273	266	31	<i>Subulária</i>	1903	
687		<i>S. see Cupánia</i>	1158	335		<i>S. see Hymenopá-</i>		645	52	<i>Succisa</i>	4042	
332				2259		<i>pus</i>	2276	43		<i>S. see Scabòsa</i>	346	
642	53	<i>Stabhellna</i>	2259	332		<i>S. see Palafóxia</i>	2260	328		<i>Succory</i>	2334	
352		<i>S. see Leýsera</i>	2370	413			3097	265	31	<i>Succòvia</i>	1891	
83		<i>Staff tree</i>	662	681		<i>Stictis</i>	3148	110		<i>Sugar Cane</i>	284	
443		<i>Stag's horn</i>	26755	3102				108		<i>Sulphurwort</i>	882	
638		<i>Stalágmitis</i>	19678	3102		<i>Stiffia</i>	4262	625		<i>Sumach</i>	894	
642				4022		<i>Stigmaphýllum</i>	4034	99		<i>Summer Cypress</i>	6466	
690		<i>Stanlòpea</i>	4022	614		<i>Stigonèma</i>	3030	418	33	<i>Sundew</i>	922	
262	31	<i>Stanlòya</i>	1869	434		<i>Stilágo</i>	2746	358		<i>Sun Fern</i>	25378 2908	
95				681	66	<i>Stilágo</i>	3268	104		<i>Sunflower</i>	2409	
643	57	<i>Stapèlia</i>	779	396		<i>Stilbum</i>	3236	219		<i>Sun Rose</i>	1590	
97		<i>S. see Cavallòma</i>	792	46	65	<i>Stillingia</i>	2706	681		<i>Supple Jack</i>	10322 1214	
97		<i>S. see Carunculária</i>	787	462				513		<i>Suricèlia</i>		
97		<i>S. see Duvália</i>	786	681		<i>Stink-wood</i>	3343	399	513	<i>Sutèria</i>	5356	
96		<i>S. see Gonostèmon</i>	781	390		<i>Stinking Cedar</i>	34481	4066	305	43	<i>Sutherlandia</i>	2099
97		<i>S. see Huèrnia</i>	790	690		<i>Stinking Horehound</i>	1671	1671	305	57	<i>Swarrow Nut</i>	
97		<i>S. see Ohèsia</i>	785	649				194	43	<i>Swainsònia</i>	2097	
96		<i>S. see O'íbea</i>	781	237	74	<i>Stipa</i>	191	645		<i>Swallow-wort</i>	771	
97		<i>S. see Pectinária</i>	788	25		<i>S. see Lasiagròstis</i>	3720	94		<i>Swallow-wort</i>	6786 815	
97		<i>S. see Piránthus</i>	789	644		<i>Stipagròstis</i>	4035	104		<i>Swammerdámia</i>	4043	
96		<i>S. see Podánthus</i>	782	57		<i>Stishwort</i>	3195	364	645	<i>Swamp Locust tree</i>		
96		<i>S. see Tridèntea</i>	780	644		<i>Stizolòbbium</i>	1389	413			25121 2884	
96		<i>S. see Tromòtriche</i>	783	47			385	2252		<i>Swamp-post Oak</i>	23451 2666	
223		<i>Staphiságria</i>	14167	1599	53	<i>Stobæa</i>	2247	1817	621	<i>Swamp-post Oak</i>	23420 2666	
111	40	<i>Staphylèa</i>	897	316		<i>Stocbe</i>	2463	502		<i>Swan daisy</i>	3392	
99		<i>S. see Bumálda</i>	804	332			2219	2434	530	<i>Swanwort</i>	3505	
69		<i>Star Apple</i>	556	531	53	<i>Stocchas</i>	20966	2323	221	44	<i>Swártia</i>	1591
96		<i>Starfish</i>	6230	779	31	<i>Stokèsia</i>	2251	201		<i>Swedish Bean tree</i>		
494		<i>Starhead</i>	3355	365	53	<i>Stoncrops</i>	1410			<i>Swedish Turnip</i>	12966 1587	
356	53	<i>Stárka</i>	2390	644		<i>Stone Pine</i>	23587	2685	261		16591 n. 1803	
134		<i>Star of Bethlehem</i>	1053	360		<i>Storax</i>	1352			<i>Sweet Acorn</i>	23437 2666	
47		<i>Star of the Earth</i>	3200	341		<i>Stork's Bill</i>	1929	622		<i>Sweet Bay</i>	10387 1296	
362		<i>Star Thistle</i>	22189	2134	53	<i>Strandnium</i>	4003	481	161			
346		<i>Starwort</i>	2337	173		<i>Stranvæsia</i>	4036	575		<i>Sweet Briar</i>	13448 1522	
115				929		<i>Strapwort</i>	905	210		<i>Sweet Calabash</i>	16858 1923	
643	62	<i>Státice</i>	929	184	42	<i>Stratòdes</i>	2802	629		<i>Sweet Flag</i>	8101 989	
114				60		<i>Stratádium</i>	2040	269		<i>Sweet Gale</i>	24184 2751	
493		<i>S. see Armèria</i>	928	64		<i>Strawberry</i>	1526	124		<i>Sweet Gum</i>	23470 2667	
565		<i>Stautònia</i>	31386	3668	644	<i>Strawberry Blite</i>	29	397	43	<i>Sweetia</i>	2141	
680		<i>Staurástrum</i>	4224	111		<i>Streblorhiza</i>	3461	314		<i>Sweet Marjoram</i>	15127 1683	
661		<i>S. see Didymocládon</i>	4143	293	47			747		<i>Sweet Maundin</i>	21803 2387	
667		<i>S. see Xanthidium</i>	4238	212		<i>Strelitzia</i>	747	238		<i>Sweet Pea</i>	19318 2136	
684		<i>Staurocárpus</i>	4225	172				4038		<i>Sweet Potato</i>	4126 491	
280	43	<i>Staurocánthus</i>	1961	4		<i>Streptanthèra</i>	4037	313		<i>Sweet Potato</i>	4126 491	
681		<i>Staurocárpus</i>	4225	172		<i>Streptánthus</i>	4038	62		<i>Sweetsop</i>	14370 1622	
223		<i>Stavesacre</i>	14167	1599	519	<i>Stréptium</i>	1747	226		<i>Sweet Sultan</i>	22163 2434	
580		<i>Stegánia</i>	2917	93	60	<i>Streptocárpus</i>	4039	361		<i>Sweet William</i>	11 85 1386	
643		<i>Steganótropis</i>	4023	644	60	<i>Streptopop</i>	3074	177		<i>Sweet William</i>	11626 1388	
373				2572	64	<i>Striária</i>	3077	180				
643	69	<i>Stèlis</i>	2572	644	69							
668		<i>S. see Physiosiphon</i>	3901	216	61							
180	34	<i>Stellária</i>	1389	644	58							
187				131	70							
574		<i>S. see Larbræa</i>	3719	439								

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
631	<i>Swenkfeldia</i> 33777 <i>sy.</i> 3969	174	<i>Tamonia</i> 11163 1358	203	49 <i>Tetragonia</i> 1519
57	53 <i>Swertia</i> 793	390	70 <i>Tamus</i> 2784	301	43 <i>Tetragonolobus</i> 2069
645	38 <i>Swetonia</i> 1297	338	54 <i>Tanacetum</i> 2312	351	53 <i>Tetragonotheca</i> 2357
168	<i>S. see Chloroxylon</i> 1298	646	<i>T. see Balsamita</i> 2310	236	<i>Tétrahit</i> 14959 1666
327	<i>Swine's Saccory</i> 2221	338	<i>T. see Pénzia</i> 2311	151	52 <i>Tétrahitium</i> 9782 1173
417	<i>Sword Fern</i> 2906	59	<i>Tanacium</i> 1766	647	<i>Tetramicra</i> 380
111	<i>Sword Grass</i> 7250 902	248	<i>Tanghinia</i> 4052	37	<i>TETRA'NDRIA</i> , Cl. 4.
298	<i>Sword Grass</i> 18421 2065	646	<i>Tangier Pea</i> 19319 2136	37	<i>T. MONOGY'NIA</i> , Or. 1.
382	72 <i>Syagrus</i> 2648	313	<i>Tanibolca</i> 34406 2864	51	<i>T. DIGY'NIA</i> , Or. 2.
412	<i>Sycamore</i> { 25061	647	<i>Tanna</i> 12334 1460	51	<i>T. TETRAGY'NIA</i> , Or. 3.
481	{ 25054} 2867	191	<i>Tanquin</i> 4462 550	647	<i>Tetranema</i> 4057
645	<i>Symphandra</i> 623	68	647	161	64 <i>Tetranthéra</i> 1227
80	51 <i>Symphoria</i> 4044	338	<i>Tansy</i> 2312	647	53 <i>Tetranthus</i> 2924
645	<i>S. see Symphoricar-</i> 4044	646	<i>Tapagodia</i> 5319 & 53 <i>sy.</i> 650	647	53 <i>Tetrapétis</i> 4058
645	<i>Symphoricarpus</i> 4044	82	<i>Tàpia</i> 12125 1440	647	<i>Tetraplhis</i> 2967
51	59 <i>Symphytum</i> 433	188	<i>Taváta</i> 10704 1271	74	74 <i>Tetrapogon</i> 274
645	55 <i>Symphiza</i> 375	166	<i>Taraxacum</i> <i>sy.</i> 2207	647	<i>Tetrapogon</i> 4059
42	73 <i>Symplocarpus</i> 332	324	54 <i>Tarchoanthus</i> 2297	681	<i>Tetráptera</i> 4220
55	<i>SYMPLOC'NEÆ</i> , Or. 118. 575	575	<i>T. see Brachyly'na</i> 2328	37	<i>Tetráptis</i> 1397
319	55 <i>Symplocos</i> 2186	337	<i>Tare</i> 2134	33	33 <i>Tetratheca</i> 1153
645	<i>Synánmia</i> 4045	342	<i>Targionia</i> 3002	647	<i>Tetrazygia</i> 4060
645	<i>Synandra</i> 4046	212	<i>Tartarian Lamb</i> 29425 <i>sy.</i> 2936	647	<i>Tetrazygia</i> <i>sy.</i> 3290
646	<i>Synaphëbbium</i> 4047	517	<i>Tástan-raira</i> 10157	232	60 <i>Tétridium</i> 1648
681	<i>Synésia</i> 4226	157	<i>Tasmánia</i> 4053	647	<i>T. see Hýptis</i> 1661
357	54 <i>Synedrëlla</i> 2100	646	<i>Tásta</i> 4010 481	235	<i>T. see Nepeta</i> 1654
321	<i>SYNGENESIA</i> , Cl. 19.	60	31 <i>Tauschëria</i> 1878	388	<i>Thalámia</i> <i>sy.</i> 23646 2690
321	<i>S. AQUAMIS</i> , Or. 1.	385	<i>Táuzin</i> 23469 2666	2	27 <i>THALAMIFLORÆ</i> , Subc. 1.
338	<i>S. SUP'ERBA</i> , Or. 2.	621	<i>Táuzin</i> 23411 <i>sy.</i> 2666	2	<i>Thalia</i> 4
358	<i>S. FRUSTRANEA</i> , Or. 3.	310	43 <i>Taverniera</i> 2122 229	28	<i>Thalictrum</i> 1633
362	<i>S. NECESSARIA</i> , Or. 4.	115	<i>Taxánthema</i> 7521 <i>sy.</i> 929	647	<i>Thamnidium</i> 3239
365	<i>S. SEGREGATA</i> , Or. 5.	388	<i>Taxodium</i> 23638 <i>sy.</i> 2689	463	<i>Thamnochóitus</i> 2741
505	<i>Syngonium, sy. see</i> 2672	129	<i>Taxodium</i> 2689	396	50 <i>Thápsia</i> 845
18	69 <i>Synnotia</i> 129	646	67 <i>Táxus</i> 2823	60	<i>Thápsus</i> 3940 480
188	<i>Syrian Rue</i> 12147 1444	41	<i>T. see Picca</i> 3903	292	35 <i>Thèa</i> 2037
196	57 <i>Syringa</i> { 41	609	<i>T. see Podocarpus</i> 2690	648	<i>Thelezans</i> 5411 657
646	{ 1479	358	<i>T. see Torrèya</i> 4056	83	<i>Theezan Tea</i> 5411 657
646	<i>Syringodea</i> 4048	116	<i>Taxúta</i> 7546	83	<i>Theebolus</i> 3187
681	<i>Syzylites</i> 4049	69	<i>Teak Wood</i> 554	43	<i>Theléphora</i> 3131
646	47 <i>Szyvita</i> 4049	134	<i>Teasel</i> 3047	453	<i>Thelotrëma</i> 3089
61	<i>Tachacum</i> 4050 488	43	35 <i>Tea tree</i> 2347	681	<i>Thelýgoutra</i> 2638
681	<i>Tabellaria</i> 4227	292	58 <i>Tëcoma</i> 1710	682	68 <i>Thelýmitra</i> 2500
68	57 <i>Tabernamontana</i> 548	243	<i>T. see Bignonia</i> 1706	383	68 <i>Thelýptis</i> 25601 2338
646	690	647	<i>Tecomaca</i> 9385	368	57 <i>Thelýptis</i> 2175
68	<i>T. see Amsônia</i> 549	500	<i>Tectona</i> 554	648	<i>T. see Guazúama</i> 2176
688	<i>T. see Gonidia</i> 4351	145	<i>Tëdia</i> 1810	422	57 <i>Theophrasta</i> 526
171	<i>Tacama-</i> { 10993 1331	69	31 <i>Tësdália</i> 1852	67	<i>T. see Clavija</i> 527
218	<i>haca</i> { 13902 1579	259	<i>Tegdre</i> 4720 591	318	<i>Thérnia</i> <i>sy.</i> 1241
401	{ 21398 <i>sy.</i> 2793	259	<i>Tegularia</i> <i>sy.</i> 3532	318	<i>Thermópsis</i> 1241
124	73 <i>Tácca</i> 963	72	<i>Tegularia</i> 2408	67	<i>Thesium</i> 1239
386	<i>T. see Arum</i> 2673	536	<i>Tëphthium</i> 5604	64	<i>Thesium</i> 740
79	<i>Taccada</i> 5201 630	357	<i>Tëphthium</i> 11841 1416	92	<i>T. see Comandra</i> 741
575	<i>Táchia</i> { 4018 <i>sy.</i> 3737	111	<i>Tëphthium</i> 24572 <i>sy.</i> 2832	92	<i>T. see Leptomèria</i> 742
168	41 <i>Tachygàtia</i> 1249	184	<i>Tëphthium</i> 862	289	34 <i>Thëspètia</i> 2015
270	49 <i>Tacsônia</i> 1925	647	<i>Tëphrosia</i> 2083	648	<i>Thibaudia</i> 4061
646	<i>Tæda</i> 23593 & 23590 2685	447	<i>T. see Swëtia</i> 2141	510	<i>Thistle</i> 2241
387	<i>Tænlopsis</i> 4050	49	<i>Tëphrothamnus</i> <i>sy.</i> 1944	258	31 <i>Thlâpsi</i> 1849
610	<i>Tænltis</i> 2909	64	<i>Tëphthium</i> 1983	648	<i>T. see Ethionëda</i> 1876
646	76 <i>Tænltis</i> 2909	125	41 <i>Tëphthium</i> 259	263	<i>T. see Bivoncæ</i> 1874
166	<i>Tägera</i> 10713 1271	647	41 <i>Tëphthium</i> 262	259	<i>T. see Capsella</i> 1850
352	53 <i>Tagëtes</i> 2365	103	45 <i>Terminália</i> 2864	576	<i>T. see Lepidium</i> 1873
646	<i>Talauma</i> 4051	303	<i>T. see Cordylle</i> 1072	265	<i>T. see Psychine</i> 1892
125	72 <i>Taliera</i> 997	647	<i>Ternæmia</i> 18688 2073	86	<i>Thomasia</i> 681
125	<i>Taliera Palm</i> 695	312	35 <i>Ternstræmia</i> 1559	230	<i>Thora</i> 14574 1637
245	<i>Taligàtia</i> 15529 <i>sy.</i> 1730	207	35 <i>Ternstræmiacæ</i> , Or. 34. 682	648	<i>Thorea</i> 4231
189	48 <i>Tallium</i> 1448	284	<i>Terpánthus</i> 5602 <i>sy.</i> 678	60	<i>Thorn Apple</i> 481
189	<i>T. see Anacampseros</i> 1449	400	70 <i>Testudinaria</i> 2785	105	<i>Thorough Wax</i> 6858 861
505	<i>T. see Calaudrinia</i> 3408	132	<i>Tëta</i> 8588 1043	145	37 <i>Thouinia</i> 1164
145	37 <i>Talísia</i> 1163	681	<i>Tëtemdorus</i> 4228	114	<i>Thrift</i> 928
390	<i>Tallow tree</i> 23751 2706	225	28 <i>Tëtracera</i> 1603	453	<i>Thrinax</i> 999
68	<i>Tamaquarina</i> 4455 <i>sy.</i> 548	219	<i>T. see Delma</i> 1583	125	72 <i>Thrinax</i> 999
226	<i>Tamara</i> 14323 1613	302	<i>T. see Dolioëarpus</i> 1584	324	53 <i>Thrinæia</i> 2209
285	<i>Tamarind tree</i> 1989	681	<i>Tëtracyclus</i> 4229	79	<i>Throatwort</i> 612
285	44 <i>Tamarindus</i> 1989	647	<i>Tëtradèmia</i> 4056	76	<i>Throatwort</i> 612
46	<i>TAMARISC'NEÆ</i> , Or. 80. 3821	397	<i>Tëtrádium</i> 2750	648	37 <i>Thryállis</i> 4981 & 5005 607
502	<i>Tamariscus</i> <i>sy.</i> 3821	254	<i>TETRADYNA'NIA</i> , Cl. 15.	648	37 <i>Thryállis</i> 4981 & 5005 607
111	<i>Tamarisk</i> 899	281			
646	46 <i>Tamarix</i> 899	681			
111	<i>T. see Myricaria</i> 3821	647			
646	70 <i>TAMÆÆ</i> , Or. 193.	647			
248	61 <i>Tamônia</i> 1757	397			
646		254			

Lin. Nat.	Sp.	Gen.	Lin. Nat.	Sp.	Gen.	Lin. Nat.	Sp.	Gen.
35		T. see Secãlo	368		Twayblade	2501		14
130	70	Tritoma	652		Twœdia	4083		654
651			1023		Twisted Pine	23603	2685	14
17	69	Tritônia	95	57	Tylôphora	777	654	52
631			123			41	41	52
188	35	Triumfetta	1443		Týmpanis	3161		52
249		Trixião	683			4235	14	52
363	53	Trifsis	2442	672	Tydaridea	2089	654	52
370	68	Trizeixis	2535	375	T. see L'ungbya	2597	67	57
651		Trochêria	4077*	288	Týpha	17907	2011	71
651	50	Trochisanthes	4078*		Týphala	2011	305	68
65	55	Trochocarpa	513	493	Týphalum	2673	123	70
651			454			621	621	Valonian Oak
231	28	Tróllius	1638	683	Týphula	3138	690	32415
651			783	280	Udora	3322	372	3299
96	57	Tromótriche	783	280		654	68	Vánda
577		Tromsdorfia	3749	653	U'lex	1960	690	
74		Trónyum	4820	591		1961	252	60
38		TROPÆDLEÆ, Or. 51.	653	43	U. see Staurocán-	3701	80	
144			203		thus	4255	654	
517	38	Tropæolum	1148		Ullða, see Juanilloa	36302	4255	51
651			100		Ullucus	171	492	Vanguiera
690			263		ULMA'CEÆ, Or. 171.	13040	1515	Venidium
517		T. see Chymocárpus	653	66	Ulmária	814	654	68
397	64	Tróphis	2761			411	654	
592		Trôs, § viii.	933		U. see Plánera	412	683	
392			51		Ulospérmum	868	70	
652	53	Troximon	2198	166	U'va	3060	278	43
327			2220	662	U. see Bångia	3040	27	
98		True Dodder	798	678	U. see Sorôspora	4213	113	
195		True Parsley	6833	855	U. see Encœlium	3075	655	
201		True Service	12975	1507	UMBELL'FERÆ, Or. 98.	437	437	
459		Truffe	3181	653	48 Umbilicus	4084	683	
242		Trumpet Flower	1706	524	U. see Cotylêdon	1409	662	
652		Trunpium	4079	289	Umbrella tree	17992	2014	
247		Tûbe Flower	15673	1752	Umbrella-wort	97	99	
459			3181	654	Uncária	4085	265	
682		T. see Melanogâster	4178	172	Uncia	2601	565	
460		T. see Sclerodërma	3190	31	U'nedo	11071	1345	
462			226	28	U'vola	244	260	
683		Tuberculária	3234	296	Unôna	1621	79	
665		T. see Córnye	4134	549	Upas-tree	3336	655	
123		Tuberose	978	118	Uranánthus	466	658	
683		Tuburctinia	4234	308	Urânia	946	385	
130	70	Tulbaghia	1026	441	Urária	2118	130	
652			683		Urcœlaria	3092	655	
129		Tulip	1017	654	Urceolina	4086	373	
652			465		Urêdo	3274	655	
129	71	Tûlîpa	1017			2010	77	
652			288		Urêna	2011	55	
140		T. see Melánthium	1111	654	U. see Pavônia	2011	54	
226		Tulipacæ, Or. 197.	1617	599	Urginea	8810	1053	
460		Tulostoma	3194	390	Urinária	23760	2708	
195		Tûna	12595	1474	137	71 Uropétalon	1079	55
652		Tûnica	4080	322	Urospérmum	19794	7	
77		Tûpa	5074	609	Ursinia	22053	57	
78		Tûpa	5102	379	66 Urtica	2615	60	
652		Tûpa	4081	379	U. see Behmêria	2613	655	
65		Tupelo	2892	654	U. see Conocéphalus	3481	60	
124			992	375	66 URT'CEÆ, Or. 170.	246	246	
652	73	Tupistra	22243	424	Urucuvana	13837	1565	
62		Turbeth	4102	491	U. see Urvilla'a	1216	246	
652	50	Turgênia	4082	217	U'snea	3110	246	
113		Turgôsia	916	444	Ustilago	3275	246	
652	48	Turkey Oak	23414	2666	14	125	8170	
621		Turmeric	900	90	Utan	996	67	
3			900	90	Utriculária	5925	357	
111	48	Turnera	900	90	Uva-crispa	719	355	
652			90		Uva-crispa 33687	356	356	
264	31	TURNERACÆ, Or. 88.	16792	1883	637	Uva de Guanches	34016	1468
52			22243	424		1620	1620	
362		Turpentine	24216	2763	28 Uvária	1620	333	
397		Turpentine tree	24216	2763	U. see Guattêria	1625	333	
62		Turpêthum	4102	491	U. see Kadsûra	3702	655	
414		Turpinia	25131	2886	Uvária	8494	1023	
283			17669	591	Uva-spina	5904v.	719	
168	38	Turræa	1295	130	Uva-ursi	11081	1346	
652			16167	1827	71 Uvulária	1032	8	
256		Turrita	1826	131	U. see Disporum	1033	67	
255	51	Turritis	1826	177	55 Vaccária	11368	1385	
652			1827	156	55 VACCINIÆ, Or. 114.	1194	445	
491		T. see A'rabis	1827	156	55 Vaccinium	1194	445	
255		T. see Leptocarpæa	1820	236	U. see Gaylussaciæ	3612	653	
532		Tussac Grass	29922	236	U. see Oxycoccus	1193	656	
344	53	Tussilâgo	2333	155	U. see Vagária	4264	246	
652			2447	690	52 Valántia	2859	479	
363		T. see Chaptâlia	2336	41	V. see Gâlinum	348	257	
345		T. see Lèria	2336	45	Valerândi	5193	618	
351		T. see Perdicum	2335	45		618	656	
293		Tutsan	2043	79				

Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	Lin.	Nat.	Sp.	Gen.	
684	Vesiculifera		4236	212	W. see Comarópsis	1525	658	Wigándia			4097	
59	Véstra		479	93	39 Walkéria	744	238	Wild Basil			1678	
311	Vetch		2133	424	Walking Fern	25701	2955	115	Wild Beet		7480 929	
307	Vetch	19036	2102	255	Wall Cress		1827	390	Wild Blite	23214	2624	
313	Vetchling	19302	2136	254	Wallflower		1818	55	Wild Bugloss		444	
279	Vibórgia		1954	233	Wallflower	16032	1806	354	Wild Chamomile			
684	Vibrísea		4237	264	Wallflower	16609	1833			21715	2376	
109				382				198	Wild Clove tree	12706	1489	
150	51 Vibúrnum		892	657	72 Wallichia		2644	90	Wild Cumín		717	
311				102	50 Wallröthia		832	314	Wild Liguorice		2140	
656	43 Vicia		2133	245	W. see Vitex		1743	28	Wild Out	1864	223	
312	V. see Ervrum		2134	420	Wall Rue	25469	2921	110	Wild Olive	7145	894	
311	V. see Faba		2132	657	38 Wallsára		4093	157	Wild Olive	10155	1197	
313	V. see Láthyрус		2136	384	Walnut		2654	191	Wild Purslane	12349	1560	
656	Victoria		4089	268	35 Walthéria		1915	266	Wild Radish	16633	1897	
133	Victoriális	8703	1046	170	Wampee tree		1327	172	Wild Rosemary			
20	69 Vieusseuxia		147	34	74 Wangenheimia		266	201	Wild Service	11036 v.	1341	
19	V. see Iris		142	40	Warratah		321	201	Wild Tansy	12967	1567	
316	44 Vigna		2153	233	Warratah	18166 v. 8	2038	98	Wild Tansy	13654	1528	
359	54 Viguiera		2416	657	Wárrea		4094	239	Wild Thyme	15147	1681	
58				690				82	Wild Vine	5369	655	
656	58 Villarsia		464	262	Wart Cress		1872	82	Wild Wendibia		2734	
302	43 Vilmorinia		2077	192	Wartwort	12409	1460	395	73 Willemötia		4098	
628	Vilmorin Rose	13430 v.	1522	51	Water Caltrop		403	658	W. see Hierácium		2211	
164	43 Viminaria		1254	37	Water Chickweed		563	303	Willow		2732	
67				254	Water Cress	16106	1819	189	Willow	12187	1451	
656	57 Vinca		528	141	Water Dock	9179	1126	155	Willow Herb		1186	
94	Vincetóxicum	6112	761	102	Water Dropwort		833	622	Willow Oak	23432	2666	
82	Vine		655	232	Water Germander		14706	1648	69	57 Willughberia	553	
657				103	Water Hemlock		838	98	W. see Fagraea		575	
228	Vine Bower	14473	1631	103	Water Horchound		386	59	Wind Flower	6354	794	
132	Vine Leek	8603	1046	59	Water Leaf		475	301	Wind Palm	23532	2678	
656	33 Viola		701	269	Water Lemon	16963	1923	619	Winged Pea	18595	2668	
89	V. see Calyptrion		707	217	Water Lily		1556	224	Winepoint		3043	
89	V. see Erpotion		702	656	Water-Maize		4089	231	Wintera	14280 sy.	1692	
89	V. see Ionidium		705	398	Water Melon	23715 v.	2699	138	Winter Aconite		1610	
89	V. see Noisettia		706	382	Water Milfoil		2652	71	Winter Berry		1689	
89	V. see Sölea		703	104	Water Parsnep		848	159	Winter Cherry	10336	1217	
32	VIOLARIÆ, Æ, Or. 20.			158	Water Pepper	10237	1210	255	Winter Cress		1822	
87				160	Water Plantain	10365	1223	82	Winter Grape	5372	655	
656	Violet		701	142	Water Plantain		1132	143	Winter Green		1133	
257	Violet Thlaspi	16277	1843	139	Water Purslane		1100	173	Winter Green		1349	
224	Viorna	14466	1631	29	Water Reed		210	238	Winter-sweet		1680	
55	Viper's Bugloss		445	402	Water Soldier		2802	93	Wise Men's Banana tree		6059 746	
322	Viper's Grass		2301	4	Water Starwort		28					
625	Virèva	33668 sy.	1339	225	Water Vine	14314	1309	315	44 Wistaria		2147	
348	Virgaurea	21424	2339	58	Water Violet		1256	658	51 Witch Hazel		467	
162	43 Virgilia		1242	160	Waterwort		422	51	Witheringia		359	
358	V. see Gaillardia		2412	17	69 Watsonia		124	46	Withy	7019	881	
82	Virginian Creeper			657	Wayfaring tree	7129	892	108	69 Witsenia		117	
398	Virginian Hemp		2770	81	51 Wöbera		646	690	Wittedenia, sec Vittadinia		4265	
187	Virginian Poke	12083	1420	657	54 Wedelia		2436	263	Woad		1877	
228	Virgin's Dower		1631	362	W. see Melampodium		2446	246	Wool's-banc	14184	1600	
401	Viröla	24557 sy.	2829	657	W. see Entosthodon		4152	658	Wool-berry	34396	4044	
657	Visceria		4090	363	W. see Weismannia		1207	313	Woodbine	10276	1210	
397	51 Viscum		2750	658	49 Weinmannia		3291	291	Wood Everlasting		19285 2136	
321	36 Visnea		2192	158	W. see Acrophylum		3291	291	Woodroof		350	
657				6737	841	658	482	W. see Caldcluvia		45	453	
103	Visnaga		6737	841	658	482	W. see Weissia		2976	233	473	
193	46 Visnea		1462	482	W. see Dissodon		2968	473	76 Woodsia		2940	
228	Vitaiba	14448	1631	687	W. see Entosthodon		4152	658	W. see Physomatium		3900	
246	61 Vitex		1743	427	Welsh Onion	8624	1046	608	Wood Sorrel		1414	
657				684	29 Wendlandia		1129	185	Woodwardia		2919	
82	38 Vitis		655	132	53 Werneria		2334	419	60 Westringia		1649	
156	Vitis Idæa	10123	1194	142	29 Werneria		2334	419	Weymouth Pine		23609 2683	
145	37 Vitimannia		1165	344	53 Werneria		2334	419	Wheat		2683	
690	Vittadinia		4265	233	60 Westringia		1649	419	Whirling Plant	19053	2120	
421	76 Vittaria		2927	611	Weymouth Pine		23609	2683	White Bean tree			
657				34	Wheat		2683	293	White Cedar	12965	1507	
646	V. see Tæniopsis		4050	31	Whirling Plant	19053	2120	283	White Clover	18505	2066	
637	V. see Vitis		4091	34	White Bean tree			4	White Florin	1719	203	
318	44 Voandzitia		2170	309	White Cedar	23653	2692	658	White Spruce	23626	2686	
4	45 Voehysia		21	201	White Cedar	23653	2692	658	White tree	2179	140	
59	58 Vohiria		409	388	White Clover	18505	2066	68	White Vine	14448	1631	
247	61 Volkameria		1753	299	White Clover	18505	2066	68	White Wood		2282	
247	V. see Clerodendrum		1752	26	White Florin	1719	203	9	Whitefieldia		4096	
519				388	White Spruce	23626	2686	658	Whitlæya	4032 sy.	486	
70	Vomit Nut	4585	574	348	White tree	2179	140	100	Whitlow Grass	16534	1873	
15	44 Vouapa		108	319	White Vine	14448	1631	100	Whole Schenus	1396	157	
657	Vrièsia		4092	228	White Wood		2282	101	Whortle Berry		1194	
283	Vulneraria	17625	1968	335	Whitefieldia		4096	684	Wickströmia		31698 sy.	
223	Vulparia	14178	1640	658	Whitlæya	4032 sy.	486	684	Widow-wail	106	658	
18	70 Wachendorfia		136	61	Whitlow Grass	16534	1873	380	54 Xanthium		2627	
75	54 Wahlenbergia		606	21	Whole Schenus	1396	157	320	36 Xanthochymus		2188	
612	W. see Platycodon		3914	156	Whortle Berry		1194	658	36 Xanthochymus		2188	
556	W. see Glossocömia	3616*		574	Wickströmia		31698 sy.	3718	115	28 Xanthorhiza		932
690	Wailësia		4266	15	Widow-wail	106	658	134	71 Xanthorhæa		1948	
202	44 Waldstelnia		1514	15				658	Xanthosia		4099	

GENERAL INDEX.

735

Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.	Lin. Nat.	Sp. Gen.
605	Xanthosoma, <i>sy.</i> see	360	Yellow Sultan	22165	2434
	<i>Caladium</i>	313	Yellow Vetchling		
398	39 Xanthoxylum	2764		19302	2136
50	X. see <i>Fagâra</i>	398	153 Yellow-wort		1176
684	Xenodochus	591	Yellow Wood Vine	2612	659
341		100	<i>Yervandra</i>	6530	812
658	53 Xeranthemum	2322	404 } Yew Tree		2823
312	X. see <i>Aphelëxis</i>	2326	617 }		
342	X. see <i>Phacôcoma</i>	2325	130 }		
140		658	71 <i>Yacca</i>	1027	659
658	71 Xerophyllum	1115	328	53 <i>Zacfntha</i>	2229
398		658	Zalâcca	4100	83
658	73 <i>Xérotés</i>	2776	124 <i>Zalâcca</i>	8094	987
351	53 <i>Ximenèsia</i>	2358	357	54 <i>Zaluzània</i>	2403
522	X. see <i>Coreôpsis</i>	2415	5	Zambac	294
145	35 <i>Ximènia</i>	1171	403	67 <i>Zàmia</i>	2814
531	X. see <i>Cyminôsuma</i>	1189	659	73 <i>Zannichèllia</i>	637
18		133	375	39 <i>Zanthoxylum</i>	2587
658	70 <i>Xiphidium</i>	133	398	61 <i>Zapània</i>	2764
417	76 <i>Xiphopteris</i>	2506	246	61 <i>Zapània</i>	1745
370	68 <i>Xylôbium</i>	2536	659	61 <i>Zapània</i>	4504
40	64 <i>Xylomelum</i>	320	69	<i>Zapatilla</i>	561
673	<i>Xylomizon</i>	<i>sy.</i> 3122	659		659
390	65 <i>Xylophylla</i>	2709	690	<i>Zausehnèria</i>	4101
227	28 <i>Xylôpia</i>	1627	377	75 <i>Zèa</i>	2602
71	<i>Xylôpieron</i>	4596	576	34 <i>Zèa</i>	2285
83	<i>Xylôpyrus</i>	5431	660	1	49
581	<i>Xylôteon</i>	31959	622	3	3
79	<i>Xylôteum</i>	5225	622	3	166
580	X. see <i>Lonicera</i>	622	659	<i>Zedoary</i>	166
15		110	659	<i>Zenobia</i>	11041
658	73 <i>Xyris</i>	110	659	70 <i>Zephyranthes</i>	974
94	57 <i>Xysmalôbium</i>	768	625	Z. see <i>Sceptránthes</i>	3981
400	Yam	2787	3	<i>Zerâmbet</i>	126
356	Yarrow	21847	2387	3	169
33	Yellow		486	Z. see <i>Alpinia</i>	101
170	Yellow Bird's-nest	1330	659	54 <i>Zexmènia</i>	4102
384	Yellow Chestnut	23433	2666	659	4103
236	Yellow Dead Nettle		50	Zichya	
		14961	1667	39 <i>Zièria</i>	399
248	Yellow Rattle	1771	690		169
115	Yellow Root	932	237	60 <i>Zietènia</i>	1670
					682
					131
					659
					265
					31
					69
					59
					54
					75
					50
					60
					40
					Z. see <i>Condàlia</i>
					Z. see <i>Paliurus</i>
					53 <i>Zœgra</i>
					<i>Zollikofèria</i>
					<i>Zonèria</i>
					<i>Zòria</i>
					Z. see <i>Dieërma</i>
					50 <i>Zosimia</i>
					73 <i>Zostèra</i>
					71 <i>Zuccègnia</i>
					<i>Zuzýgium</i>
					<i>Zwíngera</i>
					<i>Zýgia</i>
					<i>Zýgis</i>
					<i>Zygoëma</i>
					<i>Zygodésimus</i>
					<i>Zýgodon</i>
					<i>Zygodossum</i> 29451 <i>sy.</i>
					<i>Zygodonium</i> 26251 <i>sy.</i>
					<i>Zygotétalum</i>
					Z. see <i>Odontoglossum</i>
					<i>ZYGOPHYLLEÆ</i> , Or. 54.
					<i>Zygotophyllum</i>
					Z. see <i>Fabâgo</i>
					Z. see <i>Guaiacum</i>
					<i>Zygotrichia</i> 36041 <i>sy.</i>

THE END

NEW WORKS

IN

MISCELLANEOUS & GENERAL LITERATURE,

PUBLISHED BY

MESSRS. LONGMAN, BROWN, GREEN, AND LONGMANS,
PATERNOSTER ROW, LONDON.

Classified Index.

Agriculture and Rural Affairs.

	Pages.
Baydon On valuing Rents, &c.	3
Crocker's Land-Surveying	7
Johnson's Farmer's Encyclopaedia	11
London's Agriculture	17
" Self-Instruction	17
" Lady's Country Companion	17
Low's Elements of Agriculture	18
" On Landed Property	18
" On the Domesticated Animals	18
Thomson On Fattening Cattle	30

Arts and Manufactures.

Baker's Railway Engineering	3
Hall on Manufacture of Tea	3
Bourne's Catechism of the Steam Engine	4
Brande's Dictionary of Science, &c.	5
Rudge's Miner's Guide	5
Cressy's Civil Engineering	5
D'Aigncourt's History of Art	23
Dresden Gallery	8
Eastlake On Oil Painting	8
Evans's Sugar-Planter's Manual	9
Ferguson On Architecture, &c.	9
Gwilt's Encyclop. of Architecture	10
Haydon On Painting and Design	11
Holland's Manufactures in Metal	16
Humphreys' Illuminated Books	13
Jameson's Sacred and Legendary Art	13
London's Rural Architecture	18
Mosley's Engineering	17
Porter's Manufacture of Silk	16
" Porcelain and Glass	16
Seoffren On Sugar Manufacture	26
Steam Engine, by the Artisan Club	3
Twining On Painting	31
Ure's Dictionary of Arts, &c.	31

Biography.

Bell's Eminent British Poets	6
Collins's Life of Collins	6
Dunham's Early British Writers	16
" Lives of British Dramatists	16
Forster's Statesmen	16
Foss's English Judges	9
Gleig's Military Commanders	16
Grant's Memoir & Correspondence	10
Head's Memoirs of Cardinal Pacca	11
Humphreys's Black Prince	13
James's Foreign Statesmen	16
Kindersley's De Bayard	14
Leslie's Life of Constable	15
Maunder's Biographical Treasury	20
Roscoe's British Lawyers	4
Russell's Bedford Correspondence	4
Shelley's Literary Men of Italy, &c.	15
" French Writers	16
Southey's British Admirals	16
" Life of Wesley	29
" Life and Correspondence	29
Stephens's Ecclesiastical Biography	29
Taylor's Loyola	30
Townsend's Eminent Judges	31
Waterton's Autobiography & Essays	31

Books of General Utility

Acton's Cookery	3
Black's Treatise on Brewing	4
Cabinet Lawyer	5
Donovan's Domestic Economy	16
Hints on Etiquette	11
Hudson's Executor's Guide	12
" On Making Wills	12

London's Self-Instruction	17
" Lady's Companion	17
" Amateur Gardener	17
Maunder's Treasury of Knowledge	20
" Biographical Treasury	20
" Scientific Treasury	20
" Treasury of History	20
" Natural History	20
" Domestic Duties	23
" Pocket and the Stud	10
" Pycroft's English Reading	21
" Collegian's Guide	24
" Reader's Time Tables	24
" Rosce's Medical Guide	25
" Rich's Comp. to Latin Dictionary	25
" Riddle's Latin Dictionaries	25
" Robinson's Curing, Pickling, &c.	25
" British Wines	25
" Short Whist	27
" Thomson On the Sick Room	30
" Thomson's Interest Tables	30
" Webster's Domestic Economy	32

Botany and Gardening.

Ball On the Cultivation of Tea	3
Calcott's Scripture Herbal	5
Conversations on Botany	6
Evans's Sugar-Planter's Manual	9
Henslow's Botany	16
Hoare On Cultivation of the Vine	11
" On the Roots of Vines	11
Hooker's British Flora	11
" Guide to Kew Gardens	11
Lindley's Theory of Horticulture	15
" Introduction to Botany	15
" Synopsis of British Flora	16
London's Hortus Britannicus	18
" Licentia Londinensis	18
" Amateur Gardener	17
" Self-Instruction	17
" Trees and Shrubs	17
" Gardening	17
" Plants	17
Rivera's Rose Amateur's Guide	26
Rogers's Vegetable Cultivator	26
Schleiden's Botany, by Lankester	26

Chronology.

Allen On Prerogative	3
Blair's Chronological Tables	4
Bunsen's Ancient Egypt	5
Nicolas's Chronology of History	16

Commerce & Mercantile Affairs.

Banfield and Weld's Statistics	3
Gilbart's Treatise on Banking	9
Russell's Tables of Life Contingencies	10
Lorimer's Letters to a Young Master Mariner	17
M'Culloch's Commerce & Navigation	17
Reader's Time Tables	24
Steel's Shipmaster's Assistant	29
Thomson's Interest Tables	30
Wallford's Customs' Laws	31

Geography and Atlases.

Butler's Geography and Atlases	5
De Strzelecki's New South Wales	7
Erman's Travels through Siberia	8
Forster's Geography of Arabia	9
Hall's Large Library Atlas	10
" Railway Map of England	10
Johnston's General Gazetteer	11
M'Culloch's Geographical Dictionary	18
Mitchell's Australian Expedition	21
Murray's Encyclop. of Geography	22

History and Criticism.

	Pages.
Bell's History of Russia	16
Blair's Chron. and Histor. Tables	4
Bloomfield's Edition of Thucydides	4
Bunsen's Ancient Egypt	5
Coad's Memorandum	6
Cooley's History of Discoveries	16
Conybeare and Howes's St. Paul	16
Crowe's History of France	16
De Sismondi's Fall of Roman Empire	16
" Italian Republics	16
Dunham's Spain and Portugal	16
" Middle Ages	16
" German Empire	16
" Denmark, Sweden, &c.	16
" Poland	16
Dunlop's History of Fiction	8
Eastlake's History of Oil Painting	8
Easton's English Antiquities	8
Ferguson's United States	16
Ferguson On Art	9
Foss's English Judges	19
Forster's European Literature	19
Gibbon's Roman Empire	19
Grant's Memoir & Correspondence	10
Grattan's Netherlands	16
Harrison On the English Language	10
Haydon On Painting and Design	11
Head's Memoirs of Cardinal Pacca	11
Humphreys's Black Prince	13
Jeffrey's (Lord) Contributions	14
Keightley's Outlines of History	14
Kemble's Anglo Saxons	14
Macauley's Crit. and Hist. Essays	18
" History of England	16
Mackintosh's Miscellaneous Works	18
" History of England	19
M'Culloch's Geographical Dictionary	18
Maunder's Treasury of History	20
Merivale's History of Rome	20
Milner's Church History	20
Moor's History of Ireland	16
Mosheim's Ecclesiastical History	22
Muse's Ancient Greece	22
Nicolas's Chronology of History	16
" Passages from Modern History	28
" Ranke's History of the Reformation	24
" Rich's Comp. to Latin Dictionary	25
" Riddle's Latin Dictionaries	25
" Rogers's Essays from the Edinburgh Review	25
" Rome, History of	16
" Russell's Bedford Correspondence	4
" Scott's History of Scotland	10
" Smith's St. Paul	23
" (S.) Lects. on Moral Philosophy	28
" Soames's Latin Church	28
" Southey's The Doctor, &c.	23
" Stebbing's History of the Church	16
" History of Reformation	24
" Stephens's Church of Scotland	29
" (Sr J.) Essays	29
" Switzerland, History of	15
" Sydney Smith's Works	30
" Taylor's Lorey	30
" Thirlwall's History of Greece	30
" Tooke's History of Prices	30
" Townsend's State Trials	31
" Twining's Philosophy of Painting	31
" Zumpt's Latin Grammar	32

Juvenile Books.

Amy Herbert	25
Earl's Daughter (The)	25
Gertrude	26
Howitt's Boy's Country Book	12
" (Mary) Children's Year	12
Laneton Parsonage	26
Mrs. Marcell's Conversations	19
Margaret Percival	26
Maryat's Masterman Ready	19
" Mission	19
" Settlers in Canada	28
" Privateer's Man	19
Oshorne's Oceanus	25
" Passages from Modern History	25
" Pycroft's English Reading	24

<i>Medicine.</i>		<i>Pages.</i>	
Bull's Hints to Mothers -	5	London's Gardening -	17
" Management of Children -	5	" Plants -	17
Copland's Dictionary of Medicine -	7	" Trees and Shrubs -	17
Elliotson's Human Physiology -	8	M'ulloch's Geographical Dictionary 18	18
Latham On Diseases of the Heart -	15	" Dictionary of Commerce 18	18
Moore On Health, Disease, & Remedy 21		Murray's Encyclop. of Geography -	22
Pereira On Food and Diet -	24	Ure's Dictionary of Arts, &c. -	31
Reeve's Medical Guide -	25	Webster's Domestic Economy -	32
Thomson On Food -	30		
		<i>Poetry and the Drama.</i>	
<i>Miscellaneous.</i>		Aikin's (Dr.) British Poets -	3
Allen On Prerogative -	3	Flowers and their kindred Thoughts 22	
Blakey's Philosophy of Mind -	4	Fruits from Garden and Field -	22
Coad's Memorandum -	6	Goldsmith's Poems illustrated -	22
Colton's Lacon -	6	Gray's Elegy, illuminated -	22
De Morgan On Probabilities -	16	Hey's Moral of Flowers -	11
De Strzelecki's New South Wales -	7	" Sylvan Musings -	14
Dresden Gallery -	8	Kent's Aethia -	14
Dunlop's History of Fiction -	8	L. E. L.'s Poetical Works -	15
Graham's English -	9	Linwood's Anthologia Oxoniensis -	16
Grant's Letters from the Mountains 11		Macauley's Lays of Ancient Rome 18	
Hooker's Kew Guide -	10	Mackay's English Lakes -	18
Howitt's Rural Life of England -	12	Montgomery's Poetical Works -	21
" Visits to Remarkable Places 12		Moore's Poetical Works -	21
" Domestic Life of Germany 12		" Lalla Rookh -	21
Jeffrey's (Lord) Contributions -	14	" Irish Melodies -	21
Kay On Education, &c., in Europe 14		" Songs and Ballads -	21
London's Lady's Country Comp. -	17	Shakspeare, by Bowdler -	27
Macauley's Crit. and Hist. Essays 18		Southey's Poetical Works -	28
Mackintosh's Miscellaneous Works 18		" British Poets -	28
Maitland's Church in the Catacombs 19		Swinburn's English Melodies -	29
Necker De Saussure On Education 23		Taylor's Virgin Widow -	29
Pascal's Works, by Pearce -	23 & 24	Thomson's Seasons illustrated -	30
Plunkett On the British Navy -	24	" edited by Dr. A. T. Thomson 30	
Pycroft's Collegian's Guide -	24		
" English Reading -	24	<i>Political Economy & Statistics.</i>	
Rich's Comp. to Latin Dictionary 25		Banfield and Welts's Statistics -	3
Richter's Levant -	25	Gilbert's Treatise on Banking -	9
Riddle's Latin Dictionaries -	25	Gray's Table of Life Contingencies 10	
Rownton's Debater -	26	Kay On the Social Condition, &c., of Europe -	14
Seaward's Narrative of his Shipwreck 26		Laing's Notes of a Traveller -	15
Sir Roger de Coverley -	27	M'ulloch's Geog. Statist. & Dict. 18	
Smith's (Rev. Sydney) Works -	27	" Dictionary of Commerce 18	
Southey's Common place Book -	28	" Statistics of Gt. Britain 19	
" The Doctor, &c. -	28	Marcel's Political Economy -	19
Stephen's Essays -	29	Tooke's Histories of Prices -	30
Stow's Training System -	29		
Thomson On Food -	30	<i>Religions and Moral Works</i>	
Townsend's State Trials -	31	Amy Herbert -	26
Walker's Chess Studies -	31	" On Christianity -	26
Zumpt's Latin Grammar -	32	Bloomfield's Greek Testament -	4
		" College and School do. 4	
<i>Natural History.</i>		" Lexicon to do. -	4
Catlow's Popular Conchology -	5	Book of Ruth (illuminated) -	13
Doubleday's Butterflies and Moths 7		Burder's Oriental Customs -	5
Ephemeræ and Young On the Salmon 8		Burns's Christian Philosophy -	5
Gray and Mitchell's Birds -	10	Callcott's Scripture Herbal -	5
Kirby and Spence's Entomology -	15	Conybeare and Howson's St. Paul Cook's Edition of the Acts -	6
Lee's Taxidermy -	15	Cooper's Sermons -	6
" Elements of Natural History 15		Dale's Domestic Liturgy -	7
Maudslayi's Natural History -	20	Didwin's Sunday Library -	7
Stephens's British Beetles -	29	Discipline -	7
Swainson On Study of Natural Hist. 31		Earl's Daughter (The) -	26
" Antiquities -	16	Ecclesiastes, illuminated -	25
" Taxidermy -	16	Englishman's Greek Concordance 8	
" Quadrupeds -	16	Englishman's Heb. & Chald. Concord. 8	
" Birds -	16	Etheridge's Acts and Epistles -	8
" Animals in Menageries -	16	Forster's Hist. Geography of Arabia 8	
" Fish, Amphibia, &c. -	16	Gertrude -	26
" Insects -	16	Hook's Lectures on Passion Week 11	
" Malacology -	16	Horne's Introduction to Scriptures 12	
" Habits and Instincts -	16	" Abridgment of ditto -	12
Turton's Shells of the British Islands 31		Howson's Sunday Evening -	12
Waterson's Essays on Natural Hist. 32		Jameson's Sacred Legends -	14
Westwood's Classification of Insects 32		" Monastic Legends -	14
Youatt's The Dog -	32	Jebb's Translation of the Psalms 14	
" The Horse -	32	Jeremy Taylor's Works -	14
		Kip's Christmas in Rome -	14
<i>Novels and Works of Fiction.</i>		" Conflicts of Christianity 14	
Dunlop's History of Fiction -	8	Laneton Parsonage -	15
Eötvo's Village Notary -	8	Letters to My Unknown Friends 15	
Hall's Midsummer Eve -	10	" on Happiness -	25
Lady Willoughby's Diary -	32	Maitland's Church in the Catacombs 19	
Lardon's Fountain of Aretusa -	15	" On Prophecy -	19
Madame De Malgout -	19	Margaret Percival -	26
Marryat's Masterman Ready -	19	Marriage Service (illuminated) 23	
" Settlers in Canada -	19	Maxims of the Saviour -	13
" Mission -	19	Milner's Church History -	20
" Privateers-man -	19	Miracles of Our Saviour -	13
Sinclair's Sir Edward Graham -	27	Montgomery's God and Man -	21
Sir Roger de Coverley -	27	Moore On the Use of the Body -	21
Sketches (The) -	27	" Soul and Body -	21
Southey's The Doctor, &c. -	28	" Man and his Motives -	21
Twelve Years Ago: a Tale -	31	Morell's Philosophy of Religion -	21
		Mosheim's Eccles. actual History -	22
<i>1 vol. Cyclopedias & Dictionaries.</i>		Neal's Closing Scene -	22
Blaine's Rural Sports -	4	Newman's J. H. Discourses -	22
Brande's Science, Literature, & Art 5		Paley's Evidences, &c. by Potts -	23
Copland's Dictionary of Medicine -	7	Parables of Our Lord -	13
Cresy's Civil Engineering -	7	Parke's Domestic Duties -	23
Gwilt's Architecture -	10	Sandford's Parochialia -	26
Johnson's Farmer's Encyclopedias 14		Sermon on the Mount (The) -	23
Johnson's Geographical Dictionary 14		Sinclair's Journey of Life -	27
London's Agriculture -	17	" Business of Life -	27
" Rural Architecture -	17		
		Smith's (G.) Perilous Times -	24
		" Religion of Anc. Britain 26	
		" Sacred Annals -	27
		" (Sydney) Sermons -	27
		" (J.) St. Paul -	27
		Soames' Latin Church -	29
		Solomon's Son, illuminated -	23
		Southey's Life of Wesley -	29
		Stephen's Church of Scotland 27	
		Tale's History of St. Paul -	29
		Taylor's Lady Mary -	29
		" Margaret, or, the Pearl -	29
		" (Thea) Emilia -	30
		Thumb Bible (The) -	30
		Tomline's Introduction to the Bible 30	
		Turner's Sacred History -	31
		Twelve Years Ago -	31
		Walker's Elementa Liturgica -	31
		Wilberforce's View of Christianity 32	
		Wilson's Lands of the Bible -	32
		Wisdom of Johnson's Rambler, &c. 14	
		Woodcock's Scripture Lands -	34
		<i>Rural Sports.</i>	
		Blaine's Dictionary of Sports -	4
		Ephemeræ on Angling -	8
		" Book of the Salmon -	8
		Hawker's Instructions to Sportsmen 11	
		London's Lady's Country Comp. -	17
		Pocket and the Stud -	10
		Practical Horsemanship -	10
		Ronald's Civil Fly -	26
		Stable Talk and Table Talk -	11
		" The Stud, for practical purposes 10	
		Wheatley's Rod and Line -	32
		<i>The Sciences and Mathematics.</i>	
		Baker's Railway Engineering -	3
		Bourne's Catechism -	4
		Brande's Dictionary of Science, &c. 5	
		Brewster's Optics -	16
		Conversations on Mining -	6
		Cresy's Civil Engineering -	7
		De la Beche's Geology of Cornwall, &c. 7	
		Donovan's Chemistry -	15
		Farey On the Steam Engine -	9
		Fosbroke On the Ancient Arts, &c. 16	
		Goreau's Scientific Phenomena 19	
		Herschel's Natural Philosophy -	16
		" Astronomy -	16
		" Outlines of Astronomy 11	
		Holland's Manufactures in Metal 16	
		Humboldt's Aspects of Nature -	12
		" Cosmos -	13
		Hunt's Researches on Light -	14
		Kane's Chemistry -	14
		Kater and Lardner's Mechanics -	16
		Lardner's Cabinet Cyclopedias -	16
		" Hydrostatics & Pneumatics 16	
		" and Walker's Electricity 16	
		" Arithmetic -	16
		" Geometry -	16
		" Treatise on Heat -	16
		Mareet's (Mrs.) Conversations -	19
		Matteucci on Physical Phenomena 20	
		Memoriae in the Geological Survey 20	
		Mosley's Practical Mechanics -	22
		" Engineering & Architecture 22	
		Owen's Lectures on Comp Anatomy 23	
		Peschel's Elements of Physics -	24
		Phillips's Fossils of Cornwall, &c. 24	
		" Mineralogy, by Miller -	24
		" Treatise on Geology -	26
		Portlock's Geology of Londonderry 24	
		Powell's Natural Philosophy -	16
		Schleiden's Scientific Botany -	26
		Steam Engine (The) -	3
		Thomson's School Chemistry -	30
		<i>Travels.</i>	
		Baxter's Impressions of Europe -	3
		Borber's Algeria -	4
		Clesney's Euphrates and Tigris -	6
		Coswell's North Wales -	6
		Coulter's Palestine -	7
		De Strzelecki's New South Wales -	8
		Erman's Travels through Siberia -	8
		Forester and Biddulph's Norway -	9
		" -	11
		Humboldt's Aspects of Nature -	12
		Kip's Holidays in Rome -	14
		Laing's Notes of a Traveller -	15
		Mackay's English Lakes -	18
		Marryat's Borneo -	19
		Mitchell's Australian Expedition -	21
		Power's New Zealand Sketches -	24
		Seaward's Narrative -	26
		Wilson's Travels in the Holy Land 32	
		Woodcock's Script. Lands -	34
		<i>Veterinary Medicine, &c.</i>	
		Pocket and the Stud -	10
		Practical Horsemanship -	10
		Stable Talk and Table Talk -	11
		Stud (The) -	10
		Thomson On Fattening Cattle -	30
		Youatt's The Dog -	32
		" The Horse -	32

NEW WORKS AND NEW EDITIONS,

PUBLISHED BY

MESSRS. LONGMAN, BROWN, GREEN, AND LONGMANS,
PATERNOSTER ROW, LONDON.

ACTON.—MODERN COOKERY,

In all its Branches, reduced to a System of Easy Practice. For the use of Private Families. In a Series of Receipts, all of which have been strictly tested, and are given with the most minute exactness. By ELIZA ACTON. New Edition: with Directions for Carving, and other Additions. Fcp. 8vo. with Plates and Woodcuts, 7s. 6d. cloth.

AIKIN.—SELECT WORKS OF THE BRITISH POETS,

From Ben Jonson to Beattie. With Biographical and Critical Prefaces by Dr. AIKIN. New Edition, with Supplement, by LUCY AIKIN; consisting of additional Selections from more recent Poets. 8vo. 18s. cloth.

ALLEN ON THE ROYAL PREROGATIVE.—AN INQUIRY

into the RISE and GROWTH of the ROYAL PREROGATIVE. By the late JOHN ALLEN, Master of Dulwich College. New Edition, with the Author's last Corrections: preceded by M. BÉRENGER'S "Rapport" on the Work read before the Institute of France; an Article on the same from the EDINBURGH REVIEW; and a Biographical Notice of the Author. To which is added, An Inquiry into the Life and Character of King Eadwig, from the Author's MS. 8vo. 12s. cloth.

THE ARTISAN CLUB.—A TREATISE ON THE STEAM

ENGINE, in its Application to Mines, Mills, Steam Navigation, and Railways. By the Artisan Club. Edited by JOHN BOURNE, C.E. New Edition. With 30 Steel Plates and 349 Wood Engravings. 4to. 27s. cloth.

BAKER.—RAILWAY ENGINEERING;

Containing the most approved Methods of laying out Railway Curves, and of setting out the Cuttings, Embankments, and Tunnels of Railways; with a General and two Auxiliary Tables, for the Calculation of Earthworks of Railways, Canals, &c. Also, the Investigation of the Formula for the Super-elevation of the exterior Rail in Curves. By T. BAKER, Surveyor and Civil Engineer. 8vo. 5s. cloth.

BALL.—AN ACCOUNT OF THE CULTIVATION AND MANU-

FACTURE of TEA in CHINA: derived from Personal Observation during an Official Residence in that Country of upwards of Twenty years; and illustrated by the best Authorities, Chinese as well as European. With some Remarks on the Experiments now making for the Introduction of the Culture of the Tea Tree in other parts of the World. By S. BALL, Esq., late Inspector of Teas to the East India Company in China. 8vo. with Plates and Woodcuts, 14s. cloth.

BANFIELD AND WELD.—THE STATISTICAL COMPANION

for 1850; exhibiting the most interesting Facts in Moral and Intellectual, Vital, Economical, and Political Statistics, at home and abroad. Compiled from Official and other authentic Sources, by T. C. BANFIELD, Statistical Clerk to the Council of Education; and C. R. WELD, Assistant-Secretary to the Royal Society. New Edition (1850), corrected and extended to the Present Time. Fcp. 8vo. 5s. cloth.

BAXTER.—IMPRESSIONS OF CENTRAL AND SOUTHERN

EUROPE: being Notes of Successive Journeys in Germany, Austria, Italy, Switzerland, and the Levant. By WILLIAM EDWARD BAXTER, Esq. 8vo. 12s. cloth.

BAYLDON.—ART OF VALUING RENTS AND TILLAGES,

And the Tenant's Right of Entering and Quitting Farms, explained by several Specimens of Valuations; and Remarks on the Cultivation pursued on Soils in different Situations. Adapted to the Use of Landlords, Land-Agents, Appraisers, Farmers, and Tenants. By J. S. BAYLDON. New Edition; corrected and revised by John Donaldson. 8vo. 10s. 6d. cloth.

BEDFORD CORRESPONDENCE. — CORRESPONDENCE OF

JOHN, FOURTH DUKE OF BEDFORD, selected from the Originals at Woburn Abbey (1742 to 1770). With Introductions by Lord JOHN RUSSELL. 3 vols. 8vo. with Portrait, 4s. cloth.

BLACK.—A PRACTICAL TREATISE ON BREWING,

Based on Chemical and Economical Principles: with Formulæ for Public Brewers, and Instructions for Private Families. By WILLIAM BLACK, Practical Brewer. New Edition, with considerable Additions. 8vo. 10s. 6d. cloth.

BLAINE.—AN ENCYCLOPÆDIA OF RURAL SPORTS ;

Or, a complete Account, Historical, Practical, and Descriptive, of Hunting, Shooting, Fishing, Racing, and other Field Sports and Athletic Amusements of the present day. By DELABERE P. BLAINE, Esq. Author of "Canine Pathology," &c. Illustrated by nearly 600 Engravings on Wood, by R. Branston, from Drawings by Alken, T. Landseer, Dickes, &c. In One Large Volume, 8vo. [New and thoroughly revised Edition in the press.]

BLAIR'S CHRONOLOGICAL AND HISTORICAL TABLES,

From the Creation to the present time: with Additions and Corrections from the most authentic Writers: including the Computation of St. Paul, as connecting the Period from the Exode to the Temple. Under the revision of Sir HENRY ELLIS, K.H., Principal Librarian of the British Museum. Imperial 8vo. 31s. 6d. half-bound in morocco.

BLAKEY.—HISTORY OF THE PHILOSOPHY OF MIND :

Embracing the Opinions of all Writers on Mental Science from the Earliest Period to the Present Time. By ROBERT BLAKEY, Esq., Author of "The Temporal Benefits of Christianity," &c. 4 vols. 8vo. 60s. cloth.

BLAKEY.—THE TEMPORAL BENEFITS OF CHRISTIANITY ;

Exemplified in its Influence on the Social, Intellectual and Political Condition, of Mankind, from its First Promulgation to the Present Day. By ROBERT BLAKEY, Author of the "History of the Philosophy of Mind," &c. 8vo. 9s. cloth.

BLOOMFIELD.—HISTORY OF THE PELOPONNESIAN WAR.

By THUCYDIDES. A New Recension of the Text, with a carefully amended Punctuation; and copious NOTES, Critical, Philological, and Explanatory, principally original, partly selected and arranged from the best Expositors: accompanied by full Indexes, both of Greek Words and Phrases explained, and matters discussed in the Notes. Illustrated by Maps and Plans. By the Rev. S. T. BLOOMFIELD, D.D. F.S.A. 2 vols. 8vo. 38s. cloth.

BLOOMFIELD.—THE GREEK TESTAMENT :

With copious English Notes, Critical, Philological, and Explanatory. Especially formed for the use of advanced Students and Candidates for Holy Orders. By Rev. S. T. BLOOMFIELD, D.D. F.S.A. New Edition. 2 vols. 8vo. with a Map of Palestine, £2, cloth.

BLOOMFIELD.—COLLEGE & SCHOOL GREEK TESTAMENT :

With shorter English Notes, Critical, Philological, and Explanatory, formed for use in Colleges and the Public Schools. By the Rev. S. T. BLOOMFIELD, D.D. F.S.A. New Edition, greatly enlarged and improved. Fcp. 8vo. 10s. 6d. cloth.

BLOOMFIELD.—GREEK AND ENGLISH LEXICON TO THE

NEW TESTAMENT: especially adapted to the use of Colleges, and the Higher Classes in Public Schools; but also intended as a convenient Manual for Biblical Students in general. By Dr. BLOOMFIELD. New Edition, enlarged and improved. Fcp. 8vo. 10s. 6d. cloth.

BORRER.—NARRATIVE OF A CAMPAIGN WITH A FRENCH

COLUMN against the KABAÏLES of ALGERIA: with the Mission of M. Suchet to the Emir Abd-el-Kader, for an Exchange of Prisoners. By DAWSON BORRER, F.R.G.S. Membre Correspondant de la Société Orientale à Paris; Author of "A Journey from Naples to Jerusalem." Post 8vo. 10s. 6d. boards.

BOURNE.—A CATECHISM OF THE STEAM ENGINE,

Illustrative of the Scientific Principles upon which its Operation depends, and the Practical Details of its Structure, in its applications to Mines, Mills, Steam Navigation, and Railways: with various Suggestions of Improvement. By JOHN BOURNE, C.E., Editor of the Artizan Club's "Treatise on the Steam Engine." 3d Edit. revised and corrected. Fcp. 8vo. 6s. cloth.

BRANDE.—A DICTIONARY OF SCIENCE, LITERATURE, AND ART; comprising the History, Description, and Scientific Principles of every Branch of Human Knowledge; with the Derivation and Definition of all the Terms in General Use. Edited by W. T. BRANDE, F.R.S.L. & E.; assisted by Dr. J. CAUVIN. In One Large Volume, 8vo. with Wood Engravings. [New Edition, in the press.]

BULL.—HINTS TO MOTHERS,

For the Management of Health during the Period of Pregnancy and in the Lying-in Room; with an Exposure of Popular Errors in connexion with those subjects, &c.; and Hints upon Nursing. By THOMAS BULL, M.D. New Edition, carefully revised and enlarged. Fcp. 8vo. 5s. cloth.

BULL.—THE MATERNAL MANAGEMENT OF CHILDREN, in HEALTH and DISEASE. By T. BULL, M.D. Member of the Royal College of Physicians; formerly Physician-Accoucheur to the Finsbury Midwifery Institution, and Lecturer on Midwifery and on the Diseases of Women and Children. New Edition, carefully revised and enlarged. Fcp. 8vo. 5s. cloth.

BUDGE.—THE PRACTICAL MINER'S GUIDE.

Comprising a Set of Trigonometrical Tables adapted to all the purposes of Oblique or Diagonal, Vertical, Horizontal, and Traverse Dialling; with their application to the Dial, Exercise of Drifts, Lodes, Slides, Levelling, Inaccessible Distances, Heights, &c. By J. BUDGE. New Edition, considerably enlarged. 8vo. with Portrait of the Author, 12s. cloth.

BUNSEN.—EGYPT'S PLACE IN UNIVERSAL HISTORY:

An Historical Investigation, in Five Books. By CHRISTIAN C. J. BUNSEN, D.Ph. & D.C.L. Translated from the German, by C. H. COTTELL, Esq. M.A.—Vol. I. containing the First Book, or Sources and Primeval Facts of Egyptian History; with an Egyptian Grammar and Dictionary, and a complete List of Hieroglyphical Signs; an Appendix of Authorities, embracing the complete Text of Manetho and Eratosthenes, *Ægyptiaca* from Pliny, Strabo, &c.; and Plates representing the Egyptian Divinities. 8vo. with numerous illustrations, 28s. cloth.

BURDER.—ORIENTAL CUSTOMS,

Applied to the Illustration of the Sacred Scriptures. By Dr. SAMUEL BURDER. New Edition, with Additions. Fcp. 8vo. 8s. 6d. cloth.

BURNS.—THE PRINCIPLES OF CHRISTIAN PHILOSOPHY;

containing the Doctrines, Duties, Admonitions, and Consolations of the Christian Religion. By JOHN BURNS, M.D. F.R.S. New Edition. Fcp. 8vo. 6s. 6d. cloth.

BUTLER.—A SKETCH OF MODERN AND ANCIENT GEO-

GRAPHY, for the use of Schools. By SAMUEL BUTLER, D.D. late Lord Bishop of Lichfield and Coventry; and formerly Head Master of Shrewsbury School. New Edition, revised by the Author's SON. 8vo. 9s. boards.

BUTLER.—A GENERAL ATLAS OF MODERN AND ANCIENT

GEOGRAPHY. By the late Dr. S. BUTLER. Consisting of Forty-five coloured Maps, and Indices. New Edition, re-engraved; with corrections (in the Modern Maps) from the Government Surveys and other recent sources of information, and (in the Ancient Maps) from the most approved writers on Ancient Geography. 4to. 24s. half-bound.

Separately { The Ancient Atlas. 22 coloured Maps. 8vo. 12s. half-bound.
 { The Modern Atlas. 23 coloured Maps. 8vo. 12s. half-bound.

THE CABINET LAWYER:

A Popular Digest of the Laws of England, Civil and Criminal; with a Dictionary of Law Terms, Maxims, Statutes, and Judicial Antiquities; Correct Tables of Assessed Taxes, Stamp Duties, Excise Licenses, and Post-Horse Duties; Post-Office Regulations, and Prison Discipline. 15th Edition (1850), enlarged, and corrected throughout, with the Legal Decisions and Statutes to Michaelmas Term, 12 and 13 Victoria. Fcp. 8vo. 10s. 6d. cloth.

CALLCOTT.—A SCRIPTURE HERBAL.

With upwards of 120 Wood Engravings. By Lady CALLCOTT. Square crown 8vo. 25s. cloth.

CATLOW.—POPULAR CONCHOLOGY;

Or, the Shell Cabinet arranged: being an Introduction to the Modern System of Conchology; with a sketch of the Natural History of the Animals, an account of the Formation of the Shells, and a complete Descriptive List of the Families and Genera. By AGNES CATLOW. Fcp. 8vo. with 312 Woodcuts, 10s. 6d. cloth.

CHESNEY.—THE EXPEDITION FOR THE SURVEY OF

THE RIVERS EUPHRATES and TIGRIS, carried on by order of the British Government, in the Years 1835, 1836, and 1837. By Lieut.-Col. CHESNEY, R.A., F.R.S., Commander of the Expedition. Vols. I. and II. in royal 8vo. with a coloured Index Map and numerous Plates and Woodcuts, 63s. cloth.—Also, an ATLAS of Thirteen Maps and Charts of the Expedition, price £1. 11s. 6d. in case.

. The entire work will consist of four volumes, royal 8vo. embellished with Ninety-seven Plates, besides numerous Woodcut Illustrations, from Drawings chiefly made by Officers employed in the Surveys.

JOHN COAD'S MEMORANDUM.—A CONTEMPORARY AC-

COUNT OF THE SUFFERINGS of the REBELS sentenced to TRANSPORTATION by JUDGE JEFFERIES; being, A Memorandum of the Wonderful Providences of God to a poor unworthy Creature, during the time of the Duke of Monmouth's Rebellion, and to the Revolution in 1688. By JOHN COAD, one the Sufferers. Square fcp. 8vo. 4s. 6d. cloth.

COLLINS. — MEMOIRS OF THE LIFE OF WILLIAM

COLLINS, Esq. R.A. Including Selections from his Journals and Correspondence, Notices of many of his eminent Contemporaries, and a Description of his principal Works. By his Son, W. WILKIE COLLINS, Esq. Author of "Antonina." With Portrait after Linnell, and 2 Vignettes from Sketches by the Painter. 2 vols. post 8vo. 21s. cloth.

COLTON.—LACON; OR, MANY THINGS IN FEW WORDS.

By the Rev. C. C. COLTON. New Edition. 8vo. 12s. cloth.

CONYBEARE AND HOWSON.—THE LIFE AND EPISTLES

of SAINT PAUL; comprising a complete Biography of the Apostle, and a Paraphrastic Translation of his Epistles inserted in Chronological Order. Edited by the Rev. W. J. CONYBEARE, M.A. late Fellow of Trinity College, Cambridge; and the Rev. J. S. HOWSON, M.A. late Principal of the Collegiate Institution, Liverpool. 2 vols. 4to. copiously illustrated by numerous Engravings on Steel and Wood of the Principal Places visited by the Apostle, from Original Drawings made on the spot by W. H. Bartlett; and by Maps, Charts, Woodcuts of Coins, &c.

. In course of publication in Monthly Parts, price 2s. each; of which Seven are now ready.

"The design of this undertaking is to give a more life like and animated picture of St. Paul than has heretofore been presented, by placing him in the midst of the circumstances by which he was actually surrounded, explaining the political and social position of the people he belonged to, exhibiting the character of Greek and Roman civilisation at the opening of his career, and shewing the various social gradations and influences with which he had to deal in the course of it. Many engravings accompany the work, having the same object in view. Maps retrace the course of his active and various wanderings, and landscapes shew us the principal places he visited. The general plan of the work is very complete, and up to this point ably executed. The division of labour assigns the translation of the epistles and speeches to Mr. Conybeare, and the narrative and descriptive portions of the book to Mr. Howson. When completed it will doubtless be the best existing account of the life, travels, and epistles of the great Apostle."

EXAMINER.

CONVERSATIONS ON BOTANY.

New Edition, improved. Fcp. 8vo. 22 Plates, 7s. 6d. cloth; with the plates coloured, 12s. cloth.

CONVERSATIONS ON MINERALOGY.

With Plates, engraved by Mr. and Mrs. Lowry, from Original Drawings. New Edition, enlarged. 2 vols. fcp. 8vo. 14s. cloth.

COOK.—THE ACTS OF THE APOSTLES:

With a Commentary, and Practical and Devotional Suggestions, for the Use of Readers and Students of the English Bible. By the Rev. F. C. COOK, M.A. one of Her Majesty's Inspectors of Church Schools. Post 8vo. 8s. 6d. cloth.

"A very excellent edition of the Acts, with explanatory notes, religious reflections, and introductory matter; the critical exposition drawn from a great variety of sources; the more religious suggestions original. Mr. Cook's object is, first, to supply whatever information may be required by the English reader in order to understand the text; and secondly, to assist him in drawing practical inferences from the word that was given to make us 'wise unto salvation': both of which purposes the book is well adapted to fulfil."

SPECTATOR.

COOPER.—PRACTICAL AND FAMILIAR SERMONS,

Designed for Parochial and Domestic Instruction. By the Rev. EDWARD COOPER. New Edit. 7 vols. 12mo. £1. 18s. boards.

COOPER'S DOCTRINAL SERMONS.

Sermons chiefly designed to elucidate some of the leading Doctrines of the Gospel. By the Rev. EDWARD COOPER. New Edition. 2 vols. 12mo. 16s. boards.

COPLAND.—A DICTIONARY OF PRACTICAL MEDICINE;

comprising General Pathology, the Nature and Treatment of Diseases, Morbid Structures, and the Disorders especially incidental to Climates, to Sex, and to the different Epochs of Life; with numerous approved Formulæ of the Medicines recommended. By JAMES COPLAND, M.D. Consulting Physician to Queen Charlotte's Lying-in Hospital, &c. &c. Vols. I. and II. 8vo. £3, cloth; and Parts X. to XIV. 4s 6d. each, sewed.

COSTELLO.—THE FALLS, LAKES, AND MOUNTAINS

OF NORTH WALES; being a Pictorial Tour through the most interesting parts of the Country. By Miss LOUISA STUART COSTELLO. Illustrated with Views, from Original Sketches by D. H. M'Kewan, engraved on wood, and lithographed, by T. and E. Gilks. Square 8vo. with Map, 14s. cloth.

COULTER.—ADVENTURES IN THE PACIFIC:

With Observations on the Natural Productions, Manners, and Customs of the Natives of the various Islands; Remarks on the Missionaries, British and other Residents, &c. By JOHN COULTER, M.D. Post 8vo. 7s. 6d. cloth.

CRESY.—AN ENCYCLOPÆDIA OF CIVIL ENGINEERING,

Historical, Theoretical, and Practical. By EDWARD CRESY, F.S.A. C.E. Illustrated by upwards of Three Thousand Engravings on Wood, explanatory of the Principles, Machinery, and Constructions which come under the Direction of the Civil Engineer. One very large Volume 8vo. £3. 13s. 6d. cloth.

CROCKER'S ELEMENTS OF LAND SURVEYING.

New Edition, corrected throughout, and considerably improved and modernized, by T. G. BUNT, Land Surveyor. To which are added, TABLES OF SIX-FIGURE LOGARITHMS, &c., superintended by R. FARLEY, of the Nautical Almanac Establishment. Post 8vo. 12s. cloth.

. Mr. Farley's Tables of Six Figure Logarithms may be had separately, price 4s. 6d.

DALE.—THE DOMESTIC LITURGY AND FAMILY CHAP-

LAIN, in two Parts: the First Part being Church Services adapted for domestic use, with Prayers for every day of the week, selected exclusively from the Book of Common Prayer; Part II. comprising an appropriate Sermon for every Sunday in the year. By the Rev. THOMAS DALE, M.A., Canon Residentiary of St. Paul's Cathedral. 2d Edition, post 4to. 21s. cloth: or, bound by Hayday, 31s. 6d. calf lettered; £2. 10s. morocco.

Separately { THE FAMILY CHAPLAIN, plain, 12s. cloth.
THE DOMESTIC LITURGY, price 10s. 6d. cloth.

DE LA BECHE.—REPORT ON THE GEOLOGY OF CORN-

WALL, DEVON, and WEST SOMERSET. By HENRY T. DE LA BECHE, F.R.S. &c., Director of the Ordnance Geological Survey. Published by Order of the Lords Commissioners of H.M. Treasury. 8vo. with Maps, Woodcuts, and 12 large Plates, 14s. cloth.

DE STRZELECKI.—THE PHYSICAL DESCRIPTION OF

NEW SOUTH WALES and VAN DIEMAN'S LAND; accompanied by a Geological Map Sections, and Diagrams, and Figures of the Organic Remains. By P. E. DE STRZELECKI. 8vo. with coloured Map and numerous Plates, 24s. cloth.

DIBDIN.—THE SUNDAY LIBRARY:

Containing nearly One Hundred Sermons, by eminent Divines. With Notes, &c. by the Rev. T. F. DIBDIN, D.D. 6 vols. fcp. 8vo. with Six Portraits, 30s. cloth; or, £2. 12s. 6d. neatly half-bound in morocco, with gilt edges.

DISCIPLINE.

By the Authoress of "Letters to my Unknown Friends," "Twelve Years Ago," "Some Passages from Modern History," and "Letters on Happiness." 18mo. 2s. cloth.

DOUBLEDAY AND HEWITSON'S BUTTERFLIES.—THE

GENERA OF BUTTERFLIES, or DIURNAL LEPIDOPTERA; comprising their Generic Characters—a Notice of the Habits and Transformations—and a Catalogue of the Species of each Genus. By EDWARD DOUBLEDAY, Esq. F.L.S. &c., late Assistant in the Zoological Department of the British Museum. Continued by J. O. HEWITSON, Esq. Illustrated with 75 Coloured Plates, by W. C. HEWITSON, Esq. Author of "British Oology." Imperial 4to. uniform with Gray and Mitchell's "Genera of Birds."

. In course of publication in Monthly Parts, 5s. each. The publication, which has been suspended for a few months in consequence of the death of Mr. Doubleday, will be resumed shortly, and continued regularly until the completion of the work.

DRESDEN GALLERY.—THE MOST CELEBRATED PICTURES

of the ROYAL GALLERY at DRESDEN, drawn on Stone, from the Originals, by Franz Hanfstaengl: with Descriptive and Biographical Notices, in French and German. Nos. I. to LVI. imperial folio, each containing 3 Plates, with Letter-press, price 20s. to Subscribers; to Non Subscribers, 30s. Single Plates, 12s. each.

* To be completed in 4 more numbers, price 20s. each, to Subscribers. Nos. LI. to LX. contain each *Four Plates* and *Letterpress*.

DUNLOP.—THE HISTORY OF FICTION:

Being a Critical Account of the most celebrated Prose Works of Fiction, from the earliest Greek Romances to the Novels of the Present Age. By JOHN DUNLOP, Esq. New Edition, complete in One Volume. 8vo. 15s. cloth.

EASTLAKE.—MATERIALS FOR A HISTORY OF OIL

PAINTING. By CHARLES LOCK EASTLAKE, Esq. R.A. F.R.S. F.S.A.; Secretary to the Royal Commission for Promoting the Fine Arts in connexion with the rebuilding of the Houses of Parliament, &c. 8vo. 16s. cloth.

* * Vol. II. On the Italian Practice of Oil Painting, is *preparing for publication*.

ECCLESTON.—AN INTRODUCTION TO ENGLISH ANTI-

QUITIES. Intended as a Companion to the History of England. By JAMES ECCLESTON, B.A. late Head Master of Sutton Coldfield Grammar School. 8vo. with numerous Engravings on Wood, 21s. cloth.

ELLIOTSON.—HUMAN PHYSIOLOGY:

With which is incorporated much of the elementary part of the "Institutiones Physiologicae" of J. F. Blumenbach, Professor in the University of Göttingen. By JOHN ELLIOTSON, M.D. Cantab. F.R.S. Fifth Edition. 8vo. with numerous Woodcuts, £2. 2s. cloth.

THE ENGLISHMAN'S GREEK CONCORDANCE OF THE

NEW TESTAMENT: being an Attempt at a Verbal Connexion between the Greek and the English Texts; including a Concordance to the Proper Names, with Indexes, Greek-English and English-Greek. New Edition, with a new Index. Royal 8vo. 42s. cloth.

THE ENGLISHMAN'S HEBREW AND CHALDEE CON-

CORDANCE of the OLD TESTAMENT; being an Attempt at a Verbal Connection between the Original and the English Translations: with Indexes, a List of the Proper Names and their occurrences, &c. 2 vols. royal 8vo. £3. 13s. 6d. cloth; large paper, £4. 14s. 6d.

EÖTVÖS.—THE VILLAGE NOTARY:

A Romance of Hungarian Life. Translated from the Hungarian of Baron EÖTVÖS, by OTTO WENCKSTERN. With an Introduction, written expressly for the present Translation, by FRANCIS PULSZKY. 3 vols. post 8vo. 31s. 6d. boards

EPEMERA.—THE BOOK OF THE SALMON:

In Two Parts. Part I. The Theory, Principles, and Practice of Fly-Fishing for Salmon: with Lists of good Salmon Flies for every good River in the Empire; Part II. The Natural History of the Salmon, all its known Habits described, and the best way of artificially Breeding It explained. Usefully illustrated with numerous Coloured Engravings of Salmon Flies and Salmon Fry. By EPEMERA, Author of "A Hand-Book of Angling;" assisted by ANDREW YOUNG, of Invershin, Manager of the Duke of Sutherland's Salmon Fisheries. Fcp. 8vo. with coloured Plates, 14s. cloth.

EPEMERA.—A HAND-BOOK OF ANGLING;

Teaching Fly-fishing, Trolling, Bottom-fishing, Salmon-fishing; with the Natural History of River Fish, and the best modes of Catching them. By EPEMERA, of "Bell's Life in London." New Edition, enlarged. Fcp. 8vo. with numerous Woodcuts, 9s. cloth.

ERMAN.—TRAVELS IN SIBERIA:

including Excursions northwards, down the Obi, to the Polar Circle, and southwards to the Chinese Frontier. By ADOLPH ERMAN. Translated by W. D. COOLEY, Esq. Author of "The History of Martine and Inland Discovery;" 2 vols. 8vo. with Map, 31s. 6d. cloth.

ETHERIDGE.—THE APOSTOLICAL ACTS AND EPISTLES,

From the Peschito, or Ancient Syriac. To which are added, the remaining Epistles, and the Book of Revelation, after a later Syriac Text. Translated, with Prolegomena and Indices, by J. W. Etheridge, M.A. Doctor in Philosophy of the University of Heidelberg, and Member of the Asiatic Society of Paris. Royal 12mo. 7s. 6d. cloth.

EVANS.—THE SUGAR PLANTER'S MANUAL :

Being a Treatise on the Art of obtaining Sugar from the Sugar Cane. By W. J. EVANS, M.D. 8vo. 9s. cloth.

FAREY.—A TREATISE ON THE STEAM ENGINE,

Historical, Practical, and Descriptive. By JOHN FAREY, Engineer. 4to. with 25 Plates, and numerous Woodcuts, £5. 5s. boards.

FERGUSON.—AN HISTORICAL INQUIRY INTO THE TRUE

PRINCIPLES of BEAUTY in ART, more especially with reference to ARCHITECTURE. By JAMES FERGUSSON, Esq.; Author of "An Essay on the Ancient Topography of Jerusalem," "Picturesque Illustrations of Ancient Architecture in Hindostan," &c. With 6 Copperplates, a coloured Lithographic Engraving, and upwards of 100 Woodcuts. Imperial 8vo. 30s. cloth.

FORESTER AND BIDDULPH'S NORWAY.

Norway in 1848 and 1849: containing Rambles among the Fields and Fjords of the Central and Western Districts; and including Remarks on its Political, Military, Ecclesiastical, and Social Organisation. By THOMAS FORESTER, Esq. With Extracts from the Journals of Lieutenant M. S. BIDDULPH, Royal Artillery. With a new coloured Map of Southern Norway, Wood Engravings, and Ten tinted Lithographic Illustrations from Drawings made on the spot. 8vo. 18s. cloth.

"As a picture of that strange, romantic land, which stood unshaken, nay, we may say, unruffled, during the revolutionary war of 1848, this work cannot be spoken of too highly, for it is graphic, truthful, and discriminating; and whilst entirely free from every thing like pretension, is infinitely superior to the general run of books of travels. . . . In point of information, of literary ability and artistic skill, and liberality of sentiment, this is one of the most valuable works we ever had the good fortune to peruse." ECLECTIC REVIEW.

FORSTER.—THE HISTORICAL GEOGRAPHY OF ARABIA ;

or, the Patriarchal Evidences of Revealed Religion. A Memoir, with illustrative Maps and an Appendix, containing Translations, with an Alphabet and Glossary of the Hamyaritic Inscriptions recently discovered in Hadramaut. By the Rev. CHARLES FORSTER, Author of "Mahometanism Unveiled." 2 vols. 8vo. 30s. cloth.

FOSS.—THE JUDGES OF ENGLAND :

with Sketches of their Lives, and Miscellaneous Notices connected with the Courts at Westminster from the time of the Conquest. By EDWARD FOSS, F.S.A. of the Inner Temple. Vols. I. and II. 8vo. 28s. cloth.

FOSTER.—A HANDBOOK OF MODERN EUROPEAN LITE-

RATURE: British, Danish, Dutch, French, German, Hungarian, Italian, Polish and Russian, Portuguese, Spanish, and Swedish. With a full Biographical and Chronological Index. By Mrs. FOSTER. Fcp. 8vo. 8s. 6d. cloth.

. The object of this book is, not so much to give elaborate criticisms on the various writers in the language to whose literature it is intended as a guide, as to direct the student to the best writers in each, and to inform him on what subjects they have written.

GIBBON'S HISTORY OF THE DECLINE AND FALL OF THE

ROMAN EMPIRE. A new Edition, complete in One Volume. With an Account of the Author's Life and Writings, by ALEXANDER CHALMERS, Esq. F.A.S. 8vo. with Portrait, 18s. cloth.

. An Edition, in 8 vols. 8vo. 60s. boards.

GILBART.—A PRACTICAL TREATISE ON BANKING.

By JAMES WILLIAM GILBART, F.R.S. General Manager of the London and Westminster Bank. 5th Edition, with Portrait of the Author, and View of the "London and Westminster Bank," Lothbury. 2 vols. 8vo. 24s. cloth.

GOLDSMITH.—THE POETICAL WORKS OF OLIVER

GOLDSMITH. Illustrated by Wood Engravings, from Designs by Members of the Etching Club. With a Biographical Memoir, and Notes on the Poems. Edited by BOLTON CORNEY, Esq. Square crown 8vo. uniform with "Thomson's Seasons," 21s. cloth; or, bound in morocco, by Hayday, £1. 16s.

GOWER.—THE SCIENTIFIC PHÆNOMENA OF DOMESTIC

LIFE, familiarly explained. By CHARLES FOOTE GOWER. New Edition. Fcp. 8vo. with Wood Engravings, 5s. cloth.

GRAHAM.—ENGLISH ; OR, THE ART OF COMPOSITION :

explained in a Series of Instructions and Examples. By G. F. GRAHAM. New Edition, revised and improved. Fcp. 8vo. 6s. cloth.

GRANT.—LETTERS FROM THE MOUNTAINS.

Being the Correspondence with her Friends, between the years 1773 and 1803. By Mrs GRANT, of Laggan. New Edition. Edited, with Notes and Additions, by her son, J. P. GRANT, Esq. 2 vols. post 8vo. 21s. cloth.

GRANT.—MEMOIR AND CORRESPONDENCE OF THE

late Mrs. Grant, of Laggan, Author of "Letters from the Mountains," "Memoirs of an American Lady," &c. Edited by her Son, J. P. GRANT, Esq. New Edition. 3 vols. post 8vo. with Portrait, 31s. 6d. cloth.

GRAY.—TABLES AND FORMULÆ FOR THE COMPUTATION

of LIFE CONTINGENCIES; with copious Examples of Annuity, Assurance, and Friendly Society Calculations. By PETER GRAY, F.R.A.S. Associate of the Institute of Actuaries of Great Britain and Ireland. Royal 8vo. 15s. cloth.

GRAY AND MITCHELL'S ORNITHOLOGY.—THE GENERA

Of BIRDS; comprising their Generic Characters, a Notice of the Habits of each Genus, and an extensive List of Species, referred to their several Genera. By GEORGE ROBERT GRAY, Acad. Imp. Geogr. Florent. Soc. Corresp., Senior Assistant of the Natural History Department in the British Museum. Illustrated with 360 Plates (175 plain and 185 coloured), drawn on stone, by DAVID WILLIAM MITCHELL, B.A., F.L.S., Secretary to the Zoological Society of London, &c. 3 vols. imperial 8vo. £31. 10s. half-bound morocco, gilt tops.

GWILT.—AN ENCYCLOPÆDIA OF ARCHITECTURE;

Historical, Theoretical, and Practical. By JOSEPH GWILT, Esq. F.S.A. Illustrated with upwards of 1,000 Engravings on Wood, from Designs by J. S. GWILT. 8vo. 52s. 6d. cloth.

SIDNEY HALL'S NEW GENERAL LARGE LIBRARY ATLAS

OF FIFTY-THREE MAPS (size 20 in. by 16 in.), with the Divisions and Boundaries carefully coloured; and an Alphabetical Index of all the Names contained in the Maps, with their Latitude and Longitude. An entirely New Edition, corrected throughout from the best and most recent Authorities; with all the Railways laid down, and many of the Maps re-drawn and re-engraved. Colombier 4to. £5. 5s. half-bound in russia.

SIDNEY HALL'S RAILWAY MAP OF ENGLAND AND

WALES. Square fcp. 8vo. 2s. 6d. cloth.

*^s The Map of England and Wales, contained in "Sidney Hall's Large Railway Atlas" (size 20 in. by 16 in.) corrected and re-engraved, with all the Lines of Railway laid down, may be had separately, price 2s. 6d., coloured and mounted on folding canvas in a case, for the pocket.

HALL.—MIDSUMMER EVE:

A Fairy Tale of Love. By Mrs. S. C. HALL. With nearly 300 Wood Engravings from Designs by D. MacIise, C. Stanfield, T. Creswick, T. Landseer, and other eminent Artists. Square crown 8vo. 21s. cloth.

HARRISON.—ON THE RISE, PROGRESS, AND PRESENT

STRUCTURE OF THE ENGLISH LANGUAGE. By the Rev. M. HARRISON, M.A. late Fellow of Queen's College, Oxford. Post 8vo. 8s. 6d. cloth.

HARRY HIEOVER.—PRACTICAL HORSEMANSHIP.

By HARRY HIEOVER, Author of "Stable Talk and Table Talk; or, Spectacles for Young Sportsmen." With 2 Plates, one representing "Going like Workmen;" the other, "Going like Muffs." Fcp. 8vo. 5s. half-bound.

"No better title could have been chosen for this capital little work..... The author teaches us how to become practical horsemen as private individuals. His teaching is unquestionably excellent, for it proceeds from long and varied experience; and knowing as much as we do of Harry Hieover, we do not think that there exists a man fitter than he is for the proper discharge of the task he has undertaken. The little book is written with clear and captivating simplicity; and, while it teaches practical horsemanship, it brings to its elucidation correlative matters equally amusing and instructive."

BELL'S LIFE IN LONDON.

HARRY HIEOVER.—THE STUD, FOR PRACTICAL PUR-

POSES AND PRACTICAL MEN: being a Guide to the Choice of a Horse for use more than for show. By HARRY HIEOVER, Author of "Stable Talk and Table Talk." With 2 Plates, one representing "A pretty good sort for most purposes;" the other, "Rayther 'a bad sort for any purpose." Fcp. 8vo. 5s. half-bound.

HARRY HIEOVER.—THE POCKET AND THE STUD;

Or, Practical Hints on the Management of the Stable. By HARRY HIEOVER, Author of "Stable-Talk and Table-Talk; or, Spectacles for Young Sportsmen." Fcp. 8vo. with Portrait of the Author on his favourite Horse "Harlequin," 5s. half-bound.

HARRY HIEOVER.—STABLE TALK AND TABLE TALK ;
 or, SPECTACLES for YOUNG SPORTSMEN. By HARRY HIEOVER. New Edition.
 2 vols. 8vo. with Portrait, 21s. cloth.

HAWKER.—INSTRUCTIONS TO YOUNG SPORTSMEN
 In all that relates to Guns and Shooting. By Lieut.-Col. P. HAWKER. New Edition,
 corrected, enlarged, and improved; with Eighty-five Plates and Woodcuts by Adlard and
 Branton, from Drawings by C. Varley, Dickes, &c. 8vo. 21s. cloth.

HAYDON.—LECTURES ON PAINTING AND DESIGN :
 Delivered at the London Institution, the Royal Institution, Albemarle Street, to the University
 of Oxford, &c. By B. R. HAYDON, Historical Painter. With Portraits of the Author and of
 Sir David Wilkie, and Wood Engravings, from Designs by the Author. 2 vols. 8vo. 21s. cloth.

HEAD.—HISTORICAL MEMOIRS OF CARDINAL PACCA,
 Prime Minister to Pius VII. Written by Himself. Translated from the Italian, by Sir GEORGE
 HEAD, Author of "Rome : a Tour of Many Days." 2 vols. post 8vo. 21s. cloth.

SIR GEORGE HEAD.—ROME :
 A Tour of Many Days. By Sir GEORGE HEAD. 3 vols. 8vo. 36s. cloth.

SIR JOHN HERSCHEL.—OUTLINES OF ASTRONOMY.
 By Sir JOHN F. W. HERSCHEL, Bart. &c. &c. &c. New Edition; with Plates and Wood En-
 gravings. 8vo. 18s. cloth.

MRS. HEY.—THE MORAL OF FLOWERS ;
 Or, Thoughts gathered from the Field and the Garden. By Mrs. HEY. Being a New Edition
 of "The Moral of Flowers;" and consisting of Poetical Thoughts on Garden and Field
 Flowers, accompanied by Drawings beautifully coloured after Nature. Square crown 8vo.
 uniform in size with "Thomson's Seasons illustrated by the Etching Club," 21s. cloth.

MRS. HEY.—SYLVAN MUSINGS ;
 Or, the Spirit of the Woods. By Mrs. HEY. Being a New Edition of the "Spirit of the
 Woods;" and consisting of Poetical Thoughts on Forest Trees, accompanied by Drawings of
 Blossoms and Foliage, beautifully coloured after Nature. Square crown 8vo. uniform in size
 with "Thomson's Seasons illustrated by the Etching Club," 21s. cloth.

HINTS ON ETIQUETTE AND THE USAGES OF SOCIETY :
 With a Glance at Bad Habits. By Αγαγός. "Manners make the man." New Edition,
 revised (with additions) by a Lady of Rank. Fcp. 8vo. 2s. 6d. cloth.

HOARE.—A PRACTICAL TREATISE ON THE CULTIVATION
 OF THE GRAPE VINE ON OPEN WALLS. By CLEMENT HOARE. New Edition. 8vo.
 7s. 6d. cloth.

HOARE.—A DESCRIPTIVE ACCOUNT OF A NEW METHOD
 of PLANTING and MANAGING the ROOTS of GRAPE VINES. By CLEMENT HOARE,
 Author of "A Treatise on the Cultivation of the Grape Vine on Open Walls." 12mo. 5s. cloth.

HOOKE.—THE LAST DAYS OF OUR LORD'S MINISTRY :
 A Course of Lectures on the principal Events of Passion Week. By WALTER FARQUHAR
 HOOKE, D. D. Vicar of Leeds, Prebendary of Lincoln, and Chaplain in Ordinary to the Queen.
 New Edition. Fcp. 8vo. 6s. cloth.

HOOKE.—KEW GARDENS ;
 Or, a Popular Guide to the Royal Botanic Gardens of Kew. By Sir WILLIAM JACKSON
 HOOKE, K. H. LL. D. F. R. A. & L. S. &c. &c. Director. New Edition. 16mo. with numerous
 Wood Engravings, 6d. sewed.

HOOKE.—THE BRITISH FLORA ;
 Comprising Phanogamous or Flowering Plants, and the Ferns. By Sir WILLIAM JACKSON
 HOOKE, K. H. LL. D. F. R. A. and L. S. &c. New Edition (1850), with numerous Additions
 and Corrections by the Author and G. A. WALKER-ARNOTT, LL. D. M. A. F. L. S. and R. S. Ed. ;
 and Regius Professor of Botany in the University of Glasgow. With 12 Lithographic Plates,
 containing 173 Figures illustrative of the Umbelliferous Plants, the Composite Plants, the
 Grasses, and the Ferns. 1 vol. fcp. 8vo. [Nearly ready.]

HORNE.—AN INTRODUCTION TO THE CRITICAL STUDY
and KNOWLEDGE of the HOLY SCRIPTURES. By THOMAS HARTWELL HORNE, B.D. of St. John's College, Cambridge; Rector of the united Parishes of St. Edmund the King and Martyr, and St. Nicholas Acons, Lombard Street; Prebendary of St. Paul's. New Edition, revised and corrected. 5 vols. 8vo. with numerous Maps and Facsimiles of Biblical Manuscripts, 63s. cloth; or \pounds 5, bound in calf.

HORNE.—A COMPENDIOUS INTRODUCTION TO THE
STUDY of the BIBLE. By THOMAS HARTWELL HORNE, B.D. of St. John's College, Cambridge. Being an Analysis of his "Introduction to the Critical Study and Knowledge of the Holy Scriptures." New Edition, corrected and enlarged. 12mo. with Maps and other Engravings, 9s. boards.

HOWITT.—THE CHILDREN'S YEAR.

By MARY HOWITT. With Four Illustrations, engraved by Jobu Absolon, from Original Designs by ANNA MARY HOWITT. Square 16mo. 5s. cloth.

HOWITT.—THE BOY'S COUNTRY BOOK :

Being the real Life of a Country Boy, written by himself, exhibiting all the Amusements, Pleasures, and Pursuits of Children in the Country. Edited by WILLIAM HOWITT. New Edition. Fcp. 8vo. with 40 Woodcuts, 6s. cloth.

HOWITT.—THE RURAL LIFE OF ENGLAND.

By WILLIAM HOWITT. New Edition, corrected and revised. Medium 8vo. with Engravings on wood, by Bewick and Williams, uniform with "Visits to Remarkable Places," 21s. cloth.

HOWITT.—VISITS TO REMARKABLE PLACES :

Old Halls, Battle-Fields, and Scenes illustrative of Striking Passages in English History and Poetry. By WILLIAM HOWITT. New Edition. Medium 8vo. with 40 Engravings on Wood, 21s. cloth.

SECOND SERIES, chiefly in the Counties of NORTHUMBERLAND and DURHAM, with a Stroll along the BORDER. Medium 8vo. with upwards of 40 Engravings on Wood, 21s. cloth.

HOWITT.—THE RURAL AND SOCIAL LIFE OF GERMANY :

With Characteristic Sketches of its Chief Cities and Scenery. Collected in a General Tour, and during a Residence in that Country. By WILLIAM HOWITT. Medium 8vo. with 50 Engravings on Wood, 21s. cloth.

HOWSON.—SUNDAY EVENING :

Twelve Short Sermons for Family Reading. 1. The Presence of Christ; 2. Inward and Outward Life; 3. The Threefold Warning; 4. Our Father's Business; 5. Spiritual Murder; 6. The Duty of Amiability; 7. Honesty and Candour; 8. St. Peter and Cornelius; 9. The Midnight Traveller; 10. The Grave of Lazarus; 11. The Resurrection of the Body. By the Rev. J. S. Howson, M.A. Principal of the Collegiate Institution, Liverpool, and Chaplain to the Duke of Sutherland. Fcp. 8vo. 2s. 6d. cloth.

HOWSON AND CONYBEARE.—THE LIFE AND EPISTLES

of SAINT PAUL. By the Rev. J. S. Howson, M.A., and the Rev. W. J. Conybeare, M.A. 2 vols. 4to. very copiously illustrated by W. H. Bartlett. [See page 6.]

HUDSON.—THE EXECUTOR'S GUIDE.

By J. C. HUDSON, Esq. late of the Legacy Duty Office, London; Author of "Plain Directions for Making Wills," and "The Parent's Hand-book." New Edition. Fcp. 8vo. 5s. cloth.

HUDSON.—PLAIN DIRECTIONS FOR MAKING WILLS

In Conformity with the Law, and particularly with reference to the Act 7 Will. 4 and 1 Vict. c. 26. To which is added, a clear Exposition of the Law relating to the distribution of Personal Estate in the case of Intestacy; with two Forms of Wills, and much useful information, &c. By J. C. HUDSON, Esq. New Edition, corrected. Fcp. 8vo. 2s. 6d. cloth.

* * * These two works may be had in one volume, 7s. cloth.

HUMBOLDT.—ASPECTS OF NATURE,

in Different Lands and Different Climates; with Scientific Elucidations. By ALEXANDER VON HUMBOLDT. Translated, with the Author's sanction and co-operation, and at his express desire, by Mrs. SABINE. New Edition. 16mo. 6s. cloth; or in 2 vols. 3s. 6d. each, cloth; Half-a-Crown each, sewed.

BARON HUMBOLDT'S COSMOS ;

Or, a Sketch of a Physical Description of the Universe. Translated, with the Author's sanction and co-operation, under the superintendence of Lieutenant-Colonel EDWARD SABINE, R.A. For. Sec. R.S. New Edition. Vols. I. and II. 16mo. Half-a-Crown each, sewed; 3s. 6d. each, cloth; or in post 8vo. 12s. each, cloth.

HUMPHREYS.—A RECORD OF THE BLACK PRINCE;

being a Selection of such Passages in his Life as have been most quaintly and strikingly narrated by the Chroniclers of the Period. Embellished with highly-wrought Miniatures and Borderings, selected from various Illuminated MSS. referring to Events connected with English History. By HENRY NOEL HUMPHREYS. Post 8vo. in a richly carved and pierced binding, 21s.

HUMPHREYS.—THE BOOK OF RUTH.

From the Holy Scriptures. Embellished with brilliant coloured Borders, selected from some of the finest Illuminated MSS. in the British Museum, the Bibliothèque Nationale, Paris, the Soane Museum, &c.; and with highly-finished Miniatures. The Illuminations executed by HENRY NOEL HUMPHREYS. Square fcp. 8vo. in deeply embossed leather covers, 21s.

"It is beyond doubt the best specimen of this class of Art that the publishers have yet produced;—admirably adapted, as regards selection of subject, general taste, and gorgeousness of getting up, for presentation at the season which yet retains the good old custom of gift-making."
ATHENÆUM.

HUMPHREYS.—MAXIMS AND PRECEPTS OF THE

SAVIOUR: Being a Selection of the most beautiful Christian Precepts contained in the Four Gospels; illustrated by a series of Illuminations of original character, founded on the Passages—"Behold the Fowls of the Air," &c., "Consider the Lilies of the Field," &c. The Illuminations executed by HENRY NOEL HUMPHREYS. Square fcp. 8vo. 21s. richly bound in stamped calf; or 30s. in morocco by Hayday.

HUMPHREYS.—THE MIRACLES OF OUR SAVIOUR.

With rich and appropriate Borders of original Design, a series of Illuminated Figures of the Apostles, from the Old Masters, six Illuminated Miniatures, and other embellishments. The Illuminations executed by HENRY NOEL HUMPHREYS. Square fcp. 8vo. in massive carved covers, 21s.; or bound in morocco by Hayday, 30s.

HUMPHREYS.—PARABLES OF OUR LORD,

Richly illuminated, with appropriate Borders, printed in Colours and in Black and Gold; with a Design from one of the early German Engravers. The Illuminations executed by HENRY NOEL HUMPHREYS. Square fcp. 8vo. 21s. in a massive carved binding; or 30s. bound in morocco by Hayday.

HUMPHREYS AND JONES.—THE ILLUMINATED BOOKS

OF THE MIDDLE AGES: A series of Fac-similes from the most beautiful MSS. of the Middle Ages, printed in Gold, Silver, and Colours by OWEN JONES; selected and described by HENRY NOEL HUMPHREYS. Elegantly bound in antique calf. Royal folio, £10. 10s.; imperial folio (large paper), £16. 16s.

"The gorgeous folio now lying before us is illuminated by means of chromolithography, an art which would have excited the astonishment and admiration of the earlier printers, and which Mr. Owen Jones has carried to the greatest perfection. We believe that the manufactures of England and France are indebted to his 'Alhambra' for many of their most beautiful patterns; and the illuminated books of the Saxons form an interesting contrast to the Moorish palaces of Grenada."
THE TIMES, Jan. 31, 1850.

HUNT.—RESEARCHES ON LIGHT :

An Examination of all the Phenomena connected with the Chemical and Molecular Changes produced by the Influence of the Solar Rays; embracing all the known Photographic Processes, and new Discoveries in the Art. By ROBERT HUNT, Keeper of Mining Records, Museum of Economic Geology. 8vo. with Plate and Woodcuts, 10s. 6d. cloth.

MRS. JAMESON.—LEGENDS OF THE MONASTIC ORDERS,

as illustrated in Art; containing the Legends of St. Benedict, the English and Reformed Benedictines, the Franciscans, the Dominicans, and those Royal Personages who died in the Monastic Habit. By MRS. JAMESON. In 1 vol. square crown 8vo., uniform with "Sacred and Legendary Art," and forming a Second Series; illustrated with Woodcuts and Etchings by the Author. [Nearly ready.

* * * To be followed by "Legends of the Madonna," by the same Author, similarly illustrated.

MRS. JAMESON. SACRED AND LEGENDARY ART.

By MRS. JAMESON. With numerous Wood Engravings, and Sixteen Etchings by the Author. 2 vols. square crown 8vo. 42s. cloth.

JEBB.—A LITERAL TRANSLATION OF THE BOOK OF PSALMS; intended to illustrate their Poetical and Moral Structure. To which are added, Dissertations on the word "Selah," and on the Authorship, Order, Titles, and Poetical Features, of the Psalms. By the Rev. JOHN JEBB, A.M. 2 vols. 8vo. 21s. cloth.

JEFFREY.—CONTRIBUTIONS TO THE EDINBURGH REVIEW. By FRANCIS JEFFREY, late One of the Judges of the Court of Session in Scotland 2d Edition. 3 vols. 8vo. 42s. cloth.

BISHOP JEREMY TAYLOR'S ENTIRE WORKS:

With the Life by Bishop HEBER Revised and corrected by the Rev. CHARLES PAGE EDEN, Fellow of Oriol College, Oxford. Vols. II. III. IV. V. VI. and VII. 8vo. 10s. 6d. each.

. In course of publication, in Ten Volumes, price Half-a-Guinea each.—Vol. I. (the last in order of publication) will contain Bishop Heber's Life of Jeremy Taylor, extended by the Editor.—Vol. VIII. is in the press.

JOHNSON.—THE FARMER'S ENCYCLOPÆDIA,

And Dictionary of Rural Affairs: embracing all the recent Discoveries in Agricultural Chemistry; adapted to the comprehension of unscientific readers. By CUTHBERT W. JOHNSON, Esq. F.R.S. Barrister-at-Law; Editor of the "Farmer's Almanack," &c. 8vo. with Wood Engravings, £2. 10s. cloth.

JOHNSON.—THE WISDOM OF THE RAMBLER, ADVENTURER, and IDLER: comprising a Selection of 110 of the best Essays. By SAMUEL JOHNSON, LL.D. Fcp. 8vo. 7s. cloth.

JOHNSTON.—A NEW DICTIONARY OF GEOGRAPHY,

Descriptive, Statistical, Physical, and Historical: forming a complete General Gazetteer. By ALEXANDER KEITH JOHNSTON, F.R.G.S., F.G.S.; Geographer at Edinburgh in Ordinary to Her Majesty; Author of "The Physical Atlas of Natural Phenomena," "The National Atlas of Commercial and Political Geography," and "The Atlas to Alison's History of Europe." In One Large Volume, 8vo.

SIR ROBERT KANE.—ELEMENTS OF CHEMISTRY,

Theoretical and Practical: including the most recent Discoveries and Applications of the Science of Medicine and Pharmacy to Agriculture and to Manufactures. By SIR ROBERT KANE, M.D., M.R.I.A. 2d Edition, corrected and greatly enlarged; illustrated by 230 Wood Engravings. In One large Volume, 8vo. of about 1,100 pages, 28s. cloth.

KAY.—THE SOCIAL CONDITION AND EDUCATION OF

THE PEOPLE in ENGLAND and EUROPE: shewing the Results of the Primary Schools and of the Division of Landed Property in Foreign Countries. By JOSEPH KAY, Esq. M.A. of Trinity College, Cambridge: Barrister-at-Law; and late Travelling Bachelor of the University of Cambridge. 2 thick vols. post 8vo. 21s. cloth.

"Is a most valuable work, and affords a vast fund of important information on the subjects detailed in the title, and having reference not to England only but to Europe at large. The work is in fact an authentic history of education in the nineteenth century." CHURCH AND STATE GAZETTE.

KEMBLE.—THE SAXONS IN ENGLAND:

a History of the English Commonwealth till the period of the Norman Conquest. By JOHN MITCHELL KEMBLE, M.A. F.C.P.S., &c. 2 vols. 8vo. 28s. cloth.

KENT.—ALETHÆIA;

or, The Doom of Mythology. With other Poems. By WILLIAM CHARLES KENT. Fcp. 8vo. 7s. 6d. cloth.

KINDERSLEY.—THE VERY JOYOUS, PLEASANT, AND

REFRESHING HISTORY of the Feats, Exploits, Triumphs, and Achievements of the Good Knight, without Fear and without Reproach, the gentle LORD DE BAYARD. Set forth in English by EDWARD COCKBURN KINDERSLEY, Esq. With Ornamental Headings, and Frontispiece by E. H. Wehnert. Square post 8vo. 9s. 6d. cloth.

THE REV. DR. W. I. KIP.—THE EARLY CONFLICTS OF

CHRISTIANITY. Contents.—1. Judaism; 2. Grecian Philosophy; 3. The Licentious Spirit of the Aæc; 4. Barbarism; 5. The Pagan Mythology. By the Rev. WILLIAM INGRAHAM KIP, M.A. D.D. Fcp. 8vo. 5s. cloth.

THE REV. DR. W. I. KIP.—THE CHRISTMAS HOLYDAYS

in ROME. By the Rev. W. INGRAHAM KIP, M.A. D.D. Edited by the Rev. W. SEWELL, B.D. Fellow and Tutor of Exeter College, Oxford. New Edition. Fcp. 8vo. 5s. cloth.

KIRBY & SPENCE.—AN INTRODUCTION TO ENTOMOLOGY;

Or, Elements of the Natural History of Insects: comprising an account of noxious and useful Insects, of their Metamorphoses, Food, Stratagems, Habitations, Societies, Motions, Noises, Hybernation, Instinct, &c. By W. KIRBY, M.A. F.R.S. & L.S. Rector of Barham; and W. SPENCE, Esq. F.R.S. & L.S. New Edition. 2 vols. 8vo. with Plates, 31s. 6d. cloth.

LAING.—OBSERVATIONS ON THE SOCIAL AND POLITICAL STATE OF THE EUROPEAN PEOPLE IN 1848 and 1849: being the Second Series of

“Notes of a Traveller.” By SAMUEL LAING, Esq. Author of “A Journal of a Residence in Norway,” “A Tour in Sweden,” the Translation of “The Heimskringla,” and of “Notes of a Traveller on the Social and Political State of France, Prussia, &c.” 8vo. 14s. cloth.

“This is the Second Series of Mr. Laing’s *Notes of a Traveller*, but referring more to home than to foreign parts than the first series did, and is, to our judgment, infinitely more important and deserving of the public consideration. The author is no common writer; none of the *seruum pecus* class. For right or for wrong, for truth or for error, he is an original thinker; one of the rarest characters among our multitudinous acquaintance, except a few in science, and very few in literature, the fine arts, or anything else. We recommend the volume to every reader in search of truth and accessible to the effects of strikingly novel treatment.”

LITERARY GAZETTE.

LANDOR.—THE FOUNTAIN OF ARETHUSA.

By ROBERT EYRES LANDOR, M.A. Author of “The Fawn of Sertorius,” “The Impious Feast,” Tragedies, &c. 2 vols. post 8vo. 18s. cloth.

LATHAM.—ON DISEASES OF THE HEART.

Lectures on Subjects connected with Clinical Medicine; comprising Diseases of the Heart. By P. M. LATHAM, M. D., Physician Extraordinary to the Queen; and late Physician to St. Bartholomew’s Hospital. New Edition. 2 vols. 12mo. 16s. cloth.

LEE.—ELEMENTS OF NATURAL HISTORY;

Or, First Principles of Zoology. For the use of Schools and Young Persons. Comprising the Principles of Classification interspersed with amusing and instructive original Accounts of the most remarkable Animals. By Mrs. R. LEE. New Edition, revised and enlarged, with numerous additional Woodcuts. Fcp. 8vo. 7s. 6d. cloth.

LEE.—TAXIDERMY;

Or, the Art of Collecting, Preparing, and Mounting Objects of Natural History. For the use of Museums and Travellers. By Mrs. R. LEE. New Edition, improved, with an account of a Visit to Walton Hall, and Mr. Waterton’s Method of Preserving Animals. Fcp. 8vo. with Woodcuts, 7s. cloth.

L. E. L.—THE POETICAL WORKS OF LETITIA ELIZABETH

LONDON; comprising the IMPROVISATRICE, the VENETIAN BRACELET, the GOLDEN VIOLET, the TROUBADOUR, and other Poetical Remains. New Edition, uniform with Moore’s “Ballads, Songs, and Sacred Songs;” with 2 Vignettes by Richard Doyle. 2 vols. 16mo. 10s. cloth; morocco, 21s. cloth.

* * * Also, an Edition, in 4 vols. fcp. 8vo. with Illustrations by Howard, &c. 28s. cloth; or £2. 4s. bound in morocco.

LESLIE.—MEMOIRS OF THE LIFE OF JOHN CONSTABLE,

Esq. R.A. Composed chiefly of his Letters. By C. R. LESLIE, Esq. R.A. New Edition, with further Extracts from his Correspondence. With two Portraits (one from a new Sketch by Mr. Leslie), and a Plate of “Spring,” engraved by Lucas. Small 4to. 21s. cloth.

LETTERS ON HAPPINESS.

By the Authoress of “Letters to My Unknown Friends,” “Twelve Years Ago, a Tale,” “Some Passages from Modern History,” and “Discipline.” Fcp. 8vo.

LETTERS TO MY UNKNOWN FRIENDS.

By A LADY, Authoress of “Letters on Happiness,” “Twelve Years Ago,” “Discipline,” and “Some Passages from Modern History.” 3d Edition. Fcp. 8vo. 6s. cloth.

LINDLEY.—INTRODUCTION TO BOTANY.

By J. LINDLEY, Ph.D. F.R.S. L.S. &c. Professor of Botany in University College, London. New Edition, with Corrections and copious Additions. 2 vols. 8vo. with Six Plates and numerous Woodcuts, 24s. cloth.

LINDLEY.—A SYNOPSIS OF THE BRITISH FLORA,

Arranged according to the Natural Orders. By Professor JOHN LINDLEY, Ph.D., F.R.S., &c. New Edition, with numerous additions and corrections. 12mo. 10s. 6d. cloth.

LARDNER'S CABINET CYCLOPÆDIA;

Comprising a Series of Original Works on History, Biography, Natural Philosophy, Natural History, Literature, the Sciences, Arts, and Manufactures. By BISHOP THIRLWALL, SIR JAMES MACKINTOSH, SIR JOHN HERSCHEL, SIR WALTER SCOTT, THOMAS MOORE, ROBERT SOUTHY, and other eminent Writers.

The Series, complete, in One Hundred and Thirty-three Volumes, £39. 18s. The works separately, 6s. per volume.

THE SERIES COMPRISES—

- | | | | |
|---|--------------|---|---------------|
| 1. Bell's History of Russia | 3 vols. 18s. | 33. Lardner's Arithmetic | 1 vol. 6s. |
| 2. Bell's Lives of British Poets . . | 2 vols. 12s. | 34. Lardner's Geometry | 1 vol. 6s. |
| 3. Brewster's Treatise on Optics. . | 1 vol. 6s. | 35. Lardner on Heat | 1 vol. 6s. |
| 4. Cooley's Maritime and Inland
Discovery | 3 vols. 18s. | 36. Lardner's Hydrostatics and
Pneumatics | 1 vol. 6s. |
| 5. Crowe's History of France | 3 vols. 18s. | 37. Lardner and Walker's Electri-
city and Magnetism | 2 vols. 12s. |
| 6. De Morgan On Probabilities. . . | 1 vol. 6s. | 38. Mackintosh, Wallace, and Bell's
History of England. | 10 vols. 60s. |
| 7. De Sismondi's History of the
Italian Republics | 1 vol. 6s. | 39. Montgomery and Shelley's
Italian, Spanish, and Portu-
guese Authors | 3 vols. 18s. |
| 8. De Sismondi's Fall of the
Roman Empire | 2 vols. 12s. | 40. Moore's History of Ireland. . . . | 4 vols. 24s. |
| 9. Donovan's Chemistry | 1 vol. 6s. | 41. Nicolas's Chronology of His-
tory | 1 vol. 6s. |
| 10. Donovan's Domestic Economy . . | 2 vols. 12s. | 42. Phillips's Treatise on Geology. . | 2 vols. 12s. |
| 11. Dunham's Spain and Portugal, . | 5 vols. 30s. | 43. Powell's History of Natural
Philosophy | 1 vol. 6s. |
| 12. Dunham's History of Den-
mark, Sweden, and Norway. . . . | 3 vols. 18s. | 44. Porter's Treatise on the Manu-
facture of Silk | 1 vol. 6s. |
| 13. Dunham's History of Poland. . . | 1 vol. 6s. | 45. Porter's Manufacture of Por-
celain and Glass. | 1 vol. 6s. |
| 14. Dunham's Germanic Empire. . . | 3 vols. 18s. | 46. Roscoe's Lives of Brit. Lawyers . | 1 vol. 6s. |
| 15. Dunham's Europe during the
Middle Ages. | 4 vols. 24s. | 47. Scott's History of Scotland. . . | 2 vols. 12s. |
| 16. Dunham's British Dramatists, . | 2 vols. 12s. | 48. Shelley's Lives of French Au-
thors | 2 vols. 12s. |
| 17. Dunham's Lives of Early Wri-
ters of Great Britain | 1 vol. 6s. | 49. Shuckard and Swainson's Trea-
tise on Insects | 1 vol. 6s. |
| 18. Fergus's History of the United
States | 2 vols. 12s. | 50. Southey's Lives of British Ad-
mirals | 5 vols. 30s. |
| 19. Fosbroke's Grecian and Ro-
man Antiquities | 2 vols. 12s. | 51. Stebbing's History of the
Church | 2 vols. 12s. |
| 20. Forster's Lives of the States-
men of the Commonwealth. | 5 vols. 30s. | 52. Stebbing's History of the Re-
formation | 2 vols. 12s. |
| 21. Forster, Mackintosh, and Cour-
tenay's Lives of British
Statesmen | 7 vols. 42s. | 53. Swainson's Preliminary Dis-
course on Natural History | 1 vol. 6s. |
| 22. Gleig's Lives of Military Com-
manders | 3 vols. 18s. | 54. Swainson's Natural History and
Classification of Animals. | 1 vol. 6s. |
| 23. Grattan's History of the Ne-
therlands | 1 vol. 6s. | 55. Swainson's Habits and In-
stincts of Animals. | 1 vol. 6s. |
| 24. Henslow's Treatise on Botany . . | 1 vol. 6s. | 56. Swainson's Quadrupeds | 1 vol. 6s. |
| 25. Herschel's Astronomy | 1 vol. 6s. | 57. Swainson's Birds | 2 vols. 12s. |
| 26. Herschel's Preliminary Dis-
course on the Study of Natural
Philosophy | 1 vol. 6s. | 58. Swainson's Fish, Reptiles, &c. . | 2 vols. 12s. |
| 27. History of Rome | 2 vols. 12s. | 59. Swainson's Shells and Shellfish | 1 vol. 6s. |
| 28. History of Switzerland | 1 vol. 6s. | 60. Swainson's Animals in Mena-
geries | 1 vol. 6s. |
| 29. Holland's Manufactures in
Metal | 3 vols. 18s. | 61. Swainson's Taxidermy and Bib-
liography | 1 vol. 6s. |
| 30. James's Lives of Foreign States-
men | 5 vols. 30s. | 62. Thirlwall's History of Greece . | 8 vols. 48s. |
| 31. Kater & Lardner's Mechanics, . | 1 vol. 6s. | | |
| 32. Keightley's Outlines of History . | 1 vol. 6s. | | |

LINDLEY.—THE THEORY OF HORTICULTURE;

Or, an Attempt to explain the Principal Operations of Gardening upon Physiological Principles. By Professor JOHN LINDLEY, Ph.D. F.R.S. 8vo. with Woodcuts, 12s. cloth.

LINWOOD.—ANTHOLOGIA OXONIENSIS,

Sive Florilegium e lusibus poeticis diversorum Oxoniensium Græcis et Latinis excerptum. Curante GULIELMO LINWOOD, M.A. Ædis Christi Alummo. 8vo. 14s. cloth.

LORIMER.—LETTERS TO A YOUNG MASTER MARINER

On some Subjects connected with his Calling. By the late CHARLES LORIMER. New Edit. Fcp. 8vo. 5s. 6d. cloth.

LOUDON.—THE AMATEUR GARDENER'S CALENDAR :

Being a Monthly Guide as to what should be avoided, as well as what should be done, in a Garden in each Month : with plain Rules *how to do* what is requisite ; Directions for Laying Out and Planting Kitchen and Flower Gardens, Pleasure Grounds, and Shrubberies ; and a short Account, in each Month, of the Quadrupeds, Birds, and Insects then most injurious to Gardens. By Mrs. LOUDON. 16mo with Wood Engravings, 7s. 6d. cloth.

LOUDON.—THE LADY'S COUNTRY COMPANION ;

Or, How to Enjoy a Country Life Rationally. By Mrs. LOUDON, Author of "Gardening for Ladies," &c. New Edition. Fcp. 8vo. with Plate and Wood Engravings, 7s. 6d. cloth.

LOUDON'S SELF-INSTRUCTION FOR YOUNG GARDENERS,

Foresters, Bailiffs, Land Stewards, and Farmers ; in Arithmetic, Book-keeping, Geometry, Mensuration, Practical Trigonometry, Mechanics, Land-Surveying, Levelling, Planning and Mapping, Architectural Drawing, and Isometrical Projection and Perspective ; with Examples shewing their applications to Horticulture and Agricultural Purposes. With a Portrait of Mr. Loudon, and a Memoir by Mrs. Loudon. 8vo. with Woodcuts, 7s. 6d. cloth.

LOUDON'S ENCYCLOPÆDIA OF GARDENING ;

Comprising the Theory and Practice of Horticulture, Floriculture, Arboriculture, and Landscape Gardening ; including all the latest improvements ; a General History of Gardening in all Countries ; and a Statistical View of its Present State ; with Suggestions for its Future Progress in the British Isles. Illustrated with many hundred Engravings on Wood by Branston. An entirely New Edition (1850), corrected throughout and considerably improved by Mrs. LOUDON. In One large Volume, 8vo. 50s. cloth.

. The present New Edition is also in course of publication in Ten Monthly Parts, price 5s. each, of which the First Two are now ready.

"Mrs. Loudon has made no change in the plan of this new edition of the standard work of her late husband, but considerable alterations or extensions in the execution. The history of gardening, forming the first part, has been brought down to the present time. The second part, containing the science of gardening, has been completely rewritten, with the aid of some of the most eminent professors in their respective sciences, as of Ansted in geology. In 'gardening as an art and as practised in Britain,' Mrs. Loudon has received assistance from various eminent practical men : the subject of landscape gardening has been considerably enlarged ; numerous woodcuts have been added : and, in short, no pains have been spared to render this edition as perfect as possible." SPECTATOR.

LOUDON'S ENCYCLOPÆDIA OF TREES AND SHRUBS :

being the "Arboretum et Fruticetum Britannicum" abridged : containing the Hardy Trees and Shrubs of Great Britain, Native and Foreign, Scientifically and Popularly Described ; with their Propagation, Culture, and Uses in the Arts ; and with Engravings of nearly all the Species. Adapted for the use of Nurserymen, Gardeners, and Foresters. 8vo. with 2,000 Engravings on Wood, £2. 10s. cloth.

LOUDON'S ENCYCLOPÆDIA OF AGRICULTURE :

Comprising the Theory and Practice of the Valuation, Transfer, Laying-out, Improvement, and Management of Landed Property, and of the Cultivation and Economy of the Animal and Vegetable productions of Agriculture ; including all the latest Improvements, a general History of Agriculture in all Countries, a Statistical View of its present State, with Suggestions for its future progress in the British Isles ; and Supplement, bringing down the work to the year 1844. New Edition. 8vo. with upwards of 1,100 Engravings on Wood, £2. 10s. cloth.

LOUDON'S ENCYCLOPÆDIA OF PLANTS :

Including all the Plants which are now found in, or have been introduced into, Great Britain ; giving their Natural History, accompanied by such descriptions, engraved figures, and elementary details, as may enable a beginner, who is a mere English reader, to discover the name of every Plant which he may find in flower, and acquire all the information respecting it which is useful and interesting. The Specific Characters by an Eminent Botanist ; the Drawings by J. D. C. Sowerby. New Edition with Supplement, and new General Index. 8vo. with nearly 10,000 Wood Engravings, £3. 13s. 6d. cloth.

LOUDON'S ENCYCLOPÆDIA OF COTTAGE, FARM, AND

VILLA ARCHITECTURE AND FURNITURE ; containing numerous Designs, from the Villa to the Cottage and the Farm, including Farm Houses, Farm-eries, and other Agricultural Buildings ; Country Inns, Public Houses, and Parochial Schools ; with the requisite Fittings-up, Fixtures, and Furniture, and appropriate Offices, Gardens, and Garden Scenery : each Design accompanied by Analytical and Critical Remarks. New Edition, edited by Mrs. LOUDON. 8vo. with more than 2,000 Engravings on Wood, £3. 3s. cloth.

LOUDON'S HORTUS BRITANNICUS;

Or, Catalogue of all the Plants indigenous to or introduced into Britain. An entirely New Edition (1850), corrected throughout: with a Supplement, including all the New Plants down to March, 1850; and a New General Index to the whole Work. Edited by Mrs. Loudon and W. H. Baxter, Esq. 8vo. [Nearly ready.]

LOUDON'S HORTUS LIGNOSIS LONDINENSIS;

Or, a Catalogue of all the Ligneous Plants cultivated in the neighbourhood of London. To which are added, their usual prices in Nurseries. 8vo. 7s. 6d. cloth.

LOW.—ON THE DOMESTICATED ANIMALS OF GREAT

BRITAIN; comprehending the Natural and Economical History of the Species and Breeds; Illustrations of the Properties of External Form; and Observations on the Principles and Practice of Breeding. By DAVID LOW, Esq. F.R.S.E. Professor of Agriculture in the University of Edinburgh. 8vo. with Engravings on Wood, 25s. cloth.

LOW.—ELEMENTS OF PRACTICAL AGRICULTURE;

Comprehending the Cultivation of Plants, the Husbandry of the Domestic Animals, and the Economy of the Farm. By D. Low, Esq. F.R.S.E. New Edition, with Alterations and Additions, and an entirely new set of above 200 Woodcuts. 8vo. 21s. cloth.

LOW.—ON LANDED PROPERTY,

And the ECONOMY of ESTATES; comprehending the Relation of Landlord and Tenant, and the Principles and Forms of Leases; Farm-Buildings, Enclosures, Drains, Embankments, and other Rural Works; Minerals; and Woods. By DAVID LOW, Esq. F.R.S.E. 8vo. with numerous Wood Engravings, 21s. cloth.

MACAULAY.—THE HISTORY OF ENGLAND FROM THE

ACCESSION OF JAMES II. By THOMAS BABBINGTON MACAULAY. New Edition. Vols. I. and II. 8vo. 32s. cloth.

MACAULAY.—CRITICAL AND HISTORICAL ESSAYS CON-

TRIBUTED TO THE EDINBURGH REVIEW. By THOMAS BABBINGTON MACAULAY. New Edition, complete in One Volume; with Portrait by E. U. Eddis, engraved in line by W. Greatbach, and Vignette. Square crown 8vo. 21s. cloth; 30s. calf extra by Hayday:—Or in 3 vols. 8vo. 36s. cloth.

MACAULAY.—LAYS OF ANCIENT ROME.

With "Ivry" and "The Armada." By THOMAS BABBINGTON MACAULAY. New Edition. 16mo. 4s. 6d. cloth; or 10s. 6d. bound in morocco.

MR. MACAULAY'S LAYS OF ANCIENT ROME.

With numerous Illustrations, Original and from the Antique, drawn on Wood by George Scharf, Jun. and engraved by Samuel Williams. New Edition. Fcp. 4to. 21s. boards; morocco, 42s.

MACKAY.—THE SCENERY AND POETRY OF THE ENGLISH

LAKES; a Summer Ramble. By CHARLES MACKAY, Esq. LL.D. Author of "The Thames and its Tributaries," &c. 8vo. with beautiful Wood Engravings from Original Sketches, 14s. cloth.

MACKINTOSH.—SIR JAMES MACKINTOSH'S MISCELLA-

NEOUS WORKS; including his Contributions to THE EDINBURGH REVIEW. Edited by ROBERT JAMES MACKINTOSH, Esq. 3 vols. 8vo. 42s. cloth.

M'CULLOCH.—A DICTIONARY, PRACTICAL, THEORETI-

CAL, AND HISTORICAL, OF COMMERCE AND COMMERCIAL NAVIGATION. Illustrated with Maps and Plans. By J. R. M'CULLOCH, Esq. New Edition, (1850), corrected, enlarged, and improved; with a Supplement. 8vo. 50s. cloth; or 55s. half bound in russia.

. The SUPPLEMENT to the last Edition, published in 1849, may be had separately, price 4s. 6d. sewed.

M'CULLOCH.—A DICTIONARY, GEOGRAPHICAL, STATIS-

TICAL, AND HISTORICAL, of the various Countries, Places, and Principal Natural Objects in the WORLD. By J. R. M'CULLOCH, Esq. Illustrated with 6 Large Maps. New Edition, (1850), corrected, and in part re-written; with a Supplement. In Two thick Volumes, 8vo.

. In course of publication, in TWELVE Monthly Parts, each containing as much letter-press as a large 8vo. volume. Price 5s. each.

M'CUCCLOCH.—AN ACCOUNT, DESCRIPTIVE AND STATISTICAL, of the BRITISH EMPIRE; exhibiting its Extent, Physical Capacities, Population, Industry, and Civil and Religious Institutions. By J. R. M'CUCCLOCH, Esq. New Edition corrected, enlarged, and greatly improved. 2 thick vols. 8vo. 42s. cloth.

M'CUCCLOCH.—A TREATISE ON THE PRINCIPLES AND PRACTICAL INFLUENCE OF TAXATION and the FUNDING SYSTEM. By J. R. M'CUCCLOCH, Esq. 8vo. 10s. cloth.

MADAME DE MALGUET :
A Tale of 1820. 3 vols. post 8vo. 31s. boards.

MAITLAND.—THE APOSTLES' SCHOOL OF PROPHETIC INTERPRETATION; with its History to the Present Time. By CHARLES MAITLAND, Author of "The Church in the Catacombs." 8vo. 12s. cloth.

MAITLAND.—THE CHURCH IN THE CATACOMBS :
A Description of the Primitive Church of Rome. Illustrated by its Sepulchral Remains. By CHARLES MAITLAND. New Edition, corrected. 8vo. with numerous Wood Engravings, 14s. cloth.

MAR CET.—CONVERSATIONS ON CHEMISTRY ;
In which the Elements of that Science are familiarly Explained and Illustrated by Experiments. By JANE MAR CET. New Edition, enlarged and improved. 2 vols. fcp. 8vo. 14s. cloth.

MAR CET.—CONVERSATIONS ON NATURAL PHILOSOPHY ;
In which the Elements of that Science are familiarly explained. By JANE MAR CET. New Edition, enlarged and corrected. Fcp. 8vo. with 23 Plates, 10s. 6d. cloth.

MAR CET.—CONVERSATIONS ON POLITICAL ECONOMY ;
In which the Elements of that Science are familiarly explained. By JANE MAR CET. New Edition revised and enlarged. Fcp. 8vo. 7s. 6d. cloth.

MAR CET.—CONVERSATIONS ON VEGETABLE PHYSIOLOGY ; comprehending the Elements of Botany, with their application to Agriculture. By JANE MAR CET. New Edition. Fcp. 8vo. with 4 Plates, 9s. cloth.

MAR CET.—CONVERSATIONS ON LAND AND WATER.
By JANE MAR CET. New Edition, revised and corrected. With a coloured Map, shewing the comparative altitude of Mountains. Fcp. 8vo. 5s. 6d. cloth.

MARRYAT.—BORNEO AND THE EAST INDIAN ARCHIPELAGO. By FRANCIS S. MARRYAT, late Midshipman of H.M.S. Samarang, Surveying Vessel. With many Drawings of Costume and Scenery, from Original Sketches made on the spot by Mr. Marryat. Imperial 8vo. with numerous Lithographic Plates and Wood Engravings, 31s. 6d. cloth.

MARRYAT.—MASTERMAN READY ;
Or, the Wreck of the Pacific. Written for Young People. By Captain F. MARRYAT, C.B. Author of "Peter Simple," &c. 3 vols. fcp. 8vo. with Wood Engravings, 22s. 6d. cloth.

MARRYAT.—THE MISSION ;
Or, Scenes in Africa. Written for Young People. By Captain F. MARRYAT, C.B. Author of "Masterman Ready," &c. 2 vols. fcp. 8vo. 12s. cloth.

MARRYAT.—THE PRIVATEER'S—MAN ONE HUNDRED YEARS AGO. By Captain F. MARRYAT, C.B. Author of "Masterman Ready," &c. 2 vols. fcp. 8vo. 12s. cloth.

MARRYAT.—THE SETTLERS IN CANADA.
Written for Young People. By Captain F. MARRYAT, C.B. Author of "Masterman Ready," &c. New Edition. Fcp. 8vo. with 2 Illustrations, 7s. 6d. cloth.

MATTEUCCI.—LECTURES ON THE PHYSICAL PHENOMENA OF LIVING BEINGS. By SIGNOR CARLO MATTEUCCI, Professor in the University of Pisa. Translated under the superintendence of J. Pereira, M.D.F.R.S. Vice-President of the Royal Medical and Chirurgical Society. 12mo. 9s. cloth.

MAUNDER.—THE TREASURY OF KNOWLEDGE,

And LIBRARY of REFERENCE. Comprising an English Grammar; Tables of English Verbal Distinctions; Proverbs, Terms, and Phrases, in Latin, Spanish, French, and Italian, translated; New and Enlarged English Dictionary; Directions for Pronunciation; New Universal Gazetteer; Tables of Population and Statistics; List of Cities, Boroughs, and Market Towns in the United Kingdom; Regulations of the General Post Office; List of Foreign Animal, Vegetable, and Mineral Productions; Compendious Classical Dictionary; Scripture Proper Names accented, and Christian Names of Men and Women: with Latin Maxims translated; List of Abbreviations; Chronology and History; compendious Law Dictionary; Abstract of Tax Acts; Interest and other Tables; Forms of Epistolary Address; Tables of Precedency; Synopsis of the British Peerage; and Tables of Number, Money, Weights, and Measures. By SAMUEL MAUNDER. 18th Edition, revised throughout, and greatly enlarged. Fcp. 8vo. 10s. cloth; bound in roan, 12s.

MAUNDER.—THE SCIENTIFIC & LITERARY TREASURY;

A new and popular Encyclopædia of Science and the Belles-Lettres; including all Branches of Science, and every Subject connected with Literature and Art. The whole written in a familiar style, adapted to the comprehension of all persons desirous of acquiring information on the subjects comprised in the work, and also adapted for a Manual of convenient Reference to the more instructed. By S. MAUNDER. New Edition. Fcp. 8vo. 10s. cloth; bound in roan, 12s.

MAUNDER.—THE TREASURY OF NATURAL HISTORY;

Or, a Popular Dictionary of Animated Nature: in which the Zoological Characteristics that distinguish the different Classes, Genera, and Species are combined with a variety of interesting Information illustrative of the Habits, Instincts and General Economy of the Animal Kingdom. To which are added, a Syllabus of Practical Taxidermy, and a Glossarial Appendix. Embellished with 900 accurate Engravings on Wood, from Drawings made expressly for this work. By SAMUEL MAUNDER. New Edition. Fcp. 8vo. 10s. cloth; bound in roan, 12s.

MAUNDER.—THE BIOGRAPHICAL TREASURY;

Consisting of Memoirs, Sketches, and brief Notices of above 12,000 Eminent Persons of all Age, and Nations, from the Earliest Period of History; forming a new and complete Dictionary of Universal Biography. By SAMUEL MAUNDER. New Edition, revised throughout, and containing a copious Supplement. Fcp. 8vo. 10s. cloth; bound in roan, 12s.

MAUNDER.—THE TREASURY OF HISTORY;

Comprising a General Introductory Outline of Universal History, Ancient and Modern, and a Series of separate Histories of every principal Nation that exists; their Rise, Progress, and Present Condition, the Moral and Social Character of their respective inhabitants, their Religion, Manners, and Customs, &c. By SAMUEL MAUNDER. New Edition. Fcp. 8vo. 10s. cloth; bound in roan, 12s.

MEMOIRS OF THE GEOLOGICAL SURVEY OF GREAT

BRITAIN, and of the Museum of Economic Geology in London. Published by order of the Lords Commissioners of Her Majesty's Treasury. Royal 8vo. with Woodcuts and 9 large Plates (seven coloured), 21s. cloth; and Vol. II. in Two thick Parts, with 63 Plates (three coloured), and numerous Woodcuts, 42s. cloth, or, separately, 21s. each Part.—Also, BRITISH ORGANIC REMAINS; consisting of Plates of Figures engraved on Steel, with descriptive Letterpress, and forming a portion of the Memoirs of the Geological Survey. Decades I. and II. royal 8vo. 2s. 6d. each; or, royal 4to. 4s. 6d. each, sewed.

MERIVALE.—A HISTORY OF THE ROMANS UNDER

THE EMPERORS. By the Rev. CHARLES MERIVALE, late Fellow and Tutor of St. John's College, Cambridge. Vols. I. and II. 8vo. 28s.

"Mr. Merivale has unquestionably made good his claims to become the historian of the Cæsars. Profound erudition, philosophical depth of view, originality of thought, and a mind well poised, capable of appreciating, with impartiality of judgment, the conflicting opinions and motives of the actions in the great drama on which he has employed his pen, are the qualifications which he brings to the performance of his task." JOHN BULL.

MILNER.—THE HISTORY OF THE CHURCH OF CHRIST.

By the Rev. JOSEPH MILNER, A.M. With Additions and Corrections by the Late Rev. ISAAC MILNER, D.D. F.R.S. A New Edition, revised and corrected throughout, by the Rev. T. GRANTHAM, B.D. Rector of Bramber, and Chaplain to the Lord Bishop of Kildare. 4 vols. 8vo. £2. 12s. cloth.

MITCHELL.—JOURNAL OF AN EXPEDITION INTO THE
Interior of Tropical Australia, in Search of a Route from Sydney to the Gulf of Carpentaria. By LIEUT-COLONEL SIR T. L. MITCHELL, Knt. D.C.L. Surveyor-General of New South Wales, and late elective Member of the Legislative Council of that Colony. 8vo. with Maps, Views, and Engravings of Objects of Natural History, 21s. cloth.

JAMES MONTGOMERY'S POETICAL WORKS.

With some additional Poems, and the Author's Autobiographical Prefaces. A New Edition, Complete in One Volume, uniform with Southey's "The Doctor, &c." and "Commonplace Book;" with Portrait and Vignette. Square crown 8vo. 10s. 6d. cloth; morocco, 21s. Or, in 4 vols. fcp. 8vo. with Portrait, and Seven other Plates, 20s. cloth; morocco, 36s.

MONTGOMERY.—GOD AND MAN.

By the Rev. R. MONTGOMERY, M.A. Oxon. Author of "The Gospel in Advance of the Age," "The Christian Life," &c. &c. [Nearly ready.

MOORE.—HEALTH, DISEASE, AND REMEDY,

Familiarly and practically considered in a few of their relations to the Blood. By GEORGE MOORE, M.D. Member of the Royal College of Physicians, &c.; Author of "The Power of the Soul over the Body," &c. Post 8vo. 7s. 6d. cloth.

MOORE.—MAN AND HIS MOTIVES.

By GEORGE MOORE, M.D. Member of the Royal College of Physicians, London, &c. New Edition. Post 8vo. 8s. cloth.

MOORE.—THE POWER OF THE SOUL OVER THE BODY,

Considered in relation to Health and Morals. By GEORGE MOORE, M.D. Member of the Royal College of Physicians, London, &c. New Edition. Post 8vo. 7s. 6d. cloth.

MOORE.—THE USE OF THE BODY IN RELATION TO THE

MIND. By GEORGE MOORE, M.D. Member of the Royal College of Physicians, London, &c. New Edition. Post 8vo. 9s. cloth.

THOMAS MOORE'S POETICAL WORKS;

Containing the Author's recent Introduction and Notes. Complete in one volume, uniform with Lord Byron's and Southey's Poems. With a New Portrait, by George Richmond, and a View of the Residence of the Poet. 8vo. 21s. cloth; 42s. bound in morocco.—Or, in 10 vols. fcp. 8vo. with Portrait, and 19 Plates, £2. 10s. cloth; bound in morocco, £4. 10s.

MOORE.—SONGS, BALLADS, AND SACRED SONGS.

By THOMAS MOORE, Author of "Lalla Rookh," "Irish Melodies," &c. First collected Edition, uniform with the smaller Edition of Mr. Macaulay's "Lays of Ancient Rome;" with Vignette Title, by R. Doyle. 16mo. 5s. cloth; 12s. 6d. smooth morocco, by Hayday.

MOORE'S IRISH MELODIES.

New Edition, uniform with the smaller Edition of Mr. Macaulay's "Lays of Ancient Rome." With the Autobiographical Preface from the Collective Edition of Mr. Moore's Poetical Works, and a Vignette Title by D. Maclise, R.A. 16mo. 5s. cloth; 12s. 6d. smooth morocco, by Hayday.—Or, in fcp. 8vo. 10s. cloth; bound in morocco, 13s. 6d.

MOORE'S IRISH MELODIES.

Illustrated by D. MACLISE, R.A. Imperial 8vo. with 161 Steel Plates, £3. 3s. boards; or £4. 14s. 6d. bound in morocco, by Hayday. Proof Impressions (only 200 copies printed, of which a very few now remain), £6. 6s. boards.

MOORE'S LALLA ROOKH: AN ORIENTAL ROMANCE.

New Edition, uniform with the smaller Edition of Mr. Macaulay's "Lays of Ancient Rome." With the Autobiographical Preface from the Collective Edition of Mr. Moore's Poetical Works, and a Vignette Title by D. Maclise, R.A. 16mo. 5s. cloth; 12s. 6d. smooth morocco, by Hayday.—Or, in fcp. 8vo. with Four Engravings, from Paintings by Westall, 10s. 6d. cloth; bound in morocco, 14s.

MOORE'S LALLA ROOKH: AN ORIENTAL ROMANCE.

With 13 Plates from Designs by Corbould, Meadows, and Stephanoff, engraved under the superintendence of Mr. Charles Heath. 8vo. 21s. cloth; morocco, 35s; or, with India Proof Plates, 42s. cloth.

MORELL.—THE PHILOSOPHY OF RELIGION.

By J. D. MORELL, M.A. Author of an Historical and Critical "View of the Speculative Philosophy of Europe in the Nineteenth Century." 8vo. 12s. cloth.

MOSELEY.—THE MECHANICAL PRINCIPLES OF ENGINEERING AND ARCHITECTURE. By the Rev. H. MOSELEY, M.A. F.R.S., Professor of Natural Philosophy and Astronomy in King's College, London; and Author of "Illustrations of Practical Mechanics," &c. 8vo. with Woodcuts and Diagrams, 24s. cloth.

MOSELEY.—ILLUSTRATIONS OF PRACTICAL MECHANICS. By the Rev. H. MOSELEY, M.A., Professor of Natural Philosophy and Astronomy in King's College, London; being the First Volume of the Illustrations of Science by the Professors of King's College. New Edition. Fcp. 8vo. with numerous Woodcuts, 8s. cloth.

MOSHEIM'S ECCLESIASTICAL HISTORY,

Ancient and Modern. Translated, with copious Notes, by JAMES MURDOCK, D.D. New Edition, revised, and continued to the present time, by the Rev. HENRY SOAMES, M.A. 4 vols. 8vo. 48s. cloth.

MURE.—A CRITICAL HISTORY OF THE LANGUAGE AND LITERATURE OF ANCIENT GREECE. By WILLIAM MURE, M.P., of Caldwell. 3 vols. 8vo. 36s. cloth.

"The history of the language and literature of Greek has so constantly been confined to the schools of the learned that notwithstanding the numerous and excellent works extant upon this subject, a work which treats of it in a more popular form, suitable to the general reader as well as the scholar, has hitherto been a desideratum in our literature. The want is admirably supplied by the volumes of Mr. Mure, which, within the limits which the author has proposed to himself, contain a full and most interesting account of the rise and progress of the literature of ancient Greece . . . Unable for want of space to follow the author into the details of his interesting performance, we must content ourselves with this general sketch of a work which, in point of copiousness and accuracy of information, has few to surpass it, while its freedom from all unnecessary display of learning, and its practical and common sense method of handling the subject, render it eminently fit to introduce to an acquaintance with the beauties of Greek literature those who without possessing the advantage of scholarship, are yet able to sympathize with the interest attaching to the literary development of the most accomplished antiquity." JOHN BULL.

MURRAY.—ENCYCLOPEDIA OF GEOGRAPHY;

Comprising a complete Description of the Earth: exhibiting its Relation to the Heavenly Bodies, its Physical Structure, the Natural History of each Country, and the Industry, Commerce, Political Institutions, and Civil and Social State of all Nations. By HUGH MURRAY, F.R.S.E.; assisted by other Writers of eminence. New Edition. 8vo. with 82 Maps, and upwards of 1,000 other Woodcuts, £3. cloth.

NEALE.—THE CLOSING SCENE;

Or, Christianity and Infidelity contrasted in the Last Hours of Remarkable Persons. By the Rev. ERSKINE NEALE, M.A., Rector of Kirton, Suffolk; Author of "The Bishop's Daughter," "Self-Sacrifice," "The Life-Book of a Labourer," &c. New Edition. 2 vols. fcp. 8vo. 13s. cloth.

. Separately—Vol. I. (First Series), 6s.; Vol. II. (Second Series), 7s.

NECKER DE SAUSSURE.—PROGRESSIVE EDUCATION;

Or, Considerations on the Course of Life. Translated and abridged from the French of Madame NECKER DE SAUSSURE, by Miss HOLLAND. 3 vols. fcp. 8vo. 19s. 6d. cloth.

. Separately—Vols. I. and II. 12s.; Vol. III. 7s. 6d.

NEWMAN.—DISCOURSES ADDRESSED TO MIXED CONGREGATIONS. By JOHN HENRY NEWMAN, Priest of the Oratory of St. Philip Neri. 2d Edition. 8vo. 12s. cloth.

OSBORNE.—OCEANUS;

Or, a Peaceful Progress o'er the Unpathed Sea. By Mrs. D. OSBORNE. With Five Illustrations engraved on Wood, from Designs by A. Cooper, R.A. Square, 7s. 6d. cloth.

. Her Majesty the Queen has been graciously pleased to accept and acknowledge a copy of this work for the use of the Royal Children.

OWEN JONES.—FLOWERS AND THEIR KINDRED

THOUGHTS: A Series of Stanzas. By MARY ANNE BACON, Authoress of "Fruits from the Garden and the Field." With beautiful Illustrations of Flowers, designed and printed in Colours by Owen Jones. Uniform with "Fruits from the Garden and the Field." Imperial 8vo. 31s. 6d. elegantly bound.

OWEN JONES.—FRUITS FROM THE GARDEN AND THE

FIELD. A Series of Stanzas. By MARY ANNE BACON, Authoress of "Flowers and their kindred Thoughts." With beautiful Illustrations of Fruit, designed and printed in Colours by Owen Jones. Uniform with "Flowers and their kindred Thoughts." Imp. 8vo. 31s. 6d. elegantly bound.

OWEN JONES'S ILLUMINATED EDITION OF GRAY'S

ELEGY. GRAY'S ELEGY, WRITTEN IN A COUNTRY CHURCHYARD. Illuminated, in the Missal Style, by OWEN JONES, Architect. Imperial 8vo. 31s. 6d. elegantly bound.

OWEN JONES'S ILLUMINATED EDITION OF THE SERMON

ON THE MOUNT. THE SERMON ON THE MOUNT. Printed in Gold and Colours, in the Missal Style; with Ornamental Borders by OWEN JONES, Architect, and an Illuminated Frontispiece by W. BOXALL, Esq. New Edition. Square fcp. 8vo. in rich silk covers, 21s.; or bound in morocco, by Hayday, 25s.

OWEN JONES'S ILLUMINATED EDITION OF THE MAR-

RIAGE SERVICE. THE FORM OF SOLEMNISATION OF MATRIMONY. From "The Book of Common Prayer." Illuminated, in the Missal Style, by OWEN JONES. Square 18mo. 21s. elegantly bound in white calf.

OWEN JONES'S ILLUMINATED EDITION OF THE

PREACHER. The Words of the Preacher, Son of David, King of Jerusalem. From the Holy Scriptures. Being the Twelve Chapters of the Book of Ecclesiastes, elegantly Illuminated, in the Missal Style, by OWEN JONES. Imperial 8vo. in very massive carved covers, 42s.; or, handsomely bound in calf, 31s. 6d.

OWEN JONES'S ILLUMINATED EDITION OF SOLOMON'S

SONG. THE SONG OF SONGS, WHICH IS SOLOMON'S. From the Holy Scriptures. Being the Six Chapters of the Book of the Song of Solomon, richly Illuminated, in the Missal Style, by OWEN JONES. Elegantly bound in relievo leather. Imperial 16mo. 21s.

OWEN JONES'S TRANSLATION OF D'AGINCOURT'S HIS-

TORY OF ART. THE HISTORY OF ART, BY ITS MONUMENTS, from its Decline in the Fourth Century to its Restoration in the Sixteenth. Translated from the French of SEROUX D'AGINCOURT, by OWEN JONES, Architect. In 3,335 Subjects, engraved on 328 Plates. Vol. I. Architecture, 73 Plates; Vol. II. Sculpture, 51 Plates; Vol. III. Painting, 204 Plates. 3 vols. royal folio, £5. 5s. sewed.

OWEN.—LECTURES ON THE COMPARATIVE ANATOMY

and **PHYSIOLOGY OF THE INVERTEBRATE ANIMALS,** delivered at the Royal College of Surgeons in 1843. By RICHARD OWEN, F.R.S. Hunterian Professor to the College. 8vo. with nearly 140 Wood Engravings, 14s. cloth.

OWEN.—LECTURES ON THE COMPARATIVE ANATOMY

and **PHYSIOLOGY OF THE VERTEBRATE ANIMALS,** delivered at the Royal College of Surgeons in 1844 and 1846. By RICHARD OWEN, F.R.S. Hunterian Professor to the College. In 2 vols. Vol. I. 8vo. with numerous Woodcuts, 14s. cloth.

PALEY'S EVIDENCES OF CHRISTIANITY :

And *Horæ Paulinæ.* A New Edition, with Notes, an Analysis, and a Selection of Papers from the Senate-House and College Examination Papers. Designed for the Use of Students in the University. By ROBERT POTTS, M.A. Trinity College, Cambridge. 8vo. 10s. 6d. cloth.

The theological student will find this an invaluable volume. In addition to the text, there are copious notes, indicative of laborious and useful research; an analysis of great ability and correctness; and a selection from the Senate House and College Examination Papers, by which great help is given as to what to study and how to study it. There is really nothing wanting to make this book perfect." CHURCH AND STATE GAZETTE.

PARKES.—DOMESTIC DUTIES ;

Or, Instructions to Young Married Ladies on the Management of their Households, and the Regulation of their Conduct in the various Relations and Duties of Married Life. By Mrs. W. PARKES. New Edition. Fcp. 8vo. 9s. cloth.

PASCAL'S PROVINCIAL LETTERS :

With an "Essay on Pascal, considered as a Writer and Moralist," by M. VILLEMMAIN, Peer of France, late Minister of Public Instruction, &c. Newly translated from the French, with Memoir, Notes, and Appendix, by G. PEARCE, Esq. Post 8vo. with Portrait, 8s. 6d. cloth.

PASCAL'S MISCELLANEOUS WRITINGS :

Consisting of Correspondence with Relatives and Friends; Letter on the Death of his Father, in a complete state, from original sources; Philosophical Treatises; Discourse on the "Passion of Love" (lately discovered); Essay on the Art of Persuasion, and Notes on Eloquence and Style; Conversations—On the Condition of the Great, &c.; detached Thoughts and Notes, &c.: the greater part never before published in this Country, and large portions from Original MSS. Arranged and translated from the French Edition of M. P. Faugère, with Introduction, Editorial Notices, Notes, &c. By G. PEARCE, Esq. Post 8vo. 8s. 6d. cloth.

PASCAL'S THOUGHTS ON RELIGION,

And EVIDENCES of CHRISTIANITY. Newly Translated and arranged, with large Additions, from Original Manuscripts, from the French Edition of Mons. P. Faugière: with Introduction, Notes, &c. By G. PEARCE, Esq. Forming the Third and concluding Volume of Mr. Pearce's Translation of Pascal's Works. Post 8vo. 8s. 6d. cloth.

PEREIRA.—A TREATISE ON FOOD AND DIET:

With Observations on the Dietetical Regimen suited for Disordered States of the Digestive Organs; and an Account of the Dietaries of some of the principal Metropolitan and other Establishments for Paupers, Lunatics, Criminals, Children, the Sick, &c. By JON. PEREIRA, M.D. F.R.S. & L.S. Author of "Elements of Materia Medica," 8vo. 16s. cloth.

PESCHEL.—ELEMENTS OF PHYSICS.

By C. F. PESCHEL, Principal of the Royal Military College, Dresden. Translated from the German, with Notes, by E. WEST. 3 vols. fcp. 8vo. with Diagrams and Woodcuts, 21s. cloth.

Separately { Part 1. The Physics of Ponderable Bodies. Fcp. 8vo. 7s. 6d. cloth.
Part 2. Imponderable Bodies (Light, Heat, Magnetism, Electricity, and Electro-Dynamics). 2 vols. fcp. 8vo. 13s. 6d. cloth.

PHILLIPS.—AN ELEMENTARY INTRODUCTION TO MINERALOGY;

comprising a Notice of the Characters, Properties, and Chemical Constitution of Minerals; with Accounts of the Places and Circumstances in which they are found. By WILLIAM PHILLIPS, F.L.S.M.G.S. &c. A New Edition, corrected, enlarged, and improved, by H. G. BROOKE, F.R.S.; and W. H. MILLER, M.A., F.R.S., Professor of Mineralogy in the University of Cambridge. 8vo. with numerous Wood Engravings. [In the press.]

PHILLIPS.—FIGURES AND DESCRIPTIONS OF THE

PALÆOZOIC FOSSILS OF CORNWALL, DEVON, and WEST SOMERSET; observed in the course of the Ordnance Geological Survey of that District. By JOHN PHILLIPS, F.R.S. F.G.S. &c. Published by Order of the Lords Commissioners of H.M. Treasury. 8vo. with 60 Plates, comprising very numerous figures, 9s. cloth.

PLUNKETT.—THE PAST AND FUTURE OF THE BRITISH

NAVY. By Captain the Hon. E. PLUNKETT, R.N. Second Edition, corrected and enlarged; with Notes, and new Information communicated by several Officers of Distinction. Post 8vo. 8s. 6d. cloth.

PORTLOCK.—REPORT ON THE GEOLOGY OF THE COUNTY

of LONDONDERRY, and of Parts of Tyrone and Fermanagh, examined and described under the Authority of the Master-General and Board of Ordnance. By J. E. PORTLOCK, F.R.S. &c. 8vo. with 48 Plates, 24s. cloth.

POWER.—SKETCHES IN NEW ZEALAND,

with Pen and Pencil. By W. TYRONE POWER, D.A.C.G. From a Journal kept in that Country, from July 1846 to June 1848. With 8 Plates and 2 Woodcuts, from Drawings made on the spot. Post 8vo. 12s. cloth.

PYCROFT.—THE COLLEGIAN'S GUIDE;

Or, Recollections of College Days: setting forth the Advantages and Temptations of an University Education. By the Rev. JAMES PYCROFT, B.A., Author of "A Course of English Reading," &c. Post 8vo. 10s. 6d. cloth.

PYCROFT.—A COURSE OF ENGLISH READING,

Adapted to every Taste and Capacity: with Literary Anecdotes. By the Rev. JAMES PYCROFT, B.A. Author of "The Collegian's Guide, &c." New Edition. Fcp. 8vo. 5s. cloth.

RANKE'S HISTORY OF THE REFORMATION.

Translated by SARAH AUSTIN, Translator of Ranke's "History of the Popes." Vols. I. and II. 8vo. 30s., Vol. III. 18s., cloth.

READER.—TIME TABLES, consisting of 365 Tables,

Shewing, WITHOUT CALCULATION, the Number of Days from every Day in the Year to any other Day, for any period not exceeding 365 Days. Compiled to facilitate the Operation of Discounting Bills, and the Calculation of Interest on Banking and Current Accounts, &c. By THOMAS READER. Post 8vo. 14s. cloth; or 17s. calf lettered.

DR. REECE'S MEDICAL GUIDE ;

For the Use of the Clergy, Heads of Families, Schools, and Junior Medical Practitioners; comprising a complete Modern Dispensatory, and a Practical Treatise on the distinguishing Symptoms, Causes, Prevention, Cure, and Palliation of the Diseases incident to the Human Frame. With the latest Discoveries in the different departments of the Healing Art, Materia Medica, &c. Seventeenth Edition (1850), with considerable Additions; revised and corrected by the Author's Son, Dr. HENRY REECE, M.R.C.S. &c. 8vo. 12s. cloth.

RICH.—THE ILLUSTRATED COMPANION TO THE LATIN

DICTIONARY AND GREEK LEXICON: forming a Glossary of all the Words representing Visible Objects connected with the Arts, Manufactures, and Every-day Life of the Ancients. With Representations of nearly Two Thousand Objects from the Antique. By ANTHONY RICH, Jun. B.A. late of Caius College, Cambridge Post 8vo. with about 2,000 Woodcuts, 21s. cloth.

RICHTER.—LEVANA ; OR, THE DOCTRINE OF EDUCATION.

Translated from the German of JEAN PAUL FR. RICHTER. Post 8vo. 10s. 6d. cloth.

RIDDLE.—A COPIOUS AND CRITICAL LATIN-ENGLISH

LEXICON, founded on the German-Latin Dictionaries of Dr. William Freund. By the Rev. J. E. RIDDLE, M.A. Author of "A Complete Latin-English and English-Latin Dictionary," "Ecclesiastical Chronology," &c. Post 4to. Uniform with "Yonge's English Greek Lexicon," £2. 10s. cloth.

RIDDLE.—A COMPLETE LATIN-ENGLISH AND ENGLISH-

LATIN DICTIONARY, for the use of Colleges and Schools. By the Rev. J. E. RIDDLE, M.A. New Edition. 8vo. 31s. 6d. cloth.

Separately } The English-Latin Dictionary, 10s. 6d. cloth.
 } The Latin-English Dictionary, 21s. cloth.

RIDDLE.—A DIAMOND LATIN-ENGLISH DICTIONARY.

For the Waistcoat-pocket. A Guide to the Meaning, Quality, and right Accentuation of Latin Classical Words. By the Rev. J. E. RIDDLE, M.A. New Edition. Royal 32mo. 4s. bound.

RIVERS.—THE ROSE AMATEUR'S GUIDE ;

Containing ample Descriptions of all the fine leading varieties of Roses, regularly classed in their respective Families; their History and mode of Culture. By T. RIVERS, Jun. New Edition, corrected and improved. Fcp. 8vo. 6s. cloth.

ROBINSON.—THE WHOLE ART OF CURING, PICKLING,

AND SMOKING MEAT AND FISH, both in the British and Foreign Modes. With many useful Miscellaneous Receipts, and full Directions for the Construction of an economical Drying Chimney and Apparatus, on an entirely New Plan. By JAMES ROBINSON, Eighteen Years a Practical Curer. Fcp. 8vo. 4s. 6d. cloth.

ROBINSON.—THE WHOLE ART OF MAKING BRITISH

WINES, CORDIALS, and LIQUEURS, in the greatest Perfection; as also Strong and Cordial Waters. To which is added, a Collection of Valuable Recipes for Prewing Fine and Strong Ales, and Miscellaneous Articles connected with the Practice. By JAMES ROBINSON. Fcp. 8vo. 6s. cloth.

ROGERS.—ESSAYS SELECTED FROM CONTRIBUTIONS

To the EDINBURGH REVIEW. By HENRY ROGERS. 2 vols. 8vo. 24s. cloth.

CONTENTS:

VOL. I.

ESSAYS, BIOGRAPHICAL AND CRITICAL.

1. Life and Writings of Thomas Fuller.
2. Andrew Marvell.
3. Luther's Correspondence and Character.
4. Life and Genius of Leibnitz.
5. Genius and Writings of Pascal.
6. Literary Genius of Plato—Character of Socrates.
7. Structure of the English Language.
8. Sacred Eloquence—the British Palpit.
9. The Vanity and Glory of Literature.

VOL. II.

ESSAYS, THEOLOGICAL AND POLITICAL.

1. Right of Private Judgment.
2. Puseyism; or, the Oxford Tractarian School.
3. Recent Development of Puseyism.
5. Reason and Faith—their Claims and Conflicts.
5. Revolution and Reform.
6. Treatment of Criminals.
7. Prevention of Crime.

ROGERS.—THE VEGETABLE CULTIVATOR;

Containing a plain and accurate Description of all the different Species of Culinary Vegetables, with the most approved Method of Cultivating them by Natural and Artificial Means, and the best Modes of Cooking them. Together with a Description of the Physical Herbs in general Use. By J. ROGERS, Author of "The Fruit Cultivator." New Edition. Fcp. 8vo. 7s. cloth.

RONALDS.—THE FLY-FISHER'S ENTOMOLOGY.

Illustrated by coloured Representations of the Natural and Artificial Insect; and accompanied by a few Observations and Instructions relative to Trout-and-Graying Fishing. By ALFRED RONALDS. 4th Edition, corrected; with Twenty Copperplates. 8vo. 14s. cloth.

ROWTON.—THE DEBATER ;

Being a Series of complete Debates, Outlines of Debates, and Questions for Discussion; with ample References to the best Sources of Information on each particular Topic. By FREDERIC ROWTON, Author of "The Female Poets of Great Britain." Fcp. 8vo. 6s. cloth.

SANDBY.—MESMERISM AND ITS OPPONENTS.

By GEORGE SANDBY, M.A. Vicar of Flixton, Suffolk. New Edition, considerably enlarged; with an Introductory Chapter on the Hostility of Scientific and Medical Men to Mesmerism. 16mo. 5s. cloth; or in 2 Parts, 2s. each.

SANDFORD—PAROCHIALIA.

Or, Church, School, and Parish. By JOHN SANDFORD, B.D. Vicar of Dunchurch, Chaplain to the Lord Bishop of Worcester, and Rural Dean. 8vo. with Woodcuts, 16s. cloth.

SCHLEIDEN.—PRINCIPLES OF SCIENTIFIC BOTANY ;

Or, Botany as an Inductive Science. By DR. M. J. SCHLEIDEN, Extraordinary Professor of Botany in the University of Jena. Translated by EDWIN LANKESTER, M.D. F.R.S. F.L.S. Lecturer on Botany at the St. George's School of Medicine, London. 8vo. with Plates and Woodcuts, 21s. cloth.

SCOFFERN.—THE MANUFACTURE OF SUGAR,

In the Colonies and at Home, chemically considered. By JOHN SCOFFERN, M.B. Lond. late Professor of Chemistry at the Aldersgate College of Medicine. 8vo. with Illustrations (one coloured) 10s. 6d. cloth.

SEAWARD.—SIR EDWARD SEAWARD'S NARRATIVE OF

HIS SHIPWRECK, and consequent Discovery of certain Islands in the Caribbean Sea: with a detail of many extraordinary and highly interesting Events in his Life, from 1733 to 1749, as written in his own Diary. Edited by Miss JANE PORTER. 3d Edition, with a New Nautical and Geographical Introduction. 2 vols. post 8vo. 21s. cloth.

SEWELL.—AMY HERBERT.

By a LADY. Edited by the Rev. WILLIAM SEWELL, B.D. Fellow and Tutor of Exeter College, Oxford. New Edition. 2 vols. fcp. 8vo. 9s. cloth.

SEWELL.—THE EARL'S DAUGHTER.

By the Authoress of "Amy Herbert," "Gertrude," "Laneton Parsonage," "Margaret Percival," and "The Child's History of Rome." Edited by the Rev. WILLIAM SEWELL, D.B. Fellow and Tutor of Exeter College, Oxford. Fcp. 8vo.

SEWELL.—GERTRUDE.

A Tale. By the Authoress of "Amy Herbert." Edited by the Rev. WILLIAM SEWELL, B.D. Fellow and Tutor of Exeter College, Oxford. New Edition. 2 vols. fcp. 8vo. 9s. cloth.

SEWELL.—LANETON PARSONAGE :

A Tale for Children, on the Practical Use of a portion of the Church Catechism. By the Authoress of "Amy Herbert." Edited by the Rev. W. SEWELL, B.D. Fellow and Tutor of Exeter College, Oxford. New Edition. 3 vols. fcp. 8vo. 16s. cloth.

SEWELL.—MARGARET PERCIVAL.

By the Authoress of "Amy Herbert." Edited by the Rev. W. SEWELL, B.D. Fellow and Tutor of Exeter College, Oxford. New Edition. 2 vols. fcp. 8vo. 12s. cloth.

SHAKSPEARE, BY BOWDLER.

THE FAMILY SHAKSPEARE; in which nothing is *added* to the Original Text; but those words and expressions are *omitted* which cannot with propriety be read aloud. By T. BOWDLER, Esq. F.R.S. New Edition. 8vo. with 36 Engravings on Wood, from designs by Smirke, Howard, and other Artists, 21s. cloth; or, in 8 vols. 8vo. without Illustrations, £4. 14s. 6d. boards.

SHORT WHIST :

Its Rise, Progress, and Laws; with Observations to make any one a Whist Player; containing also the Laws of Piquet, Cassino, Ecarté, Cribbage, Backgammon. By Major A*****. New Edition. To which are added, Precepts for Tyros. By Mrs. B****. Fcp. 8vo. 3s. cloth.

SINCLAIR.—SIR EDWARD GRAHAM.

By CATHERINE SINCLAIR, Author of "Modern Accomplishments," &c. 3 vols. post 8vo. 31s. 6d. boards.

SINCLAIR.—THE BUSINESS OF LIFE.

By CATHERINE SINCLAIR, Author of "The Journey of Life," "Modern Society," "Jane Bouverie," &c. 2 vols. fcap 8vo. 10s. cloth.

SINCLAIR.—THE JOURNEY OF LIFE.

By CATHERINE SINCLAIR, Author of "The Business of Life," "Modern Society," "Jane Bouverie," &c. New Edition, corrected and enlarged. Fcp. 8vo. 5s. cloth.

SIR ROGER DE COVERLEY.

By the Spectator. With Notes and Illustrations, by W. HENRY WILLS; and numerous Designs by FREDERICK TAYLER, Member of the Society of Painters in Water Colours, engraved on Wood by John Thompson. Crown 8vo. [Nearly ready.]

THE SKETCHES :

Three Tales. By the Authors of "Amy Herbert," "The Old Man's Home," and "Hawkstone." New Edition. Fcp. 8vo. with 6 Plates, 8s. cloth.

SMITH.—THE WORKS OF THE REV. SYDNEY SMITH :

Including his Contributions to The Edinburgh Review. New Edition, complete in One Volume; with Portrait by E. U. Eddis, engraved in line by W. Greatbach, and View of Combe Florey Rectory, Somerset. Square crown 8vo. 21s. cloth; 30s. calf extra, by Hayday; or in 3 vols. 8vo. with Portrait, 36s. cloth.

SMITH.—ELEMENTARY SKETCHES OF MORAL PHILO-

SOPHY, delivered at the Royal Institution in the Years 1804, 1805, and 1806. By the late Rev. SYDNEY SMITH, M.A. With an Introductory Letter to Mrs. Sydney Smith from the late Lord Jeffrey. 8vo. 12s. cloth.

SMITH.—SERMONS PREACHED AT ST. PAUL'S CATHE-

dral, the Foundling Hospital, and several Churches in London; together with others addressed to a Country Congregation. By the late Rev. SYDNEY SMITH, Canon Residentiary of St. Paul's Cathedral. 8vo. 12s. cloth.

SMITH.—SACRED ANNALS ;

Or, Researches into the History and Religion of Mankind, from the Creation of the World to the Death of Isaac: deduced from the Writings of Moses and other Inspired Authors, copiously illustrated and confirmed by the Ancient Records, Traditions, and Mythology of the Heathen World. By GEORGE SMITH, F.A.S. Crown 8vo. 10s. cloth.

SMITH.—SACRED ANNALS, VOL. II.

THE HEBREW PEOPLE; or, the History and Religion of the Israelites, from the Origin of the Nation to the Time of Christ: deduced from the Writings of Moses and other Inspired Authors; and Illustrated by Copious References to the Ancient Records, Traditions, and Mythology of the Heathen World. By GEORGE SMITH, F.A.S. &c. &c. Crown 8vo. in Two Parts, 12s. cloth.

SMITH.—THE RELIGION OF ANCIENT BRITAIN HISTORICALLY CONSIDERED:

or, a Succinct Account of the several Religious Systems which have obtained in this Island from the Earliest Times to the Norman Conquest: including an Investigation into the Early Progress of Error in the Christian Church, the Introduction of the Gospel into Britain, and the State of Religion in England till Popery had gained the ascendancy. By GEORGE SMITH, F.A.S. New Edition. 8vo. 7s. 6d. cloth.

SMITH.—PERILOUS TIMES;

Or, the Aggressions of Antichristian Error on Scriptural Christianity, considered in reference to the Dangers and Duties of Protestants. By GEORGE SMITH, F.A.S. Fcp. 8vo. 6s. cloth.

SMITH.—THE VOYAGE AND SHIPWRECK OF ST. PAUL:

with Dessertations on the Sources of the Writings of St. Luke, and the Ships and Navigation of the Antients. By JAMES SMITH, Esq. of Jordan Hill, F.R.S. 8vo. with Views, Charts, and Woodcuts, 14s. cloth.

SOAMES.—THE LATIN CHURCH DURING ANGLO-SAXON

TIMES. By the Rev. HENRY SOAMES, M.A., Editor of "Mosheim's Institutes of Ecclesiastical History." 8vo. 14s. cloth.

SOME PASSAGES FROM MODERN HISTORY.

By the Authoress of "Letters to My Unknown Friends," "Twelve Years Ago," "Discipline," and "Letters on Happiness." Fcp. 8vo. 6s. 6d. cloth.

ROBERT SOUTHEY'S COMPLETE POETICAL WORKS;

Containing all the Author's last Introductions and Notes. Complete in One Volume, with Portrait and View of the Poet's Residence at Keswick, uniform with Byron's and Moore's Poems. 8vo. 21s. cloth; 42s. bound in morocco.—Or, in 10 vols. fcp. 8vo. with Portrait and 19 Plates, £2. 10s. cloth; bound in morocco, £4. 10s.

SOUTHEY.—SELECT WORKS OF THE BRITISH POETS,

From Chaucer to Withers. With Biographical Sketches, by R. SOUTHEY, LL.D. 8vo. 30s. cloth; with gilt edges, 31s. 6d.

SOUTHEY'S COMMONPLACE BOOK.

Edited by his Son-in-Law, the Rev. JOHN WOOD WARTER, B.D. FIRST SERIES, comprising CHOICE PASSAGES, Moral, Religious, Political, Philosophical, Historical, Poetical, and Miscellaneous; and COLLECTIONS for the History of Manners and Literature in England. Forming a Volume complete in itself. New Edition; with medallion Portrait of Southey. Square crown 8vo. 18s. cloth.

SOUTHEY'S COMMONPLACE BOOK.

Edited by his Son-in-Law, the Rev. JOHN WOOD WARTER, B.D. SECOND SERIES, comprising SPECIAL COLLECTIONS—viz., Ecclesiasticals, or Notes and Extracts on Theological Subjects (with Collections concerning Cromwell's Age); Spanish and Portuguese Literature; Middle Ages, &c.; Notes for the History of the Religious Orders; Orientalia, or Eastern and Mahomedan Collections; American Tribes; Incidental and Miscellaneous Illustrations; Physica, or Remarkable Facts in Natural History; and Curious Facts, quite Miscellaneous. Forming a Volume complete in itself. Square crown 8vo. 18s. cloth.

SOUTHEY'S COMMONPLACE BOOK.

Edited by his Son-in-Law, the Rev. JOHN WOOD WARTER, B.D. THIRD SERIES, being ANALYTICAL READINGS; and comprising Analytical Readings in Anglo-Irish History; Biography (Ecclesiastical); Biography (Miscellaneous); Civil History (Miscellaneous Foreign); Correspondence; Divinity; Ecclesiastical History (General); English History (Civil); English History (Ecclesiastical); French History; Historical Memoirs; Literary History; Miscellaneous Literature; Natural History; Topography; and Voyages & Travels. Forming a Volume complete in itself. Square crown 8vo.

. The FOURTH and concluding SERIES—comprising ORIGINAL MEMORANDA—is preparing for publication.

SOUTHEY.—THE DOCTOR, &c.

By the late ROBERT SOUTHEY. Complete in One Volume. Edited by the Author's Son-in-Law, the Rev. JOHN WOOD WARTER, B.D. With Portrait, Vignette Title page, Bust of the Author, and coloured Plate. New Edition. Square crown 8vo. 21s. cloth.

THE LIFE AND CORRESPONDENCE OF THE LATE

ROBERT SOUTHEY. Edited by his Son, the Rev. CHARLES CUTHBERT SOUTHEY M.A. To be completed in Six Volumes, each containing a Family Portrait, and a Landscape Illustration by W. Westall. Vols. 1. to IV. are now ready, price 10s. 6d. each. Vol. V. will be published at the end of June, and Vol. VI. at the end of August.

"Had this life no other claim to favour than the letters of Southey, now first collected and published, it would justly become the most popular of modern productions. Southey had the faculty of expressing his thoughts with precision, yet with perfect ease and facility; and the playful turn of his mind—enriched by extensive reading—together with the openness with which he reveals every changing shade of feeling, gives an inexpressible charm to his correspondence. The editor has performed his task judiciously, and the work is in every respect well produced."
BRITANNIA.

SOUTHEY.—THE LIFE OF WESLEY;

And Rise and Progress of Methodism. By ROBERT SOUTHEY, Esq. LL.D. New Edition, with Notes by the late Samuel Taylor Coleridge, Esq., and Remarks on the Life and Character of John Wesley, by the late Alexander Knox, Esq. Edited by the Rev. CHARLES CUTHBERT SOUTHEY, A.M. Curate of Cockermouth. 2 vols. 8vo. with 2 Portraits, 2ss. cloth.

STEEL'S SHIPMASTER'S ASSISTANT;

Compiled for the use of Merchants, Owners and Masters of Ships, Officers of Customs, and all Persons connected with Shipping or Commerce: containing the Law and Local Regulations affecting the Ownership, Charge, and Management of Ships and their Cargoes; together with Notices of other Matters, and all necessary Information for Mariners. New Edition, rewritten throughout. Edited by GRAHAM WILLMORE, Esq. M.A. Barrister-at-Law; GEORGE CLEMENTS, of the Customs, London; and WILLIAM TATE, Author of "The Modern Cambist." 8vo. 2ss. cloth; or, 29s. bound.

STEPHEN.—ESSAYS IN ECCLESIASTICAL BIOGRAPHY.

By the Right Hon. Sir JAMES STEPHEN, K.C.B., Professor of Modern History in the University of Cambridge. 2 vols. 8vo. 24s. cloth.

STEPHEN.—HISTORY OF THE EPISCOPAL CHURCH OF

SCOTLAND, from the Reformation to the Present Time. By THOMAS STEPHEN, Author of "The Book of the Constitution," "Spirit of the Church of Rome," &c. 4 vols. 8vo. with 24 highly-finished Portraits engraved on steel, 32s. cloth.

STEPHENS.—A MANUAL OF BRITISH COLEOPTERA,

or, BEETLES: containing a Description of all the Species of Beetles hitherto ascertained to inhabit Great Britain and Ireland, &c. With a Complete Index of the Genera. By J. F. STEPHENS, F.L.S. Author of "Illustrations of Entomology." Post 8vo. 14s. cloth.

STOW.—THE TRAINING SYSTEM, THE MORAL TRAINING

SCHOOL, and the NORMAL SEMINARY. By DAVID STOW, Esq. Honorary Secretary to the Glasgow Normal Free Seminary; Author of "Moral Training," &c. 8th Edition, corrected and enlarged; with Plates and Woodcuts. Post 8vo. 6s. cloth.

SWAIN.—ENGLISH MELODIES.

By CHARLES SWAIN, Author of "The Mind, and other Poems." Fcp. 8vo. 6s. cloth.

TATE.—THE CONTINUOUS HISTORY OF THE LIFE AND

WRITINGS OF ST. PAUL, on the basis of the Acts; with Intercalary Matter of Sacred Narrative, supplied from the Epistles, and elucidated in occasional Dissertations: with the *Horæ Pauline* of Dr. Paley, in a more correct edition, subjoined. By JAMES TATE, M.A. Canon Residentiary of St. Paul's. 8vo. with Map, 13s. cloth.

TAYLER.—MARGARET;

Or, the Pearl. By the Rev. CHARLES B. TAYLER, M.A. Rector of St. Peter's, Chester, Author of "Lady Mary; or, Not of the World," &c. New Edition. Fcp. 8vo. 6s. cloth.

TAYLER.—LADY MARY;

Or, Not of the World. By the Rev. CHARLES B. TAYLER, Rector of St. Peter's, Chester; Author of "Margaret, or the Pearl," &c. New Edition, with a Frontispiece engraved by J. ABSOLON. Fcp. 8vo. 6s. 6d. cloth.

TAYLOR.—THE VIRGIN WIDOW:

a Play. By HENRY TAYLOR, Author of "The Statesman," "Philip Van Artevelde," "Edwin the Fair," &c. Fcp. 8vo. 6s. cloth.

TAYLOR.—LOYOLA : AND JESUITISM IN ITS RUDIMENTS.

By ISAAC TAYLOR, Author of "Natural History of Enthusiasm," &c. Post 8vo. 10s. 6d. cloth.

THIRLWALL.—THE HISTORY OF GREECE.

By the Right Rev. the LORD BISHOP of ST. DAVID'S (the Rev. Connop Thirlwall). A New Edition, revised; with Notes. Vols. I. to V. 8vo. with Maps, 36s. cloth. To be completed in 8 volumes, price 12s. each. [Vol. VI. nearly ready.]

. Also, an Edition in 8 vols. fcp. 8vo. with Vignette Titles, £2. 8s. cloth.

THOMSON'S SEASONS.

Edited by BOLTON CORNEY, Esq. Illustrated with Seventy-seven Designs drawn on Wood, by Members of the Etching Club. Engraved by Thomson and other eminent Engravers. Square crown 8vo. uniform with "Goldsmith's Poems," 21s. cloth; or, bound in morocco, by Hayday, 36s.

THOMSON'S SEASONS.

Edited, with Notes, Philosophical, Classical, Historical, and Biographical, by ANTHONY TODD THOMSON, M.D. F.L.S. Fcp. 8vo. 7s. 6d. cloth.

THOMSON.—THE DOMESTIC MANAGEMENT OF THE SICK

ROOM, necessary, in Aid of Medical Treatment, for the Cure of Diseases. By ANTHONY TODD THOMSON, M.D. F.L.S. Professor of Materia Medica and Therapeutics, and of Forensic Medicine, in University College, London. New Edition. Post 8vo. 10s. 6d. cloth.

THOMSON.—TABLES OF INTEREST,

At Three, Four, Four-and-a-Half, and Five per Cent., from One Pound to Ten Thousand, and from One to Three Hundred and Sixty-five Days, in a regular progression of single Days; with Interest at all the above Rates, from One to Twelve Months, and from One to Ten Years. Also, numerous other Tables of Exchanges, Time, and Discounts. By JOHN THOMSON, Accountant. New Edition. 12mo. 8s. bound.

THOMSON.—SCHOOL CHEMISTRY ;

Or, Practical Rudiments of the Science. By ROBERT DUNDAS THOMSON, M.D. Master in Surgery in the University of Glasgow; Lecturer on Chemistry in the same University; and formerly in the Medical Service of the Honourable East India Company. Fcp. 8vo. with Woodcuts, 7s. cloth.

THOMSON.—EXPERIMENTAL RESEARCHES ON THE FOOD

of ANIMALS and the FATENING of CATTLE; with Remarks on the Food of Man. By ROBERT DUNDAS THOMSON, M.D. Author of "School Chemistry; or, Practical Rudiments of the Science." Fcp. 8vo. 5s. cloth.

THE THUMB BIBLE ;

Or, Verbum Sempiternum. By J. TAYLOR. Being an Epitome of the Old and New Testaments in English Verse. A New Edition (1850), printed from the Edition of 1693, by C. Whittingham, Chiswick. 64mo. 1s. 6d. bound and clasped.

TOMLINE.—AN INTRODUCTION TO THE STUDY OF THE

BIBLE: containing Proofs of the Authenticity and Inspiration of the Holy Scriptures; a Summary of the History of the Jews; an Account of the Jewish Sects; and a brief Statement of the Contents of the several Books of the Old and New Testaments. By GEORGE TOMLINE, D.D. F.R.S. New Edition Fcp. 8vo. 5s. 6d. cloth.

TOOKE.—THE HISTORY OF PRICES :

With reference to the Causes of their principal Variations, from the year 1792 to the year 1838, inclusive. Preceded by a Sketch of the History of the Corn Trade in the last Two Centuries. By THOMAS TOOKE, Esq. F.R.S. 3 vols. 8vo. £2. 8s. cloth.

TOOKE.—THE HISTORY OF PRICES, AND OF THE STATE

of the CIRCULATION from 1839 to 1847, inclusive: with a general Review of the Currency Question, and Remarks on the Operation of the Acts 7 and 8 Vict. c. 32: being a continuation of "The History of Prices, from 1792 to 1838." By T. TOOKE, Esq. F.R.S. 8vo. 18s. cloth.

TOWNSEND.—MODERN STATE TRIALS.

Revised and illustrated with Essays and Notes. By WILLIAM CHARLES TOWNSEND, Esq. M.A., Q.C., Recorder of Macclesfield; Author of "Lives of Twelve Eminent Judges of the Last and of the Present Century," &c. 2 vols. 8vo. 30s. cloth.

LIST OF THE TRIALS.

Frost, for High Treason.—Oxford, for High Treason.—Stuart, for Killing Sir Alexander Boswell in a Ducl.—The Earl of Cardigan, for Shooting at Captain Tucker.—Courvoisier, for Murder.—M'Naghten, for Murder.—The Earl of Stirling, for Forgery.—O'Brien, for High Treason.—Lord Cochrane, for Conspiracy.—The Wakefields, for Conspiracy and Abduction.—John Hunter and four others, for Conspiracy to Murder.—John Ambrose Williams, for Libel on the Durham Clergy.—Pinney, Mayor of Bristol, for Neglect of Duty.—Moxon, for Blasphemy.—O'Connell and others, for Conspiracy.

TOWNSEND.—THE LIVES OF TWELVE EMINENT JUDGES

of the LAST and of the PRESENT CENTURY. By W. CHARLES TOWNSEND, Esq. M.A. Q.C. Recorder of Macclesfield; Author of "Memoirs of the House of Commons." 2 vols. 8vo. 28s. cloth.

TURNER.—THE SACRED HISTORY OF THE WORLD,

Attempted to be Philosophically considered, in a Series of Letters to a Son. By SHARON TURNER, F.S.A. and R.A.S.L. New Edition, edited by the Rev. SYDNEY TURNER. 3 vols. post 8vo. 31s. 6d. cloth.

DR. TURTON'S MANUAL OF THE LAND AND FRESH-

WATER SHELLS of the BRITISH ISLANDS. A New Edition, thoroughly revised and with considerable Additions. By JOHN ENWARD GRAY, Keeper of the Zoological Collection in the British Museum. Post 8vo. with Woodcuts, and 12 Coloured Plates 15s. cloth.

TWELVE YEARS AGO: A TALE.

By the Authoress of "Letters to my Unknown Friends," "Some Passages from Modern History," "Discipline," and "Letters on Happiness." Fcp. 8vo. 6s. 6d. cloth.

TWINING.—ON THE PHILOSOPHY OF PAINTING:

A Theoretical and Practical Treatise; comprising Aesthetics in reference to Art—the Application of Rules to Painting—and General Observations on Perspective. By H. TWINING, Esq. Imperial 8vo. with numerous Plates and Wood Engravings, 21s. cloth.

URE.—DICTIONARY OF ARTS, MANUFACTURES, & MINES;

Containing a clear Exposition of their Principles and Practice. By ANDREW URE, M.D. F.R.S. M.G.S. M.A.S. Lond.; M. Acad. N.L. Philad.; S. Ph. Soc. N. Germ. Hanov.; Mulii. &c. &c. New Edition, corrected. 8vo. with 1,240 Engravings on Wood, 50s. cloth.—Also,

SUPPLEMENT of RECENT IMPROVEMENTS. New Edition. 8vo. with Woodcuts, 14s. cloth.

WALFORD.—THE LAWS OF THE CUSTOMS,

Compiled by Direction of the Lords Commissioners of Her Majesty's Treasury, and published under the Sanction of the Commissioners of Her Majesty's Customs; with Notes and a General Index. Edited by J. G. WALFORD, Esq. Solicitor for the Customs. 8vo. 10s. 6d. cloth.

WALKER.—CHESS STUDIES;

Comprising One Thousand Games of Chess, as really played by the first Chess Players; forming a complete Encyclopædia of Reference, and presenting the greatest Collection extant of fine specimens of strategy in every stage of the Game. Selected and arranged by GEORGE WALKER, Author of "Chess made Easy," &c. 8vo. 10s. 6d. sewed.

WALKER.—ELEMENTA LITURGICA;

Or, the Churchman's Mirror, for the Scholastic Study of the Book of Common Prayer. By G. A. WALKER, A.M., of Christ College, Cambridge. New Edition, entirely rearranged and considerably enlarged. Fcp. 8vo. 4s. 6d. cloth.

WATERTON.—ESSAYS ON NATURAL HISTORY,

Chiefly Ornithology. By CHARLES WATERTON, Esq., Author of "Wanderings in South America." With an Autobiography of the Author, and Views of Walton Hall. New Edition. 2 vols. fcp. 8vo. 14s. 6d. cloth.

* * * Separately—Vol. I. (First Series), 8s.; Vol. II. (Second Series), 6s. 6d.

WEBSTER.—AN ENCYCLOPÆDIA OF DOMESTIC ECONOMY;

Comprising such subjects as are most immediately connected with Housekeeping: as, The Construction of Domestic Edifices, with the modes of Warming, Ventilating, and Lighting them—A description of the various articles of Furniture, with the nature of their Materials—Duties of Servants, &c. &c. &c. By THOMAS WEBSTER, F.G.S.; assisted by the late Mrs. Parkes. New Edition. 8vo. with nearly 1,000 Woodcuts, 50s. cloth.

WESTWOOD.—AN INTRODUCTION TO THE MODERN

CLASSIFICATION OF INSECTS; founded on the Natural Habits and compounding Organisation of the different Families. By J. O. WESTWOOD, F.L.S. &c. &c. 2 vols. 8vo. with numerous Illustrations, £2. 7s. cloth.

WHEATLEY.—THE ROD AND LINE;

Or, Practical Hints and Dainty Devices for the sure taking of Trout, Grayling, &c. By HEWETT WHEATLEY, Esq. Senior Angler. Fcp. 8vo. with Nine coloured Plates, 10s. 6d. cloth.

“Besides smart, pungent, and practically profound dissertations on the rod and line, this clever volume teems with practical hints.....The book is pleasantly written, and beneath a semblance of levity will be found enunciated a mass of sterling information.”
BELL'S LIFE IN LONDON.

WILBERFORCE.—A PRACTICAL VIEW OF THE PREVAIL-

ING RELIGIOUS SYSTEMS OF PROFESSED CHRISTIANS, in the Higher and Middle Classes in this Country, contrasted with Real Christianity. By WM. WILBERFORCE, Esq. M.P. New Edition. 8vo. 8s. boards.—Also, an Edition in fcp. 8vo. price 4s. 6d. cloth.

LADY WILLOUGHBY'S DIARY.

So much of the Diary of Lady Willoughby as relates to her Domestic History, and to the Eventful Period of King Charles the First, the Protectorate, and the Restoration (1635 to 1663). Printed, ornamented, and bound in the style of the period to which *The Diary* refers. New Edition. In Two Parts. Square fcp. 8vo. 8s. each, boards; or 18s. each, bound in morocco by Hayday.

WILSON.—THE LANDS OF THE BIBLE VISITED AND

DESCRIBED, in an Extensive Journey undertaken with special reference to the promotion of Biblical Research and the advancement of the Cause of Philanthropy. By John Wilson, D.D. F.R.S. Honorary President of the Bombay Branch of the Royal Asiatic Society, &c. 2 vols. 8vo. with Maps and numerous Illustrations, £1. 16s. cloth.

WOODCOCK.—SCRIPTURE LANDS:

Being a Visit to the Scenes of the Bible. By the Rev. W. J. Woodcock, St. Agnes, Nassau, New Providence. With 4 coloured Plates. Post 8vo. 10s. 6d. cloth.

YOUATT.—THE HORSE.

By WILLIAM YOUATT. With a Treatise of Draught. A New Edition; with numerous Wood Engravings, from Designs by William Harvey. 8vo. 10s. cloth.

YOUATT.—THE DOG.


By WILLIAM YOUATT. A New Edition; with numerous Wood Engravings, from Designs by William Harvey. 8vo. 6s. cloth.

* * * The above works, which were prepared under the superintendence of the Society for the Diffusion of Knowledge, are now published by Messrs. Longman and Co., by assignment from Mr. Charles Knight. It is to be observed that the edition of Mr. Youatt's book on the Horse which Messrs. L. and Co. have purchased from Mr. Knight, is that which was thoroughly revised by the author, and thereby rendered in many respects a new work. The engravings, also, were greatly improved. Both works are the most complete treatises in the language on the History, Structure, Diseases, and Management of the Animals of which they treat.

ZUMPT'S GRAMMAR OF THE LATIN LANGUAGE.

Translated and adapted for the use of English Students, with the Author's sanction and co-operation, by Dr. L. SCHMITZ, F.R.S.E., Rector of the High School of Edinburgh: with copious Corrections and Additions communicated to Dr. Schmitz, for the authorised English Translation, by Professor ZUMPT. New Edition, corrected. 8vo. 14s. cloth.

[June 1, 1850.]



PENNSYLVANIA HORTICULTURAL SOCIETY



3 1827 0001143 6

WORKS IN GENERAL LITERATURE.

I.

LIEUT.-COL. CHESNEY'S EXPEDITION to SURVEY the RIVERS EUFRATES and TIGRIS. With many Plates and Woodcuts. Vols. I. and II. royal 8vo. 63s.—Atlas of Maps and Charts, 31s. 6d.

II.

MR. S. LAING'S OBSERVATIONS on the SOCIAL and POLITICAL STATE of the EUROPEAN PEOPLE in 1848 and 1849. 8vo. 11s.

III.

THE SOCIAL CONDITION and EDUCATION of the PEOPLE in ENGLAND and EUROPE. By JOSEPH KAY, Esq. M.A. 2 vols. post 8vo. 21s.

IV.

MR. A. K. JOHNSTON'S NEW DICTIONARY of GENERAL and PHYSICAL GEOGRAPHY; forming a complete GAZETTEER. 8vo.

V.

MR. McCULLOCH'S GEOGRAPHICAL DICTIONARY: with 6 large Maps. New Edition (1849). 2 thick volumes, 8vo. £4.

VI.

SIDNEY HALL'S LARGE LIBRARY ATLAS, of 53 coloured Maps, corrected to 1850; with all the RAILWAYS laid down. Coloured 4to. £5.5s.

VII.

NORWAY IN 1848 AND 1849. By THOS. FORESTER, Esq. and Licent. M. S. BIDDULPH. With Map, Woodcuts, and 10 tinted Plates. 8vo. 18s.

VIII.

SIR JOHN F. W. HERSCHEL'S OUTLINES of ASTRONOMY. New Edition; with Plates and Woodcuts. 8vo. 18s.

IX.

LOUDON'S ENCYCLOPEDIA of GARDENING. New Edition (1850), corrected by Mrs. LOUDON; with 1,000 Woodcuts. 8vo. 50s.

X.

LOUDON'S HORTUS BRITANNICUS. New Edition (1850), corrected by Mrs. LOUDON and W. H. BAXTER, Esq. 8vo. 31s. 6d.

XI.

BLAIR'S CHRONOLOGICAL and HISTORICAL TABLES. Extended under the revision of Sir HENRY ELLIS, K.H. Imperial 8vo. 31s. 6d.

XII.

THE Rev. W. J. CONYBEARE and the Rev. J. S. HOWSON'S LIFE and EPISTLES of ST. PAUL. 2 vols. 4to. copiously illustrated, by W. H. Bartlett, with Plates, Maps, Charts, Woodcuts, &c.

* * * In course of publication, in Parts, price 2s. each.

LONDON: LONGMAN, BROWN, GREEN, AND LONGMANS.

