



The manufacturer for  
presentation equipment



2016 | 2017





*Advanced laser technology*



*Production and logistics centre in Bad Oeynhausen*





# HAGOR Products GmbH

WIDE RANGE OF PRODUCTS – FLEXIBLE – PROFESSIONAL

Since 1996, HAGOR Products GmbH develops and produces mount systems for the presentation technology.

Own product lines - **Made in Germany** - special solutions adjusted to individual specifications as well as a selected trade take part in our assortment, which meets all requirements.

From us you receive everything from a single source. We are looking forward to working with you as a partner and you are invited to visit us in our production and logistics centre in Bad Oeynhausen (Germany).



Horst Hahndorf  
– CEO –





## Discover [www.hagor.net](http://www.hagor.net)

Here you can find detailed product descriptions an extensive download area with current product sheets. You get all the latest news and information about upcoming trade shows.

Of course, you can follow us to get further news.

facebook



Always up to date with HAGOR!



[www.hagor.net](http://www.hagor.net)





**FLAT PANEL STANDS**

Info-Tower-Series	<b>06-07</b>
M Public Display Stand-Series	<b>08-09</b>
Mobile and fixed floor stands	<b>10-11</b>
Motorized floor stands	<b>12</b>
Motorized lift systems	<b>13</b>

**INDOOR TOTEMS**

vis-it-Series	<b>14-15</b>
---------------	--------------

**PROTECTIVE ENCLOSURES AND TOTEMS FOR OUTDOOR USE**

ScreenOut® Pro Enclosure-Series	<b>17</b>
ScreenOut® Pro Kiosk-Series	<b>18</b>
ScreenOut® Eco & OHD-K-Series	<b>19</b>

**VIDEO WALL-SYSTEMS**

VWH-Series	<b>20-22</b>
Video wall trolleys	<b>23</b>
VWS-Cube	<b>24-28</b>
Pro-Tower III	<b>29</b>
ALLMount®	<b>30-33</b>
LED-MOD stand system	<b>34-36</b>

**FLAT PANEL WALL MOUNTS**

Full motion wall mounts	<b>37-39</b>
Tilting wall mounts	<b>40</b>
Fixed & rotating wall mounts	<b>41-42</b>
Motorized wall mounts & swing arms	<b>43</b>

**SPECIAL MOUNTS**

PLW-Series	<b>44-45</b>
Special mounts	<b>46</b>

**FLAT PANEL CEILING MOUNTS**

PLD-Series	<b>47-48</b>
M Public Ceilingmount-Series	<b>49</b>
Fold-up ceiling mounts	<b>50</b>

**ACCESSORIES**

Adapter plates & AV accessories	<b>51</b>
---------------------------------	-----------

**TABLE MOUNTS**

LCD-table stands	<b>52</b>
------------------	-----------

**TABLET ENCLOSURES**

TSG-Series	<b>53-54</b>
------------	--------------

**MONITOR ARMS**

M VESA Gas Lift Arm-Series	<b>55</b>
M VESA Desk-Series	<b>56</b>

**PROJECTOR MOUNTS**

LB-Livingbeam-Series	<b>57</b>
BF-Beamfix-Series	<b>58</b>
Precision projector mounts	<b>59</b>

**PROJECTION SCREENS**

M Motorised Projection Screen-Series	<b>60-61</b>
--------------------------------------	--------------

**SPEAKER MOUNTS**

Mounts for sound bars & speakers	<b>62</b>
----------------------------------	-----------

**CABLE MANAGEMENT**

Cable cover Series	<b>63-64</b>
Cable sock Series	<b>65</b>

**HOME CINEMA CABLE**

High quality cable solutions	<b>66</b>
------------------------------	-----------

**SPECIAL PRODUCTIONS**

Custom-made production	<b>67</b>
------------------------	-----------

**REFERENCES**

<b>68-69</b>
--------------



## INFO-TOWER-SERIES

## Info-Tower Single

## Mobile floor stand

for 1 flat screen  
of 32-55" / 81-140 cm

- For single displays, suitable for landscape and portrait mounting
- Incl. universal mounting PLW-50 – VESA 200×200 – 400×400 mm
- Manually height adjustable with unblock-protection
- Height: 1295 mm (incl. hidden wheels)
- Floor space 700×500 mm
- Removable pillar covers for smart cable management



Part-No.	Description/Size	Max. Weight	Mounting pattern
1522	32-55" / 81-140 cm	60 kg	max. 400×400 mm

## Info-Tower Single L

## Mobile floor stand

for 1 flat screen  
of 46-84" / 116-213 cm

- For single displays, suitable for landscape and portrait mounting
- Incl. universal mounting PLW-50 – VESA 200×200 – 400×400 mm
- Manually height adjustable with unblock-protection
- Height: 1895 mm (incl. hidden wheels)
- Floor space 1000×700 mm
- Removable pillar covers for smart cable management




Part-No.	Description/Size	Max. Weight	Mounting pattern
1566	46-84" / 116-213 cm	80 kg	max. 400×400 mm

## Info-Tower Dual

## Mobile floor stand

for 2 flat screens  
of 40-55" / 102-140 cm

- For 2 displays side by side, suitable for landscape mounting
- Incl. universal mounting PLW 1650 – 2 × VESA 200×200 – 600×400 mm
- Manually height adjustable with unblock-protection
- Height: 1295 mm (incl. hidden wheels)
- Floor space 1000×700 mm
- Removable pillar covers for smart cable management




Part-No.	Description/Size	Max. Weight	Mounting pattern
1523	2 × 40-55" / 102-140 cm	2 × 60 kg	2 × 200×200 – 600×400 mm

## Info-Tower Dual L

## Mobile floor stand

for 2 flat screens  
of 40-55" / 102-140 cm

- For 2 displays side by side, suitable for landscape mounting
- Incl. universal mounting PLW 1650 – 2 × VESA 200×200 – 600×400 mm
- Manually height adjustable with unblock-protection
- Height: 1895 mm (incl. hidden wheels)
- Floor space 1000×700 mm
- Removable pillar covers for smart cable management



Part-No.	Description/Size	Max. Weight	Mounting pattern
1572	2 × 40-55" / 102-140 cm	2 × 60 kg	2 × 200×200 – 600×400 mm

## Info-Tower CL

## Mobile floor stand

for 1 flat screen  
of 32-55" / 81-140 cm

- For single displays, suitable for landscape and portrait mounting
- Incl. universal mounting PLW 50 – VESA 200×200 – 400×400 mm
- Manually height adjustable with unblock-protection
- Incl. cabinet for AV-components
- Height: 1895 mm (incl. hidden wheels)
- Floor space 1000×700 mm



- lockable


Part-No.	Description/Size	Max. Weight	Mounting pattern
1578	32-55" / 81-140 cm	60 kg	max. 400×400 mm

## Info-Tower E

## Mobile floor stand

for 1 flat screen  
of 42-82" / 107-208 cm

- For single displays, suitable for landscape mounting (Portrait on request)
- Incl. universal mounting – VESA 200×200 – 800×400 mm
- **Electrical height adjustable via integrated control unit**
- Height (approx. centre of the flat screen): 980-1480 mm (incl. hidden wheels)
- Floor space 1000×700 mm



Part-No.	Description/Size	Max. Weight	Mounting pattern
1579	42-82" / 107-208 cm	120 kg	max. 800×400 mm





## HAGOR INFO-TOWER-SERIES – THE ALLROUNDER

### ACCESSORIES:

#### Info-Tower Universal-Mount PLW

##### Optional for further flat screens

- For larger displays and/or Back-to-Back



Part-No.	Art. Descr.	Description/ Height	Mounting pattern
1535	Info-Tower PLW 50	32-55" / 81-140 cm	max. 400x400 mm
1536	Info-Tower PLW 75	46-84" / 116-213 cm	max. 600x400 mm
1563	Info-Tower PLW 165	2 x 40-55" / 102-140 cm	2 x 200x200 – 600x400 mm

#### Info-Tower KA-1

##### Camera holder

for Info-Tower

- Height adjustable for the adaption of different flat screen sizes
- Universal mounting pattern for camera
- Mounting optional below or above the flat screen



Part-No.	Max. Weight	Mounting pattern
1316	2,5 kg	optimized f. Polycom & Cisco

#### Info-Tower Codec Shelf

##### Codec-Shelf

for Info-Tower

- For almost all common codecs and mini-pc's
- For backside-installation to the pillar cover of the Info-Tower-Series



Part-No.	Max. Weight	Inside measurements
1524	2,5 kg	W 320 x H 200 x D 35 mm



# M PUBLIC DISPLAY STAND-SERIES

## M Public Display Stand 145 / 180 Single + Dual

### Mobile floor stand

for 1 or 2 flat screens 40-63" / 102-160 cm or 40-55" / 102-140 cm

- **Single:** for single displays, continuously able to rotate Landscape/Portrait
- **Dual:** for 2 displays side by side, suitable for landscape mounting
- Incl. height adjustable universal mounting – VESA 200×200 – 800×500 mm, continuously tiltable
- **Single:** -5/+15°, **Dual:** -5/+12°
- Available heights: 1450 mm or 1800 mm (incl. wheels set), Floor space: 933×576 mm
- Aluminum-pillar incl. built-in power rail 220V




Stand 145  
Single silver



Stand 180  
Single black



Stand 145  
Dual silver



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7213	7253	M Public Display Stand 145 Single	90 kg	max. 800×400 mm
7214	7254	M Public Display Stand 145 Dual		
7215	7255	M Public Display Stand 180 Single		
7216	7256	M Public Display Stand 180 Dual		

## M Stand 180

### Mobile stand system

for 1 flat screen  
of 32-63" / 81-160 cm

- For single displays, suitable for mounting in landscape
- Universal mounting – VESA 200×200 – 700×400 mm
- Height: 1800 mm (incl. wheels)
- Floor space: 940×820 mm
- Optional accessories available



Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
7294	M Stand 180	32-63" / 81-160 cm	50 kg	max. 700×400 mm

## M Stand 180 Floormount

### Free standing

for 1 flat screen  
of 32-63" / 81-160 cm

- For single displays, suitable for mounting in landscape
- Universal mounting – VESA 200×200 – 700×400 mm
- Height: pillar 1800 mm, with solid metal floormount)
- Floor space: 210×130 mm
- Optional accessories available



Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
7394	M Stand 180 Floormount	32-63" / 81-160 cm	60 kg	max. 700×400 mm

## M Stand 180 Floorbase

### Free standing

for 1 flat screen  
of 32-63" / 81-160 cm

- For single displays, suitable for mounting in landscape
- Universal mounting – VESA 200×200 – 700×400 mm
- Height: pillar 1800 mm, with solid floorbase
- Floor space: 900×400 mm
- Optional accessories available




Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
7395	M Stand 180 Floorbase	32-63" / 81-160 cm	50 kg	max. 700×400 mm

## M Stand 180 HD – Dual Pillar

### Free standing Heavy Duty

for 1 flat screen  
70-110" / 177-280 cm

- For single displays, suitable for landscape or portrait mounting
- Height: dual pillar circa 1811 mm, with solid floorbase
- Incl. universal mount max. VESA 800×600 mm
- Tiltable up to 12° (depending on screen size)
- Floor space: 1190×650 mm



Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
7376	M Stand 180 HD – Dual Pillar	70-110" / 177-280 cm	125 kg	max. 800×600 mm



## ACCESSORIES:

### M Public Display Stand Floor Base

#### Solid floor plate

Optional for M-Public-Display-Stand-Series, free standing or fixed installation



Part-No.		Art. Description	Floor space
7220	7260	M Public Display Stand Floor Base	800×625 mm

### M Public Display Stand Camera Holder

#### Height adjustable Camera mount

Optional for M-Public-Display-Stand-Series



Part-No.		Art. Description	mounting pattern
7218	7258	M Public Display Stand Camera Holder	229×223 mm

### M Public Display Stand Frontshelf

#### Height adjustable shelf for AV-components

Adjustable depth support surface, optional for M-Public-Display-Stand-Series



Part-No.		Art. Description	dimension
7219	7259	M Public Display Stand Frontshelf	255×280-380 mm

### M Public Display Stand Codec Shelf

#### Height adjustable shelf for Codecs and Mini PCs

optional for M-Public-Display-Stand-Series



Part-No.		Art. Description	dimension
7268	7269	M Public Display Stand Codec Shelf	420×280 mm

### M Cable Hook

#### Winding aid for cables

Keeps the cables together while moving the M-Public-Display-Stand-Series



Part-No.		Art. Description	Max. Weight
7320	7321	M Cable Hook	5 kg

### M MediaBox

#### Height adjustable shelf-box for AV-components

optional for M-Public-Display-Stand-Series



Part-No.		Art. Description	Inner-size
7267		M Public Display Stand MediaBox	391×530×204 mm



## MOBILE AND FIXED FLOOR STANDS

## Elia 115/160 A

## Free standing

for 1 flat screen of 32-55" / 81-139 cm

- For single displays suitable for landscape mounting
- Incl. universal mount PLW 75 – VESA 200×200 – 600×400 mm unblock-protection
- Continuously swivel  $\pm 20^\circ$
- Available heights: 1200 mm or 1650 mm (approx. centre of the screen), Dimension floor plate: 800×550 mm, optional wheel set available
- hidden cable management through the pillar



Elia 160 A black



Elia 115 A white

Rollen-Set  
(Optional)  
Art.-Nr.  
2403



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
4800	Elia 115 A	Height: 1200 mm / 32-55" / 81-139 cm	60 kg	max. 600×400 mm
4803				
4826				
4812	Elia 160 A	Height: 1650 mm / 32-55" / 81-139 cm	60 kg	max. 600×400 mm
4815				
4832				

## Elia 115/160 B

## Free standing

for 1 flat screen of 32-55" / 81-139 cm

- For single displays suitable for landscape mounting
- Incl. universal mount PLW 75 – VESA 200×200 – 600×400 mm with unblock-protection
- Continuously swivel  $\pm 20^\circ$
- Incl. 2 shelves 10 mm milk glass (ESG), Max weight. 15 kg, size 500×300 mm
- Available heights: 1200 mm or 1650 mm (approx. centre of the screen), Dimension floor plate: 800×550 mm, optional wheel set available
- hidden cable management through the pillar



Elia 160 B black


Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
4806	Elia 115 B	Height: 1200 mm / 32-55" / 81-139 cm	60 kg	max. 600×400 mm
4809				
4829				
4818	Elia 160 B	Height: 1650 mm / 32-55" / 81-139 cm	60 kg	max. 600×400 mm
4821				
4835				

## Floorstand Scandio

## Free standing

for 1 flat screen of 26-40" / 66-102 cm

- For one display, suitable for landscape or portrait mounting
- Incl. universal mount – VESA 200×100 – 400×400 mm with unblock-protection
- Height adjustable
- Height: 1000 mm (approx. centre of the screen)
- Floor space: 450×320 mm
- cable management through the pillar



Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
6103	Floorstand Scandio	Height: 1000 mm / 26-40" / 66-102 cm	30 kg	max. 400×400 mm

## HP-Stand 55

## Mobile stand system

for 1 flat screen 37-63" / 94-160 cm

- For single displays, suitable for landscape mounting
- Height adjustable universal mount max. VESA 600×400 mm
- Tilttable -5/+15°
- Incl. glass shelf 450×322 mm – height adjustable
- Incl. cablemanagement on the back of the aluminum pillar
- Incl. lockable casters
- Height: 1910 mm
- Floor space: 1000×500 mm



Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
9425	HP-Stand-55	37-63" / 94-160 cm	40 kg	max. 700×400 mm

## Pro-Tower II

## Mobile stand system

for 1 flat screen XL 32-80" / 81-203 cm

- For single displays, suitable for landscape or portrait mounting
- Incl. universal mounting – VESA 200×200 – 800×400 mm with unblock-protection, height adjustable
- Cable management inside
- Height: 1500 mm (approx. centre of the screen)
- Floor plate size: 750×700 mm incl. 4 covered wheels
- easy to move



## ACCESSORIES:

## Pro-Tower II-Cam

- height adjustable
- mounting below or above flat screen possible



## Pro-Tower II-glass shelf

- height adjustable



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1478	Pro-Tower II	Height: 1500 mm / 32-80" / 81-203 cm	80 kg	max. 800×400 mm
Optional accessories for Pro-Tower II				
1480	Pro-Tower II-Cam	height adjustable camera holder	3 kg	optimized for Polycom / Cisco
1481	Pro-Tower II-Glass shelf	glass shelf	10 kg	Size: 440×330




## Elia SB & Elia SB Mobile

### Modular heavy load-stand system max. 84"

depends on PLW (p. 45) max. 84" / 213 cm

- Multifunctional, for single displays, suitable for landscape mounting
- Includes 1 x 125° Adapter, incl. VESA 75×75 – 200×200 mm; separately combinable with display mount of the HAGOR PLW-Series
- Upgradable, depending on the application, e.g. Back-to-Back
- Height: 1800 mm, in 50 mm-steps the 125° adapter is height adjustable
- Removable covers in the middle, hidden cable routing through of the pillar
- Dimension floor plate: 900×600 mm

Elia SB  
black




Elia SB  
Mobile  
black



Glass shelf satined  
(Optional)

- Part-No. 2406



Part-No.			Art. Description	Description/Size	Max. Weight	Mounting pattern
4842	4844	4843	Elia SB	Height: 1800 mm / free standing	250 kg	max. 200×200 mm (optional larger VESA available)
1392	1391	1390	Elia SB Mobile	Height: 1850 mm / mobile		
Optional accessory:						
4376			Elia SB 125°-Adapter	Combinable with PLW-Series	80 kg	max. 200×200 mm
2406			Elia SB glass shelf	Height adjustable	15 kg	size: 500×300 mm

## Public Floorstand HD

### Mobile LCD-pedestal / Trolley for XXL-displays

for 1 single displays of 60-90" / 152-228 cm

- For single displays, suitable for landscape mounting
- Incl. height adjustable universal mounting – VESA 400×400 – 1200×700 mm
- Height: max. 1800 mm (incl. wheels set), Floor space: 1220×715 mm
- Material: Aluminum, net weight: 70 kg, extremely sturdy
- Accessory: incl. 1 × camera holder & 1 × shelf
- Hidden cable routing in both pillars
- Incl. lockable casters



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7276	Public Floorstand HD	Height: 1800 mm / 60-90" / 152-228 cm	120 kg	max. 1200×700 mm
Optional accessory:				
7277	Public Floorstand HD Cam Holder	camera-mount	max. 5 kg	Height adjustable
7278	Public Floorstand HD Shelf	shelf	max. 5 kg	Size: 495×290 mm

## Elia Touch

### Mobile Stand especially for touchscreens

for 1 flat screen of 32-65" / 81-165 cm

- for single displays, suitable for landscape or portrait mounting
- Incl. universal mounting – VESA 200×200 – 400×400 mm
- With unblock-protection, tilt adjustable in 3 steps 19/37/55°
- Incl. lockable casters
- Height: 1000 mm (incl. wheels set, circa centre of the screen), floor plate size: 900×600 mm
- Hidden cable routing through the pillar



Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
1380	Elia Touch	Height: 1000 mm / 32-65" / 81-165 cm	80 kg	max. 400×400 mm
1381				

## M Public Display Stand 110 Tilt & Table

### Mobile stand especially for touchscreens

for 1 flat screen of 32-55" / 81-140 cm

- For single displays, suitable for landscape mounting
- Incl. height adjustable universal mounting – VESA 200×200 – 700×400 mm, continuously adjustable tilt 0-90°
- Floor space: 933×576 mm, Height (incl. wheels set):
  - 90° Table-position: 1100 mm (without display)
  - 0° landscape-position: 1200 mm ca. centre of the screen
- Aluminum-pillar incl. built-in power rail 220V



Part-No.	Art. Description	Descr./Size	Max. Weight	Mounting pattern
7252	M Public Display Stand 110 Tilt & Table	32-55" / 81-140 cm	80 kg	max. 700×400 mm
7212				




# MOTORIZED FLOOR STANDS

## Mobile-Lift Pro Touch

### Height adjustable lift system

Especially for touchscreens of 42-82"

- For single displays, suitable for landscape mounting
- Incl. universal mounting – VESA 400×400 – 800×600 mm
- Motoric continuously height adjustable, distance 500 mm tilt 0-90°
- Floor space: 1250×760 mm, Height (incl. wheels set):
  - at 90° table-position: 860 mm (without display)
  - at 0° landscape-position: 810-1310 mm (circa centre of the screen)
- Incl. control unit



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1531	Mobile-Lift Pro Touch	42-82" / 107-208 cm	140 kg	max. 800×600 mm

## Mobile-Lift Pro

### Height adjustable lift system

Especially for XL Displays von 42-82"

- For single displays, suitable for landscape mounting
- Incl. universal mounting – VESA 400×400 – 800×600 mm
- Motoric continuously height adjustable, distance 500 mm
- Floor space: 1250×760 mm, Height (incl. wheels set):
  - 1000-1500 mm (circa centre of the screen)
- Incl. control unit



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1530	Mobile-Lift Pro	42-82" / 107-208 cm	140 kg	max. 800×600 mm
Optional accessory				
1584	Laptop shelf	450×325 mm	-	-

## M Motorized Floorstand HD 80

### Height adjustable lift system

for 1 XXL flat screen 42-110" / 107-280 cm

- For single displays, suitable for landscape mounting
- Height adjustable 500 mm, incl. control unit
- Incl. **heavy duty** universal mount max. VESA 900×600 mm / 80 kg
- Available colours: White or Black
- Floor space: 1300×800 mm



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7385	M Motorized Floorstand HD 80	Height: 1705 mm / 42-110" / 107-280 cm	80 kg	max. VESA 900×800 mm

## M Motorized Floorstand HD 160

### Height adjustable lift system

for 1 XXL flat screen 42-110" / 107-280 cm

- For single displays, suitable for landscape mounting
- Height adjustable 500 mm, incl. control unit
- Incl. **heavy duty** universal mount max. VESA 900×600 mm / 160 kg
- Available colours: White or Black
- Floor space: 1300×800 mm



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7386	M Motorized Floorstand HD 160	Height: 1705 mm / 42-110" / 107-280 cm	160 kg	max. VESA 900×800 mm



## Wall-Lift-Single Series

### Motorized lift system

for flat screens  
of 42-82" / 107-208 cm

- Distance 500 mm
- Incl. control unit
- Models available for lightweight walls & massive walls (without floor plates)
- Incl. all mounting materials



- for lightweight walls



- for massive walls



Part-No.	Art. Description	Description	Height	Max. Weight	Mounting pattern
1528	Wall-Lift-Single low	42-82" / 107-208 cm	1300-1800 mm	140 kg	max. 600×400 mm
1527	Wall-Lift-Single high		1520-2020 mm		
1529	Wall-Lift-Single stud wall		1520-2020 mm		

## Wall-Lift-Duo

### Motorized lift system

for flat screens  
of 46-70" & Whiteboards

- Distance: 500 mm
- Incl. control unit
- Incl. lift covers in high-quality Aluminum
- Incl. universal display mount




Part-No.	Art. Description	Description	Height	Max. Weight	Mounting pattern
1532	Wall-Lift-Duo	46-70" / 116-178 cm	1400-1900 mm	140 kg	max. 800×600 mm

## TV-Lift system Version A

### Motorized installation kit

for flat screens  
of 10-46" / 25-116 cm

- Height adjustable from 570 to max. 1245 mm (675 mm) via wireless remote control
- Force 500 N, Protection IP 20
- Incl. collision protection
- TÜV approved
- Incl. display mounting and set of fittings
- Speed 43 mm/sec




Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
3026	Version A	10-46" / 25-116 cm	50 kg	max. 600×400 mm
3027				

## TV-Lift system Version B

### Motorized installation kit

for flat screens  
of 32-55" / 81-140 cm

- Height adjustable from 750 to max. 1715 mm (965 mm) via wireless remote control
- Force 500 N, Protection IP 20
- Incl. collision protection
- TÜV approved
- Incl. display mounting and set of fittings
- Speed 38 mm/sec



Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
3028	Version B	10-46" / 25-116 cm	50 kg	max. 600×400 mm
3029				





## HAGOR vis-it INDOOR-TOTEMS – TOTEMS FOR THE FUTURE!

More and more people's everyday lives are accompanied, affected and facilitated by digital media. The market is continuously growing and the implementation of digital signage solutions is going to be more important for companies, markets and branches. Thanks to the vis-it kiosks there are no limits for direction systems, product presentations, digital reception.

The vis-it-Series consists of a simple modular system, designed to meet all requirements.

Special versions in all RAL-colours, logos with backlight or plotted, as well as versions in stainless steel or glass, are available on request.

### Basic version vis-it Series:

- Made of powder coated aluminum-bar profiles
- Front powder-coated steel
- Integrated door and lock on the back side
- Incl. cabling of the Hardware components
- Special mount for codecs and mini-pc's
- E-Check
- Ready for operation, Plug & Play

**For requests and more information please contact us (+49) 57 31-7 55 07-0**

### vis-it portait

#### Indoor Totem

for flat screens  
of 42-55" / 107-140 cm

- Standard size 2018x600x170 mm (slimmer possible when using LED)
- Incl. ventilation
- Hardware components can be built-in at delivery
- **Other display sizes on request**



Part-No.	Description/Size	Max. Weight	Mounting pattern
1488	42-55" / 107-140 cm	100 kg	max. 600x800 mm

## vis-it landscape

**Indoor Totem**

for flat screens  
of 42-55" / 107-140 cm

- Standard size 2000×1102×175 mm (slimmer possible when using LED)
- Incl. ventilation
- Hardware components can be built-in at delivery
- **Other display sizes on request**



Part-No.	Description/Size	Max. Weight	Mounting pattern
1489	42-55" / 107-140 cm	100 kg	max. 800×600 mm

vis-it landscape  
frame**Indoor Totem**

for flat screens  
of 42-55" / 107-140 cm

- Standard size 2000×1102×175 mm (slimmer possible when using LED)
- Incl. ventilation
- Hardware components can be built-in at delivery
- **Other display sizes on request**



Part-No.	Description/Size	Max. Weight	Mounting pattern
1491	42-55" / 107-140 cm	100 kg	max. 800×600 mm

vis-it landscape  
info tilt**Indoor Totem**

for flat screens  
of 20-24" / 51-61 cm

- Standard size 1245×600×180 mm (slimmer possible when using LED)
- Incl. ventilation
- Hardware components can be built-in at delivery
- **Other display sizes on request**



Part-No.	Description/Size	Max. Weight	Mounting pattern
1493	20-24" / 51-61 cm	100 kg	max. 200×200 mm

## vis-it landscape info

**Indoor Totem**

for flat screens  
of 20-24" / 51-61 cm

- Standard size 1510×400×170 mm (slimmer possible when using LED)
- Incl. ventilation
- Hardware components can be built-in at delivery
- **Other display sizes on request**



Part-No.	Description/Size	Max. Weight	Mounting pattern
1494	20-24" / 51-61 cm	100 kg	max. 200×200 mm

## vis-it touch

**Indoor Touch-Totem**

for flat screens  
of 32-55" / 81-140 cm

- especially for touch application
- Standard size 1245×600×180 mm (slimmer possible when using LED)
- Incl. ventilation
- Hardware components can be built-in at delivery
- **Other display sizes on request**



Part-No.	Description/Size	Max. Weight	Mounting pattern
1490	32-55" / 81-140 cm	100 kg	max. 400×400 mm

vis-it landscape  
brochure**Indoor Touch-Totem**

for flat screens  
of 20-24" / 51-61 cm

- Incl. brochure shelf
- Standard size 1903×600×170 mm (slimmer possible when using LED)
- Incl. ventilation
- Hardware components can be built-in at delivery
- **Other display sizes on request**



Part-No.	Description/Size	Max. Weight	Mounting pattern
1492	20-24" / 51-61 cm	100 kg	max. 200×200 mm



## HAGOR SCREENOUT® PRO-SERIES – THE ALLROUNDER IN THE OUTDOOR AREA

The application of flat screens in the outdoor area is always challenging. Displays as well as peripherals, such as a mini-pc should be particularly protected to ensure longevity.

Our outdoor solutions are especially for outdoor usage and they endure adverse weather conditions (protection class IP certified). Even the use in the public sector does not represent a difficulty thanks to a vandalism-proof front cover.

Our outdoor-portfolio includes totems and protective enclosures for mounting on the wall, on the ceiling or you can use it as a free standing stand system.

The weatherproof solutions make a good impression in all areas.

## ScreenOut® Pro – Outdoor-protective enclosures for landscape or portrait mounting

The protective enclosures ScreenOut® Pro are equipped as standard with an active ventilation to ensure a flawless air filtration and circulation. With the help of gas springs the front is easy to open by one person and can also be locked up with security locks. There is enough space inside to place additional equipment such as a mini-pc or set top box.

Every model will be delivered **inclusive laminated safety-glass (anti-vandalism) and anti-reflective**.



The scope of application is versatile thanks to additional options:

- Heating
- AC cooling
- Branding by your logo or special colour possible on request
- Floor stand, ceiling mount

**Always SAFE in the outdoor area with ScreenOut® Pro Enclosure-Series!**

### ScreenOut® Pro Enclosures

#### Outdoor protective enclosure

for flat screens up to max. 65"

- Protection class IP 54
- Incl. extractable flat screen mount
- Incl. Air filtration
- Incl. anti-reflective tempered glass
- Incl. vandalism and theft protection
- Other display sizes on request
- Optional: AC cooling and heating, branding etc.



installation example shows optional stand



landscape-installation



Part-No./ Landscape	Part-No./ Portrait	Part-No./ Landscape incl. heating	Part-No./ Portrait incl. heating	Part-No./ Landscape incl. heating + cooling unit	Part-No./ Portrait incl. heating + cooling unit	Art. Description	Description/Size
1452	1544	1638	1642	1646	1650	S0 Pro S	32-40" / 81-102 cm
1453	1545	1639	1643	1647	1651	S0 Pro M	40-48" / 102-122 cm
1454	1546	1640	1644	1648	1652	S0 Pro L	49-55" / 124-140 cm
1455	1547	1641	1645	1649	1653	S0 Pro XL	60-65" / 152-165 cm
Options on request!						Other sizes on request.	



# SCREENOUT® PRO KIOSK-SERIES

## ScreenOut® Pro Kiosk – Outdoor totems for portrait mounting

The professional ScreenOut® Pro Kiosk-Series and its aesthetic design provides a wide range of application. Quick and easy installation, thanks to the door on the back side of the totems enclosure, allows a single person maintenance and gives you full access to all components, such as mini-pc, media player, the display etc.

Similar to the ScreenOut® Pro-Series, we considered every detail. Laminated safety-glass, a secured front and built-in locks in the back door are granting an increased protection.

In addition, the IP certified kiosk series contains high-performance fans to ensure efficient air circulation and special air filter adapted to all kind of environments.

- Incl. heating: freely selectable temperature range, no continuous operation needed (automatically turns on or off), accordingly low power consumption; with permanent cold to -25 degrees
- Incl. heating and cooling unit: in addition to the heating there is a cooling unit with automatic temperature control according to user-definable preset number of degrees
- standard version for fixed installation by a foundation in the ground

### Available options:

- Branding by your logo or special colour possible

**ScreenOut® Pro Totem – a rock-solid point of view  
in all areas.**



## ScreenOut® Pro Kiosk

### Outdoor Totem

for flat screens to max. 55"

- Protection class IP 54
- Incl. Air filtration and high-performance fans
- Incl. anti-reflective tempered glass
- Incl. vandalism and theft protection
- 1 person maintenance
- Other display sizes on request
- Optional: branding etc.



Part-No.	Art. Description	Description/Size
1467	S0 Pro Kiosk M	42-49" / 106-124 cm
1468	S0 Pro Kiosk L	50-57" / 127-145 cm
Options on request!		

## ScreenOut® Eco Kiosk

### Full Outdoor Totem Portrait

for flat screens 46-49" / 116-125 cm  
or 50-57" / 127-145 cm

- Protection class IP 54
- 1 person maintenance
- Incl. air filtration
- Incl. anti-reflective tempered glass
- Incl. vandalism and theft protection
- Two versions available:
  - Incl. heating
  - Incl. heating + cooling unit
- Optional: branding, baseplate etc.




Part-No.	Art. Description	Description/Size	Colour
1660	ScreenOut® ECO Kiosk M	Outdoor Totem IP 54 <b>incl. heating</b> 46-49"	Alu
1661	ScreenOut® ECO Kiosk L	Outdoor Totem IP 54 <b>incl. heating</b> 50-57"	Alu
1662	ScreenOut® ECO Kiosk M	Outdoor Totem IP 54 <b>incl. heating + cooling unit</b> 46-49"	Alu
1663	ScreenOut® ECO Kiosk L	Outdoor Totem IP 54 <b>incl. heating + cooling unit</b> 50-57"	Alu
<b>Options</b>			
1656		Logo	on request
1657		RAL colour	on request
1632		Floorbase plate for free-standing usage	on request

## ScreenOut® Stele OHD-K

### Outdoor Totem Portrait

for flat screens **Samsung OHD-K-Series**

- designed to support Samsung OH46D-K or OH55D-K in portrait
- stainless steel and additional corrosion-resistant powder coating
- optional storage space for media player and other internal components (have to accord with IP 56)
- easy installation and single person maintenance
- incl. vandalism and theft protection
- optional: branding, baseplate etc.



Part-No.	Art. Description	Description/Size	Colour
1630	ScreenOut®-OH46D-K	Outdoor Totem for Samsung <b>OH46D-K</b>	RAL
1631	ScreenOut®-OH55D-K	Outdoor Totem for Samsung <b>OH55D-K</b>	RAL
<b>Options</b>			
1656		Logo	on request
1632		Floorbase plate for free-standing usage	on request





## HAGOR VWH SERIES – THE QUICK AND EASY WAY TO YOUR FULL-SERVICE VIDEO WALL!

The **VWH Series** might be one of the markets most innovative and easy to install video wall mounts available. As the market for Video Wall installations is growing and growing, there is an increased demand for a high quality and installer friendly mounting equipment. Our VHW-1 video wall solution is quick to install and easy to configure. Made especially for video wall applications in all areas such as airports, stadiums, shopping malls – there are no limits for attracting attention. This professional mount is focusing on multiple screen solutions, easy and fast installation and simplified maintenance. The modular mounting system is suitable for displays up to VESA 400×400 mm (other sizes on request), to realize unlimited video wall configurations.

**Full-Service access** – The Click-Out-System gives easy access to any display for quick serviceability. This is often one of the major functions needed when building a video wall or when integrating a single screen into the wall. By gentle pressure against the screen you release the lock, then the screen will pop out and enables a perfect access for cable management. So you do not need to remove any other screen to get access to a central screen for maintenance. The click out feature, of course, allows you to push back the screen into place as well, after maintenance is finished.

**8 different adjustment points** – With the built in fine tune adjustments each of the VHW-models can be adjusted individually to align the displays to a perfect video wall. By up to 8 fine adjustment points the flat screens can be positioned in depth, width and height.

### Also available to assist your installation:

To save a lot of installation time we offer special drilling templates, which are providing the exact distances between all neighbouring screens. This spacer kit comes with one horizontal and one vertical template (re-usable at every installation with same display model) and is available on request for nearly all public displays.

*Please also check our special installation video:*



Detailed information on [www.hagor.net](http://www.hagor.net)

## VWH-1 / VWH-4

**Full-Service Video wall mount**

for flat screens to max. 85"

- Wall distance min. 96 mm – max. 286 mm (±5 mm adjustable)
- Unlimited video wall configuration thanks to modular construction
- Portrait or landscape mounting
- Click-out-system for easy service access
- Display retracts from operational position by gentle pressure
- Mounting template (depending on screen model) optional available
- 8-point level control for a fine adjustment of each flat screen



## VWH-5

- Wall distance min. 112 – 145 mm max. 450 – 483 mm

55–105"

**Heavy Duty**


Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1379	VWH-1	42-55" / 107-139 cm	55 kg	400×400 mm, optional adapter available
1625	VWH-4	55-85" / 139-216 cm	85 kg	
1628	VWH-5	65-105" / 165-267 cm	150 kg	
Optional accessory				
1446	VWH-1-ASxxx-drilling template	On request (screen model-specific)		

## QUICK-ASSEMBLY AID:


## VWH-1-ASxxx-drilling template

- available for common Public-Displays
- 2er Set, consists of 1x spacer horizontal and 1x spacer vertical
- re-usable at every installation with same display model

Portrait Mounting



Landscape Mounting





## VWH-SERIES

## VWH-1 Small

**Full-Service Video wall holder**

for flat screens to max. 32"

- Wall distance min 95 mm – max. 285 mm ( $\pm 5$  mm adjustable)
- unlimited video wall display-configuration thanks modular construction
- Portrait or landscape mounting
- Click-out-system for optimal service-access
- display retracts from operational position by gently pressure
- 4-point level control for fine adjustment of each flat screen



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1511	VWH-1 Small	20-32" / 51-81 cm	25 kg	200×200 mm

## VWH-3

**Fixed Video wall mount**

for flat screens to max. 55"

- Wall distance 96 mm ( $\pm 5$  mm adjustable)
- unlimited video wall display configuration thanks modular construction
- Mounting template (screen model-specific) optional available
- 8-point level control for fine adjustment of each flat screen
- Hint: For video wall constellations larger than 2x2 it is recommended to use VWH-1 (with pop-out-function) for central screens.




Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1484	VWH-3	42-55" / 107-139 cm	50 kg	400×400 mm, optional adapter available
<b>Optional accessory</b>				
1446	VWH-ASxxx-drilling template	On request (screen model-specific)		

## Adapter VESA 600 &amp; 800

**Adapter stripes**

VESA extender kit

- Set of 2 adapter stripes extends to VESA 600 or 800
- Incl. mounting material



Part-No.	Art. Description	Mounting pattern
1334	Adapter VESA 600	max. VESA 600
1469	Adapter VESA 800	max. VESA 800

## HAGOR VIDEO WALL-TROLLEY

Sometimes a permanent installation to the wall or on the floor is not possible or desired. In spite of this, you do not need to give up any advertising or branding strategy: Our mobile video wall trolleys could be the best solution. They offer different configurations, 2x2, 3x2 or even 3x3, so they can give you high flexibility. This freestanding video wall cart makes it possible to construct video wall in prominent locations for temporary applications.



### M Video Wall Trolley-Series

#### Video wall Trolley

configuration 2x2 to 3x3

- Incl. possibility of fine adjustment in height/depth/width
- Aluminum-pillar incl. built-in power rail 220V
- Displays on the pillar height adjustable
- Optional floor plate for a fixed mounting

#### ACCESSORIES:



M Video Wall 55"  
Extender (2er Set)



M Video Wall Floormount




M Floor  
Base B2B  
floor base

#### M Video Wall Trolley 2x2




M Video Wall  
Trolley 3x2



M Video Wall  
Trolley 3x3

Fine adjustment



Portrait  
on  
request  
possible




Part-No.	Art. Description	Description/Size	Mounting pattern
7302	M Video Wall Trolley 2x2	40-55" / 101-139 cm*	max. 800x400 mm
7304	M Video Wall Trolley 3x2		
7303	M Video Wall Trolley 3x3		
Optional accessory			
7319	M Floor Base B2B	optional floor base for video wall stand systems	
7408	M Video Wall 55" Extender (2er Set)	*required for 55" flat screens larger than VESA 400	
7409	M Video Wall Floormount	optional floor mount for video wall stand systems	

### PL Duo 2x2

#### Motorized height adjustable Video wall Trolley

for 2x2 configuration

- Motorized height adjustable from 1750 to 2800 mm
- Removable backside for the installation of peripherals
- Incl. cable carrier for smart cable management
- Incl. possibility of fine adjustment in height/width/depth
- Incl. heavy duty wheels set
- Incl. Infrared remote control



Part-No.	Art. Description	Description/Size	Mounting pattern
1521	PL Duo 2x2	42-55" / 106-139 cm	max. 600x400





## VWS-CUBE – VIDEO WALLS WHEREVER AND WHENEVER YOU WANT!

In case the place of installation only has an insufficient nature of the wall or is a temporary exhibition, here is the solution: the new modular and free standing **VWS-Cube**.

You can create your desired split wall whenever and wherever you want. The modular system always starts with a self-stacking frame-construction (designed for narrow bezel monitors up to 50 kg) and allows multiple constellations like 2x2 portrait up to seven rows like a 7x∞ landscape configuration.

The VWS-Cube comes with height adjustable levelling feet as standard (to level the uneven floor) and offers a tool-free installation thanks to fast-fit nuts and screws – not only assembly but also disassembly is quick and easy.

Fine adjustment of each flat screen and if needed with click-out-system for easy service access. You can decide if your video wall start on the ground or in a certain height. There are special covers available to mask the space between the floor and the first screen.

The standard colour is black – other colours (RAL) on request.

***Our free-standing Videowall System, VWS-Cube, can be configured with the help of our VWS-Cube Configurator. This gives you the chance to plan your videowall in advance. Try it.***




## VWS-Cube

### Modular video wall stand system

for flat screens 46" or 55"

- Installation positioning according to requirement, Position: Front or Center
- Floor height first display row according to requirement thanks to different spacer frames
- Available for landscape or portrait display configurations
- Unlimited amount of vertical columns and up to 7 horizontal rows
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Quick and easy assembly and disassembly thanks to fast-fit wingnuts and screws
- Colour black – other RAL colours on request

installation example: 3x3 Landscape



**choice of floor height options** (depending on flat screen size min. 8 cm – max. 145 cm)



**height adjustable levelling feet as standard** (to level uneven floor)



**tool-less microadjustments / fine tune**



**fast-fit captive wingnuts and screws**



module parts for example: 46" Landscape

Part-No.	Art. Description
3833	VWS-Cube Base
5040	VWS-Cube Fine-Tune Mount 46"
5025	VWS-Cube Fine-Tune + Push-Out Mount 46"
Hint:	incl. click-out-system, as alternative to 5040
3835	VWS-Cube Spacer 290
5041	VWS-Cube Spacer 580

Part-No.	Art. Description
3839	VWS-Cube Back frame 290
5042	VWS-Cube Back frame 1025
3841	VWS-Cube Back frame 580
3844	VWS-Cube Handle bar 580
3845	VWS-Cube Handle bar 1026
5029	VWS-Cube Ballast plate 44 kg



## VWS-CUBE

## VWS-Cube incl. push-out function – VWH-1

### Modular video wall stand system


for flat screens 46" or 55"

- Installation positioning according to requirement, Position: Front or Center
- Floor height first display row according to requirement thanks to different spacer frames
- Available for landscape or portrait display configurations
- Unlimited amount of vertical columns and up to 7 horizontal rows
- Click-out-system for **easy service access, display retracts from operational position by gentle pressure**
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Quick and easy assembly and disassembly thanks to fast-fit wingnuts and screws
- Colour black – other RAL colours on request

installation example:  
3×3 Landscape



installation example:  
3×3 Portrait



Incl. VWH-1




**To provide you the right offer for our video wall system,  
please feel free to contact us.**

Detailed information on [www.hagor.net](http://www.hagor.net)


## HINTS:

## Maximum structure limits




## Number of horizontal rows:


- 7 with 46" screens in landscape
- 6 with 55" screens in landscape
- 5 with 60" screens in landscape



## Hint: Ballast plates


Installation Position:  
Front or Center

The VWS-Cube video wall stand system can be installed according to requirement, monitors can be mounted to the center of the mount or, to avoid trip hazards, towards the front of the mount. Installation with "Front Position" needs additional ballast plates.



**Front position:** Flat Screens are mounted close to the front edge. Perfect for e. g. shop-window

Ballast table							
Height	0,6	1,2	1,8	2,4	3	3,6	4,2
necessary ballast plates in kg	0	44	88	121	165	198	264



## VWS-CUBE

### FURTHER OPTIONS:

#### VWS-Cube – Curved Adapter

**Additional adapter for creating a curved version**

- In addition to the standard VWS-Cube videowall stand system there are special compass joints available to create curves up to 30 degrees.



VWS-Cube – Curved Adapter




#### VWS-Cube – Cover

**Every configured standard VWS-Cube video wall system can be completely covered**

Covers available for:

- Base
- Left and right
- Spacer frames



- W1: Base Cover
- W2: Half-frame Front Cover
- W3: Frame Front Cover
- W4: Half-frame Side Cover
- W5: Frame Side Cover
- W6: Fine-Adjustment Frame Junction Spacer
- W7: Base-Side Cover Junction

**To provide you the right offer for our video wall system, please feel free to contact us.**

## PRO-TOWER III

## HAGOR PRO-TOWER III – IMPRESS WITH A POSITIVE IMPACT

The Pro-Tower III is a customized Video Wall Stand System for a 1 × 3 screen landscape-constellation or for one XXL screen in portrait format. Here, an adjustment of the screens in horizontal and vertical directions is given.

The stand system has almost identical features as a Indoor Kiosks. Inside it is possible to place peripherals inclusive cable management. The back is covered and tamper-resistant.

Furthermore this video wall solution contains hidden and fixed castors for heavy loads for simplified positioning.

## Pro-Tower III

## Stand system

for max. 3 flat screens (1×3)

- Suitable for max. 3 flat screens stacked in landscape format
- Incl. fine tune adjustment in height and width
- Height: 1800 mm, floor base incl. height adjustment
- Tamper-resistant and covered back
- Incl. cable management
- Hidden castors for heavy loads

example shows:  
1×3 split landscape



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
5030	Pro-Tower III	Height: 1800 mm / 46"-48" / 116-122 cm	100 kg	max. 800×400 mm

Other flat screen sizes e. g. 55" in landscape or for 1 x 75" flatscreen in portrait on request available!



ALLMOUNT®



ALLMount® is a registered trademark  
of HAGOR-Products GmbH

## ALLMOUNT® – ONE SYSTEM - MULTIPLE SOLUTIONS FIXED – FREESTANDING – CEILING – FLOOR2CEILING – VIDEOWALL

The right bracket for installations on a ceiling, floor or on a wall; and everything from one source? ALLMount® offers here the ideal mounting solution.

Modular, flexible, adaptable, these are just a few features that the new system combines. Depending on your needs you can decide on the ground, whether a ceiling mount, a stand solution or even a floor2ceiling installation comes into play. With the help of this modular system and a variety of mounting interfaces and accessories you have the advantage to use the same components – no matter which solution you choose.



Thus, for example, you can drive directly to the customer together with the items on board – no need to plan all details in advance. This saves a lot of time, also during installation.

Through the quality and sleek design, which the ALLMount® System is based on, it is ideal for shop-windows or on retail space. The choice between the Chrome or black allows also the perfect adaptation to the existing interior.

## EXAMPLE:

### FLOOR2CEILING installation – dual pole


example installation shows a 1x2 videowall – 2x46" landscape


Needed components:																	
2x Part-No. 8102																	
2x	<table border="1"> <thead> <tr> <th>Art. Description</th><th>(B)lack</th><th>(C)hrom</th></tr> </thead> <tbody> <tr> <td>ALL-MP100</td><td>8106</td><td>8110</td></tr> <tr> <td>ALL-MP150</td><td>8107</td><td>8111</td></tr> <tr> <td>ALL-MP200</td><td>8108</td><td>8112</td></tr> <tr> <td>ALL-MP300</td><td>8109</td><td>8113</td></tr> </tbody> </table> 		Art. Description	(B)lack	(C)hrom	ALL-MP100	8106	8110	ALL-MP150	8107	8111	ALL-MP200	8108	8112	ALL-MP300	8109	8113
Art. Description	(B)lack	(C)hrom															
ALL-MP100	8106	8110															
ALL-MP150	8107	8111															
ALL-MP200	8108	8112															
ALL-MP300	8109	8113															
8x Part-No. 8116																	
2x Part-No. 8119																	



### CEILING installation

example installation shows a single solution – 55" landscape

Needed components:																	
1x Part-No. 8101																	
1x	<table border="1"> <thead> <tr> <th>Art. Description</th><th>(B)lack</th><th>(C)hrom</th></tr> </thead> <tbody> <tr> <td>ALL-MP100</td><td>8106</td><td>8110</td></tr> <tr> <td>ALL-MP150</td><td>8107</td><td>8111</td></tr> <tr> <td>ALL-MP200</td><td>8108</td><td>8112</td></tr> <tr> <td>ALL-MP300</td><td>8109</td><td>8113</td></tr> </tbody> </table> 		Art. Description	(B)lack	(C)hrom	ALL-MP100	8106	8110	ALL-MP150	8107	8111	ALL-MP200	8108	8112	ALL-MP300	8109	8113
Art. Description	(B)lack	(C)hrom															
ALL-MP100	8106	8110															
ALL-MP150	8107	8111															
ALL-MP200	8108	8112															
ALL-MP300	8109	8113															
2x Part-No. 8116																	
1x Part-No. 8117																	



### FLOOR2CEILING installation – single pole

example installation shows a 3x3 videowall – 9x46" landscape

Needed components:																	
6x Part-No. 8101																	
3x	<table border="1"> <thead> <tr> <th>Art. Description</th><th>(B)lack</th><th>(C)hrom</th></tr> </thead> <tbody> <tr> <td>ALL-MP100</td><td>8106</td><td>8110</td></tr> <tr> <td>ALL-MP150</td><td>8107</td><td>8111</td></tr> <tr> <td>ALL-MP200</td><td>8108</td><td>8112</td></tr> <tr> <td>ALL-MP300</td><td>8109</td><td>8113</td></tr> </tbody> </table> 		Art. Description	(B)lack	(C)hrom	ALL-MP100	8106	8110	ALL-MP150	8107	8111	ALL-MP200	8108	8112	ALL-MP300	8109	8113
Art. Description	(B)lack	(C)hrom															
ALL-MP100	8106	8110															
ALL-MP150	8107	8111															
ALL-MP200	8108	8112															
ALL-MP300	8109	8113															
18x Part-No. 8116																	
9x Part-No. 8119																	





# ALLMOUNT®

## MODULES:

### ALL-MCV

#### AllMount® Ceiling Mount

Part-No. 8100

- Telescopic ceiling mount 600-1000 mm
- Needs to be combined with further poles
- Max. load 90 kg



### ALL-MCHD

#### AllMount® Ceiling Mount

Part-No. 8101

- Ceiling mount, also usable as floor mount
- Incl. 1 x cover plate (8125)
- Needs to be combined with poles
- Max. load 150 kg



### ALL-MCTP

#### AllMount® Ceiling Mount

Part-No. 8102

- Ceiling mount for dual pole, also usable as floor mount
- Needs to be combined with poles
- Max. load 200 kg



### ALL-MCTT

#### AllMount® I-Beam Girder Mount

Part-No. 8103

- Girder mount incl. cable management
- Fits I-Beams and thick steel 80-250 mm in width
- Needs to be combined with poles
- Max. load 140 kg



### ALL-MCFW

#### AllMount® Wall Mounting Bracket

Part-No. 8104

- Heavy Duty mount, allows poles to be mounted on to walls
- Incl. safety bolt for secure installation
- Needs to be combined with poles
- Max. load 150 kg



### ALL-MCTR

#### AllMount® Truss Mount

Part-No. 8105

- Special adapter for attaching poles to truss systems
- Incl. cable management
- Needs to be combined with poles
- Max. load 140 kg



### ALL-MPxxx

#### AllMount® Single Poles

- 50 mm diameter poles, incl. safety bold holes at both ends
- Lengths available: 100, 150, 200, 300 cm / can be cut to length
- Poles can be linked together with 8114 or 8115
- Max. load 50 kg

Part-No.	Part-No.	Art. Description	Länge
8106	8110	ALL-MP100 (B) / (C)	100 cm
8107	8111	ALL-MP150 (B) / (C)	150 cm
8108	8112	ALL-MP200 (B) / (C)	200 cm
8109	8113	ALL-MP300 (B) / (C)	300 cm



### ALL-MCTW

#### AllMount® Connector

Part-No. 8116

- 2-Piece Collar for use with 50 mm poles
- Can be used for single or back-to-back installation



### ALL-MESA

#### AllMount® Swivel Adaptor

Part-No. 8114

- Swivel adaptor for 50mm poles, incl. cable management
- Needs to be combined with poles
- Allows a flatscreen mounted at the bottom of a pole to be swivelled  $\pm 180^\circ$
- Max. load 70 kg



### ALL-MEHA

#### AllMount® Extender

Part-No. 8115

- Heavy duty adapter, allows a rigid join of 2 x 50 mm diameter poles
- Incl. cable management, allows cables to pass through and also provides a cable access point



## MODULES:

### ALL-MW400T

#### AllMount® Flat Screen Mount

Part-No. 8117

- Flat screen mount for installing to collars 8116
- Tilt -5/+15°, VESA max. 400x400
- Max. load 75 kg



### ALL-MW800T

#### AllMount® Flat Screen Mount

Part-No. 8118

- Flat screen mount for installing to collars 8116
- Tilt -5/+15°, VESA max. 800x400
- Max. load 75 kg



### ALL-MVWH3

#### AllMount® Flat Screen Mount

Part-No. 8119

- Video wall mount for installing to collars 8116
- Incl. fine adjustment, VESA max. 400x400
- Max. load 50 kg



### ALL-MWPC

#### AllMount® PC-Box

Part-No. 8120

- PC Box for mounting to collars 8116 (front or back)
- Incl. VESA max. 200x200 for smaller flat screens
- Max. load 15 kg



#### ATTENTION:

For installing a flat screen mount there are required: 2 × 8116 (ALL-MCTW)



When using dual poles: 4 × 8116



## FURTHER MODULES:

### ALL-MPRE

#### AllMount® End Cap

Part-No. 8122

- End cap for 50 mm diameter poles



### ALL-MPKS

#### AllMount® End Ring

Part-No. 8123

- End ring for 50 mm diameter poles
- Protects cables against rough edge of hand sawn poles



### ALL-MPAK

#### AllMount® Pole Finishing Ring

Part-No. 8121

- 2-Piece ring for 50 mm diameter poles
- Ideal for use with suspended ceilings



### ALL-MATP

#### AllMount® End Cap

Part-No. 8124

- 2-Piece end cap for dual pole mount 8102 (ALL-MCTP)



### ALL-MASP

#### AllMount® Ceiling Finishing Ring

Part-No. 8125

- 2-Piece cover plate for 8101 (ALL-MCHD)







## LED-MOD STAND SYSTEM – MODULAR MOUNTING SOLUTION FOR LED MODULES

### LED-Mod stand system:

**Standard:** designed as modular and free standing stand system

On request we design specifically for all LED modules adapted housings and substructures as well as wall bracket or ceiling mounts.

For further information, please contact us: [hagor@hagor.de](mailto:hagor@hagor.de)



## EXAMPLE INSTALLATION

## LED-MOD STAND

**Modular LED stand system**

available for several module sizes,  
example: 500×500 mm

- designed to create all split-constellations, upgradable at any time
- interfaces for the different modul sizes available
- fast installation thanks to tool-less fitting
- optional: also for concave formation available






## LED-MOD STAND SYSTEM

### FURTHER OPTIONS:

#### LED-MOD Stand – Curved

##### **Additional adapter for creating a curved version**

Adaptable, several different modul sizes  
example: 500x500 mm





example installation  
shows: 16x5 "Curved"  
Configuration



To provide you the right offer for our system, please feel free to contact us.

Detailed information on [www.hagor.net](http://www.hagor.net)





## HAGOR MB-TnT-SERIE – TILT & TURN

### MB-TnT-Series

#### Full-motion wall mount

for flat screens of 26-55" / 66-140 cm

- Wall distance  
30 mm (MB TnT HD) /  
48 mm (MB TnT Plus HD)
- Continuously tilt  
-2 to +7°
- Swivel function  
±20° (MB TnT HD) /  
±45° (MB TnT Plus HD)
- Integrated spirit level  
for easier installation
- Cable routing by cable clips



Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
7141	MB TnT	26-55" / 66-140 cm	40 kg	max. 400×400 mm
7161	MB TnT Plus			
<b>Optional accessory</b>				
7155	Adapter set	Extension to 600×400		

### MB-TnT-HD-Series

#### Full-motion wall mount

for flat screens of 42-84" / 107-213 cm

- Wall distance  
50 mm (MB TnT HD) /  
59 mm (MB TnT Plus HD)
- Continuously tilt  
-2 to +7°
- Swivel function  
±20° (MB TnT HD) /  
±45° (MB TnT Plus HD)
- Integrated spirit level  
for easier installation
- Cable routing by cable clips



Part-No.	Art. Descript.	Description/Size	Max. Weight	Mounting pattern
7271	MB TnT HD	42-84" / 107-213 cm	52 kg	max. 400×400 mm
7289	MB TnT Plus HD		65 kg	
<b>Optional accessory</b>				
7155	Adapter set	Extension to 600×400		



## FULL MOTION WALL MOUNTS

## MB Flexarm S-I

## Full-motion wall mount

for flat screens of 15-32" / 38-81 cm

- Wall distance 90 mm
- Tilt 0-15°
- Swivel function  $\pm 15^\circ$
- Integrated spirit level for an easy installation
- Cable routing by cable clips



Part-No.	Description/Size	Max. Weight	Mounting pattern
7245	15-32" / 38-81 cm	25 kg	max. 200×200 mm

## MB Flexarm S-II

## Full-motion wall mount

for flat screens of 15-32" / 38-81 cm

- Wall distance min. 43 mm  
– max. 140 mm
- Tilt 0-15°
- Swivel function  $\pm 15^\circ$
- Integrated spirit level for an easy installation
- Cable routing by cable clips



Part-No.	Description/Size	Max. Weight	Mounting pattern
7186	15-32" / 38-81 cm	25 kg	max. 200×200 mm

## MB Flexarm S-III

## Full-motion wall mount

for flat screens of 15-32" / 38-81 cm

- Wall distance min. 50 mm  
– max. 430 mm
- Tilt 0-15°
- Swivel function  $\pm 90^\circ$
- Integrated spirit level for an easy installation
- Cable routing by cable clips



Part-No.	Description/Size	Max. Weight	Mounting pattern
7246	15-32" / 38-81 cm	15 kg	max. 200×200 mm

## MB Flexarm M

## Full-motion wall mount

for flat screens of 26-42" / 66-107 cm

- Wall distance min. 47 mm  
– max. 225 mm
- Tilt 0-15°
- Swivel function  $\pm 45^\circ$
- Integrated spirit level for an easy installation
- Cable routing by cable clips



Part-No.	Description/Size	Max. Weight	Mounting pattern
7169	26-42" / 66-107 cm	25 kg	max. 400×400 mm

## MB Flexarm L

## Full-motion wall mount

for flat screens of 26-42" / 66-107 cm

- Wall distance min. 49 mm  
– max. 430 mm
- Tilt 0-15°
- Swivel function  $\pm 90^\circ$
- Integrated spirit level for an easy installation
- Cable routing by cable clips



Part-No.	Description/Size	Max. Weight	Mounting pattern
7170	26-42" / 66-107 cm	25 kg	max. 400×400 mm


## ACCESSORY:

## Adapterset

## VESA Adapterset

Optional for MB TnT &amp; MB Flexarm Series

- Set 2 pcs
- Extension on VESA 600×400
- Length 620 mm



Part-No.	Art. Description	Mounting pattern
7155	Adapter set	Extension on 600×400

## WH-Synchron 41 & 51

### Full-motion wall mount

for flat screens 32-50" or 40-60

- For one display, suitable for landscape or portrait mounting
- Incl. VESA hole pattern:
  - max. 400×400 mm WH Synchron 41
  - max. 600×400 mm WH Synchron 51
- Wall distance 50-488 mm
- Swivel function  $\pm 45^\circ$
- Tilt function  $-5^\circ \sim +8^\circ$



Part-No.	Art. Description	Description/Size	Max. Weight	Max. Weight
2061	WH-Synchron 41	32-50" / 81-127 cm	30 kg	max. 400×400 mm
2062	WH-Synchron 51	40-60" / 102-152 cm	45 kg	max. 600×400 mm

## M VESA Flexarm Thin

### Full-motion wall mount

for LED flat screens 37-55" / 94-140 cm

- For one display, suitable for landscape mounting
- Incl. VESA hole pattern max. 600×400 mm
- Wall distance 40-650 mm
- Swivel function  $\pm 90^\circ$
- Tilt function  $0-15^\circ$



Part-No.	Description/Size	Max. Weight	Max. Weight
7378	37-55" / 94-140 cm	30 kg	max. 600×400 mm

## MB-Flexarm XXL Super Duty

### Full-motion wall mount

for flat screens 55-110" / 140-280 cm

- For one display, suitable for landscape mounting
- Incl. VESA hole pattern max. 600×400 mm
- Wall distance 84-710 mm
- Swivel function  $\pm 45^\circ$
- Tilt function  $-5^\circ/+15^\circ$
- **Max. load 125 kg**



Part-No.	Description/Size	Max. Weight	Max. Weight
7381	55-110" / 140-280 cm	125 kg	max. 600×400 mm



## TILTING WALL MOUNTS

### MB Plus Series

#### Tilt wall mount

for flat screens of 32-46" to 46-63"

- Wall distance – from 45 mm to max. 113 mm (MB 70 Plus) – 148 mm (MB 100 Plus)
- Tilt 0-10°
- Integrated spirit level for easier installation
- Incl. unblock-protection



MB 70 Plus  
white



MB 100 Plus  
black




Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7082	7265	MB 70 Plus	75 kg	max. 400×400 mm
7083	7266	MB 100 Plus		max. 800×600 mm

### MB 100 Plus HD

#### Tilt wall mount – Landscape or portrait mounting

for flat screens of 63-110" / 160-280 cm

- Wall distance 75 mm
- Tilt 0-10°
- Divided mounting for landscape or portrait
- VESA landscape max. 800×600 mm
- VESA portrait max. 400×600 mm



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7314	MB 100 Plus HD	63-110" / 160-280 cm	125 kg	max. 800×600 mm o. max. 400×600 mm

### MB Vesa I Tilt + III Tilt

#### Tilt wall mount

for flat screens 15-24" or 15-32"


- Portrait or landscape mounting options
- Wall distance 42 mm
- Incl. click-installation, straps with magnets
- Anti-theft: Lock and key (optional)
- Tilt function -5°/+12°



Anti-theft:  
Lock and key  
(optional on request)



MB Vesa I Tilt



MB Vesa III Tilt



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7374	MB Vesa I Tilt	35-24 / 38-61 cm	20 kg	max. 100×100 mm
7355	MB Vesa III Tilt	35-32 / 38-81 cm	20 kg	max. 200×200 mm

## M Universal WF-Series

### Fixed wall mount

for flat screens  
of 32-46" & 46-63"

- Wall distance 23 mm
- Incl. unblock-protection at the tabs
- Ropes by magnets on the mount (invisible)



M Universal  
WFL



M Universal  
WFM




Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7323	M Universal WF-M	32-46" / 81-116 cm	50 kg	max. 400×400 mm
7324	M Universal WF-L	46-63" / 116-165 cm	60 kg	max. 800×400 mm

## MB 100 HD

### Fixed wall mount for landscape or portrait mounting

for flat screens of  
63-110" / 160-280 cm

- Wall distance 45 mm
- Divided mounting for landscape or portrait
- VESA Landscape max. 800×600 mm
- VESA Portrait max. 400×600 mm



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7313	MB 100 HD	63-110" / 160-280 cm	125 kg	max. 800×600 mm o. max. 400×600 mm

## MB VESA-Series

### Fixed wall mount

for flat screens of  
63-110" / 160-280 cm

- Wall distance only 20 mm
- Inserting system for easier installation
- Incl. unblock-protection



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7305	MB VESA I	14-24" / 36-61 cm	30 kg	max. 100×100 mm
7311	MB VESA III	10-32" / 25-81 cm		max. 200×200 mm

Available in silver on request!



## FIXED &amp; ROTATING WALL MOUNTS

## MB Universal Series

**Fixed wall mount**

for flat screens to max. 65"

- Wall distance 35 mm
- Portrait or landscape mounting possible
- Lateral insertion in the track (Caution: min. half of the display width on the side)
- Integrated spirit level for easier installation
- Incl. spacers for lower VESA-points



MB 45 black



MB 70 silver



MB 100 white



Part-No.			Art. Description	Description/Size	Max. Weight	Mounting pattern
7138	7072	7262	MB 45	26-42" / 66-107 cm	80 kg	max. 400×2000 mm
7156	7073	7263	MB 70	42-55" / 107-139 cm		max. 700×2000 mm
7172	7074	7264	MB 100	55-65" / 139-165 cm		max. 1100×2000 mm

## MB Superslim Series

**Fixed wall mount**

for flat screens max. 65"

- Wall distance 12 mm
- Portrait or landscape mounting possible
- Lateral insertion in the track, (Caution: min. half of the display width on the side)
- Incl. 2 plain bearings set to vary the Wall distance
- Integrated spirit level for easier installation
- Incl. spacers for lower VESA-points

MB 45 Superslim black



MB 45 Superslim silver



Part-No.			Art. Description	Description/Size	Max. Weight	Mounting pattern
7117	7084		MB 45 Superslim	26-42" / 66-107 cm	55 kg	max. 400×2000 mm
7118	7085		MB 70 Superslim	42-55" / 107-139 cm		max. 700×2000 mm
7119	7086		MB 100 Superslim	55-65" / 139-165 cm		max. 1100×2000 mm

## M Universal Digital Signage Wallmount

**Rotate wall mount**

or flat screens 32-70" / 81-178 cm

- Portrait or landscape mounting options
- Rotate function 90°
- Wall distance 46 mm



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7375	M Universal Digital Signage Wallmount	32-70" / 81-178 cm	50 kg	max. 600×400 mm

## M Motorized Wallmount HD 80 & HD 160

### Height adjustable lift system

for 1 XXL flat screen 42-110" /  
107-280 cm

- For single displays, suitable for landscape mounting
- Height adjustable 500 mm, incl. control unit
- Incl. **heavy duty** universal mount max. VESA 900x600 mm
- Colour: White



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7370	M Motorized Wallmount HD 80	ca. 42-110" / 107-280 cm	80 kg	max. VESA 900x800 mm
7371	M Motorized Wallmount HD 160		160 kg	

## MB MOTO I & M Universal Swingarm Series

### Swing arm wall mounts


for flat screens 32-84" / 81-213 cm

#### MB MOTO I:

- Motorized Swing Mount
- Wall distance 52,3 mm
- Swings around a corner 90 degrees either left or right
- Easy to operate with your own TV remote
- Recommended maximum width of TVs:
  - VESA 400x400 is 1337 mm
  - VESA 600x400 is 1137 mm



MB MOTO I




#### M Universal Swingarm:

- Manual Swing Mount
- Flat wall distance
- Manually swings up to 180 degrees either left or right
- Recommended maximum width of TVs:
  - M Universal Swingarm: max. 1000 mm (VESA 400x400)
  - M Universal Swingarm L: max. 1760 mm (VESA 600x400)
  - M Universal Swingarm XL: max. 2160 mm (VESA 800x400)



M Universal  
Swingarm



M Universal Swingarm L



M Universal Swingarm XL

Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7167	MB MOTO I	32-55" / 81-139 cm	35 kg	max. VESA 600x400
7307	M Universal Swingarm	32-46" / 81-116 cm – max. width of TV 1000 mm	25 kg	max. VESA 400x400
7380	M Universal Swingarm L	47-65" / 117-165 cm – max. width of TV 1760 mm	75 kg	max. VESA 600x400
7402	M Universal Swingarm XL	70-84" / 178-213 cm – max. width of TV 2160 mm	125 kg	max. VESA 800x400





DEPARTURES					
TIME	DESTINATION	FLIGHT	GATE	REMARKS	
09:00	NEW YORK	AA343	A12	BOARDING	
09:15	LOS ANGELES	UA882	A34		
11:15	LAS VEGAS	RF453	B45	DELAY	
12:15	MIAMI	SA126	C90		
13:15	PARIS	KL722	C23		
13:35	ROMA	AI612	A73	CANCELED	
14:15	LONDON	BA211	B89		
14:45	HONOLULU	LH231	B37		
15:15	SYDNEY	QF313	C52	NEW TIME	
15:37	TOKIO	JA251	C38		
16:05	BANGKOK	TO125	C35		
17:05	RIO DE JANEIRO	PR893	B72		

## HAGOR PLW-SERIES – JUST COMBINE!

The products of the PLW-Series offer as universal display mounting for almost all HAGOR stand systems, as well as ceiling mounts and our column adapters.


After selecting the type of installation you just need to know, if further requirements need to be considered. If you plan to install directly to the wall you may need the possibility to adjust the inclination of the balance; then the PLW-H Series would be the best solution.

The PLW-PC Series comes as 2in1 mounting system and it not only holds the screen but also a mini-pc or codec.


Furthermore you can upgrade PLW & PLW PC with an anti-theft protection. Depending on the number of displays and the location, locks can be a key criterion in deciding. The optional locks are available with different or simultaneous locking.

The whole PLW Series contains a hole pattern adapting to the PLD ceilingmount series and also to most stand systems. Additionally all the models include an unblock-protection to avoid unwanted movements.

Application example  
ceiling mount




Application example  
stand system



## PLW-Serie

**Modular display mount for HAGOR  
Stand system and ceiling mount PLD-Series**  
for flat screens max. 65"

- Suitable universal mount for Hagor stand system and ceiling mount
- Universal mounting pattern (VESA)
- Optionally available with lock
- Incl. unblock-protection



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
4257	4259	4258	60 kg	max. 400×400 mm
4260	4262	4261		max. 700×400 mm
4263	4265	4264		max. 1100×800 mm

## PLW PC-Series

**Modular display mount for HAGOR stand system  
and ceiling mount**  
for flat screens max. 65"

- Suitable universal mount for Hagor stand system and ceiling mount
- Universal mounting pattern (VESA)
- Incl. storage for a Mini-PC (depth 60 mm)
- Optionally available with lock
- Incl. unblock-protection




Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
4230	4229	4266	60 kg	max. 400×400 mm
4267	4269	4268		max. 700×400 mm
4270	4272	4271		max. 1100×800 mm

## PLW H-Series

**Modular display mount for HAGOR  
stand system and ceiling mount**  
for flat screens max. 65"  
incl. height adjustment

- Suitable universal mount for Hagor stand system and ceiling mount
- Universal mounting pattern (VESA)
- Incl. height adjustment 0-10 mm
- Incl. unblock-protection



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1435	PLW H 75	42-50" / 107-127 cm	60 kg	max. 700×400 mm
1590	PLW H 90	52-65" / 132-165 cm		max. 800×600 mm




## SPECIAL MOUNTS

## M Public Wall Single

## Floor2Wall system

for 1 flat screen 40-70" / 102-178 cm

- For single displays, suitable for landscape or portrait mounting
- Aluminum heavy duty, light weight construction
- Wall distance to backside of flat screen 247 mm
- Inkl. universal display mount with rotate function and height adjustable
- Tilt:  $-5^{\circ}$  ~  $+15^{\circ}$
- Height: 1800 mm, pillar length 1585 mm
- Power Rail: Built-in
- Optional accessory available




Part-No.		Art. Description	Description/Size	Max. Weight	Mounting pattern
7366	7365	M Public Wall Stand 180 Single	Height: 1800 mm / 40-70" / 102-178 cm	60 kg	max. 800×400 mm

## M Public Wall Dual

## Floor2Wall system

for 2 flat screens **side-by-side**

- For 2 displays 40-55" / 102-140 cm, suitable for landscape mounting
- Aluminum heavy duty, light weight construction
- Wall distance to backside of flat screens 224 mm
- Inkl. universal display mount with adjustable height
- Tilt:  $-5^{\circ}$  ~  $+15^{\circ}$
- Height: 1800 mm, pillar length 1585 mm
- Power Rail: Built-in
- Optional accessory available



Part-No.		Art. Description	Description/Size	Max. Weight	Mounting pattern
7368	7367	M Public Wall Stand 180 Dual	Height: 1800 mm / 40-70" / 102-178 cm	100 kg	max. 800×400 mm

## PLW column adapter

## Mount for adaption on columns

for flat screens max. 55"

- Combinable with HAGOR-PLW-Series
- Adaption on round pillar via (incl.) tension bands
- Tilt max.  $15^{\circ}$
- Incl. cable routing via cable clip




Part-No.	Art. Description	Description/Size	Max. Weight	Befestigung
1421	PLW column adapter	max. 55" depending on PLW	30 kg	max. 1100×800 depending on PLW

## FP-Installation kit

## Fitting set

For flush installation

- Easy integration into existing furnishings
- Consists of 2 × L-piece with shelf fitting
- Extension max. 200 mm
- Height: 500 mm; Depth: 250 mm



Part-No.	Art. Description	Description/Size	Befestigung
1359	FP-Installation kit	32-40" / 81-102 cm	max. 600×400 mm



## HAGOR PLD-SERIES – THE ELEGANT WAY „TO HANG OUT“!

The modular professional ceiling mount system – PLD-Series – enables the user a perfect installation, according to his wishes. Fixed and adjustable variants for single displays, as well as Back-to-Back solution – 3 different colours are available.

Height differences up to 180 cm should not be an issue and also different lengths are thanks to our production centre on-site on request quickly available.

The integrated 125er hole pattern on the mount serves as adaptation of our PWL-Series and our VESA adapter. For this reason, screens with every periphery can be fixed on the rear side or as usual on the mount. Besides, the additional integrated cable routing in the inside of the round tube offers a clean appearance. The 360° swivel function provides a perfect viewing, as well as the tilt function.

There are no further obstacles for a functional and smart configuration thanks our PLD-Series!


### Application example ceiling mount



Ceiling cover



Cable routing



Tilt function



Ceiling flange (8 mm)  
incl. 360° swivel function



# PLD-SERIES

## PLD A1

### Fixed ceiling mount

for flat screens  
max. 65" (depends on PLW)

- Incl. 125er hole pattern for adaptation of PLW-Series or VESA adapter plate
- Incl. flange
- Tilt -5 to +30°
- Rotatable 360°
- Cable routing inside



Part-No.	Art. Descript.	Length	Max. Weight	Mounting pattern
4241	4242 4289	PLD 500	Fixed 500 mm	60 kg depends on PLW
4243	4244 4290	PLD 1000	Fixed 1000 mm	
4245	4246 4291	PLD 1500	Fixed 1500 mm	

## PLD A2

### Variable ceiling mount

for flat screens  
max. 65" (depends on PLW)

- Incl. 125er hole pattern for adaptation of PLW-Series or VESA adapter plate
- Incl. flange
- Tilt -5 to +30°
- Rotatable 360°
- Cable routing inside
- Manual height adjustment via through bore



Part-No.	Art. Descript.	Length	Max. Weight	Mounting pattern
4251	PLD 900-1600	Variable 900-1600 mm via through bore	60 kg	depends on PLW
4292				
4252				

## HAGOR PLD-Series – combinable with PLW-Series!

## PLD A3

### Continuously adjustable ceiling mount

for flat screens  
max. 65" (depends on PLW)

- Incl. 125er hole pattern for adaptation of PLW-Series or VESA adapter plate
- Incl. flange
- Tilt -5 to +30°
- Rotatable 360°
- Cable routing inside
- Continuously height adjustment




Part-No.	Art. Descript.	Length	Max. Weight	Mounting pattern
4247	4248 4293	PLD 600-1000	adjustable 600-1000 mm	60 kg depends on PLW
4249	4250 4294	PLD 1000-1800	adjustable 1000-1800 mm	

## PLD Duo

### Variable ceiling mount

for 2 flat screens  
max. 65" (depends on PLW)

- Incl. 125er hole pattern for adaptation von PLW-Series or VESA adapter plate
- Incl. flange
- Tilt -5 to +30°
- Rotatable 360°
- Cable routing inside
- Manual height adjustment via through bore



Part-No.	Art. Descript.	Length	Max. Weight	Mounting pattern
4254	PLD Duo	adjustable 900-1600 mm via through bore	2 x 60 kg	depends on PLW
4256				
4255				

## M Public Ceilingmount Small Single

### Ceiling mount

for flat screens  
of 10-32" / 25-81 cm

- TV-mounting tilt  
-5 to +35°
- Variable height adjustment  
875 to 1500 mm
- Turnable ±30°
- Incl. cable routing inside



Part-No.	Description/Size	Max. Weight	Mounting pattern
7222	10-32" / 25-81 cm	14 kg	max. 200×200 mm

## ACCESSORY:

## M Public Ceilingmount Extension tube set

### Ceiling mount

Extension tube set max. 4500 mm

- Adds further max. 3000 mm
- Combinable with M Public  
ceiling mount M and L



Part-No.	Art. Description	Height
7227	M Public Ceiling Mount Extension tube set	max. 3000 mm (845 mm 2x; 850 mm 2x)

## M Public Ceilingmount Medium Single

### Ceiling mount

for flat screens  
of 32-46" / 81-117 cm

- TV-mounting tilt  
-5 to +35°
- Variable height adjustment  
860 to 3130 mm
- Turnable ±30°
- Ceiling panel tilt 0 to 90°
- Incl. cable routing inside



Part-No.	Description/Size	Max. Weight	Mounting pattern
7223	32-46" / 81-117 cm	70 kg	max. 400×400 mm

## M Public Ceilingmount Medium Back to Back

### Ceiling mount

for 2 flat screens  
of 32-46" / 81-117 cm

- TV-mounting tilt  
-5 to +35°
- Variable height adjustment  
860 to 3130 mm
- Turnable ±30°
- Ceiling panel tilt 0 to 90°
- Incl. cable routing inside



Part-No.	Description/Size	Max. Weight	Mounting pattern
7224	32-46" / 81-117 cm	65 kg	max. 400×400 mm

## M Public Ceilingmount Large Single

### Ceiling mount

for flat screens  
of 42-63" / 107-160 cm

- TV-mounting tilt  
-5 to +35°
- Variable height adjustment  
875 to 1500 mm
- Turnable ±30°
- Ceiling panel tilt 0 to 90°
- Incl. cable routing inside



Part-No.	Description/Size	Max. Weight	Mounting pattern
7225	42-63" / 107-160 cm	80 kg	max. 800×600 mm

## M Public Ceilingmount Large Back to Back

### Ceiling mount

for 2 flat screens  
of 42-63" / 107-160 cm

- TV-mounting tilt -5 to +35°
- Variable height adjustment  
860 to 3130 mm
- Rotatable ±30°
- Ceiling panel tilt 0 to 90°
- Incl. cable routing inside



Part-No.	Description/Size	Max. Weight	Mounting pattern
7226	42-63" / 107-160 cm	80 kg	max. 800×600 mm



## FOLD-UP CEILING MOUNTS

## M VESA Flip Down

## Ceilingmount with flip-down function

for flat screens of 15-37" / 38-94 cm

- Ideal for mounting below wall cupboards (for example in the kitchen)
- Height adjustable
- Smooth motion
- Tilt max. 90°
- Swiveling  $\pm 45^\circ$
- Incl. cable routing via cable clips




Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7288	M VESA Flip Down	10-32" / 25-81 cm	14 kg	max. 200×200 mm

## M VESA Flipdown Moto

## Motorized ceiling mount

für Flachbildschirme von 32-55" / 81-140 cm

- Ceilingmount with flip-down function
- Incl. 2-button IR remote control
- Intermediate stop function
- Smooth motion
- Tilt max. 75°
- Extremely quiet engine
- Incl. all mounting materials



VESA 300×300, 400×200, 400×400



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1710	M VESA Flipdown Moto	32-55" / 81-140 cm	30 kg	max. 400×400 mm


## ADAPTER PLATES &amp; AV ACCESSORIES

## VESA Adapter

## Adapter plates

for VESA 200×100 max. 400×400

- Adaptable on HAGOR-mounting systems
- Incl. all mounting materials



Part-No.	Art. Description	Mounting pattern
3005	AP 100/200	50/75/100/200 mm
3020	AP 200/400	100-400 mm


## Adapter VESA 600 &amp; 800

## Adapter stripes

VESA extender kit

Adapter  
VESA 600

- Set of 2 adapter stripes extends to VESA 600 or 800
- Suitable for all HAGOR-mounting systems
- Incl. all mounting material



Part-No.	Art. Description	Mounting pattern
1334	Adapter VESA 600	max. VESA 600
1469	Adapter VESA 800	max. VESA 800

## Safety lock-Series

## Safety locks

for subsequently theft protection

MB-lock

MB-Combi  
lock

Part-No.	Art. Description
7075	MB locks for all MB wall rails
7077	MB-Combi lock incl. 1,80 m steel cable
2405	Lock (simultaneous locking) for all PLW models
2404	Lock (different locking) for all PLW models

## Truss adapter plate

## Adapter plate

for mounting of all HAGOR ceiling mounts

- Adjustable 45 to 90 mm
- Incl. 2x pipe clamp



Part-No.	Art. Description
2239	Truss adapter plate

## PC Box

## PC mounting

for mounting of Content-Players

- Adaptable on HAGOR-mounting systems
- Incl. all mounting materials



Part-No.	Art. Description	Size
7228	PC Box	250×250×65 mm

## KA-1

## Camera holder

for PLW-Series

- Height adjustable for the adaption of different flat screen sizes
- Universal mounting pattern for camera
- Mounting optional below or above the flat screen



Part-No.	Art. Description	Max. Weight	Mounting pattern
1316	KA-1	2,5 kg	optimised f. Polycom & Cisco



## LCD-TABLE STANDS

## Tablestand M, L &amp; XL

**LCD-table stand**

for flat screens max. 70"

- Two stable L-feet
- Easy installation
- Incl. all mounting materials
- Height adjustable in intervals of 50 mm

Tablestand L



Tablestand XL

Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1708	Tablestand M	32-37" / 81-94 cm	25 kg	max. 300×300
3710	Tablestand L	32-52" / 81-132 cm	35 kg	max. 600×400
1510	Tablestand XL	52-70" / 132-178 cm	55 kg	max. 800×600

## M Tablestand 70 &amp; 100

**LCD-table stand**

for flat screens max. 63"

- Stable stand
- Even without foot usable as wall mount
- Incl. cable mounting
- Incl. all mounting materials



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
1513	Tablestand 70	32-46" / 81-116 cm	50 kg	max. 600×400
1562	Tablestand 100	46-63" / 116-160 cm	55 kg	

## M Tablestand Turn 70 &amp; 100

**Swivelling LCD-table stand**

for flat screens max. 55"

- Classy and sturdy stand solution
- Swivelling  $\pm 30^\circ$  (manual)
- Incl. all mounting materials




Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7326	M Tablestand Turn 70	32-46" / 81-116 cm	30 kg	max. 400×400
7327	M Tablestand Turn 100	46-63" / 116-160 cm	40 kg	max. 600×400

## Tablestand Moto

**Motorized LCD-Table stand**

for flat screens max. 46"

- Table stand electrically adjustable
- Swivelling  $\pm 30^\circ$
- Operable with every Home remote control
- Incl. collision protection
- Home position with turned off display



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7209	Tablestand Moto	37-46" / 97-116 cm	40 kg	max. 400×400



## HAGOR TABLET PROTECTIVE ENCLOSURES – INFORM · DISCOVER · EXPLORE

Tablets and Touch Displays are an important component at the POI / POS.

The caused dynamics require allowing a quick adaption of the Content. Short-term assignments at fairs open house presentation of a company or permanent in the exhibition space, tablets are suitable for wide-ranging applications.

We offer good potential to implement requirements with the TSG-Series.

The lockable tablet protective enclosures are thanks to the optional accessories extremely versatile. As a stylish stand- or wall system or for table mounting, the TSG-Series represents you in the best way.

Whether Apple, Samsung, Windows, Acer, almost every common tablet model is available in our series. Tablets, which are not part of our standard-portfolio can be manufactured on request.

## TSG-SERIES


Also available  
for: Small  
Signage  
(on request)

## TSG-Tablet protective enclosure

**Tablet protective enclosure**

for iOS, Windows and Android models

- Incl. lock alongside or above the enclosure (theft protection)
- Landscape or portrait mounting
- Optional with Home-Button Clip
- Incl. hole pattern for extension on further components
- For almost every tablet type (iOS, Windows, Android) – further types on request




Part-No.	Art. Description	Description	Colour
1495 (iPad 2/3/4)	Tablet protective enclosure	Depends on tablet	Silver (further colours on request)
1498 (iPad 2/3/4)	TSG Home Button Clip	Covering Home Button Clip	
Further tablet models on request!			

## TSG-Stand ECO

**Floor stand**

for TSG-Series

- Stand for TSG-Series
- Cable routing inside
- Height ca. 1000 mm



Part-No.	Art. Description	Description	Colour
1591	TSG-Stand ECO	1000 mm	Silver (further colours on request)

## TSG-Stand PRO

**Floor stand**

for TSG-Series

- Designer stand for TSG-Series
- Cable routing inside
- Height ca. 1000 mm



Part-No.	Art. Description	Description	Colour
1497	TSG-Stand PRO	1000 mm	Silver (further colours on request)

## TSG-Tablestand

**Table foot**

for TSG-Series

- Table foot for screw mounting
- Optionally available carrier plate for a free standing installation



Part-No.	Art. Description	Description	Colour
1500	TSG-Table stand	Screw mounting	Silver (further colours on request)
1501	TSG-carrier plate	Free standing	

## TSG-Wallmount

**Wall mount**

for TSG-Series

- Designer wall mount for TSG-Series
- Cable routing inside



Part-No.	Art. Description	Description	Colour
1598	TSG-Wall mount	Screw mounting	Silver (further colours on request)



## HAGOR M VESA GAS LIFT-SERIES

The new M VESA Gas Lift Arm Series convinces with a construction of durable high-quality Aluminum at the highest level. Because of the extremely smooth gas lift, the displays can be adjusted in every single required position. Of course, a continuously adjustment from horizontal to vertical is possible. You can install displays from 15-32" / 38-81 cm.

The connection cables can be relocated inside the mount if you want to.



### M VESA Gas Lift Arm Single

#### Table mount

for 2 displays of 15-32" / 38-81 cm

- Arm with gas lift  
2 to max. 10 kg
- Tilt -45 to +75°
- Swiveling ±90°
- Landscape to portrait  
mounting



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7279	M VESA Gas Lift Arm Single	15-32" / 38-81 cm	10 kg	max. 100×100 mm
7273				
7248				

### M VESA Gas Lift Single Wall Adapter

#### Wall adapter for Gas Lift Arms

optional, alternative adapter mount

- Allows you to mount one M VESA Gas Lift Arm onto a wall
- Available colours:  
black, silver and white



Part-No.	Art. Description	
7403	7404	7405
M VESA Gas Lift Single Wall Adapter		

### M VESA Gas Lift Arm Dual

#### Table mount

for 2 displays of 15-32" / 38-81 cm

- Arm with gas lift  
2 to max. 10 kg
- Tilt -45 to +75°
- Tilt -45 to +75°
- Swiveling ±90°
- Landscape to portrait  
mounting




Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7280	M VESA Gas Lift Arm Dual	15-32" / 38-81 cm	2×10 kg	max. 100×100 mm
7274				
7249				

### M VESA Gas Lift Arm Quad

#### Table mount

for 4 displays  
of 15-32" /  
38-81 cm

- Arm with gas lift  
2 to max. 10 kg
- Tilt -45 to +75°
- Swiveling ±90°
- Landscape to portrait  
mounting



Part-No.	Art. Description	Description/Size	Max. Weight	Mounting pattern
7281	M VESA Gas Lift Arm Quad	15-32" / 38-81 cm	4×10 kg	max. 100×100 mm
7275				
7250				

# M VESA DESK-SERIES

## M VESA Desk Series

### Desk mount

for 1 or 2 monitors  
of 15-24" / 38-61 cm

- Installation via table clamp
- Incl. Height adjustment:  
M VESA Desk H 270-360 mm  
M VESA Desk / Duo 310-400 mm
- Swivable, tiltable, rotatable
- Optional mounting via through bore
- Incl. cable clips



M VESA Desk H



M VESA Desk

## ACCESSORY:

### Mount Base for M VESA Desk

#### Desktopmount Grommet Base

for M VESA Desk Single and Duo



M VESA Desk Duo


Part-No.		Art. Description	Description/Size	Max. Weight	Mounting pattern
7338	7240	M VESA Desk H	Height adjustment 270-360 mm, Monitor 15-24" / 38-61 cm	10 kg	max. 100×100 mm
7096	7097	M VESA Desk	Height adjustment 310-400 mm, Monitor 15-24" / 38-61 cm		
7103	7104	M VESA Desk Duo			
Optional accessory					
7237	7238	Mountbase for M VESA Desk Single and Duo			

## M VESA Desk-Stand und Triple Arm-Series

### Table stand

for 1 to 6 displays of 15-24" / 38-61 cm

- Table installation via fixed foot
- Incl. Height adjustment
- Tilt  $\pm 20^\circ$
- Swiveling  $\pm 90^\circ$
- Optionally upgradable with table clamp



Part-No.	Part-No. Expansion kit	Art. Description	Description/Size	Max. Weight	Mounting pattern
7295	7296	M VESA Desk-Stand Single	24-32" / 61-81 cm	15 kg per display	max. 200×100 mm
7356	7357	M VESA Desk-Stand DUAL			
7187	7188	M VESA Triple Arm Stand Medium	15-24" / 38-61 cm	8 kg per display	max. 100×100 mm
7353	7354	M VESA Triple Arm Stand Large	24-32" / 61-81 cm		max. 200×100 mm
Optional accessory					
7189		M VESA Triple Arm Table clamp HD	max. 50 mm clamping height		



## LB Livingbeam incl. Spider

### Projector ceiling mount

incl. universal mounting

- Ceiling distance only 100 mm
- Preset clamping force of 10 kg
- Adjustment system one hand
- Tilt  $\pm 25^\circ$
- Incl. 360° turn function



Part-No.			Art. Description	Max. Weight	Mounting pattern
2177	2176	2155	LB Livingbeam incl. Spider	10 kg	max. 350 mm

## V-LB-Series fixed

### Fixed ceiling extension

for Livingbeam

- 3 lengths (without cable routing)
- Can be cut on-site
- Easy installation




Part-No.			Art. Descript.	Length
2184	2178	2196	V-LB 500	500 mm
2185	2179	2197	V-LB 1000	1000 mm
2186	2180	2198	V-LB 1500	1500 mm

## V-LB-Series variable

### Variable ceiling extension

for Livingbeam

- 3 lengths
- Incl. hidden routing
- Incl. Continuously height adjustment
- Incl. ceiling cover



Part-No.			Art. Descript.	Length
2187	2181	2193	V-LB 400-600	400-600 mm
2188	2182	2194	V-LB 600-1000	600-1000 mm
2189	2183	2195	V-LB 900-1600	900-1600 mm




# BF-BEAMFIX-SERIES

## Beamfix incl. Spider

### Heavy load projection-ceiling mount

incl. universal mounting

- Ceiling distance 180 mm
- Inbus-adjustment-system
- Adjustment system one hand on request
- Tilt  $\pm 35^\circ$  adjustable
- Incl.  $360^\circ$  turn function



Part-No.	Art. Description	Max. Weight	Mounting pattern
2112	2111	Beamfix incl. Spider	50 kg
			max. 525 mm

## K-Series variable

### Variable ceiling extension

for Beamfix

- Prepunched end position
- Variable lengths via through bore on-site
- Incl. hidden cable routing




Part-No.	Art. Description	Description/Length
2203	2202	K1
		980-1600 mm

## K-Series infinitely variable

### Ceiling extension variable

for Beamfix

- 4 variable lengths
- Variable height adjustment
- Incl. hidden cable routing




Part-No.	Art. Description	Description/Length
2149	2152	K2
		400-560 mm
2150	2153	K3
		560-880 mm
2151	2154	K4
		880-1520 mm
2165	2166	K5
		1520-2800 mm

## Homefix I

### Universal ceiling lift

incl. lifting capacity 1-25 kg

- Installation height of 115 mm
- Motorized projector lift
- Scissor system
- Extremely quiet
- Operation via mini radio remote control (reach of 20 m)




Part-No.	Art. Description	Max. Weight	Distance
2199	Homefix I	25 kg	max. 800 mm

M Beamer  
Ceilingmount Fine  
Tune-Series

**Precision projector ceiling mount**

incl. universal mounting

- 3 variable lengths
- Integrated lateral displacement
- Adjustment on 3 rotation axis
- Incl. hidden cable routing




Part-No.	Art. Description	Description/Height	Max. Weight	Mounting pattern
7315	M Beamer Ceilingmount Fine Tune S	200 mm	10 kg	Universal
7316	M Beamer Ceilingmount Fine Tune M	600-1000 mm		
7362	M Beamer Ceilingmount Fine Tune M2	900-1600 mm		
7317	M Beamer Ceilingmount Fine Tune L	1600-3000 mm		

M Beamer Wallmount  
Short Throw-Series

**Precision projector ceiling mount**

incl. Universal mounting

- 2 variable lengths
- Integrated lateral displacement
- Adjustment on 3 rotation axis
- Incl. hidden cable routing



Part-No.	Art. Description	Description/Length	Max. Weight	Mounting pattern
7297	M Beamer Wallmount Short Throw M	300-700 mm	15 kg	Universal
7298	M Beamer Wallmount Short Throw L	600-1300 mm		

## M MOTORISED PROJECTION SCREEN-SERIES

HAGOR PROJECTION SCREEN-SERIES –  
GUARANTEED · MOTORIZED · PRESENTATION

The Projection Screens Series convinces with its outstanding elegance at its functionality.

Especially the motorized versions available in different sizes and formats are the ideal solution for home cinema in the living room, high-end training- and conference room or every class room.

No limits are set because of the variety of different projection screens. Whether Motorized and operable with remote control, manual or as transportable solution, our projection screens series is versatile. The projection screens are suitable for mounting on the wall but also under the ceiling. This emphasizes the flexibility, which is offered by our projection screens.

## HAGOR Projection Screen-Series:

**Besides the motorized projection screens, we also offer further models.**

**Other formats and versions, such as transportable or manual on request available!**




## M Motorized Projection Sreen Series

### Motorized projection screens

Format 4:3 or 16:9 to max. 180"

- Incl. remote control
- Easy Installation thanks Plug&Play
- Extremely quiet motor
- Preprogrammed final setting
- Universal for wall or ceiling installation



Format / Size	4:3 / 100"	4:3 / 120"	4:3 / 150"	4:3 / 180"	16:9 / 90"	16:9 / 108"	16:9 / 135"	16:9 / 162"	16:9 / 180"
Part-No.	7247	7192	7193	7328	7194	7195	7196	7339	7332
Art. Description	LW 730373 - M Motorized Projection Screen 100"	LW 730380 - M Motorized Projection Screen 120"	LW 730458 - M Motorized Projection Screen 150"	LW 730465 - M Motorized Projection Screen 180"	LW 730410 - M Motorized Projection Screen 90"	LW 730427 - M Motorized Projection Screen 108"	LW 730526 - M Motorized Projection Screen 135"	LW 730533 - M Motorized Projection Screen 162"	LW 730540 - M Motorized Projection Screen 180"
Projection area	200 × 150 cm	240 × 180 cm	300 × 220 cm	360 × 270 cm	200 × 112 cm	240 × 135 cm	300 × 168 cm	360 × 200 cm	400 × 225 cm
Diagonal	254 cm	305 cm	381 cm	457 cm	229 cm	274 cm	343 cm	411 cm	457 cm
Border	4 cm	4,5 cm	4,5 cm	4,5 cm	4 cm	4,5 cm	4,5 cm	4,5 cm	4,5 cm
Weight	12 kg	14 kg	17 kg	19 kg	12 kg	14,5 kg	18 kg	31,5 kg	35 kg
Motor	•				•				
Remote control	•				•				
Cassette colour	white				white				
Surface	white matt				white matt				
Gain	1.0				1.0				
Black drop	60 cm				30 cm				

Other formats and versions, such as transportable or manual on request available!


## MOUNTS FOR SOUND BARS &amp; SPEAKERS

## LS-1 Series


**Universal Soundbar Halterung**

For mounting on the screen, or on the mount

- Universal adjustable for all common sound bars
- Suitable maximum VESA hole pattern of TVs:
  - LS-1: max. VESA 400 (32" up to 40")
  - LS 1 Plus: max. VESA 600
- Incl. optional camera holder
- Incl. all mounting materials



LS-1 Plus



LS-1



Part-No.	Art. Description	Mounting pattern Display	Max. Weight	Mounting pattern sound bar
6061	LS-1	max. 400 mm	10 kg	max. 650 mm
7407	LS-1 Plus	max. 600 mm		max. 778 mm

## LS 31

**Speaker pedestal mount**

for smaller and medium speakers

- Universally applicable
- Set consists of 2 pieces
- Height adjustment 650-1100 mm





Part-No.	Art. Descript.	Max. Weight	Descript./Size
1362 1363 1364	LS 31	5 kg	650-1100 mm

## LS 11

**Speaker wall mount**

for smaller speakers

- Universal for wall or ceiling installation
- Set consists of 2 pieces
- Swivel: left and right 90 degrees
- Tilt: up and down up to 20 degrees



Part-No.	Art. Description	Max. Weight	Tilt
1348 7173	LS 11	10 kg	+/- 30°



## HAGOR CABLE MANAGEMENT – THE EASY AND ELEGANT WAY TO HIDE CABLES

At installations, it happens again and again that cables are visible or the way to the connection point is very long.

HAGOR presents the appropriate solution: Cable socks with or without Velcro or cable covers, this issue can be counter acted easily.

Users and planners pay attention to highest quality and longevity, especially in case of AV installations. Not only devices such as displays should be focused but also the accessory plays an important role. It represents the visual appearance in the best way.

Visible cables or plastic covers can destroy the perfect visual appearance. With our high-quality covers in Aluminum we have found the right solution to meet these requirements.

You have the possibility of choosing between different sizes and colours from our broad portfolio to create a suitable solution. L+C, as well as T-adapters are available for various applications.




# CABLE COVER SERIES

## KK-Series

### Cable Cover Aluminum

Two lengths: 1100 mm & 1600 mm

- Material: high-quality Aluminum
- Can be cut on request
- Upgradable with adapter for corner or 90° installation
- fits with every cable volume
- Colours: White, silver, black



Before



After

Part-No.			Art. Description	Width / Height	Length
7012	7022	7002	KK 18 mm / 110 cm	18 mm / 12 mm	1100 mm
7013	7023	7003	KK 18 mm / 160 cm	18 mm / 12 mm	1600 mm
7014	7024	7004	KK 33 mm / 110 cm	33 mm / 18 mm	1100 mm
7015	7025	7005	KK 33 mm / 160 cm	33 mm / 18 mm	1600 mm
7016	7026	7006	KK 50 mm / 110 cm	50 mm / 28 mm	1100 mm
7017	7027	7007	KK 50 mm / 160 cm	50 mm / 28 mm	1600 mm
7018	7028	7008	KK 80 mm / 110 cm	80 mm / 42 mm	1100 mm
7019	7029	7009	KK 80 mm / 160 cm	80 mm / 42 mm	1600 mm

## L&C-Adapter

### For cable cover KK-Series

for tidy corner mounting

- Material: plastic (Little colour difference to Aluminum)
- Available in 33 mm & 50 mm
- 1 L and 1 C-Adapter in the set
- Colours: white, silver, black



Part-No.			Art. Description	Width / Height
7032	7034	7030	L&C-Adapter (Set)	33 mm / 15 mm
7033	7035	7031		50 mm / 25 mm

## T-Adapter

### For cable cover KK-Series

Lateral branching to the left and to the right

- Material: plastic (Little colour difference to Aluminum)
- Available in 33 mm & 50 mm
- 1 L and 1 C-Adapter in the set
- Colours: white, silver, black



Part-No.			Art. Description	Width / Height
7132	7134	7136	T-Adapter	33 mm / 15 mm
7133	7135	7137		50 mm / 25 mm

## KS-Series

### Elastic cable socks

made from polyester

- Three Widths
- Stretch to double size:
  - 20 mm (to 40 mm)
  - 40 mm (to 80 mm)
  - 55 mm (to 110 mm)
- Four lengths: 2 m, 5 m, 10 m & 50 m
- Colours: white, silver, black
- 50 m wheelser of optimal cutting to customer specification
- Optionally available: high-quality heat cutter incl. replacement blade



Part-No.			Art. Description	Max. Stretch	Length
7045	7054	7036	KS 20-40 mm / 2 m	40 mm	2 m
7046	7055	7037	KS 20-40 mm / 5 m	40 mm	5 m
7047	7056	7038	KS 20-40 mm / 10 m	40 mm	10 m
7066	7069	7063	KS 20-40 mm / 50 m	40 mm	50 m
7048	7057	7039	KS 40-80 mm / 2 m	80 mm	2 m
7049	7058	7040	KS 40-80 mm / 5 m	80 mm	5 m
7050	7059	7041	KS 40-80 mm / 10 m	80 mm	10 m
7067	7070	7064	KS 40-80 mm / 50 m	80 mm	50 m
7051	7060	7042	KS 55-110 mm / 2 m	110 mm	2 m
7052	7061	7043	KS 55-110 mm / 5 m	110 mm	5 m
7053	7062	7044	KS 55-110 mm / 10 m	110 mm	10 m
7068	7071	7065	KS 55-110 mm / 50 m	110 mm	50 m

### ACCESSORY:

#### Heat cutter

- Incl. Replacement blade
- Part-No. 7098



## KS Klett-Series

### Velcro cable socks


- Ideal for a lateral cable installation
- High cable volume (max. 85 mm)
- Colours: white, silver, black
- Available as 50 m roll
- Optionally available: high-quality hot heat cutter with replacement blade



#### Before



#### After



Part-No.			Art. Description	Max. Stretch	Length
7124	7125	7123	KS Klett 2 m	85 mm	2 m
7151	7152	7150	KS Klett 3 m		3 m
7127	7128	7126	KS Klett 5 m		5 m
7130	7131	7129	KS Klett 10 m		10 m
7101	7100	7102	KS Rolle Klett		50 m

## HIGH QUALITY CABLE SOLUTIONS

## 2 × HDMI plug 19 pin metal

**Chrome-plated plug**

With gold-plated contacts

- Full HD – Version 1.4 – ATC zertifiziert
- High Quality
- 99,99% sauerstoffreiner Kupfer (OFC)
- Ferritkerne
- kombinierbar mit HDMI Winkeladapter (Stecker / Kupplung)

0,5 m = Flat band

- Part-No. 2000



## ACCESSORY:

HDMI angle adapter plug / coupling

- Swiveling 180°
- Part-No. 2044



Part-No.	2000	2001	2002	2003	2004	2005	2006	2007	2008
Length	0,5 m	1,5 m	2,0 m	3,0 m	5,0 m	7,5 m	10,0 m	15,0 m	20,0 m

## 2 × Toslink plug metal

**Chrome-plated metal plug**

with gold plated contacts

- Optical fiber cable
- High-quality
- 99,99% oxygen clean copper (OFC)



Part-No.	2020	2021	2022	2023
Length	1,0 m	2,0 m	3,0 m	5,0 m

## 3 × RCA plug RGB metal

**Chrome-plated metal plug**

with gold-plated contacts

- High-quality
- 99,99% oxygen clean copper (OFC)



Part-No.	2009	2010	2011	2012	2013	2014
Length	1,5 m	3,0 m	5,0 m	10,0 m	15,0 m	20,0 m

## 2 × Western plug Cat 6 metal

**Chrome-plated metal plug**

with gold-plated contacts

- LAN-cable (RJ45)
- High-quality
- 99,99% oxygen clean copper (OFC)
- Cat 6a PIMF, double screen (Screened Foiled Twisted Pair)



Part-No.	2050	2051	2052	2053	2054	2055
Length	0,5 m	1,0 m	2,0 m	3,0 m	5,0 m	10,0 m

## 2 × RCA plug metal

**Chrome-plated metal plug**

with gold-plated contacts

- High-quality
- 99,99% oxygen clean copper (OFC)



Part-No.	2024	2025	2026
Length	1,5 m	3,0 m	5,0 m

## 2 × 3,5 mm plug stereo metal

**Chrome-plated metal plug**

with gold-plated contacts

- High-quality
- 99,99% oxygen clean copper (OFC)



Part-No.	2027
Length	1,5 m

1 × 3,5 mm plug stereo metal »  
« 2 × RCA plug metal**Chrome-plated metal plug**

with gold-plated contacts

- High Quality
- 99,99% oxygen clean copper (OFC)



Part-No.	2028	2029
Length	1,5 m	5,0 m

## 2 × F plug metal

**Chrome-plated metal plug**

with gold-plated contacts

- High-quality
- 99,99% oxygen clean copper (OFC)
- Sheath current filter filter
- Double screen (96 x 0,12) Class A
- Shielding: >95 dB, BZT, CE



Part-No.	2030	2031	2032	2033	2034	2035	2036
Length	1,5 m	2,5 m	5,0 m	7,5 m	10,0 m	15,0 m	20,0 m

## 1 × Coax plug metal » « 1 × Coax coupling metal

**Chrome-plated metal plug**

With gold-plated contacts

- High-quality
- 99,99% oxygen clean copper (OFC)
- Sheath current filter
- Double screen (96 x 0,12) Class A
- Shielding: >95 dB, BZT, CE



Part-No.	2037	2038	2039	2040	2041	2042	2043
Length	1,0 m	2,0 m	3,0 m	5,0 m	10,0 m	15,0 m	20,0 m





## ONLY STANDARD? NOT WITH HAGOR!

Standard is there, where others stop. And that is often where the problem starts!

We are here to make your ideas come true and to attain your wishes as soon as possible. At our plant, we manufacture special mounts, systems and accessories, just the way you want. We place special value on detailed advice, careful planning and expert-like execution. From concept to product, we keep close contact to our customers to develop the best solution.

Our experienced team works with the latest technology in production, so maximum precision in realisation of your Manufacture desire is guaranteed.

Please let us know your wishes, we will be happy to advise you and we will demonstrate you possible solutions.

HAGOR-Special constructions:

**For requests and more information please  
feel free to contact us (+49) 57 31-7 55 07-0**





Project\_Airport Frankfurt



Project\_REWE



Project\_Nordsee



Project\_McFIT



Project\_Messe Munich




Project\_Airport Hannover



Project\_Depot



Project\_Westpark-Ingolstadt



Project\_Pro7 / Sat1



# HAGOR REFERENCES

We are here to make your ideas come true, and to attain your wishes as soon as possible.

## Abstract of our references:

- ADCB (UAE)
- Allianz Arena (Munich)
- Aida
- Airports Frankfurt, Hannover, Hamburg, Munich, Cologne, Madrid, Barcelona i.a.
- BayArena (Leverkusen)
- Bayerischer Rundfunk
- Bertelsmann AG
- BMW (Munich)
- Culture and Congress Centre Liederhalle (Stuttgart)
- Daimler AG
- Deutscher Bundestag (Berlin)
- Deutsche Bank
- Douglas
- EDEKA
- Fitness-First
- FitX
- Formula 1 race track (Sotschi)
- Globus
- Hygiene-Museum (Dresden)
- Hyundai IT Europe GmbH
- Imtech Arena (HSV Hamburg)
- Kunsthalle (Bonn)
- KCM Milano (Italy)
- McFit
- Mall of the Emirates (Dubai)
- Nordsee fish restaurants
- Palm (Dubai)
- Philips
- REWE
- RheinEnergieStadion (Köln)
- SAP Arena Hoffenheim/Sinsheim
- SchücoArena (Bielefeld)
- Sharjah University (UAE)
- Siemens
- Signal Iduna Park (Dortmund)
- Steigenberger
- St. Moritz Bäder AG (Switzerland)
- Telekom
- T-Systems Enterprise Services
- T-Com
- Veltins-Arena (Schalke)
- Volkswagen VW
- Waldorf Astoria Hotel (Berlin)
- Westpark Ingolstadt
- Wincor Nixdorf International
- Zio Technologies (Dubai)

**Project\_Duty Free**



**Project\_Airport Munich**



**Project\_Uniqlo**



**Project\_Formula 1 race track Sotschi**





## INDEX

Article	Page	Article	Page
Adapter VESA 600	22	M Cable Hook	9
Adapter VESA 800	22	M Floor Base B2B	23
Adapterset (MB-TnT-Series & MB-Flexarm-Series)	38	M MediaBox	9
ALLMount®	30	M Motorized Floorstand HD	12
Antenna cable HQ	66	M Motorized Projection Screen 4:3	61
AP 100/200	51	M Motorized Projection Screen 16:9	61
AP 200/400	51	M Motorized Wallmount HD	43
AUDIO cable HQ 2xRCA/1x3,5mm	66	M Public Ceilingmount Large Back to Back	49
Beamfix incl. Spider	58	M Public Ceilingmount Large Single	49
2xRCA cable HQ	66	M Public Ceilingmount Medium Back to Back	49
Elia 115 A	10	M Public Ceilingmount Medium Single	49
Elia 115 B	10	M Public Ceilingmount Small Single	49
Elia 160 A	10	M Public Ceilingmount Verlängerungsrohr-Set	49
Elia 160 B	10	M Public Display Stand 110 Tilt & Table	11
ELIA SB	11	M Public Display Stand 145 Single	8
Elia SB 125-Adapter	11	M Public Display Stand 145 Dual	8
Elia SB Glass shelf	11	M Public Display Stand 180 Single	8
Elia SB Mobil	11	M Public Display Stand 180 Dual	8
Elia Touch	11	M Public Display Stand Camera Holder	9
FP-Installation kit	46	M Public Display Stand Codec Shelf	9
HDMI-cable Vers. 1.4 HQ	66	M Public Display Stand Floor Base	9
Heat cutter	65	M Public Stand Frontshelf	9
Homefix I	58	M Public Wall Stand 180 Single	46
HP-Stand 55	10	M Public Wall Stand 180 Dual	46
Info-Tower CL	6	M Stand 180	8
Info-Tower Codec Shelf	7	M Stand 180 HD	8
Info-Tower Dual	6	M Stand 180 Floorbase	8
Info-Tower Dual L	6	M Stand 180 Floormount	8
Info-Tower E	6	M Tablestand Turn 70	52
Info-Tower KA-1	7	M Tablestand Turn 100	52
Info-Tower PLW 50	7	M Universal Digital Signage Wallmount	42
Info-Tower PLW 75	7	M Universal Swingarm	43
Info-Tower PLW 165	7	M Universal Swingarm L	43
Info-Tower Single	6	M Universal Swingarm XL	43
Info-Tower Single L	6	M Universal WF-L	41
K1 980-1600	58	M Universal WF-M	41
K2 400-560	58	M VESA Desk	56
K3 560-880	58	M VESA Desk H	56
K4 880-1520	58	M VESA Desk Duo	56
K5 1520-2800	58	M VESA Desk-Stand Single	56
KK cable cover	64	M VESA Desk-Stand Single Expansion Kit	56
KS cable sock	65	M VESA Desk-Stand DUAL	56
AUDIO cable 3,5 mm plug	66	M VESA Desk-Stand DUAL Expansion Kit	56
L+C Adapter 33 mm (Set: 1xL- & 1xC-Adapter)	64	M VESA Flexarm Thin	39
L+C Adapter 50 mm (Set: 1xL- & 1xC-Adapter)	64	M VESA Flipdown	50
Laptop-shelf Mobile-Lift Pro	12	M VESA Flipdown Moto	50
LB Livingbeam incl. Spider	57	M VESA Gas Lift Single Wall Adapter	55
LED-MOD Standsystem	34	M VESA Gas Lift Arm Single	55
LS 11	62	M VESA Gas Lift Arm Dual	55
LS 31	62	M VESA Gas Lift Arm Quad	55
LS-1	62	M VESA Triple Arm Stand Medium	56
LS-1 Plus	62	M VESA Triple Arm Stand Medium Expansion Kit	56
M Beamer Ceilingmount Fine Tune S	59	M VESA Triple Arm Stand Large	56
M Beamer Ceilingmount Fine Tune M	59	M VESA Triple Arm Stand Large Expansion Kit	56
M Beamer Ceilingmount Fine Tune M2	59	M VESA Triple Arm Desk Clamp HD	56
M Beamer Ceilingmount Fine Tune L	59	M Video Wall 55" Extender	23
M Beamer Wallmount Short Throw M	59	M Video Wall Floormount	23
M Beamer Wallmount Short Throw L	59	M Video Wall Trolley 2x2	23

Article	Page	Article	Page
M Video Wall Trolley 3×2	23	Public Floorstand HD Shelf	11
M Video Wall Trolley 3×3	23	RGB-cable HQ	66
MB 45 – Small	42	Rolls Set – (Elia 115/160)	10
MB 45 Superslim – Small	42	Rolls Set – (ELIA SB)	11
MB 70 – Medium	42	F cable HQ	66
MB 70 Superslim – Medium	42	Lock simultaneous locking	51
MB 70 Plus – Medium	40	Lock different locking	51
MB 100 – Large	42	ScreenOut® Eco Kiosk – Outdoor Totem Portrait	19
MB 100 HD	41	ScreenOut® Pro Kiosk – Outdoor Totem Portrait	18
MB 100 Superslim – Large	42	ScreenOut® Pro Enclosure	17
MB 100 Plus – Large	40	ScreenOut®-OHD-K – Samsung Outdoor Totem Portrait	19
MB 100 Plus HD	40	Stand Scandio	10
MB Flexarm S-I	38	Tablestand 70	52
MB Flexarm S-II	38	Tablestand 100	52
MB Flexarm S-III	38	Tablestand M	52
MB Flexarm M	38	Tablestand L	52
MB Flexarm L	38	Tablestand XL	52
MB Flexarm XXL Super Duty	39	Tablestand Moto	52
MB MOTO I	43	T-Adapter 33 mm	64
MB Anti-Theft lock	51	T-Adapter 50 mm	64
MB TnT	37	Toslink cable HQ	66
MB TnT HD	37	Truss adapter plate	51
MB TnT Plus	37	TSG Home Button Clip	54
MB TnT Plus HD	37	TSG Tablestand	54
MB VESA I	41	TSG Carrier plate	54
MB Vesa I Tilt	40	TSG Wallmount	54
MB VESA III	41	TSG-Stand ECO	54
MB Vesa III Tilt	40	TSG-Stand PRO	54
MB Security Lock 1,80 m	51	TSG-Tablet protection case	54
Mobile-Lift Pro	12	Version A	13
Mobile-Lift Pro Touch	12	Version B	13
Mountbase for M Vesa Desk Single and Duo	56	vis-it landscape	15
LAN-cable Cat 6 HQ	66	vis-it landscape brochure	15
PC Box	51	vis-it landscape frame	15
PL Duo 2×2	23	vis-it landscape info	15
PLD 500	48	vis-it landscape info tilt	15
PLD 1000	48	vis-it portrait	14
PLD 1500	48	vis-it touch	15
PLD 600-1000	48	V-LB 500	57
PLD 900-1600	48	V-LB 1000	57
PLD 1000-1800	48	V-LB 1500	57
PLD Duo	48	V-LB 400-600	57
PLW 50	45	V-LB 600-1000	57
PLW 75	45	V-LB 900-1600	57
PLW 115	45	VWH-1	21
PLW H75	45	VWH-1 Small	22
PLW H90	45	VWH-3	23
PLW PC 50	45	VWH-4	21
PLW PC 75	45	VWH-5	21
PLW PC 115	45	VWH-ASxxx-Spacer kit	21
PLW Column Adapter	46	VWS Cube	24
Pro-Tower I	10	Wall-Lift-Duo	13
Pro-Tower II	10	Wall-Lift-Single high	13
Pro-Tower II-Cam	10	Wall-Lift-Single low	13
Pro-Tower II-Glass shelf	10	Wall-Lift-Single stud wall	13
Pro-Tower III	29	WH-Synchron 41	39
Public Floorstand HD	11	WH-Synchron 51	39
Public Floorstand HD Cam Holder	11		




**HAGOR Products GmbH**

Oberbecksener Straße 97 | D-32547 Bad Oeynhausen

Tel.: +49(0)57 31-7 55 07-0 | Fax: +49(0)57 31-7 55 07-60

Mail: [hagor@hagor.de](mailto:hagor@hagor.de) | [www.hagor.net](http://www.hagor.net)



We reserve all rights for this catalogue under copyright law. Without our expressly authorization it is not permitted to reproduce this catalogue or parts of it. We reserve the rights for technical modifications. No warranty for typographical errors and mistakes. Colour variations excepted. Any articles without items and technical devices.