

Family-group names in Coleoptera (Insecta)

Patrice Bouchard¹, Yves Bousquet¹, Anthony E. Davies¹, Miguel A. Alonso-Zarazaga², John F. Lawrence³, Chris H. C. Lyal⁴, Alfred F. Newton⁵, Chris A. M. Reid⁶, Michael Schmitt⁷, S. Adam Ślipiński³, Andrew B. T. Smith⁸

1 Canadian National Collection of Insects, Arachnids and Nematodes, Agriculture and Agri-Food Canada, 960 Carling Avenue, Ottawa, Ontario, K1A 0C6, Canada **2** Departamento de Biodiversidad y Biología Evolutiva, Museo Nacional de Ciencias Naturales, Jose Gutierrez Abascal, 2; E-28006, Madrid, Spain **3** Australian National Insect Collection, CSIRO Entomology, GPO Box 1700, Canberra, ACT 2601, Australia **4** Department of Entomology, The Natural History Museum, Cromwell Road, London SW7 5BD, United Kingdom **5** Zoology Department, Field Museum of Natural History, 1400 South Lake Shore Drive Chicago, IL 60605, USA **6** Australian Museum, 6 College Street, Sydney, NSW 2010, Australia **7** Ernst-Moritz-Arndt-Universität, Allgemeine & Systematische Zoologie, Anklamer Str. 20, D-17489 Greifswald, Germany **8** Canadian Museum of Nature, P. O. Box 3443, Station D, Ottawa, Ontario, K1P 6P4, Canada

Corresponding author: Patrice Bouchard (patrice.bouchard@agr.gc.ca)

Academic editor: Terry Erwin | Received 17 December 2010 | Accepted 17 February 2011 | Published 4 April 2011

Citation: Bouchard P, Bousquet Y, Davies AE, Alonso-Zarazaga MA, Lawrence JF, Lyal CHC, Newton AF, Reid CAM, Schmitt M, Ślipiński SA, Smith ABT (2011) Family-group names in Coleoptera (Insecta). ZooKeys 88: 1–972. doi: 10.3897/zookeys.88.807

Abstract

We synthesize data on all known extant and fossil Coleoptera family-group names for the first time. A catalogue of 4887 family-group names (124 fossil, 4763 extant) based on 4707 distinct genera in Coleoptera is given. A total of 4492 names are available, 183 of which are permanently invalid because they are based on a preoccupied or a suppressed type genus. Names are listed in a classification framework. We recognize as valid 24 superfamilies, 211 families, 541 subfamilies, 1663 tribes and 740 subtribes. For each name, the original spelling, author, year of publication, page number, correct stem and type genus are included. The original spelling and availability of each name were checked from primary literature. A list of necessary changes due to Priority and Homonymy problems, and actions taken, is given. Current usage of names was conserved, whenever possible, to promote stability of the classification.

New synonymies (family-group names followed by genus-group names): AGRONOMINA Gistel, 1848 **syn. n.** of AMARINA Zimmermann, 1832 (CARABIDAE), HYLEPNIGALIOINI Gistel, 1856 **syn. n.** of MELANDRYINI Leach, 1815 (MELANDRYIDAE), POLYCYSTOPHORIDAE Gistel, 1856 **syn. n.** of MALACHIIINAE Fleming, 1821 (MELYRIDAE), SCLERASTEINAE Gistel, 1856 **syn. n.** of PTILININAE Shuckard, 1839 (PTINIDAE), PHLOEONOMINI Ádám, 2001 **syn. n.** of OMALIINI MacLeay, 1825 (STAPHYLINIDAE),

SEPEDOPHILINI Ádám, 2001 **syn. n.** of TACHYPORINI MacLeay, 1825 (STAPHYLINIDAE), PHIBALINI Gistel, 1856 **syn. n.** of CTENIOPODINI Solier, 1835 (TENEBRIONIDAE); Agronoma Gistel 1848 (type species *Carabus familiaris* Duftschmid, 1812, designated herein) **syn. n.** of Amara Bonelli, 1810 (CARABIDAE), *Hylepnigalio* Gistel, 1856 (type species *Chrysomela caraboides* Linnaeus, 1760, by monotypy) **syn. n.** of Melandrya Fabricius, 1801 (MELANDRYIDAE), *Polycystophorus* Gistel, 1856 (type species *Cantharis aeneus* Linnaeus, 1758, designated herein) **syn. n.** of *Malachius* Fabricius, 1775 (MELYRIDAE), *Sclerastes* Gistel, 1856 (type species *Ptilinus costatus* Gyllenhal, 1827, designated herein) **syn. n.** of *Ptilinus* Geoffroy, 1762 (PTINIDAE), *Paniscus* Gistel, 1848 (type species *Scarabaeus fasciatus* Linnaeus, 1758, designated herein) **syn. n.** of *Trichius* Fabricius, 1775 (SCARABAEIDAE), *Phibalus* Gistel, 1856 (type species *Chrysomela pubescens* Linnaeus, 1758, by monotypy) **syn. n.** of *Omophlus* Dejean, 1834 (TENEBRIONIDAE). The following new replacement name is proposed: GOMPELIINA Bouchard, 2011 **nom. n.** for OLOTELINA Bágueda Corella, 1948 (ADERIDAE).

Reversal of Precedence (Article 23.9) is used to conserve usage of the following names (family-group names followed by genus-group names): PERIGONINI Horn, 1881 nom. protectum over TRECHICINI Bates, 1873 nom. oblitum (CARABIDAE), ANISODACTYLINA Lacordaire, 1854 nom. protectum over EURYTRICHINA LeConte, 1848 nom. oblitum (CARABIDAE), SMICRONYCHINI Seidlitz, 1891 nom. protectum over DESMORINI LeConte, 1876 nom. oblitum (CURCULIONIDAE), BAGOINAE Thomson, 1859 nom. protectum over LYPRINAE Gistel 1848 nom. oblitum (CURCULIONIDAE), ATERPINA Lacordaire, 1863 nom. protectum over HELIOMENINA Gistel, 1848 nom. oblitum (CURCULIONIDAE), NAUPACTINI Gistel, 1848 nom. protectum over IPHIINI Schönherr, 1823 nom. oblitum (CURCULIONIDAE), CLEONINI Schönherr, 1826 nom. protectum over GEOMORINI Schönherr, 1823 nom. oblitum (CURCULIONIDAE), MAGDALIDINI Pascoe, 1870 nom. protectum over SCARDAMYCTINI Gistel, 1848 nom. oblitum (CURCULIONIDAE), AGRYPNINAE/-INI Candèze, 1857 nom. protecta over ADELOCERINAE/-INI Gistel, 1848 nom. obliterata and PANGAURINAE/-INI Gistel, 1856 nom. obliterata (ELATERIDAE), PROSTERNINI Gistel, 1856 nom. protectum over DIACANTHINI Gistel, 1848 nom. oblitum (ELATERIDAE), CALOPODINAE Costa, 1852 nom. protectum over SPAREDRIINAE Gistel, 1848 nom. oblitum (OEDEMERIDAE), ADESMIINI Lacordaire, 1859 nom. protectum over MACROPODINI Agasiz, 1846 nom. oblitum (TENEBRIONIDAE), BOLITOPHAGINI Kirby, 1837 nom. protectum over ELEDONINI Billberg, 1820 nom. oblitum (TENEBRIONIDAE), THROSCIDAE Laporte, 1840 nom. protectum over STEREOLIDAE Rafinesque, 1815 nom. oblitum (THROSCIDAE) and LOPHOCTERINI Crowson, 1964 over LYCOPTINI Casey, 1890 nom. oblitum (TROGOSITIDAE); *Monotoma* Herbst, 1799 nom. protectum over *Monotoma* Panzer, 1792 nom. oblitum (MONOTOMIDAE); *Pediacus* Shuckard, 1839 nom. protectum over *Biophloeus* Dejean, 1835 nom. oblitum (CUCUJIDAE), *Pachypus* Dejean, 1821 nom. protectum over *Pachypus* Billberg, 1820 nom. oblitum (SCARABAEIDAE), *Sparrmannia* Laporte, 1840 nom. protectum over *Leocaeta* Dejean, 1833 nom. oblitum and *Cephalotrichia* Hope, 1837 nom. oblitum (SCARABAEIDAE).

Keywords

Beetles, nomenclature, classification, world fauna, family-group names, type genera, stem

Zoological nomenclature affects the work of all zoologists, yet only a minuscule fraction of one percent of [the craziest] zoologists deal directly with problems associated with scientific names of animals (Bock 1994).

Introduction

The accurate use of scientific names in zoology is necessary to minimize nomenclatural instability and allow the maximal retrieval of scientific information from the ever increasing body of literature. Akin to other scientific names such as species- and genus-group names, family-group names are extremely important in the exchange of information about the world we live in. Rules about how to treat family-group names, as determined by the *International Commission on Zoological Nomenclature* [henceforth the Commission], have been an integral part of zoological nomenclature since the early 1900s (for a historical review of family-group names refer to Bock 1994).

The first family-group names based on the stem of their type genus appeared in zoological literature in the early 19th Century (see Sabrosky 1999). The first authors inconsistently used a variety of endings (–IDES, –ITES, –IDA, –I, –IDE, etc.) for suprageneric divisions at various levels. The ending –IDAE was apparently first suggested by Kirby (1813) as a characteristic ending for names at the rank of family. Although many ranks have been used in the past for suprageneric names, only the following suffixes are currently regulated by the *International Code of Zoological Nomenclature* [henceforth the Code] (ICZN 1999a): superfamily (–OIDEA), family (–IDAE), subfamily (–INAЕ), tribe (–INI) and subtribe (–INA).

The last twenty five years has seen an increase in the number of studies on family-group names of entire groups in zoology (e.g., Štys and Jansson 1988 for Hemiptera: Nepomorpha; Bock 1994 for Aves; McKenna and Bell 1997 for Mammalia; Ferraris and de Pinna 1999 for Pisces: Siluriformes; Sabrosky 1999 for Diptera; Engel and Krishna 2004 for Isoptera; Speidel and Naumann 2004 for Lepidoptera: NOCTUOIDEA; Bouchet and Rocroi 2005 for Gastropoda; Engel 2005 for Hymenoptera: APOIDEA; Engel and Haas 2007 for Dermaptera; Bouchet and Rocroi 2010 for Bivalvia). The contents (i.e., whether they include fossils or not) and presentation of the data (i.e., in a classification scheme, in chronological order or in alphabetic order) in those works vary greatly. The most extensive treatments of animal family-group names to date are those of Diptera (Sabrosky 1999) and Gastropoda (Bouchet and Rocroi 2005) which covered names based on approximately 2000 and 2400 distinct type genera respectively. Some of the reasons given by authors of these works for providing comprehensive lists of family-group names include avoiding the unnecessary proposal of new names, facilitating decisions on priority and promoting long-term stability of the classification. We believe that such catalogues are especially important as the number of studies

dealing with the higher relationships of major clades will continue to increase as new algorithms and data sets (e.g., molecular data) become available.

Given the importance of family-group names in the scientific literature, it is rather surprising that still many authors do not cite the author or year of publication of those names correctly, or at all. According to Recommendation 51A of the Code (ICZN 1999a) “The original author and date of a name should be cited at least once in each work dealing with the taxon denoted by that name.” In addition to satisfying Recommendation 51A of the Code, citation of authorities of scientific names can also have a positive impact on modern world taxonomists (Werner 2006; Agnarson and Kuntner 2007). Adding to further confusion and errors in the literature is the fact that the Principle of Coordination (Art. 36.1) is still overlooked by some authors.

Coleoptera are currently the most species-rich group of organisms on this planet with approximately 360 000 described species (Bouchard et al. 2009). The great morphological diversity of beetles has led to the proliferation of suprageneric taxa at various ranks. Latreille (1797) was apparently the first to introduce the concept of family-level taxa (see Bock 1994: 244) but it is only a few years later (Latreille 1802) that he proposed available names for these groupings, including several in the order Coleoptera. More recent evidence suggests that available family-group names in some groups of animals other than Coleoptera (e.g., Chordata: Sauropsida) appeared in the late 18th Century (see Dubois and Bour 2010), even earlier than in Latreille (1802).

The nomenclature of family-group names in Coleoptera did not receive much attention until the treatment of Geodephaga names by Madge (1989). Similar lists, based on rules from two different editions of the Code (ICZN 1985g, 1999a), have now been published in DYTISCIDAE (Nilsson et al. 1989), Staphyliniformia (Newton and Thayer 1992), CUCUJOIDEA (Pakaluk et al. 1994), CURCULIONOIDEA (Alonso-Zarazaga and Lyal 1999), BUPRESTOIDEA (Bellamy 2003, 2008a-d, 2009), TENEBRIONIDAE (Bouchard et al. 2005), SCARABAEOIDEA (Smith 2006) and CERAMBYCIDAE (Bousquet et al. 2009). Another important contribution was that of Lawrence and Newton (1995) which included a review of the nomenclature of all beetle family-group names for the rank of subfamily and above.

The vast body of scientific literature dealing with beetles has been a deterrent to producing a complete review of all Coleoptera family-group names in the past. This publication was only made possible by the collaboration of several coleopterists.

The specific objectives of this study are to: 1) establish the first comprehensive list of all Coleoptera family-group names with information on type genus, author(s), year of publication and complete bibliographical references; 2) assess the availability and validity of each name using rules laid out in the most recent *Code of Zoological Nomenclature* (ICZN 1999a), 3) summarize Priority and Homonymy problems with currently used names and, 4) propose or implement solutions to these problems in order to promote stability. We include family-group names that were published on or before December 31, 2010.

This publication should be seen as the starting point of what could eventually serve as the basis for a submission of Part of a *List of Available names in Zoology* (Art. 79).

With this goal in mind, we ask all coleopterists to either send us, or to publish, corrections or differences of opinions in the months and years to come. It is our intention to update our list of family-group names as new data are published and to provide a second edition of this work in approximately five years.

Methods

Criteria of availability

Decisions about the availability and validity of each Coleoptera family-group name in our catalogue were made following the process outline in Figure 1. First we established whether the name was available or unavailable based on the criteria of availability summarized below. If a name first proposed on a particular type genus was determined to be unavailable then searches were conducted to establish if a family-group name based on the same type genus was made available subsequently. If so then this available name was entered in our catalogue. From the pool of available names, we removed those that are permanently invalid (Art. 39). All the remaining available names were then separated into those that are valid based on the classification used here (at any rank from subtribe to superfamily) and those that are invalid (i.e., synonyms).

In order to be available, a family-group name proposed before 1931 must to be a scientific name (i.e., in latinized form) in the nominative plural based on the stem of an available genus name then used as valid in the new suprageneric taxon (Art. 11.7).




Figure 1. Overview of the process used to determine the availability and validity of family-group names in Coleoptera (modified from Bouchet and Rocroi 2005). The number of names for each category is given in parentheses.

In addition to the criteria of availability mentioned above, new family-group names proposed between 1931 and 1999 had to be described in words, or be associated with a bibliographic reference to such a description, in order to be considered available (Arts 13, 15). In works published after 1930 which contained more than one use of a new family-group name, we selected a page where a description was clearly associated with the new taxon for the catalogue. It should be noted that replacement names proposed in that time period are available without description (Art. 13.1.3). Additionally, “a family-group name first published after 1930 and before 1961 which does not satisfy the provisions of Article 13.1 is available from its original publication only if it was used as valid before 2000, and also was not rejected by an author who, after 1960 and before 2000, expressly applied Article 13 of the then current editions of the Code” (Art. 13.2.1). Names proposed between 1931 and 1960 can also be considered available if the description of the new family-group name and a single new genus-group name is combined (Art. 13.5). Finally, family-group names proposed since 2000 have to be explicitly indicated as new and the name of the type genus has to be clearly cited in order to be available (Art. 16). Based on our interpretation of Article 16.2, any new family-group name proposed after 1999 in a paper in which the name of the type genus is clearly cited in connection with it (although maybe not explicitly with a formula such as “Type genus = *Aus* Doe, 2010”) is available.

One of the most difficult tasks while working on this review was to decide on the most consistent and objective way to apply Article 11.7.2, which deals with the availability of names that were originally proposed in a vernacular form. Vernacular names are generally not treated as scientific names in zoological nomenclature (see Recommendation 11A). However, the International Commission on Zoological Nomenclature has made a single, but rather restricted, exception that applies to family-group names. According to the Code, a vernacular name “...is available with its original author and date only if it has been latinized by later authors and has been generally accepted as valid by authors interested in the group concerned and as dating from that first publication in vernacular form” (Art. 11.7.2).

We have interpreted names proposed in the following languages to be vernacular: all German names with the suffix “-EN”, all Spanish names with the suffix “-OS” or “-AS” and all French names with the suffix “-IENS”. The most important issue was to determine the correct status of names originally proposed with the suffix “-ES.” We have used the principle that all family-group names proposed by non-French writers with the suffix “-ES” were in fact latinized names with an ending that differs from those regulated by the Commission (these are mostly older names proposed before rules of zoological nomenclature became well-established). For each name with the suffix “-ES” first proposed by French workers (e.g., Latreille, Lacordaire, Lameere) we went through the entire work containing those names and established if these authors consistently used either vernacular or latinized names in their work. French vernacular names often have accents in them (“é” or “è”) while latinized names do not. We have found that determining whether an author used vernacular or latinized names in a particular work was fairly straightforward (Bousquet et al. 2009). Latreille proposed

new family-group names with the suffix “-es” in several of his works. We noticed that he most often used both the vernacular (listed first, with accents when required by French language) and latinized (listed second, always in italics) forms of each name together in the same heading. We have listed the latinized form of the name in each of those cases.

As in Bousquet et al. (2009), we have interpreted the requirements listed in Art. 11.7.2. as three separate conditions to be met. For each vernacular name we determined if it had 1) been subsequently latinized, 2) been generally accepted as valid by authors interested in the group and 3) been attributed to the author and date of original publication. Failure to fulfil any of the requirements resulted in the treatment of that name as unavailable. In those cases, we provide a comment explaining why this taxon was treated as unavailable (e.g., “original vernacular name unavailable (Art. 11.7.2): not subsequently latinized”). Many recent authors have treated family-group names first proposed in vernacular form as available if they were latinized by later authors but we do not believe that this practice is in line with the requirements of the Code. We have accepted as available all vernacular names published before 1900 that have subsequently been used in latinized form, while being used as valid, and credited to the publication in their vernacular form. For every vernacular name that meets the requirement of availability, we have added a comment in the format of the following example “original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 240, as MERACANTHINI), generally accepted as in Gebien (1911: 567, as MERACANTHINAE)”.

Formation and treatment of family-group names

Article 29.2 includes a list of suffixes to be used for groups at the superfamily (-OIDEA), family (-IDAE), subfamily (-INA), tribe (-INI) and subtribe (-INA) names. The suffix of other categories is not regulated by the Code. The rank of supertribe (-ITAE) was used here for a small number of groups in which recent changes in classification required an additional rank between subfamily and tribe (e.g., STAPHYLINOIDEA).

The correct spelling of family-group names depends on the stem of its type genus (Art. 29.3). As pointed out by Newton and Thayer (1992) the family-group name stems of most generic names that can be regarded as Latin nouns are determined easily by dropping the following nominative case ending -us, -um, -es and -a. Examples of such straightforward case in Coleoptera include CARABIDAE (type genus *Carabus*), ADELIINI (type genus *Adelium*), TRECHODINA (type genus *Trechodes*) and ANTHIINI (type genus *Anthia*). A summary of other commonly encountered generic endings, along with their corresponding stems, is given in Table 1. Note that generic names ending with -gaster (Greek for stomach) can have either -gaster- or -gastr- as their correct stem and therefore we have accepted the stem formation of the first author of the family-group name based on such genera as correct. Stems were reviewed for all type genera included in our catalogue.

Table 1. List of common Coleoptera generic suffixes with their associated family-group name endings (based partly on Bouchet and Rocroi 2005, with additions by YB, AFN, MAAZ and M. K. Thayer).

Generic ending	Meaning	Derived family-group name ending	Type genus example	Family-group name example
<i>-apion</i>	pear (Greek)	<i>-API-</i>	<i>Aspidapion</i>	ASPIDAPIINA
<i>-arthron</i>	joint (Greek)	<i>-ARTHR-</i>	<i>Decarthron</i>	DECARTHIRINA
<i>-aspis</i>	shield (Greek)	<i>-ASPID-</i>	<i>Anaspis</i>	ANASPIDINAE
<i>-baris</i>	flat-bottomed boat (Greek)	<i>-BARID-</i>	<i>Baris</i>	BARIDINI
<i>-chlamys</i>	mantle (Greek)	<i>-CLAMYD-</i>	<i>Spodochlamys</i>	SPODOCHLAMYDINI
<i>-celis</i>	spot (Greek)	<i>-CELID-</i>	<i>Xiphoscelis</i>	XIPHOSCELIDINI
<i>-ceras</i>	horn (Greek)	<i>-CERAT-</i>	<i>Megaceras</i>	MEGACERATINI
<i>-cnema</i>	shin or tibia (Greek)	<i>-CNEM-</i>	<i>Pachycnema</i>	PACHYCNEMINA
<i>-cupes</i>	dainty (Latin)	<i>-CUPED-</i>	<i>Cupes</i>	CUPEDIDAE
<i>-dacne</i>	bite (Greek)	<i>-DACN-</i>	<i>Dacne</i>	DACNINI
<i>-deres</i>	neck, throat (Greek)	<i>-DER-</i>	<i>Aglycyderes</i>	AGLYCYDERINI
<i>-derma</i>	skin (Greek)	<i>-DERMAT-</i>	<i>Cryptoderma</i>	CRYPTODERMATINAE
<i>-dytes</i>	diver (Greek)	<i>-DYT-</i>	<i>Aspidytes</i>	ASPIDYTIDAE
<i>-genys</i>	jaw (Greek)	<i>-GENY-</i>	<i>Chaetogenys</i>	CHAETOGENYINI
<i>-hospes</i>	guest (Latin)	<i>-HOSPIT-</i>	<i>Termitohospes</i>	TERMITOHOSPITINI
<i>-ides</i>	similar to, derived from (Greek)	<i>-ID-</i>	<i>Anaides</i>	ANайдINAE
<i>-ifer</i>	carrier of (Latin)	<i>-IFER-</i>	<i>Undulifer</i>	UNDULIFERINA
<i>-iger</i>	carrier of (Latin)	<i>-IGER-</i>	<i>Apoderiger</i>	APODERIGERINA
<i>-ites</i>	like (Latin, Greek)	<i>-IT-</i>	<i>Aegialites</i>	AEGIALITINAE
<i>-loma</i>	edge or fringe (Greek)	<i>-LOMAT-</i>	<i>Discoloma</i>	DISCOLOMATINAE
<i>-macer</i>	thin (Latin)	<i>-MACR-</i>	<i>Rhynchitomacer</i>	RHYNCHITOMACRINI
<i>-mycter</i>	nose (Greek)	<i>-MYCTER-</i>	<i>Eurymycter</i>	EURYMYCTERINI
<i>-odes</i>	similar to (Greek)	<i>-OD-</i>	<i>Agyrtodes</i>	AGYRTODINI
<i>-odon</i>	tooth (Greek)	<i>-ODONT-</i>	<i>Pentodon</i>	PENTODONTINI
<i>-oides</i>	like (Greek)	<i>-OID-</i>	<i>Acmaeoderoides</i>	ACMAEODEROIDINA
<i>-omma</i>	eye (Greek)	<i>-OMMAT-</i>	<i>Omma</i>	OMMATIDAE
<i>-onyx</i>	yellow gem stone (Greek)	<i>-ONYCH-</i>	<i>Trichonyx</i>	TRICHONYCHINI
<i>-ops</i>	eye (Greek)	<i>-OP-</i>	<i>Achaenops</i>	ACHAENOPINA
<i>-opsis</i>	appearance (Greek)	<i>-OPSE-</i>	<i>Brachyceropsis</i>	BRACHYCEROPSEINI
<i>-otes</i>	quality, nature (Greek)	<i>-OT-</i>	<i>Agriotes</i>	AGRIOTINI
<i>-pholis</i>	horny scale (Greek)	<i>-PHOLID-</i>	<i>Trachypholis</i>	TRACHYPHOLIDINI
<i>-pteryx</i>	wing (Greek)	<i>-PTERYG-</i>	<i>Trichopteryx</i>	TRICHOPTERYGINI
<i>-pus</i>	foot (Greek)	<i>-POD-</i>	<i>Baripus</i>	BARIPODINA
<i>-rhinus</i>	snout (Greek)	<i>-RHIN-</i>	<i>Platyrhinus</i>	PLATYRHININI
<i>-rhynchos</i>	snout (Greek)	<i>-RHYNCH-</i>	<i>Doydirhynchus</i>	DOYDIRHYNCHINI
<i>-rhipis</i>	fan (Greek)	<i>-RHIPID-</i>	<i>Xenorhipis</i>	XENORHIPIDINI
<i>-soma</i>	body (Greek)	<i>-SOMAT-</i>	<i>Platysoma</i>	PLATYSOMATINI
<i>-stoma</i>	mouth (Greek)	<i>-STOMAT-</i>	<i>Stenostoma</i>	STENOSTOMATINI
<i>-teles</i>	perfect (Greek)	<i>-TEL-</i>	<i>Abroteles</i>	ABROTELINA
<i>-termes</i>	wood-worm (Latin)	<i>-TERMIT-</i>	<i>Philotermes</i>	PHILOTERMITINI
<i>-thorax</i>	chest (Greek)	<i>-THORAC-</i>	<i>Mecyclothorax</i>	MECYCLOTHORACINI
<i>-trox</i>	gnawer (Greek)	<i>-TROG-</i>	<i>Trox</i>	TROGIDAE
<i>-trupes</i>	borer (Greek)	<i>-TRUP-</i>	<i>Ceratotrupes</i>	CERATOTRUPINI
<i>-typus</i>	shape (Greek)	<i>-TYP-</i>	<i>Amarotypus</i>	AMAROTYPINI

It should be noted that if a family-group name was not formed in accordance with Art. 29.3 but its original spelling is in prevailing usage then the current spelling is to be maintained (Art. 29.5). We have conserved the spelling of several family-group names currently used as valid however we did not do so for names that are listed as synonyms. For names based on incorrect stems proposed after 1999, we have considered that prevailing usage cannot be used to conserve the original spellings because too few references using these names could be found. We have therefore corrected the stems of such names unless the name of the type genus was an arbitrary combination of letters (Art. 29.4).

As stated in Art. 35.4.1 “A family-group name based upon an unjustified emendation ... or an incorrect spelling of the name of the type genus must be corrected, unless it is preserved under Article 29.5 or unless the spelling of the genus-group name used to form the family-group name is preserved under Articles 33.2.3.1 or 33.3.1.” When an unjustified emendation or an incorrect subsequent spelling of the type genus is in prevailing usage and is attributed to the original author and date (Art. 33.2.3.1; 33.3.1), the correct spelling of the type genus is that in current usage.

In the glossary of the Code, a name in prevailing usage is defined as a “name which is adopted by at least a substantial majority of the most recent authors concerned with the relevant taxon, irrespective of how long ago their work was published”. The unfortunate subjectivity in this definition, as pointed out by Ferraris (2000), left us with no choice but determine prevailing usage in an *ad hoc* fashion throughout.

Principle of Coordination

The Principle of Coordination (Art. 36.1) is, unfortunately, still overlooked by some authors. In some instances authors who propose new ranks for previously established suprageneric names are sometimes treated as the author of those names when in fact only a change of rank was presented. Based on the Code “A name established at any rank in the family-group is deemed to have been simultaneously established for nominal taxa at all ranks in the family-group; all these taxa have the same type genus, and their names are formed from the stem of the name of the type genus [Art. 29.3] with appropriate change of suffix [Art. 34.1]. The name has the same authorship and date at every rank.”

Principle of Priority

As for species- and genus-group names, the oldest available name for a family-group taxon should be considered as valid (Art. 23). However four important exceptions need further discussion. Firstly, when a little-known family-group name was discovered to be older than a name currently used as valid for a particular taxon, we used the Reversal of Precedence to conserve usage of the younger name if the conditions of

Art. 23.9.2 could be fulfilled. Younger names conserved using Reversal of Precedence are listed in Appendix 1. In some instances we could not fulfill all conditions of Art. 23.9.2 although we considered that using the newly discovered older name as valid would threaten stability or cause confusion. In those cases we maintained usage of the younger name as valid and either submitted an application to the Commission to conserve the younger name or made a recommendation that such submission should be submitted in the near future (Art. 23.9.3).

According to Art. 35.5 “If after 1999 a name in use for a family-group taxon (e.g., for a subfamily) is found to be older than a name in prevailing usage for a taxon at higher rank in the same family-group taxon (e.g., for the family within which the older name is the name of a subfamily) the older name is not to displace the younger name.” Indeed, we encountered a small number of cases in which the replacement of a name at the higher rank (e.g., LYMEXYLOIDEA Fleming, 1821) by the discovery of an older name for a taxon at a lower rank (e.g., HYLECOETOIDEA Germar, 1818) would not have served the stability of well-established names. In such cases usage of the younger name at the higher rank was conserved.

In cases where a family-group name was replaced before 1961 because of the synonymy of its type genus (e.g., LEPICERIDAE Hinton, 1936 instead of CYATHOCERIDAE Sharp, 1882), the substitute name is to be maintained if it is in prevailing usage (Art. 40.2). In such cases, the valid family-group name retains its own author but takes the priority of the replaced name. Based on Recommendation 40A, we have cited those names with their original author and date, followed by the date of its priority enclosed in parentheses, as determined by Art. 40.2.1 (e.g., LEPICERIDAE Hinton, 1936 (1882)).

Lastly, if the stability and continuity of the meaning of a family-group name is threatened by the discovery that the type genus was originally misidentified, or that the type genus was based on a misidentified type species, or that an older type species of the type genus had been overlooked, then the case is to be referred to the Commission for a ruling (Art. 65.2.1). In cases where the oldest available name for a family-group taxon is based on misidentified type genus, or an altered concept of the type genus (e.g., see SCYDMAENINI Reitter, 1882), we have preferred to consider this name as invalid and to use instead the family-group name which is in prevailing usage (e.g., CYRTOSCYDMINI L. W. Schaufuss, 1889) until an application is submitted and a ruling is rendered by the Commission.

A list of problem cases based on the Principle of Priority, with comments on implementation of solutions or necessary actions to be taken in the future, is given in Appendix 2.

Principle of Homonymy

Based on the Principle of Homonymy “when two or more names are homonyms, only the senior, as determined by the Principle of Priority..., may be used as the valid

name..." (Art. 55.2). Here we report several instances in which family-group names in Coleoptera are identical to other family-group names in zoological nomenclature. These names are either based on identical type genera or on type genera that are similar but not identical. In the first instance the family-group name based on the preoccupied type genus is permanently invalid (Art. 39) but available.

When family-group names are homonyms because their type genera are similar but not identical, the case must be referred to the Commission for a ruling to remove homonymy (Art. 55.3.1). Such is the case with ADELIINI Kirby, 1825 (type genus *Ade- lium* Kirby, 1819) and the hymenopteran name ADELIINI Viereck, 1918 (type genus *Adelius* Haliday, 1833) which are both correctly formed from the stem of their type genus. More than thirty such cases were encountered during our research on Coleoptera family-group names.

Junior homonyms conserved using Reversal of Precedence are listed in Appendix 1. A list of problem cases based on the Principle of Homonymy, with comments on implementation of solutions or necessary actions to be taken in the future, is given in Appendix 3.

Submissions to the Commission

As mentioned above, we have encountered several cases which require an application to the Commission because of problems with priority and/or homonymy. Some of these cases have been submitted recently (Engel and Bouchard 2009, Bousquet et al. 2010, Bousquet and Bouchard 2010) and others will be submitted in the near future (see summary in Appendices 2 and 3). However, it is not our intention to submit applications for all cases. Since we intend to submit this work as Part of the *List of Available Names in Zoology* in approximately five years, we hope the coleopterist community will take this opportunity to submit applications to the Commission in order to resolve some of the remaining problems outlined here.

Bibliographic notes

Von Hayek (1973: 282, 290) and Stibick (1979: 157) reported that the important works on ELATERIDAE classification by Candèze (1857) and Lacordaire (1857) were published in May and June of 1857 respectively. Since then, when the same new name appeared in both of these works, Candèze's names have been given priority over Lacordaire's. We have discovered that Lacordaire's work was in fact published before 25 May 1857 (as recorded by the Académie des Sciences de France) which would make the names in his work the oldest based on strict adherence to the Code (Art. 21.3). In order to avoid unnecessary changes in authorship in the future and maintain prevailing usage, we have opted to continue attributing elaterid family-group names to Candèze, 1857.

Authorship of the three volumes on Coleoptera of the series *Encyclopédie d'histoire naturelle* is debated. The title pages on the volumes list Jean Charles Chenu as the author of the *Encyclopédie d'histoire naturelle* with the assistance of Eugène Desmarest for the Coleoptera section. However, the Société Entomologique de France recorded the livraisons received for 1851 in their *Bulletin* (p. cxxv) as “*Encyclopédie d'histoire naturelle, ou traité complet de cette science, sous la direction de M. le docteur Chenu. Coléoptères, par M.E. Desmarest.*” This was likely the title on the wrapper and clearly suggests that Desmarest was responsible alone for the three volume series on Coleoptera. This is also substantiated by Desmarest himself who in the *Bulletin de la Société Entomologique de France* for 1860 (p. lxiii) speaks of the three volumes series as being his work, published under the direction of Chenu. Based on the above fact, we credit the three-volume series to Desmarest alone (Desmarest 1851, 1857, 1860).

The articles presented by Mulsant (and Rey) in the “Opuscules Entomologiques” are considered here to be reprints (as a compilation) of original publications in various Annales, mostly printed at Lyon, for the following reasons: In the dedication to the first volume Mulsant wrote “ces Opuscules, publiés déjà ça et là dans nos Recueils académiques”. The dates of the dedications in the Opuscules are always later than the dates on which they were presented to the various Sociétés, frequently in the following year. Although published at Paris, the Opuscules (see verso of title pages) were printed at Lyon by F. Dumoulin and others, the same printers which published the *Mémoires de l'Académie... des Sciences, Belles-Lettres et Arts de Lyon*, etc. Rey himself, in later publications such as the continuation of the “Histoire Naturelle des Coléoptères de France” (e.g., *Annales de la Société Linnéenne de Lyon* (N. S.) 32[1885]: 1–186 + [4], pls. 1–2 [see p. 106]) cited the *Annales de la Société Linnéenne de Lyon* article before the *Opuscules* version. E. A. Fitch (1881: 46–47), in his obituary of Mulsant, indicated that both the *Histoire Naturelle des Coléoptères de France* and the *Opuscules Entomologiques* «appeared originally... in the Annals» and «later republished in separate form at Paris». These concepts were reiterated by Tottenham (1949: 352). Marseul (1882: 20) wrote, “Tous les ouvrages de Mulsant, sauf quelques-uns, ont été publiés dans les Annales des trois sociétés... et l'Académie des Sciences. Tous ont été reproduits séparément soit dans l'*Histoire Naturelle des Coléoptères et des Punaises de France*, soit dans les *Opuscules*.»

However, the first fascicles of the *Histoire Naturelle* series up to the “*Pectinipèdes*” were not reprinted in journals. It seems that most of the succeeding fascicles were submitted to the various Sociétés, were printed by Dumoulin, Barret, Pinier, etc. at Lyon, the dedications were then added and they were sent to Paris for separate publication with the same typesetting, and with changes only to the pagination and some titles. Since the issuing of the journal volumes was frequently delayed by the compilation of many papers (usually in the following year), the separate edition often appeared first, as shown by records of other journals and, in particular, the *Bibliographie de la France*. Therefore we have given date priority to the *Histoire Naturelle* versions in most instances, only those page numbers are cited with the scientific names in the catalogue unless evidence was found to the contrary, and the alternate versions are cited only in the bibliography, following each reference.

Format of the catalogue and conventions used

This paper is organized into two main parts: 1) a synoptic classification containing only the names which we consider as valid herein and 2) a catalogue of all family-group names organized in the same order as in the synoptic classification. It should be noted that our publication is first and foremost a nomenclatural treatment of family-group names. We want to emphasize that the classification used here is not based on newly generated phylogenetic data. Furthermore, we do not necessarily endorse all parts of the classification presented, particularly those which were not based on phylogenetic approaches. For the most part, we follow currently accepted concepts in recent taxon-specific catalogues as well as comprehensive syntheses such as the *Handbook of Zoology* (Beutel and Leschen 2005, Leschen et al. 2010), *American Beetles* (Arnett and Thomas 2000; Arnett et al. 2002) and the *Catalogue of Palaearctic Coleoptera* (Löbl and Smetana 2003, 2004, 2006, 2007, 2008, 2010). Although we recognize that the classification we use will likely become outdated in the near future, we believe that this is the best way to present the assembled data.

Only family-group names that are based on genera are included in our catalogue. For each family-group name the original spelling, author, year of publication, page number, correct stem and type genus are given. Complete data and comments regarding a particular family-group name are presented with the lowest-rank name when the same stem is used in more than one rank, since the same criteria apply in accordance with the Principle of Coordination (Art. 36.1). The correct stem to be used, which is given in square brackets (e.g., [stem: *Uralocole-*]), is especially important for synonyms, since the status of a name may be changed from synonym to valid in the future. Subsequent alternative spellings of family-group names (i.e., simple changes in suffix depending on change in rank) are not given here. Both available and unavailable names are listed together in the catalogue in order to enhance information retrieval. Unavailable names are preceded by an asterisk “*” and are identified as such in the “Comments” section along with the reason for this status. As is common practice in publications of the International Commission on Zoological Nomenclature, we use small capital letters for family-group names. Names in the catalogue are organized in a “phylogenetic” framework, as accepted in recent publications on the group, down to subfamily level. Valid tribes and subtribes are listed in alphabetical order within each subfamily. Synonyms are listed in chronological order under each valid taxon.

Known works of Johannes Gistel (who also published under the name Johannes Gistl and as G. Tilesius; see Evenhuis 1997a) were included in this paper. Although Gistel's works were largely ignored by contemporaries (e.g., Gemminger and Harold 1868a) and continue to be ignored by some workers (e.g., Cate 2007) they are nevertheless broadly available and represent a significant contribution to the nomenclature of family-group and genus-group names in Coleoptera. In order to promote stability, some names proposed for the first time by Gistel (but ignored until now) that threaten names in current usage are treated here as *nomina obliterata* (when conditions of Art. 23.9 could be met) or are subject to appeals to the Commission. According to the glossary

of the Code, a *nomen oblitum* is a “Latin term applied after 1 January 2000 to a name, unused since 1899, which as a result of an action taken under Article 23.9.2 does not take precedence over a younger synonym or homonym in prevailing usage. The term *nomen oblitum* was also applied to a disused senior synonym rejected between 6 November 1961 and 1 January 1973 under Art. 23b of the Code editions then in force (see Art. 23.12.2). *Nomina oblita* are available names; see Articles 23.9 and 23.12 for conditions controlling their use as valid names.”

Because of the importance of the Principle of Priority, we have tried to find the most accurate date of publication (given in square brackets in the References section) for works cited in the manuscript. The date of publication was determined either from the original publication itself, from the date of “stamps” when received in libraries of natural history institutions or from secondary literature sources. A list of natural history institutions and secondary literature sources is given at the beginning of the References section. Data on dates of publication were provided by AFN, PB, AED, MAAZ, CHCL, ABTS and YB. References for type genera are not included here to conserve space and because they are for the most part available in other recent publications (e.g., Löbl and Smetana 2003, 2004, 2006, 2007, 2008, 2010).

Names on the *Official List of Family-Group Names in Zoology* and type genera on the *Official List of Generic Names in Zoology* are included in our catalogue and are summarized in Appendix 4 and 5 respectively. Cases involving family-group names and/or their type genera that are awaiting a ruling by the Commission are summarized in Appendix 6.




Figure 2. Number of family-group names proposed in Coleoptera by decade. White bars = available names. Black bars = unavailable names.

Results

Number of family-group names

A total of 4887 family-group names are included in our catalogue (see Figure 1). Of the names recorded, 4492 are available, of which 183 are permanently invalid because they are based on a preoccupied type genus or a genus which has been suppressed by the Commission. The majority of names were proposed in the suborder Polyphaga (4314) followed by Adephaga (531), Myxophaga (16), Archostemata (17) and Protocoleoptera (9). Within Adephaga the family CARABIDAE contains the highest number of names by far (441) followed by DYTISCIDAE (47). The five superfamilies with the highest number of names in POLYPHAGA are the CURCULIONOIDEA (862), CHRYSOMELOIDEA (794), STAPHYLINOIDEA (594), TENEBRIONOIDEA (579) and SCARABAEOIDEA (436). Overall, the five families with the highest number of family-group names proposed are CURCULIONIDAE (555), STAPHYLINIDAE (493), CERAMBYCIDAE (468), CARABIDAE (441) and TENEBRIONIDAE (323).

The number of Coleoptera family-group names that appeared in the 19th and 20th Centuries are almost identical (2331 and 2556 respectively) while the last decade saw an increase of 5% (246 names) in the total number of names in the literature (Figure 2). A large number of names proposed in the middle of the 19th Century are unavailable. Those names were generally proposed in vernacular form and were not made available subsequently (Art. 11.7.2). Unavailable names proposed after 1930 generally lacked a description or bibliographic reference to such a description (Arts 13, 15). Several names proposed in the last decade were either not explicitly introduced as new taxa or did not include necessary information about the type genus and are therefore unavailable (Art. 16).

Significant contributions

A summary of the most significant contributions, in terms of the total number of names proposed by author, is shown in Table 2. Eighteen authors proposed 50 or more family-group names in Coleoptera. Lacordaire was the most prolific with 353 new names. Although the majority of Lacordaire's names were proposed in vernacular form, a large proportion of them (90%) were subsequently made available and many are used as valid today.

The authors with the lowest percentage of available family-group names (Mulsant, Chapuis, Rey and Blanchard) originally proposed their names in vernacular form and a significant proportion of those names were not made available subsequently. All names proposed by LeConte, Reitter, Casey, Horn, Legalov, C. G. Thomson and Laporte are considered available.

Thirteen of the authors in Table 2 were active exclusively during the 19th Century while two authors, Reitter and Casey, published their works containing new family-

group names in both the 19th and 20th Centuries. Two authors published family-group names exclusively during the 20th Century (Jeannel and Voss). Legalov is our only contemporary colleague in this list; he proposed more than 50 new family-group names in the last decade. It should be noted that the recent proliferation of new scientific names proposed by Legalov is treated by some authors as “extreme splitting” (Riedel 2006) and “based on numerous spurious characters of doubtful phylogenetic value” (Oberprieler et al. 2007).

The broad taxonomic interests and expertise of Lacordaire, Gistel, LeConte, Mulsant, Latreille and C. G. Thomson are exemplified by the fact that they introduced new family-group names in 25 or more families. This was done either in catalogues (e.g., Gistel, C. G. Thomson) and/or in large scale taxonomic treatments (e.g., Lacordaire, LeConte, Latreille, Mulsant). On the other hand, the taxonomic expertise of J. Thomson, Chapuis, Jeannel, Voss, Burmeister and Legalov is much more targeted towards a small number of families (fewer than 10).

Table 2. Summary of number of family-group names in Coleoptera by author. Only authors that have proposed fifty or more names are included. Authors listed in decreasing order by total number of names proposed. For each author we give the total number of name proposed, the percentage of those names that are available, the range of years in which those names were proposed and the number of families in which they proposed new family-group names in.

Rank	Author	Country of origin	Total family-group names	Percent available	Publication (year range)	Number of families
1	Lacordaire, Jean Théodore	France	353	90	1848–1872	34
2	Gistel, Johannes von Nepomuk Franz Xaver	Germany	135	99	1848–1856	42
3	LeConte, John Lawrence	USA	131	100	1847–1883	45
4	Thomson, James	USA	124	99	1857–1877	6
5	Mulsant, Étienne	France	122	76	1839–1880	25
6	Chapuis, Félicien	France	120	72	1869–1876	7
7	Jeannel, René	France	109	99	1910–1967	6
8	Reitter, Edmund	Germany	87	100	1875–1926	24
9	Legalov, Andrei Aleksandrovich	Russia	73	100	2001–2009	9
10	Voss, Eduard	Germany	66	97	1922–1972	6
11	Burmeister, Hermann Carl Conrad	Germany	66	98	1840–1873	2
12	Casey, Thomas Lincoln	USA	64	100	1884–1922	14
13	Horn, George Henry	USA	63	100	1867–1893	20
14	Latreille, Pierre André	France	62	98	1802–1834	30
15	Rey, Claudius	France	57	53	1853–1886	12
16	Thomson, Carl Gustaf	Sweden	55	100	1857–1867	27
17	Blanchard, Charles Émile	France	55	71	1845–1853	20
18	Laporte, François Louis Nompar de Caumont (Comte Castelnau)	France	51	100	1834–1840	21

New nomenclatural acts

The following synonymies are recorded here for the first time: AGRONOMINA Gistel, 1848 syn. nov. of AMARINA Zimmermann, 1832 (CARABIDAE), HYLEPNIGALIONI Gistel, 1856 syn. nov. of MELANDRYINI Leach, 1815 (MELANDRYIDAE), POLYCYSTOPHORIDAE Gistel, 1856 syn. nov. of MALACHIINAE Fleming, 1821 (MELYRIDAE), SCLERASTEINAE Gistel, 1856 syn. nov. of PTILININAE Shuckard, 1839 (PTINIDAE), PHLOEONOMINI Ádám, 2001 syn. nov. of OMALITINI MacLeay, 1825 (STAPHYLINIDAE), SEPEDOPHILINI Ádám, 2001 syn. nov. of TACHYPORINI MacLeay, 1825 (STAPHYLINIDAE), PHIBALINI Gistel, 1856 syn. nov. of CTENIOPODINI Solier, 1835 (TENEBRIONIDAE); *Agronoma* Gistel 1848 (type species *Carabus familiaris* Duftschmid, 1812, designated herein) syn. nov. of *Amara* Bonelli, 1810 (CARABIDAE), *Hylepnigalio* Gistel, 1856 (type species *Chrysomela caraboides* Linnaeus, 1760, by monotypy) syn. nov. of *Melandrya* Fabricius, 1801 (MELANDRYIDAE), *Polycystophorus* Gistel, 1856 (type species *Cantharis aeneus* Linnaeus, 1758, designated herein) syn. nov. of *Malachius* Fabricius, 1775 (MELYRIDAE), *Sclerastes* Gistel, 1856 (type species *Ptilinus costatus* Gyllenhal, 1827, designated herein) syn. nov. of *Ptilinus* Geoffroy, 1762 (PTINIDAE), *Paniscus* Gistel, 1848 (type species *Scarabaeus fasciatus* Linnaeus, 1758, designated herein) syn. nov. of *Trichius* Fabricius, 1775 (SCARABAEDAE), *Phibalus* Gistel, 1856 (type species *Chrysomela pubescens* Linnaeus, 1758, by monotypy) syn. nov. of *Omophlus* Dejean, 1834 (TENEBRIONIDAE). The following replacement name is used here for the first time: GOMPELIINA Bouchard, 2011 nom. nov. for OLTELINA Bágueda Corella, 1948 (ADERIDAE).

Reversal of Precedence (Article 23.9) is used to conserve usage of the following names (family-group names followed by genus-group names): PERIGONINI Horn, 1881 nom. protectum over TRECHICINI Bates, 1873 nom. oblitum (CARABIDAE), ANISODACTYLINA Lacordaire, 1854 nom. protectum over EURYTRICHINA LeConte, 1848 nom. oblitum (CARABIDAE), SMICRONYCHINI Seidlitz, 1891 nom. protectum over DESMORINI LeConte, 1876 nom. oblitum (CURCULIONIDAE), BAGOINAE Thomson, 1859 nom. protectum over LYPRINAE Gistel 1848 nom. oblitum (CURCULIONIDAE), ATERPINA Lacordaire, 1863 nom. protectum over HELIOMENINA Gistel, 1848 nom. oblitum (CURCULIONIDAE), NAUPACTINI Gistel, 1848 nom. protectum over IPHIINI Schönherr, 1823 nom. oblitum (CURCULIONIDAE), CLEONINI Schönherr, 1826 nom. protectum over GEOMORINI Schönherr, 1823 nom. oblitum (CURCULIONIDAE), MAGDALIDINI Pascoe, 1870 nom. protectum over SCARDAMYCTINI Gistel, 1848 nom. oblitum (CURCULIONIDAE), AGRYPNINAE/-INI Candèze, 1857 nom. protecta over ADELOCERINAE/-INI Gistel, 1848 nom. oblita and PANGAURINAE/-INI Gistel, 1856 nom. oblita (ELATERIDAE), PROSTERNINI Gistel, 1856 nom. protectum over DIACANTHINI Gistel, 1848 nom. oblitum (ELATERIDAE), CALOPODINAE Costa, 1852 nom. protectum over SPAREDINAE Gistel, 1848 nom. oblitum (OEDEMERIDAE), ADESMIINI Lacordaire, 1859 nom. protectum over MACROPODINI Agassiz, 1846 nom. oblitum (TENEBRIONIDAE), BOLITOPHAGINI Kirby, 1837 nom. protectum over ELEDONINI Billberg, 1820 nom. oblitum (TENEBRIONIDAE), THROSCIDAE Laporte, 1840 nom. protectum over STEREOLOIDAE Rafinesque, 1815 nom. oblitum (THROSCIDAE) and LOPHO-

CATERINI Crowson, 1964 over LYCOPTINI Casey, 1890 nom. oblitum (TROGOSITIDAE); *Monotoma* Herbst, 1799 nom. protectum over *Monotoma* Panzer, 1792 nom. oblitum (MONOTOMIDAE); *Pediacus* Shuckard, 1839 nom. protectum over *Biophloeus* Dejean, 1835 nom. oblitum (CUCUJIDAE), *Pachypus* Dejean, 1821 nom. protectum over *Pachypus* Billberg, 1820 nom. oblitum (SCARABAEIDAE), *Sparrmannia* Laporte, 1840 nom. protectum over *Leocaeta* Dejean, 1833 nom. oblitum and *Cephalotrichia* Hope, 1837 nom. oblitum (SCARABAEIDAE).

Synoptic classification of the world Coleoptera

Order COLEOPTERA

†Suborder PROTOCOLEOPTERA

†Superfamily TSHEKAROCOLEOIDEA Rohdendorf, 1944

†Family TSHEKAROCOLEIDAE Rohdendorf, 1944

†Family LABRADOROCOLEIDAE Ponomarenko, 1969

†Family OBOROCOLEIDAE Kukalová, 1969

†Superfamily PERMOCUPEDOIDEA Martynov, 1933

†Family PERMOCUPEDIDAE Martynov, 1933

†Family TALDYCUPEDIDAE Rohdendorf, 1961

†Superfamily PERMOSYNOIDEA Tillyard, 1924

†Family ADEMOSYNIDAE Ponomarenko, 1968

†Family PERMOSYNIDAE Tillyard, 1924

Suborder ARCHOSTEMATA

Family CROWSONIELLIDAE Iablokoff-Khnzorian, 1983

Family CUPEDIDAE Laporte, 1836

Subfamily PRIACMINAE Crowson, 1962

†Subfamily MESOCUPEDINAE Ponomarenko, 1969

Subfamily CUPEDINAE Laporte, 1836

Family MICROMALTHIDAE Barber, 1913

Family OMMATIDAE Sharp and Muir, 1912

†Subfamily BROCHOCOLEINAE Hong, 1982

Subfamily TETRAPHALERINAE Crowson, 1962

Subfamily OMMATINAE Sharp and Muir, 1912

†Tribe LITHOCUPEDINI Ponomarenko, 1969

†Tribe NOTOCUPEDINI Ponomarenko, 1966

Tribe OMMATINI Sharp and Muir, 1912

Family JURODIDAE Ponomarenko, 1985

†Family TRIADOCUPEDIDAE Ponomarenko, 1966

†Family MAGNOCOLEIDAE Hong, 1998

†Family OBRIENIIDAE Zherikhin and Gratshev, 1994

†Subfamily KARARHYNCHINAE Zherikhin and Gratshev, 1994

†Tribe KARARHYNCHINI Zherikhin and Gratshev, 1994

†Tribe KENDERLYKAINI Legalov, 2009

†Subfamily OBRIENIINAE Zherikhin and Gratshev, 1994

Suborder MYXOPHAGA

†Superfamily ASIOCOLEOIDEA Rohdendorf, 1961

†Family ASIOCOLEIDAE Rohdendorf, 1961

†Family TRICOLEIDAE Ponomarenko, 1969

†Superfamily RHOMBOCOLEOIDEA Rohdendorf, 1961

†Family RHOMBOCOLEIDAE Rohdendorf, 1961

†Superfamily SCHIZOPHOROIDEA Ponomarenko, 1968

†Family SCHIZOPHORIDAE Ponomarenko, 1968

†Family CATINIIDAE Ponomarenko, 1968

†Family SCHIZOCOLEIDAE Rohdendorf, 1961

Superfamily LEPICEROIDEA Hinton, 1936 (1882)

Family LEPICERIDAE Hinton, 1936 (1882)

Superfamily SPHAERIUSOIDEA Erichson, 1845

Family TORRIDINCOLIDAE Steffan, 1964

Subfamily TORRIDINCOLINAE Steffan, 1964

Subfamily DELEVEINAЕ Endrődy-Younga, 1997

Family HYDROSCAPHIDAE LeConte, 1874

Family SPHAERIUSIDAE Erichson, 1845

Suborder ADEPHAGA

†Family TRITARSIDAE Hong, 2002

Family GYRINIDAE Latreille, 1810

Subfamily SPANGLEROGYRINAE Folkerts, 1979

Subfamily GYRININAE Latreille, 1810

Tribe ENHYDRINI Régimbart, 1882

Subtribe DINEUTINA Desmarest, 1851

Subtribe ENHYDRINA Régimbart, 1882

- Tribe GYRININI Latreille, 1810
 - Subtribe GYRININA Latreille, 1810
 - Subtribe HETEROGYRINA Brinck, 1956
- Tribe ORECTOCHILINI Régimbart, 1882

Family TRACHYPACHIDAE Thomson, 1857

- †Subfamily EODROMEINAE Ponomarenko, 1977
- Subfamily TRACHYPACHINAE Thomson, 1857

Family RHYSODIDAE Laporte, 1840

- Tribe LEOGLYMMIINI Bell and Bell, 1978
- Tribe DHYSORINI Bell and Bell, 1978
- Tribe MEDISORINI Bell and Bell, 1987
- Tribe RHYSODINI Laporte, 1840
- Tribe CLINIDIINI Bell and Bell, 1978
- Tribe OMOGLYMMIINI Bell and Bell, 1978
- Tribe SLOANOGLYMMIINI Bell and Bell, 1991

Family CARABIDAE Latreille, 1802

- †Subfamily PROTORABINAE Ponomarenko, 1977
- †Subfamily CONJUNCTIINAE Ponomarenko, 1977
- Subfamily NEBRIINAE Laporte, 1834

- Tribe NEBRIINI Laporte, 1834
- Tribe NOTIOKASIINI Kavanaugh and Nègre, 1983
- Tribe NOTIOPHILINI Motschulsky, 1850
- Tribe OPISTHIINI Dupuis, 1912
- Tribe PELOPHILINI Kavanaugh, 1996

Subfamily CICINDINAE Csiki, 1927**Subfamily CICINDELINAE Latreille, 1802**

- Tribe AMBLYCHEILINI Csiki, 1903
- Tribe CICINDELINI Latreille, 1802
 - Subtribe APTEROESSINA Rivalier, 1971
 - Subtribe CICINDELINA Latreille, 1802
 - Subtribe DROMICINA Thomson, 1859
 - Subtribe IRESIINA Rivalier, 1971
 - Subtribe THERATINA Horn, 1893
- Tribe COLLYRIDINI Brullé, 1834
 - Subtribe COLLYRIDINA Brullé, 1834
 - Subtribe TRICONDYLINA Naviaux, 1991
- Tribe CTENOSTOMATINI Laporte, 1834
- Tribe MANTICORINI Laporte, 1834
- Tribe MEGACEPHALINI Laporte, 1834

Subfamily CARABINAE Latreille, 1802

- Tribe CARABINI Latreille, 1802
- Tribe CEROGLOSSINI Lapouge, 1927
- Tribe CYCHRINI Perty, 1830

- Tribe PAMBORINI Hope, 1838
- Subfamily LORICERINAE Bonelli, 1810**
- Subfamily OMOPHRONINAE Bonelli, 1810**
- Subfamily ELAPHRINAE Latreille, 1802**
- Subfamily MIGADOPINAE Chaudoir, 1861**
 - Tribe AMAROTYPINI Erwin, 1985
 - Tribe MIGADOPINI Chaudoir, 1861
 - Subtribe AQUILICINA Moret, 2005
 - Subtribe MIGADOPINA Chaudoir, 1861
- Subfamily HILETINAE Schiødte, 1848**
- Subfamily SCARITINAE Bonelli, 1810**
 - Tribe CARENINI MacLeay, 1887
 - Tribe CLIVININI Rafinesque, 1815
 - Subtribe ARDISTOMINA Putzeys, 1867
 - Subtribe CLIVININA Rafinesque, 1815
 - Subtribe FORCIPATORINA Bänninger, 1938
 - Tribe DALYATINI Mateu, 2002
 - Tribe DYSCHIRIINI Kolbe, 1880
 - †Tribe PALAEOXINIDIINI McKay, 1991
 - Tribe PASIMACHINI Putzeys, 1867
 - Tribe PROMECOGNATHINI LeConte, 1853
 - Tribe SALCEDIINI Alluaud, 1930 (1929)
 - Subtribe ANDROZELMINA Bell, 1998
 - Subtribe SALCEDIINA Alluaud, 1930 (1929)
 - Subtribe SOLENOGENYINA Bell, 1998
 - Tribe SCARITINI Bonelli, 1810
 - Subtribe ACANTHOSCELINA Csiki, 1927
 - Subtribe CORINTASCARINA Basilewsky, 1973
 - Subtribe DYSCHERINA Basilewsky, 1973
 - Subtribe OCHYROPINA Basilewsky, 1973
 - Subtribe OXYLOBINA Andrewes, 1929
 - Subtribe SCAPTERINA Putzeys, 1867
 - Subtribe SCARITINA Bonelli, 1810
 - Subtribe STORTHODONTINA Jeannel, 1946
- Subfamily BROSCINAE Hope, 1838**
 - Tribe BROSCINI Hope, 1838
 - Subtribe AXONYINA Roig-Juñent, 2000
 - Subtribe BARIPODINA Jeannel, 1941
 - Subtribe BROSCINA Hope, 1838
 - Subtribe CREOBIINA Jeannel, 1941
 - Subtribe NOTHOBROSCINA Roig-Juñent, 2000
- Subfamily APOTOMINAE LeConte, 1853**
- Subfamily SIAGONINAE Bonelli, 1813**

Tribe ENCELADINI Horn, 1881

Tribe LUPERCINI Lecordier, 1977

Tribe SIAGONINI Bonelli, 1813

Subfamily MELAENINAE Csiki, 1933

Subfamily GEHRINGIINAE Darlington, 1933

Tribe GEHRINGIINI Darlington, 1933

Subtribe GEHRINGIINA Darlington, 1933

Subtribe HELENAEINA Deuve, 2007

Subfamily TRECHINAE Bonelli, 1810

Tribe BEMBIDIINI Stephens, 1827

Subtribe ANILLINA Jeannel, 1937

Subtribe BEMBIDIINA Stephens, 1827

Subtribe TACHYINA Motschulsky, 1862

Subtribe XYSTOSOMINA Erwin, 1994

Tribe HOROLOGIONINI Jeannel, 1949

Tribe POGONINI Laporte, 1834

Tribe TRECHINI Bonelli, 1810

Subtribe AEPINA Fowler, 1887

Subtribe CNIDINA Jeannel, 1958

Subtribe PERILEPTINA Sloane, 1903

Subtribe PLOCAMOTRECHINA Jeannel, 1960

Subtribe TRECHINA Bonelli, 1810

Subtribe TRECHODINA Jeannel, 1926

Tribe ZOLINI Sharp, 1886

Subtribe CHALTENIINA Roig-Juñent and Cicchino, 2001

Subtribe SINOZOLINA Deuve, 1997

Subtribe ZOLINA Sharp, 1886

Subfamily PATROBINAЕ Kirby, 1837

Tribe LISSOPOGONINI Zamotajlov, 2000

Tribe PATROBINI Kirby, 1837

Subtribe DELTOMERINA Chaudoir, 1871

Subtribe DELTOMERODINA Zamotajlov, 2002

Subtribe PATROBINA Kirby, 1837

Subtribe PLATIDIOLINA Zamotajlov and Lafer, 2001

Subfamily PSYDRINAE LeConte, 1853

Tribe AMBLYTELINI Blackburn, 1892

Tribe MECYCLOTHORACINI Jeannel, 1940

Tribe MEONINI Sloane, 1898

Tribe MORIOMORPHINI Sloane, 1890

Tribe PSYDRINI LeConte, 1853

Tribe TROPOPTERINI Sloane, 1898

Subfamily NOTOTYLINAE Bänninger, 1927

Subfamily PAUSSINAE Latreille, 1806

- Tribe METRIINI LeConte, 1853
- Tribe MYSTROPOMINI Horn, 1881
- Tribe OZAENINI Hope, 1838
- Tribe PAUSSINI Latreille, 1806
 - †Subtribe ARTHROPTERITINA Luna de Carvalho, 1961
 - Subtribe CARABIDOMEMNINA Wasmann, 1928
 - Subtribe CERAPTERINA Billberg, 1820
 - †Subtribe EOPAUSSINA Luna de Carvalho, 1951
 - Subtribe HETEROPAUSSINA Janssens, 1950
 - Subtribe HOMOPTERINA Wasmann, 1920
 - Subtribe PAUSSINA Latreille, 1806
 - Subtribe PENTAPLATARTHrina Jeannel, 1946
- Tribe PROTOPAUSSINI Gestro, 1892

Subfamily BRACHININAE Bonelli, 1810

- Tribe BRACHININI Bonelli, 1810
 - Subtribe APTININA Gistel, 1848
 - Subtribe BRACHININA Bonelli, 1810
 - Subtribe MASTACINA Erwin, 1970
 - Subtribe PHEROPSOPHINA Jeannel, 1949
- Tribe CREPIDOGASTRINI Jeannel, 1949

Subfamily HARPALINAE Bonelli, 1810

- Tribe ABACETINI Chaudoir, 1873
- Tribe AMORPHOMERINI Sloane, 1923
- Tribe ANTHIINI Bonelli, 1813
- Tribe ATRANINI Horn, 1881
- Tribe BASCANINI Basilewsky, 1953
- Tribe CALOPHAENINI Jeannel, 1948
- Tribe CATAPIESEINI Bates, 1882
- Tribe CHAETODACTYLINI Tschitschérine, 1903
- Tribe CHAETOGENYINI Emden, 1958
- Tribe CHLAENIINI Brullé, 1834
 - Subtribe CALLISTINA Laporte, 1834
 - Subtribe CHLAENIINA Brullé, 1834
- Tribe CNEMALOBINI Germain, 1911
- Tribe CRATOCERINI Lacordaire, 1854
- Tribe CTENODACTYLINI Laporte, 1834
- Tribe CUNEIPECTINI Sloane, 1907
- Tribe CYCLOSOMINI Laporte, 1834
 - Subtribe CYCLOSOMINA Laporte, 1834
 - Subtribe MASOREINA Chaudoir, 1871
- Tribe DERCYLINI Sloane, 1923
- Tribe DRIMOSTOMATINI Chaudoir, 1872
- Tribe DRYPTINI Bonelli, 1810

- Tribe ENOICINI Basilewsky, 1985
Tribe GALERITINI Kirby, 1825
 Subtribe GALERITINA Kirby, 1825
 Subtribe PLANETINA Jedlička, 1941
Tribe GEOBAENINI Péringuey, 1896
Tribe GINEMINI Ball and Shpeley, 2002
Tribe GLYPTINI Horn, 1881
Tribe GRAPHIPTERINI Latreille, 1802
Tribe HARPALINI Bonelli, 1810
 Subtribe ANISODACTYLINA Lacordaire, 1854 *nomen protectum*
 Subtribe HARPALINA Bonelli, 1810
 Subtribe PELMATELLINA Bates, 1882
 Subtribe STENOLOPHINA Kirby, 1837
Tribe HELLUONINI Hope, 1838
 Subtribe HELLUONINA Hope, 1838
 Subtribe OMPHRINA Jedlička, 1941
Tribe HEXAGONIINI Horn, 1881 (1834)
Tribe IDIOMORPHINI Bates, 1891
Tribe LACHNOPHORINI LeConte, 1853
 Subtribe LACHNOPHORINA LeConte, 1853
 Subtribe SELININA Jeannel, 1948
Tribe LEBIINI Bonelli, 1810
 Subtribe ACTENONYCINA Bates, 1871
 Subtribe AGRINA Kirby, 1837
 Subtribe APENINA Ball, 1983
 Subtribe CALLEIDINA Chaudoir, 1873
 Subtribe CELAENEPHINA Habu, 1982
 Subtribe CYMINDIDINA Laporte, 1834
 Subtribe DEMETRIADINA Bates, 1886
 Subtribe DROMIUSINA Bonelli, 1810
 Subtribe GALLERUCIDIINA Chaudoir, 1872
 Subtribe LEBINA Bonelli, 1810
 Subtribe METALLICINA Basilewsky, 1984
 Subtribe NEMOTARSINA Bates, 1883
 Subtribe PERICALINA Hope, 1838
 Subtribe PSEUDOTRECHINA Basilewsky, 1984
 Subtribe SUGIMOTOINA Habu, 1975
 Subtribe TRICHINA Basilewsky, 1984
Tribe LICININI Bonelli, 1810
 Subtribe DICAELINA Laporte, 1834
 Subtribe DICROCHILINA Ball, 1992
 Subtribe LESTIGNATHINA Ball, 1992
 Subtribe LICININA Bonelli, 1810

- Tribe MELANCHITONINI Jeannel, 1948
Tribe MICROCHEILINI Jeannel, 1948
Tribe MORIONINI Brullé, 1835
Tribe ODACANTHINI Laporte, 1834
Tribe OMPHREINI Ganglbauer, 1891
Tribe OODINI LaFerté-Sénectère, 1851
Tribe ORTHOGONIINI Schaum, 1857
Tribe PANAGAEINI Bonelli, 1810
 Subtribe BRACHYGNATHINA Basilewsky, 1946
 Subtribe PANAGAEINA Bonelli, 1810
 Subtribe TEFFLINA Basilewsky, 1946
Tribe PELECIINI Chaudoir, 1880
 Subtribe AGONICINA Sloane, 1920
 Subtribe PELECIINA Chaudoir, 1880
Tribe PENTAGONICINI Bates, 1873
Tribe PERIGONINI Horn, 1881 *nomen protectum*
Tribe PHYSOCROTAPHINI Chaudoir, 1863
Tribe PLATYNINI Bonelli, 1810
Tribe PSEUDOMORPHINI Hope, 1838
Tribe PTEROSTICHINI Bonelli, 1810
 Subtribe ABACOMORPHINA Tschitschérine, 1902
 Subtribe EUCHROINA Chaudoir, 1874
 Subtribe METIINA Straneo, 1951
 Subtribe MICROCEPHALINA Tschitschérine, 1898
 Subtribe PTEROSTICHINA Bonelli, 1810
Tribe SPHODRINI Laporte, 1834
 Subtribe ATRANOPSINA Baehr, 1982
 Subtribe CALATHINA Laporte, 1834
 Subtribe DOLICHINA Brullé, 1834
 Subtribe PRISTOSIINA Lindroth, 1956
 Subtribe SPHODRINA Laporte, 1834
 Subtribe SYNUCHINA Lindroth, 1956
Tribe XENAROSWELLIANINI Erwin, 2007
Tribe ZABRINI Bonelli, 1810
 Subtribe AMARINA Zimmermann, 1832
 Subtribe ZABRINA Bonelli, 1810
Tribe ZUPHIINI Bonelli, 1810
 Subtribe DICRODONTINA Machado, 1992
 Subtribe LELEUPIDIINA Basilewsky, 1951
 Subtribe METAZUPHIINA Mateu, 1992
 Subtribe MISCHOCEPHALINA Mateu, 1992
 Subtribe PATRIZIINA Basilewsky, 1953
 Subtribe ZUPHIINA Bonelli, 1810

Family HALIPLIDAE Aubé, 1836**†Family TRIAPLIDAE Ponomarenko, 1977****†Family COLYMBOTETHIDAE Ponomarenko, 1994****†Family PARAHYGROBIIDAE Ponomarenko, 1977****†Family COPTOCLAVIDAE Ponomarenko, 1961** **†Subfamily NECRONECTINAE Ponomarenko, 1977** **†Subfamily CHARONOSCAPHINAE Ponomarenko, 1977** **†Subfamily COPTOCLAVINAE Ponomarenko, 1961** **†Subfamily COPTOCLAVISCINAE Soriano, Ponomarenko and Delclos, 2007** **†Subfamily HISPANOCLAVINAE Soriano, Ponomarenko and Delclos, 2007****†Family LIADYTIDAE Ponomarenko, 1977****Family MERUIDAE Spangler and Steiner, 2005****Family NOTERIDAE Thomson, 1860****Subfamily NOTERINAE Thomson, 1860**

Tribe NEOHYDROCOPTINI Zalat, Saleh, Angus and Kaschef, 2000

Tribe NOTERINI Thomson, 1860

Tribe PRONOTERINI Nilsson, 2005

Tribe TONERINI Miller, 2009

Subfamily NOTOMICRINAE Zimmermann, 1919**Subfamily PHREATODYTINAE Uéno, 1957****Family AMPHIZOIDAE LeConte, 1853****Family ASPIDYTIDAE Ribera, Beutel, Balke and Vogler, 2002****Family HYGROBIIDAE Régimbart, 1879 (1837)****Family DYTISCIDAE Leach, 1815****Subfamily AGABINAE Thomson, 1867****Subfamily COLYMBETINAE Erichson, 1837**

Tribe ANISOMERITINI Brinck, 1948

Tribe CARABDYTINI Pederzani, 1995

Tribe COLYMBETINI Erichson, 1837

Subfamily COPELATINAЕ Branden, 1885**Subfamily COPTOTOMINAE Branden, 1885****Subfamily DYTISCINAE Leach, 1815**

Tribe ACILIINI Thomson, 1867

Tribe AUBEHYDRINI Guignot, 1942

Tribe CYBISTERINI Sharp, 1880

Tribe DYTISCINI Leach, 1815

Tribe ERETINI Crotch, 1873

Tribe HYDATICINI Sharp, 1880

Tribe HYDERODINI Miller, 2000

Subfamily HYDRODYTINAE Miller, 2001**Subfamily HYDROPORINAE Aubé, 1836**

Tribe BIDESSINI Sharp, 1880

Tribe CARABHYDRINI Watts, 1978

- Tribe HYDROPORINI Aubé, 1836
- Tribe HYDROVATINI Sharp, 1880
- Tribe HYGROTINI Portevin, 1929
- Tribe HYPHYDRINI Gistel, 1848
- Tribe LACCORNINI Wolfe and Roughley, 1990
- Tribe METHLINI Branden, 1885
- †Tribe SCHISTOMERINI Palmer, 1957
- Tribe VATELLINI Sharp, 1880

Subfamily LACCOPHILINAE Gistel, 1848

- Tribe AGABETINI Branden, 1885
- Tribe LACCOPHILINI Gistel, 1848

Subfamily LANCETINAE Branden, 1885

Subfamily MATINAE Branden, 1885

†**Subfamily PALAEOGYRININAE Schlechtendal, 1894**

†**Subfamily LIADYTISCINAE Prokin and Ren, 2010**

Suborder POLYPHAGA

Series STAPHYLINIFORMIA

Superfamily HYDROPHILOIDEA Latreille, 1802

Family HYDROPHILIDAE Latreille, 1802

- Subfamily HELOPHORINAE Leach, 1815**
- Subfamily EPIMETOPINAE Zaitzev, 1908**
- Subfamily GEORISSINAE Laporte, 1840**
- Subfamily HYDROCHINAE Thomson, 1859**
- Subfamily SPERCHEINAE Erichson, 1837**
- Subfamily HORELOPHINAE Hansen, 1991**
- Subfamily HORELOPHOPSINAE Hansen, 1997**
- Subfamily HYDROPHILINAE Latreille, 1802**
 - Tribe ANACAENINI Hansen, 1991
 - Tribe BEROSINI Mulsant, 1844
 - Tribe CHAETARTHRIINI Bedel, 1881
 - Tribe HYDROPHILINI Latreille, 1802
 - Subtribe ACIDOCERINA Zaitzev, 1908
 - Subtribe GLOBULOSEINA García, 2001
 - Subtribe HYDROBIUSINA Mulsant, 1844
 - Subtribe HYDROPHILINA Latreille, 1802
 - Tribe LACCOBIINI Houlbert, 1922
 - Tribe SPERCHOPSINI Hansen, 1991
- Subfamily SPAERIDIINAE Latreille, 1802**
 - Tribe ANDOTYPINI Hansen, 1991
 - Tribe BORBOROPHORINI Hansen, 1991

Tribe COELOSTOMATINI Heyden, 1891 (1890)

Tribe MEGASTERINI Mulsant, 1844

Tribe OMICRINI Smetana, 1975

Tribe PROTOSTERNINI Hansen, 1991

Tribe RYGMODINI Orchymont, 1916

Tribe SPHAERIDIINI Latreille, 1802

Tribe TORMISSINI Hansen, 1991

Family SPHAERITIDAE Shuckard, 1839

Family SYNTELIIDAE Lewis, 1882

Family HISTERIDAE Gyllenhal, 1808

Subfamily NIPONIINAE Fowler, 1912

Subfamily ABRAEINAE MacLeay, 1819

Tribe ABRAEINI MacLeay, 1819

Tribe ACRITINI Wenzel, 1944

Tribe ACRITOMORPHINI Wenzel, 1944

Tribe PLEGADERINI Portevin, 1929

Tribe TERETRIINI Bickhardt, 1914

Subfamily TRYPETICINAE Bickhardt, 1913

Subfamily TRYPANAEINAE Marseul, 1857

Subfamily SAPRININAE Blanchard, 1845

Subfamily DENDROPHILINAE Reitter, 1909

Tribe ANAPLEINI Olexa, 1982

Tribe BACANIINI Kryzhanovskij, 1976

Tribe DENDROPHILINI Reitter, 1909

Tribe PAROMALINI Reitter, 1909

Subfamily ONTHOPHILINAE MacLeay, 1819

Subfamily TRIBALINAE Bickhardt, 1914

Subfamily HISTERINAE Gyllenhal, 1808

Tribe EXOSTERNINI Bickhardt, 1914

Tribe HISTERINI Gyllenhal, 1808

Tribe HOOLEPTINI Hope, 1840

Tribe OMALODINI Kryzhanovskij, 1972

Tribe PLATYSOMATINI Bickhardt, 1914

Subfamily HAETERIINAE Marseul, 1857

Tribe HAETERINI Marseul, 1857

Tribe NYMPHISTRINI Tishechkin, 2007

Tribe SYNODITULINI Tishechkin, 2007

Subfamily CHLAMYDOPSINAE Bickhardt, 1914

Superfamily STAPHYLINOIDEA Latreille, 1802

Family HYDRAENIDAE Mulsant, 1844

Subfamily ORCHYMONTIINAE Perkins, 1997

Subfamily PROSTHETOPINAE Perkins, 1994

- Tribe COELOMETOPONINI Perkins, 2005
- Tribe NUCLEOTOPININI Perkins, 1994
- Tribe PARASTHETOPININI Perkins, 1994
- Tribe PROSTHETOPININI Perkins, 1994
- Tribe PROTOSTHETOPININI Perkins, 1994
- Tribe PTEROSTHETOPININI Perkins, 1994

Subfamily HYDRAENINAE Mulsant, 1844

- Tribe HYDRAENIDINI Perkins, 1980
 - Tribe HYDRAENINI Mulsant, 1844
 - Tribe LIMNEBIINI Mulsant, 1844
 - Tribe MADAGASTRINI Perkins, 1997
 - Tribe PARHYDRAENINI Perkins, 1997
- Subfamily OCHTHEBIINAE Thomson, 1859**
- Tribe OCHTHEBIINI Thomson, 1859
 - Subtribe ENICOCERINA Perkins, 1997
 - Subtribe MEROPATHINA Perkins, 1997
 - Subtribe NEOCHTHEBIINA Perkins, 1997
 - Subtribe OCHTHEBIINA Thomson, 1859
 - Subtribe PROTOCHTHEBIINA Perkins, 1997
 - Tribe OCHTHEOSINI Perkins, 1997

Family PTILIIDAE Erichson, 1845

Subfamily PTILIINAE Erichson, 1845

- Tribe DISCHERAMOCEPHALINI Grebennikov, 2009
- Tribe NANSELLINI Barber, 1924
- Tribe PTENIDIINI Flach, 1889
- Tribe PTILIINI Erichson, 1845
- Tribe PTNELLINI Reitter, 1906 (1891)

Subfamily CEPHALOPLECTINAE Sharp, 1883

Subfamily ACROTRICHINAE Reitter, 1909 (1856)

Family AGYRTIDAE Thomson, 1859

Subfamily AGYRTINAE Thomson, 1859

Subfamily NECROPHILINAE Newton, 1997

Subfamily PTEROLOMATINAE Thomson, 1862

Family LEIODIDAE Fleming, 1821

Subfamily CAMIARINAE Jeannel, 1911

- Tribe AGYRTODINI Jeannel, 1936
- Tribe CAMIARINI Jeannel, 1911
- Tribe NEOPELATOPININI Jeannel, 1962

Subfamily CATOPCERINAE Hatch, 1927 (1880)

- Tribe CATOPCERINI Hatch, 1927 (1880)
- Tribe GLACICAVICOLINI Westcott, 1968

Subfamily LEIODINAE Fleming, 1821

- Tribe AGATHIDIINI Westwood, 1838

Tribe ESTADIINI Portevin, 1914
Tribe LEIODINI Fleming, 1821
Tribe PSEUDOLIODINI Portevin, 1926
Tribe SCOTOCRYPTINI Reitter, 1884
Tribe SOGDINI Lopatin, 1961

Subfamily COLONINAE Horn, 1880 (1859)

Subfamily CHOLEVINAЕ Kirby, 1837

Tribe ANEMADINI Hatch, 1928
Subtribe ANEMADINA Hatch, 1928
Subtribe EOCATOPINA Jeannel, 1936
Subtribe EUNEMADINA Newton, 1998
Subtribe NEMADINA Jeannel, 1936
Subtribe PARACATOPINA Jeannel, 1936
Tribe CHOLEVINI Kirby, 1837
Subtribe CATOPINA Chaudoir, 1845
Subtribe CHOLEVINA Kirby, 1837
Tribe EUCATOPINI Jeannel, 1921
Tribe LEPTODIRINI Lacordaire, 1854 (1849)
Subtribe ANTHROHERPONINA Jeannel, 1910
Subtribe BATHYSCIINA Horn, 1880
Subtribe BATHYSCIOTINA Guéorguiev, 1974
Subtribe LEPTODIRINA Lacordaire, 1854 (1849)
Subtribe PHOLEUINA Reitter, 1886
Subtribe PLATYCHOLEINA Horn, 1880
Subtribe SPELAEOBATINA Guéorguiev, 1974
Tribe ORITOCATOPINI Jeannel, 1936
Tribe PTOMAPHAGINI Jeannel, 1911
Subtribe BARYODIRINA Perreau, 2000
Subtribe PTOMAPHAGINA Jeannel, 1911
Subtribe PTOMAPHAGININA Szymczakowski, 1964
Tribe SCIAPHYINI Perreau, 2000

Subfamily PLATYPHYLLINAE Ritsema, 1869

Family SILPHIDAE Latreille, 1806

Subfamily SILPHINAE Latreille, 1806
Subfamily NICROPHORINAE Kirby, 1837

Family STAPHYLINIDAE Latreille, 1802

Subfamily GLYPHOLOMATINAE Jeannel, 1962
Subfamily MICROSILPHINAE Crowson, 1950
Subfamily OMALIINAE MacLeay, 1825

Tribe ANTHOPHAGINI Thomson, 1859
Tribe APHAENOSTEMMINI Peyerimhoff, 1914
Tribe CORNEOLABIINI Steel, 1950
Tribe CORYPHIINI Jakobson, 1908

- Subtribe BOREAPHILINA Zerche, 1990
- Subtribe CORYPHIINA Jakobson, 1908
- Tribe EUSPHALERINI Hatch, 1957
- Tribe HADROGNATHINI Portevin, 1929
- Tribe OMALIINI MacLeay, 1825
- Subfamily EMPELINAE Newton and Thayer, 1992**
- Subfamily PROTEININAE Erichson, 1839**
 - Tribe ANEPIINI Steel, 1966
 - Tribe AUSTRORHYSINI Newton and Thayer, 1995
 - Tribe NESONEINI Steel, 1966
 - Tribe PROTEININI Erichson, 1839
 - Tribe SILPHOTELINI Newton and Thayer, 1995
- Subfamily MICROPEPLINAE Leach, 1815**
- Subfamily NEOPHONINAE Fauvel, 1905**
- Subfamily DASYCERINAE Reitter, 1887**
- Subfamily PROTOPSELAPHINAE Newton and Thayer, 1995**
- Subfamily PSELAPHINAE Latreille, 1802**
 - Supertribe BATRISITAE Reitter, 1882**
 - Tribe AMAUROPINI Jeannel, 1948
 - Tribe BATRISINI Reitter, 1882
 - Subtribe AMBICOCERINA Leleup, 1970
 - Subtribe BATRISINA Reitter, 1882
 - Subtribe LEUPELIINA Jeannel, 1954
 - Subtribe STILIPALPINA Jeannel, 1954
 - Tribe THAUMASTOCEPHALINI Poggi, Nonveiller, Colla, Pavićević and Rada, 2001
 - Supertribe CLAVIGERITAE Leach, 1815**
 - Tribe CLAVIGERINI Leach, 1815
 - Subtribe APODERIGERINA Jeannel, 1954
 - Subtribe CLAVIGERINA Leach, 1815
 - Subtribe CLAVIGERODINA Schaufuss, 1882
 - Subtribe DISARTHRICERINA Jeannel, 1949
 - Subtribe HOPLITOXENINA Célis, 1969
 - Subtribe LUNILLINA Célis, 1969
 - Subtribe MASTIGERINA Jeannel, 1954
 - Subtribe MIROCLAVIGERINA Jeannel, 1949
 - Subtribe NEOCERINA Jeannel, 1954
 - Subtribe RADAMINA Jeannel, 1954
 - Subtribe THYSDARIINA Jeannel, 1954
 - Tribe COLILODIONINI Besuchet, 1991
 - Tribe TIRACERINI Besuchet, 1986
 - Supertribe EUPLECTITAE Streubel, 1839**
 - Tribe BYTHINOPLECTINI Schaufuss, 1890
 - Subtribe BYTHINOPLECTINA Schaufuss, 1890

- Subtribe PYXIDICERINA Raffray, 1904
- Tribe DIMERINI Raffray, 1908
- Tribe EUPLECTINI Streubel, 1839
- Tribe JUBINI Raffray, 1904
- Tribe MAYETIINI Winkler, 1925
- Tribe METOPIASINI Raffray, 1904
 - Subtribe METOPIASINA Raffray, 1904
 - Subtribe RHINOSCEPSINA Bowman, 1934
- Tribe TRICHONYCHINI Reitter, 1882
 - Subtribe BIBLOPORINA Park, 1951
 - Subtribe PANAPHANTINA Jeannel, 1950
 - Subtribe TRICHONYCHINA Reitter, 1882
 - Subtribe TRIMIINA Bowman, 1934
- Tribe TROGASTRINI Jeannel, 1949
 - Subtribe PHTEGNOMINA Park, 1951
 - Subtribe RHEXIINA Park, 1951
 - Subtribe TROGASTRINA Jeannel, 1949

Supertribe FARONITAE Reitter, 1882**Supertribe GONIACERITAE Reitter, 1882 (1872)**

- Tribe ARNYLLIINI Jeannel, 1952
- Tribe BARROSELLINI Leleup, 1973
- Tribe BRACHYGLUTINI Raffray, 1904
 - Subtribe BARADINA Park, 1951
 - Subtribe BRACHYGLUTINA Raffray, 1904
 - Subtribe DECARTHrina Park, 1951
 - Subtribe EUPSENIINA Park, 1951
- Tribe BYTHININI Raffray, 1890
 - Subtribe BYTHININA Raffray, 1890
 - Subtribe MACHAERITINA Jeannel, 1950
 - Subtribe XENOBYTHINA Jeannel, 1950
- Tribe CYATHIGERINI Schaufuss, 1872
- Tribe GONIACERINI Reitter, 1882 (1872)
- Tribe IMIRINI Jeannel, 1949
- Tribe INIOCYPHINI Park, 1951
 - Subtribe INIOCYPHINA Park, 1951
 - Subtribe NATYPLEURINA Newton and Thayer, 1992
- Tribe MACHADOINI Jeannel, 1951
- Tribe PROTERINI Jeannel, 1949
- Tribe PYGOXYINI Reitter, 1909
- Tribe SPELEOBAMINI Park, 1951
- Tribe TYCHINI Raffray, 1904
- Tribe VALDINI Park, 1953

Supertribe PSELAPHITAE Latreille, 1802

- Tribe ARHYTODINI Raffray, 1890
- Tribe ATTAPSENIINI Bruch, 1933
- Tribe CTENISTINI Blanchard, 1845
- Tribe HYBOCEPHALINI Raffray, 1890
- Tribe ODONTALGINI Jeannel, 1949
- Tribe PACHYGASTRODINI Leleup, 1969
- Tribe PHALEPSINI Jeannel, 1949
- Tribe PSELAPHINI Latreille, 1802
- Tribe SCHISTODACTYLINI Raffray, 1890
- Tribe TMESIPHORINI Jeannel, 1949
- Tribe TYRINI Reitter, 1882
 - Subtribe CENTROPHTHALMINA Jeannel, 1949
 - Subtribe JANUSCULINA Cerruti, 1970
 - Subtribe SOMATIPIONINA Jeannel, 1949
 - Subtribe TYRINA Reitter, 1882
- Subfamily PHLOEOCHARINAE Erichson, 1839**
- Subfamily OLISTAERINAE Thomson, 1858**
- Subfamily TACHYPORINAE MacLeay, 1825**
 - Tribe DEROPINI Smetana, 1983
 - Tribe MEGARTHROPSINI Cameron, 1919
 - Tribe MYCETOPORINI Thomson, 1859
 - Tribe TACHYPORINI MacLeay, 1825
 - Tribe VATESINI Seavers, 1958
- Subfamily TRICHOPHYINAE Thomson, 1858**
- Subfamily HABROCERINAE Mulsant and Rey, 1876**
- Subfamily ALEOCHARINAE Fleming, 1821**
 - Tribe ACTOCHARINI Bernhauer and Schubert, 1911
 - Tribe AENICTOTERATINI Kistner, 1993
 - Tribe AKATASTOPSISINI Pace, 2000
 - Tribe ALEOCHARINI Fleming, 1821
 - Subtribe ALEOCHARINA Fleming, 1821
 - Subtribe COMPACTOPEDIINA Kistner, 1970
 - Subtribe HODOXENINA Kistner, 1970
 - Tribe ATHETINI Casey, 1910
 - Subtribe ATHETINA Casey, 1910
 - Subtribe COPTOTERMOECIINA Kistner and Pasteels, 1970
 - Subtribe MICROCEROXENINA Kistner, 1970
 - Subtribe NASUTIPHILINA Kistner, 1970
 - Subtribe SCHISTOGENIINA Fenyes, 1918
 - Subtribe TAXICERINA Lohse, 1989
 - Subtribe TERMITOTELINA Kistner, 1970
 - Subtribe THAMIARAEINA Fenyes, 1921
 - Tribe AUTALIINI Thomson, 1859

- Tribe CORDOBANINI Bernhauer, 1910
Tribe COROTOCINI Fenyes, 1918
 Subtribe ABROTELINA Seevers, 1957
 Subtribe COROTOCINA Fenyes, 1918
 Subtribe EBURNIOGASTRINA Jacobson, Kistner and Pasteels, 1986
 Subtribe NASUTITELLINA Jacobson, Kistner and Pasteels, 1986
 Subtribe SPHURIDAETHINA Pace, 1988
 Subtribe TERMITOCHARINA Seevers, 1957
 Subtribe TERMITOCUPIDINA Jacobson, Kistner and Pasteels, 1986
 Subtribe TERMITOGASTRINA Bernhauer and Scheerpeltz, 1926
 Subtribe TERMITOICEINA Jacobson, Kistner and Pasteels, 1986
 Subtribe TERMITOPITHINA Jacobson, Kistner and Pasteels, 1986
 Subtribe TERMITOPTOCHINA Fenyes, 1921
 Subtribe TIMEPARTHENINA Fenyes, 1921
Tribe CREMATOXENINI Mann, 1921
Tribe CRYPTONOTOPSEINI Pace, 2003
Tribe DEINOPSINI Sharp, 1883
Tribe DIESTOTINI Mulsant and Rey, 1871
Tribe DIGLOTTINI Jakobson, 1909
Tribe DIGRAMMINI Fauvel, 1900
Tribe DORYLOGASTRINI Wasmann, 1916
Tribe DORYLOMIMINI Wasmann, 1916
Tribe DREPANOXENINI Kistner and Watson, 1972
Tribe ECITOCHARINI Seevers, 1965
Tribe ECITOGASTRINI Fenyes, 1918
Tribe EUSTENIAMORPHINI Bernhauer and Scheerpeltz, 1926
Tribe FALAGRIINI Mulsant and Rey, 1873
Tribe FELDINI Kistner, 1972
Tribe GYMNUSINI Heer, 1839
Tribe HIMALUSINI Klimaszewski, Pace and Center, 2010
Tribe HOMALOTINI Heer, 1839
 Subtribe BOLITOCHARINA Thomson, 1859
 Subtribe DINARDOPSINA Bernhauer and Scheerpeltz, 1926
 Subtribe GYROPHAEININA Kraatz, 1856
 Subtribe HOMALOTINA Heer, 1839
 Subtribe SILUSINA Fenyes, 1918
Tribe HOPLANDRIINI Casey, 1910
 Subtribe HOPLANDRIINA Casey, 1910
 Subtribe PLATANDRIINA Hanley, 2002
 Subtribe PSEUDOPLANDRIINA Hanley, 2002
Tribe HYGRONOMINI Thomson, 1859
 Subtribe HYGRONOMINA Thomson, 1859
 Subtribe SAPHOGLOSSINA Bernhauer and Scheerpeltz, 1926

- Tribe HYPOCYPTINI Laporte, 1835
Tribe LEUCOCRASPEDINI Fenyes, 1921
Tribe LIPAROCEPHALINI Fenyes, 1918
Tribe LOMECHUSINI Fleming, 1821
 Subtribe AENICTOBIINA Kistner, 1997
 Subtribe LOMECHUSINA Fleming, 1821
 Subtribe MYRMEDONIINA Thomson, 1867
 Subtribe TERMITOZYRINA Seevers, 1957
Tribe MASURIINI Cameron, 1939
Tribe MESOPORINI Cameron, 1959
Tribe MIMANOMMATINI Wasmann, 1912
 Subtribe DORYLOPHILINA Fenyes, 1921
 Subtribe MIMANOMMATINA Wasmann, 1912
Tribe MIMECITINI Wasmann, 1917
 Subtribe LABIDOPULLINA Jacobson and Kistner, 1991
 Subtribe LEPTANILLOPHILINA Fenyes, 1918
 Subtribe MIMECITINA Wasmann, 1917
 Subtribe MIMONILLINA Bernhauer and Scheerpeltz, 1926
Tribe MYLLAENINI Ganglbauer, 1895
Tribe OXYPODINI Thomson, 1859
 Subtribe APHYTOPODINA Bernhauer and Scheerpeltz, 1926
 Subtribe BLEPHARHYMENINA Klimaszewski and Peck, 1986
 Subtribe DINARDINA Mulsant and Rey, 1873
 Subtribe MEOTICINA Seevers, 1978
 Subtribe OXYPODINA Thomson, 1859
 Subtribe TACHYUSINA Thomson, 1859
Tribe OXYPODININI Fenyes, 1921
Tribe PAGLINI Newton and Thayer, 1992
Tribe PARADOXENUSINI Bruch, 1937
Tribe PEDICULOTINI Ádám, 1987
Tribe PHILOTERMITINI Seevers, 1957
Tribe PHYLLODINARDINI Wasmann, 1916
Tribe PHYTOSINI Thomson, 1867
Tribe PLACUSINI Mulsant and Rey, 1871
Tribe PRONOMAEINI Mulsant and Rey, 1873
Tribe PSEUDOPERINTHINI Cameron, 1939
Tribe PYGOSTENINI Fauvel, 1899
Tribe SAHLBERGIINI Kistner, 1993
Tribe SCEPTOBIINI Seevers, 1978
Tribe SKATITOXENINI Kistner and Pasteels, 1969
Tribe TERMITODISCINI Wasmann, 1904
 Subtribe ATHEXENIINA Pace, 2000
 Subtribe TERMITODISCINA Wasmann, 1904

- Tribe TERMITOHOSPITINI Seevers, 1941
Subtribe HETAIROTERMITINA Seevers, 1957
Subtribe TERMITOHOSPITINA Seevers, 1941
Tribe TERMITONANNINI Fenyes, 1918
Subtribe PERINTHINA Bernhauer and Scheerpeltz, 1926
Subtribe TERMITONANNINA Fenyes, 1918
Tribe TERMITOPAEDIINI Seevers, 1957
Tribe TERMITUSINI Fenyes, 1918
Subtribe TERMITOSPECTRINA Seevers, 1957
Subtribe TERMITUSINA Fenyes, 1918
Tribe TRICHOPSENIINI LeConte and Horn, 1883
Tribe TRILOBITIDEINI Fauvel, 1899
- Subfamily TRIGONURINAE Reiche, 1866**
- Subfamily APATETICINAE Fauvel, 1895**
- Subfamily SCAPHIDIINAE Latreille, 1806**
- Tribe CYPARIINI Achard, 1924
Tribe SCAPHIDIINI Latreille, 1806
Tribe SCAPHIINI Achard, 1924
Tribe SCAPHISOMATINI Casey, 1893
- Subfamily PESTINAE Erichson, 1839**
- Subfamily OSORIINAE Erichson, 1839**
- Tribe ELEUSININI Sharp, 1887
Tribe LEPTOCHIRINI Sharp, 1887
Tribe OSORIINI Erichson, 1839
Subtribe OSORIINA Erichson, 1839
Subtribe PAROSORIINA Bernhauer and Schubert, 1911
Tribe THORACOPHORINI Reitter, 1909
Subtribe CLAVILISPININA Newton and Thayer, 1992
Subtribe GLYPTOMINA Newton and Thayer, 1992
Subtribe LISPININA Bernhauer and Schubert, 1910
Subtribe THORACOPHORINA Reitter, 1909
- Subfamily OXYTELINAE Fleming, 1821**
- Tribe BLEDIINI Ádám, 2001
Tribe COPROPHILINI Heer, 1839
Tribe EUPHANIINI Reitter, 1909
Tribe OXYTELINI Fleming, 1821
Tribe PLANEUSTOMINI Jacqueline du Val, 1857
- Subfamily OXPORINAE Fleming, 1821**
- Subfamily MEGALOPSIDIINAE Leng, 1920**
- Subfamily SCYDMAENINAE Leach, 1815**
- †**Supertribe HAPSOMELITAE Poinar and Brown, 2004**
- Supertribe MASTIGITAE Fleming, 1821**
- Tribe CLIDICINI Casey, 1897

Tribe LEPTOMASTACINI Casey, 1897

Tribe MASTIGINI Fleming, 1821

Supertribe SCYDMAENITAE Leach, 1815

Tribe CEPHENNIINI Reitter, 1882

Tribe CHEVROLATIINI Reitter, 1882

Tribe CYRTOSCYDMINI Schaufuss, 1889

Tribe EUTHEIINI Casey, 1897

Tribe LEPTOSCYDMINI Casey, 1897

Tribe PLAUMANNIOLINI Costa Lima, 1962

Tribe SCYDMAENINI Leach, 1815

Subfamily STENINAE MacLeay, 1825

Subfamily EUAESTHETINAE Thomson, 1859

Tribe ALZADAESTHETINI Scheerpeltz, 1974

Tribe AUSTROESTHETINI Cameron, 1944

Tribe EUAESTHETINI Thomson, 1859

Tribe FENDERIINI Scheerpeltz, 1974

Tribe NORDENSKIOLDIINI Bernhauer and Schubert, 1911

Tribe STENAESTHETINI Bernhauer and Schubert, 1911

Subfamily SOLIERIINAE Newton and Thayer, 1992

Subfamily LEPTOTYPHLINAE Fauvel, 1874

Tribe CEPHALOTYPHLINI Coiffait, 1963

Tribe ENTOMOCULIINI Coiffait, 1957

Tribe LEPTOTYPHLINI Fauvel, 1874

Tribe METROTYPHLINI Coiffait, 1963

Tribe NEOTYPHLINI Coiffait, 1963

Subfamily PSEUDOPSINAЕ Ganglbauer, 1895

Subfamily PAEDERINAE Fleming, 1821

Tribe PAEDERINI Fleming, 1821

Subtribe ASTENINA Hatch, 1957

Subtribe CRYPTOBIINA Casey, 1905

Subtribe CYLINDROXYSTINA Bierig, 1943

Subtribe DOLICAONINA Casey, 1905

Subtribe ECHIASTERINA Casey, 1905

Subtribe LATHROBIINA Laporte, 1835

Subtribe LITHOCHARINA Casey, 1905

Subtribe MEDONINA Casey, 1905

Subtribe PAEDERINA Fleming, 1821

Subtribe SCOPAEINA Mulsant and Rey, 1878

Subtribe STILICINA Casey, 1905

Subtribe STILICOPSINA Casey, 1905

Tribe PINOPHILINI Nordmann, 1837

Subtribe PINOPHILINA Nordmann, 1837

Subtribe PROCIRRINA Bernhauer and Schubert, 1912

Subfamily STAPHYLININAE Latreille, 1802

- Tribe ARROWININI Solodovnikov and Newton, 2005
- Tribe DIOCHINI Casey, 1906
- Tribe MAOROTHIINI Assing, 2000
- Tribe OTHIINI Thomson, 1859
- Tribe PLATYPROSOPINI Lynch Arribálzaga, 1884
- Tribe STAPHYLININI Latreille, 1802
 - Subtribe AMBLYOPININA Seevers, 1944
 - Subtribe ANISOLININA Hayashi, 1993
 - Subtribe EUCIBDELINA Sharp, 1889
 - Subtribe HYPTIOMINA Casey, 1906
 - Subtribe PHILONTHINA Kirby, 1837
 - Subtribe QUEDIINA Kraatz, 1857
 - Subtribe STAPHYLININA Latreille, 1802
 - Subtribe TANYGNATHININA Reitter, 1909
 - Subtribe XANTHOPYGINA Sharp, 1884
- Tribe XANTHOLININI Erichson, 1839

†Subfamily PROTACTINAE Heer, 1847**Series SCARABAEIFORMIA****Superfamily SCARABAOIDEA Latreille, 1802****Family PLEOCOMIDAE LeConte, 1861**

- Subfamily PLEOCOMINAE LeConte, 1861**
- †Subfamily CRETOCOMINAE Nikolajev, 2002**
- †Subfamily ARCHESCARABAEINAE Nikolajev, 2010**

Family GEOTRUPIDAE Latreille, 1802

- Subfamily TAUROCERASTINAE Germain, 1897**
- Subfamily BOLBOCERATINAE Mulsant, 1842**
 - Tribe ATHYREINI Lynch Arribálzaga, 1878
 - Tribe BOLBELASMINI Nikolajev, 1996
 - Tribe BOLBOCERATINI Mulsant, 1842
 - Tribe BOLBOCHROMINI Nikolajev, 1970
 - Tribe EUBOLBITINI Nikolajev, 1970
 - Tribe EUCANTHINI Nikolajev, 2003
 - Tribe GILLETTININI Nikolajev, 1990
 - Tribe ODONTEINI Shokhin, 2007
 - Tribe STENASPIDIINI Nikolajev, 2003

Subfamily GEOTRUPINAE Latreille, 1802

- Tribe CERATOTRUPINI Zunino, 1984
- Tribe ENOPLOTRUPINI Paulian, 1945
- †Tribe CRETOGEOTRUPINI Nikolajev, 1996**
- Tribe GEOTRUPINI Latreille, 1802

Tribe LETHRINI Oken, 1843

Family BELOHINIDAE Paulian, 1959

Family PASSALIDAE Leach, 1815

Subfamily AULACOCYCLINAE Kaup, 1868

Tribe AULACOCYCLINI Kaup, 1868

Tribe CERACUPEDINI Boucher, 2006

Subfamily PASSALINAE Leach, 1815

Tribe LEPTAULACINI Kaup, 1871

Tribe MACROLININI Kaup, 1871

Tribe PASSALINI Leach, 1815

Tribe PROCULINI Kaup, 1868

Tribe SOLENOCYCLINI Kaup, 1871

Family TROGIDAE MacLeay, 1819

†Subfamily AVITORTORINAE Nikolajev, 2007

Subfamily TROGINAE MacLeay, 1819

Subfamily OMORGINAЕ Nikolajev, 2005

Family GLARESIDAE Kolbe, 1905

Family DIPHYLLOSTOMATIDAE Holloway, 1972

Family LUCANIDAE Latreille, 1804

†Subfamily PROTOLUCANINAE Nikolajev, 2007

Subfamily AESALINAE MacLeay, 1819

Tribe AESALINI MacLeay, 1819

Tribe CERATOGNATHINI Sharp, 1899

Tribe NICAGINI LeConte, 1861

†Subfamily CERUCHITINAE Nikolajev, 2006

Subfamily SYNDESINAE MacLeay, 1819

Subfamily LAMPRIMINAE MacLeay, 1819

Tribe LAMPRIMINI MacLeay, 1819

Tribe STREPTOCERINI Kikuta, 1986

Subfamily LUCANINAE Latreille, 1804

Tribe CHIASOGNATHINI Burmeister, 1847

Tribe LUCANINI Latreille, 1804

Tribe PLATYCYERINI Mulsant, 1842

Tribe PLATYCEROIDINI Paulsen and Hawks, 2008

†Subfamily PARALUCANINAE Nikolajev, 2000

Family OCHODAEIDAE Mulsant and Rey, 1871

†Subfamily CRETOCHODAEINAE Nikolajev, 1995

Subfamily OCHODAEINAE Mulsant and Rey, 1871

Tribe ENODOGNATHINI Scholtz, 1988

Tribe OCHODAEINI Mulsant and Rey, 1871

Subfamily CHAETOCANTHINAE Scholtz, 1988

Tribe CHAETOCANTHINI Scholtz, 1988

Tribe PSEUDOCHODAEINI Scholtz, 1988

Tribe SYNOCHODAEINI Scholtz, 1988

Family HYBOSORIDAE Erichson, 1847

†Subfamily MIMAPHODIINAE Nikolajev, 2007

Subfamily ANAIDINAE Nikolajev, 1996

Subfamily CERATOCANTHINAE Martínez, 1968

Tribe CERATOCANTHINI Martínez, 1968

Tribe IVIEOLINI Howden and Gill, 2000

Tribe SCARABATERMITINI Nikolajev, 1999

Subfamily HYBOSORINAE Erichson, 1847

Subfamily LIPAROCHRINAE Ocampo, 2006

Subfamily PACHYPLECTRINAE Ocampo, 2006

Family GLAPHYRIDAE MacLeay, 1819

Subfamily GLAPHYRINAE MacLeay, 1819

Subfamily AMPHICOMINAE Blanchard, 1845

†Subfamily CRETOGLAPHYRINAE Nikolajev, 2005

Family SCARABAEIDAE Latreille, 1802

†Subfamily LITHOSCARABAEINAE Nikolajev, 1992

Subfamily CHIRONINAE Blanchard, 1845

Subfamily AEGIALIINAE Laporte, 1840

Subfamily EREMAZINAE Iablokoff-Khnzorian, 1977

Subfamily APHODIINAE Leach, 1815

Tribe APHODIINI Leach, 1815

Subtribe APHODIINA Leach, 1815

Subtribe DIDACTYLIINA Pittino, 1985

Subtribe PROCTOPHANINA Stebnicka and Howden, 1995

Tribe CORYTHODERINI Schmidt, 1910

Tribe EUPARIINI Schmidt, 1910 *nomen protectum*

Tribe ODONTOLOCHINI Stebnicka and Howden, 1996

Tribe ODOCHILINI Rakovič, 1987

Tribe PSAMMODIINI Mulsant, 1842

Subtribe PHYCOCINA Landin, 1960

Subtribe PSAMMODIINA Mulsant, 1842

Subtribe RHYSEMINA Pittino and Mariani, 1986

Tribe RHYPARINI Schmidt, 1910

Tribe STEREOMERINI Howden and Storey, 1992

Tribe TERMITODERINI Tangelder and Krikken, 1982

Subfamily AULONOCNEMINAE Janssens, 1946

Subfamily TERMITOTROGINAE Wasmann, 1918

Subfamily SCARABAEINAE Latreille, 1802

Tribe ATEUCHINI Perty, 1830

Subtribe ATEUCHINA Perty, 1830

Subtribe SCATIMINA Vaz-de-Mello, 2008

Tribe COPRINI Leach, 1815

- Tribe DELTOCHILINI Lacordaire, 1856
 Tribe EUCRANIINI Burmeister, 1873
 Tribe GYMNOPLEURINI Lacordaire, 1856
 Tribe ONITICELLINI Kolbe, 1905
 - Subtribe DREPANOCERINA van Lansberge, 1875
 - Subtribe EURYSTERNINA Vulcano, Martínez and Pereira, 1961
 - Subtribe HELICTOPLEURINA Janssens, 1946
 - Subtribe ONITICELLINA Kolbe, 1905
 Tribe ONITINI Laporte, 1840
 Tribe ONTHOPHAGINI Burmeister, 1846
 Tribe PHANAEINI Hope, 1838
 Tribe SCARABAEINI Latreille, 1802
 Tribe SISYPHINI Mulsant, 1842
- †Subfamily PROTOTROGINAE Nikolajev, 2000**
- †Subfamily CRETOSCARABEINAE Nikolajev, 1995**
- Subfamily DYNAMOPODINAE Arrow, 1911**
 - Tribe DYNAMOPODINI Arrow, 1911
 - Tribe THINORYCTERINI Semenov and Reichardt, 1925
- Subfamily PHAENOMERIDINAE Erichson, 1847**
- Subfamily ORPHNINAE Erichson, 1847**
 - Tribe AEGIDIINI Paulian, 1984
 - Tribe ORPHNINI Erichson, 1847
- Subfamily ALLIDIOSTOMATINAE Arrow, 1940**
- Subfamily ACLOPINAE Blanchard, 1850**
 - Tribe ACLOPINI Blanchard, 1850
 - †Tribe HOLCOROBEINI Nikolajev, 1992
 - Tribe PHAENOGNATHINI Iablokoff-Khnzorian, 1977
- Subfamily MELOLONTHINAE Leach, 1819**
 - Tribe ABLABERINI Blanchard, 1850
 - Tribe AUTOMOLINI Britton, 1978
 - Tribe CHASMATOPTERINI Lacordaire, 1856
 - Tribe COLYMBOMORPHINI Blanchard, 1850
 - Tribe COMOPHORININI Britton, 1957
 - †Tribe CRETOMELOLONTHINI Nikolajev, 1998
 - Tribe DICHELONYCHINI Burmeister, 1855
 - Tribe DIPHUCEPHALINI Laporte, 1840
 - Tribe DIPHYCERINI Medvedev, 1952
 - Tribe DIPILOTAXINI Kirby, 1837
 - Tribe EUCHIRINI Hope, 1840
 - Tribe HETERONYCHINI Lacordaire, 1856
 - Tribe HOPLIINI Latreille, 1829
 - Subtribe HOPLINA Latreille, 1829
 - Subtribe PACHYCNEMINA Laporte, 1840

- Tribe LICHNIINI Burmeister, 1844
Tribe LIPARETRINI Burmeister, 1855
Tribe MACRODACTYLINI Kirby, 1837
Tribe MAECHIDIINI Burmeister, 1855
Tribe MELOLONTHINI Leach, 1819
 Subtribe ENARIINA Dewailly, 1950
 Subtribe HEPTOPHYLLINA Medvedev, 1951
 Subtribe LEUCOPHOLINA Burmeister, 1855
 Subtribe MELOLONTHINA Leach, 1819
 Subtribe PEGYLINA Lacroix, 1989
 Subtribe RHIZOTROGINA Burmeister, 1855
 Subtribe SCHIZONYCHINA Burmeister, 1855
Tribe ONCERINI LeConte, 1861
Tribe PACHYPODINI Erichson, 1840
Tribe PACHYTRICHINI Burmeister, 1855
Tribe PHYLLOTOCIDIINI Britton, 1957
Tribe PODOLASIINI Howden, 1997
Tribe SCITALINI Britton, 1957
Tribe SERICINI Kirby, 1837
 Subtribe PHYLLOTOCINA Burmeister, 1855
 Subtribe SERICINA Kirby, 1837
 Subtribe TROCHALINA Brenske, 1898
Tribe SERICOIDINI Erichson, 1847
Tribe SYSTELLOPINI Sharp, 1877
Tribe TANYPROCTINI Erichson, 1847
 Subtribe MACROPHYLLINA Burmeister, 1855
 Subtribe TANYPROCTINA Erichson, 1847

Subfamily RUTELINAE MacLeay, 1819

- Tribe ADORETINI Burmeister, 1844
 Subtribe ADORETINA Burmeister, 1844
 Subtribe ADORRHINYPTIINA Arrow, 1917
 Subtribe PACHYRHINADORETINA Ohaus, 1912
 Subtribe PRODORETINA Ohaus, 1912
 Subtribe TRIGONOSTOMUSINA Ohaus, 1912
Tribe ALVARENGIINI Frey, 1975
Tribe ANATISTINI Lacordaire, 1856
Tribe ANOMALINI Streubel, 1839 *nomen protectum*
 Subtribe ANISOPLIINA Burmeister, 1844
 Subtribe ANOMALINA Streubel, 1839 *nomen protectum*
 Subtribe ISOPLIINA Péringuey, 1902
 Subtribe LEPTOHOPLIINA Potts, 1974
 Subtribe POPILLIINA Ohaus, 1918
Tribe ANOPLOGNATHINI MacLeay, 1819

- Subtribe ANOPLOGNATHINA MacLeay, 1819
- Subtribe BRACHYSTERNINA Burmeister, 1844
- Subtribe PHALANGOGONIINA Ohaus, 1918
- Subtribe PLATYCOELIINA Burmeister, 1844
- Subtribe SCHIZOGNATHINA Ohaus, 1918
- Tribe GENIATINI Burmeister, 1844
- Tribe RUTELINI MacLeay, 1819
 - Subtribe AREODINA Burmeister, 1844
 - Subtribe DESMONYCHINA Arrow, 1917
 - Subtribe DIDREPANEOPHORINA Ohaus, 1918
 - Subtribe HETEROSTERNINA Bates, 1888 *nomen protectum*
 - Subtribe LASIOCALINA Ohaus, 1918
 - Subtribe ORYCTOMORPHINA Burmeister, 1847
 - Subtribe PARASTASIINA Burmeister, 1844
 - Subtribe RUTELINA MacLeay, 1819

Subfamily DYNASTINAE MacLeay, 1819

- Tribe AGAOCEPHALINI Burmeister, 1847
- Tribe CYCLOCEPHALINI Laporte, 1840
- Tribe DYNASTINI MacLeay, 1819
- Tribe HEXODONTINI Lacordaire, 1856
- Tribe ORYCTINI Mulsant, 1842
- Tribe ORYCTODERINI Endrödi, 1966
- Tribe PENTODONTINI Mulsant, 1842
 - Subtribe CHEIROPLATINA Carne, 1957
 - Subtribe DIPELICINA Carne, 1957
 - Subtribe PENTODONTINA Mulsant, 1842
 - Subtribe PSEUDORYCTINA Carne, 1957
- Tribe PHILEURINI Burmeister, 1847
 - Subtribe CRYPTODINA Burmeister and Schaum, 1840
 - Subtribe PHILEURINA Burmeister, 1847

Subfamily CETONIINAE Leach, 1815

- Tribe CETONIINI Leach, 1815
 - Subtribe CETONIINA Leach, 1815
 - Subtribe EUPHORIINA Horn, 1880
 - Subtribe LEUCOCELINA Kraatz, 1882
- Tribe CREMASTOCHEILINI Burmeister and Schaum, 1841
 - Subtribe ASPILINA Krikken, 1984
 - Subtribe COENOCHILINA Burmeister, 1842
 - Subtribe CREMASTOCHEILINA Burmeister and Schaum, 1841
 - Subtribe CYMOPHORINA Krikken, 1984
 - Subtribe GENUCHINA Krikken, 1984
 - Subtribe GOLIATHOPSIDINA Krikken, 1984
 - Subtribe HETEROGENIINA Krikken, 1984

- Subtribe LISSOGENIINA Krikken, 1984
- Subtribe MACROMINA Burmeister and Schaum, 1840
- Subtribe NYASSININA Krikken, 1984
- Subtribe OPLOSTOMINA Krikken, 1984
- Subtribe PILINURGINA Krikken, 1984
- Subtribe SPILOPHORINA Krikken, 1984
- Subtribe TELOCHILINA Krikken, 1984
- Subtribe TRICHOPLINA Krikken, 1984
- Subtribe TROGODINA Krikken, 1984
- Tribe DIPLOGNATHINI Burmeister, 1842
- Tribe GOLIATHINI Latreille, 1829
 - Subtribe CORYPHOCERINA Burmeister, 1842
 - Subtribe DICRONOCEPHALINA Krikken, 1984
 - Subtribe GOLIATHINA Latreille, 1829
 - Subtribe ICHNESTOMATINA Burmeister, 1842
- Tribe GYMNSETINI Kirby, 1827
 - Subtribe BLAESIINA Schoch, 1895
 - Subtribe GYMNSETINA Kirby, 1827
- Tribe PHAEDIMINI Schoch, 1894
- Tribe SCHIZORRHININI Burmeister, 1842
 - Subtribe LOMAPTERINA Burmeister, 1842
 - Subtribe SCHIZORRHININA Burmeister, 1842
- Tribe STENOTARSIINI Kraatz, 1880
 - Subtribe ANOCHILIINA Krikken, 1984
 - Subtribe COPTOMIINA Schenkling, 1921
 - Subtribe CHROMOPTILIINA Krikken, 1984
 - Subtribe DORYSCELINA Schenkling, 1921
 - Subtribe EUCHROEINA Paulian and Descarpentries, 1982
 - Subtribe HETEROPHANINA Schoch, 1894
 - Subtribe HETEROSOMATINA Krikken, 1984
 - Subtribe PANTOLIINA Krikken, 1984
 - Subtribe PARACHILIINA Krikken, 1984
 - Subtribe STENOTARSIINA Kraatz, 1880
- Tribe TAENIODERINI Mikšić, 1976
 - Subtribe CHALCOTHEINA Mikšić, 1976
 - Subtribe TAENIODERINA Mikšić, 1976
- Tribe TRICHIINI Fleming, 1821
 - Subtribe CRYPTODONTINA Lacordaire, 1856
 - Subtribe INCINA Burmeister, 1842
 - Subtribe OSMODERMATINA Schenkling, 1922
 - Subtribe PLATYGENIINA Krikken, 1984
 - Subtribe TRICHIINA Fleming, 1821
- Tribe VALGINI Mulsant, 1842

Subtribe MICROVALGINA Kolbe, 1904

Subtribe VALGINA Mulsant, 1842

Tribe XIPHOSCELIDINI Burmeister, 1842

†Family COPRINISPHAERIDAE Genise, 2004

†Family PALLICHNIDAE Genise, 2004

Series ELATERIFORMIA

Superfamily SCIRTOIDEA Fleming, 1821

Family DECLINIIDAE Nikitsky, Lawrence, Kirejtshuk and Gratshev, 1994

Family EUCINETIDAE Lacordaire, 1857

Family CLAMBIDAE Fischer von Waldheim, 1821

Subfamily CALYPTOMERINAE Crowson, 1955

Subfamily ACALYPTOMERINAE Crowson, 1979

Subfamily CLAMBINAE Fischer von Waldheim, 1821

Family SCIRTIDAE Fleming, 1821

Subfamily SCIRTINAE Fleming, 1821

Subfamily NIPPONOCYPHONINAE Lawrence and Yoshitomi, 2007

Subfamily STENOCYPHONINAE Lawrence and Yoshitomi, 2007

†Family ELODOPHTHALMIDAE Kirejtshuk and Azar, 2008

†Family MESOCINETIDAE Kirejtshuk and Ponomarenko, 2010

Superfamily DASCILLOIDEA Guérin-Méneville, 1843 (1834)

Family DASCILLIDAE Guérin-Méneville, 1843 (1834)

Subfamily DASCILLINAE Guérin-Méneville, 1843 (1834)

Tribe CINNABARIINI Pic, 1914

Tribe DASCILLINI Guérin-Méneville, 1843 (1834)

Subfamily KARUMIINAE Escalera, 1913

Tribe EMMITINI Escalera, 1914

Tribe ESCALERININI Paulus, 1972

Tribe GENECERINI Pic, 1914

Tribe KARUMIINI Escalera, 1913

Family RHIPICERIDAE Latreille, 1834

Superfamily BUPRESTOIDEA Leach, 1815

Family SCHIZOPODIDAE LeConte, 1859

Subfamily SCHIZOPODINAE LeConte, 1859

Tribe DYSTAXIINI Théry, 1929

†Tribe ELECTRAPATINI Iablokoff-Khnzorian, 1962

Tribe SCHIZOPODINI LeConte, 1859

Family BUPRESTIDAE Leach, 1815

Subfamily JULODINAE Lacordaire, 1857

Subfamily POLYCESTINAE Lacordaire, 1857

- Tribe ACMAEODERINI Kerremans, 1893
Subtribe ACMAEODERINA Kerremans, 1893
Subtribe ACMAEODEROIDINA Cobos, 1955
Subtribe NOTHOMORPHINA Cobos, 1955
- Tribe ASTRAEINI Cobos, 1980
- Tribe BULINI Bellamy, 1995
- Tribe HAPLOSTETHINI LeConte, 1861
- Tribe PARATRACHEINI Cobos, 1980
- Tribe PERUCOLINI Cobos, 1980
- Tribe POLYCESTINI Lacordaire, 1857
Subtribe POLYCESTINA Lacordaire, 1857
Subtribe XENOPSEINA Volkovitsh, 2008
- Tribe POLYCTESINI Cobos, 1955
- Tribe PROSPHERINI Cobos, 1980
- Tribe PTOSIMINI Kerremans, 1903
- Tribe THRINCOPYGINI LeConte, 1861
- Tribe TYNDARIDINI Cobos, 1955
Subtribe MIMOCOCLYTRININA Bellamy, 2003
Subtribe PSEUDACHERUSIINA Cobos, 1980
Subtribe TYLAUCHENIINA Cobos, 1959
Subtribe TYNDARIDINA Cobos, 1955
- Tribe XYROSCELIDINI Cobos, 1955
- Subfamily GALBELLINAE Reitter, 1911**
- Subfamily CHRYSOCHROINAE Laporte, 1835**
- Tribe CHRYSOCHROI Laporte, 1835
Subtribe CHALCOPHORINA Lacordaire, 1857 (1848)
Subtribe CHRYSOCHROINA Laporte, 1835
Subtribe EUCALLOPISTINA Bellamy, 2003
- Tribe DICERCINI Gistel, 1848
Subtribe DICERCINA Gistel, 1848
Subtribe HAPLOTRINCHINA Holyński, 1993
Subtribe HIPPOMELANINA Holyński, 1993
Subtribe PSEUDOPEROTINA Tōyama, 1987
- Tribe EVIDINI Tōyama, 1987
- Tribe PARALEPTODEMINI Cobos, 1975
Subtribe EUCHROMATINA Holyński, 1993
Subtribe EUPLECTALECIINA Holyński, 1993
Subtribe HYPOPRASINA Holyński, 1993
Subtribe PARALEPTODEMINA Cobos, 1975
Subtribe PRISTIPTERINA Holyński, 1993
- Tribe PARATASSINI Bílý and Volkovitsh, 1996
- Tribe POECILONOTINI Jakobson, 1913
Subtribe POECILONOTINA Jakobson, 1913

Subtribe NESOTRINCHINA Bílý, Kubáň and Volkovitsh, 2009

Tribe SPHENOPTERINI Lacordaire, 1857

Tribe VADONAXIINI Descarpentries, 1970

Subfamily BUPRESTINAE Leach, 1815

Tribe ACTENODINI Gistel, 1848

Tribe ANTHAXIINI Gory and Laporte, 1839

Tribe BUBASTINI Obenberger, 1920

Tribe BUPRESTINI Leach, 1815

Subtribe AGAEOCERINA Nelson, 1982

Subtribe BUPRESTINA Leach, 1815

Subtribe LAMPROCHEILINA Holyński, 1993

Subtribe TRACHYKELINA Holyński, 1988

Tribe CHRYSOBOTHRINI Gory and Laporte, 1836

Tribe COOMANIELLINI Bílý, 1974

Tribe CURIDINI Holyński, 1988

Subtribe ANILARINA Bílý, 2000

Subtribe CURIDINA Holyński, 1988

Subtribe NEOCURIDINA Holyński, 1988

Tribe EPISTOMENTINI Levey, 1978

Tribe EXAGISTINI Tōyama, 1987

Tribe JULODIMORPHINI Kerremans, 1903

Tribe KISANTHOBIINI Richter, 1949

Tribe MAORAXIINI Holyński, 1984

Tribe MELANOPHILINI Bedel, 1921

Tribe MELOBASEINI Bílý, 2000

Tribe MENDIZABALIINI Cobos, 1968

Tribe NASCIONINI Holyński, 1988

Tribe PHRIXIINI Cobos, 1975

Tribe PTEROBOTHRINI Volkovitsh, 2001

Tribe STIGMODERINI Lacordaire, 1857

Tribe THOMASSETIINI Bellamy, 1987

Subtribe PHILANTHAXIINA Holyński, 1988

Subtribe THOMASSETIINA Bellamy, 1987

Tribe TRIGONOGENINI Cobos, 1956

Tribe XENORHIPIDINI Cobos, 1986

Subtribe TRICHINORHIPIDINA Bellamy, 2006

Subtribe XENORHIPIDINA Cobos, 1986

Subfamily AGRILINAE Laporte, 1835

Tribe AGRILINI Laporte, 1835

Subtribe AGRILINA Laporte, 1835

Subtribe AMORPHOSTERNINA Cobos, 1974

Subtribe AMYIINA Holyński, 1993

Subtribe RHAEBOSCELIDINA Cobos, 1976

- Tribe APHANISTICINI Jacquelin du Val, 1859
 - Subtribe ANTHAXOMORPHINA Holyński, 1993
 - Subtribe APHANISTICINA Jacquelin du Val, 1859
 - Subtribe CYLINDROMORPHINA Portevin, 1931
 - Subtribe CYLINDROMORPHOIDINA Cobos, 1979
 - Subtribe GERMARICINA Cobos, 1979
- Tribe CORAEBINI Bedel, 1921
 - Subtribe AMORPHOSOMATINA Majer, 2000
 - Subtribe CISSEINA Majer, 2000
 - Subtribe CLEMATINA Majer, 2000
 - Subtribe CORAEBINA Bedel, 1921
 - Subtribe DISMORPHINA Cobos, 1990
 - Subtribe ETHONIINA Majer, 2000
 - Subtribe GERALIIINA Cobos, 1988
 - Subtribe MELIBOEINA Majer, 2000
 - Subtribe SYNECHOCERINA Majer, 2000
 - Subtribe TOXOSCELINA Majer, 2000
- Tribe TRACHEINI Laporte, 1835
 - Subtribe BRACHINA LeConte, 1861
 - Subtribe LEIOPLEURINA Holyński, 1993
 - Subtribe PACHYSHELINA Böving and Craighead, 1931
 - Subtribe TRACHEINA Laporte, 1835

†Subfamily PARATHYREINAE Alexeev, 1994

Superfamily BYRRHOIDEA Latreille, 1804

Family BYRRHIDAE Latreille, 1804

Subfamily BYRRHINAE Latreille, 1804

- Tribe BYRRHINI Latreille, 1804
- Tribe EXOMELLINI Casey, 1914
- Tribe MORYCHINI El Moursy, 1961
- Tribe PEDIOPHORINI Casey, 1912
- Tribe SIMPLOCARIINI Mulsant and Rey, 1869

Subfamily SYNCALYPTINAE Mulsant and Rey, 1869

- Tribe MICROCHAETINI Paulus, 1973
- Tribe SYNCALYPTINI Mulsant and Rey, 1869

Subfamily AMPHICYRTINAE LeConte, 1861

Family ELMIDAE Curtis, 1830

Subfamily LARAINAE LeConte, 1861

- Tribe LARAINI LeConte, 1861
- Tribe POTAMOPHILINI Mulsant and Rey, 1872

Subfamily ELMINAE Curtis, 1830

- Tribe ANCYRONYCHINI Ganglbauer, 1904
- Tribe ELMINI Curtis, 1830

- Subtribe ELMINA Curtis, 1830
Subtribe STENELMINA Mulsant and Rey, 1872
Tribe MACRONYCHINI Gistel, 1848
- Family DRYOPIDAE Billberg, 1820 (1817)**
- Family LUTROCHIDAE Kasap and Crowson, 1975**
- Family LIMNICHIDAE Erichson, 1846**
- Subfamily HYPHALINAE Britton, 1971
Subfamily LIMNICHINAE Erichson, 1846
- Tribe LIMNICHINI Erichson, 1846
Tribe WOOLDRIDGEINI Spangler, 1999
- Subfamily CEPHALOBYRRHINAE Champion, 1925
Subfamily THAUMASTODINAE Champion, 1924
- Family HETEROCERIDAE MacLeay, 1825**
- Subfamily ELYTHOMERINAE Pacheco, 1964
Subfamily HETEROCERINAE MacLeay, 1825
- Tribe AUGYLINI Pacheco, 1964
Tribe HETEROCERINI MacLeay, 1825
Tribe MICILINI Pacheco, 1964
Tribe TROPICINI Pacheco, 1964
- Family PSEPHENIDAE Lacordaire, 1854**
- Subfamily AFROEUBRIINAE Lee, Satô, Shepard and Jäch, 2007
Subfamily EUBRIINAE Lacordaire, 1857
Subfamily EUBRIANACINAE Jakobson, 1913
Subfamily PSEPHENOIDINAE Bollow, 1938
Subfamily PSEPHENINAE Lacordaire, 1854
- Family CNEOGLOSSIDAE Champion, 1897**
- Family PTILODACTYLIDAE Laporte, 1836**
- Subfamily ANCHYTARSINAE Champion, 1897
Subfamily CLADOTOMINAE Pic, 1914
Subfamily APLOGLOSSINAE Champion, 1897
Subfamily ARAEOPIDIINAE Lawrence, 1991
Subfamily PTILODACTYLINAE Laporte, 1836
- Family PODABROCEPHALIDAE Pic, 1930**
- Family CHELONARIIDAE Blanchard, 1845**
- Family EULICHADIDAE Crowson, 1973**
- Family CALLIRHIPIDAE Emden, 1924**

Superfamily ELATEROIDEA Leach, 1815

- Family RHINORHIPIDAE Lawrence, 1988**
- Family ARTEMATOPODIDAE Lacordaire, 1857**
- Subfamily ELECTRIBIINAE Crowson, 1975
Subfamily ALLOPOGONIINAE Crowson, 1973
Subfamily ARTEMATOPODINAE Lacordaire, 1857

Tribe ARTEMATOPODINI Lacordaire, 1857

Tribe CTESIBIINI Crowson, 1973

Tribe MACROPOGONINI LeConte, 1861

Family BRACHYPSECTRIDAE LeConte and Horn, 1883

Family CEROPHYTIDAE Latreille, 1834

Family EUCNEMIDAE Eschscholtz, 1829

Subfamily PEROHOPINAE Lacordaire, 1857

Subfamily PHYLLOCERINAE Reitter, 1905

Tribe ANELASTINI Reitter, 1911

Tribe PHYLLOCERINI Reitter, 1905

Subfamily PSEUDOMENINAE Muona, 1993

Tribe PSEUDOMENINI Muona, 1993

Tribe SCHIZOPHILINI Muona, 1993

Subfamily PALAEOXENINAE Muona, 1993

Subfamily PHLEGONINAE Muona, 1993

Subfamily ANISCHIINAE Fleutiaux, 1936

Subfamily MELASINAE Fleming, 1821

Tribe CALYPTOCERINI Muona, 1993

Tribe CEBALLOSMELASINI Muona, 1993

Tribe DIRHAGINI Reitter, 1911

Tribe EPIPHANINI Muona, 1993

Tribe HYLOCHARINI Jacquelain du Val, 1859

Tribe MELASINI Fleming, 1821

Subtribe COMPSOCNEMINA Muona, 1993

Subtribe MELASINA Fleming, 1821

Tribe NEOCHARINI Muona, 1993

Tribe XYLOBIINI Reitter, 1911

Subfamily EUCNEMINAE Eschscholtz, 1829

Tribe DENDROCHARINI Fleutiaux, 1920

Tribe DYSCHARACHTHINI Muona, 1993

Tribe ENTOMOSATOPINI Muona, 1993

Tribe EUCNEMINI Eschscholtz, 1829

Tribe GALBITINI Muona, 1991

Tribe MESOGENINI Muona, 1993

Tribe MUONAJINI Özdikmen, 2008

Tribe PEROTTIINI Muona, 1993

Tribe PHAENOCERINI Muona, 1993

Tribe PROUTIANINI Muona, 1993

Subfamily MACRAULACINAE Fleutiaux, 1923

Tribe ANELASTIDINI Muona, 1993

Tribe ECHTHROGASTERINI Cobos, 1965

Tribe EURYPTYCHINI Mamaev, 1976

- Tribe JENIBUNTORINI Muona, 1993
- Tribe MACRAULACINI Fleutiaux, 1923
- Tribe NEMATODINI Leiler, 1976
- Tribe OISOCERINI Muona, 1993
- Tribe ORODOTINI Muona, 1993
- †Tribe THROSCOGENIINI Iablokoff-Khnzorian, 1962

Family THROSCIDAE Laporte, 1840 *nomen protectum*

†Family PRAELATERIIDAE Dolin, 1973

Family ELATERIDAE Leach, 1815

Subfamily CEBRIONINAE Latreille, 1802

Subfamily AGRYPNINAE Candèze, 1857 *nomen protectum*

- Tribe AGRYPNINI Candèze, 1857 *nomen protectum*

Tribe ANAISSINI Golbach, 1984

†Tribe CRYPTOCARDIINI Dolin, 1980

Tribe EUPLINTHINI Costa, 1975

Subtribe CLEIDECASTINA Johnson, 2002

Subtribe COMPSOPLINTHINA Costa, 1975

Subtribe EUPLINTHINA Costa, 1975

Tribe HEMIRHIPINI Candèze, 1857

Tribe OOPHORINI Gistel, 1848

Tribe PLATYCREPIDIINI Costa and Casari-Chen, 1993

Tribe PSEUDOMELANACTINI Arnett, 1967

Tribe PYROPHORINI Candèze, 1863

Subtribe HAPSODRILINA Costa, 1975

Subtribe NYCTOPHYXINA Costa, 1975

Subtribe PYROPHORINA Candèze, 1863

Tribe TETRALOBINI Laporte, 1840

Subfamily THYLACOSTERNINAE Fleutiaux, 1920

Subfamily LISSOMINAE Laporte, 1835

Subfamily SEMIOTINAE Jakobson, 1913

Subfamily CAMPYLOXENINAE Costa, 1975

Subfamily PITYOBIINAE Hyslop, 1917

Subfamily OXYNOPTERINAE Candèze, 1857

Subfamily DENDROMETRINAE Gistel, 1848

Tribe CREPIDOMENINI Candèze, 1863

Tribe DENDROMETRINI Gistel, 1848

Subtribe DENDROMETRINA Gistel, 1848

Subtribe DENTICOLLINA Stein and Weise, 1877 (1848)

Subtribe HEMICREPIDIINA Champion, 1896

Tribe DIMINI Candèze, 1863

Tribe HYPNOIDINI Schwarz, 1906 (1860)

Tribe PLEONOMINI Semenov and Pjatakova, 1936

Tribe PROSTERNINI Gistel, 1856 ***nomen protectum***

Tribe SENODONIINI Schenckling, 1927

Subfamily NEGASTRIINAE Nakane and Kishii, 1956

Tribe NEGASTRIINI Nakane and Kishii, 1956

Tribe QUASIMUSINI Schimmel and Tarnawski, 2009

Subtribe LOEBLIQUASIMUSINA Schimmel and Tarnawski, 2009

Subtribe QUASIMUSINA Schimmel and Tarnawski, 2009

Subtribe STRIATOQUASIMUSINA Schimmel and Tarnawski, 2009

Subtribe WITTMEROQUASIMUSINA Schimmel and Tarnawski, 2009

Subfamily ELATERINAE Leach, 1815

Tribe AGRIONTINI Laporte, 1840

Subtribe AGRIONTINA Laporte, 1840

Subtribe CARDIORHININA Candèze, 1863

Tribe AMPEDINI Gistel, 1848

Tribe DICREPIDIINI Thomson, 1858

Tribe ELATERINI Leach, 1815

Tribe MEGAPENTHINI Gurjeva, 1973

Tribe MELANOTINI Candèze, 1859 (1848)

Tribe ODONTONYCHINI Girard, 1973

Tribe PHYSORHININI Candèze, 1859

Tribe POMACHILIINI Candèze, 1859

Tribe SYNAPTINI Gistel, 1856

Subfamily CARDIOPHORINAE Candèze, 1859

Subfamily HEMIOPINAE Fleutiaux, 1941

Subfamily PHYSODACTYLINAE Lacordaire, 1857

Subfamily EUDICRONYCHINAE Girard, 1971

Subfamily SUBPROTELATERINAE Fleutiaux, 1920

Subfamily MOROSTOMATINAE Dolin, 2000

†Subfamily PROTAGRYPNINAE Dolin, 1973

†Tribe DESMATINI Dolin, 1975

†Tribe HYPNOMORPHINI Dolin, 1975

†Tribe PROTAGRYPNINI Dolin, 1973

Family PLASTOCERIDAE Crowson, 1972

Family DRILIDAE Blanchard, 1845

Subfamily DRILINAE Blanchard, 1845

Subfamily THILMANINAE Kazantsev, 2004

Tribe EUANOMINI Kazantsev, 2010

Tribe THILMANINI Kazantsev, 2004

Family OMALISIDAE Lacordaire, 1857

†Family BERENDTIMIRIDAE Winkler, 1987

Family LYCIDAE Laporte, 1836

Subfamily LIBNETINAE Bocák and Bocáková, 1990

Subfamily DICTYOPTERINAE Houlbert, 1922

- Tribe DICTYOPTERINI Houlbert, 1922
- Tribe LYCOPROGENTHINI Bocák and Bocáková, 2008
- Tribe TAPHINI Bocák and Bocáková, 1990

Subfamily LYROPÆINAE Bocák and Bocáková, 1989

- Tribe ALYCULINI Bocák and Bocáková, 2008
- Tribe ANTENNOLYCINI Bocák and Bocáková, 2008
- Tribe LYROPÆINI Bocák and Bocáková, 1989
- Tribe MINIDULITICOLINI Kazantsev, 2003
- Tribe PLATERODRILINI Kazantsev, 2004

Subfamily ATELIINAE Kleine, 1929

- Tribe ATELIINI Kleine, 1929
- Tribe DILOPHOTINI Kleine, 1929

Subfamily LYCINAE Laporte, 1836

- Tribe CALOCHROMINI Lacordaire, 1857
- Tribe CALOPTERINI Green, 1949
 - Subtribe ACROLEPTINA Bocáková, 2005
 - Subtribe CALOPTERINA Green, 1949
- Tribe CONDERINI Bocák and Bocáková, 1990
- Tribe DIHAMMATINI Bocák and Bocáková, 2008
- Tribe EROTINI LeConte, 1881
- Tribe EURRHACINI Bocáková, 2005
- Tribe LEPTOLYCINI Leng and Mutchler, 1922
- Tribe LYCINI Laporte, 1836
- Tribe LYPONIINI Bocák and Bocáková, 1990
- Tribe MACROLYCINI Kleine, 1929
- Tribe MELANEROTINI Kazantsev, 2010
- Tribe METRIORRHYNCHINI Kleine, 1926
 - Subtribe HEMICONDERININA Bocák and Bocáková, 1990
 - Subtribe METRIORRHYNCHINA Kleine, 1926
 - Subtribe TRICHALINA Kleine, 1929
- Tribe PLATERODINI Kleine, 1929
- Tribe SLIPINSKIINI Bocák and Bocáková, 1992
- Tribe THONALMINI Kleine, 1933

Subfamily DEXORINAE Bocák and Bocáková, 1989**Family TELEGEUSIDAE Leng, 1920****Family PHENGODIDAE LeConte, 1861**

- Subfamily PHENGODINAE LeConte, 1861**
- Subfamily MASTINOCERINAE LeConte, 1881**
- Subfamily PENICILLOPHORINAE Paulus, 1975**

Family RHAGOPHTHALMIDAE Olivier, 1907**Family LAMPYRIDAE Rafinesque, 1815**

Subfamily PSILOCLADINAE McDermott, 1964**Subfamily AMYDETINAE Olivier, 1907**

Tribe AMYDETINI Olivier, 1907

Tribe VESTINI McDermott, 1964

Subfamily LAMPYRINAE Rafinesque, 1815

Tribe CRATOMORPHINI Green, 1948

Tribe LAMPROCERINI Olivier, 1907

Tribe LAMPROHIZINI Kazantsev, 2010

Tribe LAMPYRINI Rafinesque, 1815

Tribe LUCIDOTINI Lacordaire, 1857

Subtribe DADOPHORINA Olivier, 1907

Subtribe LAMPRIGERINA McDermott, 1964

Subtribe LUCIDOTINA Lacordaire, 1857

Subtribe PHOTININA LeConte, 1881

Tribe PLEOTOMINI Summers, 1874

Subfamily LUCIOLINAE Lacordaire, 1857

Tribe CURTOSINI McDermott, 1964

Tribe LUCIOLINI Lacordaire, 1857

Subfamily PHOTURINAE Lacordaire, 1857**Family OMETHIDAE LeConte, 1861****Subfamily OMETHINAE LeConte, 1861****Subfamily MATHETEINAE LeConte, 1881****Subfamily DRILONIINAE Crowson, 1972****Family CANTHARIDAE Imhoff, 1856 (1815)****Subfamily CANTHARINAE Imhoff, 1856 (1815)**

Tribe CANTHARINI Imhoff, 1856 (1815)

Tribe PODABRINI Gistel, 1856

Subfamily SILINAE Mulsant, 1862

Tribe SILINI Mulsant, 1862

Tribe TYTHONYXINI Arnett, 1962

Subfamily DYSMORPHOCERINAE Brancucci, 1980**Subfamily MALTHININAE Kiesenwetter, 1852**

Tribe MALCHININI Brancucci, 1980

Tribe MALTHININI Kiesenwetter, 1852

Tribe MALTHODINI Böving and Craighead, 1931

Subfamily CHAULIOGNATHINAE LeConte, 1861

Tribe CHAULIOGNATHINI LeConte, 1861

Tribe ICHTHYURINI Champion, 1915

Subfamily CYDISTINAE Paulus, 1972**Subfamily PTEROTINAE LeConte, 1861****Subfamily OTOTRETINAE McDermott, 1964****Subfamily OTOTRETADRILINAE Crowson, 1972**†**Subfamily LASIOSYNIDAE Kirejtshuk, Chang, Ren and Kun, 2010**

Series DERODONTIFORMIA

Superfamily DERODONTOIDEA LeConte, 1861

Family DERODONTIDAE LeConte, 1861

Subfamily PELTASTICINAE LeConte, 1861

Subfamily DERODONTINAE LeConte, 1861

Subfamily LARICOBIINAE Mulsant and Rey, 1864

Family NOSODENDRIDAE Erichson, 1846

Family JACOBSONIIDAE Heller, 1926

Series BOSTRICHIFORMIA

Superfamily BOSTRICHOIDEA Latreille, 1802

Family DERMESTIDAE Latreille, 1804

Subfamily DERMESTINAE Latreille, 1804

Tribe DERMESTINI Latreille, 1804

Tribe MARIOUTINI Jakobson, 1913

Subfamily THORICTINAE Agassiz, 1846

Tribe THAUMAPHRASTINI Anderson, 1949

Tribe THORICTINI Agassiz, 1846

Subfamily ORPHILINAE LeConte, 1861

Subfamily TRINODINAE Casey, 1900

†Tribe CRETONODINI Kirejtshuk and Azar, 2009

Tribe THYLODRIINI Semenov, 1909

Tribe TRINODINI Casey, 1900

Tribe TRINOPARVINI Háva, 2010

Subfamily ATTAGENINAE Laporte, 1840

Tribe ATTAGENINI Laporte, 1840

Tribe EGIDYELLINI Semenov, 1914

Subfamily MEGATOMINAE Leach, 1815

Tribe ANTHRENINI Gistel, 1848

Tribe MEGATOMINI Leach, 1815

Family ENDECATOMIDAE LeConte, 1861

Family BOSTRICHIDAE Latreille, 1802

Subfamily DYSIDINAE Lesne, 1921

Subfamily POLYCAONINAE Lesne, 1896

Subfamily BOSTRICHINAE Latreille, 1802

Tribe APATINI Billberg, 1820

Tribe BOSTRICHINI Latreille, 1802

Tribe DINAPATINI Lesne, 1910

Tribe SINOXYLINI Marseul, 1857

Tribe XYLOPERTHINI Lesne, 1921

Subfamily PSOINAE Blanchard, 1851

Subfamily DINODERINAE Thomson, 1863**Subfamily LYCTINAE Billberg, 1820**

Tribe LYCTINI Billberg, 1820

Tribe TROGOXYLINI Lesne, 1921

Subfamily EUDERIINAE Lesne, 1934**Family PTINIDAE Latreille, 1802****Subfamily EUCRADINAE LeConte, 1861**

Tribe EUCRADINI LeConte, 1861

Tribe HEDOBIINI Mulsant and Rey, 1868

Subfamily PTININAE Latreille, 1802

Tribe GIBBIINI Jacquelin du Val, 1860

Tribe MEZIINI Bellés, 1985

Tribe PTININI Latreille, 1802

Tribe SPHAERICINI Portevin, 1931

Subfamily DRYOPHILINAE Gistel, 1848

Tribe DRYOPHILINI Gistel, 1848

Tribe PTILINEURINI Böving, 1927

Subfamily ERNOBIINAE Pic, 1912**Subfamily ANOBIINAE Fleming, 1821****Subfamily PTILININAE Shuckard, 1839****Subfamily ALVARENGANIELLINAE Viana and Martínez, 1971****Subfamily XYLETININAE Gistel, 1848**

Tribe LASIODERMINI Böving, 1927

Tribe METHOLCINI Zahradník, 2009

Tribe XYLETININI Gistel, 1848

Subfamily DORCATOMINAE Thomson, 1859**Subfamily MESOCOELOPODINAE Mulsant and Rey, 1864**

Tribe TRICORYNINI White, 1971

Tribe MESOCOELOPODINI Mulsant and Rey, 1864

Series CUCUJIFORMIA**Superfamily LYMEXYLOIDEA Fleming, 1821****Family LYMEXYLIDAE Fleming, 1821****Subfamily HYLECOETINAE Germar, 1818****Subfamily LYMEXYLINAE Fleming, 1821****Subfamily ATRACTOCERINAE Laporte, 1840****Subfamily MELITOMMATINAE Wheeler, 1986****Superfamily CLEROIDEA Latreille, 1802****Family PHLOIOPHILIDAE Kiesenwetter, 1863****Family TROGOSITIDAE Latreille, 1802****Subfamily PELTINAE Latreille, 1806**

Tribe ANCYRONINI Kolibáč, 2006

Tribe COLYDIOPELTINI Kolibáč, 2006

Tribe DECAMERINI Crowson, 1964

Tribe LOPHOCATERINI Crowson, 1964 *nomen protectum*

Tribe PELTINI Latreille, 1806

Tribe THYMALINI Léveillé, 1888

Subfamily TROGOSSITINAE Latreille, 1802

Tribe CALITYINI Reitter, 1922

Tribe EGOLINI Lacordaire, 1854

Tribe GYMNOCHILINI Lacordaire, 1854

Tribe LARINOTINI Ślipiński, 1992

†Tribe LITHOSTOMATINI Kolibáč and Huang, 2008

Tribe TROGOSSITINI Latreille, 1802

Family CHAETOSOMATIDAE Crowson, 1952

Family METAXINIDAE Kolibáč, 2004

Family THANEROCLERIDAE Chapin, 1924

Subfamily ZENODOSINAE Kolibáč, 1992

Subfamily THANEROCLERINAE Chapin, 1924

Tribe ISOCLERINI Kolibáč, 1992

Tribe THANEROCLERINI Chapin, 1924

Tribe VITICLERINI Winkler, 1982

Family CLERIDAE Latreille, 1802

Subfamily TILLINAE Fischer von Waldheim, 1813

Subfamily HYDNOCERINAE Spinola, 1844

Tribe CALLIMERINI Kolibáč, 1998

Tribe HYDNOCERINI Spinola, 1844

Tribe LEMIDIINI Kolibáč, 1998

Subfamily CLERINAE Latreille, 1802

Subfamily KORYNETINAE Laporte, 1836

Family ACANTHOCNEMIDAE Crowson, 1964

Family PHYCOSECIDAE Crowson, 1952

Family PRIONOCERIDAE Lacordaire, 1857

Tribe LOBONYCHINI Majer, 1987

Tribe PRIONOCERINI Lacordaire, 1857

Family MAURONISCIDAE Majer, 1995

Family MELYRIDAE Leach, 1815

Subfamily RHADALINAE LeConte, 1861

Subfamily MELYRINAE Leach, 1815

Tribe ARTHROBRACHINI Majer, 1987

Tribe ASTYLINI Pic, 1929

Tribe CERALLINI Pic, 1929

Tribe MELYRINI Leach, 1815

Subfamily DASYTINAE Laporte, 1840

- Tribe CHAETOMALACHIINI Majer, 1987
- Tribe DANACEINI Thomson, 1859
- Tribe DASYTINI Laporte, 1840
- Tribe GIETELLINI Constantin and Menier, 1987
- Tribe LISTRINI Majer, 1990

Subfamily MALACHIINAE Fleming, 1821

- Tribe AMALTHOCINI Majer, 2002
- Tribe ATTALOMIMINI Majer, 1995
- Tribe CARPHURINI Champion, 1923
- Tribe LEMPHINI Wittmer, 1976
- Tribe MALACHIINI Fleming, 1821
- Tribe PAGURODACTYLINI Constantin, 2001

Superfamily CUCUJOIDEA Latreille, 1802

†Family PARANDREXIDAE Kirejtshuk, 1994

†Family SINISILVANIDAE Hong, 2002

Family BOGANIIDAE Sen Gupta and Crowson, 1966

Subfamily PARACUCUJINAE Endrödy-Younga and Crowson, 1986

Subfamily BOGANIINAE Sen Gupta and Crowson, 1966

Family BYTURIDAE Gistel, 1848

Subfamily PLATYDASCILLINAE Pic, 1914

Subfamily BYTURINAE Gistel, 1848

Family HELOTIDAE Chapuis, 1876

Family PROTOCUCIJIDAE Crowson, 1954

Family SPHINDIDAE Jacquelin du Val, 1860

Subfamily PROTOSPHINDINAE Sen Gupta and Crowson, 1979

Subfamily ODONTOSPHINDINAE Sen Gupta and Crowson, 1979

Subfamily SPHINDIPHORINAE Sen Gupta and Crowson, 1979

Subfamily SPHINDINAE Jacquelin du Val, 1860

Family BIPHYLLIDAE LeConte, 1861

Family EROTYLIDAE Latreille, 1802

Subfamily XENOSCELINAE Ganglbauer, 1899

Subfamily PHARAXONOTHINAE Crowson, 1952

Subfamily LOBERINAE Bruce, 1951

Subfamily LANGURIINAE Hope, 1840

Tribe HAPALIPINI Leschen, 2003

Tribe LANGURIINI Hope, 1840

Tribe THALLISELLINI Sen Gupta, 1968

Subfamily CRYPTOPHILINAE Casey, 1900

Tribe CRYPTOPHILINI Casey, 1900

Tribe EMPOCRYPTINI Leschen, 2003

Tribe TORAMINI Sen Gupta, 1967

Subfamily EROTYLINAE Latreille, 1802

- Tribe DACNINI Gistel, 1848
- Tribe ENCAUSTINI Crotch, 1876
- Tribe EROTYLINI Latreille, 1802
- Tribe MEGALODACNINI Sen Gupta, 1970
- Tribe TRITOMINI Curtis, 1834

Family MONOTOMIDAE Laporte, 1840**Subfamily RHIZOPHAGINAE Redtenbacher, 1845****Subfamily MONOTOMINAE Laporte, 1840**

- Tribe EUROPINI Sen Gupta, 1988
- Tribe LENACINI Crowson, 1952
- Tribe MONOTOMINI Laporte, 1840
- †Tribe RHIZOPHTOMINI Kirejtshuk and Azar, 2009
- Tribe THIONINI Crowson, 1952

Family HOBARTIIDAE Sen Gupta and Crowson, 1966**Family CRYPTOPHAGIDAE Kirby, 1826****Subfamily CRYPTOPHAGINAE Kirby, 1826**

- Tribe CAENOSCELINI Casey, 1900
- Tribe CRYPTOPHAGINI Kirby, 1826
- Tribe PICROTINI Crowson, 1980

Subfamily ATOMARIINAE LeConte, 1861

- Tribe ATOMARIINI LeConte, 1861
- Tribe CRYPTAFRICINI Leschen, 1996
- Tribe HYPOCOPRINI Reitter, 1879

Family AGAPYTHIDAE Sen Gupta and Crowson, 1969**Family PRIASILPHIDAE Crowson, 1973****Family PHLOEOSTICHIDAE Reitter, 1911****Family SILVANIDAE Kirby, 1837****Subfamily BRONTINAE Blanchard, 1845**

- Tribe BRONTINI Blanchard, 1845
- Tribe TELEPHANINI LeConte, 1861

Subfamily SILVANINAE Kirby, 1837**Family CUCUJIDAE Latreille, 1802****Family MYRABOLIIDAE Lawrence and Britton, 1991****Family CAVOGNATHIDAE Sen Gupta and Crowson, 1966****Family LAMINGTONIIDAE Sen Gupta and Crowson, 1969****Family PASSANDRIDAE Blanchard, 1845****Family PHALACRIDAE Leach, 1815****Subfamily PHAENOCEPHALINAE Matthews, 1899****Subfamily PHALACRINAE Leach, 1815****Family PROPALTICIDAE Crowson, 1952****Family LAEMOPHLOEIDAE Ganglbauer, 1899****Family TASMOSALPINGIDAE Lawrence and Britton, 1991****Family CYCLAXYRIDAE Gimmel, Leschen and Ślipiński, 2009**

Family KATERETIDAE Kirby, 1837**Family NITIDULIDAE Latreille, 1802**

Subfamily CALONECRINAE Kirejtshuk, 1982

Subfamily MAYNIPEPLINAE Kirejtshuk, 1998

Subfamily EPURAEINAE Kirejtshuk, 1986

Tribe EPURAEINI Kirejtshuk, 1986

Tribe TAENIONCINI Kirejtshuk, 1998

Subfamily CARPOPHILINAE Erichson, 1842

Subfamily AMPHICROSSINAE Kirejtshuk, 1986

Subfamily MELIGETHINAE Thomson, 1859

Subfamily NITIDULINAE Latreille, 1802

Tribe CYCHRAMINI Gistel, 1848

Tribe CYCHRAMPYDODINI Kirejtshuk and Lawrence, 1992

Tribe CYLLODINI Everts, 1898

Tribe LAWRENCEROSINI Kirejtshuk, 1991

Tribe MYSTROPINI Murray, 1864

Tribe NITIDULINI Latreille, 1802

Subfamily CILAEINAE Kirejtshuk and Audisio, 1986**Subfamily CRYPTARCHINAE Thomson, 1859**

Tribe ARHININI Kirejtshuk, 1987

Tribe CRYPTARCHINI Thomson, 1859

Tribe EUCALOSPHAERINI Kirejtshuk, 1987

Tribe PLATYARCHINI Kirejtshuk, 1998

Subfamily CYBOCEPHALINAE Jacquelin du Val, 1858**Family SMICRIPIDAE Horn, 1880****Family BOTHRIDERIDAE Erichson, 1845****Subfamily TEREDINAE Seidlitz, 1888**

Tribe SOSYLOPSINI Dajoz, 1980

Tribe SYSOLINI Ślipiński and Pal, 1985

Tribe TEREDINI Seidlitz, 1888

Subfamily XYLARIOPHILINAE Pal and Lawrence, 1986**Subfamily ANOMMATINAE Ganglbauer, 1899****Subfamily BOTHRIDERINAE Erichson, 1845****Family CERYLONIDAE Billberg, 1820****Subfamily EUXESTINAE Grouvelle, 1908****Subfamily LOEBLIORYLONINAE Ślipiński, 1990****Subfamily OSTOMOPSINAE Sen Gupta and Crowson, 1973****Subfamily MURMIDIINAE Jacquelin du Val, 1858****Subfamily CERYLONINAE Billberg, 1820****Family ALEXIIDAE Imhoff, 1856****Family DISCOLOMATIDAE Horn, 1878****Subfamily NOTIOPHYGINAE Jakobson, 1915**

Tribe DYSTHEAMONINI John, 1954

- Tribe NOTIOPHYGINI Jakobson, 1915
Tribe PACHYPLACINI John, 1954
Subfamily DISCOLOMATINAE Horn, 1878
Subfamily APHANOCEPHALINAE Jakobson, 1904
Subfamily CEPHALOPHANINAE John, 1954
Subfamily PONDONATINAE John, 1954
Family ENDOMYCHIDAE Leach, 1815
Subfamily MEROPHYSIINAE Seidlitz, 1872
Subfamily PLEGANOPHORINAE Jacquelin du Val, 1858
Subfamily ANAMORPHINAE Strohecker, 1953
Subfamily LEIESTINAE Thomson, 1863
Subfamily MYCETAEINAE Jacquelin du Val, 1857
Subfamily EUPSILOBIINAE Casey, 1895
Subfamily XENOMYCETINAE Strohecker, 1962
Subfamily DANASCELINAE Tomaszevska, 2000
Subfamily ENDOMYCHINAE Leach, 1815
Subfamily EPIPOCINAE Gorham, 1873
Subfamily STENOTARSINAE Chapuis, 1876
Subfamily LYCOPERDININAE Bromhead, 1838
Family COCCINELLIDAE Latreille, 1807
Subfamily MICROWEISEINAE Leng, 1920
Tribe MICROWEISEINI Leng, 1920
Tribe SERANGIINI Pope, 1962
Tribe SUKUNAHIKONINI Kamiya, 1960
Subfamily COCCINELLINAE Latreille, 1807
Tribe ARGENTIPILOSINI Gordon and de Almeida, 1991
Tribe ASPIDIMERINI Mulsant, 1850
Tribe AZYINI Mulsant, 1850
Tribe BRACHIACANTHINI Mulsant, 1850
Tribe CARINODULINI Gordon, Pakaluk and Ślipiński, 1989
Tribe CEPHALOSCYMNINI Gordon, 1985
Tribe CHILOCORINI Mulsant, 1846
Tribe CHNOODINI Mulsant, 1850
Tribe COCCIDULINI Mulsant, 1846
Tribe COCCINELLINI Latreille, 1807
Tribe CRANOPHORINI Mulsant, 1850
Tribe CRYPTOGNATHINI Mulsant, 1850
Tribe CYNEGETINI Thomson, 1866
Tribe DIOMINI Gordon, 1999
Tribe EPILACHNINI Mulsant, 1846
Tribe EPIVERTINI Pang and Mao, 1979
Tribe EREMOCHILINI Gordon and Vanderberg, 1987
Tribe HYPERASPIDININI Mulsant, 1846

- Tribe LIMNICHOPHARINI Miyatake, 1994
- Tribe MONOCORYNINI Miyatake, 1988
- Tribe NOVIINI Mulsant, 1846
- Tribe ORTALIINI Mulsant, 1850
- Tribe ORYSSOMINI Gordon, 1974
- Tribe PLATYNASPINI Mulsant, 1846
- Tribe PLOTININI Miyatake, 1994
- Tribe PORIINI Mulsant, 1850
- Tribe SCYMNILLINI Casey, 1899
- Tribe SCYMNINI Mulsant, 1846
- Tribe SELVADIINI Gordon, 1985
- Tribe SHIROZUELLINI Sasaji, 1967
- Tribe STETHORINI Dobzhansky, 1924
- Tribe STICHOLOTIDINI Weise, 1901
- Tribe TELSIMIINI Casey, 1899
- Tribe TETRABRACHINI Kapur, 1948

Family CORYLOPHIDAE LeConte, 1852

Subfamily PERIPTYCTINAE Ślipiński, Lawrence and Tomaszewska, 2001

Subfamily CORYLOPHINAE LeConte, 1852

- Tribe AENIGMATICINI Casey, 1900
- Tribe CLEIDOSTETHINI Bowestead, Booth, Ślipiński and Lawrence, 2001
- Tribe CORYLOPHINI LeConte, 1852
- Tribe FOADIINI Ślipiński, Tomaszewska and Lawrence, 2009
- Tribe ORTHOPERINI Jacquelin du Val, 1857
- Tribe PARMULINI Poey, 1854
- Tribe PELTINODINI Paulian, 1950
- Tribe RYPOBIINI Paulian, 1950
- Tribe SERICODERINI Matthews, 1888
- Tribe TEPLININI Pakaluk, Ślipiński and Lawrence, 1994

Family AKALYPTOISCHIIDAE Lord, Hartley, Lawrence, McHugh and Miller, 2010

Family LATRIDIIDAE Erichson, 1842

Subfamily LATRIDIINAE Erichson, 1842

Subfamily CORTICARIINAE Curtis, 1829

†Subfamily TETRAMEROPSEINAE Kirejtshuk and Azar, 2008

Superfamily TENEBRIONOIDEA Latreille, 1802

Family MYCETOPHAGIDAE Leach, 1815

Subfamily ESARCINAE Reitter, 1882

Subfamily MYCETOPHAGINAE Leach, 1815

- Tribe MYCETOPHAGINI Leach, 1815

- Tribe TYPHAEINI Thomson, 1863

Subfamily BERGININAE Leng, 1920

Family ARCHEOCRYPTICIDAE Kaszab, 1964

Family PTEROGENIIDAE Crowson, 1953**Family CIIDAE Leach, 1819****Subfamily SPHINDOCIINAE Lawrence, 1974****Subfamily CIINAE Leach, 1819**

Tribe CIINI Leach, 1819

Tribe OROPHIINI Thomson, 1863

Tribe XYLOGRAPHELLINI Kawanabe and Miyatake, 1996

Subtribe SYNCOSMETINA Lopes-Andrade, 2008

Subtribe XYLOGRAPHELLINA Kawanabe and Miyatake, 1996

Family TETRATOMIDAE Billberg, 1820**Subfamily TETRATOMINAE Billberg, 1820****Subfamily PISENINAE Miyatake, 1960****Subfamily PENTHINAE Lacordaire, 1859****Subfamily HALLOMENINAE Gistel, 1848****Subfamily EUSTROPHINAE Gistel, 1848**

Tribe EUSTROPHINI Gistel, 1848

Tribe HOLOSTROPHINI Nikitsky, 1998

Family MELANDRYIDAE Leach, 1815**Subfamily MELANDRYINAE Leach, 1815**

Tribe ANISOXIELLINI Nikitsky, 2007

Tribe DIRCAEINI Kirby, 1837

Tribe HYPULINI Gistel, 1848

Tribe MELANDRYINI Leach, 1815

Tribe ORCHESIINI Mulsant, 1856

Tribe SERROPALPINI Latreille, 1829

Tribe XYLITINI Thomson, 1864

Tribe ZILORINI Desbrochers des Loges, 1900

Subfamily OSPHYINAE Mulsant, 1856 (1839)**Family MORDELLIDAE Latreille, 1802****Subfamily CTENIDIINAE Franciscolo, 1951****Subfamily MORDELLINAE Latreille, 1802**

Tribe CONALIINI Ermisch, 1956

Tribe MORDELLINI Latreille, 1802

Tribe MORDELLISTENINI Ermisch, 1941

Tribe REYNOLDSIELLINI Franciscolo, 1957

Tribe STENALIINI Franciscolo, 1955

Family RIPIPHORIDAE Gemminger, 1870 (1855)**Subfamily PTILOPHORINAE Gerstaecker, 1855****Subfamily PELECOTOMINAE Seidlitz, 1875****Subfamily HEMIRHIPIDIINAE Heller, 1921****Subfamily RIPIDIINAE Gerstaecker, 1855**

Tribe EORHIPIDIINI Iablokoff-Khnzorian, 1986

Tribe RIPIDIINI Gerstaecker, 1855

Subfamily RIPIPHORINAE Gemminger, 1870 (1855)

- Tribe MACROSIAGONINI Heyden, 1908
Tribe RIPIPHORINI Gemminger, 1870 (1855)

Family ZOPHERIDAE Solier, 1834**Subfamily COLYDIINAE Billberg, 1820**

- Tribe ACROPINI Sharp, 1894
Tribe ADIMERINI Sharp, 1894
Tribe COLYDIINI Billberg, 1820
Tribe GEMPYLODINI Sharp, 1893
Tribe NEMATIDIINI Horn, 1878
Tribe ORTHOCERINI Blanchard, 1845
Tribe RHAGODERINI Horn, 1878
Tribe RHOPALOCERINI Reitter, 1911
Tribe SYNCHITINI Erichson, 1845

Subfamily ZOPHERINAE Solier, 1834

- Tribe LATOMETINI Ślipiński and Lawrence, 1999
Tribe MONOMMATINI Blanchard, 1845
Tribe PHELOPSINI Ślipiński and Lawrence, 1999
Tribe PYCNOMERINI Erichson, 1845
Tribe USECHINI Horn, 1867
Tribe ZOPHERINI Solier, 1834

Family ULODIDAE Pascoe, 1869**Family PROMECHEILIDAE Lacordaire, 1859****Family CHALCODRYIDAE Watt, 1974****Family TRACHELOSTENIDAE Lacordaire, 1859****Family TENEBRIONIDAE Latreille, 1802****Subfamily ZOLODININAE Watt, 1975****Subfamily LAGRIINAE Latreille, 1825 (1820)**

- Tribe ADELIINI Kirby, 1828
Tribe BELOPINI Reitter, 1917
Tribe CHAERODINI Doyen, Matthews and Lawrence, 1990
Tribe COSSYPHINI Latreille, 1802
Tribe GONIADERINI Lacordaire, 1859
Tribe LAENINI Seidlitz, 1895
Tribe LAGRIINI Latreille, 1825 (1820)
Subtribe LAGRIINA Latreille, 1825 (1820)
Subtribe STATIRINA Blanchard, 1845
Tribe LUPROPINI Ardoïn, 1958
Tribe PYCNOCERINI Lacordaire, 1859 *nomen protectum*

Subfamily NILIONINAE Oken, 1843**Subfamily PHRENAPATINAE Solier, 1834**

- Tribe ARCHAEOGLENINI Watt, 1975
Tribe PENETINI Lacordaire, 1859

Tribe PHRENAPATINI Solier, 1834

Subfamily PIMELIINAE Latreille, 1802

Tribe ADELOSTOMINI Solier, 1834

Tribe ADESMIINI Lacordaire, 1859 ***nomen protectum***

Tribe AKIDINI Billberg, 1820

Tribe ANEPSIINI LeConte, 1862

Tribe ASIDINI Fleming, 1821

Tribe BOROMORPHINI Skopin, 1978

Tribe BRANCHINI LeConte, 1862

Tribe CAENOCRYPTICINI Koch, 1958

Tribe CERATANISINI Gebien, 1937

Tribe CNEMEPLATINI Jacquelin du Val, 1861

Subtribe ACTIZETINA Watt, 1992

Subtribe CNEMEPLATINA Jacquelin du Val, 1861

Subtribe RONDONIELLINA Ferrer and Moragues, 2000

Subtribe THORICTOSOMATINA Watt, 1992

Tribe CNEMODININI Gebien, 1910

Tribe CONIONTINI Waterhouse, 1858

Tribe COSSYPHODINI Wasmann, 1899

Subtribe COSSYPHODINA Wasmann, 1899

Subtribe COSSYPHODITINA Basilewsky, 1950

Subtribe ESEMEPHINA Steiner, 1980

Subtribe PARAMELLONINA Andreae, 1961

Tribe CRYPTOCHILINI Solier, 1841

Subtribe CALOGNATHINA Lacordaire, 1859

Subtribe CRYPTOCHILINA Solier, 1841

Subtribe HOMEBIINA Endrödy-Younga, 1989

Subtribe HORATOMINA Koch, 1955

Subtribe VANSOIIINA Koch, 1955

Tribe CRYPTOGLOSSINI LeConte, 1862 ***nomen protectum***

Tribe EDROTINI Lacordaire, 1859

Tribe ELENOPHORINI Solier, 1837

Tribe EPITRAGINI Blanchard, 1845 ***nomen protectum***

Tribe ERODIINI Billberg, 1820 ***nomen protectum***

Tribe EVANIOSOMINI Lacordaire, 1859

Tribe FALSOMYCTERINI Gebien, 1910

Tribe IDISIINI Medvedev, 1973

Tribe KLEWARIINI Gebien, 1910

Tribe KUHITANGIINI Medvedev, 1962

Tribe LACHNOGYINI Seidlitz, 1894

Subtribe LACHNODACTYLINA Reitter, 1904

Subtribe LACHNOGYINA Seidlitz, 1894

Subtribe NETUSCHILIINA Ferrer and Yvinec, 2004

- Tribe LEPTODINI Lacordaire, 1859
Tribe NYCTELIINI Solier, 1834
Tribe NYCTOPORINI Lacordaire, 1859
Tribe PHRYNOCARENINI Gebien, 1928
Tribe PHYSOGASTERINI Lacordaire, 1859
Tribe PIMELIINI Latreille, 1802
Tribe PRAOCIINI Eschscholtz, 1829
Tribe SEPIDIINI Eschscholtz, 1829
 Subtribe HYPOMELINA Koch, 1955
 Subtribe MOLURINA Solier, 1834
 Subtribe OXURINA Koch, 1955
 Subtribe PHANEROTOMEINA Koch, 1958
 Subtribe SEPIDIINA Eschscholtz, 1829
 Subtribe TRACHYNOTINA Koch, 1955
Tribe STENOSINI Schaum, 1859 (1834)
Tribe TENTYRIINI Eschscholtz, 1831
Tribe THINOBATINI Lacordaire, 1859
Tribe TRILOBOCARINI Lacordaire, 1859
Tribe VACRONINI Gebien, 1910
Tribe ZOPHOSINI Solier, 1834
- Subfamily TENEBRIONINAE Latreille, 1802**
- Tribe ACROPTERONINI Doyen, 1989
Tribe ALPHITOBINI Reitter, 1917
Tribe AMARYGMINI Gistel, 1848
Tribe AMPHIDORINI LeConte, 1862
Tribe APOCRYPTHINI Lacordaire, 1859
Tribe BLAPTINI Leach, 1815
 Subtribe BLAPTINA Leach, 1815
 Subtribe GNAPTORINA Medvedev, 2001
 Subtribe GNAPTORININA Medvedev, 2001
 Subtribe PROSODINA Skopin, 1960
 Subtribe REMIPEDELLINA Semenov, 1907
Tribe BOLITOPHAGINI Kirby, 1837 *nomen protectum*
Tribe CENTRONOPINI Doyen, 1989
Tribe CERENOPINI Horn, 1870
Tribe DISSONOMINI Medvedev, 1968
Tribe EULABINI Horn, 1870
Tribe FALSOCOSSYPHINI Ferrer, 2006
Tribe HELEINI Fleming, 1821
 Subtribe ASPHALINA Matthews and Lawrence, 2005
 Subtribe CYPHALEINA Lacordaire, 1859
 Subtribe HELEINA Fleming, 1821
Tribe HELOPINI Latreille, 1802

- Subtribe HELOPININA Latreille, 1802
Subtribe CYLINDRINOTINA Español, 1956
Tribe HELOPININI Lacordaire, 1859
Subtribe APTILINA Koch, 1958
Subtribe HELOPININA Lacordaire, 1859
Subtribe MICRANTEREINA Reitter, 1917
Subtribe ONCOSOMINA Koch, 1958
Tribe MELANIMONINI Seidlitz, 1894 (1854)
Tribe OPATRINI Brullé, 1832
Subtribe HETEROCHIRINA Koch, 1956
Subtribe HETEROTARSINA Blanchard, 1845
Subtribe OPATRINA Brullé, 1832
Subtribe NEOPACHYPTERINA Bouchard, Löbl and Merkl, 2007
Tribe PALORINI Matthews, 2003
Tribe PEDININI Eschscholtz, 1829
Subtribe DENDARINA Mulsant and Rey, 1854
Subtribe EURYNOTINA Mulsant and Rey, 1854
Subtribe LEICHENINA Mulsant, 1854
Subtribe LOENSINA Koch, 1956
Subtribe MELAMBIINA Mulsant and Rey, 1854
Subtribe PEDININA Eschscholtz, 1829
Subtribe PLATYNOTINA Mulsant and Rey, 1853
Subtribe PYTHIOPINA Koch, 1953
Tribe PLATYSCELIDINI Lacordaire, 1859
Tribe PRAEUGENINI De Moor, 1970
Tribe RHYSOPAUSSINI Wasmann, 1896
Tribe SCAURINI Billberg, 1820
Tribe SCOTOBIINI Solier, 1838
Tribe TENEBRIONINI Latreille, 1802
Tribe TITAENINI Fauvel, 1905
Tribe TOXICINI Oken, 1843
Subtribe EUDYSANTINA Bouchard, Lawrence, Davies and Newton, 2005
Subtribe NYCTEROPINA Lacordaire, 1859
Subtribe TOXICINA Oken, 1843
Tribe TRIBOLIINI Gistel, 1848
Tribe ULOMINI Blanchard, 1845
- Subfamily ALLECULINAE Laporte, 1840**
- Tribe ALLECULINI Laporte, 1840
Subtribe ALLECULINA Laporte, 1840
Subtribe GONODERINA Seidlitz, 1896
Subtribe MYCETOCHARINA Gistel, 1848
Subtribe XYSTROPODINA Solier, 1835
Tribe CTENIOPODINI Solier, 1835

Subfamily DIAPERINAE Latreille, 1802

- Tribe CRYPTICINI Brullé, 1832
- Tribe DIAPERINI Latreille, 1802
 - Subtribe ADELININA LeConte, 1862
 - Subtribe DIAPERINA Latreille, 1802
- Tribe ECTYCHINI Doyen, Matthews and Lawrence, 1990
- Tribe GNATHIDIINI Gebien, 1921
 - Subtribe ANOPIDIINA Jeannel and Paulian, 1945
 - Subtribe GNATHIDIINA Gebien, 1921
- Tribe HYOCIINI Medvedev and Lawrence, 1982
 - Subtribe BRITTONINA Medvedev and Lawrence, 1986
 - Subtribe HYOCINA Medvedev and Lawrence, 1982
 - Subtribe UPTONINA Medvedev and Lawrence, 1986
- Tribe HYPOPHLAEINI Billberg, 1820
- Tribe LEIOCHRININI Lewis, 1894
- Tribe MYRMECHIXENINI Jacquelin du Val, 1858
- Tribe PHALERIINI Blanchard, 1845
- Tribe SCAPHIDEMINI Reitter, 1922
- Tribe TRACHYSCELINI Blanchard, 1845

Subfamily STENOCHIINAE Kirby, 1837

- Tribe CNODALONINI Oken, 1843
- Tribe STENOCHIINI Kirby, 1837
- Tribe TALANINI Champion, 1887 (1883)

Family PROSTOMIDAE Thomson, 1859**Family SYNCHROIDAE Lacordaire, 1859****Family STENOTRACHELIDAE Thomson, 1859**

- Subfamily STENOTRACHELINAE Thomson, 1859**
- Subfamily CEPHALOINAE LeConte, 1862**
- Subfamily NEMATOPLINAE LeConte, 1862**
- Subfamily STOLIINAE Nikitsky, 1985**

Family OEDEMERIDAE Latreille, 1810

- Subfamily POLYPRIINAE Lawrence, 2005**
- Subfamily CALOPODINAE Costa, 1852 *nomen protectum***
- Subfamily OEDEMERINAE Latreille, 1810**
 - Tribe ASCLERINI Gistel, 1848
 - Tribe DITYLINI Mulsant, 1858
 - Tribe NACERDINI Mulsant, 1858
 - Tribe OEDEMERINI Latreille, 1810
 - Tribe STENOSTOMATINI Mulsant, 1858

Family MELOIDAE Gyllenhal, 1810

- Subfamily ELETICINAE Wellman, 1910**
 - Tribe DERIDEINI Wellman, 1910
 - Tribe ELETICINI Wellman, 1910

- Subtribe ELETICINA Wellman, 1910
- Subtribe EOSPASTINA Selander, 1966
- Tribe ERTLIANINI Selander, 1966
- Tribe SPASTICINI Kaszab, 1959
 - Subtribe ANTHICOXENINA Selander, 1966
 - Subtribe PROTOMELOINA Abdullah, 1965
 - Subtribe SPASTICINA Kaszab, 1959
 - Subtribe XENOSPASTINA Selander, 1966

Subfamily MELOINAE Gyllenhal, 1810

- Tribe CEROCOMINI Leach, 1815
- Tribe EPICAUTINI Parker and Böving, 1924
- Tribe EUPOMPHINI LeConte, 1862
- Tribe LYTTINI Solier, 1851
- Tribe MELOINI Gyllenhal, 1810
- Tribe MYLADRINI Rafinesque, 1815
- Tribe PYROTINI MacSwain, 1956

Subfamily TETRAONYCINAE Böving and Craighead, 1931

Subfamily NEMOGNATHINAE Laporte, 1840

- Tribe HORIINI Latreille, 1802
- Tribe NEMOGNATHINI Laporte, 1840
 - Subtribe NEMOGNATHINA Laporte, 1840
 - Subtribe ZONITIDINA Mulsant, 1857
 - Subtribe SITARINA Mulsant, 1857
- Tribe STENODERINI Selander, 1991

Family MYCTERIDAE Oken, 1843

- Subfamily MYCTERINAE Oken, 1843**
- Subfamily EURYPINAE Thomson, 1860**
- Subfamily HEMIPEPLINAE Lacordaire, 1854**

Family BORIDAE Thomson, 1859

- Subfamily BORINAE Thomson, 1859**
- Subfamily SYNERCTICINAE Lawrence and Pollock, 1994**

Family TRICTENOTOMIDAE Blanchard, 1845

Family PYTHIDAE Solier, 1834

Family PYROCHROIDAE Latreille, 1806

- Subfamily TYDESSINAE Nikitsky, 1986**
- Subfamily PILIPALPINAE Abdullah, 1964**
- Subfamily PEDILINAE Lacordaire, 1859**
- Subfamily PYROCHROINAE Latreille, 1806**
- Subfamily AGNATHINAE Lacordaire, 1859**

Family SALPINGIDAE Leach, 1815

- Subfamily OTHNIINAE LeConte, 1861**
- Subfamily PROSTOMINIINAE Grouvelle, 1914**
- Subfamily AGLENINAE Horn, 1878**

- Subfamily INOPEPLINAE Grouvelle, 1908**
- Subfamily DACODERINAE LeConte, 1862**
- Subfamily AEGIALITINAE LeConte, 1862**
- Subfamily SALPINGINAE Leach, 1815**
- Family ANTHICIDAE Latreille, 1819**
- Subfamily EURYGENIINAE LeConte, 1862**
- Tribe EURYGENIINI LeConte, 1862
 - Tribe ICTISTYGNINI Borchmann, 1936
 - Tribe MITRAELABRINI Abdullah, 1969
- Subfamily MACRATRIINAE LeConte, 1862**
- Tribe MACRATRIINI LeConte, 1862
 - †Tribe CAMELOMORPHINI Kirejtshuk and Azar, 2008
- Subfamily STEROPINAE Jacquelin du Val, 1863**
- Subfamily COPOBAENINAE Abdullah, 1969**
- Subfamily LEMODINAE Lawrence and Britton, 1991**
- Subfamily TOMODERINAE Bonadona, 1961**
- Subfamily ANTHICINAE Latreille, 1819**
- Tribe ANTHICINI Latreille, 1819
 - Tribe ENDOMIINI Kaszab, 1956
 - Tribe FORMICOMINI Bonadona, 1974
 - Tribe MICROHORIINI Bonadona, 1974
- Subfamily NOTOXINAE Stephens, 1829**
- Family ADERIDAE Csiki, 1909**
- Tribe ADERINI Csiki, 1909
 - Subtribe ADERINA Csiki, 1909
 - Subtribe CNOPINA Báguena Corella, 1948
 - Subtribe GOMPELIINA Bouchard, 2011
 - Subtribe SYZETONININA Báguena Corella, 1948
 - Tribe EMELININI Báguena Corella, 1948
 - Tribe EUGLENESINI Seidlitz, 1875
 - Subtribe EUGLENESINA Seidlitz, 1875
 - Subtribe PSEUDOLOTELINA Báguena Corella, 1948
 - Tribe PHYTOBAENINI Báguena Corella, 1948
- Family SCRAPHIIDAE Gistel, 1848**
- Subfamily SCRAPHIINAE Gistel, 1848**
- Tribe ALLOPODINI Franciscolo, 1964
 - Tribe SCRAPHIINI Gistel, 1848
- Subfamily ANASPIDINAE Mulsant, 1856**
- Tribe ANASPIDINI Mulsant, 1856
 - Tribe ANASPIMORDINI Franciscolo, 1954
 - Tribe MENUTHIANASPIDINI Franciscolo, 1972
 - Tribe PENTARIINI Franciscolo, 1954
- Subfamily LAGROIDINAE Abdullah and Abdullah, 1968**

Subfamily AFREMINAE Levey, 1985**Subfamily ISCHALIINAE Blair, 1920****Superfamily CHRYSOMELOIDEA Latreille, 1802****Family OXYPELTIDAE Lacordaire, 1868****Family VESPERIDAE Mulsant, 1839****Subfamily PHILINAE Thomson, 1861****Subfamily VESPERINAE Mulsant, 1839****Subfamily ANOPLODERMATINAE Guérin-Méneville, 1840**

Tribe ANOPLODERMATINI Guérin-Méneville, 1840

Tribe HYPOCEPHALINI Blanchard, 1845

Tribe MYSTERICINI Prosen, 1960

Family DISTENIIDAE Thomson, 1861

Tribe CYRTONOPINI Gressitt, 1940

Tribe DISTENIINI Thomson, 1861

Tribe DYNAMOSTINI Lacordaire, 1868

Tribe HETEROPALPINI Villiers, 1961

Family CERAMBYCIDAE Latreille, 1802**Subfamily PARANDRINAE Blanchard, 1845**

Tribe ERICHSONIINI Thomson, 1861

Tribe PARANDRINI Blanchard, 1845

Subfamily PRIONINAE Latreille, 1802

Tribe ACANTHOPHORINI Thomson, 1864

Tribe AEGOSOMATINI Thomson, 1861

Tribe ANACOLINI Thomson, 1857

Tribe CACOSCELINI Thomson, 1861

Tribe CALLIPOGONINI Thomson, 1861

Tribe CALOCOMINI Galileo and Martins, 1993

Tribe CANTHAROCNEMINI Thomson, 1861

Tribe ERGATINI Fairmaire, 1864

Tribe EURYPODINI Gahan, 1906 (1868)

Tribe HOPLIDERINI Thomson, 1864

Tribe MACRODONTIINI Thomson, 1861

Tribe MACROTOMINI Thomson, 1861

Subtribe ARCHETYPINA Lameere, 1912

Subtribe BASITOXINA Lameere, 1912

Subtribe MACROTOMINA Thomson, 1861

Subtribe PLATYGNATHINA Gilmour, 1954

Subtribe XIXUTHRINA Lameere, 1912

Tribe MALLASPINI Thomson, 1861

Tribe MALLODONINI Thomson, 1861

Tribe MEROSCELISINI Thomson, 1861

Tribe PRIONINI Latreille, 1802

- Tribe REMPHANINI Lacordaire, 1868
- Tribe SOLENOPTERINI Lacordaire, 1868
- Tribe TERETICINI Lameere, 1913
- Tribe VESPEROCTENINI Vives, 2005

Subfamily LEPTURINAE Latreille, 1802

- Tribe DESMOCERINI Blanchard, 1845
- Tribe ENCYCLOPINI LeConte, 1873
- Tribe LEPTURINI Latreille, 1802
- Tribe OXYMIRINI Danilevsky, 1997
- Tribe RHAGIINI Kirby, 1837
- Tribe RHAMNUSIINI Sama, 2009
- Tribe TELEDAPINI Pascoe, 1871
- Tribe SACHALINOBIIINI Danilevsky, 2010
- Tribe XYLOSTEINI Reitter, 1913

Subfamily SPONDYLIDINAE Audinet-Serville, 1832

- Tribe ANISARTHRIINI Mamaev and Danilevsky, 1973
- Tribe ASEMINI Thomson, 1861
- Tribe ATIMIINI LeConte, 1873
- Tribe SAPHANINI Gistel, 1848
- Tribe SPONDYLIDINI Audinet-Serville, 1832

Subfamily NECYDALINAE Latreille, 1825**Subfamily DORCASOMINAE Lacordaire, 1868****Subfamily APATOPHYSEINAE Lacordaire, 1869****Subfamily CERAMBYCINAE Latreille, 1802**

- Tribe ACANGASSUINI Galileo and Martins, 2001
- Tribe ACHRYSONINI Lacordaire, 1868
- Tribe AGALLISSINI LeConte, 1873
- Tribe ALANIZINI Di Iorio, 2003
- Tribe ANAGLYPTINI Lacordaire, 1868 *nomen protectum*
- Tribe APHANASIINI Lacordaire, 1868
- Tribe APHNEOPINI Lacordaire, 1868
- Tribe AUXESINI Lepesme and Breuning, 1952
- Tribe BASIPTERINI Fragoso, Monné and Campos Seabra, 1987
- Tribe BIMINI Lacordaire, 1868
- Tribe BOTHRIOSPILINI Lane, 1950
- Tribe BRACHYPTEROMATINI Sama, 2008
- Tribe CALICHROMATINI Swainson, 1840
- Tribe CALLIDIINI Kirby, 1837
- Tribe CALLIDIOPINI Lacordaire, 1868
- Tribe CERAMBYCINI Latreille, 1802
 - Subtribe CERAMBYCINA Latreille, 1802
 - Subtribe SPHALLOTRICHINA Martins and Monné, 2005
- Tribe CERTALLINI Fairmaire, 1864

- Tribe CHLIDONINI Waterhouse, 1879
Tribe CLEOMENINI Lacordaire, 1868
Tribe CLYTINI Mulsant, 1839
Tribe COMPSOCERINI Thomson, 1864
Tribe COPTOMMATINI Lacordaire, 1869
Tribe CURIINI LeConte, 1873
Tribe DEILINI Fairmaire, 1864
Tribe DEJANIRINI Lacordaire, 1868
Tribe DIORINI Lane, 1950
Tribe DISTICHOCERINI Pascoe, 1867
Tribe DODECOSINI Aurivillius, 1912
Tribe DRYOBIINI Arnett, 1962 *nomen protectum*
Tribe EBURIINI Blanchard, 1845
Tribe ECTENESSINI Martins, 1998
Tribe ELAPHIDIINI Thomson, 1864
Tribe ELIGMODERMINI Lacordaire, 1868
Tribe ERLANDIINI Aurivillius, 1912
Tribe EROSCHEMINI Lacordaire, 1868
Tribe EUMICHTHINI Linsley, 1940
Tribe GAHANIINI Quentin and Villiers, 1969
Tribe GLAUCYTINI Lacordaire, 1868
Tribe GRACILIINI Mulsant, 1839
Tribe HESPEROPHANINI Mulsant, 1839
 Subtribe DARAMINA Sama, 2008
 Subtribe HESPEROPHANINA Mulsant, 1839
Tribe HESTHESINI Pascoe, 1867
Tribe HETEROPSINI Lacordaire, 1868 *nomen protectum*
Tribe HEXOPLINI Martins, 2006
Tribe HOLOPLEURINI Chemsak and Linsley, 1974
Tribe HOLOPTERINI Lacordaire, 1868
Tribe HYBODERINI Linsley, 1940
Tribe HYLOTRUPINI Zagajkevich, 1991
Tribe IBIDIONINI Thomson, 1861
 Subtribe COMPSINA Martins and Galileo, 2007
 Subtribe IBIDIONINA Thomson, 1861
 Subtribe TROPIDINA Martins and Galileo, 2007
Tribe IDERATINI Martins and Napp, 2009
Tribe LISSONOTINI Swainson, 1840
Tribe LUSCOSMODICINI Martins, 2003
Tribe LYGRINI Sama, 2008
Tribe MACRONINI Lacordaire, 1868
Tribe MEGACOELINI Quentin and Villiers, 1969
Tribe METHIINI Thomson, 1860

- Tribe MOLORCHINI Gistel, 1848
Tribe MYTHODINI Lacordaire, 1868
Tribe NECYDALOPSINI Lacordaire, 1868
Tribe NEOCORINI Martins, 2005
Tribe NEOSTENINI Lacordaire, 1868
Tribe OBRIINI Mulsant, 1839
Tribe OCHYRINI Pascoe, 1871
Tribe OEDENODERINI Aurivillius, 1912
Tribe OEMINI Lacordaire, 1868
 Subtribe METHIOIDINA Martins, 1997
 Subtribe OEMINA Lacordaire, 1868
Tribe OPSIMINI LeConte, 1873
Tribe OXYCOLEINI Martins and Galileo, 2003
Tribe PARAHOLOPTERINI Martins, 1997
Tribe PHALOTINI Lacordaire, 1868
Tribe PHYCTAENODINI Lacordaire, 1868
Tribe PHORACANTHINI Newman, 1840
Tribe PHYLLARTHRIINI Lepesme and Breuning, 1956
Tribe PIESARTHRIINI McKeown, 1947
Tribe PIEZOCERINI Lacordaire, 1868
 Subtribe HARUSPICINA Martins, 1976
 Subtribe PIEZOCERINA Lacordaire, 1868
Tribe PLATYARTHRIINI Bates, 1870
Tribe PLECTOGASTERINI Quentin and Villiers, 1969
Tribe PLECTROMERINI Nearns and Braham, 2008
Tribe PLEIARTHROCERINI Lane, 1950
Tribe PROTAXINI Gahan, 1906
Tribe PROTHEMINI Lacordaire, 1868
Tribe PSEBIINI Lacordaire, 1868
Tribe PSEUDOCEPHALINI Aurivillius, 1912 (1861)
Tribe PSEUDOLEPTURINI Thomson, 1861
Tribe PSILOMORPHINI Lacordaire, 1868
Tribe PTEROPLATINI Thomson, 1861
Tribe PYRESTINI Lacordaire, 1868
Tribe RHAGIOMORPHINI Newman, 1841
Tribe RHINOTRAGINI Thomson, 1861
Tribe RHOPALOPHORINI Blanchard, 1845
Tribe ROSALIINI Fairmaire, 1864
Tribe SESTYRINI Lacordaire, 1868
Tribe SMODICINI Lacordaire, 1868
Tribe SPINTHERIINI Lacordaire, 1869
Tribe STENHOMALINI Miroshnikov, 1989
Tribe STENODERINI Pascoe, 1867

- Tribe STENOPTERINI Gistel, 1848
- Tribe STRONGYLURINI Lacordaire, 1868
- Tribe TESSAROMMATINI Lacordaire, 1868
- Tribe THRANIINI Gahan, 1906
- Tribe THYRSIINI Marinoni and Napp, 1984
- Tribe TILLOMORPHINI Lacordaire, 1868
- Tribe TORNEUTINI Thomson, 1861
- Tribe TRACHYDERINI Dupont, 1836
 - Subtribe ANCLOCERINA Thomson, 1864
 - Subtribe TRACHYDERINA Dupont, 1836
- Tribe TRAGOCERINI Pascoe, 1867
- Tribe TRICHOMESIINI Aurivillius, 1912
- Tribe TROPICALYMMATINI Lacordaire, 1868
- Tribe TYPHOCESINI Lacordaire, 1868
- Tribe UNXIINI Napp, 2007
- Tribe URACANTHINI Blanchard, 1853
- Tribe VESPERELLINI Sama, 2008
- Tribe XYSTROCERINI Blanchard, 1845

Subfamily LAMIINAE Latreille, 1825

- Tribe ACANTHOCININI Blanchard, 1845
- Tribe ACANTHODERINI Thomson, 1860
- Tribe ACMOCERINI Thomson, 1864
- Tribe ACRIDOCEPHALINI Dillon and Dillon, 1959
- Tribe ACROCININI Swainson, 1840
- Tribe ADERPASINI Breuning and Teocchi, 1978
- Tribe AERENICINI Lacordaire, 1872
- Tribe AGAPANTHIINI Mulsant, 1839
- Tribe AMPHOECINI Breuning, 1951
- Tribe ANCITINI Aurivillius, 1917
- Tribe ANCYLONOTINI Lacordaire, 1869
- Tribe ANISOCERINI Thomson, 1860
- Tribe APOMEYCYNINI Thomson, 1860
- Tribe ASTATHINI Thomson, 1864
- Tribe BATOCERINI Thomson, 1864
- Tribe CALLIINI Thomson, 1864
- Tribe CEROPLESINI Thomson, 1860
 - Subtribe CEROPLESINA Thomson, 1860
 - Subtribe CROSSOTINA Thomson, 1864
- Tribe CLONIOCERINI Lacordaire, 1872
- Tribe COLOBOTHEINI Thomson, 1860
- Tribe COMPSOSOMATINI Thomson, 1857
- Tribe CYRTININI Thomson, 1864
- Tribe DESMIPHORINI Thomson, 1860

- Tribe DORCADIONINI Swainson, 1840
Tribe DORCASCHEMATINI Thomson, 1860
Tribe ELYTRACANTHININI Bousquet, 2009
Tribe ENICODINI Thomson, 1864
Tribe EUPROMERINI Galileo and Martins, 1995
Tribe FORSTERIINI Tippmann, 1960
Tribe GNOMINI Thomson, 1860
Tribe GYARITINI Breuning, 1950
Tribe HELIOLINI Breuning, 1951
Tribe HEMILOPHINI Thomson, 1868 *nomen protectum*
Tribe HOMONOEINI Thomson, 1864
Tribe HYBORHABDINI Aurivillius, 1911
Tribe LAMIINI Latreille, 1825
Tribe LATICRANIINI Lane, 1959
Tribe MAUESINI Lane, 1956
Tribe MEGABASINI Thomson, 1860
Tribe MESOSINI Mulsant, 1839
Tribe MICROCYMATURINI Breuning and Teocchi, 1985
Tribe MONEILEMINI Thomson, 1864
Tribe MONOCHAMINI Gistel, 1848
Tribe MORIMONELLINI Lobanov, Danilevsky and Murzin, 1981
Tribe MORIMOPSINI Lacordaire, 1869
Tribe NYCTIMENIINI Gressitt, 1951
Tribe OBEREINI Thomson, 1864
Tribe OCULARIINI Breuning, 1950
Tribe ONCIDERINI Thomson, 1860
Tribe ONCIDEROPSIDINI Aurivillius, 1922
Tribe ONOCEPHALINI Thomson, 1860
Tribe ONYCHOGLENEINI Aurivillius, 1923
Tribe PARMENINI Mulsant, 1839
Tribe PETROGNATHINI Blanchard, 1845
Tribe PHACELLINI Lacordaire, 1872
Tribe PHANTASINI Kolbe, 1897
Tribe PHRYNETINI Thomson, 1864
Tribe PHYMASTERNINI Teocchi, 1989
Tribe PHYTOECIINI Mulsant, 1839
Tribe POGONOCHERINI Mulsant, 1839
Tribe POLYRHAPHIDINI Thomson, 1860
Tribe PRETILIINI Martins and Galileo, 1990
Tribe PROCTOCERINI Aurivillius, 1922
Tribe PROSOPOCERINI Thomson, 1864
Tribe PTEROPLIINI Thomson, 1860
Tribe RHODOPININI Gressitt, 1951

- Tribe SAPERDINI Mulsant, 1839
- Tribe STENOBIINI Breuning, 1950
- Tribe STERNOTOMINI Thomson, 1860
- Tribe TAPEININI Thomson, 1857
- Tribe TETRAOPINI Thomson, 1860
- Tribe TETRAULAXINI Breuning and Teocchi, 1977
- Tribe TETROPINI Portevin, 1927
- Tribe THEOCRINI Lacordaire, 1872
- Tribe TMESISTERNINI Blanchard, 1853
- Tribe TRAGOCEPHALINI Thomson, 1857
- Tribe XENICOTELINI Matsushita, 1933
- Tribe XENOFREINI Aurivillius, 1923
- Tribe XENOLEINI Lacordaire, 1872
- Tribe XYLORHIZINI Lacordaire, 1872
- Tribe ZYGOCERINI Thomson, 1864

Family MEGALOPODIDAE Latreille, 1802

- Subfamily MEGALOPODINAE Latreille, 1802**
- Subfamily PALOPHAGINAE Kuschel and May, 1990**
- Subfamily ZEUGOPHORINAE Böving and Craighead, 1931**

Family ORSODACNIDAE Thomson, 1859

- Subfamily ORSODACNINAE Thomson, 1859**
- Subfamily AULACOSCELIDINAE Chapuis, 1874**

Family CHRYSOMELIDAE Latreille, 1802

- Subfamily SAGRINAE Leach, 1815**
- Tribe CARPOPHAGINI Chapuis, 1874
- Tribe DIAPHANOPSIDINI Monrós, 1958
- Tribe MEGAMERINI Chapuis, 1874
- Tribe SAGRINI Leach, 1815

Subfamily BRUCHINAE Latreille, 1802

- Tribe AMBLYCERINI Bridwell, 1932
 - Subtribe AMBLYCERINA Bridwell, 1932
 - Subtribe SPERMOPHAGINA Borowiec, 1987
- Tribe BRUCHINI Latreille, 1802
 - Subtribe ACANTHOSCELIDINA Bridwell, 1946
 - Subtribe BRUCHINA Latreille, 1802
 - Subtribe MEGACERINA Bridwell, 1946
- Tribe EUBAPTINI Bridwell, 1932
- Tribe KYTORHININI Bridwell, 1932
- Tribe PACHYMERINI Bridwell, 1929
 - Subtribe CARYEDONTINA Bridwell, 1929
 - Subtribe CARYOPEMINA Bridwell, 1929
 - Subtribe PACHYMERINA Bridwell, 1929
- Tribe RHAEBINI Blanchard, 1845

Subfamily DONACIINAE Kirby, 1837

- Tribe DONACIINI Kirby, 1837
- Tribe HAEMONIINI Chen, 1941
- Tribe PLATEUMARINI Böving, 1922

Subfamily CRIOCERINAE Latreille, 1804

- Tribe CRIOCERINI Latreille, 1804
- Tribe LEMINI Gyllenhal, 1813
- Tribe PSEUDOCRIOCERINI Heinze, 1962

Subfamily CASSIDINAE Gyllenhal, 1813

- Tribe ALURNINI Chapuis, 1875
- Tribe ANISODERINI Chapuis, 1875
- Tribe APROOIDINI Weise, 1911
- Tribe ARESCINI Chapuis, 1875
- Tribe ASPIDIMORPHINI Chapuis, 1875
- Tribe BASIPRIONOTINI Gressitt, 1952 (1929)
- Tribe BOTRYONOPINI Chapuis, 1875
- Tribe CALLISPINI Chapuis, 1875
- Tribe CALLOHISPINI Uhmann, 1960
- Tribe CASSIDINI Gyllenhal, 1813
- Tribe CEPHALOLEIINI Chapuis, 1875
- Tribe CHALEPINI Weise, 1910
- Tribe COELAENOMENODERINI Weise, 1911
- Tribe CRYPTONYCHINI Chapuis, 1875
- Tribe DELOCRANIINI Spaeth, 1929
- Tribe DORYNOTINI Monrós and Viana, 1949 (1923)
- Tribe EUGENYSINI Hincks, 1952
- Tribe EURISPINI Chapuis, 1875
- Tribe EXOTHISPINI Weise, 1911
- Tribe GONIOCHENIINI Spaeth, 1942
- Tribe GONOPHORINI Chapuis, 1875
- Tribe HEMISPHAEROTINI Monrós and Viana, 1951 (1929)
- Tribe HISPINI Gyllenhal, 1813
- Tribe HISPOLEPTINI Chapuis, 1875
- Tribe HYBOSISPINI Weise, 1910
- Tribe IMATIDIINI Hope, 1840
- Tribe ISCHYROSONYCHINI Chapuis, 1875
- Tribe LEPTISPINI Fairmaire, 1868
- Tribe MESOMPHALIINI Hope, 1840
- Tribe NOTHOSACANTHINI Gressitt, 1952 (1929)
- Tribe OEDIOPALPINI Monrós and Viana, 1947 (1910)
- Tribe OMOCERINI Hincks, 1952 (1923)
- Tribe ONCOCEPHALINI Chapuis, 1875
- Tribe PROMECOTHECINI Chapuis, 1875

- Tribe PROSOPODONTINI Weise, 1910
- Tribe SCELOENOPLINI Uhmann, 1930
- Tribe SPILOPHORINI Chapuis, 1875
- Tribe UROPLATINI Weise, 1910

Subfamily CHRYSOMELINAE Latreille, 1802

- Tribe CHRYSOMELINI Latreille, 1802
- Tribe TIMARCHINI Motschulsky, 1860

Subfamily GALERUCINAE Latreille, 1802

- Tribe ALTICINI Newman, 1834
- Tribe DECARTHROCERINI Laboissière, 1937
- Tribe GALERUCINI Latreille, 1802
- Tribe HYLASPINI Chapuis, 1875
- Tribe LUPERINI Gistel, 1848
- Tribe METACYCLINI Chapuis, 1875
- Tribe OIDINI Laboissière, 1921 (1875)

Subfamily LAMPROSOMATINAE Lacordaire, 1848

- Tribe LAMPROSOMATINI Lacordaire, 1848
- Tribe NEOCHLAMYSINI Monrós, 1959
- Tribe SPHAEROCHARINI Chapuis, 1874

Subfamily CRYPTOCEPHALINAE Gyllenhal, 1813

- Tribe CLYTRINI Kirby, 1837
- Tribe CRYPTOCEPHALINI Gyllenhal, 1813
 - Subtribe ACHAENOPINA Chapuis, 1874
 - Subtribe CRYPTOCEPHALINA Gyllenhal, 1813
 - Subtribe MONACHULINA Leng, 1920
 - Subtribe PACHYBRACHINA Chapuis, 1874
 - Subtribe STYLOSOMINA Chapuis, 1874
- Tribe FULCIDACINI Jakobson, 1924

Subfamily EUMOLPINAE Hope, 1840

- Tribe BROMIINI Baly, 1865 (1863)
- Tribe CARYONODINI Bechyné, 1951
- Tribe CUBISPINI Monrós, 1954
- Tribe EUMOLPINI Hope, 1840
- Tribe EURYOPINI Chapuis, 1874
- Tribe HABROPHORINI Bechyné and Špringlová de Bechyné, 1969
- Tribe HEMYDACNINI Bechyné, 1951
- Tribe MEGASCELIDINI Chapuis, 1874
- Tribe MERODINI Chapuis, 1874
- Tribe PYGOMOLPINI Bechyné, 1949
- Tribe ROSIROIINI Bechyné, 1950
- Tribe TYPOPHORINI Baly, 1865

Subfamily SPILOPYRINAE Chapuis, 1874

Subfamily SYNETINAE LeConte and Horn, 1883

†Subfamily PROTOSCELIDINAE Medvedev, 1968**Superfamily CURCULIONOIDEA Latreille, 1802****Family NEMONYCHIDAE Bedel, 1882****Subfamily NEMONYCHINAE Bedel, 1882****Subfamily CIMBERIDINAE Gozis, 1882**

Tribe CIMBERIDINI Gozis, 1882

Tribe DOYDIRHYNCHINI Pierce, 1916

†Tribe KUSCHELOMACRINI Riedel, 2010

Subfamily RHINORHYNCHINAE Voss, 1922

Tribe MECOMACERINI Kuschel, 1994

Subtribe BRARINA Legalov, 2009

Subtribe MECOMACERINA Kuschel, 1994

Tribe RHINORHYNCHINI Voss, 1922

†Subfamily SLONIKINAE Zherikhin, 1977

†Tribe SLONIKINI Zherikhin, 1977

†Tribe ULYANISCINI Legalov, 2009

†Subfamily ECCOPTARTHINAE Arnoldi, 1977**†Subfamily BRENTHORRHININAE Arnoldi, 1977**

†Tribe BRENTHORRHININI Arnoldi, 1977

†Tribe BRENTHORRHINOIDINI Legalov, 2003

†Subfamily DISTENORRHININAE Arnoldi, 1977**†Subfamily EOBELINAE Arnoldi, 1977**

†Tribe EOBELINI Arnoldi, 1977

†Subtribe EOBELINA Arnoldi, 1977

†Subtribe PROCURCULIONINA Arnoldi, 1977

†Tribe KARATAUCARINI Legalov, 2009

†Tribe NANOPHYDINI Arnoldi, 1977

†Tribe OXYCORYNOIDINI Arnoldi, 1977

†Tribe PROBELINI Legalov, 2009

†Subfamily PALEOCARTINAE Legalov, 2003

†Tribe NEBRENTHORRHININI Legalov, 2007

†Tribe PALEOCARTINI Legalov, 2003

†Subfamily METRIOXENOIDINAE Legalov, 2009**†Subfamily CRETONEONYCHINAE Gratshev and Legalov, 2009****†Subfamily SELENGARHYNCHINAE Gratshev and Legalov, 2009****Family ANTHRIBIDAE Billberg, 1820****Subfamily ANTHRIBINAE Billberg, 1820**

Tribe ANTHRIBINI Billberg, 1820

Tribe BASITROPINI Lacordaire, 1865

Tribe CORRHECERINI Lacordaire, 1865

Tribe CRATOPARINI LeConte, 1876

†Tribe CRETANTHRIBINI Legalov, 2009

- Tribe DECATAPHANINI Lacordaire, 1865
- Tribe DISCOTENINI Lacordaire, 1865
- Tribe ECELONERINI Lacordaire, 1865
- Tribe ISCHNOCERINI Lacordaire, 1865
- Tribe GYMNognathini Valentine, 1960
- Tribe JORDANTHRIBINI Morimoto, 1980
- Tribe MAUIINI Valentine, 1990
- Tribe MECOCERINI Lacordaire, 1865
- Tribe MYCTEINI Morimoto, 1972
- Tribe OZOTOMERINI Morimoto, 1972
- Tribe PIESOCORYNINI Valentine, 1960
- Tribe PLATYRHININI Bedel, 1882
- Tribe PLATYSTOMINI Pierce, 1916
- Tribe PROSCOPORHININI Lacordaire, 1865
- Tribe PTYCHODERINI Jekel, 1855
- Tribe SINTORINI Lacordaire, 1865
- Tribe STENOCERINI Kolbe, 1895
- Tribe TOPHODERINI Lacordaire, 1865
- Tribe TRIGONORHININI Valentine, 1999
- Tribe TROPIDERINI Lacordaire, 1865
- Tribe XENOCERINI Lacordaire, 1865
- Tribe XYLINADINI Lacordaire, 1865
- Tribe ZYGAENODINI Lacordaire, 1865

Subfamily CHORAGINAE Kirby, 1819

- Tribe APOLECTINI Lacordaire, 1865
- Tribe ARAECERINI Lacordaire, 1865
- Tribe CISANTHRIBINI Zimmerman, 1994
- Tribe CHORAGINI Kirby, 1819
- Tribe VALENFRIESIINI Alonso-Zarazaga and Lyal, 1999
- Tribe XENORCHESTINI Lacordaire, 1865

Subfamily URODONTINAE Thomson, 1859

†Family ULYANIDAE Zherikhin, 1993

Family BELIDAE Schönherr, 1826

Subfamily BELINAE Schönherr, 1826

- Tribe AGNESIOTIDINI Zimmerman, 1994
- Tribe BELINI Schönherr, 1826
 - Subtribe BELINA Schönherr, 1826
 - Subtribe HOMALOCERINA Legalov, 2009
- Tribe PACHYURINI Kuschel, 1959

Subfamily OXYCORYNINAE Schönherr, 1840

- Tribe AGLYCYDERINI Wollaston, 1864
- Tribe ALLOXYCORYNINI Legalov, 2009
- Tribe DISTENORRHINOIDINI Legalov, 2009

- Tribe METRIOXENINI Voss, 1953
 - Subtribe AFROCORYNINA Voss, 1957
 - Subtribe METRIOXENINA Voss, 1953
 - Subtribe ZHERICHINIXENINA Legalov, 2009
- Tribe OXYCORYNINI Schönherr, 1840
 - Subtribe ALLOCORYNINA Sharp, 1890
 - Subtribe OXYCORYNINA Schönherr, 1840
 - Subtribe OXYCRASPEDINA Marvaldi and Oberprieler, 2006

Family CARIDAE Thompson, 1992**Subfamily CARINAE Thompson, 1992****Subfamily CHILECARINAE Legalov, 2009**

- Tribe CARODINI Legalov, 2009
- Tribe CHILECARINI Legalov, 2009

†Subfamily BAISSORHYNCHINAE Zherikhin, 1993**Family ATTELABIDAE Billberg, 1820****Subfamily ATTELABINAE Billberg, 1820**

- Tribe ATTELABINI Billberg, 1820
 - Subtribe ATTELABINA Billberg, 1820
 - Subtribe EUSCELINA Voss, 1925
 - Subtribe EUSCELOPHILINA Voss, 1925
 - Subtribe HENICOLABINA Legalov, 2007
 - Subtribe HIMATOLABINA Legalov, 2003
 - Subtribe HYBOLABINA Voss, 1925
 - Subtribe ISOLABINA Legalov, 2007
 - Subtribe LAGENODERINA Voss, 1925
 - Subtribe LAMPROLABINA Voss, 1925
 - Subtribe METOCALOLABINA Legalov, 2003
 - Subtribe OMOLABINA Legalov, 2003
 - Subtribe PARAMECOLABINA Legalov, 2003
 - Subtribe PHIALODINA Legalov, 2003
 - Subtribe PHYMATOLABINA Voss, 1925
 - Subtribe PHYMATOPSIMINA Legalov, 2003
 - Subtribe PLEUROLABINA Legalov, 2003

Tribe EUOPINI Voss, 1925

Tribe PIOLABINI Voss, 1925

Subfamily APODERINAE Jekel, 1860

Tribe APODERINI Jekel, 1860

Tribe CLITOSTYLINI Voss, 1929

- Subtribe ALLAPODERINA Legalov, 2003

- Subtribe CLITOSTYLINA Voss, 1929

- Subtribe PSEUDOPHRYSINA Legalov, 2003

Tribe HOPLAPODERINI Voss, 1926

- Subtribe AFROAPODERINA Legalov, 2003

Subtribe HOPLAPODERINA Voss, 1926

Subtribe PARATOMAPODERINA Legalov, 2003

Tribe TRACHELOPHORINI Voss, 1926

Subfamily RHYNCHITINAE Gistel, 1848

Tribe AULETINI Desbrochers des Loges, 1908

Subtribe AULETINA Desbrochers des Loges, 1908

Subtribe AULETOBIINA Legalov, 2001

Subtribe GUINEAULETINA Legalov, 2003

Subtribe MANDELSCHTAMIINA Legalov, 2003

Subtribe PSEUDAULETINA Voss, 1933

Subtribe PSEUDOMESAULETINA Legalov, 2003

Tribe AULETORHININI Voss, 1935

Tribe BYCTISCINI Voss, 1923

Subtribe BYCTISCINA Voss, 1923

Subtribe LISTROBYCTISCINA Legalov, 2003

Subtribe SVETLANAE BYCTISCINA Legalov, 2003

Tribe CESAULETINI Legalov, 2003

Tribe DEPORAINI Voss, 1929

Subtribe CHONOSTROPHEINA Morimoto, 1962

Subtribe DEPORAINA Voss, 1929

Tribe MINURINI Legalov, 2003

Tribe RHINOCARTINI Voss, 1931

Tribe RHYNCHITINI Gistel, 1848

Subtribe ACRITORRHYNCHITINA Legalov, 2007

Subtribe ANISOMERININA Legalov, 2003

Subtribe EUGNAMPTINA Voss, 1930

Subtribe LASIORRHYNCHITINA Legalov, 2003

Subtribe PERRHYNCHITINA Legalov, 2003

Subtribe RHYNCHITALLINA Legalov, 2003

Subtribe RHYNCHITINA Gistel, 1848

Subtribe TEMNOCERINA Legalov, 2003

Subfamily ISOTHEINAE Scudder, 1893

Tribe ISOTHEINI Scudder, 1893

Subtribe DEPASOPHILINA Legalov, 2003

†Subtribe ISO THEINA Scudder, 1893

†Tribe TOXORRHYNCHINI Scudder, 1893

Subfamily PTEROCOLINAE Lacordaire, 1865

Family BRENTIDAE Billberg, 1820

Subfamily BRENTINAE Billberg, 1820

Tribe BRENTINI Billberg, 1820

Subtribe ARRHENODINA Lacordaire, 1865

Subtribe BRENTINA Billberg, 1820

Subtribe EREMOXENINA Semenov, 1892

- Tribe CYLADINI Schönherr, 1823
Tribe CYPHAGOGINI Kolbe, 1892
Subtribe ATOPOBRENTINA Damoiseau, 1965
Subtribe CYPHAGOGINA Kolbe, 1892
†Subtribe DOMINIBRENTINA Poinar, 2009
Subtribe HOPLOPISTHIINA Senna and Calabresi, 1919
Subtribe STEREODERMINA Sharp, 1895
Tribe PHOLIDOCHLAMYDINI Damoiseau, 1962
Tribe TAPHRODERINI Lacordaire, 1865
Tribe TRACHELIZINI Lacordaire, 1865
Subtribe ACRATINA Alonso-Zarazaga, Lyal, Bartolozzi and Sforzi, 1999
Subtribe ITHYSTENINA Lacordaire, 1865
Subtribe MICROTRACHELIZINA Zimmerman, 1994
Subtribe PSEUDOCEOCEPHALINA Kleine, 1922
Subtribe RHYTICEPHALINA Kleine, 1922
Subtribe TRACHELIZINA Lacordaire, 1865
Subtribe TYCHAEINA Schoenfeldt, 1908
Tribe ULOCERINI Schönherr, 1823
Subfamily EURHYNCHINAE Lacordaire, 1863
†Tribe AXELRODIELLINI Legalov, 2009
Tribe EURHYNCHINI Lacordaire, 1863
Subfamily APIONINAE Schönherr, 1823
Supertribe APIONITAE Schönherr, 1823
Tribe APIONINI Schönherr, 1823
Subtribe APIONINA Schönherr, 1823
Subtribe APLEMONINA Kissinger, 1968
Subtribe ASPIDAPIINA Alonso-Zarazaga, 1990
Subtribe CATAPIINA Alonso-Zarazaga, 1990
Subtribe CERATAPIINA Alonso-Zarazaga, 1990
Subtribe EXAPIINA Alonso-Zarazaga, 1990
Subtribe IXAPIINA Alonso-Zarazaga, 1990
Subtribe KALCAPIINA Alonso-Zarazaga, 1990
Subtribe MALVAPIINA Alonso-Zarazaga, 1990
Subtribe METAPIINA Alonso-Zarazaga, 1990
Subtribe OXYSTOMATINA Alonso-Zarazaga, 1990
Subtribe PIEZOTRACHELINA Voss, 1959
Subtribe PROTOTRICHAPIINA Wanat, 1995
Subtribe SYNAPIINA Alonso-Zarazaga, 1990
Subtribe TRICHAPIINA Alonso-Zarazaga, 1990
Tribe CHILAPIINI Wanat, 2001
Tribe NOTERAPIINI Kissinger, 2004
Tribe PODAPIINI Wanat, 2001
Tribe RHINORHYNCHIDIINI Zimmerman, 1994

Supertribe ANTLIARHINITAE Schönherr, 1823

Supertribe CYBEBITAE Lacordaire, 1863

Supertribe MECOLENITAE Wanat, 2001

Supertribe MYRMACICELITAE Zimmerman, 1994

Tribe LISPOTHERIINI Wanat, 2001

Tribe MYRMACICELINI Zimmerman, 1994

Supertribe RHADINOCYBITAE Alonso-Zarazaga, 1992

Tribe NOTAPIONINI Zimmerman, 1994

Tribe RHADINOCYBINI Alonso-Zarazaga, 1992

Supertribe TANAITAE Schönherr, 1839

Subfamily ITHYCERINAE Schönherr, 1823

Subfamily MICROCERINAE Lacordaire, 1863

Subfamily NANOPHYINAE Gistel, 1848

Tribe CORIMALIINI Alonso-Zarazaga, 1989

Tribe NANOPHYINI Gistel, 1848

Family DRYOPHTHORIDAE Schönherr, 1825

Subfamily DRYOPHTHORINAE Schönherr, 1825

Subfamily CRYPTODERMATINAE Bovie, 1908

Subfamily ORTHOGNATHINAE Lacordaire, 1865

Tribe ORTHOGNATHINI Lacordaire, 1865

Tribe RHINOSTOMINI LeConte, 1874

Subfamily RHYNCHOPHORINAE Schönherr, 1833

Tribe DIOCALANDRINI Zimmerman, 1993

Tribe LITOSOMINI Lacordaire, 1865

Tribe OMMATOLAMPINI Lacordaire, 1865

Tribe POLYTINI Zimmerman, 1993

Tribe RHYNCHOPHORINI Schönherr, 1833

Tribe SPHENOPHORINI Lacordaire, 1865

Subfamily STROMBOSCERINAE Lacordaire, 1865

Family BRACHYCERIDAE Billberg, 1820

Subfamily BRACHYCERINAE Billberg, 1820

Tribe BRACHYCERINI Billberg, 1820

Tribe BYRSOPINI Germar, 1829

Subfamily CRYPTOLARYNGINAE Schalkwyk, 1966

Subfamily ERIRHININAE Schönherr, 1825

Tribe AONYCHINI Zimmerman, 1993

Tribe ARTHROSTENINI Reitter, 1913

†Tribe CRETULIINI Legalov, 2009

Tribe ERIRHININI Schönherr, 1825

Tribe HIMASTHLOPHALLINI Zherikhin, 1991

Tribe STENOPELMINI LeConte, 1876

Tribe TADIINI Zimmerman, 1993

Tribe TANYSPHYRINI Gistel, 1848

Subfamily OCLADIINAE Lacordaire, 1865

- Tribe DESMIDOPHORINI Morimoto, 1962
Tribe OCLADIINI Lacordaire, 1865

Subfamily RAYMONDIONYMINAE Reitter, 1913

- Tribe MYRTONYMINI Kuschel, 1990
Tribe RAYMONDIONYMINI Reitter, 1913

Family CURCULIONIDAE Latreille, 1802**Subfamily CURCULIONINAE Latreille, 1802**

- Tribe ACALYPTINI Thomson, 1859
Subtribe ACALYPTINA Thomson, 1859
Subtribe DERELOMINA Lacordaire, 1865
Subtribe NOTOLOMINA Franz, 2006
Subtribe PHYLLOTROGINA Franz, 2006
Subtribe STAMINODEINA Franz, 2006
Tribe ACENTRUSINI Alonso-Zarazaga, 2005
Tribe ANCYLOCNEMIDINI Voss, 1962
Tribe ANTHONOMINI Thomson, 1859
Tribe CAMAROTINI Schönherr, 1833
Subtribe CAMAROTINA Schönherr, 1833
Subtribe PRIONOMERINA Lacordaire, 1863
Tribe CERATOPODINI Lacordaire, 1863
Tribe CIONINI Schönherr, 1825
Tribe CRANOPOEINI Kuschel, 2009
Tribe CRYPTOPLINI Lacordaire, 1863
Tribe CURCULIONINI Latreille, 1802
Subtribe CURCULIONINA Latreille, 1802
Subtribe PSEUDOBALANINNA Heller, 1925
Subtribe TIMOLINA Heller, 1925
Tribe DIABATHRARIINI Lacordaire, 1863
Tribe ELLESCINI Thomson, 1859
Subtribe DORYTOMINA Bedel, 1886
Subtribe ELLESCINA Thomson, 1859
Tribe ERODISCINI Lacordaire, 1863
Tribe EUGNOMINI Lacordaire, 1863
Subtribe EUGNOMINA Lacordaire, 1863
Subtribe MERIPHINA Marshall, 1937
Tribe GONIPTERINI Lacordaire, 1863
Tribe MECININI Gistel, 1848
Tribe NERTHOPINI Lacordaire, 1865
Tribe OTIDOCEPHALINI Lacordaire, 1863
Tribe PIAZORHININI Lacordaire, 1863
Tribe PRIONOBRACHIINI Hustache, 1938
Tribe PYROPINI Lacordaire, 1865

- Tribe RHAMPHINI Rafinesque, 1815
Subtribe DINORHOPALINA Voss, 1936
Subtribe IXALMINA Voss, 1936
Subtribe RHAMPHINA Rafinesque, 1815
Subtribe TACHYGONINA Lacordaire, 1865
Tribe SMICRONYCHINI Seidlitz, 1891 *nomen protectum*
Tribe SPHAERIOPOEINI Kuschel, 2003
Tribe STOREINI Lacordaire, 1863
Tribe STYPHLINI Jekel, 1861
Tribe TYCHIINI Gistel, 1848
Subtribe DEMIMAEINA Voss, 1937
Subtribe LIGNYODINA Bedel, 1883
Subtribe OCHYROMERINA Voss, 1935
Subtribe TYCHIINA Gistel, 1848
Tribe ULOMASCINI Lacordaire, 1865
Tribe VITICIINI Morimoto, 1983
- Subfamily BAGOINAE Thomson, 1859 *nomen protectum***
- Subfamily BARIDINAE Schönherr, 1836**
- Tribe AMBATINI Lacordaire, 1863
Tribe ANOPSILINI Bondar, 1942
Tribe APOSTASIMERINI Schönherr, 1844
Subtribe APOSTASIMERINA Schönherr, 1844
Subtribe MADOPTERINA Lacordaire, 1865
Subtribe THALIABARIDINA Bondar, 1943
Subtribe TORCINA Bondar, 1943
Subtribe ZYGOBARIDINA Pierce, 1907
- Tribe BARIDINI Schönherr, 1836
Subtribe BARIDINA Schönherr, 1836
Subtribe COELONERTINA Casey, 1922
Subtribe COLEOMERINA Casey, 1922
Subtribe DIORYMERINA Jekel, 1865
Subtribe EURHININA Lacordaire, 1865
- Tribe MADARINI Jekel, 1865
Subtribe BARYMERINA Lacordaire, 1865
Subtribe EUTOXINA Champion, 1908
Subtribe LEPTOSCHOININA Lacordaire, 1865
Subtribe MADARINA Jekel, 1865
Subtribe TONESIINA Alonso-Zarazaga and Lyal, 1999
- Tribe NEOSHARPIINI Hoffmann, 1956
Tribe NERTININI Voss, 1954
Tribe OPTATINI Champion, 1907
Tribe PANTOTELINI Lacordaire, 1865
Subtribe CYRIONYCHINA Casey, 1922

Subtribe PANTOTELINA Lacordaire, 1865

Tribe PERIDINETINI Lacordaire, 1865

Subfamily CEUTORHYNCHINAE Gistel, 1848

Tribe CEUTORHYNCHINI Gistel, 1848

Tribe CNEMOGONINI Colonnelli, 1979

Tribe EGRIINI Pajni and Kohli, 1982

Tribe HYPOHYPURINI Colonnelli, 2004

Tribe HYPURINI Schultze, 1902

Tribe LIOXYONYCHINI Colonnelli, 1984

Tribe MECYSMODERINI Wagner, 1938

Tribe MONONYCHINI LeConte, 1876

Tribe PHYTOBIINI Gistel, 1848

Tribe SCLEROPTERINI Schultze, 1902

Subfamily CONODERINAE Schönherr, 1833

Tribe ARACHNOPODINI Lacordaire, 1865

Tribe CAMPYLOSCELINI Schönherr, 1845

Subtribe CAMPYLOSCELINA Schönherr, 1845

Subtribe CORYNEMERINA Hustache, 1929

Subtribe PHAENOMERINA Faust, 1898

Tribe CONODERINI Schönherr, 1833

Tribe CORYSSOMERINI Thomson, 1859

Tribe CORYSSOPODINI Lacordaire, 1865

Tribe LECHRIOPINI Lacordaire, 1865

Tribe LOBOTRACHELINI Lacordaire, 1865

Tribe MECOPINI Lacordaire, 1865

Tribe MENEMACHINI Lacordaire, 1865

Tribe OTHIPPIINI Morimoto, 1962

Tribe PELOROPODINI Hustache, 1932

Tribe PIAZURINI Lacordaire, 1865

Tribe SPHASMASMINI Lacordaire, 1865

Tribe TRICHODOCERINI Champion, 1906

Tribe ZYGOPINI Lacordaire, 1865

Subfamily COSSONINAE Schönherr, 1825

Tribe ACAMPTINI LeConte, 1876

Tribe ACANTHINOMERINI Voss, 1972

Tribe ALLOMORPHINI Folwaczny, 1973

Tribe APHYLLURINI Voss, 1955

Tribe ARAUCARIINI Kuschel, 1966

Tribe CHOERORHININI Folwaczny, 1973

Tribe COSSONINI Schönherr, 1825

Tribe CRYPTOMMATINI Voss, 1972

Tribe DRYOTRIBINI LeConte, 1876

Tribe MICROXYLOBIINI Voss, 1972

Tribe NESIOBIINI Alonso-Zarazaga and Lyal, 1999

Tribe NEUMATORINI Folwaczny, 1973

Tribe ONYCHIINI Chapuis, 1869

Tribe ONYCHOLIPINI Wollaston, 1873

Tribe PENTARTHRIINI Lacordaire, 1865

Tribe PROECINI Voss, 1956

Tribe PSEUDAPOTREPINI Champion, 1909

Tribe RHYNCOLINI Gistel, 1848

Subtribe PHLOEOPHAGINA Voss, 1955

Subtribe PSEUDOMIMINA Voss, 1939

Subtribe RHYNCOLINA Gistel, 1848

Tribe TAPIROMIMINI Voss, 1972

Subfamily CRYPTORHYNCHINAE Schönherr, 1825

Tribe AEDEMONINI Faust, 1898

Tribe CAMPTORHININI Lacordaire, 1865

Tribe CRYPTORHYNCHINI Schönherr, 1825

Subtribe CRYPTORHYNCHINA Schönherr, 1825

Subtribe MECISTOSTYLINA Lacordaire, 1865

Subtribe TYLODINA Lacordaire, 1865

Tribe GASTEROCERCINI Zherikhin, 1991

Tribe PSEPHOLACINI Lacordaire, 1865

Tribe SOPHRORHININI Lacordaire, 1865

Tribe TORNEUMATINI Bedel, 1884

Subfamily CYCLOMINAE Schönherr, 1826

Tribe AMYCTERINI Waterhouse, 1854

Tribe ATERPINI Lacordaire, 1863 *nomen protectum*

Subtribe ATERPINA Lacordaire, 1863 *nomen protectum*

Subtribe RHADINOSOMINA Lacordaire, 1863

Tribe CYCLOMINI Schönherr, 1826

Tribe DICHOTRACHELINI Hoffmann, 1957

Tribe HIPPORHININI Lacordaire, 1863

Tribe LISTRODERINI LeConte, 1876

Tribe NOTIOMIMETINI Wollaston, 1873

Tribe RHYTHIRRININI Lacordaire, 1863

Subfamily ENTIMINAE Schönherr, 1823

Tribe AGRAPHINI Horn, 1876

Tribe ALOPHINI LeConte, 1874

Tribe ANOMOPHTHALMINI Morrone, 1998

Tribe ANYPOTACTINI Champion, 1911

Tribe BLOSYRINI Lacordaire, 1863

Tribe BRACHYDERINI Schönherr, 1826

Tribe CELEUTHETINI Lacordaire, 1863

Subtribe CELEUTHETINA Lacordaire, 1863

- Subtribe ISOPTERINA Morimoto and Kojima, 2001
Tribe CNEORHININI Lacordaire, 1863
Tribe CRATOPODINI Hustache, 1919
Tribe CYLYDRORHININI Lacordaire, 1863
Tribe CYPHICERINI Lacordaire, 1863
 Subtribe ACANTHOTRACHELINA Marshall, 1944
 Subtribe CYPHICERINA Lacordaire, 1863
 Subtribe MYLACORRHININA Reitter, 1913
 Subtribe MYLLOCERINA Pierce, 1913
 Subtribe PHYTOSCAPHINA Lacordaire, 1863
Tribe ECTEMNORHININI Lacordaire, 1863
Tribe ELYTRURINI Marshall, 1956
Tribe EMBRITHINI Marshall, 1942
Tribe ENTIMINI Schönherr, 1823
Tribe EPISOMINI Lacordaire, 1863
Tribe EUDIAGOGINI LeConte, 1874
Tribe EUPHOLINI Günther, 1943
Tribe EUSTYLINI Lacordaire, 1863
Tribe GEONEMINI Gistel, 1848
Tribe HOLCORHININI Desbrochers des Loges, 1898
Tribe HORMORINI Horn, 1876
Tribe LAPAROCERINI Lacordaire, 1863
Tribe LEPTOSTETHINI Lacordaire, 1863
Tribe LORDOPINI Schönherr, 1823
Tribe MESOSTYLINI Reitter, 1913
Tribe MYORHININI Marseul, 1863
Tribe NASTINI Reitter, 1913
Tribe NAUPACTINI Gistel, 1848 *nomen protectum*
Tribe NOTHOGNATHINI Marshall, 1916
Tribe OMIINI Shuckard, 1839
Tribe OOSOMINI Lacordaire, 1863
Tribe OPHRYASTINI Lacordaire, 1863
Tribe OPHTALMORRHYNCHINI Hoffmann, 1965
Tribe OTIORHYNCHINI Schönherr, 1826
Tribe OTTISTIRINI Heller, 1925
Tribe PACHYRHYNCHINI Schönherr, 1826
Tribe PERITELINI Lacordaire, 1863
Tribe PHYLLOBIINI Schönherr, 1826
Tribe POLYCATINI Marshall, 1956
Tribe POLYDRUSINI Schönherr, 1823
Tribe PREMNOTRYPINI Kuschel, 1956
†Tribe PRISTORHYNCHINI Heer, 1847
Tribe PRYPNINI Lacordaire, 1863

- Tribe PSALLIDIINI Lacordaire, 1863
 Tribe RHYNCOGONINI Sharp, 1919
 Tribe SCIAPHILINI Sharp, 1891
 Tribe SITONINI Gistel, 1848
 Tribe TANYMECINI Lacordaire, 1863
 Subtribe PIAZOMIINA Reitter, 1913
 Subtribe TAINOPHTHALMINA Desbrochers des Loges, 1873
 Subtribe TANYMECINA Lacordaire, 1863
 Tribe TANYRHYNCHINI Schönherr, 1826
 Tribe THECESTERNINI Lacordaire, 1863
 Tribe TRACHYPHLOEINI Gistel, 1848
 Subtribe TRACHYPHILINA Voss, 1948
 Subtribe TRACHYPHLOEINA Gistel, 1848
 Tribe TROPIPHORINI Marseul, 1863
 Tribe TYPHLORHININI Kuschel, 1954
- Subfamily HYPERINAE Marseul, 1863 (1848)**
- Tribe CEPURINI Capiomont, 1867
 Tribe HYPERINI Marseul, 1863 (1848)
- Subfamily LIXINAE Schönherr, 1823**
- Tribe CLEONINI Schönherr, 1826 *nomen protectum*
 Tribe LIXINI Schönherr, 1823
 Tribe RHINOCYLLINI Lacordaire, 1863
- Subfamily MESOPTILIINAE Lacordaire, 1863**
- Tribe CARCILIINI Pierce, 1916
 Tribe LAEMOSACCINI Lacordaire, 1865
 Tribe MAGDALIDINI Pascoe, 1870 *nomen protectum*
 Tribe MESOPTILIINI Lacordaire, 1863
- Subfamily MOLYTINAE Schönherr, 1823**
- Tribe ANOPLINI Bedel, 1883
 Tribe AMALACTINI Lacordaire, 1863
 Tribe AMINYOPINI Voss, 1956
 Tribe AMORPHOCERINI Voss, 1939
 Tribe ANCHONINI Imhoff, 1856
 Tribe BRACHYCEROPSEINI Aurivillius, 1926
 Tribe CHOLINI Schönherr, 1825
 Subtribe CHOLINA Schönherr, 1825
 Subtribe CHOLOMINA Vaurie, 1974
 Subtribe RHINASTINA Vaurie, 1973
 Tribe CLEOGONINI Gistel, 1848
 Tribe CONOTRACHELINI Jekel, 1865
 Tribe CYCLOTERINI Lacordaire, 1863
 Subtribe CYCLOTERINA Lacordaire, 1863
 Subtribe THROMBOSTERNINA Voss, 1965

- Tribe DINOMORPHINI Lacordaire, 1863
Tribe EMPHYASTINI Lacordaire, 1863
Tribe EUDERINI Lacordaire, 1865
Tribe GALLOSIINI Morimoto, 1962
Tribe GUIOPERINI Lacordaire, 1865
Tribe HYLOBIINI Kirby, 1837
 Subtribe EPISTROPHINA Marshall, 1932
 Subtribe HYLOBIINA Kirby, 1837
Tribe ITHYPORINI Lacordaire, 1865
 Subtribe COLOBODINA Voss, 1958
 Subtribe ITHYPORINA Lacordaire, 1865
 Subtribe SCLEROCARDIINA Lacordaire, 1865
Tribe ITINI Reitter, 1913
Tribe JUANORHININI Aurivillius, 1931
Tribe LEPYRINI Kirby, 1837
Tribe LITHININI Lacordaire, 1863
 Subtribe LITHININA Lacordaire, 1863
 Subtribe RHYTIDOPHLOEINA Voss, 1963
Tribe LYMANTINI Lacordaire, 1865
Tribe MECYSOLOBINI Reitter, 1913
Tribe METATYGINI Pascoe, 1888
Tribe MOLYTINI Schönherr, 1823
 Subtribe LEIOSOMATINA Reitter, 1913
 Subtribe MOLYTINA Schönherr, 1823
 Subtribe PLINTHINA Lacordaire, 1863
 Subtribe TYPODERINA Voss, 1965
Tribe NETTARHININI Lacordaire, 1865
Tribe PACHOLENINI Lacordaire, 1863
Tribe PAIPALESOMINI Marshall, 1932
Tribe PETALOCHILINI Lacordaire, 1863
Tribe PHOENICOBATINI Champion, 1914
Tribe PHRYNIXINI Kuschel, 1964
Tribe PISSODINI Gistel, 1848
 Subtribe COTASTEROMIMINA Morimoto, 1962
 Subtribe ORTHORHININA Jekel, 1865
 Subtribe PISSODINA Gistel, 1848
Tribe STERNECHINI Lacordaire, 1863
Tribe STYANACINI Chûjô and Voss, 1960
Tribe TRACHODINI Gistel, 1848
Tribe TRIGONOCOLINI Lacordaire, 1863
Tribe TRYPETIDINI Lacordaire, 1865

Subfamily OROBITIDINAE Thomson, 1859

Subfamily XIPHASPIDINAE Marshall, 1920

Subfamily SCOLYTINAE Latreille, 1804

- Tribe AMPHISCOLYTINI Mandelshtam and Beaver, 2003
 Tribe BOTHROSTERNINI Blandford, 1896
 Tribe CACTOPININI Chamberlin, 1939
 Tribe CARPHODICTICINI Wood, 1971
 Tribe COPTONOTINI Chapuis, 1869
 Tribe CORTHYLINI LeConte, 1876
 Subtribe CORTHYLINA LeConte, 1876
 Subtribe PITYOPHTHORINA Eichhoff, 1878
 Tribe CRYPTALINI Lindemann, 1877
 Tribe CRYPTURGINI LeConte, 1876
 †Tribe CYLINDROBROTINI Kirejtshuk, Azar, Beaver, Mandelshtam and Nel,
 2009
 Tribe DIAMERINI Hagedorn, 1909
 Tribe DRYOCOETINI Lindemann, 1877
 Tribe HEXACOLINI Eichhoff, 1878
 Tribe HYLASTINI LeConte, 1876
 Tribe HYLESININI Erichson, 1836
 Tribe HYLURGINI Gistel, 1848
 Tribe HYORRHYNCHINI Hopkins, 1915
 Tribe HYPOBORINI Nüsslin, 1911
 Tribe IPINI Bedel, 1888
 Tribe MICRACIDINI LeConte, 1876
 Tribe PHLOEOSININI Nüsslin, 1912
 Tribe PHLOEOTRIBINI Chapuis, 1869
 Tribe PHRIXOSOMATINI Wood, 1978
 Tribe POLYGRAPHINI Chapuis, 1869
 Tribe PREMNOBIINI Browne, 1962
 Tribe SCOLYTINI Latreille, 1804
 Tribe SCOLYTOPLATYPODINI Blandford, 1893
 Tribe XYLEBORINI LeConte, 1876
 Tribe XYLOCTONINI Eichhoff, 1878
 Tribe XYLOTERINI LeConte, 1876

Subfamily PLATYPODINAE Shuckard, 1839

- Tribe MECOPELMINI Thompson, 1992
 Tribe PLATYPODINI Shuckard, 1839
 Tribe SCHEDLARIINI Wood and Bright, 1992
 Tribe TESSEROCERINI Strohmeyer, 1914
 Subtribe DIAPODINA Strohmeyer, 1914
 Subtribe TESSEROCERINA Strohmeyer, 1914

Catalogue of Coleoptera family-group names

Order COLEOPTERA

†Suborder PROTOCOLEOPTERA

†Superfamily TSHEKAROCOLEOIDEA Rohdendorf, 1944

TSHEKAROCOLEIDAE Rohdendorf, 1944: 252 [stem: *Tshekardocole-*]. Type genus: *Tshekardocoleus* Rohdendorf, 1944.r

†Family TSHEKAROCOLEIDAE Rohdendorf, 1944

TSHEKAROCOLEIDAE Rohdendorf, 1944: 252 [stem: *Tshekardocole-*]. Type genus: *Tshekardocoleus* Rohdendorf, 1944.

URALOCOLEIDAE Zalesskiy, 1947: 857 [stem: *Uralocole-*]. Type genus: *Uralocoleus* Zalessky, 1947.

†Family LABRADOROCOLEIDAE Ponomarenko, 1969

LABRADOROCOLEIDAE Ponomarenko, 1969b: 307 [stem: *Labradorocole-*]. Type genus: *Labradorocoleus* Ponomarenko, 1969.

†Family OBOROCOLEIDAE Kukalová, 1969

OBOROCOLEIDAE Kukalová, 1969: 155 [stem: *Oborocole-*]. Type genus: *Oborocoleus* Kukalová, 1969.

†Superfamily PERMOCUPEDOIDEA Martynov, 1933

PERMOCUPIDAE Martynov, 1933: 85 [stem: *Permocuped-*]. Type genus: *Permocupes* Martynov, 1933.

†Family PERMOCUPEDIDAE Martynov, 1933

PERMOCUPIDAE Martynov, 1933: 85 [stem: *Permocuped-*]. Type genus: *Permocupes* Martynov, 1933. Comment: incorrect original stem formation, not in prevailing usage.

KALTANOCOLEIDAE Rohdendorf, 1961: 397 [stem: *Kaltanocole-*]. Type genus: *Kaltanocoleus* Rohdendorf, 1961.

†Family TALDYCUPEDIDAE Rohdendorf, 1961

TALDYCUPIDAE Rohdendorf, 1961: 412 [stem: *Taldycuped-*]. Type genus: *Taldycupes* Rohdendorf, 1961. Comment: usage of TRACHYCUPIDAE by Fujiyama (1973: 375) was in error for TALDYCUPIDAE (Ponomarenko pers. comm. August 2009); incorrect original stem formation, not in prevailing usage.

†Superfamily PERMOSYNODEA Tillyard, 1924

PERMOSYNIDAE Tillyard, 1924: 431 [stem: *Permosyne-*]. Type genus: *Permosyne* Tillyard, 1924.

†Family ADEMOSYNIDAE Ponomarenko, 1968

ADEMOSYNIDAE Ponomarenko, 1968: 128 [stem: *Ademosyn-*]. Type genus: *Ademosyne* Handlirsch, 1906.

†Family PERMOSYNIDAE Tillyard, 1924

PERMOSYNIDAE Tillyard, 1924: 431 [stem: *Permosyn-*]. Type genus: *Permosyne* Tillyard, 1924.

Suborder ARCHOSTEMATA**Family CROWSONIELLIDAE Iablokoff-Khnzorian, 1983**

CROWSONIELLIDAE Iablokoff-Khnzorian, 1983: 65 [stem: *Crowsoniell-*]. Type genus: *Crowsoniella* Pace, 1975.

Family CUPEDIDAE Laporte, 1836

CUPESIDAE Laporte, 1836: 56 [stem: *Cuped-*]. Type genus: *Cupes* Fabricius, 1801.

Subfamily PRIACMINAE Crowson, 1962

PRIACMINI Crowson, 1962: 152 [stem: *Priacm-*]. Type genus: *Priacma* J. L. LeConte, 1874.

†Subfamily MESOCUPEDINAE Ponomarenko, 1969

MESOCUPEDINI Ponomarenko, 1969a: 105 [stem: *Mesocuped-*]. Type genus: *Mesocupes* Martynov, 1926.

Subfamily CUPEDINAE Laporte, 1836

CUPESIDAE Laporte, 1836: 56 [stem: *Cuped-*]. Type genus: *Cupes* Fabricius, 1802.
Comment: incorrect original stem formation, not in prevailing usage.

Family MICROMALTHIDAE Barber, 1913

MICROMALTHIDAE Barber, 1913: 185 [stem: *Micromalth-*]. Type genus: *Micromalthus* J. L. LeConte, 1878.

Family OMMATIDAE Sharp and Muir, 1912

OMMADIDAE Sharp and Muir, 1912: 521 [stem: *Ommat-*]. Type genus: *Omma* Newman, 1839.

†Subfamily BROCHOCOLEINAE Hong, 1982

BROCHOCOLEIDAE Hong, 1982: 100 [stem: *Brochocole-*]. Type genus: *Brochocoleus* Hong, 1982.

Subfamily TETRAPHALERINAE Crowson, 1962

TETRAPHALERINI Crowson, 1962: 152 [stem: *Tetraphaler-*]. Type genus: *Tetraphalerus* C. O. Waterhouse, 1901.

Subfamily OMMATINAE Sharp and Muir, 1912

OMMADIDAE Sharp and Muir, 1912: 521 [stem: *Ommat-*]. Type genus: *Omma* Newman, 1839.

†Tribe LITHOCUPEDINI Ponomarenko, 1969

LITHOCUPEDINI Ponomarenko, 1969a: 82 [stem: *Lithocuped-*]. Type genus: *Lithocupes* Ponomarenko, 1966.

†Tribe NOTOCUPEDINI Ponomarenko, 1966

NOTOCUPEDINI Ponomarenko, 1966: 60 [stem: *Notocup-*]. Type genus: *Notocupes* Ponomarenko, 1966.

Tribe OMMATINI Sharp and Muir, 1912

OMMADIDAE Sharp and Muir, 1912: 521 [stem: *Ommat-*]. Type genus: *Omma* Newman, 1839. Comment: incorrect original stem formation, not in prevailing usage.

Family JURODIDAE Ponomarenko, 1985

JURODIDAE Ponomarenko, 1985: 53 [stem: *Jurod-*]. Type genus: *Jurodes* Ponomarenko, 1985.

SIKHOTEALINIIDAE Lafer, 1996: 390 [stem: *Sikhotealini-*]. Type genus: *Sikhotealinia* Lafer, 1996.

†Family TRIADOCUPEDIDAE Ponomarenko, 1966

TRIADOCUPEDINAE Ponomarenko, 1966: 48 [stem: *Triadocuped-*]. Type genus: *Triadocupes* Ponomarenko, 1966.

†Family MAGNOCOLEIDAE Hong, 1998

MAGNOCOLEIDAE Hong, 1998: 41 [stem: *Magnocole-*]. Type genus: *Magnocoleus* Hong, 1998.

†Family OBRIENIIDAE Zherikhin and Gratshev, 1994

OBRIENIIDAE Zherikhin and Gratshev, 1994: 51 [stem: *Obrieni-*]. Type genus: *Obrienia* Zherikhin and Gratshev, 1994. Comment: precedence (OBRIENIIDAE Zherikhin and Gratshev, 1994 vs KARARHYNCHIDAE Zherikhin and Gratshev, 1994) given to taxon originally proposed at the higher rank (Art. 24.1).

†Subfamily KARARHYNCHINAE Zherikhin and Gratshev, 1994

KARARHYNCHINAE Zherikhin and Gratshev, 1994: 58 [stem: *Kararhynch-*]. Type genus: *Kararhynchus* Zherikhin and Gratshev, 1994.

†Tribe KARARHYNCHINI Zherikhin and Gratshev, 1994

KARARHYNCHINAE Zherikhin and Gratshev, 1994: 58 [stem: *Kararhynch-*]. Type genus: *Kararhynchus* Zherikhin and Gratshev, 1994.

†Tribe KENDERLYKAINI Legalov, 2009

KENDERLYKANINI Legalov, 2009c: 285 [stem: *Kenderlyka-*]. Type genus: *Kenderlyka* Zherikhin and Gratshev, 1994. Comment: incorrect original stem formation, not in prevailing usage.

†Subfamily OBRIENIINAE Zherikhin and Gratshev, 1994

OBRIENIIDAE Zherikhin and Gratshev, 1994: 51 [stem: *Obrieni-*]. Type genus: *Obrienia* Zherikhin and Gratshev, 1994.

Suborder MYXOPHAGA**†Superfamily ASIOCOLEOIDEA Rohdendorf, 1961**

ASIOCOLEIDAE Rohdendorf, 1961: 396 [stem: *Asiocole-*]. Type genus: *Asiocoleus* Rohdendorf, 1961.

†Family ASIOCOLEIDAE Rohdendorf, 1961

ASIOCOLEIDAE Rohdendorf, 1961: 396 [stem: *Asiocole-*]. Type genus: *Asiocoleus* Rohdendorf, 1961.

†Family TRICOLEIDAE Ponomarenko, 1969

TRICOLEIDAE Ponomarenko, 1969a: 138 [stem: *Tricole-*]. Type genus: *Tricoleus* Ponomarenko, 1969.

†Superfamily RHOMBOCOLEOIDEA Rohdendorf, 1961

RHOMBOCOLEIDAE Rohdendorf, 1961: 432 [stem: *Rhombocole-*]. Type genus: *Rhombocoleus* Rohdendorf, 1961.

†Family RHOMBOCOLEIDAE Rohdendorf, 1961

RHOMBOCOLEIDAE Rohdendorf, 1961: 432 [stem: *Rhombocole-*]. Type genus: *Rhombocoleus* Rohdendorf, 1961.

†Superfamily SCHIZOPHOROIDEA Ponomarenko, 1968

SCHIZOPHORIDAE Ponomarenko, 1968: 130 [stem: *Schizophor-*]. Type genus: *Schizophorus* Ponomarenko, 1968. Comment: usage of this name conserved over Schizocoleoidea Rohdendorf, 1961 (Art. 35.5).

†Family SCHIZOPHORIDAE Ponomarenko, 1968

SCHIZOPHORIDAE Ponomarenko, 1968: 130 [stem: *Schizophor-*]. Type genus: *Schizophorus* Ponomarenko, 1968.

†Family CATINIIDAE Ponomarenko, 1968

CATINIIDAE Ponomarenko, 1968: 137 [stem: *Catini-*]. Type genus: *Catinius* Ponomarenko, 1968.

†Family SCHIZOCOLEIDAE Rohdendorf, 1961

CURCULIOPSIDAE Martynov, 1937: 39 [stem: *Curculiopse*-]. Type genus: *Curculiopsis* Martynov, 1937 [preoccupied genus name, not *Curculiopsis* Handlirsch, 1907 [fossil CURCULIONOIDEA]; syn. of *Aenigmocoleus* Rohdendorf, 1961 or *Rossocoleus* Rohdendorf, 1961]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage. SCHIZOCOLEIDAE Rohdendorf, 1961: 438 [stem: *Schizocole*-]. Type genus: *Schizocoleus* Rohdendorf, 1961.

Superfamily LEPICEROIDEA Hinton, 1936 (1882)

LEPICERIDAE Hinton, 1936: 473 [stem: *Lepicer*-]. Type genus: *Lepicerus* Motschulsky, 1855. Comment: use of family-group name conserved over CYATHOCEROIDEA Sharp, 1882 (Art. 40.2) (see Lawrence and Newton 1995: 804).

Family LEPICERIDAE Hinton, 1936 (1882)

CYATHOCERIDAE Sharp, 1882: 141 [stem: *Cyathocer*-]. Type genus: *Cyathocerus* Sharp, 1882 [syn. of *Lepicerus* Motschulsky, 1855]. Comment: use of younger name LEPICERIDAE Hinton, 1936 conserved over this name (Art. 40.2) (see Lawrence and Newton 1995: 804).

LEPICERIDAE Hinton, 1936: 473 [stem: *Lepicer*-]. Type genus: *Lepicerus* Motschulsky, 1855. Comment: use of family-group name conserved over CYATHOCERIDAE Sharp, 1882 (Art. 40.2) (see Lawrence and Newton 1995: 804).

†HAPLOCHELIDAE Kirejtshuk and Poinar, 2006: 156 [stem: *Haplochel*-]. Type genus: *Haplochelus* Kirejtshuk and Poinar, 2006. Comment: synonymy with LEPICERIDAE by Ge et al. (2010: 336).

Superfamily SPHAERIUSOIDEA Erichson, 1845

SPHAERINA Erichson, 1845: 38 [stem: *Sphaerius*-]. Type genus: *Sphaerius* Waltl, 1838 [originally placed on the Official Index of Rejected and Invalid Generic Names in Zoology by the Commission (ICZN 1985d) but later placed on the Official List of Generic Names in Zoology (ICZN 2000)]. Comment: correct stem determined to be *Sphaerius*- and SPHAERIUSIDAE Erichson, 1845 placed on the Official List of Family-Group Names in Zoology (ICZN 2000).

Family TORRIDINCOLIDAE Steffan, 1964

TORRIDINCOLIDAE Steffan, 1964: 199 [stem: *Torridincol*-]. Type genus: *Torridincola* Steffan, 1964.

Subfamily TORRIDINCOLINAE Steffan, 1964

TORRIDINCOLIDAE Steffan, 1964: 199 [stem: *Torridincol*-]. Type genus: *Torridincola* Steffan, 1964.

PTYOPTERINAE M. Abdullah, 1974: 961 [stem: *Ptyopteryg-*]. Type genus: *Ptyopteryx* H. Reichardt and C. Costa, 1967 [preoccupied genus name, not *Ptyopteryx* Kolenati, 1848 [Trichoptera]; syn. of *Lapir* Py-Daniel et al., 1993]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

Subfamily DELEVEINAE Endrödy-Younga, 1997

DELEVEINAE Endrödy-Younga, 1997: 317 [stem: *Deletev-*]. Type genus: *Delevea* H. Reichardt, 1976.

Family HYDROSCAPHIDAE LeConte, 1874

HYDROSCAPHIDAE J. L. LeConte, 1874a: 45 [stem: *Hydroscaph-*]. Type genus: *Hydroscapha* J. L. LeConte, 1874.

Family SPHAERIUSIDAE Erichson, 1845

SPHAERINA Erichson, 1845: 38 [stem: *Sphaerius-*]. Type genus: *Sphaerius* Waltl, 1838 [originally placed on the Official Index of Rejected and Invalid Generic Names in Zoology by the Commission (ICZN 1985d) but later placed on the Official List of Generic Names in Zoology (ICZN 2000)]. Comment: family-group name and its type genus were rejected by the Commission (ICZN 1985d) but rescinded afterwards (ICZN 2000); family-group name placed on the Official List of Family-Group Names in Zoology and correct stem ruled to be *Sphaerius*- (ICZN 2000).

MICROSPORIDAE Crotch, 1873a: 78 [stem: *Microspor-*]. Type genus: *Microsporus* Kolenati, 1846 [placed on the Official List of Generic Names in Zoology (ICZN 1985d)]. Comment: name originally placed on the Official List of Family-Group Names in Zoology as “MICROSPORIDAE H. Reichardt, 1976” (ICZN 1985d) but author and year subsequently corrected to Crotch, 1873 (ICZN 2000).

Suborder ADEPHAGA

†Family TRITARSIDAE Hong, 2002

TRITARSUSIDAE Hong, 2002: 102 [stem: *Tritars-*]. Type genus: *Tritarsus* Hong, 2002. Comment: incorrect original stem formation, not in prevailing usage.

Family GYRINIDAE Latreille, 1810

GYRINITES Latreille, 1810: 141 [stem: *Gyrin-*]. Type genus: *Gyrinus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subfamily SPANGLEROGYRINAE Folkerts, 1979

SPANGLEROGYRINAE Folkerts, 1979: 7 [stem: *Spanblerogyr-*]. Type genus: *Spanblerogyrus* Folkerts, 1979.

Subfamily GYRININAE Latreille, 1810

GYRINITES Latreille, 1810: 141 [stem: *Gyrin-*]. Type genus: *Gyrinus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe ENHYDRINI Régimbart, 1882

ENHYDRINI Régimbart, 1882: 392 [stem: *Enhydr-*]. Type genus: *Enhydrus* Laporte, 1834 [placed on the Official List of Generic Names in Zoology (ICZN 1964)]. Comment: usage of this name conserved over Dineutini Desmarest, 1851 (Art. 35.5).

Subtribe DINEUTINA Desmarest, 1851

DINEUTIDES Desmarest, 1851: 223 [stem: *Dineut-*]. Type genus: *Dineutes* W. S. MacLeay, 1825.

Subtribe ENHYDRINA Régimbart, 1882

ENHYDRINI Régimbart, 1882: 392 [stem: *Enhydr-*]. Type genus: *Enhydrus* Laporte, 1834 [placed on the Official List of Generic Names in Zoology (ICZN 1964)]. Comment: junior homonym of ENHYDRINI Gray, 1825 (type genus *Enhydra* Fleming, 1822) in Mammalia; an application was recently submitted to the Commission by Özdkmen and Darılmaz (2010; see Appendix 6) to remove the homonymy (Art. 55.3.1).

Tribe GYRININI Latreille, 1810

GYRINITES Latreille, 1810: 141 [stem: *Gyrin-*]. Type genus: *Gyrinus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subtribe GYRININA Latreille, 1810

GYRINITES Latreille, 1810: 141 [stem: *Gyrin-*]. Type genus: *Gyrinus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subtribe HETEROGYRINA Brinck, 1956

HETEROGYRINI P. Brinck, 1956: 37, in key [stem: *Heterogyr-*]. Type genus: *Heterogyrus* Legros, 1953.

Tribe ORECTOCHILINI Régimbart, 1882

ORECTOCHILINI Régimbart, 1882: 391 [stem: *Orectochil-*]. Type genus: *Orectochilus* Dejean, 1833.

Family TRACHYPACHIDAE Thomson, 1857

TRACHYPACHINI C. G. Thomson, 1857: 5 [stem: *Trachypach-*]. Type genus: *Trachypachus* Motschulsky, 1844.

†Subfamily EODROMEINAE Ponomarenko, 1977

EODROMEINAE Ponomarenko, 1977: 46 [stem: *Eodrome-*]. Type genus: *Eodromeus* Ponomarenko, 1977. Comment: the type genus originally included four species: *antiquus*, *sternalis*, *dissectus* and *major*; Ponomarenko (1977: 66) designated “*fasciatus*” as the type species of the genus which was a *lapsus calami* for *dissectus* (see Carpenter 1992: 291); this genus is considered here as being available in Ponomarenko (1977: 66) and not Ponomarenko (in Carpenter 1992: 291); this action enables us to treat the family-group name EODROMEINAE as available from the original description in Ponomarenko (1977: 46).

LEPTOPODOCOLEIDAE Hong, 1982: 118 [stem: *Leptopodocole-*]. Type genus: *Leptopodocoleus* Hong, 1982.

Subfamily TRACHYPACHINAE Thomson, 1857

TRACHYPACHINI C. G. Thomson, 1857: 5 [stem: *Trachypach-*]. Type genus: *Trachypachus* Motschulsky, 1844.

*SYSTOLOSOMINI Erwin, 1985: 467 [stem: *Systolosomat-*]. Type genus: *Systolosoma* Solier, 1849. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

SYSTOLOSOMINI Erwin, 1991: 4, in key [stem: *Systolosomat-*]. Type genus: *Systolosoma* Solier, 1849. Comment: incorrect original stem formation, not in prevailing usage.

Family RHYSODIDAE Laporte, 1840

RHYSODITES Laporte, 1840a: 291 [stem: *Rhysod-*]. Type genus: *Rhysodes* Germar, 1822.

Tribe LEOGLYMMIINI Bell and Bell, 1978

LEOGLYMMIINA R. T. Bell and J. R. Bell, 1978: 53 [stem: *Leoglymmi-*]. Type genus: *Leoglymmius* Bell and Bell, 1978.

Tribe DHYSORINI Bell and Bell, 1978

DHYSORINA R. T. Bell and J. R. Bell, 1978: 53 [stem: *Dhysor-*]. Type genus: *Dhysores* Grouvelle, 1903.

Tribe MEDISORINI Bell and Bell, 1987

MEDISORINA R. T. Bell and J. R. Bell, 1987: 287 [stem: *Medisor-*]. Type genus: *Medisores* Bell and Bell, 1987.

Tribe RHYSODINI Laporte, 1840

RHYSODITES Laporte, 1840a: 291 [stem: *Rhysod-*]. Type genus: *Rhysodes* Germar, 1822. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 326, as RHYSSODEOIDAE [incorrect stem formation]), generally accepted as in R. T. Bell (2003: 78, as RHYSODIDAE).

Tribe CLINIDIINI Bell and Bell, 1978

CLINIDIINA R. T. Bell and J. R. Bell, 1978: 59 [stem: *Clinidi-*]. Type genus: *Clinidium* Kirby, 1830.

Tribe OMOGLYMMIINI Bell and Bell, 1978

OMOGLYMMIINA R. T. Bell and J. R. Bell, 1978: 66 [stem: *Omoglymmi-*]. Type genus: *Omoglymmius* Ganglbauer, 1891.

Tribe SLOANOGLYMMIINI Bell and Bell, 1991

SLOANOGLYMMIINA R. T. Bell and J. R. Bell, 1991: 183 [stem: *Sloanoglymmi-*]. Type genus: *Sloanoglymmius* Bell and Bell, 1991.

Family CARABIDAE Latreille, 1802

CARABICI Latreille, 1802: 80 [stem: *Carab-*]. Type genus: *Carabus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1950)]. Comment: First Reviser (CARABIDAE Latreille, 1802 vs CICINDELIDAE Latreille, 1802 vs ELAPHRIDAE Latreille, 1802) not determined, current usage maintained.

†Subfamily PROTORABINAE Ponomarenko, 1977

PROTORABINAE Ponomarenko, 1977: 71 [stem: *Protorab-*]. Type genus: *Protorabus* Ponomarenko, 1977.

†Subfamily CONJUNCTIINAE Ponomarenko, 1977

CONJUNCTIINI Ponomarenko, 1977: 85 [stem: *Conjuncti-*]. Type genus: *Conjunctia* Ponomarenko, 1977.

Subfamily NEBRIINAE Laporte, 1834

NEBRIIDAE Laporte, 1834b: 90 [stem: *Nebri-*]. Type genus: *Nebria* Latreille, 1802.

Tribe NEBRIINI Laporte, 1834

NEBRIIDAE Laporte, 1834b: 90 [stem: *Nebri-*]. Type genus: *Nebria* Latreille, 1802.

Tribe NOTIOKASIINI Kavanaugh and Nègre, 1983

*NOTIOKASIINI Erwin, 1979: 578 [stem: *Notiokasi-*]. Type genus: *Notiokasis* Kavanaugh and Nègre, 1983. Comment: family-group name unavailable (Art. 11.7.1.1): not based on an available genus name at the time.

NOTIOKASIINI Kavanaugh and Nègre, 1983: 551 [stem: *Notiokasi-*]. Type genus: *Notiokasis* Kavanaugh and Nègre, 1983.

Tribe NOTIOPHILINI Motschulsky, 1850

*NOTIOPHILES Motschulsky, 1849: 54 [stem: *Notiophil-*]. Type genus: *Notiophilus* Duméril, 1805. Comment: original vernacular name unavailable (Art.

11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).

NOTIOPHILI Motschulsky, 1850: 16 [stem: *Notiophil-*]. Type genus: *Notiophilus* Duméril, 1805.

Tribe OPISTHIINI Dupuis, 1912

OPISTHIINAE Dupuis, 1912: 1 [stem: *Opisthi-*]. Type genus: *Opisthius* Kirby, 1837.

Tribe PELOPHILINI Kavanaugh, 1996

PELOPHILINI Kavanaugh, 1996: 35 [stem: *Pelophil-*]. Type genus: *Pelophila* Dejean, 1821.

Subfamily CICINDINAE Csiki, 1927

CICINDINI Csiki, 1927: 425 [stem: *Cicind-*]. Type genus: *Cicindis* Bruch, 1908.

Subfamily CICINDELINAE Latreille, 1802

CICINDELETAE Latreille, 1802: 77 [stem: *Cicindel-*]. Type genus: *Cicindela* Linné, 1758.

Tribe AMBLYCHEILINI Csiki, 1903

AMBLYCHILINAE Csiki, 1903: 124 [stem: *Amblycheil-*]. Type genus: *Amblycheila* Say, 1830 [as *Amblychila*, unjustified emendation of type genus name by Agassiz (1846b), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

OMITES W. Horn, 1907: 466 [stem: *Om-*]. Type genus: *Omus* Eschscholtz, 1829.

Tribe CICINDELINI Latreille, 1802

CICINDELETAE Latreille, 1802: 77 [stem: *Cicindel-*]. Type genus: *Cicindela* Linnaeus, 1758.

Subtribe APTEROESSINA Rivalier, 1971

APTEROESSINA Rivalier, 1971: 143 [stem: *Apteroess-*]. Type genus: *Apteroessa* Hope, 1838.

Subtribe CICINDELINA Latreille, 1802

CICINDELETAE Latreille, 1802: 77 [stem: *Cicindel-*]. Type genus: *Cicindela* Linnaeus, 1758.

Subtribe DROMICINA Thomson, 1859

DROMICITAE J. Thomson, 1859: 89 [stem: *Dromic-*]. Type genus: *Dromica* Dejean, 1826.

CALEDONICINI W. Horn, 1893: 324 [stem: *Caledonic-*]. Type genus: *Caledonica* Chaudoir, 1861.

- ODONTOCHILINI W. Horn, 1899: 41 [stem: *Odontocheil-*]. Type genus: *Odon-tocheila* Laporte, 1834 [as *Odontochila*, unjustified emendation of type genus name by Agassiz (1846b), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.
- PREPUSINI W. Horn, 1899: 44 [stem: *Prepus-*]. Type genus: *Prepusa* Chaudoir, 1850 [syn. of *Eulampra* Chaudoir, 1848].
- EURYODINI W. Horn, 1899: 37 [stem: *Euryod-*]. Type genus: *Euryoda* La-cordaire, 1842 [syn. of *Prothyma* Hope, 1838].
- PROTHYMINI W. Horn, 1906: 86 [stem: *Prothym-*]. Type genus: *Prothyma* Hope, 1838.

Subtribe IRESINA Rivalier, 1971

- EUPROSOPINI W. Horn, 1893: 324 [stem: *Euprosop-*]. Type genus: *Euprosopus* Dejean, 1825.
- EUCALLIINI W. Horn, 1893: 324 [stem: *Eucalli-*]. Type genus: *Eucallia* Guérin-Méneville, 1844 [syn. of *Callidema* Guérin-Méneville, 1843].
- DISTYPSIDERINI W. Horn, 1893: 324 [stem: *Distipsider-*]. Type genus: *Distip-sidera* Westwood, 1837 [as *Distipsidera*, unjustified emendation of type genus name by Gemminger and Harold (1868a: 32), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.
- IRESINA Rivalier, 1971: 138 [stem: *Iresi-*]. Type genus: *Iresia* Dejean, 1829. Comment: although this is not the oldest name for the subtribe, we recommend that an application be sent to the Commission in order to conserve usage of IRESINA Rivalier, 1971 over the three older names proposed by W. Horn in 1893 which have not been used as valid recently to our knowledge; incorrect original stem formation, not in prevailing usage.

Subtribe THERATINA Horn, 1893

- THERATIDAE W. Horn, 1893: 324 [stem: *Therat-*]. Type genus: *Therates* Latreille, 1816.

Tribe COLLYRIDINI Brullé, 1834

- COLLYRIENS Brullé, 1834: 96 [stem: *Collyrid-*]. Type genus: *Collyris* Fabricius, 1801.

Subtribe COLLYRIDINA Brullé, 1834

- COLLYRIENS Brullé, 1834: 96 [stem: *Collyrid-*]. Type genus: *Collyris* Fabricius, 1801. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Hope (1838a: 30, as COLLYRIDAE [incorrect stem formation]), generally accepted as in Puchkov and Matalin (2003: 116, as COLLYRIDINA); incorrect original stem formation, not in prevailing usage.

TRACHELONIADAЕ Gistel, 1850: 75 [stem: *Tracheloni-*]. Type genus: *Tracheloninia* Gistel, 1850 [syn. of *Collyris* Fabricius, 1801].

*COLLIURIDES Motschulsky, 1855: 34 [stem: *Colliur-*]. Type genus: *Colliuris* sensu Latreille, 1802 [not *Colliuris* DeGeer, 1774; syn. of *Collyris* Fabricius, 1801]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

Subtribe TRICONDYLINA Naviaux, 1991

TRICONDYLINA Naviaux, 1991: 219 [stem: *Tricondyl-*]. Type genus: *Tricondyla* Latreille, 1822.

Tribe CTENOSTOMATINI Laporte, 1834

CTENOSTOMIDAE Laporte, 1834b: 38 [stem: *Ctenostomat-*]. Type genus: *Ctenostoma* Klug, 1821. Comment: incorrect original stem formation, not in prevailing usage.

Tribe MANTICORINI Laporte, 1834

MANTICORIDAE Laporte, 1834b: 33 [stem: *Manticor-*]. Type genus: *Manticora* Fabricius, 1781.

Tribe MEGACEPHALINI Laporte, 1834

MEGACEPHALIDAE Laporte, 1834b: 33 [stem: *Megacephal-*]. Type genus: *Megacephala* Latreille, 1802.

OXYCHEILITES J. Thomson, 1857a: 17 [stem: *Oxycheil-*]. Type genus: *Oxycheila* Dejean, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Chaudoir (1861a: 326, as OXYCHILINI [incorrect stem formation]), generally accepted as in Fleutiaux (1892a: 13, as OXYCHILINI [incorrect stem formation]); the stem *Oxychil-* should not be used for this taxon in order to avoid homonymy with OXYCHILINI Hesse, 1927 (type genus *Oxychilus* Fitzinger 1833), currently being used as valid in Mollusca.

PLATYCHILIDAE W. Horn, 1893: 325 [stem: *Platychil-*]. Type genus: *Platychile* W. S. MacLeay, 1825.

TETRACHAE Leng and Mutchler, 1916: 683 [stem: *Tetrach-*]. Type genus: *Tetracha* Hope, 1838.

Subfamily CARABINAE Latreille, 1802

CARABICI Latreille, 1802: 80 [stem: *Carab-*]. Type genus: *Carabus* Linnaeus, 1758.

Tribe CARABINI Latreille, 1802

CARABICI Latreille, 1802: 80 [stem: *Carab-*]. Type genus: *Carabus* Linnaeus, 1758.

CALOSOMII Bonelli, 1810: Tabula Synoptica [stem: *Calosomat-*]. Type genus: *Calosoma* Weber, 1801. Comment: incorrect original stem formation, not in prevailing usage.

- PROCERIDAE Laporte, 1834b: 87 [stem: *Procer*-]. Type genus: *Procerus* Dejean, 1821.
- CALLISTHENISIDAE Gistel, 1848: [2] [stem: *Callisthen*-]. Type genus: *Callisthenes* Fischer von Waldheim, 1820. Comment: incorrect original stem formation, not in prevailing usage.
- *CECHENOGENICI Morawitz, 1889: 40 [stem: *Cechen*-]. Type genus: *Cechenus* Fischer von Waldheim, 1822. Comment: family-group name unavailable (Art. 11.7.1.1): original name not proposed as a noun.
- *TRIBACOGENICI Morawitz, 1889: 40 [stem: *Tribac*-]. Type genus: *Tribax* Fischer von Waldheim, 1817. Comment: family-group name unavailable (Art. 11.7.1.1): original name not proposed as a noun.
- *PROCRUSTOGENICI Morawitz, 1889: 40 [stem: *Procrust*-]. Type genus: *Procrustes* Bonelli, 1810. Comment: family-group name unavailable (Art. 11.7.1.1): original name not proposed as a noun.
- PROCRUSTOGENICI Roeschke, 1898: 285 [stem: *Procrust*-]. Type genus: *Procrustes* Bonelli, 1810.
- APOLTHORACINA Lapouge, 1927: 45 [stem: *Aplothorac*-]. Type genus: *Aplothorax* G. R. Waterhouse, 1842.
- *CALLISTHENIENS Lapouge, 1927: 47 [stem: *Callisthen*-]. Type genus: *Callisthenes* Fischer von Waldheim, 1820. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899; family-group name proposed as new without reference to CALLISTHENISIDAE Gistel, 1848.
- CECHENOGENICI Csiki, 1927: 110 [stem: *Cechen*-]. Type genus: *Cechenus* Fischer von Waldheim, 1822.
- TRIBACOGENICI Csiki, 1927: 121 [stem: *Tribac*-]. Type genus: *Tribax* Fischer von Waldheim, 1817.
- MEGADONTICI Csiki, 1927: 60 [stem: *Megodont*-]. Type genus: *Megodontus* Solier, 1848 [as *Megadontus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CEROGLOSSINI Lapouge, 1927

CEROGLOSSINA Lapouge, 1927: 45 [stem: *Cerogloss*-]. Type genus: *Ceroglossus* Solier, 1848.

Tribe CYCHRINI Perty, 1830

CYCHRII Perty, 1830: 6 [stem: *Cychr*-]. Type genus: *Cyhrus* Fabricius, 1794. Comment: name previously attributed to Laporte (1834b: 86).

Tribe PAMBORINI Hope, 1838

PAMBORIDAE Hope, 1838a: 47 [stem: *Pambor*-]. Type genus: *Pamborus* Latreille, 1812.

Subfamily LORICERINAE Bonelli, 1810

LORICERIDES Bonelli, 1810: Tabula Synoptica [stem: *Loricer-*]. Type genus: *Loricera* Latreille, 1802.

Subfamily OMOPHRONINAE Bonelli, 1810

OMOPHRONII Bonelli, 1810: Tabula Synoptica [stem: *Omophron-*]. Type genus: *Omophron* Latreille, 1802.

SCOLYTII Motschulsky, 1850: 91 [stem: *Scolyt-*]. Type genus: *Scolytus* Fabricius, 1790 [preoccupied genus name, not *Scolytus* Geoffroy, 1762 [Coleoptera: CURCULIONIDAE]; syn. of *Omophron* Latreille, 1802]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; SCOLYTINAE/-INI Latreille, 1804 are currently used as valid in CURCULIONIDAE.

EPACTIINI Fauvel, 1888: 1 [stem: *Epacti-*]. Type genus: *Epactius* Schneider, 1791 [syn. of *Omophron* Latreille, 1802].

Subfamily ELAPHRINAE Latreille, 1802

ELAPHRII Latreille, 1802: 81 [stem: *Elaphr-*]. Type genus: *Elaphrus* Fabricius, 1775.

Subfamily MIGADOPINAE Chadoir, 1861

MIGADOPIDAE Chadoir, 1861b: 510 [stem: *Migadop-*]. Type genus: *Migadops* G. R. Waterhouse, 1842.

Tribe AMAROTYPINI Erwin, 1985

AMAROTYPINI Erwin, 1985: 468 [stem: *Amarotyp-*]. Type genus: *Amarotypus* H. W. Bates, 1872.

Tribe MIGADOPINI Chadoir, 1861

MIGADOPIDAE Chadoir, 1861b: 510 [stem: *Migadop-*]. Type genus: *Migadops* G. R. Waterhouse, 1842.

Subtribe AQUILICINA Moret, 2005

AQUILICINA Moret, 2005: 30 [stem: *Aquilic-*]. Type genus: *Aquilex* Moret, 1989.

Subtribe MIGADOPINA Chadoir, 1861

MIGADOPIDAE Chadoir, 1861b: 510 [stem: *Migadop-*]. Type genus: *Migadops* G. R. Waterhouse, 1842.

MONOLOBINAE Jeannel, 1938: 10, in key [stem: *Monolob-*]. Type genus: *Monolobus* Solier, 1849.

LOXOMERIFORMES Erwin, 1985: 446 [stem: *Loxomer-*]. Type genus: *Loxomerus* Chadoir, 1842.

Subfamily HILETINAE Schiødte, 1848

HILETINI Schiødte, 1848: 69 [stem: *Hilet-*]. Type genus: *Hiletus* Schiødte, 1848.
 CAMARAGNATHINI Csiki, 1927: 341 [stem: *Camaragnath-*]. Type genus: *Camaragnathus* Bertrand-Bocandé, 1849 [syn. of *Hiletus* Schiødte, 1847].

Subfamily SCARITINAE Bonelli, 1810

SCARITIDES Bonelli, 1810: Tabula Synoptica [stem: *Scarit-*]. Type genus: *Scarites* Fabricius, 1775.

Tribe CARENINI MacLeay, 1887

CARENIDES W. J. MacLeay, 1887: 117 [stem: *Caren-*]. Type genus: *Carenum* Bonelli, 1813.

Tribe CLIVININI Rafinesque, 1815

CLIVINIDIA Rafinesque, 1815: 109 [stem: *Clivin-*]. Type genus: *Clivina* Latreille, 1802.

Subtribe ARDISTOMINA Putzeys, 1867

ARDISTOMIDES Putzeys, 1867: 200 [stem: *Ardistom-*]. Type genus: *Ardistomis* Putzeys, 1846. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Csiki (1927: 547, as ARDISTOMINA), generally accepted as in Balkenohl (2003: 219, as ARDISTOMINA); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Ardistomid-*).

Subtribe CLIVININA Rafinesque, 1815

CLIVINIDIA Rafinesque, 1815: 109 [stem: *Clivin-*]. Type genus: *Clivina* Latreille, 1802.

REICHEINA Jeannel, 1957: 141, in key [stem: *Reichei-*]. Type genus: *Reicheia* Saulcy, 1862. Comment: incorrect original stem formation, not in prevailing usage.

ITALODYTINA Jeannel, 1957: 141, in key [stem: *Italodyt-*]. Type genus: *Italo-dytes* Müller, 1938.

REICHEIINA Basilewsky, 1980: 293 [stem: *Reichei-*]. Type genus: *Reicheia* Saulcy, 1862. Comment: family-group name proposed as new without reference to REICHEIINA Jeannel, 1957.

Subtribe FORCIPATORINA Bänninger, 1938

*OXYSTOMIDES Putzeys, 1867: 12 [stem: *Oxystom-*]. Type genus: *Oxystomus* Dejean, 1825 [preoccupied genus name, not *Oxystomus* Fischer von Waldheim, 1803 [Mammalia]; syn. of *Forcipator* Maindron, 1904]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Putzeys (1867).

OXYSTOMINA Csiki, 1927: 491. Type genus: *Oxystomus* Dejean, 1825 [preoccupied genus name, not *Oxystomus* Fischer von Waldheim, 1803 [Mammalia]; syn. of *Forcipator* Maindron, 1904]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

FORCIPATORINA Bänninger, 1938: 83 [stem: *Forcipator*-]. Type genus: *Forcipator* Maindron, 1904.

Tribe DALYATINI Mateu, 2002

DALYATINAE Mateu, 2002: 67 [stem: *Dalyat*-]. Type genus: *Dalyat* Mateu, 2002.

Tribe DYSCHIRIINI Kolbe, 1880

DYSCHIRIINI Kolbe, 1880: 266 [stem: *Dyschiri-*]. Type genus: *Dyschirius* Bonelli, 1810.

†Tribe PALAEOAXINIDIINI McKay, 1991

PALAEOAXINIDINI McKay, 1991: 10 [stem: *Palaeoaxinidi-*]. Type genus: *Palaeoaxinidium* McKay, 1991. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PASIMACHINI Putzeys, 1867

PASIMACHIDES Putzeys, 1867: 3 [stem: *Pasimach-*]. Type genus: *Pasimachus* Bonelli, 1813. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Csiki (1927: 444, as PASIMACHINA).

Tribe PROMECOGNATHINI LeConte, 1853

PROMECOGNATHI J. L. LeConte, 1853b: 394 [stem: *Promecognath-*]. Type genus: *Promecognathus* Chaudoir, 1846.

AXINIDIINI Basilewsky, 1963: 307 [stem: *Axinidi-*]. Type genus: *Axinidium* Sturm, 1843.

Tribe SALCEDIINI Alluaud, 1930

SALCEDIINI Alluaud, 1930a: 21 [stem: *Salcedi-*]. Type genus: *Salcedia* Fairmaire, 1899.

Subtribe ANDROZELMINA Bell, 1998

ANDROZELMINA R. T. Bell, 1998: 271 [stem: *Androzelm-*]. Type genus: *Androzelma* Dostal, 1993.

Subtribe SALCEDIINA Alluaud, 1930 (1929)

ZELMIDES Andrewes, 1929: 209, 416 [stem: *Zelm-*]. Type genus: *Zelma* Andrewes, 1920 [syn. of *Salcedia* Fairmaire, 1899]. Comment: use of younger name SALCEDIINA Alluaud, 1930 conserved over this name (Art. 40.2).

SALCEDIINI Alluaud, 1930a: 21 [stem: *Salcedi-*]. Type genus: *Salcedia* Fairmaire, 1899. Comment: name proposed to replace ZELMINI Andrewes, 1929 because of the synonymy of the type genus; use of SALCEDIINA conserved over ZELMINA Andrewes, 1929 (Art. 40.2).

Subtribe SOLENOGENYINA Bell, 1998

SOLENOGENYINA R. T. Bell, 1998: 271 [stem: *Solenogeny-*]. Type genus: *Solenogenys* Westwood, 1859.

Tribe SCARITINI Bonelli, 1810

SCARITIDES Bonelli, 1810: Tabula Synoptica [stem: *Scarit-*]. Type genus: *Scarites* Fabricius, 1775.

Subtribe ACANTHOSCELINA Csiki, 1927

ACANTHOSCELINA Csiki, 1927: 489 [stem: *Acanthoscel-*]. Type genus: *Acanthoscelis* Dejean, 1825. Comment: the incorrect stem formation is in prevailing usage (should be *Acanthoscelid-*) and is maintained (Art. 29.3.1.1); usage of the stem *Acanthoscel-* avoids homonymy with ACANTHOSCELIIDINA Bridwell, 1946 (type genus *Acanthoscelides* Schilsky, 1905) in CHRYSOMELIDAE.

Subtribe CORINTASCARINA Basilewsky, 1973

CORINTASCARINI Basilewsky, 1973a: 10 [stem: *Corintascar-*]. Type genus: *Corintascaris* Basilewsky, 1952. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Corintascarid-*).

Subtribe DYSCHERINA Basilewsky, 1973

DYSCHERINA Basilewsky, 1973a: 101 [stem: *Dyscher-*]. Type genus: *Dyscherus* Chaudoir, 1855.

Subtribe OCHYROPINA Basilewsky, 1973

OCHYROPINI Basilewsky, 1973a: 9 [stem: *Ochyrop-*]. Type genus: *Ochyropus* Schiødte, 1847. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Ochyropod-*).

Subtribe OXYLOBINA Andrewes, 1929

OXYLOBIDES Andrewes, 1929: 209, 292 [stem: *Oxylob-*]. Type genus: *Oxylobus* Chaudoir, 1855.

Subtribe SCAPTERINA Putzeys, 1867

SCAPTÉRIDES Putzeys, 1867: 7 [stem: *Scapter-*]. Type genus: *Scapterus* Dejean, 1826. Comment: original vernacular name available (Art. 11.7.2): first

used in latinized form by Csiki (1927: 490, as SCAPTERINA), generally accepted as in Balkenohl (2003: 231, as SCAPTERINA).

PASSALIDIINA Csiki, 1927: 489 [stem: *Passalidi-*]. Type genus: *Passalidius* Chaudoir, 1863.

Subtribe SCARITINA Bonelli, 1810

SCARITIDES Bonelli, 1810: Tabula Synoptica [stem: *Scarit-*]. Type genus: *Scarites* Fabricius, 1775.

Subtribe STORTHODONTINA Jeannel, 1946

STORTHODONTINI Jeannel, 1946: 237, in key [stem: *Storthodont-*]. Type genus: *Storthodontus* Chaudoir, 1855.

Subfamily BROSCINAE Hope, 1838

BROSCHIDAE Hope, 1838a: 80 [stem: *Brosc-*]. Type genus: *Broscus* Panzer, 1813.

Tribe BROSCINI Hope, 1838

BROSCHIDAE Hope, 1838a: 80 [stem: *Brosc-*]. Type genus: *Broscus* Panzer, 1813.

Subtribe AXONYINA Roig-Juñent, 2000

AXONYINA Roig-Juñent, 2000: 18 [stem: *Axony-*]. Type genus: *Axonya* Andrews, 1923.

Subtribe BARIPODINA Jeannel, 1941

BARYPITAE Jeannel, 1941: 287, in key [stem: *Baripod-*]. Type genus: *Baripus* Dejean, 1828 [as *Barypus*, unjustified emendation of type genus name by Agassiz (1846b: 43), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe BROSCINA Hope, 1838

BROSCHIDAE Hope, 1838a: 80 [stem: *Brosc-*]. Type genus: *Broscus* Panzer, 1813 [as *Broschus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

CEPHALOTIDA Heer, 1838: 12 [stem: *Cephalot-*]. Type genus: *Cephalotes* Bonelli, 1810 [preoccupied genus name, not *Cephalotes* Latreille, 1802 [Hymenoptera]; syn. of *Broscus* Panzer, 1813]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ZACOTINI G. H. Horn, 1881: 169 [stem: *Zacot-*]. Type genus: *Zacotus* J. L. LeConte, 1869.

Subtribe CREEBIINA Jeannel, 1941

CREEBITAE Jeannel, 1941: 287, in key [stem: *Creobi-*]. Type genus: *Creobius* Guérin-Méneville, 1838. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe NOTHOBROSCINA Roig-Juñent, 2000

NOTHOBROSCINA Roig-Juñent, 2000: 32 [stem: *Nothobrosc-*]. Type genus: *Nothobroscus* Roig-Juñent and Ball, 1995.

Subfamily APOTOMINAE LeConte, 1853

APOTOMI J. L. LeConte, 1853b: 370 [stem: *Apotom-*]. Type genus: *Apotomus* Illiger, 1807.

Subfamily SIAGONINAE Bonelli, 1813

SIAGONES Bonelli, 1813: 24 [stem: *Siagon-*]. Type genus: *Siagona* Latreille, 1804.

Tribe ENCELADINI Horn, 1881

ENCELADINI G. H. Horn, 1881: 118 [stem: *Encelad-*]. Type genus: *Enceladus* Bonelli, 1813.

Tribe LUPERCINI Lecordier, 1977

LUPERCINI Lecordier, 1977: 628 [stem: *Luperc-*]. Type genus: *Luperca* Laporte, 1840.

Tribe SIAGONINI Bonelli, 1813

SIAGONES Bonelli, 1813: 24 [stem: *Siagon-*]. Type genus: *Siagona* Latreille, 1804.

Subfamily MELAENINAE Csiki, 1933

COSCINIDES Chaudoir, 1876b: 115 [stem: *Coscini-*]. Type genus: *Coscinia* Dejean, 1831 [preoccupied genus name, not *Coscinia* Hübner, 1819 [Lepidoptera]; syn. of *Cymbionotum* Baudi, 1864]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

GRANIGERINI Bedel, 1900: 24 [stem: *Graniger-*]. Type genus: *Graniger* sensu Chaudoir, 1876 [not *Graniger* Motschulsky, 1864; syn. of *Cymbionotum* Baudi, 1864]. Comment: based on a misidentified type genus; an application will need to be submitted to the Commission to suppress this name for the Principles of Priority and Homonymy (Art. 65.2.1) if GRANIGERINI Antoine, 1959 in HARPALINAE: HARPALINI: HARPALINA is to be used as valid in the future.

MELAENINAE Csiki, 1933: 1650 [stem: *Melaen-*]. Type genus: *Melaenus* Dejean, 1831. Comment: published 26 May 1933; name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Lorenz (1998b: 149) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

CYMBIONOTINI Andrewes, 1933: 3 [stem: *Cymbionot-*]. Type genus: *Cymbionotum* Baudi di Selve, 1864. Comment: published 30 June 1933.

Subfamily GEHRINGIINAE Darlington, 1933

GEHRINGIINI Darlington, 1933: 110 [stem: *Gehringi-*]. Type genus: *Gehringia* Darlington, 1933.

Tribe GEHRINGIINI Darlington, 1933

GEHRINGIINI Darlington, 1933: 110 [stem: *Gehringi-*]. Type genus: *Gehringia* Darlington, 1933.

Subtribe GEHRINGINA Darlington, 1933

GEHRINGIINI Darlington, 1933: 110 [stem: *Gehringi-*]. Type genus: *Gehringia* Darlington, 1933.

Subtribe HELENAEINA Deuve, 2007

HELENAEINA Deuve, 2007: 217 [stem: *Helenaе-*]. Type genus: *Helenaea* Schatzmayr and Koch, 1934.

Subfamily TRECHINAE Bonelli, 1810

TRECHII Bonelli, 1810: Tabula Synoptica [stem: *Trech-*]. Type genus: *Trechus* Clairville, 1806.

Tribe BEMBIDIINI Stephens, 1827

BEMBIDIIDAE Stephens, 1827: 5 [stem: *Bembidi-*]. Type genus: *Bembidion* Latreille, 1802 [as *Bembidium*, unjustified emendation of type genus name by Gyllenhal (1810: 12), not in prevailing usage].

Subtribe ANILLINA Jeannel, 1937

ANILLINI Jeannel, 1937: 244, in key [stem: *Anill-*]. Type genus: *Anillus* Jacquelín du Val, 1851. Comment: precedence (ANILLINA Jeannel, 1937 vs SCOTODIPNINA Jeannel, 1937) given to taxon originally proposed at the higher rank (Art. 24.1).

SCOTODIPNINA Jeannel, 1937: 265, in key [stem: *Scotodipn-*]. Type genus: *Scotodipnus* Schaum, 1860.

TYPHLOCHARINA Jeanne, 1973: 95, in key [stem: *Typhlocharit-*]. Type genus: *Typhlocharis* Dieck, 1869. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe BEMBIDIINA Stephens, 1827

BEMBIDIIDAE Stephens, 1827: 5 [stem: *Bembidi-*]. Type genus: *Bembidion* Latreille, 1802 [as *Bembidium*, unjustified emendation of type genus name by Gyllenhal (1810), not in prevailing usage].

PERYPHIDAE Kirby, 1837: 52 [stem: *Peryph-*]. Type genus: *Peryphus* Dejean, 1821.

Subtribe TACHYINA Motschulsky, 1862

TACHYAIRES Motschulsky, 1862: 24 [stem: *Tachy-*]. Type genus: *Tachys* Dejean, 1821 [placed on the Official List of Generic Names in Zoology (ICZN 1990c)]. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Jeannel (1941: 401, 422, as TACHYINI), generally accepted as in J. K. Park et al. (2006: 91, as TACHYINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Tache-*, see Alonso-Zarazaga 2007).

MICRATOPINI Casey, 1914a: 42 [stem: *Micratop-*]. Type genus: *Micratopus* Casey, 1914.

LIMNASTINI Jeannel, 1937: 245, in key [stem: *Lymnast-*]. Type genus: *Lymnastis* Motschulsky, 1862 [as *Limnastis*, unjustified emendation of type genus name by Ganglbauer (1891a: 181), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe XYSTOSOMINA Erwin, 1994

XYSTOSOMINA Erwin, 1994: 560 [stem: *Xystosom-*]. Type genus: *Xystosomus* Schaum, 1863.

Tribe HOROLOGIONINI Jeannel, 1949

HOROLOGIONIDAE Jeannel, 1949b: 91 [stem: *Horologion-*]. Type genus: *Horologion* J. M. Valentine, 1932. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Horologi-*).

Tribe POGONINI Laporte, 1834

POGONIDAE Laporte, 1834b: 70 [stem: *Pogon-*]. Type genus: *Pogonus* Dejean, 1821.

POGONOPSINI Bedel, 1900: 20 [stem: *Pogonopse-*]. Type genus: *Pogonopsis* Bedel, 1898. Comment: incorrect original stem formation, not in prevailing usage.

Tribe TRECHINI Bonelli, 1810

TRECHII Bonelli, 1810: Tabula Synoptica [stem: *Trech-*]. Type genus: *Trechus* Clairville, 1806.

Subtribe AEPINA Fowler, 1887

AËPYES Fowler, 1887: 123 [stem: *Aep-*]. Type genus: *Aepus* Samouelle, 1819.

TEMNOSTEGINI Enderlein, 1909: 376 [stem: *Temnosteg-*]. Type genus: *Temnostega* Enderlein, 1905.

Subtribe CNIDINA Jeannel, 1958

CNIDINA Jeannel, 1958b: 733 [stem: *Cnid-*]. Type genus: *Cnides* Motschulsky, 1862. Comment: name proposed after 1930 without description or bib-

liographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Casale and Laneyrie (1982: 9, as CNIDINI) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

Subtribe PERILEPTINA Sloane, 1903

PERILEPTIDES Sloane, 1903: 583 [stem: *Perilept-*]. Type genus: *Perileptus* Schaum, 1860. Comment: PERILEPTIDES Sloane, 1903 was treated as Latin and available in Madge (1989: 466) but the valid name for this taxon was listed as PERILEPTI Jeannel, 1922 by Csiki (1928) and PERILEPTINA Jeannel, 1922 by Lorenz (2005); we follow the usage of Madge (1989).

OCHTHEPHILINI Jeannel, 1922: 165 [stem: *Ochthephil-*]. Type genus: *Ochthephilus* Nietner, 1857 [preoccupied genus name, not *Ochthephilus* Mulsant and Rey, 1856 [Coleoptera: STAPHYLINIDAE]; syn. of *Perileptus* Schaum, 1860]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Subtribe PLOCAMOTRECHINA Jeannel, 1960

*PLOCAMOTRECHINA Jeannel, 1958b: 733 [stem: *Plocamotrech-*]. Type genus: *Plocamotrechus* Jeannel, 1926 [syn. of *Pachydesus* Motschulsky, 1864]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

PLOCAMOTRECHINA Jeannel, 1960: 53, in key [stem: *Plocamotrech-*]. Type genus: *Plocamotrechus* Jeannel, 1926 [syn. of *Pachydesus* Motschulsky, 1864].

Subtribe TRECHINA Bonelli, 1810

TRECHII Bonelli, 1810: Tabula Synoptica [stem: *Trech-*]. Type genus: *Trechus* Clairville, 1806.

*APHAENOPSES Fauvel, 1888: 7 [stem: *Aphoenop-*]. Type genus: *Aphoenops* Bonvouloir, 1861 [as *Aphaenops*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

HOMALODERINI Jeannel, 1926: 397, in key [stem: *Omaloder-*]. Type genus: *Omalodera* Blanchard, 1842 [as *Homalodera*, unjustified emendation of type genus name by Gemminger and Harold (1868a: 389), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe TRECHODINA Jeannel, 1926

TRECHODINI Jeannel, 1926: 469 [stem: *Trechod-*]. Type genus: *Trechodes* Blackburn, 1901.

THALASSOPHILI Csiki, 1928: 233 [stem: *Thalassophil-*]. Type genus: *Thalassophilus* Wollaston, 1854.

Tribe ZOLINI Sharp, 1886

ZOLINI Sharp, 1886a: 371 [stem: *Zol-*]. Type genus: *Zolus* Sharp, 1886.

Subtribe CHALTENIINA Roig-Juñent and Cicchino, 2001

CHALTENIINA Roig-Juñent and Cicchino, 2001: 658 [stem: *Chalteni-*]. Type genus: *Chaltenia* Roig-Juñent and Cicchino, 2001.

Subtribe SINOZOLINA Deuve, 1997

SINOZOLINI Deuve, 1997: 35 [stem: *Sinozol-*]. Type genus: *Sinozolus* Bedel, 1898.

Subtribe ZOLINA Sharp, 1886

ZOLINI Sharp, 1886a: 371 [stem: *Zol-*]. Type genus: *Zolus* Sharp, 1886.

MERIZODINI Sloane, 1920: 139 [stem: *Merizodont-*]. Type genus: *Merizodus* Solier, 1849. Comment: incorrect original stem formation, not in prevailing usage.

*OOPTERINI Jeannel, 1938: 45 [stem: *Oopter-*]. Type genus: *Oopterus* Guérin-Méneville, 1841. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

OOPTERINI Jeannel, 1940: 93 [stem: *Oopter-*]. Type genus: *Oopterus* Guérin-Méneville, 1841.

Subfamily PATROBINAЕ Kirby, 1837

PATROBIDAE Kirby, 1837: 50 [stem: *Patrob-*]. Type genus: *Patrobus* Dejean, 1821.

Tribe LISSOPOGONINI Zamotajlov, 2000

LISSOPOGONINI Zamotajlov, 2000: 266 [stem: *Lissopogon-*]. Type genus: *Lissopogonus* Andrewes, 1923.

ZOLINOPATROBINA Deuve and Tian, 2001: 421 [stem: *Zolinopatrob-*]. Type genus: *Zolinopatrobus* Deuve and Tian, 2001 [syn. of *Lissopogonus* Andrewes, 1923].

Tribe PATROBINI Kirby, 1837

PATROBIDAE Kirby, 1837: 50 [stem: *Patrob-*]. Type genus: *Patrobus* Dejean, 1821.

Subtribe DELTOMERINA Chaudoir, 1871

DELTOMERIDAE Chaudoir, 1871a: 51 [stem: *Deltomer-*]. Type genus: *Deltomerus* Motschulsky, 1850.

Subtribe DELTOMERODINA Zamotajlov, 2002

DELTOMERODINA Zamotajlov, 2002: 83 [stem: *Deltomerod-*]. Type genus: *Deltomerodes* Deuve, 1992.

Subtribe PATROBINA Kirby, 1837

PATROBIDAE Kirby, 1837: 50 [stem: *Patrob-*]. Type genus: *Patrobus* Dejean, 1821.

Subtribe PLATIDIOLINA Zamotajlov and Lafer, 2001

PLATIDIOLINI Zamotajlov and Lafer, 2001: 411 [stem: *Platidiol-*]. Type genus: *Platidiolus* Chaudoir, 1878.

Subfamily PSYDRINAE LeConte, 1853

PSYDRI J. L. LeConte, 1853b: 393 [stem: *Psydr-*]. Type genus: *Psydrus* J. L. LeConte, 1846.

Tribe AMBLYTELINI Blackburn, 1892

AMBLYTELIDES Blackburn, 1892: 85 [stem: *Amblytel-*]. Type genus: *Amblytelus* Erichson, 1842. Comment: the junior homonym AMBLYTELINAE Viereck, 1918 (type genus *Amblyteles* Wesmael, 1845) is available in Hymenoptera: ICHNEUMONIDAE, it is presently considered a synonym of ICHNEUMONINI Latreille, 1802; both family-group names are based on the same stem; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe MECYCLOTHORACINI Jeannel, 1940

MECYCLOTHORACITAE Jeannel, 1940: 97 [stem: *Mecyclothorac-*]. Type genus: *Mecyclothorax* Sharp, 1903. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Lorenz (1998a: 222) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

Tribe MEONINI Sloane, 1898

MEONIDES Sloane, 1898: 470 [stem: *Meon-*]. Type genus: *Meonis* Laporte, 1867. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Meonid-*).

Tribe MORIOMORPHINI Sloane, 1890

MORIOMORPHINI Sloane, 1890: 646 [stem: *Moriomorph-*]. Type genus: *Moriomorpha* Laporte, 1867.

MELISODERIDES Sloane, 1898: 470 [stem: *Melisoder-*]. Type genus: *Melisodera* Westwood, 1835.

Tribe PSYDRINI LeConte, 1853

PSYDRI J. L. LeConte, 1853b: 393 [stem: *Psydr-*]. Type genus: *Psydrus* J. L. LeConte, 1846.

NOMIIDAE Gozis, 1875: 3 [stem: *Nomi-*]. Type genus: *Nomius* Laporte, 1835.

Comment: the younger name NOMIIDAE Robertson, 1904 (type genus *Nomia* Latreille, 1804) has been used in Hymenoptera and a Case was recently submitted to the Commission to emend the beetle family-group name to NOMIUSIDAE (Art. 55.3) in order to remove the homonymy (Engel and Bouchard 2009).

Tribe TROPOPTERINI Sloane, 1898

TROPOPTERIDES Sloane, 1898: 470 [stem: *Tropopter-*]. Type genus: *Tropopterus* Solier, 1849.

Subfamily NOTOTYLINAE Bänniger, 1927

TYLONOTINI Schaum, 1863: 74 [stem: *Tylonot-*]. Type genus: *Tylonotus* Schaum, 1863 [preoccupied genus name, not *Tylonotus* Haldeman, 1847 [Coleoptera: CERAMBYCIDAE], not *Tylonotus* Fieber, 1858 [Hemiptera]; syn. of *Nototylus* Gemminger and Harold, 1868]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

NOTOTYLINI Bänniger, 1927: 177 [stem: *Nototyl-*]. Type genus: *Nototylus* Gemminger and Harold, 1868.

Subfamily PAUSSINAЕ Latreille, 1806

PAUSSILI Latreille, 1806: 234 [stem: *Pauss-*]. Type genus: *Paussus* Linnaeus, 1775.

Tribe METRIINI LeConte, 1853

METRII J. L. LeConte, 1853b: 394 [stem: *Metri-*]. Type genus: *Metrius* Eschscholtz, 1829.

Tribe MYSTROPOMINI Horn, 1881

MYSTROPOMINI G. H. Horn, 1881: 116 [stem: *Mystropom-*]. Type genus: *Mystropodus* Chaudoir, 1848.

Tribe OZAENINI Hope, 1838

OZAENIDAE Hope, 1838a: 107 [stem: *Ozaen-*]. Type genus: *Ozaena* A. G. Olivier, 1812.

*TROPOPSITOS Solier, 1849: 179 [stem: *Tropopse-*]. Type genus: *Tropopsis* Solier, 1849. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

PSEUDOZAENINI Sloane, 1905: 704 [stem: *Pseudozaen-*]. Type genus: *Pseudozaena* Laporte, 1834.

EUSTRINI Jeannel, 1946: 48 [stem: *Eustr-*]. Type genus: *Eustra* Schmidt-Göbel, 1846.

PACHYTELINI Jeannel, 1946: 47, in key [stem: *Pachytel-*]. Type genus: *Pachytel* Perty, 1830.

PHYSEITAE Jeannel, 1946: 47, in key [stem: *Physe-*]. Type genus: *Physea* Brullé, 1834.

Tribe PAUSSINI Latreille, 1806

PAUSSILI Latreille, 1806: 234 [stem: *Pauss-*]. Type genus: *Paussus* Linnaeus, 1775.

†Subtribe ARTHROPTERITINA Luna de Carvalho, 1961

ARTHROPTERITINA Luna de Carvalho, 1961: 3 [stem: *Arthropterit-*]. Type genus: *Arthropterites* Wasmann, 1926.

Subtribe CARABIDOMEMNINA Wasmann, 1928

*CARABIDOMEMNINEN Kolbe, 1927a: 178 [stem: *Carabidomemn-*]. Type genus: *Carabidomemnus* Kolbe, 1924. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

*EOHOMOPTERINEN Kolbe, 1927b: 214 [stem: *Eohomopter-*]. Type genus: *Eohomopterus* Wasmann, 1920. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899; the latinized form EOHOMOPTERINI was used by Nagel (1987: 33, 54, 55, 56) but it is unavailable because it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

CARABIDOMEMNINAE Wasmann, 1928: 271 [stem: *Carabidomemn-*]. Type genus: *Carabidomemnus* Kolbe, 1924.

Subtribe CERAPTERINA Billberg, 1820

CERAPTERIDES Billberg, 1820a: 47 [stem: *Cerapter-*]. Type genus: *Cerapterus* Swederus, 1788.

MEGALOPAUSSINAE Wasmann, 1920: 111 [stem: *Megalopauss-*]. Type genus: *Megalopaussus* Lea, 1906.

*ARTHROPTERINEN Kolbe, 1927b: 211 [stem: *Arthropter-*]. Type genus: *Arthropterus* W. S. MacLeay, 1838. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

ARTHROPTERINI Wasmann, 1928: 274 [stem: *Arthropter-*]. Type genus: *Arthropterus* W. S. MacLeay, 1838. Comment: ARTHROPTERIDAE Fieber, 1861 has been used in Hemiptera but it is not based on a genus and is therefore unavailable; ARTHROPTERINI Wasmann, 1928 is a junior homonym of ARTHROPTERIDAE Jordan, 1923 proposed in Pisces (type genus *Arthropterus* Agassiz, 1843, preoccupied genus name replaced by *Arthrobatis* Whitley 1940); the Pisces name is permanently invalid since its type genus is a junior homonym; an application to the Commission is needed to conserve the Coleoptera name if it is to be used as valid.

*MESARTHROPTERINA Nagel, 1987: 60 [stem: *Mesarthropter-*]. Type genus: *Mesarthropterus* Wasmann, 1926. Comment: unavailable family-group

name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

†Subtribe EOPAUSSINA Luna de Carvalho, 1951

- *EOPAUSSINA Darlington, 1950: 84 [stem: *Eopauss-*]. Type genus: *Eopaussus* Wasmann, 1926. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- EOPAUSSINAE Luna de Carvalho, 1951: 22 [stem: *Eopauss-*]. Type genus: *Eopaussus* Wasmann, 1926.

Subtribe HETEROPAUSSINA Janssens, 1950

- PLEUROPTERINI Wasmann, 1920: 111 [stem: *Pleuropter-*]. Type genus: *Pleuropterus* Westwood, 1841 [preoccupied genus name, not *Pleuropterus* Burnett, 1829 [Mammalia]; syn. of *Janssenius* Luna de Carvalho, 1951]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- HETEROPAUSSINES Janssens, 1950: 5 (footnote) [stem: *Heteropauss-*]. Type genus: *Heteropaussus* J. Thomson, 1860.
- JANSENINI Luna de Carvalho, 1951: 18 [stem: *Jansseni-*]. Type genus: *Janssenius* Luna de Carvalho, 1951. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe HOMOPTERINA Wasmann, 1920

- HOMOPTERINAE Wasmann, 1920: 111 [stem: *Homopter-*]. Type genus: *Homopterus* Westwood, 1841.

Subtribe PAUSSINA Latreille, 1806

- PAUSSILI Latreille, 1806: 234 [stem: *Pauss-*]. Type genus: *Paussus* Linnaeus, 1775.
- PLATYRHOPALINI Jeannel, 1946: 65 [stem: *Platyrhopal-*]. Type genus: *Platyrhopalus* Westwood, 1833.
- ENNEAPAUSSINI Jeannel, 1946: 62 [stem: *Enneapauss-*]. Type genus: *Enneapaussus* Jeannel, 1946.
- CERATODERINA Darlington, 1950: 107 [stem: *Ceratoder-*]. Type genus: *Ceratoderus* Westwood, 1841.
- HYLOTORINI Luna de Carvalho, 1951: 50 [stem: *Hylotor-*]. Type genus: *Hylostorus* Dalman, 1823.
- LELEUPAUSSINA Luna de Carvalho, 1989: 430 [stem: *Leleupauss-*]. Type genus: *Leleupaussus* Luna de Carvalho, 1962.

Subtribe PENTAPLATARTHrina Jeannel, 1946

- *PENTAPLATARTHrinEN Kolbe, 1927b: 214 [stem: *Pentaplatarthr-*]. Type genus: *Pentaplatarthrus* Westwood, 1833. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

- PENTAPLATARTHINI Jeannel, 1946: 65 [stem: *Pentaplatarthr-*]. Type genus: *Pentaplatarthus* Westwood, 1833.
- HEXAPLATARTHINA Luna de Carvalho, 1961: 3 [stem: *Hexaplatarthr-*]. Type genus: *Hexaplatarthus* Jeannel, 1955.

Tribe PROTOPAUSSINI Gestro, 1892

PROTOPAUSSINI Gestro, 1892: 707 [stem: *Protopauss-*]. Type genus: *Protopaussus* Gestro, 1892.

Subfamily BRACHININAE Bonelli, 1810

BRACHINII Bonelli, 1810: Tabula Synoptica [stem: *Brachin-*]. Type genus: *Brachinus* Weber, 1801.

Tribe BRACHININI Bonelli, 1810

BRACHINII Bonelli, 1810: Tabula Synoptica [stem: *Brachin-*]. Type genus: *Brachinus* Weber, 1801.

Subtribe APTININA Gistel, 1848

- APTINIDAE Gistel, 1848: [2] [stem: *Aptin-*]. Type genus: *Aptinus* Bonelli, 1810.
- Comment: APTEMIDAE Gistel (1856a: 356) is probably a misspelling of APTINIDAE (see Madge 1989: 460).
- STYPHLOMERINI Habu, 1984: 133 [stem: *Styphlomer-*]. Type genus: *Styphlomerus* Chaudoir, 1875.

Subtribe BRACHININA Bonelli, 1810

BRACHINII Bonelli, 1810: Tabula Synoptica [stem: *Brachin-*]. Type genus: *Brachinus* Weber, 1801.

Subtribe MASTACINA Erwin, 1970

MASTACINA Erwin, 1970: 28, 32 [stem: *Mastac-*]. Type genus: *Mastax* Fischer von Waldheim, 1828.

Subtribe PHEROPSOPHINA Jeannel, 1949

PHEROPSOPHINI Jeannel, 1949c: 1083, in key [stem: *Pheropsoph-*]. Type genus: *Pheropsophus* Solier, 1833.

Tribe CREPIDOGASTRINI Jeannel, 1949

CREPIDOGASTRITAE Jeannel, 1949c: 1080 [stem: *Crepidogastr-*]. Type genus: *Crepidogaster* Boheman, 1848.

Subfamily HARPALINAE Bonelli, 1810

HARPALII Bonelli, 1810: Tabula Synoptica [stem: *Harpal-*]. Type genus: *Harpalus* Latreille, 1802. Comment: First Reviser (HARPALINAE Bonelli, 1810 vs

DRYPTINAE Bonelli, 1810 vs LEBIINAE Bonelli, 1810 vs LICININAE Bonelli, 1810 vs PANAGAEINAE Bonelli, 1810 vs PLATYNINAE Bonelli, 1810 vs PTEROSTICHINAE Bonelli, 1810 vs ZABRINAE Bonelli, 1810 vs ZUPHIINAE Bonelli, 1810) not determined, current usage maintained; GRAPHIPTERINAE Latreille, 1802 has precedence over this taxon, however, HARPALINAE Bonelli, 1810 is in prevailing usage and is maintained (Art. 35.5).

Tribe ABACETINI Chaudoir, 1873

ABACÉTIDES Chaudoir, 1873a: 5 [stem: *Abacet-*]. Type genus: *Abacetus* Dejean, 1828. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1873: 224, as ABACETINAE), generally accepted as in Bousquet (2003: 346, as ABACETINI).

CELIOSCHESINI Jeannel, 1948b: 442 [stem: *Celioschese-*]. Type genus: *Celioschesis* Tschitschérine, 1898 [syn. of *Aristopus* LaFerté-Sénectère, 1853]. Comment: incorrect original stem formation, not in prevailing usage.

LOXANDRINA Erwin and Sims, 1984: 383, in key [stem: *Loxandr-*]. Type genus: *Loxandrus* J. L. LeConte, 1852.

LOXANDRINI Bousquet and Larochelle, 1993: 31 [stem: *Loxandr-*]. Type genus: *Loxandrus* J. L. LeConte, 1852. Comment: family-group name proposed as new without reference to LOXANDRINA Erwin and Sims, 1984.

Tribe AMORPHOMERINI Sloane, 1923

TRIMERINAE Alluaud, 1922: 500 [stem: *Trimer-*]. Type genus: *Trimerus* Chaudoir, 1878 [preoccupied genus name, not *Trimerus* Green, 1832 [Trilobita]; syn. of *Amorphomerus* Sloane, 1923]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

AMORPHOMERINI Sloane, 1923a: 249 [stem: *Amorphomer-*]. Type genus: *Amorphomerus* Sloane, 1923.

Tribe ANTHIINI Bonelli, 1813

ANTHIES Bonelli, 1813: 18 [stem: *Anthi-*]. Type genus: *Anthia* Weber, 1801.

POLYHIRMIDI Rousseau, 1905: 3, in key [stem: *Polyhirm-*]. Type genus: *Polyhirma* Chaudoir, 1850.

CYPHOLOBINI G. Strohmeyer, 1928: 287 [stem: *Cypholob-*]. Type genus: *Cypholoba* Chaudoir, 1850.

Tribe ATRANINI Horn, 1881

ATRANI G. H. Horn, 1881: 145 [stem: *Atran-*]. Type genus: *Atranus* J. L. LeConte, 1848.

Tribe BASCANINI Basilewsky, 1953

BASCANINI Basilewsky, 1953a: 165 [stem: *Bascan-*]. Type genus: *Bascanus* Péringuey, 1896.

Tribe CALOPHAENINI Jeannel, 1948

*CALOPHAENIDAE Jeannel, 1942: 1017 [stem: *Calophaen-*]. Type genus: *Calophaena* Klug, 1821. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

CALOPHAENIDAE Jeannel, 1948b: 378 [stem: *Calophaen-*]. Type genus: *Calophaena* Klug, 1821.

Tribe CATAPIESEINI Bates, 1882

CATAPIESINAE H. W. Bates, 1882: 90 [stem: *Catapiese-*]. Type genus: *Catapiesis* Solier, 1835. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CHAETODACTYLINI Tschitschérine, 1903

CHAETODACTYLINI Tschitschérine, 1903: 157 [stem: *Chaetodactyl-*]. Type genus: *Chaetodactyla* Tschitschérine, 1897.

Tribe CHAETOGENYINI Emden, 1958

CHAETOGENYINA Emden, 1958: 24 [stem: *Chaetogeny-*]. Type genus: *Chaetogenys* Emden, 1958.

Tribe CHLAENIINI Brullé, 1834

CHLAENIDES Brullé, 1834: 123 [stem: *Chlaeni-*]. Type genus: *Chlaenius* Bonelli, 1810.

Subtribe CALLISTINA Laporte, 1834

CALLISTIDAE Laporte, 1834b: 80 [stem: *Callist-*]. Type genus: *Callistus* Bonelli, 1810. Comment: published before 9 August 1834.

EUSYNETADAE Gistel, 1856a: 356 [stem: *Eusynet-*]. Type genus: *Eusyneta* Gistel, 1856 [syn. of *Callistus* Bonelli, 1810]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe CHLAENIINA Brullé, 1834

CHLAENIDES Brullé, 1834: 123 [stem: *Chlaeni-*]. Type genus: *Chlaenius* Bonelli, 1810. Comment: published before 2 August 1834; original vernacular name available (Art. 11.7.2): first used in latinized form by Erichson (1837: 96, as CHLAENIINI), generally accepted as in Lorenz (2005: 328, as CHLAENIINI); incorrect original stem formation, not in prevailing usage.

LISSAUCHENIIDAE Gistel, 1848: [2] [stem: *Lissauchenii-*]. Type genus: *Lissaucheneius* W. S. MacLeay, 1825.

RHOPALOMELINI Alluaud, 1930b: 105 [stem: *Rhopalomel-*]. Type genus: *Rhopalomelus* Boheman, 1848.

- CHLAENIODINI Jeannel, 1949c: 777 [stem: *Chlaeniod-*]. Type genus: *Chlaeniodus* Jeannel, 1949.
- ECCOPTOMENINI Jeannel, 1949c: 821 [stem: *Eccoptomen-*]. Type genus: *Eccoptomenus* Chaudoir, 1850.
- CHLAENIONINI Jeannel, 1949c: 776, in key [stem: *Chlaenion-*]. Type genus: *Chlaenionus* Kuntzen, 1913.
- PROCLETINI Basilewsky, 1950b: 49 [stem: *Proclet-*]. Type genus: *Procletus* Péringuey, 1896.
- PLEROTICINI Basilewsky, 1950b: 50 [stem: *Plerotic-*]. Type genus: *Pleroticus* Péringuey, 1896.
- CALLISTOIDINI Basilewsky, 1950b: 51 [stem: *Callistoid-*]. Type genus: *Callistoides* Motschulsky, 1865.
- HARPAGLOSSINI Basilewsky, 1950b: 52 [stem: *Harpagloss-*]. Type genus: *Harpaglossus* Motschulsky, 1858.
- LEPTODINODINI Basilewsky and Grundmann, 1955: 205 [stem: *Leptodinod-*]. Type genus: *Leptodinodes* Jeannel, 1949.
- CHLAENIOTCTENINI Basilewsky and Grundmann, 1955: 204 [stem: *Chlaenioc-ten-*]. Type genus: *Chlaenioctenus* H. W. Bates, 1892.
- BRACHYLOBINI Basilewsky and Grundmann, 1955: 204 [stem: *Brachylob-*]. Type genus: *Brachylobus* Chaudoir, 1876.

Tribe CNEMALOBINI Germain, 1911

- CNÉMACANTHIDES Lacordaire, 1854a: 237 [stem: *Cnemacanth-*]. Type genus: *Cnemacanthus* sensu Brullé, 1834 [not *Cnemacanthus* Gray, 1832; syn. of *Cnemalobus* Guérin-Méneville, 1838]. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Schaum (1860: 353, as CNÉMACANTHIDAE), generally accepted as in Broun (1880: 7, as CNÉMACANTHIDAE); based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principle of Priority (Art. 65.2.1).
- CNEMALOBINI Germain, 1911: 53 [stem: *Cnemalob-*]. Type genus: *Cnemalobus* Guérin-Méneville, 1838.
- CNEMALOBINI Bousquet and Larochelle, 1993: 27 [stem: *Cnemalob-*]. Type genus: *Cnemalobus* Guérin-Méneville, 1838. Comment: proposed as a new without reference to CNEMALOBINI Germain, 1911.

Tribe CRATOCERINI Lacordaire, 1854

- CRATOCÉRIDES Lacordaire, 1854a: 257 [stem: *Cratocer-*]. Type genus: *Cratocerus* Dejean, 1829. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Murray (1858: 343, as CRATOCERIDAE), generally accepted as in Csiki (1929: 493, as CRATOCERI).

Tribe Ctenodactylini Laporte, 1834

CTENODACTYLIDAE Laporte, 1834b: 45 [stem: *Ctenodactyl-*]. Type genus: *Ctenodactyla* Dejean, 1825.

*LEPTOTRACHÉLIDES Chaudoir, 1848: 52 [stem: *Leptotrachel-*]. Type genus: *Leptotrachelus* Latreille, 1829. Comment: original vernacular name unavailable (Art. 11.7.2); not subsequently latinized, also originally proposed in synonymy with RHAGOCREPIDES (see Madge 1989: 464).

RHAGOCREPIDES Chaudoir, 1848: 52 [stem: *Rhagocrepid-*]. Type genus: *Rhagocrepis* Eschscholtz, 1829 [syn. of *Leptotrachelus* Latreille, 1829]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by and generally accepted as in Chaudoir (1861b: 528, as RHAGOCREPIDAE); incorrect original stem formation, not in prevailing usage.

Tribe Cuneipectini Sloane, 1907

CUNEIPECTINI Sloane, 1907a: 358 [stem: *Cuneipect-*]. Type genus: *Cuneipectus* Sloane, 1907. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Cuneipector-*).

Tribe Cyclosomini Laporte, 1834

CYCLOSOMIDAE Laporte, 1834b: 69 [stem: *Cyclosom-*]. Type genus: *Cyclosomus* Latreille, 1829.

Subtribe Cyclosomina Laporte, 1834

CYCLOSOMIDAE Laporte, 1834b: 69 [stem: *Cyclosom-*]. Type genus: *Cyclosomus* Latreille, 1829.

TÉTRAGONODÉRIDES Chaudoir, 1871b: 111 [stem: *Tetragonoder-*]. Type genus: *Tetragonoderus* Dejean, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by and generally accepted as in Chaudoir (1876a: 2, as TETRAGONODERIDAE).

SAROTHROCREPIDAE Chaudoir, 1876a: 83 [stem: *Sarothrorepid-*]. Type genus: *Sarothrocrepis* Chaudoir, 1850. Comment: incorrect original stem formation, not in prevailing usage; Chaudoir also used the spelling SAROTHROCRÉPIDES in his original publication on page 80.

Subtribe Masoreina Chaudoir, 1871

*SOMOPLATIDES Chaudoir, 1846: 511 [stem: *Somoplat-*]. Type genus: *Somoplatus* Dejean, 1829. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chaudoir (1846) and generally accepted as valid; this name was first used in latinized form by Carus and Engelmann (1861: 1806 [index], as SOMOPLATIDAE) referring to Chaudoir's paper, but the name was not used as valid; this name was treated as "vernacular, not scientific" by Ball (1979: 77); Basilewsky (1984: 527, as SOMOPLATINI) used this taxon as

valid but did not refer to Chaudoir's original vernacular name, SOMOPLATINI Basilewsky, 1984 is also unavailable since it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); Lorenz (2005: 451) listed this name as as "SOMOPLATIDES Chaudoir 1846 [suppr.]".

MAZORÉIDES Chaudoir, 1871b: 111 [stem: *Masore-*]. Type genus: *Masoreus* Dejean, 1821 [implicit use of *Mazoreus* as the type genus, which is an incorrect subsequent spelling of the type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Chaudoir (1876: 2, as MASOREIDAE), generally accepted as in Lorenz (2005: 451, as MASOREINA); incorrect stem formation, not in prevailing usage.

CORSYRINI Ganglbauer, 1891b: 53 [stem: *Corsyr-*]. Type genus: *Corsyra* Dejean, 1825.

AEPHNIDIINA Jakobson, 1907: 390 [stem: *Aephnid-i-*]. Type genus: *Aephnidius* W. S. MacLeay, 1825.

ANAULACINI Csiki, 1932b: 1287 [stem: *Anaulac-*]. Type genus: *Anaulacus* W. S. MacLeay, 1825. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Blackwelder (1944: 52) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

DISCOPTERINI Jedlička, 1941: 6, in key [stem: *Discopter-*]. Type genus: *Discoptera* Semenov, 1889.

Tribe DERCYLINI Sloane, 1923

DERCYLINI Sloane, 1923b: 250a [stem: *Dercyl-*]. Type genus: *Dercylus* Laporte, 1832.

DERCYLIDAE Jeannel, 1948b: 626 [stem: *Dercyl-*]. Type genus: *Dercylus* Laporte, 1832. Comment: family-group name proposed as new without reference to DERCYLINI Sloane, 1923.

Tribe DRIMOSTOMATINI Chaudoir, 1872

DRIMOSTOMIDAS Chaudoir, 1872a: 283 [stem: *Drimostomat-*]. Type genus: *Drimostoma* Dejean, 1830 [syn. of *Caelostomus* W. S. MacLeay, 1825]. Comment: the original spelling DRIMOSTOMIDAS is the accusative (Latin) form of DRIMOSTOMIDAE and was recognized as such by Madge (1989: 463); original incorrect original stem formation, not in prevailing usage.

CAELOSTOMINA Burgeon, 1935: 194 [stem: *Caelostom-*]. Type genus: *Caelostomus* W. S. MacLeay, 1825.

CYRTOLAINA Whitehead and Ball, 1975: 595 [stem: *Cyrtola-*]. Type genus: *Cyrtolaus* H. W. Bates, 1882.

Tribe DRYPTINI Bonelli, 1810

DRYPTINAE Bonelli, 1810: Tabula Synoptica [stem: *Drypt-*]. Type genus: *Drypta* Latreille, 1797.

Tribe ENOICINI Basilewsky, 1985

ENOICINI Basilewsky, 1985: 16 [stem: *Enoic-*]. Type genus: *Enicus* Péringuey, 1896.

Tribe GALERITINI Kirby, 1825

GALERITIDAE Kirby, 1825: 564 [stem: *Galerit-*]. Type genus: *Galerita* Fabricius, 1801 [*Galerita* Gouan, 1770 [Aves] has been suppressed both for the Principle of Priority and the Principle of Homonymy (ICZN 1968b); *Galerita* Fabricius, 1801 placed on the Official List of Generic Names in Zoology (ICZN 1968b)].

Subtribe GALERITINA Kirby, 1825

GALERITIDAE Kirby, 1825: 564 [stem: *Galerit-*]. Type genus: *Galerita* Fabricius, 1801 [*Galerita* Gouan, 1770 [Aves] has been suppressed both for the Principle of Priority and the Principle of Homonymy (ICZN 1968b); *Galerita* Fabricius, 1801 placed on the Official List of Generic Names in Zoology (ICZN 1968b)]. Comment: family-group name previously attributed to J. L. LeConte (1853b) or Lacordaire (1854a); name placed on the Official List of Family-Group Names in Zoology (ICZN 1968b, as GALERITINI Lacordaire, 1854).

GALERITININI Jeannel, 1949c: 1057 [stem: *Galeritin-*]. Type genus: *Galeritina* Jeannel, 1949 [syn. of *Galerita* Fabricius, 1801]. Comment: replacement name for “GALERITINI Lacordaire, 1854” because of the homonymy of the type genus; name placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1968b).

GALERITULINI Jedlička, 1963: 279, in key [stem: *Galeritul-*]. Type genus: *Galeritula* Strand, 1936 [syn. of *Galerita* Fabricius, 1801]. Comment: replacement name for “GALERITINI Lacordaire, 1854” because of the homonymy of the type genus; name placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1968b).

Subtribe PLANETINA Jedlička, 1941

PLANETINI Jedlička, 1941: 7, in key [stem: *Planet-*]. Type genus: *Planetes* W. S. MacLeay, 1825.

Tribe GEOBAENINI Péringuey, 1896

GEOBAENIDES Péringuey, 1896: 469 [stem: *Geobaen-*]. Type genus: *Geobaenus* Dejean, 1829.

Tribe GINEMINI Ball and Shpeley, 2002

GINEMINI Ball and Shpeley, 2002: 77 [stem: *Ginem-*]. Type genus: *Ginema* Ball and Shpeley, 2002.

Tribe GLYPTINI Horn, 1881

GLYPTI G. H. Horn, 1881: 179 [stem: *Glypt-*]. Type genus: *Glyptus* Brullé, 1835 [*Glyptus* Hoffmannsegg, 1818 placed on the Official Index of Rejected and Invalid Generic Names in Zoology and *Glyptus* Brullé, 1835 placed on the Official List of Generic Names in Zoology (ICZN 1985b)].

Tribe GRAPHIPTERINI Latreille, 1802

GRAPHIPTERIDES Latreille, 1802: 83 [stem: *Graphipter-*]. Type genus: *Graphipterus* Latreille, 1802. Comment: usage of HARPALINAE Bonelli, 1810 is maintained over GRAPHIPTERINAE Latreille, 1802 (Art. 35.5).

Tribe HARPALINI Bonelli, 1810

HARPALII Bonelli, 1810: Tabula Synoptica [stem: *Harpal-*]. Type genus: *Harpalus* Latreille, 1802.

Subtribe ANISODACTYLINA Lacordaire, 1854 *nomen protectum*

EURYTRICHINI J. L. LeConte, 1847: 376 [stem: *Eurytrich-*]. Type genus: *Eurytrichus* J. L. LeConte, 1847 [syn. of *Anisotarsus* Chaudoir, 1837]. Comment: *nomen oblitum* (Appendix 1).

ANISODACTYLIDES Lacordaire, 1854a: 268 [stem: *Anisodactyl-*]. Type genus: *Anisodactylus* Dejean, 1829. Comment: *nomen protectum* (see Appendix 1); original vernacular name available (Art. 11.7.2): first used in latinized form by Murray (1858: 346, as ANISODACTYLIDAE), generally accepted as in Lorenz (2005: 348, as ANISODACTYLINI).

ANISOTARSI Csiki, 1932a: 1039 [stem: *Anisotars-*]. Type genus: *Anisotarsus* Chaudoir, 1837. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Blackwelder (1944: 46) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

*GEOPINI Csiki, 1932a: 1026 [stem: *Geopin-*]. Type genus: *Geopinus* J. L. LeConte, 1847. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*GNATHAPHANI Schaeffer, 1934: 104, 106 [stem: *Gnathaphan-*]. Type genus: *Gnathaphanus* W. S. MacLeay, 1825. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe HARPALINA Bonelli, 1810

HARPALII Bonelli, 1810: Tabula Synoptica [stem: *Harpal-*]. Type genus: *Harpalus* Latreille, 1802. Comment: First Reviser found (HARPALINI Bonelli, 1810 vs DITOMINI Bonelli, 1810) is Noonan (1976: 28).

DITOMICI Bonelli, 1810: Tabula Synoptica [stem: *Ditom-*]. Type genus: *Ditomus* Bonelli, 1810.

ACINOPIDAE Laporte, 1834b: 67 [stem: *Acinopod-*]. Type genus: *Acinopus* Dejean, 1821. Comment: incorrect original stem formation, not in prevailing usage.

OPHONIDAE Laporte, 1834b: 68 [stem: *Ophon-*]. Type genus: *Ophonus* Dejean, 1821 [placed on the Official List of Generic Names in Zoology (ICZN 1990c)].

CRATOGNATHIDAE Laporte, 1834b: 70 [stem: *Cratognath-*]. Type genus: *Cratognathus* Dejean, 1829.

STENOMORPHIDAE Laporte, 1834b: 71 [stem: *Stenomorph-*]. Type genus: *Stenomorphus* Dejean, 1831.

DAPTINI J. L. LeConte, 1847: 371 [stem: *Dapt-*]. Type genus: *Daptus* Fischer von Waldheim, 1823.

AMBLYSTOMINI Fauvel, 1889: 17 [stem: *Amblystom-*]. Type genus: *Amblystomus* Erichson, 1837.

TRICHOPSELAPHINI Tschitschérine, 1900: 351 [stem: *Trichopselaph-*]. Type genus: *Trichopselaphus* Chaudoir, 1843.

SELENOPHORINI Casey, 1914b: 134 [stem: *Selenophor-*]. Type genus: *Selenophorus* Dejean, 1829.

PACHYCARINA Stichel, 1923: 81 [stem: *Pachycar-*]. Type genus: *Pachycarus* Solier, 1835.

*DIOCTINI Csiki, 1932a: 1023a [stem: *Dioct-*]. Type genus: *Diocetes* Ménétriés, 1849 [syn. of *Machozetus* Chaudoir, 1850]. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently.

DIORYCHI Csiki, 1932a: 1193 [stem: *Diorych-*]. Type genus: *Dioryche* W. S. MacLeay, 1825. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Blackwelder (1944: 48) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

*MACHOZETI Csiki, 1932a: 1023 [stem: *Machozet-*]. Type genus: *Machozetus* Chaudoir, 1850. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

BRADYBAENI Csiki, 1932a: 1187 [stem: *Bradybaen-*]. Type genus: *Bradybaenus* Dejean, 1829. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however avail-

able because it was used as valid before 2000 as in Noonan (1976: 28) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1); BRADYBAENIDAE Pilsbry, 1939 (type genus *Bradybaena* Beck, 1837) is currently used as valid in Mollusca, both family-group names have a correct stem; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

*EURYDERI Csiki, 1932a: 1081 [stem: *Euryder-*]. Type genus: *Euryderus* J. L. LeConte, 1846. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*HETERACANTHI Csiki, 1932a: 1085 [stem: *Heteracanth-*]. Type genus: *Heteracantha* Brullé, 1834. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*BARYSOMI Csiki, 1932a: 1192 [stem: *Barysom-*]. Type genus: *Barysomus* Dejean, 1829. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

MACHOZETI Schauberger, 1934: 99 [stem: *Machozet-*]. Type genus: *Machozetus* Chaudoir, 1850.

TRICHOTICHNINI Jeannel, 1942: 624 [stem: *Trichotichn-*]. Type genus: *Trichotichnus* Morawitz, 1863.

BLEUSEI Antoine, 1959: 386 [stem: *Bleuse-*]. Type genus: *Bleusea* Bedel, 1896.

ERIOTOMI Antoine, 1959: 354 [stem: *Eriotom-*]. Type genus: *Eriotomus* Piouchard de la Brûlerie, 1873 [syn. of *Oedesia* Motschulsky, 1850].

GRANIGERI Antoine, 1959: 357 [stem: *Graniger-*]. Type genus: *Graniger* Motschulsky, 1864. Comment: an application will need to be submitted to the Commission to suppress GRANIGERINI Bedel, 1900 (based on the misidentified type genus *Graniger* sensu Chaudoir, 1876) for the Principles of Priority and Homonymy (Art. 65.2.1) if this name is to be used as valid.

CRATACANTHI Lindroth, 1968: 742 [stem: *Cratacanth-*]. Type genus: *Cratacanthus* Dejean, 1829.

*CARTEROPHONINI Jeanne, 1971: 11 [stem: *Carterophon-*]. Type genus: *Carterophonous* Ganglbauer, 1891 [syn. of *Graniger* Motschulsky, 1864]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe PELMATELLINA Bates, 1882

PELMATELLINAE H. W. Bates, 1882: 67 [stem: *Pelmatell-*]. Type genus: *Pelmatellus* H. W. Bates, 1882.

Subtribe STENOLOPHINA Kirby, 1837

STENOLOPHIDAE Kirby, 1837: 46 [stem: *Stelonoph-*]. Type genus: *Stenolophus* Dejean, 1821.

POLPOCHILINAE H. W. Bates, 1891a: 10 [stem: *Polpochil-*]. Type genus: *Polpochila* Solier, 1849.

ACUPALPINI Tschitschérine, 1900: 351 [stem: *Acupalp-*]. Type genus: *Acupalpus* Latreille, 1829.

CRATOCARINI Casey, 1914b: 48 [stem: *Cratocar-*]. Type genus: *Cratocara* J. L. LeConte, 1863 [syn. of *Polpochila* Solier, 1849].

PACHYTRACHELI Csiki, 1932a: 1082 [stem: *Pachytrachel-*]. Type genus: *Pachytrachelus* Chaudoir, 1852. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Jeannel (1948b: 720, as PACHYTRACHELINI) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

*AGONODERI Csiki, 1932a: 1188 [stem: *Agonoder-*]. Type genus: *Agonoderus* Dejean, 1829. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*BRADYCELLI Csiki, 1932a: 1222 [stem: *Bradycell-*]. Type genus: *Bradycellus* Erichson, 1837. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

ANOPLOGENII Schauberger, 1937: 272 [stem: *Anoplogeni-*]. Type genus: *Anoplogenius* Chaudoir, 1852 [syn. of *Loxoncus* Schmidt-Göbel, 1846].

*DICHIROTRICHI F. Burmeister, 1939: 186 [stem: *Dicheirotrich-*]. Type genus: *Dicheirotrichus* Jacquelin du Val, 1855 [as *Dichirotrichus*, unjustified emendation of type genus name by Gemminger and Harold (1868a: 262), not in prevailing usage]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage (see Madge 1989: 463).

BRADYCELLINI Jeannel, 1942: 700 [stem: *Bradycell-*]. Type genus: *Bradycellus* Erichson, 1837.

HIPPOLAETINA Basilewsky, 1951b: 258 [stem: *Hippoloet-*]. Type genus: *Hippoloetis* Laporte, 1835 [as *Hippolaetis*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

ANTHRACINI Schuler, 1970: 114 [stem: *Anthrac-*]. Type genus: *Anthracus* Motschulsky, 1850.

Tribe HELLUONINI Hope, 1838

HELLUONIDAE Hope, 1838a: 110 [stem: *Helluon-*]. Type genus: *Helluo* Bonelli, 1813.

Subtribe HELLUONINA Hope, 1838

HELLUONIDAE Hope, 1838a: 110 [stem: *Helluon-*]. Type genus: *Helluo* Bonelli, 1813.

Subtribe OMPHRINA Jedlička, 1941

OMPHRINI Jedlička, 1941: 6, in key [stem: *Omphr-*]. Type genus: *Omphra* Dejean, 1825.

HELLUOMORPHINA H. Reichardt, 1974: 226 [stem: *Helluomorph-*]. Type genus: *Helluomorpha* Laporte, 1834.

Tribe HEXAGONIINI Horn, 1881 (1834)

TRIGONODACTYLIENS Brullé, 1834: 127 [stem: *Trigonodactyl-*]. Type genus: *Trigonodactyla* Dejean, 1831 [syn. of *Hexagonia* Kirby, 1825]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Desmarest (1851: 56, as TRIGONODACTYLIDAE); use of the younger name HEXAGONIINI G. H. Horn, 1881 conserved over this name (Art. 40.2).

HEXAGONIAE G. H. Horn, 1881: 146 [stem: *Hexagoni-*]. Type genus: *Hexagonia* Kirby, 1825. Comment: use of family-group name conserved over TRIGONODACTYLINI Brullé, 1834 (Art. 40.2).

Tribe IDIOMORPHINI Bates, 1891

IDIOMORPHINAE H. W. Bates, 1891b: cccxxxiii [stem: *Idiomorph-*]. Type genus: *Idiomorphus* Chaudoir, 1846.

PEROCHNORISTHINAE Basilewsky, 1973b: 224 [stem: *Perochnoristh-*]. Type genus: *Perochnoristhus* Basilewsky, 1973.

Tribe LACHNOPHORINI LeConte, 1853

LACHNOPHORI J. L. LeConte, 1853b: 375 [stem: *Lachnophor-*]. Type genus: *Lachnophorus* Dejean, 1831.

Subtribe LACHNOPHORINA LeConte, 1853

LACHNOPHORI J. L. LeConte, 1853b: 375 [stem: *Lachnophor-*]. Type genus: *Lachnophorus* Dejean, 1831.

ANCHONODÉRIDES Lacordaire, 1854a: 373 [stem: *Anchonoder-*]. Type genus: *Anchonoderus* Reiche, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in H. W. Bates (1871: 30, as ANCHONODERINAE).

EUCAERI J. L. LeConte, 1861: 22 [stem: *Eucaer-*]. Type genus: *Eucaerus* J. L. LeConte, 1853.

EGINI G. H. Horn, 1881: 152 [stem: *Eg-*]. Type genus: *Ega* Laporte, 1834.

Subtribe SELININA Jeannel, 1948

SELININI Jeannel, 1948b: 743, in key [stem: *Selin-*]. Type genus: *Selina* Motschulsky, 1858. Comment: the junior homonym SELININA Koch, 1956 (type genus *Selinus* Mulsant and Rey, 1853) is available in TENEBRIONIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe LEBIINI Bonelli, 1810

LEBIOTAE Bonelli, 1810: Tabula Synoptica [stem: *Lebi-*]. Type genus: *Lebia* Latreille, 1802. Comment: First Reviser (LEBIINI Bonelli, 1810 vs DROMIUSINI Bonelli, 1810) not determined, current usage maintained.

Subtribe ACTENONYCINA Bates, 1871

ACTENONYCINAE H. W. Bates, 1871: 30 [stem: *Actenonyc-*]. Type genus: *Actenonyx* A. White, 1846. Comment: current spelling maintained (Art. 29.5); incorrect stem formation in prevailing usage (should be *Actenonych-*).

Subtribe AGRINA Kirby, 1837

AGRIDAe Kirby, 1837: 13 [stem: *Agr-*]. Type genus: *Agra* Fabricius, 1801.

Subtribe APENINA Ball, 1983

APENINA Ball, 1983: 516 [stem: *Apen-*]. Type genus: *Apenes* J. L. LeConte, 1851.

*TRYMOSTERNINI Zaballos and Jeanne, 1994: 116 [stem: *Trymostern-*]. Type genus: *Trymosternus* Chaudoir, 1873. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*PLATYTARINI Zaballos and Jeanne, 1994: 116 [stem: *Platytar-*]. Type genus: *Platytarus* Fairmaire, 1850. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe CALLEIDINA Chaudoir, 1873

CALLIDIDES Chaudoir, 1873b: 97 [stem: *Calleid-*]. Type genus: *Calleida* Dejean, 1824 [as *Callida*, unjustified emendation of type genus name by Agassiz (1846b: 58), not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1873: 311, as CALLEIDINAE), generally accepted as in Csiki (1932b: 1436, as CALLIDI [incorrect stem formation]); incorrect stem formation, not in prevailing usage.

PLOCHIONIDAE Gozis, 1875: 3 [stem: *Plochion-*]. Type genus: *Plochionus* Dejean, 1821.

ANOMOTARINA Habu, 1967: 117 [stem: *Anomotar-*]. Type genus: *Anomotarus* Chaudoir, 1875.

Subtribe CELAENEPHINA Habu, 1982

CELAENEPHINA Habu, 1982: 111 [stem: *Celaeneph-*]. Type genus: *Celaenephes* Schmidt-Göbel, 1846.

Subtribe CYMINDIDINA Laporte, 1834

CYMINDIDAE Laporte, 1834b: 46 [stem: *Cymindid-*]. Type genus: *Cymindis* Latreille, 1806. Comment: incorrect original stem formation, not in prevailing usage.

TARIDAE Gistel, 1848: [2] [stem: *Tar-*]. Type genus: *Tarus* Clairville, 1806 [syn. of *Cymindis* Latreille, 1806].

PSEUDOMASOREINI Jeannel, 1942: 1039, in key [stem: *Pseudomasore-*]. Type genus: *Pseudomasoreus* Desbrochers des Loges, 1904.

Subtribe DEMETRIADINA Bates, 1886

DEMETRIINAE H. W. Bates, 1886: 207 [stem: *Demetriad-*]. Type genus: *Demetrias* Bonelli, 1810. Comment: incorrect original stem formation, not in prevailing usage.

PELIOCYPINAE Basilewsky, 1984: 553 [stem: *Peliocypad-*]. Type genus: *Peliocypas* Schmidt-Göbel, 1846. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe DROMIUSINA Bonelli, 1810

DROMIEI Bonelli, 1810: Tabula Synoptica [stem: *Dromius-*]. Type genus: *Dromius* Bonelli, 1810 [placed on the Official List of Generic Names in Zoology (ICZN 2006b)]. Comment: DROMIIDAE Bonelli, 1810 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology, correct stem ruled to be *Dromius-* and DROMIUSIDAE Bonelli, 1810 placed on the Official List of Family-Group Names in Zoology (ICZN 2006b).

LICHNASTHENITAE J. Thomson, 1858: 35 [stem: *Lichnasthen-*]. Type genus: *Lichnasthenus* J. Thomson, 1858. Comment: J. Thomson (1858: 35) used the spelling LICHNASTHENITAE but corrected the name to LICHNASTHENITAE in the same publication in the index (page 458) and in the errata (page [472, unnn.]), the corrected spelling is considered a justified emendation (see Madge 1989: 464).

LIONYCHIDAE Jeannel, 1948b: 378, in key [stem: *Lionych-*]. Type genus: *Lionychus* Wissmann, 1846.

SINGILINI Jeannel, 1949c: 915 [stem: *Singil-*]. Type genus: *Singilis* Rambur, 1837.

*SYNTOMINI Jeanne, 1972: 101 [stem: *Syntom-*]. Type genus: *Syntomus* Hope, 1838. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

METADROMIINA Basilewsky, 1984: 545 [stem: *Metadromi-*]. Type genus: *Metadromius* Bedel, 1907.

METAXYMPHORINA Basilewsky, 1984: 551 [stem: *Metaxymorph-*]. Type genus: *Metaxymorphus* Chaudoir, 1850.

SINGILIOMIMINA Basilewsky, 1984: 552 [stem: *Singiliomim-*]. Type genus: *Singiliomimus* Péringuey, 1896.

Subtribe GALLERUCIDIINA Chadoir, 1872

GALLERUCIDIAE Chadoir, 1872b: 416 [stem: *Gallerucidi-*]. Type genus: *Gallerucidia* Chadoir, 1872.

LEBIDIINA Jakobson, 1907: 394 [stem: *Lebidi-*]. Type genus: *Lebidia* Mörbisch, 1862.

Subtribe LEBIINA Bonelli, 1810

LEBIOTAE Bonelli, 1810: Tabula Synoptica [stem: *Lebi-*]. Type genus: *Lebia* Latreille, 1802.

ENCRATIDAE Gistel, 1856a: 355 [stem: *Encrat-*]. Type genus: *Encrates* Gistel, 1848 [syn. of *Lebia* Latreille, 1802].

LAMPRIADAE Chadoir, 1871b: 115 [stem: *Lampri-*]. Type genus: *Lamprias* Bonelli, 1810. Comment: incorrect original stem formation, not in prevailing usage.

PHYSODÉRIDES Chadoir, 1877: 213 [stem: *Physoder-*]. Type genus: *Physodera* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1883: 207, as PHYSODERINAE), generally accepted as in Lorenz (2005: 489, as PHYSODERINA).

Subtribe METALLICINA Basilewsky, 1984

METALLICINI Basilewsky, 1984: 542 [stem: *Metallic-*]. Type genus: *Metallica* Chadoir, 1872.

Subtribe NEMOTARSINA Bates, 1883

NEMOTARSINAE H. W. Bates, 1883: 173 [stem: *Nemotars-*]. Type genus: *Nemotarsus* J. L. LeConte, 1853.

Subtribe PERICALINA Hope, 1838

PERICALLIDAE Hope, 1838a: 105 [stem: *Perical-*]. Type genus: *Pericalus* W. S. MacLeay, 1825. Comment: incorrect original stem formation, not in prevailing usage.

- *MORMOLYCITES Blanchard, 1845a: 366 [stem: *Mormolyc-*]. Type genus: *Mormolyc* Hagenbach, 1825. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1845a).
- COSTODÉRIDES Chaudoir, 1848: 116 [stem: *Coptoder-*]. Type genus: *Coptodera* Dejean, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1871: 30, as COPTODERINAE), generally accepted as in Handlirsch (1925: 547, as COPTODERINI); incorrect stem formation, not in prevailing usage.
- MORMOLYCIDAE Desmarest, 1851: 62 [stem: *Mormolyc-*]. Type genus: *Mormolyc* Hagenbach, 1825.
- THYRÉOPTÉRIDES Chaudoir, 1869: 113 [stem: *Thyreopter-*]. Type genus: *Thyreopterus* Dejean, 1831. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Bertkau (1878: 417, as THYREOPTERINI), generally accepted as in Jeannel (1950b: 165, as THYREOPTERIDAE).
- EUCHEILINAE H. W. Bates, 1883: 168 [stem: *Eucheil-*]. Type genus: *Eucheila* Dejean, 1829 [*Eucheila* is an incorrect subsequent spelling of the original spelling *Eucheyla*, in prevailing usage and so deemed to be the correct original spelling (Art. 33.3.1)].
- MISCELINI Sloane, 1907b: 473 [stem: *Miscel-*]. Type genus: *Miscelus* Klug, 1834.
- PERIGLOSSIINAE Liebke, 1929: 247 [stem: *Periglossi-*]. Type genus: *Periglossum* Liebke, 1929 [syn. of *Inna* Putzeys, 1861].
- CATASCOPI Csiki, 1932b: 1352 [stem: *Catascop-*]. Type genus: *Catascopus* Kirby, 1823. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Blackwelder (1944: 57) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).
- MISCELINI Jeannel, 1949c: 1006 [stem: *Miscel-*]. Type genus: *Miscelus* Klug, 1834. Comment: family-group name proposed as new without reference to MISCELINI Sloane, 1907.
- LOBODONTINI Jeannel, 1949c: 1007, in key [stem: *Lobodont-*]. Type genus: *Lobodontus* Chaudoir, 1842.
- THYSANOTINI Jeannel, 1949c: 947, in key [stem: *Thysanot-*]. Type genus: *Thysanotus* Chaudoir, 1848.
- SOMOTRICHINI Mateu, 1963: 125, in key [stem: *Somotrich-*]. Type genus: *Somotrichus* Seidlitz, 1887.

Subtribe PSEUDOTRECHINA Basilewsky, 1984

- PSEUDOTRECHINI Basilewsky, 1984: 555 [stem: *Pseudotrech-*]. Type genus: *Pseudotrechus* Rosenhauer, 1856.

Subtribe SUGIMOTOINA Habu, 1975

SUGIMOTOINA Habu, 1975: 77 [stem: *Sugimoto-*]. Type genus: *Sugimotoa* Habu, 1975.

Subtribe TRICHINA Basilewsky, 1984

TRICHINI Basilewsky, 1984: 549 [stem: *Trich-*]. Type genus: *Trichis* Klug, 1832.

Tribe LICININI Bonelli, 1810

LICINII Bonelli, 1810: Tabula Synoptica [stem: *Licin-*]. Type genus: *Licinus* Latreille, 1802.

Subtribe DICAEELINA Laporte, 1834

DICOELIDAE Laporte, 1834b: 83 [stem: *Dicael-*]. Type genus: *Dicaelus* Bonelli, 1813 [as *Dicoelus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

REMBIDAE Gistel, 1848: [2] [stem: *Remb-*]. Type genus: *Rembus* W. S. MacLeay, 1825 [preoccupied genus name, not *Rembus* Germar, 1824 [Coleoptera: CURCULIONIDAE]; syn. of *Diplocheila* Brullé, 1834]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

*SUBMERINI Lafer, 1989: 205 [stem: *Submer-*]. Type genus: *Submera* Habu, 1956. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe DICROCHILINA Ball, 1992

DICROCHILINA Ball, 1992: 347 [stem: *Dicrochil-*]. Type genus: *Dicrochile* Guérin-Méneville, 1846.

Subtribe LESTIGNATHINA Ball, 1992

LESTIGNATHINA Ball, 1992: 347 [stem: *Lestignath-*]. Type genus: *Lestignathus* Erichson, 1842.

Subtribe LICININA Bonelli, 1810

LICINII Bonelli, 1810: Tabula Synoptica [stem: *Licin-*]. Type genus: *Licinus* Latreille, 1802.

BADISTIDAE Gistel, 1856a: 357 [stem: *Badister-*]. Type genus: *Badister* Clairville, 1806 [as *Badistes*, unjustified emendation of type genus name by Agassiz (1846b: 42), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

BADISTRITAE Jeannel, 1942: 999 [stem: *Badister-*]. Type genus: *Badister* Clairville, 1806 [as *Badistes*, unjustified emendation of type genus name by Agassiz (1846b: 42), not in prevailing usage]. Comment: family-group

name proposed as new without reference to BADISTIDAE Gistel, 1856; incorrect original stem formation, not in prevailing usage.

Tribe MELANCHITONINI Jeannel, 1948

MELANODINI Alluaud, 1916: 228 [stem: *Melanod-*]. Type genus: *Melanodes* Chauvoir, 1876 [preoccupied type genus, not *Melanodes* Guénée, 1857 [Lepidoptera]; syn. of *Melanchiton* Basilewsky, 1946]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

MELANCHITONITAE Jeannel, 1948b: 627 [stem: *Melanchiton-*]. Type genus: *Melanchiton* Basilewsky, 1946. Comment: replacement name for MELANODINI Alluaud, 1916.

Tribe MICROCHEILINI Jeannel, 1948

MICROCHILITAE Jeannel, 1948b: 616 [stem: *Microcheil-*]. Type genus: *Microcheila* Brullé, 1834 [as *Microchila*, unjustified emendation of type genus name by Agassiz (1846b: 233), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe MORIONINI Brullé, 1835

MORONIENS Brullé, 1835: 36 [stem: *Morion-*]. Type genus: *Morion* Latreille, 1810. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Hope (1838a: 109, as MORIONIDAE [based on “*Morio* Latreille”, an incorrect subsequent spelling of the type genus name, see Madge (1989: 465)]), generally accepted as in Lorenz (2005: 247, as MORIONINI).

Tribe ODACANTHINI Laporte, 1834

ODACANTHIDAE Laporte, 1834b: 40 [stem: *Odacanth-*]. Type genus: *Odacantha* Paykull, 1798.

CASNONIAE J. L. LeConte, 1861: 21 [stem: *Cosnani-*]. Type genus: *Cosnania* Dejean, 1821 [as *Casnonia*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

COLLIURINI Bedel, 1910: 72 [stem: *Colliur-*]. Type genus: *Colliuris* DeGeer, 1774.

LASIOCERINI Jeannel, 1948b: 747, in key [stem: *Lasiocer-*]. Type genus: *Lasiocera* Dejean, 1831.

Tribe OMPHREINI Ganglbauer, 1891

OMPHREINI Ganglbauer, 1891b: 26 [stem: *Omphre-*]. Type genus: *Omphreus* Dejean, 1828.

Tribe OODINI LaFerté-Sénectère, 1851

OODITES LaFerté-Sénectère, 1851: 266 [stem: *Ood-*]. Type genus: *Oodes* Bonelli, 1810. Comment: original vernacular name available (Art. 11.7.2): first used in

latinized form by Bedel (1879: 52, as OODINI), generally accepted as in Lorenz (2005: 324, as OODINI).

THRYPTOCERINI Jeannel, 1949c: 841 [stem: *Thryptocer-*]. Type genus: *Thryptocerus* Chadoir, 1878.

SPHAERODINI Jeannel, 1949c: 829, in key [stem: *Sphaerod-*]. Type genus: *Sphaerodes* Chadoir, 1883 [as *Sphaerodes*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

SIMOINI Basilewsky, 1953a: 153 [stem: *Simo-*]. Type genus: *Simous* Chadoir, 1882.

Tribe ORTHOGONINI Schaum, 1857

ORTHOGONIDEN Schaum, 1857b: 308 [stem: *Orthogoni-*]. Type genus: *Orthogonius* W. S. MacLeay, 1825. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Schaum (1860: 774, as ORTHOGONINI [incorrect stem formation]), generally accepted as in Lorenz (2005: 391, as ORTHOGONIINAE); incorrect original stem formation, not in prevailing usage.

Tribe PANAGAEINI Bonelli, 1810

PANAGAEIDES Bonelli, 1810: Tabula Synoptica [stem: *Panagae-*]. Type genus: *Panagaeus* Latreille, 1802.

Subtribe BRACHYGNATHINA Basilewsky, 1946

BRACHYGNATHINI Basilewsky, 1946: 7 [stem: *Brachygnath-*]. Type genus: *Brachygnathus* Perty, 1830.

Subtribe PANAGAEINA Bonelli, 1810

PANAGAEIDES Bonelli, 1810: Tabula Synoptica [stem: *Panagae-*]. Type genus: *Panagaeus* Latreille, 1802.

Subtribe TEFFLINA Basilewsky, 1946

TEFFLINI Basilewsky, 1946: 7 [stem: *Teffl-*]. Type genus: *Tefflus* Leach, 1819.

Tribe PELECIINI Chadoir, 1880

PÉLÉCIDES Chadoir, 1880: 317 [stem: *Peleci-*]. Type genus: *Pelecium* Kirby, 1819.

Subtribe AGONICINA Sloane, 1920

AGONICINI Sloane, 1920: 129 [stem: *Agonic-*]. Type genus: *Agonica* Sloane, 1920.

Subtribe PELECIINA Chadoir, 1880

PÉLÉCIDES Chadoir, 1880: 317 [stem: *Peleci-*]. Type genus: *Pelecium* Kirby, 1819. Comment: original vernacular name available (Art. 11.7.2); first

used in latinized form by G. H. Horn (1881: 170, as PELECIINI), generally accepted as in Csiki (1932b: 1285, as PELECIINI); incorrect original stem formation, not in prevailing usage.

DISPHAERICINI Sloane, 1923a: 248 [stem: *Dispheric-*]. Type genus: *Disphericus* G. R. Waterhouse, 1842 [as *Disphaericus*, unjustified emendation of type genus name by Agassiz (1846b: 127), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PENTAGONICINI Bates, 1873

PENTAGONICINAE H. W. Bates, 1873: 320 [stem: *Pentagonalic-*]. Type genus: *Pentagonalica* Schmidt-Göbel, 1846.

SCOPODINAE H. W. Bates, 1874b: 275 [stem: *Scopod-*]. Type genus: *Scopodes* Erichson, 1842.

Tribe PERIGONINI Horn, 1881 *nomen protectum*

TRECHICHINAE H. W. Bates, 1873: 281 [stem: *Trechic-*]. Type genus: *Trechicus* J. L. LeConte, 1853 [as *Trechichus*, incorrect subsequent spelling of type genus name, not in prevailing usage; subgenus of *Perigona* Laporte, 1835]. Comment: *nomen oblitum* (see Appendix 1); incorrect original stem formation, not in prevailing usage.

PERIGONAE G. H. Horn, 1881: 143 [stem: *Perigon-*]. Type genus: *Perigona* Laporte, 1835. Comment: *nomen protectum* (see Appendix 1).

Tribe PHYSOCROTAPHINI Chaudoir, 1863

PHYSOCROTAPHIDES Chaudoir, 1863: 303 [stem: *Physocrotaph-*]. Type genus: *Physocrotaphus* Parry, 1849. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1892: 388, as PHYSOCROTAPHINAE), generally accepted as in B. P. Moore (1998: 369, as PHYSOCROTAPHINI).

HELLUODINI Csiki, 1932b: 1571 [stem: *Helluod-*]. Type genus: *Helluodes* Westwood, 1847. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Darlington (1968: 222) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

Tribe PLATYNINI Bonelli, 1810

PLATYNII Bonelli, 1810: Tabula Synoptica [stem: *Platyn-*]. Type genus: *Platynus* Bonelli, 1810. Comment: First Reviser found (PLATYNINA Bonelli, 1810 vs ANCHOMENINA Bonelli, 1810) is Jakobson (1906: 317).

ANCHOMENII Bonelli, 1810: Tabula Synoptica [stem: *Anchomen-*]. Type genus: *Anchomenus* Bonelli, 1810.

SERICODIADAE Kirby, 1837: 14 [stem: *Sericod-*]. Type genus: *Sericoda* Kirby, 1837.

- AGONIDAE Kirby, 1837: 23 [stem: *Agonum*-]. Type genus: *Agonum* Bonelli, 1810 [placed on the Official List of Generic Names in Zoology (ICZN 1996d)]. Comment: senior homonym of AGONIDAE Swainson, 1839 (type genus *Agonus* Bloch and Schneider, 1801) in Pisces; AGONIDAE Kirby, 1837 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1996d), stem emended to *Agonum-* and AGONUMIDAE Kirby, 1837 placed on the Official List of Family-Group Names in Zoology (ICZN 1996d).
- COLPODIDAS Chaudoir, 1872a: 285 [stem: *Colpod*-]. Type genus: *Colpodes* W. S. MacLeay, 1825. Comment: the original spelling COLPODIDAS is the accusative (Latin) form of and COLPODIDAE was recognized as such by Madge (1989: 463); COLPODIDAE Poche, 1913 (type genus *Colpoda* Müller, 1773) has been used as valid in Protista as recently as in 2006; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).
- AGELAEINA Jakobson, 1907: 334 [stem: *Agelae*-]. Type genus: *Agelaea* Gené, 1839.
- PROSPHODRINI J. M. Valentine, 1987: 74 [stem: *Prophodr*-]. Type genus: *Prophodrus* Britton, 1959.
- MELEAGROSINI Morvan, 2004: 2 [stem: *Meleagr*-]. Type genus: *Meleagros* Kirschhofer, 1999. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PSEUDOMORPHINI Hope, 1838

HETEROMORPHIDAE Hope, 1838a: 108 [stem: *Pseudomorph*-]. Type genus: *Pseudomorpha* Kirby, 1823 [as *Heteromorpha*, incorrect original spelling of type genus name, not in prevailing usage]. Comment: this family-group name is based on an incorrect original spelling of the name of its type genus (*Heteromorpha*) and must be corrected (ICZN 1999a: Article 35.4.1); Kirby (1823a) originally used two different names for the type genus, *Pseudomorpha* (in the description on p. 98) and *Heteromorpha* (in the explanation of the figures on p. 109). Both names are considered different original spellings of the same name. Kirby reissued the paper later the same year in another journal, without the plate, and so only *Pseudomorpha* was used; as such, Kirby (1823b) is the “First Reviser” and *Pseudomorpha* is the correct original spelling (ICZN 1999a: Article 24.2.4), therefore HETEROMORPHIDAE Hope, 1838 is corrected to PSEUDOMORPHIDAE Hope, 1838.

Tribe PTEROSTICHINI Bonelli, 1810

PTEROSTICHII Bonelli, 1810: Tabula Synoptica [stem: *Pterostich*-]. Type genus: *Pterostichus* Bonelli, 1810.

Subtribe ABACOMORPHINA Tschitschérine, 1902

ABACOMORPHINI Tschitschérine, 1902: 507 [stem: *Abacomorph*-]. Type genus: *Abacomorphus* Chaudoir, 1878. Comment: First Reviser (ABACOMORPHINA Tschitschérine, 1902 vs SPHODROSOMINA Tschitschérine, 1902) not determined, current usage maintained.

SPHODROSOMINI Tschitschérine, 1902: 507 [stem: *Sphodrosom-*]. Type genus: *Sphodrosomus* Perroud and Montrouzier, 1864.

Subtribe EUCHROINA Chaudoir, 1874

EUCHROIDES Chaudoir, 1874: 16 [stem: *Euchro-*]. Type genus: *Euchroa* Brullé, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Tschitschérine (1899: 84, as EUCHROI^NI), generally accepted as in Frania and Ball (2007: 12, as EUCHROI^NA).

Subtribe METIINA Straneo, 1951

ANTARCTIIDES Lacordaire, 1854a: 336 [stem: *Antarcti-*]. Type genus: *Antarctia* Dejean, 1828 [preoccupied genus name, not *Antarctia* Hübner, 1820 [Lepidoptera]; syn. of *Metius* Curtis, 1838]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Reed (1874: 58, as ANTARCTII^NAE), generally accepted as in Jeannel (1942: 734, as ANTARCTII^NAE); permanently invalid (Art. 39): based on preoccupied type genus.

METIINI Straneo, 1951: 56 [stem: *Meti-*]. Type genus: *Metius* Curtis, 1838.

KUSCHELININI Jeannel, 1967: 437 [stem: *Kuschelin-*]. Type genus: *Kuschelinus* Straneo, 1963.

Subtribe MICROCEPHALINA Tschitschérine, 1898

MICROCEPHALIDES Tschitschérine, 1898: 46 [stem: *Microcephal-*]. Type genus: *Microcephalus* Dejean, 1828. Comment: the older name MICROCEPHALI Latreille, 1825: 345 is unavailable (Art. 11.7.1.1) because it is not based on an available generic name [descriptive name for a group of STAPHYLINIDAE including *Tachyporus* and other genera with relatively small heads].

TICHONIINI Semenov, 1904a: 201 [stem: *Tichoni-*]. Type genus: *Tichonia* Semenov, 1904 [preoccupied genus name, not *Tichonia* Hübner, 1826 [Lepidoptera]; syn. of *Microcephalus* Dejean, 1828]. Comment: replacement name for MICROCEPHALINI Tschitschérine, 1898 because of the homonymy of the type genus; permanently invalid (Art. 39): based on preoccupied type genus.

TICHONILLINA Emden, 1958: 24 [stem: *Tichonill-*]. Type genus: *Tichonilla* Strand, 1942 [syn. of *Microcephalus* Dejean, 1828].

Subtribe PTEROSTICHINA Bonelli, 1810

PTEROSTICHII Bonelli, 1810: Tabula Synoptica [stem: *Pterostich-*]. Type genus: *Pterostichus* Bonelli, 1810. Comment: First Reviser (PTEROSTICHINA Bonelli, 1810 vs POECILINA Bonelli, 1810 vs MOLOPINA Bonelli, 1810) not determined, current usage maintained.

POECILII Bonelli, 1810: Tabula Synoptica [stem: *Poecil-*]. Type genus: *Poecilus* Bonelli, 1810.

- MOLOPIDES Bonelli, 1810: Tabula Synoptica [stem: *Molop-*]. Type genus: *Molops* Bonelli, 1810.
- FÉRONIENS Dejean, 1825: 3 [stem: *Feroni-*]. Type genus: *Feronia* Latreille, 1816 [syn. of *Poecilus* Bonelli, 1810]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Thon (1827: 15, as *FERONIAE*), generally accepted as in Schaum (1857a: 136, as *FERONIDAE*).
- TROGONOTOMIDAE Laporte, 1834b: 75 [stem: *Trigonotom-*]. Type genus: *Trigonotoma* Dejean, 1828. Comment: the original spelling was *TROGONOTOMIDAE*, but this was apparently a typographical error since both the vernacular spelling (*TRIGONOTOMITES*) and the genus name (*Trigonotoma*) were spelled with the stem "*Trigonotom-*" on the same page.
- CATADROMIENS Brullé, 1834: 277, 328 [stem: *Catadrom-*]. Type genus: *Catadromus* W. S. MacLeay, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Desmarest (1851: 143, as *CATADROMIDAE*).
- THALIADAE Hope, 1838a: 71 [stem: *Thali-*]. Type genus: *Thalia* Hope, 1838 [preoccupied genus name, not *Thalia* Blumenbach, 1827 [*Tunicata*]; syn. of *Poecilus* Bonelli, 1810]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- STOMIDAE Chadoir, 1846: 514 [stem: *Stomid-*]. Type genus: *Stomis* Clairville, 1806. Comment: incorrect original stem formation, not in prevailing usage.
- RHATHYMINAE H. W. Bates, 1891b: cccxxxiv [stem: *Rathym-*]. Type genus: *Rathymus* Dejean, 1831 [as *Rhathymus*, unjustified emendation of type genus name by Agassiz (1846b: 321), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.
- TRIGONOGNATHIDES Tschitschérine, 1898: 66 [stem: *Trigonognath-*]. Type genus: *Trigonognatha* Motschulsky, 1858.
- PLATYSMATINI Tschitschérine, 1899: 84 [stem: *Platysmat-*]. Type genus: *Platysma* Bonelli, 1810.
- CYRTODERINI Tschitschérine, 1902: 506 [stem: *Cyrtoder-*]. Type genus: *Cyrtoderus* Hope, 1842.
- DARODILIINI Tschitschérine, 1902: 506 [stem: *Darodili-*]. Type genus: *Darodilia* Laporte, 1867.
- DELINIINI Tschitschérine, 1902: 506 [stem: *Delini-*]. Type genus: *Delinius* Westwood, 1864.
- CYPHOSOMATINI Tschitschérine, 1902: 507 [stem: *Cyphosomat-*]. Type genus: *Cyphosoma* Hope, 1842 [preoccupied genus name, not *Cyphosoma* Mannerheim, 1837 [Coleoptera: *BUPRESTIDAE*]; syn. of *Cratogaster* Blanchard, 1853]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- MYADINA Jakobson, 1907: 334 [stem: *Myad-*]. Type genus: *Myas* Sturm, 1826.
- CRATOGASTRI Csiki, 1929: 524 [stem: *Cratogastr-*]. Type genus: *Cratogaster* Blanchard, 1843.

- ABAXINI Schuler, 1970: 115 [stem: *Abac-*]. Type genus: *Abax* Bonelli, 1810.
 Comment: incorrect original stem formation, not in prevailing usage.
 ARISTOCHROODINI Sciaky, 1996: 437 [stem: *Aristochrood-*]. Type genus: *Aristochroodes* Marcilhac, 1993.

Tribe SPHODRINI Laporte, 1834

SPHODRIDAE Laporte, 1834b: 78 [stem: *Sphodr-*]. Type genus: *Sphodrus* Clairville, 1806. Comment: published before 9 August 1834; First Reviser found (SPHODRINI Laporte, 1834 vs CALATHINI Laporte, 1834) is Habu (1978: 296).

Subtribe ATRANOPSINA Baehr, 1982

ATRANOPSINA Baehr, 1982: 265 [stem: *Atranops-*]. Type genus: *Atranopsis* Baehr, 1982. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Atranopse-*).

*PLATYDERINA Baehr, 1982: 265 [stem: *Platyder-*]. Type genus: *Platyderes* Stephens, 1827. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe CALATHINA Laporte, 1834

CALATHIDAE Laporte, 1834b: 71 [stem: *Calath-*]. Type genus: *Calathus* Bonelli, 1810.

Subtribe DOLICHINA Brullé, 1834

DOLICHIENS Brullé, 1834: 295 [stem: *Dolich-*]. Type genus: *Dolichus* Bonelli, 1810. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Hope (1838a: 72, as DOLICHIDAE), generally accepted as in Lorenz (2005: 399, as DOLICHINA); published “31 Dec” 1834, therefore SPHODRINI Laporte, 1834 and CALATHINI Laporte, 1834 have priority over this name for the tribe name.

Subtribe PRISTOSIINA Lindroth, 1956

PRISTOSIAE Lindroth, 1956: 489, in key [stem: *Pristosi-*]. Type genus: *Pristosia* Motschulsky, 1865.

*EUCALATHI Lindroth, 1956: 489, in key [stem: *Eucalath-*]. Type genus: *Eucalathus* H. W. Bates, 1883 [syn. of *Pristosia* Motschulsky, 1865]. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently.

Subtribe SPHODRINA Laporte, 1834

SPHODRIDAE Laporte, 1834b: 78 [stem: *Sphodr-*]. Type genus: *Sphodrus* Clairville, 1806.

PRISTONYCHIDAE Gistel, 1848: [2] [stem: *Pristonych-*]. Type genus: *Pristonychus* Dejean, 1828.

*LAEMOSTENINA Baehr, 1982: 265 [stem: *Laemosten-*]. Type genus: *Laemostenus* Bonelli, 1810. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe SYNUCHINA Lindroth, 1956

SYNUCHI Lindroth, 1956: 489, in key [stem: *Synuch-*]. Type genus: *Synuchus* Gyllenhal, 1810.

Tribe XENAROSWELLIANINI Erwin, 2007

XENAROSWELLIANINI Erwin, 2007: 563 [stem: *Xenaroswellian-*]. Type genus: *Xenaroswelliana* Erwin, 2007. Comment: the original spelling XENAROSWELLIANINI is considered a *lapsus calami* and the stem is corrected to *Xenaroswellian-* here.

Tribe ZABRINI Bonelli, 1810

ZABRIDES Bonelli, 1810: Tabula Synoptica [stem: *Zabr-*]. Type genus: *Zabrus* Clairville, 1806.

Subtribe AMARINA Zimmermann, 1832

AMAROIDEN C. Zimmermann, 1832: 6 [stem: *Amar-*]. Type genus: *Amara* Bonelli, 1810. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Laporte (1834b: 78, as AMARIDAE), generally accepted as in Hieke (2003: 547, as AMARINA).

ISOPLEURIDAE Kirby, 1837: 49 [stem: *Isopleur-*]. Type genus: *Isopleurus* Kirby, 1837 [syn. of *Celia* C. Zimmermann, 1832].

AGRONOMAEIDAE Gistel, 1848: [2] [stem: *Agronom-*]. Type genus: *Agronoma* Gistel, 1848 [*Carabus familiaris* Duftschmid, 1812, one of the species originally included, is here chosen as type species of *Agronoma* Gistel, 1848; **syn. nov.** of *Amara* Bonelli, 1810]. Comment: **syn. nov.**; incorrect original stem formation, not in prevailing usage.

PANGETEIDAE Gistel, 1856a: 358 [stem: *Panget-*]. Type genus: *Pangetes* Gistel, 1856 [syn. of *Amara* Bonelli, 1810]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe ZABRINA Bonelli, 1810

ZABRIDES Bonelli, 1810: Tabula Synoptica [stem: *Zabr-*]. Type genus: *Zabrus* Clairville, 1806.

Tribe ZUPHIINI Bonelli, 1810

ZUPHIETAE Bonelli, 1810: Tabula Synoptica [stem: *Zuphi-*]. Type genus: *Zuphium* Latreille, 1806.

Subtribe DICRODONTINA Machado, 1992

DICRODONTINI Machado, 1992: 569 [stem: *Dicrodont-*]. Type genus: *Dicrodontus* Chaudoir, 1872.

Subtribe LELEUPIDIINA Basilewsky, 1951

LELEUPIDIINI Basilewsky, 1951a: 178 [stem: *Leleupidi-*]. Type genus: *Leleupidia* Basilewsky, 1951.

Subtribe METAZUPHIINA Mateu, 1992

METAZUPHIINA Mateu, 1992: 198, in key [stem: *Metazuphi-*]. Type genus: *Metazuphium* Mateu, 1992.

Subtribe MISCHOCEPHALINA Mateu, 1992

MISCHOCEPHALINA Mateu, 1992: 198, in key [stem: *Mischocephal-*]. Type genus: *Mischocephalus* Chaudoir, 1863. Comment: this name was incorrectly spelled MISCHOCEPHALINA in the key on page 198 but correctly spelled MISCHOCEPHALINA on p. 203 of the same publication.

Subtribe PATRIZIINA Basilewsky, 1953

PATRIZIINI Basilewsky, 1953b: 266 [stem: *Patrizi-*]. Type genus: *Patrizia* Al-luaud, 1931.

Subtribe ZUPHIINA Bonelli, 1810

ZUPHIETAE Bonelli, 1810: Tabula Synoptica [stem: *Zuphi-*]. Type genus: *Zuphium* Latreille, 1806.

*POLYSTICHIDES Chaudoir, 1863: 308 [stem: *Polistich-*]. Type genus: *Polistichus* Bonelli, 1810 [as *Polystichus*, unjustified emendation of type genus name by Agassiz (1846b: 301), not in prevailing usage]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chaudoir (1863); incorrect original spelling of family-group name, not in prevailing usage.

POLYSTICHINAE H. W. Bates, 1886: 199 [stem: *Polistich-*]. Type genus: *Polistichus* Bonelli, 1810 [as *Polystichus*, unjustified emendation of type genus name by Agassiz (1846b: 301), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Family HALIPLIDAE Aubé, 1836

HALIPLIDES Aubé, 1836: 15 [stem: *Halipl-*]. Type genus: *Haliphus* Latreille, 1802. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Erichson (1837: 183, as HALIPLINI), generally accepted as in Lawrence and Newton (1995: 807, as HALIPLIDAE).

PELTODYTINAE Böving and Craighead, 1931: 17 [stem: *Peltodyt-*]. Type genus: *Peltodytes* Régimbart, 1879.

BRYCHIINI Ádám, 1996: 15 [stem: *Brychi-*]. Type genus: *Brychius* C. G. Thomson, 1859.

†Family TRIAPLIDAE Ponomarenko, 1977

TRIAPLIDAE Ponomarenko, 1977: 17 [stem: *Triapl-*]. Type genus: *Triapplus* Ponomarenko, 1977.

†Family COLYMBOTETHIDAE Ponomarenko, 1994

COLYMBOTETHIDAE Ponomarenko, 1994: 188 [stem: *Colymboteth-*]. Type genus: *Colybotethis* Ponomarenko, 1994.

†Family PARAHYGROBIIDAE Ponomarenko, 1977

PARAHYGROBIIDAE Ponomarenko, 1977: 19 [stem: *Parahygrobi-*]. Type genus: *Parahygrobia* Ponomarenko, 1977.

†Family COPTOCLAVIDAE Ponomarenko, 1961

COPTOCLAVIDAE Ponomarenko, 1961: 68 [stem: *Coptoclav-*]. Type genus: *Coptoclava* Ping, 1928.

†Subfamily NECRONECTINAE Ponomarenko, 1977

NECRONECTINAE Ponomarenko, 1977: 22 [stem: *Necronect-*]. Type genus: *Necronectes* Ponomarenko, 1977 [syn. of *Timarchopsis* Brauer, Redtenbacher and Ganglbauer, 1889].

†Subfamily CHARONOSCAPHINAE Ponomarenko, 1977

CHARONOSCAPHINAE Ponomarenko, 1977: 32 [stem: *Charonoscaph-*]. Type genus: *Charonoscapha* Ponomarenko, 1977.

†Subfamily COPTOCLAVINAE Ponomarenko, 1961

COPTOCLAVIDAE Ponomarenko, 1961: 68 [stem: *Coptoclav-*]. Type genus: *Coptoclava* Ping, 1928.

†Subfamily COPTOCLAVISCINAE Soriano, Ponomarenko and Delclos, 2007

COPTOCLAVISCINAE Soriano et al., 2007: 532 [stem: *Coptoclavisc-*]. Type genus: *Coptoclavisca* Ponomarenko, 1987.

†Subfamily HISPANOCLAVINAE Soriano, Ponomarenko and Delclos, 2007

HISPANOCLAVINAE Soriano et al., 2007: 527 [stem: *Hispanoclav-*]. Type genus: *Hispanoclava* Soriano, Ponomarenko and Delclos, 2007.

†Family LIADYTIDAE Ponomarenko, 1977

LIADYTIDAE Ponomarenko, 1977: 37 [stem: *Liadyt-*]. Type genus: *Liadytes* Ponomarenko, 1977.

Family MERUIDAE Spangler and Steiner, 2005

MERUIDAE Spangler and Steiner, 2005: 351 [stem: *Meru-*]. Type genus: *Meru* Spangler and Steiner, 2005.

Family NOTERIDAE Thomson, 1860

NOTERIDES C. G. Thomson, 1860: 34 [stem: *Noter-*]. Type genus: *Noterus* Clairville, 1806.

Subfamily NOTERINAE Thomson, 1860

NOTERIDES C. G. Thomson, 1860: 34 [stem: *Noter-*]. Type genus: *Noterus* Clairville, 1806.

Tribe NEOHYDROCOPTINI Zalat, Saleh, Angus and Kaschef, 2000

NEOHYDROCOPTINI Zalat et al., 2000: 11 [stem: *Neohydrocopt-*]. Type genus: *Neohydrocoptus* Satô, 1972.

Tribe NOTERINI Thomson, 1860

NOTERIDES C. G. Thomson, 1860: 34 [stem: *Noter-*]. Type genus: *Noterus* Clairville, 1806.

HYDROCANTHINI Sharp, 1880: cxlviii [stem: *Hydrocanth-*]. Type genus: *Hydrocanthus* Say, 1823.

SUPHISINI Sharp, 1880: cxlviii [stem: *Suphid-*]. Type genus: *Suphis* Aubé, 1836.
Comment: incorrect original stem formation, not in prevailing usage.

Tribe PRONOTERINI Nilsson, 2005

PRONOTERINI Nilsson, 2005: 90 [stem: *Pronoter-*]. Type genus: *Pronoterus* Sharp, 1882.

Tribe TONERINI Miller, 2009

TONERINI K. B. Miller, 2009: 201 [stem: *Toner-*]. Type genus: *Tonerus* K. B. Miller, 2009.

Subfamily NOTOMICRINAE Zimmermann, 1919

NOTOMICRINI A. Zimmermann, 1919: 110 [stem: *Notomicr-*]. Type genus: *Notomicrus* Sharp, 1882.

Subfamily PHREATODYTINAE Uéno, 1957

PHREATODYTIDAE Uéno, 1957: 251 [stem: *Phreatodyt-*]. Type genus: *Phreatodytes* Uéno, 1957.

Family AMPHIZOIDAE LeConte, 1853

AMPHIZOIDAE J. L. LeConte, 1853a: 227 [stem: *Amphizo-*]. Type genus: *Amphizoa* J. L. LeConte, 1853.

Family ASPIDYTIDAE Ribera, Beutel, Balke and Vogler, 2002

ASPIDYTIDAE Ribera et al., 2002: 2354 [stem: *Aspidyt-*]. Type genus: *Aspidytes* Ribera, Beutel, Balke and Vogler, 2002.

Family HYGROBIIDAE Régimbart, 1879 (1837)

PELOBIINAE Erichson, 1837: 182 [stem: *Paelobi-*]. Type genus: *Paelobius* Schönherr, 1808 [as *Pelobius*, unjustified emendation of type genus name by Erichson (1832: 45); syn. of *Hygrobia* Latreille, 1804]. Comment: use of younger family-group name HYGROBIIDAE Régimbart, 1879 conserved (Art. 40.2) (see Lawrence and Newton 1995: 808); incorrect original stem formation, not in prevailing usage.

HYGROBIINAE Régimbart, 1879: 449 [stem: *Hygrobi-*]. Type genus: *Hygrobia* Latreille, 1804 [the original spelling of the type genus, *Hygrobia*, has been corrected to *Hygrobia* and *Hygrobia* Latreille, 1804 placed on the Official List of Generic Names in Zoology (ICZN 1954)]. Comment: use of this name conserved over the older name PAELOBIIDAE Erichson, 1837 (Art. 40.2) (see Lawrence and Newton 1995: 808).

Family DYTISCIDAE Leach, 1815

DYTICIDES Leach, 1815: 84 [stem: *Dytisc-*]. Type genus: *Dytiscus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1961e)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1961e, as DYTISCIDAE Leach, 1817).

Subfamily AGABINAE Thomson, 1867

AGABIDES C. G. Thomson, 1867: 84 [stem: *Agab-*]. Type genus: *Agabus* Leach, 1817.

AGABININI Crotch, 1873d: 385 [stem: *Agabin-*]. Type genus: *Agabinus* Crotch, 1873 [syn. of *Platambus* C. G. Thomson, 1859].

ILYBII Acloque, 1896: 81 [stem: *Ilybi-*]. Type genus: *Ilybius* Erichson, 1832.

HYDRONEBRIINI Guignot, 1948: 168, in key [stem: *Hydronebri-*]. Type genus: *Hydronebrius* Jakovlev, 1897. Comment: printed in the issue of November 1948; this family-group name was also used in the same year by C. Brinck (1948 [December]: 112, as HYDRONEBRIINI).

HYDROTRUPINAE Roughley, 2000: 52 [stem: *Hydrotrup-*]. Type genus: *Hydrotrupes* Sharp, 1882.

Subfamily COLYMBETINAE Erichson, 1837

COLYMBETINI Erichson, 1837: 149 [stem: *Colymbet-*]. Type genus: *Colymbetes* Clairville, 1806.

Tribe ANISOMERIINI Brinck, 1948

ANISOMERIINI C. Brinck, 1948: 112 [stem: *Anisomeri-*]. Type genus: *Anisomeria* C. Brinck, 1943.

Tribe CARABDYTINI Pederzani, 1995

CARABDYTINI Pederzani, 1995: 45, in key [stem: *Carabdyt-*]. Type genus: *Carabdytes* Balke, Hendrich and Wewalka, 1992.

Tribe COLYMBETINI Erichson, 1837

COLYMBETINI Erichson, 1837: 149 [stem: *Colymbet-*]. Type genus: *Colymbetes* Clairville, 1806.

CYMATOPTERINI Portevin, 1929: 198, in key [stem: *Cymatopter-*]. Type genus: *Cymatopterus* Dejean, 1833 [syn. of *Colymbetes* Clairville, 1806].

Subfamily COPELATINAE Branden, 1885

COPELATINI Branden, 1885: 82 [stem: *Copelat-*]. Type genus: *Copelatus* Erichson, 1832.

Comment: First Reviser (COPELATINI Branden, 1885 vs AGLYMBINI Branden, 1885 vs LACCONNECTINI Branden, 1885) not determined, current usage maintained.

AGLYMBINI Branden, 1885: 87 [stem: *Aglymb-*]. Type genus: *Aglymbus* Sharp, 1882.

LACCONNECTINI Branden, 1885: 87 [stem: *Lacconnect-*]. Type genus: *Lacconectus* Motschulsky, 1855.

Subfamily COPTOTOMINAE Branden, 1885

COPTOTOMINI Branden, 1885: 88 [stem: *Coptotom-*]. Type genus: *Coptotomus* Say, 1830.

COPTOTOMINI C. Brinck, 1948: 112, 116 [stem: *Coptotom-*]. Type genus: *Coptotomus* Say, 1830. Comment: family-group name proposed as new without reference to COPTOTOMINI Branden, 1885.

Subfamily DYTISCINAE Leach, 1815

DYTICIDES Leach, 1815: 84 [stem: *Dytisc-*]. Type genus: *Dytiscus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1961e)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1961e, as DYTISCIDAE Leach, 1817).

Tribe ACILIINI Thomson, 1867

ACILIIDES C. G. Thomson, 1867: 84 [stem: *Acili-*]. Type genus: *Acilius* Leach, 1817 [placed on the Official List of Generic Names in Zoology (ICZN 1961e)].

THERMONECTINI Sharp, 1880: cl [stem: *Thermonect-*]. Type genus: *Thermonectus* Dejean, 1833.

GRAPHODERINI Houlbert, 1934: 126 [stem: *Graphoder-*]. Type genus: *Graphoderus* Dejean, 1833 [placed on the Official List of Generic Names in Zoology (ICZN 1961d)].

Tribe AUBEHYDRINI Guignot, 1942

AUBEHYDRINAE Guignot, 1942: 11 [stem: *Aubehydr-*]. Type genus: *Aubehydrus* Guignot, 1942 [syn. of *Notaticus* A. Zimmermann, 1928].

Tribe CYBISTERINI Sharp, 1880

CYBISTRINI Sharp, 1880: cl [stem: *Cybister*-]. Type genus: *Cybister* Curtis, 1827.
 Comment: incorrect original stem formation, not in prevailing usage.

Tribe DYTISCINI Leach, 1815

DYTICIDES Leach, 1815: 84 [stem: *Dytisc*-]. Type genus: *Dytiscus* Linnaeus, 1758
 [placed on the Official List of Generic Names in Zoology (ICZN 1961e)].
 Comment: incorrect original stem formation, not in prevailing usage; name placed on the Official List of Family-Group Names in Zoology (ICZN 1961e, as DYTISCIDAE Leach, 1817).

Tribe ERETINI Crotch, 1873

ERETINI Crotch, 1873d: 385 [stem: *Eret*-]. Type genus: *Eretes* Laporte, 1833.
 EUNECTINI Portevin, 1929: 208 [stem: *Eunect*-]. Type genus: *Eunectes* Erichson, 1832 [preoccupied genus name, not *Eunectes* Wagler, 1830 [Reptilia]; syn. of *Eretes* Laporte, 1833]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe HYDATICINI Sharp, 1880

HYDATICINI Sharp, 1880: cl [stem: *Hydatic*-]. Type genus: *Hydaticus* Leach, 1817.

Tribe HYDERODINI Miller, 2000

HYDERODINI K. B. Miller, 2000: 175 [stem: *Hyderod*-]. Type genus: *Hyderodes* Hope, 1838.

Subfamily HYDRODYTINAE Miller, 2001

HYDRODYTINAE K. B. Miller, 2001: 76 [stem: *Hydrodyt*-]. Type genus: *Hydrodytes* K. B. Miller, 2001.

Subfamily HYDROPORINAE Aubé, 1836

HYDROPORIDES Aubé, 1836: 15 [stem: *Hydropor*-]. Type genus: *Hydroporus* Clairville, 1806.

Tribe BIDESSINI Sharp, 1880

BIDESSINI Sharp, 1880: cxlviii [stem: *Bidess*-]. Type genus: *Bidessus* Sharp, 1882.

Tribe CARABHYDRINI Watts, 1978

CARABHYDRINI Watts, 1978: 26 [stem: *Carabhydr*-]. Type genus: *Carabhydrus* Watts, 1978.

Tribe HYDROPORINI Aubé, 1836

HYDROPORIDES Aubé, 1836: 15 [stem: *Hydropor*-]. Type genus: *Hydroporus* Clairville, 1806. Comment: original vernacular name available (Art. 11.7.2): first

used in latinized form by Erichson (1837: 166, as HYDROPORINI), generally accepted as in Nilsson (2003: 54, as HYDROPORINAE).

HYDROCOPTINI Branden, 1885: 13 [stem: *Hydrocopt-*]. Type genus: *Hydrocoptus* Motschulsky, 1853 [syn. of *Hydroporus* Clairville, 1806].

STERNOPRISCINI Branden, 1885: 38 [stem: *Sternoprisc-*]. Type genus: *Sternopriscus* Sharp, 1882.

SIETTITIINI Smrz, 1982: 289 [stem: *Siettiti-*]. Type genus: *Siettitia* Abeille de Perrier, 1904.

DERONECTINI Galewski, 1994: 98, in key [stem: *Deronect-*]. Type genus: *Deronectes* Sharp, 1882.

Tribe HYDROVATINI Sharp, 1880

HYDROVATINI Sharp, 1880: cxlviii [stem: *Hydrovat-*]. Type genus: *Hydrovatus* Motschulsky, 1853.

Tribe HYGROTINI Portevin, 1929

HYGROTINI Portevin, 1929: 180 [stem: *Hygrot-*]. Type genus: *Hygrotus* Stephens, 1828.

Tribe HYPHYDRINI Gistel, 1848

HYPHYDRIIDAE Gistel, 1848: [2] [stem: *Hiphydr-*]. Type genus: *Hyphydrus* Illiger, 1802. Comment: incorrect original stem formation, not in prevailing usage.

ACTOBAENIDAE Gistel, 1856a: 355 [stem: *Actobaen-*]. Type genus: *Actobaena* Gistel, 1856 [syn. of *Hyphydrus* Illiger, 1802].

PACHYDRINI Biström et al., 1997: 66 [stem: *Pachydr-*]. Type genus: *Pachydrus* Sharp, 1882.

Tribe LACCORNINI Wolfe and Roughley, 1990

LACCORNINI Wolfe and Roughley, 1990: 302 [stem: *Laccorn-*]. Type genus: *Laccornis* Gozis, 1914. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Laccornith-*).

Tribe METHLINI Branden, 1885

METHLIDAE Branden, 1885: 65 [stem: *Methl-*]. Type genus: *Methles* Sharp, 1882.

Comment: precedence (METHLINI Branden, 1885 vs CELININI Branden, 1885) given to taxon originally proposed at the higher rank (Art. 24.1).

CELININI Branden, 1885: 65 [stem: *Celin-*]. Type genus: *Celina* Aubé, 1837.

†Tribe SCHISTOMERINI Palmer, 1957

SCHISTOMERINI Palmer, 1957: 259 [stem: *Schistomer-*]. Type genus: *Schistomerus* Palmer, 1957.

Tribe VATELLINI Sharp, 1880

VATELLINI Sharp, 1880: cxlviii [stem: *Vatell-*]. Type genus: *Vatellus* Aubé, 1837
 [placed on the Official List of Generic Names in Zoology (ICZN 1992)].

Subfamily LACCOPHILINAE Gistel, 1848

LACCOPHILIDAE Gistel, 1848: [1] [stem: *Laccophil-*]. Type genus: *Laccophilus* Leach, 1815.

Tribe AGABETINI Branden, 1885

AGABETINI Branden, 1885: 87 [stem: *Agabet-*]. Type genus: *Agabetes* Crotch, 1873.

Tribe LACCOPHILINI Gistel, 1848

LACCOPHILIDAE Gistel, 1848: [1] [stem: *Laccophil-*]. Type genus: *Laccophilus* Leach, 1817.

Subfamily LANCETINAE Branden, 1885

LANCETINI Branden, 1885: 88 [stem: *Lancet-*]. Type genus: *Lancetes* Sharp, 1882.

Subfamily MATINAE Branden, 1885

MATINI Branden, 1885: 88 [stem: *Mat-*]. Type genus: *Matus* Aubé, 1836.

†Subfamily PALAEOGYRININAE Schlechtendal, 1894

PALAEOGYRINIDAE Schlechtendal, 1894: 200 [stem: *Palaeogyrin-*]. Type genus: *Palaeogyrinus* Schlechtendal, 1894.

†Subfamily LIADYTISCINAE Prokin and Ren, 2010

LIADYTISCINAE Prokin and Ren, 2010: 48 [stem: *Liadytisc-*]. Type genus: *Liadytiscus* Prokin and Ren, 2010.

Suborder POLYPHAGA**Series STAPHYLINIFORMIA****Superfamily HYDROPHILOIDEA Latreille, 1802**

HYDROPHILII Latreille, 1802: 136 [stem: *Hydrophil-*]. Type genus: *Hydrophilus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].
 Comment: First Reviser (HYDROPHILOIDEA Latreille, 1802 vs SPHAERIDIOIDEA Latreille, 1802) not determined, current usage maintained.

Family HYDROPHILIDAE Latreille, 1802

HYDROPHILII Latreille, 1802: 136 [stem: *Hydrophil-*]. Type genus: *Hydrophilus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].
 Comment: First Reviser (HYDROPHILIDAE Latreille, 1802 vs SPHAERIDIIDAE Latreille, 1802) not determined, current usage maintained.

Subfamily HELOPHORINAE Leach, 1815

HELOPHERIDA Leach, 1815: 95 [stem: *Helophor-*]. Type genus: *Helophorus* Fabricius, 1775 [the original spelling *Elophorus* Fabricius, 1775 was considered an incorrect original spelling and placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1993b); *Helophorus* Fabricius, 1775 was placed on the Official List of Generic Names in Zoology (ICZN 1993b)]. Comment: published in April 1815; incorrect original stem formation, not in prevailing usage; this family-group name was also used in the same year by Rafinesque (1815 [between April 1815 and 21 July 1815]: 112, as ELOPHORIA).

Subfamily EPIMETOPINAE Zaitzev, 1908

EPIMETOPINA Zaitzev, 1908: 353 [stem: *Epimetop-*]. Type genus: *Epimetopus* Lacordaire, 1854.

Subfamily GEORISSINAE Laporte, 1840

GÉORISSITES Laporte, 1840b: 44 [stem: *Georiss-*]. Type genus: *Georissus* Latreille, 1809 [placed on the Official List of Generic Names in Zoology (ICZN 1998)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heer (1841a: 471, as GEORISSIDA), generally accepted as in Hansen (2004: 42, as GEORISSIDAE).

Subfamily HYDROCHINAE Thomson, 1859

HYDROCHIDAE C. G. Thomson, 1859: 15 [stem: *Hydroch-*]. Type genus: *Hydrochus* Leach, 1817.

Subfamily SPERCHEINAE Erichson, 1837

SPERCHEINI Erichson, 1837: 193 [stem: *Sperche-*]. Type genus: *Spercheus* Kugelann, 1798.

Subfamily HORELOPHINAE Hansen, 1991

HORELOPHINAE Hansen, 1991: 104 [stem: *Horeloph-*]. Type genus: *Horelophus* Orchymont, 1913.

Subfamily HORELOPHOPSINAE Hansen, 1997

HORELOPHOPSINAE Hansen, 1997: 108 [stem: *Horelophops-*]. Type genus: *Horelophopsis* Hansen, 1997. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Horelophopse-*).

Subfamily HYDROPHILINAE Latreille, 1802

HYDROPHILII Latreille, 1802: 136 [stem: *Hydrophil-*]. Type genus: *Hydrophilus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe ANACAENINI Hansen, 1991

ANACAENINI Hansen, 1991: 129 [stem: *Anacaen-*]. Type genus: *Anacaena* C. G. Thomson, 1859.

Tribe BEROSINI Mulsant, 1844

BÉROSAIRES Mulsant, 1844: 97 [stem: *Beros-*]. Type genus: *Berosus* Leach, 1817 [placed on the Official List of Generic Names in Zoology (ICZN 1990a)].

Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by C. G. Thomson (1859: 17, as *BEROSINA*), generally accepted as in Hansen (2004: 46, as *BEROSINI*).

DERALLINI Bertrand, 1967: 86, in key [stem: *Derall-*]. Type genus: *Derallus* Sharp, 1882.

Tribe CHAETARTHRIINI Bedel, 1881

*CYLLIDIAIRES Mulsant, 1844: 143 [stem: *Cyllidi-*]. Type genus: *Cyllidium* Erichson, 1837 [syn. of *Chaetarthria* Stephens, 1835]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

CHAETARTHRIINI Bedel, 1881: 314 [stem: *Chaetarthri-*]. Type genus: *Chaetarthria* Stephens, 1835.

AMPHIOPITAE Kuwert, 1890: 120 [stem: *Amphiop-*]. Type genus: *Amphiops* Erichson, 1843.

Tribe HYDROPHILINI Latreille, 1802

HYDROPHILII Latreille, 1802: 136 [stem: *Hydrophil-*]. Type genus: *Hydrophilus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subtribe ACIDOCERINA Zaitzev, 1908

*PHILHYDRATES Mulsant, 1844: 131 [stem: *Philydr-*]. Type genus: *Philydrus* Solier, 1834 [as *Philhydrus*, incorrect subsequent spelling of type genus name, not in prevailing usage; preoccupied genus name, not *Philydrus* Duftschmid, 1805 [Coleoptera: ELMIDAE]; syn. of *Enochrus* C. G. Thomson, 1859]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant (1844); incorrect original stem formation, not in prevailing usage.

PHILHYDRIDA J. E. LeConte, 1849: 27 [stem: *Philydr-*]. Type genus: *Philydrus* Solier, 1834 [as *Philhydrus*, incorrect subsequent spelling of type genus name, not in prevailing usage; preoccupied genus name, not *Philydrus* Duftschmid, 1805 [Coleoptera: ELMIDAE]; syn. of *Enochrus* C. G. Thomson, 1859]. Comment: incorrect original stem formation, not in prevailing usage; permanently invalid (Art. 39): based on preoccupied type genus.

HELOPELTINI G. H. Horn, 1873: 118 [stem: *Helopelt-*]. Type genus: *Helopeltis* G. H. Horn, 1873 [preoccupied genus name, not *Helopeltis* Signoret, 1858]

[Hemiptera]; syn. of *Helobata* Berghroth, 1888]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ACIDOCERINI Zaitzev, 1908: 353 [stem: *Acidocer-*]. Type genus: *Acidocerus* Klug, 1855.

HELOCHARAE Orchymont, 1919: 147 [stem: *Helochar-*]. Type genus: *He-lochares* Mulsant, 1844 [placed on the Official List of Generic Names in Zoology (ICZN 1964)]. Comment: senior homonym of HELOCHARINI Metcalf, 1965 in Homoptera (type genus *Helochara* Fitch, 1851), the homopteran name does not appear to be available (Art. 13.1).

Subtribe GLOBULOSEINA García, 2001

GLOBULINA García, 2001: 153 [stem: *Globulose-*]. Type genus: *Globulosis* García, 2001. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe HYDROBIUSINA Mulsant, 1844

HYDROBIAIRES Mulsant, 1844: 116 [stem: *Hydrobius-*]. Type genus: *Hydrobius* Leach, 1815 [placed on the Official List of Generic Names in Zoology (ICZN 1990a)]. Comment: spelling emended to *Hydrobius-* to avoid homonymy with HYDROBIIDAE Troschel, 1857 in Mollusca (type genus *Hydrobia* Hartmann, 1821) (ICZN 2003a); HYDROBIUSINA Mulsant, 1844 placed on the Official List of Family-Group Names in Zoology (ICZN 2003a); HYDROBIINA Mulsant, 1844 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 2003a); the family-group name HYDROBIA was used earlier by Rafinesque (1815: 110) but since the list of genera did not include *Hydrobius*, it was probably not based on that genus name.

Subtribe HYDROPHILINA Latreille, 1802

HYDROPHILII Latreille, 1802: 136 [stem: *Hydrophil-*]. Type genus: *Hydrophilus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

HYDATOPHILIDAE Gistel, 1856a: 353 [stem: *Hydatophil-*]. Type genus: *Hydatophilus* Gistel, 1856 [syn. of *Hydrophilus* Geoffroy, 1762]. Comment: published by 18 February 1856; this family-group name was also used in the same year by Gistel (1856b ["31 December"]: 95, as HYDATOPHILIDA).

Tribe LACCOBIINI Houlbert, 1922

LACCOBIINI Houlbert, 1922a: 154, in key [stem: *Laccobi-*]. Type genus: *Laccobius* Erichson, 1837. Comment: family-group name previously attributed to Bertrand (1954: 439; see Hansen 2004).

OOCYCLINI Hansen, 1991: 136 [stem: *Oocycl-*]. Type genus: *Oocyclus* Sharp, 1882.

Tribe SPERCHOPSINI Hansen, 1991

SPERCHOPSINI Hansen, 1991: 108 [stem: *Sperchops-*]. Type genus: *Sperchopsis* J. L. LeConte, 1861. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Sperchopse-*).

Subfamily SPAERIDIINAE Latreille, 1802

SPAERIDIOTA Latreille, 1802: 135 [stem: *Sphaeridi-*]. Type genus: *Sphaeridium* Fabricius, 1775.

Tribe ANDOTYPINI Hansen, 1991

ANDOTYPINI Hansen, 1991: 186 [stem: *Andotyp-*]. Type genus: *Andotypus* Span-gler, 1979.

Tribe BORBOROPHORINI Hansen, 1991

BORBOROPHORINI Hansen, 1991: 190 [stem: *Borborophor-*]. Type genus: *Borborophorus* Hansen, 1990.

Tribe COELOSTOMATINI Heyden, 1891 (1890)

*CYCLONOTIDES Motschulsky, 1857: 74 [stem: *Cyclonot-*]. Type genus: *Cyclonotum* Erichson, 1837 [syn. of *Coelostoma* Brullé, 1835]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1857).

CYCLONOTIDES G. H. Horn, 1890: 281 [stem: *Cyclonot-*]. Type genus: *Cyclonotum* Erichson, 1837 [syn. of *Coelostoma* Brullé, 1835]. Comment: use of younger family-group name COELOSTOMATINI L. Heyden, 1891 conserved (Art. 40.2).

COELOSTOMITAE L. Heyden, 1891: 71 [stem: *Coelostomat-*]. Type genus: *Coelos-toma* Brullé, 1835. Comment: incorrect original stem formation, not in prevailing usage; use of family-group name conserved over CYCLONOTINI G. H. Horn, 1890 (Art. 40.2) (see Hansen 1991); Hansen (1991: 282) mentions that “CYCLONATAIRES Rey, 1886” is the oldest name for this tribe but he used Art. 40b of the then Code to conserve usage of COELOSTOMATINI L. Heyden, 1891; we could not find any instance where the requirements of Art. 11.7.2 were met and therefore treat the vernacular name CYCLONATAIRES as unavailable.

CYLOMINA Zaitzev, 1908: 400 [stem: *Cylomat-*]. Type genus: *Cyloma* Sharp, 1872 [as *Cylloma*, unjustified emendation of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe MEGASTERNINI Mulsant, 1844

MÉGASTERNAIRES Mulsant, 1844: 186 [stem: *Megastern-*]. Type genus: *Megaster-num* Mulsant, 1844 [placed on the Official List of Generic Names in Zoology (ICZN 1981b)]. Comment: original vernacular name available (Art. 11.7.2):

first used in latinized form by G. H. Horn (1890: 307, as MEGASTERNI), generally accepted as in Hansen (2004: 61, as MEGASTERNINI).

CERCYONES G. H. Horn, 1890: 287 [stem: *Cercyon*-]. Type genus: *Cercyon* Leach, 1817.

Tribe OMICRINI Smetana, 1975

OMICRINI Smetana, 1975: 155 [stem: *Omicr*-]. Type genus: *Omicrus* Sharp, 1879.

Tribe PROTOSTERNINI Hansen, 1991

PROTOSTERNINI Hansen, 1991: 212 [stem: *Protostern*-]. Type genus: *Protosternum* Sharp, 1890.

Tribe RYGMODINI Orchymont, 1916

RYGMODINI Orchymont, 1916: 238 [stem: *Rygmod*-]. Type genus: *Rygmodus* A. White, 1846.

RYGMODINI Orchymont, 1919: 105 [stem: *Rygmod*-]. Type genus: *Rygmodus* A. White, 1846. Comment: family-group name proposed as new without reference to RYGMODINI Orchymont, 1916.

Tribe SPHAERIDIINI Latreille, 1802

SPHAERIDIOTA Latreille, 1802: 135 [stem: *Sphaeridi*-]. Type genus: *Sphaeridium* Fabricius, 1775. Comment: Latreille also used the incorrect original spelling SPHÉRIDIOTE on page 138 of the same work.

Tribe TORMISSINI Hansen, 1991

TORMISSINI Hansen, 1991: 181 [stem: *Tormiss*-]. Type genus: *Tormissus* Broun, 1893.

Family SPHAERITIDAE Shuckard, 1839

SPHAERITIDAE Shuckard, 1839a: 149 [stem: *Sphaerit*-]. Type genus: *Sphaerites* Duftschmid, 1805.

Family SYNTELIIDAE Lewis, 1882

SYNTELIIDAE Lewis, 1882: 137 [stem: *Synteli*-]. Type genus: *Syntelia* Westwood, 1864.

Family HISTERIDAE Gyllenhal, 1808

HISTEROIDES Gyllenhal, 1808: 74 [stem: *Hister*-]. Type genus: *Hister* Linnaeus, 1758.

Subfamily NIPONIINAE Fowler, 1912

NIPONIIDAE Fowler, 1912: 93 [stem: *Niponi*-]. Type genus: *Niponius* Lewis, 1885.

Subfamily ABRAEINAE MacLeay, 1819

ABREIDAE W. S. MacLeay, 1819: 25 [stem: *Abrae*-]. Type genus: *Abraeus* Leach, 1817.

Tribe ABRAEINI MacLeay, 1819

ABREIDAE W. S. MacLeay, 1819: 25 [stem: *Abrae-*]. Type genus: *Abraeus* Leach, 1817.

Tribe ACRITINI Wenzel, 1944

ACRITINI Wenzel, 1944: 55, in key [stem: *Acrit-*]. Type genus: *Acritus* J. L. Le Conte, 1853.

Tribe ACRITOMORPHINI Wenzel, 1944

ACRITOMORPHINI Wenzel, 1944: 55, in key [stem: *Acritomorph-*]. Type genus: *Acritomorphus* Wenzel, 1944.

Tribe PLEGADERINI Portevin, 1929

PLEGADERINI Portevin, 1929: 601, in key [stem: *Plegader-*]. Type genus: *Plegaderus* Erichson, 1834.

Tribe TERETRIINI Bickhardt, 1914

TERETRIINAE Bickhardt, 1914: 306 [stem: *Teretri-*]. Type genus: *Teretrius* Erichson, 1834.

Subfamily TRYPETICINAE Bickhardt, 1913

TRYPETICINAE Bickhardt, 1913: 166 [stem: *Trypetic-*]. Type genus: *Trypeticus* Marseul, 1864.

Subfamily TRYPANAEINAE Marseul, 1857

TRYPANÉENS Marseul, 1857b: 148 [stem: *Trypanae-*]. Type genus: *Trypanaeus* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Jakobson (1910: 638, as TRYPANAEINA), generally accepted as in Newton and Thayer (1992: 25, as TRYPANAEINAE); incorrect stem formation, not in prevailing usage.

Subfamily SAPRININAE Blanchard, 1845

SAPRINITES Blanchard, 1845a: 276 [stem: *Saprin-*]. Type genus: *Saprinus* Erichson, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Fairmaire and Laboulbène (1855: 273, as SAPRINII), generally accepted as in Mazur (2004: 90, as SAPRININAE).

MYRMETINI Portevin, 1929: 593 [stem: *Myrmet-*]. Type genus: *Myrmetes* Marseul, 1862.

Subfamily DENDROPHILINAE Reitter, 1909

DENDROPHILINI Reitter, 1909: 288 [stem: *Dendrophil-*]. Type genus: *Dendrophilus* Leach, 1817. Comment: First Reviser (DENDROPHILINAE Reitter, 1909 vs PAROMALINAE Reitter, 1909) not determined, current usage maintained.

Tribe ANAPLEINI Olexa, 1982

ANAPLEINI Olexa, 1982: 38 [stem: *Anaple-*]. Type genus: *Anapleus* G. H. Horn, 1873.

Tribe BACANIINI Kryzhanovskij, 1976

*BACANIINI Vienna, 1974: 273 [stem: *Bacani-*]. Type genus: *Bacanius* J. L. Le Conte, 1853. Comment: unavailable name (Art. 13.1): proposed after 1930 without description or bibliographic reference to such a description.

BACANIINI Kryzhanovskij, 1976: 266 [stem: *Bacani-*]. Type genus: *Bacanius* J. L. LeConte, 1853.

Tribe DENDROPHILINI Reitter, 1909

DENDROPHILINI Reitter, 1909: 288 [stem: *Dendrophil-*]. Type genus: *Dendrophilus* Leach, 1817.

Tribe PAROMALINI Reitter, 1909

PAROMALINI Reitter, 1909: 287 [stem: *Paromal-*]. Type genus: *Paromalus* Erichson, 1834.

Subfamily ONTHOPHILINAE MacLeay, 1819

ONTHOPHILIDAE W. S. MacLeay, 1819: 25 [stem: *Onthophil-*]. Type genus: *Onthophilus* Leach, 1817.

SCOLYTINI Jakobson, 1911a: 652 [stem: *Scolyt-*]. Type genus: *Scolytus* Müller, 1764 [preoccupied genus name, not *Scolytus* Geoffroy, 1762 [Coleoptera: CURCULIONIDAE]; syn. of *Onthophilus* Leach, 1817]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Subfamily TRIBALINAE Bickhardt, 1914

TRIBALINI Bickhardt, 1914: 307 [stem: *Tribal-*]. Type genus: *Tribalus* Erichson, 1834.

Subfamily HISTERINAE Gyllenhal, 1808

HISTEROIDES Gyllenhal, 1808: 74 [stem: *Hister-*]. Type genus: *Hister* Linnaeus, 1758.

Tribe EXOSTERNINI Bickhardt, 1914

EXOSTERNINI Bickhardt, 1914: 308 [stem: *Exostern-*]. Type genus: *Exosternus* Lewis, 1902.

Tribe HISTERINI Gyllenhal, 1808

HISTEROIDES Gyllenhal, 1808: 74 [stem: *Hister-*]. Type genus: *Hister* Linnaeus, 1758. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Histr-*).

Tribe HOOLEPTINI Hope, 1840

HOOLEPTIDAE Hope, 1840a: 106 [stem: *Hololept-*]. Type genus: *Hololepta* Paykull, 1811. Comment: W. S. MacLeay (1819: 25) published the name OMOLEPTIDAE, presumably as a *lapsus calami* for HOOLEPTIDAE, but he did not cite the type genus, nor did he use the family-group name subsequently; in the absence of validating evidence we treat OMOLEPTIDAE as a *nomen dubium*.

Tribe OMALODINI Kryzhanovskij, 1972

*OMALODINI A. N. Reichardt, 1941: 37 [stem: *Omalod-*]. Type genus: *Omalodes* Dejean, 1833. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

OMALODINI Kryzhanovskij, 1972: 19 [stem: *Omalod-*]. Type genus: *Omalodes* Dejean, 1833.

Tribe PLATYSOMATINI Bickhardt, 1914

PLATYSOMINI Bickhardt, 1914: 307 [stem: *Platysomat-*]. Type genus: *Platysoma* Leach, 1817. Comment: incorrect original stem formation, not in prevailing usage; correction of original spelling by Mazur (1973); the corrected spelling should be used in order to avoid homonymy with PLATYSOMIDAE Young, 1866 (type genus *Platysomus* Agassiz, 1833) in Pisces.

ALTHANINI Cooman, 1939: 138 [stem: *Althan-*]. Type genus: *Althanus* Lewis, 1903.

Subfamily HAETERIINAE Marseul, 1857

HÉTÉRIENS Marseul, 1857b: 148 [stem: *Haeteri-*]. Type genus: *Haeterius* Dejean, 1833 [as *Hetaerius*, incorrect subsequent spelling of type genus name, not in prevailing usage].

Tribe HAETERIINI Marseul, 1857

HÉTÉRIENS Marseul, 1857b: 148 [stem: *Haeteri-*]. Type genus: *Haeterius* Dejean, 1833 [as *Hetaerius*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Schmidt (1885: 283, as HETAERIINI [incorrect stem formation]), generally accepted as in Mazur (2004: 75, as HAETERIINAE); incorrect stem formation, not in prevailing usage, correction of original spelling by Bousquet and Laplante (1999: 104).

Tribe NYMPHISTRINI Tishechkin, 2007

NYMPHISTERINI Tishechkin, 2007: 51 [stem: *Nymphistr-*]. Type genus: *Nymphister* Reichenberger, 1933. Comment: incorrect original stem formation, not in prevailing usage.

Tribe SYNODITULINI Tishechkin, 2007

SYNODITULINI Tishechkin, 2007: 50 [stem: *Synoditul-*]. Type genus: *Synoditulus* Reichensperger, 1924.

Subfamily CHLAMYDOPSINAE Bickhardt, 1914

CHLAMYDOPSINI Bickhardt, 1914: 308 [stem: *Chlamydops-*]. Type genus: *Chlamydopsis* Westwood, 1869. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Chlamydopse-*).

Superfamily STAPHYLINOIDEA Latreille, 1802

STAPHYLINIAE Latreille, 1802: 124 [stem: *Staphylin-*]. Type genus: *Staphylinus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1959a)]. Comment: First Reviser (STAPHYLINOIDEA Latreille, 1802 vs PSELAPHOIDEA Latreille, 1802) not determined, current usage maintained.

Family HYDRAENIDAE Mulsant, 1844

HYDRAENAIRES Mulsant, 1844: 50 [stem: *Hydraen-*]. Type genus: *Hydraena* Kugelann, 1794.

Subfamily ORCHYMONTINAE Perkins, 1997

ORCHYMONTINAE Perkins, 1997: 189 [stem: *Orchymonti-*]. Type genus: *Orchymontia* Broun, 1919. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily PROSTHETOPINAE Perkins, 1994

PROSTHETOPINAE Perkins, 1994: 7 [stem: *Prosthetop-*]. Type genus: *Prosthetops* C. O. Waterhouse, 1879. Comment: precedence (NUCLEOTOPINAE Perkins, 1994 vs PARASTHETOPINAE Perkins, 1994 vs PROSTHETOPINAE Perkins, 1994 vs PROTOSTHETOPINAE Perkins, 1994 vs PTEROSTHETOPINAE Perkins, 1994) given to taxon originally proposed at the higher rank (Art. 24.1).

Tribe COELOMETOPONINI Perkins, 2005

COELOMETOPONINI Perkins, 2005: 9 [stem: *Coelometopon-*]. Type genus: *Coelometopon* Janssens, 1972. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Coelometop-*).

Tribe NUCLEOTOPINI Perkins, 1994

NUCLEOTOPINI Perkins, 1994: 8, in key [stem: *Nucleotop-*]. Type genus: *Nucleotops* Perkins and Balfour-Browne, 1994.

Tribe PARASTHETOPINI Perkins, 1994

PARASTHETOPINI Perkins, 1994: 8, in key [stem: *Parasthetop-*]. Type genus: *Parasthetops* Perkins and Balfour-Browne, 1994.

Tribe PROSTHETOPINI Perkins, 1994

PROSTHETOPINAE Perkins, 1994: 7 [stem: *Prosthetop*-]. Type genus: *Prosthetops* C. O. Waterhouse, 1879.

Tribe PROTOSTHETOPINI Perkins, 1994

PROTOSTHETOPINI Perkins, 1994: 8, in key [stem: *Protosthetop*-]. Type genus: *Protosthetops* Perkins, 1994.

Tribe PTEROSTHETOPINI Perkins, 1994

PTEROSTHETOPINI Perkins, 1994: 9, in key [stem: *Pterosthetop*-]. Type genus: *Pterosthetops* Perkins, 1994.

Subfamily HYDRAENINAE Mulsant, 1844

HYDRAENAIRES Mulsant, 1844: 50 [stem: *Hydraen*-]. Type genus: *Hydraena* Kugelann, 1794. Comment: First Reviser (HYDRAENINAE Mulsant, 1844 vs LIMNEBIINAE Mulsant, 1844) not determined, current usage maintained.

Tribe HYDRAENIDINI Perkins, 1980

HYDRAENIDINI Perkins, 1980: 414 [stem: *Hydraenid*-]. Type genus: *Hydraenida* Germain, 1901.

Tribe HYDRAENINI Mulsant, 1844

HYDRAENAIRES Mulsant, 1844: 50 [stem: *Hydraen*-]. Type genus: *Hydraena* Kugelann, 1794. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1848: [1], as HYDRAENAEIDAE [incorrect stem formation]), generally accepted as in Jäch (2004: 102, as HYDRAENINI).

Tribe LIMNEBIINI Mulsant, 1844

LIMNÉBIAIRES Mulsant, 1844: 88 [stem: *Limnebi*-]. Type genus: *Limnebius* Leach, 1815. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by C. G. Thomson (1859: 14, as LIMNEBIIDAE), generally accepted as in Jäch (2004: 110, as LIMNEBIINI).

Tribe MADAGASTRINI Perkins, 1997

MADAGASTRINI Perkins, 1997: 176 [stem: *Madagastr*-]. Type genus: *Madagaster* Perkins, 1997.

Tribe PARHYDRAENINI Perkins, 1997

PARHYDRAENINI Perkins, 1997: 170 [stem: *Parhydraen*-]. Type genus: *Parhydraena* Orchymont, 1937.

Subfamily OCHTHEBIINAE Thomson, 1859

OCHTEBIIDAE C. G. Thomson, 1859: 15 [stem: *Ochthebi-*]. Type genus: *Ochthebius* Leach, 1815 [placed on the Official List of Generic Names in Zoology (ICZN 1991a)].

Tribe OCHTHEBIINI Thomson, 1859

OCHTEBIIDAE C. G. Thomson, 1859: 15 [stem: *Ochthebi-*]. Type genus: *Ochthebius* Leach, 1815 [placed on the Official List of Generic Names in Zoology (ICZN 1991a)].

Subtribe ENICOCERINA Perkins, 1997

ENICOCERINA Perkins, 1997: 157 [stem: *Enicocer-*]. Type genus: *Enicocerus* Stephens, 1829.

Subtribe MEROPATHINA Perkins, 1997

MEROPATHINA Perkins, 1997: 143 [stem: *Meropath-*]. Type genus: *Meropathus* Enderlein, 1901.

Subtribe NEOCHTHEBINA Perkins, 1997

NEOCHTHEBINA Perkins, 1997: 152 [stem: *Neochthebi-*]. Type genus: *Neochthebius* Orchymont, 1932. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe OCHTHEBIINA Thomson, 1859

OCHTEBIIDAE C. G. Thomson, 1859: 15 [stem: *Ochthebi-*]. Type genus: *Ochthebius* Leach, 1815 [as *Ochtebius*, incorrect subsequent spelling of type genus name, not in prevailing usage; *Ochthebius* placed on the Official List of Generic Names in Zoology (ICZN 1991a)]. Comment: incorrect original stem formation, not in prevailing usage.

OCHTHEBIINAE Perkins, 1980: 414 [stem: *Ochthebi-*]. Type genus: *Ochthebius* Leach, 1815 [placed on the Official List of Generic Names in Zoology (ICZN 1991a)]. Comment: family-group name proposed as new without reference to OCHTEBIIDAE C. G. Thomson, 1859.

Subtribe PROTOCHTHEBIINA Perkins, 1997

PROTOCHTHEBIINA Perkins, 1997: 152 [stem: *Protochthebi-*]. Type genus: *Prototchthebius* Perkins, 1997.

Tribe OCHTHEOSINI Perkins, 1997

OCHTHEOSINI Perkins, 1997: 123 [stem: *Ochtheos-*]. Type genus: *Ochtheos* Perkins, 1997.

Family PTILIIDAE Erichson, 1845

PTILINA Erichson, 1845: 15 [stem: *Ptili-*]. Type genus: *Ptilium* Gyllenhal, 1827 [placed on the Official List of Generic Names in Zoology (ICZN 1984b)].

Subfamily PTILIINAE Erichson, 1845

PTILINA Erichson, 1845: 15 [stem: *Ptili-*]. Type genus: *Ptilium* Gyllenhal, 1827 [placed on the Official List of Generic Names in Zoology (ICZN 1984b)].

Tribe DISCHERAMOCEPHALINI Grebennikov, 2009

DISCHERAMOCEPHALINI Grebennikov, 2009: 115 [stem: *Discheramocephal-*]. Type genus: *Discheramocephalus* C. Johnson, 2007.

Tribe NANOSELLINI Barber, 1924

NANOSELLINAE Barber, 1924: 170 [stem: *Nanosell-*]. Type genus: *Nanosella* Motschulsky, 1869.

Tribe PTENIDIINI Flach, 1889

PTENIDIINI Flach, 1889: 489 [stem: *Ptenidi-*]. Type genus: *Ptenidium* Erichson, 1845 [placed on the Official List of Generic Names in Zoology and given precedence over the generic name *Anisarthria* Stephens, 1830 whenever the two names are considered synonyms (ICZN 1984b)].

Tribe PTILIINI Erichson, 1845

*PTILINA Heer, 1843: 60 [stem: *Ptili-*]. Type genus: *Ptilium* Gyllenhal, 1827 [as a synonym of *Trichopteryx* Kirby, 1826; *Ptilium* Gyllenhal, 1827 placed on the Official List of Generic Names in Zoology (ICZN 1984b)]. Comment: family-group name unavailable (Art. 11.7.1.1): not based on a genus used as valid at the time; incorrect original stem formation, not in prevailing usage.

PTILINA Erichson, 1845: 15 [stem: *Ptili-*]. Type genus: *Ptilium* Gyllenhal, 1827 [placed on the Official List of Generic Names in Zoology (ICZN 1984b)]. Comment: published 28 May 1845; incorrect original stem formation, not in prevailing usage; this family-group name was also used in the same year by Motschulsky (1845 [after 6 August]: 504, as *Ptiliën*); Motschulsky's name, originally proposed in a vernacular form, was treated as available by Lawrence and Newton (1995: 818).

PTILOPTERIIDAE Gistel, 1848: [4] [stem: *Ptilopteri-*]. Type genus: *Ptilopterium* Gistel, 1848 [syn. of *Ptilium* Gyllenhal, 1827].

ACTIDIINI Portevin, 1929: 568, in key [stem: *Actidi-*]. Type genus: *Actidium* A. Matthews, 1868.

Tribe PTINELLINI Reitter, 1906 (1891)

NEUGLENINI Reitter, 1891: 146 [stem: *Neuglen-*]. Type genus: *Neuglenes* C. G. Thomson, 1859 [syn. of *Ptinella* Motschulsky, 1844].

PTINELLINI Reitter, 1906: 259 [stem: *Ptinell-*]. Type genus: *Ptinella* Motschulsky, 1844 [placed on the Official List of Generic Names in Zoology (ICZN 1985b)]. Comment: name proposed to replace NEUGLENINI Reitter, 1891 because of the synonymy of the type genus; use of younger family-group name PTINELLINI Reitter, 1906 conserved (Art. 40.2).

*PTERYCINI Dybas, 1966: 16, 44 [stem: *Pteryg-*]. Type genus: *Pteryx* A. Matthews, 1858. Comment: incorrect original stem formation, not in prevailing usage; the earlier usage of “PTERYCINE group” by Dybas (1955: 562) is unavailable because it is not a noun (Art. 11.7.1.1); also this name has been used subsequently by Hall (2003: 85) but the name PTERYCINI has not been made available yet (see Hall 2005: 257).

Subfamily CEPHALOPLECTINAE Sharp, 1883

CEPHALOPLECTINAE Sharp, 1883: 295 [stem: *Cephaloplect-*]. Type genus: *Cephaloplectus* Sharp, 1883.

LIMULODINAE Ganglbauer, 1898: 297 [stem: *Limulod-*]. Type genus: *Limulodes* A. Matthews, 1866.

Subfamily ACROTRICHINAE Reitter, 1909 (1856)

TRICHOPTERYGIA Erichson, 1845: 13 [stem: *Trichopteryg-*]. Type genus: *Trichopteryx* Kirby, 1826 [preoccupied genus name, not *Trichopteryx* Hübner, 1825 [Lepidoptera]; syn. of *Acrotrichis* Motschulsky, 1848]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

CLEOPTERIIDAE Gistel, 1856a: 360 [stem: *Cleopteri-*]. Type genus: *Cleopterium* Gistel, 1856 [syn. of *Acrotrichis* Motschulsky, 1848]. Comment: use of younger family-group name ACROTRICHINAE Reitter, 1909 conserved (Art. 40.2) (see Newton and Thayer 1992: 44).

ACROTRICHINI Reitter, 1909: 272 [stem: *Acrotrich-*]. Type genus: *Acrotrichis* Motschulsky, 1848. Comment: use of family-group name conserved over CLEOPTERIINAE Gistel, 1856 (Art. 40.2) (see Newton and Thayer 1992: 44).

NEPHANINI Portevin, 1929: 573, in key [stem: *Nephan-*]. Type genus: *Nephanes* C. G. Thomson, 1859 [placed on the Official List of Generic Names in Zoology (ICZN 1985b)].

Family AGYRTIDAE Thomson, 1859

AGYRTIDAE C. G. Thomson, 1859: 57 [stem: *Agyrt-*]. Type genus: *Agyrtes* Frölich, 1799.

Subfamily AGYRTINAE Thomson, 1859

*AGYRTES Motschulsky, 1849: 57 [stem: *Agyrt-*]. Type genus: *Agyrtes* Frölich, 1799. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).

AGYRTIDAE C. G. Thomson, 1859: 57 [stem: *Agyrt-*]. Type genus: *Agyrtes* Frölich, 1799.

LYROSOMINI G. H. Horn, 1880b: 247 [stem: *Lyrosomat-*]. Type genus: *Lyrosoma* Mannerheim, 1853. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 33).

LENDOMINI Bradley, 1930: 159, in key [stem: *Lendom-*]. Type genus: *Lendomus* Casey, 1924 [syn. of *Agyrtes* Frölich, 1799].

Subfamily NECROPHILINAE Newton, 1997

*NECROPHILINI Jeannel, 1936: 10 [stem: *Necrophil-*]. Type genus: *Necrophilus* Latreille, 1829. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

NECROPHILINAE Newton, 1997: 127 [stem: *Necrophil-*]. Type genus: *Necrophilus* Latreille, 1829. Comment: the type genus of the older names NECROPHILIDAE Gistel, 1848: [4] and NECROPHILIDAE Gistel, 1856a: 362 cannot be determined (either *Necrophilus* Latreille, 1829 [AGYRTIDAE] or *Necrophila* Kirby and Spence, 1828 [SILPHIDAE]) and therefore those names are considered unavailable (also see comments in Newton and Thayer (1992: 23) and Newton (1997: 147)).

Subfamily PTEROLOMATINAE Thomson, 1862

PTEROLOMINA C. G. Thomson, 1862: 20 [stem: *Pterolomat-*]. Type genus: *Pteroloma* Gyllenhal, 1827. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 33).

Family LEIODIDAE Fleming, 1821

LEIODESIDAE Fleming, 1821: 51 [stem: *Leiod-*]. Type genus: *Leiodes* Latreille, 1797. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily CAMIARINAE Jeannel, 1911

CAMIARINAE Jeannel, 1911: 192, in key [stem: *Camiar-*]. Type genus: *Camiarus* Sharp, 1878.

Tribe AGYRTODINI Jeannel, 1936

AGYRTODINI Jeannel, 1936: 99 [stem: *Agyrtod-*]. Type genus: *Agyrtodes* Portevin, 1907.

*†GUVANOCOLEINA Perkovsky, 2002: 16 [stem: *Gurvanocole-*]. Type genus: *Gurvanocoleus* Ponomarenko, 1986. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

Tribe CAMIARINI Jeannel, 1911

CAMIARINAE Jeannel, 1911: 192, in key [stem: *Camiar-*]. Type genus: *Camiarus* Sharp, 1878.

*†MESECANINA Perkovsky, 2002: 15 [stem: *Mesecan-*]. Type genus: *Mesecanus* Newton, 1982. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe NEOPELATOPINI Jeannel, 1962

NEOPELATOPINI Jeannel, 1962b: 487 [stem: *Neopelatop-*]. Type genus: *Neopelatops* Jeannel, 1936.

Subfamily CATOPOCERINAE Hatch, 1927 (1880)

CATOPOCERINI Hatch, 1927: 4, in key [stem: *Catopocer-*]. Type genus: *Catopocerus* Motschulsky, 1869. Comment: use of family-group name conserved over PINODYTINAE G. H. Horn, 1880 (Art. 40.2) (see Newton and Thayer 1992: 34).

Tribe CATOPOCERINI Hatch, 1927 (1880)

PINODYTINI G. H. Horn, 1880b: 248 [stem: *Pinodyt-*]. Type genus: *Pinodytes* G. H. Horn, 1880 [syn. of *Catopocerus* Motschulsky, 1869]. Comment: use of younger family-group name CATOPOCERINI Hatch, 1927 conserved (Art. 40.2) (see Newton and Thayer 1992: 34).

CATOPOCERINI Hatch, 1927: 4, in key [stem: *Catopocer-*]. Type genus: *Catopocerus* Motschulsky, 1869. Comment: new name for PINODYTINI G. H. Horn, 1880 because of synonymy of type genus; use of family-group name conserved over PINODYTINI G. H. Horn, 1880 (Art. 40.2) (see Newton and Thayer 1992: 34).

Tribe GLACICAVICOLINI Westcott, 1968

GLACICAVICOLINAE Westcott, 1968: 1 [stem: *Glacicavicol-*]. Type genus: *Glacicavicola* Westcott, 1968.

Subfamily LEIODINAE Fleming, 1821

LEIODESIDAE Fleming, 1821: 51 [stem: *Leiod-*]. Type genus: *Leiodes* Latreille, 1797.

Tribe AGATHIDIINI Westwood, 1838

*ANISOTOMIDAE Stephens, 1828: 99 [stem: *Anisotom-*]. Type genus: *Anisotoma* Panzer, 1797. Comment: family-group name unavailable (Art. 11.7.1.1): not based on a genus used as valid at the time; see Newton and Thayer (1992: 20).

AGATHIDIIDAE Westwood, 1838: 10 [stem: *Agathidi-*]. Type genus: *Agathidium* Illiger, 1798.

ANISOTOMIDAE Reitter, 1884: 6 [stem: *Anisotom-*]. Type genus: *Anisotoma* Panzer, 1797. Comment: an application will need to be submitted to the Commission to suppress ANISOTOMIDAE Erichson, 1845 (based on the misidentified type genus *Anisotoma* sensu Schmidt, 1841) for the Principles of Priority and Homonymy (Art. 65.2.1) if this name is to be used as valid.

Tribe ESTADIINI Portevin, 1914

ESTADIINI Portevin, 1914: 199 [stem: *Estadi-*]. Type genus: *Estadia* Fairmaire, 1903 [syn. of *Dietta* Sharp, 1876].

Tribe LEIODINI Fleming, 1821

LEIODESIDAE Fleming, 1821: 51 [stem: *Leiod-*]. Type genus: *Leiodes* Latreille, 1797. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 34).

ANISOTOMIDAE Erichson, 1845: 41 [stem: *Anisotom-*]. Type genus: *Anisotoma* sensu Schmidt, 1841 [not *Anisotoma* Panzer, 1797; syn. of *Leiodes* Latreille, 1797]. Comment: based on a misidentified type genus; an application will need to be submitted to the Commission to suppress this name for the Principles of Priority and Homonymy (Art. 65.2.1) if ANISOTOMIDAE Reitter, 1884 in LEIODINAE: AGATHIDIINI is to be used as valid in the future.

*CYRTUSINA Perkovsky, 1997b: 168 [stem: *Cyrtus-*]. Type genus: *Cyrtusa* Erichson, 1842. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*HYPOLIODINA Perkovsky, 2002: 15 [stem: *Hypoliod-*]. Type genus: *Hypoloides* Portevin, 1908. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe PSEUDOLIODINI Portevin, 1926

PSEUDOLIODINI Portevin, 1926: 75 [stem: *Pseudoliod-*]. Type genus: *Pseudoliodes* Portevin, 1926 [syn. of *Pseudolenis* Reitter, 1884].

DERMATOHOMOEINI Hlisnikovský, 1963: 311 [stem: *Dermatohomoe-*]. Type genus: *Dermatohomoeus* Hlisnikovský, 1963.

Tribe SCOTOCRYPTINI Reitter, 1884

SCOTOCRYPTINI Reitter, 1884: 91 [stem: *Scotocrypt-*]. Type genus: *Scotocryptus* Girard, 1874.

Tribe SOGDINI Lopatin, 1961

SOGDIIDAE Lopatin, 1961: 121 [stem: *Sogd-*]. Type genus: *Sogda* Lopatin, 1961. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 36).

TRIARTHRIINI Jeannel, 1962b: 486, in key [stem: *Triarthr-*]. Type genus: *Triarthron* Märkel, 1840. Comment: junior homonym of TRIARTHRIDAE Ulrich, 1930 (type genus *Triarthrus* Green, 1832) in Trilobita; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

HYDNOBIINI Jeannel, 1962b: 492 [stem: *Hydnobi-*]. Type genus: *Hydnobius* Schmidt, 1841.

*STEREINA Perkovsky, 2002: 15 [stem: *Stere-*]. Type genus: *Stereus* Wollaston, 1857 [preoccupied genus name, not *Stereus* Mannerheim, 1846 [Coleoptera: CURCULIONIDAE]; syn. of *Deltocnemis* Sahlberg, 1886]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subfamily COLONINAE Horn, 1880 (1859)

MYLOECHINA C. G. Thomson, 1859: 60 [stem: *Myloech-*]. Type genus: *Myloechus* Latreille, 1807 [syn. of *Colon* Herbst, 1797]. Comment: use of younger family-group name COLONINAE G. H. Horn, 1880 conserved (Art. 40.2); see Newton and Thayer (1992: 36).

COLONES G. H. Horn, 1880b: 266 [stem: *Colon-*]. Type genus: *Colon* Herbst, 1797 [the original spelling *Kolon* was placed on the Official Index of Rejected and Suppressed Generic Names in Zoology, *Colon* was considered the correct original spelling of the genus and placed on the Official List of Generic Names in Zoology (ICZN 1995b)]. Comment: use of family-group name conserved over MYLOECHINAES C. G. Thomson, 1859 (Art. 40.2); see Newton and Thayer (1992: 36).

Subfamily CHOLEVINAЕ Kirby, 1837

CHOLEVIDAE Kirby, 1837: 108 [stem: *Cholev-*]. Type genus: *Choleva* Latreille, 1797.

Tribe ANEMADINI Hatch, 1928

ANEMADINA Hatch, 1928: 159 [stem: *Anemad-*]. Type genus: *Anemadus* Reitter, 1884.

Subtribe ANEMADINA Hatch, 1928

ANEMADINA Hatch, 1928: 159 [stem: *Anemad-*]. Type genus: *Anemadus* Reitter, 1884.

ANEMADINAE Jeannel, 1936: 179 [stem: *Anemad-*]. Type genus: *Anemadus* Reitter, 1884. Comment: family-group name proposed as new without reference to ANEMADINA Hatch, 1928.

Subtribe EOCATOPINA Jeannel, 1936

EOCATOPINA Jeannel, 1936: 124, in key [stem: *Eocatop-*]. Type genus: *Eocatops* Peyerimhoff, 1924.

Subtribe EUNEMADINA Newton, 1998

EUNEMADINA Newton, 1998: 103 [stem: *Eunemad-*]. Type genus: *Eunemadus* Portevin, 1914.

Subtribe NEMADINA Jeannel, 1936

NEMADINAE Jeannel, 1936: 96 [stem: *Nemad-*]. Type genus: *Nemadus* C. G. Thomson, 1867.

Subtribe PARACATOPINA Jeannel, 1936

PARACATOPINI Jeannel, 1936: 181 [stem: *Paracatop-*]. Type genus: *Paracatops* Portevin, 1907.

Tribe CHOLEVINI Kirby, 1837

CHOLEVIDAE Kirby, 1837: 108 [stem: *Cholev-*]. Type genus: *Choleva* Latreille, 1797.

Subtribe CATOPINA Chaudoir, 1845

CATOPIDES Chaudoir, 1845: 195 [stem: *Catop-*]. Type genus: *Catops* Paykull, 1798. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 68, as CATOPIDAE), generally accepted as in Perreau (2004: 136, as CATOPINA).

Subtribe CHOLEVINA Kirby, 1837

CHOLEVIDAE Kirby, 1837: 108 [stem: *Cholev-*]. Type genus: *Choleva* Latreille, 1797.

Tribe EUCATOPINI Jeannel, 1921

EUCATOPINI Jeannel, 1921: 233 [stem: *Eucatop-*]. Type genus: *Eucatops* Portevin, 1903.

Tribe LEPTODIRINI Lacordaire, 1854 (1849)

LEPTODÉRIDES Lacordaire, 1854b: 195 [stem: *Leptodir-*]. Type genus: *Leptodirus* Schmidt, 1832 [as *Leptoderus*, unjustified emendation of type genus name by F. Schmidt (1852), not in prevailing usage]. Comment: use of family-group name conserved over STAGOBIINI Schiødte, 1849 (Art. 40.2); see Newton and Thayer (1992: 35).

Subtribe ANTHROHERPONINA Jeannel, 1910

ANTROHERPONA Jeannel, 1910: 25 [stem: *Antroherpon-*]. Type genus: *Anthroherpon* Reitter, 1889 [as *Antroherpon*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

HADESIINI Absolon, 1913: 108 [stem: *Hadesi-*]. Type genus: *Hadesia* J. Müller, 1911.

ANTROHERPONINA Guéorguiev, 1974: 841, in key [stem: *Antroherpon-*]. Type genus: *Anthroherpon* Reitter, 1889 [as *Antroherpon*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: family-group name proposed as new without reference to ANTROHERPONA Jeannel, 1910.

Subtribe BATHYSCIINA Horn, 1880

BATHYSCIAE G. H. Horn, 1880b: 251 [stem: *Bathysci-*]. Type genus: *Bathyscia* Schiødte, 1847.

ORIOTINI Reitter, 1889b: 296 [stem: *Oryot-*]. Type genus: *Oryotus* Miller, 1856 [as *Oriotus*, incorrect subsequent spelling of type genus name, not

in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

BATHYSCIINA Guéorguiev, 1974: 841, in key [stem: *Bathysci-*]. Type genus: *Bathyscia* Schiødte, 1847. Comment: family-group name proposed as new without reference to BATHYSCIAE G. H. Horn, 1880.

NEOTROPOSPEONELLINA Perkovsky, 1997a: 59 [stem: *Neotropospeonell-*]. Type genus: *Neotropospeonella* Pace, 1985 [syn. of *Oryotus* Miller, 1856].

*APHAOBIINA Perkovsky, 2002: 16 [stem: *Aphaobi-*]. Type genus: *Aphaobius* Abeille de Perrin, 1878. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe BATHYSCIOTINA Guéorguiev, 1974

BATHYSCIOTINA Guéorguiev, 1974: 841, in key [stem: *Bathysciot-*]. Type genus: *Bathysciotes* Jeannel, 1910.

Subtribe LEPTODIRINA Lacordaire, 1854 (1849)

STAGOBIINAE Schiødte, 1849: 16 [stem: *Stagobi-*]. Type genus: *Stagobius* Schiødte, 1847 [syn. of *Leptodirus* Schmidt, 1832]. Comment: use of younger family-group name LEPTODIRINA Lacordaire, 1854 conserved (Art. 40.2); see Newton and Thayer (1992: 35).

LEPTODÉRIDES Lacordaire, 1854b: 195 [stem: *Leptodir-*]. Type genus: *Leptodirus* Schmidt, 1832 [as *Leptoderus*, unjustified emendation of type genus name by Schmidt (1852), not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kraatz (1859a: 35, as LEPTODERIDAE), generally accepted as in Perreau (2004: 147, as LEPTODIRINI); use of family-group name conserved over STAGOBIINA Schiødte, 1849 (Art. 40.2); see Newton and Thayer (1992: 35); incorrect original stem formation, not in prevailing usage.

LEPTODIRINA Guéorguiev, 1974: 841, in key [stem: *Leptodir-*]. Type genus: *Leptodirus* Schmidt, 1832. Comment: family-group name proposed as new without reference to LEPTODÉRIDES Lacordaire, 1854.

*LANEYRIELLINA Perkovsky, 2002: 16 [stem: *Laneyriell-*]. Type genus: *Laneyriella* Guéorguiev, 1976. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe PHOLEUINA Reitter, 1886

PHOLEUONES Reitter, 1886: 314 [stem: *Pholeu-*]. Type genus: *Pholeuon* Hampe, 1856. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 35); current spelling maintained (Art. 29.5): corrected stem formation in prevailing usage (should be *Pholeuont-*).

GHIDINIINA Guéorguiev, 1974: 841, in key [stem: *Ghidini-*]. Type genus: *Ghidinia* Pavan, 1938 [syn. of *Boldoria* Jeannel, 1924].

*COIFFAITIOLINA Perkovsky, 2002: 16 [stem: *Coiffaitiol-*]. Type genus: *Coiffatiola* Jeannel, 1955. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe PLATYCHOLEINA Horn, 1880

PLATYCHOLEI G. H. Horn, 1880b: 251 [stem: *Platychole-*]. Type genus: *Platycholeus* G. H. Horn, 1880.

Subtribe SPELAEOBATINA Guéorguiev, 1974

SPELAEOBATINA Guéorguiev, 1974: 841, in key [stem: *Spelaeobat-*]. Type genus: *Spelaeobates* Müller, 1901.

Tribe ORITOCATOPINI Jeannel, 1936

ORITOCATOPINI Jeannel, 1936: 116 [stem: *Oritocatop-*]. Type genus: *Oritocatops* Jeannel, 1921.

Tribe PTOMAPHAGINI Jeannel, 1911

PTOMAPHAGINI Jeannel, 1911: 193 [stem: *Ptomaphag-*]. Type genus: *Ptomaphagus* Hellwig, 1795.

Subtribe BARYODIRINA Perreau, 2000

BARYODIRINA Perreau, 2000: 24 [stem: *Baryodir-*]. Type genus: *Baryodirus* Perreau, 2000.

Subtribe PTOMAPHAGINA Jeannel, 1911

PTOMAPHAGINA Jeannel, 1911: 193 [stem: *Ptmaphag-*]. Type genus: *Ptmaphagus* Hellwig, 1795.

Subtribe PTOMAPHAGININA Szymczakowski, 1964

PTOMAPHAGININI Szymczakowski, 1964: 66 [stem: *Ptmaphagin-*]. Type genus: *Ptmaphaginus* Portevin, 1914.

Tribe SCIAPHYINI Perreau, 2000

SCIAPHYINI Perreau, 2000: 23 [stem: *Sciaphy-*]. Type genus: *Sciaphyes* Jeannel, 1910.

Subfamily PLATYPHYLLINAE Ritsema, 1869

PLATYPHYLLIDAE Ritsema, 1869: 38 [stem: *Platypyll-*]. Type genus: *Platypyllus* Ritsema, 1869.

LEPTINIDAE J. L. LeConte, 1872: 802 [stem: *Leptin-*]. Type genus: *Leptinus* Müller, 1817. Comment: this family-group name has been attributed to J. L. LeConte (1866 [error for 1867]) in the literature, however J. L. LeConte (1867: 368) did not give a name to the new taxon and therefore it is not available; see Newton and Thayer (1992: 37).

Family SILPHIDAE Latreille, 1806

SILPHALES Latreille, 1806: 1 [stem: *Silph-*]. Type genus: *Silpha* Linnaeus, 1758.

Subfamily SILPHINAE Latreille, 1806

SILPHALES Latreille, 1806: 1 [stem: *Silph-*]. Type genus: *Silpha* Linnaeus, 1758.

NECRODISIDAE Gistel, 1848: [4] [stem: *Necrod-*]. Type genus: *Necrodes* Leach, 1815. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily NICROPHORINAE Kirby, 1837

NECROPHORIDAE Kirby, 1837: 95 [stem: *Nicrophor-*]. Type genus: *Nicrophorus* Fabricius, 1775 [as *Necrophorus*, unjustified emendation of type genus name by Thunberg (1789), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Family STAPHYLINIDAE Latreille, 1802

STAPHYLINIAE Latreille, 1802: 124 [stem: *Staphylin-*]. Type genus: *Staphylinus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1959a)]. Comment: placed on the Official List of Family-Group Names in Zoology (as STAPHYLINIDAE Latreille, [1803–1804]) and “STAPHYLINII Latreille, [1803–1804]” placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1959a); First Reviser (STAPHYLINIDAE Latreille, 1802 vs PSELAPHIDAE Latreille, 1802) not determined, current usage maintained.

Subfamily GLYPHOLOMATINAE Jeannel, 1962

GLYPHOLOMINI Jeannel, 1962b: 482 [stem: *Glypholomat-*]. Type genus: *Glypholoma* Jeannel, 1962. Comment: originally proposed as a tribe of SILPHIDAE; incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 58).

Subfamily MICROSILPHINAE Crowson, 1950

*MICRAGYRTINI Blackwelder, 1944: 84 [stem: *Micragyrt-*]. Type genus: *Micragyrtes* Champion, 1918 [syn. of *Microsilpha* Broun, 1886]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); originally proposed as a tribe of LEIODIDAE.

MICROSILPHINAE Crowson, 1950: 279, in key [stem: *Microsilph-*]. Type genus: *Microsilpha* Broun, 1886. Comment: originally proposed as a subfamily of SILPHIDAE.

MICRAGYRTINI Jeannel, 1962b: 484 [stem: *Micragyrt-*]. Type genus: *Micragyrtes* Champion, 1918 [syn. of *Microsilpha* Broun, 1886]. Comment: originally proposed as a tribe of SILPHIDAE.

Subfamily OMALIINAE MacLeay, 1825

OMALIDAE W. S. MacLeay, 1825: 49 [stem: *Omalī-*]. Type genus: *Omalium* Gravenhorst, 1802.

Tribe ANTHOPHAGINI Thomson, 1859

ANTHOPHAGIDES C. G. Thomson, 1859: 48 [stem: *Anthophag-*]. Type genus: *Anthophagus* Gravenhorst, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 2004d)].

BRATHINIDAE J. L. LeConte, 1861: 48 [stem: *Brathin-*]. Type genus: *Brathinus* J. L. LeConte, 1852. Comment: originally proposed as a subfamily of SILPHIDAE.

*LESTÉVATES Mulsant and Rey, 1880: 8 [stem: *Lestev-*]. Type genus: *Lesteva* Latreille, 1797 [placed on the Official List of Generic Names in Zoology (ICZN 2004d)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant and Rey (1880).

LESTEVINA Jakobson, 1908: 450 [stem: *Lestev-*]. Type genus: *Lesteva* Latreille, 1797 [placed on the Official List of Generic Names in Zoology (ICZN 2004d)].

Tribe APHAENOSTEMMINI Peyerimhoff, 1914

APHAENOSTEMMINI Peyerimhoff, 1914: 248, in key [stem: *Aphaenostemm-*]. Type genus: *Aphaenostemmus* Peyerimhoff, 1914.

Tribe CORNEOLABIINI Steel, 1950

CORNEOLABIINI Steel, 1950: 54 [stem: *Corneolabi-*]. Type genus: *Corneolabium* Steel, 1950.

Tribe CORYPHIINI Jakobson, 1908

CORYPHIINA Jakobson, 1908: 452 [stem: *Coryphi-*]. Type genus: *Coryphium* Stephens, 1834 [placed on the Official List of Generic Names in Zoology (ICZN 1990b)].

Subtribe BOREAPHILINA Zerche, 1990

*BORÉAPHILAIRES Mulsant and Rey, 1880: 391 [stem: *Boreaphil-*]. Type genus: *Boreaphilus* Sahlberg, 1832. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant and Rey (1880).

BOREAPHILINA Zerche, 1990: 22, in key [stem: *Boreaphil-*]. Type genus: *Boreaphilus* Sahlberg, 1832. Comment: family-group name proposed as new without reference to BORÉAPHILAIRES Mulsant and Rey, 1880.

Subtribe CORYPHIINA Jakobson, 1908

CORYPHIINA Jakobson, 1908: 452 [stem: *Coryphi-*]. Type genus: *Coryphium* Stephens, 1834 [placed on the Official List of Generic Names in Zoology (ICZN 1990b)].

Tribe EUSPHALERINI Hatch, 1957

*ANTHOBIATES Mulsant and Rey, 1880: 290 [stem: *Anthobi-*]. Type genus: *Anthobium* sensu Erichson, 1840 [not *Anthobium* Leach, 1819; syn. of *Eusphalerum* Kraatz, 1857]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant and Rey (1880).

ANTHOBIINI Portevin, 1929: 450 [stem: *Anthobi-*]. Type genus: *Anthobium* sensu Erichson, 1840 [not *Anthobium* Leach, 1819; syn. of *Eusphalerum* Kraatz, 1857]. Comment: based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principle of Priority (Art. 65.2.1).

EUSPHALERINI Hatch, 1957: 82 [stem: *Eusphaler-*]. Type genus: *Eusphalerum* Kraatz, 1857. Comment: new name for ANTHOBIINI; although this is not the oldest name for the tribe, we recommend that an application be submitted to the Commission to suppress the older name ANTHOBIINI Poertevin, 1929 because it is based on a misidentified type genus (Art. 65.2.1).

Tribe HADROGNATHINI Portevin, 1929

*EUGNATHATES Mulsant and Rey, 1880: 386 [stem: *Eugnath-*]. Type genus: *Eugnathus* Mulsant and Rey, 1851 [preoccupied genus name, not *Eugnathus* Schönherr, 1833 [Coleoptera: CURCULIONIDAE] or *Eugnathus* Agassiz, 1836 [Pisces]; syn. of *Hadrognathus* Schaum, 1852]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; if found to be available then permanently invalid (Art. 39): based on preoccupied type genus.

HADROGNATHINI Portevin, 1929: 431 [stem: *Hadrognath-*]. Type genus: *Hadrognathus* Schaum, 1852.

Tribe OMALIINI MacLeay, 1825

OMALIDAE W. S. MacLeay, 1825: 49 [stem: *Omali-*]. Type genus: *Omalium* Gravenhorst, 1802. Comment: incorrect original stem formation, not in prevailing usage.

MICRALYMMATES Mulsant and Rey, 1880: 3 [stem: *Micralymmat-*]. Type genus: *Micralymma* Westwood, 1838. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Portevin (1929: 443, as MICRALYMMINI), generally accepted as in Newton and Thayer (1992: 58, as MICRALYMMINI); incorrect original stem formation, not in prevailing usage.

TETRADELI Fauvel, 1904: 90 [stem: *Tetradel-*]. Type genus: *Tetradelus* Fauvel, 1904.

ARPEDIOPSINI Cameron, 1917a: 123 [stem: *Arpediopse*-]. Type genus: *Arpediopsis* Cameron, 1917 [preoccupied genus name, not *Arpediopsis* Ganglbauer, 1895 [Coleoptera: STAPHYLINIDAE: OMALIINAE: ANTHOPHAGINI]; syn. of *Crymus* Fauvel, 1904]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

ARPEDIOMIMI Cameron, 1917b: 277 [stem: *Arpediomim*-]. Type genus: *Arpediomimus* Cameron, 1917 [syn. of *Crymus* Fauvel, 1904]. Comment: replacement name for ARPEDIOPSINI Cameron, 1917; incorrect original stem formation, not in prevailing usage.

PHLOEONOMINI Ádám, 2001: 231 [stem: *Phloeonom*-]. Type genus: *Phloeonomus* Heer, 1839. Comment: **syn. nov.**

Subfamily EMPELINAЕ Newton and Thayer, 1992

*EMPELIDAE M. Abdullah, 1969b: 683 [stem: *Empel*-]. Type genus: *Empelus* J. L. LeConte, 1861. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
EMPELINAЕ Newton and Thayer, 1992: 25 [stem: *Empel*-]. Type genus: *Empelus* J. L. LeConte, 1861.

Subfamily PROTEININAE Erichson, 1839

PROTEININI Erichson, 1839a: 641 [stem: *Protein*-]. Type genus: *Proteinus* Latreille, 1797 [placed on the Official List of Generic Names in Zoology (ICZN 1969a)].

Tribe ANEPIINI Steel, 1966

ANEPIINI Steel, 1966: 306 [stem: *Anepi*-]. Type genus: *Anepius* Blackburn, 1902.

Tribe AUSTRORHYSINI Newton and Thayer, 1995

AUSTRORHYSINI Newton and Thayer, 1995: 298 [stem: *Austrorhys*-]. Type genus: *Austrorhysus* Steel, 1966.

Tribe NESONEINI Steel, 1966

NESONEINI Steel, 1966: 292 [stem: *Nesone*-]. Type genus: *Nesoneus* Bernhauer, 1939.

Tribe PROTEININI Erichson, 1839

PROTEININI Erichson, 1839a: 641 [stem: *Protein*-]. Type genus: *Proteinus* Latreille, 1797 [placed on the Official List of Generic Names in Zoology (ICZN 1969a)]. Comment: this family-group name was also proposed in the same year by Erichson (1839b: 31, as PROTEININI) and Heer (1839b: 4, as PROTEININA); for comments about the priority of these works see Newton and Thayer (1992: 24).

*PHLÉOBIENS Mulsant and Rey, 1876: 209 [stem: *Phloeobi*-]. Type genus: *Phloeobium* sensu Erichson, 1840 [not *Phloeobium* Dejean, 1833; syn. of

Metopsia Wollaston, 1854]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant and Rey, 1876; incorrect original stem formation, not in prevailing usage.

PHLOEOBIINAE Fowler, 1888: 431 [stem: *Phloeobi-*]. Type genus: *Phloeobium* sensu Erichson, 1840 [not *Phloeobium* Dejean, 1833; syn. of *Metopsia* Wollaston, 1854]. Comment: based on a misidentified type genus.

MEGARTHRIINI Joy, 1932: 93, in key [stem: *Megarthr-*]. Type genus: *Megarthrus* Curtis, 1829.

METOPSIINAE Tottenham, 1954: 8, in key [stem: *Metopsi-*]. Type genus: *Metopsia* Wollaston, 1854.

PTERONINI Arnett, 1961: 238, in key [stem: *Pteroni-*]. Type genus: *Pteronius* Blackwelder, 1952 [syn. of *Proteinus* Latreille, 1797]. Comment: incorrect original stem formation, not in prevailing usage.

PTERONIINAE I. Moore, 1964: 85, in key [stem: *Pteroni-*]. Type genus: *Pteronius* Blackwelder, 1952 [syn. of *Proteinus* Latreille, 1797]. Comment: proposed as new without reference to PTERONINI Arnett, 1961.

Tribe SILPHOTELINI Newton and Thayer, 1995

SILPHOTELINI Newton and Thayer, 1995: 297 [stem: *Silphotel-*]. Type genus: *Silphotelus* Broun, 1895.

Subfamily MICROPEPLINAE Leach, 1815

MICROPEPLIDA Leach, 1815: 90 [stem: *Micropepl-*]. Type genus: *Micropeplus* Latreille, 1809.

MICROPEPLIDA Heer, 1839a: 169 [stem: *Micropepl-*]. Type genus: *Micropeplus* Latreille, 1809. Comment: family-group name proposed as new without reference to MICROPEPLIDA Leach, 1815; this family-group name was also used in the same year by Heer (1839b: 4, as MICROPEPLIDA); for comments about the priority of these works see Newton and Thayer (1992: 24).

Subfamily NEOPHONINAE Fauvel, 1905

NEOPHONI Fauvel, 1905a: 98 [stem: *Neophon-*]. Type genus: *Neophonus* Fauvel, 1905.

Subfamily DASYCERINAE Reitter, 1887

DASYCERINI Reitter, 1887: 8, in key [stem: *Dasycer-*]. Type genus: *Dasycerus* Brongniart, 1800. Comment: originally proposed as a new tribe of LATRIDIIDAE; the earlier usage of the DASYCERINAE by Swainson (1840: 293) was not based on a type genus and is therefore unavailable.

Subfamily PROTOPSELAPHINAE Newton and Thayer, 1995

PROTOPSELAPHINAE Newton and Thayer, 1995: 227 [stem: *Protopselaph-*]. Type genus: *Protopselaphus* Newton and Thayer, 1995.

Subfamily PSELAPHINAE Latreille, 1802

PSELAPHII Latreille, 1802: 239 [stem: *Pselaph-*]. Type genus: *Pselaphus* Herbst, 1791.

Supertribe BATRISITAE Reitter, 1882

BATRISINI Reitter, 1882b: 183 [stem: *Batriss-*]. Type genus: *Batrissus* Aubé, 1833.

Tribe AMAUROPINI Jeannel, 1948

AMAUROPSINI Jeannel, 1948a: 1 [stem: *Amaurop-*]. Type genus: *Amaurops* Fairmaire, 1851. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 37).

Tribe BATRISINI Reitter, 1882

BATRISINI Reitter, 1882b: 183 [stem: *Batriss-*]. Type genus: *Batrissus* Aubé, 1833.

Subtribe AMBICOCERINA Leleup, 1970

AMBICOCERINA Leleup, 1970: 309 [stem: *Ambicocer-*]. Type genus: *Ambicocerus* Leleup, 1970.

Subtribe BATRISINA Reitter, 1882

BATRISINI Reitter, 1882b: 183 [stem: *Batriss-*]. Type genus: *Batrissus* Aubé, 1833.

OROPYGIINA Jeannel, 1949a: 113, in key [stem: *Orropygi-*]. Type genus: *Orropygia* Raffray, 1910 [as *Oropygia*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 37).

TRABISINA Jeannel, 1949a: 114, in key [stem: *Trabis-*]. Type genus: *Trabisus* Raffray, 1890 [syn. of *Atheropterus* Raffray, 1882].

Subtribe LEUPELIINA Jeannel, 1954

LEUPELIINA Jeannel, 1954c: 106 [stem: *Leupeli-*]. Type genus: *Leupelia* Jeannel, 1954.

Subtribe STILIPALPINA Jeannel, 1954

STILIPALPINA Jeannel, 1954c: 118 [stem: *Stilipalp-*]. Type genus: *Stilipalpus* Jeannel, 1951.

Tribe THAUMASTOCEPHALINI Poggi, Nonveiller, Colla, Pavićević and Rada, 2001

THAUMASTOCEPHALINI Poggi et al., 2001: 5, in key [stem: *Thaumastocephal-*]. Type genus: *Thaumastocephalus* Poggi et al., 2001.

Supertribe CLAVIGERITAE Leach, 1815

CLAVIGERIDES Leach, 1815: 117 [stem: *Claviger-*]. Type genus: *Claviger* Preyssler, 1790.

Tribe CLAVIGERINI Leach, 1815

CLAVIGERIDES Leach, 1815: 117 [stem: *Claviger-*]. Type genus: *Claviger* Preyssler, 1790.

Subtribe APODERIGERINA Jeannel, 1954

APODERIGERINI Jeannel, 1954a: 310 [stem: *Apoderiger-*]. Type genus: *Apoderiger* Wasmann, 1897.

Subtribe CLAVIGERINA Leach, 1815

CLAVIGERIDES Leach, 1815: 117 [stem: *Claviger-*]. Type genus: *Claviger* Preyssler, 1790.

ADRANITES Desmarest, 1857: 144 [stem: *Adran-*]. Type genus: *Adranes* J. L. LeConte, 1849.

ADRANIINI O. Park, 1951: 58, in key [stem: *Adran-*]. Type genus: *Adranes* J. L. LeConte, 1849. Comment: family-group name proposed as new without reference to ADRANITES Desmarest, 1857; incorrect original stem formation, not in prevailing usage.

Subtribe CLAVIGERODINA Schaufuss, 1882

CLAVIGERODINI L. W. Schaufuss, 1882a: 205 [stem: *Clavigerod-*]. Type genus: *Clavigerodes* Raffray, 1877.

COMMATOCERINI L. W. Schaufuss, 1882b: 349 [stem: *Commatocer-*]. Type genus: *Commatocerus* Raffray, 1882 [syn. of *Fustiger* J. L. LeConte, 1866].

CLAVIGEROPSINI L. W. Schaufuss, 1890: in table [stem: *Clavigeropse-*]. Type genus: *Clavigeropsis* Raffray, 1882. Comment: incorrect original stem formation, not in prevailing usage.

FUSTIGERINI Jeannel, 1949a: 31 [stem: *Fustiger-*]. Type genus: *Fustiger* J. L. LeConte, 1866.

NEOCERATOPSINI Célis, 1970: 260 [stem: *Neoceratopse-*]. Type genus: *Neoceratopsis* Jeannel, 1956. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe DISARTHRICERINA Jeannel, 1949

DIARTHRICERINI Jeannel, 1949a: 29, in key [stem: *Disarthricer-*]. Type genus: *Disarthricerus* Raffray, 1895 [as *Diarthricerus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe HOPLITOXENINA Célis, 1969

HOPLITOXENINI Célis, 1969: 418 [stem: *Hoplitoxen-*]. Type genus: *Hoplitoxenus* Jeannel, 1960.

DIMEROMETOPINI Célis, 1970: 244 [stem: *Dimerometop-*]. Type genus: *Dimerometopus* Célis, 1970.

Subtribe LUNILLINA Célis, 1969

LUNILLINI Célis, 1969: 416 [stem: *Lunill-*]. Type genus: *Lunilla* Jeannel, 1957.

Subtribe MASTIGERINA Jeannel, 1954

MASTIGERINI Jeannel, 1954a: 291, in key [stem: *Mastiger-*]. Type genus: *Mastiger* Motschulsky, 1851.

Subtribe MIROCLAVIGERINA Jeannel, 1949

MIROCLAVIGERINI Jeannel, 1949a: 29, in key [stem: *Miroclaviger-*]. Type genus: *Miroclaviger* Wasmann, 1893.

Subtribe NEOCERINA Jeannel, 1954

NEOCERINI Jeannel, 1954a: 316 [stem: *Neocer-*]. Type genus: *Neocerus* Wasmann, 1893. Comment: First Reviser (NEOCERINA Jeannel, 1954 vs THEOCERINA Jeannel, 1954) not determined, current usage maintained.

THEOCERINI Jeannel, 1954a: 314 [stem: *Theocer-*]. Type genus: *Theocerus* Raffray, 1897.

Subtribe RADAMINA Jeannel, 1954

RADAMINI Jeannel, 1954a: 319 [stem: *Radam-*]. Type genus: *Radama* Raffray, 1883.

Subtribe THYSDARIINA Jeannel, 1954

THYSDARIINI Jeannel, 1954a: 332 [stem: *Thysdari-*]. Type genus: *Thysdarius* Fairmaire, 1904.

Tribe COLILODIONINI Besuchet, 1991

COLILODIONINI Besuchet, 1991: 514 [stem: *Colilodion-*]. Type genus: *Colilodion* Besuchet, 1991.

Tribe TIRACERINI Besuchet, 1986

ARTICERIDES Desmarest, 1857: 145 [stem: *Articer-*]. Type genus: *Articerus* sensu Hope, 1845 [not *Articerus* Dalman, 1826; syn. of *Tiracerus* Besuchet, 1986]. Comment: based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principle of Priority (Art. 65.2.1).

TIRACERINI Besuchet, 1986: 263 [stem: *Tiracer-*]. Type genus: *Tiracerus* Besuchet, 1986.

Supertribe EUPLECTITAE Streubel, 1839

EUPLECTIDAE Streubel, 1839: 135 [stem: *Euplect-*]. Type genus: *Euplectus* Leach, 1817.

Tribe BYTHINOPLECTINI Schaufuss, 1890

BYTHINOPLECTINI L. W. Schaufuss, 1890: in table [stem: *Bythinoplect-*]. Type genus: *Bythinoplectus* Reitter, 1882.

Subtribe BYTHINOPLECTINA Schaufuss, 1890

BYTHINOPLECTINI L. W. Schaufuss, 1890: in table [stem: *Bythinoplect-*]. Type genus: *Bythinoplectus* Reitter, 1882.

ZETHINI L. W. Schaufuss, 1890: in table [stem: *Zeth-*]. Type genus: *Zethus* L. W. Schaufuss, 1872 [preoccupied genus name, not *Zethus* Fabricius, 1805 [Hymenoptera], not *Zethus* Pander, 1830 [Trilobita]; syn. of *Zethopsis* Reitter, 1880]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ZETHOPSISINA Jeannel, 1952a: 51, in key [stem: *Zethops-*]. Type genus: *Zethopsis* Reitter, 1880.

Subtribe PYXIDICERINA Raffray, 1904

PYXIDICERINI Raffray, 1904: 489, in key [stem: *Pyxidicer-*]. Type genus: *Pyxidicerus* Motschulsky, 1863.

Tribe DIMERINI Raffray, 1908

DIMERINI Raffray, 1908: 412 [stem: *Dimer-*]. Type genus: *Dimerus* Fiori, 1899 [syn. of *Octomicrus* L. W. Schaufuss, 1877]. Comment: published before 17 March 1908; this family-group name was also used in the same year by Bernhauer (1908 [23 March]: 327, as DIMERINI); use of family-group name DIMERINI Raffray, 1908 (based on synonym) conserved (Art. 40.2); see Newton and Thayer (1992: 39).

OCTOMICRINI Jeannel, 1952a: 43 [stem: *Octomicr-*]. Type genus: *Octomicrus* L. W. Schaufuss, 1877.

Tribe EUPLECTINI Streubel, 1839

EUPLECTIDAE Streubel, 1839: 135 [stem: *Euplect-*]. Type genus: *Euplectus* Leach, 1817.

MITRACEPHALINI O. Park, 1951: 64, in key [stem: *Mitracephal-*]. Type genus: *Mitracephala* Raffray, 1890 [preoccupied genus name, not *Mitracephala* J. Thomson, 1859 [Coleoptera: SCARABAEIDAE]; syn. of *Mitrametopus* Raffray, 1911]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

MITRAMETOPINA O. Park, 1952: 87 [stem: *Mitrametop-*]. Type genus: *Mitrametopus* Raffray, 1911. Comment: replacement name for MITRACEPHALINI O. Park, 1951 because of the homonymy of the type genus.

Tribe JUBINI Raffray, 1904

JUBINI Raffray, 1904: 489, in key [stem: *Jub-*]. Type genus: *Jubus* L. W. Schaufuss, 1872.

AUXENOCERINI Jeannel, 1962a: 319 [stem: *Auxenocer-*]. Type genus: *Auxenocerus* Jeannel, 1962.

Tribe MAYETIINI Winkler, 1925

MAYETIINI A. Winkler, 1925: 348 [stem: *Mayeti-*]. Type genus: *Mayetia* Mulsant and Rey, 1875.

Tribe METOPIASINI Raffray, 1904

METOPIINI Raffray, 1904: 490, in key [stem: *Metopias-*]. Type genus: *Metopias* Gory, 1832 [placed on the Official List of Generic Names in Zoology (ICZN 1994d)]. Comment: *Metopias-* established as the correct stem and METOPIASINI Raffray, 1904 placed on the Official List of Family-Group Names in Zoology (ICZN 1994d).

Subtribe METOPIASINA Raffray, 1904

METOPIINI Raffray, 1904: 490, in key [stem: *Metopias-*]. Type genus: *Metopias* Gory, 1832 [placed on the Official List of Generic Names in Zoology (ICZN 1994d)]. Comment: correct original stem *Metopi-* modified to *Metopias-* and METOPIASINI Raffray, 1904 placed on the Official List of Family-Group Names in Zoology (ICZN 1994d); METOPIINI Raffray, 1904 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1994d).

Subtribe RHINOSCEPSINA Bowman, 1934

RHINOSCEPSII Bowman, 1934: 8 [stem: *Rhinosceps-*]. Type genus: *Rhinoscepsis* J. L. LeConte, 1878. Comment: current spelling maintained (Art. 29.5); incorrect stem formation in prevailing usage (should be *Rhinoscepse-*).

Tribe TRICHONYCHINI Reitter, 1882

TRICHONYIDES Reitter, 1882b: 194 [stem: *Trichonych-*]. Type genus: *Trichonyx* Chaudoir, 1845.

Subtribe BIBLOPORINA Park, 1951

BIBLOPORINI O. Park, 1951: 64, in key [stem: *Biblopor-*]. Type genus: *Bibloporus* C. G. Thomson, 1859.

BIBLOPORELLINA Jeannel, 1952a: 92 [stem: *Bibloporell-*]. Type genus: *Bibloporellus* Jeannel, 1949.

Subtribe PANAPHANTINA Jeannel, 1950

PANAPHANTINA Jeannel, 1950a: 76 [stem: *Panaphant-*]. Type genus: *Panaphantus* Kiesenwetter, 1858.

TRISIGNINA O. Park and Schuster, 1955: 1 [stem: *Trisign-*]. Type genus: *Trisignis* O. Park and Schuster, 1955.

ACETALIINI Jeannel, 1958a: 81 [stem: *Acetali-*]. Type genus: *Acetalius* Sharp, 1883.
 BIBLOPLECTINA Jeannel, 1959: 96, in key [stem: *Bibloplect-*]. Type genus:
Bibloplectus Reitter, 1881.

Subtribe TRICHONYCHINA Reitter, 1882

TRICHONYIDES Reitter, 1882b: 194 [stem: *Trichonych-*]. Type genus: *Trichonyx* Chaudoir, 1845. Comment: incorrect original stem formation, not in prevailing usage.
 RAFFRAYINA Jeannel, 1949a: 76 [stem: *Raffrayi-*]. Type genus: *Raffrayia* Reitter, 1882. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Jeannel (1964: 65, as RAFFRAYIINI).
 RANAVALINI Jeannel, 1954a: 183 [stem: *Ranaval-*]. Type genus: *Ranavala* Raffray, 1898.
 CHRESTOMERINA Jeannel, 1962a: 344 [stem: *Chrestomer-*]. Type genus: *Chrestomera* Jeannel, 1962.
 PTERACMINI Jeannel, 1962a: 347 [stem: *Pteracmet-*]. Type genus: *Pteracmes* Raffray, 1890. Comment: incorrect original stem formation, not in prevailing usage.
 TRIMIODYTINA Jeannel, 1964: 39 [stem: *Trimiodyt-*]. Type genus: *Trimiodytes* Raffray, 1897.

Subtribe TRIMIINA Bowman, 1934

TRIMII Bowman, 1934: 8 [stem: *Trimi-*]. Type genus: *Trimium* Aubé, 1833.
 TRIMIINA Jeannel, 1950a: 139 [stem: *Trimi-*]. Type genus: *Trimium* Aubé, 1833. Comment: family-group name proposed as new without reference to TRIMII Bowman, 1934.

Tribe TROGASTRINI Jeannel, 1949

TROGASTRINI Jeannel, 1949a: 41, in key [stem: *Trogastr-*]. Type genus: *Trogaster* Sharp, 1874.

Subtribe PHTEGNOMINA Park, 1951

PHTEGNOMINI O. Park, 1951: 64, in key [stem: *Phtegnom-*]. Type genus: *Phtegnomus* Raffray, 1890.

Subtribe RHEXIINA Park, 1951

RHEXINI O. Park, 1951: 63, in key [stem: *Rhexi-*]. Type genus: *Rhexius* J. L. LeConte, 1849. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 39).

Subtribe TROGASTRINA Jeannel, 1949

TROGASTRINI Jeannel, 1949a: 41, in key [stem: *Trogastr-*]. Type genus: *Trogaster* Sharp, 1874.

Supertribe FARONITAE Reitter, 1882

FARONIDES Reitter, 1882b: 194 [stem: *Faron-*]. Type genus: *Faronus* Aubé, 1844.

Supertribe GONIACERITAE Reitter, 1882 (1872)

GONIACERIDES Reitter, 1882b: 188 [stem: *Goniacer-*]. Type genus: *Goniacerus* Motschulsky, 1855. Comment: use of family-group name conserved over GONIASTITAE L. W. Schaufuss, 1872 (Art. 40.2) (see Newton and Thayer 1992: 39).

Tribe ARNYLLIINI Jeannel, 1952

ARNYLLIINI Jeannel, 1952b: 100 [stem: *Arnylli-*]. Type genus: *Arnyllium* Reitter, 1884.

Tribe BARROSELLINI Leleup, 1973

BARROSELLINI Leleup, 1973: 81 [stem: *Barrosell-*]. Type genus: *Barrosellus* Jeannel, 1951.

Tribe BRACHYGLUTINI Raffray, 1904

BRACHYGLUTINI Raffray, 1904: 490, in key [stem: *Brachyglut-*]. Type genus: *Bra-chygluta* C. G. Thomson, 1859.

Subtribe BARADINA Park, 1951

BARADIINI O. Park, 1951: 62, in key [stem: *Barad-*]. Type genus: *Barada* Raffray, 1891 [syn. of *Euphalepus* Reitter, 1883]. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 40).

Subtribe BRACHYGLUTINA Raffray, 1904

BRYAXES J. L. LeConte, 1861: 57 [stem: *Bryaxe-*]. Type genus: *Bryaxis* Leach, 1817 [preoccupied genus name, not *Bryaxis* Kugelann, 1794 [Coleoptera: STAPHYLINIDAE: PSELAPHINAE: BYTHININI]; placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1969b); syn. of *Rybaxis* Saulcy, 1876]. Comment: permanently invalid (Art. 39): based on preoccupied and suppressed type genus; incorrect original stem formation, not in prevailing usage.

BRACHYGLUTINI Raffray, 1904: 490, in key [stem: *Brachyglut-*]. Type genus: *Brachygluta* C. G. Thomson, 1859. Comment: replacement name for BRYAXES J. L. LeConte, 1861.

REICHENBACHIINA Jakobson, 1910: 577 [stem: *Reichenbachi-*]. Type genus: *Reichenbachia* Leach, 1826.

GLOBINA Jeannel, 1959: 462, in key [stem: *Glob-*]. Type genus: *Globa* Raffray, 1887.

HALORABYXINA Leleup, 1969a: 138 [stem: *Halorabyx-*]. Type genus: *Halorabyxis* Jeannel, 1954 [syn. of *Physoplectus* Reitter, 1882].

PSELAPTINA O. Park, 1976: 48 [stem: *Pselapt-*]. Type genus: *Pselaptus* J. L. LeConte, 1880.

Subtribe DECARTHrina Park, 1951

DECARTHRONINI O. Park, 1951: 61, in key [stem: *Decarthr-*]. Type genus: *Decarthron* Brendel, 1865. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 40).

Subtribe EUPSENIINA Park, 1951

EUPSENIINI O. Park, 1951: 61, in key [stem: *Eupseni-*]. Type genus: *Eupsenius* J. L. LeConte, 1849.

Tribe BYTHININI Raffray, 1890

BYTHININI Raffray, 1890: 83, in key [stem: *Bythin-*]. Type genus: *Bythinus* Leach, 1817 [placed on the Official List of Generic Names in Zoology (ICZN 1969b)].

Subtribe BYTHININA Raffray, 1890

BYTHININI Raffray, 1890: 83, in key [stem: *Bythin-*]. Type genus: *Bythinus* Leach, 1817 [placed on the Official List of Generic Names in Zoology (ICZN 1969b)].

BRYAXINA Jakobson, 1910: 579 [stem: *Bryaxe-*]. Type genus: *Bryaxis* Kugelann, 1794 [placed on the Official List of Generic Names in Zoology (ICZN 1969b)]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe MACHAERITINA Jeannel, 1950

MACHAERITINA Jeannel, 1950a: 168 [stem: *Machaerit-*]. Type genus: *Machaerites* Miller, 1855.

Subtribe XENOBYTHINA Jeannel, 1950

XENOBYTHINA Jeannel, 1950a: 201 [stem: *Xenobyth-*]. Type genus: *Xenobythus* Peyerimhoff, 1901.

Tribe CYATHIGERINI Schaufuss, 1872

CYATHIGERINI L. W. Schaufuss, 1872: 245 [stem: *Cyathiger-*]. Type genus: *Cyathiger* King, 1865 [syn. of *Plagiophorus* Motschulsky, 1851].

Tribe GONIACERINI Reitter, 1882 (1872)

GONIASTINI L. W. Schaufuss, 1872: 245 [stem: *Goniast-*]. Type genus: *Goniastes* Westwood, 1870. Comment: use of younger family-group name GONIACERINI Reitter, 1882 conserved (Art. 40.2) (see Newton and Thayer 1992: 40).

- GONIACERIDES Reitter, 1882b: 188 [stem: *Goniacer-*]. Type genus: *Goniacerus* Motschulsky, 1855. Comment: use of family-group name conserved over GONIASTINI L. W. Schaufuss, 1872 (Art. 40.2) (see Newton and Thayer 1992: 40).
- SIMINI L. W. Schaufuss, 1890: in table [stem: *Sim-*]. Type genus: *Simus* Raffray, 1882 [preoccupied genus name, not *Simus* Bonaparte, 1838 [Reptilia] or *Simus* Hodgson, 1841 [Aves]; syn. of *Ipsimus* Reitter, 1885]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- LISTRIPHORINI L. W. Schaufuss, 1890: in table [stem: *Listriophor-*]. Type genus: *Listriophorus* L. W. Schaufuss, 1872.

Tribe IMIRINI Jeannel, 1949

- MIRINI Raffray, 1917: 110 [stem: *Mir-*]. Type genus: *Mirus* Saulcy, 1877 [preoccupied genus name, not *Mirus* Albers, 1850 [Mollusca]; syn. of *Imirus* Reitter, 1885]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; junior homonym of MIRIDAE Hahn, 1833 (type genus *Miris* Fabricius, 1794) in Hemiptera.

IMIRINI Jeannel, 1949a: 41, in key [stem: *Imir-*]. Type genus: *Imirus* Reitter, 1885.

Tribe INIOCYPHINI Park, 1951

- INIOCYPHINI O. Park, 1951: 60, in key [stem: *Iniocypb-*]. Type genus: *Iniocyphus* Raffray, 1912.

Subtribe INIOCYPHINA Park, 1951

- INIOCYPHINI O. Park, 1951: 60, in key [stem: *Iniocypb-*]. Type genus: *Iniocyphus* Raffray, 1912. Comment: First Reviser found (INIOCYPHINA Park, 1951 vs DALMODIINA Park, 1951) is Chandler (2001: 377).

- DALMODIINI O. Park, 1951: 61, in key [stem: *Dalmod-*]. Type genus: *Dalmodes* Reitter, 1882. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 41).

Subtribe NATYPLEURINA Newton and Thayer, 1992

- TANYPLEURINI Jeannel, 1949a: 79 [stem: *Tanypleur-*]. Type genus: *Tanypleurus* Raffray, 1890 [preoccupied genus name, not *Tanypleurus* Steenstrup and Luetken, 1861 [Crustacea]; syn. of *Natypleurus* Newton and Thayer, 1992]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

- NATYPLEURINA Newton and Thayer, 1992: 41 [stem: *Natypleur-*]. Type genus: *Natypleurus* Newton and Thayer, 1992. Comment: replacement name for TANYPLEURINI Jeannel, 1949 because of the homonymy of the type genus.

Tribe MACHADOINI Jeannel, 1951

- MACHADOINI Jeannel, 1951: 105 [stem: *Machado-*]. Type genus: *Machadous* Jeannel, 1951.

Tribe PROTERINI Jeannel, 1949

PROTERINI Jeannel, 1949a: 41, in key [stem: *Proter-*]. Type genus: *Proterus* Raffray, 1897.

Tribe PYGOXYINI Reitter, 1909

PYGOXYINI Reitter, 1909: 202 [stem: *Pygoxy-*]. Type genus: *Pygoxyon* Reitter, 1880.

Tribe SPELEOBAMINI Park, 1951

SPELEOBAMINI O. Park, 1951: 51 [stem: *Speleobam-*]. Type genus: *Speleobama* O. Park, 1951.

Tribe TYCHINI Raffray, 1904

TYCHINI Raffray, 1904: 490, in key [stem: *Tych-*]. Type genus: *Tychus* Leach, 1817.

Tribe VALDINI Park, 1953

VALDIINI O. Park, 1953: 261 [stem: *Vald-*]. Type genus: *Valda* Casey, 1894. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 41).

Supertribe PSELAPHITAE Latreille, 1802

PSELAPHII Latreille, 1802: 239 [stem: *Pselaph-*]. Type genus: *Pselaphus* Herbst, 1791.

Tribe ARHYTODINI Raffray, 1890

ARHYTODINI Raffray, 1890: 84, in key [stem: *Arhytod-*]. Type genus: *Arhytodes* Reitter, 1882 [syn. of *Rhytus* Westwood, 1870].

HOLOZODINI Raffray, 1900: 518 [stem: *Holozod-*]. Type genus: *Holozodus* Fairmaire, 1898.

Tribe ATTAPSENIINI Bruch, 1933

ATTAPSENIINI Bruch, 1933a: 26 [stem: *Attapseni-*]. Type genus: *Attapsenius* Bruch, 1933.

Tribe CTENISTINI Blanchard, 1845

CTÉNISTITES Blanchard, 1845a: 306 [stem: *Ctenist-*]. Type genus: *Ctenistes* Reichenbach, 1816. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Reitter (1882b: 183, as CTENISTINI), generally accepted as in Chandler (2001: 484, as CTENISTINI).

CHENNIIDES Reitter, 1882b: 183 [stem: *Chenni-*]. Type genus: *Chennium* Latreille, 1807.

Tribe HYBOCEPHALINI Raffray, 1890

HYBOCEPHALINI Raffray, 1890: 83, in key [stem: *Hybocephal-*]. Type genus: *Hybocephalus* Motschulsky, 1851.

MESTOGASTRINA Jakobson, 1910: 585 [stem: *Mestogastr-*]. Type genus: *Mestogaster* Schmidt-Göbel, 1838.

Tribe ODONTALGINI Jeannel, 1949

ODONTALGINI Jeannel, 1949a: 177 [stem: *Odontalg-*]. Type genus: *Odontalgus* Raffray, 1877.

Tribe PACHYGASTRODINI Leleup, 1969

PACHYGASTRODINI Leleup, 1969b: 282 [stem: *Pachygastrod-*]. Type genus: *Pachygastrodes* Leleup, 1969.

Tribe PHALEPSINI Jeannel, 1949

PHALEPSINI Jeannel, 1949a: 208 [stem: *Phaleps-*]. Type genus: *Phalepus* Westwood, 1870.

Tribe PSELAPHINI Latreille, 1802

PSELAPHII Latreille, 1802: 239 [stem: *Pselaph-*]. Type genus: *Pselaphus* Herbst, 1791.

Tribe SCHISTODACTYLINI Raffray, 1890

SCHISTODACTYLINI Raffray, 1890: 84, in key [stem: *Schistodactyl-*]. Type genus: *Schistodactylus* Raffray, 1883.

Tribe TMESIPHORINI Jeannel, 1949

TMESIPHORINI Jeannel, 1949a: 202 [stem: *Tmesiphor-*]. Type genus: *Tmesiphorus* J. L. LeConte, 1849.

Tribe TYRINI Reitter, 1882

TYRIDES Reitter, 1882b: 184 [stem: *Tyr-*]. Type genus: *Tyrus* Aubé, 1833.

Subtribe CENTROPHTHALMINA Jeannel, 1949

CENTROPHTHALMINA Jeannel, 1949a: 209, in key [stem: *Centrophthalm-*]. Type genus: *Centrophthalmus* Schmidt-Göbel, 1838.

PETANOPINI Jeannel, 1954b: 102, in key [stem: *Petanop-*]. Type genus: *Petanops* Jeannel, 1954 [syn. of *Daveyia* Lea, 1912].

Subtribe JANUSCULINA Cerruti, 1970

JANUSCULINA Cerruti, 1970: 123 [stem: *Januscule-*]. Type genus: *Janusculus* Cerruti, 1970.

Subtribe SOMATIPIONINA Jeannel, 1949

SOMATIPIONINI Jeannel, 1949a: 208 [stem: *Somatipion-*]. Type genus: *Somatipion* L. W. Schaufuss, 1877.

HAMOTINI O. Park, 1951: 67, in key [stem: *Hamot-*]. Type genus: *Hamotus* Aubé, 1844.

Subtribe TYRINA Reitter, 1882

TYRIDES Reitter, 1882b: 184 [stem: *Tyr-*]. Type genus: *Tyrus* Aubé, 1833.

CHALCOPLECTINI Oke, 1925: 13 [stem: *Chalcoplect-*]. Type genus: *Chalcoplectus* Oke, 1925.

CEOPHYLLINI O. Park, 1951: 67, in key [stem: *Ceophyll-*]. Type genus: *Ceophyllus* J. L. LeConte, 1849.

Subfamily PHLOEOCHARINAE Erichson, 1839

PHLOEOCHARINI Erichson, 1839a: 612 [stem: *Phloeochar-*]. Type genus: *Phloeocharis* Mannerheim, 1830. Comment: this family-group name was also used in the same year by Erichson (1839b: 31, as PHLOEOCHARINI) and Heer (1839b: 5, as PHLOEOCHARINA); for comments about the priority of these works see Newton and Thayer (1992: 24); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Phloeocharit-*).

SCOTODYTIDAE Saulcy, 1870: 90 [stem: *Scotodyt-*]. Type genus: *Scotodytes* Saulcy, 1865 [syn. of *Phloeocharis* Mannerheim, 1830].

Subfamily OLISTHAERINAE Thomson, 1858

OLISTHAERINI C. G. Thomson, 1858: 38 [stem: *Olisthaer-*]. Type genus: *Olisthaerus*

Subfamily TACHYPORINAE MacLeay, 1825

TACHYPORIDAE W. S. MacLeay, 1825: 49 [stem: *Tachypor-*]. Type genus: *Tachyporus*

Tribe DEROPINI Smetana, 1983

DEROPSINI Smetana, 1983: 272 [stem: *Derop-*]. Type genus: *Derops* Sharp, 1889.

Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 66).

Tribe MEGARTHROPSINI Cameron, 1919

MEGARTHROPSINI Cameron, 1919: 231 [stem: *Megarthrops-*]. Type genus: *Megarthrops* Cameron, 1919. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Megarthropse-*).

Tribe MYCETOPORINI Thomson, 1859

MYCETOPORIDES C. G. Thomson, 1859: 46 [stem: *Mycetopor-*]. Type genus: *Mycetoporus* Mannerheim, 1830 [placed on the Official List of Generic Names in Zoology (ICZN 1993c)].

BOLITOBII G. H. Horn, 1877: 83 [stem: *Bolitobi-*]. Type genus: *Bolitobius* Leach, 1819.

Tribe TACHYPORINI MacLeay, 1825

TACHINIDAE Fleming, 1821: 49 [stem: *Tachinus-*]. Type genus: *Tachinus* Gravenhorst, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1993f)]. Comment: senior homonym of TACHINARIAE Robineau-Desvoidy, 1830 [Diptera: TACHINIDAE], stem emended to *Tachinus-* and TACHINUSIDAE Fleming, 1821 placed on the Official List of Family-Group Names in Zoology (ICZN 1993f); TACHINIDAE Fleming, 1821 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1993f).

TACHYPORIDAE W. S. MacLeay, 1825: 49 [stem: *Tachypor-*]. Type genus: *Tachyporus* Gravenhorst, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1993f)]. Comment: family-group name given precedence over TACHINUSIDAE Fleming, 1821 and placed on the Official List of Family-Group Names in Zoology (ICZN 1993f).

SYMMIXINI Bernhauer, 1915: 56 [stem: *Symmix-*]. Type genus: *Symmixus* Bernhauer, 1915.

EUCONOSOMINI Cameron, 1918: 216 [stem: *Euconosomat-*]. Type genus: *Euconosoma* Cameron, 1918. Comment: incorrect original stem formation, not in prevailing usage.

CONOSOMINI Jeannel and Jarrige, 1949: 335 [stem: *Conosomat-*]. Type genus: *Conosoma* Kraatz, 1857 [preoccupied genus name, not *Conosoma* Lenz, 1794 [Diptera]; syn. of *Tachinus* Gravenhorst, 1802]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

SEPEDOPHILINI Ádám, 2001: 199 [stem: *Sepedophil-*]. Type genus: *Sepedophilus* Gistel, 1856. Comment: **syn. nov.**

Tribe VATESINI Seevers, 1958

XENOCEPHALINI Wasmann, 1887: 411 [stem: *Xenocephal-*]. Type genus: *Xenocephalus* Wasmann, 1887 [preoccupied genus name, not *Xenocephalus* Kaup, 1858 [Pisces]; replaced by *Wasmannotherium* Bernhauer, 1921; syn. of *Vatesus* Sharp, 1876]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

VATESINI Seevers, 1958: 183 [stem: *Vates-*]. Type genus: *Vatesus* Sharp, 1876. Comment: replacement name for XENOCEPHALINI Wasmann, 1887 because of the homonymy of the type genus.

Subfamily TRICHOPHYINAE Thomson, 1858

TRICHOPHYINI C. G. Thomson, 1858: 30 [stem: *Trichophy-*]. Type genus: *Trichophya* Mannerheim, 1830.

Subfamily HABROCERINAE Mulsant and Rey, 1876

HABROCÉRIENS Mulsant and Rey, 1876: 210 [stem: *Habrocer-*]. Type genus: *Habrocerus* Erichson, 1839. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by G. H. Horn (1877: 83, as HABROCERI), generally accepted as in Newton and Thayer (1992: 56, as HABROCERINAE).

Subfamily ALEOCHARINAE Fleming, 1821

ALEOCHARIDAE Fleming, 1821: 49 [stem: *Aleochar-*]. Type genus: *Aleochara* Gravenhorst, 1802. Comment: First Reviser (ALEOCHARINAE Fleming, 1821 vs LOMECHUSINAE Fleming, 1821) not determined, current usage maintained.

Tribe ACTOCHARINI Bernhauer and Schubert, 1911

ACTOCHARI Bernhauer and Schubert, 1911: 91 [stem: *Actochar-*]. Type genus: *Actocharis* Fauvel, 1869. Comment: originally proposed as a subtribe of OXYTELINI Fleming, 1821; current spelling maintained (Art. 29.5); incorrect stem formation in prevailing usage (should be *Actocharit-*).

Tribe AENICTOTERATINI Kistner, 1993

AENICTOTERATINI Kistner, 1993: 242 [stem: *Aenictoterat-*]. Type genus: *Aenictoteras* W. M. Wheeler, 1932.

Tribe AKASTOPSISINI Pace, 2000

AKASTOPSISINI Pace, 2000a: 112 [stem: *Akastopsis-*]. Type genus: *Akastopsis* Pace, 2000.

Tribe ALEOCHARINI Fleming, 1821

ALEOCHARIDAE Fleming, 1821: 49 [stem: *Aleochar-*]. Type genus: *Aleochara* Gravenhorst, 1802.

Subtribe ALEOCHARINA Fleming, 1821

ALEOCHARIDAE Fleming, 1821: 49 [stem: *Aleochar-*]. Type genus: *Aleochara* Gravenhorst, 1802.

PIOCHARDIAE Fenyes, 1918: 20 [stem: *Piochardi-*]. Type genus: *Piochardia* Heyden, 1870.

Subtribe COMPACTOPEDIINA Kistner, 1970

COMPACTOPEDINA Kistner, 1970b: 18 [stem: *Compactopedi-*]. Type genus: *Compactopedia* Kistner, 1970. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 47).

Subtribe HODOXENINA Kistner, 1970

HODOXENINA Kistner, 1970a: 12 [stem: *Hodoxen-*]. Type genus: *Hodoxenus* Kistner, 1970.

Tribe ATHETINI Casey, 1910

ATHETAE Casey, 1910: 2 [stem: *Athet-*]. Type genus: *Atheta* C. G. Thomson, 1858 [placed on the Official List of Generic Names in Zoology (ICZN 1961b)].

Comment: notice of a new application for the conservation of this name over the older name CALLICERINI Jakobson, 1908 by Gusarov was recently published in the Bulletin of Zoological Nomenclature (2010: 270; also see Appendix 6).

Subtribe ATHETINA Casey, 1910

CALLICERINA Jakobson, 1908: 448 [stem: *Callicer-*]. Type genus: *Callicerus* Gravenhorst, 1802. Comment: junior homonym of CALLICERINA Ron-dani, 1856 (type genus *Callicera* Panzer, 1806) in Diptera: SYRPHIDAE; notice of a new application for the suppression of this name by Gusarov was recently published in the Bulletin of Zoological Nomenclature (2010: 270; also see Appendix 6).

ATHETAE Casey, 1910: 2 [stem: *Athet-*]. Type genus: *Atheta* C. G. Thomson, 1858 [placed on the Official List of Generic Names in Zoology (ICZN 1961b)]. Comment: notice of a new application for the conservation of this name over the older name CALLICERINA Jakobson, 1908 by Gusarov was recently published in the Bulletin of Zoological Nomenclature (2010: 270; also see Appendix 6).

STRIGOTAE Casey, 1910: 176 [stem: *Strigot-*]. Type genus: *Strigota* Casey, 1910.

PLAGIARTHININI Cameron, 1926: 184 [stem: *Plagiarthrin-*]. Type genus: *Plagiarthrina* Keys, 1920 [syn. of *Atheta* C. G. Thomson, 1858]. Comment: incorrect original stem formation, not in prevailing usage.

ISCHNOPODINI Hatch, 1957: 141 [stem: *Ischnopod-*]. Type genus: *Ischnopoda* sensu Westwood, 1838 [not *Ischnopoda* Stephens, 1835 (see ICZN 1961b); syn. of *Acrotona* C. G. Thomson, 1859]. Comment: based on misidentified type genus.

*XENOTAE Seevers, 1978: 113 [stem: *Xenot-*]. Type genus: *Xenota* Mulsant and Rey, 1873 [subgenus of *Atheta* C. G. Thomson, 1858]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

ACROTONAE Seevers, 1978: 97 [stem: *Acroton-*]. Type genus: *Acrotona* C. G. Thomson, 1859 [placed on the Official List of Generic Names in Zoology (ICZN 1961b)].

- GEOSTIBAE Seevers, 1978: 126 [stem: *Geostib-*]. Type genus: *Geostiba* C. G. Thomson, 1858 [placed on the Official List of Generic Names in Zoology (ICZN 2005a)].
- DIMETROTAE Seevers, 1978: 102 [stem: *Dimetrot-*]. Type genus: *Dimetrota* Mulsant and Rey, 1873 [subgenus of *Atheta* C. G. Thomson, 1858].
- *HYDROSNECTINA Muona, 1979: 23 [stem: *Hydrosmect-*]. Type genus: *Hydrosmecta* C. G. Thomson, 1858. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- *TRICHOMICRINA Muona, 1979: 23 [stem: *Trichomict-*]. Type genus: *Trichomicra* Brundin, 1945. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- *DADOBIIINA Muona, 1979: 23 [stem: *Dadobi-*]. Type genus: *Dadobia* C. G. Thomson, 1858. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- *AMISCHINA Muona, 1979: 25 [stem: *Amisch-*]. Type genus: *Amischa* C. G. Thomson, 1858. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe COPTOTERMOECIINA Kistner and Pasteels, 1970

- *COPTOTERMOECIINA Seevers, 1957: 248 [stem: *Coptotermoeici-*]. Type genus: *Coptotermoeicia* Oke, 1933. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- COPTOTERMOECIINA Kistner and Pasteels, 1970: 86 [stem: *Coptotermoeici-*]. Type genus: *Coptotermoeicia* Oke, 1933.

Subtribe MICROCEROXENINA Kistner, 1970

- MICROCEROXENINA Kistner, 1970c: 10 [stem: *Microceroxen-*]. Type genus: *Microceroxenus* Kistner, 1970.

Subtribe NASUTIPHILINA Kistner, 1970

- NASUTIPHILINA Kistner, 1970d: 500 [stem: *Nasutiphil-*]. Type genus: *Nasutiphilus* Kistner, 1970.

Subtribe SCHISTOGENIINA Fenyes, 1918

- SCHISTOGENIAE Fenyes, 1918: 18 [stem: *Schistogeni-*]. Type genus: *Schistogenia* Kraatz, 1857.

Subtribe TAXICERINA Lohse, 1989

TAXICERINA Lohse, 1989: 210 [stem: *Taxicer-*]. Type genus: *Taxicera* Mulsant and Rey, 1873.

Subtribe TERMITOTELINA Kistner, 1970

*TERMITOTELINA Seevers, 1957: 250 [stem: *Termitotel-*]. Type genus: *Termitotulus* Wasmann, 1908. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

TERMITOTELINA Kistner, 1970a: 4 [stem: *Termitotel-*]. Type genus: *Termitotulus* Wasmann, 1908.

Subtribe THAMIARAEINA Fenyves, 1921

THAMIARAEINI Fenyves, 1921: 34 [stem: *Thamia*_{rae}-]. Type genus: *Thamia*_{raea} C. G. Thomson, 1858.

Tribe AUTALIINI Thomson, 1859

AUTALIIDES C. G. Thomson, 1859: 30 [stem: *Autali-*]. Type genus: *Autalia* Leach, 1819.

OPHIOGLOSSAE Fenyves, 1918: 18 [stem: *Ophiogloss-*]. Type genus: *Ophioglossa* Fauvel, 1866.

RHOPALOGASTRA Fenyves, 1918: 17 [stem: *Rhopalogastr-*]. Type genus: *Rhopalogastrum* Bernhauer, 1912.

Tribe CORDOBANINI Bernhauer, 1910

CORDOBANINI Bernhauer, 1910: 386 [stem: *Cordoban-*]. Type genus: *Cordobanus* Bernhauer, 1910.

Tribe COROTOCINI Fenyves, 1918

COROTOCINI Fenyves, 1918: 61 [stem: *Corotoc-*]. Type genus: *Corotoca* Schiødte, 1847.

Subtribe ABROTELINA Seevers, 1957

ABROTELINA Seevers, 1957: 121 [stem: *Abrotel-*]. Type genus: *Abroteles* Casey, 1889.

Subtribe COROTOCINA Fenyves, 1918

COROTOCINI Fenyves, 1918: 61 [stem: *Corotoc-*]. Type genus: *Corotoca* Schiødte, 1847.

TERMITOMIMINI Fenyves, 1921: 33 [stem: *Termitomim-*]. Type genus: *Termitomimus* Trägårdh, 1907.

Subtribe EBURNIOGASTRINA Jacobson, Kistner and Pasteels, 1986

EBURNIOGASTRINA Jacobson et al., 1986: 27 [stem: *Eburniogastr-*]. Type genus: *Eburniogaster* Seevers, 1938.

Subtribe NASUTITELLINA Jacobson, Kistner and Pasteels, 1986

NASUTITELLINA Jacobson et al., 1986: 95 [stem: *Nasutitell-*]. Type genus: *Nasutella* Pasteels, 1967.

Subtribe SPHURIDAETHINA Pace, 1988

SPHURIDAETHINA Pace, 1988: 980 [stem: *Sphuridaeth-*]. Type genus: *Sphuridaethes* Pace, 1988.

Subtribe TERMITOCHARINA Seevers, 1957

TERMITOCHARINA Seevers, 1957: 64, in key [stem: *Termitochar-*]. Type genus: *Termitochara* Wasmann, 1893.

Subtribe TERMITOCUPIDINA Jacobson, Kistner and Pasteels, 1986

TERMITOCUPIDINA Jacobson et al., 1986: 35 [stem: *Termitocupid-*]. Type genus: *Termitocupidus* Jacobson et al., 1986.

Subtribe TERMITOGASTRINA Bernhauer and Scheerpeltz, 1926

TERMITOGASTRI Bernhauer and Scheerpeltz, 1926: 734 [stem: *Termitogastr-*]. Type genus: *Termitogaster* Casey, 1889.

TERMITELLICI Jacobson et al., 1986: 47 [stem: *Termitell-*]. Type genus: *Termitella* Wasmann, 1911. Comment: proposed as an infratribe, a rank not used here.

TERMITOGASTRICI Jacobson et al., 1986: 58 [stem: *Termitogastr-*]. Type genus: *Termitogaster* Casey, 1889. Comment: family-group name proposed as a new taxon, without reference to TERMITOGASTRI Bernhauer and Scheerpeltz, 1926; proposed as an infratribe, a rank not used here.

Subtribe TERMITOICEINA Jacobson, Kistner and Pasteels, 1986

TERMITOICEINA Jacobson et al., 1986: 84 [stem: *Termitoice-*]. Type genus: *Termitoiceus* Silvestri, 1901.

Subtribe TERMITOPITHINA Jacobson, Kistner and Pasteels, 1986

TERMITOPITHINA Jacobson et al., 1986: 80 [stem: *Termitopith-*]. Type genus: *Termitopithus* Seevers, 1957.

Subtribe TERMITOPTOCHINA Fenyes, 1921

TERMITOPTOCHINI Fenyes, 1921: 33 [stem: *Termitoptoch-*]. Type genus: *Termitoptochus* Silvestri, 1911.

TERMITOPTOCHINA Jacobson et al., 1986: 96 [stem: *Termitoptoch-*]. Type genus: *Termitoptochus* Silvestri, 1911. Comment: family-group name proposed as new without reference to TERMITOPTOCHINI Fenyes, 1921.

Subtribe TIMEPARTHENINA Fenyes, 1921

TIMEPARTHENINI Fenyes, 1921: 34 [stem: *Timeparthen-*]. Type genus: *Timeparthenus* Silvestri, 1901.

Tribe CREMATOXENINI Mann, 1921

CREMATOXENINI Mann, 1921: 547 [stem: *Crematoxen-*]. Type genus: *Crematoxenus* Mann, 1921.

PULICOMORPHINI Mann, 1924: 87 [stem: *Pulicomorph-*]. Type genus: *Pulicomorpha* Mann, 1924.

PHILACAMATINI Bruch, 1933b: 206 [stem: *Philacamat-*]. Type genus: *Philacamatus* Bruch, 1933.

Tribe CRYPTONOTOPSEINI Pace, 2003

CRYPTONOTOPSISINI Pace, 2003: 38 [stem: *Cryptonotopse-*]. Type genus: *Cryptonotopsis* Pace, 2003. Comment: incorrect original stem formation, not in prevailing usage.

Tribe DEINOPSINI Sharp, 1883

DEINOPSINI Sharp, 1883: 294 [stem: *Deinops-*]. Type genus: *Deinopsis* A. Matthews, 1838. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Deinopse-*).

ADINOPSINI Cameron, 1919: 242 [stem: *Adinopse-*]. Type genus: *Adinopsis* Cameron, 1919. Comment: incorrect original stem formation, not in prevailing usage.

Tribe DIESTOTINI Mulsant and Rey, 1871

DIESTOTATES Mulsant and Rey, 1871c: 96 [stem: *Diestot-*]. Type genus: *Diestota* Mulsant and Rey, 1870. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Lohse (1989: 186, as DIESTOTINI), generally accepted as in Newton and Thayer (1992: 49, as DIESTOTINI).

ELACHISTARTHONINI Notman, 1920: 714 [stem: *Elachistarthr-*]. Type genus: *Elachistarthron* Notman, 1920 [syn. of *Diestota* Mulsant and Rey, 1870]. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 49).

Tribe DIGLOTTINI Jakobson, 1909

DIGLOSSAIRES Mulsant and Rey, 1873a: 73 [stem: *Digloss-*]. Type genus: *Diglossa* Haliday, 1837 [preoccupied genus name, not *Diglossa* Wagler, 1832 [Aves]; syn. of *Diglotta* Champion, 1899]. Comment: original vernacular name avail-

able (Art. 11.7.2): first used in latinized form and generally accepted as in Ganglbauer (1895: 313, as DIGLOSSINI); permanently invalid (Art. 39): based on preoccupied type genus.

DIGLOTTINA Jakobson, 1909: 529 [stem: *Diglott-*]. Type genus: *Diglotta* Champion, 1899. Comment: published 4 March 1909; this family-group name was also used in the same year by Eichelbaum (1909 [before 26 December]: 204, as DIGLOTTINI).

Tribe DIGRAMMINI Fauvel, 1900

DIGRAMMINI Fauvel, 1900: 123 [stem: *Digramm-*]. Type genus: *Digrammus* Fauvel, 1900.

Tribe DORYLOGASTRINI Wasmann, 1916

DORYLOGASTRINI Wasmann, 1916a: 103 [stem: *Dorylogastr-*]. Type genus: *Dorylogaster* Wasmann, 1904.

Tribe DORYLOMIMINI Wasmann, 1916

DORYLOMIMINI Wasmann, 1916a: 99 [stem: *Dorylomim-*]. Type genus: *Dorylomimus* Wasmann, 1902.

Tribe DREPANOXENINI Kistner and Watson, 1972

DREPANOXENINI Kistner and Watson, 1972: 2 [stem: *Drepanoxen-*]. Type genus: *Drepanoxenus* Kistner and Watson, 1972.

Tribe ECITOCHARINI Seevers, 1965

ECITOCHARINI Seevers, 1965: 287 [stem: *Ecitochar-*]. Type genus: *Ecitochara* Wasmann, 1887.

Tribe ECITOGASTRINI Fenyes, 1918

ECITOGASTRINI Fenyes, 1918: 74 [stem: *Ecitogastr-*]. Type genus: *Ecitogaster* Wasmann, 1899.

Tribe EUSTENIAMORPHINI Bernhauer and Scheerpeltz, 1926

EUSTENIAMORPHINI Bernhauer and Scheerpeltz, 1926: 517 [stem: *Eusteniamorph-*]. Type genus: *Eusteniamorpha* Cameron, 1920.

Tribe FALAGRIINI Mulsant and Rey, 1873

FALAGRIATES Mulsant and Rey, 1873b: 8 [stem: *Falagri-*]. Type genus: *Falagria* Leach, 1819. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1874 [Gatt.]: 71, as FALAGRIINA), generally accepted as in Newton and Thayer (1992: 50, as FALAGRIINI).

Tribe FELDINI Kistner, 1972

*FELDINA Seevers, 1957: 236 [stem: *Feld-*]. Type genus: *Felda* Blackwelder, 1952.

Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

FELDINI Kistner, 1972: 2 [stem: *Feld-*]. Type genus: *Felda* Blackwelder, 1952.

Tribe GYMNASINI Heer, 1839

GYMNUSIDA Heer, 1839a: 302 [stem: *Gymnus-*]. Type genus: *Gymnusa* Gravenhorst, 1806. Comment: this family-group name was also used in the same year by Heer (1839b: 49, as GYMNASIDA); for comments about the priority of these works see Newton and Thayer (1992: 24).

Tribe HIMALUSINI Klimaszewski, Pace and Center, 2010

HIMALUSINI Klimaszewski et al., 2010: 3 [stem: *Himalus-*]. Type genus: *Himalusa* Pace, 2006.

Tribe HOMALOTINI Heer, 1839

HOMALOTIDA Heer, 1839a: 305 [stem: *Homalot-*]. Type genus: *Homalota* Mannerheim, 1830.

Subtribe BOLITOCHARINA Thomson, 1859

BOLITOCHARIDES C. G. Thomson, 1859: 31 [stem: *Bolitochar-*]. Type genus: *Bolitochara* Mannerheim, 1830 [placed on the Official List of Generic Names in Zoology (ICZN 1961a)]. Comment: First Revisers found (BOLITOCHARINI C. G. Thomson, 1859 vs EURYUSINI C. G. Thomson, 1859) are Newton and Thayer (1992: 50); BOLITOCHARINI C. G. Thomson, 1859 placed on the Official List of Family-Group Names in Zoology (ICZN 1961a); the original spelling BOLITOCHARIDES C. G. Thomson, 1859 and several subsequent spellings of this name placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1961a).

EURYUSIDES C. G. Thomson, 1859: 40 [stem: *Euryus-*]. Type genus: *Euryusa* Erichson, 1837.

SIPALIAE Casey, 1910: 167 [stem: *Sipali-*]. Type genus: *Sipalia* Mulsant and Rey, 1853 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 2005d)]. Comment: permanently invalid (Art. 39): based on suppressed type genus.

HETEROTAE Fenyes, 1918: 18 [stem: *Heterot-*]. Type genus: *Heterota* Mulsant and Rey, 1873.

LEPTUSAЕ Fenyes, 1918: 18 [stem: *Leptus-*]. Type genus: *Leptusa* Kraatz, 1856 [placed on the Official List of Generic Names in Zoology (ICZN 2005d)].

NANOGLOSSAE Fenyes, 1918: 20 [stem: *Nanogloss-*]. Type genus: *Nanoglossa* Fauvel, 1868 [subgenus of *Leptusa* Kraatz, 1856].

DITROPALIINI Hatch, 1957: 134, in key, 147 [stem: *Ditropali-*]. Type genus: *Ditropalia* Casey, 1906 [syn. of *Bolitochara* Mannerheim, 1830]. Comment: this taxon was named correctly DITROPALIINI in the text on p. 147 but incorrect as BOLITOCHARINI in the key on p. 134.

Subtribe DINARDOPSINA Bernhauer and Scheerpeltz, 1926

DINARDOPSES Bernhauer and Scheerpeltz, 1926: 525, 804 [stem: *Dinardops-*]. Type genus: *Dinardopsis* Bruch, 1917. Comment: the erroneous spelling DINARDOPSIS was used in the catalogue on p. 525 but this was corrected to DINARDOPSES on page 804 of the same work; current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Dinardopse-*).

Subtribe GYROPHAEININA Kraatz, 1856

GYROPHAEININI Kraatz, 1856: 351 [stem: *Gyrophaen-*]. Type genus: *Gyrophaea* Mannerheim, 1830.

Subtribe HOMALOTINA Heer, 1839

HOMALOTIDA Heer, 1839a: 305 [stem: *Homalot-*]. Type genus: *Homalota* Mannerheim, 1830. Comment: this family-group name was also used in the same year by Heer (1839b: 50, as HOMALOTIDA); for comments about the priority of these works see Newton and Thayer (1992: 24).

THECTUROTAE Fenyes, 1918: 18 [stem: *Thecturot-*]. Type genus: *Thecturota* Casey, 1893.

*CYPHEAE Seevers, 1978: 272 [stem: *Cyphe-*]. Type genus: *Cyphea* Fauvel, 1863. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe SILUSINA Fenyes, 1918

SILUSAE Fenyes, 1918: 17 [stem: *Silus-*]. Type genus: *Silusa* Erichson, 1837.

Tribe HOPLANDRIINI Casey, 1910

HOPLANDRIAЕ Casey, 1910: 170 [stem: *Hoplandri-*]. Type genus: *Hoplandria* Kraatz, 1857.

Subtribe HOPLANDRIINA Casey, 1910

HOPLANDRIAЕ Casey, 1910: 170 [stem: *Hoplandri-*]. Type genus: *Hoplandria* Kraatz, 1857.

Subtribe PLATANDRIINA Hanley, 2002

PLATANDRIINA Hanley, 2002: 317 [stem: *Platandri-*]. Type genus: *Platandria* Casey, 1893.

Subtribe PSEUDOPLANTRINA Hanley, 2002

PSEUDOPLANTRINA Hanley, 2002: 317 [stem: *Pseudoplantri-*]. Type genus: *Pseudoplantria* Fenyes, 1921.

Tribe HYGRONOMINI Thomson, 1859

HYGRONOMIDES C. G. Thomson, 1859: 31 [stem: *Hygronom-*]. Type genus: *Hygronoma* Erichson, 1837.

Subtribe HYGRONOMINA Thomson, 1859

HYGRONOMIDES C. G. Thomson, 1859: 31 [stem: *Hygronom-*]. Type genus: *Hygronoma* Erichson, 1837.

Subtribe SAPHOGLOSSINA Bernhauer and Scheerpeltz, 1926

SAPHOGLOSSAE Bernhauer and Scheerpeltz, 1926: 521 [stem: *Saphogloss-*]. Type genus: *Saphoglossa* Sharp, 1883.

Tribe HYPOCYPTINI Laporte, 1835

HYPOCYPTIDAE Laporte, 1835a: 135 [stem: *Hypocypt-*]. Type genus: *Hypocyptus* Gyllenhal, 1827 [syn. of *Cypha* Leach, 1819].

OLIGOTIDES C. G. Thomson, 1859: 30 [stem: *Oligot-*]. Type genus: *Oligota* Mannerheim, 1830.

NEMATOSCELINI Fenyes, 1921: 33 [stem: *Nematoscelid-*]. Type genus: *Nematoscelis* Wollaston, 1867. Comment: incorrect original stem formation, not in prevailing usage.

*CYPHINAE Lohse, 1974: 7 [stem: *Cyph-*]. Type genus: *Cypha* Leach, 1819. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently; also see CYPHINI Lacordaire, 1863 (type genus *Cyphus* Germar, 1824) in Coleoptera: CURCULIONIDAE.

Tribe LEUCOCRASPEDINI Fenyes, 1921

LEUCOCRASPEDINI Fenyes, 1921: 34 [stem: *Leucocrasped-*]. Type genus: *Leucocraspedum* Kraatz, 1859.

Tribe LIPAROCEPHALINI Fenyes, 1918

LIPAROCEPHALI Fenyes, 1918: 18 [stem: *Liparocephal-*]. Type genus: *Liparocephalus* Mäklin, 1853.

Tribe LOMECHUSINI Fleming, 1821

LOMECHUSIDAE Fleming, 1821: 49 [stem: *Lomechus-*]. Type genus: *Lomechusa* Gravenhorst, 1806.

Subtribe AENICTOBIINA Kistner, 1997

AENICTOBIINA Kistner, 1997: 174 [stem: *Aenictobi-*]. Type genus: *Aenictobia* Seevers, 1953.

Subtribe LOMECHUSINA Fleming, 1821

LOMECHUSIDAE Fleming, 1821: 49 [stem: *Lomechus-*]. Type genus: *Lomechusa* Gravenhorst, 1806.

XENODUSAE Seevers, 1978: 155 [stem: *Xenodus-*]. Type genus: *Xenodusa* Wasmann, 1894.

Subtribe MYRMEDONIINA Thomson, 1867

MYRMEDONIIDES C. G. Thomson, 1867: 209 [stem: *Myrmedoni-*]. Type genus: *Myrmedonia* Erichson, 1837 [syn. of *Zyras* Stephens, 1835].

*MYRMÉCIATES Mulsant and Rey, 1873b: 98 [stem: *Myrmoeci-*]. Type genus: *Myrmoecia* Mulsant and Rey, 1873. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

ZYRINI Bradley, 1930: 83 [stem: *Zyr-*]. Type genus: *Zyras* Stephens, 1835 [placed on the Official List of Generic Names in Zoology (ICZN 1961a)].

*ECITOPORAE Seevers, 1978: 13 [stem: *Ecitopor-*]. Type genus: *Ecitopora* Wasmann, 1887. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*TETRADONIAE Seevers, 1978: 13 [stem: *Tetradoni-*]. Type genus: *Tetradonia* Wasmann, 1894. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*DINOCORYNAE Seevers, 1978: 13 [stem: *Dinocoryn-*]. Type genus: *Dinocoryna* Casey, 1893. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe TERMITOZYRINA Seevers, 1957

TERMITOZYRINA Seevers, 1957: 62, in key [stem: *Termitozyr-*]. Type genus: *Termitozyras* Seevers, 1957.

Tribe MASURIINI Cameron, 1939

MASURIINI Cameron, 1939: 24 [stem: *Masuri-*]. Type genus: *Masuria* Cameron, 1928.

Tribe MESOPORINI Cameron, 1959

MESOPORINAE Cameron, 1959: 119 [stem: *Mesopor-*]. Type genus: *Mesoporus* Cameron, 1959.

Tribe MIMANOMMATINI Wasmann, 1912

MIMANOMMATINAE Wasmann, 1912: 478 [stem: *Mimanommat-*]. Type genus: *Mimanomma* Wasmann, 1912.

Subtribe DORYLOPHILINA Fenyes, 1921

DORYLOPHILINI Fenyes, 1921: 34 [stem: *Dorylophil-*]. Type genus: *Dorylophila* Wasmann, 1904.

DEREMINI Seevers, 1965: 294 [stem: *Derem-*]. Type genus: *Derema* Fauvel, 1899.

Subtribe MIMANOMMATINA Wasmann, 1912

MIMANOMMATINAE Wasmann, 1912: 478 [stem: *Mimanommat-*]. Type genus: *Mimanomma* Wasmann, 1912.

Tribe MIMECITINI Wasmann, 1917

MIMECITONINI Wasmann, 1917: 325 [stem: *Mimecit-*]. Type genus: *Mimeciton* Wasmann, 1893.

Subtribe LABIDOPULLINA Jacobson and Kistner, 1991

LABIDOPULLINA Jacobson and Kistner, 1991: 7 [stem: *Labidopull-*]. Type genus: *Labidopullus* Borgmeier, 1958.

Subtribe LEPTANILLOPHILINA Fenyes, 1918

LEPTANILLOPHILINI Fenyes, 1918: 59 [stem: *Leptanillophil-*]. Type genus: *Leptanillophilus* Holmgren, 1908.

Subtribe MIMECITINA Wasmann, 1917

MIMECITONINI Wasmann, 1917: 325 [stem: *Mimecit-*]. Type genus: *Mimeciton* Wasmann, 1893. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 52).

Subtribe MIMONILLINA Bernhauer and Scheerpeltz, 1926

MIMONILLAE Bernhauer and Scheerpeltz, 1926: 518 [stem: *Mimonill-*]. Type genus: *Mimonilla* Wasmann, 1913.

Tribe MYLLAENINI Ganglbauer, 1895

MYLLAENINI Ganglbauer, 1895: 317 [stem: *Myllaen-*]. Type genus: *Myllaena* Erichson, 1837.

DIMONOMERINI Cameron, 1933: 103 [stem: *Dimonomer-*]. Type genus: *Dimonoma* Cameron, 1933.

Tribe OXYPODINI Thomson, 1859

OXYPODIDES C. G. Thomson, 1859: 36 [stem: *Oxypod-*]. Type genus: *Oxypoda* Mannerheim, 1830 [placed on the Official List of Generic Names in Zoology (ICZN 1957)]. Comment: First Revisers found (OXYPODINI C. G. Thomson, 1859 vs TACHYUSINI C. G. Thomson, 1859 vs OCALAEINI C. G. Thomson, 1859 vs PHLOEOPORINI C. G. Thomson, 1859) are Newton and Thayer (1992:

53); name placed on the Official List of Family-Group Names in Zoology (ICZN 1957).

Subtribe APHYTOPODINA Bernhauer and Scheerpeltz, 1926

APHYTOPI Bernhauer and Scheerpeltz, 1926: 740 [stem: *Aphytopod-*]. Type genus: *Aphytopus* Sharp, 1886. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 53).

Subtribe BLEPHARHYMENINA Klimaszewski and Peck, 1986

*BLEPHARHYMENI Seevers, 1978: 82 [stem: *Blepharhymen-*]. Type genus: *Blepharhymenus* Solier, 1849. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

BLEPHARRHYMENI Klimaszewski and Peck, 1986: 58 [stem: *Blepharhymen-*]. Type genus: *Blepharhymenus* Solier, 1849 [as *Blepharrhymenus*, unjustified emendation of genus name by Gemminger and Harold (1868b: 505), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 53).

Subtribe DINARDINA Mulsant and Rey, 1873

DINARDAIRES Mulsant and Rey, 1873a: 6 [stem: *Dinard-*]. Type genus: *Dinarda* Leach, 1819. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Wasmann (1904a: 218, as DINARDINI), generally accepted as in Newton and Thayer (1992: 53, as DINARDINA).

*HOMÉUSATES Mulsant and Rey, 1874: 286 [stem: *Homoeus-*]. Type genus: *Homoeusa* Kraatz, 1856. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

DECUSINI Fenyes, 1918: 19 [stem: *Decus-*]. Type genus: *Decusa* Casey, 1900.

Subtribe MEOTICINA Seevers, 1978

MEOTICAE Seevers, 1978: 78 [stem: *Meotic-*]. Type genus: *Meotica* Mulsant and Rey, 1873.

Subtribe OXYPODINA Thomson, 1859

OXYPODIDES C. G. Thomson, 1859: 36 [stem: *Oxypod-*]. Type genus: *Oxypoda* Mannerheim, 1830 [placed on the Official List of Generic Names in Zoology (ICZN 1957)]. Comment: First Reviser (OXYPODINA C. G. Thomson, 1859 vs OCALINA C. G. Thomson, 1859 vs PHLOEOPORINA C.

G. Thomson, 1859) not determined, current usage maintained; placed on the Official List of Family-Group Names in Zoology (ICZN 1957).

OCALEIDES C. G. Thomson, 1859: 38 [stem: *Ocale-*]. Type genus: *Ocalea* Erichson, 1837.

PHLOEOPORIDES C. G. Thomson, 1859: 33 [stem: *Phloeopor-*]. Type genus: *Phloeopora* Erichson, 1837.

OCYUSATES Mulsant and Rey, 1874: 286 [stem: *Ocyus-*]. Type genus: *Ocyusa* Kraatz, 1856. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Fenyes (1918: 20, as *OCYUSAE*), generally accepted as in Newton and Thayer (1992: 53, as *OCYUSINA*).

CALODÉRATES Mulsant and Rey, 1874: 286 [stem: *Caloder-*]. Type genus: *Calodera* Mannerheim, 1830. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Fenyes (1918: 20, as *CALODERAE*), generally accepted as in Ádám (2001:142, as *CALODERINI*).

MICROGLOTTAE Fenyes, 1918: 20 [stem: *Microglott-*]. Type genus: *Microglotta* Kraatz, 1862 [syn. of *Haploglossa* Kraatz, 1856].

PHLOEOPORINI Cameron, 1939: 562 [stem: *Phloeopor-*]. Type genus: *Phloeopora* Erichson, 1837. Comment: proposed as new without reference to PHLOEOPORIDES C. G. Thomson, 1859.

Subtribe TACHYUSINA Thomson, 1859

TACHYUSIDES C. G. Thomson, 1859: 34 [stem: *Tachyus-*]. Type genus: *Tachyusa* Erichson, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1961b)].

Tribe OXYPODININI Fenyes, 1921

OXYPODININI Fenyes, 1918: 18 [stem: *Oxypodin-*]. Type genus: *Oxypodinus* Bernhauer, 1901.

HETEROTAXINI Fenyes, 1921: 33 [stem: *Heterotax-*]. Type genus: *Heterotaxus* Bernhauer, 1915.

Tribe PAGLINI Newton and Thayer, 1992

PACHYGLOSSINI Fenyes, 1918: 60 [stem: *Pachygloss-*]. Type genus: *Pachyglossa* Fauvel, 1868 [preoccupied genus name, not *Pachyglossa* Hodgson, 1843 [Aves]; syn. of *Pagla* Blackwelder, 1952]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

PAGLINI Newton and Thayer, 1992: 54 [stem: *Pagl-*]. Type genus: *Pagla* Blackwelder, 1952. Comment: replacement name for PACHYGLOSSINI Fenyes, 1918 because of the homonymy of the type genus.

Tribe PARADOXENUSINI Bruch, 1937

PARADOXENUSINI Bruch, 1937: 354 [stem: *Paradoxenus-*]. Type genus: *Paradoxenus* Bruch, 1937.

Tribe PEDICULOTINI Ádám, 1987

PEDICULOTINI Ádám, 1987: 156 [stem: *Pediculot-*]. Type genus: *Pediculota* Ádám, 1987.

Tribe PHILOTERMITINI Seevers, 1957

PHILOTERMITINI Seevers, 1957: 63, in key [stem: *Philotermit-*]. Type genus: *Philotermes* Kraatz, 1857.

Tribe PHYLLODINARDINI Wasmann, 1916

PHYLLODINARDINI Wasmann, 1916a: 105 [stem: *Phyllodinard-*]. Type genus: *Phyllo-
dinarda* Wasmann, 1916.

Tribe PHYTOSINI Thomson, 1867

PHYTOSIDES C. G. Thomson, 1867: 206 [stem: *Phytos-*]. Type genus: *Phytosus* Curtis, 1838.

Tribe PLACUSINI Mulsant and Rey, 1871

PLACUSATES Mulsant and Rey, 1871c: 102 [stem: *Placus-*]. Type genus: *Placusa* Erichson, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Fenyes (1918: 17, as PLACUSAE), generally accepted as in Newton and Thayer (1992: 54, as PLACUSINI).

*EUVIRAE Seevers, 1978: 272 [stem: *Euvir-*]. Type genus: *Euvira* Sharp, 1883. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe PRONOMAEINI Mulsant and Rey, 1873

PRONOMÉATES Mulsant and Rey, 1873b: 8 [stem: *Pronomae-*]. Type genus: *Pro-
nomaea* Erichson, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Ganglbauer (1895: 315, as PRONOMAEI-
NI), generally accepted as in Newton and Thayer (1992: 54, as PRONOMAEINI); incorrect original stem formation, not in prevailing usage.

Tribe PSEUDOPERINTHINI Cameron, 1939

PSEUDOPERINTHINAE Cameron, 1939: 1 [stem: *Pseudoperinth-*]. Type genus: *Pseu-
doperinthus* Wasmann, 1916.

Tribe PYGOSTENINI Fauvel, 1899

PYGOSTENINI Fauvel, 1899: 5 [stem: *Pygosten-*]. Type genus: *Pygostenus* Kraatz, 1858.

SYMPOLEMONINI Fenyes, 1918: 51 [stem: *Sympolemont-*]. Type genus: *Sympolemon* Wasmann, 1900. Comment: incorrect original stem formation, not in prevailing usage.

Tribe SAHLBERGIINI Kistner, 1993

SAHLBERGIINI Kistner, 1993: 315 [stem: *Sahlbergi-*]. Type genus: *Sahlbergius* Bernhauer, 1927.

Tribe SCEPTOBIINI Seevers, 1978

SCEPTOBIINI Seevers, 1978: 148 [stem: *Sceptobi-*]. Type genus: *Sceptobius* Sharp, 1883.

Tribe SKATITOXENINI Kistner and Pasteels, 1969

SKATITOXENINI Kistner and Pasteels, 1969: 1190 [stem: *Skatitoxen-*]. Type genus: *Skatitoxenus* Kistner and Pasteels, 1969.

Tribe TERMITODISCINI Wasmann, 1904

TERMITODISCINI Wasmann, 1904b: 656 [stem: *Termitodisc-*]. Type genus: *Termitodiscus* Wasmann, 1899.

Subtribe ATHEXENIINA Pace, 2000

ATHEXENINA Pace, 2000b: 336, in key [stem: *Athexeni-*]. Type genus: *Athexenia* Pace, 1999. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe TERMITODISCINA Wasmann, 1904

TERMITODISCINI Wasmann, 1904b: 656 [stem: *Termitodisc-*]. Type genus: *Termitodiscus* Wasmann, 1899.

Tribe TERMITOHOSPITINI Seevers, 1941

TERMITOHOSPIINI Seevers, 1941: 331 [stem: *Termitohospit-*]. Type genus: *Termitohospes* Seevers, 1941.

Subtribe HETAIROTERMITINA Seevers, 1957

HETAIROTERMITINA Seevers, 1957: 191 [stem: *Hetairotermit-*]. Type genus: *Hetairotermes* Cameron, 1920.

Subtribe TERMITOHOSPITINA Seevers, 1941

TERMITOHOSPIINI Seevers, 1941: 331 [stem: *Termitohospit-*]. Type genus: *Termitohospes* Seevers, 1941. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Seevers (1957: 191).

Tribe TERMITONANNINI Fenyesh, 1918

TERMITONANNINI Fenyesh, 1918: 75 [stem: *Termitonann-*]. Type genus: *Termitonannus* Wasmann, 1902.

Subtribe PERINTHINA Bernhauer and Scheerpeltz, 1926

PERINTHI Bernhauer and Scheerpeltz, 1926: 521 [stem: *Perinth-*]. Type genus: *Perinthus* Casey, 1889.

*PODURIOIDEAE Scheerpeltz, 1934: 1537 [stem: *Poduroid-*]. Type genus: *Poduroides* Mann, 1926. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe TERMITONANNINA Fenyes, 1918

TERMITONANNINI Fenyes, 1918: 75 [stem: *Termitonann-*]. Type genus: *Termitonannus* Wasmann, 1902.

Tribe TERMITOPAEDIINI Seavers, 1957

TERMITOPAEDIINI Seavers, 1957: 214 [stem: *Termitopaedi-*]. Type genus: *Termitopaeida* Wasmann, 1911.

TERMITONDINA Seavers, 1957: 63, in key [stem: *Termitond-*]. Type genus: *Termitonda* Seavers, 1957. Comment: as Termitendina, name spelled correctly on page 238.

Tribe TERMITUSINI Fenyes, 1918

TERMITUSAЕ Fenyes, 1918: 18 [stem: *Termitus-*]. Type genus: *Termitusa* Wasmann, 1905.

Subtribe TERMITOSPECTRINA Seavers, 1957

TERMITOSPECTRINA Seavers, 1957: 191 [stem: *Termitospectr-*]. Type genus: *Termitospectrum* Mann, 1926.

Subtribe TERMITUSINA Fenyes, 1918

TERMITUSAЕ Fenyes, 1918: 18 [stem: *Termitus-*]. Type genus: *Termitusa* Wasmann, 1905.

Tribe TRICHOPSENIINI LeConte and Horn, 1883

TRICHOPSENIИ J. L. LeConte and G. H. Horn, 1883: 100 [stem: *Trichopseni-*]. Type genus: *Trichopsenius* G. H. Horn, 1877.

TERMITOPSENIINI Wasmann, 1916b: 196 [stem: *Termitopseni-*]. Type genus: *Termitopsenius* Wasmann, 1902. Comment: incorrect original stem formation, not in prevailing usage.

SCHIZELYTHRINAE Kemner, 1925: 122 [stem: *Schizelythr-*]. Type genus: *Schizelythron* Kemner, 1925.

Tribe TRILOBITIDEINI Fauvel, 1899

TRILOBITIDEIDAE Fauvel, 1899: 3 [stem: *Trilobitide-*]. Type genus: *Trilobitideus* Raffray, 1898.

Subfamily TRIGONURINAE Reiche, 1866

TRIGONURIDES Reiche, 1866: 642 [stem: *Trigonur-*]. Type genus: *Trigonurus* Mulsant, 1847.

Subfamily APATETICINAE Fauvel, 1895

APATETICAE Fauvel, 1895: 190 [stem: *Apatetic-*]. Type genus: *Apatetica* Westwood, 1848.

Subfamily SCAPHIDIINAE Latreille, 1806

SCAPHIDILIA Latreille, 1806: 3 [stem: *Scaphidi-*]. Type genus: *Scaphidium* A. G. Olivier, 1790.

Tribe CYPARIINI Achard, 1924

CYPARIINI Achard, 1924: 28 [stem: *Cypari-*]. Type genus: *Cyprarium* Erichson, 1845.

Tribe SCAPHIDIINI Latreille, 1806

SCAPHIDILIA Latreille, 1806: 3 [stem: *Scaphidi-*]. Type genus: *Scaphidium* A. G. Olivier, 1790. Comment: incorrect original stem formation, not in prevailing usage.

CERAMBYCISCAPHINI Pic, 1915: 30 [stem: *Cerambyciscaph-*]. Type genus: *Cerambyciscapha* Pic, 1915.

DIATELIITAE Achard, 1924: 28 [stem: *Diateli-*]. Type genus: *Diatelium* Pascoe, 1863.

Tribe SCAPHIINI Achard, 1924

SCAPHIITAE Achard, 1924: 27 [stem: *Scaphi-*]. Type genus: *Scaphium* Kirby, 1837.

Tribe SCAPHISOMATINI Casey, 1893

SCAPHISOMINI Casey, 1893: 511 [stem: *Scaphisomat-*]. Type genus: *Scaphisoma* Leach, 1815. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 64).

HETEROSCAPHINI Achard, 1914: 395 [stem: *Heteroscaph-*]. Type genus: *Heteroscapha* Achard, 1914 [syn. of *Bironium* Csiki, 1909].

CYPARELLINI Achard, 1924: 28 [stem: *Cyparell-*]. Type genus: *Cyparella* Achard, 1924 [syn. of *Baeocera* Erichson, 1845].

BAEOCERITAE Achard, 1924: 30 [stem: *Baeocer-*]. Type genus: *Baeocera* Erichson, 1845 [placed on the Official List of Generic Names in Zoology (ICZN 1982)].

SCIATROPHITAE Achard, 1924: 30 [stem: *Sciatroph-*]. Type genus: *Sciatropes* Blackburn, 1903 [syn. of *Baeocera* Erichson, 1845].

BAEOCERIDIITAE Achard, 1924: 30 [stem: *Baeoceridi-*]. Type genus: *Baeoceridium* Reitter, 1889.

SCAPHICOMITAE Achard, 1924: 31 [stem: *Scaphicom-*]. Type genus: *Scaphicoma* Motschulsky, 1863.

TOXIDIINI Achard, 1924: 31 [stem: *Toxidi-*]. Type genus: *Toxidium* J. L. LeConte, 1860.

Subfamily PESTINAE Erichson, 1839

PIESTINI Erichson, 1839b: 31 [stem: *Piest-*]. Type genus: *Piestus* Gravenhorst, 1806.

PROGNATHITES Blanchard, 1845a: 290 [stem: *Prognath-*]. Type genus: *Prognathus* Berthold, 1827 [as *Prognata*, incorrect subsequent spelling of type genus name not in prevailing usage; syn. of *Siagonium* Kirby and Spence, 1815]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Blanchard (1853: 54, as PROGNATHITAE).

*SIAGONIINI Crowson, 1980: 289 [stem: *Siagoni-*]. Type genus: *Siagonium* Kirby and Spence, 1815. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subfamily OSORIINAE Erichson, 1839

OSORINI Erichson, 1839b: 30 [stem: *Osori-*]. Type genus: *Osorius* Latreille, 1829.

Tribe ELEUSININI Sharp, 1887

ELEUSININA Sharp, 1887: 728 [stem: *Eleusin-*]. Type genus: *Eleusis* Laporte, 1835.

Tribe LEPTOCHIRINI Sharp, 1887

LEPTOCHIRINA Sharp, 1887: 733 [stem: *Leptochir-*]. Type genus: *Leptochirus* Ger-mar, 1824.

Tribe OSORIINI Erichson, 1839

OSORINI Erichson, 1839b: 30 [stem: *Osori-*]. Type genus: *Osorius* Latreille, 1829.

Subtribe OSORIINA Erichson, 1839

OSORINI Erichson, 1839b: 30 [stem: *Osori-*]. Type genus: *Osorius* Latreille, 1829. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by J. L. LeConte (1861: 68).

Subtribe PAROSORIINA Bernhauer and Schubert, 1911

PAROSORII Bernhauer and Schubert, 1911: 146 [stem: *Parosori-*]. Type genus: *Parosorius* Bernhauer, 1904.

Tribe THORACOPHORINI Reitter, 1909

THORACOPHORINAE Reitter, 1909: 199 [stem: *Thoracophor-*]. Type genus: *Thora-cophorus* Motschulsky, 1837 [unjustified emendation of original type genus name *Thoraxophorus* by Erichson (1840a: 908); unjustified emendation in prevailing usage, treated as justified emendation (Art. 33.2.3.1)].

Subtribe CLAVILISPININA Newton and Thayer, 1992

PARALISPINI Blackwelder, 1942: 79 [stem: *Paralispin-*]. Type genus: *Paralispinus* Bernhauer, 1921 [preoccupied genus name, not *Paralispinus* Eichelbaum, 1913 [Coleoptera: STAPHYLINIDAE]; syn. of *Clavilispinus* Bernhauer, 1926]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

CLAVILISPININA Newton and Thayer, 1992: 59 [stem: *Clavilispin-*]. Type genus: *Clavilispinus* Bernhauer, 1926. Comment: replacement name for PARALISPINI Blackwelder, 1942 because of the homonymy of the type genus.

Subtribe GLYPTOMINA Newton and Thayer, 1992

CALOCERI Blackwelder, 1942: 78 [stem: *Calocer-*]. Type genus: *Calocerus* Fauvel, 1891 [preoccupied genus name, not *Calocerus* J. L. LeConte, 1853 [Coleoptera: ELATERIDAE]; syn. of *Glyptoma* Erichson, 1839]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

GLYPTOMINA Newton and Thayer, 1992: 59 [stem: *Glyptom-*]. Type genus: *Glyptoma* Erichson, 1839. Comment: replacement name for CALOCERI Blackwelder, 1942 because of the homonymy of the type genus; current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Glyptomat-*).

Subtribe LISPININA Bernhauer and Schubert, 1910

LISPINI Bernhauer and Schubert, 1910: 19 [stem: *Lispin-*]. Type genus: *Lispinus* Erichson, 1839.

Subtribe THORACOPHORINA Reitter, 1909

THORACOPHORINAE Reitter, 1909: 199 [stem: *Thoracophor-*]. Type genus: *Thoracophorus* Motschulsky, 1837 [unjustified emendation of original type genus name *Thoraxophorus* by Erichson (1840a: 908); unjustified emendation in prevailing usage, treated as justified emendation (Art. 33.2.3.1)]. Comment: based on corrected spelling of type genus.

Subfamily OXYTELINAE Fleming, 1821

OXYTELIDAE Fleming, 1821: 49 [stem: *Oxytel-*]. Type genus: *Oxytelus* Gravenhorst, 1802.

Tribe BLEDIINI Ádám, 2001

BLEDIINI Ádám, 2001: 216 [stem: *Bledi-*]. Type genus: *Bledius* Leach, 1819.

Tribe COPROPHILINI Heer, 1839

COPROPHILINA Heer, 1839a: 198 [stem: *Coprophil-*]. Type genus: *Coprophilus* Latreille, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1993a)]. Comment: this family-group name was also used in the same year by

Erichson (1839b: 30, as COPROPHILINI) and Heer (1839b: 13, as COPROPHILIDA); for comments about the priority of these works see Newton and Thayer (1992: 24).

***HOMALOTRIQUITOS** Solier, 1849: 321 [stem: *Homalotrich-*]. Type genus: *Homalotrichus* Solier, 1849. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

TOXODERI Bernhauer and Schubert, 1911: 91 [stem: *Toxoder-*]. Type genus: *Toxoderus* Fauvel, 1900 [syn. of *Homalotrichus* Solier, 1849]. Comment: junior homonym of TOXODERINI Saussure, 1869 (type genus *Toxodera* Audinet-Serville, 1837) in Mantodea: MANTIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe EUPHANIINI Reitter, 1909

***PHOLIDIENS** Mulsant and Rey, 1876: 209 [stem: *Pholid-*]. Type genus: *Pholidus* Mulsant and Rey, 1856 [preoccupied genus name, not *Pholidus* Rafinesque, 1815 [Pisces], or *Pholidus* Gray, 1840 [Aves]; syn. of *Euphanias* Fairmaire and Laboulbène, 1856]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant and Rey (1876).

PHOLIDINI Acloque, 1896: 145 [stem: *Pholid-*]. Type genus: *Pholidus* Mulsant and Rey, 1856 [preoccupied genus name, not *Pholidus* Rafinesque, 1815 [Pisces], or *Pholidus* Gray, 1840 [Aves]; syn. of *Euphanias* Fairmaire and Laboulbène, 1856]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

EUPHANIAE Reitter, 1909: 16 [stem: *Euphani-*]. Type genus: *Euphanias* Fairmaire and Laboulbène, 1856. Comment: precedence (EUPHANIINI Reitter, 1909 vs DELEASTERINI Reitter, 1909) given to taxon originally proposed at the higher rank (Art. 24.1).

DELEASTERINI Reitter, 1909: 164 [stem: *Deleaster-*]. Type genus: *Deleaster* Erichson, 1839.

SYNTOMIINAE Böving and Craighead, 1931: 28 [stem: *Syntomi-*]. Type genus: *Syntomium* Curtis, 1828.

Tribe OXYTELINI Fleming, 1821

OXYTELIDAE Fleming, 1821: 49 [stem: *Oxytel-*]. Type genus: *Oxytelus* Gravenhorst, 1802.

THINOBIIIDES J. Sahlberg, 1876: 242 [stem: *Thinobi-*]. Type genus: *Thinobius* Kiesenwetter, 1844.

TROGOPHLÉAIRES Mulsant and Rey, 1878b: 688 [stem: *Trogophloe-*]. Type genus: *Trogophloeus* Mannerheim, 1830 [syn. of *Carpelimus* Leach, 1819]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1889 [Gatt.]: 90, as TROGOPHLOEINA), generally accepted as in

Johansen (1914: 533, as TROGOPHLOEINA); incorrect original stem formation, not in prevailing usage.

APOCELLARIA Lynch Arribálzaga, 1884: 344 [stem: *Apocell-*]. Type genus: *Apocellus* Erichson, 1839.

ECITOCLIMACINI Borgmeier, 1934: 452 [stem: *Ecitoclimac-*]. Type genus: *Ecitoclimax* Borgmeier, 1934. Comment: originally proposed as a tribe of ALEOCHARINAE.

TORRENTOMI Bierig, 1934: 213 [stem: *Torrentom-*]. Type genus: *Torrentomus* Bierig, 1934 [syn. of *Thinobius* Kiesenwetter, 1844].

TRIGONOBREGMINI Scheerpeltz, 1944: 170, in key [stem: *Trigonobregmat-*]. Type genus: *Trigonobregma* Scheerpeltz, 1944. Comment: incorrect original stem formation, not in prevailing usage; placement following Herman (2001).

CARPELIMINI Hatch, 1957: 85, in key [stem: *Carpelim-*]. Type genus: *Carpelimus* Leach, 1819.

*THINODROMINI Gildenkov, 2000: 56 [stem: *Thinodrom-*]. Type genus: *Thinodromus* Kraatz, 1858. Comment: name unavailable (Art. 16.1): name not indicated as intentionally new.

APLODERINI Ádám, 2001: 218 [stem: *Aploder-*]. Type genus: *Aploderus* Stephens, 1834.

Tribe PLANEUSTOMINI Jacquelin du Val, 1857

PLANEUSTOMITES Jacquelin du Val, 1857a: 58 [stem: *Planeustom-*]. Type genus: *Planeustomus* Jacquelin du Val, 1857. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Ádám (2001: 208, as PLANEUSTOMINI).

ACROGNATHINI Reitter, 1909: 164 [stem: *Acrognath-*]. Type genus: *Acrognathus* Erichson, 1839 [preoccupied genus name, not *Acrognathus* Agassiz, 1836 [Pisces]; syn. of *Manda* Blackwelder, 1952]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

MANDINI Gildenkov, 2003: 35 [stem: *Mand-*]. Type genus: *Manda* Blackwelder, 1952. Comment: replacement name for ACROGNATHINI Reitter, 1909 because of the homonymy of the type genus.

Subfamily OXPORINAE Fleming, 1821

OXPORIDAE Fleming, 1821: 49 [stem: *Oxypor-*]. Type genus: *Oxyporus* Fabricius, 1775.

Subfamily MEGALOPSIDIINAE Leng, 1920

MEGALOPINI Erichson, 1839b: 30 [stem: *Megalop-*]. Type genus: *Megalops* Erichson, 1839 [preoccupied genus name, not *Megalops* Lacepède, 1803 [Pisces], not *Megalops* Rafinesque, 1815 [Pisces]; syn. of *Megalopinus* Eichelbaum, 1915]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

MEGALOPSIDIINI Leng, 1920: 98 [stem: *Megalopsidi-*]. Type genus: *Megalopsidia* Leng, 1918 [syn. of *Megalopinus* Eichelbaum, 1915].

AULACOTRACHELINAE L. Benick, 1920: 1 [stem: *Aulacotrachel-*]. Type genus: *Aulacotrachelus* Benick, 1920 [syn. of *Megalopinus* Eichelbaum, 1915]. Comment: replacement name for MEGALOPINAE Erichson, 1839 because of the homonymy of the type genus.

STYLOPODINAE Blackwelder, 1943: 202 [stem: *Stylopod-*]. Type genus: *Stylopodus* Benick, 1917 [syn. of *Megalopinus* Eichelbaum, 1915]. Comment: name proposed to replace MEGALOPINAE Erichson, 1839 and MEGALOPSIDIINAE Leng, 1920 because of the synonymy of the type genus.

*MEGALOPININAE Puthz, 1967: 192 [stem: *Megalopin-*]. Type genus: *Megalopinus* Eichelbaum, 1915. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

MEGALOPININAE Naomi, 1986: 344 [stem: *Megalopin-*]. Type genus: *Megalopinus* Eichelbaum, 1915. Comment: name proposed to replace MEGALOPINAE Erichson, 1839 and MEGALOPSIDIINAE Leng, 1920 because of the synonymy of the type genus.

Subfamily SCYDMAENINAE Leach, 1815

SCYDMAENIDES Leach, 1815: 92 [stem: *Scydmaen-*]. Type genus: *Scydmaenus* Latreille, 1802. Comment: placement follows Grebennikov and Newton (2009).

†Supertribe HAPSOMELITAE Poinar and Brown, 2004

HAPSOMELINAE Poinar and Brown, 2004: 790 [stem: *Hapsomel-*]. Type genus: *Hapsomela* Poinar and Brown, 2004.

Supertribe MASTIGITAE Fleming, 1821

MASTIGOIDAE Fleming, 1821: 49 [stem: *Mastig-*]. Type genus: *Mastigus* Latreille, 1802. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CLIDICINI Casey, 1897

CLIDICINI Casey, 1897: 541 [stem: *Clidic-*]. Type genus: *Clidicus* Laporte, 1833.

Tribe LEPTOMASTACINI Casey, 1897

LEPTOMASTACINI Casey, 1897: 541 [stem: *Leptomastac-*]. Type genus: *Leptomastax* Pirazzoli, 1855.

Tribe MASTIGINI Fleming, 1821

MASTIGOIDAE Fleming, 1821: 49 [stem: *Mastig-*]. Type genus: *Mastigus* Latreille, 1802. Comment: incorrect original stem formation, not in prevailing usage.

Supertribe SCYDMAENITAE Leach, 1815

SCYDMAENIDES Leach, 1815: 92 [stem: *Scydmaen-*]. Type genus: *Scydmaenus* Latreille, 1802.

Tribe CEPHENNIINI Reitter, 1882

CEPHENNIINI Reitter, 1882c: 142 [stem: *Cephenni-*]. Type genus: *Cephennium* Müller and Kunze, 1822.

ANISOSPHAERIDAE Tömösváry, 1883: 128 [stem: *Anisosphaer-*]. Type genus: *Anisosphaera* Tömösváry, 1883 [syn. of *Cephennium* Müller and Kunze, 1822]. Comment: family-group name originally based on larva only.

Tribe CHEVROLATIINI Reitter, 1882

CHEVROLATINI Reitter, 1882c: 142 [stem: *Chevrolati-*]. Type genus: *Chevrolatia* Jacquelin du Val, 1859. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CYRTOSCYDMINI Schaufuss, 1889

CYRTOSCYDMINI L. W. Schaufuss, 1889: 2 [stem: *Cyrtoscydm-*]. Type genus: *Cyrtoscydmus* Motschulsky, 1869 [syn. of *Stenichnus* C. G. Thomson, 1859].

GLANDULARIIDAE L. W. Schaufuss, 1889: 3 [stem: *Glandulari-*]. Type genus: *Glandularia* L. W. Schaufuss, 1889 [syn. of *Euconnus (Napochus)* C. G. Thomson, 1859].

EUCONNINI Casey, 1897: 354 [stem: *Euconn-*]. Type genus: *Euconnus* C. G. Thomson, 1859.

OPRESINI Casey, 1897: 354 [stem: *Opres-*]. Type genus: *Opresus* Casey, 1897 [syn. of *Microscydmus* Saulcy and Croissandeau, 1893].

LOPHIODERINI Casey, 1897: 356 [stem: *Lophioder-*]. Type genus: *Lophioderus* Casey, 1897.

STENICHNINI Ganglbauer, 1898: 25 [stem: *Stenichn-*]. Type genus: *Stenichnus* C. G. Thomson, 1859.

NEURAPHINI Csiki, 1909b: 18 [stem: *Neuraph-*]. Type genus: *Neuraphes* C. G. Thomson, 1859 [this name is an incorrect subsequent spelling of *Nevraphes*, in prevailing usage and so deemed to be the correct original spelling (Art. 33.3.1)].

SYNDICINI Csiki, 1919: 17 [stem: *Syndic-*]. Type genus: *Syndicus* Motschulsky, 1851.

SCIACHARINI Csiki, 1919: 69 [stem: *Sciacharit-*]. Type genus: *Sciacharis* Broun, 1893. Comment: incorrect original stem formation, not in prevailing usage.

SIAMITINI H. Franz, 1989: 44 [stem: *Siamit-*]. Type genus: *Siamites* Franz, 1989.

Tribe EUTHEIINI Casey, 1897

EUTHEIINI Casey, 1897: 507 [stem: *Euthei-*]. Type genus: *Eutheia* Stephens, 1830.

ASCYDMINI Casey, 1897: 355 [stem: *Ascydm-*]. Type genus: *Ascydmus* Casey, 1897 [syn. of *Euthiconus* Reitter, 1882].

Tribe LEPTOSCYDMINI Casey, 1897

LEPTOSCYDMINI Casey, 1897: 355 [stem: *Leptoscydm-*]. Type genus: *Leptoscydmus* Casey, 1897.

Tribe PLAUMANNIOLINI Costa Lima, 1962

PLAUMANNIOLINAE Costa Lima, 1962: 415 [stem: *Plaumanniol-*]. Type genus: *Plaumanniola* Costa Lima, 1962. Comment: originally proposed as a subfamily of PTINIDAE.

Tribe SCYDMAENINI Leach, 1815

SCYDMAENIDES Leach, 1815: 92 [stem: *Scydmaen-*]. Type genus: *Scydmaenus* Latreille, 1802.
EUMICRINI Reitter, 1882c: 192 [stem: *Eumicr-*]. Type genus: *Eumicrus* Laporte, 1833 [syn. of *Scydmaenus* Latreille, 1802].

Subfamily STENINAE MacLeay, 1825

STENIDAE W. S. MacLeay, 1825: 49 [stem: *Sten-*]. Type genus: *Stenus* Latreille, 1797.
Comment: the younger name STENINAE Fraser and Purves, 1960 (type genus *Steno* Gray, 1846) in Mammalia: DELPHINIDAE is unavailable according to Newton and Thayer (1992: 66).

Subfamily EUAESTHETINAE Thomson, 1859

EUAESTHETINA C. G. Thomson, 1859: 42 [stem: *Euaesthet-*]. Type genus: *Euaesthetus* Gravenhorst, 1806.

Tribe ALZADAESTHETINI Scheerpeltz, 1974

ALZADAESTHETINI Scheerpeltz, 1974: 102, in key [stem: *Alzadaesthet-*]. Type genus: *Alzadaesthetus* Kistner, 1961.

Tribe AUSTROESTHETINI Cameron, 1944

AUSTROAESTHETINI Cameron, 1944: 69 [stem: *Austroesthet-*]. Type genus: *Austroesthetus* Oke, 1933 [as *Austroaesthetus*, unjustified emendation of genus name not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe EUAESTHETINI Thomson, 1859

EUAESTHETINA C. G. Thomson, 1859: 42 [stem: *Euaesthet-*]. Type genus: *Euaesthetus* Gravenhorst, 1806.

TAMOTINI Coiffait, 1984: 353 [stem: *Tamot-*]. Type genus: *Tamotus* L. W. Schaufuss, 1872.

Tribe FENDERIINI Scheerpeltz, 1974

FENDERIINI Scheerpeltz, 1974: 103, in key [stem: *Fenderi-*]. Type genus: *Fenderia*

Tribe NORDENSKIOLDIINI Bernhauer and Schubert, 1911

NORDENSKIOELDIINI Bernhauer and Schubert, 1911: 186 [stem: *Nordenskioldi-*].

Type genus: *Nordenskioldia* Sahlberg, 1880 [as *Nordenskioeldia*, incorrect subsequent spelling of genus name not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage (see Newton and Thayer 1992: 56).

Tribe STENAESTHETINI Bernhauer and Schubert, 1911

STENAESTHETINI Bernhauer and Schubert, 1911: 186 [stem: *Stenaesthet-*]. Type genus: *Stenaesthetus* Sharp, 1874.

Subfamily SOLIERIINAE Newton and Thayer, 1992

FISOGNATITOS Solier, 1849: 303 [stem: *Physognath-*]. Type genus: *Physognathus* Solier, 1849 [preoccupied genus name, not *Physognathus* Agassiz, 1846 [Reptilia]; syn. of *Solierius* Bernhauer, 1921]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Kraatz (1859b: 3, as *PHYSOGNATHITES* [treated as Latin]); permanently invalid (Art. 39): based on preoccupied type genus.

SOLIERIINAE Newton and Thayer, 1992: 27 [stem: *Solieri-*]. Type genus: *Solierius* Bernhauer, 1921. Comment: replacement name for *PHYSOGNATHINAE* Solier, 1849 because of the homonymy of the type genus.

Subfamily LEPTOTYPHLINAE Fauvel, 1874

LEPTOTYPHLI Fauvel, 1874: 35 [stem: *Leptotyphl-*]. Type genus: *Leptotyphlus* Fauvel, 1874.

Tribe CEPHALOTYPHLINI Coiffait, 1963

CEPHALOTYPHLINI Coiffait, 1963: 380, in key [stem: *Cephalotyphl-*]. Type genus: *Cephalotyphlus* Coiffait, 1955.

Tribe ENTOMOCULINI Coiffait, 1957

ENTOMOCULINI Coiffait, 1957: 61 [stem: *Entomoculi-*]. Type genus: *Entomoculia* Croissandeau, 1891. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 56).

Tribe LEPTOTYPHLINI Fauvel, 1874

LEPTOTYPHLI Fauvel, 1874: 35 [stem: *Leptotyphl-*]. Type genus: *Leptotyphlus* Fauvel, 1874.

LEPTOTYPHLINI Coiffait, 1957: 61 [stem: *Leptotyphl-*]. Type genus: *Leptotyphlus* Fauvel, 1874. Comment: family-group name proposed as new without reference to LEPTOTYPHLI Fauvel, 1874.

Tribe METROTYPHLINI Coiffait, 1963

METROTYPHLINI Coiffait, 1963: 381 [stem: *Metrotyphl-*]. Type genus: *Metrotyphlus* Coiffait, 1959.

Tribe NEOTYPHLINI Coiffait, 1963

NEOTYPHLINI Coiffait, 1963: 381, in key [stem: *Neotyphhl-*]. Type genus: *Neotyphlus* Coiffait, 1959.

Subfamily PSEUDOPSINAЕ Ganglbauer, 1895

PSEUDOPSINI Ganglbauer, 1895: 690 [stem: *Pseudops-*]. Type genus: *Pseudopsis* Newman, 1834. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Pseudopse-*).

Subfamily PAEDERINAE Fleming, 1821

POEDERIDAE Fleming, 1821: 49 [stem: *Paeder-*]. Type genus: *Paederus* Fabricius, 1775.

Tribe PAEDERINI Fleming, 1821

POEDERIDAE Fleming, 1821: 49 [stem: *Paeder-*]. Type genus: *Paederus* Fabricius, 1775.

Subtribe ASTENINA Hatch, 1957

SUNIINA Sharp, 1886b: 591 [stem: *Suni-*]. Type genus: *Sunius* sensu Erichson, 1839 [not *Sunius* Stephens, 1829; syn. of *Astenus* Dejean, 1833]. Comment: based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principle of Priority (Art. 65.2.1).

ASTENINA Hatch, 1957: 151, in key [stem: *Asten-*]. Type genus: *Astenus* Dejean, 1833. Comment: although this is not the oldest name for the sub-tribe, we recommend that an application be submitted to the Commission to suppress SUNIINA Sharp, 1886 because it is based on a misidentified type genus (Art. 65.2.1).

Subtribe CRYPTOBIIINA Casey, 1905

CYPTOBIA Casey, 1905: 21 [stem: *Cryptobi-*]. Type genus: *Cryptobium* Mannerheim, 1830 [syn. of *Ochthephilum* Stephens, 1829]. Comment: the younger name CRYPTOBIIINA Hollande, 1952 (type genus *Cryptobia* Leidy, 1846) in Protozoa: BODONIDAE is unavailable (see Newton and Thayer 1992: 61).

CYPTOBIIINA Bordoni, 1975: 420 [stem: *Cryptobi-*]. Type genus: *Cryptobium* Mannerheim, 1830 [syn. of *Ochthephilum* Stephens, 1829]. Comment: family-group name proposed as new without reference to CRYPTOBIA Casey, 1905.

Subtribe CYLINDROXYSTINA Bierig, 1943

CYLINDROXYSTINI Bierig, 1943: 158 [stem: *Cylindroxyst-*]. Type genus: *Cylindroxystus* Bierig, 1943.

Subtribe DOLICAONINA Casey, 1905

GNATIMENITOS Solier, 1849: 326 [stem: *Gnathymen-*]. Type genus: *Gnathymenus* Solier, 1849. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Ádám (2001: 115, as GNATHYMEMINI); incorrect original stem formation, not in prevailing usage; this name was treated as unavailable by Newton and Thayer (1992: 61) which led to their use of DOLICAONINA Casey, 1905 as the valid name for this subtribe; all subsequent authors have followed Newton and Thayer (1992: 61) except for the subsequent use of “GNATHYMEMINI (Solier, 1849)” as valid by Ádám (2001: 115) which made Solier’s name available according to our criteria of availability for names originally proposed in vernacular form; here we continue to use DOLICAONINA Casey, 1905 as the valid name for this subtribe and recommend that an application be submitted to the Commission to suppress the name GNATHYMEMINA Solier, 1849.

DOLICAONES Casey, 1905: 56 [stem: *Dolicaon-*]. Type genus: *Dolicaon* Laporte, 1835. Comment: see comments under the name GNATIMENITOS Solier, 1849 above.

LEPTOBII Bordoni, 1980: 170 [stem: *Leptobi-*]. Type genus: *Leptobium* Casey, 1905. Comment: unnecessary replacement name for “DOLICAINA Bordoni, 1975”.

Subtribe ECHIASTERINA Casey, 1905

ECHIASTERES Casey, 1905: 245 [stem: *Echiaster-*]. Type genus: *Echiaster* Erichson, 1839.

Subtribe LATHROBIINA Laporte, 1835

LATHROBIDAE Laporte, 1835a: 117 [stem: *Lathrobi-*]. Type genus: *Lathrobium* Gravenhorst, 1802. Comment: incorrect original stem formation, not in prevailing usage.

SPHAERONIA Casey, 1905: 54 [stem: *Sphaeron-*]. Type genus: *Sphaeronom* Sharp, 1876 [as *Sphaeronium*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe LITHOCHARINA Casey, 1905

LITHOCHARES Casey, 1905: 146 [stem: *Lithochar-*]. Type genus: *Lithocharis* Dejean, 1833. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Lithocharit-*).

LITHOCHARINA Bordoni, 1974: 324 [stem: *Lithochar-*]. Type genus: *Lithocharis* Dejean, 1833. Comment: family-group name proposed as new without reference to LITHOCHARES Casey, 1905.

Subtribe MEDONINA Casey, 1905

MEDONES Casey, 1905: 20 [stem: *Medon-*]. Type genus: *Medon* Stephens, 1833. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Medont-*).

MEDINA Bordoni, 1975: 420 [stem: *Medon-*]. Type genus: *Medon* Stephens, 1833. Comment: family-group name proposed as new without reference to MEDONES Casey, 1905; incorrect original stem formation, not in prevailing usage (should be *Medont-*).

ACANTHOGLOSSI Coiffait, 1982: 10 [stem: *Acanthogloss-*]. Type genus: *Acanthoglossa* Kraatz, 1859.

Subtribe PAEDERINA Fleming, 1821

POEDERIDAE Fleming, 1821: 49 [stem: *Paeder-*]. Type genus: *Paederus* Fabricius, 1775 [as *Poederus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage, see comments in Newton and Thayer (1992: 60).

GEOPAEDERIDAE Gistel, 1848: [13] [stem: *Geopaeder-*]. Type genus: *Geopaederus* Gistel, 1848 [syn. of *Paederus* Fabricius, 1775].

Subtribe SCOPAEINA Mulsant and Rey, 1878

*POLIODONTIDOS Solier, 1849: 303 [stem: *Polyodont-*]. Type genus: *Polyodontus* Solier, 1849 [preoccupied genus name, not *Polyodontus* Eysenhardt, 1818 [*Vermes*]; syn. of *Scopaeus* Erichson, 1839]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; if found to be available then permanently invalid (Art. 39): based on preoccupied type genus; POLYODONTIDAE Bonaparte, 1838 (type genus *Polyodon* Lacepède, 1797) is available in Pisces; incorrect original stem formation, not in prevailing usage.

SCOPÉATES Mulsant and Rey, 1878a: 178 [stem: *Scopae-*]. Type genus: *Scopaeus* Erichson, 1839. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1889 [Gatt.]: 92, as SCOPAEINA), generally accepted as in Newton and Thayer (1992: 62, as SCOPAEINA); incorrect original stem formation, not in prevailing usage.

Subtribe STILICINA Casey, 1905

STILICI Casey, 1905: 218 [stem: *Stilic-*]. Type genus: *Stilicus* Berthold, 1827 [syn. of *Rugilus* Leach, 1819].

RUGILINA Hatch, 1957: 151, in key [stem: *Rugil-*]. Type genus: *Rugilus* Leach, 1819.

Subtribe STILICOPSINA Casey, 1905

STILICOPSES Casey, 1905: 230 [stem: *Stilicops-*]. Type genus: *Stilicopsis* Sachse, 1852. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Stilicope-*).

XENASTERES Bierig, 1939: 179 [stem: *Xenaster-*]. Type genus: *Xenaster* Bierig, 1939 [preoccupied genus name, not *Xenaster* Simonwitsch, 1871 [*Echinodermata*]]; the nomenclatural status of *Xenaster* will be addressed in the near future by L. Herman (pers. comm. 2010) therefore we refrain from proposing a new replacement name here]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

*STAMNODERES Blackwelder, 1944: 126 [stem: *Stamnoder-*]. Type genus: *Stamnoderus* Sharp, 1886. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe PINOPHILINI Nordmann, 1837

PINOPHILINIFORMES Nordmann, 1837: 6 [stem: *Pinophil-*]. Type genus: *Pinophilus* Gravenhorst, 1802.

Subtribe PINOPHILINA Nordmann, 1837

PINOPHILINIFORMES Nordmann, 1837: 6 [stem: *Pinophil-*]. Type genus: *Pinophilus* Gravenhorst, 1802.

Subtribe PROCIRRINA Bernhauer and Schubert, 1912

PROCIRRI Bernhauer and Schubert, 1912: 197 [stem: *Procirr-*]. Type genus: *Procirrus* Latreille, 1829.

Subfamily STAPHYLININAE Latreille, 1802

STAPHYLINIAE Latreille, 1802: 124 [stem: *Staphylin-*]. Type genus: *Staphylinus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1959a)].

Tribe ARROWININI Solodovnikov and Newton, 2005

ARROWININI Solodovnikov and Newton, 2005: 420 [stem: *Arrowin-*]. Type genus: *Arrowinus* Bernhauer, 1935.

Tribe DIOCHINI Casey, 1906

DIOCHI Casey, 1906: 429 [stem: *Dioch-*]. Type genus: *Diochus* Erichson, 1839. DIOCHINAE I. Moore, 1964: 86, in key [stem: *Dioch-*]. Type genus: *Diochus* Erichson, 1839. Comment: family-group name proposed as new without reference to DIOCHI Casey, 1906.

Tribe MAOROTHIINI Assing, 2000

MAOROTHIINI Assing, 2000: 16 [stem: *Maorothi-*]. Type genus: *Maorothius* Assing, 2000.

Tribe OTHIINI Thomson, 1859

OTHIIDES C. G. Thomson, 1859: 26 [stem: *Othi-*]. Type genus: *Othius* Stephens, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1983c)].

ATRECINI Hatch, 1957: 172, in key [stem: *Atrec-*]. Type genus: *Atrecus* Jacquelin du Val, 1856.

Tribe PLATYPROSOPINI Lynch Arribálzaga, 1884

PLATYPROSOPARIA Lynch Arribálzaga, 1884: 165 [stem: *Platyprosop-*]. Type genus: *Platyprosopus* Mannerheim, 1830.

PLATYPROSOPINAE I. Moore, 1964: 86, in key [stem: *Platyprosop-*]. Type genus: *Platyprosopus* Mannerheim, 1830. Comment: family-group name proposed as new without reference to PLATYPROSOPINAE Lynch Arribálzaga, 1884.

Tribe STAPHYLININI Latreille, 1802

STAPHYLINIAE Latreille, 1802: 124 [stem: *Staphylin-*]. Type genus: *Staphylinus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1959a)]. Comment: placed on the Official List of Family-Group Names in Zoology (as STAPHYLINIDAE Latreille, [1803–1804]) (ICZN 1959a).

Subtribe AMBLYOPININA Seevers, 1944

AMBLYOPININAE Seevers, 1944: 157 [stem: *Amblyopin-*]. Type genus: *Amblyopinus* Solsky, 1875.

HETEROTHOPSI Coiffait, 1978: 300 [stem: *Heterothop-*]. Type genus: *Heterothops* Stephens, 1829. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 65); placement based on Chatzimanolis et al. (2010).

Subtribe ANISOLININA Hayashi, 1993

ANISOLININA Hayashi, 1993: 288 [stem: *Anisolin-*]. Type genus: *Anisolinus* Sharp, 1889. Comment: originally proposed as a subtribe of PHILONTHINI Kirby, 1837.

Subtribe EUCIBDELINA Sharp, 1889

EUCIBDELINI Sharp, 1889: 112 [stem: *Eucibdel-*]. Type genus: *Eucibdelus* Kraatz, 1859.

Subtribe HYPTIOMINA Casey, 1906

HYPTIOMAE Casey, 1906: 361 [stem: *Hyptiom-*]. Type genus: *Hyptioma* Casey, 1906 [syn. of *Holitus* Erichson, 1839]. Comment: current spelling main-

tained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Hyptiomat-*).

***HOLISI** Blackwelder, 1944: 143 [stem: *Holis-*]. Type genus: *Holius* Erichson, 1839. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

HOLISINA Newton, 1988: 259 [stem: *Holis-*]. Type genus: *Holius* Erichson, 1839.

Subtribe PHILONTHINA Kirby, 1837

PHILONTHIDAE Kirby, 1837: 91 [stem: *Philonth-*]. Type genus: *Philonthus* Curtis, 1829.

***RÉMATES** Mulsant and Rey, 1876: 596 [stem: *Rem-*]. Type genus: *Remus* sensu C. G. Thomson, 1859 [not *Remus* Holme, 1837; syn. of *Erichsonius* Fauvel, 1874]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; also based on a misidentified type genus.

CRASPEDOMERI Bernhauer, 1911: 88 [stem: *Craspedomer-*]. Type genus: *Craspedomerus* Bernhauer, 1911.

Subtribe QUEDIINA Kraatz, 1857

QUEDIIFORMES Kraatz, 1857: 473 [stem: *Quedi-*]. Type genus: *Quedius* Stephens, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1996c)]. Comment: use of family-group name given precedence over **PLATYCNEMINI** Nordmann 1837 and "QUEDIINI" Kraatz, [1857] placed on the Official List of Family-Group Names in Zoology (ICZN 1996c).

***ACYLOPHORINI** Scheerpeltz, 1968: 97 [stem: *Acylophor-*]. Type genus: *Acylophorus* Nordmann, 1837. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

ACYLOPHORINI Outerelo and Gamarra, 1985: 48, in key [stem: *Acylophor-*]. Type genus: *Acylophorus* Nordmann, 1837.

Subtribe STAPHYLININA Latreille, 1802

STAPHYLINIAE Latreille, 1802: 124 [stem: *Staphylin-*]. Type genus: *Staphylinus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1959a)]. Comment: placed on the Official List of Family-Group Names in Zoology (as **STAPHYLINIDAE** Latreille, [1803-1804]) and "STAPHYLINII" Latreille, [1803-1804]" placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1959a).

CREOPHILIDAE Kirby, 1837: 95 [stem: *Creophil-*]. Type genus: *Creophilus* Leach, 1819 [*Creophilus* (attributed to Samouelle, 1819) placed on the Official List of Generic Names in Zoology (ICZN 1959a)].

THINOPININAE Böving and Craighead, 1931: 30 [stem: *Thinopin*-]. Type genus: *Thinopinus* J. L. LeConte, 1852.

OCYPINA Hatch, 1957: 173, in key [stem: *Ocypod*-]. Type genus: *Ocypterus* Leach, 1819. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Newton and Thayer (1992: 65).

Subtribe TANYGNATHININA Reitter, 1909

TANYGNATHININI Reitter, 1909: 105 [stem: *Tanygnathin*-]. Type genus: *Tanygnathinus* Reitter, 1909 [syn. of *Atanygnathus* Jakobson, 1909].

TANYGNATHINI Casey, 1915b: 424 [stem: *Tanygnath*-]. Type genus: *Tanygnathus* Erichson, 1839 [preoccupied genus name, not *Tanygnathus* Wagler, 1832 [Aves]; syn. of *Atanygnathus* Jakobson, 1909]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ATANYGNATHINI Lohse, 1964: 220 [stem: *Atanygnath*-]. Type genus: *Atanygnathus* Jakobson, 1909.

Subtribe XANTHOPYGINA Sharp, 1884

PLATYCNECIDIFORMES Nordmann, 1837: 6 [stem: *Platycnem*-]. Type genus: *Platycnemus* Nordmann, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1996c); syn. of *Haematodes* Laporte, 1835]. Comment: younger name XANTHOPYGINA Sharp, 1884 given precedence over this name (ICZN 1996c); placed on the Official List of Family-Group Names in Zoology (ICZN 1996c, as PLATYCNEMINI Nordmann, 1837).

XANTHOPYGINA Sharp, 1884: 342 [stem: *Xanthopyg*-]. Type genus: *Xanthopygus* Kraatz, 1857. Comment: family-group name given precedence over PLATYCNEMINI Nordmann, 1837 and placed on the Official List of Family-Group Names in Zoology (ICZN 1996c).

TRIACRI Bernhauer, 1931: 84 [stem: *Triacr*-]. Type genus: *Triacrus* Nordmann, 1837.

Tribe XANTHOLININI Erichson, 1839

AGRAEFORMES Nordmann, 1837: 7 [stem: *Agrod*-]. Type genus: *Agrodes* Nordmann, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1996c); syn. of *Plochionocerus* Dejean, 1833]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1996c, as AGRODINI Nordmann, 1837); younger name XANTHOLININI Erichson, 1839 given precedence over this name (ICZN 1996c).

GYROHYPNIDAE Kirby, 1837: 88 [stem: *Gyrohypn*-]. Type genus: *Gyrohypnus* Leach, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 1983c, as *Gyrohypnus* Samouelle, 1819)]. Comment: placed on the Official List of Family-Group Names in Zoology (ICZN 1996c, as GYROHYPNINI Kirby, 1837); younger name XANTHOLININI Erichson, 1839 given precedence over this name (ICZN 1996c).

XANTHOLININI Erichson, 1839b: 28 [stem: *Xantholin-*]. Type genus: *Xantholinus* Dejean, 1821 [placed on the Official List of Generic Names in Zoology (ICZN 1983c)]. Comment: family-group name given precedence over AGRODINI Nordmann, 1837 and GYROHYPNINI Kirby, 1837 and placed on the Official List of Family-Group Names in Zoology (ICZN 1996c).

ARAEOCNEMES Casey, 1906: 359 [stem: *Araeocnem-*]. Type genus: *Araeocnemus* Nordmann, 1837 [as *Araeocnemis*, incorrect subsequent spelling of type genus name, not in prevailing usage; syn. of *Plochionocerus* Dejean, 1833].

METOPONCI Casey, 1906: 360 [stem: *Metoponc-*]. Type genus: *Metoponcus* Kraatz, 1857 [syn. of *Zeteotomus* Jacquelin du Val, 1856].

†Subfamily PROTACTINAE Heer, 1847

PROTACTIDEN Heer, 1847: 28 [stem: *Protact-*]. Type genus: *Protactus* Heer, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Bronn (1848: 1045, as PROTACTIDAE), generally accepted as in Herman (2001: 3839, as PROTACTINAE).

STAPHYLINOIDEA *incertae sedis*

HAMEEDINI M. Abdullah and Quadri, 1968: 310 [stem: *Hameedi-*]. Type genus: *Hameedia* M. Abdullah and Quadri, 1968. Comment: incorrect original stem formation, not in prevailing usage; originally proposed as a tribe of STAPHYLINIDAE: OXYPORINAE; correct placement uncertain (see Newton and Thayer 1992: 67).

Series SCARABAEIFORMIA

Superfamily SCARABAOIDEA Latreille, 1802

SCARABAEIDES Latreille, 1802: 144 [stem: *Scarabae-*]. Type genus: *Scarabaeus* Linnaeus, 1758. Comment: First Reviser (SCARABAOIDEA Latreille, 1802 vs GEOTRUPOIDEA Latreille, 1802) not determined, current usage maintained.

Family PLEOCOMIDAE LeConte, 1861

PLEOCOMINI J. L. LeConte, 1861: 128 [stem: *Pleocom-*]. Type genus: *Pleocoma* J. L. LeConte, 1856.

Subfamily PLEOCOMINAE LeConte, 1861

PLEOCOMINI J. L. LeConte, 1861: 128 [stem: *Pleocom-*]. Type genus: *Pleocoma* J. L. LeConte, 1856.

†Subfamily CRETOCOMINAE Nikolajev, 2002

CRETOCOMINI Nikolajev, 2002: 53 [stem: *Cretocom-*]. Type genus: *Cretocoma* Nikolajev, 2002.

†Subfamily ARCHESCARABAEINAE Nikolajev, 2010

ARCHESCARABAEINAE Nikolajev, 2010: 69 [stem: *Archescarabae-*]. Type genus: *Archescarabaeus* Nikolajev, 2010.

Family GEOTRUPIDAE Latreille, 1802

GEOTRUPINI Latreille, 1802: 142 [stem: *Geotrup-*]. Type genus: *Geotrupes* Latreille, 1797 [placed on the Official List of Generic Names in Zoology (ICZN 1955b)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1955c, as GEOTRUPINI Latreille, 1806).

Subfamily TAUROCERASTINAE Germain, 1897

TAUROCERASTIDAE Germain, 1897: 288 [stem: *Taurocerast-*]. Type genus: *Taurocerastes* Philippi, 1866.

Subfamily BOLBOCERATINAE Mulsant, 1842

BOLBOCÉRAIRES Mulsant, 1842: 347 [stem: *Bolbocerat-*]. Type genus: *Bolboceras* Kirby, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 2006a)].

Tribe ATHYREINI Lynch Arribálzaga, 1878

*ATHYRÉITES Blanchard, 1845a: 221 [stem: *Athyre-*]. Type genus: *Athyreus* W. S. MacLeay, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 1985a)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1845a) (see A. B. T. Smith 2006: 148).

ATHYREITAE Lynch Arribálzaga, 1878: 145 [stem: *Athyre-*]. Type genus: *Athyreus* W. S. MacLeay, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 1985a)]. Comment: name previously attributed to Howden and Martínez (1963).

ATHYREINI Howden and Martínez, 1963: 346 [stem: *Athyre-*]. Type genus: *Athyreus* W. S. MacLeay, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 1985a)]. Comment: family-group name proposed as new without reference to ATHYRÉIDES Blanchard, 1845 or ATHYREITAE Lynch Arribálzaga, 1878.

Tribe BOLBELASMINI Nikolajev, 1996

BOLBELASMINI Nikolajev, 1996: 96 [stem: *Bolbelasm-*]. Type genus: *Bolbelasmus* Boucomont, 1911.

Tribe BOLBOCERATINI Mulsant, 1842

BOLBOCÉRAIRES Mulsant, 1842: 347 [stem: *Bolbocerat-*]. Type genus: *Bolboceras* Kirby, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 2006a)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Boucomont (1911: 333, as BOLBOCERINAE [incor-

rect stem formation]), generally accepted as in A. B. T. Smith (2006: 148, as BOLBOCERATINI); concept of *Bolboceras* Kirby, 1819 fixed by the Commission (ICZN 2006a); incorrect original stem formation, not in prevailing usage.

AUSTRALOBOLBINI Nikolajev, 1996: 96 [stem: *Australobolb-*]. Type genus: *Australobolbus* Howden and Cooper, 1977.

Tribe BOLBOCHROMINI Nikolajev, 1970

BOLBOCHROMINI Nikolajev, 1970: 34 [stem: *Bolbochrom-*]. Type genus: *Bolbochromus* Boucomont, 1909.

Tribe EUBOLBITINI Nikolajev, 1970

EUBOLBITINI Nikolajev, 1970: 33 [stem: *Eubolbit-*]. Type genus: *Eubolbitus* Reitter, 1892.

Tribe EUANTHINI Nikolajev, 2003

EUCANTHINI Nikolajev, 2003b: 209 [stem: *Eucanth-*]. Type genus: *Eucanthus* Westwood, 1848.

Tribe GILLETININI Nikolajev, 1990

GILLETININI Nikolajev, 1990: 99 [stem: *Gilletin-*]. Type genus: *Gilletinus* Boucomont, 1932.

Tribe ODONTEINI Shokhin, 2007

ODONTEINI Shokhin, 2007: 111 [stem: *Odonte-*]. Type genus: *Odonteus* Samouelle, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 2006a)]. Comment: replacement name for BOLBOCERATINI of authors because the concept of *Bolboceras* Kirby, 1819 was fixed differently by the Commission (ICZN 2006a).

Tribe STENASPIDIINI Nikolajev, 2003

STENASPIDIINI Nikolajev, 2003a: 190, in key [stem: *Stenaspidi-*]. Type genus: *Stenaspidius* Westwood, 1848.

Subfamily GEOTRUPINAE Latreille, 1802

GEOTRUPINI Latreille, 1802: 142 [stem: *Geotrup-*]. Type genus: *Geotrupes* Latreille, 1797 [placed on the Official List of Generic Names in Zoology (ICZN 1955b)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1955c, as GEOTRUPINI Latreille, 1806).

Tribe CERATOTRUPINI Zunino, 1984

CERATOTRUPINI Zunino, 1984: 89 [stem: *Ceratotrup-*]. Type genus: *Ceratotrupes* Jekel, 1866.

Tribe ENOPLOTRUPINI Paulian, 1945

ENOPLOTRUPINI Paulian, 1945: 40, in key [stem: *Enoplotrup-*]. Type genus: *Enoplotrupes* Lucas, 1869.

CHROMOGEOTRUPINI Zunino, 1984: 30 [stem: *Chromogeotrup-*]. Type genus: *Chromogeotrupes* Bovo and Zunino, 1983.

†Tribe CRETODETRUPINI Nikolajev, 1996

CRETODETRUPINI Nikolajev, 1996: 97 [stem: *Cretodetrup-*]. Type genus: *Cretodetrupes* Nikolajev, 1992.

Tribe GEOTRUPINI Latreille, 1802

GEOTRUPINI Latreille, 1802: 142 [stem: *Geotrup-*]. Type genus: *Geotrupes* Latreille, 1797 [placed on the Official List of Generic Names in Zoology (ICZN 1955b)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1955c, as GEOTRUPINI Latreille, 1806).

Tribe LETHRINI Oken, 1843

LETHREN Oken, 1843: 484 [stem: *Lethr-*]. Type genus: *Lethrus* Scopoli, 1777.

Comment: original vernacular name available (Art. 11.7.2): first used in Latinized form and generally accepted as in Tulk (1847: 614, as LETHRI); name previously attributed to Mulsant and Rey (1871a).

Family BELOHINIDAE Paulian, 1959

BELOHININAE Paulian, 1959: 40 [stem: *Belohin-*]. Type genus: *Belohina* Paulian, 1959.

Family PASSALIDAE Leach, 1815

PASSALIDA Leach, 1815: 100 [stem: *Passal-*]. Type genus: *Passalus* Fabricius, 1792.

Subfamily AULACOCYCLINAE Kaup, 1868

AULACOCYCLINAE Kaup, 1868a: 4 [stem: *Aulacocycl-*]. Type genus: *Aulacocylus* Kaup, 1868.

Tribe AULACOCYCLINI Kaup, 1868

AULACOCYCLINAE Kaup, 1868a: 4 [stem: *Aulacocycl-*]. Type genus: *Aulacocylus* Kaup, 1868.

Tribe CERACUPEDINI Boucher, 2006

CERACUPINI Boucher, 2006: 319 [stem: *Ceracuped-*]. Type genus: *Ceracupes* Kaup, 1871. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily PASSALINAE Leach, 1815

PASSALIDA Leach, 1815: 100 [stem: *Passal-*]. Type genus: *Passalus* Fabricius, 1792.

Tribe LEPTAULACINI Kaup, 1871

LEPTAULACEAE Kaup, 1871: 28 [stem: *Leptauleac-*]. Type genus: *Leptauleax* Kaup, 1868.

Tribe MACROLININI Kaup, 1871

MACROLINEAE Kaup, 1871: 42 [stem: *Macrolin-*]. Type genus: *Macrolinus* Kaup, 1868. Comment: First Reviser found (MACROLININI Kaup, 1871 vs ACERAIINI Kaup, 1871) is Gravely (1918: 76).

ACERAIAE Kaup, 1871: 47 [stem: *Acerai-*]. Type genus: *Aceraius* Kaup, 1868.

ERIOCNEMIAE Kaup, 1871: 35 [stem: *Eriocnemid-*]. Type genus: *Eriocnemis* Kaup, 1868 [preoccupied genus name, not *Eriocnemis* Reichenbach, 1849 [Aves]; syn. of *Pelopides* Kuwert, 1896]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

GONATINAE Kuwert, 1891: 169 [stem: *Gonat-*]. Type genus: *Gonatas* Kaup, 1871.

MASTACHILINAE Kuwert, 1891: 167 [stem: *Mastachil-*]. Type genus: *Mastachilus* Kaup, 1868.

PHAROCHILINAE Kuwert, 1891: 166 [stem: *Pharochil-*]. Type genus: *Pharochilus* Kaup, 1868.

TARQUININAE Kuwert, 1891: 164 [stem: *Tarquini-*]. Type genus: *Tarquinius* Kuwert, 1891. Comment: incorrect original stem formation, not in prevailing usage.

VELLEJINAE Kuwert, 1891: 167 [stem: *Vellej-*]. Type genus: *Vellejus* Kaup, 1871 [preoccupied genus name, not *Vellejus* Mannerheim, 1830 [Coleoptera: STAPHYLINIDAE], not *Vellejus* Stål, 1865 [Hemiptera]; syn. of *Labienus* Kaup, 1871]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

AURELIINAE Kuwert, 1896: 230 [stem: *Aureli-*]. Type genus: *Aurelius* Kuwert, 1891.

LACHINAE Kuwert, 1896: 230 [stem: *Lach-*]. Type genus: *Laches* Kaup, 1871 [preoccupied genus name, not *Laches* Gistel, 1848 [Hymenoptera], not *Laches* Thorell, 1869 [Arachnida]; syn. of *Aceraius* Kaup, 1868]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

PELOPINAE Kuwert, 1896: 229 [stem: *Pelopid-*]. Type genus: *Pelopides* Kuwert, 1896. Comment: incorrect original stem formation, not in prevailing usage.

PLEURARIINAE Kuwert, 1896: 224 [stem: *Pleurari-*]. Type genus: *Pleurarius* Kaup, 1868.

GNAPHALOCNEMINAE Gravely, 1914: 194 [stem: *Gnaphalocnemid-*]. Type genus: *Gnaphalocnemis* Heller, 1900 [syn. of *Pelopides* Kuwert, 1896]. Comment: incorrect original stem formation, not in prevailing usage.

AUSTROPASSALINAE Mjöberg, 1917: 11 [stem: *Austropassal-*]. Type genus: *Astropassalus* Mjöberg, 1917.

Tribe PASSALINI Leach, 1815

- PASSALIDA Leach, 1815: 100 [stem: *Passal-*]. Type genus: *Passalus* Fabricius, 1792.
- NELEINAE Kaup, 1869: 28 [stem: *Nele-*]. Type genus: *Neleus* Kaup, 1869 [preoccupied genus name, not *Neleus* Desbonne and Schramm, 1867 [Crustacea]; syn. of *Passalus* Fabricius, 1792]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- PERTINACEAE Kaup, 1871: 89 [stem: *Pertinac-*]. Type genus: *Pertinax* Kaup, 1869.
- PHORONEAE Kaup, 1871: 97 [stem: *Phorone-*]. Type genus: *Phoroneus* Kaup, 1869 [preoccupied genus name, not *Phoroneus* Stål, 1865 [Hemiptera]; syn. of *Passalus* Fabricius, 1792]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- MITRORHINAE Kuwert, 1891: 190 [stem: *Mitrorhin-*]. Type genus: *Mitrorhinus* Kaup, 1871.
- PAXILLINAE Kuwert, 1891: 182 [stem: *Paxill-*]. Type genus: *Paxillus* W. S. MacLeay, 1819.
- PETREJINAE Kuwert, 1891: 176 [stem: *Petrej-*]. Type genus: *Petrejus* Kaup, 1869.
- NELIDINAE Kuwert, 1896: 222 [stem: *Neleid-*]. Type genus: *Neleides* Kaup, 1869. Comment: incorrect original stem formation, not in prevailing usage.
- PTICHOPINAE Kuwert, 1896: 224 [stem: *Ptichopod-*]. Type genus: *Ptichopus* Kaup, 1869. Comment: incorrect original stem formation, not in prevailing usage.
- RHODACANTHOPINAE Kuwert, 1896: 222 [stem: *Rhodocanthopod-*]. Type genus: *Rhodocanthopus* Kaup, 1871. Comment: incorrect original stem formation, not in prevailing usage.
- VATINIINAE Kuwert, 1896: 226 [stem: *Vatini-*]. Type genus: *Vatinius* Kaup, 1869 [preoccupied genus name, not *Vatinius* Stål, 1865 [Hemiptera]; syn. of *Passalus* Fabricius, 1792]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe PROCULINI Kaup, 1868

- PROCULINAE Kaup, 1868b: 8 [stem: *Procul-*]. Type genus: *Proculus* Kaup, 1868.
- PSEUDACANTHEAE Kaup, 1871: 73 [stem: *Pseudacanth-*]. Type genus: *Pseudacanthus* Kaup, 1869.
- OILEINAE Kuwert, 1891: 192 [stem: *Oile-*]. Type genus: *Oileus* Kaup, 1869.
- SERTORINAE Kuwert, 1891: 175 [stem: *Sertori-*]. Type genus: *Sertorius* Kaup, 1871 [preoccupied genus name, not *Sertorius* Stål, 1866 [Hemiptera]; syn. of *Arrox* Zang, 1905]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.
- UNDULIFERINAE Kuwert, 1891: 176 [stem: *Undulifer-*]. Type genus: *Undulifer* Kaup, 1869.
- VETURINAE Kuwert, 1891: 173 [stem: *Veturi-*]. Type genus: *Veturius* Kaup, 1871. Comment: incorrect original stem formation, not in prevailing usage.
- POPILIINAE Kuwert, 1896: 221 [stem: *Popili-*]. Type genus: *Popilius* Kaup, 1871.

PROCULEJINAE Kuwert, 1896: 221 [stem: *Proculej-*]. Type genus: *Proculejus* Kaup, 1868.

SPURIINAE Kuwert, 1896: 221 [stem: *Spuri-*]. Type genus: *Spurius* Kaup, 1871.

VINDICINAE Kuwert, 1896: 227 [stem: *Vindic-*]. Type genus: *Vindex* Kaup, 1871.

Tribe SOLENOCYCLINI Kaup, 1871

SOLENOCYCLEAE Kaup, 1871: 24 [stem: *Solenocycl-*]. Type genus: *Solenocyclus* Kaup, 1868. Comment: First Reviser found (SOLENOCYCLINI Kaup, 1871 vs STEPHANOCEPHALINI Kaup, 1871) is Boucher (2006).

STEPHANOCEPHALEAE Kaup, 1871: 78 [stem: *Stephanocephal-*]. Type genus: *Stephanocephalus* Kaup, 1868.

CICERONINAE Kuwert, 1891: 183 [stem: *Ciceroni-*]. Type genus: *Ciceronius* Kaup, 1871. Comment: incorrect original stem formation, not in prevailing usage.

ERIONOMINAE Kuwert, 1891: 176 [stem: *Erionom-*]. Type genus: *Erionomus* Kaup, 1868.

FLAMININAE Kuwert, 1891: 185 [stem: *Flamini-*]. Type genus: *Flaminius* Kuwert, 1891. Comment: incorrect original stem formation, not in prevailing usage.

SEMICYCLINAE Kuwert, 1891: 177 [stem: *Semicycl-*]. Type genus: *Semicyclus* Kaup, 1871.

Family TROGIDAE MacLeay, 1819

TROGIDAE W. S. MacLeay, 1819: 59 [stem: *Trog-*]. Type genus: *Trox* Fabricius, 1775.

†Subfamily AVITORTORINAE Nikolajev, 2007

AVITORTORINAE Nikolajev, 2007a: 110 [stem: *Avitortor-*]. Type genus: *Avitortor* Ponomarenko, 1977.

Subfamily TROGINAE MacLeay, 1819

TROGIDAE W. S. MacLeay, 1819: 59 [stem: *Trog-*]. Type genus: *Trox* Fabricius, 1775.

PHOBERIDAE Gistel, 1848: [5] [stem: *Phober-*]. Type genus: *Phoberus* W. S. MacLeay, 1819.

Subfamily OMORGINAE Nikolajev, 2005

OMORGINI Nikolajev, 2005a: 322 [stem: *Omorg-*]. Type genus: *Omorgus* Erichson, 1847.

Family GLARESIDAE Kolbe, 1905

GLARESINI Kolbe, 1905: 543 [stem: *Glares-*]. Type genus: *Glaresis* Erichson, 1848.

Family DIPHYLLOSTOMATIDAE Holloway, 1972

DIPHYLLOSTOMATIDAE Holloway, 1972: 38 [stem: *Diphyllostomat-*]. Type genus: *Diphyllostoma* Fall, 1901.

Family LUCANIDAE Latreille, 1804

LUCANIDES Latreille, 1804c: 149 [stem: *Lucan-*]. Type genus: *Lucanus* Scopoli, 1763.

†Subfamily PROTOLUCANINAE Nikolajev, 2007

PROTOLUCANINAE Nikolajev, 2007a: 18 [stem: *Protolucan-*]. Type genus: *Protolucanus* Nikolajev, 2007.

Subfamily AESALINAE MacLeay, 1819

AESALIDAE W. S. MacLeay, 1819: 102 [stem: *Aesal-*]. Type genus: *Aesalus* Fabricius, 1801.

Tribe AESALINI MacLeay, 1819

AESALIDAE W. S. MacLeay, 1819: 102 [stem: *Aesal-*]. Type genus: *Aesalus* Fabricius, 1801.

Tribe CERATOGNATHINI Sharp, 1899

CERATOGNATHINI Sharp, 1899a: 194 [stem: *Ceratognath-*]. Type genus: *Ceratognathus* Westwood, 1838.

Tribe NICAGINI LeConte, 1861

NICAGINI J. L. LeConte, 1861: 130 [stem: *Nicag-*]. Type genus: *Nicagus* J. L. LeConte, 1861.

†Subfamily CERUCHITINAE Nikolajev, 2006

CERUCHITINAE Nikolajev, 2006: 133 [stem: *Ceruchit-*]. Type genus: *Ceruchites* Statz, 1952.

Subfamily SYNDESINAE MacLeay, 1819

SYNDESIDAE W. S. MacLeay, 1819: 103 [stem: *Syndes-*]. Type genus: *Syndesus* W. S. MacLeay, 1819.

SINODENDRIENS Mulsant, 1842: 600 [stem: *Sinodendr-*]. Type genus: *Sinodendron* Hellwig, 1791. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Imhoff (1856: xii, as SINODENDRIDAE), generally accepted as in Ratcliffe (2002: 8, as SINODENDRINI).

CERUCHITES Jacquel du Val, 1859: 4 [stem: *Ceruch-*]. Type genus: *Ceruchus* W. S. MacLeay, 1819. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 121, as CERUCHINI), generally accepted as in Ratcliffe (2002: 8, as CERUCHINI).

Subfamily LAMPRIMINAE MacLeay, 1819

LAMPRIMIDAE W. S. MacLeay, 1819: 97 [stem: *Lamprim-*]. Type genus: *Lamprima* Latreille, 1804.

Tribe LAMPRIMINI MacLeay, 1819

LAMPRIMIDAE W. S. MacLeay, 1819: 97 [stem: *Lamprim-*]. Type genus: *Lamprima* Latreille, 1804.

Tribe STREPTOCERINI Kikuta, 1986

STREPTOCERINI Kikuta, 1986: 131 [stem: *Streptocer-*]. Type genus: *Streptocerus* Fairmaire, 1850.

Subfamily LUCANINAE Latreille, 1804

LUCANIDES Latreille, 1804c: 149 [stem: *Lucan-*]. Type genus: *Lucanus* Scopoli, 1763.

Tribe CHIASGNATHINI Burmeister, 1847

CHIASOGNATHIDAE H. C. C. Burmeister, 1847: 334 [stem: *Chiasognath-*]. Type genus: *Chiasognathus* Stephens, 1831.

Tribe LUCANINI Latreille, 1804

LUCANIDES Latreille, 1804c: 149 [stem: *Lucan-*]. Type genus: *Lucanus* Scopoli, 1763. Comment: published 7 March 1804; this family-group name was also used in the same year by Latreille (1804b [between 19 August and 17 September]: 234, as LUCANIDES).

FIGULIDAE H. C. C. Burmeister, 1847: 428 [stem: *Figul-*]. Type genus: *Figulus* W. S. MacLeay, 1819.

CORYPTICIDAE Gistel, 1848: [5] [stem: *Coryptic-*]. Type genus: *Corypticus* Sturm, 1843 [the genus was spelled *Coryptius* (Sturm 1843: 136) and *Corypticus* (Sturm 1843: 347) in the paper making the genus name available but the latter spelling is in prevailing usage and is the correct spelling].

DORCIDAE Parry, 1864: 86 [stem: *Dorc-*]. Type genus: *Dorcas* W. S. MacLeay, 1819.

CLADOGNATHIDAE Parry, 1870: 75 [stem: *Cladognath-*]. Type genus: *Cladognathus* H. C. C. Burmeister, 1847 [syn. of *Prosopocoilus* Hope, 1845].

ODONTOLABIDAE Parry, 1870: 106 [stem: *Odontolabid-*]. Type genus: *Odontolabis* Hope, 1842. Comment: incorrect original stem formation, not in prevailing usage.

NIGIDIINI Jakobson, 1911b: 142 [stem: *Nigidi-*]. Type genus: *Nigidius* W. S. MacLeay, 1819. Comment: NIGIDIINI was attributed to Benesh (1960) and treated as unavailable by A. B. T. Smith (2006: 154).

LEPTINOPTERINI Jakobson, 1911b: 142 [stem: *Leptinopter-*]. Type genus: *Leptinopterus* Hope, 1838 [unjustified emendation of *Leptynopterus* by Hope (1845: 5), in prevailing usage and so deemed to be a justified emendation (Article 33.2.3.1)].

RHAETULINAE Miwa, 1931: 323 [stem: *Rhaetul-*]. Type genus: *Rhaetus* Westwood, 1871.

PENICHROLUCANINAE Arrow, 1950: 233 [stem: *Penichrolucan-*]. Type genus: *Penichrolucanus* Deyrolle, 1863.

- ***CHALCODINAE** Didier and Séguy, 1953: 91 [stem: *Chalcod-*]. Type genus: *Chalcodes* H. C. C. Burmeister, 1847. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- DENDEZIINI** Benesh, 1955b: 72 [stem: *Dendezi-*]. Type genus: *Dendezia* Basilewsky, 1952.
- LISSTONINI** Benesh, 1955b: 73 [stem: *Lissotet-*]. Type genus: *Lissotes* Westwood, 1855. Comment: incorrect original stem formation, not in prevailing usage.
- SCLEROSTOMINI** Benesh, 1955a: 97 [stem: *Sclerostom-*]. Type genus: *Sclerostomus* H. C. C. Burmeister, 1847.
- SCORTIZINI** Benesh, 1955a: 103 [stem: *Scortiz-*]. Type genus: *Scortizus* Westwood, 1834.
- ***PROSOPOCOILINI** Benesh, 1960: 50 [stem: *Prosopocoil-*]. Type genus: *Prosopocoilus* Hope, 1845. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- ***PSEUDODORCINI** Benesh, 1960: 97 [stem: *Pseudodorc-*]. Type genus: *Pseudodorcus* Parry, 1870. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- ***RHYSSONOTINI** Benesh, 1960: 148 [stem: *Ryssonot-*]. Type genus: *Ryssonotus* W. S. MacLeay, 1819 [as *Rhyssonotus*, unjustified emendation of type genus name by Agassiz (1846b: 329), not in prevailing usage]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.
- ***CHALCODINAE** J. P. Lacroix, 1979: 258 [stem: *Chalcod-*]. Type genus: *Chalcodes* H. C. C. Burmeister, 1847. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- PHOLIDOTINI** Kikuta, 1986: 131 [stem: *Pholidot-*]. Type genus: *Pholidotus* W. S. MacLeay, 1819 [preoccupied genus name, not *Pholidotus* Brisson, 1762 [Mammalia]; syn. of *Casignetus* W. S. MacLeay, 1819]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- ***AEGINI** Maes, 1992b: 97 [stem: *Aeg-*]. Type genus: *Aegus* W. S. MacLeay, 1819. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); **AEGIDAE** A. White, 1850 (type genus *Aega* Leach, 1815) is currently used as valid in Isopoda and therefore anyone wishing to base a new family-group name on the genus *Aegus* W. S. MacLeay should change the stem in order to avoid homonymy with the isopod name.
- ***ALLOTOPINI** Maes, 1992a: 56 [stem: *Allotop-*]. Type genus: *Allotopus* Albers, 1894. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

- *CASINETINI Maes, 1992b: 61 [stem: *Casignet-*]. Type genus: *Casignetus* W. S. MacLeay, 1819. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); CASINETINI Falkovitsh, 1972 (type genus *Casigneta* Wallengren, 1881) proposed in Lepidoptera is permanently invalid since it is based on a preoccupied type genus name.
- *COLOPHONINI Maes, 1992b: 107 [stem: *Colophon-*]. Type genus: *Colophon* Gray, 1832. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- *CYCLOMMATINI Maes, 1992a: 56 [stem: *Cyclommat-*]. Type genus: *Cyclommatus* Parry, 1863. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- *HOMODERINI Maes, 1992b: 85 [stem: *Homoder-*]. Type genus: *Homoderus* Parry, 1863. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).
- CASINETINI Reid, 1999: 175 [stem: *Casignet-*]. Type genus: *Casignetus* W. S. MacLeay, 1819. Comment: replacement name for PHOLIDOTINI Kikuta, 1986 because of the homonymy of the type genus.
- BRASILUCANINI Nikolajev, 1999a: 171 [stem: *Brasilucan-*]. Type genus: *Brasilucanus* Vulcano and Pereira, 1961.

Tribe PLATYCERINI Mulsant, 1842

- PLATYCÉRAIRES Mulsant, 1842: 593 [stem: *Platycer-*]. Type genus: *Platycerus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1856a: 365, as PLATYCERIDAE), generally accepted as in Paulsen and Hawks (2008: 1, as PLATYCERINI).
- SYSTENOCERINI Portevin, 1931: 2, in key [stem: *Systenocer-*]. Type genus: *Systenocerus* Weise, 1883 [syn. of *Platycerus* Geoffroy, 1762].

Tribe PLATYCEROIDINI Paulsen and Hawks, 2008

- PLATYCEROIDINI Paulsen and Hawks, 2008: 2 [stem: *Platyceroid-*]. Type genus: *Platyceroides* Benesh, 1946.

†Subfamily PARALUCANINAE Nikolajev, 2000

- PARALUCANINAE Nikolajev, 2000b: S328 [stem: *Paralucan-*]. Type genus: *Paralucanus* Nikolajev, 2000.

Family OCHODEAIDAE Mulsant and Rey, 1871

- OCHODÉENS Mulsant and Rey, 1871b: 493 [stem: *Ochodae-*]. Type genus: *Ochodaeus* Dejean, 1821.

†Subfamily CRETCHODAEINAE Nikolajev, 1995

CRETCHODAEINI Nikolajev, 1995a: 78 [stem: *Cretochodae-*]. Type genus: *Cretochodaeus* Nikolajev, 1995.

Subfamily OCHODAEINAE Mulsant and Rey, 1871

OCHODÉENS Mulsant and Rey, 1871b: 493 [stem: *Ochodae-*]. Type genus: *Ochodaeus* Dejean, 1821.

Tribe ENODGNATHINI Scholtz, 1988

ENDOGNATHINI Scholtz, 1988: 228 [stem: *Enodognath-*]. Type genus: *Enodognathus* Benderitter, 1920 [as *Endognathus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Scholtz (1991: 30).

Tribe OCHODAEINI Mulsant and Rey, 1871

OCHODÉENS Mulsant and Rey, 1871b: 493 [stem: *Ochodae-*]. Type genus: *Ochodaeus* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Arrow (1904: 747, as OCHODAEINAE), generally accepted as in A. B. T. Smith (2006: 155, as OCHODAEIDAE); incorrect original stem formation, not in prevailing usage.

Subfamily CHAETOCANTHINAE Scholtz, 1988

CHAETOCANTHINAE Scholtz, 1988: 231 [stem: *Chaetocanth-*]. Type genus: *Chaetocanthus* Péringuay, 1901. Comment: precedence (CHAETOCANTHINAE Scholtz, 1988 vs PSEUDOCHODAEINAE Scholtz, 1988 vs SYNOCHODAEINAE Scholtz, 1988) given to taxon originally proposed at the higher rank (Art. 24.1).

Tribe CHAETOCANTHINI Scholtz, 1988

CHAETOCANTHINAE Scholtz, 1988: 231 [stem: *Chaetocanth-*]. Type genus: *Chaetocanthus* Péringuay, 1901.

Tribe PSEUDOCHODAEINI Scholtz, 1988

PSEUDOCHODAEINI Scholtz, 1988: 235 [stem: *Pseudochodae-*]. Type genus: *Pseudochodaeus* Carlson and Ritcher, 1974.

Tribe SYNOCHODAEINI Scholtz, 1988

SYNOCHODAEINI Scholtz, 1988: 237 [stem: *Synochodae-*]. Type genus: *Synochodaeus* Kolbe, 1907.

Family HYBOSORIDAE Erichson, 1847

HYBOSORIDAE Erichson, 1847a: 104 [stem: *Hybosor-*]. Type genus: *Hybosorus* W. S. MacLeay, 1819.

†Subfamily MIMAPHODIINAE Nikolajev, 2007

MIMAPHODIINAE Nikolajev, 2007b: 47 [stem: *Mimaphodi-*]. Type genus: *Mimaphodius* Nikolajev, 2007.

Subfamily ANAIDINAE Nikolajev, 1996

ANAIIDINI Nikolajev, 1996: 94 [stem: *Anaid-*]. Type genus: *Anaides* Westwood, 1842.

CRYPTOGENIINI Howden, 2001: 199 [stem: *Cryptogeni-*]. Type genus: *Cryptogenius* Westwood, 1842.

Subfamily CERATOCANTHINAE Martínez, 1968

CERATOCANTHINI Martínez, 1968: 14 [stem: *Ceratocanth-*]. Type genus: *Ceratocanthus* A. White, 1842.

Tribe CERATOCANTHINI Martínez, 1968

ACANTHOCÉRIDES Lacordaire, 1856: 155 [stem: *Acanthocer-*]. Type genus: *Acanthocerus* W. S. MacLeay, 1819 [preoccupied genus name, not *Acanthocerus* Palissot de Beauvois, 1818 [Hemiptera]; syn. of *Ceratocanthus* A. White, 1842]. Comment: original vernacular name available (Art. 11.7.2): first used in Latinized form and generally accepted as in J. L. LeConte (1861: 129, as ACANTHOCERINI); permanently invalid (Art. 39): based on preoccupied type genus.

CERATOCANTHINI Martínez, 1968: 14 [stem: *Ceratocanth-*]. Type genus: *Ceratocanthus* A. White, 1842. Comment: replacement name for ACANTHOCERINI Lacordaire, 1856 because of the homonymy of the type genus.

Tribe IVIEOLINI Howden and Gill, 2000

IVIEOLINI Howden and Gill, 2000: 315 [stem: *Ivieol-*]. Type genus: *Ivieolus* Howden and Gill, 1988.

Tribe SCARABATERMITINI Nikolajev, 1999

SCARABATERMITINI Nikolajev, 1999b: 175 [stem: *Scarabatermit-*]. Type genus: *Scarabatermes* Howden, 1973.

Subfamily HYBOSORINAE Erichson, 1847

HYBOSORIDAE Erichson, 1847a: 104 [stem: *Hybosor-*]. Type genus: *Hybosorus* W. S. MacLeay, 1819.

Subfamily LIPAROCHRINAE Ocampo, 2006

LIPAROCHRINAE Ocampo, 2006: 29 [stem: *Liparochr-*]. Type genus: *Liparochrus* Erichson, 1848.

Subfamily PACHYPLECTRINAE Ocampo, 2006

PACHYPLECTRINAE Ocampo, 2006: 30 [stem: *Pachyplectr-*]. Type genus: *Pachyplectrus* J. L. LeConte, 1874.

Family GLAPHYRIDAE MacLeay, 1819

GLAPHYRIDAE W. S. MacLeay, 1819: 76 [stem: *Glaphyr-*]. Type genus: *Glaphyrus* Latreille, 1802.

Subfamily GLAPHYRINAE MacLeay, 1819

GLAPHYRIDAE W. S. MacLeay, 1819: 76 [stem: *Glaphyr-*]. Type genus: *Glaphyrus* Latreille, 1802.

Subfamily AMPHICOMINAE Blanchard, 1845

AMPHICOMITES Blanchard, 1845a: 211 [stem: *Amphicom-*]. Type genus: *Amphicoma* Latreille, 1807. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Blanchard (1850: 52, as AMPHICOMITAE); name treated as unavailable by A. B. T. Smith (2006: 157).

†Subfamily CRETOLAPHYRINAE Nikolajev, 2005

CRETOLAPHYRINI Nikolajev, 2005b: 70 [stem: *Cretolaphyr-*]. Type genus: *Cretolaphyrus* Nikolajev, 2005.

Family SCARABAEIDAE Latreille, 1802

SCARABAEIDES Latreille, 1802: 144 [stem: *Scarabae-*]. Type genus: *Scarabaeus* Linnaeus, 1758.

†Subfamily LITHOSCARABAEINAE Nikolajev, 1992

LITHOSCARABAEINAE Nikolajev, 1992: 76 [stem: *Lithoscarabae-*]. Type genus: *Lithoscarabaeus* Nikolajev, 1992.

Subfamily CHIRONINAE Blanchard, 1845

CHIRONITES Blanchard, 1845a: 225 [stem: *Chiron-*]. Type genus: *Chiron* W. S. MacLeay, 1819. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Harold (1868: 278, as CHIRONIDAE), generally accepted as in A. B. T. Smith (2006: 157, as CHIRONINAE).

Subfamily AEGIALIINAE Laporte, 1840

AEGIALITES Laporte, 1840b: 99 [stem: *Aegiali-*]. Type genus: *Aegalia* Latreille, 1807. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Harold (1868: 278, as AEGIALIDAE [incorrect stem formation]), generally accepted as in A. B. T. Smith (2006: 157, as AEGIALIINAE); incorrect original stem formation, not in prevailing usage.

SILLUVIINAE Landin, 1950: 3 [stem: *Silluvi-*]. Type genus: *Silluvia* Landin, 1950.

SAPRINI Nikolajev, 2008: 149 [stem: *Sapr-*]. Type genus: *Saprus* Blackburn, 1904 [preoccupied genus name, not *Saprus* Gistel, 1856 [Coleoptera: SPHAERIUSIDAE]; syn. of *Sapriniana* Strand, 1917]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Subfamily EREMAZINAE Iablokoff-Khnzorian, 1977

EREMAZINI Iablokoff-Khnzorian, 1977 [3 October]: 168 [stem: *Eremaz-*]. Type genus: *Eremazus* Mulsant, 1851.

EREMAZINA Stebnicka, 1977 ["31 December"]: 412 [stem: *Eremaz-*]. Type genus: *Eremazus* Mulsant, 1851. Comment: proposed as new, without reference to EREMAZINI Iablokoff-Khnzorian, 1977.

Subfamily APHODIINAE Leach, 1815

APHODIDA Leach, 1815: 97 [stem: *Aphodi-*]. Type genus: *Aphodius* Illiger, 1798.

Tribe APHODIINI Leach, 1815

APHODIDA Leach, 1815: 97 [stem: *Aphodi-*]. Type genus: *Aphodius* Illiger, 1798.

Subtribe APHODIINA Leach, 1815

APHODIDA Leach, 1815: 97 [stem: *Aphodi-*]. Type genus: *Aphodius* Illiger, 1798.

*AMMOECIATES Mulsant, 1842: 301 [stem: *Ammoeci-*]. Type genus: *Ammoe cius* Mulsant, 1842. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*PLAGIOGONATES Mulsant and Rey, 1871a: 609 [stem: *Plagiogon-*]. Type genus: *Plagiogonus* Mulsant, 1842. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*HEPTAULACATES Mulsant and Rey, 1871a: 585 [stem: *Heptaulac-*]. Type genus: *Heptaulacus* Mulsant, 1842. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

Subtribe DIDACTYLIINA Pittino, 1985

DIDACTYLIINA Pittino, 1985: 270, in key [stem: *Didactyli-*]. Type genus: *Didactylia* d'Orbigny, 1896.

Subtribe PROCTOPHANINA Stebnicka and Howden, 1995

PROCTOPHANINI Stebnicka and Howden, 1995: 742 [stem: *Proctophan-*]. Type genus: *Proctophanes* Harold, 1861.

Tribe CORYTHODERINI Schmidt, 1910

CORYTHODERINA A. Schmidt, 1910a: 137 [stem: *Corythoder-*]. Type genus: *Coryth oderus* Klug, 1845. Comment: the earliest known publication date of this work is 31 December 1910 (see Evenhuis, 1994: 55); although CORYTHODERINA A. Schmidt (1910b: 93) was published on 30 September 1910, we use A. Schmidt, 1910a as the correct original work since "CORYTHODERINA Schmidt 1910: 137" was used as the correct citation for this name by A. Schmidt himself (1910b: 93).

Tribe EUPARIINI Schmidt, 1910 *nomen protectum*

ATAENIDAE Harold, 1868: 278 [stem: *Ataeni-*]. Type genus: *Ataenius* Harold, 1867 [placed on the Official List of Generic Names in Zoology (ICZN 2010a)]. Comment: *nomen oblitum* (see A. B. T. Smith 2006: 158).

*HEXALATES Mulsant and Rey, 1871a: 605 [stem: *Hexal-*]. Type genus: *Hexalus* Mulsant and Rey, 1871 [syn. of *Ataenius* Harold, 1867]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

EUPARIINA A. Schmidt, 1910a: 102 [stem: *Eupari-*]. Type genus: *Euparia* Lepeletier and Audinet-Serville, 1828. Comment: *nomen protectum* (see A. B. T. Smith 2006: 158); senior homonym of EUPARIINI B. D. Valentine, 1960 (type genus *Euparius* Schönherr, 1823) in ANTHRIBIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1); the earliest known publication date of this work is 31 December 1910 (see Evenhuis, 1994: 55); although EUPARIINA A. Schmidt (1910b: 71) was published on 30 September 1910, we use A. Schmidt, 1910a as the correct original work since “EUPARIINA Schmidt 1910: 102” was used as the correct citation for this name by A. Schmidt himself (1910b: 71).

LOMANOXIINI Stebnicka, 1999: 280 [stem: *Lomanoxi-*]. Type genus: *Lomanoxia* Martínez, 1951.

Tribe ODONTOLOCHINI Stebnicka and Howden, 1996

ODONTOLOCHINI Stebnicka and Howden, 1996: 99 [stem: *Odontoloch-*]. Type genus: *Odontolochus* Schmidt, 1916.

Tribe ODOCHILINI Rakovič, 1987

ODOCHILINI Rakovič, 1987: 29 [stem: *Odochil-*]. Type genus: *Odochilus* Harold, 1877.

Tribe PSAMMODINI Mulsant, 1842

PSAMMODIARES Mulsant, 1842: 317 [stem: *Psammodi-*]. Type genus: *Psammodius* Fallén, 1807.

Subtribe PHYCOCINA Landin, 1960

PHYCOCHI Landin, 1960: 59 [stem: *Phycoc-*]. Type genus: *Phycocus* Broun, 1886 [as *Phycochus*, incorrect subsequent spelling of type genus name, not in prevailing usage (see Stebnicka 2001)]. Comment: incorrect original stem formation, not in prevailing usage.

PHYCOCHINI Rakovič and Král, 1997: 59 [stem: *Phycoc-*]. Type genus: *Phycocus* Broun, 1886 [as *Phycochus*, incorrect subsequent spelling of type genus name, not in prevailing usage (see Stebnicka 2001)]. Comment: incorrect original stem formation, not in prevailing usage; family-group name proposed as new without reference to Phycochi Landin, 1960.

Subtribe PSAMMODIINA Mulsant, 1842

PSAMMODIAIRES Mulsant, 1842: 317 [stem: *Psammodi-*]. Type genus: *Psammodius* Fallén, 1807. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Harold (1868: 278, as *PSAMMODIDAE* [incorrect stem formation]), generally accepted as in A. B. T. Smith (2006: 159, as *PSAMMODIINI*).

PLEUROPHORATES Mulsant, 1842: 304 [stem: *Pleurophor-*]. Type genus: *Pleurophorus* Mulsant, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Ádám (1994: 15, as *PLEUROPHORINI*).

PSAMMOBIINA Reitter, 1909: 303 [stem: *Psammobi-*]. Type genus: *Psammobius* Heer, 1841 [syn. of *Psammodius* Fallén, 1807].

Subtribe RHYSEMINA Pittino and Mariani, 1986

RHYSEMINA Pittino and Mariani, 1986: 17, in key [stem: *Rhysem-*]. Type genus: *Rhysemus* Mulsant, 1842.

Tribe RHYPARINI Schmidt, 1910

RHYPARINA A. Schmidt, 1910a: 130 [stem: *Rhypar-*]. Type genus: *Rhyparus* Westwood, 1845 [*Rhyparus* is an unjustified emendation of *Ryparus* Westwood, 1845 by Agassiz (1846b: 328), in prevailing usage, and so deemed to be a justified emendation (Article 33.2.3.1); the emended spelling avoids homonymy with *Ryparus* Spinola, 1844 [Coleoptera: CLERIDAE] (see A. B. T. Smith 2006: 159)]. Comment: the earliest known publication date of this work is 31 December 1910 (see Evenhuis, 1994: 55); although RHYPARINA A. Schmidt (1910b: 91) was published on 30 September 1910, we use A. Schmidt, 1910a as the correct original work since “RHYPARINA Schmidt 1910: 130” was used as the correct citation for this name by A. Schmidt himself (1910b: 91).

Tribe STEREOMERINI Howden and Storey, 1992

STEREOMERINI Howden and Storey, 1992: 1811 [stem: *Stereomer-*]. Type genus: *Stereomera* Arrow, 1905.

Tribe TERMITODERINI Tangelder and Krikken, 1982

TERMITODERINI Tangelder and Krikken, 1982: 10, in key [stem: *Termitoder-*]. Type genus: *Termitoderus* Mateu, 1966.

Subfamily AULONOCNEMINAE Janssens, 1946

AULONOCNEMINAE Janssens, 1946: 7, in key [stem: *Aulonocnem-*]. Type genus: *Aulonocnemis* Klug, 1837. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Aulonocnemid-*).

Subfamily TERMITOTROGINAE Wasmann, 1918

TERMITOTROGINI Wasmann, 1918: 4 [stem: *Termitotrog-*]. Type genus: *Termitotrox* Reichensperger, 1915.

Subfamily SCARABAEINAE Latreille, 1802

SCARABAEIDES Latreille, 1802: 144 [stem: *Scarabae-*]. Type genus: *Scarabaeus* Linnaeus, 1758.

Tribe ATEUCHINI Perty, 1830

ATEUCHIDAE Perty, 1830: 38 [stem: *Ateuch-*]. Type genus: *Ateuchus* Weber, 1801.

Subtribe ATEUCHINA Perty, 1830

ATEUCHIDAE Perty, 1830: 38 [stem: *Ateuch-*]. Type genus: *Ateuchus* Weber, 1801. Comment: name previously attributed to Laporte (1840b: 63); use of subtribes follow Vaz-de-Mello (2008).

CHOERIDIDAE Harold, 1867: 9 [stem: *Choeridi-*]. Type genus: *Choeridium* Lepeletier and Audinet-Serville, 1828.

PINOTINAE Kolbe, 1905: 548 [stem: *Pinot-*]. Type genus: *Pinotus* Erichson, 1847.

DICHOTOMIINI Pereira, 1954: 55 [stem: *Dichotomi-*]. Type genus: *Dichotomius* Hope, 1838.

Subtribe SCATIMINA Vaz-de-Mello, 2008

SCATIMINA Vaz-de-Mello, 2008: 10 [stem: *Scatim-*]. Type genus: *Scatimus* Erichson, 1847.

ATEUCHINI *incertae sedis*

DEMARZIELLINI Balthasar, 1961: 178 [stem: *Demarziell-*]. Type genus: *Demarziella* Balthasar, 1961. Comment: family-group taxon not originally described but available (Art. 13.5) (see Matthews and Stebnicka 1986); current placement follows Vaz-de-Mello (2008).

Tribe COPRINI Leach, 1815

*COPRIDES Baudet-Lafarge, 1809: 44 [stem: *Copr-*]. Type genus: *Copris* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Baudet-Lafarge (1809).

COPRIDES Leach, 1815: 96 [stem: *Copr-*]. Type genus: *Copris* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Coprid-*).

COPTODACTYLINI Paulian, 1933: 67 [stem: *Coptodactyl-*]. Type genus: *Coptodactyla* H. C. C. Burmeister, 1846.

Tribe DELTOCHILINI Lacordaire, 1856

DELTOCHILIDES Lacordaire, 1856: 78 [stem: *Deltochil-*]. Type genus: *Deltochilum* Eschscholtz, 1822. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1861: 125, as DELTOCHILA), generally accepted as in Germain (1903: 354, as DELTOCHILIDAE); First Reviser (DELTOCHILINI Lacordaire, 1856 vs MENTOPHILINI Lacordaire, 1856 vs SCATONOMINI Lacordaire, 1856) not determined, current usage maintained.

MINTHOPHILIDES Lacordaire, 1856: 80 [stem: *Mentophil-*]. Type genus: *Mentophilus* Laporte, 1840 [as *Minthophilus*, both *Mentophilus* (p. 74) and *Minthophilus* (p. 63) were used in the original publication by Laporte (1840b), although *Mentophilus* has been used as the correct spelling in recent literature, we could not determine the First Reviser]. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Gerstaecker (1861: 464, as MINTHOPHILIDAE); name treated as unavailable by A. B. T. Smith (2006: 160); incorrect original stem formation, not in prevailing usage.

SCATONOMIDES Lacordaire, 1856: 87 [stem: *Scatonom-*]. Type genus: *Scatonomus* Erichson, 1835. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in J. L. LeConte (1861: 125, as SCATONOMI); transferred from ATEUCHINI by Vaz-de-Mello (2008).

COPROBIADAE H. C. C. Burmeister, 1873: 407 [stem: *Coprobi-*]. Type genus: *Coprobius* Latreille, 1829.

CANTHONIDES van Lansberge, 1875a: 184 [stem: *Canthon-*]. Type genus: *Canthon* Hoffmannsegg, 1817. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Kolbe (1905: 530, as CANTHONINAE), generally accepted as in A. B. T. Smith (2006: 160, as CANTHONINI).

EPILISSIDES van Lansberge, 1875a: 188 [stem: *Epiliss-*]. Type genus: *Epilissus* Dejean, 1836. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Shipp (1894: 255, as EPILISSINI).

EPIRINIDES van Lansberge, 1875a: 189 [stem: *Epirin-*]. Type genus: *Epirinus* Dejean, 1833. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Bertkau (1875: 335, as EPIRINI); name treated as unavailable by A. B. T. Smith (2006: 160).

PANELINI Arrow, 1931: 404 [stem: *Panel-*]. Type genus: *Panelus* Lewis, 1895.

Tribe EUCRANIINI Burmeister, 1873

EUCRANIADAE H. C. C. Burmeister, 1873: 405 [stem: *Eucrani-*]. Type genus: *Eucranium* Brullé, 1837.

ENNEARABDINI Pereira and Martínez, 1956: 238 [stem: *Ennearabd-*]. Type genus: *Ennearabdus* van Lansberge, 1874.

Tribe GYMNOBLEURINI Lacordaire, 1856

GYMNOBLEURIDES Lacordaire, 1856: 72 [stem: *Gymnobleur-*]. Type genus: *Gymnopleurus* Illiger, 1803. Comment: original vernacular name available (Art.

11.7.2): first used in latinized form by J. L. LeConte (1861: 124, as *GYMNOPLEURI*), generally accepted as in A. B. T. Smith (2006: 160, as *GYMNOPLEURINI*).

Tribe ONITICELLINI Kolbe, 1905

ONITICELLINI Kolbe, 1905: 547 [stem: *Oniticell-*]. Type genus: *Oniticellus* Dejean, 1821. Comment: usage of this name over DREPANOCERINI conserved (Art. 35.5) (see A. B. T. Smith 2006).

Subtribe DREPANOCERINA van Lansberge, 1875

DRÈPANOCÉRIDES van Lansberge, 1875b: 14 [stem: *Drepanocer-*]. Type genus: *Drepanocerus* Kirby, 1828. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1905: 531, as DREPANOCERINI), generally accepted as in A. B. T. Smith (2006: 161, as DREPANOCERINI); although DREPANOCERINI has priority over ONITICELLINI, the latter is in prevailing usage at the tribal level and must not be displaced by the older name (Art. 35.5) (see A. B. T. Smith 2006).

Subtribe EURYSTERNINA Vulcano, Martínez and Pereira, 1961

EURYSTERNINI Vulcano et al., 1961: 268 [stem: *Eurystern-*]. Type genus: *Eurysternus* Dalman, 1824. Comment: current placement based on Génier (2009).

Subtribe HELICTOPLEURINA Janssens, 1946

HELICTOPLEURIDES Janssens, 1946: 11, in key [stem: *Helictopleur-*]. Type genus: *Helictopleurus* d'Orbigny, 1915.

Subtribe ONITICELLINA Kolbe, 1905

ONITICELLINI Kolbe, 1905: 547 [stem: *Oniticell-*]. Type genus: *Oniticellus* Dejean, 1821.

Tribe ONITINI Laporte, 1840

ONITIDES Laporte, 1840b: 88 [stem: *Onit-*]. Type genus: *Onitis* Fabricius, 1798. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Shipp (1894: 255, as ONITIDAE), generally accepted as in A. B. T. Smith (2006: 161, as ONITINI); although Fabricius originally treated the type genus name as masculine, it appears in Greek dictionaries as a feminine noun (with stem *Onitid-*); we recommend that an application be submitted to the Commission to establish the correct gender of *Onitis* and the correct stem based on that genus.

Tribe ONTHOPHAGINI Burmeister, 1846

ONTHOPHAGIDAE H. C. C. Burmeister, 1846: [1] [stem: *Onthophag-*]. Type genus: *Onthophagus* Latreille, 1802.

ALLOSCELIDES Janssens, 1946: 10, in key [stem: *Alloscel-*]. Type genus: *Alloscelus* Boucomont, 1923.

Tribe PHANAEINI Hope, 1838

PHANAEIDAE Hope, 1838a: 321 [stem: *Phanae-*]. Type genus: *Phanaeus* W. S. MacLeay, 1819.

GROMPHINA Zunino, 1985a: 22 [stem: *Gromphad-*]. Type genus: *Gromphas* Brullé, 1837. Comment: published 20 November 1985; this family-group name was also used in the same year by Zunino (1985b [20 December]: 107, as GROMPHINA); incorrect original stem formation, not in prevailing usage.

Tribe SCARABAEINI Latreille, 1802

SCARABAEÏDES Latreille, 1802: 144 [stem: *Scarabae-*]. Type genus: *Scarabaeus* Linnaeus, 1758.

PACHYSOMIDES Ferreira, 1953: 5, in key [stem: *Pachysomat-*]. Type genus: *Pachysoma* W. S. MacLeay, 1821. Comment: incorrect original stem formation, not in prevailing usage.

ACTINOPHORINI Ádám, 2003: 130 [stem: *Actinophor-*]. Type genus: *Actinophorus* Creutzer, 1799 [syn. of *Scarabaeus* Linnaeus, 1758].

Tribe SISYPHINI Mulsant, 1842

SISYPHAIRES Mulsant, 1842: 41 [stem: *Sisyph-*]. Type genus: *Sisyphus* Latreille, 1807 [the original spelling of the type genus is *Sisyphe*, however, the incorrect subsequent spelling *Sisyphus* is in prevailing usage and should be considered the correct original spelling (Art. 33.3.1) (see A. B. T. Smith 2006)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Shipp (1894: 255, as SISYPHINAE), generally accepted as in A. B. T. Smith (2006: 162, as SISYPHINI).

†Subfamily PROTROGINAE Nikolajev, 2000

PROTOTROGINAE Nikolajev, 2000a: 63 [stem: *Prototrog-*]. Type genus: *Prototrox* Nikolajev, 2000.

†Subfamily CRETOSCARABAEINAE Nikolajev, 1995

CRETOSCARABAEINAE Nikolajev, 1995b: 147 [stem: *Cretoscarabae-*]. Type genus: *Cretoscarabaeus* Nikolajev, 1995.

Subfamily DYNAMOPODINAE Arrow, 1911

DYNAMOPINAE Arrow, 1911: 611 [stem: *Dynamopod-*]. Type genus: *Dynamopus* Semenov, 1895.

Tribe DYNAMOPODINI Arrow, 1911

DYNAMOPINAE Arrow, 1911: 611 [stem: *Dynamopod-*]. Type genus: *Dynamopus* Semenov, 1895. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Lawrence and Newton (1995).

Tribe THINORYCTERINI Semenov and A. N. Reichardt, 1925

THINORYCTERINA Semenov and A. N. Reichardt, 1925: 86 [stem: *Thinorycter-*]. Type genus: *Thinorycter* Semenov and A. N. Reichardt, 1925.

Subfamily PHAENOMERIDINAE Erichson, 1847

PHAENOMERINI Erichson, 1847b: 655 [stem: *Phaenomerid-*]. Type genus: *Phaenomeris* Hope, 1833 [placed on the Official List of Generic Names in Zoology (ICZN 1962)]. Comment: stem emended from *Phaenomer-* to *Phaenomerid-* thus removing it from homonymy with another family-group name in Curculionidae and placed on the Official List of Family-Group Names in Zoology (ICZN 1962, as PHAENOMERIDIDAE Ohaus, 1913); in this ruling (ICZN 1962) “Ohaus, 1913” was erroneously given as the original author of this family-group name (see A. B. T. Smith 2006).

Subfamily ORPHNINAE Erichson, 1847

ORPHNIDAE Erichson, 1847a: 111 [stem: *Orphn-*]. Type genus: *Orphnus* W. S. MacLeay, 1819.

Tribe AEGIDIINI Paulian, 1984

AEGIDIINAE Paulian, 1984: 68 [stem: *Aegidi-*]. Type genus: *Aegidium* Westwood, 1845.

Tribe ORPHNINI Erichson, 1847

ORPHNIDAE Erichson, 1847a: 111 [stem: *Orphn-*]. Type genus: *Orphnus* W. S. MacLeay, 1819.

HYBALIDAE Marseul, 1857a: 83 [stem: *Hybal-*]. Type genus: *Hybalus* Dejean, 1833. Comment: name previously attributed to Jacquelin du Val (1859: 31, as HYBALITES) and treated as unavailable by A. B. T. Smith (2006: 163).

Subfamily ALLIDIOSTOMATINAE Arrow, 1940

IDIOSTOMINAE Arrow, 1904: 747 [stem: *Idiostomat-*]. Type genus: *Idiostoma* Arrow, 1904 [preoccupied genus name, not *Idiostoma* Walsingham, 1882 [Lepidoptera]; syn. of *Allidiostoma* Arrow, 1940]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

ALLIDIOSTOMIDAE Arrow, 1940: 16 [stem: *Allidiostomat-*]. Type genus: *Allidiostoma* Arrow, 1940. Comment: replacement name for IDIOSTOMINAE Arrow, 1904

because of the homonymy of the type genus; incorrect original stem formation, not in prevailing usage; correction of stem by Lawrence and Newton (1995).

Subfamily ACLOPINAE Blanchard, 1850

ACLOPITAE Blanchard, 1850: 96 [stem: *Aclop-*]. Type genus: *Aclopus* Erichson, 1835.

Tribe ACLOPINI Blanchard, 1850

ACLOPITAE Blanchard, 1850: 96 [stem: *Aclop-*]. Type genus: *Aclopus* Erichson, 1835.

†Tribe HOLCOROBEINI Nikolajev, 1992

HOLCOROBEINI Nikolajev, 1992: 81 [stem: *Holcorobe-*]. Type genus: *Holcorobeus* Nikritin, 1977.

Tribe PHAENOGNATHINI Iablokoff-Khnzorian, 1977

PHAENOGNATHINI Iablokoff-Khnzorian, 1977: 137, 172 [stem: *Phaenognath-*]. Type genus: *Phaenognatha* Hope, 1842.

Subfamily MELOLONTHINAE Leach, 1819

MELOLONTHIDAE Leach, 1819: 189 [stem: *Melolonth-*]. Type genus: *Melolontha* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe ABLABERINI Blanchard, 1850

ABLABERITAE Blanchard, 1850: 100 [stem: *Ablaber-*]. Type genus: *Ablabera* Dejean, 1833.

CAMENTINI Machatschke, 1959: 738 [stem: *Cament-*]. Type genus: *Camenta* Erichson, 1847.

Tribe AUTOMOLINI Britton, 1978

CAULOBIINA H. C. C. Burmeister, 1855: 204 [stem: *Caulobi-*]. Type genus: *Caulobius* Le Guillou, 1844 [preoccupied genus name, not *Caulobius* Duponchel, 1838 [Lepidoptera]; syn. of *Deuterocaulobius* Dalla Torre, 1912]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

AUTOMOLINI Britton, 1957: 72 [stem: *Automol-*]. Type genus: *Automolus* H. C. C. Burmeister, 1855 [preoccupied genus name, not *Automolus* Reichenbach, 1853 [Aves]; syn. of *Automolius* Britton, 1978]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

AUTOMOLINI Britton, 1978: 7 [stem: *Automoli-*]. Type genus: *Automolius* Britton, 1978. Comment: replacement name for AUTOMOLINI Britton, 1957 because of the homonymy of the type genus.

Tribe CHASMATOPTERINI Lacordaire, 1856

CHASMATOPTÉRIDES Lacordaire, 1856: 220 [stem: *Chasmatopter-*]. Type genus: *Chasmatopterus* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1887: 130, as CHASMATOPTERIDAE), generally accepted as in A. B. T. Smith (2006: 164, as CHASMATOPTERINI).

Tribe COLYMBOMORPHINI Blanchard, 1850

COLYMBOMORPHITAE Blanchard, 1850: 97 [stem: *Colymbomorph-*]. Type genus: *Colymbomorpha* Blanchard, 1850.

STETHASPIDIDAE H. C. C. Burmeister, 1855: 218 [stem: *Stethaspid-*]. Type genus: *Stethaspis* Hope, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1983b)]. Comment: A. B. T. Smith (2006) used “STETHASPINI” as the valid name for this tribe, however, the fact that the genus *Colymbomorpha* is considered to be in this tribe, e.g., Houston and Weir (1992), brings the name COLYMBOMORPHINI into synonymy with STETHASPINI and XYLONICHINI; COLYMBOMORPHINI has nomenclatural priority and should be considered the valid name for this tribe.

XYLONYCHINI Britton, 1957: 9 [stem: *Xylonich-*]. Type genus: *Xylonichus* Boisduval, 1835 [as *Xylonychus*, incorrect subsequent spelling of type genus name, not in prevailing usage (see A. B. T. Smith 2006: 166)]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe COMOPHORININI Britton, 1957

COMOPHORINI Britton, 1957: 10 [stem: *Comophorin-*]. Type genus: *Comophorina* Strand, 1928. Comment: incorrect original stem formation, not in prevailing usage.

†Tribe CRETOMELOLONTHINI Nikolajev, 1998

CRETOMELOLONTHINI Nikolajev, 1998: 80 [stem: *Cretomelolonth-*]. Type genus: *Cretomelolontha* Nikolajev, 1998.

Tribe DICHELONYCHINI Burmeister, 1855

DICHELONYCHIDAE H. C. C. Burmeister, 1855: 70 [stem: *Dichelonych-*]. Type genus: *Dichelonyx* Harris, 1827.

Tribe DIPHUCEPHALINI Laporte, 1840

DIPHUCÉPHALITES Laporte, 1840b: 145 [stem: *Diphucephal-*]. Type genus: *Diphucephala* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 125, as DIPHYCOCEPHALOIDAE [incorrect stem formation]), generally accepted as in A. B. T. Smith (2006: 165, as DIPHUCEPHALINI).

Tribe DIPHYCERINI Medvedev, 1952

DIPHYCERINI S. I. Medvedev, 1952: 186 [stem: *Diphycer-*]. Type genus: *Diphycerus* Deyrolle and Fairmaire, 1878.

Tribe DIPIOTAXINI Kirby, 1837

DIPIOTAXIDAE Kirby, 1837: 129 [stem: *Diplotax-*]. Type genus: *Diplotaxis* Kirby, 1837. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Diplotaxe-*).

APOGONIITAE Blanchard, 1851a: 228 [stem: *Apogoni-*]. Type genus: *Apogonia* Kirby, 1819.

LIOPENITAE Blanchard, 1851a: 166 [stem: *Liopeny-*]. Type genus: *Liopenys* Guérin-Méneville, 1831. Comment: incorrect original stem formation, not in prevailing usage.

Tribe EUCHIRINI Hope, 1840

EUCHEIRIDAE Hope, 1840b: 300 [stem: *Euchir-*]. Type genus: *Euchirus* Kirby, 1828 [as *Eucheirus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe HETERONYCHINI Lacordaire, 1856

HÉTÉRONYCIDES Lacordaire, 1856: 225 [stem: *Heteronych-*]. Type genus: *Heteronyx* Guérin-Méneville, 1831. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Bertkau (1890: 277, as HETERONYCHINI), generally accepted as in A. B. T. Smith (2006: 167, as HETERONYCHINI); incorrect original stem formation, not in prevailing usage.

Tribe HOPLIINI Latreille, 1829

HOPLIDES Latreille, 1829a: 563 [stem: *Hopli-*]. Type genus: *Hoplia* Illiger, 1803.

Subtribe HOPLINA Latreille, 1829

HOPLIDES Latreille, 1829a: 563 [stem: *Hopli-*]. Type genus: *Hoplia* Illiger, 1803. Comment: incorrect original stem formation, not in prevailing usage.

DICHELIDEN Oken, 1843: 483 [stem: *Dichel-*]. Type genus: *Dichelus* Lepeletier and Audinet-Serville, 1828. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Tulk (1847: 614, as DICHELIDAE).

GYMNOLOMIDAE H. C. C. Burmeister, 1844: 138 [stem: *Gymnolomat-*]. Type genus: *Gymnoloma* Dejean, 1833. Comment: incorrect original stem formation, not in prevailing usage.

HETEROCHELIDAE H. C. C. Burmeister, 1844: 86 [stem: *Heterochel-*]. Type genus: *Heterochelus* H. C. C. Burmeister, 1844.

- LEPISIIDAE H. C. C. Burmeister, 1844: 166 [stem: *Lepisi-*]. Type genus: *Lepisia* Lepeletier and Audinet-Serville, 1828.
- SCELOPHYSIDES Péringuay, 1902: 624 [stem: *Scelophys-*]. Type genus: *Scelophysa* H. C. C. Burmeister, 1844.
- *MADAHOPLIINI M. Lacroix, 1997: 21 [stem: *Madahopli-*]. Type genus: *Madahoplia* Lacroix, 1998. Comment: unavailable family-group name, not based on available genus name at the time (see A. B. T. Smith 2006).

Subtribe PACHYCNEMINA Laporte, 1840

- PACHYCNÉMIDES Laporte, 1840b: 155 [stem: *Pachycnem-*]. Type genus: *Pachycnema* Lepeletier and Audinet-Serville, 1828. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Burmeister (1844: 53, as PACHYCNEMIDAE), generally accepted as in A. B. T. Smith (2006: 170, as PACHYCNEMINA).
- LEPITRICHIDEN Oken, 1843: 483 [stem: *Lepitrich-*]. Type genus: *Lepitrix* Lepeletier and Audinet-Serville, 1828. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Tulk (1847: 614, as LEPITRICHIDAE).
- ANISONYCHIDAE H. C. C. Burmeister, 1844: 35 [stem: *Anisonych-*]. Type genus: *Anisonyx* Latreille, 1807. Comment: Lucas (1920: 3) listed “ANISOCHELIIDAE H. C. C. Burmeister” in error for “ANISONYCHIDAE H. C. C. Burmeister”; this name is a senior homonym of ANISONYCHINI Legalov, 2003 (type genus *Anisonychus* Voss, 1927) in ATTELABIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe LICHNIINI Burmeister, 1844

- LICHNIIDAE H. C. C. Burmeister, 1844: 8 [stem: *Lichni-*]. Type genus: *Lichnia* Erichson, 1835.

Tribe LIPARETRINI Burmeister, 1855

- LIPARETRIDAE H. C. C. Burmeister, 1855: 187 [stem: *Liparetr-*]. Type genus: *Liparetrus* Guérin-Méneville, 1831.
- HAPLONYCHIDAE H. C. C. Burmeister, 1855: 224 [stem: *Haplonych-*]. Type genus: *Haplonycha* Dejean, 1836 [unjustified emendation of *Aplonycha* by Agassiz (1846b: 29), in prevailing usage and so deemed to be a justified emendation (Article 33.2.3.1) (see A. B. T. Smith 2006: 166); syn. of *Colpochila* Erichson, 1843]. Comment: this name is a senior homonym of HAPLONYCHINI Lacordaire, 1865 (type genus *Haplonyx* Schönher, 1836) proposed in CURCULIONIDAE and now a synonym of CRYPTOPLINI Lacordaire, 1863; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).
- ALLARINI Britton, 1955: 125 [stem: *Allar-*]. Type genus: *Allara* Britton, 1955.

COLPOCHILINI Britton, 1957: 10 [stem: *Colpochil-*]. Type genus: *Colpochila* Erichson, 1843.

Tribe MACRODACTYLINI Kirby, 1837

MACRODACTYLIDAE Kirby, 1837: 133 [stem: *Macroductyl-*]. Type genus: *Macroductylus* Dejean, 1821.

CERASPIDIDAE H. C. C. Burmeister, 1855: 91 [stem: *Ceraspid-*]. Type genus: *Ceraspis* Lepeletier and Audinet-Serville, 1828.

DICRANIIDAE H. C. C. Burmeister, 1855: 65 [stem: *Dicrani-*]. Type genus: *Dicrania* Lepeletier and Audinet-Serville, 1828.

ISONYCHIDAE H. C. C. Burmeister, 1855: 22 [stem: *Isonych-*]. Type genus: *Isonychus* Mannerheim, 1829.

MICROCRANIIDAE H. C. C. Burmeister, 1855: 75 [stem: *Microcrani-*]. Type genus: *Microcrania* H. C. C. Burmeister, 1855.

PLECTRIDAЕ H. C. C. Burmeister, 1855: 80 [stem: *Plectr-*]. Type genus: *Plectris* Lepeletier and Audinet-Serville, 1828.

*PHILOCHELIIDES Lacordaire, 1856: 256 [stem: *Philochloeni-*]. Type genus: *Philochloenia* Dejean, 1833 [as *Philochlaenia*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

CLAVIPALPIDES Lacordaire, 1856: 267 [stem: *Clavipalp-*]. Type genus: *Clavipalpus* Laporte, 1832. Comment: published before 29 March 1856; original vernacular name available (Art. 11.7.2): first used in latinized form by Imhoff (1856 [before 25 December]: xi, as CLAVIPALPIDAE), generally accepted as in G. H. Horn (1880e: 147, as CLAVIPALPIDES [treated as Latin]).

Tribe MAECHIDIINI Burmeister, 1855

MAECHIDIINA H. C. C. Burmeister, 1855: 208 [stem: *Maechidi-*]. Type genus: *Maechidius* W. S. MacLeay, 1819.

Tribe MELOLONTHINI Leach, 1819

MELOLONTHIDAE Leach, 1819: 189 [stem: *Melolonth-*]. Type genus: *Melolontha* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subtribe ENARIINA Dewailly, 1950

ENARINA Dewailly, 1950: 323 [stem: *Enari-*]. Type genus: *Enaria* Erichson, 1847. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe HEPTOPHYLLINA Medvedev, 1951

HEPTOPHYLLINI S. I. Medvedev, 1951: 197 [stem: *Heptophyll-*]. Type genus: *Heptophylla* Motschulsky, 1858.

Subtribe LEUCOPHOLINA Burmeister, 1855

LEUCOPHOLIDAE H. C. C. Burmeister, 1855: 285 [stem: *Leucophol-*]. Type genus: *Leucopholis* Dejean, 1833. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Leucopholid-*).

Subtribe MELOLONTHINA Leach, 1819

*MÉLOLONTHIDES Baudet-Lafarge, 1809: 12 [stem: *Melolonth-*]. Type genus: *Melolontha* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Baudet-Lafarge (1809).

MELOLONTHIDAE Leach, 1819: 189 [stem: *Melolonth-*]. Type genus: *Melolontha* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: published in June 1819; this family-group name was also used in the same year by W. S. MacLeay (1819 [November]: 79, as MELOLONTHIDAE).

POLYPHYLLIDAE H. C. C. Burmeister, 1855: 397 [stem: *Polyphyll-*]. Type genus: *Polyphylla* Harris, 1841.

PSILONYCHIDAE Péringuey, 1904: 184 [stem: *Psilonych-*]. Type genus: *Psilonychus* H. C. C. Burmeister, 1855.

Subtribe PEGYLINA Lacroix, 1989

PEGYLINI M. Lacroix, 1989: 115 [stem: *Pegyl-*]. Type genus: *Pegylis* Erichson, 1847. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Pegylid-*).

Subtribe RHIZOTROGINA Burmeister, 1855

RHIZOTROGIDAE H. C. C. Burmeister, 1855: 308 [stem: *Rhizotrog-*]. Type genus: *Rhizotrogus* Latreille, 1825.

TOSTEGOPTERAE J. L. LeConte, 1861: 139 [stem: *Tostegopter-*]. Type genus: *Tostegoptera* Blanchard, 1851.

Subtribe SCHIZONYCHINA Burmeister, 1855

SCHIZONYCHIDAE H. C. C. Burmeister, 1855: 265 [stem: *Schizonych-*]. Type genus: *Schizonycha* Dejean, 1833.

Tribe ONCERINI LeConte, 1861

ONCERINI J. L. LeConte, 1861: 133 [stem: *Oncer-*]. Type genus: *Oncerus* J. L. LeConte, 1856.

Tribe PACHYPODINI Erichson, 1840

PACHYPODEN Erichson, 1840b: 29 [stem: *Pachypod-*]. Type genus: *Pachypus* Dejean, 1821 [*nomen protectum*; this genus name is a junior homonym of *Pachypus* Billberg, 1820 *nomen oblitum*; we provide references to support the conservation of *Pachypus* Dejean, 1821 as the valid name for this genus (Art. 23.9.1) (see Appendix 1)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Erichson (1847a: 100, as PACHYPODA), generally accepted as in A. B. T. Smith (2006: 164, as PACHYPODINI).

Tribe PACHYTRICHINI Burmeister, 1855

PACHYTRICHIADAЕ H. C. C. Burmeister, 1855: 241 [stem: *Pachytrich-*]. Type genus: *Pachytricha* Hope, 1841.

Tribe PHYLLOTOCIDIINI Britton, 1957

PHYLLOTOCIDIINI Britton, 1957: 58 [stem: *Phyllotocidi-*]. Type genus: *Phyllotocidium* Blackburn, 1898.

Tribe PODOLASIINI Howden, 1997

LASIOPODES J. L. LeConte, 1856: 282 [stem: *Lasiopod-*]. Type genus: *Lasiopus* J. L. LeConte, 1856 [preoccupied genus name, not *Lasiopus* Schönherr, 1823 [Coleoptera: CURCULIONIDAE], not *Lasiopus* Geoffroy, 1835 [Mammalia]; syn. of *Podolasia* Harold, 1869]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

PODOLASIINI Howden, 1997: 224 [stem: *Podolasi-*]. Type genus: *Podolasia* Harold, 1869.

Tribe SCITALINI Britton, 1957

SCITALINI Britton, 1957: 10 [stem: *Scital-*]. Type genus: *Scitala* Erichson, 1842.

Tribe SERICINI Kirby, 1837

SERICIDAE Kirby, 1837: 128 [stem: *Seric-*]. Type genus: *Serica* W. S. MacLeay, 1819.

Subtribe PHYLLOTOCINA Burmeister, 1855

PHYLLOTOCIDAE H. C. C. Burmeister, 1855: 182 [stem: *Phyllotoc-*]. Type genus: *Phyllotocus* Fisher von Waldheim, 1823.

Subtribe SERICINA Kirby, 1837

SERICIDAE Kirby, 1837: 128 [stem: *Seric-*]. Type genus: *Serica* W. S. MacLeay, 1819. Comment: published 23 October 1837; this family-group name

was also proposed in the same year by Hope (1837 ["31 December"]: 73, 107, as SERICIDAE); Hope (1840a: 112) refers to the publication by Kirby (1837) which is further evidence that the publication by Kirby was published first (see A. B. T. Smith 2006: 165).

OMALOPLIITES Blanchard, 1845a: 212 [stem: *Omalopli-*]. Type genus: *Omaloplia* Schönherr, 1817. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1848: [5], as OMALOPLI-AEIDAE [incorrect stem formation]), generally accepted as in Blanchard (1853: 129, as OMALOPLIITAE); OMALOPLIITES Blanchard, 1845 treated as unavailable and the first available name based on this type genus listed as HOMALOPLIINA H. C. C. Burmeister, 1855 by A. B. T. Smith (2006: 165). ASTAENIDAE H. C. C. Burmeister, 1855: 123 [stem: *Astaen-*]. Type genus: *Astaena* Erichson, 1847.

Subtribe TROCHALINA Brenske, 1898

TROCHALINAE Brenske, 1898: 354 [stem: *Trochal-*]. Type genus: *Trochalus* Laporte, 1832.

Tribe SERICOIDINI Erichson, 1847

SERICOIDEAE Erichson, 1847a: 102 [stem: *Sericoid-*]. Type genus: *Sericoides* Guérin-Méneville, 1840.

Tribe SYSTELLOPINI Sharp, 1877

SYSTELLOPIDES Sharp, 1877: 311 [stem: *Systellop-*]. Type genus: *Systellopus* Sharp, 1877. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Systellopod-*).

Tribe TANYPROCTINI Erichson, 1847

TANYPROCTINI Erichson, 1847b: 653 [stem: *Tanyproct-*]. Type genus: *Tanyproctus* Ménétriés, 1832.

Subtribe MACROPHYLLINA Burmeister, 1855

MACROPHYLLIDAE H. C. C. Burmeister, 1855: 447 [stem: *Macrophyll-*]. Type genus: *Macrophylla* Hope, 1837 [syn. of *Aegostheta* Dejean, 1833]. Comment: senior homonym of MACROPHYLLINA Gray, 1866 (type genus *Macrophyllum* Gray, 1838) in Mammalia; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

AEGOSTHETINI Lacroix, 2007: 203 [stem: *Aegosthet-*]. Type genus: *Aegostheta* Dejean, 1833.

Subtribe TANYPROCTINA Erichson, 1847

TANYPROCTINI Erichson, 1847b: 653 [stem: *Tanyproct-*]. Type genus: *Tanyproc-tus* Ménétriés, 1832.

- ELAPHOCERITAE Blanchard, 1851a: 164 [stem: *Elaphocer-*]. Type genus: *Elaphocera* Géné, 1836. Comment: ELAPHOCERINI no longer has priority over PACHYDEMINI through a reversal of precedence (A. B. T. Smith 2006: 168).
- PACHYDEMIDAE H. C. C. Burmeister, 1855: 437 [stem: *Pachydem-*]. Type genus: *Pachydemma* Laporte, 1832. Comment: name conserved over ELAPHOCERINI Blanchard, 1851 as a *nomen protectum* and treated as valid by A. B. T. Smith (2006: 168).
- ACHLOIDAE H. C. C. Burmeister, 1855: 465 [stem: *Achlo-*]. Type genus: *Achloa* Erichson, 1840.
- CEPHALOTRICHIAE H. C. C. Burmeister, 1855: 433 [stem: *Cephalotrichi-*]. Type genus: *Cephalotrichia* Hope, 1837.
- *LEPTOPODIDAE H. C. C. Burmeister, 1855: 428 [stem: *Leptopod-*]. Type genus: *Leptopus* Waltl, 1838 [preoccupied genus name, not *Leptopus* Latreille, 1809 [Hemiptera], not *Leptopus* Rafinesque, 1814 [Pisces], not *Leptopus* Lamarck, 1818 [Crustacea], and not *Leptopus* Fallén, 1823 [Diptera]; syn. of *Elaphocera* Gené, 1836]. Comment: family-group name unavailable (Art. 11.7.1.1): not based on a genus used as valid at the time.
- SPARRMANNINI Péringuey, 1904: 170 [stem: *Sparrmanni-*]. Type genus: *Sparrmannia* Laporte, 1840 [*nomen protectum*; this genus name is a junior synonym of *Leocaeta* Dejean, 1833 *nomen oblitum* and *Cephalotrichia* Hope, 1837 *nomen oblitum*; we provide references to support the conservation of *Sparrmannia* as the valid name for this genus (Art. 23.9.1) (see Appendix 1); *Sparrmannia* is an incorrect subsequent spelling of *Sparmannia* Laporte, 1840, in prevailing usage and so deemed to be the correct original spelling (see Evans 1989)]. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily RUTELINAE MacLeay, 1819

- RUTELIDAE W. S. MacLeay, 1819: 69 [stem: *Rutel-*]. Type genus: *Rutela* Latreille, 1802. Comment: First Reviser (RUTELINAE MacLeay, 1819 vs ANOPLOGNATHINAE MacLeay, 1819) not determined, current usage maintained.

Tribe ADORETINI Burmeister, 1844

- ADORETIDAE H. C. C. Burmeister, 1844: 466 [stem: *Adoret-*]. Type genus: *Adoretus* Dejean, 1833.

Subtribe ADORETINA Burmeister, 1844

- ADORETIDAE H. C. C. Burmeister, 1844: 466 [stem: *Adoret-*]. Type genus: *Adoretus* Dejean, 1833.

- ADORODOCIINA Ohaus, 1912: 151 [stem: *Adorodoci-*]. Type genus: *Adorodocia* Brenske, 1893.

- ADOROLEPTINA Ohaus, 1912: 151 [stem: *Adorolept-*]. Type genus: *Adoroleptus* Brenske, 1893.

PSEUDADORETINA Ohaus, 1912: 151 [stem: *Pseudadoret-*]. Type genus: *Pseudadoretus* Semenov, 1889.

SCAPHORHINADORETINA Ohaus, 1912: 151 [stem: *Scaphorhinadoret-*]. Type genus: *Scaphorhinadoretus* Ohaus, 1912. Comment: erroneously cited as a new genus originally but correctly listed as a subtribe on p. 426 of the same work.

Subtribe ADORRHINYPTIINA Arrow, 1917

ADORRHINYPTIINI Arrow, 1917: 273 [stem: *Adorrhinypti-*]. Type genus: *Adorrhinyptia* Arrow, 1917.

Subtribe PACHYRHINADORETINA Ohaus, 1912

PACHYRHINADORETINA Ohaus, 1912: 151 [stem: *Pachyrhinadoret-*]. Type genus: *Pachyrhinadoretus* Ohaus, 1912.

Subtribe PRODORETINA Ohaus, 1912

PRODORETINA Ohaus, 1912: 151 [stem: *Prodoret-*]. Type genus: *Prodoretus* Brenske, 1893.

Subtribe TRIGONOSTOMUSINA Ohaus, 1912

TRIGONOSTOMINA Ohaus, 1912: 151 [stem: *Trigonostomus-*]. Type genus: *Trigonostomus* Brenske, 1893 [placed on the Official List of Generic Names in Zoology (ICZN 2009b)]. Comment: *Trigonostomus-* determined to be the correct stem of this name to avoid homonymy with TRIGONOSTOMIDAE Graff, 1905 (type genus *Trigonostomum* Schmidt, 1852) in Platyhelminthes and TRIGONOSTOMUSINA Ohaus, 1912 placed on the Official List of Family-group Names in Zoology (ICZN 2009b).

Tribe ALVARENGIINI Frey, 1975

*PACHYLIDES Lacordaire, 1856: 394 [stem: *Pachyl-*]. Type genus: *Pachylus* H. C. C. Burmeister, 1847 [preoccupied genus name, not *Pachylus* C. L. Koch, 1839 [Arachnida]; syn. of *Ottokelleria* d'Andretta and Martínez, 1957]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; if discovered to be available then permanently invalid (Art. 39): based on preoccupied type genus; PACHYLINAE Sørensen, 1884 (type genus *Pachylus* C. L. Koch, 1839) is used as valid in Arachnida.

ALVARENGIINI Frey, 1975: 84 [stem: *Alvarengi-*]. Type genus: *Alvarengius* Frey, 1975.

Tribe ANATISTINI Lacordaire, 1856

ANATISTIDES Lacordaire, 1856: 321 [stem: *Anatist-*]. Type genus: *Anatista* Brême, 1844. Comment: published before 29 March 1856; original vernacular name

available (Art. 11.7.2): first used in latinized form and generally accepted as in Imhoff (1856 [before 25 December]: xi, as ANATISTIDAE).

SPODOCHLAMYDINI Ohaus, 1918: 166 [stem: *Spodochlamyd-*]. Type genus: *Spodochlamys* H. C. C. Burmeister, 1855.

Tribe ANOMALINI Streubel, 1839 *nomen protectum*

ANOMALIDAE Streubel, 1839: 136 [stem: *Anomal-*]. Type genus: *Anomala* Samouelle, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 1989d); *Anomala* von Block, 1799 was suppressed for the purposes of the Principle of Priority and the Principle of Homonymy (ICZN 1989d)]. Comment: *nomen protectum* (see A. B. T. Smith 2006: 173).

Subtribe ANISOPLIINA Burmeister, 1844

ANISOPLIADAE H. C. C. Burmeister, 1844: 208 [stem: *Anisopli-*]. Type genus: *Anisoplia* Schönherr, 1817. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe ANOMALINA Streubel, 1839 *nomen protectum*

EUCHLORIDAE Hope, 1839: 67 [stem: *Euchlor-*]. Type genus: *Euchlora* W. S. MacLeay, 1819. Comment: *nomen oblitum* (see A. B. T. Smith 2006: 173).

ANOMALIDAE Streubel, 1839: 136 [stem: *Anomal-*]. Type genus: *Anomala* Samouelle, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 1989d); *Anomala* von Block, 1799 was suppressed for the purposes of the Principle of Priority and the Principle of Homonymy (ICZN 1989d)]. Comment: *nomen protectum* (see A. B. T. Smith 2006: 173).

PHYLLURGAEIDAE Gistel, 1848: [5] [stem: *Phyllurg-*]. Type genus: *Phyllurga* Gistel, 1848 [syn. of *Euchlora* W. S. MacLeay, 1819].

DILOPHOCHILINA Ohaus, 1918: 166 [stem: *Dilophochil-*]. Type genus: *Dilophochila* H. W. Bates, 1888.

Subtribe ISOPLIINA Péringuey, 1902

ISOPLIINI Péringuey, 1902: 564 [stem: *Isopli-*]. Type genus: *Isoplia* H. C. C. Burmeister, 1855.

Subtribe LEPTOHOPLIINA Potts, 1974

LEPOTHOPLIINI Potts, 1974: 152 [stem: *Leptohopli-*]. Type genus: *Leptohoplia* Saylor, 1935. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe POPILLIINA Ohaus, 1918

POPILLIINI Ohaus, 1918: 133 [stem: *Popilli-*]. Type genus: *Popillia* Dejean, 1821.

Tribe ANOPLOGNATHINI MacLeay, 1819

ANOPLOGNATHIDAE W. S. MacLeay, 1819: 81 [stem: *Anoplognath-*]. Type genus: *Anoplognathus* Leach, 1815.

Subtribe ANOPLOGNATHINA MacLeay, 1819

ANOPLOGNATHIDAE W. S. MacLeay, 1819: 81 [stem: *Anoplognath-*]. Type genus: *Anoplognathus* Leach, 1815.

Subtribe BRACHYSTERNINA Burmeister, 1844

BRACHYSTERNIDAE H. C. C. Burmeister, 1844: 455 [stem: *Brachystern-*]. Type genus: *Brachysternus* Guérin-Méneville, 1831.

Subtribe PHALANGOGONIINA Ohaus, 1918

PHALANGOGONIINA Ohaus, 1918: 176 [stem: *Phalangogoni-*]. Type genus: *Phalangogonia* H. C. C. Burmeister, 1844.

Subtribe PLATYCOELIINA Burmeister, 1844

PLATYCOELIIDAE H. C. C. Burmeister, 1844: 451 [stem: *Platycoeli-*]. Type genus: *Platycoelia* Dejean, 1833.

Subtribe SCHIZOGNATHINA Ohaus, 1918

SCHIZOGNATHINA Ohaus, 1918: 174 [stem: *Schizognath-*]. Type genus: *Schizognathus* Fischer von Waldheim, 1823.

Tribe GENIATINI Burmeister, 1844

GENIATIDAE H. C. C. Burmeister, 1844: 478 [stem: *Geniat-*]. Type genus: *Geniates* Kirby, 1819. Comment: First Reviser (GENIATINI H. C. C. Burmeister, 1844 vs LEUCOTHYREINI H. C. C. Burmeister, 1844) not determined, current usage maintained.

LEUCOTHYREIDAE H. C. C. Burmeister, 1844: 485 [stem: *Leucothyre-*]. Type genus: *Leucothyreus* W. S. MacLeay, 1819.

Tribe RUTELINI MacLeay, 1819

RUTELIDAE W. S. MacLeay, 1819: 69 [stem: *Rutel-*]. Type genus: *Rutela* Latreille, 1802.

Subtribe AREODINA Burmeister, 1844

AREODIDAE H. C. C. Burmeister, 1844: 423 [stem: *Areod-*]. Type genus: *Areoda* W. S. MacLeay, 1819.

Subtribe DESMONYCHINA Arrow, 1917

DESMONYCHINAE Arrow, 1917: 359 [stem: *Desmonych-*]. Type genus: *Desmonychyx* Arrow, 1907. Comment: spelled DESMONYCINAE pp. xiii, 359, 382, but spelled correctly DESMONYCHINAE p. 3 [in key].

Subtribe DIDREPANEOPHORINA Ohaus, 1918

DIDREPANEOPHORINA Ohaus, 1918: 14 [stem: *Didrepaphor-*]. Type genus: *Didrepaphorus* Wood-Mason, 1878 [as *Didrepaphorus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe HETEROSTERNINA Bates, 1888 *nomen protectum*

MACROPNI G. H. Horn, 1867b: 398 [stem: *Macropn-*]. Type genus: *Macropnus* G. H. Horn, 1867. Comment: *nomen oblitum* (see A. B. T. Smith 2006: 171).

HETEROSTERNINAE H. W. Bates, 1888: 286 [stem: *Heterostern-*]. Type genus: *Heterosternus* Dupont, 1832. Comment: *nomen protectum* (see A. B. T. Smith 2006: 171).

Subtribe LASIOCALINA Ohaus, 1918

LASIOCALINA Ohaus, 1918: 30 [stem: *Lasiocal-*]. Type genus: *Lasiocala* Blanchard, 1851.

Subtribe ORYCTOMORPHINA Burmeister, 1847

ORYCTOMORPHIDAE H. C. C. Burmeister, 1847: 28 [stem: *Oryctomorph-*]. Type genus: *Oryctomorphus* Guérin-Méneville, 1831.

Subtribe PARASTASIINA Burmeister, 1844

PARASTASIIDAE H. C. C. Burmeister, 1844: 368 [stem: *Parastasi-*]. Type genus: *Parastasia* Westwood, 1841.

Subtribe RUTELINA MacLeay, 1819

RUTELIDAE W. S. MacLeay, 1819: 69 [stem: *Rutel-*]. Type genus: *Rutela* Latreille, 1802.

CHASMODIIDAE H. C. C. Burmeister, 1844: 333 [stem: *Chasmodi-*]. Type genus: *Chasmodia* W. S. MacLeay, 1819.

CHRYSOPHORIDIAE H. C. C. Burmeister, 1844: 412 [stem: *Chrysophor-*]. Type genus: *Chrysophora* Dejean, 1821.

MACRASPIDIIDAE H. C. C. Burmeister, 1844: 343 [stem: *Macraspid-*]. Type genus: *Macraspis* W. S. MacLeay, 1819.

PELIDNOTIDIADAE H. C. C. Burmeister, 1844: 388 [stem: *Pelidnot-*]. Type genus: *Pelidnota* W. S. MacLeay, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 2003b)].

ANTICHIRIDES Lacordaire, 1856: 341 [stem: *Anticheir-*]. Type genus: *Anticheira* Eschscholtz, 1818 [as *Antichira*, unjustified emendation of type genus name by Agassiz (1846b: 27), not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in H. W. Bates (1888: 262, as ANTICHIRINA); incorrect original stem formation, not in prevailing usage.

PLUSIOTINA H. W. Bates, 1888: 276 [stem: *Plusiotid-*]. Type genus: *Plusiotis* H. C. C. Burmeister, 1844. Comment: incorrect original stem formation, not in prevailing usage.

FRUHSTORFERIINA Ohaus, 1918: 43 [stem: *Fruhstorferi-*]. Type genus: *Fruhstorferia* Kolbe, 1894.

Subfamily DYNASTINAE MacLeay, 1819

DYNASTIDAE W. S. MacLeay, 1819: 64 [stem: *Dynast-*]. Type genus: *Dynastes* W. S. MacLeay, 1819.

Tribe AGAOCEPHALINI Burmeister, 1847

AGAOCEPHALIDAE H. C. C. Burmeister, 1847: 280 [stem: *Agaocephal-*]. Type genus: *Agaocephala* Lepeletier and Audinet-Serville, 1828 [as *Agacephala*, incorrect subsequent spelling for *Agacephala*, in prevailing usage and so deemed to be the correct original spelling (Art. 33.3.1) (see A. B. T. Smith 2006)].

Tribe CYCLOCEPHALINI Laporte, 1840

CYCLOCEPHALITES Laporte, 1840b: 124 [stem: *Cyclocephal-*]. Type genus: *Cyclocephala* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Imhoff (1856: xi, as CYCLOCEPHALIDAE), generally accepted as in A. B. T. Smith (2006: 175, as CYCLOCEPHALINI).

CHALEPIDAE H. C. C. Burmeister, 1847: 71 [stem: *Chalep-*]. Type genus: *Chalepus* W. S. MacLeay, 1819 [preoccupied genus name, not *Chalepus* Thunberg, 1805 [Coleoptera: CHRYSOMELIDAE]; syn. of *Dyscinetus* Harold, 1869]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; this family-group name is a senior homonym of CHALEPINI Weise, 1910 (type genus *Chalepus* Thunberg, 1805) currently used as valid in CHRYSOMELIDAE.

PELTONOTINI Arrow, 1917: 27 [stem: *Peltonot-*]. Type genus: *Peltonotus* H. C. C. Burmeister, 1847.

ACROBOLBIINA Ohaus, 1918: 13 [stem: *Acrobolbi-*]. Type genus: *Acrobolbia* Ohaus, 1912.

Tribe DYNASTINI MacLeay, 1819

DYNASTIDAE W. S. MacLeay, 1819: 64 [stem: *Dynast-*]. Type genus: *Dynastes* W. S. MacLeay, 1819.

XYLOTRUPIDAE Hope, 1838b: 319 [stem: *Xylotrup-*]. Type genus: *Xylotrupes* Hope, 1837.

MEGASOMINAE Swainson, 1840: 210 [stem: *Megasomat-*]. Type genus: *Megasoma* Kirby, 1825. Comment: family-group name attributed to Imhoff (1856) in A. B. T. Smith (2006: 175); incorrect original stem formation, not in prevailing usage.

Tribe HEXODONTINI Lacordaire, 1856

HEXODONTIDES Lacordaire, 1856: 391 [stem: *Hexodont-*]. Type genus: *Hexodon* A. G. Olivier, 1789. Comment: published before 29 March 1856; original

vernacular name available (Art. 11.7.2): first used in latinized form by Imhoff (1856 [before 25 December]: xi, as HEXODONTIDAE), generally accepted as in Arrow (1937: 4, as HEXODONTINI).

Tribe ORYCTINI Mulsant, 1842

ORYCTÉSAIRES Mulsant, 1842: 372 [stem: *Oryct-*]. Type genus: *Oryctes* Illiger, 1798. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by MacDonald (1845: 185, as ORYCTESIAE [incorrect stem formation]), generally accepted as in A. B. T. Smith (2006: 175, as ORYCTINI); incorrect original stem formation, not in prevailing usage.

MEGACERIDAE H. C. C. Burmeister, 1847: 212 [stem: *Megacerat-*]. Type genus: *Megaceras* Hope, 1837. Comment: incorrect original stem formation, not in prevailing usage.

STRATEGIDAE H. C. C. Burmeister, 1847: 87 [stem: *Strateg-*]. Type genus: *Strategus* Kirby, 1828.

Tribe ORYCTODERINI Endrödi, 1966

ORYCTODERINI Endrödi, 1966: 25 [stem: *Oryctoder-*]. Type genus: *Oryctoderus* Boisduval, 1835.

Tribe PENTODONTINI Mulsant, 1842

PENTODONAIRES Mulsant, 1842: 381 [stem: *Pentodont-*]. Type genus: *Pentodon* Hope, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 2003b)].

Subtribe CHEIROPLATINA Carne, 1957

CHEIROPLATINA Carne, 1957: 61 [stem: *Cheiroplat-*]. Type genus: *Cheiroplatys* Hope, 1837. Comment: Casey (1915a) cites “Cheiroplatids” several times within the PENTODONTINI without formally erecting a subtribe; current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Cheiroplate-*).

Subtribe DIPELICINA Carne, 1957

DIPELICINA Carne, 1957: 117 [stem: *Dipelic-*]. Type genus: *Dipelicus* Hope, 1843.

Subtribe PENTODONTINA Mulsant, 1842

PENTODONAIRES Mulsant, 1842: 381 [stem: *Pentodont-*]. Type genus: *Pentodon* Hope, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 2003b)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1888: 314, as PENTODONTINAE), generally accepted as in A. B. T. Smith (2006: 176, as PENTODONTINA); incorrect original stem formation, not in prevailing usage.

CALICNÉMIENS Mulsant, 1842: 386 [stem: *Calicnemid-*]. Type genus: *Calicnemis* Laporte, 1832. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by MacDonald (1845: 185, as *CALLICNEMIAE* [incorrect stem formation]) and generally accepted as in Acloque (1896: 267, as *CALICNEMISII*) and Houlbert (1922b: 225, as *CALLICNEMINI* [incorrect stem formation]); name attributed to Blanchard (1845a) and treated as unavailable by A. B. T. Smith (2006: 168); incorrect original stem formation, not in prevailing usage.

BOTHYNIDAE H. C. C. Burmeister, 1847: 90 [stem: *Bothyn-*]. Type genus: *Bothynus* Hope, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 2008a)].

PIMELOPODEA H. C. C. Burmeister, 1847: 172 [stem: *Pimelopod-*]. Type genus: *Pimelopus* Erichson, 1842.

PODALGIDAE H. C. C. Burmeister, 1847: 90 [stem: *Podalg-*]. Type genus: *Podalagus* H. C. C. Burmeister, 1847 [placed on the Official List of Generic Names in Zoology (ICZN 2004a)].

METANASTINA Carne, 1957: 32 [stem: *Metanast-*]. Type genus: *Metanastes* Arrow, 1911.

Subtribe PSEUDORYCTINA Carne, 1957

PSEUDORYCTINA Carne, 1957: 121 [stem: *Pseudoryct-*]. Type genus: *Pseudoryctes* Sharp, 1873.

Tribe PHILEURINI Burmeister, 1847

PHILEURIDAE H. C. C. Burmeister, 1847: 138 [stem: *Phileur-*]. Type genus: *Phileurus* Latreille, 1807. Comment: usage of this name conserved over CRYPTODINI H. C. C. Burmeister and Schaum, 1840 (Art. 35.5).

Subtribe CRYPTODINA Burmeister and Schaum, 1840

CRYPTODINAE H. C. C. Burmeister and Schaum, 1840: 360 [stem: *Cryptod-*]. Type genus: *Cryptodus* MacLeay, 1819. Comment: current spelling maintained (Art. 29.5); incorrect stem formation in prevailing usage (should be *Cryptodont-*); conservation of original stem avoids homonymy problems with CRYPTODONTIDAE Dall, 1895 (type genus *Cryptodon* Turton, 1822) in Mollusca: Bivalvia and CRYPTODONTINA Lacordaire, 1856 (type genus *Cryptodontes* H. C. C. Burmeister, 1847) in SCARABAEIDAE: CETONIINAE: TRICHIINI.

Subtribe PHILEURINA Burmeister, 1847

PHILEURIDAE H. C. C. Burmeister, 1847: 138 [stem: *Phileur-*]. Type genus: *Phileurus* Latreille, 1807.

Subfamily CETONIINAE Leach, 1815

CETONIDA Leach, 1815: 99 [stem: *Cetoni-*]. Type genus: *Cetonia* Fabricius, 1775.

Comment: A. B. T. Smith (2006: 177) noted that although CETONIINAE has priority over MELOLONTHINAE, the latter is in prevailing usage at the family level and must not be displaced by the older name under Article 35.5 (only relevant in cases where authors consider MELOLONTHIDAE to be a family containing the subfamily CETONIINAE).

Tribe CETONIINI Leach, 1815

CETONIDA Leach, 1815: 99 [stem: *Cetoni-*]. Type genus: *Cetonia* Fabricius, 1775.

Subtribe CETONIINA Leach, 1815

CETONIDA Leach, 1815: 99 [stem: *Cetoni-*]. Type genus: *Cetonia* Fabricius, 1775.

ELAPHINI Schoch, 1894: 175 [stem: *Elaphin-*]. Type genus: *Elaphinis* H. C. C. Burmeister, 1842.

GLYCYPHANAE Schoch, 1894: 175 [stem: *Glycyphan-*]. Type genus: *Glycyphana* H. C. C. Burmeister, 1842.

PACHNODII Péringuier, 1907: 371 [stem: *Pachnod-*]. Type genus: *Pachnoda* H. C. C. Burmeister, 1842.

TEPHRAEIDES Schenkling, 1921: 313 [stem: *Tephrae-*]. Type genus: *Tephraea* H. C. C. Burmeister, 1842.

Subtribe EUPHORIINA Horn, 1880

EUPHORIAE G. H. Horn, 1880c: 397 [stem: *Euphori-*]. Type genus: *Euphoria* H. C. C. Burmeister, 1842. Comment: name attributed to Schoch (1894) by A. B. T. Smith (2006: 182).

Subtribe LEUCOCELINA Kraatz, 1882

LEUCOCELIEN Kraatz, 1882b: 65 [stem: *Leucocel-*]. Type genus: *Leucocelis* H. C. C. Burmeister, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Schoch (1894: 213, as LEUCOCELIDAE), generally accepted as in A. B. T. Smith (2006: 182, as LEUCOCELINA); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Leucocelid-*).

Tribe CREMASTOCHEILINI Burmeister and Schaum, 1841

CREMASTOCHILIDAE H. C. C. Burmeister and Schaum, 1841: 243 [stem: *Cremastocheil-*]. Type genus: *Cremastocheilus* Knoch, 1801. Comment: usage of this name conserved over MACROMINI H. C. C. Burmeister and Schaum, 1840 (Art. 35.5).

Subtribe ASPILINA Krikken, 1984

ASPILINA Krikken, 1984: 25, in key [stem: *Aspil-*]. Type genus: *Aspilus* Westwood in Schaum, 1848.

Subtribe COENOCHILINA Burmeister, 1842

COENOCHILIDAE H. C. C. Burmeister, 1842: 148 [stem: *Coenochil-*]. Type genus: *Coenochilus* Schaum, 1841.

Subtribe CREMASTOCHEILINA Burmeister and Schaum, 1841

CREMASTOCHEILIDAE H. C. C. Burmeister and Schaum, 1841: 243 [stem: *Cremastocheil-*]. Type genus: *Cremastrocheilus* Knoch, 1801. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe CYMOPHORINA Krikken, 1984

CYMOPHORINA Krikken, 1984: 23, in key [stem: *Cymophor-*]. Type genus: *Cymophorus* Kirby, 1827.

Subtribe GENUCHINA Krikken, 1984

GENUCHINA Krikken, 1984: 21, in key [stem: *Genuch-*]. Type genus: *Genuchus* Kirby, 1825.

Subtribe GOLIATHOPSIDINA Krikken, 1984

GOLIATHOPSIDINA Krikken, 1984: 25, in key [stem: *Goliathopsisid-*]. Type genus: *Goliathopsis* Janson, 1881. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Goliathopse-*).

Subtribe HETEROGENIINA Krikken, 1984

HETEROGENIINA Krikken, 1984: 25, in key [stem: *Heterogeni-*]. Type genus: *Heterogenius* Moser, 1911.

Subtribe LISSOGENIINA Krikken, 1984

LISSOGENIINA Krikken, 1984: 25, in key [stem: *Lissogeni-*]. Type genus: *Lissogenius* Schaum, 1845.

Subtribe MACROMINA Burmeister and Schaum, 1840

MACROMINAE H. C. C. Burmeister and Schaum, 1840: 360 [stem: *Macrom-*]. Type genus: *Macroma* Gory and Percheron, 1833 [syn. of *Campsiura* Hope, 1831]. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Macromat-*).

Subtribe NYASSININA Krikken, 1984

NYASSININA Krikken, 1984: 25, in key [stem: *Nyassin-*]. Type genus: *Nyassinus* Westwood, 1879.

Subtribe OPLOSTOMINA Krikken, 1984

OPLOSTOMINA Krikken, 1984: 23, in key [stem: *Oplostom-*]. Type genus: *Oplostomus* W. S. MacLeay, 1838.

Subtribe PILINURGINA Krikken, 1984

PILINURGINA Krikken, 1984: 25, in key [stem: *Pilinurg-*]. Type genus: *Pilinurgus* H. C. C. Burmeister, 1842.

Subtribe SPILOPHORINA Krikken, 1984

SPILOPHORINA Krikken, 1984: 25, in key [stem: *Spilophor-*]. Type genus: *Spilophorus* Westwood in Schaum, 1848. Comment: this family-group name is a junior homonym of SPILOPHORINI Chapuis, 1875 (type genus *Spilophora* Boheman, 1850) currently used as valid in CHRYSOMELIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Subtribe TELOCHILINA Krikken, 1984

TELOCHILINA Krikken, 1984: 21, in key [stem: *Telochil-*]. Type genus: *Telochilus* Krikken, 1975.

Subtribe TRICHOPLINA Krikken, 1984

TRICHOPLINA Krikken, 1984: 23, in key [stem: *Trichopl-*]. Type genus: *Trichoplus* H. C. C. Burmeister, 1842.

Subtribe TROGODINA Krikken, 1984

TROGODINA Krikken, 1984: 27, in key [stem: *Trogod-*]. Type genus: *Trogodes* Westwood, 1874.

Tribe DIPLOGNATHINI Burmeister, 1842

DIPLOGNATHIDAE H. C. C. Burmeister, 1842: 617 [stem: *Diplognath-*]. Type genus: *Diplognatha* Gory and Percheron, 1833.

PORPHYRONOTII Péringuey, 1907: 371 [stem: *Porphyronot-*]. Type genus: *Porphyronota* H. C. C. Burmeister, 1842.

Tribe GOLIATHINI Latreille, 1829

GOLIATHIDES Latreille, 1829a: 571 [stem: *Goliath-*]. Type genus: *Goliathus* Lamarck, 1801. Comment: name attributed to Griffith and Pidgeon (1832: 492) in A. B. T. Smith (2006: 181).

Subtribe CORYPHOCERINA Burmeister, 1842

CORYPHOCERIDAE H. C. C. Burmeister, 1842: 215 [stem: *Coryphocer-*]. Type genus: *Coryphocera* H. C. C. Burmeister, 1842.

HETERORRHINIDAE Kraatz, 1880a: 21 [stem: *Heterorhin-*]. Type genus: *Heterorrhina* Westwood, 1842 [as *Heterorrhina*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

CERATORRHINIDAE Kraatz, 1880a: 18 [stem: *Ceratorhin-*]. Type genus: *Ceratorrhina* Westwood, 1843 [as *Ceratorrhina*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

BOTHRORRHINAE Schoch, 1894: 173 [stem: *Bothrorrhin-*]. Type genus: *Bothrorrhina* H. C. C. Burmeister, 1842.

GNATHOCERIDAE Schoch, 1894: 170 [stem: *Gnathocer-*]. Type genus: *Gnathocera* Kirby, 1825.

ISCHNOSCELI Schoch, 1894: 170 [stem: *Ischnoscelid-*]. Type genus: *Ischnoscelis* H. C. C. Burmeister, 1842. Comment: incorrect original stem formation, not in prevailing usage.

RHOMBORRHINAE Schoch, 1894: 171 [stem: *Rhomborhin-*]. Type genus: *Rhomborrhina* Hope, 1837 [as *Rhomborrhina*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

TMESORRHINAE Schoch, 1894: 170 [stem: *Tmesorrhin-*]. Type genus: *Tmesorrhina* Westwood, 1842.

COELORRHINAE Schoch, 1895: iii [stem: *Coelorrhin-*]. Type genus: *Coelorrhina* Hope, 1841 [*Coelorrhina* is an incorrect subsequent spelling for *Caelorrhina* in prevailing usage, and so deemed to be the correct original spelling (Article 33.3.1) (see A. B. T. Smith 2006: 181)].

MECYNORRHININA Schenkling, 1921: 15 [stem: *Mecynorhin-*]. Type genus: *Mecynorrhina* Hope, 1837 [as *Mecynorrhina*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

STEPHANORRHININA Schenkling, 1921: 35 [stem: *Stephanorrhin-*]. Type genus: *Stephanorrhina* H. C. C. Burmeister, 1842.

Subtribe DICRONOCEPHALINA Krikken, 1984

DICRONOCEPHALINA Krikken, 1984: 37, in key [stem: *Dicronocephal-*]. Type genus: *Dicronocephalus* Hope, 1831 [*Dicronocephalus* is an incorrect subsequent spelling for *Dicranoccephalus*, since the incorrect subsequent spelling is in prevailing usage, it is now considered the correct original spelling of the name under Article 33.3.1; the original spelling placed the name in homonymy with *Dicranoccephalus* Hahn, 1826 (Hemiptera) but usage of the

subsequent spelling as the correct spelling avoids this homonymy problem (see A. B. T. Smith 2006).

Subtribe GOLIATHINA Latreille, 1829

GOLIATHIDES Latreille, 1829a: 571 [stem: *Goliath-*]. Type genus: *Goliathus* Lamark, 1801. Comment: name attributed to Griffith and Pidgeon (1832) in A. B. T. Smith (2006: 181).

HYPSELOGENIAE Schoch, 1894: 169 [stem: *Hypselogeni-*]. Type genus: *Hypsologna* H. C. C. Burmeister, 1840.

Subtribe ICHNESTOMATINA Burmeister, 1842

ISCHNOSTOMIDAE H. C. C. Burmeister, 1842: 600 [stem: *Ichnestomat-*]. Type genus: *Ichnestoma* Gory and Percheron, 1833 [as *Ichnostoma*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe GYMNETINI Kirby, 1827

GYMNETIDAE Kirby, 1827: 150 [stem: *Gymnet-*]. Type genus: *Gymnetis* W. S. MacLeay, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 1967a)].

Subtribe BLAESIINA Schoch, 1895

BLAESIAE Schoch, 1895: iii [stem: *Blaesi-*]. Type genus: *Blaesia* H. C. C. Burmeister, 1842.

Subtribe GYMNETINA Kirby, 1827

GYMNETIDAE Kirby, 1827: 150 [stem: *Gymnet-*]. Type genus: *Gymnetis* W. S. MacLeay, 1819. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Gymnetid-*).

CLINTERIIDAE Kraatz, 1882a: 49 [stem: *Clinteri-*]. Type genus: *Clinteria* H. C. C. Burmeister, 1842.

STETHODESMAE Schoch, 1894: 172 [stem: *Stethodesmat-*]. Type genus: *Stethodesma* Bainbridge, 1841. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PHAEDIMINI Schoch, 1894

PHAEDIMI Schoch, 1894: 169 [stem: *Phaedim-*]. Type genus: *Phaedimus* Westwood, 1841.

Tribe SCHIZORHININI Burmeister, 1842

SCHIZORRHINIDAE H. C. C. Burmeister, 1842: 530 [stem: *Schizorhin-*]. Type genus: *Schizorhina* Kirby, 1825. Comment: First Reviser (LOMAPTERINI H. C. C. Burmeister, 1842 vs MACRONOTINI H. C. C. Burmeister, 1842 vs SCHIZ-

ORRHININI H. C. C. Burmeister, 1842) not determined, current usage maintained.

Subtribe LOMAPTERINA Burmeister, 1842

LOMAPTERIDAE H. C. C. Burmeister, 1842: 310 [stem: *Lomapter-*]. Type genus: *Lomaptera* Gory and Percheron, 1833. Comment: First Reviser (LOMAPTERINA H. C. C. Burmeister, 1842 vs MACRONOTINA H. C. C. Burmeister, 1842) not determined, current usage maintained.

MACRONOTIDAE H. C. C. Burmeister, 1842: 318 [stem: *Macronot-*]. Type genus: *Macronota* Hoffmannsegg, 1817.

Subtribe SCHIZORHININA Burmeister, 1842

SCHIZORRHINIDAE H. C. C. Burmeister, 1842: 530 [stem: *Schizorhin-*]. Type genus: *Schizorhina* Kirby, 1825 [as *Schizorrhina*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

DIAPHONIIDAE Kraatz, 1880b: 195 [stem: *Diaphoni-*]. Type genus: *Diaphonia* Newman, 1840.

EUPOECILIDAE Kraatz, 1880b: 188 [stem: *Eupoecil-*]. Type genus: *Eupoecila* H. C. C. Burmeister, 1842.

HEMIPHARIDAE Kraatz, 1880b: 182 [stem: *Hemiphar-*]. Type genus: *Hemipharis* H. C. C. Burmeister, 1842.

Tribe STENOTARSIINI Kraatz, 1880

STENOTARSIDEN Kraatz, 1880b: 182 [stem: *Stenotarsi-*]. Type genus: *Stenotarsia* H. C. C. Burmeister, 1842.

Subtribe ANOCHILIINA Krikken, 1984

*ANOCHILIENS Pouillaude, 1917: 54 [stem: *Anochili-*]. Type genus: *Anochilia* H. C. C. Burmeister, 1842. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

ANOCHILIINA Krikken, 1984: 31, in key [stem: *Anochili-*]. Type genus: *Anochilia* H. C. C. Burmeister, 1842.

Subtribe COPTOMIINA Schenkling, 1921

COPTOMIINI Schenkling, 1921: 147 [stem: *Coptomi-*]. Type genus: *Coptomia* H. C. C. Burmeister, 1842.

Subtribe CHROMOPTILIINA Krikken, 1984

CHROMOPTILIINA Krikken, 1984: 31, in key [stem: *Chromoptili-*]. Type genus: *Chromoptilia* Westwood, 1842.

Subtribe DORYSCELINA Schenkling, 1921

***DORYSCELIENS** Pouillaude, 1917: 53, in key [stem: *Doryscel-*]. Type genus: *Doryscelis* Dejean, 1836. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

DORYSCELINA Schenkling, 1921: 148 [stem: *Doryscel-*]. Type genus: *Doryscelis* Dejean, 1836. Comment: name attributed to Krikken (1984) by A. B. T. Smith (2006: 180); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Doryscelid-*).

Subtribe EUCHROEINA Paulian and Descarpentries, 1982

***EUCHROEENS** Pouillaude, 1917: 64 [stem: *Euchroe-*]. Type genus: *Euchroea* H. C. C. Burmeister, 1842. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899; the author also used the incorrect spelling *Euchaeeus* in the key on page 54.

EUCHROEINA Paulian and Descarpentries, 1982: 5 [stem: *Euchroe-*]. Type genus: *Euchroea* H. C. C. Burmeister, 1842. Comment: the name **EUCHROEIDAE** Dahlbom, 1854 (type genus *Euchroeus* Latreille, 1809) is available in Hymenoptera; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Subtribe HETEROPHANINA Schoch, 1894

HETEROPHANAE Schoch, 1894: 173 [stem: *Heterophan-*]. Type genus: *Heterophana* H. C. C. Burmeister, 1842.

Subtribe HETEROSOMATINA Krikken, 1984

HETEROSOMATINA Krikken, 1984: 29, in key [stem: *Heterosomat-*]. Type genus: *Heterosoma* Schaum, 1845.

Subtribe PANTOLIINA Krikken, 1984

***PANTOLIENS** Pouillaude, 1917: 54 [stem: *Pantoli-*]. Type genus: *Pantolia* H. C. C. Burmeister, 1842. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

PANTOLIINA Krikken, 1984: 33, in key [stem: *Pantoli-*]. Type genus: *Pantolia* H. C. C. Burmeister, 1842.

Subtribe PARACHILIINA Krikken, 1984

PARACHILIINA Krikken, 1984: 33, in key [stem: *Parachili-*]. Type genus: *Parachilia* H. C. C. Burmeister, 1842.

Subtribe STENOTARSIINA Kraatz, 1880

STENOTARSIDEN Kraatz, 1880b: 182 [stem: *Stenotarsi-*]. Type genus: *Stenotarsia* H. C. C. Burmeister, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Jakobson (1915: 961, as

STENOTARSINA [incorrect stem formation]), generally accepted as in A. B. T. Smith (2006: 179, as STENOTARSIINI); incorrect original stem formation, not in prevailing usage.

Tribe TAENIODERINI Mikšić, 1976

TAENIODERINA Mikšić, 1976: 29 [stem: *Taenioder-*]. Type genus: *Taeniodera* H. C. C. Burmeister, 1842. Comment: First Reviser found (TAENIODERINI Mikšić, 1976 vs CHALCOTHEINI Mikšić, 1976) is Krikken (1984: 63).

Subtribe CHALCOTHEINA Mikšić, 1976

CHALCOTHEINA Mikšić, 1976: 357 [stem: *Chalcothe-*]. Type genus: *Chalcothea* H. C. C. Burmeister, 1842.

Subtribe TAENIODERINA Mikšić, 1976

TAENIODERINA Mikšić, 1976: 29 [stem: *Taenioder-*]. Type genus: *Taeniodera* H. C. C. Burmeister, 1842.

Tribe TRICHIINI Fleming, 1821

TRICHIIDAE Fleming, 1821: 50 [stem: *Trichi-*]. Type genus: *Trichius* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 2004c)]. Comment: TRICHIINAE Lozek, 1956 (type genus *Trichia* Hartmann, 1840) proposed in Mollusca: Gastropoda is a junior homonym of this family-group name; TRICHIINAE Lozek, 1956 was recently placed on the Official index of Rejected and Invalid Family-Group Names in Zoology (ICZN 2004c).

Subtribe CRYPTODONTINA Lacordaire, 1856

Cryptodontidae Lacordaire, 1856: 462 [stem: *Cryptodont-*]. Type genus: *Cryptodontes* H. C. C. Burmeister, 1847. Comment: published before 29 March 1856; original vernacular name available (Art. 11.7.2): first used in latinized form by Imhoff (1856 [before 25 December]: xii, as CRYPTODONTIDAE), generally accepted as in A. B. T. Smith (2006: 177, as CRYPTODONTINA); the name CRYPTODONTIDAE Dall, 1895 (type genus *Cryptodon* Turton, 1822) is available in Mollusca: Bivalvia while the name CRYPTODONTIDAE Owen, 1860 used in Therapsida is unavailable because it is not based on an available genus-group name; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Subtribe INCINA Burmeister, 1842

Incidae H. C. C. Burmeister, 1842: 704 [stem: *Inc-*]. Type genus: *Inca* Lepeletier and Audinet-Serville, 1828.

Subtribe OSMODERMATINA Schenkling, 1922

OSMODERMINI Schenkling, 1922: 3 [stem: *Osmodermat-*]. Type genus: *Osmoderma* Lepeletier and Audinet-Serville, 1828 [placed on the Official List of Generic Names in Zoology (ICZN 2007)]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe PLATYGENIINA Krikken, 1984

PLATYGENIINI Krikken, 1984: 18, in key [stem: *Platygeni-*]. Type genus: *Platygenia* W. S. MacLeay, 1819.

Subtribe TRICHIINA Fleming, 1821

*TRICHIDES Baudet-Lafarge, 1809: 34 [stem: *Trichi-*]. Type genus: *Trichius* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 2004c)]. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Baudet-Lafarge (1809); incorrect original stem formation, not in prevailing usage.

TRICHIADAE Fleming, 1821: 50 [stem: *Trichi-*]. Type genus: *Trichius* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 2004c)].

PANISCIDAE Gistel, 1848: [5] [stem: *Panisc-*]. Type genus: *Paniscus* Gistel, 1848 [preoccupied genus name, not *Paniscus* Schrank, 1802 [Hymenoptera]; Gistel (1848: [5]) originally included *Scarabaeus fasciatus* Linnaeus, 1758 and *Trichius zonatus* Germar, 1831 in his genus *Paniscus*, we hereby select *Scarabaeus fasciatus* Linnaeus, 1758 as the type species of *Paniscus* Gistel, 1848; **syn. nov.** of *Trichius* Fabricius, 1775]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ELPIDIDES Péringuey, 1907: 314 [stem: *Elpid-*]. Type genus: *Elpidus* Péringuey, 1907.

MYODERMINI Péringuey, 1907: 313 [stem: *Myoderm-*]. Type genus: *Myodermum* H. C. C. Burmeister and Schaum, 1840.

Tribe VALGINI Mulsant, 1842

VALGUAIRES Mulsant, 1842: 519 [stem: *Valg-*]. Type genus: *Valgus* Scriba, 1790.

Subtribe MICROVALGINA Kolbe, 1904

MICROVALGINAE Kolbe, 1904: 10 [stem: *Microvalg-*]. Type genus: *Microvalgus* Kraatz, 1883.

Subtribe VALGINA Mulsant, 1842

VALGUAIRES Mulsant, 1842: 519 [stem: *Valg-*]. Type genus: *Valgus* Scriba, 1790. Comment: published before 6 August 1842; original vernacular

name available (Art. 11.7.2): used in latinized form by several authors, generally accepted as in A. B. T. Smith (2006: 177, as VALGINI); this family-group name was also used in the same year by Burmeister (1842 [before 28 December]: 718, as VALGIDAE); incorrect original stem formation, not in prevailing usage.

ACANTHOVALGINAE Kolbe, 1904: 11 [stem: *Acanthrovalg-*]. Type genus: *Acanthovalgus* Kraatz, 1895.

COSMOVALGINAE Kolbe, 1904: 11 [stem: *Cosmovalg-*]. Type genus: *Cosmovalgus* Kolbe, 1897.

DASYVALGINAE Kolbe, 1904: 11 [stem: *Dasyvalg-*]. Type genus: *Dasyvalgus* Kolbe, 1904.

ISCHNOVALGINAE Kolbe, 1904: 9 [stem: *Ischnovalg-*]. Type genus: *Ischnovalgus* Kolbe, 1897.

SPHINCTOVALGINAE Kolbe, 1904: 9 [stem: *Sphinctovalg-*]. Type genus: *Sphinctovalgus* Kolbe, 1904.

Tribe XIPHOSCELIDINI Burmeister, 1842

XIPHOSCELIDAE H. C. C. Burmeister, 1842: 613 [stem: *Xiphoscelid-*]. Type genus: *Xiphoscelis* H. C. C. Burmeister, 1842. Comment: incorrect original stem formation, not in prevailing usage.

†Family COPRINISPHAERIDAE Genise, 2004

COPRINISPHAERIDAE Genise, 2004: 426 [stem: *Coprinisphaer-*]. Type genus: *Coprinisphaera* Sauer, 1955 [placed on the Official List of Generic Names in Zoology and given precedence over *Fontanai* Roselli, 1939 (ICZN 2008b)]. Comment: ichnotaxon based on dung beetle burrows.

†Family PALLICHNIDAE Genise, 2004

PALLICHNIDAE Genise, 2004: 432 [stem: *Pallichn-*]. Type genus: *Pallichnus* Retallack, 1984. Comment: ichnotaxon based on dung beetle burrows.

Series ELATERIFORMIA

Superfamily SCIRTOIDEA Fleming, 1821

SCIRTESIDAE Fleming, 1821: 50 [stem: *Scirt-*]. Type genus: *Scirtes* Illiger, 1807. Comment: as pointed out by Lawrence and Newton (1995: 838) the name SCIRTOIDEA Fleming, 1821 has priority over CLAMBOIDEA Fischer von Waldheim, 1821.

Family DECLINIIDAE Nikitsky, Lawrence, Kirejtshuk and Gratshev, 1994

DECLINIIDAE Nikitsky et al., 1994: 7 [stem: *Declini-*]. Type genus: *Declinia* Nikitsky et al., 1994.

Family EUCINETIDAE Lacordaire, 1857

EUCINÉTIDES Lacordaire, 1857: 281 [stem: *Eucinet-*]. Type genus: *Eucinetus* Germar, 1818. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1861: 181, as EUCINETINI), generally accepted as in Hansen (1996: 135, as EUCINETIDAE).

CRYPTOMERIDAE Broun, 1893: 1358 [stem: *Cryptomer-*]. Type genus: *Cryptomera* Broun, 1893 [syn. of *Eucinetus* Germar, 1818].

Family CLAMBIDAE Fischer von Waldheim, 1821

CLAMBINI Fischer von Waldheim, 1821: 52 [stem: *Clamb-*]. Type genus: *Clambus* Fischer von Waldheim, 1821.

Subfamily CALYPTOMERINAE Crowson, 1955

CALYPTOMERIDAE Crowson, 1955: 11 [stem: *Calyptomer-*]. Type genus: *Calyptomerus* Redtenbacher, 1849.

Subfamily ACALYPTOMERINAE Crowson, 1979

ACALYPTOMERINAE Crowson, 1979: 612, in key [stem: *Acalyptomer-*]. Type genus: *Acalyptomerus* Crowson, 1979.

Subfamily CLAMBINAE Fischer von Waldheim, 1821

CLAMBINI Fischer von Waldheim, 1821: 52 [stem: *Clamb-*]. Type genus: *Clambus* Fischer von Waldheim, 1821.

Family SCIRTIDAE Fleming, 1821

SCIRTESIDAE Fleming, 1821: 50 [stem: *Scirt-*]. Type genus: *Scirtes* Illiger, 1807.

†SINODRYOPITIDAE Hong, 2002: 107 [stem: *Sinodryopit-*]. Type genus: *Sinodryopites* Hong, 2002. Comment: originally described in BYRRHOIDEA; synonymy with SCIRTIDAE by Kirejtshuk and Azar (2008: 29).

Subfamily SCIRTINAE Fleming, 1821

SCIRTESIDAE Fleming, 1821: 50 [stem: *Scirt-*]. Type genus: *Scirtes* Illiger, 1807.

Comment: incorrect original stem formation, not in prevailing usage.

CYPHONIDAE Stephens, 1829a: 11 [stem: *Cyphon-*]. Type genus: *Cyphon* Paykull, 1799.

ELODIIDAE Shuckard, 1839b: 41 [stem: *Elod-*]. Type genus: *Elodes* Latreille, 1797.

Comment: incorrect original stem formation, not in prevailing usage.

ATOPIDINI Pic, 1914: 16 [stem: *Atopid-*]. Type genus: *Atopida* A. White, 1846.

Subfamily NIPPONOCYPHONINAE Lawrence and Yoshitomi, 2007

NIPPONOCYPHONINAE Lawrence and Yoshitomi, 2007: 522 [stem: *Nipponocypphon-*].

Type genus: *Nipponocypphon* Lawrence and Yoshitomi, 2007.

Subfamily STENOCYPHONINAE Lawrence and Yoshitomi, 2007

STENOCYPHONINAE Lawrence and Yoshitomi, 2007: 522 [stem: *Stenocyphon*-]. Type genus: *Stenocyphon* Lawrence, 2001.

†Family ELODOPHTHALMIDAE Kirejtshuk and Azar, 2008

ELODOPHTHALMIDAE Kirejtshuk and Azar, 2008: 24 [stem: *Elodophthalm*-]. Type genus: *Elodophthalmus* Kirejtshuk and Azar, 2008.

†Family MESOCINETIDAE Kirejtshuk and Ponomarenko, 2010

MESOCINETIDAE Kirejtshuk and Ponomarenko, 2010: 304 [stem: *Mesocinet*-].

Type genus: *Mesocinetus* Ponomarenko, 1986.

Superfamily DASCILLOIDEA Guérin-Méneville, 1843 (1834)

DASCILLIDAE Guérin-Méneville, 1843: 193 [stem: *Dascill*-]. Type genus: *Dascillus* Latreille, 1797. Comment: usage of younger name conserved over ATPOPOIDEA Laporte, 1834 (Art. 40.2); although RHIPICEROIDEA is also an older name for this superfamily, its use for a taxon including the families DASCILIDAE (including KARUMIINAE) and RHIPICERIDAE is likely to cause some confusion and we therefore continue to use DASCILLOIDEA as valid; the concept of RHIPICEROIDEA has varied among authors, Crowson (1953) used RHIPICEROIDEA for the families RHIPICERIDAE and CALLIRHIPIDAE, which are not now considered to form a monophyletic group, and DASCILLOIDEA for DASCILLIDAE plus those families now included in SCIRTOIDEA; the family group name SANDALIDAE (which is a junior synonym of RHIPICERIDAE) was used by Craighead (1921) and Böving and Craighead (1931) for RHIPICERIDAE in the strict sense, while Emden (1924, 1931, 1933) used the same name for a family which also included those genera now placed in CALLIRHIPIDAE; Crowson (1971, 1973b) proposed a reconstituted DASCILLOIDEA for DASCILLIDAE plus RHIPICERIDAE (sensu stricto) and excluded CALLIRHIPIDAE from RHIPICEROIDEA and placed it in another superfamily ARTEMATOPHOIDEA (along with ARTEMATOPIDAE (now ARTEMATOPODIDAE) and BRACHYPSECTRIDAE); finally, the evidence for placing DASCILLIDAE and RHIPICERIDAE in the same superfamily is not convincing (especially when the larvae are taken into account) so it is quite possible that DASCILLOIDEA in the sense of Crowson (1971) may cease to exist when more evidence is presented.

Family DASCILLIDAE Guérin-Méneville, 1843 (1834)

DASCILLIDAE Guérin-Méneville, 1843: 193 [stem: *Dascill*-]. Type genus: *Dascillus* Latreille, 1797.

Subfamily DASCILLINAE Guérin-Méneville, 1843 (1834)

DASCILLIDAE Guérin-Méneville, 1843: 193 [stem: *Dascill*-]. Type genus: *Dascillus* Latreille, 1797.

Tribe CINNABARIINI Pic, 1914

CINNABARIINI Pic, 1914: 15 [stem: *Cinnabari-*]. Type genus: *Cinnabarium* Fairmaire, 1895 [syn. of *Coptocera* Murray, 1868].

Tribe DASCILLINI Guérin-Méneville, 1843 (1834)

ATOPITES Laporte, 1834a: 227 [stem: *Atop-*]. Type genus: *Atopa* Paykull, 1799 [syn. of *Dascillus* Latreille, 1797]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Laporte (1836: 21, as ATOPIDAE).

DASCILLIDAE Guérin-Méneville, 1843: 193 [stem: *Dascill-*]. Type genus: *Dascillus* Latreille, 1797. Comment: name proposed to replace ATOPIDAE Laporte, 1834 because of the synonymy of the type genus; usage of younger name conserved over ATOPINI Laporte, 1834 (Art. 40.2) (see Lawrence and Newton 1995).

Subfamily KARUMIINAE Escalera, 1913

KARUMINAE Escalera, 1913: 320 [stem: *Karumi-*]. Type genus: *Karumia* Escalera, 1913.

Tribe EMMITINI Escalera, 1914

EMMINAE Escalera, 1913: 318 [stem: *Emm-*]. Type genus: *Emma* Escalera, 1913 [preoccupied genus name, not *Emma* Gray, 1843 [Bryozoa]; syn. of *Emmita* Escalera, 1914]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

EMMITINAE Escalera, 1914a: 349 [stem: *Emmit-*]. Type genus: *Emmita* Escalera, 1914. Comment: replacement name for EMMINAE Escalera, 1913 because of the homonymy of the type genus.

Tribe ESCALERININI Paulus, 1972

ESCALERINI Paulus, 1972a: 49, in key [stem: *Escalerin-*]. Type genus: *Escalerina* Bolívar, 1926. Comment: incorrect original stem formation, not in prevailing usage.

Tribe GENECERINI Pic, 1914

GENECERINI Pic, 1914: 16 [stem: *Genecer-*]. Type genus: *Genecerus* Walker, 1871.

Tribe KARUMIINI Escalera, 1913

KARUMINAE Escalera, 1913: 320 [stem: *Karumi-*]. Type genus: *Karumia* Escalera, 1913. Comment: incorrect original stem formation, not in prevailing usage.

ZARUDNIOLIDAE Semenov and Martynov, 1925: 74 [stem: *Zarudniol-*]. Type genus: *Zarudniola* Semenov and Martynov, 1925 [syn. of *Karumia* Escalera, 1913].

Family RHIPICERIDAE Latreille, 1834

RHIPICERIDES Latreille, 1834: 167 [stem: *Rhipicer-*]. Type genus: *Rhipicera* Latreille, 1816. Comment: published in issue 1 of volume 3 of the Annales de la Société

Entomologique de France; this family-group name was also used in the same year by Laporte (1834a: 226, as RHIPICÉRITES) in issue 2 of volume 3 of the same journal. SANDALIDAE Jakobson, 1913: 729 [stem: *Sandal-*]. Type genus: *Sandalus* Knoch, 1801.

Superfamily BUPRESTOIDEA Leach, 1815

BUPRESTIDES Leach, 1815: 85 [stem: *Buprest-*]. Type genus: *Buprestis* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1994e)].

Family SCHIZOPODIDAE LeConte, 1859

SCHIZOPODIDAE J. L. LeConte, 1859b: 122 [stem: *Schizopod-*]. Type genus: *Schizopus* J. L. LeConte, 1858 [placed on the Official List of Generic Names in Zoology (ICZN 1993d)].

Subfamily SCHIZOPODINAE LeConte, 1859

SCHIZOPODIDAE J. L. LeConte, 1859b: 122 [stem: *Schizopod-*]. Type genus: *Schizopus* J. L. LeConte, 1858 [placed on the Official List of Generic Names in Zoology (ICZN 1993d)].

Tribe DYSTAXINI Théry, 1929

DYSTAXINI Théry, 1929: 60 [stem: *Dystaxi-*]. Type genus: *Dystaxia* J. L. LeConte, 1866. Comment: incorrect original stem formation, not in prevailing usage.

GLYPTOSCELIMORPHINI Cobos, 1963: 354 [stem: *Glyptoscelimorph-*]. Type genus: *Glyptoscelimorpha* G. H. Horn, 1893.

†Tribe ELECTRAPATINI Iablokoff-Khnzorian, 1962

ELECTRAPATIDAE Iablokoff-Khnzorian, 1962: 87 [stem: *Electrapat-*]. Type genus: *Electrapate* Iablokoff-Khnzorian, 1962.

Tribe SCHIZOPODINI LeConte, 1859

SCHIZOPODIDAE J. L. LeConte, 1859b: 122 [stem: *Schizopod-*]. Type genus: *Schizopus* J. L. LeConte, 1858 [*Schizopus* J. L. LeConte, 1858 has precedence over *Schizopus* Claparéde et Lachman, 1858 and was placed on the Official List of Generic Names in Zoology (ICZN 1993d)].

Family BUPRESTIDAE Leach, 1815

BUPRESTIDES Leach, 1815: 85 [stem: *Buprest-*]. Type genus: *Buprestis* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1994e)].

Subfamily JULODINAE Lacordaire, 1857

JULODIDAE Lacordaire, 1857: 10 [stem: *Julod-*]. Type genus: *Julodis* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized

form by J. L. LeConte (1861: 154, as JULODINI), generally accepted as in Bellamy (2008a: 23, as JULODINAE).

STERNOERINI Csiki, 1904: 132 [stem: *Sternocer-*]. Type genus: *Sternocera* Eschscholtz, 1829.

AMBLYSTERNINI Cobos, 1955: 22, in key [stem: *Amblystern-*]. Type genus: *Amblysterna* Saunders, 1871.

Subfamily POLYCESTINAE Lacordaire, 1857

POLYCESTIDES Lacordaire, 1857: 61 [stem: *Polycest-*]. Type genus: *Polycesta* Dejean, 1833.

Tribe ACMAEODERINI Kerremans, 1893

ACMAEODERINI Kerremans, 1893: 112 [stem: *Acmaeoder-*]. Type genus: *Acmaeoder-* *ra* Eschscholtz, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 2005b)].

Subtribe ACMAEODERINA Kerremans, 1893

ACMAEODERINI Kerremans, 1893: 112 [stem: *Acmaeoder-*]. Type genus: *Ac-*
maeodera Eschscholtz, 1829 [placed on the Official List of Generic Names
in Zoology (ICZN 2005b)].

Subtribe ACMAEODEROIDINA Cobos, 1955

ACMAEODEROIDINI Cobos, 1955: 15 [stem: *Acmaeoderoid-*]. Type genus: *Ac-*
maeoderoides Van Dyke, 1942.

Subtribe NOTHOMORPHINA Cobos, 1955

NOTOMORPHINI Cobos, 1955: 17 [stem: *Nothomorph-*]. Type genus: *Notho-*
morpha Saunders, 1871 [as *Notomorpha*, incorrect subsequent spelling of
type genus name, not in prevailing usage]. Comment: Cobos (1955: 23)
also used the spelling NOTHOMORPHINI in his original paper, this is con-
sidered a misspelling since he listed the type genus name as *Notomorpha*;
incorrect original stem formation, not in prevailing usage.

ACMAEODERINI *incertae sedis*

*ODETTEINA Volkovitsh, 2001: 52, 91 [stem: *Odette-*]. Type genus: *Odettea*
Baudon, 1966. Comment: unavailable family-group name, proposed after
1930 without description or bibliographic reference to such a description
(Art. 13.1).

Tribe ASTRAEINI Cobos, 1980

ASTRAEUSINI Cobos, 1980: 28 [stem: *Astrae-*]. Type genus: *Astraeus* Laporte and
Gory, 1838 [placed on the Official List of Generic Names in Zoology (ICZN
1966)]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe BULINI Bellamy, 1995

BULISINA Bellamy, 1995: 173 [stem: *Bul-*]. Type genus: *Bulis* Laporte and Gory, 1838. Comment: incorrect original stem formation, not in prevailing usage; stem correction by Bellamy (1996: 222).

Tribe HAPLOSTETHINI LeConte, 1861

HAPLOSTETHINI J. L. LeConte, 1861: 155 [stem: *Haplosteth-*]. Type genus: *Haplostethus* J. L. LeConte, 1860.

MASTOGENINI J. L. LeConte and G. H. Horn, 1883: 199 [stem: *Mastogeni-*]. Type genus: *Mastogenius* Solier, 1849. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PARATRACHEINI Cobos, 1980

PARATRACHYSAE Cobos, 1980: 47 [stem: *Paratrache-*]. Type genus: *Paratrachys* Saunders, 1873. Comment: here we adopt the stem *Paratrache-* since the correct stem for the genus *Trachys*, with the same ending, was recently determined to be *Trache-* (ICZN 2009a).

Tribe PERUCOLINI Cobos, 1980

PERUCOLINI Cobos, 1980: 81 [stem: *Perucol-*]. Type genus: *Perucola* Théry, 1925.

Tribe POLYCESTINI Lacordaire, 1857

POLYCESTIDES Lacordaire, 1857: 61 [stem: *Polycest-*]. Type genus: *Polycesta* Dejean, 1833.

Subtribe POLYCESTINA Lacordaire, 1857

POLYCESTIDES Lacordaire, 1857: 61 [stem: *Polycest-*]. Type genus: *Polycesta* Dejean, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Stein (1868: 62, as POLYCESTINI), generally accepted as in Bellamy (2008a: 23, as POLYCESTINI).

Subtribe XENOPSEINA Volkovitsh, 2008

XENOPSINA Volkovitsh, 2008: 628 [stem: *Xenopse-*]. Type genus: *Xenopsis* Saunders, 1867. Comment: incorrect original stem formation, not in prevailing usage.

Tribe POLYCTESINI Cobos, 1955

POLYCTESINI Cobos, 1955: 6 [stem: *Polyctes-*]. Type genus: *Polyctesis* Marseul, 1865. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Polyctese-*).

Tribe PROSPHERINI Cobos, 1980

PROSPHERESINI Cobos, 1980: 84 [stem: *Prospher-*]. Type genus: *Prospheres* Saunders, 1868. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PTOSIMINI Kerremans, 1903

PTOSIMITES Kerremans, 1903: 37 [stem: *Ptosim-*]. Type genus: *Ptosima* Dejean, 1833.

Tribe THRINCOPYGINI LeConte, 1861

THRINCOPYGINI J. L. LeConte, 1861: 154 [stem: *Thrincopyg-*]. Type genus: *Thrincopyge* J. L. LeConte, 1858.

Tribe TYNDARIDINI Cobos, 1955

TYNDARINI Cobos, 1955: 11 [stem: *Tyndarid-*]. Type genus: *Tyndaris* J. Thomson, 1857.

Subtribe MIMICOCLYTRININA Bellamy, 2003

ACHERUSINI Cobos, 1955: 24, in key [stem: *Acherusi-*]. Type genus: *Acherusia* Laporte and Gory, 1838 [preoccupied genus name, not *Acherusia* Costa, 1834 [Crustacea]; syn. of *Mimicoclytrina* Bellamy, 2003]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

MIMICOCLYTRININA Bellamy, 2003: 25 [stem: *Mimicoclytrin-*]. Type genus: *Mimicoclytrina* Bellamy, 2003. Comment: replacement name for ACHERUSIINA Cobos, 1955 because of the homonymy of the type genus.

Subtribe PSEUDACHERUSIINA Cobos, 1980

PSEUDOACHERUSINI Cobos, 1980: 78 [stem: *Pseudacherusi-*]. Type genus: *Pseudacherusia* Kerremans, 1905. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe TYLAUCHENIINA Cobos, 1959

TYLACHENIAE Cobos, 1959: 4 [stem: *Tylaucheni-*]. Type genus: *Tylauchenia* H. C. C. Burmeister, 1872 [syn. of *Ocypetes* Saunders, 1871]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe TYNDARIDINA Cobos, 1955

TYNDARINI Cobos, 1955: 11 [stem: *Tyndarid-*]. Type genus: *Tyndaris* J. Thomson, 1857. Comment: incorrect original stem formation, not in prevailing usage.

Tribe XYROSCELIDINI Cobos, 1955

XIROSCELINI Cobos, 1955: 19 [stem: *Xyroscelid-*]. Type genus: *Xyroscelis* Saunders, 1868 [as *Xiroscelis*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily GALBELLINAE Reitter, 1911

GALBELLINAE Reitter, 1911: 178 [stem: *Galbell-*]. Type genus: *Galbella* Westwood, 1848.

Subfamily CHRYSOCHROINAE Laporte, 1835

CHRYSOCHROIDAE Laporte, 1835b: 158 [stem: *Chrysochro-*]. Type genus: *Chrysochroa* Dejean, 1833.

Tribe CHRYSOCHROIINI Laporte, 1835

CHRYSOCHROIDAE Laporte, 1835b: 158 [stem: *Chrysochro-*]. Type genus: *Chrysochroa* Dejean, 1833.

Subtribe CHALCOPHORINA Lacordaire, 1857 (1848)

ANAGLYPTISIDAE Gistel, 1848: [5] [stem: *Anaglypt-*]. Type genus: *Anaglyptes* Gistel, 1848 [syn. of *Chalcophora* Dejean, 1833]. Comment: senior homonym of ANAGLYPTINI Lacordaire, 1868 (type genus *Anaglyptus* Mulsant, 1839) in CERAMBYCIDAE; incorrect original stem formation, not in prevailing usage; the younger name CHALCOPHORINA Lacordaire, 1857 is conserved over this name (Art. 40.2).

CHALCOPHORIDES Lacordaire, 1857: 14 [stem: *Chalcophor-*]. Type genus: *Chalcophora* Dejean, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 151, as CHALCOPHORAE), generally accepted as in Bellamy (2008a: 23, as CHALCOPHORINA); name conserved over the older name ANAGLYPTINA Gistel, 1848 (Art. 40.2).

*CHRYSODEMIDES H. Deyrolle, 1865: 11 [stem: *Chrysodem-*]. Type genus: *Chrysodema* Laporte and Gory, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 2004b)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to H. Deyrolle (1865).

CHRYSODÉMIDES Kerremans, 1892: 49 [stem: *Chrysodem-*]. Type genus: *Chrysodema* Laporte and Gory, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 2004b)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Skinner (1892: 124, as CHRYSODEMIDAE).

CHALCOPHORELLINI Tôyama, 1986: 189 [stem: *Chalcophorell-*]. Type genus: *Chalcophorella* Kerremans, 1903.

IRIDOTAENINI Tôyama, 1987: 5 [stem: *Iridotaeni-*]. Type genus: *Iridotaenia* Deyrolle, 1864 [placed on the Official List of Generic Names in Zoology (ICZN 2004b)]. Comment: incorrect original stem formation, not in prevailing usage.

LAMPROPEPLINA Holyński, 1993: 22 [stem: *Lampropepl-*]. Type genus: *Lampropepla* Fairmaire, 1904 [syn. of *Madecassia* Kerremans, 1903].

Subtribe CHRYSOCHROIINA Laporte, 1835

CHRYSOCHROIDAE Laporte, 1835b: 158 [stem: *Chrysochro-*]. Type genus: *Chrysochroa* Dejean, 1833.

CATOXANTHINA Jakobson, 1913: 772 [stem: *Catoxanth-*]. Type genus: *Catoxantha* Solier, 1833.

Subtribe EUCALLOPISTINA Bellamy, 2003

CALLOPISTINA Kurosawa, 1990: 63 [stem: *Callopist-*]. Type genus: *Callopistus* Deyrolle, 1864 [preoccupied genus name, not *Callopistus* Say, 1831 [Coleoptera: CURCULIONIDAE]; syn. of *Eucallopistus* Bellamy, 2003]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

EUCALLOPISTINA Bellamy, 2003: 31 [stem: *Eucallopist-*]. Type genus: *Eucallopistus* Bellamy, 2003. Comment: replacement name for CALLOPISTINA Kurosawa, 1990 because of the homonymy of the type genus.

Tribe DICERCINI Gistel, 1848

DICERCAEIDAE Gistel, 1848: [5] [stem: *Dicer-*]. Type genus: *Dicerca* Eschscholtz, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1994e)]. Comment: First Reviser found (DICERCINI Gistel, 1848 vs POLYBOTHRISINI Gistel, 1848) is Bellamy (2008b: 819).

Subtribe DICERCINA Gistel, 1848

DICERCAEIDAE Gistel, 1848: [5] [stem: *Dicer-*]. Type genus: *Dicerca* Eschscholtz, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1994e)]. Comment: incorrect original stem formation, not in prevailing usage.

POLYBOTHRISIDAE Gistel, 1848: [5] [stem: *Polybothrid-*]. Type genus: *Polybothris* Spinola, 1837. Comment: incorrect original stem formation, not in prevailing usage.

PSILOPTÉRIDES Lacordaire, 1857: 26 [stem: *Psilopter-*]. Type genus: *Psiloptera* Dejean, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1858: 72, as *PSILOPTERITAE*), generally accepted as in Bellamy (2002: 61, as *PSILOPTERINI*).

CAPNODINA Jakobson, 1913: 779 [stem: *Capnod-*]. Type genus: *Capnodis* Eschscholtz, 1829.

Subtribe HAPLOTRINCHINA Holyński, 1993

HAPLOTRINCHINA Holyński, 1993: 27 [stem: *Haplotrinch-*]. Type genus: *Haplotrinchus* Kerremans, 1903.

Subtribe HIPPOMELANINA Holyński, 1993

HIPPOMELANINA Holyński, 1993: 24 [stem: *Hippomelan-*]. Type genus: *Hippomelas* Gory and Laporte, 1837.

Subtribe PSEUDOPEROTINA Tôyama, 1987

PSEUDOPEROTINA Tôyama, 1987: 4 [stem: *Pseudoperot-*]. Type genus: *Pseudoperotis* Obenberger, 1936.

Tribe EVIDINI Tôyama, 1987

EVIDINI Tôyama, 1987: 6 [stem: *Evid-*]. Type genus: *Evides* Dejean, 1833.

Tribe PARALEPTODEMINI Cobos, 1975

PARALEPTODEMINI Cobos, 1975: 88 [stem: *Paraleptodem-*]. Type genus: *Paraleptodema* Obenberger, 1936 [syn. of *Cinyra* Laporte and Gory, 1837].

Subtribe EUCHROMATINA Holyński, 1993

EUCHROMATINA Holyński, 1993: 23 [stem: *Euchromat-*]. Type genus: *Euchroma* Dejean, 1833.

Subtribe EUPLECTALECIINA Holyński, 1993

EUPLECTALECIINA Holyński, 1993: 24 [stem: *Euplectaleci-*]. Type genus: *Euplectalecia* Obenberger, 1924.

Subtribe HYPOPRASINA Holyński, 1993

HYPOPRASINA Holyński, 1993: 23 [stem: *Hypopras-*]. Type genus: *Hypoprasis* Fairmaire and Germain, 1864. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Hypoprase-*).

Subtribe PARALEPTODEMINA Cobos, 1975

PARALEPTODEMINI Cobos, 1975: 88 [stem: *Paraleptodem-*]. Type genus: *Paraleptodema* Obenberger, 1936 [syn. of *Cinyra* Laporte and Gory, 1837].

CINYRINI Cobos, 1979a: 226 [stem: *Cinyr-*]. Type genus: *Cinyra* Gory and Laporte, 1837.

Subtribe PRISTIPTERINA Holyński, 1993

PRISTIPTERINA Holyński, 1993: 23 [stem: *Pristipter-*]. Type genus: *Pristiptera* Dejean, 1833 [syn. of *Pelecopselaphus* Solier, 1833].

Tribe PARATASSINI Bílý and Volkovitsh, 1996

PARATASSINI Bílý and Volkovitsh, 1996: 329 [stem: *Paratass-*]. Type genus: *Paratassa* Marseul, 1882.

Tribe POECILONOTINI Jakobson, 1913

POECILONOTINA Jakobson, 1913: 773 [stem: *Poecilonot-*]. Type genus: *Poecilonota* Eschscholtz, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1996a)].

Subtribe POECILONOTINA Jakobson, 1913

POECILONOTINA Jakobson, 1913: 773 [stem: *Poecilonot-*]. Type genus: *Poecilonota* Eschscholtz, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1996a)].

Subtribe NESOTRINCHINA Bílý, Kubáň and Volkovitsh, 2009

NESOTRINCHINA Bílý et al., 2009: 750 [stem: *Nesotrinch-*]. Type genus: *Nesotrinchus* Obenberger, 1924.

Tribe SPHENOPTERINI Lacordaire, 1857

SPHÉNOPTÉRIDES Lacordaire, 1857: 68 [stem: *Sphenopter-*]. Type genus: *Sphenoptera* Dejean, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Stein (1868: 62, as SPHENOPTERINI), generally accepted as in Bellamy (2008a: 23, as SPHENOPTERINI).

Tribe VADONAXIINI Descarpentries, 1970

VADONAXIINI Descarpentries, 1970: 188 [stem: *Vadonaxi-*]. Type genus: *Vadonaxia* Descarpentries, 1970.

Subfamily BUPRESTINAE Leach, 1815

BUPRESTIDES Leach, 1815: 85 [stem: *Buprest-*]. Type genus: *Buprestis* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1994e)].

Tribe ACTENODINI Gistel, 1848

ACTENODEIDAE Gistel, 1848: [5] [stem: *Actenod-*]. Type genus: *Actenodes* Dejean, 1833 [placed on the Official List of Generic Names in Zoology (ICZN 2002b)]. Comment: name previously attributed to Kerremans (1890) in the literature; incorrect original stem formation, not in prevailing usage.

BELIONOTINA Jakobson, 1913: 793 [stem: *Belionot-*]. Type genus: *Belionota* Eschscholtz, 1829.

Tribe ANTHAXIINI Gory and Laporte, 1839

ANTHAXIDAE Gory and Laporte, 1839: unnumbered page [stem: *Anthaxi-*]. Type genus: *Anthaxia* Eschscholtz, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 2002c)]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe BUBASTINI Obenberger, 1920

BUBASTINI Obenberger, 1920: 89 [stem: *Bubast-*]. Type genus: *Bubastes* Laporte and Gory, 1838.

Tribe BUPRESTINI Leach, 1815

BUPRESTIDES Leach, 1815: 85 [stem: *Buprest-*]. Type genus: *Buprestis* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1994e)].

Subtribe AGAEOCERINA Nelson, 1982

AGAEOCERINI Nelson, 1982: 440 [stem: *Agaeocer-*]. Type genus: *Agaeocera* Saunders, 1871.

Subtribe BUPRESTINA Leach, 1815

BUPRESTIDES Leach, 1815: 85 [stem: *Buprest-*]. Type genus: *Buprestis* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1994e)]. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Buprestid-*).

ANCYLOCHIRINA Jakobson, 1913: 787 [stem: *Ancylochir-*]. Type genus: *Ancyllochira* Eschscholtz, 1829 [subgenus of *Buprestis* Linnaeus, 1758].

Subtribe LAMPROCHEILINA Holyński, 1993

LAMPROCHEILINA Holyński, 1993: 13 [stem: *Lamprocheil-*]. Type genus: *Lamprocheila* Saunders, 1871.

Subtribe TRACHYKELINA Holyński, 1988

TRACHYKELINA Holyński, 1988: 51, in key [stem: *Trachykel-*]. Type genus: *Trachykele* Marseul, 1865.

Tribe CHRYSOBOTHRINI Gory and Laporte, 1836

CHRYSOBOTHRIDAE Gory and Laporte, 1836: [1] [stem: *Chrysobothr-*]. Type genus: *Chrysobothris* Eschscholtz, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1994e)]. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Chrysobothrid-*).

Tribe COOMANIELLINI Bílý, 1974

COOMANIELLINI Bílý, 1974: 41 [stem: *Coomaniell-*]. Type genus: *Coomaniella* Bourgoin, 1924.

Tribe CURIDINI Holyński, 1988

CURIDINA Holyński, 1988: 52, in key [stem: *Curid-*]. Type genus: *Curis* Gory and Laporte, 1837 [syn. of *Selagis* Dejean, 1836 (also see ICZN 2008c)]. Comment: First Reviser (CURIDINI Holyński, 1988 vs NEOCURIDINI Holyński, 1988) not determined, current usage maintained.

Subtribe ANILARINA Bílý, 2000

ANILARINI Bílý, 2000: 113 [stem: *Anilar-*]. Type genus: *Anilara* Saunders, 1868.

Subtribe CURIDINA Holyński, 1988

CURIDINA Holyński, 1988: 52, in key [stem: *Curid-*]. Type genus: *Curis* Gory and Laporte, 1837 [syn. of *Selagis* Dejean, 1836 (also see ICZN 2008c)].

Subtribe NEOCURIDINA Holyński, 1988

NEOCURIDINA Holyński, 1988: 52, in key [stem: *Neocurid-*]. Type genus: *Neocuris* Saunders, 1868.

Tribe EPISTOMENTINI Levey, 1978

EPISTOMENTINI Levey, 1978: 155 [stem: *Epistoment-*]. Type genus: *Epistomentis* Solier, 1849.

Tribe EXAGISTINI Tôyama, 1987

EXAGISTINI Tôyama, 1987: 2 [stem: *Exagist-*]. Type genus: *Exagistus* Deyrolle, 1864.

Tribe JULODIMORPHINI Kerremans, 1903

JULODIMORPHITES Kerremans, 1903: 16 [stem: *Julodimorph-*]. Type genus: *Julodimorpha* Harold, 1869.

Tribe KISANTHOBIINI Richter, 1949

KISANTHOBIINI Richter, 1949: 215 [stem: *Kisanthobi-*]. Type genus: *Kisanthobia* Marseul, 1865.

Tribe MAORAXIINI Holyński, 1984

MAORAXIINI Holyński, 1984: 106 [stem: *Maoraxi-*]. Type genus: *Maoraxia* Obenberger, 1937.

Tribe MELANOPHILINI Bedel, 1921

MELANOPHILINI Bedel, 1921: 171 [stem: *Melanophil-*]. Type genus: *Melanophila* Eschscholtz, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1996b)].

Tribe MELOBASEINI Bílý, 2000

MELOBASINI Bílý, 2000: 113 [stem: *Melobase-*]. Type genus: *Melobasis* Gory and Laporte, 1837. Comment: incorrect original stem formation, not in prevailing usage.

Tribe MENDIZABALIINI Cobos, 1968

MENDIZABALIINI Cobos, 1968: 19 [stem: *Mendizabali-*]. Type genus: *Mendizabalia* Cobos, 1957.

Tribe NASCIONINI Holyński, 1988

NASCIONINA Holyński, 1988: 51, in key [stem: *Nascion-*]. Type genus: *Nascio* Laporte and Gory, 1838 [placed on the Official List of Generic Names in Zoology (ICZN 2002b)].

Tribe PHRIXIINI Cobos, 1975

PHRIXIINI Cobos, 1975: 102 [stem: *Phrixii-*]. Type genus: *Phrixia* Deyrolle, 1864.

Tribe PTEROBOTHRINI Volkovitsh, 2001

PTEROBOTHRINI Volkovitsh, 2001: 86, 103 [stem: *Pterobothr-*]. Type genus: *Pterobothris* Fairmaire and Germain, 1858. Comment: current spelling maintained (Art. 29.3.1.1): incorrect original stem formation in prevailing usage (should be *Pterobothrid-*).

Tribe STIGMODERINI Lacordaire, 1857

STIGMODÉRIDES Lacordaire, 1857: 52 [stem: *Stigmoder-*]. Type genus: *Stigmodera* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Wallace (1860: 183, as STIGMODERIDA), generally accepted as in Bellamy (2008a: 23, as STIGMODERINI).

Tribe THOMASSETIINI Bellamy, 1987

THOMASSETIINI Bellamy, 1987: 223 [stem: *Thomasseti-*]. Type genus: *Thomassetia* Théry, 1928.

Subtribe PHILANTHAXIINA Holyński, 1988

PHILANTHAXIINA Holyński, 1988: 51, in key [stem: *Philanthaxi-*]. Type genus: *Philanthaxia* Deyrolle, 1864.

Subtribe THOMASSETIINA Bellamy, 1987

THOMASSETIINI Bellamy, 1987: 223 [stem: *Thomasseti-*]. Type genus: *Thomassetia* Théry, 1928.

Tribe TRIGONOGENIINI Cobos, 1956

TRIGONOGENIINI Cobos, 1956: 72 [stem: *Trigonogeni-*]. Type genus: *Trigonogenium* Harold, 1869.

Tribe XENORHIPIDINI Cobos, 1986

XENORHIPINI Cobos, 1986: 136 [stem: *Xenorhipid-*]. Type genus: *Xenorhipis* J. L. LeConte, 1866. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe TRICHINORHIPIDINA Bellamy, 2006

TRICHINORHIPIDINA Bellamy, 2006: 139 [stem: *Trichinorhipid-*]. Type genus: *Trichinorhipis* Barr, 1948.

Subtribe XENORHIPIDINA Cobos, 1986

XENORHIPINI Cobos, 1986: 136 [stem: *Xenorhipid-*]. Type genus: *Xenorhipis* J. L. LeConte, 1866. Comment: incorrect original stem formation, not in prevailing usage.

BUPRESTINAE *incertae sedis*

†GLAPHYROPTERIDAE Pongrácz, 1935: 541 [stem: *Glaphyropter-*]. Type genus: *Glaphyroptera* Heer, 1852. Comment: the older name GLAPHYROPTERIDAE Brauer, 1852 is a collective name for most Neuroptera in the present sense and it is not based on a genus name (Ponomarenko 2009 pers. comm.).

Subfamily AGRILINAE Laporte, 1835

AGRILIDAE Laporte, 1835b: 165 [stem: *Agrił-*]. Type genus: *Agrius* Curtis, 1825. Comment: First Reviser (AGRILINAE Laporte, 1835 vs TRACHEINAE Laporte, 1835) not determined, current usage maintained.

Tribe AGRILINI Laporte, 1835

AGRILIDAE Laporte, 1835b: 165 [stem: *Agrił-*]. Type genus: *Agrius* Curtis, 1825.

Subtribe AGRILINA Laporte, 1835

AGRILIDAE Laporte, 1835b: 165 [stem: *Agrił-*]. Type genus: *Agrius* Curtis, 1825.

Subtribe AMORPHOSTERNINA Cobos, 1974

AMORPHOSTERNAE Cobos, 1974: 69 [stem: *Amorphostern-*]. Type genus: *Amorphosternus* Deyrolle, 1864.

Subtribe AMYIINA Holyński, 1993

AMYIINA Holyński, 1993: 14 [stem: *Amyi-*]. Type genus: *Amyia* Saunders, 1871.

Subtribe RHAEBOSCELIDINA Cobos, 1976

*RHAEBOSCELINI Böving and Craighead, 1931: 77 [stem: *Rhaeboscelid-*]. Type genus: *Rhaeboscelis* Chevrolat, 1838. Comment: unavailable family-group

name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

RHAEBOSCELIDI Cobos, 1976: 20 [stem: *Rhaeboscelid-*]. Type genus: *Rhaeboscelis* Chevrolat, 1838.

Tribe APHANISTICINI Jacquelin du Val, 1859

APHANISTICITES Jacquelin du Val, 1859: 104 [stem: *Aphanistic-*]. Type genus: *Aphanisticus* Latreille, 1810.

Subtribe ANTHAXOMORPHINA Holyński, 1993

ANTHAXOMORPHINA Holyński, 1993: 32 [stem: *Anthaxomorph-*]. Type genus: *Anthaxomorphus* Deyrolle, 1864.

Subtribe APHANISTICINA Jacquelin du Val, 1859

APHANISTICITES Jacquelin du Val, 1859: 104 [stem: *Aphanistic-*]. Type genus: *Aphanisticus* Latreille, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Acloque (1896: 280, as APHANISTICII), generally accepted as in Hansen (1996: 137, as APHANISTICINI).

Subtribe CYLINDROMORPHINA Portevin, 1931

CYLINDROMORPHINI Portevin, 1931: 335 [stem: *Cylindromorph-*]. Type genus: *Cylindromorphus* Kiesenwetter, 1857.

Subtribe CYLINDROMORPHOIDINA Cobos, 1979

CYLINDROMORPHOIDINI Cobos, 1979b: 420, in key [stem: *Cylindromorphoid-*]. Type genus: *Cylindromorphoides* Kerremans, 1903.

Subtribe GERMARICINA Cobos, 1979

GERMARICINI Cobos, 1979b: 420, in key [stem: *Germaric-*]. Type genus: *Germarica* Blackburn, 1887.

Tribe CORAEBINI Bedel, 1921

CORAEBINI Bedel, 1921: 170 [stem: *Coraeb-*]. Type genus: *Coraebus* Gory and Laporte, 1839.

Subtribe AMORPHOSOMATINA Majer, 2000

AMORPHOSOMINA Majer, 2000: 210 [stem: *Amorphosomat-*]. Type genus: *Amorphosoma* Laporte, 1835. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe CISSEINA Majer, 2000

CISSEINA Majer, 2000: 203 [stem: *Cisse-*]. Type genus: *Cisseis* Gory and Laporte, 1839 [syn. of *Diphucrania* Dejean, 1833 (see ICZN 2008c)].

Subtribe CLEMATINA Majer, 2000

CLEMINA Majer, 2000: 215 [stem: *Clemat-*]. Type genus: *Clema* Semenov, 1900. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe CORAEBINA Bedel, 1921

CORAEBINI Bedel, 1921: 170 [stem: *Coraeb-*]. Type genus: *Coraebus* Gory and Laporte, 1839.

Subtribe DISMORPHINA Cobos, 1990

DISMORPHINA Cobos, 1990: 542 [stem: *Dismorph-*]. Type genus: *Dismorpha* Gistel, 1848.

Subtribe ETHONIINA Majer, 2000

ETHONIINA Majer, 2000: 201 [stem: *Ethoni-*]. Type genus: *Ethonion* Kubáň, 2000.

Subtribe GERALIINA Cobos, 1988

GERALIINA Cobos, 1988: 10 [stem: *Gerali-*]. Type genus: *Geralius* Harold, 1869.

Subtribe MELIBOEINA Majer, 2000

MELIBOEINA Majer, 2000: 213 [stem: *Meliboe-*]. Type genus: *Meliboeus* Deyrolle, 1864.

Subtribe SYNECHOCERINA Majer, 2000

SYNECHOCERINA Majer, 2000: 214 [stem: *Synechocer-*]. Type genus: *Synechocera* Deyrolle, 1864.

Subtribe TOXOSCELINA Majer, 2000

TOXOSCELINA Majer, 2000: 207 [stem: *Toxoscel-*]. Type genus: *Toxoscelus* Deyrolle, 1864.

Tribe TRACHEINI Laporte, 1835

TRACHISIDAE Laporte, 1835b: 166 [stem: *Trache-*]. Type genus: *Trachys* Fabricius, 1801 [placed on the Official List of Generic Names in Zoology (ICZN 2009a)]. Comment: correct stem ruled to be *Trache-* and TRACHEIDAE Laporte, 1835 placed on the Official List of Family-Group Names in Zoology (ICZN 2009a).

Subtribe BRACHINA LeConte, 1861

BRACHES J. L. LeConte, 1861: 156 [stem: *Brach-*]. Type genus: *Brachys* Dejean, 1833. Comment: current spelling maintained (Art. 29.5); incorrect stem formation in prevailing usage (should be *Brache-*).

BRACHYINI Cobos, 1979b: 417, in key [stem: *Brach-*]. Type genus: *Brachys* Dejean, 1833. Comment: family-group name proposed as a new taxon, without reference to BRACHES J. L. LeConte, 1861; incorrect original stem formation, not in prevailing usage.

Subtribe LEIOPLEURINA Holyński, 1993

LEIOPLEURINA Holyński, 1993: 32 [stem: *Leiopleur-*]. Type genus: *Leiopleura* Deyrolle, 1864.

Subtribe PACHYSCHELINA Böving and Craighead, 1931

PACHYSCHELINAE Böving and Craighead, 1931: 49, in key [stem: *Pachyschel-*]. Type genus: *Pachyschelus* Solier, 1833.

Subtribe TRACHEINA Laporte, 1835

TRACHISIDAE Laporte, 1835b: 166 [stem: *Trache-*]. Type genus: *Trachys* Fabricius, 1801 [placed on the Official List of Generic Names in Zoology (ICZN 2009a)]. Comment: published before 6 May 1835; correct stem ruled to be *Trache-* and TRACHEIDAE Laporte, 1835 placed on the Official List of Family-Group Names in Zoology (ICZN 2009a); TRACHISIDAE Laporte, 1835 deemed to be an incorrect original spelling and placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology along with subsequent family-group names based on *Trachys* Fabricius (ICZN 2009a); the correct spelling TRACHEIDAE was first used by Gistel (1848: [5]); this family-group name was also used in the same year by Solier (1835c [before 4 May]: c, as TRACHYSISIDES).

PHYTOTERADAE Gistel, 1856a: 366 [stem: *Phytoter-*]. Type genus: *Phytotera* Gistel, 1856 [syn. of *Trachys* Fabricius, 1801]. Comment: incorrect original stem formation, not in prevailing usage.

†Subfamily PARATHYREINAE Alexeev, 1994

PARATHYREINAE Alexeev, 1994: 10 [stem: *Parathyre-*]. Type genus: *Parathyrea* Alexeev, 1994.

Superfamily BYRRHOIDEA Latreille, 1804

BYRRHII Latreille, 1804c: 146 [stem: *Byrrh-*]. Type genus: *Byrrhus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Family BYRRHIDAE Latreille, 1804

BYRRHII Latreille, 1804c: 146 [stem: *Byrrh-*]. Type genus: *Byrrhus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subfamily BYRRHINAE Latreille, 1804

BYRRHII Latreille, 1804c: 146 [stem: *Byrrh-*]. Type genus: *Byrrhus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe BYRRHINI Latreille, 1804

BYRRHII Latreille, 1804c: 146 [stem: *Byrrh-*]. Type genus: *Byrrhus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: published 7 March 1804; this family-group name was also used in the same year by Latreille (1804a [between 19 August and 17 September]: 190, as BYRRHII).

*TYLICINI Johnson, 1991: 160 [stem: *Tyllic-*]. Type genus: *Tylicus* Casey, 1912 [syn. of *Arctobyrrhus* Munster, 1902]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe EXOMELLINI Casey, 1914

EXOMELLINI Casey, 1914a: 378 [stem: *Exomell-*]. Type genus: *Exomella* Casey, 1914.

Tribe MORYCHINI El Moursy, 1961

MORYCHINI El Moursy, 1961: 11 [stem: *Morych-*]. Type genus: *Morychus* Erichson, 1847.

Tribe PEDIOPHORINI Casey, 1912

PEDIOPHORINI Casey, 1912: 4 [stem: *Pedilophor-*]. Type genus: *Pedilophorus* Steffahny, 1843.

Tribe SIMPLOCARIINI Mulsant and Rey, 1869

SIMPLOCARIATES Mulsant and Rey, 1869: 151 [stem: *Simplocari-*]. Type genus: *Simplocaria* Stephens, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1985c)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Casey (1912: 14, as SIMPLOCARIINI), generally accepted as in P. J. Johnson (2002b: 115, as SIMPLOCARIINI).

LIOONINI Leng, 1920: 193 [stem: *Lio-*]. Type genus: *Lioon* Casey, 1912. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily SYNCALYPTINAE Mulsant and Rey, 1869

SYNCALYPTAIRES Mulsant and Rey, 1869: 31 [stem: *Syncalypt-*]. Type genus: *Syncalypta* Dillwyn, 1829 [syn. of *Chaetophora* Kirby and Spence, 1817].

Tribe MICROCHAETINI Paulus, 1973

MICROCHAETINI Paulus, 1973: 353, in key [stem: *Microchaet-*]. Type genus: *Microchaetes* Hope, 1834.

Tribe SYNCALYPTINI Mulsant and Rey, 1869

SYNCALYPTAIRES Mulsant and Rey, 1869: 31 [stem: *Syncalypt-*]. Type genus: *Syncalypta* Dillwyn, 1829 [syn. of *Chaetophora* Kirby and Spence, 1817]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Portevin (1931: 290, as SYNCALYPTINI), generally accepted as in Hansen (1996: 138, as SYNCALYPTINAE).

Subfamily AMPHICYRTINAE LeConte, 1861

AMPHICYRTINI J. L. LeConte, 1861: 111 [stem: *Amphicyrt-*]. Type genus: *Amphicyrta* Erichson, 1843.

Family ELMIDAE Curtis, 1830

ELMIDAE Curtis, 1830: pl. 294 [stem: *Elm-*]. Type genus: *Elmis* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1995d)]. Comment: name placed on the Official List of Family-Group Names in Zoology and correct stem ruled to be *Elm-* (ICZN 1995d).

Subfamily LARAINAE LeConte, 1861

LARINI J. L. LeConte, 1861: 116 [stem: *Lara-*]. Type genus: *Lara* J. L. LeConte, 1852 [placed on the Official List of Generic Names in Zoology (ICZN 1988g)].

Tribe LARAINI LeConte, 1861

LARINI J. L. LeConte, 1861: 116 [stem: *Lara-*]. Type genus: *Lara* J. L. LeConte, 1852 [placed on the Official List of Generic Names in Zoology (ICZN 1988g)]. Comment: LARAINI J. L. LeConte, 1861 placed on the Official List of Family-Group Names in Zoology and correct stem ruled to be *Lara-* to avoid homonymy with LARIDAE Rafinesque-Schmaltz, 1815 (type genus *Larus* Linnaeus, 1758) in Aves (ICZN 1988g); LARINI J. L. LeConte, 1861 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1988g).

Tribe POTAMOPHILINI Mulsant and Rey, 1872

*POTAMOPHILES Motschulsky, 1849: 54 [stem: *Potamophil-*]. Type genus: *Potamophilus* Germar, 1811. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).

POTAMOPHILAIRES Mulsant and Rey, 1872b: 11 [stem: *Potamophil-*]. Type genus: *Potamophilus* Germar, 1811. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Ganglbauer (1904: 99, as POTAMOPHILINI), generally accepted as in Jäch et al. (2006: 432, as POTAMOPHILINI).

Subfamily ELMINAE Curtis, 1830

ELMIDAE Curtis, 1830: pl. 294 [stem: *Elm-*]. Type genus: *Elmis* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1995d)]. Comment:

placed on the Official List of Family-Group Names in Zoology and correct stem ruled to be *Elm-* (ICZN 1995d).

Tribe ANCYRONYCHINI Ganglbauer, 1904

ANCYRONYCHINI Ganglbauer, 1904: 108 [stem: *Ancyronych-*]. Type genus: *Ancyronyx* Erichson, 1847.

Tribe ELMINI Curtis, 1830

ELMIDAE Curtis, 1830: pl. 294 [stem: *Elm-*]. Type genus: *Elmis* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1995d)]. Comment: ELMIDAE Curtis, 1830 placed on the Official List of Family-Group Names in Zoology and correct stem ruled to be *Elm-* (ICZN 1995d).

Subtribe ELMINA Curtis, 1830

*LIMNIIDAE Stephens, 1828: 104 [stem: *Limni-*]. Type genus: *Limnius* Illiger, 1802. Comment: unavailable family-group name, not based on genus used as valid at the time (see Jäch 1994).

*LIMNIIDAE Stephens, 1829a: 5 [stem: *Limni-*]. Type genus: *Limnius* Illiger, 1802. Comment: unavailable family-group name, not based on genus used as valid at the time.

ELMIDAE Curtis, 1830: pl. 294 [stem: *Elm-*]. Type genus: *Elmis* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1995d)]. Comment: ELMIDAE Curtis, 1830 placed on the Official List of Family-Group Names in Zoology and correct stem ruled to be *Elm-* (ICZN 1995d).

LIMNIIDAE Hope, 1838a: 153 [stem: *Limni-*]. Type genus: *Limnius* Illiger, 1802. Comment: family-group name previously attributed to C. G. Thomson (1859) in the literature.

Subtribe STENELMINA Mulsant and Rey, 1872

STENELMISATES Mulsant and Rey, 1872a: 49 [stem: *Stenelm-*]. Type genus: *Stenelmis* Dufour, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Bollow (1941: 3, as STENELMINI), generally accepted as in Jäch et al. (2006: 437, as STENELMINA); incorrect original stem formation, not in prevailing usage.

Tribe MACRONYCHINI Gistel, 1848

MACRONYCHIDAE Gistel, 1848: [1] [stem: *Macronych-*]. Type genus: *Macronychus* P. W. J. Müller, 1806. Comment: family-group name previously attributed to Mulsant and Rey (1872) in the literature.

Family DRYOPIDAE Billberg, 1820 (1817)

PARNIDEA Leach, 1817: 88 [stem: *Parn-*]. Type genus: *Parnus* Fabricius, 1792 [syn. of *Dryops* A. G. Olivier, 1791]. Comment: younger name DRYOPIDAE Billberg, 1820 conserved (Art. 40.2) (see Lawrence and Newton 1995).

DRYOPIDES Billberg, 1820a: 38 [stem: *Dryop-*]. Type genus: *Dryops* A. G. Olivier, 1791. Comment: younger name conserved over PARNIDEA Leach, 1817 (Art. 40.2) (see Lawrence and Newton 1995).

PELONOMINAE Böving and Craighead, 1931: 45, in key [stem: *Pelonom-*]. Type genus: *Pelonomus* Erichson, 1847.

CHILOEIDAE Dajoz, 1973: 179 [stem: *Chiloe-*]. Type genus: *Chiloea* Dajoz, 1973 [syn. of *Sosteamorphus* Hinton, 1936].

Family LUTROCHIDAE Kasap and Crowson, 1975

*LUTROCHIDAE Hinton, 1971: 297 [stem: *Lutroch-*]. Type genus: *Lutrochus* Erichson, 1847. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

LUTROCHIDAE Kasap and Crowson, 1975: 442 [stem: *Lutroch-*]. Type genus: *Lutrochus* Erichson, 1847.

Family LIMNICHIDAE Erichson, 1846

LIMNICHINI Erichson, 1846: 465 [stem: *Limnich-*]. Type genus: *Limnichus* Dejean, 1821.

Subfamily HYPHALINAE Britton, 1971

HYPHALINAE Britton, 1971: 88 [stem: *Hyphal-*]. Type genus: *Hyphalus* Britton, 1971.

Subfamily LIMNICHINAE Erichson, 1846

LIMNICHINI Erichson, 1846: 465 [stem: *Limnich-*]. Type genus: *Limnichus* Dejean, 1821.

Tribe LIMNICHINI Erichson, 1846

LIMNICHINI Erichson, 1846: 465 [stem: *Limnich-*]. Type genus: *Limnichus* Dejean, 1821.

BOTRIOPHORATES Mulsant and Rey, 1869: 160 [stem: *Bothriophor-*]. Type genus: *Bothriophorus* Mulsant and Rey, 1852 [as *Botriophorus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: family-group name also spelled BOTRIAPHORATES in the original publication (p. 173); original vernacular name available (Art. 11.7.2): first used in latinized form by Ganglbauer (1904: 51, as *BOTHRIOPHORINI*), generally accepted as in Shepard (2002: 125, as *BOTHRIOPHORINI*); incorrect original stem formation, not in prevailing usage.

Tribe WOOLDRIDGEINI Spangler, 1999

WOOLDRIDGEINI Spangler, 1999: 181 [stem: *Wooldridge-*]. Type genus: *Wooldrid-* *geus* Spangler, 1998.

Subfamily CEPHALOBYRRHINAE Champion, 1925

CEPHALOBYRRHINAE Champion, 1925: 174 [stem: *Cephalobyrrh-*]. Type genus: *Cephalobyrrhus* Pic, 1923.

Subfamily THAUMASTODINAE Champion, 1924

THAUMASTODINAE Champion, 1924: 25 [stem: *Thaumastod-*]. Type genus: *Thaumastodus* Champion, 1924 [syn. of *Pseudeucinetus* Heller, 1921].

Family HETEROCERIDAE MacLeay, 1825

HETEROCERIDAE W. S. MacLeay, 1825: 34 [stem: *Heterocer-*]. Type genus: *Heterocerus* Fabricius, 1792.

Subfamily ELYTHOMERINAE Pacheco, 1964

ELYTHOMERINI Pacheco, 1964: 120 [stem: *Elythomer-*]. Type genus: *Elythomerus* C. O. Waterhouse, 1874.

Subfamily HETEROCERINAE MacLeay, 1825

HETEROCERIDAE W. S. MacLeay, 1825: 34 [stem: *Heterocer-*]. Type genus: *Heterocerus* Fabricius, 1792.

Tribe AUGYLINI Pacheco, 1964

AUGYLIINI Pacheco, 1964: 19 [stem: *Augyl-*]. Type genus: *Augyles* Schiødte, 1866.
Comment: incorrect original stem formation, not in prevailing usage.

Tribe HETEROCERINI MacLeay, 1825

HETEROCERIDAE W. S. MacLeay, 1825: 34 [stem: *Heterocer-*]. Type genus: *Heterocerus* Fabricius, 1792.

Tribe MICILINI Pacheco, 1964

MICILINI Pacheco, 1964: 32 [stem: *Micil-*]. Type genus: *Micilus* Mulsant and Rey, 1872.

Tribe TROPICINI Pacheco, 1964

TROPICINI Pacheco, 1964: 101 [stem: *Tropic-*]. Type genus: *Tropicus* Pacheco, 1964.

Family PSEPHENIDAE Lacordaire, 1854

PSÉPHÉNIDES Lacordaire, 1854b: 497 [stem: *Psephen-*]. Type genus: *Psephenus* Haldeman, 1853.

Subfamily AFROEUBRIINAE Lee, Satô, Shepard and Jäch, 2007

AFROEUBRIINAE Lee, Satô, Shepard and Jäch, 2007: 532 [stem: *Afroeubri-*]. Type genus: *Afroeubria* Villiers, 1961.

Subfamily EUBRIINAE Lacordaire, 1857

EUBRIADES Lacordaire, 1857: 283 [stem: *Eubri-*]. Type genus: *Eubria* Germar, 1818.

Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 180, as EUBRIINI), generally accepted as in Hansen (1996: 139, as EUBRIINAE).

Subfamily EUBRIANACINAE Jakobson, 1913

PLACONYCHINI G. H. Horn, 1880a: 110 [stem: *Placonych-*]. Type genus: *Placonycha* G. H. Horn, 1880 [syn. of *Eubrianax* Kiesenwetter, 1874]. Comment: usage of the younger name EUBRIANACINAE Jakobson, 1913 conserved over this name (Art. 40.2) (see Lawrence and Newton 1995: 846).

EUBRIANACINI Jakobson, 1913: 723 [stem: *Eubrianac-*]. Type genus: *Eubrianax* Kiesenwetter, 1874. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Eubrianact-*); use of this name conserved over PLACONYCHINAE G. H. Horn, 1880 (Art. 40.2) (see Lawrence and Newton 1995: 846).

Subfamily PSEPHENOIDINAE Bollow, 1938

PSEPHENOIDINI Bollow, 1938: 156 [stem: *Psephenoid-*]. Type genus: *Psephenoides* Gahan, 1914.

Subfamily PSEPHENINAE Lacordaire, 1854

EURYPALPINI J. L. LeConte, 1852a: 41 [stem: *Eurypalp-*]. Type genus: *Eurypalpus* J. L. LeConte, 1852 [preoccupied genus name, not *Eurypalpus* Macquart, 1835 [Diptera]; syn. of *Psephenus* Haldeman, 1853]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

PSÉPHÉNIDES Lacordaire, 1854b: 497 [stem: *Psephen-*]. Type genus: *Psephenus* Haldeman, 1853. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Imhoff (1856: xv, as PSEPHENIDAE), generally accepted as in Hansen (1996: 139, as PSEPHENIDAE).

Family CNEOGLOSSIDAE Champion, 1897

CNEOGLOSSINI Champion, 1897: 594 [stem: *Cneogloss-*]. Type genus: *Cneoglossa* Guérin-Méneville, 1843.

Family PTILODACTYLIDAE Laporte, 1836

PTILODACTYLIDAE Laporte, 1836: 21 [stem: *Ptilodactyl-*]. Type genus: *Ptilodactyla* Illiger, 1807.

Subfamily ANCHYTARSINAЕ Champion, 1897

COLOBODERIDES Erichson, 1847a: 174 [stem: *Coloboder-*]. Type genus: *Colobodera* Klug, 1838 [syn. of *Daemon* Laporte, 1836].

ANCHYTARSINI Champion, 1897: 593 [stem: *Anchytars-*]. Type genus: *Anchytarsus* Guérin-Méneville, 1843. Comment: COLOBODERINAE Erichson, 1847 is the oldest name for this tribe, however since COLOBODERINAE has not been used as valid after 1899 to our knowledge, we believe that usage of ANCHYTARSINAE Champion, 1897 should be conserved and an application be submitted to the Commission to suppress the older name.

*EPILICHADINAE Lawrence and Stribling, 1992: 19 [stem: *Epilichad-*]. Type genus: *Epilichas* A. White, 1859. Comment: although Ivie (2002: 136) treated this name as available we do not believe that requirements of Art. 13.1 were met and we therefore treat this name here as unavailable.

Subfamily CLADOTOMINAE Pic, 1914

CLADOTOMINI Pic, 1914: 45 [stem: *Cladotom-*]. Type genus: *Cladotoma* Westwood, 1836.

Subfamily APLOGLOSSINAE Champion, 1897

APLOGLOSSINAE Champion, 1897: 623 [stem: *Aplogloss-*]. Type genus: *Aploglossa* Guérin-Méneville, 1849.

Subfamily ARAEOPIDIINAE Lawrence, 1991

ARAEOPIDIINAE Lawrence, 1991: 250, in key [stem: *Araeopidi-*]. Type genus: *Araeopidius* Cockerell, 1906.

Subfamily PTILODACTYLINAE Laporte, 1836

PTILODACTYLIDAE Laporte, 1836: 21 [stem: *Ptilodactyl-*]. Type genus: *Ptilodactyla*

Family PODABROCEPHALIDAE Pic, 1930

PODABROCEPHALIDAE Pic, 1930: 314 [stem: *Podabrocephal-*]. Type genus: *Podabrocephalus* Pic, 1913.

Family CHELONARIIDAE Blanchard, 1845

CHELONARIITES Blanchard, 1845b: 70 [stem: *Chelonari-*]. Type genus: *Chelonarium*

Family EULICHADIDAE Crowson, 1973

*LICHADIDEN Kolbe, 1908: 249 [stem: *Lichad-*]. Type genus: *Lichas* Westwood, 1853 [preoccupied genus name, not *Lichas* Dalman, 1827 [*Trilobita*]; syn. of *Eulichas* Jakobson, 1913]. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

LICHADIDAE Forbes, 1926: 102 [stem: *Lichad-*]. Type genus: *Lichas* Westwood, 1853 [preoccupied genus name, not *Lichas* Dalman, 1827 [*Trilobita*]; syn. of *Eulichas* Jakobson, 1913]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

EULICHADIDAE Crowson, 1973b: 237 [stem: *Eulichad-*]. Type genus: *Eulichas* Jakobson, 1913.

Family CALLIRHIPIDAE Emden, 1924

ZENOINI J. L. LeConte, 1866a: 50 [stem: *Zeno-*]. Type genus: *Zenoa* Say, 1835. Comment: this name is older than CALLIRHIPIDAE Emden, 1924 however we recommend that an application be submitted to conserve the younger name.

CALLIRHIPINI Emden, 1924: 87 [stem: *Callirhip-*]. Type genus: *Callirhipis* Latreille, 1829. Comment: the oldest name for this family is ZENOINAE LeConte, 1866, however, as pointed out by Lawrence and Newton (1995: 849) an application to the Commission is needed in order to preserve the broadly accepted younger name CALLIRHIPIDAE Emden, 1924; current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Callirhipid-*).

Superfamily ELATEROIDEA Leach, 1815

ELATERIDES Leach, 1815: 85 [stem: *Elater-*]. Type genus: *Elater* Linnaeus, 1758. Comment: the oldest available name for this superfamily is CEBRIONOIDEA Latreille, 1802, however ELATEROIDEA Leach, 1815 is maintained here pending resolution of an application to the ICZN being prepared by P. J. Johnson (see Lawrence and Newton 1995: 849; P. J. Johnson pers. comm. 2009).

Family RHINORHIPIDAE Lawrence, 1988

RHINORHIPIDAE Lawrence, 1988: 3 [stem: *Rhinorhip-*]. Type genus: *Rhinorhipus* Lawrence, 1988.

Family ARTEMATOPODIDAE Lacordaire, 1857

ARTÉMATOPIDES Lacordaire, 1857: 260 [stem: *Artematopod-*]. Type genus: *Artematopus* Perty, 1832.

Subfamily ELECTRIBIINAE Crowson, 1975

ELECTROPOGONINI Crowson, 1975: 77 [stem: *Electribi-*]. Type genus: *Electribius* Crowson, 1973. Comment: incorrect original stem formation, not in prevailing usage; ELECTROPOGONINI (based on *Electropogon*) in Crowson's work has been treated as a *lapsus calami* for ELECTRIBIIDAE based on *Electribius* (see Lawrence and Newton 1995: 850).

Subfamily ALLOPOGONIINAE Crowson, 1973

ALLOPOGONINI Crowson, 1973b: 231, in key [stem: *Allopogoni-*]. Type genus: *Allopogonia* Cockerell, 1906. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily ARTEMATOPODINAE Lacordaire, 1857

ARTÉMATOPIDES Lacordaire, 1857: 260 [stem: *Artematopod-*]. Type genus: *Artematopus* Perty, 1832.

Tribe ARTEMATOPODINI Lacordaire, 1857

ARTÉMATOPIDES Lacordaire, 1857: 260 [stem: *Artematopod-*]. Type genus: *Artematopus* Perty, 1832. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Champion (1897: 586, as ARTEMATOPINAE [incorrect stem formation]), generally accepted as in Lawrence and Newton (1995: 849, as ARTEMATOPODIDAE); incorrect original stem formation, not in prevailing usage.

Tribe CTESIBIINI Crowson, 1973

CTESIBIINAE Crowson, 1973b: 228, in key [stem: *Ctesibi-*]. Type genus: *Ctesibius* Champion, 1897.

Tribe MACROPOGONINI LeConte, 1861

MACROPOGONINI J. L. LeConte, 1861: 178 [stem: *Macropogon-*]. Type genus: *Macropogon* Motschulsky, 1845.

EURYPOGONIDAE Böving and Craighead, 1931: 45, in key [stem: *Eurypogon-*]. Type genus: *Eurypogon* Motschulsky, 1859.

Family BRACHYPSECTRIDAЕ LeConte and Horn, 1883

BRACHYPSECTRINI J. L. LeConte and G. H. Horn, 1883: 170 [stem: *Brachypsectr-*]. Type genus: *Brachypsectra* J. L. LeConte, 1874.

Family CEROPHYTIDAE Latreille, 1834

CEROPHYTIDES Latreille, 1834: 133 [stem: *Cerophyt-*]. Type genus: *Cerophytum* Latreille, 1809.

Family EUCNEMIDAE Eschscholtz, 1829

EUCNEMIDES Eschscholtz, 1829a: 10 [stem: *Eucnem-*]. Type genus: *Eucnemis* Ahrens, 1812. Comment: the name MELASIDAE Fleming, 1821 has priority over this name, however Muona and Alaruikka (2007: 32) mentioned that an application has been sent to the Commission to conserve usage of EUCNEMIDAE over the older name MELASIDAE for reasons of stability, we follow current usage until the case is resolved (also see Appendix 6).

Subfamily PEROTHOPINAE Lacordaire, 1857

PÉROTHOPIDES Lacordaire, 1857: 128 [stem: *Perothop-*]. Type genus: *Perothops* Eschscholtz, 1836. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1861: 162, as PEROTHOPINI), generally accepted as in Lawrence and Newton (1995: 851, as PEROTHOPINAE).

Subfamily PHYLLOCERINAE Reitter, 1905

PHYLLOCERIDAE Reitter, 1905: 4 [stem: *Phyllocer-*]. Type genus: *Phyllocerus* Lepeletier and Audinet-Serville, 1825.

Tribe ANELASTINI Reitter, 1911

ANELASTINI Reitter, 1911: 202 [stem: *Anelast-*]. Type genus: *Anelastes* Kirby, 1819.

Tribe PHYLLOCERINI Reitter, 1905

PHYLLOCERIDAE Reitter, 1905: 4 [stem: *Phyllocer-*]. Type genus: *Phyllocerus* Lepeletier and Audinet-Serville, 1825.

Subfamily PSEUDOMENINAE Muona, 1993

PSEUDOMENINAE Muona, 1993: 41 [stem: *Pseudomen-*]. Type genus: *Pseudomenes* Fleutiaux, 1902. Comment: precedence (PSEUDOMENINAE Muona, 1993 vs SCHIZOPHILINAE Muona, 1993) given to taxon originally proposed at the higher rank (Art. 24.1).

Tribe PSEUDOMENINI Muona, 1993

* PSEUDOMENINAE Muona, 1991a: 167 [stem: *Pseudomen-*]. Type genus: *Pseudomenes* Fleutiaux, 1902. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

PSEUDOMENINAE Muona, 1993: 41 [stem: *Pseudomen-*]. Type genus: *Pseudomenes* Fleutiaux, 1902.

Tribe SCHIZOPHILINI Muona, 1993

*SCHIZOPHILINI Muona, 1991a: 167 [stem: *Schizophil-*]. Type genus: *Schizophilus* Bonvouloir, 1871. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

SCHIZOPHILINI Muona, 1993: 42 [stem: *Schizophil-*]. Type genus: *Schizophilus* Bonvouloir, 1871.

Subfamily PALAEOXENINAE Muona, 1993

PALAEOXENINAE Muona, 1993: 42 [stem: *Palaeoxen-*]. Type genus: *Palaeoxenus* G. H. Horn, 1891.

Subfamily PHLEGONINAE Muona, 1993

PHLEGONINAE Muona, 1993: 42 [stem: *Phlegon*-]. Type genus: *Phlegon* Laporte, 1840.

Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Phlegont*-).

Subfamily ANISCHIINAE Fleutiaux, 1936

ANISCHIINAE Fleutiaux, 1936: 292 [stem: *Anischia*-]. Type genus: *Anischia* Fleutiaux, 1896. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily MELASINAE Fleming, 1821

MELASIDAE Fleming, 1821: 49 [stem: *Melas*-]. Type genus: *Melasis* A. G. Olivier, 1790.

Tribe CALYPTOCERINI Muona, 1993

*CALYPTOCERINI Muona, 1991a: 167 [stem: *Calyptocer*-]. Type genus: *Calyptocerus* Guérin-Méneville, 1843. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

CALYPTOCERINI Muona, 1993: 43 [stem: *Calyptocer*-]. Type genus: *Calyptocerus* Guérin-Méneville, 1843.

Tribe CEBALLOSMELASINI Muona, 1993

*CEBALLOSMELASINI Muona, 1991a: 167 [stem: *Ceballosmelas*-]. Type genus: *Ceballosmelasis* Cobos, 1964. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

CEBALLOSMELASINI Muona, 1993: 42 [stem: *Ceballosmelas*-]. Type genus: *Ceballosmelasis* Cobos, 1964.

Tribe DIRHAGINI Reitter, 1911

DIRRHAGINI Reitter, 1911: 202 [stem: *Dirhag*-]. Type genus: *Dirhagus* Latreille, 1834 [as *Dirrhagus*, incorrect subsequent spelling of type genus name, not in prevailing usage; syn. of *Microrhagus* Dejean, 1833]. Comment: incorrect original stem formation, not in prevailing usage.

MICRORHAGINAE Fleutiaux, 1919: 112 [stem: *Microrhag*-]. Type genus: *Microrhagus* Dejean, 1833.

ARHIPINI Cobos, 1965: 396 [stem: *Arrhipid*-]. Type genus: *Arrhipis* Bonvouloir, 1871 [as *Arhipis*, incorrect subsequent spelling type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe EIPHANINI Muona, 1993

*EIPHANINI Muona, 1991a: 167 [stem: *Epiphan*-]. Type genus: *Epiphanis* Eschscholtz, 1829. Comment: unavailable family-group name, proposed after

1930 without description or bibliographic reference to such a description (Art. 13.1).

EPIPHANINI Muona, 1993: 45 [stem: *Epiphan-*]. Type genus: *Epiphanis* Eschscholtz, 1829.

Tribe HYLOCHARINI Jacquelin du Val, 1859

HYLOCHARITES Jacquelin du Val, 1859: 119 [stem: *Hylochar-*]. Type genus: *Hylochares* Latreille, 1834. Comment: original vernacular name available (Art. 11.7.2): generally accepted as in Muona (2007: 84, as HYLOCHARINI); family-group names with the incorrectly formed stem *Hylochar-* have been used in Aves (type genus *Hylocharis* Boie, 1831), the correct stem for the bird family-group name is *Hylocharit-* (see Bock 1994: 143).

HYLOCHARINI Cobos, 1965: 369 [stem: *Hylochar-*]. Type genus: *Hylochares* Latreille, 1834. Comment: proposed as new without reference to HYLOCHARINI Jacquelin du Val, 1859.

Tribe MELASINI Fleming, 1821

MELASIDAE Fleming, 1821: 49 [stem: *Melas-*]. Type genus: *Melasis* A. G. Olivier, 1790.

Subtribe COMPSOCNEMINA Muona, 1993

COMPSOCNEMINA Muona, 1993: 43 [stem: *Compsocnem-*]. Type genus: *Compsocnemis* Bonvouloir, 1871. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Compsocnemid-*).

Subtribe MELASINA Fleming, 1821

MELASIDAE Fleming, 1821: 49 [stem: *Melas-*]. Type genus: *Melasis* A. G. Olivier, 1790.

Tribe NEOCHARINI Muona, 1993

*NEOCHARINI Muona, 1991a: 167 [stem: *Neochar-*]. Type genus: *Neocharis* Sharp, 1887. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

NEOCHARINI Muona, 1993: 44 [stem: *Neochar-*]. Type genus: *Neocharis* Sharp, 1887. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Neocharit-*).

Tribe XYLOBIINI Reitter, 1911

XYLOBIINI Reitter, 1911: 203 [stem: *Xylobi-*]. Type genus: *Xylobius* Latreille, 1834 [syn. of *Xylophilus* Mannerheim, 1823].

Subfamily EUCNEMINAE Eschscholtz, 1829

EUCNEMIDES Eschscholtz, 1829a: 10 [stem: *Eucnem-*]. Type genus: *Eucnemis* Ahrens, 1812.

Tribe DENDROCHARINI Fleutiaux, 1920

DENDROCHARINI Fleutiaux, 1920: 100, in key [stem: *Dendrochar-*]. Type genus: *Dendrocharis* Guérin-Méneville, 1843. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Dendrocharit-*).

Tribe DYSCHARACHTHINI Muona, 1993

*DYSCHARACHTHINI Muona, 1991a: 167 [stem: *Dyscharachth-*]. Type genus: *Dyscharachthis* Blackburn, 1900. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

DYSCHARACHTHINI Muona, 1993: 49 [stem: *Dyscharachth-*]. Type genus: *Dyscharachthis* Blackburn, 1900. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Dyscharachtent-*).

Tribe ENTOMOSATOPINI Muona, 1993

*ENTOMOSATOPINI Muona, 1991a: 167 [stem: *Entomosatop-*]. Type genus: *Entomosatopus* Bonvouloir, 1871. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

ENTOMOSATOPINI Muona, 1993: 48 [stem: *Entomosatop-*]. Type genus: *Entomosatopus* Bonvouloir, 1871.

Tribe EUCNEMINI Eschscholtz, 1829

EUCNEMIDES Eschscholtz, 1829a: 10 [stem: *Eucnem-*]. Type genus: *Eucnemis* Ahrens, 1812. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Eucnemid-*).

GASTRAULACI Fleutiaux, 1902: 648 [stem: *Gastraulac-*]. Type genus: *Gastraulacus* Guérin-Méneville, 1843.

Tribe GALBITINI Muona, 1991

*GALBITES Blanchard, 1845b: 71 [stem: *Galb-*]. Type genus: *Galba* Latreille, 1829 [preoccupied genus name, not *Galba* Schrank, 1803 [Mollusca]; syn. of *Galbites* Fleutiaux, 1918]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; if found to be available in the future then permanently invalid (Art. 39): based on preoccupied type genus.

PTEROTARSINI Cobos, 1965: 294 [stem: *Pterotars-*]. Type genus: *Pterotarsus* sensu Guérin-Méneville, 1838 [syn. of *Galbites* Fleutiaux, 1918]. Comment:

proposed as new without reference to PTEROTARSINI Fleutiaux, 1902 in ELATERIDAE; based on misidentified type genus; name treated here as invalid until an application is submitted to the Commission to suppress it for the Principle of Priority (Art. 65.2.1).

*GALBITINI Muona, 1991a: 167 [stem: *Galbit-*]. Type genus: *Galbites* Fleutiaux, 1918. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

GALBITINI Muona, 1991b: 19 [stem: *Galbit-*]. Type genus: *Galbites* Fleutiaux, 1918.

Tribe MESOGENINI Muona, 1993

*MESOGENINI Muona, 1991a: 167 [stem: *Mesogen-*]. Type genus: *Mesogenus* Bonvouloir, 1871. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

MESOGENINI Muona, 1993: 49 [stem: *Mesogen-*]. Type genus: *Mesogenus* Bonvouloir, 1871.

Tribe MUONAJINI Özdkmen, 2008

*YANGINI Muona, 1991a: 167 [stem: *Yang-*]. Type genus: *Yanga* Muona, 1993 [preoccupied genus name, not *Yanga* Distant, 1904 [Hemiptera]; syn. of *Muonaja* Özdkmen, 2008]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

YANGINI Muona, 1993: 48 [stem: *Yang-*]. Type genus: *Yanga* Muona, 1993 [preoccupied genus name, not *Yanga* Distant, 1904 [Hemiptera]; syn. of *Muonaja* Özdkmen, 2008]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

MUONAJINI Özdkmen, 2008: 675 [stem: *Muonaj-*]. Type genus: *Muonaja* Özdkmen, 2008. Comment: replacement name for YANGINI Muona, 1993 because of the homonymy of the type genus.

Tribe PEROTTINI Muona, 1993

*PERROTINI Muona, 1991a: 167 [stem: *Perroti-*]. Type genus: *Perrotius* Fleutiaux, 1938. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

PERROTINI Muona, 1993: 47 [stem: *Perroti-*]. Type genus: *Perrotius* Fleutiaux, 1938. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PHAENOCERINI Muona, 1993

* PHAENOCERINI Muona, 1991a: 167 [stem: *Phaenocer-*]. Type genus: *Phaenocerus* Bonvouloir, 1871. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

PHAENOCERINI Muona, 1993: 47 [stem: *Phaenocer-*]. Type genus: *Phaenocerus* Bonvouloir, 1871.

Tribe PROUTIANINI Muona, 1993

*PROUTIANINI Muona, 1991a: 167 [stem: *Proutian-*]. Type genus: *Proutianus* Muona, 1993. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

PROUTIANINI Muona, 1993: 47 [stem: *Proutian-*]. Type genus: *Proutianus* Muona, 1993.

Subfamily MACRAULACINAE Fleutiaux, 1923

MACRAULACINAE Fleutiaux, 1923: 304 [stem: *Micraulac-*]. Type genus: *Macraulacus* Bonvouloir, 1872.

Tribe ANELASTIDINI Muona, 1993

ANELASTIDINI Muona, 1993: 52 [stem: *Anelastid-*]. Type genus: *Anelastidius* Jacquelin du Val, 1863. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Anelastidi-*).

Tribe ECHTHROGASTERINI Cobos, 1965

ECHTHROGASTERINI Cobos, 1965: 369 [stem: *Echthrogaster-*]. Type genus: *Echthrogaster* Blackburn, 1900.

Tribe EURYPTYCHINI Mamaev, 1976

EURYPTYCHINI Mamaev, 1976: 154 [stem: *Euryptych-*]. Type genus: *Euryptychus* J. L. LeConte, 1852.

Tribe JENIBUNTORINI Muona, 1993

*JENIBUNTORINI Muona, 1991a: 167 [stem: *Jenibuntor-*]. Type genus: *Jenibuntor* Muona, 1993. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

JENIBUNTORINI Muona, 1993: 51 [stem: *Jenibuntor-*]. Type genus: *Jenibuntor* Muona, 1993.

Tribe MACRAULACINI Fleutiaux, 1923

MACRAULACINAE Fleutiaux, 1923: 304 [stem: *Macraulac-*]. Type genus: *Macraulacus* Bonvouloir, 1872.

FORNAXINI Cobos, 1965: 294 [stem: *Fornac-*]. Type genus: *Fornax* Laporte, 1835. Comment: incorrect original stem formation, not in prevailing usage.

DROMAEOLINI Leiler, 1976: 48 [stem: *Dromaeol-*]. Type genus: *Dromaeolus* Kiesenwetter, 1858.

Tribe NEMATODINI Leiler, 1976

NEMATODINI Leiler, 1976: 48 [stem: *Nematod-*]. Type genus: *Nematodes* Berthold, 1827.

Tribe OISOCERINI Muona, 1993

OISOCERINI Muona, 1993: 51 [stem: *Oisocer-*]. Type genus: *Oisocerus* Bonvouloir, 1868.

Tribe ORODOTINI Muona, 1993

CRYPTOSTOMIDAE Laporte, 1835b: 181 [stem: *Cryptostomat-*]. Type genus: *Cryptostoma* Dejean, 1821 [preoccupied genus name, not *Cryptostoma* Blainville, 1818 [Mollusca]; syn. of *Ceratogonys* Perty, 1830]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

*ORODOTINI Muona, 1991a: 167 [stem: *Orodot-*]. Type genus: *Orodotes* Bonvouloir, 1871. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

ORODOTINI Muona, 1993: 52 [stem: *Orodot-*]. Type genus: *Orodotes* Bonvouloir, 1871.

†Tribe THROSCOGENIINI Iablokoff-Khnzorian, 1962

THROSCOGENIINAE Iablokoff-Khnzorian, 1962: 81 [stem: *Throscogeni-*]. Type genus: *Throscogenius* Iablokoff-Khnzorian, 1962.

Family THROSCIDAE Laporte, 1840 *nomen protectum*

STEREOLIA Rafinesque, 1815: 112 [stem: *Stereol-*]. Type genus: *Stereolus* Rafinesque, 1815 [unjustified emendation of *Throscus* Latreille, 1797 not in prevailing usage; syn. of *Trixagus* Kugelann, 1794]. Comment: *nomen oblitum* (see Appendix 1).

THROSCITES Laporte, 1840a: 228 [stem: *Throsc-*]. Type genus: *Throscus* Latreille, 1797 [syn. of *Trixagus* Kugelann, 1794]. Comment: *nomen protectum* (see Appendix 1); original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 369, as THROSCOIDAE), generally accepted as in P. J. Johnson (2002b: 158, as THROSCIDAE).

TRIXAGIDAE Gistel, 1848: [4] [stem: *Trixag-*]. Type genus: *Trixagus* Kugelann, 1794.

POTERGINI Cobos, 1961: 5 [stem: *Poterg-*]. Type genus: *Potergus* Bonvouloir, 1871.

†Family PRAELATERIIDAE Dolin, 1973

PRAELATERIIDAE Dolin, 1973: 78 [stem: *Praelateri-*]. Type genus: *Praelaterium* Dolin, 1973.

Family ELATERIDAE Leach, 1815

ELATERIDES Leach, 1815: 85 [stem: *Elater-*]. Type genus: *Elater* Linnaeus, 1758. Comment: the oldest available name for this family is CEBRIONIDAE Latreille,

1802, however ELATERIDAE Leach, 1815 is maintained here pending resolution of an application to the ICZN being prepared by P. J. Johnson (see Lawrence and Newton 1995: 852; P. J. Johnson pers. comm. 2009).

Subfamily CEBRIONINAE Latreille, 1802

CEBRIONATES Latreille, 1802: 97 [stem: *Cebri-*]. Type genus: *Cebrio* A. G. Olivier, 1790.

PLASTOCERINI J. L. LeConte, 1861: 172 [stem: *Plastocer-*]. Type genus: *Plastocerus* sensu J. L. LeConte, 1853 [not *Plastocerus* Schaum, 1852; syn. of *Octinodes* Candèze, 1863]. Comment: based on a misidentified type genus; an application should be submitted to the Commission to suppress this name for the Principles of Priority and Homonymy (Art. 65.2.1) since PLASTOCERIDAE Crowson, 1972 is currently used as valid in ELATEROIDEA.

APLASTINAE Stibick, 1979: 175 [stem: *Aplast-*]. Type genus: *Aplastus* J. L. LeConte, 1859.

CEBRIGNATHINAE Paulus, 1981: 264, in key [stem: *Cebriognath-*]. Type genus: *Cebriognathus* Chobaut, 1899.

Subfamily AGRYPNINAE Candèze, 1857 *nomen protectum*

AGRYPNIDES Candèze, 1857: 17 [stem: *Agrypn-*]. Type genus: *Agrypnus* Eschscholtz, 1829. Comment: *nomen protectum* (see Appendix 1); AGRYPNINAE Candèze, 1857 given precedence for subfamily name over OOPHORINAE Gistel, 1848 (Art. 35.5).

Tribe AGRYPNINI Candèze, 1857 *nomen protectum*

ADELOCERAIDAE Gistel, 1848: [5] [stem: *Adelocer-*]. Type genus: *Adelocera* Latreille, 1829. Comment: *nomen oblitum* (see Appendix 1); incorrect original stem formation, not in prevailing usage.

PANGAURADAE Gistel, 1856a: 366 [stem: *Pangaur-*]. Type genus: *Pangaura* Gistel, 1856 [syn. of *Lacon* Laporte, 1838]. Comment: *nomen oblitum* (see Appendix 1); incorrect original stem formation, not in prevailing usage.

AGRYPNIDES Candèze, 1857: 17 [stem: *Agrypn-*]. Type genus: *Agrypnus* Eschscholtz, 1829. Comment: published before 29 June 1857; *nomen protectum* (see Appendix 1); original vernacular name available (Art. 11.7.2): first used in latinized form by Kiesenwetter (1858: 230, as AGRYPNINI), generally accepted as in Lawrence and Newton (1995: 854, as AGRYPNINAE); this family-group name was also proposed in the same year by Lacordaire (1857 [before 25 May]: 138, as AGRYPNIDES) (see *Bibliographic notes* in Introduction).

*OCTOCRYPTITES Candèze, 1892: 486 [stem: *Octocrypt-*]. Type genus: *Octocryptus* Candèze, 1892. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Candèze (1892).

ADELOCERINI Buysson, 1893: 15 [stem: *Adelocer-*]. Type genus: *Adelocera* Latreille, 1829. Comment: family-group name proposed as new without reference to ADELOCERIDAE Gistel, 1848.

OCTOCRYPTINI Schwarz, 1906: 31 [stem: *Octocrypt-*]. Type genus: *Octocryptus* Candèze, 1892.

CAVICOXUMIDAE Pic, 1928: 21 [stem: *Cavicox-*]. Type genus: *Cavicoxum* Pic, 1928 [syn. of *Agraeus* Candèze, 1857]. Comment: incorrect original stem formation, not in prevailing usage.

LACONINI Dajoz, 1964: 60 [stem: *Lacon-*]. Type genus: *Lacon* Laporte, 1838.

Tribe ANAISSENI Golbach, 1984

ALAMPINA C. Costa, 1975: 53 [stem: *Alamp-*]. Type genus: *Alampes* Champion, 1895 [preoccupied genus name, not *Alampes* Horváth, 1884 [Hemiptera]; syn. of *Peralampes* P. J. Johnson, 2002]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ANAISSINI Golbach, 1984: 81 [stem: *Anaiss-*]. Type genus: *Anaissus* Candèze, 1857.

†Tribe CRYPTOCARDIINI Dolin, 1980

CRYPTOCARDIINI Dolin, 1980: 74 [stem: *Cryptocardi-*]. Type genus: *Cryptocardius* Dolin, 1980.

Tribe EUPLINTHINI Costa, 1975

EUPLINTHINA C. Costa, 1975: 66 [stem: *Euplinth-*]. Type genus: *Euplinthus* C. Costa, 1975. Comment: we act as First Revisers (COMPSOPLINTHINI C. Costa, 1975 vs EUPLINTHINI C. Costa, 1975).

Subtribe CLEIDEDECOSTINA Johnson, 2002

HELIGMINI C. Costa, 1975: 53 [stem: *Heligm-*]. Type genus: *Heligmus* Candèze, 1865 [preoccupied genus name, not *Heligmus* Dujardin, 1845 [Nematoda]; syn. of *Cleidecosta* P. J. Johnson, 2002]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

CLEIDEDECOSTINI P. J. Johnson, 2002a: 16 [stem: *Cleidecost-*]. Type genus: *Cleidecosta* P. J. Johnson, 2002. Comment: replacement name for HELIGMINI C. Costa, 1975 because of the homonymy of the type genus.

Subtribe COMPSOPLINTHINA Costa, 1975

COMPSOPLINTHINA C. Costa, 1975: 71 [stem: *Compsoplinth-*]. Type genus: *Compsoplinthus* C. Costa, 1975.

Subtribe EUPLINTHINA Costa, 1975

EUPLINTHINA C. Costa, 1975: 66 [stem: *Euplinth-*]. Type genus: *Euplinthus* C. Costa, 1975.

Tribe HEMIRHIPINI Candèze, 1857

HÉMIRHIPIDES Candèze, 1857: 199 [stem: *Hemirhip-*]. Type genus: *Hemirhipus* Berthold, 1827. Comment: published before 29 June; original vernacular

name available (Art. 11.7.2): first used in latinized form by J. Thomson (1858: 75, as HEMIRHIPITAE), generally accepted as in P. J. Johnson (2002b: 169, as HEMIRHIPINI); this family-group name was also proposed in the same year by Lacordaire (1857 [before 25 May]: 148, as HÉMIRHIPIDES) (see *Bibliographic notes* in Introduction); First Reviser (HEMIRHIPINI Candèze, 1857 vs CHALCOLEPIDIINI Candèze, 1857) not determined, current usage maintained.

CHALCOLÉPIDIIDES Candèze, 1857: 257 [stem: *Chalcolepidi-*]. Type genus: *Chalcolepidius* Eschscholtz, 1829. Comment: published before 29 June 1857; original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 164, as CHALCOLEPIDIINI), generally accepted as in Hyslop (1917: 252, as CHALCOLEPIDINA [incorrect stem formation]); this family-group name was also proposed in the same year by Lacordaire (1857 [before 25 May]: 153, as CHALCOLÉPIDIIDES) (see *Bibliographic notes* in Introduction).

ALAITES Candèze, 1874: 112 [stem: *Ala-*]. Type genus: *Alaus* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Champion (1894: 269, as ALAINI), generally accepted as in Heyne and Taschenberg (1905: 152, as ALAINI).

LUDIOCTENINA Jakobson, 1913: 755 [stem: *Ludiocten-*]. Type genus: *Ludioctenus* Fairmaire, 1893.

ALAUINAE Laurent, 1974: 16 [stem: *Ala-*]. Type genus: *Alaus* Eschscholtz, 1829. Comment: family-group name proposed as new without reference to ALAITES Candèze, 1874; incorrect original stem formation, not in prevailing usage.

Tribe OOPHORINI Gistel, 1848

OOPHORIDAE Gistel, 1848: [5] [stem: *Oophor-*]. Type genus: *Oophorus* Eschscholtz, 1833 [syn. of *Aeolus* Eschscholtz, 1829]. Comment: family-group name attributed to Gistel (1856a: 367) in recent literature.

MONOCREPIDIITES Candèze, 1859: 176 [stem: *Monocrepidi-*]. Type genus: *Monocrepidius* Eschscholtz, 1829 [syn. of *Conoderus* Eschscholtz, 1829]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 167, as MONOCREPIDI), generally accepted as in Burakowski et al. (1985: 147, as MONOCREPIDIINAE).

DRASTERIINI Houlbert, 1912: 184 [stem: *Drasteri-*]. Type genus: *Drasterius* Eschscholtz, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1987b)]. Comment: the junior homonym DRASTERIINI Wiltshire, 1976 (type genus *Drasteria* Hübner, 1818) is available in Lepidoptera: NOCTUIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

*AEOLINA Jakobson, 1913: 747 [stem: *Aeol-*]. Type genus: *Aeolus* Eschscholtz, 1829. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently.

CONODERINAE Fleutiaux, 1919: 58 [stem: *Conoder-*]. Type genus: *Conoderus* Eschscholtz, 1829. Comment: the older name CONODERINAE Schönherr,

1833 (type genus *Conoderes* Schönherr, 1833) is currently used as valid in Coleoptera: CURCULIONIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

PACHYDERINAE Fleutiaux, 1919: 57 [stem: *Pachyder-*]. Type genus: *Pachyderes* Guérin-Méneville, 1830.

Tribe PLATYCREPIDIINI Costa and Casari-Chen, 1993

EUDACTYLITES Candèze, 1859: 153 [stem: *Eudactyl-*]. Type genus: *Eudactylus* Sallé, 1855 [preoccupied genus name, not *Eudactylus* Fitzinger, 1843 [Reptilia]; syn. of *Platycrepidius* Candèze, 1859]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Champion (1895: 337, as EUDACTYLINI), generally accepted as in Hyslop (1917: 259, as EUDACTYLINI); permanently invalid (Art. 39): based on preoccupied type genus.

PLATYCREPIDIINI C. Costa and Casari-Chen, 1993: 62 [stem: *Platycrepidi-*]. Type genus: *Platycrepidius* Candèze, 1859.

Tribe PSEUDOMELANACTINI Arnett, 1967

PSEUDOMELANACTINI Arnett, 1967: 111 [stem: *Pseudomelanact-*]. Type genus: *Pseudomelanactes* Mathieu, 1961 [syn. of *Anthracalaus* Fairmaire, 1889].

Tribe PYROPHORINI Candèze, 1863

PYROPHORITES Candèze, 1863: 3 [stem: *Pyrophor-*]. Type genus: *Pyrophorus* Billberg, 1820.

Subtribe HAPSODRILINA Costa, 1975

HAPSODRILINA C. Costa, 1975: 88 [stem: *Hapsodril-*]. Type genus: *Hapsodrilus* C. Costa, 1975.

Subtribe NYCTOPHYXINA Costa, 1975

NYCTOPHYXINA C. Costa, 1975: 85 [stem: *Nyctophyx-*]. Type genus: *Nyctophysis* C. Costa, 1975. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Nyctophyse-*).

Subtribe PYROPHORINA Candèze, 1863

PYROPHORITES Candèze, 1863: 3 [stem: *Pyrophor-*]. Type genus: *Pyrophorus* Billberg, 1820. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Champion (1896: 463, as PYROPHORINI), generally accepted as in P. J. Johnson (2002b: 169, as PYROPHORINI).

Tribe TETRALOBINI Laporte, 1840

TETRALOBITES Laporte, 1840a: 230 [stem: *Tetralob-*]. Type genus: *Tetralobus* Lepeletier and Audinet-Serville, 1828. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Blanchard (1853: 84, as

TETRALOBITAE), generally accepted as in Lawrence and Newton (1995: 853, as TETRALOBINAE).

- PHYLLOPHORIDAE Hope, 1842: 73 [stem: *Phyllophor*-]. Type genus: *Phyllophorus* Hope, 1842 [preoccupied genus name, not *Phyllophorus* Grube, 1840 [Echinodermata]; syn. of *Tetralobus* Lepeletier and Audinet-Serville, 1828]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- PIEZOPHYLLINI Laurent, 1967: 85 [stem: *Piezophyll*-]. Type genus: *Piezophyllus* Hope, 1842.

Subfamily THYLACOSTERNINAE Fleutiaux, 1920

SOLENISCINAE Lameere, 1900: 377 [stem: *Solenisc*-]. Type genus: *Soleniscus* Bonvouloir, 1875 [preoccupied genus name, not *Soleniscus* Meek and Worthen, 1860 [Mollusca]; syn. of *Cussolenis* Fleutiaux, 1918]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

PTEROTARSINI Fleutiaux, 1902: 648 [stem: *Pterotars*-]. Type genus: *Pterotarsus* Guérin-Méneville, 1829. Comment: although this name has priority over THYLACOSTERNINAE Fleutiaux, 1920, an application will be submitted to the Commission by J. Muona and H. Silfverberg to conserve the well-established younger name.

THYLACOSTERNINAE Fleutiaux, 1920: 94 [stem: *Thylacostern*-]. Type genus: *Thylacosternus* Bonvouloir, 1875. Comment: an application will be submitted to the Commission by J. Muona and H. Silfverberg (pers. comm. 2010) to conserve prevailing usage of THYLACOSTERNINAE Fleutiaux, 1920 over the older name PTEROTARSINAE Fleutiaux, 1902.

BALGINAE Fleutiaux, 1926: 30 [stem: *Balg*-]. Type genus: *Balgs* Fleutiaux, 1920.

CUSSOLENITAE Cobos, 1961: 3 [stem: *Cussolen*-]. Type genus: *Cussolenis* Fleutiaux, 1918.

Subfamily LISSOMINAE Laporte, 1835

LISSOMIDAE Laporte, 1835b: 178 [stem: *Lissom*-]. Type genus: *Lissomus* Dalman, 1824.

DRAPETINI J. L. LeConte, 1863: 44 [stem: *Drapet*-]. Type genus: *Drapetes* Dejean, 1821. Comment: DRAPETINI Collin, 1961 (type genus *Drapetis* Meigen, 1822) has been used as valid to this day in Diptera although Sabrosky (1999: 118) pointed out that the correct stem for the Diptera name is *Drapetid*-.

PROTELATERIDAE Schwarz, 1902: 365 [stem: *Protelater*-]. Type genus: *Protelater* Sharp, 1877.

OESTODINI Hyslop, 1917: 251 [stem: *Oestod*-]. Type genus: *Oestodes* J. L. LeConte, 1853.

ATHOOMORPHINAE Laurent, 1966: 818 [stem: *Athoomorph*-]. Type genus: *Athoomorphus* Schwarz, 1898.

DRAPETINI Dolin, 1975b: 1627, in key [stem: *Drapet*-]. Type genus: *Drapetes* Dejean, 1821. Comment: proposed as new without reference to DRAPETINI J. L. LeConte, 1863.

SPHAENELATERINI Stibick, 1979: 179 [stem: *Sphaenelater-*]. Type genus: *Sphaenelater* Schwarz, 1902.

Subfamily SEMIOTINAE Jakobson, 1913

SEMIOTINA Jakobson, 1913: 736 [stem: *Semiot-*]. Type genus: *Semiotus* Eschscholtz, 1829.

SEMIOTINAE Golbach, 1970: 320 [stem: *Semiot-*]. Type genus: *Semiotus* Eschscholtz, 1829. Comment: family-group name proposed as new without reference to SEMIOTINA Jakobson, 1913.

Subfamily CAMPYLOXENINAE Costa, 1975

CAMPYLOXENINAE C. Costa, 1975: 114 [stem: *Campyloxen-*]. Type genus: *Campyloxenus* Fairmaire, 1860.

Subfamily PITYOBIINAE Hyslop, 1917

PITYOBINI Hyslop, 1917: 249 [stem: *Pityobi-*]. Type genus: *Pityobius* J. L. LeConte, 1853. Comment: incorrect original stem formation, not in prevailing usage.

ROSTRICEPHALINAE Fleutiaux, 1947: 238, in key [stem: *Rostricephal-*]. Type genus: *Rostricephalus* Fleutiaux, 1918.

ADZUSINI Kishii, 1989: 2 [stem: *Adzus-*]. Type genus: *Adzusa* Kishii, 1957.

Subfamily OXYNOPTERINAE Candèze, 1857

OXYNOPTÉRIDES Candèze, 1857: 355 [stem: *Oxynopter-*]. Type genus: *Oxynopterus* Hope, 1842. Comment: published before 29 June 1857; original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1905: 155, as OXYNOPTERINI), generally accepted as in Johnson (2002b: 169, as OXYNOPTERINI); this family-group name was also proposed in the same year by Lacordaire (1857 [before 25 May]: 158, as OXYNOPTÉRIDES) (see *Bibliographic notes* in Introduction); First Revisor (MELANACTINAE Candèze, 1857 vs OXYNOPTERINAE Candèze, 1857) not determined, current usage maintained.

MÉLANACTIDES Candèze, 1857: 182 [stem: *Melanact-*]. Type genus: *Melanactes* J. L. LeConte, 1853. Comment: published before 29 June 1857; original vernacular name available (Art. 11.7.2): first used in latinized form by Holmgren (1899: 199, as MELANACTIDAE), generally accepted as in Stibick (1979: 164, as MELANACTINAE); this family-group name was also proposed in the same year by Lacordaire (1857 [before 25 May]: 144, as MÉLANACTIDES) (see *Bibliographic notes* in Introduction).

ASAPHITES Candèze, 1863: 207 [stem: *Asaph-*]. Type genus: *Asaphes* Kirby, 1837 [preoccupied genus name, not *Asaphes* Walker, 1834 [Hymenoptera]; syn. of *Hemicrepidius* Germar, 1839]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Heyne and Taschenberg (1905: 163, as ASAPHINI); permanently invalid (Art. 39): based on preoccupied type genus; the older name ASAPHIDAE H. C. C. Burmeister, 1843 (type genus *Asaphus* Brongniart 1822) is currently used as valid in Trilobita; the

younger name ASAPHINAE Ashmead, 1904 (type genus *Asaphes* Walker, 1834) is currently used as valid in Hymenoptera: PTEROMALIDAE.

CAMPSOSTERNINAE Fleutiaux, 1927a: 104 [stem: *Campsostern-*]. Type genus: *Campsosternus* Latreille, 1834. Comment: published 25 April 1927; this family-group name was also used in the same year by Fleutiaux (1927b ["31 December"]: 108, as CAMPSOSTERNINAE).

PECTOCERINI Gurjeva, 1974: 107, in key [stem: *Pectocer-*]. Type genus: *Pectocera* Hope, 1842.

Subfamily DENDROMETRINAE Gistel, 1848

DENDROMETRIDAE Gistel, 1848: [5] [stem: *Dendrometr-*]. Type genus: *Dendrometrus* Gistel, 1848 [syn. of *Limonius* Eschscholtz, 1829]. Comment: First Reviser found (DENTICOLLINAE Stein and Weise, 1877 (1848) vs DENDROMETRINAE Gistel, 1848) is Sánchez-Ruiz (1996: 74).

Tribe CREPIDOMENINI Candèze, 1863

CRÉPIDOMÉNITES Candèze, 1863: 190 [stem: *Crepidomen-*]. Type genus: *Crepidomenus* Erichson, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1905: 163, as CREPIDOMENINI), generally accepted as in Calder (1978: 295, as CREPIDOMENINAE).

Tribe DENDROMETRINI Gistel, 1848

DENDROMETRIDAE Gistel, 1848: [5] [stem: *Dendrometr-*]. Type genus: *Dendrometrus* Gistel, 1848 [syn. of *Limonius* Eschscholtz, 1829]. Comment: First Reviser found (DENTICOLLINI Stein and Weise, 1877 (1848) vs DENDROMETRINI Gistel, 1848) is Sánchez-Ruiz (1996: 75).

Subtribe DENDROMETRINA Gistel, 1848

DENDROMETRIDAE Gistel, 1848: [5] [stem: *Dendrometr-*]. Type genus: *Dendrometrus* Gistel, 1848 [syn. of *Limonius* Eschscholtz, 1829].

ATHOITES Candèze, 1859: 4 [stem: *Atho-*]. Type genus: *Athous* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 170, as ATHOI), generally accepted as in Burakowski et al. (1985: 189, as ATHOINAE).

LIMONIINA Jakobson, 1913: 755 [stem: *Limonii-*]. Type genus: *Limonius* Eschscholtz, 1829.

Subtribe DENTICOLLINA Stein and Weise, 1877 (1848)

CAMPYLIIDAE Gistel, 1848: [5] [stem: *Campyl-*]. Type genus: *Campylus* Fischer von Waldheim, 1824 [syn. of *Denticollis* Piller and Mitterpacher, 1783]. Comment: usage of the younger name DENTICOLLINA Stein and Weise, 1877 conserved over this name (Art. 40.2).

DENTICOLLINI Stein and Weise, 1877: 96 [stem: *Denticoll-*]. Type genus: *Denticollis* Piller and Mitterpacher, 1783. Comment: younger name conserved over CAMPYLINA Gistel, 1848 (Art. 40.2).

LEPTUROIDINI Schwarz, 1906: 3, in key [stem: *Lepturoid-*]. Type genus: *Lepaturoides* Herbst, 1784 [syn. of *Denticollis* Piller and Mitterpacher, 1783].

Subtribe HEMICREPIDIINA Champion, 1896

HEMICREPIDIINI Champion, 1896: 477 [stem: *Hemicrepidi-*]. Type genus: *Hemicrepidius* Germar, 1839.

Tribe DIMINI Candèze, 1863

DIMITES Candèze, 1863: 237 [stem: *Dim-*]. Type genus: *Dima* Charpentier, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Champion (1896: 476, as DIMINI), generally accepted as in Gurjeva (1974: 107, as DIMINAE); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Dimat-*).

BELIOPHORINA Jakobson, 1913: 737 [stem: *Beliophor-*]. Type genus: *Beliophorus* Eschscholtz, 1829.

PENIINI Dolin, 1990: 17 [stem: *Peni-*]. Type genus: *Penia* Laporte, 1836.

Tribe HYPNOIDINI Schwarz, 1906 (1860)

CRYPTOHYPNITES Candèze, 1860: 50 [stem: *Cryptohypn-*]. Type genus: *Cryptohypnus* Eschscholtz, 1830 [syn. of *Hypnoidus* Dillwyn, 1829]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 166, as CRYPTOHYPNI), generally accepted as in Burakowski et al. (1985: 214, as CRYPTOHYPNINAE); HYPNOIDINI Schwarz, 1906 conserved over this name (Art. 40.2).

HYPNOIDINI Schwarz, 1906: 150 [stem: *Hypnoid-*]. Type genus: *Hypnoidus* Dillwyn, 1829. Comment: name proposed to replace CRYPTOHYPNITES Candèze, 1860 because of the synonymy of the type genus; younger name conserved over CRYPTOHYPNINI Candèze, 1860 (Art. 40.2).

HYPOLITHINAE Fleutiaux, 1928: 252 [stem: *Hypolith-*]. Type genus: *Hypolithus* Eschscholtz, 1829. Comment: name proposed to replace CRYPTOHYPNITES Candèze, 1860 because of the synonymy of the type genus.

*PRISAHYPINI Stibick, 1976: 197 [stem: *Prisahypn-*]. Type genus: *Prisahypnus* Stibick, 1979. Comment: unavailable family-group name, not based on available genus name; incorrect original stem formation, not in prevailing usage.

PRISAHYPINI Stibick, 1979: 166 [stem: *Prisahypn-*]. Type genus: *Prisahypnus* Stibick, 1979. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PLEONOMINI Semenov and Pjatakova, 1936

PLEONOMINI Semenov and Pjatakova, 1936: 103 [stem: *Pleonom-*]. Type genus: *Pleonomus* Ménétriés, 1849. Comment: name proposed after 1930 without

description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Stibick (1979: 176) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

Tribe PROSTERNINI Gistel, 1856 *nomen protectum*

DIACANTHIDAE Gistel, 1848: [5] [stem: *Diacanth-*]. Type genus: *Diacanthus* Latreille, 1834 [syn. of *Selatosomus* Stephens, 1830]. Comment: *nomen oblitum* (see Appendix 1).

PROSTERNIDAE Gistel, 1856a: 367 [stem: *Prostern-*]. Type genus: *Prosternon* Latreille, 1834. Comment: *nomen protectum* (see Appendix 1).

CORYMBITINI J. L. LeConte, 1861: 169 [stem: *Corymbit-*]. Type genus: *Corymbites* Latreille, 1834 [syn. of *Ctenicera* Latreille, 1829].

CTENICERINA Jakobson, 1913: 736 [stem: *Ctenicer-*]. Type genus: *Ctenicera* Latreille, 1829. Comment: family-group name previously attributed to Fleutiaux (1936) in the literature; “CTENICERINI Fleutiaux, 1936” used as valid instead of PROSTERNINI Gistel, 1856 by Cate (2007: 33, 173).

CTENICERINAE Neboiss, 1956: 47 [stem: *Ctenicer-*]. Type genus: *Ctenicera* Latreille, 1829. Comment: name proposed to replace CORYMBITINAE J. L. LeConte, 1861 because of the synonymy of the type genus; family-group name proposed as new without reference to CTENICERINA Jakobson, 1913 or CTENICERINAE Fleutiaux, 1936.

Tribe SENODONIINI Schenkling, 1927

ALLOTRIITES Candèze, 1863: 225 [stem: *Allotri-*]. Type genus: *Allotrius* Laporte, 1840 [preoccupied genus name, not *Allotrius* Temminck, 1835 [Aves]; syn. of *Senodonia* Laporte, 1838]. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Champion (1896: 489, as ALLOTRIINI), generally accepted as in Heyne and Taschenberg (1905: 163, as ALLOTRIINI); permanently invalid (Art. 39): based on preoccupied type genus.

SENODONIINAE Schenkling, 1927: 417 [stem: *Senodoni-*]. Type genus: *Senodonia* Laporte, 1838.

SENODONIINI Dolin, 2000: 19 [stem: *Senodoni-*]. Type genus: *Senodonia* Laporte, 1838. Comment: family-group name proposed as new without reference to SENODONIINAE Schenkling, 1927.

Subfamily NEGASTRIINAE Nakane and Kishii, 1956

NEGASTRIINAE Nakane and Kishii, 1956: 203 [stem: *Negastri-*]. Type genus: *Negastrius* C. G. Thomson, 1859.

Tribe NEGASTRIINI Nakane and Kishii, 1956

NEGASTRIINAE Nakane and Kishii, 1956: 203 [stem: *Negastri-*]. Type genus: *Negastrius* C. G. Thomson, 1859.

Tribe QUASIMUSINI Schimmel and Tarnawski, 2009

QUASIMUSINI Schimmel and Tarnawski, 2009: 17 [Stem: *Quasimus-*]. Type genus: *Quasimus* Gozis, 1886.

Subtribe LOEBLIQUASIMUSINA Schimmel and Tarnawski, 2009

LOEBLIQUASINA Schimmel and Tarnawski, 2009: 18 [Stem: *Loebliquas-*]. Type genus: *Loebliquasis* Dolin, 1997. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe QUASIMUSINA Schimmel and Tarnawski, 2009

QUASIMUSINA Schimmel and Tarnawski, 2009: 19 [Stem: *Quasimus-*]. Type genus: *Quasimus* Gozis, 1886.

Subtribe STRIATOQUASIMUSINA Schimmel and Tarnawski, 2009

STRIATOQUASINA Schimmel and Tarnawski, 2009: 20 [Stem: *Striatoquasimus-*]. Type genus: *Striatoquasimus* Schimmel and Tarnawski, 2009. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe WITTMEROQUASIMUSINA Schimmel and Tarnawski, 2009

WITTMEROQUASINA Schimmel and Tarnawski, 2009: 20 [Stem: *Wittmeroquasi-*
mus-]. Type genus: *Wittmeroquasimus* Dolin, 1997. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily ELATERINAE Leach, 1815

ELATERIDES Leach, 1815: 85 [stem: *Elater-*]. Type genus: *Elater* Linnaeus, 1758.

Tribe AGRIOTINI Laporte, 1840

AGRIOTITES Laporte, 1840a: 233 [stem: *Agriot-*]. Type genus: *Agriotes* Eschscholtz, 1829.

Subtribe AGRIOTINA Laporte, 1840

AGRIOTTITES Laporte, 1840a: 233 [stem: *Agriot-*]. Type genus: *Agriotes* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Champion (1896: 511, as AGRIOTINI), generally accepted as in Hansen (1996: 143, as AGRIOTINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Agriotet-*).

Subtribe CARDIORHININA Candèze, 1863

CARDIORHINITES Candèze, 1863: 247 [stem: *Cardiorhin-*]. Type genus: *Cardiorhinus* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Champion (1896: 495, as CARDIORHINI), generally accepted as in Heyne and Taschenberg (1905: 164, as CARDIORHININI).

Tribe AMPEDINI Gistel, 1848

AMPEDIDAE Gistel, 1848: [5] [stem: *Amped-*]. Type genus: *Ampedus* Dejean, 1833.

Comment: family-group name previously attributed to Gistel (1856a: 367), e.g., P. J. Johnson (2002b: 168).

Tribe DICREPIDIINI Thomson, 1858

DICREPIDIITAE J. Thomson, 1858: 75 [stem: *Dicrepidi-*]. Type genus: *Dicrepidius* Eschscholtz, 1829.

Tribe ELATERINI Leach, 1815

ELATERIDES Leach, 1815: 85 [stem: *Elater-*]. Type genus: *Elater* Linnaeus, 1758.

ARNEIDAE Gistel, 1848: [6] [stem: *Arne-*]. Type genus: *Arneus* Gistel, 1848 [syn. of *Sericus* Eschscholtz, 1829].

STEATODERIDAE Gistel, 1848: [5] [stem: *Steatoder-*]. Type genus: *Steatoderus* Dejean, 1833 [syn. of *Elater* Linnaeus, 1758].

AMPHILABRIDAE Gistel, 1856a: 367 [stem: *Amphilabri-*]. Type genus: *Amphilabris* Gistel, 1834 [syn. of *Sericus* Eschscholtz, 1829].

LUDIIDAE Lacordaire, 1857: 197 [stem: *Ludi-*]. Type genus: *Ludius* Berthold, 1827 [syn. of *Elater* Linnaeus, 1758]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in J. L. LeConte (1861: 168, as LUDII); the junior homonym LUDIINI Aurivillius, 1904 (type genus *Ludia* Wallengren, 1865) in Lepidoptera: SATURNIIDAE was replaced by MICRAGONINI Cockerell, 1914 (see Oberprieler 1997: 146).

HYPODESITES Candèze, 1863: 242 [stem: *Hypodese-*]. Type genus: *Hypodesis* Latreille, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Champion (1896: 490, as HYPODESINI), generally accepted as in Heyne and Taschenberg (1905: 164, as HYPODESINI); incorrect original stem formation, not in prevailing usage.

SERICOSOMINA Hyslop, 1917: 258 [stem: *Sericosom-*]. Type genus: *Sericosomus* Dejean, 1833 [syn. of *Sericus* Eschscholtz, 1829].

*DOLEROSOMINI Dolin, 1975b: 1632 [stem: *Dolerosom-*]. Type genus: *Dolerosomus* Motschulsky, 1859. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe MEGAPENTHINI Gurjeva, 1973

MEGAPENTHINI Gurjeva, 1973: 448 [stem: *Megapenth-*]. Type genus: *Megapenthes* Kiesenwetter, 1858.

Tribe MELANOTINI Candèze, 1859 (1848)

CRATONYCHIDAE Gistel, 1848: [5] [stem: *Cratonych-*]. Type genus: *Cratonychus* Dejean, 1833 [syn. of *Melanotus* Eschscholtz, 1829]. Comment: use of MELANOTINI Candèze, 1859 converged over this name (Art. 40.2).

MÉLANOTITES Candèze, 1859: 4 [stem: *Melanot-*]. Type genus: *Melanotus* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1861: 169, as MELANOTI), generally accepted as in Hansen (1996: 143, as MELANOTINI); name conserved over CRATONYCHINI Gistel, 1848 (Art. 40.2) (see Sánchez-Ruiz 1996: 167).

Tribe ODONTONYCHINI Girard, 1973

ODONTONYCHINI Girard, 1973: 276 [stem: *Odontonych-*]. Type genus: *Odon-*
tonychus Candèze, 1897.

Tribe PHYSORHININI Candèze, 1859

PHYSORHINITES Candèze, 1859: 384 [stem: *Physorhin-*]. Type genus: *Physorhinus* Germar, 1840. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1861: 167, as PHYSORHINI), generally accepted as in Burakowski et al. (1985: 114, as PHYSORHININAE).

Tribe POMACHILIINI Candèze, 1859

POMACHILIITES Candèze, 1859: 4 [stem: *Pomachili-*]. Type genus: *Pomachilius* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Champion (1895: 402, as POMACHILIINI), generally accepted as in Burakowski et al. (1985: 131, as POMACHILIINAE).

Tribe SYNAPTINI Gistel, 1856

DAIRAEIDAE Gistel, 1848: [5] [stem: *Dair-*]. Type genus: *Daira* Gistel, 1848 [preoccupied genus name, not *Daira* Milne-Edwards, 1830 [Crustacea]; syn. of *Synaptus* Eschscholtz, 1829]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

SYNAPTIDAE Gistel, 1856a: 366 [stem: *Synapt-*]. Type genus: *Synaptus* Eschscholtz, 1829.

ADRASTITES Candèze, 1863: 448 [stem: *Adrast-*]. Type genus: *Adrastus* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Champion (1896: 533, as ADRASTINI), generally accepted as in Burakowski et al. (1985: 133, as ADRASTINAE).

Subfamily CARDIOPHORINAE Candèze, 1859

CARDIOPHORITES Candèze, 1859: 4 [stem: *Cardiophor-*]. Type genus: *Cardiophorus* Eschscholtz, 1829. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1861: 166, as CARDIOPHORI), generally accepted as in Burakowski et al. (1985: 227, as CARDIOPHORINAE).

APHRICI J. L. LeConte, 1861: 173 [stem: *Aphric-*]. Type genus: *Aphricus* J. L. LeConte, 1854.

APTOPINA Jakobson, 1913: 760 [stem: *Aptopod*-]. Type genus: *Aptopus* Eschscholtz, 1829. Comment: incorrect original stem formation, not in prevailing usage.

ESTHESOPINAE Fleutiaux, 1919: 76 [stem: *Esthesopod*-]. Type genus: *Esthesopus* Eschscholtz, 1829. Comment: incorrect original stem formation, not in prevailing usage.

NYCTORINI Semenov and Pjatakova, 1936: 102 [stem: *Nyctor*-]. Type genus: *Nyctor* Semenov and Pjatakova, 1936 [syn. of *Cardiophorus* Eschscholtz, 1829].

Subfamily HEMIOPINAE Fleutiaux, 1941

HEMIOPINAE Fleutiaux, 1941: 31 [stem: *Hemiop*-]. Type genus: *Hemiops* Laporte, 1838.

Subfamily PHYSODACTYLINAE Lacordaire, 1857

PHYSODACTYLIDES Lacordaire, 1857: 236 [stem: *Physodactyl*-]. Type genus: *Physodactylus* Fischer von Waldheim, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Fleutiaux (1892b: 404, as PHYSODACTYLINI), generally accepted as in Lawrence and Newton (1995: 855, as PHYSODACTYLINAE).

TOXOGNATHINAE Fleutiaux, 1941: 34 [stem: *Toxognath*-]. Type genus: *Toxognathus* Fairmaire, 1878.

Subfamily EUDICRONYCHINAE Girard, 1971

DICRONYCHIDAE Schwarz, 1897: 11 [stem: *Dicronych*-]. Type genus: *Dicronychus* Laporte, 1840 [preoccupied genus name, not *Dicronychus* Brullé, 1832 [Coleoptera: ELATERIDAE: CARDIOPHORINAE]; syn. of *Eudicronychus* Méquignon, 1931]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

EUDICRONYCHINAE Girard, 1971: 645 [stem: *Eudicronych*-]. Type genus: *Eudicronychus* Méquignon, 1931. Comment: description by indication (distinguishing characters given in Schwarz (1907: 2, as DICRONYCHIDAE)).

Subfamily SUBPROTELATERINAE Fleutiaux, 1920

SUBPROTELATERINAE Fleutiaux, 1920: 99 [stem: *Subprotelater*-]. Type genus: *Subprotelater* Fleutiaux, 1916.

Subfamily MOROSTOMATINAE Dolin, 2000

MOROSTOMINAE Dolin, 2000: 18 [stem: *Morostomat*-]. Type genus: *Morostoma* Candèze, 1879. Comment: incorrect original stem formation, not in prevailing usage.

†Subfamily PROTAGRYPNINAE Dolin, 1973

PROTAGRYPNINI Dolin, 1973: 74 [stem: *Protagrypn*-]. Type genus: *Protagrypnus* Dolin, 1973.

†Tribe DESMATINI Dolin, 1975

DESMATINI Dolin, 1975a: 60 [stem: *Desmat-*]. Type genus: *Desmatus* Dolin, 1975.

†Tribe HYPNOMORPHINI Dolin, 1975

HYPNOMORPHINI Dolin, 1975a: 54 [stem: *Hypnomorph-*]. Type genus: *Hypnomorpha* Dolin, 1975.

†Tribe PROTAGRYPNINI Dolin, 1973

PROTAGRYPNINI Dolin, 1973: 74 [stem: *Protagrypn-*]. Type genus: *Protagrypnus* Dolin, 1973.

Family PLASTOCERIDAE Crowson, 1972

PLASTOCERIDAE Crowson, 1972: 37, in key [stem: *Plastocer-*]. Type genus: *Plastocerus* Schaum, 1852. Comment: an application needs to be submitted to the Commission to suppress PLASTOCERI J. L. LeConte, 1861 (based on the misidentified type genus *Plastocerus* sensu J. L. LeConte, 1853) for the Principles of Priority and Homonymy (Art. 65.2.1) to conserve this name as valid.

Family DRILIDAE Blanchard, 1845

DRILITES Blanchard, 1845b: 53 [stem: *Dril-*]. Type genus: *Drilus* A. G. Olivier, 1790.

Subfamily DRILINAE Blanchard, 1845

DRILITES Blanchard, 1845b: 53 [stem: *Dril-*]. Type genus: *Drilus* A. G. Olivier, 1790. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1848: [11], as DRILIDAE), generally accepted as in Hansen (1996: 144, as DRILIDAE).

Subfamily THILMANINAE Kazantsev, 2004

THILMANINAE Kazantsev, 2004b: 240 [stem: *Thilman-*]. Type genus: *Thilmanus* Baudi di Selve, 1871. Comment: transferred from LYCIDAE by Bocák and Brlik (2008).

Tribe EUANOMINI Kazantsev, 2010

EUANOMINI Kazantsev, 2010a: 55 [stem: *Euanom-*]. Type genus: *Euanoma* Reitter, 1889.

Tribe THILMANINI Kazantsev, 2004

THILMANINAE Kazantsev, 2004b: 240 [stem: *Thilman-*]. Type genus: *Thilmanus* Baudi di Selve, 1871.

Family OMALISIDAE Lacordaire, 1857

*HOMALISES Motschulsky, 1849: 55 [stem: *Omalis-*]. Type genus: *Omalisus* Geoffroy, 1762 [as *Homalisus*, unjustified emendation of type genus name by Illiger (1801: 139), not in prevailing usage; placed on the Official List of Generic Names in

Zoology (ICZN 1994a)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).

HOMALISIDES Lacordaire, 1857: 303 [stem: *Omalis-*]. Type genus: *Omalisus* Geoffroy, 1762 [as *Homalisus*, unjustified emendation of type genus name by Illiger (1801: 139), not in prevailing usage; placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kiesenwetter (1860: 442, as HOMALISIDAE [incorrect stem formation]), generally accepted as in Lawrence and Newton (1995: 856, as OMALISIDAE); incorrect original stem formation, not in prevailing usage.

†Family BERENDTIMIRIDAE Winkler, 1987

BERENDTIMIRIDAE J. R. Winkler, 1987: 52 [stem: *Berendtimir-*]. Type genus: *Berendtimirus* J. R. Winkler, 1987.

Family LYCIDAE Laporte, 1836

LYCUSIDAE Laporte, 1836: 25 [stem: *Lyc-*]. Type genus: *Lycus* Fabricius, 1787.

Subfamily LIBNETINAE Bocák and Bocáková, 1990

LIBNETININA Bocák and Bocáková, 1990: 652 [stem: *Libnet-*]. Type genus: *Libnetis* C. O. Waterhouse, 1878. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily DICTYOPTERINAE Houlbert, 1922

DICTYOPTERINI Houlbert, 1922a: 338 [stem: *Dictyopter-*]. Type genus: *Dictyoptera* Latreille, 1829.

Tribe DICTYOPTERINI Houlbert, 1922

DICTYOPTERINI Houlbert, 1922a: 338 [stem: *Dictyopter-*]. Type genus: *Dictyoptera* Latreille, 1829. Comment: family-group name previously attributed to Kleine (1929: 226); although Houlbert (1922a) uses the tribe name LYCINI for a group of genera that includes *Dictyoptera* Latreille in the main text (page 240), this was certainly a mistake since the tribe name DICTYOPTERINI is correctly used in the “Index alphabétique” (page 319) and in the “Table systématique” (page 338).

Tribe LYCOPROGENTHINI Bocák and Bocáková, 2008

LYCOPROGENTHINI Bocák and Bocáková, 2008: 709 [stem: *Lycoprogenth-*]. Type genus: *Lycoprogenthes* Pic, 1915.

Tribe TAPHINI Bocák and Bocáková, 1990

TAPHININA Bocák and Bocáková, 1990: 650 [stem: *Taph-*]. Type genus: *Taphes* C. O. Waterhouse, 1878. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily LYROPAEINAE Bocák and Bocáková, 1989

LYROPAEINI Bocák and Bocáková, 1989: 718 [stem: *Lyropae-*]. Type genus: *Lyropaeus* C. O. Waterhouse, 1878.

Tribe ALYCULINI Bocák and Bocáková, 2008

ALYCULINI Bocák and Bocáková, 2008: 710 [stem: *Alycul-*]. Type genus: *Alyculus* Kazantsev, 1999.

Tribe ANTENNOLYCYNI Bocák and Bocáková, 2008

ANTENNOLYCYNI Bocák and Bocáková, 2008: 710 [stem: *Antennolyc-*]. Type genus: *Antennolycus* Bocák and Bocáková, 1999.

Tribe LYROPAEINI Bocák and Bocáková, 1989

LYROPAEINI Bocák and Bocáková, 1989: 718 [stem: *Lyropae-*]. Type genus: *Lyropaeus* C. O. Waterhouse, 1878.

PARALYCINAE L. N. Medvedev and Kazantsev, 1992: 59 [stem: *Paraly-*]. Type genus: *Paralyucus* L. N. Medvedev and Kazantsev, 1992 [syn. of *Lyropaeus* C. O. Waterhouse, 1878].

Tribe MINIDULITICOLINI Kazantsev, 2003

MINIDULITICOLINI Kazantsev, 2003: 20 [stem: *Miniduliticol-*]. Type genus: *Miniduliticola* Kazantsev, 2003.

Tribe PLATERODRILINI Kazantsev, 2004

*DULITICOLINAE Mjöberg, 1925: 140 [stem: *Duliticol-*]. Type genus: *Duliticola* Mjöberg, 1925 [syn. of *Platerodrilus* Pic, 1921]. Comment: unavailable family-group name (Art. 8.3): nomenclatural act disclaimed.

*DULITICOLINAE Kazantsev, 2003: 19 [stem: *Duliticol-*]. Type genus: *Duliticola* Mjöberg, 1925 [syn. of *Platerodrilus* Pic, 1921]. Comment: family-group name proposed as a new taxon but unavailable (Art. 11.7.1.1) because it was based on a type genus which was considered a synonym of *Platerodrilus* Pic, 1921 by the author.

PLATERODRILINI Kazantsev, 2004b: 241 [stem: *Platerodril-*]. Type genus: *Platerodrilus* Pic, 1921.

Subfamily ATELIINAE Kleine, 1929

ATELIINAE Kleine, 1929: 222 [stem: *Ateli-*]. Type genus: *Atelius* C. O. Waterhouse, 1878. Comment: First Revisers found (ATELIINAE Kleine, 1928 vs DILOPHOTINAE Kleine, 1928) are Bocák and Bocáková (2008: 712).

Tribe ATELIINI Kleine, 1929

ATELIINAE Kleine, 1929: 222 [stem: *Ateli-*]. Type genus: *Atelius* C. O. Waterhouse, 1878. Comment: incorrect original stem formation, not in prevailing usage.

Tribe DILOPHOTINI Kleine, 1929

DILOPHOTINAE Kleine, 1929: 222 [stem: *Dilophot-*]. Type genus: *Dilophotes* C. O. Waterhouse, 1879. Comment: current spelling maintained (Art. 29.5); incorrect stem formation in prevailing usage (should be *Dilophotet-*).

Subfamily LYCINAE Laporte, 1836

LYCUSIDAE Laporte, 1836: 25 [stem: *Lyc-*]. Type genus: *Lycus* Fabricius, 1787.

Tribe CALOCHROMINI Lacordaire, 1857

CALOCHROMIDES Lacordaire, 1857: 301 [stem: *Calochrom-*]. Type genus: *Calochromus* Guérin-Méneville, 1833. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Gorham (1880: 1, as CALOCHROMINAE), generally accepted as in Hansen (1996: 144, as CALOCHROMINAE).
LYGISTOPTERI J. L. LeConte, 1881: 27 [stem: *Lygistopter-*]. Type genus: *Lygistopterus* Dejean, 1833.

Tribe CALOPTERINI Green, 1949

CALOPTERINI Green, 1949: 56, in key [stem: *Calopter-*]. Type genus: *Calopteron* Laporte, 1838.

Subtribe ACROLEPTINA Bocáková, 2005

ACROLEPTINA Bocáková, 2005: 445 [stem: *Acrolept-*]. Type genus: *Acroleptus* Bourgeois, 1886.

Subtribe CALOPTERINA Green, 1949

*CALOPTERINI Kleine, 1933: 20 [stem: *Calopter-*]. Type genus: *Calopteron* Laporte, 1838. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

CALOPTERINI Green, 1949: 56, in key [stem: *Calopter-*]. Type genus: *Calopteron* Laporte, 1838.

Tribe CONDERINI Bocák and Bocáková, 1990

CONDERINI Bocák and Bocáková, 1990: 643 [stem: *Conder-*]. Type genus: *Conderis* C. O. Waterhouse, 1879. Comment: current spelling maintained (Art. 29.5); incorrect stem formation in prevailing usage (should be *Conderid-*).

Tribe DIHAMMATINI Bocák and Bocáková, 2008

DIHAMMATINI Bocák and Bocáková, 2008: 716 [stem: *Dihammat-*]. Type genus: *Dihammatus* C. O. Waterhouse, 1879.

Tribe EROTINI LeConte, 1881

EROTES J. L. LeConte, 1881: 23 [stem: *Erot-*]. Type genus: *Eros* Newman, 1838.

FLAGRAXINA Kazantsev, 2004a: 35, in key [stem: *Flagrax*-]. Type genus: *Flagrax* Kazantsev, 1992.

AFEROTINI Kazantsev, 2004a: 4 [stem: *Aferot*-]. Type genus: *Aferos* Kazantsev, 1992.

Tribe EURRHACINI Bocák and Bocáková, 2005

EURRHACINA Bocák and Bocáková, 2005: 444 [stem: *Eurrhac*-]. Type genus: *Eurrhacus* C. O. Waterhouse, 1879.

Tribe LEPTOLYCINI Leng and Mutchler, 1922

LEPTOLYCINI Leng and Mutchler, 1922: 430 [stem: *Leptoly*c-]. Type genus: *Leptoly*cus Leng and Mutchler, 1922.

Tribe LYCINI Laporte, 1836

LYCUSIDAE Laporte, 1836: 25 [stem: *Lyc*-]. Type genus: *Lycus* Fabricius, 1787. Comment: incorrect original stem formation, not in prevailing usage.

Tribe LYPONIINI Bocák and Bocáková, 1990

LYPONIININA Bocák and Bocáková, 1990: 652 [stem: *Lyponi*-]. Type genus: *Lyponia* C. O. Waterhouse, 1878. Comment: incorrect original stem formation, not in prevailing usage.

Tribe MACROLYCINI Kleine, 1929

MACROLYCINAE Kleine, 1929: 222 [stem: *Macrolyc*-]. Type genus: *Macrolycus* C. O. Waterhouse, 1878.

Tribe MELANEROTINI Kazantsev, 2010

MELANEROTINI Kazantsev, 2010b: 195 [stem: *Melanerot*-]. Type genus: *Melaneros* Fairmaire, 1877.

Tribe METRIORRHYNCHINI Kleine, 1926

METRIORRHYNCHINAE Kleine, 1926: 97 [stem: *Metriorrhynch*-]. Type genus: *Metriorrhynchus* Guérin-Méneville, 1838.

Subtribe HEMICONDERININA Bocák and Bocáková, 1990

HEMICONDERININA Bocák and Bocáková, 1990: 645 [stem: *Hemiconderin*-]. Type genus: *Hemiconderis* Kleine, 1926. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Hemiconderid*-).

Subtribe METRIORRHYNCHINA Kleine, 1926

METRIORRHYNCHINAE Kleine, 1926: 97 [stem: *Metriorrhynch*-]. Type genus: *Metriorrhynchus* Guérin-Méneville, 1838 [*Metriorrhynchus* is an incorrect subsequent spelling by Gemminger (1869: 1629) of the original name

Metriorhynchus in prevailing usage and so deemed to be the correct original spelling (Art. 33.3.1)]. Comment: First Reviser (METRIORRHYNCHINA Kleine, 1926 vs DILOLYCINA Kleine, 1926) not determined, current usage maintained.

DILOLYCINAE Kleine, 1926: 186 [stem: *Dilolyc-*]. Type genus: *Dilolycus* Kleine, 1926. Comment: one of the original spellings of this family-group name was HAPLOTHORACINAE on page 95 (based on the new genus *Haplothorax* Kleine), the spelling of the family-group and genus-group names were changed to DILOLYCINAE and *Dilolycus* on page 186 and in the “Corrigenda” on page 188 of the same work because *Haplothorax* Agassiz, 1846 (unjustified emendation of *Aplothorax* G. R. Waterhouse, 1841) was already available in CARABIDAE; DILOLYCINAE is therefore treated as the correct original spelling of this family-group name (Art. 19.2).

CLADOPHORINAE Kleine, 1929: 222 [stem: *Cladophor-*]. Type genus: *Cladophorus* Guérin-Méneville, 1830.

Subtribe TRICALINA Kleine, 1929

TRICALINAE Kleine, 1929: 222 [stem: *Trical-*]. Type genus: *Trichalus* C. O. Waterhouse, 1877.

Tribe PLATERODINI Kleine, 1929

PLATERODINAE Kleine, 1929: 222 [stem: *Platerod-*]. Type genus: *Plateros* Bourgeois, 1879. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Platerot-*) (see Kazantsev 2010c: 278).

Tribe SLIPINSKIINI Bocák and Bocáková, 1992

SLIPINSKIININA Bocák and Bocáková, 1992: 256 [stem: *Slipinski-*]. Type genus: *Slipinskia* Bocák and Bocáková, 1992. Comment: incorrect original stem formation, not in prevailing usage.

Tribe THONALMINI Kleine, 1933

THONALMINI Kleine, 1933: 18 [stem: *Thonalm-*]. Type genus: *Thonalmus* Bourgeois, 1883. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Blackwelder (1945: 343, as THONALMINI) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1) (see Bocák and Bocáková 2008: 717).

Subfamily DEXORINAE Bocák and Bocáková, 1989

*DEXORINI Kleine, 1933: 113 [stem: *Dexor-*]. Type genus: *Dexoris* C. O. Waterhouse, 1878. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

DEXORINAE Bocák and Bocáková, 1989: 718 [stem: *Dexor*-]. Type genus: *Dexoris* C. O. Waterhouse, 1878.

Family TELEGEUSIDAE Leng, 1920

TELEGEUSIDAE Leng, 1920: 152 [stem: *Telegeus*-]. Type genus: *Telegeusis* G. H. Horn, 1895. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Telegeuse*-).

Family PHENGODIDAE LeConte, 1861

PHENGODINI J. L. LeConte, 1861: 185 [stem: *Phengod*-]. Type genus: *Phengodes* Illiger, 1807.

Subfamily PHENGODINAE LeConte, 1861

PHENGODINI J. L. LeConte, 1861: 185 [stem: *Phengod*-]. Type genus: *Phengodes* Illiger, 1807.

PSEUDOPHENGODIDAE Pic, 1930: 319 [stem: *Pseudophengod*-]. Type genus: *Pseudophengodes* Pic, 1930.

Subfamily MASTINOCERINAE LeConte, 1881

MASTINOCERINI J. L. LeConte, 1881: 40 [stem: *Mastinocer*-]. Type genus: *Mastinocerus* Solier, 1849.

Subfamily PENICILLOPHORINAE Paulus, 1975

PENICILLOPHORINI Paulus, 1975: 80 [stem: *Penicilliphor*-]. Type genus: *Penicilliphorus* Paulus, 1975.

Family RHAGOPHTHALMIDAE Olivier, 1907

RHAGOPHTHALMIDAE E. Olivier, 1907: 63 [stem: *Rhagophtalm*-]. Type genus: *Rhagopthalmus* Motschulsky, 1853.

Family LAMPYRIDAE Rafinesque, 1815

LAMPYRIA Rafinesque, 1815: 110 [stem: *Lampyr*-]. Type genus: *Lampyris* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)].

Subfamily PSIOLCLADINAE McDermott, 1964

PSIOLCLADINA McDermott, 1964: 12, in key [stem: *Psiloclad*-]. Type genus: *Psilocladus* Blanchard, 1846.

CYPHONOCERINAE Crowson, 1972: 55, in key [stem: *Cyphonocer*-]. Type genus: *Cyphonocerus* Kiesenwetter, 1879.

Subfamily AMYDETINAE Olivier, 1907

AMYDETINI E. Olivier, 1907: 48 [stem: *Amydet*-]. Type genus: *Amydetes* Hoffmannsegg, 1807.

Tribe AMYDETINI Olivier, 1907

AMYDETINI E. Olivier, 1907: 48 [stem: *Amydet-*]. Type genus: *Amydetes* Hoffmannsegg, 1807.

MEGALOPHTHALMINI E. Olivier, 1907: 46 [stem: *Megalophthalm-*]. Type genus: *Megalophthalmus* Gray, 1832 [preoccupied genus name, not *Megalophthalmus* Leach, 1830 [Crustacea]; syn. of *Magnoculus* McDermott, 1964]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe VESTINI McDermott, 1964

VESTINA McDermott, 1964: 12, in key [stem: *Vest-*]. Type genus: *Vesta* Laporte, 1833.

Subfamily LAMPYRINAE Rafinesque, 1815

LAMPYRIA Rafinesque, 1815: 110 [stem: *Lampyr-*]. Type genus: *Lampyris* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)].

Tribe CRATOMORPHINI Green, 1948

CRATOMORPHI Green, 1948: 68, in key [stem: *Cratomorph-*]. Type genus: *Cratomorphus* Motschulsky, 1853.

Tribe LAMPROCERINI Olivier, 1907

LAMPROCERINI E. Olivier, 1907: 7 [stem: *Lamprocer-*]. Type genus: *Lamprocera* Laporte, 1833.

Tribe LAMPROHIZINI Kazantsev, 2010

LAMPROHIZINI Kazantsev, 2010d: 189 [stem: *Lamprohiz-*]. Type genus: *Lamprohiza* Motschulsky, 1853.

Tribe LAMPYRINI Rafinesque, 1815

LAMPYRIA Rafinesque, 1815: 110 [stem: *Lampyr-*]. Type genus: *Lampyris* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)]. Comment: family-group name previously attributed to Latreille (1816: 236); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Lampyrid-*).

Tribe LUCIDOTINI Lacordaire, 1857

LUCIDOTIDES Lacordaire, 1857: 310 [stem: *Lucidot-*]. Type genus: *Lucidota* Laporte, 1833.

Subtribe DADOPHORINA Olivier, 1907

DADOPHORINI E. Olivier, 1907: 26 [stem: *Dadophor-*]. Type genus: *Dadophora* E. Olivier, 1907.

Subtribe LAMPRIGERINA McDermott, 1964

LAMPRIGERINA McDermott, 1964: 12, in key [stem: *Lampriger-*]. Type genus: *Lamprigera* Motschulsky, 1853.

Subtribe LUCIDOTINA Lacordaire, 1857

LUCIDOTIDES Lacordaire, 1857: 310 [stem: *Lucidot-*]. Type genus: *Lucidota* Laporte, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 184, as LUCIDOTAE), generally accepted as in Gorham (1881: 29, as LUCIDOTIDES [treated as Latin]).

PRISTOLYCINI J. R. Winkler, 1953: 409 [stem: *Pristolyc-*]. Type genus: *Pristolycus* Gorham, 1883.

PRISTOLYCINI Kazantsev, 2010d: 205 [stem: *Pristolyc-*]. Type genus: *Pristolycus* Gorham, 1883. Comment: name proposed as new without reference to PRISTOLYCINI J. R. Winkler, 1953.

Subtribe PHOTININA LeConte, 1881

*PHOSPHAENAIRES Mulsant, 1862: 116 [stem: *Phosphaen-*]. Type genus: *Phosphaenus* Laporte, 1833. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant (1862).

PHOTINI J. L. LeConte, 1881: 30 [stem: *Photin-*]. Type genus: *Photinus* Laporte, 1833. Comment: incorrect original stem formation, not in prevailing usage; this name is a senior homonym of PHOTININAE Giglio-Tos, 1915 (type genus *Photina* Burmeister, 1838) in Mantodea; this case was submitted to the Commission to remove the homonymy by emending the stem of the mantid name (see Svenson and Branham 2007: 243).

PHOSPHAENIDES E. Olivier, 1884: 4 [stem: *Phosphaen-*]. Type genus: *Phosphaenus* Laporte, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Ganglbauer (1886: 280, as PHOSPHAENINI).

Tribe PLEOTOMINI Summers, 1874

PLEOTOMINI Summers, 1874: 91 [stem: *Pleotom-*]. Type genus: *Pleotomus* J. L. LeConte, 1861.

CALYPTOCEPHALINA Jakobson, 1911a: 667 [stem: *Calyptocephal-*]. Type genus: *Calyptocephalus* Gray, 1832.

PLEOTOMI Green, 1948: 68, in key [stem: *Pleotom-*]. Type genus: *Pleotomus* J. L. LeConte, 1861. Comment: family-group name proposed as new without reference to PLEOTOMINI Summers, 1874.

Subfamily LUCIOLINAE Lacordaire, 1857

LUCIOLIDES Lacordaire, 1857: 333 [stem: *Luciol-*]. Type genus: *Luciola* Laporte, 1833.

Tribe CURTOSINI McDermott, 1964

CURTOSINI McDermott, 1964: 47 [stem: *Curtos-*]. Type genus: *Curtos* Motschulsky, 1845. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Curt-*).

Tribe LUCIOLINI Lacordaire, 1857

LUCIOLIDES Lacordaire, 1857: 333 [stem: *Luciol-*]. Type genus: *Luciola* Laporte, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 184, as LUCIOLINI), generally accepted as in Lawrence and Newton (1995: 859, as LUCIOLINAE).

Subfamily PHOTURINAE Lacordaire, 1857

PHOTURIDES Lacordaire, 1857: 338 [stem: *Photur-*]. Type genus: *Photuris* J. L. LeConte, 1851. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1906: 177, as PHOTURINI), generally accepted as in Lawrence and Newton (1995: 859, as PHOTURINAE); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Photurid-*).

LAMPYRIDAE *incertae sedis*

CHEGUEVARIINI Kazantsev, 2007: 370 [stem: *Cheguevari-*]. Type genus: *Cheguevaria* Kazantsev, 2007.

Family OMETHIDAE LeConte, 1861

OMETHES J. L. LeConte, 1861: 187 [stem: *Ometh-*]. Type genus: *Omethes* J. L. LeConte, 1861.

Subfamily OMETHINAE LeConte, 1861

OMETHES J. L. LeConte, 1861: 187 [stem: *Ometh-*]. Type genus: *Omethes* J. L. LeConte, 1861.

Subfamily MATHETEINAE LeConte, 1881

MATHETEI J. L. LeConte, 1881: 29 [stem: *Mathete-*]. Type genus: *Matheteus* J. L. LeConte, 1874.

Subfamily DRILONIINAE Crowson, 1972

DRILONIINAE Crowson, 1972: 58, in key [stem: *Driloni-*]. Type genus: *Drilonius* Kiesenwetter, 1874.

Family CANTHARIDAE Imhoff, 1856 (1815)

CANTHARIDAE Imhoff, 1856: [2] 69 [stem: *Canthar-*]. Type genus: *Cantharis* Linnaeus, 1758. Comment: this family-group name was used by many authors prior to Imhoff's usage, these were based on a misidentified type genus *Cantharis* (syn.

of *Lytta* Fabricius, 1775) and are therefore not used as valid for this group (see Lawrence and Newton 1995:860); this case should be referred to the Commission to suppress any use of CANTHARIDAE prior to Imhoff (1856); usage of the younger name CANTHARIDAE Imhoff, 1856 over TELEPHORIDAE Leach, 1815 is conserved (Art. 40.2) (see Lawrence and Newton 1995: 860).

Subfamily CANTHARINAE Imhoff, 1856 (1815)

CANTHARIDAE Imhoff, 1856: [2] 69 [stem: *Canthar-*]. Type genus: *Cantharis* Linnaeus, 1758. Comment: usage of the younger name over TELEPHORINAE Leach, 1815 is conserved (Art. 40.2) (see Lawrence and Newton 1995: 860).

Tribe CANTHARINI Imhoff, 1856 (1815)

TELEPHORIDES Leach, 1815: 85 [stem: *Telephor-*]. Type genus: *Telephorus* Schaeffer, 1766 [syn. of *Cantharis* Linnaeus, 1758]. Comment: usage of CANTHARIDAE/-INAЕ/-INI over this name is conserved (Art. 40.2) (see Lawrence and Newton 1995: 860).

CANTHARIDAE Imhoff, 1856: [2] 69 [stem: *Canthar-*]. Type genus: *Cantharis* Linnaeus, 1758. Comment: usage of the younger name over TELEPHORINI Leach, 1815 is conserved (Art. 40.2) (see Lawrence and Newton 1995: 860); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Cantharid-*).

Tribe PODABRINI Gistel, 1856

PODABRIDAE Gistel, 1856a: 385 [stem: *Podabr-*]. Type genus: *Podabrus* Dejean, 1833. Comment: family-group name attributed to J. L. LeConte (1881: 45) in recent literature although the same author had used the family-group name PODABRI twenty years earlier (J. L. LeConte, 1861: 188).

Subfamily SILINAE Mulsant, 1862

SILIAIRES Mulsant, 1862: 342 [stem: *Sil-*]. Type genus: *Silis* Charpentier, 1825.

Tribe SILINI Mulsant, 1862

SILIAIRES Mulsant, 1862: 342 [stem: *Sil-*]. Type genus: *Silis* Charpentier, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gorham (1881: 91, as SILINI), generally accepted as in Hansen (1996: 145, as SILINAE).

Tribe TYTTHONYXINI Arnett, 1962

TYTTHONYINI Arnett, 1962a: 537 [stem: *Tytthonyx-*]. Type genus: *Tytthonyx* J. L. LeConte, 1851. Comment: spelling changed to TYTTHONYXINI by Wittmer (1970: 42); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Tytthonych-*).

Subfamily DYSMORPHOCERINAE Brancucci, 1980

DYSMORPHOCERINAE Brancucci, 1980: 292 [stem: *Dysmorphocer-*]. Type genus: *Dysmorphocerus* Solier, 1849.

Subfamily MALTHININAE Kiesenwetter, 1852

MALTHINEN Kiesenwetter, 1852: 239 [stem: *Malthin-*]. Type genus: *Malthinus* Latreille, 1806.

Tribe MALCHININI Brancucci, 1980

MALCHININI Brancucci, 1980: 313 [stem: *Malchin-*]. Type genus: *Malchinus* Kiesenwetter, 1863.

Tribe MALTHININI Kiesenwetter, 1852

MALTHINEN Kiesenwetter, 1852: 239 [stem: *Malthin-*]. Type genus: *Malthinus* Latreille, 1806. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1861: 187, as MALTHINI), generally accepted as in Lawrence and Newton (1995: 860, as MALTHININAE); this family-group name was also used in the same year by Motschulsky (1852: 1, as MALTHINIDES) but this vernacular name is unavailable (Art. 11.7.2) because it is not generally attributed to Motschulsky (1852).

Tribe MALTHODINI Böving and Craighead, 1931

MALTHODINAE Böving and Craighead, 1931: 48, in key [stem: *Malthod-*]. Type genus: *Malthodes* Kiesenwetter, 1852.

MALTHODINI Brancucci, 1980: 307 [stem: *Malthod-*]. Type genus: *Malthodes* Kiesenwetter, 1852. Comment: family-group name proposed as new without reference to MALTHODINAE Böving and Craighead, 1931.

Subfamily CHAULIOGNATHINAE LeConte, 1861

CHAULIOGNATHINI J. L. LeConte, 1861: 186 [stem: *Chauliognath-*]. Type genus: *Chauliognathus* Hentz, 1829.

Tribe CHAULIOGNATHINI LeConte, 1861

CHAULIOGNATHINI J. L. LeConte, 1861: 186 [stem: *Chauliognath-*]. Type genus: *Chauliognathus* Hentz, 1829.

Tribe ICHTHYURINI Champion, 1915

ICHTHYURINI Champion, 1915: 128 [stem: *Ichthyur-*]. Type genus: *Ichthyurus* Westwood, 1848.

Subfamily CYDISTINAE Paulus, 1972

CYDISTINAE Paulus, 1972a: 48, in key [stem: *Cydist-*]. Type genus: *Cydistus* Bourgeois, 1885.

Subfamily PTEROTINAE LeConte, 1861

PTEROTINI J. L. LeConte, 1861: 185 [stem: *Pterot-*]. Type genus: *Pterotus* J. L. LeConte, 1859.

Subfamily OTOTRETINAE McDermott, 1964

OTOTRETINAE McDermott, 1964: 11, in key [stem: *Ototret-*]. Type genus: *Ototreta* E. Olivier, 1900 [syn. of *Drilaster* Kiesenwetter, 1879].

Subfamily OTOTRETADRILINAE Crowson, 1972

OTOTRETADRILINAE Crowson, 1972: 55, in key [stem: *Ototretadril-*]. Type genus: *Ototretadrilus* Pic, 1921.

†Subfamily LASIOSYNIDAE Kirejtshuk, Chang, Ren and Kun, 2010

LASIOSYNIDAE Kirejtshuk et al., 2010: 68 [stem: *Lasiosyn-*]. Type genus: *Lasiosyne* Tan et al., 2007.

Series DERODONTIFORMIA

Superfamily DERODONTOIDEA LeConte, 1861

DERODONTIDAE J. L. LeConte, 1861: 100 [stem: *Derodont-*]. Type genus: *Derodontus* J. L. LeConte, 1861. Comment: name conserved over NOSODENDROIDEA Erichson, 1846 (Art. 35.5).

Family DERODONTIDAE LeConte, 1861

DERODONTIDAE J. L. LeConte, 1861: 100 [stem: *Derodont-*]. Type genus: *Derodontus* J. L. LeConte, 1861. Comment: First Reviser found (DERODONTIDAE J. L. LeConte, 1861 vs PELTASTICIDAE J. L. LeConte, 1861) is Schenkling (1915: 3).

Subfamily PELTASTICINAE LeConte, 1861

PELTASTICIDAE J. L. LeConte, 1861: 88 [stem: *Peltastic-*]. Type genus: *Peltastica* Mannerheim, 1852.

Subfamily DERODONTINAE LeConte, 1861

DERODONTIDAE J. L. LeConte, 1861: 100 [stem: *Derodont-*]. Type genus: *Derodontus* J. L. LeConte, 1861.

Subfamily LARICOBIINAE Mulsant and Rey, 1864

LARICOBIENS Mulsant and Rey, 1864a: 374 [stem: *Laricobi-*]. Type genus: *Laricobius* Rosenhauer, 1846. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Ganglbauer (1899: 766, as LARICOBIIDAE), generally accepted as in Hansen (1996: 146, as LARICOBIINAE).

Family NOSODENDRIDAE Erichson, 1846

NOSODENDRINI Erichson, 1846: 465 [stem: *Nosodendr-*]. Type genus: *Nosodendron* Latreille, 1804.

Family JACOBSONIIDAE Heller, 1926

JACOBSONIIDAE Heller, 1926: 127 [stem: *Jacobsoni-*]. Type genus: *Jacobsonium* Heller, 1926 [syn. of *Sarothrias* Grouvelle, 1918].

SAROTHRIIDAE Crowson, 1955: 75 [stem: *Sarothri-*]. Type genus: *Sarothrias* Grouvelle, 1918. Comment: replacement name for JACOBSONIIDAE Heller, 1926 because of synonymy of the type genus.

DEROLATHRIINAE Sen Gupta, 1979: 692 [stem: *Derolathr-*]. Type genus: *Derolathrus* Sharp, 1900. Comment: incorrect original stem formation, not in prevailing usage.

Series BOSTRICHIFORMIA**Superfamily BOSTRICHOIDEA Latreille, 1802**

BOSTRICHINI Latreille, 1802: 202 [stem: *Bostrich-*]. Type genus: *Bostrichus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: First Reviser (BOSTRICHOIDEA Latreille, 1802 vs PTINOIDEA Latreille, 1802) not determined, current usage maintained.

Family DERMESTIDAE Latreille, 1804

DERMESTINI Latreille, 1804c: 142 [stem: *Dermest-*]. Type genus: *Dermestes* Linnaeus, 1758.

Subfamily DERESTINAE Latreille, 1804

DERMESTINI Latreille, 1804c: 142 [stem: *Dermest-*]. Type genus: *Dermestes* Linnaeus, 1758.

Tribe DERMESTINI Latreille, 1804

DERMESTINI Latreille, 1804c: 142 [stem: *Dermest-*]. Type genus: *Dermestes* Linnaeus, 1758. Comment: published 7 March 1804; this family-group name was also used in the same year by Latreille (1804a [between 19 August and 17 September]: 233, as DERMESTINI).

Tribe MARIOUTINI Jakobson, 1913

MARIOUTINI Jakobson, 1913: 826 [stem: *Mariout-*]. Type genus: *Mariouta* Pic, 1899.

RHOPALOSILPHINAE Arrow, 1929: 98 [stem: *Rhopalosilph-*]. Type genus: *Rhopalosilpha* Arrow, 1929. Comment: originally proposed as a subfamily of SILPHIDAE.

Subfamily THORICTINAE Agassiz, 1846

THORICTIDES Agassiz, 1846a: 162 [stem: *Thorict-*]. Type genus: *Thorictus* Germar, 1834.

Tribe THAUMAPHRASTINI Anderson, 1949

THAUMAPHRASTINAE W. H. Anderson, 1949: 127 [stem: *Thaumaphrast-*]. Type genus: *Thaumaphrastus* Blaisdell, 1927 [syn. of *Thorictodes* Reitter, 1875].

Tribe THORICTINI Agassiz, 1846

THORICTIDES Agassiz, 1846a: 162 [stem: *Thorict-*]. Type genus: *Thorictus* Germar, 1834.

Subfamily ORPHILINAE LeConte, 1861

ORPHILI J. L. LeConte, 1861: 109 [stem: *Orphil-*]. Type genus: *Orphilus* Erichson, 1846.

Subfamily TRINODINAE Casey, 1900

TRINODINI Casey, 1900: 139 [stem: *Trinod-*]. Type genus: *Trinodes* Dejean, 1821.

†Tribe CRETONODINI Kirejtshuk and Azar, 2009

CRETONODINI Kirejtshuk and Azar, 2009: 121 [stem: *Cretonod-*]. Type genus: *Cretonodes* Kirejtshuk and Azar, 2009.

Tribe THYLODRIINI Semenov, 1909

THELYDRIINI Semenov, 1909: xxv [stem: *Thylodri-*]. Type genus: *Thylodrias* Motschulsky, 1839 [as *Thelydrias*, unjustified emendation of type genus name by Agassiz (1846b: 370), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

TRICHELODINI Peacock, 1978: 344 [stem: *Trichelod-*]. Type genus: *Trichelodes* Carter, 1935.

Tribe TRINODINI Casey, 1900

TRINODINI Casey, 1900: 139 [stem: *Trinod-*]. Type genus: *Trinodes* Dejean, 1821.

Tribe TRINOPARVINI Háva, 2010

TRINOPARVINI Háva, 2010: 56 [stem: *Trinoparv-*]. Type genus: *Trinoparvus* Háva, 2004.

Subfamily ATTAGENINAE Laporte, 1840

ATTAGÉNITES Laporte, 1840b: 35 [stem: *Attagen-*]. Type genus: *Attagenus* Latreille, 1802.

Tribe ATTAGENINI Laporte, 1840

ATTAGÉNITES Laporte, 1840b: 35 [stem: *Attagen-*]. Type genus: *Attagenus* Latreille, 1802. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1861: 108, as ATTAGENI), generally accepted as in Hansen (1996: 147, as ATTAGENINAE).

Tribe EGIDYELLINI Semenov, 1914

EPIDYELLINI Semenov, 1914: 15 [stem: *Egidyell-*]. Type genus: *Egidyella* Reitter, 1899 [as *Epidyella*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily MEGATOMINAE Leach, 1815

MEGATOMIDA Leach, 1815: 94 [stem: *Megatom-*]. Type genus: *Megatoma* Herbst, 1791.

Tribe ANTHRENINI Gistel, 1848

ANTHRENIDAE Gistel, 1848: [5] [stem: *Anthren-*]. Type genus: *Anthrenus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

*TROGODERMATES Mulsant and Rey, 1867a: 120 [stem: *Trogodermat-*]. Type genus: *Trogoderma* Dejean, 1821. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

Tribe MEGATOMINI Leach, 1815

MEGATOMIDA Leach, 1815: 94 [stem: *Megatom-*]. Type genus: *Megatoma* Herbst, 1791.

CTESIINI Rees, 1943: 12 [stem: *Ctesi-*]. Type genus: *Ctesias* Stephens, 1830.

Family ENDECATOMIDAE LeConte, 1861

ENDECATOMINI J. L. LeConte, 1861: 207 [stem: *Endecatom-*]. Type genus: *Endecatomus* Mellié, 1847.

Family BOSTRICHIDAE Latreille, 1802

BOSTRICHINI Latreille, 1802: 202 [stem: *Bostrich-*]. Type genus: *Bostrichus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subfamily DYSIDINAE Lesne, 1921

DYSIDIDAE Lesne, 1921b: 286 [stem: *Dysid-*]. Type genus: *Dysides* Perty, 1832.

APOLEONINAE Gardner, 1933: 3 [stem: *Apoleont-*]. Type genus: *Apoleon* Gorham, 1885. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily POLYCAONINAE Lesne, 1896

POLYCAONINAE Lesne, 1896: 96 [stem: *Polycaon-*]. Type genus: *Polycaon* Laporte, 1836.

Subfamily BOSTRICHINAE Latreille, 1802

BOSTRICHINI Latreille, 1802: 202 [stem: *Bostrich-*]. Type genus: *Bostrichus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe APATINI Billberg, 1820

APATIDES Billberg, 1820a: 47 [stem: *Apat-*]. Type genus: *Apate* Fabricius, 1775 [nomen protectum (see Borowski and Węgrzynowicz 2009)]. Comment: this family-group name was also used in the same year by Billberg (1820b: 394, as APATIDES).

LIGNIPERDIDAE Jacobi, 1906: 139 [stem: *Ligniperd-*]. Type genus: *Ligniperda* Palas, 1772 [nomen oblitum (see Borowski and Węgrzynowicz 2009); syn. of *Apate* Fabricius, 1775].

CHILENIIDAE Lesne, 1921b: 287 [stem: *Chileni-*]. Type genus: *Chilenius* Lesne, 1921. BOSTRYCHOPSINI Lesne, 1921b: 288 [stem: *Bostrychopse-*]. Type genus: *Bostrychopsis* Lesne, 1899 [syn. of *Apate* Fabricius, 1775]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe BOSTRICHINI Latreille, 1802

BOSTRICHINI Latreille, 1802: 202 [stem: *Bostrich-*]. Type genus: *Bostrichus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. APATIDINI Bradley, 1930: 207, in key [stem: *Apatid-*]. Type genus: *Apatides* Casey, 1898.

LICHENOPHANINI Portevin, 1931: 470, in key [stem: *Lichenophan-*]. Type genus: *Lichenophanes* Lesne, 1899.

Tribe DINAPATINI Lesne, 1910

DINAPATINAE Lesne, 1910: 471 [stem: *Dinapat-*]. Type genus: *Dinapate* G. H. Horn, 1886.

Tribe SINOXYLINI Marseul, 1857

SINOXYLIDAE Marseul, 1857a: 107 [stem: *Sinoxyl-*]. Type genus: *Sinoxylon* Duftschmid, 1825.

Tribe XYLOPERTHINI Lesne, 1921

XYLOPERTHINI Lesne, 1921b: 288 [stem: *Xyloperth-*]. Type genus: *Xylopertha* Guérin-Méneville, 1845.

Subfamily PSOINAE Blanchard, 1851

PSOITAS Blanchard, 1851b: 434 [stem: *Pso-*]. Type genus: *Psoa* Herbst, 1797. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J.

L. LeConte (1861: 208, as Psoini), generally accepted as in Ivie (2002: 241, as Psoinae).

Subfamily DINODERINAE Thomson, 1863

DINODERINA C. G. Thomson, 1863: 201 [stem: *Dinoder-*]. Type genus: *Dinoderus* Stephens, 1830.

Subfamily LYCTINAE Billberg, 1820

LYCTIDES Billberg, 1820a: 48 [stem: *Lyct-*]. Type genus: *Lyctus* Fabricius, 1792.

Tribe LYCTINI Billberg, 1820

LYCTIDES Billberg, 1820a: 48 [stem: *Lyct-*]. Type genus: *Lyctus* Fabricius, 1792.

Tribe TROGOXYLINI Lesne, 1921

TROGOXYLINI Lesne, 1921a: 231 [stem: *Trogoxyl-*]. Type genus: *Trogoxylon* J. L. LeConte, 1862.

TRISTARIINI Lesne, 1921b: 287 [stem: *Tristari-*]. Type genus: *Tristaria* Reitter, 1878.

Subfamily EUDERIINAE Lesne, 1934

EUDERIITAE Lesne, 1934: 392 [stem: *Euderi-*]. Type genus: *Euderia* Broun, 1880.

Family PTINIDAE Latreille, 1802

PTINIORES Latreille, 1802: 112 [stem: *Ptin-*]. Type genus: *Ptinus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology (ICZN 1995a)]. Comment: PTINIDAE Latreille, 1802 placed on the Official List of Family-Group Names in Zoology (ICZN 1995a); several subfamilies in PTINIDAE contain tribes introduced in the literature by R. E. White (1982), those tribal names were not described originally and have not been made available subsequently; although some of White's tribes have been used as available and valid names recently, e.g., Zahradník (2007), they are not available; in subfamilies containing tribes first proposed by R. E. White (1982), we have decided not to use tribal names at all in order to avoid adding to the confusion, the necessary phylogenetic work needed to establish a meaningful tribal classification in those subfamilies is currently under way (K. Philips pers. comm. 2009).

Subfamily EUCRADINAE LeConte, 1861

EUCRADINI J. L. LeConte, 1861: 202 [stem: *Eucrad-*]. Type genus: *Eucrada* J. L. LeConte, 1861.

Tribe EUCRADINI LeConte, 1861

EUCRADINI J. L. LeConte, 1861: 202 [stem: *Eucrad-*]. Type genus: *Eucrada* J. L. LeConte, 1861.

Tribe HEDOBIINI Mulsant and Rey, 1868

HÉDOBIAIRES Mulsant and Rey, 1868b: 23 [stem: *Hedobi-*]. Type genus: *Hedobia* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Seidlitz (1889 [Gatt.]: 116, as HEDOBIINI), generally accepted as in Philips (2002: 254, as HEDOBIINI).

Subfamily PTININAE Latreille, 1802

PTINIORES Latreille, 1802: 112 [stem: *Ptin-*]. Type genus: *Ptinus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology (ICZN 1995a)]. Comment: PTINIDAE Latreille, 1802 placed on the Official List of Family-Group Names in Zoology (ICZN 1995a).

Tribe GIBBIINI Jacquelin du Val, 1860

GIBBIITES Jacquelin du Val, 1860: 211 [stem: *Gibbi-*]. Type genus: *Gibbium* Scopoli, 1777. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Kiesenwetter (1877: 44, as GIBBIINI), generally accepted as in Bellés (1985: 13, as GIBBIINAE).

Tribe MEZIINI Bellés, 1985

MEZIINI Bellés, 1985: 37, in key [stem: *Mezi-*]. Type genus: *Mezium* Curtis, 1828.

Tribe PTININI Latreille, 1802

PTINIORES Latreille, 1802: 112 [stem: *Ptin-*]. Type genus: *Ptinus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology (ICZN 1995a)]. Comment: PTINIDAE Latreille, 1802 placed on the Official List of Family-Group Names in Zoology (ICZN 1995a).

Tribe SPAHERICINI Portevin, 1931

SPHAERICINI Portevin, 1931: 494 [stem: *Sphaeric-*]. Type genus: *Sphaericus* Wollaston, 1854.

PTININAE *incertae sedis*

GNOSTIDAE Gemminger and Harold, 1868: 700 [stem: *Gnost-*]. Type genus: *Gnossus* Westwood, 1855.

ECTREPHIDAE Wasmann, 1894: 121 [stem: *Ectreph-*]. Type genus: *Ectrephes* Pascoe, 1866.

Subfamily DRYOPHILINAE Gistel, 1848

DRYOPHILIDAE Gistel, 1848: [6] [stem: *Dryophil-*]. Type genus: *Dryophilus* Chevrolat, 1832.

Tribe DRYOPHILINI Gistel, 1848

DRYOPHILIDAE Gistel, 1848: [6] [stem: *Dryophil-*]. Type genus: *Dryophilus* Chevrolat, 1832. Comment: family-group name previously attributed to J. L. Le Conte (1861: 205) in the literature.

DRYOBIIDAE Gistel, 1856a: 368 [stem: *Dryobi-*]. Type genus: *Dryobia* Gistel, 1856 [syn. of *Dryophilus* Chevrolat, 1832]. Comment: senior homonym of DRYOBIINI Arnett, 1962 (type genus *Dryobius* J. L. LeConte, 1850) used as valid in CERAMBYCIDAE; *nomen oblitum* (see Bousquet et al. 2009: 45); incorrect original stem formation, not in prevailing usage.

Tribe PTILINEURINI Böving, 1927

PTILINEURINI Böving, 1927a: 56 [stem: *Ptilineur-*]. Type genus: *Ptilineurus* Reitter, 1901.

Subfamily ERNOBIINAE Pic, 1912

COSMOCEROIDEOS Solier, 1849: 476 [stem: *Cosmocer-*]. Type genus: *Cosmocerus* Solier, 1849 [preoccupied genus name, not *Cosmocerus* Guérin-Méneville, 1844 [Coleoptera: CERAMBYCIDAE]; syn. of *Cerocosmus* Gemminger, 1873]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; Lawrence and Newton (1995: 864) used the latinized form COSMOCERINAE and treated Solier's name as available therefore we treat this name as available but permanently invalid.

ERNOBIINAE Pic, 1912: 12 [stem: *Ernobi-*]. Type genus: *Ernobius* C. G. Thomson, 1859. Comment: First Reviser found (ERNOBIINAE Pic, 1912 vs CEROCOSMINAE Pic, 1912) is White (1974: 419).

CEROCOSMINAE Pic, 1912: 45 [stem: *Cerocosm-*]. Type genus: *Cerocosmus* Gemminger, 1873.

XESTOBIINI Böving, 1927a: 56 [stem: *Xestobi-*]. Type genus: *Xestobium* Motschulsky, 1845.

*OZOGNATHINI R. E. White, 1982: 2 [stem: *Ozognath-*]. Type genus: *Ozognathus* J. L. LeConte, 1861. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subfamily ANOBIINAE Fleming, 1821

ANOBIUMEDAE Fleming, 1821: 50 [stem: *Anobi-*]. Type genus: *Anobium* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1976)]. Comment: incorrect original stem formation, not in prevailing usage.

*EUCERATOCERINI R. E. White, 1982: 7 [stem: *Euceratocer-*]. Type genus: *Euceratocerus* J. L. LeConte, 1874. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*COLPOSTERNINI R. E. White, 1982: 9 [stem: *Colpostern-*]. Type genus: *Colposternus* Fall, 1905. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*GASTRALLINI R. E. White, 1982: 9 [stem: *Gastrall-*]. Type genus: *Gastrallus* Jacquelin du Val, 1860. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*HADROBREGMINI R. E. White, 1982: 15 [stem: *Hadrobregm-*]. Type genus: *Hadrobregmus* C. G. Thomson, 1859. Comment: unavailable family-group name,

proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*NICOBIINI R. E. White, 1982: 10 [stem: *Nicobi-*]. Type genus: *Nicobium* J. L. LeConte, 1861. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*STEGOBIINI R. E. White, 1982: 11 [stem: *Stegobi-*]. Type genus: *Stegobium* Motschulsky, 1860. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subfamily PTILININAE Shuckard, 1839

PTILINIDAE Shuckard, 1839b: 45 [stem: *Ptilin-*]. Type genus: *Ptilinus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

SCLERASTEIDAE Gistel, 1856a: 368 [stem: *Sclerast-*]. Type genus: *Sclerastes* Gistel, 1856 [this genus originally included “*pectinicornis*” and “*costatus* Gy”, we here chose *Ptilinus costatus* Gyllenhal, 1827 as the type of *Sclerastes*; **syn. nov.** of *Ptilinus* Geoffroy, 1762]. Comment: **syn. nov.**; incorrect original stem formation, not in prevailing usage.

Subfamily ALVARENGANIELLINAE Viana and Martínez, 1971

ALVARENGANIELLINAE Viana and Martínez, 1971: 121 [stem: *Alvarenganiell-*]. Type genus: *Alvarenganiella* Viana and Martínez, 1971.

Subfamily XYLETININAE Gistel, 1848

XYLETINIDAE Gistel, 1848: [6] [stem: *Xyletin-*]. Type genus: *Xyletinus* Latreille, 1810 [placed on the Official List of Generic Names in Zoology (ICZN 1971)].

Tribe LASIODERMINI Böving, 1927

LASIODERMINI Böving, 1927a: 56 [stem: *Lasioderm-*]. Type genus: *Lasioderma* Stephens, 1835. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Lasiodermat-*).

Tribe METHOLCINI Zahradník, 2009

METHOLCINI Zahradník, 2009: 180 [stem: *Metholc-*]. Type genus: *Metholcus* Jacquin du Val, 1860.

Tribe XYLETININI Gistel, 1848

XYLETINIDAE Gistel, 1848: [6] [stem: *Xyletin-*]. Type genus: *Xyletinus* Latreille, 1810 [placed on the Official List of Generic Names in Zoology (ICZN 1971)].

VRILETTINI Böving, 1927a: 56 [stem: *Vrillett-*]. Type genus: *Vrilletta* J. L. LeConte, 1874. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily DORCATOMINAE Thomson, 1859

DORCATOMINA C. G. Thomson, 1859: 90 [stem: *Dorcatom-*]. Type genus: *Dorcatoma* Herbst, 1791 [the original spelling *Dorkatoma* was placed on the Official Index

of Rejected and Suppressed Generic Names in Zoology, *Dorcatoma* was chosen as correct original spelling and placed on the Official List of Generic Names in Zoology (ICZN 1995b)].

CAENOCARINI Böving, 1927a: 57 [stem: *Caenocar-*]. Type genus: *Caenocara* C. G. Thomson, 1859. Comment: also misspelled as COENECARINI (page 56) in the original publication.

*CALYMMADERINI R. E. White, 1982: 22 [stem: *Calymmader-*]. Type genus: *Calymmaderus* Solier, 1849. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*CRYPTORAMOPHINI R. E. White, 1982: 25 [stem: *Cryptoramorph-*]. Type genus: *Cryptoramorphus* R. E. White, 1966. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*PETALIINI R. E. White, 1982: 23 [stem: *Petali-*]. Type genus: *Petalium* J. L. LeConte, 1861. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); the tribe PETALIINI Tillyard, 1917 in Odonata (type genus *Petalia* Hagen, 1854, a junior homonym of *Petalia* Gray, 1838 [Mammalia]) is available but permanently invalid because it is based on a preoccupied type genus.

*PROTHECINI R. E. White, 1982: 25 [stem: *Prothec-*]. Type genus: *Protheca* J. L. LeConte, 1865. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subfamily MESOCOELOPODINAE Mulsant and Rey, 1864

MÉSOCOELOPAIRES Mulsant and Rey, 1864b: 311 [stem: *Mesocoelopod-*]. Type genus: *Mesocoelopus* Jacquelin du Val, 1860.

Tribe TRICORYNINI White, 1971

TRICORYNINAE R. E. White, 1971: 1301 [stem: *Tricoryn-*]. Type genus: *Tricorynus* G. R. Waterhouse, 1849.

Tribe MESOCOELOPODINI Mulsant and Rey, 1864

MÉSOCOELOPAIRES Mulsant and Rey, 1864b: 311 [stem: *Mesocoelopod-*]. Type genus: *Mesocoelopus* Jacquelin du Val, 1860. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kiesenwetter (1877: 153, as MESOCOELOPINI [incorrect stem formation]), generally accepted as in Philips (2002: 258, as MESOCOELOPODINAE); incorrect original stem formation, not in prevailing usage.

MESOTHINI Portevin, 1931: 489 [stem: *Mesothet-*]. Type genus: *Mesothes* Mulsant and Rey, 1864. Comment: incorrect original stem formation, not in prevailing usage.

PTINIDAE *incertae sedis*

FABIINAE Martínez and Viana, 1964: 7 [stem: *Fabi-*]. Type genus: *Fabia* Martínez and Viana, 1964.

Series CUCUJIFORMIA**Superfamily LYMEXYLOIDEA Fleming, 1821**

LYMOXYLONIDAE Fleming, 1821: 49 [stem: *Lymexyl-*]. Type genus: *Lymexylon* Fabricius, 1775. Comment: LYMEXYLOIDEA given precedence for superfamily name over HYLECOETOIDEA Germar, 1818 (Art. 35.5).

Family LYMEXYLIDAE Fleming, 1821

LYMOXYLONIDAE Fleming, 1821: 49 [stem: *Lymexyl-*]. Type genus: *Lymexylon* Fabricius, 1775. Comment: LYMEXYLIDAE given precedence for family name over HYLECOETIDAE Germar, 1818 (Art. 35.5).

Subfamily HYLECOETINAE Germar, 1818

HYLECOETI Germar, 1818: 344 [stem: *Hylecoet-*]. Type genus: *Hylecoetus* Latreille, 1806. Comment: name previously attributed to Gistel (1856a).

Subfamily LYMEXYLINAE Fleming, 1821

LYMOXYLONIDAE Fleming, 1821: 49 [stem: *Lymexyl-*]. Type genus: *Lymexylon* Fabricius, 1775 [as *Lymoxylon*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: published in July 1821; incorrect original stem formation, not in prevailing usage; this family-group name was also used in the same year by Fischer von Waldheim (1821 ["31 December"]: 37, as LYMEXYLA).

Subfamily ATRACTOCERINAE Laporte, 1840

ATRACTOCÉRITES Laporte, 1840a: 290 [stem: *Atractocer-*]. Type genus: *Atractocerus* Palisot de Beauvois, 1802. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Brues and Melander (1932: 23, as ATRACTOCERIDAE), generally accepted as in Cuccodoro (2007: 363, as ATRACTOCERINAE).

Subfamily MELITTOMMATINAE Wheeler, 1986

MELITTOMMINAE Q. D. Wheeler, 1986: 160 [stem: *Melittommat-*]. Type genus: *Melittomma* Murray, 1867. Comment: incorrect original stem formation, not in prevailing usage.

Superfamily CLEROIDEA Latreille, 1802

CLERII Latreille, 1802: 110 [stem: *Cler-*]. Type genus: *Clerus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)]. Comment:

First Reviser (CLEROIDEA Latreille, 1802 vs TROGOSSITOIDEA Latreille, 1802) not determined, current usage maintained.

Family PHLOIOPHILIDAE Kiesenwetter, 1863

PHLOEOPHILINI Kiesenwetter, 1863: 626, in key [stem: *Phloiphil-*]. Type genus: *Phloiphilus* Stephens, 1830 [as *Phloeophilus*, unjustified emendation of type genus name by Agassiz (1846b: 286), not in prevailing usage; *Phloeophilus* Agassiz, 1846 is a junior homonym of *Phloeophilus* Schönherr, 1833 [Coleoptera: ANTHRIBIDAE]]. Comment: incorrect original stem formation, not in prevailing usage; using the original spelling would place PHLOEOPHILINI Lacordaire, 1865 [Coleoptera: ANTHRIBIDAE] into homonymy with this name.

Family TROGOSSITIDAE Latreille, 1802

TROGOSSITARI Latreille, 1802: 159 [stem: *Trogossit-*]. Type genus: *Trogosita* A. G. Olivier, 1790 [syn. of *Tenebroides* Piller and Mitterpacher, 1783].

Subfamily PELTINAE Latreille, 1806

PELTIDES Latreille, 1806: 8 [stem: *Pelt-*]. Type genus: *Peltis* Kugelann, 1792 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe ANCYRONINI Kolibáč, 2006

ANCYRONINI Kolibáč, 2006: 127 [stem: *Ancyron-*]. Type genus: *Ancyrona* Reitter, 1876.

Tribe COLYDIOPELTINI Kolibáč, 2006

COLYDIOPELTINI Kolibáč, 2006: 126 [stem: *Colydiopelt-*]. Type genus: *Colydiopeltis* Ślipiński, 1992.

Tribe DECAMERINI Crowson, 1964

DECAMERINAE Crowson, 1964: 287 [stem: *Decamer-*]. Type genus: *Decamerus* Solier, 1849.

Tribe LOPHOCATERINI Crowson, 1964 *nomen protectum*

LYCOPTINI Casey, 1890: 311 [stem: *Lycopt-*]. Type genus: *Lycoptis* Casey, 1890. Comment: *nomen oblitum* (see Appendix 1).

LOPHOCATERINAE Crowson, 1964: 297 [stem: *Lophocater-*]. Type genus: *Lophocateres* Olliff, 1883. Comment: *nomen protectum* (see Appendix 1).

Tribe PELTINI Latreille, 1806

PELTIDES Latreille, 1806: 8 [stem: *Pelt-*]. Type genus: *Peltis* Kugelann, 1792 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: name previously attributed to Kirby (1837).

OSTOMINI Harold, 1876: 169 [stem: *Ostomat*-]. Type genus: *Ostoma* Laicharting, 1781. Comment: incorrect original stem formation, not in prevailing usage.

Tribe THYMALINI Léveillé, 1888

*THYMALITES Blanchard, 1845a: 277 [stem: *Thymal*-]. Type genus: *Thymalus* Latreille, 1802. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1845a).

THYMALINI Léveillé, 1888: 444 [stem: *Thymal*-]. Type genus: *Thymalus* Latreille, 1802.

RENTONIINAE Crowson, 1966: 120 [stem: *Rentoni*-]. Type genus: *Rentonium* Crowson, 1966.

PROTOPELTINI Crowson, 1966: 120 [stem: *Protopelt*-]. Type genus: *Protopeltis* Crowson, 1964.

†MELIGETHIELLINEAE Kirejtshuk and Ponomarenko, 1990: 79 [stem: *Meligethiell*-]. Type genus: *Meligethiella* L. N. Medvedev, 1969.

Subfamily TROGOSSITINAE Latreille, 1802

TROGOSSITARI Latreille, 1802: 159 [stem: *Trogossit*-]. Type genus: *Trogossita* A. G. Olivier, 1790 [syn. of *Tenebroides* Piller and Mitterpacher, 1783].

Tribe CALITYINI Reitter, 1922

CALITYNI Reitter, 1922a: 66 [stem: *Cality*-]. Type genus: *Calitys* C. G. Thomson, 1859. Comment: incorrect original stem formation, not in prevailing usage.

Tribe EGOLIINI Lacordaire, 1854

ÉGOLIIDES Lacordaire, 1854b: 334 [stem: *Egoli*-]. Type genus: *Egolia* Erichson, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Ganglbauer (1899: 419, as EGOLIIDES [treated as Latin]), generally accepted as in Kolibáč (2006: 119, as EGOLIINI).

Tribe GYMNOCHILINI Lacordaire, 1854

GYMNOCHILIDES Lacordaire, 1854b: 344 [stem: *Gymnochil*-]. Type genus: *Gymnochila* Klug, 1844. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1858: 43, as GYMNOCHILITAE), generally accepted as in Burakowski et al. (1986: 118, as GYMNOCHILINAE).

LEPERINI Reitter, 1876a: 55 [stem: *Leperin*-]. Type genus: *Leperina* Erichson, 1844. Comment: incorrect original stem formation, not in prevailing usage.

Tribe LARINOTINI Ślipiński, 1992

LARINOTINAE Ślipiński, 1992: 443 [stem: *Larinot*-]. Type genus: *Larinotus* Carter and Zeck, 1937.

†Tribe LITHOSTOMATINI Kolibáč and Huang, 2008

LITHOSTOMINI Kolibáč and Huang, 2008: 142 [stem: *Lithostomat-*]. Type genus: *Lithostoma* Martynov, 1926. Comment: incorrect original stem formation, not in prevailing usage.

Tribe TROGOSSITINI Latreille, 1802

TROGOSSITARI Latreille, 1802: 159 [stem: *Trogossit-*]. Type genus: *Trogossita* A. G. Olivier, 1790 [syn. of *Tenebroides* Piller and Mitterpacher, 1783].

NEMOSOMIDA Leach, 1815: 110 [stem: *Nemozomat-*]. Type genus: *Nemozoma* Latreille, 1804 [as *Nemosoma*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

TEMNOCHILINI Léveillé, 1888: 432 [stem: *Temnoscheil-*]. Type genus: *Temnoscheila* Westwood, 1830 [as *Temnochila*, unjustified emendation of type genus name by Erichson (1844: 449), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

TENEBRIOIDINI Ganglbauer, 1899: 420 [stem: *Tenebroid-*]. Type genus: *Tenebroides* Piller and Mitterpacher, 1783 [as *Tenebrioides*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Family CHAETOSOMATIDAE Crowson, 1952

CHAETOSOMATIDAE Crowson, 1952: 66 [stem: *Chaetosomat-*]. Type genus: *Chaetosoma* Westwood, 1851 [this genus is a junior homonym of *Chaetosoma* Chevrolat, 1843 in CERAMBYCIDAE; *Chaetosoma* Chevrolat, 1843 is also a senior objective synonym of the well-established name *Apodasya* Pascoe, 1863]. Comment: this name is a junior homonym of CHAETOSOMATIDAE Claus, 1872 (type genus *Chaetosoma* Claparède, 1863, which is a junior homonym of *Chaetosoma* Westwood, 1851) in Nematoda; the nematode family-group name is permanently invalid (Art. 39) because it is based on a junior homonym, the valid name for this nematode family is DRACONEMATIDAE Filipjev, 1918; furthermore, the type genus of CHAETOSOMATIDAE Crowson is a junior homonym of *Chaetosoma* Chevrolat, 1843 in Cerambycidae; an application was recently submitted by Bousquet and Bouchard (2010) to suppress *Chaetosoma* Chevrolat, 1843 for the Principles of Priority and Homonymy and CHAETOSOMATIDAE Claus, 1872 for the Principle of Priority, therefore conserving the names CHAETOSOMATIDAE Crowson and *Chaetosoma* Westwood (see Appendix 6).

Family METAXINIDAE Kolibáč, 2004

METAXINIDAE Kolibáč, 2004: 247 [stem: *Metaxin-*]. Type genus: *Metaxina* Broun, 1909.

Family THANEROCLERIDAE Chapin, 1924

THANEROCLERINAE Chapin, 1924: 251 [stem: *Thanerocler-*]. Type genus: *Thaneroclerus* Westwood, 1838.

Subfamily ZENODOSINAE Kolibáč, 1992

ZENODOSINI Kolibáč, 1992: 307 [stem: *Zenodos-*]. Type genus: *Zenodosus* Wolcott, 1910.

Subfamily THANEROCLERINAE Chapin, 1924

THANEROCLERINAE Chapin, 1924: 251 [stem: *Thanerocler-*]. Type genus: *Thaneroclerus* Westwood, 1838.

Tribe ISOCLERINI Kolibáč, 1992

ISOCLERINA Kolibáč, 1992: 315 [stem: *Isocler-*]. Type genus: *Isoclerus* Lewis, 1892.

Tribe THANEROCLERINI Chapin, 1924

THANEROCLERINAE Chapin, 1924: 251 [stem: *Thanerocler-*]. Type genus: *Thaneroclerus* Westwood, 1838.

Tribe VITICLERINI Winkler, 1982

VITICLERINI J. R. Winkler, 1982: 529, in key [stem: *Viticler-*]. Type genus: *Viticlerus* Miyatake, 1977.

Family CLERIDAE Latreille, 1802

CLERII Latreille, 1802: 110 [stem: *Cler-*]. Type genus: *Clerus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)]. Comment: see Opitz (2010) for an alternative subfamilial classification within this family.

Subfamily TILLINAE Fischer von Waldheim, 1813

TILLII Fischer von Waldheim, 1813: 232 [stem: *Till-*]. Type genus: *Tillus* A. G. Olivier, 1790. Comment: family-group name previously attributed to Leach (1815).

CYLIDRINA Reitter, 1894: 38 [stem: *Cylidr-*]. Type genus: *Cylidrus* Latreille, 1829.

*MONOPHYLLINI Böving and Craighead, 1931: 78 [stem: *Monophyll-*]. Type genus: *Monophylla* Spinola, 1841. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subfamily HYDNOCERINAE Spinola, 1844

HYDNOCÉROÏDES Spinola, 1844: Tableau générique (3) [stem: *Hydnocer-*]. Type genus: *Hydnocera* Newman, 1838 [syn. of *Phyllobaenus* Dejean, 1833].

Tribe CALLIMERINI Kolibáč, 1998

CALLIMERINI Kolibáč, 1998: 165 [stem: *Callimer-*]. Type genus: *Callimerus* Gorham, 1876.

Tribe HYDNOCERINI Spinola, 1844

HYDNOCÉROÏDES Spinola, 1844: Tableau générique (3) [stem: *Hydnocer-*]. Type genus: *Hydnocera* Newman, 1838 [syn. of *Phyllobaenus* Dejean, 1833]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Desmarest (1857: 263, as HYDNOCERIDAE), generally accepted as in Kolibáč (1998: 127, as HYDNOCERINAE).

PHYLLOBÉNIDES Lacordaire, 1857: 466 [stem: *Phyllobaen-*]. Type genus: *Phyllobae-nus* Dejean, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by and generally accepted as in Gorham (1876: 59, as PHYLLOBENIDES [treated as Latin]); incorrect original stem formation, not in prevailing usage.

Tribe LEMIDIINI Kolibáč, 1998

LEMIDIINI Kolibáč, 1998: 183 [stem: *Lemidi-*]. Type genus: *Lemidia* Spinola, 1841.

Subfamily CLERINAE Latreille, 1802

CLERII Latreille, 1802: 110 [stem: *Cler-*]. Type genus: *Clerus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)].

NOTOXII Sturm, 1826: 38 [stem: *Notox-*]. Type genus: *Notoxus* sensu Fabricius, 1775 [not *Notoxus* Geoffroy, 1762; syn. of *Opilo* Latreille, 1802]. Comment: based on a misidentified type genus; an application should be submitted to the Commission to suppress this name for the Principles of Priority and Homonymy (Art. 65.2.1) since NOTOXINAE Stephens, 1829 is currently used as valid in ANTHICIDAE.

PRIOCERIDAE Laporte, 1836: 33 [stem: *Priocer-*]. Type genus: *Priocera* Kirby, 1819.

*TRICHODITES Blanchard, 1845b: 84 [stem: *Trichod-*]. Type genus: *Trichodes* Herbst, 1792 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1845b).

OPILONIDAE Gistel, 1848: [6] [stem: *Opilon-*]. Type genus: *Opilo* Latreille, 1802.

THANASIMIIDAE Gistel, 1848: [6] [stem: *Thanasim-*]. Type genus: *Thanasimus* Latreille, 1806. Comment: incorrect original stem formation, not in prevailing usage.

DENDROPLANETEIDAE Gistel, 1856a: 395 [stem: *Dendroplanet-*]. Type genus: *Dendroplanetes* Gistel, 1856 [syn. of *Opilo* Latreille, 1802]. Comment: also spelled DONDROPLANETEIDAE in the same publication on page 368; incorrect original stem formation, not in prevailing usage.

TRICHODINI Portevin, 1931: 457, in key [stem: *Trichod-*]. Type genus: *Trichodes* Herbst, 1792 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)]. Comment: the older name originally proposed as TRICHODINA Maitland, 1851 (type genus *Trichoda* Müller, 1773) is available in Protozoa: Ciliophora; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

DIEROPSINAЕ J. R. Winkler, 1964: 317 [stem: *Dieropse-*]. Type genus: *Dieropsis* Gahan, 1908. Comment: incorrect original stem formation, not in prevailing usage.

CLEROPESTINAE J. R. Winkler, 1980: 437 [stem: *Cleropiest-*]. Type genus: *Cleropiestus* Fairmaire, 1889.

ANTHICOCLERINAE Opitz, 2010: 58 [stem: *Anthicocler-*]. Type genus: *Anthicoclerus* Schenckling, 1906.

Subfamily KORYNETINAE Laporte, 1836

CORYNETIDAE Laporte, 1836: 34 [stem: *Korynet-*]. Type genus: *Korynetes* Herbst, 1792 [as *Corynetes*, unjustified emendation of type genus name by Paykull (1798: 274), not in prevailing usage; *Korynetes* Herbst, 1792 placed on the Official List of Generic Names in Zoology and *Corynetes* Paykull, 1798 placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1961c)]. Comment: incorrect original stem formation, not in prevailing usage.

ICHNOÏDES Spinola, 1841: 71 [stem: *Ichne-*]. Type genus: *Ichnea* Laporte, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 193, as ICHNEOIDAE), treated as available by Opitz and Herman (2009: 183, as ICHNEINAE); *nomen oblitum*, EPIPHLOEINAE Kuwert, 1893 conserved as valid subfamily over this name by Opitz and Herman (2009).

PLATYNOPTÉROÏDES Spinola, 1844: Tableau générique (4) [stem: *Platynopter-*]. Type genus: *Platynoptera* Chevrolat, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Desmarest (1857: 269, as PLATYNOPTERIDAE).

NECROBIAEIDAE Gistel, 1848: [6] [stem: *Necrobi-*]. Type genus: *Necrobia* A. G. Olivier, 1795 [placed on the Official List of Generic Names in Zoology (ICZN 1961c)]. Comment: incorrect original stem formation, not in prevailing usage.

ENOPLIIDAE Gistel, 1848: [6] [stem: *Enopli-*]. Type genus: *Enoplium* Latreille, 1802.

TARSOSTÉNITES Jacquelin du Val, 1860: 198 [stem: *Tarsosten-*]. Type genus: *Tarsostenus* Spinola, 1844. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Böving and Craighead (1931: 57, as TARSOSTENINAE), generally accepted as in Opitz (2002: 279, as TARSOSTENNINAE [incorrect stem formation]).

EPIPHLÖINEN Kuwert, 1893: 492 [stem: *Epiphloe-*]. Type genus: *Epiphloeus* Spinola, 1841. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Schenkling (1910: 113, as EPIPHLOEINI), generally accepted as in Opitz and Herman (2009: 183, as EPIPHLOEINAE); *nomen protectum* (see Opitz and Herman (2009: 184)); although Kuwert apparently originally published his name as a synonym of PHYLLOBAENIDES Lacordaire, 1857, the name EPIPHLOEINI was treated as valid by several authors, e.g., Chapin (1924: 165), before 1961 which made the name available (Art. 11.6.1) (see Opitz and Herman 2009: 184).

DERMESTOIDINI Jakobson, 1911a: 719 [stem: *Dermestoid-*]. Type genus: *Dermestoides* Schaeffer, 1771.

ORTHOPLURINAE Böving and Craighead, 1931: 56, in key [stem: *Orthopleur-*]. Type genus: *Orthopleura* Spinola, 1844.

NEORTHOPLEURINAE Opitz, 2009: 138 [stem: *Neorthopleur-*]. Type genus: *Neorthopleura* Barr, 1976.

PELONIINAE Opitz, 2010: 97 [stem: *Peloni-*]. Type genus: *Pelonium* Spinola, 1844.

Family ACANTHOCNEMIDAE Crowson, 1964

ACANTHOCNEMINAE Crowson, 1964: 317, in key [stem: *Acanthocnem-*]. Type genus: *Acanthocnemus* Perris, 1866.

Family PHYCOSECIDAE Crowson, 1952

PHYCOSECIDAE Crowson, 1952: 117 [stem: *Phycosec-*]. Type genus: *Phycosecis* Pascoe, 1875. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Phycosecid-*).

Family PRIONOCERIDAE Lacordaire, 1857

PRIONOCÉRIDES Lacordaire, 1857: 411 [stem: *Prionocer-*]. Type genus: *Prionocerus* Perty, 1831. Comment: PRIONOCÉRITES was used earlier by Laporte (1840a: 275) but this name was treated as a *lapsus calami* for PRIOCÉRITES Laporte (1834b: 33) by Lawrence and Newton (1995: 871).

Tribe LOBONYCHINI Majer, 1987

LOBONYCHINI Majer, 1987: 790, in key [stem: *Lobonych-*]. Type genus: *Lobonyx* Jacquelain du Val, 1859.

Tribe PRIONOCERINI Lacordaire, 1857

PRIONOCÉRIDES Lacordaire, 1857: 411 [stem: *Prionocer-*]. Type genus: *Prionocerus* Perty, 1831. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Ritsema (1884: 494, as PRIONOCERINI), generally accepted as in M. C. Thomas (2008: 445, as PRIONOCERIDAE); the earlier usage of PRIONOCERITES by Laporte (1840a: 285) was in error for PRIOCERITES in CLERIDAE: CLERINAE (see Lawrence and Newton 1995: 871); PRIONOCERINI Savchenko, 1966 (type genus *Prionocera* Loew, 1844) is available in Diptera; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Family MAURONISCIDAE Majer, 1995

MAURONISCIDAE Majer, 1995a: 340 [stem: *Mauronisc-*]. Type genus: *Mauroniscus*

Family MELYRIDAE Leach, 1815

MELYRIDES Leach, 1815: 87 [stem: *Melyr-*]. Type genus: *Melyris* Fabricius, 1775.

Subfamily RHADALINAE LeConte, 1861

RHADALINI J. L. LeConte, 1861: 194 [stem: *Rhadal-*]. Type genus: *Rhadalus* J. L. LeConte, 1852.

HAPLOCNÉMATES Mulsant and Rey, 1868a: 181 [stem: *Aplocnem-*]. Type genus: *Aplocnemus* Stephens, 1830 [as *Haplocnemus*, unjustified emendation of type genus name by Agassiz (1846b: 29), not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Crowson (1964: 316, as HAPLOCNEMINAE [incorrect stem formation]), generally accepted as in Majer (1987: 800, as APLOCNEMINI); incorrect original stem formation, not in prevailing usage.

MICROJULISTINI Majer, 1987: 797, in key [stem: *Microjulist-*]. Type genus: *Microjulistus* Reitter, 1889.

PELECOPHORINI Majer, 1987: 797, in key [stem: *Pelecophor-*]. Type genus: *Pelecophora* Lepeletier and Audinet-Serville, 1825.

Subfamily MELYRINAE Leach, 1815

MELYRIDES Leach, 1815: 87 [stem: *Melyr-*]. Type genus: *Melyris* Fabricius, 1775.

Tribe ARTHROBRACHINI Majer, 1987

ARTHROBRACHINI Majer, 1987: 793, in key [stem: *Arthrobrach-*]. Type genus: *Arthrobrachus* Solier, 1849.

Tribe ASTYLINI Pic, 1929

ASTYLINI Pic, 1929: 1 [stem: *Astyl-*]. Type genus: *Astylus* Laporte, 1836.

Tribe CERALLINI Pic, 1929

CERALLINI Pic, 1929: 13 [stem: *Cerall-*]. Type genus: *Cerallus* Jacquelin du Val, 1859.

Tribe MELYRINI Leach, 1815

MELYRIDES Leach, 1815: 87 [stem: *Melyr-*]. Type genus: *Melyris* Fabricius, 1775.

Comment: published April 1815; this family-group name was also used in the same year by Rafinesque (1815 [between April and 21 July]: 110, as MELYRIA).

ZYGIIDAE Jakobson, 1911a: 687 [stem: *Zygi-*]. Type genus: *Zygia* Fabricius, 1775 [syn. of *Melyris* Fabricius, 1775].

Subfamily DASYTINAE Laporte, 1840

DASYDITES Laporte, 1840a: 280 [stem: *Dasyt-*]. Type genus: *Dasytes* Paykull, 1799.

Tribe CHAETOMALACHIINI Majer, 1987

CHAETOMALACHIINI Majer, 1987: 799, in key [stem: *Chaetomalachi-*]. Type genus: *Chaetomalachius* Kraatz, 1882.

Tribe DANACEINI Thomson, 1859

- DANACAEINA C. G. Thomson, 1859: 108 [stem: *Danace-*]. Type genus: *Danacea* Laporte, 1838 [as *Danacea*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.
- AMAURONININI Majer, 1987: 799, in key [stem: *Amauronoid-*]. Type genus: *Amauronoides* Champion, 1923 [syn. of *Pseudamauronia* Pic, 1915]. Comment: incorrect original stem formation, not in prevailing usage.
- DANACAEOMIMINI Majer, 1987: 799, in key [stem: *Danacaeomim-*]. Type genus: *Danacaeomimus* Champion, 1922.

Tribe DASYTINI Laporte, 1840

- DASYDITES Laporte, 1840a: 280 [stem: *Dasyt-*]. Type genus: *Dasytes* Paykull, 1799. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 117, as *DASYTETOIDAE* [incorrect stem formation]), generally accepted as in Pic (1937: 1, as *DASYTINAE*); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Dasytet-*).
- COLPOTHISIDAE Gistel, 1848: [11] [stem: *Colpoth-*]. Type genus: *Colpothis* Gistel, 1848 [syn. of *Dasytes* Paykull, 1799]. Comment: incorrect original stem formation, not in prevailing usage.
- *HÉNICOPAIRES Mulsant and Rey, 1868a: 264 [stem: *Enicopod-*]. Type genus: *Enicopus* Stephens, 1830 [as *Henicopus*, unjustified emendation of type genus name by Agassiz (1846b: 138), not in prevailing usage]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant and Rey (1868a); incorrect original stem formation, not in prevailing usage.
- HENICOPINI Escalera, 1927: 7 [stem: *Enicopod-*]. Type genus: *Enicopus* Stephens, 1830 [as *Henicopus*, unjustified emendation of type genus name by Agassiz (1846b: 138), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe GIETELLINI Constantin and Menier, 1987

- GIETELLINAE Constantin and Menier, 1987: 62 [stem: *Gietell-*]. Type genus: *Gietella* Constantin and Menier, 1987.

Tribe LISTRINI Majer, 1990

- LISTRINI Majer, 1990: 371 [stem: *Listr-*]. Type genus: *Listrus* Motschulsky, 1859.

Subfamily MALACHIINAE Fleming, 1821

- MALACHIUSIDAE Fleming, 1821: 50 [stem: *Malachi-*]. Type genus: *Malachius* Fabricius, 1775.

Tribe AMALTHOCINI Majer, 2002

AMALTHOCINAE Majer, 2002: 186 [stem: *Amalthoc-*]. Type genus: *Amalthocus* Fairmaire, 1886.

Tribe ATTALOMIMINI Majer, 1995

ATTALOMIMIDAE Majer, 1995a: 378 [stem: *Attalomim-*]. Type genus: *Attalomimus* Wittmer, 1976.

Tribe CARPHURINI Champion, 1923

CARPHURINAE Champion, 1923: 2 [stem: *Carphur-*]. Type genus: *Carphurus* Erichson, 1840.

Tribe LEMPHINI Wittmer, 1976

LEMPHINI Wittmer, 1976: 427 [stem: *Lemph-*]. Type genus: *Lemphus* Erichson, 1840.

Tribe MALACHIINI Fleming, 1821

MALACHIUSIDAE Fleming, 1821: 50 [stem: *Malachi-*]. Type genus: *Malachius* Fabricius, 1775. Comment: incorrect original stem formation, not in prevailing usage.

TAMULIDAE Gistel, 1848: [11] [stem: *Tamul-*]. Type genus: *Tamulus* Gistel, 1848 [syn. of *Malachius* Fabricius, 1775].

POLYCYSTOPHORIDAE Gistel, 1856a: 385 [stem: *Polycystophor-*]. Type genus: *Polycystophorus* Gistel, 1856 [this genus was included by Gistel in his new family POLYCYSTOPHORIDAE along with one genus now classified in CANTHARIDAE (*Malthinus* Latreille) and four genera of MALACHIINAE (*Anthocomus* Erichson, *Ebaeus* Erichson, *Charopus* Erichson and *Troglops* Erichson); several available species names were originally included in *Polycystophorus* (Gistel, 1856a: 385), we hereby select *Cantharis aeneus* Linnaeus, 1758 as the type species; **syn. nov.** of *Malachius* Fabricius, 1775]. Comment: **syn. nov.**

APALOCHRAIRES Mulsant and Rey, 1867b: 19 [stem: *Apalochr-*]. Type genus: *Apalochrus* Erichson, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Houlbert (1922a: 250, as APALOCHRINI).

*ANTHOCOMATES Mulsant and Rey, 1867b: 127 [stem: *Anthocom-*]. Type genus: *Anthocomus* Erichson, 1840. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*TROGLOPATES Mulsant and Rey, 1867b: 281 [stem: *Troglop-*]. Type genus: *Troglops* Erichson, 1840. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

CAULAUTAIRES Abeille de Perrin, 1890: 244 [stem: *Colot-*]. Type genus: *Colotes* Erichson, 1840 [as *Caulautes*, unjustified emendation of type genus name by Abeille de Perrin (1890), not in prevailing usage]. Comment: original vernacular name

available (Art. 11.7.2): first used in latinized form by Bertkau (1891: 304, as COLOTINI), generally accepted as in Hansen (1996: 152, as COLOTINI); incorrect original stem formation, not in prevailing usage; COLOTINI Larsen, 1983 (type genus *Colotis* Hübner, 1819) does not appear to be available in Lepidoptera: PIERIDAE; if the Lepidoptera name is found to be available then this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

ATTALAIRES Abeille de Perrin, 1891: 364 [stem: *Attal-*]. Type genus: *Attalus* Erichson, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Hatch (1962: 87, as ATTALINA), generally accepted as in Mayor (2007: 419, as ATTALINI).

LAIINA Jakobson, 1911a: 688 [stem: *Lai-*]. Type genus: *Laius* Guérin-Méneville, 1838.

ILLOPINAS Jakobson, 1911a: 688 [stem: *Illop-*]. Type genus: *Illops* Erichson, 1840.

PARATINIS Portevin, 1931: 426, in key [stem: *Paratin-*]. Type genus: *Paratinus* Abeille de Perrin, 1891 [syn. of *Apalochrus* Erichson, 1840]. Comment: the correct spelling PARATININI was used in the same work on page 442.

EBAEINAS Portevin, 1931: 426, in key [stem: *Ebae-*]. Type genus: *Ebaeus* Erichson, 1840.

COLLOPINAS Hatch, 1962: 88, in key [stem: *Collop-*]. Type genus: *Collops* Erichson, 1840.

Tribe PAGURODACTYLINI Constantin, 2001

PAGURODACTYLINAE Constantin, 2001: 6 [stem: *Pagurodactyl-*]. Type genus: *Pagurodactylus* Gorham, 1900.

MELYRIDAE *incertae sedis*

ELOSOMATIDAE Jakobson, 1915: 993 [stem: *Elosomat-*]. Type genus: *Elosoma* Motschulsky, 1845. Comment: transferred from SALPINGIDAE by Zerche (2004), correct placement within the family uncertain.

Superfamily CUCUJOIDEA Latreille, 1802

CUCUJIPES Latreille, 1802: 210 [stem: *Cucuj-*]. Type genus: *Cucujus* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: First Reviser (CUCUJOIDEA Latreille, 1802 vs EROTYLOIDEA Latreille, 1802 vs NITIDULOIDEA Latreille, 1802) not determined, current usage maintained.

†Family PARANDREXIDAE Kirejtshuk, 1994

PARANDREXIDAE Kirejtshuk, 1994: 57 [stem: *Parandrex-*]. Type genus: *Parandrexis* Martynov, 1926. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Parandrene-*).

†Family SINISILVANIDAE Hong, 2002

SINISILVANIDAE Hong, 2002: 132 [stem: *Sinisilvan-*]. Type genus: *Sinisilvana* Hong, 2002.

Family BOGANIIDAE Sen Gupta and Crowson, 1966

BOGANIIDAE Sen Gupta and Crowson, 1966: 63 [stem: *Bogani-*]. Type genus: *Boganium* Sen Gupta and Crowson, 1966.

Subfamily PARACUCUJINAE Endrödy-Younga and Crowson, 1986

PARACUCUJINAE Endrödy-Younga and Crowson, 1986: 255 [stem: *Paracucuj-*]. Type genus: *Paracucujus* Sen Gupta and Crowson, 1966.

ATHERTONIINI Crowson, 1990: 91 [stem: *Athertoni-*]. Type genus: *Athertonium* Crowson, 1990.

Subfamily BOGANIINAE Sen Gupta and Crowson, 1966

BOGANIIDAE Sen Gupta and Crowson, 1966: 63 [stem: *Bogani-*]. Type genus: *Boganium* Sen Gupta and Crowson, 1966.

Family BYTURIDAE Gistel, 1848

BYTURIDAE Gistel, 1848: [3] [stem: *Bytur-*]. Type genus: *Byturus* Latreille, 1797.

Subfamily PLATYDASCILLINAE Pic, 1914

PLATYDASCILLIDAE Pic, 1914: 20 [stem: *Platydascill-*]. Type genus: *Platydascillus* Everts, 1909.

Subfamily BYTURINAE Gistel, 1848

BYTURIDAE Gistel, 1848: [3] [stem: *Bytur-*]. Type genus: *Byturus* Latreille, 1797.

Comment: family-group name previously attributed to Jacquelin du Val (1858: 211).

Family HELOTIDAE Chapuis, 1876

HÉLOTIDES Chapuis, 1876: 15 [stem: *Helot-*]. Type genus: *Helota* W. S. MacLeay, 1825.

Comment: published before 1 May 1876; original vernacular name available (Art. 11.7.2): used in latinized form by several authors subsequently, generally accepted as in Lawrence and Newton (1995: 875, as “HELOTIDAE Reitter, 1876/Chapuis, 1876”); this family-group name was also used in the same year by Reitter (1876a [before 15 August]: 5, as HELOTIDAE); this is a junior homonym of HELOTIDAE Adams et al., 1854 (type genus *Helotes* Cuvier, 1829) in Pisces, this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Family PROTOCUCUJIDAE Crowson, 1954

PROTOCUCUJIDAE Crowson, 1954: 60 [stem: *Protocucuj-*]. Type genus: *Protocucujus* Crowson, 1954.

Family SPHINDIDAE Jacquelin du Val, 1860

SPHINDIDES Jacquelin du Val, 1860: 224 [stem: *Sphind-*]. Type genus: *Sphindus* Dejean, 1821 [placed on the Official List of Generic Names in Zoology (ICZN 1997)].

Comment: this name (as SPHINDIDAE Jacquelin du Val, [1861]) was placed on the Official List of Family-Group Names in Zoology and ruled under the plenary power that this and other family-group names based on *Sphindus* Dejean, 1821 are to be given precedence over ASPIDIPHORIDAE Kiesenwetter, 1877 (1859) and other family-group names based on *Aspidiphorus* Dejean, 1821 whenever their type genera are placed in the same family-group taxon (ICZN 1997).

Subfamily PROTOSPHINDINAE Sen Gupta and Crowson, 1979

PROTOSPHINDINAE Sen Gupta and Crowson, 1979: 179, in key [stem: *Protosphind-*].

Type genus: *Protosphindus* Sen Gupta and Crowson, 1979.

Subfamily ODONTOSPHINDINAE Sen Gupta and Crowson, 1979

ODONTOSPHINDINI Sen Gupta and Crowson, 1979: 180, in key [stem: *Odontosphind-*].

Type genus: *Odontosphindus* Sen Gupta and Crowson, 1979.

Subfamily SPHINDIPHORINAE Sen Gupta and Crowson, 1979

SPHINDIPHORINI Sen Gupta and Crowson, 1979: 180, in key [stem: *Sphindiphor-*].

Type genus: *Sphindiphorus* Sen Gupta and Crowson, 1979.

Subfamily SPHINDINAE Jacquelin du Val, 1860

CONIPORINA C. G. Thomson, 1859: 90 [stem: *Conipor-*]. Type genus: *Coniporus* C. G. Thomson, 1859 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1997); syn. of *Aspidiphorus* Dejean, 1821]. Comment: permanently invalid (Art. 39): based on suppressed type genus.

SPHINDIDES Jacquelin du Val, 1860: 224 [stem: *Sphind-*]. Type genus: *Sphindus* Dejean, 1821 [placed on the Official List of Generic Names in Zoology (ICZN 1997)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kiesenwetter (1877: 7, as SPHINDINI), generally accepted as in Lawrence and Newton (1995: 872, as SPHINDIDAE).

ASPIDIPHORIDAE Kiesenwetter, 1877: 198 [stem: *Aspidiphor-*]. Type genus: *Aspidiphorus* Dejean, 1821 [*Arpidiphorus*, the original spelling of the type genus, as well as *Aspidophorus* Agassiz, 1846 were placed on the Official Index of Rejected and Invalid Generic Names in Zoology and *Aspidiphorus* was placed on the Official List of Generic Names in Zoology (ICZN 1997)]. Comment: this name (as ASPIDIPHORIDAE Kiesenwetter, 1877 (1859)) was placed on the Official List of Family-Group Names in Zoology and ruled under the plenary power that this and other family-group names based on *Aspidiphorus* are not to be given priority over SPHINDIDAE and other family-group names based on *Sphindus* Dejean, 1821 whenever their type genera are placed in the same family-group taxon (ICZN 1997).

EURYSPHINDINAE Sen Gupta and Crowson, 1979: 180, in key [stem: *Eurysphind-*].

Type genus: *Eurysphindus* J. L. LeConte, 1878.

Family BIPHYLLIDAE LeConte, 1861

DIPHYLLIDAE J. L. LeConte, 1861: 105 [stem: *Biphyll-*]. Type genus: *Biphyllus* Dejean, 1821 [as *Diphyllus*, unjustified emendation of type genus name by Agassiz (1846b: 47), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage (see Cline and Shockley 2010).

Family EROTYLIDAE Latreille, 1802

EROTILENAE Latreille, 1802: 233 [stem: *Erotyl-*]. Type genus: *Erotylus* Fabricius, 1775.

Subfamily XENOSCELINAE Ganglbauer, 1899

XENOSCELINI Ganglbauer, 1899: 649 [stem: *Xenoscel-*]. Type genus: *Xenoscelis* Wollaston, 1864. Comment: current spelling maintained (Art. 29.3.1.1); incorrect stem formation in prevailing usage (should be *Xenoscelid-*).

EICOLYCTINI Vogt, 1967: 103 [stem: *Eicolyc-*]. Type genus: *Eicolycus* J. R. Sahlberg, 1919 [syn. of *Zavaljus* Reitter, 1880].

LOBERONOTHINI Sen Gupta and Crowson, 1969a: 127 [stem: *Loberonoth-*]. Type genus: *Loberonotha* Sen Gupta and Crowson, 1969.

Subfamily PHARAXONOTHINAE Crowson, 1952

SETARIINI Casey, 1900: 77 [stem: *Setari-*]. Type genus: *Setaria* Mulsant and Rey, 1863 [preoccupied genus name, not *Setaria* Viborg, 1795 [Vermes], not *Setaria* Oken, 1815 [Vermes], not *Setaria* Blyth, 1844 [Aves]; syn. of *Setariola* Jakobson, 1915]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

PHARAXONOTHINAE Crowson, 1952: 127 [stem: *Pharaxonoth-*]. Type genus: *Pharaxonotha* Reitter, 1875. Comment: First Reviser found (PHARAXONOTHINAE Crowson, 1952 vs SETARIOLINAE Crowson, 1952) is Leschen (2003: 35).

SETARIOLINAE Crowson, 1952: 127 [stem: *Setariol-*]. Type genus: *Setariola* Jakobson, 1915.

XENOSCELININI Sen Gupta and Crowson, 1971: 5, in key [stem: *Xenoscelin-*]. Type genus: *Xenoscelinus* Grouvelle, 1910 [syn. of *Cathartocryptus* Sharp, 1886].

Subfamily LOBERINAE Bruce, 1951

LOBERINAE Bruce, 1951: 4 [stem: *Lober-*]. Type genus: *Loberus* J. L. LeConte, 1861. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Sen Gupta (1968a: 1, as LOBERINI) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

Subfamily LANGURIINAE Hope, 1840

LANGUIRIDAE Hope, 1840a: 190 [stem: *Languri-*]. Type genus: *Languria* Latreille, 1802 [as *Languiria*, incorrect subsequent spelling of type genus name, not in prevailing usage].

Tribe HAPALIPINI Leschen, 2003

HAPALIPINI Leschen, 2003: 38 [stem: *Hapalip-*]. Type genus: *Hapalips* Reitter, 1877.

Tribe LANGURIINI Hope, 1840

LANGUIRIDAE Hope, 1840a: 190 [stem: *Languri-*]. Type genus: *Languria* Latreille, 1802 [as *Languiria*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; family-group name previously attributed to Crotch (1873c) by Pakaluk et al. (1994) and subsequent authors; usage of «Wiedeman, 1823» as the correct author and year for this family-group name in the literature is incorrect (see Pakaluk et al. 1994).

CLADOXENINAE Arrow, 1925: 166 [stem: *Cladoxen-*]. Type genus: *Cladoxena* Motschulsky, 1866.

Tribe THALLISELLINI Sen Gupta, 1968

THALLISELLINI Sen Gupta, 1968b: 470 [stem: *Thallisell-*]. Type genus: *Thallisella* Crotch, 1876.

Subfamily CRYPTOPHILINAE Casey, 1900

CRYPTOPHILINI Casey, 1900: 77 [stem: *Cryptophil-*]. Type genus: *Cryptophilus* Reitter, 1874.

Tribe CRYPTOPHILINI Casey, 1900

CRYPTOPHILINI Casey, 1900: 77 [stem: *Cryptophil-*]. Type genus: *Cryptophilus* Reitter, 1874.

Tribe EMPOCRYPTINI Leschen, 2003

EMPOCRYPTINI Leschen, 2003: 41 [stem: *Empocrypt-*]. Type genus: *Empocryptus* Sharp, 1900.

Tribe TORAMINI Sen Gupta, 1967

TORAMINAE Sen Gupta, 1967: 168 [stem: *Toram-*]. Type genus: *Toramus* Grouvelle, 1916.

Subfamily EROTYLINAE Latreille, 1802

EROTILENAE Latreille, 1802: 233 [stem: *Erotyl-*]. Type genus: *Erotylus* Fabricius, 1775.

Tribe DACNINI Gistel, 1848

*ENGIDITES Latreille, 1829a: 506 [stem: *Eng-*]. Type genus: *Engis* Paykull, 1800 [syn. of *Dacne* Latreille, 1797]. Comment: family-group name unavailable (Art. 11.7.1.1): not based on a genus used as valid at the time.

DACNEIDAE Gistel, 1848: [3] [stem: *Dacn-*]. Type genus: *Dacne* Latreille, 1797.

Comment: incorrect original stem formation, not in prevailing usage.

CRYPTODACNINI Sen Gupta, 1970: 101, in key [stem: *Cryptodacn-*]. Type genus: *Cryptodacne* Sharp, 1878.

Tribe ENCAUSTINI Crotch, 1876

ENGIDAE W. S. MacLeay, 1825: 40 [stem: *Engid-*]. Type genus: *Engis* sensu W. S. MacLeay, 1825 [not *Engis* Paykull, 1800; syn. of *Encaustes* Lacordaire, 1842].

Comment: based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principle of Priority (Art. 65.2.1).

ENCAUSTINI Crotch, 1876: 476 [stem: *Encaust-*]. Type genus: *Encaustes* Lacordaire, 1842. Comment: published after February 1876; this family-group name was also used in the same year by Chapuis (1876 [before 1 May]: 46, as EN-CAUSTITES).

Tribe EROTYLINI Latreille, 1802

EROTILENAE Latreille, 1802: 233 [stem: *Erotyl-*]. Type genus: *Erotylus* Fabricius, 1775. Comment: incorrect original stem formation, not in prevailing usage.

Tribe MEGALODACNINI Sen Gupta, 1970

MEGALODACNINI Sen Gupta, 1970: 100, in key [stem: *Megalodacn-*]. Type genus: *Megalodacne* Crotch, 1873.

Tribe TRITOMINI Curtis, 1834

TRITOMIDAE Curtis, 1834: plate 498 [stem: *Tritom-*]. Type genus: *Tritoma* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

TRIPLACINAE Erichson, 1847a: 179 [stem: *Triplac-*]. Type genus: *Triplax* Herbst, 1793.

RENANIINAE Chûjô, 1941: 10 [stem: *Renani-*]. Type genus: *Renania* Lewis, 1887.

CYRTOTRIPLACINA Chûjô, 1969: 201 [stem: *Cyrtotriplac-*]. Type genus: *Cyrtotriplax* Crotch, 1873 [syn. of *Tritoma* Fabricius, 1775].

Family MONOTOMIDAE Laporte, 1840

MONOTOMITES Laporte, 1840b: 377 [stem: *Monotom-*]. Type genus: *Monotoma* Herbst, 1793.

Subfamily RHIZOPHAGINAE Redtenbacher, 1845

RHIZOPHAGI L. Redtenbacher, 1845: 125 [stem: *Rhizophag-*]. Type genus: *Rhizophagus* Herbst, 1793 [the original spelling *Ryzophagus* was placed on the Official Index of Rejected and Suppressed Generic Names in Zoology, *Rhizophagus* was considered

the correct original spelling of the genus and placed on the Official List of Generic Names in Zoology (ICZN 1995b)].

Subfamily MONOTOMINAE Laporte, 1840

MONOTOMITES Laporte, 1840b: 377 [stem: *Monotom-*]. Type genus: *Monotoma* Herbst, 1793.

Tribe EUROPINI Sen Gupta, 1988

EUROPINI Sen Gupta, 1988: 14, in key [stem: *Europ-*]. Type genus: *Europs* Wallaston, 1854.

Tribe LENACINI Crowson, 1952

LENACINAE Crowson, 1952: 121 [stem: *Lenac-*]. Type genus: *Lenax* Sharp, 1877.

Tribe MONOTOMINI Laporte, 1840

MONOTOMITES Laporte, 1840b: 377 [stem: *Monotom-*]. Type genus: *Monotoma* Herbst, 1793 [*nomen protectum*; this genus name is a junior homonym of *Monotoma* Panzer, 1792 *nomen oblitum*; we provide references to support the conservation of *Monotoma* Herbst, 1793 as the valid name for this genus (Art. 23.9.1) (see Appendix 1)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 238, as MONOTOMOIDAE), generally accepted as in Pakaluk et al. (1994: 230, as MONOTOMIDAE).

†Tribe RHIZOPHTOMINI Kirejtshuk and Azar, 2009

RHIZOPHTOMINAE Kirejtshuk and Azar, 2009: 123 [stem: *Rhizophtom-*]. Type genus: *Rhizophtoma* Kirejtshuk and Azar, 2009.

Tribe THIONINI Crowson, 1952

THIONINAE Crowson, 1952: 121 [stem: *Thion-*]. Type genus: *Thione* Sharp, 1899.

Family HOBARTIIDAE Sen Gupta and Crowson, 1966

HOBARTIINI Sen Gupta and Crowson, 1966: 65, in key [stem: *Hobarti-*]. Type genus: *Hobartius* Sen Gupta and Crowson, 1966.

Family CRYPTOPHAGIDAE Kirby, 1826

CRYPTOPHAGIDAE Kirby, 1826: 504 [stem: *Cryptophag-*]. Type genus: *Cryptophagus* Herbst, 1792.

Subfamily CRYPTOPHAGINAE Kirby, 1826

CRYPTOPHAGINAE Kirby, 1826: 504 [stem: *Cryptophag-*]. Type genus: *Cryptophagus* Herbst, 1792.

Tribe CAENOSCELINI Casey, 1900

CAENOSCELINI Casey, 1900: 103 [stem: *Caenoscel-*]. Type genus: *Caenoscelis* C. G.

Thomson, 1863. Comment: First Reviser found (CAENOSCELINI Casey, 1900 vs STERNODEINI Casey, 1900) is Leschen (1996: 607); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Caenoscelid-*).

STERNODEINI Casey, 1900: 103 [stem: *Sternode-*]. Type genus: *Sternodea* Reitter, 1875.

Tribe CRYPTOPHAGINI Kirby, 1826

IPS Latreille, 1802: 129 [stem: *Ip-*]. Type genus: *Ips* sensu Latreille, 1802 [not *Ips* DeGeer, 1775; syn. of *Cryptophagus* Herbst, 1792]. Comment: although the spelling of the family-group names is identical to the spelling of the type genus, it is clear, based on other evidence from the same work, that Latreille was using it as a family-group name (see Lawrence and Newton 1995: 913); based on a misidentified type genus; name treated here as invalid until an application is submitted to the Commission to suppress it for the Principles of Priority and Homonymy (Art. 65.2.1); also see IPINI Bedel, 1888 in CURCULIONIDAE: SCOLYTINAE.

CRYPTOPHAGIDAE Kirby, 1826: 504 [stem: *Cryptophag-*]. Type genus: *Cryptophagus* Herbst, 1792 [the original spelling *Kryptophagus* was placed on the Official Index of Rejected and Suppressed Generic Names in Zoology, *Cryptophagus* was considered the correct original spelling of the genus and placed on the Official List of Generic Names in Zoology (ICZN 1995b)].

TELMATOPHILIDES Jacquel du Val, 1858: 209 [stem: *Telmatophil-*]. Type genus: *Telmatophilus* Heer, 1841. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 98, as TELMATOPHILINI), generally accepted as in Telnov (2004: 73, as TELMATOPHILINI).

ANTHEROPHAGI J. L. LeConte, 1861: 98 [stem: *Antherophag-*]. Type genus: *Antherophagus* Dejean, 1821.

PARAMECOSOMINA Reitter, 1875: 4 [stem: *Paramecosomat-*]. Type genus: *Paramecosoma* Curtis, 1833. Comment: incorrect original stem formation, not in prevailing usage.

CATOPOCHROTIDAE Reitter, 1889a: 289 [stem: *Catopochrot-*]. Type genus: *Catopochrotus* Reitter, 1889.

EMPHYLI Casey, 1900: 86 [stem: *Emphyl-*]. Type genus: *Emphyllus* Erichson, 1846 [syn. of *Spavius* Motschulsky, 1844].

SPANIOPHAENI Casey, 1900: 86 [stem: *Spaniophaen-*]. Type genus: *Spaniophaenus* Reitter, 1875.

Tribe PICROTINI Crowson, 1980

PICROTINI Crowson, 1980: 283 [stem: *Picrot-*]. Type genus: *Picrotus* Sharp, 1886.

*CRYPTOSOMATULINI Crowson, 1980: 284 [stem: *Cryptosomatul-*]. Type genus: *Cryptosomatula* Bruce, 1940. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

CRYPTOSOMATULINI Leschen, 1996: 605 [stem: *Cryptosomatul-*]. Type genus: *Cryptosomatula* Bruce, 1940.

Subfamily ATOMARIINAE LeConte, 1861

ATOMARIINI J. L. LeConte, 1861: 99 [stem: *Atomari-*]. Type genus: *Atomaria* Stephens, 1829.

Tribe ATOMARIINI LeConte, 1861

ATOMARIINI J. L. LeConte, 1861: 99 [stem: *Atomari-*]. Type genus: *Atomaria* Stephens, 1829.

EPHISTEMINI Casey, 1900: 104 [stem: *Ephistem-*]. Type genus: *Ephistemus* Stephens, 1829.

*SALLTIINI Crowson, 1980: 284 [stem: *Sallti-*]. Type genus: *Salltius* Broun, 1893. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*ATOMAROIDINI Lyubarsky, 1998: 71 [stem: *Atomaroid-*]. Type genus: *Atomaroides* Lyubarsky, 1989. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe CRYPTAFRICINI Leschen, 1996

CRYPTAFRICINI Leschen, 1996: 623 [stem: *Cryptafric-*]. Type genus: *Cryptafricus* Leschen, 1996.

*MICROPHAGINI Lyubarsky, 1998: 39, in key [stem: *Microphag-*]. Type genus: *Microphagus* Leschen, 1996. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*SCYTOMARIINI Lyubarsky, 1998: 71 [stem: *Scytomari-*]. Type genus: *Scytomaria* Lyubarsky, 1998 [syn. of *Anitamaria* Leschen, 1996]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe HYPOCOPRINI Reitter, 1879

HYPOCOPRINI Reitter, 1879: 74 [stem: *Hypocopr-*]. Type genus: *Hypocoprus* Motschulsky, 1839.

*ALFIERIELLINEAE Crowson, 1980: 282 [stem: *Alfieriell-*]. Type genus: *Alfieriella* Wittmer, 1935. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*HYPOPHAGINA Lyubarsky, 1998: 71 [stem: *Hypophag-*]. Type genus: *Hypophagus* Lyubarsky, 1989. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Family AGAPYTHIDAE Sen Gupta and Crowson, 1969

AGAPYTHINAE Sen Gupta and Crowson, 1969b: 579, in key [stem: *Agapyth-*]. Type genus: *Agapyno* Broun, 1921.

Family PRIASILPHIDAE Crowson, 1973

PRIASILPHINAE Crowson, 1973a: 56 [stem: *Priasilph-*]. Type genus: *Priasilpha* Broun, 1893.

Family PHLOEOSTICHIDAE Reitter, 1911

PHLOEOSTICHINI Reitter, 1911: 44 [stem: *Phloeostich-*]. Type genus: *Phloeostichus* W. Redtenbacher, 1842.

HYMAEINAE Sen Gupta and Crowson, 1966: 65, in key [stem: *Hymae-*]. Type genus: *Hymaea* Pascoe, 1869.

Family SILVANIDAE Kirby, 1837

SYLVANIDAE Kirby, 1837: 110 [stem: *Silvan-*]. Type genus: *Silvanus* Latreille, 1804.

Subfamily BRONTINAE Blanchard, 1845

BRONTITES Blanchard, 1845b: 134 [stem: *Bront-*]. Type genus: *Brontes* Fabricius, 1801.

Tribe BRONTINI Blanchard, 1845

BRONTITES Blanchard, 1845b: 134 [stem: *Bront-*]. Type genus: *Brontes* Fabricius, 1801. Comment: published before 11 June 1845; original vernacular name available (Art. 11.7.2); first used in latinized form by Erichson (1845 [before 31 June]: 304, as BRONTINI), treated as available by Lawrence and Newton (1995: 876).

DENDROPHAGIDAE Gistel, 1848: [8] [stem: *Dendrophag-*]. Type genus: *Dendrophagus* Schönherr, 1809.

ULEIOTAEIDAE Gistel, 1848: [10] [stem: *Uleiota-*]. Type genus: *Uleiota* Latreille, 1797. Comment: incorrect original stem formation, not in prevailing usage.

Tribe TELEPHANINI LeConte, 1861

TELEPHANIDAE J. L. LeConte, 1861: 96 [stem: *Telephan-*]. Type genus: *Telephanus* Erichson, 1845.

PSEUDOPHANINI J. L. LeConte, 1861: 96 [stem: *Pseudophan-*]. Type genus: *Pseudophanus* J. L. LeConte, 1859 [syn. of *Cryptamorpha* Wollaston, 1854].

PSAMMOECINI Reitter, 1879: 74 [stem: *Psammoec-*]. Type genus: *Psammoecus* Latreille, 1829.

CRYPTAMORPHINI Casey, 1884: 102 [stem: *Cryptamorph-*]. Type genus: *Cryptamorpha* Wollaston, 1854.

Subfamily SILVANINAE Kirby, 1837

SYLVANIDAE Kirby, 1837: 110 [stem: *Silvan-*]. Type genus: *Silvanus* Latreille, 1804.

Comment: incorrect original stem formation, not in prevailing usage.

Family CUCUJIDAE Latreille, 1802

CUCUJIPES Latreille, 1802: 210 [stem: *Cucuj-*]. Type genus: *Cucujus* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

*BIOPHLOCES Motschulsky, 1849: 60 [stem: *Biophloe-*]. Type genus: *Biophloeus* Dejean, 1835 [*nomen oblitum*; this genus name is a senior synonym of the well-established name *Pediacus* Shuckard, 1839 *nomen protectum*; however since *Biophloeus* Dejean has not been used as valid after 1899 to our knowledge, we provide references to support the conservation of *Pediacus* as the valid name for this genus (Art. 23.9.1) (see Appendix 1)]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

EAROPHILIDAE Gistel, 1856a: 375 [stem: *Earophil-*]. Type genus: *Earophilus* Gistel, 1856 [syn. of *Cucujus* Fabricius, 1775].

Family MYRABOLIIDAE Lawrence and Britton, 1991

MYRABOLIINAE Lawrence and Britton, 1991: 650 [stem: *Myraboli-*]. Type genus: *Myrabolia* Reitter, 1876.

Family CAVOGNATHIDAE Sen Gupta and Crowson, 1966

CAVOGNATHINAE Sen Gupta and Crowson, 1966: 65, in key [stem: *Cavognath-*]. Type genus: *Cavognatha* Crowson, 1964 [syn. of *Taphropiestes* Reitter, 1875].

Family LAMINGTONIIDAE Sen Gupta and Crowson, 1969

LAMINGTONIIDAE Sen Gupta and Crowson, 1969a: 125 [stem: *Lamingtoni-*]. Type genus: *Lamingtonium* Sen Gupta and Crowson, 1969.

Family PASSANDRIDAE Blanchard, 1845

PASSANDRITES Blanchard, 1845b: 134 [stem: *Passandr-*]. Type genus: *Passandra* Dalman, 1817. Comment: published before 11 June 1845; original vernacular name available (Art. 11.7.2): first used in latinized form by Erichson (1845 [before June 31]: 304, as *PASSANDRINI*), treated as available by Lawrence and Newton (1995: 876).

ANCISTRIINAE Sharp, 1899b: 541 [stem: *Ancistri-*]. Type genus: *Ancistria* Erichson, 1845.

CATOGENINI Grouvelle, 1916: 6 [stem: *Catogen-*]. Type genus: *Catogenus* Westwood, 1830.

PASSANDRELLINI Grouvelle, 1916: 6 [stem: *Passandrell-*]. Type genus: *Passandrella* Grouvelle, 1916.

SCALIDIINI Grouvelle, 1916: 6 [stem: *Scalidi-*]. Type genus: *Scalidia* Erichson, 1845.

LAEMOTMETINI Kessel, 1921: 35 [stem: *Laemotmet-*]. Type genus: *Laemotmetus* Gerstaeker, 1871 [syn. of *Aulonosoma* Motschulsky, 1858].

Family PHALACRIDAE Leach, 1815

PHALACRURIDA Leach, 1815: 116 [stem: *Phalacr-*]. Type genus: *Phalacrus* Paykull, 1800.

Subfamily PHAENOCEPHALINAE Matthews, 1899

PHAENOCEPHALIDAE A. Matthews, 1899: 205 [stem: *Phaenocephal-*]. Type genus: *Phaenocephalus* Wollaston, 1873.

Subfamily PHALACRINAE Leach, 1815

PHALACRURIDA Leach, 1815: 116 [stem: *Phalacr-*]. Type genus: *Phalacrus* Paykull, 1800. Comment: incorrect original stem formation, not in prevailing usage.

IDIOBIIDAE Gistel, 1856a: 383 [stem: *Idiobi-*]. Type genus: *Idiobius* Gistel, 1856 [syn. of *Olibrus* Erichson, 1845].

EUSTILBINI Guillebeau, 1892: 149 [stem: *Eustilb-*]. Type genus: *Eustilbus* Sharp, 1888.

OLIBRINI Guillebeau, 1892: 147 [stem: *Olibr-*]. Type genus: *Olibrus* Erichson, 1845.

TOLYPHINI Guillebeau, 1892: 147 [stem: *Tolypb-*]. Type genus: *Tolyphus* Erichson, 1845.

BIOPHYTINI Guillebeau, 1894: 276, in key [stem: *Biophyt-*]. Type genus: *Biophytus* Guillebeau, 1894.

MEGAPALPINI Guillebeau, 1894: 278, in key [stem: *Megapalp-*]. Type genus: *Megapalpus* Guillebeau, 1893 [preoccupied genus name, not *Megapalpus* Macquart, 1834 [Diptera]; syn. of *Megistopalpus* Guillebeau, 1895]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

OCHROLITINI Guillebeau, 1894: 278, in key [stem: *Ochrolit-*]. Type genus: *Ochrolitus* Sharp, 1889.

STILBINI Jakobson, 1915: 948 [stem: *Stilb-*]. Type genus: *Stilbus* Seidlitz, 1872.

Family PROPALTICIDAE Crowson, 1952

PROPALTICIDAE Crowson, 1952: 117 [stem: *Propaltic-*]. Type genus: *Propalticus* Sharp, 1879.

Family LAEMOPHLOEIDAE Ganglbauer, 1899

LAEMOPHLOEINI Ganglbauer, 1899: 606 [stem: *Laemophloe-*]. Type genus: *Laemophloeus* Dejean, 1835.

NARTHECIINAE Grouvelle, 1908: 453 [stem: *Nartheci-*]. Type genus: *Narthecius* J. L. LeConte, 1861.

Family TASMOSALPINGIDAE Lawrence and Britton, 1991

TASMOSALPINGINAE Lawrence and Britton, 1991: 651 [stem: *Tasmosalping-*]. Type genus: *Tasmosalpingus* Lea, 1918.

Family CYCLAXYRIDAE Gimmel, Leschen and Ślipiński, 2009

*CYCLAXYRINAE Crowson, 1984: 259 [stem: *Cyclaxyr-*]. Type genus: *Cyclaxyra* Broun, 1893 [placed on the Official List of Generic Names in Zoology (ICZN 1988a)]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

CYCLAXYRIDAE Gimmel et al., 2009: 513 [stem: *Cyclaxyr-*]. Type genus: *Cyclaxyra* Broun, 1893 [placed on the Official List of Generic Names in Zoology (ICZN 1988a)]. Comment: although this family-group name was used several times before 2009, all previous uses of the name were unavailable (see Gimmel et al. 2009: 512, 513).

Family KATERETIDAE Kirby, 1837

CATHERETIDAE Kirby, 1837: 107 [stem: *Kateret-*]. Type genus: *Kateretes* Herbst, 1793 [as *Catheretes*, incorrect subsequent spelling of type genus name, not in prevailing usage; *Kateretes* Herbst, 1793 placed on Official List of Generic Names in Zoology (ICZN 1999b)]. Comment: incorrect original stem formation, not in prevailing usage; KATERETIDAE chosen as correct spelling of the family-group name, given precedence over BRACHYPTERIDAE Erichson, 1845 and placed on Official List of Family-Group Names in Zoology (ICZN 1999b, as KATERETIDAE Erichson in Agassiz, 1846); discovery of the older available name proposed by Kirby (1837) removes priority problems with BRACHYPTERINAE.

BRACHYPTERINAE Erichson, 1845: 125 [stem: *Brachypter-*]. Type genus: *Brachypterus* Kugelann, 1794 [placed on the Official List of Generic Names in Zoology (ICZN 1999b)]. Comment: placed on Official List of Family-Group Names in Zoology (ICZN 1999b).

CERCIDAE Desmarest, 1851: 291 [stem: *Cerc-*]. Type genus: *Cercus* Latreille, 1797 [syn. of *Kateretes* Herbst, 1793].

Family NITIDULIDAE Latreille, 1802

NITIDULARIAE Latreille, 1802: 131 [stem: *Nitidul-*]. Type genus: *Nitidula* Fabricius, 1775. Comment: the classification of NITIDULIDAE follows Kirejtshuk (2008).

Subfamily CALONECRINAE Kirejtshuk, 1982

CALONECRINAE Kirejtshuk, 1982: 117 [stem: *Calonecr-*]. Type genus: *Calonecrus* J. Thomson, 1857.

Subfamily MAYNIPEPLINAE Kirejtshuk, 1998

MAYNIPEPLINAE Kirejtshuk, 1998b: 540 [stem: *Maynipepl-*]. Type genus: *Maynipeplus* Kirejtshuk, 1998.

Subfamily EPURAEINAE Kirejtshuk, 1986

EPURAEINI Kirejtshuk, 1986: 27 [stem: *Epurae-*]. Type genus: *Epuraea* Erichson, 1843.

Tribe EPURAEINI Kirejtshuk, 1986

EPURAEINI Kirejtshuk, 1986: 27 [stem: *Epurae-*]. Type genus: *Epuraea* Erichson, 1843.

Tribe TAENIONCINI Kirejtshuk, 1998

TAENIONCINI Kirejtshuk, 1998a: 322 [stem: *Taenionc-*]. Type genus: *Taenioncus* Kirejtshuk, 1984.

Subfamily CARPOPHILINAE Erichson, 1842

CARPOPHILINAE Erichson, 1842: 148 [stem: *Carpophil-*]. Type genus: *Carpophilus* Stephens, 1829.

Subfamily AMPHICROSSINAE Kirejtshuk, 1986

AMPHICROSSINI Kirejtshuk, 1986: 28 [stem: *Amphicross-*]. Type genus: *Amphicrossus* Erichson, 1843.

Subfamily MELIGETHINAE Thomson, 1859

MELIGETHINA C. G. Thomson, 1859: 67 [stem: *Meligeth-*]. Type genus: *Meligethes* Stephens, 1830.

Subfamily NITIDULINAE Latreille, 1802

NITIDULARIAE Latreille, 1802: 131 [stem: *Nitidul-*]. Type genus: *Nitidula* Fabricius, 1775.

Tribe CYCHRAMINI Gistel, 1848

CYCHRAMIDAE Gistel, 1848: [4] [stem: *Cychrom-*]. Type genus: *Cychromus* Kugelann, 1794.

Tribe CYCHRAMPTODINI Kirejtshuk and Lawrence, 1992

CYCHRAMPTODINI Kirejtshuk and Lawrence, 1992: 29, in key [stem: *Cychramp-*
tod-]. Type genus: *Cychrampodes* Reitter, 1878.

Tribe CYLLODINI Everts, 1898

STRONGYLINAE Erichson, 1843: 227 [stem: *Strongyl-*]. Type genus: *Strongylus* Herbst, 1792 [preoccupied genus name, not *Strongylus* O. F. Müller, 1780 [Nematoda]; syn. of *Cylloides* Erichson, 1843]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; STRONGYLIDAE Baird, 1853 (type genus *Strongylus* O. F. Müller, 1780) is available in Nematoda.

CYLLODINI Everts, 1898: 469, in key [stem: *Cylloid-*]. Type genus: *Cylloides* Erichson, 1843.

AMBOROTUBINI Leschen and Carlton, 2004: 450 [stem: *Amborotub-*]. Type genus: *Amborotubus* Leschen and Carlton, 2004.

Tribe LAWRENCEROSINI Kirejtshuk, 1991

LAWRENCEROSINI Kirejtshuk, 1991: 863 [stem: *Lawrenceros-*]. Type genus: *Lawrencerosus* Kirejtshuk, 1991.

Tribe MYSTROPINI Murray, 1864

MYSTROPIDAE Murray, 1864: 411 [stem: *Mystrop-*]. Type genus: *Mystrops* Erichson, 1843.

Tribe NITIDULINI Latreille, 1802

NITIDULARIAE Latreille, 1802: 131 [stem: *Nitidul-*]. Type genus: *Nitidula* Fabricius, 1775.

THALYCRINA C. G. Thomson, 1859: 68 [stem: *Thalycr-*]. Type genus: *Thalycrea* Erichson, 1843.

POCADIINI Seidlitz, 1872 [Gatt.]: 32 [stem: *Pocadi-*]. Type genus: *Pocadius* Erichson, 1843.

PROMETOPINAE Böving and Craighead, 1931: 37, in key [stem: *Prometopi-*]. Type genus: *Prometopia* Erichson, 1843. Comment: the spelling PROMETOPINAE in the key on page 37 is considered a *lapsus calami* since the correct spelling PROMETOPIINAE was used in the same publication in the conspectus on page 74 and in the caption for plate 35.

ORVOENINI Dajoz, 1980b: 191 [stem: *Orvoeni-*]. Type genus: *Orvoenia* Dajoz, 1980 [syn. of *Megauchenia* W. S. MacLeay, 1825]. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily CILLAEINAE Kirejtshuk and Audisio, 1986

CILLAEINAE Kirejtshuk and Audisio, 1986: 219 [stem: *Cillae-*]. Type genus: *Cillaeus* Laporte, 1835.

Subfamily CRYPTARCHINAE Thomson, 1859

CRYPTARCHINA C. G. Thomson, 1859: 69 [stem: *Cryptarch-*]. Type genus: *Cryptarcha* Shuckard, 1839.

Tribe ARHININI Kirejtshuk, 1987

ARHININI Kirejtshuk, 1987: 63 [stem: *Arhin-*]. Type genus: *Arhina* Murray, 1876.

Tribe CRYPTARCHINI Thomson, 1859

CRYPTARCHINA C. G. Thomson, 1859: 69 [stem: *Cryptarch-*]. Type genus: *Cryptarcha* Shuckard, 1839.

PITYOPHAGINI Reitter, 1891: 163 [stem: *Pityophag-*]. Type genus: *Pityophagus* Shuckard, 1839.

GLISCHROCHILINI Iablokoff-Khnzorian, 1966: 314 [stem: *Glischrochil-*]. Type genus: *Glischrochilus* Reitter, 1873.

Tribe EUCALOSPHAERINI Kirejtshuk, 1987

EUCALOSPHAERINI Kirejtshuk, 1987: 80 [stem: *Eucalosphaer-*]. Type genus: *Eucalosphaera* Jelinek, 1978.

Tribe PLATYARCHINI Kirejtshuk, 1998

PLATYARCHINI Kirejtshuk, 1998a: 41, in key [stem: *Platyarch-*]. Type genus: *Platyarcha* Kirejtshuk, 1987.

Subfamily CYBOCEPHALINAE Jacquelin du Val, 1858

CYBOCÉPHALITES Jacquelin du Val, 1858: 151 [stem: *Cybocephal-*]. Type genus: *Cybocephalus* Erichson, 1844. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by C. G. Thomson (1862: 123, as CYBOCEPHALIDAE), generally accepted as in Pakaluk et al. (1994: 230, as CYBOCEPHALINAE).

Family SMICRIPIDAE Horn, 1880

SMICRIPINI G. H. Horn, 1880d: 268 [stem: *Smicrip-*]. Type genus: *Smicrips* J. L. LeConte, 1878.

TISIPHONINAE Sharp, 1900a: 578 [stem: *Tisiphon-*]. Type genus: *Tisiphone* Reitter, 1876 [preoccupied genus name, not *Tisiphone* Hübner, 1816 [Lepidoptera]; syn. of *Smicrips* J. L. LeConte, 1878]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Family BOTHRIDERIDAE Erichson, 1845

BOTHRIDERINI Erichson, 1845: 287 [stem: *Bothrider-*]. Type genus: *Bothrideres* Dejean, 1835.

Subfamily TEREDINAE Seidlitz, 1888

TEREDINI Seidlitz, 1888 [Gatt.]: 57 [stem: *Tered-*]. Type genus: *Teredus* Dejean, 1835.

Tribe SOSYLOPSINI Dajoz, 1980

SOSYLOPSINI Dajoz, 1980a: 158 [stem: *Sosylops-*]. Type genus: *Sosylopsis* Grouvelle, 1910. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Sosylopse-*).

Tribe SYSOLINI Ślipiński and Pal, 1985

SYSOLINI Ślipiński and Pal, 1985: 40 [stem: *Sysol-*]. Type genus: *Sysolus* Grouvelle, 1908.

Tribe TEREDINI Seidlitz, 1888

TEREDINI Seidlitz, 1888 [Gatt.]: 57 [stem: *Tered-*]. Type genus: *Teredus* Dejean, 1835.

Subfamily XYLARIOPHILINAE Pal and Lawrence, 1986

XYLARIOPHILINAE Pal and Lawrence, 1986: 208, in key [stem: *Xylariophil-*]. Type genus: *Xylariophilus* Pal and Lawrence, 1986.

Subfamily ANOMMATINAE Ganglbauer, 1899

ANOMMATINI Ganglbauer, 1899: 894 [stem: *Anommat-*]. Type genus: *Anommatus* Wesmael, 1835.

Subfamily BOTHRIDERINAE Erichson, 1845

BOTHRIDERINI Erichson, 1845: 287 [stem: *Bothrider-*]. Type genus: *Bothrideres* Dejean, 1835.

DERETAPHRINI G. H. Horn, 1878: 578 [stem: *Deretaphr-*]. Type genus: *Deretaphrus* Newman, 1842.

DASTARCINI Reitter, 1922a: 39 [stem: *Dastarc-*]. Type genus: *Dastarcus* Walker, 1858.

Family CERYLONIDAE Billberg, 1820

CERYLONIDES Billberg, 1820a: 47 [stem: *Cerylon-*]. Type genus: *Cerylon* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1995c)]. Comment: CERYLONIDAE Billberg, 1820 placed on the Official List of Family-Group Names in Zoology (ICZN 1995c).

Subfamily EUXESTINAE Grouvelle, 1908

EUXESTINAE Grouvelle, 1908: 397, in key [stem: *Euxest-*]. Type genus: *Euxestus* Wollaston, 1858.

PACHYOCHTHESINAE Reitter, 1911: 105 [stem: *Pachyochth-*]. Type genus: *Pachyochthes* Reitter, 1897 [syn. of *Hypodacne* J. L. LeConte, 1875]. Comment: incorrect original stem formation, not in prevailing usage.

METACERYLINI Heinze, 1944: 21 [stem: *Metacerylon-*]. Type genus: *Metacerylon* Grouvelle, 1906. Comment: incorrect original stem formation, not in prevailing usage.

CYCLOXENINI Jeannel and Paulian, 1945: 57, in key [stem: *Cyclo xen-*]. Type genus: *Cyclo xenus* Arrow, 1925.

TACHYORYCTIDIINI Jeannel and Paulian, 1945: 57, in key [stem: *Tachyoryctidi-*]. Type genus: *Tachyoryctidium* Jeannel and Paulian, 1945.

Subfamily LOEBLIORYLONINAE Ślipiński, 1990

LOEBLIORYLININAE Ślipiński, 1990: 81 [stem: *Loebliorylon-*]. Type genus: *Loebliorylon* Ślipiński, 1990. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily OSTOMOPSINAE Sen Gupta and Crowson, 1973

OSTOMOPSINI Sen Gupta and Crowson, 1973: 400 [stem: *Ostomops-*]. Type genus: *Ostomopsis* Scott, 1922. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Ostomopse-*).

Subfamily MURMIDIINAE Jacquelin du Val, 1858

MURMIDIIDES Jacquelin du Val, 1858: 227 [stem: *Murmidi-*]. Type genus: *Murmidius* Leach, 1822. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1861: 78, as MURMIDIIDAE), generally accepted as in Pakaluk et al. (1994: 232, as MURMIDIINAE).

Subfamily CERYLONINAE Billberg, 1820

CERYLONIDES Billberg, 1820a: 47 [stem: *Cerylon-*]. Type genus: *Cerylon* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1995c)]. Comment: CERYLONIDAE Billberg, 1820a placed on the Official List of Family-Group Names in Zoology (ICZN 1995c); this family-group name was also used in the same year by Billberg (1820b: 394, as CERYLONIDES).

PLEOSOMIDES Fauvel, 1891: 162 [stem: *Ploeosomat-*]. Type genus: *Ploeosoma* Wollaston, 1854. Comment: incorrect original stem formation, not in prevailing usage.

LAPETHINAE Sharp, 1894: 445 [stem: *Lapeth-*]. Type genus: *Lapethus* Casey, 1890 [syn. of *Mychocerus* Erichson, 1845].

MYCHOCERINAE Sharp, 1895b: 494 [stem: *Mychocer-*]. Type genus: *Mychocerus* sensu J. L. LeConte, 1869 [syn. of *Mychocerinus* Ślipiński, 1990]. Comment: based on a misidentified type genus.

ACULAGNATHIDAE Oke, 1932: 22 [stem: *Aculagnath-*]. Type genus: *Aculagnathus* Oke, 1932.

DOLOSIDAE Dajoz, 1963: 96 [stem: *Dolos-*]. Type genus: *Dolosus* Dajoz, 1963 [subgenus of *Thyroderus* Sharp, 1885].

Family ALEXIIDAE Imhoff, 1856

ALEXIADAE Imhoff, 1856: [2] 151 [stem: *Alexi-*]. Type genus: *Alexia* Stephens, 1833 [syn. of *Sphaerosoma* Stephens, 1832].

SPHAEROSOMINAE Ganglbauer, 1899: 913 [stem: *Sphaerosomat-*]. Type genus: *Sphaerosoma* Stephens, 1832. Comment: incorrect original stem formation, not in prevailing usage.

Family DISCOLOMATIDAE Horn, 1878

DISCOLOMIDAE G. H. Horn, 1878: 557 [stem: *Discolomat-*]. Type genus: *Discoloma* Erichson, 1845. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily NOTIOPHYGINAE Jakobson, 1915

NOTIOPHYGIDAE Jakobson, 1915: 920 [stem: *Notiophyg-*]. Type genus: *Notiophygus* Gory, 1834.

Tribe DYSTHEAMONINI John, 1954

DYSTHEAMONINI John, 1954: 42 [stem: *Dystheamon-*]. Type genus: *Dystheamon* Grouvelle, 1927.

Tribe NOTIOPHYGINI Jakobson, 1915

NOTIOPHYGIDAE Jakobson, 1915: 920 [stem: *Notiophysg-*]. Type genus: *Notiophysgus* Gory, 1834.

Tribe PACHYPLACINI John, 1954

PACHYPLACINI John, 1954: 38 [stem: *Pachyplac-*]. Type genus: *Pachyplacus* John, 1935.

Subfamily DISCOLOMATINAE Horn, 1878

DISCOLOMIDAE G. H. Horn, 1878: 557 [stem: *Discolomat-*]. Type genus: *Discoloma* Erichson, 1845. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily APHANOCEPHALINAE Jakobson, 1904

APHANOCEPHALIDAE Jakobson, 1904: 273 [stem: *Aphanocephal-*]. Type genus: *Aphanocephalus* Wollaston, 1873. Comment: name previously attributed to Grouvelle (1912: 198); usage of APHAENOCEPHALIDAE by Ganglbauer (1903: 316) in STAPHYLINOIDEA is a *lapsus calami* for PHAENOCEPHALIDAE (now in PHALACRIDAE) according to Lawrence and Newton (1995).

Subfamily CEPHALOPHANINAE John, 1954

CEPHALOPHANINAE John, 1954: 64 [stem: *Cephalophan-*]. Type genus: *Cephalophanus* John, 1940.

Subfamily PONDONATINAE John, 1954

PONDONATINAE John, 1954: 19 [stem: *Pondonat-*]. Type genus: *Pondonatus* John, 1954.

Family ENDOMYCHIDAE Leach, 1815

ENDOMYCHIDES Leach, 1815: 116 [stem: *Endomych-*]. Type genus: *Endomychus* Panzer, 1795.

Subfamily MEROPHYSIINAE Seidlitz, 1872

MEROPHYSIINI Seidlitz, 1872 [Gatt.]: 39 [stem: *Merophysi-*]. Type genus: *Merophysia* Lucas, 1852.

HOLOPARAMECINI Seidlitz, 1888 [Gatt.]: 57 [stem: *Holoparamec-*]. Type genus: *Holoparamecus* Curtis, 1833.

Subfamily PLEGANOPHORINAE Jacquelin du Val, 1858

PLÉGANOPHORIDES Jacquelin du Val, 1858: 186 [stem: *Pleganophor-*]. Type genus: *Pleganophorus* Hampe, 1855. Comment: original vernacular name

available (Art. 11.7.2): first used in latinized form by Gerstaecker (1861: 419, as PLEGANOPHORIDAE), generally accepted as in Pakaluk et al. (1994: 233, as PLEGANOPHORINAE).

TROCHOÏDÉITES Chapuis, 1876: 146 [stem: *Trochoide-*]. Type genus: *Trochoideus* Westwood, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Ganglbauer (1899: 926, as TROCHOÏDEINAE); the earlier use of TROCHOÏDEIDAE by Gorham (1874: 185) is not considered to be a proposal for a new family-group taxon but was rather used as a hypothetical example addressed to the editors of the journal.

Subfamily ANAMORPHINAE Strohecker, 1953

ANAMORPHINI Strohecker, 1953: 15, in key [stem: *Anamorph-*]. Type genus: *Anamorphus* J. L. LeConte, 1878.

MYCHOTHENINAE Sasaji, 1978: 8 [stem: *Mychothen-*]. Type genus: *Mychothenus* Strohecker, 1953.

ACRITOSOMATINAE Pakaluk and Ślipiński, 1995: 328 [stem: *Acritosomat-*]. Type genus: *Acritosoma* Pakaluk and Ślipiński, 1995.

Subfamily LEIESTINAE Thomson, 1863

LEIESTINA C. G. Thomson, 1863: 306 [stem: *Leiest-*]. Type genus: *Leistes* Chevrolat, 1836.

RHANES J. L. LeConte and G. H. Horn, 1883: 120 [stem: *Rhanid-*]. Type genus: *Rhanis* J. L. LeConte, 1854 [preoccupied genus name, not *Rhanis* C. L. Koch, 1846 [Arachnida]; syn. of *Rhanidea* Strohecker, 1953]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

PHYMAPHORINA Jakobson, 1915: 961 [stem: *Phymaphor-*]. Type genus: *Phymaphora* Newman, 1838.

Subfamily MYCETAEINAE Jacquelin du Val, 1857

MYCETÉIDES Jacquelin du Val, 1857b: 102 [stem: *Mycetae-*]. Type genus: *Mycetaea* Stephens, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gerstaecker (1861: 419, as MYCETAEIDAE), generally accepted as in Pakaluk et al. (1994: 233, as MYCETAEINAE); incorrect original stem formation, not in prevailing usage.

Subfamily EUPSILOBIINAE Casey, 1895

EUPSILOBIINI Casey, 1895: 452 [stem: *Eupsilobi-*]. Type genus: *Eupsilobius* Casey, 1895 [syn. of *Eidoreus* Sharp, 1885].

CERASOMMATIDIIDAE Brèthes, 1925: 199 [stem: *Cerasommatidi-*]. Type genus: *Cerasommatidia* Brèthes, 1925.

EIDOREINAE Sasaji, 1986: 235 [stem: *Eidore-*]. Type genus: *Eidoreus* Sharp, 1885.

Subfamily XENOMYCETINAE Strohecker, 1962

XENOMYCETINAE Strohecker, 1962: 801, in key [stem: *Xenomycet-*]. Type genus: *Xenomycetes* G. H. Horn, 1880.

Subfamily DANASCELINAE Tomaszewska, 2000

DANASCELINAE Tomaszewska, 2000: 494, in key [stem: *Danascel-*]. Type genus: *Danascelis* Tomaszewska, 1999. Comment: current spelling maintained (Art. 29.3.1.1): incorrect original stem formation in prevailing usage (should be *Danascelid-*).

Subfamily ENDOMYCHINAE Leach, 1815

ENDOMYCHIDES Leach, 1815: 116 [stem: *Endomych-*]. Type genus: *Endomychus* Panzer, 1795.

*AGARICOPHILES Motschulsky, 1849: 58 [stem: *Agaricophil-*]. Type genus: *Agaricophilus* Motschulsky, 1837. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

CYCLOTOMIDAE Imhoff, 1856: [2] 151 [stem: *Cyclotom-*]. Type genus: *Cyclotoma* Mulsant, 1851.

*AGARICOPHILINAE Lawrence, 1991: 484 [stem: *Agaricophil-*]. Type genus: *Agaricophilus* Motschulsky, 1837. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); proposed as new without reference to AGARICOPHILES Motschulsky, 1849.

Subfamily EPIPOCINAE Gorham, 1873

EPIPOCIDAE Gorham, 1873: 20 [stem: *Epipoc-*]. Type genus: *Epipocus* Germar, 1843.

Subfamily STENOTARSINAE Chapuis, 1876

STÉNOTARSITES Chapuis, 1876: 125 [stem: *Stenotars-*]. Type genus: *Stenotarsus* Perty, 1832. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Csiki (1901: 37, as STENOTARSINI), generally accepted as in Shockley et al. (2009: 73, as STENOTARSINAE).

Subfamily LYCOPERDININAE Bromhead, 1838

LYCOPERDINADAE Bromhead, 1838: 419 [stem: *Lycoperdin-*]. Type genus: *Lycoperdina* Latreille, 1807. Comment: name previously attributed to L. Redtenbacher (1844); incorrect original stem formation, not in prevailing usage.

EUMORPHIDAE Gistel, 1848: [10] [stem: *Eumorph-*]. Type genus: *Eumorphus* Weber, 1801.

DAPSINI Gerstaecker, 1858: 170 [stem: *Daps-*]. Type genus: *Dapsa* Latreille, 1829.

CORYNOMALIDAE Gorham, 1873: 14 [stem: *Corynomal-*]. Type genus: *Corynomalus* Gerstaecker, 1857.

AMPHICINI Csiki, 1910: 25 [stem: *Amphic-*]. Type genus: *Amphix* Laporte, 1840.

BECCARIINI Arrow, 1925: 278 [stem: *Beccari-*]. Type genus: *Beccaria* Gorham, 1885 [preoccupied genus name, not *Beccaria* Bourguignat, 1883 [Mollusca]; syn. of *Beccariola* Arrow, 1943]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

AMPHISTERNINI Strohecker, 1964: 319 [stem: *Amphistern-*]. Type genus: *Amphisternus* Germar, 1843.

Family COCCINELLIDAE Latreille, 1807

COCCINELLIDAE Latreille, 1807: 70 [stem: *Coccinell-*]. Type genus: *Coccinella* Linnaeus, 1758.

Subfamily MICROWEISEINAЕ Leng, 1920

MICROWEISEINI Leng, 1920: 213 [stem: *Microweise-*]. Type genus: *Microweisea* Cockerell, 1903.

Tribe MICROWEISEINI Leng, 1920

MICROWEISEINI Leng, 1920: 213 [stem: *Microweise-*]. Type genus: *Microweisea* Cockerell, 1903.

Tribe SERANGIINI Pope, 1962

*SERANGIINI Blackwelder, 1945: 450 [stem: *Serangi-*]. Type genus: *Serangium* Blackburn, 1889. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

SERANGIINI Pope, 1962: 627 [stem: *Serangi-*]. Type genus: *Serangium* Blackburn, 1889.

Tribe SUKUNAHIKONINI Kamiya, 1960

SUKUNAHIKONINI Kamiya, 1960: 24 [stem: *Sukunahikon-*]. Type genus: *Sukunahikona* Kamiya, 1960 [syn. of *Scymnomorphus* Weise, 1897].

SCOTOSCYMNINAE Duverger, 2003: 63 [stem: *Scotoscymn-*]. Type genus: *Scotoscymnus* Weise, 1901. Comment: name proposed to replace SUKUNAHIKONINI Kamiya, 1960 because of the synonymy of the type genus.

Subfamily COCCINELLINAE Latreille, 1807

COCCINELLIDAE Latreille, 1807: 70 [stem: *Coccinell-*]. Type genus: *Coccinella* Linnaeus, 1758.

Tribe ARGENTIPILOSINI Gordon and de Almeida, 1991

ARGENTIPILOSINI Gordon and de Almeida, 1991: 150 [stem: *Argentipilos-*]. Type genus: *Argentipilosa* Gordon and de Almeida, 1991.

Tribe ASPIDIMERINI Mulsant, 1850

ASPIDIMÉRAIRES Mulsant, 1850: 943 [stem: *Aspidimer-*]. Type genus: *Aspidimerus* Mulsant, 1850. Comment: original vernacular name available (Art. 11.7.2):

first used in latinized form by Jakobson (1915: 969, as ASPIDIMERINA), generally accepted as in Pakaluk et al. (1994: 234, as ASPIDIMERINI).

Tribe AZYINI Mulsant, 1850

AZYAIRES Mulsant, 1850: 927 [stem: *Azy-*]. Type genus: *Azya* Mulsant, 1850.

Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Crotch (1874: 279, as AZYAE), generally accepted as in Pakaluk et al. (1994: 233, as AZYINI).

*BUCOLITES Chapuis, 1876: 237 [stem: *Bucol-*]. Type genus: *Bucolus* Mulsant, 1850. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

Tribe BRACHIACANTHINI Mulsant, 1850

BRACHYACANTHAIRES Mulsant, 1850: 520 [stem: *Brachiacanth-*]. Type genus: *Brachiacantha* Chevrolat, 1836 [as *Brachyacantha*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Duverger (1990: 143, as BRACHIACANTHADINI [incorrect stem formation]), generally accepted as in Pakaluk et al. (1994: 249, as BRACHIACANTHINI); incorrect original stem formation, not in prevailing usage.

Tribe CARINODULINI Gordon, Pakaluk and Ślipiński, 1989

CARINODULINI Gordon et al., 1989: 360 [stem: *Carinodul-*]. Type genus: *Carinodula* Gordon et al., 1989.

Tribe CEPHALOSCYNININI Gordon, 1985

CEPHALOSCYNNINI Gordon, 1985: 66 [stem: *Cephaloscymn-*]. Type genus: *Cephaloscymnus* Crotch, 1872.

Tribe CHILOCORINI Mulsant, 1846

CHILOCORIENS Mulsant, 1846: 166 [stem: *Chilocor-*]. Type genus: *Chilocorus* Leach, 1815. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1885: 239, as CHILOCORINI), generally accepted as in Pakaluk et al. (1994: 234, as CHILOCORINI).

*EXOCHOMAIRES Mulsant, 1850: 465 [stem: *Exochom-*]. Type genus: *Exochomus* Redtenbacher, 1843. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

Tribe CHNOODINI Mulsant, 1850

CHNOODIENS Mulsant, 1850: 907 [stem: *Chnoode-*]. Type genus: *Chnoodes* Chevrolat, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Sicard (1909: 103, as

CHNOODINI); name incorrectly treated as unavailable by Pakaluk et al. (1994: 248).

*SIOLAIRES Mulsant, 1850: 931 [stem: *Siol-*]. Type genus: *Siola* Mulsant, 1850. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

EXOPLECTRIDES Crotch, 1874: xiii [stem: *Exoplectr-*]. Type genus: *Exoplectra* Chevrolat, 1836.

SUMNIINI Hoang, 1982: 138 [stem: *Sumni-*]. Type genus: *Sumnius* Weise, 1892.

Tribe COCCIDULINI Mulsant, 1846

COCCIDULIENS Mulsant, 1846: 266 [stem: *Coccidul-*]. Type genus: *Coccidula* Kugelann, 1798. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1848: [10], as COCCIDULAEIDAE [incorrect stem formation]), generally accepted as in Pakaluk et al. (1994: 233, as COCCIDULINI).

*RHIZOBIATES Mulsant, 1846: 261 [stem: *Rhyzobi-*]. Type genus: *Rhyzobius* Stephens, 1829 [as *Rhizobius*, unjustified emendation of type genus name by Agassiz (1846b: 327), not in prevailing usage]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant (1846); incorrect original stem formation, not in prevailing usage.

RHIZOBIINA C. G. Thomson, 1866: 328 [stem: *Rhyzobi-*]. Type genus: *Rhyzobius* Stephens, 1829 [as *Rhizobius*, unjustified emendation of type genus name by Agassiz (1846b: 327), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; the name RHIZOBIINAE Buckton, 1883 (type genus *Rhizobius* Burmeister, 1835) is available in Hemiptera.

Tribe COCCINELLINI Latreille, 1807

COCCINELLIDAE Latreille, 1807: 70 [stem: *Coccinell-*]. Type genus: *Coccinella* Linnaeus, 1758.

*ADONIATES Mulsant, 1846: 35 [stem: *Adoni-*]. Type genus: *Adonia* Mulsant, 1846 [syn. of *Hippodamia* Chevrolat, 1836]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*HIPPODAMIAIRES Mulsant, 1846: 30 [stem: *Hippodami-*]. Type genus: *Hippodamia* Chevrolat, 1836. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*MICRASPIAIRES Mulsant, 1846: 162 [stem: *Micraspid-*]. Type genus: *Micraspis* Chevrolat, 1836. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

*MYZIATES Mulsant, 1846: 125 [stem: *Myzi-*]. Type genus: *Myzia* Mulsant, 1846 [as *Mysia*, alternative original spelling of type genus name; we follow Kovář (2007: 620) in using *Myzia* as the correct spelling for this genus]. Comment:

original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

HALYZIAIRES Mulsant, 1846: 123 [stem: *Halyzi-*]. Type genus: *Halyzia* Mulsant, 1846. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Pakaluk et al. (1994: 234, as HALYZIINI).

ALESIAIRES Mulsant, 1850: 343 [stem: *Alesi-*]. Type genus: *Alesia* Mulsant, 1850 [syn. of *Micraspis* Chevrolat, 1836]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Mader (1934: 297, as ALESIINI), generally accepted as in Mader (1954: 93, as ALESIINA).

*CARIAIRES Mulsant, 1850: 228 [stem: *Cari-*]. Type genus: *Caria* Mulsant, 1850 [preoccupied genus name, not *Caria* Hübner, 1823[Lepidoptera]; syn. of *Megalocaria* Crotch, 1874]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Casey (1899: 72, as CARIINI), but not generally accepted as valid; if name found to be available then permanently invalid (Art. 39): based on preoccupied type genus.

COELOPHORAIRES Mulsant, 1850: 374 [stem: *Coelophor-*]. Type genus: *Coelophora* Mulsant, 1850. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Mader (1954: 93, as COELOPHORINA).

CYDONIAIRES Mulsant, 1850: 429 [stem: *Cydoni-*]. Type genus: *Cydonia* Mulsant, 1850 [syn. of *Cheilomenes* Chevrolat, 1836]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Mader (1954: 93, as CYDONIINA).

DISCOTOMAIRES Mulsant, 1850: 214 [stem: *Discotom-*]. Type genus: *Discotoma* Mulsant, 1850. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Korschëvsky (1932: 577, as DISCOTOMINI), generally accepted as in Pakaluk et al. (1994: 234, as DISCOTOMINI).

TYTTHASPIDES Crotch, 1874: xiii [stem: *Tytthaspid-*]. Type genus: *Tytthaspis* Crotch, 1874.

SYNONYCHINI Weise, 1885: 7 [stem: *Synonych-*]. Type genus: *Synonycha* Chevrolat, 1836.

PSYLLOBORINI Casey, 1899: 73 [stem: *Psyllobor-*]. Type genus: *Psyllobora* Chevrolat, 1836.

ANISOSTICTINA Jakobson, 1915: 969 [stem: *Anisostict-*]. Type genus: *Anisosticta* Chevrolat, 1836.

ANISOLEMNIINA Mader, 1954: 93, in key [stem: *Anisolemni-*]. Type genus: *Anisolemnia* Crotch, 1874.

BULAEINI Savoyskaya, 1969: 102 [stem: *Bulae-*]. Type genus: *Bulaea* Mulsant, 1850.

SINGHIKALIINI Miyatake, 1972: 96 [stem: *Singhikali-*]. Type genus: *Singhikalia*

Tribe CRANOPHORINI Mulsant, 1850

CRANOPHORAIRES Mulsant, 1850: 939 [stem: *Cranophor-*]. Type genus: *Crano-phorus* Mulsant, 1850. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Casey (1899: 74, as CRANOPHORINI), generally accepted as in Pakaluk et al. (1994: 233, as CRANOPHORINI).

Tribe CRYPTOGNATHINI Mulsant, 1850

CRYPTOGNATHAIRES Mulsant, 1850: 496 [stem: *Cryptognath-*]. Type genus: *Cryptognatha* Mulsant, 1850. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Gordon (1971: 181, as CRYPTO-GNATHINI), generally accepted as in Pakaluk et al. (1994: 249, as CRYPTO-GNATHINI).

*PENTILIAIRES Mulsant, 1850: 501 [stem: *Pentili-*]. Type genus: *Pentilia* Mulsant, 1850. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Mulsant (1846).

PENTILIINI Casey, 1899: 74 [stem: *Pentili-*]. Type genus: *Pentilia* Mulsant, 1850. OENEINI Casey, 1899: 74 [stem: *Oene-*]. Type genus: *Oeneis* Mulsant, 1850 [pre-occupied genus name, not *Oeneis* Hübner, 1819 [Lepidoptera]; syn. of *Delphastus* Casey, 1899]. Comment: permanently invalid (Art. 39): based on pre-occupied type genus; the taxon Oeneini Wheeler, 1903 (type genus *Oeneis* Hübner, 1819) is available in Lepidoptera.

Tribe CYNEGETINI Thomson, 1866

CYNEGETIDES C. G. Thomson, 1866: 374 [stem: *Cyneget-*]. Type genus: *Cynegetis* Chevrolat, 1836. Comment: current spelling maintained (Art. 29.3.1.1); incorrect stem formation in prevailing usage (should be *Cynegetid-*).

MADAINI Gordon, 1975: 206 [stem: *Mad-*]. Type genus: *Mada* Mulsant, 1850. Comment: incorrect original stem formation, not in prevailing usage.

Tribe DIOMINI Gordon, 1999

DIOMINI Gordon, 1999: 4 [stem: *Diom-*]. Type genus: *Diomus* Mulsant, 1850.

Tribe EPILACHNINI Mulsant, 1846

EPILACHNIENS Mulsant, 1846: 190 [stem: *Epilachn-*]. Type genus: *Epilachna* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Ganglbauer (1898: 947, as EPILACHNINAE), generally accepted as in Pakaluk et al. (1994: 234, as EPILACHNINI).

*CHNOOTRIBAIRES Mulsant, 1850: 697 [stem: *Chnootrib-*]. Type genus: *Chnootriba* Chevrolat, 1836. Comment: original vernacular name unavailable (Art. 11.7.2); not subsequently latinized.

SUBCOCCINELLINI Jakobson, 1915: 968 [stem: *Subcoccinell-*]. Type genus: *Subcoccinella* Huber, 1841.

Tribe EPIVERTINI Pang and Mao, 1979

EPIVERTINI Pang and Mao, 1979: 158 [stem: *Epivert-*]. Type genus: *Epiverta* Dieke, 1947.

Tribe EREMOCHILINI Gordon and Vanderberg, 1987

EREMOCHILINI Gordon and Vanderberg, 1987: 6 [stem: *Eremochil-*]. Type genus: *Eremochilus* Weise, 1912.

Tribe HYPERASPIDINI Mulsant, 1846

HYPÉRASPIENS Mulsant, 1846: 177 [stem: *Hyperaspid-*]. Type genus: *Hyperaspis* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1885: 5, as HYPERASPINI), generally accepted as in Pakaluk et al. (1994: 233, as HYPERASPINI); incorrect original stem formation, not in prevailing usage.

*THALASSAIRES Mulsant, 1850: 505 [stem: *Thalass-*]. Type genus: *Thalassa* Mulsant, 1850. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*TIPHYSAIRES Mulsant, 1850: 516 [stem: *Tiphys-*]. Type genus: *Tiphysa* Mulsant, 1850. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

Tribe LIMNICHOPHARINI Miyatake, 1994

LIMNICHOPHARINI Miyatake, 1994: 269 [stem: *Limnichophar-*]. Type genus: *Limnichopharus* Miyatake, 1994.

Tribe MONOCORYNINI Miyatake, 1988

MONOCORYNINI Miyatake, 1988: 28 [stem: *Monocoryn-*]. Type genus: *Monocoryna* Gorham, 1885.

Tribe NOVIINI Mulsant, 1846

NOVIAIRES Mulsant, 1846: 213 [stem: *Novi-*]. Type genus: *Novius* Mulsant, 1846 [the original spelling used by Mulsant was *Nomius* (p. 213), however, the spelling was changed to *Novius* by Mulsant in the “Addenda et errata” of the same work and is therefore considered a justified emendation (Art. 19.2)]. Comment: the original spelling of this family-group name was NOMIAIRES (based on the new genus *Nomius* Mulsant, 1846), the spelling of the family-group and genus-group names were changed to NOVIAIRES and *Novius* in the “Addenda et errata” of the same work, NOVIAIRES is therefore treated as the correct original spelling of this family-group name (Art. 19.2); original vernacular name available (Art. 11.7.2): first used in latinized form by Ganglbauer (1899: 977, as NOVIINI), generally accepted as in Pakaluk et al. (1994: 233, as NOVIINI).

*RODOLIAIRES Mulsant, 1850: 901 [stem: *Rodoli-*]. Type genus: *Rodolia* Mulsant, 1850. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

Tribe ORTALIINI Mulsant, 1850

ORTALIENS Mulsant, 1850: 892 [stem: *Ortali-*]. Type genus: *Ortalia* Mulsant, 1850. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Crotch (1874: 274, as ORTALIAE), generally accepted as in Pakaluk et al. (1994: 234, as ORTALIINI).

Tribe ORYSSOMINI Gordon, 1974

ORYSSOMINI Gordon, 1974: 146 [stem: *Oryssom-*]. Type genus: *Oryssomus* Mulsant, 1850.

Tribe PLATYNASPINI Mulsant, 1846

PLATYNASPIAIRES Mulsant, 1846: 215 [stem: *Platynasp-*]. Type genus: *Platynaspis* Redtenbacher, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Casey (1899: 109, as PLATYNASPINI), generally accepted as in Pakaluk et al. (1994: 234, as PLATYNASPINI); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Platynaspid-*).

Tribe PLOTININI Miyatake, 1994

PLOTININI Miyatake, 1994: 279 [stem: *Plotin-*]. Type genus: *Plotina* Lewis, 1896.

Tribe PORIINI Mulsant, 1850

PORIENS Mulsant, 1850: 884 [stem: *Pori-*]. Type genus: *Poria* Mulsant, 1850. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Gorham (1894: 206, as PORIIDES [treated as Latin]).

Tribe SCYMNILLINI Casey, 1899

SCYMNILLINI Casey, 1899: 74 [stem: *Scymnill-*]. Type genus: *Scymnillus* G. H. Horn, 1895.

ZILINI Gordon, 1985: 74 [stem: *Zil-*]. Type genus: *Zilus* Mulsant, 1850. Comment: name proposed to replace SCYMNILLINI Casey, 1899 because of the synonymy of the type genus at that time.

Tribe SCYMNINI Mulsant, 1846

SCYMNIAIRES Mulsant, 1846: 189 [stem: *Scymn-*]. Type genus: *Scymnus* Kugelann, 1794. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1885: 5, as SCYMNINI), generally accepted as in

Pakaluk et al. (1994: 233, as SCYMNINI); incorrect original stem formation, not in prevailing usage.

*CRYPTOLAEMAIRES Mulsant, 1853: 267 [stem: *Cryptolaem-*]. Type genus: *Cryptolaemus* Mulsant, 1853. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

Tribe SELVADIINI Gordon, 1985

SELVADIINI Gordon, 1985: 347 [stem: *Selvadi-*]. Type genus: *Selvadius* Casey, 1899.

Tribe SHIROZUELLINI Sasaji, 1967

SHIROZUELLINI Sasaji, 1967: 23 [stem: *Shirozuell-*]. Type genus: *Shirozuella* Sasaji, 1967.

GHANIINI Ahmad, 1973: 449 [stem: *Ghani-*]. Type genus: *Ghanius* Ahmad, 1973.

Tribe STETHORINI Dobzhansky, 1924

STETHORINI Dobzhansky, 1924: 20 [stem: *Stethor-*]. Type genus: *Stethorus* Weise, 1885.

Tribe STICHOLOTIDINI Weise, 1901

PHARINI Casey, 1899: 74 [stem: *Phar-*]. Type genus: *Pharus* Mulsant, 1850 [preoccupied genus name, not *Pharus* Gray, 1840 [Mollusca]; syn. of *Pharoscymnus* Bedel, 1906]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; this family-group name was also proposed in the same year by Ganglbauer (1899: 954, as PHARINI), priority could not be established between those two works; the name PHARINAE Adams and Adams, 1856 in Mollusca (type genus *Pharus* Gray, 1840) is available.

STICHOLOTINI Weise, 1901: 430 [stem: *Sticholotid-*]. Type genus: *Sticholotis* Crotch, 1874. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Gordon (1977: 186).

CLANINI Weise, 1901: 430 [stem: *Clan-*]. Type genus: *Clanis* Mulsant, 1850 [preoccupied genus name, not *Clanis* Hübner, 1819 [Lepidoptera]; syn. of *Jauravia* Motschulsky, 1858]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

COELOPTERINI Weise, 1906: column 369 [stem: *Coelopter-*]. Type genus: *Coelopterus* Mulsant and Rey, 1852. Comment: name previously attributed to Della Beffa (1912: 171, as COLEOPTERINI [incorrect stem formation]) in the literature.

Tribe TELSIMIINI Casey, 1899

TELSIMIINI Casey, 1899: 74 [stem: *Telsimi-*]. Type genus: *Telsimia* Casey, 1899.

Tribe TETRABRACHINI Kapur, 1948

LITHOPHILIDAE Imhoff, 1856: [2] 151 [stem: *Lithophil-*]. Type genus: *Lithophilus* Fröhlich, 1799 [preoccupied genus name, not *Lithophilus* Schneider, 1791

[Coleoptera: CARABIDAE]; syn. of *Tetraibrachys* Kapur, 1948]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

TETRABRACHINAE Kapur, 1948: 320 [stem: *Tetraibrach-*]. Type genus: *Tetraibrachys* Kapur, 1948. Comment: replacement name for LITHOPHILINAE Imhoff, 1856 because of the homonymy of the type genus; current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Tetraibrache-*).

Family CORYLOPHIDAE LeConte, 1852

CORYLOPHI J. L. LeConte, 1852b: 141 [stem: *Coryloph-*]. Type genus: *Corylophus* Stephens, 1833.

Subfamily PERIPTYCTINAE Ślipiński, Lawrence and Tomaszewska, 2001

PERIPTYCTINAE Ślipiński et al., 2001: 312 [stem: *Periptyct-*]. Type genus: *Periptyctus* Blackburn, 1825.

Subfamily CORYLOPHINAE LeConte, 1852

CORYLOPHI J. L. LeConte, 1852b: 141 [stem: *Coryloph-*]. Type genus: *Corylophus* Stephens, 1833.

Tribe AENIGMATICINI Casey, 1900

AENIGMATICINI Casey, 1900: 61 [stem: *Aenigmatic-*]. Type genus: *Aenigmaticum* A. Matthews, 1888.

Tribe CLEIDOSTETHINI Bowestead, Booth, Ślipiński and Lawrence, 2001

CLEIDOSTETHINI Bowestead et al., 2001: 323 [stem: *Cleidosteth-*]. Type genus: *Cleidostethus* Arrow, 1929.

Tribe CORYLOPHINI LeConte, 1852

CORYLOPHI J. L. LeConte, 1852b: 141 [stem: *Coryloph-*]. Type genus: *Corylophus* Stephens, 1833.

Tribe FOADIINI Ślipiński, Tomaszewska and Lawrence, 2009

FOADIINI Ślipiński et al., 2009: 422 [stem: *Foadi-*]. Type genus: *Foadia* Pakaluk, 1985.

Tribe ORTHOPERINI Jacquelin du Val, 1857

ORTHOPÉRITES Jacquelin du Val, 1857b: 100 [stem: *Orthoper-*]. Type genus: *Orthoperus* Stephens, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by C. G. Thomson (1859: 63, as ORTHOPERIDAE), generally accepted as in Ślipiński et al. (2009: 428, as ORTHOPERINI).

Tribe PARMULINI Poey, 1854

CLYPEASTRES L. Redtenbacher, 1845: 122 [stem: *Clypeaster-*]. Type genus: *Clypeaster* Dejean, 1821 [preoccupied genus name, not *Clypeaster* Lamarck, 1801

[Echinodermata]; syn. of *Clypastraea* Haldeman, 1842]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage; CLYPEASTERIDAE L. Agassiz, 1835 (type genus *Clypeaster* Lamarck, 1801) is available in Echinodermata.

PARMULINI Poey, 1854: 323 [stem: *Parmul-*]. Type genus: *Parmulus* Gundlach, 1854 [syn. of *Clypastraea* Haldeman, 1842].

SACIINA A. Matthews, 1888: 103 [stem: *Saci-*]. Type genus: *Sacium* J. L. LeConte, 1852 [syn. of *Clypastraea* Haldeman, 1842].

ARTHROLIPINAE Böving and Craighead, 1931: 36, in key [stem: *Arthrolip-*]. Type genus: *Arthrolips* Wollaston, 1854.

Tribe PELTINODINI Paulian, 1950

PELTINODITAE Paulian, 1950: 19 [stem: *Peltinod-*]. Type genus: *Peltinodes* Paulian, 1950 [syn. of *Holopsis* Broun, 1883]. Comment: precedence (PELTINODINI Paulian, 1950 vs CORYLOPHODINI Paulian, 1950) given to taxon originally proposed at the higher rank (Art. 24.1).

CORYLOPHODINI Paulian, 1950: 21, in key [stem: *Corylophod-*]. Type genus: *Corylophodes* A. Matthews, 1885 [syn. of *Holopsis* Broun, 1883].

Tribe RYPOBIINI Paulian, 1950

RHYPOBIINI Paulian, 1950: 48 [stem: *Rypobi-*]. Type genus: *Rypobius* J. L. LeConte, 1852 [as *Rhypobius*, unjustified emendation of type genus name by Gemminger and Harold (1876: 3818), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

GLOEOSOMATINI Bowstead, 1999: 128 [stem: *Gloeosomat-*]. Type genus: *Gloeosoma* Wollaston, 1854.

Tribe SERICODERINI Matthews, 1888

SERICODERINA A. Matthews, 1888: 103 [stem: *Sericoder-*]. Type genus: *Sericoderus* Stephens, 1829.

Tribe TEPLININI Pakaluk, Ślipiński and Lawrence, 1994

PELTININI Paulian, 1950: 21, in key [stem: *Peltin-*]. Type genus: *Peltinus* Mulsant, 1861 [preoccupied genus name, not *Peltinus* Rafinesque, 1815 [Coleoptera: TROGOSITIDAE]; syn. of *Teplinus* Pakaluk et al., 1994]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

TEPLININI Pakaluk et al., 1994: 251 [stem: *Teplin-*]. Type genus: *Teplinus* Pakaluk et al., 1994. Comment: replacement name for PELTININI Paulian, 1950 because of the homonymy of the type genus.

Family AKALYPTOISCHIIDAE Lord, Hartley, Lawrence, McHugh and Miller, 2010

AKALYPTOISCHIIDAE Lord et al., 2010: 761 [stem: *Akalyptoischii-*]. Type genus: *Akalyptoischion* Andrews, 1976.

Family LATRIDIIDAE Erichson, 1842

LATHRIDIEN Erichson, 1842: 122 [stem: *Latridi-*]. Type genus: *Latridius* Herbst, 1793 [as *Lathridius*, unjustified emendation of type genus name by Illiger (1802), not in prevailing usage]. Comment: the younger name LATRIDIIDAE has been used widely for this family in recent literature although Pakaluk et al. (1994: 252) and a small number of subsequent authors, e.g., Míka (2000), Lassau et al. (2005), have used the older name CORTICARIIDAE; an application was recently submitted to the Commission in order to conserve usage of the well-established name LATRIDIIDAE (Bousquet et al. 2010; see Appendix 6).

Subfamily LATRIDIINAE Erichson, 1842

LATHRIDIEN Erichson, 1842: 122 [stem: *Latridi-*]. Type genus: *Latridius* Herbst, 1793 [as *Lathridius*, unjustified emendation of type genus name by Illiger (1802), not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by L. Redtenbacher (1845: 123, as LATHRIDII), generally accepted as in Lawrence and Newton (1995: 886, as LATRIDIIDAE); incorrect original stem formation, not in prevailing usage.

Subfamily CORTICARIINAE Curtis, 1829

CORTICARIDAE Curtis, 1829: pl. 283 [stem: *Corticari-*]. Type genus: *Corticaria* Marsham, 1802. Comment: incorrect original stem formation, not in prevailing usage; although this is the oldest name for the family, an application was recently submitted by Bousquet et al. (2010) to conserve usage of the well-established name LATRIDIIDAE (see Appendix 6).

*MELANOPHTHALMIDAE Arnett, 1962b: 835 [stem: *Melanophthalm-*]. Type genus: *Melanophthalma* Motschulsky, 1866. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently; name listed by Arnett as a synonym of LATRIDIIDAE and attributed to “auct.”, we could find an earlier usage of this name.

†Subfamily TETRAMEROSEINAE Kirejtshuk and Azar, 2008

TETRAMEROPSINAE Kirejtshuk and Azar, 2008: 36 [stem: *Tetrameropse-*]. Type genus: *Tetrameropsis* Kirejtshuk and Azar, 2008. Comment: incorrect original stem formation, not in prevailing usage.

Superfamily TENEBRIONOIDEA Latreille, 1802

TENEBRIONITES Latreille, 1802: 165 [stem: *Tenebrion-*]. Type genus: *Tenebrio* Linnaeus, 1758. Comment: First Revisers found (TENEBRIONOIDEA Latreille, 1802 vs MORDELOIDEA Latreille, 1802) are Alonso-Zarazaga and Mansilla-Castrillo (1988: 19).

Family MYCETOPHAGIDAE Leach, 1815

MYCETOPHAGIDA Leach, 1815: 110 [stem: *Mycetophag-*]. Type genus: *Mycetophagus* Fabricius, 1792.

Subfamily ESARCINAE Reitter, 1882

ESARCINI Reitter, 1882a: 115 [stem: *Esarc-*]. Type genus: *Esarcus* Reiche, 1864.

Subfamily MYCETOPHAGINAE Leach, 1815

MYCETOPHAGIDA Leach, 1815: 110 [stem: *Mycetophag-*]. Type genus: *Mycetophagus* Fabricius, 1792.

Tribe MYCETOPHAGINI Leach, 1815

MYCETOPHAGIDA Leach, 1815: 110 [stem: *Mycetophag-*]. Type genus: *Mycetophagus* Fabricius, 1792.

TRITOMIDAE Crotch, 1873a: 78 [stem: *Tritom-*]. Type genus: *Tritoma* Geoffroy, 1762 [senior homonym of *Tritoma* Fabricius, 1775 [Coleoptera: EROTYLIDAE] but placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1994a); syn. of *Mycetophagus* Fabricius, 1792]. Comment: permanently invalid (Art. 39): based on suppressed type genus; TRITOMIDAE was also used the same year by Crotch (1873b: 42).

TRIPHYLLINI Harold, 1880: 757 [stem: *Triphyll-*]. Type genus: *Triphyllus* Dejean, 1821.

Tribe TYPHAEINI Thomson, 1863

TYPHAEINA C. G. Thomson, 1863: 241 [stem: *Typhae-*]. Type genus: *Typhaea* Stephens, 1829.

TYPHAEINI Nikitsky, 1993: 165 [stem: *Typhae-*]. Type genus: *Typhaea* Stephens, 1829. Comment: family-group name proposed as new without reference to TYPHAEINA C. G. Thomson, 1863.

Subfamily BERGININAE Leng, 1920

BERGINI Leng, 1920: 246 [stem: *Bergin-*]. Type genus: *Berginus* Erichson, 1846.

Comment: incorrect original stem formation, not in prevailing usage.

Family ARCHEOCRYPTICIDAE Kaszab, 1964

ARCHEOCRYPTICINI Kaszab, 1964: 361 [stem: *Archeocryptic-*]. Type genus: *Archeocrypticus* Kaszab, 1964.

Family PTEROGENIIDAE Crowson, 1953

PTEROGENIIDAE Crowson, 1953: 38 [stem: *Pterogeni-*]. Type genus: *Pterogenius* Candèze, 1861.

Family CIIDAE Leach, 1819

CISIDAE Leach, 1819: 206 [stem: *Ci-*]. Type genus: *Cis* Latreille, 1797. Comment: incorrect original stem formation, not in prevailing usage; Gistel (1848: [6], 1856a: 368) used the name MICROTROCTEIDAE for a family that included only the genus *Cis* Latreille, we could not find any genus name on which MICROTROCTEIDAE could be based on therefore this family-group name is unavailable.

Subfamily SPHINDOCIINAE Lawrence, 1974

SPHINDOCIINAE Lawrence, 1974b: 9 [stem: *Sphindoci-*]. Type genus: *Sphindocis* Fall, 1917. Comment: published 28 June 1974; this family-group name was also used in the same year by Lawrence (1974a [22 January]: 24, as SPHINDOCIINAE) but the older name is unavailable because it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subfamily CIINAE Leach, 1819

CISIDAE Leach, 1819: 206 [stem: *Ci-*]. Type genus: *Cis* Latreille, 1797.

Tribe CIINI Leach, 1819

CISIDAE Leach, 1819: 206 [stem: *Ci-*]. Type genus: *Cis* Latreille, 1797. Comment: incorrect original stem formation, not in prevailing usage.

Tribe OROPHIINI Thomson, 1863

OROPHIINA C. G. Thomson, 1863: 195 [stem: *Orophi-*]. Type genus: *Orophius* L. Redtenbacher, 1848 [syn. of *Octotemnus* Mellié, 1847].

OCTOTEMNIDAE Reitter, 1878: 21 [stem: *Octotemn-*]. Type genus: *Octotemnus* Mellié, 1847.

RHOPALODONTINI Everts, 1898: 517, in key [stem: *Ropalodont-*]. Type genus: *Ropalodontus* Mellié, 1847 [as *Rhopalodontus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: the fossil Reptilia name RHOPALODONTIDAE Seeley, 1894 (type genus *Rhopalodon* Fischer von Waldheim, 1841) is available, therefore we recommend using the spelling *Ropalodont-* for the ciid name in order to avoid homonymy problems; incorrect original stem formation, not in prevailing usage.

Tribe XYLOGRAPHELLINI Kawanabe and Miyatake, 1996

XYLOGRAPHELLINI Kawanabe and Miyatake, 1996: 125 [stem: *Xylographell-*]. Type genus: *Xylographella* Miyatake, 1985.

Subtribe SYNCOSMETINA Lopes-Andrade, 2008

SYNCOSMETINA Lopes-Andrade, 2008: 40 [stem: *Syncosmet-*]. Type genus: *Syncosmetus* Sharp, 1891.

Subtribe XYLOGRAPHELLINA Kawanabe and Miyatake, 1996

XYLOGRAPHELLINI Kawanabe and Miyatake, 1996: 125 [stem: *Xylographell-*].

Type genus: *Xylographella* Miyatake, 1985.

Family TETRATOMIDAE Billberg, 1820

TETRATOMAEDES Billberg, 1820a: 34 [stem: *Tetraatom-*]. Type genus: *Tetraatomma* Fabricius, 1790.

Subfamily TETRATOMINAE Billberg, 1820

TETRATOMAEDES Billberg, 1820a: 34 [stem: *Tetraatom-*]. Type genus: *Tetraatomma* Fabricius, 1790.

Subfamily PISENINAE Miyatake, 1960

PISENINI Miyatake, 1960: 124 [stem: *Pisen-*]. Type genus: *Pisenus* Casey, 1900.

Subfamily PENTHINAE Lacordaire, 1859

PENTHIDES Lacordaire, 1859: 456 [stem: *Penth-*]. Type genus: *Penthe* Newman, 1838.

Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by G. H. Horn (1888: 43, as PENTHINI), generally accepted as in Young and Pollock (2002: 415, as PENTHINAE).

Subfamily HALLOMENINAE Gistel, 1848

HALLOMENIDAE Gistel, 1848: [11] [stem: *Hallomen-*]. Type genus: *Hallomenus* Panzer, 1793.

*DRYALATES Mulsant, 1856b: 44 [stem: *Dryal-*]. Type genus: *Dryala* Mulsant, 1856 [syn. of *Hallomenus* Panzer, 1793]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

MYCÉTOMIENS Mulsant, 1856b: 103 [stem: *Mycetomat-*]. Type genus: *Mycetoma* Dejean, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Desbrochers des Loges (1900: 16, as MYCETOMINI); incorrect original stem formation, not in prevailing usage.

Subfamily EUSTROPHINAE Gistel, 1848

EUSTROPHIDAE Gistel, 1848: [10] [stem: *Eustroph-*]. Type genus: *Eustrophus* Illiger, 1802.

Tribe EUSTROPHINI Gistel, 1848

EUSTROPHIDAE Gistel, 1848: [10] [stem: *Eustroph-*]. Type genus: *Eustrophus* Illiger, 1802.

Tribe HOLOSTROPHINI Nikitsky, 1998

HOLOSTROPHINI Nikitsky, 1998: 39 [stem: *Holostroph-*]. Type genus: *Holostrophus* G. H. Horn, 1888.

Family MELANDRYIDAE Leach, 1815

MELYANDRIDA Leach, 1815: 104 [stem: *Melandry-*]. Type genus: *Melandrya* Fabricius, 1801.

Subfamily MELANDRYINAE Leach, 1815

MELYANDRIDA Leach, 1815: 104 [stem: *Melandry-*]. Type genus: *Melandrya* Fabricius, 1801.

Tribe ANISOXIELLINI Nikitsky, 2007

ANISOXIELLINI Nikitsky, 2007: 58 [stem: *Anisoxiell-*]. Type genus: *Anisoxiella* Nikitsky, 1989.

Tribe DIRCAEINI Kirby, 1837

DIRCAEIDAE Kirby, 1837: 240 [stem: *Dircae-*]. Type genus: *Dircea* Fabricius, 1798.

Tribe HYPULINI Gistel, 1848

HYPULIDAE Gistel, 1848: [11] [stem: *Hypul-*]. Type genus: *Hypulus* Paykull, 1798.

MAROLIINI Portevin, 1934: 57, in key [stem: *Maroli-*]. Type genus: *Marolia* Mulsant, 1856.

Tribe MELANDRYINI Leach, 1815

MELYANDRIDA Leach, 1815: 104 [stem: *Melandry-*]. Type genus: *Melandrya* Fabricius, 1801. Comment: incorrect original stem formation, not in prevailing usage.

*PHRYGANOPHILES Motschulsky, 1849: 58 [stem: *Phryganophil-*]. Type genus: *Phryganophilus* Sahlberg, 1833. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

HYLEPNIGALIONIDAE Gistel, 1856a: 384 [stem: *Hylepnigalion-*]. Type genus: *Hylepnigalio* Gistel, 1856 [this genus originally included the species *caraboides* Linnaeus and *caniculatus* (without author name); the type species of *Hylepnigalio* Gistel, 1856 is here considered to be *Chrysomela caraboides* Linnaeus, 1760 by monotypy; **syn. nov.** of *Melandrya* Fabricius, 1801]. Comment: **syn. nov.**

Tribe ORCHESIINI Mulsant, 1856

ORCHÉSIENS Mulsant, 1856b: 27 [stem: *Orchesi-*]. Type genus: *Orchesia* Latreille, 1807. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by C. G. Thomson (1859: 119, as ORCHESIINA), generally accepted as in Nikitsky and Pollock (2008: 68, as ORCHESIINI).

Tribe SERROPALPINI Latreille, 1829

SERROPALPIDES Latreille, 1829b: 43 [stem: *Serropalp-*]. Type genus: *Serropalpus* Hellenius, 1786.

Tribe XYLITINI Thomson, 1864

XYLITINA C. G. Thomson, 1864: 316 [stem: *Xylit-*]. Type genus: *Xylita* Paykull, 1798.

Tribe ZILORINI Desbrochers des Loges, 1900

ZILORINI Desbrochers des Loges, 1900: 2, in key [stem: *Zilor-*]. Type genus: *Zilora* Mulsant, 1856. Comment: spelled ZILORINI in description on page 2 (in key), but correctly spelled ZILORINI on p. 17 of the same work.

ZILORINI Nikitsky, 2007: 60 [stem: *Zilor-*]. Type genus: *Zilora* Mulsant, 1856. Comment: family-group name proposed as new without reference to ZILORINI Desbrochers des Loges, 1900.

Subfamily OSPHYINAE Mulsant, 1856 (1839)

NOTHIDAE Shuckard, 1839b: 51 [stem: *Noth-*]. Type genus: *Nothus* A. G. Olivier, 1811 [syn. of *Osphya* Illiger, 1807]. Comment: OSPHYINAE Mulsant, 1856 conserved over this name (Art. 40.2) (see Lawrence and Newton 1995: 888).

*OSPHIES Motschulsky, 1849: 59 [stem: *Osphy-*]. Type genus: *Osphya* Illiger, 1807. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849); incorrect original stem formation, not in prevailing usage.

OSPHYENS Mulsant, 1856b: 108 [stem: *Osphy-*]. Type genus: *Osphya* Illiger, 1807. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1875 [Gatt.]: 103, as OSPHYINI), generally accepted as in Pollock (2002: 421, as OSPHYINAE); name conserved over the older NOTHINAE Shuckard, 1839 (Art. 40.2) (see Lawrence and Newton 1995: 888).

CONOPALPIENS Mulsant, 1856b: 105 [stem: *Conopalp-*]. Type genus: *Conopalpus* Gyllenhal, 1810. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by C. G. Thomson (1864: 313, as CONOPALPINA), generally accepted as in Hansen (1996: 171, as CONOPALPINI).

Family MORDELLIDAE Latreille, 1802

MORDELLONAE Latreille, 1802: 183 [stem: *Mordell-*]. Type genus: *Mordella* Linnaeus, 1758.

†PRAEMORDELLINAE Ščegoleva-Barovskaya, 1929: 27 [stem: *Praemordell-*]. Type genus: *Praemordella* Ščegoleva-Barovskaya, 1929.

†LIAOXIMORDELLIDAE Wang, 1993: 87 [stem: *Liaoximordell-*]. Type genus: *Liaoximordella* Wang, 1993.

Subfamily CTENIDIINAE Franciscolo, 1951

CTENIDIINAE Franciscolo, 1951: 56 [stem: *Ctenidi-*]. Type genus: *Ctenidia* Laporte, 1840.

Subfamily MORDELLINAE Latreille, 1802

MORDELLONAE Latreille, 1802: 183 [stem: *Mordell-*]. Type genus: *Mordella* Linnaeus, 1758.

Tribe CONALIINI Ermisch, 1956

CONALIINI Ermisch, 1956: 273 [stem: *Conali-*]. Type genus: *Conalia* Mulsant and Rey, 1858.

Tribe MORDELLINI Latreille, 1802

MORDELLONAE Latreille, 1802: 183 [stem: *Mordell-*]. Type genus: *Mordella* Linnaeus, 1758.

Tribe MORDELLISTENINI Ermisch, 1941

MORDELLISTENINI Ermisch, 1941: 714 [stem: *Mordellisten-*]. Type genus: *Mordellistena* A. Costa, 1854.

Tribe REYNOLDSIELLINI Franciscolo, 1957

REYNOLDSIELLINI Franciscolo, 1957: 237 [stem: *Reynoldsiell-*]. Type genus: *Reynoldsiella* Ray, 1930.

Tribe STENALIINI Franciscolo, 1955

STENALIINI Franciscolo, 1955: 177 [stem: *Stenali-*]. Type genus: *Stenalia* Mulsant, 1856.

Family RIPIPHORIDAE Gemminger, 1870 (1855)

RHIPIDOPHORIDAE Gemminger, 1870: 2117 [stem: *Ripiphor-*]. Type genus: *Ripiphorus* Bosc, 1791 [as *Rhipidophorus*, unjustified emendation of *Ripiphorus* Bosc, 1791 by Perty (1831: xix), not in prevailing usage]. Comment: name conserved over the older MYODITIDAE Gerstaecker, 1855 (Art. 40.2) (see Lawrence and Newton 1995: 889, as “MYODITINI Costa, 1853”); First Reviser (RIPIPHORIDAE Gemminger, 1870 (1855) vs PTILOPHORIDAE Gerstaecker, 1855 vs RIPIDIIDAE Gerstaecker, 1855) not determined, prevailing usage maintained.

Subfamily PTILOPHORINAE Gerstaecker, 1855

*PTILOPHORES Motschulsky, 1849: 59 [stem: *Ptilophor-*]. Type genus: *Ptilophorus* Dejean, 1834. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).

PTILOPHORINI Gerstaecker, 1855: 2 [stem: *Ptilophor-*]. Type genus: *Ptilophorus* Dejean, 1834.

ÉVANIOCÉRIDES Lacordaire, 1859: 618 [stem: *Evaniocer-*]. Type genus: *Evaniocera* Guérin-Méneville, 1835 [syn. of *Ptilophorus* Dejean, 1834]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte

(1862: 276, as EVANIOCERINI), generally accepted as in J. L. LeConte and G. H. Horn (1883: xxxvii, as EVANIOCERINI).

Subfamily PELECOTOMINAE Seidlitz, 1875

PELECOTOMINI Seidlitz, 1875 [Gatt.]: 104 [stem: *Pelecotom-*]. Type genus: *Pelecotoma* Fischer von Waldheim, 1808.

MICHOLAEMINAE Viana, 1971: 69 [stem: *Micholaem-*]. Type genus: *Micholaemus* Viana, 1971.

Subfamily HEMIRHIPIDIINAE Heller, 1921

HEMIRHIPIDIINI Heller, 1921: 168 [stem: *Hemirhipidi-*]. Type genus: *Hemirhipidius* Heller, 1921 [syn. of *Nephrites* Shuckard, 1838].

NEPHRITINAE Selander, 1957: 101 [stem: *Nephrit-*]. Type genus: *Nephrites* Shuckard, 1838. Comment: name proposed to replace HEMIRHIPIDIINI Heller because of the synonymy of the type genus, HEMIRHIPIDIINAE is in prevailing usage (see Lawrence and Newton, 1995: 889).

Subfamily RIPIDIINAE Gerstaecker, 1855

RHIPIDIINI Gerstaecker, 1855: 14 [stem: *Ripidi-*]. Type genus: *Ripidius* Thunberg, 1806 [as *Rhipidius*, unjustified emendation of type genus name by Agassiz (1846b: 327), not in prevailing usage].

Tribe EORHIPIDIINI Iablokoff-Khnzorian, 1986

EORHIPIDIINI Iablokoff-Khnzorian, 1986: 92 [stem: *Eorhipidi-*]. Type genus: *Eorhipidius* Iablokoff-Khnzorian, 1986.

Tribe RIPIDIINI Gerstaecker, 1855

RHIPIDIINI Gerstaecker, 1855: 14 [stem: *Ripidi-*]. Type genus: *Ripidius* Thunberg, 1806 [as *Rhipidius*, unjustified emendation of type genus name by Agassiz (1846b: 327), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; spelling of family-group and type genus names based on Krell (1996).

Subfamily RIPIPHORINAE Gemminger, 1870 (1855)

RHIPIDOPHORIDAE Gemminger, 1870: 2117 [stem: *Ripiphor-*]. Type genus: *Ripiphorus* Bosc, 1791 [as *Rhipidophorus*, unjustified emendation of *Ripiphorus* Bosc, 1791 by Perty (1831: xix), not in prevailing usage]. Comment: name conserved over the older MYODITINAE Gerstaecker, 1855 (Art. 40.2) (see Lawrence and Newton 1995: 889, as "MYODITINI Costa, 1853").

Tribe MACROSIAGONINI Heyden, 1908

RHIPIPHORITES Laporte, 1840b: 261 [stem: *Ripiphor-*]. Type genus: *Ripiphorus* sensu Fabricius, 1792 [as *Rhipiphorus*, incorrect subsequent spelling of the

type genus name, not in prevailing usage; not *Ripiphorus* Bosc, 1791; syn. of *Metoecus* Dejean, 1834]. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Gerstaecker (1855: 17, as RHIPIPHORINI [incorrect stem formation]); based on a misidentified type genus; name treated here as invalid until an application is submitted to the Commission to suppress it for the Principles of Priority and Homonymy (Art. 65.2.1); also see RIPIPHORINI Gemminger, 1870.

MACROSIAGONINI L. Heyden, 1908: 45 [stem: *Macrosiagon-*]. Type genus: *Macrosiagon* Hentz, 1830. Comment: although this is not the oldest name for the tribe, we recommend that an application be sent to the Commission to suppress RIPIPHORINI Laporte, 1840 because it is based on a misidentified type genus (Art. 65.2.1).

Tribe RIPIPHORINI Gemminger, 1870 (1855)

***MIODITINI** A. Costa, 1853: 2 [stem: *Myodit-*]. Type genus: *Myodites* Latreille, 1829 [syn. of *Ripiphorus* Bosc, 1791]. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally treated as valid attributed to A. Costa, 1853; incorrect original stem formation, not in prevailing usage.

MYODITINI Gerstaecker, 1855: 15 [stem: *Myodit-*]. Type genus: *Myodites* Latreille, 1829 [syn. of *Ripiphorus* Bosc, 1791]. Comment: usage of younger name RIPIPHORINI Gemminger, 1870 conserved over this name (Art. 40.2) (see Lawrence and Newton 1995: 889, as “MYODITINI Costa, 1853”).

RHIPIDOPHORIDAE Gemminger, 1870: 2117 [stem: *Ripiphor-*]. Type genus: *Ripiphorus* Bosc, 1791 [as *Rhipidophorus*, unjustified emendation of type genus name by Perty (1831: xix), not in prevailing usage]. Comment: name conserved over the older **MYODITINI** Gerstaecker, 1855 (Art. 40.2) (see Lawrence and Newton 1995: 889, as “MYODITINI Costa, 1853”); incorrect original stem formation, not in prevailing usage; as mentioned by Lawrence and Newton (1995: 889) a number of authors used RIPIPHORIDAE before Gemminger, however, their family-group names were based on *Ripiphorus* sensu Fabricius, 1792, which is a synonym of *Metoecus* Dejean, 1834; spelling of family-group and type genus names based on Krell (1996); we recommend that an application be submitted to the Commission to suppress RIPIPHORITES Laporte, 1840 for the Principles of Priority and Homonymy (Art. 65.2.1).

Family ZOPHERIDAE Solier, 1834

ZOPHÉRITES Solier, 1834: 505 [stem: *Zopher-*]. Type genus: *Zopherus* Gray, 1832. Comment: usage of this name conserved over COLYDIIDAE Billberg, 1820 (Art. 35.5).

Subfamily COLYDIINAE Billberg, 1820

COLYDIIDES Billberg, 1820b: 394 [stem: *Colydi-*]. Type genus: *Colydium* Fabricius, 1792 [placed on the Official List of Generic Names in Zoology (ICZN 1995c)].

Comment: name placed on Official List of Family-Group Names in Zoology (as *COLYDIIDAE* Erichson, 1842) and given precedence over *ORTHOCEPINAE* Blanchard, 1845 and *CERYLONIDAE* Billberg, 1820 whenever their type genera are placed in the same family-group taxon (ICZN 1995c); usage of the younger name *ZOPHERIDAE* Solier, 1834 conserved over this name (Art. 35.5).

Tribe ACROPINI Sharp, 1894

ACROPINAE Sharp, 1894: 444 [stem: *Acrop-*]. Type genus: *Acropis* H. C. C. Burmeister, 1840. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Acropid-*).

Tribe ADIMERINI Sharp, 1894

ADIMERIDAE Sharp, 1894: 441 [stem: *Adimer-*]. Type genus: *Adimerus* Sharp, 1894.

MONOEDIDAE Schaeffer, 1911: 114 [stem: *Monoed-*]. Type genus: *Monoedus* G. H. Horn, 1882.

Tribe COLYDIINI Billberg, 1820

COLYDIIDES Billberg, 1820b: 394 [stem: *Colydi-*]. Type genus: *Colydiuum* Fabricius, 1792 [placed on the Official List of Generic Names in Zoology (ICZN 1995c)].

Tribe GEMPYLODINI Sharp, 1893

GEMPYLODINI Sharp, 1893: 256 [stem: *Gempylod-*]. Type genus: *Gempylodes* Pascoe, 1863.

Tribe NEMATIDIINI Horn, 1878

NEMATIDI G. H. Horn, 1878: 573 [stem: *Nematidi-*]. Type genus: *Nematidium* Erichson, 1845.

Tribe ORTHOCERINI Blanchard, 1845

SARROTRIIDAE Billberg, 1820a: 9 [stem: *Sarrotri-*]. Type genus: *Sarrotrium* Illiger, 1798 [syn. of *Orthocerus* Latreille, 1797]. Comment: the same name was also published in the same year by Billberg (1820b: 390); *SARROTRIIDAE* Billberg, 1820 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1995c).

ORTHOCÉRITES Blanchard, 1845b: 29 [stem: *Orthocer-*]. Type genus: *Orthocerus* Latreille, 1797 [placed on the Official List of Generic Names in Zoology (ICZN 1995c)]. Comment: *ORTHOCEPINI* Blanchard, 1845 placed on Official List of Family-group names in Zoology (ICZN 1995c).

EUGLOCHIDAE Gistel, 1856a: 382 [stem: *Euglochin-*]. Type genus: *Euglochis* Gistel, 1856 [syn. of *Orthocerus* Latreille, 1797]. Comment: published 18 February 1856; this family-group name was also used in the same year by Gistel (1856b

[“31 December”]: 180, as EUGLOCHIDA); incorrect original stem formation, not in prevailing usage.

Tribe RHAGODERINI Horn, 1878

RHAGODERINI G. H. Horn, 1878: 557 [stem: *Rhagoder-*]. Type genus: *Rhagodera* Mannerheim, 1843.

Tribe RHOPALOCERINI Reitter, 1911

APISTINI Ganglbauer, 1899: 873 [stem: *Apist-*]. Type genus: *Apistus* Motschulsky, 1840 [*Apistus* is an unjustified emendation of type genus name, originally spelled *Apeistus*, by Agassiz (1846b: 28), in prevailing usage; the emended name is a junior homonym of *Apistus* Cuvier, 1829 [Pisces]; *Apeistus* Motschulsky, 1840 and *Apistus* Agassiz, 1846 were placed on Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1986b); syn. of *Rhopalocerus* Redtenbacher, 1842]. Comment: permanently invalid (Art. 39): based on pre-occupied type genus; placed on Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1986b).

RHOPALOCERINI Reitter, 1911: 108 [stem: *Rhopalocer-*]. Type genus: *Rhopalocerus* Redtenbacher, 1842 [placed on the Official List of Generic Names in Zoology (ICZN 1986b)]. Comment: placed on the Official List of Family-Group Names in Zoology (ICZN 1986b).

Tribe SYNCHITINI Erichson, 1845

SYNCHITINI Erichson, 1845: 254 [stem: *Synchit-*]. Type genus: *Synchita* Hellwig, 1792. Comment: published before 31 June 1845; this family-group name was also used in the same year by L. Redtenbacher (1845 [before September]: 123, as *SYNCHITAE*).

DITOMIDAE Imhoff, 1856: [2] 159 [stem: *Bitom-*]. Type genus: *Bitoma* Herbst, 1793 [as *Ditoma*, unjustified emendation of type genus name by Illiger (1807), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; stem of the family-group name corrected according to Art. 35.4.1 and also to remove from potential homonymy with the older family-group name originally proposed as DITOMICI Bonelli, 1810 (type genus *Ditomus* Bonelli, 1810) in the family CARABIDAE.

COXELINI Seidlitz, 1872 [Gatt.]: 38 [stem: *Coxel-*]. Type genus: *Coxelus* Dejean, 1821.

LANGELENDIINA Fowler, 1889: 192 [stem: *Langelandi-*]. Type genus: *Langelania* Aubé, 1843.

MEGATAPHRINI Casey, 1890: 309 [stem: *Megataphr-*]. Type genus: *Megataphrus* Casey, 1890.

TARPHIINAE Sharp, 1894: 444 [stem: *Tarphi-*]. Type genus: *Tarphius* Erichson, 1845.

CORTICINI Ganglbauer, 1899: 870 [stem: *Cortic-*]. Type genus: *Corticus* Latreille, 1829.

DIODESMINI Reitter, 1911: 110 [stem: *Diodesmat-*]. Type genus: *Diodesma* Latreille, 1829. Comment: incorrect original stem formation, not in prevailing usage.

TRACHYPHOLINI Grouvelle, 1911: 121 [stem: *Trachypholid-*]. Type genus: *Trachypholis* Erichson, 1845. Comment: incorrect original stem formation, not in prevailing usage.

ENDOPHLOEINI Reitter, 1922a: 17 [stem: *Endophloe-*]. Type genus: *Endophloeus* Dejean, 1834.

PRIOLOMINI Dajoz, 1980a: 127 [stem: *Priolom-*]. Type genus: *Priolomus* Erichson, 1845.

Subfamily ZOPHERINAE Solier, 1834

ZOPHÉRITES Solier, 1834: 505 [stem: *Zopher-*]. Type genus: *Zopherus* Gray, 1832.

Tribe LATOMETINI Ślipiński and Lawrence, 1999

LATOMETINI Ślipiński and Lawrence, 1999: 9, in key [stem: *Latomet-*]. Type genus: *Latometus* Erichson, 1842.

Tribe MONOMMATINI Blanchard, 1845

MONOMMITES Blanchard, 1845b: 16 [stem: *Monommat-*]. Type genus: *Monomma* Klug, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 246, as MONOMMIDAE [incorrect stem formation]), generally accepted as in Lawrence and Newton (1995: 890, as MONOMMATIDAE); incorrect original stem formation, not in prevailing usage.

Tribe PHELOPSINI Ślipiński and Lawrence, 1999

PHELOPSINI Ślipiński and Lawrence, 1999: 10, in key [stem: *Phellops-*]. Type genus: *Phellopsis* J. L. LeConte, 1862. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Phellopse-*).

Tribe PYCNOMERINI Erichson, 1845

PYCNOMERINI Erichson, 1845: 290 [stem: *Pycnomer-*]. Type genus: *Pycnomerus* Erichson, 1842.

Tribe USECHINI Horn, 1867

USECHINI G. H. Horn, 1867a: 294 [stem: *Usech-*]. Type genus: *Usechus* Motschulsky, 1845.

Tribe ZOPHERINI Solier, 1834

ZOPHÉRITES Solier, 1834: 505 [stem: *Zopher-*]. Type genus: *Zopherus* Gray, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 392, as ZOPHEROIDAE), generally accepted as in Lawrence and Newton (1995: 891, as ZOPHERIDAE).

NOSODERMINI Casey, 1907: 280 [stem: *Nosodermat*-]. Type genus: *Nosoderma* Solier, 1841 [preoccupied genus name, not *Nosoderma* Guérin-Méneville, 1838 [Coleoptera: ZOPHERIDAE: ZOPHERINAE: ZOPHERINI]; syn. of *Verodes* Casey, 1907; see Foley and Ivie (2007) for comments on type genus]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; all subsequent uses of NOSODERMINI were based on the junior homonym *Nosoderma* Solier, 1841 (see Foley and Ivie 2007); incorrect original stem formation, not in prevailing usage.

ZOPHEROSINI Casey, 1907: 522 [stem: *Zopherose*-]. Type genus: *Zopherosis* A. White, 1859. Comment: incorrect original stem formation, not in prevailing usage.

Family ULODIDAE Pascoe, 1869

ULODINAE Pascoe, 1869a: 31 [stem: *Ulod*-]. Type genus: *Ulodes* Erichson, 1842.

MERYCIDAE Crowson, 1953: 37 [stem: *Meryc*-]. Type genus: *Meryx* Latreille, 1802.

Family PROMECHEILIDAE Lacordaire, 1859

PROMÉCHILIDES Lacordaire, 1859: 698 [stem: *Promechiel*-]. Type genus: *Promecheilus* Solier, 1851 [as *Promechilus*, unjustified emendation of type genus name by Lacordaire (1859: 700), not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Handlirsch (1925: 594, as PROMECHEILINAE), generally accepted as in Lawrence et al. (2010: 563, as PROMECHEILIDAE); incorrect original stem formation, not in prevailing usage.

PERIMYLOPIDAE St. George, 1939: 212 [stem: *Perimylop*-]. Type genus: *Perimylops* Müller, 1884.

*PARAHELOPINAE Watt, 1975: 424 [stem: *Parahelop*-]. Type genus: *Parahelops* C. O. Waterhouse, 1876. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such description (Art. 13.1); this name was used several times subsequently, e.g., Elgueta and Arriagada (1989: 37), Lawrence and Britton (1991: 665), Lawrence (1994: 339), but this taxon name remains unavailable (see Lawrence and Newton 1995: 892).

Family CHALCODRYIDAE Watt, 1974

CHALCODRYIDAE Watt, 1974: 24 [stem: *Chalcodry*-]. Type genus: *Chalcodrya* Redtenbacher, 1868.

Family TRACHELOSTENIDAE Lacordaire, 1859

TRACHÉLOSTÉNIDES Lacordaire, 1859: 567 [stem: *Trachelosten*-]. Type genus: *Trachelostenus* Solier, 1851. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1898: 319, as TRACHELOSTENI- NI), generally accepted as in Lawrence and Newton (1995: 892 as TRACHELOSTENIDAE).

Family TENEBRIONIDAE Latreille, 1802

TENEBRIONITES Latreille, 1802: 165 [stem: *Tenebrion*-]. Type genus: *Tenebrio* Linnaeus, 1758. Comment: First Reviser (TENEBRIONIDAE Latreille, 1802 vs PIMELIIDAE Latreille, 1802 vs DIAPERIDAE Latreille, 1802) not determined, current usage maintained.

Subfamily ZOLODININAE Watt, 1975

ZOLODININAE Watt, 1975: 401 [stem: *Zolodin*-]. Type genus: *Zolodinus* Blanchard, 1853.

Subfamily LAGRIINAE Latreille, 1825 (1820)

LAGRIARIAE Latreille, 1825: 381 [stem: *Lagri*-]. Type genus: *Lagria* Fabricius, 1775. Comment: use of younger family-group name conserved over LACHNINAE Billberg, 1820 (Art. 40.2) (see Bouchard et al. 2005); the older name COSSYPHINAE Latreille, 1802 is not given precedence over this name because the current placement of COSSYPHINI in this subfamily is uncertain (see Bouchard et al. 2005).

Tribe ADELIINI Kirby, 1828

ADELIADAЕ Kirby, 1828: 525 [stem: *Adeli*-]. Type genus: *Adelium* Kirby, 1819. Comment: family-group name attributed to Hope (1840a: 188) in recent literature; this is a senior homonym of ADELIINI Viereck, 1918 (type genus *Adelius* Haliday, 1833) which is considered a valid tribe in the Hymenoptera: BRACONIDAE: CHELONINAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

*APATÈLATES Mulsant and Rey, 1859: 87 [stem: *Apatel*-]. Type genus: *Apatalus* Mulsant and Rey, 1859. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 208, as APATELINI), but not generally accepted as valid; if evidence is found in the future that would lead to the treatment of Mulsant and Rey's name as available, this would threaten the younger name originally proposed as APATELINAЕ Grote, 1883 (type genus *Apatele* Hübner, 1822) in Lepidoptera which has been used as valid in recent literature.

Tribe BELOPINI Reitter, 1917

CALCARIENS Mulsant, 1854: 268 [stem: *Calcar*-]. Type genus: *Calcar* Dejean, 1821 [preoccupied genus name, not *Calcar* de Montfort, 1810 [Mollusca]; syn. of *Centorus* Mulsant, 1854]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Seidlitz (1895: 647, as CALCARINA); permanently invalid (Art. 39): based on preoccupied type genus.

BELOPINAE Reitter, 1917: 59 [stem: *Belop*-]. Type genus: *Belopus* Gebien, 1911. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Belopod*-).

Tribe CHAERODINI Doyen, Matthews and Lawrence, 1990

CHAERODINI Doyen et al., 1990: 239 [stem: *Chaerod-*]. Type genus: *Chaerodes* A. White, 1846.

Tribe COSSYPHINI Latreille, 1802

COSSYPHORES Latreille, 1802: 164 [stem: *Cossyph-*]. Type genus: *Cossyphus* A. G. Olivier, 1791. Comment: not given precedence over LAGRIINAE Latreille, 1825 because its current placement is uncertain (see Bouchard et al. 2005).

Tribe GONIADERINI Lacordaire, 1859

GONIADÉRIDES Lacordaire, 1859: 390 [stem: *Goniader-*]. Type genus: *Goniadera* Perty, 1832. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1895: 614, as GONIADERINA), generally accepted as in Gebien (1911: 467, as GONIADERINAE).

*PHOBÉLIIDES Lacordaire, 1859: 393 [stem: *Phobel-*]. Type genus: *Phobelius* Blanchard, 1845. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 212, as PHOBELIINI), but not generally accepted as valid.

ESCHATOPORINI Blaisdell, 1906: 78 [stem: *Eschatopori-*]. Type genus: *Eschatoporis* Blaisdell, 1906. Comment: incorrect original stem formation, not in prevailing usage.

PHOBELIINA Ardoin, 1961: 33 [stem: *Phobel-*]. Type genus: *Phobelius* Blanchard, 1845.

*ANAEDINI Skopin, 1964: 7 [stem: *Anaed-*]. Type genus: *Anaedus* Blanchard, 1845. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe LAENINI Seidlitz, 1895

LAENINA Seidlitz, 1895: 669 [stem: *Laen-*]. Type genus: *Laena* Dejean, 1821.

Tribe LAGRIINI Latreille, 1825 (1820)

LAGRIARIAE Latreille, 1825: 381 [stem: *Lagri-*]. Type genus: *Lagria* Fabricius, 1775. Comment: use of younger family-group name conserved over LACHNINI Billberg, 1820 (Art. 40.2) (see Bouchard et al. 2005).

Subtribe LAGRIINA Latreille, 1825 (1820)

*LAGRIEN Oken, 1817: 1180 [stem: *Lagri-*]. Type genus: *Lagria* Fabricius, 1775. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Oken (1817).

LACHNAEDES Billberg, 1820a: 34 [stem: *Lachn-*]. Type genus: *Lachna* Billberg, 1820 [syn. of *Lagria* Fabricius, 1775]. Comment: the family-group names LACHNIIDAE/-INA/-INI Herrich-Schaeffer 1854 (based on *Lachnus* H. C.

C. Burmeister 1835) are currently used as valid in Hemiptera, LACHNINAE (incorrectly attributed to Passerini (1863)) was placed on the Official List of Family-Group Names in Zoology (ICZN 1956); this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

LAGRIARIAE Latreille, 1825: 381 [stem: *Lagri-*]. Type genus: *Lagria* Fabricius, 1775. Comment: use of younger family-group name conserved over LACHNINA Billberg, 1820 (Art. 40.2) (see Bouchard et al. 2005).

LOUBACANTINI Bonadona, 1959: 1034 [stem: *Loubacant-*]. Type genus: *Loubacantus* Bonadona, 1959 [syn. of *Entypodera* Gerstaeker, 1871]. Comment: originally proposed in ANTHICIDAE, transfer to LAGRIINAE by Bonadona (1984).

Subtribe STATIRINA Blanchard, 1845

STATYRITES Blanchard, 1845b: 39 [stem: *Statir-*]. Type genus: *Statira* Lepeletier and Audinet-Serville, 1828 [as *Statyra*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 246, as STATYRINI), generally accepted as in Bouchard et al. (2005: 501, as STATYRINA); incorrect original stem formation, not in prevailing usage.

*HYSTÉRARTHRIDES Lacordaire, 1869: 231 [stem: *Hysterarthr-*]. Type genus: *Hysterarthron* J. Thomson, 1864. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 240, as HYSTERARTHRIINI), but not generally accepted as valid; type genus transferred from CERAMBYCIDAE by Ritsema (1892: 54).

Tribe LUPROPINI Ardoin, 1958

LUPROPSINI Ardoin, 1958: 59 [stem: *Luprop-*]. Type genus: *Luprops* Hope, 1833. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PYCNOCERINI Lacordaire, 1859 *nomen protectum*

CHIROSCELIDAE Hope, 1840a: 127 [stem: *Chiroscelid-*]. Type genus: *Chiroscelis* Lamarck, 1804. Comment: published before 30 September 1840; Bouchard et al. (2005: 524) treated this name and CHIROSCELITES Laporte (1840b [before 26 December]: 216) as *nomina obliterata*; incorrect original stem formation, not in prevailing usage.

PYCNOCÉRIDES Lacordaire, 1859: 399 [stem: *Pycnocer-*]. Type genus: *Pycnocerus* Westwood, 1841. Comment: *nomen protectum* (see Bouchard et al. 2005: 524); original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1887: 50, as PYCNOCERIDAE), generally accepted as in Bouchard et al. (2005: 501, as PYCNOCERINI).

PRIOSCELINA Skopin, 1964: 30, in key [stem: *Prioscelid*-]. Type genus: *Prioscelis* Hope, 1840. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily NILLIONINAE Oken, 1843

NILLIONIDEN Oken, 1843: 484 [stem: *Nillion*-]. Type genus: *Nilio* Latreille, 1802 [incorrect subsequent spelling of *Nillion* by Latreille (1804b: 333), incorrect subsequent spelling in prevailing usage, treated as correct original spelling (Art. 33.3.1)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Tulk (1847: 614, as NILIONDAE [incorrect stem formation]); family-group name previously attributed to Lacordaire (1859: 518).

Subfamily PHRENAPATINAE Solier, 1834

PHRÉPATIDES Solier, 1834: 488 [stem: *Phrenapat*-]. Type genus: *Phrenapates* Gray, 1832.

Tribe ARCHAEOGLENINI Watt, 1975

ARCHAEOGLENINI Watt, 1975: 412 [stem: *Archaeoglen*-]. Type genus: *Archaeoglenes* Broun, 1893.

Tribe PENETINI Lacordaire, 1859

PÉNÉTIDES Lacordaire, 1859: 318 [stem: *Penet*-]. Type genus: *Peneta* Lacordaire, 1859. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1894: 545, as PENETINA), generally accepted as in Bouchard et al. (2005: 501, as PENETINI).

PHTHORINI Boddy, 1965: 144 [stem: *Phtor*-]. Type genus: *Phtora* Mulsant, 1854 [as *Phthora*, incorrect subsequent spelling of type genus name, not in prevailing usage; *Phtora* is a junior homonym of *Phtora* Germar, 1836 [Coleoptera: TENEBRIONIDAE: DIAPERINAE]; syn. of *Clamoris* Gozis, 1886]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe PHRENAPATINI Solier, 1834

PHRÉPATIDES Solier, 1834: 488 [stem: *Phrenapat*-]. Type genus: *Phrenapates* Gray, 1832 [as *Phrepates*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 287, as PHRENAPATOIDAE), generally accepted as in Bouchard et al. (2005: 501, as PHRENAPATINAE/-INI); incorrect original stem formation, not in prevailing usage.

Subfamily PIMELIINAE Latreille, 1802

PIMELIARIAE Latreille, 1802: 166 [stem: *Pimeli*-]. Type genus: *Pimelia* Fabricius, 1775.

Tribe ADELOSTOMINI Solier, 1834

ADÉLOSTOMITES Solier, 1834: 502 [stem: *Adelostom-*]. Type genus: *Adelostoma* Du-
ponchel, 1827. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Agassiz (1846b: 8, as ADELOSTOMOIDAE), generally accepted as in Bouchard et al. (2005: 501, as ADELOSTOMINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Adelostomat-*).

*EURYCHORITES Solier, 1837b: 153 [stem: *Eurychor-*]. Type genus: *Eurychora* Thunberg, 1791. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Solier (1837).

EURYCHORIDAE Hope, 1840a: 121 [stem: *Eurychor-*]. Type genus: *Eurychora* Thunberg, 1791.

Tribe ADESMIINI Lacordaire, 1859 *nomen protectum*

*MACROPODITES Solier, 1834: 501 [stem: *Macropod-*]. Type genus: *Macropoda* Solier, 1835. Comment: unavailable family-group name, not based on an available genus name.

*MACROPODITES Solier, 1835b: 509 [stem: *Macropod-*]. Type genus: *Macropoda* Solier, 1835. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally accepted as valid.

*ADESMITES Blanchard, 1845b: 4 [stem: *Adesmi-*]. Type genus: *Adesmia* Fischer von Waldheim, 1822. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Blanchard (1845b).

MACROPODOIDAE Agassiz, 1846b: 221 [stem: *Macropod-*]. Type genus: *Macropoda* Solier, 1835. Comment: *nomen oblitum* (Appendix 1); this name is a junior homonym of MACROPODIDAE Gray, 1821 in Mammalia (type genus *Macropus* Shaw and Nodder, 1790) which is on the Official List of Family-Group Names in Zoology.

MEGAGENIANOS Solier, 1851: 124 [stem: *Megageni-*]. Type genus: *Megagenius* Solier, 1835. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Kolbe (1887: 50, as MEGAGENIIDAE), generally accepted as in Bouchard et al. (2007: 386, as MEGAGENIINI); *nomen oblitum*, ADESMIINI Lacordaire, 1859 conserved over this name by Bouchard et al. (2007: 386).

ADESMIIDES Lacordaire, 1859: 22 [stem: *Adesmi-*]. Type genus: *Adesmia* Fischer von Waldheim, 1822. Comment: *nomen protectum* (Appendix 1); original vernacular name available (Art. 11.7.2); first used in latinized form by Baudi di Selve (1875: 22, as ADESMIDAE [incorrect stem formation]), generally accepted as in Bouchard et al. (2005: 502); also ADESMIINI Lacordaire, 1859 conserved over MEGAGENIINI Solier, 1851 by Bouchard et al. (2007: 386).

ÉPIPHYSIDES Lacordaire, 1859: 29 [stem: *Epophys-*]. Type genus: *Epophysa* Dejean, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 213, as EPIPHYSINI), generally accepted as in Gebien (1910a: 82, as EPIPHYSINAE).

Tribe AKIDINI Billberg, 1820

ACIDES Billberg, 1820a: 32 [stem: *Akid-*]. Type genus: *Akis* Herbst, 1799 [as *Acis*, unjustified emendation of type genus by Billberg (1820a), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ANEPSIINI LeConte, 1862

ANEPSIINI J. L. LeConte, 1862: 215 [stem: *Anepsi-*]. Type genus: *Anepsius* J. L. LeConte, 1851.

BATULIINI G. H. Horn, 1870: 270 [stem: *Batuli-*]. Type genus: *Batulus* J. L. LeConte, 1851.

ANCHOMMINI G. H. Horn, 1878: 558 [stem: *Anchommat-*]. Type genus: *Anchomma* J. L. LeConte, 1858 [genus originally proposed in COLYDIIDAE]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ASIDINI Fleming, 1821

ASIDADAЕ Fleming, 1821: 51 [stem: *Asid-*]. Type genus: *Asida* Latreille, 1802.

*MACHLIDES Lacordaire, 1859: 155 [stem: *Machl-*]. Type genus: *Machla* Herbst, 1799 [earlier usage of the type genus name by Lichtenstein (1796) was suppressed for nomenclatural purposes (ICZN 1995e); this genus is currently known under the name *Pseudomachla* Wilke, 1921]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form and attributed to the original author but not used as valid then (Bouchard et al. 2005: 506).

ASTROTI G. H. Horn, 1870: 289 [stem: *Astrot-*]. Type genus: *Astrotus* J. L. LeConte, 1858.

CRANIOTINI J. L. LeConte and G. H. Horn, 1883: 361 [stem: *Craniot-*]. Type genus: *Craniotus* J. L. LeConte, 1851.

MACHLINI Chatanay, 1914: 1 [stem: *Machl-*]. Type genus: *Machla* Herbst, 1799 [earlier usage of the type genus name by Lichtenstein (1796) was suppressed for nomenclatural purposes (ICZN 1995e); this genus is currently known under the name *Pseudomachla* Wilke, 1921].

PARECATINI Chatanay, 1914: 2 [stem: *Parecat-*]. Type genus: *Parecatus* Fairmaire, 1900.

Tribe BOROMORPHINI Skopin, 1978

BOROMORPHINI Skopin, 1978: 228, in key [stem: *Boromorph-*]. Type genus: *Boromorphus* Wollaston, 1854.

Tribe BRANCHINI LeConte, 1862

BRANCHINI J. L. LeConte, 1862: 222 [stem: *Branch-*]. Type genus: *Branchus* J. L. LeConte, 1862.

Tribe CAENOCRYPTICINI Koch, 1958

CAENOCRYPTICINI Koch, 1958: 121 [stem: *Caenocryptic-*]. Type genus: *Caenocrypticus* Gebien, 1920.

Tribe CERATANISINI Gebien, 1937

APOLITINA Seidlitz, 1895: 666 [stem: *Apolit-*]. Type genus: *Apolites* Jacquelin du Val, 1861 [preoccupied genus name, not *Apolites* Sundevall, 1835 [Aves]; syn. of *Idastrandiella* Strand, 1929]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ANISOCERINI Reitter, 1906: 477 [stem: *Anisocer-*]. Type genus: *Anisocerus* Faldermann, 1837 [preoccupied genus name, not *Anisocerus* Audinet-Serville, 1835 [Coleoptera: CERAMBYCIDAE]; syn. of *Ceratanisus* Gemminger, 1870]. Comment: junior homonym of ANISOCERINI J. Thomson, 1860 [Coleoptera: CERAMBYCIDAE]; permanently invalid (Art. 39): based on preoccupied type genus.

CERATANISINI Gebien, 1937: 791 [stem: *Ceratanis-*]. Type genus: *Ceratanisus* Gemminger, 1870.

Tribe CNEMEPLATIINI Jacquelin du Val, 1861

CNÉMÉPLATIITES Jacquelin du Val, 1861: 286 [stem: *Cnemeplati-*]. Type genus: *Cnemeplatia* A. Costa, 1847.

Subtribe ACTIZETINA Watt, 1992

ACTIZETINA Watt, 1992: 297 [stem: *Actizet-*]. Type genus: *Actizeta* Pascoe, 1875.

Subtribe CNEMEPLATIINA Jacquelin du Val, 1861

*AUTOCÉRIDES Lacordaire, 1859: 279 [stem: *Autocer-*]. Type genus: *Autocera* Wollaston, 1857 [syn. of *Cnemeplatia* A. Costa, 1847]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 208, as AUTOCERINI), but not generally accepted as valid.

CNÉMÉPLATIITES Jacquelin du Val, 1861: 286 [stem: *Cnemeplati-*]. Type genus: *Cnemeplatia* A. Costa, 1847. Comment: Bouchard et al. (2005: 504) considered Jacquelin du Val's name as unavailable based on the requirements of Art. 11.7.2, however, the recent usage of «CNEMEPLATIINI Jacquelin du Val, 1861» as a valid taxon by Löbl et al. (2008: 140) made this name available.

CNEMEPLATIINI Csiki, 1953: 117 [stem: *Cnemeplati-*]. Type genus: *Cnemeplatia* A. Costa, 1847. Comment: proposed as new without reference to CNÉMÉPLATIITES Jacquelin du Val, 1861.

Subtribe RONDONIELLINA Ferrer and Moragues, 2000

RONDONIELLINA Ferrer and Moragues, 2000: 100 [stem: *Rondoniell-*]. Type genus: *Rondoniella* Kaszab, 1970.

Subtribe THORICTOSOMATINA Watt, 1992

THORICTOSOMATINA Watt, 1992: 296 [stem: *Thorictosomat-*]. Type genus: *Thorictosoma* Lea, 1919.

Tribe CNEMODININI Gebien, 1910

CNEMODINI G. H. Horn, 1870: 266 [stem: *Cnemodont-*]. Type genus: *Cnemodus* G. H. Horn, 1870 [preoccupied genus name, not *Cnemodus* Herrich-Schaeffer, 1850 [Hemiptera]; syn. of *Cnemodinus* Cockerell, 1906]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

CNEMODININAE Gebien, 1910a: 4 [stem: *Cnemodin-*]. Type genus: *Cnemodinus* Cockerell, 1906.

Tribe CONIONTINI Waterhouse, 1858

CONIONTIDAE G. R. Waterhouse, 1858: 59 [stem: *Coniont-*]. Type genus: *Coniontis* Eschscholtz, 1829. Comment: family-group name previously attributed to Lacordaire (1859)/Schaum (1859) (see Bouchard et al. 2005: 502).

COELINI Casey, 1907: 500 [stem: *Coel-*]. Type genus: *Coelus* Eschscholtz, 1829.

EUSATTI Doyen, 1984: 11 [stem: *Eusatt-*]. Type genus: *Eusattus* J. L. LeConte, 1851.

Tribe COSSYPHODINI Wasmann, 1899

COSSYPHODIDAE Wasmann, 1899: 161 [stem: *Cossyphod-*]. Type genus: *Cossyphodes* Westwood, 1851. Comment: downgraded from a subfamily of TENEBRIONIDAE to a tribe of PIMELIINAE by Matthews et al. (2010).

Subtribe COSSYPHODINA Wasmann, 1899

COSSYPHODIDAE Wasmann, 1899: 161 [stem: *Cossyphod-*]. Type genus: *Cossyphodes* Westwood, 1851.

Subtribe COSSYPHODITINA Basilewsky, 1950

COSSYPHODITINAE Basilewsky, 1950a: 187 [stem: *Cossyphodit-*]. Type genus: *Cossyphodites* Brauns, 1901.

Subtribe ESEMEPHINA Steiner, 1980

ESEMEPHINI Steiner, 1980: 391 [stem: *Esemeph-*]. Type genus: *Esemephe* Steiner, 1980.

Subtribe PARAMELLONINA Andreae, 1961

PARAMELLONINAE Andreae, 1961: 200 [stem: *Paramellon*-]. Type genus: *Paramellon* C. O. Waterhouse, 1882. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Paramellont*-).

Tribe CRYPTOCHILINI Solier, 1841

CRYPTOCHILITES Solier, 1841: 248 [stem: *Cryptochil*-]. Type genus: *Cryptochile* Latreille, 1829.

Subtribe CALognathina Lacordaire, 1859

CALognATHIDES Lacordaire, 1859: 85 [stem: *Calognath*-]. Type genus: *Calognathus* Guérin-Méneville, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1887: 50, as CALognATHIDAE), generally accepted as in Gebien (1910a: 117, as CALognATHINAE).

Subtribe CRYPTOCHILINA Solier, 1841

CRYPTOCHILITES Solier, 1841: 248 [stem: *Cryptochil*-]. Type genus: *Cryptochile* Latreille, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1887: 50, as CRYPTOCHILIDAE), generally accepted as in Bouchard et al. (2005: 502, as CRYPTOCHILINI).

Subtribe HOMEBIINA Endrödy-Younga, 1989

HOMEBIINA Endrödy-Younga, 1989: 124 [stem: *Homebi*-]. Type genus: *Homebius* Endrödy-Younga, 1989.

Subtribe HORATOMINA Koch, 1955

HORATOMINA Koch, 1955: 14 [stem: *Horatom*-]. Type genus: *Horatoma* Solier, 1840.

Subtribe VANSONIINA Koch, 1955

VANSONINI Koch, 1955: 12 [stem: *Vanson*-]. Type genus: *Vansonium* Koch, 1950. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CRYPTOGLOSSINI LeConte, 1862 *nomen protectum*

CENTRIOPTÉRIDES Lacordaire, 1859: 134 [stem: *Centriopter*-]. Type genus: *Centrioptera* Mannerheim, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 220, as CENTRIOPTERAE), generally accepted as in Bouchard et al. (2005: 502, as CENTRIOPTERINI); *nomen oblitum* (see Aalbu 2006: 57).

CRYPTOGLOSSINI J. L. LeConte, 1862: 220 [stem: *Cryptogloss-*]. Type genus: *Cryptoglossa* Solier, 1837. Comment: *nomen protectum* (see Aalbu 2006: 57).

Tribe EDROTINI Lacordaire, 1859

ÉDROTIDES Lacordaire, 1859: 31 [stem: *Edrot-*]. Type genus: *Edrotes* J. L. LeConte, 1851. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Casey (1907: 279, as EDROTINI), generally accepted as in Bouchard et al. (2005: 502, as EDROTINI).

TRIOROPHI J. L. LeConte and G. H. Horn, 1883: 362 [stem: *Trrioroph-*]. Type genus: *Trriorophus* J. L. LeConte, 1851.

AUCHMOBII J. L. LeConte and G. H. Horn, 1883: 362 [stem: *Auchmobi-*]. Type genus: *Auchmobius* J. L. LeConte, 1851.

TRIMYTINI Casey, 1907: 278 [stem: *Trimytid-*]. Type genus: *Trimytis* Leconte, 1851. Comment: incorrect original stem formation, not in prevailing usage.

EURYMETOPONINI Casey, 1907: 278 [stem: *Eurymetop-*]. Type genus: *Eurymetopon* Eschscholtz, 1831. Comment: incorrect original stem formation, not in prevailing usage.

TRIENTOMINI Casey, 1907: 278 [stem: *Trientom-*]. Type genus: *Trientoma* Solier, 1835.

Tribe ELENOPHORINI Solier, 1837

ELÉNOPHORITES Solier, 1837a: 638 [stem: *Elenophor-*]. Type genus: *Elenophorus* Dejean, 1821 [syn. of *Leptoderis* Billberg, 1820]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Schaum (1859: 66, as ELENOPHORIDAE), generally accepted as in Bouchard et al. (2005: 502, as ELENOPHORINI).

Tribe EPITRAGINI Blanchard, 1845 *nomen protectum*

LYGOPHILIA Rafinesque, 1815: 113 [stem: *Lygophil-*]. Type genus: *Lygophilus* Rafinesque, 1815 [syn. of *Epitragus* Latreille, 1802]. Comment: *nomen oblitum* (see Bouchard et al. 2007: 386).

*ÉPITRAGITES Solier, 1834: 490 [stem: *Epitrag-*]. Type genus: *Epitragus* Latreille, 1802. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Solier (1834).

ÉPITRAGITES Blanchard, 1845b: 16 [stem: *Epitrag-*]. Type genus: *Epitragus* Latreille, 1802. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Erichson (1847a: 117, as EPITRAGII), generally accepted as in Bouchard et al. (2005: 502, as EPITRAGINI); *nomen protectum* (see Bouchard et al. 2007: 386).

Tribe ERODIINI Billberg, 1820 *nomen protectum*

CEPHACERIA Rafinesque, 1815: 113 [stem: *Cephacer-*]. Type genus: *Cephacerus* Rafinesque, 1815 [syn. of *Erodius* Fabricius, 1775]. Comment: *nomen oblitum* (see Bouchard et al. 2007: 386).

ERODIIDES Billberg, 1820a: 32 [stem: *Erodi-*]. Type genus: *Erodius* Fabricius, 1775. Comment: *nomen protectum* (see Bouchard et al. 2007: 386); this family-group name was also used in the same year by Billberg (1820b: 392, as ERODIIDES).

*ESTENOGENIANOS Solier, 1851: 138 [stem: *Stenogeni-*]. Type genus: *Stenogenius* Solier, 1834 [unavailable genus name, proposed in synonymy and not subsequently made available]. Comment: family-group name unavailable (Art. 11.7.1.1): not based on an available genus name at the time; incorrect original stem formation, not in prevailing usage.

*ARTHRODEIDEIDEN Koch, 1943: 483 [stem: *Arthrode-*]. Type genus: *Arthrodeis* Solier, 1834. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

Tribe EVANIOSOMINI Lacordaire, 1859

ÉVANIOSOMIDES Lacordaire, 1859: 73 [stem: *Evaniosom-*]. Type genus: *Evaniosomus* Guérin-Méneville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Gebien (1910a: 22, as EVANIOSOMINAE).

Tribe FALSOMYCTERINI Gebien, 1910

FALSOMYCTERINAE Gebien, 1910b: 177 [stem: *Falsomycter-*]. Type genus: *Falsomycterus* Pic, 1907.

Tribe IDISIINI Medvedev, 1973

IDISIINI G. S. Medvedev, 1973: 644 [stem: *Idisi-*]. Type genus: *Idisia* Pascoe, 1866.

Tribe KLEWARIINI Gebien, 1910

KLEWARIINAE Gebien, 1910a: 36 [stem: *Klewari-*]. Type genus: *Klewaria* Reitter, 1910.

Tribe KUHITANGINI Medvedev, 1962

KUHITANGINAE G. S. Medvedev, 1962: 1184 [stem: *Kuhitangi-*]. Type genus: *Kuhitangia* G. S. Medvedev, 1962.

Tribe LACHNOGYINI Seidlitz, 1894

LACHNOGYINI Seidlitz, 1894: 490 [stem: *Lachnogy-*]. Type genus: *Lachnogya* Ménétriés, 1849. Comment: subtribal classification according to G. S. Medvedev (2006).

Subtribe LACHNODACTYLINA Reitter, 1904

LACHNODACTYLINA Reitter, 1904: 182 [stem: *Lachnodactyl-*]. Type genus: *Lachnodactylus* Seidlitz, 1898.

Subtribe LACHNOGYINA Seidlitz, 1894

LACHNOGYINI Seidlitz, 1894: 490 [stem: *Lachnogy-*]. Type genus: *Lachnogya* Ménétriés, 1849.

Subtribe NETUSCHILIINA Ferrer and Yvinec, 2004

NETUSCHILIINA Ferrer and Yvinec, 2004: 48 [stem: *Netuschili-*]. Type genus: *Netuschilia* Reitter, 1904. Comment: also incorrectly spelled as NETUSCHILINA in the original publication on page 48 (First Revisers are Bouchard et al. 2005: 504).

Tribe LEPTODINI Lacordaire, 1859

LEPTODIDES Lacordaire, 1859: 108 [stem: *Leptod-*]. Type genus: *Leptodes* Dejean, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Baudi di Selve (1875: 74, as LEPTODIDAE), generally accepted as in Gebien (1910a: 91, as LEPTODINAE).

Tribe NYCTELIINI Solier, 1834

NYCTÉLITES Solier, 1834: 502 [stem: *Nycteli-*]. Type genus: *Nyctelia* Latreille, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Hope (1840a: 127, as NYCTELIDAE [incorrect stem formation]), generally accepted as in Bouchard et al. (2005: 502, as NYCTELIINI); incorrect original stem formation, not in prevailing usage.

Tribe NYCTOPORINI Lacordaire, 1859

NYCTOPORIDES Lacordaire, 1859: 130 [stem: *Nyctopor-*]. Type genus: *Nyctoporis* Eschscholtz, 1831. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 219, as NYCTOPORINI), generally accepted as in Bouchard et al. (2005: 502, as NYCTOPORINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Nyctoporid-*).

Tribe PHRYNOCARENINI Gebien, 1928

PHRYNOCARENINAE Gebien, 1928: 105 [stem: *Phrynocaren-*]. Type genus: *Phrynocarenum* Gebien, 1928.

Tribe PHYSOGASTERINI Lacordaire, 1859

PHYSOGASTÉRIDES Lacordaire, 1859: 206 [stem: *Physogaster-*]. Type genus: *Physogaster* Lacordaire, 1830 [this genus name has been credited to Guérin-Méneville (1834: 2) in the literature, however the description of *Physogaster mendocinus* by Lacordaire (1830a: 276) makes the genus name available from that author and year]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. C. C. Burmeister (1875: 488, as PHYSOGASTERIDAE), generally accepted as in Bouchard et al. (2005: 502, as PHYSOGASTERINI).

Tribe PIMELIINI Latreille, 1802

PIMELIARIAE Latreille, 1802: 166 [stem: *Pimeli-*]. Type genus: *Pimelia* Fabricius, 1775.

PIMIDINIA Rafinesque, 1815: 113 [stem: *Pimidi-*]. Type genus: *Pimidia* Rafinesque, 1815 [syn. of *Pimelia* Fabricius, 1775]. Comment: incorrect original stem formation, not in prevailing usage.

*PLATYOPES Motschulsky, 1849: 58 [stem: *Platyop-*]. Type genus: *Platypope* Fischer von Waldheim, 1820. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Motschulsky (1849).

PLATYOPIDAE Semenov, 1893a: 260 [stem: *Platyop-*]. Type genus: *Platypope* Fischer von Waldheim, 1820. Comment: family-group name proposed as new without reference to *Platyopes* Motschulsky, 1849; PLATYOPIDAE Huene, 1931 has been used in amphibians (type genus *Platyops* Twelvetrees, 1880) but this name is permanently invalid since it is based on a preoccupied genus name.

LEUCOLAEPHUSINI Pierre, 1961: 558 [stem: *Leucolaeph-*]. Type genus: *Leucolaephus* Lucas, 1859. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PRAOCIINI Eschscholtz, 1829

PRAOCIDAE Eschscholtz, 1829b: 5 [stem: *Praoci-*]. Type genus: *Praocis* Eschscholtz, 1829. Comment: incorrect original stem formation, not in prevailing usage.

Tribe SEPIDIINI Eschscholtz, 1829

SEPIDIAE Eschscholtz, 1829b: 4 [stem: *Sepidi-*]. Type genus: *Sepidium* Fabricius, 1775.

Subtribe HYPOMELINA Koch, 1955

HYPOMELINA Koch, 1955: 36 [stem: *Hypomel-*]. Type genus: *Hypomelus* Solier, 1843.

Subtribe MOLURINA Solier, 1834

MOLURITES Solier, 1834: 505 [stem: *Molur-*]. Type genus: *Moluris* Latreille, 1802. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Schaum (1859: 68, as MOLURIDAE), generally accepted as in Bouchard et al. (2005: 502, as MOLURINA); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Molurid-*).

*PSAMMODOIDEN Koch, 1953a: 138 [stem: *Psammod-*]. Type genus: *Psammodes* Kirby, 1819. Comment: original vernacular name unavailable (Art. 11.7.2); proposed after 1899; PSAMMODIDAE has been used in the SCARABAEIDAE literature but this is based on an incorrect stem formation (type genus *Psammodius* Fallén, 1807, stem *Psammodi-*).

***PHRYNOCOLOIDEN** Koch, 1953a: 138 [stem: *Phrynocol-*]. Type genus: *Phrynocolus* Lacordaire, 1859. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

Subtribe OXURINA Koch, 1955

OXURINA Koch, 1955: 34 [stem: *Oxur-*]. Type genus: *Oxura* Kirby, 1819.

Subtribe PHANEROTOMEINA Koch, 1958

***PHANEROTOMOIDE** Koch, 1953a: 138 [stem: *Phanerotom-*]. Type genus: *Phanerotoma* Solier, 1843 [preoccupied genus name, not *Phanerotoma* Wesmael, 1838 [Hymenoptera]; syn. of *Phanerotomea* Koch, 1957]. Comment: family-group name unavailable (Art. 11.7.1.1): original name not proposed as a noun.

PHANEROTOMINA Koch, 1955: 37 [stem: *Phanerotom-*]. Type genus: *Phanerotoma* Solier, 1843 [preoccupied genus name, not *Phanerotoma* Wesmael, 1838 [Hymenoptera]; syn. of *Phanerotomea* Koch, 1957]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; **PHANEROTOMINI** Baker, 1925 (type genus *Phanerotoma* Wesmael, 1838) is available in Hymenoptera: BRACONIDAE.

PHANEROTOMEINA Koch, 1958: 58 [stem: *Phanerotome-*]. Type genus: *Phanerotomea* Koch, 1958. Comment: replacement name for **PHANEROTOMINA** Koch, 1955 because of the homonymy of the type genus.

Subtribe SEPIDIINA Eschscholtz, 1829

SEPIDIAE Eschscholtz, 1829b: 4 [stem: *Sepidi-*]. Type genus: *Sepidium* Fabricius, 1775.

Subtribe TRACHYNOTINA Koch, 1955

***TRACHYNOTIDES** Brullé, 1832: 189 [stem: *Trachynot-*]. Type genus: *Trachynotus* Latreille, 1828. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Brullé (1832).

TRACHYNOTINA Koch, 1955: 34, in key [stem: *Trachynot-*]. Type genus: *Trachynotus* Latreille, 1828. Comment: **TRACHYNOTIDAE** Schrammen, 1924 in Porifera is permanently invalid because it was based on the junior homonym *Trachynotus* Schrammen, 1924; the fish name **TRACHYNOTINAE** Gill, 1861 (type genus *Trachynotus* Agassiz, 1846, an unjustified emendation of *Trachinotus* Lacepède, 1801 and also a junior homonym of *Trachynotus* Latreille, 1828) was later corrected to **TRACHINOTINAE**, which is used as valid today; **TRACHYNOTOIDAE** Förster, 1869 has also been used in ichneumonid literature but this name is permanently invalid since it was based on the junior homonym *Trachynotus* Gravenhorst, 1829.

Tribe STENOSINI Schaum, 1859 (1834)

TAGÉNITES Solier, 1834: 503 [stem: *Tageni-*]. Type genus: *Tagenia* Latreille, 1802 [syn. of *Stenosis* Herbst, 1799]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Hope (1840a: 127, as TAGENIDAE), generally accepted as in G. R. Waterhouse (1845: 30, as TAGENIIDAE [incorrect stem formation]; use of younger name STENOSINI conserved (Art. 40.2) (see Bouchard et al. 2005: 523); incorrect original stem formation, not in prevailing usage.

STENOSIDAE Schaum, 1859: 66 [stem: *Stenos-*]. Type genus: *Stenosis* Herbst, 1799. Comment: published before end of February 1859; this family-group name was also used in the same year by Lacordaire (1859 [before 27 June]: 101, as STÉNOSIDES); use of family-group name conserved over TAGENINI Solier, 1834 (Art. 40.2) (see Bouchard et al. 2005: 523); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Stenose-*).

PLATAMODINA Reitter, 1900: 82 [stem: *Platamod-*]. Type genus: *Platamodes* Ménétriés, 1849.

TYPHLUSECHINI Casey, 1907: 281 [stem: *Typhlusech-*]. Type genus: *Typhlusechus* Linell, 1897.

ARAEOSCHIZINI Casey, 1907: 484 [stem: *Araeoschiz-*]. Type genus: *Araeoschizus* J. L. LeConte, 1851.

DICHILLINA Reitter, 1916: 137, in key [stem: *Dichill-*]. Type genus: *Dichillus* Jacquelin du Val, 1860.

HARVENGINA Ferrer, 2004: 370 [stem: *Harvengi-*]. Type genus: *Harvengia* Ferrer, 2004. Comment: incorrect original stem formation, not in prevailing usage.

Tribe TENTYRIINI Eschscholtz, 1831

TENTYRIDAE Eschscholtz, 1831: 4 [stem: *Tentyri-*]. Type genus: *Tentyria* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 2010c)]. Comment: incorrect original stem formation, not in prevailing usage.

GNATHOSIIDES Lacordaire, 1859: 33 [stem: *Gnathosi-*]. Type genus: *Gnathosia* Fischer von Waldheim, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 213, as GNATHOSIINI), generally accepted as in Skopin (1979: 170, as GNATHOSIINA).

*HYPÉROPIDES Lacordaire, 1859: 60 [stem: *Hyperop-*]. Type genus: *Hyperops* Eschscholtz, 1831. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

CAPNISINI Casey, 1907: 279 [stem: *Capnis-*]. Type genus: *Capnisa* Dejean, 1836 [syn. of *Gnathosia* Fisher von Waldheim, 1821].

PACHYCERINA Skopin, 1979: 170, in key [stem: *Pachycer-*]. Type genus: *Pachycera* Eschscholtz, 1831 [preoccupied genus name, not *Pachycera* Billberg, 1820 [Hemiptera]; syn. of *Oedenocera* Reiche, 1862]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

HIMATISMINA Skopin, 1979: 170, in key [stem: *Himatism-*]. Type genus: *Himatismus* Erichson, 1843.

Tribe THINOBATINI Lacordaire, 1859

THINOBATIDES Lacordaire, 1859: 63 [stem: *Thinobat-*]. Type genus: *Thinobatis* Eschscholtz, 1831. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 214, as THINOBATINI), generally accepted as in Bouchard et al. (2005: 502, as THINOBATINI); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Thinobatid-*).

Tribe TRILOBOCARINI Lacordaire, 1859

TRIBOLOCARIDES Lacordaire, 1859: 69 [stem: *Trilobocar-*]. Type genus: *Trilobocara* Solier, 1851 [as *Tribolocara*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Kolbe (1887: 51, as TRIBOLOCARINI); incorrect stem formation, not in prevailing usage.

SALAXINI Casey, 1907: 282 [stem: *Salac-*]. Type genus: *Salax* Guérin-Méneville, 1834. Comment: incorrect original stem formation, not in prevailing usage.

Tribe VACRONINI Gebien, 1910

VACRONINAE Gebien, 1910a: 118 [stem: *Vacron-*]. Type genus: *Vacronus* Casey, 1907 [syn. of *Alaephus* G. H. Horn, 1870].

*EUPSOHULITES Kwieton, 1982: 96 [stem: *Eupsophul-*]. Type genus: *Eupsophulus* Cockerell, 1906. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe ZOPHOSINI Solier, 1834

ZOPHOSITES Solier, 1834: 597 [stem: *Zophos-*]. Type genus: *Zophosis* Latreille, 1802. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Stein (1868: 78, as ZOPHOSINI), generally accepted as in Bouchard et al. (2005: 501, as ZOPHOSINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Zophose-*).

*ONYCHOSITES A. Deyrolle, 1867: 79 [stem: *Onychose-*]. Type genus: *Onychosis* Deyrolle, 1867. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

*CARDIOSITES A. Deyrolle, 1867: 79 [stem: *Cardiose-*]. Type genus: *Cardiosis* Deyrolle, 1867. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

DACTYLOCALCARINI Gebien, 1938a: 46 [stem: *Dactylocalcar-*]. Type genus: *Dactylocalcar* Gebien, 1938.

Subfamily TENEBRIONINAE Latreille, 1802

TENEBRIONITES Latreille, 1802: 165 [stem: *Tenebrion*-]. Type genus: *Tenebrio* Linnaeus, 1758. Comment: First Reviser (TENEBRIONINAE Latreille, 1802 vs HELOPINAE Latreille, 1802) not determined, current usage maintained

Tribe ACROPTERONINI Doyen, 1989

ACROPTERONINI Doyen, 1989: 288 [stem: *Acropteron*-]. Type genus: *Acropteron* Perty, 1832. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Acropter*-).

Tribe ALPHITOBIINI Reitter, 1917

ALPHITOBIINI Reitter, 1917: 58 [stem: *Alphitobi*-]. Type genus: *Alphitobius* Stephens, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1975)].

Tribe AMARYGMINI Gistel, 1848

AMARYGMIIDAE Gistel, 1848: [10] [stem: *Amarygm*-]. Type genus: *Amarygmus* Dalman, 1823. Comment: incorrect original stem formation, not in prevailing usage.

MÉGACANTHIDES Lacordaire, 1859: 467 [stem: *Megacanth*-]. Type genus: *Megacantha* Westwood, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Quedenfeldt (1885: 20, as MEGACANTHIDAE).

MÉRACANTHIDES Lacordaire, 1859: 464 [stem: *Meracanth*-]. Type genus: *Meracantha* Kirby, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 240, as MERACANTHINI), generally accepted as in Gebien (1911: 567, as MERACANTHINAE).

MEGACANTHINA Ardoine, 1962: 960 [stem: *Megacanth*-]. Type genus: *Megacantha* Westwood, 1843. Comment: family-group name proposed as new without reference to MÉGACANTHIDES Lacordaire, 1859.

Tribe AMPHIDORINI LeConte, 1862

*NYCTERINOIDES Solier, 1851: 210 [stem: *Nycterin*-]. Type genus: *Nycterinus* Eschscholtz, 1829. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Solier (1851).

*EMBAPHIONIDES Lacordaire, 1859: 151 [stem: *Embaphi*-]. Type genus: *Embaphion* Say, 1824. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., D. B. Thomas (2005: 549, as EMBAPHIONINI), but not generally attributed to Lacordaire (1859); EMBAPHIONINI, as used by D. B. Thomas (2005) is unavailable because it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

- AMPHIDORAE J. L. LeConte, 1862: 239 [stem: *Amphidor-*]. Type genus: *Amphidora* Eschscholtz, 1829.
- ELEODIINI Blaisdell, 1909: 27 [stem: *Eleod-*]. Type genus: *Eleodes* Eschscholtz, 1829. Comment: incorrect original stem formation, not in prevailing usage.
- ELEODOPSINAE Blaisdell, 1939: 51 [stem: *Eleodopse-*]. Type genus: *Eleodopsis* Blaisdell, 1939 [syn. of *Eleodes* Eschscholtz, 1829]. Comment: incorrect original stem formation, not in prevailing usage.
- LARIVERSIINA La Rivers, 1948: 98 [stem: *Lariversi-*]. Type genus: *Lariversius* Blaisdell, 1947.
- TROGLODERINA La Rivers, 1948: 98 [stem: *Trogloder-*]. Type genus: *Trogloderus* J. L. LeConte, 1879.
- *NYCTERINI Doyen et al., 1990: 244 [stem: *Nycterin-*]. Type genus: *Nycterinus* Eschscholtz, 1829. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

Tribe APOCRYPHINI Lacordaire, 1859

- APOCRYPHIDES Lacordaire, 1859: 432 [stem: *Apocryph-*]. Type genus: *Apocrypha* Eschscholtz, 1831. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 217, as APOCRYPHINI), generally accepted as in Gebien (1911: 503, as APOCRYPHINAE).
- DIPLOCYRTHINI Escalera, 1914b: 355 [stem: *Diplocyrt-*]. Type genus: *Diplocyrtus* Quendenfeldt, 1887 [as *Diplocyrthus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe BLAPTINI Leach, 1815

- BLAPSIDA Leach, 1815: 101 [stem: *Blapt-*]. Type genus: *Blaps* Fabricius, 1775.

Subtribe BLAPTINA Leach, 1815

- BLAPSIDA Leach, 1815: 101 [stem: *Blapt-*]. Type genus: *Blaps* Fabricius, 1775. Comment: although the original stem formation (*Blaps-*) was correct, the stem *Blapt-* has been used since it was first used by C. G. Thomson (1859: 114, as BLAPTIIDAE) and is also used here; an application to the Commission is needed to conserve the current spelling.

Subtribe GNAPTORINA Medvedev, 2001

- GNAPTORINA G. S. Medvedev, 2001: 29 [stem: *Gnaptor-*]. Type genus: *Gnaptor* Brullé, 1832.

Subtribe GNAPTORININA Medvedev, 2001

- GNAPTORININA G. S. Medvedev, 2001: 31 [stem: *Gnaptorin-*]. Type genus: *Gnaptorina* Reitter, 1887.

Subtribe PROSODINA Skopin, 1960

PROSODINA Skopin, 1960: 48 [stem: *Prosod-*]. Type genus: *Prosodes* Eschscholtz, 1829.

Subtribe REMIPEDELLINA Semenov, 1907

REMIPEDELLINI Semenov, 1907a: 259 [stem: *Remipedell-*]. Type genus: *Remipedella* Semenov, 1907. Comment: this family-group name was also used in the same year by Semenov (1907b: 176, as REMIPEDELLINI); priority for the two publications could not be established although REMIPEDELLINI Semenov, 1907b could not be considered available since the type genus *Remipedella* was made available only in Semenov (1907a).

Tribe BOLITOPHAGINI Kirby, 1837 *nomen protectum*

ELEDONAEDES Billberg, 1820b: 392 [stem: *Eledon-*]. Type genus: *Eledona* Latreille, 1797. Comment: *nomen oblitum* (see Appendix 1); the name ELEDONINAE (type genus *Eledone* Leach, 1817) is used as valid in cephalopods (earliest usage in cephalopods found is ELEDONIDAE Rochebrune, 1884).

BOLITOPHAGIDAE Kirby, 1837: 236 [stem: *Bolitophag-*]. Type genus: *Bolitophagus* Illiger, 1798. Comment: *nomen protectum* (see Appendix 1).

RHIPIDANDRI J. L. LeConte, 1862: 236 [stem: *Rhipidandr-*]. Type genus: *Rhipidandrus* J. L. LeConte, 1862.

EUTOMIDES Lacordaire, 1865: 369 [stem: *Eutom-*]. Type genus: *Eutomus* Lacordaire, 1865 [syn. of *Rhipidandrus* J. L. LeConte, 1862]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Ferrari (1867: 3, as EUTOMIDES [treated as Latin]); name treated as unavailable by Bouchard et al. (2005: 508) but recently considered available by Alonso-Zarazaga and Lyal (2009: 7); taxon originally described in CURCULIONIDAE: SCOLYTINAE.

Tribe CENTRONOPINI Doyen, 1989

CENTRONOPINI Doyen, 1989: 284 [stem: *Centronop-*]. Type genus: *Centronopus* Solier, 1848. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Centronopod-*).

Tribe CERENOPINI Horn, 1870

CERENOPI G. H. Horn, 1870: 325 [stem: *Cerenop-*]. Type genus: *Cerenopus* J. L. LeConte, 1851. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Cerenopod-*).

Tribe DISSONOMINI Medvedev, 1968

*HÉTÉROPHILATES Mulsant and Rey, 1859: 6 [stem: *Heterophyl-*]. Type genus: *Heterophylus* Mulsant and Rey, 1859 [preoccupied genus name, not *Heterophylus* Klug, 1833 [Coleoptera: TENEBRIONIDAE: DIAPERINAE]; syn. of *Dis-*

sonomus Jacquelin du Val, 1861]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; if found to be available then permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

*DISSONOMITES Jacquelin du Val, 1861: 280 [stem: *Dissonom-*]. Type genus: *Dissonomus* Jacquelin du Val, 1861. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Jacquelin du Val (1861).

DISSONOMINI G. S. Medvedev, 1968: 211 [stem: *Dissonom-*]. Type genus: *Dissonomus* Jacquelin du Val, 1861.

Tribe EULABINI Horn, 1870

EULABES G. H. Horn, 1870: 323 [stem: *Eulab-*]. Type genus: *Eulabis* Eschscholtz, 1829.

Tribe FALSOCOSSYPHINI Ferrer, 2006

FALSOCOSSYPHINI Ferrer, 2006: 77 [stem: *Falsocossyph-*]. Type genus: *Falsocossyphus* Pic, 1916.

Tribe HELEINI Fleming, 1821

HELEADEAE Fleming, 1821: 51 [stem: *Hele-*]. Type genus: *Helea* Latreille, 1816.

Subtribe ASPHALINA Matthews and Lawrence, 2005

ASPHALINA E. G. Matthews and Lawrence, 2005: 544 [stem: *Asphal-*]. Type genus: *Asphalus* Pascoe, 1868.

Subtribe CYPHALEINA Lacordaire, 1859

CYPHALÉIDES Lacordaire, 1859: 407 [stem: *Cypiale-*]. Type genus: *Cypaleus* Westwood, 1841. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1866b: 470, as CYPHALEINAE), generally accepted as in Bouchard et al. (2005: 502, as CYPHALEINA); precedence (CYPHALEINI Lacordaire, 1859 vs NYCTOZOILINI Lacordaire, 1859) given to taxon originally proposed at the higher rank (Art. 24.1).

NYCTOZOÏLIDES Lacordaire, 1859: 349 [stem: *Nyctozoil-*]. Type genus: *Nyctozoilus* Guérin-Méneville, 1830. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Bates (1872b: 98, as Nyctozoilides [treated as Latin]), generally accepted as in Carter (1911: 138, as NYCTOZOILIDES [treated as Latin]).

Subtribe HELEINA Fleming, 1821

HELEADEAE Fleming, 1821: 51 [stem: *Hele-*]. Type genus: *Helea* Latreille, 1804.

Comment: incorrect original stem formation, not in prevailing usage.

BRISEINAE Carter, 1924: 33 [stem: *Bris-*]. Type genus: *Brises* Pascoe, 1869. Comment: incorrect original stem formation, not in prevailing usage.

Tribe HELOPINI Latreille, 1802

HELOPII Latreille, 1802: 176 [stem: *Helop-*]. Type genus: *Helops* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 2009d)].

Subtribe HELOPININA Latreille, 1802

HELOPII Latreille, 1802: 176 [stem: *Helop-*]. Type genus: *Helops* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 2009d)].

HYPULIA Rafinesque, 1815: 114 [stem: *Hypul-*]. Type genus: *Hypulus* Rafinesque, 1815 [syn. of *Helops* Fabricius, 1775].

*ENOPLOPITES Solier, 1848: 155 [stem: *Enoplopod-*]. Type genus: *Enoplopus* Solier, 1848. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Solier (1848); incorrect original stem formation, not in prevailing usage.

*HÉDYPHANES Motschulsky, 1849: 57 [stem: *Hedyphan-*]. Type genus: *Hedyphanes* Fischer von Waldheim, 1820. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).

ENOPLOPINI Reitter, 1917: 62 [stem: *Enoplopod-*]. Type genus: *Enoplopus* Solier, 1848. Comment: incorrect original stem formation, not in prevailing usage.

NEPHODINI Reitter, 1917: 63 [stem: *Nephod-*]. Type genus: *Nephodes* Blanchard, 1845.

HEDYPHANINA Reitter, 1922b: 6 [stem: *Hedyphan-*]. Type genus: *Hedyphanes* Fischer von Waldheim, 1820.

*STENOTRICHINI Blaisdell, 1939: 50 [stem: *Stenotrich-*]. Type genus: *Stenotrichus* J. L. LeConte, 1862 [syn. of *Helops* Fabricius, 1775]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe CYLINDRINOTINA Español, 1956

*XANTHOMINI Antoine, 1949: 162 [stem: *Xanthom-*]. Type genus: *Xanthomus* Mulsant, 1854. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*ECTROMOPSINI Antoine, 1949: 162 [stem: *Ectromopse-*]. Type genus: *Ectromopsis* Antoine, 1949. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

CYLINDRONOTINI Español, 1956: 84 [stem: *Cylindrinot-*]. Type genus: *Cylindrinotus* Faldermann, 1837 [as *Cylindronotus*, unjustified emendation of type genus name by Agassiz (1846b: 111), not in prevailing usage]. Com-

ment: incorrect original stem formation, not in prevailing usage; correction of stem by Bouchard et al. (2005: 509).

Tribe HELOPININI Lacordaire, 1859

HÉLOPINIDES Lacordaire, 1859: 457 [stem: *Helopin-*]. Type genus: *Helopinus* Solier, 1848.

Subtribe APTILINA Koch, 1958

APTILINA Koch, 1958: 139 [stem: *Aptil-*]. Type genus: *Aptila* Fähraeus, 1870.

Subtribe HELOPININA Lacordaire, 1859

HÉLOPINIDES Lacordaire, 1859: 457 [stem: *Helopin-*]. Type genus: *Helopinus* Solier, 1848. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Bertkau (1875: 356, as HELOPININI), generally accepted as in Gebien (1911: 563, as HELOPININAE).

DROSOCHRINI Koch, 1958: 133 [stem: *Drosochr-*]. Type genus: *Drosochrus* Erichson, 1843. Comment: unnecessary replacement name for HELOPININI Lacordaire, 1859.

Subtribe MICRANTEREINA Reitter, 1917

MICRANTEREINI Reitter, 1917: 60 [stem: *Micrantere-*]. Type genus: *Micrantereus* Solier, 1848.

Subtribe ONCOSOMINA Koch, 1958

ONCOSOMINA Koch, 1958: 134 [stem: *Oncosom-*]. Type genus: *Oncosoma* Westwood, 1843 [unjustified emendation of *Ogcosoma* by Agassiz (1846b: 257), in prevailing usage, treated as justified emendation (Art. 33.2.3.1)]. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Oncosomat-*).

Tribe MELANIMONINI Seidlitz, 1894 (1854)

MICROZOOMATES Mulsant, 1854: 176 [stem: *Microzo-*]. Type genus: *Microzoum* Dejean, 1834 [syn. of *Melanimon* Steven 1829]. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Seidlitz (1889 [Gatt.]: 128, as MICROZOINA), generally accepted as in Bouchard et al. (2005: 523, as MICROZOINI); use of MELANIMONINI Seidlitz, 1894 conserved (Art. 40.2) (see Bouchard et al. 2005: 523); incorrect original stem formation, not in prevailing usage.

MELANIMONINA Seidlitz, 1894: 449 [stem: *Melanimon-*]. Type genus: *Melanimon* Steven, 1829. Comment: use of younger family-group name conserved (Art. 40.2) (see Bouchard et al. 2005).

Tribe OPATRINI Brullé, 1832

OPATRITES Brullé, 1832: 213 [stem: *Opatr-*]. Type genus: *Opatrum* Fabricius, 1775.

Subtribe HETEROCHIRINA Koch, 1956

HETEROCHIRINI Koch, 1956: 43 [stem: *Heterochir-*]. Type genus: *Heterocheira* Lacordaire, 1859.

Subtribe HETEROTARSINA Blanchard, 1845

HÉTÉROTARSITES Blanchard, 1845b: 14 [stem: *Heterotars-*]. Type genus: *Heterotarsus* Latreille, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 231, as HETEROTARSINI), generally accepted as in Bouchard et al. (2005: 502, as HETEROTARSINA).

Subtribe OPATRINA Brullé, 1832

OPATRITES Brullé, 1832: 213 [stem: *Opatr-*]. Type genus: *Opatrum* Fabricius, 1775. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Shuckard (1839b: 49, as OPATRIDAE), generally accepted as in Bouchard et al. (2005: 502, as OPATRINI).

*GONOCÉPHALITES Solier, 1834: 498 [stem: *Gonocephal-*]. Type genus: *Gonocephalum* Solier, 1834. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Solier (1834).

*BLAPSTINOIDES Solier, 1851: 231 [stem: *Blapstin-*]. Type genus: *Blapstinus* Dejean, 1821. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Solier (1851).

BLAPSTINITES Mulsant and Rey, 1853: 258 [stem: *Blapstin-*]. Type genus: *Blapstinus* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in J. L. LeConte (1862: 227, as BLAPSTINI).

STIZOPIDES Lacordaire, 1859: 258 [stem: *Stizopod-*]. Type genus: *Stizopus* Erichson, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 207, as STIZOPINI), generally accepted as in Gebien (1938b: 72 [393], as STIZOPINI); incorrect original stem formation, not in prevailing usage.

SCLÉRIDES Lacordaire, 1859: 263 [stem: *Scler-*]. Type genus: *Scleron* Hope, 1840 [syn. of *Sclerum* Dejean, 1834]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1890 [Gatt.]: 129, as SCLERINA), generally accepted as in Seidlitz (1894: 415, as SCLERINA).

- *PENTHICAIRES Mulsant and Rey, 1859: 5 [stem: *Penthic-*]. Type genus: *Penthicus* Faldermann, 1836. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 208, as PENTHICINI, under the valid tribe name OPATRINI), but not generally accepted as valid.
- *CAEDIAIRES Mulsant and Rey, 1859: 124 [stem: *Caedi-*]. Type genus: *Caedius* Blanchard, 1845. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 208, as CAEDIINI, under the valid tribe name OPATRINI), but not generally accepted as valid.
- *BLACODAIRES Mulsant and Rey, 1859: 93 [stem: *Blacod-*]. Type genus: *Blacodes* Blanchard, 1845 [syn. of *Blenosia* Laporte, 1840]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 208, as BLACODINI, under the valid tribe name OPATRINI), but not generally accepted as valid.
- *CLITOBIATES Mulsant and Rey, 1859: 141 [stem: *Clitobi-*]. Type genus: *Clitobius* Mulsant and Rey, 1859. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 208, as CLITOBIINI, under the valid tribe name OPATRINI), but not generally accepted as valid.
- GONOCÉPHALATES Mulsant and Revelière, 1861: 154 [stem: *Gonocephal-*]. Type genus: *Gonocephalum* Solier, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Gerstaecker (1861: 483, as GONOCEPHALIDAE).
- *DILAMITES Jacquelin du Val, 1861: 279 [stem: *Dilam-*]. Type genus: *Dilamus* Jacquelin du Val, 1861. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.
- AMMOBIINI Desbrochers des Loges, 1902b: 1 [stem: *Ammobi-*]. Type genus: *Ammobius* Guérin-Méneville, 1844.
- EMMALLINA Koch, 1956: 51 [stem: *Emmal-*]. Type genus: *Emmalus* Erichson, 1843 [as *Emmallus*, unjustified emendation of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.
- STENOLAMINA Koch, 1956: 49 [stem: *Stenolam-*]. Type genus: *Stenolamus* Geibien, 1920.

Subtribe NEOPACHYPTERINA Bouchard, Löbl and Merkl, 2007

- PACHYPTÉRATES Mulsant and Rey, 1859: 83 [stem: *Pachypter-*]. Type genus: *Pachypterus* Lucas, 1846 [preoccupied genus name, not *Pachypterus* Swainson, 1839 [Pisces]; syn. of *Neopachypterus* Bouchard et al., 2007]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Desbrochers des Loges (1901: 146, as PACHYPTERINI [actually spelled PACHNEPHORINI but this name was

corrected to PACHYPTERINI later by Desbroches des Loges (1902a: 85)]; permanently invalid (Art. 39): based on preoccupied type genus.

PACHYPTERINI G. S. Medvedev, 1968: 247 [stem: *Pachypter-*]. Type genus: *Pachypterus* Lucas, 1846 [preoccupied genus name, not *Pachypterus* Swainson, 1839 [Pisces]; syn. of *Neopachypterus* Bouchard et al., 2007]. Comment: family-group name proposed as new without reference to PACHYPTÉRATES Mulsant and Rey, 1859; permanently invalid (Art. 39): based on preoccupied type genus.

NEOPACHYPTERINA Bouchard et al., 2007: 386 [stem: *Neopachypter-*]. Type genus: *Neopachypterus* Bouchard et al., 2007. Comment: replacement name for PACHYPTÉRATES Mulsant and Rey, 1859 and PACHYPTERINI G. S. Medvedev, 1968 because of the homonymy of the type genus.

Tribe PALORINI Matthews, 2003

*PALORINAE E. G. Matthews, 2003a: 50 [stem: *Palor-*]. Type genus: *Palorus* Mulsant, 1854. Comment: unavailable name (Art. 16): not explicitly indicated as new.

PALORINAE E. G. Matthews, 2003b: 7 [stem: *Palor-*]. Type genus: *Palorus* Mulsant, 1854. Comment: validation of PALORINAE Matthews (2003a).

Tribe PEDININI Eschscholtz, 1829

PEDINIDEN Eschscholtz, 1829b: 4 [stem: *Pedin-*]. Type genus: *Pedinus* Latreille, 1797.

Subtribe DENDARINA Mulsant and Rey, 1854

PANDARITES Mulsant and Rey, 1854: 153 [stem: *Pandar-*]. Type genus: *Dendarus* Dejean, 1821 [as *Pandarus*, unjustified emendation of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gerstaeker (1854: 226, as PANDARIDAE [incorrect stem formation]), and generally accepted as in Seidlitz (1889[Gatt.]: 126, as DENDARINA).

*OMOCRATATES Mulsant and Rey, 1854: 266, in key [stem: *Omocrat-*]. Type genus: *Omocrates* Mulsant, 1854 [preoccupied genus name, not *Omocrates* H. C. C. Burmeister, 1844 [Coleoptera: SCARABAEIDAE]; syn. of *Phylan* Dejean, 1821]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; if found to be available then permanently invalid (Art. 39): based on preoccupied type genus.

*MICROSITATES Mulsant and Rey, 1854: 274 [stem: *Microsit-*]. Type genus: *Micrositus* Mulsant and Rey, 1854. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*ISOCÉRATES Mulsant and Rey, 1854: 188 [stem: *Isocer-*]. Type genus: *Isocerus* Dejean, 1821 [preoccupied genus name, not *Isocerus* Illiger, 1802 [Coleoptera: CERAMBYCIDAE]; syn. of *Neoisocerus* Bouchard et al., 2005].

Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; if found to be available then permanently invalid (Art. 39): based on preoccupied type genus.

***HÉLIOPATHAIRES** Mulsant and Rey, 1854: 265 [stem: *Helipat-*]. Type genus: *Heliopates* Dejean, 1834 [as *Heliopathes*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

PHYLACIDES Lacordaire, 1859: 270 [stem: *Phylac-*]. Type genus: *Phylax* Brullé, 1832 [syn. of *Dendarus* Dejean, 1821]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Seidlitz (1893: 220, as *PHYLACINA*).

BIOPLANINA A. N. Reichardt, 1936: 24 [stem: *Bioplanet-*]. Type genus: *Bioplanes* Mulsant, 1854. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe EURYNOTINA Mulsant and Rey, 1854

EURYNOTAIRES Mulsant and Rey, 1854: 156 [stem: *Eurynot-*]. Type genus: *Eurynotus* Kirby, 1819. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Koch (1956: 25, as *EURYNOTINA*), generally accepted as in Bouchard et al. (2005: 502, as *EURYNOTINA*).

PSECTROPINI Kaszab, 1941: 33 [stem: *Psectropod-*]. Type genus: *Psectropus* sensu Kaszab, 1941 [not *Psectropus* Solier, 1848; syn. of *Schyzochelus* Koch, 1954]. Comment: based on misidentified type genus; incorrect original stem formation, not in prevailing usage.

ONCOTINI Koch, 1953c: 267, in key [stem: *Oncot-*]. Type genus: *Oncotus* Blanchard, 1845.

SCHYZOSCHELINA Koch, 1956: 25 [stem: *Schyzoschel-*]. Type genus: *Schyzoschelus* Koch, 1954.

Subtribe LEICHENINA Mulsant, 1854

LEICHENAIRES Mulsant, 1854: 179 [stem: *Leichen-*]. Type genus: *Leichenum* Blanchard, 1845. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Casey (1890: 391, as *LEICHENINI*), generally accepted as in Bouchard et al. (2005: 502, as *LEICHENINA*).

Subtribe LOENSINA Koch, 1956

***LOENSINI** Koch, 1955: 1 [stem: *Loens-*]. Type genus: *Loensus* Lucas, 1920. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

LOENSINI Koch, 1956: 402 [stem: *Loens-*]. Type genus: *Loensus* Lucas, 1920.

Subtribe MELAMBIINA Mulsant and Rey, 1854

- MELAMBIATES Mulsant and Rey, 1854: 267 [stem: *Melambi-*]. Type genus: *Melambius* Mulsant and Rey, 1854. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Español (1945: 226, as MELAMBINA [incorrect stem formation]), generally accepted as in Bouchard et al. (2005: 502, as MELAMBIINA).
- LITOBORINAE Antoine, 1941: 19-21 [stem: *Litobor-*]. Type genus: *Litoborus* Mulsant and Rey, 1854.
- ZADENINA Koch, 1956: 279, in key [stem: *Zaden-*]. Type genus: *Zadenos* Laporte, 1840.

Subtribe PEDININA Eschscholtz, 1829

- PEDINIDEN Eschscholtz, 1829b: 4 [stem: *Pedin-*]. Type genus: *Pedinus* Latreille, 1797. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by G. R. Waterhouse (1845: 32, as PEDINIDAE), generally accepted as in Bouchard et al. (2005: 502, as PEDININI).

Subtribe PLATYNOTINA Mulsant and Rey, 1853

- *HÉTÉROSCÉLITES Solier, 1836: 502 [stem: *Heteroscelid-*]. Type genus: *Heteroscelis* Latreille, 1829 [preoccupied genus name, not *Heteroscelis* Latreille, 1829 [Hemiptera]; syn. of *Anomalipus* Guérin-Méneville, 1831]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; if found to be available then permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

- PLATYNOTAIRES Mulsant and Rey, 1853: 263 [stem: *Platynot-*]. Type genus: *Platynotus* Fabricius, 1801. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 226, as PLATYNOTINI), generally accepted as in Bouchard et al. (2005: 502, as PLATYNOTINA); First Reviser (PLATYNOTINA Mulsant and Rey, 1853 vs TRIGONOPODINA Mulsant and Rey, 1853) not determined, current usage maintained.

- TRIGONOPAIRES Mulsant and Rey, 1853: 104 [stem: *Trigonopod-*]. Type genus: *Trigonopus* Mulsant and Rey, 1853. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aalbu (2006: 70, as TRIGONOPINA); incorrect original stem formation, not in prevailing usage.

- GONOPIDES Lacordaire, 1859: 255 [stem: *Gonopod-*]. Type genus: *Gonopus* Latreille, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 207, as GONOPINI), generally accepted as in Gebien (1938a: 90, as GONOPINI); incorrect original stem formation, not in prevailing usage.

- PLATYNOTINI Koch, 1953c: 268, in key [stem: *Platynot-*]. Type genus: *Platynotus* Fabricius, 1801. Comment: family-group name proposed as new without reference to PLATYNOTAires Mulsant and Rey, 1853.
- ANOMALIPINA Koch, 1954: 427 [stem: *Anomalipod-*]. Type genus: *Anomalipus* Guérin-Méneville, 1831 [unjustified emendation of *Anomalipes* Guérin-Méneville, 1831 by Lacordaire, 1859; unjustified emendation in prevailing usage, treated as justified emendation (Art. 33.2.3.1)]. Comment: incorrect original stem formation, not in prevailing usage.
- *ANCHOPHTHALMOID Koch, 1956: 71, in key [stem: *Anchophthalm-*]. Type genus: *Anchophthalmus* Gerstaecker, 1854. Comment: family-group name unavailable (Art. 11.7.1.1): original name not proposed as a noun.
- *SELINOID Koch, 1956: 70, in key [stem: *Selin-*]. Type genus: *Selinus* Mulsant and Rey, 1853. Comment: family-group name unavailable (Art. 11.7.1.1): original name not proposed as a noun; SELININI Jeannel, 1948 (type genus *Selina* Motschulsky, 1858) is currently used as a valid in CARABIDAE.
- *MELANOCRATOID Iwan, 1996: 379, 380–381 [stem: *Melanocrat-*]. Type genus: *Melanocratus* Fairmaire, 1895. Comment: family-group name unavailable (Art. 11.7.1.1): original name not proposed as a noun.

Subtribe PYTHIOPINA Koch, 1953

- PYTHIOPINI Koch, 1953b: 245 [stem: *Pythiop-*]. Type genus: *Pythiopus* Koch, 1953. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Pythiopod-*).

Tribe PLATYSCELIDINI Lacordaire, 1859

- PLATYSCÉLIDES Lacordaire, 1859: 229 [stem: *Platyscelid-*]. Type genus: *Platyscelis* Latreille, 1818 [placed on the Official List of Generic Names in Zoology (ICZN 1993e)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1889 [Gatt.]: 126, as PLATYSCELINA [incorrect stem formation]), generally accepted as in Bouchard et al. (2005: 502, as PLATYSCELIDINI); incorrect original stem formation, not in prevailing usage; correction of stem by Egorov (1990: 401) in order to avoid homonymy with PLATYSCELIDAE Bate, 1862 in Crustacea.

Tribe PRAEUGENINI De Moor, 1970

- *PRAOGENINI Ferreira, 1965: 312 [stem: *Praeugen-*]. Type genus: *Praeugena* Laporte, 1840 [as *Praogena*, unjustified emendation of type genus name, not in prevailing usage]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

- PRAEUGENINA De Moor, 1970: 4 [stem: *Praeugen-*]. Type genus: *Praeugena* Laporte, 1840.

Tribe RHYSOPAUSSINI Wasmann, 1896

RHYSOPAUSSIDAE Wasmann, 1896: 613 [stem: *Rhysopauss-*]. Type genus: *Rhysopaussus* Wasmann, 1896.

Tribe SCAURINI Billberg, 1820

SCAURIDES Billberg, 1820a: 31 [stem: *Scaur-*]. Type genus: *Scaurus* Fabricius, 1775. Comment: this family-group name was also used in the same year by Billberg (1820b: 392, as SCAURIDES).

Tribe SCOTOBIINI Solier, 1838

SCOTOBITES Solier, 1838: 39 [stem: *Scotobi-*]. Type genus: *Scotobius* Germar, 1824. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 336, as SCOTOBIOIDAE), generally accepted as in Bouchard et al. (2005: 502, as SCOTOBIINI); incorrect original stem formation, not in prevailing usage.

Tribe TENEBRIONINI Latreille, 1802

TENEBRIONITES Latreille, 1802: 165 [stem: *Tenebrion-*]. Type genus: *Tenebrio* Linnaeus, 1758.

BIUINI Skopin, 1978: 224, in key [stem: *Bi-*]. Type genus: *Bius* Dejean, 1834. Comment: incorrect original stem formation, not in prevailing usage.

Tribe TITAENINI Fauvel, 1905

TITAENINI Fauvel, 1905b: 209 [stem: *Titaen-*]. Type genus: *Titaena* Erichson, 1842.

Tribe TOXICINI Oken, 1843

TOXICIDEN Oken, 1843: 484 [stem: *Toxic-*]. Type genus: *Toxicum* Latreille, 1802.

Subtribe EUDYSANTINA Bouchard, Lawrence, Davies and Newton, 2005

DYSANTINAE Gebien, 1922: 289 [stem: *Dysant-*]. Type genus: *Dysantes* Pascoe, 1871 [preoccupied genus name, not *Dysantes* Foerster, 1868 [Hymenoptera]; syn. of *Eudysantes* Bouchard et al., 2005]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

EUDYSANTINA Bouchard et al., 2005: 508 [stem: *Eudysant-*]. Type genus: *Eudysantes* Bouchard et al., 2005. Comment: replacement name for DYSANTINA Gebien, 1922 because of the homonymy of the type genus.

Subtribe NYCTEROPINA Lacordaire, 1859

NYCTÉROPIDES Lacordaire, 1859: 388 [stem: *Nycterop-*]. Type genus: *Nycterus* opus Klug, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 211, as NYCTEROPINI), generally accepted as in Bouchard et al. (2005: 502, as NYCTEROPINA).

Subtribe TOXICINA Oken, 1843

TOXICIDEN Oken, 1843: 484 [stem: *Toxic-*]. Type genus: *Toxicum* Latreille, 1802. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Tulk (1847: 614, as TOXICIDAE); family-group name previously attributed to Lacordaire (1859). ANTHRACIINI Houlbert, 1922b: 185, in key [stem: *Anthraci-*]. Type genus: *Anthracias* Dejean, 1834 [syn. of *Cryphaeus* Klug, 1833].

Tribe TRIBOLIINI Gistel, 1848

TRIBOLIIDAE Gistel, 1848: [4] [stem: *Triboli-*]. Type genus: *Tribolium* W. S. MacLeay, 1825 [placed on the Official List of Generic Names in Zoology (ICZN 1988e)].

Tribe ULOMINI Blanchard, 1845

ULOMITES Blanchard, 1845b: 16 [stem: *Ulom-*]. Type genus: *Uloma* Dejean, 1821 [placed on the Official List of Generic Names in Zoology (ICZN 1975)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Blanchard (1853: 164, as ULOMITAE), generally accepted as in Bouchard et al. (2005: 502, as ULOMINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Ulomat-*).

*OLIGOCAROIDES Solier, 1851: 225 [stem: *Oligocar-*]. Type genus: *Oligocara* Solier, 1848. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

ALÉGORIIDES Lacordaire, 1859: 325 [stem: *Alegori-*]. Type genus: *Alegoria* Laporte, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Seidlitz (1894: 545, as ALEGORIINA).

NEOPSECTROPINAE Kaszab, 1941: 30 [stem: *Neopsectropod-*]. Type genus: *Neopsectropus* Kaszab, 1941. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily ALLECULINAE Laporte, 1840

ALLÉCULITES Laporte, 1840b: 242 [stem: *Allecul-*]. Type genus: *Allecula* Fabricius, 1801. Comment: given precedence over the older names XYSTROPODINAE Solier, 1835 and CTENIOPODINAE Solier, 1835 (Art. 35.5) (see Bouchard et al. 2005).

Tribe ALLECULINI Laporte, 1840

ALLÉCULITES Laporte, 1840b: 242 [stem: *Allecul-*]. Type genus: *Allecula* Fabricius, 1801. Comment: given precedence over the older name XYSTROPODINI Solier, 1835 (Art. 35.5) (see Bouchard et al. 2005).

Subtribe ALLECULINA Laporte, 1840

ALLÉCULITES Laporte, 1840b: 242 [stem: *Allecul-*]. Type genus: *Allecula* Fabricius, 1801. Comment: original vernacular name available (Art. 11.7.2):

first used in latinized form by Packard (1874: iii, as ALLECULIDAE), generally accepted as in Bouchard et al. (2005: 502, as ALLECULINA).

- *CYLINDROTHORIDES Lacordaire, 1859: 494 [stem: *Cylindrothor-*]. Type genus: *Cylindrothorus* Solier, 1844. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.
- UPINELLA J. L. LeConte, 1866b: 137 [stem: *Upinell-*]. Type genus: *Upinella* Mulsant, 1856.

Subtribe GONODERINA Seidlitz, 1896

- GONODERINA Seidlitz, 1896: 83 [stem: *Gonoder-*]. Type genus: *Gonodera* Mulsant, 1856.
- PSEUDOCISTELINI Portevin, 1934: 39, in key [stem: *Pseudocistel-*]. Type genus: *Pseudocistela* Crotch, 1873.

Subtribe MYCETOCHARINA Gistel, 1848

- MYCETOCHARISIDAE Gistel, 1848: [10] [stem: *Mycetochar-*]. Type genus: *Mycetochara* Berthold, 1827 [as *Mycetochares*, incorrect subsequent spelling not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe XYSTROPODINA Solier, 1835

- XYSTROPIDES Solier, 1835a: 229 [stem: *Xystropod-*]. Type genus: *Xystropus* Solier, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 390, as XYSTROPODIDAE), generally accepted as in Bouchard et al. (2005: 502, as XYSTROPODINA); incorrect original stem formation, not in prevailing usage.
- LYSTRONYCHIDES Lacordaire, 1859: 512 [stem: *Lystronych-*]. Type genus: *Lystronychus* Latreille, 1829 [incorrect subsequent spelling of *Lystronichus*, incorrect spelling in current usage, treated as correct original spelling (Art. 33.3.1)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in J. L. LeConte and G. H. Horn (1883: 390, as LYSTRONYCHI).

Tribe CTENIOPODINI Solier, 1835

- CISTELENIAE Latreille, 1802: 188 [stem: *Cistel-*]. Type genus: *Cistela* Fabricius, 1775 [preoccupied genus name, not *Cistela* Geoffroy, 1762 [Coleoptera: BYRRHIDAE]; syn. of *Cteniopus* Solier, 1835; Geoffroy's generic name was suppressed for the purposes of the Principle of Priority but not for the Principle of Homonymy (ICZN 1994a)]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- CTÉNIOPITES Solier, 1835a: 245 [stem: *Cteniopod-*]. Type genus: *Cteniopus* Solier, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Agassiz (1846b: 107, as CTENIOPODIDAE), generally ac-

cepted as in Bouchard et al. (2005: 502, as CTENIOPODINI); incorrect original stem formation, not in prevailing usage.

OMOPHLIENS Mulsant, 1856a: 65 [stem: *Omophl-*]. Type genus: *Omophlus* Dejean, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1896: 28, as OMOPHLINI), generally accepted as in Ogloblin and Znojko (1950: 9, as OMOPHLINAE).

PHIBALIDAE Gistel, 1856a: 384 [stem: *Phibal-*]. Type genus: *Phibalus* Gistel, 1856 [the genus *Phibalus* Gistel, 1856 originally included only one species therefore the type species is *Chrysomela pubescens* Linnaeus, 1758 by monotypy; this genus has not been used subsequently to our knowledge; **syn. nov.** of *Omophlus* Dejean, 1834]. Comment: **syn. nov.**

PETRIIDAE Semenov, 1893b: 359 [stem: *Petri-*]. Type genus: *Petria* Semenov, 1894.

PODONTINI Portevin, 1934: 45, in key [stem: *Podont-*]. Type genus: *Podonta* Solier, 1835.

Subfamily DIAPERINAE Latreille, 1802

DIAPERIALAE Latreille, 1802: 161 [stem: *Diaper-*]. Type genus: *Diaperis* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe CRYPTICINI Brullé, 1832

CRYPTICITES Brullé, 1832: 190 [stem: *Cryptic-*]. Type genus: *Crypticus* Latreille, 1816. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by C. G. Thomson (1859: 114, as CRYPTICINA), generally accepted as in Bouchard et al. (2005: 503, as CRYPTICINI).

OOCHROTINI Desbrochers des Loges, 1901: 143, in key [stem: *Oochrot-*]. Type genus: *Oochrotus* Lucas, 1852.

Tribe DIAPERINI Latreille, 1802

DIAPERIALAE Latreille, 1802: 161 [stem: *Diaper-*]. Type genus: *Diaperis* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subtribe ADELININA LeConte, 1862

*SITOPHAGIENS Mulsant, 1854: 263 [stem: *Sitophag-*]. Type genus: *Sitophagus* Mulsant, 1854. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

ALPHITOPHAGIDA Gistel, 1856b: 185 [stem: *Alphitophag-*]. Type genus: *Alphitophagus* Stephens, 1832. Comment: although this is the oldest name for the subtribe, we recommend that an application be submitted to the Commission to conserve usage of the name ADELININA J. L. LeConte, 1862.

*GNATHOCÉRITES Jacquelin du Val, 1861: 304 [stem: *Gnatocer-*]. Type genus: *Gnatocerus* Thunberg, 1814 [as *Gnathocerus*, incorrect subsequent spelling

of type genus name, not in prevailing usage; *Gnatocerus* Thunberg, 1814 placed on the Official List of Generic Names in Zoology (ICZN 1975)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Jacquelin du Val (1861); incorrect original stem formation, not in prevailing usage; GNATHOCERIDAE Schoch, 1894 is available in SCARABAEIDAE.

ADELININI J. L. LeConte, 1862: 237 [stem: *Adelin-*]. Type genus: *Adelina* Dejean, 1835. Comment: this well-established family-group name is threatened by the discovery of the older name ALPHITOPHAGIDA Gistel, 1856; although using Reversal of Precedence (Art. 23.9.1) to conserve usage of ADELININA J. L. LeConte, 1862 would be preferable, this can not be done because we cannot find 25 references in which this name has been used in the last 50 years; current usage is maintained here and an application should be submitted to the Commission in order to conserve ADELININA J. L. LeConte, 1862.

SCEDAROSINI Reitter, 1876b: 42 [stem: *Schedaros-*]. Type genus: *Schedarosus* Reitter, 1876 [syn. of *Adelina* Dejean, 1835]. Comment: originally placed in the family CUCUJIDAE.

DOLIEMINI Reitter, 1917: 58 [stem: *Doliem-*]. Type genus: *Doliema* Pascoe, 1860 [syn. of *Adelina* Dejean, 1835].

GNATHOCERINI Skopin, 1978: 228, in key [stem: *Gnatocer-*]. Type genus: *Gnatocerus* Thunberg, 1814 [as *Gnathocerus*, incorrect subsequent spelling of type genus name, not in prevailing usage; *Gnatocerus* Thunberg, 1814 placed on the Official List of Generic Names in Zoology (ICZN 1975)]. Comment: incorrect original stem formation, not in prevailing usage; GNATHOCERIDAE Schoch, 1894 is available in SCARABAEIDAE.

Subtribe DIAPERINA Latreille, 1802

DIAPERIALAE Latreille, 1802: 161 [stem: *Diaper-*]. Type genus: *Diaperis* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

PENTAPHYLLAIRES Mulsant, 1854: 196 [stem: *Pentaphyll-*]. Type genus: *Pentaphyllus* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 236, as PENTAPHYLLI), generally accepted as in Silfverberg (1992: 61, as PENTAPHYLLINI); the name PENTAPHYLLINAE Schindewolf, 1942 (type genus *Pentaphyllum* de Koninck, 1872) is used as valid in Anthozoa; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

PLATYDEMINAE Reitter, 1917: 61 [stem: *Platydem-*]. Type genus: *Platydema* Laporte and Brullé, 1831.

*HOPLOCEPHALINI Kwieton, 1982: 98 [stem: *Hoplocephal-*]. Type genus: *Hoplocephala* Laporte and Brullé, 1831 [based on unjustified emendation of

type genus name; originally proposed as *Opocephala*; emended name in prevailing usage, treated as a justified emendation (Art. 33.2.3.1); syn. of *Neomida* Latreille, 1829]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe ECTYCHINI Doyen, Matthews and Lawrence, 1990

ECTYCHINI Doyen et al., 1990: 247 [stem: *Ectych-*]. Type genus: *Ectyche* Pascoe, 1869.

Tribe GNATHIDIINI Gebien, 1921

GNATHIDIINAE Gebien, 1921: 41 [stem: *Gnathidi-*]. Type genus: *Gnathidium* Gebien, 1921.

Subtribe ANOPIDIINA Jeannel and Paulian, 1945

ANOPIDIINI Jeannel and Paulian, 1945: 62 [stem: *Anopidi-*]. Type genus: *Anopidium* Jeannel and Paulian, 1945.

Subtribe GNATHIDIINA Gebien, 1921

GNATHIDIINAE Gebien, 1921: 41 [stem: *Gnathidi-*]. Type genus: *Gnathidium* Gebien, 1921.

Tribe HYOCIINI Medvedev and Lawrence, 1982

HYOCINI G. S. Medvedev and Lawrence, 1982: 548 [stem: *Hyoci-*]. Type genus: *Hyocis* Pascoe, 1866.

Subtribe BRITTONINA Medvedev and Lawrence, 1986

BRITTONINA G. S. Medvedev and Lawrence, 1986: 574 [stem: *Britton-*]. Type genus: *Brittona* G. S. Medvedev and Lawrence, 1986.

Subtribe HYOCIINA Medvedev and Lawrence, 1982

HYOCINI G. S. Medvedev and Lawrence, 1982: 548 [stem: *Hyoci-*]. Type genus: *Hyocis* Pascoe, 1866. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe UPTONINA Medvedev and Lawrence, 1986

UPTONINA G. S. Medvedev and Lawrence, 1986: 581 [stem: *Upton-*]. Type genus: *Uptona* G. S. Medvedev and Lawrence, 1986.

Tribe HYPOPHLAEINI Billberg, 1820

HYPOPHLAEIDES Billberg, 1820a: 33 [stem: *Hypophlae-*]. Type genus: *Hypophlaeus* Fabricius, 1790 [syn. of *Corticeus* Piller and Mitterpacher, 1783].

CORTICEINI Boddy, 1965: 144 [stem: *Cortice-*]. Type genus: *Corticeus* Piller and Mitterpacher, 1783.

Tribe LEIOCHRININI Lewis, 1894

LEIOCHRININAE Lewis, 1894: 390 [stem: *Leiochrin-*]. Type genus: *Leiochrinus* Westwood, 1883.

Tribe MYRMECHIXENINI Jacquelin du Val, 1858

MYRMÉCHIXÉNITES Jacquelin du Val, 1858: 223 [stem: *Myrmechixen-*]. Type genus: *Myrmechixenus* Chevrolat, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Marseul (1863: 111, as MYRMEKIXENI [incorrect stem formation]), generally accepted as in Bouchard et al. (2005: 503, as MYRMECHIXENINI); originally placed in the family MYCETAEIDAE (syn. of ENDOMYCHIDAE).

Tribe PHALERIINI Blanchard, 1845

PHALÉRIIDES Blanchard, 1845b: 29 [stem: *Phaleri-*]. Type genus: *Phaleria* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1975)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1848: [10], as PHALERIADAЕ [incorrect stem formation]), generally accepted as in Bouchard et al. (2005: 503, as PHALERIINI).

SEPEDONASTIDAE Gistel, 1856a: 382 [stem: *Sepedonast-*]. Type genus: *Sepedonastes* Gistel, 1856 [syn. of *Phaleria* Latreille, 1802].

CATAPHRONETINI Reitter, 1917: 57 [stem: *Cataphronet-*]. Type genus: *Cataphrone-* tis Lucas, 1846 [syn. of *Phtora* Germar, 1836].

Tribe SCAPHIDEMINI Reitter, 1922

SCAPHIDEMINI Reitter, 1922b: 2 [stem: *Scaphidem-*]. Type genus: *Scaphidema* Redtenbacher, 1849.

Tribe TRACHYSCELINI Blanchard, 1845

TRACHYSCÉLIDES Blanchard, 1845b: 28 [stem: *Trachyscel-*]. Type genus: *Trachyscelis* Latreille, 1809. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by G. R. Waterhouse (1858: 60, as TRACHYSCELIDAE), generally accepted as in Bouchard et al. (2005: 503, as TRACHYSCELINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Trachyscelid-*); conservation of the original stem avoids potential homonymy with family-group names based on the type genus *Trachyscelida* G. H. Horn, 1893 in CHRYSOMELIDAE.

Subfamily STENOCHIINAE Kirby, 1837

STENOCHIADAE Kirby, 1837: 238 [stem: *Stenoichi-*]. Type genus: *Stenochia* Kirby, 1819.

Tribe CNODALONINI Oken, 1843

CNODALIDEN Oken, 1843: 484 [stem: *Cnodalon*-]. Type genus: *Cnodalon* Latreille, 1797. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Tulk (1847: 614, as CNODALIDAE); family-group name previously attributed to Gistel (1856a: 382); the correct stem based on *Cnodalon* is *Cnodal-*, therefore the original stem was correctly formed; however, since this family-group name has not been attributed to Oken (1843) in the past and the accepted stem has been *Cnodalon*- to this date, we have kept the currently accepted stem; an application to the Commission is necessary to conserve *Cnodalon*- as the correct stem for this taxon.

COELOMETOPIDAE Schaum, 1859: 71 [stem: *Coelometop*-]. Type genus: *Coelometopus* Solier, 1848. Comment: published before February 31, 1859; this family-group name was also used in the same year by Lacordaire (1859 [before 27 June]: 358, as COELOMÉTOPIDES).

UPIDAE C. G. Thomson, 1859: 116 [stem: *Upid*-]. Type genus: *Upis* Fabricius, 1792. Comment: incorrect original stem formation, not in prevailing usage.

EUTÉLIDES Lacordaire, 1859: 354 [stem: *Eutel*-]. Type genus: *Eutelus* Solier, 1843 [preoccupied genus name, not *Eutelus* Walker, 1834 [Hymenoptera]; syn. of *Nodotelus* Koch, 1950]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1866b: 469, as EUTELINAE), generally accepted as in Gebien (1911: 431, as EUTELINAE); permanently invalid (Art. 39): based on preoccupied type genus; EUTELINI Ashmead, 1904 (type genus *Eutelus* Walker, 1834) is available in Hymenoptera.

MISOLAMPIDES Lacordaire, 1859: 440 [stem: *Misolamp*-]. Type genus: *Misolampus* Latreille, 1807. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by and generally accepted as in F. Bates (1873: 373, as MISOLAMPIDES [treated as Latin]).

CATAPIESTIDES Lacordaire, 1859: 381 [stem: *Catapiest*-]. Type genus: *Catapiestus* Perty, 1831. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Seidlitz (1895: 614, as CATAPIESTINA).

*CAMARIDES Desmarest, 1860: 165 [stem: *Camari*-]. Type genus: *Camaria* Lepetier and Audinet-Serville, 1828. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Desmarest (1860).

POLYPLEURI J. L. LeConte, 1862: 229 [stem: *Polypleur*-]. Type genus: *Polypleurus* Eschscholtz, 1831.

MISOLAMPIDIINI Reitter, 1917: 60, in key [stem: *Misolampidi*-]. Type genus: *Misolampidius* Solsky, 1876.

MENEPHILINI Reitter, 1920: 15 [stem: *Menephil*-]. Type genus: *Menephilus* Mulsant, 1854.

STENOPHANINI Reitter, 1922b: 2, 3 [stem: *Stenophan*-]. Type genus: *Stenophanes* Solsky, 1876.

HEGEMONINI Reitter, 1922b: 3 [stem: *Hegemon-*]. Type genus: *Hegemona* Laporte, 1840.

CAMARIINAE Anonymous, 1924: 164 [stem: *Camari-*]. Type genus: *Camaria* Lepetier and Audinet-Serville, 1828. Comment: this was a translation of the vernacular name “CAMARIINEN” used by Gebien (1919); Gebien’s family-group name is not available since it was proposed in a vernacular form after 1899 (Art. 11.7.2); for comments about authorship of Camariinae see Evenhuis et al. (2008: 4).

NODOTELINI Koch, 1950: 67 [stem: *Nodotel-*]. Type genus: *Nodotelus* Koch, 1950. Comment: replacement name for EUTELINI Lacordaire, 1859 because of the homonymy of the type genus.

*THESILEINI Kaszab, 1982: 29 [stem: *Thesile-*]. Type genus: *Thesilea* Haag-Rutenberg, 1878. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe STENOCHIINI Kirby, 1837

STENOCHIADAE Kirby, 1837: 238 [stem: *Stenochi-*]. Type genus: *Stenochia* Kirby, 1819. Comment: incorrect original stem formation, not in prevailing usage.

STRONGYLIIDES Lacordaire, 1859: 478 [stem: *Strongyli-*]. Type genus: *Strongylium* Kirby, 1819 [name conserved over *Strongylium* Ditmar, 1809 [Myxomycota] (see Bouchard et al. 2005)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 241, as STRONGYLIINI), generally accepted as in Aalbu et al. (2002: 483, as STRONGYLIINI).

Tribe TALANINI Champion, 1887 (1883)

DIGNAMPTINI J. L. LeConte and G. H. Horn, 1883: 385 [stem: *Dignampt-*]. Type genus: *Dignamptus* J. L. LeConte, 1878 [syn. of *Talanus* Jacquelin du Val, 1857].

TALANIDES Champion, 1887: 321 [stem: *Talan-*]. Type genus: *Talanus* Jacquelin du Val, 1857. Comment: family-group name conserved over DIGNAMPTINI J. L. LeConte and G. H. Horn, 1883 (Art. 40.2) (see Bouchard et al. 2005).

TENEBRIONIDAE *incertae sedis*

BETSCHIINI Dajoz, 1980a: 135 [stem: *Betschi-*]. Type genus: *Betschia* Dajoz, 1980. Comment: originally placed in the family COLYDIIDAE, the type genus was transferred to TENEBRIONIDAE by Ivie and Ślipiński (1990: 18); placement uncertain although probably close to GNATHIDIINI (Ivie pers. comm. 2008).

Family PROSTOMIDAE Thomson, 1859

*MÉGAGNATHES Motschulsky, 1849: 60 [stem: *Megagnath-*]. Type genus: *Megagnathus* Dejean, 1821 [preoccupied genus name, not *Megagnathus* Billberg, 1820]

[Coleoptera: CERAMBYCIDAE]; syn. of *Prostomis* Latreille, 1819]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; if found to be available then permanently invalid (Art. 39): based on preoccupied type genus.

PROSTOMIDAE C. G. Thomson, 1859: 84 [stem: *Prostom-*]. Type genus: *Prostomis* Latreille, 1819. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Prostomid-*).

Family SYNCHROÏDAE Lacordaire, 1859

SYNCHROÏDES Lacordaire, 1859: 544 [stem: *Synchro-*]. Type genus: *Synchroa* Newman, 1838. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 249, as SYNCHROAE), generally accepted as in Lawrence and Newton (1995: 894, as SYNCHROÏDAE).

MALLODRYINI G. H. Horn, 1888: 43 [stem: *Mallodry-*]. Type genus: *Mallodrya* G. H. Horn, 1888.

Family STENOTRACHELIDAE Thomson, 1859

STENOTRACHELIDAE C. G. Thomson, 1859: 124 [stem: *Stenotrachel-*]. Type genus: *Stenotrachelus* Berthold, 1827.

Subfamily STENOTRACHELINAE Thomson, 1859

STENOTRACHELIDAE C. G. Thomson, 1859: 124 [stem: *Stenotrachel-*]. Type genus: *Stenotrachelus* Berthold, 1827.

Subfamily CEPHALOINAE LeConte, 1862

***CEPHALAONIDES** Motschulsky, 1860: 140 [stem: *Cephalo-*]. Type genus: *Cephaloon* Newman, 1838 [as *Cephalaon*, incorrect subsequent spelling of type genus name corrected by Motschulsky to *Cephaloon* on pp. 140 in same work]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1860).

CEPHALOIDAE J. L. LeConte, 1862: 259 [stem: *Cephalo-*]. Type genus: *Cephaloon* Newman, 1838.

Subfamily NEMATOPLINAE LeConte, 1862

NEMATOPLI J. L. LeConte, 1862: 264 [stem: *Nematopl-*]. Type genus: *Nematoplus* J. L. LeConte, 1855.

Subfamily STOLIINAE Nikitsky, 1985

STOLIINAE Nikitsky, 1985: 32, in key [stem: *Stoli-*]. Type genus: *Stolius* Lewis, 1895.

Family OEDEMERIDAE Latreille, 1810

OEDEMERITES Latreille, 1810: 216 [stem: *Oedemer-*]. Type genus: *Oedemera* A. G. Olivier, 1789.

Subfamily POLYPRIINAE Lawrence, 2005

*POLYPRIIDAE Triplehorn and N. F. Johnson, 2005: 441 [stem: *Polypri-*]. Type genus: *Polyuria* Chevrolat, 1874. Comment: unavailable family-group name, name published after 1999 and not explicitly indicated as new (Art. 16.1).

POLYPRIINAE Lawrence, 2005: 671, in key [stem: *Polypri-*]. Type genus: *Polyuria* Chevrolat, 1874.

Subfamily CALOPODINAE Costa, 1852 *nomen protectum*

SPAREDRIIDAE Gistel, 1848: [11] [stem: *Sparedr-*]. Type genus: *Sparedrus* Dejean, 1821. Comment: *nomen oblitum* (see Appendix 1); incorrect original stem formation, not in prevailing usage.

CALOPINI A. Costa, 1852: 4 [stem: *Calopod-*]. Type genus: *Calopus* Fabricius, 1775. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Semenov (1894: 449, as CALOPODIDAE), generally accepted as in Švihla (2008: 353, as CALOPODINAE); *nomen protectum* (see Appendix 1); incorrect original stem formation, not in prevailing usage.

CATACHIROTIDAE Gistel, 1856a: 384 [stem: *Catachirotet-*]. Type genus: *Catachirotes* Gistel, 1856 [syn. of *Calopus* Fabricius, 1775]. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily OEDEMERINAE Latreille, 1810

OEDEMERITES Latreille, 1810: 216 [stem: *Oedemer-*]. Type genus: *Oedemera* A. G. Olivier, 1789.

Tribe ASCLERINI Gistel, 1848

ASCLERAIEIDAE Gistel, 1848: [11] [stem: *Ascler-*]. Type genus: *Asclera* Stephens, 1839. Comment: incorrect original stem formation, not in prevailing usage.

GANGLBAUERIIDAE Semenov, 1894: 450 [stem: *Ganglebaueri-*]. Type genus: *Ganglbaueria* Semenov, 1891.

*HYPASCLERINI Macnamara, 1971: 164 [stem: *Hypascler-*]. Type genus: *Hypasclera* Kirsch, 1866. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*HYPASCLERINI Švihla, 1986: 161 [stem: *Hypascler-*]. Type genus: *Hypasclera* Kirsch, 1866. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently.

*DANACERINAE Švihla, 1986: 161 [stem: *Danerc-*]. Type genus: *Danerces* Westwood, 1875. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently; incorrect original stem formation, not in prevailing usage.

*OXACINI Švihla, 1986: 161 [stem: *Oxacid-*]. Type genus: *Oxacis* J. L. LeConte, 1866. Comment: family-group name unavailable (Art. 11.6): originally pub-

lished as synonym and not made available subsequently; incorrect original stem formation, not in prevailing usage.

Tribe DITYLINI Mulsant, 1858

*DITYLES Motschulsky, 1849: 59 [stem: *Dityl-*]. Type genus: *Ditylus* Fischer von Waldheim, 1817. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).

DITYLATES Mulsant, 1858: 100 [stem: *Dityl-*]. Type genus: *Ditylus* Fischer von Waldheim, 1817. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Semenov (1894: 450, as DITYLIDAE), generally accepted as in Kriska (2002: 517, as DITYLINI).

Tribe NACERDINI Mulsant, 1858

NACERDATES Mulsant, 1858: 104 [stem: *Nacerd-*]. Type genus: *Nacerdes* Dejean, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Semenov (1894: 450, as NACERDIDAE), generally accepted as in Hansen (1996: 175, as NACERDINI).

Tribe OEDEMERINI Latreille, 1810

OEDEMERITES Latreille, 1810: 216 [stem: *Oedemer-*]. Type genus: *Oedemera* A. G. Olivier, 1789.

ONCOMERADAE Gistel, 1856a: 384 [stem: *Oncomer-*]. Type genus: *Oncomera* Stephens, 1829 [subgenus of *Oedemera* A. G. Olivier, 1789; placed on the Official List of Generic Names in Zoology (ICZN 1988f)]. Comment: incorrect original stem formation, not in prevailing usage.

*ONCOMERININI Švihla, 1986: 161 [stem: *Oncomerin-*]. Type genus: *Oncomerina* Seidlitz, 1899 [syn. of *Oncomera* Stephens, 1829]. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently.

Tribe STENOSTOMATINI Mulsant, 1858

STÉNOSTOMATES Mulsant, 1858: 228 [stem: *Stenostomat-*]. Type genus: *Stenostoma* Latreille, 1810. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Semenov (1894: 450, as STENOSTOMATIDAE), generally accepted as in Švihla (2008: 369, as STENOSTOMINI [incorrect stem formation]); incorrect original stem formation, not in prevailing usage.

Family MELOIDAE Gyllenhal, 1810

MELOOIDES Gyllenhal, 1810: 481 [stem: *Melo-*]. Type genus: *Meloe* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1999c)]. Comment: given precedence over the older name HORIIDAE Latreille, 1802 and placed on the Official List of Family-Group Names in Zoology (ICZN 1999c).

Subfamily ELETICINAE Wellman, 1910

ELETICIDES Wellman, 1910: 221 [stem: *Eletic-*]. Type genus: *Eletica* Dejean, 1834.
 Comment: First Reviser (ELETICINAE Wellman, 1910 vs DERIDEINAE Wellman, 1910) not determined, current usage maintained.

Tribe DERIDEINI Wellman, 1910

DERIDEIDES Wellman, 1910: 222 [stem: *Deride-*]. Type genus: *Deridea* Westwood, 1875.

Tribe ELETICINI Wellman, 1910

ELETICIDES Wellman, 1910: 221 [stem: *Eletic-*]. Type genus: *Eletica* Dejean, 1834.

Subtribe ELETICINA Wellman, 1910

ELETICIDES Wellman, 1910: 221 [stem: *Eletic-*]. Type genus: *Eletica* Dejean, 1834.

Subtribe EOSPASTINA Selander, 1966

EOSPASTINA Selander, 1966: 474 [stem: *Eospast-*]. Type genus: *Eospasta* Selander, 1966.

Tribe ERTLIANINI Selander, 1966

ERTLIINI Kaszab, 1959: 71 [stem: *Ertli-*]. Type genus: *Ertlia* Borchmann, 1942 [preoccupied genus name, not *Ertlia* Aurivillius, 1907 [Coleoptera: CERAMBYCIDAE]; syn. of *Morphozonitis* Pic, 1922]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ERTLIANINA Selander, 1966: 478 [stem: *Ertlian-*]. Type genus: *Ertliana* Selander, 1964 [syn. of *Morphozonitis* Pic, 1922]. Comment: replacement name for ERTLIINI Kaszab, 1959 because of the homonymy of the type genus; although Selander (1991: 78) used MORPHOZONITINA Kaszab, 1969 as the valid name for this taxon (because of the synonymy of *Ertliana* Selander with *Morphozonitis* Pic) the Principle of Priority applies here and therefore the oldest available family-group name ERTLIANINI should be used as valid instead.

MORPHOZONITINI Kaszab, 1969: 242 [stem: *Morphozonitid-*]. Type genus: *Morphozonitis* Pic, 1922. Comment: replacement name for ERTLIINI Kaszab, 1959 because of the homonymy of the type genus and ERTLIANINA Selander, 1966 because of the synonymy of the type genus; incorrect original stem formation, not in prevailing usage.

Tribe SPASTICINI Kaszab, 1959

SPASTICINA Kaszab, 1959: 72 [stem: *Spastic-*]. Type genus: *Spastica* Lacordaire, 1859.

Subtribe ANTHICOXENINA Selander, 1966

ANTHICOXENINA Selander, 1966: 470 [stem: *Anthicoxen-*]. Type genus: *Anthicoxenus* Fairmaire and Germain, 1860.

Subtribe PROTOMELOINA Abdullah, 1965

PROTOMELOINI M. Abdullah, 1965b: 43 [stem: *Protomelo-*]. Type genus: *Protomeloe* M. Abdullah, 1965.

Subtribe SPASTICINA Kaszab, 1959

SPASTICINA Kaszab, 1959: 72 [stem: *Spastic-*]. Type genus: *Spastica* Lacordaire, 1859.

Subtribe XENOSPASTINA Selander, 1966

XENOSPASTINA Selander, 1966: 460, in key [stem: *Xenospast-*]. Type genus: *Xenospasta* Selander, 1966.

Subfamily MELOINAE Gyllenhal, 1810

MELOOIDES Gyllenhal, 1810: 481 [stem: *Melo-*]. Type genus: *Meloe* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1999c)].

Tribe CEROCOMINI Leach, 1815

CEROCOMATIDA Leach, 1815: 105 [stem: *Cerocom-*]. Type genus: *Cerocoma* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe EPICAUTINI Parker and Böving, 1924

MACROBASES J. L. LeConte, 1862: 272 [stem: *Macrobase-*]. Type genus: *Macrobasis* J. L. LeConte, 1862 [subgenus of *Epicauta* Dejean, 1834]. Comment: incorrect original stem formation, not in prevailing usage.

APTEROSPASTIDES Wellman, 1910: 221 [stem: *Apterospast-*]. Type genus: *Apterospasta* J. L. LeConte, 1862 [syn. of *Macrobasis* J. L. LeConte, 1862].

EPICAUTINI Parker and Böving, 1924: 25 [stem: *Epicaut-*]. Type genus: *Epicauta* Dejean, 1834. Comment: family-group name previously attributed to Denier (1935); this name is threatened by the two older names MACROBASEINI J. L. LeConte, 1862 and APTEROSPASTINI Wellman, 1910; to maintain nomenclatural stability, we believe that an application should be submitted to the Commission to conserve usage of the well-established name EPICAUTINI.

*HENOINI Böving and Craighead, 1931: 79 [stem: *Heno-*]. Type genus: *Henous* Haldeman, 1852 [syn. of *Epicauta* Dejean, 1834]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe EUPOMPHINI LeConte, 1862

- EUPOMPHAE J. L. LeConte, 1862: 274 [stem: *Eupomph-*]. Type genus: *Eupompha* J. L. LeConte, 1858. Comment: First Reviser found (EUPOMPHINI J. L. LeConte, 1862 vs PHODAGINI J. L. LeConte, 1862) is Selander (1991: 78, as EUPOMPHINA).
- PHODAGAE J. L. LeConte, 1862: 274 [stem: *Phodag-*]. Type genus: *Phodaga* J. L. LeConte, 1858.
- CALOSPASTIDES Wellman, 1910: 221 [stem: *Calospast-*]. Type genus: *Calospasta* J. L. LeConte, 1862 [syn. of *Eupompha* J. L. LeConte, 1858].
- GYNACOMELODIDES Wellman, 1910: 221 [stem: *Gynaecomelo-*]. Type genus: *Gynaecomeloe* Wellman, 1910 [syn. of *Cordylospasta* G. H. Horn, 1875]. Comment: incorrect original stem formation, not in prevailing usage.
- CORDYLOSPASTIDES Wellman, 1910: 221 [stem: *Cordylospast-*]. Type genus: *Cordylospasta* G. H. Horn, 1875.
- CYSTEODEMIDES Wellman, 1910: 221 [stem: *Cysteodem-*]. Type genus: *Cysteodemus* J. L. LeConte, 1851.
- TEGRODERINI L. S. Dillon, 1952: 373 [stem: *Tegroder-*]. Type genus: *Tegrodera* J. L. LeConte, 1851.
- MEGETRINA Kaszab, 1959: 80 [stem: *Megetr-*]. Type genus: *Megetra* J. L. LeConte, 1859.

Tribe LYTTINI Solier, 1851

- CANTHARIDIAE Latreille, 1802: 185 [stem: *Canthar-*]. Type genus: *Cantharis* sensu Latreille, 1802 [not *Cantharis* Linnaeus, 1758; syn. of *Lyta* Fabricius, 1775]. Comment: based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principles of Priority and Homonymy (Art. 65.2.1); also see CANTHARIDAE Imhoff, 1856.
- *LYTTES Motschulsky, 1849: 59 [stem: *Lytt-*]. Type genus: *Lyta* Fabricius, 1775. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).
- LYTTOIDES Solier, 1851: 278 [stem: *Lytt-*]. Type genus: *Lyta* Fabricius, 1775. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1856a: 385, as LYTTADAE [incorrect stem formation]), generally accepted as in Selander (1991: 78, as LYTTINA); although this is not the oldest name for the tribe, we recommend that an application be submitted to the Commission to suppress CANTHARINI Latreille, 1802 because it is based on a misidentified type genus (Art. 65.2.1).
- *ALOSIMATES Mulsant, 1857: 358 [stem: *Alosim-*]. Type genus: *Alosimus* Mulsant, 1857. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Selander (1991: 65, as ALOSIMINA), but not generally accepted as valid; Selander's name is also unavailable, it was pro-

posed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*LYDINI Wellman, 1908: 424 [stem: *Lyd-*]. Type genus: *Lydus* Dejean, 1821. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently; Wellman correctly pointed out that the family-group for a taxon based on *Lydus* should be LYDINI, however he did not want to use this family-group name since the name LYDIDAE Newman, 1834 (type genus *Lyda* Fabricius, 1805) is available for a group of Hymenoptera: Symphyta.

SYBARIDES Wellman, 1910: 221 [stem: *Sybare-*]. Type genus: *Sybaris* Stephens, 1832. Comment: incorrect original stem formation, not in prevailing usage.

LYDINA Kaszab, 1959: 82 [stem: *Lyd-*]. Type genus: *Lydus* Dejean, 1821. Comment: Kaszab proposed the subtribe name LYDINA without reference to the comment by Wellman (1908) and his family-group name has been used as valid in MELOIDAE since (e.g., Turco et al. 2006); the name LYDIDAE Newman, 1834 (type genus *Lyda* Fabricius, 1805) is available for a group of Hymenoptera: Symphyta; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

PROLYTTINI Selander, 1960: 25 [stem: *Prolytt-*]. Type genus: *Prolytta* Kaszab, 1959.

Tribe MELOINI Gyllenhal, 1810

MELOOIDES Gyllenhal, 1810: 481 [stem: *Melo-*]. Type genus: *Meloe* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1999c)].

PROSCARABAIEIDAE Gistel, 1848: [11] [stem: *Proscarabae-*]. Type genus: *Proscara-*
baeus Schrank, 1781 [syn. of *Meloe* Linnaeus, 1758].

Tribe MYLABRINI Rafinesque, 1815

MYLABRIA Rafinesque, 1815: 114 [stem: *Mylabr-*]. Type genus: *Mylabris* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1995a)]. Comment: family-group name previously attributed to Billberg (1820a); Brullé (1832: 190) uses the family-group name “CORYNITES” for a group containing the genera *Sarrotrium* Illiger, 1798, *Orthocerus* Latreille, 1797, *Chiroscelis* Lamarck, 1804, *Toxicum* Latreille, 1802 and *Boros* Herbst, 1797, although Brullé could have based his family-group name on *Coryna* Billberg, 1813 (which is a junior homonym and a synonym of *Hycleus* Latreille, 1817 in MYLABRINI) we cannot be sure and therefore we have not considered this a separate family-group name.

ZONABRINI Wellman, 1908: 424 [stem: *Zonabr-*]. Type genus: *Zonabris* Harold, 1879 [syn. of *Mylabris* Fabricius, 1775].

CALYDINA Kaszab, 1960: 126 [stem: *Calyd-*]. Type genus: *Calydus* Reitter, 1896.

Tribe PYROTINI MacSwain, 1956

PYROTINI MacSwain, 1956: 67 [stem: *Pyrot-*]. Type genus: *Pyrota* Dejean, 1834.

Subfamily TETRAONYCINAE Böving and Craighead, 1931

TETRAONYCIDAE Böving and Craighead, 1931: 59, in key [stem: *Tetraonyc-*]. Type genus: *Tetraonyx* Latreille, 1809. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Tetraonych-*).

MELOEYYPHLINI Borgmeier, 1937: 248 [stem: *Meloetyphl-*]. Type genus: *Meloetylphlus* C. O. Waterhouse, 1872.

Subfamily NEMOGNATHINAE Laporte, 1840

NEMOGNATHITES Laporte, 1840b: 280 [stem: *Nemognath-*]. Type genus: *Nemognatha* Illiger, 1807 [as *Nemognathus*, unjustified emendation of type genus name by Latreille (1829b), not in prevailing usage; *Nemognatha* Illiger, 1807 placed on the Official List of Generic Names in Zoology (ICZN 1999c)]. Comment: NEMOGNATHINAE Laporte, 1840 placed on the Official List of Family-Group Names in Zoology and given precedence over HORIINAE Latreille, 1802 (ICZN 1999c).

Tribe HORIINI Latreille, 1802

HORIALES Latreille, 1802: 182 [stem: *Hori-*]. Type genus: *Horia* Fabricius, 1787 [placed on the Official List of Generic Names in Zoology (ICZN 1999c)]. Comment: HORIIDAE Latreille, 1802 placed on the Official List of Family-Group Names in Zoology (ICZN 1999c); MELOIDAE Gyllenhal, 1810 and NEMOGNATHINAE Laporte, 1840 given precedence over this name (ICZN 1999c).

CISSITINI Kaszab, 1966: 187 [stem: *Cissit-*]. Type genus: *Cissites* Latreille, 1804. Comment: we accept the character about parameres given by Kaszab (1966: 187) to characterize this tribe as sufficient to fulfill the requirements of Art. 13.1; Selander (1991: 66) treated this name as unavailable.

Tribe NEMOGNATHINI Laporte, 1840

NEMOGNATHITES Laporte, 1840b: 280 [stem: *Nemognath-*]. Type genus: *Nemognatha* Illiger, 1807 [as *Nemognathus*, unjustified emendation of type genus name by Latreille (1829b), not in prevailing usage; *Nemognatha* Illiger, 1807 placed on the Official List of Generic Names in Zoology (ICZN 1999c)].

Subtribe NEMOGNATHINA Laporte, 1840

NEMOGNATHITES Laporte, 1840b: 280 [stem: *Nemognath-*]. Type genus: *Nemognatha* Illiger, 1807 [as *Nemognathus*, unjustified emendation of type genus name by Latreille (1829b), not in prevailing usage; *Nemognatha* Illiger, 1807 placed on the Official List of Generic Names in Zoology (ICZN 1999c)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1862: 270, as NEMOGNATHINI), generally accepted as in Hansen (1996: 176, as NEMOGNATHINAE).

HORNII Dugès, 1889: 213 [stem: *Horni-*]. Type genus: *Hornia* Riley, 1877.

TRICRANIIDES Wellman, 1910: 222 [stem: *Tricrani-*]. Type genus: *Tricrania* J. L. LeConte, 1860.

Subtribe ZONITIDINA Mulsant, 1857

*ZONITES Motschulsky, 1849: 59 [stem: *Zonitid-*]. Type genus: *Zonitis* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1999c)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849); incorrect original stem formation, not in prevailing usage.

ZONITAIRE Mulsant, 1857: 322 [stem: *Zonitid-*]. Type genus: *Zonitis* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1999c)]. Comment: incorrect original stem formation, not in prevailing usage; ZONITIDINAE Mulsant, 1857 placed on the Official List of Family-Group Names in Zoology (ICZN 1999c); this family-group name is a senior homonym of ZONITIDAE Mörch, 1864 in Mollusca (based on *Zonites* Montfort, 1810) which is used as valid in recent literature (see Bologna and Pinto 1997); stem of family-group name changed to *Zonitid-* by the Commission (ICZN 1999c) to remove from homonymy with Mörch's name.

*LEPTOPALPINA Kaszab, 1959: 102, Fig. 97 [stem: *Leptopalp-*]. Type genus: *Leptopalpus* Guérin-Méneville, 1834. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

LEPTOPALPINA Kaszab, 1963: 138 [stem: *Leptopalp-*]. Type genus: *Leptopalpus* Guérin-Méneville, 1834.

*PALAESTRINA Kaszab, 1969: 244 [stem: *Palaestr-*]. Type genus: *Palaestra* Laporte, 1840. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subtribe SITARINA Mulsant, 1857

*APALES Motschulsky, 1849: 59 [stem: *Apal-*]. Type genus: *Apalus* Fabricius, 1775. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).

SITARATES Mulsant, 1857: 393 [stem: *Sitar-*]. Type genus: *Sitaris* Latreille, 1802. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Dugès (1886: 580, as SITARINI), generally accepted as in Selander (1991: 79, as SITARINA).

APALIDES Parker and Böving, 1924: 33 [stem: *Apal-*]. Type genus: *Apalus* Fabricius, 1775.

STENORIIDES Parker and Böving, 1924: 32 [stem: *Stenori-*]. Type genus: *Stenoria* Mulsant, 1857.

Tribe STENODERINI Selander, 1991

*STENODERINI Selander, 1964: 1057 [stem: *Stenoder-*]. Type genus: *Stenodera* Eschscholtz, 1818. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

STENODERINI Selander, 1991: 77 [stem: *Stenoder-*]. Type genus: *Stenodera* Eschscholtz, 1818. Comment: junior homonym of STENODERINI Pascoe, 1867 (type genus *Stenoderus* Dejean, 1821) currently used as valid in CERAMBYCIDAЕ; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Family MYCTERIDAE Oken, 1843

MYCTERIDEN Oken, 1843: 484 [stem: *Mycter-*]. Type genus: *Mycterus* Clairville, 1798.

Subfamily MYCTERINAE Oken, 1843

RHINOMACERIDAE Fleming, 1821: 50 [stem: *Rhinomacr-*]. Type genus: *Rhinomacer* Fabricius, 1781 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 2005c); syn. of *Mycterus* Clairville, 1798]. Comment: permanently invalid (Art. 39): based on suppressed type genus; incorrect original stem formation, not in prevailing usage.

MYCTERIDEN Oken, 1843: 484 [stem: *Mycter-*]. Type genus: *Mycterus* Clairville, 1798. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Tulk (1847: 614, as MYCTERIDAE); name previously attributed to Blanchard (1845b: 97).

ARTAXIDAE Gistel, 1848: [8] [stem: *Artax-*]. Type genus: *Artaxus* Gistel, 1848 [syn. of *Mycterus* Clairville, 1798].

Subfamily EURYPINAE Thomson, 1860

EURYPITAE J. Thomson, 1860b: 63 [stem: *Eury-*]. Type genus: *Eurypus* Kirby, 1819. Comment: the correct stem based on the type genus *Eurypus* is *Eury-*, however, we prefer to conserve the incorrect original stem formation for this name (Art. 29.5) to avoid homonymy with EURYPODINI Gahan, 1906 (type genus *Euryponda* W. Saunders, 1853) currently used as valid in CERAMBYCIDAE.

LACCONOTINI J. L. LeConte, 1862: 254 [stem: *Lacconot-*]. Type genus: *Lacconotus* J. L. LeConte, 1862.

BATOBIINA Seidlitz, 1917a: 88 [stem: *Batobi-*]. Type genus: *Batobius* Fairmaire and Germar, 1863.

THISIINA Seidlitz, 1917a: 91 [stem: *Thisi-*]. Type genus: *Thisias* Champion, 1889.

*STILPNONOTINAE Blackwelder, 1945: 503 [stem: *Stilpnonot-*]. Type genus: *Stilpnonotus* Gray, 1832. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Subfamily HEMIPEPLINAE Lacordaire, 1854

HÉMIPÉLIDES Lacordaire, 1854b: 404 [stem: *Hemipepl-*]. Type genus: *Hemipeplus* Latreille, 1829. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1861: 96, as HEMIPEPLIDAE), generally accepted as in Pollock (2002: 532, as HEMIPEPLINAE).

Family BORIDAE Thomson, 1859

BORIDAE C. G. Thomson, 1859: 117 [stem: *Bor-*]. Type genus: *Boros* Herbst, 1797.

Subfamily BORINAE Thomson, 1859

BORIDAE C. G. Thomson, 1859: 117 [stem: *Bor-*]. Type genus: *Boros* Herbst, 1797.

Subfamily SYNERCTICINAE Lawrence and Pollock, 1994

SYNERCTICINAE Lawrence and Pollock, 1994: 36, in key [stem: *Synerctic-*]. Type genus: *Synercticus* Newman, 1842.

Family TRICTENOTOMIDAE Blanchard, 1845

TRICTÉNOTOMIDES Blanchard, 1845b: 137 [stem: *Trictenotom-*]. Type genus: *Trictenotoma* Gray, 1832. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by F. Smith (1851: 18, as TRICTENOTOMIDAE), generally accepted as in Lawrence and Newton (1995: 897, as TRICTENOTOMIDAE).

Family PYTHIDAE Solier, 1834

PYTHITES Solier, 1834: 496 [stem: *Pyth-*]. Type genus: *Pytho* Latreille, 1797. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by C. G. Thomson (1859: 123, as PYTHONIDAE [incorrect stem formation]), generally accepted as in Hansen (1996: 176, as PYTHIDAE).

ENOPTISIDAE Gistel, 1848: [11] [stem: *Enopt-*]. Type genus: *Enoptes* Gistel, 1848 [syn. of *Pytho* Latreille, 1797]. Comment: incorrect original stem formation, not in prevailing usage.

ISCHYOMIIDES Champion, 1886: 258 [stem: *Ischyomi-*]. Type genus: *Ischyomius* Chevrolat, 1878.

OSPHYOPLESIINI Reitter, 1917: 59, in key [stem: *Ophyoplesi-*]. Type genus: *Ophyoplesius* A. Winkler, 1915.

ANAPLOPINAE M. Abdullah, 1966: 147 [stem: *Anaplopod-*]. Type genus: *Anaplopus* Blackburn, 1890. Comment: incorrect original stem formation, not in prevailing usage.

Family PYROCHROIDAE Latreille, 1806

PYROCHROIDES Latreille, 1806: 199 [stem: *Pyrochro-*]. Type genus: *Pyrochroa* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subfamily TYDESSINAE Nikitsky, 1986

TYDESSINI Nikitsky, 1986: 1188 [stem: *Tydess-*]. Type genus: *Tydessa* Peacock, 1982.

Subfamily PILIPALPINAE Abdullah, 1964

PILIPALPINI M. Abdullah, 1964: 4 [stem: *Pilipalp*-]. Type genus: *Pilipalpus* Fairmaire, 1876.
 TECHMESSINAE Paulus, 1972b: 84, in key [stem: *Techmess*-]. Type genus: *Techmessa* F. Bates, 1874.

Subfamily PEDILINAE Lacordaire, 1859

PÉDILIDES Lacordaire, 1859: 574 [stem: *Pedil*-]. Type genus: *Pedilus* Fischer von Waldheim, 1820. Comment: published before 27 June 1859; original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1859a [December]: 46, as PEDILIDAE), generally accepted as in Lawrence and Newton (1995: 898, as PEDILINAE).

NEOPEDILINI M. Abdullah, 1969a: 354 [stem: *Neopedil*-]. Type genus: *Neopedilus* M. Abdullah, 1969 [syn. of *Pedilus* Fischer von Waldheim, 1820].

Subfamily PYROCHROINAE Latreille, 1806

PYROCHROIDES Latreille, 1806: 199 [stem: *Pyrochro*-]. Type genus: *Pyrochroa* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

ANTHOMANISIDAE Gistel, 1848: [11] [stem: *Anthoman*-]. Type genus: *Anthomanes* Gistel, 1848 [syn. of *Pyrochroa* Geoffroy, 1762]. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily AGNATHINAE Lacordaire, 1859

AGNATHIDES Lacordaire, 1859: 531 [stem: *Agnath*-]. Type genus: *Agnathus* Germar, 1818. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1875 [Gatt.]: 100, as AGNATHINI), generally accepted as in Young (2002: 542, as AGNATHINAE).

CONONOTINI J. L. LeConte, 1862: 256 [stem: *Cononot*-]. Type genus: *Cononotus* J. L. LeConte, 1851.

Family SALPINGIDAE Leach, 1815

SALPINGIDES Leach, 1815: 106 [stem: *Salping*-]. Type genus: *Salpingus* Illiger, 1802.

Subfamily OTHNIINAE LeConte, 1861

OTHNIIDAE J. L. LeConte, 1861: 102 [stem: *Othni*-]. Type genus: *Othnius* J. L. LeConte, 1861 [syn. of *Elacatis* Pascoe, 1860].

ELACATIDAE Cockerell, 1906: 242 [stem: *Elacat*-]. Type genus: *Elacatis* Pascoe, 1860. Comment: junior homonym of ELACATINAE Gill, 1861 (type genus *Elacate* Cuvier, 1831) proposed in Pisces; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Subfamily PROSTOMINIINAE Grouvelle, 1914

PROSTOMININI Grouvelle, 1914: 152 [stem: *Prostomini*-]. Type genus: *Prostominia* Reitter, 1889. Comment: incorrect original stem formation, not in prevailing usage.

*TROGOCRYPTINAE Crowson, 1953: 51 [stem: *Trogocrypt-*]. Type genus: *Trogocryptus* Sharp, 1900. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); this name has been used subsequently, e.g., Lawrence (1977: 43, 1980: 307), Lawrence and Newton (1995: 900), but it has not been made available.

Subfamily AGLENINAE Horn, 1878

AGLENI G. H. Horn, 1878: 573 [stem: *Aglen-*]. Type genus: *Aglenus* Erichson, 1845.

Subfamily INOPEPLINAE Grouvelle, 1908

INOPEPLINI Grouvelle, 1908: 459, in key [stem: *Inopepl-*]. Type genus: *Inopeplus* F. Smith, 1851.

Subfamily DACODERINAE LeConte, 1862

DACODERINI J. L. LeConte, 1862: 216 [stem: *Dacoder-*]. Type genus: *Dacoderus* J. L. LeConte, 1858.

TRETOHORACIDAE Lea, 1910: 210 [stem: *Tretohorac-*]. Type genus: *Tretohorax* Lea, 1910.

Subfamily AEGIALITINAE LeConte, 1862

AEGIALITIDAE J. L. LeConte, 1862: 241 [stem: *Aegialit-*]. Type genus: *Aegialites* Mannerheim, 1853.

EURYSTETHIDAE Seidlitz, 1916: 127 [stem: *Eurysteth-*]. Type genus: *Eurystethes* Seidlitz, 1916 [syn. of *Aegialites* Mannerheim, 1853].

Subfamily SALPINGINAE Leach, 1815

SALPINGIDES Leach, 1815: 106 [stem: *Salping-*]. Type genus: *Salpingus* Illiger, 1802.

*RHINOSIMITES Solier, 1834: 496 [stem: *Rhinosisim-*]. Type genus: *Rhinosisimus* Latreille, 1802. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Solier (1834).

RHINOSIMIDAE Hope, 1840a: 134 [stem: *Rhinosisim-*]. Type genus: *Rhinosisimus* Latreille, 1802.

LISSEODEMINA Seidlitz, 1917b: 422 [stem: *Lissodem-*]. Type genus: *Lissodema* Curtis, 1833.

ISTRISIINI Nikitsky, 1992: 483, in key [stem: *Istrisi-*]. Type genus: *Itrisia* Lewis, 1895.

Family ANTHICIDAE Latreille, 1819

ANTHICITES Latreille, 1819: 363 [stem: *Anthic-*]. Type genus: *Anthicus* Paykull, 1798.

Subfamily EURYGENIINAE LeConte, 1862

EURYGENII J. L. LeConte, 1862: 264 [stem: *Eurygeni-*]. Type genus: *Eurygenius* LaFerté-Sénectère, 1849.

Tribe EURYGENIINI LeConte, 1862

EURYGENII J. L. LeConte, 1862: 264 [stem: *Eurygeni-*]. Type genus: *Eurygenius* LaFerté-Sénectère, 1849.

Tribe ICTISTYGNINI Borchmann, 1936

ICTISTYGNINAE Borchmann, 1936: 534 [stem: *Ictistyggn-*]. Type genus: *Ictistygna* Pascoe, 1866.

Tribe MITRAELABRINI Abdullah, 1969

MITRAELABRINI M. Abdullah, 1969a: 350 [stem: *Mitraelabr-*]. Type genus: *Mitraelabrus* Solier, 1851.

Subfamily MACRATRIINAE LeConte, 1862

MACRATRIINI J. L. LeConte, 1862: 265 [stem: *Macratri-*]. Type genus: *Macratria* Newman, 1838.

Tribe MACRATRIINI LeConte, 1862

MACRATRIINI J. L. LeConte, 1862: 265 [stem: *Macratri-*]. Type genus: *Macratria* Newman, 1838.

†Tribe CAMELOMORPHINI Kirejtshuk and Azar, 2008

CAMELOMORPHINI Kirejtshuk and Azar, 2008: 40 [stem: *Camelomorph-*]. Type genus: *Camelomorpha* Kirejtshuk and Azar, 2008.

Subfamily STEROPINAE Jacquel du Val, 1863

STÉROPITES Jacquel du Val, 1863: 365 [stem: *Sterop-*]. Type genus: *Steropes* Steven, 1806. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Jakobson (1915: 1022, as STEROPINA), generally accepted as in Lawrence and Newton (1995: 901, as STEROPINAE); the older name STEROPINAE Dana, 1854 is available in copepods (type genus *Sterope* Goodsir, 1845) although it was recently treated as a *nomen oblitum* by Huys (2009: 28); this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Subfamily COPOBAENINAE Abdullah, 1969

COPOBAENINAE M. Abdullah, 1969a: 334 [stem: *Copobaen-*]. Type genus: *Copobaenus* Fairmaire and Germain, 1863.

Subfamily LEMODINAE Lawrence and Britton, 1991

*LEMODINAE Lawrence, 1977: 43 [stem: *Lemod-*]. Type genus: *Lemodes* Boheman, 1858. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

LEMODINAE Lawrence and Britton, 1991: 603, in key [stem: *Lemod-*]. Type genus: *Lemodes* Boheman, 1858.

Subfamily TOMODERINAE Bonadona, 1961

TOMODERINI Bonadona, 1961: 11 [stem: *Tomoder-*]. Type genus: *Tomoderus* LaFerté-Sénectère, 1849.

Subfamily ANTHICINAE Latreille, 1819

ANTHICITES Latreille, 1819: 363 [stem: *Anthic-*]. Type genus: *Anthicus* Paykull, 1798.

Tribe ANTHICINI Latreille, 1819

ANTHICITES Latreille, 1819: 363 [stem: *Anthic-*]. Type genus: *Anthicus* Paykull, 1798.

Tribe ENDOMIINI Kaszab, 1956

ENDOMIINI Kaszab, 1956: 45, in key [stem: *Endomi-*]. Type genus: *Endomia* Laporte, 1840.

Tribe FORMICOMINI Bonadona, 1974

FORMICOMINI Bonadona, 1974: 110, in key [stem: *Formicom-*]. Type genus: *Formicomus* LaFerté-Sénectère, 1849.

Tribe MICROHORINI Bonadona, 1974

MICROHORINI Bonadona, 1974: 110, in key [stem: *Microhori-*]. Type genus: *Microhoria* Chevrolat, 1877. Comment: incorrect original stem formation, not in prevailing usage.

LIPARODERINI Bonadona, 1990: 20 [stem: *Liparoder-*]. Type genus: *Liparoderus* LaFerté-Sénectère, 1849.

Subfamily NOTOXINAE Stephens, 1829

NOTOXIDAE Stephens, 1829b: 254 [stem: *Notox-*]. Type genus: *Notoxus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: an application needs to be submitted to the Commission to suppress NOTOXII Sturm, 1826 (based on the misidentified type genus *Notoxus* sensu Fabricius, 1775) for the Principles of Priority and Homonymy (Art. 65.2.1) to conserve this name as valid.

Family ADERIDAE Csiki, 1909

ADERIDAE Csiki, 1909a: 6 [stem: *Ader-*]. Type genus: *Aderus* Stephens, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1989e)]. Comment: name given precedence over EUGLENESIDAE Seidlitz, 1875 (ICZN 1989e).

†CIRCAEIDAE Iablokoff-Khnzorian, 1961: 209 [stem: *Circae-*]. Type genus: *Circaeus* Iablokoff-Khnzorian, 1961.

Tribe ADERINI Csiki, 1909

ADERIDAE Csiki, 1909a: 6 [stem: *Ader-*]. Type genus: *Aderus* Stephens, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1989e)].

Comment: name given precedence over EUGLENESIDAE Seidlitz, 1875 and placed on the Official List of Family-Group Names in Zoology (ICZN 1989e, as ADERIDAE A. Winkler (1927)).

Subtribe ADERINA Csiki, 1909

XYLOPHILIDAE Shuckard, 1839b: 47 [stem: *Xylophil-*]. Type genus: *Xylophilus* Latreille, 1825 [preoccupied genus name, not *Xylophilus* Mannerheim, 1823 [Coleoptera: EUCNEMIDAE]; syn. of *Aderus* Stephen, 1829]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

HYLOPHILIDAE Pic, 1900: 754 [stem: *Hylophil-*]. Type genus: *Hylophilus* Berthold, 1827 [preoccupied genus name, not *Hylophilus* Temminck, 1822 [Aves]; syn. of *Aderus* Stephens, 1829]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ADERIDAE Csiki, 1909a: 6 [stem: *Ader-*]. Type genus: *Aderus* Stephens, 1829 [placed on the Official List of Generic Names in Zoology (ICZN 1989e)]. Comment: placed on the Official List of Family-Group Names in Zoology (ICZN 1989e, as ADERIDAE A. Winkler (1927)).

Subtribe CNOPINA Báguena Corella, 1948

CNOPINA Báguena Corella, 1948: 57 [stem: *Cnop-*]. Type genus: *Cnopus* Champion, 1893.

Subtribe GOMPELIINA Bouchard, 2011

OLOTELINA Báguena Corella, 1948: 58 [stem: *Olotel-*]. Type genus: *Olotelus* Mulsant and Rey, 1866 [preoccupied genus name, not *Olotelus* Solier, 1851 [Coleoptera: ELATERIDAE]; syn. of *Gompelia* Alonso-Zarazaga, 2010]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

GOMPELIINA Bouchard, 2011 **nom. nov.** [stem: *Gompeli-*]. Type genus: *Gompelia* Alonso-Zarazaga, 2010. Comment: replacement name for OLOTELINA Báguena Corella, 1948 because of the homonymy of the type genus.

Subtribe SYZETONININA Báguena Corella, 1948

SYZETONININI Báguena Corella, 1948: 41 [stem: *Syzetonin-*]. Type genus: *Syzetoninus* Blackburn, 1891.

Tribe EMELININI Báguena Corella, 1948

EMELININI Báguena Corella, 1948: 36 [stem: *Emelin-*]. Type genus: *Emelinus* Casey, 1895.

Tribe EUGLENESINI Seidlitz, 1875

EUGLENINI Seidlitz, 1875 [Gatt.]: 106 [stem: *Euglenes-*]. Type genus: *Euglenes* Westwood, 1830 [placed on the Official List of Generic Names in Zoology (ICZN 1989e)].

Subtribe EUGLENESINA Seidlitz, 1875

EUGLENINI Seidlitz, 1875 [Gatt.]: 106 [stem: *Euglenes*-]. Type genus: *Euglenes* Westwood, 1830 [placed on the Official List of Generic Names in Zoology (ICZN 1989e)]. Comment: the younger name ADERIDAE Csiki, 1909 (listed as ADERIDAE A. Winkler, 1927) was given precedence for the family name, *Euglenes*- was ruled to be the correct stem of this family-group name and EUGLENESIDAE Seidlitz, 1875 was placed on the Official List of Family-Group Names in Zoology (ICZN 1989e); EUGLENIDAE Seidlitz, 1875 was placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1989e).

Subtribe PSEUDOLETELINA Bágüena Corella, 1948

PSEUDOLETELINA Bágüena Corella, 1948: 40 [stem: *Pseudolotel*-]. Type genus: *Pseudolotelus* Pic, 1901.

Tribe PHYTOBAENINI Bágüena Corella, 1948

PHYTOBAENINI Bágüena Corella, 1948: 30 [stem: *Phytobaen*-]. Type genus: *Phytobaenus* Sahlberg, 1834.

Family SCRAPTIIDAE Gistel, 1848

SCRAPTAEIDAE Gistel, 1848: [11] [stem: *Scapti*-]. Type genus: *Scaptia* Latreille, 1807.

Subfamily SCRAPTIINAE Gistel, 1848

SCRAPTAEIDAE Gistel, 1848: [11] [stem: *Scapti*-]. Type genus: *Scaptia* Latreille, 1807. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ALLOPODINI Franciscolo, 1964

ALLOPODINI Franciscolo, 1964: 176 [stem: *Allopod*-]. Type genus: *Allopoda* J. L. LeConte, 1866.

Tribe SCRAPTIINI Gistel, 1848

SCRAPTAEIDAE Gistel, 1848: [11] [stem: *Scapti*-]. Type genus: *Scaptia* Latreille, 1807. Comment: family-group name previously attributed to Mulsant (1856)/Gistel (1856); incorrect original stem formation, not in prevailing usage.

Subfamily ANASPIDINAE Mulsant, 1856

ANASPIENS Mulsant, 1856c: 85 [stem: *Anaspid*-]. Type genus: *Anaspis* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)].

Tribe ANASPIDINI Mulsant, 1856

ANASPIENS Mulsant, 1856c: 85 [stem: *Anaspid*-]. Type genus: *Anaspis* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)]. Comment: original vernacular name available (Art. 11.7.2): first used

in latinized form by C. G. Thomson (1859: 121, as ANASPINA [incorrect stem formation]), generally accepted as in Lawrence and Newton (1995: 903, as ANASPIDINAE); incorrect original stem formation, not in prevailing usage.

Tribe ANASPINORDINI Franciscolo, 1954

ANASPINORDINI Franciscolo, 1954: 65, in key [stem: *Anaspimord-*]. Type genus: *Anaspimorda* Ermisch, 1950.

Tribe MENUTHIANASPIDINI Franciscolo, 1972

*CYRTOSCRAPTIINI Franciscolo, 1964: 176 [stem: *Cyrtoscripti-*]. Type genus: *Cyrtoscriptia* Franciscolo, 1964 [unavailable genus name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); syn. of *Menuthianaspis* Franciscolo, 1972]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), based on unavailable type genus (Art. 12.2.4).

MENUTHIANASPIDINI Franciscolo, 1972: 123 [stem: *Menuthianaspid-*]. Type genus: *Menuthianaspis* Franciscolo, 1972.

Tribe PENTARIINI Franciscolo, 1954

PENTARIINI Franciscolo, 1954: 64, in key [stem: *Pentari-*]. Type genus: *Pentaria* Mulsant, 1856.

Subfamily LAGRIOIDINAE Abdullah and Abdullah, 1968

LAGRIOIDINI M. Abdullah and A. Abdullah, 1968: 73 [stem: *Lagrioid-*]. Type genus: *Lagrioida* Fairmaire and Germain, 1860.

Subfamily AFREMINAE Levey, 1985

AFREMINAE Levey, 1985: 420 [stem: *Afrem-*]. Type genus: *Afremus* Levey, 1985.

Subfamily ISCHALIINAE Blair, 1920

ISCHALIINAE Blair, 1920: 134 [stem: *Ischali-*]. Type genus: *Ischalia* Pascoe, 1860.

Superfamily CHRYSOMELOIDEA Latreille, 1802

CHRYSOMELINAE Latreille, 1802: 220 [stem: *Chrysomel-*]. Type genus: *Chrysomela* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1984c)]. Comment: Švácha and Danilevsky (1987: 17) recognized VESPERINAE, OXYPELTINAE and DISTENIINAE at the family level, and later Švácha et al. (1997: 361) placed ANOPLODERMATINAE and PHILINAE as subfamilies of VESPERIDAE; although the classification is based primarily on larval characters, it is also supported by adult features, as pointed out by Švácha et al. (1997), as well as by some earlier workers, e.g., Gahan (1906), Linsley (1961), Crowson (1981), Saito (1990); this classification will also be used in the upcoming volume 3 of the "Handbook of

Zoology: Coleoptera, beetles” series; First Reviser (CHRYSOMELOIDEA Latreille, 1802 vs MEGALOPODOIDEA Latreille, 1802 vs CERAMBYCOIDEA Latreille, 1802) not determined, current usage maintained.

Family OXYPELTIDAE Lacordaire, 1868

OXYPELTIDES Lacordaire, 1868: 461 [stem: *Oxypelt-*]. Type genus: *Oxypeltus* Blanchard, 1851. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Aurivillius (1912: 254, as OXYPELTINI).

*CHELODERIDOS Germain, 1900: 86 [stem: *Cheloder-*]. Type genus: *Cheloderus* Gray, 1832. Comment: original vernacular name unavailable (Art. 11.7.2); proposed after 1899.

Family VESPERIDAE Mulsant, 1839

VESPÉRAIRES Mulsant, 1839: 214 [stem: *Vesper-*]. Type genus: *Vesperus* Dejean, 1821.

Subfamily PHILINAE Thomson, 1861

PHILITAE J. Thomson, 1861: 297 [stem: *Phil-*]. Type genus: *Philus* Saunders, 1853.

Subfamily VESPERINAE Mulsant, 1839

VESPÉRAIRES Mulsant, 1839: 214 [stem: *Vesper-*]. Type genus: *Vesperus* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Heyne and Taschenberg (1907: 240, as VESPERINI), generally accepted as in Villiers (1978: 67, as VESPERINI).

Subfamily ANOPLODERMATINAE Guérin-Méneville, 1840

ANOPLODERMIENS Guérin-Méneville, 1840: 276 [stem: *Anoplodermat-*]. Type genus: *Anoploderma* Guérin-Méneville, 1840.

Tribe ANOPLODERMATINI Guérin-Méneville, 1840

ANOPLODERMIENS Guérin-Méneville, 1840: 276 [stem: *Anoplodermat-*]. Type genus: *Anoploderma* Guérin-Méneville, 1840. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. Thomson (1861: 277, as ANOPLODERMITAE [incorrect stem formation]), generally accepted as in Monné (1994c: 9, as ANOPLODERMATINAE); incorrect original stem formation, not in prevailing usage.

CHERROCRIINAE Prosen, 1960: 90 [stem: *Cherrocri-*]. Type genus: *Cherrocrius* Berg, 1898.

Tribe HYPOCEPHALINI Blanchard, 1845

HYPOCÉPHALIENS Blanchard, 1845b: 135 [stem: *Hypocephal-*]. Type genus: *Hypocephalus* Desmarest, 1832. Comment: original vernacular name available

(Art. 11.7.2): first used in latinized form by Imhoff (1856 [2]: 170, as HYPOCEPHALIDAE), generally accepted as in Lameere (1913: 94, as HYPOTHEPHALI).

Tribe MYSTERIINI Prosen, 1960

MYSTERINAE Prosen, 1960: 90 [stem: *Mysteri-*]. Type genus: *Mysteria* J. Thomson, 1860. Comment: incorrect original stem formation, not in prevailing usage.

Family DISTENIIDAE Thomson, 1861

DISTENITAE J. Thomson, 1861: 181 [stem: *Disteni-*]. Type genus: *Distenia* Lepeletier and Audinet-Serville, 1828.

Tribe CYRTONOPINI Gressitt, 1940

CYRTONOPINI Gressitt, 1940: 27 [stem: *Cyrtanonop-*]. Type genus: *Cyrtanonops* A. White, 1853.

Tribe DISTENIINI Thomson, 1861

*COMÉTITES Blanchard, 1845b: 163 [stem: *Comet-*]. Type genus: *Cometes* Lepeletier and Audinet-Serville, 1828. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; Monné and Santos-Silva (2008: 261) considered this name a *nomen oblitum*, this action was unnecessary since COMÉTITES Blanchard is not an available name.

DISTENITAE J. Thomson, 1861: 181 [stem: *Disteni-*]. Type genus: *Distenia* Lepeletier and Audinet-Serville, 1828. Comment: incorrect original stem formation, not in prevailing usage.

Tribe DYNAMOSTINI Lacordaire, 1868

DYNAMOSTIDES Lacordaire, 1868: 196 [stem: *Dynamost-*]. Type genus: *Dynamistes* Pascoe, 1857. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 238, as DYNAMOSTINI), generally accepted as in Santos-Silva and Martins (2004: 145, as DYNAMOSTINI).

Tribe HETEROPALPINI Villiers, 1961

HETEROPALPINI Villiers, 1961: 385, in key [stem: *Heteropalp-*]. Type genus: *Heteropalpus* Buquet, 1843.

Family CERAMBYCIDAE Latreille, 1802

CERAMBICINI Latreille, 1802: 211 [stem: *Cerambyc-*]. Type genus: *Cerambyx* Linnaeus, 1758. Comment: First Reviser (CERAMBYCIDAE Latreille, 1802 vs PRIONIDAE Latreille, 1802 vs LEPTURIDAE Latreille, 1802) not determined, current usage maintained.

Subfamily PARANDRINAE Blanchard, 1845

PARANDRIDES Blanchard, 1845b: 134 [stem: *Parandr*-]. Type genus: *Parandra* Latreille, 1802.

Tribe ERICHSONIINI Thomson, 1861

ERICHSONITAE J. Thomson, 1861: 274 [stem: *Erichsoni*-]. Type genus: *Erichsonia* Westwood, 1849. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PARANDRINI Blanchard, 1845

PARANDRIDES Blanchard, 1845b: 134 [stem: *Parandr*-]. Type genus: *Parandra* Latreille, 1802. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1848: [8], as PARANDRAEIDAE [incorrect stem formation]), generally accepted as in Lameere (1913: 4, as PARANDRAE).

Subfamily PRIONINAE Latreille, 1802

PRIONII Latreille, 1802: 212 [stem: *Prion*-]. Type genus: *Prionus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe Acanthophorini Thomson, 1864

ACANTHOPHORITAE J. Thomson, 1864: 289 [stem: *Acanthophor*-]. Type genus: *Acanthophorus* Audinet-Serville, 1832.

Tribe AEGOSOMATINI Thomson, 1861

AEGOSOMITAE J. Thomson, 1861: 308 [stem: *Aegosomat*-]. Type genus: *Aegosoma* Audinet-Serville, 1832. Comment: incorrect original stem formation, not in prevailing usage.

*CATYPNIDES Lacordaire, 1868: 62 [stem: *Catypn*-]. Type genus: *Catypnes* Pascoe, 1864. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

JAMWONINAE Kolbe, 1897: 294 [stem: *Jamwon*-]. Type genus: *Jamwonus* Harold, 1879.

MEGOPIDES Lameere, 1912: 181 [stem: *Megopid*-]. Type genus: *Megopis* Audinet-Serville, 1832. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ANACOLINI Thomson, 1857

ANACOLITES J. Thomson, 1857b: 10 [stem: *Anacol*-]. Type genus: *Anacolus* Berthold, 1827. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1861: 302, as ANACOLITAE), generally accepted as in Galileo (1987: 482, as ANACOLINI).

*POECILOSOMIDES Lacordaire, 1868: 185 [stem: *Poekilosomat*-]. Type genus: *Poekilosoma* Audinet-Serville, 1832 [as *Poecilosoma*, unjustified emendation of

type genus name by Agassiz (1846b: 301), not in prevailing usage; unjustified emendation also junior homonym of *Poecilosoma* Hübner, 1819]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1868); incorrect original stem formation, not in prevailing usage.

POECLOSOMI H. W. Bates, 1869: 49 [stem: *Poekilosomat-*]. Type genus: *Poekilosoma* Audinet-Serville, 1832 [as *Poecilosoma*, unjustified emendation of type genus name by Agassiz (1846b: 301), not in prevailing usage; unjustified emendation also junior homonym of *Poecilosoma* Hübner, 1819]. Comment: incorrect original stem formation, not in prevailing usage.

ERYTHRAENINAE H. W. Bates, 1875: 52 [stem: *Erythraen-*]. Type genus: *Erythraenus* H. W. Bates, 1875.

***SOBARINES** Lameere, 1901: 320 [stem: *Sobar-*]. Type genus: *Sobarus* Harold, 1879 [preoccupied genus name, not *Sobarus* Loew, 1855 [Diptera]; a replacement name is needed]. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

***DÉLOCHILIENS** Lameere, 1912: 57 [stem: *Delocheil-*]. Type genus: *Delochelius* J. Thomson, 1860 [as *Delochilus*, unjustified emendation of type genus name by Gemminger (1872: 2777), not in prevailing usage]. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

SOBARI Lameere, 1913: 85 [stem: *Sobar-*]. Type genus: *Sobarus* Harold, 1879 [preoccupied genus name, not *Sobarus* Loew, 1855 [Diptera]; a replacement name is needed]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

DELOCHILI Lameere, 1913: 85 [stem: *Delocheil-*]. Type genus: *Delochelius* J. Thomson, 1860 [as *Delochilus*, unjustified emendation of type genus name by Gemminger and Harold (1872), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CACOSCELINI Thomson, 1861

***NOTOPHYSITES** Blanchard, 1845b: 138 [stem: *Notophyse-*]. Type genus: *Notophysis* Audinet-Serville, 1832. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1845b); incorrect original stem formation, not in prevailing usage.

CACOSCELITAE J. Thomson, 1861: 325 [stem: *Cacoscel-*]. Type genus: *Cacosceles* Newman, 1838.

COLPODÉRIDES Lacordaire, 1868: 133 [stem: *Colpoder-*]. Type genus: *Colpoderus* Audinet-Serville, 1832 [syn. of *Notophysis* Audinet-Serville, 1832]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Pascoe (1869b: 673, as COLPODERINAE); this name was incorrectly credited to Pascoe, 1869 by Bousquet et al. (2009: 115).

NOTOPHYSINI Lameere, 1903a: 4, in key [stem: *Notophyse-*]. Type genus: *Notophysis* Audinet-Serville, 1832 [as *Notophysis*, unjustified emendation of type

genus name by Scudder (1882: 226), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CALLIPOGONINI Thomson, 1861

CALLIPOGONITAE J. Thomson, 1861: 323 [stem: *Callipogon*-]. Type genus: *Callipogon* Audinet-Serville, 1832.

ANACANTHITAE J. Thomson, 1864: 285 [stem: *Anacanth*-]. Type genus: *Anacanthus* Audinet-Serville, 1832 [preoccupied genus name, not *Anacanthus* Gray, 1831 [Pisces]; syn. of *Chorenta* Gistel, 1848]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ENOPLOCERITAE J. Thomson, 1864: 290 [stem: *Enoplocer*-]. Type genus: *Enoplocerus* Audinet-Serville, 1832.

ORTHOMEGETITAE J. Thomson, 1864: 294 [stem: *Orthomegal*-]. Type genus: *Orthomegas* Audinet-Serville, 1832. Comment: incorrect original stem formation, not in prevailing usage.

CTENOSCELITAE J. Thomson, 1864: 295 [stem: *Ctenoscelid*-]. Type genus: *Ctenoscelis* Audinet-Serville, 1832. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CALOCOMINI Galileo and Martins, 1993

CALOCOMINI Galileo and Martins, 1993: 81 [stem: *Calocom*-]. Type genus: *Calocomus* Audinet-Serville, 1832.

Tribe CANTHAROCNEMINI Thomson, 1861

CANTHAROCNEMITAE J. Thomson, 1861: 274 [stem: *Cantharocnem*-]. Type genus: *Cantharocnemis* Audinet-Serville, 1832. Comment: current spelling maintained (Art. 29.3.1.1): incorrect original stem formation in prevailing usage (should be *Cantharocnemid*-).

*SCÉLÉOCANTHIDES Lacordaire, 1868: 34 [stem: *Sceleocanth*-]. Type genus: *Sceleocantha* Newman, 1840. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 236, as SCELEOCANTHINI), but not generally accepted as valid.

Tribe ERGATINI Fairmaire, 1864

ERGATITES Fairmaire, 1864: 117 [stem: *Ergat*-]. Type genus: *Ergates* Audinet-Serville, 1832. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1873: 286, as ERGATINI), generally accepted as in Linsley (1962: 24, as ERGATINI).

Tribe EURYPODINI Gahan, 1906 (1868)

ZARACIDES Lacordaire, 1868: 131 [stem: *Zarac*-]. Type genus: *Zarax* Pascoe, 1867 [syn. of *Eurypoda* W. Saunders, 1853]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in

Pascoe (1869b: 672, as ZARACINAE); usage of the younger name EURYPODINI Gahan, 1906 conserved over this name (Art. 40.2).

EURYPODINI Gahan, 1906: 27 [stem: *Eurypod-*]. Type genus: *Eurypoda* W. Saunders, 1853. Comment: name proposed to replace ZARACINI Lacordaire, 1868 because of the synonymy of the type genus; use of family-group name conserved over ZARACINI Lacordaire, 1868 (Art. 40.2); also see comments under EURYPINAE Thomson, 1860 in MYCTERIDAE.

Tribe HOPLIDERINI Thomson, 1864

HOPLIDERITAE J. Thomson, 1864: 290 [stem: *Hoplider-*]. Type genus: *Hoplidores* Audinet-Serville, 1832.

Tribe MACRODONTIINI Thomson, 1861

MACRODONTITAE J. Thomson, 1861: 324 [stem: *Macrodonti-*]. Type genus: *Macrodontia* Lacordaire, 1830. Comment: incorrect original stem formation, not in prevailing usage.

ACANTHINODERITAE J. Thomson, 1864: 294 [stem: *Acanthinder-*]. Type genus: *Acanthinder* Hope, 1833.

*ANCISTROTIDES Lacordaire, 1868: 81 [stem: *Ancistrot-*]. Type genus: *Ancistrotus* Audinet-Serville, 1832. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Lacordaire (1868).

*ACALODEGMITES J. Thomson, 1877: 261 [stem: *Acalodegm-*]. Type genus: *Acalodegma* Thomson, 1877. Comment: original vernacular name unavailable (Art. 11.7.2); not subsequently latinized.

ANCISTROTINI Lameere, 1919: 90 [stem: *Ancistrot-*]. Type genus: *Ancistrotus* Audinet-Serville, 1832.

Tribe MACROTOMINI Thomson, 1861

MACROTOMITAE J. Thomson, 1861: 312 [stem: *Macrotom-*]. Type genus: *Macrotoma* Audinet-Serville, 1832.

Subtribe ARCHETYPINA Lameere, 1912

ARCHETYPI Lameere, 1912: 180 [stem: *Archetyp-*]. Type genus: *Archetypus* J. Thomson, 1861.

Subtribe BASITOXA Lameere, 1912

*MÉCOSARTHINES Lameere, 1903b: 307 [stem: *Mecosarthr-*]. Type genus: *Mecosartron* Buquet, 1840. Comment: original vernacular name unavailable (Art. 11.7.2); proposed after 1899.

BASITOXI Lameere, 1912: 180 [stem: *Basitox-*]. Type genus: *Basitoxus* Audinet-Serville, 1832.

MECOSARTHRIINI Melzer, 1919: 35 [stem: *Mecosarthr-*]. Type genus: *Mecosarthron* Buquet, 1840.

Subtribe MACROTOMINA Thomson, 1861

MACROTOMITAE J. Thomson, 1861: 312 [stem: *Macrotom-*]. Type genus: *Macrotoma* Audinet-Serville, 1832 [*Macrotoma* Audinet-Serville, 1832 [July] is a junior homonym of *Macrotoma* Laporte, 1832 [April], which is a synonym of *Longina* Wiedemann, 1830 in Diptera; Heffern et al. (2006) applied the Reversal of Precedence (Art. 23.9) to qualify *Macrotoma* Audinet-Serville as *nomen protectum*].

*AULACOPIDES Lacordaire, 1868: 101 [stem: *Aulacopod-*]. Type genus: *Aulacopus* Audinet-Serville, 1832. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1868); incorrect original stem formation, not in prevailing usage.

AULACOPINAE Kolbe, 1897: 295 [stem: *Aulacopod-*]. Type genus: *Aulacopus* Audinet-Serville, 1832. Comment: incorrect original stem formation, not in prevailing usage.

*CNÉMOPLITIENS Lameere, 1904: 1 [stem: *Cnemoplit-*]. Type genus: *Cnemoplites* Newman, 1842. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

CNEMOPLITINAE Schröder, 1905: vii [stem: *Cnemoplit-*]. Type genus: *Cnemoplites* Newman, 1842. Comment: see Bousquet et al. (2009: 17) for comments about the authorship of this name.

PRINOBIINI Vives, 2000: 84 [stem: *Prinobi-*]. Type genus: *Prinobius* Mulsant, 1842. Comment: replacement name for MACROTOMINI Thomson, 1861 because of the homonymy of the type genus.

Subtribe PLATYGNATHINA Gilmour, 1954

PLATYGNATHINA Gilmour, 1954: 33 [stem: *Platygnath-*]. Type genus: *Platygnathus* Audinet-Serville, 1832. Comment: as pointed out by Bousquet et al. (2009: 18) Gilmour (1954: 33) did not provide a description of his new taxon but his new name is available because it was used as valid before 2000, e.g., Ferreira and Veiga Ferreira (1959a: 34, as "PLATYGNATHINA Gilmour, 1954") and was not rejected by an author who, after 1960 and before 2000, expressly applied Article 13 of the then current editions of the Code (Article 13.2.1).

PLATYGNATHINI Quentin and Villiers, 1975: 25 [stem: *Platygnath-*]. Type genus: *Platygnathus* Audinet-Serville, 1832. Comment: family-group name proposed as new without reference to PLATYGNATHINA Gilmour, 1954.

Subtribe XIXUTHRINA Lameere, 1912

XIXUTHRI Lameere, 1912: 181 [stem: *Xixuthr-*]. Type genus: *Xixuthrus* J. Thomson, 1864.

Tribe MALLASPINI Thomson, 1861

MALLASPITAE J. Thomson, 1861: 302 [stem: *Mallasp-*]. Type genus: *Mallaspis* Audinet-Serville, 1832. Comment: current spelling maintained (Art. 29.3.1.1); incorrect original stem formation in prevailing usage (should be *Mallaspid-*).

*PYRODIDES Lacordaire, 1868: 174 [stem: *Pyrod-*]. Type genus: *Pyrodes* Audinet-Serville, 1832. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Lacordaire (1868).

PYRODINI Harold, 1879: 165 [stem: *Pyrod-*]. Type genus: *Pyrodes* Audinet-Serville, 1832.

Tribe MALLODONINI Thomson, 1861

MALLODONITAE J. Thomson, 1861: 318 [stem: *Mallodon-*]. Type genus: *Mallodon* Lacordaire, 1830. Comment: current spelling maintained (Art. 29.5); incorrect original stem formation in prevailing usage (should be *Mallodont-*); we treat this group as a valid tribe as in Drumont and Komiya (2010: 91).

*STÉNODONTINES Lameere, 1902: 66 [stem: *Stenodont-*]. Type genus: *Stenodontes* Audinet-Serville, 1832. Comment: original vernacular name unavailable (Art. 11.7.2); proposed after 1899.

STENODONTINI Lameere, 1903a: 54 [stem: *Stenodont-*]. Type genus: *Stenodontes* Audinet-Serville, 1832. Comment: homonym of STENODONTINA Schmiedeknecht, 1903 (type genus *Stenodontus* Berthoumieu, 1897) in Hymenoptera; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe MEROSCELISINI Thomson, 1861

MEROSCELISITAE J. Thomson, 1861: 299 [stem: *Meroscelis-*]. Type genus: *Merosecelis* Audinet-Serville, 1832.

*TRAGOSOMITES Fairmaire, 1864: 119 [stem: *Tragosomat-*]. Type genus: *Tragosoma* Audinet-Serville, 1832. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Fairmaire (1864); incorrect original stem formation, not in prevailing usage.

TRAGOSOMITAE J. Thomson, 1864: 286 [stem: *Tragosomat-*]. Type genus: *Tragosoma* Audinet-Serville, 1832. Comment: incorrect original stem formation, not in prevailing usage.

CLOSTRÉRIDES Lacordaire, 1868: 149 [stem: *Closter-*]. Type genus: *Closterus* Audinet-Serville, 1832. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Pascoe (1869b: 676, as CLOSTERINAE), generally accepted as in Lameere (1913: 81, as CLOSTERI).

*MONODESMIDES Lacordaire, 1868: 157 [stem: *Monodesm-*]. Type genus: *Monodesmus* Audinet-Serville, 1832. Comment: original vernacular name unavail-

able (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1868).

MONODESMINAE Gahan, 1890: 299 [stem: *Monodesm-*]. Type genus: *Monodesmus* Audinet-Serville, 1832.

LULUINA Gilmour, 1956: 222 [stem: *Lulu-*]. Type genus: *Lulua* Burgeon, 1931.

Tribe PRIONINI Latreille, 1802

PRIONII Latreille, 1802: 212 [stem: *Prion-*]. Type genus: *Prionus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

*PRIOCERIA Rafinesque, 1815: 116 [stem: *Priocerat-*]. Type genus: *Prioceras* Rafinesque, 1815 [as pointed out by Bousquet et al. (2009: 19) Rafinesque (1815: 116) listed the genus “*Prioceras* R. sp. do.” following the genus “*Prionus* Fabr.” in his subfamily PRIOCERIA, the abbreviations after the genus name *Prioceras* mean that this is a new genus by the author “R[afinesque].” and that the new genus includes some species that were included in *Prionus* previously “sp. do.”; Rafinesque did not list which species he included in his new genus *Prioceras* and we are not aware of any subsequent validation of this name; *Prioceras* Rafinesque is also listed as a *nomen nudum* in Neave (1940: 889) and Sherborn (1929: 5148)]. Comment: family-group name unavailable (Art. 11.7.1.1): not based on an available genus name at the time; incorrect original stem formation, not in prevailing usage.

*CYRTOGNATHITES Blanchard, 1845b: 138 [stem: *Cyrtognath-*]. Type genus: *Cyrtognathus* Faldermann, 1835 [subgenus of *Dorysthenes* Vigors, 1826]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1845b).

*PSALIDOGNATHITES Blanchard, 1845b: 138 [stem: *Psalidognath-*]. Type genus: *Psalidognathus* Gray, 1832. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1845b).

CYRTHOGNATHITAE J. Thomson, 1861: 328 [stem: *Cyrtognath-*]. Type genus: *Cyrtognathus* Faldermann, 1835 [as *Cyrthognathus*, incorrect subsequent spelling of type genus name, not in prevailing usage; subgenus of *Dorysthenes* Vigors, 1826]. Comment: incorrect original stem formation, not in prevailing usage.

PSALIDOGNATHITAE J. Thomson, 1861: 331 [stem: *Psalidognath-*]. Type genus: *Psalidognathus* Gray, 1832.

PRIONOMMITAE J. Thomson, 1861: 327 [stem: *Prionommat-*]. Type genus: *Prionomma* A. White, 1853. Comment: incorrect original stem formation, not in prevailing usage.

ORTHOSOMITAE J. Thomson, 1864: 284 [stem: *Orthosomat-*]. Type genus: *Orthosoma* Audinet-Serville, 1832. Comment: incorrect original stem formation, not in prevailing usage.

PITHOCLITAE J. Thomson, 1864: 291 [stem: *Pithocl-*]. Type genus: *Pithocles* J. Thomson, 1864 [syn. of *Derobrachus* Audinet-Serville, 1832].

- DEROBRACHITAE J. Thomson, 1864: 291 [stem: *Derobrach-*]. Type genus: *Derobrachus* Audinet-Serville, 1832.
- TITANITAE J. Thomson, 1864: 292 [stem: *Titan-*]. Type genus: *Titanus* Audinet-Serville, 1832.
- AULACOCERITAE J. Thomson, 1864: 292 [stem: *Aulacocer-*]. Type genus: *Aulacocerus* A. White, 1853.
- *PSALIDOCOPTIDES Lacordaire, 1868: 38 [stem: *Psalidocopt-*]. Type genus: *Psalidocptus* A. White, 1856. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.
- *POLYARTHRIDES Lacordaire, 1868: 44 [stem: *Polyarthr-*]. Type genus: *Polyarthron* Audinet-Serville, 1832. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1868).
- *MICROPSALIDES Lacordaire, 1868: 42 [stem: *Micropsalid-*]. Type genus: *Micropsalis* Burmeister, 1865 [preoccupied genus name, not *Micropsalis* Meyer, 1859 [Crustacea]; syn. of *Apterocaulus* Fairmaire, 1864]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1868); incorrect original stem formation, not in prevailing usage.
- POLYARTHRIINI Gounelle, 1911: 326 [stem: *Polyarthr-*]. Type genus: *Polyarthron* Audinet-Serville, 1832. Comment: POLYARTHRIDAE Daday, 1893 (type genus *Polyarthra* Ehrenberg, 1834) is available in Rotifera; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).
- MICROPSALINI Gounelle, 1911: 326 [stem: *Micropsalid-*]. Type genus: *Micropsalis* Burmeister, 1865 [preoccupied genus name, not *Micropsalis* Meyer, 1859 [Crustacea]; syn. of *Apterocaulus* Fairmaire, 1864]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

Tribe REMPHANINI Lacordaire, 1868

- REMPHANIDES Lacordaire, 1868: 103 [stem: *Remphan-*]. Type genus: *Remphan* G. R. Waterhouse, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 667, as REMPHANAE), generally accepted as in Drumont and Komiya (2010: 95, as REMPHANINI); this name was incorrectly credited to Pascoe, 1869 by Bousquet et al. (2009: 18); we treat this group as a valid tribe as in Drumont and Komiya (2010: 95).
- RHAPHIPODI Lameere, 1912: 181 [stem: *Rhaphipod-*]. Type genus: *Rhaphipodus* Audinet-Serville, 1832.

Tribe SOLENOPTERINI Lacordaire, 1868

- SOLÉNOPTÉRIDES Lacordaire, 1868: 180 [stem: *Solenopter-*]. Type genus: *Solenoptera* Audinet-Serville, 1832. Comment: original vernacular name available

(Art. 11.7.2): first used in latinized form by J. L. LeConte (1873: 286, as SOL-ENOPTERINI), generally accepted as in Monné (1995c: 37, as SOLENOPTERINI).

*DÉRANCISTRINES Lameere, 1909: 1 [stem: *Derancistr-*]. Type genus: *Derancistrus* Audinet-Serville, 1832. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

DERANCISTRINI Lameere, 1912: 181 [stem: *Derancistr-*]. Type genus: *Derancistrus* Audinet-Serville, 1832.

Tribe TERETICINI Lameere, 1913

*TÉRÉTIENS Lameere, 1912: 72 [stem: *Teretic-*]. Type genus: *Tereticus* C. O. Waterhouse, 1879. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

TERETICI Lameere, 1913: 87 [stem: *Teretic-*]. Type genus: *Tereticus* C. O. Waterhouse, 1879.

Tribe VESPEROCTENINI Vives, 2005

VESPEROCTENINI Vives, 2005: 438 [stem: *Vesperocten-*]. Type genus: *Vesperoctenus* H. W. Bates, 1891.

Subfamily LEPTURINAE Latreille, 1802

LEPTURETAE Latreille, 1802: 218 [stem: *Leptur-*]. Type genus: *Leptura* Linnaeus, 1758.

Tribe DESMOCERINI Blanchard, 1845

DESMOCÉRITES Blanchard, 1845b: 163 [stem: *Desmocer-*]. Type genus: *Desmocerus* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1861: 159, as DESMOCERITAE), generally accepted as in Monné (1995b: 1, as DESMOCERINI).

Tribe ENCYCLOPINI LeConte, 1873

ENCYCLOPINI J. L. LeConte, 1873: 326 [stem: *Encyclop-*]. Type genus: *Encylops* Newman, 1838.

Tribe LEPTURINI Latreille, 1802

LEPTURETAE Latreille, 1802: 218 [stem: *Leptur-*]. Type genus: *Leptura* Linnaeus, 1758.

*GRAMMOPTÉRATES Mulsant, 1863b: 569 [stem: *Grammopter-*]. Type genus: *Grammoptera* Audinet-Serville, 1835. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*STRANGALINI Zagajkevich, 1991: 96 [stem: *Strangali-*]. Type genus: *Strangalia* Audinet-Serville, 1835. Comment: family-group name unavailable (Art. 11.6): originally published as synonym and not made available subsequently; incorrect original stem formation, not in prevailing usage.

Tribe OXYMIRINI Danilevsky, 1997

OXYMIRINI Danilevsky, 1997: 8 [stem: *Oxymir*-]. Type genus: *Oxymirus* Mulsant, 1862.

Tribe RHAGIINI Kirby, 1837

RHAGIADAЕ Kirby, 1837: 178 [stem: *Rhagi*-]. Type genus: *Rhagium* Fabricius, 1775.

*TOXOTAIRES Mulsant, 1839: 230 [stem: *Toxot*-]. Type genus: *Toxotus* Dejean, 1821 [syn. of *Stenocorus* Geoffroy, 1762]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant (1839).

*PACHYTES Motschulsky, 1849: 60 [stem: *Pachyt*-]. Type genus: *Pachyta* Dejean, 1821. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Motschulsky (1849).

STENOCORITAE J. Thomson, 1861: 156 [stem: *Stenocor*-]. Type genus: *Stenocorus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: an application will need to be submitted to the Commission to suppress STENOCORIDAE Hope, 1834 (based on the misidentified type genus *Stenocorus* sensu Hope, 1834) for the Principles of Priority and Homonymy (Art. 65.2.1) if this name is to be used as valid.

TOXOTI J. L. LeConte and G. H. Horn, 1883: 313 [stem: *Toxot*-]. Type genus: *Toxotus* Dejean, 1821 [syn. of *Stenocorus* Geoffroy, 1762]. Comment: junior homonym of TOXOTIDAE Günther, 1860 (type genus *Toxotes* Cuvier and Cloquet, 1816) currently used as valid in Pisces; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

PACHYTINI Portevin, 1934: 119, in key [stem: *Pachyt*-]. Type genus: *Pachyta* Dejean, 1821.

*ENOPLODERINI Danilevsky, 1997: 9 [stem: *Enoploder*-]. Type genus: *Enoploderes* Faldermann, 1837. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe RHAMNUSIINI Sama, 2009

*RHAMNUSIINI Danilevsky, 1997: 9 [stem: *Rhamnusi*-]. Type genus: *Rhamnusium* Latreille, 1829. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

RHAMNUSIINI Sama, 2009b: 383 [stem: *Rhamnusi*-]. Type genus: *Rhamnusium* Latreille, 1829.

Tribe TELEDAPINI Pascoe, 1871

TELEDAPINAE Pascoe, 1871: 268 [stem: *Teledap*-]. Type genus: *Teledapus* Pascoe, 1871.

Tribe SACHALINOBIIINI Danilevsky, 2010

SACHALINOBIIINI Danilevsky, 2010: 43 [stem: *Sachalinobi-*]. Type genus: *Sachalinobia* Jakobson, 1899.

Tribe XYLOSTEINI Reitter, 1913

XYLOSTEINA Reitter, 1913a: 5 [stem: *Xyloste-*]. Type genus: *Xysteus* Frivaldszky, 1838.

Subfamily SPONDYLIDINAE Audinet-Serville, 1832

SPONDYLII Audinet-Serville, 1832: 123 [stem: *Spondylid-*]. Type genus: *Spondylis* Fabricius, 1775.

Tribe ANISARTHRIINI Mamaev and Danilevsky, 1973

*ANISARTHrites Fairmaire, 1864: 124 [stem: *Anisarthr-*]. Type genus: *Anisarthron* Dejean, 1835. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Fairmaire (1864).

ANISARTHRONINI Mamaev and Danilevsky, 1973: 1260, in key [stem: *Anisarthr-*]. Type genus: *Anisarthron* Dejean, 1835. Comment: family-group name proposed as new without reference to ANISARTHrites Fairmaire, 1864; incorrect original stem formation, not in prevailing usage.

Tribe ASEMINI Thomson, 1861

ASEMITAE J. Thomson, 1861: 259 [stem: *Asem-*]. Type genus: *Asemum* Eschscholtz, 1830.

*CRIOMORPHATES Mulsant, 1863a: 421 [stem: *Criomorph-*]. Type genus: *Criomorphus* Mulsant, 1839 [preoccupied genus name, not *Criomorphus* Curtis, 1831 [Hemiptera]; placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1988b); syn. of *Tetropium* Kirby, 1837]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant (1863).

*CRIOCÉPHALITES Fairmaire, 1864: 125 [stem: *Criocephal-*]. Type genus: *Crioccephalus* Mulsant, 1839 [syn. of *Arhopalus* Audinet-Serville, 1834]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Fairmaire (1864).

TETROPIINA Seidlitz, 1891 [Gatt.]: 179 [stem: *Tetropi-*]. Type genus: *Tetropium* Kirby, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1988b)].

CRIOCEPHALINAE Sharp, 1905: 147 [stem: *Criocephal-*]. Type genus: *Crioccephalus* Mulsant, 1839 [syn. of *Arhopalus* Audinet-Serville, 1834].

CRIOMORPHINI Portevin, 1927: 20, in key [stem: *Criomorph-*]. Type genus: *Criomorphus* Mulsant, 1839 [preoccupied genus name, not *Criomorphus* Curtis, 1831 [Hemiptera]; placed on the Official Index of Rejected and Invalid

Generic Names in Zoology (ICZN 1988b); syn. of *Tetropium* Kirby, 1837].

Comment: permanently invalid (Art. 39): based on preoccupied type genus.

NOTHORHININI Zagajkevich, 1991: 110 [stem: *No-thorhin-*]. Type genus: *No-thorhina* Redtenbacher, 1845. Comment: placed in synonymy with ASEMINI by Vives and Alonso-Zarazaga (2000: 569).

Tribe ATIMIINI LeConte, 1873

ATIMIINI J. L. LeConte, 1873: 322 [stem: *Atimi-*]. Type genus: *Atimia* Haldeman, 1847.

Tribe SAPHANINI Gistel, 1848

SAPHANIDAE Gistel, 1848: [8] [stem: *Saphan-*]. Type genus: *Saphanus* Audinet-Serville, 1834.

MICHTHYSOMINI J. L. LeConte, 1873: 332 [stem: *Michthisomat-*]. Type genus: *Michthisoma* J. L. LeConte, 1850 [as *Michthysoma*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe SONDYLIDINI Audinet-Serville, 1832

SPONDYLII Audinet-Serville, 1832: 123 [stem: *Spondylid-*]. Type genus: *Spondylis* Fabricius, 1775. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily NECYDALINAE Latreille, 1825

NECYDALIDES Latreille, 1825: 401 [stem: *Necydal-*]. Type genus: *Necydalis* Linnaeus, 1758.

Subfamily DORCASOMINAE Lacordaire, 1868

DORCASOMIDES Lacordaire, 1868: 456 [stem: *Dorcasom-*]. Type genus: *Dorcasomus* Audinet-Serville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 299, as DORCASOMINAE), generally accepted as in Aurivillius (1912: 251, as DORCASOMINI).

Subfamily APATOPHYSEINAE Lacordaire, 1869

APATOPHYSIDES Lacordaire, 1869: 234 [stem: *Apatophyse-*]. Type genus: *Apatophysis* Chevrolat, 1860. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 240, as APATOPHYSINI), generally accepted as in Švácha and Danilevsky (1988: 125, as APATOPHYSEINAE); incorrect original stem formation, not in prevailing usage; valid status given here as in Danilevsky (2010: 48).

Subfamily CERAMBYCINAE Latreille, 1802

CERAMBICINI Latreille, 1802: 211 [stem: *Cerambyc-*]. Type genus: *Cerambyx* Linnaeus, 1758.

Tribe ACANGASSUINI Galileo and Martins, 2001

ACANGASSUINI Galileo and Martins, 2001: 95 [stem: *Acangassu-*]. Type genus: *Acangassu* Galileo and Martins, 2001. Comment: this name was incorrectly treated as unavailable by Bousquet et al. (2009).

Tribe ACHRYSONINI Lacordaire, 1868

ACHRYSONIDES Lacordaire, 1868: 231 [stem: *Achryson-*]. Type genus: *Achryson* Audinet-Serville, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Murray (1870: 169, as ACHRYSONIDAE), generally accepted as in Aurivillius (1912: 39, as ACHRYSONINI); current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Achrys-*).

Tribe AGALLISSINI LeConte, 1873

AGALLISSINI J. L. LeConte, 1873: 321 [stem: *Agalliss-*]. Type genus: *Agallissus* Dalman, 1823.

Tribe ALANIZINI Di Iorio, 2003

ALANIZINI Di Iorio, 2003: 1 [stem: *Alaniz-*]. Type genus: *Alanizus* Di Iorio, 2003.

Tribe ANAGLYPTINI Lacordaire, 1868 *nomen protectum*

ANAGLYPTIDES Lacordaire, 1868: 404 [stem: *Anaglypt-*]. Type genus: *Anaglyptus* Mulsant, 1839. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1873: 319, as ANAGLYPTI), generally accepted as in Linsley (1964: 173, as ANAGLYPTINI); junior homonym of ANAGLYPTIDAE Gistel, 1848 (type genus *Anaglyptes* Gistel, 1848; syn. of *Chalcoephora* Dejean, 1833) in Coleoptera: BUPRESTIDAE; this name was treated as a *nomen protectum* by Bousquet et al. (2009: 41).

Tribe APHANASIINI Lacordaire, 1868

APHANASIIDES Lacordaire, 1868: 367 [stem: *Aphanasi-*]. Type genus: *Aphanasium* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 139, as APHANASIINI).

Tribe APHNEOPINI Lacordaire, 1868

APHNÉOPIDES Lacordaire, 1868: 421 [stem: *Aphneop-*]. Type genus: *Aphneope* Pascoe, 1863. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 155, as APHNEOPINI).

Tribe AUXESINI Lepesme and Breuning, 1952

*AUXÉSIDES Lacordaire, 1872: 463 [stem: *Auxes-*]. Type genus: *Auxesis* J. Thomson, 1858. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1872).

AUXESINA Lepesme and Breuning, 1952: 140 [stem: *Auxes-*]. Type genus: *Auxesis* J. Thomson, 1858. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Auxese-*).

PSATHYRINI Quentin, 1954: 103, in key [stem: *Psathyr-*]. Type genus: *Psathyros* J. Thomson, 1857.

Tribe BASIPTERINI Fragoso, Monné and Campos Seabra, 1987

BASIPTERINI Fragoso et al., 1987: 201 [stem: *Basipter-*]. Type genus: *Basiptera* J. Thomson, 1864.

Tribe BIMIINI Lacordaire, 1868

BIMIIDES Lacordaire, 1868: 464 [stem: *Bimi-*]. Type genus: *Bimia* A. White, 1850. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 254, as BIMIINI).

SIBYLLINI Cerda, 1973: 115 [stem: *Sibyll-*]. Type genus: *Sibylla* J. Thomson, 1858 [preoccupied genus name, not *Sibylla* Stål, 1856 [Orthoptera]; the valid name for this genus has recently been given as *Sybilla* J. Thomson, 1864 by Monné and Bezark (2009: 30) which is an incorrect subsequent spelling of *Sibylla* J. Thomson, 1858; syn. of *Zehra* Özdkmen, 2008]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe BOTHRIOSPILINI Lane, 1950

BOTHRIOSPILINAE Lane, 1950: 370 [stem: *Bothriospil-*]. Type genus: *Bothriospila* Aurivillius, 1923.

Tribe BRACHYPTEROMATINI Sama, 2008

BRACHYPTEROMINI Sama, 2008: 229 [stem: *Brachypteromat-*]. Type genus: *Brachypteroma* Heyden, 1863. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CALICHROMATINI Swainson, 1840

CALICHROMINAE Swainson, 1840: 293 [stem: *Callichromat-*]. Type genus: *Callichroma* Latreille, 1816. Comment: incorrect original stem formation, not in prevailing usage; this family-group name was incorrectly credited to Swainson and Shuckard (1840) by Bousquet et al. (2009: 42).

TERAMBIDAE Gistel, 1848: [8] [stem: *Teramb-*]. Type genus: *Teramus* Gistel, 1848 [syn. of *Aromia* Audinet-Serville, 1834].

Tribe CALLIDIINI Kirby, 1837

CALLIDIADAЕ Kirby, 1837: 170 [stem: *Callidi-*]. Type genus: *Callidium* Fabricius, 1775 [for comments on problems with the authorship and type species of this type genus see Bousquet et al. (2009: 42)].

*PHYMATODATES Mulsant, 1863a: 397 [stem: *Phymatod-*]. Type genus: *Phymatodes* Mulsant, 1839 [placed on the Official List of Generic Names in Zoology (ICZN 1989a)]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

Tribe CALLIDIOPINI Lacordaire, 1868

CALLIDIOPSIDES Lacordaire, 1868: 340 [stem: *Callidiop-*]. Type genus: *Callidiopsis* A. White, 1855 [as *Callidiopsis*, unjustified emendation of type-genus by Lacordaire (1868: 356), not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 535, as *CALLIDIOPSISNAE* [incorrect stem formation]), generally accepted as in Aurivillius (1912: 115, as *CALLIDIOPINI*); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Callidiopid-*).

Tribe CERAMBYCINI Latreille, 1802

CERAMBICINI Latreille, 1802: 211 [stem: *Cerambyc-*]. Type genus: *Cerambyx* Linnaeus, 1758.

Subtribe CERAMBYCINA Latreille, 1802

CERAMBICINI Latreille, 1802: 211 [stem: *Cerambyc-*]. Type genus: *Cerambyx* Linnaeus, 1758. Comment: Gistel (1856a: 375) used the name CERATAMBYCIDAE but this was based on the incorrect subsequent spelling of the type genus name (incorrectly given as *Caratambyx* in the same work on page 375 but later corrected to *Ceratambyx* by Gistel (1856b: 13)) and was therefore not proposed as a new family-group name.

Subtribe SPHALLOTRICHINA Martins and Monné, 2005

SPHALLOTRICHINA Martins and Monné, 2005: 2 [stem: *Sphallotrich-*]. Type genus: *Sphalotrichus* Fragoso, 1982. Comment: this name was incorrectly treated as unavailable by Bousquet et al. (2009).

Tribe CERTALLINI Fairmaire, 1864

CARTALLITES Fairmaire, 1864: 149 [stem: *Certall-*]. Type genus: *Certallum* Dejean, 1821 [as *Cartallum*, unjustified emendation of type genus name by Audinet-Serville (1834: 94), not in prevailing usage]. Comment: published early September 1864; original vernacular name available (Art. 11.7.2): first used in a latinized form by Sama (1990: 287, as *CERTALLINI*), generally accepted as in

Vives (2000: 155, as CERTALLINI); incorrect original stem formation, not in prevailing usage.

PYTHEITAE J. Thomson, 1864: 153 [stem: *Pythe-*]. Type genus: *Pytheus* Newman, 1840. Comment: published before October 1864.

*ERIONISPITES Chapuis, 1875: 301 [stem: *Erionisp-*]. Type genus: *Erionispa* Chapuis, 1875 [syn. of *Pytheus* Newman, 1840]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875); ERIONISPIDAE was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1875); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); name written with an accent as ÉRIONISPITES on page 301 of the original publication, but without accent in the key and for the description; type genus transferred from CHRYSOMELIDAE by Lameere (1885) and treated as a synonym of *Pytheus* Newman, 1840.

Tribe CHLIDONINI Waterhouse, 1879

CHLIDONINAE C. O. Waterhouse, 1879b: 320 [stem: *Chlidon-*]. Type genus: *Chlidones* C. O. Waterhouse, 1879.

Tribe CLEOMENINI Lacordaire, 1868

CLÉOMÉNIDES Lacordaire, 1868: 405 [stem: *Cleomen-*]. Type genus: *Cleomenes* J. Thomson, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 554, as CLEOMENINAE), generally accepted as in Adlbauer et al. (2010: 163, as CLEOMENINI); this name was incorrectly credited to Pascoe (1869) by Bousquet et al. (2009: 55); we treat this group as a valid tribe as in Adlbauer et al. (2010: 163).

Tribe CLYTINI Mulsant, 1839

CLYTAIRES Mulsant, 1839: 70 [stem: *Clyt-*]. Type genus: *Clytus* Laicharting, 1784. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1848: [8], as CLYTIIDAE [incorrect stem formation]), generally accepted as in Aurivillius (1912: 358, as CLYTINI).

NEOCLYTITAE J. Thomson, 1861: 219 [stem: *Neoclyt-*]. Type genus: *Neoclytus* J. Thomson, 1861.

CYLLENITAE J. Thomson, 1864: 184 [stem: *Cyllen-*]. Type genus: *Cyllene* Newman, 1840 [preoccupied genus name, not *Cyllene* Gray, 1834 [Mollusca]; syn. of *Megacyllene* Casey, 1912]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe COMPSOCERINI Thomson, 1864

COMPSOCERITAE J. Thomson, 1864: 260 [stem: *Compsocer-*]. Type genus: *Compsocerus* Audinet-Serville, 1834 [for comments on problems with the authorship and type species of this type genus see Bousquet et al. (2009: 44)].

Tribe COPTOMMATINI Lacordaire, 1869

COPTOMMIDES Lacordaire, 1869: 221 [stem: *Coptommat-*]. Type genus: *Coptomma* Newman, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 488, as COPTOMMATINI); First Reviser (COPTOMMATINI Lacordaire, 1869 vs NAVOMORPHINI Lacordaire, 1869) not determined, current usage maintained.

NAVOMORPHIDES Lacordaire, 1869: 223 [stem: *Navomorph-*]. Type genus: *Navomorpha* A. White, 1855 [syn. of *Coptomma* Newman, 1840]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 488, as NAVOMORPHINI).

Tribe CURIINI LeConte, 1873

CURII J. L. LeConte, 1873: 304 [stem: *Curi-*]. Type genus: *Curius* Newman, 1840.

Tribe DEILINI Fairmaire, 1864

*DÉILATES Mulsant, 1863b: 190 [stem: *Deil-*]. Type genus: *Deilus* Audinet-Serville, 1834. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant (1863).

DÉILATES Fairmaire, 1864: 154 [stem: *Deil-*]. Type genus: *Deilus* Audinet-Serville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 294, as DEILINI).

Tribe DEJANIRINI Lacordaire, 1868

DÉJANIRIDES Lacordaire, 1868: 460 [stem: *Dejanir-*]. Type genus: *Dejanira* J. Thomson, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 561, as DEJANIRINAE), generally accepted as in Aurivillius (1912: 253, as DEJANIRINI).

Tribe DIORINI Lane, 1950

DIORINAE Lane, 1950: 373 [stem: *Dior-*]. Type genus: *Diorus* A. White, 1853.

Tribe DISTICHOCERINI Pascoe, 1867

*DISTICHOCÉRITES Blanchard, 1845b: 144 [stem: *Distichocer-*]. Type genus: *Distichocera* Kirby, 1819. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1845b).

DISTICHOCERINAE Pascoe, 1867a: 125 [stem: *Distichocer-*]. Type genus: *Distichocera* Kirby, 1819.

Tribe DODECOSINI Aurivillius, 1912

DODECOSINI Aurivillius, 1912: 132 [stem: *Dodecos-*]. Type genus: *Dodecosis* H. W. Bates, 1867. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Dodecose-*).

OLEXANDRELLAEINI Zajciw, 1960: 605 [stem: *Olexandrell-*]. Type genus: *Olexandrella* Zajciw, 1959. Comment: incorrect original stem formation, not in prevailing usage.

Tribe DRYOBIINI Arnett, 1962 *nomen protectum*

DRYOBIINI Arnett, 1962c: 861 [stem: *Dryobi-*]. Type genus: *Dryobius* J. L. Le Conte, 1850. Comment: *nomen protectum* (see Bousquet et al. 2009: 45); this is a junior homonym of DRYOBIIDAE Gistel, 1856a: 368 (type genus *Dryobia* Gistel, 1856) which is a junior synonym of DRYOPHILIDAE Gistel, 1848.

Tribe EBURIINI Blanchard, 1845

ÉBURIITES Blanchard, 1845b: 145 [stem: *Eburi-*]. Type genus: *Eburia* Lacordaire, 1830. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1861: 237, as EBURITAE), generally accepted as in Monné (1993a: 20, as EBURIINI).

Tribe ECTENESSINI Martins, 1998

ECTENESSINI Martins, 1998: 82 [stem: *Ecteness-*]. Type genus: *Ectenessa* H. W. Bates, 1885.

Tribe ELAPHIDIINI Thomson, 1864

ELAPHIDIONITAE J. Thomson, 1864: 235 [stem: *Elaphidi-*]. Type genus: *Elaphidion* Audinet-Serville, 1834. Comment: incorrect original stem formation, not in prevailing usage; Ivie (1985: 303) pointed out that the correct stem based on *Elaphidion* is *Elaphidi-*; both ELAPHIDIINI and ELAPHIDIONINI have been used in recent literature, we prefer to use the correct spelling of the stem here.

SPHÉRIONIDES Lacordaire, 1868: 312 [stem: *Sphaeri-*]. Type genus: *Sphaerion* Audinet-Serville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 239, as SPHAERIONINI), generally accepted as in Aurivillius (1912: 96, as SPHAERIONINI); incorrect original stem formation, not in prevailing usage; junior homonym of SPHAERIIDAE Deshayes, 1855 (type genus *Sphaerium* Scopoli, 1877) in Mollusca and SPHAERINA Erichson, 1845 [incorrect original spelling] (type genus *Sphaerius* Waltl, 1838) in Myxophaga, the stem of the beetle family-group name was recently emended to *Sphaerius-* (ICZN 2000); this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

STENOSPHENINI J. L. LeConte, 1873: 316 [stem: *Stenosphen-*]. Type genus: *Stenosphenus* Haldeman, 1847.

Tribe ELIGMODERMINI Lacordaire, 1868

ÉLIGMODERMIDES Lacordaire, 1868: 337 [stem: *Eligmoderm-*]. Type genus: *Eligmoderma* J. Thomson, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius

(1912: 114, as ELIGMODERMINI); current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Eligmodermat-*).

Tribe ERLANDIINI Aurivillius, 1912

ERLANDIINI Aurivillius, 1912: 12 [stem: *Erlandi-*]. Type genus: *Erlandia* Aurivil-lius, 1904.

Tribe EROSCHEMINI Lacordaire, 1868

ÉROSCHÉMIDES Lacordaire, 1868: 515 [stem: *Eroschem-*]. Type genus: *Eroschema* Pascoe, 1859. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1872a: 185, as EROSCHEMINAE), generally accepted as in Aurivillius (1912: 287, as EROSCHEMINI); current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Eroschemat-*).

Tribe EUMICHTHINI Linsley, 1940

EUMICHTHINI Linsley, 1940: 368 [stem: *Eumichth-*]. Type genus: *Eumichthys* J. L. LeConte, 1873.

Tribe GAHANIINI Quentin and Villiers, 1969

GAHANIINI Quentin and Villiers, 1969: 615, in key [stem: *Gahani-*]. Type genus: *Gahania* Distant, 1907.

Tribe GLAUCYTINI Lacordaire, 1868

GLAUCYTIDES Lacordaire, 1868: 405 [stem: *Glaucyt-*]. Type genus: *Glaucytes* J. Thomson, 1857. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 650, as GLAUCYTINAE), generally accepted as in Aurivillius (1912: 435, as GLAUCYTINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Glaucytet-*).

Tribe GRACILIINI Mulsant, 1839

GRACILIARES Mulsant, 1839: 99 [stem: *Gracili-*]. Type genus: *Gracilia* Audinet-Serville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1873: 300, as GRACILIINAE), generally accepted as in Monné (1993b: 9, as GRACILIINI).

Tribe HESPEROPHANINI Mulsant, 1839

HESPÉROPHANAIRES Mulsant, 1839: 61 [stem: *Hesperophan-*]. Type genus: *Hes-perophanes* Dejean, 1835.

Subtribe DARAMINA Sama, 2008

DARAMINA Sama, 2008: 224 [stem: *Daram-*]. Type genus: *Daramus* Fairmaire, 1892.

Subtribe HESPEROPHANINA Mulsant, 1839

HESPÉROPHANAIRES Mulsant, 1839: 61 [stem: *Hesperophan-*]. Type genus: *Hesperophanes* Dejean, 1835 [see Vives and Alonso-Zarazaga (2000: 657) and Bousquet et al. (2009: 47) for a discussion of problems with the type species of this genus]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869: 523, as HESPEROPHANINAE), generally accepted as in Monné (1993a: 1, as HESPEROPHANINI).

CERASPHORITAE J. Thomson, 1861: 234 [stem: *Cerasphor-*]. Type genus: *Cerasphorus* Audinet-Serville, 1834.

Tribe HESTHESINI Pascoe, 1867

HESTHESINAE Pascoe, 1867a: 127 [stem: *Hesthes-*]. Type genus: *Hesthesia* Newman, 1840. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Hesthese-*).

Tribe HETEROPSINI Lacordaire, 1868 *nomen protectum*

DICHOHYIAEIDAE Gistel, 1848: [8] [stem: *Dichophyi-*]. Type genus: *Dichophyia* Gistel, 1848. Comment: *nomen oblitum* (see Bousquet et al. 2009: 48). Comment: incorrect original stem formation, not in prevailing usage.

HÉTÉROPSIDES Lacordaire, 1868: 405 [stem: *Heterops-*]. Type genus: *Heterops* Blanchard, 1842. Comment: *nomen protectum* (see Bousquet et al. 2009: 48); original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1872a: 179, as HETEROPSINAE), generally accepted as in Aurivillius (1912: 438, as HETEROPSINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Heterop-*); this name was incorrectly attributed to Lacordaire (1869) by Bousquet et al. (2009: 48).

Tribe HEXOPLINI Martins, 2006

HEXOPLONINI Martins, 2006: 22 [stem: *Hexopl-*]. Type genus: *Hexoplon* J. Thomson, 1864. Comment: incorrect original stem formation, not in prevailing usage; this name was incorrectly treated as unavailable by Bousquet et al. (2009).

Tribe HOOPLEURINI Chemsak and Linsley, 1974

HOOPLEURINI Chemsak and Linsley, 1974: 183 [stem: *Holopleur-*]. Type genus: *Holopleura* J. L. LeConte, 1873.

Tribe HOLOPTERINI Lacordaire, 1868

HOLOPTÉRIDES Lacordaire, 1868: 393 [stem: *Holopter-*]. Type genus: *Holopterus* Blanchard, 1851. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Lucas (1920: xxiii, as HOLOPTERINI), generally accepted as in Aurivillius (1912: 148, as HOLOPTERINI); this tribe was transferred to the subfamily LEPTURINAE by Vitali (2002: 32) but placed back into the CERAMBYCINAE by Monné (2005a: 301).

Tribe HYBODERINI Linsley, 1940

HYBODERINI Linsley, 1940: 371 [stem: *Hyboder-*]. Type genus: *Hybodera* J. L. Le Conte, 1873.

Tribe HYLOTRUPINI Zagajkevich, 1991

HYLOTRUPINI Zagajkevich, 1991: 67 [stem: *Hylotrup-*]. Type genus: *Hylotrupes* Audinet-Serville, 1834.

Tribe IBIDIONINI Thomson, 1861

IBIDIONITAE J. Thomson, 1861: 199 [stem: *Ibidion-*]. Type genus: *Ibidion* Gory, 1833.

Subtribe COMPSINA Martins and Galileo, 2007

COMPSINA Martins and Galileo, 2007: 6, in key [stem: *Comps-*]. Type genus: *Compsa* Perty, 1832. Comment: this name was incorrectly treated as unavailable by Bousquet et al. (2009); junior homonym of COMPSINI Pierce, 1913 (type genus *Compsus* Schönherr, 1823) in CURCULIONIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Subtribe IBIDIONINA Thomson, 1861

IBIDIONITAE J. Thomson, 1861: 199 [stem: *Ibidion-*]. Type genus: *Ibidion* Gory, 1833. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Ibidi-*).

*SYDACINI Martins, 2003a: 204 [stem: *Sydac-*]. Type genus: *Sydax* Lacordaire, 1868. Comment: name unavailable (Art. 16.1): name not indicated as intentionally new; this taxon was originally described by Martins (1997a: 8-9) but not named.

Subtribe TROPIDINA Martins and Galileo, 2007

TROPIDINA Martins and Galileo, 2007: 7 [stem: *Tropid-*]. Type genus: *Tropidion* J. Thomson, 1867. Comment: this name was incorrectly treated as unavailable by Bousquet et al. (2009); incorrect original spelling maintained (should be *Tropidi-*) in order to avoid homonymy with TROPIIDIINI Hull, 1949 (type genus *Tropidia* Meigen, 1822) available in Diptera: SYRPHIDAE.

Tribe IDERATINI Martins and Napp, 2009

IDERATINI Martins and Napp, 2009: 216 [stem: *Iderat-*]. Type genus: *Ideratus* J. Thomson, 1864.

Tribe LISSONOTINI Swainson, 1840

LISSONOTINAE Swainson, 1840: 289 [stem: *Lissonot-*]. Type genus: *Lissonotus* Dalman, 1817. Comment: this family-group name was incorrectly credited to

Swainson and Shuckard (1840) by Bousquet et al. (2009: 49); the junior homonym *Lissonotini* Förster, 1869 (type genus *Lissonota* Gravenhorst, 1829) is available in Hymenoptera: ICHNEUMONIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe LUSCOSMODICINI Martins, 2003

LUSCOSMODICINI Martins, 2003b: 30 [stem: *Luscosmodic-*]. Type genus: *Luscosmodicum* Martins, 1970. Comment: this name was incorrectly treated as unavailable by Bousquet et al. (2009).

Tribe LYGRINI Sama, 2008

LYGRINI Sama, 2008: 222 [stem: *Lygr-*]. Type genus: *Lygrus* Fåhraeus, 1872.

Tribe MACRONINI Lacordaire, 1868

ENCHAPTERITAE J. Thomson, 1861: 151 [stem: *Enchopter-*]. Type genus: *Enchoptera* Saunders, 1850 [as *Enchaptera*, incorrect subsequent spelling type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; this name has precedence over MACRONINI Lacordaire, 1868 but has not been used as a valid name after 1899 to our knowledge, although we were unable to find 25 references to conserve usage of MACRONINI (Art. 23.9.2), we believe the name MACRONINI should be conserved for this group and an application should be submitted to the Commission (Art. 23.9.3).

MACRONIDES Lacordaire, 1868: 414 [stem: *Macron-*]. Type genus: *Macrones* Newman, 1841. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1871: 268, as MACRONINAE), generally accepted as in Aurivillius (1912: 153, as MACRONINI); although this is not the oldest name for the tribe, we recommend that an application be submitted to the Commission to conserve usage of the well-established name MACRONINI Lacordaire, 1868.

Tribe MEGACOELINI Quentin and Villiers, 1969

MEGACOELINI Quentin and Villiers, 1969: 615, in key [stem: *Megacoel-*]. Type genus: *Megacoelus* Lacordaire, 1868.

Tribe METHIINI Thomson, 1860

METHIITAE J. Thomson, 1860a: 127 [stem: *Methi-*]. Type genus: *Methia* Newman, 1842.

Tribe MOLORCHINI Gistel, 1848

MOLORCHIDAE Gistel, 1848: [9] [stem: *Molorch-*]. Type genus: *Molorchus* Fabricius, 1792 [see Bousquet (2008: 620) for a discussion of the type species]. Comment: name previously attributed to Mulsant (1862) but was also used by Marseul (1857a: 166, as MOLORCHIDAE) prior to Mulsant's name.

Tribe MYTHODINI Lacordaire, 1868

MYTHODIDES Lacordaire, 1868: 418 [stem: *Mythod*-]. Type genus: *Mythodes* J. Thomson, 1864. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Pascoe (1871: 268, as MYTHODINAE), generally accepted as in Aurivillius (1912: 154, as MYTHODINI).

Tribe NECYDALOPSINI Lacordaire, 1868

NÉCYDALOPSIDES Lacordaire, 1868: 493 [stem: *Necydalops*-]. Type genus: *Necydalopsis* Blanchard, 1851. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Aurivillius (1912: 275, as NECYDALOPSINI); current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Necydalope*-).

Tribe NEOCORINI Martins, 2005

NEOCORINI Martins, 2005: 240 [stem: *Neocor*-]. Type genus: *Neocorus* J. Thomson, 1864. Comment: this name was incorrectly treated as unavailable by Bousquet et al. (2009).

Tribe NEOSTENINI Lacordaire, 1868

NÉOSTÉNIDES Lacordaire, 1868: 363 [stem: *Neosten*-]. Type genus: *Neostenus* Pascoe, 1857. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Pascoe (1871: 268, as NEOSTENINAE), generally accepted as in Aurivillius (1912: 138, as NEOSTENINI).

Tribe OBRIINI Mulsant, 1839

OBRIAires Mulsant, 1839: 95 [stem: *Obri*-]. Type genus: *Obrium* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Gistel (1848: [9], as OBRIDAE), generally accepted as in Monné (1993a: 11, as OBRIINI).

Tribe OCHYRINI Pascoe, 1871

OCHYRINAE Pascoe, 1871: 273 [stem: *Ochyr*-]. Type genus: *Ochyra* Pascoe, 1871.

Tribe OEDENODERINI Aurivillius, 1912

OEDENODERINI Aurivillius, 1912: 358 [stem: *Oedenoder*-]. Type genus: *Oedenoderus* Chevrolat, 1858.

Tribe OEMINI Lacordaire, 1868

OEMIDES Lacordaire, 1868: 216 [stem: *Oem*-]. Type genus: *Oeme* Newman, 1840.

Subtribe METHIOIDINA Martins, 1997

METHIOIDINA Martins, 1997a: 119 [stem: *Methiod*-]. Type genus: *Methioides* Chemsak and Linsley, 1967.

Subtribe OEMINA Lacordaire, 1868

***MALACOPTÉRITES** Blanchard, 1845b: 147 [stem: *Malacopter-*]. Type genus: *Malacopterus* Audinet-Serville, 1833. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

OEMIDES Lacordaire, 1868: 216 [stem: *Oem-*]. Type genus: *Oeme* Newman, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 498, as OEMINAE), generally accepted as in Aurivillius (1912: 26, as OEMINI).

Tribe OPSIMINI LeConte, 1873

OPSIMI J. L. LeConte, 1873: 294 [stem: *Opsim-*]. Type genus: *Opsimus* Mannerheim, 1843.

Tribe OXYCOLEINI Martins and Galileo, 2003

OXYCOLEINI Martins and Galileo, 2003: 52 [stem: *Oxycole-*]. Type genus: *Oxycoleus* Lacordaire, 1868. Comment: this name was incorrectly treated as unavailable by Bousquet et al. (2009).

Tribe PARAHOLOPTERINI Martins, 1997

PARAHOLOPTERINI Martins, 1997b: 201 [stem: *Paraholopter-*]. Type genus: *Paraholopterus* Cerda and Cekalovic, 1987.

Tribe PHALOTINI Lacordaire, 1868

PHALOTIDES Lacordaire, 1868: 495 [stem: *Phalot-*]. Type genus: *Phalota* Pascoe, 1863. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 276, as PHALOTINI).

Tribe PHYCTAENODINI Lacordaire, 1868

PHYCTÉNODIDES Lacordaire, 1868: 370 [stem: *Phlyctaenod-*]. Type genus: *Phlyctaenodes* Newman, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Aurivillius (1912: 140, as PHYCTAENODINI), generally accepted as in Monné (1993b: 20, as PHYCTAENODINI); incorrect original stem formation, not in prevailing usage.

Tribe PHORACANTHINI Newman, 1840

STENOCORIDAE Hope, 1834: 106 [stem: *Stenocor-*]. Type genus: *Stenocorus* sensu Hope, 1835 [not *Stenocorus* Geoffroy, 1762; syn. of *Phoracantha* Newman, 1840]. Comment: based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principles of Priority and Homonymy (Art. 65.2.1); also see STENOCORITAE J. Thomson, 1861 in LEPTURINAE: RHAGIINI.

PHORACANTHIDAE Newman, 1840: 2 [stem: *Phoracanth-*]. Type genus: *Phoracantha* Newman, 1840.

Tribe PHYLLARTHRIINI Lepesme and Breuning, 1956

PHYLLARTHRIINI Lepesme and Breuning, 1956: 287 [stem: *Phyllarthri-*]. Type genus: *Phyllarthrius* Hope, 1843.

Tribe PIESARTHRIINI McKeown, 1947

PIESARTHRIINI McKeown, 1947: 55 [stem: *Piesarthri-*]. Type genus: *Piesarthrius* Hope, 1834. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Gressitt (1959: 84, as PIESARTHINI) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1); incorrect original stem formation, not in prevailing usage.

Tribe PIEZOCERINI Lacordaire, 1868

PIÉZOCÉRIDES Lacordaire, 1868: 324 [stem: *Piezocer-*]. Type genus: *Piezocera* Audinet-Serville, 1834.

Subtribe HARUSPICINA Martins, 1976

HARUSPICINA Martins, 1976: 199 [stem: *Haruspic-*]. Type genus: *Haruspex* J. Thomson, 1864.

Subtribe PIEZOCERINA Lacordaire, 1868

PIÉZOCÉRIDES Lacordaire, 1868: 324 [stem: *Piezocer-*]. Type genus: *Piezocera* Audinet-Serville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Auvillius (1912: 102, as PIEZOCERINI).

ZELLIBORIINAE Lane, 1951: 5 [stem: *Zellibori-*]. Type genus: *Zelliboria* Lane, 1951.

Tribe PLATYARTHRIINI Bates, 1870

*COELARTHRIDES Lacordaire, 1868: 405 [stem: *Caelomarth-*]. Type genus: *Caelomarthon* J. Thomson, 1860 [as *Coelarthron*, unjustified emendation of type genus name by Lacordaire (1869: 142), not in prevailing usage; syn. of *Plat-yarthron* Guérin-Méneville, 1844]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally accepted as valid; subsequent usage of COELARTHINAE by Lucas (1920: 17) and CAELARTHINAE by Ferreira and Veiga Ferreira (1959b: 331) did not validate this name because Lacordaire's taxon was listed as a synonym of PLATYARTHRIINI H. W. Bates; COELARTHIDAE was used as valid by Ienistea (1986: 30) but it was not attributed to Lacordaire (1868); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

PLATYARTHINAE H. W. Bates, 1870: 419 [stem: *Platyarthr-*]. Type genus: *Platyarthron* Guérin-Méneville, 1844.

Tribe PLECTOGASTERINI Quentin and Villiers, 1969

PLECTOGASTERINI Quentin and Villiers, 1969: 615, in key [stem: *Plectogaster-*].

Type genus: *Plectogaster* C. O. Waterhouse, 1881. Comment: Bousquet et al. (2009: 52) erroneously listed PLECTOGASTRINI as the original spelling.

Tribe PLECTROMERINI Nearns and Braham, 2008

PLECTROMERINI Nearns and Braham, 2008: 19 [stem: *Plectromer-*]. Type genus:

Plectromerus Haldeman, 1847 [see Bousquet et al. (2009: 53) about problems with the type species of this genus].

Tribe PLEIARTHROCERINI Lane, 1950

PLEIARTHROCERINAЕ Lane, 1950: 371 [stem: *Pleiarthrocer-*]. Type genus: *Pleiarthrocerus* Bruch, 1915.

Tribe PROTAXINI Gahan, 1906

PROTAXINI Gahan, 1906: 92 [stem: *Protax-*]. Type genus: *Protaxis* Gahan, 1906.

Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Protaxe-*).

Tribe PROTHEMINI Lacordaire, 1868

PROTHÉMIDES Lacordaire, 1868: 524 [stem: *Prothem-*]. Type genus: *Prothema* Pascoe, 1856. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 578, as PROTHEMINAE), generally accepted as in Aurivillius (1912: 291, as PROTHEMINI).

Tribe PSEBIINI Lacordaire, 1868

*LEPTIDÉITES Fairmaire, 1864: 148 [stem: *Leptide-*]. Type genus: *Leptidea* Mulsant, 1839 [preoccupied genus name, not *Leptidea* Billberg, 1820 [Lepidoptera]; syn. of *Nathrius* Bréthes, 1916]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Fairmaire (1864).

Psébiides Lacordaire, 1868: 479 [stem: *Psebi-*]. Type genus: *Psebium* Pascoe, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 299, as PSEBIINAE), generally accepted as in Aurivillius (1912: 261, as PSEBIINI).

LEPTIDEINA Reitter, 1913a: 24 [stem: *Leptide-*]. Type genus: *Leptidea* Mulsant, 1839 [preoccupied genus name, not *Leptidea* Billberg, 1820 [Lepidoptera]; syn. of *Nathrius* Bréthes, 1916]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; LEPTIDEINI Verity, 1947 (type genus *Leptidea* Billberg, 1820) is available in Lepidoptera.

CAMBAIINAE Lane, 1951: 12 [stem: *Cambai-*]. Type genus: *Cambaia* Lane, 1951 [syn. of *Paraleptidea* Gounelle, 1913].

NATHRIINI Arnett, 1962c: 860 [stem: *Nathri-*]. Type genus: *Nathrius* Brèthes, 1916.

Tribe PSEUDOCEPHALINI Aurivillius, 1912 (1861)

AMETROCEPHALITAE J. Thomson, 1861: 256 [stem: *Ametrocephal-*]. Type genus: *Ametrocephala* Blanchard, 1851 [syn. of *Pseudocephalus* Newman, 1842]. Comment: use of younger name PSEUDOCEPHALINI Aurivillius, 1912 conserved over this name (Art. 40.2).

PSEUDOCEPHALINI Aurivillius, 1912: 154 [stem: *Pseudocephal-*]. Type genus: *Pseudocephalus* Newman, 1842. Comment: name proposed to replace AMETROCEPHALINI J. Thomson, 1861 because of the synonymy of the type genus; usage of this name conserved over AMETROCEPHALINI Thomson, 1861 (Art. 40.2).

Tribe PSEUDOLEPTURINI Thomson, 1861

PSEUDOLEPTURITAE J. Thomson, 1861: 146 [stem: *Pseudoleptur-*]. Type genus: *Pseudoleptura* J. Thomson, 1861. Comment: we treat this group as a valid tribe as in Adlbauer et al. (2010: 200).

ERYTHRINAE Pascoe, 1866a: 227 [stem: *Erythr-*]. Type genus: *Erythrus* A. White, 1853.

Tribe PSIOMORPHINI Lacordaire, 1868

PSIOMORPHIDES Lacordaire, 1868: 392 [stem: *Psilomorph-*]. Type genus: *Psilomorpha* Saunders, 1850. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Aurivillius (1912: 148, as PSIOMORPHINI).

Tribe PTEROPLATINI Thomson, 1861

PTEROPLATITAE J. Thomson, 1861: 254 [stem: *Pteroplat-*]. Type genus: *Pteroplatus* Buquet, 1840.

Tribe PYRESTINI Lacordaire, 1868

PYRETHIDES Lacordaire, 1868: 518 [stem: *Pyrest-*]. Type genus: *Pyrestes* Pascoe, 1857 [as *Pyresthes*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Aurivillius (1912: 288, as PYRESTINI), generally accepted as in Bousquet et al. (2009: 54, as PYRESTINI); incorrect original stem formation, not in prevailing usage.

Tribe RHAGIOMORPHINI Newman, 1841

RHAGIOMORPHIDAE Newman, 1841: 34 [stem: *Rhagiomorph-*]. Type genus: *Rhagiomorpha* Newman, 1840.

Tribe RHINOTRAGINI Thomson, 1861

RHINOTRAGITAE J. Thomson, 1861: 177 [stem: *Rhinotrag-*]. Type genus: *Rhinotragus* Germar, 1824.

Tribe RHOPALOPHORINI Blanchard, 1845

RHOPALOPHORITES Blanchard, 1845b: 152 [stem: *Rhopalophor-*]. Type genus: *Rhopalophora* Audinet-Serville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Blanchard (1853: 268, as RHOPALOPHORITAE), generally accepted as in Monné (1994a: 1, as RHOPALOPHORINI).

Tribe ROSALIINI Fairmaire, 1864

ROSALIITES Fairmaire, 1864: 137 [stem: *Rosali-*]. Type genus: *Rosalia* Audinet-Serville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1873: 310, as ROSALIINI), generally accepted as in Linsley (1964: 4, as ROSALIINI).

Tribe SESTYRINI Lacordaire, 1868

SESTYRIDES Lacordaire, 1868: 405 [stem: *Sestyr-*]. Type genus: *Sestyra* Pascoe, 1867. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 643, as SESTYRINAE), generally accepted as in Aurivillius (1912: 424, as SESTYRINI).

Tribe SMODICINI Lacordaire, 1868

SMODICIDES Lacordaire, 1868: 405 [stem: *Smodic-*]. Type genus: *Smodicum* Hal-deman, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1873: 294, as SMODICI), generally accepted as in Aurivillius (1912: 12, as SMODICINI); this name was incorrectly attributed to Lacordaire (1869) by Bousquet et al. (2009: 55).

Tribe SPINTHERIINI Lacordaire, 1869

SPINTHERIIDES Lacordaire, 1869: 219 [stem: *Spintheri-*]. Type genus: *Spintheria* J. Thomson, 1861. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 487, as SPINTHERIINI).

Tribe STENHOMALINI Miroshnikov, 1989

STENHOMALINI Miroshnikov, 1989: 742 [stem: *Stenhomal-*]. Type genus: *Stenhomalus* A. White, 1855.

Tribe STENODERINI Pascoe, 1867

*STÉNODÉRITES Blanchard, 1845b: 163 [stem: *Stenoder-*]. Type genus: *Stenoderus* Dejean, 1821. Comment: original vernacular name unavailable (Art. 11.7.2):

subsequently used in latinized form but not generally attributed to Blanchard (1845b).

SYLLITAE J. Thomson, 1864: 138 [stem: *Syllit-*]. Type genus: *Syllitus* Pascoe, 1859.

Comment: this name has precedence over STENODERINI Pascoe, 1867 but has not been used as a valid name after 1899 to our knowledge, unfortunately, we were unable to provide 25 references to conserve usage of STENODERINI (Art. 23.9.2) although we believe the name STENODERINI should be conserved for this group until an application to the ICZN is submitted (Art. 23.9.3).

STENODERINAE Pascoe, 1867b: 311 [stem: *Stenoder-*]. Type genus: *Stenoderus*

Dejean, 1821. Comment: senior homonym of STENODERINI Selander, 1991 (type genus *Stenodera* Eschscholtz, 1818) currently used as valid in MELOIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1); also, this is not the oldest available name for this tribe, see comments under SYLLITAE Thomson, 1864.

***PTEROSTÉNIDES** Lacordaire, 1868: 410 [stem: *Pterosten-*]. Type genus: *Pterostenus*

Laporte, 1840 [syn. of *Stenoderus* Dejean, 1821]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally accepted as valid; subsequent usage of PTEROSTENINAE by Aurivillius (1912: 150) and Lucas (1920: 53) did not validate this name because Lacordaire's taxon was listed as a synonym of STENODERINI.

CALLIPRASONINI McKeown, 1947: 71 [stem: *Callipras-*]. Type genus: *Calliprason*

A. White, 1843. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Gressitt (1959: 148, as CALLIPRASONINI) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1); incorrect original stem formation, not in prevailing usage.

Tribe STENOPTERINI Gistel, 1848

STENOPTERIDAE Gistel, 1848: [9] [stem: *Stenopter-*]. Type genus: *Stenopterus* Iliger, 1804.

Tribe STRONGYLURINI Lacordaire, 1868

STRONGYLURIDES Lacordaire, 1868: 379 [stem: *Strongylur-*]. Type genus: *Strongylurus* Hope, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 548, as STRONGYLURINAE), generally accepted as in Aurivillius (1912: 144, as STRONGYLURINI).

Tribe TESSAROMMATINI Lacordaire, 1868

TESSAROMMIDI Lacordaire, 1868: 378 [stem: *Tessarommat-*]. Type genus: *Tessaromma* Newman, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 143, as TESSAROMMATINI); name also spelled TESSÉROMMIDI in ori-

ginal publication on page 204 (key); incorrect original stem formation, not in prevailing usage.

Tribe THRANIINI Gahan, 1906

THRANIINI Gahan, 1906: 236 [stem: *Thrani-*]. Type genus: *Thranius* Pascoe, 1859.

Tribe THYRSIINI Marinoni and Napp, 1984

THYRSIINI Marinoni and Napp, 1984: 44 [stem: *Thyrsi-*]. Type genus: *Thyrsia* Dalman, 1819.

Tribe TILLOMORPHINI Lacordaire, 1868

TILLOMORPHIDES Lacordaire, 1868: 405 [stem: *Tillomorph-*]. Type genus: *Tillomorpha* Blanchard, 1851. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 554, as TILLOMORPHINAE), generally accepted as in Adlbauer et al. (2010: 206, as TILLOMORPHINI); this name was incorrectly credited to Pascoe, 1869 by Bousquet et al. (2009: 56). EPIPEDOCERINI Gahan, 1906: 305 [stem: *Epipedocer-*]. Type genus: *Epipedocera* Chevrolat, 1863.

Tribe TORNEUTINI Thomson, 1861

TORNEUTITAE J. Thomson, 1861: 272 [stem: *Torneut-*]. Type genus: *Torneutes* Reich, 1838.

THAUMASIDAE J. Thomson, 1864: 313 [stem: *Thaumas-*]. Type genus: *Thaumasus* Reiche, 1853.

Tribe TRACHYDERINI Dupont, 1836

TRACHYDÉRIDES Dupont, 1836: 1 [stem: *Trachyder-*]. Type genus: *Trachyderes* Dalman, 1817.

Subtribe ANCYLOCERINA Thomson, 1864

ANCYLOCERITAE J. Thomson, 1864: 210 [stem: *Ancyloder-*]. Type genus: *Ancylocera* Audinet-Serville, 1834.

Subtribe TRACHYDERINA Dupont, 1836

TRACHYDÉRIDES Dupont, 1836: 1 [stem: *Trachyder-*]. Type genus: *Trachyderes* Dalman, 1817. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1861: 209, as TRACHYDERITAE), generally accepted as in Monné (1994b: 16, as TRACHYDERINI).

PURPURICENITAE J. Thomson, 1861: 203 [stem: *Purpuricen-*]. Type genus: *Purpuricenus* Dejean, 1821.

TYLOSITAE J. Thomson, 1861: 205 [stem: *Tylose-*]. Type genus: *Tylosis* J. L. LeConte, 1850. Comment: incorrect original stem formation, not in prevailing usage.

- SPHAENOTHECITAE J. Thomson, 1861: 212 [stem: *Sphaenothec-*]. Type genus: *Sphaenothecus* Dupont, 1838.
- MEGADERITAE J. Thomson, 1861: 213 [stem: *Megader-*]. Type genus: *Megaderus* Dejean, 1821.
- ERIPHITAE J. Thomson, 1864: 200 [stem: *Eriph-*]. Type genus: *Eriphus* Audinet-Serville, 1834.
- PTERACANTHITAE J. Thomson, 1864: 255 [stem: *Pteracanth-*]. Type genus: *Pteracantha* Newman, 1838.
- METOPOCOÏLITAE J. Thomson, 1864: 255 [stem: *Metopocoil-*]. Type genus: *Metopocoilus* Audinet-Serville, 1832.
- STERNACANTHITAE J. Thomson, 1864: 259 [stem: *Sternacanth-*]. Type genus: *Sternacanthus* Audinet-Serville, 1832.
- TROPIDOSOMITAE J. Thomson, 1864: 256 [stem: *Tropidosomat-*]. Type genus: *Tropidosoma* Perty, 1832. Comment: incorrect original stem formation, not in prevailing usage.
- POECILOPÉLIDES Lacordaire, 1868: 404 [stem: *Poecilopepl-*]. Type genus: *Poecilopeplus* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 449, as POECILOPEPLINI).
- *DORCACÉRIDES Lacordaire, 1868: 404 [stem: *Dorcacer-*]. Type genus: *Dorcacerus* Dejean, 1821. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1868).
- STÉNASPIDES Lacordaire, 1868: 404 [stem: *Stenaspid-*]. Type genus: *Stenaspis* Audinet-Serville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1869b: 653, as STENASPIDINAE), generally accepted as in Aurivillius (1912: 457, as STENASPINI); incorrect original stem formation, not in prevailing usage.
- PARISTÉMIIDES Lacordaire, 1868: 404 [stem: *Paristemi-*]. Type genus: *Paristemia* Westwood, 1841. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in J. L. LeConte (1873: 309, as PARISTEMIINI).
- DORCACERINAE H. W. Bates, 1870: 430 [stem: *Dorcacer-*]. Type genus: *Dorcacerus* Dejean, 1821. Comment: Aurivillius (1912: 476) used the spelling DORCADOCERINI but this was based on *Docadocerus*, which is an incorrect subsequent spelling of the type genus name.

Tribe TRAGOCERINI Pascoe, 1867

- TRAGOCERINAE Pascoe, 1867a: 125 [stem: *Tragocer-*]. Type genus: *Tragocerus* Latreille, 1829.

Tribe TRICHOMESIINI Aurivillius, 1912

TRICHOMESIINI Aurivillius, 1912: 276 [stem: *Trichomesi-*]. Type genus: *Trichomesia* Pascoe, 1859.

Tribe TROPOCALYMMATINI Lacordaire, 1868

TROPOCALYMMIDES Lacordaire, 1868: 408 [stem: *Tropocalymmat-*]. Type genus: *Tropocalymma* J. Thomson, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 150, as TROPOCALYMMATINI); incorrect original stem formation, not in prevailing usage.

Tribe TYPHOCESINI Lacordaire, 1868

TYPHOCÉSIDES Lacordaire, 1868: 539 [stem: *Typhoces-*]. Type genus: *Typhocesis* Pascoe, 1863. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1912: 296, as TYPHOCESINI).

Tribe UNXIINI Napp, 2007

UNXIINI Napp, 2007: 312 [stem: *Unxi-*]. Type genus: *Unxia* J. Thomson, 1861.

Tribe URACANTHINI Blanchard, 1853

*URACANTITAS Blanchard, 1851b: 475 [stem: *Uracanth-*]. Type genus: *Uracanthus* Hope, 1833 [*Uracanthus* is an incorrect subsequent spelling of *Uracantha* Hope, 1833 (p. 64), first used by Hope (1834: 108), in prevailing usage and so deemed to be the correct original spelling (Art. 33.3.1)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1851b); incorrect original stem formation, not in prevailing usage.

URACANTHITAE Blanchard, 1853: 264 [stem: *Uracanth-*]. Type genus: *Uracanthus* Hope, 1833 [*Uracanthus* is an incorrect subsequent spelling of *Uracantha* Hope, 1833 (p. 64), first used by Hope (1834: 108), in prevailing usage and so deemed to be the correct original spelling (Art. 33.3.1)].

RHINOPHTHALMITAE J. Thomson, 1861: 152 [stem: *Rhinophthalm-*]. Type genus: *Rhinophthalmus* J. Thomson, 1861.

Tribe VESPERELLINI Sama, 2008

VESPERELLINI Sama, 2008: 227 [stem: *Vesperell-*]. Type genus: *Vesperella* Dayrem, 1933.

Tribe XYSTROCERINI Blanchard, 1845

XYSTROCÉRITES Blanchard, 1845b: 147 [stem: *Xystrocer-*]. Type genus: *Xystrocera* Audinet-Serville, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1861: 249, as

XYSTROCERITAE), generally accepted as in Martins and Carvalho (1984: 214, as XYSTROCERINI).

Subfamily LAMIINAE Latreille, 1825

LAMIARIAE Latreille, 1825: 401 [stem: *Lami-*]. Type genus: *Lamia* Fabricius, 1775.

Tribe ACANTHOCININI Blanchard, 1845

*AEDILAIRES Mulsant, 1839: 142 [stem: *Aedil-*]. Type genus: *Aedilis* Audinet-Serville, 1835. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

ACANTHOCINITES Blanchard, 1845b: 154 [stem: *Acanthocin-*]. Type genus: *Acanthocinus* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Blanchard (1853: 289, as ACANTHOCIN-ITAE), generally accepted as in Monné (1995a: 1, as ACANTHOCININI).

TRYPANIDIITAE J. Thomson, 1860a: 7 [stem: *Trypanidi-*]. Type genus: *Trypanidius* Blanchard, 1846.

DECTITAE J. Thomson, 1860a: 127 [stem: *Dect-*]. Type genus: *Dectes* J. L. LeConte, 1852.

*ASTYNOMAIRES Mulsant, 1863b: 286 [stem: *Astynom-*]. Type genus: *Astynomus* Dejean, 1835. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Mulsant (1863b).

LAGOCHEIRINAE H. W. Bates, 1863: 100 [stem: *Lagocheir-*]. Type genus: *Lagocheirus* Dejean, 1835.

LEIOPHI J. L. LeConte, 1873: 338 [stem: *Leiopod-*]. Type genus: *Leiopus* Audinet-Serville, 1835 [as *Liopus*, unjustified emendation of type genus name by Agassiz (1846b: 204), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

GRAPHISURINI Leng, 1920: 283 [stem: *Graphisur-*]. Type genus: *Graphisurus* Kirby, 1837.

ASTYNOMINI Portevin, 1927: 39 [stem: *Astynom-*]. Type genus: *Astynomus* Dejean, 1835.

Tribe ACANTHODERINI Thomson, 1860

ACANTHODERITAE J. Thomson, 1860a: 5 [stem: *Acanthoder-*]. Type genus: *Acanthoderes* Audinet-Serville, 1835. Comment: First Reviser (ACANTHODERINI J. Thomson, 1860 vs DRYOCTENINI J. Thomson, 1860 vs OREODERINI J. Thomson, 1860) not determined, current usage maintained.

DRYOCTENITAE J. Thomson, 1860a: 29 [stem: *Dryocten-*]. Type genus: *Dryoctenes* Audinet-Serville, 1835.

OREODERITAE J. Thomson, 1860a: 29 [stem: *Oreoder-*]. Type genus: *Oreodera* Audinet-Serville, 1835.

HOPLOSIAE J. L. LeConte and G. H. Horn, 1883: 326 [stem: *Oplosi-*]. Type genus: *Oplosia* Mulsant, 1863 [as *Hoplosia*, unjustified emendation of type genus name by Fairmaire (1864), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ACMOCERINI Thomson, 1864

ACMOCERITAE J. Thomson, 1864: 57 [stem: *Acmocer-*]. Type genus: *Acmocera* Dejean, 1835.

Tribe ACRIDOCEPHALINI Dillon and Dillon, 1959

ACRIDOCEPHALIDI E. S. Dillon and L. S. Dillon, 1959a: 49 [stem: *Acridocephal-*]. Type genus: *Acridocephala* Chevrolat, 1855.

Tribe ACROCININI Swainson, 1840

ACROCININAE Swainson, 1840: 287 [stem: *Acrocin-*]. Type genus: *Acrocinus* Illiger, 1806. Comment: this family-group name was incorrectly credited to Swainson and Shuckard (1840) by Bousquet et al. (2009: 24).

Tribe ADERPASINI Breuning and Teocchi, 1978

ADERPASINI Breuning and Teocchi, 1978: 142 [stem: *Aderpas-*]. Type genus: *Aderpas* J. Thomson, 1864.

Tribe AERENICINI Lacordaire, 1872

AERÉNICIDES Lacordaire, 1872: 897 [stem: *Aerenic-*]. Type genus: *Aerenica* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Harold (1872: 248, as *AERENICINAE*), generally accepted as in Aurivillius (1923: 596, as *AERENICINI*).

Tribe AGAPANTHIINI Mulsant, 1839

AGAPANTHAires Mulsant, 1839: 172 [stem: *Agapanthi-*]. Type genus: *Agapanthia* Audinet-Serville, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1884: 255, as *AGAPANTHINAE* [incorrect stem formation]), generally accepted as in Aurivillius (1923: 458, as *AGAPANTHIINI*); incorrect original stem formation, not in prevailing usage.

HIPPOPSITAE J. Thomson, 1860a: 123 [stem: *Hippope-*]. Type genus: *Hippopsis* Lepeletier and Audinet-Serville, 1828. Comment: incorrect original stem formation, not in prevailing usage.

NEMOTRAGITAE J. Thomson, 1864: 93 [stem: *Nemotrag-*]. Type genus: *Nemotragus* Westwood, 1843.

ANAXESITAE J. Thomson, 1864: 94 [stem: *Anauxese-*]. Type genus: *Anauxesis* J. Thomson, 1857. Comment: incorrect original stem formation, not in prevailing usage.

- APROSOPITAE J. Thomson, 1864: 95 [stem: *Aprosop-*]. Type genus: *Aprosopus* Guérin-Méneville, 1844.
- AEGOPREPINAE Pascoe, 1871: 277 [stem: *Aegoprep-*]. Type genus: *Aegoprepes* Pascoe, 1871.
- PACHYPÉZIDES Lacordaire, 1872: 691 [stem: *Pachypez-*]. Type genus: *Pachypeza* Audinet-Serville, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in L. S. Dillon and E. S. Dillon (1945: 12, as PACHYPEZINI).
- SPALACOPSIDES Lacordaire, 1872: 701 [stem: *Spalacope-*]. Type genus: *Spalacopsis* Newman, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gahan (1890: 325, as SPALACOPSINAЕ), generally accepted as in Aurivillius (1923: 360, as SPALACOPSINI); incorrect original stem formation, not in prevailing usage.
- DIDYMONYCHINI Aurivillius, 1922b: 31 [stem: *Didymonych-*]. Type genus: *Didymonycha* Aurivillius, 1922 [syn. of *Amillarus* J. Thomson, 1857].
- *AMILLARINEN Aurivillius, 1926a: 22 [stem: *Amillar-*]. Type genus: *Amillarus* J. Thomson, 1857. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.
- HIPPOPSICONINI L. S. Dillon and E. S. Dillon, 1945: 11 [stem: *Hippopsicon-*]. Type genus: *Hippopsicon* J. Thomson, 1858.

Tribe AMPHOECINI Breuning, 1951

- AMPHOECINI Breuning, 1951a: 5 [stem: *Amphoec-*]. Type genus: *Amphoeus* Montrouzier, 1861.

Tribe ANCITINI Aurivillius, 1917

- ANCITINI Aurivillius, 1917: 28 [stem: *Ancit-*]. Type genus: *Ancita* J. Thomson, 1864.

Tribe ANCYLONOTINI Lacordaire, 1869

- ANCYLONOTIDES Lacordaire, 1869: 391 [stem: *Ancylonot-*]. Type genus: *Ancylonotus* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1871: 268, as ANCYLONOTINAE), generally accepted as in Aurivillius (1922a: 152, as ANCYLONOTINI).

Tribe ANISOCERINI Thomson, 1860

- ANISOCERITAE J. Thomson, 1860a: 31 [stem: *Anisocer-*]. Type genus: *Anisocerus* Lacordaire, 1830.

- ONYCHOCERITAE J. Thomson, 1864: 19 [stem: *Onychocer-*]. Type genus: *Onychocerus* Lacordaire, 1830.

- PLATYSTERNIDES Lacordaire, 1872: 729 [stem: *Platystern-*]. Type genus: *Platysternus* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1923: 371,

as PLATYSTERNINI); junior homonym of the turtle family PLATYSTERNIDAE Gray, 1869 (type genus *Platysternon* Gray, 1831) which is currently used as valid; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe APOMECYNINI Thomson, 1860

APOMECYNITAE J. Thomson, 1860a: 66 [stem: *Apomecyn-*]. Type genus: *Apomecyna* Dejean, 1821. Comment: name incorrectly spelled APOMECINITAE on page 3 but correct spelling used on pages 42, 66 and 68 of the original publication.

ADÉTIDES Lacordaire, 1872: 592 [stem: *Adet-*]. Type genus: *Adetus* J. L. LeConte, 1852. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 288, as ADETINI).

*AGENNOPSIDES Lacordaire, 1872: 592 [stem: *Agennopse-*]. Type genus: *Agennop sis* J. Thomson, 1857 [syn. of *Adetus* J. L. LeConte, 1852]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

PTÉRICOPTIDES Lacordaire, 1872: 601 [stem: *Ptericotp-*]. Type genus: *Ptericoptus* Lacordaire, 1830. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gestro (1876: 140, as PTERICOPTINI), generally accepted as in Aurivillius (1922a: 294, as PTERICOPTINI).

ECTATOSIIDES Lacordaire, 1872: 708 [stem: *Ectatosi-*]. Type genus: *Ectatosia* Pascoe, 1857. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1923: 363, as ECTATOSIINI).

ISCHIOLONCHIDES Lacordaire, 1872: 709 [stem: *Ischiolonch-*]. Type genus: *Ischiol oncha* J. Thomson, 1860. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1923: 364, as ISCHIOLONCHINI).

Tribe ASTATHINI Thomson, 1864

*TÉTRAOPHTHALMITES Blanchard, 1845b: 160 [stem: *Tetraophthalm-*]. Type genus: *Tetraophthalmus* Dejean, 1835. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Sama (2010: 56, as TETRAOPHTHALMINI) but not generally accepted as valid.

ASTATHITAE J. Thomson, 1864: 117 [stem: *Astath-*]. Type genus: *Astathes* Newman, 1842 [syn. of *Tetraophthalmus* Dejean, 1835]. Comment: published before October 1864; this family-group name was also used in the same year by Pascoe (1864 [before 3 October]: 8, as ASTHATEINAE [incorrect stem formation]); Pascoe (1864: 81, 85) refers to the publication by J. Thomson (1864) which is further evidence that the publication by Thomson was published first; this tribe name was incorrectly credited to Pascoe (1864) by Bousquet et al. (2009: 26).

Tribe BATOCERINI Thomson, 1864

BATOCERITAE J. Thomson, 1864: 74 [stem: *Batocer-*]. Type genus: *Batocera* Dejean, 1835.

Tribe CALLIINI Thomson, 1864

CALLITAE J. Thomson, 1864: 123 [stem: *Calli-*]. Type genus: *Callia* Audinet-Serville, 1835. Comment: incorrect original stem formation, not in prevailing usage.

GRYLLOCIDAE Lacordaire, 1872: 902 [stem: *Gryllic-*]. Type genus: *Gryllica* J. Thomson, 1860. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by H. W. Bates (1874a: 234, as *GRYLLOCINAE*), generally accepted as in Aurivillius (1923: 604, as *GRYLLOCINI*).

Tribe CEROPTLESINI Thomson, 1860

CEROPTLESITAE J. Thomson, 1860a: 95 [stem: *Ceroples-*]. Type genus: *Ceroplesia* Audinet-Serville, 1835 [placed on the Official List of Generic Names in Zoology (ICZN 1986c)].

Subtribe CEROPTLESINA Thomson, 1860

CEROPTLESITAE J. Thomson, 1860a: 95 [stem: *Ceroples-*]. Type genus: *Ceroplesia* Audinet-Serville, 1835 [placed on the Official List of Generic Names in Zoology (ICZN 1986c)].

Subtribe CROSSOTINA Thomson, 1864

CROSSOTITAE J. Thomson, 1864: 64 [stem: *Crossot-*]. Type genus: *Crossotus* Audinet-Serville, 1835. Comment: downgraded to subtribe by Sama (2008: 235).

ÉCYROSCHÉMIDES Lacordaire, 1872: 503 [stem: *Ecyroschemat-*]. Type genus: *Ecyroschema* J. Thomson, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 241, as *ECYROSCHEMINI*); incorrect original stem formation, not in prevailing usage.

HÉCYRIDIDES Lacordaire, 1872: 517 [stem: *Hecyrid-*]. Type genus: *Hecyrida* J. Thomson, 1860 [syn. of *Hecyra* J. Thomson, 1857]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 318, as *HECYRIDINAE*), generally accepted as in Aurivillius (1922a: 243, as *HECYRINI*).

CORYNOFREINAe Aurivillius, 1911a: 37 [stem: *Corynofre-*]. Type genus: *Corynofrea* Aurivillius, 1911.

Tribe CLONIOCERINI Lacordaire, 1872

CLONIOCÉRIDES Lacordaire, 1872: 590 [stem: *Cloniocer-*]. Type genus: *Cloniocerus* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2):

first used in latinized form and generally accepted as in Aurivillius (1922a: 287, as CLONIOCERINI).

Tribe COLOBOTHEINI Thomson, 1860

COLOBOTHEITAE J. Thomson, 1860a: 18 [stem: *Colobothe-*]. Type genus: *Colobothea* Lepeletier and Audinet-Serville, 1825 [*Colobothea* is an incorrect subsequent spelling of the original spelling *Colobotea*, in prevailing usage and so deemed to be the correct original spelling (Art. 33.3.1)].

Tribe COMPSOSOMATINI Thomson, 1857

COMPSOSOMITES J. Thomson, 1857b: 70 [stem: *Compsosomat-*]. Type genus: *Compsosoma* Lacordaire, 1830. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1860a: 34, as COMPSOSOMITAE), generally accepted as in Aurivillius (1923: 336, as COMPSOSOMATINI); incorrect original stem formation, not in prevailing usage.

AERENEITES J. Thomson, 1868: 92 [stem: *Aerene-*]. Type genus: *Aerenea* J. Thomson, 1857 [*Aerenea* is an incorrect subsequent spelling of the original spelling *Aerenaea*, introduced by J. Thomson (1860a: 34), in prevailing usage and so deemed to be the correct original spelling (Art. 33.3.1)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gounelle (1908: 7, as AERENEINAE), generally accepted as in Aurivillius (1923: 338, as AERENEINI).

Tribe CYRTININI Thomson, 1864

CYRTINITAE J. Thomson, 1864: 41 [stem: *Cyrtin-*]. Type genus: *Cyrtinus* J. L. Le Conte, 1852.

ACANTHOMEROSTERNOPLONINI Tippmann, 1956: 10 [stem: *Acanthomerosternopl-*]. Type genus: *Acanthomerosternopl*on Tippmann, 1955 [syn. of *Omosarotes* Pascoe, 1860]. Comment: incorrect original stem formation, not in prevailing usage.

SCOPADINI Villiers, 1980: 587 [stem: *Scopad-*]. Type genus: *Scopadus* Pascoe, 1857.

Tribe DESMIPHORINI Thomson, 1860

DESMIPHORITAE J. Thomson, 1860a: 74 [stem: *Desmiphor-*]. Type genus: *Desmiphora* Audinet-Serville, 1835.

*ANAESTHÉTITES Fairmaire, 1864: 166 [stem: *Anaesthet-*]. Type genus: *Anaesthetis* Dejean, 1835. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

MÉTONIDES Lacordaire, 1869: 387 [stem: *Metont-*]. Type genus: *Meton* Pascoe, 1859. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 150, as MÉTONINI); incorrect original stem formation, not in prevailing usage.

HEBESECINAE Pascoe, 1871: 277 [stem: *Hebescid-*]. Type genus: *Hebesecis* Pascoe, 1865. Comment: incorrect original stem formation, not in prevailing usage.

AMYMOMIDES Lacordaire, 1872: 468 [stem: *Amymom-*]. Type genus: *Amymoma* Pascoe, 1866 [preoccupied genus name, not *Amymoma* Latreille, 1797 [Crustacea]; syn. of *Neoamymoma* Marinoni, 1977]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 218, as AMYMOMINI); permanently invalid (Art. 39): based on preoccupied type genus.

CRINOTARSIDES Lacordaire, 1872: 475 [stem: *Crinotars-*]. Type genus: *Crinotarsus* Blanchard, 1853. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 229, as CRINOTARSINI).

ÉPICASTIDES Lacordaire, 1872: 490 [stem: *Epicast-*]. Type genus: *Epicasta* J. Thomson, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 237, as EPICASTINI).

APODASYIDES Lacordaire, 1872: 623 [stem: *Apodasy-*]. Type genus: *Apodasya* Pascoe, 1863 [the genus name *Chaetosoma* Chevrolat, 1843: 367 is a senior objective synonym of *Apodasya* Pascoe and should be used as valid based on the Principle of Priority; *Chaetosoma* Chevrolat, 1843 is also a senior homonym of the well-established *Chaetosoma* Westwood, 1851, which is the type genus of CHAETOSOMATIDAE Crowson, 1952 used as valid in CUCUJOIDEA; because the discovery of the available name *Chaetosoma* Chevrolat, 1843 causes problems for well-established names in CUCUJOIDEA and CERAMBYCIDAE, an application was recently submitted by Bousquet and Bouchard (2010) to suppress it for the Principles of Priority and Homonymy (see Appendix 6)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 321, as APODASINAE [incorrect stem formation]), generally accepted as in Aurivillius (1922a: 305, as APODASYINI).

NÉDINIDES Lacordaire, 1872: 635 [stem: *Nedin-*]. Type genus: *Nedine* J. Thomson, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 317, as NEDININI).

ESTOLIDES Lacordaire, 1872: 636 [stem: *Estol-*]. Type genus: *Estola* Fairmaire and Germain, 1859. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1873: 340, as ESTOLAE), generally accepted as in Aurivillius (1922a: 317, as ESTOLINI).

PSENOCERINI J. L. LeConte, 1873: 333 [stem: *Psenocer-*]. Type genus: *Psenocerus* J. L. LeConte, 1852.

EUPOGONII J. L. LeConte, 1873: 342 [stem: *Eupogoni-*]. Type genus: *Eupogonius* J. L. LeConte, 1852.

ESSISINI Aurivillius, 1917: 44 [stem: *Essis-*]. Type genus: *Eassisus* Pascoe, 1866.

VELORINI Aurivillius, 1917: 32 [stem: *Velor-*]. Type genus: *Velora* J. Thomson, 1864.

Tribe DORCADIONINI Swainson, 1840

DORCADIONINAE Swainson, 1840: 290 [stem: *Dorcadi-*]. Type genus: *Dorcadion* Dalman, 1817. Comment: this family-group name was incorrectly credited to Swainson and Shuckard (1840) by Bousquet et al. (2009: 29); current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Dorcadi-*; see Vives and Alonso-Zarazaga 2000: 659); tribe placed in synonymy with LAMIINI by Sama (2008: 233).

DORCADODIIDAE Gistel, 1856a: 376 [stem: *Dorcadodi-*]. Type genus: *Dorcadodium* Gistel, 1856 [this name is a senior synonym of *Carinatodorcadion* Breuning, 1943 (see Vives and Alonso-Zarazaga 2000: 659 for type species designation of *Dorcadodium* Gistel); we could not find enough references to treat *Dorcadodium* Gistel, 1856 as a *nomen oblitum*, however we believe that an application should be submitted to the Commission to preserve usage of *Carinatodorcadion* Breuning, 1943].

Tribe DORCASCHEMATINI Thomson, 1860

DORCASCHEMITAE J. Thomson, 1860a: 107 [stem: *Dorcaschemat-*]. Type genus: *Dorcaschema* Haldeman, 1847. Comment: incorrect original stem formation, not in prevailing usage; name spelled DORCHASCHEMITAE on page 104 but spelled DORCASCHEMITAE on pages 4 and 107 of the original publication.

PROTONARTHROTHONITAE J. Thomson, 1864: 57 [stem: *Protonarthr-*]. Type genus: *Protonarthron* J. Thomson, 1858. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ELYTRACANTHININI Bousquet, 2009

ELYTRACANTHINAE Lane, 1955: 281 [stem: *Elytracanth-*]. Type genus: *Elytracantha* Lane, 1955 [preoccupied type genus, not *Elytracantha* Kleine, 1915 [Coleoptera: BRENTIDAE]; syn. of *Elytracanthina* Monné, 2005]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ELYTRACANTHININI Bousquet, 2009: 30 [stem: *Elytracanthin-*]. Type genus: *Elytracanthina* Monné, 2005. Comment: replacement name for ELYTRACANTHINAE Lane, 1955 because of the homonymy of the type genus.

Tribe ENICODINI Thomson, 1864

ENICODITAE J. Thomson, 1864: 36 [stem: *Enicod-*]. Type genus: *Enicodes* Gray, 1832. Comment: First Reviser (ENICODINI J. Thomson, 1864 vs NEMASCHEMATINI J. Thomson, 1864 vs LEPTONOTINI J. Thomson, 1864) not determined, current usage maintained.

NEMASCHEMITAE J. Thomson, 1864: 36 [stem: *Nemaschemat-*]. Type genus: *Nemaschema* J. Thomson, 1861. Comment: incorrect original stem formation, not in prevailing usage.

LEPTONOTITAE J. Thomson, 1864: 36 [stem: *Leptonot-*]. Type genus: *Leptonota* J. Thomson, 1861.

*ÉNOTIDES Lacordaire, 1872: 487 [stem: *Enotet-*]. Type genus: *Enotes* J. Thomson, 1864. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; incorrect original stem formation, not in prevailing usage.

Tribe EUPROMERINI Galileo and Martins, 1995

EUPROMERINI Galileo and Martins, 1995: 132 [stem: *Eupromer-*]. Type genus: *Eupromera* Westwood, 1845.

Tribe FORSTERIINI Tippmann, 1960

HEBESTOLITAE J. Thomson, 1864: 107 [stem: *Hebestol-*]. Type genus: *Hebestola* Blanchard, 1851 [preoccupied genus name, not *Hebestola* Haldeman, 1847 [Coleoptera: CERAMBYCIDAE: LAMIINAE: MONOCHAMINI]; syn. of *Neohebestola* Marinoni, 1977]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

FORSTERIINI Tippmann, 1960: 210 [stem: *Forsteri-*]. Type genus: *Forsteria* Tippmann, 1960 [syn. of *Falsamblesthis* Breuning, 1959].

FALSAMBLESTHIINI Gilmour, 1961: 131 [stem: *Falsamblesth-*]. Type genus: *Falsamblesthis* Breuning, 1959. Comment: name proposed to replace FORSTERIINI Tippmann, 1960 because of the synonymy of the type genus; however, because the name was proposed after 1960, it cannot be maintained (Art. 40.2); incorrect original stem formation, not in prevailing usage.

Tribe GNOMINI Thomson, 1860

GNOMITAE J. Thomson, 1860a: 105 [stem: *Gnom-*]. Type genus: *Gnoma* Fabricius, 1801.

Tribe GYARITINI Breuning, 1950

GYARITINI Breuning, 1950c: 27 [stem: *Gyarit-*]. Type genus: *Gyaritus* Pascoe, 1858.

Tribe HELIOLINI Breuning, 1951

HELIOLINI Breuning, 1951a: 8 [stem: *Heliol-*]. Type genus: *Heliolus* Fauvel, 1907.

Tribe HEMILOPHINI Thomson, 1868 *nomen protectum*

AMPHIONYCHITAE J. Thomson, 1860a: 63 [stem: *Amphionych-*]. Type genus: *Amphionycha* Dejean, 1835 [syn. of *Adesmus* Lepeletier and Audinet-Serville, 1825]. Comment: *nomen oblitum* (see Bousquet et al. 2009: 31).

HEMILOPHITAE J. Thomson, 1868: 189 [stem: *Hemiloph-*]. Type genus: *Hemilophus* Audinet-Serville, 1835. Comment: *nomen protectum* (see Bousquet et al. 2009: 31).

ITESINI Lepesme, 1943: 137 [stem: *It-*]. Type genus: *Ites* C. O. Waterhouse, 1880. Comment: incorrect original stem formation, not in prevailing usage; the tribe ITINI Reitter, 1913 (type genus *Ita* Tournier, 1878), which is based on the same stem, is currently used as valid in Coleoptera: CURCULIONIDAE.

Tribe HOMONOEINI Thomson, 1864

HOMONAEITAE J. Thomson, 1864: 35 [stem: *Homonoe-*]. Type genus: *Homonoea* Newman, 1842 [as *Homonaea*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

BUMÉTOPIDES Lacordaire, 1872: 477 [stem: *Bumetopi-*]. Type genus: *Bumetopia* Pascoe, 1858. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gestro (1876: 140, as BUMETOPINI [incorrect stem formation]), generally accepted as in Aurivillius (1922a: 231, as BUMETOPINI [incorrect stem formation]); incorrect original stem formation, not in prevailing usage.

Tribe HYBORHABDINI Aurivillius, 1911

HYBORHABDINAE Aurivillius, 1911b: 22 [stem: *Hyborhabd-*]. Type genus: *Hyborhabdus* Aurivillius, 1911.

Tribe LAMIINI Latreille, 1825

LAMIARIAE Latreille, 1825: 401 [stem: *Lami-*]. Type genus: *Lamia* Fabricius, 1775.

PACHYSTOLAEIDAE Gistel, 1848: [9] [stem: *Pachystol-*]. Type genus: *Pachystola* Dejean, 1835 [syn. of *Lamia* Fabricius, 1775]. Comment: incorrect original stem formation, not in prevailing usage.

PHRISSOMITAE J. Thomson, 1860a: 22 [stem: *Phrissomat-*]. Type genus: *Phrissoma* Dejean, 1835. Comment: incorrect original stem formation, not in prevailing usage; J. Thomson originally spelled the family-group name PHRYSSOMITAE on page 25, however the spelling PHRISSOMITAE was used on pages 2 and 22 in the same publication; tribe placed in synonymy with LAMIINI by Sama (2008: 233).

MORIMITAE J. Thomson, 1864: 77 [stem: *Morim-*]. Type genus: *Morimus* Brullé, 1832.

POTEMNEMINI Aurivillius, 1922a: 117 [stem: *Potemnem-*]. Type genus: *Potemnemus* J. Thomson, 1864.

Tribe LATICRANIINI Lane, 1959

LATICRANIINAE Lane, 1959: 312 [stem: *Laticrani-*]. Type genus: *Laticranium* Lane, 1959.

Tribe MAUESIINI Lane, 1956

MAUESINAE Lane, 1956: 19 [stem: *Mauesi-*]. Type genus: *Mauesia* Lane, 1956. Comment: incorrect original stem formation, not in prevailing usage.

Tribe MEGABASINI Thomson, 1860

MEGABASITAE J. Thomson, 1860a: 30 [stem: *Megabas-*]. Type genus: *Megabasis* Audinet-Serville, 1835. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Megabase-*).

Tribe MESOSINI Mulsant, 1839

MÉSOSAIRES Mulsant, 1839: 165 [stem: *Mesos-*]. Type genus: *Mesosa* Latreille, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gistel (1848: [9], as MESOSAEIDAE [incorrect stem formation]), generally accepted as in López-Pérez (2006: 59, as MESOSINI).

Tribe MICROCYMATURINI Breuning and Teocchi, 1985

MICROCYMATURINI Breuning and Teocchi, 1985: 155 [stem: *Microcymatur-*]. Type genus: *Microcymatura* Breuning, 1950.

Tribe MONEILEMINI Thomson, 1864

MONEILEMITAE J. Thomson, 1864: 43 [stem: *Moneilem-*]. Type genus: *Moneilema* Say, 1824. Comment: current spelling maintained (Art. 29.5); incorrect original stem formation in prevailing usage (should be *Moneilemat-*).

Tribe MONOCHAMINI Gistel, 1848

MONOHAMMIDAE Gistel, 1848: [9] [stem: *Monocham-*]. Type genus: *Monochamus* Dejean, 1821 [as *Monohammus*, unjustified emendation of type genus name by Dejean (1835: 340), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

TAENIOTITAE J. Thomson, 1864: 76 [stem: *Taeniot-*]. Type genus: *Taeniotes* Audinet-Serville, 1835.

AGNITAE J. Thomson, 1864: 83 [stem: *Agni-*]. Type genus: *Agnia* Newman, 1842. Comment: incorrect original stem formation, not in prevailing usage.

GERANITAE J. Thomson, 1864: 93 [stem: *Gerani-*]. Type genus: *Gerania* Audinet-Serville, 1835. Comment: incorrect original stem formation, not in prevailing usage.

PTYCHODES J. L. LeConte, 1873: 335 [stem: *Ptychod-*]. Type genus: *Ptychodes* Audinet-Serville, 1835.

GOES J. L. LeConte, 1873: 335 [stem: *Goet-*]. Type genus: *Goes* J. L. LeConte, 1852. Comment: incorrect original stem formation, not in prevailing usage.

DOCOHAMMIDI E. S. Dillon and L. S. Dillon, 1959b: 7 [stem: *Docohamm-*]. Type genus: *Docohammus* Aurivillius, 1908.

Tribe MORIMONELLINI Lobanov, Danilevsky and Murzin, 1981

MORIMONELLINI Lobanov et al., 1981: 790 [stem: *Morimonell-*]. Type genus: *Morimonella* Podaný, 1979. Comment: description by indication (distinguishing characters given in Podany (1979: 43, as OLIGORCHINI)).

Tribe MORIMOPSINI Lacordaire, 1869

MORIMOPSIDES Lacordaire, 1869: 289 [stem: *Morimops-*]. Type genus: *Morimopsis* J. Thomson, 1857. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 64,

as MORIMOPSINI); current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Morimopse-*).

Tribe NYCTIMENINI Gressitt, 1951

NYCTIMENITAE J. Thomson, 1864: 94 [stem: *Nyctimen-*]. Type genus: *Nyctimene* J. Thomson, 1857 [preoccupied genus name, not *Nyctimene* Borkenhausen, 1797 [Mammalia]; syn. of *Nyctimenius* Gressitt, 1951]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

NYCTIMENIINI Gressitt, 1951: 629 [stem: *Nyctimeni-*]. Type genus: *Nyctimenius* Gressitt, 1951. Comment: replacement name for NYCTIMENINI J. Thomson, 1864 because of the homonymy of the type genus.

Tribe OBEREINI Thomson, 1864

OBEREITAE J. Thomson, 1864: 117 [stem: *Obere-*]. Type genus: *Oberea* Dejean, 1835. Comment: published before October 1864; this family-group name was also used in the same year by Pascoe (1864 [before 3 October]: 8, as OBEREINAЕ); Pascoe (1864: 81, 85) refers to the publication by J. Thomson (1864) which is further evidence that the publication by Thomson was published first; this tribe name was incorrectly credited to Pascoe (1864) by Bousquet et al. (2009: 33).

Tribe OCULARIINI Breuning, 1950

OCULARIINI Breuning, 1950a: 263 [stem: *Oculari-*]. Type genus: *Ocularia* Jordan, 1894.

Tribe ONCIDERINI Thomson, 1860

ONCIDERITAE J. Thomson, 1860a: 38 [stem: *Oncider-*]. Type genus: *Oncideres* Lacordaire, 1830 [*Oncideres* is an incorrect subsequent spelling of *Oncyderes* Lacordaire, 1830, introduced by Audinet-Serville (1835: 67), in prevailing usage and attributed to Lacordaire (1830b), e.g., Monné (2005b: 571), and so deemed to be the correct original spelling (Art. 33.3.1)]. Comment: First Reviser (ONCIDERINI J. Thomson, 1860 vs HYPsiomatini J. Thomson, 1860) not determined, current usage maintained.

HYPsiOMITAE J. Thomson, 1860a: 109 [stem: *Hypsiomat-*]. Type genus: *Hypsioma* Audinet-Serville, 1835. Comment: incorrect original stem formation, not in prevailing usage.

HYPSELOMINAE Pascoe, 1864: 7 [stem: *Hypselom-*]. Type genus: *Hypselomus* Perty, 1832.

Tribe ONCIDEROPSIDINI Aurivillius, 1922

ONCIDEROPSIDINI Aurivillius, 1922c: 165 [stem: *Oncideropsisid-*]. Type genus: *Oncideropsis* Aurivillius, 1922. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Oncideropse-*).

Tribe ONOCEPHALINI Thomson, 1860

ONOCEPHALITAE J. Thomson, 1860a: 120 [stem: *Onocephal-*]. Type genus: *Onocephala* J. Thomson, 1857.

TribeONYCHOGLENEINI Aurivillius, 1923

ONYCHOGLENEINI Aurivillius, 1923: 513 [stem: *Onychoglene-*]. Type genus: *Onychoglenea* Aurivillius, 1922.

Tribe PARMENINI Mulsant, 1839

PARMÉNAIRES Mulsant, 1839: 118 [stem: *Parmen-*]. Type genus: *Parmena* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1864: 38, as PARMENITAE), generally accepted as in Villiers (1978: 449, as PARMENINI).

HEXATHRICITAE J. Thomson, 1864: 38 [stem: *Hexatrich-*]. Type genus: *Hexatricha* A. White, 1846 [as *Hexathrica*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: the spelling HEXARTHRICITAE (page 38) was corrected to HEXATHRICITAE on page 339 and in the errata (page 483) of the same work; the corrected spelling represents an incorrect original stem formation, not in prevailing usage.

*DORCADIDIDES Lacordaire, 1869: 257 [stem: *Dorcadid-*]. Type genus: *Dorcadida* A. White, 1846. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 241, as DORCADIDINI), but not generally accepted as valid.

Tribe PETROGNATHINI Blanchard, 1845

PÉTROGNATHITES Blanchard, 1845b: 160 [stem: *Petrognath-*]. Type genus: *Petrognatha* Leach, 1819. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 316, as PETROGNATHINAE), generally accepted as in Aurivillius (1922a: 205, as PETROGNATHINI).

*OMACANTHIDES Lacordaire, 1872: 447 [stem: *Omacanth-*]. Type genus: *Omacantha* Audinet-Serville, 1835 [syn. of *Petrognatha* Leach, 1819]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 243, as OMACANTHINI), but not generally accepted as valid; OMACANTHIDAE was used as valid by Ienistea (1986: 30) but it was not attributed to Lacordaire (1872); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe PHACELLINI Lacordaire, 1872

PHACELLIDES Lacordaire, 1872: 664 [stem: *Phacell-*]. Type genus: *Phacellus* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gounelle (1908: 7, as PHACELLINAE), generally accepted as in Aurivillius (1923: 339, as PHACELLINI).

Tribe PHANTASINI Kolbe, 1897

*PHANTASIDES Lacordaire, 1869: 285 [stem: *Phantas-*]. Type genus: *Phantasis* J. Thomson, 1860. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1869).

PHANTASINAE Kolbe, 1897: 306 [stem: *Phantas-*]. Type genus: *Phantasis* J. Thomson, 1860. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Phantase-*).

PHANTASINI Hunt and Breuning, 1957: 51 [stem: *Phantas-*]. Type genus: *Phantasis* J. Thomson, 1860. Comment: family group name proposed as new without reference to PHANTASINAE Kolbe, 1897; current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Phantase-*).

Tribe PHRYNETINI Thomson, 1864

PHRYNETITAE J. Thomson, 1864: 71 [stem: *Phrynet-*]. Type genus: *Phrynetia* Dejean, 1835.

Tribe PHYMASTERNINI Teocchi, 1989

PHYMASTERNINI Teocchi, 1989: 4 [stem: *Phymastern-*]. Type genus: *Phymasterna* Laporte, 1840 [for comments on problems with the authorship and type species of this type genus see Bousquet et al. (2009: 35)].

Tribe PHYTOECIINI Mulsant, 1839

PHYTOECIARES Mulsant, 1839: 191 [stem: *Phytoeci-*]. Type genus: *Phytoecia* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1864: 8, as PHYTOECINAE), generally accepted as in Villiers (1978: 521, as PHYTOECIINI).

Tribe POGONOCHERINI Mulsant, 1839

POGONOCHÉRAIRES Mulsant, 1839: 151 [stem: *Pogonocher-*]. Type genus: *Pogonocherus* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1873: 340, as POGONOCHERINI), generally accepted as in Villiers (1978: 465, as POGONOCHERINI).

*EXOCENTRITES Fairmaire, 1864: 157 [stem: *Exocentr-*]. Type genus: *Exocentrus* Dejean, 1835. Comment: published early September 1864; original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Fairmaire (1864).

EXOCENTRINAE Pascoe, 1864: 7 [stem: *Exocentr-*]. Type genus: *Exocentrus* Dejean, 1835. Comment: published 3 October 1864.

ZAPLOI J. L. LeConte and G. H. Horn, 1883: 327 [stem: *Zaplo-*]. Type genus: *Zaplous* J. L. LeConte, 1878.

Tribe POLYRHAPHIDINI Thomson, 1860

POLYRHAPHITAE J. Thomson, 1860a: 30 [stem: *Polyrhaphid-*]. Type genus: *Polyrhabphis* Audinet-Serville, 1835. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PRETILIINI Martins and Galileo, 1990

PRETILIINI Martins and Galileo, 1990: 705, in key [stem: *Pretili-*]. Type genus: *Pretilia* H. W. Bates, 1866.

Tribe PROCTOCERINI Aurivillius, 1922

*CLINIIDES Lacordaire, 1872: 424 [stem: *Clini-*]. Type genus: *Clinia* J. Thomson, 1857 [syn. of *Proctocera* Chevrolat, 1855]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Breuning (1950d: 411, as CLINIINI), but not generally accepted as valid; CLINIIDAE was used as valid by Ienistea (1986: 30) but it was not attributed to Lacordaire (1872); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

PROCTOCERINI Aurivillius, 1922a: 182 [stem: *Proctocer-*]. Type genus: *Proctocera* Chevrolat, 1855.

Tribe PROSOPOCERINI Thomson, 1864

PROSOPOCERITAE J. Thomson, 1864: 72 [stem: *Prosopocer-*]. Type genus: *Prosopocera* Blanchard, 1845.

Tribe PTEROPLIINI Thomson, 1860

PTEROPLIITAE J. Thomson, 1860a: 73 [stem: *Pteropli-*]. Type genus: *Pteroplus* Lacordaire, 1830 [as *Pteroplia*, incorrect subsequent spelling of type genus name, not in prevailing usage; *Pteroplus* is an incorrect subsequent spelling of *Pterohoplus* Lacordaire, 1830, introduced by Audinet-Serville (1835: 65), in prevailing usage and attributed to Lacordaire (1830b), e.g., Monné (2005b: 295), and so deemed to be the correct original spelling (Art. 33.3.1)].

ABRYNITAE J. Thomson, 1864: 44 [stem: *Abrypn-*]. Type genus: *Abryna* Newman, 1842.

PROTORHOPALITAE J. Thomson, 1864: 69 [stem: *Protorhopal-*]. Type genus: *Protorhopala* J. Thomson, 1860.

NIPHONINAE Pascoe, 1864: 56 [stem: *Niphon-*]. Type genus: *Niphona* Mulsant, 1839.

ATAXIIDES Lacordaire, 1872: 597 [stem: *Ataxi-*]. Type genus: *Ataxia* Haldeman, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1873: 344, as ATAXIINI), generally accepted as in Aurivillius (1922a: 291, as ATAXIINI).

EMPHYTOECIIDES Lacordaire, 1872: 713 [stem: *Emphytoeci-*]. Type genus: *Emphytoecia* Fairmaire and Germain, 1860. Comment: original vernacular name

available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1923: 365, as *EMPHYTOECIINI*).

BAROEIDES Lacordaire, 1872: 439 [stem: *Barae-*]. Type genus: *Baraeus* J. Thomson, 1858 [as *Baroeus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: also spelled **BARÉIDES** on page 414 of the same work; original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 206, as *BARAEINI*).

ATOSSIDES Lacordaire, 1872: 496 [stem: *Atoss-*]. Type genus: *Atossa* J. Thomson, 1864 [syn. of *Grammoechus* J. Thomson, 1864]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 149, as *ATOSSINI*).

METAGNOMINI Aurivillius, 1925: 13 [stem: *Metagnom-*]. Type genus: *Metagnoma* Aurivillius, 1925.

Tribe RHODOPININI Gressitt, 1951

RHODOPIDES Lacordaire, 1872: 450 [stem: *Rhodopid-*]. Type genus: *Rhodopis* J. Thomson, 1857 [preoccupied genus name, not *Rhodopis* Reichenbach, 1854 [Aves]; syn. of *Rhodopina* Gressit, 1951]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 210, as *RHODOPINI*); incorrect original stem formation, not in prevailing usage; permanently invalid (Art. 39): based on preoccupied type genus.

RHODOPININI Gressitt, 1951: 439 [stem: *Rhodopin-*]. Type genus: *Rhodopina* Gressitt, 1951. Comment: replacement name for **RHODOPINI** Lacordaire, 1872 because of the homonymy of the type genus.

Tribe SAPERDINI Mulsant, 1839

SAPERDAIRES Mulsant, 1839: 181 [stem: *Saperd-*]. Type genus: *Saperda* Fabricius, 1775 [placed on the Official List of Generic Names in Zoology (ICZN 1980)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Blanchard (1853: 299, as *SAPERDITAE*), generally accepted as in Aurivillius (1923: 468, as *SAPERDINI*).

GLENEÏTAE J. Thomson, 1864: 123 [stem: *Glene-*]. Type genus: *Glenea* Newman, 1842 [for comments on problems with the authorship and type species of this type genus see Bousquet et al. (2009: 37)].

Tribe STENOBIIINI Breuning, 1950

STENOBIINI Breuning, 1950b: 305 [stem: *Stenobi-*]. Type genus: *Stenobia* Lacordaire, 1872.

Tribe STERNOTOMINI Thomson, 1860

***STELLOGNATHITES** Blanchard, 1845b: 158 [stem: *Stellognath-*]. Type genus: *Stellognatha* Dejean, 1835. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

STERNOTOMITAE J. Thomson, 1860a: 87 [stem: *Sternotom-*]. Type genus: *Sternotomis* Percheron, 1836 [*Sternodonta* Dejean, 1835, a senior synonym of *Sternotomis* Percheron, 1836, is a *nomen oblitum* and *Sternotomis* is a *nomen protectum* following Sama (2009a: 24)]. Comment: current spelling maintained (Art. 29.3.1.1): incorrect original stem formation in prevailing usage (should be *Sternotomid-*).

Tribe TAPEININI Thomson, 1857

TAPEINITES J. Thomson, 1857b: 41 [stem: *Tapein-*]. Type genus: *Tapeina* Lepeletier and Audinet-Serville, 1828. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1860a: 73, as TAPEINITAE), generally accepted as in Aurivillius (1922a: 236, as TAPEININI).

Tribe TETRAOPINI Thomson, 1860

TETRAOPESITAE J. Thomson, 1860a: 66 [stem: *Tetraop-*]. Type genus: *Tetraopes* Schönherr, 1817. Comment: incorrect original stem formation, not in prevailing usage.

Tribe TETRAULAXINI Breuning and Teocchi, 1977

TETRAULAXINI Breuning and Teocchi, 1977: 881 [stem: *Tetraulax-*]. Type genus: *Tetraulax* Jordan, 1903. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Tetraulac-*).

Tribe TETROPINI Portevin, 1927

*POLYOPSIATES Mulsant, 1863b: 340 [stem: *Polyopsi-*]. Type genus: *Polyopsia* Mulsant, 1839 [syn. of *Tetrops* Stephens, 1829]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*TÉTROPIDES Planet, 1924: 326 [stem: *Tetrop-*]. Type genus: *Tetrops* Stephens, 1829 [for comments on problems with the authorship and type species of this type genus see Bousquet et al. (2009: 38)]. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899; the argument of Sama (2008: 240) that Planet's name is available, even if published after 1900 in a vernacular form, because it was used as valid in a latinized form and credited to Planet (1924) by Vives (2000: 508) is incorrect (see Bousquet et al. 2009: 38).

TETROPINI Portevin, 1927: 39, in key [stem: *Tetrop-*]. Type genus: *Tetrops* Stephens, 1829 [for comments on problems with the authorship and type species of this type genus see Bousquet et al. (2009: 38)].

Tribe THEOCRINI Lacordaire, 1872

THÉOCRIDES Lacordaire, 1872: 494 [stem: *Theocr-*]. Type genus: *Theocris* J. Thomson, 1858. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gahan (1890: 322, as THEOCRINAE), generally accepted as in Aurivillius (1922a: 238, as THEOCRIDINI [incorrect stem formation]).

Tribe TMESISTERNINI Blanchard, 1853

TMESISTERNITAE Blanchard, 1853: 274 [stem: *Tmesistern-*]. Type genus: *Tmesisternus* Latreille, 1829.

SPINGNOTHITAE J. Thomson, 1864: 31 [stem: *Sphingnot-*]. Type genus: *Sphingnotus* Perroud, 1855 [as *Spingnothus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

ICHTHYOSOMITAE J. Thomson, 1864: 33 [stem: *Ichthyosom-*]. Type genus: *Ichthyosomus* Boisduval, 1835.

*ARSYIIDES Lacordaire, 1872: 479 [stem: *Arsysi-*]. Type genus: *Arsysia* Pascoe, 1867 [syn. of *Trigonoptera* Perroud, 1855]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Gestro (1876: 140, as ARSYIINI), but not generally accepted as valid; ARSYIIDAE was used as valid by Ienistea (1986: 30) but it was not attributed to Lacordaire (1872); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

TRIGONOPTERINI Aurivillius, 1922a: 229 [stem: *Trigonopter-*]. Type genus: *Trigonoptera* Perroud, 1855. Comment: replacement name for ARSYIIDES Lacordaire, 1872 because of the synonymy of the type genus.

Tribe TRAGOCEPHALINI Thomson, 1857

TRAGOCEPHALITES J. Thomson, 1857b: 26 [stem: *Tragocephal-*]. Type genus: *Tragocephala* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. Thomson (1860a: 88, as TRAGOCEPHALITAE), generally accepted as in Aurivillius (1922a: 171, as TRAGOCEPHALINI).

Tribe XENICOTELINI Matsushita, 1933

XENICOTELINI Matsushita, 1933: 346 [stem: *Xenicotel-*]. Type genus: *Xenicotela* H. W. Bates, 1884.

Tribe XENOFREINI Aurivillius, 1923

XENOFREINI Aurivillius, 1923: 375 [stem: *Xenofre-*]. Type genus: *Xenofrea* H. W. Bates, 1885. Comment: this name has been attributed to H. W. Bates (1885: 373) in the literature but we did not find such a name in the *Biologia Centrali-Americanica* or other publications by the same author.

Tribe XENOLEINI Lacordaire, 1872

XÉNOLÉIDES Lacordaire, 1872: 460 [stem: *Xenole-*]. Type genus: *Xenolea* J. Thomson, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Aurivillius (1922a: 216, as XENOLEINI).

Tribe XYLORHIZINI Lacordaire, 1872

XYLORHIZIDES Lacordaire, 1872: 443 [stem: *Xylorhiz-*]. Type genus: *Xylorhiza* Dejean, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 316, as *XYLORRHIZINAE* [incorrect stem formation]), generally accepted as in Aurivillius (1922a: 208, as *XYLORHIZINI*).

Tribe ZYGOCERINI Thomson, 1864

ZYGOCERITAE J. Thomson, 1864: 87 [stem: *Zygocer-*]. Type genus: *Zygocera* Erichson, 1842.

DISTERNINAE Pascoe, 1871: 268 [stem: *Distern-*]. Type genus: *Disterna* J. Thomson, 1864.

Family MEGALOPODIDAE Latreille, 1802

MEGALOPIDES Latreille, 1802: 227 [stem: *Megalopod-*]. Type genus: *Megalopus* Fabricius, 1801.

Subfamily MEGALOPODINAE Latreille, 1802

MEGALOPIDES Latreille, 1802: 227 [stem: *Megalopod-*]. Type genus: *Megalopus* Fabricius, 1801. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily PALOPHAGINAE Kuschel and May, 1990

PALOPHAGINAE Kuschel and May, 1990: 699 [stem: *Palophag-*]. Type genus: *Palophagus* Kuschel, 1990.

Subfamily ZEUGOPHORINAE Böving and Craighead, 1931

ZEUGOPHORINAE Böving and Craighead, 1931: 63, in key [stem: *Zeugophor-*]. Type genus: *Zeugophora* Kunze, 1818 [placed on the Official List of Generic Names in Zoology (ICZN 1986a)].

Family ORSODACNIDAE Thomson, 1859

ORSODACHNIDAE C. G. Thomson, 1859: 154 [stem: *Orsodacn-*]. Type genus: *Orsodacne* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 2002a)].

Subfamily ORSODACNINAE Thomson, 1859

ORSODACHNIDAE C. G. Thomson, 1859: 154 [stem: *Orsodacn-*]. Type genus: *Orsodacne* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 2002a)]. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily AULACOSCELIDINAE Chapuis, 1874

AULACOSCÉLITES Chapuis, 1874: 54 [stem: *Aulacoscelid-*]. Type genus: *Aulacoscelis* Duponchel et Chevrolat, 1842. Comment: original vernacular name available

(Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 245, as AULACOSCELINAE), generally accepted as in Monrós (1959a: 18, as AULACOSCELIDINAE); incorrect original stem formation, not in prevailing usage; a recent application by Santiago-Blay (2008) to conserve usage of the stem *Aulacoscel-* was not approved by the Commission (ICZN 2010b).

Family CHRYSOMELIDAE Latreille, 1802

CHRYSOMELINAE Latreille, 1802: 220 [stem: *Chrysomel-*]. Type genus: *Chrysomela* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1984c)]. Comment: First Reviser (CHRYSOMELIDAE Latreille, 1802 vs BRUCHIDAE Latreille, 1802 vs GALERUCIDAE Latreille, 1802) not determined, current usage maintained.

Subfamily SAGRINAЕ Leach, 1815

SAGRIDA Leach, 1815: 113 [stem: *Sagr-*]. Type genus: *Sagra* Fabricius, 1792.

Tribe CARPOPHAGINI Chapuis, 1874

CARPOPHAGITES Chapuis, 1874: 36 [stem: *Carpophag-*]. Type genus: *Carpophagus* W. S. MacLeay, 1827. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Jacoby (1903: 4, as CARPOPHAGINAE), generally accepted as in Clavareau (1913a: 6, as CARPOPHAGINI); the older name CARPOPHAGINAE Selby, 1835 (type genus *Carpophaga* Selby, 1835) is available in Aves (see Bock 1994: 139); this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe DIAPHANOPSIDINI Monrós, 1958

DIAPHANOPSIDINI Monrós, 1958a: 7 [stem: *Diaphanopsid-*]. Type genus: *Diaphanopsis* Schönherr, 1845. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Seeno and Wilcox (1982: 17, 18) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Diaphanop-*).

Tribe MEGAMERINI Chapuis, 1874

MÉGAMÉRITES Chapuis, 1874: 30 [stem: *Megamer-*]. Type genus: *Megamerus* W. S. MacLeay, 1827. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Jacoby (1903: 2, as MEGAMERINAE), generally accepted as in Clavareau (1913a: 4, as MEGAMERINI); First Reviser (MEGAMERINI Chapuis, 1874 vs AMETALLINI Chapuis, 1874 vs MECYNODERINI Chapuis, 1874) not determined, current usage maintained.

AMÉTALLITES Chapuis, 1874: 46 [stem: *Ametall-*]. Type genus: *Ametalla* Hope, 1840. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Jacoby (1903: 1, as AMETALLINAE), generally accepted as in Clavareau (1913a: 12, as AMETALLINI).

MÉCYNODÉRITES Chapuis, 1874: 44 [stem: *Mecynoder-*]. Type genus: *Mecynodera* Hope, 1840. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Jacoby (1903: 1, as MECYNODERINAE), generally accepted as in Clavareau (1913a: 11, as MECYNODERINI).

Tribe SAGRINI Leach, 1815

SAGRIDA Leach, 1815: 113 [stem: *Sagr-*]. Type genus: *Sagra* Fabricius, 1792.

Subfamily BRUCHINAE Latreille, 1802

BRUCHELAE Latreille, 1802: 192 [stem: *Bruch-*]. Type genus: *Bruchus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology and older name *Bruchus* Geoffroy, 1762 placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1995a)]. Comment: BRUCHIDAE Latreille, 1802 placed on the Official List of Family-Group Names in Zoology (ICZN 1995a).

Tribe AMBLYCYERINI Bridwell, 1932

AMBLYCYERINAE Bridwell, 1932: 103, in key [stem: *Amblycer-*]. Type genus: *Amblycerus* Thunberg, 1815.

Subtribe AMBLYCYERINA Bridwell, 1932

SPERMOPHAGIDAE Crotch, 1873b: 93 [stem: *Spermophag-*]. Type genus: *Spermophagus* sensu G. H. Horn, 1873 [not *Spermophagus* Schönherr, 1833; syn. of *Amblycerus* Thunberg, 1815]. Comment: based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principles of Priority and Homonymy (Art. 65.2.1); also see SPERMOPHAGINI Borowiec, 1987 below.

AMBLYCYERINAE Bridwell, 1932: 103, in key [stem: *Amblycer-*]. Type genus: *Amblycerus* Thunberg, 1815. Comment: although this is the oldest name for the tribe, we recommend that an application be sent to the Commission in order to conserve usage of AMBLYCYERINA Bridwell, 1932 because the older name SPERMOPHAGINA Crotch, 1873 is based on a misidentified type genus (Art. 65.2.1); MAAZ and CHCL will submit an application to the Commission in order to conserve the current concept of *Amblycerus* Thunberg, 1815 following the discovery of an overlooked type species designation that would alter the concept of the genus (also see Alonso-Zarazaga and Lyal (1999: 8, 23)).

Subtribe SPERMOPHAGINA Borowiec, 1987

SPERMOPHAGINI Borowiec, 1987: 27 [stem: *Spermophag-*]. Type genus: *Spermophagus* Schönherr, 1833. Comment: family-group name proposed as

new without reference to SPERMOPHAGIDAE Crotch, 1873; an application needs to be submitted to the Commission to suppress SPERMOPHAGIDAE Crotch, 1873 (based on the misidentified type genus *Spermophagus* sensu Horn, 1873) for the Principles of Priority and Homonymy (Art. 65.2.1) to conserve this name as valid.

Tribe BRUCHINI Latreille, 1802

BRUCHELAE Latreille, 1802: 192 [stem: *Bruch-*]. Type genus: *Bruchus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology and older name *Bruchus* Geoffroy, 1762 placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1995a)]. Comment: BRUCHIDAE Latreille, 1802 placed on the Official List of Family-Group Names in Zoology (ICZN 1995a).

Subtribe ACANTHOSCELIDINA Bridwell, 1946

ACANTHOSCELIDINI Bridwell, 1946: 54, in key [stem: *Acanthoscelid-*]. Type genus: *Acanthoscelides* Schilsky, 1905. Comment: First Reviser (ACANTHOSCELIDINA Bridwell, 1946 vs BRUCHIDIINA Bridwell, 1946) not determined, current usage maintained; description of family-group name not unequivocal (Art. 13.1.1) but name treated as available (Art. 13.2.1); Bridwell (1946: 53) mentioned that he wanted to establish the two new tribes BRUCHIDIINI and ACANTHOSCELIDINI but he followed by saying that it was “premature to attempt a diagnosis” of these tribes; both tribal names were included in his key (p. 54) but their identification was not unequivocal; Bradley (1947: 37) noted that the new tribes BRUCHIDIINI and ACANTHOSCELIDINI were not diagnosed adequately by Bridwell (1946), however he did not cite Article 13 of the then current edition of the Code of Zoological nomenclature to treat those names as unavailable; since BRUCHIDIINI and ACANTHOSCELIDINI have been used as valid and attributed to Bridwell (1946) by subsequent authors, e.g., Bottimer (1968: 1028 and 1015 respectively), we have also treated those names as available here.

BRUCHIDIINI Bridwell, 1946: 54, in key [stem: *Bruchidi-*]. Type genus: *Bruchidius* Schilsky, 1905. Comment: description of family-group name not unequivocal (Art. 13.1.1) but name treated as available (Art. 13.2.1); see comment under ACANTHOSCELIDINI Bridwell, 1946.

Subtribe BRUCHINA Latreille, 1802

BRUCHELAE Latreille, 1802: 192 [stem: *Bruch-*]. Type genus: *Bruchus* Linnaeus, 1767 [placed on the Official List of Generic Names in Zoology and older name *Bruchus* Geoffroy, 1762 placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1995a)]. Comment: BRUCHIDAE Latreille, 1802 placed on the Official List of Family-Group Names in Zoology (ICZN 1995a).

LARIIDAE Bedel, 1901: 341 [stem: *Lari-*]. Type genus: *Laria* Scopoli, 1763 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1995a); syn. of *Bruchus* Linnaeus, 1767]. Comment: permanently invalid (Art. 39): based on suppressed type genus.

Subtribe MEGACERINA Bridwell, 1946

MEGACERINI Bridwell, 1946: 54, in key [stem: *Megacer-*]. Type genus: *Megacerus* Fahraeus, 1839. Comment: MEGACERINI Viret, 1961 (type genus *Megaceros* Owen, 1844) is used as valid in Mammalia: CERVIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe EUBAPTINI Bridwell, 1932

EUBAPTINAE Bridwell, 1932: 103, in key [stem: *Eubapt-*]. Type genus: *Eubaptus* Lacordaire, 1845.

Tribe KYTORHININI Bridwell, 1932

KYTORHININAE Bridwell, 1932: 103, in key [stem: *Kytorhin-*]. Type genus: *Kytorhinus* Fischer von Waldheim, 1809.

Tribe PACHYMERINI Bridwell, 1929

PACHYMERINAE Bridwell, 1929: 142 [stem: *Pachymer-*]. Type genus: *Pachymerus* Thunberg, 1805. Comment: precedence (PACHYMERINI Bridwell, 1929 vs CARYEDINI Brimwell, 1929 vs CARYOPEMINI Brimwell, 1929) given to taxon originally proposed at the higher rank (Art. 24.1).

Subtribe CARYEDONTINA Bridwell, 1929

CARYEDINI Bridwell, 1929: 143 [stem: *Caryedont-*]. Type genus: *Caryodon* Schönherr, 1823. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Decelle (1966).

Subtribe CARYOPEMINA Bridwell, 1929

CARYOPEMINI Bridwell, 1929: 143 [stem: *Caryopem-*]. Type genus: *Caryopemon* Jekel, 1855. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Caryopemon-*).

Subtribe PACHYMERINA Bridwell, 1929

PACHYMERINAE Bridwell, 1929: 142 [stem: *Pachymer-*]. Type genus: *Pachymerus* Thunberg, 1805.

Tribe RHAEBINI Blanchard, 1845

RHAEBITES Blanchard, 1845b: 180 [stem: *Rhaeb-*]. Type genus: *Rhaebus* Fischer von Waldheim, 1824. Comment: original vernacular name available (Art.

11.7.2): first used in latinized form by Kraatz (1879: 278, as RHAEBINI), generally accepted as in Anton (2010: 353, as RHAEBINI); Blanchard (1845b: 193) also used the spelling RHOEBITES.

Subfamily DONACIINAE Kirby, 1837

DONACIADAe Kirby, 1837: 222 [stem: *Donaci-*]. Type genus: *Donacia* Fabricius, 1775.

Tribe DONACIINI Kirby, 1837

DONACIADAe Kirby, 1837: 222 [stem: *Donaci-*]. Type genus: *Donacia* Fabricius, 1775.

DONACOCIADAe Gistel, 1856a: 377 [stem: *Donacoci-*]. Type genus: *Donacocia* Gistel, 1856 [although this genus has been considered a senior syn. of *Plateumaris* C. G. Thomson, 1859 by some authors, Löbl and Silfverberg (2010: 64) recently chose “*brevicornis* Ahrens, 1810” as the type species for this genus; syn. of *Donacia* Fabricius, 1775]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe HAEMONIINI Chen, 1941

HAEMONIINI Chen, 1941: 8 [stem: *Haemoni-*]. Type genus: *Haemonia* Dejean, 1821 [syn. of *Macroplea* Smouelle, 1819].

Tribe PLATEUMARINI Böving, 1922

PLATEUMARINI Böving, 1922: 50 [stem: *Plateumar-*]. Type genus: *Plateumaris* C. G. Thomson, 1859. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Plateumarid-*).

PLATEUMARINI Askevold, 1990: 633 [stem: *Plateumar-*]. Type genus: *Plateumaris* C. G. Thomson, 1859. Comment: family-group name proposed as new without reference to PLATEUMARINI Böving, 1922; current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Plateumarid-*).

Subfamily CRIOCERINAE Latreille, 1804

CRIOCERIDES Latreille, 1804c: 159 [stem: *Criocer-*]. Type genus: *Crioceris* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe CRIOCERINI Latreille, 1804

CRIOCERIDES Latreille, 1804c: 159 [stem: *Criocer-*]. Type genus: *Crioceris* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: published 7 March 1804; this family-group name was also used in the same year by Latreille (1804d [between 19 August and 17 September]: 324, as CRIOCERIDES); current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Criocerid-*).

Tribe LEMINI Gyllenhal, 1813

LEMOIDEAE Gyllenhal, 1813: 632 [stem: *Lem*-]. Type genus: *Lema* Fabricius, 1798
 [placed on the Official List of Generic Names in Zoology (ICZN 1970a)].

Tribe PSEUDOCRIOCERINI Heinze, 1962

PSEUDOCRIOCERINI Heinze, 1962: 198, in key [stem: *Pseudocriocer*-]. Type genus: *Pseudocrioceris* Pic, 1916. Comment: current spelling maintained (Art. 29.3.1.1): incorrect stem formation in prevailing usage (should be *Pseudocriocerid*-).

Subfamily CASSIDINAE Gyllenhal, 1813

CASSIDEAE Gyllenhal, 1813: 434 [stem: *Cassid*-]. Type genus: *Cassida* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1974b)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1974b, as CASSIDINAE Stephens, 1831); First Reviser found (CASSIDINAE Gyllenhal, 1813 vs HISPINAЕ Gyllenhal, 1813) is Shuckard (1839b: 68).

Tribe ALURNINI Chapuis, 1875

ALURNITES Chapuis, 1875: 292 [stem: *Alurn*-]. Type genus: *Alurnus* Fabricius, 1775. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1910: 69, as ALURNINI), generally accepted as in Staines (2002: 742, as ALURNINI).

*SPHAEROPALPITES Chapuis, 1875: 359 [stem: *Sphaeropalp*-]. Type genus: *Sphaeropalpus* Guérin-Méneville, 1844 [syn. of *Platyachenia* Sturm, 1843]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

PLATYAUCHENIITAE Spaeth, 1929b: 113 [stem: *Platyachen*-.]. Type genus: *Platyachenia* Sturm, 1843.

Tribe ANISODERINI Chapuis, 1875

ANISODÉRITES Chapuis, 1875: 294 [stem: *Anisoder*-]. Type genus: *Anisodera* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1911: 40, as ANISODERINI), generally accepted as in Würmli (1975: 10, as ANISODERINI).

*LASIOCHILINI Gressitt, 1950: 62 [stem: *Lasiochil*-]. Type genus: *Lasiochila* Weise, 1916. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); the author apparently used this family-group name in error for ANISODERINI (see Gressitt 1953: 126); LASIOCHILINAE Carayon, 1972 (type genus *Lasiochilus* Reuter, 1871) has been used as valid in Hemiptera.

Tribe APROIDINI Weise, 1911

APRIODINI Weise, 1911: 41 [stem: *Aproid*-]. Type genus: *Aproida* Pascoe, 1863.

Tribe ARESCINI Chapuis, 1875

ARESCITES Chapuis, 1875: 298 [stem: *Aresc-*]. Type genus: *Arescus* Perty, 1832.

Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1910: 69, as ARESCINI), generally accepted as in Staines (2002: 741, as ARESCINI).

Tribe ASPIDIMORPHINI Chapuis, 1875

ASPIDIMORPHITES Chapuis, 1875: 406 [stem: *Aspidimorph-*]. Type genus: *Aspidimorpha* Hope, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Spaeth (1914: (129), as ASPIDORMOPHITAE [incorrect stem formation]), generally accepted as in Hincks (1952: 336, as ASPIDOMORPHINI).

Tribe BASIPRIONOTINI Gressitt, 1952 (1914)

*PRIOPTÉRITES Chapuis, 1875: 367 [stem: *Priopter-*]. Type genus: *Prioptera* Hope, 1840 [syn. of *Basiprionota* Chevrolat, 1836]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875).

PRIOPTERITAE Spaeth, 1914: (129) [stem: *Priopter-*]. Type genus: *Prioptera* Hope, 1840 [syn. of *Basiprionota* Chevrolat, 1836]. Comment: usage of BASIPRIONOTINI Gressitt, 1952 conserved over this name (Art. 40.2).

BASIPRIONOTINI Gressitt, 1952: 444 [stem: *Basiprionot-*]. Type genus: *Basiprionota* Chevrolat, 1836. Comment: published 8 December 1952; name proposed to replace PRIOPTERINI because of synonymy of the type genus; this family-group name was also proposed in the same year by Hincks (1952 [31 December]: 329, in key, as BASIPRIONOTINI); usage of this name over the older name PRIOPTERINI Spaeth, 1929 conserved (Art. 40.2).

EPISTICTININI Hincks, 1952: 329, in key [stem: *Epistictin-*]. Type genus: *Episticina* Hincks, 1950.

Tribe BOTRYONOPINI Chapuis, 1875

BOTRYONOPITES Chapuis, 1875: 291 [stem: *Botryonop-*]. Type genus: *Botryonopa* Guérin-Méneville, 1840 [*Botryonopa* is a incorrect subsequent spelling of the original name *Bothryonopa*, in prevailing usage and so deemed to be the correct original spelling (Art. 33.3.1); for correct author and year of type genus see Staines (2010: 172)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1911: 39, as BOTRYONOPINI), generally accepted as in Würmli (1975: 8, as BOTRYONOPINI).

Tribe CALLISPINI Chapuis, 1875

CALLISPITES Chapuis, 1875: 269 [stem: *Callisp-*]. Type genus: *Callispa* Baly, 1859.

Comment: original vernacular name available (Art. 11.7.2): first used in latin-

ized form by Weise (1911: 41, as CALLISPINI), generally accepted as in Würmli (1975: 12, as CALLISPINI).

*HISPODONTITES Chapuis, 1875: 284 [stem: *Hispodont-*]. Type genus: *Hispodonta* Baly, 1859. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

Tribe CALLOHISPINI Uhmann, 1960

CALLOHISPINI Uhmann, 1960: 60 [stem: *Callohispa-*]. Type genus: *Callohispa* Uhmann, 1960.

Tribe CASSIDINI Gyllenhal, 1813

CASSIDEAE Gyllenhal, 1813: 434 [stem: *Cassid-*]. Type genus: *Cassida* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1974b)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1974b, as CASSIDINAE Stephens, 1831).

EVASPIDOTIDAE Gistel, 1856a: 381 [stem: *Evaspist-*]. Type genus: *Evaspistes* Gistel, 1856 [syn. of *Cassida* Linnaeus, 1758]. Comment: incorrect original stem formation, not in prevailing usage.

*CHIRIDITES Chapuis, 1875: 405 [stem: *Chirid-*]. Type genus: *Chirida* Chapuis, 1875. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*HYBOSITES Chapuis, 1875: 380 [stem: *Hybos-*]. Type genus: *Hybosa* Boheman, 1855 [*Hybosa* has been credited to Duponchel and Chevrolat, 1842, e.g., Seeno and Wilcox (1982: 178), but the name is not available from that reference since there is no description nor available species included; this genus was first made available by Boheman (1855: 1)]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

BASIPTITES Chapuis, 1875: 379 [stem: *Basipt-*]. Type genus: *Basipta* Chevrolat, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Hincks (1952: 337, as BASIPTINI).

COPTOCYCLITAE Spaeth and Reitter, 1926: 7, in key [stem: *Coptocycl-*]. Type genus: *Coptocycla* Chevrolat, 1836. Comment: this family-group name was also used in the same year by Spaeth (1926: 1, as COPTOCYCLITAE) but we could not establish priority.

CHARIDOTITAE Spaeth, 1942: 40 [stem: *Charidotid-*]. Type genus: *Charidotis* Boheman, 1854. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Hincks (1952: 343, as CHARIDOTINI) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

Tribe CEPHALOLEIINI Chapuis, 1875

CÉPHALOLÉITES Chapuis, 1875: 277 [stem: *Cephalolei-*]. Type genus: *Cephaloleia* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Weise (1910: 69, as CEPHALOLEIINI), generally accepted as in Borowiec (1995: 553, as CEPHALOLEIINI); incorrect original stem formation, not in prevailing usage.

Tribe CHALEPINI Weise, 1910

CHALEPINI Weise, 1910: 69 [stem: *Chalep-*]. Type genus: *Chalepus* Thunberg, 1805. Comment: Chalepini Weise, 1910 is a junior homonym of CHALEPIDAE H. C. C. Burmeister, 1847 (type genus *Chalepus* W. S. MacLeay, 1819) in SCARABAEIDAE; the older scarab family-group name is permanently invalid because it is based on a preoccupied type genus; an application to the Commission is needed to conserve usage of CHALEPINI Weise, 1910.

Tribe COELAENOMENODERINI Weise, 1911

COELAENOMENODERINI Weise, 1911: 51 [stem: *Coelaenomenoder-*]. Type genus: *Coelaenomenodera* Blanchard, 1845.

PHARANGISPINI Uhmann, 1940: 122 [stem: *Pharangisp-*]. Type genus: *Pharangispa* Maulik, 1929. Comment: proposed after 1930 without description but available because accompanied by a bibliographic reference (Maulik 1929: 233) to a description (Art. 13.1).

Tribe CRYPTONYCHINI Chapuis, 1875

CRYPTONYCHITES Chapuis, 1875: 286 [stem: *Cryptonych-*]. Type genus: *Cryptonychus* Gyllenhal, 1817. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Weise (1911: 45, as CRYPTONYCHINI), generally accepted as in Würmli (1975: 21, as CRYPTONYCHINI).

Tribe DELOCRANIINI Spaeth, 1929

DELOCRANIITAE Spaeth, 1929b: 113 [stem: *Delocrani-*]. Type genus: *Delocrania* Guérin-Méneville, 1844.

Tribe DORYNOTINI Monrós and Viana, 1949 (1923)

*BATONOTITES Chapuis, 1875: 377 [stem: *Batonot-*]. Type genus: *Batonota* Hope, 1839 [syn. of *Dorynota* Chevrolat, 1836]. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Chapuis (1875).

BATONOTITAE Spaeth, 1923: 66 [stem: *Batonot-*]. Type genus: *Batonota* Hope, 1839 [syn. of *Dorynota* Chevrolat, 1836]. Comment: usage of DORYNOTINI Monrós and Viana, 1949 conserved over this name (Art. 40.2).

DORYNOTINI Monrós and Viana, 1949: 392 [stem: *Dorynot-*]. Type genus: *Dorynotata* Chevrolat, 1836. Comment: name proposed to replace “BATONOTITES” because of synonymy of the type genus; usage of younger name conserved over BATONOTINI Spaeth, 1923 (Art. 40.2).

Tribe EUGENYSINI Hincks, 1952

*CALASPIDEITAE Spaeth, 1942: 18 [stem: *Calaspide-*]. Type genus: *Calaspidea* Hope, 1840 [syn. of *Eugenysa* Chevrolat, 1836]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

EUGENYSINI Hincks, 1952: 329, in key [stem: *Eugenys-*]. Type genus: *Eugenysa* Chevrolat, 1836.

Tribe EURISPINI Chapuis, 1875

EURISPITES Chapuis, 1875: 264 [stem: *Eurisp-*]. Type genus: *Eurispa* Baly, 1859. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Weise (1911: 45, as EURISPINI), generally accepted as in Uhmann (1960: 61, as EURISPINI).

Tribe EXOTHISPINI Weise, 1911

EXOTHISPINI Weise, 1911: 51 [stem: *Exothisp-*]. Type genus: *Exothispa* Kolbe, 1897.

Tribe GONIOCHENIINI Spaeth, 1942

GONIOCHENIITAE Spaeth, 1942: 17 [stem: *Goniocheni-*]. Type genus: *Goniochenia* Weise, 1896. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Viana (1964: 217, as GONIOCHENIICI) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

Tribe GONOPHORINI Chapuis, 1875

GONOPHORITES Chapuis, 1875: 303 [stem: *Gonophor-*]. Type genus: *Gonophora* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Weise (1911: 54, as GONOPHORINI), generally accepted as in Würmli (1975: 47, as GONOPHORINI).

*WALLACÉITES Chapuis, 1875: 281 [stem: *Wallace-*]. Type genus: *Wallacea* Baly, 1859 [this genus is a senior homonym of *Wallacea* Doleschall, 1859 (see Woodley 2002: 410)]. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Chapuis (1875); WALLACEIAD[A]E [incorrect stem formation] was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1875); Ienistea's

name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe HEMISPHAEROTINI Monrós and Viana, 1951 (1929)

PORPHYRASPIDAE Spaeth, 1929a: 29 [stem: *Porphyraspid-*]. Type genus: *Porphyraspis* Hope, 1840 [syn. of *Hemisphaerota* Chevrolat, 1836]. Comment: this family-group name was also used in the same year by Spaeth (1929b: 113); usage of younger name HEMISPHAEROTINI Monrós and Viana, 1951 conserved over this name (Art. 40.2); incorrect original stem formation, not in prevailing usage.

HEMISPHAEROTINI Monrós and Viana, 1951: 370 [stem: *Hemisphaerot-*]. Type genus: *Hemisphaerota* Chevrolat, 1836. Comment: usage of this name conserved over PORPHYRASPIDINI Spaeth, 1929 (Art. 40.2).

Tribe HISPINI Gyllenhal, 1813

HISPOIDEAE Gyllenhal, 1813: 448 [stem: *Hisp-*]. Type genus: *Hispa* Linnaeus, 1767.

*MONOCHIRITES Chapuis, 1875: 330 [stem: *Monochir-*]. Type genus: *Monochirus* Chapuis, 1875 [preoccupied genus name, not *Monochirus* Rafinesque, 1814 [Pisces]; syn. of *Hispellinus* Weise, 1898]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875).

*TRICHISPITES Chapuis, 1875: 331 [stem: *Trichisp-*]. Type genus: *Trichispa* Chapuis, 1875. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

MONOCHIRINI Weise, 1905: 317 [stem: *Monochir-*]. Type genus: *Monochirus* Chapuis, 1875 [preoccupied genus name, not *Monochirus* Rafinesque, 1814 [Pisces]; syn. of *Hispellinus* Weise, 1897]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe HISPOLEPTINI Chapuis, 1875

HISPOLEPTITES Chapuis, 1875: 283 [stem: *Hispolept-*]. Type genus: *Hispoleptis* Baly, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Uhmann (1940: 121, as HISPOLEPTINI), generally accepted as in Staines (2002: 777, as HISPOLEPTINI).

Tribe HYBOSISPINI Weise, 1910

HYBOSISPINI Weise, 1910: 69 [stem: *Hybosisp-*]. Type genus: *Hybosispa* Weise, 1910.

Tribe IMATIDIINI Hope, 1840

IMATIDIIDAE Hope, 1840a: 152 [stem: *Imatidi-*]. Type genus: *Imatidium* Fabricius, 1801. Comment: name previously attributed to Chapuis (1875).

Tribe ISCHYROSONYCHINI Chapuis, 1875

*ISCHYROSONYCHITES Chapuis, 1875: 382 [stem: *Ischyrosonych-*]. Type genus: *Ischyrosonyx* Sturm, 1843 [syn. of *Eurypedus* Gistel, 1834]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Spaeth (1942: 31, as *ISCHYRONYCITAE* [incorrect stem formation]), generally accepted as in Borowiec (1995: 556, as *ISCHYROSONYCHINI*).

*PHYSONOTITAE Spaeth, 1942: 32 [stem: *Physonot-*]. Type genus: *Physonota* Boheman, 1854. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

ASTERIZINI Hincks, 1952: 330, in key [stem: *Asteriz-*]. Type genus: *Asteriza* Chevrolat, 1836. Comment: Hincks (1952: 336) and Seeno and Wilcox (1982: 171) mention “*ASTERIZITAE* Spaeth”, we could not find any earlier usage of *ASTERIZITAE* by Spaeth.

Tribe LEPTISPINI Fairmaire, 1868

LEPTISPITES Fairmaire, 1868: 258 [stem: *Leptisp-*]. Type genus: *Leptispa* Baly, 1859. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1911: 44, as *LEPTHISPINI* [incorrect stem formation]), generally accepted as in Würmli (1975: 18, as *LEPTISPINI*).

Tribe MESOMPHALIINI Hope, 1840

MESOMPHALIDAE Hope, 1840a: 160 [stem: *Mesomphali-*]. Type genus: *Mesomphalia* Hope, 1839. Comment: incorrect original stem formation, not in prevailing usage.

*CHÉLYMORPHITES Chapuis, 1875: 402 [stem: *Chelymorph-*]. Type genus: *Chelymorpha* Chevrolat, 1836. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*ELYTROGONITES Chapuis, 1875: 403 [stem: *Elytrogon-*]. Type genus: *Elytrogena* Chevrolat, 1836. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*OMOPLATITES Chapuis, 1875: 397 [stem: *Omoplat-*]. Type genus: *Omoplata* Hope, 1840 [syn. of *Echoma* Chevrolat, 1836]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

STOLAINI Hincks, 1952: 329, in key [stem: *Stolad-*]. Type genus: *Stolas* Billberg, 1820. Comment: incorrect original stem formation, not in prevailing usage.

Tribe NOTHOSACANTHINI Gressitt, 1952 (1929)

*HOPLIONOTITES Chapuis, 1875: 357 [stem: *Hoplionot-*]. Type genus: *Hoplionota* Hope, 1840 [syn. of *Notosacantha* Chevrolat, 1836]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875).

HOPLIONOTITAE Spaeth, 1929b: 113 [stem: *Hoplionot-*]. Type genus: *Hoplionota* Hope, 1840 [syn. of *Notosacantha* Chevrolat, 1836]. Comment: usage of younger name NOTOSACANTHINI Gressitt, 1952 conserved over this name (Art. 40.2).

NOTOSACANTHINA Gressitt, 1952: 444 [stem: *Notosacanth-*]. Type genus: *Notosacantha* Chevrolat, 1836. Comment: published 8 December 1952; name proposed to replace HOPLIONOTINI Spaeth, 1929 because of the synonymy of the type genus; this family-group name was also proposed in the same year by Hincks (1952 [31 December]: 328, in key, as NOTOSACANTHINI); usage of this name conserved over HOPLIONOTINI Spaeth, 1929 (Art. 40.2).

Tribe OEDIOPALPINI Monrós and Viana, 1947 (1910)

AMPLIPALPINI Weise, 1910: 69 [stem: *Amplipalp-*]. Type genus: *Amplipalpa* Harold, 1875 [syn. of *Oediopalpa* Baly, 1859]. Comment: younger name OEDIOPALPINI Monrós and Viana, 1947 conserved over this name (Art. 40.2).

OEDIOPALPINI Monrós and Viana, 1947: 150, in key [stem: *Oediopalp-*]. Type genus: *Oediopalpa* Baly, 1859. Comment: name proposed to replace AMPLIPALPINI Weise, 1910 because of synonymy of the type genus; usage of this name conserved over the older name AMPLIPALPINI Weise, 1910 (Art. 40.2).

Tribe OMOCERINI Hincks, 1952 (1923)

*TAUROMITES Chapuis, 1875: 372 [stem: *Taurom-*]. Type genus: *Tauroma* Hope, 1839 [syn. of *Omocerus* Chevrolat, 1835]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875).

TAUROMITAE Spaeth, 1923: 66 [stem: *Taurom-*]. Type genus: *Tauroma* Hope, 1839 [syn. of *Omocerus* Chevrolat, 1835]. Comment: younger name OMOCERINI Hincks, 1952 conserved over this name (Art. 40.2).

OMOCERINI Hincks, 1952: 329, in key [stem: *Omocer-*]. Type genus: *Omocerus* Chevrolat, 1835. Comment: name proposed to replace TAUROMINI Spaeth, 1923 because of synonymy of the type genus; usage of younger name conserved over TAUROMINI Spaeth, 1923 (Art. 40.2).

Tribe ONCOCEPHALINI Chapuis, 1875

ONCOCÉPHALITES Chapuis, 1875: 308 [stem: *Oncocephal-*]. Type genus: *Onchocephala* Guérin-Méneville, 1844 [this genus name was first made available by Guérin-Méneville (1844: 280-281) although most authors credit Chevrolat (1847: 110, spelled *Oncocephalus*) as the correct author and date of publication of this genus]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1911: 50, as ONCOCEPHALINI), generally accepted as in Świętojańska et al. (2006: 49, as ONCOCEPHALINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Onchocephal-*).

CHOERIDIONINI Weise, 1911: 49 [stem: *Chaeridion*-]. Type genus: *Chaeridiona* Baly, 1869 [as *Choeridiona*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PROMECOTHECINI Chapuis, 1875

PROMECOTHÉCITES Chapuis, 1875: 300 [stem: *Promecothec*-]. Type genus: *Promecotheca* Chevrolat, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1911: 53, as PROMECOTHECINI), generally accepted as in Gressitt (1950: 81, as PROMECOTHECINI).

Tribe PROSOPODONTINI Weise, 1910

PROSOPODONTINI Weise, 1910: 69 [stem: *Prosopodont*-]. Type genus: *Prosopodonta* Baly, 1885.

Tribe SCELOENOPLINI Uhmann, 1930

*CÉPHALODONTITES Chapuis, 1875: 313 [stem: *Cephalodont*-]. Type genus: *Cephalodonta* Chevrolat, 1842 [this name was recently attributed to “Chevrolat, 1843” (e.g., Staines (2002: 748)) but it was made available for the first time by Chevrolat (1842: 272); syn. of *Sceloenopla* Chevrolat, 1836]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875).

CEPHALODONTINAE Gestro, 1906: 548 [stem: *Cephalodont*-]. Type genus: *Cephalodonta* Chevrolat, 1842 [this name was recently attributed to “Chevrolat, 1843” (e.g., Staines (2002: 748)) but it was made available for the first time by Chevrolat (1842: 272); syn. of *Sceloenopla* Chevrolat, 1836]. Comment: usage of the younger name SCELOENOPLINI Uhmann, 1930 conserved over this name (Art. 40.2).

SCELOENOPLINI Uhmann, 1930: 238 [stem: *Sceloenopl*-]. Type genus: *Sceloenopla* Chevrolat, 1836. Comment: although this is not the oldest name for the tribe, we recommend that an application be sent to the Commission in order to conserve usage of SCELOENOPLINI Uhmann, 1930.

Tribe SPILOPHORINI Chapuis, 1875

SPILOPHORITES Chapuis, 1875: 364 [stem: *Spilophor*-]. Type genus: *Spilophora* Boheman, 1850. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Spaeth (1929a: 29, as SPILOPHORITAE), generally accepted as in Borowiec (1995: 553, as SPILOPHORINI); this name is a senior homonym of SPILOPHORINA Krikken, 1984 (type genus *Spilophorus* Schaum, 1848) currently used as valid in SCARABAEIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe UROPLATINI Weise, 1910

***OCTOTOMITES** Chapuis, 1875: 310 [stem: *Octotom-*]. Type genus: *Octotoma* Dejean, 1836. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Chapuis (1875); **OCTOTOMIDAE** was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1875); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

UROPLATINI Weise, 1910: 69 [stem: *Uroplat-*]. Type genus: *Uroplata* Chevrolat, 1836 [*"Uroplata"* Chevrolat, 1835 placed on the Official List of Generic Names in Zoology (ICZN 1985f)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1985f, as **UROPLATINI** Leng, 1920).

Subfamily CHRYSOMELINAE Latreille, 1802

CHRYSOMELINAE Latreille, 1802: 220 [stem: *Chrysomel-*]. Type genus: *Chrysomela* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1984c)]. Comment: see Kippenberg (2010b) for an alternative tribal classification within this subfamily.

Tribe CHRYSOMELINI Latreille, 1802

CHRYSOMELINAE Latreille, 1802: 220 [stem: *Chrysomel-*]. Type genus: *Chrysomela* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1984c)].

ELEIAEIDAE Gistel, 1848: [9] [stem: *Elei-*]. Type genus: *Eleia* Gistel, 1848 [syn. of *Chrysomela* Linnaeus, 1758]. Comment: incorrect original stem formation, not in prevailing usage.

PRASOCURISIDAE Gistel, 1848: [10] [stem: *Prasocur-*]. Type genus: *Prasocuris* Latreille, 1802. Comment: incorrect original stem formation, not in prevailing usage.

CHŁOĘMELADAE Gistel, 1856a: 379 [stem: *Chloemel-*]. Type genus: *Chloemela* Gistel, 1856 [syn. of *Chrysomela* Linnaeus, 1758]. Comment: incorrect original stem formation, not in prevailing usage.

DORYPHORES Motschulsky, 1860: 181 [stem: *Doryphor-*]. Type genus: *Doryphora* Illiger, 1807. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Gerstaecker (1862: 405, as **DORYPHORAE**), generally accepted as in Riley et al. (2002: 639, as **DORYPHORINA**).

GONIOCTÈNES Motschulsky, 1860: 179 [stem: *Goniocten-*]. Type genus: *Gonioctena* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Gerstaecker (1862: 405, as **GONIOCTENAE**), generally accepted as in Warchałowski (1994: 100, as **GONIOCTENINA**).

LINAINESES Motschulsky, 1860: 196 [stem: *Lin-*]. Type genus: *Lina* Latreille, 1829 [syn. of *Chrysomela* Linnaeus, 1758]. Comment: original vernacular name

available (Art. 11.7.2): first used in latinized form and generally accepted as in Gerstaecker (1862: 406, as LINAE).

OVOSOMES Motschulsky, 1860: 211 [stem: *Ovosomat*-]. Type genus: *Ovosoma* Motschulsky, 1860. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Gerstaecker (1862: 406, as OVOSOMAE); incorrect original stem formation, not in prevailing usage.

PAROPSINES Motschulsky, 1860: 192 [stem: *Paropse*-]. Type genus: *Paropsis* A. G. Olivier, 1807. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gerstaecker (1862: 405, as PAROPSINAE), generally accepted as in Riley et al. (2002: 639, as PAROPSINA); incorrect original stem formation, not in prevailing usage.

PHRATORINES Motschulsky, 1860: 216 [stem: *Phrator*-]. Type genus: *Phratoria* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Gerstaecker (1862: 406, as PHRATORINAE), generally accepted as in Warchałowski (1994: 139, as PHRATORINA); incorrect original stem formation, not in prevailing usage.

*AUSTRALICITES Chapuis, 1874: 428 [stem: *Australic*-]. Type genus: *Australica* Chevrolat, 1836 [this name is sometimes treated as a *nomen nudum* (Reid 2006: 55), however it is available since four available species names were included by Chevrolat (1836)]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*CLIDONOTITES Chapuis, 1874: 414 [stem: *Clidonot*-]. Type genus: *Clidonotus* Chapuis, 1874. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1874); CLIDONOTIDAE was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1874); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*COLASPIDÉMITES Chapuis, 1874: 364 [stem: *Colaspidem*-]. Type genus: *Colaspidea* Laporte, 1833. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1874); COLASPIDEMIDAE was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1874); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*CYRTONITES Chapuis, 1874: 364 [stem: *Cyrtion*-]. Type genus: *Cyrtonus* Latreille, 1829. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*ELYTROSPHOERITES Chapuis, 1874: 406 [stem: *Elytrophoer*-]. Type genus: *Elytrosphoera* Blanchard, 1845. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; name incorrectly spelled ELYTROSPAHERITES in the index of the same work (page 449).

ENTOMOSCÉLITES Chapuis, 1874: 418 [stem: *Entomoscelid-*]. Type genus: *Entomoscelis* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte and G. H. Horn (1883: 344, as ENTOMOSCELIDES [treated as Latin]), generally accepted as in Warchałowski (1994: 154, as ENTOMOSCELINA); incorrect original stem formation, not in prevailing usage.

*LYCARIITES Chapuis, 1874: 420 [stem: *Lycari-*]. Type genus: *Lycaria* Stål, 1857. Comment: original vernacular name unavailable (Art. 11.7.2); not subsequently latinized.

PHYLLOCHARITES Chapuis, 1874: 422 [stem: *Phyllocharit-*]. Type genus: *Phyllocharis* Dalman, 1824. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Weise (1915: 436, as PHYLLOCHARINI); incorrect original stem formation, not in prevailing usage.

*PYXITES Chapuis, 1874: 438 [stem: *Pyxid-*]. Type genus: *Pyxis* Chevrolat, 1843. Comment: original vernacular name unavailable (Art. 11.7.2); not subsequently latinized; incorrect original stem formation, not in prevailing usage.

PHYLLODECTAE J. L. LeConte and G. H. Horn, 1883: 344 [stem: *Phyllodect-*]. Type genus: *Phyllolecta* Kirby, 1837 [subgenus of *Phratora* Chevrolat, 1836].

DICRANOSTERNINI Weise, 1915: 436 [stem: *Dicranostern-*]. Type genus: *Dicranosterna* Motschulsky, 1860.

PHAEDONINI Weise, 1915: 435 [stem: *Phaedon-*]. Type genus: *Phaedon* Latreille, 1829.

ZYGOGRAMMINI Weise, 1915: 435 [stem: *Zygrammat-*]. Type genus: *Zygramma* Chevrolat, 1836. Comment: incorrect original stem formation, not in prevailing usage.

CHRYSOLININA Chen, 1936: 64, in key [stem: *Chrysolin-*]. Type genus: *Chrysolina* Motschulsky, 1860 [placed on the Official List of Generic Names in Zoology (ICZN 1984c)].

BARYMELINI Bechyné, 1948: 295 [stem: *Barymel-*]. Type genus: *Barymela* Weise, 1910.

DORYPHORINI Bechyné, 1950a: 115, in key [stem: *Doryphor-*]. Type genus: *Doryphora* Illiger, 1807. Comment: family-group name proposed as new without reference to DORYPHORES Motschulsky, 1860.

MONARDITINI Bechyné, 1953: 85 [stem: *Monardit-*]. Type genus: *Monardita* Bechyné, 1948.

OREININI Bechyné, 1958: 218, nota [stem: *Orein-*]. Type genus: *Oreina* Chevrolat, 1836. Comment: the older name OREININI Bleeker, 1863 (type genus *Oreinus* M'Clelland, 1839) is available in Pisces; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

*PHYTODECTINI Bechyné, 1980: 58 [stem: *Phytodect-*]. Type genus: *Phytodecta* Kirby, 1837 [syn. of *Gonioctena* Chevrolat, 1836]. Comment: unavailable

family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

HISPOSTOMINI Daccordi, 1981: 181, in key [stem: *Hispostomat-*]. Type genus: *Hispostoma* Weise, 1907. Comment: incorrect original stem formation, not in prevailing usage.

SPHAERATRIXINI Daccordi, 1981: 181, in key [stem: *Sphaeratrix-*]. Type genus: *Sphaeratrix* Gistel, 1848. Comment: the correct stem based on *Sphaeratrix* is unclear since Gistel did not specify the etymology of his genus therefore we accept the original stem as correct.

*GASTROPHYSINA Steinhhausen, 2001: 47 [stem: *Gastrophys-*]. Type genus: *Gastrophysa* Chevrolat, 1836. Comment: unavailable family-group name, proposed after 1999 without explicit intention (Art. 16.1).

GASTROPHYSINA Kippenberg, 2010a: 68 [stem: *Gastrophys-*]. Type genus: *Gastrophysa* Chevrolat, 1836.

Tribe TIMARCHINI Motschulsky, 1860

TIMARCHAEINES Motschulsky, 1860: 187 [stem: *Timarch-*]. Type genus: *Timarcha* Samouelle, 1819. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Gerstaecker (1862: 405, as TIMARCHAE), generally accepted as in Burakowski et al. (1990: 115, as TIMARCHINI); incorrect original stem formation, not in prevailing usage.

Subfamily GALERUCINAE Latreille, 1802

GALERUCAE Latreille, 1802: 228 [stem: *Galeruc-*]. Type genus: *Galeruca* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe ALTICINI Newman, 1834

HALTICITES Newman, 1834: 421 [stem: *Altic-*]. Type genus: *Altica* Geoffroy, 1762 [as *Haltica*, unjustified emendation of type genus name by Illiger (1801), not in prevailing usage; *Altica* placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: incorrect original stem formation, not in prevailing usage.

HESPERIDAE Swainson, 1840: 310 [stem: *Hesper-*]. Type genus: *Hespera* Weise, 1889.

LONGITARSES Maehler, 1850: 7 [stem: *Longitars-*]. Type genus: *Longitarsus* Latreille, 1829.

PLECTROSCELIDES C. G. Thomson, 1866: 213 [stem: *Plectroscelid-*]. Type genus: *Plectroscelis* Chevrolat, 1836. Comment: incorrect original stem formation, not in prevailing usage.

*ACROCRYPTITES Chapuis, 1875: 36 [stem: *Acrocrypt-*]. Type genus: *Acrorypta* Baly, 1862. Comment: original vernacular name unavailable (Art. 11.7.2); subsequently used in latinized form but not generally attributed to Chapuis (1875); ACROCRYPTIDAE was used as valid by Ienista (1986: 31) but it was

not attributed to Chapuis (1875); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*AMPHIMÉLITES Chapuis, 1875: 34 [stem: *Amphimel-*]. Type genus: *Amphimela* Chapuis, 1875. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently used in latinized form and treated as valid.

APHTHONITES Chapuis, 1875: 69 [stem: *Aphthon-*]. Type genus: *Aphthona* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte and G. H. Horn (1883: 352, as APHTHONAE), generally accepted as in Bechyné (1968: 1708, as APHTHONINI).

ARSIPODITES Chapuis, 1875: 37 [stem: *Arsipod-*]. Type genus: *Arsipoda* Erichson, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte and G. H. Horn (1883: 353, as ARSIPODES [treated as Latin]), generally accepted as in Bechyné and Špringlová de Bechyné (1973: 26, as ARSIPODINI).

ASPICELITES Chapuis, 1875: 75 [stem: *Aspicel-*]. Type genus: *Aspicela* Dejean, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in G. H. Horn (1889: 166, as ASPICELAE).

BLÉPHARIDITES Chapuis, 1875: 26 [stem: *Blepharid-*]. Type genus: *Blepharida* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte and G. H. Horn (1883: 350, as BLEPHARIDAE [incorrect stem formation]), generally accepted as in Bechyné (1968: 1724, as BLEPHARIDINI).

CRÉPIDODÉRITES Chapuis, 1875: 51 [stem: *Crepidoder-*]. Type genus: *Crepidodera* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in J. L. LeConte and G. H. Horn (1883: 350, as CREPIDODERAE).

*DIAMPHIDIITES Chapuis, 1875: 24 [stem: *Diamphidi-*]. Type genus: *Diamphidia* Gerstaecker, 1855. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875); DIAMPHIDIINI and DIAMPHIDIIDAE were subsequently used as valid by Bechyné (1980: 58) and Ienistea (1986: 31) but those names were not attributed to Chapuis (1875); Bechyné's and Ienistea's names are also unavailable, they were proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

DIBOLIITES Chapuis, 1875: 137 [stem: *Diboli-*]. Type genus: *Dibolia* Latreille, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte and G. H. Horn (1883: 350, as DIBOLIAE), generally accepted as in Bechyné (1997: 206, as DIBOLINI).

*ÉLITHIITES Chapuis, 1875: 21 [stem: *Elithi-*]. Type genus: *Elithia* Chapuis, 1875. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875); this

name was originally spelled ELITHIITES in the key but ÉLITHIIDES in description (both p. 21); ELITHIIDAE was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1875); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

LACTICITES Chapuis, 1875: 123 [stem: *Lactic-*]. Type genus: *Lactica* Erichson, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in J. L. LeConte and G. H. Horn (1883: 350, as LACTICAE).

MNIOPHILITES Chapuis, 1875: 129 [stem: *Mniophil-*]. Type genus: *Mniophila* Stephens, 1831. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in J. L. LeConte and G. H. Horn (1883: 350, as MNIOPHILAE).

MONOPLATITES Chapuis, 1875: 91 [stem: *Monoplat-*]. Type genus: *Monoplatus* Chevrolat, 1846 [this genus is usually credited to Clark, 1860, e.g., Seeno and Wilcox (1982: 141) and Linzmeier and Konstantinov (2009), but the name was first made available with a short description by Chevrolat (1846: 333); syn. of *Sphaeronychus* Dejean, 1836]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte and G. H. Horn (1883: 350, as MONOPLATI), generally accepted as in Bechyné and Špringlová de Bechyné (1975: 132, as MONOPLATINI); treated as a valid tribe and given precedence over SPHAERONYCHINI (Art. 40.1) by Linzmeier and Konstantinov (2009: 657).

*NONARTHrites Chapuis, 1875: 141 [stem: *Nonarthr-*]. Type genus: *Nonarthra* Baly, 1862. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875); NONARTHRIDAE was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1875); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

OEDIONYCHITES Chapuis, 1875: 81 [stem: *Oedionych-*]. Type genus: *Oedionychis* Latreille, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte and G. H. Horn (1883: 349, as OEDIONYCHES [treated as Latin]), generally accepted as in Bechyné (1968: 1703, as OEDIONYCHINI).

OXYGONITES Chapuis, 1875: 43 [stem: *Oxygen-*]. Type genus: *Oxygona* Chevrolat, 1847 [this genus has been attributed to "Chevrolat, 1837" (see Seeno and Wilcox 1982: 132) but the name is not available from Dejean's second and third editions of his catalogue; it was first made available by Chevrolat (1847: 368)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Jacoby (1884a: 34, as OXYGONINAE).

*PROCALITES Chapuis, 1875: 175 [stem: *Procal-*]. Type genus: *Procalus* Clark, 1865. Comment: original vernacular name unavailable (Art. 11.7.2): subse-

quently used in latinized form but not generally attributed to Chapuis (1875); PROCALIDAE was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1875); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

PSYLLIODITES Chapuis, 1875: 140 [stem: *Psylliod-*]. Type genus: *Psylliodes* Latreille, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in J. L. LeConte and G. H. Horn (1883: 349, as *PSYLLIODES* [treated as Latin]).

CHAETOCNEMAE J. L. LeConte and G. H. Horn, 1883: 354 [stem: *Chaetocnem-*].

Type genus: *Chaetocnema* Stephens, 1831.

DISONYCHAE J. L. LeConte and G. H. Horn, 1883: 351 [stem: *Disonych-*]. Type genus: *Disonycha* Chevrolat, 1836.

EUPLECTROSCELES G. H. Horn, 1889: 167, in key [stem: *Euplectroscelid-*]. Type genus: *Euplectroscelis* Crotch, 1873. Comment: incorrect original stem formation, not in prevailing usage.

PSEUDOLAMPSES G. H. Horn, 1889: 166, in key [stem: *Pseudolampse-*]. Type genus: *Pseudolampsis* Horn, 1889. Comment: incorrect original stem formation, not in prevailing usage.

SYSTENAE G. H. Horn, 1889: 167, in key [stem: *Systen-*]. Type genus: *Systema* Chevrolat, 1836.

LUPERALTICINI Leng, 1920: 301 [stem: *Luperaltic-*]. Type genus: *Luperaltica* Crotch, 1873.

OCTOGONOTINI Weise, 1921: 151 [stem: *Octogonot-*]. Type genus: *Octogonotes* Drapiez, 1820.

SERRATICOLLINI B. E. White, 1942: 17 [stem: *Serraticoll-*]. Type genus: *Serraticollis* B. E. White, 1942.

SPHAERONYCHINI Bechyné and Špringlová de Bechyné, 1960: 7 [stem: *Sphaeronych-*]. Type genus: *Sphaeronychus* Dejean, 1836 [*Sphaeronychus* is an incorrect subsequent spelling of *Sphraeronychus* Dejean, 1836, in prevailing usage, treated as correct original spelling (Art. 33.3.1)]. Comment: this taxon was treated as a valid tribe (which included MONOPLATINI) by Furth (2007: 90).

DISONYCHINA Bechyné and Špringlová de Bechyné, 1966: 142, in key [stem: *Disonych-*]. Type genus: *Disonycha* Chevrolat, 1836. Comment: family-group name proposed as new without reference to DISONYCHAE J. L. LeConte and G. H. Horn, 1883.

CACOSCELINI Bechyné, 1968: 1715 [stem: *Cacoscelid-*]. Type genus: *Cacoscelis* Chevrolat, 1836. Comment: CACOSCELINI J. Thomson, 1861 (type genus *Cacosceles* Newman, 1838) is available in CERAMBYCIDAE and used as valid; the correct stem *Cacoscelid-* should be used for the alticine name in the future in order to avoid homonymy with the cerambycid name.

*HERMAEOPHAGINA Bechyné, 1968: 1698 [stem: *Hermaeophag-*]. Type genus: *Hermaeophaga* Foudras, 1859. Comment: unavailable family-group name,

proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

LONGITARSINI Bechyné, 1968: 1708 [stem: *Longitars-*]. Type genus: *Longitarsus* Latreille, 1829. Comment: family-group name proposed as new without reference to LONGITARSES Maehler, 1850.

LYPNEINA Bechyné, 1968: 1717 [stem: *Lypne-*]. Type genus: *Lypnea* Baly, 1876.

PODAGRICINI Bechyné, 1968: 1718 [stem: *Podagric-*]. Type genus: *Podagriva* Chevrolat, 1836.

*SPHAERODERMINI Bechyné, 1968: 1702 [stem: *Sphaerodermat-*]. Type genus: *Sphaeroderma* Stephens, 1831. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

WITTMERALTICINA Bechyné, 1968: 1717 [stem: *Wittmeraltic-*]. Type genus: *Wittmeraltica* Bechyné, 1956.

PSILAPHINA Bechyné and Špringlová de Bechyné, 1973: 27, in key [stem: *Psilaph-*]. Type genus: *Psilapha* Clark, 1865.

DIPHAULACINI Bechyné and Špringlová de Bechyné, 1975: 116 [stem: *Diphaulac-*]. Type genus: *Diphaulaca* Chevrolat, 1836.

MANOBIINI Bechyné and Špringlová de Bechyné, 1975: 132, in key [stem: *Manobi-*]. Type genus: *Manobia* Jacoby, 1885.

MARCAPATIINI Bechyné and Špringlová de Bechyné, 1975: 131 [stem: *Marcapati-*]. Type genus: *Marcapatia* Bechyné, 1958.

MONOMACRINA Bechyné and Špringlová de Bechyné, 1975: 27 [stem: *Monomacr-*]. Type genus: *Monomacra* Chevrolat, 1836.

SYSTENINI Bechyné and Špringlová de Bechyné, 1975: 132, in key [stem: *System-*]. Type genus: *Systema* Chevrolat, 1836. Comment: family-group name proposed as new without reference to SYSTEMAE G. H. Horn, 1889.

*PHYGASIIINI Bechyné, 1980: 58 [stem: *Phygasi-*]. Type genus: *Phygasia* Dejean, 1836. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

*OCNOSCELINA Seeno and Wilcox, 1982: 127 [stem: *Ocnoscelid-*]. Type genus: *Ocnoscelis* Erichson, 1847. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

HERMAEOPHAGINA Bechyné, 1997: 116 [stem: *Hermaeophag-*]. Type genus: *Hermaeophaga* Foudras, 1859.

OCNOSCELINA Bechyné, 1997: 124 [stem: *Ocnoscelid-*]. Type genus: *Ocnoscelis* Erichson, 1847. Comment: incorrect original stem formation, not in prevailing usage.

Tribe DECARTHROCERINI Laboissière, 1937

DECARTHROCERINA Laboissière, 1937: 29 [stem: *Decarthrocer-*]. Type genus: *Decarthrocer* Laboissière, 1937.

Tribe GALERUCINI Latreille, 1802

GALERUCAE Latreille, 1802: 228 [stem: *Galeruc-*]. Type genus: *Galeruca* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

COELOMÉRITES Chapuis, 1875: 196 [stem: *Coelomer-*]. Type genus: *Coelomera* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Leng (1920: 296, as COELOMERINI), generally accepted as in Riley et al. (2002: 639, as COELOMERITES [treated as Latin]).

ATYSITES Chapuis, 1875: 192 [stem: *Atys-*]. Type genus: *Atysa* Baly, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Leng (1920: 296, as ATYSINI), generally accepted as in Riley et al. (2002: 639, as ATYSITES [treated as Latin]).

APOPHYLIITES Chapuis, 1875: 182 [stem: *Apophyli-*]. Type genus: *Apophylia* Duponchel and Chevrolat, 1841 [this genus name has been attributed to "J. Thomson, 1858", e.g., Bezdeček (2003: 71), however it was made available for the first time with a description by Duponchel and Chevrolat (1841: 31)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1923: 124, as APOPHYDIINI [incorrect stem formation]), generally accepted as in Seeno and Wilcox (1982: 96, as APOPHYLIITES [treated as Latin]).

RUPILIITES Chapuis, 1875: 213 [stem: *Rupili-*]. Type genus: *Rupilia* Clark, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Jacoby (1899: 83, as RUPILINAE [incorrect stem formation]).

SCHEMATIZITES Chapuis, 1875: 195 [stem: *Schematiz-*]. Type genus: *Schematiza* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Wilcox (1971: 101, as SCHEMATIZITES [treated as Latin]), generally accepted as in Riley et al. (2002: 639, as SCHEMATIZITES [treated as Latin]).

MOMBASICITES Laboissière, 1922: 230 [stem: *Mombasic-*]. Type genus: *Mombasica*

CHORINI Weise, 1923: 124 [stem: *Chorin-*]. Type genus: *Chorina* Baly, 1866. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Weise (1924: 179).

LEPTOSONYCHINI Weise, 1924: 180 [stem: *Leptosonych-*]. Type genus: *Leptosonyx* Weise, 1885.

THEONINA Laboissière, 1934: 7, in key [stem: *Theon-*]. Type genus: *Theone* Gistel, 1857.

Tribe HYLASPINI Chapuis, 1875

HYLASPITES Chapuis, 1875: 237 [stem: *Hylasp-*]. Type genus: *Hylaspe* Baly, 1865. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Laboissière (1934: 8, as HYLASPINA), generally accepted as in

Silfverberg (1990: 120, as HYLASPINI); First Reviser found (HYLASPINI Chapuis, 1875 vs AGELASTICINI Chapuis, 1875) is Silfverberg (1990: 120).

SERMYLITES Chapuis, 1875: 224 [stem: *Sermyl-*]. Type genus: *Sermyla* Chapuis, 1875 [preoccupied genus name, not *Sermyla* Walker 1854 [Lepidoptera], not *Sermyla* Adams, 1854 [Mollusca]; syn. of *Sermylassa* Reitter, 1912]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Jacoby (1884a: 64, as SERMYLINAЕ), generally accepted as in Seeno and Wilcox (2002: 104, as SERMYLITES [treated as Latin]); permanently invalid (Art. 39): based on preoccupied type genus.

ANTIPHITES Chapuis, 1875: 232 [stem: *Antiph-*]. Type genus: *Antipha* Baly, 1865 [preoccupied genus name, not *Antipha* Walker, 1855 [Lepidoptera]; syn. of *Dercetina* Gressitt and Kimoto, 1963]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Seeno and Wilcox (1982: 103, as ANTIPHITES [treated as Latin]); permanently invalid (Art. 39): based on preoccupied type genus.

AGELASTICITES Chapuis, 1875: 167 [stem: *Agelastic-*]. Type genus: *Agelastica* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Weise (1903a: 209, as AGELASTICITES [treated as Latin]), generally accepted as in Burakowski et al. (1991: 23, as AGELASTICINI).

AGELASINI Leng, 1920: 298 [stem: *Agelas-*]. Type genus: *Agelasa* sensu Horn, 1893 [not *Agelasa* Motschulsky, 1860; syn. of *Sermylassa* Reitter, 1912]. Comment: based on a misidentified type genus.

BONESIITES Laboissière, 1926: 91 [stem: *Bonesi-*]. Type genus: *Bonesia* Baly, 1865.

CAPULINI Ogleblin, 1936: 341 [stem: *Capul-*]. Type genus: *Capula* Jakobson, 1925.

GALLERUCIDINI Gressitt and Kimoto, 1963: 390, in key [stem: *Gallerucid-*]. Type genus: *Gallerucida* Motschulsky, 1861.

SERMYLASSINI Mroczkowski, 1991: 22 [stem: *Sermylass-*]. Type genus: *Sermylassa* Reitter, 1912. Comment: replacement name for SERMYLITES Chapuis, 1875 and AGELASINI Leng, 1920 because of the homonymy of the type genus.

Tribe LUPERINI Gistel, 1848

LUPERIIDAE Gistel, 1848: [9] [stem: *Luper-*]. Type genus: *Luperus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1984a)]. Comment: name previously attributed to Chapuis (1875) in the literature; also see Beenen (2010: 464) for an alternative classification within this tribe; incorrect original stem formation, not in prevailing usage.

AULACOPHORITES Chapuis, 1875: 158 [stem: *Aulacophor-*]. Type genus: *Aulacophora* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Laboissière (1934: 8, as AULACOPHORINA), generally accepted as in Seeno and Wilcox (1982: 97, as AULACOPHORITES [treated as Latin]).

DIABROTCITES Chapuis, 1875: 165 [stem: *Diabrotic-*]. Type genus: *Diabrotica* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Leng (1920: 297, as DIABROTCINI), generally accepted as in Riley et al. (2002: 639, as DIABROTCINA).

CÉROTOMITES Chapuis, 1875: 229 [stem: *Cerotom-*]. Type genus: *Cerotoma* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Leng (1920: 298, as CÉROTOMINI), generally accepted as in Riley et al. (2002: 639, as CÉROTOMITES [treated as Latin]).

PLATYXANTHITES Chapuis, 1875: 243 [stem: *Platyxanth-*]. Type genus: *Platyxantha* Baly, 1864. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Jacoby (1884b: 226, as PLATYXANTHINAE).

*THÉOPÉITES Chapuis, 1875: 241 [stem: *Theope-*]. Type genus: *Theopea* Baly, 1864. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875); THEOPEIDAE was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1875); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); THEOPEINA Clench, 1955 (type genus *Theope* Doubleday, 1847) is available in Lepidoptera.

SCELIDITES Chapuis, 1875: 184 [stem: *Scelid-*]. Type genus: *Scelida* Chapuis, 1875. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Jacoby (1884a: 62, as SCELIDINAE), generally accepted as in Riley et al. (2002: 639, as SCELIDITES [treated as Latin]).

PHYLLOBROTCITES Chapuis, 1875: 163 [stem: *Phyllobrotic-*]. Type genus: *Phyllobrotica* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Leng (1920: 297, as PHYLLOBROTCINI), generally accepted as in Riley et al. (2002: 639, as PHYLLOBROTCITES [treated as Latin]).

*AGETOCÉRITES Chapuis, 1875: 177 [stem: *Agetocer-*]. Type genus: *Agetocera* Hope, 1831 [*Agetocera* is an unjustified emendation of the original genus name *Aegelocerus* Hope, 1831 by Hope (1840a: 170); because *Agetocera* is in prevailing usage and has been attributed to the original author and date, e.g. Bezděk (2010a: 73, 2010c: 464) it is treated here as a justified emendation (Art. 33.2.3.1)]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875); AGETOCERIDAE was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1875); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

MIMASTRITES Chapuis, 1875: 178 [stem: *Mimastr-*]. Type genus: *Mimastra* Baly, 1865. Comment: original vernacular name available (Art. 11.7.2): first used in

latinized form by Jacoby (1884a: 67, as MIMASTRINAЕ), generally accepted as in Weise (1903b: 334, as MIMASTRITES [treated as Latin]).

ORNITHOGNATHITES Chapuis, 1875: 176 [stem: *Ornithognath-*]. Type genus: *Ornithognathus* J. Thomson, 1858. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Harold (1877: 110, as ORNITHOGNATHINAЕ), generally accepted as in Seeno and Wilcox (1982: 97, as ORNITHOGNATHITES [treated as Latin]).

MONOLEPTITES Chapuis, 1875: 234 [stem: *Monolept-*]. Type genus: *Monolepta* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Jacoby (1884a: 61, as MONOLEPTINAЕ), generally accepted as in Riley et al. (2002: 639, as MONOLEPTITES [treated as Latin]).

CEROPHYSITES Chapuis, 1875: 181 [stem: *Cerophys-*]. Type genus: *Cerophysa* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Seeno and Wilcox (1982: 97, as CEROPHYSIDES [treated as Latin]).

PHYLLECTHRITES G. H. Horn, 1893: 60, in key [stem: *Phyllecthr-*]. Type genus: *Phyllecthris* Dejean, 1836.

RHAPHIDOPALPINI Weise, 1902: 140 [stem: *Raphidopalp-*]. Type genus: *Raphidopalpa* Chevrolat, 1836 [as *Raphidopalpa*, unjustified emendation of type genus name by Rosenhauer (1856: 325), not in prevailing usage; syn. of *Aulacophora* Chevrolat, 1836]. Comment: incorrect original stem formation, not in prevailing usage.

ANDROLYPERINI Leng, 1920: 298 [stem: *Androlyper-*]. Type genus: *Androlyperus* Crotch, 1873.

IDACANTHITES Laboissière, 1921: 63 [stem: *Idacanth-*]. Type genus: *Idacantha* Fairmaire, 1869.

HYPERACANTHITES Laboissière, 1924: 142 [stem: *Hyperacanth-*]. Type genus: *Hyperacantha* Chapuis, 1879.

MEGALOGNATHITES Laboissière, 1926: 185 [stem: *Megalognath-*]. Type genus: *Megalognatha* Baly, 1878.

***EXOSOMITES** Wilcox, 1965: 93 [stem: *Exosomat-*]. Type genus: *Exosoma* Jacoby, 1903. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

***TRACHYSCELIDITES** Wilcox, 1972: 430 [stem: *Trachyscelid-*]. Type genus: *Trachyscelida* G. H. Horn, 1893. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

***ADOXIITES** Wilcox, 1973: 433 [stem: *Adoxi-*]. Type genus: *Adoxia* Broun, 1880. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

***EUMELEPTITES** Wilcox, 1973: 447 [stem: *Eumelept-*]. Type genus: *Eumelepta* Jacoby, 1892. Comment: unavailable family-group name, proposed after 1930

without description or bibliographic reference to such a description (Art. 13.1).

***XENODITES** Wilcox, 1973: 604 [stem: *Xenod-*]. Type genus: *Xenoda* Baly, 1877. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

***DORYSCITES** Wilcox, 1973: 606 [stem: *Dorysc-*]. Type genus: *Doryscus* Jacoby, 1887. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe METACYCLINI Chapuis, 1875

MÉTACYCLITES Chapuis, 1875: 212 [stem: *Metacycl-*]. Type genus: *Metacycla* Baly, 1861. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Leng (1920: 298, as METACYCLINI), generally accepted as in Riley et al. (2002: 639, as METACYCLINI).

STICTOCEMITES Laboissière, 1922: 220 [stem: *Stictocem-*]. Type genus: *Stictocema* Jacoby, 1906.

***EXORINI** Wilcox, 1965: 179 [stem: *Exor-*]. Type genus: *Exora* Chevrolat, 1836. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe OIDINI Laboissière, 1921 (1875)

ADORIITES Chapuis, 1875: 155 [stem: *Adori-*]. Type genus: *Adorium* Fabricius, 1801 [syn. of *Oides* Weber, 1801]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Lea (1925: 16, as ADORIITES [treated as Latin]); usage of younger name **OIDINI** Laboissière, 1921 conserved (Art. 40.2).

OÏDITES Laboissière, 1921: 38 [stem: *Oid-*]. Type genus: *Oides* Weber, 1801. Comment: usage of this name conserved over ADORIINI Chapuis, 1875 (Art. 40.2).

Subfamily LAMPROSOMATINAE Lacordaire, 1848

LAMPROSOMIDEAE Lacordaire, 1848: 559 [stem: *Lamprosomat-*]. Type genus: *Lamprosoma* Kirby, 1819.

Tribe LAMPROSOMATINI Lacordaire, 1848

LAMPROSOMIDEAE Lacordaire, 1848: 559 [stem: *Lamprosomat-*]. Type genus: *Lamprosoma* Kirby, 1819. Comment: incorrect original stem formation, not in prevailing usage.

Tribe NEOCHLAMYSINI Monrós, 1959

NEOCHLAMYSINI Monrós, 1959b: 29 [stem: *Neochlamys-*]. Type genus: *Neochlamys* Jacoby, 1882. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Neochlamyd-*).

Tribe SPHAEROCHARINI Chapuis, 1874

SPHOEROCHARIDES Chapuis, 1874: 206 [stem: *Sphaerochar-*]. Type genus: *Sphaerocharis* Lacordaire, 1848 [as *Sphoerocharis*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 248, as SPHAEROCHARINI), generally accepted as in Monrós (1956: 32, as SPHAEROCHARINI); current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Sphaerocharit-*).

Subfamily CRYPTOCEPHALINAE Gyllenhal, 1813

CRYPTOCEPHALOIDEAE Gyllenhal, 1813: 582 [stem: *Cryptocephal-*]. Type genus: *Cryptocephalus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Tribe CLYTRINI Kirby, 1837

CLYTHRIDAE Kirby, 1837: 207 [stem: *Clytr-*]. Type genus: *Clytra* Laicharting, 1781 [as *Clythra*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

MEGALOSTOMIDEAE Lacordaire, 1848: 486 [stem: *Megalostomid-*]. Type genus: *Megalostomis* Chevrolat, 1836. Comment: incorrect original stem formation, not in prevailing usage.

BABIDEAE Lacordaire, 1848: 394 [stem: *Babi-*]. Type genus: *Babia* Chevrolat, 1836. Comment: incorrect original stem formation, not in prevailing usage.

ISCHIOPACHITES Chapuis, 1874: 151 [stem: *Ischiopache-*]. Type genus: *Ischiopachys* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Jacoby and Clavareau (1906: 75, as ISCHIOPACHITAE), generally accepted as in Riley et al. (2002: 639, as ISCHIOPACHINA); incorrect original stem formation, not in prevailing usage.

MELOLONTHINI Bedel, 1891: 106 [stem: *Melolonth-*]. Type genus: *Melolontha* Geoffroy, 1762 [preoccupied genus name, not *Melolontha* Fabricius, 1775 [Coleoptera: SCARABAEIDAE]; placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1994a); syn. of *Clytra* Laicharting, 1781]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

EOCLYTRINI Monrós, 1958b: 35 [stem: *Eoclytr-*]. Type genus: *Eoclytra* Monrós, 1958.

ARATEINI Moldenke, 1981: 85, in key [stem: *Arate-*]. Type genus: *Aratea* Lacordaire, 1848.

Tribe CRYPTOCEPHALINI Gyllenhal, 1813

CRYPTOCEPHALOIDEAE Gyllenhal, 1813: 582 [stem: *Cryptocephal-*]. Type genus: *Cryptocephalus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subtribe ACHAENOPINA Chapuis, 1874

ACHAENOPITES Chapuis, 1874: 171 [stem: *Achaenop-*]. Type genus: *Achaenops* Suffrian, 1857. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Clavareau (1913b: 109, as ACHAENOPINI).

Subtribe CRYPTOCEPHALINA Gyllenhal, 1813

CRYPTOCEPHALOIDEAE Gyllenhal, 1813: 582 [stem: *Cryptocephal-*]. Type genus: *Cryptocephalus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)].

Subtribe MONACHULINA Leng, 1920

*MONACHIDEN Suffrian, 1863: 79 [stem: *Monach-*]. Type genus: *Monachus* Chevrolat, 1836 [preoccupied genus name, not *Monachus* Fleming, 1822 [Mammalia], not *Monachus* Kaup, 1829 [Aves]; syn. of *Lexiphanes* Gistel, 1848]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Suffrian (1863).

MONACHITES Chapuis, 1874: 172 [stem: *Monach-*]. Type genus: *Monachus* Chevrolat, 1836 [preoccupied genus name, not *Monachus* Fleming, 1822 [Mammalia], not *Monachus* Kaup, 1829 [Aves]; syn. of *Lexiphanes* Gistel, 1848]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte and G. H. Horn (1883: 342, as MONACHI), generally accepted as in Liu (1935: 286, as MONACHINI); permanently invalid (Art. 39): based on preoccupied type genus; MONACHINAE Trouessart, 1897 (type genus *Monachus* Fleming, 1822) is available in Mammalia.

MONACHULINI Leng, 1920: 290 [stem: *Monachul-*]. Type genus: *Monachulus* Leng, 1918 [syn. of *Lexiphanes* Gistel, 1848].

Subtribe PACHYBRACHINA Chapuis, 1874

*PACHYBRACHIDEN Suffrian, 1863: 79 [stem: *Pachybrach-*]. Type genus: *Pachybrachis* Chevrolat, 1836. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Suffrian (1863).

PACHYBRACHITES Chapuis, 1874: 163 [stem: *Pachybrach-*]. Type genus: *Pachybrachis* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte and G. H. Horn (1883: 342, as PACHYBRACHI), generally accepted as in Burakowski et al. (1990: 63, as PACHYBRACHINI).

Subtribe STYLOSOMINA Chapuis, 1874

STYLOSOMITES Chapuis, 1874: 162 [stem: *Stylosom-*]. Type genus: *Stylosomus* Suffrian, 1848. Comment: original vernacular name available (Art. 11.7.2):

first used in latinized form by Sharp (1876: 99, as STYLOSOMITES [treated as Latin]), generally accepted as in Liu (1935: 292, as STYLOSOMINI).

Tribe FULCIDACINI Jakobson, 1924

*CHLAMYTES Blanchard, 1845b: 186 [stem: *Chlamyd-*]. Type genus: *Chlamys* Knoch, 1801 [preoccupied genus name, not *Chlamys* Bolten, 1798 [Mollusca]; syn. of *Chlamisus* Rafinesque, 1815]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Blanchard (1845b); incorrect original stem formation, not in prevailing usage.

CHLAMYDEAE Lacordaire, 1848: 636 [stem: *Chlamyd-*]. Type genus: *Chlamys* Knoch, 1801 [preoccupied genus name, not *Chlamys* Bolten, 1798 [Mollusca]; syn. of *Chlamisus* Rafinesque, 1815]. Comment: incorrect original stem formation, not in prevailing usage; permanently invalid (Art. 39): based on preoccupied type genus.

FULCIDACINA Jakobson, 1924: 239 [stem: *Fulcidac-*]. Type genus: *Fulcidax* Clavareaux, 1913 [for comments on the authorship of this genus see Bezděk (2010b: 76); syn. of *Poropleura* Lacordaire, 1848]. Comment: we use FULCIDACINI Jakobson, 1924 as valid for this taxon as in Bezděk (2010b: 76).

CHLAMISINAE Gressitt, 1946: 84 [stem: *Chlamis-*]. Type genus: *Chlamisus* Rafinesque, 1815. Comment: replacement name for CHLAMYDINAE Lacordaire, 1848 because of the homonymy of the type genus.

Subfamily EUMOLPINAE Hope, 1840

EUMOLPIDAE Hope, 1840a: 162 [stem: *Eumolp-*]. Type genus: *Eumolpus* Kugelann, 1798 [an application to suppress *Eumolpus* Kugelann, 1798 and conserve *Eumolpus* Weber, 1801 was recently submitted to the Commission by Moseyko et al. (2010)].

Tribe BROMIINI Baly, 1865 (1863)

ADOXINAE Baly, 1863: 146 [stem: *Adox-*]. Type genus: *Adoxus* Kirby, 1837 [syn. of *Bromius* Chevrolat, 1836]. Comment: use of younger name BROMIINI Baly, 1865 conserved over this name (Art. 40.2).

HETERASPINAE Baly, 1863: 147 [stem: *Heteraspid-*]. Type genus: *Heteraspis* Chevrolat, 1836 [this genus (incorrectly attributed to "Chevrolat, 1837") has been treated as a synonym of *Scelodonta* Westwood, 1837 in the literature; *Heteraspis* was in fact made available by Chevrolat (1836: 413) and is a senior synonym of *Scelodonta* Westwood, 1837 (also see Löbl 2010: 83)]. Comment: although this is the oldest name for the tribe, we recommend that an application be sent to the Commission in order to conserve usage of BROMIINI Baly, 1865; incorrect original stem formation, not in prevailing usage.

BROMIINAE Baly, 1865: 438 [stem: *Bromi-*]. Type genus: *Bromius* Chevrolat, 1836 [an application to conserve *Bromius* Chevrolat, 1836, threatened by the older name *Eumolpus* Kugelann, 1798, was recently submitted to the Commission

by Moseyko et al. (2010)]. Comment: use of family-group name conserved over ADOXIINI Baly, 1863 (Art. 40.2).

MYOCHROINAE Baly, 1865: 433 [stem: *Myochro-*]. Type genus: *Myochrous* Erichson, 1847.

LEPROTITES Chapuis, 1874: 268 [stem: *Leprotet-*]. Type genus: *Leprotes* Baly, 1863 [syn. of *Fidia* Motschulsky, 1860]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Lefèvre (1885: 71, as LEPROTITAE), generally accepted as in Riley et al. (2002: 639, as LEPROTITES [treated as Latin]); incorrect original stem formation, not in prevailing usage.

PSEUDOCOLASPITES Chapuis, 1874: 287 [stem: *Pseudocolaspid-*]. Type genus: *Pseudocolaspis* Laporte, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Lefèvre (1885: 84, as PSEUDOCOLASPITAE); incorrect original stem formation, not in prevailing usage.

SCELODONTITES Chapuis, 1874: 266 [stem: *Scelodont-*]. Type genus: *Scelodonta* Westwood, 1838 [syn. of *Heteraspis* Chevrolat, 1836]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Lefèvre (1885: 67, as SCELODONTITAE), generally accepted as in Riley et al. (2002: 639, as SCELODONTITES [treated as Latin]).

TOMYRITES Chapuis, 1874: 264 [stem: *Tomyri-*]. Type genus: *Tomyris* Chapuis, 1874 [preoccupied genus name, not *Tomyris* Eichald, 1831 [Reptilia]; syn. of *Eboo* Reid, 1993]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Lefèvre (1885: 64, as TOMYRITAE); permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

*GONIOPLEURITES Chapuis, 1875: 247 [stem: *Goniopleur-*]. Type genus: *Goniopleura* Westwood, 1832. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Chapuis (1875); GONIOPLEURIDAE was used as valid by Ienistea (1986: 31) but it was not attributed to Chapuis (1875); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); usage of the name GONIOPLEURIDAE dates back at least to the 1850's in Trilobita, however it is based on the junior homonym *Goniopleura* Hawle and Corda 1847 and the trilobite family-group name is therefore permanently invalid (Art. 39).

EUBRACHINI Jacoby, 1908: 432 [stem: *Eubrach-*]. Type genus: *Eubrachis* sensu Baly, 1878 [not *Eubrachis* Dejean, 1836; syn. of *Macrocoma* Chapuis, 1874]. Comment: based on misidentified type genus.

NERISSINI Kuntzen, 1912: 42 [stem: *Neriss-*]. Type genus: *Nerissus* Chapuis, 1874.

CYNOINI Clavareau, 1914: 109 [stem: *Cynoi-*]. Type genus: *Cyno* T. A. Marshall, 1865. Comment: incorrect original stem formation, not in prevailing usage.

ODONTIONOPINI Clavareau, 1914: 63 [stem: *Odontionop-*]. Type genus: *Odontionopa* Erichson, 1842 [preoccupied genus name, not *Odontionopa* Chevrolat,

1836 [Coleoptera: CHRYSOMELIDAE: EUMOLPINAE: EURYOPINI]; syn. of *Eboo* Reid, 1993]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

TRICOCHRYSEINI Clavareau, 1914: 82 [stem: *Trichochnryse-*]. Type genus: *Trichochrysea* Baly, 1861.

LYPESTHINI Chûjô, 1956: 87 [stem: *Lypeshet-*]. Type genus: *Lypesthes* Baly, 1863 [conservation of usage of this name over *Fidia* Motschulsky, 1860 rejected by Commission (ICZN 2009c); syn. of *Fidia* Motschulsky, 1860]. Comment: name proposed to replace LEPROTINI Chapuis, 1874 because of the synonymy of the type genus; incorrect original stem formation, not in prevailing usage.

EBOOINA Reid, 1993: 61 [stem: *Eboo-*]. Type genus: *Eboo* Reid, 1993. Comment: replacement name for TOMYRITES Chapuis, 1874 because of the homonymy of the type genus.

Tribe CARYONODINI Bechyné, 1951

CARYONODINI Bechyné, 1951: 265 [stem: *Caryonod-*]. Type genus: *Caryonoda* Bechyné, 1951.

Tribe CUBISPINI Monrós, 1954

CUBISPINI Monrós, 1954: 26 [stem: *Cubisp-*]. Type genus: *Cubispa* Barber, 1946.

Tribe EUMOLPINI Hope, 1840

EUMOLPIDAE Hope, 1840a: 162 [stem: *Eumolp-*]. Type genus: *Eumolpus* Kugelann, 1798 [an application to suppress *Eumolpus* Kugelann, 1798 and conserve *Eumolpus* Weber, 1801 was recently submitted to the Commission by Moseyko et al. (2010)]. Comment: First Reviser (EUMOLPINI Hope, 1840 vs COLASPIDINI Hope, 1840) not determined, current usage maintained.

COLASPIDAE Hope, 1840a: 163 [stem: *Colaspid-*]. Type genus: *Colaspis* Fabricius, 1801. Comment: incorrect original stem formation, not in prevailing usage.

CORYNODINA T. A. Marshall, 1865: 29 [stem: *Corynod-*]. Type genus: *Corynodes* Hope, 1840 [syn. of *Platycorynus* Chevrolat, 1836].

CHALCOPHANITES Chapuis, 1874: 256 [stem: *Chalcophan-*]. Type genus: *Chalco-phana* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Lefèvre (1885: 50, as CHALCOPHANITAE).

EDUSITES Chapuis, 1874: 306 [stem: *Edus-*]. Type genus: *Edusa* Chapuis, 1874 [preoccupied genus name, not *Edusa* Gistel, 1848 [Tunicata], not *Edusa* Albers, 1860 [Gastropoda] and not *Edusa* Martens 1860 [Mollusca]; syn. of *Edusella* Chapuis, 1874]. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Lefèvre (1885: 111, as EDUSITAE); permanently invalid (Art. 39): based on preoccupied type genus.

ENDOCÉPHALITES Chapuis, 1874: 343 [stem: *Endocephal-*]. Type genus: *Endocephalus* Chevrolat, 1836. Comment: original vernacular name available (Art.

11.7.2): first used in latinized form and generally accepted as in Lefèvre (1885: 154, as ENDOCEPHALITAE).

IPHIMÉITES Chapuis, 1874: 230 [stem: *Iphime-*]. Type genus: *Iphimeis* Baly, 1864.

Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Lefèvre (1885: 12, as IPHIMEITAE), generally accepted as in Riley et al. (2002: 639, as IPHIMEITES [treated as Latin]).

CHRYSDINITAE Lefèvre, 1885: 5 [stem: *Chrysodin-*]. Type genus: *Chrysodina* Baly, 1864 [syn. of *Spintherophyta* Dejean, 1836].

EDUSELLINI Clavareau, 1914: 121 [stem: *Edusell-*]. Type genus: *Edusella* Chapuis, 1874.

COLASPOIDINI Chen, 1940: 488 [stem: *Colaspoid-*]. Type genus: *Colaspoides* Laporte, 1833.

Tribe EURYOPINI Chapuis, 1874

EURYOPITES Chapuis, 1874: 302 [stem: *Euryop-*]. Type genus: *Euryope* Dalman, 1824. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Lefèvre (1885: 108, as EURYOPITAE).

ODONTIONOPITES Lefèvre, 1876: 301 [stem: *Odontionop-*]. Type genus: *Odontionopa* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Lefèvre (1885: 65, as ODONTIONOPITAE).

PRASOIDEINI Clavareau, 1914: 65 [stem: *Prasoide-*]. Type genus: *Prasoidea* Weise, 1907 [syn. of *Odontionopa* Chevrolat, 1836].

*COLASPOSOMINI Bechyné, 1957: 7, 8 [stem: *Colasposomat-*]. Type genus: *Colasposoma* Laporte, 1833. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

COLASPOSOMINI Špringlová de Bechyné, 1960: 3 [stem: *Colasposomat-*]. Type genus: *Colasposoma* Laporte, 1833. Comment: incorrect original stem formation, not in prevailing usage.

Tribe HABROPHORINI Bechyné and Špringlová de Bechyné, 1969

HABROPHORINI Bechyné and Špringlová de Bechyné, 1969: 75 [stem: *Habrophor-*]. Type genus: *Habrophora* Erichson, 1847.

Tribe HEMYDACNINI Bechyné, 1951

HEMYDACNINI Bechyné, 1951: 91 [stem: *Hemydacn-*]. Type genus: *Hemydacne* Jacoby, 1897.

Tribe MEGASCELIDINI Chapuis, 1874

MÉGASCÉLIDES Chapuis, 1874: 82 [stem: *Megascelid-*]. Type genus: *Megascelis* Sturm, 1826. Comment: original vernacular name available (Art. 11.7.2): first

used in latinized form by Jacoby and Clavareau (1905: 1, as MEGASCELIDAE [incorrect stem formation]), generally accepted as in Riley et al. (2002: 639, as MEGASCELIDINI); incorrect original stem formation, not in prevailing usage.

Tribe MERODINI Chapuis, 1874

MERODITES Chapuis, 1874: 327 [stem: *Merod-*]. Type genus: *Meroda* Baly, 1860.

Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Lefèvre (1885: 128, as MERODITAE).

Tribe PYGOMOLPINI Bechyné, 1949

PYGOMOLPINI Bechyné, 1949: 532 [stem: *Pygomolp-*]. Type genus: *Pygomolpus* Bechyné, 1949.

Tribe ROSIROIINI Bechyné, 1950

ROSIROIINI Bechyné, 1950b: 148 [stem: *Rosiroi-*]. Type genus: *Rosiroia* Bechyné, 1950.

Tribe TYPOPHORINI Baly, 1865

TYPOPHORINAE Baly, 1865: 433 [stem: *Typophor-*]. Type genus: *Typophorus* Chevrolat, 1836.

CALLISINITES Chapuis, 1874: 263 [stem: *Callisin-*]. Type genus: *Callisina* Baly, 1860. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Lefèvre (1885: 63, as CALLISINITAE).

MÉTACHROMITES Chapuis, 1874: 295 [stem: *Metachromat-*]. Type genus: *Metachroma* Chevrolat, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Lefèvre (1885: 92, as METACHROMITAE), generally accepted as in Riley et al. (2002: 639, as METACHROMITES [treated as Latin]); incorrect original stem formation, not in prevailing usage.

NODOSTOMITES Chapuis, 1874: 261 [stem: *Nodostomat-*]. Type genus: *Nodostoma* Motschulsky, 1860 [syn. of *Basilepta* Baly, 1860]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Lefèvre (1885: 56, as NODOSTOMITAE); incorrect original stem formation, not in prevailing usage.

PAGRIITES Lefèvre, 1884: lxvii [stem: *Pagri-*]. Type genus: *Pagria* Lefèvre, 1884. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Lefèvre (1885: 62, as PAGRIITAE).

CHEIRIDEITAE Lefèvre, 1885: 67 [stem: *Cheiride-*]. Type genus: *Cheiridea* Baly, 1878.

NODININI Chen, 1940: 487 [stem: *Nodin-*]. Type genus: *Nodina* Motschulsky, 1858.

BASILEPTINI Chûjô, 1956: 9 [stem: *Basilept-*]. Type genus: *Basilepta* Baly, 1860. Comment: name proposed to replace NODOSTOMINI Chapuis, 1874 because of the synonymy of the type genus.

NODINI Selman, 1965: 145 [stem: *Nod-*]. Type genus: *Noda* Chevrolat, 1836 [pre-occupied genus name, not *Noda* Schellenberg 1803 [Diptera]; syn. of *Brachypnoea* Gistel, 1848]. Comment: permanently invalid (Art. 39): based on pre-occupied type genus.

EUMOLPINAE *incertae sedis*

*EUPALINI Verma et al., 2005: 164 [stem: *Eupal-*]. Type genus: *Eupales* Lefèvre, 1885 [although *Floricola* Gistel, 1848 is an older available name for this genus, almost all authors have used *Eupales* Lefèvre, 1885 in the last 125 years; we use *Eupales* Lefèvre, 1885 as valid here pending a vote on its conservation following a recent submission to the Commission by Jolivet and Verma (Bulletin of Zoological Nomenclature 2009: 204; also see Appendix 6)]. Comment: unavailable family-group name, proposed after 1999 without explicit intention (Art. 16.1); included here as “*incertae sedis*” as was done in the most recent volume of the Catalogue of Palaearctic Coleoptera (see Löbl 2010: 83); notice of a new application for the conservation of *Eupales* Lefèvre, 1885 and EUPALINI Verma et al. submitted by Jolivet and Verma was recently published in the Bulletin of Zoological Nomenclature (2009: 204; also see Appendix 6).

Subfamily SPILOPYRINAE Chapuis, 1874

SPILOPYRITES Chapuis, 1874: 259 [stem: *Spilopyr-*]. Type genus: *Spilopyra* Baly, 1860. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Lefèvre (1885: 56, as SPILOPYRITAE), generally accepted as in Reid (2000: 852, as SPILOPYRINAE); First Reviser found (SPILOPYRINAE Chapuis, 1874 vs STENOMELINAE Chapuis, 1874) is Reid (2000: 852).

STENOMÈLITES Chapuis, 1874: 421 [stem: *Stenomel-*]. Type genus: *Stenomela* Erichson, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Monrós (1958c: 146, as STENOMELINI).

HORNIBIINI Crowson, 1946: 79, in key [stem: *Hornibi-*]. Type genus: *Hornibius* Fairmaire, 1888 [syn. of *Hornius* Fairmaire, 1885].

Subfamily SYNETINAE LeConte and Horn, 1883

SYNETAE J. L. LeConte and G. H. Horn, 1883: 338 [stem: *Synet-*]. Type genus: *Syneta* Dejean, 1835.

SYNETIDAE Edwards, 1953: 29 [stem: *Synet-*]. Type genus: *Syneta* Dejean, 1835. Comment: family-group name proposed as new without reference to SYNETAE J. L. LeConte and G. H. Horn, 1883.

†Subfamily PROTOSCELIDINAE Medvedev, 1968

PROTOSCELINAE L. N. Medvedev, 1968: 155 [stem: *Protoscelid-*]. Type genus: *Protoscelis* L. N. Medvedev, 1968. Comment: incorrect original stem formation, not in prevailing usage.

Superfamily CURCULIONOIDEA Latreille, 1802

CURCULIONITES Latreille, 1802: 195 [stem: *Curculion-*]. Type genus: *Curculio* Linnaeus, 1758.

Family NEMONYCHIDAE Bedel, 1882

NEMONYCHIDAE Bedel, 1882: 3, in key [stem: *Nemonych-*]. Type genus: *Nemonyx* Redtenbacher, 1845 [placed on the Official List of Generic Names in Zoology (ICZN 2005c)]. Comment: given precedence over CIMBERIDIDAE Gozis, 1882 and placed on the Official List of Family-Group Names in Zoology (ICZN 2005c).

Subfamily NEMONYCHINAE Bedel, 1882

NEMONYCHIDAE Bedel, 1882: 3, in key [stem: *Nemonych-*]. Type genus: *Nemonyx* Redtenbacher, 1845 [placed on the Official List of Generic Names in Zoology (ICZN 2005c)]. Comment: placed on the Official List of Family-Group Names in Zoology (ICZN 2005c).

Subfamily CIMBERIDINAE Gozis, 1882

CIMBERIDAE Gozis, 1882: 58 [stem: *Cimberid-*]. Type genus: *Cimberis* Gozis, 1881 [placed on the Official List of Generic Names in Zoology (ICZN 2005c)]. Comment: CIMBERIDAE Gozis, 1882 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology and CIMBERIDIDAE Gozis, 1882 placed on the Official List of Family-Group Names in Zoology (ICZN 2005c).

Tribe CIMBERIDINI Gozis, 1882

RHINOMACERIDES Schönherr, 1823: column 1136 [stem: *Rhinomacr-*]. Type genus: *Rhinomacer* sensu A. G. Olivier, 1807 [not *Rhinomacer* Fabricius, 1781; syn. of *Cimberis* Gozis, 1881]. Comment: placed on the Official Index of Rejected and Invalid Family-Group Names (ICZN 2005c).

CIMBERIDAE Gozis, 1882: 58 [stem: *Cimberid-*]. Type genus: *Cimberis* Gozis, 1881 [placed on the Official List of Generic Names in Zoology (ICZN 2005c)]. Comment: CIMBERIDAE Gozis, 1882 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology and CIMBERIDIDAE Gozis, 1882 placed on the Official List of Family-Group Names in Zoology (ICZN 2005c); incorrect original stem formation, not in prevailing usage.

*NEOCIMBERINI O'Brien and Wibmer, 1982: 3 [stem: *Neocimberid-*]. Type genus: *Neocimberis* O'Brien and Wibmer, 1982 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 2005c)]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); incorrect original stem formation, not in prevailing usage.

Tribe DOYDIRHYNCHINI Pierce, 1916

DOYDIRHYNCHOIDEA Pierce, 1916: 463, in key [stem: *Doydirhynch-*]. Type genus: *Doydirhynchus* Dejean, 1821.

†Tribe KUSCHELOMACRINI Riedel, 2010

KUSCHELOMACERINI Riedel, 2010: 31 [stem: *Kuschelomacr-*]. Type genus: *Kuschelomacer* Riedel, 2010. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily RHINORHYNCHINAE Voss, 1922

RHINORHYNCHINI Voss, 1922: 17 [stem: *Rhinorhynch-*]. Type genus: *Rhinorhynchus* Sharp, 1882.

Tribe MECOMACERINI Kuschel, 1994

MECOMACERINI Kuschel, 1994: 576, in key [stem: *Mecomacer-*]. Type genus: *Mecomacer* Kuschel, 1954. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Mecomacr-*).

Subtribe BRARINA Legalov, 2009

BRARINA Legalov, 2009b: 208 [stem: *Brar-*]. Type genus: *Brarus* Kuschel, 1997.

Subtribe MECOMACERINA Kuschel, 1994

*MECOMACERINI May, 1993: 15, in key [stem: *Mecomacer-*]. Type genus: *Mecomacer* Kuschel, 1954. Comment: unavailable family-group name, description shared with RHYNCHITOPLESIINI, not unequivocal (Art. 13.1.1) (see Alonso-Zarazaga and Lyal 1999: 27).

*RHYNCHITOPLESIINI May, 1993: 15, in key [stem: *Rhynchitoplesi-*]. Type genus: *Rhynchitoplesius* Voss, 1952. Comment: unavailable family-group name, description shared with MECOMACERINI, not unequivocal (Art. 13.1.1) (see Alonso-Zarazaga and Lyal 1999: 27).

MECOMACERINI Kuschel, 1994: 576, in key [stem: *Mecomacer-*]. Type genus: *Mecomacer* Kuschel, 1954. Comment: current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Mecomacr-*).

Tribe RHINORHYNCHINI Voss, 1922

RHINORHYNCHINI Voss, 1922: 17 [stem: *Rhinorhynch-*]. Type genus: *Rhinorhynchus* Sharp, 1882.

RHYNCHITOMACERINI May, 1993: 15, in key [stem: *Rhynchitomacr-*]. Type genus: *Rhynchitomacer* Voss, 1937. Comment: incorrect original stem formation, not in prevailing usage.

†Subfamily SLONIKINAE Zherikhin, 1977

SLONIKINAE Zherikhin, 1977: 179 [stem: *Slonik-*]. Type genus: *Slonik* Zherikhin, 1977.

†Tribe SLONIKINI Zherikhin, 1977

SLONIKINAE Zherikhin, 1977: 179 [stem: *Slonik-*]. Type genus: *Slonik* Zherikhin, 1977.

†Tribe ULYANISCINI Legalov, 2009

ULYANISCINI Legalov, 2009a: 128 [stem: *Ulyanisc-*]. Type genus: *Ulyanisca* Gratshev, 1998.

†Subfamily ECCOPTARTHINAE Arnoldi, 1977

ECCOPTARTHINI Arnoldi, 1977: 169 [stem: *Eccoptarthr-*]. Type genus: *Eccoptarthrus* Arnoldi, 1977.

MESOPHYLETINAE Poinar, 2006: 879 [stem: *Mesophylet-*]. Type genus: *Mesophyletis* Poinar, 2006. Comment: Poinar (2008: 262) unnecessarily revalidated this name on the basis of Art. 16.2, the criteria of availability were met in the original description in 2006 where the name of the type genus was cited.

†Subfamily BRENTHORRHININAE Arnoldi, 1977

BRENTHORRHININAE Arnoldi, 1977: 172 [stem: *Brenthorrhin-*]. Type genus: *Brenthorrhinus* Arnoldi, 1977. Comment: placement according to Legalov (2009c: 289).

†Tribe BRENTHORRHININI Arnoldi, 1977

BRENTHORRHININAE Arnoldi, 1977: 172 [stem: *Brenthorrhin-*]. Type genus: *Brenthorrhinus* Arnoldi, 1977.

†Tribe BRENTHORRHINOIDINI Legalov, 2003

BRENTHORRHINOIDINI Legalov, 2003: 88 [stem: *Brenthorrhinoid-*]. Type genus: *Brenthorrhinoides* Gratshev and Zherikhin, 1996.

†Subfamily DISTENORRHININAE Arnoldi, 1977

DISTENORRHININI Arnoldi, 1977: 170 [stem: *Distenorrhin-*]. Type genus: *Distenorrhinus* Arnoldi, 1977. Comment: placement according to Legalov (2009c: 290).

†Subfamily EOBELINAE Arnoldi, 1977

EOBELIDAE Arnoldi, 1977: 144 [stem: *Eobel-*]. Type genus: *Eobelus* Arnoldi, 1977.

Comment: precedence (*OXYCORYNOIDINAE* Arnoldi, 1977 vs *NANOPHYDINAE* Arnoldi, 1977 vs *EOBELINAE* Arnoldi, 1977) given to taxon originally proposed at the higher rank (Art. 24.1).

†Tribe EOBELINI Arnoldi, 1977

EOBELIDAE Arnoldi, 1977: 144 [stem: *Eobel-*]. Type genus: *Eobelus* Arnoldi, 1977.

Comment: precedence (EOBELINI Arnoldi, 1977 vs PROCURCULIONINI Arnoldi, 1977) given to taxon originally proposed at the higher rank (Art. 24.1).

†Subtribe EOBELINA Arnoldi, 1977

EOBELIDAE Arnoldi, 1977: 144 [stem: *Eobel-*]. Type genus: *Eobelus* Arnoldi, 1977.

†Subtribe PROCURCULIONINA Arnoldi, 1977

PROCURCULIONINI Arnoldi, 1977: 157 [stem: *Procurculion-*]. Type genus: *Procurculio* Arnoldi, 1977. Comment: First Reviser (ECCOPTOTHORACINA Arnoldi, 1977 vs PROCURCULIONINA Arnoldi, 1977) not determined, current usage maintained.

ECCOPTOTHORACINI Arnoldi, 1977: 158 [stem: *Eccoptothorac-*]. Type genus: *Eccoptothorax* Arnoldi, 1977.

†Tribe KARATAUCARINI Legalov, 2009

KARATAUCARINI Legalov, 2009c: 288 [stem: *Karataucar-*]. Type genus: *Karataucar* Legalov, 2009.

†Tribe NANOPHYDINI Arnoldi, 1977

NANOPHYDINAE Arnoldi, 1977: 173 [stem: *Nanophyd-*]. Type genus: *Nanophydes* Arnoldi, 1977.

†Tribe OXYCORYNOIDINI Arnoldi, 1977

OXYCORYNOIDINAE Arnoldi, 1977: 159 [stem: *Oxycorynoid-*]. Type genus: *Oxycorynoides* Arnoldi, 1977.

†Tribe PROBELINI Legalov, 2009

PROBELINI Legalov, 2009c: 287 [stem: *Probel-*]. Type genus: *Probelus* Arnoldi, 1977.

†Subfamily PALEOCARTINAE Legalov, 2003

PALEOCARTINI Legalov, 2003: 78 [stem: *Paleocart-*]. Type genus: *Paleocartus* Legalov, 2003.

†Tribe NEBRENTHORRHININI Legalov, 2007

NEBRENTHORRHININA Legalov, 2007: 34 [stem: *Nebrenthorrhin-*]. Type genus: *Nebrenthorrhinus* Legalov, 2003. Comment: placement according to Legalov (2009c: 288).

†Tribe PALEOCARTINI Legalov, 2003

PALEOCARTINI Legalov, 2003: 78 [stem: *Paleocart-*]. Type genus: *Paleocartus* Legalov, 2003. Comment: placement according to Legalov (2009c: 288).

†Subfamily METRIOXENOIDINAE Legalov, 2009

METRIOXENOIDINAE Legalov, 2009c: 288 [stem: *Metrioxenoid-*]. Type genus: *Metrioxenoides* Gratshev et al., 1998.

†Subfamily CRETONEMONYCHINAE Gratshev and Legalov, 2009

CRETONEMONYCHINAE Gratshev and Legalov, 2009: 412 [stem: *Cretonemonych-*]. Type genus: *Cretonemonyx* Gratshev and Legalov, 2009.

†Subfamily SELENGARHYNCHINAE Gratshev and Legalov, 2009

SELENGARHYNCHINAE Gratshev and Legalov, 2009: 414 [stem: *Selengarhynch-*]. Type genus: *Selengarhynchus* Gratshev and Legalov, 2009.

Family ANTHRIBIDAE Billberg, 1820

ANTHRIBIDES Billberg, 1820a: 39 [stem: *Anthrib-*]. Type genus: *Anthribus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: placed on the Official List of Family-Group Names in Zoology and given priority over CHORAGIDAE Kirby, 1819 (ICZN 1994b).

Subfamily ANTHRIBINAE Billberg, 1820

ANTHRIBIDES Billberg, 1820a: 39 [stem: *Anthrib-*]. Type genus: *Anthribus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: placed on the Official List of Family-Group Names in Zoology and given priority over CHORAGIDAE Kirby, 1819 (ICZN 1994b).

Tribe ANTHRIBINI Billberg, 1820

ANTHRIBIDES Billberg, 1820a: 39 [stem: *Anthrib-*]. Type genus: *Anthribus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1994a)]. Comment: placed on the Official List of Family-Group Names in Zoology and given priority over CHORAGIDAE Kirby, 1819 (ICZN 1994b).

BRACHYTARSINA C. G. Thomson, 1859: 128 [stem: *Brachytars-*]. Type genus: *Brachytarsus* Schönherr, 1823 [syn. of *Anthribus* Geoffroy, 1762].

BRACHYTARSINI Pierce, 1930: 22, in key [stem: *Brachytars-*]. Type genus: *Brachytarsus* Schönherr, 1823 [syn. of *Anthribus* Geoffroy, 1762]. Comment: family-group name proposed as new without reference to BRACHYTARSINA C. G. Thomson, 1859.

Tribe BASITROPINI Lacordaire, 1865

BASITROPIDES Lacordaire, 1865: 566 [stem: *Basitrop-*]. Type genus: *Basitropis* Jekel, 1855. Comment: original vernacular name available (Art. 11.7.2): first used in

latinized form by Stein (1868: 115, as BASITROPINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 28, as BASITROPIDINI [incorrect stem formation]); Alonso-Zarazaga and Lyal (1999: 28) used the spelling BASITROPIDINI but the same authors subsequently (2002: 4) reverted to BASITROPINI; precedence (BASITROPINI Lacordaire, 1865 vs EUGONINI Lacordaire, 1865) given to taxon originally proposed at the higher rank (Art. 24.1).

EUGONIDES Lacordaire, 1865: 569 [stem: *Eugon-*]. Type genus: *Eugonus* Schönherr, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Sharp (1873: 32, as EUGONIDES [treated as Latin]); synonymy with BASITROPINI by Alonso-Zarazaga and Lyal (2002: 4).

PHAENITHONINI Pierce, 1930: 4, in key [stem: *Phaenithon-*]. Type genus: *Phaenithon* Schönherr, 1826.

Tribe CORRHECERINI Lacordaire, 1865

CORRHÉCÉRIDES Lacordaire, 1865: 547 [stem: *Corrhecer-*]. Type genus: *Corrhecerus* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Morimoto (1981: 78, as CORRHECERINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 29, as CORRHECERINI).

NESSIARINI Morimoto, 1972: 38, in key [stem: *Nessiar-*]. Type genus: *Nessiara* Pascoe, 1860.

Tribe CRATOPARINI LeConte, 1876

CRATOPARES J. L. LeConte, 1876: 403 [stem: *Cratopar-*]. Type genus: *Cratoparis* Dejean, 1834 [syn. of *Euparius* Schönherr, 1823]. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Cratoparent-*).

EUPARIINI B. D. Valentine, 1960: 49, in key [stem: *Eupari-*]. Type genus: *Euparius* Schönherr, 1823. Comment: junior homonym of EUPARIINI A. Schmidt, 1910 (type genus *Euparia* Lepeletier and Serville, 1828) in SCARABAEIDAE.

†Tribe CRETANTHRIBINI Legalov, 2009

CRETANTHRIBINI Legalov, 2009c: 291 [stem: *Cretanthrib-*]. Type genus: *Cretanthribus* Legalov, 2009.

Tribe DECATAPHANINI Lacordaire, 1865

DÉCATAPHANIDES Lacordaire, 1865: 556 [stem: *Decataphan-*]. Type genus: *Decataphanes* Labram and Imhoff, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 289, as DECATOPHANINAE [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 30, as DECATAPHANINI).

Tribe DISCOTENINI Lacordaire, 1865

DISCOTÉRIDES Lacordaire, 1865: 500 [stem: *Discoten-*]. Type genus: *Discotenes* Labram and Imhoff, 1841. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Pierce (1930: 4, as DISCOTENINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 30, as DISCOTENINI).

Tribe ECELONERINI Lacordaire, 1865

ECÉLONÉRIDES Lacordaire, 1865: 562 [stem: *Eceloner-*]. Type genus: *Ecelonerus* Schönherr, 1839. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Morimoto (1972: 38, as ECELONERINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 30, as ECELONERINI).

Tribe ISCHNOCERINI Lacordaire, 1865

ISCHNOCÉRIDES Lacordaire, 1865: 504 [stem: *Ischnocer-*]. Type genus: *Ischnocerus* Schönherr, 1839. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by J. L. LeConte (1876: 393, as ISCHNOCERI), generally accepted as in Alonso-Zarazaga and Lyal (2002: 5, as ISCHNOCERINI); the Hymenoptera name ISCHNOCERINI Clement, 1938 (type genus *Ischnoceros* Gravenhorst, 1829) is apparently unavailable.

MECONEMINI Pierce, 1930: 4, in key [stem: *Meconem-*]. Type genus: *Meconemus* Labram and Imhoff, 1838.

Tribe GYMNognathini Valentine, 1960

GYMNOGNATHINI B. D. Valentine, 1960: 48, in key [stem: *Gymnognath-*]. Type genus: *Gymnognathus* Schönherr, 1826.

Tribe JORDANTHRIBINI Morimoto, 1980

JORDANTHRIBINI Morimoto, 1980: 16 [stem: *Jordanthrib-*]. Type genus: *Jordanthribus* Zimmerman, 1938.

Tribe MAUIINI Valentine, 1990

MAUIINI B. D. Valentine, 1990: 235, in key [stem: *Maui-*]. Type genus: *Mauiia* Blackburn, 1885.

Tribe MECOCERINI Lacordaire, 1865

MÉCOCÉRIDES Lacordaire, 1865: 493 [stem: *Mecocer-*]. Type genus: *Mecocerus* Schönherr, 1833 [placed on the Official List of Generic Names in Zoology (ICZN 1972); syn. of *Acanthothorax* Gaede, 1832]. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Kolbe (1897: 288, as MECOCERINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 31, as MECOCERINI).

PHLOEOPHILIDES Lacordaire, 1865: 517 [stem: *Phloeophil-*]. Type genus: *Phloeophilus* Schönherr, 1833. Comment: original vernacular name available (Art.

11.7.2): first used in latinized form and generally accepted as in Olliff (1891: 75, as *PHLOEOPHILIDAE* [treated as Latin]); the older name *PHLOEOPHILINI* Kiesenwetter, 1863 [*CLEROIDEA*] was based on an unjustified emendation, the correct stem for the cleroid family-group name is *Phloiphil-*.

CAPPADOCINI Alonso-Zarazaga and Lyal, 1999: 28 [stem: *Cappadoc-*]. Type genus: *Cappadox* Alonso-Zarazaga and Lyal, 1999 [syn. of *Phloeophilus* Schönherr, 1833].

Tribe MYCTEINI Morimoto, 1972

MYCTEINI Morimoto, 1972: 38, in key [stem: *Mycte-*]. Type genus: *Mycteis* Pascoe, 1860.

Tribe OZOTOMERINI Morimoto, 1972

OZOTOMERINI Morimoto, 1972: 37, in key [stem: *Ozotomer-*]. Type genus: *Ozotomerus* Perroud, 1853.

Tribe PIESOCORYNINI Valentine, 1960

PIESOCORYNINI B. D. Valentine, 1960: 49, in key [stem: *Piesocoryn-*]. Type genus: *Piesocorynus* Dejean, 1834.

Tribe PLATYRHININI Bedel, 1882

PLATYRRHINIDAE Bedel, 1882: 3, in key [stem: *Platyrhin-*]. Type genus: *Platyrhinus* Clairville, 1798. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PLATYSTOMINI Pierce, 1916

ANTHOTRIBIDAE Gistel, 1856a: 375 [stem: *Anthotrib-*]. Type genus: *Anthotribus* Gistel, 1856 [preoccupied genus name, not *Anthotribus* Hoffmann, 1803 [*Coleoptera: ANTHRIBIDAE: ANTHRIBINAE: ANTHRIBINI*]; syn. of *Platystomos* Schneider, 1791]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

PLATYSTOMOIDEA Pierce, 1916: 463, in key [stem: *Platystom-*]. Type genus: *Platystomos* Schneider, 1791. Comment: the type genus for this family-group name was in fact proposed as a replacement name for *Anthribus* sensu Fabricius, 1790, however it was never used in that sense subsequently (Alonso-Zarazaga and Lyal 1999: 33); an application will be submitted by MAAZ and CHCL to conserve the current concept of *Platystomos* Schneider, 1791 and its associated family-group name.

Tribe PROSCOPORHININI Lacordaire, 1865

PROSCOPORHINIDES Lacordaire, 1865: 544 [stem: *Proscoporhin-*]. Type genus: *Proscoporhinus* Montrouzier, 1861. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Ienistea (1986: 32, as *PROSCOPORHINIDAE* [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 33, as *PROSCOPORHININI*).

Tribe PTYCHODERINI Jekel, 1855

PTYCHODERIDAE Jekel, 1855: 70 [stem: *Ptychoder-*]. Type genus: *Ptychoderes* Schönherr, 1823.

*PHLOEOTRAGIDES Lacordaire, 1865: 486 [stem: *Phloeotrag-*]. Type genus: *Phloeotragus* Schönherr, 1823. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1865) and used as valid.

PHLOEOTRAGINAE Kolbe, 1897: 288 [stem: *Phloeotrag-*]. Type genus: *Phloeotragus* Schönherr, 1823.

Tribe SINTORINI Lacordaire, 1865

SINTORIDES Lacordaire, 1865: 510 [stem: *Sintor-*]. Type genus: *Sintor* Schönherr, 1839. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Morimoto (1972: 38, as SINTORINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 34, as SINTORINI).

Tribe STENOCERINI Kolbe, 1895

STENOCERINARUM Kolbe, 1895: 381 [stem: *Stenocer-*]. Type genus: *Stenocerus* Schönherr, 1826. Comment: STENOCERINARUM is the genitive form of STENOCERINAE and was recognized as such by Alonso-Zarazaga and Lyal (1999: 34).

ALLANDRINI Pierce, 1930: 18 [stem: *Allandr-*]. Type genus: *Allandrus* J. L. Le Conte, 1876.

Tribe TOPHODERINI Lacordaire, 1865

TOPHODÉRIDES Lacordaire, 1865: 499 [stem: *Tophoder-*]. Type genus: *Tophoderes* Dejean, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 288, as TOPHODERINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 34, as TOPHODERINI).

Tribe TRIGONORHININI Valentine, 1999

TRIGONORHININI B. D. Valentine, 1999: 287, in key [stem: *Trigonorhin-*]. Type genus: *Trigonorhinus* Wollaston, 1861.

Tribe TROPIDERINI Lacordaire, 1865

TROPIDERIDAE Lacordaire, 1865: 484 [stem: *Tropider-*]. Type genus: *Tropideres* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Stein (1868: 115, as TROPIDERINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 35, as TROPIDERINI); precedence (TROPIDERINI Lacordaire, 1865 vs ACORYNINI Lacordaire, 1865) given to taxon originally proposed at the higher rank (Art. 24.1).

ACORYNIDES Lacordaire, 1865: 512 [stem: *Acoryn-*]. Type genus: *Acorynus* Schönherr, 1833. Comment: original vernacular name available (Art. 11.7.2): first

used in latinized form by Kolbe (1897: 289, as ACORYNINAE), generally accepted as in Morimoto (1980: 22, as ACORYNINI).

EURYMYCTERINI Pierce, 1930: 15 [stem: *Eurymycter-*]. Type genus: *Eurymycter* J. L. LeConte, 1876.

Tribe XENOCERINI Lacordaire, 1865

XÉNOCERIDES Lacordaire, 1865: 558 [stem: *Xenocer-*]. Type genus: *Xenocerus* Schönherr, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 235, as XENOCERINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 35, as XENOCERINI).

Tribe XYLINADINI Lacordaire, 1865

XYLINADIDES Lacordaire, 1865: 560 [stem: *Xylinad-*]. Type genus: *Xylinades* Latreille, 1828 [syn. of *Xylinada* Berthold, 1827]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 289, as XYLINADINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 36, as XYLINADINI).

Tribe ZYGAENODINI Lacordaire, 1865

ZYGÉNODIDES Lacordaire, 1865: 542 [stem: *Zygaenod-*]. Type genus: *Zygaenodes* Pascoe, 1859 [syn. of *Exechesops* Schönherr, 1847]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 289, as ZYGAENODINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 36, as ZYGAENODINI); incorrect original stem formation, not in prevailing usage.

HORMISCI J. L. LeConte, 1876: 396 [stem: *Ormisc-*]. Type genus: *Ormiscus* G. R. Waterhouse, 1845 [as *Hormiscus*, unjustified emendation of type genus name by Agassiz (1846b: 263), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily CHORAGINAE Kirby, 1819

CHORAGIDAE Kirby, 1819: 447 [stem: *Chorag-*]. Type genus: *Choragus* Kirby, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 1994b)]. Comment: placed on the Official List of Family-Group Names in Zoology and not given priority over ANTHRIBIDAE Billberg, 1820 (ICZN 1994b).

Tribe APOLECTINI Lacordaire, 1865

APOLECTIDES Lacordaire, 1865: 554 [stem: *Apolect-*]. Type genus: *Apolecta* Pascoe, 1859. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1897: 289, as APOLECTINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 28, as APOLECTINI); APOLECTIDAE Jordan, 1923 (type genus *Apolectus* Cuvier, 1832) is available in Pisces although

it is based on a preoccupied genus name and therefore permanently invalid; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

Tribe ARAECERINI Lacordaire, 1865

ARAEOCÉRIDES Lacordaire, 1865: 588 [stem: *Araecer-*]. Type genus: *Araecerus* Schönherr, 1823 [as *Araeocerus*, unjustified emendation of type genus name by Schönherr (1839), not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Stein (1868: 115, as ARAEOCERINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 37, as ARAECERINI); incorrect original stem formation, not in prevailing usage.

Tribe CISANTHRIBINI Zimmerman, 1994

CISANTHRIBINI Zimmerman, 1994a: 232 [stem: *Cisanthrib-*]. Type genus: *Cisanthribus* Zimmerman, 1938.

Tribe CHORAGINI Kirby, 1819

CHORAGIDAE Kirby, 1819: 447 [stem: *Chorag-*]. Type genus: *Choragus* Kirby, 1819 [placed on the Official List of Generic Names in Zoology (ICZN 1994b)]. Comment: not given priority over ANTHRIBIDAE Billberg, 1820, placed on the Official List of Family-Group Names in Zoology (ICZN 1994b).

Tribe VALENFRIESIINI Alonso-Zarazaga and Lyal, 1999

NOTIOXÉNIDES Lacordaire, 1865: 593 [stem: *Notioxen-*]. Type genus: *Notioxenus* Wollaston, 1861 [preoccupied genus name, not *Notioxenus* Motschulsky, 1858 [Coleoptera: CARABIDAE]; syn. of *Valenfriesia* Alonso-Zarazaga and Lyal, 1999]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pierce (1930: 31, as NOTIOXENINI), generally accepted as in Morimoto (1978a: 18, as NOTIOXENINI); permanently invalid (Art. 39): based on preoccupied type genus.

VALENFRIESIINI Alonso-Zarazaga and Lyal, 1999: 38 [stem: *Valenfriesi-*]. Type genus: *Valenfriesia* Alonso-Zarazaga and Lyal, 1999. Comment: replacement name for NOTIOXENINI Lacordaire, 1865 because of the homonymy of the type genus.

Tribe XENORCHESTINI Lacordaire, 1865

XÉNORCHESTIDES Lacordaire, 1865: 595 [stem: *Xenorchest-*]. Type genus: *Xenoristes* Wollaston, 1854. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1876: 408, as XENORCHESTINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 38, as XENORCHESTINI).

HOMOEODERIDES Wollaston, 1870: 23 [stem: *Homoeoder-*]. Type genus: *Homoeoderia* Wollaston, 1870.

Subfamily URODONTINAE Thomson, 1859

URODONTIDES C. G. Thomson, 1859: 128 [stem: *Urodont-*]. Type genus: *Urodon* Schönherr, 1823 [syn. of *Bruchela* Dejean, 1821].

BRUCHELIDAE Pierce, 1916: 463 [stem: *Bruchel-*]. Type genus: *Bruchela* Dejean, 1821.

†Family ULYANIDAE Zherikhin, 1993

ULYANIDAE Zherikhin, 1993: 26 [stem: *Ulyan-*]. Type genus: *Ulyana* Zherikhin, 1993.

Family BELIDAE Schönherr, 1826

BELIDES Schönherr, 1826: 73 [stem: *Bel-*]. Type genus: *Belus* Schönherr, 1823 [syn. of *Rhinotia* Kirby, 1819].

Subfamily BELINAE Schönherr, 1826

BELIDES Schönherr, 1826: 73 [stem: *Bel-*]. Type genus: *Belus* Schönherr, 1823 [syn. of *Rhinotia* Kirby, 1819].

Tribe AGNESIOTIDINI Zimmerman, 1994

AGNESIOTIDINI Zimmerman, 1994a: 258 [stem: *Agnesiotid-*]. Type genus: *Agnesiotis* Pascoe, 1870.

Tribe BELINI Schönherr, 1826

BELIDES Schönherr, 1826: 73 [stem: *Bel-*]. Type genus: *Belus* Schönherr, 1823 [syn. of *Rhinotia* Kirby, 1819].

Subtribe BELINA Schönherr, 1826

BELIDES Schönherr, 1826: 73 [stem: *Bel-*]. Type genus: *Belus* Schönherr, 1823 [syn. of *Rhinotia* Kirby, 1819].

Subtribe HOMALOCERINA Legalov, 2009

HOMALOCERINA Legalov, 2009d: 308 [stem: *Homalocer-*]. Type genus: *Homalocerus* Schönherr, 1839.

Tribe PACHYURINI Kuschel, 1959

PACHYURINI Kuschel, 1959a: 253, in key [stem: *Pachyur-*]. Type genus: *Pachyura* Hope, 1834.

Subfamily OXYCORYNINAE Schönherr, 1840

OXYCORYNIDES Schönherr, 1840: 581 [stem: *Oxycoryn-*]. Type genus: *Oxycorynus* Chevrolat, 1832.

Tribe AGLYCYDERINI Wollaston, 1864

AGLYCYDERIDAE Wollaston, 1864: 384 [stem: *Aglycyder-*]. Type genus: *Aglycyderes* Westwood, 1864.

PROTERHINIDES Fauvel, 1891: 154 [stem: *Proterhin-*]. Type genus: *Proterhinus* Sharp, 1878. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form and generally accepted as in Sharp (1899a: 298, as PROTERHINIDAE).

PLATYCEPHALITAE Paulian, 1944: 118 [stem: *Platycephal-*]. Type genus: *Platycephala* Montrouzier, 1861 [preoccupied genus name, not *Platycephala* Fallén, 1820 [Diptera]; syn. of *Aralius* Kuschel, 1990]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; also PLATYCEPHALIDAE Gill, 1872 (type genus *Platycephalus* Bloch, 1795) is available in Pisces.

Tribe ALLOXYCORYNINI Legalov, 2009

ALLOXYCORYNINI Legalov, 2009d: 313 [stem: *Alloxycornyn-*]. Type genus: *Alloxycornynus* Voss, 1957.

Tribe DISTENORRHINOIDINI Legalov, 2009

DISTENORRHINOIDINI Legalov, 2009d: 313 [stem: *Distenorhinoid-*]. Type genus: *Distenorhinoides* Gratshev and Zherikhin, 2000.

Tribe METRIOXENINI Voss, 1953

METRIOXENINI Voss, 1953: 124, in key [stem: *Metrioxen-*]. Type genus: *Metrioxena* Pascoe, 1870.

Subtribe AFROCORYNINA Voss, 1957

AFROCORYNINI Voss, 1957: 102, in key [stem: *Afrocoryn-*]. Type genus: *Afrocorynus* G. A. K. Marshall, 1955.

HISPODINI Voss, 1957: 102, in key [stem: *Hispod-*]. Type genus: *Hispodes* G. A. K. Marshall, 1955.

Subtribe METRIOXENINA Voss, 1953

METRIOXENINI Voss, 1953: 124, in key [stem: *Metrioxen-*]. Type genus: *Metrioxena* Pascoe, 1870.

Subtribe ZHERICHINIXENINA Legalov, 2009

ZHERICHINIXENINA Legalov, 2009d: 310 [stem: *Zherichinixen-*]. Type genus: *Zherichinixena* Legalov, 2009.

Tribe OXYCORYNINI Schönherr, 1840

OXYCORYNIDES Schönherr, 1840: 581 [stem: *Oxycoryn-*]. Type genus: *Oxycorynus* Chevrolat, 1832.

Subtribe ALLOCORYNINA Sharp, 1890

ALLOCORYNINAE Sharp, 1890: 45 [stem: *Allocoryn-*]. Type genus: *Allocorynus* Sharp, 1890 [syn. of *Rhopalotria* Chevrolat, 1878].

Subtribe OXYCORYNINA Schönherr, 1840

OXYCORYNIDES Schönherr, 1840: 581 [stem: *Oxycoryn-*]. Type genus: *Oxycorynus* Chevrolat, 1832.

Subtribe OXYCRASPEDINA Marvaldi and Oberprieler, 2006

OXYCRASPEDINA Marvaldi and Oberprieler, 2006: 460 [stem: *Oxycrasped-*]. Type genus: *Oxycraspedus* Kuschel, 1955.

Family CARIDAE Thompson, 1992

CARINAE Thompson, 1992: 882 [stem: *Car-*]. Type genus: *Car* Blackburn, 1897.

Subfamily CARINAE Thompson, 1992

CARINAE Thompson, 1992: 882 [stem: *Car-*]. Type genus: *Car* Blackburn, 1897.

CARIDAE Zimmerman, 1994a: 499 [stem: *Car-*]. Type genus: *Car* Blackburn, 1897.

Comment: family-group name proposed as new without reference to CARINAE Thompson, 1992.

CARINAE Kuschel, 1995: 18 [stem: *Car-*]. Type genus: *Car* Blackburn, 1897. Comment: family-group name proposed as new without reference to CARINAE Thompson, 1992 or CARIDAE Zimmerman, 1994.

Subfamily CHILECARINAE Legalov, 2009

CHILECARINI Legalov, 2009a: 125 [stem: *Chilecar-*]. Type genus: *Chilecar* Kuschel, 1992.

Tribe CARODINI Legalov, 2009

CARODESINA Legalov, 2009a: 126 [stem: *Carod-*]. Type genus: *Carodes* Zimmerman, 1994. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CHILECARINI Legalov, 2009

CHILECARINI Legalov, 2009a: 125 [stem: *Chilecar-*]. Type genus: *Chilecar* Kuschel, 1992.

†Subfamily BAISSORHYNCHINAE Zherikhin, 1993

BAISSORHYNCHINI Zherikhin, 1993: 30 [stem: *Baissorhynch-*]. Type genus: *Baissorhynchus* Zherikhin, 1977.

†ABROCARINA Legalov, 2009c: 291 [stem: *Abrocar-*]. Type genus: *Abrocar* Liu and Ren, 2006.

Family ATTELABIDAE Billberg, 1820

ATTELABIDES Billberg, 1820a: 39 [stem: *Attelab-*]. Type genus: *Attelabus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1983a)].

Subfamily ATTELABINAE Billberg, 1820

ATTELABIDES Billberg, 1820a: 39 [stem: *Attelab-*]. Type genus: *Attelabus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1983a)].

Tribe ATTELABINI Billberg, 1820

ATTELABIDES Billberg, 1820a: 39 [stem: *Attelab-*]. Type genus: *Attelabus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1983a)].

Subtribe ATTELABINA Billberg, 1820

ATTELABIDES Billberg, 1820a: 39 [stem: *Attelab-*]. Type genus: *Attelabus* Linnaeus, 1758 [placed on the Official List of Generic Names in Zoology (ICZN 1983a)]. Comment: this family-group name was also used in the same year by Billberg (1820b: 393, as ATTELABIDES).

Subtribe EUSCELINA Voss, 1925

EUSCELINA Voss, 1925: 32 [stem: *Euscel-*]. Type genus: *Euscelus* Schönherr, 1833.

ALLEUSCELINA Legalov, 2003: 411 [stem: *Alleuscel-*]. Type genus: *Alleuscelus* Voss, 1937. Comment: proposed as a subtribe of EUSCELINI.

CLINOLABINA Legalov, 2003: 410 [stem: *Clinolab-*]. Type genus: *Clinolabus* Jekel, 1860. Comment: proposed as a subtribe of EUSCELINI.

Subtribe EUSCELOPHILINA Voss, 1925

EUSCELOPHILINA Voss, 1925: 29 [stem: *Euscelophil-*]. Type genus: *Euscelophilus* Voss, 1925.

Subtribe HENICOLABINA Legalov, 2007

HENICOLABINA Legalov, 2007: 282 [stem: *Henicolab-*]. Type genus: *Henicolabus* Voss, 1925.

Subtribe HIMATOLABINA Legalov, 2003

HIMATOLABINA Legalov, 2003: 424 [stem: *Himatolab-*]. Type genus: *Himatolabus* Jekel, 1860. Comment: proposed as a subtribe of HYBOLABINI.

Subtribe HYBOLABINA Voss, 1925

HYBOLABINA Voss, 1925: 191 [stem: *Hybolab-*]. Type genus: *Hybolabus* Jekel, 1860.

Subtribe ISOLABINA Legalov, 2007

ISOLABINA Legalov, 2007: 282 [stem: *Isolab-*]. Type genus: *Isolabus* Voss, 1925.

Subtribe LAGENODERINA Voss, 1925

LAGENODERINA Voss, 1925: 206 [stem: *Lagenoder-*]. Type genus: *Lagenoderus* A. White, 1841.

Subtribe LAMPROLABINA Voss, 1925

LAMPROLABINA Voss, 1925: 213 [stem: *Lamprolab-*]. Type genus: *Lamprolabus* Jekel, 1860.

Subtribe METOCALOLABINA Legalov, 2003

METOCALOLABINA Legalov, 2003: 433 [stem: *Metocalolab-*]. Type genus: *Metocalolabus* Legalov, 2003.

Subtribe OMOLABINA Legalov, 2003

OMOLABINA Legalov, 2003: 426 [stem: *Omolab-*]. Type genus: *Omolabus* Jekel, 1860. Comment: proposed as a subtribe of HYBOLABINI.

Subtribe PARAMECOLABINA Legalov, 2003

PARAMECOLABINA Legalov, 2003: 439 [stem: *Paramecolab-*]. Type genus: *Paramecolabus* Jekel, 1860.

Subtribe PHIALODINA Legalov, 2003

PHIALODINA Legalov, 2003: 437 [stem: *Phialod-*]. Type genus: *Phialodes* Roelofs, 1874.

Subtribe PHYMATOLABINA Voss, 1925

PHYMATOLABINA Voss, 1925: 199 [stem: *Phymatolab-*]. Type genus: *Phymatolabus* Jekel, 1860.

Subtribe PHYMATOPSININA Legalov, 2003

PHYMATOPSININA Legalov, 2003: 456 [stem: *Phymatopsin-*]. Type genus: *Phymatopsinus* Voss, 1925. Comment: proposed as a subtribe of LAGENODERINI.

Subtribe PLEUROLABINA Legalov, 2003

PLEUROLABINA Legalov, 2003: 460 [stem: *Pleurolab-*]. Type genus: *Pleurolabus* Jekel, 1860. Comment: proposed as a subtribe of LAGENODERINI.

Tribus EUOPINI Voss, 1925

EUOPSI Voss, 1925: 291 [stem: *Euop-*]. Type genus: *Euops* Schönherr, 1839. Comment: incorrect original stem formation, not in prevailing usage. ARCHEUOPSINA Legalov, 2003: 359 [stem: *Archeuop-*]. Type genus: *Archeuops* Legalov, 2003. Comment: proposed as a subtribe of EUOPINI; incorrect original stem formation, not in prevailing usage.

SUNIOPSINA Legalov, 2003: 364 [stem: *Suniop-*]. Type genus: *Suniops* Voss, 1928.

Comment: proposed as a subtribe of EUOPINI; incorrect original stem formation, not in prevailing usage.

SYNAPTOPSINA Legalov, 2003: 368 [stem: *Synaptop-*]. Type genus: *Synaptops* Jekel, 1860. Comment: proposed as a subtribe of EUOPINI; incorrect original stem formation, not in prevailing usage.

LJUDMILININA Legalov, 2007: 219 [stem: *Ljudmilini-*]. Type genus: *Ljudmilinius* Legalov, 2003. Comment: proposed as a subtribe of EUOPINI; incorrect original stem formation, not in prevailing usage.

PARASYNAPTOPSISINA Legalov, 2007: 227 [stem: *Parasynaptopse-*]. Type genus: *Parasynaptopsis* Legalov, 2003. Comment: proposed as a subtribe of EUOPINI; incorrect original stem formation, not in prevailing usage.

RIEDELININA Legalov, 2007: 218 [stem: *Riedelini-*]. Type genus: *Riedelinius* Legalov, 2003. Comment: proposed as a subtribe of EUOPINI; incorrect original stem formation, not in prevailing usage.

SAWADAEUOPSINA Legalov, 2007: 241 [stem: *Sawadaeuop-*]. Type genus: *Sawadaeuops* Legalov, 2003. Comment: proposed as a subtribe of EUOPINI; incorrect original stem formation, not in prevailing usage.

Tribe PIOLABINI Voss, 1925

PIOLABINI Voss, 1925: 19 [stem: *Pilolab-*]. Type genus: *Pilolabus* Jekel, 1860.

Subfamily APODERINAE Jekel, 1860

APODERIDAE Jekel, 1860: 180 [stem: *Apoder-*]. Type genus: *Apoderus* A. G. Olivier, 1807.

Tribe APODERINI Jekel, 1860

APODERIDAE Jekel, 1860: 180 [stem: *Apoder-*]. Type genus: *Apoderus* A. G. Olivier, 1807.

ANISONYCHINA Legalov, 2003: 555 [stem: *Anisonych-*]. Type genus: *Anisonychus* Voss, 1927. Comment: junior homonym of ANISONYCHIDAE H. C. C. Burmeister, 1844 (type genus *Anisonyx* Latreille, 1807) available in SCARABAEIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

CENTROCORYNINA Legalov, 2003: 557 [stem: *Centrocoryn-*]. Type genus: *Centrocorynus* Jekel, 1860.

CYCNOTRACHELINA Legalov, 2003: 568 [stem: *Cycnotrachel-*]. Type genus: *Cycnotrachelus* Jekel, 1860.

OPANASSENKOVIINA Legalov, 2003: 554 [stem: *Opanassenkovi-*]. Type genus: *Opanassenkovius* Legalov, 2003.

PSEUDOCYCNOTRACHELINA Legalov, 2003: 525 [stem: *Pseudocycnotrachel-*]. Type genus: *Pseudocycnotrachelus* Legalov, 2003.

Tribe CLITOSTYLINI Voss, 1929

CLITOSTYLINI Voss, 1929a: 192 [stem: *Clitostyl-*]. Type genus: *Clitostylus* Voss, 1929 [syn. of *Trachelismus* Motschulsky, 1870].

Subtribe ALLAPODERINA Legalov, 2003

ALLAPODERINA Legalov, 2003: 467 [stem: *Allapoder-*]. Type genus: *Allapoderus* Voss, 1927.

Subtribe CLITOSTYLINA Voss, 1929

CLITOSTYLINI Voss, 1929a: 192 [stem: *Clitostyl-*]. Type genus: *Clitostylus* Voss, 1929 [syn. of *Trachelismus* Motschulsky, 1870].

Subtribe PSEUDOPHRYSINA Legalov, 2003

PSEUDOPHRYSINA Legalov, 2003: 476 [stem: *Pseudophrys-*]. Type genus: *Pseudophrysus* Legalov, 2003.

Tribe HOPLAPODERINI Voss, 1926

HOPLAPODERINI Voss, 1926: 14 [stem: *Hoplapoder-*]. Type genus: *Hoplapoderus* Jekel, 1860.

Subtribe AFROAPODERINA Legalov, 2003

AFROAPODERINA Legalov, 2003: 482 [stem: *Afroapoder-*]. Type genus: *Afroapoderus* Legalov, 2003.

Subtribe HOPLAPODERINA Voss, 1926

HOPLAPODERINI Voss, 1926: 14 [stem: *Hoplapoder-*]. Type genus: *Hoplapoderus* Jekel, 1860.

Subtribe PARATOMAPODERINA Legalov, 2003

PARATOMAPODERINA Legalov, 2003: 488 [stem: *Paratomapoder-*]. Type genus: *Paratomapoderus* Voss, 1926.

Tribe TRACHELOPHORINI Voss, 1926

TRACHELOPHORINI Voss, 1926: 14, in key [stem: *Trachelophor-*]. Type genus: *Trachelophorus* Jekel, 1860.

Subfamily RHYNCHITINAE Gistel, 1848

RHYNCHITISIDAE Gistel, 1848: [8] [stem: *Rhynchit-*]. Type genus: *Rhynchites* Schneider, 1791.

Tribe AULETINI Desbrochers des Loges, 1908

AULETINIDAE Desbrochers des Loges, 1908: 10, in key [stem: *Aulet-*]. Type genus: *Auletes* Schönherr, 1826. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe AULETINA Desbrochers des Loges, 1908

AULETINIDAE Desbrochers des Loges, 1908: 10, in key [stem: *Aulet-*]. Type genus: *Auletes* Schönherr, 1826. Comment: incorrect original stem formation, not in prevailing usage.

AULETINI Pierce, 1913: 365, in key [stem: *Aulet-*]. Type genus: *Auletes* Schönherr, 1826. Comment: family-group name proposed as new without reference to AULETINIDAE Desbrochers des Loges, 1908.

Subtribe AULETOBIINA Legalov, 2001

AULETOBIINA Legalov, 2001: 37 [stem: *Auletobi-*]. Type genus: *Auletobius* Desbrochers des Loges, 1869.

Subtribe GUINEAULETINA Legalov, 2003

GUINEAULETINA Legalov, 2003: 108 [stem: *Guineaulet-*]. Type genus: *Guineauletes* Legalov, 2003.

Subtribe MANDELSCHTAMIINA Legalov, 2003

MANDELSCHTAMIINA Legalov, 2003: 105 [stem: *Mandelschtami-*]. Type genus: *Mandelschtamius* Legalov, 2003.

Subtribe PSEUDAULETINA Voss, 1933

PSEUDAULETINA Voss, 1933b: 110, in key [stem: *Pseudaulet-*]. Type genus: *Pseudauletes* Voss, 1922.

Subtribe PSEUDOMESAULETINA Legalov, 2003

PSEUDOMESAULETINA Legalov, 2003: 113 [stem: *Pseudomesaulet-*]. Type genus: *Pseudomesaletes* Legalov, 2001.

Tribe AULETORHININI Voss, 1935

AULETORHININI Voss, 1935b: 509 [stem: *Auletorhin-*]. Type genus: *Auletorhinus* Voss, 1935.

Tribe BYCTISCINI Voss, 1923

BYCTISCINI Voss, 1923: 510 [stem: *Byctisc-*]. Type genus: *Byctiscus* C. G. Thomson, 1859.

Subtribe BYCTISCINA Voss, 1923

BYCTISCINI Voss, 1923: 510 [stem: *Byctisc-*]. Type genus: *Byctiscus* C. G. Thomson, 1859.

Subtribe LISTROBYCTISCINA Legalov, 2003

LISTROBYCTISCINA Legalov, 2003: 337 [stem: *Listrobyctisc-*]. Type genus: *Listrobyctiscus* Voss, 1923.

Subtribe SVETLANAE BYCTISCINA Legalov, 2003

SVETLANAE BYCTISCINA Legalov, 2003: 323 [stem: *Svetlanae byctisc-*]. Type genus: *Svetlanae byctiscus* Legalov, 2001.

Tribe CESAULETINI Legalov, 2003

CESAULETINI Legalov, 2003: 134 [stem: *Cesaulet-*]. Type genus: *Cesauletes* Hamilton, 1983. Comment: proposed as a tribe of the supertribe RHYNCHITITAE.

Tribe DEPORAINI Voss, 1929

DEPORAINI Voss, 1929b: 28 [stem: *Depora-*]. Type genus: *Deporaus* Samouelle, 1819.

Subtribe CHONOSTROPHEINA Morimoto, 1962

CHONOSTROPHEINA Morimoto, 1962a: 30, in key [stem: *Chonostrophe-*]. Type genus: *Chonostropheus* Prell, 1924.

Subtribe DEPORAINA Voss, 1929

DEPORAINI Voss, 1929b: 28 [stem: *Depora-*]. Type genus: *Deporaus* Samouelle, 1819.

Tribe MINURINI Legalov, 2003

MINURINI Legalov, 2003: 133 [stem: *Minur-*]. Type genus: *Minurus* G. R. Waterhouse, 1842. Comment: proposed as a tribe of the supertribe RHYNCHITITAE.

Tribe RHINOCARTINI Voss, 1931

RHINOCARTINI Voss, 1931: 162, in key [stem: *Rhinocart-*]. Type genus: *Rhinocartus* Voss, 1922.

*RHYNCHITALLINI Voss, 1960: 415 [stem: *Rhynchitall-*]. Type genus: *Rhynchitallus* Voss, 1960. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

PROTEUGNAMPTINI Legalov, 2003: 80 [stem: *Proteugnampini*]. Type genus: *Proteugnampus* Voss, 1939. Comment: proposed as a tribe in supertribe RHINOCARTITAE.

AULETANINI Legalov, 2003: 84 [stem: *Auletan-*]. Type genus: *Auletanus* Voss, 1922.

Comment: proposed as a tribe in the supertribe RHINOCARTITAE.

†SANYREVILLEINA Legalov, 2003: 85 [stem: *Sanyreville-*]. Type genus: *Sanyrevilleus* Gratshev and Zherikhin, 2000. Comment: proposed as a subtribe of AULETANINI; raised to tribal level by Legalov (2007).

PROTEUGNAMPTINI Legalov, 2003: 80 [stem: *Proteugnampt-*]. Type genus: *Proteugnamptus* Voss, 1939. Comment: proposed as a tribe in the supertribe RHINOCARTITAE.

VOSSICARTINI Legalov, 2003: 79 [stem: *Vossicart-*]. Type genus: *Vossicartus* Legalov, 2003.

EOSALACINA Legalov, 2007: 30 [stem: *Eosalac-*]. Type genus: *Eosalacus* Legalov, 2007. Comment: proposed as a subtribe of PROTEUGNAMPTINI.

PARAULETANINA Legalov, 2007: 31 [stem: *Parauletan-*]. Type genus: *Parauletanus* Legalov, 2007. Comment: proposed as a subtribe of SANYREVILLEINI.

Tribe RHYNCHITINI Gistel, 1848

RHYNCHITISDAE Gistel, 1848: [8] [stem: *Rhynchit-*]. Type genus: *Rhynchites* Schneider, 1791. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe ACRITORRHYNCHITINA Legalov, 2007

ACRITORRHYNCHITINA Legalov, 2007: 70 [stem: *Acritorrhynchit-*]. Type genus: *Acritorrhynchites* Voss, 1941.

Subtribe ANISOMERININA Legalov, 2003

ANISOMERININA Legalov, 2003: 223 [stem: *Anisomerin-*]. Type genus: *Anisomerinus* Voss, 1933.

Subtribe EUGNAMPTINA Voss, 1930

EUGNAMPTINA Voss, 1930: 67 [stem: *Eugnamp-*]. Type genus: *Eugnampthus* Schönherr, 1839.

Subtribe LASIORHYNCHITINA Legalov, 2003

LASIORHYNCHITINA Legalov, 2003: 202 [stem: *Lasiorhynchit-*]. Type genus: *Lasiorhynchites* Jekel, 1860.

Subtribe PERRHYNCHITINA Legalov, 2003

PERRHYNCHITINA Legalov, 2003: 218 [stem: *Perrhynchit-*]. Type genus: *Perrhynchites* Voss, 1953.

Subtribe RHYNCHITALLINA Legalov, 2003

RHYNCHITALLINA Legalov, 2003: 226 [stem: *Rhynchitall-*]. Type genus: *Rhynchitallus* Voss, 1960.

Subtribe RHYNCHITINA Gistel, 1848

RHYNCHITISIDAE Gistel, 1848: [8] [stem: *Rhynchit-*]. Type genus: *Rhynchites* Schneider, 1791. Comment: incorrect original stem formation, not in prevailing usage.

RHYNCHITINI Pierce, 1913: 365, in key [stem: *Rhynchit-*]. Type genus: *Rhynchites* Schneider, 1791. Comment: family-group name proposed as new without reference to RHYNCHITISIDAE Gistel, 1848.

Subtribe TEMNOCERINA Legalov, 2003

TEMNOCERINA Legalov, 2003: 207 [stem: *Temnocer-*]. Type genus: *Temnocerus* Thunberg, 1815.

Subfamily ISOHEINAE Scudder, 1893

ISOHEINAE Scudder, 1893: 16 [stem: *Isothe-*]. Type genus: *Isothea* Scudder, 1893. Comment: precedence (ISOHEINAE Scudder, 1893 vs TOXORHYNCHINAE Scudder, 1893) given to taxon originally proposed at the higher rank (Art. 24.1).

Tribe ISOHEINI Scudder, 1893

ISOHEINAE Scudder, 1893: 16 [stem: *Isothe-*]. Type genus: *Isothea* Scudder, 1893.

Subtribe DEPASOPHILINA Legalov, 2003

DEPASOPHILINA Legalov, 2003: 166 [stem: *Depasophil-*]. Type genus: *Depasophilus* Voss, 1922.

†Subtribe ISOHEINA Scudder, 1893

ISOHEINAE Scudder, 1893: 16 [stem: *Isothe-*]. Type genus: *Isothea* Scudder, 1893.

†Tribe TOXORHYNCHINI Scudder, 1893

TOXORHYNCHINI Scudder, 1893: 23 [stem: *Toxorhynch-*]. Type genus: *Toxorhynchus* Scudder, 1893.

Subfamily PTEROCOLINAE Lacordaire, 1865

PTÉROCOLIDES Lacordaire, 1865: 190 [stem: *Pterocol-*]. Type genus: *Pterocolus* Schönherr, 1833 [preoccupied genus name, not *Pterocolus* Say, 1831 [Coleoptera: ATTELABIDAE: PTEROCOLINAE]; syn. of *Pterocolus* Say, 1831]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as PTEROCOLINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 44, as PTEROCOLINAE); permanently invalid (Art. 39): based on preoccupied type genus; although strictly speaking the type genus is a junior homonym, and thus cannot be used as valid, to preserve stability, we are considering this as a valid name here; an application to the Commission is necessary to officially conserve usage of this family-group name.

Family BRENTIDAE Billberg, 1820

BRENTHIDES Billberg, 1820a: 40 [stem: *Brent-*]. Type genus: *Brentus* Fabricius, 1787 [as *Brenthus*, unjustified emendation of type genus name by Illiger (1801), not in prevailing usage].

Subfamily BRENTINAE Billberg, 1820

BRENTHIDES Billberg, 1820a: 40 [stem: *Brent-*]. Type genus: *Brentus* Fabricius, 1787 [as *Brenthus*, unjustified emendation of type genus name by Illiger (1801), not in prevailing usage].

Tribe BRENTINI Billberg, 1820

BRENTHIDES Billberg, 1820a: 40 [stem: *Brent-*]. Type genus: *Brentus* Fabricius, 1787 [as *Brenthus*, unjustified emendation of type genus name by Illiger (1801), not in prevailing usage].

Subtribe ARRHENODINA Lacordaire, 1865

ARRHÉNODIDES Lacordaire, 1865: 425 [stem: *Arrhenod-*]. Type genus: *Arrenodes* sensu Lacordaire, 1865 [as *Arrhenodes*, incorrect subsequent spelling of type genus name, not in prevailing usage; not *Arrenodes* Schönherr 1823; syn. of *Estenorhinus* Lacordaire, 1865]. Comment: based on misidentified type genus; MAAZ and CHCL will submit an application to designate as type genus *Arrenodes* Schönherr, 1823 and correct the name of the tribe to ARRENODINI; First Reviser (ARRHENODINA Lacordaire, 1865 vs BELOPHERINA Lacordaire, 1865 vs BELORHYNCHINA Lacordaire, 1865 vs EUTRACHELINA Lacordaire, 1865) not determined, current usage maintained.

BÉLOPHÉRIDES Lacordaire, 1865: 433 [stem: *Belopher-*]. Type genus: *Belopherus* Schönherr, 1833 [syn. of *Belorhynchus* Berthold, 1827]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1872: 317, as BELOPHERINAE), generally accepted as in Sharp (1895a: 53, as BELOPHERINA).

BÉLORHYNCHIDES Lacordaire, 1865: 437 [stem: *Belorhynch-*]. Type genus: *Belorhynchus* Berthold, 1827. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form generally accepted as in Sharp (1895a: 63, as BELORHYNCHINA); placed in synonymy with ARRHÉNODINI by Alonso-Zarazaga and Lyal (2002: 10).

EUTRACHÉLIDES Lacordaire, 1865: 438 [stem: *Eutrachel-*]. Type genus: *Eutrachelus* Berthold, 1827. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Senna (1892: 179, as EUTRACHELINAE), generally accepted as in Sharp (1900b: 385, as EUTRACHÉLIDES [treated as Latin]).

ORYCHODI Senna, 1895: 213 [stem: *Orychod-*]. Type genus: *Orychodes* Pascoe, 1862.

EUPSALINI Muizon, 1960: 170 [stem: *Eupsalid-*]. Type genus: *Eupsalis* sensu Kleine, 1927 [not *Eupsalis* Lacordaire, 1865; syn. of *Orfilaia* Haedo Rosii, 1955]. Comment: based on a misidentified type genus; incorrect original stem formation, not in prevailing usage.

Subtribe BRENTINA Billberg, 1820

BRENTHIDES Billberg, 1820a: 40 [stem: *Brent-*]. Type genus: *Brentus* Fabricius, 1787 [as *Brenthus*, unjustified emendation of type genus name by Illiger (1801), not in prevailing usage].

Subtribe EREMOXENINA Semenov, 1892

AMORPHOCEPHALIDES Power, 1879: 478 [stem: *Amorphocephal-*]. Type genus: *Amorphocephalus* Schönherr, 1840 [preoccupied genus name, not *Amorphocephalus* Bowdich, 1825 [Pisces]; syn. of *Amorphocephala* Damoiseau, 1966]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

EREMOXENIDAE Semenov, 1892: 440 [stem: *Eremoxen-*]. Type genus: *Eremoxenus* Semenov, 1892.

PAUSSOBRENTHINI Gestro, 1919: 270 [stem: *Paussobreth-*]. Type genus: *Paus-sobrenthus* Gestro, 1919.

Tribe CYLADINI Schönherr, 1823

CYLADES Schönherr, 1823: column 1137 [stem: *Cylad-*]. Type genus: *Cylas* Latreille, 1802.

Tribe CYPHAGOGINI Kolbe, 1892

CYPHAGOGINAE Kolbe, 1892: 162 [stem: *Cyphagog-*]. Type genus: *Cyphagogus* Parry, 1849.

Subtribe ATOPOBRENTINA Damoiseau, 1965

ATOPOBRENTINI Damoiseau, 1965: 1 [stem: *Atopobrent-*]. Type genus: *Atopobrentus* Damoiseau, 1965.

Subtribe CYPHAGOGINA Kolbe, 1892

CYPHAGOGINAE Kolbe, 1892: 162 [stem: *Cyphagog-*]. Type genus: *Cyphagogus* Parry, 1849.

*CALODROMINEN Kolbe, 1916: 50 [stem: *Calodrom-*]. Type genus: *Calodromus* Guérin-Méneville, 1832. Comment: original vernacular name unavailable (Art. 11.7.2): proposed after 1899.

CALODROMINI Kleine, 1922a: 148 [stem: *Calodrom-*]. Type genus: *Calodromus* Guérin-Méneville, 1832.

†Subtribe DOMINIBRENTINA Poinar, 2009

DOMINIBRENTINI Poinar, 2009: 51 [stem: *Dominibrent-*]. Type genus: *Dominibrentus* Poinar, 2009.

Subtribe HOPLOPISTHIINA Senna and Calabresi, 1919

HOPLOPISTHI Senna and Calabresi, 1919: 65 [stem: *Hoplopisthi-*]. Type genus: *Hoplopisthius* Senna, 1892. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe STEREODERMINA Sharp, 1895

STEREODERMINA Sharp, 1895a: 7 [stem: *Stereoderm-*]. Type genus: *Stereodermus* Lacordaire, 1865.

Tribe PHOLIDOCHLAMYDINI Damoiseau, 1962

PHOLIDOCHLAMYDINAE Damoiseau, 1962: 26 [stem: *Pholidochlamyd-*]. Type genus: *Pholidochlamys* Lacordaire, 1865. Comment: the original spelling PHOLIDOCHLAMYDINAE on page 26 is considered a *lapsus calami* since the type genus is spelled correctly throughout and the family-group name is spelled correctly on page 18.

Tribe TAPHRODERINI Lacordaire, 1865

TAPHRODERIDES Lacordaire, 1865: 406 [stem: *Taphroder-*]. Type genus: *Taphroderes* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1872: 317, as TAPHRODERINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 52, as TAPHRODERINAE).

ISCHNOMÉRIDES Lacordaire, 1865: 414 [stem: *Ischnomer-*]. Type genus: *Ischnomerus* Schönherr, 1840 [preoccupied genus name, not *Ischnomerus* Labram and Imhoff, 1838 [Coleoptera: CURCULIONIDAE: TRACHELIZINI]; syn. of *Aulacoderes* Chevrolat, 1839]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Schoenfeldt (1908: 2, as ISCHNOMERIDAE); permanently invalid (Art. 39): based on preoccupied type genus.

Tribe TRACHELIZINI Lacordaire, 1865

TRACHELIZIDES Lacordaire, 1865: 417 [stem: *Tracheliz-*]. Type genus: *Trachelizus* Dejean, 1834. Comment: First Reviser (TRACHELIZINI Lacordaire, 1865 vs ITHYSTENINI Lacordaire, 1865) not determined, current usage maintained.

Subtribe ACRATINA Alonso-Zarazaga, Lyal, Bartolozzi and Sforzi, 1999

NÉMOCÉPHALIDES Lacordaire, 1865: 459 [stem: *Nemocephal-*]. Type genus: *Nemocephalus* sensu Lacordaire, 1865 [not *Nemocephalus* Guérin-Méneville, 1827; syn. of *Neacratus* Alonso-Zarazaga et al., 1999]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized

form and generally accepted as in Kolbe (1883: 79, as NEMOCEPHALI); based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principle of Priority (Art. 65.2.1).

ACRATINI Alonso-Zarazaga et al., 1999: 53 [stem: *Acrat-*]. Type genus: *Acratus* Lacordaire, 1865.

Subtribe ITHYSTENINA Lacordaire, 1865

ITHYSTÉNIDES Lacordaire, 1865: 464 [stem: *Ithysten-*]. Type genus: *Ithystenus* Pascoe, 1862. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1872: 317, as ITHYSTENINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 54, as ITHYSTENINI).

ISCHNOMERI Kolbe, 1883: 74 [stem: *Ischnomer-*]. Type genus: *Ischnomerus* Labram and Imhoff, 1838.

LEPTORRHYNCHIDAE Schoenfeldt, 1908: 69 [stem: *Leptorhynch-*]. Type genus: *Leptorhynchus* Guérin-Méneville, 1838 [as *Leptorrhynchus*, incorrect subsequent spelling of type genus name, not in prevailing usage; preoccupied genus name, not *Leptorhynchus* Clift, 1828 [Reptilia]; syn. of *Ithystenus* Pascoe, 1862]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

OZODOCERINI Jakobson, 1911b: 142 [stem: *Ozodecer-*]. Type genus: *Ozodecerus* Chevrolat, 1839. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe MICROTRACHELIZINA Zimmerman, 1994

MICROTRACHELIZINA Zimmerman, 1994b: 182 [stem: *Microtracheliz-*]. Type genus: *Microtrachelizus* Senna, 1893.

Subtribe PSEUDOCEOCEPHALINA Kleine, 1922

CÉOCÉPHALIDES Lacordaire, 1865: 444 [stem: *Ceocephal-*]. Type genus: *Ceocephalus* sensu Lacordaire, 1865 [not *Ceocephalus* Guérin-Méneville, 1833; *Ceocephalus* sensu Lacordaire, 1865 is a mixture of *Orphanobrentus* Damoiseau, 1962 and *Pseudoceocephalus* Kleine, 1920 (see Alonso-Zarazaga and Lyal 1999: 55)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Sharp (1900b: 385, as CEOCEPHALIDES [treated as Latin]); based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principle of Priority (Art. 65.2.1).

UROPTERINI Jakobson, 1911b: 142 [stem: *Uropter-*]. Type genus: *Uroptera* Berthold, 1827.

PSEUDOCEOCEPHALIDAE Kleine, 1922b: 225 [stem: *Pseudoceocephal-*]. Type genus: *Pseudoceocephalus* Kleine, 1920. Comment: this family-group name is preceded by two older names: CEOCEPHALINA Lacordaire, 1865, which is based on a misidentified type genus, and the newly discovered name UROPTERINA Jakobson, 1911; we recommend that an application be submitted to the Commission to conserve usage of the well-established name PSEUDOCEOCEPHALINA Kleine, 1922.

Subtribe RHYTICEPHALINA Kleine, 1922

RHYTICEPHALINI Kleine, 1922c: 163 [stem: *Rhyticephal-*]. Type genus: *Rhyticephalus* Chevrolat, 1839.

Subtribe TRACHELIZINA Lacordaire, 1865

TRACHÉLIZIDES Lacordaire, 1865: 417 [stem: *Tracheliz-*]. Type genus: *Trachelizus* Dejean, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1872: 317, as TRACHELIZINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 53, as TRACHELIZINI); First Reviser (TRACHELIZINA Lacordaire, 1865 vs HEPHEBOCERINA Lacordaire, 1865) not determined, current usage maintained.

HÉPHÉBOCÉRIDES Lacordaire, 1865: 415 [stem: *Hephebocer-*]. Type genus: *Hephebocerus* Schönherr, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Pascoe (1872: 317, as EPHEBOCERINAE [incorrect stem formation]).

ANCHISTENINI Schedl, 1961: 198 [stem: *Anchiste-*]. Type genus: *Anchisteus* Kolbe, 1883. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe TYCHAEINA Schoenfeldt, 1908

TYCHAEIDAE Schoenfeldt, 1908: 48 [stem: *Tychae-*]. Type genus: *Tychaeus* Fischer von Waldheim, 1823 [syn. of *Nemorhinus* Schönherr, 1823].

Tribe ULOCERINI Schönherr, 1823

ULOCERIDES Schönherr, 1823: column 1137 [stem: *Ulocer-*]. Type genus: *Ulocerus* Schönherr, 1823.

Subfamily EURHYNCHINAE Lacordaire, 1863

EURHYNCHIDES Lacordaire, 1863: 527 [stem: *Eurhynch-*]. Type genus: *Eurhynchus* Kirby, 1828 [placed on the Official List of Generic Names in Zoology (ICZN 1985e)].

†Tribe AXELRODIELLINI Legalov, 2009

AXEIRODIELLINI Legalov, 2009c: 292 [stem: *Axelrodiell-*]. Type genus: *Axelrodiellus* Zherikhin and Gratshev, 2004. Comment: incorrect original stem formation, not in prevailing usage.

Tribe EURHYNCHINI Lacordaire, 1863

EURHYNCHIDES Lacordaire, 1863: 527 [stem: *Eurhynch-*]. Type genus: *Eurhynchus* Kirby, 1828 [placed on the Official List of Generic Names in Zoology (ICZN 1985e)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as EURHYNCHINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 56, as EURHYNCHIDAE); EURHYNCHINAE Lacordaire, 1863 placed on the Official List of Family-Group Names in Zoology (ICZN 1985e).

EURHININI Kissinger, 1968: 10 [stem: *Eurhin-*]. Type genus: *Eurhinus* Kirby, 1819 [preoccupied genus name, not *Eurhinus* Illiger, 1807 [Coleoptera: CURCULIONIDAE: BARIDINI]; syn. of *Eurhynchus* Kirby, 1828]. Comment: replacement name for EURHYNCHIDES Lacordaire, 1863 because of the homonymy of the type genus; junior homonym of EURHININA Lacordaire, 1865 [CURCULIONIDAE: BARIDINAE]; permanently invalid (Art. 39): based on preoccupied type genus.

Subfamily APIONINAE Schönherr, 1823

APIONIDES Schönherr, 1823: column 1136 [stem: *Apion-*]. Type genus: *Apion* Herbst, 1797. Comment: First Reviser (APIONINAE Schönherr, 1823 vs ANTLIARHININAE Schönherr, 1823) not determined, current usage maintained.

Supertribe APIONITAE Schönherr, 1823

APIONIDES Schönherr, 1823: column 1136 [stem: *Apion-*]. Type genus: *Apion* Herbst, 1797.

Tribe APIONINI Schönherr, 1823

APIONIDES Schönherr, 1823: column 1136 [stem: *Apion-*]. Type genus: *Apion* Herbst, 1797.

Subtribe APIONINA Schönherr, 1823

APIONIDES Schönherr, 1823: column 1136 [stem: *Apion-*]. Type genus: *Apion* Herbst, 1797. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Api-*).

OXEOSTOMATIDAE Gistel, 1856a: 374 [stem: *Oxeostom-*]. Type genus: *Oxeostomum* Gistel, 1856 [syn. of *Apion* Herbst, 1797]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe APLEMONINA Kissinger, 1968

APLEMONINI Kissinger, 1968: 16 [stem: *Aplemon-*]. Type genus: *Aplemonus* Schönherr, 1847.

Subtribe ASPIDAPIINA Alonso-Zarazaga, 1990

ASPIDAPIINI Alonso-Zarazaga, 1990: 52 [stem: *Aspidapi-*]. Type genus: *Aspidapion* Schilsky, 1901.

Subtribe CATAPIINA Alonso-Zarazaga, 1990

CATAPIINA Alonso-Zarazaga, 1990: 114 [stem: *Catapi-*]. Type genus: *Catapion* Schilsky, 1906.

Subtribe CERATAPIINA Alonso-Zarazaga, 1990

CERATAPIINI Alonso-Zarazaga, 1990: 42 [stem: *Ceratapi-*]. Type genus: *Ceratapion* Schilsky, 1901.

Subtribe EXAPIINA Alonso-Zarazaga, 1990

EXAPIINI Alonso-Zarazaga, 1990: 75 [stem: *Exapi-*]. Type genus: *Exapion* Bedel, 1887.

Subtribe IXAPIINA Alonso-Zarazaga, 1990

IXAPIINI Alonso-Zarazaga, 1990: 71 [stem: *Ixapi-*]. Type genus: *Ixapion* Roudier and Tempère, 1973.

Subtribe KALCAPIINA Alonso-Zarazaga, 1990

KALCAPIINI Alonso-Zarazaga, 1990: 55 [stem: *Kalcapi-*]. Type genus: *Kalcapion* Schilsky, 1906.

Subtribe MALVAPIINA Alonso-Zarazaga, 1990

MALVAPIINI Alonso-Zarazaga, 1990: 65 [stem: *Malvapi-*]. Type genus: *Malvapion* Hoffmann, 1958.

Subtribe METAPIINA Alonso-Zarazaga, 1990

METAPIINI Alonso-Zarazaga, 1990: 62 [stem: *Metapi-*]. Type genus: *Metapion* Schilsky, 1906.

Subtribe OXYSTOMATINA Alonso-Zarazaga, 1990

OXYSTOMATINI Alonso-Zarazaga, 1990: 111 [stem: *Oxystomat-*]. Type genus: *Oxystoma* Duméril, 1805.

Subtribe PIEZOTRACHELINA Voss, 1959

PIEZOTRACHELINI Voss, 1959: 51 [stem: *Piezotrachel-*]. Type genus: *Piezotrac-helus* Schönherr, 1839.

Subtribe PROTOTRICHAPIINA Wanat, 1995

PROTOTRICHAPIINI Wanat, 1995: 19 [stem: *Prototrichapi-*]. Type genus: *Pro-totrichapion* Voss, 1959.

Subtribe SYNAPIINA Alonso-Zarazaga, 1990

SYNAPIINI Alonso-Zarazaga, 1990: 118 [stem: *Synapi-*]. Type genus: *Synapion* Schilsky, 1902.

Subtribe TRICHAPIINA Alonso-Zarazaga, 1990

TRICHAPIINA Alonso-Zarazaga, 1990: 116 [stem: *Trichapi-*]. Type genus: *Trichapion* Wagner, 1912.

Tribe CHILAPIINI Wanat, 2001

CHILAPIITAE Wanat, 2001: 366 [stem: *Chilapi-*]. Type genus: *Chilapion* Kissinger, 1968.

Tribe NOTERAPIINI Kissinger, 2004

NOTERAPIONINI Kissinger, 2004: 243 [stem: *Noterapi-*]. Type genus: *Noterapion* Kissinger, 2002. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PODAPIINI Wanat, 2001

PODAPIITAE Wanat, 2001: 366 [stem: *Podapi-*]. Type genus: *Podapion* Riley, 1883.

Tribe RHINORHYNCHIDIINI Zimmerman, 1994

RHINORHYNCHIDIINAE Zimmerman, 1994b: 337 [stem: *Rhinorhynchidi-*]. Type genus: *Rhinorhynchidius* Voss, 1922.

Supertribe ANTLIARHINITAE Schönherr, 1823

ANTLIARHINIDES Schönherr, 1823: column 1137 [stem: *Antliarhin-*]. Type genus: *Antliarhis* Billberg, 1820 [as *Antliarhinus*, incorrect subsequent spelling of type genus name, not in prevailing usage].

Supertribe CYBEBITAE Lacordaire, 1863

CYBÉBIDES Lacordaire, 1863: 539 [stem: *Cybeb-*]. Type genus: *Cybebus* Schönherr, 1839. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Pascoe (1870b: 436, as CYBEBINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 58, as CYBEBINI).

Supertribe MECOLENITAE Wanat, 2001

MECOLENINAE Wanat, 2001: 363 [stem: *Mecolen-*]. Type genus: *Mecolenus* Schönherr, 1847.

Supertribe MYRMACICELITAE Zimmerman, 1994

MYRMACICELINAE Zimmerman, 1994b: 349 [stem: *Myrmacicel-*]. Type genus: *Myrmacicelus* Chevrolat, 1833.

Tribe LISPOTHERIINI Wanat, 2001

LISPOTHERIINI Wanat, 2001: 365 [stem: *Lispotheri-*]. Type genus: *Lispotherium* Faust, 1891.

Tribe MYRMACICELINI Zimmerman, 1994

MYRMACICELINAE Zimmerman, 1994b: 349 [stem: *Myrmacikel-*]. Type genus: *Myrmacicelus* Chevrolat, 1833.

Supertribe RHADINOCYBITAE Alonso-Zarazaga, 1992

RHADINOCYBINI Alonso-Zarazaga, 1992: 193 [stem: *Rhadinocyb-*]. Type genus: *Rhadinocyba* Faust, 1889.

Tribe NOTAPIONINI Zimmerman, 1994

NOTAPIONINI Zimmerman, 1994b: 317 [stem: *Notapion-*]. Type genus: *Notapion* Zimmerman, 1994. Comment: current spelling maintained (Art. 29.5): incorrect stem formation in prevailing usage (should be *Notapi-*).

Tribe RHADINOCYBINI Alonso-Zarazaga, 1992

RHADINOCYBINI Alonso-Zarazaga, 1992: 193 [stem: *Rhadinocyb-*]. Type genus: *Rhadinocyba* Faust, 1889.

Supertribe TANAITAE Schönherr, 1839

TANAONIDES Schönherr, 1839: 447 [stem: *Tana-*]. Type genus: *Tanaos* Schönherr, 1826. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily ITHYCERINAE Schönherr, 1823

ITHYCERIDES Schönherr, 1823: column 1136 [stem: *Ithycer-*]. Type genus: *Ithycerus* Schönherr, 1823.

PACHYRHINCHIDAE Kirby, 1837: 203 [stem: *Pachyrhynch-*]. Type genus: *Pachyrhynchus* Kirby, 1837 [preoccupied genus name, not *Pachyrhynchus* Germar, 1824 [Coleoptera: CURCULIONIDAE: OTIORHYNCHINI]; syn. of *Ithycerus* Schönherr, 1823]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

†GOBICARINI Legalov, 2009c: 291 [stem: *Gobicar-*]. Type genus: *Gobicar* Gratshev and Zherikhin, 1999.

Subfamily MICROCERINAE Lacordaire, 1863

MICROCÉRIDES Lacordaire, 1863: 20 [stem: *Microcer-*]. Type genus: *Microcerus* Schönherr, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as MICROCERINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 63, as MICROCERINAE).

*ÉPISIDES Lacordaire, 1863: 22 [stem: *Epis-*]. Type genus: *Episus* Billberg, 1820. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 224, as EPISINI), but not generally accepted as valid.

Subfamily NANOPHYINAE Gistel, 1848

NANOPHYEIDAE Gistel, 1848: [7] [stem: *Nanophy*-]. Type genus: *Nanophyes* Schönherr, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1989b)].

Tribe CORIMALIINI Alonso-Zarazaga, 1989

CORIMALIINI Alonso-Zarazaga, 1989: 225 [stem: *Corimali*-]. Type genus: *Corimalia* Gozis, 1885.

Tribe NANOPHYINI Gistel, 1848

NANOPHYEIDAE Gistel, 1848: [7] [stem: *Nanophy*-]. Type genus: *Nanophyes* Schönherr, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1989b)]. Comment: incorrect original stem formation, not in prevailing usage.

Family DRYOPHTHORIDAE Schönherr, 1825

DRYOPHTHORIDES Schönherr, 1825: column 588 [stem: *Dryophthor*-]. Type genus: *Dryophthorus* Germar, 1824 [placed on the Official List of Generic Names in Zoology (ICZN 1987c)].

Subfamily DRYOPHTHORINAE Schönherr, 1825

DRYOPHTHORIDES Schönherr, 1825: column 588 [stem: *Dryophthor*-]. Type genus: *Dryophthorus* Germar, 1824 [placed on the Official List of Generic Names in Zoology (ICZN 1987c)].

Subfamily CRYPTODERMATINAE Bovie, 1908

OXYRHYNCHIDES Schönherr, 1823: column 1137 [stem: *Oxyrhynch*-]. Type genus: *Oxyrhynchus* Schönherr, 1823 [preoccupied genus name, not *Oxyrhynchus* Leach, 1818 [Pisces]; syn. of *Cryptoderma* Ritsema, 1885]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

CRYPTODERMINAE Bovie, 1908: 1 [stem: *Cryptodermat*-]. Type genus: *Cryptoderma* Ritsema, 1885. Comment: replacement name for OXYRHYNCHINAE Schönherr, 1823 because of the homonymy of the type genus; incorrect original stem formation, not in prevailing usage.

Subfamily ORTHOGNATHINAE Lacordaire, 1865

ORTHOGNATHIDES Lacordaire, 1865: 311 [stem: *Orthognath*-]. Type genus: *Orthognathus* Schönherr, 1837.

Tribe ORTHOGNATHINI Lacordaire, 1865

ORTHOGNATHIDES Lacordaire, 1865: 311 [stem: *Orthognath*-]. Type genus: *Orthognathus* Schönherr, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 233, as ORTHOGNATHINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 64, as ORTHOGNATHINI).

SIPALIDES Lacordaire, 1865: 310 [stem: *Sipal-*]. Type genus: *Sipalus* Schönherr, 1825 [preoccupied genus name, not *Sipalus* Fischer, 1813 [Mammalia]; syn. of *Sipalinus* G. A. K. Marshall, 1943]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as SIPALINAE), generally accepted as in Heyne and Taschenberg (1907: 233, as SIPALINI); permanently invalid (Art. 39): based on preoccupied type genus.

*SIPALININAE G. A. K. Marshall, 1953: 117 [stem: *Sipalin-*]. Type genus: *Sipalinus* G. A. K. Marshall, 1943. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

SIPALININAE Zimmerman, 1993: 47, in key [stem: *Sipalin-*]. Type genus: *Sipalinus* G. A. K. Marshall, 1943.

Tribe RHINOSTOMINI LeConte, 1874

RHINIDAE J. L. LeConte, 1874b: 466 [stem: *Rhin-*]. Type genus: *Rhina* Latreille, 1806 [preoccupied genus name, not *Rhina* Schneider, 1801 [Pisces]; syn. of *Rhinostomus* Rafinesque, 1815]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

RHINOSTOMINI Kuschel, 1995: 24, in key [stem: *Rhinostom-*]. Type genus: *Rhinostomus* Rafinesque, 1815 [placed on the Official List of Generic Names in Zoology (ICZN 1955a)].

Subfamily RHYNCHOPHORINAE Schönherr, 1833

RHYNCHOPHORIDES Schönherr, 1833: 26 [stem: *Rhynchophor-*]. Type genus: *Rhynchophorus* Herbst, 1795.

Tribe DIOCALANDRINI Zimmerman, 1993

DIOCALANDRINI Zimmerman, 1993: 99 [stem: *Diocalandr-*]. Type genus: *Diocalandra* Faust, 1894.

Tribe LITOSOMINI Lacordaire, 1865

CALANDRINA C. G. Thomson, 1859: 145 [stem: *Calandr-*]. Type genus: *Calandra* Gistel, 1848 [placed on the Official Index of Invalid and Rejected Generic Names in Zoology (ICZN 1959b); preoccupied genus name, not *Calandra* Clairville, 1798 [Coleoptera: CURCULIONIDAE: RHYNCHOPHORINAE: SPHENOPHORINI]; syn. of *Sitophilus* Schönherr, 1837]. Comment: permanently invalid (Art. 39): based on suppressed type genus.

LITOSOMIDES Lacordaire, 1865: 303 [stem: *Litosom-*]. Type genus: *Litosomus* Lacordaire, 1865 [syn. of *Toxorhinus* Lacordaire, 1865]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Faust (1895: 224, as LITOSOMINORUM), generally accepted as in Alonso-Zarazaga and Lyal (1999: 65, as LITOSOMINI).

SITOPHILI Csiki, 1936: 68 [stem: *Sitophil-*]. Type genus: *Sitophilus* Schönherr, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1959b)]. Comment: name proposed to replace CALANDRINA C. G. Thomson, 1865 because of the synonymy of the type genus (*Calandra auctorum* is a synonym of *Sitophilus* Schönherr, 1837).

Tribe OMMATOLAMPINI Lacordaire, 1865

OMMATOLAMPIDES Lacordaire, 1865: 276 [stem: *Ommatolamp-*]. Type genus: *Ommatolampes* Schönherr, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 233, as OMMATOLAMPINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 66, as OMMATOLAMPINI).

Tribe POLYTINI Zimmerman, 1993

POLYTINI Zimmerman, 1993: 94 [stem: *Polyt-*]. Type genus: *Polytus* Faust, 1894.

Tribe RHYNCHOPHORINI Schönherr, 1833

RHYNCHOPHORIDES Schönherr, 1833: 26 [stem: *Rhynchophor-*]. Type genus: *Rhynchophorus* Herbst, 1795.

Tribe SPHENOPHORINI Lacordaire, 1865

CALANDRAEDES Billberg, 1820a: 40 [stem: *Calandr-*]. Type genus: *Calandra* Clairville, 1798 [placed on the Official Index of Invalid and Rejected Generic Names in Zoology (ICZN 1959b)]. Comment: permanently invalid (Art. 39): based on suppressed type genus; several family-group names based on *Calandra* Clairville, 1798 were placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1959b).

SPHÉNOPHORIDES Lacordaire, 1865: 286 [stem: *Sphenophor-*]. Type genus: *Sphenophorus* Schönherr, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1959b)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1876: 330, as SPHENOPHORINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 66, as SPHENOPHORINI); First Reviser (SPHENOPHORINI Lacordaire, 1865 vs SPHENOCORYNINI Lacordaire, 1865) not determined, current usage maintained.

SPHÉNOCORYNIDES Lacordaire, 1865: 279 [stem: *Sphenocoryn-*]. Type genus: *Sphenocorynes* Schönherr, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Aurivillius (1886: 97, as SPHENOCORYNINAE), generally accepted as in Csiki (1936: 20, as SPHENOCORYNI).

OXYPISTHINAE Kolbe, 1899: 5 [stem: *Oxyopisth-*]. Type genus: *Oxyopisthen* sensu Lacordaire, 1865 [not *Oxyopisthen* J. Thomson, 1858; syn. of *Korotyaevius* Alonso-Zarazaga and Lyal, 1999]. Comment: based on misidentified type genus.

Subfamily STROMBOSCERINAE Lacordaire, 1865

STROMBOSCÉRIDES Lacordaire, 1865: 306 [stem: *Stromboscer-*]. Type genus: *Stromboscerus* Schönherr, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as STROMBOCERINAE [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 68, as STROMBOSCERINAE).

Family BRACHYCERIDAE Billberg, 1820

BRACHYCERIDES Billberg, 1820a: 39 [stem: *Brachycer-*]. Type genus: *Brachycerus* A. G. Olivier, 1789.

Subfamily BRACHYCERINAE Billberg, 1820

BRACHYCERIDES Billberg, 1820a: 39 [stem: *Brachycer-*]. Type genus: *Brachycerus* A. G. Olivier, 1789. Comment: the tribal classification used here follows Oberprieler (2010).

Tribe BRACHYCERINI Billberg, 1820

BRACHYCERIDES Billberg, 1820a: 39 [stem: *Brachycer-*]. Type genus: *Brachycerus* A. G. Olivier, 1789.

PROTOMANTIINAE Aurivillius, 1886: 21, in key [stem: *Protomanti-*]. Type genus: *Protomantis* Schönherr, 1840.

Tribe BYRSOPINI Germar, 1829

CRYPTOPSISDES Schönherr, 1826: 65 [stem: *Cryptop-*]. Type genus: *Cryptops* Schönherr, 1823 [preoccupied genus name, not *Cryptops* Leach, 1814 [Chilopoda]; syn. of *Byrsops* Germar, 1829]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

BYRSOPTIDES Germar, 1829: 358 [stem: *Byrsop-*]. Type genus: *Byrsops* Germar, 1829. Comment: incorrect original stem formation, not in prevailing usage.

BYRSOPSIDES Schönherr, 1833: 14 [stem: *Byrsop-*]. Type genus: *Byrsops* Schönherr, 1833 [preoccupied genus name, not *Byrsops* Germar, 1829 [Coleoptera: CURCULIONIDAE: BYRSOPINI]]; syn. of *Byrsops* Germar, 1829]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

BROTHEINAE G. A. K. Marshall, 1907: 89 [stem: *Brothe-*]. Type genus: *Brotheus* Stephens, 1829. Comment: junior homonym of BROTHEINI Simon, 1879 in Scorpiones (type genus *Brotheas* C. L. Koch, 1837); this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

BROTHEUSINI Alonso-Zarazaga and Lyal, 2006: 24 [stem: *Brotheus-*]. Type genus: *Brotheus* Stephens, 1829. Comment: unnecessary replacement name for BROTHEINAE Marshall, 1907 because of the homonymy of the family-group name; BROTHEINAE/-INI/-INA Simon, 1879 (type genus *Brotheas* C. L. Koch, 1837) has been used as valid in Scorpiones in recent literature, e.g., Prendini

and W. C. Wheeler (2005); the stem used by Alonso-Zarazaga and Lyal (2006) was chosen in accordance with Art. 29.6.

Subfamily CRYPTOLARYNGINAE Schalkwyk, 1966

CRYPTOPHARYNGINAE G. A. K. Marshall, 1957: 18 [stem: *Cryptopharyng-*]. Type genus: *Cryptopharynx* G. A. K. Marshall, 1957 [preoccupied genus name, not *Cryptopharynx* Kahl, 1928 [Protozoa]; syn. of *Cryptolarynx* Schalkwyk, 1966]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

CRYPTOLARYNGINAE Schalkwyk, 1966: 745 [stem: *Cryptolaryng-*]. Type genus: *Cryptolarynx* Schalkwyk, 1966. Comment: replacement name for CRYPTOPHARYNGINAE G. A. K. Marshall, 1957 because of the homonymy of the type genus.

PERIEGINI Legalov, 2003: 68 [stem: *Perieg-*]. Type genus: *Perieges* Schönherr, 1842.

Subfamily ERIRHININAE Schönherr, 1825

ERIRHINIDES Schönherr, 1825: column 582 [stem: *Erirhin-*]. Type genus: *Erirhinus* Schönherr, 1825 [syn. of *Notaris* Germar, 1817].

Tribe AONYCHINI Zimmerman, 1993

AONYCHINI Zimmerman, 1993: 136, in key [stem: *Aonych-*]. Type genus: *Aonychus* Schönherr, 1844. Comment: junior homonym of AONYCHINI Davis, 1978 in Mammalia (type genus *Aonyx* Lesson, 1827); this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

AONYCHUSINI Zimmerman, 1999: 72 [stem: *Aonychus-*]. Type genus: *Aonychus* Schönherr, 1844. Comment: unnecessary replacement name for AONYCHINI Zimmerman, 1993 because of the homonymy of the family-group name; the stem used by Zimmerman (1999) was chosen in accordance with Art. 29.6.

Tribe ARTHROSTENINI Reitter, 1913

ARTHROSTENINI Reitter, 1913b: 57, in key [stem: *Arthrosten-*]. Type genus: *Arthrostenus* Schönherr, 1826.

†Tribe CRETULIINI Legalov, 2009

CRETULIINI Legalov, 2009c: 293 [stem: *Cretuli-*]. Type genus: *Cretulio* Zherikhin, 1993.

Tribe ERIRHININI Schönherr, 1825

ERIRHINIDES Schönherr, 1825: column 582 [stem: *Erirhin-*]. Type genus: *Erirhinus* Schönherr, 1825 [syn. of *Notaris* Germar, 1817].

RHYNCHAENIDES Latreille, 1828: 599 [stem: *Rhynchaen-*]. Type genus: *Rhynchae-nus* sensu Latreille, 1828 [not *Rhynchaenus* Clairville, 1798; syn. of *Notaris* Germar, 1817]. Comment: based on a misidentified type genus; an application will need to be submitted to the Commission to suppress this name for

the Principles of Priority and Homonymy (Art. 65.2.1) if RHYNCAHENIDAE Blanchard, 1853 in CURCULIONINAE: RHAMPHINI: RHAMPHINA is to be used as valid in the future.

- NOTARINI Zumpt, 1929: 216 [stem: *Notar-*]. Type genus: *Notaris* sensu Tournier, 1874 [not *Notaris* Germar, 1817; syn. of *Tournotaris* Alonso-Zarazaga and Lyal, 1999]. Comment: based on a misidentified type genus.
- NOTODERMINA Voss, 1952: 196, in note [stem: *Notoderm-*]. Type genus: *Notodermus* Desbrochers des Loges, 1875 [syn. of *Procas* Stephens, 1831].

Tribe HIMASTHLOPHALLINI Zherikhin, 1991

HIMASTHLOPHALLINI Zherikhin, 1991: 31 [stem: *Himasthlophall-*]. Type genus: *Himasthlophallus* Egorov and Zherikhin, 1991.

Tribe STENOPELMINI LeConte, 1876

STENOPELMI J. L. LeConte, 1876: 179 [stem: *Stenopelm-*]. Type genus: *Stenopelmus* Schönherr, 1835.

LISSORHOPTRINAE Böving and Craighead, 1931: 67, in key [stem: *Lissorhoptr-*]. Type genus: *Lissorhoptrus* J. L. LeConte, 1876.

Tribe TADIINI Zimmerman, 1993

TADIINI Zimmerman, 1993: 136, in key [stem: *Tadi-*]. Type genus: *Tadius* Pascoe, 1885.

Tribe TANYSPHYRINI Gistel, 1848

TANYSPHYRIDAE Gistel, 1848: [8] [stem: *Tanysphyr-*]. Type genus: *Tanysphyrus* Germar, 1817.

BRACHYPI J. L. LeConte, 1876: 180 [stem: *Brachypod-*]. Type genus: *Brachypus* Schönherr, 1826 [preoccupied genus name, not *Brachypus* Meyer, 1814 [Aves]; syn. of *Brachyggius* G. A. K. Marshall, 1939]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

Subfamily OCLADIINAE Lacordaire, 1865

OCLADIIDES Lacordaire, 1865: 79 [stem: *Ocladi-*]. Type genus: *Ocladius* Schönherr, 1825.

Tribe DESMIDOPHORINI Morimoto, 1962

DESMIDOPHORINAE Morimoto, 1962a: 32, in key [stem: *Desmidophor-*]. Type genus: *Desmidophorus* Dejean, 1835.

Tribe OCLADIINI Lacordaire, 1865

OCLADIIDES Lacordaire, 1865: 79 [stem: *Ocladi-*]. Type genus: *Ocladius* Schönherr, 1825. Comment: original vernacular name available (Art. 11.7.2): first

used in latinized form by Hustache (1925: 9, as OCLADIINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 63, as OCLADIINI).

Subfamily RAYMONDIONYMINAE Reitter, 1913

RAYMONDIONYMINI Reitter, 1913b: 58, in key [stem: *Raymondionym-*]. Type genus: *Raymondionymus* Wollaston, 1873.

Tribe MYRTONYMINI Kuschel, 1990

MYRTONYMINA Kuschel, 1990: 80 [stem: *Myrtonym-*]. Type genus: *Myrtonymus* Kuschel, 1990.

Tribe RAYMONDIONYMINI Reitter, 1913

RAYMONDIONYMINI Reitter, 1913b: 58, in key [stem: *Raymondionym-*]. Type genus: *Raymondionymus* Wollaston, 1873.

Family CURCULIONIDAE Latreille, 1802

CURCULIONITES Latreille, 1802: 195 [stem: *Curculion-*]. Type genus: *Curculio* Linnaeus, 1758.

Subfamily CURCULIONINAE Latreille, 1802

CURCULIONITES Latreille, 1802: 195 [stem: *Curculion-*]. Type genus: *Curculio* Linnaeus, 1758.

Tribe ACALYPTINI Thomson, 1859

ACALYPTINA C. G. Thomson, 1859: 143 [stem: *Acalypt-*]. Type genus: *Acalyptus* Schönherr, 1833.

Subtribe ACALYPTINA Thomson, 1859

ACALYPTINA C. G. Thomson, 1859: 143 [stem: *Acalypt-*]. Type genus: *Acalyptus* Schönherr, 1833.

Subtribe DERELOMINA Lacordaire, 1865

DÉRÉLOMIDES Lacordaire, 1865: 9 [stem: *Derelom-*]. Type genus: *Derelomus* Schönherr, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Marseul (1866: 109, as DERELOMIDAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 77, as DERELOMINI).

HOPLORRHININA Champion, 1903: 277 [stem: *Hoplorrhin-*]. Type genus: *Hoplorrhinus* Chevrolat, 1878 [as *Hoplorrhinus*, incorrect subsequent spelling of type genus name, not in prevailing usage; syn. of *Celetes* Schönherr, 1836]. Comment: incorrect original stem formation, not in prevailing usage.

CELETINI Voss, 1954: 344 [stem: *Celet-*]. Type genus: *Celetes* Schönherr, 1836. Comment: description by indication (distinguishing characters given in

Champion (1903: 277, as HOPLORRHININA)); name proposed to replace HOPLORRHININI Champion, 1903 because of synonymy of the type genus; CELETINI is not in prevailing usage (Art. 40.2.1).

Subtribe NOTOLOMINA Franz, 2006

NOTOLOMINA N. M. Franz, 2006: 276 [stem: *Notolom-*]. Type genus: *Notolomus* J. L. LeConte, 1876.

Subtribe PHYLLOTROGINA Franz, 2006

PHYLLOTROGINA N. M. Franz, 2006: 276 [stem: *Phyllotrog-*]. Type genus: *Phyllotrox* Schönherr, 1843.

Subtribe STAMINODEINA Franz, 2006

STAMINODEINA N. M. Franz, 2006: 277 [stem: *Staminode-*]. Type genus: *Staminodeus* Franz, 2001.

Tribe ACENTRUSINI Alonso-Zarazaga, 2005

ACENTRINA Seidlitz, 1890: 608 [stem: *Acentr-*]. Type genus: *Acentrus* Schönherr, 1845 [preoccupied genus name, not *Acentrus* Duponchel, 1839 [Coleoptera: CURCULIONIDAE: CURCULIONINAE: ACENTRUSINI]; syn. of *Acentrus* Duponchel, 1839]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ACENTRUSINI Alonso-Zarazaga, 2005: 92 [stem: *Acentrus-*]. Type genus: *Acentrus* Duponchel, 1839. Comment: replacement name for ACENTRINI Seidlitz, 1890 because of the homonymy of the family-group name; the stem used by Alonso-Zarazaga (2005) was chosen in accordance with Art. 29.6.

Tribe ANCYLOCNEMIDINI Voss, 1962

ANCYLOCNEMINI Voss, 1962: 339 [stem: *Ancylocnemid-*]. Type genus: *Ancylocnemis* G. A. K. Marshall, 1920. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ANTHONOMINI Thomson, 1859

ANTHONOMINA C. G. Thomson, 1859: 144 [stem: *Anthonom-*]. Type genus: *Anthonomus* Germar, 1817.

*BRACHONYDES Tournier, 1874: 68, in key [stem: *Brachonych-*]. Type genus: *Brachonyx* Schönherr, 1825. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Tournier (1874); Alonso-Zarazaga and Lyal (1999: 74) attributed this name to the correct author but did not use it as a valid taxon; incorrect original stem formation, not in prevailing usage.

LONCOPHORINI Pierce, 1916: 467 [stem: *Loncophor-*]. Type genus: *Loncophorus* Chevrolat, 1832.

- BRADYBATINI Pierce, 1919: 26, in key [stem: *Bradybat-*]. Type genus: *Bradybatus* Germar, 1824.
- BRACHONYCHINA Voss, 1944: 38, in key [stem: *Brachonych-*]. Type genus: *Brachonyx* Schönherr, 1825.
- TACHYPTERELLINA Voss, 1944: 38, in key [stem: *Tachypterell-*]. Type genus: *Tachypterellus* Fall and Cockerell, 1907 [syn. of *Anthonomus* Germar, 1817].

Tribe CAMAROTINI Schönherr, 1833

CAMAROTIDES Schönherr, 1833: 4 [stem: *Camarot-*]. Type genus: *Camarotus* Germar, 1817.

Subtribe CAMAROTINA Schönherr, 1833

CAMAROTIDES Schönherr, 1833: 4 [stem: *Camarot-*]. Type genus: *Camarotus* Germar, 1817.

Subtribe PRIONOMERINA Lacordaire, 1863

PRIONOMÉRIDES Lacordaire, 1863: 598 [stem: *Prionomer-*]. Type genus: *Prionomerus* Schönherr, 1835 [syn. of *Odontopus* Say, 1831]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as PRIONOMERINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 75, as PRIONOMERINA).

Tribe CERATOPODINI Lacordaire, 1863

CÉRATOPOIDES Lacordaire, 1863: 589 [stem: *Ceratopod-*]. Type genus: *Ceratopus* Schönherr, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as CERATOPINAE [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 76, as CERATOPODINI); incorrect original stem formation, not in prevailing usage.

Tribe CIONINI Schönherr, 1825

CIONIDES Schönherr, 1825: column 587 [stem: *Cion-*]. Type genus: *Cionus* Clairville, 1798.

Tribe CRANOPOEINI Kuschel, 2009

CRANOPOEINI Kuschel, 2009: 44 [stem: *Cranopoe-*]. Type genus: *Cranopoeus* G. A. K. Marshall, 1931.

Tribe CRYPTOPLINI Lacordaire, 1863

CRYPTOPLIDES Lacordaire, 1863: 486 [stem: *Cryptopl-*]. Type genus: *Cryptoplus* Erichson, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1876: 175, as CRYPTOPLI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 76, as CRYPTOPLINI).

HAPLONYCIDES Lacordaire, 1865: 16 [stem: *Haplonych-*]. Type genus: *Haplonyx* Schönherr, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as HAPLONYCHINAE), generally accepted as in Schenkling and G. A. K. Marshall (1936: 1, as HAPLONYCHINAE); incorrect original stem formation, not in prevailing usage; this name is a junior homonym of HAPLONYCHINI Burmeister, 1855 (type genus *Haplonycha* Dejean, 1836) proposed in SCARABAEIDAE and now a synonym of LIPARETRINI H. C. C. Burmeister, 1855; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1) if either of those names is to be used as valid in the future.

Tribe CURCULIONINI Latreille, 1802

CURCULIONITES Latreille, 1802: 195 [stem: *Curculion-*]. Type genus: *Curculio* Linnaeus, 1758.

Subtribe CURCULIONINA Latreille, 1802

CURCULIONITES Latreille, 1802: 195 [stem: *Curculion-*]. Type genus: *Curculio* Linnaeus, 1758.

BALANINIDAE Gistel, 1848: [7] [stem: *Balanin-*]. Type genus: *Balaminus* Germar, 1817 [syn. of *Curculio* Linnaeus, 1758].

Subtribe PSEUDOBALANININA Heller, 1925

PSEUDOBALANININA Heller, 1925b: 94, in key [stem: *Pseudobalanin-*]. Type genus: *Pseudobalaninus* Faust, 1889.

Subtribe TIMOLINA Heller, 1925

TIMOLINA Heller, 1925b: 94, in key [stem: *Timol-*]. Type genus: *Timola* Pascoe, 1886.

Tribe DIABATHRARIINI Lacordaire, 1863

DIABATHRARIIDES Lacordaire, 1863: 407 [stem: *Diabathrari-*]. Type genus: *Diabathrarius* Schönherr, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as DIABATHRARIINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 141, as DIABATHRARIINI); transfer from CYCLOMINAE by Oberprieler (2010).

Tribe ELLESCHINI Thomson, 1859

ELLESCHINA C. G. Thomson, 1859: 143 [stem: *Ellesc-*]. Type genus: *Ellescus* Dejean, 1821 [as *Elleschus*, unjustified emendation of type genus name by Schönherr (1837), not in prevailing usage].

Subtribe DORYTOMINA Bedel, 1886

DORYTOMINI Bedel, 1886: 280 [stem: *Dorytom-*]. Type genus: *Dorytomus* Germar, 1817.

Subtribe ELLESCINA Thomson, 1859

ELLESCHINA C. G. Thomson, 1859: 143 [stem: *Ellesc-*]. Type genus: *Ellescus* Dejean, 1821 [as *Elleschus*, unjustified emendation of type genus name by Schönher (1837), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ERODISCINI Lacordaire, 1863

ERODISCIDES Lacordaire, 1863: 566 [stem: *Erodisc-*]. Type genus: *Erodiscus* sensu Lacordaire, 1863 [Lacordaire excluded the type species of *Erodiscus* Schönher, 1825 to place it in *Toxeutes* Schönher, 1843; the five species that Lacordaire included in *Erodiscus* are now placed in *Sicoderus* Vanin, 1986, *Prosicoderus* Vanin, 1986 and *Pimelerodius* Vanin, 1986]. Comment: based on a misidentified type genus; MAAZ and CHCL will submit an application for the conservation of this name by designating *Erodiscus* Schönher, 1825 as its type genus.

Tribe EUGNOMINI Lacordaire, 1863

EUGNOMIDES Lacordaire, 1863: 499 [stem: *Eugnom-*]. Type genus: *Eugnomus* Schönher, 1847.

Subtribe EUGNOMINA Lacordaire, 1863

EUGNOMIDES Lacordaire, 1863: 499 [stem: *Eugnom-*]. Type genus: *Eugnomus* Schönher, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1876: 174, as EUGNOMI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 79, as EUGNOMINI); First Reviser found (EUGNOMINA Lacordaire, 1863 vs SCOLOPTERINA Lacordaire, 1863) is Voss (1937a: 37).

SCOLOPTÉRIDES Lacordaire, 1863: 565 [stem: *Scolopter-*]. Type genus: *Scolopterus* A. White, 1846. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as SCOLOPTERINAE), generally accepted as in Broun (1880: 472 as SCOLOPTERIDAE).

PACTOLINA Voss, 1936: 112, in key [stem: *Pactol-*]. Type genus: *Pactola* Pascoe, 1876.

STEPHANORHYNCHINA Voss, 1936: 112 [stem: *Stephanorhynch-*]. Type genus: *Stephanorhynchus* A. White, 1846.

Subtribe MERIPHINA Marshall, 1937

MERIPHINAE G. A. K. Marshall, 1937a: 329 [stem: *Meriph-*]. Type genus: *Meriphus* Erichson, 1842.

Tribe GONIPTERINI Lacordaire, 1863

GONIPTÉRIDES Lacordaire, 1863: 391 [stem: *Gonipter-*]. Type genus: *Gonipterus* Schönher, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as GONIPTERINAE), gener-

ally accepted as in Alonso-Zarazaga and Lyal (1999: 141, as GONIPTERINI); transfer from CYCLOMINAE by Oberprieler (2010).

Tribe MECININI Gistel, 1848

- MECINIDAE Gistel, 1848: [7] [stem: *Mecin-*]. Type genus: *Mecinus* Germar, 1821.
- GYMNETRINA C. G. Thomson, 1859: 143 [stem: *Gymnetr-*]. Type genus: *Gymnetron* Schönherr, 1825. Comment: junior homonym of GYMNETRINAE Swainson, 1839 in Pisces (type genus *Gymnetrus* Bloch, 1795).
- MIARIDES Tournier, 1874: 66 [stem: *Miar-*]. Type genus: *Miarus* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Pierce (1919: 30, as MIARINAE).
- MIARINI Zherikhin, 1991: 123 [stem: *Miar-*]. Type genus: *Miarus* Schönherr, 1826. Comment: family-group name proposed as new without reference to MIARIDES Tournier, 1874.

Tribe NERTHOPINI Lacordaire, 1865

- NERTHOPIDES Lacordaire, 1865: 19 [stem: *Nerthop-*]. Type genus: *Nerthops* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as NERTHOPINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 80, as NERTHOPINI); precedence (NERTHOPINI Lacordaire, 1865 vs ACALLOPISTINI Lacordaire, 1865) given to taxon originally proposed at the higher rank (Art. 24.1).

- *MICROSTYLIDES Lacordaire, 1865: 20 [stem: *Microstyl-*]. Type genus: *Microstylus* Schönherr, 1847. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Lacordaire (1865); subsequent usage of MICROSTYLINAE by Hoffmann (1968: 27) and MICROSTYLIDAE by Ienistea (1986: 33) did not validate this name because these authors did not attribute their names to Lacordaire, 1865; MICROSTYLINAE Hoffmann, 1968: 27 and MICROSTYLIDAE Ienistea, 1986: 33 are also unavailable because they were proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

- ACALLOPISTIDES Lacordaire, 1865: 22 [stem: *Acallopist-*]. Type genus: *Acallopistus* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Hustache (1932: 371, as ACALLOPISTINAE), generally accepted as in Hustache (1934: 3, as ACALLOPISTINI).

- ARCHOLABINAE Voss, 1929a: 200 [stem: *Archolab-*]. Type genus: *Archolabus* Voss, 1929.

Tribe OTIDOCEPHALINI Lacordaire, 1863

- OTIDOCÉPHALIDES Lacordaire, 1863: 568 [stem: *Otidocephal-*]. Type genus: *Otidcephalus* Chevrolat, 1832. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as OTIDOCEPHALINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 80, as OTIDOCEPHALINI).

Tribe PIAZORHININI Lacordaire, 1863

PIAZORHINIDES Lacordaire, 1863: 601 [stem: *Piazorhin-*]. Type genus: *Piazorhinus* Schönherr, 1835. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kirsch (1875: 162, as PIAZORHINIDAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 81, as PIAZORHININI).

Tribe PRIONOBRACHIINI Hustache, 1938

PRIONOBRACHIINA Hustache, 1938: 90, in key [stem: *Prionobrachi-*]. Type genus: *Prionobrachium* Faust, 1894.

Tribe PYROPINI Lacordaire, 1865

PYROPIDES Lacordaire, 1865: 187 [stem: *Pyrop-*]. Type genus: *Pyropus* Schönherr, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as PYROPINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 81, as PYROPINI).

Tribe RHAMPHINI Rafinesque, 1815

RAMPHORIA Rafinesque, 1815: 115 [stem: *Rhamph-*]. Type genus: *Rhamphus* Clairville, 1798 [as *Ramphorus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe DINORHOPALINA Voss, 1936

DINORRHOPALINA Voss, 1936: 112, in key [stem: *Dinorhopal-*]. Type genus: *Dinorhopala* Pascoe, 1860 [as *Dinorrhopala*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe IXALMINA Voss, 1936

IXALMINA Voss, 1936: 112, in key [stem: *Ixalm-*]. Type genus: *Ixalma* Pascoe, 1871.

Subtribe RHAMPHINA Rafinesque, 1815

RAMPHORIA Rafinesque, 1815: 115 [stem: *Rhamph-*]. Type genus: *Rhamphus* Clairville, 1798 [as *Ramphorus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

RHAMPHIDES Schönherr, 1823: column 1136 [stem: *Rhamph-*]. Type genus: *Rhamphus* Clairville, 1798. Comment: family-group name proposed as new without reference to RAMPHORIA Rafinesque, 1815.

ORCHESTIDES Latreille, 1828: 601 [stem: *Orchest-*]. Type genus: *Orcheses* Illiger, 1798.

RHYNCHENIDAE Blanchard, 1853: 240 [stem: *Rhynchaen-*]. Type genus: *Rhynchaenus* Clairville, 1798. Comment: incorrect original stem formation, not in prevailing usage; an application will need to be submitted to the Commission to suppress RHYNCHAENIDES Latreille, 1828 (based on the misidentified type genus *Rhynchaenus* sensu Latreille, 1828) for the Principles of Priority and Homonymy (Art. 65.2.1) if this name is to be used as valid.

Subtribe TACHYGONINA Lacordaire, 1865

TACHYGONIDES Lacordaire, 1865: 167 [stem: *Tachygon-*]. Type genus: *Tachygonus* Schönherr, 1833 [syn. of *Tachygonus* Guérin-Méneville, 1833]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as TACHYGONINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 82, as TACHYGONINA); the type genus for Lacordaire's TACHYGONIDES is *Tachygonus* Schönherr, 1833; an application will be submitted by MAAZ and CHCL to the Commission to designate *Tachygonus* Guérin-Méneville, [1833] as the type genus of this family-group name.

Tribe SMICRONYCHINI Seidlitz, 1891 *nomen protectum*

DESMORHINES J. L. LeConte, 1876: 167 [stem: *Desmorin-*]. Type genus: *Desmoris* J. L. LeConte, 1876 [syn. of *Smicronyx* Schönherr, 1843]. Comment: *nomen oblitum* (see Appendix 1); incorrect original stem formation, not in prevailing usage.

SMICRONYCINA Seidlitz, 1891 [Gatt.]: 162 [stem: *Smicronych-*]. Type genus: *Smicronyx* Schönherr, 1843. Comment: *nomen protectum* (see Appendix 1); incorrect original stem formation, not in prevailing usage.

Tribe SPHAERIOPOEINI Kuschel, 2003

SPHAERIOPOEINI Kuschel, 2003: 63 [stem: *Sphaeriopoe-*]. Type genus: *Sphaeriopoeus* Kuschel, 2003.

Tribe STOREINI Lacordaire, 1863

STOREIDES Lacordaire, 1863: 494 [stem: *Store-*]. Type genus: *Storeus* Schönherr, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kirsch (1877: 170, as STOREIDAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 82, as STOREINI).

HYBOMORPHIDES Lacordaire, 1865: 141 [stem: *Hybomorph-*]. Type genus: *Hybomorphus* Saunders and Jekel, 1855. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Hustache (1936: 261, as HYBOMORPHINA).

Tribe STYPHLINI Jekel, 1861

STYPHLIDAE Jekel, 1861: 274 [stem: *Styphl-*]. Type genus: *Styphlus* Schönherr, 1826.

*ORTHOCHAETINI A. Winkler, 1932: 1544 [stem: *Orthochaet-*]. Type genus: *Orthochaetes* Germar, 1824. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

ORTHOCÆTINA Morimoto, 1962a: 56, in key [stem: *Orthochaet-*]. Type genus: *Orthochaetes* Germar, 1824. Comment: incorrect original stem formation, not in prevailing usage.

Tribe TYCHINI Gistel, 1848

TYCHIIDAE Gistel, 1848: [7] [stem: *Tychi-*]. Type genus: *Tychius* Germar, 1817.

Subtribe DEMIMAEINA Voss, 1937

DEMIMAEINI Voss, 1937b: 144 [stem: *Demimae-*]. Type genus: *Demimaea* Pascoe, 1870.

Subtribe LIGNYODINA Bedel, 1884

LIGNYODINI Bedel, 1884a: 66, in key [stem: *Lignyod-*]. Type genus: *Lignyodes* Dejean, 1835.

Subtribe OCHYROMERINA Voss, 1935

OCHYROMERINA Voss, 1935a: 228 [stem: *Ochyromer-*]. Type genus: *Ochyromera* Pascoe, 1874.

ENDAEINI Voss, 1958: 101, in key [stem: *Endae-*]. Type genus: *Endaeus* Schönherr, 1826.

Subtribe TYCHINA Gistel, 1848

TYCHIIDAE Gistel, 1848: [7] [stem: *Tychi-*]. Type genus: *Tychius* Germar, 1817.

MICCOTROGIDAE Gistel, 1856a: 371 [stem: *Miccotrog-*]. Type genus: *Miccotrogus* Schönherr, 1825 [syn. of *Tychius* Germar, 1817].

SIBYNIDAE Marseul, 1863: 239 [stem: *Sibini-*]. Type genus: *Sibinia* Germar, 1817 [as *Sibynes*, unjustified emendation of type genus name by Schönherr (1825), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ULOMASCINI Lacordaire, 1865

ULOMASCIDES Lacordaire, 1865: 184 [stem: *Uломасc-*]. Type genus: *Uломасcus* Fairmaire, 1848. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as *ULOMASCINAE*), generally accepted as in Alonso-Zarazaga and Lyal (1999: 86, as *ULOMASCINI*).

Tribe VITICIINI Morimoto, 1983

VITICIINAE Morimoto, 1983: 55 [stem: *Vitici-*]. Type genus: *Viticis* Lea, 1930.
Comment: transfer from Cyclominae by Oberprieler (2010).

Subfamily BAGOINAE Thomson, 1859 *nomen protectum*

LYPRIIDAE Gistel, 1848: [7] [stem: *Lypr-*]. Type genus: *Lyprus* Schönherr, 1826 [syn. of *Bagous* Germar, 1817]. Comment: as pointed out by Alonso-Zarazaga and Lyal (2002: 17) this is the oldest available name for the subfamily; LYPRINAE Gistel, 1848 was recently considered a *nomen oblitum* by Colonnelli (2003: 7) however the necessary supporting references were not provided; we hereby consider LYPRINAE Gistel 1848 as a *nomen oblitum* (see supporting references in Appendix 1); incorrect original stem formation, not in prevailing usage.

BAGOINA C. G. Thomson, 1859: 135 [stem: *Bago-*]. Type genus: *Bagous* Germar, 1817.
Comment: *nomen protectum* (see Appendix 1).

HYDRONOMIDES Lacordaire, 1863: 483 [stem: *Hydronom-*]. Type genus: *Hydronomus* Schönherr, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1876: 182, as HYDRONOMI), generally accepted as in Zimmerman (1993: 150, as HYDRONOMINI).

PSEUDOBAGOINI Sharp, 1917: 26 [stem: *Pseudobago-*]. Type genus: *Pseudobagous* Sharp, 1917.

Subfamily BARIDINAE Schönherr, 1836

BARIDIDES Schönherr, 1836: 636 [stem: *Barid-*]. Type genus: *Baris* Germar, 1817 [as *Baridius*, unjustified emendation of type genus name by Schönherr (1825), not in prevailing usage].

Tribe AMBATINI Lacordaire, 1863

AMBATIDES Lacordaire, 1863: 512 [stem: *Ambat-*]. Type genus: *Ambates* Schönherr, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as AMBATINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 93, as AMBATINI).

*PTERACANTHIDES Chevrolat, 1878: 341 [stem: *Pteracanth-*]. Type genus: *Pteracanthus* Dejean, 1835. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized; a family-group name with the same stem, PTERACANTHINA J. Thomson, 1864 (type genus *Pteracantha* Newman, 1838), is available in Coleoptera: CERAMBYCIDAE.

Tribe ANOPSILINI Bondar, 1942

ANOPSILINI Bondar, 1942: 253 [stem: *Anopsil-*]. Type genus: *Anopsilus* Kirsch, 1870.

Tribe APOSTASIMERINI Schönherr, 1844

APOSTASIMERIDES Schönherr, 1844: 1 [stem: *Apostasimer-*]. Type genus: *Apostasimerus* Schönherr, 1844. Comment: see Prena (2009: 33) for details on authorship and taxa included in this tribe.

Subtribe APOSTASIMERINA Schönherr, 1844

*APOSTASIMERIDES Schönherr, 1836: 557 [stem: *Apostasimer-*]. Type genus: *Apostasimerus* Schönherr, 1844. Comment: family-group name unavailable (Art. 11.7.1.1): not based on an available genus name at the time.

APOSTASIMERIDES Schönherr, 1844: 1 [stem: *Apostasimer-*]. Type genus: *Apostasimerus* Schönherr, 1844.

Subtribe MADOPTERINA Lacordaire, 1865

MADOPTÉRIDES Lacordaire, 1865: 243 [stem: *Madopter-*]. Type genus: *Madopterus* Schönherr, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kirsch (1870: 218, as MADOPTERIDAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 96, as MADOPTERINI).

Subtribe THALIABARIDINA Bondar, 1943

THALIABARINI Bondar, 1943b: 131 [stem: *Thaliabarid-*]. Type genus: *Thaliabaris* Bondar, 1943. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe TORCINA Bondar, 1943

TORCOCINA Bondar, 1943a: 53 [stem: *Torc-*]. Type genus: *Torcus* Casey, 1922. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe ZYGOBARIDINA Pierce, 1907

CENTRINIDES Jekel, 1865: 548 [stem: *Centrin-*]. Type genus: *Centrinus* Schönherr, 1825. Comment: junior homonym of CENTRININAE Swainson, 1839 in Pisces (type genus *Centrina* Cuvier 1817); this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

ZYGOBARI Pierce, 1907: 381 [stem: *Zygobarid-*]. Type genus: *Zygobaris* J. L. Le Conte, 1876. Comment: incorrect original stem formation, not in prevailing usage; Alonso-Zarazaga and Lyal (1999: 97) and subsequent workers have used this name as valid instead of the junior homonym CENTRININA Jekel, 1865, we continue to use ZYGOBARIDINA as valid here.

LIMNOBARINI Casey, 1922: 269 [stem: *Limnobarid-*]. Type genus: *Limnobaris* Bedel, 1885. Comment: incorrect original stem formation, not in prevailing usage.

Tribe BARIDINI Schönherr, 1836

BARIDIDES Schönherr, 1836: 636 [stem: *Barid-*]. Type genus: *Baris* Germar, 1817 [as *Baridius*, unjustified emendation of type genus name by Schönherr (1825), not in prevailing usage].

Subtribe BARIDINA Schönherr, 1836

BARIDIDES Schönherr, 1836: 636 [stem: *Barid-*]. Type genus: *Baris* Germar, 1817 [as *Baridius*, unjustified emendation of type genus name by Schönherr (1825), not in prevailing usage].

Subtribe COELONERTINA Casey, 1922

COELONERTINI Casey, 1922: 94 [stem: *Coelonert-*]. Type genus: *Coelonertus* Solari and Solari, 1906.

Subtribe COLEOMERINA Casey, 1922

COLEOMERINI Casey, 1922: 84 [stem: *Coleomer-*]. Type genus: *Coleomerus* Schönherr, 1836.

Subtribe DIORYMERINA Jekel, 1865

DIORYMERIDES Jekel, 1865: 548 [stem: *Diorymer-*]. Type genus: *Diorymerus* Schönherr, 1825.

Subtribe EURHININA Lacordaire, 1865

EURHINIDES Lacordaire, 1865: 220 [stem: *Eurhin-*]. Type genus: *Eurhinus* Illiger, 1807 [placed on the Official List of Generic Names in Zoology (ICZN 1985e)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pierce (1915: 15, as EURHININAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 92, as EURHININA); EURHININI Lacordaire, 1865 placed on the Official List of Family-Group Names in Zoology (ICZN 1985e).

Tribe MADARINI Jekel, 1865

MADARIDES Jekel, 1865: 550 [stem: *Madar-*]. Type genus: *Madarus* Schönherr, 1825. Comment: MADARINI, published on 25 January 1865, has priority over BARYMERINI and LEPTOSCHOININI both published by Lacordaire “before 12 December 1865”.

Subtribe BARYMERINA Lacordaire, 1865

BARYMÉRIDES Lacordaire, 1865: 259 [stem: *Barymer-*]. Type genus: *Barymerus* Lacordaire, 1865. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Faust (1896: 127, as BARYMERINORUM), generally accepted as in Alonso-Zarazaga and Lyal (1999: 94, as BARYMERINA).

SONNETIINI Casey, 1922: 321 [stem: *Sonneti-*]. Type genus: *Sonnetius* Casey, 1922.

Subtribe EUTOXINA Champion, 1908

EUTOXIDES Champion, 1908: 360 [stem: *Eutox-*]. Type genus: *Eutoxus* Schönherr, 1844.

Subtribe LEPTOSCHOININA Lacordaire, 1865

LEPTOSCHOÏNIDES Lacordaire, 1865: 236 [stem: *Leptoschoin-*]. Type genus: *Leptoschoinus* Dejean, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Faust (1896: 126, as *LEPTOSCHOENORUM* [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 94, as *LEPTOSCHOININA*).

Subtribe MADARINA Jekel, 1865

MADARIDES Jekel, 1865: 550 [stem: *Madar-*]. Type genus: *Madarus* Schönherr, 1825.

Subtribe TONESIINA Alonso-Zarazaga and Lyal, 1999

LYTÉRIIDES Lacordaire, 1865: 249 [stem: *Lyteri-*]. Type genus: *Lyterius* sensu Lacordaire, 1865 [not *Lyterius* Schönherr, 1844; syn. of *Tonesia* Casey, 1922]. Comment: based on a misidentified type genus, name treated here as invalid until an application is submitted to the Commission to suppress it for the Principle of Priority (Art. 65.2.1).

TONESIINA Alonso-Zarazaga and Lyal, 1999: 95 [stem: *Tonesi-*]. Type genus: *Tonesia* Casey, 1922. Comment: although this is not the oldest name for the subtribe, we recommend that an application be submitted to the Commission to suppress LYTERIINI Lacordaire, 1865 because it is based on a misidentified type genus (Art. 65.2.1).

Tribe NEOSHARPIINI Hoffmann, 1956

NEOSHARPIINI Hoffmann, 1956: 246 [stem: *Neosharpi-*]. Type genus: *Neosharpia* Hoffmann, 1956. Comment: incorrect original stem formation, not in prevailing usage.

Tribe NERTININI Voss, 1954

*NERTIDES Lacordaire, 1865: 238 [stem: *Nert-*]. Type genus: *Nertus* Schönherr, 1844 [preoccupied genus name, not *Nertus* Boie, 1828 [Aves]; syn. of *Nertinus* G. A. K. Marshall, 1943]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized and attributed to Lacordaire (1865); if found to be available then permanently invalid (Art. 39): based on preoccupied type genus.

- NERTINI Bondar, 1949: 223 [stem: *Nert*-]. Type genus: *Nertus* Schönherr, 1844 [preoccupied genus name, not *Nertus* Boie 1828 [Aves]; syn. of *Nertinus* G. A. K. Marshall, 1943]. Comment: family-group name proposed as new without reference to NERTIDES Lacordaire, 1865; permanently invalid (Art. 39): based on preoccupied type genus.
- NERTININA Voss, 1954: 323 [stem: *Nertin*-]. Type genus: *Nertinus* G. A. K. Marshall, 1943.

Tribe OPTATINI Champion, 1907

- OPTATIDES Champion, 1907: 185 [stem: *Optat*-]. Type genus: *Optatus* Pascoe, 1889.

Tribe PANTOTELINI Lacordaire, 1865

- PANTOTÉLIDES Lacordaire, 1865: 212 [stem: *Pantotel*-]. Type genus: *Pantoteles* Schönherr, 1845.

Subtribe CYRIONYCHINA Casey, 1922

- CYRIONICHINI Casey, 1922: 10 [stem: *Cyrionych*-]. Type genus: *Cyrionyx* Faust, 1896. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe PANTOTELINA Lacordaire, 1865

- PANTOTÉLIDES Lacordaire, 1865: 212 [stem: *Pantotel*-]. Type genus: *Pantoteles* Schönherr, 1845. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as PANTOTELINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 102, as PANTOTELINI).

Tribe PERIDINETINI Lacordaire, 1865

- PÉRIDINÉTIDES Lacordaire, 1865: 209 [stem: *Peridinet*-]. Type genus: *Peridinetus* Schönherr, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1886: cliii, as PERIDINETINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 102, as PERIDINETINI).

Subfamily CEUTORHYNCHINAE Gistel, 1848

- CENTORHYNCHIDAE Gistel, 1848: [7] [stem: *Ceutorhynch*-]. Type genus: *Ceutorhynchus* Germar, 1824 [as *Centorhynchus*, incorrect subsequent spelling of type genus name, not in prevailing usage; placed on the Official List of Generic Names in Zoology (ICZN 1989c)]. Comment: incorrect original stem formation, not in prevailing usage; First Revisers found (CEUTORHYNCHINAE Gistel, 1848 vs PHYTOBIINAE Gistel, 1848) are Alonso-Zarazaga and Lyal (2002).

Tribe CEUTORHYNCHINI Gistel, 1848

CENTORHYNCHIDAE Gistel, 1848: [7] [stem: *Ceutorhynch-*]. Type genus: *Ceutorhynchus* Germar, 1824 [as *Centorhynchus*, incorrect subsequent spelling of type genus name, not in prevailing usage; placed on the Official List of Generic Names in Zoology (ICZN 1989c)]. Comment: incorrect original stem formation, not in prevailing usage.

ISORHYNCHIDES Lacordaire, 1865: 172 [stem: *Isorhynch-*]. Type genus: *Isorhynchus* Schönherr, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as ISORHYNCHINAE), generally accepted as in Hustache (1934: 72, as ISORHYNCHINI).

COELIODES J. L. LeConte, 1876: 268 [stem: *Coeliod-*]. Type genus: *Coeliodes* Schönherr, 1837 [placed on the Official List of Generic Names in Zoology (ICZN 1989c)].

POOPHAGIDAE Schultze, 1902: 226 [stem: *Poophag-*]. Type genus: *Poophagus* Schönherr, 1837.

AMALINA Wagner, 1936: 166 [stem: *Amal-*]. Type genus: *Amalus* Schönherr, 1825.

PHRYDIUCHINA Wagner, 1938: 163 [stem: *Phrydiuch-*]. Type genus: *Phrydiuchus* Gozis, 1885.

OXYONYXINA Hoffmann, 1957b: 220 [stem: *Oxyonych-*]. Type genus: *Oxyonyx* Faust, 1885. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CNEMOGONINI Colonnelli, 1979

CNEMOGONINI Colonnelli, 1979: 2 [stem: *Cnemogon-*]. Type genus: *Cnemogonus* J. L. LeConte, 1876.

Tribe EGRIINI Pajni and Kohli, 1982

EGRIINI Pajni and Kohli, 1982: 339, in key [stem: *Egri-*]. Type genus: *Egrius* Pascoe, 1865.

EGRIINI Colonnelli, 1984: 209 [stem: *Egri-*]. Type genus: *Egrius* Pascoe, 1865. Comment: family-group name proposed as new without reference to EGRIINI Pajni and Kohli, 1982.

Tribe HYPOHYPURINI Colonnelli, 2004

HYPOHYPURINI Colonnelli, 2004: 10 [stem: *Hypoypur-*]. Type genus: *Hypoypurus* Hustache, 1920.

Tribe HYPURINI Schultze, 1902

HYPURIDAE Schultze, 1902: 209 [stem: *Hypur-*]. Type genus: *Hypurus* Rey, 1882.

Tribe LIOXYONYCHINI Colonnelli, 1984

LIOXYONYXINI Colonnelli, 1984: 209 [stem: *Lioxonych-*]. Type genus: *Lioxonyx* Hustache, 1933. Comment: incorrect original stem formation, not in prevailing usage.

Tribe MECYSMODERINI Wagner, 1938

MECYSMODERINA Wagner, 1938: 170 [stem: *Mecysmoder-*]. Type genus: *Mecysmoder* Schönherr, 1837.

Tribe MONONYCHINI LeConte, 1876

MONONYCHI J. L. LeConte, 1876: 267 [stem: *Mononych-*]. Type genus: *Mononychus* Germar, 1824 [placed on the Official List of Generic Names in Zoology (ICZN 1989c)].

Tribe PHYTOBIINI Gistel, 1848

PHYTOBIIDAE Gistel, 1848: [7] [stem: *Phytobi-*]. Type genus: *Phytobius* Schönherr, 1833 [placed on the Official List of Generic Names in Zoology (ICZN 2001)].

RHINONCIDES C. G. Thomson, 1865: 231 [stem: *Rhinonc-*]. Type genus: *Rhinoncus* Schönherr, 1825 [placed on the Official List of Generic Names in Zoology (ICZN 1989c)].

Tribe SCLEROPTERINI Schultze, 1902

SCLEROPTERIDAE Schultze, 1902: 209 [stem: *Scleropter-*]. Type genus: *Scleropterus* Schönherr, 1825. Comment: the family-group name SCLÉROPTERIDES was used earlier by Solier (1834) in the Heteromera, however, Solier's name was not based on a genus name and is therefore unavailable; Agassiz (1846a: 146) incorrectly mentions *Scleropterus* as the type genus of Solier's name but this is impossible because the family-group and genus-group names belonged to different orders; Agassiz (1846b: 335) also latinized Solier's name as SCLEROPTEROIDAE.

Subfamily CONODERINAE Schönherr, 1833

CONODERIDES Schönherr, 1833: 26 [stem: *Conoder-*]. Type genus: *Conoderes* Schönherr, 1833.

Tribe ARACHNOPODINI Lacordaire, 1865

ARACHNOPIDES Lacordaire, 1865: 159 [stem: *Arachnopod-*]. Type genus: *Arachnopus* Guérin-Méneville, 1838 [syn. of *Arachnobas* Boisduval, 1835]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 232, as ARACHNOPINI [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 109, as ARACHNOPODINI); incorrect original stem formation, not in prevailing usage.

Tribe CAMPYLOSCELINI Schönherr, 1845

CAMPYLOSCELIDES Schönherr, 1845: 197 [stem: *Campyloscel-*]. Type genus: *Campyloscelus* Schönherr, 1845.

Subtribe CAMPYLOSCELINA Schönherr, 1845

CAMPYLOSCELIDES Schönherr, 1845: 197 [stem: *Campyloscel-*]. Type genus: *Campyloscelus* Schönherr, 1845.

Subtribe CORYNEMERINA Hustache, 1929

CORYNEMERINAE Hustache, 1929: 531 [stem: *Corynemer-*]. Type genus: *Corynemerus* Fähraeus, 1871.

Subtribe PHAENOMERINA Faust, 1898

PHAENOMERINA Faust, 1898: 76, in key [stem: *Phaenomer-*]. Type genus: *Phaenomerus* Schönherr, 1836 [placed on the Official List of Generic Names in Zoology (ICZN 1962)]. Comment: the stem of the senior homonym based on the SCARABAEIDAE genus *Phaenomeris* was emended to *Phaeromericid-* to remove the homonymy (ICZN 1962); available for family-group taxon below subfamily level and placed on the Official List of Family-Group Names in Zoology (ICZN 1962).

Tribe CONODERINI Schönherr, 1833

CONODERIDES Schönherr, 1833: 26 [stem: *Conoder-*]. Type genus: *Conoderes* Schönherr, 1833. Comment: the name CONODERINAE Fleutiaux, 1919 (type genus *Conoderus* Eschscholtz, 1829) is available in ELATERIDAE; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

CONOPHORIDES Schönherr, 1837: 719 [stem: *Conophor-*]. Type genus: *Conophorus* Schönherr, 1837 [preoccupied genus name, not *Conophorus* Meigen, 1803 [Diptera]; syn. of *Conoderes* Schönherr, 1833]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe CORYSSOMERINI Thomson, 1859

CORYSSOMERINA C. G. Thomson, 1859: 137 [stem: *Coryssomer-*]. Type genus: *Coryssomerus* Schönherr, 1825.

SYNOPHTHALMIDES Lacordaire, 1863: 514 [stem: *Synophtalm-*]. Type genus: *Synophtalmus* Lacordaire, 1863. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Hustache (1932: 373, as SYNOPHTHALMINI), generally accepted as in Hustache (1934: 49, as SYNOPHTHALMINI).

METIALMINI Hustache, 1932: 374, in key [stem: *Metialm-*]. Type genus: *Metialma* Pascoe, 1871.

Tribe CORYSSOPODINI Lacordaire, 1865

CORYSSOPIDES Lacordaire, 1865: 163 [stem: *Coryssopod-*]. Type genus: *Coryssopus* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 232, as CORYSSOPINI [incorrect stem formation]), generally accepted as in Alonso-Zarazaga

and Lyal (1999: 110, as CORYSSOPODINI); incorrect original stem formation, not in prevailing usage.

*SYMPIÉZOPIDES Lacordaire, 1865: 166 [stem: *Sympiezopod-*]. Type genus: *Sympiezopus* Schönherr, 1837. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g. Faust (1886b: 367, as SYMPIEZOPINORUM [incorrect stem formation]), but not generally attributed to Lacordaire (1865); incorrect original stem formation, not in prevailing usage.

Tribe LECHRIOPINI Lacordaire, 1865

LÉCHRIOPIDES Lacordaire, 1865: 149 [stem: *Lechriop-*]. Type genus: *Lechriops* Schönherr, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 232, as LECHRIOPINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 111, as LECHRIOPINI).

COPTURIDAE Desbrochers des Loges, 1892: 68 [stem: *Coptur-*]. Type genus: *Copturus* Schönherr, 1825.

Tribe LOBOTRACHELINI Lacordaire, 1865

LOBOTRACHÉLIDES Lacordaire, 1865: 172 [stem: *Lobotrachel-*]. Type genus: *Lobotrachelus* Schönherr, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Aurivillius (1910: 433, as LOBOTRACHELINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 111, as LOBOTRACHELINI).

Tribe MECOPINI Lacordaire, 1865

MÉCOPIDES Lacordaire, 1865: 156 [stem: *Mecop-*]. Type genus: *Mecopus* Schönherr, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 232, as MECOPINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 111, as MECOPINI); current spelling maintained (Art. 29.5): incorrect original stem formation in prevailing usage (should be *Mecopod-*); if the stem is corrected, it would threaten stability of a widely used name in Orthoptera (see Alonso-Zarazaga and Lyal 1999: 111).

Tribe MENEMACHINI Lacordaire, 1865

MÉNÉMACHIDES Lacordaire, 1865: 27 [stem: *Menemach-*]. Type genus: *Menemachus* Schönherr, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as MNEMACHINAE [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 112, as MENEMACHINI).

Tribe OTHIPPIINI Morimoto, 1962

OTHIPPIINI Morimoto, 1962a: 47, in key [stem: *Othippi-*]. Type genus: *Othippia* Pascoe, 1874.

Tribe PELOPODINI Hustache, 1932

PELROPINI Hustache, 1932: 372, in key [stem: *Peloropod-*]. Type genus: *Peloropus* Schönherr, 1836. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PIAZURINI Lacordaire, 1865

PIAZURIDES Lacordaire, 1865: 144 [stem: *Piazur-*]. Type genus: *Piazurus* Schönherr, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Faust (1899: 100, as *PIAZURINORUM*), generally accepted as in Alonso-Zarazaga and Lyal (1999: 113, as *PIAZURINI*).

Tribe SPHADASMINI Lacordaire, 1865

SPHADASMIDES Lacordaire, 1865: 161 [stem: *Sphadasm-*]. Type genus: *Sphadasmus* Schönherr, 1844. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Faust (1899: 102, as *SPHADASMINORUM*), generally accepted as in Alonso-Zarazaga and Lyal (1999: 114, as *SPHADASMINI*).

Tribe TRICHODOCERINI Champion, 1906

TRICHODOCERIDES Champion, 1906: 713 [stem: *Trichodocer-*]. Type genus: *Trichodocerus* Chevrolat, 1879.

Tribe ZYGOPINI Lacordaire, 1865

ZYGOPIDES Lacordaire, 1865: 142 [stem: *Zygop-*]. Type genus: *Zygops* Schönherr, 1825 [placed on the Official List of Generic Names in Zoology (ICZN 1987e)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as *ZYGOPINAE*), generally accepted as in Alonso-Zarazaga and Lyal (1999: 114, as *ZYGOPINI*).

ECCOPTINAE Pierce, 1919: 30, in key [stem: *Eccopt-*]. Type genus: *Eccoptus* Dejean, 1821 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1987e); syn. of *Zygops* Schönherr, 1825]. Comment: permanently invalid (Art. 39): based on suppressed type genus.

CYLINDROCOPTURINI Böving, 1927b: 156, in key [stem: *Cylindrocoptur-*]. Type genus: *Cylindrocopturus* Heller, 1895.

Subfamily COSSONINAE Schönherr, 1825

COSSONIDES Schönherr, 1825: column 587 [stem: *Cosson-*]. Type genus: *Cossonus* Clairville, 1798.

Tribe ACAMPTINI LeConte, 1876

ACAMPTI J. L. LeConte, 1876: 238 [stem: *Acampt-*]. Type genus: *Acamptus* J. L. LeConte, 1876.

Tribe ACANTHINOMERINI Voss, 1972

ACANTHINOMERINI Voss, 1972: 382 [stem: *Acanthinomer-*]. Type genus: *Acanthinermerus* Boheman, 1859.

Tribe ALLOMORPHINI Folwaczny, 1973

ALLOMORPHINI Folwaczny, 1973: 68, in key [stem: *Allomorph-*]. Type genus: *Allomorphus* Folwaczny, 1968.

Tribe APHYLLURINI Voss, 1955

APHYLLURINA Voss, 1955a: 276 [stem: *Aphyllur-*]. Type genus: *Aphyllura* Reitter, 1884.

Tribe ARAUCARIINI Kuschel, 1966

ARAUCARIINI Kuschel, 1966: 4 [stem: *Araucari-*]. Type genus: *Araucarius* Kuschel, 1966.

Tribe CHOERORHININI Folwaczny, 1973

CHOERORHINI Folwaczny, 1973: 69, in key [stem: *Choerorhin-*]. Type genus: *Choerorhinus* Fairmaire, 1858. Comment: incorrect original stem formation, not in prevailing usage.

Tribe COSSONINI Schönherr, 1825

COSSONIDES Schönherr, 1825: column 587 [stem: *Cosson-*]. Type genus: *Cossonus* Clairville, 1798.

Tribe CRYPTOMMATINI Voss, 1972

CRYPTOMMATINI Voss, 1972: 373 [stem: *Cryptommat-*]. Type genus: *Cryptommata* Wollaston, 1877.

Tribe DRYOTRIBINI LeConte, 1876

DRYOTRIBI J. L. LeConte, 1876: 335 [stem: *Dryotrib-*]. Type genus: *Dryotribus* G. H. Horn, 1873.

COTASTERINEN Faust, 1886a: 28 [stem: *Cotaster-*]. Type genus: *Cotaster* Motschulsky, 1851. Comment: also as COTASTERIDEN on p. 31; original vernacular name available (Art. 11.7.2): first used in latinized form by Sainte-Claire Deville (1923: 63, as *COTASTRINI* [incorrect stem formation]), generally accepted as in Hansen (1996: 209, as *COTASTERINI*).

Tribe MICROXYLOBIINI Voss, 1972

MICROXYLOBIINI Voss, 1972: 431 [stem: *Microxylobi-*]. Type genus: *Microxylobius* Chevrolat, 1836.

Tribe NESIOBIINI Alonso-Zarazaga and Lyal, 1999

NESIOTINAE Voss, 1972: 338 [stem: *Nesiot-*]. Type genus: *Nesiotes* Wollaston, 1861 [preoccupied genus name, not *Nesiotes* Martens, 1860 [Mollusca]; syn. of *Nesiobius* G. A. K. Marshall, 1943]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

NESIOBIINI Alonso-Zarazaga and Lyal, 1999: 119 [stem: *Nesiobi-*]. Type genus: *Nesiobius* G. A. K. Marshall, 1943. Comment: replacement name for NESIOTINAE Voss, 1872 because of the homonymy of the type genus.

Tribe NEUMATORINI Folwaczny, 1973

NEUMATORINI Folwaczny, 1973: 69, in key [stem: *Neumator-*]. Type genus: *Neumatora* Normand, 1920.

Tribe ONYCHIINI Chapuis, 1869

ONYCHIIDAE Chapuis, 1869: 48 [stem: *Onychi-*]. Type genus: *Onychius* Chapuis, 1869. Comment: see Alonso-Zarazaga and Lyal (2009: 9) for comments on placement.

Tribe ONYCHOLIPINI Wollaston, 1873

ONYCHOLIPIDES Wollaston, 1873: 454 [stem: *Onycholip-*]. Type genus: *Onycholips* Wollaston, 1861.

STENOSCELIDES Wollaston, 1877: 82, in key [stem: *Stenoscelid-*]. Type genus: *Stenoscelis* Wollaston, 1861.

STEREOCORYNINA Voss, 1955b: 232 [stem: *Stereocoryn-*]. Type genus: *Stereocorynes* Wollaston, 1873.

STEREOCORYNINI Roudier, 1958: 212 [stem: *Stereocoryn-*]. Type genus: *Stereocorynes* Wollaston, 1873. Comment: family-group name proposed as new without reference to STEREOCORYNINA Voss, 1955.

Tribe PENTARTHRIINI Lacordaire, 1865

PENTARTHRIDES Lacordaire, 1865: 323 [stem: *Pentarthr-*]. Type genus: *Pentarthrum* Wollaston, 1854. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 234, as PENTARTHRIINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 120, as PENTARTHRIINI).

Tribe PROECINI Voss, 1956

PROECINA Voss, 1956a: 139 [stem: *Proec-*]. Type genus: *Proeces* Schönherr, 1837.

PHYLLOPLATYPODINI Kato, 1998: 77 [stem: *Phylloplatypod-*]. Type genus: *Phylloplatypus* Kato, 1998.

Tribe PSEUDAPOTREPINI Champion, 1909

PSEUDAPOTREPIDES Champion, 1909: 21 [stem: *Pseudapotrep-*]. Type genus: *Pseudapotrepus* Champion, 1909.

Tribe RHYNCOLINI Gistel, 1848

RHYNCHALIDAE Gistel, 1848: [6] [stem: *Rhyncol-*]. Type genus: *Rhyncolus* Germar, 1817 [as *Rhyncholus*, incorrect subsequent spelling of type genus name, not in prevailing usage; *Rhyncolus* Germar, 1817 placed on the Official List of Generic Names in Zoology (ICZN 1991b)].

Subtribe PHLOEOPHAGINA Voss, 1955

PHLOEOPHAGINA Voss, 1955b: 228 [stem: *Phloeophag-*]. Type genus: *Phloeophagus* Schönherr, 1837.

Subtribe PSEUDOMIMINA Voss, 1939

PSEUDOMIMINI Voss, 1939: 65 [stem: *Pseudomim-*]. Type genus: *Pseudomimus* Hartmann, 1904.

Subtribe RHYNCOLINA Gistel, 1848

RHYNCHALIDAE Gistel, 1848: [6] [stem: *Rhyncol-*]. Type genus: *Rhyncolus* Germar, 1817 [as *Rhyncholus*, incorrect subsequent spelling of type genus name, not in prevailing usage; *Rhyncolus* Germar, 1817 placed on the Official List of Generic Names in Zoology (ICZN 1991b)]. Comment: incorrect original stem formation, not in prevailing usage.

EREMOTINI Voss, 1939: 65 [stem: *Eremot-*]. Type genus: *Eremotes* Wollaston, 1861.

COTASTEROSOMINI Konishi, 1962: 2 [stem: *Cotasterosomat-*]. Type genus: *Cotasterosoma* Konishi, 1962. Comment: incorrect original stem formation, not in prevailing usage.

HIMATININI Konishi, 1962: 7 [stem: *Himatin-*]. Type genus: *Himatinum* Cockerell, 1906 [syn. of *Himatium* Wollaston, 1873].

Tribe TAPIROMIMINI Voss, 1972

TAPIROMIMINI Voss, 1972: 380 [stem: *Tapiromim-*]. Type genus: *Tapiromimus* Wollaston, 1877.

Subfamily CRYPTORHYNCHINAE Schönherr, 1825

CRYPTORHYNCHIDES Schönherr, 1825: column 585 [stem: *Cryptorhynch-*]. Type genus: *Cryptorhynchus* Illiger, 1807 [placed on the Official List of Generic Names in Zoology (ICZN 1967b)]. Comment: CRYPTORHYNCHINAE Schönherr, 1825 placed on the Official List of Family-Group Names in Zoology (ICZN 1967b).

Tribe AEDEMONINI Faust, 1898

ACDEMONINI Faust, 1898: 34 [stem: *Aedemon-*]. Type genus: *Aedemonus* Schönherr, 1837 [as *Acdeomonus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

MECISTOCERINI Morimoto, 1978b: 122 [stem: *Mechistocer-*]. Type genus: *Mechistocerus* Fauvel, 1863 [as *Mecistocerus*, unjustified emendation of type genus name by Pascoe (1870b), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Morimoto (1987).

DERBYIELLINA Zimmerman, 1994a: 645, in key [stem: *Derbyiell-*]. Type genus: *Derbyiella* Lea, 1907.

Tribe CAMPTORHININI Lacordaire, 1865

CAMPTORHINIDES Lacordaire, 1865: 86 [stem: *Camptorhin-*]. Type genus: *Camptorhinus* Schönherr, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1885: 254, as CAMPTORHINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 136, as CAMPATORHININI).

Tribe CRYPTORHYNCHINI Schönherr, 1825

CRYPTORHYNCHIDES Schönherr, 1825: column 585 [stem: *Cryptorhynch-*]. Type genus: *Cryptorhynchus* Illiger, 1807 [placed on the Official List of Generic Names in Zoology (ICZN 1967b)]. Comment: CRYPTORHYNCHINAE Schönherr, 1825 placed on the Official List of Family-Group Names in Zoology (ICZN 1967b).

Subtribe CRYPTORHYNCHINA Schönherr, 1825

CRYPTORHYNCHIDES Schönherr, 1825: column 585 [stem: *Cryptorhynch-*]. Type genus: *Cryptorhynchus* Illiger, 1807 [placed on the Official List of Generic Names in Zoology (ICZN 1967b)]. Comment: CRYPTORHYNCHINAE Schönherr, 1825 placed on the Official List of Family-Group Names in Zoology (ICZN 1967b).

CRYPTORHYNCHIDIINI Bradley, 1930: 277, in key [stem: *Cryptorhynchidi-*]. Type genus: *Cryptorhynchidius* Pierce, 1919 [syn. of *Cryptorhynchus* Illiger, 1807].

Subtribe MECISTOSTYLINA Lacordaire, 1865

MÉCISTOSTYLIDES Lacordaire, 1865: 131 [stem: *Mecistostyl-*]. Type genus: *Mecistostylus* Lacordaire, 1865. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by G. A. K. Marshall (1916: 10, as MECISTOSTYLINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 129, as MECISTOSTYLINA).

CYLINDROCOSYNINAE Pascoe, 1875: 55 [stem: *Cylindrocoryn-*]. Type genus: *Cylindrocorynus* Schönherr, 1837. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe TYLODINA Lacordaire, 1865

TYLODIDES Lacordaire, 1865: 90 [stem: *Tylod-*]. Type genus: *Tylodes* Sahlberg, 1823. Comment: original vernacular name available (Art. 11.7.2): first

used in latinized form by Pascoe (1885: 255, as TYLODINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 129, as TYLODINA).

Tribe GASTEROCERCINI Zherikhin, 1991

GASTEROCERCINI Zherikhin, 1991: 92 [stem: *Gasterocerc-*]. Type genus: *Gasterocercus* Laporte and Brullé, 1828.

Tribe PSEPHOLACINI Lacordaire, 1865

PsÉPHOLACIDES Lacordaire, 1865: 72 [stem: *Psepholac-*]. Type genus: *Psepholax* Lacordaire, 1865. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Hustache (1936: 56, as PSEPHOLACINA), generally accepted as in Alonso-Zarazaga and Lyal (1999: 136, as PSEPHOLACINI); First Reviser (PSEPHOLACINI Lacordaire, 1865 vs STRONGYLOPTERININI Lacordaire, 1865 vs SYMPIEZOSCELINI Lacordaire, 1865) not determined, current usage maintained.

STRONGYLOPTÉRIDES Lacordaire, 1865: 73 [stem: *Strongylopter-*]. Type genus: *Strongylopterus* Schönherr, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Hustache (1936: 60, as STRONGYLOPTERIDINA [incorrect stem formation]).

SYMPIÉZOSCÉLIDES Lacordaire, 1865: 138 [stem: *Sympiezoscel-*]. Type genus: *Sympiezoscelus* G. R. Waterhouse, 1853. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Pascoe (1874: 96, as SYMPIEZOSCELIDES [treated as Latin]).

Tribe SOPHRORHININI Lacordaire, 1865

SOPHRORHINIDES Lacordaire, 1865: 81 [stem: *Sophrorhin-*]. Type genus: *Sophrorhinus* Rouzet, 1855. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by C. O. Waterhouse (1879a: 310, as SOPHORORHINAE [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 137, as SOPHORORHININI).

Tribe TORNEUMATINI Bedel, 1884

TORNEUMATINI Bedel, 1884b: 136, in note [stem: *Torneumat-*]. Type genus: *Torneuma* Wollaston, 1860.

Subfamily CYCLOMINAE Schönherr, 1826

CYCLOMIDES Schönherr, 1826: 185 [stem: *Cyclom-*]. Type genus: *Cyclomus* Schönherr, 1826 [syn. of *Epicthonius* Schönherr, 1826]. Comment: the classification of this subfamily follows Oberprieler (2010).

Tribe AMYCTERINI Waterhouse, 1854

AMYCTERIDAE G. R. Waterhouse, 1854: 75, in note [stem: *Amycter-*]. Type genus: *Amycterus* Schönherr, 1823.

EUOMIDES Lacordaire, 1863: 315 [stem: *Euom*-]. Type genus: *Euomus* Schönherr, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by W. J. MacLeay (1866: 319, as EUOMIDAE), generally accepted as in Schenkling and G. A. K. Marshall (1931a: 27, as EUOMINI).

PSALIDURIDAE Pierce, 1914: 350 [stem: *Phalidur*-]. Type genus: *Phalidura* Fischer von Waldheim, 1823 [as *Psalidura*, incorrect subsequent spelling of type genus name, not in prevailing usage; syn. of *Amycterus* Schönherr, 1823]. Comment: incorrect original stem formation, not in prevailing usage.

*ACANTHOLOPHINI Schenkling and G. A. K. Marshall, 1931a: Amyct. 6 [stem: *Acantholoph*-]. Type genus: *Acantholophus* Boisduval, 1835. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe ATERPINI Lacordaire, 1863

ATERPIDES Lacordaire, 1863: 410 [stem: *Aterp*-]. Type genus: *Aterpus* Schönherr, 1826 [syn. of *Aades* Schönherr, 1823]. Comment: precedence (ATERPINI Lacordaire, 1863 vs RHADINOSOMINI Lacordaire, 1863) given to taxon originally proposed at the higher rank (Art. 24.1).

Subtribe ATERPINA Lacordaire, 1863 *nomen protectum*

HELIOMENEIDAE Gistel, 1848: [8] [stem: *Heliomen*-]. Type genus: *Heliomene* Gistel, 1848 [syn. of *Chrysolopus* Germar, 1817]. Comment: as pointed out by Alonso-Zarazaga and Lyal (2002: 22) this is the oldest available name for the subtribe name; HELIOMENEINI Gistel, 1848 was recently considered a *nomen oblitum* by Colonnelli (2003: 7) however the necessary supporting references were not provided; we hereby consider HELIOMENEINI Gistel, 1848 as a *nomen oblitum* (see supporting references in Appendix 1); incorrect original stem formation, not in prevailing usage.

ATERPIDES Lacordaire, 1863: 410 [stem: *Aterp*-]. Type genus: *Aterpus* Schönherr, 1826 [syn. of *Aades* Schönherr, 1823]. Comment: *nomen protectum* (see Appendix 1); original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as ATERPINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 140, as ATERPINI).

*PÉLORORHINIDES Lacordaire, 1863: 415 [stem: *Pelororhin*-]. Type genus: *Pelororhinus* Schönherr, 1834. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 228, as PELORORHININI), Morrone (1997: 101, as PELORHIRHINI [incorrect stem formation]), but not generally accepted as valid; PELORHINIDAE [incorrect stem formation] was used as valid by Ienistea (1986: 33) but it was not attributed to Lacordaire (1863); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

LOPHOTIDES Jekel, 1865: 546 [stem: *Lophot-*]. Type genus: *Lophotus* Schönherr, 1834 [preoccupied genus name, not *Lophotus* Giorna, 1809 [Pisces]; syn. of *Aegorhinus* Erichson, 1834]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

RHINARIDES Jekel, 1865: 546 [stem: *Rhinari-*]. Type genus: *Rhinaria* Kirby, 1819. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe RHADINOSOMINA Lacordaire, 1863

RHADINOSOMIDES Lacordaire, 1863: 63 [stem: *Rhadinosom-*]. Type genus: *Rhadinosomus* Schönherr, 1840. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1875: 55, as RHADINOSOMINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 141, as RHADINOSOMINA).

RHADINOSOMINI Pierce, 1913: 405, in key [stem: *Rhadinosom-*]. Type genus: *Rhadinosomus* Schönherr, 1840. Comment: family-group name proposed as new without reference to RHADINOSOMIDES Lacordaire, 1863.

Tribe CYCLOMINI Schönherr, 1826

CYCLOMIDES Schönherr, 1826: 185 [stem: *Cyclom-*]. Type genus: *Cyclomus* Schönherr, 1826 [syn. of *Epichtonius* Schönherr, 1826].

SOMATODIDES Lacordaire, 1863: 319 [stem: *Somatod-*]. Type genus: *Somatodes* Schönherr, 1840 [placed on the Official List of Generic Names in Zoology (ICZN 1994c)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as SOMATODINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 144, as SOMATODINI); SOMATODINAE Lacordaire, 1863 placed on the Official List of Family-Group Names in Zoology (ICZN 1994c).

Tribe DICHOTRACHELINI Hoffmann, 1957

DICHOTRACHELINI Hoffmann, 1957a: 60, in note [stem: *Dichotrachel-*]. Type genus: *Dichotrachelus* Stierlin, 1853.

Tribe HIPPORHININI Lacordaire, 1863

HIPPORHINIDES Lacordaire, 1863: 323 [stem: *Hipporhin-*]. Type genus: *Hipporhinus* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Pascoe (1870b: 436, as HIPPORHININAE).

GRONOPINI Bedel, 1884a: 68, in key [stem: *Gronop-*]. Type genus: *Gronops* Schönherr, 1823.

GRONOPINA Louw and Oberprieler, 1998: 24 [stem: *Gronop-*]. Type genus: *Gronops* Schönherr, 1823. Comment: family-group name proposed as new without reference to GRONOPINI Bedel, 1884.

Tribe LISTRODERINI LeConte, 1876

LISTRODERI J. L. LeConte, 1876: 124 [stem: *Listroder-*]. Type genus: *Listroderes* Schönherr, 1826.

PALAECHTINI C. Brinck, 1948: 43 [stem: *Palaechth-*]. Type genus: *Palaechthus* C. O. Waterhouse, 1884 [as *Palaechtus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe NOTIOMIMETINI Wollaston, 1873

NOTIOMIMETIDES Wollaston, 1873: 440 [stem: *Notiomimet-*]. Type genus: *Notiomimetes* Wollaston, 1873.

APHELI Csiki, 1936: 109 [stem: *Aphel-*]. Type genus: *Aphela* Pascoe, 1865. Comment: description by indication (distinguishing characters given in Wollaston (1873: 440)).

Tribe RHYTHIRRININI Lacordaire, 1863

RHYTIRHINIDES Lacordaire, 1863: 296 [stem: *Rhythirrin-*]. Type genus: *Rhythirrinus* Schönherr, 1823 [as *Rhytirhinus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1875 [Gatt.]: 112, as RHYTIRHININI [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 141, as RHYTHIRRININI); incorrect original stem formation, not in prevailing usage; First Reviser found (RHYTHIRRININI Lacordaire, 1863 vs RHYPAROSOMINI Lacordaire, 1863 vs EUPAGINI Lacordaire, 1863) is Kuschel (1971: 251).

RHYPAROSOMIDES Lacordaire, 1863: 327 [stem: *Rhyparosom-*]. Type genus: *Rhyparosomus* Schönherr, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Stein (1868: 100, as RHYPAROSOMINI), generally accepted as in Heyne and Taschenberg (1907: 228, as RHYPAROSOMINI).

EUPAGIDES Lacordaire, 1863: 328 [stem: *Epag-*]. Type genus: *Eupages* Schönherr, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Péringuey (1888: 168, as EUPAGIDAE), generally accepted as in Schenkling and G. A. K. Marshall (1929: 47, as EUPAGINI).

RHYTIDORHINIDES Wollaston, 1865: 307 [stem: *Rhytidorhin-*]. Type genus: *Rhytidorhinus* Wollaston, 1864 [preoccupied genus name, not *Rhytidorhinus* Agassiz, 1846 [Coleoptera: CURCULIONIDAE: CYCLOMINAE]; syn. of *Rhythirrinus* Schönherr, 1823]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Subfamily ENTIMINAE Schönherr, 1823

ENTIMIDES Schönherr, 1823: column 1138 [stem: *Entim-*]. Type genus: *Entimus* Germar, 1817. Comment: First Revisers found (ENTIMINAE Schönherr, 1823 vs

LORDOPINAE Schönherr, 1823 vs POLYDRUSINAE Schönherr, 1823) are Alonso-Zarazaga and Lyal (1999: 144).

Tribe AGRAPHINI Horn, 1876

AGRAPHI G. H. Horn, 1876: 58 [stem: *Agraph-*]. Type genus: *Agraphus* Say, 1831.

Tribe ALOPHINI LeConte, 1874

ALOPHINI J. L. LeConte, 1874b: 461 [stem: *Aloph-*]. Type genus: *Alophus* Schönherr, 1826 [syn. of *Graptus* Schönherr, 1823].

Tribe ANOMOPHTHALMINI Morrone, 1998

ANOMOPHTHALMINA Morrone, 1998: 86 [stem: *Anomophthalm-*]. Type genus: *Anomophthalmus* Fairmaire, 1884.

Tribe ANYPOTACTINI Champion, 1911

ANYPOTACTINA Champion, 1911: 215 [stem: *Anypotact-*]. Type genus: *Anypotactus* Schönherr, 1840.

Tribe BLOSYRINI Lacordaire, 1863

BLOSYRIDES Lacordaire, 1863: 27 [stem: *Blosyr-*]. Type genus: *Blosyrus* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Péringuéy (1888: 144, as BLOSYRIDAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 146, as BLOSYRINI).

Tribe BRACHYDERINI Schönherr, 1826

BRACHYDERIDES Schönherr, 1826: 94 [stem: *Brachyder-*]. Type genus: *Brachyderes* Schönherr, 1823 [placed on the Official List of Generic Names in Zoology (ICZN 1987a)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1987a, as BRACHYDERINAE Schönherr, 1837).

THYLACITIDAE Kirby, 1837: 202 [stem: *Thylacit-*]. Type genus: *Thylacites* Germar, 1817 [placed on the Official Index of Invalid and Rejected Generic Names in Zoology (ICZN 1987a)]. Comment: placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1987a).

STROPHOSOMIDAE Gistel, 1848: [8] [stem: *Strophosom-*]. Type genus: *Strophosoma* Gistel, 1856 [syn. of *Strophosoma* Billberg, 1820].

Tribe CELEUTHETINI Lacordaire, 1863

CÉLEUTHÉTIDES Lacordaire, 1863: 145 [stem: *Celeuthet-*]. Type genus: *Celeuthetes* Schönherr, 1842.

Subtribe CELEUTHETINA Lacordaire, 1863

CÉLEUTHÉTIDES Lacordaire, 1863: 145 [stem: *Celeuthet-*]. Type genus: *Celeuthetes* Schönherr, 1842. Comment: original vernacular name available

(Art. 11.7.2): first used in latinized form by Faust (1891: 166, as CELEUTHETINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 147, as CELEUTHETINI).

COPTORRHYNCHINA Voss, 1940: 279 [stem: *Coptorhynch-*]. Type genus: *Coptorhynchus* sensu Faust, 1897 [not *Coptorhynchus* Guérin-Méneville, 1841; syn. of *Resites* Alonso-Zarazaga and Lyal, 1999]. Comment: incorrect original stem formation, not in prevailing usage; based on a misidentified type genus.

Subtribe ISOPTERINA Morimoto and Kojima, 2001

ISOPTERINA Morimoto and Kojima, 2001: 274 [stem: *Isopter-*]. Type genus: *Isopterus* Faust, 1895.

Tribe CNEORHININI Lacordaire, 1863

CNÉORHINIDES Lacordaire, 1863: 31 [stem: *Cneorhin-*]. Type genus: *Cneorhinus* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Seidlitz (1875 [Gatt.]: 111, as CNEORHININI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 148, as CNEORHININI).

PHIOPEDINI Bedel, 1883: 32, in key [stem: *Philoped-*]. Type genus: *Philopedon* Schönherr, 1826.

DERMATODINI Emden, 1936: 76, in key [stem: *Dermatod-*]. Type genus: *Dermatodes* Schönherr, 1840.

STIGMATRACHELINI Richard, 1983: 8 [stem: *Stigmatrachel-*]. Type genus: *Stigmatrachelus* Schönherr, 1840.

Tribe CRATOPODINI Hustache, 1919

CRATOPINI Hustache, 1919: 473 [stem: *Cratopod-*]. Type genus: *Cratopus* Schönherr, 1823. Comment: incorrect original stem formation, not in prevailing usage.

Tribe CYLYDRORHININI Lacordaire, 1863

CYLINDRORHINIDES Lacordaire, 1863: 339 [stem: *Cylydrorhin-*]. Type genus: *Cylydrorhinus* Guérin-Méneville, 1838 [as *Cylindrorhinus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as CYLINDRORHININAE [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 150, as CYLYDRORHININI); incorrect original stem formation, not in prevailing usage.

Tribe CYPHICERINI Lacordaire, 1863

CYPHICÉRIDES Lacordaire, 1863: 220 [stem: *Cyplicer-*]. Type genus: *Cypicerus* Schönherr, 1823. Comment: First Reviser (CYPHICERINI Lacordaire, 1863 vs PHYTOSCAPHINI Lacordaire, 1863) not determined, current usage maintained.

Subtribe ACANTHOTRACHELINA Marshall, 1944

ACANTHOTRACHELINI G. A. K. Marshall, 1944: 76, in key [stem: *Acanthotra-chel-*]. Type genus: *Acanthotrachelus* Schönherr, 1842.

Subtribe CYPHICERINA Lacordaire, 1863

CYPHICÉRIDES Lacordaire, 1863: 220 [stem: *Cyphicer-*]. Type genus: *Cyphicerus* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Faust (1888: 284, as CYPHICERINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 151, as CYPHICERINI).

CORIGETINI Faust, 1885: 167, in key [stem: *Coriget-*]. Type genus: *Corigetus* Desbrochers des Loges, 1872.

Subtribe MYLACORRHININA Reitter, 1913

MYLACORRHYNCHINA Reitter, 1913b: 12, in key [stem: *Mylacorrhin-*]. Type genus: *Mylacorrhina* Reitter, 1913 [syn. of *Altonomus* Desbrochers des Loges, 1907]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe MYLLOCERINA Pierce, 1913

MYLLOCERINI Pierce, 1913: 421, in key [stem: *Myllocer-*]. Type genus: *Myllocerus* Schönherr, 1826.

PTOCHINI Reitter, 1913b: 8, in key [stem: *Ptoch-*]. Type genus: *Ptochus* Schönherr, 1826 [placed on the Official List of Generic Names in Zoology (ICZN 1990d)].

Subtribe PHYTOSCAPHINA Lacordaire, 1863

PHYTOSCAPHIDES Lacordaire, 1863: 229 [stem: *Phytoscaph-*]. Type genus: *Phytoscaphus* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1869: 382, as PHYTOSCAPI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 154, as PHYTOSCAPHINA).

*OXYOPHTHALMINA Voss, 1933a: 30 [stem: *Oxyophthalm-*]. Type genus: *Oxyophthalmus* Hochhuth, 1847. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

Tribe ECTEMNORHININI Lacordaire, 1863

ECTEMNORHINIDES Lacordaire, 1863: 562 [stem: *Ectemnorhin-*]. Type genus: *Ectemnorhinus* G. R. Waterhouse, 1853. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as ECTEMNORHINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 155, as ECTEMNORHININI).

CANONOPSINI Dreux and Voisin, 1989: 112 [stem: *Canonopse*-]. Type genus: *Canonopsis* C. O. Waterhouse, 1875. Comment: incorrect original stem formation, not in prevailing usage.

Tribe ELYTRURINI Marshall, 1956

ELYTRURINI G. A. K. Marshall, 1956: 5 [stem: *Elytrur*-]. Type genus: *Elytrurus* Boisduval, 1835.

Tribe EMBRITHINI Marshall, 1942

EMBRITHINI G. A. K. Marshall, 1942: 3 [stem: *Embrith*-]. Type genus: *Embrithes* Schönherr, 1842.

Tribe ENTIMINI Schönherr, 1823

ENTIMIDES Schönherr, 1823: column 1138 [stem: *Entim*-]. Type genus: *Entimus* Germar, 1817.

Tribe EPISOMINI Lacordaire, 1863

EPISOMIDES Lacordaire, 1863: 175 [stem: *Episom*-]. Type genus: *Episomus* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Faust (1894: 185, as EPISOMINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 156, as EPISOMINI).

EPISOMINI Pierce, 1913: 421, in key [stem: *Episom*-]. Type genus: *Episomus* Schönherr, 1823. Comment: family-group name proposed as new without reference to EPISOMIDES Lacordaire, 1863.

Tribe EUDIAGOGINI LeConte, 1874

PROMÉCOPIDES Lacordaire, 1863: 384 [stem: *Promecop*-]. Type genus: *Promecops* Schönherr, 1823 [preoccupied genus name, not *Promecops* Sahlberg, 1823 [Coleoptera: CURCULIONIDAE: ENTIMINAE: EUDIAGOGINI]; syn. of *Promecops* Sahlberg, 1823]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Pascoe (1870b: 436, as PROMECOPINAE); permanently invalid (Art. 39): based on preoccupied type genus.

EUDIAGOGINI J. L. LeConte, 1874b: 454 [stem: *Eudiagog*-]. Type genus: *Eudia-gogus* Schönherr, 1840. Comment: First Reviser (EUDIAGOGINI J. L. LeConte, 1874 vs BATHYRINI J. L. LeConte, 1874) not determined, current usage maintained.

BATHYRINI J. L. LeConte, 1874b: 461 [stem: *Bathyrin*-]. Type genus: *Bathyris* J. L. LeConte, 1874 [syn. of *Colecerus* Schönherr, 1840]. Comment: incorrect original stem formation, not in prevailing usage.

COLEOCERINI Jekel, 1875: 144 [stem: *Colecer*-]. Type genus: *Colecerus* Schönherr, 1840 [as *Coleocerus*, incorrect subsequent spelling of type genus name, not in

prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe EUPHOLINI Günther, 1943

*EUPHOLINI Schenkling and G. A. K. Marshall, 1931b: Lept. 62 [stem: *Euphol-*].

Type genus: *Eupholus* Guérin-Méneville, 1838 [preoccupied genus name, not *Eupholus* Boisduval, 1835 [Coleoptera: CURCULIONIDAE: ENTIMINAE]; syn. of *Eupholus* Boisduval, 1835]. Comment: unavailable family-group name, proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1).

EUPHOLINI Günther, 1943: 19 [stem: *Euphol-*]. Type genus: *Eupholus* Guérin-Méneville, 1838 [preoccupied genus name, not *Eupholus* Boisduval, 1835 [Coleoptera: CURCULIONIDAE: ENTIMINAE]; syn. of *Eupholus* Boisduval, 1835]. Comment: although this name should be treated as permanently invalid because it is based on a preoccupied type genus (Art. 39), an application will be submitted to the Commission by MAAZ and CHCL to conserve EUPHOLINI Günther, 1943 and designate *Eupholus* Boisduval, 1835 as its type genus.

EUPHOLINI Alonso-Zarazaga and Lyal, 1999: 157 [stem: *Euphol-*]. Type genus: *Eupholus* Boisduval, 1835. Comment: proposed as a new taxon; junior homonym of EUPHOLINI Günther, 1943.

Tribe EUSTYLINI Lacordaire, 1863

EUSTYLIDES Lacordaire, 1863: 205 [stem: *Eustyl-*]. Type genus: *Eustylus* Schönherr, 1842. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Faust (1886b: 338, as EUSTYLINORUM), generally accepted as in Alonso-Zarazaga and Lyal (1999: 157, as EUSTYLINI).

EXOPHTHALMINI G. H. Horn, 1876: 100 [stem: *Exophthalm-*]. Type genus: *Exophthalmus* Schönherr, 1823.

EUSTYLINI Pierce, 1913: 421, in key [stem: *Eustyl-*]. Type genus: *Eustylus* Schönherr, 1842. Comment: family-group name proposed as new without reference to EUSTYLIDES Lacordaire, 1863.

COMPSI Pierce, 1913: 406, in key [stem: *Comps-*]. Type genus: *Compsus* Schönherr, 1823. Comment: the younger name COMPSINA Martins and Galileo, 2007 (type genus *Compsa* Perty, 1832) in CERAMBYCIDAE is available; this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).

EXOPHTHALMODINA Voss, 1954: 199, in key [stem: *Exophthalmod-*]. Type genus: *Exophthalmodes* Pierce, 1916 [syn. of *Exophthalmus* Schönherr, 1823].

Tribe GEONEMINI Gistel, 1848

GEONEMIDAE Gistel, 1848: [8] [stem: *Geonem-*]. Type genus: *Geonemus* Schönherr, 1833 [placed on the Official List of Generic Names in Zoology (ICZN 1988d)].

- BARYNOTIDES Lacordaire, 1863: 37 [stem: *Barynot-*]. Type genus: *Barynotus* Germar, 1817. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by G. H. Horn (1876: 22, as BARYNOTI), generally accepted as in Dalla Torre et al. (1936: 32, as BARYNOTINI).
- TRIGONOSCUTAE J. L. LeConte, 1874b: 456 [stem: *Trigonoscut-*]. Type genus: *Trigonoscuta* Motschulsky, 1853.
- EPICAERI G. H. Horn, 1876: 18 [stem: *Epicaer-*]. Type genus: *Epicaerus* Schönherr, 1834.
- CALYPTILLI G. H. Horn, 1876: 26 [stem: *Calyptill-*]. Type genus: *Calyptillus* G. H. Horn, 1876.
- OMILEI G. H. Horn, 1876: 101 [stem: *Omile-*]. Type genus: *Omileus* G. H. Horn, 1876.
- TRIGONOSCUTINI Pierce, 1913: 405, in key [stem: *Trigonoscut-*]. Type genus: *Trigonoscuta* Motschulsky, 1853. Comment: family-group name proposed as new without reference to TRIGONOSCUTAE J. L. LeConte, 1874.
- MENOETIINI Pierce, 1913: 373, in key [stem: *Menoeti-*]. Type genus: *Menoetius* Dejean, 1821 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1987f)]. Comment: permanently invalid (Art. 39): based on suppressed type genus.
- CALYPTILLINI Pierce, 1913: 405, in key [stem: *Calyptill-*]. Type genus: *Calyptillus* G. H. Horn, 1876. Comment: family-group name proposed as new without reference to CALYPTILLI G. H. Horn, 1876.

Tribe HOLCORHININI Desbrochers des Loges, 1898

- HOLCORHINIDAE Desbrochers des Loges, 1898: 5 [stem: *Holcorhin-*]. Type genus: *Holcorhinus* Schönherr, 1826.
- CYCLOPTERINI Reitter, 1913b: 9, in key [stem: *Cyclopter-*]. Type genus: *Cyclopterus* Marseul, 1871 [preoccupied genus name, not *Cyclopterus* Linnaeus, 1758 [Pisces]; syn. of *Nucterocephalus* Desbrochers des Loges, 1897]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; CYCLOPTERIDAE Bonaparte, 1831 (type genus *Cyclopterus* Linnaeus, 1758) is available in Pisces.

Tribe HORMORINI Horn, 1876

- HORMORI G. H. Horn, 1876: 23 [stem: *Hormor-*]. Type genus: *Hormorus* G. H. Horn, 1876.

Tribe LAPAROCERINI Lacordaire, 1863

- LAPAROCÉRIDES Lacordaire, 1863: 196 [stem: *Laparocer-*]. Type genus: *Laparocerus* Schönherr, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 226, as LAPAROCERINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 160, as LAPAROCERINI).

LAPAROCERINI Pierce, 1913: 421, in key [stem: *Laparocer-*]. Type genus: *Laparocerus* Schönherr, 1834. Comment: family-group name proposed as new without reference to LAPAROCÉRIDES Lacordaire, 1863.

Tribe LEPTOSTETHINI Lacordaire, 1863

LEPTOSTÉTHIDES Lacordaire, 1863: 258 [stem: *Leptosteth-*]. Type genus: *Leptostethus* G. R. Waterhouse, 1853. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 226, as LEPTOSTETHINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 161, as LEPTOSTETHINI).

Tribe LORDOPINI Schönherr, 1823

LORDOPIDES Schönherr, 1823: column 1142 [stem: *Lordop-*]. Type genus: *Lordops* Schönherr, 1823.

HYPSONOTIDAE Jekel, 1853: I.II.3 [stem: *Hypsonot-*]. Type genus: *Hypsonotus* Germar, 1824.

ALOCORHINI Jekel, 1856: 9bis, in key [stem: *Alocorhin-*]. Type genus: *Alocorhinus* Sahlberg, 1823.

ELYTROXYSI Jekel, 1856: 9bis, in key [stem: *Elytroxys-*]. Type genus: *Elytroxys* Jekel, 1856. Comment: incorrect original stem formation, not in prevailing usage.

EURYLOBI Jekel, 1856: 9bis, in key [stem: *Eurylob-*]. Type genus: *Eurylobus* Schönherr, 1826.

MERODONTI Jekel, 1856: 9bis, in key [stem: *Merodont-*]. Type genus: *Merodontus* Jekel, 1856.

TOMORHINI Jekel, 1856: 9bis, in key [stem: *Tomorhin-*]. Type genus: *Tomorhinus* Jekel, 1856.

Tribe MESOSTYLINI Reitter, 1913

MESOSTYLINI Reitter, 1913b: 8, in key [stem: *Mesostyl-*]. Type genus: *Mesostylus* Faust, 1894.

Tribe MYORHININI Marseul, 1863

MYORHINIDAE Marseul, 1863: 223 [stem: *Myorhin-*]. Type genus: *Myorhinus* Schönherr, 1826 [syn. of *Apsis* Germar, 1820]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kiesenwetter (1864: 265, as MYORHINIDAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 162, as MYORHININI).

Tribe NASTINI Reitter, 1913

NASTINI Reitter, 1913b: 9, in key [stem: *Nast-*]. Type genus: *Nastus* Schönherr, 1842.

Tribe NAUPACTINI Gistel, 1848 *nomen protectum*

IPHIIDES Schönherr, 1823: column 1139 [stem: *Iphi-*]. Type genus: *Iphius* Schönherr, 1823 [syn. of *Alceis* Billberg, 1820]. Comment: *nomen oblitum* (see Appendix 1).

NAUPACTIDAE Gistel, 1848: [8] [stem: *Naupact-*]. Type genus: *Naupactus* Dejean, 1821. Comment: *nomen protectum* (see Appendix 1).

CYPHIDES Lacordaire, 1863: 107 [stem: *Cyph-*]. Type genus: *Cyphus* Germar, 1824 [syn. of *Cyrtomon* Schönherr, 1823]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1874b: 458, as CYPHI), generally accepted as in J. L. LeConte and G. H. Horn (1883: 453, as CYPHI).

MACROSTYLES J. L. LeConte, 1874b: 457 [stem: *Macrostyl-*]. Type genus: *Macrostylus* Boheman, 1840.

SYMMATHETES J. L. LeConte, 1874b: 458 [stem: *Symmathet-*]. Type genus: *Symmathetes* Schönherr, 1847 [syn. of *Pantomorus* Schönherr, 1840].

ARTIPI G. H. Horn, 1876: 91 [stem: *Artipod-*]. Type genus: *Artipus* Schönherr, 1823 [preoccupied genus name, not *Artipus* Sahlberg, 1823 [Coleoptera: CURCULIONIDAE: ENTIMINAE: NAUPACTINI]; syn. of *Artipus* Sahlberg, 1823]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

PLATYOMINA Champion, 1911: 282 [stem: *Platyom-*]. Type genus: *Platyomus* Schönherr, 1823 [preoccupied genus name, not *Platyomus* Sahlberg, 1823 [Coleoptera: CURCULIONIDAE: ENTIMINAE: NAUPACTINI]; syn. of *Platyomus* Sahlberg, 1823]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

ALCEIDINI Pierce, 1913: 404, in key [stem: *Alceent-*]. Type genus: *Alceis* Billberg, 1820. Comment: incorrect original stem formation, not in prevailing usage.

GLAPHYROMETOPI Pierce, 1913: 406, in key [stem: *Glaphyrometop-*]. Type genus: *Glaphyrometopus* Pierce, 1913.

PSEUDOCYPHI Pierce, 1913: 406, in key [stem: *Pseudocyp-*]. Type genus: *Pseudocyphus* Schaeffer, 1905 [syn. of *Platyomus* Sahlberg, 1823].

NEOCYPHINI Hustache, 1919: 476 [stem: *Neocyph-*]. Type genus: *Neocyphus* Bedel, 1883 [syn. of *Cyrtomon* Schönherr, 1823].

PLATYOMINA Voss, 1954: 199, in key [stem: *Platyom-*]. Type genus: *Platyomus* Sahlberg, 1823. Comment: family-group name proposed as new without reference to PLATYOMINA Champion, 1911.

CANEPHOROTOMINA Voss, 1954: 206, in key [stem: *Canephorotom-*]. Type genus: *Canephorotomus* Voss, 1954 [syn. of *Amitrus* Schönherr, 1840].

PANTOMORINA Voss, 1954: 207, in key [stem: *Pantomor-*]. Type genus: *Pantomorus* Schönherr, 1840.

PLECTROPHORINA Voss, 1954: 207, in key [stem: *Plectrophor-*]. Type genus: *Plectrophorus* Schönherr, 1826 [preoccupied genus name, not *Plectrophorus* Férisac, 1819 [Mollusca]; syn. of *Plectrophoroides* Wibmer and O'Brien, 1986]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe NOTHOGNATHINI Marshall, 1916

NOTHOGNATHIDES G. A. K. Marshall, 1916: 204, in key [stem: *Nothognath-*].
Type genus: *Nothognathus* G. A. K. Marshall, 1916.

Tribe OMIINI Shuckard, 1839

OMIADAЕ Shuckard, 1839b: 60 [stem: *Omi-*]. Type genus: *Omias* Germar, 1817.
Comment: senior homonym of OMIINI Beck, 1996 in Lepidoptera (type genus *Omia* Hübner, 1821); this case is to be referred to the Commission to remove the homonymy (Art. 55.3.1).
MYLACINI Reitter, 1913b: 9, in key [stem: *Mylac-*]. Type genus: *Myiacus* Boheman, 1843 [syn. of *Omias* Germar, 1817].

Tribe OOSOMINI Lacordaire, 1863

*OOSOMIDES Schönherr, 1823: column 1145 [stem: *Oosom-*]. Type genus: *Oosomus* Schönherr, 1826. Comment: family-group name unavailable (Art. 11.7.1.1): not based on an available genus name at the time.
OOSOMIDES Lacordaire, 1863: 164 [stem: *Oosom-*]. Type genus: *Oosomus* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kolbe (1891: 26, as OOSOMINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 166, as OOSOMINI).
OOSOMINI Pierce, 1913: 421, in key [stem: *Oosom-*]. Type genus: *Oosomus* Schönherr, 1826. Comment: family-group name proposed as new without reference to OOSOMIDES Lacordaire, 1863.

Tribe OPHYASTINI Lacordaire, 1863

OPHYASTIDES Lacordaire, 1863: 256 [stem: *Ophyast-*]. Type genus: *Ophryastes* Germar, 1829. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1874b: 454, as OPHYASTINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 167, as OPHYASTINI).

Tribe OPHTALMORRHYNCHINI Hoffmann, 1965

OPHTALMORYNCHINI Hoffmann, 1965: 1411 [stem: *Ophtalmorrhynch-*]. Type genus: *Ophtalmorrhynchus* Hoffmann, 1965. Comment: incorrect original stem formation, not in prevailing usage.

Tribe OTIORHYNCHINI Schönherr, 1826

LOBORHYNCHIDES Schönherr, 1823: column 1144 [stem: *Loborhynch-*]. Type genus: *Loborhynchus* Schönherr, 1823 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1972); see Lyal and Alonso-Zarazaga (2010) and Appendix 6; syn. of *Otiорhynchus* Germar, 1822]. Comment: LOBORHYNCHINAE Schönherr, 1823 placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1972).

OTIORHYNCHIDES Schönherr, 1826: 203 [stem: *Otiorhynch-*]. Type genus: *Otiorehynchus* Germar, 1822 [placed on the Official List of Generic Names in Zoology (ICZN 1972, as *Otiorhynchus* Germar, 1824); see Lyal and Alonso-Zarazaga (2010) and Appendix 6]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1972, as OTIORHYNCHINAE Schönherr, 1826).

BRACHYRRHINIDAE Bedel, 1883: 30 [stem: *Brachyrhin-*]. Type genus: *Brachyrhinus* Latreille, 1802 [as *Brachyrrhinus*, incorrect original spelling of type genus name, not in prevailing usage; *Brachyrhinus* Latreille, 1802 placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1972); syn. of *Cryphiphorus* Stierlin, 1883]. Comment: name placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology (ICZN 1972).

Tribe OTTISTIRINI Heller, 1925

OTTISTIRINI Heller, 1925a: 56, in key [stem: *Ottistir-*]. Type genus: *Ottistira* Pascoe, 1872.

Tribe PACHYRHYNCHINI Schönherr, 1826

SOMATODIDES Schönherr, 1823: column 1139 [stem: *Somatod-*]. Type genus: *Somatodes* Schönherr, 1823 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology (ICZN 1994c); syn. of *Pachyrhynchus* Germar, 1824]. Comment: name placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology as SOMATODINI Schönherr, 1823 (ICZN 1994c).

PACHYRHYNCHIDES Schönherr, 1826: 88 [stem: *Pachyrhynch-*]. Type genus: *Pachyrhynchus* Germar, 1824 [placed on the Official List of Generic Names in Zoology (ICZN 1970b)]. Comment: name placed on the Official List of Family-Group Names in Zoology as PACHYRHYNCHINI Schönherr, 1826 (ICZN 1970b).

Tribe PERITELINI Lacordaire, 1863

PÉRITÉLIDES Lacordaire, 1863: 178 [stem: *Peritel-*]. Type genus: *Peritelus* Germar, 1824. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1874b: 455, as PERITELI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 171, as PERITELINI).

SIMOINI Pierce, 1913: 421, in key [stem: *Simon-*]. Type genus: *Simo* Dejean, 1821. Comment: incorrect original stem formation, not in prevailing usage.

PARAPTOCHI Pierce, 1913: 423, in key [stem: *Paraptoch-*]. Type genus: *Paraptochus* Seidlitz, 1868.

HOMORYTHMINI Hoffmann, 1950: 154 [stem: *Homorhythm-*]. Type genus: *Homorhythmus* Bedel, 1883 [as *Homorhythmus*, incorrect subsequent spelling of type genus name, not in prevailing usage; syn. of *Simo* Dejean, 1821]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PHYLLOBIINI Schönherr, 1826

PHYLLOBIDES Schönherr, 1826: 178 [stem: *Phyllobi-*]. Type genus: *Phyllobius* Germar, 1824 [placed on the Official List of Generic Names in Zoology (ICZN 1981c)]. Comment: PHYLLOBIINI Schönherr, 1826 placed on the Official List of Family-Group Names in Zoology (ICZN 1981c); incorrect original stem formation, not in prevailing usage.

EVOTINI J. L. LeConte, 1874b: 454 [stem: *Evot-*]. Type genus: *Evotus* J. L. LeConte, 1874.

APHRASTI J. L. LeConte, 1874b: 458 [stem: *Aphrast-*]. Type genus: *Aphrastus* Say, 1831.

METACINOPINAE Reitter, 1913b: 6, in key [stem: *Metacinop-*]. Type genus: *Metacinops* Kraatz, 1862.

Tribe POLYCATINI Marshall, 1956

POLYCATINI G. A. K. Marshall, 1956: 4 [stem: *Polycat-*]. Type genus: *Polycatus* Heller, 1913.

Tribe POLYDRUSINI Schönherr, 1823

POLYDROSIDES Schönherr, 1823: column 1144 [stem: *Polydrus-*]. Type genus: *Polydrusus* Germar, 1817 [as *Polydrosus*, unjustified emendation of type genus name by Schönherr (1823), not in prevailing usage; syn. of *Polydrusus* Germar, 1817; *Polydrusus* Germar, 1817 placed on the Official List of Generic Names in Zoology (ICZN 1981c)]. Comment: placed on the Official List of Family-Group Names in Zoology (ICZN 1981c, as POLYDRUSINI Schönherr, 1823), however, since this family-group name was based on an unjustified emendation of the type genus name, it was corrected (see Art. 32.5.3.2) to POLYDRUSINI by Alonso-Zarazaga and Lyal (1999: 174).

PHYLLOMANISIDAE Gistel, 1848: [8] [stem: *Phylloman-*]. Type genus: *Phyllomanes* Gistel, 1848 [preoccupied genus name, not *Phyllomanes* Cabanis, 1847 [Aves]; syn. of *Polydrusus* Germar, 1817]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

LIOPHLOEIDAE Gistel, 1848: [8] [stem: *Liophloe-*]. Type genus: *Liophloeus* Germar, 1817.

OLIGOCYIDAE Gistel, 1856a: 373 [stem: *Oligoce-*]. Type genus: *Oligocys* Gistel, 1856 [syn. of *Liophloeus* Germar, 1817]. Comment: incorrect original stem formation, not in prevailing usage.

SCYTHROPIDAE Lacordaire, 1863: 380 [stem: *Scythrop-*]. Type genus: *Scythropus* Schönherr, 1826 [syn. of *Pachyrhinus* Schönherr, 1823]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Marseul (1863: 224, as SCYTROPIDAE [incorrect stem formation]), generally accepted as in Hustache (1919: 509, as SCYTHROPINI).

AUCHMERESTHINAE Reitter, 1913b: 6, in key [stem: *Auchmeresthet-*]. Type genus: *Auchmeresthes* Kraatz, 1862. Comment: incorrect original stem formation, not in prevailing usage.

Tribe PREMNOTRYPINI Kuschel, 1956

PREMNOTRYPINI Kuschel, 1956: 187 [stem: *Premnotryp-*]. Type genus: *Premnotrypes* Pierce, 1914.

†Tribe PRISTORHYNCHINI Heer, 1847

PRISTORHYNCHIDEN Heer, 1847: 190 [stem: *Pristorhynch-*]. Type genus: *Pristorhynchus* Heer, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Scudder (1893: 29, as PRISTORHYNCHINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 176, as PRISTORHYNCHINI).

Tribe PRYPNINI Lacordaire, 1863

PRYPNIDES Lacordaire, 1863: 135 [stem: *Prypn-*]. Type genus: *Prypnus* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 225, as PRYPNINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 176, as PRYPNINI).

Tribe PSALLIDIINI Lacordaire, 1863

PSALIDIIDES Lacordaire, 1863: 138 [stem: *Psallidi-*]. Type genus: *Psallidium* Herbst, 1795 [as *Psalidium*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Everts (1903: 547, as PSALIDIINI [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 176, as PSALLIDIINI); incorrect original stem formation, not in prevailing usage.

Tribe RHYNCOGONINI Sharp, 1919

RHYNCOGONIDES Sharp, 1919a: 77 [stem: *Rhyncogon-*]. Type genus: *Rhyncogonus* Sharp, 1885.

Tribe SCIAPHILINI Sharp, 1891

SCIAPHILINA Sharp, 1891: 167 [stem: *Sciaphil-*]. Type genus: *Sciaphilus* Schönherr, 1823.

SCIAPHILINI Pierce, 1913: 405, in key [stem: *Sciaphil-*]. Type genus: *Sciaphilus* Schönherr, 1823. Comment: family-group name proposed as new without reference to SCIAPHILINA Sharp, 1891.

Tribe SITONINI Gistel, 1848

SITONISIDAE Gistel, 1848: [8] [stem: *Siton-*]. Type genus: *Sitones* Schönherr, 1840 [syn. of *Sitona* Germar, 1817]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe TANYMECINI Lacordaire, 1863

TANYMÉCIDES Lacordaire, 1863: 82 [stem: *Tanymec-*]. Type genus: *Tanymecus* Germar, 1817.

Subtribe PIAZOMIINA Reitter, 1913

PIAZOMIINI Reitter, 1913b: 28, in key [stem: *Piazomi-*]. Type genus: *Piazomias* Schönherr, 1840.

Subtribe TAINOPHTHALMINA Desbrochers des Loges, 1873

TAINOPHTHALMIDAE Desbrochers des Loges, 1873: 426 [stem: *Tainophthalm-*].

Type genus: *Tainophthalmus* Desbrochers des Loges, 1873.

AMOMPHI J. L. LeConte, 1874b: 455 [stem: *Amomph-*]. Type genus: *Amomphus* Schönherr, 1848 [syn. of *Aspidiotes* Schönherr, 1847].

Subtribe TANYMECINA Lacordaire, 1863

TANYMÉCIDES Lacordaire, 1863: 82 [stem: *Tanymec-*]. Type genus: *Tanymecus* Germar, 1817. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1874b: 454, as TANYMECINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 178, as TANYMECINI).

HADROMERIDES Jekel, 1865: 545 [stem: *Hadromer-*]. Type genus: *Hadromerus* Schönherr, 1834 [preoccupied genus name, not *Hadromerus* Schönherr, 1823 [Coleoptera: CURCULIONIDAE: ENTIMINAE]; syn. of *Hadromeropsis* Pierce, 1913]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

SIDERODACTYLIDES Jekel, 1865: 551, in note [stem: *Siderodactyl-*]. Type genus: *Siderodactylus* Schönherr, 1834 [syn. of *Hadromerus* Schönherr, 1823].

PACHNAEI J. L. LeConte, 1874b: 457 [stem: *Pachnae-*]. Type genus: *Pachnaeus* Schönherr, 1826.

MINYOMERI G. H. Horn, 1876: 17 [stem: *Minyomer-*]. Type genus: *Minyomerus* G. H. Horn, 1876.

PANDELETEINI Pierce, 1913: 399, in key [stem: *Pandletei-*]. Type genus: *Pandleteius* Schönherr, 1834. Comment: incorrect original stem formation, not in prevailing usage.

Tribe TANYRHYNCHINI Schönherr, 1826

TANYRHYNCHIDES Schönherr, 1826: 212 [stem: *Tanyrhynch-*]. Type genus: *Tanyrhynchus* Schönherr, 1826.

ÉREMNIDES Lacordaire, 1863: 220 [stem: *Eremn-*]. Type genus: *Eremnus* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1869: 380, as EREMNNINI), generally accepted as in Schenkling and G. A. K. Marshall (1931b: Erem. 13, as EREMNINI).

Tribe THECESTERNINI Lacordaire, 1863

THÉCESTERNIDES Lacordaire, 1863: 306 [stem: *Thecestern-*]. Type genus: *Thecesternus* Say, 1831. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Sharp (1891: 86, as THECESTERNINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 182, as THECESTERNINI).

Tribe TRACHYPHLOEINI Gistel, 1848

TRACHYPHLOEIDAE Gistel, 1848: [7] [stem: *Trachyphloe-*]. Type genus: *Trachyphloeus* Germar, 1817.

Subtribe TRACHYPHILINA Voss, 1948

TRACHYPHILINA Voss, 1948: 73, in key [stem: *Trachyphil-*]. Type genus: *Trachyphilus* Faust, 1887.

Subtribe TRACHYPHLOEINA Gistel, 1848

TRACHYPHLOEIDAE Gistel, 1848: [7] [stem: *Trachyphloe-*]. Type genus: *Trachyphloeus* Germar, 1817.

PHYLLASTOLIDAE Gistel, 1856a: 372 [stem: *Phyllastol-*]. Type genus: *Phyllastolus* Gistel, 1856 [syn. of *Trachyphloeus* Germar, 1817].

CATHORMIOCERINI Reitter, 1913b: 8, in key [stem: *Cathormiocer-*]. Type genus: *Cathormiocerus* Schönherr, 1842.

TRACHYPHLOEINI Pierce, 1913: 421, in key [stem: *Trachyphloe-*]. Type genus: *Trachyphloeus* Germar, 1817. Comment: family-group name proposed as new without reference to TRACHYPHLOEIDAE Gistel, 1848.

PSEUDOCNEORRHININI Kôno, 1930: 163, in key [stem: *Pseudocneorhin-*]. Type genus: *Pseudocneorhinus* Roelofs, 1873 [as *Pseudocneorrhinus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

CALLIRHOPALINI Voss, 1956b: 23 [stem: *Callirhopal-*]. Type genus: *Callirhopalus* Hochhuth, 1851.

Tribe TROPIPHORINI Marseul, 1863

TROPIPHORIDAE Marseul, 1863: 220 [stem: *Tropiphor-*]. Type genus: *Tropiphorus* Schönherr, 1842 [placed on the Official List of Generic Names in Zoology (ICZN 1988c)]. Comment: TROPIPHORINI, published on 15 June 1863, is given priority over STRANGALIODINI, BYRSOPAGINI, PANTOPOEINI and SYNAPTONYCHINI which were published by Lacordaire “before 10 August 1863”.

LEPTOPSIDES Lacordaire, 1863: 232 [stem: *Leptop-*]. Type genus: *Leptops* Schönherr, 1834 [preoccupied genus name, not *Leptops* Rafinesque, 1820 [Pisces]; syn. of *Leptopius* Oke, 1951]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870a: 181, as LEPTOPINAE), generally accepted as in Heyne and Taschenberg (1907: 226, as LEPTOPSINI [incorrect stem formation]); permanently invalid (Art. 39):

based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

STRANGALIODIDES Lacordaire, 1863: 234 [stem: *Strangaliod-*]. Type genus: *Strangaliodes* Schönherr, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by G. H. Horn (1876: 37, as STRANGALIODES [treated as Latin]), generally accepted as in Voss (1954: 237, as STRANGALIODINI).

BYRSOPAGIDES Lacordaire, 1863: 337 [stem: *Byrsopag-*]. Type genus: *Byrsopages* Schönherr, 1842. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 228, as BYRSOPAGINI), generally accepted as in Schenkling and G. A. K. Marshall (1929: 57, as BYRSOPAGINI).

PANTOPÉIDES Lacordaire, 1863: 346 [stem: *Pantopoe-*]. Type genus: *Pantopoeus* Schönherr, 1842 [syn. of *Perperus* Schönherr, 1842]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Faust (1892a: 179, as PANTOPEINARUM [incorrect stem formation]); incorrect original stem formation, not in prevailing usage.

SYNAPTONYCIDES Lacordaire, 1863: 372 [stem: *Synaptonych-*]. Type genus: *Synaptonyx* G. R. Waterhouse, 1853. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Wolaston (1877: 158, as SYNAPTONYCHIDES [treated as Latin]); incorrect original stem formation, not in prevailing usage.

RHIGOPSINI J. L. LeConte, 1874b: 454 [stem: *Rhigopse-*]. Type genus: *Rhigopsis* J. L. LeConte, 1874. Comment: incorrect original stem formation, not in prevailing usage, the comment stating the contrary in Alonso-Zarazaga and Lyal (2002: 28) is incorrect.

DYSLOBINI J. L. LeConte, 1874b: 454 [stem: *Dyslob-*]. Type genus: *Dyslobus* J. L. LeConte, 1869.

PHYXELES G. H. Horn, 1876: 56 [stem: *Phyixelid-*]. Type genus: *Phyixelis* Schönherr, 1842. Comment: incorrect original stem formation, not in prevailing usage.

DIROGNATHINI G. H. Horn, 1876: 79 [stem: *Dirotognath-*]. Type genus: *Dirotognathus* G. H. Horn, 1876.

SYNIRMINI Bedel, 1883: 32, in key [stem: *Synirm-*]. Type genus: *Synirmus* Bedel, 1883 [syn. of *Tropiphorus* Schönherr, 1842].

STENOCORYNINI McKeown, 1939: 408 [stem: *Stenocoryn-*]. Type genus: *Stenocorynus* Schönherr, 1842. Comment: replacement name for LEPTOPSIDES Lacordaire, 1863 because of the homonymy of the type genus.

LEPTOPIINAE Oke, 1951: 24 [stem: *Leptopi-*]. Type genus: *Leptopius* Oke, 1951. Comment: replacement name for LEPTOPSIDES Lacordaire, 1863 because of the homonymy of the type genus.

LEPTOSINAЕ G. A. K. Marshall, 1952: 264 [stem: *Leptos-*]. Type genus: *Leptosus* G. A. K. Marshall, 1952 [syn. of *Leptopius* Oke, 1951]. Comment: replacement name for LEPTOPSIDES Lacordaire, 1863 because of the homonymy of the type genus.

Tribe TYPHLORHININI Kuschel, 1954

TYPHLORHININI Kuschel, 1954: 287 [stem: *Typhlorhin-*]. Type genus: *Typhlorhinus* Kuschel, 1954 [syn. of *Hapactorrhynchus* Richard, 1953].

Subfamily HYPERINAE Marseul, 1863 (1848)

HYPERIDAE Marseul, 1863: 224 [stem: *Hyper-*]. Type genus: *Hypera* Germar, 1817.

Comment: use of family-group name conserved over PHYTONOMINAE Gistel, 1848 (Art. 40.2).

Tribe CEPURINI Capiomont, 1867

*HAPLOIDES Lacordaire, 1863: 394 [stem: *Haplopod-*]. Type genus: *Haplopus* Schönherr, 1840 [preoccupied genus name, not *Haplopus* Burmeister, 1838 [Orthoptera]; syn. of *Haplopodus* G. A. K. Marshall, 1946]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Heyne and Taschenberg (1907: 228, as HAPLOPINI) but not generally accepted as valid; HAPLOIDAE was used as valid by Ienistea (1986: 33) but it was not attributed to Lacordaire (1863); Ienistea's name is also unavailable, it was proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1); if found to be available then permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

CÉPURIDES Capiomont, 1867: 438 [stem: *Cepur-*]. Type genus: *Cepurus* Schönherr, 1834. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Csiki (1934: 3, as CEPURINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 189, as CEPURINI).

Tribe HYPERINI Marseul, 1863 (1848)

PHYTONOMIDAE Gistel, 1848: [8] [stem: *Phytonom-*]. Type genus: *Phytonomus* Schönherr, 1823 [syn. of *Hypera* Germar, 1817]. Comment: use of the younger names HYPERINAE/-INI Marseul, 1863 are conserved over this name (Art. 40.2).

HYPERIDAE Marseul, 1863: 224 [stem: *Hyper-*]. Type genus: *Hypera* Germar, 1817. Comment: published 15 June 1863; use of family-group name conserved over PHYTONOMINI Gistel, 1848 (Art. 40.2); this family-group name was also used in the same year by Lacordaire (1863 [before 10 August]: 395, as HYPÉRIDES).

CONIATINA Legalov, 2007: 401 [stem: *Coniat-*]. Type genus: *Coniatus* Germar, 1817.

MACROTARRHUSINA Legalov, 2007: 401 [stem: *Macrotarrh-*]. Type genus: *Macrotarrhus* Bedel, 1906. Comment: incorrect original stem formation, not in prevailing usage.

Subfamily LIXINAE Schönherr, 1823

LIXIDES Schönherr, 1823: column 1146 [stem: *Lix-*]. Type genus: *Lixus* Fabricius, 1801.

Tribe CLEONINI Schönherr, 1826 *nomen protectum*

GEO MORIDES Schönherr, 1823: column 1141 [stem: *Geomor-*]. Type genus: *Geomorus* Schönherr, 1823 [syn. of *Cleonis* Dejean, 1821]. Comment: as pointed out by Alonso-Zarazaga and Lyal (1999: 190) this is the oldest available name for the tribe name, however, it has not been used as valid after 1899 and therefore we treat it here as a *nomen oblitum* (see Appendix 1).

CLEONIDES Schönherr, 1826: 145 [stem: *Cleon-*]. Type genus: *Cleonus* Schönherr, 1826 [syn. of *Cleonis* Dejean, 1821]. Comment: *nomen protectum* (see Appendix 1).

CLEONIDAE Kirby, 1837: 198 [stem: *Cleon-*]. Type genus: *Cleonis* Dejean, 1821.

XEROBIIDAE Gistel, 1856a: 373 [stem: *Xerobi-*]. Type genus: *Xerobia* Gistel, 1856 [syn. of *Cleonis* Dejean, 1821]. Comment: incorrect original stem formation, not in prevailing usage.

*BOTHYNODÉRIDES Chevrolat, 1872: 16 [stem: *Bothynoder-*]. Type genus: *Bothynoderes* sensu Chevrolat, 1872 [not *Bothynoderes* Schönherr, 1823; syn. of *Asproparthenis* Gozis, 1886]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

*CONORHYNCHIDES Chevrolat, 1872: 17 [stem: *Conorhynch-*]. Type genus: *Conorhynchus* Motschulsky, 1860. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form, e.g., Handlirsch (1925: 687 [as CNEORHYNCHIDES; *lapsus calami* for CONORHYNCHIDES [treated as Latin]], but not generally accepted as valid; CONORHYNCHINAE Gill, 1861 (type genus *Conorhynchus* Gill, 1861, unjustified emendation of *Conorynchus* Nozeman, 1758 and junior homonym of *Conorhynchus* Motschulsky, 1860) is available in Pisces; the Pisces family-group name is permanently invalid since it is based on a preoccupied type genus (Art. 39).

*COSSINODÉRIDES Chevrolat, 1872: 18 [stem: *Cossinoder-*]. Type genus: *Cossinoderus* Chevrolat, 1872 [syn. of *Porocleonus* Motschulsky, 1860]. Comment: original vernacular name unavailable (Art. 11.7.2): not subsequently latinized.

EPIRHYNCHINI Petri, 1914: 3, in key [stem: *Epirrhynch-*]. Type genus: *Epirrhynchus* Schönherr, 1823 [as *Epirhynchus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Tribe LIXINI Schönherr, 1823

LIXIDES Schönherr, 1823: column 1146 [stem: *Lix-*]. Type genus: *Lixus* Fabricius, 1801.

*LARINIDEN Suffrian, 1848: 62 [stem: *Larin-*]. Type genus: *Larinus* Germar, 1824 [preoccupied genus name, not *Larinus* Dejean, 1821 [Coleoptera: CURCULIONIDAE: LIXINAE: LIXINI]; syn. of *Larinus* Dejean, 1821]. Comment: original vernacular name unavailable (Art. 11.7.2): subsequently used in latinized form but not generally attributed to Suffrian (1848); if found to be available then permanently invalid (Art. 39): based on preoccupied type genus.

LARINIDAE Gistel, 1848: [7] [stem: *Larin-*]. Type genus: *Larinus* Germar, 1824 [preoccupied genus name, not *Larinus* Dejean, 1821 [Coleoptera: CURCULIONIDAE: LIXINAE: LIXINI]; syn. of *Larinus* Dejean, 1821]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

PHYLLONOMEIDAE Gistel, 1856a: 372 [stem: *Phyllonome-*]. Type genus: *Phyllo nomeus* Gistel, 1856.

LARININI Petri, 1914: 4, in key [stem: *Larin-*]. Type genus: *Larinus* Germar, 1824 [preoccupied genus name, not *Larinus* Dejean, 1821 [Coleoptera: CURCULIONIDAE: LIXINAE: LIXINI]; syn. of *Larinus* Dejean, 1821]. Comment: family-group name proposed as new without reference to LARINIDAE Gistel, 1848; permanently invalid (Art. 39): based on preoccupied type genus.

Tribe RHINOCYLLINI Lacordaire, 1863

RHINOCYLLIDES Lacordaire, 1863: 433 [stem: *Rhinocyll-*]. Type genus: *Rhinocyllus* Germar, 1817. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Faust (1904: 182, as RHINOCYLLINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 193, as RHINOCYLLINI).

Subfamily MESOPTILIINAE Lacordaire, 1863

MÉSOPTILIDES Lacordaire, 1863: 563 [stem: *Mesoptili-*]. Type genus: *Mesoptilius* Labram and Imhoff, 1845.

Tribe CARCILIINI Pierce, 1916

CARCILIINAE Pierce, 1916: 465 [stem: *Carcili-*]. Type genus: *Carcilia* Roelofs, 1874.

Tribe LAEMOSACCINI Lacordaire, 1865

LÉMOSACIDES Lacordaire, 1865: 12 [stem: *Laemosacc-*]. Type genus: *Laemosaccus* Schönherr, 1823. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as LAEMOSACCINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 194, as LAEMOSACCINI); incorrect original stem formation, not in prevailing usage.

Tribe MAGDALIDINI Pascoe, 1870 *nomen protectum*

THAMNOPHILIDES Schönherr, 1823: column 1136 [stem: *Thamnophil-*]. Type genus: *Thamnophilus* Schönherr, 1823 [preoccupied genus name, not *Thamnophilus* Vieillot, 1816 [Aves]; syn. of *Magdalalis* Germar, 1817]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

SCARDAMYCTISIDAE Gistel, 1848: [7] [stem: *Scardamyct-*]. Type genus: *Scardamyctes* Gistel, 1848 [syn. of *Magdalalis* Germar, 1817]. Comment: SCARDAMYCTINI Gistel, 1848 was recently considered a *nomen oblitum* by Colonnelli (2003: 7) however the necessary supporting references were not provided; we hereby consider SCARDAMYCTINI Gistel, 1848 as a *nomen oblitum* (see supporting ref-

erences in Appendix 1); incorrect original stem formation, not in prevailing usage.

MAGDALINIDAE Gistel, 1856a: 371 [stem: *Magdalin-*]. Type genus: *Magdalinus* Germar, 1843 [placed on the Official Index of Rejected and Invalid Generic Names in Zoology by the Commission (ICZN 1955a); syn. of *Magdalitis* Germar, 1817]. Comment: permanently invalid (Art. 39): based on suppressed type genus.

MAGDALINAE Pascoe, 1870b: 436 [stem: *Magdalid-*]. Type genus: *Magdalitis* Germar, 1817 [placed on the Official List of Generic Names in Zoology (ICZN 1955a)]. Comment: *nomen protectum* (see Appendix 1); incorrect original stem formation, not in prevailing usage.

RHININAE Pierce, 1916: 465 [stem: *Rhin-*]. Type genus: *Rhina* Latreille, 1802 [preoccupied genus name, not *Rhina* Schneider, 1801 [Pisces]; syn. of *Panus* Schönherr, 1823]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe MESOPTILIINI Lacordaire, 1863

MÉSOPTILIDES Lacordaire, 1863: 563 [stem: *Mesoptili-*]. Type genus: *Mesoptilius* Labram and Imhoff, 1845. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as MESOPTILINAE [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 193, as MESOPTILIINI); incorrect original stem formation, not in prevailing usage.

CNEMIDOPHORINI Hustache, 1937: 199, in key [stem: *Cnemidophor-*]. Type genus: *Cnemidophorus* Schönherr, 1835 [preoccupied genus name, not *Cnemidophorus* Wagler, 1830 [Reptilia]; syn. of *Cnemidontus* Schenkling, 1935]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

CNEMIDONTINI Kuschel, 1955: 271 [stem: *Cnemidont-*]. Type genus: *Cnemidontus* Schenkling, 1935. Comment: replacement name for CNEMIDOPHORINI Hustache, 1937 because of the homonymy of the type genus.

Subfamily MOLYTINAE Schönherr, 1823

MOLYTIDES Schönherr, 1823: column 1142 [stem: *Molyt-*]. Type genus: *Molytes* Schönherr, 1823 [syn. of *Liparus* A. G. Olivier, 1807].

Tribe ANOPLINI Bedel, 1884

ANOPLINI Bedel, 1884a: 67, in key [stem: *Anopl-*]. Type genus: *Anoplus* Germar, 1820.

Tribe AMALACTINI Lacordaire, 1863

AMALACTIDES Lacordaire, 1863: 506 [stem: *Amalact-*]. Type genus: *Amalactus* Schönherr, 1835. Comment: original vernacular name available (Art. 11.7.2):

first used in latinized form by Pascoe (1870b: 436, as AMALACTINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 196, as AMALACTINI).

Tribe AMINYOPINI Voss, 1956

AMINYOPINI Voss, 1956b: 30, in key [stem: *Aminyop-*]. Type genus: *Aminyops* Voss, 1956.

NIPHADINI Voss, 1963: 5 [stem: *Niphad-*]. Type genus: *Niphades* Pascoe, 1871.

NIPHADONOTHINA Voss, 1965: 344, in key [stem: *Niphadonoth-*]. Type genus: *Niphadonothus* Voss, 1965.

Tribe AMORPHOCERINI Voss, 1939

AMORPHOCERINI Voss, 1939: 65 [stem: *Amorphocer-*]. Type genus: *Amorphocerus* Schönherr, 1826.

Tribe ANCHONINI Imhoff, 1856

ANCHONIDAE Imhoff, 1856: [2] 213 [stem: *Anchon-*]. Type genus: *Anchonus* Schönherr, 1825.

Tribe BRACHYCEROPSEINI Aurivillius, 1926

BRACHYCEROPSEINAE Aurivillius, 1926b: 2 [stem: *Brachyceropse-*]. Type genus: *Brachyceropsis* Aurivillius, 1926. Comment: Alonso-Zarazaga and Lyal (2002: 18) incorrectly changed their previous opinion in Alonso-Zarazaga and Lyal (1999: 103) regarding the correct stem based on this genus name, the correct stem is *Brachyceropse-*.

Tribe CHOLINI Schönherr, 1825

CHOLIDES Schönherr, 1825: column 584 [stem: *Chol-*]. Type genus: *Cholus* Germar, 1824 [placed on the Official List of Generic Names in Zoology (ICZN 1987d)].

Subtribe CHOLINA Schönherr, 1825

CHOLIDES Schönherr, 1825: column 584 [stem: *Chol-*]. Type genus: *Cholus* Germar, 1824 [placed on the Official List of Generic Names in Zoology (ICZN 1987d)].

AMERININAE Pierce, 1919: 30, in key [stem: *Amerin-*]. Type genus: *Ameris* Dejean, 1821.

Subtribe CHOLOMINA Vaurie, 1974

CHOLOMINI Vaurie, 1974: 4 [stem: *Cholom-*]. Type genus: *Cholomus* Roelofs, 1880.

Subtribe RHINASTINA Vaurie, 1973

RHINASTINI Vaurie, 1973: 4, in key [stem: *Rhinast-*]. Type genus: *Rhinastus* Schönherr, 1825.

Tribe CLEOGONINI Gistel, 1848

CLEOGONIDAE Gistel, 1848: [7] [stem: *Cleogon-*]. Type genus: *Cleogonus* Schönherr, 1825.

Tribe CONOTRACHELINI Jekel, 1865

CONOTRACHELIDES Jekel, 1865: 550 [stem: *Conotrachel-*]. Type genus: *Conotrachelus* Dejean, 1835.

ECHINASPINI Blatchley, 1922: 121 [stem: *Echinaspid-*]. Type genus: *Echinaspis* Blatchley, 1922 [preoccupied genus name, not *Echinaspis* Haeckel, 1881 [Prostista]; syn. of *Microhyus* J. L. LeConte, 1876]. Comment: permanently invalid (Art. 39): based on preoccupied type genus; incorrect original stem formation, not in prevailing usage.

Tribe CYCLOTERINI Lacordaire, 1863

CYCLOTÉRIDES Lacordaire, 1863: 365 [stem: *Cycloster-*]. Type genus: *Cyclosteres* Schönherr, 1843.

Subtribe CYCLOTERINA Lacordaire, 1863

CYCLOTÉRIDES Lacordaire, 1863: 365 [stem: *Cycloster-*]. Type genus: *Cyclosteres* Schönherr, 1843. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 228, as CYCLOTERINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 200, as CYCLOTERINI).

Subtribe THROMBOSTERNINA Voss, 1965

THROMBOSTERNINA Voss, 1965: 344, in key [stem: *Thrombostern-*]. Type genus: *Thrombosternus* G. A. K. Marshall, 1955.

Tribe DINOMORPHINI Lacordaire, 1863

DINOMORPHIDES Lacordaire, 1863: 291 [stem: *Dinomorph-*]. Type genus: *Dinomorphus* Perty, 1832. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as DINOMORPHINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 201, as DINOMORPHINI).

Tribe EMPHYASTINI Lacordaire, 1863

EMPHIASTIDES Lacordaire, 1863: 510 [stem: *Emphyast-*]. Type genus: *Emphyastes* Mannerheim, 1852 [as *Emphiastes*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by J. L. LeConte (1876: 137, as EMPHYASTINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 143, as EMPHYASTINA); incorrect original stem formation, not in prevailing usage.

PHYCOCOETES J. L. LeConte, 1876: 189 [stem: *Phycocoet-*]. Type genus: *Phycocoetes* J. L. LeConte, 1876 [preoccupied genus name, not *Phycocoetes* Agassiz, 1846 [Pisces]; syn. of *Thalasselephas* Egorov and Korotyaev, 1976]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

THALASSELEPHANTINI Alonso-Zarazaga and Lyal, 1999: 208 [stem: *Thalasselephant-*]. Type genus: *Thalasselephas* Egorov and Korotyaev, 1976. Comment: replacement name for PHYCOCOETINI J. L. LeConte, 1876 because of the homonymy of the type genus.

Tribe EUDERINI Lacordaire, 1865

EUDÉRIDES Lacordaire, 1865: 18 [stem: *Euder-*]. Type genus: *Euderes* Schönherr, 1825. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as EUDERINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 201, as EUDERINI); the junior homonym EUDERINI Erdös, 1956 (type genus *Euderus* Haliday, 1844) is available in Hymenoptera: EULOPHIDAE; the name ENTIINAE Hedqvist, 1974 is now used as valid in Hymenoptera instead of EUDERINI Erdös, 1956 (see Hansson and Straka 2009: 272).

Tribe GALLOSIINI Morimoto, 1962

GALLOSIINAE Morimoto, 1962b: 375 [stem: *Galloisi-*]. Type genus: *Galloisia* Hustache, 1920.

Tribe GUIOPERINI Lacordaire, 1865

GUIOPÉRIDES Lacordaire, 1865: 78 [stem: *Guiper-*]. Type genus: *Guiperus* Perty, 1832. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 232, as GUIOPERINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 201, as GUIOPERINI).

Tribe HYLOBIINI Kirby, 1837

HYLOBIDAE Kirby, 1837: 196 [stem: *Hylobi-*]. Type genus: *Hylobius* Germar, 1817.

Subtribe EPISTROPHINA Marshall, 1932

EPISTROPHINA G. A. K. Marshall, 1932: 346, in key [stem: *Epistroph-*]. Type genus: *Epistrophus* Kirsch, 1868 [preoccupied genus name, not *Epistrophus* Gistel, 1834 [Coleoptera: ELATERIDAE]; *Epistrophus* Kirsch, 1868 is currently considered a valid genus name]. Comment: as pointed out by Alonso-Zarazaga and Lyal (1999: 202) this family-group name should be treated as permanently invalid (Art. 39) because it is based on a preoccupied type genus, however, an application will be submitted by MAAZ and CHCL to the Commission for the conservation of the genus *Epistrophus* Kirsch, 1868 over its unused senior homonym; meanwhile current usage is maintained.

Subtribe HYLOBIINA Kirby, 1837

- HYLOBIDAE Kirby, 1837: 196 [stem: *Hylobi-*]. Type genus: *Hylobius* Germar, 1817. Comment: incorrect original stem formation, not in prevailing usage.
- HEILIPINAE Faust, 1892b: 202, in key [stem: *Heilipod-*]. Type genus: *Heilipus* Germar, 1824. Comment: incorrect original stem formation, not in prevailing usage.
- SYPHORBINA G. A. K. Marshall, 1932: 346, in key [stem: *Syphorb-*]. Type genus: *Syphorus* Pascoe, 1881.

Tribe ITHYPORINI Lacordaire, 1865

- ITHYPORIDES Lacordaire, 1865: 50 [stem: *Ithypor-*]. Type genus: *Ithyporus* Schönherr, 1836. Comment: precedence (ITHYPORINI Lacordaire, 1865 vs SCLERO-CARDIINI Lacordaire, 1865) given to taxon originally proposed at the higher rank (Art. 24.1).

Subtribe COLOBODINA Voss, 1958

- COLOBODINI Voss, 1958: 50, in key [stem: *Colobod-*]. Type genus: *Colobodes* Schönherr, 1837.

Subtribe ITHYPORINA Lacordaire, 1865

- ITHYPORIDES Lacordaire, 1865: 50 [stem: *Ithypor-*]. Type genus: *Ithyporus* Schönherr, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Kirsch (1870: 192, as ITHYPORIDAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 203, as ITHYPORINI).

Subtribe SCLEROCARDIINA Lacordaire, 1865

- SCLÉROCARDIIDES Lacordaire, 1865: 317 [stem: *Sclerocardi-*]. Type genus: *Sclerocardius* Schönherr, 1847. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 233, as SCLEROCARDINI [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 204, as SCLEROCARDIINA).

Tribe ITINI Reitter, 1913

- ITINI Reitter, 1913b: 58, in key [stem: *It-*]. Type genus: *Ita* Tournier, 1878.

Tribe JUANORHININI Aurivillius, 1931

- JUANORHININI Aurivillius, 1931: 465 [stem: *Juanorhin-*]. Type genus: *Juanorhinus* Aurivillius, 1926.

Tribe LEPRYRINI Kirby, 1837

- LEPYRIDAE Kirby, 1837: 197 [stem: *Lepyr-*]. Type genus: *Lepyrus* Germar, 1817.

Tribe LITHININI Lacordaire, 1863

LITHINIDES Lacordaire, 1863: 349 [stem: *Lithin-*]. Type genus: *Lithinus* Klug, 1833.

Subtribe LITHININA Lacordaire, 1863

LITHINIDES Lacordaire, 1863: 349 [stem: *Lithin-*]. Type genus: *Lithinus* Klug, 1833. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as LITHININAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 204, as LITHININI).

Subtribe RHYTIDOPHLOEINA Voss, 1963

RHYTIDOPHLOEINI Voss, 1963: 3 [stem: *Rhytidophloe-*]. Type genus: *Rhytidophloeus* Schönherr, 1842.

Tribe LYMANTINI Lacordaire, 1865

LYMANTIDES Lacordaire, 1865: 328 [stem: *Lymant-*]. Type genus: *Lymantes* Schönherr, 1837. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 234, as LYMANTINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 205, as LYMANTINI).

ITHAURINAE Kuschel, 1959b: 509 [stem: *Ithaur-*]. Type genus: *Ithaura* Pascoe, 1871.

CAECOSSONINA Osella, 1980: 369 [stem: *Caecosson-*]. Type genus: *Caecossonus* Gilbert, 1955.

Tribe MECYSLOBINI Reitter, 1913

ALCIDIDES Jekel, 1865: 547 [stem: *Alcid-*]. Type genus: *Alcides* Schönherr, 1825 [preoccupied genus name, not *Alcides* Hübner, 1822 [Lepidoptera]; syn. of *Sternuchopsis* Heller, 1918]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

MECYSLOBINI Reitter, 1913b: 33, in key [stem: *Mecyslob-*]. Type genus: *Mecyslobus* Reitter, 1905 [as *Mecyslobus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

ALCIDODINAE G. A. K. Marshall, 1939: 582 [stem: *Alcidod-*]. Type genus: *Alcidodes* G. A. K. Marshall, 1939 [syn. of *Sternuchopsis* Heller, 1918]. Comment: replacement name for ALCIDINAE Jekel, 1865 because of the homonymy of the type genus.

Tribe METATYGINI Pascoe, 1888

METATYGINAE Pascoe, 1888: 409 [stem: *Metatyg-*]. Type genus: *Metatyges* Pascoe, 1865 [syn. of *Omophorus* Schönherr, 1835].

OMOPHORINAE G. A. K. Marshall, 1917: 195 [stem: *Omophor-*]. Type genus: *Omophorus* Schönherr, 1835.

METATYGINAE Pierce, 1919: 30, in key [stem: *Metatyg-*]. Type genus: *Metatyges* Pascoe, 1865 [syn. of *Omophorus* Schönherr, 1835]. Comment: family-group name proposed as new without reference to METATYGINAE Pascoe, 1888.

STERNECHOSOMINI Voss, 1958: 43, in key [stem: *Sternechosom-*]. Type genus: *Sternechosomus* Voss, 1958.

Tribe MOLYTINI Schönherr, 1823

MOLYTIDES Schönherr, 1823: column 1142 [stem: *Molyt-*]. Type genus: *Molytes* Schönherr, 1823 [syn. of *Liparus* A. G. Olivier, 1807].

Subtribe LEIOSOMATINA Reitter, 1913

LEIOSOMINA Reitter, 1913b: 52, in key [stem: *Leiosomat-*]. Type genus: *Leiosoma* Stephens, 1829 [as *Liosoma*, unjustified emendation of type genus name by Agassiz (1846b: 204), not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage.

Subtribe MOLYTINA Schönherr, 1823

MOLYTIDES Schönherr, 1823: column 1142 [stem: *Molyt-*]. Type genus: *Molytes* Schönherr, 1823 [syn. of *Liparus* A. G. Olivier, 1807].

LIPARIDES Latreille, 1828: 597 [stem: *Lipar-*]. Type genus: *Liparus* A. G. Olivier, 1807.

Subtribe PLINTHINA Lacordaire, 1863

PLINTHIDES Lacordaire, 1863: 359 [stem: *Plinth-*]. Type genus: *Plinthus* sensu Westwood, 1838 [not *Plinthus* Germar, 1817; syn. of *Mitoplinthus* Reitter, 1897 but see Alonso-Zarazaga and Lyal (2010) and Appendix 6]. Comment: based on a misidentified type genus; an application was recently submitted to the Commission by Alonso-Zarazaga and Lyal (2010) to keep the name PLINTHINA in its usual sense, with *Plinthus* Germar, 1817 as its type genus (see Appendix 6).

MINYOPIDAE Marseul, 1863: 221 [stem: *Minyop-*]. Type genus: *Minyops* Schönherr, 1823.

Subtribe TYPODERINA Voss, 1965

TYPODERINA Voss, 1965: 343, in key [stem: *Typoder-*]. Type genus: *Typoderus* G. A. K. Marshall, 1953.

Tribe NETTARHININI Lacordaire, 1865

NETTARHINIDES Lacordaire, 1865: 76 [stem: *Nettarhin-*]. Type genus: *Nettarhinus* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2); first used in latinized form by Hustache (1936: 62, as NETTARHININA), generally accepted as in Alonso-Zarazaga and Lyal (1999: 206, as NETTARHININI).

Tribe PACHOLENINI Lacordaire, 1863

PACHOLÉNIDES Lacordaire, 1863: 443 [stem: *Pacholen-*]. Type genus: *Pacholenus* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Heyne and Taschenberg (1907: 229, as PACHOLENINI), generally accepted as in Alonso-Zarazaga and Lyal (1999: 206, as PACHOLENINI).

Tribe PAIPALESOMINI Marshall, 1932

PAIPALESOMINI G. A. K. Marshall, 1932: 345, in key [stem: *Paipalesom-*]. Type genus: *Paipalesomus* Schönherr, 1847 [syn. of *Peribleptus* Schönherr, 1843].

Tribe PETALOCHILINI Lacordaire, 1863

PÉTALOCHILIDES Lacordaire, 1863: 517 [stem: *Petalochil-*]. Type genus: *Petalochilus* Schönherr, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as PETALOCHILINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 206, as PETALOCHILINI).

ÉPIPEDIDES Lacordaire, 1865: 186 [stem: *Epiped-*]. Type genus: *Epipedus* Schönherr, 1842 [preoccupied genus name, not *Epipedus* Spinola, 1837 [Hemiptera]; syn. of *Epipedophyes* G. A. K. Marshall, 1946]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Pascoe (1870b: 437, as EPIPEDINAE); permanently invalid (Art. 39): based on preoccupied type genus.

HORMOPINI J. L. LeConte, 1876: 320 [stem: *Hormop-*]. Type genus: *Hormops* J. L. LeConte, 1876.

SCHOENHERRIELLINAE Viana, 1952: 231 [stem: *Schoenherriell-*]. Type genus: *Schoenherriella* Viana, 1952 [syn. of *Epipedophyes* G. A. K. Marshall, 1946]. Comment: replacement name for EPIPEDIDES Lacordaire, 1865 because of the homonymy of the type genus.

EPIPEDOPHYINAE Kuschel, 1955: 270 [stem: *Epipedophy-*]. Type genus: *Epipedophyes* G. A. K. Marshall, 1946. Comment: replacement name for EPIPEDIDES Lacordaire, 1865 because of the homonymy of the type genus.

Tribe PHENICOBATINI Champion, 1914

PHENICOBATINA Champion, 1914: 416 [stem: *Phenicobat-*]. Type genus: *Phoenicobates* Champion, 1914.

Tribe PHRYNIXINI Kuschel, 1964

PHRYNIXINAE Kuschel, 1964: 472 [stem: *Phrynx-*]. Type genus: *Phrynxus* Pascoe, 1875.

Tribe PISSODINI Gistel, 1848

PISSODISIDAE Gistel, 1848: [7] [stem: *Pissod-*]. Type genus: *Pissodes* Germar, 1817.

Subtribe COTASTEROMIMINA Morimoto, 1962

COTASTEROMIMINI Morimoto, 1962a: 61, in key [stem: *Cotasteromim-*]. Type genus: *Cotasteromimus* Chûjô and Voss, 1960.

Subtribe ORTHORHININA Jekel, 1865

ORTHORHINIDES Jekel, 1865: 548 [stem: *Orthorhin-*]. Type genus: *Orthorhinus* Schönherr, 1825.

Subtribe PISSODINA Gistel, 1848

PISSODISIDAE Gistel, 1848: [7] [stem: *Pissod-*]. Type genus: *Pissodes* Germar, 1817. Comment: incorrect original stem formation, not in prevailing usage.

ANGIANIDES Sharp, 1919b: 151 [stem: *Angian-*]. Type genus: *Angianus* Sharp, 1919 [syn. of *Vanapa* Pouillaude, 1915].

Tribe STERNECHINI Lacordaire, 1863

STERNÉCHIDES Lacordaire, 1863: 447 [stem: *Sternech-*]. Type genus: *Sternechus* Schönherr, 1826. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Champion (1902: 113, as STERNECHINA), generally accepted as in Alonso-Zarazaga and Lyal (1999: 208, as STERNECHINI).

Tribe STYANACINI Chûjô and Voss, 1960

STYANACINAE Chûjô and Voss, 1960: 2 [stem: *Styanac-*]. Type genus: *Styanax* Pascoe, 1871.

Tribe TRACHODINI Gistel, 1848

TRACHODISIDAE Gistel, 1848: [7] [stem: *Trachod-*]. Type genus: *Trachodes* Germar, 1824. Comment: incorrect original stem formation, not in prevailing usage.

BLASTOPHILADAE Gistel, 1856a: 370 [stem: *Blastophil-*]. Type genus: *Blastophila* Gistel, 1856 [syn. of *Trachodes* Germar, 1824]. Comment: incorrect original stem formation, not in prevailing usage.

ACICNÉMIDES Lacordaire, 1865: 31 [stem: *Acicnemid-*]. Type genus: *Acicnemis* Fairmaire, 1849. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Klima (1935: Acic. 1, as ACICNEMIDINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 196, as ACICNEMIDINI); incorrect original stem formation, not in prevailing usage.

Tribe TRIGONOCOLINI Lacordaire, 1863

TRIGONOCOLIDAE Lacordaire, 1863: 592 [stem: *Trigonocol-*]. Type genus: *Trigonocolus* Lacordaire, 1863. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 436, as TRIGONOCOLINAE), generally accepted as in Alonso-Zarazaga and Lyal (1999: 208, as TRIGONOCOLINI).

MEGARHININAE Faust, 1888: 284 [stem: *Megarhin-*]. Type genus: *Megarhinus* Schönherr, 1835 [preoccupied genus name, not *Megarhinus* Rafinesque, 1820 [Pisces]; syn. of *Trigonocolus* Lacordaire, 1863]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

Tribe TRYPETIDINI Lacordaire, 1865

TRYPÉTIDES Lacordaire, 1865: 177 [stem: *Trypetid-*]. Type genus: *Trypetes* Schönherr, 1836 [placed on the Official List of Generic Names in Zoology (ICZN 1974a)]. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Pascoe (1870b: 437, as TRYPETINAE [incorrect stem formation]), generally accepted as in Alonso-Zarazaga and Lyal (1999: 209, as TRYPETIDINI); incorrect original stem formation, not in prevailing usage; stem based on *Trypetes* Schönherr, 1836 ruled to be *Trypetid-* and TRYPETIDINAE placed on the Official List of Family-Group Names in Zoology (ICZN 1974a, as TRYPETIDINAE Pierce, 1919).

TRYPETESIDAE Heller, 1916: 348, in note [stem: *Trypetes*-]. Type genus: *Trypetes* Schönherr, 1836 [placed on the Official List of Generic Names in Zoology (ICZN 1974a)]. Comment: emendation for TRYPETIDAE Lacordaire, 1865 to avoid homonymy with TRYPETIDAE Loew, 1861 (type genus *Trypeta* Meigen, 1803) in Diptera; corrected spelling not adopted since it creates homonymy problem with TRYPETESIDAE Stebbing, 1910 (type genus *Trypetesa* Norman, 1903) in Crustacea.

Subfamily OROBITIDINAE Thomson, 1859

OROBITINA C. G. Thomson, 1859: 138 [stem: *Orobitid-*]. Type genus: *Orobitis* Germar, 1817. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Alonso-Zarazaga and Lyal (1999: 210).

Subfamily XIPHASPIDINAE Marshall, 1920

XIPHASPIDINAE G. A. K. Marshall, 1920: 393 [stem: *Xiphaspid-*]. Type genus: *Xiphaspis* G. A. K. Marshall, 1920.

Subfamily SCOLYTINAE Latreille, 1804

SCOLITARI Latreille, 1804c: 156 [stem: *Scolyt-*]. Type genus: *Scolytus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1963b)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1963b, as SCOLYTIDAE Westwood, 1838).

Tribe AMPHISCOLYTINI Mandelshtam and Beaver, 2003

AMPHISCOLYTINI Mandelshtam and Beaver, 2003: 2 [stem: *Amphiscolyt-*]. Type genus: *Amphiscolytus* Mandelshtam and Beaver, 2003.

Tribe BOTHROSTERNINI Blandford, 1896

BOTHROSTERNINI Blandford, 1896: 120 [stem: *Bothrostern-*]. Type genus: *Bothrosternus* Eichhoff, 1868.

Tribe CACTOPININI Chamberlin, 1939

CACTOPINAE Chamberlin, 1939: 243 [stem: *Cactopin-*]. Type genus: *Cactopinus* Schwartz, 1899. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Wood (1978: 113).

Tribe CARPHODICTICINI Wood, 1971

CARPHODICTICINI Wood, 1971: 19 [stem: *Carphodictic-*]. Type genus: *Carphodicetus* Wood, 1971.

Tribe COPTONOTINI Chapuis, 1869

COPTONOTIDAE Chapuis, 1869: 11 [stem: *Coptonot-*]. Type genus: *Coptonotus* Chapuis, 1869.

Tribe CORTHYLINI LeConte, 1876

CORTHYLI J. L. LeConte, 1876: 347 [stem: *Corthylyl-*]. Type genus: *Corthylus* Erichson, 1836.

Subtribe CORTHYLINA LeConte, 1876

CORTHYLI J. L. LeConte, 1876: 347 [stem: *Corthylyl-*]. Type genus: *Corthylus* Erichson, 1836.

AMPHICRANIDAE Eichhoff, 1878: 460 [stem: *Amphicran-*]. Type genus: *Amphicranus* Erichson, 1836.

XYLEBORIPINA Reitter, 1913c: 102 [stem: *Xyleborip-*]. Type genus: *Xyleborips* Reitter, 1913. Comment: incorrectly spelled XYLOBORIPINA on page 31 of the same work.

GNATHOTRICHINA Balachowsky, 1949: 241 [stem: *Gnathotrich-*]. Type genus: *Gnathotrichus* Eichhoff, 1869.

Subtribe PITYOPHTHORINA Eichhoff, 1878

PITYOPHTHORIDAE Eichhoff, 1878: 173 [stem: *Pityophthor-*]. Type genus: *Pityophthorus* Eichhoff, 1864. Comment: First Revisers found (PITYOPHTHORINA Eichhoff, 1878 vs ARAPTINA Eichhoff, 1878) are Wood and Bright (1992: 949).

ARAPTIDAE Eichhoff, 1878: 305 [stem: *Anapt-*]. Type genus: *Anaptus* Eichhoff, 1872.

Tribe CRYPHALINI Lindemann, 1877

CRYPHALOIDEAE Lindemann, 1877: 165 [stem: *Cryphal-*]. Type genus: *Cryphalus* Erichson, 1836.

TRYPOPHLOEINAE Nüsslin, 1911: 375 [stem: *Trypophloe-*]. Type genus: *Trypophloeus* Fairmaire, 1868.

ERNOPORINAE Nüsslin, 1911: 375 [stem: *Ernopor-*]. Type genus: *Ernoporus* C. G. Thomson, 1859.

***EIDOPHERINAE** Murayama, 1954: 200 [stem: *Eidophel-*]. Type genus: *Eidophelus* Eichhoff, 1875. Comment: unavailable (Art. 13.1): proposed after 1930 without description or bibliographic reference to such a description; incorrect original stem formation, not in prevailing usage; correction of stem by Wood (1978: 114).

Tribe CRYPTURGINI LeConte, 1876

CRYPTURGI J. L. LeConte, 1876: 387 [stem: *Crypturg-*]. Type genus: *Crypturgus* Erichson, 1836.

†Tribe CYLINDROBROTINI Kirejtshuk, Azar, Beaver, Mandelshtam and Nel, 2009

CYLINDROBROTINI Kirejtshuk et al., 2009: 103 [stem: *Cylindrobrot-*]. Type genus: *Cylindrobrotus* Kirejtshuk et al., 2009.

Tribe DIAMERINI Hagedorn, 1909

DIAMERINAE Hagedorn, 1909: 163 [stem: *Diamer-*]. Type genus: *Diamerus* Erichson, 1836.

STROMBOPHORINI Schedl, 1959: 16 [stem: *Strombophor-*]. Type genus: *Strombophorus* Hagedorn, 1909. Comment: name proposed after 1930 without description or bibliographic reference to such a description (Art. 13.1), however available because it was used as valid before 2000 as in Ferreira (1966: 664, as STROMBOPHORINI) and was not rejected by an author who, between 1961 and 1999, applied Article 13 of the then current edition of the Code (see Art. 13.2.1).

SPHAEROTRYPINI Murayama, 1963: 66 [stem: *Sphaerotryp-*]. Type genus: *Sphaerotrypes* Blandford, 1894.

Tribe DRYOCOETINI Lindemann, 1877

DRYOCOETOIDEAE Lindemann, 1877: 165 [stem: *Dryocoet-*]. Type genus: *Dryocoetes* Eichhoff, 1864 [placed on the Official List of Generic Names in Zoology (ICZN 1979b)].

THAMNURGINAE Nüsslin, 1911: 377 [stem: *Thamnurg-*]. Type genus: *Thamnurgus* Eichhoff, 1864.

TAPHRORYCHINI Reitter, 1913c: 29 [stem: *Taphrorych-*]. Type genus: *Taphrorychus* Eichhoff, 1878.

Tribe HEXACOLINI Eichhoff, 1878

CTENOPHORIDAE Chapuis, 1869: 49 [stem: *Ctenophor-*]. Type genus: *Ctenophorus* Chapuis, 1869 [preoccupied genus name, not *Ctenophorus* Fitzinger, 1843 [Reptilia]; syn. of *Scolytodes* Ferrari, 1867]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

HEXACOLIDAE Eichhoff, 1878: 306 [stem: *Hexacol-*]. Type genus: *Hexacolus* Eichhoff, 1868. Comment: First Revisers found (PROBLECHILINI Eichhoff, 1878 vs HEXACOLINI Eichhoff, 1878) are Alonso-Zarazaga and Lyal (2009: 58).

PROBLECHILIDAE Eichhoff, 1878: 167 [stem: *Problechil-*]. Type genus: *Problechilus* Eichhoff, 1878.

ERINEOPHILIDES Hopkins, 1902: 37 [stem: *Erineophil-*]. Type genus: *Erineophilus* Hopkins, 1902.

Tribe HYLASTINI LeConte, 1876

HYLASTERES J. L. LeConte, 1876: 387 [stem: *Hylast-*]. Type genus: *Hylastes* Erichson, 1836.

HYLURGOPINA Balachowsky, 1949: 122 [stem: *Hylurgop-*]. Type genus: *Hylurgops* J. L. LeConte, 1876.

Tribe HYLESININI Erichson, 1836

HYLESINEN Erichson, 1836: 46 [stem: *Hylesin-*]. Type genus: *Hylesinus* Fabricius, 1801. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form by Shuckard (1839b: 63, as HYLESINIDAE), generally accepted as in Alonso-Zarazaga and Lyal (2009: 63, as HYLESININI); incorrect original stem formation, not in prevailing usage.

PHLOEOTRUPIDES Lacordaire, 1865: 370 [stem: *Phloeotrup-*]. Type genus: *Phloeotrupes* Erichson, 1836. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Chapuis (1869: 11, as PHLOEOTRUPIDAE).

PHLOEOBORI Blandford, 1893: 426 [stem: *Phloeobor-*]. Type genus: *Phloeoborus* Erichson, 1836.

DACTYLIPALPI Blandford, 1893: 426 [stem: *Dactylipalp-*]. Type genus: *Dactylipalpus* Chapuis, 1869.

ALNIPHAGINI Murayama, 1963: 29 [stem: *Alniphag-*]. Type genus: *Alniphagus* Swaine, 1918.

Tribe HYLURGINI Gistel, 1848

HYLURGIDAE Gistel, 1848: [6] [stem: *Hylurg-*]. Type genus: *Hylurgus* Latreille, 1806. Comment: status resurrected by Alonso-Zarazaga and Lyal (2009: 69).

DENDROCTONIDES Nüsslin, 1912: 278 [stem: *Dendrocton-*]. Type genus: *Dendroctonus* Erichson, 1836 [placed on the Official List of Generic Names in Zoology (ICZN 1963a)].

XYLECHINIDES Nüsslin, 1912: 281 [stem: *Xylechin-*]. Type genus: *Xylechinus* Chapuis, 1869.

TOMICINI Wood, 1978: 118, in key [stem: *Tomic-*]. Type genus: *Tomicus* Latreille, 1802 [placed on the Official List of Generic Names in Zoology (ICZN 1963a)].

Comment: the older name TOMICIDAE Shuckard, 1839 was based on misidentified type genus (see Alonso-Zarazaga and Lyal 2009); an application will be submitted by MAAZ and CHCL to the Commission to suppress TOMICIDAE Shuckard, 1839 for the Principles of Priority and Homonymy (Art. 65.2.1).

Tribe HYORRHYNCHINI Hopkins, 1915

HYORRHYNCHINAE Hopkins, 1915: 225, in key [stem: *Hyorrhynch-*]. Type genus: *Hyorrhynchus* Blandford, 1894.

*SUEINAE Murayama, 1959: 26 [stem: *Sue-*]. Type genus: *Sueus* Murayama, 1951.

Comment: unavailable (Art. 13.1): proposed after 1930 without description or bibliographic reference to such a description.

HYORRHYNCHINI Murayama, 1963: 62 [stem: *Hyorrhynch-*]. Type genus: *Hyorrhynchus* Blandford, 1894. Comment: family-group name proposed as new without reference to HYORRHYNCHINAE Hopkins, 1915.

SUEINAE Murayama, 1963: 4 [stem: *Sue-*]. Type genus: *Sueus* Murayama, 1951.

Tribe HYPOBORINI Nüsslin, 1911

HYPOBORINAE Nüsslin, 1911: 376 [stem: *Hypobor-*]. Type genus: *Hypoborus* Erichson, 1836.

CHAETOPHLOEINI Schedl, 1966: 361 [stem: *Chaetophloe-*]. Type genus: *Chaetophloeus* J. L. LeConte, 1876.

Tribe IPINI Bedel, 1888

TOMICIDAE Shuckard, 1839b: 64 [stem: *Tomic-*]. Type genus: *Tomicus* sensu Shuckard, 1839 [not *Tomicus* Latreille, 1802; syn. of *Ips* DeGeer, 1775]. Comment: based on a misidentified type genus (see Alonso-Zarazaga and Lyal 2009); see also TOMICINI Wood, 1978; an application will be submitted by MAAZ and CHCL to the Commission to suppress TOMICIDAE Shuckard, 1839 for the Principles of Priority and Homonymy (Art. 65.2.1).

IPINI Bedel, 1888: 386 [stem: *Ip-*]. Type genus: *Ips* DeGeer, 1775. Comment: an application needs to be submitted to the Commission to suppress IPINI Latreille, 1802 (based on the misidentified type genus *Ips* sensu Latreille, 1802) for the Principles of Priority and Homonymy (Art. 65.2.1) to conserve this name as valid.

PITYOGENINA Balachowsky, 1949: 244 [stem: *Pityogen-*]. Type genus: *Pityogenes* Bedel, 1888.

Tribe MICRACIDINI LeConte, 1876

MICRACIDES J. L. LeConte, 1876: 367 [stem: *Micracid-*]. Type genus: *Micracis* J. L. LeConte, 1868. Comment: incorrect original stem formation, not in prevailing usage; stem corrected by Alonso-Zarazaga and Lyal (2009: 81).

HYLOCURIDAE Eichhoff, 1878: 298 [stem: *Hylocur-*]. Type genus: *Hylocurus* Eichhoff, 1872.

Tribe PHLOEOSININI Nüsslin, 1912

PHLOEOSINIDES Nüsslin, 1912: 289 [stem: *Phloeosin-*]. Type genus: *Phloeosinus* Chapuis, 1869 [placed on the Official List of Generic Names in Zoology (ICZN 1981a)].

*DENDROSININI Nunberg, 1967: 314 [stem: *Dendrosin-*]. Type genus: *Dendrosinus* Chapuis, 1869. Comment: unavailable (Art. 13.1): proposed after 1930 without description or bibliographic reference to such a description.

Tribe PHLOEOTRIBINI Chapuis, 1869

PHLOEOTRIBIDAE Chapuis, 1869: 42 [stem: *Phloeotrib-*]. Type genus: *Phloeotribus* Latreille, 1797 [placed on the Official List of Generic Names in Zoology (ICZN 1979a)].

PHTHOROPHLOEIDES Nüsslin, 1912: 289 [stem: *Phthorophloe-*]. Type genus: *Phthorophloeus* Rey, 1885.

Tribe PHRIXOSOMATINI Wood, 1978

PHRIXOSOMINI Wood, 1978: 118, in key [stem: *Phrixosomat-*]. Type genus: *Phrixosoma* Blandford, 1897. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Alonso-Zarazaga and Lyal (2009: 91).

Tribe POLYGRAPHINI Chapuis, 1869

POLYGRAPHIDAE Chapuis, 1869: 48 [stem: *Polygraph-*]. Type genus: *Polygraphus* Erichson, 1836.

CARPHOBORINAE Nüsslin, 1911: 376 [stem: *Carphobor-*]. Type genus: *Carphoborus* Eichhoff, 1864.

Tribe PREMNOBIINI Browne, 1962

PREMNOBIINI Browne, 1962: 80 [stem: *Premnobi-*]. Type genus: *Premnobius* Eichhoff, 1878. Comment: family-group name available (Art. 13.1.2): description by indication (distinguishing characters given in Browne (1961)).

Tribe SCOLYTINI Latreille, 1804

SCOLITARIIDAE Latreille, 1804c: 156 [stem: *Scolyt-*]. Type genus: *Scolytus* Geoffroy, 1762 [placed on the Official List of Generic Names in Zoology (ICZN 1963b)]. Comment: name placed on the Official List of Family-Group Names in Zoology (ICZN 1963b, as SCOLYTIDAE Westwood, 1838); incorrect original stem formation, not in prevailing usage.

ECCOPTOGASTRIDAE Gistel, 1848: [6] [stem: *Eccoptogastr-*]. Type genus: *Ekkoptogaster* Herbst, 1793 [as *Eccoptogaster*, incorrect subsequent spelling of type genus name by Gyllenhal (1813), not in prevailing usage; *Ekkoptogaster* Herbst, 1793 and *Eccoptogaster* Erichson, 1836 placed on the Official Index of Rejected and Invalid Genus-Group Names in Zoology (ICZN 1963b); syn. of *Scolytus* Geoffroy, 1762]. Comment: permanently invalid (Art. 39): based on suppressed type genus; ECCOPTOGASTERINAE Trédl, 1907 and ECCOPTOGASTERINAE Reitter, 1906 placed on the Index of Rejected and Invalid Family-Group names in Zoology (ICZN 1963b).

CAMPTOCÉRIDES Lacordaire, 1865: 366 [stem: *Camptocer-*]. Type genus: *Camptocerus* Dejean, 1821. Comment: original vernacular name available (Art. 11.7.2): first used in latinized form and generally accepted as in Chapuis (1869: 49, as CAMPTOCERIDAE).

MINULINI Reitter, 1913c: 12 [stem: *Minul-*]. Type genus: *Minulus* Eggers, 1912.

Tribe SCOLYTOPLATYPODINI Blandford, 1893

SCOLYTOPLATYPINI Blandford, 1893: 428 [stem: *Scolytoplatypod-*]. Type genus: *Scolytoplatypus* C. Schaufuss, 1891. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Blandford (1895: 84).

TAENIOCERINI Blandford, 1893: 428 [stem: *Taeniocer-*]. Type genus: *Taeniocerus* Blandford, 1893 [preoccupied genus name, not *Taeniocerus* Kaup, 1871 [Coleoptera: PASSALIDAE]; syn. of *Scolytoplatypus* C. Schaufuss, 1891]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

SPONGOCERINAE Hagedorn, 1909: 163 [stem: *Spongocer-*]. Type genus: *Spongocerus* Blandford, 1893.

Tribe XYLEBORINI LeConte, 1876

XYLEBORI J. L. LeConte, 1876: 358 [stem: *Xylebor-*]. Type genus: *Xyleborus* Eichhoff, 1864 [placed on the Official List of Generic Names in Zoology (ICZN 1968a)].

WEBBINAЕ Hopkins, 1915: 224, in key [stem: *Webbi-*]. Type genus: *Webbia* Hopkins, 1915. Comment: incorrect original stem formation, not in prevailing usage.

*ECCOPTOPTERINA Browne, 1961: 49 [stem: *Eccoptopter-*]. Type genus: *Eccoptopterus* Motschulsky, 1863. Comment: unavailable (Art. 13.1): proposed after 1930 without description or bibliographic reference to such a description.

Tribe XYLOCTONINI Eichhoff, 1878

XYLOCTONIDAE Eichhoff, 1878: 171 [stem: *Xylocton-*]. Type genus: *Xyloctonus* Eichhoff, 1872.

Tribe XYLOTERINI LeConte, 1876

XYLOTERI J. L. LeConte, 1876: 356 [stem: *Xyloter-*]. Type genus: *Xyloterus* Erichson, 1836.

*TRYPODENDRINAE Trédl, 1907: 70 [stem: *Trypodendr-*]. Type genus: *Trypodendron* Stephens, 1830. Comment: family-group name unavailable (Art. 11.7.1.1): not based on a genus used as valid at the time.

TRYPODENDRINA Nunberg, 1954: 16 [stem: *Trypodendr-*]. Type genus: *Trypodendron* Stephens, 1830.

Subfamily PLATYPODINAE Shuckard, 1839

PLATYPODIDAE Shuckard, 1839b: 64 [stem: *Platypod-*]. Type genus: *Platypus* Herbst, 1793.

Tribe MECOPELMINI Thompson, 1992

*MECOPELMINI Wood, 1966: 45 [stem: *Mecopelm-*]. Type genus: *Mecopelmus* Blackman, 1944. Comment: unavailable (Art. 13.1): proposed after 1930 without description or bibliographic reference to such a description.

MECOPELMINAE Thompson, 1992: 873, in key [stem: *Mecopelm-*]. Type genus: *Mecopelmus* Blackman, 1944.

Tribe PLATYPODINI Shuckard, 1839

PLATYPODIDAE Shuckard, 1839b: 64 [stem: *Platypod-*]. Type genus: *Platypus* Herb-st, 1793.

CROSSOTARSARIAE H. Strohmeyer, 1914: 19 [stem: *Crossotars-*]. Type genus: *Cros-sotarsus* Chapuis, 1865.

Tribe SCHEDLARIINI Wood and Bright, 1992

CHAPUISIIDES Blandford, 1895: 89 [stem: *Chapuisi-*]. Type genus: *Chapuisia* Dugès, 1886 [preoccupied genus name, not *Chapuisia* Duvivier, 1885 [Coleoptera: CHRYSOMELIDAE]; syn. of *Schedlarius* Wood, 1957]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.

SCHEDLARIINI Wood and Bright, 1992: 1087 [stem: *Schedlari-*]. Type genus: *Schedlarius* Wood, 1957. Comment: replacement name for CHAPUISIIDES Blandford, 1895 because of the homonymy of the type genus; incorrect original stem formation, not in prevailing usage; correction of stem and transfer to PLATYPODINAE by Alonso-Zarazaga and Lyal (2009: 17).

Tribe TESSEROCERINI Strohmeyer, 1914

TESSEROCERINAE H. Strohmeyer, 1914: 19 [stem: *Tesserocer-*]. Type genus: *Tesse-rocerus* Saunders, 1836. Comment: precedence (TESSEROCERINI H. Strohmeyer, 1914 vs DIAPODINI Strohmeyer, 1914) given to taxon originally proposed at the higher rank (Art. 24.1).

Subtribe DIAPODINA Strohmeyer, 1914

DIAPODARIAE H. Strohmeyer, 1914: 19 [stem: *Diapod-*]. Type genus: *Diapus* Chapuis, 1865.

GENYOCERINAE Hopkins, 1915: 225, in key [stem: *Genyocer-*]. Type genus: *Genyocerus* Motschulsky, 1858.

Subtribe TESSEROCERINA Strohmeyer, 1914

TESSEROCERINAE H. Strohmeyer, 1914: 19 [stem: *Tesserocer-*]. Type genus: *Tesserocerus* Saunders, 1836. Comment: precedence (TESSEROCERINA H. Strohmeyer, 1914 vs CENOCEPHALINA Strohmeyer, 1914) given to taxon originally proposed at the higher rank (Art. 24.1).

SYMMERARIAE H. Strohmeyer, 1914: 19 [stem: *Symmer-*]. Type genus: *Sym-merus* Chapuis, 1865 [preoccupied genus name, not *Symmerus* Walker,

- 1848 [Diptera]; syn. of *Chaetastus* Nunberg, 1953]. Comment: permanently invalid (Art. 39): based on preoccupied type genus.
- CENOCEPHALARIAE H. Strohmeyer, 1914: 19 [stem: *Cenocephal-*]. Type genus: *Cenocephalus* Chapuis, 1865.
- PLATYTARSILIDAE Schedl, 1939: 387 [stem: *Platytaarsul-*]. Type genus: *Platytaarsulus* Schedl, 1935. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Wood and Bright (1992: 1084).
- PERIOMATINI Schedl, 1939: 397, in key [stem: *Periommat-*]. Type genus: *Periommatus* Chapuis, 1865 [as *Periomatus*, incorrect subsequent spelling of type genus name, not in prevailing usage]. Comment: incorrect original stem formation, not in prevailing usage; correction of stem by Schedl (1972: 249).
- PLATYPICERINAE Nunberg, 1953: 44 [stem: *Platypicer-*]. Type genus: *Platypicerus* Nunberg, 1953.

Coleoptera incertae sedis

- HOMOEOPLASTIDAE Gistel, 1856a: 360. Type genus: *Homoeoplastus* Gistel, 1856 [Gistel includes three species in his new genus, none of which are described in his work nor attributed to authors as having been described previously; we therefore consider *Homoeoplastus* unavailable]. Comment: family-group name unavailable (Art. 11.7.1.1): not based on an available genus name.
- PLOCASTEIDAE Gistel, 1856a: 365. Type genus: *Plocastes* Gistel, 1856 [the only species originally included in *Plocastes* is *scaraboides*; Gistel does not mention the author of the species name, nor does he describe the taxon, we therefore consider *Plocastes* as unavailable]. Comment: family-group name unavailable (Art. 11.7.1.1): not based on an available genus name.
- SERRATOPALPIDAE Gistel, 1856a: 384. Type genus: *Serratopalpus* Gistel, 1856 [*Serratopalpus helwigii* was the only species originally included in *Serratopalpus*; this new species was not described in Gistel's original paper therefore the genus name is considered unavailable]. Comment: family-group name unavailable (Art. 11.7.1.1): not based on an available genus name.

Acknowledgments

We would like to sincerely thank the following people for their assistance with nomenclatural and/or bibliographical issues during this project: R. Aalbu (Tenebrionidae), A. Bennett (Hymenoptera), C. Chaboo (Chrysomelidae), C. Bellamy (Buprestidae), L. Bocák (various), M. Bologna (Meloidae), P. Bouchet (Gastropoda), M. Brancucci (publication dates), M. Buck (Hymenoptera), P. Cate (Elateridae), D. Chandler (Anthicidae), C. Costa (Elateridae), J. Cracraft (Aves), J. Cumming (Diptera), H. Douglas (Elateridae), M. Engel (Hymenoptera), W. Eschmeyer (Pisces), N. Evenhuis (Diptera), C. Ferraris (Pisces), G. Flores (literature), R. Foottit (Hemiptera), G. Gibson (Hymenoptera), B. Gill (Scarabaeoidea), M. Gimmel (Cyclaxyridae), V. Grebennikov (various), V. Gusarov (Staphylinidae), A. Hamilton (Hemiptera), L. Herman (Staphylinidae), M. Ivie (Tenebrionoidea), D. Iwan (Coleoptera), E. Jendek (Buprestoidea), P. Johnson (Elateridae), P. Jolivet (Chrysomelidae), S. Kazantsev (literature), I. Kitching (Lepidoptera), J. Kolibáč (Cleridae), H. Labrique (literature), D. Lafontaine (Lepidoptera), S. Laplante (various), M. LeCroy (Aves), S. Laplante (Coleoptera), A. Legalov (Curculionoidea), L. LeSage (Chrysomelidae), R. Leschen (various), I. Löbl (various), O. Lonsdale (Diptera), E. Matthews (Tenebrionidae), O. Merkl (Tenebrionidae), E. Michel (ICZN Cases), J. Muona (Eucnemidae, Elateridae), J. Nieto Nafría (Hemiptera), R. Oberprieler (Curculionoidea), J. O’Hara (Diptera), W. Opitz (Cleridae), D. Pavićević (Staphylinidae), K. Philips (Ptinidae), J. Pinto (Meloidae), G. Poinar (Curculionoidea), D. Pollock (Tenebrionoidea), R. Pyle (Pisces), D. Reeder (Mammalia), F. Riedel (Mollusca), C. Roper (Cephalopoda), C. Schmidt (Lepidoptera), N. Simmons (Mammalia), J. Skevington (Diptera), A. Smetana (various), W. Steiner (Tenebrionidae), M. Thayer (stems, Staphyliniformia), C. Thompson (Diptera), F. Vaz-de-Mello (Scarabaeidae), T. Virro (Rotifera), R. Wharton (Hymenoptera) and Q. Yu (Nematoda). M. Thayer provided data on the correct stem of Coleoptera genera. S. Gamman and P. Madaire, the library staff at Agriculture and Agri-Food Canada (Ottawa), are thanked for their assistance with acquisition of important literature. A. Newton partial grant support for catalog database construction: United States National Science Foundation grants 8814449 (Field Museum Coleoptera collection inventory), 0118749 (south temperate Staphylinidae catalog) and 0715705 (world Staphylinini catalog).

References

As mentioned in the *Format of the catalogue and conventions used* section, we have tried to find the most accurate date of publication (given in square brackets) for works cited in the manuscript. As outlined under Art. 21 of the Code, the date to be adopted as the date of publication of a work (and of a contained name or nomenclatural act) is to be determined as follows: if a date of publication is specified in a work it is to be adopted as correct in the absence of evidence to the contrary, if a specific date of publication is not mentioned in the work then the date to be adopted is the last day of the month (when month and year, but not day, are specified) or the last day of the year (when only the year is specified). When the date of publication was not specified within the original work or its containing volume, we tried to obtain the time frame of its appearance as follows: a date cited within an article (such as in the Preface or the submitted or approval date, etc.) indicates that the article was published after that date, while dates of receipt at various libraries, societies, bibliographers and reviewers provide the latest possible date of its publication. To conserve space in discussions on dates of publication, we have used only the first three letters of each month and the following abbreviations:

- Acad. Sci. France = Académie des Sciences de France (Comptes Rendus Hebdomadières des Séances)
- Allgem. Bibliogr. Deutschl. = Allgemeine Bibliographie für Deutschland
- Allgem. Bibliogr. Monatl. Verz. = Allgemeine Bibliographie. Monatliches Verzeichniss der wichtigern neuen Erscheinungen der deutschen und ausländischen Literatur
- Allgem. Lit. Zeit. = Allgemeine Literatur-Zeitung
- Ann. Mag. Nat. Hist. = The Annals and Magazine of Natural History
- Ann. Sci. Phys. Nat. Agr. Ind. Lyon = Annales des Sciences Physiques et Naturelles, d'Agriculture et d'Industrie (Lyon)
- Ann. Soc. Agr. Hist. Nat. Arts Utiles Lyon = Annales de la Société d'Agriculture, Histoire Naturelle et Arts Utiles de Lyon
- Ann. Soc. Ent. Belg. = Annales de la Société Entomologique de Belgique
- Ann. Soc. Ent. Belg., Comptes-Rendus = Comptes-Rendus des Séances de la Société Entomologique de Belgique
- Ann. Soc. Ent. France = Annales de la Société Entomologique de France
- Ann. Soc. Ent. France: Bull. Ent. = Annales de la Société Entomologique de France, Bulletin Entomologique
- Ann. Soc. Ent. France: Bull. Bibliogr. = Annales de la Société Entomologique de France, Bulletin Bibliographique
- Ann. Soc. Imp. Agr. Hist. Nat. Arts Utiles Lyon = Annales de la Société d'Agriculture, Histoire Naturelle et Arts Utiles de Lyon
- Ann. Soc. Linn. Lyon = Annales de la Société Linnéenne de Lyon
- Annuaire Ent. = Annuaire Entomologique (Caen, par A. Fauvel)

- Arch. Nat. Hist. = Archives of Natural History
Arch. Naturg. = Archiv für Naturgeschichte
Berl. Ent. Zeitschr. = Berliner Entomologische Zeitschrift
Bibliogr. France = Bibliographie de la France
Bibliogr. Ital. = Bibliografia Italiana
Biblioth. Hist.-nat. = Bibliotheca Historico-naturalis Physico-chemica et Mathematica
Brit. Critic = The British Critic
Bull. Acad. Imp. Sci. St.-Pétersbourg = Bulletin de l'Académie Impériale des Sciences de St.-Pétersbourg
Bull. Bibliogr. Sci. Phys. = Bulletin Bibliographique des Sciences Médicales, Naturelles et Physiques
Bull. Sci. Nat. Géol. = Bulletin des Sciences Naturelles et de Géologie
Bull. Soc. Ent. France = Bulletin de la Société Entomologique de France
Bull. Soc. Imp. Nat. Moscou = Bulletin de la Société Impériale des Naturalistes de Moscou
Bull. Soc. Linn. Norm. = Bulletin de la Société Linnéenne de Normandie
Cat. Ann. Libr. France = Catalogue Anuel de la Librairie Française (Paris, par C. Reinwald)
Compte-Rendu Soc. Roy. Belg. Géogr. = Compte-Rendu des Actes de la Société Royale Belge de Géographie
Deut. Ent. Zeits. = Deutsche Entomologische Zeitschrift
Edinb. Rev. = The Edinburgh Review, or Critical Journal
Ent. Bericht. = Entomologische Berichten uitgegeven door de Nederlandsche Entomologische Vereeniging
Ent. Litteraturbl. = Entomologische Litteraturblätter, Repertorium der neuesten Arbeiten auf dem Gesamtgebiet der Entomologie (by Friedländer)
Ent. Mon. Mag. = The Entomologist's Monthly Magazine
Ent. Mag. = The Entomological Magazine
Ent. Nachr. = Entomologische Nachrichten
Ent. News = Entomological News
Ent. Record = The Entomologist's Record and Journal of Variation
Ent. Zeit. Stettin = Entomologische Zeitung (Stettin)
Foreign Quart. Rev. = The Foreign Quarterly Review
Kongel. Danske Vidensk. Selsk. Skrifter = Det Kongelige Danske Videnskabernes Selskabs Skrifter
Intell.-Blatt Allgem. Lit. = Intelligenz-Blatt der Allgemeine Literatur-Zeitung
Intell.-Blatt Serap. = Intelligenz-Blatt zum Serapeum
Jour. Nat. Hist. = Journal of Natural History
Jour. Proc. Ent. Soc. London = Journal of the Proceedings of the Entomological Society of London
Jour. Gén. Litt. France = Journal Général de la Littérature de France
Leipz. Repert. = Leipziger Repertorium der deutschen und ausländischen Literatur
Literar. Zeit. = Literarische Zeitung

- Literar. Centrbl. = Literarisches Centralblatt für Deutschland
Literary Gazette = The Literary Gazette, and Journal of the Belles Lettres
London Rev. = The London Review, and Literary Journal
Mag. Nat. Hist. = The Magazine of Natural History and Journal of Zoology, Botany,
Mineralogy, Geology, and Meteorology
Mem. R. Accad. Sci. Torino = Memorie della Reale Accademia delle Scienze di Torino
Mém. Acad. Sci. Belles-lettres Lyon. Cl. Sci. = Mémoires de l'Académie des Sciences,
Belles-lettres et Arts de Lyon: Classe des Sciences
Mém. Prés. Acad. Imp. Sci. St. Pétersbourg = Mémoires Présentés à l'Académie Impé-
riale des Sciences de St. Pétersbourg par Divers Savans et Lus dans ses Assemblées
Mém. Soc. Roy. Sci. Liège = Mémoires de la Société Royale des Sciences de Liège
Monthly Cat. U. S. Govt. Publ. = Monthly Catalogue of United States Government
Publications
Nederl. Ent. Ver. = Nederlandsche Entomologische Vereeniging
New Zeal. Parl. Debates = New Zealand, Parliamentary Debates
Neues Allgem. Repert. = Neues Allgemeines Repertorium der neuesten in- und aus-
ländischen Literatur
Öfvers. K. Vetensk.-Akad. Förh. = Öfversigt af Kongliga Vetenskaps-AKADEMIENS För-
handlingar
Opusc. Ent. = Opuscules Entomologiques
Petites Nouv. Ent. = Petites Nouvelles Entomologiques
Proc. Acad. Nat. Sci. Philad. = Proceedings of the Academy of Natural Sciences of
Philadelphia
Proc. Amer. Philos. Soc. = Proceedings of the American Philosophical Society
Proc. Ent. Soc. London = Proceedings of the Entomological Society of London
Proc.-Verb. Soc. Agr. Hist. Nat. Arts Utiles Lyon = Procès-Verbaux de la Société d'Agri-
culture, Histoire Naturelle et Arts Utiles de Lyon
Rép. Trav. Soc. Stat. Mars. = Répertoire des Travaux de la Société de Statistique de
Marseille
Rev. Ent. = Revue Entomologique (Silbermann)
Rev. d'Ent. = Revue d'Entomologie (Caen)
Rev. Gén. Sci. = Revue Générale des Sciences Pures et Appliquées
Rev. Zool. = Revue Zoologique
Sitzber. Ges. Naturf. Freunde Berlin = Sitzungsberichte der Gesellschaft Naturfor-
schender Freunde zu Berlin
Sitzber. Königl. Bayer. Akad. Wiss. Münch. = Sitzungsberichte der Königl. Bayerischen
Akademie der Wissenschaften zu München
Tijdschr. Ent. = Tijdschrift voor Entomologie
Trans. Ent. Soc. London = The Transactions of the Entomological Society of London
Trans. Roy. Soc. New Zeal. = Transactions of the Royal Society of New Zealand
Verh. Naturf. Ver. Brünn = Verhandlungen des Naturforschenden Vereines in Brünn
Verh. Zool.-Bot. Ges. Wien = Verhandlungen der Kaiserlich-Königlichen Zoologisch-
Botanischen Gesellschaft in Wien

Wien. Ent. Zeit. = Wiener Entomologische Zeitung
Wien. Ent. Monatschr. = Wiener Entomologische Monatschrift
Zeitschr. Ver. Naturb. = Zeitschrift des Vereines der Naturbeobachter, Wien
Zool. Anz. = Zoologischer Anzeiger
Zool. Anz., Bibliogr. Zool. = Bibliographia Zoologica, diario Zoologischer Anzeiger adnexa
Zool. Jahresber. = Zoologischer Jahresbericht
Zool. Record = The Zoological Record
Zoologist = The Zoologist: a Popular Miscellany of Natural History
BMNH = The Natural History Museum [formerly British Museum (Natural History)], London, United Kingdom
CNC = Canadian National Collection of Insects, Arachnids and Nematodes, Ottawa, Canada
CUL = Cornell University Library, Ithaca, USA
FMNH = Field Museum of Natural History, Chicago, USA
MCZ = Harvard University, Museum of Comparative Zoology, Cambridge, USA
NRCL = National Resources Canada Library (Earth Sciences), Ottawa, Canada
USNM = National Museum of Natural History, [formerly, United States National Museum], Washington D.C., USA

- Aalbu RL (2006) 2006, where are we at: assessing the current state of Tenebrionidae systematics on a global scale (Coleoptera: Tenebrionidae). Cahiers Scientifiques. Centre de Conservation et d'Étude des Collections (Lyon) 10: 55–70. [printed Sep 2006 (p. 148)]
- Aalbu RL, Triplehorn CA, Campbell JM, Brown KW, Somerby RE, Thomas DB (2002) Family 106. Tenebrionidae Latreille, 1802 [pp. 463–509]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Abdullah M (1964) A revision of the genus *Pilipalpus* (Coleoptera, Anthicidae: Pedilinae). Beiträge zur Entomologie 14: 3–9. [Mar 1964 (fasc. title page)]
- Abdullah M (1965) *Protomeloe crowsoni* a new species of a new tribe (Protomeloini) of the blister beetles (Coleoptera, Meloidae), with remarks on a postulated new pheromone (cantharidin). Entomologisk Tidskrift 86 (1): 43–48. [30 Jul 1965 (wrapper)]
- Abdullah M (1966) The taxonomic position of the Australian *Anaplopus tuberculatus*, with a proposed new sub-family (Anaplopinae) of the Tenebrionidae, and including remarks on the family status of the Merycidae (Coleoptera). Entomological News 77 (5): 143–147. [mailed 11 May 1966 (verso of vol. title page)]
- Abdullah M (1969a) The natural classification of the family Anthicidae with some ecological and ethological observations (Coleoptera). Deutsche Entomologische Zeitschrift (Neue Folge) 16 (4/5): 323–366. [20 Nov 1969]
- Abdullah M (1969b) Conspectus of the current classification of Coleoptera with synonyms. Beiträge zur Entomologie 19 (3/6): 683–685.

- Abdullah M (1974) Notes on Sphaeriformia Abdullah, particularly Torridincolidae Steffan (Col. Myxophaga). Annales de la Société Entomologique de France (Nouvelle Série) 10: 959–962.
- Abdullah M, Abdullah A (1968) The taxonomic position of *Lagrioida* with a proposed new tribe of the Eurygeniinae (Col., Anthicidae). The Entomologist's Monthly Magazine 104: 73–74. [13 Nov 1968]
- Abdullah M, Quadri N-N (1968) The Micropeplidae and Staphylinidae (I. Steninae, Euaesthetinae and Oxyporinae), Coleoptera of Pakistan with descriptions of a new tribe, genus and three species from Karachi. Pakistan Journal of Scientific and Industrial Research 11 (3): 303–312. [Jul 1968 fasc.]
- Abeille de Perrin E (1890) Malachiidae. Malachides d'Europe et pays voisins. Annales de la Société Entomologique de France (6) 10 (2): 181–260, 3 pls. [26 Nov 1890 (wrapper); continued in (3) and (4), both 1891]
- Abeille de Perrin E (1891) Malachiidae. Malachides d'Europe et pays voisins [continued]. Annales de la Société Entomologique de France (6) 10 (3): 331–420, (4): 567–680. [25 Feb 1891 (fasc. 3 wrapper); Jun 1891 (fasc. 4 wrapper)]
- Absolon K (1913) Über *Antrophilon primitivum* nov. gen. n. sp., eine blinde Bathysciine (Coleoptera cavernicola Silphidae) aus dem südillyrischen Faunengebiete. (Aus der zoologischen Abteilung am Landesmuseum in Brünn.). Coleopterologische Rundschau 2 (6/7): 100–109.
- Achard J (1914) Un Scaphidiide nouveau de Birmanie (Col.). Bulletin de la Société Entomologique de France 1914: 394–396. [8 July 1914 (Séance)]
- Achard J (1924) Essai d'une subdivision nouvelle de la famille des Scaphidiidae. Annales de la Société Entomologique de Belgique 64: 25–31.
- Acloque A (1896) Faune de France contenant la description de toutes les espèces indigènes disposées en tableaux analytiques et illustrée de figures représentant les types caractéristiques des genres et des sous-genres. Avec une préface par Edmond Perrier. Coléoptères. J.-B. Baillière et Fils, Paris, 466 pp. [8 Jan 1896 (Bull. Soc. Ent. France 1896: 20); 11 Apr 1896 (Bibliogr. France 1896: 209)]
- Ádám L (1987) Staphylinidae of the Kiskunság National Park (Coleoptera) [pp. 126–168]. In: Mahunka S (Ed) The fauna of the Kiskunság National Park, Vol 2. Akadémiai Kiadó, Budapest.
- Ádám L (1994) A check-list of the Hungarian Scarabaeoidea with the description of ten new taxa (Coleoptera). Folia Entomologica Hungarica (Series nova) 55: 5–17. [30 May 1994 (title page)]
- Ádám L (1996) A check-list of the Hungarian caraboid beetles (Coleoptera). Folia Entomologica Hungarica 57: 5–64.
- Ádám L (2001) [systematic content] In: A sátoraljaújhelyi Kazinczy Ferenc Múzeum füzetek V, Sátoraljaújhely. ANAdatok a Zempléni-hegység, a Hernád-völgy, a Bodrogköz, a Rétköz és a Taktaköz holyvafaunájához (Coleoptera). In: Ádám L, Hegyessy G (Eds) A sátoraljaújhelyi Kazinczy Ferenc Múzeum füzetek V, Sátoraljaújhely, 249 pp. [in Hungarian, with English summary]. [15 Nov 2001]

- Ádám L (2003) Faunisztikai adatok a Karpat-medenceből 1 (Coleoptera: Scarabaeoidea). *Folia Historico Naturalia Musei Matraensis* 27: 101–136.
- Adlbauer K, Danilevsky ML, Hubweber L, Löbl I, Morati J, Rapuzzi P, Sama G, Smetana A, Weigel A (2010) Family Cerambycidae (excluding subfamily Prioninae, subfamily Apato-physeinae, and tribe Dorcadionini) [pp. 84–86, 95–241, 264–334]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Agassiz L (1846a) *Nomenclator Zoologicus. Fasciculus XI. Continens Coleoptera. Nomina systematica. Generum Coleopterorum, tam viventium quam fossilium, secundum ordinem alphabeticum disposita, adjectis auctoribus, libris in quibus reperiuntur, anno editionis, etymologia et familiis ad quas pertinent.* Jent & Gassmann, Soloduri [= Solothurn, Switzerland], xii + 170 pp.
- Agassiz L (1846b) *Nomenclatoris zoologici index universalis, continens nomina systematica classium, ordinum, familiarum et generum animalium omnium, tam viventium quam fossilium, secundum ordinem alphabeticum unicum disposita, adjectis homonymiis planarum, nec non variis adnotationibus et emendationibus.* Jent & Gassmann, Soloduri [= Solothurn, Switzerland], viii + 393 pp. [1846 (title page); Dec 1845 (date of preface); 29 Dec 1846 (Evenhuis 1997a: 50)]
- Agnarsson I, Kunter M (2007) Taxonomy in a changing world: seeking solutions for a science in crisis. *Systematic Biology* 56(3): 531–539. [Jun 2007]
- Ahmad R (1973) A new tribe of the family Coccinellidae (Coleoptera). *Bulletin of Entomological Research* 62 (3): 449–452. [publ. 26 Feb 1973 (vol. contents)]
- Alexeev AV (1994) Jurassic and Lower Cretaceous Buprestidae (Coleoptera) from Eurasia. *Paleontological Journal* 27 (1A): 9–34. [publ. Jan 1994 (wrapper); 1993 (on paper)]
- Alluaud C (1916) Contributions à l'étude des carabiques d'Afrique et de Madagascar [Col.] XII. Observations sur le genre *Melanodes* Chaud. et descriptions de deux espèces nouvelles. *Bulletin de la Société Entomologique de France* 1916 (15): 226–230. [publ. 13 Nov 1916 (p. [351])]
- Alluaud C (1922) Coléoptères. Cicindélides et carabides. Voyage de M le Baron Maurice de Rothschild en Ethiopie et en Afrique orientale anglaise (1904–1905) Résultats scientifiques Animaux articulés 2. Laboratoire d'entomologie (Muséum national d'histoire naturelle), Paris, 483–519.
- Alluaud C (1930a) Note sur les scaritides de Madagascar. Afra. *Cahiers d'Entomologie* 1: 10–23.
- Alluaud C (1930b) Étude sur le groupe des sphodrochléniens (Col. Carabidae - Chlaeniitae - Rhopalomelini). *Revue de Zoologie et de Botanique Africaines* 19: 105–122.
- Alluaud C (1934) Mission J. de Lépiney au Soudan Français 1933–34 (Sixième note). *Bulletin de la Société des Sciences Naturelles du Maroc* 14 (1/3): 30–31. [31 Mar 1934 (vol. title page); printed 15 Oct 1934 (verso) 6 Nov (rec'd at BMNH)]
- Alonso-Zarazaga MA (1989) Revision of the supraspecific taxa in the Palaearctic Apionidae Schoenherr, 1823. 1. Introduction and subfamily Nanophyinae Seidlitz, 1891 (Coleoptera, Curculionoidea). *Fragmenta Entomologica* 21: 205–262.

- Alonso-Zarazaga MA (1990) Revision of the supraspecific taxa in the Palaearctic Apionidae Schoenherr, 1823 (Coleoptera, Curculionoidea). 2. Subfamily Apioninae Schoenherr, 1823: introduction, keys and descriptions. *Graellsia* 46: 19–156. [publ. 31 Dec 1990, date misprinted as 1991 on some pages]
- Alonso-Zarazaga MA (1992) Rhadinocybini trib. n. in the Apioninae Schoenherr, 1823 (Coleoptera, Apionidae). *Graellsia* 48: 193. [31 Dec 1992 (Alonso-Zarazaga and Lyal 1999: 212)]
- Alonso-Zarazaga MA (2005) Diagnosis preliminares de nuevos táxones de Curculionidae (Coleoptera). *Boletín de la Sociedad Entomológica Aragonesa* 37: 89–93. [31 Oct 2005 (wrapper)]
- Alonso-Zarazaga MA (2007) Comment on the proposed fixation of the feminine gender of the genus and the form of derivation of family-group names based on *Trachys* Fabricius, 1801 (Insecta, Coleoptera) [case 3335]. *Bulletin of Zoological Nomenclature* 64 (3): 187. [Sep 2007 issue]
- Alonso-Zarazaga MA, Lyal CHC (1999) A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (excepting Scolytidae and Platypodidae). *Entomopraxis*, S. C. P., Barcelona, 315 pp. [publ. 27 Dec 1999 (verso of title page)]
- Alonso-Zarazaga MA, Lyal CHC (2002) Addenda and corrigenda to 'A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera)'. *Zootaxa* 63: 1–37. [22 Aug 2002]
- Alonso-Zarazaga MA, Lyal CHC (2006) [new taxa] In: Lyal CHC, Alonso-Zarazaga MA: Addenda and corrigenda to 'A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera)'. 2. *Zootaxa* 1202: 21–31. [publ. 15 May 2006 (footnote p. 21)]
- Alonso-Zarazaga MA, Lyal CHC (2009) A catalogue of family and genus group names in Scolytinae and Platypodinae with nomenclatural remarks (Coleoptera: Curculionidae). *Zootaxa* No. 2258: 1–134. [publ. 8 Oct 2009 (article title page)]
- Alonso-Zarazaga MA, Lyal CHC (2010) Case 3530. Plinthini Lacordaire, 1863 (Insecta, Coleoptera): proposed conservation and *Plinthus* Germar, 1817: proposed conservation by designation of *Curculio megerlei* Panzer, [1803] as the type species. *Bulletin of Zoological Nomenclature* 67 (4): 292–299.
- Alonso-Zarazaga MA, Lyal CHC, Bartolozzi L, Sforzi A (1999) [new taxa] In: Alonso-Zarazaga MA, Lyal CHC: A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (excepting Scolytidae and Platypodidae). *Entomopraxis*, S. C. P., Barcelona, 315 pp. [27 Dec 1999 (verso of title page)]
- Alonso-Zarazaga MA, Mansilla-Castrillo O (1988) Clave artificial de las familias ibero-baleares y macaronésicas del Orden Coleoptera L., 1758. Claves para la identificación de la Fauna española, 20. Cátedra de Entomología, Facultad de Biología, Universidad Complutense, Madrid. 67 pp.
- Anderson WH (1949) Larval description and transfer of *Thaumaphrastus karanisensis* from Colydiidae to a new subfamily of Dermestidae (Coleoptera). *Bulletin of the Brooklyn Entomological Society* 44: 121–127. [Oct 1949]

- Andreae H (1961) Chapter II. Coleoptera: Cossyphodidae. In: Hanström B, Brinck P, Rudebeck G (Eds) South African animal life Results of the Lund University Expedition in 1950–1951. Vol. VIII. Almqvist & Wiksell, Stockholm, 198–216.
- Andrewes HE (1929) Coleoptera. Carabidae. Vol. I. Carabinae. In: Stephenson J (Ed) The fauna of British India, including Ceylon and Burma. Taylor & Francis, London, xviii + 431pp. + 9pls. [before 24 Jul 1929 (Bull. Soc. Ent. France 1929: 222)]
- Andrewes HE (1933) On the types of Oriental Carabidae described by V. de Motschulsky. (Part II). The Transactions of the Royal Entomological Society of London 81: 1–19. [30 Jun 1933]
- Anonymous (1924) In: Imperial Bureau of Entomology (Ed) XI. Insecta. Zoological Record [1923]. Pp. 1–347.
- Antoine M (1941) Notes d'entomologie marocaine. XXXII. Les Litoborinae du Maroc (Col. Teneb.). Bulletin de la Société des Sciences Naturelles du Maroc 21: 19–52.
- Antoine M (1949) Notes d'entomologie marocaine. XLIV. Matériaux pour l'étude des Helopinae du Maroc (Col. Tenebrionides). Bulletin de la Société des Sciences Naturelles du Maroc 25–27 [1945–1947]: 123–162.
- Antoine M (1959) Coleopteres Carabiques du Maroc. Troisième partie. Mémoires de la Société des Sciences Naturelles et Physiques du Maroc (Nouvelle Série, Zoologie) 6: 315–465.
- Anton K-W (2010) Family Chrysomelidae. Subfamily Bruchinae Latreille, 1802 [pp. 339–353]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Ardoin P (1958) Contribution à l'étude des ténébrionides malgaches. Le genre *Enicmosoma* Gebien. Bulletin de l'Académie Malgache 35 [1957]: 59–77, pls. 1–3.
- Ardoin P (1961) Contribution à l'étude des ténébrionides malgaches. Deux nouveaux genres d'Adeliini malgaches. Bulletin de l'Académie Malgache 37 [1959]: 31–38. [1961 (Zool. Record)]
- Ardoin P (1962) Essai de révision des Amarygmini africains (Première partie). Bulletin de l'Institut Français d'Afrique Noire 24 (4): 955–1029. [28 Dec 1982 (recorded at CNC)]
- Arnett RH, Jr. (1961) Part II Suborder Myxophaga, suborder Polyphaga (part) series Staphyliniformia (part) Hydrophiloidea, Staphyloidea [pp. (2 unnn. +) 211–368]. In: The beetles of the United States (a manual for identification) [original loose-leaf edition]. Catholic University of America Press, Washington D.C., xii + 1112 pp. [+ unnn. pp.]. [issued 31 May 1961 (verso of title page for Part III)]
- Arnett RH, Jr. (1962a) Part IV Suborder Polyphaga (cont.) series Elateriformia (concl.) Cantharoidea, Series Bostrychiformia Dermestoidea, Bostrychoidea, Series Cucujiformia Cleroidea, Lymexylonoidea, Meloidea [pp. (2 unnn. +) 527–644]. In: The beetles of the United States (a manual for identification) [original loose-leaf edition]. Catholic University of America Press, Washington D.C., xii + 1112 pp. [+ unnn. pp.]. [issued 8 Jun 1962 (verso of title page for Part V)]
- Arnett RH, Jr. (1962b) Part V Suborder Polyphaga (cont.) series Cucujiformia (cont.) Tenebrionoidea, Cucujoidea [pp. (2 unnn. +) 645–850]. In: The beetles of the United States (a manual for identification) [original loose-leaf edition]. Catholic University of America

- Press, Washington D.C., xii + 1112 pp. [+ unn. pp.]. [issued 20 Aug 1962 (verso of title page for Part VI)]
- Arnett RH, Jr. (1962c) Part VI Suborder Polyphaga (concl.) series Cucujiformia (concl.) Chrysomeloidea, Curculionoidea [pp. (2 unn. +) 851–1048]. In: The beetles of the United States (a manual for identification) [original loose-leaf edition]. Catholic University of America Press, Washington D.C., xii + 1112 pp. [+ unn. pp.]. [issued 27 Dec 1962 (foot-note p. 1049; evidently the General Index was issued in 1963)]
- Arnett RH, Jr. (1967) The systematic position of *Melanactes* and *Pseudomelanactes* (Coleoptera, Elateridae). Entomological News 78 (4): 110–111. [mailed 4 Apr 1967 (verso of vol. title page)]
- Arnett RH, Jr., Thomas MC (Eds) (2000) American beetles. Volume 1. Archostemata, Myxophaga, Adephaga, Polyphaga: Staphyliniformia. CRC Press, Boca Raton, xvi + 443 pp. [28 Dec 2000 (CRC Press)]
- Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) (2002) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp.
- Arnoldi LV (1977) Rhynchophora and Family Eobelidae [pp. 142–175]. In: Arnoldi LV, Zherikhin VV, Nikritin LM, Ponomarenko AG (Eds): Mezozoyskie Zhestkokrylye. Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR 161: 1–204. [English translation: Mesozoic Coleoptera; Smithsonian Institution Libraries and N.S.F., Washington D.C.; xii + 285 pp., 1992] [after 5 Sep 1977 (approved to print)]
- Arrow GJ (1904) Sound-production in the lamellicorn beetles. The Transactions of the Entomological Society of London 52 (4): 709–750, pl. 26. [23 Dec 1904 (verso of vol. title page)]
- Arrow GJ (1911) Upon the Dynamopinae, a new subfamily of Lamellicorn beetles. The Annals and Magazine of Natural History (8) 7 (42): 610–612. [1 Jun 1911 (Evenhuis 2003: 39)]
- Arrow GJ (1917) Coleoptera, Lamellicornia Part II. (Rutelinae, Desmonycinae, and Euchirinae). In: Shipley AE, Marshall GAK (Eds) The fauna of British India, including Ceylon and Burma. Taylor and Francis, London, xiii + 387 pp. + 5 pls.
- Arrow GJ (1925) Coleoptera. Clavicornia. Erotylidae, Languriidae, and Endomychidae. In: Shipley AE, Scott H (Eds) The fauna of British India, including Ceylon and Burma. Taylor & Francis, London, xvi + 416 pp. + 1 pl., 1 map.
- Arrow GJ (1929) A new genus of silphid Coleoptera from Persia. Zoologischer Anzeiger 82: 96–99. [10 Jun 1929 (recorded at BMNH)]
- Arrow GJ (1931) Coleoptera Lamellicornia Part III. (Coprinae). In: Stephenson J (Ed) The fauna of British India, including Ceylon and Burma. Taylor and Francis, London, xii + 428 pp. + 10 pls. [Dec 1931 (title page)]
- Arrow GJ (1937) Pars 156: Scarabaeidae: Dynastinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXI. Scarabaeidae III. W. Junk, Berlin, 124 pp. [16 Aug 1937 (verso of vol. title page)]
- Arrow GJ (1940) A nomenclatural note (Coleopt.). Proceedings of the Royal Entomological Society of London (Series B. Taxonomy) 9 (1): 16. [Jan 1940]
- Arrow GJ (1950) Coleoptera Lamellicornia Lucanidae and Passalidae Vol. IV. In: Sewell RBS (Ed) The fauna of India including Pakistan, Ceylon, Burma and Malaya. Taylor & Francis,

- London, xi + 274 + [1] pp. + 23 pls. [1949 on title page but ad from April 1950 bound in back]
- Askevold IS (1990) Reconstructed phylogeny and reclassification of the genera of Donaciinae (Coleoptera: Chrysomelidae). *Quaestiones Entomologicae* 26: 601–664.
- Assing V (2000) A taxonomic and phylogenetic revision of Maorothiini trib. n. from the New Zealand subregion (Coleoptera: Staphylinidae, Staphylininae). *Beiträge zur Entomologie* 50 (1): 3–64. [11 Apr 2000 (top of article)]
- Aubé C (1836) [Pp. 1–64] In: *Iconographie et histoire naturelle des Coléoptères d'Europe. Tome cinquième. Hydrocanthares. Méquignon-Marvis Père et Fils, Paris, xi + 415 pp.* [Nov / early Dec 1836 (Guignot 1932: 548)]
- Audinet-Serville JG (1832) Nouvelle classification de la famille des longicornes. *Annales de la Société Entomologique de France* 1 (2): 118–201.
- Audinet-Serville JG (1834) Nouvelle classification de la famille des longicornes (suite). *Annales de la Société Entomologique de France* 3 (1): 5–110.
- Audinet-Serville JG (1835) Nouvelle classification de la famille des longicornes (suite). *Annales de la Société Entomologique de France* 4: 5–100, 197–228.
- Aurivillius C (1886a) Conspectus generum et specierum Brachyceridarum. Öfversigt af slägten och arter inom familjen Brachyceridae bland Curculioniderna. Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar 42 [1885] (7): 5–24. [1886 (wrapper; p. 161); 20 Apr 1886 (recorded at BMNH)]
- Aurivillius C (1886b) Ett nytt egendomligt släkte bland Curculioniderna. *Entomologisk Tidskrift* 7 (2): 95–97.
- Aurivillius C (1910) Coleoptera. Curculionidae. In: Sjöstedt Y (Ed) *Wissenschaftliche Ergebnisse der Schwedischen Zoologischen Expedition nach dem Kilimandjaro, dem Meru und den umgebenden Massaisteppen Deutsch-Ostafrikas 1905–1906*. Vol: 1 Part: 7. P. Palmquists Aktiebolag, Stockholm, 403–435.
- Aurivillius C (1911a) Neue oder wenig bekannte Coleoptera Longicornia. 11. *Arkiv för Zoologi* 7 (3): 1–44. [25 Jan 1911 (verso of vol. title page)]
- Aurivillius C (1911b) Neue oder wenig bekannte Coleoptera Longicornia. 12. *Arkiv för Zoologi* 7 (19): 1–41. [8 Dec 1911 (Musgrave 1932: 8); publ. 23 Dec 1911 (verso of vol. title page)]
- Aurivillius C (1912) Pars 39: Cerambycidae: Cerambycinae. In: Schenkling S (Ed) *Coleopterorum Catalogus. Volumen XXII. Cerambycidae I.* W. Junk, Berlin, 574 pp. [26 Feb 1912 (wrapper); 28 Jan 1912 (contents)]
- Aurivillius C (1917) Results of Dr. E. Mjöberg's Swedish Scientific Expeditions to Australia 1910–1913. 12. Cerambycidae. *Arkiv för Zoologi* 10 (23): 1–50, 3 pls. [28 Mar 1917 (verso of vol. title page)]
- Aurivillius C (1922a) Pars 73: Cerambycidae. Lamiinae I [pp. 1–322]. In: Schenkling S (Ed) *Coleopterorum Catalogus. Volumen XXIII. Cerambycidae II.* W. Junk, Berlin, 704 pp. [1921 (title page); 15 Jan 1922 (wrapper)]
- Aurivillius C (1922b) Neue oder wenig bekannte Coleoptera Longicornia. *Arkiv för Zoologi* 14 (18): 1–32. [26 Jul 1922 (verso of vol. title page)]

- Aurivillius C (1922c) Neue Cerambyciden aus der Sammlung G. van Roon. Tijdschrift voor Entomologie 65: 160–173. [31 Dec 1922]
- Aurivillius C (1923) Pars 74: Cerambycidae: Lamiinae II [pp. 323–704]. In: Schenckling S (Ed) Coleopterorum Catalogus. Volumen XXIII. Cerambycidae II. W. Junk, Berlin, 704 pp. [2 Jul 1923 (wrapper)]
- Aurivillius C (1925) Neue oder wenig bekannte Coleoptera Longicornia. 20. Arkiv för Zoologi 17 A (12): 1–21. [23 Sep 1925 (verso of vol. title page)]
- Aurivillius C (1926a) Neue oder wenig bekannte Coleoptera Longicornia. 21. Arkiv för Zoologi 18 A (9): 1–22. [printed 17 Nov 1925 (p. 21), but publ. 5 Jun 1926 (verso of vol. title page); as 1926 in ZooRec]
- Aurivillius C (1926b) Sammlungen der Schwedischen Elgon-Expedition im Jahre 1920. 8. Curculioniden. Arkiv för Zoologi 18 A (23): 1–34. [printed 9 Jun 1926 (p. 34) but publ. 13 Oct 1926 (verso of vol. title page)]
- Aurivillius C (1931) Coleoptera-Curculionidae von Juan Fernandez und der Oster-Insel [pp. 461–478, pls. 15–16]. In: Skottsberg C (Ed) The Natural History of Juan Fernandez and Easter Island. Vol. III Zoology [1921–1940]. Almqvist & Wiksell, Uppsala, [2] + 688 pp. + 20 pls. [printed 2 Feb 1926 (p. 478); as 1931 (Zool. Record; Neave 1939)]
- Baehr M (1982) *Atranopsis* n. gen., eine neue Laufkäfer-Gattung der Agonini aus Syrien (Insecta: Coleoptera: Carabidae). Senckenbergiana Biologica 62: 261–266.
- Báguena Corella L (1948) Estudio sobre los Aderidae (Coleópteros Heterómeros). Xylophildae, Hylophilidae sive Euglenidae. Primer ensayo para una nueva ordenación de la familia y estudio de las especies africanas, particularmente de las de los Territorios Españoles del Golfo de Guinea. Instituto de Estudios Africanos, Madrid, xv + 547 + [1] pp.
- Balachowsky A (1949) Coléoptères Scolytides. Faune de France. Vol. 50. 320 pp. [30 Jun 1949; 2e trimestre 1949 (dépôt légal, p. 320)]
- Balkenohl M (2003) Subfamily Scaritinae Bonelli, 1810 [pp. 219–234]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata -Myxophaga - Adephaga. Apollo Books, Stenstrup, 819 pp. [publ. 30 May 2003 (verso of title page)]
- Ball GE (1979) Conspectus of carabid classification: history, holomorphology, and higher taxa [pp. 63–111]. In: Erwin TL, Ball GE, Whitehead DR, Halpern AL (Eds) Carabid beetles: their evolution, natural history, and classification. Proceedings of the First International Symposium of Carabidology, Smithsonian Institution, Washington, D C, August 21, 23, and 25, 1976. Dr. W. Junk bv Publishers, The Hague, x + 644 pp. [1979 (copyright)]
- Ball GE (1983) Evaluation of the Baron Maximilien de Chaudoir's contribution to classification of cymindine Lebiini and Masoreimorphi (Coleoptera: Carabidae). The Coleopterists Bulletin 36 [1982] (3): 513–530. [mailed 25 Apr 1983 (wrapper)]
- Ball GE (1992) The tribe Licinini (Coleoptera: Carabidae): a review of the genus-groups and of the species of selected genera. Journal of the New York Entomological Society 100 (2): 325–380. [mailed 1 Apr 1992 (inside wrapper)]
- Ball GE, Shpeley D (2002) Ginemini, *Ginema thomasi*, new tribe, new genus and new species, from Amazonian Bolivia (Coleoptera: Carabidae: Harpalinae). Transactions of the American Entomological Society 128 (1): 75–98. [Mar 2002 issue; Apr 2002 (recorded at CNC)]

- Balthasar V (1961) Zwei neue Gattungen der Familie Scarabaeidae (Col.). (107. Beitrag zur Kenntnis der Scarabaeidae.). Entomologische Arbeiten aus dem Museum G. Frey 12 (1): 174–181. [publ. 1 Apr 1961 (vol. Inhalt)]
- Baly JS (1863) An attempt at a classification of the Eumolpidae. The Journal of Entomology, Descriptive and Geographical 2 (10): 143–163. [Nov 1863 issue]
- Baly JS (1865) Attempt at a classification of the Eumolpidae [continued.]. The Journal of Entomology, Descriptive and Geographical 2 (13): 433–442. [Nov 1865 issue]
- Bänninger M (1927) Die Ozaenini (Col. Carab.). 10. Beitrag zur Kenntnis der Carabinae. Deutsche Entomologische Zeitschrift 1927 (3): 177–216 [incl. Nachtrag]. [1 Dec 1927 (p. iii)]
- Bänninger M (1938) Monographie der Subtribus Scaritina (Col. Carab.). I, II. Deutsche Entomologische Zeitschrift 1937 (3/4): 81–160. [Feb 1938 (contents)]
- Barber HS (1913) The remarkable life-history of a new family (Micromalthidae) of beetles. Proceedings of the Biological Society of Washington 26 (47): 185–190, pl. 4. [8 Aug 1913 (top p. 183)]
- Barber HS (1924) New Ptiliidae related to the smallest known beetle. Proceedings of the Entomological Society of Washington 26 (6): 167–178, pls. 7–8. [30 Jun 1924 (verso of vol. title page)]
- Basilewsky P (1946) Monographie du genre *Tefflus* Latreille (Col., Carabidae, Panagaeinae). Étude morphologique, systématique et géographique. Novitates Entomologicae Supplementum 5: 1–56.
- Basilewsky P (1950a) Descriptions de deux coléoptères myrmécophiles nouveaux du Katanga représentants d'une famille encore inconnue en Afrique centrale (Col. Cossyphodidae). Revue de Zoologie et de Botanique Africaines 43: 182–187.
- Basilewsky P (1950b) Études sur les chlaeniens d'Afrique (Col. Carabidae). Bulletin & Annales de la Société Entomologique de Belgique 86 (1/2): 40–54. [5 Mar 1950 (wrapper)]
- Basilewsky P (1951a) *Leleupidia luvubuana*, nov. gen. et nov. sp. (Col. Carabidae). Revue de Zoologie et de Botanique Africaines 44: 175–179.
- Basilewsky P (1951b) Révision générale des Harpalinae d'Afrique et de Madagascar (Coleoptera Carabidae). Deuxième partie. Annales du Musée Royal du Congo Belge (Série in 8°: Sciences Zoologiques) 9: 1–333 + 6 pls. [25 Sep 1951 (recorded at BMNH)]
- Basilewsky P (1953a) Carabidae (Coleoptera Adephaga). Exploration du Parc national de l'Upemba. Fascicle 10. Institut des Parcs Nationaux du Congo Belge, Bruxelles, 252 pp. + 10 pls.
- Basilewsky P (1953b) Révision des Leleupidiini (Col. Carabidae Zuphiinae). Revue de Zoologie et de Botanique Africaines 47: 263–281.
- Basilewsky P (1963) Révision des Promecognathinae d'Afrique (Coleoptera, Carabidae). Annals of the Transvaal Museum 24 (4): 305–319. [issued Aug 1963 (wrapper)]
- Basilewsky P (1973a) Insectes coléoptères. Carabidae Scaritinae. Faune de Madagascar 37: 1–322.
- Basilewsky P (1973b) Description d'un coléoptère Carabidae nouveau du sud-ouest africain, représentant d'une sous-famille inédite. Bulletin & Annales de la Societe Royale Belge d'Entomologie 109 (6/12): 224–231. [31 Dec 1973 (wrapper)]

- Basilewsky P (1980) Les Reicheina de l'Afrique du Sud (Coleoptera: Carabidae). *Entomologia Generalis* 6 (2/4): 293–302. [publ. 28 Nov 1980 (Contents p. v)]
- Basilewsky P (1984) Essai d'une classification supragénérique naturelle des carabides lébiens d'Afrique et de Madagascar (Coleoptera Carabidae Lebiinae). *Revue de Zoologie Africaine* 98 (3): 525–559. [28 Sep 1984 (article header); 29 Sep (wrapper)]
- Basilewsky P (1985) Insectes coléoptères. Carabidae Platyninae. *Faune de Madagascar* 64: 1–543.
- Basilewsky P, Grundmann E (1955) Contributions à l'étude systématique des chléniens (Coleoptera Carabidae). *Bulletin & Annales de la Société Royale d'Entomologie de Belgique* 91 (7/8): 199–206. [31 Aug 1955 (wrapper)]
- Bates F (1873) Descriptions of new genera and species of Tenebrionidae from Australia, New Caledonia and Norfolk Island. *The Transactions of the Entomological Society of London* (4) 1873 (3): 347–380. [5 Aug 1873 (G. Wheeler 1912)]
- Bates HW (1863) Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. *The Annals and Magazine of Natural History* (3) 12 (68): 100–109. [1 Aug 1863 (Evenhuis 2003: 23)]
- Bates HW (1869) Contributions to an insect fauna of the Amazon Valley (Coleoptera, Prionides). *The Transactions of the Royal Entomological Society of London* 1869: 37–58. [Apr 1869 (footer p. 37)]
- Bates HW (1870) Contributions to an insect fauna of the Amazon Valley (Coleoptera, Cerambycidae). *The Transactions of the Entomological Society of London* (4) 1870 (3): 243–335, (4): 391–444. [(3) 29 Aug 1870; (4) 20 Dec 1870 (G. Wheeler 1912)]
- Bates HW (1871) Notes on Carabidae, and descriptions of new species (No. 5). *The Entomologist's Monthly Magazine* 8 [1871–72]: 29–34.
- Bates HW (1872a) On the longicorn Coleoptera of Chontales, Nicaragua. *The Transactions of the Entomological Society of London* (4) 1872 (3): 163–238. [16 Aug 1872 (G. Wheeler 1912)]
- Bates HW (1872b) Notes on Heteromera, and descriptions of new genera and species. *The Entomologist's Monthly Magazine* 9 (10): 97–99. [before 5 Oct 1872 (Ann. Soc. Ent. Belg. 15 Comptes-Rendus: cx)]
- Bates HW (1873) On the geodephagous Coleoptera of Japan. *The Transactions of the Entomological Society of London* (4) 1873 (2): 219–322. [20 May 1873 (G. Wheeler 1912: 757)]
- Bates HW (1874a) Supplement to the longicorn Coleoptera of Chontales, Nicaragua. *The Transactions of the Entomological Society of London* (4) 1874 (2): 219–235. [27 Apr 1874 (G. Wheeler 1912)]
- Bates HW (1874b) On the geodephagous Coleoptera of New Zealand. *The Annals and Magazine of Natural History* (4) 13 (75): 233–246, (76): 270–277. [1 Mar, 1 Apr 1874 (Evenhuis 2003: 26)]
- Bates HW (1875) New genera and species of Prionidae (longicorn Coleoptera). *The Entomologist's Monthly Magazine* 12 [1875–76]: 47–53. [Jul 1875 (page top)]
- Bates HW (1882) Adephaga [part, pp. 41–152, pls. iii-v]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. I. Part 1.* Taylor and Francis, London,

- x + 316 pp. + 13 pls. [Feb 1882 (pp. 41–72), Apr (73–88), Jun (89–112), Aug (113–136), Oct 1882 (137–152) (signature footers)]
- Bates HW (1883) Adephaga [part, pp. 153–256, pls. vi-xii]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. I. Part 1.* Taylor and Francis, London, x + 316 pp. + 13 pls. [Jan 1883 (pp. 153–168), Mar (169–216), Sep (217–240), Dec 1883 (241–256) (signature footers)]
- Bates HW (1884) Longicorn beetles of Japan. Additions, chiefly from the later collections of Mr. George Lewis; and notes on the synonymy, distribution, and habits of the previously known species. *The Journal of the Linnean Society Zoology* 18 (106): 205–262, pls. 1–2. [19 Dec 1884 (verso of vol. title page)]
- Bates HW (1885) Longicornia. Supplement [part, pp. 249–436, pls. 17–25]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. V.* Taylor and Francis, London, xii + 525 pp. + 26 pls. [Jan 1885 (pp. 249–272), Mar (273–312), Apr (313–328), May (329–352), Jul (353–384), Aug (385–408), Oct 1885 (409–436) (signature footers)]
- Bates HW (1886) On the geodephagous Coleoptera collected by Mr. George Lewis in Ceylon. *The Annals and Magazine of Natural History* (5) 17 (97): 68–81, (98): 143–156, (99): 199–212. [1 Jan, 1 Feb, 1 Mar 1886 (Evenhuis 2003: 30)]
- Bates HW (1887) Lamellicornia [part, pp. 25–160, pls. 2–8]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. II. Part 2. Pecticornia and Lamellicornia.* Taylor and Francis, London, xii + 432 pp. + 24 pls. [May 1887 (pp. 25–64), Jun (65–80), Aug (81–88), Sep (89–104), Oct (105–120), Nov (121–136), Dec 1887 (137–160) (signature footers)]
- Bates HW (1888) Rutelidae [pp. 216–296, pls. 12–15], Dynastidae [part, pp. 296–336, pls. 16–17]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. II. Part 2. Pectinicoria and Lamellicornia.* Taylor and Francis, London, xii + 432 pp. + 24 pls. [Apr 1888 (p. 216), Jun (217–248), Aug (249–296), Oct (297–312), Dec 1888 (313–336) (signature footers)]
- Bates HW (1891a) Addenda + Introduction [pp. 1–6] + Coleoptera [pp. 7–39]. In: Supplementary appendix to travels amongst the Great Andes of the Equator by Edward Whymper. J. Murray, London, xxii + [1, Addenda] + 147 pp.
- Bates HW (1891b) List of the Carabidae (ord. Coleoptera) obtained by Père Cardon in Chota-Nagpore. *Bulletin ou Comptes-Rendus des Séances de la Société Entomologique de Belgique* 1891: cccxiv–cccxxxix.
- Bates HW (1892) Viaggio di Leonardo Fea in Birmania e regioni vicine. XLIV. List of the Carabidae. *Annali del Museo Civico di Storia Naturale di Genova* (2) 12 [32]: 267–428, pl. 4, [1892 (title page; Proc. Ent. Soc. London 1892; xxiii)]
- Baudet-Lafarge J (1809) Essai sur l'entomologie du Département du Puy-de-Dôme. Monographie des Lamelli-antennes. Landriot, Clermont, 86 pp.
- Baudi di Selve F (1875) *Europaea et circummediterraneae Faunae Tenebrionidum specierum, quae Comes Dejean in suo Catalogo, editio 3^a consignavit, ex ejusdem collectione in R. Taurinensi Musaeo asservata, cum auctorum hodierne recepta determinatione collatio.* Deutsche Entomologische Zeitschrift 19 (1): 17–120. [Jan 1875 (Inhalt p. 3)]

- Bechyné J (1948) Notes sur les chrysomélides de l'Amérique du Sud (Col.). Revista de Entomología (Rio de Janeiro) 19 (1/2): 295–312. [1 Jun 1948 (bottom p. iv)]
- Bechyné J (1949) Liste provisoire des eumolpides de la République Argentine et observations diverses sur les eumolpides de l'Amérique du Sud (Col., Chrysomeloidea). Acta Zoologica Lilloana 8: 457–535. [printed 31 Dec 1949 (p. 609)]
- Bechyné J (1950a) Notes sur les Chrysomélides de l'Amérique du Sud. II. (Col.). Revista de Entomología (Rio de Janeiro) 21: 115–156.
- Bechyné J (1950b) Eumolpides nouveaux de Madagascar (Col. Phytophaga). Bulletin Mensuel de la Société Linnéenne de Lyon 19 (7): 148–151. [Sep 1950 (top of reprint)]
- Bechyné J (1951a) Contribution à la connaissance des eumolpides Malgaches. Bulletin Mensuel de la Société Linnéenne de Lyon 20: 91–94. [Apr 1951]
- Bechyné J (1951b) Liste provisoire des eumolpides de Bolivie et observations diverses sur les espèces de l'Amérique du Sud (Col. Phytophaga). Entomologische Arbeiten aus dem Museum G. Frey 2 (2): 227–352. [publ. 31 Dec 1951 (vol. Inhalt)]
- Bechyné J (1953) Chrysomelidae (Coleoptera Phytophaga). Exploration du Parc National Albert Mission G F de Witte (1933–1935). Fasc. 79 (5). Institut des Parcs Nationaux du Congo Belge Bruxelles, pp. 83–86.
- Bechyné J (1957) Contribution à l'étude des Chrysomeloidea des Iles Mascareignes. I. Eumolpidae. The Mauritius Institute Bulletin 5 (1): 7–21.
- Bechyné J (1958) Sur la position systématique de deux Chrysomélides (Col. Phytophaga). Revue Française d'Entomologie 25: 218–220.
- Bechyné J (1968) Contribution à la faune du Congo (Brazzaville). Mission A. Villiers et A. Descarpentries. LXXXI. Coléoptères Alticinae. Bulletin de l'Institut Fondamental d'Afrique Noire (Série A: Sciences Naturelles) 30 (4): 1687–1728. [Oct 1968 issue]
- Bechyné J (1980) El jeannelismo y la evolución: concepto de las leyes orgánicas sin excepción. Grafindustrial Aragua, Maracay, [10] + 181pp.
- Bechyné J (1997) Evaluación de los datos sobre los Phytophaga dañinos en Venezuela (Coleoptera). Parte I. [edited by V. Savini]. Boletín de Entomología Venezolana Serie Monografías 1: [1] + i–viii, 1–278. [printed Oct 1997 (endleaf)]
- Bechyné J, Špringlová de Bechyné B (1960) Beiträge zur Kenntnis der Salvadorenischen Chrysomeloidea (Col. Phytoph.). Pesquisas (Zoologia) 4 (No. 6): 5–73. [submitted post 20 Jul 1960 (p. 70)]
- Bechyné J, Špringlová de Bechyné B (1966) Evidenz der bisher bekannten Phenrica-Aitca. (Col. Phytophaga, Alticinae). Entomologisk Tidskrift 87 (3/4): 142–170. [printed 31 Dec 1966 (verso of title page)]
- Bechyné J, Špringlová de Bechyné B (1969) La posición sistemática de Megascelis Chevrolat (Col. Phytophaga). Revista de la Facultad de Agronomía, Universidad Central de Venezuela 5 (3): 65–76. [Dec 1969 (date of reprint)]
- Bechyné J, Špringlová de Bechyné B (1973) Notas sobre algunos phytophaga de origen paleantartico (Coleoptera). Revista Chilena de Entomología 7: 25–30. [printed 15 Jul 1973; recorded by CNC 23 Dec]

- Bechyné J, Špringlová de Bechyné B (1975) Notas sobre la serie filetica de *Monomacra* y sus formas convergentes (Col.: Phytophaga: Alticidae). Revista de la Facultad de Agronomía, Universidad Central de Venezuela 8 (4): 25–140. [Dec 1975 (reprint)]
- Bedel L (1879) [Livraison 2, pp. 33–80]. In: Faune des Coléoptères du bassin de la Seine. Vol. 1. Annales de la Société Entomologique de France (5) 9 (publication hors série): 360 pp., 1 pl. [27 Aug 1879]
- Bedel L (1881) [pp. i-xxiv, 257–360]. In: Faune des Coléoptères du bassin de la Seine. Vol. 1. Annales de la Société Entomologique de France (6) 1 (publication hors série): 360 pp., 1 pl.
- Bedel L (1882) Faune des Coléoptères du bassin de la Seine. Tome VI. Rhynchophora. Annales de la Société Entomologique de France (6) 2 (3, publication hors série): 1–16 (the entire work has 442 pp. + [2] + 1 pl.). [Nov 1882 (Alonso-Zarazaga and Lyal 1999: 213); 1882 (footer p. 1)]
- Bedel L (1883) Faune des Coléoptères du bassin de la Seine. Tome VI. Rhynchophora [cont.]. Annales de la Société Entomologique de France (6) 2 (4, publication hors série): 17–32 + pl. 1. [May 1883 (Alonso-Zarazaga and Lyal 1999: 212); 1883 (footer p. 17)]
- Bedel L (1884a) Faune des Coléoptères du bassin de la Seine. Tome VI. Rhynchophora [cont.]. Annales de la Société Entomologique de France (6) 3 (3, publication hors série): 65–80. [Dec 1883 (Alonso-Zarazaga and Lyal 1999: 212); 1884 (footer p. 65); 31 Jan 1884 (Table des Matières of 3ième trim.)]
- Bedel L (1884b) Faune des Coléoptères du bassin de la Seine. Tome VI. Rhynchophora [cont.]. Annales de la Société Entomologique de France (6) 4 (publication hors série): 129–144. [Oct 1884 (feuille 9); 1884 (footer p. 129)]
- Bedel L (1886) Faune des Coléoptères du bassin de la Seine. Tome VI. Rhynchophora [cont.]. Annales de la Société Entomologique de France (6) 6 (3, publication hors série): 249–280. [30 Dec 1886 (Alonso-Zarazaga and Lyal 1999: 212); 1886 (footer p. 249, 265)]
- Bedel L (1888) Faune des Coléoptères du bassin de la Seine. Tome VI. Rhynchophora [cont.]. Annales de la Société Entomologique de France (6) 7 ([publication hors série]): 385–442. [pp. 385-end publ. in 1888]
- Bedel L (1891) Faune des Coléoptères du bassin de la Seine. Tome V. Annales de la Société Entomologique de France 60 ([publication hors série]): 105–136 (the entire work has 423 pp.). [1891 (footnote p. 105)]
- Bedel L (1900) Exploration scientifique de la Tunisie. Catalogue raisonné des Coléoptères de Tunisie. Première partie. Cicindelidae-Staphylinidae. Paris, xiv + 130 pp.
- Bedel L (1901) Faune des Coléoptères du bassin de la Seine. Tome V. Annales de la Société Entomologique de France 70 ([publication hors série]): 309–423. [1901 (footer p. 309, etc.)]
- Bedel L (1910) Sur l'*Ophionea Chaudoiri* Bohem. et sur quelques genres du groupe des *Colliuris* De Geer [Col. Carabidae]. Bulletin de la Société Entomologique de France 1910 (4): 71–72. [publ. 7 Mar 1910 (p. [433])]
- Bedel L (1921) Faune des coléoptères du bassin de la Seine. Vol. 4. Fasc. 2. Sous-ordre Sericocornia (Sternoxia). Annales de la Société Entomologique de France 90 ([publication hors série]): 165–362.

- Beenen R (2010) subfamily Galerucinae Latreille, 1802 [pp. 443–491]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Bell RT (1998) Where do the Rhysodini (Coleoptera) belong? [pp. 261–272]. In: Ball GE, Casale A, Vigna Taglianti A (Eds) Phylogeny and classification of Caraboidea. (Coleoptera, Adephaga). Proceedings of a symposium, XX International Congress of Entomology. Atti / Museo Regionale de Scienze Naturali, Torino, 543 pp.
- Bell RT (2003) Family Rhysodidae Laporte, 1840 [p. 78]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata - Myxophaga - Adephaga. Apollo Books, Stenstrup, 819 pp. [publ. 30 May 2003 (verso of title page)]
- Bell RT, Bell JR (1978) Rhysodini of the world part I. A new classification of the tribe, and a synopsis of *Omoglymmius* subgenus *Nitiglymmius*, new subgenus (Coleoptera: Carabidae or Rhysodidae). Quaestiones Entomologicae 14: 43–88.
- Bell RT, Bell JR (1987) A new subtribe, genus and species of Rhysodini from South Africa (Coleoptera: Carabidae or Rhysodidae). Journal of the Entomological Society of Southern Africa 50: 287–290.
- Bell RT, Bell JR (1991) The Rhysodini of Australia (Insecta: Coleoptera: Carabidae or Rhysodidae). Annals of the Carnegie Museum 60: 179–210.
- Bellamy CL (1987) [new taxa] In: Bellamy CL, d'Hotman D, Holm E: A review of the Afro-tropical Buprestinae with the description of a new tribe, genera and species (Coleoptera: Buprestidae). Journal of the Entomological Society of Southern Africa 50: 217–239.
- Bellamy CL (1995) A new subtribe for the monotypic Southern African genus *Bulis* Laporte and Gory (Coleoptera: Buprestidae). Annals of the Transvaal Museum 36 (11): 171–175. [Mar 1995 (footer p. 171)]
- Bellamy CL (1996) Further consideration of the subtribe Thomassetiina Bellamy: a new species, new records and placement in the contemporary classification (Coleoptera: Buprestidae). Annals of the Transvaal Museum 36 (16): 215–222. [Mar 1996 (footer p. 222)]
- Bellamy CL (2002) Coleoptera Buprestoidea [pp. 1–485]. In: Houston WWK (Ed) Zoological Catalogue of Australia. Vol. 29.5. CSIRO Publishing, Melbourne, xii + 491 pp. + 4 pls. [copyright 2002]
- Bellamy CL (2003) An illustrated summary of the higher classification of the superfamily Buprestoidea (Coleoptera). Folia Heyrovskyana Supplementum 10: 1–197.
- Bellamy CL (2006) A new subtribe for *Trichinorhipis* Barr, 1948 (Coleoptera: Buprestidae). The Pan-Pacific Entomologist 82 (2): 139–143. [24 Sep 2006 (inside wrapper)]
- Bellamy CL (2008a) A world catalogue and bibliography of the jewel beetles (Coleoptera: Buprestoidea). Volume 1. Introduction; fossil taxa; Schizopodidae; Buprestidae; Julodinae - Chrysochroinae: Poecilonotini. Pensoft, Sofia, pp. 1–625. [printed May 2008 (verso of title page)]
- Bellamy CL (2008b) A world catalogue and bibliography of the jewel beetles (Coleoptera: Buprestoidea). Volume 2. Chrysochroinae: Sphenopterini through Buprestinae: Stigmaderini Pensoft, Sofia, pp. 631–1260. [printed Jun 2008 (verso of title page)]

- Bellamy CL (2008c) A world catalogue and bibliography of the jewel beetles (Coleoptera: Buprestoidea). Volume 3. Buprestinae: Pterobothrini through Agrilinae: Rhaeboscelina. Pensoft, Sofia, pp. 1263–1931. [printed Aug 2008 (verso of title page)]
- Bellamy CL (2008d) A world catalogue and bibliography of the jewel beetles (Coleoptera: Buprestoidea). Volume 4. Agrilinae: Agrilina through Trachyini. Pensoft, Sofia, pp. 1935–2684. [printed Sep 2008 (verso of title page)]
- Bellamy CL (2009) A world catalogue and bibliography of the jewel beetles (Coleoptera: Buprestoidea). Volume 5. Appendices, bibliography, indices. Pensoft, Sofia, pp. 2689–3264. [printed Feb 2009 (verso of title page)]
- Bellés X (1985) Sistemática, filogenia y biogeografía de la subfamilia Gibbiinae (Coleoptera, Ptinidae). Treballs del Museu de Zoologia Supplement No. 3: 3–94.
- Benesh B (1955a) Some notes on Neotropical stagbeetles (Coleoptera: Lucanidae). Entomological News 66: 97–104. [Apr issue; mailed 31 Mar 1955 (verso of vol. contents)]
- Benesh B (1955b) Some further notes on the stagbeetles, with especial reference to Figuliniae (Coleoptera: Lucanidae). Transactions of the American Entomological Society 81 (2): 59–76. [7 Sep 1955 (inside back wrapper)]
- Benesh B (1960) Coleopterorum Catalogus (Supplementum). Editio secunda. Pars 8. Lucanidae. W. Junk, The Hague, 178 pp.
- Benick L (1920) Über einige brasiliische Aulacotrachelinen und Steninen (Col., Staph.). Översikt av Finska Vetenskaps-Societetens Förhandlingar 62 (A) (4): 1–6. [1920 (reprint; Neave 1939: 359, etc.); 1921 (fasc. wrapper)]
- Bernhauer M (1908) Beiträge zur Kenntnis der paläarktischen Staphyliniden-Fauna. I. Münchener Koleopterologische Zeitschrift 3 (3): 320–335. [23 Mar 1908 (wrapper)]
- Bernhauer M (1910) Beitrag zur Kenntnis der Staphyliniden-Fauna von Zentralamerika. Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien 60 (7/8): 350–393. [20 Oct 1910 (vol. title page)]
- Bernhauer M (1911) Zur Staphylinidenfauna Ostindiens und der Sundainseln (3. Beitrag). Entomologische Blätter 7 (2/3, 4): 55–62, 86–93.
- Bernhauer M (1915) Zur Staphylinidenfauna des indo-malayischen Gebietes, insbesonders des Himalaya (10. Beitrag). Coleopterologische Rundschau 4 (3): 49–60. [before 6 Mar 1915]
- Bernhauer M (1931) Eine neue Subtribus der Quediini (Staphylinidae). Koleopterologische Rundschau 17 84.
- Bernhauer M, Scheerpeltz O (1926) Pars 82: Staphylinidae VI [pp. 499–988]. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen V. Staphylinidae. W. Junk, Berlin, 988 pp. [4 May 1926 (verso of vol. title page)]
- Bernhauer M, Schubert K (1910) Pars 19: Staphylinidae I [pp. 1–86]. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen V. Staphylinidae. W. Junk, Berlin, 988 pp. [30 Aug 1910 (verso of vol. title page)]
- Bernhauer M, Schubert K (1911) Pars 29: Staphylinidae II [pp. 87–190]. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen V. Staphylinidae. W. Junk, Berlin, 988 pp. [10 Apr 1911 (verso of vol. title page)]

- Bernhauer M, Schubert K (1912) Pars 40: Staphylinidae III [pp. 191–288]. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen V. Staphylinidae. W. Junk, Berlin, 988 pp. [28 Mar 1912 (verso of vol. title page)]
- Bertkau P (1875) Bericht über die wissenschaftlichen Leistungen auf dem Gebiete der Entomologie während der Jahre 1873 und 1874. Archiv für Naturgeschichte 40 (2): 253–400. [1874 (fasc. title page); cites articles publ. in 1875]
- Bertkau P (1878) Bericht über die wissenschaftlichen Leistungen im Gebiete der Arthropoden während die Jahre 1877–78. Archiv für Naturgeschichte 44 (2): 219–562.
- Bertkau P (1890) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während des Jahres 1879. Archiv für Naturgeschichte 56 (Band 2 Heft 2): 1–318. [publ. Aug 1890 (Band 2 Inhalt p. iv)]
- Bertkau P (1891) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während des Jahres 1890. Archiv für Naturgeschichte 57 (Band 2 Heft 2): 1–343. [publ. Dec 1891 (Band 2 Inhalt p. iv)]
- Bertrand H (1954) Les Insectes aquatiques d'Europe (genres: larves, nymphes, imagos), Vol. 1. Encyclopédie Entomologique 30. P. Lechevalier, Paris, 556 pp. [17 Apr 1954]
- Bertrand H (1967) Clé de détermination des genres de larves d'hydrophilides holarctiques. Cahiers des Naturalistes: Bulletin des Naturalistes Parisiens (Nouvelle Série) 22: 85–88.
- Besuchet C (1986) Synonymes et homonyme nouveaux de quelques genres de Psélaphides (Coleoptera). Revue Suisse de Zoologie 93: 257–264.
- Besuchet C (1991) Révolution chez les Clavigerinae (Coleoptera, Pselaphidae). Revue Suisse de Zoologie 98: 499–515.
- Beutel RG, Leschen RAB (2005) Part 38. Coleoptera, beetles. Volume 1: Morphology and Systematics (Archostemata, Adephaga, Myxophaga, Polyphaga partim). In: Kristensen NP, Beutel RG (Eds) Handbook of zoology A natural history of the phyla of the animal kingdom Volume IV - Arthropoda: Insecta. Walter De Gruyter, Berlin, xi + 567 pp.
- Bezděk J (2003) Studies on Asiatic *Apophylia*. Part 1: new synonyms, lectotype designations, redescriptions, descriptions of new species and notes (Coleoptera: Chrysomelidae: Galerucinae). Genus 14: 69–102. [15 Apr 2003]
- Bezděk J (2010a) New acts and comments. Chrysomelidae: Galerucinae [p. 73]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Bezděk J (2010b) New acts and comments [p. 76]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Bezděk J (2010c) subfamily Galerucinae Latreille, 1802 [pp. 443–491]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Bickhardt H (1913) H. Sauter's Formosa-Ausbeute. Histeridae II. (Col.). (16. Beitrag zur Kenntnis der Histeriden). Entomologische Mitteilungen 2 (6): 166–177. [1 Jun 1913 (wrapper); 12 Jun (recorded at USNM)]
- Bickhardt H (1914) Das System der Histeriden (Vorläufige Mitteilung) (22. Beitrag zur Kenntnis der Histeriden). Entomologische Blätter 10 (9/12): 305–308. [31 Oct 1914]

- Bierig A (1934) Géneros y especies nuevas de estafilínidos (Col.) Cubanos. Memorias de la Sociedad Cubana de Historia Natural Felipe Poey 8: 213–223, pl. 11. [25 Oct 1934 (page headers)]
- Bierig A (1939) *Litozoon* y *Xenaster* (Col.), 2 géneros nuevos de Staphylinidae. Revista Chilena de Historia Natural 42: 176–180.
- Bierig A (1943) Algunos Estaphylinidae (Col.) nuevos de Costa Rica. Revista Chilena de Historia Natural 45: 154–163.
- Billberg GJ (1820a) *Enumeratio Insectorum in Museo Gust. Joh. Billberg.* Gadel, Stockholm, 138 pp. [«31 Dec 1820» (Evenhuis 1997a: 93)]
- Billberg GJ (1820b) *Novae insectorum species, descriptae.* Mémoires de l'Académie Impériale des Sciences de St-Pétersbourg 7 [1815–1816]: 381–395. [1820 (title page); Feb 1820 (art. written p. 559)]
- Bílý S (1974) A revision of the genus *Coomaniella* Bourgoin of the Coomaniellini tribe nov. (Coleoptera, Buprestidae). Acta Entomologica Bohemoslovaca 71 (1): 30–41 + pl. 1. [22 Feb 1974 (contents)]
- Bílý S (2000) A new concept of Anthaxiini (Coleoptera: Buprestidae). Folia Heyrovskyana 8: 109–114.
- Bílý S, Kubáň V, Volkovitsh MG (2009) A study on the tribe Poecilonotini, with a revision of the subtribe Nesotrichina subtrib. n. and the description of a new genus and species from Papua New Guinea (Coleoptera: Buprestidae: Chrysochroinae). Acta Entomologica Musei Nationalis Pragae 49 (2): 729–767. [15 Dec 2009 (top of article + wrapper)]
- Bílý S, Volkovitsh MG (1996) Revision, reclassification and larval morphology of the genus *Paratassa* (Coleoptera: Buprestidae: Paratassini tribus n.). Acta Societatis Zoologicae Bohemicae 60: 325–346. [27 Dec 1996 (issue title page)]
- Biström O, Nilsson AN, Wewalka G (1997) A systematic review of the tribes Hyphhydrini Sharp and Pachhydrini n. trib. (Coleoptera, Dytiscidae). Entomologica Fennica 8 (2): 57–82. [8 Jul 1987 (top of p. 57)]
- Blackburn T (1892) Notes on Australian Coleoptera, with descriptions of new species. The Proceedings of the Linnean Society of New South Wales (2) 7 [1893]: 65–151. [1893 (vol. title page); issued 1 Sep 1892 (p. iii)]
- Blackwelder RE (1942) Notes on the classification of the staphylinid beetles of the groups Lispini and Osoriinae. Proceedings of the United States National Museum 92: 75–90. [publ. 7 Apr 1942 (p. iii)]
- Blackwelder RE (1943) Monograph of the West Indian beetles of the family Staphylinidae. Bulletin of the United States National Museum 182: viii + 658 pp. [Feb 1943 (Monthly Cat. U. S. Govt. Publ. No. 577: 212)]
- Blackwelder RE (1944) Checklist of the coleopterous insects of Mexico, Central America, the West Indies, and South America. Part 1. Bulletin of the United States National Museum 185: pp. i-xii + 1–188. [7 Mar 1944 (verso of title page, 1982 ed.)]
- Blackwelder RE (1945) Checklist of the coleopterous insects of Mexico, Central America, the West Indies, and South America. Part 3. Bulletin of the United States National Museum 185: 343–550. [21 May 1945 (verso of title page, 1982 ed.)]

- Blackwelder RE (1949) Bibliographia. Studies on the dates of publication of books on Coleoptera. The Coleopterists' Bulletin 3: 42–46, 76, 92–94.
- Blackwelder RE (1957) Checklist of the coleopterous insects of Mexico, Central America, the West Indies, and South America. Bulletin of the United States National Museum No. 185 (part 6): i–vi, 927–1492. [publ. 15 May 1957 (verso of vol. Contents)]
- Blair KG (1920) Notes on the coleopterous genus *Ischalia* Pascoe (fam. Pyrochroidae), with descriptions of two new species from the Philippine Islands. The Entomologist's Monthly Magazine 56: 133–135. [21 Jun 1920 (recorded at USNM)]
- Blaisdell FE (1906) New Californian Coleoptera. Entomological News and Proceedings of the Entomological Section of the Academy of Natural Sciences of Philadelphia 17 (3): 71–80. [Mar 1906 issue]
- Blaisdell FE (1909) A monographic revision of the Coleoptera belonging to the tenebrionide tribe Eleodiini inhabiting the United States, Lower California, and adjacent islands. Bulletin of the United States National Museum 63: 1–524, pls. 1–13. [issued 24 Jun 1909 (p. ii)]
- Blaisdell FE (1939) Studies in the relationships of the subfamilies and tribes of the Tenebrionidae based on the primary genital characters, also descriptions of new species (Coleoptera). Transactions of the American Entomological Society 65 (1): 43–60. [issued 14 Apr 1939 (vol. contents)]
- Blanchard CÉ (1845a) Histoire naturelle des insectes leurs moeurs, leurs métamorphoses et leur classification ou traité élémentaire d'entomologie. Tome premier. F. Savy, Paris, v + 398 pp., pls. 1–10. [11 Jun 1845 (Ann. Soc. Ent. France (2) 3: Bull. Ent.: xliii); 28 Jun 1845 (Bibliogr. France 1845: 345)]
- Blanchard CÉ (1845b) Histoire naturelle des insectes leurs moeurs, leurs métamorphoses et leur classification ou traité élémentaire d'entomologie. Tome second. F. Savy, Paris, 524 pp., pls. 11–20. [11 Jun 1845 (Ann. Soc. Ent. France (2) 3: Bull. Ent.: xliii), 28 Jun 1845 (Bibliogr. France 1845)]
- Blanchard CÉ (1850) [Partie 1, pp. i–iv, 1–128]. In: Ordre des Coleoptères. Tome I. In: Milne-Edwards H, Blanchard CE, Lucas H (Eds). Muséum d'Histoire Naturelle de Paris Catalogue de la Collection Entomologique Classe des Insectes. Gide & Baudry, Paris, iv + 128 pp. [1850 (title page); after 25 Apr 1850 (date of Introduction)]
- Blanchard CÉ (1851a) [Partie 2, pp. 129–240]. In: Ordre des Coleoptères. Tome I. In: Milne-Edwards H, Blanchard CE, Lucas H (Eds). Muséum d'Histoire Naturelle de Paris Catalogue de la Collection Entomologique Classe des Insectes. Gide & Baudry, Paris, iv + 240 pp. [1850 (title page); 25 Apr 1850 (date of Introduction)]
- Blanchard CÉ (1851b) Coleópteros: Tetramerés, Trimeros, Dimeros [pp. 285–564, pls. 22–32]. In: Gay C (Ed) Historia física y política de Chile Zoología Tomo quinto. 563 pp. Privately published, Paris.
- Blanchard CÉ (1853) Description des insectes. In: Hombros J, Jacquinot H (Eds). Voyage au Pole Sud et dans l'Océanie sur les corvettes l'Astrolabe et la Zélée; exécuté par ordre du Roi pendant les années 1837–1838–1839–1840, sous le commandement de M J Dumont-d'Urville, Capitaine de vaisseau; publié par ordre du gouvernement, sous la direction supérieure de M Jacquinot, Capitaine de vaisseau, commandant de la Zélée Zoologie par MM

- Hombron et Jacquinot Tome quatrième. Gide & J. Baudry, Paris, [5] + 422 pp. + 19 pls. [1853 (title page); 3 March 1854, «might have been published at the end of 1853» (Clark and Crosnier 2000: 414)]
- Blandford W FH (1893) The Scolyto-platypini, a new subfamily of Scolytidae. The Transactions of the Entomological Society of London 1893 (4): 425–442 + pl. xiv. [29 Dec 1893 (G. Wheeler 1912)]
- Blandford W FH (1895) Scolytidae [pp. 81–96]. In: Godman FD, Salvin O (Eds) Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. IV. Part 6. Taylor and Francis, London, 396 pp. [Dec 1895 (footer, pp. 81, 89)]
- Blandford W FH (1896) Scolytidae [continued.; pp. 113–120]. In: Godman FD, Salvin O (Eds) Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. IV. Part 6. Taylor and Francis, London, 396 pp. [Mar 1896 (footer, p. 113)]
- Blatchley WS (1922) Notes on the Rhynchophora of Eastern North America, with characterizations of new genera and descriptions of new species. (Continued). Journal of the New York Entomological Society 30 (3): 113–127. [Sep issue; 27 Oct 1922 (recorded at USNM); issued 8 Nov 1922 (inside fasc. 4 wrapper)]
- Bocák L, Bocáková M (1989) New tribe Lyropaeini, with a description of a new species of *Lyropaeus* (Coleoptera, Lycidae). Polskie Pismo Entomologiczne 58 (4 [1988]): 717–723. [28 Feb 1989]
- Bocák L, Bocáková M (1990) Revision of the supergeneric classification of the family Lycidae (Coleoptera). Polskie Pismo Entomologiczne 59 (4 [1989]): 623–676.
- Bocák L, Bocáková M (1992) Notes on some genera of the family Lycidae (Insecta: Coleoptera). Entomologica Basiliensis 15: 255–260.
- Bocák L, Bocáková M (2008) Phylogeny and classification of the family Lycidae (Insecta: Coleoptera). Annales Zoologici (Warszawa) 58 (4): 695–720. [publ. 30 Dec 2008 (inside wrapper)]
- Bocák L, Brlik M (2008) Revision of the family Omalisidae (Coleoptera, Elateroidea). Insect Systematics & Evolution 39 (2): 189–212. [Jun 2008 (top of article)]
- Bocáková M (2005) Phylogeny and classification of the tribe Calopterini (Coleoptera, Lycidae). Insect Systematics & Evolution 35: 437–447.
- Bock WJ (1994) History and nomenclature of avian family-group names. Bulletin of the American Museum of Natural History 222: 1–281 + 3 [unn.; erratum]. [issued 28 Sep 1994 (title page)]
- Boddy DW (1965) Family Tenebrionidae. Pp. 130–189. *Part IV: Macrodactyles, Palpicornes, and Heteromera*. University of Washington Press, Seattle, viii + 268 pp.
- Bohemian CH (1855) Monographia Cassididarum. Tomus tertius. Officina Nordstedtiana, Holmiae, 543 pp. + pl. 7.
- Bollow H (1938) Monographie der palaearktischen Dryopidae, mit Berücksichtigung der eventuell transgressierenden Arten. (Col.). Mitteilungen der Münchener Entomologischen Gesellschaft 28 (1): 147–187. [20 Aug 1938 (Inhalt)]
- Bollow H (1941) Monographie der palaearktischen Dryopidae, mit Berücksichtigung der eventuell transgressierenden Arten. (Col.). (Fortsetzung). Mitteilungen der Münchener Entomologischen Gesellschaft 31 (1): 1–88, pl. 1. [15 Jan 1941 (Inhalt)]

- Bologna MA, Pinto JD (1997) Case 2924. Meloidae Gyllenhal, 1810 and Nemognathinae Castelnau, 1840 (Insecta, Coleoptera): proposed precedence over Horiidae Latreille, 1802. Bulletin of Zoological Nomenclature 54 (4): 226–230 [18 Dec 1997]
- Bonadona P (1959) Anthicides récoltés par J. Cantaloube au Cameroun (Coleoptera). Bulletin de l'Institut Français d'Afrique Noire (Série A) 21 (3): 1033–1046. [Jul 1959 (p. [1146])]
- Bonadona P (1961) Les Tomoderini de l'Afrique noire et de la région Malgache (Coleoptera Anthicidae). Annales du Musée Royal de l'Afrique Centrale, Tervuren (Série 8vo: Sciences Zoologiques) 91: 1–78. [Jan 1961]
- Bonadona P (1974) La classification des Anthicidae de la faune de France (Coleoptera). L'Entomologiste 30 (3): 101–111. [Jun fasc.; dépôt légal 2e trim. 1974; CNC recorded 23 Aug 1974]
- Bonadona P (1984) Anthicides nouveaux ou peu connus d'Afrique Noire (Coleoptera, Anthicidae). Revue de Zoologie Africaine 98 (3): 469–504. [publ. 28 Sep 1984 (reprint)]
- Bonadona P (1990) Les Anthicidae (Coleoptera) de la faune de France (septième partie). Bulletin Mensuel de la Société Linnéenne de Lyon (Nouvelle Série) 59 (1): 9–24. [Jan 1990 (fasc. title page); 10 Jan (recorded at BMNH)]
- Bondar G (1942) Notas entomológicas da Baía. X. Revista de Entomologia (Rio de Janeiro) 13 (3): 225–274. [30 Nov 1942 (publ. date p. 480)]
- Bondar G (1943a) Notas entomológicas da Baía. XI. Revista de Entomologia (Rio de Janeiro) 14 (1/2): 33–84. [publ. 14 Aug 1943 (p. 336); 31 Jul 1943 (Alonso-Zarazaga and Lyal 1999: 214)]
- Bondar G (1943b) Notas entomológicas da Baía. XII. Revista de Entomologia (Rio de Janeiro) 14 (1/2): 85–134. [publ. 14 Aug 1943 (p. 336); 31 Jul 1943 (Alonso-Zarazaga and Lyal 1999: 214)]
- Bondar G (1949) Notas entomológicas da Baía. XXI. Revista de Entomologia (Rio de Janeiro) 20 (1/3): 173–228. [31 Aug 1949 (p. 668)]
- Bonelli FA (1810) Observations entomologiques. Première partie (cicindèles et portion des carabiques) [with the "Tabula synoptica exhibens genera carabicorum in sectiones et stirpes disposita"]. [s.n.]. Galletti, F, Turin, 58 pp., 1 table. [reissued in 1812, without the «Tabula Synoptica», in Mem. R. Accad. Sci. Torino 18: 21–78]
- Bonelli FA (1813) Observations entomologiques. Deuxième partie. Turin, 52 pp. [This paper was reprinted in Mem. R. Accad. Sci. Torino, 20, 433–484, 1813 (Madge 1989; listed before journal version)]
- Borchmann F (1936) 204me fascicule. Coleoptera [Heteromera]. Fam. Lagriidae. In: Wytsman PA (Ed) Genera Insectorum. Vol. XXXV. L. Desmet-Verteneuil, Bruxelles, 561 pp. + 9 pls. [31 Dec 1934 (date on manuscr.); 1936 (wrapper); 16 Nov 1936 (Evenhuis 1994: 60); 1937 (title page)]
- Bordoni A (1974) Contributo alla conoscenza sistematica e faunistica degli Staphylinidae italiani - III - Specie italiane del genere *Lithocharis* Boisd. & Lac. (Col. Staphylinidae). XLI contributo alla conoscenza degli Staphylinidae. Redia 55: 321–329. [publ. 21 Dec 1974 (reprint wrapper)]

- Bordoni A (1975) Morfologia céfalica e addominale della sottotribu Medina nov. e del genere *Medon* Stephens in particolare e suoi rapporti con la sistematica (Col. Staphylinidae). *Redia* 56: 417–446. [1975 (date on separate, not in journal)]
- Bordoni A (1980) Studi sui Paederinae - VII - sopra alcuni *Hypomedon* e *Luzea* poco noti (Col. Staphylinidae). 64º contributo alla conoscenza degli Staphylinidae. *Redia* 63: 169–171. [9 Dec 1980 (reprint wrapper)]
- Borgmeier T (1934) Uma nova tribo da subfamilia Aleocharinae (Col. Staph.). *Revista de Entomologia* (Rio de Janeiro) 4 (4): 451–454. [31 Oct 1934 (p. 534)]
- Borgmeier T (1937) Uma nova especie de *Meloetypillus* Waterhouse (1872), e a hypothese da myrmecophilia deste genero (Col. Meloidae). *Revista de Entomologia* (Rio de Janeiro) 7 (2/3): 247–255.
- Borowiec L (1987) The genera of seed-beetles (Coleoptera, Bruchidae). Rodzaje strąkowców (Coleoptera, Bruchidae). *Polskie Pismo Entomologiczne* 57 (1): 3–207. [30 Mar 1987 (top of article)]
- Borowiec L (1995) Tribal classification of the cassidoid Hispinae (Coleoptera: Chrysomelidae) [pp. 541–558]. In: Pakaluk J, Ślipiński SA (Eds) *Biology, phylogeny and classification of Coleoptera: papers celebrating the 80th birthday of Roy A Crowson*. Muzeum i Instytut Zoologii PAN, Warszawa, x + 1092 pp. in 2 vols. [31 Mar 1995 (teste S. A. Ślipiński)]
- Borowski J, Węgrzynowicz P (2009) *Apate* Fabricius, 1775 (Bostrichidae: coleoptera): a protected name. *Annales Zoologici* (Warszawa) 59 (2): 189–191.
- Bottimer LJ (1968) Notes on Bruchidae of America north of Mexico with a list of world genera. *The Canadian Entomologist* 100 (10): 1009–1049. [mailed 22 Oct 1968 (p. 1232)]
- Bouchard P, Grebennikov VV, Smith ABT, Douglas H (2009) Biodiversity of Coleoptera [pp. 265–301]. In: Foottit RG, Adler PH (Eds). *Insect biodiversity: science and society*. Blackwell Publishing, Oxford, 656 pp.
- Bouchard P, Lawrence JF, Davies A, Newton AF (2005) Synoptic classification of the world Tenebrionidae (Insecta: Coleoptera) with a review of family-group names. *Annales Zoologici* (Warszawa) 55 (4): 499–530. [31 Dec 2005]
- Bouchard P, Löbl I, Merkl O (2007) Nomenclatural notes on tenebrionid beetles of the Palaearctic Region (Insecta: Coleoptera). *Annales Zoologici* (Warszawa) 57 (3): 385–394.
- Boucher S (2006) Évolution et phylogénie des Coléoptères Passalidae (Scarabaeoidea). Les taxons du groupe famille. La tribu néotropicale des Proculini et son complexe *Veturius*. *Annales de la Société Entomologique de France (Nouvelle Série)* 41 [2005] (3/4): 239–604. [issued 27 Feb 2006 (back of wrapper)]
- Bouchet P, Rocroi J-P (2005) Classification and nomenclator of gastropod families. *Malacologia* 47: 1–397.
- Bouchet P, Rocroi J-P (2010) Part 1. Nomenclator of bivalve names of the family-group and above. In: Bouchet P, Rocroi J-P, Bieler R, Carter JG, Coan EV. *Nomenclator of Bivalve Families with a Classification of Bivalve Families*. *Malacologia* 52 (2): 1–184.
- Boucomont A (1911) Contribution à la classification des Geotrypidae (Col.). *Annales de la Société Entomologique de France* 79 [1910–1911] (3): 333–350. [22 Feb 1911 (wrapper)]
- Bousquet Y (2003) Subfamily Loricerinae [pp. 98–99]; tribe Abacetini [pp. 346–347] [and others]. In: Löbl I, Smetana A (Eds) *Catalogue of Palaearctic Coleoptera. Volume 1. Ar-*

- chostemata -Myxophaga - Adephaga. Apollo Books, Stenstrup, 819 pp. [publ. 30 May 2003 (verso of title page)]
- Bousquet Y (2008) Nomenclatural and bibliographic notes on Cerambycidae (Coleoptera). *The Coleopterists Bulletin* 61 [2007] (4): 616–631. [mailed 10 Jan 2008 (inside wrapper)]
- Bousquet Y (2009) [new taxon] In: Bousquet Y, Heffern DJ, Bouchard P, Nearns EH. Catalogue of family-group names in Cerambycidae (Coleoptera). *Zootaxa* 2321: 1–80. [22 Dec 2009]
- Bousquet Y, Bouchard P (2010) Case 3513. *Chaetosoma* Westwood, 1851, *Apodasya* Pascoe, 1863 and *Chaetosomatidae* Crowson, 1952 (Insecta, Coleoptera): proposed conservation. *Bulletin of Zoological Nomenclature* 67 (2): 140–144. [Jun 2010 issue]
- Bousquet Y, Bouchard P, Lord NP (2010) Case 3517. *Latridiidae* Erichson, 1842 (Insecta, Coleoptera): proposed precedence over *Corticariidae* Curtis, 1829; and *Corticaria* Marsham, 1802: proposed conservation of usage by designation of *Corticaria ferruginea* Marsham, 1802 as the type species. *Bulletin of Zoological Nomenclature* 67 (2): 145–150. [Jun 2010 issue]
- Bousquet Y, Heffern DJ, Bouchard P, Nearns EH (2009) Catalogue of family-group names in Cerambycidae (Coleoptera). *Zootaxa* 2321: 1–80. [22 Dec 2009]
- Bousquet Y, Laplante S (1999) Les Coléoptères Histérides du Québec. *Fabreries, Supplément* 8: 1–190. [printed Feb 1999 (and recorded at CNC)]
- Bousquet Y, Laroche A (1993) Catalogue of the Geadephaga (Coleoptera: Trachypachidae, Rhysodidae, Carabidae including Cicindelini) of America north of Mexico. *Memoirs of the Entomological Society of Canada* 167: 1–397.
- Bovie A (1908) 70me fascicule. Coleoptera. Fam. Curculionidae. Subfam. Cryptoderminae. In: Wytsman PA (Ed) *Genera Insectorum*. Vol. XI. P. Wytsman, Bruxelles, 3 pp. + 1 pl. [1908 (title page); 15 Apr 1908 (date on manuscr.); 23 Jun 1908 (Evenhuis 1994: 54)]
- Böving AG (1922) Taxonomy and morphology of the larval stages of *Scobicia declivis* Leconte. In: Burke HE, Hartman RD, Snyder TE: The lead-cable borer or “short-circuit beetle” in California. Appendix. United States Department of Agriculture Technical Bulletin 1107: 49–54. [4 Dec 1922 (top of article)]
- Böving AG (1927a) The larva of *Nevermannia dorcatomoides* Fisher with comments on the classification of the Anobiidae according to their larvae (Coleoptera: Anobiidae). *Proceedings of the Entomological Society of Washington* 29 (3): 51–62. [publ. 21 Apr 1927 (p. 72)]
- Böving AG (1927b) Immature stages of *Eumycterus (?) saccharidis* Barber, with comments on the classification of the tribe Barini (Coleoptera: Curculionidae). *Proceedings of the Entomological Society of Washington* 29 (7): 151–159. [16 Nov 1927 (footer p. 164)]
- Böving AG, Craighead FC (1931) An illustrated synopsis of the principal larval forms of the order Coleoptera. *Entomologica Americana* (New Series) 11 [1930] (1): 1–80, (2): 81–160, (3): 161–256, (4): 257–351, pls. 1–125. [(1): publ. 14 Nov 1931; (2): 7 Dec; (3): 9 Dec; (4): 21 Dec 1931 (wrappers)]
- Bowstead S (1999) A revision of the Corylophidae (Coleoptera) of the West Palaearctic region. *Instrumenta Biodiversitatis* 3: 1–203.

- Bowestead S, Booth RG, Ślipiński SA, Lawrence JF (2001) The genus *Cleidostethus* Arrow, 1929 reappraisal and transfer from Coccinellidae to Corylophidae (Coleoptera: Cucujoidae). *Annales Zoologici (Warszawa)* 51 (3): 319–323. [28 Sep 2001 (inside wrapper)]
- Bowman JR (1934) The Pselaphidae of North America. Privately published, Pittsburgh, Pennsylvania, [5] + 149 pp. [24 Jul 1934]
- Bradley JC (1930) A manual of the genera of beetles of America north of Mexico. Keys for the determination of the families, subfamilies, tribes, and genera of Coleoptera with a systematic list of the genera and higher groups Daw, Illston & Co., Ithaca, x + 360 pp.
- Bradley JC (1947) Contributions to our knowledge of the Mylabridae, seu Bruchidae (Coleoptera) with especial reference to the fauna of northeastern America. *Psyche* 53 [1946] (3/4): 33–42. [mailed 14 Feb 1947 (verso of vol. title page)]
- Brancucci M (1980) Morphologie comparée, évolution et systématique des Cantharidae (Insecta: Coleoptera). *Entomologica Basiliensis* 5: 215–388. [10 Dec 1980 (Inhalt)]
- Branden C, Van den (1885) Catalogue des Coléoptères carnassiers aquatiques (Halipidae, Amphizoïdae, Pelobiidae et Dytiscidae). *Annales de la Société Entomologique de Belgique* 29 (1): 5–118. [May-Jun 1885 (Compte-Rendu Soc. Roy. Belg. Géogr.)]
- Brenske E (1898) Die *Serica*-Arten der Erde. Monographisch bearbeitet. *Berliner Entomologische Zeitschrift* 42 [1897] (3/4): 345–438. [1898 (volume title page); mid Jul 1898 (wrapper)]
- Brèthes J (1925) Coccinellides du British Muséum (avec une nouvelle famille de Coléoptères). *Anales del Museo Nacional de Historia Natural Bernardino Rivadavia* 33 [1923–25]: 195–214. [20 Nov 1925 (Newton); Dec 1925 (date of vol. introduction)]
- Breuning S (1950a) Révision des “Oculariini” [pp. 263–270]. In: Lepesme P (Ed). *Longicornia. Études et notes sur les longicornes. Volume I.* Paul Lechevalier, Paris, 603 pp. [dépôt légal 1er trimestre 1951 (p. [604]); 1950 (Zool. Record; Neave 1966: 20, etc.)]
- Breuning S (1950b) Révision des “Stenobiini” [pp. 305–315]. In: Lepesme P (Ed) *Longicornia Études et notes sur les longicornes Volume I.* Paul Lechevalier, Paris, 603 pp. [dépôt légal 1er trimestre 1951 (p. [604]); 1950 (Zool. Record; Neave 1966: 20, etc.)]
- Breuning S (1950c) Considérations préliminaires sur la classification des lamiaires [pp. 25–28]. In: Lepesme P (Ed) *Longicornia. Études et notes sur les longicornes. Volume I.* Paul Lechevalier, Paris, 603 pp. [dépôt légal 1er trimestre 1951 (p. [604]); 1950 (Zool. Record; Neave 1966: 20, etc.)]
- Breuning S (1950d) Révision des “Proctocerini” [pp. 411–414]. In: Lepesme P (Ed). *Longicornia. Études et notes sur les longicornes. Volume I.* Paul Lechevalier, Paris, 603 pp. [dépôt légal 1er trimestre 1951 (p. [604]); 1950 (Zool. Record; Neave 1966: 20, etc.)]
- Breuning S (1951a) Notes systématiques sur les longicornes de Nouvelle-Calédonie. - I. *Bulletin / Institut Royal des Sciences Naturelles de Belgique* 27 (32): 1–24. [Jun 1951 (top of article)]
- Breuning S, Teocchi P (1977) Regroupement des genres *Brachyolene* Auriv. et *Tetraulax* Jord. dans la tribu des Tetraulaxini, nov. (Coleoptera Cerambycidae Lamiinae). *Bulletin de l'Institut Fondamental d'Afrique Noire (Série A. Sciences Naturelles)* 38 [1976] (4): 881–891. [publ. 31 Oct 1977 (endleaf)]

- Breuning S, Teocchi P (1978) Création de la tribu des Aderpasini, nov. Révision et bionomie des espèces des genres *Aderpas* Thoms. et *Ancylonotopsis* Br. (Coleoptera Cerambycidae Lamiinae). Bulletin de l'Institut Fondamental d'Afrique Noire (Série A. Sciences Naturelles) 39 [1977] (1): 142–168. [publ. 21 Jan 1978 (p. 228)]
- Breuning S, Teocchi P (1985) Note concernant les tribus Pachystolini Auriv., Petrognathini Blanch., Xylorhizini Lac. et Microcymaturini nov. (Coleoptera Cerambycidae Lamiinae). Bulletin de l'Institut Fondamental d'Afrique Noire (Série A. Sciences Naturelles) 44 [1982] (1/2): 153–159. [publ. 31 Jul 1985 (endleaf)]
- Bridwell JC (1929) A preliminary generic arrangement of the palm bruchids and allies (Coleoptera) with descriptions of new species. Proceedings of the Entomological Society of Washington 31 (8): 141–160. [publ. 26 Dec 1929 (p. 168)]
- Bridwell JC (1932) The subfamilies of the Bruchidae (Coleoptera). Proceedings of the Entomological Society of Washington 34 (6): 100–106. [15 Jul 1932 (p. 108)]
- Bridwell JC (1946) The genera of beetles of the family Bruchidae in America north of Mexico. Journal of the Washington Academy of Science 36 (2): 52–57.
- Brinck C (1948) Coleoptera of Tristan da Cunha. Results of the Norwegian Scientific Expedition to Tristan da Cunha 1937–1938. No. 17. Norske Videnskaps-Akademi I Oslo, Oslo, 121 pp. + 1 pl. [printed Dec 1948 (last page)]
- Brinck P (1956) A revision of the Gyrinidae (Coleoptera) of the Ethiopian region. I. Acta Universitatis Lundensis (Nova Series. Andra Avdelningen) 51 (14): 1–140. [printed 10 Sep 1955 (contents); 1956 (endleaf)]
- Britton EB (1955) Coleoptera: Scarabaeidae: Melolonthinae and Dynastinae from the Monte Bello Islands, 1952. Proceedings of the Linnean Society of London 165 [1952–53]: 124–126.
- Britton EB (1957) A revision of the Australian chafers (Coleoptera: Scarabaeidae: Melolonthinae). Volume 1. British Museum (Natural History), London, viii + 185 pp. + 42 pls. [issued 17 Jun 1957 (title page)]
- Britton EB (1971) A new intertidal beetle (Coleoptera: Limnichidae) from the Great Barrier Reef. Journal of Entomology (Series B, Taxonomy) 40: 83–91. [4 Jun 1971 (recorded at CNC)]
- Britton EB (1978) A revision of the Australian chafers (Coleoptera: Scarabaeidae: Melolonthinae). Vol. 2. Tribe Melolonthini. Australian Journal of Zoology (Supplementary Series) No. 60: 1–150. [7 Jun 1978 (title page)]
- Bromhead EF (1838) Remarks on zoological classification. The Magazine of Natural History (New series) 2 (No. 20): 412–419. [Aug 1838 issue; 25 Nov 1838 (date of vol. Preface)]
- Bronn HG (1848) Handbuch einer Geschichte der Natur. Dritter Band. Erster Abtheilung zweite Hälfte. III. Theil: Organisches Leben (Fortsetzung). Index palaeontologicus oder liebersicht der bis jetzt bekannten fossilen Organismen. A. Nomenclator palaeontologicus, in alphabetischer Ordnung. N - Z. In: Bischoff GW, Blum JR, Bronn HG, Leonhard KC, von, Leuckart FS, Voigt FS (Eds) Naturgeschichte der drei Reiche, zur allgemeinen Belehrung Fünfzehnter Band. E. Schweizerbart, Stuttgart, pp. 777–1381 + [1]. [1848 (title page)]

- Broun T (1880) Manual of the New Zealand Coleoptera [Part I]. Colonial Museum & Geological Survey Department, Wellington, xix + 651 pp. [Jun 1880 (date of vol. Preface p. iv); cited in reading 21 Jun 1880 (Trans. Roy. Soc. New Zeal. 13: 280); 12 Aug 1880 (New Zeal. Parl. Debates 37: 293)]
- Broun T (1893) Manual of the New Zealand Coleoptera. Parts V., VI., VII. New Zealand Institute, Wellington, xvii + pp. 975–1504. [14 Jan 1893 (date of Preface); 28 Sep 1893 (Nature 48: 536)]
- Brown FM (1964) The dates of publication of the first ten volumes of the Transactions of the American Entomological Society. *Transactions of the American Entomological Society* 89: 313–321.
- Browne FG (1961) The generic characters, habits and taxonomic status of *Premnobius* Eichh. (Coleopt., Scolytidae). Report of the West African Timber Borer Research Unit 4: 45–51. [Jun 1961 (p. [1])]
- Browne FG (1962) Two new genera of the Scolytidae (Coleoptera). Report of the West African Timber Borer Research Unit 5: 75–80. [Sep 1962 (p. [2]); 22 Oct 1962 (recorded at BMNH; fide Alonso-Zarazaga and Lyal 2009: 116)]
- Bruce N (1951) Cryptophagidae (Coleoptera Polyphaga). Exploration du Parc National Albert, Mission G F de Witte (1933–35). Fascicule 75. Institut des Parcs Nationaux du Congo Belge, Bruxelles, 26 pp., 2 pls.
- Bruch C (1933a) Coleópteros mirmecófilos de Misiones (Staph. Pselaph. Hister.). *Revista de Entomología* (Rio de Janeiro) 3 (1): 12–37. [22 Mar 1933 (p. iv)]
- Bruch C (1933b) Nuevos estafilínidos ecítófilos de Tucumán. *Revista de Entomología* (Rio de Janeiro) 3 (2): 205–213. [20 Jul 1933 (p. iv)]
- Bruch C (1937) Género y especies nuevos de un estafilínido mirmecófilo (Col. Staph. Aleochrinae). *Revista de Entomología* (Rio de Janeiro) 7: 353–356. [11 Oct 1937 (p. 542)]
- Brues CT, Melander AL (1932) Classification of insects. A key to the known families of insects and other terrestrial arthropods. *Bulletin of the Museum of Comparative Zoology* 73: 1–672. [publ. Jan 1932 (p. [2])]
- Brullé GA (1832) [Pp. 1–240]. In: Bory de Saint-Vincent JBGM: Expédition scientifique de Morée. Section des sciences physiques. Tome III. - 1.^{re} partie. Zoologie. Deuxième section. - Des animaux articulés. In: Bory de Saint-Vincent JBGM (Ed) F.G. Levrault, Paris, [1] + 400 + [2 (errata)] pp. [publ. dates: Sherborn and Woodward 1901: 335]
- Brullé GA (1834) Coléoptères. I. Histoire naturelle des insectes, traitant de leur organisation et de leurs moeurs en général, par MV Audouin, et comprenant leur classification et la description des espèces, par MA Brullé Le tout accompagné de planches gravées sur acier, d'après des peintures exécutées pour cette édition sur la collection du Muséum de Paris Tome IV. F.D. Pillot, Paris, viii + 479 pp. + 16 pls. [text issued in two livraisons: livraison 1 (pp. 1–240) 2 Aug 1834 (Bibliogr. France 1834); livraison 2 (pp. 241–479) Feb 1835 (Bull. Bibliogr. Sci. Phys.), 1835 (Musgrave 1932: 8); we accept 1834 as the publication date of livraison 2 until further evidence is obtained]
- Brullé GA (1835) Coléoptères. II. Histoire naturelle des insectes, traitant de leur organisation et de leurs moeurs en général, par MV Audouin, et comprenant leur classification et la description des espèces, par MA Brullé Le tout accompagné de planches gravées sur acier,

- d'après des peintures exécutées pour cette édition sur la collection du Muséum de Paris.
Tome V. F.D. Pillot, Paris, 436 pp., 16 pls.
- Burakowski B, Mroczkowski M, Stefańska J (1985) Chrząszcze Coleoptera, Buprestoidea, Elateroidea and Cantharoidea. Katalog Fauny Polski. Część XXIII, tom 10 [Nr 40]. Państwowe Wydawnictwo Naukowe, Warszawa, 401 pp. + 1 map. [20 Sep 1985 (recorded at CNC)]
- Burakowski B, Mroczkowski M, Stefańska J (1986) Chrząszcze Coleoptera, Dermestoidea, Bostrichoidea, Cleroidea i Lymexyloidea. Katalog Fauny Polski. Część XXIII, tom 11 [Nr 42]. Państwowe Wydawnictwo Naukowe, Warszawa, 242 pp. [printed May 1986 (verso of title page); 5 Sep (recorded at CNC)]
- Burakowski B, Mroczkowski M, Stefańska J (1990) Stonkowate - Chrysomelidae, część 1. Katalog Fauny Polski. Część XXIII, tom 16. Chrząszcze Coleoptera. Państwowe Wydawnictwo Naukowe, Warszawa, 279 pp.
- Burakowski B, Mroczkowski M, Stefańska J (1991) Stonkowate - Chrysomelidae, część 2. Katalog Fauny Polski. Część XXIII, tom 17. Chrząszcze Coleoptera. Państwowe Wydawnictwo Naukowe, Warszawa, 227 pp. [printed Aug 1991 (verso of title page)]
- Burgeon L (1935) Catalogues raisonnés de la faune entomologique du Congo Belge. Coléoptères - carabides (première partie). Annales du Musée Royal du Congo Belge (Série in 8°: Sciences Zoologiques) Série III, Section II, Tome II (fascicule 3): 131–257. [Aug 1935 (title page)]
- Burmeister F (1939) I. Band: Adephaga. I. Familiengruppe: Caraboidea. Biologie, Ökologie und Verbreitung der europäischen Käfer auf systematischer Grundlage. H. Goecke, Kreßfeld, 307 pp.
- Burmeister HCC (1842) Dritter Band. Besondere Entomologie, Fortsetzung. Coleoptera Lamellicornia Melitophila. Handbuch der Entomologie. T.C.F. Enslin, Berlin, xxii + 828 + [1] pp. [Sep 1842 (date of Vorrede); 28 Dec 1842 (Literar. Zeit.: 1171)]
- Burmeister HCC (1844) Besondere Entomologie, Fortsetzung. Erste Abtheilung. Coleoptera Lamellicornia Anthobia et Phyllophaga systellochela. Handbuch der Entomologie. Vierter Band. T.C.F. Enslin, Berlin, xii + 587 + [1] pp.
- Burmeister HCC (1846) III. Coleoptera. 7. Lamellicornia. 27. Copris [4 unn. pp.]. In: Genera quaedam insectorum. Iconibus illustravit et descripsit. Volumen I. Continet tabulas XL. A. Burmeister, Berolini, viii + [2] + [120] pp. + 40 pls.
- Burmeister HCC (1847) Besondere Entomologie. Fortsetzung. Coleoptera Lamellicornia Xylophila et Pectinicornia. Handbuch der Entomologie. Fünfter Band. T.C.F. Enslin, Berlin, viii + 584 pp.
- Burmeister HCC (1855) Besondere Entomologie, Fortsetzung. Zweite Abtheilung. Coleoptera Lamellicornia Phyllophaga chaenochela. Handbuch der Entomologie. Vierter Band. T.C.F. Enslin, Berlin, x + 569 + [1] pp.
- Burmeister HCC (1873) Lamellicornia Argentina. Entomologische Zeitung (Stettin) 34 (10/12): 403–417. [early Nov 1873 (end of Heft)]
- Burmeister HCC (1875) Melanosoma Argentina. Entomologische Zeitung (Stettin) 36 (10/12): 457–500. [Oct/Dec 1875 issue]

- Burmeister HCC, Schaum H (1840) Kritische Revision der Lamellicornia melitophila. Erstes Stück. Zeitschrift für die Entomologie (Germar) 2 (2): 353–420. [1840 (Heft title page); Sep 1840 (Foreign Quart. Rev.: 233)]
- Burmeister HCC, Schaum H (1841) Kritische Revision der Lamellicornia melitophila. Zweites Stück. Zeitschrift für die Entomologie (Germar) 3 (1/2): 226–282. [Jun 1841 (Rev. Zool. 4: 201)]
- Buysson H, du (1893) Faune Gallo-Rhénane ou species des insectes qui habitent la France, la Belgique, la Hollande, le Luxembourg, la Prusse Rhénane, le Nassau et le Valais avec tableaux synoptiques et planches gravées. Coléoptères. Tome Cinquième. Élatérides (suite). Revue d'Entomologie (Suppl.) 12: 9–72 [Feb-Nov 1893 (first page of each sheet)]
- Calder AA (1978) The neotropical genus *Anaissus* (Elateridae) and its relationship to the Pyrophorinae. Systematic Entomology 3 (4): 295–306. [15 Nov 1978 (recorded at CNC)]
- Cameron M (1917a) On a new group of Staphylinidae. The Entomologist's Monthly Magazine 53 (6): 123–125. [Jun 1917; 26 Jun (recorded at USNM)]
- Cameron M (1917b) Synonymic note on the group Arpediopsini. The Entomologist's Monthly Magazine 53 (12): 277. [Dec 1917 issue; 3 Jan 1918 (recorded at USNM)]
- Cameron M (1918) New Oriental Staphylinidae (3). The Entomologist's Monthly Magazine 54 (9): 214–219. [19 Sep 1918 (recorded at CNC)]
- Cameron M (1919) New species of Staphylinidae from Singapore. Part II. The Transactions of the Entomological Society of London 1918 (3/4): 231–246. [29 Mar 1919 (verso of vol. title page)]
- Cameron M (1926) Note on the genus *Plagiarthrina* Keys. The Entomologist's Monthly Magazine 62 (8): 184. [16 Aug 1926 (recorded at CNC)]
- Cameron M (1933) Description of a new genus of Staphylinidae from India. The Entomologist's Monthly Magazine 69 (5): 103. [10 May 1933 (recorded at CNC)]
- Cameron M (1939) Coleoptera, Staphylinidae. In: Sewell RBS (Ed) The fauna of British India, including Ceylon and Burma. Vol. IV. Parts I & II. Taylor & Francis, London, xviii + 691 pp., pls. 1–3. [11 Aug 1939 (title page)]
- Cameron M (1944) Description of a new genus of Euaesthetinae (Col., Staph.). The Annals and Magazine of Natural History (11) 11 (73): 68–70. [21 Feb 1944 (Evenhuis 2003: 50)]
- Cameron M (1959) New species of Staphylinidae (Col.) from Angola (IV). Publicações Culturais da Companhia de Diamantes de Angola 48: 113–120. [28 Dec 1959 (date of separate)]
- Candèze ECA (1857) Monographie des Élatérides. Tome premier. H. Dessain, Liège, viii + 400 pp., 7 pls. [Apr 1857 (date of preface); May 1857 (title page); 29 Jun 1857 (Acad. Sci. France)]
- Candèze ECA (1859) Monographie des Élatérides. Tome second. H. Dessain, Liège, 543 pp. + 7 pls. [May 1859 (title page)]
- Candèze ECA (1860) Monographie des Élatérides. Tome troisième. H. Dessain, Liège, 512 pp. + 5 pls. [Jul 1860 (title page)]
- Candèze ECA (1863) Monographie des Élatérides. Tome quatrième. H. Dessain, Liège, 534 pp. + 6 pls. [May 1863 (title page)]
- Candèze ECA (1874) Révision de la Monographie de Élatérides. Premier fascicule. Mémoires de la Société Royale des Sciences de Liège (2) 4: viii+218. [Nov 1874 (vol. title page)]

- Candèze ECA (1892) Insectes du Bengale. 24e mémoire. Deuxième note sur les élatérides du Chota-Nagpore. Annales de la Société Entomologique de Belgique 36 (11): 480–495. [before 14 Dec 1892 (Ann. Soc. Ent. France 61: Bull. Ent.: cclxiv)]
- Capiomont G (1867) Révision de la tribu des Hypérides, Lacordaire, et en particulier des genres *Hypera* Germ., *Limobius*, Schönh. et *Coniatus* (Germ.) Schönh. renfermant la description de plusieurs genres nouveaux et de 85 espèces nouvelles. Annales de la Société Entomologique de France (4) 7 (3): 417–456 + pl. 11–12.
- Carne PB (1957) A systematic revision of the Australian Dynastinae (Coleoptera: Scarabaeidae). Commonwealth Scientific and Industrial Research Organization, Melbourne, 284 pp. [Dec 1957 (title page)]
- Carpenter FM (1992) Treatise on invertebrate paleontology. Part R, Arthropoda 4, Vols. 3, 4: Superclass Hexapoda. Geological Society of America and University of Kansas, Lawrence, xxi + 655 pp.
- Carter HJ (1911) Revision of the Nyctozoilides - genera and species (fam. Tenebrionidae). Annals of the Queensland Museum 10: 136–166.
- Carter HJ (1924) Australian Coleoptera - notes and new species No. iii. The Proceedings of the Linnean Society of New South Wales 49: 19–45.
- Carus JV, Engelmann W (1861) Bibliotheca Zoologica. Verzeichniss der Schriften über Zoologie, welche in den periodischen Werken enthalten und vom Jahre 1846–1860 selbstständig erschienen sind. Mit Einschluss der allgemein-naturgeschichtlichen, periodischen und palaeontologischen Schriften. Zweiter Band. W. Engelmann, Leipzig, pp. i-xxiv + 951–2144. [Aug 1861 (date of Vorwort); 15 Nov 1861]
- Casale A, Laneyrie R (1982) Trechodinae et Trechinae du monde. Tableau des sous-familles, tribus, séries phylétiques, genres et catalogue général des espèces. Mémoires de Biospéologie 9: 1–226. [Oct 1982 (wrapper)]
- Casey TL (1884) Revision of the Cucujidae of America north of Mexico. Transactions of the American Entomological Society and Proceedings of the Entomological Section of the Academy of Sciences 11: 69–112 + pls. I–VIII. [Feb 1884 (footer p. 81, 105)]
- Casey TL (1890) Coleopterological notices. II. Annals of the New York Academy of Sciences 5: 307–504, pl. iv.
- Casey TL (1893) Coleopterological notices, V. Annals of the New York Academy of Sciences 7: 281–606, pl. 1. [Oct 1893 (pp. 281–392), Nov (393–536), Dec 1893 (537–606) (signature footers); 1893 (Zool. Record); before 24 Jan 1894 (Ann. Soc. Ent. France 63: Bull. Ent.: xxxv)]
- Casey TL (1895) Coleopterological notices, VI. Annals of the New York Academy of Sciences 8 (6–12): 435–838. [Jul 1895 (pp. 435–514), Aug (515–594), Sep (595–674), Oct (675–722), Nov 1895 (723–838) (signature footers); Nov 1895 (wrapper)]
- Casey TL (1897) Coleopterological notices, VII. Annals of the New York Academy of Sciences 9: 285–684. [Feb-Jul 1897 (signature footers); Oct 1897 («Aug»; Ent. News 8: 204)]
- Casey TL (1899) A revision of the American Coccinellidae. Journal of the New York Entomological Society 7 (2): 71–169. [Jun 1899 (fasc. title page)]

- Casey TL (1900) Review of the American Corylophidae, Cryptophagidae, Tritomidae and Dermestidae, with other studies. *Journal of the New York Entomological Society* 8 (2): 51–172. [Jun 1900 (fasc. title page); 3 Aug 1900 (recorded at USNM)]
- Casey TL (1905) A revision of the American Paederini. *Transactions of the Academy of Science of St Louis* 15 (2): 17–248. [issued 4 Apr 1905 (wrapper)]
- Casey TL (1906) Observations on the staphylinid groups Aleocharinae and Xantholinini, chiefly of America. *Transactions of the Academy of Science of St Louis* 16 (6): 125–434. [issued 22 Nov 1906 (p. 434)]
- Casey TL (1907) A revision of the American components of the tenebrionid subfamily Tentyriinae. *Proceedings of the Washington Academy of Sciences* 9: 275–522. [18 Oct 1907 (reprint wrapper)]
- Casey TL (1910) New species of the staphylinid tribe Myrmedoniini [pp. 1–183]. In: *Memoirs on the Coleoptera I*. New Era Printing Co., Lancaster, Pennsylvania, 205 pp. [issued 24 Sep 1910 (p. [206])]
- Casey TL (1912) Descriptive catalogue of the American Byrrhidae [pp. 1–69]. In: *Memoirs on the Coleoptera III*. The New Era Printing Company, Lancaster, 386 pp. [issued 20 Mar 1912 (p. 386)]
- Casey TL (1914a) Some observations on the Carabidae including a new subfamily [pp. 25–44]. In: *Memoirs on the Coleoptera V*. The New Era Printing Company, Lancaster, 387 pp. [issued 28 Nov 1914 (p. [388])]
- Casey TL (1914b) A revision of the Nearctic Harpalinae [pp. 45–305]. In: *Memoirs on the Coleoptera V*. The New Era Printing Company, Lancaster, 387 pp. [issued 28 Nov 1914 (p. [388])]
- Casey TL (1915a) A review of the American species of Rutelinae, Dynastinae and Cetoniinae. *Memoirs on the Coleoptera VI*. New Era Printing Co., Lancaster, Pennsylvania, 1–394. [Oct–Nov 1915 (footers pp. 1, 305); issued 27 Nov 1915 (p. 460)]
- Casey TL (1915b) Studies in some staphylinid genera of North America [pp. 395–450]. In: *Memoirs on the Coleoptera VI*. New Era Printing Co., Lancaster, Pennsylvania, 460 pp. [issued 27 Nov 1915 (p. 460)]
- Casey TL (1922) Studies in the rhynchophorous subfamily Barinae of the Brazilian fauna. *Memoirs on the Coleoptera X*. New Era Printing Co., Lancaster, Pennsylvania, 520 pp. [issued 25 Nov 1922 (p. 520)]
- Cate PC (2007a) New acts and comments. Elateridae [pp. 33–46]. In: Löbl I, Smetana A (Eds) *Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidae - Lymexyloidea - Cleroidea - Cucujoidea*. Apollo Books, Stenstrup, 935 pp. [publ. 30 Jun 2007 (verso of title page)]
- Cate PC (2007b) Family Elateridae Leach, 1815 (excluding Cebrioninae, Lissominae and Subprotelaterinae) [pp. 94–207]. In: Löbl I, Smetana A (Eds) *Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidea - Lymexyloidea - Cleroidea - Cucujoidea*. Apollo Books, Stenstrup, 935 pp. [publ. 30 Jun 2007 (verso of title page)]
- Cééis M-J (1969) Contributions à l'étude des Clavigerinae de l'Afrique (Coleoptera Pselaphidae). 3. Démembrement des Fustigerini et création de deux tribus nouvelles ainsi que d'un

- genre inédit. *Revue de Zoologie et de Botanique Africaines* 80 (3/4): 415–424. [publ. 31 Dec 1969 (wrapper + p. 429)]
- Célis M-J (1970) Contribution à l'étude des Clavigerinae de Madagascar (Coleoptera Pselaphidae). Clavigerinae recueillis par le Professeur Dr. H. Franz et par M. J. Vadon. Remaniements apportés à la systématique des Clavigerinae malgaches. *Revue de Zoologie et de Botanique Africaines* 82 (3/4): 237–270. [30 Dec 1970 (wrapper + p. 381); recorded at CNC 25 Mar 1971]
- Cerdá MA (1973) Nueva tribu de Cerambycinae (Coleoptera: Cerambycidae). *Revista Chilena de Entomología* 7: 115–122. [printed 15 Jul 1973 (last page)]
- Cerruti M (1970) Description d'un coléoptère psélaphide inédit de l'Erythrée, représentant d'une sous-tribu nouvelle. *Revue de Zoologie et de Botanique Africaines* 81 (1/2): 117–124. [31 Mar 1970 (wrapper + p. 433)]
- Chamberlin WJ (1939) The bark and timber beetles of North America north of Mexico. The taxonomy, biology and control of 575 species belonging to 72 genera of the super family Scolytoidea. Oregon State College Cooperative Association, Corvallis, vi + 513 pp. + 5 pls. [after Aug 1939 (Preface, p. ii)]
- Champion GC (1886) Tenebrionidae [part, pp. 137–264]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol IV. Part 1. Heteromera (part)*. Taylor & Francis, London, xxxiv + 572 pp. + 23 pls. [Apr 1886 (pp. 137–152), May (153–168), Jun (169–184), Jul (185–208), Aug (209–216), Oct (217–224), Nov (225–240), Dec (241–264) (signature footers)]
- Champion GC (1887) Tenebrionidae [part, pp. 265–352]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol IV. Part 1. Heteromera (part)*. Taylor & Francis, London, xxxiv + 572 pp. + 23 pls. [Jan 1887 (pp. 265–272), Jun (273–296), Aug (297–320), Oct (321–328), Dec 1887 (329–352) (signature footers)]
- Champion GC (1894) Elateridae [part, pp. 258–304, pls. 11–13]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. III. Part 1. Serricornia*. Taylor and Francis, London, xvi + 690 pp. + 27 pls. [Oct 1894 (pp. 258–264), Nov 1894 (265–304) (signature footers)]
- Champion GC (1895) Elateridae [part, pp. 305–440, pls. 14–19]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. III. Part 1. Serricornia*. Taylor and Francis, London, xvi + 690 pp. + 27 pls. [Jan 1895 (pp. 305–312), Mar (313–336), May (337–360), Jul (361–376), Oct (377–400), Dec 1895 (401–440) (signature footers)]
- Champion GC (1896) Elateridae [part, pp. 441–556]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. III. Part 1. Serricornia*. Taylor & Francis, London, xvi + 690 pp. + 27 pls. [Jan 1896 (pp. 441–472), Mar (473–496), May (497–528), Jun (529–552), Oct 1896 (553–556) (signature footers)]
- Champion GC (1897) Dascillidae [pp. 586–662]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. III. Part 1. Serricornia*. Taylor & Francis, London, xvi + 690 pp. + 27 pls. [Feb 1887 (pp. 586–608), Mar (609–624), May (625–656), Aug 1887 (657–662) (signature footers)]
- Champion GC (1902) [Pp. 1–144]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. IV. Part 4. Rhynchophora. Curculionidae. Curculioninae*

- (part.). Taylor & Francis, London, [viii] + 750 pp. + 35 pls. [May 1902 (pp. 1–32), Aug (33–64), Oct (65–112), Dec 1902 (113–144) (signature footers)]
- Champion GC (1903) [Pp. 145–312]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. IV. Part 4. Rhynchophora. Curculionidae. Curculioninae (part).* Taylor & Francis, London, viii + 750 pp. + 35 pls. [Feb 1903 (pp. 145–176), Apr (177–208), May (209–224), Aug (225–280), Nov 1903 (281–312) (signature footers)]
- Champion GC (1906) [Pp. 601–750]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. IV. Part 4. Rhynchophora. Curculionidae. Curculioninae (part).* Taylor & Francis, London, viii + 750 pp. + 35 pls. [Jan 1906 (pp. 601–688), Apr 1906 (689–750) (signature footers)]
- Champion GC (1907) [Pp. 137–240]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. IV. Part 5. Rhynchophora. Curculionidae. Curculioninae (continued).* Taylor & Francis, London, viii + 513 pp. + 23 pls. [Feb 1907 (137–176), May (177–200), Jul (201–216), Nov 1907 (217–240) (signature footers)]
- Champion GC (1908) [Pp. 241–400]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. IV. Part 5. Rhynchophora. Curculionidae. Curculioninae (continued).* Taylor & Francis, London, viii + 513 pp. + 23 pls. [May 1908 (pp. 241–312), Sep (313–376), Nov 1908 (377–400) (signature footers)]
- Champion GC (1909) [Pp. 1–78]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. IV. Part 7. Rhynchophora. Curculionidae. Curculioninae (concluded).* Taylor & Francis, London, vii + 221 pp. + 9 pls. [Oct 1909 (pp. 1–48), Dec 1909 (49–78) (signature footers)]
- Champion GC (1911) Series *Otiorhynchinae Alatae; Supplement to the Thecesterninae and Otiorhynchinae* [pp. 169–354]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. IV. Part 3. Rhynchophora. Curculionidae. Attelabinae, Pterocolinae, Allocoryninae, Apioninae, Thecesterninae, Otiorhynchinae.* Taylor & Francis, London, vi + 354 pp. + 15 pls. [May 1911 (pp. 169–240), Oct (241–312), Dec 1911 (313–354) (signature footers)]
- Champion GC (1914) Reports of the Percy Sladen Trust expedition to the Indian Ocean in 1905, under the leadership of Mr J. Stanley Gardiner, M. A. Vol. 5. XIX. Coleoptera, Curculionidae. The Transactions of the Linnean Society of London (2nd Ser. Zoology) 16 (4): 393–497 + pls. 22–24. [Jul 1914 (vol. Contents, wrapper)]
- Champion GC (1915) Revision of the Mexican and Central American Telephorinae (fam. Telephoridae), with descriptions of new species. The Transactions of the Entomological Society of London 1915 (1): 16–146. [publ. 26 Jun 1915 (wrapper + verso of title page)]
- Champion GC (1923) A revision of the Malayan and Indian species of the melyrid subfamily Carphurinae represented in the Hope collection at Oxford and in the British Museum in London (Coleoptera). The Annals and Magazine of Natural History (9) 12 (67): 1–54, pl. 1. [1 Jul 1923 (Evenhuis 2003: 43)]
- Champion GC (1924) On a new subfamily of clavicorn Coleoptera. The Entomologist's Monthly Magazine 60: 25–29. [Feb 1924 (issue), 4 Apr (recorded at CNC)]

- Champion GC (1925) Some Indian (and Tibetan) Coleoptera (17). *The Entomologist's Monthly Magazine* 61: 169–181. [Aug 1925 issue; 17 Aug 1925 (recorded at CNC)]
- Chandler DS (2001) Biology, morphology and systematics of the ant-like litter beetles of Australia (Coleoptera: Staphylinidae: Pselaphinae). *Memoirs on Entomology, International* 15: vii + 560 pp. [30 Apr 2001 (p. ii)]
- Chapin EA (1924) Classification of the Philippine components of the coleopterous family Cleridae. *The Philippine Journal of Science* 25 (2): 159–286, pls. 1–5. [18 Sep 1924 (date of issue, volume contents)]
- Chapuis F (1869) Synopsis des Scolytides (Prodrome d'un travail monographique). *J. Desoer, Liège*, 61 pp. [1869 (title page); 1 Jul 1869 (Petites Nouv. Ent.)]
- Chapuis F (1874) Histoire naturelle des Insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome dixième. Famille des phytophages. Librairie Encyclopédique de Roret, Paris, iv + 455 pp.
- Chapuis F (1875) Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome onzième. Famille des phytophages. Librairie Encyclopédique de Roret, Paris, 420 pp.
- Chapuis F (1876) Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposées jusqu'ici dans cet ordre d'insectes. Tome douzième. Famille des érotyliens, des endomychides et des coccinellides. Librairie Encyclopédique de Roret, Paris, 424 pp. [after Mar 1876 (date of Epilogue); 1 May 1876 (Petites Nouv. Ent.)]
- Chatanay J (1914) Nouveaux asidides de Madagascar (Col. Tenebrioniade). *Insecta / Revue Illustrée d'Entomologie* (Rennes) 4 (37): 1–13. [Jan 1914 issue; before Mar 1914 (recorded at USNM)]
- Chatzimanolis S, Cohen IM, Schomann A, Solodovnikov A (2010) Molecular phylogeny of the mega-diverse rove beetle tribe Staphylinini (Insecta, Coleoptera, Staphylinidae). *Zoologica Scripta* 39: 436–449.
- Chaudoir M, de (1845) Notices entomologiques sur le gouvernement et la ville de Kiew. *Bulletin de la Société Impériale des Naturalistes de Moscou* 18 (3): 158–213. [after 6 Aug 1845 (Julian 25 Jul, approved to print)]
- Chaudoir M, de (1846) Note sur le groupe des stomides et description d'un nouveau genre de celui des somoplatides. *Bulletin de la Société Impériale des Naturalistes de Moscou* 19 (4): 511–542. [after 30 Sep 1846 (Julian 18 Sep, approved to print); before 4 Feb 1847 (Ent. Zeit. Stettin)]
- Chaudoir M, de (1848) Mémoire sur la famille des carabiques. 1. partie. *Bulletin de la Société Impériale des Naturalistes de Moscou* 21 (1): 3–134. [after 23 Feb 1848 (Julian 11 Feb, approved to print); 22 Jun 1848 (separate, Ent. Zeit. (Stettin) 9: 161)]
- Chaudoir M, de (1861a) Matériaux pour servir à l'étude des cicindélètes et des carabiques. (1-e partie). *Bulletin de la Société Impériale des Naturalistes de Moscou* 33 (4 [1860]): 269–337. [after 2 Apr 1861 (Julian 21 Mar, approved to print)]
- Chaudoir M, de (1861b) Matériaux pour servir à l'étude des cicindélètes et des carabiques (continuation). *Bulletin de la Société Impériale des Naturalistes de Moscou* 34 (2): 491–576. [after 31 Jul 1861 (Julian 19 Jul, approved to print, verso of fasc. title page)]

- Chaudoir M, de (1863) Matériaux pour servir à l'étude des carabiques. 3-e partie. Bulletin de la Société Impériale des Naturalistes de Moscou 35 [1862] (4): 275–320. [after 28 May 1863 (Julian 16 May, approved to print, Bulletin version) / reissued as separate: Moscou, Imprimerie de l'Université Impériale, pp. 1–46, after 26 Mar 1863 (Julian 14 Mar, approved to print, verso of title page)]
- Chaudoir M, de (1869) Mémoire sur les thyréoptérides. Annales de la Société Entomologique de Belgique 12 [1868–69]: 113–162. [Sep 1869 (Abeille 1870: xxxvii)]
- Chaudoir M, de (1871a) Essai monographique sur le groupe des pogonides. Annales de la Société Entomologique de Belgique 14 [1870–71]: 21–59. [before 20 Feb 1872 (Acad. Sci. France 74: 558)]
- Chaudoir M, de (1871b) Monographie des lébiides. Bulletin de la Société Impériale des Naturalistes de Moscou 43 [1870] (3): 111–255. [1871 (wrapper and title page)]
- Chaudoir M, de (1872a) Remarques sur le catalogue de MM. de Harold et Gemminger, Tome I. Bulletin de la Société Impériale des Naturalistes de Moscou 44 [1871] (3/4): 279–287. [1872 (title page fasc. 3/4); separate [pp. 1–9] printed 1872 (p. 9)]
- Chaudoir M, de (1872b) Observations sur quelques genres de carabiques, avec la description d'espèces nouvelles. Bulletin de la Société Impériale des Naturalistes de Moscou 45 (2): 382–420. [1872 (wrapper and title page)]
- Chaudoir M, de (1873a) Essai monographique sur les drimostomides et les cartocérides et description d'un genre nouveau de morionides. Annales de la Société Entomologique de Belgique 15 ([1871–72]): 5–24. [before 12 Feb 1873 (Ann. Soc. Ent. France (5) 3: Bull. Ent.: xxvi)]
- Chaudoir M, de (1873b) Monographie des callidides. Annales de la Société Entomologique de Belgique 15 ([1871–72]): 97–204. [12 Feb 1873 (Ann. Soc. Ent. France (5) 3: Bull. Ent.: xxvi)]
- Chaudoir M, de (1874) Matériaux pour servir à l'étude des féroniens. Bulletin de la Société Impériale des Naturalistes de Moscou 48 (1): 1–34. [1874 (wrapper); by Oct 1874 (Nachr. Königl. Ges. Wiss. Göttingen 1874: 615)]
- Chaudoir M, de (1876a) Étude monographique des masoréides, des tetragonodérides et du genre *Nematotarsus*. Bulletin de la Société Impériale des Naturalistes de Moscou 51 (3): 1–84. [1876 (wrapper); before 17 Apr 1877 (Sitzber. Ges. Naturf. Freunde Berlin 1877: 140)]
- Chaudoir M, de (1876b) Monographie des Siagonides. Bulletin de la Société Impériale des Naturalistes de Moscou 50 (1): 62–125. [before 6 Sep 1876 (Proc. Ent. Soc. London 1876: xxv)]
- Chaudoir M, de (1877) Genres nouveaux et espèces inédites de la famille des carabiques. Bulletin de la Société Impériale des Naturalistes de Moscou 52 (2): 188–268. [before 20 Nov 1877 (Sitzber. Ges. Naturf. Freunde Berlin 1877: 248)]
- Chaudoir M, de (1880) Essai monographique sur les morionides. Bulletin de la Société Impériale des Naturalistes de Moscou 55 (1): 317–384. [before 18 Oct 1880 (Zool. Anz. 3: 507)]

- Chemsak JA, Linsley EG (1974) Reclassification, synonymy, and descriptions of some North and Central American Cerambycidae (Coleoptera). *The Coleopterists Bulletin* 28 (4): 181–184. [mailed 31 Dec 1974 (inside wrapper)]
- Chen SH (1936) Catalogue des Chrysomelinae de la Chine, de l'Indochine et du Japon. Notes d'Entomologie Chinoise / Musée Heude 3 (5): 63–102. [18 Aug 1936 (fasc. title page); 3 Nov 1936 (recorded at BMNH)]
- Chen SH (1940) Notes on Chinese Eumolpidae. *Sinensis* 11 (5/6): 483–528.
- Chen SH (1941) Notes on Donaciine beetles. *Sinensis* 12 (1/6): 1–17. [Dec 1941 (fasc. title page)]
- Chevrolat LAA (1836) [new taxa] In: Dejean PFMA. Catalogue des coléoptères de la collection de M. le comte Dejean. Deuxième Édition [Livraison 5: pp. 361–443]. Méquignon-Marvis Père et Fils, Paris, 443 pp. [end of 1836 (Madge 1988: 318)]
- Chevrolat LAA (1842) Cephalodonta [p. 272]. In: D'Orbigny C (Ed) Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les œuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc; dirigé par M Charles d'Orbigny, et enrichi d'un magnifique atlas de 288 planches gravées sur acier Tome troisième [Livraison 29]. MM. Renard, Martinet et Cie., Paris, 241–296[?]. [Nov 1842 (Evenhuis 1997b: 575)]
- Chevrolat LAA (1843) Chaetosoma [p. 367]. In: D'Orbigny C (Ed) Dictionnaire universel d'histoire naturelle... Tome troisième. [Livraisons 30–35]. MM. Renard, Martinet et Cie., Paris. [2 Jan–29 May 1843 (Evenhuis 1997b: 575)]
- Chevrolat LAA (1846) Monoplatus [p. 333]. In: D'Orbigny C (Ed) Dictionnaire universel d'histoire naturelle... Tome huitième [Livraisons 85–92]. MM. Renard, Martinet et Cie., Paris, 640 pp. [21 Sep–14 Dec 1846 (Evenhuis 1997b: 576)]
- Chevrolat LAA (1847) Oncocephalus [p. 110], Oxygona [p. 368]. In: D'Orbigny C (Ed) Dictionnaire universel d'histoire naturelle... Tome neuvième [Livraisons 97–106]. MM. Renard, Martinet et Cie., Paris, 648 pp. [Feb–Jul 1847 (Evenhuis 1997b: 576)]
- Chevrolat LAA (1872) Révision des Cléonides. *Revue et Magasin de Zoologie Pure et Appliquée* (2) 23 (1): 16–18. [Jan 1872 (p. 5)]
- Chevrolat LAA (1878) Diagnoses de nouvelles espèces de Curculionides du genre *Ambates*. *Annales de la Société Entomologique de France* (5) 7 [1877] (4): 341–346. [10 Apr 1878 (wrapper)]
- Chûjô M (1941) Descriptions of some new Erotylidae (Coleoptera) from the Japanese Empire. *Kontyû* 15 (1): 10–21. [Jul 1941 issue]
- Chûjô M (1956) A taxonomic study on the Chrysomelidae (Insecta: Coleoptera) from Formosa Part VIII. Subfamily Eumolpinae. *The Philippine Journal of Science* 85 (1): 1–180. [Mar 1956 issue]
- Chûjô M (1969) Erotylidae (Insecta: Coleoptera). *Fauna Japonica*. Academic Press of Japan, Tokyo, xii + 316 pp. + 23 pls. [Mar 1969 (verso of title page)]

- Chûjô M, Voss E (1960) Neue Curculioniden-Subfamilie, -Gattungen und -Arten von Japan (Coleoptera, Curculionidae). Memoirs of the Faculty of Liberal Arts & Education, Kagawa University (Part II) 94: 1–17.
- Clark PF, Crosnier A (2000) The zoology of the *Voyage au pôle sud et dans l'Océanie sur les corvettes l'Astrolabe et la Zélée exécuté par ordre du roi pendant les années 1837–1838–1839–1840 sous le commandement de M. Dumont-d'Urville* (1842–1854): titles, volumes, plates, text, contents, proposed dates and anecdotal history of the publication. Archives of Natural History 27: 407–435.
- Clavareau H (1913a) Pars 51: Chrysomelidae. 1. Sagrinae, 2. Donaciinae, 3. Orsodacninae, 4. Criocerinae. In: Schencking S (Ed) Coleopterorum Catalogus. Volumen XXIV. Chrysomelidae I. W. Junk, Berlin, 103 pp. [6 Mar 1913 (verso of vol. title page)]
- Clavareau H (1913b) Pars 51: Chrysomelidae. 5. Megascelinae, 6. Megalopodinae, 7. Clytrinae, 8. Cryptocephalinae, 9. Chlamydinae, 10. Lamprosominae. In: Schencking S (Ed) Coleopterorum Catalogus. Volumen XXIV. Chrysomelidae I. W. Junk, Berlin, 278 pp. [28 Aug 1913 (verso of vol. title page)]
- Clavareau H (1914) Pars 59: Chrysomelidae 11. Eumolpinae. In: Schencking S (Ed) Coleopterorum Catalogus. Volumen XXIV. Chrysomelidae I. W. Junk, Berlin, 215 pp. [22 Jun 1914 (verso of vol. title page)]
- Cline AR, Shockley FW (2010) Biphyllidae LeConte, 1861 [pp. 306–311]. In: Lawrence JF (Ed) Handbook of Zoology Coleoptera, Beetles Volume 2: Morphology and systematics (Elateroidea, Bostrichiformia partim). De Gruyter, Berlin, New York, xiii + 786 pp. [2010 (copyright)]
- Cobos A (1955) Estudio sobre los Ptosimites de Ch. Kerremans (Coleoptera, Buprestidae). Bulletin / Institut Royal des Sciences Naturelles de Belgique 31 (13): 1–24. [Apr 1955 (top of article)]
- Cobos A (1956) Cuarta nota sobre Bupréstidos (Ins. Coleoptera) neotropicales. - Sobre la posición sistemática del género *Trigonogenium* Gem. et Harold y diversas descripciones de especies nuevas. Archivos del Instituto de Aclimatación 5: 69–95. [15 Feb 1957 (recorded at CNC)]
- Cobos A (1959) Octava nota sobre buprestidos neotropicales. Rectificaciones y descripciones diversas. (Coleoptera, Buprestidae). Bulletin / Institut Royal des Sciences Naturelles de Belgique 35 (2): 1–47. [Jan 1959 (top of article)]
- Cobos A (1961) Sobre la posición sistemática del género *Potergus* Bonvouloir y revisión de las categorías supragénéricas de la familia Throscidae (Coleoptera). Bulletin / Institut Royal des Sciences Naturelles de Belgique 37 (35): 1–6. [Nov 1961 (top of reprint)]
- Cobos A (1963) Comentarios críticos sobre algunos Stemoxia fósiles del ámbar del Báltico recientemente descritos (Coleoptera). Eos, Revista Española de Entomología 39 (3/4): 345–355. [31 Dec 1939 (p. 482)]
- Cobos A (1965) Materiales para el estudio de la familia Eucnemidae. Primera parte (Coleoptera). Eos, Revista Española de Entomología 40 [1964] (3/4): 289–435. [28 Feb 1965 (p. 588)]

- Cobos A (1968) Decimo-sexta nota sobre bupréstidos neotropicales: sobre el género *Mendizabalia* y su posición sistemática (Coleoptera). Bollettino dell'Associazione Romana di Entomologia 23 (2): 17–20. [publ. 24 Apr 1968 (p. 24)]
- Cobos A (1974) Notas sobre bupréstidos neotropicales, XIX. El género *Amorphosternus* H. Deyrolle y afines. Archivos del Instituto de Aclimatación 19: 65–81. [printed Apr 1974 (verso of title page); recorded at CNC 25 Jun 1974]
- Cobos A (1975) Dos nuevas tribus de bupréstidos (Col. Buprestidae). Eos, Revista Española de Entomología 49 (1/4): 87–104. [9 Jan 1975 (wrapper)]
- Cobos A (1976) Estudio sobre *Rhaeboscelis* Chevrolat, 1837 y géneros afines (Col. Buprestidae). Eos, Revista Española de Entomología 50 [1974] (1/4): 19–40. [30 Nov 1976 (wrapper)]
- Cobos A (1979a) Rectificaciones sinonímicas de bupréstidos (Col.) a niveles supraespecíficos *Cinyrini* nov. nom. (= *Paraleptodomini* Cobos, nom. nudum). Boletín de la Asociación Española de Entomología 3 (Dec): 226. [Dec 1979 issue, publ Nov 1979 (p. 3)]
- Cobos A (1979b) Revisión de la subfamilia *Trachyinae* a niveles supraespecíficos (Coleoptera, Buprestidae). Acta Entomologica Bohemoslovaca 76 (6): 414–430. [28 Dec 1979 (inside wrapper)]
- Cobos A (1980) Ensayo sobre los géneros de la subfamilia *Polycestinae* (Coleoptera, Buprestidae). Parte I. Eos, Revista Española de Entomología 54 [1978] (1/4): 15–94. [9 Apr 1980 (wrapper)]
- Cobos A (1986) Fauna Ibérica de coleópteros Buprestidae. Consejo Superior de Investigaciones Científicas, Madrid, xi + 364 pp. + 60 plates.
- Cobos A (1988) Revisión del género *Geralius* Harold, 1869 (Coleoptera, Buprestidae). Elytron 1 [1987]: 9–16.
- Cobos A (1990) Revision del genero *Dismorpha* Gistel (Coleoptera, Buprestidae). Revista Brasileira de Entomología 34 (3): 539–559. [15 Nov 1990 (each article)]
- Cockerell TDA (1906) Preoccupied generic names of Coleoptera. Entomological News and Proceedings of the Entomological Section of the Academy of Natural Sciences of Philadelphia 17 (7): 240–244. [Sep 1906 issue]
- Coiffait H (1957) Diagnoses préliminaires de nouveaux Leptotyphlitae (Deuxième note) [Col., Staphylinidae]. Revue Française d'Entomologie 24 (1): 60–81. [printed 1 Apr 1957 (p. 90)]
- Coiffait H (1963) Les Leptotyphlitae (Col. Staphylinidae) du Chili; systématique et biogéographie de la sous-famille [pp. 371–383]. In: Delamare-Debouteville C, Rapoport E (Eds) Biologie de l'Amérique Australe Volume II Études sur la faune du sol. Centre National de la Recherche Scientifique, Paris, 398 + [1] pp. [printed Aug 1963 (endleaf)].
- Coiffait H (1978) Coléoptères Staphylinidae de la région paléarctique occidentale. III. Sous-famille Staphylininae, tribu Quediini; sous-famille Paederinae, tribu Pinophilini. Nouvelle Revue d'Entomologie, Supplément 8 (4): 364 pp.
- Coiffait H (1982) Coléoptères Staphylinidae de la région paléarctique occidentale. IV. Sous-famille Paederinae, tribu Paederini 1 (Paederi, Lathrobii). Nouvelle Revue d'Entomologie, Supplément 12 (4): 440 pp.

- Coiffait H (1984) Coléoptères Staphylinidae de la région paléarctique occidentale. V. Sous-famille Paederinae, tribu Paederini 2; sous-famille Euaesthetinae. Nouvelle Revue d'Entomologie, Supplément 13 (4): 424 pp.
- Colonnelli E (1979) Note su *Panophtalmus* e generi affini, con descrizione di una nuova tribù e di una nuova specie della sottofamiglia Ceutorhynchinae (Coleoptera, Curculionidae). Bollettino dell'Associazione Romana di Entomologia 34 (1/4): 1–9. [15 Nov 1979 (back wrapper)]
- Colonnelli E (1984) Notes sur quelques Ceutorhynchinae de l'Afrique tropicale (Coleoptera, Curculionidae). Annales Historico-Naturales Musei Nationalis Hungarici 76: 207–238.
- Colonnelli E (2003) A revised checklist of Italian Curculionoidea (Coleoptera). Zootaxa 337: 1–142. [24 Oct 2003]
- Colonnelli E (2004) Catalogue of Ceutorhynchinae of the world, with a key to genera (Insecta: Coleoptera: Curculionidae). Argania Editio, Barcelona, 124 pp.
- Constantin R (2001) Révision du genre *Pagurodactylus* Gorham, 1900 et des genres voisins d'Afrique australe (Coleoptera, Malachiidae). Entomologica Basiliensia 23: 5–87. [1 Sep 2001 (Inhalt)]
- Constantin R, Menier JJ (1987) Étude d'un remarquable Melyridae aptère des Iles Canaries: *Gietella fortunata*, n. gen., n. sp., type d'une sous-famille nouvelle Gietellinae (Coleoptera, Cleroidea). Revue Française d'Entomologie (Nouvelle Série) 9 (2): 53–63. [16 Jun 1987 (inside back wrapper)]
- Cooman A (1939) Coléoptères Histeridae d'Extrême-Orient, principalement du Tonkin. Notes d'Entomologie Chinoise / Musée Heude 6 (6): 137–142. [15 Aug 1939 (wrapper)]
- Costa A (1852) Coleotteri eteromeri, famiglia degli edemeridei - Oedemeridea. Fauna del Regno di Napoli, ossia enumerazione di tutti gli animali che abitano le diverse regione di questo regno e le acque che le bagnano contenente la descrizione de' nuovi o poco esattamente conosciuti Coleotteri, parte 1^a [1849–1854]. G. Sautto, Napoli, 36 pp., pls. 9–11. [1 Jun 1852 (date of introduction p. 4); issued in 5 parts in 1852 (q.v. Sherborn 1937a: 42)]
- Costa A (1853) Coleotteri eteromeri, famiglia de' mordellidei - Mordellidea. Fauna del Regno di Napoli, ossia enumerazione di tutti gli animali che abitano le diverse regione di questo regno e le acque che le bagnano contenente la descrizione de' nuovi o poco esattamente conosciuti Coleotteri, parte 1^a [1849–1854]. G. Sautto, Napoli, 32 pp., pls. 19–22. [Oct 1853 (date of introduction p. 2); issued in 4 parts: 1 Dec 1853 (pp. 1–8), 1854 (9–16), Sep 1854 (17–24), 10 Dec 1853 (25–32) (Sherborn 1937a: 42)]
- Costa C (1975) Systematics and evolution of the tribes Pyrophorini and Heligmini, with description of Campylo xeninae, new subfamily (Coleoptera, Elateridae). Arquivos de Zoologia, São Paulo 26 (2): 49–190. [8 Oct 1975 (top of article)]
- Costa C, Casari-Chen SA (1993) A review of the Pachyderini (Denticollinae) sensu Stibick, 1979, with the description of Platycrepidiiini trib. n. (Coleoptera, Elateridae, Pyrophorinae). Revista Brasileira de Entomologia 37 (1): 61–77. [31 Mar 1993 (top p. 61)]
- Costa Lima Ad (1962) Micro-Coleóptero representante da nova subfamília Plaumanniolinae (Col., Ptinidae). Revista Brasileira de Biologia 22 (4): 413–418. [Dec 1962 (fasc. title page); 7 May 1963 (recorded at BMNH)]

- Craighead FC (1921) Larva of the North American beetle *Sandalus niger* Knoch. Proceedings of the Entomological Society of Washington 23 (2): 44–48. [11 Mar 1921 (verso of vol. title page)]
- Crotch GR (1873a) On the arrangement of the families of Coleoptera. Proceedings of the American Philosophical Society 13: 75–87. [7 Feb 1873 (top of pages)]
- Crotch GR (1873b) Check list of the Coleoptera of America, North of Mexico. Naturalists' Agency, Salem, Mass., 136 pp. [after 30 Sep 1873 (Remarks p. 128)]
- Crotch GR (1873c) Synopsis of the Erotylidae of Boreal America. Transactions of the American Entomological Society 4: 349–363.
- Crotch GR (1873d) Revision of the Dytiscidae of the United States. Transactions of the American Entomological Society 4: 383–424. [May 1873 (footer p. 381)]
- Crotch GR (1874) A revision of the coleopterous family Coccinellidae. E. W. Janson, London, xv + 311 pp. [after 1 Sep 1874 (letter p. viii)]
- Crotch GR (1876) Revision of the coleopterous family Erotylidae. Cistula Entomologica 1 (13): 377–572. [Feb 1876 (wrapper)]
- Crowson RA (1946) A revision of the genera of the Chrysomelid group Sagrinae (Coleoptera). The Transactions of the Royal Entomological Society of London 97: 75–115.
- Crowson RA (1950) The classification of the families of British Coleoptera. The Entomologist's Monthly Magazine 86: 149–171, 274–288, 327–344. [30 Jun 1950 (pp. 149–171), 14 Oct (274–288), 21 Nov (327–336), 6 Dec 1950 (337–344) (publ. dates p. ii)]
- Crowson RA (1952) The classification of the families of British Coleoptera [continued]. The Entomologist's Monthly Magazine 88: 64–72, 109–132. [25 Mar 1952 (pp. 64–72), 8 May (109–120), 26 Jun 1952 (121–132) (publ. dates p. ii)]
- Crowson RA (1953) The classification of the families of British Coleoptera [continued]. The Entomologist's Monthly Magazine 89: 37–59, 181–198, 237–248. [3 Feb 1953 (pp. 37–48), 2 Mar (49–59), 9 Jul (181–192), 15 Aug (193–198), “Sep” (237–240), 21 Oct 1953 (241–248) (publ. dates on reprint)]
- Crowson RA (1954) The classification of the families of British Coleoptera (concl. with addenda). The Entomologist's Monthly Magazine 90: 57–63. [publ. 8 Apr 1954 (p. ii)]
- Crowson RA (1955) The natural classification of the families of Coleoptera. Nathaniel Lloyd, London, [2] + 187 pp.
- Crowson RA (1962) Observations on the beetle family Cupedidae, with descriptions of two new fossil forms and a key to the recent genera. The Annals and Magazine of Natural History (13) 5 (51): 147–157, pls. 3–4. [18 Oct 1962 (Evenhuis 2003: 55)]
- Crowson RA (1964) A review of the classification of Cleroidea (Coleoptera), with descriptions of two new genera of Peltidae and several new larval types. The Transactions of the Royal Entomological Society of London 116 (12): 275–327. [22 Dec 1964 (wrapper)]
- Crowson RA (1966) Further observations on Peltidae (Coleoptera: Cleroidea), with definitions of a new subfamily and of four new genera. Proceedings of the Royal Entomological Society of London (Series B. Taxonomy) 35 (9/10): 119–127. [25 Oct 1966]
- Crowson RA (1971) Observations on the superfamily Dascilloidea (Coleoptera: Polyphaga), with the inclusion of Karumiidae and Rhipiceridae. Zoological Journal of the Linnean Society 59 (1): 11–19. [Feb 1971 (top of article)]

- Crowson RA (1972) A review of the classification of Cantharoidea (Coleoptera), with the definition of two new families, Cneoglossidae and Omethidae. *Revista de la Universidad de Madrid. Estudios de Entomología* 21 (82): 35–77 [1972 (title page)].
- Crowson RA (1973a) Further observations on Phloeostichidae and Cavognathidae, with definitions of new genera from Australia and New Zealand. *The Coleopterists Bulletin* 27 (2): 54–62. [mailed 30 Jun 1973 (wrapper)]
- Crowson RA (1973b) On a new superfamily Artematopoidea of polyphagan beetles, with the definition of two new fossil genera from the Baltic amber. *Journal of Natural History* 7 (2): 225–238. [13 Feb 1973 (Evenhuis 2003: 58)]
- Crowson RA (1975) The evolutionary history of Coleoptera, as documented by fossil and comparative evidence. *Atti / Congresso Nazionale Italiano di Entomologia*. Volume 10. Tip. Coppini, Firenze, 47–90.
- Crowson RA (1979) Observations on Clambidae (Coleoptera), with descriptions of a new genus and species and of several larvae. *Revue Suisse de Zoologie* 86 (3): 611–623. [Sep 1979]
- Crowson RA (1980) On amphipolar distribution patterns in some cool climate groups of Coleoptera. *Entomologia Generalis* 6 (2/4): 281–292. [28 Nov 1980 (p. v)]
- Crowson RA (1981) The biology of the Coleoptera. Academic Press, New York, xii + 802 pp.
- Crowson RA (1984) The associations of Coleoptera with Ascomycetes [pp. 256–285]. In: Wheeler QD, Blackwell M (Eds) *Fungus-insect relationships: perspectives in ecology and evolution*. Columbia University Press, New York, NY, xiii + 514 pp.
- Crowson RA (1990) A new genus of Boganiidae (Coleoptera) from Australia, with observations on glandular openings, cycad associations and geographical distribution in the family. *Journal of the Australian Entomological Society* 29 (2): 91–99. [21 Jun 1990 (wrapper)]
- Csiki E (1901) Catalogus Endomychidarum. *Természetrájzi Füzetek* 24: 53 pp. [sep. pagination, inserted after p. 272 of fasc. 1/2]. [1901 (title page); date not specified with other parts (vol. contents) but preface dated Oct [1901]; issues 3/4 publ. 20 Oct 1901]
- Csiki E (1903) Die Cicindeliden Ungarns. *Mathematische und naturwissenschaftliche berichte aus Ungarn* 18 [1901]: 121–144.
- Csiki E (1904) [Referate; note in review of Kerremans 1903 (Wytman's Genera Insectorum, fasc. 12)]. *Münchener Koleoperologische Zeitschrift* 2 [1904–06] (2): 132–133. [29 Dec 1904]
- Csiki E (1909a) Újabb adatok Magyarország bogárfaunájához. *Rovartani Lapok* 16 (1): 3–6. [28 Jan 1909 (footer p. 1)]
- Csiki E (1909b) 2. had: Staphylinoidea. In: *Magyarország Bogárfaunája. II Kötet. 1. Füzet*. Magyar Nemzeti Múzeum, Budapest, 80 pp. [10 May 1909 (title page)]
- Csiki E (1910) Pars 12: Endomychidae. In: Schenkling S (Ed) *Coleopterorum Catalogus*. Volumen XVI. W. Junk, Berlin, 68 pp. [5 Apr 1910 (verso of vol. title page)]
- Csiki E (1919) Pars 70: Scydmaenidae. In: Schenkling S (Ed) *Coleopterorum Catalogus*. Volumen VII. W. Junk, Berlin, 106 pp. [4 Dec 1919 (verso of vol. title page)]
- Csiki E (1927) Carabidae: Carabinae (Partes 91 et 92). In: Schenkling S (Ed) *Coleopterorum Catalogus*. Volumen I. Carabidae I. W. Junk, Berlin, 622 pp. [15 Dec 1927 (pars 91: pp. 1–314), 22 Dec 1927 (pars 92: pp. 315–622) (verso of vol. title page)]

- Csiki E (1928) Carabidae: Mormolycinae, Harpalinae. (Partes 97 et 98). In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen II. Carabidae II. W. Junk, Berlin, 345 pp. [12 Sep 1928 (pars 97: pp. 1–226), 28 Dec 1928 (pars 98: pp. 227–345) (verso of vol. title page)]
- Csiki E (1929) Carabidae: Harpalinae III (Pars 104) [pp. 347–527]. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen II. Carabidae II. W. Junk, Berlin, 1022 pp. [20 Mar 1929 (verso of vol. title page)]
- Csiki E (1932a) Pars 121: Carabidae: Harpalinae VI [pp. 1023–1278]. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen III. Carabidae III: Harpalinae II. W. Junk, Berlin, pp. 1023–1933. [28 May 1932 (verso of title page)]
- Csiki E (1932b) Pars 124. Carabidae: Harpalinae VII [pp. 1279–1598]. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen III. Carabidae III: Harpalinae II. W. Junk, Berlin, pp. 1023–1933. [7 Nov 1932 (verso of vol. title page)]
- Csiki E (1933) Pars 126. Carabidae: Harpalinae VIII, Corrigenda et Addenda [pp. 1599–1679]. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen III. Carabidae III: Harpalinae II. W. Junk, Berlin, pp. 1023–1933. [26 May 1933 (verso of vol. title page)]
- Csiki E (1934) Pars 137: Curculionidae: Subfam. Hyperinae In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXVIII. W. Junk, Berlin, 66 pp. [22 Jun 1934 (verso of vol. title page)]
- Csiki E (1936) Pars 149: Curculionidae: Rhynchophorinae, Cossoninae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXX. Curculionidae IV. W. Junk, Berlin, 212 pp. [15 Aug 1936 (verso of vol. title page)]
- Csiki E (1953) Über neue und bekannte Coleopteren aus Ungarn und den angrenzenden Ländern. Annales Historico-Naturales Musei Nationalis Hungarici (Series Nova) 3 [1952]: 115–135. [31 Jul 1953 (p. [310])]
- Cuccodoro G (2007) Family Lymexylidae Fleming, 1821 [pp. 362–363]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidae - Bostrichoidea - Lymexyloidea - Cleroidea - Cucuoidea. Apollo Books, Stenstrup, 935 pp. [publ. 30 Jun 2007 (verso of title page)]
- Curtis J (1829) British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland: containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. Vol. VI. J. Curtis, London, pls. 242–289. [1 Nov 1829 (dates on plates)]
- Curtis J (1830) British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland: containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. Vol. VII. J. Curtis, London, pls. 290–337. [1 Feb 1830 (dates on plates)]
- Curtis J (1834) British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland: containing coloured figures from nature of the most rare and beautiful species, and in many instances of the plants upon which they are found. Vol. XI. L. Reeve & Co., London, pls. 482–529. [1 May 1834 (dates on plates)]
- Daccordi M (1981) Nuovi taxa di Chrysomelinae afrotropicali. Bollettino del Museo Civico di Storia Naturale di Verona 7 [1980]: 181–195. [31 Mar 1981 (reprint wrapper)]

- Dajoz R (1963) *Dolosus leleupi* n.g., n. sp. et *Dolosus basilewskyi* n. sp., types d'une famille nouvelle de Cucujoidae (Coléoptères). Revue de Zoologie et de Botanique Africaines 67 (1/2): 91–96. [30 Mar 1963 (top of article)]
- Dajoz R (1964) Anatomie et importance taxinomique des voies génitales femelles d'origine ectodermique chez les Elateridae (Insectes, coléoptères). Cahiers des Naturalistes: Bulletin des Naturalistes Parisiens (Nouvelle Série) 20: 55–72.
- Dajoz R (1973) Description du coléoptère *Chiloea chilensis*, n.g., n.sp., type d'une nouvelle famille: Chiloeidae. Annales de la Société Entomologique de France (Nouvelle Série) 9 (1): 173–179. [Jan-Mar 1973 issue; 21 Jun 1973 (recorded at CNC)]
- Dajoz R (1980a) Insectes coléoptères: Colydiidae et Cerylonidae. Faune de Madagascar 54: 1–256.
- Dajoz R (1980b) Description de *Orvoenia borneensis*, n. gen., n. sp., coléoptère Colydiidae appartenant à une tribu nouvelle. Revue Française d'Entomologie (Nouvelle Série) 2 (4): 190–192. [dépot légal 4e trimestre 1980 (p. 194)]
- Dalla Torre KW, Emden M, van, Emden F, van (1936) Pars 147: Curculionidae: Subfam. Brachyderinae I. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXVII. W. Junk, Berlin, 132 pp. [15 Mar 1936 (verso of vol. title page)]
- Damoiseau R (1962) Contribution à la connaissance des Brentides (Coleoptera - Brentidae). 4. - Revision de quelques genres africains et américains. Bulletin / Institut Royal des Sciences Naturelles de Belgique 38 (26): 1–35. [Sep 1962 (top of article)]
- Damoiseau R (1965) Contribution à la connaissance des Brentidae (Coleoptera - Curculionoidea). 22. - Révision des Calodrominae palaeotropicaux et description d'espèces nouvelles. Bulletin / Institut Royal des Sciences Naturelles de Belgique 41 (34): 1–28. [Sep 1965 (top of article)]
- Danilevsky ML (1997) [new taxa] In: Althoff J, Danilevsky ML: Seznam kozličev (Coleoptera, Cerambycoidea) Evrope. A check-list of longicorn beetles (Coleoptera, Cerambycoidea) of Europe. Slovensko Entomološko Društvo Štefana Micheljana, Ljubljana, 64 pp.
- Danilevsky ML (2010) New acts and comments. Cerambycidae [pp. 43–49]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Darlington PJ, Jr. (1933) A new tribe of Carabidae (Coleoptera) from western United States. The Pan-Pacific Entomologist 9 (3): 110–114. [Jul issue; mailed 8 Sep 1933 (p. 188)]
- Darlington PJ, Jr. (1950) Paussid beetles. Transactions of the American Entomological Society 76 (2): 47–142. [25 Aug 1950 (p. iii)]
- Darlington PJ, Jr. (1968) The carabid beetles of New Guinea Part 3. Harpalinae (continued): Perigonini to Pseudomorphini. Bulletin of the Museum of Comparative Zoology at Harvard 137 (1): 1–253. [30 Jul 1968 (wrapper)]
- De Moor PP (1970) Monograph of the Praeugenina (Coleoptera: Tenebrionidae, Strongyliini). Transvaal Museum Memoir 17: vii + 203 pp., 8 pls., 8 maps. [31 Jul 1970 (title page)]
- Decelle J (1966) *Bruchus serratus* Ol., 1790, espèce-type du genre *Caryedon* Schönherr, 1823. Revue de Zoologie et de Botanique Africaines 74 (1/2): 169–173. [30 Sep 1966 (p. 433)]
- Dejean PFMA (1825) Species général des coléoptères, de la collection de M. le Comte Dejean. Tome premier. Crevot, Paris, xxx + 463 pp. [1825 (title page); 10 Sep 1825 (Bibliogr. France 1825)]

- Dejean PFMA (1835) Catalogue des coléoptères de la collection de M. le comte Dejean. Deuxième Édition [Livraison 4]. Méquignon-Marvis Père et Fils, Paris, pp. 257–360. [22 Aug 1835 (Bibliogr. France 1835: 514)]
- Della Beffa G (1912) Revisioine dei Coccinellidi italiana. Rivista Coleotterologica Italiana 10 (8–11): 145–192, i-ii, i-ii [pl. expl.], pls. 1–2. [Aug–Nov 1912 issues]
- Denier PCL (1935) Coleopterorum americanorum familiae Meloidarum. Enumeratio synonymica. Revista de la Sociedad Entomológica Argentina 7: 139–176.
- Derksen W, Scheiding-Göllner U (1965) Index Litteraturae Entomologicae. Serie II: Die Welt-Litteratur über die gesamte Entomologie von 1864 bis 1900. Band II F-L. Deutsche Akademie der Landwirtschaftswissenschaften, Berlin, 678 pp.
- Desbrochers des Loges J (1873) Notes synonymiques. - Remarques diverses. - Description de Coléoptères nouveaux. Annales de la Société Entomologique de France (5) 2 [1872] (4): 420–432. [23 Apr 1873 (p. cii)]
- Desbrochers des Loges J (1892) Révision des Baridiides d'Europe et des contrées limitrophes [continued]. Le Frelon 2 (5/6): 65–69. [Aug/Sep 1892 issue]
- Desbrochers des Loges J (1898) Monographie des Curculionides appartenant au groupe des Holcorhinidae. Le Frelon 6 (7/8): 1–20 [special pagination]. [15 Apr 1898 (wrapper)]
- Desbrochers des Loges J (1900) Faunule des coléoptères de la France et de la Corse. Melandryidae. Le Frelon 9 (1): 1–16, (2): 17–32, (3): 33–48, (4): 49–64 [, (5): 65–76]. [15 Oct 1900 (fasc. 1), 26 Oct (2), 15 Nov (3), 8 Dec (4), 9 Jan 1901 (5) (wrappers)]
- Desbrochers des Loges J (1901) Faunule des coléoptères de la France et de la Corse. Tenebrionidae. Le Frelon 9 (9): 137–144, (10/11): 145–176, (12): 177–193. [20 May 1901 (fasc. 9), 10 Jun (10/11), 17 Jul 1901 (12) (wrappers)]
- Desbrochers des Loges J (1902a) Faunule des coléoptères de la France et de la Corse. Tenebrionidae (Suite). Le Frelon 10 [(3): 37–42, (4): 49–64, (5): 65–80], (6): 81–96, (7): 97–104. [30 Sep 1901 (fasc. 3), [pp. 43–48 not printed], 24 Oct (4); 19 Dec 1901 (5), 31 Jan 1902 (6), Mar 1902 (7) (wrappers)]
- Desbrochers des Loges J (1902b) Faunule des coléoptères de la France et de la Corse: Tenebrionidae (Suite). Le Frelon 11 (1): 1–16, (2): 17–32, (3): 33–48, (4): 49–56. [27 Aug 1902 (fasc. 1), 15 Sep (2), 17 Oct (3), 3 Nov 1902 (4) (wrappers)]
- Desbrochers des Loges J (1908) Faunule des coléoptères de la France et de la Corse. Curculionides de la tribu des attélabides et des rhinomacréides. Le Frelon 16 (1): 1–12, (2/3): 13–36. [7 Mar 1908 (fasc. 1), 4 Apr 1908 (2/3) (wrappers)]
- Descarpentries A (1970) Note sur un Buprestide inédit de Madagascar appartenant à une nouvelle tribu (Col.). Bulletin de la Société Entomologique de France 74 [1969] (7/8): 188–192. [publ. 26 Feb 1970 (p. 260)]
- Desmarest E (1851) Coléoptères. Cicindèles, carabiques, dytisciens, hydrophiliens, sylphales et nitidulaires [see note]. Encyclopédie d'histoire naturelle ou traité complet de cette science d'après les travaux des naturalistes les plus éminents de tous les pays et de toutes les époques Buffon, Daubenton, Lacépède, G Cuvier, F Cuvier, Geoffroy Saint-Hilaire, Latreille, de Jussieu, Brongniart, etc, etc Ouvrage résumant les observations des auteurs anciens et comprenant toutes les découvertes modernes jusqu'à nos jours. Marescq & Compagnie, Paris,

- [2] + 312 pp., 28 pls. [1re partie, livr. 1–6 and 2e partie, livr. 1–3 publ. by 1851 (Ann. Soc. Ent. France (2) 9: Bull. Ent.: cxxv)]
- Desmarest E (1857) Coléoptères. Staphyliniens, pselaphiens, dermestiens, ptiniens, clériens, malachiens, etc. Deuxième partie. In: Chenu JC (Ed) Encyclopédie d'histoire naturelle ou traité complet de cette science d'après les travaux des naturalistes les plus éminents de tous les pays et de toutes les époques Buffon, Daubenton, Lacépède, G Cuvier, F Cuvier, Geoffroy Saint-Hilaire, Latreille, de Jussieu, Brongniart, etc, etc Ouvrage résument les observations des auteurs anciens et comprenant toutes les découvertes modernes jusqu'à nos jours. Marescq & Compagnie, Paris, [2] + 312 pp., 44 pls. [before 9 May 1857 (both vols. in Bibliogr. France 1857)]
- Desmarest E (1860) Coléoptères. Buprestiens, scarabaeiens, piméliens, curculioniens, scolytiens, chrysoméliens, etc. Troisième partie. In: Chenu JC (Ed) Encyclopédie d'histoire naturelle ou traité complet de cette science d'après les travaux des naturalistes les plus éminents de tous les pays et de toutes les époques Buffon, Daubenton, Lacépède, G Cuvier, F Cuvier, Geoffroy Saint-Hilaire, Latreille, de Jussieu, Brongniart, etc, etc Ouvrage résument les observations des auteurs anciens et comprenant toutes les découvertes modernes jusqu'à nos jours. Marescq & Compagnie, Paris, [3] + 360 pp., 48 pls. [31 Jan 1860 (date of Préface by E. Desmarest); 11 Jul 1860 (Ann. Soc. Ent. France (3) 8: Bull. Ent.: lxiii; cites 3 vols.)]
- Deuve T (1997) *Sinozolus yuae* n. gen., n. sp., premier représentant des Zolinae dans l'hémisphère nord (Coleoptera, Trechidae). Bulletin de la Société Entomologique de France 102 (1): 31–37. [Mar 1997 (dépot légal, recorded at CNC 2 Apr)]
- Deuve T (2007) Description d'une quatrième espèce de la famille des Gehringiidae: *Helenaea felixi* n. sp., du Yémen (Coleoptera, Caraboidea). Nouvelle Revue d'Entomologie (Nouvelle Série) 23 [2006] (3): 213–218. [Sep/Oct 2006 issue; publ. 2 Apr 2007 (back wrapper)]
- Deuve T, Tian M (2001) *Zolinopatrobos nanlingensis* n. gen., n. sp., de la Chine méridionale, premier représentant d'une nouvelle sous-tribu parmi les Trechidae Patrobinae (Coleoptera, Caraboidea). Bulletin de la Société Entomologique de France 106 (4): 417–422. [Oct 2001 (dépot légal)]
- Dewailly P (1950) Coléoptères Melolonthini de Madagascar. Mémoires de l'Institut Scientifique de Madagascar (Série A. Biologie Animale) 4 (2): 209–454. [dépot légal 4e trim. 1950; 8 Mar 1951 (recorded at BMNH)]
- Deyrolle A (1867) Monographie de la tribu des zophosites. Annales de la Société Entomologique de France (4) 7 (2): 73–248, pls. 1–4. [15 Oct 1867 (wrapper; p. cxxix)]
- Deyrolle H (1865) Description des buprestides de la Malaisie recueillis par M. Wallace. Annales de la Société Entomologique de Belgique 8 [1864]: 1–272, pls. 1–4. [at least Mar 1865 (p. 280); before 9 Aug 1865 (Ann. Soc. Ent. France (5) 14: 514)]
- Di Iorio OR (2003) Taxonomy and systematics of Cerambycidae from Argentina, *Alanizus tortuosus* gen. et sp. n. (Coleoptera, Cerambycidae). Les Cahiers Magellanes 19: 1–8. [publ. 30 Jan 2003 (p. 8)]
- Didier R, Séguy E (1953) Catalogue illustré des lucanides du globe. Texte. Encyclopédie entomologique, Sér A Travaux généraux. Vol. 27–28. Paul Lechevalier, Paris, 223 pp. [vol. 27], 112 pls. [vol. 28: atlas]. [printed 29 Jun 1953 (endleaf); 4 Nov 1953 (recorded at BMNH)]

- Dieckmann L (1983) Beiträge zur Insektenfauna der DDR: Coleoptera - Curculionidae (Tany-mecinae, Leptopiinae, Cleoninae, Tanyrhynchinae, Cossoninae, Raymondionymidae, Bagoinae, Tanyphyrinae). Beiträge zur Entomologie 33 (2): 257–381.
- Dillon ES, Dillon LS (1959a) The Monochamini (Cerambycidae) of the Ethiopian faunistic region. V. The subtribe Acridocephalidi. The Coleopterists Bulletin 12 [1958]: 49–58. [27 Jan 1959 (back wrapper)]
- Dillon ES, Dillon LS (1959b) The Monochamini (Cerambycidae) of the Ethiopian faunistic region. VI. The subtribe Docohammidi. The Coleopterists Bulletin 13 (1): 7–12. [27 Mar 1959 (vol. contents)]
- Dillon LS (1952) The Meloidae (Coleoptera) of Texas. American Midland Naturalist 48 (2): 330–420. [Sep 1952 issue]
- Dillon LS, Dillon ES (1945) Revision of the tribe Pachypezini (Coleoptera, Cerambycidae). Bulletin of the Brooklyn Entomological Society 40 (1): 11–27. [mailed 15 May 1945 (wrapper)]
- Dobzhansky T (1924) Die weiblichen Generationsorgane der Coccinelliden als Artmerkmal betrachtet (Col.). Entomologische Mitteilungen 13 (1): 18–27.
- Dolin VG (1973) Iskopaemye formy zhukov-shchelkunov (Elateridae, Coleoptera) iz Nizhney Yury Sredney Azii. [Fossil forms of click-beetles (Elateridae, Coleoptera) from the Lower Jurassic of central Asia] [pp. 71–82]. In: Yaroshenko MF, et al. (Ed) Fauna i biologiya nasekomykh Moldavii [Fauna and biology of Moldavian insects]. Izdatel'stvo «Shtiintsa», Institut Zoologii, Akademiya Nauk Moldavskoy SSR, Kishinev, 188 pp. [in Russian].
- Dolin VG (1975a) K sistematike mezozoiskikh zhukov-schchelkunov (Coleoptera, Elateridae) [A contribution to the systematics of Mesozoic click beetles (Coleoptera, Elateridae)]. Paleontologicheskii Zhurnal 9 (4): 51–62 [in Russian; English translation in Paleontological Journal 9: 474–486].
- Dolin VG (1975b) Zhilkovanie krylev zhukov-shchelkunov (Coleoptera, Elateridae) i ego zna-chenie dlya sistematiki semeystva. [Wing venation of click beetles (Coleoptera, Elateridae) and its importance for taxonomy of the family]. Zoologicheskii Zhurnal 54 (11): 1618–1633 [in Russian]. [after 30 Oct 1975 (approved to print, last page)]
- Dolin VG (1980) Click beetles (Coleoptera, Elateridae) from the Upper Jurassic of Karatau [pp. 17–81]. In: Dolin VG, Panfilov DV, Ponomarenko AG, Pritykina DN (Eds). Iskopae-my nasekomye mezozoya [Fossil insects of the Mesozoic]. Naukova Dumka, Kiev, [40] + 136 pp. + 21 pls. [in Russian].
- Dolin VG (1990) Die Stellung der Gattung *Penia* Cast. im System der Elateridae (Coleoptera) auf Grund der Larvenmerkmale. Mitteilungen der Entomologischen Gesellschaft Basel 40 (1/2): 15–19.
- Dolin VG (2000) Znachenie lichinochnykh priznakov i zhilkovaniya krylev v sistematike Elat eroidea (Coleoptera) [A role of larval and wing venation characters in the systematics of Elateroidea (Coleoptera)]. Doklad na pyat'desyat vtorom ezhegodnom chtenii pamyati N A Kholodetskogo 1 aprelyya 1999 g. Zoologicheskii Institut, St-Petersburg, 49 + [1] pp. [in Russian]. [2000 (title page); after 30 Dec 1999 (approved to print, endleaf)]

- Doyen JT (1984) Systematics of *Eusattus* and *Conisattus* (Coleoptera; Tenebrionidae; Coniontini; Eusatti). Occasional Papers of the California Academy of Sciences 141: [3] + 1–104. [19 Sep 1984]
- Doyen JT (1989) Reconstitution of Coelometopini, Tenebrionini and related tribes of America north of Colombia (Coleoptera: Tenebrionidae). Journal of the New York Entomological Society 97 (3): 277–304. [mailed 22 Aug 1989 (inside wrapper)]
- Doyen JT, Matthews EG, Lawrence JF (1990) Classification and annotated checklist of the Australian genera of Tenebrionidae (Coleoptera). Invertebrate Taxonomy 3 [1989] (3): 229–260. [5 Feb 1990 (verso of vol. 4 title page)]
- Dreux P, Voisin JF (1989) Sur la systématique des genres de la sous-famille des Ectemnorrhinae (Coleoptera, Curculionidae). Nouvelle Revue d'Entomologie 6 (2): 111–118. [issued 2 Oct 1989 (back wrapper)]
- Drumont A, Komiya Z (2010) Family Cerambycidae. Subfamily Prioninae Latreille, 1802 [pp. 86–95]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Dubois A, Bour R (2010) The distinction between family-series and class-series nomina in zoological nomenclature, with emphasis on the nomina created by Batsch (1788, 1789) and on the higher nomenclature of turtles. Bonn Zoological Bulletin 57 (2): 149–171.
- Dugès E (1886) Note pour servir à la classification des Méloïdes du Mexique. Bulletin de la Société Zoologique de France 11: 578–582. [publ. 10 Sep 1886 (p. [lv])]
- Dugès E (1889) Description of *Leonia rileyi*, a new meloïd genus near *Hornia*. Insect Life 1 (7): 211–213. [Jan issue 1889]
- Duncan FM, Waterhouse CO, Peavot H (1937) On the dates of publication of the Society's 'Proceedings', 1859–1926. Proceedings of the Zoological Society of London 1937 A (1): 71–84.
- Duponchel PAJ, Chevrolat LAA (1841) Apophylia [p. 31]. In: D'Orbigny C (Ed). Dictionnaire universel d'histoire naturelle. Tome second [Livraisons 13–16]. MM. Renard, Martinet et Cie., Paris, 256 pp. [1 Feb–8 Nov 1841 (Evenhuis 1997b: 575)]
- Dupont H (1836) Monographie des trachydérides. Magasin de Zoologie 6: 1–51 + pls. 141–164.
- Dupuis C (1986) Dates de publication de l'«Histoire naturelle générale et particulière des crustacés et des insectes» (1802–1805) par Latreille dans le «Buffon de Sonnini». Annales de la Société Entomologique de France (Nouvelle série) 22: 205–210.
- Dupuis P (1912) 126me fascicule. Coleoptera Adephaga. Fam. Carabidae. Subfam. Opisthiinae. In: Wytsman PA (Ed) Genera Insectorum. Vol. XX. P. Wytsman, Bruxelles, 2 pp. + 1 pl. [15 Jan 1912 (date on manuscr.); 25 May 1912 (Evenhuis 1994: 56)]
- Duverger C (1990) Contribution à l'étude des Hyperaspinae. 1ère note (Coleoptera, Coccinellidae). Bulletin de la Société Linnéenne de Bordeaux 17 [1989] (3): 143–157. [printed 15 Feb 1990 (endleaf)]
- Duverger C (2003) Phylogénie des Coccinellidae. Bulletin de la Société Linnéenne de Bordeaux 31 (2): 57–76. [printed 15 Jul 2003 (p. 124)]
- Dybas HS (1955) New feather-wing beetles from termite nests in the American tropics (Coleoptera: Ptiliidae). Fieldiana: Zoology 37 (21): 561–577. [publ. 19 Jun 1955 (p. v)]

- Dybas HS (1966) Evidence for parthenogenesis in the featherwing beetles, with a taxonomic review of a new genus, and eight new species (Coleoptera: Ptiliidae). *Fieldiana: Zoology* 51 (2): 11–52. [28 Nov 1966 (top of article)]
- Edwards JG (1953) Species of the genus *Syneta* of the World (Coleoptera: Chrysomeloidea). *Wasemann Journal of Biology* 11 (1): 23–82. [spring issue (CNC recorded 13 Jul 1953)]
- Egorov LV (1990) On systematics of tenebrionid beetles of the tribe Platyscelidini (Coleoptera, Tenebrionidae). *Entomologicheskoe Obozrenie* 69 (2): 401–412 [in Russian; English translation in *Entomological Review*, 69 [1990] (6): 137–150]. [approved to print 18 Jun 1990 (back wrapper)]
- Eichelbaum F (1909) Katalog der Staphyliniden-Gattungen, nebst Angabe ihrer Literatur, Synonyme, Artenzahl, geographischen Verbreitung und ihrer bekannten Larvenzustände. *Mémoires de la Société Entomologique de Belgique* 17: 71–280. [1909 (wrapper); distrib. by 26 Dec 1909 (Ann. Soc. Ent. Belg. 53: 515)]
- Eichhoff WJ (1878) Ratio, descriptio, emendatio eorum Tomicinorum qui sunt in Dr medic. Chapuisii et autoris ipsius collectionibus et quos praeterea recognovit. *Mémoires de la Société Royale des Sciences de Liège* (2) 8 (1): i-iv + 1–531 + pls. i-v. [31 Dec 1878 (Alonso-Zarazaga and Lyal 2009: 118); Dec 1878 (title page)]
- El Moursy AA (1961) A tentative classification of and a key to the North American genera of the family Byrrhidae (new sense) and family Syncalyptidae (new status) (Coleoptera, Polyphaga, Byrrhoidea). *The Coleopterists Bulletin* 15 (1): 9–15. [29 Mar 1961 (contents)]
- Elgueta DM, Arriagada SG (1989) Estado actual del conocimiento de los Coleópteros de Chile (Insecta: Coleoptera). *Revista Chilena de Entomología* 17: 5–60. [printed Dec 1989 (p. 4)]
- Emden FI, van (1924) Zur Kenntnis der Sandalidae, II. u. III. *Entomologische Blätter* 20 (2): 86–99.
- Emden FI, van (1931) Zur Kenntnis der Sandalidae XI–XVI. *Entomologische Blätter* 27 (2): 49–59, (3): 107–116, (4): 145–152, pl. 1. [30 Jun (fasc. 2); 30 Sep (3); 31 Dec 1931 (4) (wrappers)]
- Emden FI, van (1933) Die Philippinischen Arten der Untergattung *Callirhipis* (Coleoptera). Zur Kenntnis der Sandalidae 19; zugleich Philippinische Sandalidae 2. *The Philippine Journal of Science* 51 (3): 331–356 [Jul 1933 (wrapper)].
- Emden FI, van (1936) Die Anordnung der Brachyderinae-Gattungen im Coleopterorum Catalogus. *Stettiner Entomologische Zeitung* 97 (1): 66–99. [25 May 1936 (Inhalt)]
- Emden FI, van (1958) New South American Carabidae (Coleoptera) with notes on described species. *The Annals and Magazine of Natural History* (13) 1 (1): 19–32. [publ. 27 Jun 1958 (wrapper)]
- Enderlein G (1909) Die Insekten des antarktischen Gebietes. Deutsche Südpolar-Expedition 1901–1903 im Auftrage des Reichsamtes des Innern. X Band. Zoologie II Band. G. Reimer, Berlin, 361–528 + pls. 40–63. [Jan 1909 (Contents p. 3)]
- Endrödi S (1966) Monographie der Dynastinae. Teil I. *Entomologische Abhandlungen* (Dresden) 33: 1–457.
- Endrödy-Younga S (1989) Restructuring of the tribe Cryptochilini (Coleoptera: Tenebrionidae: Tentyriinae). *Annals of the Transvaal Museum* 35 (6): 109–145. [Dec 1989 (p. 109)]

- Endrödy-Younga S (1997) Active extraction of water-dissolved oxygen and descriptions of new taxa of Torridincolidae (Coleoptera: Myxophaga). Annals of the Transvaal Museum 36 (24): 313–332. [Feb 1997 (footer p. 313)]
- Endrödy-Younga S, Crowson RA (1986) Boganiidae, a new beetle family for the African fauna (Coleoptera: Cucujoidea). Annals of the Transvaal Museum 34 (12): 253–273. [Nov issue 1986]
- Engel MS (2005) Family-group names for bees (Hymenoptera: Apoidea). American Museum Novitates No. 3476: 1–33, 1 table. [11 May 2005 (top of p. 1)]
- Engel MS, Bouchard P (2009) Case 3484. Nomiidae Gozis, 1875 (Insecta, Coleoptera): proposed emendation of spelling to Nomiusidae to remove homonymy with Nomiinae Robertson, 1904 (Insecta, Hymenoptera). Bulletin of Zoological Nomenclature 66 (1): 30–33.
- Engel MS, Haas F (2007) Family-group names for earwigs (Dermaptera). American Museum Novitates No. 3567: 1–20, 3 tables. [16 May 2007 (wrapper)]
- Engel MS, Krishna K (2004) Family-group names for termites (Isoptera). American Museum Novitates 3432: 1–9. [27 Feb 2004 (wrapper)]
- Erichson WF (1832) Genera Dyticeorum. Nietack, Berolini, ii + 48 pp. [1832 (title page); before 6 Nov 1833 (Ann. Soc. Ent. France 2: Bull. Ent.: lxxv)]
- Erichson WF (1836) Systematische Auseinandersetzung der Familie der Borkenkäfer (Bostrichidae). Archiv für Naturgeschichte 2 (1): 45–65. [article read 8 May 1836 (p. 313); before 10 Aug 1836 (Literar. Zeit. 1836: 639); cites Westwood 1836, so it is later]
- Erichson WF (1837) Die Käfer der Mark Brandenburg. Erster Band. Erste Abtheilung [pp. i–viii + 1–384]. F.H. Morin, Berlin, viii + 740 pp. [after 20 Jul (forward p. viii); 15 Sep 1837 (Allgem. Bibliogr. Deutschl. 1837: 560)]
- Erichson WF (1838) Bericht über die Leistungen in der Entomologie während des Jahres 1837. Archiv für Naturgeschichte 4 (2): 187–264.
- Erichson WF (1839a) Die Käfer der Mark Brandenburg. Erster Band. Zweite Abtheilung [pp. 385–740]. F.H. Morin, Berlin, viii + 740 pp. [12 Apr 1839 (Allgem. Bibliogr. Deutschl.)]
- Erichson WF (1839b) Genera et species staphylinorum insectorum coleopterorum familiae [pp. 1–400]. F.H. Morin, Berlin, viii + 954 pp. + 5 pls. [1 Nov 1839 (Allgem. Bibliogr. Deutschl. 4: 648)]
- Erichson WF (1840a) [Pp. i–viii, 401–954]. In: Genera et species staphylinorum insectorum coleopterorum familiae. F.H. Morin, Berlin, viii + 954 pp. + 5 pls.
- Erichson WF (1840b) Die Pachypoden, eine kleine Gruppe aus der Familie der Melolonthen [pp. 29–44]. In: Entomographien, Untersuchungen in dem Gebiete der Entomologie mit besonderer Benutzung der Königl Sammlung in Berlin Erstes Heft. F. H. Morin, Berlin, x + 180 pp., 2 pls. [1 Aug 1840 (date of Vorwort); Sep 1840 (Ent. Zeit. Stettin 1: 144)]
- Erichson WF (1842) Beitrag zur Insecten-Fauna von Vandiemensland, mit besonderer Berücksichtigung der geographischen Verbreitung der Insecten. Archiv für Naturgeschichte 8 (1): 83–287, pls. 4–5 [in German; English translations in Papers and Proceedings of the Royal Society of Tasmania, 1859, 3: 289–338 (translated by Miss S.A. Fogg.)]. [1842 (issue title page); before 22 Jun 1842 (Literar. Zeit. 1842: 605)]

- Erichson WF (1843) Versuch einer systematischen Eintheilung der Nitidularien. Zeitschrift für die Entomologie (Germar) 4: 225–361. [1843 (title page); before 5 May 1843 (Leipz. Repert. 18: 211)]
- Erichson WF (1844) Einige Nachträge zu meinem Versuch einer systematischen Eintheilung der Nitidularien, (Germar's Zeitschr. IV. S.225). Zeitschrift für die Entomologie (Germar) 5: 438–458. [before 20 Aug 1844 (Ent. Zeit. Stettin)]
- Erichson WF (1845) [I., II. Lieferungen, pp. 1–320]. In: Naturgeschichte der Insecten Deutschlands. Erste Abtheilung. Coleoptera. Dritter Band. Nicolai, Berlin, vii + 968 pp. [28 May 1845 (Lief. 1: pp. 1–160) (verso of original wrapper); before 15 Oct 1845 (Lief. 2: pp. 161–321) (Intell.-Blatt Serap. 1845: 149)]
- Erichson WF (1846) [III. Lieferung, pp. 321–480]. In: Naturgeschichte der Insecten Deutschlands. Erste Abtheilung. Coleoptera. Dritter Band. Nicolai, Berlin, vii + 968 pp. [4 Sep 1846 (Leipz. Repert. 4: 386)]
- Erichson WF (1847a) Conspectus insectorum coleopterorum, quae in Republica Peruana observata sunt. Archiv für Naturgeschichte 13 (Band 1, Heft 1): 67–185. [at least Nov 1847 (article dated p. 352)]
- Erichson WF (1847b) [IV., V. Lieferungen, pp. 481–800. In: Naturgeschichte der Insecten Deutschlands. Erste Abtheilung. Coleoptera. Dritter Band. Nicolai, Berlin, vii + 968 pp.
- Ermisch K (1941) Tribus Mordellistenini. (Col. Mordell.) (8. Beitrag zur Kenntnis der Mordelliden). Mitteilungen der Münchener Entomologischen Gesellschaft 31: 710–726.
- Ermisch K (1956) Mordellidae (31. Beitrag zur Kenntnis der Mordelliden) [pp. 269–321]. In: Horion A (Ed) Faunistik der mitteleuropäischen Käfer. Band V: Heteromera. Entomologische Arbeiten aus dem Museum G. Frey, Sonderband, Tutzing bei München, xv + 336 pp.
- Erwin TL (1970) A reclassification of bombardier beetles and a taxonomic revision of the North and Middle American species (Carabidae: Brachinida). Quaestiones Entomologicae 6 (1): 4–215. [20 Feb 1970 (p. 1)]
- Erwin TL (1979) Thoughts on the evolutionary history of ground beetles: hypotheses generated from comparative faunal analyses of lowland forest sites in temperate and tropical regions [pp. 539–592]. In: Erwin TL, Ball GE, Whitehead DR, Halpern AL (Eds) Carabid beetles: their evolution, natural history, and classification. Proceedings of the First International Symposium of Carabidology, Smithsonian Institution, Washington, D C, August 21, 23, and 25, 1976. Dr. W. Junk bv Publishers, The Hague, x + 644 pp. [1979 (copyright)]
- Erwin TL (1985) The taxon pulse: a general pattern of lineage radiation and extinction among carabid beetles [pp. 437–472]. In: Ball GE (Ed) Taxonomy, phylogeny and zoogeography of beetles and ants. Series Entomologica volume 33. Junk, Dordrecht, xiii + 514 pp. + 2 pls.
- Erwin TL (1991) The Ground-Beetles of Central America (Carabidae), Part II: Notiophilini, Loricinini, and Carabini. Smithsonian Contributions to Zoology No. 501: iv + 30 pp.
- Erwin TL (1994) Arboreal beetles of tropical forests: the Xystosomi group, subtribe Xystosomina (Coleoptera: Carabidae: Bembidiini). Part I. Character analysis, taxonomy, and distribution. The Canadian Entomologist 126 (3): 549–666. [issued Jul 1994 (wrapper)]

- Erwin TL (2007) Xenaurosstellanini, *Xenaurosstelliana deltaquadrant*, new tribe, new genus, and new species from the Cerrado of Estado de Goiás, Brazil (Insecta: Coleoptera: Carabidae). Proceedings of the California Academy of Sciences (4) 58 (27): 561–568. [28 Dec 2007 (wrapper)]
- Erwin TL, Sims LL (1984) Carabid beetles of the West Indies (Insecta: Coleoptera): a synopsis of the genera and checklist of tribes of Caraboidea, and of the West Indian species. *Quaestiones Entomologicae* 20 (4): 351–466 + 1 pl. [Oct 1984]
- Escalera MM, de la (1913) Dos nuevas tribus de Drilidos. *Boletín de la Real Sociedad Española de Historia Natural* 13 (6/7): 318–322. [includes session of 2 Jul 1913]
- Escalera MM, de la (1914a) Rectificación sinonímica. *Boletín de la Real Sociedad Española de Historia Natural* 14: 349. [includes session of 3 Jun 1914]
- Escalera MM, de la (1914b) Los Coleópteros de Marruecos. *Trabajos del Museo Nacional de Ciencias Naturales (Serie zoológica)* 11: 1–553 [10 Nov 1914 (title page)]
- Escalera MM, de la (1927) Los *Allotarsus* Grills. y géneros afines ibero-africanos (Co. Dasyt.). Eos, *Revista Española de Entomología* 3: 5–28.
- Eschscholtz F (1829a) Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten, während des Flottcapitains von Kotzebue zweiter Reise um die Welt, auf der Russisch-Kaiserlichen Kriegsschlupp Predpriaetië in den Jahren 1823–1826. Erstes Heft. G. Reimer, Berlin, iv + 17 pp. [May 1829 (date of forward)]
- Eschscholtz F (1829b) Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten, während des Flottcapitains von Kotzebue zweiter Reise um die Welt, auf der Russisch-Kaiserlichen Kriegsschlupp Predpriaetië in den Jahren 1823–1826. Drittes Heft. G. Reimer, Berlin, 18 pp.
- Eschscholtz F (1831) Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten, während des Flottcapitains von Kotzebue zweiter Reise um die Welt, auf der Russisch-Kaiserlichen Kriegsschlupp Predpriaetië in den Jahren 1823–1826. Viertes Heft. G. Reimer, Berlin, 19 pp.
- Español F (1945) Nuevos comentarios sistemáticos sobre la subfamilia Opatrinae Reitt. con la descripción de un nuevo representante del Sáhara Español (Col. Tenebrionidae). Eos, *Revista Española de Entomología* 20 [1944] (3/4): 213–232, pls 12–17. [publ. 20 Feb 1945 (inside wrapper)]
- Español F (1956) Los *Probaticus* de España (Col. Tenebrionidae). Eos, *Revista Española de Entomología* 32 (1/4): 83–124. [1956 (wrapper); 13 May 1957 (recorded at CNC)]
- Evans AV (1989) Revision of the genus *Sparrmannia* Laporte (Coleoptera: Melolonthidae: Melolonthinae). *Journal of the Entomological Society of Southern Africa* 52 (1): 11–44.
- Evenhuis NL (1994) The publication and dating of P. A. Wytsman's Genera Insectorum. *Archives of Natural History* 21 (1): 49–66.
- Evenhuis NL (1997a) Litteratura taxonomica dipterorum (1758–1930). Volume I. A–K. Backhuys Publishers, Leiden, [3] + pp. 1–426.
- Evenhuis NL (1997b) Litteratura taxonomica dipterorum (1758–1930). Volume II. L–Z. Backhuys Publishers, Leiden, pp. 427–871.

- Evenhuis NL (2003) Publication and dating of the journals forming the Annals and Magazine of Natural History and the Journal of Natural History. Zootaxa 385: 1–68. [publ. 16 Dec 2003 (footer p. 1)]
- Evenhuis NL, Pape T, Pont AC (2008) The problems of subsequent typification in genus-group names and use of the Zoological Record: a study of selected post-1930 Diptera genus-group names without type species designation. Zootaxa 1912: 1–44. [publ. 22 Oct 2008 (footer p. 1)]
- Everts JE (1898) Coleoptera Nederlandica. De schildvleugelige Insecten van Nederland en het aangrenzend Gebied. Eerste Deel. M. Nijhoff, Gravenhage, viii + 676 + [1] pp. [Mar 1898 (date of forward); before 11 Jul 1898 (Zool. Anz., Bibliogr. Zool. 3: 313)]
- Everts JE (1903) [Tweede stuk, pp. 401–796]. In: Coleoptera Nederlandica. De schildvleugelige Insecten van Nederland en het aangrenzend gebied. Tweede Deel. Martinus Nijhoff, 's Gravenhage, iv + 796 + [2] pp. + 8 pls. [Mar 1903 (date of preface p. iv); issued in 2 parts: 1901 (pp. 1–400 + 8 pls.), 1903 (pp. 401–796)]
- Fairmaire L (1864) [Livraisons 121–127, pp. 97–176 + pls. 35–45]. In: Jacquelin du Val C, Fairmaire L: Genera des Coléoptères d'Europe comprenant leur classification en famille naturelle, la description de tous les genres, des tableaux dichotomiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères. Tome quatrième. Deyrolle fils, Paris, 295 + [2] pp. + 78 pls. [1864 (Zool. Record: 339); livr. 123: early Sep 1864 (J. Thomson 1864: 336); livr. 121–123: 3 Oct 1864 (Jour. Proc. Ent. Soc. London (3) 2: 44); livr. 124–125: 1 May 1865 (Bull. Soc. Linn. Norm. 10: 159)]
- Fairmaire L (1868) [Livraisons 137–144, pp. [241?]-295]. In: Jacquelin du Val, C. & Fairmaire, L.: Genera des Coléoptères d'Europe comprenant leur classification en famille naturelle, la description de tous les genres, des tableaux dichotomiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères. Tome quatrième. Deyrolle fils, Paris, 295 + [2] pp. + 78 pls. [livr. 137–144 almost certainly included p. 258 (Leptispites): 7 Dec 1868 (Proc. Ent. Soc. London 1868: xlvi)]
- Fairmaire L, Laboulbène A (1855) 2^e Partie [pp. 181–370]. In: Faune entomologique française ou description des insectes qui se trouvent en France. Coléoptères. Tome Premier. Deyrolle, Paris, xxxv + 665 pp.
- Faust J (1885) Neue asiatische Rüsselkäfer (aus Turkestan) III. Deutsche Entomologische Zeitschrift 29 (1): 161–190. [Jun 1885 (footer p. 3)]
- Faust J (1886a) Bemerkungen zu einigen europäischen Curculioniden-Gattungen. Stettiner Entomologische Zeitung 47 (1/3): 22–31. [early Feb 1886 (p. 128)]
- Faust J (1886b) Neue exotische Rüsselkäfer. Deutsche Entomologische Zeitschrift 30 (2): 337–372. [Dec 1886 (Inhalt p. 3)]
- Faust J (1888) Neue Rüsselkäfer aller Länder. Stettiner Entomologische Zeitung 49 (7/9): 284–311. [mid Oct 1888 (p. 316)]
- Faust J (1891) Neue Rüsselkäfer aller Länder. (Fortsetzung). Stettiner Entomologische Zeitung 51 [1890] (7/12): 165–195. [Jan 1891 (p. 323)]
- Faust J (1892) Curculioniden aus dem Malayischen Archipel. Stettiner Entomologische Zeitung 53 (7/9): 184–228. [at least Dec 1892, or 1893 (part submitted end Nov, p. 268)]

- Faust J (1892) Fünf neue Curculioniden von Australien. Stettiner Entomologische Zeitung 53 (7/9): 179–184. [«Ende» Nov 1892 (p. 268)]
- Faust J (1894) Viaggio di Leonardo Fea in Birmania e regioni vicine. LX. Curculionidae. [Cont.] Annali del Museo Civico di Storia Naturale di Genova 34: 177–192. [22 May 1894 (complete article pp. 153–370, issued in 12 parts in 1894) (Alonso-Zarazaga and Lyal 1999: 225)]
- Faust J (1895) Sechs neue Curculioniden-Gattungen und ein neuer *Glochinorhinus*. Stettiner Entomologische Zeitung 56 (7–9): 212–228. [Sep 1895]
- Faust J (1896) Reise von E. Simon in Venezuela. Curculionidae. Pars tertia. Stettiner Entomologische Zeitung 57 (1/6): 33–136.
- Faust J (1898) Beitrag zur Kenntniss der Fauna von Kamerun, mit besonderer Berücksichtigung der afrikanischen Menemachiden, Isorhynchiden und Campylosceliden. Deutsche Entomologische Zeitschrift 1898 (1): 17–91. [Jun 1898 (p. 3)]
- Faust J (1899) Viaggio di Lamberto Loria nella Papuasia orientale. XXIII. Curculionidae. [Cont.]. Annali del Museo Civico di Storia Naturale di Genova 40: 81–128. [29 May 1899 (complete article pp. 1–130, issued in 7 parts in 1899) (Alonso-Zarazaga and Lyal 1999: 225)]
- Faust J (1904) Revision der Gruppe Cléonides vrais. Deutsche Entomologische Zeitschrift 1904 (1): 177–284. [Jan 1904 (vol. Inhalt)]
- Fauvel A (1874) Faune gallo-rhénane... 2e supplément aux staphylinides. Tome troisième. [livraison 5]. Le Blanc-Hardel, Caen, 25–46. [Jul 1874 (footer p. 25; Fauvel 1875: 54); Sep 1874 (wrapper) / reissued in: Bull. Soc. Linn. Norm. (2) 8: 319–340 (séance 4 May 1874) 17 Apr 1875 (Bibliogr. France 1875: 206)]
- Fauvel A (1875) Bibliographie. Annuaire Entomologique 3: 53–56.
- Fauvel A (1888) Catalogue des coléoptères Gallo-Rhénans. Revue d'Entomologie 7: 1–16 [special pagination].
- Fauvel A (1889) Catalogue des coléoptères gallo-rhénans. Revue d'Entomologie 8: 17–32 [special pagination].
- Fauvel A (1891) Les coléoptères de la Nouvelle-Calédonie et dépendances avec descriptions, notes et synonymies nouvelles (1) (Suite). Revue d'Entomologie 10 (6): 148–182. [Jun 1891 issue (footer p. 145)]
- Fauvel A (1895) Staphylinides nouveaux de l'Inde et de la Malaisie. Revue d'Entomologie 14 (6–10): 180–286. [Jun-Oct 1895 issues (footers p. 173, etc.)]
- Fauvel A (1899) Sur une sous-famille nouvelle de staphylinides, les Trilobitideidae [pp. 3–4]; Sur une tribu nouvelle de staphylinides (Pygostenini) et descriptions de genres et espèces [pp. 5–22] [and other articles]. In: Raffray A, Fauvel A: Genres et espèces de staphylinides nouveaux d'Afrique. Revue d'Entomologie 18 (1–2): 1–44, pl. 1. [Jan-Feb 1899 issues (footers pp. 1, 29)]
- Fauvel A (1900) Sur une tribu nouvelle de staphylinides. Revue d'Entomologie 19 (7/8): 123–124. [Aug 1900 (footer p. 109 but 7/8 issued together)]
- Fauvel A (1904) Staphylinides exotiques nouveaux. 2e partie. Revue d'Entomologie 23 (4/5): 76–112. [Apr-May 1904 issues (footers pp. 65, 97 but 4/5 issued together)]

- Fauvel A (1905a) Sur une tribu nouvelle de staphylinides. *Revue d'Entomologie* 24 (5/6): 98–100. [May-Jun 1905 issue (footer pp. 97, 129 but 5/6 issued together)]
- Fauvel A (1905b) Faune analytique des coléoptères de la Nouvelle-Calédonie. 3e partie. *Revue d'Entomologie* 24 (10/11, 12): 209–244. [Oct, Nov, Dec 1905 issues (footer pp. 209, 225, 241 but 10/11 issued together)]
- Fenyes A (1918) 173a fascicule. Coleoptera. Fam. Staphylinidae. Subfam. Aleocharinae [pp. 1–110]. In: Wytsman PA (Ed) *Genera Insectorum*. Vol. XXVII. M. Nijhoff, The Hague, 453 pp. + 7 pls. [31 Dec 1913 (date on manuscr., p. 453); 1918 (wrapper); before 1 Jan 1919 (Leng 1920: v, 387); 18 Jun 1919 (Evenhuis 1994: 58)]
- Fenyes A (1921) New genera and species of Aleocharinae with a polytomic synopsis of the tribes. *Bulletin of the Museum of Comparative Zoology* 65 (2): 17–36. [Oct 1921 (article title page)]
- Ferrari JA (1867) Die Forst- und Baumzuchtschädlichen Borkenkäfer (Tomicides Lac.) aus der Familie der Holzverderber (Scolytides Lac.), mit besonderer Berücksichtigung vorzüglich der europäischen Formen, und der Sammlung des k. k. zoologischen Kabinetes in Wien. Carl Gerold's Sohn, Wien, [2] + 96 pp. [Jan 1867 (date of Vorwort); before Aug 1867 (Allgem. Bibliogr. Deutschl. 1867: 118)]
- Ferraris CJ, Jr. (2000) Book review. International Code of Zoological Nomenclature. Fourth Edition. *Copeia* 2000 (3): 907–908.
- Ferraris CJ, Jr., de Pinna MCC (1999) Higher-level names for catfishes (Actinopterygii: Ostariophysi: Siluriformes). *Proceedings of the California Academy of Sciences* 51 (1): 1–17.
- Ferreira MC (1953) Monografia dos Escarabaeídeos da África do Sul. Tribo-Scarabaeini. I Parte Sub-tribo Pachysomides. *Boletim da Sociedade de Estudos de Moçambique* 23 (No. 78): 1–87. [Mar-Apr 1953 issue; 16 Oct 1954 (recorded at BMNH)]
- Ferreira MC (1965) Catálogo dos Coleópteros de Moçambique. *Revista de Entomologia de Moçambique* 6 [1963] (1): 1–531 + [1 corrigenda]. [1965 (recorded at FMNH; cites ref. publ. 1st Dec 1964)]
- Ferreira MC (1966) Catálogo dos Coleópteros de Moçambique (Conclusão). *Revista de Entomologia de Moçambique* 6 [1963] (2): [1] + 533–1008 + 1 map. [printed Jan 1966 (back wrapper)]
- Ferreira MC, Veiga Ferreira Gd (1959a) Catálogo dos ceramicídeos da Região Etiópica. I parte - Supertribos Parandrina & Prionina. *Memórias do Instituto de Investigação Científica de Moçambique* 1: 1–76 + [1: corrigendum].
- Ferreira MC, Veiga Ferreira Gd (1959b) Catálogo dos ceramicídeos da Região Etiópica. II parte. Supertribos Disteniina, Asemina, Cerambycina, Auxesina & Lepturina. *Memórias do Instituto de Investigação Científica de Moçambique* 1: 77–398 + [1: errata].
- Ferrer J (2004) Description d'un nouveau genre de Stenosini du Vietnam (Coleoptera, Tenebrionidae). *Nouvelle Revue d'Entomologie (Nouvelle Série)* 20 [2003] (4): 367–371. [25 Apr 2004 (top of article)]
- Ferrer J (2006) Constitution du groupe indo-africain des Falsocossyphini, tribus nova, et description d'un nouveau genre hypogée du Vietnam. Coleoptera, Tenebrionidae. *Cahiers*

- Scientifiques. Centre de Conservation et d'Étude des Collections (Lyon) 10: 75–83. [printed Sep 2006; dépôt légal 3e trim. 2006 (p. 148)]
- Ferrer J, Moragues G (2000) Contribution à l'étude des Cnemeplatiini. Description de *Rondoniella bremeri* n. sp. du Laos (Coleoptera, Tenebrionidae). Nouvelle Revue d'Entomologie (Nouvelle Série) 17 (2): 99–105. [paru 15 Dec 2000 (back wrapper)]
- Ferrer J, Yvinec JH (2004) Révision de la tribu des Lachnogyini Reitter, 1904 sensu nov. et description d'un nouveau genre et d'une espèce nouvelle du désert de Taklamakan, Chine (Coleoptera: Tenebrionidae, Pimeliinae). Annales de la Société Entomologique de France (Nouvelle Série) 40: 41–49. [paru 18 May 2004 (back wrapper)]
- Fischer von Waldheim G (1813) Zoognosia tabulis synopticas illustrata, in usum praelectionum Academiae Imperialis Medico-Chirurgicae Mosquensis edita. Editio tertia, classium, ordinum, generum illustratione perpetua aucta. Volumen primum, tabulas synopticas, generales et comparativas, nec non characterum quorundam explicationem iconographicam continens. N. S. Vsevolozsky, Moscow, xiii + [1] + 465pp.
- Fischer von Waldheim G (1821) Genera insectorum systematice exposita et analysi iconographica instructa. Volumen primum. Genera Coleopterorum. Augusti Semen, Mosquae, xii + 104 pp., 1 pl. [12 Apr 1821 (date of preface); bound with Entomographia Imperii Russici, Volumen I]
- Fitch EA (1881) Obituary. Etienne Mulsant. The Entomologist 14 (213): 46–47. [Feb 1881]
- Flach C (1889) Bestimmungstabelle der Trichopterygidae des europäischen Faunengebietes. Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien 39 (4): 481–532, pls. 10–14. [end Dec 1889 (wrapper)]
- Fleming J (1821) Insecta. Supplement to the Fourth, Fifth and Sixth Editions of the Encyclopaedia Britannica Volume Fifth [Part 1]. 584 pp. A. Constable and Company, Edinburgh, 41–56, pl. 85. [Jul 1821 (Evenhuis 1997a: 226)]
- Fleutiaux E (1892a) Catalogue systématique des Cicindelidae, décrits depuis Linné. H. Vaillant-Carmanne, Liège, 186 pp.
- Fleutiaux E (1892b) Note sur les Physodactylini. Annales de la Société Entomologique de France 61 (3): 403–412, pl. 8. [28 Dec 1892 (wrapper)]
- Fleutiaux E (1902) Essai d'une classification des Melasinae (Eucneminae des auteurs). Annales de la Société Entomologique de France 70 [1901] (3/4): 636–664. [May 1902 (wrapper)]
- Fleutiaux E (1919) Elateridae, Trixagidae et Melasidae. Voyage de Ch Alluaud et R Jeannel en Afrique orientale (1911–1912) Résultats scientifiques Coleoptera. Vol. 13. Lhomme, Paris, pp. 1–119 + pl. 8. [15 Mar 1919 (date cited on reprint)]
- Fleutiaux E (1920) Études sur les Melasidae (Coleoptera-Serricornia). Première partie. Annales de la Société Entomologique de Belgique 60: 93–104. [6 Jul 1920 (footer p. 91)]
- Fleutiaux E (1923) Les Melasidae du Japon (Coléoptères). Annales de la Société Entomologique de France 91 (4): 291–328. [10 Jun 1923 (wrapper)]
- Fleutiaux E (1926) Catalogue raisonné des Melasidae des Iles Philippines. Annales de la Société Entomologique de France 95 (1): 29–90. [31 Mar 1926 (wrapper)]
- Fleutiaux E (1927a) Description d'un genre nouveau d'Elateridae (Col.). Bulletin de la Société Entomologique de France 32 (6): 104–105. [25 Apr 1927 (p. 324)]

- Fleutiaux E (1927b) Les élatérides de l'indochine française (catalogue raisonné). Première partie. Faune des Colonies Françaises 1: 53–122 + pls. 1–2.
- Fleutiaux E (1928) Description d'un genre nouveau d'Elateridae de la sous-famille des Hypolithinae. Bulletin de la Société Entomologique de France 1928 (16): 252–254. [24 Nov 1928 (p. 332)]
- Fleutiaux E (1936) Les Elateridae de l'Indochine française (6e partie). Annales de la Société Entomologique de France 105 (3): 279–300. [31 Oct 1936 (p. 388)]
- Fleutiaux E (1941) Les élatérides de l'Indo-chine française. Huitième et dernière partie. Annales de la Société Entomologique de France 109 [1940] (1/4): 19–40. [15 Mar 1941 (p. 169)]
- Fleutiaux E (1947) Révision des élatérides (coléoptères) de l'Indo-chine française. Notes d'Entomologie Chinoise / Musée Heude 11 (8): 233–420. [20 Dec 1947 (top of article)]
- Foley IA, Ivie MA (2007) Determination of the correct authorship and type species of *Nosoderra*, and the impact on the nomenclature of the Zopherini (Coleoptera: Zopheridae). The Coleopterists Bulletin 61 (1): 65–74. [publ. 30 Apr 2007 (p. 74)]
- Folkerts GW (1979) *Spanglerogyrus albiventris*, a primitive new genus and species of Gyrinidae (Coleoptera) from Alabama. The Coleopterists Bulletin 33 (1): 1–8. [mailed 30 Apr 1979 (wrapper)]
- Folwaczny B (1973) Bestimmungstabelle der paläarktischen Cossoninae (Coleoptera, Curculionidae) ohne die nur in China und Japan vorkommenden Gattungen, nebst Angaben zur Verbreitung. Entomologische Blätter für Biologie und Systematik der Käfer 69 (2): 65–180. [30 Oct 1973 (top of article + vol. title page)]
- Forbes WTM (1926) The wing folding patterns of the Coleoptera. Journal of the New York Entomological Society 34 (1): 42–68, (2): 91–139 (incl. pls. 7–18). [publ. 2 Apr 1926 (fasc. 1), 28 Jul 1926 (fasc. 2) (inside wrapper of next issue)]
- Fowler WW (1887) The Coleoptera of the British Islands. A descriptive account of the families, genera, and species indigenous to Great Britain and Ireland, with notes as to localities, habitats, etc. Vol. I. Adephaga-Hydrophilidae. L. Reeve & Co., London, xxxii + 269 pp. + 12 pls. [1887 (title page)]
- Fowler WW (1889) The Coleoptera of the British Islands. A descriptive account of the families, genera, and species indigenous to Great Britain and Ireland, with notes as to localities, habitats, etc. Vol. III. Clavicornia (Leptinidae-Heteroceridae.). L. Reeve & Co., London, 399 pp. + pls. 71–98. [1889 (title page)]
- Fowler WW (1912) Coleoptera, General introduction and Cicindelidae and Paussidae. In: Shipley AE (Ed) The fauna of British India, including Ceylon and Burma. Taylor & Francis, London, xx + 529 pp. [Feb 1912 (verso of title page)]
- Fox WJ (1913) Dates of publication [pp. vii-xiv]. In: Nolan EJ (Ed): An index to the scientific contents of the Journal and Proceedings of The Academy of Natural Sciences of Philadelphia, 1812–1912, published in commemoration of the centenary of the Academy, March 21, 1912. The Academy of Natural Sciences, Philadelphia, xiv + 1419 pp.
- Fragoso SA, Monné MA, Campos Seabra CA (1987) Preliminary considerations on the higher classification of Cerambycinae (Coleoptera, Cerambycidae), with nomenclatural alterations. Revista Brasileira de Biologia 47 (1/2): 189–202. [distrib. 30 May 1987 (footer p. 189)]

- Franciscolo ME (1951) Monografia del genere *Pselaphostena* mihi. XXIII° contributo alla conoscenza dei Mordellidae (Col. Heteromera). Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale in Milano 90 (1): 55–76. [Apr 1951 (fasc. title page); 27 Jun 1951 (recorded at BMNH)]
- Franciscolo ME (1954) On two species of Anaspidinae (Coleoptera: Scriptiidae) taken on flowers of *Protea abyssinica* in Natal. (XXVIII. Contribution to the knowledge of Mordellidae and Scriptiidae). Proceedings of the Royal Entomological Society of London (B) 23: 63–73. [Apr 1954 issue]
- Franciscolo ME (1955) Mordellidae and Scriptiidae in the collections of the Durban Museum. (XXIX. contribution to the knowledge of Mordellidae and Scriptiidae). Durban Museum Novitates 4 (12): 161–185. [issued 30 Jun 1955 (top of article)]
- Franciscolo ME (1957) Coleoptera: Mordellidae, a monograph of the South African genera and species. 1. Morphology, subfamily Ctenidiinae and tribe Stenaliini. [Pp. 207–291]. Vol. IV. Almqvist and Wiksell, Stockholm, 508 pp. [1957 (verso of title page)]
- Franciscolo ME (1964) Nota preliminare sulla filogenia degli Scriptiidae (Coleoptera Heteromera). (44° contributo alla conoscenza degli Scriptiidae). Atti della Accademia Nazionale Italiana di Entomologia / Rendiconti 11 [1963]: 175–181. [1964 (title page)]
- Franciscolo ME (1972) Su alcuni generi poco noti di Anaspidinae (47° contributo alla conoscenza degli Scriptiidae). Memorie della Società Entomologica Italiana 51: 123–155.
- Francia HE, Ball GE (2007) Taxonomy and evolution of species of the genus *Euchroa* Brullé (subgenus *Dyschromus* Chaudoir) of central Mexico and the island of Hispaniola (Coleoptera: Carabidae: Pterostichini: Euchroina). Bulletin of Carnegie Museum of Natural History 38: 1–125. [Dec 2007]
- Franz H (1989) 4. Beitrag zur Scydmaenidenfauna von Thailand (Die Scydmaenidenausbeute von D.H. Burckhardt u. I. Löbl). Revue Suisse de Zoologie 96 (1): 33–80. [Mar 1989 (wrapper)]
- Franz NM (2006) Towards a phylogenetic system of derelomine flower weevils (Coleoptera: Curculionidae). Systematic Entomology 31 (2): 220–287. [18 Apr 2006 (vol. contents)]
- Frey G (1975) Eine neue südamerikanische Gattung und Tribus der Melolonthiden. Entomologische Arbeiten aus dem Museum G. Frey 26: 84–86. [publ. 1 Nov 1975 (Inhalt)]
- Fujiyama I (1973) Mesozoic insect fauna of East Asia. Part I. Introduction and Upper Triassic faunas. Bulletin of the National Science Museum, Tokyo 16 (2): 331–386, pls. 1–5. [22 Jun 1973 (top of article)]
- furth DG (2007) A new genus and species of flea beetle (Coleoptera: Chrysomelidae: Alticinae) from the rainforest canopy in Costa Rica. Proceedings of the Entomological Society of Washington 109 (1): 90–101. [mailed 2 Jan 2007 (inside wrapper)]
- Gahan CJ (1890) On new Longicornia from Africa and Madagascar. The Transactions of the Entomological Society of London 1890 (2): 297–328, pl. 9. [25 Jun 1890 (G. Wheeler 1912)]
- Gahan CJ (1906) Coleoptera.-Vol.I. (Cerambycidae). In: Bingham CT (Ed) The fauna of British India, including Ceylon and Burma. Taylor & Francis, London, xviii + 329 pp.
- Galewski K (1994) The description of third-stage larvae of *Hydroporus tartaricus* Lec. and *H. marginatus* (Duft.) (Coleoptera, Dytiscidae) with a key to third-stage larvae of central

- European species of Hydroporini. Bulletin of the Polish Academy of Sciences Biological Sciences 42 (1): 95–113. [Dec 1994 (contents)]
- Galileo MHM (1987) Sistematica das tribos Meroscelisini e Anacolini (Coleoptera, Cerambycidae, Prioninae) nas Américas. 2. Anacolini. Revista Brasileira de Entomologia 31 (4): 481–705. [28 Dec 1987 (wrapper)]
- Galileo MHM, Martins UR (1993) Revisão da tribo Solenopterini (Coleoptera, Cerambycidae, Prioninae). Parte I. Transferência de Poekilosoma A.-Serville, 1832 e Calocomus A.-Serville, 1832; os gêneros Prosternodes Thomson, 1860 e Derancistrodes, gen. n. Revista Brasileira de Entomologia 37 (1): 79–99. [31 Mar 1993 (top of article)]
- Galileo MHM, Martins UR (1995) Revisão da tribo Eupromerini, trib. n. (Coleoptera, Cerambycidae, Lamiinae) da região neotropical. Revista Brasileira de Entomologia 39 (1): 131–150. [31 Mar 1995 (top of article)]
- Galileo MHM, Martins UR (2001) Novos táxons e notas sobre Cerambycidae (Coleoptera) neotropicais. Iheringia (Série Zoologia) 90: 93–106. [25 May 2001 (footer p. 93)]
- Ganglbauer L (1886) Coleoptera. Zoologischer Jahresbericht (II. Abtheilung: Arthropoda) 1885: 204–339. [1886 (title page)]
- Ganglbauer L (1891a) Die Käfer von Mitteleuropa. Die Käfer der österreichisch-ungarischen Monarchie, Deutschlands, der Schweiz, sowie des französischen und italienischen Alpengebietes. Erster Band. Familienreihe Caraboidea. C. Gerold's Sohn, Wien, iii + 557 pp. [1892 (title page); ausgegeben am 16 Nov 1891 (footnote 557); 14 Nov (date of forward)]
- Ganglbauer L (1891b) Cicindelidae, Carabidae [pp. 1–58]. In: Heyden L, von, Reitter E, Weise J (Eds) Catalogus Coleopterorum Europae, Caucasi et Armeniae Rossicae. Mödling & Caen, Berlin, viii + 420 pp.
- Ganglbauer L (1895) Die Käfer von Mitteleuropa. Die Käfer der österreichisch-ungarischen Monarchie, Deutschlands, der Schweiz, sowie des französischen und italienischen Alpengebietes. Zweiter Band. Familienreihe Staphylinoidea. 1. Theil: Staphylinidae, Pselaphidae. Carl Gerold's Sohn, Vienna, vi + 880 + [1] pp. [1895 (title page); Mar 1895 (date of forward); Jun 1895 (Rev. d'Ent. 14: 178)]
- Ganglbauer L (1898) Die Käfer von Mitteleuropa. Die Käfer der österreichisch-ungarischen Monarchie, Deutschlands, der Schweiz, sowie des französischen und italienischen Alpengebietes. Dritter Band. Familienreihe Staphylinoidea. II. Theil. Scydmaenidae, Silphidae, Clambidae, Leptinidae, Platypyllidae, Corylophidae, Sphaeriidae, Trichopterygidae, Hydroscaphidae, Scaphidiidae, Histeridae. Familienreihe Clavicornia. Sphaeritidae, Ostimidae, Byturidae, Nitidulidae, Cucujidae, Erotylidae, Phalacridae, Thorictidae, Lathridiidae, Mycetophagidae, Colydiidae, Endomychidae, Coccinellidae [Lief. 1: pp. 1–408]. Carl Gerold's Sohn, Wien, iii + 1046 pp. [Lief. 1: end 1898 (Sharp in Zool. Record 35: 27); 13 Jan 1899 (rev. in Verh. Zool.-Bot. Ges. Wien 49: 124)]
- Ganglbauer L (1899) Die Käfer von Mitteleuropa. Die Käfer der österreichisch-ungarischen Monarchie, Deutschlands, der Schweiz, sowie des französischen und italienischen Alpengebietes. Dritter Band. Familienreihe Staphylinoidea. II. Theil. Scydmaenidae, Silphidae, Clambidae, Leptinidae, Platypyllidae, Corylophidae, Sphaeriidae, Trichopterygidae, Hydroscaphidae, Scaphidiidae, Histeridae. Familienreihe Clavicornia. Sphaeritidae, Ostimidae, Byturidae, Nitidulidae, Cucujidae, Erotylidae, Phalacridae, Thorictidae, Lath-

- ridiidae, Mycetophagidae, Colydiidae, Endomychidae, Coccinellidae [Lief. 2: pp. 409–1046 + iii]. Carl Gerold's Sohn, Wien, iii + 1046 pp. [Lief. 2: 1899 (title page); Jun 1899 (date of forward); 11 Oct 1899 (Bull. Soc. Ent. France 1899: 312)]
- Ganglbauer L (1903) Systematisch-koleopterologische Studien. Münchener Koleopterologische Zeitschrift 1 (3): 271–319. [5 Mar 1903 (Inhalt)]
- Ganglbauer L (1904) Die Käfer von Mitteleuropa. Die Käfer der österreichisch-ungarischen Monarchie, Deutschlands, der Schweiz, sowie des französischen und italienischen Alpengebietes. Vierter Band, erste Hälfte. Dermestidae, Byrrhidae, Nosodendridae, Georyssidae, Dryopidae, Heteroceridae, Hydrophilidae. Carl Gerold's Sohn, Wien, 286 pp.
- García M (2001) Nueva subtribu género y especie de Hydrophilini (Coleoptera; Hydrophilidae) del extremo sur-oriental de Venezuela. Boletín del Centro de Investigaciones Biológicas, Universidad del Zulia 35 (2): 151–160. [printed Jul 2001 (endleaf); 4 Dec 2001 (recorded at BMNH)]
- Gardner JCM (1933) Immature stages of Indian Coleoptera (13) (Bostrychidae). Indian Forest Records (Entomology Series) 18 (9): 1–19 + pl. 4.
- Ge S-Q, Friedrich F, Beutel RG (2010) On the systematic position and taxonomic rank of the extinct myxophagan †*Haplochelus* (Coleoptera). Insect Systematics & Evolution 41 (4): 329–338. [publ. 1 Nov 2010 (BRILL website)]
- Gebien H (1910a) Pars 15. Tenebrionidae I [pp. 1–166]. In: Schenkling S (Ed) Coleopterorum Catalogus Volumen XVIII. W. Junk, Berlin, 742 pp. [25 May 1910 (verso of title page)]
- Gebien H (1910b) Pars 22. Tenebrionidae II [pp. 167–354]. In: Schenkling S (Ed) Coleopterorum Catalogus Volumen XVIII. W. Junk, Berlin, 742 pp. [1 Nov 1910 (verso of title page)]
- Gebien H (1911) Pars 28. Tenebrionidae III [pp. 355–585]. In: Schenkling S (Ed) Coleopterorum Catalogus Volumen XVIII. W. Junk, Berlin, 742 pp. [24 Mar 1911 (verso of title page)]
- Gebien H (1919) Monographie der südamerikanischen Camarien (Coleopt. Heterom.) nebst einer Übersicht über die indischen Gattungen der Camariinen. Archiv für Naturgeschichte (Abteilung A) 83 (3): 25–167. [publ. Jul 1919 (wrapper)]
- Gebien H (1921) Die Tenebrioniden Westafrikas. Archiv für Naturgeschichte 86 A (6): 1–256. [Jan 1921; 1920 (title page)]
- Gebien H (1922) No. V. Coleoptera, Heteromera: Tenebrionidae. In: The Percy Sladen Trust Expedition to the Indian Ocean in 1905, under the leadership of Mr. J. Stanley Gardiner, M. A. Vol. II. The Transactions of the Linnean Society of London (2nd Ser. Zoology) 18: 261–324.
- Gebien H (1928) Über einige Gruppen amerikanischer Tenebrioniden (Col. Heter.). Stettiner Entomologische Zeitung 89 (1, 2): 97–164, 167–234. [Mar, Nov 1928 (Inhalt)]
- Gebien H (1937) Katalog der Tenebrioniden (Col. Heteromera). Teil I. Pubblicazioni del Museo Entomologico «Pietro Rossi» 2: 505–883. [1 May 1937]
- Gebien H (1938a) Die Tenebrioniden (Coleoptera Heteromera) der Namibwüste in Südwestafrika. Abhandlungen herausgegeben vom Naturwissenschaftlichen Verein zu Bremen 30 [1937–38] (3/4): 20–107.

- Gebien H (1938b) Katalog der Tenebrioniden. Teil II. Mitteilungen der Münchener Entomologischen Gesellschaft 28: 49–80, 283–314, 397–428 [370–465].
- Gemminger M (1869) [new taxa] In: Gemminger M, Harold E, von: Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Tom. IV. Scarabaeidae. E. H. Gummi, Monachii [Munich], pp. 979–1346 + [8 (Index, Corrigenda)].
- Gemminger M (1870) [new taxa] In: Gemminger M, Harold E, von: Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Tom. VII. Tenebrionidae, Nilionidae, Pythidae, Melandryidae, Lagriidae, Pedilidae, Anthicidae, Pyrochroidae, Mordellidae, Rhipidophoridae, Cantharidae, Oedemeridae. E. H. Gummi, Monachii [Munich], pp. 1801–2179 + [11].
- Gemminger M (1872) [new taxa] In: Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Tom. IX. Scolytidae, Brenthidae, Anthotribidae, Cerambycidae. E. H. Gummi, Monachii, [1] + 2669–2988 + [12] pp. [pars 1: 1872 (title page); before 2 Dec 1872 (Proc. Ent. Soc. London 1872: xliii); pars 2: before 5 May 1873 (Proc. Ent. Soc. London 1873: xvii)]
- Gemminger M, Harold E, von (1868a) Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Tom. I. Cicindelidae - Carabidae. E. H. Gummi, Monachii [Munich], xxxvi + 424 + [8 (Index)] pp. [by Aug 1868 (Allgem. Bibliogr. Monatl. Verz. 1868: 118)]
- Gemminger M, Harold E, von (1868b) Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus. Tom. II. Dytiscidae, Gyrinidae, Hydrophilidae, Staphylinidae, Pselaphidae, Gnostidae, Paussidae, Scydmaenidae, Silphidae, Trichopterygidae, Scaphidiidae. E. H. Gummi, Monachii [München], pp. 425–752 + [6 (Index)]. [1868 (title page); 7 Nov 1868 (Sitzber. Königl. Bayer. Akad. Wiss. München 1868 (2): 488); Dec 1868 (Berl. Ent. Zeitschr. 12: 424)]
- Gemminger M, Harold E, von (1876) Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Tom. XII. Chrysomelidae (Pars II), Languridae, Erotylidea, Endomychidae, Coccinellidae, Corylophidae, Platypyllidae. Accedit index Generum Universalis. E. H. Gummi, Monachii, pp. 3479–3822 + [2] + lxxiii pp. [1876 (title page); before 1 Nov 1876 (Ent. Nachr. 2: 176); before 6 Dec (Proc. Ent. Soc. London 1876: xxxvi)]
- Génier F (2009) Le genre *Eurysternus* Dalman, 1824 (Scarabaeidae: Scarabaeinae: Oniticellini), revision taxonomique et clés de détermination illustrées. Pensoft, Sofia and Moscow, 430 pp.
- Genise JF (2004) Ichnotaxonomy and ichnostratigraphy of chambered trace fossils in paleosols attributed to coleopterans, ants and termites. In: McIlroy D (Ed) The application of ichnology to palaeoenvironmental and stratigraphic analysis. Geological Society. Special Publication 228, London, 419–453.
- Germain P (1897) Apuntes entomológicos. Agrupación de los Taurocerastidae. Anales de la Universidad de Chile 97: 287–300, pl. 1.
- Germain P (1900) Apuntes entomológicos. Agrupación de los Ametrocephalidos. Anales de la Universidad de Chile 107: 79–104.
- Germain P (1903) Apuntes entomológicos. Anales de la Universidad de Chile 112: 343–365.

- Germain P (1911) Catálogo de los Coleopteros Chilenos del Museo Nacional. Boletin del Museo Nacional de Chile 3 (2): 47–73. [1911 (title page)]
- Germar EF (Ed) (1818) [Literature review of: Cuvier: Le règne animal (pp. 339–362)]. In: Germar EF (Ed) Magazin der Entomologie. Vierter Band. J. C. Hendel und Sohn, Halle, 464 pp. + 3 pls.
- Germar EF (1829) Curculionides [pp. 356–359]. In: Ersch JS, Gruber JG (Eds) Allgemeine Encyclopädie der Wissenschaften und Künste in alphabetischer Folge von genannten Schriftstellern Zwanzigster Theil Cos - Czvittinger. J. F. Gleditsch, Leipzig, 458 pp.
- Gerstaecker A (1854) Bericht über die im der Entomologie während des Jahres 1853. Archiv für Naturgeschichte 20 (2): 189–288.
- Gerstaecker A (1855) Rhipiphoridum Coleopterorum familiae dispositio systematica. Schlesinger, Berlin, [1] + 36 pp. + 1 pl. [4 Jul 1855 (date of original dissertation)]
- Gerstaecker A (1858) Monographie der Endomychiden, einer Familie der Coleopteren. Entomographien. Erster Band. W. Engelmann, Liepzig, xiv + 433 pp. + 3 pls. [Jun 1858 (date of preface)]
- Gerstaecker A (1861) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während der Jahre 1859 und 60. Archiv für Naturgeschichte 26 (2): 357–531.
- Gerstaecker A (1862) Bericht über die wissenschaftlichen Leistungen im Gebiete der Entomologie während des Jahres 1861. Coleoptera. Archiv für Naturgeschichte 28 (2): 326–414.
- Gestro R (1876) Enumerazione dei Longicorni della tribù dei Tmesisternini, raccolti nella regione Austro-Malese dai Sign. O. Beccari, L. M. d'Albertis e A. A. Bruyn. Annali del Museo Civico di Storia Naturale di Genova 9 [1876–77]: 139–182. [27 Nov 1876 (footer p. 129); 3 Dec (p. 161)]
- Gestro R (1892) Viaggio di Leonardo Fea in Birmania e regioni vicine. XLVI. Cenno sui Paesidi. Annali del Museo Civico di Storia Naturale «Giacomo Doria» (2) 12: 705–709.
- Gestro R (1906) Materiali per lo studio delle Hispidae. XXVIII. Descrizioni di alcune Hispidae inedite. Annali del Museo Civico di Storia Naturale di Genova (3) 2 [42]: 541–557. [20 Dec 1906 (footer p. 529)]
- Gestro R (1919) Contribuzione allo studio degli Insetti mirmecofili. Annali del Museo Civico di Storia Naturale «Giacomo Doria» 48: 270–276. [6 Sep 1919]
- Gildenkov MY (2000) Relations of phylogenesis in Oxytelinae subfamily (Coleoptera: Staphylinidae): cladism or evolution taxonomy? [pp. 53–56]. In: Krugler ND (Ed) A tribute to Prof VV Stanchinsky. Third International Proceeding, Smolensk 2000. [In Russian, English abstract]. Smolenskiy Gosudarstvennogo Pedagogicheskogo Universitet, Smolensk.
- Gildenkov MY (2003) Novaya sistema podsemeistva Oxytelinae (Coleoptera: Staphylinidae). [A new system of subfamily Oxytelinae (Coleoptera: Staphylinidae)]. Izvestiya Khar'kovskogo Entomologicheskogo Obshchestva 10 [2002] (1/2): 32–38 [in Russian, English summary]. [after 26 Dec 2003 (approved to print, verso of vol. title page)]
- Gilmour EF (1954) Notes on a collection of Prioninae (Coleoptera, Cerambycidae) from the Institut royal des Sciences naturelles de Belgique. Bulletin / Institut Royal des Sciences Naturelles de Belgique 30 (No. 24): 1–48.

- Gilmour EF (1956) Revision of the “Prioninae” of tropical and South Africa [pp. 1–252]. In: Lepesme P (Ed). *Longicornia. Études et notes sur les longicornes. Volume III.* Paul Lechevalier, Paris, viii + 789 pp. [4e trim. 1956 (dépôt légal, endleaf)]
- Gilmour EF (1961) The tribe Falsamblesthiini (Coleoptera, Cerambycidae, Lamiinae). Entomologische Abhandlungen und Berichte aus dem Staatlichen Museum für Tierkunde in Dresden 26 (17): 131–134. [27 Dec 1961 (top of article)]
- Gimmel ML, Leschen RAB, Ślipiński SA (2009) Review of the New Zealand endemic family Cyclaxyridae, new family (Coleoptera: Polyphaga). *Acta Entomologica Musei Nationalis Pragae* 49 (2): 511–528. [publ. 15 Dec 2009 (inside wrapper)]
- Girard C (1971) Les Coléoptères Elateridae de Lamto (Côte d’Ivoire). *Bulletin de l’Institut Fondamental d’Afrique Noire (Série A, Sciences Naturelles)* 33 (3): 549–650. [paru 1 Sep 1971 (p. 774)]
- Girard C (1973) Contribution à l’étude des Elateridae de l’Afrique noire (Col.). *Bulletin de la Société Entomologique de France* 77 (9/10): 276–283. [14 Apr 1973 (p. 320)]
- Gistel JNFX (1848) *Faunula monacensis cantharologica*. *Isis von Oken* 1848: (6) [unn. pp.”1–3”]; (7): [unn. pp. “4–6”]; (8): [unn. p. “7”]; (9): [unn. pp. “8–9”]; (10): [unn. pp. “10–11”]; (11): [unn. pp. «12–13»] (inserted with fascicles).
- Gistel JNFX [as W.G. Tilesius von Tilenau] (1850) *Literarische Umschau. Isis Encyclopädische Zeitschrift; Im Auftrage des Münchner Vereins für Naturkunde* No. 5 (1): 74–80.
- Gistel JNFX (1856a) Die Mysterien der europäischen Insectenwelt. Ein geheimer Schlüssel für Sammler aller Insecten-Ordnungen und Stände, behufs des Fangs, des Aufenthalts-Orts, der Wohnung, Tag- und Jahreszeit u.s.w., oder autoptische Darstellung der Insectenstaats in seinem Zusammenhange zum Bestehen des Naturhaushaltes überhaupt und insbesondere in seinem Einflusse auf die phanerogamische und cryptogamische Pfanzenberöltzung Europa’s. Zum ersten Male nach 25jährigen eigenen Erfahrungen zusammengestellt und herausgegeben. T. Dannheimer, Kempten, xii + 532 pp. [18 Feb 1856 (Evenhuis 1997a: 305)]
- Gistel JNFX (1856b) Pleroma zu den Mysterien der europäischen Insectenwelt. Mit einen systematischen Verzeichniss der Smetterlinge und Käfer Europa’s. Durch die neuesten Entdeckungen bis 1856 bereichert. Schorner, Straubing, 250 pp. [«31 December» 1856]
- Golbach R (1970) Semiotinae, neuva subfamilia de Elateridae (Col.). *Acta Zoologica Lilloana* 25 (24): 317–324. [printed 21 May 1970 (end leaf)]
- Golbach R (1984) Novedades de la subfamilia Pyrophorinae (Col. Elateridae.). *Acta Zoologica Lilloana* 38 (1): 81–85.
- Gordon RD (1971) A generic review of the Cryptognathini, new tribe, with a description of a new genus (Coleoptera: Coccinellidae). *Acta Zoologica Lilloana* 26 (12): 179–196. [printed 28 May 1971 (p. 189); 26 Nov 1971 (recorded at BMNH)]
- Gordon RD (1974) A review of the Oryssomini, a new tribe of Neotropical Coccinellidae (Coleoptera). *The Coleopterists Bulletin* 28 (3): 145–154. [issued 28 Oct 1974 (wrapper)]
- Gordon RD (1975) A revision of the Epilachninae of the Western Hemisphere (Coleoptera: Coccinellidae). United States Department of Agriculture Technical Bulletin No. 1493: 1–409. [issued Dec 1975 (title page)]

- Gordon RD (1977) Classification and phylogeny of the New World Sticholotidinae (Coccinellidae). *The Coleopterists Bulletin* 31 (3): 185–228. [mailed 28 Oct 1977 (wrapper)]
- Gordon RD (1985) The Coccinellidae (Coleoptera) of America north of Mexico. *Journal of the New York Entomological Society* 93 (1): 1–912. [mailed 3 May 1985 (inside wrapper)]
- Gordon RD (1999) South American Coccinellidae (Coleoptera), Part VI: A systematic revision of the South American Diomini, new tribe (Scymninae). *Annales Zoologici (Warszawa)* 49 (Supplement 1): 1–219. [publ. 30 Sep 1999 (inside wrapper)]
- Gordon RD, Almeida LM, de (1991) Sticholotidinae (Coleoptera, Coccinellidae) update: descriptions of new South America taxa. *Revista Brasileira de Entomologia* 35 (1): 147–154 [31 Mar 1991 (top of article)]
- Gordon RD, Pakaluk J, Ślipiński SA (1989) Carinodulini, a new tribe of Sticholotidinae based upon a new genus and species from Mexico (Coleoptera: Coccinellidae). *The Coleopterists Bulletin* 43 (4): 359–364. [12 Dec 1989 (inside wrapper)]
- Gordon RD, Vandenberg N (1987) Eremochilini, a new tribe of Neotropical Epilachninae (Coleoptera: Coccinellidae). *Journal of the New York Entomological Society* 95 (1): 5–9. [mailed 30 Jan 1987 (inside wrapper)]
- Gorham HS (1873) Endomycici recitati. A catalog of the coleopterous group, Endomycici, with descriptions of new species, and notes. Williams and Norgate, London, [1] + 64 pp. + 1 pl. [1873 (title page); May 1873 (date of preface); before 2 Feb 1874 (Proc. Ent. Soc. London 1874: i)]
- Gorham HS (1874) On the Endomycici. *The Annals and Magazine of Natural History* (4) 13 (74): 185. [1 Feb 1874 (Evenhuis 2003: 26)]
- Gorham HS (1876) Notes on the coleopterous family Cleridae, with descriptions of new genera and species. *Cistula Entomologica* 2 (15): 57–106. [7 Aug 1876 (footer p. 57)]
- Gorham HS (1880) Lycidae [part, pp. 1–24, pls. 1–2]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. III. Part 2. Malacodermata*. Taylor & Francis, London, xii + 372 pp. + 13 pls. [Dec 1880 (footer p. 1)]
- Gorham HS (1881) Lycidae [part], Lampyridae, Telephoridae, Lymexylonidae, Melyridae [part] [pp. 25–112, pls. 4–6]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. III. Part 2. Malacodermata*. Taylor & Francis, London, xii + 372 pp. + 13 pls. [Feb 1881 (pp. 25–40); Apr (41–64); Jun (65–80); Aug (81–88); Oct (89–104); Dec 1881 (105–112) (signature footers)]
- Gorham HS (1894) Coccinellidae [part, pp. 193–208]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanana. Insecta. Coleoptera. Vol. VII. Erotylidae, Endomychidae, and Coccinellidae*. Taylor & Francis, London, xii + 276 pp. + 13 pls. [Jul 1894 (signature footers)]
- Gory H, Laporte [=Castelnau] FLNC, de (1836) Chrysobothrites [1 p.]; Genre *Colobogaster* [pp. 3–17 + 3 pls.]. *Histoire naturelle et iconographie des insectes Coléoptères, publiée par monographies séparées Suite aux buprestides Texte, tome II. P. Duménil, Paris, [454] pp. + 94 pls.* [1835 or 1836 (Sherborn, notes in BMNH copy)]
- Gory H, Laporte [=Castelnau] FLNC, de (1839) Sixième groupe. Anthaxites [1 p.]; Genre *Anthaxia* [pp. 1–37 + 8 pls.]. *Histoire naturelle et iconographie des insectes Coléoptères,*

- publiée par monographies séparées Suite aux buprestides Texte, tome II. P. Duménil, Paris, [454] pp. + 94 pls. [1839 (Sherborn, notes in BMNH copy)]
- Gounelle É (1908) Cérambycides nouveaux ou peu connus de la région néo-tropicale principalement de la sous-région Brésilienne. 2e mémoire. Annales de la Société Entomologique de France 77 (1): 7–20. [8 Jul 1908 (Ann. Soc. Ent. France 78: 586)]
- Gounelle É (1911) [Communications.] Note sur *Halcidocrius Philippii* Berg et *Prionapterus staphylinus* Serv. (Col. Cerambycidae). Bulletin de la Société Entomologique de France 1911 (16): pp. 319–327, pl. 2. [8 Nov 1911 (p. 463)]
- Gozis MGP, des (1875) Catalogue des coléoptères de France et de la faune Gallo-Rhénane. [s. n.], Montluçon, France, ii + 106 pp. [Oct 1875 (title page); 10 Nov 1875 (Ann. Soc. Ent. France (5) 5: Bull. Ent.: cxcix)]
- Gozis MGP, des (1882) Synopsis du genre *Tropideres* Schoenherr et description d'une espèce nouvelle. Feuille des Jeunes Naturalistes 12 (137): 58–59. [1 Mar 1882 (wrapper)]
- Gratshev VG, Legalov AA (2009) New taxa of the family Nemonychidae (Coleoptera) from Jurassic and Early Cretaceous. Euroasian Entomological Journal 8 (4): 411–416 [in Russian].
- Gravely FH (1914) An account of the oriental Passalidae (Coleoptera), based primarily on the collection in the Indian Museum. Memoirs of the Indian Museum 3 (4): 177–353, pls. 11–13. [Sep 1914 (title page)]
- Gravely FH (1918) A contribution towards the revision of the Passalidae of the world. Memoirs of the Indian Museum 7 (1): 1–144. [Dec 1918 (article title page)]
- Grebennikov VV (2009) Discheramocephalini, a new pantropical tribe of featherwing beetles (Coleoptera: Ptiliidae): description of new taxa and phylogenetic analysis. Systematic Entomology 34 (1): 113–136. [7 Jan 2009 (vol. contents)]
- Grebennikov VV, Newton AF, Jr. (2009) Good-bye Scydmaenidae, or why the ant-like stone beetles should become megadiverse Staphylinidae sensu latissimo (Coleoptera). European Journal of Entomology 106: 275–301.
- Green JW (1948) Two new species of Lampyridae from southern Florida, with a generic revision of the Nearctic fauna (Coleoptera). Transactions of the American Entomological Society 74: 61–73. [14 May 1948 (p. 72)]
- Green JW (1949) The Lycidae of the United States and Canada. I. The tribe Lycini (Coleoptera). Transactions of the American Entomological Society 75 (2): 53–70. [29 Jul 1949 (p. 70)]
- Gressitt JL (1940) The longicorn beetles of Hainan Island. Coleoptera: Cerambycidae. The Philippine Journal of Science 72 (1/2): 1–239, pls. 1–8. [issued 15 Aug 1940 (vol. contents)]
- Gressitt JL (1946) Chinese chrysomelid beetles of the subfamily Chlamisinae. Annals of the Entomological Society of America 39 (1): 84–100. [mailed 29 Mar 1946 (p. 708)]
- Gressitt JL (1950) The hispine beetles of China (Coleoptera: Chrysomelidae). Lingnan science journal 23 (1/2): 53–142, pls. 4–8.
- Gressitt JL (1951) Longicorn beetles of China. In: Lepesme P (Ed). Longicornia. Études et notes sur les longicornes. Volume II. Paul Lechevalier, Paris, 667 pp. + 22 pls. [printed 4th trim. 1951 (end leaf)]

- Gressitt JL (1952) The tortoise beetles of China (Chrysomelidae: Cassidinae). Proceedings of the California Academy of Sciences (4) 27 (17): 433–592. [8 Dec 1952 (wrapper)]
- Gressitt JL (1953) Supplement to «The hispine beetles of China» (Coleoptera: Chrysomelidae). The Pan-Pacific Entomologist 29 (3): 121–126. [Jul 1953 issue; mailed 25 Aug (vol. p. iv)]
- Gressitt JL (1959) Longicorn beetles from New Guinea, I (Cerambycidae). Pacific Insects 1 (1): 59–171. [mailed 17 Jul 1959 (verso of title page)]
- Gressitt JL, Kimoto S (1963) The Chrysomelidae (Coleopt.) of China and Korea. Part 2. Pacific Insects Monograph 1B: 301–1026. [25 Feb 1963 (top of article)]
- Griffin FJ (1932a) A note on an almost unknown work on Coleoptera. The Entomologist's Monthly Magazine (3) 18: 65–66. [Mar 1932 issue]
- Griffin FJ (1932b) On the dates of publication and contents of the parts of Westwood (J. O.), Introduction to the modern classification of Insects, 1838–1840. Proceedings of the Entomological Society of London 6: 83–84.
- Griffin FJ (1939) Erichson and others «Naturgeschichte der Insecten Deutschlands I.» Vols. 1–6 [1845–] 1899. Journal of the Society for the Bibliography of Natural History 1 (7): 218. [Feb 1939 (p. 218 footer)]
- Griffith E, Pidgeon E (1832) The class Insecta arranged by the Baron Cuvier, with supplementary additions to each order. And notices of new genera and species by George Gray, Esq. Volume the first. Whittaker, Treacher, and Co., London, 570 pp. + 53 pls.
- Grouvelle A (1908) Coléoptères de la région indienne. Rhysodidae, Trogositidae, Nitidulidae, Colydiidae, Cucujidae (1er mémoire). Annales de la Société Entomologique de France 77 (2): 315–336, (3): 337–495, pls. 6–9. [14 Oct 1908, 23 Dec 1908 (Ann. Soc. Ent. France 77: 850)]
- Grouvelle A (1911) Trachypholini, Colydiidarum nova tribus. Notes from the Leyden Museum 33 [1910–11] (Note X): 121–168. [29 Apr 1911 (vol. contents)]
- Grouvelle A (1912) Étude sur les *Aphanocephalus* et descriptions d'espèces nouvelles. Notes from the Leyden Museum 34 (3/4): 197–224. [15 Nov 1912 (vol. contents p. viii)]
- Grouvelle A (1914) The Percy Sladen Trust expedition to the Indian Ocean in 1905, under the leadership of Mr. J. Stanley Gardiner, M.A. Volume VI. Coleoptera: Cucujidae, Cryptophagidae [of the Seychelles]. The Transactions of the Linnean Society of London (2nd Ser. Zoology) 17 (1): 141–156. [Dec 1914 (wrapper, vol. contents)]
- Grouvelle A (1916) Études sur les Coléoptères. I. Étude sur les *Passandrella*, *Scalidia* et *Lae-motmetus* (Passandridae). Mémoires Entomologiques 1: 5–25. [Apr 1916 (fasc. title page)]
- Guéorguiev VB (1974) Sur la classification de la sous-famille Bathysciinae (Catopidae, Coleoptera). Doklady Bolgarskoy Akademii Nauk 27 (6): 839–842.
- Guérin-Méneville FE (1834) Matériaux pour une classification des Mélasomes (extraits d'une monographie de cette famille). Magasin de Zoologie 4: 1–39 + pls. 101–118.
- Guérin-Méneville FE (1840) Description de deux genres nouveaux de la famille des longicornes. Revue Zoologique 1840: 276–277. [Sep 1840 (footer p. 273)]
- Guérin-Méneville FE (1843) Note sur un groupe naturel ou une petite tribu de Coléoptères de la famille des Malacodermes. Revue Zoologique 6: 193–194. [Jul 1843 (top of article)]
- Guérin-Méneville FE (1844) Iconographie du règne animal de G. Cuvier, ou représentation d'après nature de l'une des espèces les plus remarquables, et souvent non encore figurées,

- de chaque genre d'animaux. Avec un texte descriptif mis au courant de la science. Ouvrage pouvant servir d'atlas à tous les traités de zoologie. Insectes. Texte. J. B. Bailliére, Paris, 576 pp. [1829–1844].
- Guignot F (1932) Triosième partie. Systématique [pp. 189–786] In: Les hydrocanthares de France. Hygobiidae, Haliplidae, Dytiscidae et Gyrinidae de la France continentale avec notes sur les espèces de la Corse et de l'Afrique du nord française. Les frères Douladoure, Toulouse, 1057 pp. [printed 27 Sep 1932 (footer p. 189)]
- Guignot F (1942) Description d'un genre nouveau de Dytiscidae. Bulletin Mensuel de la Société Linnéenne de Lyon 11 (1): 10–13. [Jan 1942; 15 May (recorded at BMNH)]
- Guignot F (1948) Vingt-septième note sur les hydrocanthares. Bulletin de la Société Linnéenne de Lyon 1948: 163–171.
- Guillebeau F (1892) Revision des phalacrides de la faune paléarctique. Revue d'Entomologie 11 (5): 141–197. [May 1892 (footer p. 141)]
- Guillebeau F (1894) Descriptions de quelques espèces de la famille des Phalacridae de la collection de M. Antoine Grouvelle. Annales de la Société Entomologique de France 63 (1): 275–310. [30 Jul 1894 (wrapper)]
- Günther K (1943) Vermischter Studien über Rüsselkäfer hauptsächlich aus der Sammlung Hartmann, jetzt im Staatl. Museum für Tierkunde, Dresden. Deutsche Entomologische Zeitschrift «Iris», Ergänzungsband 1943: 10–96. [15 Jul 1943 (title page)]
- Gurjeva EL (1973) Novaya triba zhukov-shchelkunov Megapenthini tribus n. (Coleoptera, Elateridae). Zoologicheskii Zhurnal 52: 448–451.
- Gurjeva EL (1974) Stroenie grudnogo otdela zhukov-shchelkunov (Coleoptera, Elateridae) i znachenie ego priznakov dlya sistemy semeistva. [The thoracic structure of click beetles (Coleoptera, Elateridae) and the significance of the structural characters for the system of the family]. Entomologicheskoe Obozrenie 53 (1): 96–113 [in Russian; English translation in Entomological Review, 53 (1): 67–79]. [20 Feb 1974 (approved to print, verso of title page); 18 Jun 1974 (recorded at CNC)]
- Gyllenhal L (1808) Insecta Svecica, Classis I. Coleoptera sive Eleuterata. Tomus I [Pars 1]. F. J. Leverentz, Scaris [Skara], xii + 572 pp. [27 Apr 1808 (date of preface)]
- Gyllenhal L (1810) Insecta Suecica, Classis I. Coleoptera sive Eleuterata. Tomi I Pars II. F. J. Leverentz, Scaris [Skara], xx + 660 pp. [1810 (title page)]
- Gyllenhal L (1813) Insecta Suecica, Classis I. Coleoptera sive Eleuterata. Tomi I, Pars III. F. J. Leverentz, Scaris [Skara], 730 + 4 pp. [1813 (title page)]
- Habu A (1967) Carabidae Truncatipennes group (Insecta: Coleoptera). Fauna Japonica. Biogeographical Society of Japan, Tokyo, xiv + 338 pp. + 27 pls. [May 1967 (verso of title page)]
- Habu A (1975) Carabid beetles Mr. A. Sugimoto taken in Ishigaki ls., Ryukyus, by a black-light trap (Coleoptera, Carabidae). Entomological Review of Japan 28 (1/2): 69–84, pls. 7–9. [Aug 1975 (wrapper)]
- Habu A (1978) Carabidae Platynini. Fauna Japonica. Yugaku-Sha, Ltd., Tokyo, viii + 447 pp. + 37 pls. [Mar 1978 (verso of title page)]

- Habu A (1982) Revised and supplementary notes on and descriptions of the Truncatipennes group of Japan (I). (Coleoptera, Carabidae). Entomological Review of Japan 36 (2): 85–142. [publ. 30 Jan 1982 (inside wrapper)]
- Habu A (1984) Revised and supplementary notes on and descriptions of the Truncatipennes group of Japan (IV) (Coleoptera, Carabidae). Entomological Review of Japan 39 (2): 101–139. [publ. 20 Dec 1984 (inside wrapper)]
- Hagedorn M (1909) Zur Systematik der Borkenkäfer. Vorläufige Mitteilung. Entomologische Blätter 5 (8): 162–163. [15 Aug 1909 (p. 157)]
- Hall WE (2003) *Limulopteryx*, a new genus of Neotropical featherwing beetle (Coleoptera, Staphylinoidea, Ptiliidae) and comments on pterycine ptiliids. In: Cuccodoro G, Leschen RAB (Eds), Systematics of Coleoptera: papers celebrating the retirement of Ivan Löbl. Memoirs on Entomology, International 17: 85–102. [30 Dec 2003 (verso of vol. title page)]
- Hall WE (Ed) (2005) Ptiliidae Erichson 1845 [pp. 251–261]. In: Part 38. Coleoptera, beetles. Volume 1: Morphology and Systematics (Archostemata, Adephaga, Myxophaga, Polyphaga partim). In: Kristensen NP, Beutel RG (Eds) Handbook of Zoology. A Natural History of the Phyla of the Animal Kingdom. Volume IV - Arthropoda: Insecta. Walter De Gruyter, Berlin, xi + 567 pp.
- Handlirsch A (1925) Systematische Übersicht [pp. 377–1140]. In: Schröder C (Ed) Handbuch der Entomologie. Band III. Geschichte, Literatur, Technik, Paläontologie, Phylogenie, Systematik. Gustav Fischer, Jena, viii + 1201 pp.
- Hanley RS (2002) Phylogeny and higher classification of Hoplandriini (Coleoptera: Staphylinidae: Aleocharinae). Systematic Entomology 27 (3): 301–321. [15 Jul 2002 (vol. contents)]
- Hansen M (1991) The hydrophiloid beetles. Phylogeny, classification and a revision of the genera (Coleoptera, Hydrophiloidea). Biologiske Skrifter, Det Kongelige Danske Videnskabernes Selskab 40: 1–367. [publ. Dec 1991 (p. 368)]
- Hansen M (1996) Katalog over Danmarks biller; Catalogue of the Coleoptera of Denmark. Entomologiske Meddelelser 64 (1): 1–112, (2): 113–231. [(1): Apr; (2): May 1996]
- Hansen M (1997) A new subfamily for a remarkable new genus and species of Hydrophilidae from New Guinea (Coleoptera: Hydrophilidae). Annales Zoologici (Warszawa) 47 (1/2): 107–110. [20 Sep 1997 (Newton)]
- Hansen M (2004) Family Georissidae [p. 42]; Hydrophilidae [pp. 44–68]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 2. Hydrophiloidea - Histeroidea - Staphylinoidea. Apollo Books, Stenstrup, 942 pp. [publ. 31 Dec 2004 (verso of title page)]
- Hansson C, Straka J (2009) The name Euderinae (Hymenoptera: Eulophidae) is a junior homonym. Proceedings of the Entomological Society of Washington 111 (1): 272–273. [mailed 27 Jan 2009 (inside wrapper)]
- Harold E, von (1867) Zur Kenntniss der Gattung *Canthidium* und ihrer nächsten Verwandten. Coleopterologische Hefte 1: 1–61. [Mar 1867 (date of Vorwort p. v); before Jul 1867 (Ent. Mon. Mag. 4: 43)]
- Harold E, von (1868) Die chilensischen Aphodiden. Berliner Entomologische Zeitschrift 11[1867] ((3–4)): 278–282. [Jan 1868 (Inhalt for vol.; wrapper)]

- Harold E, von (1872) Literatur. Coleopterologische Hefte 10: 207–254. [before 6 Jan 1873 (Proc. Ent. Soc. London 1872: xlv)]
- Harold E, von (1876) Literatur. Coleopterologische Hefte 15: 131–172. [1876 (vol. title page); before 1 Nov 1876 (Ent. Nachr. 2: 176)]
- Harold E, von (1877) Coleopterorum species novae. Mitteilungen des Münchener Entomologischen Vereins 1: 97–111.
- Harold E, von (1879) Bericht über die von den Herren A. v. Homeyer und P. Pogge in Angola und im Lunda-Reiche gesammelten Coleopteren. Coleopterologische Hefte 16: 1–224, pls. 1–2. [by Aug 1879 (Tijdschr. Ent. 24: xlix)]
- Harold E, von (1880) Coleoptera. Zoologischer Jahresbericht (W. Engelmann) 1879 (Zweite Hälfte): 735–790.
- Hatch MH (1927) Studies on the carrion beetles of Minnesota, including new species. Technical Bulletin / University of Minnesota Agricultural Experiment Station 48: 1–19. [Jun 1927 (wrapper)]
- Hatch MH (1928) Silphidae II (Pars 95). In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen VII. W. Junk, Berlin, pp. 63–244. [9 Jun 1928 (verso of vol. title page)]
- Hatch MH (1957) The beetles of the Pacific Northwest. Part II: Staphyliniformia. University of Washington Publications in Biology 16 (2): ix + 384 pp.
- Hatch MH (1962) The beetles of the Pacific northwest. Part III: Pselaphidae and Diversicornia I. University of Washington Publications in Biology 16: ix + 503 pp. [1961 overprinted with “1962” (title page)]
- Háva J (2010) [new tribe] In: Kirejtshuk AG, Háva J, Nel A: New genus and species of subfamily Trinodinae (Coleoptera, Polyphaga, Dermestidae) from Lowermost Eocene French amber. Novyy rod i vid podsemeystva Trinodinae (Coleoptera, Polyphaga, Dermestidae) iz nizhneotsenovogo Frantsuzskogo yantarya. Zoosystematica Rossica 19 (1): 54–69. [15 Jun 2010 (p. 54 header)]
- Hayashi Y (1993) Studies on the Asian Staphylininae, I (Coleoptera, Staphylinidae). Elytra 21 (2): 281–301. [15 Nov 1993 (wrapper)]
- Hayek CMF, von (1973) A reclassification of the subfamily Agrypninae (Coleoptera: Elatridae). Bulletin of the British Museum (Natural History) Entomology Supplement 20: 1–309.
- Hayek, CMF, von (1989) A short biography of the entomologist James Thomson and the dates of publication of the Archives Entomologiques, Arcana Naturae, Monographie des Cicindéides, Musée Scientifique and Physis. Archives of Natural History 16: 81–99.
- Heer O (1838) Fasciculus primus [pp. i-xii, 1–144]. In: Fauna coleopterorum Helvetica. Pars 1. Orellii, Fuesslinii et Sociorum, Turici, xii + 652 pp. [19 Jul 1838 (date of preface); Oct-Dec 1838 (Foreign Quart. Rev. 22: 455)]
- Heer O (1839a) Fasciculus secundus [pp. 145–360]. In: Fauna coleopterorum Helvetica. Pars 1. Orellii, Fuesslini et Sociorum, Turici, xii + 652 pp. [1839 (tile page); 30 Apr 1840 (Intell.-Blatt Allgem. Lit.)]
- Heer O (1839b) Die Käfer der Schweiz, mit besonderer Berücksichtigung ihrer geographischen Verbreitung. Erster Theil. Zweite Lieferung. Petitpierre, Neuchatel, 67 pp. [1839 (title page); see Newton and Thayer (1992: 24)]

- Heer O (1841a) [Pp. 361–652]. In: Fauna Coleopterorum Helvetica. Pars I. Orelii, Fuesslini & Sociorum, Turici, xii + 652 pp.
- Heer O (1843) Ueber *Trichopteryx* Kirby. Entomologische Zeitung (Stettin) 4 (2): 39–62, pls. 1–2. [Feb 1843 issue]
- Heer O (1847) Die Insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Croatiens. Erste Abtheilung: Käfer. Neue Denkschriften der Allgemeinen Schweizerischen Gesellschaft für die Gesammten Naturwissenschaften 8 (5): 1–229 + (1), pls. 1–8.
- Heffern DJ, Drumont A, Sama G, Komiya Z, Tavakilian G, Santos-Silva A (2006) Reversal of precedence using the International Code of Zoological Nomenclature to maintain prevailing usage of *Macrotoma* Audinet-Serville, 1832 (Coleoptera, Cerambycidae). Bulletin de la Société Entomologique de France 111 (1): 123–127. [publ. Mar 2006]
- Heinze EK (1944) Beiträge zur Kenntnis der Tribus Cerylini und Metacerylini (nov.). (Coleoptera: Colydiidae.). Arbeiten über morphologische und taxonomische Entomologie aus Berlin-Dahlem 11 (1): 19–32. [31 Jul 1944 (vol. title page)]
- Heinze EK (1962) Die Crioceren Africas (Col. Chrysomelidae) (31. Beitrag zur Kenntnis der Criocerenen). Entomologische Arbeiten aus dem Museum G Frey 13 (1): 156–270. [publ. 1 Feb 1962 (vol. Inhalt)]
- Heller KM (1916) Die Käfer von Neu-Caledonien und den benachbarten Inselgruppen. In: Sarasin F, Roux J (Eds). Nova Caledonia. A. Zoologie. Vol II. Part: 3, pp. 229–364 + 1 [unn.] + pls. 10–11.
- Heller KM (1921) Neue Rhipiphoriden (Col.). Tijdschrift voor Entomologie 63 [1920]: 168–175. [1921 (vol. title page)]
- Heller KM (1925a) 4. Bestimmungsschlüssel außereuropäischer Käfer. Curculionidae, Tribus n.: Ottistirini. Wiener Entomologische Zeitung 42 (4–10): 55–91 + pl. I. [25 Nov 1925 (wrapper)]
- Heller KM (1925b) Studien zur Systematik der altweltlichen Balaninini (Coleoptera: Curculionidae). Stettiner Entomologische Zeitung 86 (2): 86–134. [Dec 1925 (vol. Inhalt)]
- Heller KM (1926) Fauna sumatrensis (Beitrag Nr. 29). Rhysodidae et familia nova Jacobsonii-dae (prope Rhysodidae? Col.). Supplementa Entomologica 14: 126–128. [20 Dec 1926 (title page)]
- Herman LH, Jr. (2001) Catalog of the Staphylinidae (Insecta: Coleoptera). 1758 to the end of the second millennium. Parts I–VII. Bulletin of the American Museum of Natural History 265: 1–4218 (in 7 vols.). [18 Jul 2001]
- Hetschko A (1915) Verzeichniss der Schriften von Edmund Reitter (1869 bis 1915). In: Festschrift zum siebzigsten Geburtstag Edmund Reitters am 22. Oktober 1915. Wiener Entomologische Zeitung 34 (8/10): 221–270. [22 Oct 1915 (page footers)]
- Heyden L, von (1891) [Dytiscidae–Heteroceridae, Cebrionidae–Oedemeridae: pp. 58–77, 210–270]. In: Heyden L, von, Reitter E, Weise J: Catalogus Coleopterorum Europae, Caucasi et Armeniae Rossicae. R. Friedländer & Sohn, Berlin, viii + 420 pp. [13 May 1891 (Ann. Soc. Ent. France 60: Bull. Ent.: lxxxvii)]
- Heyden L, von (1908) Bemerkungen und Berichtigungen zum Catal. Coleopt. Europ. Cauc. et Arm. ross. 1906. Wiener Entomologische Zeitung 27 (1): 43–48. [1 Jan 1908 (issue title page)]

- Heyne A, Taschenberg O (1905) [Lief. 19/20, pp. 139–170] In: Exotischen Käfer in Wort und Bild. J. F. Schreiber, Esslingen und München, [1905 (Blackwelder 1957: 1117)]
- Heyne A, Taschenberg O (1906) [Lief. 21/22, pp. 171–194] In: Exotischen Käfer in Wort und Bild. J. F. Schreiber, Esslingen und München, [1906 (Blackwelder 1957: 1117)]
- Heyne A, Taschenberg O (1907) [Lief. 25/26, pp. 195–262] In: Exotischen Käfer in Wort und Bild. J. F. Schreiber, Esslingen und München, [1907 (Blackwelder 1957: 1117)]
- Hieke F (2003) Subtribe Amarina [pp. 547–568]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata -Myxophaga - Adephaga. Apollo Books, Stenstrup, 819 pp. [publ. 30 May 2003 (verso of title page)]
- Hincks WD (1952) The genera of the Cassidinae (Coleoptera: Chrysomelidae). The Transactions of the Royal Entomological Society of London 103 (10): 327–362. [31 Dec 1952 (wrapper)]
- Hinton HE (1936) Lepiceridae - a new name for the Cyathoceridae. *Lepicerinus* - a new name for the scolytid genus *Lepicerus*. The Annals and Magazine of Natural History (10) 17 (100): 472–473. [1 Apr 1936 (Evenhuis 2003: 47)]
- Hinton HE (1971) The species of *Dryopomorphus* (Coleoptera, Elmidae). The Entomologist 104 (1303): 293–297.
- Hlisnikovský J (1963) Neue Liodidae (Coleoptera) aus Neu-Guinea I. Annales Historico-Naturales Musei Nationalis Hungarici 55: 301–311. [1963 (title page); 2 Apr 1964 (recorded at MCZ)]
- Hoang DN (1982) Novaya triba bozhikh korovok podsemeistva Coccidulinae (Coleoptera, Coccinellidae). [A new tribe of Coccidulinae (Coleoptera: Coccinellidae)] [pp. 137–140]. In: Medvedev LN (Ed) Zhivotnyi mir Vietnam'a [Animal world of Vietnam]. Izdatel'stvo Nauka, Moscow, 270 pp. [in Russian]. [after 20 Jul 1982 (approved to print, verso of title page)]
- Hoffmann A (1950) Coléoptères curculionides (Première partie). Faune de France. Vol. 52. P. Lechevalier, Paris, 486 pp. [dépot légal 2e trim. 1950 (p. 486)]
- Hoffmann A (1956) Curculionides nouveaux rapportés par la Mission G. Remaudière en Iran. Revue de Pathologie Végétale et d'Entomologie Agricole de France 35 (4): 241–249. [Oct-Dec issue]
- Hoffmann A (1957a) Observations critiques sur diverses espèces de la tribu des Rhytirrhinini (Col. Curculionidae). Annales de la Société Entomologique de France 126 (1): 59–69. [5 Dec 1957 (vol. contents)]
- Hoffmann A (1957b) Description d'une espèce et de genres nouveaux, appartenant à une nouvelle sous-tribu des Ceuthorrhynchini (Col. Curculionidae). Bulletin de la Société Entomologique de France 61 [1956] (9/10): 218–223. [27 Mar 1957 (p. 248)]
- Hoffmann A (1965) Contribution à la faune du Congo (Brazzaville) Mission A. Villiers et A. Descarpentries. XIV. Coléoptères Curculionidés. Bulletin de l'Institut Français d'Afrique Noire (Série A, Sciences Naturelles) 27 (4): 1397–1433. [Oct 1965 (issue title page)]
- Hoffmann A (1968) The scientific results of the Hungarian soil zoological expedition to the Brazzaville-Congo. 32. Espèces de la famille Curculionidae (Coleoptera). Opuscula Zoologica (Budapest) 8 (1): 11–29.

- Holloway BA (1972) The systematic position of the genus *Diphyllostoma* Fall (Coleoptera: Scarabaeoidea). New Zealand Journal of Science 15 (1): 31–38. [Mar 1972 (top of article)]
- Holmgren N (1899) Zur Kenntniss der Begattungstasche der Elateriden, zugleich ein Beitrag der Systematik dieser Familie. Vorläufige Mittheilung. Entomologisk Tidskrift 20 (2/3): 197–203. [publ. 26 Sep 1899 (fasc. contents)]
- Holyński R (1984) On the Oriental and Notogaean Mastogeniini LeC. Horn (Coleoptera, Buprestidae). Polskie Pismo Entomologiczne 54 (1): 105–114. [30 Apr 1984 (top of article)]
- Holyński R (1988) Remarks on the general classification of Buprestidae Leach as applied to Maoraxiina Hol. Folia Entomologica Hungarica 49: 49–54. [30 Jul 1988 (verso of title page)]
- Holyński R (1993) A reassessment of internal classification of the Buprestidae Leach (Coleoptera). Crystal Publications of the Natural Science Foundation at Göd (Series Zoologica) 1: 1–42.
- Hong Y (1982) Jiuquan pandi kunchong huashi [Mesozoic fossil insects of Jiuquan Basin in Gansu Province]. Geological Publishing House, Peking, 187 pp., 39 pls. [in Chinese].
- Hong Y (1998) A new early Cretaceous beetle family - Magnocoleidae fam. n. (Insecta: Coleoptera) in Hebei Province. Geoscience 12 (1): 40–48 [in Chinese]. [Mar 1998]
- Hong Y (2002) [Amber insects of China]. Beijing Science and Technology Press, Beijing, x + 653 pp., 48 pls. [in Chinese].
- Hope FW (1833) [reading from:] On the characters of several new genera and species of coleopterous insects. Proceedings of the Zoological Society of London 1: 61–64.
- Hope FW (1834) Characters and descriptions of several new genera and species of coleopterous insects. Transactions of the Zoological Society of London 1: 91–112. [Jul 1834 (note in BMNH copy)]
- Hope FW (1837) The coleopterist's manual, containing the Lamellicorn insects of Linneus and Fabricius. Henry G. Bohn, London, pp. i–xiii + 15–121 + [1], pls. 1–3. [“31 December” 1837; Hope refers to Kirby (1837) on p. 112; as 1837 (Mag. Nat. Hist. (N. S.) 2 (Apr 1838 issue): 211; before 20 Jan 1838 (Literary Gazette 22: 44)]
- Hope FW (1838a) The coleopterist's manual, part the second, containing the predaceous land and water beetles of Linneus and Fabricius. Henry G. Bohn, London, xvi + 168 pp., pls. 1–3. [1838 (title page); 4 Mar 1839 (Jour. Proc. Ent. Soc. London 3: xx)]
- Hope FW (1838b) Observations on the lamellicorns of Olivier. The Entomological Magazine 5 (4): 312–326. [Apr 1838 issue]
- Hope FW (1839) [reading from:] A monograph on Mr. William Sharp MacLeay's coleopterous genus *Euchlora*. Proceedings of the Zoological Society of London 7: 65–75.
- Hope FW (1840a) The coleopterist's manual, part the third, containing various families, genera, and species, of beetles, recorded by Linneus and Fabricius. Also, descriptions of newly discovered and unpublished insects. J. C. Bridgewater and Bowdery & Kerby, London, [5] + 191 pp. + 3 pls. [before 30 Sep 1840 (Jour. Proc. Ent. Soc. London 1840: lxxxix)]
- Hope FW (1840b) [reading from:] “Descriptions of some new insects collected in Assam, by William Griffith, Esq., Assistant Surgeon in the Madras Medical Establishment”. The Annals and Magazine of Natural History (1) 6 (37): 299–301. [1 Dec 1840 (Evenhuis 2003: 14; footer p. 289)]

- Hope FW (1842) [reading from:] A monograph on the coleopterous family Phyllophoridae. Proceedings of the Zoological Society of London 10: 73–79.
- Hope FW (1845) A catalogue of the lucanoid Coleoptera, in the collection of the Rev. F. W. Hope, M.A., F.R.S., &c. together with descriptions of the new species therein contained. J. C. Bridgewater, London, 31 pp. [1845 (wrapper)]
- Hopkins AD (1902) A new genus of scolytids from Florida. Proceedings of the Entomological Society of Washington 5 [1901–03] (1): 34–38. [17 May 1902 (verso of vol. title page)]
- Hopkins AD (1915) Contributions towards a monograph of the Scolytid beetles. II. Preliminary classification of the superfamily Scolytoidea. United States Department of Agriculture, Bureau of Entomology / Technical Series 17 (2): i–vi, 165–232, pls. ix–xvi. [9 Jan 1915 (wrapper and title page); 4 Mar 1915 (recorded at BMNH)]
- Horn GH (1867a) On *Usechus lacerta* Motsch. Proceedings of the Entomological Society of Philadelphia 6 [1866–67]: 293–294. [Jan 1867 (footer p. 289)]
- Horn GH (1867b) Descriptions of some new genera and species of Central American Coleoptera. Proceedings of the Academy of Natural Sciences of Philadelphia 18 (5 [Dec 1866]): 397–401. [Dec 1866 (page footers; incl. Proc. for 26 Dec); 20 Jul 1867 (recorded at USNM)]
- Horn GH (1870) Revision of the Tenebrionidae of America, north of Mexico. Transactions of the American Philosophical Society (New Series) 14 (2): 253–404, pls. 14–15. [1870 (title page)]
- Horn GH (1873) Revision of the genera and species of the tribe Hydrobiini. Proceedings of the American Philosophical Society 13: 118–137. [read 21 Feb 1873]
- Horn GH (1876) [Otiorhynchidae, pp. 13–112] In: LeConte JL, Horn GH: The Rhynchophora of America North of Mexico. Proceedings of the American Philosophical Society held at Philadelphia for promoting useful knowledge 15 (No. 96): vii–xvi, 1–455. [23 Dec 1876 (date of preface p. ix); Dec 1876 (vol. title page)]
- Horn GH (1877) Synopsis of the genera and species of the Staphylinide tribe Tachyporini of the United States. Transactions of the American Entomological Society 6: 81–128, pl. 1. [Jun 1877 (footer p. 81)]
- Horn GH (1878) Synopsis of the Colydiidae of the United States. Proceedings of the American Philosophical Society held at Philadelphia for promoting useful knowledge 17: 555–592. [19 Apr 1878 (footnote p. 553: “XVII. 101. 3Q. printed June 1, 1878”)]
- Horn GH (1880a) Synopsis of the Dascyllidae of the United States. Transactions of the American Entomological Society and Proceedings of the Entomological Section of the Academy of Sciences 8 (1/2): 76–114, pl. 1. [Mar-Apr 1880 (page footers); presented 9 Apr 1880 (F. M. Brown 1964: 319)]
- Horn GH (1880b) Synopsis of the Silphidae of the United States with reference to the genera of other countries. Transactions of the American Entomological Society and Proceedings of the Entomological Section of the Academy of Sciences 8 ([2]): 219–319, pls. 5–7. [Jul–Sep 1880 (page footers); presented 10 Sep 1880–8 Oct 1880 (F. M. Brown 1964: 319)]
- Horn GH (1880c) Synopsis of the Euphoriae. Proceedings of the American Philosophical Society held at Philadelphia for promoting useful knowledge 18 [1878–80]: 397–408 + pl. 4. [printed 2 Jan 1880 (footer p. 397)]

- Horn GH (1880d) Revision of the Nitidulidae of the United States. Transactions of the American Entomological Society and Proceedings of the Entomological Section of the Academy of Sciences 7 (4): 267–336, pl. 3. [Jun-Oct 1879 (page footers); publ. 9 Jan 1880 (F. M. Brown 1964: 317)]
- Horn GH (1880e) Contributions to the coleopterology of the United States, no. 3. Transactions of the American Entomological Society and Proceedings of the Entomological Section of the Academy of Sciences 8 (1): 139–218. [May 1880 (footer p. 137); 14 Jun-10 Sep 1880 (F. M. Brown 1964: 319)]
- Horn GH (1881) On the genera of Carabidae with special reference to the fauna of boreal America. Transactions of the American Entomological Society and Proceedings of the Entomological Section of the Academy of Sciences 9 (2): [1881–1882] 91–196. [12 Dec 1881 (F. M. Brown 1964: 317)]
- Horn GH (1888) Miscellaneous coleopterous studies. Transactions of the American Entomological Society and Proceedings of the Entomological Section of the Academy of Sciences 15 (1): 26–48. [22 May 1888 (received at CUL)]
- Horn GH (1889) A synopsis of the Halticini of boreal America. Transactions of the American Entomological Society and Proceedings of the Entomological Section of the Academy of Sciences 16 (3): 163–320, pl. [7 Sep 1889 (received at CUL)]
- Horn GH (1890) A revision of the Sphaeridiini inhabiting boreal America. Transactions of the American Entomological Society 17 (3): 279–314, pl. 9. [Aug-Nov 1890 (footers); 28 Feb 1891 (recorded at CUL)]
- Horn GH (1893) The Galerucini of boreal America. Transactions of the American Entomological Society 20 (2): 57–136. [Apr 1893 (footer p. 57); 19 Jul 1893 (received at CUL)]
- Horn W (1893) Bemerkungen und Nachträge zum “Catalogue systématique des Cicindelidae” par Fleutiaux (1893). Deutsche Entomologische Zeitschrift 1893 (2): 321–347. [Jul 1893 (footer p. 3)]
- Horn W (1899) Ueber das System der Cicindeliden. Deutsche Entomologische Zeitschrift 1899: 33–51. [Aug 1899 (footer p. 3)]
- Horn W (1906) *Odontochila bennigseni euryoides* (nov. subsp.) und das System der Cicindelini. Deutsche Entomologische Zeitschrift 1906 (1): 85–86. [Feb 1906 (vol. contents)]
- Horn W (1907) Brullés “*Odontochila* aus dem baltischen Bernstein” und die Phylogenie der Cicindeliden. (Col.). Deutsche Entomologische Zeitschrift 1907 (5): 461–466. [1 Sep 1907 (Inhalt)]
- Houlbert C (1912) Tableaux génériques illustrés des coléoptères de France. Supplément à la Faune entomologique Armoricaine. Imprimerie Oberthur, Rennes, 288 pp.
- Houlbert C (1922a) Les coléoptères d’Europe France et régions voisines. Anatomie générale; classification et tableaux génériques illustrés. In: Toulouse D (Ed) Encyclopédie Scientifique. Tome second. G. Doin, Paris, 340 + xii pp. [before 15 Jul 1922 (Rev. Gén. Sci. 33: 407)]
- Houlbert C (1922b) Les coléoptères d’Europe France et régions voisines. Anatomie générale; classification et tableaux génériques illustrés. In: Toulouse D (Ed) Encyclopédie Scientifique. Tome troisième. G. Doin, Paris, 297 + xii pp. [before 15 Jul 1922 (Rev. Gén. Sci. 33: 407)]

- Houlbert C (1934) Faune entomologique armoricaine. Coléoptères, hydrocarabiques. Bulletin de la Société Scientifique de Bretagne 11: 1–147.
- Houston WWK, Weir TA (1992) Melolonthinae [pp. 174–358]. In: Houston WWK (Ed) Zoological Catalogue of Australia. Volume 9. Coleoptera: Scarabaeoidea. Australian Government Publishing Service, Canberra, xi + 544 pp.
- Howden HF (1997) Podolasiiini Howden, new tribe, and a revision of the included genera, *Podolasia* Harold and *Podostena* Howden, new genus (Coleoptera: Scarabaeidae: Melolonthinae). The Coleopterists Bulletin 51 (3): 223–255. [mailed 19 Sep 1997 (inside wrapper)]
- Howden HF (2001) A new tribe of Hybosorinae with a description of a new species of *Callosides* Howden (Coleoptera: Scarabaeidae). The Coleopterists Bulletin 55 (2): 199–204. [mailed 12 Jul 2001 (inside wrapper)]
- Howden HF, Gill BD (2000) Tribes of New World Ceratocanthinae, with keys to genera and descriptions of new species (Coleoptera: Scarabaeidae). Sociobiology 35 (2B): 281–329. [28 Mar 2000 (recorded at CNC)]
- Howden HF, Martínez A (1963) The new tribe Athyreini and its included genera (Coleoptera: Scarabaeidae, Geotrupinae). The Canadian Entomologist 95 (4): 345–352. [mailed 23 Apr 1963 (p. 560)]
- Howden HF, Storey RI (1992) Phylogeny of the Rhyparini and the new tribe Stereomerini, with descriptions of new genera and species (Coleoptera; Scarabaeidae; Aphodiinae). Canadian Journal of Zoology 70 (9): 1810–1823. [issued 13 Oct 1992 (fasc. 10 contents, p. iii)]
- Hunt JW, Breuning S (1957) New Lamiinae (Coleoptera, Cerambycidae) from South Africa. Durban Museum Novitates 5 (5): 51–70. [issued 10 Dec 1957 (top of article)]
- Hustache A (1919) Synopsis des Curculionides de la Faune Malgache. I. Brachydérides et Otiorrhynchides. Annales de la Société Entomologique de France 87 [1918] (3/4): 441–520. [23 Apr 1919 (p. 549)]
- Hustache A (1925) Synopsis des curculionides de Madagascar. Bulletin de l'Académie Malgache (Nouvelle Série) 7 [1924]: 1–582. [25 Nov 1925 (Viette 1993: 180)]
- Hustache A (1929) Curculionidae. Voyage de Ch Alluaud et R Jeannel en Afrique Orientale (1911–1912) Résultats scientifiques Insectes Coleoptères XIX. Vol: 30. P. Lechevalier, Paris, 365–562 + pls. 10–11. [1 Aug 1929 (title page)]
- Hustache A (1932) Essai d'un tableau synoptique des zygopides d'Afrique et de Madagascar [pp. 369–380]. Livre du Centenaire Société Entomologique de France. Société Entomologique de France, Paris, xii + 729 pp. [printed 30 Jun 1932 (endleaf)]
- Hustache A (1934) Pars 136: Curculionidae: Subfam. Zygopinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXX. W. Junk, Berlin, 96 pp. [10 Jun 1934 (verso of vol. title page)]
- Hustache A (1936) Pars 151: Curculionidae. Cryptorhynchinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXIX. W. Junk, Berlin, 317 pp. [15 Dec 1936 (verso of vol. title page)]

- Hustache A (1937) Magdalinae (Coleoptera, Curculionidae) de l'Amérique méridionale. The Annals and Magazine of Natural History (10) 19 (110): 198–248. [1 Feb 1937 (Evenhuis 2003: 47)]
- Hustache A (1938) Ceratopinae Sud-Américains (Col. Curculionides). Miscellanea Entomologica 39 (11): 89–99. [printed 15 Nov 1938 (p. 89)]
- Huys R (2009) Unresolved cases of type fixation, synonymy and homonymy in harpacticoid copepod nomenclature (Crustacea: Copepoda). Zootaxa No. 2183: 1–99. [publ. 6 Aug 2009 (title page)]
- Hyslop JA (1917) The phylogeny of the Elateridae based on larval characters. Annals of the Entomological Society of America 10 (3): 241–263. [mailed 13 Sep 1917 (after vol. contents)]
- Iablokoff-Khnzorian SM (1961) Circaeidae – Novoe semeystvo zhestkokrylykh iz yantarya (Insecta, Coleoptera). [Circaeidae – new family of Coleoptera from amber (Insecta, Coleoptera)]. Doklady Akademii Nauk SSSR 136 (1): 209–210 [in Russian]. [Jan-Feb 1961 / English translation in: Earth Sciences 136: 198–199, Sep 1962]
- Iablokoff-Khnzorian SM (1962) Predstaviteli Sternoxia (Coleoptera) iz baltiyskogo yantarya. [Some Sternoxia (Coleoptera) from Baltic amber]. Paleontologicheskii Zhurnal 1962 (3): 81–89 [in Russian]. [after 7 Aug 1962 (approved to print, verso of title page); 28 Dec 1962 (recorded at BMNH)]
- Iablokoff-Khnzorian SM (1966) Dva novykh vida zhestkokrylykh iz Armyanskoi SSR (Insecta, Coleoptera). [Two new species of Coleoptera from the Armenian Republic (Insecta, Coleoptera)]. Doklady Akademii Nauk Armyanskoi SSR 42 (5): 309–314 [in Russian]. [23 Nov 1966 (recorded at BMNH)]
- Iablokoff-Khnzorian SM (1977) Über die Phylogenie der Lamellicornia (Insecta, Coleoptera). Entomologische Abhandlungen / Staatlichen Museum für Tierkunde in Dresden 41 [1976–77] (5): 135–200. [Oct 3 1977 (top of article)]
- Iablokoff-Khnzorian SM (1983) Notes sur la phylogénie des Cucujoidea et le classement général des coléoptères. Deutsche Entomologische Zeitschrift (Neue Folge) 30 (1/3): 45–68. [27 May 1983 (wrapper)]
- Iablokoff-Khnzorian SM (1986) Novyy rod i vid zhukov-veeronostsev iz Tadzhikistana (Coleoptera, Rhipiphoridae). [A new genus and species of the beetle family Rhipiphoridae from Tadzhikistan (Coleoptera, Rhipiphoridae)] [in Russian]. Doklady Akademii Nauk Armyanskoi SSR 82 (2): 89–92.
- ICZN (1950) Opinion 243. Designation, under the Plenary Powers, for the nominal genus *Carabus* Linnaeus, 1758 (Class Insecta, Order Coleoptera) of a type species in harmony with current nomenclatorial usage. Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 5 (4): 45–56.
- ICZN (1954) Opinion 280. Emendation to *Hygrobia* of the generic name *Hygriobia* Latreille, 1804 (Class Insecta, Order Coleoptera). Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 6: 189–203.
- ICZN (1955a) Opinion 345. Rejection of a proposal to use the Plenary Powers for the benefit of the generic name *Rhina* Latreille, [1802–1803] (Class Insecta, Order Coleoptera) and addition of the generic name *Rhina* Schneider, 1801 (Class Elasmobranchii) to the Of-

ficial List of Generic Names in Zoology; designation under the Plenary Powers for the genera *Rhinostomus* Rafinesque, 1815, and *Magdalais* Germar, 1817 (Class Insecta, Order Coleoptera) of type species in harmony with accustomed usage: validation under the Plenary Powers of the specific name *barbicornis* Latreille, [1803–1804], as published in the combination *Rhina barbicornis* (Class Insecta, Order Coleoptera). Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 10 (12): 353–388.

ICZN (1955b) Opinion 346. Designation, under the Plenary Powers, for the genus *Geotrupes* Latreille, 1796 (Class Insecta, Order Coleoptera) of a type species in harmony with current usage. Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 10: 389–408.

ICZN (1955c) Direction 28. Addition to the *Official List of Family-Group Names in Zoology* or, as the case may be, to the *Official Index of Rejected and Invalid Family-Group Names in Zoology* of the family-group names involved in the cases dealt with in the *Opinions* included in volume 10 of the *Opinions and Declarations rendered by the International Commission on Zoological Nomenclature*, other than family-group names already dealt with in those *Opinions* or in *Directions* included in that volume. Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 10 (21): 493–510.

ICZN (1956) Direction 54. Addition to the *Official List of Family-Group Names in Zoology* or, as the case may be, to the *Official Index of Rejected and Invalid Family-Group Names in Zoology* of the family-group names involved in the cases dealt with in the *Opinions* included in volume 12 of the *Opinions and Declarations rendered by the International Commission on Zoological Nomenclature*, other than family-group names already dealt with in those *Opinions*. Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 12 (26): 457–470.

ICZN (1957) Opinion 463. Designation under the plenary powers of a type species in harmony with accustomed usage for the genus *Oxypoda* Mannerheim, 1831 (Class Insecta, Order Coleoptera). Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 16: 15–24.

ICZN (1959a) Opinion 546. Designation under the plenary powers of a type species in harmony with accustomed usage for the genus *Staphylinus* Linnaeus, 1758 (Class Insecta, Order Coleoptera). Opinions and Declarations Rendered by the International Commission on Zoological Nomenclature 20: 141–151.

ICZN (1959b) Opinion 572. Suppression under the plenary powers of the generic name *Calandra* Clairville & Schellenberg, 1798, and validation under the same powers of the specific name *abbreviatus* Fabricius, 1787, as published in the binomen *Curculio abbreviatus* (Class Insecta, Order Coleoptera) Bulletin of Zoological Nomenclature 17 (3–5): 112–116.

ICZN (1961a) Opinion 599. *Bolitochara* Mannerheim, 1831 (Insecta, Coleoptera): designation of a type-species under the plenary powers. Bulletin of Zoological Nomenclature 18: 238–240. [Aug 1961]

ICZN (1961b) Opinion 600. *Ischnopoda* Stephens, 1835, and *Tachyusa* Erichson, 1837 (Insecta, Coleoptera); designations of type-species under the plenary powers. Bulletin of Zoological Nomenclature 18: 241–243. [Aug 1961]

- ICZN (1961c) Opinion 604. *Korynetes* Herbst, (1792), and *Necrobia* Olivier, 1795; added to the Official List (Insecta, Coleoptera). Bulletin of Zoological Nomenclature 18: 252–253.
- ICZN (1961d) Opinion 618. *Dytiscus cinereus* Linnaeus, 1758 (Insecta, Coleoptera); designation of a neotype under the Plenary Powers. Bulletin of Zoological Nomenclature 18: 365–368.
- ICZN (1961e) Opinion 619. *Acilius* Leach, 1817 (Insecta, Coleoptera); preservation by use of the Plenary Powers to vary the ruling given in Opinion 522. Bulletin of Zoological Nomenclature 18: 369–371.
- ICZN (1962) Opinion 621. Phaenomerididae Ohaus, 1913, and Phaenomerina Faust, 1898 (Insecta, Coleoptera); addition to the Official List. Bulletin of Zoological Nomenclature 19: 74–75. [23 Mar 1962]
- ICZN (1963a) Opinion 670. *Dendroctonus* Erichson, 1836 (Insecta, Coleoptera): Designation of a type-species under the plenary powers with addition of *Tomicus* Latreille, [1802–1803] to the Official List. Bulletin of Zoological Nomenclature 20: 276–278.
- ICZN (1963b) Opinion 683. *Scolytus* Geoffroy, 1762 (Insecta, Coleoptera): validated under the Plenary Powers. Bulletin of Zoological Nomenclature 20: 416–417.
- ICZN (1964) Opinion 710. *Enhydrus* Laporte, 1834 (Insecta, Coleoptera): validated under the Plenary Powers. Bulletin of Zoological Nomenclature 21: 242–245.
- ICZN (1967a) Opinion 806. *Gymnetis* MacLeay, 1819 (Insecta, Coleoptera): designation of a type-species under the Plenary Powers. Bulletin of Zoological Nomenclature 24: 22–23.
- ICZN (1967b) Opinion 808. *Cryptorhynchus* Illiger, 1807 (Insecta, Coleoptera): designation of a type-species under the plenary powers. Bulletin of Zoological Nomenclature 24: 83–84.
- ICZN (1968a) Opinion 848. *Xyleborus* Bowdich, 1825 (Insecta, Coleoptera): suppressed under the Plenary Powers. Bulletin of Zoological Nomenclature 25: 18–19.
- ICZN (1968b) Opinion 862. *Galerita* Fabricius, 1801 (Insecta, Coleoptera): validation under the Plenary Powers. Bulletin of Zoological Nomenclature 25: 98–99.
- ICZN (1969a) Opinion 876. *Proteinus* Latreille, 1796 (Insecta, Coleoptera): designation of a type-species under the plenary powers. Bulletin of Zoological Nomenclature 26: 14–15. [May 1969]
- ICZN (1969b) Opinion 887. *Bryaxis* Kugelann, 1794 (Insecta, Coleoptera): designation of a type-species under the plenary powers. Bulletin of Zoological Nomenclature 26: 133–135. [24 Oct 1969]
- ICZN (1970a) Opinion 908. *Crioceris* Muller, 1764, and *Lema* Fabricius, 1798 (Insecta, Coleoptera): designation of type-species under the Plenary Powers. Bulletin of Zoological Nomenclature 27: 12–13.
- ICZN (1970b) Opinion 928. *Pachyrhynchus* Germar, 1824 (Insecta, Coleoptera): validated under the Plenary Powers. Bulletin of Zoological Nomenclature 27: 93–94.
- ICZN (1971) Opinion 966. *Xyletinus* Latreille, 1809 (Insecta, Coleoptera): designation of a type-species under the Plenary Powers. Bulletin of Zoological Nomenclature 28: 81–82.
- ICZN (1972) Opinion 982. *Otiorhynchus* Germar, 1824 (Insecta, Coleoptera): validated under the Plenary Powers. Bulletin of Zoological Nomenclature 29: 19–24.
- ICZN (1974a) Opinion 1005. *Trypetta* Meigen, 1803 (Insecta: Diptera); *Trypetes* Schoenherr, 1836 (Insecta: Coleoptera); *Trypetesa* Norman, 1903 (Crustacea: Cirripedia): removal of

- homonymy in family-group names under the Plenary Powers. Bulletin of Zoological Nomenclature 30: 151–152.
- ICZN (1974b) Opinion 1023. Cassidae (Mollusca) and Cassidinae (Insecta): placed on the Official List of Family-Group Names in Zoology. Bulletin of Zoological Nomenclature 31: 127–129.
- ICZN (1975) Opinion 1039. *Uloma* Dejean, 1821 and *Phaleria* Latreille, 1802 (Itisecta, Coleoptera): designation of type-species under the Plenary Powers. Bulletin of Zoological Nomenclature 32: 136–138.
- ICZN (1976) Opinion 1062. *Anobium* Fabricius, 1775: *Grynobius* Thomson, 1859: *Priobium* Motschulsky, 1845 (Coleoptera): designation of type species under the Plenary Powers. Bulletin of Zoological Nomenclature 33: 31–33.
- ICZN (1979a) Opinion 1144. *Phloeotribus* (Coleoptera: Scolytidae) ruled to be a justified emendation of *Phloiotribus* Latreille, 1796. Bulletin of Zoological Nomenclature 36: 132–134.
- ICZN (1979b) Opinion 1145. *Dryocoetes* Eichhoff, 1864 (Coleoptera: Scolytidae) conserved under the Plenary Powers. Bulletin of Zoological Nomenclature 36: 149–150.
- ICZN (1980) Opinion 1155. *Saperda inornata* Say, 1824 (Insecta: Coleoptera): designation of a neotype by the use of the Plenary Powers. Bulletin of Zoological Nomenclature 37: 89–93.
- ICZN (1981a) Opinion 1167. *Phloeosinus* Chapuis, 1869 (Coleoptera, Scolytidae) conserved. Bulletin of Zoological Nomenclature 38: 67–68.
- ICZN (1981b) Opinion 1178. *Megasternum* Mulsant, 1844, and *Cryptopleurum* Mulsant, 1844 (Insecta, Coleoptera): type species determined. Bulletin of Zoological Nomenclature 38: 114–116.
- ICZN (1981c) Opinion 1179. *Polydrusus* Germar, 1817 and *Phyllobius* Germar, 1824 (Insecta, Coleoptera): conserved in accordance with current usage. Bulletin of Zoological Nomenclature 38: 117–119.
- ICZN (1982) Opinion 1221. *Baeocera* Erichson, 1845 (Insecta, Coleoptera): designation of type species. Bulletin of Zoological Nomenclature 39: 175–177. [Sep 1982]
- ICZN (1983a) Opinion 1239. *Attelabus* Linnaeus, 1758 (Insecta, Coleoptera): type species designated. Bulletin of Zoological Nomenclature 40: 25–26.
- ICZN (1983b) Opinion 1244. *Stethaspis* Hope, 1837 (Coleoptera, Scarabaeidae): designation of type species. Bulletin of Zoological Nomenclature 40: 37–38.
- ICZN (1983c) Opinion 1250. *Gyrohypnus* Samouelle, 1819, ex Leach MS, *Xantholinus* Dejean, 1821, ex Dahl, and *Othius* Stephens, 1829, ex Leach MS (Insecta, Coleoptera): type species designated for these genera. Bulletin of Zoological Nomenclature 40: 85–87. [Jul 1983]
- ICZN (1984a) Opinion 1273. *Anaspis*, *Luperus*, *Lampyris* and *Clerus* (Insecta, Coleoptera): determination of authorship and fixation of type species. Bulletin of Zoological Nomenclature 41: 28–31.
- ICZN (1984b) Opinion 1277. *Ptilium* Gyllenhal, 1827 and *Ptenidium* Erichson, 1845 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 41: 212–214. [Nov 1984]

- ICZN (1984c) Opinion 1279. *Chrysolina* Motschulsky, 1860 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 41: 218–220.
- ICZN (1985a) Opinion 1299. *Athyreus* MacLeay, 1819 and *Glyptus* Brulle, 1835 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 42: 128–129.
- ICZN (1985b) Opinion 1307. *Ptinella* Motschulsky, 1844 and *Nephanes* Thomson, 1859 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 42: 148–149. [Jun 1985]
- ICZN (1985c) Opinion 1323. *Byrrhus semistriatus* Fabricius, 1794 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 42: 182–184.
- ICZN (1985d) Opinion 1331. Sphaeriidae Jeffreys, 1862 (1820) (Mollusca, Bivalvia) and Microsporidae Reichardt, 1976 (Insecta, Coleoptera): placed on the Official List. Bulletin of Zoological Nomenclature 42: 230–232.
- ICZN (1985e) Opinion 1352. *Eurhinus* Schonherr, 1825 (Insecta, Coleoptera): ruled as a justified emendation of *Eurhin* Illiger, 1807. Bulletin of Zoological Nomenclature 42: 287–290.
- ICZN (1985f) Opinion 1359. Uroplat- as the stem of family-group names in Reptilia, Sauria and Insecta, Coleoptera: a ruling to remove the homonymy. Bulletin of Zoological Nomenclature 42: 344–346.
- ICZN (1985g) International Code of Zoological Nomenclature. Third Edition. Adopted by the XX General Assembly of the International Union of Biological Sciences International Trust for Zoological Nomenclature, London, xx + 338 pp. [Feb 1985]
- ICZN (1986a) Opinion 1382. *Zeugophora* Kunze, 1818 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 43: 44–45.
- ICZN (1986b) Opinion 1397. *Rhopalocerus* W. Redtenbacher, 1842 (Insecta, Coleoptera, Cydidae): conserved. Bulletin of Zoological Nomenclature 43: 150–151.
- ICZN (1986c) Opinion 1407. *Lamia aethiops* Fabricius, 1775 designated as type species of *Ceroplesia* Serville, 1835 (Insecta, Coleoptera). Bulletin of Zoological Nomenclature 43: 243–244.
- ICZN (1987a) Opinion 1440. *Brachyderes* Schonherr, 1823 and *Cycloderes* Sahlberg, 1823 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 44: 144–145.
- ICZN (1987b) Opinion 1441. *Elater bimaculatus* Rossi, 1790 (currently *Drasterius bimaculatus*; Insecta, Coleoptera): specific name conserved. Bulletin of Zoological Nomenclature 44: 146.
- ICZN (1987c) Opinion 1448. *Dryophtorus* Germar, 1824 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 44: 202.
- ICZN (1987d) Opinion 1449. *Cholus* Germar, 1824 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 44: 203.
- ICZN (1987e) Opinion 1450. *Zygops* Schoenherr, 1825 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 44: 204.
- ICZN (1987f) Opinion 1451. *Lachnopus* Schoenherr, 1840 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 44 (3): 205–206. [25 Sep 1987]
- ICZN (1988a) Opinion 1472. *Cyclaxyra* Broun, 1893 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 45: 69–70.

- ICZN (1988b) Opinion 1473. *Tetropium* Kirby, 1837 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 45: 71–72.
- ICZN (1988c) Opinion 1474. *Tropiphorus* Schonherr, 1842 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 45: 73.
- ICZN (1988d) Opinion 1493. *Geonemus* Schoenherr, 1833 (Insecta, Coleoptera): *Curculio flabellipes* Olivier, 1807 designated as type species. Bulletin of Zoological Nomenclature 45: 168–169.
- ICZN (1988e) Opinion 1495. *Colydium castaneum* Herbst, 1797 (currently *Tribolium castaneum*; Insecta, Coleoptera): specific name conserved. Bulletin of Zoological Nomenclature 45: 171–172.
- ICZN (1988f) Opinion 1506. *Oncomera* Stephens, 1829 (Insecta, Coleoptera): *Dryops femorata* Fabricius, 1792 designated as the type species. Bulletin of Zoological Nomenclature 45: 235.
- ICZN (1988g) Opinion 1515. Laridae Rafinesque Schmaltz, 1815 (Aves) and Larini LeConte, 1861 (Insecta, Coleoptera): homonymy removed. Bulletin of Zoological Nomenclature 45: 245–246. [23 Sep 1988]
- ICZN (1989a) Opinion 1525. *Phymatodes* Mulsant, 1839 and *Phymatestes* Pascoe, 1867 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 46: 65–66.
- ICZN (1989b) Opinion 1526. *Nanophyes* Schoenherr, 1838 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 46: 67–68.
- ICZN (1989c) Opinion 1529. *Ceutorhynchus* Germar, 1824, *Rhinoncus* Schoenherr, 1825 and *Curculio assimilis* Paykull, 1792 (Insecta, Diptera): conserved, and *Curculio assimilis* Paykull, 1792 and *Curculio pericarpinus* Linnaeus, 1758 designated as the type species of *Ceutorhynchus* and *Rhinoncus* respectively. Bulletin of Zoological Nomenclature 46: 71–73.
- ICZN (1989d) Opinion 1546. *Chelonus* Panzer, 1806 (Insecta, Hymenoptera) and *Anomala* Samouelle, 1819 (Insecta, Coleoptera): names conserved. Bulletin of Zoological Nomenclature 46: 149–150.
- ICZN (1989e) Opinion 1549. Euglenidae Stein, 1878 (Protista, Flagellata) and Euglenidae Seidlitz, 1875 (Insecta, Coleoptera): homonymy removed, and Aderidae Winkler, 1927 (Insecta, Coleoptera): given precedence over Euglenidae Seidlitz, 1875. Bulletin of Zoological Nomenclature 46: 193–194. [29 Sep 1989]
- ICZN (1990a) Opinion 1577. *Hydrobius* Leach, 1815 (Insecta, Coleoptera): *Dytiscus fuscipes* Linnaeus, 1758 conserved as type species, and *Berosus* Leach, 1817 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 47: 71–72. [Mar 1990]
- ICZN (1990b) Opinion 1597. *Coryphium angusticolle* Stephens, 1834 (Insecta, Coleoptera): generic and specific names conserved. Bulletin of Zoological Nomenclature 47: 156–157. [Jun 1990]
- ICZN (1990c) Opinion 1598. *Ophonus* Dejean 1821 and *Tachys* Dejean, 1821 (Insecta, Coleoptera): *Carabus sabulicola* Panzer, 1796 and *Tachys scutellaris* Stephens, 1828 designated as the respective type species. Bulletin of Zoological Nomenclature 47: 158–159.
- ICZN (1990d) Opinion 1616. *Ptochus* Schonherr, 1826 (Insecta, Coleoptera): *Ptochus porcellus* Boheman in Schonherr, 1834 confirmed as the type species. Bulletin of Zoological Nomenclature 47: 231–232.

- ICZN (1991a) Opinion 1631. *Ochthebius* Leach, 1815 (Insecta, Coleoptera): *Elophorus marinus* Paykull, 1798 designated as type species. Bulletin of Zoological Nomenclature 48: 80–81. [Mar 1991]
- ICZN (1991b) Opinion 1655. *Curculio viridicollis* Fabricius, 1792 (currently *Phyllobius viridicollis*; Insecta, Coleoptera): specific name conserved, and *Rhyncolus* German, 1817: *Curculio ater* Linnaeus, 1758 designated as the type species. Bulletin of Zoological Nomenclature 48: 268–269.
- ICZN (1992) Opinion 1681. *Vatellus* Aube, (1837) (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 49: 165–166.
- ICZN (1993a) Opinion 1722. *Acrolocha* Thomson, 1858 (Insecta, Coleoptera): conserved, and *Coprophilus* Latreille, 1829: *Staphylinus striatus* Fabricius, 1792 designated as the type species. Bulletin of Zoological Nomenclature 50: 164–165.
- ICZN (1993b) Opinion 1724. *Helophorus* Fabricius, 1775 (Insecta, Coleoptera): conserved as correct original spelling. Bulletin of Zoological Nomenclature 50: 167–168. [30 Jun 1993]
- ICZN (1993c) Opinion 1726. *Mycetoporus* Mannerheim, 1831 (Insecta, Coleoptera): *Tachinus punctus* Gravenhorst, 1806 designated as the type species; *Ischnosoma* Stephens, 1829 conserved; and *Mycetoporus* given precedence over *Ischnosoma*. Bulletin of Zoological Nomenclature 50: 171–173. [30 Jun 1993]
- ICZN (1993d) Opinion 1727. *Schizopus* Le Conte, 1858 (Insecta, Coleoptera): placed on the Official List of Generic Names. Bulletin of Zoological Nomenclature 50: 174–175.
- ICZN (1993e) Opinion 1729. *Platyscelis* Latreille, 1818 (Insecta, Coleoptera): *Tenebrio hypolithus* Pallas, 1781 designated as the type species, so conserving *Oodescelis* Motschulsky, 1845. Bulletin of Zoological Nomenclature 50: 177–178.
- ICZN (1993f) Opinion 1743. Tachinidae Fleming, 1821 (Insecta, Coleoptera): spelling emended to Tachinidae to remove homonymy with Tachinidae Robineau-Desvoidy, 1830 (Insecta, Diptera), and Tachyporidae MacLeay, 1825 (Insecta, Coleoptera): given precedence. Bulletin of Zoological Nomenclature 50: 248–250. [30 Sep 1993]
- ICZN (1994a) Opinion 1754. *Histoire abrégée des insectes qui se trouvent aux environs de Paris* (Geoffroy, 1762): some generic names conserved (Crustacea, Insecta). Bulletin of Zoological Nomenclature 51: 58–70.
- ICZN (1994b) Opinion 1756. Anthribidae Billberg, 1820 (Insecta, Coleoptera): given precedence over Choragidae Kirby, 1819. Bulletin of Zoological Nomenclature 51: 72–73. [Mar 1994]
- ICZN (1994c) Opinion 1770. *Pachyrhynchus* Germar, 1824, *Somatodes* Schonherr, 1840 and the specific name of *Pachyrhynchus moniliferus* Germar, 1824 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 51: 170–171.
- ICZN (1994d) Opinion 1772. Metopiini Raffray, 1904 (Insecta, Coleoptera): spelling emended to Metopiasini, and Metopiini Townsend, 1908 (Insecta, Diptera): spelling emended to Metopiaiini, so removing the homonymy with Metopiinae Foerster, [1869] (Insecta, Hym.). Bulletin of Zoological Nomenclature 51: 174–175. [Jun 1994]
- ICZN (1994e) Opinion 1784. *Buprestis* Linnaeus, 1758 and *Chrysobothris* Eschscholtz, 1829 (Insecta, Coleoptera): conserved by the designation of *Buprestis octoguttata* Linnaeus, 1758

- as the type species of *Buprestis*, and *Chrysobothris* and *Dicerca* Eschscholtz, 1829: conserved as the correct original spellings. Bulletin of Zoological Nomenclature 51: 280–282.
- ICZN (1995a) Opinion 1809. *Bruchus* Linnaeus, 1767, *Ptinus* Linnaeus, 1767 and *Mylabris* Fabricius, 1775 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 52: 208–210. [Jun 1995]
- ICZN (1995b) Opinion 1810. *Cryptophagus* Herbst, 1792, *Dorcatoma* Herbst, 1792, *Rhizophagus* Herbst, 1793 and *Colon* Herbst, 1797 (Insecta, Coleoptera): conserved as the correct original spellings, and *Lyctus bipustulatus* Fabricius, 1792 ruled to be the type species of *Rhizophagus*. Bulletin of Zoological Nomenclature 52 (2): 211–213. [30 Jun 1995 (wrapper)]
- ICZN (1995c) Opinion 1811. Colydiidae Erichson, 1842 (Insecta, Coleoptera): given precedence over Cerylonidae Billberg, 1820 and Orthocerini Blanchard, 1845 (1820); and *Cerylon* Latreille, 1802: *Lyctus histeroides* Fabricius, 1792 designated as the type species. Bulletin of Zoological Nomenclature 52: 214–216. [Jun 1995]
- ICZN (1995d) Opinion 1812. Elmidae Curtis, 1830 (Insecta, Coleoptera): conserved as the correct original spelling, and the gender of *Elmis* Latreille, 1802 ruled to be feminine. Bulletin of Zoological Nomenclature 52: 217–218. [Jun 1995]
- ICZN (1995e) Opinion 1820. A.A.H. Lichtenstein's (1796, 1797) *Catalogus musei zoologici...* *Sectio Tertia. Continens Insecta* and D.H. Schneider's (1800) *Verzeichniss einer Parthei Insekten...*: suppressed, with conservation of some Lichtenstein (1796) names (Insecta and Arachnida). Bulletin of Zoological Nomenclature 52: 283–285.
- ICZN (1996a) Opinion 1825. *Poecilonota* Eschscholtz, 1829, *Palmar* Schaefer, 1949 and *Scintillatrix* Obenberger, 1956 (Insecta, Coleoptera): conserved by the designation of *Buprestis variolosa* Paykull, (1799) as the type species of *Poecilonota* and *B. rutilans* Fabricius, (1777) as the type species of *Scintillatrix*. Bulletin of Zoological Nomenclature 53: 57–59.
- ICZN (1996b) Opinion 1826. *Melanophila* Eschscholtz, 1829 and *Phaenops* Dejean, 1833 (Insecta, Coleoptera): conserved by the designation of *Buprestis acuminata* De Geer, 1774 as the type species of *Melanophila*. Bulletin of Zoological Nomenclature 53: 60–61.
- ICZN (1996c) Opinion 1851. Xantholinini Erichson, 1839 and Quediini Kraatz, [1857] (Insecta, Coleoptera): given precedence over some senior synonyms; *Quedius* Stephens, 1829: *Staphylinus levicollis* Brullé, 1832 designated as the type species. Bulletin of Zoological Nomenclature 53: 215–217. [Sep 1995]
- ICZN (1996d) Opinion 1855. *Agonus* Bloch & Schneider, 1801 (Osteichthyes, Scorpaeiformes): conserved; and Agonidae Kirby, 1837 (Insecta, Coleoptera): spelling emended to Agonumidae, so removing the homonymy with Agonidae Swainson, 1839 (Osteichthyes, Scorpaeiformes). Bulletin of Zoological Nomenclature 53: 223–225.
- ICZN (1997) Opinion 1862. *Aspidiphorus* Ziegler in Dejean, 1821 (Insecta, Coleoptera): conserved as the correct original spelling, and Sphindidae Jacquelin du Val, (1861): given precedence over Aspidiphoridae Kiesenwetter, 1877 (1859). Bulletin of Zoological Nomenclature 54: 62–64.
- ICZN (1998) Opinion 1891. *Crenitis* Bedel, 1881, *Georissus* Latreille, 1809 and *Oosternum* Sharp, 1882 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 55: 58–60. [Mar 1998]

- ICZN (1999a) International Code of Zoological Nomenclature, Fourth Edition, adopted by the International Union of Biological Sciences. International Trust for Zoological Nomenclature, London, xxix + 306 pp. [Also available from URL: <http://www.iczn.org/iczn/index.jsp>]. [Aug 1999; recorded Dec 1999]
- ICZN (1999b) Opinion 1916. Brachypterinae Zwick, 1973 (Insecta, Plecoptera): spelling emended to Brachypterainae, so removing the homonymy with Brachypterinae Erichson, (1845) (Insecta, Coleoptera); Kateretidae Erichson in Agassiz, (1846): given precedence over Brachypterinae Erichson. Bulletin of Zoological Nomenclature 56: 82–86. [Mar 1999]
- ICZN (1999c) Opinion 1918. Meloidae Gyllenhal, 1810 and Nemognathinae Castelnau, 1840 (Insecta, Coleoptera): given precedence over Horiidae Latreille, 1802. Bulletin of Zoological Nomenclature 56: 89–91. [Mar 1999]
- ICZN (2000) Opinion 1957. *Sphaerius* Waltl, 1838 (Insecta, Coleoptera): conserved; and Sphaeriidae Erichson, 1845 (Coleoptera): spelling emended to Sphaeriusidae, so removing the homonymy with Sphaeriidae Deshayes, 1854 (1820) (Mollusca, Bivalvia). Bulletin of Zoological Nomenclature 57: 182–184. [Sep 2000]
- ICZN (2001) Opinion 1968. *Phytobius* Schoenherr, 1833 (Insecta, Coleoptera): placed on the Official List. Bulletin of Zoological Nomenclature 58: 70–71.
- ICZN (2002a) Opinion 1989. *Orsodacne* Latreille, 1802 (Insecta, Coleoptera): *Chrysomela cerasi* Linnaeus, 1758 designated as the type species. Bulletin of Zoological Nomenclature 59: 55.
- ICZN (2002b) Opinion 2008. 30 species-group names originally published as junior primary homonyms in *Buprestis* Linnaeus, 1758 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 59: 211–216.
- ICZN (2002c) Opinion 2009. *Anthaxia* Eschscholtz, 1829 and *Trichocratomerus* Richter, 1949 (Insecta, Coleoptera): generic names conserved by the designation of *Buprestis nitida* Rossi, 1794 (currently *A. fulgurans* (Schrank, 1789)) as the type species of *Anthaxia*. Bulletin of Zoological Nomenclature 59: 217–218.
- ICZN (2003a) Opinion 2034 (Case 3087). *Hydrobia* Hartmann, 1821: conserved...; and Hydrobiina Mulsant, 1844 (Coleoptera): spelling emended to Hydrobiusina, so removing the homonymy with Hydrobiidae Troschel, 1857 (Gastropoda). Bulletin of Zoological Nomenclature 60 (2): 152–154. [30 Jun 2003]
- ICZN (2003b) Opinion 2054 (Case 3201). *Scarabaeus punctatus* Villers, 1789 (currently *Pentodon bidens punctatus*; Insecta, Coleoptera): specific name conserved. Bulletin of Zoological Nomenclature 60: 247–248.
- ICZN (2004a) Opinion 2066 (Case 3202). *Podalgus* Burmeister, 1847 and *Philoscaptus* Brethes, 1919 (Insecta, Coleoptera): current usage of the names conserved by designation of *Podalgus cuniculus* Burmeister, 1847 as the type species of *Podalgus*. Bulletin of Zoological Nomenclature 61: 61–62.
- ICZN (2004b) Opinion 2076 (Case 3193). *Chrysodema* Laporte & Gory, 1835 and *Iridotaenia* Deyrolle, 1864 (Insecta, Coleoptera): usage conserved by the designation of *C. sonneratii* Laporte & Gory, 1835 as the type species of *Chrysodema*. Bulletin of Zoological Nomenclature 61: 128–129.

- ICZN (2004c) Opinion 2079 (Case 2926). *Trichia* Hartmann, 1840 (Mollusca, Gastropoda): proposed conservation; and *Trichiinae* Lozek, 1956 (Gastropoda): proposed emendation of spelling to *Trichiinae*, so removing the homonymy with *Trichiidae* Fleming, 1821 (Insecta, Coleoptera) not approved. Bulletin of Zoological Nomenclature 61: 177–181.
- ICZN (2004d) Opinion 2084 (Case 3209). *Lesteva* Latreille, 1797 and *Anthophagus* Gravenhorst, 1802 (Insecta, Coleoptera): usage conserved by the designation of *L. punctulata* Latreille, 1804 as the type species of *Lesteva*. Bulletin of Zoological Nomenclature 61: 190–191.
- ICZN (2005a) Opinion 2098 (Case 3239). *Geostiba* Thomson, 1858 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 62: 43–44.
- ICZN (2005b) Opinion 2100 (Case 3258). *Acmaeodera* Eschscholtz, 1829 and *Acmaeoderella* Cobos, 1955 (Insecta, Coleoptera): usage conserved by designation of *Buprestis cylindrica* Fabricius, 1775 as the type species of *Acmaeodera*. Bulletin of Zoological Nomenclature 62: 47–48.
- ICZN (2005c) Opinion 2111 (Case 3093). Nemonychidae Bedel, November 1882 (Insecta, Coleoptera): given precedence over Cimberididae Gozis, March 1882; and *Cimberis* Gozis, 1881: usage conserved. Bulletin of Zoological Nomenclature 62 (2): 101–103. [30 Jun 2005]
- ICZN (2005d) Opinion 2113 (Case 3256). *Leptusa* Kraatz, 1856 and *Cyllopisalia* Pace, 1982 (Insecta, Coleoptera): conserved. Bulletin of Zoological Nomenclature 62: 106–107.
- ICZN (2006a) Opinion 2138 (Case 3097). *Bolboceras* Kirby, 1819 (July) (Insecta, Coleoptera): not conserved; priority maintained for *Odonteus* Samouelle, 1819 (June). Bulletin of Zoological Nomenclature 63: 62–64.
- ICZN (2006b) Opinion 2149 (Case 3291). Dromiidae Bonelli, 1810 (Insecta, Coleoptera, Caraboidea): emended to Dromiidae to remove homonymy with Dromiidae De Haan, 1833 (Crustacea, Decapoda, Brachyura, Dromioidea). Bulletin of Zoological Nomenclature 63 (2): 138–139. [30 Jun 2006]
- ICZN (2007) Opinion 2186 (Case 3349). *Gnorimus* Le Peletier de Saint-Fargeau & Serville, 1828, and *Osmoderma* Le Peletier de Saint-Fargeau & Serville, 1828 (Insecta, Coleoptera, Scarabaeidae): conserved. Bulletin of Zoological Nomenclature 64: 265–266.
- ICZN (2008a) Opinion 2199 (Case 3369). *Bothynus* Hope, 1837 (Insecta, Coleoptera, Scarabaeidae): usage conserved by designation of *Scarabaeus ascanius* Kirby, 1819 as the type species. Bulletin of Zoological Nomenclature 65: 156–157.
- ICZN (2008b) Opinion 2211. (Case 3360). The ichnogenus *Coprinisphaera* Sauer, 1955 (Ichnotaxa, Coprinisphaeridae): generic name given precedence over *Fontanai* Roselli, 1939. Bulletin of Zoological Nomenclature 65 (4): 318–319.
- ICZN (2008c) Opinion 2214. (Case 3366). *Cisseis* Gory & Laporte de Castelnau, 1839 and *Curis* Gory & Laporte de Castelnau, 1838 (Insecta, Coleoptera, Buprestidae): generic names not conserved. Bulletin of Zoological Nomenclature 65: 325–326.
- ICZN (2009a) Opinion 2222 (Case 3335). *Trachys* Fabricius, 1801 (Insecta, Coleoptera): masculine gender of the genus fixed. Bulletin of Zoological Nomenclature 66: 100–102.

- ICZN (2009b) Opinion 2229 (Case 3405). *Trigonostomum* Schmidt, 1852 (Platyhelminthes, Trigonostomidae) and *Trigonostomus* Brenske, 1893 (Coleoptera, Scarabaeidae): generic names conserved. Bulletin of Zoological Nomenclature 66: 189–191.
- ICZN (2009c) Opinion 2227 (Case 3375). *Fidia* Baly, 1863 and *Lystesthes* Baly, 1863 (Insecta, Coleoptera): usage not conserved and priority maintained for *Fidia* Motschulsky, 1860. Bulletin of Zoological Nomenclature 66: 198–200. [30 Jun 2009]
- ICZN (2009d) Opinion 2237 (Case 3422). *Helops* Fabricius 1775 (Insecta, Coleoptera, Tenebrionidae): usage conserved by designation of *Tenebrio caeruleus* Linnaeus, 1758 as the type species. Bulletin of Zoological Nomenclature 66: 369–370.
- ICZN (2010a) Opinion 2241 (Case 3377). *Ataenius* Harold, 1867 (Insecta, Coleoptera): precedence given over *Aphodius* Motschulsky, 1862. Bulletin of Zoological Nomenclature 67 (1): 97–98. [Mar 2010 issue]
- ICZN (2010b) Opinion 2242 (Case 3398). *Aulacoscelinae* Chapuis, 1874 (Insecta, Coleoptera, Orsodacnidae or Chrysomelidae): name not conserved. Bulletin of Zoological Nomenclature 67 (1): 99–101. [Mar 2010 issue]
- ICZN (2010c) Opinion 2244 (Case 3443). *Tentyria* Latreille, 1802 (Coleoptera, Tenebrionidae): usage conserved. Bulletin of Zoological Nomenclature 67 (1): 104–105.
- Ienista M-A (1986) A new hierarchical system of Arthropoda, mainly referring to insects. YES (Young Entomologists' Society) Quarterly 3 (2): 13–38. [Spring 1986 issue; 22 May 1986 (recorded at CNC)]
- Illiger JKW (1801) Namen der Insekten-Gattungen, ihr Genitiv, ihr grammatisches Geschlecht, ihr Silbenmass, ihre Herleitung; zugleich mit den Deutschen Benennungen. Magazin für Insektenkunde 1 [1801]: 125–155. [1801 (Heft 1/2, pp. 1–260)]
- Illiger JKW (1802) Aufzählung der Käfergattungen nach der Zahl der Fussglieder. Magazin für Insektenkunde 1 [1801]: 285–305.
- Illiger JKW (1807) Vorschlag zur Aufnahme im Fabricischen Systeme fehlende Käfergattungen. Magazin für Insektenkunde 6: 318–349. [1807 (title page)]
- Imhoff L (1856) Versuch einer Einführung in das Studium der Koleoptern. L. Imhoff [“auf Kosten des Verfassers”], Basel, xxxi + [2] + 118 + [2] + 272 + [25] pp. + 25 pls. [before 25 Dec 1856 (Allgem. Bibliogr. Deutschl.: 452)]
- Ivie MA (1985) Nomenclatorial notes on West Indian Elaphidiini (Coleoptera: Cerambycidae). Pan-Pacific Entomologist 61: 303–314.
- Ivie MA (2002) Family 49. Ptiodactylidae Laporte 1836 [pp. 135–138], 69. Bostrichidae [pp. 233–244]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculioidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Ivie MA, Ślipiński SA (1990) Catalog of the genera of world Colydiidae (Coleoptera). Annales Zoologici (Warszawa) 43 (Suppl. 1): 1–32. [15 Nov 1990 (top of article)]
- Iwan D (1996) Revision of the genera of the newly-established group of Madagascan melanoceratoid Platynotina (Coleoptera: Tenebrionidae: Platynotini). Genus 7 (3): 379–449.
- Jäch MA (1994) Case 2861. Elmidae Curtis, 1830 and Elmis Latreille, 1802 (Insecta, Coleoptera): proposed confirmation as correct spelling and of feminine gender respectively. Bulletin of Zoological Nomenclature 51 (1): 25–27. [30 Mar 1994]

- Jäch MA (2004) Family Hydraenidae [pp. 102–122]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 2. Hydrophiloidea - Histeroidea - Staphylinoidea. Apollo Books, Stenstrup, 942 pp. [publ. 31 Dec 2004 (verso of title page)]
- Jäch MA, Kodada J, Ciampor F (2006) Family Elmidae Curtis, 1830 [pp. 432–440]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 3. Scarabaeoidea - Scirtoidea - Dascilloidea - Buprestoidea - Byrrhoidea. Apollo Books, Stenstrup, 690 pp. [publ. 30 Jun 2006 (verso of title page)]
- Jacobi A (1906) Grundriss der Zoologie für Forstleute. Ergänzungsband zu Lorey's Handbuch der Forstwissenschaft. H. Laupp, Tübingen, xi + 263 pp.
- Jacobson HR, Kistner DH (1991) Cladistic study, taxonomic restructuring, and revision of the myrmecophilous tribe Leptanillophilini with comments on its evolution and host relationships (Coleoptera: Staphylinidae; Hymenoptera: Formicidae). *Sociobiology* 18: 1–150. [14 Feb 1991 (recorded at FMNH)]
- Jacobson HR, Kistner DH, Pasteels JM (1986) Generic revision, phylogenetic classification, and phylogeny of the termitophilous tribe Corotocini (Coleoptera: Staphylinidae). *Sociobiology* 12 (1): 1–245. [8 Oct 1986 (recorded at CNC)]
- Jacoby M (1884a) Descriptions of new genera and species of phytophagous Coleoptera from Sumatra. *Notes from the Leyden Museum* 6 (1): 9–70. [Jan 1884 (vol. contents)]
- Jacoby M (1884b) Descriptions of new genera and species of phytophagous Coleoptera collected by Dr. B. Hagen at Serdang (East Sumatra). *Notes from the Leyden Museum* 6 (4): 201–230. [Oct 1884 (vol. contents)]
- Jacoby M (1899) Some new genera and species of phytophagous Coleoptera from India and Ceylon. *The Entomologist* 32 (430, 431): 67–70, 80–83. [Mar, Apr 1899 (issue title pages)]
- Jacoby M (1903) 14a fascicule. Coleoptera Phytophaga sect. Eupoda fam. Sagridae. In: Wytsman PA (Ed) *Genera Insectorum*. Vol. II. P. Wytsman, Bruxelles, 11 pp. [15 Apr 1903 (date on manuscr., p. 11); 3 Jun 1903 (Evenhuis 1994: 51)]
- Jacoby M (1908) Coleoptera, Chrysomelidae. Vol. I. In: Bingham CT (Ed) *The fauna of British India, including Ceylon and Burma*. Taylor and Francis, London, xx + 534 pp. [Jan 1908 (date of preface)]
- Jacoby M, Clavareau H (1905) 32me fascicule. Coleoptera Phytophaga fam. Megascelidae. In: Wytsman PA (Ed) *Genera Insectorum*. Vol. VI. P. Wytsman, Bruxelles, 6 pp. + 1 pl. [15 May 1905 (date on manuscr., p. 6); 28 Oct 1905 (Evenhuis 1994: 52)]
- Jacoby M, Clavareau H (1906) 49me fascicule. Coleoptera Phytophaga fam. Chrysomelidae subfam. Clytrinae. In: Wytsman PA (Ed) *Genera Insectorum*. Vol. VIII. P. Wytsman, Bruxelles, 87 pp. + 5 pls. [15 Oct 1906 (date on manuscr., p. 87); 10 Nov 1906 (Evenhuis 1994: 53)]
- Jacquelin du Val C (1857a) [livr. 49–57: pp. 41–128] In: *Manuel entomologique. Généra des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux synoptiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères et plus de treize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le*

- plus grand soin par M. Jules Migneaux. Tome deuxième. A. Deyrolle, Paris, 285 + [2] pp. [1857 (Tottenham 1949: 360); before 11 Sep 1858 (Bibliogr. France 1858)]
- Jacquelin du Val C (1857b) Glanures entomologiques. Annales de la Société Entomologique de France (3) 5 (1): 85–106. [24 Jun 1857 (wrapper)]
- Jacquelin du Val C (1858) [livr. 58–67: pp. 129–232]. In: Manuel entomologique. Généra des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux synoptiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères et plus de treize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M. Jules Migneaux. Tome deuxième. A. Deyrolle, Paris, 285 + [2] pp. [1858 (Sherborn notes on BMNH copy wrappers); 1859 (Reinwald 1860: 109)]
- Jacquelin du Val C (1859) [livr. 74–87: pp. 1–136]. In: Manuel entomologique. Généra des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux synoptiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères et plus de treize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M. Jules Migneaux. Tome troisième. A. Deyrolle, Paris, 463 + [1] pp. [1859 (Sherborn notes on BMNH copy wrappers)]
- Jacquelin du Val C (1860) [livr. 88–102: pp. 137–272]. In: Manuel entomologique. Généra des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux synoptiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères et plus de treize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M. Jules Migneaux. Tome troisième. A. Deyrolle, Paris, 463 + [1] pp. [1860 (Sherborn notes on BMNH copy wrappers)]
- Jacquelin du Val C (1861) [livr. 103–110: pp. 273–352]. In: Manuel entomologique. Généra des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux synoptiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères et plus de treize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M. Jules Migneaux. Tome troisième. A. Deyrolle, Paris, 463 + [1] pp. [1861 (Sherborn notes on BMNH copy wrappers)]
- Jacquelin du Val C (1863) [livr. 111–120: pp. 353–464]. In: Manuel entomologique. Généra des coléoptères d'Europe comprenant leur classification en familles naturelles, la description de tous les genres, des tableaux synoptiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères et plus de treize cents types représentant un ou plusieurs insectes de chaque genre dessinés et peints d'après nature avec le plus grand soin par M. Jules Migneaux. Tome troisième. A. Deyrolle, Paris, 463 + [1] pp. [1863 (Sherborn notes on BMNH copy wrappers)]
- Jakobson GG (1904) Kratkiy obsor' klassifikatsiy zhhestkokrylych (Coleoptera) [Aperçu des classifications de l'ordre des Coléoptères]. Russkoe Entomologicheskoe Obozrenie 4 (6 [Dec]): 268–276.

- Jakobson GG (1906) [Fasc. 4: pp. 241–320] In: Zhuki Rossii i Zapadnoi Evropy. A. F. Devrien, St. Petersburg, 1024 pp. + 83 pls. [in Russian]. [10 Sep 1906 (Griffin 1932a)]
- Jakobson GG (1907) [Fasc. 5: pp. 321–400] In: Zhuki Rossii i Zapadnoi Evropy. A. F. Devrien, St. Petersburg, 1024 pp. + 83 pls. [in Russian]. [1 Jun 1907 (Griffin 1932a)]
- Jakobson GG (1908) [Fasc. 6: pp. 401–480] In: Zhuki Rossii i Zapadnoi Evropy. A. F. Devrien, St. Petersburg, 1024 pp. + 83 pls. [in Russian]. [1 Mar 1908 (Griffin 1932a)]
- Jakobson GG (1909) [Fasc. 7: pp. 481–560] In: Zhuki Rossii i Zapadnoi Evropy. A. F. Devrien, St. Petersburg, 1024 pp. + 83 pls. [in Russian]. [4 Mar 1909 (Griffin 1932a)]
- Jakobson GG (1910) [Fasc. 8: pp. 561–640] In: Zhuki Rossii i Zapadnoi Evropy. A. F. Devrien, St. Petersburg, 1024 pp. + 83 pls. [in Russian]. [20 Jan 1910 (Griffin 1932a)]
- Jakobson GG (1911a) [Fasc. 9: pp. 641–720] In: Zhuki Rossii i Zapadnoi Evropy. A. F. Devrien, St. Petersburg, 1024 pp. + 83 pls. [in Russian]. [3 Jun 1911 (Griffin 1932a)]
- Jakobson GG (1911b) Kritiko-bibliograficheskiy otdyel'. Revue critico-bibliographique. Russkoe Entomologicheskoe Obozrenie 11 (1): 139–146. [1912 (vol. title page); publ. 29 May 1911 (Julian 16 May, vol. p. xix)]
- Jakobson GG (1913) [Fasc. 10: pp. 721–864] In: Zhuki Rossii i Zapadnoi Evropy. A. F. Devrien, St. Petersburg, 1024 pp. + 83 pls. [in Russian]. [8 Apr 1913 (Griffin 1932a)]
- Jakobson GG (1915) [Fasc. 11: pp. 865–1024] In: Zhuki Rossii i Zapadnoi Evropy. A. F. Devrien, St. Petersburg, 1024 pp. + 83 pls. [in Russian]. [5 Jul 1915 (Griffin 1932a)]
- Jakobson GG (1924) Annotationes synonymicae et systematicae de Coleopteris. Russkoe Entomologicheskoe Obozrenie 18 [1922–24] (4): 237–244.
- Janssens A (1946) Contribution à l'étude des coléoptères lamellicornes coprophages, XI. - Table synoptique et essai de classification pratique des Scarabaeidae Laparosticti. Bulletin du Musée Royal d'Histoire Naturelle de Belgique 22 (12): 1–13. [Jun 1946 (top of article)]
- Janssens E (1950) Classification et zoogeographie (complément du Coleopterorum Catalogus pars 5, Paussidae). Bulletin / Institut Royal des Sciences Naturelles de Belgique 26 (51): 1–19. [Nov 1950 (top of article)]
- Jeanne C (1971) Carabiques de la Peninsule Iberique. (10e note.) Bulletin de la Société Linéenne de Bordeaux 1 (2): 5–18. [Feb 1971 (fasc. title page); 15 Mar 1971 (recorded at BMNH)]
- Jeanne C (1972) Carabiques de la peninsule Iberique (14e note). Bulletin de la Société Linéenne de Bordeaux 2 (5): 99–116. [May 1972 (fasc. title page); 13 Jun 1972 (recorded at BMNH)]
- Jeanne C (1973) Sur la classification des bembidiides endogés de la région euro-méditerranéenne (Col. Carabidae, Bembidiinae, Anillini). Nouvelle Revue d'Entomologie 3 (2): 83–102.
- Jeannel R (1910) Biospeologica XIV. Essai d'une nouvelle classification des Silphides cavernicoles. Archives de Zoologie Expérimentale et Générale (5) 5: 1–48. [20 Mar 1910 (vol. contents)]
- Jeannel R (1911) Biospeologica XIX. Révision des Bathysciinae (Coléoptères Silphides). Morphologie, distribution géographique, systématique. Archives de Zoologie Expérimentale et Générale (5) 7 [47] (1): 1–641, pls. 1–24. [2 May 1911 (vol. contents)]

- Jeannel R (1921) Silphidae. Voyage de Ch Alluaud et R Jeannel en Afrique orientale (1911–1912) Résultats scientifiques Coléoptères XVI. L. Lhomme, Paris, 229–242. [1 Nov 1921 (title page)]
- Jeannel R (1922) Les Trechinae de France. Annales de la Société Entomologique de France 90 [1921] (2): 161–192, (3/4): 295–345. [(2) 22 Mar 1922, (3/4) 26 Jul 1922 (p. 356)]
- Jeannel R (1926) Monographie des Trechinae. Morphologie comparée et distribution géographique d'un groupe de coléoptères. (Première livraison). L'Abeille, Journal d'Entomologie 32 (3): 221–550. [1 Jun 1926 (wrapper)]
- Jeannel R (1936) Monographie des Catopidae (Insectes coléoptères). Mémoires du Muséum National d'Histoire Naturelle (Nouvelle Série) 1 (1): 1–433. [Jan 1936 (title page)]
- Jeannel R (1937) Les Bembidiides endogés (Col. Carabidae). Monographie d'une lignée gondwanienne. Revue Française d'Entomologie 3 [1936] (4): 241–396. [1 Feb 1937 (p. 399)]
- Jeannel R (1938) Les migadopides (Coleoptera Adephaga), une lignée subantarctique. Revue Française d'Entomologie 5 (1): 1–55. [15 Apr 1938 (p. 214)]
- Jeannel R (1940) Croisière du Bougainville aux îles australes françaises. III. Coléoptères. Mémoires du Muséum National d'Histoire Naturelle (Nouvelle Série) 14: 63–201. ["Oct 1940"]
- Jeannel R (1941) Coléoptères carabiques. Première partie. Faune de France 39: 1–571.
- Jeannel R (1942) Coléoptères carabiques. Deuxième partie. Faune de France 40 (2): 573–1173. [15 Feb 1942 (p. 1173)]
- Jeannel R (1946) Coléoptères carabiques de la région malgache (première partie). Faune de l'Empire Français VI. Office de la Recherche scientifique coloniale, Paris, 372 pp. [dépot légal 1er trim. 1946 (p. 372)]
- Jeannel R (1948a) Révision des *Amaurops* et genres voisins (Pselaphidae). Revue Française d'Entomologie 15 (1): 1–19. [28 Feb 1948 (p. 251)]
- Jeannel R (1948b) Coléoptères carabiques de la région malgache (deuxième partie). Faune de l'Empire Français X. Office de la Recherche scientifique coloniale, Paris, pp. 373–765. [printed Jun 1948, dépôt légal 2e trim. 1948 (endleaf)]
- Jeannel R (1949a) Les psélaphides de l'Afrique Orientale (Coleoptera). Mémoires du Muséum National d'Histoire Naturelle (Nouvelle Série) 29 (1): 1–226. [Jun 1949 (endleaf)]
- Jeannel R (1949b) Notes biospéologiques. Les coléoptères cavernicoles de la région des Appalaches. III. Étude systématique. Publications du Muséum National d'Histoire Naturelle No. 12 (4): 37–104.
- Jeannel R (1949c) Coléoptères carabiques de la région malgache (troisième partie). Faune de l'Empire Français XI. Office de la Recherche scientifique coloniale, Paris, pp. 767–1146. [1949 (p. 1146)]
- Jeannel R (1950a) Coléoptères psélaphides. Faune de France. Vol. 53. Librairie de la Faculté des Sciences, Paris, iii + 421 pp. [dépot légal 2e trim. 1950 (p. 421)]
- Jeannel R (1950b) Sur la nomenclature des groupements supergénériques. Bulletin of Zoological Nomenclature 3 (7/9): 164–165. [publ. 21 Apr 1950 (p. 237); 19 Apr 1950 (re-recorded at BMNH)]

- Jeannel R (1951) Psélaphides de l'Angola (coléoptères) recueillis par M. A. de Barros Machado. Publicações Culturais da Companhia de Diamantes de Angola No. 9: 125 pp. [8 May 1951 (title page)]
- Jeannel R (1952a) Psélaphides recueillis par N. Leleup au Congo Belge. IV. - Faune de l'Itombwe et de la forêt du Rugege. Annales du Musée Royal du Congo Belge (Série in 8°: Sciences Zoologiques) 11: 1–295. [1952 (title page; Zool. Record)]
- Jeannel R (1952b) Psélaphides de Saigon. Revue Française d'Entomologie 19 (2): 69–113. [10 Jun 1952 (p. 132)]
- Jeannel R (1954a) Les psélaphides de Madagascar. Mémoires de l'Institut Scientifique de Madagascar (Série E. Entomologie) 4 [1953]: 139–344. [1er trim. 1954]
- Jeannel R (1954b) Description d'un psélaphide Australien type d'une tribu nouvelle. Revue Française d'Entomologie 21 (2): 99–102. [22 Jun 1954 (p. 148)]
- Jeannel R (1954c) Psélaphides recueillis par N. Leleup au Congo Belge sous les auspices de l'Institut pour la Recherche Scientifique en Afrique Centrale (I.R.S.A.C.). VI-XI. Annales du Musée Royal du Congo Belge (Série in 8°: Sciences Zoologiques) 33: [2] + 7–175. [printed Oct 1954 (endleaf)]
- Jeannel R (1957) Révision des petits scaritides endogés voisins de *Reicheia* Saulcy. Revue Française d'Entomologie 24 (2): 129–212. [printed 1 Jul 1957 (p. 212)]
- Jeannel R (1958a) Révision des psélaphides du Japon. Mémoires du Muséum National d'Histoire Naturelle (Série A: Zoologie) 18 (1): 1–138. [printed 20 Oct 1958 (p. 138)]
- Jeannel R (1958b) Sur quelques Trechitae de l'Amérique du Sud (Coleoptera). Entomologische Arbeiten aus dem Museum G. Frey 9 (3): 721–737.
- Jeannel R (1959) Révision des psélaphides de l'Afrique intertropicale. Annales du Musée Royal du Congo Belge (Série in 8°: Sciences Zoologiques) 75: 1–742. [printed Sep 1959 (endleaf)]
- Jeannel R (1960) Mission zoologique de l'I.R.S.A.C. en Afrique orientale. (P. Basilewsky et N. Leleup, 1957). V. Coleoptera Carabidae Trechinae. Annales du Musée Royal du Congo Belge (Série in 8°: Sciences Zoologiques) 81: 40–76. [printed Mar 1960 (endleaf)]
- Jeannel R (1962a) Les psélaphides de la paléantarctide occidentale [pp. 295–479]. In: Delamare-Debouteville C, Rapoport E (Eds). Biologie de l'Amérique Australe. Vol. I. Études sur la faune du sol. Centre National de la Recherche Scientifique, Paris, 657 pp. [printed Sep 1962 (endleaf)]
- Jeannel R (1962b) Les Silphidae, Liodidae, Camiaridae et Catopidae de la paléantarctide occidentale [pp. 481–525]. In: Delamare-Debouteville C, Rapoport E (Eds). Biologie de l'Amérique Australe. Vol. I. Études sur la faune du sol. Centre National de la Recherche Scientifique, Paris, 657 pp. [Sep 1962]
- Jeannel R (1964) Révision des psélaphides de l'Afrique australe [pp. 23–217]. In: The humicolous fauna of south Africa: Pselaphidae and Catopidae (Coleoptera) (N. Leleup expedition 1960–1961). Transvaal Museum Memoir No. 15: 261 pp. [May 1964 (title page); printed Sep 1964 (footer p. 261)]
- Jeannel R (1967) Biogéographie de l'Amérique australe [pp. 401–460]. In: Delamare-Debouteville C, Rapoport E (Eds) Biologie de l'Amérique Australe. Volume III. Études sur la

- faune du sol; documents biogéographiques Centre National de la Recherche Scientifique, Paris, 724 + [1] pp. [printed Apr 1967 (endleaf)]
- Jeannel R, Jarrige J (1949) Biospeologica, LXVIII. Coléoptères staphylinides (première série). Archives de Zoologie Expérimentale et Générale 86 (5): 255–392. [22 Nov 1949 (wrapper)]
- Jeannel R, Paulian R (1945) Coléoptères. In: Mission scientifique de l'Omo. Tome VI - fascicule 57. Faune des terriers des Rats-Taupes. IV. Coléoptères. Mémoires du Muséum National d'Histoire Naturelle (Nouvelle Série) 19: 51–147. [Jun 1945; dépôt légal 4e trim. 1945 (endleaf)]
- Jedlička A (1941) Versuch einer Monographie der pal. Carabiden-Gattungen mit abgestutzten Flügeldecken (Truncatipennen) mit Berücksichtigung der indischen Fauna. Jedlička, A. [Selbstverlag], Prague, 27 pp. + 2 pls. [2 May 1941 (reprint p. 1)]
- Jedlička A (1963) Monographie der Truncatipennen aus Ostasien. Lebiinae - Odacanthinae - Brachyninae (Coleoptera, Carabidae). Entomologische Abhandlungen und Berichte aus dem Staatlichen Museum für Tierkunde in Dresden 28 [1962–64] (3): 269–579, incl. 6 pls. [11 Dec 1963 (verso of title page)]
- Jekel H (1853) Spécimen Fabricia Entomologica. Recueil d'observations nouvelles sur les insectes; monographies, révisions de groupes et de genres, classifications, synonymies et rectifications, descriptions de genres nouveaux et d'espèces nouvelles, &c^a. Partie 1., Paris, [Préambule] + 8 pp. [I.II] + 8 pp. [I.IV]. [I.II: Feb 1853; Préambule + I.IV: Apr 1853]
- Jekel H (1855) Coleoptera. Fam. Curculionides. Part I. In: Saunders WW (Ed). Insecta Saundersiana; or characters of undescribed insects in the collection of William Wilson Saunders, Esq. Vol. 2 (1). John van Voorst, London, 152 + [1] pp. + 2 pls. [30 Jan 1855 (date of Preface); 5 Mar 1855 (Proc. Ent. Soc. London 1855: 80)]
- Jekel H (1856) Fabricia Entomologica. Recueil d'observations nouvelles sur les insectes; monographies, révisions de groupes et de genres, classifications, synonymies et rectifications, descriptions de genres nouveaux et d'espèces nouvelles, &c. Première partie. H. Jekel, Paris, 12 pp. + table 9 bis [I]. [part I: Feb 1856]
- Jekel H (1860) Coleoptera. Fam. Curculionides. Part. II. In: Saunders WW (Ed). Insecta Saundersiana; or characters of undescribed insects in the collection of William Wilson Saunders, Esq. Vol. 2 (2). John van Voorst, London, 155–244 + 1 table + 1 pl. [Mar 1860 (date of Preface); 7 May 1860 (Proc. Ent. Soc. London 1860: 115)]
- Jekel H (1861) Tentamenta Entomologica. Journal of Entomology 1 (4): 263–274. [Dec 1861 issue (p. 207)]
- Jekel H (1865) Recherches sur la classification naturelle des curculionides. 1ère partie. Annales de la Société Entomologique de France (4) [1864] 4 (3): 537–566. [25 Jan 1865 (wrapper)]
- Jekel H (1875) Coleoptera Jekeliana adjecta Eleutheratorum Bibliotheca. Énumération systématique & synonymique des coléoptères européens & exotiques composant la collection de Henri Jekel. Observations critiques. Descriptions d'espèces nouvelles. Reproduction et traduction de genres et espèces publiés dans des ouvrages rares Français et étrangers de manière à former insensiblement la bibliothèque du coléoptériste. Livraison II [pp. 101–196]. H. Jekel & E. Deyrolle, Paris, 196 pp. [each description or page bears a date: Apr 1875 (p.

- 101), Jul 1875 (p. 196); however, it appears to have been issued as a single block. Livraison 1: 1873 (wrapper); Livr. 2: 22 Sep 1875 (Ann. Soc. Ent. France (5) 5: Bull. Ent.: clxxvii)]
- Johansen JP (1914) Danmarks rovbiller eller billefam. Staphylinidae's. Danske slægter og arter. Bianco Lunos, Copenhagen, [3] + 660 pp. [May 1914 (date of preface)]
- John H (1954) Familiendiagnose der Notiophygidae (= Discolomidae Col.), ihr Verwandtschaftsverhältnis zu den Colydiidae und Bermerkungen zu einigen systematisch noch nicht eingeordneten Gattungen. Entomologische Blätter für Biologie und Systematik der Käfer 50 (1): 9–75. [1 Nov 1954 (wrapper)]
- Johnson PJ (2002a) Lectotype designations for Elateridae (Coleoptera) described by George C. Champion in the Biologia Centrali Americana. Dugesiana 9 (1): 15–46. [mailed 31 Jul 2002 (issue title page)]
- Johnson PJ (2002b) 57. Throscidae Laporte 1840 [pp. 158–159]; 58. Elateridae Leach 1815 [pp. 160–173]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American Beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, Florida, xiv + 861 pp.
- Jolivet P, Verma KK (2009) Case 3498: *Eupales* Lefèvre 1885 and Eupalini Verma, Gomez-Zurita, Jolivet & Vig, 2005 (Insecta, Coleoptera, Eumolpinae): proposed conservation. In: New applications to the Commission. Bulletin of Zoological Nomenclature 66 (3): 204.
- Joy NH (1932) A practical handbook of British beetles. Vol. I (text), Vol. II (plates). H. F. & G. Witherby, London, xxvii + 622 pp., 194 pp. [Jan 1932]
- Kamiya H (1960) A new tribe of Coccinellidae (Coleoptera). Kontyû 28 (1): 22–26, pl. 3.
- Kapur AP (1948) The genus *Tetrabrachys* (*Lithophilus*) with notes on its biology and a key to the species (Coleoptera, Coccinellidae). The Transactions of the Royal Entomological Society of London 99 (9): 319–339. [30 Sep 1948 (wrapper)]
- Kasap H, Crowson RA (1975) A comparative anatomical study of Elateriformia and Dasilloidea (Coleoptera). Transactions of the Royal Entomological Society of London 126: 441–495. [16 May 1975 (recorded at CNC)]
- Kaszab Z (1941) Eine neue Unterfamilie und eine neue Tribus aus der Familie der Tenebrionidae. Entomologische Blätter 37 (1): 29–38. [28 Feb 1941 (Inhalt)]
- Kaszab Z (1956) Coleoptera IV. Felemás lágfejű bogarak III. Heteromera III. Fauna Hungariae 9 (3): 1–108 + 1–6 [index]. [manuscript received 5 Jul 1956 (verso of title page)]
- Kaszab Z (1959) Phylogenetische Beziehungen des Flügelgeäders der Meloiden (Coleoptera), nebst Beschreibung neuer Gattungen und Arten. Acta Zoologica Academiae Scientiarum Hungaricae 5: 67–114.
- Kaszab Z (1960) Die Arten und die systematische Stellung der Meloiden-Gattung *Calydus* Reitter (Coleoptera). Acta Zoologica Academiae Scientiarum Hungaricae 6: 125–134.
- Kaszab Z (1963) Merkmale der Adaptation, Spezialisierung, Konvergenz, Korrelation und Progression bei den Meloiden (Coleoptera). Acta Zoologica (Budapest) 9: 135–175.
- Kaszab Z (1964) The zoological results of Gy. Topál's collectings in South Argentina. 13. Coleoptera - Tenebrionidae. Annales Historico-Naturales Musei Nationalis Hungarici (Pars Zoologica) 56: 353–387. [1964 (title page, Zool. Record)]

- Kaszab Z (1966) *Meloetyphlus fuscatus horni* ssp. n. sowie die systematische Stellung der Gattung *Meloetyphlus* Waterhouse (Coleoptera: Meloidae). Beiträge zur Entomologie 16 (1/2): 183–191. [15 Jul 1966 (recorded at CNC)]
- Kaszab Z (1969) The system of the Meloidae (Coleoptera). Memorie della Società Entomologica Italiana 48: 241–248. [30 Dec 1969 (Newton)]
- Kaszab Z (1982) Die Tenebrioniden Neukaledoniens und der Loyaute-Inseln (Coleoptera). Folia Entomologica Hungarica 43 (2): 1–294. [1 Dec 1982 (verso of issue title page)]
- Kato M (1998) Unique leafmining habit in the bark beetle clade: a new tribe, genus, and species of Platypodidae (Coleoptera) found in the Bonin Islands. Annals of the Entomological Society of America 91 (1): 71–80. [Jan 1998 issue (CNC recorded 20 Feb)]
- Kaup J (1868a) Prodromus zu einer Monographie der Passaliden. Coleopterologische Hefte 3: 4–32. [2 Nov 1868 (Proc. Ent. Soc. London 1868: xxxvii)]
- Kaup J (1868b) Prodromus zu einer Monographie der Passaliden. Coleopterologische Hefte 4: 1–31. [1868 (title page); 1 Mar 1869 (Proc. Ent. Soc. London 1869: v)]
- Kaup J (1869) Prodromus zu einer Monographie der Passaliden. Coleopterologische Hefte 5: 1–40. [1869 (title page); 1 Nov 1869 (Proc. Ent. Soc. London 1869: xix)]
- Kaup J (1871) Monographie der Passaliden. Berliner Entomologische Zeitschrift 15 (4 [sep. pagination]): 1–125. [Jan 1871 (wrapper)]
- Kavanaugh DH (1996) Phylogenetic relationships of genus *Pelophila* Dejean to other basal grade Carabidae (Coleoptera). Annales Zoologici Fennici 33 (1): 31–37. [14 Jun 1996 (top of article)]
- Kavanaugh DH, Nègre J (1983) Notiokasiini - a new tribe of Carabidae (Coleoptera) from southeastern South America. The Coleopterists Bulletin 36 [1982] (4): 549–566. [mailed 26 Apr 1983 (wrapper)]
- Kawanabe M, Miyatake M (1996) A redescription of *Xylographella punctata* (Coleoptera, Cicidae), with description of a new tribe. Elytra 24 (1): 125–130. [15 May 1996 (p. ii)]
- Kazantsev SV (2003) A generic review of Duliticolinae, new subfamily (Coleoptera: Lycidae). Elytron 16 [2002]: 5–21. [publ. Jul 2003 (verso of title page); 28 Nov 2003 (recorded at BMNH)]
- Kazantsev SV (2004a) Phylogeny of the tribe Erotini (Coleoptera, Lycidae), with descriptions of new taxa. Zootaxa 496: 1–48. [27 Apr 2004 (footer p. 1)]
- Kazantsev SV (2004b) Morphology of Lycidae with some considerations on evolution of the Coleoptera. Elytron 17/18 [2003–2004]: 73–248. [Oct 2004 (verso of title page); 23 Mar 2005 (recorded at FMNH)]
- Kazantsev SV (2007) New firefly taxa from Hispaniola and Puerto Rico (Coleoptera: Lampyridae), with notes on biogeography. Novye taksony svetlyachkov s Ispanioly i Puerto-Riko (Lampyriade: Coleoptera), s zamechaniyami po biogeographii. Russian Entomological Journal 15 [2006] (4): 367–392. [printed Jan 2007 (verso of title page)]
- Kazantsev SV (2010a) New taxa of Omalisidae, Drilidae and Omethidae, with a note on systematic position of Thilamaninae (Coleoptera). Novye taksony Omalisidae, Drilidae i Omethidae, s zamechaniem po sistematiceskому polozeniyu Thilmaninae (Coleoptera). Russian Entomological Journal 19 (1): 51–60. [printed Jun 2010 (inside wrapper)]

- Kazantsev SV (2010b) New taxa of Lycidae from Samoa, Fiji and Tonga (Coleoptera: Lycidae). Novye taksony Lycidae iz Samoa, Fidzhi i Tonga (Coleoptera: Lycidae). Russian Entomological Journal 18 (3): 195–199. [publ. 5 Apr 2010 (vol. 19 (1): 76)]
- Kazantsev SV (2010c) On the status and systematic position of the genera *Falsolucidota* Pic, 1921 and *Macrolycinella* Pic, 1922, with notes on *Lopheros* LeConte, 1881 (Coleoptera: Lycidae). O statuse i sistematiceskem polozhenii rodov *Falsolucidota* Pic, 1921 i *Macrolycinella* Pic, 1922, s zamechaniyami po *Lopheros* LeConte, 1881 (Coleoptera: Lycidae). Russian Entomological Journal 18 [2009] (4): 277–283. [26 Apr 2010]
- Kazantsev SV (2010d) Fireflies of Russia and adjacent territories (Coleoptera: Lampyridae). Russian Entomological Journal 19 (3): 187–208.
- Kemner NA (1925) Javanische Termitophilen. I. *Schizelython javanicum* n. g., n. sp., eine neue physogastre Staphylinide von einem neuen, nicht zu den Aleochariden gehörigen Typus, nebst biologischen Bemerkungen über *Jacobsonella termitobia* Silv. Entomologisk Tidskrift 46 (2): 107–126, pl. 3. [10 Jul 1925 (back wrapper)]
- Kerremans C (1892) Note sur les chrysodémides Africaines attribuées au genre *Iridotaenia*. Annales de la Société Entomologique de Belgique 36 (2): 49–55. [9 Mar 1892 (Ann. Soc. Ent. France 61: Bull. Ent.: lxxviii)]
- Kerremans C (1893) Essai de groupement des Buprestides. Annales de la Société Entomologique de Belgique 37 (3): 94–122. [séance 4 Mar 1893; 10 May 1893 (Ann. Soc. Ent. France 62: Bull. Ent.: ccv)]
- Kerremans C (1903) 12 fascicule. Coleoptera Serricornia. Fam. Buprestidae [pp. 1–48]. In: Wytsman P (Ed) Genera Insectorum Vol. II. P. Wytsman, Bruxelles, 338 pp. + 4 pls. [12a: 1902 (title page); 28 Feb 1903 (Evenhuis 1994: 51)]
- Kerzhner IM (1984) Daty publikatsii izdaniya «Trudy Russkogo Entomologicheskogo Obshestva» i «Horae Societatis Entomologicae Rossicae», 1861–1932. Entomologicheskoe Obozrenie 18 (4): 849–857.
- Kessel F (1921) Über die Stellung der Passandridae im System. Archiv für Naturgeschichte (Abteilung A) 87 (6): 33–35. [publ. May 1921 (wrapper)]
- Kiesenwetter EAH, von (1852) Beiträge zu einer Monographie der Malthinen. Linnaea Entomologica 7: 239–324, pls. 1–2. [29 Oct 1852 (advert. Ent. Zeitung 12: 362)]
- Kiesenwetter EAH, von (1858) Naturgeschichte der Insecten Deutschlands. Erste Abtheilung. Coleoptera. Vierter Band. Zweite Lieferung. Bogen 12–24 [pp. 193–384]. Nicolaische Verlagsbuchhandlung, Berlin, vi + 745 + [1] pp. [1858 (title page)]
- Kiesenwetter EAH, von (1860) Naturgeschichte der Insecten Deutschlands. Erste Abtheilung. Coleoptera. Vierter Band. Dritte Lieferung. Bogen 25–36 [pp. 385–568]. Nicolaische Verlagsbuchhandlung, Berlin, vi + 745 + [1] pp. [1860 (title page)]
- Kiesenwetter EAH, von (1863) Naturgeschichte der Insecten Deutschlands. Erste Abtheilung. Coleoptera. Vierter Band. Dritte Lieferung. Bogen 37–48 [pp. 569–745, Melyridae, etc.]. Nicolaische Verlagsbuchhandlung, Berlin, vi + 745 + [1] pp. [1863 (wrapper); summer 1863 (date of Vorrede); 19 Nov 1863 (Allgem. Bibliogr. Deutschl.)]
- Kiesenwetter EAH, von (1864) Beitrag zur Käferfauna Griechenlands. (Neuntes Stück.) Curculionidae. Berliner Entomologische Zeitschrift 8 (3/4): 239–294 + pls. 3–4. [end Dec 1864 (p. iii); 1865 (Derksen and Scheiding-Göllner 1965: 474)]

- Kiesenwetter EAH, von (1877) Naturgeschichte der Insecten Deutschlands. Erste Abteilung. Coleoptera. Fünfter Band. [Erste Hälfte]. Erste Lieferung. Bogen 1 bis 13 [pp. 1–200, Anobiidae, Cioidae, Orophyidae, Aspidiphoridae]. Nicolaische Verlagsbuchhandlung, Berlin, 832 pp. [1877 (wrapper); Jul-Dec 1877 (Griffin 1939: 218); 29 Sep 1877 (Literar. Centrbl. 1877: 1360)]
- Kikuta T (1986) On the higher taxa of the stag beetle family Lucanidae. In: Papers on entomology presented to prof. Takeshiko Nakane in commemoration of his retirement. Special Bulletin of the Japanese Society of Coleopterology No. 2: 131–138. [10 Oct 1986 (title page)]
- Kippenberg H (2010a) New acts and comments. Chrysomelidae: Chrysomelinae [pp. 67–73]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Kippenberg H (2010b) Subfamily Chrysomelinae Latreille, 1802 [pp. 391–443]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Kirby W (1813) Strepsiptera, a new order of insects proposed; and the characters of the order, with those of its genera, laid down. The Transactions of the Linnean Society of London 11 [1815] (1): 86–123, pls. 8–9. [20 May 1813 (Raphael 1970: 64)]
- Kirby W (1819) A century of insects, including several new genera described from his cabinet. The Transactions of the Linnean Society of London 12 [1817] (2): 375–482, pls. 21–23. [2 Jul 1819 (Raphael 1970: 64)]
- Kirby W (1823) A description of some insects which appear to exemplify Mr. W. S. MacLeay's doctrine of affinity and analogy. The Transactions of the Linnean Society of London 14 (1): 93–110, pl. 3. [28 May–12 Jun 1823 (Raphael 1970: 75)]
- Kirby W (1825) A description of such genera and species of insects, alluded to in the «Introduction to Entomology» of Messrs. Kirby and Spence, as appear not to have been before sufficiently noticed or described. The Transactions of the Linnean Society of London 14 (3): 563–572. [31 May 1825 (Raphael 1970: 75)]
- Kirby W (1826) [systematic treatments] In: Kirby W, Spence W: An introduction to entomology: or elements of the natural history of insects: with plates. Vol. IV. Longman, Rees, Orme, Brown and Green, London, iv + 634 pp. + pls. 21–30. [Jan 1826 (Sherborn 1922: lxxiii)]
- Kirby W (1827) A description of some new genera and species of petalocerous Coleoptera. Zoological Journal 3: 145–158. [Apr-Jul 1827 (top of article)]
- Kirby W (1828) A description of some coleopterous insects in the collection of the Rev. F. W. Hope, F. L. S. Zoological Journal 3 [1827–28]: 520–525. [Jan-Apr 1828 issue]
- Kirby W (1837) Part the fourth and last. The insects. In: Richardson J (Ed) Fauna boreali-Americana; or the zoology of the northern parts of British America: containing descriptions of the objects of natural history collected on the late northern land expeditions, under command of Captain Sir John Franklin, RN. J. Fletcher, Norwich, xxxix + 325 + [2] pp., 8 pls. [pls. publ. 1 Jan 1830]. [23 Oct 1837 (Evenhuis 1997b: 646), 6 Nov 1837 (Jour. Proc. Ent. Soc. London 1837: lxvi)]

- Kirejtshuk AG (1982) Sistemicheskoe polozhenie roda *Calonecrus* J. Thomson i zamechaniya po filogenii semeistva zhukov-blestyanok (Coleoptera, Nitidulidae). [Systematic position of the genus *Calonecrus* J. Thomson and notes on the phylogeny of the family Nitidulidae (Coleoptera)]. Entomologicheskoe Obozrenie 61 (1): 117–130 [in Russian; English translation in Entomological Review 61 (1): 109–122]. [after 4 Mar 1982 (approved to print, endleaf); recorded at CNC 28 Jun]
- Kirejtshuk AG (1986) Analiz stroeniya genitaliy dlya rekonstruktsii filogenii i obosnovaniya sistemy sem. Nitidulidae (Coleoptera). [An analysis of the genitalia morphology and its use in reconstructing the phylogeny and basis of the system of Nitidulidae (Coleoptera)]. Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 68: 22–28 [in Russian]. [after 17 Apr 1986 (approved to print); 22 Sep 1980 (recorded at CNC)]
- Kirejtshuk AG (1987) Obzor zhukov-blestyanok podsem. Cryptarchinae (Coleoptera, Nitidulidae) Indo-Malayskoy Oblasti. [Review of the nitidulid beetles of the subfam. Cryptarchinae (Coleoptera, Nitidulidae) from the Indo-Malayan region.]. Trudy Zoologicheskogo Instituta 170: 62–95 [in Russian].
- Kirejtshuk AG (1991) Novye rody i vidy zhukov-blestyanok (Coleoptera, Nitidulidae) iz Avstraliyskoy Oblasti. III. [New genera and species of the nitidulid beetles (Coleoptera, Nitidulidae) from Australian region. III.]. Entomologicheskoe Obozrenie 69: 857–878 [in Russian; English translation in Entomological Review 70 (7): 52–73 (Apr 1992)]. [after 16 Jan 1991 (approved to print, last p. of issue)]
- Kirejtshuk AG (1994) Parandrexidae fam. n. - Yurskie zhuki iz infraotryada Cucujiformia (Coleoptera, Polyphaga). [Parandrexidae fam. n. - Jurassic beetles from the Infrarordo Cucujiformia (Coleoptera, Polyphaga)]. Paleontologicheskii Zhurnal 1994 (1): 57–64, pls. 7–8 [in Russian]. [1994; 22 Dec 1994 (recorded at BMNH)]
- Kirejtshuk AG (1998a) Nitidulidae (Coleoptera) of the Himalayas and northern Indochina. Part 1: subfamily Epuraeinae. [Theses Zoologicae vol 28]. Koeltz Scientific Books, Koenigstein, 489 pp. publ. Nov 1998 (verso of title page)
- Kirejtshuk AG (1998b) Polozhenie podsem. Maynipeplinae subfam. n. (Coleoptera, Nitidulidae) iz ekvatorialnoi Afriki v sisteme, a takzhe zamechaniya po evolyutsii i strukturnym morifikatsiyam y blestyanok. [The position of the subfamily Maynipeplinae subfam. n. (Coleoptera, Nitidulidae) in the classification and notes on the evolution and structural modifications among sap-beetles]. Entomologicheskoe Obozrenie 77 (3): 540–554 [in Russian; English translation in Entomological Review 78: 793–807]. [after 15 Sep 1998 (approved to print); 1998 (Zool. Record)]
- Kirejtshuk AG (2008) A current classification of sap beetles (Coleoptera, Nitidulidae). Zoosystematica Rossica 17 (1): 107–122. [23 Nov 2008 (Zool. Record)]
- Kirejtshuk AG, Audisio P (1986) [new taxon] In: Kirejtshuk AG: On polyphyly of the Carpophilinae with description of a new subfamily, Cillaeinae (Coleoptera: Nitidulidae). The Coleopterists Bulletin 40 (3): 217–221. [mailed 8 Oct 1986 (inside wrapper)]
- Kirejtshuk AG, Azar D (2008) New taxa of beetles (Insecta, Coleoptera) from Lebanese amber with evolutionary and systematic comments. Alavesia 2: 15–46.

- Kirejtshuk AG, Azar D (2009) [new taxa] In: Kirejtshuk AG, Azar D, Tafforeau P, Boistel R, Fernandez V: New beetles of Polyphaga (Coleoptera, Polyphaga) from Lower Cretaceous Lebanese amber. *Denisia* 26: 119–130.
- Kirejtshuk AG, Azar D, Beaver RA, Mandelshtam MY, Nel A (2009) The most ancient bark beetle known: a new tribe, genus and species from Lebanese amber (Coleoptera, Curculionidae, Scolytinae). *Systematic Entomology* 34 (1): 101–112. [7 Jan 2009 (vol. contents)]
- Kirejtshuk AG, Chang H, Ren D, Kun SC (2010) Family Lasiosynidae n. fam., new palaeoenvironmental Mesozoic family from the infraorder Elateriformia (Colopetera: Polyphaga). *Annales de la Société Entomologique de France (Nouvelle Série)* 46 (1/2): 67–87. [issued 30 Jun 2010 (back wrapper)]
- Kirejtshuk AG, Lawrence JF (1992) Cychramptodini, a new tribe of Nitidulidae (Coleoptera) from Australia. *Journal of the Australian Entomological Society* 31 (1): 29–46. [28 Feb 1992 (wrapper)]
- Kirejtshuk AG, Poinar G, Jr. (2006) Haplochelidae, a new family of Cretaceous beetles (Coleoptera: Myxophaga) from Burmese amber. *Proceedings of the Entomological Society of Washington* 108 (1): 155–164. [mailed 5 Jan 2006; 20 Jan 2006 (recorded at FMNH)]
- Kirejtshuk AG, Ponomarenko AG (1990) Iskopaemye zhuki semeystv Peltidae i Nitidulidae (Coleoptera). [Fossil beetles from families Peltidae and Nitidulidae (Coleoptera).]. *Paleontologicheskii Zhurnal* 1990 (2): 78–88, pl. 7 [in Russian]. [after 3 May 1990 (approved to print)]
- Kirejtshuk AG, Ponomarenko AG (2010) A new coleopterous family Mesocinetidae fam. n. (Coleoptera: Scirtoidea) from Late Mesozoic and notes on fossil remains from Shar-Teg (Upper Jurassic, South-Western Mongolia). *Novoe semeystvo zhukov Mesocinetidae fam. n. (Coleoptera: Scirtoidea) iz pozdnego mezozoya i zamechaniya ob iskopaemykh osta-takkakh iz Shar-Tega (verkhnyaya yura, yugo-zapadnaya Mongolia).* *Zoosystematica Rossica* 19 (2): 301–325. [30 Dec 2010 (top of article)]
- Kirsch T (1870) Beiträge zur Käferfauna von Bogotà. (Fünftes Stück: Phanerognathe Curculionen aus der Gruppe der Apostasimeriden). *Berliner Entomologische Zeitschrift* 13 [1869] (3/4): 187–224. [Jan 1870 (p. ix)]
- Kirsch T (1875) Beiträge zur Kenntniss der Peruanischen Käferfauna auf Dr. Abendroth's Sammlungen basirt. (Viertes Stück.). *Deutsche Entomologische Zeitschrift* 19 (1): 161–208. [Jan 1875 (vol. Inhalt p. 3)]
- Kirsch T (1877) [new taxa] In: Kiesenwetter H, von, Kirsch T: Die Käferfauna der Auck-land-Inseln, nach Herm. Krone's Sammlungen beschrieben. *Deutsche Entomologische Zeitschrift* 21 (1): 153–174. [Apr 1877 (vol. Inhalt p. iii)]
- Kishii T (1989) Elaterid-beetles from Mt. Houwau-zan and Gozaishi-kôsen Spa in Yamanashi Prefecture, collected by Mr. Kôichi Hosoda in 1987 and 1988 (Coleoptera: Elateridae) “Notes on Elateridae from Japan and its adjacent area (8).”. *Bulletin of the Héian High School* 33: 1–19.
- Kissinger DG (1968) Curculionidae subfamily Apioninae of North and Central America with reviews of the world genera Apioninae and world subgenera of *Apion* Herbst (Coleoptera). Taxonomic Publications, South Lancaster, Massachusetts, vii + 559 pp., incl. 41 pls.

- Kissinger DG (2004) Review of Noterapion Kissinger from Chile and Argentina (Coleoptera: Apionidae). *Insecta Mundi* 16 [2002] (4): 221–246. [17 Mar 2004 (back wrapper)]
- Kistner DH (1970a) New termitophilous Staphylinidae (Coleoptera) from Hodotermitidae (Isoptera) nests. *Journal of the New York Entomological Society* 78 (1): 2–16. [mailed 11 Aug 1970 (inside wrapper)]
- Kistner DH (1970b) New termitophiles associated with *Longipeditermes longipes* (Haviland) II. The genera *Compactopedia*, *Emersonilla*, *Hirsitilla*, and *Limulodilla*. *Journal of the New York Entomological Society* 78 (1): 17–32. [mailed 11 Aug 1970 (inside wrapper)]
- Kistner DH (1970c) Australian termitophiles associated with *Microcerotermes* (Isoptera: Amitermitinae) I. A new subtribe, genus, and species (Coleoptera, Staphylinidae) with notes on their behavior. *Pacific Insects* 12 (1): 9–15. [20 May 1970 (on article); mailed 6 Jun 1970 (vol. p. v)]
- Kistner DH (1970d) A new genus, species, and subtribe of termitophilous Staphylinidae from Australia (Coleoptera) with a description of its glands. *Pacific Insects* 12 (3): 499–506. [30 Oct 1970 (on article); mailed 11 Nov 1970 (vol. p. v)]
- Kistner DH (1972) A revision of the termitophilous tribe Feldini (Coleoptera, Staphylinidae) with a numerical analysis of the relationships of the species and genera. *Contributions of the American Entomological Institute* 8 (4): 1–35.
- Kistner DH (1993) Cladistic analysis, taxonomic restructuring and revision of the Old World genera formerly classified as Dorylomimini with comments on their evolution and behavior (Coleoptera: Staphylinidae). *Sociobiology* 22 (2): 151–383.
- Kistner DH (1997) [new taxa] In: Kistner DA, Weissflog A, Rosciszewski K, Maschwitz U: New species, new genera, and new records of myrmecophiles associated with army ants (*Aenictus* sp.) with the description of a new subtribe of Staphylinidae (Coleoptera; Formicidae: Aenictinae). *Sociobiology* 29: 23–221. [by Mar 1997]
- Kistner DH, Pasteels JM (1969) A new tribe, genus, and species of termitophilous Aleocharinae (Coleoptera: Staphylinidae) from south-west Africa with a description of its integumentary glands. *Annals of the Entomological Society of America* 62: 1189–1202.
- Kistner DH, Pasteels JM (1970) Taxonomic revision of the termitophilous subtribe Coptotermoeцина (Coleoptera: Staphylinidae) with a description of some integumentary glands and a numerical analysis of their relationships. *Pacific Insects* 12 (1): 85–115. [20 May 1970 (on article); mailed 6 Jun 1970 (vol. p. v)]
- Kistner DH, Watson JAL (1972) A new tribe of termitophilous Aleocharinae (Coleoptera: Staphylinidae) from Australia. *Australian Journal of Zoology (Supplementary Series)* 17: 1–24. [8 Dec 1972 (wrapper)]
- Kleine R (1922a) Neue Brenthiden aus Sumatra nebst Bemerkungen zu schon bekannten Arten. *Deutsche Entomologische Zeitschrift* 1922 (1): 148–151. [15 Feb 1922 (p. iii)]
- Kleine R (1922b) Neue Brenthiden aus dem Dahlemer Museum. *Archiv für Naturgeschichte (Abteilung A)* 88 (3): 223–228. [publ. Jun 1922 (wrapper)]
- Kleine R (1922c) Neuklassifizierung der Brenthidae. *Entomologische Blätter* 18 (4): 161–163. [30 Dec 1922]

- Kleine R (1926) Coleoptera Lycidae. In: Beaufort LF, de, Pulle AA, Rutten L (Eds) Nova Guinea. Résultats des expéditions scientifiques à la Nouvelle Guinée. Vol. XV Zoologie. Livraison II. E.J. Brill, Leiden, pp. 91–195.
- Kleine R (1929) Part 1. Neue indische Lycidae nebst faunistischen Bermerkungen. The Indian Forest Records (Entomology Series) 13 [1928] (6): 221–269 + 5 pls. [1929 (issue title page)]
- Kleine R (1933) Pars 128: Lycidae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen IX. W. Junk, Berlin, 145 pp. [2 Jun 1933 (verso of vol. title page)]
- Klima A (1935) Pars 145: Curculionidae: Subfam. Acicnemidinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXIX. W. Junk, Berlin, 10 pp. [18 Jun 1935 (verso of vol. title page)]
- Klimaszewski J, Pace R, Center TD (2010) [new tribe] In: Klimaszewski J, Pace R, Center TD, Couture J: A remarkable new species of *Himalusa* Pace from Thailand (Coleoptera, Staphylinidae, Aleocharinae): phytophagous aleocharine beetle with potential for bio-control of skunkvine-related weeds in the United States. ZooKeys 35: 1–12. [2 Feb 2010 (p. 1)]
- Klimaszewski J, Peck SB (1986) A review of the cavernicolous Staphylinidae (Coleoptera) of eastern North America: Part I. Aleocharinae. Quaestiones Entomologicae 22 (2): 51–113. [issued May 1986 (back wrapper)]
- Koch C (1943) Phylogenetische biogeographische und systematische Studien über unflügelte Tenebrioniden (Col. Tenebr.) IV. Mitteilungen der Münchner Entomologischen Gesellschaft 33 (2/3): 479–597. [15 Dec 1943 (p. ii, Inhalt)]
- Koch C (1950) Proposed change of African generic names in the family Tenebrionidae (Col.). The Entomologist 83 (3): 66–68. [16 Mar 1950 (p. iv)]
- Koch C (1953a) Die Tenebrioniden des südlichen Afrikas XIV. Ueber einige neue Molurini aus dem Ungarischen Naturwissenschaftlichen Museum zu Budapest (Vorarbeiten zu einer Monographie der Molurini, 4). Annales Historico-Naturales Musei Nationalis Hungarici 3 [1952]: 137–181. [1953 (vol. title page)]
- Koch C (1953b) The Tenebrionidae of southern Africa. XXI. On some new endemic Opatrinae from the Namib Desert. Annals of the Transvaal Museum 22 (2): 231–252.
- Koch C (1953c) The Tenebrionidae of southern Africa. XXVI [error for XXVI]. New Port. East African species collected by Dr. A. J. Barbosa. Revista da Facultade de Ciencias (Lisboa) (2a Série: C. Ciencias Naturais) 3: 239–310 + pl. 1.
- Koch C (1954) The Tenebrionidae of southern Africa. XXV. New, forgotten or Palaearctic genera and species of Opatrinae. Annals of the Transvaal Museum 22 (3): 419–476. [25 Nov 1954]
- Koch C (1955) Monograph of the Tenebrionidae of southern Africa. Vol. I. (Tentyriinae, Molurini, Trachynotina: *Somaticus* Hope). Transvaal Museum Memoir No. 7: xiv + 242pp. + 24 pls + 2 folding maps.
- Koch C (1956) II. Tenebrionidae (Coleoptera, Polyphaga). Opatrinae. First Part: Platynotini, Litoborini and Loensini. Exploration du Parc National de l'Upemba Mission G F de Witte. Fascicule 40. Institut des Parcs Nationaux du Congo Belge, Bruxelles, 472 pp. + 35 pls. [1956 (title page)]

- Koch C (1958) Tenebrionidae of Angola. Publicações Culturais da Companhia de Diamantes de Angola 39: 1–231. [submitted Jun 1955 (p. 231); 1958 (title page)]
- Kolbe HJ (1880) Natürliches System der carnivoren Coleoptera. Deutsche Entomologische Zeitschrift 24 (2): 258–280. [Oct 1880 (p. iii)]
- Kolbe HJ (1883) Über die von J. M. Hildebrandt in Madagaskar gefundenen Brenthiden [reading]. Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin 1883: 74–82. [read 22 May 1883]
- Kolbe HJ (1887) Eine zoogeographische Studie. Jahresbericht der Zoologischen Section des Westfälischen Provinzial-Vereins für Wissenschaft und Kunst 15 [1886–87]: 47–54. [1887 (title page); last meeting 24 Mar 1887; before 7 Nov 1887 (Zool. Anz. 10: 570)]
- Kolbe HJ (1891) Aufzählung der von Herrn Dr. Hans Meyer im Jahre 1889 im Gebiete des Kilimandscharo- und Ugueno-Gebirges gesammelten Coleopteren Stettiner Entomologische Zeitung 52 (1/3): 18–36. [Mar 1891]
- Kolbe HJ (1892) Beiträge zur Kenntnis der Brenthiden. Stettiner Entomologische Zeitung 53 ((4/6)): 162–175. [Apr-Jun issue; article written Sep 1892 (p. 175)]
- Kolbe HJ (1895) Coleopteren aus Afrika. Stettiner Entomologische Zeitung 55 [1894] (10/12): 361–397. [incl. article dated Apr 1895 (p. 402)]
- Kolbe HJ (1897) Coleopteren - Die Käfer Deutsch-Ost-Afrikas. D. Reimer, Berlin, 368 pp. + 4 pls.
- Kolbe HJ (1899) Die Oxyopisthinen, eine neue Gruppe der Curculioniden des tropischen Afrika. Stettiner Entomologische Zeitung 60 (1/2): 3–138. [issued Nov 1899 (p. 162)]
- Kolbe HJ (1904) Gattungen und Arten der Valgiden von Sumatra und Borneo. Stettiner Entomologische Zeitung 65 (1): 3–57. [Feb 1904 (p. 215)]
- Kolbe HJ (1905) Über die Lebensweise und die geographische Verbreitung der coprophagen Lamellicornier. Zoologische Jahrbücher, Supplement 8: 475–594.
- Kolbe HJ (1908) Mein System der Coleopteren. Zeitschrift für Wissenschaftliche Insektenbiologie 4 (4): 116–123, (5): 153–162, (6): 219–226, (7): 246–251, (8): 286–294, (10/11): 389–400. [30 Apr 1908 (fasc. 4); 15 Jun (fasc. 5); 26 Jul (fasc. 6); 29 Aug (fasc. 7); 21 Oct (fasc. 8/9); 28 Nov 1908 (fasc. 10/11) (wrappers)]
- Kolbe HJ (1910) Die Coleopterenfauna der Seychellen. Nebst Betrachtungen über die Tiergeographie dieser Inselgruppe. Mitteilungen aus dem Zoologischen Museum in Berlin 5 (1): 1–49. [subm. Feb 1910 (title page); publ. Aug 1910 (fasc. contents)]
- Kolbe HJ (1916) Beitrag zur Morphologie und Systematik der Taphroderinen (Familie der Brenthiden) Afrikas. Deutsche Entomologische Zeitschrift 1916 (1): 50–67. [1 Apr 1916 (Inhalt p. i)]
- Kolbe HJ (1927a) Über die Carabidomemninen, eine neue Gruppe der primitiven Paussidenstufe. Entomologische Blätter 23 (4): 178–187. [31 Dec 1927 (wrapper)]
- Kolbe HJ (1927b) Die Einstammigkeit der Paussiden und die primitiven Gattungen dieser myrmekophilen Coleopterenfamilie. Zoologischer Anzeiger 72: 205–218. [subm. 12 Mar 1927]
- Kolibáč J (1992) Revision of Thanerocleridae n. stat. (Coleoptera, Cleroidea). Mitteilungen der Schweizerischen Entomologischen Gesellschaft 65 (3/4): 303–340. [printed Dec 1992 (back wrapper)]

- Kolibáč J (1998) Classification of the subfamily Hydnocerinae Spinola, 1844 (Coleoptera: Cleridae). *Acta Musei Moraviae Časopis Moravského Musea Scientiae Biologicae* 83 (1/2): 127–210. [1998 (copyright)]
- Kolibáč J (2004) Metaxinidae fam. n., a new family of Cleroidea (Coleoptera). *Entomologica Basiliensis* 26: 239–268. [issued 24 Nov 2004 (Inhalt)]
- Kolibáč J (2006) A review of the Trogossitidae. Part 2: larval morphology, phylogeny and taxonomy (Coleoptera, Cleroidea). *Entomologica Basiliensis et Collectionis Frey* 28: 105–153. [issued 22 Dec 2006 (inside wrapper)]
- Kolibáč J, Huang F (2008) Taxonomic status of the Mesozoic genera *Anhuistoma* Lin, 1985, *Eotenebroides* Ren, 1995, *Lithostoma* Martynov, 1926, *Palaeoendomychus* Zhang, 1992, and *Sinosoronia* Zhang, 1992 (Coleoptera). *Entomologica Basiliensis et Collectionis Frey* 30: 135–148. [22 Dec 2008 (inside wrapper)]
- Konishi M (1962) Taxonomic studies on the Cossoninae of Japan (Coleoptera: Curculionidae). Part I. *Insecta Matsumurana* 25 (1): 1–17 + pl. I. [Aug 1962 (verso of title page)]
- Kôno H (1930) Kurzrüssler aus dem japanischen Reich. *Journal of the Faculty of Agriculture, Hokkaido Imperial University* 24 (5): 153–242 + pl. I-II. [issued 26 Mar 1930]
- Korschinsky R (1932) Pars 120: Coccinellidae II. In: Schenckling S (Ed) *Coleopterorum Catalogus. Volumen XVI.* W. Junk, Berlin, pp. 225–659. [20 Feb 1932 (verso of vol. title page)]
- Kovář I (2007) Family Coccinellidae Latreille 1807 [pp. 568–631]. In: Löbl I, Smetana A (Eds) *Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidae - Lymexyloidea - Cleroidea - Cucujoidea.* Apollo Books, Stenstrup, 935 pp. [publ. 30 Jun 2007 (verso of title page)]
- Kraatz G (1856) Staphylinii. Naturgeschichte der Insekten Deutschlands Erste Abteilung Coleoptera Zweiter Band Erste, Zweite Lieferung Bogen 1–24 [pp 1–376]. Nicolaische Buchhandlung, Berlin, viii + 1080 pp. [20 June 1856 (Zerche 1987: 93); Mar 1856 (date of summary inside back wrapper)]
- Kraatz G (1857) Staphylinii. Naturgeschichte der Insekten Deutschlands Erste Abteilung Coleoptera Zweiter Band Dritte, Vierte Lieferung Bogen 25–48 [pp 377–768]. Nicolaische Buchhandlung, Berlin, viii + 1080 pp. [May 1857 (Kraatz 1859c: vii); 30 Nov 1857 (Intell.-Blatt Allgem. Lit.); 1857 (wrapper)]
- Kraatz G (1859a) [new taxa] In: Schaum HR: *Catalogus Coleopterorum Europae.* In Verbindung mit Dr. G. Kraatz und H. v. Kiesenwetter. Nicolaische Verlagsbuchhandlung, Berlin, iv + 121 pp. [1859 (wrapper + title page)]
- Kraatz G (1859b) Zur kritischen Kenntniss der in Gay's *Historia Fisica y Politica von Solier* beschriebenen Staphylinen. *Berliner Entomologische Zeitschrift* 3 (1): 1–16. [by Apr 1859 (cited in Wiener Ent. Monatschr. 3: 128)]
- Kraatz G (1859c) Neuere Literatur. *Berliner Entomologische Zeitschrift* 3: iv–ix.
- Kraatz G (1879) *Rhaebus gebleri* Fischer, oder eine neue *Rhaebus*-Art in Europa einheimisch? (Coleopt., Chrysomelin? Sagrin?). *Deutsche Entomologische Zeitschrift* 23 (2): 276–278. [Nov 1879 (Inhalt p. 3)]
- Kraatz G (1880a) Genera Nova Cetoniadarum. *Entomologische Monatsblätter* 2 (12): 17–30. [Feb 1880 issue]

- Kraatz G (1880b) Genera Cetonidarum Australiae. Deutsche Entomologische Zeitschrift 24 (1): 177–214. [May 1880 (Inhalt p. iii)]
- Kraatz G (1882a) Ueber die Gattung *Clinteria* Burm. Deutsche Entomologische Zeitschrift 26 (1): 49–51. [Apr 1882 (Inhalt p. iii)]
- Kraatz G (1882b) Die africanischen Leucoceliden und die ihnen zunächst verwandten Gattungen der Cetoniden. Deutsche Entomologische Zeitschrift 26 (1): 65–78. [Apr 1882 (Inhalt p. iii)]
- Krell F-T (1996) Ripiphoridae oder Rhipiphoridae? (Col., Tenebrionoidea). Entomologische Nachrichten und Berichte 40 (1): 47–48. [publ. 20 Apr 1996 (inside wrapper)]
- Krikken J (1984) A new key to the suprageneric taxa in the beetle family Cetoniidae, with annotated lists of the known genera. Zoologische Verhandelingen No. 210: 1–75. [5 Sep 1984 (title page)]
- Kriska NL (2002) Family 109. Oedemeridae [pp. 514–519]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Kryzhanovskij OL (1972) On the taxonomy of extra-Palaearctic Histeridae (Coleoptera). Entomologica Scandinavica 3 (1): 19–25. [22 Feb 1972; 19 Apr 1972 (recorded at CNC)]
- Kryzhanovskij OL (1976) In: Kryzhanovskij OL, Reichardt AN: Zhuki nadsemeistva Histeroidea (Semeistva Sphaeritidae, Histeridae, Synteliidae). Fauna SSSR Novaya Seriya No. 111. Zhestokokrylye Tom V, vyp. 4. Nauka, Leningrad, 434 pp. [in Russian]. [after 25 Nov 1976 (approved to print, last page)]
- Kukalová J (1969) On the systematic position of the supposed Permian beetles, Tshecardocoleidae, with a description of a new collection from Moravia. Sborník Geologických Ved, Rada P Paleontologie 11: 139–162, pls. 1–8.
- Kuntzen H (1912) Die Eumolpinensubtribus Nerissini (Coleopt. Chrysomelidae). Archiv für Naturgeschichte (Abteilung A) 78 (2): 42–57. [Jun 1912 (wrapper)]
- Kurosawa Y (1990) A revisional study on the genus *Micropistus* Théry and its allies (Coleoptera, Buprestidae). Esakia Special Issue No. 1: 57–64. [20 Apr 1990 (wrapper)]
- Kuschel G (1954) Un gorgojo ciego de Otiorhynchinae de Madagascar (Aporte 14 de Col. Curculionoidea). Revue Française d'Entomologie 21 (4): 286–289. [20 Dec 1954 (footer p. 281)]
- Kuschel G (1955) Nuevas sinonimias y anotaciones sobre Curculionoidea (Coleoptera). Revista Chilena de Entomología 4: 261–312. [30 Jun 1955 (top of article)]
- Kuschel G (1956) Revisión de los Premnotrypini y adiciones a los Bagoini (Aporte 17 sobre Coleoptera Curculionoidea). Boletín del Museo Nacional de Historia Natural (Santiago) (Contribuciones Entomológicas) 26 (6): 187–235. [printed 14 Mar 1956 (inside back wrapper)]
- Kuschel G (1959a) Nemonychidae, Belidae y Oxycorynidae de la fauna Chilena, con algunas consideraciones biogeográficas. Investigaciones Zoológicas Chilenas 5: 229–271. [2 Nov 1959 (vol. title page)]
- Kuschel G (1959b) Beiträge zur Kenntnis der Curculioniden von Venezuela und Trinidad-Insel (1. Lieferung). Entomologische Arbeiten aus dem Museum Georg Frey 10 (2): 478–514. [publ. 1 Nov 1959 (vol. Inhalt)]

- Kuschel G (1964) Insects of Campbell Island. Coleoptera: Curculionidae of the subantarctic islands of New Zealand. Pacific Insects Monograph 7: 416–493. [15 Jul 1964 (p. 2)]
- Kuschel G (1966) A cossonine genus with bark-beetle habits, with remarks on relationships and biogeography (Coleoptera Curculionidae). New Zealand Journal of Science 9 (1): 3–29. [Mar 1966 (p. 3); 1 Jul 1966 (recorded at BMNH)]
- Kuschel G (1971) Entomology of the Aucklands and other islands south of New Zealand: Coleoptera: Curculionidae. Pacific Insects Monograph 27: 225–259. [publ. 10 Nov 1971 (title page)]
- Kuschel G (1990) Beetles in a suburban environment: a New Zealand case study. The identity and status of Coleoptera in the natural and modified habitats of Lynfield, Auckland (1974–1989). DSIR Plant Protection Report No. 3: 1–119. [Dec 1990 (verso of title page)]
- Kuschel G (1994) Appendix. Nemonychidae of Australia, New Guinea and New Caledonia [pp. 563–637]. In: Zimmerman EC (Ed). Australian weevils (Coleoptera: Curculionoidae). Volume I. Orthoceri. Anthribidae to Attelabidae. The primitive weevils. CSIRO Australia, Melbourne, xxxii + 741 pp. [28 Feb 1994 (verso of title page)]
- Kuschel G (1995) A phylogenetic classification of Curculionoidea to families and subfamilies [pp. 5–33]. In: Anderson RS, Lyal CHC (Eds) Biology and phylogeny of Curculionoidea: Proceedings of the XVIII International Congress of Entomology, July 1988. Memoir of the Entomological Society of Washington 14. [Nov 1995 (reprint recorded by A. Newton)]
- Kuschel G (2003) A ball forming weevil from young *Nothofagus* leaves in Chile (Coleoptera: Curculionidae: Curculioninae: Sphaeriopoeini). Revista Chilena de Entomología 29: 59–65.
- Kuschel G (2009) New tribe, new genus and species for an Australasian weevil group with notes and keys (Coleoptera, Curculionidae). Revue Française d'Entomologie (Nouvelle Série) 30 (2/4): 41–66. [publ. 13 May 2009 (back wrapper)]
- Kuschel G, May BM (1990) Palophaginae, a new subfamily for leaf-beetles, feeding as adult and larva on araucarian pollen in Australia (Coleoptera: Megalopodidae). Invertebrate Taxonomy 3 (6): 697–719. [publ. 8 Jun 1990 (verso of vol. 4 title page)]
- Kuwert AF (1890) Bestimmungs-Tabelle der Hydrophiliden Europas, Westasiens und Nordafrikas. Verhandlungen des Naturforschenden Vereines in Brünn 28 [1889]: 3–121. [1890 (vol. title page)]
- Kuwert AF (1891) Systematische Uebersicht der Passaliden-Arten und Gattungen. Deutsche Entomologische Zeitschrift 1891 (1): 161–192. [Jun 1891 (Inhalt p. 3)]
- Kuwert AF (1893) Die epiphlöinen Gattungen der Cleriden und einige neue Arten derselben. Annales de la Société Entomologique de Belgique 37 (9): 492–497. [11 Oct 1893 (Ann. Soc. Ent. France 62: Bull. Ent: cclxxv)]
- Kuwert AF (1896) Die Passaliden dichotomisch bearbeitet. Novitates Zoologicae 3 (2): 209–231. [26 Jun 1896 (recorded at BMNH)]
- Kwieton E (1982) Revue critique des systèmes récents de la famille des Tenebrionidae (Col.). Acta Musei Nationalis Pragae (Series B) 38 (1/2): 79–100.
- La Rivers I (1948) Notes on the Eleodini (Coleoptera: Tenebrionidae). Entomological News 59 (4): 96–101. [mailed 2 Jul 1948 (verso of vol. title page)]

- Laboissière V (1921) Étude des Galerucini de la collection du Musée du Congo Belge. Première partie. *Revue Zoologique Africaine* 9 (1): 33–86. [5 Aug 1921 (footer p. 33); 15 Aug 1921 (wrapper)]
- Laboissière V (1922) Revision du groupe des Oidites Africains (Col. Chrysomelidae). *Annales de la Société Entomologique de France* 90 [1921] (3/4): 193–234. [26 Jul 1922 (p. 356)]
- Laboissière V (1924) Étude des Galerucini de la collection du Musée du Congo Belge. Quatrième partie. *Revue Zoologique Africaine* 12: (2): 135–172, (3): 283–315. [(2) 1 Jun 1924; (3) 1 Aug 1924 (tops of articles)]
- Laboissière V (1926) Étude des Galerucini de la collection du Musée du Congo Belge, première partie (suite). *Revue Zoologique Africaine* 14 (1, 2): 91–122, 185–200. [(1) 15 Aug; (2) 15 Nov 1926 (top of articles)]
- Laboissière V (1934) Galerucinae de la faune française (Coléoptères). *Annales de la Société Entomologique de France* 103 (1): 1–108. [publ. 31 Mar 1934 (wrapper)]
- Laboissière V (1937) Nouveaux Gallerucinae paléarctiques. *Bulletin de la Société Entomologique de France* 42 (2): 27–31. [11 Mar 1937 (p. 312)]
- Lacordaire JT (1830a) Mémoire sur les habitudes des insectes coléoptères de l'Amérique méridionale. *Annales des Sciences Naturelles* 20 (Jun): 185–240, (Jul): 241–291. [dates on signature footers]
- Lacordaire JT (1830b) Mémoire sur les habitudes des insectes coléoptères de l'Amérique méridionale (Suite et fin). *Annales des Sciences Naturelles* 21: 149–194. [Oct 1830 (signature footer p. 113)]
- Lacordaire JT (1848) Monographie des coléoptères subpentamères de la famille des phytophages. Tome second. *Mémoires de la Société Royale des Sciences de Liège* 5: vi + 890 pp. [May 1848 (vol. title page)]
- Lacordaire JT (1854a) Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome premier contenant les familles des cicindélètes, carabiques, dytiscides, gyrinides et palpicornes. Librairie Encyclopédique de Roret, Paris, xx + 486 pp. [1854 (title page; Mém. Soc. Roy. Sci. Liège (2) 3 1873: xxxiii); 8 Feb 1854 (Ann. Soc. Ent. France (3) 2: Bull. Ent.: ix)]
- Lacordaire JT (1854b) Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome deuxième contenant les familles des paussides, staphyliniens, ... hétérocérides. Librairie Encyclopédique de Roret, Paris, 548 pp. [1854 (title page); 2 Oct 1854 (Acad. Sci. France)]
- Lacordaire JT (1856) Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome troisième contenant les familles des pectinicornes et lamellicornes. Librairie Encyclopédique de Roret, Paris, 594 pp. [1856 (title page); 29 Mar 1856 (Bibliogr. France 1856)]
- Lacordaire JT (1857) Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome quatrième contenant les familles des buprestides, throscides, eucnémides, élatérides, cébrionides, cérophytides, rhipicérides, dasyclyllides, malacodermes, clérides, lyméxylones, cupésides, ptiniores, bostrichides et cissides. Librairie Encyclopédique de Roret, Paris, 579

pp. [1857 (title page); 25 May 1857 (Acad. Sci. France); 27 Jun 1857 (Bibliogr. France 1857: 302)]

Lacordaire JT (1859) Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome cinquième contenant les familles des ténébrionides, cistélides, nilionides, pythides, mélандryides, lagriides, pédilides, anthicides, pyrochroïdes, mordellides, rhipiphorides, stylopides, meloïdes et oedémérides. Librairie Encyclopédique de Roret, Paris, Première partie (pp. 1–400), Deuxième partie (pp. 401–750). [1859 (title page); 27 Jun 1859 (Acad. Sci. France); 16 Jul 1859 (Bibliogr. France 1859)]

Lacordaire JT (1863) Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome sixième contenant la famille des curculionides. Librairie Encyclopédique de Roret, Paris, 637 pp. [10 Aug 1863 (Acad. Sci. France); 22 Aug 1863 (Bibliogr. France 1863: 398); 1863 (title page)]

Lacordaire JT (1865) Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome septième contenant les familles des curculionides (suite), scolytides, brenthides, anthribides et bruchides. Librairie Encyclopédique de Roret, Paris, [2] + 620 pp. [1866 (title page); 12 Dec 1865 (The Bookseller 85: 1016); 1865 (Ann. Soc. Ent. France (4) 5: Bull. Bibliogr.: lxxx; Cat. Ann. Libr. France 8 1865: 126); 20 Jan 1866 (Bibliogr. France 1866)]

Lacordaire JT (1868) Histoire naturelle des insectes. Généra des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome huitième contenant les familles des tricténatomides et des longicornes. Librairie Encyclopédique de Roret, Paris, 552 pp. [1869 (title page); 28 Nov 1868 (Bibliogr. France 1868); Nov 1868 (Zool. Record 1868: 194)]

Lacordaire JT (1869) Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome neuvième. Première partie. Famille des longicornes (suite). Librairie Encyclopédique de Roret, Paris, 409 pp. [1869 (title page)]

Lacordaire JT (1872) Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome neuvième. Deuxième partie. Famille des longicornes (fin). Librairie Encyclopédique de Roret, Paris, pp. 411–930.

Lacroix JP (1979) Contributions à l'étude des coléoptères lucanides du globe. Deux genres nouveaux et onze espèces inédites (Chiasognathinae, Lucaninae, Chalcodinae, Cladognathinae, Dorcinae). Bulletin & Annales de la Société Royale Belge d'Entomologie 114 (10–12): 249–294. [28 Feb 1979 (wrapper)]

Lacroix M (1989) Insectes coléoptères Melolonthidae (1re partie). Faune de Madagascar. 73 (1). Muséum Nationale d'Histoire Naturelle, Paris, 302 pp. [publ. 28 Dec 1989 (p. [303])]

Lacroix M (1997) Insectes coléoptères Hopliidae (1re partie). Faune de Madagascar. 88 (1). Faune de Madagascar, Paris, 399 pp. [publ. 22 Dec 1997 (p. [400])]

Lacroix M (2007) Pachydeminae du monde. (Scarabaeoidea, Melolonthidae). Genera et catalogue commenté. Collection Hannetons, Paris, 450 pp. + 264 pls.

- Lafer GS (1989) I. Podotryad Archostemata; II. Podtryad Adephaga [pp. 66–259]. Tom III Zhestkokrylye, ili zhuki Chast 1. Nauka, Leningrad, 572 pp. [in Russian].
- Lafer GS (1996) Fam. Sikhotealiniidae Lafer, fam. n. [pp. 390–396]. In: Ler PA (Ed) Tom III Zhestkokrylye, ili zhuki Chast 3. Dal’Nauka, Vladivostok, 556 pp. [in Russian].
- LaFerté-Sénectère F, de (1851) Révision de la tribu des patellimanes de Dejean, coléoptères pentamères de la famille des carabiques. Annales de la Société Entomologique de France (2) 9 (2): 209–294. [23 Jul 1851 (wrapper)]
- Lameere A (1885) [note in Assemblée mensuelle du 2 février 1884]. Annales de la Société Entomologique de Belgique / Comptes-Rendus des Séances 28 [1884]: lxxx-lxxxiv. [13 May 1885 (Ann. Soc. Ent. France (6) 5: Bull. Ent.: xcvi)]
- Lameere A (1900) Notes pour la classification des Coléoptères. Annales de la Société Entomologique de Belgique 44 (9): 355–377, 1 pl. [25 Sep 1900 (wrapper)]
- Lameere A (1901) Étude sur la phylogénie des longicornes. Annales de la Société Entomologique de Belgique 45 (11): 314–323. [5 Dec 1901 (wrapper)]
- Lameere A (1902) Révision des prionides. Quatrième mémoire - Sténodontines. Mémoires de la Société Entomologique de Belgique 9: 63–110. [1902 (title page)]
- Lameere A (1903a) Faune entomologique de l’Afrique tropicale. Longicornes. I. Prioninae. Annales du Musée du Congo (Zoologie - série III) 2 (1): 1–114, i–iii + 3 pls. [Dec 1903 (wrapper)]
- Lameere A (1903b) Révision des prionides. Huitième mémoire. - Mécosarthrines. Annales de la Société Entomologique de Belgique 47 (9): 307–320. [30 Sep 1903 (signature footer p. 305)]
- Lameere A (1904) Révision des prionides. Septième mémoire. - Macrotomines. Mémoires de la Société Entomologique de Belgique 11: 1–216. [1903 (title page); 27 Jul 1904 (Bull. Soc. Ent. France 1904: 222) 29 Jul 1904 (as “1904”, Science (N.S.) 20: 156)]
- Lameere A (1909) Révision des prionides. Treizième mémoire. - Dérancistrines. Mémoires de la Société Entomologique de Belgique 17: 1–70. [1909 (wrapper); distrib. by 26 Dec 1909 (Ann. Soc. Ent. Belg. 53: 515)]
- Lameere A (1912) Révision des prionides. Vingt-et-unième mémoire. - Anacolines. Mémoires de la Société Entomologique de Belgique 21: 1–188. [15 Nov 1912 (wrapper); 23 Jul 1913 (Bull. Soc. Ent. France 1913: 354)]
- Lameere A (1913) Pars 52: Cerambycidae: Prioninae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXII. Cerambycidae I. W. Junk, Berlin, 108 pp. [20 May 1913 (contents)]
- Lameere A (1919) 172me fascicule. Coleoptera Longicornia. Fam. Cerambycidae. Subfam. Prioninae. In: Wytsman PA (Ed) Genera Insectorum. Vol. XXVII. L. Desmet-Verteneuil, Bruxelles, 189 pp. + 8 pls. [15 Mar 1919 (date on manuscr., p. 189); 19 May 1919 (Evenhuis 1994: 58)]
- Landin BO (1950) Entomological results from the Swedish expedition 1934 to Burma and British India; Coleoptera: Lamellicornia; Fam. Scarabaeidae collected by René Malaise. Arkiv för Zoologi (2) 1 (2): 3–9, 1 pl. [printed 28 Sep 1949 (p. 9); publ. 1 Apr 1950 (fasc. contents)]

- Landin BO (1960) Report no. 5 from the Lund University expedition in 1957 to the Azores and Madeira. The Lamellicorn beetles of the Azores (Coleoptera) with some reflexions on the classification of certain Aphodiini. Boletim do Museu Municipal do Funchal 13: 49–84 + 1 pl. [Aug 1960 (title page)]
- Lane F (1950) Cerambícídeos neotrópicos II. Sobre a posição sistemática de alguns gêneros. Arquivos de Zoologia do Estado de São Paulo 7 [1949–51] (5): 363–378. [20 Aug 1950 (top of article)]
- Lane F (1951) Cerambycoidea neotropica nova II (Coleoptera). Dusenia 2 (1): 1–20 + pl. 1. [printed 25 Jan 1951 (wrapper)]
- Lane F (1955) Cerambycoidea neotropica nova III (Coleoptera). Papéis Avulsos do Departamento de Zoologia 12 (13): 281–296. [16 Nov 1955 (top of article)]
- Lane F (1956) Cerambycoidea neotropica nova IV (Coleoptera). Dusenia 7 (1): 1–31. [printed 30 Jan 1956 («1955»; wrapper)]
- Lane F (1959) Nova subfamília de Lamiidae (Coleoptera). Papéis Avulsos do Departamento de Zoologia 13 (26): 311–316. [15 Sep 1959 (top of article)]
- Lansberge JW, van (1875a) Observations sur la classification des Lamellicernes coprophages. Annales de la Société Entomologique de Belgique 17 [1874] (2): 177–193. [31 Jan 1875 (wrapper)]
- Lansberge JW, van (1875b) Monographie des Onitides. Annales de la Société Entomologique de Belgique 18 (1): 5–148. [17 Apr 1875 (wrapper)]
- Laporte [=Castelnau] FLNC, de (1834a) Monographie du groupe des Rhipicérites (Coléoptères Pentamères). Annales de la Société Entomologique de France 3 (2): 225–270. [before 1 Sep 1834 (Jour. Proc. Ent. Soc. London 1: xxix)]
- Laporte [=Castelnau] FLNC, de (1834b) Études entomologiques, ou description d'insectes nouveaux, et observations sur leur synonymie [livraison 1]. Méquignon-Marvis, Paris, pp. 1–94, pls. 1–2. [in press 2e trim. 1834 (Ann. Soc. Ent. France 3: Bull. Ent.: xxxvi); in press after 1 Jul 1834 (ibid., p. liv); 9 Aug 1834 (Bibliogr. France 1834); 5 Nov 1834 (Ann. Soc. Ent. France 3: Bull. Ent.: lvii)]
- Laporte [=Castelnau] FLNC, de (1835a) Études entomologiques, ou description d'insectes nouveaux, et observations sur la synonymie; première partie. Carnassiers [livraison 2]. Méquignon-Marvis, Paris, pp. 95–159, pls. 3–4. [before 6 May 1835 (Rev. Ent. 3: 157, see 1835b); 3 Jun 1835 (Ann. Soc. Ent. France 4: Bull. Ent.: xliv)]
- Laporte [=Castelnau] FLNC, de (1835b) Études entomologiques, ou descriptions d'insectes nouveaux et observations sur la synonymie [continued]. Revue Entomologique 3: 157–181. [6 May 1835 (as livr. 15–16; Ann. Soc. Ent. France 4: Bull. Ent.: xlii)]
- Laporte [=Castelnau] FLNC, de (1836) Études entomologiques, ou descriptions d'insectes nouveaux et observations sur la synonymie [continued]. Revue Entomologique 4: 5–60, table. [1836 (title page); 7 Feb 1838 (Ann. Soc. Ent. France 7: Bull. Ent.: iv)]
- Laporte [=Castelnau] FLNC, de (1840a) Histoire naturelle des insectes Coléoptères; avec une introduction renfermant l'anatomie et la physiologie des animaux articulés, par M. Brullé. Tome premier. Histoire naturelle des animaux articulés, annelides, crustacés, arachnides, myriapodes et insectes Tome troisième. P. Duménil, Paris, cxxv + 324 pp. + 19 pls. [26 Dec 1840 (Acad. Sci. France)]

- Laporte [=Castelnau] FLNC, de (1840b) Histoire naturelle des insectes Coléoptères; avec une introduction renfermant l'anatomie et la physiologie des animaux articulés, par M. Brullé. Tome deuxième. Histoire naturelle des animaux articulés, annelides, crustacés, arachnides, myriapodes et insectes Tome troisième. P. Duménil, Paris, 563 + [1 (Tableau du placement des planches)] pp. + 38pls. [26 Dec 1840 (Acad. Sci. France)]
- Lapouge G, de (1927) Tribu des Carabini. Tableaux des sous-tribus. *Miscellanea Entomologica* 30 (6): 45–48. [May-Jun 1927 (wrapper)]
- Lassau SA, Hochuli DF, Cassis G, Reid CAM (2005) Effects of habitat complexity on forest beetle diversity: do functional groups respond consistently? *Diversity and Distributions: a journal of conservation biogeography* 11 (1): 73–82. [Jan 2005 (wrapper); 6 Feb 2005 (recorded at BMNH)]
- Latreille PA (1797) *Précis des caractères génériques des insectes, disposés dans un ordre naturel.* F. Bourdeaux, Brive, xiv + 201+ [7] pp., 1 feuillet plié. [before 13 Jan 1797 (Evenhuis 1997b: 437)]
- Latreille PA (1802) *Histoire naturelle, générale et particulière des crustacés et des insectes.* Ouvrage faisant suite à l'histoire naturelle générale et particulière, composée par Leclerc de Buffon, et rédigée par C.S. Sonnini, membre de plusieurs sociétés savantes. Familles naturelles des genres. Tome troisième. F. Dufart, Paris, xii + 13–467 + [1] pp. [An X (title page, =1802); Nov 1802 (Evenhuis 1997)]
- Latreille PA (1804a) *Histoire naturelle, générale et particulière, des crustacés et des insectes.* Ouvrage faisant suite aux oeuvres de Leclerc de Buffon, et partie du cours complet d'histoire naturelle rédigé par C. S. Sonnini, membre de plusieurs sociétés savantes. Tome neuvième. F. Dufart, Paris, 416 pp. [An XII (title page, =1804); betw. 19 Aug-17 Sep 1804 (Dupuis 1986: 209)]
- Latreille PA (1804b) *Histoire naturelle, générale et particulière, des crustacés et des insectes.* Ouvrage faisant suite aux oeuvres de Leclerc de Buffon, et partie du cours complet d'histoire naturelle rédigé par C. S. Sonnini, membre de plusieurs sociétés savantes. Tome dixième. F. Dufart, Paris, 445 pp. [An XII (title page, =1804); betw. 19 Aug-17 Sep 1804 (Dupuis 1986: 209)]
- Latreille PA (1804c) *Tableau méthodique des insectes* [pp. 129–200]. Nouveau dictionnaire d'histoire naturelle, appliquée aux arts, principalement à l'agriculture et à l'économie rurale et domestique: par une société de naturalistes et d'agriculteurs *Tableaux méthodiques d'histoire naturelle* Tome XXIV. Déterville, Paris, 84 + 85 + 238 + 18 + 34 pp. [7 Mar 1804 (Evenhuis 1997a: 198)]
- Latreille PA (1804d) *Histoire naturelle, générale et particulière, des crustacés et des insectes.* Ouvrage faisant suite aux oeuvres de Leclerc de Buffon, et partie du cours complet d'histoire naturelle rédigé par C. S. Sonnini, membre de plusieurs sociétés savantes. Tome onzième. F. Dufart, Paris, 422 pp. + pls. 91–93. [An XII (title page, =1804); betw. 19 Aug-17 Sep 1804 (Dupuis 1986: 209)]
- Latreille PA (1806) *Genera crustaceorum et insectorum secundum ordinem naturalem in familiias disposita, iconibus exemplisque plurimis explicata.* Tomus secundus. Amand Koenig, Paris, 280 pp. [1807 (title page); Sep[?] 1806 (Jour. Gén. Litt. France 1806 9 (11): 321)]

- Latreille PA (1807) *Genera crustaceorum et insectorum secundum ordinem naturalem in familias disposita, iconibus exemplisque plurimis explicata*. Tomus tertius. A. Koenig, Paris, 258 pp. [1807 (title page); Apr 1807 (Jour. Gén. Litt. France)]
- Latreille PA (1810) *Considérations générales sur l'ordre naturel des animaux composant les classes des crustacés, des arachnides, et des insectes; avec un tableau méthodique de leurs genres, disposés en familles*. F. Schoell, Paris, 444 pp. [23 May 1810 (Evenhuis 1997b: 440)]
- Latreille PA (1816) *Les crustacés, les arachnides et les insectes*. In: Cuvier G (Ed) *Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée*. Tome III. Déterville, Paris, xxix + 653 pp. [1817 (title page); 2 Dec 1816 (Roux 1976: 31)]
- Latreille PA (1819) *Trachélides* [pp. 362–364]. *Nouveau dictionnaire d'histoire naturelle, appliquée aux arts, à l'agriculture, à l'économie rurale et domestique, à la médecine, etc Par une société de naturalistes et d'agriculteurs Nouvelle édition Tome XXXIV*. Déterville, Paris, [1] + 578 pp.
- Latreille PA (1825) *Familles naturelles du règne animal, exposées succinctement et dans un ordre analytique, avec l'indication de leurs genres*. J.-B. Baillière, Paris, 570 pp. [pp. 337–352 numbered 237–252, in error]. [16 May 1825 (Evenhuis 1997)]
- Latreille PA (1828) *Rhynchophores ou porte-bec* [pp. 584–603]. In: Bory de Saint-Vincent JBGM (Ed) *Dictionnaire classique d'histoire naturelle*. Tome quatorzième. Pla-Roy. Rey & Gravier; Baudouin Frères, Paris, 710 pp. [Sep 1828 (title page)]
- Latreille PA (1829a) *Tome IV. Crustacés, arachnides et partie des insectes*. In: Cuvier G (Ed) *Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée, avec figures dessinées d'après nature. Nouvelle édition, revue et augmentée*. Déterville, Paris, xxvii + 584 pp. [1829 (title page); 11 Apr 1829 (Bibliogr. France 1829)]
- Latreille PA (1829b) *Tome V. Suite et fin des insectes*. In: Cuvier G (Ed) *Le règne animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée, avec figures dessinées d'après nature. Nouvelle édition, revue et augmentée*. Déterville, Paris, xxiv + 556 pp., pls. 17–20. [1829 (title page); 11 Apr 1829 (Bibliogr. France 1829)]
- Latreille PA (1834) *Distribution méthodique et naturelle des genres de diverses tribus d'insectes coléoptères, de la famille des serricornes* [posthumous]. *Annales de la Société Entomologique de France* 3 (1): 113–170. [before 1 Sep 1834 (Jour. Proc. Ent. Soc. London 1834: xxix)]
- Laurent L (1966) *Denticollinae, Pleonominae, Athoomorphinae de la région aethiopienne (Coleoptera, Elateridae)*. *Bulletin de la Société Royale des Sciences de Liège* 35 (11/12): 801–821. [presented 17 Nov 1966 (footer p. 801)]
- Laurent L (1967) *La sous-famille Tetalobinae (Coleoptera, Elateridae)*. *Bulletin & Annales de la Société Royale d'Entomologie de Belgique* 103 (3/4): 83–109. [31 May 1967 (wrapper)]
- Laurent L (1974) Chapter II. Coleoptera: Elateridae [pp. 12–39]. In: Hanström B, Brinck P, Rudebeck G (Eds) *South African animal life. Results of the Lund University expedition in 1950–1951*. Vol. XV. Berlings, Lund, 532 pp. [1974 (vol. title page)]

- Lawrence JF (1974a) The ciid beetles of California (Coleoptera: Ciidae). Bulletin of the California Insect Survey 17: 1–41. [22 Jan 1974]
- Lawrence JF (1974b) The larva of *Sphindocis denticollis* Fall and a new subfamily of Ciidae (Coleoptera: Heteromera). Breviora No. 424: 1–14. [28 Jun 1974 (top of article)]
- Lawrence JF (1977) The family Pterogeniidae, with notes on the phylogeny of the Heteromera. The Coleopterists Bulletin 31 (1): 25–56. [18 May 1977 (wrapper)]
- Lawrence JF (1980) A new genus of Indo-Australian Gempylodini with notes on the constitution of the Colydiidae (Coleoptera). Journal of the Australian Entomological Society 19 (4): 293–310. [15 Dec 1980 (wrapper)]
- Lawrence JF (1988) Rhinorhipidae, a new beetle family from Australia, with comments on the phylogeny of the Elateriformia. Invertebrate Taxonomy 2 (1): 1–53. [14 Oct 1988 (verso of vol. 3 contents)]
- Lawrence JF (1991) Order Coleoptera: general discussion, family key, many family treatments [pp. 144–658]. In: Stehr FW (Ed) Immature insects. Vol 2. Kendall / Hunt Publishing Co., Dubuque, Iowa, xvi + 975 pp. [by Apr 1991]
- Lawrence JF (1994) The larva of *Sirrhas variegatus*, sp.nov., with notes on the Perimylopidae, Ulodidae (stat. n.), Zopheridae and Chalcodryidae (Coleoptera: Tenebrionoidea). Invertebrate Taxonomy 8 (2): 329–349. [28 Jun 1994 (verso of vol. 9 (1) contents)]
- Lawrence JF (2005) *Dasytomima*, a new genus of Australian Oedemeridae and its relationship to *Polypria* Chevrolat (Coleoptera: Tenebrionoidea). Annales Zoologici (Warszawa) 55 (4): 663–676. [31 Dec 2005]
- Lawrence JF, Britton EB (1991) Coleoptera (beetles) [pp. 543–683]. The insects of Australia A textbook for students and research workers Second edition Volume II. Melbourne University Press, Melbourne, Australia, vi + 543–1137. [avail. by Dec 1991]
- Lawrence JF, Newton AF, Jr. (1995) Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names) [pp. 779–1006]. In: Pakaluk J, Ślipiński SA (Eds) Biology, phylogeny and classification of Coleoptera: Papers celebrating the 80th birthday of Roy A Crowson. Vol II. Muzeum i Instytut Zoologii PAN, Warszawa, x + 1092 pp. in 2 vols. [31 Mar 1995 (teste S. A. Ślipiński)]
- Lawrence JF, Pollock DA (1994) Relationships of the Australian genus *Synercticus* Newman (Coleoptera: Boridae). Journal of the Australian Entomological Society 33 (1): 35–42. [28 Feb 1994 (wrapper)]
- Lawrence JF, Ślipiński SA, Elgueta DM (2010) Promecheilidae Lacordaire 1859 [pp. 563–567]. In: Part 38. Coleoptera, beetles. Volume 2: Morphology and systematics (Elateroidae, Bostrichiformia, Cucujiformia partim). In: Leschen RAB, Beutel RG, Lawrence JF, Ślipiński SA (Eds) Handbook of zoology. Volume IV. Arthropoda: Insecta. W. de Gruyter, New York and Berlin, xiii + 786 pp. [copyright 2010]
- Lawrence JF, Stribling JB (1992) A new genus of Ptilodactylidae (Coleoptera: Elateriformia) from North Queensland, with description of the presumed larva. Journal of the Australian Entomological Society 31 (1): 19–27. [28 Feb 1992 (wrapper)]
- Lawrence JF, Yoshitomi H (2007) *Nipponocyphon*, a new genus of Japanese Scirtidae (Coleoptera) and its phylogenetic significance. Elytra 35 (2): 507–527. [3 Nov 2007 (top of article)]

- Lea AM (1910) Australian and Tasmanian Coleoptera inhabiting or resorting to the nests of ants, bees, and termites. *Proceedings of the Royal Society of Victoria (New Series)* 23 (1): 116–230 + pls. 25–27. [issued Aug 1910 (reprint wrapper)]
- Lea AM (1925) On some new Australian Chrysomelidae (Coleoptera). *Proceedings of the Royal Society of Victoria (new series)* 37: 1–17. [issued May 1925 (reprint wrapper)]
- Leach WE (1815) Entomology [pp. 57–172]. In: Brewster D (Ed). *Brewster's Edinburgh Encyclopedia*. Volume IX [part I]. W. Blackwood, J. Waugh, etc., Edinburgh, 764 pp. [Apr 1815 (Sherborn 1937b: 112)]
- Leach WE (1817) The zoological miscellany; being descriptions of new, or interesting animals. Illustrated with coloured figures, drawn from nature, by R.P. Nodder. Vol. III. E. Nodder & Sons, London, v + [1] + 151 pp. + pls. 121–150. [Dec 1817 (Evenhuis 1997b: 443)]
- Leach WE (1819) [new taxa] In: Samouelle G: *The Entomologist's useful compendium; or an introduction to the knowledge of British insects, comprising the best means of obtaining and preserving them, and a description of the apparatus generally used; together with the genera of Linné, and the modern method of arranging the classes Crustacea, Myriapoda, spiders, mites, and insects from their affinities and structure, according to the views of Dr. Leach. Also an explanation of the terms used in entomology; a calendar of the times of appearance, and usual situations of near 3,000 species of British insects; with instructions for collecting and fitting up objects for the microscope.* Thomas Boys, London, 496 pp., 12 pls. [May 1819 (Brit. Critic, N. S. 11: 559); Opinion 1722 (ICZN 1993a: 164): authorship was ascribed to Leach for those names attributed to him in Samouelle 1819, based on a note (p. 172)]
- LeConte JE (1849) Coleopterous insects [pp. 25–36]. In: *Catalogue of the fauna and flora of the State of Georgia [Appendix]*. In: White G (Ed) *Statistics of the State of Georgia*. W. Thorne Williams, Savannah, 624 + 77 [Appendix] pp.
- LeConte JL (1847) A descriptive catalogue of the geodephagous Coleoptera inhabiting the United States east of the Rocky Mountains. *Annals of the Lyceum of Natural History of New York* 4 [1846–1848] (8/9): 355–474 [255–374] [due to a printing error, pages after 233 are numbered 100 too high]. [nos. 8/9: Apr 1847 (wrappers)]
- LeConte JL (1852a) Synopsis of the Parnidae of the United States. *Proceedings of the Academy of Natural Sciences of Philadelphia* 6 (1): 41–45. [Feb 1852 (page tops); before 14 Apr 1852 (Fox 1913: xi)]
- LeConte JL (1852b) Remarks upon the Coccinellidae of the United States. *Proceedings of the Academy of Natural Sciences of Philadelphia* 6 (4): 129–145. [Aug 1852 (page tops); 1 Oct 1852 (Proc. Amer. Philos. Soc.)]
- LeConte JL (1853a) Descriptions of twenty new species of Coleoptera inhabiting the United States. *Proceedings of the Academy of Natural Sciences of Philadelphia* 6 (7): 226–235. [Jan 1853 (page tops); 3 Apr 1853 (Fox 1913: xi)]
- LeConte JL (1853b) Notes on the classification of the Carabidae of the United States. *Transactions of the American Philosophical Society (New Series)* 10: 363–403. [read 18 Mar 1853; 1853 (title page)]

- LeConte JL (1856) Synopsis of the Melolonthidae of the United States. *Journal of the Academy of Natural Sciences of Philadelphia* (2) 3 (3): 225–288. [submitted 14 Oct 1856 (Proc. Acad. Nat. Sci. Philad. 1856: 215); publ. 18 Nov 1856 (Fox 1913: ix)]
- LeConte JL (1859a) The Coleoptera of Kansas and eastern New Mexico. *Smithsonian Contributions to Knowledge* 11 (6): vi + 58 pp. [publ. Dec 1859 (p. 58)]
- LeConte JL (1859b) Descriptions of some genera and species of Coleoptera from the vicinity of the southern boundary of the United States of America [livr. 3: pp. 121–128, pls. 12–13]. In: Thomson, J. (Ed) *Arcana Naturae ou Recueil d'Histoire Naturelle*. 132 pp. + 13 pls. [end of 1859, probably early 1860 (Hayek 1989: 93)]
- LeConte JL (1861) Classification of the Coleoptera of North America. Part I. [pp. 1–208]. *Smithsonian Miscellaneous Collections* 3 (No. 136): xxiv + 214 pp. [May 1861 (vol. contents; p. 286); pp. 209–278 in Mar 1862]
- LeConte JL (1862) Classification of the Coleoptera of North America. Part I (cont.). *Smithsonian Miscellaneous Collections* 3 (No. 136): 209–278. [Mar 1862 (vol. contents; p. 286; index [pp. 279–286] evidently published later)]
- LeConte JL (1863) List of the Coleoptera of North America. Part. I. *Smithsonian Miscellaneous Collections* 6 (no. 140): 1–49. [Mar 1863 (advertisement after title page)]
- LeConte JL (1866a) List of the Coleoptera of North America. Part. I [continued]. *Smithsonian Miscellaneous Collections* 6 (no. 140): 50–70. [Apr 1866 (advertisement after title page)]
- LeConte JL (1866b) New species of North American Coleoptera. Prepared for the Smithsonian Institution. Part I. *Smithsonian Miscellaneous Collections* 6 (no. 167): 87–168. [Apr 1866 (advertisement after title page)]
- LeConte JL (1867) Additions to the coleopterous fauna of the United States. No. 1. *Proceedings of the Academy of Natural Sciences of Philadelphia* 18 (5 [Dec 1866]): 361–394. [list of publ. dated 1 Jan 1867 (fasc. 5); 20 Jul 1867 (Fox 1913: xiii)]
- LeConte JL (1869) List of Coleoptera collected in Vancouver's Island by Henry and Joseph Matthews, with descriptions of some new species. *The Annals and Magazine of Natural History* (4) 4 (24): 369–385. [1 Dec 1869 (Evenhuis 2003: 25)]
- LeConte JL (1872) On Platypyllidae, a new family of Coleoptera. *Proceedings of the Scientific Meetings of the Zoological Society of London* 1872: 799–804, pl. 68. [5 Nov 1872 (page tops)]
- LeConte JL (1873) Classification of the Coleoptera of North America. Part II. *Smithsonian Miscellaneous Collections* 11 (no. 265): 279–348. [May-Jun 1873 (page footers)]
- LeConte JL (1874a) Descriptions of new Coleoptera chiefly from the Pacific slope of North America. *Transactions of the American Entomological Society* 5 (1): 43–72. [Mar 1874 (footer p. 41)]
- LeConte JL (1874b) The classification of the rhynchophorus Coleoptera. *The American Naturalist* 8 (8): 385–470. [Aug 1874 (p. 449 of issue); 26 Aug 1874 (Ann. Soc. Ent. France 1874: Bull. Ent.: clxx)]
- LeConte JL (1876) [Pp. 1–12, 112–455] In: LeConte JL, Horn GH: *The Rhynchophora of America North of Mexico*. *Proceedings of the American Philosophical Society held at Philadelphia for promoting useful knowledge* 15 (96): i-xvi + 1–455. [23 Dec 1876 (date of preface p. ix); Dec 1876 (fasc. title page)]

- LeConte JL (1881) Synopsis of the Lampyridae of the United States. *Transactions of the American Entomological Society* 9 [1881–82] (1): 15–72. [Feb, Mar, Apr, May, Jun 1881 (footers p. 9, 17, 33, 41, 65); 14 Oct 1881 (F. M. Brown 1964: 317)]
- LeConte JL, Horn GH (1883) Classification of the Coleoptera of North America. *Smithsonian Miscellaneous Collections* 26 (4 [no. 507]): xxviii + 567 pp. [Feb 1883 (date of advertisement after title page)]
- Lecordier C (1977) Les Stagoninae d'Afrique noire (Col. Carabidae). 1re partie. *Annales de la Société Entomologique de France (Nouvelle Série)* 13 (4): 625–638. [3ème trim. 1977 (fasc. endleaf)]
- Lee C-F, Satô M, Shepard WD, Jäch MA (2007) Phylogeny of Psephenidae (Coleoptera: Byrrhoidea) based on larval, pupal and adult characters. *Systematic Entomology* 32 (3): 502–538. [17 Apr 2007 (online); 18 Jul 2007 (vol. contents)]
- Lefèvre É (1876) Descriptions d'Eumolpides nouveaux ou peu connus. *Revue et Magasin de Zoologie Pure et Appliquée* (3) 4 (8): 278–311. [before 15 Nov 1876 (Petites Nouv. Ent. 2: 88)]
- Lefèvre É (1884) Communications [descriptions de trois genres nouveaux de Coléoptères de la famille des Eumolpides]. *Bulletin des Séances de la Société Entomologique de France* (6) 4 (2): lxv-lxvii. [8 Oct 1884 (Lefèvre 1895)]
- Lefèvre É (1885) Eumolpidarum hucusque cognitarum catalogus, sectionum conspectu systematico, generum sicut et specierum nonnullarum novarum descriptionibus adjunctis. *Mémoires de la Société Royale des Sciences de Liège* (2) 11 (Nr. 16): 1–172. [Dec 1885 (vol. title page)]
- Lefèvre É (1895) Annales de la Société Entomologique de France. Tables générales de 1881 à 1890 inclusivement. Paris, Société Entomologique de France, 239 + [1] pp. [1895 (title page)]
- Legalov AA (2001) Revision der holarktischen Auletini (Coleoptera: Attelabidae). *Reviziya gołarkticheskich Auletini (Coleoptera: Attelabidae)*. Russian Entomological Journal 10 (1): 33–66. [23 May 2001 (journal website)]
- Legalov AA (2003) Taxonomy, classification and phylogeny of the leaf-rolling weevils (Coleoptera: Rhynchitidae, Attelabidae) of the world fauna. *Taksonomiya, klassifikatsiya i filogeniya rinkhitid i trubkovertov (Coleoptera: Rhynchitidae, Attelabidae) mirovoi fauny. Kapitel*, Novosibirsk, 733 + 350 pp. [printed 13 Nov 2003]
- Legalov AA (2007) Leaf-rolling weevils (Coleoptera, Rhynchitidae, Attelabidae) of the world fauna. *Leaf-rolling weevils*. Agro-Siberia, 523 pp.
- Legalov AA (2009a) A review of fossil and recent species of the family Ithyiceridae (Coleoptera) from the world fauna. *Amurskii Zoologicheskii Zhurnal* 1 (2): 117–131 + pls. 1–4.
- Legalov AA (2009b) Annotated checklist of fossil and Recent species of the family Nemonychidae (Coleoptera) from the world fauna. *Amurskii Zoologicheskii Zhurnal* 1 (3): 200–213.
- Legalov AA (2009c) Contribution to the knowledge of the Mesozoic Curculionoidea (Coleoptera). *Amurskii Zoologicheskii Zhurnal* 1 (4): 283–295.

- Legalov AA (2009d) Annotated checklist of Recent and fossil species of the family Belidae (Coleoptera) from the world fauna. *Amurskii Zoologicheskii Zhurnal* 1 (4): 296–324, + pls. V–XI.
- Leiler TE (1976) Zur Kenntnis der Entwicklungsstadien und der Lebensweise nord- und mitteleuropäischer Eucnemiden (Col.). *Entomologische Blätter für Biologie und Systematik der Käfer* 72 (1): 10–50. [25 Jul 1976 (wrapper)]
- Leleup N (1969a) Position systématique et nouvelle diagnose du genre *Halorabyxis* Jeannel, endémique des Mascareignes. Définition de *H. vinsoni* Jeannel et description d'une espèce inédite (Coleoptera Pselaphidae Bythininae). *Bulletin & Annales de la Société Royale d'Entomologie de Belgique* 105 (7/8): 136–145. [15 Sep 1969 (wrapper)]
- Leleup N (1969b) Une nouvelle tribu de Psélaphides (Col.) découverte par H. Franz à Madagascar. *Bulletin & Annales de la Société Royale d'Entomologie de Belgique* 105 (9/10): 281–288. [30 Nov 1969 (wrapper)]
- Leleup N (1970) Contributions à l'étude des coléoptères psélaphides de l'Afrique. 7. Une nouvelle sous-tribu de Batrisini de l'Afrique intertropicale. *Bulletin & Annales de la Société Royale d'Entomologie de Belgique* 105 (11/12): 305–341. [28 Feb 1970 (wrapper)]
- Leleup N (1973) Contributions à l'étude des coléoptères psélaphides de l'Afrique. 13. Description de trois genres inédits et de quatorze espèces nouvelles des régions intertropicales, nouvelle définition des Ambicocerina et création de la tribu des Barrosellini. *Bulletin & Annales de la Société Royale Belge d'Entomologie* 109 (1/3): 43–91. [31 Mar 1973 (wrapper)]
- Leng CW (1920) Catalogue of the Coleoptera of America, North of Mexico. John D. Sherman, Jr., Mount Vernon, New York, x + 470 pp. [1 Dec 1920 (date of preface)]
- Leng CW, Mutchler AJ (1916) Descriptive catalogue of West Indian Cicindelinae. *Bulletin of the American Museum of Natural History* 35 (36): 681–699.
- Leng CW, Mutchler AJ (1922) The Lycidae, Lampyridae and Cantharidae (Telephoridae) of the West Indies. *Bulletin of the American Museum of Natural History* 46: 413–499. [24 Aug 1922]
- Lepesme P (1943) Un remarquable cérambycide nouveau de Guyane. *Revue Française d'Entomologie* 9 [1942] (3/4): 135–137. [15 Aug 1943 (p. 151)]
- Lepesme P, Breuning S (1952) Note préliminaire sur la classification des coléoptères cérambycides. *Transactions of the IXth International Congress of Entomology*, Amsterdam, August 17–24, 1951 Volume I. Amsterdam, 139–142.
- Lepesme P, Breuning S (1956) Une tribu nouvelle des Cerambycinae (Coleoptera Cerambycidae). *Revue de Zoologie et de Botanique Africaines* 53 (3/4): 287–304. [7 Jul 1956 (p. 523)]
- Leschen RAB (1996) Phylogeny and revision of the genera of Cryptophagidae (Coleoptera: Cucujoidea). *The University of Kansas Science Bulletin* 55 (15): 549–634. [5 Jul 1996 (top of article)]
- Leschen RAB (2003) Erotylidae (Insecta: Coleoptera: Cucujoidea): phylogeny and review. Fauna of New Zealand. Ko te Aitanga Pepeke o Aotearoa. Number 47. Manaaki Whenua Press, Lincoln, 108 pp. [5 Jun 2003]

- Leschen RAB, Carlton CE (2004) A new tribe, genus and species of nitidulid beetle (Coleoptera: Nitidulidae: Nitidulinae) from Bolivia. *The Coleopterists Bulletin* 58: 443–451.
- Leschen RAB, Beutel RG, Lawrence JF (Eds) (2010) Part 39. Coleoptera, beetles. Volume 2: Morphology and systematics (Elateroidea, Bostrichiformia, Cucujiformia partim). In: Kristensen NP, Beutel RG (Eds) *Handbook of zoology. A natural history of the phyla of the animal kingdom. Volume IV - Arthropoda: Insecta*. Walter De Gruyter, Berlin, xiii + 786 pp.
- Lesne P (1896) Revision des Coléoptères de la famille des Bostrychides. *Annales de la Société Entomologique de France* 65 (1): 95–127, pls. 8–9. [before 9 Dec 1896 (Bull. Soc. Ent. France 1896: 409)]
- Lesne P (1910) Revision des Coléoptères de la famille des Bostrychides. 6e mémoire: Dinapati-nae et Apatinae. *Annales de la Société Entomologique de France* 78 [1909] (4): 471–574, pls. 13–17. [27 Apr 1910 (Annales vol. 79: 540)]
- Lesne P (1921a) Les espèces typiques de *Trogoxylon*, (Col. Lyctidae). Position systématique de ce genre. *Bulletin de la Société Entomologique de France* 1921 (16): 228–231. [24 Nov 1921 (p. [323])]
- Lesne P (1921b) Classification des coléoptères xylophages de la famille des Bostrychides. *Compte-rendu de la session Association française pour l'avancement des sciences* 44: 285–289. [1921 (title page)]
- Lesne P (1934) Note sur un Bostrychide Néo-Zélandais *l'Euderia squamosa* Broun (Coleopt.). *Annales de la Société Entomologique de France* 103 (3/4): 389–393. [31 Dec 1934 (wrapper)]
- Léveillé A (1888) Catalogue de la famille des temnochilides. *Annales de la Société Entomologique de France* (6) 8 (4): 429–448. [10 Jun 1889 (wrapper)]
- Levey B (1978) A new tribe, Epistomentini, of Buprestidae (Coleoptera) with a redefinition of the tribe Chrysocroini. *Systematic Entomology* 3 (2): 153–158. [Apr issue; 9 May 1978 (recorded at CNC)]
- Levey B (1985) Afreminae: a new subfamily of Anthicidae (Coleoptera) from southern Africa. *Entomologica Scandinavica* 15 [1984] (3): 419–422. [31 Jan 1985 (top p. 299)]
- Lewis G (1882) Synteliidae: a family to include *Syntelia* & *Sphaerites*, with a note of a new species of the first genus. *The Entomologist's Monthly Magazine* 19: 137–138. [Nov 1882 issue]
- Lewis G (1894) On the Tenebrionidae of Japan. *The Annals and Magazine of Natural History* (6) 13 (77): 377–400, (78): 465–484, pl. 13. [1 May, 1 Jun 1894 (Evenhuis 2003: 33)]
- Lichtenstein AAH (1796) Catalogus musei zoologici ditissimi Hamburgi, d. III. Februar 1796 auctionis lege distrahendi. Sectio Tertia. Continens Insecta. Schniebes, Hamburg, 13 + 224 pp.
- Liebke M (1929) Laufkäfer-Studien VI. *Entomologischer Anzeiger* 9: 245–247, 261–265, 297–298.
- Lindemann K (1877) Monographie der Borkenkaefer Russlands. Die cryphaloiden Tomiciden. *Bulletin de la Société Impériale des Naturalistes de Moscou* 51 (3 [1876]): 148–169. [before 25 Apr 1877 (Ann. Soc. Ent. France (5) 7 Bull. Bibliogr.: 17)]

- Lindroth CH (1956) A revision of the genus *Synuchus* Gyllenhal (Coleoptera: Carabidae) in the widest sense, with notes on *Pristosia* Motschulsky (*Eucalathus* Bates) and *Calathus* Bonelli. The Transactions of the Royal Entomological Society of London 108 (11): 485–576. [31 Dec 1956 (wrapper)]
- Lindroth CH (1968) The ground-beetles (Carabidae, excl. Cicindelinae) of Canada and Alaska. Part 5. Opuscula Entomologica Supplementum 33: 649–944.
- Linsley EG (1940) A reclassification of the tribe Obriini of LeConte (Coleoptera, Cerambycidae). Journal of the New York Entomological Society 48 (4): 367–377. [Dec issue; 21 Dec 1940 (recorded at CNC)]
- Linsley EG (1961) The Cerambycidae of North America. Part I. Introduction. University of California Publications in Entomology 18: i–vi, 1–97 + 35 pls. [issued 29 May 1961 (verso of title page)]
- Linsley EG (1962) The Cerambycidae of North America. Part II. Taxonomy and classification of the Parandrinae, Prioninae, Spondylinae, and Aseminae. University of California Publications in Entomology 19: i–v, 1–102 + [1] + 1 pl. [issued 19 Jan 1962 (verso of title page)]
- Linsley EG (1964) The Cerambycidae of North America. Part V. Taxonomy and classification of the subfamily Cerambycinae, tribes Callichromini through Ancylocerini. University of California Publications in Entomology 22: i–viii + 1–197 + 1 pl. [issued 19 Mar 1964 (verso of title page)]
- Linzmeier AM, Konstantinov AS (2009) A new genus of flea beetles (Coleoptera: Chrysomelidae) from the south of Brazil. Proceedings of the Entomological Society of Washington 111 (3): 656–665.
- Liu G (1935) Catalogue of the phytophagous beetles of China [continued]. Lingnan science journal 14 (2): 285–298.
- lobanov AL, Danilevsky ML, Murzin SV (1981) Sistemicheskiy spisok usachey (Coleoptera, Cerambycidae) fauny SSSR. I. [Systematic list of longicorn beetles (Coleoptera, Cerambycidae) of the USSR. I]. Entomologicheskoe Obozrenie 60 (4): 784–803 [in Russian: not translated in Entomological Review]. [after 10 Dec 1981 (approved to print, back wrapper); 13 Apr 1982 (recorded at CNC)]
- Löbl I (2010) New acts and comments [p. 83]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Löbl I, Merkl O, Ando K, Bouchard P, Lillig M, Masomuto K, Schawaller W (2008) Family Tenebrionidae [in part, pp. 105–113, 120–127, 139–219, 238–241, 257, 276–277, 297–319, 339–352]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 670 pp. [publ. 15 Apr 2008 (verso of title page)]
- Löbl I, Silfverberg H (2010) New acts and comments. Chrysomelidae: Donaciinae [p. 64]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Löbl I, Smetana A (Eds) (2003) Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata -Myxophaga - Adephaga. Apollo Books, Stenstrup, 819 pp. [publ. 30 May 2003 (verso of title page)]

- Löbl I, Smetana A (Eds) (2004) Catalogue of Palaearctic Coleoptera. Volume 2. Hydrophiloidae - Histeroidea - Staphylinoidea. Apollo Books, Stenstrup, 942 pp. [publ. 31 Dec 2004 (verso of title page)]
- Löbl I, Smetana A (Eds) (2006) Catalogue of Palaearctic Coleoptera. Volume 3. Scarabaeoidea - Scirtoidea - Dascilloidea - Buprestoidea - Byrrhoidea. Apollo Books, Stenstrup, 690 pp. [publ. 30 Jun 2006 (verso of title page)]
- Löbl I, Smetana A (Eds) (2007) Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidea - Lymexyloidea - Cleroidea - Cucujoidea. Apollo Books, Stenstrup, Denmark, 935 pp. [30 Jun 2007 (verso of title page)]
- Löbl I, Smetana A (2008) Errata [pp. 21–27]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 670 pp. [publ. 15 Apr 2008 (verso of title page)]
- Löbl I, Smetana A (Eds) (2010) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidae. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Lohse GA (1964) Staphylinidae I (Micropeplinae bis Tachyporinae). In: Freude H, Harde KW, Lohse GA (Eds) Die Käfer Mitteleuropas. Band 4. Goecke & Evers, Krefeld, 264 pp. [1964 (copyright); 22 Nov 1964 (recorded by Smetana)]
- Lohse GA (1969) Vorschläge zur Änderung der Aleocharinensystematik (Coleoptera: Staphylinidae) [pp. 169–175]. In: Bericht über die 10 Wanderversammlung deutscher Entomologen, 15 bis 19 September 1965 in Dresden Tagungsberichte Nr 80. Deutsche Akademie der Landwirtschaftswissenschaften zu Berlin, Berlin, 175 pp.
- Lohse GA (1974) Hypocyphtinae, Aleocharinae [in part; pp. 7–72, 221–292]. In: Freude H, Harde KW, Lohse GA (Eds) Die Käfer Mitteleuropas Band 5 Staphylinidae II (Hypocyphtinae und Aleocharinae), Pselaphidae. Goecke & Evers, Krefeld, 381 pp. [1974 (copyright)]
- Lohse GA (1989) 23. Familie: Staphylinidae [pp. 121–127, 129–240]. In: Lohse GA, Lucht WH (Eds) Die Käfer Mitteleuropas. Band 12. 1. Supplementband mit Katalogteil. Goecke & Evers, Krefeld, 346 pp. [1989 (copyright); 30 Jul 1989 (recorded by Smetana)]
- Lopatin IK (1961) [New family of Coleoptera (Sogdiidae, fam. n.) from Tadzhikistan]. Izvestiya Akademii Nauk Tadzhikskoi SSR Otdelenie Biologicheskikh Nauk 1: 121–125 [in Russian].
- Lopes-Andrade C (2008) An essay on the tribe Xylographellini (Coleoptera: Tenebrionoidea: Ciidae). Zootaxa 1832: 1–110. [publ. 30 Jul 2008 (footer p. 1)]
- López-Pérez JJ (2006) Encontrar rápidamente la clasificación de los Cerambycidae del mundo (Coleoptera: Chrysomeloidea). Boletín de la Sociedad Andaluza de Entomología No. 13 [2005]: 44–66. [accepted 8 Mar 2006 (p. 66)]
- Lord NP, Hartley CS, Lawrence JV, McHugh MFW, Miller KB (2010) Phylogenetic analysis of the minute brown scavenger beetles (Coleoptera: Latridiidae), and recognition of a new beetle family, Akalyptoischiidae fam.n. (Coleoptera: Cucujoidea). Systematic Entomology 35 (4): 753–763. [28 Jun 2010 (online); Oct 2010 issue]
- Lorenz W (1998a) Nomina carabidarum - a directory of the scientific names of ground beetles. (Insecta, Coleoptera «Geadephaga»: Trachypachidae and Carabidae incl. Paussinae, Cicindelinae, Rhysodinae). First edition. W. Lorenz, Tutzing, Germany, iv + 937 pp.

- Lorenz W (1998b) Systematic list of extant ground beetles of the world (Insecta Coleoptera "Geadephaga": Trachypachidae and Carabidae incl. Paussinae, Cicindelinae, Rhysodinae). First edition. W. Lorenz, Tutzing, Germany, [ii] + 502 pp.
- Lorenz W (2005) Systematic list of extant ground beetles of the world (Insecta Coleoptera "Geadephaga": Trachypachidae and Carabidae incl. Paussinae, Cicindelinae, Rhysodinae). Second edition. W. Lorenz, Tutzing, Germany, 530 pp.
- Louw S, Oberprieler RG (1998) [new taxon] In: Louw S: Solving the riddle: combining life-history analysis and morphological comparison in weevil phylogenetics. In: Colonnelli E, Louw S, Osella G (Eds) Taxonomy, ecology and distribution of Curculionoidea (Coleoptera: Polyphaga). Proceedings of a Symposium (28 August, 1996, Florence, Italy). XX International Congress of Entomology. Atti del Museo Regionale di Scienze Naturali, Torino: 19–26.
- Lucas R (1920) Catalogus alphabeticus generum et subgenerum Coleopterorum orbis terrarum totius (famil., trib., subtr., sect. incl.). Pars I. Archiv für Naturgeschichte (Abteilung A) 84 [1918] (1/5): i-xxxi, 1–696 [also as separate, 1920, Nicolai, Berlin, same pagin.]. [Jan, Feb 1920]
- Luna de Carvalho E (1951) Contribution pour un nouveau catalogue de la famille des Paussides (Col. Carab. Isochaeta). Memorias e Estudos do Museu Zoologico da Universidade de Coimbra 207: 1–55 + 2 pls.
- Luna de Carvalho E (1961) Révision des Paussides appartenant aux tribus des Pentaplatarthrini et Hylotorini (2e contribution à l'étude monographique des Paussides) (Col. Carabidae Paussinae). Revue de Zoologie et de Botanique Africaines 63 (1/2): 1–19. [30 Mar 1961 (p. 392)]
- Luna de Carvalho E (1989) Essai monographique des coléoptères protopaussines et paussines contenant des descriptions et iconographie des taxa actuelles et fossiles avec des clefs dichotomiques de toutes les espèces. Memórias do Instituto de Investigaçāo Científica Tropical (2) 70 [1987]: 1–1026. [printed May 1989 (endleaf)]
- Lyal CHC, Alonso-Zarazaga MA (2010) Case 3529. *Otiorhynchus* Germar, 1824 and *Loborhynchus* Schoenherr, 1823 (Insecta, Coleoptera): proposed emendation of entries on the Official List of Generic Names in Zoology. Bulletin of Zoological Nomenclature 67 (4): 289–291.
- Lynch Arribálzaga F (1878) Notas sobre dos Athyreitae de Buenos Aires. Naturalista Argentino: El Revista de Historia Natural 1 (5): 145–149.
- Lynch Arribálzaga F (1884) Los Estafilinos de Buenos Aires. Boletín de la Academia Nacional de Ciencias en Córdoba 7 (1): 5–256, (3): 257–392. [12 Apr 1884 (date of Introduction); 1884 (title pages of both fasc.); by Dec 1884 (Biblioth. Hist.-nat. 34 (2): 149)]
- Lyubarsky GY (1998) Phylogenetics of the beetles of the family Cryptophagidae: a cladistic analysis. Zoologicheskie Issledovania 1: 1–92 [in Russian].
- MacDonald WB (1845) [translation of Erichson's review of Mulsant, 1842] In: Report on Zoology, MDCCXLII [pp. 1–348]. In: Reports on the progress of zoology and botany 1841, 1842. The Ray Society, Edinburgh, viii + 43 + 348 + 104 pp.
- Machado A (1992) Monografía de los carábidos de las Islas Canarias (Insecta, Coleoptera). Instituto de Estudios Canarios, La Laguna, 734 pp. [1992 (title page)]

- Machatschke JW (1959) Phylogenetische Untersuchungen über die Sericini (sensu Dalla Torre 1912) (Coleoptera: Lamellicornia, Melolonthidae). Beiträge zur Entomologie 9 (7/8): 730–746. [Dec 1959 (top p. 713); recorded at CNC 19 Jul 1960]
- MacLeay WJ (1866) New species of Amycteridae. The Transactions of the Entomological Society of New South Wales 1 (5): 319–340. [6 Aug 1866 (read to Society); 1866 (wrapper)]
- MacLeay WJ (1887) Miscellanea Entomologica, No. III. The Scaritidae of New Holland. The Proceedings of the Linnean Society of New South Wales (2) 2 [1888] (1): 115–134. [issued 18 May 1887 (vol. 2 contents p. iii)]
- MacLeay WS (1819) Horae entomologicae: or essays on the annulose animals. Vol. I. Part I. Containing general observations on the geography, manners, and natural affinities of the insects which compose the genus *Scarabaeus* of Linnaeus; to which are added a few incidental remarks on the genera *Lucanus* and *Hister* of the same author. With an appendix and plates. S. Bagster, London, xxx + [2] + 160 pp., 3 pls. [Nov 1819 (Evenhuis 1997)]
- MacLeay WS (1825) Annulosa Javanica, or an attempt to illustrate the natural affinities and analogies of the insects collected in Java by Thomas Horsfield, M.D. F.L. & G.S. and deposited by him in the museum of the honourable East-India Company. Number 1. Kingsbury, Parbury, and Allen, London, xii + 50 pp., 1 pl. [July 1825 (Evenhuis 1997b: 507)]
- Macnamara JP (1971) Emendation of taxa of Micronesian Oedemeridae (Coleoptera). Entomological News 82 (6): 164. [publ. 28 Jun 1971 (verso of vol. title page)]
- MacSwain JW (1956) A classification of the first instar larvae of the Meloidae (Coleoptera). University of California Publications in Entomology (University of California Press) 12: 1–182 + pls. 1–30. [issued 10 Jul 1956 (verso of title page)]
- Mader L (1934) Evidenz der paläarktischen Coccinelliden und ihrer Aberrationen in Wort und Bild. I. Teil: Epilachnini, Coccinellini, Halyziini, Synonychini. Zeitschrift des Vereines der Naturbeobachter, Wien 1924 (Beilag): 289–328. [Apr, May, Aug, Sep 1924 (pp. 289–335 signature footers); but publ. later in Zeitschr. Ver. Naturb. (appearance in Zoo. Rec.); 412 pp. + 64 pls. total]
- Mader L (1954) Coccinellidae. III. Teil. Exploration du Parc National Albert Mission G F de Witte (1933–1935). Fasc. 80. Institut des Parcs Nationaux du Congo Belge Bruxelles, 206 pp.
- Madge RB (1988) The publication dates of Dejean's catalogues. Archives of Natural History 15: 317–321.
- Madge RB (1989) A catalogue of the family-group names in the Geodephaga, 1758–1985 (Coleoptera: Carabidae s. lat.). Entomologica Scandinavica 19: 459–474. [4 May 1989]
- Maehler, FJ (1850) Enumeratio coleopterorum circa Heidelbergam indigenarum adjectia synonymis locisque natalibus. Mohr, Heidelbergae. viii + 116 pp.
- Maes JM (1992a) Lista de los Lucanidae (Coleoptera) del mundo. Revista Nicaragüense de Entomología 22A: 1–60. [Dec 1992 (Zool. Record)]
- Maes JM (1992b) Lista de los Lucanidae (Coleoptera) del mundo. Revista Nicaragüense de Entomología 22B: 61–121. [Dec 1992 (Zool. Record)]
- Majer K (1987) Comparative morphology and proposed major taxonomy of the family Melyridae (Insecta, Coleoptera). Polskie Pismo Entomologiczne 56 [1986] (4): 719–859. [28 Feb 1987 (top of article); printed Mar 1987 (verso of title page)]

- Majer K (1990) A new tribe Listrini trib. n., including two new genera (Coleoptera, Melyridae). *Acta Entomologica Bohemoslovaca* 87 (5): 368–384. [25 Oct 1990 (inside wrapper)]
- Majer K (1995a) A review of the classification of the Melyridae and related families (Coleoptera, Cleroidea). *Entomologica Basiliensis* 17 [1994]: 319–390. [30 Apr 1995 (p. 3)]
- Majer K (1995b) Revision of the family Mauroniscidae (Insecta: Coleoptera: Cleroidea). *Entomologische Abhandlungen* (Dresden) 57 (3): 57–89. [1 Dec 1995 (top of article)]
- Majer K (2000) [new taxa] In: Kubáň V, Majer K, Kolibáč J: Classification of the tribe Co-raebini Bedel, 1921 (Coleoptera, Buprestidae, Agrilinae). *Acta Musei Moraviae Časopis Moravského Musea Scientiae Biologicae* 85 (2): 185–287. [22 Jun 2001 (recorded at BMNH)]
- Majer K (2002) Subfamilial classification of the family Malachiidae (Coleoptera, Cleroidea). *Entomologica Basiliensis* 24: 179–244. [24 Sep 2002 (Inhalt)]
- Mamaev BM (1976) [Morphological types of xylophagous beetle larvae (Coleoptera, Eucnemidae) and their evolutionary importance] [pp. 136–155]. In: Mamaev BM (Ed) [Evolutionary morphology of woodboring larvae]. Nauka, Moscow, 202 pp. [in Russian].
- Mamaev BM, Danilevsky ML (1973) Novye dannye po sisteme podsemeistva Aseminalae (Coleoptera, Cerambycidae) v svyazi s osobennostyami stroeniya lichinok. [New data on systematic status of the subfamily Aseminalae (Coleoptera, Cerambycidae) with reference to the morphology of larvae]. *Zoologicheskii Zhurnal* 52 (8): 1257–1261 [in Russian]. [after 3 Aug 1973 (approved to print, endleaf); 6 Nov (recorded at CNC)]
- Mandelstham MY, Beaver RA (2003) *Amphiscolytus* - a new genus, and Amphiscolytini - a new tribe of Scolytidae (Coleoptera) for *Dacryophthorus capensis* Schedl. *Zootaxa* 298: 1–8. [publ. 16 Sep 2003 (footer p. 1)]
- Mann WM (1921) Three new myrmecophilous beetles. *Proceedings of the United States National Museum* 59: 547–552. [publ. 5 Oct 1921 (p. v)]
- Mann WM (1924) Myrmecophiles from the western United States and Lower California. *Annals of the Entomological Society of America* 17 (1): 87–95. [mailed 18 Apr 1924 (p. 476)]
- Marinoni RC, Napp DS (1984) Thysini, uma nova tribo para Cerambycinae (Coleoptera, Cerambycidae). *Revista Brasileira de Entomologia* 28 (1): 39–49. [22 Feb 1984 (wrapper)]
- Marseul S-A, de (1857a) Catalogue des coléoptères d'Europe de Marseul, Paris, xvi + 200 pp. [1 Mar 1857 (date of preface); 24 Jun 1857 (Ann. Soc. Ent. France (3) 5: Bull. Ent.: lxxxiii); 26 Sep 1857 (Bibliogr. France 1857)]
- Marseul S-A, de (1857b) Essai monographique sur la famille des Histérides (Suite). *Annales de la Société Entomologique de France* (3) 5 (1): 109–167, (2): 397–428, (3): 429–516, pls. 10–11. [(1): 24 Jun; (2): 9 Sep; (3): 14 Nov 1857 (wrappers)]
- Marseul S-A, de (1863) Catalogue des coléoptères d'Europe et du Bassin de la Méditerranée en Afrique & en Asie. Deuxième édition. A. Deyrolle, Paris, 300 pp. [15 Jun 1863 (“Principales abréviations...”)]
- Marseul S-A, de (1866) Catalogus Coleopterorum Europae et confinium. Friedlander & Sohn, Berlin, [12] + 131 pp. [1866 (date of avertissement); 1866 (Zool. Record)]
- Marseul S-A, de (1882) Les entomologistes et leurs écrits. L'Abeille, Mémoires d'Entomologie 20: 20–39.

- Marshall GAK (1907) A revision of the genus *Synthocus*, Schönh., and its allies (Curculionidae). *Transactions of the South African Philosophical Society* 18 (1): 89–120, pl. 6. [Oct 1907 (contents)]
- Marshall GAK (1916) Coleoptera. Rhynchophora: Curculionidae. In: Shipley AE (Ed) *The fauna of British India, including Ceylon and Burma*. Taylor & Francis, London, xv + 367 pp. [1916 (title page); Oct 1916 (date of preface)]
- Marshall GAK (1917) On new species of Indian Curculionidae.- Part III. *The Annals and Magazine of Natural History* (8) 19 (110): 188–198. [1 Feb 1917 (Evenhuis 2003: 41)]
- Marshall GAK (1920) On new species of Curculionidae from Africa. *The Annals and Magazine of Natural History* (9) 6 (34): 369–398, pl. 13. [1 Oct 1920 (Evenhuis 2003: 42)]
- Marshall GAK (1932) Notes on the Hylobiinae (Col., Curc.). *The Annals and Magazine of Natural History* (10) 9 (52): 341–355. [1 Apr 1932 (Evenhuis 2003: 46)]
- Marshall GAK (1937a) New Curculionidae (Col.) from New Zealand. *Transactions and proceedings of the Royal Society of New Zealand* 67 (3): 316–340 + pl. 45. [issued Dec 1937 (fasc. title page)]
- Marshall GAK (1937b) On some Oriental Cossoninae (Col. Curc.). *Proceedings of the Royal Entomological Society of London (Series B, Taxonomy)* 6 (3): 54–58. [15 Mar 1937 (wrapper)]
- Marshall GAK (1939) New tropical African Curculionidae (Col.). *The Annals and Magazine of Natural History* (11) 3 (18): 561–583. [1 Jun 1939 (Evenhuis 2003: 48)]
- Marshall GAK (1942) On some East African Otiorrhynchinae (Col., Curcul.). *The Annals and Magazine of Natural History* (11) 9 (49): 1–26. [1 Jan 1942 (Evenhuis 2003: 49)]
- Marshall GAK (1944) On the genera of the tribe Cyphicerini (Col., Curc.). I. *The Annals and Magazine of Natural History* (11) 11 (74): 73–98. [18 Mar 1944 (Evenhuis 2003: 50)]
- Marshall GAK (1952) Taxonomic notes on Curculionidae (Col.). *The Annals and Magazine of Natural History* (12) 5 (51): 261–270. [1 Mar 1952 (Evenhuis 2003: 52)]
- Marshall GAK (1953) On a collection of Curculionidae (Coleoptera) from Angola. *Publicações Culturais da Companhia de Diamantes de Angola* 16: 99–119. [separate publ. 3 Sep 1953 (title page of article)]
- Marshall GAK (1956) The Otiorrhynchine Curculionidae of the tribe Celeuthetini (Col.). Trustees of the British Museum, London, 134 pp. [issued Jan 1956 (title page)]
- Marshall GAK (1957) A new subfamily of Curculionidae (Coleoptera). *Proceedings of the Royal Entomological Society of London (Series B. Taxonomy)* 26 (1/2): 17–20. [26 Feb 1957 (wrapper)]
- Marshall TA (1865) *Corynodinorum recensio*. *Journal of the Proceedings of the Linnean Society of London* 8 (1): 24–50.
- Martínez A (1968) Insectos nuevos o poco conocidos XIII. Ceratocanthini nom. n. para Acanthocerini (Coleoptera, Scarabaeidae, Troginae). *Revista de la Sociedad Entomológica Argentina* 30 [1967] (1/4): 9–16. [15 Feb 1968 (footer p. 9)]
- Martínez A, Viana MJ (1964) Una nueva subfamilia de coleópteros (Ptinidae; Fabiinae). *Neotropica* 10 (31): 7–14. [14 Jul 1964]

- Martins UR (1976) Sistemática e evolução da tribo Piezocerini (Coleoptera, Cerambycidae). Arquivos de Zoologia, São Paulo 27 ((3/4)): 165–370 + 8 pls. [28 May 1976 (top of article); 1 Jun 1976 (recorded at BMNH)]
- Martins UR (1997a) Tribo Oemini [pp. 5–155]. In: Martins UR (Ed). Cerambycidae Sul-Americanos (Coleoptera). Taxonomia. Volume 1. Sociedade Brasileira de Entomologia, São Paulo, [5] + 217 pp. [May 1997 (date of Preface)]
- Martins UR (1997b) Tribo Paraholopterini [pp. 201–207]. In: Martins UR (Ed). Cerambycidae Sul-Americanos (Coleoptera). Taxonomia. Volume 1. Sociedade Brasileira de Entomologia, São Paulo, [5] + 217 pp. [May 1997 (date of Preface)]
- Martins UR (1998) Tribo Ectenessini [pp. 81–182]. In: Martins UR (Ed). Cerambycidae Sul-Americanos (Coleoptera). Taxonomia. Volume 2. Sociedade Brasileira de Entomologia, São Paulo, vi + 195 pp.
- Martins UR (2003a) Tribo Sydacini [pp. 203–213]. In: Martins UR (Ed) Cerambycidae Sul-Americanos (Coleoptera). Taxonomia. Volume 6. Sociedade Brasileira de Entomologia, São Paulo, vii + 232 pp. [Dec 2003 (title page)]
- Martins UR (2003b) Tribo Luscosmodicini [pp. 29–33]. In: Martins UR (Ed). Cerambycidae Sul-Americanos (Coleoptera). Taxonomia. Volume 6. Sociedade Brasileira de Entomologia, São Paulo, vii + 232 pp. [Dec 2003 (title page)]
- Martins UR (2005) Tribe Neocorini [pp. 239–270]. In: Martins UR (Ed). Cerambycidae (Coleoptera) Sul-Americanos. Taxonomia. Volume 5. Editora da Universidade de São Paulo, São Paulo, v + 284 pp.
- Martins UR (2006) Tribo Hexoplonini [pp. 21–211]. In: Martins UR (Ed). Cerambycidae Sul-Americanos (Coleoptera). Taxonomia. Volume 8. Sociedade Brasileira de Entomologia, São Paulo, ii + 234 pp. [Jan 2006 (title page)]
- Martins UR, Carvalho SM (1984) Considerações sobre a classificação da tribo Methiini com a revalidação de Xystrocerini Blanchard, 1845 e Oemini Pascoe, 1869 (Coleoptera, Cerambycidae). Papéis Avulsos de Zoologia 35 (20): 209–224. [30 Nov 1984 (top of article)]
- Martins UR, Galileo MHM (1990) Lamiinae (Coleoptera, Cerambycidae) com garras tarsais apendiculadas e descrição de Pretiliini, trib. n. Revista Brasileira de Entomologia 34 (4): 703–708. [30 Dec 1990 (top of article)]
- Martins UR, Galileo MHM (2003) Tribo Oxycoleini [pp. 51–63]. In: Martins UR (Ed). Cerambycidae Sul-Americanos (Coleoptera). Taxonomia. Volume 6. Sociedade Brasileira de Entomologia, São Paulo, vii + 232 pp. [Dec 2003 (title page)]
- Martins UR, Galileo MHM (2007) Tribo Ibridionini subtribo Tropidina [pp. 1–176]. In: Martins UR (Ed). Cerambycidae Sul-Americanos (Coleoptera). Taxonomia. Volume 9. Sociedade Brasileira de Entomologia, São Paulo, vii + 232 pp. [Nov 2007 (title page)]
- Martins UR, Monné MA (2005) Tribo Cerambycini [pp. 1–218]. In: Martins UR (Ed). Cerambycidae (Coleoptera) Sul-Americanos. Taxonomia. Volume 5. Editora da Universidade de São Paulo, São Paulo, v + 284 pp.
- Martins UR, Napp DS (2009) Tribo Ideratini [215–221]. In: Martins UR (Ed) Cerambycidae Sul-Americanos (Coleoptera). Taxonomia. Volume 10. Sociedade Brasileira de Entomologia, São Paulo. vi + 373 pp.

- Martynov AV (1933) Permskie iskopaemye nasekomye Arkhangel'skogo Kraja. Chast' II. Setchatokrylye, vislokrylye i zhuki, s prislozheniem opisaniya dvukh novykh zhukov iz Tikhikh Gor [Permian fossil insects from the Arkhangelsk District. Part II. Neuroptera, Megaloptera and Coleoptera with the description of two new beetles from Tikhie Gory] [in Russian]. Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR 2: 63–96. [after 17 Jun 1933 (approved to print); 21 Sep 1933 (recorded at NRCL)]
- Martynov AV (1937) Permian fossil insects from Kargala and their relationships. Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR 7 (2): 1–92 [in Russian]. [after 27 Jul 1937 (approved to print)]
- Marvaldi AE, Oberprieler RG (2006) [new taxa] In: Marvaldi AE, Oberprieler RG, Lyal CHC, Bradbury T, Anderson RS: Phylogeny of the Oxygoryninae sensu lato (Coleoptera: Belidae) and evolution of host-plant associations. Invertebrate Systematics 20 (4): 447–476. [Aug 2006]
- Mateu J (1963) Notas sobre tres series filéticas de Lebiidae (Lichnasthenini Thomson, Singilini Jeannel, Somotrichini nov.) (Coleoptera-Carabidae) y rectificaciones sinonímicas. Annali del Museo Civico di Storia Naturale "Giacomo Doria" 74 [1963–64]: 122–139. [separate publ. 1 Oct 1963 (vol. contents)]
- Mateu J (1992) Du nouveau sur les subtribus de Zuphiini et description d'un nouveau genre et d'une nouvelle espèce de cette tribu. (Coleoptera, Carabidae, Zuphiini). Entomologica Basiliensis 15: 195–204. [31 Dec 1992 (Inhalt)]
- Mateu J (2002) Sur un genre nouveau et une espèce cavernicole inédite appartenant à une nouvelle sous-famille de Coléoptères Carabiques Promecognathidae. Revue Française d'Entomologie (Nouvelle Série) 24 (1): 67. [publ. 15 Mar 2002 (inside back wrapper)]
- Matsushita M (1933) Beitrag zur Kenntnis der Cerambyciden des Japanischen Reichs. Journal of the Faculty of Agriculture of the Hokkaido Imperial University 34 (2): 157–445. [30 Dec 1933]
- Matthews A (1888) Corylophidae [pp. 102–125, pl. 3]. In: Godman FD, Salvin O (Eds) Biologia Centrali-Americana. Insecta. Coleoptera. Vol. II. Part 1. Taylor & Francis, London, xii + 717 pp., 19 pls. [Jan 1888 (footer p. 97)]
- Matthews A (1899) A monograph of the coleopterous families Corylophidae and Sphaeriidae. O. E. Janson & Son, London, [8] + 220 + [1] pp. + 9 pls. [posthumous; edited by Philip B. Mason]. [Nov 1899 (date of preface)]
- Matthews EG (2003a) The Palorus group - a new subfamily of Tenebrionidae (Insecta, Coleoptera). Spixiana 26 (1): 49–50. [1 Mar 2003 (wrapper)]
- Matthews EG (2003b) *Uломотипус* Broun a member of the new subfamily Palorinae, with remarks on *Aphtora* Bates and *Demtrius* Broun (Coleoptera, Tenebrionidae). New Zealand Entomologist 26: 7–14. [Dec 2003 (contents); Sep 2004 (recorded at CNC)]
- Matthews EG, Lawrence JF (2005) New taxa, new synonymy and new generic records for Australian Tenebrionidae (Coleoptera). Annales Zoologici (Warszawa) 55 (4): 531–547. [31 Dec 2005 (verso of fasc. title page)]
- Matthews EG, Lawrence JF, Bouchard P, Steiner WE, Ślipiński SA (2010) Tenebrionidae Latreille, 1802 [pp. 574–659]. In: Leschen RAB, Beutel RG, Lawrence JF (Eds) Hand-

- book of Zoology. Coleoptera, Beetles. Volume 2: Morphology and systematics (Elateroidea, Bostrichiformia partim). De Gruyter, Berlin, New York, xiii + 786 pp. [2010 (copyright)]
- Matthews EG, Stebnicka ZT (1986) A review of *Dermarziella* Balthasar, with a transfer from Aphodiinae to Scarabaeinae (Coleoptera: Scarabaeidae). Australian Journal of Zoology 34 (3): 449–461. [3 Jun 1986 (contents for issue 4)]
- Maulik S (1929) Injurious Hispinae from the Solomon Islands. Bulletin of Entomological Research 20 (2): 233–239. [Aug 1929 (wrapper)]
- May BM (1993) Larvae of Curculionoidea (Insecta: Coleoptera): a systematic overview. Fauna of New Zealand. Ko te Aitanga Pepeke o Aotearoa. Number 28. Manaaki Whenua Press, Lincoln, 223 pp. [Jun 1993 (p. 225)]
- Mayor A (2007) family Malachiidae Fleming, 1821 [pp. 415–454] [and others]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidea - Lymexyloidea - Cleroidea - Cucujoidea. Apollo Books, Stenstrup, 935 pp. [publ. 30 Jun 2007 (verso of title page)]
- Mazur S (1973) Sphaeritidae i Gniliki - Histeridae. In: Klucze do oznaczania owadów Polski. Czesc XIX. Chrzaszcze - Coleoptera. Zeszyt 11–12. Państwowe Wydawnictwo Naukowe, Warszawa, 74 pp.
- Mazur S (2004) Family Histeridae [pp. 68–102]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 2. Hydrophiloidea - Histeroidea - Staphylinoidea. Apollo Books, Stenstrup, 942 pp. [publ. 31 Dec 2004 (verso of title page)]
- McDermott FA (1964) The taxonomy of the Lampyridae (Coleoptera). Transactions of the American Entomological Society 90 (1): 1–72. [issued 27 Mar 1964 (inside back wrapper)]
- McKay IJ (1991) Cretaceous Promecognathinae (Coleoptera: Carabidae): a new genus, phylogenetic reconstruction and zoogeography. Biological Journal of the Linnean Society 44 (1): 1–12. [Sep 1991 issue]
- McKenna MC, Bell SK (1997) Classification of mammals above the species level. Columbia University Press, New York, xii + 631 pp. [1997 (Copyright)]
- McKeown KC (1939) A note on the synonymy of *Leptops* (Coleoptera: Curculionidae). The Proceedings of the Linnean Society of New South Wales 64: 408. [1939 (vol. title page)]
- McKeown KC (1947) Catalogue of the Cerambycidae (Coleoptera) of Australia. Memoirs of the Australian Museum No. 10: 1–190. [2 May 1947 (title page)]
- Medvedev GS (1962) Novoe podsemeystvo chernotelok (Coleoptera, Tenebrionidae) iz Turkmenii. Zoologicheskii Zhurnal 41 (8): 1184–1189. [Aug 1962 (inside wrapper)]
- Medvedev GS (1968) Zhestkokrylye Tom XIX, vypusk 2. Zhuki-Chernotelki (Tenebrionidae). Podsemeysvo Opatrinae, triby Platynotini, Dendarini, Pedinini, Dissonomini, Pachypterini, Opatrini (chast') i Heterotarsini. [Coleoptera. Darkling beetles (Tenebrionidae). Subfamily Opatrinae]. Fauna SSSR Novaya Seriya. No. 97. Nauka, Leningrad, 284 + [2] pp. [in Russian]. [after 20 Jun 1968 (approved to print, endleaf)]
- Medvedev GS (1973) Polozhenie rodov *Leichenum* Dej. i *Idisia* Pask. (Coleoptera, Tenebrionidae) v sisteme i opisanie novogo roda iz severnykh Karakumov [Position of the genera *Leichenum* Dej. and *Idisia* Pasc. (Coleoptera, Tenebrionidae) in the system and a description of a new genus from northern Karakums]. Entomologicheskoe Obozrenie 52 (3):

- 644–650 [in Russian; English translation in Entomological Review 52: 428–433]. [after 18 Sep 1973 (approved to print, back wrapper)]
- Medvedev GS (2001) Evolyutsiya i sistema zhukov-chernotelok triby Blaptini (Coleoptera, Tenebrionidae) [Evolution and system of darkling beetles of the tribe Blaptini (Coleoptera, Tenebrionidae)]. Chteniya pamyati Nikolaya Aleksandrovicha Kholodkovskogo [Readings in memory of N A Kholodkovskii]. Vyp. 53. Russkoe Entomologicheskoe Obshchestvo, St. Petersburg, 332 pp. [in Russian]. [after 29 Dec 2000 (approved to print, endleaf); 2001 (title page)]
- Medvedev GS (2006) K sistematike i nomenklature zhukov-chernotelok trib Phalerini, Lachnogyini, Klewariini i Blaptini (Coleoptera, Tenebrionidae) [To the systematics and nomenclature of the tenebrionid-beetle tribes Phaleriini, Lachnogyini, Klewariini Nlaptini (Coleoptera, Tenebrionidae)]. Entomologicheskoe Obozrenie 85 (3): 555–579, 715 [in Russian]. [after 31 Aug 2006 (approved to print, back wrapper)]
- Medvedev GS, Lawrence JF (1982) In: Lawrence JF, Medvedev GS: Novaya triba zhukov-chernotelok (Coleoptera, Tenebrionidae) iz Avstralii i ee polozhenie v sisteme [A new tribe of the tenebrionid beetles (Coloeptera, Tenebrionidae) from Australia and its systematic position]. Entomologicheskoe Obozrenie 61 (3): 548–571 [in Russian; English translation in Entomological Review 61(3): 85–107]. [after 9 Sep 1982 (approved to print, back wrapper)]
- Medvedev GS, Lawrence JF (1986) Zhuki-chernotelki triby Hyocini (Coleoptera, Tenebrionidae) Avstralii. III. Podtriby Brittonina subtrib. n. i Uptonina subtrib. n. [Tenebrionid beetles of the tribe Hyocini (Coleoptera, Tenebrionidae) of Australia. 3. Subtribes Brittonina subtrib. n. and Uptonina subtrib. n.]. Entomologicheskoe Obozrenie 65 (3): 574–591 [in Russian; English translation in Entomological Review 66 (1)[1987]: 161–179]. [after 26 Aug 1986 (approved to print, back wrapper)]
- Medvedev LN (1968) Zhuki-listoedy Jury Karatau (Coleoptera, Chrysomelidae) [Leaf beetles of the Karatau Jurassic (Coleoptera, Chrysomelidae)] [pp. 155–165]. In: Rohdendorf BB (Ed) Yurskie nasekomye Karatau [Jurassic insects of Karatau]. Izdatelstvo “Nauka”, Moscow, 252 pp., 25 pls. [in Russian]. [after 26 Jun 1968 (approved to print)]
- Medvedev LN, Kazantsev SV (1992) A new subfamily and a new genus of lycid beetles (Coleoptera, Lycidae) from southeast Asia. In: Medvedev LN (Ed) Systematics and ecology of insects of Vietnam. Nauka, Moskva, 55–60 [in Russian].
- Medvedev SI (1951) Zhestkokrylye Tom. X. vyp. 1. Plastinchatousye (Scarabaeidae), podsem. Melolonthinae, ch. 1 (khrushchi). Fauna SSSR Novaya Seriya. No. 46. Zoologicheskiy Institut Akademia Nauk SSSR, Moscow, 513 + [2] pp. [after 16 May 1951 (approved to print, endleaf)]
- Medvedev SI (1952) Zhestkokrylye Tom. X. vyp. 1. Plastinchatousye (Scarabaeidae), podsem. Melolonthinae, ch. 2 (khrushchi). Fauna SSSR Novaya Seriya No. 52. Zoologicheskiy Institut Akademia Nauk SSSR, Moscow, 274 + [2] pp. [after 30 Jun 1952 (approved to print, endleaf)]
- Melzer J (1919) Os longicornios Brazileiros da sub-familia “Prioninae.” Tomando em consideração particular as espécies do Estado de São Paulo. Revista do Museu Paulista 11: 3–207 + 10 pls. [1 Dec 1919 (date of Prefacio)]

- Míka P (2000) Corticariidae (Coleoptera) from southern Thailand; Part 1 - review of the genus *Melanophthalma* with description of some new species. Corticariidae (Coleoptera) jižního Thajska; 1. část. - přehled druhů rodu *Melanophthalma* s popisy několika nových druhů. *Klapalekiana* 36 (1/3): 125–143. [29 Aug 2000 (p. 125 header)]
- Mikšić R (1976) Monographie der Cetoniinae der paläarktischen und orientalischen Region. Band 1. Allgemeiner Teil. Systematischer Teil: Gymnetini (Taenioderina, Chalcotheina). Forstinstitut in Sarajevo, Sarajevo, [2] + 444 pp. + 10 [unn.] pls. [1976 (title page)]
- Miller KB (2000) Cladistic analysis of the tribes of Dytiscinae and the phylogenetic position of the genus *Notaticus* Zimermann (Coleoptera: Dytiscidae). *Insect Systematics & Evolution* 31 (2): 165–177. [Sep 2000 (top of article)]
- Miller KB (2001) On the phylogeny of the Dytiscidae (Insecta: Coleoptera) with emphasis on the morphology of the female reproductive system. *Insect Systematics & Evolution* 32 (1): 45–92. [Apr 2001 (top of article)]
- Miller KB (2009) On the systematics of Noteridae (Coleoptera: Adephaga: Hydradephaga): phylogeny, description of a new tribe, genus and species, and survey of female genital morphology. *Systematics and Biodiversity* 7 (2): 191–214. [issued 26 May 2009 (top of article)]
- Miroshnikov AI (1989) Novye i maloizvestnye zhuki-drovoseki (Coleoptera, Cerambycidae) s Dalnego Vostoka i sistematiceskoe polozhenie roda *Stenhomalus* White, 1855. [New and little known longhorn beetles (Coleoptera, Cerambycidae) from the Far East and the systematic position of the genus *Stenhomalus* White, 1855]. *Entomologicheskoe Obozrenie* 68 (4): 739–747 [in Russian: English translation in Entomological Review 69 (4)[1990]: 58–66]. [after 8 Dec 1989 (approved to print, back wrapper)]
- Miwa Y (1931) A study on the lucanid Coleoptera from the Japanese Empire 1. Transactions of the Natural History Society of Formosa 21: 315–325.
- Miyatake M (1960) The genus *Pisenus* Casey and some notes on the family Tetratomidae (Coleoptera). *Transactions of the Shikoku Entomological Society* 6 [1958–60] (8): 121–134. [30 Jun 1960 (verso of vol. title page)]
- Miyatake M (1972) A new Formosan species belonging to the genus *Singhikalia* Kapur. with proposal of a new tribe (Coleoptera: Coccinellidae). *Transactions of the Shikoku Entomological Society* 11 [1971–73] (3): 92–98. [30 Jun 1972 (verso of vol. title page)]
- Miyatake M (1988) A revision of the genus *Monocoryna* Gorham, with proposal of a new tribe (Coleoptera: Coccinellidae). *Transactions of the Shikoku Entomological Society* 19 (1/2): 25–46. [30 Nov 1988 (wrapper)]
- Miyatake M (1994) Revisional studies on Asian genera of the subfamily Sticholotidinae (Coleoptera: Coccinellidae). *Memoirs of the College of Agriculture, Ehime University* [Ehime Daigaku Nogakubu Kiyo] 38 (2): 223–293. [Mar 1994 (wrapper)]
- Mjöberg E (1917) Results of Dr. E. Mjöberg's Swedish scientific expeditions to Australia 1910–1913. 14. Cetoniidae, Rutelidae, Passalidae, Chrysomelidae: subfam. Sagrinae, Cassidinae, Hispinae. *Arkiv för Zoologi* 11 (3): 1–19. [printed 10 Mar 1917 (p. 19); publ. 9 Oct 1917 (verso of vol. title page)]

- Mjöberg E (1925) The mystery of the so-called “trilobite larvae” or “Perty’s larvae” definitely solved. *Psyche* 32 (3): 119–157, pls. 3–4. [Jun 1925 issue (top of article); 11 Aug 1925 (recorded at CNC)]
- Moldenke AR (1981) A generic reclassification of the New World Clytrinae (Coleoptera: Chrysomelidae) with a description of new species. *Entomologische Arbeiten aus dem Museum Georg Frey* 29/30: 75–116. [publ. 1 Dec 1981 (Inhalt)]
- Monné MA (1993a) Part II. Subfamily Cerambycinae: tribes Hesperophanini and Eburiini. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Sociedade Brasileira de Entomologia, São Paulo, 77 pp.
- Monné MA (1993b) Part VI. Subfamily Cerambycinae: tribes Eligmodermini, Callidiopini, Curiini, Graciliini, Obriini, Hyboderini, Eumichthini, Phlyctaenodini, Holopterini, Stenoderini, Pseudocephalini and Bimiini. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Sociedade Brasileira de Entomologia, São Paulo, 47 pp.
- Monné MA (1994a) Part X. Subfamily Cerambycinae: tribes Rhopalophorini, Heteropsini, Thysiiini, Agallissini, Platynarthrini, Pteroplatini, Holopleurini and Lissonotini. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Sociedade Brasileira de Entomologia, São Paulo, 81 pp.
- Monné MA (1994b) Part XI. Subfamily Cerambycinae: tribes Torneutini, Trachyderini and Basipterini. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Sociedade Brasileira de Entomologia, São Paulo, 157 pp.
- Monné MA (1994c) Part XII. Subfamily Parandrinae, Anoplodermatinae, Spondylinae, Aseminae and Oxypteltinae. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Sociedade Brasileira de Entomologia, São Paulo, 56 pp.
- Monné MA (1995a) Part XVIII. Subfamily Lamiinae: tribe Acanthocinini. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Sociedade Brasileira de Entomologia, São Paulo, 196 pp.
- Monné MA (1995b) Part XXI. Subfamily Lepturinae. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Sociedade Brasileira de Entomologia, São Paulo, 159 pp.
- Monné MA (1995c) Part XXII. Subfamily Prioninae. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Sociedade Brasileira de Entomologia, São Paulo, 115 pp.
- Monné MA (2005a) Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part I. Subfamily Cerambycinae. *Zootaxa* 946: 1–765. [publ. 20 Apr 2005 (footer p. 3)]
- Monné MA (2005b) Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Lamiinae. *Zootaxa* 1023: 1–760.
- Monné MA, Bezark LG (2009) Checklist of the Cerambycidae, or longhorned wood-boring beetles, of the Western Hemisphere. BioQuip Publications, Rancho Dominguez, [1] + 482 pp.
- Monné MA, Santos-Silva A (2008) Disteniinae Thomson (Insecta, Coleoptera): a protected name. *Revista Brasileira de Entomologia* 52 (2): 261–262. [Jun 2008 issue]
- Monrós F (1954) Notes and synonyms in Chrysomelidae (Coleoptera). *Proceedings of the Entomological Society of Washington* 56 (1): 23–26. [26 Feb 1954 (p. iv)]

- Monrós F (1956) Revision générica de Lamprosominae con descripción de algunos géneros y especies nuevas (Col., Chrysomelidae). Revista Agronómica del Noroeste Argentino (Tucumán) 2: 25–77.
- Monrós F (1958a) Pars 51 (Editio Secunda). Chrysomelidae: Sagrinae. Coleopterorum Catalogus Supplementa. Uitgeverij Dr. W. Junk, 's-Gravenhage, 19 pp. [15 Nov 1958 (title page)]
- Monrós F (1958b) Descripción de una nueva tribus de Clytrinae (Col., Chrysomelidae). Acta Zoologica Lilloana 15: 35–39. [printed 29 Aug 1958 (endleaf)]
- Monrós F (1958c) Consideraciones sobre la fauna del Sur de Chile y revisión de la tribus Stenomelini (Coleoptera, Chrysomelidae). Acta Zoologica Lilloana 15: 143–153. [printed 29 Aug 1958 (endleaf)]
- Monrós F (1959a) Los géneros de Chrysomelidae. Opera Lilloana 3: 1–337.
- Monrós F (1959b) Notes on Lamprosomatinae (Chrysomelidae). The Coleopterists Bulletin 12 [1958]: 29–33. [issued 27 Jan 1959 (back wrapper)]
- Monrós F, Viana MJ (1947) Revisión sistemática de los Hispidae Argentinos (Insecta, Coleop. Chrysomeloid.). Anales del Museo Argentino de Ciencias Naturales «Bernardino Rivadavia» / Anales 42 [Entomología No. 162]: 125–324. [10 Dec 1947 (title page)]
- Monrós F, Viana MJ (1949) Revision de las especies Argentinas de Dorynotini (Col. Cassidinae). (1a contribución al conocimiento de Cassidinae). Acta Zoologica Lilloana 8: 391–426. [printed 31 Dec 1949]
- Monrós F, Viana MJ (1951) Las Cassidinae de la sección Hemisphaerotina, con revisión de las especies Argentinas (Col. Cassidinae). (2a contribución al conocimiento de Cassidinae). Acta Zoologica Lilloana 11: 367–395. [printed 13 Nov 1951]
- Moore BP (1998) The enigmatic tribe Physocrotaphini Chaudoir (Helluodini auct.) (Coleoptera: Carabidae). Phylogeny and classification of Caraboidea (Coleoptera: Adephaga) Proceedings of a symposium (28 August, 1996, Florence, Italy) 20 International Congress of Entomology. 1998. Museo Regionale di Scienze Naturali - Atti, 369–380.
- Moore I (1964) A new key to the subfamilies of the Nearctic Staphylinidae and notes on their classification. The Coleopterists Bulletin 18 (3): 83–91. [publ. 24 Sep 1964 (vol. contents)]
- Morawitz A (1889) Entomologische Beiträge. Bulletin de l'Académie Impériale des Sciences de St.-Pétersbourg 33 [1890] (1) : 33–82. [read 1 Nov 1888; printed Apr 1889 (wrapper); 27 Dec 1889 (recorded at MCZ); also issued in: Mélanges Biologiques tirés du Bulletin Physico-Mathématique de l'Académie Impériale des Sciences de St Petersbourg 13: 5–54]
- Moret P (2005) Los Coleópteros Carabidae del Páramo en los Andes del Ecuador. Sistemática, ecología y biogeografía (Insecta, Coleoptera, Carabidae) [Monografía 2]. Centro de Biodiversidad y Ambiente, Pontificia Universidad Católica del Ecuador, Quito, 306 pp. [Jun 2005 (title page)]
- Morimoto K (1962a) Key to families, subfamilies, tribes and genera of the superfamily Curculionoidea of Japan excluding Scolytidae, Platypodidae and Cossoninae. (Comparative morphology, phylogeny and systematics of the superfamily Curculionoidea of Japan. III). Journal of the Faculty of Agriculture, Kyushu University, Fukuoka 12 (1): 21–66. [30 Jun 1962 (Alonso-Zarazaga and Lyal 1999: 244)]

- Morimoto K (1962b) Descriptions of a new sub-family, new genera and species of the family Curculionidae of Japan (comparative morphology, phylogeny and systematics of the superfamily Curculionoidea of Japan. II). Journal of the Faculty of Agriculture, Kyushu University, Fukuoka 11 (4): 375–409. [4 Mar 1962 (Alonso-Zarazaga and Lyal 1999: 244)]
- Morimoto K (1972) A key to the genera of Oriental Anthribidae (Coleoptera). Bulletin of the Government Forest Experiment Station No. 246: 35–54, 17 pls.
- Morimoto K (1978a) The family Anthribidae of Japan (Coleoptera). Part 1. Esakia 12: 17–47. [31 Nov 1978 (Kyushu Univ. Repository)]
- Morimoto K (1978b) On the genera of Oriental Cryptorhynchinae (Coleoptera: Curculionidae). Esakia 11: 121–143. [issued 31 Mar 1978 (Kyushu Univ. Repository)]
- Morimoto K (1980) The family Anthribidae of Japan (Coleoptera). Part 3. Esakia 15: 11–47. [issued 31 Oct 1980 (Kyushu Univ. Repository)]
- Morimoto K (1981) The family Anthribidae of Japan (Coleoptera). Part 4. Esakia 17: 53–107. [30 Nov 1981 (Kyushu Univ. Repository)]
- Morimoto K (1983) The family Curculionidae of Japan. II. Viticiinae, subfam. n. Esakia 30: 55–62. [15 Dec 1983 (Kyushu Univ. Repository)]
- Morimoto K (1987) The family Curculionidae of Japan VI. Tribe Mechistocerini Part 1 (Insecta, Coleoptera). Journal of the Faculty of Agriculture, Kyushu University 31 (4): 321–343. [Mar 1987]
- Morimoto K, Kojima H (2001) Isopterina, a new subtribe of the tribe Celeuthetini, with notes on the related taxa (Coleoptera, Curculionidae). Elytra 29 (2): 265–283. [15 Nov 2001 (wrapper)]
- Morrone JJ (1997) Nomenclatural notes on the subfamily Cyclominae (Coleoptera: Curculionidae). Acta Entomologica Chilena 21: 101–102.
- Morrone JJ (1998) Anomophthalmina subtrib. n., an endemic subtribe of Entimini (Coleoptera: Curculionidae) from western Patagonia. Revista de la Sociedad Entomológica Argentina 57 (1/4): 85–89. [printed Jan 1998 (footer p. 140)]
- Morvan DM (2004) Nouvelle tribu et nouvelles espèces de Platyninae. Nouvelles espèces de Tiruka et de Sphodrini de la région orientale. Asia.. Loened Aziad Amprevaned Feuraskelleged C'hwiledig 9: 1–65. [Apr 2004 (wrapper)]
- Moseyko AG, Sprecher-Uebersax E, Löbl I (2010) Case 3519. *Eumolpus* Weber, 1801, *Chrysomus* Chevrolat in Dejean, 1836 and *Bromius* Chevrolat in Dejean, 1836 (Insecta, Coleoptera, Chrysomelidae): proposed conservation of usage. Bulletin of Zoological Nomenclature 67 (3): 218–224. [Sep 2010 issue]
- Motschulsky V, de (1845) Über die Ptilien Russland's. Bulletin de la Société Impériale des Naturalistes de Moscou 18 (4): 504–539, pls. 9–10. [after 12 Aug 1845 (Julian 30 Jul; approved to print, verso of title page)]
- Motschulsky V, de (1849) Coléoptères reçus d'un voyage de M. Handschuch dans le midi de l'Espagne enumerés et suivis de notes. Bulletin de la Société Impériale des Naturalistes de Moscou 22 (3): 52–163. [after 15 Jul 1849 (approved to print, verso of part 2 title page); by Nov 1849 (Ent. Zeit. Stettin 10)]

- Motschulsky V, de (1850) Die Käfer Russlands. I. Insecta carabica. W. Gautier, Moscow, iv + xi + 91 pp. [after 5 May 1850 (approved to print, verso of title page); 23 Oct 1850 (Ann. Soc. Ent. France (2) 8: Bull. Ent.: lviii)]
- Motschulsky V, de (1852) Malthinides. Études Entomologiques 1: 1–15. [1852 (footer p. 24)]
- Motschulsky V, de (1855) Sur les collections coléoptérologiques de Linné et de Fabricius. Études Entomologiques 4: 25–71. [1855 (vol. title page)]
- Motschulsky V, de (1857) Sur les collections coléoptérologiques de Linné et de Fabricius (continuation). Études Entomologiques 5: 60–75. [1856 (vol. title page); 5 Feb 1857 (Julian 24 Jan 1857: Bull. Soc. Imp. Moscou 30 (2): 614)]
- Motschulsky V, de (1860) Coléoptères rapportés de la Sibérie orientale et notamment des pays situés sur les bords du fleuve Amour par Mm. Schrenck, Maack, Ditmar, Voznessensky, etc. In: Schrenck L (Ed) Reisen und Forschungen im Amur-Lande in den Jahren 1854–1856 im Auftrage der Kaiserl Akademie der Wissenschaften zu St Petersburg ausgeführt und in Verbindung mit mehreren Gelehrten herausgegeben Band II Zweite Lieferung Coleopteren. Eggers & Comp., St Petersburg, 79–257 + map. [13 Jun 1860 (Ann. Soc. Ent. France (3) 8: Bull. Ent.: lvi)]
- Motschulsky V, de (1862) Entomologie spéciale. Remarques sur la collection d'insectes de V. Motschulsky. Études Entomologiques 11: 15–55. [1862 (vol. title page)]
- Mroczkowski M (1991) [new name] In: Burakowski B, Mroczkowski M, Stefańska J: Część XXIII, tom 17. Chrząszcze Coleoptera. Stonkowate - Chrysomelidae, część 2. Katalog Fauny Polski Nr. 50: 1–227. [printed Aug 1991 (verso of title page)]
- Muizon J, de (1960) Faune des benthides d'Afrique. Mémoires de l'Institut Français d'Afrique Noire 59: 1–256. [printed Aug 1960 (p. 256)]
- Mulsant É (1839) 1re livraison. - Longicornes. Histoire naturelle des Coléoptères de France. Maison, Paris, xi + 304 pp. + 3 pls. [1840 (title page); 19 Oct 1839 (Bibliogr. France 1839)]
- Mulsant É (1842) Lamellicornes. Histoire naturelle des Coléoptères de France. [Tome 2]. Maison, Paris, viii + 623 pp. + [8, rectif.] + 3 pls. [6 Aug 1842 (Bibliogr. France 1842)]
- Mulsant É (1844) Palpicornes. Histoire naturelle des Coléoptères de France. [Tome 3]. Maison, Paris, vii + 197 + [7, errata + suppl.] pp. + 1 pl. [18 May 1844 (Bibliogr. France 1844)]
- Mulsant É (1846) Sulcicolles. - Sécuripalpes. Histoire naturelle des Coléoptères de France. [Tome 4]. Maison, Paris, xxiv + [2] + 26 + 280 + [4] pp. + 1 pl. [26 Sep 1846 (Bibliogr. France 1846)]
- Mulsant É (1850) Species des Coléoptères trimères sécuripalpes. Annales des Sciences Physiques et Naturelles et d'Industrie (Lyon) (2) 2 [1849–50] (1/2): 1–1104. [1850 (title page; Ann. Soc. Ent. France (2) 8: Bull. Ent.: lxxiii); 19 Dec 1850 (Réd. Trav. Soc. Stat. Mars. 14: 543; 27 Jan 1851 (Proc. Ent. Soc. London 1851: 59) / as separate: 1851, Paris, C. Savy Jeune, xi + 1104 pp.]
- Mulsant É (1853) Supplément à la monographie des coléoptères trimères sécuripalpes. Annales de la Société Linnaéenne de Lyon (Nouvelle Série) 1 [1852–53]: 129–333. [1853 (title page); 1854? (vol. incl. members appointed to 31 Déc 1853); reissued in: Opusc. Ent. 3 1853: 1–205]

- Mulsant É (1854) Latigènes. Histoire naturelle des Coléoptères de France. [Tome 5]. Maison, Paris, x + 396 pp. [2 Oct 1854 (date of dedication)]
- Mulsant É (1856a) Pectinipèdes. Histoire naturelle des Coléoptères de France. [Tome 6]. Maison, Paris, [4] + 96 + [12] pp. [1856 (title page); 20 Dec 1856 (Bibliogr. France 1856)]
- Mulsant É (1856b) Barbipalpes. Histoire naturelle des Coléoptères de France L. Maison, [4] + 115 pp. + 1 pl. [12 Sep 1856 (date of dedication); 1856 (title page, Bull. Bibliogr. Sci. Phys. 1860: 49) / reissued in: Ann. Soc. Linn. Lyon (N. S.) 3: 193–304, 2 pls., 1856 (vol. title page); both 5 Sep 1857 (Bibliogr. France 1857)]
- Mulsant É (1856c) Tribu des Longipèdes. Histoire naturelle des Coléoptères de France. L. Maison, Paris, [4] + 171 + [1] + [4] (suppl.) pp. + 1 pl. [10 Oct 1856 (date of dedication) / reissued in: Ann. Soc. Linn. Lyon (N. S.) 3: 305–471, 1856 (vol. title page); both 5 Sep 1857 (Bibliogr. France 1857)]
- Mulsant É (1857) [Histoire naturelle des Coléoptères de France]. Vésicants. Annales de la Société Linnéenne de Lyon (Nouvelle Série) 4: 209–409. [17 Nov 1857 (deceased member noted p. ix, list to 31 Dec) / separate: Paris, Magnin, Blanchard et Cie., [2] + 201 + [9] (suppl.) pp. + 1 pl., 10 Nov. 1857 (date of dedication); both 28 Aug 1858 (Bibliogr. France 1858: 450, 458)]
- Mulsant É (1858) [Histoire naturelle des Coléoptères de France]. Angustipennes. Annales de la Société Linnéenne de Lyon (Nouvelle Série) 5: 65–238. [28 Sep 1858 (member deceased noted; list to 31 Dec) / separate: Paris, Magnin, Blanchard & Cie., [4] + 172 + [3] (suppl.) pp., 16 Dec 1858 (date of dedication); 24 Sep 1859 (Bibliogr. France 1859: 445)]
- Mulsant É (1862) Mollipennes. Histoire naturelle des Coléoptères de France. Magnin, Blanchard & Cie., Paris, [4] + 440 pp. + 3 pls. [16 May 1862 (date of dedication); 1862 (title page); 13 Jun 1863 (Bibliogr. France 1863) / reissued in: Ann. Soc. Linn. Lyon (N. S.) 9: 57–496, Feb 1863 (title page); 15 Aug 1863 (Bibliogr. France 1863)]
- Mulsant É (1863a) [Histoire naturelle des Coléoptères de France]. Longicornes. Annales des Sciences Physiques et Naturelles, d’Agriculture et d’Industrie (Lyon) (Troisième Série) 6 [1862]: 307–466. [explicitely “extrait des Annales de la Société...” (Table Alphabétique) but publ. as follows: Ann. Sci. Phys. Nat. Agr. Ind. Lyon (3) 6: 307–466, (incl. séance 19 Dec 1862; 9 May 1863 [Bibliogr. France 1863]; = sep. pp. 1–162) / separate: Paris: Magnin, Blanchard & Cie., [3] + 590 pp., 1863 (1862–63 [title page]; 2 Jan 1864 (Bibliogr. France 1864) / Ann. Sci. Phys. Nat. Agr. Ind. Lyon 7 [1863]: 97–320 (incl. Tableau to 31 Dec 1863; 1864; = separate pp. 161[bis]–384); 8 [1864]: 1–208 (incl. Tableau to 31 Dec 1864; 1865; = separate pp. 385–590)]
- Mulsant É (1863b) Longicornes [pp. 161[bis]–384]. Histoire naturelle des Coléoptères de France. Magnin, Blanchard & Cie., Paris, [3] + 590 pp. [reissued in Ann. Sci. Phys. Nat. Agr. Ind. Lyon (3) 6 [1862]: 307–466 (1863); 7 [1863]: 97–320 (1864); 8 [1864]: 1–208 (1865)]
- Mulsant É, Revelière E (1861) Description d’un Coléoptère nouveau, constituant un nouveau genre, dans la tribu des Opatates. Annales de la Société Linnéenne de Lyon (Nouvelle Série) 7 [1860]: 153–157. [Feb 1861 (vol. title page); 3 Aug 1861 (Bibliogr. France 1861)]
- Mulsant É, Rey C (1853) Essai d’une division des derniers Mélasomes. Mémoires de l’Académie Nationale des Sciences, Belles-Lettres et Arts de Lyon Classe des Sciences (Nouvelle

- Série) 2 [1852]: 226–329. [1852 (vol. title page); 14 Jun 1853 (pres. to Acad.); 18 Jul 1853 (article p. 219 pres. to Acad.) / reissued in: Opusc. Ent. 4: 1–104]
- Mulsant É, Rey C (1854) Essai d'une division des derniers Mélasomes [cont'd] Pandarites. Mémoires de l'Académie Impériale des Sciences, Belles-lettres et Arts de Lyon Classe des Sciences (Nouvelle Série) 4: 153–332. [1854 (title page); after 14 Feb 1854 (art. submitted p. 18) / reissued in: Opusc. Ent. 5: 1–189 (of 255 pp.), 25 Oct 1854 (date of dedication); from p. 165, each page has one line less text than the original]
- Mulsant É, Rey C (1859) Essai d'une division des derniers Mélasomes, famille des parvilibres, quatrième tribu Opatriates. Opuscules Entomologiques 10: 1–160. [1859 (title page; Reinwald 1860: 153); 20 Jun 1859 (date of dedication); 25 Feb 1860 (Bibliogr. France 1860) (before Mémoires version)]
- Mulsant É, Rey C (1864a) [Histoire naturelle des Coléoptères de France]. Tribu des Angusticolles; Tribu des Diversipalpes. Annales de la Société Linnéenne de Lyon (Nouvelle Série) 10: 247–380, pls. 1–2; pp. 381–404. [1863–64 (title page); Feb 1863 (error for 1864, wrapper); 17 Sep 1864 (Bibliogr. France 1864) / separate: Paris, Magnin, Blanchard & Co., [4] + 134 pp., 2 pls., [2] + 23 + [1] pp., 1863–64 (title page); 8 Dec and 10 Dec 1863 (dates of dedications); 24 Sep 1864 (Bibliogr. France 1864)]
- Mulsant É, Rey C (1864b) Histoire naturelle des Coléoptères de France. Térédiles. F. Savy, Paris, 394 pp., 9 pls. [24 Jul 1864 (date of dedication); 18 Mar 1865 (Bibliogr. France 1865) / reissued in: Ann. Soc. Linn. Lyon 11 [1864]: 289–420, Feb 1865 (title page), 13 May 1865 (Bibliogr. France 1865); and 2 [1865]: 1–284 + 10 pls., 6 Jan 1866 (title page), 28 Apr 1866 (Bibliogr. France 1866)]
- Mulsant É, Rey C (1867a) Histoire naturelle des Coléoptères de France. Scuticelles. F. Savy, Paris, [4] + 186 pp. + 2 pls. [1867 (title page); 4 Feb 1867 (date of dedication) / reissued in: Ann. Soc. Linn. Lyon (N. S.) 15 [1867]: 1–188 + 3 pls., 15 Jan 1868 (title page), 17 Oct. 1868 (Bibliogr. France 1868)]
- Mulsant É, Rey C (1867b) Histoire naturelle des Coléoptères de France. Vésiculifères. F. Savy, Paris, [2] + 2 + 308 + 4 (numbered 125–128) + [9 (explication des planches)] pp. + 7 pls. [14 Nov 1866 (date of dedication); 1867 (title page); 28 Sep 1867 (Bibliogr. France 1867) / reissued in: Ann. Sci. Phys. Nat. Agr. Ind. Lyon (3) 11 [1867]: 625–943 + 7 pls., 1867 (title page); 17 Jul 1869 (Bibliogr. France 1869)]
- Mulsant É, Rey C (1868a) [Histoire naturelle des Coléoptères de France]. Tribu des Floricoles. Annales de la Société Linnéenne de Lyon 15 [1867]: 237–402. [15 Jan 1868 (title page); 17 Oct 1868 (Bibliogr. France 1868) / separate: Paris: Deyrolle, [4] + 315 + [3] + [19] pp. + 19 pls., 10 Oct 1867 (date of dedication); Mar 1868 (title page) / Floricoles (Suite). Ann. Soc. Linn. Lyon (N. S.) 16[1868]: 83–231 + 19 pls., 28 Dec 1868 (title page)]
- Mulsant É, Rey C (1868b) Histoire naturelle des Coléoptères de France. Gibbicolles. Deyrolle, Paris, 226 pp., 14 pls. [8 Sep 1868 (date of dedication); Nov 1868 (title page); 1 May 1869 (Bibliogr. France 1869); 1869 (Arch. Naturg. 1870: 102) / reissued in: Ann. Soc. Imp. Agr. Hist. Nat. Arts Utiles Lyon (4) 1: 179–420 + 14 pls., 1869 (title page), 1870 (date stamp); 15 Jul 1871 (Bibliogr. France 1871)]
- Mulsant É, Rey C (1869) Histoire naturelle des Coléoptères de France. Piluliformes. Deyrolle, Paris, [4] + 175 + [3] pp. + 2 pls. [1869 (title page); 25 Apr 1869 (date of dedication); 20

- Nov 1869 (Bibliogr. France 1869) / reissued in: Ann. Soc. Linn. Lyon (N. S.) 17: 201–378 + [2] + 2 pls., 28 Dec 1869 (title page), 16 Apr 1870 (Bibliogr. France 1870)
- Mulsant É, Rey C (1871a) [Histoire naturelle des Coléoptères de France]. Tribu des Lamellicornes. Annales de la Société d'Agriculture, Histoire Naturelle et Arts Utiles de Lyon (4) 2 [1869]: 241–650. [1870 (title page); before 3 Nov 1871 (Proc.-Verb. Soc. Agr. Hist. Nat. Arts Utiles Lyon 1871: lxxvi) / separate (1871b)]
- Mulsant É, Rey C (1871b) Histoire naturelle des Coléoptères de France. Lamellicornes - Pectinicornes [pp. 411–735]. Deyrolle, Paris, [2] + 735 + [1] + 42 + [1] pp. + 3 pls. [Sep 1871 (title page); 8 Sep 1871 (date of dedication); 1 Aug 1872 (Petites Nouv. Ent.) / to p. 410 in 1871a / reissued in: Ann. Soc. Agr. Hist. Nat. Arts Utiles Lyon (4) 3[1870]: 155–480 + 2 pls. (Lamellicornes) + 481–523 + [5, explic.] + 1 pl. (Pectinicornes), 1871 (title page); 12 Apr 1873 (Bibliogr. France 1873)]
- Mulsant É, Rey C (1871c) Histoire naturelle des Coléoptères de France. Brévipennes. Aléochariens [Huitième Branche, Bolitocharaires]. Deyrolle Fils, Paris, [4] + 321 + pp. + [5, explic.] + [4, table, erratum] + 5 pls. [1871 (title page); 25 Aug 1871 (date of dedication) / reissued in: Ann. Soc. Linn. Lyon (N. S.) 19 [1872]: 91–411 + [11] + 5 pls., 31 Dec 1872 (title page); 9 Jul 1873 (Ann. Soc. Ent. France (5) 3: Bull. Ent.: cxxxii)]
- Mulsant É, Rey C (1872a) Tribu des Uncifères [sep. pp. 1–57]. In: Histoire naturelle des Coléoptères de France. Improsternés - Uncifères - Diversicornes, Spinipèdes. Deyrolle, Paris, [2] + 17 + [1] + 57 + 39 + [1] + 57 + [1] pp. + 2 pls. [Dec 1872 (title page); 8 Dec 1872 (date of dedication); 3 May 1873 (Ann. Soc. Ent. Belg. 16 Comptes-Rendus: lvi) / reissued in: Ann. Soc. Agr. Hist. Nat. Arts Utiles Lyon (4) 4: 79–136, 1872 (title page); 11 Apr 1874 (Ann. Soc. Ent. Belg. 17 Comptes-Rendus: lxiv)]
- Mulsant É, Rey C (1872b) Tribu des Diversicornes [sep. pp. 1–39 + 1]. In: Histoire naturelle des Coléoptères de France. Improsternés - Uncifères - Diversicornes, Spinipèdes. Deyrolle, Paris, [2] + 17 + [1] + 57 + 39 + [1] + 57 + [1] pp. + 2 pls. [Dec 1872 (title page); 8 Dec 1872 (date of dedication); 3 May 1873 (Ann. Soc. Ent. Belg. 16 Comptes-Rendus: lvi) / reissued in: Ann. Soc. Agr. Hist. Nat. Arts Utiles Lyon (4) 4: 137–176, 1872 (title page); 11 Apr 1874 (Ann. Soc. Ent. Belg. 17 Comptes-Rendus: lxiv)]
- Mulsant É, Rey C (1873a) Histoire naturelle des Coléoptères de France. Brévipennes. Aléochariens [Première branche dinardaires - cinquième branche oligotaires]. Deyrolle Fils, Paris, [4] + 155 pp. + pls. 1–2. [before 25 Dec 1873 (Fauvel letter to Brisout de Barnevile in: Annuaire Ent. 1873) / reissued in: Mém. Acad. Sci. Belles-lettres Lyon. Cl. Sci. 20 [1873–74]: 23–175, 2 pls. (without Tableau), after Feb 1874 (p. 341), 11 Jul 1874 (Bibliogr. France 1874: 355)]
- Mulsant É, Rey C (1873b) Histoire naturelle des Coléoptères de France. Brévipennes. Aléochariens (Suite) [Tableau... des Aléochariens + Septième Branche, Myrmédoniaires, part 1]. Deyrolle, Paris, 695 pp., pls. 1–5. [Dec 1873 (title page); 18 Dec 1873 (date of dedication); 25 Dec 1873 (Fauvel letter to Brisout de Barnevile in Annuaire Ent. 1873); 11 Apr 1874 (Ann. Soc. Ent. Belg. 17 Comptes-Rendus: lxiv) / reissued in: Ann. Soc. Agr. Hist. Nat. Arts Utiles Lyon (4) 6 [1873]: 33–727-[738 incl. explic. + 5 pls.], 1874 (title page), 19 Feb 1875 (Proc.-Verb. Soc. Agr. Hist. Nat. Arts Utiles Lyon 1875: xxx)]

- Mulsant É, Rey C (1874) [Histoire naturelle des Coléoptères de France]. Tribu des brévipennes: Famille des aléochariens (suite). Sixième branche: Aléocharaires. Annales de la Société Linnéenne de Lyon (Nouvelle Série) 20 [1873]: 285–447. [1874 (title page); 9 Sep 1874 (Ann. Soc. Ent. France (5) 4: Bull. Ent.: clxxx) / separate: Paris: Deyrolle, [2] + 565 pp. + 5 pls., Dec 1874 (title page); 8 Dec 1874 (date of dedication); 1 Feb 1875 (Petites Nouv. Ent.) / pp. 163–565 reissued in: Ann. Soc. Linn. Lyon (N. S.) 21 [1874]: 1–403 + [5, explic.] + 5 pls., 1875 (title page); 14 Apr 1875 (Ann. Soc. Ent. France (5) 5: Bull. Ent.: lxxix)]
- Mulsant É, Rey C (1876) [Histoire naturelle des Coléoptères de France]. Tribu des brévipennes. [Staphyliniensiſ]. Annales de la Société d'Agriculture, Histoire Naturelle et Arts Utiles de Lyon (4) 8 [1875]: 145–856, [7, explic.] + pls. 1–6. [1876 (title page); 21 Jul 1877 (Bibliogr. France 1877) / separate: Paris: Deyrolle, [2] + 712 pp. + [7, explic.] + 6 pls., May 1877 (title page); 17 May 1877 (date of dedication); 11 Aug 1877 (Bibliogr. France 1877)]
- Mulsant É, Rey C (1878a) Histoire naturelle des Coléoptères de France. Brévipennes. Pédériens. - Évesthétiens. Deyrolle, Paris, [2] + 338 + [2, tables] + [7, explic.] pp. + 6 pls. [1878 (title page); 10 May 1878 (date of dedication); 15 Nov 1878 (Petites Nouv. Ent.) / reissued in: Ann. Soc. Linn. Lyon (N. S.) 24 [1877]: 1–338 + [2, tables] + [7, explic.], pls. 1–6, Oct 1878 (title page), 13 Nov 1878 (Ann. Soc. Ent. France (5) 8: Bull. Bibliogr.: 48)]
- Mulsant É, Rey C (1878b) [Histoire naturelle des Coléoptères de France]. Tribu des brévipennes: Cinquième famille: Oxyporiens. Sixième famille: Oxyteliens. Annales de la Société d'Agriculture, Histoire Naturelle et Arts Utiles de Lyon (4) 10 [1877]: 443–850 + [8, explic.], pls. 1–7. [1878 (title page); 5 Jul 1878 (last art. read at Soc.) / separate: Paris: Deyrolle, [2] + 408 + 8 [explic.] + 7 pls., 1879 (title page); 10 Jan 1879 (date of dedication)]
- Mulsant É, Rey C (1880) In: Rey, C. [Histoire naturelle des Coléoptères de France]. Tribu des brévipennes. Onzième famille: Omaliens. Douzième famille: Pholidiens. Annales de la Société Linnéenne de Lyon (Nouvelle Série) 27: 1–430, pls. 1–6. [1880 (title page); incl. list of members for 1881]
- Muona J (1979) Staphylinidae [pp. 14–28]. In: Silfverberg H (Ed) *Enumeratio Coleopterorum Fennoscandiae et Daniae*. Helsingfors Entomologiska Bytesförening, Helsinki, vi + 79 pp. [1979 (title page)]
- Muona J (1991a) The Eucnemidae of south-east Asia and the western Pacific - a biogeographical study. Australian Systematic Botany 4 (1): 165–182. [3 Sep 1991 (p. 165)]
- Muona J (1991b) A revision of the Indomalesian tribe Galbitini new tribe (Coleoptera, Eucnemidae). Entomologica Scandinavica Supplement 39: 1–67. [1 Nov 1991 (p. 1)]
- Muona J (1993) Review of the phylogeny, classification and biology of the family Eucnemidae (Coleoptera). Entomologica Scandinavica Supplement 44: 1–133. [30 Jun 1993 (p. 1)]
- Muona J (1994) Eucnemidae Eschscholtz, 1829 (Insecta, Coleoptera); proposed conservation over Melasidae Fleming, 1821. (Case 2938). In: Notices. Bulletin of Zoological Nomenclature 51 (3): 185.
- Muona J (2007) Eucnemidae [pp. 81–87]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidea - Lymexyloidea - Cleoroidea - Cucujoidea. Apollo Books, Stenstrup, Denmark, 935 pp. [30 Jun 2007 (verso of title page)]

- Muona J, Alaruikka D (2007) Eucnemidae [p. 32]. In: New nomenclatorial acts, and comments. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidea - Lymexyloidea - Cleroidea - Cucujoidea. Apollo Books, Stenstrup, Denmark, 935 pp. [30 Jun 2007 (verso of title page)]
- Murayama JJ (1954) Scolytid-Fauna of the northern half of Honshu with a distribution table of all the Scolytid-species described from Japan. Bulletin of the Faculty of Agriculture Yamaguti [Yamaguchi] University 5: 149–212. [Dec 1954 (reprint wrapper)]
- Murayama JJ (1959) An introduction to the studies of Japanese Scolytidae. Forestry Leaves 11 (3): 25–32. [1 Sep 1959]
- Murayama JJ (1963) Studies in the scolytid fauna of the northern half of the Far East, V. Hylesininae. Shukosha Press, Fukuoka, Japan, iii + [i] + 72 pp. [publ. 31 Oct 1963 (reprint fide R. A. Beaver, pers. comm. to Alonso-Zarazaga)]
- Murray A (1858) List of Coleoptera received from Old Calabar, on the west coast of Africa [continued]. The Annals and Magazine of Natural History (3) 2 (11): 340–349. [1 Nov 1858 (Evenhuis 2003: 21)]
- Murray A (1864) Monograph of the family of Nitidulariae. Transactions of the Entomological Society of London 24 (3): 211–414 + pls. 32–36.
- Murray A (1870) List of Coleoptera received from Old Calabar, on the west coast of Africa [continued]. The Annals and Magazine of Natural History (4) 6 (31): 44–56, pls. 2, 3; (32): 161–176. [(31) 1 Jul 1870; (32) 1 Aug 1870 (Evenhuis 2003: 25)]
- Musgrave A (1932) Bibliography of Australian entomology, 1775–1930 with biographical notes on authors and collectors. Royal Zoological Society of New South Wales, Sydney, viii + 380 pp. [publ. Sep 1932 (title page)]
- Nagel P (1987) Arealsystemanalyse afrikanischer Fühlerkäfer (Coleoptera, Carabidae, Pausinae). Ein Beitrag zur Rekonstruktion der Landschaftsgenese. Erdwissenschaftliche Forschung Band XXI. Band XXI. F. Steiner, Stuttgart, 233 pp.
- Nakane T, Kishii T (1956) On the subfamilies of Elateridae from Japan (Coleoptera). Kontyû 24 (4): 201–206, pls. 22–23. [1 Oct 1956 (verso of title page)]
- Naomi S-I (1986) A taxonomic study on the subfamily Megalopininae (Coleoptera, Oxyporidae) of Japan, with descriptions of two new species. Kontyû 54 (2): 344–352. [25 Jun 1986 (wrapper)]
- Napp DS (2007) Unxiini, uma nova tribo de Cerambycinae (Coleoptera, Cerambycidae). Revista Brasileira de Entomologia 51 (3): 312–340. [mailed 30 Sep 2007 (contents)]
- Naviaux R (1991) Les cicindèles de Thaïlande, étude faunistique (Coleoptera Cicindelidae). Bulletin Mensuel de la Société Linnéenne de Lyon 60 (7): 209–288. [Sep 1991 (fasc. title page); 6 Aug 1991 (recorded at BMNH)]
- Nearns EH, Branham MA (2008) Revision and phylogeny of the tribes Curiini LeConte and Plectromerini Nearns and Branham, new tribe (Coleoptera: Cerambycidae: Cerambycinae). Memoirs of the American Entomological Society No. 47: 1–117. [issued 1 Mar 2008 (title page)]
- Neave SA (1939) Nomenclator Zoologicus. A list of the names of genera and subgenera in zoology from the tenth edition of Linnaeus 1758 to the end of 1935. Vols. 1–2. Zoological Society of London, London, xiv + 957 + 1025 pp.

- Neave SA (1940) *Nomenclator Zoologicus. A list of the names of genera and subgenera in zoology from the tenth edition of Linnaeus 1758 to the end of 1935.* Vol. III. M-P. Zoological Society of London, London, 1065 pp.
- Neave SA (1966) *Nomenclator Zoologicus.* Vol. VI, 1946–1955. Zoological Society of London, London, ix + 329 pp.
- Neboiss A (1956) A check list of Australian Elateridae (Coleoptera). *Memoirs of the National Museum of Victoria* 22 (2): 1–75. [25 Jul 1956]
- Nelson GH (1982) A new tribe, genus, and species of North American Buprestidae with consideration of subfamilial and tribal categories. *The Coleopterists Bulletin* 35 [1981] (4): 431–450. [mailed 23 Jun 1982 (wrapper)]
- Newman E (1834) Attempted division of British insects into natural orders. *The Entomological Magazine* 2 (4): 379–431. [Oct 1834 issue (note in vol. 1 p. 4 indicates the Ent. Mag. was to be published quarterly on the 1st of the month)]
- Newman E (1840) Entomological notes. *The Entomologist* 1 (1): 1–16, (2): 17–32. [Nov + Dec 1840 issues]
- Newman E (1841) Entomological notes (continued). *The Entomologist* 1 (3): 33–37. [Jan 1841 issue]
- Newton AF, Jr. (1988) Fooled by flatness: subfamily shifts in subcortical Staphylinidae (Coleoptera). *The Coleopterists Bulletin* 42 (3): 255–262. [mailed 19 Sep 1988 (inside wrapper)]
- Newton AF, Jr. (1997) Review of Agyrtidae (Coleoptera), with a new genus and species from New Zealand. *Annales Zoologici (Warszawa)* 47 (1/2): 111–156. [20 Sep 1997]
- Newton AF, Jr. (1998) Phylogenetic problems, current classification and generic catalog of world Leiodidae (including Cholevidae) [pp. 41–178]. In: Giachino PM, Peck SB (Eds). *Phylogeny and evolution of subterranean and endogeal Cholevidae (=Leiodidae Choleviinae).* Proceedings of the XXth International Congress of Entomology. 1996. Firenze. Atti / Museo Regionale di Scienze Naturali, Torino, 1998, 295 pp. [Dec 1998 (printed)]
- Newton AF, Jr., Thayer MK (1992) Current classification and family-group names in Staphyliniformia (Coleoptera). *Fieldiana: Zoology (New Series)* No. 67: 1–92. [29 May 1992 (wrapper)]
- Newton AF, Jr., Thayer MK (1995) Protoselaphinae new subfamily for Protoselaphus new genus from Malaysia, with a phylogenetic analysis and review of the Omaliine Group of Staphylinidae including Pselaphidae (Coleoptera) [pp. 219–320]. In: Pakaluk J, Ślipiński SA (Eds) *Biology, phylogeny and classification of Coleoptera: Papers celebrating the 80th birthday of Roy A Crowson.* Muzeum i Instytut Zoologii PAN, Warszawa, x + 1092 pp. in 2 vols. [31 Mar 1995 (teste S. A. Ślipiński)]
- Nikitsky NB (1985) *Zhestkokrylie semeystv Tetratomidae i Cephaloidae Vostochnoy Palearktiki* [Beetles of the families Tetratomidae and Cephaloidae from the eastern Palaearctic]. *Sbornik Trudov Zoologicheskogo Muzeya MGU* 23: 26–37 [in Russian]. [1985 (wrapper)]
- Nikitsky NB (1986) *Semeystvo Pilipalpidae stat. n. (Coleoptera, Heteromera), ego sostav i sistematicheskie svyazi* [The family Pilipalpidae stat. n. (Coleoptera, Heteromera), its composition and taxonomic relationships]. *Zoologicheskii Zhurnal* 65 (8): 1178–1189 [in Russian]. [after 22 Jul 1986 (approved to print)]

- Nikitsky NB (1992) Sem. Salpingidae [pp. 482–493]. In: Ler PA (Ed) Opredelitel' naseko-mykh Dal'nego Vostoka SSSR Tom 3 - Zheskokrylye, ili zhuki Chast 2 [Keys to the identification of insects of the Soviet Far East 3 - Coleoptera, or beetles Part 2]. Nauka, Saint-Petersburg, 704 pp. [in Russian]
- Nikitsky NB (1993) Zhuki-griboedy (Coleoptera, Mycetophagidae) fauny Rossii i sopredel'nykh stran. [Fungivorous beetles (Coleoptera, Mycetophagidae) of the fauna of Russia and adjacent countries]. Izd-vo Moskovskogo Universiteta, Moskva, 183 pp.
- Nikitsky NB (1998) Generic classification of the beetle family Tetratomidae (Coleoptera, Tenebrionoidea) of the world, with description of new taxa. Series Faunistica No. 9. Pensoft Publishers, Moscow, 80 pp. [printed Jan 1998 (verso of title page)]
- Nikitsky NB (2007) Novye taksony zhukov-griboedov i zhukov-tenelyubov (Coleoptera, Mycetophagidae, Melandryidae) [New taxa of the hairy fungus beetles and false darkling beetles (Coleoptera, Mycetophagidae, Melandryidae)]. Byulleten' Moskovskogo Obshchestva Ispytateley Prirody Otdel Biologicheskiy 112 (4): 58–62 [in Russian]. [Jul-Aug 2007 issue]
- Nikitsky NB, Lawrence JF, Kirejtshuk AG, Gratshev WG (1994) A new beetle family, Decliniidae fam. n., from the Russian Far East and its taxonomic relationships (Coleoptera Polyphaga). Novoe semeystvo zhestkokrylykh Decliniidae fam. n. s Dalnego Vostoka Rossii i ego taksonomicheskie sbyazi (Coleoptera Polyphaga). Russian Entomological Journal 2 (5/6): 3–10. [printed Jan 1994 (inside wrapper)]
- Nikitsky NB, Pollock DA (2008) Family Melandryidae [pp. 64–73]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 670 pp. [publ. 15 Apr 2008 (verso of title page)]
- Nikolajev GV (1970) [Taxonomic position of groups included in the subfamily Geotrupinae (Col., Scarabaeidae)]. Materials of the Second Scientific Session of Young Specialists and PhD Candidates (Thesis of Lectures), Kazakhstan, 31–34 [in Russian].
- Nikolajev GV (1990) [The usage of the particularities of wing venation for clarification of the system of Lamellicornia beetles]. In: Medvedev GS, Korotyaev BA (Eds) Advances of Entomology in USSR: Coleoptera Proceedings of the X Meeting of the All-Soviet Entomology Society, Leningrad, September 11–15, 1989. USSR Academy of Sciences Zoology Institute, Leningrad, 98–99 [in Russian].
- Nikolajev GV (1992) Taksonomicheskie priznaki i sostav rodov mezozoyskikh plastinchatousykh zhukov (Coleoptera, Scarabaeidae) [Taxonomic characters and generic composition of Mesozoic scarab beetles (Coleoptera, Scarabaeidae)]. Paleontologicheskii Zhurnal 1992 (1): 76–88. [in Russian, English summary] [after 14 Feb 1992 (approved to print)]
- Nikolajev GV (1995a) Materialy k sistematike podsemeystva Ochodaeinae (Coleoptera, Scarabaeidae) [New data on the systematics of the subfamily Ochodaeinae (Coleoptera, Scarabaeidae)]. Zoologicheskii Zhurnal 74 (8): 72–82 [in Russian; English translation in Entomological Review 75: 113–123]. [after 11 Jul 1995 (approved to print); Aug 1995 issue]
- Nikolajev GV (1995b) Novoe podsemeystvo plastinchatousykh zhukov (Coleoptera, Scarabaeidae) iz nizhnego mela Zabaykalya i ego filogeneticheskie svyazi [A new subfamily of lamellicorn beetles (Coleoptera, Scarabaeidae) from the Lower Cretaceous of Transbaykalia and its phylogenetic relationships]. Paleontologicheskii Zhurnal 1995 (2): 147–151 [in

- Russian; English translation in Paleontological Journal 29: 185–192]. [after 19 Apr 1995 (approved to print, p. 160)]
- Nikolajev GV (1996) Vidy plastinchatousykh zhukov (Coleoptera, Scarabaeidae) s bol'shim kolichestvom borozdok na nadkrylyakh iz nizhnemelovogo mestonakhozdeniya Baysa v Zabaykal'e [Lamellicorn beetle species (Coleoptera, Scarabaeidae) with multistriate elytra, from the Lower Cretaceous Baysa locality, Transbaikalia]. Paleontologicheskii Zhurnal 1996 (2): 91–99. [in Russian; English translation in Paleontological Journal 30: 217–224 (1996)] [after 12 Mar 1996 (approved to print)]
- Nikolajev GV (1998) Vidy plastinchatousykh zhukov gruppy pleurosticti (Coleoptera, Scarabaeidae) iz nizhnego mela Zabaykal'ya [Pleurostict lamellicorn beetles (Coleoptera, Scarabaeidae) from the Lower Cretaceous of Transbaikalia]. Paleontologicheskii Zhurnal 1998 (5): 77–84. [in Russian; English translation in Paleontological Journal 32: 513–520 (1998)] [after 6 Aug 1998 (approved to print)]
- Nikolajev GV (1999a) O polifilii podsemeystva Penichrolucaninae (Coleoptera, Lucanidae) i vydelenii iz ego sostava monotipichnoy triby Brasilucanini [On the polyphyly of the subfamily Penichrolucaninae (Coleoptera, Lucanidae), with the erection of the new monotypic tribe Brasilucanini]. Tethys Entomological Research 1: 171–172 [in Russian].
- Nikolajev GV (1999b) Materialy k sistematike plastinchatousykh zhukov podsemeystva Hybosorinae (Coleoptera, Scarabaeidae) s vydeleniem novoy triby dlya chetyrekh monotipichnykh rodov iz Yuzhnay Ameriki i opisaniem novykh taksonov iz nizhnego mela Zabaylak'ya [New data on the systematics of the scarab beetles of the subfamily Hybosorinae (Coleoptera, Scarabaeidae): the establishment of the new tribe comprising four monotypic South American genera, and description of some new taxa from the Lower Cretaceous of Transbaikalia]. Tethys Entomological Research 1: 173–182 [in Russian].
- Nikolajev GV (2000a) Novoe podsemeystvo plastinchatousykh zhukov (Coleoptera, Scarabaeidae) iz nizhnego mela Zabaykal'ya i Mongolii i ego polozhenie v sisteme nadsemeysvta [A new subfamily of lamellicorn beetles (Coleoptera, Scarabaeidae) from the Lower Cretaceous of Transbaikalia and Mongolia, and its position within the superfamily]. Paleontologicheskii Zhurnal 2000 (4): 63–66. [in Russian; English summary] [Jul-Aug issue; after 7 Jun 2000 (approved to print)]
- Nikolajev GV (2000b) New subfamily of the stag beetles (Coleoptera: Scarabaeoidea: Lucanidae) from the Mesozoic of Mongolia, and its position in the system of the superfamily. Paleontological Journal 34 (suppl. 3): S327–S330. [2000 (copyright)]
- Nikolajev GV (2002) O veroyatnoy prinadlezhnosti k podsemeystvu Pleocominae novogo roda plastinchatousykh zhukov iz nizhnego mela Mongolii [To possible assignment of a new genus of lamellicorn beetles from the Lower Cretaceous of Mongolia to the subfamily Pleocominae]. Paleontologicheskii Zhurnal 2002 (3): 51–55 [in Russian, English summary; English translation in Paleontological Journal 36: 279–282 (2002)] [after 8 Apr 2002 (approved to print); Sep 2002]
- Nikolajev GV (2003a) Taksonomicheskiy sostav podsemeystva Bolboceratinae (Coleoptera, Scarabaeidae) Palearktiki [The taxonomic composition of the subfamily Bolboceratinae (Coleoptera, Scarabaeidae) from Palaearctic faunistic region]. Tethys Entomological Re-

- search 8: 187–206 [in Russian]. [7 Apr 2003 (page top); 8–9 Apr 2003 (inside back wrapper)]
- Nikolajev GV (2003b) Opisanie lichinki roda *Eubolbitus* Reitter (Coleoptera, Scarabaeidae, Bolboceratinae). A description of the larva of the genus *Eubolbitus* Reitter (Coleoptera, Scarabaeidae, Bolboceratinae). Evraziatskii Entomologicheskii Zhurnal 1 (2): 207–209 [in Russian]. [after 22 Jan 2003 (approved to print, p. 242)]
- Nikolajev GV (2005a) Omorgini (Coleoptera, Scarabaeidae, Troginae) - novaya triba plastinchatousykh zhukov. Omorgini (Coleoptera, Scarabaeidae, Troginae) - a new tribe of scarab beetles. Evraziatskii Entomologicheskii Zhurnal 4 (4): 321–322 [in Russian]. [after 22 Dec 2005 (approved to print, inside back wrapper)]
- Nikolajev GV (2005b) Plastinchatousye zhuki podsemeystva Glaphyrinae (Coleoptera, Scarabaeidae) v nizhnem mele Zabaykal'ya [Scaraboid beetles of the subfamily Glaphyrinae (Coleoptera, Scarabaeidae) from the Lower Cretaceous of Transbaikalia]. Zhivotnyy mir Dal'nego Vostoka [Animal World of the Far East] 5: 69–78 [in Russian].
- Nikolajev GV (2006) O taksonomiceskem statuse verkhneoligotsenovogo roda *Ceruchites* Statz (Coleoptera, Lucanidae). On the taxonomic status of the Upper Oligocene genus *Ceruchites* Statz (Coleoptera, Lucanidae). Evraziatskii Entomologicheskii Zhurnal 5 (2): 133–134 [in Russian]. [after 12 Jun 2006 (approved to print, inside back wrapper)]
- Nikolajev GV (2007a) Mezozoyskiy etap evolyutsii plastinchatousykh (Insecta: Coleoptera: Scarabaeoidea). Kazak Universiteti, Almaty, 221 pp.
- Nikolajev GV (2007b) Novoe podsemeystvo plastinchatousykh zhukov semeystva Hybosoridae (Coleoptera: Scarabaeoidea) iz mezozoya Azii [A new Hybosoridae subfamily (Coleoptera: Scarabaeoidea) from the Mesozoic of Asia]. Izvestiya Natsionalnoi Akademii Nauk Respubliki Kazakhstan Seriya Biologicheskaya i Meditsinskaya 2 (260): 47–48 [in Russian]. [Mar-Apr 2007 issue]
- Nikolajev GV (2008) [Taxonomic structure of the subfamily Aegialiinae (Coleoptera, Scarabaeidae) according to its geographic distribution]. Evraziatskii Entomologicheskii Zhurnal 7 (2): 148–149.beu
- Nikolajev GV (2010) [On the systematic position of the new Scarabaeoidea genus (Coleoptera) from the Lower Cretaceous of Transbaikalia]. Tethys Entomological Research 17: 67–72 [in Russian].
- Nilsson AN (2003) Family Dytiscidae [pp. 35–78] [and others]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata - Myxophaga - Adephaga. Apollo Books, Stenstrup, 819 pp. [publ. 30 May 2003 (verso of title page)]
- Nilsson AN (2005) Family Noteridae [pp. 87–153]. Nilsson, A N Vondel, B J van: World catalog of insects Vol 7 Amphizoidae, Aspidytidae, Haliplidae, Noteridae and Paelobiidae (Coleoptera, Adephaga). Apollo Books, Stenstrup, 171 pp. [publ. 24 Jun 2005 (verso of title page)]
- Nilsson AN, Roughley RE, Brancucci M (1989) A review of the genus- and family-group names of the family Dytiscidae Leach (Coleoptera). Entomologica Scandinavica 20: 287–316. [1989 (recorded FMNH 29 January 1990)]

- Noonan GR (1976) Synopsis of the supra-specific taxa of the tribe Harpalini (Coleoptera: Carabidae). *Quaestiones Entomologicae* 12 (1): 3–87. [Jan 1976 issue; 2 Feb (recorded at CNC)]
- Nordmann A (1837) *Symbolae ad monographiam staphylinorum. Academiae Caesareae Scientiarum, Petropoli* [St. Petersburg], 167 pp., 2 pls. [1837 (title page)]
- Notman H (1920) Staphylinidae from Florida in the collection of the American Museum of Natural History, with descriptions of new genera and species. *Bulletin of the American Museum of Natural History* 42: 693–732, pl. 39. [15 Dec 1920]
- Nunberg M (1953) Nowa podrodzina, rodzaj i gatunek w rodzinie wyrynnikowatych (Platypodidae, Coleoptera). *Novoe podsemeystvo, rod i vid v semeystve Platypodidae (Coleoptera)*. A new subfamily, genus and species of the family Platypodidae (Coleoptera). *Annales Muzei Zoologiczi Polonici* 15 (5): 43–53 + pls. 9–10. [20 Apr 1953 (top of article); 14 Jul 1953 (recorded at BMNH)]
- Nunberg M (1954) Korniki - Scolytidae, Wyrynniki - Platypodidae. *Klucze do Oznaczania Owadów Polski* 19 (99/100): 1–106. [5 Jun 1954 (sent to press, p. 2)]
- Nunberg M (1967) Zur Kenntnis der afrikanischen Borken- und Kernkäfer-Fauna (Coleoptera Scolytidae et Platypodidae). *Revue de Zoologie et de Botanique Africaines* 76 (3/4): 313–340. [30 Dec 1967 (top p. 313)]
- Nüsslin O (1911) Phylogenie und System der Borkenkäfer. (Fortsetzung aus Heft 11). *Zeitschrift für Wissenschaftliche Insektenbiologie* 7 (12): 372–378. [15 Dec 1911 (wrapper + p. 369)]
- Nüsslin O (1912) Zur Phylogenie und Systematik der einheimischen Hylesinen - Die Gattungen. *Naturwissenschaftliche Zeitschrift für Forst- und Landwirtschaft* 10 (4/5): 267–290. [Apr-May 1912 issue; recorded 2 May 1912 (BMNH, in pencil; fide Alonso-Zarazaga and Lyal 2009: 125)]
- Obenberger J (1920) Révision du genre *Bubastes* Lap. & Gory (Col. Buprestidae). *Annales de la Société Entomologique de France* 89 (1): 89–108. [10 Nov 1920 (p. 440)]
- Oberprieler RG (1997) Classification of the African Saturniidae (Lepidoptera) - the quest for natural groups and relationships [pp. 142–155]. In: *The Inaugural Conference on African Lepidoptera, Nairobi - Kenya* - 1–8 May 1997. *Metamorphosis. Occasional Supplement No. 3*: 142–155. [Dec 1997 (title page)]
- Oberprieler RG (2010) A reclassification of the weevil subfamily Cyclominae (Coleoptera: Curculionidae). *Zootaxa* 2515: 1–35. [publ. 23 Jun 2010 (p. 1 footer)]
- Oberprieler RG, Marvaldi AE, Anderson RS (2007) Weevils, weevils, weevils everywhere. *Zootaxa* 1668: 491–520. [publ. 21 Dec 2007 (footer p. 491)]
- O'Brien CW, Wibmer GJ (1982) Annotated checklist of the weevils (Curculionidae sensu lato) of North America, Central America, and the West Indies (Coleoptera: Curculionoidea). *Memoirs of the American Entomological Institute* 34: i–ix, 1–382. [1982 (title page)]
- Ocampo FC (2006) Phylogenetic analysis of the subfamily Anaidinae based on morphological data and revision of the New World tribe Anaidini. In: Ocampo FC (Ed): *Phylogenetic analysis of the scarab family Hybosoridae and monographic revision of the New World subfamily Anaidinae (Coleoptera: Scarabaeoidea)*. *Bulletin of the University of Nebraska State Museum* 19: 13–177. [issued 1 May 2006 (verso of title page)]

- Ogloblin DA (1936) Nasekomye zhestkokrylye. T. XXVI, vyp. 1. Listoedy, Galerucinae. Fauna SSSR. Novaya serie No 8. Izdatelstvo Akademii Nauk SSSR, Moskva, xiv + 455 + [1] pp. [after 19 Dec 1936 (approved to print, verso of title page)]
- Ogloblin DA, Znojko DV (1950) Zhestkokrylye. Tom XVIII, vyp. 8. Pyltseedy (Sem. Alculidae), ch. 2. Podsem. Omophlinae. In: Pavlovskiy EN, Shtakelberg AA (Eds) Fauna SSSR. Novaya seriya No 44. Izdatel'stvo Akademii Nauk SSSR, Moskva, 133 + [2] pp. [in Russian]. [after 5 Oct 1950 (approved to print, endleaf)]
- Ohaus F (1912) Révision der Adoretini. (Col. Lamell. Rutelin.). Deutsche Entomologische Zeitschrift 1912 (2): 141–156, (3): 267–282, (4): 411–426, (5): 509–524, (6): 625–643. [(2): 1 Apr; (3): 30 May; (4): 31 Jul; (5): 30 Sep 1912 (Inhalt p. iii)]
- Ohaus F (1918) Pars 66: Scarabaeidae: Euchirinae, Phaenomerinae, Rutelinae. In: Schenckling S (Ed) Coleopterorum Catalogus. Volumen XX. Scarabaeidae II. W. Junk, Berlin, 241 pp. [27 Jul 1918 (verso of vol. title page)]
- Oke C (1925) New Australian Coleoptera (Part I.). The Victorian Naturalist 42 (1): 6–15. [6 May 1925 (p. 1)]
- Oke C (1932) Aculagnathidae. A new family of Coleoptera. Proceedings of the Royal Society of Victoria (New Series) 44 (1): 22–24 + pl. 2. [issued 29 Feb 1932 (vol. title page)]
- Oke CG (1951) The Coleoptera of the Russell Grimwade Expedition. Memoirs of the National Museum of Victoria 17: 19–25.
- Oken L (1817) Cuviers und Okens Zoologien neben einander gestellt. Isis von Oken 1817 (8 [144–148]): cols. 1145–1176, [4 unn.], 1177–1178, [4 unn.], 1180–1182 [double cols., as 1780–82], [2 unn.], 1183–1185 [double cols., 1185 unn.].
- Oken L (1843) Lehrbuch der naturphilosophie. Dritte, neu bearbeitete Auflage. F. Schulthess, Zürich, xii + 523 pp. [1843 (title page)]
- Olexa A (1982) Revision der paläarktischen Arten der Gattung *Anapleus* (Coleoptera, Histeridae). Acta Entomologica Bohemoslovaca 79: 37–45. [Jan 1982 (back wrapper)]
- Olivier E (1884) Essai d'une révision des espèces européennes et circaméditerranéennes de la famille des Lampyridés. L'Abeille, Journal d'Entomologie 22 (284–285): 1–56, pls. 1–2. [27 Aug 1884 (wrapper)]
- Olivier E (1907) 53me fascicule. Coleoptera. Fam. Lampyridae. In: Wytsman PA (Ed) Genera Insectorum. Vol. VIII. Verteneuil & Desmet, Bruxelles, 74 pp. + 3 pls. [15 Jan 1907 (date on manuscr., p. 74); 18 Feb 1907 (Evenhuis 1994: 53)]
- Olliff AS (1891) Coleoptera - (Continued) [pp. 58–81]. In: Whymper E (Ed) Supplementary Appendix to Travels amongst the Great Andes of the Equator. John Murray, London, xxii + [1 unn., Addenda] + 147 pp. + 14 pls. [Dec 1891 (The Literary News 12: 363)]
- Opitz W (2002) Family 73. Cleridae [pp. 267–280]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Opitz W (2009) Classification, natural history, and evolution of Neorthopleurinae subfam. n. (Coleoptera, Cleridae) Part I. Generic composition of the subfamily and key to genera. Entomologica Basiliensis et Collectionis Frey 31: 135–207. [publ. 28 Dec 2009 (back wrapper)]

- Opitz W (2010) Classification, natural history, phylogeny, and subfamily composition of the Cleridae and generic content of the subfamilies (Coleoptera: Cleroidea). *Entomologica Basiliensis et Collectionis Frey* 32: 31–128. [publ. 20 Dec 2010 (back wrapper)]
- Opitz W, Herman LH (2009) Epiphloeinae Kuwert, 1893 and Ichneinae Spinola, 1841: two names for the same subfamily of checkered beetles (Coleoptera: Cleridae). *The Coleopterists Bulletin* 63 (2): 183–189. [publ. 24 Jun 2009 (p. 189)]
- Orchymont Ad (1916) De la place que doivent occuper dans la classification les sous-familles des Sphaeridiinae et des Hydrophilinae [Col. Hydrophilidae]. *Bulletin de la Société Entomologique de France* 1916 (15): 235–240. [13 Nov 1916 (endleaf)]
- Orchymont Ad (1919) Contribution à l'étude des sous-familles des Sphaeridiinae et des Hydrophilinae (Col. Hydrophilidae). *Annales de la Société Entomologique de France* 88 (1/2): 105–168. [24 Nov 1919 (p. 419)]
- Osella G (1980) Nuovi curculionidi ciechi della regione Neotropicale (Coleoptera). *Fragmenta Entomologica* 15 (2): 365–422. [30 Jul 1980 (vol. contents)]
- Outerclo R, Gamarra P (1985) 10. Las familias y géneros de los estafilínidos de la Península Ibérica. Claves para la identificación de la fauna Española. Universidad Complutense, Madrid, 139 pp. [Jul 1985 (wrapper); depósito legal 1986 (verso of title page)]
- Özdikmen H (2008) New family group and genus group names for Eucnemidae (Coleoptera). *Munis Entomology & Zoology* 3 (2): 675–676. [Jun 2008 (title page); 20 Jun 2008 (recorded at CNC)]
- Özdikmen H, Darilmaz MC (2010) Case 3514. Enhydrini Régimbart, 1882 (Insecta, Coleoptera): proposed emendation of spelling to Enhydrusini to remove homonymy with Enhydrini Gray, 1825 (Mammalia, Mustelidae). *Bulletin of Zoological Nomenclature* 67 (4): 285–288.
- Pace R (1988) *Sphuridaethes loebli*, nuovo genere e nuova specie di Aleocharinae termitofila del Borneo (Coleoptera, Staphylinidae) (XCIX contributo alla conoscenza delle Aleocharinae). *Revue Suisse de Zoologie* 95 (4): 979–985. [Dec 1988 (wrapper)]
- Pace R (2000a) Aleocharinae di Papua-Nuova Guinea (Coleoptera, Staphylinidae) (156º contributo alla conoscenza delle Aleocharinae). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique Entomologie* 70: 109–163. [22 Dec 2000]
- Pace R (2000b) Athexenia nilgiriensis n. gen. e n. sp. della tribù Termitodiscini dell'India (Coleoptera, Staphylinidae) (155º contributo alla conoscenza delle Aleocharinae). *Nouvelle Revue d'Entomologie (Nouvelle Série)* 16 [1999] (4): 335–341. [issued 30 Jun 2000 (back wrapper)]
- Pace R (2003) Aleocharinae della Penisola di Malacca (Malaysia) (Coleoptera, Staphylinidae). *Bollettino del Museo Regionale di Scienze Naturali*, Torino 20 [2002] (1): 33–78. [31 Mar 2003 (top of article)]
- Pacheco MF (1964) Sistemática, filogenia y distribución de los heterocéridos de América (Coleoptera: Heteroceridae). Escuela Nacional de Agricultura, Colegio de Post-Graduados, Chapingo, xii + 155 pp. + 55 pls. [Jan 1964 (title page); 1965 (auct.)]
- Packard AS (1874) Guide to the study of insects, and a treatise on those injurious and beneficial to crops: for the use of colleges, far-schools, and agriculturists. Fourth edition. Naturalists' Agency, Salem, viii + 715 pp. + 15 pls. [Apr 1874 (date of preface)]

- Pajni HR, Kohli SK (1982) Taxonomic studies on Indian Ceutorhynchinae (Coleoptera: Curculionidae). Tribe Mecysmoderini. Oriental Insects 16 (3): 337–372. [31 Dec 1982 (vol. title page)]
- Pakaluk J, Ślipiński SA (1995) Acritosomatinae, a new subfamily of Endomychidae for *Acrito-soma* new genus based upon two new species from Mexico and Peru (Coleoptera: Cucujoidae). Genus 6 (3/4): 327–335. [15 Dec 1995 (p. 327 header)]
- Pakaluk J, Ślipiński SA, Lawrence JF (1994) Current classification and family-group names in Cucujoidae (Coleoptera). Genus 5 (4): 223–268. [28 Dec 1994 (top of reprint)]
- Pal TK, Lawrence JF (1986) A new genus and subfamily of mycophagous Bothrideridae (Coleoptera: Cucujoidae) from the Indo-Australian region, with notes on related families. Journal of the Australian Entomological Society 25 (3): 185–210. [29 Aug 1986 (wrapper)]
- Palmer AR (1957) Miocene arthropods from the Mojave Desert, California. United States Geological Survey Professional Paper 294G: 237–279.
- Pang X-F, Mao JL (1979) [Fauna of economic insects of China. Coleoptera: Coccinellidae (II). Part 14]. Science Press, Beijing, 170 pp. + xvi pls. [in Chinese, title translation taken from subsequent citation].
- Park JK, Trac DH, Will K (2006) Carabidae from Vietnam (Coleoptera). Journal of Asia-Pacific Entomology 9 (2): 85–105. [Jun 2006 (wrapper)]
- Park O (1951) Cavernicolous pselaphid beetles of Alabama and Tennessee, with observations on the taxonomy of the family. Geological Survey of Alabama / Museum Paper 31: 1–107. [15 Oct 1951 (wrapper)]
- Park O (1952) A revisional study of Neotropical pselaphid beetles. Part two. Tribe Euplectini sensu latiore. Chicago Academy of Sciences, Special Publication No. 9 (2): 53–150 [incl. 7 pls.]. [18 Aug 1952 (p. 53)]
- Park O (1953) New or little known pselaphid beetles of the United States, with observations on taxonomy and evolution of the family Pselaphidae. Bulletin of the Chicago Academy of Sciences 9 (14): 249–283. [16 Jan 1953 (p. 249)]
- Park O (1976) [new taxa] In: Park O, Wagner JA, Sanderson MW: Review of the pselaphid beetles of the West Indies, (Coleoptera: Pselaphidae). Fieldiana: Zoology 68: i-xi, 1–90. [12 Nov 1976 (wrapper)]
- Park O, Schuster RO (1955) A new subtribe of pselaphid beetles from California. Chicago Academy of Sciences Natural History Miscellanea No. 148: 1–6. [20 Jun 1955 (p. 1)]
- Parker JB, Böving AG (1924) The blister beetle *Tricania sanguinipennis* - biology, descriptions of different stages, and systematic relationship. Proceedings of the United States National Museum 64 (23): 1–40 + 5 pls. [publ. 30 Jul 1924 (p. vii)]
- Parry FJS (1864) A catalogue of lucanoid Coleoptera; with illustrations and descriptions of various new and interesting species. The Transactions of the Entomological Society of London (3) 2 (1): 1–113, pls. 1–12. [4 Jul 1864 (G. Wheeler 1912: 756)]
- Parry FJS (1870) A revised catalogue of the lucanoid Coleoptera; with remarks on the nomenclature, and descriptions of new species. The Transactions of the Entomological Society of London 1870: 53–118, pls. 1–3. [14 Mar 1870 (G. Wheeler 1912: 757)]
- Pascoe FP (1864) Longicornia Malayana; or a descriptive catalogue of the species of the three longicorn families Lamiidae, Cerambycidae and Prionidae, collected by Mr. A. R. Wallace

- in the Malay Archipelago. The Transactions of the Entomological Society of London (3) 3 (1): 1–96. [3 Oct 1864 (G. Wheeler 1912: 756); 712 pp. in all]
- Pascoe FP (1866a) Catalogue of longicorn Coleoptera, collected in the Island of Penang by James Lamb, Esq. (Part I.). Proceedings of the Scientific Meetings of the Zoological Society of London 1866: 222–267, pls. 26–28. [8 May 1866 (page headers)]
- Pascoe FP (1866b) Notices of new or little-known genera and species of Coleoptera [concl.]. The Journal of Entomology Descriptive and Geographical 2 (14): 443–493, pls. 18–19. [Jun 1866 issue]
- Pascoe FP (1867a) On the Longicornia of Australia, with a list of all the described species, &c. The Journal of the Linnean Society Zoology 9 [1868] (35): 113–142, pls. 3–4. [30 Jan 1867 (wrapper); continued from (34): 80–112 publ. 11 Oct 1866]
- Pascoe FP (1867b) Characters of some new genera of the coleopterous family Cerambycidae. The Annals and Magazine of Natural History (3) 19 (113): 307–319. [1 May 1867 (Evenhuis 2003: 24)]
- Pascoe FP (1869a) Descriptions of new genera and species of Tenebrionidae from Australia and Tasmania. The Annals and Magazine of Natural History (4) 3 (13): 29–45, pl. 10, (14): 132–153, pl. 11. [(13): 1 Jan, (14): 1 Feb 1869 (Evenhuis 2003: 24)]
- Pascoe FP (1869b) Longicornia Malayana; or a descriptive catalogue of the species of the three longicorn families Lamiidae, Cerambycidae and Prionidae, collected by Mr. A. R. Wallace in the Malay Archipelago. The Transactions of the Entomological Society of London (3) 3 (6): 497–552, (7): 553–712. [(6): 26 Jan 1869, (7): 13 Oct 1869 (G. Wheeler 1912: 756); 712 pp. in all]
- Pascoe FP (1870a) Descriptions of some genera and species of Australian Curculionidae. Transactions of the Entomological Society of London 1870 (2): 181–212. [16 Jun 1870 (G. Wheeler 1912: 757)]
- Pascoe FP (1870b) Contributions towards a knowledge of the Curculionidae. Part I. The Journal of the Linnean Society Zoology 10 (47): 434–458, pls. 17–19. [17 Jan 1870 (verso of vol. title page)]
- Pascoe FP (1871) Descriptions of new genera and species of longicorns, including three new subfamilies. The Annals and Magazine of Natural History (4) 8 (46): 268–281, pl. 13. [1 Oct 1871 (Evenhuis 2003: 25)]
- Pascoe FP (1872) Notes on Coleoptera, with descriptions of new genera and species. - Part II. The Annals and Magazine of Natural History (4) 10: 317–326, pl. 15. [1 Nov 1872 (Evenhuis 2003: 26)]
- Pascoe FP (1874) Contributions towards a knowledge of the Curculionidae. Part IV. Journal of the Linnean Society Zoology 12: 1–99 + pl. i–iv. [11 Feb 1874]
- Pascoe FP (1875) Additions to the Australian Curculionidae. Part VIII. The Annals and Magazine of Natural History (4) 16 (91): 55–67, pl. 1. [1 Jul 1875 (Evenhuis 2003: 27)]
- Pascoe FP (1885) List of the Curculionidae of the Malay Archipelago collected by Dr. Odoardo Beccari, L. M. D'Albertis, and others. Annali del Museo Civico di Storia Naturale di Genova (2) 2 [22]: 201–332, pls. 1–3. [1885 (title page); 24 Feb 1886 (Ann. Soc. Ent. France (6) 6: Bull. Ent.: xl)]

- Pascoe FP (1886) List of Curculionidae found by Mr Van Volxem in the neighbourhood of Rio Janeiro. Bulletin ou Comptes-Rendus des Séances de la Société Entomologique de Belgique (3) No. 76: cli-clvi. [séance 4 Sep 1886; 11 May 1887 (Ann. Soc. Ent. France (6) 7: Bull. Ent.: xciii)]
- Pascoe FP (1888) Descriptions of some new genera and species of Curculionidae, mostly Asiatic. - Part V. The Annals and Magazine of Natural History (6) 2 (11): 409–418. [31 Oct 1888 (Evenhuis 2003: 31)]
- Paulian R (1933) Revision des Coptodactylini (Col. Lamellicornia). Bulletin de la Société Entomologique de France 38 (5): 67–74. [6 Apr 1933 (p. 344)]
- Paulian R (1944) Les Aglycyderidae, une famille relicte (Col.). Revue Française d'Entomologie 10 [1943] (3/4): 113–119. [28 Mar 1944]
- Paulian R (1945) III Coléoptères Scarabéides de l'Indochine. Première partie. Faune de l'Empire Français. Librairie Larose, Paris, 225 + [3] pp. + map. [dépôt légal 1er trim. 1945 (last page)]
- Paulian R (1950) Les Corylophidae d'Afrique (Coleoptera). Mémoires de l'Institut Français d'Afrique Noire 12: 1–126.
- Paulian R (1959) Un nouveau Coléoptère scarabéide de Madagascar, type d'une nouvelle sous-famille. Le Naturaliste Malgache 10 [1958] (1/2): 39–46. [Jan-Mar 1959 issue; 1er trim. 1959 (dépôt légal, p. 179)]
- Paulian R (1984) Les Orphnidae américains (coléoptères, Scarabaeoidea). Annales de la Société Entomologique de France (Nouvelle Série) 20 (1): 65–92. [30 Mar 1984 (inside back wrapper)]
- Paulian R, Descarpentries A (1982) I. Systématique [pp. 1–67]. In: Insectes Coléoptères. Cetoniidae Euchroeina. Faune de Madagascar. 57. ORSTOM, Paris, 88 pp. [printed 26 Feb 1982 (p. 88); publ. 24 Feb 1982 (p. [89])]
- Paulsen MJ, Hawks DC (2008) Platyceroidini, a new tribe of North American stag beetles (Coleoptera: Lucanidae: Lucaninae). Insecta Mundi 51/58 (58): 1–2. [issued 5 Dec 2008 (fasc. title page)]
- Paulus HF (1972a) Die systematische und phylogenetische Stellung der Karumiidae, mit einer Beschreibung von *Escalerina serraticornis* n. sp. aus S-Persien. Senckenbergiana Biologica 53 [1971]: 37–54. [14 Apr 1972 (article header)]
- Paulus HF (1972b) Neue Pyrochroidae aus Nepal (Coleoptera, Heteromera), mit einer Diskussion der verwandschaftlichen Verhältnisse der Familie. Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 23 (3): 75–85. [issued Jun 1972 (p. 104)]
- Paulus HF (1973) Revision der Familie Byrrhidae I: Zur Systematik und Faunistik der westpaläarktischen Vertreter der Gattung *Curimopsis* Ganglbauer 1902 (Col.: Byrrhidae: Syn calyptinae). Senckenbergiana Biologica 54 (4/6): 353–367. [21 Dec 1973 (p. 353 header)]
- Paulus HF (1975) *Penicillophorus ctenotarsus* n.gen. et n. sp. aus Kolumbien, mit einer Beschreibung einer neuen Tribus Penicillophorini der Phengodidae (Col., Polyphaga, Cantharoidea). Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 25 [1973] (3/4): 69–80. [Jan 1975 (p. 132)]
- Paulus HF (1981) Insects of Saudi Arabia. Coleoptera: fam. Cebrionidae. Fauna of Saudi Arabia 3: 257–265. [1 Dec 1981 (contents)]

- Paykull G (1798) Fauna Suecica: Insecta (Coleoptera). Tomus I Joh. F. Edman, Upsaliae, viii + 358 + [2, errata] pp. [17 Jan 1798 (date of Proëmium); before 20 Jun 1798 (Allgem. Litt. Zeit.)]
- Peacock ER (1978) *Trichelodes* (= *Hexanodes*), type of Trichelodini new tribe, and its affinities with the Trinodini (Coleoptera: Dermestidae). New Zealand Journal of Zoology 5 (2): 341–349. [19 Jun 1978 (vol. 5 contents)]
- Pederzani F (1995) Keys to the identification of the genera and subgenera of adult Dytiscidae (sensu lato) of the world. (Coleoptera Dytiscidae). Atti della Accademia Roveretana degli Agiati (Serie VII: Classe di Scienze Matematiche Fisiche e Naturali) 4 B: 5–83. [printed Dec 1995; 23 Jan 1996 (recorded at BMNH)]
- Pereira FS (1954) O género *Scatonomus* Er. (Coleoptera, Scarabaeidae). Revista Brasileira de Biologia 1: 53–78. [publ. Jan 1954 (vol. contents)]
- Pereira FS, Martínez A (1956) Algunas notas sinónimicas en Phanaeini (Col. Scarabaeidae, Co-prinae). Revista Brasileira de Entomologia 5: 229–239. [publ. 20 Jun 1956 (vol. indice)]
- Péringuey L (1888) Second contribution to the South-African coleopterous fauna. Transactions of the South African Philosophical Society 4 [1884–88]: 67–195 + [4, pl. expl.], pls. 1–4. [read at Soc. 31 Mar 1886 (also in page headers); 1888 (Derksen and Scheiding-Göllner 1965)]
- Péringuey L (1896) Descriptive catalogue of the Coleoptera of South Africa. Part II. Cicindelidae supplement. Carabidae. Transactions of the South African Philosophical Society 7 [1893–96]: 99–121, pl. 11, pp. 123–623 + i-xiv [bibliog.], pls. 3–10. [1896 (page header)]
- Péringuey L (1902) Descriptive catalogue of the Coleoptera of South Africa. Fam. Scarabaeidae. Sub-families: Rutelinae, Hopliinae. Transactions of the South African Philosophical Society 12 [1901–1902]: 561–896. [issued 21 Aug 1902 (title page)]
- Péringuey L (1904) Descriptive catalogue of the Coleoptera of South Africa. Fam. Lucanidae. Fam. Scarabaeidae. Sub-families: Sericinae, Melolonthinae, Trichiinae, Valginae, Cetoniinae. Transactions of the South African Philosophical Society 13: 1–293, pls. 1–4. [issued 19 Aug 1904 (title page)]
- Péringuey L (1907) Descriptive catalogue of the Coleoptera of South Africa. Fam. Lucanidae. Fam. Scarabaeidae. Sub-families: Sericinae, Melolonthinae, Trichiinae, Valginae, Cetoniinae. Transactions of the South African Philosophical Society 13: 289–546, pl. 47. [issued 5 Apr 1907 (title page)]
- Perkins PD (1980) Aquatic beetles of the family Hydraenidae in the Western Hemisphere: classification, biogeography and inferred phylogeny (Insecta: Coleoptera). Quaestiones Entomologicae 16 (1/2): 5–554 + fig. 1. [Jan 1980 (contents); Jan 1981 (teste Perkins)]
- Perkins PD (1994) [new taxa] In: Perkins PD, Balfour-Browne J: A contribution to the taxonomy of aquatic and humicolous beetles of the family Hydraenidae in southern Africa. Fieldiana: Zoology (New Series) No. 77: viii + 1–159. [31 Aug 1994 (wrapper)]
- Perkins PD (1997) Life on the effective bubble: exocrine secretion delivery systems (ESDS) and the evolution and classification of beetles in the family Hydraenidae (Insecta: Coleoptera). Annals of Carnegie Museum 66 (2): 89–207. [22 May 1997 (wrapper)]

- Perkins PD (2005) A revision of the African hygropetric genus *Coelometopon* Janssens, and description of *Oomtelecopon* new genus (Coleoptera: Hydraenidae). Zootaxa 949: 1–103. [publ. 20 Apr 2005 (p. 3 footer)]
- Perkovsky EE (1997a) Neotropospeonellina subtrib. n. iz Venesuely kak klyuch k poznaniyu istorii Leptodirini (Coleoptera, Leiodidae). [Neotropospeonellina subtrib. n. from Venezuela as key to knowledge of the history of Leptodirini (Coleoptera, Leiodidae)] [in Russian]. Vestnik Zoologii 31 (3): 59. [May-Jun 1997 issue]
- Perkovsky EE (1997b) Significance of antennal characters, particularly the presence of Hämann's organ on the first segment of a club, for the systematics of the agyrtid-colonid group of Staphylinoidea (Coleoptera: Agyrtidae, Leiodidae, Colonidae). Dopovidi Nacionalnoi Akademii Nauk Ukrainskoi 1997 (11): 167–174 [in Russian, English summary].
- Perkovsky EE (2002) Agyrtidno-kolonidnya gruppа semeystv stafilinoidov (Coleoptera: Agyrtidae, Leiodidae, Colonidae) mirovoy fauny: sistematika i filogeniya. Avtoreferat disser-tatsii na soiskanie uchenoy stepeni doktora biologicheskikh nauk, Intitut Zoologii im I. I. Shmal'gauzena NAN Ukrainskoi; Paleontologicheskiy Institut RAN, Moskva, Moskva, 44 pp. [26 Apr 2002 (to printer)]
- Perreau M (2000) Catalogue des Coléoptères Leiodidae Cholevinae et Platypyllinae. Mémoires de la Société Entomologique de France No. 4: 1–460. [Jun 2000 (dépôt légal)]
- Perreau M (2004) Family Leiodidae [pp. 133–203]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 2. Hydrophiloidea - Histeroidea - Staphylinoidea. Apollo Books, Stenstrup, 942 pp. [publ. 31 Dec 2004 (verso of title page)]
- Perty JAM (1830) [Fasc. I] Insecta Brasiliensia. In: Spix J, Martius C: Delectus animalium articulatorum, quae in itinere per Brasiliam annis MDCCCVII-MDCCCXX jussu et auspiciis Maximilliani Josephi I. Bavariae regis augustissimi peracto. Frid. Fleischer, Monachii [München], pp. 1–60, pls. 1–12. [see: Sherborne 1922: ci; Isis von Oken 1832: 137, 1212; Isis von Oken 1833: 1164; 44 pages issued as thesis in 1833, added to Delectus publ. as a book]
- Perty JAM (1831) Observationes nonnullae in Coleoptera Indiae Orientalis. Dissertatio philosophico-entomologica, quam unacum praemissis thesibus auctoritate et consensu illustris philosophorum ordinis in Academia Ludovico-Maximiliane facultatem legendi rite adep-turus. M. Lindauer, Monachii, xxxxiv pp., 1 pl.
- Petri K (1914) Beiträge zur Käferfauna. Verhandlungen und Mittheilungen des Siebenbürgischen Vereins für Naturwissenschaften zu Hermannstadt 65 (Festschrift): 1–23. [after 2 Sep 1914 (title page)]
- Peyerimhoff P, de (1914) Nouveaux Coléoptères du Nord-Africain (Dix-huitième note: Ré-coltes de M. R. de Borde à Biskra). Bulletin de la Société Entomologique de France 1914 (8): 245–251. [13 May 1914 (p. [528])]
- Philips TK (2002) Family 70. Anobiidae [pp. 245–260]. In: Arnett RH, Jr., Thomas MC, Skel-ley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Pic M (1900) Hylophilidae, Anthicidae et Pedilidae de l'ile de Sumatra. Annales de la Société Entomologique de France 68 [1899] (4): 754–760. [Jun 1900 (wrapper)]

- Pic M (1912) Pars 48: Anobiidae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen X. W. Junk, Berlin, 92 pp. [18 Oct 1912 (verso of vol. title page)]
- Pic M (1914) Pars 58: Dascillidae, Helodidae, Eucinetidae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen X. W. Junk, Berlin, 65 pp. [3 Feb 1914 (verso of vol. title page)]
- Pic M (1915) Diagnoses de nouveaux genres et nouvelles espèces de Scaphidiides. L'Échange, Revue Linnéenne 31 (368): 30–32, (369): 35–36, (370); 40, (371): 43–44. [(fasc. 368): Aug, (369): Sep, (370): Oct, (371): Nov 1915]
- Pic M (1928) Notes et descriptions. Mélanges Exotico-Entomologiques 51: 1–36. [12 Apr 1928 (title page)]
- Pic M (1929) Pars 103: Dasytidae: Melyrinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen X. W. Junk, Berlin, 32 pp. [20 Mar 1929 (verso of vol. title page)]
- Pic M (1930) Contribution à l'étude des coléoptères malacodermes (2e article). Annales de la Société Entomologique de France 99 (4): 311–324. [31 Dec 1930 (p. 372, wrapper)]
- Pic M (1937) Pars 155: Dasytidae: Dasytinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen X. W. Junk, s-Gravenhage, 130 pp. [12 Aug 1937 (verso of vol. title page)]
- Pierce WD (1907) Contribution to the knowledge of Rhynchophora. Entomological News and Proceedings of the Entomological Section of the Academy of Natural Sciences of Philadelphia 18 (9): 379–385. [Nov 1907 issue]
- Pierce WD (1913) Miscellaneous contributions to the knowledge of the weevils of the families Attelabidae and Brachyrhinidae. Proceedings of the United States National Museum 45 (No. 1988): 365–426. [publ. 23 May 1913 (p. vi)]
- Pierce WD (1914) New potato weevils from Andean South America. Journal of Agricultural Research 1 (4): 347–352, pls. 39–41. [10 Jan 1914 (p. 347 footer)]
- Pierce WD (1915) Descriptions of some weevils reared from cotton in Peru. United States Department of Agriculture, Office of the Secretary / Report No. 102: 1–16, 2 pls. [issued 25 Jan 1915 (wrapper)]
- Pierce WD (1916) Studies of weevils (Rhynchophora) with descriptions of new genera and species. Proceedings of the United States National Museum 51 (No. 2159): 461–473. [16 Dec 1916 (p. viii)]
- Pierce WD (1919) Contributions to our knowledge of the weevils of the superfamily Curculioidea. Proceedings of the Entomological Society of Washington 21 (2): 21–36. [publ. 26 Feb 1919 (p. 40)]
- Pierce WD (1930) Studies of the North American weevils belonging to the superfamily Platysomoidea. Proceedings of the United States National Museum 77 (No. 2840): 1–34, pls. 1–5. [10 Dec 1930 (vol. contents)]
- Pierre F (1961) Écologie et distribution géographique des *Storthocnemis* Karsch. Affinités. (Tenebrionidae). XI Internationaler Kongress für Entomologie, Wien 17 bis 25 August 1960 Verhandlungen Band 1, Vienna, 555–558.
- Pittino R (1985) Insects of Saudi Arabia. Coleoptera Scarabaeoidea: a revision of the family Aphodiidae. Fauna of Saudi Arabia 6 [1984]: 267–360. [issued 28 Feb 1985 (contents)]
- Pittino R, Mariani G (1986) A revision of the Old World species of the genus *Diastictus* Muls. and its allies (*Platytonus* Muls., *Pleurophorus* Muls., *Afrodiastictus* n. gen., *Bordatius* n. gen.)

- (Coleoptera, Aphodiidae, Psammodiini). Giornale Italiano di Entomologia 3 (12): 1–165. [30 Apr 1986 (wrapper)]
- Planet LM (1924) Histoire naturelle des longicornes de France. Encyclopédie entomologique II (Série A). Paul Lechevalier, Paris, 386 pp. [printed 15 Aug 1924 (endleaf)]
- Platia G (2008) Order Coleoptera, family Elateridae [pp. 194–210]. In: Harten A, van (Ed) Arthropod Fauna of the United Arab Emirates. Volume 1. Dar Al Ummah, Abu Dhabi, 754 pp. [publ. 30 Nov 2007 (article, p. 194); 20 Jan 2008 (verso of vol. title page)]
- Podany C (1979) *Morimonella bednariki* (Oligorchini). Tribu, genre et espèces nouveaux (Col. Cerambycidae). Bulletin de la Société Entomologique de Mulhouse 1979 (3): 43–45. [28 Sep 1979 (contents); 15 Oct 1979 (recorded at BMNH)]
- Poey F (1854) XXV. Conspectus familiarum coleopterorum. Memorias sobre la historia natural de la isla de Cuba, acompañadas de sumarios Latinos y extractos en francés Tomo 1º [pp. 302–337]. Barcina, Habana, 463 pp. + 34 pls. [pp. 281–453, pls. 31–44 publ. Jun 1854 (p. 449)]
- Poggi RG (2010) Gli “Annali” pubblicati dal Museo Civico di Storia Naturale “Giacomo Doria” di Genova: storia del periodico ed indice generali dei primi cento volumi (1870–2009). Annali del Museo Civico di Storia Naturale «Giacomo Doria» 101: 1–529. [printed Sep 2010 (endleaf)]
- Poggi RG, Nonveiller A, Colla D, Pavićević D, Rada T (2001) Thaumastocephalini, a new tribe of Pselaphinae for *Thaumastocephalus folliculipalpus* n. gen., n. sp., an interesting new troglobious species from central Dalmatia (Croatia) (Coleoptera, Staphylinidae, Pselaphinae). Annali del Museo Civico di Storia Naturale “Giacomo Doria” 94: 1–20. [5 Dec 2001 (reprint wrapper)]
- Poinar G, Jr. (2006) *Mesophyletis calhouni* (Mesophyletinae), a new genus, species, and subfamily of early Cretaceous weevils (Coleoptera: Curculionoidea: Eccoptarthridae) in Burmese amber. Proceedings of the Entomological Society of Washington 108 (4): 878–884. [mailed 12 Oct 2006 (inside wrapper)]
- Poinar G, Jr. (2008) Type genus for Mesophyletinae, a subfamily of early Cretaceous weevils (Coleoptera: Curculionoidea: Eccoptarthridae) in Burmese amber. Proceedings of the Entomological Society of Washington 110 (1): 262. [Jan 2008 issue; mailed 7 Jan 2008 (inside wrapper)]
- Poinar G, Jr. (2009) *Dominibrentus leptus*, n. gen., n. sp. (Curculionoidea, Brentidae, Cyphagoginae, Dominibrentini, n. tribe), a straight-snouted weevil in Dominican amber. Historical Biology 21 (1/2): 51–55. [Mar-Jun 2009 issue]
- Poinar G, Jr., Brown AE (2004) A new subfamily of Cretaceous antlike stone beetles (Coleoptera: Scydmaenidae: Hapsomelinae) with an extra leg segment. Proceedings of the Entomological Society of Washington 106 (4): 789–796. [mailed 24 Sep 2004 (inside wrapper)]
- Poinar GO, Jr. (2009) *Dominibrentus leptus*, n. gen., n. sp. (Curculionoidea, Brentidae, Cyphagoginae, Dominibrentini, n. tribe), a straight-snouted weevil in Dominican amber. Historical Biology 21 (1/2): 51–55. [Mar-Jun 2009 issue]
- Pollock DA (2002) Family 100. Melandridae [pp. 417–422]; 112. Mycteridae [pp. 530–533]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2.

- Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp. [publ. 19 Jun 2002 (CRC website)]
- Pongrácz A (1935) Die eozäne Insektenfauna des Geiseltales. Nova Acta Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum (Neue Folge) 2: 485–572, pls. 1–7.
- Ponomarenko AG (1961) O sistematicheskom polozhenii *Coptoclava longipoda* Ping (Insecta, Coleoptera) [On the systematic position of *Coptoclava longipoda* Ping (Insecta, Coleoptera)]. Paleontologicheskii Zhurnal 1961 (3): 67–72 [in Russian]. [after 4 Sep 1961 (approved to print)]
- Ponomarenko AG (1966) Zhuki semeystva Cupedidae iz nizhnego triasa Sredney Azii [Beetles of the family Cupedidae, Lower Triassic of Soviet Central Asia]. Paleontologicheskii Zhurnal 1966 (4): 47–68, pls. 3–4 [in Russian]. [after 17 Nov 1966 (approved to print)]
- Ponomarenko AG (1968) Zhuki-arkhostematy yury Karatau (Coleoptera, Archostemata) [Archostematan beetles from the Jurassic of Karatau (Coleoptera, Archostemata)] [pp. 118–138, pls. 13–16]. In: Rohdendorf BB (Ed). Yurskie nasekomye Karatau [Jurassic insects of Karatau]. Izdatelstvo "Nauka", Moscow, 252 pp., 25 pls. [in Russian]. [after 26 Jun 1968 (approved to print)]
- Ponomarenko AG (1969a) Istoricheskoe razvitiye zhestkokrylykh -Arkhostemata [Historical development of the Coleoptera - Archostemata]. Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR 125: 1–240 [in Russian]. [after 18 Sep 1969 (approved to print)]
- Ponomarenko AG (1969b) Cretaceous insects from Labrador. 4. A new family of beetles (Coleoptera: Archostemata). Psyche 76 (3): 306–310. [Sep 1969 issue; mailed 31 Dec 1969]
- Ponomarenko AG (1977) [new taxa] In: Arnoldi LV, Zherikhin VV, Nikritin LM, Ponomarenko AG (Eds): Mezozoyskie Zhestkokrylye. Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR 161: 1–204 [English translation 1992: Mesozoic Coleoptera. Smithsonian Institution Libraries and N.S.F., Washington D.C.; xii + 285 pp.]. [after 5 Sep 1977 (approved to print)]
- Ponomarenko AG (1985) Zhestkokrylye iz yury Sibiri i zapadnoy Mongolii [Coleoptera from the Jurassic of Siberia and western Mongolia] [pp. 47–87]. In: Rasnitsyn AP (Ed): Yurskie nasekomye Sibiri i Mongolii. Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR 211: 1–192, 18 pls. [after 20 Nov 1984 (approved to print); 1985 (title page)]
- Ponomarenko AG (1994) Two new species of Mesozoic dytiscoid beetles from Asia. Paleontological Journal 27 (1A): 182–191. [Jan 1994 (wrapper); 1993 (in paper)]
- Pope RD (1962) A review of the Pharini (Coleoptera: Coccinellidae). The Annals and Magazine of Natural History (13) 4 [1961] (46): 627–640. [publ. 26 Mar 1962 (wrapper)]
- Portevin G (1914) Révision du genre *Estadia* Fairm. (Col.). Annales de la Société Entomologique de Belgique 58: 199–201. [1 Aug 1914 (p. 189)]
- Portevin G (1926) Les Liodidae de l'Inde [pp. 75–83]. Encyclopédie Entomologique. Série B. Tome I. Coleoptera Tome 1 (1925–26), fasc. 2. Paul Lechevalier, Paris, 191 pp. [15 Jan 1926 (footer p. 63)]
- Portevin G (1927) Tableaux dichotomiques pour la détermination des longicornes de France. Encyclopédie Entomologique. Vol. II. Supplément. Paul Lechevalier, Paris, 53 pp. [printed 14 Jul 1927 (endleaf)]

- Portevin G (1929) Histoire naturelle des Coléoptères de France. Tome I. Adephaga. Polyphaga: Staphylinoidea. Encyclopédie Entomologique. Série A [Tome XII]. Paul Lechevalier, Paris, xii + 649 pp., pls. 1–5. [19 Nov 1929]
- Portevin G (1931) Histoire naturelle des Coléoptères de France. Tome II. Polyphaga: Lamellicornia, Palpicornia Diversicornia. Encyclopédie Entomologique. Série A [Tome XIII]. Paul Lechevalier & Fils, Paris, vi + [1] + 542 pp. + pls. 6–10. [29 Jun 1931]
- Portevin G (1934) Histoire naturelle des Coléoptères de France. Tome III. Polyphaga: Heteromera, Phytophaga. Encyclopédie Entomologique. Série A [Tome XVII]. Paul Lechevalier & Fils, Paris, vi + [1] + 374 pp. + pls. 11–15. [by Sep 1934 (Acad. Sci. France 199: 1164)]
- Potts RWL (1974) Revision of the Scarabaeidae: Anomalinae 1. The genera occurring in the United States and Canada (Coleoptera). The Pan-Pacific Entomologist 50 (2): 148–154. [mailed 8 Nov 1974 (inside wrapper)]
- Pouillaude I (1917) Les Cétonides Malgaches (suite). Insecta / Revue Illustrée d'Entomologie 6 (Apr-Jun): 49–75. [pp. 19–48 publ. Feb 1917 (p. 19 footer); before 28 Mar 1917 (Bull. Soc. Ent. France 1917: 130)]
- Power G (1879) Notes pour servir à la Monographie des Brenthides. Annales de la Société Entomologique de France (5) 8 [1878] (4): 477–496. [26 Mar 1879 (wrapper)]
- Prena J (2009) Apostasimerini (Coleoptera: Curculionidae: Baridinae). Rectification of authorship, year of publication, rank, and taxa included. The Coleopterists Bulletin 63 (1): 33–34. [mailed 22 Apr 2009 (inside wrapper)]
- Prendini L, Wheeler WC (2005) Scorpion higher phylogeny and classification, taxonomic anarchy, and standards for peer review in online publishing. Cladistics 21 (5): 446–494. [Oct 2005 issue; 6 Dec (recorded at CNC)]
- Prokin AA, Ren D (2010) New Mesozoic diving beetles (Coleoptera, Dytiscidae) from China. Paleontologicheskii Zhurnal 2010 (5): 47–53 [in Russian; English transl. in: Paleontological Journal 44 (5): 526–533].
- Prosen AF (1960) Notas sobre la familia Anoplodermatidae (Coleopt. Cerambycoidea). Anales del Instituto de Medicina Regional 5 (2): 87–100.
- Puchkov AV, Matalin AV (2003) Subfamily Cicindelinae Latreille, 1802 [pp. 99–118]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata - Myxophaga - Adephaga. Apollo Books, Stenstrup, 819 pp. [publ. 30 May 2003 (verso of title page)]
- Putz V (1967) The scientific results of the Hungarian soil zoological expedition to the Brazaville-Congo. 4. Beitrag zur Kenntnis der Unterfamilie Steninae (Coleoptera: Staphylinidae). Opuscula Zoologica (Budapest) 7 (1): 185–194.
- Putzeys JAAH (1867) Révision générales des clivinides. Annales de la Société Entomologique de Belgique 10 [1866]: 1–242. [printed before 29 Sep 1867 (Ann. Soc. Ent. Belg. 11 Comptes-Rendus: xlvi)]
- Quedenfeldt G (1885) Verzeichniss der von Herrn Major a. D. von Mechow in Angola und am Quango-Strom 1878–1881 gesammelten Tenebrioniden und Cisteliden. Berliner Entomologische Zeitschrift 29 (1): 1–38, pl. 3. [Jul 1885 (wrapper)]

- Quedenfeldt G (1887) Verzeichniss der von Herrn Major a. D. von Mechow in Angola und am Quango-Strom 1878–1881 gesammelten Anthothribiden und Bostrychiden. Berliner Entomologische Zeitschrift 30 [1886] (2): 303–328, pl. 8. [Jan 1887 (fasc. cover)]
- Quentin RM (1954) Contribution à l'étude des Coléoptères Cerambycidae. I. - A propos du genre *Combesius* Lepesme. Revue Française d'Entomologie 21 (2): 103–108. [printed 22 Jun 1954 (p. 148)]
- Quentin RM, Villiers A (1969) Révision des Plectogasterini, nov. trib. [Col. Cerambycidae Cerambycinae]. Annales de la Société Entomologique de France (Nouvelle Série) 5 (3): 613–646. [dépôt légal 3ième trim. 1969 (p. 774)]
- Quentin RM, Villiers A (1975) Insectes Coléoptères Cerambycidae Parandrinae et Prioninae. Faune de Madagascar. 40. Paris, 251 pp. + map. [publ. 29 Aug 1975 (p. [252])]
- Raffray A (1890) Étude sur les Psélaphides. V. Tableaux synoptiques.- Notes et synonymie. Revue d'Entomologie 9 (3–6): 81–172. [Mar 1890 (footer p. 77), Apr (p. 93), May (p. 125), Jun (p. 157)]
- Raffray A (1900) Psélaphides et Clavigérides de Madagascar. Annales de la Société Entomologique de France 68 [1899] (3): 516–525. [Feb 1900 (wrapper); 28 Feb 1900 (Bull. Soc. Ent. France 1900: 77)]
- Raffray A (1904) Genera et catalogue des Psélaphides. Annales de la Société Entomologique de France 72 (4): 484–604, 3 pls. [Sep 1904 (wrapper)]
- Raffray A (1908) 64me fascicule. Coleoptera. Fam. Pselaphidae. In: Wytsman PA (Ed) Genera Insectorum. Vol. X. P. Wytsman, Bruxelles, 487 pp. + 9 pls. [15 Feb 1908 (date on manu-scr., p. 486); 17 Mar 1908 (recorded at BMNH fide Evenhuis 1994: 54); 8 Apr 1908 (Bull. Soc. Ent. France 1908: 85)]
- Raffray A (1917) Sur le genre *Mirus* Saulcy (*Imirus* Reitt.). Bulletin de la Société Entomologique de France 1917 (5): 108–110. [11 Apr 1917 (p. [402])]
- Rafinesque CS (1815) Analyse de la nature ou tableau de l'univers et des corps organisés. C. S. Rafinesque, Palermo, 224 pp. [publ. betw. Apr and 21 Jul 1815 (Stafleu and Cowan 1983: 557)]
- Rakovič M (1987) A revision of the genus *Odochilus* Harold with remarks on the tribal classification of the subfamily Aphodiinae (Coleoptera, Scarabaeidae). Acta Entomologica Bohemoslovaca 84 (1): 27–44. [30 Jan 1987 (contents p. 4)]
- Rakovič M, Král D (1997) New taxa, new combinations and current taxonomic status of tribes and genera of Psammodiinae (Coleoptera: Scarabaeoidea: Aphodiidae). Acta Societatis Zoologicae Bohemicae 61 (3): 233–247. [17 Oct 1997 (verso of vol. title page)]
- Raphael S (1970) The publication dates of the Transactions of the Linnean Society of London, Series I, 1791–1875. Biological Journal of the Linnean Society 2: 61–76. [Mar 1970 (top of article)]
- Ratcliffe BC (2002) Family 23. Lucanidae [pp. 6–9]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculioidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Redtenbacher L (1844) Tentamen dispositionis generum et specierum coleopterorum pseudotrimororum Archiducatus Austriae. Zeitschrift für die Entomologie (Germar) 5: 113–132. [1844 (reprint of original thesis dated 1844a)]

- Redtenbacher L (1845) Die Gattungen der deutschen Kaefer-Fauna nach der analytischen Methode bearbeitet, nebst einem kurz gefassten Leitfaden, zum Studium dieses Zweiges der Entomologie. C. Ueberreuter, Wien, [13] + 177 + [1] pp. + 2 pls. [Jul 1845 (date of preface); Sep 1845 (Ent. Zeit. Stettin 6: 295)]
- Reed EC (1874) On the Coleoptera Geodephaga of Chile. Proceedings of the Scientific Meetings of the Zoological Society of London 1874 (1): 48–70, pl. 13. [Jun 1874 (Duncan, Waterhouse and Peavot 1937: 73)]
- Rees BE (1943) Classification of the Dermestidae (larder, hide, and carpet beetles) based on larval characters, with a key to the North American genera. United States Department Agriculture / Miscellaneous Publications No. 511: 1–18. [issued Apr 1943]
- Régimbart M (1879) Étude sur la classification des Dytiscidae. Annales de la Société Entomologique de France (5) 8 [1878] (4): 447–466, pl. 10. [26 Mar 1879 (wrapper; Ann. Soc. Ent. France (5) 9: Bull. Bibliogr.: 13)]
- Régimbart M (1882) Essai monographique de la famille des Gyrinidae. 1re partie. Annales de la Société Entomologique de France (6) 2 (3): 379–400. [27 Dec 1882 (Lefevre 1895)]
- Reichardt AN (1936) Zhuki-chernotelki triby Opatrini palearkticheskoy oblasti [Darkling beetles of the tribe Opatrini (Coleoptera Tenebrionidae) of the Palearctic Region]. Opredeliteley po fauny SSSR [Keys to the fauna of the USSR]. Tom. 19. Zoological Institute of the Russian Academy of Sciences, Moscow 224 pp. [in Russian] [1936 (title page); after 27 Jun 1936 (approved to print)]
- Reichardt AN (1941) Nasekomye zhestkokrylye. Sem. Sphaeritidae i Histeridae (Chast 1) [Fam. Sphaeritidae and Histeridae (part 1)]. Fauna SSSR Novaya Seriya. Tom III, wyp. 5. Zoolicheskiy Institut Akademii Nauk SSSR, Moscow, xiii + 419 + 1 pp.
- Reichardt H (1974) Monograph of the neotropical Helluonini, with notes and discussions on Old World forms (Coleoptera: Carabidae). Studia Entomologica (nova série) 17 (1/4): 211–302. [publ. 31 Oct 1974 (p. 560)]
- Reichardt H (1976) Sphaeriidae in Insecta and Mollusca: Comments on the Secretary's revised proposals. Comment (4). Bulletin of Zoological Nomenclature 32 (4): 203–204. [30 Jan 1976 (p. 193)]
- Reiche L (1866) Étude des espèces de mylabrides de la collection de L. Reiche, suivie d'une note sur le genre *Trigonurus* Mulsant et description d'une espèce nouvelle. Annales de la Société Entomologique de France (4) 5 [1865] (4): 627–642. [26 May 1866 (p. xci)]
- Reid CAM (1993) *Eboo*, nom. n.: redescription of type species (Coleoptera: Chrysomelidae: Eumolpinae). The Coleopterists Bulletin 47 (1): 61–67. [mailed 30 Mar 1993 (inside wrapper)]
- Reid CAM (1999) A new generic synonym in the Australian Lucanidae (Coleoptera). The Coleopterists Bulletin 53 (2): 175–177. [mailed 17 Jun 1999 (inside wrapper)]
- Reid CAM (2000) Spilopyrinae Chapuis: a new subfamily in the Chrysomelidae and its systematic placement (Coleoptera). Invertebrate Taxonomy 14 (6): 837–862. [1 Dec 2000 (recorded at FMNH)]
- Reid CAM (2006) A taxonomic revision of the Australian Chrysomelinae, with a key to the genera (Coleoptera: Chrysomelidae). Zootaxa 1292: 1–119. [publ. 14 Aug. 2006 (footer p. 1)]

- Reinwald C (1860) Catalogue annuel de la librairie française. Deuxième année - 1859. C. Reinwald, paris, viii + 328 pp.
- Reitter E (1875) Revision der europäischen Crytophagiden. Deutsche Entomologische Zeitschrift 19 (3): 1–86 [sep. pagin.]. [Mar 1875 (fasc. title page)]
- Reitter E (1876a) Systematische Eintheilung der Trogositidae (Familia coleopterorum). Verhandlungen des Naturforschenden Vereines in Brünn 14 [1875]: 3–69, pls. 1–2. [1876 Februar (handwritten in BMNH reprint); 15 Aug 1876 (Petites Nouv. Ent.) / reissued in: Deut. Ent. Zeits. 20 (4): 27–95, pls. 1–2, publ. May 1876 (fasc. title page)]
- Reitter E (1876b) Neue Gattungen und Arten aus der Familie der Cucujidae. Coleopterologische Hefte 15: 37–64. [1 Nov 1876 (Ent. Nachr. 2: 176)]
- Reitter E (1878) Nachträge und Ergänzungen zur Bearbeitung der Cioiden von H. v. Kiesenwetter. Deutsche Entomologische Zeitschrift 22 (1): 21–30. [May 1878 (Inhalt)]
- Reitter E (1879) Bestimmungs-Tabellen der europäischen Coleopteren. I. Enthaltend die Familien: Cucujidae, Telmatophilidae, Tritomidae, Mycetaeidae, Endomychidae, Lyctidae und Sphindidae. Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien 29 (1 Halbjahr): 71–100. [1880 (vol. title page); 1 Oct 1879 (Ent. Nachr. 5: 260) / separate: 30 pp., 1880]
- Reitter E (1882a) Bestimmungs-Tabellen der europäischen Coleopteren. VI. Enthaltend die Familien: Colydiidae, Rhysodidae, Trogositidae. Verhandlungen des Naturforschenden Vereines in Brünn 20 [1881]: 113–149. [1882 (vol. title page); at least May 1882 (papers cited) Jun 1883 (Tijdschr. Ent.) / separate: 37 pp., 1882]
- Reitter E (1882b) Versuch einer systematischen Eintheilung der Clavigeriden und Pselaphiden. Verhandlungen des Naturforschenden Vereines in Brünn 20 [1881]: 177–211. [1882 (vol. title page); at least May 1882 (papers cited)]
- Reitter E (1882c) [Clavigeridae, Pselaphidae, Scydmaenidae] In: Naturgeschichte der Insecten Deutschlands. Erste Abtheilung, Coleoptera. Dritter Band, Zweite Abtheilung [Erste Lieferung. Bogen 1 bis 13]. Nicolai'sche Verlags-Buchhandlung, Berlin, vi + 198 pp. [1882 (title page); 15 Oct 1882 (Ent. Nachr.); Jul-Dec 1882 (Griffin 1939: 218)]
- Reitter E (1884) Bestimmungs-Tabellen der europäischen Coleopteren. XII. Necrophaga (Platypyllidae, Leptinidae, Silphidae, Anisotomidae und Clambidae). Reitter, Brünn, pp. 3–122. [separate, end 1884 (Deut. Ent. Zeits. 30: 219); 1884 (Zool. Jahresber. 1884) / reissued in: Verh. Naturf. Ver. Brünn 23 (1): 3–122, 1885 (Heft title page)]
- Reitter E (1886) Beitrag zur Systematik der Grotten-Silphiden. Wiener Entomologische Zeitung 5 (9): 313–316. [20 Nov 1886 (wrapper + page footers)]
- Reitter E (1887) Bestimmungs-Tabellen der Europäischen Coleopteren. III. Enthaltend die Familien: Scaphidiidae, Lathridiidae und Dermestidae. II. Auflage. E. Reitter, Mödling, 75 pp. [1886 (title page); 1887 (wrapper; Wien. Ent. Zeit. 34: 227)]
- Reitter E (1889a) Zwei neue Coleopteren-Gattungen aus Transkaukasien. Wiener Entomologische Zeitung 8 (9): 289–292 + pl. 4. [20 Nov 1889 (wrapper; page footers)]
- Reitter E (1889b) Bemerkungen und Berichtigungen zu den Clavicoronen in der Fauna Baltica 2. Aufl. und Fauna Transsylvania von Dr. G. Seidlitz. Ein Beitrag zur Lösung strittiger, coleopterologischer Fragen. Deutsche Entomologische Zeitschrift 1889 (2): 289–318. [Nov 1889 (Inhalt)]

- Reitter E (1891) [Pselaphiden bis Elateriden (pp. 123–210); Cerambyciden (pp. 337–355)]. In: Reitter E (Ed) Heyden, L., von, Reitter, E and Weise, J: Catalogus Coleopterorum Europae, Caucasi et Armeniae Rossicae. R. Friedländer & Sohn, Berlin, vii + 420 pp. [13 May 1891 (Ann. Soc. Ent. France 60: Bull. Ent.: lxxxvii)]
- Reitter E (1894) Bestimmungs-Tabelle der Coleopteren-Familie der Cleriden, des palaearktischen Faunengebietes. XXVIII. Heft. Verhandlungen des Naturforschenden Vereines in Brünn 32 [1893]: 37–89. [1894 (Hetschko 1915: 243) / separate, with different title: Brünn: Reitter, 55 pp. + [1, Index], 1894 (wrapper)]
- Reitter E (1900) Bestimmungs-Tabelle der Tenebrioniden-Abtheilungen: Tentyrini und Adelostomini aus Europa und den angrenzenden Ländern [XLII. Heft]. Reitter, Paskau, [1] + pp. 82–197. [separate, 1900 (title page) / reissued in: Verh. Naturf. Ver. Brünn 39 [1900]: 82–197, 1901 (title page)]
- Reitter E (1904) Bestimmungs-Tabelle der Tenebrioniden. Unterfamilien: Lachnogyini, Akidini, Pedinini, Opatrini und Trachyscelini aus Europa und den angrenzenden Ländern [LIII. Heft]. Verhandlungen des Naturforschenden Vereines in Brünn 42 [1903]: 25–189. [1904 (vol. title page) / separate, with different title: Brünn: Reitter, pp. 25–189, May 1904 (wrapper); appeared Aug 1904 (Semenov 1904b: 324, footnote)]
- Reitter E (1905) Bestimmungs-Tabelle der palaearctischen, mit *Athous* verwandten Elateriden (subtribus Athouina), mit einer Uebersicht der verwandten Coleopteren-Familien: Sternoxia und mit einem Bestimmungsschlüssel der Gattungen der Elateridae [LVI. Heft]. Verhandlungen des Naturforschenden Vereines in Brünn 43 [1904]: 3–122. [1904 (vol. title page); 1905 (Hetschko 1915: 257) / separate, with different title: Brünn: Reitter, 122 pp., 1905 (wrapper)]
- Reitter E (1906) [families Trichopterygidae, Tenebrionidae and others] In: Heyden L., von, Reitter E, Weise J: Catalogus Coleopterorum Europae, Caucasi et Armeniae rossicae. Edito secunda. R. Friedländer & Sohn, Berlin, iv pp. + 750 cols. + pp. 751–774. [1906 (title page)]
- Reitter E (1909) Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytischen Methode bearbeitet. II. Band. K. G. Lutz, Stuttgart, 392 pp., pls. 41–80. [1909 (title page); 1 Jan 1910 (Ent. Bericht. 3 (51): 40); Feb 1910 (Ent. Litteraturbl.)]
- Reitter E (1911) Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytischen Methode bearbeitet. III. Band. K. G. Lutz, Stuttgart, 436 pp., pls. 81–128. [1911 (title page); 1 Jan 1912 (Ent. Bericht. 3 (63): 224)]
- Reitter E (1913a) Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytischen Methode bearbeitet. IV. Band. K. G. Lutz, Stuttgart, 236 pp. + pls. 129–152. [1912 (title page); 1913 (Zool. Record; Arch. Naturg. 80B); Feb 1914 (Ent. Litteraturbl.); 1 Mar 1914 (Ent. Bericht. 4 (76): 62)]
- Reitter E (1913b) Bestimmungs-Tabellen der europäischen Coleopteren. LXVIII. Heft (68.) enthält Bestimmungs-Schlüssel für die Unterfamilien, Tribus und Gattungen der Curculionidae. (19. Teil.). Bestimmungs-Schlüssel der mir bekannten europäischen Gattungen der Curculionidae, mit Einschluss der mir bekannten Gattungen aus dem palaearctischen Gebiete. 90 pp. [separate, 1912 (wrapper); 1913 (Arch. Naturg. 80B (5): 129) / reissued

- in: Verh. Naturf. Ver. Brünn 51[1912]: 1–90, 1913 (wrapper); 19 May 1914 (recorded at BMNH)]
- Reitter E (1913c) Bestimmungs-Tabelle der Borkenkäfer (Scolytidae) aus Europa und den angrenzenden Ländern [XXXI. Heft]. Wiener Entomologische Zeitung 32 (Beiheft): 116 pp. [15 May 1913 (title page) / separate: Paskau: Reitter, 116 pp., 1913 (wrapper)]
- Reitter E (1916) Bestimmungstabelle der Tenebrioniden, enthaltend die Zopherini, Elenophorini, Leptodini, Stenosini und Lachnogyini aus der paläarktischen Fauna [Heft 79]. Wiener Entomologische Zeitung 35 (5/7): 129–171. [12 Sep 1916 (wrapper) / separate, with different title on cover: Paskau: E. Reitter, pp. 129–171, 1916 (wrapper)]
- Reitter E (1917) Bestimmungs-Schlüssel für die Unterfamilien und Tribus der paläarktischen Tenebrionidae [81. Heft]. Wiener Entomologische Zeitung 36 (3/5): 51–66, (9/10): 296 [Berichtigung]. [10 Jul (fasc. 3/5), 30 Dec 1917 (9/10) (wrappers) / separate, with different title on cover: Paskau: E. Reitter, pp. 51–66, without Bericht., 1917 (wrapper)]
- Reitter E (1920) Bestimmungs-Tabellen der europaeischen Coleopteren. Heft 87. Tenebrionidae. XV. Teil. Belopinae, Borinae, Tenebrioninae und Coelometopinae aus der palaearktischen Fauna [cover]. Bestimmungstabelle der Unterfamilien: Belopinae, Borinae, Tenebrioninae und Coelometopinae der Tenebrioniden (Col.). Emmerich Reitter, Paskau, 24 pp. [1920 (wrapper)]
- Reitter E (1922a) Bestimmungs-Tabellen der europaeischen Coleopteren. VI. Heft. Enthalten die Familien: Colydiidae, Rhysodidae, Ostromidae. Zweite, gänzlilch umgearbeitete und auf die palaearktische Fauna ausgedehnte Auflage. Emmerich Reitter, Troppau, 73 pp. [1922 (wrapper)]
- Reitter E (1922b) Bestimmungstabelle der paläarktischen Helopinae (Col. Tenebrionidae). I. Teil [Heft 92]. Wiener Entomologische Zeitung 39 (1/4): 1–44. [30 Mar 1922 (fasc. title page) / separate, with different title on cover: Troppau: E. Reitter, pp. 1–44, 1922 (wrapper) / Teil II: 39 (5/10): 113–171, 25 Oct 1922 (fasc. title page)]
- Rey C (1886) Histoire naturelle des Coléoptères de France (suite) [Tribu des Palpicornes, part 2]. Annales de la Société Linnéenne de Lyon (Nouvelle Série) 32 [1885]: 1–186 + [4, errata and explic. planches], pls. 1–2. [1886 (vol. title page)]
- Ribera I, Beutel RG, Balke M, Vogler AP (2002) Discovery of Aspidytidae, a new family of aquatic Coleoptera. Proceedings of the Royal Society of London / Biological Sciences (Series B) 269 (1507): 2351–2356. [22 Nov 2002 (paper); 18 Oct 2002 (online)]
- Richard R (1983) Insectes coléoptères. Curculionidae Stigmatrachelini. Faune de Madagascar. 62. ORSTOM, Paris, 194 pp. [publ. 22 Dec 1983 (p. [195])]
- Richter AA (1949) Nasekomye zhestkokrylye. Tom XIII, vypusk 2. Zlatki (Buprestidae). Chast' 2. Fauna SSSR Novaya seriya No 37. Izdatel'stvo Akademii Nauk SSSR, Moskva, 255 pp. [in Russian].
- Riedel A (2006) Revision of the subgenus Metaeuops Legalov of Euops Schoenherr (Coleoptera, Curculionoidea, Attelabidae) from the Papuan region. Zootaxa 1181: 1–102. [publ. 21 Apr 2006 (footer p. 1)]
- Riedel A (2010) A new tribe, genus and species of Nemonychidae from Baltic amber (Coleoptera: Curculionoidea: Nemonychidae: Cimberidinae). Insect Systematics & Evolution 41 (1): 29–38. [17 Jun 2010 (recorded at CNC)]

- Riley EG, Clark SM, Flowers RW, Gilbert AJ (2002) Family 124. Chrysomelidae [pp. 617–691]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Ritsema C (1869) [untitled note on *Platypyllus castoris*]. Petites Nouvelles Entomologiques (1) 1 (10): 23–38. [15 Nov 1869 (top of issue)]
- Ritsema C (1884) Bijlagen. I. Lijst van Coleoptera verzameld in de Afdeeling Saleijer. Bijdragen tot de taal-, land- en volkenkunde van Nederlandsch-Indië (4) 8 (3): 492–498. [1884 (title page); at least Aug 1884 / reissued as: Bijdrage tot de Kennis der Coleopteren-Fauna van het eiland Saleijer en vat het naburige eilandje Poeloe-Katela. Tijdschr. Ent. 27 (4): 253–264, by Jan 1885 (Tijdschr. Ent. 29)]
- Ritsema C (1892) On two genera described by James Thomson in his “Systema Cerambycidarum”. Notes from the Leyden Museum 14 (1/2): 54. [5 Jul 1892 (recorded at MCZ)]
- Rivalier E (1971) Remarques sur la tribu des Cicindelini (Col.Cicindelidae) et sa subdivision en sous-tribus. Nouvelle Revue d’Entomologie 1 (2): 135–143. [30 Jun 1971 (fasc. title page)]
- Roeschke H (1898) Carabidologische Notizen III. Entomologische Nachrichten 24 (17/18): 283–285. [Sep 1898 (fasc. title page); 3 Oct 1898 (recorded at USNM)]
- Rohdendorf BB (1944) A new family of Coleoptera from the Permian of the Urals. Comptes Rendus (Doklady) de l’Academie des Sciences de l’URSS (Nouvelle Série) 44 (6): 252–253. [30 Aug 1944 (top of issue title page)]
- Rohdendorf BB (1961) Nadotryad Coleopteroidea. Zhestkokryloobraznye [Superorder Coleopteroidea] [pp. 393–469]. In: Rohdendorf BB, Becker-Migdisova EE, Martynova OM, Sharov AG (Eds): Paleozoyskie nasekomye Kuznetskogo Basseyina [Palaeozoic insects of the Kuznetsk Basin]. Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR 85: 1–705 [in Russian]. [after 30 Jun 1961 (approved to print)]
- Roig-Juñent S (2000) The subtribes and genera of the tribe Broscini (Coleoptera: Carabidae): cladistic analysis, taxonomic treatment, and biogeographical considerations. Bulletin of the American Museum of Natural History 255: 1–90. [issued 25 Sep 2000 (title page)]
- Roig-Juñent S, Cicchino AC (2001) *Chaltenia patagonica*, new genus and species belonging to Chalteniina, a new subtribe of Zolini (Coleoptera: Carabidae). The Canadian Entomologist 133 (5): 651–670. [Sep 2001 (wrapper)]
- Rosenhauer WG (1856) Thiere Andalusiens nach dem Resultate einer Reise zusammengestellt, nebst den Beschreibungen von 249 neuer oder bis jetzt unbeschriebenen Gattungen und Arten. Theodor Blaesing, Erlangen, viii + 429 pp. + 3 pls. [1856 (title page); Oct 1856 (date of preface); Nov 1856 (Evenhuis 1997b: 668)]
- Roudier A (1958) Curculionides de l’archipel de Madère. Revue Française d’Entomologie 25 (3): 199–214. [printed 15 Sep 1958 (p. 240)]
- Roughley RE (2000) [new taxa] In: Larson DJ, Alarie Y, Roughley RE: Predaceous diving beetles (Coleoptera: Dytiscidae) of the Nearctic region, with emphasis on the fauna of Canada and Alaska. National Research Council of Canada Research Press, Ottawa, xiv + 982 pp. [2000 (title page)]

- Rousseau E (1905) 38me fascicule. Coleoptera Adephaga. Fam. Carabidae Subfam. Anthiinae. In: Wytsman PA (Ed) Genera Insectorum. Vol. VI. P. Wytsman, Bruxelles, 19 pp. + 2 pls. [14 Jun 1905 (date on manuscr., p. 19); 1905 (title page); 26 May 1906 (Evenhuis 1994)]
- Roux C (1976) On the dating of the first edition of Cuvier's *Règne Animal*. Journal of the Society for the Bibliography of Natural History 8 (1): 31.
- Sabrosky CW (1999) Family-group names in Diptera. Myia 10: 1–360.
- Sahlberg J (1876) Enumeratio Coleopterorum brachelytrorum Fenniae. Systematisk förteckning öfver de inom Finlands naturalhistoriska område hittills funna Coleoptera Brachelytra... I. Staphylinidae. Acta Societatis pro Fauna et Flora Fennica 1 [1875–77] (3): 1–248. [5 Feb 1876 (title page)]
- Sainte-Claire Deville J (1923) Faune des Coléoptères du Bassin de la Seine par Louis Bedel. Supplément aux Rhynchophora. Rédigé d'après les notes de L. Bedel Annales de la Société Entomologique de France 6 bis (1, publication hors série): 1–80 (of 159).
- Saito A (1990) Female reproductive organs of cerambycid beetles from Japan and the neighboring areas. I. Philini through Atimiini. Elytra 18: 231–260.
- Sama G (1990) Description d'un *Certallum* de l'Afrique du nord (Coleoptera Cerambycidae). L'Entomologiste 46: 287–289. [Dec 1990 (dépôt légal, back wrapper)]
- Sama G (2008) Preliminary note on the cerambycid fauna of North Africa with the description of new taxa (Insecta Coleoptera Cerambycidae). Quaderno di Studi e Notizie di Storia Naturale della Romagna 27: 217–245. [Dec 2008 (top of article)]
- Sama G (2009a) New nomenclatural acts in Cerambycidae (Coleoptera, Cerambycidae). Entomologia Africana 14: 22–26.
- Sama G (2009b) [new taxon] In: Sama G, Sudre J: New nomenclatural acts in Cerambycidae. II. (Coleoptera). Bulletin de la Société Entomologique de France 114 (3): 383–388. [Sep 2009 (back wrapper)]
- Sama G (2010) New acts and comments. Cerambycidae [pp. 49–58]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea. Apollo Books, Stenstrup, 924 pp. [publ. 22 Feb 2010 (verso of title page)]
- Sánchez-Ruiz M (1996) Catalogo bibliografico de las especies de la familia Elateridae (Coleoptera) de la Península Iberica e Islas Baleares. Documentos Fauna Iberica 2. Museo Nacional de Ciencias Naturales Consejo Superior de Investigaciones Cientificas, Madrid, 265 pp.
- Santiago-Blay JA (2008) Case 3398. Aulacoscelinae Chapuis, 1874 (Insecta, Coleoptera, Orsodacnidae or Chrysomelidae): proposed conservation. Bulletin of Zoological Nomenclature 65 (2): 97–105. [Jun 2008 issue]
- Santos-Silva A, Martins UR (2004) Notas e descrições em Disteniinae (Coleoptera, Cerambycidae). Revista Brasileira de Zoologia 21 (1): 145–152. [Mar 2004 issue]
- Sasaji H (1967) A revision of the Formosan Coccinellidae (I) the subfamily Sticholotinae, with a establishment of a new tribe (Coleoptera). Etizenia 25: 1–28. [10 Dec 1967 (wrapper)]
- Sasaji H (1978) Notes on the Japanese Endomychidae, with an establishment of a new subfamily (Coleoptera). Memoirs of the Faculty of Education, Fukui University (Series II, Natural Science) 28: 1–31. [25 Dec 1978]
- Sasaji H (1986) Systematic position of the genus *Eidoreus* Sharp (Coleoptera: Clavicornia). In: Papers on entomology presented to Prof. Takehiko Nakane in commemoration of his

- retirement. Special Bulletin of the Japanese Society of Coleopterology: 229–235. [10 Oct 1986]
- Satô M (2006) Family Chelonariidae [pp. 454–455]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 3. Scarabaeoidea - Scirtoidea - Dascilloidea - Buprestoidea - Byrrhoidea. Apollo Books, Stenstrup, 690 pp. [publ. 30 Jun 2006 (verso of title page)]
- Saulcy F, de (1870) [footnote, p. 90] In: Heyden, L. von. Entomologische Reise nach dem südlichen Spanien, der Sierra Guadarrama und Sierra Morena, Portugal und der Cantabrischen Gebirgen. Mit Beschreibungen der neuen Arten von L. v. Heyden und den Mitgliedern des Berliner entomol. Vereins. Berliner Entomologische Zeitschrift 14 (Beiheft): 1–218, pls. 1–2. [1870 (wrapper; Arch. Naturg. for 1870; Berl. Ent. Zeitschr. 14, etc.); 1871 (Evenhuis 1997, without comment)]
- Savoyeskaya GI (1969) O vydelenii novykh taksonomiceskikh kategoriy koktsinellid (Col., Coccinellidae) [On the formation of new taxonomic categories of coccinellids (Col., Coccinellidae)]. Vestnik Selskokhozyaystvennoy Nauki Kazakhstana, Alma-Ata 12 (9): 101–106. [24 Sep 1969 (to printer)]
- Ščegoleva-Barovskaya T (1929) Der erste Vertreter der Familie Mordellidae aus der Jura-formation Turkestans [in Russian, German summary]. Comptes Rendus de l'Academie des Sciences de l'URSS 8 (1): 27–29. [5 Apr 1929 (recorded at BMNH)]
- Schaeffer C (1911) New Coleoptera and miscellaneous notes. Journal of the New York Entomological Society 19 (2): 113–126. [Jun 1911 issue]
- Schalkwyk AD, van (1966) Change of curculionid (Coleoptera) generic name from *Cryptopharynx* to *Cryptolarynx*. Suid-Afrikaanse Tydskrif vir Landbouwetenskap / South African Journal of Agricultural Science 9 (3): 745. [Sep 1966 issue]
- Schauberger E (1934) Zur Kenntnis der paläarktischen Harpalinen (Vierzehnter Beitrag). Coleopterologische Rundschau 20 (3/4): 99–118. [31 Jul 1934 (wrapper)]
- Schauberger E (1937) Zur Kenntnis der australisch-melanesischen Harpalinen. (Zweiter Beitrag). Entomologische Rundschau 54 (21): 272–275. [1 Mar 1937 (top of fasc.)]
- Schaufuss LW (1872) Tabellen-Entwurf zur Bestimmung der Pselaphiden-Gattungen. Nunquam Otiosus 2 (Lief. 1): 243–248. [24 Jul 1872 (footnote p. 280)]
- Schaufuss LW (1882a) Pselaphidarum Monographiae. Annali del Museo Civico di Storia Naturale “Giacomo Doria” 18 [1882–83]: 173–206. [7–8 Mar 1882 (footer pp. 161, 177)]
- Schaufuss LW (1882b) Neue Pselaphiden im Museo Civico di Storia Naturale zu Genua. Annali del Museo Civico di Storia Naturale “Giacomo Doria” 18: 349–399. [11 Jul (footer p. 338) –26 Aug 1882 (p. 385); Aug 1882 (Ann. Soc. Ent. France (6) 2: Bull. Ent.: cli)]
- Schaufuss LW (1889) Neue Scydmaeniden im Museum Ludwig Salvator. Berliner Entomologische Zeitschrift 33 (1): 1–42. [end Sep 1889 (wrapper)]
- Schaufuss LW (1890) System-Schema der Pselaphiden, ein Blick in die Vorzeit, in die Gegenwart und in die Zukunft. Tijdschrift voor Entomologie 33 [1889–90] (2): 101–162, pls. 2–6 and foldout. [Jun 1890 (Nederl. Ent. Ver.)]
- Schaum HR (1857a) Beitrag zur Käferfauna Griechenlands. Erstes Stück: Cicindelidae, Carabici, Dytiscidae, Gyrinidae. Berliner Entomologische Zeitschrift 1: 116–158. [1857 (title page); after Aug 1857 (p. 115)]

- Schaum HR (1857b) Naturgeschichte der Insecten Deutschlands. Erste Abtheilung. Coleoptera. Erster Band. Erste Hälfte [zweite Lieferung, pp. 191–352, Carabici]. Nicolai, Berlin, vi + 791 pp. [Mar 1857 (p. v)]
- Schaum HR (1859) Catalogus Coleopterorum Europae. In Verbindung mit Dr. G. Kraatz und H. v. Kiesenwetter. Nicolaische Verlagsbuchhandlung, Berlin, iv + 121 pp. [1859 (wrapper); Feb 1859 (Wien. Ent. Monatschr. 3: 64, reviewed in Jul, p. 210)]
- Schaum HR (1860) Naturgeschichte der Insecten Deutschlands. Erste Abtheilung. Coleoptera. Erster Band. Erste Hälfte [vierter Lieferung, pp. 553–791, Carabici]. Nicolai, Berlin, vi + 791 pp. [printed early 1859 (p. v); Feb 1860 (date of forward)]
- Schaum HR (1863) Descriptions of four new genera of Carabidae. The Journal of Entomology, Descriptive and Geographical 2 (8): 74–78, pl. 4. [Apr 1863 issue]
- Schedl KE (1939) Die Einteilung und geographische Verbreitung der Platypodidae. 56. Beitrag zur Morphologie und Systematik der Scolytidae und Platypodidae [pp. 377–410]. In: Jordan K, Hering EM (Eds) Verhandlungen, VII. Internationaler Kongress für Entomologie. Band I. Internationalen Kongresse für Entomologie, Weimar, 617 pp., 29 pls. [Apr 1939 (title page)]
- Schedl KE (1959) Scolytidae und Platypodidae aus Angola (Coleoptera). 1. Beitrag. Publicações Culturais da Companhia de Diamantes de Angola No. 48: 15–[28]. [separate publ. 1 Dec 1959 (title page)]
- Schedl KE (1961) 1. Beitrag zur Systematik afrikanischer Brenthiden (Col.). Entomologische Arbeiten aus dem Museum G Frey Tutzing bei München 12 (1): 185–204. [publ. 1 Apr 1961 (vol. Inhalt)]
- Schedl KE (1966) Interessante und neue Scolytoidea aus Afrika. 244. Beitrag zur Morphologie und Systematik der Scolytoidea. Revista de Entomologia de Moçambique 8 (1 [1965]): 349–379. [printed Oct 1966 (back wrapper)]
- Schedl KE (1972) *Monographie der Familie Platypodidae. Coleoptera*. W. Junk, Den Haag, v + 322 pp. [publ. 30 Jun 1972]
- Scheerpeltz O (1934) Pars 130. Staphylinidae VIII. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen VI. Staphylinidae II. W. Junk, Berlin, pp. 1501–1881. [2 Jan 1934 (verso of vol. title page)]
- Scheerpeltz O (1944) Erster Nachtrag zur Bestimmungstabelle der in der paläarktischen Region durch Arten vertretenen Gattungen der XVII. Fam. Staphylinidae (35. Beitrag zur Kenntnis der paläarktischen Staphyliniden). Koleopterologische Rundschau 30 (4/6): 169–172. [30 Sep 1944 (wrapper)]
- Scheerpeltz O (1968) Teil XV fa: Coleoptera-Staphylinidae. Catalogus Faunae Austriae Ein systematisches Verzeichnis aller auf österreichischem Gebiet festgestellten Tierarten. Springer-Verlag, Wien, 279 pp. [1968 (cover)]
- Scheerpeltz O (1974) Coleoptera: Staphylinidae (exclus. Subfam. Paederinae, except. pars min.) [pp. 43–394]. In: Hanström B, Brinck P, Rudebeck G (Eds) South African animal life. Results of the Lund University expedition in 1950–1951. Vol. XV. Swedish Natural Science Research Council, Stockholm., 532 pp. [printed 1974 (verso of title page)]
- Schenkling S (1910) Pars 23: Cleridae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen X. W. Junk, Berlin, pp. 1–174. [29 Nov 1910 (verso of vol. title page)]

- Schenkling S (1915) Pars 64: Derodontidae, Lymexylonidae, Micromalthidae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen X. W. Junk, Berlin, pp. 3–6, 1–14. [30 Jan 1915 (verso of vol. title page)]
- Schenkling S (1921) Pars 72: Scarabaeidae: Cetoniinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXI. Scarabaeidae III. W. Junk, Berlin, 431 pp. [20 Jan 1921 (verso of vol. title page)]
- Schenkling S (1922) Pars 75: Scarabaeidae: Trichiinae, Valginae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXI. Scarabaeidae III. W. Junk, Berlin, 58 pp. [1 Apr 1922 (verso of vol. title page)]
- Schenkling S (1927) Pars 88: Elateridae I [pp. 265–636]. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XI. W. Junk, Berlin, 636 pp. [22 Feb 1927 (verso of vol. title page)]
- Schenkling S, Marshall GAK (1929) Pars 106: Curculionidae: Subfam. Byrsopinae, Rhytirhininae, Thecesterninae, Hipporrhinae, Rhyparosominae In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXVIII. W. Junk, Berlin, 62 pp. [15 Aug 1929 (verso of vol. title page)]
- Schenkling S, Marshall GAK (1931a) Pars 116: Curculionidae: Dinomorphinae, Somatodinae, Amycterinae, Gonipterinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXVIII. Curculionidae II. W. Junk, Berlin, pp. 1–2 (Dinomorphinae, Somatodinae), pp. 1–39 (Amycterinae), pp. 1–11 (Gonipterinae). [30 Mar 1931 (verso of vol. title page)]
- Schenkling S, Marshall GAK (1931b) Pars 114. Curculionidae. Eremninae, Leptopinae, Tanyrrhynchinae, Cylindrorrhinae, Thecesterninae (Suppl.), Rhytirrhininae (Suppl.), Rhyparosominae (Suppl.). In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXVIII. Curculionidae II. W. Junk, Berlin, pp. 1–39 (Eremninae), 1–83 (Leptopinae), 1–10 (Tanyrrhynchinae), 1–23 (Cylindrorrhinae), 1–4 (Thecesterninae, Rhytirrhininae, Rhyparosominae). [12 Feb 1931 (verso of vol. title page)]
- Schenkling S, Marshall GAK (1936) Pars 150: Curculionidae: Subfam. Haplonychinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XXIX. W. Junk, Berlin, 8 pp. [15 Aug 1936 (verso of vol. title page)]
- Schimmel R, Tarnawski D (2009) Monograph of the tribe Quasimusini (Insecta: Coleoptera, Elateridae, Negastriinae). Polish Taxonomical Monographs 17: 1–169.
- Schiødte JMC (1848) Mödet den 4de Juni [untitled]. Oversigt over det Kongelige Danske Videnskabernes Selskabs Forhandlinger 1847: 67–69. [1848 (vol. title page)]
- Schiødte JMC (1849) Specimen faunae subterraneae. Bidrag til den underjordiske fauna. Bianco Luno, Kjöbenhavn, 39 pp., 4 pls. [1849 (title page) / reissued, same pagin. in: Kongel. Danske Vidensk. Selsk. Skrifter 2, 1851]
- Schlechtendal DHR, von (1894) Beiträge zur Kenntnis fossiler Insekten aus dem Braunkohlengebirge von Rott am Siebenengebirge. Abhandlungen der Naturforschenden Gesellschaft zu Halle 20: 197–228, pls. 12–14. [28 Aug 1894 (recorded at BMNH)]
- Schmidt A (1910a) 110me fascicule. Coleoptera Lamellicornia. Fam. Aphodiidae. Genera Insectorum. Vol. XVII. P. Wytsman, Bruxelles, 155 pp. + 3 pls. [15 Dec 1909 (date on manu-scr., p. 155); 1910 (title page); 31 Dec 1910 (Evenhuis 1994: 55)]
- Schmidt A (1910b) Pars 20: Aphodiinae. In: Schenkling S (Ed) Coleopterorum Catalogus. Volumen XIX. Junk, W., Berlin, 111 pp. [30 Sep 1910 (verso of vol. title page)]

- Schmidt F (1852) Zwei neue Arten von *Leptoderus*. Entomologische Zeitung (Stettin) 13 (11): 381–382. [Nov 1852 issue]
- Schmidt J (1885) Tabellen zur Bestimmung der europäischen Histeriden. Berliner Entomologische Zeitschrift 29 (2): 279–330. [Dec 1885 (wrapper)]
- Schoch G (1894) Ueber die Systematik der Cetoniden. Mittheilungen der Schweizerischen Entomologischen Gesellschaft 9 (4): 164–225. [Oct 1894 (wrapper)]
- Schoch G (1895) Die Genera und Species meiner Cetonidensammlung. I. Teil: Goliathidae, Gymnetidae, Madagassae, Schizorrhiniidae. Zürcher & Furrer, Zürich, iii + 63 + [1] pp.
- Schoenfeldt H, von (1908) 65me fascicule. Coleoptera. Fam. Brenthidae. In: Wytsman PA (Ed) Genera Insectorum Vol. XI. P. Wytsman, Bruxelles, 88 pp. + 2 pls. [15 Mar 1908 (date on manuscr., p. 88); 23 Jun 1908 (Evenhuis 1994: 54)]
- Scholtz CH (1988) [new taxa] In: Scholtz CH, d'Hotman D, Evans AV, Nel A: Phylogeny and systematics of the Ochodaeidae (Insecta: Coleoptera: Scarabaeoidea). Journal of the Entomological Society of Southern Africa 51 (2): 207–240. [1988 (copyright)]
- Scholtz CH (1991) Nomenclatural changes in the Ochodaeidae (Coleoptera: Scarabaeoidea). The Coleopterists Bulletin 45 (1): 30. [mailed 21 Mar 1991 (inside wrapper)]
- Schönherr CJ (1823) Curculionides. Tabula synoptica familiae curculionidum. Isis von Oken 1823 (10): cols. 1132–1146. [publ. Oct 1823 (Dieckmann 1983: 260)]
- Schönherr CJ (1825) Continuatio tabulae synopticae familiae curculionidum. Isis von Oken 1825 (5): cols. 581–588. [May 1825 issue]
- Schönherr CJ (1826) Curculionidum dispositio methodica, cum generum characteribus, descriptionibus atque observationibus variis, seu prodromus ad Synonymiae Insectorum, partem IV. Fleischer, Lipsiae, x +[1]+ 338 pp. [1826 (title page); 7 Oct 1825 (date of preface p. x)]
- Schönherr CJ (1833) Genera et species curculionidum, cum synonymia hujus familiae. Species novae aut hactenus minus cognitae, descriptionibus a Dom. Leonardo Gyllenhal, C. H. Boheman, et entomologis aliis illustratae. Tomus primus. - Pars prima. Roret, Paris, xv + 381 pp. [8 Aug 1833 (Ann. Soc. Ent. France 2: Bull. Ent.: xlvi)]
- Schönherr CJ (1836) Genera et species curculionidum, cum synonymia hujus familiae. Species novae aut hactenus minus cognitae, descriptionibus a Dom. Leonardo Gyllenhal, C. H. Boheman, et entomologis aliis illustratae. Tomus tertius.- Pars secunda. Roret, Paris, pp. 507–858. [16 Mar 1836 (Ann. Soc. Ent. France 5: Bull. Ent.: xx)]
- Schönherr CJ (1837) Genera et species curculionidum, cum synonymia hujus familiae. Species novae aut hactenus minus cognitae, descriptionibus a Dom. Leonardo Gyllenhal, C. H. Boheman, et entomologis aliis illustratae. Tomus quartus.- Pars secunda. Roret, Paris, pp. 601–1121 + [1122–1124, Corrigenda]. [1837 (Erichson 1838: 231); before 6 Jan 1838 (Bibliogr. France 1838: 10)]
- Schönherr CJ (1839) Genera et species curculionidum, cum synonymia hujus familiae. Species novae aut hactenus minus cognitae, descriptionibus Dom. L. Gyllenhal, C. H. Boheman, O. J. Fahraeus et entomologis aliis illustratae. Tomus quintus. -Pars prima. Roret, Paris, viii + 456 pp. [15 Jun 1839 (Bibliogr. France 1839: 286); 7 Aug 1839 (Ann. Soc. Ent. France 8: Bull. Ent.: xxiii)]

- Schönherr CJ (1840) Genera et species curculionidum, cum synonymia hujus familiae. Species novae aut hactenus minus cognitae, descriptionibus Dom. L. Gyllenhal, C. H. Boheman, O. J. Fahraeus et entomologis aliis illustratae. Tomus quintus. - Pars secunda, supplementum continens. Roret, Paris, viii + 465–970 + [4, Corrig.] pp. [18 Mar 1840 (Ann. Soc. Ent. France 9: Bull. Ent.: viii); 21 Mar 1840 (Bibliogr. France 1840: 141)]
- Schönherr CJ (1844) Genera et species curculionidum, cum synonymia hujus familiae. Species novae aut hactenus minus cognitae, descriptionibus a Dom. L. Gyllenhal, C. H. Boheman, O. J. Fahraeus et entomologis aliis illustratae. Tomus octavus. - Pars prima. Supplementum continens. Roret, Paris, pp. 1–442 [439–442: Corrig.]. [17 Apr 1844 (Ann. Soc. Ent. France (2) 2: Bull. Ent.: xxxiv)]
- Schönherr CJ (1845) Genera et species curculionidum, cum synonymia hujus familiae. Species novae aut hactenus minus cognitae, descriptionibus a Dom. L. Gyllenhal, C. H. Boheman, O. J. Fahraeus et entomologis aliis illustratae. Tomus octavus. - Pars secunda. Supplementum continens. Roret, Paris, [5] + 504 pp. [342–454: Mantissa Curculionidum] + 28 foldouts [Synopsis Geographica]. [12 Mar 1845 (Ann. Soc. Ent. France (2) 3: Bull. Ent.: xiv); 17 May 1845 (Bibliogr. France 1845: 262)]
- Schröder C (1905) Inhalts-Verzeichnis [rev. of Lameere, 1903]. Zeitschrift für Wissenschaftliche Insektenbiologie 1: iii–xv.
- Schuler L (1970) La classification des Harpalomorphi de France. Les formes étranges (coléoptères carabiques). L'Entomologiste 25 [1969] (5/6): 108–118. [déd. légal 1e trim. 1970 (endleaf)]
- Schultze A (1902) Kritisches Verzeichniss der bis jetzt beschriebenen Palaearktischen Ceuthorhynchinen unter Nachweis der darauf bezüglichen wichtigsten Arbeiten und Angabe ihrer bekannten geographischen Verbreitung sowie einem Vorwort. Deutsche Entomologische Zeitschrift 1902 (1): 193–226. [Jul 1902 (Inhalt)]
- Schwarz O (1897) Über die systematische Stellung der Elateriden-Gattungen *Dicronychus* Cast. und *Tarsalagus* Cand. Deutsche Entomologische Zeitschrift 1897 (1): 9–16. [Jul 1897 (Inhalt)]
- Schwarz O (1902) Ueber die Elateriden-Gattungen *Protelater* Sharp und *Anaspasis* Cand. und ihre systematische Stellung nebst Beschreibung einer neuen Gattung und Art. Deutsche Entomologische Zeitschrift 1902 (2): 364–366. [Oct 1902 (Inhalt)]
- Schwarz O (1906) 46A / 46B fascicule [pp. 1–112 / 113–224]. Coleoptera. Fam. Elateridae. In: Wytsman PA (Ed) Genera Insectorum. Vol. VII. P. Wytsman, Bruxelles, 370 pp. [1906 (title page); both fasc. 10 Nov 1906 (Evenhuis 1994: 53); continued with plates in 46C, 1907]
- Schwarz O (1907) 51me fascicule. Coleoptera. Fam. Dicronychidae. In: Wytsman PA (Ed) Genera Insectorum. Vol. VIII. Verteneuil & Desmet, Bruxelles, 5 pp. [15 Jan 1907 (date on manuscr., p. 74); 26 Mar 1907 (Evenhuis 1994: 53)]
- Sciaky R (1996) New taxa and new synonyms among Pterostichinae from Asia (Coleoptera Carabidae). Entomofauna Zeitschrift für Entomologie 17 (29): 429–440. [31 Dec 1996]
- Scudder SH (1882) Nomenclator Zoologicus. An alphabetical list of all generic names that have been employed by naturalists for recent and fossil animals from the earliest times to the close of the year 1879. In two parts: I. Supplemental list. II. Universal index. Bulletin

- of the United States National Museum No. 19: xxi + 376 + [1] + 340 pp. [26 Apr 1882 (date of advertisement)]
- Scudder SH (1893) Tertiary rhynchophorous Coleoptera of the United States. Monographs of the United States Geological Survey 21: 1–206, pls. 1–12. [1893 (title page)]
- Seeno TN, Wilcox JA (1982) Leaf beetle genera (Coleoptera: Chrysomelidae). Entomography 1: 1–221.
- Seevers CH (1941) Taxonomic investigations of some termitophilous Staphylinidae of the subfamilies Aleocharinae and Trichopseniinae (new subfamily). Annals of the Entomological Society of America 34 (2): 318–346, pls. 1–3. [mailed 2 Jul 1941 (p. iv)]
- Seevers CH (1944) A new subfamily of beetles parasitic on mammals. Staphylinidae, Amblyopininae. Field Museum of Natural History Zoological Series 28 (3): 155–172, pls. 10–12. [17 Mar 1944 (wrapper)]
- Seevers CH (1957) A monograph on the termitophilous Staphylinidae (Coleoptera). Fieldiana: Zoology 40: 1–334. [9 Apr 1957 (wrapper)]
- Seevers CH (1958) A revision of the Vatesini, a tribe of Neotropical myrmecophiles (Coleoptera, Staphylinidae). Revista Brasileira de Entomologia 8: 181–202. [15 May 1958 (Indice)]
- Seevers CH (1965) The systematics, evolution and zoogeography of staphylinid beetles associated with army ants (Coleoptera, Staphylinidae). Fieldiana: Zoology 47 (2): 139–351. [22 Mar 1965 (wrapper)]
- Seevers CH (1978) [new taxa] In: Seevers CH, Herman LH: A generic and tribal revision of the North American Aleocharinae (Coleoptera: Staphylinidae). Fieldiana: Zoology 71: vi + 275 pp. [28 Apr 1978 (wrapper)]
- Seidlitz G (1872) Fauna Baltica. Die Käfer (Coleoptera) der Ostseeprovinzen Russlands [2. Lieferung. Gattungen, pp. 25–48, Arten, pp. 129–208]. H. Laakmann, Dorpat, xlii + 142 + 560 pp. [Jan 1872 (Vorwort)]
- Seidlitz G (1874) Fauna Baltica. Die Käfer (Coleoptera) der Ostseeprovinzen Russlands [3. Lieferung. Gattungen, pp. 49–80, Arten, pp. 209–340]. H. Laakmann, Dorpat, xlii + 142 + 560 pp. [Jan 1874 (date of Vorwort); by Apr 1874 (Berl. Ent. Zeitschr. 18: 240)]
- Seidlitz G (1875) Fauna Baltica. Die Käfer (Coleoptera) der Ostseeprovinzen Russlands [4. Lieferung. Gattungen, pp. 81–142, Arten, pp. 341–560]. H. Laakmann, Dorpat, xlii + 142 + 560 pp. [to printer 11 Oct 1875 (verso of title page)]
- Seidlitz G (1888) Fauna Baltica. Die Kaefer (Coleoptera) der Deutschen Ostseeprovinzen Russlands. Zweite neu bearbeitete Auflage [3. Lieferung. Familien, pp. xli–xlviii; Gattungen, pp. 49–80; Arten, pp. 225–336]. Hartungsche Verlagsdruckerei, Königsberg, [9] + lvi + 192 + 818 pp. + 1 pl. [Fall 1888 (Vorwort)]
- Seidlitz G (1889) Fauna Baltica. Die Kaefer (Coleoptera) der Deutschen Ostseeprovinzen Russlands. Zweite neu bearbeitete Auflage [4. Lieferung. Gattungen, pp. 81–128; Arten, pp. 337–512]. Hartungsche Verlagsdruckerei, Königsberg, [9] + lvi + 192 + 818 pp. + 1 pl. [Spring 1889 (Vorwort)]
- Seidlitz G (1890) Fauna Baltica. Die Kaefer (Coleoptera) der Deutschen Ostseeprovinzen Russlands. Zweite neu bearbeitete Auflage [5. Lieferung. Gattungen, pp. 129–160, Arten, pp.

- 513–608]. Hartungsche Verlagsdruckerei, Königsberg, [9] + lvi + 192 + 818 pp. + 1 pl. [Spring 1890 (Vorwort)]
- Seidlitz G (1891) Fauna Baltica. Die Käfer (Coleoptera) der Deutschen Ostseeprovinzen Russlands. Zweite neu bearbeitete Auflage [6. Lieferung. Vorwort; Familien, pp. xlix-lvi; Gattungen, pp. 161–192; Arten, etc., pp. 609–818]. Hartungsche Verlagsdruckerei, Königsberg, [9] + lvi + 192 + 818 pp. + 1 pl. [Feb 1891 (Vorwort)]
- Seidlitz G (1893) Erste Abteilung. Coleoptera. Fünfter Band. [Erste Hälfte]. Zweite Lieferung. Bogen 13a bis 25 [pp. 201–400, Tenebrionidae]. In: Kiesenwetter H, von, Seidlitz G (Eds). Naturgeschichte der Insecten Deutschlands. Nicolaische Verlags-Buchhandlung, Berlin, 882 pp. [Mar 1893 (Vorbemerkung to 1898 issue: xxviii)]
- Seidlitz G (1894) Erste Abteilung. Coleoptera. Fünfter Band. [Erste Hälfte]. Dritte Lieferung. Bogen 26 bis 38 [pp. 401–608, Tenebrionidae]. In: Kiesenwetter H, von, Seidlitz G (Eds) Naturgeschichte der Insecten Deutschlands. Nicolaische Verlags-Buchhandlung, Berlin, 882 pp. [May 1894 (Vorbemerkung to 1898 issue: xxviii)]
- Seidlitz G (1895) Erste Abteilung. Coleoptera. Fünfter Band. [Erste Hälfte]. Vierte Lieferung. Bogen 39 bis 50 [pp. 609–800, Tenebrionidae]. In: Kiesenwetter H, von, Seidlitz G (Eds) Naturgeschichte der Insecten Deutschlands. Nicolaische Verlags-Buchhandlung, Berlin, 882 pp. [Sep 1896 (Vorbemerkung to 1898 issue: xxviii) but 1895 (title page) and reviewed Jul 1895 (Ent. Nachr. 21: 222)]
- Seidlitz G (1896) Erste Abteilung. Coleoptera. Fünfter Band. Zweite Hälfte. Erste Lieferung. Bogen 1 bis 19 [pp. 1–304, Alleculidae]. In: Kiesenwetter H, von, Seidlitz G (Eds) Naturgeschichte der Insecten Deutschlands. Nicolaische Verlags-Buchhandlung, Berlin, 1206 pp. [Nov 1896 (date of preface); before 14 Jan 1897 («1896» Zool. Anz., Bibliogr. Zool. 2: 73)]
- Seidlitz G (1898) Erste Abteilung. Coleoptera. Fünfter Band. Zweite Hälfte. Zweite Lieferung. Bogen 20 bis 43 [pp. 305–680, Nachtrag, Lagriidae, Melandryidae]. In: Kiesenwetter H, von, Seidlitz G (Eds) Naturgeschichte der Insecten Deutschlands. Nicolaische Verlags-Buchhandlung, Berlin, 1206 pp. [May 1898 (Introd. on verso of fasc. wrapper); before 22 Jun 1898 (Bull. Soc. Ent. France 1898: 252)]
- Seidlitz G (1916) Die letzten Familien der Heteromeren (Col.). Deutsche Entomologische Zeitschrift 1916 (2): 113–128. [1 Jul 1916 (Inhalt)]
- Seidlitz G (1917a) Die letzten Familien der Heteromeren (Col.). Deutsche Entomologische Zeitschrift 1917 (1): 65–116. [1 Jul 1917 (Inhalt)]
- Seidlitz G (1917b) Die letzten Familien der Heteromeren (Col.) (Fortsetzung). Deutsche Entomologische Zeitschrift 1916 (5/6): 387–498. [1 Feb 1917 (Inhalt)]
- Selander RB (1957) The systematic position of the genus *Nephrites* and the phylogenetic relationships of the higher groups of Rhipiphoridae (Coleoptera). Annals of the Entomological Society of America 50 (1): 88–103. [issued 15 Feb 1957 (inside wrapper)]
- Selander RB (1960) Bionomics, systematics, and phylogeny of *Lytta*, a genus of blister beetles (Coleoptera, Meloidae). Illinois Biological Monographs No. 28: vi + 295 pp. [distrib. 30 Dec 1960 (verso of title page)]
- Selander RB (1964) Sexual behavior in blister beetles (Coleoptera: Meloidae) I. The genus *Pyrota*. The Canadian Entomologist 96 (8): 1037–1082. [mailed 25 Sep 1964 (p. 1260)]

- Selander RB (1966) A classification of the genera and higher taxa of the Meloid subfamily Eleticinae (Coleoptera). *The Canadian Entomologist* 98 (5): 449–481. [mailed 11 May 1966 (p. 672)]
- Selander RB (1991) On the nomenclature and classification of the Meloidae (Coleoptera). *Insecta Mundi* 5 (2): 65–94. [Jun issue]
- Selman BJ (1965) A revision of the Nodini and a key to the genera of Eumolpidae of Africa (Coleoptera: Eumolpidae). *Bulletin of the British Museum (Natural History) Entomology* 16 (3): 143–174. [issued 23 Aug 1965 (verso of title page)]
- Semenov AP (1892) De Brenthidarum genere novo palaearctico. *Trudy Russkago Entomologicheskago Obshchestva / Horae Societatis Entomologicae Rossicae* 26 [1891–92] (3/4): 438–443. [7 Jul 1892 (Julian 25 Jun, after Index)]
- Semenov AP (1893a) Symbolae ad cognitionem Pimeliidarum. *Trudy Russkago Entomologicheskago Obshchestva / Horae Societatis Entomologicae Rossicae* 27 [1892–93] (1/2): 249–264. [22 Apr 1893 (Julian 10 Apr, after Index)]
- Semenov AP (1893b) De Coleopterorum familia nova. *Mélanges Biologiques tirés du Bulletin de l'Académie Impériale des Sciences de St-Pétersbourg* 13: 359–366. [read 14 Apr 1893; 1894 (Derkzen & Scheiding-Göllner 1965); reissued in: *Bull. Acad. Imp. Sci. St.-Pétersbourg* (N. S.) 3 [35]: 607–614 (printed Aug 1894)]
- Semenov AP (1894) Symbolae ad cognitionem Oedemeridarum. *Trudy Russkago Entomologicheskago Obshchestva / Horae Societatis Entomologicae Rossicae* 28 [1893–94]: 449–474. [printed Nov 1894 (verso of title page)]
- Semenov AP (1904a) Analecta coleopterologica. VIII. *Russkoe Entomologicheskoe Obozrenie* 4 (5): 201–202.
- Semenov AP (1904b) [Review of Reitter: Bestimmungs-Tabelle, LIII Heft]. *Russkoe Entomologicheskoe Obozrenie* 6 (3/4): 324–326.
- Semenov AP (1907a) De novo Pimeliinorum genere, quod tribum peculiarem repraesentat (Coleoptera, Tenebrionidae). *Russkoe Entomologicheskoe Obozrenie* 6 [1906] (3/4): 257–260. [Dec 1906 (footer); 1907 (Zool. Record; Kerzhner, pers. corresp.; fasc. includes events in 1907)]
- Semenov AP (1907b) Synopsis generum tribus Platypinorum (Coleoptera, Tenebrionidae Pimeliini). *Horae Societatis Entomologicae Rossicae* 38 [1907–1908]: 175–184. [publ. 3 May 1907 (Roman; p. vii); Oct 1908 (verso of vol. title page)]
- Semenov AP (1909) [note in *Bulletin Entomologique*, séance of 8 Dec]. *Russkoe Entomologicheskoe Obozrenie* 8 [1908]: xxv. [Jan 1909 (footer)]
- Semenov AP (1914) Analecta coleopterologica. XVIII. *Russkoe Entomologicheskoe Obozrenie* 14 [1914] (1): 14–22. [14 Jul 1914 (Gregorian; p. xxii); 1915 (vol. title page)]
- Semenov AP, Martynov AB (1925) [new taxa] In: Martynov AB: Ob odnom interesnom is-kopaemom zhuke iz yurekikh slantsev severnogo Turkestana. On a new interesting fossil beetle from the jurassic beds in North Turkestan. *Russkoe Entomologicheskoe Obozrenie* 19 (2): 73–78, pl. 1 [in Russian]. [1925 (fasc. title page)]
- Semenov AP, Pjatakova V (1936) Sur un genre irrédit, représentant une nouvelle tribu dans la famille Elateridae (Coleoptera). Nový neznámý rod, zástupce nové skupiny v čeledi Elateridae. *Časopis České Společnosti Entomologické* 33 (3): 101–103. [15 May 1936 (wrapper)]

- Semenov AP, Reichardt AN (1925) Vysoko spetsializovannyy predstavitel novykh roda i triby podsemeystva Aphodiini (Coleoptera, Scarabaeidae). De novo peculiaria Aphodiinorum generi, tribum propriam formante (Coleoptera, Scarabaeidae). Revue Russe d'Entomologie 19 (2): 83–88. [1925 (fasc. title page)]
- Sen Gupta T (1967) A new subfamily of Languriidae (Coleoptera) based on four genera, with a key to the species of *Toramus*. Proceedings of the Royal Entomological Society of London (Series B. Taxonomy) 36 (11/12): 167–176. [29 Dec 1967]
- Sen Gupta T (1968a) Review of the genera of the tribe Loberini (Coleoptera: Languriidae). Breviora / Museum of Comparative Zoology No. 303: 1–27. [31 Dec 1968 (top of article)]
- Sen Gupta T (1968b) Revision of the genera of Cladoxenini (= Cladoxeninae Arrow) and Thal-lisellini trib. n. of the family Languriidae (Coleoptera: Clavicornia). Journal of Natural History 2 (4): 463–475. [1 Oct 1968 (Jour. Nat. Hist. 3: 608)]
- Sen Gupta T (1970) On the taxonomy of Erotylidae (Insecta: Coleoptera: Clavicornia), with descriptions of two new larvae. Proceedings of the Zoological Society of Calcutta 22 [1969] (2): 97–107, pls. 5–9. [issued 20 Feb 1970 (wrapper)]
- Sen Gupta T (1979) A new subfamily of Merophysiidae (Clavicornia: Coleoptera) and descriptions of two new species of *Gomya* Dajoz and its larva. Revue Suisse de Zoologie 86 (3): 691–698. [Sep 1979 (fasc. title page)]
- Sen Gupta T (1988) Review of the genera of the family Rhizophagidae (Clavicornia: Coleoptera) of the world. Memoirs of the Zoological Survey of India 17: 1–58, pls. i–xxiv. [publ. Dec 1988 (verso of title page)]
- Sen Gupta T, Crowson RA (1966) A new family of cucujoid beetles, based on six Australian and one New Zealand genera. The Annals and Magazine of Natural History (13) 9 (97/99): 61–85. [1 Sep 1966 (wrapper)]
- Sen Gupta T, Crowson RA (1969a) On a new family of Clavicornia (Coleoptera) and a new genus of Languriidae. Proceedings of the Royal Entomological Society of London (Series B. Taxonomy) 38 (9/10): 125–131. [21 Nov 1969 (wrapper)]
- Sen Gupta T, Crowson RA (1969b) Further observations on the family Boganiidae, with definition of two new families Cavognathidae and Phloeostichidae. Journal of Natural History 3 (4): 571–590. [1 Oct 1969 (Jour. Nat. Hist. 3: 608)]
- Sen Gupta T, Crowson RA (1971) A review of classification of the family Languriidae (Coleoptera: Clavicornia) and the place of Languriidae in the natural system of Clavicornia. Memoirs of the Zoological Survey of India 15 (2): 1–42. [publ. Jun 1971 (wrapper)]
- Sen Gupta T, Crowson RA (1973) A review of the classification of Cerylonidae (Coleoptera, Clavicornia). Transactions of the Royal Entomological Society of London 124 (4): 365–446. [12 Nov 1973 (reprint dedication)]
- Sen Gupta T, Crowson RA (1979) The coleopteran family Sphindidae. The Entomologist's Monthly Magazine 113 [1977] (3): 177–191. [publ. 12 Feb 1979 (wrapper)]
- Senna A (1892) Contributions to the knowledge of the family Brenthidae. VIII. Notes from the Leyden Museum 14 (3/4): 161–186. [Jul 1892 (vol. endleaf); 5 Jul 1892 (recorded at MCZ)]
- Senna A (1892) Contributions to the knowledge of the family Brenthidae. VIII. Notes from the Leyden Museum 14 (3/4): 161–186. [Feb 1892]

- Senna A (1895) Descriptions of some new Brentidae. Notes from the Leyden Museum 16 (3/4): 213–226. [15 Mar 1895 (wrapper)]
- Senna A, Calabresi E (1919) Contribuzione allo studio dei Brentidi. Revisione del gruppo Hoplopisthi. *Bullettino della Società Entomologica Italiana* 50 [1918]: 63–77. [20 Dec 1919 (wrapper)]
- Sharp D (1873) Description of two new genera and three new species of Anthribidae from New Zealand. *The Entomologist's Monthly Magazine* 10 (7): 29–32. [Jul 1873 issue; 7 Jul 1873 (Proc. Ent. Soc. London 1873: xxiv)]
- Sharp D (1876) Descriptions of some new genera and species of New Zealand Coleoptera. *The Entomologist's Monthly Magazine* 13: 70–77, 97–102. [Aug–Sep, Oct 1876]
- Sharp D (1877) Descriptions of some new forms of aberrant Melolonthini from Australia forming a distinct subtribe (Systellopides). *Annali del Museo Civico di Storia Naturale "Giacomo Doria"* 9 [1876–77]: 311–320. [7 Mar 1877 (p. 305)]
- Sharp D (1880) Avis préliminaire d'une nouvelle classification de la famille des Dytiscidae. *Comptes Rendus des Séances de la Société Entomologique de Belgique* 23: cxlvii–cli. [13 Oct 1880 (Ann. Soc. Ent. France (5) 10 Bibliogr. Ent.: 40)]
- Sharp D (1882) Hydrophilidae [part], Heteroceridae, Parnidae, Georissidae, Cyathoceridae [pp. 113–144, pl. 4]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americana. Insecta. Coleoptera. Vol. I. Part 2.* Taylor & Francis, London, xv + 824 pp. + 19 pls. [Dec 1882 (signature footers)]
- Sharp D (1883) Staphylinidae [part, pp. 145–312]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americana. Insecta. Coleoptera. Vol. I. Part 2.* Taylor & Francis, London, xv + 824 pp. + 19 pls. [May (pp. 145–192), Jul (193–240), Sep (241–288), Nov (289–296), Dec 1883 (297–312) (signature footers)]
- Sharp D (1884) Staphylinidae [part, pp. 313–392, pls. 8–9]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americana. Insecta. Coleoptera. Vol. I. Part 2.* Taylor & Francis, London, xv + 824 pp. + 19 pls. [Feb (pp. 313–344), Apr (345–376), Jun 1884 (377–392) (signature footers)]
- Sharp D (1886a) On New Zealand Coleoptera. With descriptions of new genera and species. *Scientific Transactions of the Royal Dublin Society* (2) 3 [1883–1887]: 351–456, pls. 12–13. [Nov 1886 (wrapper; contents p. iv)]
- Sharp D (1886b) Staphylinidae [part, pp. 537–672]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americana. Insecta. Coleoptera. Vol. I. Part 2.* Taylor & Francis, London, xv + 824 pp. + 19 pls. [Jun (pp. 537–552), Jul (553–576), Aug (577–608), Oct (609–632), Nov (633–648), Dec 1886 (649–672) (signature footers)]
- Sharp D (1887) Staphylinidae [part], Supplement, Index [pp. 673–824], Introduction [pp. i–xv]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americana. Insecta. Coleoptera. Vol. I. Part 2.* Taylor & Francis, London, xvi + 824 pp. + 19 pls. [Jan (pp. 673–704), Feb (705–736), Mar (737–744), Sep (745–768), Oct (769–800), Nov 1887 (801–824, i–xvi) (signature footers)]
- Sharp D (1889) The Staphylinidae of Japan [continued]. *The Annals and Magazine of Natural History* (6) 3 (13): 28–44, (14): 108–121, (15): 249–267, (16): 319–334, (17): 406–419, (18): 463–476. [1 Jan (13) – 1 Jun (18) 1889 (Evenhuis 2003: 31)]

- Sharp D (1890) [Pp. 41–80, pls. 2–3]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. 4. Part 3. Rhynchophora. Curculionidae. Attelabinae, Pterocolinae, Allocoryninae, Apioninae, Thecesterninae, Otiorhynchinae.* Taylor & Francis, London, vi + 354 pp. + 15 pls. [Nov (pp. 41–64), Dec 1890 (65–80) (signature footers)]
- Sharp D (1891) [Pp. 81–168] In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. 4. Part 3. Rhynchophora. Curculionidae. Attelabinae, Pterocolinae, Allocoryninae, Apioninae, Thecesterninae, Otiorhynchinae.* Taylor & Francis, London, vi + 354 pp. + 15 pls. [Feb (pp. 81–88), Oct (89–136), Nov 1891 (137–168) (signature footers)]
- Sharp D (1893) On the genus *Mecedanum*, Erichson. *The Entomologist's Monthly Magazine* 29: 255–258. [Nov 1893 issue]
- Sharp D (1894) Adimeridae, Colydiidae [part] [pp. 441–488]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. II. Part 1.* Taylor & Francis, London, xii + 717 + [1] pp. + 19 pls. [Oct (pp. 441–464), Nov 1894 (465–488) (signature footers)]
- Sharp D (1895a) Brenthidae [pp. 1–80, pls. 1–3]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. IV. Part 6.* Taylor & Francis, London, [4] + 396 pp. + 14 pls. [May (pp. 1–32), Jul (33–48), Aug 1895 (49–80) (signature footers)]
- Sharp D (1895b) Colydiidae [part, pp. 489–496]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. II. Part 1.* Taylor & Francis, London, xii + 717 + [1] pp. + 19 pls. [Jan 1895 (signature footer)]
- Sharp D (1899a) Insects. Part II. Hymenoptera continued (Tubulifera and Aculeata), Coleoptera, Strepsiptera, Lepidoptera, Diptera, Aphaniptera, Thysanoptera, Hemiptera, Anoplura. In: Harmer SF, Shipley AE (Eds) *The Cambridge Natural History. Volume VI. Macmillan & Co., London, xii + 626 pp.* [1899 (verso of title page of 2nd ed.); before 15 Sep 1899 (Ent. Record 11: 249)]
- Sharp D (1899b) Colydiidae [part], Rhysodidae, Cucujidae [part] [pp. 497–560]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. II. Part 1.* Taylor & Francis, London, xii + 717 + [1] pp. + 19 pls. [Jun (pp. 497–520), Aug (521–552), Sep 1899 (553–560) (signature footers)]
- Sharp D (1900a) Cucujidae [part], Monotomidae, Cryptophagidae [part] [pp. 561–624]. In: Godman FD, Salvin O (Eds) *Biologia Centrali-Americanica. Insecta. Coleoptera. Vol. II. Part 1.* Taylor & Francis, London, xii + 717 + [1] pp. + 19 pls. [Feb (pp. 561–584), Mar (585–608), Apr 1900 (609–624) (signature footers)]
- Sharp D (1900b) On the Insects from New Britain [pp. 381–394 + pl. 35]. In: Willey A (Ed) *Zoological results based on material from New Britain, New Guinea, Loyalty Islands and elsewhere, collected during the years 1895, 1896 and 1897. Part IV.* University Press, Cambridge. [May 1900 (title page)]
- Sharp D (1905) The genus *Criocephalus*. With notes on the habits of *Asemum striatum* and *Criocephalus ferus*. *The Transactions of the Entomological Society of London* 1905 (1): 145–176, pl. 9. [20 May 1905 (verso of vol. title page)]

- Sharp D (1917) Studies in Rhynchophora. 1. Tribe Pseudobagoini. The Entomologist's Monthly Magazine 53 (2): 26–32. [Feb 1917 (wrapper); 23 Feb 1917 (recorded at USNM)]
- Sharp D (1919a) Studies in Rhynchophora (Coleoptera). V. The genus *Rhyncogonus*. Proceedings of the Hawaiian Entomological Society 4 [1918] (1): 77–82. [Jun 1919 (wrapper); mailed 15 Jul 1919 (fasc. endleaf)]
- Sharp D (1919b) Studies in Rhynchophora. 4. An aberrant new genus and tribe from New Guinea. Entomologist's Monthly Magazine 55 (7): 151–153. [Jul 1919 (wrapper); 22 Jul 1919 (recorded at USNM)]
- Sharp D, Muir F (1912) The comparative anatomy of the male genital tube in Coleoptera. The Transactions of the Entomological Society of London 1912 (3): 477–642, pls. 42–78. [24 Dec 1912 (verso of vol. title page)]
- Shepard WD (2002) Family 46. Limnichidae [pp. 125–126]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Sherborn CD (1922) [Introduction and bibliography, pp. i–cxxxi + 1–128] In: Index animalium sive index nominum quae ab A.D. MDCCCLVIII generibus et speciebus animalium imposita sunt. Societatis eruditorum adiuvantibus. Sectio secunda a kalendis ianuariis, MDCCCXI usque ad finem decembris, MDCCCL. The Trustees of the British Museum, London, cxxxi + 7056 pp.
- Sherborn CD (1929) Index animalium sive index nominum quae ab A.D. MDCCCLVIII generibus et speciebus animalium imposita sunt. Sectio secunda. A Kalendis Ianuariis, MDCCCI usque ad finem Decembris, MDCCCL. Pars XXI. The Trustees of the British Museum, London, pp. 5139–5348.
- Sherborn CD (1934) Dates of publication of catalogues of natural history (post 1850) issued by the British Museum. The Annals and Magazine of Natural History (10) 13: 308–312.
- Sherborn CD (1937a) On the dates of publication of Costa (O. G.) and (A.) Fauna del Regno di Napoli, 1829–1886. Journal of the Society for the Bibliography of Natural History 1 [1936–1943] (2): 35–47. [Feb 1937 (fasc. footers)]
- Sherborn CD (1937b) Brewster's Edinburgh Encyclopaedia. Issued in 18 vols. from 18- to 1830. Journal of the Society for the Bibliography of Natural History 1 [1936–1943]: 112.
- Sherborn CD, Woodward BB (1901) Dates of publication of the zoological and botanical portions of some French voyages., etc. The Annals and Magazine of Natural History (7) 8 (44): 161–164, (46): 333–336, (47): 491–494.
- Shipp JW (1894) The coprophagous lamellicorns; a revised list of species belonging to the genera *Pachylomerus*, Kirby, and *Ateuchus*, Weber. The Entomologist 27: 254–257. [Sep 1894 issue]
- Shockley FW, Tomaszewska KW, McHugh JV (2009) An annotated checklist of the handsome fungus beetles of the world (Coleoptera: Cucujoidea: Endomychidae). Zootaxa No. 1999: 1–113. [4 Feb 2009 (p. 2)]
- Shokhin IV (2007) Materialy k faune plastinchatousykh zhukov (Coleoptera, Scarabaeoidea) Yuzhnogo Rossii. Contribution to the fauna of lamellicorn beetles (Coleoptera, Scarabaeoidea) of Southern Russia, with some nomenclatural changes in the family Scarabaeidae.

- Kavkaziy Entomologicheskiy Byulleten / Caucasian Entomological Bulletin 3 (2): 105–185.
- Shuckard WE (1839a) Elements of British entomology, containing a general introduction to the science, a systematic description of all the genera, and a list of all the species of British insects, with a history of their transformation, habits, economy, and distribution, with outline figures of the families and their larvae and pupae, an explanation of the technical terms, and full directions for collecting. Part I. Hippolyte Baillière, London, 240 pp. [before 3 Jun 1839 (Jour. Proc. Ent. Soc. Lond. 1839: xxv)]
- Shuckard WE (1839b) [text and new taxa] In: Spry, W. & Shuckard, W. E.: The British Coleoptera delineated, consisting of figures of all the genera of British beetles, drawn in outline by W. Spry, M.E.S. W. Crofts, London, viii + 83 pp., 86 + 8 pls. [issued in 8 parts in 1839: 3 Jun (1/2); 1 Jul (3); 5 Aug (4); 7 Oct (5/6); 4 Nov (7); 2 Dec (8) 1839 (Jour. Proc. Ent. Soc. London 1839: xxv–xxxiv); 1840 (vol. title page); Jul 1840 (date of preface)]
- Sicard A (1909) Révision des coccinellides de la faune Malgache. II. Coccinellidae aphidiphagae. Annales de la Société Entomologique de France 78 (1): 63–165. [Jul 1909 (wrapper); 13 Jul 1909 (Bull. Soc. Ent. France 1909: 221)]
- Silfverberg H (1990) The nomenclaturally correct names of some family-groups in Coleoptera. Entomologica Fennica 1 (2): 119–121. [17 Aug 1990 (top of article)]
- Silfverberg H (1992) Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae. Helsingfors Entomologiska Bytesförening, Helsinki, v + 94 pp. [2 Jun 1992 (recorded at FMNH)]
- Skinner H (1892) Entomological literature [review]. Entomological News and Proceedings of the Entomological Section of the Academy of Natural Sciences of Philadelphia 3 (5): 123–125. [mailed 2 May 1892 (p. 164)]
- Skopin NG (1960) Materialy po morfologii i ekologii lichenok triby Blaptini (Coleoptera, Tenebrionidae). [Material on the larval morphology and ecology of the tribe Blaptini (Coleoptera, Tenebrionidae)]. Trudy Instituta Zoologii Akademii Nauk Kazakhskoy SSR (Entomologiya) 11: 36–71, pls. 1–13 [in Russian]. [12 Feb 1960 (author's reprint dedication)]
- Skopin NG (1964) Die Larven der Tenebrioniden des Tribus Pycnocerini (Coleoptera Heteromera). Annales du Musée Royal de l'Afrique Centrale, Tervuren (Série 8vo: Sciences Zooloquies) 127: 1–35 + [1], 16 pls. [1964 (title page)]
- Skopin NG (1978) Tenebrionidae [pp. 223–266]. In: Klausnitzer B (Ed) Ordnung Coleoptera (larven). W. Junk, The Hague, vi + 378 pp. [1978 (title page)]
- Skopin NG (1979) Systematische Stellung der Gattung *Scythis* Schaum, 1865, sowie Revision der Arten (Coleoptera, Tenebrionidae). Annales Historico-Naturales Musei Nationalis Hungarici 71: 169–183. [1979 (title page)]
- Ślipiński SA (1990) A monograph of the world Cerylonidae (Coleoptera; Cucujoidea). Part I - Introduction and higher classification. Annali del Museo Civico di Storia Naturale "Giacomo Doria" 88 [1990–91]: 1–273. [5 Sep 1990 (index p. [687])]
- Ślipiński SA (1992) Larinotinae - a new subfamily of Trogossitidae (Coleoptera), with notes on the constitution of Trogossitidae and related families of Cleroidea. Revue Suisse de Zoologie 99 (2): 439–463. [printed Jun 1992]

- Ślipiński SA, Lawrence JF (1999) Phylogeny and classification of Zopheridae sensu novo (Coleoptera: Tenebrionoidea) with a review of the genera of Zopherinae (excluding Monomatini). *Annales Zoologici (Warszawa)* 49 (1/2): 1–53. [accepted May 1999]
- Ślipiński SA, Lawrence JF, Tomaszecka W (2001) The placement of *Periptyctus* Blackburn in Corylophidae (Coleoptera: Curculionoidea) with descriptions of a new genus and subfamily. *Annales Zoologici (Warszawa)* 51: 311–317.
- Ślipiński SA, Pal TK (1985) Sysolini - new tribe of Bothriderinae (Coleoptera, Colydiidae), with a description of a new species of *Sysolus* from Viet-Nam. Sysolini - nowe plemię w pedrodzinie Bothriderinae (Coleoptera, Colydiidae), z opisem nowego gatunku *Sysolus* z Wietnamu. *Polskie Pismo Entomologiczne* 55: 39–44. [30 Mar 1985 (top of article)]
- Ślipiński SA, Tomaszecka W, Lawrence JF (2009) Phylogeny and classification of Corylophidae (Coleoptera: Cucujoidea) with descriptions of new genera and larvae. *Systematic Entomology* 34 (3): 409–433. [Jul issue; 22 Jun 2009 (vol. contents)]
- Sloane TG (1890) Studies in Australian entomology. No. iv. - New genera and species of Carabidae. *The Proceedings of the Linnean Society of New South Wales* (2) 5 [1890]: 641–653. [issued 16 Dec 1890 (Contents p. v)]
- Sloane TG (1898) On Carabidae from West Australia, sent by Mr. A. M. Lea (with descriptions of new genera and species, synoptic tables, &c.). *The Proceedings of the Linnean Society of New South Wales* 23 (3): 444–520. [issued 9 Dec 1898 (Contents p. iv)]
- Sloane TG (1903) Studies in Australian Entomology. No. xii. New Carabidae (Panageini, Bembidiini, Pogonini, Platysmatini, Platynini, Lebiini, with revisional lists of genera and species, some notes on synonymy, &c.). *The Proceedings of the Linnean Society of New South Wales* 28 [1903–04] (3): 566–642. [issued 23 Dec 1903 (Contents p. viii)]
- Sloane TG (1905) Revisional notes on Australian Carabidae. Part I. Tribes Carabini, Pamborini, Pseudozaenini, Clivini; and the genus *Nebriosoma*. *The Proceedings of the Linnean Society of New South Wales* 29 [1904–05] (4): 699–733. [issued 10 Apr 1905 (Contents p. ix)]
- Sloane TG (1907a) Studies in Australian Entomology. No. xv. New genera and species of Carabidae, with some notes on synonymy (Clivinini, Scaritini, Cunipectini, Trigonotomini and Lebiini). *The Proceedings of the Linnean Society of New South Wales* 32 [1907–08] (2): 346–381. [issued 20 Aug 1907 (Contents p. vii)]
- Sloane TG (1907b) Further Carabidae from German New Guinea and its dependencies. (Col.). *Deutsche Entomologische Zeitschrift* 1907 (5): 467–474. [1 Sep 1907 (Inhalt p. iii)]
- Sloane TG (1920) The Carabidae of Tasmania. *The Proceedings of the Linnean Society of New South Wales* 45 [1920–21] (1): 113–178. [issued 25 Jun 1920 (Contents p. iii)]
- Sloane TG (1923a) The classification of the family Carabidae. *The Transactions of the Entomological Society of London* 1923 [1923–24] (1/2): 234–250. [publ. 10 Aug 1923 (verso of vol. title page)]
- Sloane TG (1923b) Supplementary note to the classification of the Carabidae. *The Transactions of the Entomological Society of London* 1923 (1/2): 250a–250c. [publ. 10 Aug 1923 (verso of vol. title page)]

- Smetana A (1975) Revision of the New World genera of the tribe Omicrini trib. n. of the hydrophilid subfamily Sphaeridiinae (Coleoptera). *Studies on Neotropical Fauna* 10 (2): 153–182. [Dec 1975 (wrapper)]
- Smetana A (1983) The status of the staphylinid genera *Derops* Sharp and *Rimulincola* Sanderson (Coleoptera). *Entomologica Scandinavica* 14 (3): 269–279. [30 Sep 1983 (top of article)]
- Smith ABT (2006) A review of the family-group names for the superfamily Scarabaeoidea (Coleoptera) with corrections to nomenclature and a current classification. *Coleopterists Society Monograph* 5: 144–204. [29 Dec 2006]
- Smith F (1851) List of the coleopterous insects in the collection of the British Museum. Part I [error for V]. - Cucujidae, &c. Trustees of the British Museum, London, [1] + 25 pp. [30 Nov 1851 (date of introduction); 13 Dec 1851 (Sherborn 1934: 310)]
- Smrz J (1982) Comparative anatomy of proventriculus and intraelytral structure of the sub-order Adephaga (Coleoptera). *Acta Universitatis Carolinae - Biologica* 1980 (3/4): 213–296. [1982 (verso of fasc. title page)]
- Solier AJJ (1834) Essai d'une division des coléoptères hétéromères, et d'une monographie de la famille des Collaptérides. *Annales de la Société Entomologique de France* 3 (3): 479–636, pls. 12–15. [by Jan 1835 (as “1834”, Ent. Mag.: 526); 2 Feb 1835 (Jour. Proc. Ent. Soc. London 1835: xli)]
- Solier AJJ (1835a) Prodrome de la famille des Xystropides. *Annales de la Société Entomologique de France* 4 (2): 229–248. [before 28 Sep 1835 (Acad. Sci. France 1: 161)]
- Solier AJJ (1835b) Essai sur les collaptérides (suite). *Annales de la Société Entomologique de France* 4 (3): 509–574, pls. xiv–xv. [before 21 Dec 1835 (Acad. Sci. France 1: 517)]
- Solier AJJ (1835c) Extrait d'une lettre adressée par M. Solier à M. Audouin relative aux Buprestides. In: Errata et addenda. *Annales de la Société Entomologique de France* 3 [1834] (4): xcix–c. [before 4 May 1835 (Jour. Proc. Ent. Soc. London 1835: liii)]
- Solier AJJ (1836) Essai sur les collaptérides [sic] (suite). *Annales de la Société Entomologique de France* 5 (3): 403–512, pls. 11–13. [before 31 Oct 1836 (Acad. Sci. France 3: 521)]
- Solier AJJ (1837a) Essai sur les collaptérides (suite). *Annales de la Société Entomologique de France* 5 [1836] (4): 635–684, pls. 23–24. [before 6 Mar 1837 (Acad. Sci. France 4: 380)]
- Solier AJJ (1837b) Essai sur les collaptérides (suite). *Annales de la Société Entomologique de France* 6 (2): 151–172, 1 pl. [before 9 Oct 1837 (Acad. Sci. France 5: 527)]
- Solier AJJ (1838) Essai sur les collaptérides [sic] (suite). *Annales de la Société Entomologique de France* 7 (1): 5–73, pls. 1–3; (2): 159–199, pls. 7–8. [before 30 Jul (fasc. 1), before 19 Nov (fasc. 2) 1838 (Acad. Sci. France 7: 287, 905)]
- Solier AJJ (1841) Essai sur les collaptérides (suite). *Annales de la Société Entomologique de France* 9 [1840] (3): 207–270, pls. 9–10 [pp. 255–270 as 355–370]. [Apr 1841 (wrapper)]
- Solier AJJ (1848) Essai sur les collaptérides. *Studi Entomologici* 1 (2): 149–370, 12 pls. [1848 (title page)]
- Solier AJJ (1849) Zoología. Tomo cuarto. Insectos. Orden III. Coleópteros. [pp. 105–380, 414–511, pls. 1–12]. In: Gay C (Ed) *Historia física y política de Chile según documentos adquiridos en esta república durante doce años de residencia en ella y publicada bajo los auspicios del supremo gobierno*. C. Gay, Paris, 511 pp. [1849 (title page)]

- Solier AJJ (1851) Zoología. Tomo quinto. Fauna Chilena. Insectos. Coleópteros [pp. 5–285]. In: Gay C (Ed) Historia física y política de Chile según documentos adquiridos en esta república durante doce años de residencia en ella y publicada bajo los auspicios del supremo gobierno. C. Gay, Paris, 564 pp. + 561–563 [bis, Index]. [1851 (title page)]
- Solodovnikov AY, Newton AF, Jr. (2005) Phylogenetic placement of Arrowinini trib. n. within the subfamily Staphylininae (Coleoptera: Staphylinidae), with revision of the relict South African genus *Arrowinus* and description of its larva. Systematic Entomology 30 (3): 398–441. [9 Dec 2004 (online); 18 Jul 2005 (vol. contents)]
- Soriano C, Ponomarenko AG, Delclos X (2007) Coptoclaivid beetles (Coleoptera: Adephaga) from the Lower Cretaceous of Spain: a new feeding strategy in beetles. Palaeontology 50 (2): 525–536. [Mar 2007 issue; 15 Mar 2007 (online)]
- Spaeth F (1914) Über die paläarktischen Cassiden mit besonderer Berücksichtigung jener von Asien. Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien 64 (5/6): (128)-(147). [5 Sep 1914 (vol. title page)]
- Spaeth F (1923) Ueber *Batonota* Hope (Col. cassid.). Wiener Entomologische Zeitung 40 (1/4): 65–76. [publ. 25 Apr 1923 (wrapper)]
- Spaeth F (1926) Monographie der zur Gruppe der Coptocyclitae gehörigen amerikanischen Cassidinen (Col.): I. Die Gattungen mit gekammten Klauen. Supplementa Entomologica 13: 1–108. [15 Sep 1926 (title page)]
- Spaeth F (1929a) Ist *Militinaspis cassidoidoides* eine Cassidinae? Koleopterologische Rundschau 15 (1): 28–30. [15 Jul 1929 (wrapper)]
- Spaeth F (1929b) Die Gattung *Hemisphaerota* Spaeth (Coleopt. Chrysom. Cassid.). Koleopterologische Rundschau 15 (2/3): 111–131. [30 Sep 1929 (wrapper)]
- Spaeth F (1942) Cassidinae (Col. Chrysom.) [pp. 11–43]. In: Titschack E (Ed) Beiträge zur Fauna Perus. Nach der Ausbeute der Hamburger Süd-Peru Expedition 1936, anderer Sammlungen, wie auch auf Grund von Literaturangaben. Band II. G. Fischer, Jena, vii + 344 pp.
- Spaeth F, Reitter E (1926) Bestimmungs-Tabellen der europäischen Coleopteren. 95. Heft. Cassidinae der palaearktischen Region. Emmerich Reitter, Troppau, 68 pp.
- Spangler PJ (1999) A new tribe, genus, and species of limnichid beetle, *Wooldridgeus perforatus*, from Malaysia (Coleoptera: Limnichidae: Wooldridgeini). Insecta Mundi 12 [1998] (3/4): 181–187. [1999 (p. 320 cites paper publ. in Jan 1999)]
- Spangler PJ, Steiner WE, Jr. (2005) A new aquatic beetle family, Meruidae, from Venezuela (Coleoptera: Adephaga). Systematic Entomology 30 (3): 339–357. [Jul issue; 18 Jul 2005 (vol. contents)]
- Speidel W, Naumann CM (2004) A survey of family-group names in noctuid moths (Insecta: Lepidoptera). Systematics and Biodiversity 2 (2): 191–221. [issued Nov 2004]
- Spinola M (1841) Monographie des téridiles. Revue Zoologique 1841 (4): 70–76. [Mar 1841 issue]
- Spinola M (1844) Essai Monographique sur les Clérites, Insectes Coléoptères. Tome premier. Ponthenier, Gènes, ix + 386 pp. [1844 (title page); “sur le point d’être terminé” (insert after Ann. Soc. Ent. France (2) 2 (3): Bull. Ent.: lxiv, publ. 8 Jan 1845); Apr 1845 (Bibliogr. Ital. (N. S.) 1: 131; first of many notices found); several bibliographies cite as 1845]

- Špringlová de Bechyné B (1960) Essai monographique du genre *Eumolpus* (Coleoptera Phytophaga). Institut Royale des Sciences Naturelles de Belgique Mémoires (Deuxième série) 60: 1–79. [distrib. 31 Oct 1960 (title page)]
- St. George RA (1939) The larva of *Perimylops antarcticus* Müller and the systematic position of the family Perimylopidae (Coleoptera). Proceedings of the Entomological Society of Washington 41 (7): 207–214. [27 Oct 1939 (verso of vol. title page)]
- Stafleu FA, Cowan RS (1983) Taxonomic literature: a selective guide to botanical publications and collections with dates, commentaries and types. 2nd ed. Vol. 4: P - Sak. Regnum Veg. No. 110. Scheltema & Holkema, Bohn, 1214 pp.
- Staines CL (2002) The new world tribes and genera of hispines (Coleoptera: Chrysomelidae: Cassidinae). Proceedings of the Entomological Society of Washington 104 (3): 721–784. [mailed 26 Jun 2002 (inside wrapper)]
- Staines CL (2010) Some nomenclatural notes on hispines (Coleoptera: Chrysomelidae: Hispinae). Proceedings of the Entomological Society of Washington 112 (1): 172–173. [Jan 2010 issue]
- Standfuss K, Kerzhner IM (2004) Publikationsdaten der “Trudy Russkogo Obshchestva” und “Horae Societatis Entomologicae Rossicae”, 1861–1932. Daty publikatsii izdaniya “Trudy Russkogo Entomologicheskogo Obshchestva” i “Horae Societatis Entomologicae Rossicae”, 1861–1932. Entomofauna Zeitschrift für Entomologie 25 (14): 237–248. [10 Aug 2004 (top of article)]
- Stebnicka ZT (1977) A revision of the world species of the tribe Aegialiini (Coleoptera, Scarabaeidae, Aphodiinae). Acta Zoologica Cracoviensia 22 (11): 397–506, pl. 23. [31 Dec 1977 (top of article)]
- Stebnicka ZT (1999) *Lomanoxia* Martinez, 1951, and a new tribe Lomanoxiini with notes on comparative morphology (Coleoptera: Scarabaeoidea: Aphodiinae). Acta Zoologica Cracoviensia 42 (2): 279–286. [17 Dec 1999 (top of article)]
- Stebnicka ZT (2001) Aphodiinae (Insecta: Coleoptera: Scarabaeidae). Fauna of New Zealand. Ko te Aitanga Pepeke o Aotearoa. Number 42. Manaaki Whenua Press, Lincoln, Canterbury, New Zealand, 61 pp.
- Stebnicka ZT, Howden HF (1995) Revision of Australian genera in the tribes Aphodiini, Aegialiini and Proctophanini (Coleoptera: Scarabaeidae: Aphodiinae). Invertebrate Taxonomy 9 (4): 709–766. [13 Oct 1995 (vol. 10 (1) contents)]
- Stebnicka ZT, Howden HF (1996) Australian genera and species in the tribes Odontolochini, Psammodiini, Ryparini, Stereomerini and part of the Eupariini (Coleoptera: Scarabaeoidea: Aphodiinae). Invertebrate Taxonomy 10 (1): 97–170. [1 Mar 1996 (11 (1) contents)]
- Steel WO (1950) Notes on the Omaliinae (Col., Staphylinidae). (3) A new tribe and three new genera from New Zealand. The Entomologist's Monthly Magazine 86 (2): 54–64. [14 Mar 1950 (verso of vol. title page)]
- Steel WO (1966) A revision of the staphylinid subfamily Proteininae (Coleoptera) I. Transactions of the Royal Entomological Society of London 118: 285–311. [13 Dec 1966]
- Steffan AW (1964) Torridincolidae, coleopterorum nova familia e regione aethiopica. Entomologische Zeitschrift 74 (17): 193–200. [1 Sep 1964 (top of article)]

- Stein JPEF (1868) Catalogus Coleopterorum Europae. F. Nicolai, Berlin, iv + 149 pp. [1868 (title page)]
- Stein JPEF, Weise J (1877) Catalogi Coleopterorum Europae. Editio secunda. Libraria Nicolai, Berlin, iv + 209 pp. [by Dec 1877 (Biblioth. Hist.-nat. 27 (2): 141).]
- Steiner WE, Jr. (1980) A new tribe, genus, and species of cossyphodine from Peru (Coleoptera: Tenebrionidae). Proceedings of the Entomological Society of Washington 82 (3): 384–395. [mailed 11 Jul 1980 (inside wrapper)]
- Steinhausen WR (2001) Die Puppen mitteleuropäischer Blattkäfer - Eine vorläufige Bestimmungstabelle 1. Teil (Coleoptera: Chrysomelidae). Mitteilungen der Münchner Entomologischen Gesellschaft 91: 35–63. [1 Oct 2001 (top of article)]
- Stephens JF (1827) Illustrations of British entomology; or, a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Mandibulata. Vol. I [pp. 1–76, pls. 1–5]. Baldwin & Cradock, London, iv + 186 + [2] pp. + 9 pls. [1828 (title page); 1 May 1827 (p. 1 footer); 1 Jun (p. 17); 1 Jul (p. 29); 1 Aug (p. 37); 1 Sep (p. 45); 1 Oct (p. 53); 1 Nov (p. 61); 1 Dec (p. 69)]
- Stephens JF (1828) Illustrations of British entomology; or, a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Mandibulata. Vol. II [pp. 1–112, pls. 10–14]. Baldwin & Cradock, London, 200 pp. + pls. 10–15]. [1829 (title page); 1 Jul 1828 (p. 1 footer); 1 Aug (p. 33); 1 Sep (p. 65); 1 Oct (p. 97)]
- Stephens JF (1829a) The nomenclature of British insects; being a compendious list of such species as are contained in the Systematic Catalogue of British Insects, and forming a guide to their classification, &c. &c. Baldwin and Cradock, London, [2] + 68 + [1] pp. [1 Jun 1829 (Blackwelder 1949: 92)]
- Stephens JF (1829b) A systematic catalogue of British insects: being an attempt to arrange all the hitherto discovered indigenous insects in accordance with their natural affinities. Containing also the references to every English writer on entomology, and to the principal foreign authors. With all the published British genera to the present time. [Part 1, Insecta Mandibulata]. Baldwin and Cradock, London, xxxiv + 416 pp. [15 Jul 1829]
- Stibick JNL (1976) A revision of the Hypnoidinae of the world (Col. Elateridae). Part I. Introduction, phylogeny, biogeography. The Hypnoidinae of North and South America. The genera *Berninelsonius* and *Ligmargus*. Eos, Revista Española de Entomología 51 [1975] (1/4): 143–223. [30 Nov 1976 (wrapper)]
- Stibick JNL (1979) Classification of the Elateridae (Coleoptera). Relationships and classification of the subfamilies and tribes. Pacific Insects 20 (2/3): 145–186. [16 May 1979 (top of article)]
- Stichel W (1923) Zur Phylogenetisierung eines geologisch jungen Formenkreises der Käfer, der Ditominen (Carab. Harpal.). Zeitschrift für Wissenschaftliche Insektenbiologie 18 (3/4): 41–50, (5/7): 81–100, (8/9): 145–162, (10/11): 209–242, 2 pls. [1 Apr 1923 (fasc. 3/4); 15 May (5/7); 1 Jul (8/9); 1 Oct (10/11) 1923 (wrappers)]
- Straneo SL (1951) Sur la tribu des Metiini (Antarctiini auct.) (Coleoptera Pterostichidae). Revue Française d'Entomologie 18 (2): 56–88. [15 Jul 1951 (p. 49 footer)]

- Streubel AV (1839) Ueber die Stellung der Brachyelytren oder Staphylinen im natürlichen System (Ein Beytrag zur Classification der Käfer). *Isis von Oken* 1839 (2): 126–137. [not before Mar 1839 (submission dates of ads in Heft 2)]
- Strohecker HF (1953) 210e fascicule. Coleoptera. Fam. Endomychidae. In: Wytsman PA (Ed) Genera Insectorum. L. Desmet-Verteneuil, Bruxelles, 140 pp. + 5 pls. [1953 (title page); 4 Jun 1953 (Evenhuis 1994: 61)]
- Strohecker HF (1962) Key to the genera of the United States [p. 801]. In: Arnett RH, Jr: Part V Suborder Polyphaga (cont.) series Cucujiformia (cont.) Tenebrionoidea, Cucujoidea. Pp. [2 unn.] + 645–850 In: The beetles of the United States (a manual for identification) [original loose-leaf edition]. Catholic University of America Press, Washington D.C., xii + 1112 pp. [+ unn. pp.]. [issued 20 Aug 1962 (verso of title page for Part VI)]
- Strohecker HF (1964) A synopsis of the Amphisternini (Coleoptera: Endomychidae). *Pacific Insects* 6 (2): 319–357. [mailed 31 Aug 1964 (p. v)]
- Strohmeyer G (1928) Systematisches und Zoogeographisches über die Cypholobini (Carab. Anthiinae). Ein Beitrag zur Kenntnis der Fauna des afrikanischen Trockenwaldes. Mitteilungen aus dem Zoologischen Museum in Berlin 14 (2): 287–462, pls. 1–17. [1928 (title page); at least Mar 1928 (previous article submitted)]
- Strohmeyer H (1914) 163me fascicule. Coleoptera. Fam. Platypodidae. In: Wytsman PA (Ed) Genera Insectorum. Vol. XXV. V. Verteneuil & L. Desmet, Bruxelles, pp. 1–55, pls. 1–12. [15 May 1914 (date on manuscr.); 20 Jun 1914 (Evenhuis 1994: 58)]
- Sturm J (1826) Catalog meiner Insecten-Sammlung. Erster Theil. Käfer. J. Sturm, Nürnberg, viii + 207 pp. + 4 pls. [1826 (title page)]
- Sturm J (1843) Catalog der Kaefer-Sammlung von Jacob Sturm. J. Sturm, Nürnberg, xii + 386 pp. + 6 pls. [Jan 1843 (date of preface); Aug 1843 (Ent. Zeit. Stettin 4: 255)]
- Štys P, Jansson A (1988) Check-list of recent family-group and genus-group names of Nepomorpha (Heteroptera) of the world. *Acta Entomologica Fennica* 50: 1–44.
- Suffrian E (1848) Bemerkungen über einige deutsche Rüsselkäfer. (Fortssetzung). *Stettiner Entomologische Zeitung* 9 (2): 52–62. [Feb 1848 issue]
- Suffrian E (1863) Zur Kenntniss der südamerikanischen Cryptocephalen. *Linnaea Entomologica* 15: 77–344. [end Oct 1863 (date of Vorwort); 15 Nov 1863 (Intell.-Blatt Serap. 24: 166)]
- Summers SV (1874) Catalogue of the Coleoptera from the region of Lake Pontchartrain, La. *Bulletin of the Buffalo Society of Natural Sciences* 2 [1874–75]: 78–99. [1875 (vol. title page); May 1874 (footer p. 73)]
- Švácha P, Danilevsky ML (1987) Cerambycoid larvae of Europe and Soviet Union (Coleoptera, Cerambycoidea). Part I. *Acta Universitatis Carolinae - Biologica* 30 [1986] (1/2): 1–176. [Oct 1987 (top of article)]
- Švácha P, Danilevsky ML (1988) Cerambycoid larvae of Europe and Soviet Union (Coleoptera, Cerambycoidea). Part II. *Acta Universitatis Carolinae - Biologica* 31 [1987] (3/4): 121–284. [Dec 1988 (top of article)]
- Švácha P, Wang J-J, Chen S-C (1997) Larval morphology and biology of *Philus antennatus* and *Heterophilus punctulatus*, and systematic position of the Philinae (Coleoptera: Ceramby-

- cidae and Vesperidae). Annales de la Société Entomologique de France (Nouvelle Série) 33 (3): 323–369. [issued 30 Sep 1997 (inside back wrapper)]
- Svenson GJ, Branham MA (2007) Case 3402. Photinini LeConte, 1881 (Insecta, Coleoptera) and Photininae Giglio-Tos, 1915 (Insects, Mantodea): proposed resolution of homonymy between family-group names. Bulletin of Zoological Nomenclature 64 (4): 243–251. [20 Dec 2007]
- Švihla V (1986) Revision of the generic classification of the Old World Oedemeridae (Coleoptera). Sborník Národního Musea v Praze 41 B [1985] (3/4): 141–238.
- Švihla V (2008) Family Oedemeridae [pp. 353–369]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 670 pp. [publ. 15 Apr 2008 (verso of title page)]
- Swainson W (1840) [classification system and marked paragraphs] In: Swainson W, Shuckard WE: On the history and natural arrangement of insects. In: Lardner D (Ed): The Cabinet Cyclopaedia. Natural History. Longman, Orme, Brown, Green & Longmans and Taylor, London, iv + 406 pp. [1840 (title page); Jul 1840 (date of preface); 14 Dec 1840 (Literary Gazette 24: 775); Jan 1841 (reviewed in Entomologist: 38)]
- Świętojańska J, Chorzępa M, Ghate H (2006) Description of last instar larva and pupa of *Chaeridiona picea* Baly, 1869 and *Oncoccephala quadrilobata* (Guerin, 1844) (Coleoptera: Chrysomelidae: Cassidinae: Oncoccephalini) from India. Zootaxa 1341: 49–68. [publ. 23 Oct 2006 (footer p. 49)]
- Szymczakowski W (1964) Analyse systématique et zoogéographique des Catopidae (Coleoptera) de la région orientale. Acta Zoologica Cracoviensia 9 (2): 55–289. [30 Apr 1964 (Contents)]
- Tangelder IRM, Krikken J (1982) Termitophilous scarabs of the tribe Corythoderini: a taxonomic review (Coleoptera: Aphodiidae). Zoologische Verhandelingen No. 194: 1–114. [20 Jul 1982 (wrapper)]
- Telnov D (2004) Check-list of Latvian Beetles (Insecta: Coleoptera). Second edition. Compendium of Latvian Coleoptera. Volume I. Entomological Society of Latvia, Riga, 114 pp.
- Teocchi P (1989) Transfert de *Poimenesperus lugens* White dans le genre *Tragon* Murray et mise en synonymie de *Tragon tragonoides* Lepesme (Coleoptera Cerambycidae Lamiinae). Bulletin de la Société Sciences Nat 61: 4. [Mar 1989 (title page); 28 Mar 1989 (recorded at BMNH)]
- Théry A (1929) Description d'un genre nouveau de la famille des Buprestides (Col.) appartenant à la faune chinoise et remarques diverses. Bulletin de la Société Entomologique de France 1929 (4): 57–60. [4 Apr 1929 (p. 336)]
- Thomas DB (2005) Blasidell's formae and homonyms in the genus *Eleodes* Eschscholtz (Coleoptera: Tenebrionidae: Embaphionini). Annales Zoologici (Warszawa) 55 (4): 549–560. [31 Dec 2005 (inside wrapper)]
- Thomas MC (2008) Beetles (Coleoptera) [pp. 437–447]. In: Capinera JL (Ed). Encyclopedia of Entomology. 2nd edition. Volume 1 A-C. Springer, Netherlands.
- Thompson RT (1992) Observations on the morphology and classification of weevils (Coleoptera, Curculionoidea) with a key to major groups. Journal of Natural History 26 (4): 835–891. [18 Sep 1992 (dates in vol. 27 (1))]

- Thomson CG (1857) Skandinaviens Coleoptera, synoptiskt bearbetade. Häftet I. Carabici. Berlingska Boktryckeriet, Lund, ii + 64 pp. [1857 (title page); Dec 1856 (date of preface); by Mar 1858 (Allgem. Bibliogr. Monatl. Verz. 1858: 43)]
- Thomson CG (1858) Försök till uppställning af Sveriges Staphyliner. Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar 15 (1): 27–40. [11 Jan 1858 (p. 27 footer)]
- Thomson CG (1859) Skandinaviens Coleoptera, synoptiskt bearbetade. Tom. I. Berlingska Boktryckeriet, Lund, [3] + 290 pp. [Apr 1859 (date of Förord); before 14 Dec 1859 (Öfvers. K. Vetensk.-Akad. Förh. 16 (10): 448)]
- Thomson CG (1860) Skandinaviens Coleoptera, synoptiskt bearbetade. II. Tom. Berlingska Boktryckeriet, Lund, 304 pp. [1860 (title page)]
- Thomson CG (1862) Skandinaviens Coleoptera, synoptiskt bearbetade. Tom. IV. Lundbergska Boktryckeriet, Lund, 269 pp. [1862 (title page)]
- Thomson CG (1863) Skandinaviens Coleoptera, synoptiskt bearbetade. Tom. V. Lundbergska Boktryckeriet, Lund, 340 pp. [1863 (title page); Sep-Oct 1863 (Allgem. Bibliogr. Monatl. Verz.)]
- Thomson CG (1864) Skandinaviens Coleoptera, synoptiskt bearbetade. Tom. VI. Lundbergska Boktryckeriet, Lund, 385 pp. [1864 (title page); 5 Sep 1864 (Jour. Proc. Ent. Soc. London 1864: 38)]
- Thomson CG (1865) Skandinaviens Coleoptera, synoptiskt bearbetade. Tom. VII. Lundbergska Boktryckeriet, Lund, 394 pp. [Häftet I: 7 Aug 1865 (Jour. Proc. Ent. Soc. London 1865: 106); II: 1 Jan 1866 (ibid., p. 132)]
- Thomson CG (1866) Skandinaviens Coleoptera, synoptiskt bearbetade. Tom. VIII. Lundbergska Boktryckeriet, Lund, 409 + lxxv pp. [1866 (title page)]
- Thomson CG (1867) Skandinaviens Coleoptera, synoptiskt bearbetade. Tom. IX [Supplément]. Lundbergska Boktryckeriet, Lund, 407 pp. [1867 (title page)]
- Thomson J (1857a) Monographie des cicindélides ou exposé méthodique et critique des tribus, genres et espèces de cette famille. Tome premier. Ballière, Paris, 66 pp. [25 Feb 1857 (livr. 1: pp. xvii, 1–18, pls. 1–3) (Ann. Soc. Ent. France (3) 5: Bull. Ent.: xxiv); 1857 (livr. 2: 19–42, pls. 4–6) (wrapper); 1857 (livr. 3: 43–66, pls. 7–10) (wrapper), 21 Dec 1858 (Proc. Acad. Nat. Sci. Philad. 1858: xxviii)]
- Thomson J (1857b) Monographie de la tribu des anacolites, de la famille des longicornes [pp. 7–20 + 3 pls. in livr. 1]. In: Thomson J (Ed) Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Tome premier. Société Entomologique de France, Paris, 514 + [1] pp. + 1 + 21 pls. [15 Mar 1857 (date of Préface); 25 Mar 1857 (Ann. Soc. Ent. France (3) 5: Bull. Ent.: xxxiii)]
- Thomson J (1858) Voyage au Gabon. Deuxième partie. Histoire naturelle proprement dite. Insectes. I. Ordre coléoptères [livr. 13–14: pp. 29–80; livr. 15: 81–239]. In: Thomson J (Ed) Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Tome deuxième. Société Entomologique de France, Paris, 469 + [2] pp. + 1 + 15 pls. [livr. 13–15: Jun 1858 (Arch. Nat. Hist. 16: 90–91)]
- Thomson J (1859) Notice historique sur le genre *Cicindela* suivie de la description de sept espèces nouvelles de Cicindelidae [livr. 2: pp. 85–92]. In: Thomson J (Ed). Arcana Naturae

- ou Recueil d'Histoire Naturelle. J. B. Ballière et fils, Paris, 132 pp. + 13 pls. [end of 1859, probably early 1860 (Hayek 1989: 93)]
- Thomson J (1860a) Essai d'une classification de la famille des Cérambycides et matériaux pour servir à une monographie de cette famille [livr. 1: pp. xvi + 1–128]. J. Thomson, Paris, xvi + 396 pp. + 3 pls. [1 May 1860 (date of dedication)]
- Thomson J (1860b) Matériaux pour servir à une monographie nouvelle de la famille des Clérides [pp. 46–67]. In: Thomson J (Ed) Musée Scientifique ou Recueil d'Histoire Naturelle. J. Thomson, Paris, 96 pp., 9 pls. [1860 (title page); 1860 (livr. 1, pp. 1–40) (Bull. Bibliogr. Sci. Phys. 1: 181); 1860 (livr. 2, pp. 41–72) (Arch. Nat. Hist. 16: 94)]
- Thomson J (1861) Essai d'une classification de la famille des Cérambycides et matériaux pour servir à une monographie de cette famille [livr. 2–4: pp. 129–396]. J. Thomson, Paris, xvi + 396 pp. + 3 pls. [1861 (wrapper, p. 396 footer); Jul 1861 (Ann. Mag. Nat. Hist. (3) 8: 41–46, Bates discusses Pseudolepturitae, Distenitae [in part 2], and the genera *Cheloderus* and *Oxypeltis* [in part 3]); Aug 1861 (ibid., p. 150, genus *Aegomorphus* [in Supplément, p. 336])]
- Thomson J (1864) Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. [pp. 1–352]. H. Dessain, Liège, 578 pp. [1 Jan 1864 (date of dedication); 1864 (livr. 1–3: Zool. Record 1864: 336); before Oct 1864 (livr. 1–2: pp. 1–272: cited by Pascoe, 1864: 81, 85); Apr 1865 (livr. 3: pp. 273–352: Allgem. Bibliogr. Monatl. Verz. 1865: 44); 27 Dec 1865 (livr. 4: 353–578: Ann. Soc. Ent. France (4) 6: 243)]
- Thomson J (1868) Physis recueil d'histoire naturelle. Tome deuxième. Société Entomologique de France, Paris, 208 pp. [15 May 1868 (livr. 4, pp. 5–40); 1 Aug 1868 (livr. 5, pp. 41–100); 15 Oct 1868 (livr. 6, pp. 101–208) (all Bibliogr. France 1868)]
- Thomson J (1877) Typi cerambycidarum musei Thomsoniani. Revue et Magasin de Zoologie Pure et Appliquée (3) 5 [40]: 249–279.
- Thon T (1827) [review of Dejean (1825–1826); pp. 12–16] In: Entomologisches Archiv. Erster Band, Erstes Heft. T. Thon, Jena, iv + 16 + [2] pp., 2 pls. [Jul-Oct 1827 (Foreign Quart. Rev. 1: 670)]
- Thunberg CP (1789) Periculum entomologicum, quo characteres generum insectorum. J. Edman, Upsaliae, 16 pp.
- Tillyard RJ (1924) Upper Permian Coleoptera and a new order from the Belmont beds, New South Wales. The Proceedings of the Linnean Society of New South Wales 49 (4): 429–435, pls. 45–46. [issued 29 Dec 1924 (contents)]
- Tippmann FF (1956) Eine neue, morphologisch einmalige Lamiine aus Ost-Perú (Coleoptera: Cerambycidae, subfam. Lamiinae). Entomologische Blätter für Biologie und Systematik der Käfer 51 [1955] (1/2): 8–14. [1 Apr 1956 (wrapper)]
- Tippmann FF (1960) Studien über neotropische Longicornier III (Coleoptera: Cerambycidae.). Koleopterologische Rundschau 37/38 [1959/60]: 82–217.
- Tishechkin AK (2007) Phylogenetic revision of the genus *Mesynodites* (Coleoptera: Histeridae: Hetaeriinae) with descriptions of new tribes, genera and species. Sociobiology 49 (1): 1–167. [19 Jan 2007 (recorded at CNC)]

- Tomaszewska W (2000) Morphology, phylogeny and classification of adult Endomychidae (Coleoptera: Cucujoidea). *Annales Zoologici (Warszawa)* 50 (4): 449–558. [20 Dec 2000 (verso of issue title page)]
- Tömösváry Ö (1883) Adatok hazánk Thysanura-Faunájához. Magyar Tudományos Akadémia Mathematikai és Természettudományi Közlemények 18: 119–131, 1 pl. [1883 (Zool. Jahresber. 1: 162)]
- Tottenham CE (1949) The generic names of the British Staphylinidae with a check list of the species. The generic names of British insects Part 9. Royal Entomological Society, London, 345–466. [30 Aug 1949]
- Tottenham CE (1954) Vol. IV. Part 8(a). Coleoptera. Staphylinidae. Section (a) Piestinae to Euaesthetinae. Handbooks for the identification of British insects. Royal Entomological Society of London, London, pp. 1–79. [30 Nov 1954 (wrapper)]
- Tournier H (1874) Matériaux pour servir à la monographie de la tribu des Érirrhinides de la famille des Curculionides (Coléoptères). *Annales de la Société Entomologique de Belgique* 17 (1): 63–116. [30 Jul 1874 (wrapper)]
- Tòyama M (1986) The buprestid genus *Chalcophorella* Kerremans and its related genera (Coleoptera, Buprestidae). In: Ueno SI (Ed) Entomological papers presented to Yoshihiko Kurosawa on the occasion of his retirement, 188–193.
- Tòyama M (1987) The systematic positions of some buprestid genera (Coleoptera, Buprestidae). *Elytra* 15: 1–11.
- Trédl R (1907) Nahrungspflanzen und Verbreitungsgebiete der Borkenkäfer Europas. (Schluss). *Entomologische Blätter* 3 (5): 69–72. [18 May 1907 (p. 65)]
- Triplehorn CA, Johnson NF (2005) Borror and DeLong's introduction to the study of insects. Seventh edition. Thomson Brooks/Cole, Belmont, California, [4, liner] + x + 864 pp.
- Tschitschérine T (1898) Matériaux pour servir à l'étude des feroniens. IV. *Horae Societatis Entomologicae Rossicae* 32 (1/2): 1–224. [22 Jul 1898 (répartitions p. v; Standfuss and Kerzhner 2004: 242); 1899 (title page; Madge 1989)]
- Tschitschérine T (1899) Sur l'emploi des noms de *Feronia* et de *Platysma* et sur les rapports des *Zabrus* avec les *Amara* (Col.). *Bulletin de la Société Entomologique de France* 1899 (4): 83–85. [séance 22 Feb 1899]
- Tschitschérine T (1900) Mémoire sur la tribu des Harpalini. *Horae Societatis Entomologicae Rossicae* 34 [1899–1900] (3/4): 335–370. [14 Aug 1900 (Julian 1 Aug, répartitions p. vi)]
- Tschitschérine T (1902) Notes sur les Platysmatini de l'Australie. *Horae Societatis Entomologicae Rossicae* 35 (3/4): 502–534. [3 May 1902 (Julian 20 Apr, p. vi)]
- Tschitschérine T (1903) Chaetodactylini, subtribus nova Platysmatinorum (Coleoptera, Carabidae). *Horae Societatis Entomologicae Rossicae* 36 (1/2): 157–163. [2 Feb 1903 (Julian 20 Jan, p. vi)]
- Tulk A (1847) Elements of Physiophilosophy. [English translation of: Oken, L., 1843: Lehrbuch der naturphilosophie. Dritte, neu bearbeitete Auflage]. The Ray Society, London, xix + [1] + 665 pp. [1847 (title page)]
- Turco F, Di Giulio A, Bologna MA (2006) First-instar larval morphology in the subtribe Lydina (Coleoptera, Meloidae, Lyttini), with discussion on its systematic value. *Deutsche Entomologische Zeitschrift* 53 (2): 213–222 [Nov 2006 issue; 13 Oct 2006 (publ. online)]

- Uéno S-I (1957) Blind aquatic beetles of Japan, with some accounts of the fauna of Japanese subterranean waters. Archiv für Hydrobiologie 53 (2): 250–296, 3 pls. [Apr 1957 (top of article)]
- Uhmann E (1930) Hispinnen aus Costa Rica aus der Ausbeute der Herrn. Ferd. Nevermann. 20. Beitrag zur Kenntnis der Hispinnen (Col. Chrys.). Folia Zoologica et Hydrobiologica 1 [1929–30] (2): 209–256. [20 May 1930 (wrapper)]
- Uhmann E (1940) Die Klauen der Hispinnen. 90. Beitrag zur Kenntnis der Hispinnen (Col. Chrys.). Zoologischer Anzeiger 130 (5/6): 119–123. [15 May 1940 (wrapper)]
- Uhmann E (1960) Hispinae aus Madagascar. 2. Teil. 192. Beitrag zur Kenntnis der Hispinae (Col. Chrysomelidae). Revue Française d'Entomologie 27 (1): 58–91. [printed 12 Mar 1960 (p. 100)]
- Valentine BD (1960) The genera of the weevil family Anthribidae North of Mexico (Coleoptera). Transactions of the American Entomological Society 86 (1): 41–85. [issued 17 Jun 1960 (list of papers)]
- Valentine BD (1990) The Anthribidae of the Seychelles and Mascarene Islands: taxonomy, keys and a bibliographic catalogue (Coleoptera). Insecta Mundi 3 (3 [Sep 1989]): 233–246. [9 Mar 1990 (4: 132)]
- Valentine BD (1999) A review of Nearctic and some related Anthribidae (Coleoptera). Insecta Mundi 12 [1998] (3/4): 251–296. [1999 (p. 320 cites paper publ. in Jan 1999)]
- Valentine JM (1987) Some ancient and zoogeographically significant carabid beetles from the south Pacific (Coleoptera: Carabidae), with descriptions of new taxa. Bishop Museum Occasional Papers 27: 73–89. [publ. 19 Feb 1987 (verso of title page)]
- Vaurie P (1973) The weevil genera *Homalinotus* and *Ozopherus* of the Neotropical Cholinae (Coleoptera, Curculionidae). Bulletin of the American Museum of Natural History 152 (1): 1–50. [29 Jun 1973 (title page)]
- Vaurie P (1974) A new tribe for the South American genera *Cholomus* and *Irenarchus* (Coleoptera, Curculionidae, Cholinae). American Museum Novitates No. 2548: 1–13. [issued 26 Sep 1974 (p. 1 footer)]
- Vaz-de-Mello FZ (2008) Synopsis of the new subtribe Scatimina (Coleoptera: Scarabaeidae: Scarabaeinae: Ateuchini), with descriptions of twelve new genera and review of *Genieridium*, new genus. Zootaxa No. 1955: 1–75. [publ. 5 Dec 2008 (footer p. 3)]
- Verma KK, Gomez-Zurita J, Jolivet P (2005) Biology of *Eupales ulema* (Germar, 1813), and its taxonomic placement among Eumolpinae (Coleoptera, Chrysomelidae). Nouvelle Revue d'Entomologie (Nouvelle Série) 22 (2): 155–164. [30 Sep 2005 (back wrapper)]
- Viana MJ (1952) Nueva subfamilia de Curculionidae, para la Argentina y Bolivia. Subfamilia Schöenherriellinae. (Coleopt.). Revista de la Sociedad Entomológica Argentina 15 (4): 231–236. [31 Dec 1952 (wrapper)]
- Viana MJ (1964) Revision sistemática de las especies argentinas de “Goniocheniici” Spaeth y catálogo bibliográfico de la tribus (Coleopt., Chrysomelidae, Cassidinae). Revista del Museo Argentino de Ciencias Naturales “Bernardino Rivadavia”, Entomología 1: 217–266.
- Viana MJ (1971) Micholaeminae nueva subfamilia de Rhipiphoridae y *Micholaemus gerstaeteri* nuevo género y especie de la República Argentina (Insecta, Coleoptera). Revista de la Sociedad Entomológica Argentina 33 (1/4): 69–76. [Dec 1971 (vol. title page)]

- Viana MJ, Martínez A (1971) Una nueva subfamilia de Anobiidae (Insecta, Coleoptera). *Neotropica* 17 (54): 121–126. [1 Dec 1971 (p. 105)]
- Vienna P (1974) Gli Histeridae paleartici conservati nella collezione del Museo Civico di Storia Naturale di Milano (Coleoptera). *Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano* 115 (3/4): 271–284. [15 Dec 1974 (p. 424)]
- Viette P (1993) Quelle date de publication pour le volume du Bulletin de l'Académie Malgache, nouvelle série, tome VII, anné 1924? *Bulletin de la Société Entomologique de France* 98 (2): 180. [Jun 1993 issue; Aug 1993 (dépôt légal, back wrapper)]
- Villiers A (1961) Sur la structure des palpes maxillaires de quelques Disteniinae (Coleoptera Cerambycinae) [pp. 382–385]. XI Internationaler Kongreß für Entomologie Wien, 17 bis 25 August 1960 Verhandlungen Band I, 803 pp.
- Villiers A (1978) Faune des coleoptères de France 1. Cerambycidae. *Encyclopédie Entomologique Série A, Travaux généraux*. Vol. 42. 552 pp. [Oct 1978 (Bull. Ent. Soc. France 84: 100)]
- Villiers A (1980) Coléoptères Cerambycidae des Antilles françaises III. Lamiinae. *Annales de la Société Entomologique de France (Nouvelle Série)* 16 (4): 541–598. [31 Dec 1980 (back wrapper)]
- Vitali F (2002) Versetzung der Tribus Holopterini Lacordaire, 1869 zur Unterfamilie Lepturinae (Coleoptera, Cerambycidae). *Entomofauna* 23 (3): 29–33. [publ. 15 Apr 2002]
- Vives E (2000) Coleoptera, Cerambycidae. In: Ramos Sánchez A (Ed) *Fauna Iberica*. Vol. 12. Museo Nacional de Ciencias Naturales, Madrid, 715 pp. + 5 pls. + [1, adenda] [pp. 567–661 are by Vives and Alonso-Zarazaga]. [publ. 20 Dec 2000 (verso of title page)]
- Vives E (2005) Révision du genre *Vesperus* Dejean 1821 (Coleoptera: Cerambycidae). *Annales de la Société Entomologique de France (Nouvelle Série)* 40 [2004] (3/4): 437–457. [10 Aug 2005 (back wrapper)]
- Vives E, Alonso-Zarazaga MA (2000) Apéndice 1. Nomenclatura: lista de sinónimos y combinaciones [pp. 567–661]. In: Vives E: Coleoptera, Cerambycidae. In: Ramos Sánchez A (Ed) *Fauna Iberica*. Vol. 12. Museo Nacional de Ciencias Naturales, Madrid, 715 pp. + 5 pls. + [1, adenda]. [publ. 20 Dec 2000 (verso of title page)]
- Vogt H (1967) 53. Familie: Cucujidae [pp. 83–104]. In: Freude H, Harde KW, Lohse GA (Eds). *Die Käfer Mitteleuropas*. Band 7. Clavicornia. Goecke & Evers, Krefeld, 310 pp.
- Volkovitsh MG (2001) The comparative morphology of antennal structures in Buprestidae (Coleoptera): evolutionary trends, taxonomic and phylogenetic implications. Part 1. *Acta Musei Moraviae Časopis Moravského Muzea Scientiae Biologicae* 86 (1/2): 43–169.
- Volkovitsh MG (2008) A revision of the buprestid subtribe Xenopsina subtr. n. with description of new species of the genera *Xenopsis* Saund. and *Sommaia* Toyama (Coleoptera, Buprestidae, Polycestinae) and notes on the systematic position of the subtribe. *Entomologické obozrenie* 87: 627–649.
- Voss E (1922) Monographische Bearbeitung der Unterfamilie Rhynchitinae (Curc.). I. Teil, Nemonychini - Auletini. *Archiv für Naturgeschichte (Abteilung A)* 88 (8): 1–113. [Aug 1922 (Newton); 10 Oct 1922 (recorded at BMNH)]

- Voss E (1923) Indo-Malayische Rhynchitinen (Curculionidae). II, Zehnter Beitrag zur Kenntnis der Curculioniden. *The Philippine Journal of Science* 22 (5): 489–514. [5 May 1923 (vol. contents)]
- Voss E (1925) Die Unterfamilien Attelabinae und Apoderinae. (Col. Curc.). (18. Beitrag zur Kenntnis der Curculioniden) (Fortsetzung). *Stettiner Entomologische Zeitung* 85 [1924] (1/2): 1–78 + pls. 1–3, 191–304. [May 1925 (Inhalt)]
- Voss E (1926) Die Unterfamilien Attelabinae und Apoderinae. (Col. Curc.). (18. Beitrag zur Kenntnis der Curculioniden) (Fortsetzung). *Stettiner Entomologische Zeitung* 87 (1): 1–89 + pls. 4–6. [May 1926 (Inhalt)]
- Voss E (1929a) Die Unterfamilien Attelabinae und Apoderinae (Col. Curc.). (18. Beitrag zur Kenntnis der Curculioniden) (Fortsetzung). *Stettiner Entomologische Zeitung* 90 (2): 161–242. [Dec 1929 (Inhalt)]
- Voss E (1929b) Einige bisher unbeschriebene Rhynchitinen der palaearktischen Region. (Col. Curc.) (27 Beitrag zur Kenntnis der Curculioniden). *Entomologische Blätter* 25 (1): 24–29. [31 Mar 1929 (wrapper)]
- Voss E (1930) Die Attelabiden der Hauserschen Sammlung. (Col. Curc.) (28. Beitrag zur Kenntnis der Curculioniden). *Wiener Entomologische Zeitung* 47 (2): 65–88. [10 Jun 1930 (wrapper)]
- Voss E (1931) Monographie der Rhynchitinen-Tribus Rhinomacerini und Rhinorhynchini. II. Teil der Monographie der Rhynchitinae-Pterocolinae. (36. Beitrag zur Kenntnis der Curculioniden). B. Spezieller Teil I. Unterfamilie Rhynchitinae. *Entomologische Blätter* 27 (4): 162–167. [31 Dec 1931 (wrapper)]
- Voss E (1933a) Vier neue Rüsslerarten aus Szetschwan nebst Bemerkungen zu bekannten Arten. (Col. Curc.). (44. Beitrag zur Kenntnis der Curculioniden). *Entomologisches Nachrichtenblatt* (Troppau) 7 (1): 27–34. [Jan 1933 (article footers)]
- Voss E (1933b) Monographie der Rhynchitinen-Tribus Auletini. III. Teil der Monographie der Rhynchitinae-Pterocolinae. (37. Beitrag zur Kenntnis der Curculioniden). *Stettiner Entomologische Zeitung* 94 (1): 108–136. [15 May 1933 (wrapper)]
- Voss E (1934) Die Cossoninen Afrikas und Madagaskars des Deutschen Entomologischen Instituts der Kaiser-Wilhelm-Gesellschaft. (Schluss). Arbeiten über morphologische und taxonomische Entomologie aus Berlin-Dahlem 1 (3): 186–194. [12 Sep 1934]
- Voss E (1935a) Fünf Rüssler aus den Tribus Prionomerini und Anthonomini von Java. (Col. Curc.). (59. Beitrag zur Kenntnis der Curculioniden). *Entomologische Blätter* 31 (6): 228–233. [31 Dec 1935 (wrapper)]
- Voss E (1935b) Einige unbeschriebene Curculioniden aus dem Indomalayischen Archipel. 58. Beitrag zur Kenntnis der Curculioniden. *The Philippine Journal of Science* 56 (4): 509–522. [Apr 1935]
- Voss E (1936) Über die Tribus Scolopterini sowie einige verwandte Gattungen und Gruppen von Neu-Seeland (Coleoptera: Curculionidae). (62. Beitrag zur Kenntnis der Curculioniden) (Schluss). Arbeiten über morphologische und taxonomische Entomologie aus Berlin-Dahlem 3 (2): 110–121. [8 Jun 1936 (vol. title page)]

- Voss E (1937a) Nochmals die Tribus Scolopterini, sowie zur Abgrenzung der Subfamilie Eugnominae (Coleoptera: Curculionidae). Arbeiten über Morphologische und Taxonomische Entomologie aus Berlin-Dahlem 4 (1): 37–43. [publ. 25 Jan 1937 (vol. Inhalt)]
- Voss E (1937b) Ein weiterer Beitrag zur Kenntnis der Curculioniden Javas. (65. Beitrag zur Kenntnis der Curculioniden). Tijdschrift voor Entomologie 80 (1/2): 127–166. [May 1937 (vol. title page)]
- Voss E (1939) Rhynchitinen, Attelabinen und Cossoninen aus dem Kongo-Gebiet (Col., Curc.). Revue de Zoologie et de Botanique Africaines 32 (1): 42–82. [25 Feb 1939 (p. 42); 30 Mar 1939 (recorded at BMNH)]
- Voss E (1940) Über Rüsselkäfer der Indomalayischen Subregion, vorwiegend von Java. (Coleoptera: Curculionidae.) Teil II. (89. Beitrag zur Kenntnis der Curculioniden). Arbeiten über morphologische und taxonomische Entomologie aus Berlin-Dahlem 7 (4): 279–287. [20 Dec 1940 (wrapper)]
- Voss E (1944) Anthonominen-Studien (Col., Curc.). (97. Beitrag zur Kenntnis der Curculioniden). Stettiner Entomologische Zeitung 105 (1/2): 34–51. [1 Jun 1944 (wrapper)]
- Voss E (1948) Über einige von Herrn Dr. Wettstein auf Kreta gesammelte Curculioniden (Col. Curc.). (109. Beitrag zur Kenntnis der Curculioniden). Annalen des Naturhistorischen Museums in Wien 56: 70–76. [Aug 1948 (wrapper)]
- Voss E (1952) Mandschurische Rüssler aus dem Museum G. Frey. (121. Beitrag zur Kenntnis der Curculioniden). Mitteilungen der Münchner Entomologischen Gesellschaft 42: 190–205. [15 Nov 1952 (title page); 1 Nov 1952 (top of p. 1)]
- Voss E (1953) Einige Rhynchophoren der Bernsteinfauna (Col.). Mitteilungen aus dem Geologischen Staatsinstitut in Hamburg 22: 119–140. [Feb 1953 (top of article)]
- Voss E (1954) Curculionidae (Col.) [pp. 193–376]. In: Titschack E (Ed) Beiträge zur Fauna Perus nach der Ausbeute der Hamburger Südperu-Expedition 1936, anderer Sammlungen, wie auch auf Grund von Literaturangaben. Band IV. Wissenschaftliche Bearbeitungen. G. Fischer, Jena, viii + 386 pp. [10 Dec 1954 (recorded at BMNH)]
- Voss E (1955a) Bemerkenswerte Ergebnisse einer Revision der Attelabiden des Ungarischen Naturwissenschaftlichen Museums zu Budapest, nebst Bemerkungen zur Cossoninen-Gattung *Aphyllura* Reitt. (Coleoptera). Annales Historico-Naturales Musei Nationalis Hungarici (Series nova) 6: 269–277. [printed 14 Jul 1955 (vol. title page)]
- Voss E (1955b) Zur Synonymie und systematischen Stellung europäischer Cossoninen-Gattungen unter Berücksichtigung einiger Gattungen der madeirischen Fauna. (126. Beitrag zur Kenntnis der Curculioniden). Mitteilungen der Münchner Entomologischen Gesellschaft 44/45 [1954–55]: 182–239. [1 Aug 1955 (vol. title page)]
- Voss E (1956a) Die von Biró auf Neu-Guinea aufgefundenen Rüsselkäfer (Col.). I. Annales Historico-Naturales Musei Nationalis Hungarici (Series nova) 7: 121–142.
- Voss E (1956b) Über einige in Fukien (China) gesammelte Rüssler. V, nebst einer neuen Gattung und Art aus Yunnan (Col. Curc.). Entomologische Blätter für Biologie und Systematik der Käfer 51 [1955] (1/2): 21–45. [1 Apr 1956 (wrapper)]
- Voss E (1957) *Archimetrioxena electrica* Voss und ihre Beziehungen zu rezenten Formenkreisen (Col., Curc.). Deutsche Entomologische Zeitschrift (Neue Folge) 4 (1/2): 95–102. [1 Apr 1957 (vol. Inhalt)]

- Voss E (1958) Ein Beitrag zur Kenntnis der Curculioniden im Grenzgebiet der Orientalischen zur Paläarktischen Region (Col., Curc.) die von J. Klapperich und Tschung Sen in der Provinz Fukien gesammelten Rüsselkäfer (132. Beitrag zur Kenntnis der Curculioniden). Decheniana Beihefte 5: 1–139. [Jun 1958 (title page); 16 Jun 1958 (date of Vorwort); May 1958 (top of article)]
- Voss E (1959) Ein Beitrag zur Kenntnis der Apioniden-Fauna Zentralafrikas (Coleoptera Curculionoidea). Annales du Musée Royal du Congo Belge (Série in 8°. Sciences Zoologiques) 76: 7–119. [printed Sep 1959 (endleaf); 22 Dec 1959 (recorded at BMNH)]
- Voss E (1960) Nowy rodzaj i podrodzaj z podroziny Rhynchitinae z Chin (Coleoptera, Curculionidae). Noviy rod i podrod podsemeystva Rhynchitinae iz Kitaya (Coleoptera, Curculionidae). Eine neue Gattung und Untergattung der Subfamilie Rhynchitinae aus China (Coleoptera, Curculionidae). (154. Beitrag zur Kenntnis der Curculioniden). Annales Zoologici (Warszawa) 18 (22): 413–420. [20 Apr 1960 (title page); 2 Nov 1960 (recorded at BMNH)]
- Voss E (1962) Attelabidae, Apionidae, Curculionidae (Coleoptera Rhynchophora). Exploration du Parc National de l'Upemba Mission G F de Witte. Fascicule 44. Institut des Parcs Nationaux du Congo Belge, Bruxelles, 380 pp. [publ. 15 Sep 1962 (endleaf)]
- Voss E (1963) Neue Curculioniden und Gattungen aus Madagaskar (Col.). (184. Beitrag zur Kenntnis der Curculioniden). Entomologische Mitteilungen aus dem Zoologischen Staatsinstitut u Zoologischen Museum Hamburg 3 (47): 1–6. [30 Dec 1963]
- Voss E (1965) Mission zoologique de l'I.R.S.A.C. en Afrique Orientale (P. Basilewsky et N. Leleup, 1957) Résultats scientifiques. Cinquième partie. Coleoptera Curculionidae II (Schluss). Annales du Musée Royal de l'Afrique Centrale, Tervuren (Série in 8°, Zoologie) 138: 293–377. [printed Jun 1965 (verso of title page)]
- Voss E (1972) [new taxa] In: Decelle J, Voss E: 35. Fam. Curculionidae In: La faune terrestre de l'île de Sainte-Hélène. Deuxième partie. II. Insectes. 9. Coleoptera. Annales du Musée Royal de l'Afrique Centrale, Tervuren (Sciences Zoologiques) 192: 306–515. [Mar 1972 (vol. title page)]
- Vulcano MA, Martínez A, Pereira FS (1961) Eurysternini, nueva tribu de Scarabaeinae (Col. Scarabaeidae). Actas y Trabajos del Primer Congreso Sudamericano de Zoología (La Plata, 12–24 octubre 1959). Sección IV: Entomología [1960]. Tomo III. pp. 267–271. [printed 8 Sep 1961 (endleaf)]
- Wagner H (1936) Vorstudien zu einer monographischen Bearbeitung der Ceuthorhynchinen Mitteleuropas (Col.Curcul.). Entomologische Blätter 32 (4): 161–170. [31 Aug 1936 (wrapper)]
- Wagner H (1938) Monographie der paläarktischen Ceuthorrhynchinae (Curcul.). Entomologische Blätter 34 (4): 145–172. [15 Aug 1938 (wrapper)]
- Wallace AR (1860) On the zoological geography of the Malay Archipelago. Journal of the Proceedings of the Linnean Society Zoology 4: 172–184. [read 3 Nov 1859]
- Wanat M (1995) Systematics and phylogeny of the tribe Ceratapiiini (Coleoptera: Curculionoidea: Apionidae). Genus. International Journal of Invertebrate Taxonomy (Supplement) [1994]: 1–406. [10 Feb 1995 (verso of title page)]

- Wanat M (2001) Genera of Australo-Pacific Rhadinocybinae and Myrmacelinae, with biogeography of the Apionidae (Coleoptera: Curculionoidea) and phylogeny of the Brentidae (s. lato). *Mantis, Olsztyn*, 432 pp. [15 Oct 2001 (verso of title page)]
- Wang WI (1993) On Liaoximordellidae fam. n. (Coleoptera, Insecta) from the Jurassic of western Liaoning Province, China. *Acta Geologica Sinica [Di Zhi Xue Bao]* 67 (1): 86–94 + pl. 1 [in Chinese, English summary]. [Feb 1993 (top of article); 10 May 1993 (recorded at BMNH)]
- Warchałowski A (1994) Chrysomelidae. Stonkowate (Insecta: Coleoptera). Część IV (podplemiona: Chrysomelina, Gonioctenina, Phratorina i Entomoscelina oraz podrodzina Galerucinae). Fauna Polski Fauna Poloniae. Tome 16. 279 pp. [1994 (title page)]
- Wasemann E (1887) Neue Brasilianische Staphyliniden, bei *Ecton hamatum* gesammelt von Dr. W. Müller. *Deutsche Entomologische Zeitschrift* 31 (2): 403–416, pl. 5. [Nov 1887 (vol. Inhalt p. i)]
- Wasemann E (1894) Kritisches Verzeichniss der Myrmekophilen und Termitophilen Arthropoden. Mit Angabe der Lebensweise und mit Beschreibung neuer Arten. F. L. Dames, Berlin, xv + 231 pp. [1894 (title page)]
- Wasemann E (1896) Viaggio di Leonardo Fea in Birmania e regioni vicine, LXXII. Neue Termitophilen und Termiten aus Indien. *Annali del Museo Civico di Storia Naturale “Giacomo Doria”* (2) 16 [36]: 613–630, pl. 2. [27 Jun 1896 (Poggi 2010: 122)]
- Wasemann E (1899) Neue Termitophilen und Myrmecophilen aus Indien. *Deutsche Entomologische Zeitschrift* 1899 (1): 145–169, pls. 1–2. [end Jul 1899 (p. 37)]
- Wasemann E (1904a) Die moderne Biologie und die Entwicklungstheorie. Zweite, vermehrte Auflage. Herder, Freiburg im Breisgau, xii + 323 pp., 4 pls.
- Wasemann E (1904b) Zur Kenntniss der Gäste der Treiberameisen und ihrer Wirthe am oberen Congo, nach den Sammlungen und Beobachtungen von P. Herm. Kohl C. SS. C. bearbeitet (138. Beitrag zur Kenntnis der Myrmekophilen und Termitophilen.). *Zoologische Jahrbücher, Supplement* 7: 611–682, pls. 31–33.
- Wasemann E (1912) *Mimanomma spectrum*, ein neuer Dorylinengast des extremsten Mimikrytypus. *Zoologischer Anzeiger* 39 (13/14): 473–481. [30 Apr 1912 (fasc. title page); 7 May 1912 (recorded at BMNH)]
- Wasemann E (1916a) Neue dorylophile Staphyliniden Afrikas (Col.). (217. Beitrag zur Kenntnis der Myrmekophilen). *Entomologische Mitteilungen* 5 ((1/4)): 92–109, (5/8): 134–147, pl. 3. [25 Mar (fasc. 1/4), 15 Jul (5/8) 1916 (wrappers)]
- Wasemann E (1916b) Wissenschaftliche Ergebnisse einer Forschungsreise nach Ostindien, ausgeführt im Auftrage der Kgl. Preuß. Akademie der Wissenschaften zu Berlin von H. v. Butteli-Reepen. V. Termitophile und myrmecophile Coleopteren. Gesammelt von Herrn Prof. Dr. v. Butteli-Reepen in den Jahren 1911–1912. *Zoologische Jahrbücher, Abteilung für Systematik, Geographie und Biologie der Tiere* 39 (2): 169–210, pls. 4, 5. [25 Feb 1916 (vol. Inhalt p. iii)]
- Wasemann E (1917) Neue Anpassungstypen bei Dorylinengästen Afrikas (Col., Staphylinidae). (218. Beitrag zur Kenntnis der Myrmekophilen.). *Zeitschrift für Wissenschaftliche Zoologie* 117 (2): 257–360, pls. 7–10. [19 Jun 1917 (Inhalt p. iii)]

- Wasmann E (1918) Myrmekophile und termitophile Coleopteren aus Ostindien, hauptsächlich gesammelt von P. J. Assmuth S. J. II. Scarabaeidae (223. Beitrag zur Kenntnis der Myrmecophilen und Termitophilen.). Wiener Entomologische Zeitung 37 (1/3): 1–23, pls. 1–2. [25 Mar 1918 (wrapper)]
- Wasmann E (1920) Wissenschaftliche Ergebnisse der Deutschen Zentral-Africa-Expedition 1907–1908, unter Führung Adolf Friedrichs, Herzogs zu Mecklenburg. Tijdschrift voor Entomologie 62 (3/4): 109–130. [15 Jan 1920 (wrapper)]
- Wasmann E (1928) Zur Kenntnis der Carabidomemnen. (278. Beitrag zur Kenntnis der Myrmecophilen). Tijdschrift voor Entomologie 71: 267–276, pl. 6. [31 Dec 1928 (verso of vol. title page)]
- Waterhouse CO (1879a) Notice of a small collection of Coleoptera from Jamaica, with descriptions of new species from the West Indies. The Transactions of the Entomological Society of London (4) 1878 (4): 303–311. [6 Jan 1879 (G. Wheeler 1912)]
- Waterhouse CO (1879b) Descriptions of new Coleoptera from East Africa and Madagascar. The Transactions of the Entomological Society of London 1879 (4): 319–321. [27 Dec 1879 (G. Wheeler 1912: 758)]
- Waterhouse GR (1845) Descriptions of coleopterous insects collected by Charles Darwin, esq., in the Galapagos Islands. The Annals and Magazine of Natural History (1) 16 (102): 19–41. [1 Jul 1845 (Evenhuis 2003: 16)]
- Waterhouse GR (1854) Notes on the species of *Amycterus* and allied genera, with descriptions of some new species. The Transactions of the Entomological Society of London (2) 3 (2): 75–80. [28 Oct 1854 (G. Wheeler 1912)]
- Waterhouse GR (1858) Catalogue of British Coleoptera. Taylor and Francis, London, 117 pp.
- Watt JC (1974) Chalcodryidae: a new family of heteromerous beetles (Coleoptera: Tenebrionoidea). Journal of the Royal Society of New Zealand 4 (1): 19–38. [Mar 1974 (contents of fasc. 2)]
- Watt JC (1975) A revised subfamily classification of Tenebrionidae (Coleoptera). New Zealand Journal of Zoology 1 [1974] (4): 381–452. [publ. 27 Jan 1975 (verso of title page of vol. 2, fasc. 1)]
- Watt JC (1992) Relationships of Actizeta and Cnemeplatiini (Coleoptera: Tenebrionidae). Systematic Entomology 17 (3): 287–299. [21 Jul 1992 (vol. contents)]
- Watts CHS (1978) A revision of the Australian Dytiscidae (Coleoptera). Australian Journal of Zoology (Supplementary Series) 26 (57): 1–166. [24 Apr 1978 (wrapper)]
- Weise J (1885) Bestimmungs-Tabellen der europäischen Coleopteren. II. Heft. Coccinellidae. II. Auflage. Mit Berücksichtigung der Arten aus dem nördlichen Asien. E. Reitter, Mödling, 83 pp.
- Weise J (1901) Coccinelliden aus Ceylon gesammelt von Dr. Horn. Deutsche Entomologische Zeitschrift 44 [1900]: 417–445. [Feb 1901 (p. 3)]
- Weise J (1902) Afrikanische Chrysomeliden. Archiv für Naturgeschichte 68 (1 (2)): 119–174.
- Weise J (1903a) Afrikanische Chrysomeliden. Archiv für Naturgeschichte 69 (1 (2)): 197–226.
- Weise J (1903b) Afrikanische Galerucinen. Deutsche Entomologische Zeitschrift 1903 (2): 321–334. [Aug 1903 (Inhalt p. 3)]

- Weise J (1905) Bemerkungen über Hispinnen. Deutsche Entomologische Zeitschrift 1905 (2): 317–320. [Sep 1905 (Inhalt)]
- Weise J (1906) [families Coccinellidae, Chrysomelidae and Curculionidae] In: Heyden L, von, Reitter E, Weise J: Catalogus Coleopterorum Europae, Caucasi et Armeniae rossicae. Edito secunda. R. Friedländer & Sohn, Berlin, iv pp. + 750 cols. + pp. 751–774. [1906 (title page)]
- Weise J (1910) Beitrag zur Kenntnis der amerikanischen Hispinnen. Archiv für Naturgeschichte 76 (1): 67–127, pl. 3.
- Weise J (1911) Pars 35. Fam. Chrysomelidae. Hispinae. In: Schenkling S (Ed) Coleopterorum Catalogus Volumen XXV. W. Junk, Berlin, 94 pp. [5 Aug 1911 (verso of vol. title page)]
- Weise J (1915) Übersicht der Chrysomelini. Deutsche Entomologische Zeitschrift 1915 (4): 434–436. [15 Aug 1915 (Inhalt)]
- Weise J (1921) Wissenschaftliche Ergebnisse der schwedischen entomologischen Reise des Herrn Dr. A. Roman in Amazonas 1914–1915. 6. Chrysomelidae. Arkiv för Zoologi 14 (1 (1)): 1–205. [16 Aug 1921 (verso of vol. title page)]
- Weise J (1923) Uebersicht der Galerucinen. Wiener Entomologische Zeitung 40 (1/4): 124. [25 Apr 1923 (wrapper)]
- Weise J (1924) Pars 35. Fam. Chrysomelidae. Galerucinae. In: Schenkling S (Ed) Coleopterorum Catalogus Volumen XXV. W. Junk, Berlin, 225 pp. [30 May 1924 (verso of vol. title page)]
- Wellman C (1908) [nom. n.] In: Sitzung vom 16.III.08. Deutsche Entomologische Zeitschrift 1908 (3): 424. [1 May 1908 (Inhalt)]
- Wellman C (1910) On the classification of the Lyttidae (Meloidae s. Cantharidae auctt.). Entomological News and Proceedings of the Entomological Section of the Academy of Natural Sciences of Philadelphia 21 (5): 211–222. [May issue; 2 May 1910 (recorded at USNM)]
- Wenzel RL (1944) On the classification of the histerid beetles. Field Museum of Natural History Zoological Series 28 (2): 51–151, pls. 1–9. [19 Jan 1944 (wrapper)]
- Werner YL (2006) The case of impact factor versus taxonomy: a proposal. Journal of Natural History 40 (21/22): 1285–1286. [publ. 28 Sep 2006 (footer p. 1285)]
- Westcott RL (1968) A new subfamily of blind beetle from Idaho ice caves with notes on its bionomics and evolution (Coleoptera: Leiodidae). Contributions in Science / Los Angeles County Museum of Natural History No. 141: 14 pp. [14 Jun 1968 (title page); 15 Jul 1968 (recorded at BMNH)]
- Westwood JO (1838) Synopsis of the genera of British insects [pp. 1–48]. In: An introduction to the modern classification of insects, founded on the natural habits and corresponding organization of the different families. Vol. II. Longman, Orme, Brown, Green & Longmans, London. [7 May (pp. 1–16); 9 Aug (17–32); 5 Nov 1838 (33–48) (Griffin 1932b: 83)]
- Wheeler G (1912) On the dates of the publications of the Entomological Society of London. Transactions of the Entomological Society of London 1911 (4): 750–767. [Jan 1912]
- Wheeler QD (1986) Revision of the genera of Lymexylidae (Coleoptera: Cucujiformia). Bulletin of the American Museum of Natural History 183 (2): 113–210. [issued 13 Jun 1986 (title page)]

- White BE (1942) A new genus and species of Coleoptera (Chrysomelidae) from southwestern United States. Entomological News 53 (1): 16–21. [mailed 23 Jan 1942 (verso of vol. title page)]
- White RE (1971) A new subfamily in Anobiidae (Coleoptera). Annals of the Entomological Society of America 64 (6): 1301–1304. [15 Nov 1971 (vol. contents)]
- White RE (1974) Type-species for world genera of Anobiidae (Coleoptera). Transactions of the American Entomological Society 99 [1973] (4): 415–475. [issued 8 Jan 1974 (vol. contents)]
- White RE (1982) Family: Anobiidae. United States Department of Agriculture / Agriculture Handbook (A catalog of the Coleoptera of America north of Mexico) No. 529–70: xi + 58 + [1, map] pp. [Aug 1982 (title page)]
- Whitehead DR, Ball GE (1975) Classification of the Middle American genus *Cyrtolaus* Bates (Coleoptera: Carabidae: Pterostichini). Quaestiones Entomologicae 11: 591–619. [Oct issue; 8 Dec 1975 (recorded at CNC)]
- Wilcox JA (1965) A synopsis of the North American Galerucinae (Coleoptera: Chrysomelidae). Bulletin. New York State Museum and Science Service No. 400: iv + 226 pp. [Aug 1965 (wrapper)]
- Wilcox JA (1971) Pars 78, Fasc. 1 (Editio Secunda). Chrysomelidae: Galerucinae Oidini, Galerucini, Metacyclini, Sermylini. Coleopterorum Catalogus Supplementa. Uitgeverij Dr. W. Junk, 's-Gravenhage, pp. 1–220. [15 Jun 1971 (wrapper)]
- Wilcox JA (1972) Pars 78, Fasc. 2 (Editio Secunda). Chrysomelidae: Galerucinae Luperini: Aulacophorina, Diabroticina. Coleopterorum Catalogus Supplementa. Uitgeverij Dr. W. Junk, 's-Gravenhage, pp. 221–431. [15 Mar 1972 (wrapper)]
- Wilcox JA (1973) Pars 78, Fasc. 3 (Editio Secunda). Chrysomelidae: Galerucinae. Luperini: Luperina. Coleopterorum Catalogus Supplementa. Uitgeverij Dr. W. Junk, 's-Gravenhage, pp. 433–664. [20 Aug 1973 (title page)]
- Winkler A (1925) Catalogus Coleopterorum regionis palaearcticae. I. A. Caraboidea, B. Palpicornia, Staphylinoidea, C. Diversicornia. Pars 3 [pp. 241–368]. Albert Winkler, Wien, vi + [2] + 1698 pp. [28 Feb 1925 (verso of title page)]
- Winkler A (1927) Catalogus Coleopterorum regionis palaearcticae. II. D. Heteromera, Lamellicornia, E. Phytophaga, F. Rhynchophora. [pp. 817–880]. In: Pars 7 [pp. 753–880]. Albert Winkler, Wien, vi + [2] + 1698 pp. [16 Sep 1927 (verso of title page)]
- Winkler A (1932) Catalogus Coleopterorum regionis palaearcticae. II. D. Heteromera, Lamellicornia, E. Phytophaga, F. Rhynchophora. Pars 13 [pp. 1521–1702]. Albert Winkler, Wien, vi + [2] + 1698 pp. [10 Dec 1932 (verso of title page)]
- Winkler JR (1953) Supplementary remarks to R. Kleine's «Bestimmungs-Tabellen» with the descriptions of new species of east Asiatic Lycidae. Acta Entomologica Musei Nationalis Pragae 28 [1952]: 401–410. [1953 (vol. title page); accepted 2 Dec 1952 (p. 401)]
- Winkler JR (1964) A revision of the genus *Dieropsis* Gahan, 1908, type of a new subfamily Dieropsinae n. subf. (Coleoptera: Cleridae). Acta Universitatis Carolinae - Biologica 1964 (3): 305–329. [publ. 20 Sep 1964 (p. 329)]
- Winkler JR (1980) A revision of the new subfamily Cleropiestinae subf. n. (Coleoptera: Cleridae). Acta Universitatis Carolinae - Biologica 1978: 437–456. [Dec 1980 (top of p. 437)]

- Winkler JR (1982) Subfamilies and neutral terms proposed for groups higher than subfamily in Cleridae (Coleoptera) - purpose, definitions, identification key. *Acta Universitatis Carolinae - Biologica* 1980: 517–531. [Nov 1982 (top of p. 517)]
- Winkler JR (1987) Berendtimiridae fam. n., a new family of fossil beetles from Baltic Amber (Coleoptera, Cantharoidea). *Mitteilungen der Münchener Entomologischen Gesellschaft* 77: 51–59. [1 Dec 1987 (wrapper)]
- Wittmer W (1970) On some Cantharidae (Coleoptera) of the United States. *The Coleopterists' Bulletin* 24 (2): 42–46. [publ. 25 Jun 1970 (vol. contents)]
- Wittmer W (1976) 35. Beitrag zur Kenntnis der neotropischen Fauna. Coleoptera: Fam. Malaichiidae. *Studia Entomologica* 19 (1/4): 421–449. [publ. 30 Dec 1976 (Indice)]
- Wolfe GW, Roughley RE (1990) A taxonomic, phylogenetic, and zoogeographic analysis of Laccornis Gozis (Coleoptera: Dytiscidae) with the description of Laccornini, a new tribe of Hydroporinae. *Quaestiones Entomologicae* 26 (3): 273–354. [issued Nov 1990 (inside wrapper)]
- Wollaston TV (1864) Catalogue of the coleopterous insects of the Canaries in the collection of the British Museum. British Museum, London, xiii + 648 pp. [issued 25 Jun 1864 (Sherborn 1934: 310)]
- Wollaston TV (1865) Coleoptera Atlantidum, being an enumeration of the Coleopterous Insects of the Madeiras, Salvages and Canaries. Taylor & Francis, London, xlvii + 526 pp. + 140 pp. (Appendix, Indices). [25 Oct 1865 (date of preface); 30 Dec 1865 (London Rev. 11 (287): p. i)]
- Wollaston TV (1870) On the Coleoptera of St. Helena [concluded]. *The Annals and Magazine of Natural History* (4) 5 (25): 18–37. [1 Jan 1870 (Evenhuis 2003: 25)]
- Wollaston TV (1873) On the genera of the Cossonidae. *The Transactions of the Entomological Society of London* 1873 (4): 427–657. [Oct 1873 issue; 13 Oct 1873 (G. Wheeler 1912: 757)]
- Wollaston TV (1877) Coleoptera Sanctae-Helenae. J. van Voorst, London, xxv + 256 pp. + 1 pl. [1877 (“a few weeks before his death” [4 Jan 1878]: Proc. Ent. Soc. London 1877: lxiv)]
- Wood SL (1966) New records and species of Neotropical Platypodidae (Coleoptera). *The Great Basin Naturalist* 26 (3/4): 45–70. [31 Dec 1966 (wrapper); 25 Feb 1967 (recorded at BMNH)]
- Wood SL (1971) New records and species of Neotropical bark beetles (Scolytidae: Coleoptera) Part V. *Brigham Young University Science Bulletin (Biological Series)* 15 (3): [2] + 1–54. [Dec 1971 (wrapper + title page); 18 Feb 1972 (recorded at MCZ)]
- Wood SL (1971) New records and species of Neotropical bark beetlesw (Scolytidae: Coleoptera) Part V. *Brigham Young University Science Bulletin (Biological Series)* 15 (3): [2] + 1–54. [Dec 1971 (wrapper)]
- Wood SL (1978) A reclassification of the subfamilies and tribes of Scolytidae (Coleoptera). *Annales de la Société Entomologique de France (Nouvelle Série)* 14 (1): 95–122. [issued 28 Feb 1978 (back wrapper)]
- Wood SL, Bright DE (1992) A Catalog of Scolytidae and Platypodidae (Coleoptera), Part 2: Taxonomic Index. Volume B. *Great Basin Naturalist Memoirs No. 13*: [2] + 835–1553. [Dec 1992 (copyright)]

- Woodley NE (2002) *Wallacea* Baly, a valid name in the Hispinae (Coleoptera: Chrysomelidae). The Coleopterists Bulletin 55 [2001] (4): 410. [mailed 2 Jan 2002 (inside wrapper)]
- Würmli M (1975) Gattungsmorphographie der altweltischen Hispinen (Coleoptera: Chrysomelidae: Hispinae). Entomologische Arbeiten aus dem Museum G Frey 26: 1–83. [publ. 1 Nov 1975 (vol. Inhalt)]
- Young DK (2002) Family 115. Pyrochroidae [pp. 540–543]. In: Arnett RH, Jr, Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Young DK, Pollock DA (2002) Family 99. Tetratomidae [pp. 413–416]. In: Arnett RH, Jr, Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp. [19 Jun 2002 (CRC website)]
- Zaballos JP, Jeanne C (1994) Nuevo catalogo de los Carabidos (Coleoptera) de la Peninsula Iberica. Monografias Sociedad Entomológica Aragonesa 1: 1–159.
- Zagajkevich IK (1991) Taksonomiya i ekologiya usachey. [Taxonomy and ecology of Cerambycidae]. Naukova Dumka, Kiev, 178 pp. [in Russian].
- Zahradník P (2007) family Ptinidae Latreille, 1802 [subfamilies Anobiinae, Dorcatominae, etc., pp. 339–362]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidea - Lymexyloidea - Cleroidea - Cucujoidea. Apollo Books, Stenstrup, 935 pp. [publ. 30 Jun 2007 (verso of title page)]
- Zahradník P (2009) Order Coleoptera, Family Ptinidae [pp. 174–186]. In: van Harten A (Ed.) Arthropod Fauna of the United Arab Emirates. Volume 2. Dar Al Ummah, Abu Dhabi.
- Zaitzev FA (1908) Catalogue des Coléoptères aquatiques des familles des Dryopidae, Geotryssidae, Cyathoceridae, Heteroceridae et Hydrophilidae. Horae Societatis Entomologicae Rossicae 38 (4): 283–420. [14 Oct 1908 (Julian 1 Oct, p. vii; Kerzhner 1984)]
- Zajciw D (1960) Uma tribo, três gêneros e três espécies novas de Longicórneos do Brasil (Col., Cerambycidae). Anais da Academia Brasileira de Ciências 31 [1959] (4): 605–616. [31 Dec 1959 (footer p. 605); 1960 (wrapper)]
- Zalat S, Saleh R, Angus R, Kaschef A (2000) Diving beetles (Coleoptera: Dytiscidae and Noteridae) of Egypt. Egyptian Journal of Natural History 2: i-ii, 1–107. [Dec 2000 (vol. title page)]
- Zalesskiy GM (1947) O dvykh novykh permskikh zhukakh [On two new Permian beetles]. Doklady Akademii Nauk SSSR (Novaya Seriya) 56 (8): 857–860 [in Russian]. [27 Feb 1948 (recorded at BMNH)]
- Zamotajlov AS (2000) Lissopogonini, a new tribe of the subfamily Patrobinae from East Asia (Coleoptera: Carabidae). Zoosystematica Rossica 8 (2): 266. [publ. 16 Mar 2000 (fasc. contents)]
- Zamotajlov AS (2002) Opyt razrabotki filogeneticheskoy sistemy zhuzhelits podsemeystva Patrobinae (Coleoptera, Carabidae) [Inferring phylogenetic system of the carabid subfamily Patrobinae (Coleoptera, Carabidae)]. Chteniya Pamyati Nikolaya Aleksandrovicha Kholodkovskogo 55 (1): 1–147 [in Russian]. [to printer 20 Nov 2002 (endleaf)]
- Zamotajlov AS, Lafer GS (2001) K poznaniyu zhuzhelits roda Platidiolus Chaudoir, 1878 (Coleoptera, Carabidae) iz Kontinental'noy Azii [Contribution to the knowledge of the

- carabid genus *Platidiolus* Chaudoir, 1878 (Coleoptera, Carabidae) from Continental Asia]. Entomologicheskoe Obozrenie 80 (2): 411–435, 543 [in Russian; English translation in Entomological Review, 81 [2001] (4), 402–422]. [after 31 May 2001 (approved to print, back wrapper)]
- Zerche L (1987) Beitrag zur Kenntnis der Gattung *Thiasophila* Kraatz, 1856 (Coleoptera, Staphylinidae, Aleocharinae). Entomologische Blätter für Biologie und Systematik der Käfer 83 (2/3): 91–114. [31 Dec 1987 (top of article)]
- Zerche L (1990) Monographie der paläarktischen Coryphiini (Coleoptera, Staphylinidae, Omaliinae). Akademie der Landwirtschaftswissenschaften der Deutschen Demokratischen Republik, Berlin, 413 pp. [recorded 21 Sep 1990]
- Zerche L (2004) Revision der Gattung *Aegialites* Mannerheim (Coleoptera: Salpingidae: Aegialitinae). A revision of the genus *Aegialites* Mannerheim (Coleoptera: Salpingidae: Aegialitinae). Stuttgarter Beiträge zur Naturkunde (Serie A (Biologie)) 666: 1–116, 4 pls. [5 Aug 2004 (top of article)]
- Zherikhin VV (1977) [Family Curculionidae Latreille, 1802] [pp. 178–182, and other parts] In: Arnoldi LV, Zherikhin, VV, Nikritin LM, Ponomarenko AG (Eds): Mezozoyskie Zhestkokrylye. Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR 161: 1–204 [English translation: Mesozoic Coleoptera; Smithsonian Institution Libraries and N.S.E., Washington D.C.; xii + 285 pp., 1992] [after 5 Sep 1977 (approved to print)].
- Zherikhin VV (1991) [new taxa] In: Zherikhin VV, Egorov AB: Zhuki-dolgonosiki (Coleoptera, Curculionidae) Dalnego Vostoka SSSR (obzor podsemeistv s opisaniem novykh taksonov). [Curculionidae (Coleoptera) of the Far East of the USSR (subfamilies with the description of new taxa)]. Akademija Nauk SSSR, Dal'nevostochnoe Otdelenie, Biologo-Pochvennyi Institut, Vladivostok, 1–164 [in Russian]. [1990 (title page); after 18 Dec 1991 (approved to print, p. 164)]
- Zherikhin VV (1993) [new taxa] In: Gromov VV, Dmitriev VY, Zherikhin VV, Lebedev EL, Ponomarenko AG, Rasnitsyn AP, Sukacheva ID: Melovye entomofauny Basseyna r. Ul'i (Zapadnoe Priokhot'e) [Cretaceous insect fauna from Ul'ya-river Basin (West Okhot region)] Trudy Paleontologicheskogo Instituta Akademii Nauk SSSR 252: 5–60 [in Russian]. [after 28 Jan 1993 (approved to print)]
- Zherikhin VV, Gratshev VG (1994) Obrieniidae, fam. n., the oldest Mesozoic weevils (Coleoptera, Curculionoidea). Paleontological Journal 27 (1A): 50–69. [publ. Jan 1994 (wrapper); 1993 (top of article)]
- Zimmerman EC (1993) Australian weevils (Coleoptera: Curculionoidea). Volume III. Nanoiphyidae, Rhynchophoridae, Erihinidae, Curculionidae: Amycterinae, Literature Consulted. CSIRO, East Melbourne, x + 854 pp. [1 Oct 1993 (verso of title page)]
- Zimmerman EC (1994a) Australian weevils (Coleoptera: Curculionoidea). Volume I. Orthoceri, Anthribidae to Attelabidae, the primitive weevils. CSIRO, East Melbourne, xxxii + 741 pp. [28 Feb 1994 (verso of title page)]
- Zimmerman EC (1994b) Australian weevils (Coleoptera: Curculionoidea). Volume II. Brentidae, Eurhynchidae, Apionidae, and a chapter on immature stages by Brenda May. CSIRO, East Melbourne, x + 755 pp. [28 Feb 1994 (verso of title page)]

- Zimmerman EC (1999) [Aonychusini nom. n.] In: Alonso-Zarazaga MA, Lyal CHC: A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (excepting Scolytidae and Platypodidae). Entomopraxis, S. C. P., Barcelona, 315 pp. [publ. 27 Dec 1999 (verso of title page)]
- Zimmermann A (1919) Die Schwimmkäfer des Deutschen Entomologischen Museums in Berlin-Dahlem. Archiv für Naturgeschichte (Abteilung A) 83 [1917] (12): 68–249. [Dec 1919 (wrapper)]
- Zimmermann C (1832) Ueber die bisherige Gattung *Amara*. Ein Beitrag zu einer künftigen Monographie der hieher gehörigen Thiere. Faunus. Zeitschrift für Zoologie und Vergleichende Anatomie 1: 5–40. [1832 (title page); 1833 (Neues Allg. Repert. für 1833: 100)]
- Zumpt F (1929) Revision der Genera *Notaris* Germ., *Lepidonotaris* m., *Thryogenes* Bed., *Grypus* Germ., *Icaris* Tourn. und *Picianus* m. (Col. Curc.). Coleopterologisches Centralblatt 3 (5/6): 213–239. [5 May 1929 (vol. Inhalt)]
- Zunino M (1984) Sistematica generica dei Geotrupinae (Coleoptera, Scarabaeoidea: Geotrupidae), filogenesi della sottofamiglia e considerazioni biogeografiche. Bollettino del Museo Regionale di Scienze Naturali, Torino 2 (1): 9–162. [23 Mar 1984 (top of article); printed 15 Jun 1984 (fasc. endleaf)]
- Zunino M (1985a) Las relaciones taxonómicas de los Phanaeina (Coleoptera, Scarabaeinae) y sus implicancias biogeográficas (Resumen). Revista Peruana de Entomología 26 [1983] (1): 21–23. [publ. 20 Nov 1985 (wrapper)]
- Zunino M (1985b) Las relaciones taxonomicas de los Phanaeina (Coleoptera, Scarabaeinae) y sus implicaciones biogeograficas. Folia Entomologica Mexicana 64: 101–115. [distrib. 20 Dec 1985 (Contenido)]

Appendix I

Conservation of younger names using Reversal of Precedence (Art. 23.9). Cases listed in alphabetical order by family.

CARABIDAE

Supporting references for the conservation of PERIGONINI Horn, 1881 over TRECHICINI Bates, 1873 (Art. 23.9.2). The taxon name TRECHICINI Bates, 1873 has not been used as valid after 1899 to our knowledge.

- Assmann T (1999) A new anophthalmic genus of Perigonini from the Iberian Peninsula (Insecta, Coleoptera, Carabidae). *Spixiana* 22 (3): 255–262.
- Ball GE, Bousquet Y (2000) Carabidae Latreille, 1810 [pp. 32–132]. In: Arnett RH, Thomas MC (Eds) American beetles. Volume 1. Archostemata, Myxophaga, Adephaga, Polyphaga: Staphyliniformia. CRC Press, Boca Raton, xv + 443 pp.
- Basilewsky P (1989) Révision des Perigonini d'Afrique (Coleoptera Carabidae). *Revue de Zoologie Africaine* 103 (4): 413–452.
- Bousquet Y (2003) Tribe Perigonini G.H. Horn, 1881 [pp. 448–449]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata - Myxophaga - Adephaga. Apollo Books, Stenstrup, 819 pp.
- Bousquet Y, Larochelle A (1993) Catalogue of the Geadephaga (Coleoptera: Trachypachidae, Rhysodidae, Carabidae including Cicindelini) of America north of Mexico. *Memoirs of the Entomological Society of Canada* 167: 1–397.
- Dajoz R (2002) Les coléoptères carabidés et ténébrionidés: écologie et biologie. Tec et Doc, Paris, xi + 522 pp.
- Darlington PJ, Jr. (1968) The carabid beetles of New Guinea Part III. Harpalinae (continued): Perigonini to Pseudomorphini. *Bulletin of the Museum of Comparative Zoology at Harvard* 137 (1): 1–253.
- Erwin TL (1985) The taxon pulse: a general pattern of lineage radiation and extinction among carabid beetles [pp. 437–472]. In: Ball GE (Ed) Taxonomy, phylogeny and zoogeography of beetles and ants. Series Entomologica Volume 33. Junk, Dordrecht, xiii + 514 pp. + 2 pls.
- Erwin TL, Sims LL (1984) Carabid beetles of the West Indies (Insecta: Coleoptera): a synopsis of the genera and checklist of tribes of Caraboidea, and of the West Indian species. *Quaectiones Entomologicae* 20 (4): 351–466 + 1 pl.
- Hůrka K (1996) Carabidae of the Czech and Slovak republics. Kabourek, Zlin, 565 pp.
- Kryzhanovskij OL, Belousov IA, Kabak II, Kataev BM, Makarov KV, Shilenkov VG (1995) A checklist of the ground beetles of Russia and adjacent lands (Insecta, Coleoptera, Carabidae). Pensoft Series Faunistica No. 3. Pensoft Publishers, Sofia and Moscow, 271 pp.
- Lafer GS (1989) I. Podotryad Archostemata; II. Podotryad Adephaga [pp. 66–259]. Tom III Zhestkokrylye, ili zhuki Chast 1. Nauka, Leningrad, 572 pp. [in Russian].
- Larochelle A, Larivière M-C (2001) Carabidae (Insecta: Coleoptera): catalogue. Fauna of New Zealand. Ko te Aitanga Pepeke o Aotearoa. Number 43, Manaaki Whenua Press, Lincoln, 285 pp.

- Larochelle A, Larivière M-C (2007) Carabidae (Insecta: Coleoptera): synopsis of supraspecific taxa. Fauna of New Zealand. Ko te Aitanga Pepeke o Aotearoa. Number 60, Manaaki Whenua Press, Lincoln, 188 pp.
- Lindroth CH (1968) The ground-beetles (Carabidae, excl. Cicindelinae) of Canada and Alaska. Part 5. Opuscula Entomologica Supplementum 33: 649–944.
- Lorenz W (2005) Systematic list of extant ground beetles of the world (Insecta Coleoptera «Geadephaga»: Trachypachidae and Carabidae incl. Paussinae, Cicindelinae, Rhysodinae). Second Edition. W. Lorenz, Tutzing, [ii] + 530 pp.
- Martínez C (2005) Introducción a los escarabajos Carabidae (Coleoptera) de Colombia. Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Bogota, 546 pp.
- Moore BP, Weir TA, Pyke JE (1987) Carabidae [pp. 23–320]. In: Lawrence JF, Moore BP, Pyke JE, Weir TA (Eds) Zoological catalogue of Australia. Volume 4. Coleoptera: Archostemata, Myxophaga and Adephaga. Australian Government Publishing Service, Canberra, viii + 444 pp.
- Moret P (2008) Four new species of *Diploharpus* Chaudoir, 1850 from Ecuador (Coleoptera, Carabidae, Perigonini). Memoirs on Biodiversity 1: 201–208.
- Nelson RE (1991) First records of *Perigona pallipennis* (LeC.) and *Perigona nigriceps* (Dej.) (Coleoptera: Carabidae: Perigonini) from Maine: easternmost records for the genus in North America. The Coleopterists Bulletin 45 (3): 284–285.
- Perrault GG (1985) Etudes sur la faune des Carabidae de Guyane. 2. Une nouvelle espèce de *Perigona microphthalme* (Coleoptera, Carabidae, Perigonini). L'Entomologiste 41: 61–64.
- Perrault GG (1988) Notes sur la tribu des Perigonini (Coleoptera Carabidae) avec les descriptions de deux sous-genres et d'une espèce. Entomologische Blätter für Biologie und Systematik der Käfer 84 (1/2): 11–16.
- Perrault GG (1992a) Notes sur les types des espèces néotropicales du genre *Perigona* décrites par Bates (Coleoptera, Carabidae, Perigonini). Nouvelle Revue d'Entomologie Nouvelle Série 8 [1991] (4): 398.
- Perrault GG (1992b) Etudes sur la faune des Carabidae de Guyane. III. Deux espèces nouvelles de *Diploharpus* (Perigonini). L'Entomologiste 48 (2): 99–103.
- Reichardt H (1977) A synopsis of the genera of Neotropical Carabidae (Insecta: Coleoptera). Quaestiones Entomologicae 13: 346–493.

CARABIDAE

Supporting references for the conservation of ANISODACTYLINA Lacordaire, 1854 over EURYTRICHINA LeConte, 1848 (Art. 23.9.2). The taxon name EURYTRICHINA LeConte, 1848 has not been used as valid after 1899 to our knowledge.

- Ball GE, Bousquet Y (2000) Carabidae Latreille, 1810 [pp. 32–132]. In: Arnett RH, Thomas MC (Eds) American beetles. Volume 1. Archostemata, Myxophaga, Adephaga, Polyphaga: Staphyliniformia. CRC Press, Boca Raton, xv + 443 pp.
- Bousquet Y, Larochelle A (1993) Catalogue of the Geadephaga (Coleoptera: Trachypachidae, Rhysodidae, Carabidae including Cicindelini) of America north of Mexico. Memoirs of the Entomological Society of Canada 167: 1–397.

- Bousquet Y, Tchang J-P (1992) Anisodactyline larvae (Coleoptera: Carabidae: Harpalini): descriptions of genus-group taxa of eastern Canada and phylogenetic remarks. *The Canadian Entomologist* 124 (5): 751–783.
- Habu A (1973) Carabidae: Harpalini (Insecta: Coleoptera). *Fauna Japonica*, Keigaku Publishing Co., Tokyo, xiii + 430 pp. + 24 pls.
- Hůrka K (1996) Carabidae of the Czech and Slovak republics. Kabourek, Zlin, 565 pp.
- Ito N (1997) Some new taxa of the subtribe Anisodactylina from Asia with a key to the Asian genera (Coleoptera, Carabidae, Harpalini). *Japanese Journal of Entomology* 65 (4): 816–825.
- Ito N (2003a) Subtribe Anisodactylina Lacordaire, 1854 [pp. 360–363]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 1. Archostemata - Myxophaga - Adephaga. Apollo Books, Stenstrup, 819 pp.
- Ito N (2003b) Notes on species of the harpaline subtribe Anisodactylina (Coleoptera, Carabidae) from China. *Special Bulletin of the Japanese Society of Coleopterology* 6: 79–86.
- Kaiser M (2004) Faunistik und Biogeographie der Anisodactylinae und Harpalinae Westfalens (Coleoptera: Carabidae). *Abhandlungen aus dem Westfälischen Museum für Naturkunde* 66 (3): 1–155.
- Kataev BM (2003) A new genus and species of the subtribe Anisodactylina from south-western Australia (Coleoptera: Carabidae: Harpalini). *Acta Zoologica Academiae Scientiarum Hungaricae* 48 (3): 173–179.
- Kataev BM (2002) On some new and little-known species of the Anisodactylina and Harpalina (the Selenophori group) from East Asia and Oriental region (Coleoptera: Carabidae: Harpalini). *O nekotorykh novykh i maloizvestnykh vidakh Anisodactylina i Harpalina (gruppa Selenophori) iz vostochnoy Azii i Oriental'nogo regiona* (Coleoptera: Carabidae: Harpalini). *Russian Entomological Journal* 11 (3): 241–252.
- Kataev BM, Wrase DW (2001) A new genus and a new species of the subtribe Anisodactylina from Vietnam and remarks on the taxonomic position of *Hiekeia picipes* N. Ito 1997 (Coleoptera: Carabidae: Harpalini). *Linzer Biologische Beiträge* 33: 637–646.
- Kryzhanovskij OL, Belousov IA, Kabak II, Kataev BM, Makarov KV, Shilenkov VG (1995) A checklist of the ground beetles of Russia and adjacent lands (Insecta, Coleoptera, Carabidae). Pensoft Series Faunistica No. 3. Pensoft Publishers, Sofia and Moscow, 271 pp.
- Larochelle A, Larivière M-C (2001) Carabidae (Insecta: Coleoptera): catalogue. *Fauna of New Zealand*. Ko te Aitanga Pepeke o Aotearoa. Number 43, Manaaki Whenua Press, Lincoln, 285 pp.
- Larochelle A, Larivière M-C (2005) Harpalini (Insecta: Coleoptera: Carabidae: Harpalinae). *Fauna of New Zealand*. Ko te Aitanga Pepeke o Aotearoa. Number 53, Manaaki Whenua Press, Lincoln, 160 pp.
- Larochelle A, Larivière M-C (2007) Carabidae - (Insecta: Coleoptera): synopsis of supraspecific taxa. *Fauna of New Zealand*. Ko te Aitanga Pepeke o Aotearoa. Number 60, Manaaki Whenua Press, Lincoln, 188 pp.
- Lindroth CH (1968) The ground-beetles (Carabidae, excl. Cicindelinae) of Canada and Alaska. Part 5. *Opuscula Entomologica Supplementum* 33: 649–944.

- Machado A (1992) Monografía de los carábidos de las Islas Canarias (Insecta, Coleoptera). Instituto de Estudios Canarios, La Laguna, 734pp.
- Martínez C (2005) Introducción a los escarabajos Carabidae (Coleoptera) de Colombia. Instituto de Investigación de Recursos Biológicos Alexander von Humboldt, Bogota, 546 pp.
- Martinez-Navarro EM, Galian J, Serrano J (2003) Phylogenetic relationships among subtribes of Harpalini Bonelli 1810 (Coleoptera, Carabidae), and *Harpalus* Latreille 1802 and some related western Palearctic taxa. A preliminary cladistic analysis using morphological and karyotypic characters. Acta Entomológica Ibérica e Macaronésica 1: 59–65.
- Martinez-Navarro EM, Galian J, Serrano J (2005) Phylogeny and molecular evolution of the tribe Harpalini (Coleoptera, Carabidae) inferred from mitochondrial cytochrome-oxidase I. Molecular Phylogenetics and Evolution 35: 127–146.
- Noonan GR (1973) The anisodactylines (Insecta: Coleoptera: Carabidae: Harpalini): classification, evolution, and zoogeography. Quaestiones Entomologicae 9 (4): 266–480.
- Noonan GR (1974) *Allendia*, a new South American genus with notes on its evolutionary relationships to other genera of Anisodactylina (Coleoptera: Carabidae: Harpalini). The Coleopterists Bulletin 28 (4): 219–227.
- Noonan GR (1976) Synopsis of the supra-specific taxa of the tribe Harpalini (Coleoptera: Carabidae). Quaestiones Entomologicae 12 (1): 3–87.
- Reichardt H (1977) A synopsis of the genera of Neotropical Carabidae (Insecta: Coleoptera). Quaestiones Entomologicae 13 (4): 346–493.

CUCUJIDAE

Supporting references for the conservation of *Pediacus* Shuckard, 1839 over *Biophloeus* Dejean, 1835 (Art. 23.9.2). The genus name *Biophloeus* Dejean, 1835 has not been used as valid after 1899 to our knowledge.

- Alexander KNA (1983) Some records of *Pediacus dermestoides* (Fab.) (Col., Cucujidae) from central southern England. Entomologist's Monthly Magazine 119: 219.
- Alexander KNA (1987) *Pediacus dermestoides* (Fab.) (Col., Cucujidae) new to Cornwall, and some comments on its apparent increase in abundance in southern Britain. Entomologist's Monthly Magazine 123: 162.
- Beutel RG, Pollock DA (2000) Larval head morphology of *Phycosecis litoralis* (Pascoe) (Coleoptera: Phycosecidae) with phylogenetic implications. Invertebrate Taxonomy 14 (6): 825–835.
- Böhme J (2005) Band K. Katalog (Faunistische Übersicht). 2. Auflage. Die Käfer Mittel-europas, Elsevier GmbH, Spektrum A. V., Munich, xii + 515 pp.
- Bousquet Y (1991) Family Cucujidae: flat bark beetles [pp. 219–220]. In: Bousquet Y (Ed) Checklist of the beetles of Canada and Alaska. Research Branch Publication 1861/E, Ottawa, vi + 430 pp.
- Burakowski B, Mroczkowski M, Stefańska J (1986) Chrząszcze Coleoptera. Cucujoidea, część 1. Katalog Fauny Polski. Część XXIII, tom 12 [Nr 43]. Państwowe Wydawnictwo Naukowe, Warszawa, 266 pp.

- Cooter J (1977) *Pediacus depressus* (Herbst, 1797) (Col.: Cucujidae) new to Scotland. The Entomologist's Record and Journal of Variation 89 (12): 339–340.
- Crowson RA (1973) Further observations on Phloeostichidae and Cavognathidae, with definitions of new genera from Australia and New Zealand. The Coleopterists Bulletin 27 (2): 54–62.
- Grosso-Silva JM (2002) Registros interessantes de coleópteros (Insecta, Coleoptera) para Portugal (3^a nota). Primeiro registo ibérico de *Pediacus dermestoides* (Fabricius, 1792) (Cucujidae). Boletín de la Sociedad Entomológica Aragonesa 31: 49–54.
- Háva J (2000) Faunistic records from the Czech Republic - 95. Coleoptera. Klapalekiana 36 (1/3): 36.
- Jansen RP, van de Sande C (2008) The genus *Pediacus* in The Netherlands (Coleoptera: Cucujidae). Entomologische Berichten 68 (1): 17–20.
- Lawrence JF (1991) Cucujidae (Cucujoidea) (including Catogenidae, Laemophloeidae, Passandridae, Silvanidae) [pp. 463–488]. In: Stehr FW (Ed) Immature Insects. Volume 2. Kendall / Hunt Publishing Company, Dubuque, xvi + 975 pp.
- Lawrence JF, Britton EB (1994) Australian Beetles. Melbourne University Press, Carlton, x + 192 pp. + 16 pls.
- Lawrence JF, Newton AF, Jr. (1995) Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names) [pp. 779–1006]. In: Pakaluk J, Ślipiński SA (Eds) Biology, phylogeny, and classification of Coleoptera: papers celebrating the 80th birthday of Roy A Crowson Volume 2. Muzeum i Institut Zologii PAN, Warszawa, x + 1092 pp. in 2 vols.
- Majka CG (2008) The flat bark beetles (Coleoptera, Silvanidae, Cucujidae, Laemophloeidae) of Atlantic Canada. ZooKeys 2: 221–238.
- Martínez de Murguía L, Lapaza J, Salaberria E, Méndez M, Molino-Olmedo F (2004) Coleópteros saproxílicos (Insecta: Coleoptera) de un hayedo acidófilo en regeneración del norte peninsular. Munibe (Ciencias Naturales) 55: 167–182.
- Muona J, Rutanen I (1994) The short-term impact of fire on the beetle fauna in boreal coniferous forest. Annales Zoologici Fennici 31: 109–121.
- Nakane T, Ohbayashi K, Nomura S, Kurosawa Y (1984) Iconographia Insectorum Japonicum, Colore Naturali Edita. Volume 2 (Coleoptera). Hokuryukan, Tokyo, 461 pp.
- Nikitskij NB, Belov VV (1979) Novyy I maloizvestnyy vidy Clavicornia (Coleoptera) iz Talysha. New and poorly known species of Clavicornia (Coleoptera) from Talysh. Zoologicheskii Zhurnal 58: 849–854.
- Sasaji H (1983) Contribution to the taxonomy of the superfamily Cucujoidea (Coleoptera) of Japan and her adjacent districts, 1. Memoir of the Faculty of Education Fukui University (Series II: Natural Science) 33: 17–52.
- Thomas MC (1988) Generic key to the known larvae of the Cucujidae, Passandridae, and Silvanidae of America North of Mexico (Coleoptera). Insecta Mundi 2 (2): 81–89.
- Thomas MC (2002) 82. Cucujidae Latreille 1802 [pp. 329–330]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, New York, xiv + 861 pp.

- Thomas MC (2004) A revision of *Pediacus* Shuckard (Coleoptera: Cucujidae) for America north of Mexico, with notes on other species. *Insecta Mundi* 17 (3/4): 157–177.
- Vavra J (1993) Nové druhy brouků (Coleoptera) pro území Slovenska. New species of beetles (Coleoptera) for the territory of Slovakia. *Klapalekiana* 29 (1/2): 61–62.
- Węgrzynowicz P (2007) Family Cucujidae Latreille, 1802 [pp. 502–503]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 4. Apollo Books, Stenstrup, 935 pp.

CURCULIONIDAE

Supporting references for the conservation of SMICRONYCHINI Seidlitz, 1891 over DESMORINI LeConte, 1876 (Art. 23.9.2). The taxon name DESMORINI LeConte, 1876 has not been used as valid after 1899 to our knowledge.

- Alonso-Zarazaga MA (2002) Lista preliminar de los Coleoptera Curculionoidea del área ibero-balear, con descripción de *Melicius* gen. nov. y nuevas citas. *Boletín de la Sociedad Entomológica Aragonesa* 31: 9–33.
- Alonso-Zarazaga MA, Ugarte San Vicente I, Coello P (2009) Nuevos datos sobre la distribución de *Sharpia rubida* (Rosenhauer, 1856) (Coleoptera, Curculionidae, Smicronychini). *Boletín de la Sociedad Entomológica Aragonesa* 44: 573–574.
- Anderson DM, Cox ML (1997) *Smicronyx* species (Coleoptera: Curculionidae), economically important seed predators of witchweeds (*Striga* spp.) (Scrophulariaceae) in sub-Saharan Africa. *Bulletin of Entomological Research* 87 (1): 3–17.
- Anderson RS (2002) IV. Curculioninae Latreille, 1802 [pp. 732–740]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea CRC Press, Boca Raton, xiv + 861 pp.
- Angelov PA (1980) Coleoptera, Curculionidae. IV čast Calandrinae 2. [Coleoptera, Curculionidae. Part 4. Calandrinae. 2]. Fauna na B'lgariya 10. B'lgarska Akademia na Naukite, Sofia, 301 pp. [in Bulgarian].
- Arnett RH, Jr. (2000) American insects. A handbook of the insects of America north of Mexico. Second edition. CRC Press, Boca Raton, xvii + 1003 pp.
- Balsbaugh EU, Aarhus DG (1990) Checklist and new state records of Curculionidae (broad sense) (Coleoptera) for North Dakota. *Journal of the Kansas Entomological Society* 63(2): 227–236.
- Bolu H, Legalov AA (2008) On the Curculionoidea (Coleoptera) fauna of almond (*Amygdalus communis* L.) orchards in south-eastern and eastern Anatolia in Turkey. *Baltic Journal of Coleopterology* 8(1): 75–85.
- Braunert C (2009) Verzeichnis der Rüsselkäfer Luxemburgs (Coleoptera, Curculionoidea) mit Ausnahme der Borkenkäfer (Scolytinae) und Kernkäfer (Platypodinae). *Bulletin de la Société des Naturalistes Luxembourgeois* 110: 125–142.
- Davis SR (2007) Nectarivory in a weevil, *Smicronyx squalidus* (Coleoptera: Curculionidae: Curculioninae), on *Desmanthus* (Fabaceae). *Polish Journal of Entomology* 76 (3): 221–224.
- Franz NM (2006) Towards a phylogenetic system of derelomine flower weevils (Coleoptera: Curculionidae). *Systematic Entomology* 31 (2): 220–287.

- Hoffmann A (1968) The scientific results of the Hungarian Soil Zoological Expedition to the Brazzaville-Congo. 32. Espèces de la famille Curculionidae (Coleoptera). Opuscula Zoologica 8(1): 11–29.
- Hyder DE, Oseto CY (2005) Structure of the stridulatory apparatus and analysis of the sound produced by *Smicronyx fulvus* and *Smicronyx sordidus* (Coleoptera, Curculionidae, Eriophrhinae, Smicronychini). Journal of Morphology 201(1): 69–84.
- Li S, Sun L, Oseto CY, Ferris VR (2007) Phylogenetic analyses and a method for rapid molecular diagnosis of two sunflower seed weevils (Coleoptera: Curculionidae). Annals of the Entomological Society of America 100(5): 649–654.
- Lyal CHC, Douglas DA, Hine SJ (2006) Morphology and systematic significance of sclerolepidia in the weevils (Coleoptera: Curculionoidea). Systematics and Biodiversity 4(2): 203–241.
- Majka C, Anderson RS, McAlpine DF, Webster RP (2007) The weevils (Coleoptera: Curculionoidea) of the Maritime Provinces of Canada, I: New records from New Brunswick. The Canadian Entomologist 139(3): 378–396.
- Marvaldi AE, Lanteri AA (2005) Key to higher taxa of South American weevils based on adult characters (Coleoptera, Curculionoidea). Revista Chilena de Historia Natural 78(1): 65–87.
- Marvaldi AE, Morrone JJ (2000) Phylogenetic systematics of weevils (Coleoptera: Curculionoidea): a reappraisal based on larval and adult morphology. Insect Systematics & Evolution 31 (1): 43–58.
- Morrone JJ (2000) Mexican weevils (Coleoptera: Curculionoidea): a preliminary key to families and subfamilies. Acta Zoologica Mexicana (Nueva Serie) 80: 131–141.
- Pešić S (2003) Balkan weevils (Curculionoidea) in The Natural History Museum London (Reitter's collection). Kragujevac Journal of Science 25: 163–172.
- Piper GL, Mulford BL (1980) Life history observations on *Smicronyx commixtus* Dietz (Coleoptera: Curculionidae) in southeastern Washington. The Coleopterists Bulletin 34(3): 295–298.
- Roseland CR, Bates MB, Oseto CY (1990) Role of a male-produced pheromone of the red sunflower seed weevil (Coleoptera: Curculionidae) in host finding. Environmental Entomology 19(6): 1675–1680.
- Salas-Araiza MD, O'Brien CW, Romero-Napoles J (2001) Curculionoidea (Insecta: Coleoptera) from the state of Guanajuato, Mexico. Insecta Mundi 15 (1): 45–57.
- Tanner VM (1966) Rhynchophora beetles of the Nevada Test Site. Brigham Young University Science Bulletin (Biological Series) 8(2): 1–35.
- Wanat M, Mokrzycki T (2005) A new checklist of the weevils of Poland (Coleoptera: Curculionoidea). Genus 16: 69–117.

CURCULIONIDAE

Supporting references for the conservation of BAGOINAE C.G. Thomson, 1859 over LYPRINAE Gistel 1848 (Art. 23.9.2). The taxon name LYPRINAE Gistel 1848 has not been used as valid after 1899 to our knowledge. Note: LYPRINAE

Gistel, 1848 was recently considered a *nomen oblitum* by Colonnelli (2003: 7), however the necessary supporting references were not provided.

- Alonso-Zarazaga MA, Lyal CHC (1999) A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (excepting Scolytidae and Platypodidae). Entomopraxis, S.C.P., Barcelona, 315 pp.
- Alonso-Zarazaga MA, Lyal CHC (2002) Addenda and corrigenda to 'A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera)'. Zootaxa 63: 1–37.
- Amann E, Brandstetter CM, Kapp A (1994) Käfer am Wasser. (Gattungsschlüssel der (semi-) aquatischen Käfer Mitteleuropas). Erster Vorarlberger Coleopterologischer Verein, Burs, i, 1–38
- Anderson RS (2002) V. Bagoinae Thomson 1859 [p. 740]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton.
- Angelov P (1989) Eine neue *Bagous*-Art aus Bulgarien (Insecta, Coleoptera, Curculionidae: Bagoinae). Reichenbachia 27 (1): 69–70.
- Caldara R, O'Brien CW (1998) Systematics and evolution of weevils of the genus *Bagous*. VI. Taxonomic treatment of the species of the western Palearctic Region (Coleoptera Curculionidae). Memorie della Società Entomologica Italiana 76 [1997]: 131–347.
- Colonnelli E (2003) A revised checklist of Italian Curculionoidea (Coleoptera). Zootaxa 337: 1–142.
- DeLoach CJ (1976) Identification and biological notes on the species of *Neochetina* that attack Pontederiaceae in Argentina (Coleoptera: Curculionidae: Bagoini). The Coleopterists Bulletin 29 [1975] (4): 257–265.
- Dieckmann L (1983) Beiträge zur Insektenfauna der DDR: Coleoptera - Curculionidae (Tanytacra, Leptopiinae, Cleoninae, Tanyrhynchinae, Cossoninae, Raymondionyminae, Bagoinae, Tanyphyrinae). Beiträge zur Entomologie 33 (2): 257–381.
- Dieckmann L (1990) Revision der mitteleuropäischen Arten der *Bagous collignensis*-Gruppe (Insecta, Coleoptera, Curculionidae: Bagoinae). Reichenbachia 27 (2): 141–145.
- Freude H, Harde KW, Lohse GA (1983) Die Käfer Mitteleuropas. Band 11. Goecke & Evers, Krefeld, 342 pp.
- Kissinger DG (1966) *Cyrtobagous* Hustache, a genus of weevils new to the United States fauna (Coleoptera: Curculionidae: Bagoini). The Coleopterists' Bulletin 20 (4): 125–127.
- Menet D (1997) Les curculionides du nord de la France. 7ème partie: sous-familles des Pissodinae, Anoplinae, Tanyphyrinae, Bagoinae et Cossoninae. Bulletin de la Société Entomologique du Nord de la France 285: 3–10.
- Morris MG (1985) *Bagous brevis* Gyllenhal new to Ireland from the Burren, Co. Clare, with a brief review of the Irish Bagoini (Coleoptera: Curculionidae). Irish Naturalists' Journal 21: 400–403.
- O'Brien CW (1976) A taxonomic revision of the New World subaquatic genus *Neochetina* (Coleoptera: Curculionidae: Bagoini). Annals of the Entomological Society of America 69 (2): 165–174.

- O'Brien CW, Askevold IS (1992) Systematics and evolution of weevils of the genus *Bagous* Germar (Coleoptera: Curculionidae), 1. Species of Australia. *Transactions of the American Entomological Society* 118 (4): 331–452.
- O'Brien CW, Marshall GB (1979) U.S. *Bagous*, bionomic notes, a new species, and a new name (Bagoini, Erirhininae, Curculionidae, Coleoptera). *Southwestern Entomologist* 4 (2): 141–149.
- Pajni HR, Kamal Tewari P (1986) On a new species of genus *Hydronomidius* (Bagoinae: Curculionidae) from India. *Journal of the Bombay Natural History Society* 82 [1985] (3): 610–613.
- Pesarini C (1978) Tabelle per la determinazione dei generi di curculionidi italiani (Coleoptera). *Informatore del Giovane Entomologo* 19: 1–8.
- Smreczyński S (1972) Ryjkowce-Curculionidae. Podrodzina Curculioninae. Klucze do Oznaczania Owadów Polski [Nr 77]. Część XIX. Chrząszcze – Coleoptera, Zeszyt 98d. Państwowe Wydawnictwo Naukowe, Warszawa, 195 pp.
- Sprick P (2000) Eignung einer Insektengruppe für die Fauna-Flora-Habitat-Richtlinie der EU (92/43/EWG, 21. Mai 1992) am Beispiel der Rüsselkäfer-Unterfamilie Bagoinae (Col., Curculionidae) (Beiträge zur Ökologie phytophager Käfer III). *Insecta, Zeitschrift für Entomologie und Naturschutz* 6: 61–96.
- Sprick P (2001) Suitability of an insect group for the habitats directive of the EU: the weevil subfamily Bagoinae (Col., Curculionidae). Contributions to the ecology of phytophagous beetles VII. [pp. 7–40] In: Stüben PE (Ed) Studies on taxonomy, biology and ecology of Curculionoidea. Snudebiller 2. Curculio-Institut, Mönchengladbach [CD ROM].
- Stresemann E, Hannemann H-J, Klausnitzer B, Senglau K (1989) Exkursionsfauna für die Gebiete der DDR und der BRD. Band 2/1. Wirbellose: Insekten - Erster Teil. 8 Aufl. Volk und Wissen Volkseigener Verlag, Berlin, 504 pp.
- Warner RE (1970) *Neochetina eichhorniae*, a new species of weevil from waterhyacinth, and biological notes on it and *N. bruchi* (Coleoptera: Curculionidae: Bagoini). *Proceedings of the Entomological Society of Washington* 72 (4): 487–496.
- Zimmerman EC (1994) Australian weevils (Coleoptera: Curculionoidea). Volume 1. Orthoceri Anthribidae to Attelabidae, the primitive weevils. CSIRO, Melbourne, i–xxxii, pp. 1–741.

CURCULIONIDAE

Supporting references for the conservation of ATERPINA Lacordaire, 1863 over HELIOMENINA Gistel, 1848 (Art. 23.9.2). The taxon name HELIOMENINA Gistel, 1848 has not been used as valid after 1899 to our knowledge.

Alonso-Zarazaga MA, Lyal CHC (1999) A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (excepting Scolytidae and Platypodidae). Entomopraxis, S.C.P., Barcelona, 315 pp.

Barratt BIP, Evan AA, Ferguson CM, Barker GM, McNeill MR, Phillips CB (1997) Laboratory nontarget host range of the introduced parasitoids *Microctonus aethiopoides* and *M. hyperodae* (Hymenoptera: Braconidae) compared with field parasitism in New Zealand. *Environmental Entomology* 26(3): 694–702.

- Elgueta M (1975) Una nueva especie de Aterpinae (Coleoptera. Curculionidae). Revista Chilena de Entomología 8 [1974]: 133–134.
- Elgueta M (2000) Dos especies nuevas de *Aegorhinus* (Coleoptera: Curculionidae: Aterpini) de Chile. Two new *Aegorhinus* species (Coleoptera: Curculionidae: Aterpinae) from Chile. Acta Entomológica Chilena 24: 7–18.
- Escalante T, Linaje M, Illoldi-Rangel P, Rivas M, Estrada P, Neira F, Morrone JJ (2009) Ecological niche models and patterns of richness and endemism of the southern Andean genus *Eurymetopum* (Coleoptera, Cleridae). Revista Brasileira de Entomologia 53(3): 379–385.
- Hawkeswood TJ (1991) Review of the history, biology and host plants of the Australian weevil *Chrysolophus spectabilis* (Fabricius) (Coleoptera: Curculionidae: Aterpinae). Spixiana 14(1): 17–25.
- Hunsdoerfer AK, Rheinheimer J, Wink M (2009) Towards the phylogeny of the Curculionoidea (Coleoptera): reconstructions from mitochondrial and nuclear ribosomal DNA sequences. Zoologischer Anzeiger 248 (1): 9–31.
- Kuschel G (1982) Apionidae and Curculionidae (Coleoptera) from the Poor Knights Islands, New Zealand. Journal of the Royal Society of New Zealand 12(3): 273–282.
- Leschen RAB, Lawrence JF, Kuschel G, Thorpe S, Wang Q (2003) Coleoptera genera of New Zealand. New Zealand Entomologist 26: 15–28.
- Lyal CHC, Douglas DA, Hine SJ (2006) Morphology and systematic significance of sclero-lepidia in the weevils (Coleoptera: Curculionoidea). Systematics and Biodiversity 4(2): 203–241.
- Marvaldi AE, Morrone JJ (1999) Immature stages of *Rhyparotus altarensis* (Olliff) (Coleoptera: Curculionidae: Molytinae), with comments on larval characters in Anchonini and Molytinae. Journal of the New York Entomological Society 106 [1998] (2/3): 95–104.
- Marvaldi AE, Morrone JJ (2000) Phylogenetic systematics of weevils (Coleoptera: Curculionoidea): a reappraisal based on larval and adult morphology. Insect Systematics & Evolution 31 (1): 43–58.
- May BM (1993) Larvae of Curculionoidea (Insecta: Coleoptera): a systematic overview. Fauna of New Zealand . Ko te Aitanga Pepeke o Aotearoa. Number 28, Manaaki Whenua Press, Lincoln, 225 pp.
- Morrone JJ (1998) On Udvary's Insulanarctica province: a test from the weevils (Coleoptera: Curculionoidea). Journal of Biogeography 25 (5): 947–955.
- Morrone JJ (2000) Mexican weevils (Coleoptera: Curculionoidea): a preliminary key to families and subfamilies. Acta Zoologica Mexicana (Nueva Serie) 80: 131–141.
- Morrone JJ (2002) Checklist of the species of Cyclominae (Coleoptera: Curculionidae) occurring in America south of the United States. Revista de la Sociedad Entomológica Argentina 61 (1/2): 11–24.
- Morrone JJ, Marvaldi AE (1998) *Listroderes abditus* or *Antarctobius abditus*?: a simultaneous analysis of larval and adult characters (Coleoptera: Curculionidae). European Journal of Entomology 95 (3): 429–436.
- Morrone JJ, Roig-Junent S (2000) Synopsis and cladistics of the American Aterpini (Coleoptera: Curculionidae, Cyclominae). Entomologica Scandinavica 30 [1999] (4): 417–434.

- Oberprieler RG, Marvaldi AE, Anderson RS (2007) Weevils, weevils, weevils everywhere. *Zootaxa* 1668: 491–520.
- Parra LB, Mutis AT, Aguilera AP, Rebolledo RR, Quiroz AC (2009) Estado del conocimiento sobre el cabrito del frambueso (CF), *Aegorhinus superciliosus* (Guérin) (Coleoptera: Curculionidae). *Idesia* 27(1): 57–65.
- Pérez-Schultheiss J, Arriagada AM, Baessolo L (2009) Aterpini (Coleoptera: Curculionidae) del Parque Nacional Isla Guamblín, Archipiélago de los Chonos, Aysén, Chile. *Boletín de la Sociedad Entomológica Aragonesa* 45: 249–252.
- Posadas P, Morrone JJ (2003) Biogeografía histórica de la familia Curculionidae (Coleoptera) en las subregiones Subantártica y Chilena Central. *Revista de la Sociedad Entomológica Argentina* 62(1/2): 75–84.
- Richardson BJ, Oberprieler RG (2007) The diversity of Linnaean communities: a way of detecting invertebrate groups at risk of extinction. *Journal of Insect Conservation* 11(3): 287–297.
- Setliff GP (2007) Annotated checklist of weevils from the Papuan region (Coleoptera, Curculionoidea). *Zootaxa* 1536: 1–296.
- Vergara OE, Jerez V, Parra LE (2006) Diversidad y patrones de distribución de coleópteros en la Región del Biobío, Chile: una aproximación preliminar para la conservación de la diversidad. *Revista Chilena de Historia Natural* 79: 369–388.

CURCULIONIDAE

Supporting references for the conservation of NAUPACTINI Gistel, 1848 over IPHIINI Schönherr, 1823 (Art. 23.9.2). The taxon name IPHIINI Schönherr, 1823 has not been used as valid after 1899 to our knowledge.

- Bordon C (1991) El género *Macrostylus* Boheman (Col. Curc. Brachyderinae, Naupactini) en Venezuela. *Acta Biologica Venezuelica* 13: 1–50.
- Chen Y (1991) [The Chinese *Mesagroicus* Schönherr (Coleoptera: Curculionidae, Naupactini)]. *Acta Entomologica Sinica* 34 (4): 468–469 [in Chinese].
- Coscarón M, del C, Díaz NB, Lanteri AA, Loiacono MS (1991) Importancia taxonómica del revestimiento tegumentario en la tribu Naupactini. I. Género *Cyrtomon* y taxa afines (Coleoptera: Curculionidae). *Neotropica* 37 (No. 97): 31–54.
- Díaz NB, Loiácono MS, Coscarón M, del C, Lanteri AA (1990) Importancia taxonómica de las piezas bucales en la tribu Naupactini. 1. Género *Cyrtomon* Schoenherr y taxa afines (Coleoptera, Curculionidae). *Revista Brasileira de Entomologia* 34 (4): 861–876.
- Díaz NB, Loiácono MS, Lanteri AA, Coscarón M, del C (1991) Importancia taxonómica de la piezas bucales en la tribu Naupactini. II. Las especies del género *Cyrtomon* Schoenherr (Coleoptera: Curculionidae). *Neotropica* 36 (No. 96) [1990]: 93–99.
- Ferragu M, Richard R (1986) Cinq curculionides nouveaux de Madagascar, des Mascareignes et d'Afrique australe (Coleoptera). *Revue Française d'Entomologie (Nouvelle Série)* 8 (4): 149–155.

- Gomez CA, Lanteri AA (2006) Primer registro de *Naupactus ruizi* (Coleoptera: Curculionoidea) asociado con *Pinus ponderosa* (Gymnospermae: Pinaceae) en Patagonia. Revista de la Sociedad Entomológica Argentina 65: 107–109.
- Guadalupe del Río M, Lanteri AA (2007) Taxonomic revision of *Melanocyphus* Jekel (Coleoptera: Curculionidae). Studies on Neotropical Fauna and Environment 42: 127–132.
- Guadalupe del Río M, Lanteri AA (2008) *Thoraconauropactus*, a new Brazilian genus of broad nosed weevil (Coleoptera: Curculionidae: Entiminae) associated with *Leucaena* (Fabaceae). Entomological News 118 [2007] (5): 459–469.
- Guadalupe del Río M, Lanteri AA, Guedes JVC (2006) Taxonomic revision and cladistic analysis of *Teratopactus* Heller (Coleoptera: Curculionidae). Invertebrate Systematics 20 (5): 585–602.
- Guedes JVC, Lanteri AA, Parra JRP (2005) Chave de identificação, ocorrência e distribuição dos curculionídeos-das-raízes dos citros em São Paulo e Minas Gerais. Neotropical Entomology 34 (4): 577–584.
- Lanteri AA (1981) Estudio comparativo de las estructuras genitales en la tribu Naupactini. I. Los caracteres a nivel genérico de *Naupactus* Schönherr, *Teratopactus* Heller y *Trichonaupactus* Hustache (Coleoptera: Curculionidae). Revista de la Sociedad Entomológica Argentina 40 (1/4): 273–278.
- Lanteri AA (1989) Estudio sistemático de los géneros *Trichocyphus* Heller y *Mendozella* Hustache (Coleoptera: Curculionidae). Boletín de la Sociedad de Biología de Concepción 60: 139–147.
- Lanteri AA (1990) Revisión sistemática del género *Priocyphus* Hustache 1939 y creación de los géneros *Priocypopsis* y *Lamprocypopsis* (Coleoptera, Curculionidae). Revista Brasileira de Entomología 34 (2): 403–422.
- Lanteri AA (1992) Systematics, cladistics and biogeography of a new weevil genus, *Galapaganus* (Coleoptera: Curculionidae) from the Galápagos Islands, and coasts of Ecuador and Perú. Transactions of the American Entomological Society 118 (3): 227–267.
- Lanteri AA (1995) Systematic revision of *Ericydeus* Pascoe (Coleoptera: Curculionidae). Entomologica Scandinavica 26 (4): 393–424.
- Lanteri AA (2004) New taxonomic and biogeographic information on *Galapaganus femoratus* species group (Coleoptera: Curculionidae: Entiminae). Transactions of the American Entomological Society 130 (2/3): 177–192.
- Lanteri AA, Guadalupe del Río M (2003) Revision of the genus *Briarius* (Fischer de Waldheim) (Coleoptera: Curculionidae). Insect Systematics & Evolution 34 (3): 281–294.
- Lanteri AA, Guadalupe del Río M (2005) Taxonomic revision of *Thoracocyphus* Emden (Coleoptera: Curculionidae). Insect Systematics & Evolution 35 (4): 449–456.
- Lanteri AA, Guadalupe del Río M (2005) Taxonomy of the monotypic genus *Trichaptus* Pascoe (Coleoptera: Curculionidae: Entiminae), a potential weevil mimic of Mutillidae. The Coleopterists Bulletin 59 (1): 47–54.
- Lanteri AA, Guadalupe del Río M (2006) Taxonomic revision of the genus *Cyphopsis* Roelofs (Coleoptera, Curculionidae). Deutsche Entomologische Zeitschrift 53 (2): 275–281.

- Lanteri AA, Guadalupe del Río M (2006) Taxonomic revision of the monotypic genus *Acyphus* Heller (Coleoptera: Curculionidae) with comments on infraspecific variation. Zootaxa 1312: 59–68.
- Lanteri AA, Guedes JVC, Parra JRP (2002) Weevils injurious for roots of citrus in São Paulo state, Brazil. Neotropical Entomology 31 (4): 561–569.
- Lanteri AA, Morrone JJ (1991) Cladistic analysis of *Priocyphis* Hustache and related genera (Coleoptera: Curculionidae). Proceedings of the Entomological Society of Washington 93 (2): 278–287.
- Lanteri AA, Normark BB (1995) Parthenogenesis in the tribe Naupactini (Coleoptera: Curculionidae). Annals of the Entomological Society of America 88 (6): 722–731.
- Marvaldi AE, Loiacono MS (1994) First instar larvae in the tribe Naupactini (Coleoptera, Curculionidae). Revista Brasileira de Entomologia 38 (2): 453–466.
- Normark BB (1996) Phylogeny and evolution of parthenogenetic weevils of the *Aramigus tessellatus* species complex (Coleoptera: Curculionidae: Naupactini): evidence from mitochondrial DNA sequences. Evolution 50 (2): 734–745.
- Pesarini C (1977) Tabelle per la determinazione dei generi di curculionidi italiani (Coleoptera). 2. L’Informatore del Giovane Entomologo 18: 9–16.
- Wibmer GJ, O’Brien CW (1986) Annotated checklist of the weevils (Curculionidae sensu lato) of South America (Coleoptera: Curculionoidea). Memoirs of the American Entomological Institute No. 39: i–xvi, 1–563.

CURCULIONIDAE

Supporting references for the conservation of CLEONINI Schönherr, 1826 over GEOMORINI Schönherr, 1823 (Art. 23.9.2). The taxon name GEOMORINI Schönherr, 1823 has not been used as valid after 1899 to our knowledge.

- Alonso Zarazaga MA, Lyal CHC (2009) On the nomenclature of some genera in the Cleonini (Coleoptera, Curculionidae, Lixinae). Graellsia 65(2): 241–242.
- Alonso-Zarazaga MA, Lyal CHC (1999) A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (excepting Scolytidae and Platypodidae). Entomopraxis, S.C.P., Barcelona, 315 pp.
- Anderson RS (1988) Systematics, phylogeny and biogeography of New World weevils traditionally of the tribe Cleonini (Coleoptera: Curculionidae; Cleoninae). Quaestiones Entomologicae 23 [1987] (4): 431–709.
- Anderson RS (1989) New synonymy in North American *Stephanocleonus* Motschulsky (Coleoptera: Curculionidae). The Coleopterists Bulletin 43 (1): 93.
- Arzanov YG (2006) *Borisocleonus* gen. n. – novyy rod dolgonosikov triby Cleonini (Coleoptera: Curculionidae: Lixinae). *Borisocleonus* gen. n. - a new genus of weevils from the tribus of Cleonini (Coleoptera: Curculionidae: Lixinae). Russian Entomological Journal 15 (1): 63–66.
- Aslam NA (1963) On the genera of Indo-Pakistan Cleoninae and Hylobiinae (Coleoptera: Curculionidae). Bulletin of the British Museum (Natural History) (Entomology) 13 (3): 47–66.

- Balsbaugh EU, Aarhus DG (1990) Checklist and new state records of Curculionidae (broad sense) (Coleoptera) for North Dakota. *Journal of the Kansas Entomological Society* 63(2): 227–236.
- Barratt BIP, Evan AA, Ferguson CM, Barker GM, McNeill MR, Phillips CB (1997) Laboratory nontarget host range of the introduced parasitoids *Microctonus aethiopoides* and *M. hyperodae* (Hymenoptera: Braconidae) compared with field parasitism in New Zealand. *Environmental Entomology* 26(3): 694–702.
- Brun LA, Sheppard AW, Carrara A (1994) Host range of *Pachycerus cordiger* (= *P. scabrosus*) (Col.: Curculionidae). *Entomophaga* 38[1993] (4): 537–539.
- Dieckmann L (1983) Beiträge zur Insektenfauna der DDR: Coleoptera Curculionidae (Tany-mecinae, Leptopiinae, Cleoninae, Tanyrhynchinae, Cossoninae, Raymondionyminae, Bagoinae, Tanyphyrinae). *Beiträge zur Entomologie* 33 (2): 257–381.
- Gratshev VG, Zherichin VV (2003) The fossil record of weevils and related beetle families (Coleoptera, Curculionoidea). *Acta Zoologica Cracoviensia* 46 (Supplement. Fossil Insects): 129–138.
- Holecová M, Rozek M, Karagyan G (2000) Karyological notes on three weevil species from Armenia (Coleoptera, Curculionidae, Cleoninae). *Folia Biologica (Cracow)* 48(1–2): 25–27.
- Hunsdoerfer AK, Rheinheimer J, Wink M (2009) Towards the phylogeny of the Curculionoidea (Coleoptera): reconstructions from mitochondrial and nuclear ribosomal DNA sequences. *Zoologischer Anzeiger* 248 (3): 9–31.
- Kingsolver JM (1962) Notes on fossil Cleoninae (Coleoptera: Curculionidae). *Psyche* 69 (1): 47–49.
- Louw S (1993) Breeding populations of *Lixus carinerostris* Boheman and *Calodemas prolixus* Faust (Coleoptera: Curculionidae) co-existing on Mesembryanthemaceae. *The Coleopterists Bulletin* 47(4): 335–339.
- Meregalli M (2002) Notes on the genus *Pachycerus* Schoeherr 1823 with description of a new species from Somalia (Coleoptera Curculionidae Lixinae). *Tropical Zoology* 15 (2): 233–242.
- Meregalli M (2004) *Pseudeumecops* n. gen., a new genus of Cleonini from East Africa (Coleoptera, Curculionidae, Lixinae). *Italian Journal of Zoology* 71 (2): 153–163.
- Meregalli M (2008) Taxonomic relationships between *Pachycerus* and *Rhabdorrhynchus* (Coleoptera: Curculionidae: Lixinae), with descriptions of two new species of *Rhabdorrhynchus* from the Arabian Peninsula. *Zoological Journal of the Linnean Society* 152(1): 25–37.
- Meregalli M (2009) Revision of the Indo-African *Pachycerus* Schoenherr, 1823, with a description of four new species (Coleoptera: Curculionidae: Lixinae). *Zoological Journal of the Linnean Society* 157(2): 295–325.
- Perrin HM, Meregalli M (2008) Désignation de lectotypes des espèces de Cleonini, décrites par Gebler et Chevrolat, dans les collections du MNHN à Paris (Coleoptera, Curculionidae, Lixinae). *Revue Française d'Entomologie (Nouvelle Série)* 29 [2007] (4): 129–148.
- Takenouchi Y (1973) A revised study of the chromosomes of twenty-four species of Japanese weevils (Coleoptera: Curculionidae). *Genetica* 44(4): 621–632.

- Volovnik SV (1989) On distribution and ecology of some species of cleonine weevils (Coleoptera: Curculionidae) I. Tribe Cleonini. Entomological Review 68(3): 138–144. [publ. originally in *Entomologicheskoe Obozrenie* 68 (1): 86–92]
- Volovnik SV (2005) On parasites and predators of Cleoninae weevils (Col. Curculionidae) in Ukrainian steppe. Anzeiger für Schädlingskunde 67(4): 77–79.
- Volovnik SV (2007) On distribution and ecology of some species of cleonines (Coleoptera, Curculionidae): IV. Genus *Lixus* F., subgenus *Eulixus* Reitt. Entomological Review 87 (7): 840–847. [publ. originally in *Entomologicheskoe Obozrenie* 86 (3): 521–531]
- Wheeler AG, Jr., Whitehead DR (1985) *Larinus planus* (F.) in North America (Coleoptera: Curculionidae: Cleoninae) and comments on biological control of Canada thistle. Proceedings of the Entomological Society of Washington 87(4): 751–758.

CURCULIONIDAE

Supporting references for the conservation of MAGDALIDINI Pascoe, 1870 over SCARDAMYCTINI Gistel, 1848 (Art. 23.9.2). The taxon name SCARDAMYCTINI Gistel, 1848 has not been used as valid after 1899 to our knowledge.

- Alonso-Zarazaga MA (2002) Lista preliminar de los Coleoptera Curculionoidea del área ibero-balear, con descripción de *Melicius* gen. nov. y nuevas citas. Boletín de la Sociedad Entomológica Aragonesa 31: 9–33.
- Alonso-Zarazaga MA, Lyal CHC (1999) A world catalogue of families and genera of Curculionoidea (Insecta: Coleoptera) (excluding Scolytidae and Platypodidae). Entomopraxis, S.C.P., Barcelona, 315 pp.
- Anderson RS (1997) Weevils (Coleoptera: Curculionoidea, excluding Scolytinae and Platypodinae) of the Yukon [pp. 523–562]. In: Danks HV, Downes JA (Eds) Insects of the Yukon. Biological Survey of Canada (Terrestrial Arthropods), Ottawa, 1034 pp.
- Anderson RS (2002) XV. Mesoptiliinae Lacordaire, 1863 [p. 786]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American Beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea CRC Press, Boca Raton, xiv + 861 pp.
- Balsbaugh EU, Aarhus DG (1990) Checklist and new state records of Curculionidae (broad sense) (Coleoptera) for North Dakota. Journal of the Kansas Entomological Society 63(2): 227–236.
- Braunert C (2009) Verzeichnis der Rüsselkäfer Luxemburgs (Coleoptera, Curculionoidea) mit Ausnahme der Borkenkäfer (Scolytinae) und Kermkäfer (Platypodinae). Bulletin de la Société des Naturalistes Luxembourgeois 110: 125–142.
- Bright DE, Bouchard P (2008) Coleoptera, Curculionidae, Entiminae. Weevils of Canada and Alaska. Volume 2. The Insects and Arachnids of Canada. Part 25, NRC Research Press, Ottawa, xiii + 327 pp.
- Burrini AG, Magnano L, Magnano AR, Scala C, Baccetti B (1988) Spermatozoa and phylogeny of Curculionoidea (Coleoptera). International Journal of Insect Morphology and Embryology 17(1): 1–50.

- Crowson RA (1984) The associations of Coleoptera with Ascomycetes [pp. 256–285]. In: Wheeler Q, Blackwell M (Eds) Fungus-insect relationships: perspectives in ecology and evolution. Columbia University Press, New York, xiii + 514 pp.
- Elgueta M, Arriagada SG (1989) Estado actual del conocimiento de los Coleópteros de Chile (Insecta: Coleoptera). Revista Chilena de Entomología 17: 5–60.
- Hollis D (Ed), (1980) Animal identification: a reference guide. Volume 3. Insects. London, British Museum (Natural History) and John Wiley, viii + 160 pp.
- Hunsdoerfer AK, Rheinheimer J, Wink M (2009) Towards the phylogeny of the Curculionoidea (Coleoptera): reconstructions from mitochondrial and nuclear ribosomal DNA sequences. Zoologischer Anzeiger 248 (1): 9–31.
- Kojima H, Morimoto K (2004) An online checklist and database of the Japanese weevils (Insecta: Coleoptera: Curculionoidea) (excepting Scolytidae and Platypodidae). Bulletin of the Kyushu University Museum 2: 33–147.
- Kuschel G (2003) Nemonychidae, Belidae, Brentidae (Insecta: Coleoptera: Curculionoidea). Fauna of New Zealand. Ko te Aitanga Pepeke o Aotearoa. Number 45, Manaaki Whenua Press, Lincoln, 97 pp.
- Lu X, Legalov AA, Zhang R (2005) A new subgenus and two new species of *Magdalais* Germar from northern China (Coleoptera: Curculionidae: Magdalinae). The Coleopterists Bulletin 59(3): 369–378.
- Majka C, Anderson RS, McAlpine DF, Webster RP (2007) The weevils (Coleoptera: Curculionoidea) of the Maritime Provinces of Canada, I: New records from New Brunswick. The Canadian Entomologist 139(3): 378–396.
- Mann F. G. (1960) Regiones biogeográficas de Chile. Investigaciones Zoológicas Chilenas 6: 15–49.
- McKenna DD, Sequeira AS, Marvaldi AE, Farrell BD (2009) Temporal lags and overlap in the diversification of weevils and flowering plants. Proceedings of the National Academy of Sciences of the United States of America 106(17): 7083–7088.
- Morris MG (1993) A check list of the weevils of Ireland (Coleoptera: Curculionoidea). Entomologist's Gazette 44 (4): 289–296.
- Morris MG (2002) True weevils (part I): Coleoptera: Curculionidae (subfamilies Raymondionyminae to Smicronychinae). Handbooks for the Identification of British Insects 5(17b): 1–149.
- Morrone JJ, Muñiz R, Asiaín J, Márquez J (2002) Lista de las especies de Curculionoidea (Insecta: Coleoptera) depositadas en la colección del Museo de Zoológica 'Alfonso L. Herrera,' Facultad de Ciencias, UNAM (MZFC). Acta Zoológica Mexicana (Nueva serie) 87: 147–165.
- O'Brien CW, Wibmer GJ (1982) Annotated checklist of the weevils (Curculionidae sensu lato) of North America, Central America, and the West Indies (Coleoptera: Curculionoidea). Memoirs of the American Entomological Institute 34: i–ix, 1–382.
- Pešić S (2003) Balkan weevils (Curculionoidea) in The Natural History Museum London: world part. Kragujevac Journal of Science 25: 139–162.

- Ribera I (1999) Evolución, filogenia y clasificación de los Coleoptera (Arthropoda: Hexapoda). Boletín de la Sociedad Entomológica Aragonesa 26(Evolución y filogenia de Arthropoda): 435–458.
- Wanat M, Mokrzycki T (2005) A new checklist of the weevils of Poland (Coleoptera: Curculionoidea). Genus 16 (1): 69–117.

ELATERIDAE

Supporting references for the conservation of AGRYPNINAE/-INI Candèze, 1857 over ADELOCERINAE/-INI Gistel, 1848 and PANGAURINAE/-INI Gistel, 1856 (Art. 23.9.2). The taxon name PANGAURINAE/-INI Gistel, 1856 has not been used as valid after 1899 to our knowledge. The taxon name ADELOCERINAE/-INI has been used as valid after 1899 but attributed to Buysson, 1893 who proposed the name as new, without reference to Gistel's name.

- Casari SA (2002) Review of the genus *Chalcolepidius* Eschscholtz, 1829 (Coleoptera, Elateridae, Agrypninae). Revista Brasileira de Entomologia 46 (3): 263–428.
- Casari SA (2004) New species of *Alaus* Eschscholtz, 1829 (Coleoptera: Elateridae, Agrypninae, Hemirhipini). Annales de la Société Entomologique de France (Nouvelle Série) 39 [2003] (4): 315–333.
- Casari SA (2006) Larva, pupa and adult of *Aeolus cinctus* Candèze (Coleoptera, Elateridae, Agrypninae). Revista Brasileira de Entomologia 50 (3): 347–351.
- Casari SA (2008) Cladistic analysis of Hemirhipini with establishment of *Propalaus* gen. nov. (Coleoptera, Elateridae, Agrypninae). Papéis Avulsos de Zoologia 48 (16): 139–180.
- Chakraborty P, Chakraborty S (2000) Agrypninae (Coleoptera: Elateridae) of India: a taxonomic review and checklist. Records of the Zoological Survey of India 98: 71–83.
- Chassain J (2005) *Lacon giuglarisi*, espèce nouvelle pour la faune de Guyane française (Coleoptera, Elateridae, Agrypninae). L'Entomologiste 61 (3): 131–134.
- Chassain J (2009) Description d'une nouvelle espèce guyanaise et brésilienne d'élatéride du genre *Coctilelater* (Costa, 1975) (Coleoptera Elateridae Agrypninae Pyrophorini). L'Entomologiste 65 (1): 35–38.
- Cobos A (1966) Nuevo género y especie de Agrypninae (Col. Elateridae). Annales de la Société Entomologique de France (Nouvelle Série) 2 (3): 651–653.
- Costa C, Cesari-Chen SA (1984) Larvae of Neotropical Coleoptera. VIII. Elateridae: Agrypninae, Elaterinae and Physorhininae. Revista Brasileira de Entomologia 28 (3): 315–328.
- Costa C, Rosa SP, Chassain J (2009) A taxonomic revision and revalidation of *Nycterilampus* Montrouzier (Coleoptera: Elateridae, Agrypninae). Zootaxa 2017: 47–57.
- Hoffman RL (2007) The distribution of *Conoderus scissus* (Schaeffer) with notes on some taxonomic characters (Coleoptera: Elateridae: Agrypninae). Banisteria 30: 32–34.
- Jiang S-H, Chen X-Q, Wu S-J, Meng Z-Y, Li G-J (2009) Molecular phylogenetic analysis of Elateridae (Insecta: Coleoptera) based on 28S rDNA gene fragments. Acta Entomologica Sinica 52 (1): 74–83 [in Chinese, English summary].

- Kishii T (1995) A study on the elaterid-beetles of Shibata Collection from Taiwan, I (Coleoptera, Elateridae). On the subfamilies Oxynopterinae and Agrypninae. The Entomological Review of Japan 50 (1): 1–14, pls. 1–4.
- Lee S-H, Woo K-S, Lee YI (1987) Taxonomic study on the subfamily Agrypninae (Coleoptera: Elateridae) in Korea. Korean Journal of Plant Protection 26: 1–7.
- Ohira H (2002) Notes on the morphological structure of *Agrypnus* species from Japan (I). (Coleoptera: Elateridae, Agrypninae, *Agrypnus*). Miscellaneous Reports of the Hiwa Museum for Natural History 41: 53–67.
- Ohira H (2004) Notes on the morphological structure of *Agrypnus* species from Japan (III). (Coleoptera: Elateridae, Agrypninae, *Agrypnus*, *Colaulon* group). Miscellaneous Reports of the Hiwa Museum for Natural History 43: 67–90.
- Platia G (2008) Description of three wingless species of *Rismethus* Fleutiaux, 1947 (Coleoptera, Elateridae: Agrypnini) from Western Malaysia. Folia Entomologica Hungarica 69: 179–184.
- Rosa SP (2004) Nova espécie do gênero *Ptesimopsis* Costa (Coleoptera, Elateridae, Agrypninae). Revista Brasileira de Entomologia 48 (2): 227–228.
- Rosa SP (2004) Revisão do gênero *Opselater* Costa (Coleoptera, Elateridae, Agrypninae). Revista Brasileira de Entomologia 48 (2): 203–219.
- Rosa SP (2009) Description of *Coctilelater minimus* sp. nov. (Coleoptera, Elateridae, Agrypninae). Revista Brasileira de Entomologia 53 (1): 36–37.
- Smith JW, Enns WR (1977) The click beetle subfamilies Agrypninae, Pyrophorinae, and Melanotinae (Coleoptera: Elateridae) in Missouri - part I. Journal of the Kansas Entomological Society 50 (3): 436–468.
- Smith JW, Enns WR (1978) The click beetle subfamilies Agrypninae, Pyrophorinae, and Melanotinae (Coleoptera: Elateridae) in Missouri - part II. Journal of the Kansas Entomological Society 51 (1): 42–74.
- Stibick JNL (1979) Classification of the Elateridae (Coleoptera). Relationships and classification of the subfamilies and tribes. Pacific Insects 20 (2/3): 145–186.
- Tarnawski D, Buchholz L (2008) Sprezykowate -Elateridae. Część ogólna oraz podrodziny: Agrypninae, Negastriinae i Diminae. Klucze do Oznaczania Owadów Polski [Nr. 172]. Część XIX. Chrząszcze - Coleoptera. Zeszyt 34a. Polskie Towarzystwo Entomologiczne, Warszawa, 125 pp.
- Vats LK, Vasu V (1993) Taxonomic importance of internal organs of reproduction in Agrypninae (Coleoptera: Elateridae). Journal of Entomological Research 17 (1): 65–70.

ELATERIDAE

Supporting references for the conservation of PROSTERNINI Gistel, 1856 over DIACANTHINI Gistel, 1848 (Art. 23.9.2). The taxon name DIACANTHINI Gistel, 1848 has not been used as valid after 1899 to our knowledge.

- Barševskis A (2005) Catalogue of click-beetles (Coleoptera: Elateridae) of Latvia. Proceedings on Taxonomy and Faunistics of Beetles (Coleoptera) dedicated to the 100th birthday of the Latvian entomologist Mihails Stiprais (1905–1990). Pp. 7–28.

- Bishop DJ, Majka CG, Bondrup-Nielsen S, Peck SB (2009) Deadwood and saproxylic beetle diversity in naturally disturbed and managed spruce forests in Nova Scotia. *ZooKeys* 22: 309–340.
- Casari SA (2008) A phylogenetic study of the subtribe Dicrepidiina (Elateridae, Elaterinae, Ampedini). *Revista Brasileira de Entomologia* 52 (2): 182–260.
- Johnson PJ (1995) A new genus of Conoderini, with new generic classifications for *Ctenicera sleeperi* Becker and *Ctenicera pilatei* (Champion), and a new species from Jamaica (Coleoptera: Elateridae). *The Coleopterists Bulletin* 49 (1): 59–71.
- Johnson PJ (2002a) 58. Elateridae Leach 1815 [pp. 160–173]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp.
- Johnson PJ (2002b) Lectotype designations for Elateridae (Coleoptera) described by George C. Champion in the *Biologia Centrali-Americanana*. *Dugesiana* 9 (1): 15–46.
- Kalniņš M, Juceviča E, Karpa A, Salmane I, A. P, Telnov D (2007) Bezmugurkaulnieki [pp. 106–151]. In: Pilāts V (Ed) Biologiskā Daudzveidība Gaujas Nacionālajā Parkā Biodiversity in Gauja National Park. Gaujas nacionālā parka administrācija, Sigulda.
- Kishii T (1997) A study on the elaterid-beetles of Shibata collection from Taiwan, VI. (Coleoptera: Elateridae). On the subfamily Denticollinae: Tribe Prosternini. *The Entomological Review of Japan* 52 (1): 15–18.
- Kishii T (2004) Two new species of the subfamily Dendrometrinae (Coleoptera: Elateridae) from Japan. *The Entomological Review of Japan* 59 (1): 61–66.
- Kishii T, Jiang S-H (1996) Notes on the Chinese Elateridae (3) (Coleoptera). *Entomological Review of Japan* 51 (2): 97–102.
- Kishii T, Jiang S-H (1999) Notes on the Chinese Elateridae (Coleoptera) (4). *Entomological Review of Japan* 54 (1): 11–19.
- Lundberg B (1995) Catalogus Coleopterorum Sueciae. Naturhistoriska Riksmuseet, Stockholm [unpaginated].
- Majka CG, Johnson PJ (2008) The Elateridae (Coleoptera) of the Maritime Provinces of Canada: faunal composition, new records, and taxonomic changes. *Zootaxa* 1811: 1–33.
- Ohira H (2007) Notes on the morphological structure of *Actenicerus* species (Coleoptera: Elateridae, Dendrometrinae, Prosternini) from Japan (8). *Nanki Seibutu* 49: 131–134.
- Ohira H (2008) Notes on the morphological structure of *Actenicerus* species (Coleoptera: Elateridae, Dendrometrinae, Prosternini) from Japan (9). *Nanki Seibutu* 50: 79–81.
- Recalde JI, Sánchez-Ruiz A (2003) Elateridae (Coleoptera) forestales de Navarra (III). Acerca de la presencia del género *Paraphotistus* Kishii, 1966 en la Península Ibérica. *Boletín de la Sociedad Entomológica Aragonesa* 32: 95–97.
- Sánchez-Ruiz A (1996) Catalogo bibliográfico de las especies de la familia Elateridae (Coleoptera) de la Península Iberica e Islas Baleares. Documentos Fauna Ibérica, 2. Museo Nacional de Ciencias Naturales, CSIC, Madrid, 265 pp.
- Sánchez-Ruiz A (1998) Familia Elateridae (Insecta: Coleoptera). Catalogus de la Entomofauna Aragonesa 17: 13–17.
- Sánchez-Ruiz A (1999) Los Elateridae (Coleoptera) de Los Monegros. *Boletín de la Sociedad Entomológica Aragonesa* 24 [1998]: 167–168.

- Sánchez-Ruiz A, Muñoz J, Blasco-Zumeta J (1998) Nuevos datos para la fauna de Elateridae (Coleoptera) de Aragón. Boletín de la Sociedad Entomológica Aragonesa 22: 13–15.
- Schneider MC, Rosa SP, Almeida MC, Costa C, Cella DM (2007) Strategies of karyotype differentiation in Elateridae (Coleoptera, Polyphaga). Micron 38 (6): 590–598.
- Silfverberg H (1992) Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae. Helsingfors Entomologiska Bytesförening, Helsinki, v + 94 pp.
- Telnov D (2004) Check-list of Latvian beetles (Insecta: Coleoptera). Second edition. Compendium of Latvian Coleoptera 1. Entomological Society of Latvia, Riga, 113 pp.
- Telnov D, Barsevskis A, Savich F, Kovalevsky F, Berdnikov S, Doronin M, Cibulskis R, Ratniece D (1997) Check-list of Latvian beetles (Insecta: Coleoptera). Mitteilungen des Internationalen Entomologischen Vereins, Supplement 5: 1–141.
- Zapata de la Vega JL, Sánchez-Ruiz A (2002) El género *Selatosomus* Stephens, 1830 en la península Ibérica (Coleoptera: Elateridae: Dendrometrinae: Prosternini). Boletín de la Sociedad Entomológica Aragonesa 30: 101–110.

MONOTOMIDAE

Supporting references for the conservation of *Monotoma* Herbst, 1793 over *Monotoma* Panzer, 1792 (Art. 23.9.2). The taxon name *Monotoma* Panzer, 1792 has not been used as valid after 1899 to our knowledge.

- Arnett RH, Jr. (1962b) Part V Suborder Polyphaga (cont.) series Cucujiformia (cont.) Tenebrionoidea, Cucujoidea [pp. (2 unnn. +) 645–850]. In: The beetles of the United States (a manual for identification) [original loose-leaf edition]. Catholic University of America Press, Washington D.C., xii + 1112 pp. [+ unnn. pp.].
- Arnett RH, Jr. (2000) American insects. A handbook of the insects of America north of Mexico. Second edition. CRC Press, Boca Raton, xvii + 1003 pp.
- Bousquet Y (1991) Family Rhizophagidae rhizophagid beetles [pp. 218–219]. In: Bousquet Y (Ed) Checklist of beetles of Canada and Alaska. Agriculture Canada, Publication 1861/R, 430 pp.
- Bousquet Y (2002) Family 79. Monotomidae Laporte 1840 [pp. 319–321]. In: Arnett RH, Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp.
- Bousquet Y (2010) Monotomidae Laporte, 1840 [pp. 319–324]. In: Part 38. Coleoptera, beetles. Volume 2: Morphology and systematics (Elateroidea, Bostrichiformia, Cucujiformia partim). In: Leschen RAB, Beutel RG, Lawrence JF, Ślipiński SA (Eds) Handbook of zoology. Volume IV. Arthropoda: Insecta. W. de Gruyter, New York and Berlin, xiii + 786 pp.
- Bousquet Y, Laplante S (2000) Taxonomic review of the Canadian species of the genus *Monotoma* Herbst (Coleoptera: Monotomidae). Proceedings of the Entomological Society of Ontario 130 [1999]: 67–96.
- De Marzo L (2005) Una peculiarità anatomica del dotto ejaculatore in *Monotoma* Herbst, 1793 (Insecta Coleoptera Rhizophagidae). Naturalista Siciliano (4) 29 (1/2): 67–70.

- Downie NM, Arnett RH, Jr. (1996) The beetles of northeastern North America. Volume II: Polyphaga: Series Bostrichiformia through Curculionoidea. Sandhill Crane Press, Gainesville, pp. i-x, 891–1721.
- Hansen M, Kristensen S (1991) To nye danske biller af slægten *Monotoma* Herbst (Coleoptera, Monotomidae). Entomologiske Meddelelser 59 (2): 41–44.
- Holzschuh C, Lohse GA (1981) Eine neue Art der Gattung *Monotoma* Herbst aus Mitteleuropa: *Monotoma gotzi* n. sp. Entomologische Blätter für Biologie und Systematik der Käfer 77 (3): 175–177.
- Jelínek J (2007) Family Monotomidae Laporte, 1840 [pp. 491–495]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidea - Lymexyloidea - Cleroidea - Cucujoidea. Apollo Books, Stenstrup, 935 pp.
- Johnson C, Otero JC (2010) Description of a new *Monotoma* (*Monotomina*) species (Coleoptera: Monotomidae) from the Iberian Peninsula. Entomologica Fennica 21 (2): 104–106.
- Klimaszewski J, Watt JC (1997) Coleoptera: family-group review and keys to identification. Fauna of New Zealand. Ko te Aitanga Pepeke o Aotearoa. Number 37. Manaaki Whenua Press, Lincoln, 197 pp.
- Kuschel G (1979) The genera *Monotoma* Herbst (Rhizophagidae) and *Anommaus* Wesmael (Cerylidae) in New Zealand (Coleoptera). New Zealand Entomologist 7 (1): 44–48.
- Majka CG, Bousquet Y (2010) Monotomidae (Coleoptera) of the Maritime Provinces of Canada. Journal of the Acadian Entomological Society 6: 1–8.
- Milander G (1992) On the Monotomidae (Coleoptera) of Estonia. Izvestiya Akademii Nauk Estonskoi SSR Seriya Biologicheskaya 41: 66–71.
- Nikitsky NB (1986) Zhestkokrylye podsemyestv Monotominae i Thioninae (Coleoptera, Rhizophagidae) dalnego Vostoka SSSR [Beetles of the subfamilies Monotominae and Thioninae (Coleoptera, Rhizophagidae) in the Soviet Far East]. Zoologicheskii Zhurnal 65 (11): 1622–1630 [in Russian].
- Pal TK (2000). On five monotomid species deposited in the Museum of Natural History of the Humboldt-University in Berlin (Coleoptera, Cucujoidea). Mitteilungen aus dem Museum für Naturkunde in Berlin, Zoologische Reihe 76 (1): 113–119.
- Peacock ER (1977) Vol. V, Part 5(a). Coleoptera Rhizophagidae. Handbooks for the identification of British insects. Royal Entomological Society of London, London, pp. 1–19.
- Peck SB (2006) The beetles of the Galápagos Islands, Ecuador: evolution, ecology, and diversity (Insecta: Coleoptera). NRC Research Press, Ottawa, xiii + 313 pp.
- Peck SB, Thomas MC (1998) A distributional checklist of the beetles (Coleoptera) of Florida. Arthropods of Florida and neighboring land areas. Volume 16, Florida Department of Agriculture and Consumer Services, Gainesville, viii + 180 pp.
- Sen Gupta T (1977) A new genus and species of Rhizophagidae (Clavicornia: Coleoptera) from Sikkim. Oriental Insects 11 (4): 531–536.
- Sen Gupta T (1988) Review of the genera of the family Rhizophagidae (Clavicornia: Coleoptera) of the world. Memoirs of the Zoological Survey of India 17: 1–58, pls. i-xxiv.
- Silfverberg H (1992) Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae. Helsingfors Entomologiska Bytesförening, Helsinki, v + 94 pp.

Ślipiński SA (1981) Klucze do oznaczania owadów Polski [Nr. 119]. Część XIX. Chrząszcze - Coleoptera. Zeszyt 63. Monotomidae. Polskie Towarzystwo Entomologiczne, Warszawa, 11 pp.

Vorst O (2010). Monotomidae [pp. 124–125]. In: Vorst O (Ed) Catalogus van de Nederlandse kevers. Nederlandse Entomologische Vereniging, Amsterdam, 317 pp.

OEDEMERIDAE

Supporting references for the conservation of CALOPODINAE A. Costa, 1852 over SPAREDRIINAE Gistel, 1848 (Art. 23.9.2). The taxon name SPAREDRIINAE Gistel, 1848 has not been used as valid after 1899 to our knowledge.

Arnett RH, Jr. (1962) Part V. Suborder Polyphaga (cont.). Series Cucujiformia (Cont.). Tenebrionoidea, Cucujoidea [pp. (2 unn. +) 645–850]. In: The beetles of the United States (a manual for identification) [original loose-leaf edition]. The Catholic University of America Press, Washington D.C., xii + 1112 pp. [+ unn. pp.].

Arnett RH, Jr. (1993) American insects. A handbook of the insects of America north of Mexico. The Sandhill Crane Press, Inc., Gainesville, xiii + 850 pp.

Arnett RH, Jr. (2000) American insects. A handbook of the insects of America north of Mexico. Second edition. CRC Press, Boca Raton, xvii + 1003 pp.

Bologna MA (2005) *Zonitis fernanastroi*, a new species for the Italian fauna, and additional records of Meloidae and Oedemeridae (Coleoptera). Bollettino della Società Entomologica Italiana 137 (2): 107–114.

Campbell JM (1991) Family Oedemeridae false blister beetles [p. 266]. In: Bousquet Y (Ed) Checklist of beetles of Canada and Alaska. Agriculture Canada Research Branch Publication 1861/E, vi + 430 pp.

Crowson RA (1967) The natural classification of the families of Coleoptera. E.W. Classey Ltd., Middlesex (England), [1] + 214 pp. [Note: this is a reprint].

Gómez de Dios MÁ, Verdugo Páez A (2008) Nuevo registro de *Sparedrus lencinae* Vázquez, 1988 (Oedemeridae: Calopodinae) de la Comunidad Autónoma de Andalucía (España). Boletín de la Sociedad Entomológica Aragonesa 42: 461–462.

Hatch MH (1965) The beetles of the Pacific Northwest. Part IV: Macrodactyles, Palpicornes, and Heteromera. University of Washington Press, Seattle, viii + 268 pp.

Hudson L (1975) A systematic revision of the New Zealand Oedemeridae (Coleoptera, Insecta). Journal of the Royal Society of New Zealand 5 (3): 227–274.

Hůrka K (2005) Brouci České a Slovenské republiky. Käfer der Tschechischen und Slowakischen Republik. Vit Kabourek, Zlín, 390 pp.

Kaszab Z (1969) 70. Familie: Oedemeridae [pp. 79–92]. In: Freude H, Harde KW, Lohse GA (Eds) Die Käfer mitteleuropas. Band 8. Teredilia, Heteromera, Lamellicornia. Goecke & Evers, Krefeld, 388 pp.

Klausnitzer B (1999) 112. Familie: Oedemeridae [pp. 310–324]. In: Klausnitzer B (Ed) Die Larven der Käfer mitteleuropas. 5 Band. Polyphaga Teil 4. Goecke & Evers, Krefeld, 336 pp.

- Kriska NL (2002) 109. Oedemeridae Latreille 1810 [pp. 514–519]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp.
- Kubisz D (2006) Oedemeridae and Scriptiidae of Poland (Coleoptera, Tenebrionoidea). Monografie Faunistyczne 24: 1–165.
- Lawrence JL (2005) *Dasytomima*, a new genus of Australian Oedemeridae and its relationship to *Polypria* Chevrolat (Coleoptera: Tenebrionoidea). Annales Zoologici (Warszawa) 55 (4): 663–676.
- Lundberg B (1995) Catalogus Coleopterorum Sueciae. Naturhistoriska Riksmuseet, Stockholm [unpaginated].
- Švihla V (1986) Revision of the generic classification of the Old World Oedemeridae (Coleoptera). Sborník Národního Muzea v Praze (Řada B - Přírodní Vědy) 41 [1985] (3/4): 141–238.
- Švihla V (1993) Oedemeridae [pp. 112–113]. In: Jelínek J (Ed) Check-list of Czechoslovak insects IV (Coleoptera). Seznam československých brouků. Folia Heyrovskyana Supplementum 1, 172 pp.
- Švihla V (2008) Family Oedemeridae Latreille, 1810 [pp. 353–369]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Strenstrup, 670 pp.
- Telnov D (2004) Check-list of Latvian beetles (Insecta: Coleoptera). Second edition. Compendium of Latvian Coleoptera 1. Entomological Society of Latvia, Riga, 113 pp.
- Telnov D, Barsevskis A, Savich F, Kovalevsky F, Berdnikov S, Doronin M, Cibulskis R, Ratniece D (1997) Check-list of Latvian beetles (Insecta: Coleoptera). Mitteilungen des Internationalen Entomologischen Vereins, Supplement 5: 1–141.
- Vázquez XA (1988) A new species of Oedemeridae from the Iberian Peninsula (Coleoptera). Nouvelle Revue d'Entomologie (Nouvelle série) 5 (3): 259–261.
- Vázquez XA (1993) Coleoptera, Oedemeridae, Pyrochroidae, Pythidae, Mycteridae. Fauna Iberica, Vol 5, Museo Nacional de Ciencias Naturales, Madrid, 181 pp.
- Vázquez XA (2002) European Fauna of Oedemeridae. Argania editio S.C.P., Barcelona, 179 pp.
- Zahradník J (1985) Käfer Mittel- und Nordwesteuropas. Ein Bestimmungsbuch für Biologen und Naturfreunde. Paul Parey, Hamburg, 498 pp.

SCARABAEIDAE

Supporting references for the conservation of *Pachypus* Dejean, 1821 over *Pachypus* Billberg, 1820 (Art. 23.9.2). The genus name *Pachypus* Billberg, 1820 has not been used as valid after 1899 to our knowledge.

Ahrens D (2006) The phylogeny of Sericini and their position within the Scarabaeidae based on morphological characters (Coleoptera: Scarabaeidae). Systematic Entomology 31 (1): 113–144.

Arnone M, Sparacio I (1990) Il *Pachypus caesus* Erichson 1840: brevi note sulla biologia e la distribuzione in Sicilia (Coleoptera Scarabaeoidea). Naturalista Siciliano (4) 14 (1): 63–71.

- Ballerio A, Tacchetti M (1990) *Pachypus candidae* (Petagna 1786) (Coleoptera Pachipodidae). Bollettino della Società Entomologica Italiana 121 [1989] (3): 234.
- Barraud J (1977) Coléoptères Scarabaeoidea. Faune de l'Europe occidentale: Belgique, France, Grande-Bretagne, Italie, Péninsule Ibérique. Nouvelle Revue d'Entomologie Supplement 7 (1): 1–352.
- Barraud J (1980) Nouveaux coléoptères Scarabaeoidea d'Afrique du nord. Nouvelle Revue d'Entomologie 10 (3): 279–284.
- Barraud J (1992) Coléoptères Scarabaeoidea d'Europe. Faune de France 78. Société Linnéenne de Lyon, Lyon, ix + 856 pp. + 11 pls.
- Bidault J (1999) Voyage entomologique en Haute Corse (Coleoptera, Carabidae, Cerambycidae, Scarabaeidae). Revue de l'Association Roussillonnaise d'Entomologie 8: 21–23.
- Cantot P, Cantot C, Cantot S (1988) Sur deux espèces de coléoptères capturées en Corse (Scarabaeidae & Cerambycidae). L'Entomologiste 44 (6): 308.
- Crovetti A (1970) Contributi alla conoscenza dei Coleotteri Scarabeidi. 1. Il genere *Pachypus* Serville (Coleoptera, Scarabaeidae, Pachypodinae). Bollettino di Zoologia Agraria e Bachi-coltura (Ser. 2) 9 [1968–69]: 134–188.
- Crowson RA (1995) Some interesting evolutionary parallels in Coleoptera [pp. 63–85]. In: Pakaluk J, Ślipiński SA (Eds). Biology, phylogeny and classification of Coleoptera: Papers celebrating the 80th birthday of Roy A Crowson. Muzeum i Instytut Zoologii PAN, Warszawa, x + 1092 pp. in 2 vols.
- Dupuis F (2005) L'abdomen et les genitalia des femelles de coléoptères Scarabaeoidea (Insecta, Coleoptera). Zoosystema 27 (4): 733–823.
- Evans AV, Bellamy CL (1996) An inordinate fondness for beetles. Nevraumont Publishing Company, New York, 208 pp.
- Evans G (1975) The life of beetles. George Allen & Unwin Ltd, London, 232 pp.
- Král D, Löbl I (2006) Subfamily Pachypodinae Erichson, 1840 [p. 180]. In: Löbl I, Smetana A (Eds). Catalogue of Palaearctic Coleoptera. Volume 3. Scarabaeoidea - Scirtoidea - Dasciloidea - Buprestoidea - Byrrhoidea. Apollo Books, Stenstrup, 690 pp.
- Kukalová-Peck J, Lawrence JF (2004) Relationships among coleopteran suborders and major endoneopteran lineages: evidence from hind wing characters. European Journal of Entomology 101 (1): 95–144.
- Lapiana F, Sparacio I (2006) I Coleotteri Lamellicorni delle Madonie (Sicilia) (Insecta Coleoptera Lucanoidea et Scarabaeoidea). Naturalista Siciliano (4) 30 (2): 227–292.
- Lawrence JF, Newton AF, Jr. (1995) Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names) [pp. 779–1006]. In: Pakaluk J, Ślipiński SA (Eds). Biology, phylogeny and classification of Coleoptera: Papers celebrating the 80th birthday of Roy A Crowson Vol II. Muzeum i Instytut Zoologii PAN, Warszawa, x + 1092 pp. in 2 vols.
- Meinecke C-C (1975) Riechsensillen und Systematik der Lamellicornia (Insecta, Coleoptera). Zoomorphologie 82 (1): 1–42.
- Ocampo FC, Ruiz-Manzanos E, Marvaldi AE (2010) Systematic revision, cladistics and biogeography of the genus *Neogutierrezia* Martínez (Coleoptera: Scarabaeidae) and its phylo-

- genetic placement in Rutelinae based on structural alignment of 28S rDNA sequences. Invertebrate Systematics 24 (1): 81–111.
- Paulian R (1988) Biologie des Coléoptères. Lechevalier, Paris, xi + 719 pp.
- Pesarini C (2004) Insetti della fauna Italiana Coleotteri Lamellicorni. Natura (Milan) 93 (2): 1–130.
- Sabella G, Sparacio I (2004) Il ruolo dei Parchi Siciliani nella conservazione di taxa di insetti di particolare interesse naturalistico (Insecta Coleoptera et Lepidoptera Rhopalocera). Naturalista Siciliano (4) 28 (1): 477–508.
- Scholtz CH, Grebenokov V (2005) 13. Scarabaeoidea Latreille, 1802 [pp. 367–425]. In: Beutel RG, Leschen RAB (Eds). Handbook of zoology. A natural history of the phyla of the animal kingdom. Volume IV - Arthropoda: Insecta. Walter De Gruyter, Berlin, xi + 567 pp.
- Smith ABT (2006) A review of the family-group names for the superfamily Scarabaeoidea (Coleoptera) with corrections to nomenclature and a current classification. Coleopterists Society Monograph 5: 144–204.
- Sparacio I (2008) Una nuova specie di *Pachypus* Dejean di Sardegna (Coleoptera, Scarabaeoidea, Pachypodidae). Doriana 8 (360): 1–13.

SCARABAEIDAE

Supporting references for the conservation of *Sparrmannia* Laporte, 1840 over *Leocaeta* Dejean, 1833 and *Cephalotrichia* Hope, 1837 (Art. 23.9.2). The generic names *Leocaeta* Dejean, 1833 and *Cephalotrichia* Hope, 1837 have not been used as valid after 1899 to our knowledge.

- Ahrens D (2006) The phylogeny of Sericini and their position within the Scarabaeidae based on morphological characters (Coleoptera: Scarabaeidae). Systematic Entomology 31 (1): 113–144.
- Browne DJ, Scholtz CH (1995) Phylogeny of the families of Scarabaeoidea (Coleoptera) based on characters of the hindwing articulation, hindwing base and wing venation. Systematic Entomology 20 (3): 145–173.
- Browne DJ, Scholtz CH (1996) The morphology of the hind wing articulation and wing base of the Scarabaeoidea (Coleoptera) with some phylogenetic implications. Bonner Zoologische Monographien 40: 1–200.
- Browne DJ, Scholtz CH (1998) Evolution of the scarab hindwing articulation and wing base: a contribution toward the phylogeny of the Scarabaeidae (Scarabaeoidea: Coleoptera). Systematic Entomology 23 (4): 307–326.
- Chown SL, Nicolson SW (2004) Insect physiological ecology: mechanisms and patterns. Oxford University Press, Oxford, ix + 243 pp.
- Chown SL, Scholtz CH (1993) Temperature regulation in the nocturnal melolonthine *Sparrmannia flava*. Journal of Thermal Biology 18 (1): 25–33.
- Coca-Abia M (2007) Phylogenetic relationships of the subfamily Melolonthinae (Coleoptera, Scarabaeidae). Insect Systematics & Evolution 38 (4): 447–472.
- d'Hotman D, Scholtz CH (1991) Comparative morphology of the male genitalia of derived groups of Scarabaeoidea (Coleoptera). Elytron 4 [1990]: 3–39.

- Evans AV (1988) Three new species of *Glyptoglossa* Brenske (Coleoptera: Scarabaeidae: Melolonthinae). *Journal of the Entomological Society of Southern Africa* 51 (1): 87–96.
- Evans AV (1989) Revision of the genus *Sparrmannia* Laporte (Coleoptera: Melolonthidae: Melolonthinae). *Journal of the Entomological Society of Southern Africa* 52 (1): 11–44.
- Ferreira MC (1966) Catálogo dos Coleópteros de Moçambique (Conclusão). *Revista de Entomologia de Moçambique* 6 [1963] (2): [1] + 533–1008 + 1 map.
- Hardy, A.R. (1978) Placement of the genus *Benedictia* Sanderson (Coleoptera: Scarabaeidae). *The Coleopterists Bulletin* 32 (1): 67–70.
- Katovich K (2008) A generic-level phylogenetic review of the Macrodactylini (Coleoptera: Scarabaeidae: Melolonthinae). *Insecta Mundi* 23: 1–78.
- Lacroix M (2004) Contribution à la connaissance des Pachydeminae africains, IV. Nouvelles espèces (Coleoptera, Melolonthidae). *Coléoptères* 10 (9): 107–118.
- Lacroix M (2007) Pachydeminae du monde: genera et catalogue (Coleoptera, Melolonthidae). Collection Hennetons, Paris, 450 pp.
- Nel A, Scholtz CH (1990) Comparative morphology of the mouthparts of adult Scarabaeoidea. *Entomology Memoir*, Department of Agricultural Development, Republic of South Africa 80: 1–84.
- Paulian R (1993) Les Coléoptères: à la conquête de la terre. Société Nouvelle des Éditions Boubée, Paris, 241 + [4] pp.
- Picker M, Griffiths C, Weaving A (2002) Field guide to insects of South Africa. Struik Publishers, Cape Town, 440 pp.
- Sanmartín I (2003) Dispersal vs. vicariance in the Mediterranean: historical biogeography of the Palearctic Pachydeminae (Coleoptera, Scarabaeoidea). *Journal of Biogeography* 30 (12): 1883–1897.
- Sanmartín I, Martín-Piera F (2003) First phylogenetic analysis of the subfamily Pachydeminae (Coleoptera, Scarabaeoidea, Melolonthidae): the Palearctic Pachydeminae. *Journal of Zoological Systematics and Evolutionary Research* 41 (1): 2–46.
- Scholtz CH (1988) Biology of *Sparrmannia flava* Arrow (Coleoptera: Scarabaeidae: Melolonthinae). *The Coleopterists Bulletin* 42 (1): 57–62.
- Scholtz CH, Chown SL (1995) The evolution of habitat use and diet in the Scarabaeoidea: a phylogenetic approach [pp. 355–374]. In: Pakaluk J, Ślipiński SA (Eds) *Biology, phylogeny and classification of Coleoptera: Papers celebrating the 80th birthday of Roy A Crowson. Volume one*. Muzeum i Instytut Zoologii PAN, Warszawa, x + 1092 pp. in 2 vols.
- Scholtz CH, Grebennikov VV (2005) Scarabaeiformia Crowson, 1960. Chapter 12 [pp. 345–366]. In: Beutel RG, Leschen RAB (Eds). *Handbook of zoology. A natural history of the phyla of the animal kingdom. Volume IV - Arthropoda: Insecta*. Walter De Gruyter, Berlin, xi + 567 pp.
- Scholtz CH, Holm E (1985) Insects of southern Africa. Butterworths, Durban, 502 p. + xii plates.
- Smith ABT (2006) A review of the family-group names for the superfamily Scarabaeoidea (Coleoptera) with corrections to nomenclature and a current classification. *Coleopterists Society Monograph* 5: 144–204.

TENEBRIONIDAE

Supporting references for the conservation of ADESMIINI Lacordaire, 1859 over

MACROPODINI Agassiz, 1846 (Art. 23.9.2). The taxon name MACROPODINI Agassiz, 1846 has not been used as valid after 1899 to our knowledge and is a junior homonym of the well-established name MACROPODIDAE Gray, 1821 [Mammalia].

- Alfieri A (1976) The Coleoptera of Egypt. Mémoires de la Société Entomologique d'Égypte 5: 1–361.
- Ardoin P (1972) Liste des espèces de Tenebrionidae (Coleoptera) récoltées au Sudan par les expéditions finlandaises (1962–1964) (Zoological contribution from the Finnish expeditions to the Sudan no. 27). Commentationes Biologicae 49: 1–20.
- Bouchard P, Lawrence JF, Davies AE, Newton AF (2005) Synoptic classification of the world Tenebrionidae (Insecta: Coleoptera) with a review of family-group names. Annales Zoologici (Warszawa) 55 (4): 499–530.
- Cloudsley Thompson JL (2001) Thermal and water relations of desert beetles. Naturwissenschaften 88: 447–460.
- Doyen JT (1994) Cladistic relationships among Pimeliine Tenebrionidae (Coleoptera). Journal of the New York Entomological Society 101 [1993] (4): 443–514.
- Duncan FD (2003) The role of the subelytral cavity in respiration in a tenebrionid beetle, *Onymacris multistriata* (Tenebrionidae: Adesmiini). Journal of Insect Physiology 49: 339–346.
- Ferreira MC (1965) Catálogo dos Coleópteros de Moçambique. Revista de Entomologia de Moçambique 6 [1963] (1): 1–531 + [1, corrigenda].
- Ferreira MC (1967) Catálogo dos Coleópteros de Angola. Revista de Entomologia de Moçambique 8 [1965] (2): 415–1317.
- Girard C (1967) Coléoptères ténébrionidés Erodiini, Tentyriini et Adesmiini récoltés par J. Mateu dans le massif de l'Ennedi. Bulletin de l'Institut Français de l'Afrique Noire (Série A) 29 (3): 945–953.
- Hanrahan SA, Nicolson SW (1984) The effect of dehydration on the Malpighian tubules of *Onymacris plana* (Coleoptera: Adesmiini). Elektronmikroskopievereniging van Suidelike Afrika Verrigtings 14: 107–108.
- Hauffe HC, Pietruszka RD, Seely MK (1988) Observations on the behaviour of *Onymacris laeviceps* Gebien (Coleoptera: Tenebrionidae: Adesmiini) in the central Namib Desert dunes. Journal of the Entomological Society of Southern Africa 51: 183–192.
- Kaszab Z (1981) Insects of Saudi Arabia. Coleoptera: fam. Tenebrionidae (part 2). Fauna of Saudi Arabia 3: 276–401.
- Koch C (1962) The Tenebrionidae of Southern Africa. XXXI. Comprehensive notes on the tenebrionid fauna of the Namib desert. Annals of the Transvaal Museum 24 (2/3): 61–106.
- Kwieton E (1981) Esquisse entomogéographique de l'Algérie et de l'histoire du désert Saharien, à la base des coléoptères Tenebrionidae. Anais da Faculdade de Ciências Universidade do Porto 62: 189–237.
- Kwieton E (1982) Revue critique des systèmes récents de la famille des Tenebrionidae (Col.). Sborník Národního Muzea v Praze (Řada B - Přírodní Vědy) 38 (1/2): 79–100.

- McClain E, Praetorius RL, Hanrahan SA, Seely MK (1984) Dynamics of the wax bloom of a seasonal Namib Desert tenebrionid, *Cauricara phalangium* (Coleoptera: Adesmiini). *Oecologia* 63 (3): 314–319.
- Penrith M-L (1979) Revision of the western southern African Adesmiini (Coleoptera: Tenebrionidae). *Cimbebasia* (Series A) 5: 1–94.
- Penrith M-L (1986) Relationships in the tribe Adesmiini (Coleoptera: Tenebrionidae) and a revision of the genus *Stenodesia* Reitter. *Annals of the Transvaal Museum* 34 (13): 275–302.
- Roer H (1981) Weitere Untersuchungen zur Anpassung des Namibwüstenkäfers *Onymacris r. rugatipennis* (Haag 1875, Col.: Tenebrionidae, Adesmiini) am das Trockenflussbett des Kuiseb in Südwestafrika. *Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie* 3 (1/3): 218–222.
- Roer H (1983) Aktionsraum und Anpassungsphänomene des Dunenkäfers *Onymacris laeviceps* Gebien (Col.: Tenebrionidae, Adesmiini) in der Namibwüste. *Bonner Zoologische Beiträge* 34 (1/3): 357–369.
- Roer H (1984) Dispersion dynamics of desert beetles of the genus *Onymacris* (Col., Tenebrionidae, Adesmiini) in the Namib [p. 302]. XVII International Congress of Entomology. Abstract Volume, 954 pp.
- Roer H (1985) Dispersion dynamics of tenebrionids of the genus *Onymacris* (Col.: Tenebrionidae, Adesmiini) in the Namib Desert. *Journal SWA Scientific Society* 39: 65–69.
- Roer H (1986) Zur Anpassung des Schwarzkäfers *Onymacris unguicularis* (Haag) (Col.: Tenebrionidae, Adesmiini) an die Nebelzone der Namibwüste. *Bonner Zoologische Beiträge* 37 (2): 143–154.
- Skopin NG (1978) Tenebrionidae [pp. 223–266]. In: Klausnitzer B (Ed) *Ordnung Coleoptera (Larven)*. W. Junk, The Hague, vi + 378 pp.
- Veiga Ferreira G, da (1966) Catálogo dos tipos de insetos existentes no Museu Dr. Álvaro de Castro. *Revista de Entomologia de Moçambique* 7 [1964] (1): 197–216.

TENEBRIONIDAE

Supporting references for the conservation of BOLITOPHAGINI Kirby, 1837 over ELEDONINI Billberg, 1820 (Art. 23.9.2). The taxon name ELEDONINI Billberg, 1820 has not been used as valid in Tenebrionidae after 1899 to our knowledge. Furthermore, conservation of BOLITOPHAGINI avoids homonymy with ELEDONINAE used as valid in cephalopods.

- Aalbu RL (2006) 2006, where are we at: assessing the current state of Tenebrionidae systematics on a global scale (Coleoptera: Tenebrionidae). *Cahiers Scientifiques. Centre de Conservation et d'Étude des Collections (Lyon)* 10: 55–70.
- Aalbu RL, Flores GE, Triplehorn CA (2002) Tenebrionidae [pp. 499–512]. In: Bousquets JL, Morrone JJ (Eds) *Biodiversidad, taxonomía y biogeografía de arthropódos de México: Hacia una síntesis de su conocimiento Volumen III*. Universidad Nacional Autónoma de México, México, x + 690 pp.

- Aalbu RL, Triplehorn CA, Campbell JM, Brown KW, Somerby RE, Thomas DB (2002) 106. Tenebrionidae Latreille 1802 [pp. 463–509]. In: Arnett RHJ, Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp.
- Bouchard P, Lawrence JF, Davies AE, Newton AF (2005) Synoptic classification of the world Tenebrionidae (Insecta: Coleoptera) with a review of family-group names. *Annales Zoologici (Warsaw)* 55 (4): 499–530.
- Downie NM, Arnett RH, Jr. (1996) The beetles of northeastern North America. Volume 2: Polyphaga: Series Bostrichiformia through Curculionoidea. Sandhill Crane Press, Gainesville, pp. i-x, 891–1721.
- Doyen JT, Matthews EG, Lawrence JF (1990) Classification and annotated checklist of the Australian genera of Tenebrionidae (Coleoptera). *Invertebrate Taxonomy* 3 [1989] (3): 229–260.
- Doyen JT, Poinar GO, Jr (1994) Tenebrionidae from Dominican amber (Coleoptera). *Entomologica Scandinavica* 25 (1): 27–51.
- Endrödy-Younga S (1998) *Afrobyrsax capensis* spec. nov., with a tropical West African relationship (Coleoptera: Tenebrionidae: Bolitophagini). *Annals of the Transvaal Museum* 36 (30): 421–423.
- Español F (1985) Los Bolitophaginae de la fauna española (Col., Tenebrionidae). *Publicaciones del Departamento de Zoología, Universidad de Barcelona* 11: 61–64.
- Hornig U (1993) Das Typenmaterial der Tenebrionidae im Staatlichen Museum für Tierkunde Dresden. Teil 1: Tribus Platyscelini, Praocini, Pedinini, Opatrini, Phaleriini, Crypticini, Bolitophagini, Rhipidandriini, Diaperini, Gnathidiini, Leiochrini et Phrenapatini (Insecta, Coleoptera). *Entomologische Abhandlungen (Dresden)* 55 (2): 153–161.
- Jung BH, Kim SY, Kim JI (2007) Taxonomic review of the tribe Bolitophagini in Korea (Coleoptera: Tenebrionidae: Tenebrioninae). *Entomological Research* 37 (3): 190–196.
- Kompantseva TV (1994) Mycetophilous tenebrionid fauna of Bolitophagini and Diaperini (Coleoptera, Tenebrionidae) from Middle Asia. *Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody Otdel Biologicheskii* 99: 44–47.
- Kompantseva TV (1996) Larva of *Rhipidandrus crenipennis* (Motschulsky, 1858), and the position of the genus in Bolitophagini (Coleoptera Tenebrionidae). Lichinka *Rhipidandrus crenipennis* (Motschulsky, 1858), I polozhenie roda v tribe Bolitophagini (Coleoptera Tenebrionidae). *Russian Entomological Journal* 4 (1/4) [1995]: 55–59.
- Löbl I, Ando K, Bouchard P, Iwan D, Lillig M, Masumoto K, Merkl O, Nabozhenko M, Novák V, Petterson R, Schawaller W, Soldati F (2008) Family Tenebrionidae Latreille, 1802 [pp. 105–352]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 5. Tenebrionoidea. Apollo Books, Stenstrup, 670 pp.
- Masumoto K (2006) Tenebrionid beetles (Coleoptera) from the Palau Islands collected by Keiichi Takahashi. *Entomological Review of Japan* 61 (2): 143–161.
- Masumoto K, Akita K (2001) Two new tenebrionid species from Japan. Special Publication of the Japanese Coleopterist Society 1: 247–250.

- Matthews EG, Bouchard P (2008) Tenebrionid beetles of Australia: descriptions of tribes, keys to genera, catalogue of species. Australian Biological Resources Study, Canberra, viii + 398 pp.
- Miyatake M (1964) Notes on the tribe Bolitophagini of Japan, with the descriptions of four new genera and two new species (Coleoptera: Tenebrionidae). Transactions of the Shikoku Entomological Society 8 (2): 59–84.
- Miyatake M (1970) A revision of the genus *Byrsax* Pascoe of Japan, with some notes on the Japanese Bolitophagini (Coleoptera: Tenebrionidae). Transactions of the Shikoku Entomological Society 10 (3/4): 116–126.
- Schawaller W (2006) A new species of *Cryphaeus* and new records of other fungus-adapted tenebrionids from South Africa (Coleoptera: Tenebrionidae). Annals of the Transvaal Museum 43: 69–74.
- Soldati F, Soldati L, Thieren Y (2009) Discovery of *Eledonoprius serrifrons* (Reitter, 1890) in Corsica, a new species for the fauna of France (Coleoptera, Tenebrionidae, Bolitophagini). Rutilans 12: 33–36.
- Steiner WE, Jr. (2004) New distribution records for *Eleates depressus* (Randall) in the south-eastern United States (Coleoptera: Tenebrionidae; Bolitophaginae) and notes on these occurrences. Banisteria 24: 52–53.
- Tezcan S, Karsavuran Y, Pehlivan E, Keskin B, Ferrer J (2004) Contributions to the knowledge of the Tenebrionidae (Coleoptera) from Turkey Part I. Lagriinae, Pimeliinae, Bolitophaginae, Diaperinae. Turkiye Entomoloji Dergisi 28: 99–114.
- Tovar AC, Sáez Bolaño J, Baena M (2008) Nuevas citas de Bolitophagini Kirby, 1837 (Coleoptera, Tenebrionidae) de España. Boletín de la Sociedad Entomológica Aragonesa 42: 361–365.

THROSCIDAE

Supporting references for the conservation of THROSCIDAE Laporte, 1840 over STEREOLIDAE Rafinesque, 1815 (Art. 23.9.2). The taxon name STEREOLIDAE Rafinesque, 1815 has not been used as valid after 1899 to our knowledge.

- Allen AA (2001) The identity of *Trixagus elateroides* (Throscidae) of British authors. Coleopterist 10: 37.
- Burakowski B (2000) Redescription of *Aulonothroscus laticollis* (Rybinski, 1897) (Coleoptera: Throscidae). Annales Zoologici (Warszawa) 50: 27–34.
- Franz H, von (1982) Revision der *Throsrus*-Arten (Coleoptera) der Makaronesischen Inseln. Zeitschrift der Arbeitsgemeinschaft Österreichischer Entomologen 34 (1/2): 49–58.
- Gruszka A, Tarnawszki D (1994) *Trixagus elateroides* (Heer) (Coleoptera, Throscidae), *Isorhipis melasoides* (Cast.) and *Dirhagus pygmaeus* (F.) (Coleoptera, Eucnemidae) - new records from Poland. Wiadomosci Entomologiczne 13: 256.
- Hornig U (2003) Faunistic records from the Czech Republic - 164. Coleoptera: Throscidae. Klapalekiana 39 (1/3): 129.
- Hornig U (2005) Fauna der Throscidae der Oberlaustiz (Col.). Entomologische Nachrichten und Berichte 49 (2): 123–126.

- Johnson PJ (1997) New distribution records for three Throscidae (Coleoptera) in South Dakota. *Prairie Naturalist* 29: 51–52.
- Johnson PJ (2002) 57. Throscidae Laporte 1840 [pp. 158–159]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp.
- Kistner DH, Abdel-Galil FA (1986) A new genus and species of termitophilous Throscidae from South Africa (Coleoptera). *Sociobiology* 12 (2): 305–313.
- Leseigneur L (1995) Statut actuel des genres *Trixagus* Kugelann, 1794, et *Throscus* Latreille, 1796. Désignation des lectotypes des espèces paléarctiques de H. de Bonvouloir (Coleoptera, Throscidae). *Bulletin de la Société Entomologique de France* 100 (4): 347–359.
- Leseigneur L (1996) *Trixagus atticus* Reitter et *T. minutus* Rey, deux espèces méconnues d'Europe occidentale présentes en France (Coleoptera Throscidae). *Bulletin Mensuel de la Société Linnéenne de Lyon* 65: 181–192.
- Leseigneur L (1997) Réhabilitation de *Trixagus gracilis* Wollaston (Coleoptera, Throscidae). *Bulletin de la Société Entomologique de France* 102 (2): 137–142.
- Leseigneur L (2005a) Description de *Trixagus meybohmi* n. sp. et note sur la morphologie des *Trixagus* du groupe *carinifrons* (Coleoptera, Throscidae). *Bulletin de la Société Entomologique de France* 110 (1): 89–96.
- Leseigneur L (2005b) *Trixagus angelinii* n. sp. (Coleoptera, Throscidae). *Bulletin de la Société Entomologique de France* 110 (2): 181–184.
- Leseigneur L, Gueorguiev B (2006) A contribution to the study of Bulgarian Throscidae (Coleoptera: Elateriformia). *Historia Naturalis Bulgarica* 17: 43–46.
- Muona J (1993) Eucnemidae and Throscidae from Baltic amber (Coleoptera). *Entomologische Blätter für Biologie und Systematik der Käfer* 89: 15–45.
- Muona J (1995) The phylogeny of Elateroidea (Coleoptera), or which tree is best today? *Cladistics* 11 (4): 317–341.
- Muona J (2002) *Trixagus leseigneuri* n. sp. (Coleoptera, Throscidae). *Bulletin de la Société Entomologique de France* 107 (2): 187–190.
- Nikitsky NB, Semenov VB (2001) To the knowledge of the beetles (Coleoptera) of the Moscow region. *Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody Otdel Biologicheskii* 106: 38–49 [in Russian].
- Van-Meer C (1998) *Aulonothroscus laticollis* (Rybinski) (Coleoptera, Throscidae), une espèce nouvelle pour la faune d'Europe occidentale. *Bulletin de la Société Linnéenne de Bordeaux* 26: 181–183.
- Wedmann S (1994) Fossile Vertreter der Eucnemidae und Throscidae (Insecta: Coleoptera) aus der mitteleozanen Messel-Formation. *Courier Forschungsinstitut Senckenberg* 170: 65–73.
- Yensen E (1975) A review of the genus *Pactopus* Leconte (Coleoptera: Throscidae). *The Coleopterists Bulletin* 29 (2): 87–91.
- Yensen E (1975) A revision of the North American species of *Trixagus* Kugelann (Coleoptera: Throscidae). *Transactions of the American Entomological Society* 101 (1): 125–166.
- Yensen E (1981) A new species of *Trixagus* from Panama and a key to New World *Trixagus* (Coleoptera: Throscidae). *The Coleopterists Bulletin* 34 [1980] (3): 257–261.

Yoshizawa N (2003) Notes on the *Drapetes torigaii* Nakane (Coleoptera, Throscidae) in Nagano, Japan. Gekkan-Mushi 391: 14–15.

TROGOSSITIDAE

Supporting references for the conservation of LOPHOCATERINI Crowson, 1964 over LYCOPTINI Casey, 1890 (Art. 23.9.2). The taxon name LYCOPTINI Casey, 1890 has not been used as valid after 1899 to our knowledge.

- Beutel RG, Leschen RAB (2005) Classification [pp. 11–16]. In: Beutel RG, Leschen RAB (Eds). Handbook of zoology. A natural history of the phyla of the animal kingdom. Volume IV - Arthropoda: Insecta. Walter De Gruyter, Berlin, xi + 567 pp.
- Crowson RA (1964) A review of the classification of Cleroidea (Coleoptera), with descriptions of two new genera of Peltidae and of several new larval types. Transactions of the Royal Entomological Society of London 116 (12): 275–327.
- Crowson RA (1970) Further observations on Cleroidea (Coleoptera). Proceedings of the Royal Entomological Society of London (Series B) 39 (1/2): 1–20.
- Klausnitzer B (1996) Die Larven der Käfer Mitteleuropas. 3. Band. Polyphaga. Teil 2. Goecke & Evers, Krefeld, 335 pp.
- Klimaszewski J, Watt JC (1997) Coleoptera: family-group review and keys to identification. Fauna of New Zealand. Ko te Aitanga Pepeke o Aotearoa. Number 37, Manaaki Whenua Press, Lincoln, 199 pp.
- Kolibáč J (2006) A review of the Trogossitidae. Part 2: larval morphology, phylogeny and taxonomy (Coleoptera, Cleroidea). Entomologica Basiliensia et Collectionis Frey 28: 105–153.
- Kolibáč J (2007) Family Trogossitidae Latreille, 1802 [pp. 364–366]. In: Löbl I, Smetana A (Eds) Catalogue of Palaearctic Coleoptera. Volume 4. Elateroidea - Derodontoidea - Bostrichoidea - Lymexyloidea - Cleroidea - Cucuoidea. Apollo Books, Stenstrup, 935 pp.
- Lafer GS (1992) 55. Sem. Peltidae (Lophocateridae) [pp. 82–86]. In: Ler PA (Ed) Opredelitel' nasekomykh Dal'nego Vostoka SSSR Tom 3 - Zheskokrylye, ili zhuki Chast 2 [Keys to the identification of insects of the Soviet Far East 3 - Coleoptera, or beetles Part 2]. Nauka, Saint-Petersburg, 704 pp. [in Russian].
- Lawrence JF, Britton EB (1991) Coleoptera (beetles) [pp. 543–683]. In: The insects of Australia: a textbook for student and research workers. Second edition. Volume II. Melbourne University Press, Carlton, pp. i-vi + 543–1137.
- Lawrence JF, Newton AFJ (1995) Families and subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names) [pp. 779–1006]. In: Pakaluk J, Ślipiński SA (Eds) Biology, phylogeny, and classification of Coleoptera: papers celebrating the 80th birthday of Roy A Crowson. Museum i Instytut Zoologii PAN, Warszawa, x + 1092 pp. in 2 vols.
- Leschen RAB (2000) Beetles feeding on bugs (Coleoptera, Hemiptera): repeated shifts from mycophagous ancestors. Invertebrate Taxonomy 14 (6): 917–929.
- Leschen RAB (2002) 72. Trogossitidae Latreille, 1802 [pp. 263–266]. In: Arnett RH, Jr., Thomas MC, Skelley PE, Frank JH (Eds) American beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, xiv + 861 pp.

- Leschen RAB, Lawrence JF, Kuschel G, Thorpe S, Wang Q (2003) Coleoptera genera of New Zealand. *New Zealand Entomologist* 26: 15–28.
- Leschen RAB, Lawrence JF, Ślipiński SA (2005) Classification of basal Cucujoidea (Coleoptera: Polyphaga): cladistic analysis, keys and review of new families. *Invertebrate Systematics* 19 (1): 17–73.
- Lucht W (1998) 32.c Familie: Lophocateridae [pp. 207–208]. In: Lucht W, Klausnitzer B (Eds) *Die Käfer Mitteleuropas*. 4. Supplementband. Goecke & Evers, Krefeld, 398 pp.
- Lundberg B (1995) Catalogus Coleopterorum Sueciae. Naturhistoriska Riksmuseet, Stockholm [unpaginated].
- Machado A, Oromí P (2000) Elenco de los Coleópteros de las Islas Canarias. Instituto de Estudios Canarios, La Laguna, 306 + [2] pp.
- McKenna DD, Farrell BD (2009) Beetles (Coleoptera) [pp. 278–289]. In: Hedges SB, Kumar S (Eds) *The timetree of life*. Oxford University Press Inc., New York.
- Peck SB (2005) A checklist of the beetles of Cuba with data on distributions and bionomics (Insecta: Coleoptera). Arthropods of Florida and neighboring land areas. Volume 18, Florida Department of Agriculture and Consumer Services, Gainesville, vi + 241 pp.
- Peck SB, Thomas MC (1998) A distributional checklist of the beetles (Coleoptera) of Florida. Arthropods of Florida and neighboring land areas. Volume 16, Florida Department of Agriculture and Consumer Services, Gainesville, viii + 180 pp.
- Ribera I (1999) Evolución, filogenia y clasificación de los Coleoptera (Arthropoda: Hexapoda). Boletín de la Sociedad Entomológica Aragonesa 26: 435–458.
- Silfverberg H (1992) *Enumeratio Coleopterorum Fennoscandiae, Daniae et Baltiae*. Helsingfors Entomologiska Bytesförening, Helsinki, v + 94 pp.
- Ślipiński SA (1992) Larinotinae - a new subfamily of Trogossitidae (Coleoptera), with notes on the constitution of Trogossitidae and related families of Cleroidea. *Revue Suisse de Zoologie* 99 (2): 439–463.
- Tait SM, Dahlsten DL, Gill RJ, Doyen JT (1990) Life history of the incense cedar scale, *Xylococcus macrocarpae* (Homoptera: Margarodidae), on incense cedar in California with a description of the larvae of one of its common predators, *Eronyxa expansus* van Dyke (Coleoptera: Trogositidae). *Hilgardia* 58 (2): 1–19.
- Telnov D (2004) Check-list of Latvian beetles (Insecta: Coleoptera). Second edition. Compendium of Latvian Coleoptera 1. Entomological Society of Latvia, Riga, 113 pp.
- Telnov D, Barsevskis A, Savich F, Kovalevsky F, Berdnikov S, Doronin M, Cibulskis R, Ratniece D (1997) Check-list of Latvian beetles (Insecta: Coleoptera). *Mitteilungen des Internationalen Entomologischen Vereins*, Supplement 5: 1–141.

Appendix 2

Coleoptera family-group name changes required based on the Principle of Priority. The action that has been taken to fix the problem, or recommendation for future work, is mentioned for each case. Cases listed in alphabetical order by family.

Family	Change from:	Change to:	Action	Reference
ADERIDAE	ADERIDAE/-INI Csiki, 1909	EUGLENESIDAE/-INI Seiditz, 1875	Younger name given precedence over older name and placed on the Official List of Family-Group Names in Zoology	ICZN (1989e)
ANTHRIBIDAE	ANTHRIBIDAE Billberg, 1820	CHORAGIDAE Kirby, 1819	Younger name given precedence over older name and placed on the Official List of Family-Group Names in Zoology	ICZN (1994b)
BRENTIDAE	AGRATINA Alonso-Zarazaga et al., 1999	NEMOCEPHALINA Lacordaire, 1865	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
BRENTIDAE	PSEUDOCEOCEPHALINA Kleine, 1922	UROPTERINA Jakobson, 1911	An application to the Commission is needed to conserve usage of the well-established name PSEUDOCEOCEPHALINA Kleine, 1922	
BRENTIDAE	PSEUDOCEOCEPHALINA Kleine, 1922	CEOCEPHALINA Lacordaire, 1865	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
BUPRESTIDAE	CHALCOPHORINA Lacordaire, 1857	ANAGYPTINA Gistel, 1848	Use of younger name conserved (Art. 40.2)	this paper
CALLIRHIPIDAE	CALLIRHIPIDAE Emden, 1924	ZENOIDAE LeConte, 1866	An application to the Commission is needed to conserve usage of the well-established name CALLIRHIPIDAE Emden, 1924	
CANTHARIDAE	CANTHARIDAE/-INAE/-INI Imhoff, 1856	TELEPHORIDAE/-NAE/-INI Leach, 1815	Use of younger name conserved (Art. 40.2)	Lawrence and Newton (1995)
CARABIDAE	ANISODACTYLINA Lacordaire, 1854	EURYTRICHINA LeConte, 1847	Use of younger name conserved (Art. 23.9.2)	this paper
CARABIDAE	HARPALINAE Bonelli, 1810	GRAPHIPTERINAE Latreille, 1802	Use of younger name conserved (Art. 35.5)	this paper

Family	Change from:	Change to:	Action	Reference
CARABIDAE	HEXAGONINI Horn, 1881	TRIGONODACTYLINI Brullé, 1834	Use of younger name conserved (Art. 40.2)	this paper
CARABIDAE	IRESTINA Rivalier, 1971	EUPROSOPINA Horn, 1893	An application to the Commission is needed to conserve usage of the well-established name IRESTINA Rivalier, 1971	
CARABIDAE	IRESTINA Rivalier, 1971	EUCALLINA Horn, 1893	An application to the Commission is needed to conserve usage of the well-established name IRESTINA Rivalier, 1971	
CARABIDAE	IRESTINA Rivalier, 1971	DISTIPSIDERINA Horn, 1893	An application to the Commission is needed to conserve usage of the well-established name IRESTINA Rivalier, 1971	
CARABIDAE	PERIGONINI Horn, 1881	TRECHICINI Bates, 1873	Use of younger name conserved (Art. 23.9.2)	this paper
CARABIDAE	SALCEDININI-/INA Alluaud, 1930	ZELMINI-/INA Andrews, 1929	Use of younger name conserved (Art. 40.2)	this paper
CERAMBYCIDAE	EURYPODINI Gahan, 1906	ZARACINI Lacordaire, 1868	Use of younger name conserved (Art. 40.2)	this paper
CERAMBYCIDAE	HEMILOPHINI Thomson, 1868	AMPHIONYCHINI Thomson, 1860	Older name treated as a <i>nomen oblitum</i>	Bousquet et al. (2009)
CERAMBYCIDAE	MACRONINI Lacordaire, 1868	ENCHOPTERINI Thomson, 1861	An application to the Commission is needed to conserve usage of the well-established name MACRONINI Lacordaire, 1868	
CERAMBYCIDAE	PSEUDOCEPHALINI Aurivillius, 1912	AMETROCEPHALINI Thomson, 1861	Use of younger name conserved (Art. 40.2)	Bousquet et al. (2009)
CERAMBYCIDAE	STENODERINI Pascoe, 1867	SYLLITINI Thomson, 1864	An application to the Commission is needed to conserve usage of the well-established name STENODERINI Pascoe, 1867	
CHRYSOMELIDAE	AMBLYCERINA Bridwell, 1932	SPERMOPHAGINA Crotch, 1873	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CHRYSOMELIDAE	BASIPRIONOTINI Gressitt, 1952	PRIOPTERINI Spaeth, 1914	Use of younger name conserved (Art. 40.2)	this paper
CHRYSOMELIDAE	BROMUNI Baly, 1865	ADOXINI Baly, 1863	Use of younger name conserved (Art. 40.2)	this paper
CHRYSOMELIDAE	BROMUNI Baly, 1865	HETERASPINI Baly, 1863	An application to the Commission is needed to conserve usage of the well-established name BROMUNI Baly, 1865	

Family	Change from:	Change to:	Action	Reference
CHRYSMELIDAE	DORYNOTINI Montrós and Viana, 1949	BATONOTINI Spaeth, 1923	Use of younger name conserved (Art. 40.2)	this paper
CHRYSMELIDAE	HEMISPHAEROTINI Montrós and Viana, 1951	PORPHYRASPIDIINI Spaeth, 1929	Use of younger name conserved (Art. 40.2)	this paper
CHRYSMELIDAE	NOTHOSACANTHINI Gressitt, 1952	HOPLONOTINI Spaeth, 1929	Use of younger name conserved (Art. 40.2)	this paper
CHRYSMELIDAE	OEDIOPALPINI Montrós and Viana, 1947	AMPLIPALPINI Weise, 1910	Use of younger name conserved (Art. 40.2)	this paper
CHRYSMELIDAE	OIDINI Laboissière, 1921.	ADORINI Chapuis, 1875	Use of younger name conserved (Art. 40.2)	this paper
CHRYSMELIDAE	OMOCERINI Hinds, 1952	TAUROMINI Spaeth, 1923	Use of younger name conserved (Art. 40.2)	this paper
CHRYSMELIDAE	SCELOENOPLINI Uhmann, 1930	CEPHALODONTINI Gestro, 1906	An application to the Commission is needed to conserve usage of the well-established name SCELOENOPLINI Uhmann, 1930	
CRYPTOPHAGIDAE	IPIDAE/-INA/-INAE/-INAE/-INI Kirby, 1826	CRYPTOPHAGIDAE/-INA/-INAE/-INI Kirby, 1826	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CURCULIONIDAE	ATERPINI/-INA Lacordaire, 1863	HELIOMEINI/-INA Gistel, 1848	Use of younger name conserved (Art. 23.9.2)	this paper
CURCULIONIDAE	BAGOINAE Thomson, 1859	LYPRINAE Gistel, 1848	Use of younger name conserved (Art. 23.9.2)	this paper
CURCULIONIDAE	CLEONINI Schönhert, 1826	GEOMORINI Schönhert, 1823	Use of younger name conserved (Art. 23.9.2)	this paper
CURCULIONIDAE	HYPERINAE/-INI Lacordaire, 1863	PHYTONOMINAE/-INI Gistel, 1848	Use of younger name conserved (Art. 40.2)	this paper
CURCULIONIDAE	MAGDALIDINI Pascoe, 1870	SCARDAMYCTINI Gistel, 1848	Use of younger name conserved (Art. 23.9.2)	this paper
CURCULIONIDAE	MESOPTILINAE Lacordaire, 1863	SCARDAMYCTINAE Gistel, 1848	Use of younger name conserved (Art. 35.5)	this paper
CURCULIONIDAE	NAUPACTINI Gistel, 1848	IRPHINI Schönhert, 1823	Use of younger name conserved (Art. 23.9.2)	this paper
CURCULIONIDAE	SMICRONYCHINI Seidlitz, 1891	DESMORINI LeConte, 1876	Use of younger name conserved (Art. 23.9.2)	this paper
CURCULIONIDAE	TONESINA Alonso-Zarazaga and Loyal	LYTERINA LaCordaire, 1865	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CURCULIONIDAE	ZYGOBARIDINA Pierce, 1907	CENTRININA Jekel, 1865	Use of younger name conserved because the older name is a junior homonym	Alonso-Zarazaga and Loyal (1999)

Family	Change from:	Change to:	Action	Reference
DASCILLODEA	DASCILLODEA/-IDAE/-INAE/-INI Guérin-Méneville, 1843	ATOPOIDEA/-IDAE/-INAE/-INI Laporte, 1834	Use of younger name conserved (Art. 40.2)	Lawrence and Newton (1995)
DASCILLODEA	DASCILLODEA Guérin-Méneville, 1843	RHIPICEROIDEA Latreille, 1834	Use of younger name conserved because relationships between DASCILLIDAE and RHIPICERIDAE are uncertain	
DERODONTOIDEA	DERODONTOIDEA LeConte, 1861	NOSODENDROIDEA Erichson, 1846	Use of younger name conserved (Art. 35.5)	this paper
DRYOPIDAE	DRYOPIDAE Billberg, 1820	PARNIDAE Leach, 1817	Use of younger name conserved (Art. 40.2)	Lawrence and Newton (1995)
ELATERIDAE	AGRYPNINAE/-INI Candèze, 1857	ADELOCERINA/-INI Gistel, 1848	Use of younger name conserved (Art. 23.9.2)	this paper
ELATERIDAE	AGRYPNINAE/-INI Candèze, 1857	PANGAURINAE/-INI Gistel, 1856	Use of younger name conserved (Art. 23.9.2)	this paper
ELATERIDAE	AGRYPNINAE Candèze, 1857	COPHORINAE Gistel, 1848	Use of younger name conserved (Art. 35.5)	this paper
ELATERIDAE	DENTICOLLINAE/-INI/-INA Stein and Weise, 1877	CAMPYLINAE/-INI/-INA Gistel, 1848	Use of younger name conserved (Art. 40.2)	this paper
ELATERIDAE	HYPNOIDINI Schwarz, 1906	CRYPTOHYPNINI Candèze, 1860	Use of younger name conserved (Art. 40.2)	this paper
ELATERIDAE	MELANOTINI Candèze, 1859	CRATONYCHINI Gistel, 1848	Use of younger name conserved (Art. 40.2)	Sánchez-Ruiz (1996)
ELATERIDAE	PROSTERNINI Gistel, 1856	DIAGANTHINI Gistel, 1848	Use of younger name conserved (Art. 23.9.2)	this paper
ELATERIDAE	THYLACOSTERNINAE Fleutiaux, 1920	PTEROTARSINAE Fleutiaux, 1902	An application to the Commission will be submitted by J. Muona and H. Silfverberg (pers. comm. 2010) to conserve usage of the well-established name THYLACOSTERNINAE Fleutiaux, 1920	
ELATEROIDEA/-IDAE	ELATEROIDEA/-IDAE Leach, 1815	CEBRIONOIDAE/-IDAE Latreille, 1802	An application to the Commission will be sent to conserve usage of the well-established names ELATEROIDEA/-IDAE Leach, 1815	P. J. Johnson (in Lawrence and Newton 1995, pers. comm. 2009)

Family	Change from:	Change to:	Action	Reference
EROTYLIDAE	ENCAUSTINI Crotch, 1876	ENGIDINI MacLeay, 1825	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
EUCNEMIDAE	EUCNEMIDAE Eschscholtz, 1829	MELASIDAE Fleming, 1821	An application to the Commission has been sent to conserve usage of the well-established name EUCNEMIDAE Fleming, 1821	see Appendix 6
GYRINIDAE	ENHYDRINI Régimbart, 1882	DINEUTINI DESMAREST, 1851	Use of younger name conserved (Art. 35.5)	this paper
HYDROPHILIDAE	COELOSTOMATINI Heyden, 1891	CYCLONOTINI Horn, 1890	Use of younger name conserved (Art. 40.2)	Hansen (1991)
HYGROBIIDAE	HYGROBIIDAE Régimbart, 1879	PELOBIINAE Erichson, 1837	Use of younger name conserved (Art. 40.2)	Lawrence and Newton (1995)
LATRIDIIDE	LATRIDIIDA Erichson, 1842	CORTICARIIDAE Curtis, 1829	An application to the Commission was submitted by Bousquet et al. (2010) to conserve usage of the well-established name LATRIDIIDA Erichson, 1842	
LEIODIDAE	CATOPOCERINAE/-INI Hatch, 1927	PINODYTINAE/-INI Horn, 1880	Use of younger name conserved (Art. 40.2)	Newton and Thayer (1992)
LEIODIDAE	COLONINAE Horn, 1880	MYLOECHINAE Thomson, 1859	Use of younger name conserved (Art. 40.2)	Newton and Thayer (1992)
LEIODIDAE	LEPTODIRINI/-INA Lacordaire, 1854	STAGOBIIINI/-INA Schiøde, 1849	Use of younger name conserved (Art. 40.2)	Newton and Thayer (1992)
LEPICOIDEA	LEPICOIDEA/-IDAE Hinton, 1936	CYATHOCEROIDEA/-IDAE Sharp, 1882	Use of younger name conserved (Art. 40.2)	Lawrence and Newton (1995)
LYMEXYOLODEA	LYMEXYOLOIDEA/-IDAE Fleming, 1821	HYLCOETOIDEA/-IDAE Germar, 1818	Use of younger name conserved (Art. 35.5)	this paper
MELANDRTIDAE	OSPHYINAE Mulsant, 1856	NOTHINAE Shuckard, 1839	Use of younger name conserved (Art. 40.2)	Lawrence and Newton (1995)

Family	Change from:	Change to:	Action	Reference
MELOIDAE	Epicautini Parker and Böving, 1924	<i>MACROBASINI</i> LeConte, 1862	An application to the Commission is needed to conserve usage of the well-established name <i>EPICAUTINI</i> Parker and Böving, 1924	
MELOIDAE	Epicautini Parker and Böving, 1924	<i>APTEROSPASTINI</i> Wellman, 1910	An application to the Commission is needed to conserve usage of the well-established name <i>EPICAUTINI</i> Parker and Böving, 1924	
MELOIDAE	LYTTINI Solier, 1851	<i>CANTHARINI</i> Latreille, 1802	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
MELOIDAE	MELOIDAE Gyllenhal, 1810	<i>HORINAE</i> Latreille, 1802	Younger name given precedence over older name and placed on the Official List of Family-Group Names in Zoology	ICZN (1999c)
MELOIDAE	MELOIDAE/-INAЕ Gyllenhal, 1810	<i>CANTHARIDAE/-INAЕ</i> Latreille, 1802	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
MELOIDAE	NEMOGNATHINAE Laporte, 1840	<i>HORINAE</i> Latreille, 1802	Younger name given precedence over older name and placed on the Official List of Family-Group Names in Zoology	ICZN (1999c)
NEMONYCHIDAE	NEMONYCHIDAE Bedel, 1882	<i>CIMBERIDAE</i> Gozis, 1882	Younger name given precedence over older name and placed on the Official List of Family-Group Names in Zoology	ICZN (2005c)
OEDEMERIDAE	CALOPODINAE Costa, 1852	<i>SPIAREDRINAE</i> Gistel, 1848	Use of younger name conserved (Art. 23.9.2)	this paper
PSEPHENIDAE	PLACONYCHINAE Horn, 1880	<i>EUBRIANACINAE</i> Jakobson, 1913	Use of younger name conserved (Art. 40.2)	Lawrence and Newton (1995)
PTILIDAE	ACROTRICHINAE Reitter, 1909	<i>CLEOPTERINAE</i> Gistel, 1856	Use of younger name conserved (Art. 40.2)	Newton and Thayer (1992)
PTILIDAE	PTINELLINI Reitter, 1906	<i>NEUGLENINI</i> Reitter, 1891	Use of younger name conserved (Art. 40.2)	this paper
PTILODACTYLIDAE	ANCHYTARSINAE Champion, 1897	<i>COLOBODERINAE</i> Erichson, 1847	An application to the Commission is needed to conserve usage of the well-established name <i>ANCHYTARSINAE</i> Champion, 1897	

Family	Change from:	Change to:	Action	Reference
RIPIPHORIDAE	MACROSIAGONINI Heyden, 1908	RIPIPHORINI Laporte, 1840	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
RIPIPHORIDAE	RIPIPHORIDAE/-INA/-INAE/-INAE Gemminger, 1870	MYODITIDAE/-INA/-INAE/-INAE Gerstaecker, 1855	Use of younger name conserved (Art. 40.2)	Lawrence and Newton (1995)
SCARABAELDAE	ANOMALINI/-INA Streubel, 1839	EUCHLORINI/-INA Hope, 1839	Use of younger name conserved (Art. 23.9.2)	Smith (2006)
SCARABAELDAE	CREMASTOCHEILLINI Burmeister and Schaum, 1841	MACROMINI Burmeister and Schaum, 1840	Use of younger name conserved (Art. 35.5)	Smith (2006)
SCARABAELDAE	EUPARIINI Schmidt, 1910	ATAENIINI Harold, 1868	Use of younger name conserved (Art. 23.9.2)	Smith (2006)
SCARABAELDAE	HETEROSTERNINA Bates, 1888	MACROPNINA Horn, 1867	Use of younger name conserved (Art. 23.9.2)	Smith (2006)
SCARABAELDAE	ONITICELLINI Kolbe, 1905	DREPANOGERINA van Lansberge, 1875	Use of younger name conserved (Art. 35.5)	Smith (2006)
SCHIZOPHOROIDEA	SCHIZOCOLEOIDEA Rohdendorf, 1961	SCHIZOCOLEOIDEA Rohdendorf, 1961	Use of younger name conserved (Art. 35.5)	this paper
SPHINDIDAE	SPHINDIDAE/-INAE Jacquelini Du Val, 1860	ASPIDIPHORIDAE/-INAE Kiesenwetter, 1877 (1859)	Ruled under the plenary power that the younger name is to be given precedence over the older name	ICZN (1997)
STAPHYLINIDAE	ASTENTINA Hatch, 1857	SUNINA Sharp, 1886	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
STAPHYLINIDAE	ATHETINI/-INA Casey, 1910	CALICERINI Jakobson, 1908	An application to the Commission was submitted by Gusaarov to conserve usage of the well-established names ATHETINI/-INA Casey, 1910	
STAPHYLINIDAE	DOLICAONINA Casey, 1905	CNATHYMININA Solier, 1849	An application to the Commission is needed to conserve usage of the well-established name DOLICAONINA Casey, 1905	
STAPHYLINIDAE	EUSPHALERINI Hatch, 1957	ANTHOBINI Portevin, 1929	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
STAPHYLINIDAE	GONIACERTIDAE/-INI Reitter, 1882	CONIASTITIDAE/-INI Schaufuss, 1872	Use of younger name conserved (Art. 40.2)	Newton and Thayer (1992)

Family	Change from:	Change to:	Action	Reference
STAPHYLINIDAE	XANTHOLININI Erichson, 1839	AGRODINI Nordmann, 1837	Younger name given precedence over older names and placed on the Official List of Family-Group Names in Zoology	ICZN (1990c)
STAPHYLINIDAE	XANTHOLININI Erichson, 1839	GYROHYPNINI Kirby, 1837	Younger name given precedence over older names and placed on the Official List of Family-Group Names in Zoology	ICZN (1990c)
STAPHYLINIDAE	XANTHOPYGINA Sharp, 1884	PLATYCNEMINA Nordmann 1837	Younger name given precedence over older name and placed on the Official List of Family-Group Names in Zoology	ICZN (1990c)
TENEBRIONIDAE	ADELININA LeConte, 1862	ALPHITOPHAGINA Gistel, 1856	An application to the Commission is needed to conserve usage of the well-established name ADELININA LeConte, 1862	
TENEBRIONIDAE	ADESMINI Lacordaire, 1859	MEGAGENINI Solier, 1851	Use of younger name conserved (Art. 23.9.2)	Bouchard et al. (2007)
TENEBRIONIDAE	ADESMINI Lacordaire, 1859	MACROPODINI Agassiz, 1846	Use of younger name conserved (Art. 23.9.2)	this paper
TENEBRIONIDAE	ALLEGULINAE Laporte, 1841	CTENIOPODINAE Solier, 1835	Use of younger name conserved (Art. 35.5)	Bouchard et al. (2005)
TENEBRIONIDAE	ALLECULINAE/-INI Laporte, 1840	XYSTROPODINAE/-INI Solier, 1835	Use of younger name conserved (Art. 35.5)	Bouchard et al. (2005)
TENEBRIONIDAE	BOLITOPHAGINI Kirby, 1837	ELEDONINI Billberg, 1820	Use of younger name conserved (Art. 23.9.2)	this paper
TENEBRIONIDAE	CRYPTOGLOSSINI LeConte, 1862	CENTRIOPTERINI Lacordaire, 1859	Use of younger name conserved (Art. 23.9.2)	Aalbu (2006)
TENEBRIONIDAE	EPITRAGINI Blanchard, 1845	LYGOPHILINI Rafinesque, 1815	Use of younger name conserved (Art. 23.9.2)	Bouchard et al. (2007)
TENEBRIONIDAE	ERODINI Billberg, 1820	CEPHACERINI Rafinesque, 1815	Use of younger name conserved (Art. 23.9.2)	Bouchard et al. (2007)
TENEBRIONIDAE	LAGRIINAE Latreille, 1825	COSYPHINAE Latreille, 1802	Use of younger name conserved because placement of older taxon uncertain	Bouchard et al. (2005)
TENEBRIONIDAE	LAGRIINAE/-INI/-INA Latreille, 1820	LACHNINAE/-INI/-INA Billberg, 1820	Use of younger name conserved (Art. 40.2)	Bouchard et al. (2005)

Family	Change from:	Change to:	Action	Reference
TENEBRIONIDAE	MELANIMINI Seidlitz, 1894	MICROZOINI Mulsant, 1854	Use of younger name conserved (Art. 40.2)	Bouchard et al. (2005)
TENEBRIONIDAE	PYCNOCERINI Lacordaire, 1859	CHIROSCELINI Laporte, 1840	Use of younger name conserved (Art. 23.9.2)	Bouchard et al. (2005)
TENEBRIONIDAE	STENOSINI Lacordaire, 1859	TAGENINI Solier, 1834	Use of younger name conserved (Art. 40.2)	Bouchard et al. (2005)
TENEBRIONIDAE	TALANINI Champion, 1887	DIGNAMPTINI LeConte and Horn, 1883	Use of younger name conserved (Art. 40.2)	Bouchard et al. (2005)
THROSCIDAE	THROSCIDAE Laporte, 1840	STEREOLIDAE Rafinesque, 1815	Use of younger name conserved (Art. 23.9.2)	this paper
TROGOSITIDAE	LOPHOCATERINI Crowson, 1964	LYCOPTINI Casey, 1890	Use of younger name conserved (Art. 23.9.2)	this paper
ZOPHERIDAE	ZOPHERIDA Solier, 1834	COLYDIIDAE Billberg, 1820	Use of younger name conserved (Art. 35.5)	this paper

Appendix 3

Coleoptera family-group name changes required based on the Principle of Homonymy. The action that has been taken to fix the problem, or recommendation for future work, is mentioned for each case. Cases listed in alphabetical order by family.

Family	Coleoptera name:	Homonym:	Type genera	Action	Reference
ANTHICIDAE	NOTOXINAE Stephens, 1829	NOTOXINI Sturm, 1826 [Coleoptera: CLERIDAE]	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
ANTHICIDAE	STEROPINAE Jacquelin du Val, 1863	STEROPINAE Dana, 1854 [Copepoda]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
ANTHRIBIDAE	APOLECTINI Lacordaire, 1865	APOLECTIDAE Jordan, 1923	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
ANTHRIBIDAE	EUPARUNI Valentine, 1960	EUPARUNA Schmidt, 1910 [Coleoptera: SCARABAEDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
ATTELABIDAE	ANISONYCHINA Legakov, 2003	ANISONYCHIDAE Burmeister, 1844 [Coleoptera: SCARABAEDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
BRACHYCYRIDAE	AONYCHINI Zimmerman, 1993	AONYCHINI Davis, 1978 [Mammalia]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
BRACHYCYRIDAE	BROTHEINI Marshall, 1907	BROTHEINAE Simon, 1879 [Arachnida]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
BUPRESTIDAE	ANAGLYPTINA Giscl. 1848	ANAGLYPTINI Lacordaire, 1868 [Coleoptera: CERAMBYCIDAE]	different	Older name treated as a <i>nomen oblitum</i> (Art. 23.9.2)	Bousquet et al. (2009)
CANTHARIDAE	CANTHARIDAE Imhoff, 1856	CANTHARIDAE Latreille, 1802	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	

Family	Coleoptera name:	Homonym:	Type genera	Action	Reference
CARABIDAE	AGONIDAE Kirby, 1837	AGONIDAE Swainson, 1839 [Hymenoptera]	different	Stem of beetle name emended and AGONUMIDAE Kirby, 1837 placed on the Official List of Family-Group Names in Zoology	ICZN (1996d)
CARABIDAE	AMBLYTELINI Blackburn, 1892	AMBLYTELINA Viereck, 1918 [Hymenoptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CARABIDAE	ARTHROPTERINI Wasmann, 1928	ARTHROPTERIDAE Jordan, 1923 [Pisces]	same, Coleoptera genus older	An application to the Commission is needed to conserve the Coleoptera name	
CARABIDAE	BRADYBAENINA Csiki, 1932	BRADYBAENIDAE Pilsbry, 1939 [Mollusca]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CARABIDAE	COLPODINI Chaudoir, 1872	COLPODIDAE Poche, 1913 [Protista]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CARABIDAE	GRANIGERNA Antoine, 1959 [CARABIDAE: TRECHINAE]	GRANIGERINI Bedel, 1900 [CARABIDAE: TRECHINAE]	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CARABIDAE	NOMINI Gozis, 1875	NOMIDAE Robertson, 1904 [Hymenoptera]	different	An application was submitted to the Commission to emend the stem of the beetle family-group name	Engel and Bouchard (2009)
CERAMBYCIDAE	ANAGLYPTINI Lacordaire, 1868	ANAGLYPTINA Gistel, 1848 [Coleoptera: BUPRESTIDAE]	different	Older name treated as a <i>nomen oblitum</i> (Art. 23.9.2)	Bousquet et al. (2009)
CERAMBYCIDAE	COMPSINA Martins and Galileo, 2007	COMPSINI Pierce, 1913 [Coleoptera: CURCULLIONIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CERAMBYCIDAE	DRYOBINTI Arnett, 1962	DRYOBINTI Gistel, 1856 [Coleoptera: PTINIDAE]	different	Older name treated as a <i>nomen oblitum</i>	Bousquet et al. (2009)
CERAMBYCIDAE	LISSONOTINI Swainson, 1840	LISSONOTINI Förster, 1869 [Hymenoptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CERAMBYCIDAE	PLATYSTERNINI Lacordaire, 1872	PLATYSTERNIDAE Gray, 1869 [Reptilia]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	

Family	Coleoptera name:	Homonym:	Type genera	Action	Reference
CERAMBYCIDAE	POLYXARTHRIDINI Gounelle, 1911	POLYXARTHRIDAE Daday, 1893 [Rotifera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CERAMBYCIDAE	SPHAERIINI Lacordaire, 1868	SPHAERIIDAE Deshayes, 1855 [Mollusca]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CERAMBYCIDAE	SPHAERIINI Lacordaire, 1868	SPHAERIIDAE Erichson, 1845 [Coleoptera: MYXOPHAGA]	different	Stem of older beetle name emended and SPHAERITIDAE Erichson, 1845 placed on the Official List of Family-Group Names in Zoology	ICZN (2000)
CERAMBYCIDAE	STENOCORINI Thomson, 1861 [CERAMBYCIDAE: LEPTURINAE]	STENOCORINI Hope, 1834 [CERAMBYCIDAE: CERAMBYCIINAE]	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CERAMBYCIDAE	STENODERINI Pascoe, 1867	STENODERINI Selander, 1991 [Coleoptera: MELOIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CERAMBYCIDAE	STENODONTINI Lameere, 1903	STENODONTINA Schmiedeknecht, 1903 [Hymenoptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CERAMBYCIDAE	TOXOTINI LeConte and Horn, 1883	TOXOTIDAE Günther, 1860 [Pisces]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CHAETOSOMATIDAE	CHAETOSOMATIDIAE Crowson, 1952	CHAETOSOMATIDAE Claus, 1872 [Nematoda]	same, Coleoptera genus older	An application to the Commission was submitted by YB and PB to conserve the Coleoptera name	
CHRYSOMELIDAE	CARPOPHAGINI Chapuis, 1874	CARPOPHAGINAE Selby, 1835 [Aves]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CHRYSOMELIDAE	CHALEPINI Weise, 1910 [CHRYSOMELIDAE: CASSIDINAE]	CHALEPIDAE Burmeister, 1847 [SCARABAEIDAE: DYNASTINAE]	same, SCARABAEIDAE name older	An application to the Commission is needed to conserve usage of the well established CHRYSOMELIDAE name	
CHRYSOMELIDAE	OREININI Bechyné, 1958	OREININI Bleeker, 1863 [Pisces]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	

Family	Coleoptera name:	Homonym:	Type genera	Action	Reference
CHRYSOMELIDAE	MEGACERINI Bridwell, 1946	MEGACERINI Viret, 1961 [Mammalia]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CHRYSOMELIDAE	SPERMOPHAGINA Borowiec, 1987 [CHRYSOMELIDAE: BRUCHINAE: AMBLYCERINAE: SPERMOPHAGINA]	SPERMOPHAGINA Crotch, 1873 [CHRYSOMELIDAE: BRUCHINAE: AMBLYCERINA]	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CHRYSOMELIDAE	SPILOPHORINI Chapuis, 1875 [CHRYSOMELIDAE: CASSIDINAE]	SPILOPHORINA Krikken, 1984 [Coleoptera: SCARABAEIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CLERIDAE	TRICHODINI Portevin, 1931	TRICHODINA Maitland, 1851 [Protozoa]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CRYPTOPHAGIDAE	IPINI Latreille, 1802 [CRYPTOPHAGIDAE: CRYPTOPHAGINAE: CRYPTOPHAGINI]	IPINI Bedel, 1888 [CURCULIONIDAE: SCOLYTINAE]	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CURCULIONIDAE	CENTRININA Jekel, 1865	CENTRINAE Swainson, 1839 [Pisces]	different	The younger name ZYGOBARIDINA is used as valid instead of CENTRININA	Alonso-Zarazaga and Lyal (1999)
CURCULIONIDAE	COMPSTINI Pierce, 1913	COMPSTINA Martins and Galileo, 2007 [Coleoptera: CERAMBYCIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CURCULIONIDAE	CONDODERINAE Schönherr, 1833	CONDODERINI Fleutiaux, 1919 [Coleoptera: ELATERIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CURCULIONIDAE	EUDERINI Lacordaire, 1865	EUDERINI Erdős, 1956 [Hymenoptera]	different	A junior synonym is used as valid instead of EUDEPIN in Hymenoptera	Hansson and Straka (2009)
CURCULIONIDAE	HAPLONYCHINI Lacordaire, 1865	HAPLONYCHIDAE Burmeister, 1855 [Coleoptera: SCARABAEIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	

Family	Coleoptera name:	Homonym:	Type genera	Action	Reference
CURCULIONIDAE	IPINI Bedel, 1888 [CURCULIONIDAE: SCOLYTINAE]	IPINI Latreille, 1802 [CRYPTOPHAGIDAE; CRYPTOPHAGINAE; CRYPTOPHAGINI]	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CURCULIONIDAE	Omnini Shuckard, 1839	Omnini Beck, 1996 [Lepidoptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
CURCULIONIDAE	PHAENOMERINA Faust, 1898	PHAENOMERINI Erichson, 1847 [Coleoptera: SCARABAEEIDAE]	different	Stem of SCARABAEEIDAE name emended and PHAEONMERIDAE (with incorrect author and year “Ohaus, 1913”) placed on the Official List of Family-Group Names in Zoology	ICZN (1962)
CURCULIONIDAE	RHYNCHAENINI Blanchard, 1853	RHYNCHAENINI Latreille, 1828	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CURCULIONIDAE	TOMICINI Wood, 1978 [CURCULIONIDAE: SCOLYTINAE: HYLURGINI]	TOMICINI Shuckard, 1839 [CURCULLIONIDAE: SCOLYTINAE: IPINI]	same, older name based on misidentified type genus	An application to be submitted to the Commission by MAAZ and CHCL to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
CURCULIONIDAE	TRYPETINI Lacordaire, 1865	TRYPETIDAE Loew, 1861 [Diptera]	different	Stem of beetle name emended and TRYPETIDAE (with incorrect author and year “Pierce, 1919”) placed on the Official List of Family-Group Names in Zoology	ICZN (1974a)
ELATERIDAE	CONODERINI Fléutiaux, 1919	CONODERINA Schönherr, 1833 [Coleoptera: CURCULLIONIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
ELATERIDAE	DRASTERINI Houlsby, 1912	DRASTERINI Wiltshire, 1976 [Lepidoptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
ELATERIDAE	LUDIINI Candèze, 1857	LUDIINI Aurivillius, 1904 [Lepidoptera]	different	The Lepidoptera name was replaced by MICRAGGOSINI Cockrell, 1914	Oberprieler (1997)

Family	Coleoptera name:	Homonym:	Type genera	Action	Reference
ELATEROIDEA	CANTHARIDAE Imhoff, 1856	CANTHARIDAE Latreille, 1802	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
ELMIDAE	LARINI LeConte, 1861	LARIDAE Rafinesque-Schmaltz, 1815 [Aves]	different	Stem of beetle name emended and LARAINI LeConte, 1861 placed on the Official List of Family-Group Names in Zoology	ICZN (1988g)
GYRINIDAE	ENHYDRINI Régimbart, 1882	ENHYDRINI Gray, 1825	different	An application was recently submitted to the Commission by Özdkimen and Darilmaz (2010) to remove the homonymy	
HELOTIDAE	HELOTIDAE Chapuis, 1876	HELOTIDAE Adams et al., 1854 [Pisces]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
HYDROPHILIDAE	HYDROBINA Mulsant, 1844	HYDROBIDAE Troschel 1857 [Mollusca]	different	Stem of beetle name emended and HYDROBUSINA Mulsant, 1844 placed on the Official List of Family-Group Names in Zoology	ICZN (2003a)
LAMPYRIDAE	PHOTININI LeConte, 1881	PHOTININAE Giglio-Tos, 1915 [Mantodea]	different	An application to the Commission was submitted by Svenson and Branham (2007) to remove the homonymy (Art. 55.3.1)	
LEIODIDAE	ANISOTOMIDAE Reitter, 1884 [LEIODINAE: AGATHIDIINI]	ANISOTOMIDAE Erichson, 1845 [LEIODINAE: LEIODINI]	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
LEIODIDAE	TRIARTHRIDINI Jeannel, 1962	TRIARTHRIDAE Ulrich, 1930 [Trilobita]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
MELOIDAE	LYDINA Kaszab, 1959	LYDIDAE Newman, 1834 [Hymenoptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
MELOIDAE	STENODERINTI Selander, 1991	STENODERINTI Pascoe, 1867 [Coleoptera: CERAMBYCIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	

Family	Coleoptera name:	Homonym:	Type genera	Action	Reference
MELOIDAE	ZONITINA Mulsant, 1857	ZONITIDAE Mörch, 1864 [Mollusca]	different	Stem of beetle name emended and ZONITINAE Mulsant, 1857 placed on the Official List of Family-Group Names in Zoology	ICZN (1999c)
PLASTOCERIDAE	PLASTOCERIDAE Crowsen, 1972	PLASTOCERINI LeConte, 1861 [Coleoptera: ELATERIDAE]	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
PRIONOCERIDAE	PRIONOCERIDAE Lacordaire, 1857	PRIONOCERINI Savchenko, 1966 [Diptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
Ptinidae	DRYOBINII Gistel, 1856	DRYOBINII Attwett, 1962 [Coleoptera: CERAMBYCIDAE]	different	Older name treated as a <i>nomen oblitum</i> (Art. 23.9.2)	Bousquet et al. (2009)
RIPIPHORIDAE	RIPIPHORIDAE/-INAE/-INI Gemminger, 1870 [RIPIPHORIDAE: RIPIPHORINAE; MACROSIAGONINAE]	RIPIPHORIDAE/-INAE/-INI Laporte, 1840 [RIPIPHORIDAE: RIPIPHORINAE; MACROSIAGONINAE]	same, older name based on misidentified type genus	An application to the Commission is needed to suppress the older name because it is based on a misidentified type genus (Art. 65.2.1)	
SALPINGIDAE	ELACATIDIAE Cockerell, 1906	ELACATINAE Gill, 1861 [Pscses]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
SCARABAETIDAE	ANISONYCHIDAE Burmeister, 1844	ANISONYCHINI Legalov, 2003 [Coleoptera: ATTELABIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
SCARABAETIDAE	CHALEPIDAE BURMEISTER, 1847 [SCARABAETIDAE: DYNASTINAE]	CHALEPINI Weise, 1910 [CHRYSOMELIDAE: CASSIDINAE]	same, SCARABAETIDAE name older	An application to the Commission is needed to conserve usage of the well established name in CHRYSOMELIDAE	
SCARABAETIDAE	Cryptodontina Lacordaire, 1856	Cryptodontidae Dall, 1895 [Mollusca]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
SCARABAETIDAE	EUCHROEINA Paulian and Descarpentries, 1982	EUCHROEIDAE Dahlbom, 1854 [Hymenoptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	

Family	Coleoptera name:	Homonym:	Type genera	Action	Reference
SCARABAIDAE	EUPARUNA Schmidt, 1910	EUPARUNI Valentine, 1960 [Coleoptera: ANTHRIBIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
SCARABAIDAE	HAPLONYCHIDAE Burmeister, 1855	HAPLONYCHINI Lacordaire, 1865 [Coleoptera: CURCULIONIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
SCARABAIDAE	MACROPHYLINA Burmeister, 1855	MACROPHYLLINA Gray, 1866 [Mammalia]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
SCARABAIDAE	PHAENOMERINI Erichson, 1847	PHAENOMERINA Faust, 1898 [Coleoptera: CURCULIONIDAE]	different	Stem of SCARABAIDAE name emended and PHAENOMERIDINI Ohaus, 1913 [in error for Erichson, 1847] placed on the Official List of Family-Group Names in Zoology	ICZN (1962)
SCARABAIDAE	SPILOPHORINA Krikken, 1984	SPILOPHORINI Chapuis, 1875 [Coleoptera: CHRYSOMELIDAE]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
SCARABAIDAE	TRICHTINI Fleming, 1821	TRICHTHINA Lozek, 1956 [Mollusca]	different	The mollusc name was placed on the Official Index of Rejected and Invalid Family-Group Names in Zoology	ICZN (2004c)
SCARABAIDAE	TRIGONOSTOMINA Ohaus, 1912	TRIGONOSTOMIDAE Graff, 1905 [Platyhelminthes]	different	Stem of beetle name emended and TRIGONOSTOMUSINA Ohaus, 1912 placed on the Official List of Family-Group Names in Zoology	ICZN (2009b)
SPHAERIUSIDAE	SPHAERIIDAE Erichson, 1845	SPHAERUNI Lacordaire, 1868 [Coleoptera: CERAMBYCIDAE] and SPHAERIIDAE Deshayes, 1855 [Mollusca]	different	Stem of older beetle name emended and SPHAERIUSIDAE Erichson, 1845 placed on the Official List of Family-Group Names in Zoology	ICZN (2000)
STAPHYLINIDAE	CALLICERINA Jakobson, 1908	CALLICERINA Rondani, 1856 [Diptera]	different	An application to the Commission was recently submitted by Gusalov to suppress the Coleoptera name	
STAPHYLINIDAE	METOPINI Raffray, 1904	METOPINAE Foerster, 1869 [Hymenoptera]	different	Stem of beetle name emended and METOPIASINI Raffray, 1904 placed on the Official List of Family-Group Names in Zoology	ICZN (1994d)

Family	Coleoptera name:	Homonym:	Type genera	Action	Reference
STAPHYLINIDAE	TACHINIDAE Fleming, 1821	TACHINIDAE Robineau-Desvoidy, 1830 [Diptera]	different	Stem of beetle name emended and TACHINIDAE Fleming, 1821 placed on the Official List of Family-Group Names in Zoology	ICZN (1993f)
STAPHYLINIDAE	TOXODERINI Bernhauer and Schubert, 1911	TOXODERINI Saussure, 1869 [Mantodea]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
TENEBRIONIDAE	ADELINII Kirby, 1828	ADELINI Vierck, 1918 [Hymenoptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
TENEBRIONIDAE	LACHNINI Billberg, 1820	LACHNINI Henrich-Schaeffer 1854 [Hemiptera]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	
TENEBRIONIDAE	MACROPODINI Agassiz, 1846	MACROPODIDAE Gray, 1821 [Mammalia]	different	Beetle name treated as a <i>nomen oblitum</i> (Art. 23.9.2)	this paper
TENEBRIONIDAE	PENTAPHYLLINI Mulsant, 1854	PENTAPHYLLINAE Schmidewolf, 1942 [Anthozoa]	different	An application to the Commission is needed to remove the homonymy (Art. 55.3.1)	

Appendix 4

COLEOPTERA names as they appear on the *Official List of Family-Group Names in Zoology*. Cases listed in alphabetical order by family. Names on the *Official List* with the symbol “°” differ from those presented in our catalogue (spelling, authorship and/or year of publication).

Family	Name on <i>Official List</i>	Opinion(s) or Direction	Reference
ADERIDAE	°ADERIDAE Winkler, 1927	1549	ICZN 1989e
ADERIDAE	EUGLENESIDAE Seidlitz, 1875	1549	ICZN 1989e
ANTHRIBIDAE	ANTHRIBIDAE Billberg, 1820	1756	ICZN 1994b
ANTHRIBIDAE	CHORAGIDAE Kirby, 1819	1756	ICZN 1994b
BRENTIDAE	°EURHININI Lacordaire, 1866	1352	ICZN 1985e
BRENTIDAE	EURHYNCHINAE Lacordaire, 1863	1352	ICZN 1985e
BUPRESTIDAE	TRACHEIDAE Laporte, 1835	2222	ICZN 2009a
CARABIDAE	AGONUMIDAE Kirby, 1837	1855	ICZN 1996d
CARABIDAE	DROMIUSIDAE Bonelli, 1810	2149	ICZN 2006b
CARABIDAE	°GALERITINI Lacordaire, 1854	862	ICZN 1968b
CERYLONIDAE	CERYLONIDAE Billberg, 1820	1811	ICZN 1995c
CHRYSOMELIDAE	BRUCHIDAE Latreille, 1802	1809	ICZN 1995a
CHRYSOMELIDAE	°CASSIDINAE Stephens, 1831	1023	ICZN 1974b
CHRYSOMELIDAE	°UROPLATINI Leng, 1920	1359	ICZN 1985f
CURCULIONIDAE	°BRACHYDERINAE Schönherr, 1837	1440	ICZN 1987a
CURCULIONIDAE	CRYPTORHYNCHINAE Schönherr, 1825	808	ICZN 1967b
CURCULIONIDAE	OTIORHYNCHINAE Schönherr, 1826	982	ICZN 1972
CURCULIONIDAE	PACHYRHYNCHINI Schönherr, 1826	928	ICZN 1970b
CURCULIONIDAE	PHAENOMERINA Faust, 1898	621	ICZN 1962
CURCULIONIDAE	PHYLLOBIINI Schönherr, 1826	1179	ICZN 1981c
CURCULIONIDAE	°POLYDROSINI Schönherr, 1823	1179	ICZN 1981c
CURCULIONIDAE	°SCOLYTIDAE Westwood, 1838	683	ICZN 1963b
CURCULIONIDAE	SOMATODINAE Lacordaire, 1863	1770	ICZN 1994c
CURCULIONIDAE	°TRYPETIDINAE Pierce, 1919	1005	ICZN 1974a
DYTISCIDAE	°DYTISCIDAE Leach, 1817	619	ICZN 1961e
ELMIDAE	ELMIDAE Curtis, 1830	1812	ICZN 1995d
ELMIDAE	LARAINI LeConte, 1861	1515	ICZN 1988g
GEOTRUPIDAE	°GEOTRUPINI Latreille, 1806	Direction 28	ICZN 1955c
HYDROPHILIDAE	HYDROBIUSINA Mulsant, 1844	2034	ICZN 2003a
KATERETIDAE	BRACHYPTERINAE Erichson, [1845]	1916	ICZN 1999a
KATERETIDAE	°KATERETIDAE Erichson in Agassiz, [1846]	1916	ICZN 1999a
MELOIDAE	HORIIDAE Latreille, 1802	1918	ICZN 1999b
MELOIDAE	MELOIDAE Gyllenhal, 1810	1918	ICZN 1999b
MELOIDAE	NEMOGNATHINAE Castelnau, 1840	1918	ICZN 1999b
MELOIDAE	ZONITIDINAE Mulsant, 1857	1918	ICZN 1999b
NEMONYCHIDAE	CIMBERIDIDAE Gozis, 1882	2111	ICZN 2005c
NEMONYCHIDAE	NEMONYCHIDAE Bedel, 1882	2111	ICZN 2005c

Family	Name on <i>Official List</i>	Opinion(s) or Direction	Reference
ORSODACNIDAE	AULACOSCELIDINAE Chapuis, 1874	2242	ICZN 2010a
PTINIDAE	PTINIDAE Latreille, 1802	1809	ICZN 1995a
SCARABAEIDAE	°PHAENOMERIDIDAE Ohaus, 1913	621	ICZN 1962
SCARABAEIDAE	TRIGONOSTOMUSINA Ohaus, 1912	2229	ICZN 2009b
SPHAERIUSIDAE	MICROSPORIDAE Crotch, 1873	1331, 1957	ICZN 1985d, 2000
SPHAERIUSIDAE	SPHAERIUSIDAE Erichson, 1845	1957	ICZN 2000
SPHINDIDAE	ASPIDIPHORIDAE Kiesenwetter, 1877	1862	ICZN 1997
SPHINDIDAE	°SPHINDIDAE Jacquelin du Val, [1861]	1862	ICZN 1997
STAPHYLINIDAE	AGRODINI Nordmann, 1837	1851	ICZN 1996c
STAPHYLINIDAE	BOLITOCHARINI Thomson, 1859	599	ICZN 1961a
STAPHYLINIDAE	GYROHYPNINI Kirby, 1837	1851	ICZN 1996c
STAPHYLINIDAE	METOPIASINI Raffray, 1904	1772	ICZN 1994d
STAPHYLINIDAE	OXYPODIDES Thomson, 1859	463	ICZN 1957
STAPHYLINIDAE	PLATYCNEMINI Nordmann, 1837	1851	ICZN 1996c
STAPHYLINIDAE	QUEDIINI Kraatz, [1857]	1851	ICZN 1996c
STAPHYLINIDAE	°STAPHYLINIDAE Latreille, [1803-1804]	546	ICZN 1959a
STAPHYLINIDAE	TACHINUSIDAЕ Fleming, 1821	1743	ICZN 1993f
STAPHYLINIDAE	TACHYPORIDAE MacLeay, 1825	1743	ICZN 1993f
STAPHYLINIDAE	XANTHOLININI Erichson, 1839	1851	ICZN 1996c
ZOPHERIDAE	°COLYDIIDAE Erichson, 1842	1811	ICZN 1995c
ZOPHERIDAE	ORTHOCEPINI Blanchard, 1845 (1820)	1811	ICZN 1995c
ZOPHERIDAE	RHOPALOCERINI Reitter, 1911	1397	ICZN 1986b

Appendix 5

Coleoptera type genus names as they appear on the *Official List of Generic Names in Zoology*. Cases listed in alphabetical order by family.

Family	Name on <i>Official List</i>	Opinion(s)	Reference(s)
ADERIDAE	<i>Aderus</i> Stephens, 1829	1549	ICZN 1989e
ADERIDAE	<i>Euglenes</i> Westwood, 1830	1549	ICZN 1989e
ANTHRIBIDAE	<i>Anthribus</i> Geoffroy, 1762	1754	ICZN 1994a
ANTHRIBIDAE	<i>Mecocerus</i> Schönherr, 1833	982	ICZN 1972
ANTHRIBIDAE	<i>Choragus</i> Kirby, 1819	1756	ICZN 1994b
ATTELABIDAE	<i>Attelabus</i> Linnaeus, 1758	1239	ICZN 1983a
BOSTRICHIDAE	<i>Bostrius</i> Geoffroy, 1762	1754	ICZN 1994a
BRENTIDAE	<i>Eurhynchus</i> Kirby, in Kirby & Spence, 1828	1352	ICZN 1985
BRENTIDAE	<i>Nanophyes</i> Schönherr, 1838	1526	ICZN 1989b
BUPRESTIDAE	<i>Acmaeodera</i> Eschscholtz, 1829	2100	ICZN 2005b
BUPRESTIDAE	<i>Actenodes</i> Dejean, 1833	2008	ICZN 2002b
BUPRESTIDAE	<i>Anthaxia</i> Eschscholtz, 1829	2009	ICZN 2002c
BUPRESTIDAE	<i>Astraeus</i> Laporte & Gory, 1837	795	ICZN 1966
BUPRESTIDAE	<i>Buprestis</i> Linnaeus, 1758	1784	ICZN 1994e
BUPRESTIDAE	<i>Chrysobothris</i> Eschscholtz, 1829	1784	ICZN 1994e
BUPRESTIDAE	<i>Chrysodema</i> Laporte & Gory, 1835	2076	ICZN 2004b
BUPRESTIDAE	<i>Dicerca</i> Eschscholtz, 1829	1784	ICZN 1994e
BUPRESTIDAE	<i>Iridotaenia</i> Deyrolle, 1864	2076	ICZN 2004b
BUPRESTIDAE	<i>Melanophila</i> Eschscholtz, 1829	1826	ICZN 1996b
BUPRESTIDAE	<i>Nascio</i> Gory & Laporte, 1838	2008	ICZN 2002b
BUPRESTIDAE	<i>Poecilonota</i> Eschscholtz, 1829	1825	ICZN 1996a
BUPRESTIDAE	<i>Trachys</i> Fabricius, 1801	2222	ICZN 2009a
BYRRHIDAE	<i>Byrrhus</i> Linnaeus, 1767	1754	ICZN 1994a
BYRRHIDAE	<i>Simplocaria</i> Stephens, 1829	1323	ICZN 1985c
CARABIDAE	<i>Agonum</i> Bonelli, 1810	1855	ICZN 1996d
CARABIDAE	<i>Carabus</i> Linnaeus, 1758	243	ICZN 1950
CARABIDAE	<i>Dromius</i> Bonelli, 1810	2149	ICZN 2006b
CARABIDAE	<i>Galerita</i> Fabricius, 1801	862	ICZN 1968b
CARABIDAE	<i>Glyptus</i> Brullé, 1835	1299	ICZN 1985a
CARABIDAE	<i>Ophonus</i> Dejean, 1821	1598	ICZN 1990c
CARABIDAE	<i>Tachys</i> Dejean, 1821	1598	ICZN 1990c
CERAMBYCIDAE	<i>Ceroplesia</i> Audinet-Serville, 1835	1407	ICZN 1986
CERAMBYCIDAE	<i>Phymatodes</i> Mulsant, 1839	1525	ICZN 1989a
CERAMBYCIDAE	<i>Prionus</i> Geoffroy, 1762	1754	ICZN 1994a
CERAMBYCIDAE	<i>Saperda</i> Fabricius, 1775	1155	ICZN 1980
CERAMBYCIDAE	<i>Stenocorus</i> Geoffroy, 1762	1754	ICZN 1994a
CERAMBYCIDAE	<i>Tetropium</i> Kirby, 1837	1473	ICZN 1988b
CERYLONIDAE	<i>Cerylon</i> Latreille, 1802	1811	ICZN 1995c
CHRYSOMELIDAE	<i>Altica</i> Geoffroy, 1762	1754	ICZN 1994a
CHRYSOMELIDAE	<i>Bruchus</i> Linnaeus, 1767	1809	ICZN 1995a

Family	Name on Official List	Opinion(s)	Reference(s)
CHRYSOMELIDAE	<i>Cassida</i> Linnaeus, 1758	1023	ICZN 1974b
CHRYSOMELIDAE	<i>Chrysolina</i> Motschulsky, 1860	1279	ICZN 1984c
CHRYSOMELIDAE	<i>Chrysomela</i> Linnaeus, 1758	1279	ICZN 1984c
CHRYSOMELIDAE	<i>Crioceris</i> Geoffroy, 1762	908, 1754	ICZN 1970a, 1994a
CHRYSOMELIDAE	<i>Cryptocephalus</i> Geoffroy, 1762	1754	ICZN 1994a
CHRYSOMELIDAE	<i>Galeruca</i> Geoffroy, 1762	1754	ICZN 1994a
CHRYSOMELIDAE	<i>Lema</i> Fabricius, 1798	908	ICZN 1970a
CHRYSOMELIDAE	<i>Luperus</i> Geoffroy, 1762	1273	ICZN 1984a
CHRYSOMELIDAE	<i>Uroplata</i> Chevrolat, 1835	1359	ICZN 1985
CLERIDAE	<i>Clerus</i> Geoffroy, 1762	1273	ICZN 1984a
CLERIDAE	<i>Korynetes</i> Herbst, (1792)	604	ICZN 1961c
CLERIDAE	<i>Necrobia</i> OLIVIER, 1795	604	ICZN 1961c
CLERIDAE	<i>Notoxus</i> Geoffroy, 1762	1754	ICZN 1994a
CLERIDAE	<i>Trichodes</i> Herbst, 1792	1273	ICZN 1984a
COPRINISPHAERIDAE	<i>Coprinisphaera</i> Sauer, 1955	2211	ICZN 2008b
CRYPTOPHAGIDAE	<i>Cryptophagus</i> Herbst, 1792	1810	ICZN 1995b
CUCUJIDAE	<i>Cucujus</i> Fabricius, 1775	1754	ICZN 1994a
CURCULIONIDAE	<i>Brachyderes</i> Schönherr, 1823	1440	ICZN 1987
CURCULIONIDAE	<i>Ceutorhynchus</i> Germar, 1824	1529	ICZN 1989c
CURCULIONIDAE	<i>Cholus</i> Germar, 1824	1449	ICZN 1987d
CURCULIONIDAE	<i>Coeliodes</i> Schönherr, 1837	1529	ICZN 1989c
CURCULIONIDAE	<i>Cryptorhynchus</i> Illiger, 1807	808	ICZN 1967b
CURCULIONIDAE	<i>Dendroctonus</i> Erichson, 1836	670	ICZN 1963a
CURCULIONIDAE	<i>Dryocoetes</i> Eichhoff, 1864	1145	ICZN 1979b
CURCULIONIDAE	<i>Eurhinus</i> Illiger, 1807	1352	ICZN 1985
CURCULIONIDAE	<i>Geonemus</i> Schönherr, 1833	1493	ICZN 1988d
CURCULIONIDAE	<i>Magdalitis</i> Germar, 1817	345	ICZN 1955a
CURCULIONIDAE	<i>Mononychus</i> Germar, 1824	1529	ICZN 1989c
CURCULIONIDAE	<i>Otiorrhynchus</i> Germar, 1824	982	ICZN 1972
CURCULIONIDAE	<i>Pachyrhynchus</i> Germar, 1824	928	ICZN 1970b
CURCULIONIDAE	<i>Phaenomerus</i> Schönherr, 1836	621	ICZN 1962
CURCULIONIDAE	<i>Phloeosinus</i> Chapuis, 1869	1167	ICZN 1981a
CURCULIONIDAE	<i>Phloeotribus</i> Latreille, 1796	1144	ICZN 1979a
CURCULIONIDAE	<i>Phyllobius</i> Germar, 1824	1179	ICZN 1981c
CURCULIONIDAE	<i>Phytobius</i> Schönherr, 1833	1968	ICZN 2001
CURCULIONIDAE	<i>Polydrusus</i> Germar, 1817	1179	ICZN 1981c
CURCULIONIDAE	<i>Ptochus</i> Schönherr, 1826	1616	ICZN 1990d
CURCULIONIDAE	<i>Rhinoncus</i> Schönherr, 1825	1529	ICZN 1989c
CURCULIONIDAE	<i>Rhyncolus</i> Germar, 1817	1655	ICZN 1991b
CURCULIONIDAE	<i>Scolytus</i> Geoffroy, 1762	683	ICZN 1963b
CURCULIONIDAE	<i>Somatodes</i> Schönherr, 1840	1770	ICZN 1994c
CURCULIONIDAE	<i>Tomicus</i> Latreille, [1802]	670	ICZN 1963a
CURCULIONIDAE	<i>Tropiphorus</i> Schönherr, 1842	1474	ICZN 1988c
CURCULIONIDAE	<i>Trypetes</i> Schönherr, 1836	1005	ICZN 1974a
CURCULIONIDAE	<i>Xyleborus</i> Eichhoff, 1864	848	ICZN 1968a

Family	Name on Official List	Opinion(s)	Reference(s)
CURCULIONIDAE	<i>Zygops</i> Schönherr, 1825	1450	ICZN 1987e
CYCLAXYRIDAE	<i>Cyclaxyra</i> Broun, 1893	1472	ICZN 1988a
DERMESTIDAE	<i>Anthrenus</i> Geoffroy, 1762	1754	ICZN 1994a
DRYOPHTHORIDAE	<i>Dryophthorus</i> Germar, 1824	1448	ICZN 1987c
DRYOPHTHORIDAE	<i>Rhinostomus</i> Rafinesque, 1815	345	ICZN 1955a
DRYOPHTHORIDAE	<i>Sitophilus</i> Schönherr, 1838	572	ICZN 1959b
DRYOPHTHORIDAE	<i>Sphenophorus</i> Schönherr, 1838	572	ICZN 1959b
DYTISCIDAE	<i>Acilius</i> Leach, 1817	619	ICZN 1961e
DYTISCIDAE	<i>Dytiscus</i> Linnaeus, 1758	619	ICZN 1961e
DYTISCIDAE	<i>Graphoderus</i> Dejean, 1833	618	ICZN 1961d
DYTISCIDAE	<i>Vatellus</i> Aubé, [1837]	1681	ICZN 1992
ELATERIDAE	<i>Drasterius</i> Eschscholtz, 1829	1441	ICZN 1987b
ELMIDAE	<i>Elmis</i> Latreille, 1802	1812	ICZN 1995d
ELMIDAE	<i>Lara</i> Le Conte, 1852	1515	ICZN 1988g
EROTYLIDAE	<i>Tritoma</i> Fabricius, 1775	1754	ICZN 1994a
GEOTRUPIDAE	<i>Athyreus</i> MacLeay, 1819	1299	ICZN 1985a
GEOTRUPIDAE	<i>Bolboceras</i> Kirby, 1819	2138	ICZN 2006a
GEOTRUPIDAE	<i>Geotrupes</i> Latreille, 1796	346	ICZN 1955b
GEOTRUPIDAE	<i>Odonteus</i> Samouelle, 1819	2138	ICZN 2006a
GYRINIDAE	<i>Enhydrus</i> Laporte, 1834	710	ICZN 1964
GYRINIDAE	<i>Gyrinus</i> Geoffroy, 1762	1754	ICZN 1994a
HYDRAENIDAE	<i>Ochthebius</i> Leach, 1815	1631	ICZN 1991a
HYDROPHILIDAE	<i>Berosus</i> Leach, 1817	1577	ICZN 1990a
HYDROPHILIDAE	<i>Georissus</i> Latreille, 1809	1891	ICZN 1998
HYDROPHILIDAE	<i>Helochares</i> Mulsant, 1844	710	ICZN 1964
HYDROPHILIDAE	<i>Helophorus</i> Fabricius, 1775	1724	ICZN 1993b
HYDROPHILIDAE	<i>Hydrobius</i> Leach, 1815	1577	ICZN 1990a
HYDROPHILIDAE	<i>Hydrophilus</i> Geoffroy, 1762	1754	ICZN 1994a
HYDROPHILIDAE	<i>Megasternum</i> Mulsant, 1844	1178	ICZN 1981b
HYGROBIIDAE	<i>Hygrobia</i> Latreille, 1804	280	ICZN 1954
KATERETIDAE	<i>Brachypterus</i> Kugelann, 1794	1916	ICZN 1999a
KATERETIDAE	<i>Kateretes</i> Herbst, 1793	1916	ICZN 1999a
LAMPYRIDAE	<i>Lampyris</i> Geoffroy, 1762	1273	ICZN 1984a
LEIODIDAE	<i>Colon</i> Herbst, 1797	1810	ICZN 1995b
LUCANIDAE	<i>Platycerus</i> Geoffroy, 1762	1754	ICZN 1994a
MEGALOPODIDAE	<i>Zeugophora</i> Kunze, 1818	1382	ICZN 1986
MELOIDAE	<i>Cerocoma</i> Geoffroy, 1762	1754	ICZN 1994a
MELOIDAE	<i>Horia</i> Fabricius, 1787	1918	ICZN 1999b
MELOIDAE	<i>Meloe</i> Linnaeus, 1758	1918	ICZN 1999b
MELOIDAE	<i>Mylabris</i> Fabricius, 1775	1809	ICZN 1995a
MELOIDAE	<i>Nemognatha</i> Illiger, 1807	1918	ICZN 1999b
MELOIDAE	<i>Zonitis</i> Fabricius, 1775	1918	ICZN 1999b
MONOTOMIDAE	<i>Rhizophagus</i> Herbst, 1793	1810	ICZN 1995b
NEMONYCHIDAE	<i>Cimberis</i> Gozis, 1881	2111	ICZN 2005c
NEMONYCHIDAE	<i>Nemonyx</i> Redtenbacher, 1845	2111	ICZN 2005c

Family	Name on Official List	Opinion(s)	Reference(s)
OEDEMERIDAE	<i>Oncomera</i> Stephens, 1829	1506	ICZN 1988f
OMALISIDAE	<i>Omalisus</i> Geoffroy, 1762	1754	ICZN 1994a
ORSODACNIDAE	<i>Orsodacne</i> Latreille, 1802	1989	ICZN 2002a
PТИLIIDAE	<i>Nephanes</i> Thomson, 1859	1307	ICZN 1985b
PТИLIIDAE	<i>Ptenidium</i> Erichson, 1845	1277	ICZN 1984b
PТИLIIDAE	<i>Ptilium</i> Gyllenhal, 1827	1277	ICZN 1984b
PТИLIIDAE	<i>Ptinella</i> Motschulsky, 1844	1307	ICZN 1985b
PТИNIDAE	<i>Anobium</i> Fabricius, 1775	1062	ICZN 1976
PТИNIDAE	<i>Dorcatoma</i> Herbst, 1792	1810	ICZN 1995b
PТИNIDAE	<i>Ptilinus</i> Geoffroy, 1762	1754	ICZN 1994a
PТИNIDAE	<i>Ptinus</i> Linnaeus, 1767	1809	ICZN 1995a
PТИNIDAE	<i>Xyletinus</i> Latreille, 1809	966	ICZN 1971
PYROCHROIDAE	<i>Pyrochroa</i> Geoffroy, 1762	1754	ICZN 1994a
SCARABAEIDAE	<i>Ataenius</i> Harold, 1867	2241	ICZN 2010a
SCARABAEIDAE	<i>Anomala</i> Samouelle, 1819	1546	ICZN 1989d
SCARABAEIDAE	<i>Bothynus</i> Hope, 1837	2199	ICZN 2008a
SCARABAEIDAE	<i>Copris</i> Geoffroy, 1762	1754	ICZN 1994a
SCARABAEIDAE	<i>Gymnetis</i> MacLeay, 1819	806	ICZN 1967a
SCARABAEIDAE	<i>Melolontha</i> Fabricius, 1775	1754	ICZN 1994a
SCARABAEIDAE	<i>Osmoderma</i> Lepeletier & Serville, 1828	2186	ICZN 2007
SCARABAEIDAE	<i>Pelidnota</i> MacLeay, 1819	2054	ICZN 2003b
SCARABAEIDAE	<i>Pentodon</i> Hope, 1837	2054	ICZN 2003b
SCARABAEIDAE	<i>Phaenomeris</i> Hope, 1833	621	ICZN 1962
SCARABAEIDAE	<i>Podalagus</i> Burmeister, 1847	2066	ICZN 2004a
SCARABAEIDAE	<i>Stethaspis</i> Hope, 1837	1244	ICZN 1983b
SCARABAEIDAE	<i>Trichius</i> Fabricius, 1775	2079	ICZN 2004c
SCARABAEIDAE	<i>Trigonostomus</i> Brenske, 1893	2229	ICZN 2009b
SCHIZOPODIDAE	<i>Schizopus</i> LeConte, 1858	1727	ICZN 1993d
SCRAPTIIDAE	<i>Anaspis</i> Geoffroy, 1762	1273	ICZN 1984a
SPHAERIUSIDAE	<i>Microsporus</i> Kolenati, 1846	1331	ICZN 1985d
SPHAERIUSIDAE	<i>Sphaerius</i> Waltl, 1838	1331, 1957	ICZN 1985d, 2000
SPHINDIDAE	<i>Aspidiphorus</i> Ziegler in Dejean, 1821	1862	ICZN 1997
SPHINDIDAE	<i>Sphindus</i> Megerle in Dejean, 1821	1862	ICZN 1997
STAPHYLINIDAE	<i>Tachinus</i> Gravenhorst, 1802	1743	ICZN 1993f
STAPHYLINIDAE	<i>Acrotona</i> Thomson, 1859	600	ICZN 1961b
STAPHYLINIDAE	<i>Agrodes</i> Nordmann, 1837	1851	ICZN 1996c
STAPHYLINIDAE	<i>Anthophagus</i> Gravenhorst, 1802	2084	ICZN 2004d
STAPHYLINIDAE	<i>Atheta</i> Thomson, 1858	600	ICZN 1961b
STAPHYLINIDAE	<i>Baeocera</i> Erichson, 1845	1221	ICZN 1982
STAPHYLINIDAE	<i>Bolitochara</i> Mannerheim, 1831	599	ICZN 1961a
STAPHYLINIDAE	<i>Bryaxis</i> Kugelann, 1794	887	ICZN 1969b
STAPHYLINIDAE	<i>Bythinus</i> Leach, 1817	887	ICZN 1969b
STAPHYLINIDAE	<i>Coprophilus</i> Latreille, 1829	1722	ICZN 1993a
STAPHYLINIDAE	<i>Coryphium</i> Stephens, 1834	1597	ICZN 1990b
STAPHYLINIDAE	<i>Creophilus</i> Samouelle, 1819	546	ICZN 1959a

Family	Name on Official List	Opinion(s)	Reference(s)
STAPHYLINIDAE	<i>Geostiba</i> Thomson, 1858	2098	ICZN 2005a
STAPHYLINIDAE	<i>Gyrohypnus</i> Samouelle, 1819	1250	ICZN 1983c
STAPHYLINIDAE	<i>Ischnopoda</i> Stephens, 1835	600	ICZN 1961b
STAPHYLINIDAE	<i>Leptusa</i> Kraatz, 1856	2113	ICZN 2005d
STAPHYLINIDAE	<i>Lesteva</i> Latreille, 1797	2084	ICZN 2004d
STAPHYLINIDAE	<i>Metopias</i> Gory, 1832	1772	ICZN 1994d
STAPHYLINIDAE	<i>Mycetoporus</i> Mannerheim, 1831	1726	ICZN 1993c
STAPHYLINIDAE	<i>Othius</i> Stephens, 1829	1250	ICZN 1983c
STAPHYLINIDAE	<i>Oxypoda</i> Mannerheim, 1831	463	ICZN 1957
STAPHYLINIDAE	<i>Platycnemus</i> Nordmann, 1837	1851	ICZN 1996c
STAPHYLINIDAE	<i>Proteinus</i> Latreille, 1796	876	ICZN 1969a
STAPHYLINIDAE	<i>Quedius</i> Stephens, 1829	1851	ICZN 1996c
STAPHYLINIDAE	<i>Staphylinus</i> Linnaeus, 1758	546	ICZN 1959a
STAPHYLINIDAE	<i>Tachyporus</i> Gravenhorst, 1802	1743	ICZN 1993f
STAPHYLINIDAE	<i>Tachyusa</i> Erichson, 1837	600	ICZN 1961b
STAPHYLINIDAE	<i>Xantholinus</i> Dejean, 1821	1250	ICZN 1983c
STAPHYLINIDAE	<i>Zyras</i> Stephens, 1835	599	ICZN 1961a
TENEBRIONIDAE	<i>Alphitobius</i> Stephens, 1829	1039	ICZN 1975
TENEBRIONIDAE	<i>Diaperis</i> Geoffroy, 1762	1754	ICZN 1994a
TENEBRIONIDAE	<i>Gnatocerus</i> Thunberg, 1814	1039	ICZN 1975
TENEBRIONIDAE	<i>Helops</i> Fabricius, 1775	2237	ICZN 2009d
TENEBRIONIDAE	<i>Phaleria</i> Latreille, [1802]	1039	ICZN 1975
TENEBRIONIDAE	<i>Platyscelis</i> Latreille, 1818	1729	ICZN 1993e
TENEBRIONIDAE	<i>Tentyria</i> Latreille, 1802	2244	ICZN 2010c
TENEBRIONIDAE	<i>Tribolium</i> MacLeay, 1825	1495	ICZN 1988e
TENEBRIONIDAE	<i>Uloma</i> Dejean, 1821	1039	ICZN 1975
TROGOSITIDAE	<i>Peltis</i> Kugelann, 1792	1754	ICZN 1994a
ZOPHERIDAE	<i>Colydium</i> Fabricius, 1792	1811	ICZN 1995c
ZOPHERIDAE	<i>Orthocerus</i> Latreille, 1796	1811	ICZN 1995c
ZOPHERIDAE	<i>Rhopalocerus</i> W. Redtenbacher, 1842	1397	ICZN 1986

Appendix 6

Summary of cases involving Coleoptera family-group names and/or their type genera awaiting a ruling by the Commission. Cases listed in alphabetical order by family.

CARABIDAE

Engel and Bouchard (2009: Case 3484) reported that the Coleoptera name NOMIIDAE Gozis, 1875 and the Hymenoptera name NOMIIDAE Robertson, 1904 are homonyms based on similar but not identical type genera. Since the Hymenoptera name is currently used as valid and the Coleoptera name is not, the Commission was asked to emend the latter to NOMIUSIDAE Gozis, 1875.

CHAETOSOMATIDAE

Bousquet and Bouchard (2010) submitted an application to the Commission (Case 3513) to conserve usage of CHAETOSOMATIDAE Crowson, 1952 over CHAETOSOMATIDAE Claus, 1872 [Nematoda]. In addition, the Commission was asked to conserve usage of *Chaetosoma* Westwood, 1851 and *Apodasya* Pascoe, 1863, both threatened by the discovery of the older name *Chaetosoma* Chevrolat, 1843.

CHRYSOMELIDAE

An application to conserve *Eupales* Lefevre, 1885 and EUPALINI Verma et al. 2005 was recently submitted by Jolivet and Verma (Bulletin of Zoological Nomenclature 2009: 204; see notice of “New applications to the Commission”). This Case (number 3498) has not been published yet.

Moseyko et al. (2010) submitted an application to the Commission (Case 3519) to conserve usage of *Eumolpus* Weber, 1801 and *Bromius* Chevrolat, 1836.

CURCULIONIDAE

An application to conserve usage of PLINTHINI Lacordaire, 1863 and to designate *Plinthus* Germar, 1817 as its type genus was recently submitted by Alonso-Zarazaga and Lyal (2010: Case 3530).

An application to emend the entries for *Otiorhynchus* and *Loborhynchus* in the Official List of Generic Names in Zoology was recently submitted to the Commission by Lyal and Alonso-Zarazaga (2010: Case 3529).

EUCNEMIDAE

Muona (1994; see notice of “New applications to the Commission”) submitted an application to conserve usage of EUCNEMIDAE Eschscholtz, 1829 over MELASIDAE Fleming, 1821. This Case (number 2938) was not subsequently published in the Bulletin of Zoological Nomenclature and is apparently not closed (ICZN secretariat pers. comm. 2010). The status of this application is still uncertain.

GYRINIDAE

The name ENHYDRINI Régimbart, 1882 is a junior homonym of the mammalian name ENHYDRINI Gray, 1825. An application was recently submitted to the Commission by Özdkmen and Darilmaz (2010: Case 3514) to remove the homonymy by changing the stem of the beetle name to Enhydrus-.

LAMPYRIDAE

Svenson and Branham (2007: Case 3402) submitted an application to remove the homonymy between PHOTININI LeConte, 1881 and PHOTININAE Giglio-Tos, 1915 [Mantodea]. Both family-group names are correctly formed and are based on similar but not identical type genera. The Commission was asked to emend the Mantodea name to PHOTINAINI Giglio-Tos, 1915.

LATRIDIIDAE

Bousquet et al. (2010) submitted an application to the Commission (Case 3517) to give precedence to LATRIDIIDAE Erichson, 1842 over CORTICARIIDAE Curtis, 1829 whenever their type genera are placed in the same family-group taxon and to conserve the current usage of *Corticaria* Marsham, threatened by the discovery of an overlooked type species designation.

STAPHYLINIDAE

An application to conserve ATHETINI Casey, 1910 and ATHETINA Casey, 2010 was recently submitted by Gusalov (Bulletin of Zoological Nomenclature 2010: 270; see notice of “New applications to the Commission”). This Case (number 3537) has not been published yet.

Index

Family-group names are listed in SMALL CAPS and genus-group names in *italics*.

- Aades* 601
- ABACÉTIDES 122
- ABACETINAE 122
- ABACETINI 23, 122
- Abacetus* 122
- ABACOMORPHINA 25, 141
- ABACOMORPHINI 141
- Abacomorphus* 141
- Abax* 144
- ABAXINI 144
- Ablabera* 247
- ABLAKERINI 41, 247
- ABLAKERITAE 247
- ABRAEINAE 28, 158
- ABRAEINI 28, 159
- Abraeus* 158, 159
- ABREIDAE 158, 159
- Abrocar* 553
- ABROCARINA 553
- Abroteles* 8, 195
- ABROTELINA 8, 34, 195
- Abryna* 500
- ABRYNITAE 500
- ACALLOPISTIDES 582
- ACALLOPISTINAЕ 582
- ACALLOPISTINI 582
- Acallopistus* 582
- Acalodegma* 457
- ACALODEGMITES 457
- ACALYPTINA 86, 577
- ACALYPTINI 86, 577
- ACALYPTOMERINAЕ 45, 273
- Acalyptomerus* 273
- Acalyptus* 577
- ACAMPTI 595
- ACAMPTINI 88, 595
- Acamptus* 595
- Acangassu* 466
- ACANGASSUINI 72, 466
- Acanthnodera* 457
- ACANTHINODERITAE 457
- ACANTHINOMERINI 88, 596
- Acanthinomerus* 596
- ACANTHOcéRIDES 237
- ACANTHOcerini 237
- Acanthocerus* 237
- ACANTHOCININI 75, 486
- ACANTHOCINITAE 486
- ACANTHOCINITES 486
- Acanthocinus* 486
- ACANTHOCNEMIDAE 57, 349
- ACANTHOCNEMINAE 349
- Acanthocnemus* 349
- Acanthoderes* 486
- ACANTHODERINI 75, 486
- ACANTHODERITAE 486
- Acanthoglossa* 220
- ACANTHOGLOSSI 220
- ACANTHOLOPHINI 601
- Acantholophus* 601
- Acanthomerosternoplон* 491
- ACANTHOMEROSTERNOPLONINI 491
- ACANTHOPHORINI 71, 454
- ACANTHOPHORITAE 454
- Acanthophorus* 454
- ACANTHOSCELIDES 110, 507
- ACANTHOSCELIDINA 77, 110, 507
- ACANTHOSCELIDINI 507
- ACANTHOSCELINA 21, 110
- Acanthoscelis* 110
- Acanthothorax* 546
- ACANTHOTRACHELINA 90, 606
- ACANTHOTRACHELINI 606
- Acanthotrachelus* 606
- ACANTHOVALGINAE 272
- Acanthovalgus* 272
- ACDEMONINI 598
- Acdeemonus* 598
- ACENTRINA 578
- ACENTRINI 578
- Acentrus* 578
- ACENTRUSINI 86, 578
- ACERAIAE 229
- ACERAINI 229
- Aceraius* 229
- ACETALIINI 184
- Acetalius* 184
- ACHAENOPINA 8, 79, 533
- ACHAENOPINI 533
- ACHAENOPITES 533
- Achaenops* 8, 533
- Acherusia* 279
- ACHERUSINA 279
- ACHERUSINI 279
- Achloa* 255
- ACHLOIDAE 255
- Achrys* 466
- Achryson* 466
- ACHRYSONIDAE 466
- ACHRYSONIDES 466
- ACHRYSONINI 72, 466
- ACICNÉMIDES 630
- ACICNEMIDINAЕ 630
- ACICNEMIDINI 630
- Acicnemis* 630
- ACIDES 402
- ACIDOCERINA 27, 155
- ACIDOCERINI 156
- Acidocerus* 156
- ACILIIDES 150
- ACILIINI 26, 150
- Acilius* 150, 891
- ACINOPIDAE 129
- Acinopus* 129
- Acis* 402
- ACLOPINAE 41, 247
- ACLOPINI 41, 247
- ACLOPITAE 247
- Aclopus* 247
- Acmaeodera* 277, 889
- ACMAEODERINA 46, 277
- ACMAEODERINI 46, 277
- ACMAEODEROIDES 8, 277
- ACMAEODEROIDINA 8, 46, 277
- ACMAEODEROIDINI 277
- Acmocera* 487
- ACMOCERINI 75, 487
- ACMOCERITAE 487
- ACORYNIDES 548
- ACORYNINAE 549
- ACORYNINI 548, 549
- Acorynus* 548
- ACRATINA 84, 564, 869
- ACRATINI 565
- Acratus* 565
- Acridocephala* 487
- ACRIDOCEPHALIDI 487
- ACRIDOCEPHALINI 75, 487
- ACRITINI 28, 159
- ACRITOMORPHINI 28, 159
- Acritomorphus* 159
- Acritorrhynchites* 560
- ACRITORRHYNCHITINA 83, 560
- Acritosoma* 372
- ACRITOSOMATINAE 372
- Acritus* 159
- Acrobolbia* 260
- ACROBOLBIINA 260
- ACROCININAE 487
- ACROCININI 75, 487
- Acrocinus* 487
- Acrocrypta* 522
- ACROCRYPTIDAE 522
- ACROCRYPTITES 522
- ACROGNATHINI 213
- Acrognathus* 213
- ACROLEPTINA 53, 323

<i>Acroleptus</i>	323	ADESMIDAE	401	AEGIDIINI	41, 246
ACROPINAE	393	ADESMIIDES	401	<i>Aegidium</i>	246
ACROPINI	64, 393	ADESMINI	2, 17, 65, 401, 862, 863, 876	AEGINI	234
<i>Acropis</i>	393	ADESMIITES	401	<i>Aegoprepes</i>	488
<i>Acropteron</i>	413	<i>Adesmus</i>	494	AEGOPREPINAE	488
ACROPTERONINI	66, 413	ADÉTIDES	489	<i>Aegorhinus</i>	602, 845, 846
<i>Acrotona</i>	193, 892	ADETINI	489	<i>Aegosoma</i>	454
ACROTONAE	193	<i>Adetus</i>	489	AEGOSOMATINI	71, 454
ACROTRICHINAE	29, 166, 874	ADIMERIDAE	393	AEGOSOMITAE	454
ACROTRICHINI	166	ADIMERINI	64, 393	<i>Aegostheta</i>	254
<i>Acrotrichis</i>	166	<i>Adimerus</i>	393	AEGOSTHETINI	254
ACTENODEIDAE	283	ADINOPSINI	197	<i>Aegus</i>	234
<i>Actenodes</i>	283, 889	<i>Adinopsis</i>	197	<i>Aenictobia</i>	201
ACTENODINI	47, 283	ADONIA	376	AENICTOBINA	35, 201
ACTENONYCINA	24, 133	ADONIATES	376	<i>Aenictoteras</i>	192
ACTENONYCINAE	133	ADORETIDAE	255	AENICTOTERATINI	33, 192
<i>Actenonyx</i>	133	ADORETINA	42, 255	AENIGMATICINI	62, 382
ACTIDIINI	165	ADORETINI	42, 255	<i>Aenigmaticum</i>	382
<i>Actidium</i>	165	<i>Adoretus</i>	255	<i>Aenigmocoleus</i>	98
ACTINOPHORINI	245	ADORIINI	531, 871	AEOLINA	309
<i>Actinophorus</i>	245	ADORIITES	531	<i>Aeolus</i>	309, 852
<i>Actizeta</i>	403	ADORIUM	531	AEPHNIDIINA	126
ACTIZETINA	65, 403	ADORODOCIA	255	<i>Aephnidius</i>	126
<i>Actobaena</i>	152	ADORODOCINA	255	AEPINA	22, 114
ACTOBAENIDAE	152	ADOROLEPTINA	255	<i>Aepus</i>	114
ACTOCHARI	192	<i>Adoroleptus</i>	255	AÉPYES	114
ACTOCHARINI	33, 192	ADORRHINOPTYNA	256	<i>Aerenaea</i>	491
<i>ACTOCHARIS</i>	192	ADORRHINPTYNA	42, 256	<i>Aerenea</i>	491
ACULAGNATHIDAE	370	ADORRHINPTYNI	256	AERENEINAE	491
<i>Aculagnathus</i>	370	ADOXIINI	535, 870	AERENEINI	491
ACUPALPINI	131	ADOXIITES	530	AERENEITES	491
<i>Acupalpus</i>	131	ADOXIA	530	<i>Aerenica</i>	487
ACYLOPHORINI	223	ADOXIINAE	534	AERÉNICIDES	487
<i>Acylophorus</i>	223	<i>Adoxus</i>	534	AERENICINAE	487
ADELIADA	397	ADRANES	180	AERENICINI	75, 487
ADELIINI	7, 11, 64, 397, 886	ADRANIINI	180	AESALIDAE	232
ADELINA	429	ADRANITES	180	AESALINAE	39, 232
ADELININA	68, 428, 429, 876	ADRASTINAE	318	AESALINI	39, 232
ADELININI	429	ADRASTINI	318	<i>Aesalus</i>	232
<i>Adelium</i>	7, 11, 397	ADRASTITES	318	<i>Aferos</i>	324
<i>Adelius</i>	11, 397	<i>Adrastus</i>	318	AFEROTINI	324
<i>Adelocera</i>	307	ADZUSA	312	AFREMINAE	71, 451
ADELOCERAIE	307	ADZUSINI	312	<i>Afremus</i>	451
ADELOCERIDAE	307	AEDEMONINI	89, 598	AFROAPODERINA	82, 557
ADELOCERINI	307	AEDEMONUS	598	<i>Afroapoderus</i>	557
<i>Adelostoma</i>	401	AEDILAIRES	486	AFROCORYNINA	82, 552
ADELOSTOMINI	65, 401	AEDILIS	486	AFROCORYNINI	552
ADÉLOSTOMITES	401	AEGA	234	<i>Afrocorynus</i>	552
ADELOSTOMOIDAE	401	AEGELOKERUS	529	<i>Afroeubria</i>	295
<i>Ademosyne</i>	95	AEGIALIA	238	AFROEBRIINA	49, 295
ADEMSYNIDAE	18, 95	AEGIALIDAE	238	<i>Agabates</i>	153
ADERIDA	2, 17, 70, 448, 449, 450, 869, 887, 889	AEGIALITES	8, 446	AGABETINI	27, 153
ADERINA	70, 449	AEGIALITES	238	AGABIDES	149
ADERINI	70, 448	AEGIALITIDAE	446	AGABINAE	26, 149
<i>Aderpas</i>	487	AEGIALITINA	8, 70, 446	AGABININI	149
ADERPASINI	75, 487	AEGIDAE	234	<i>Agabinus</i>	149
<i>Aderus</i>	448, 449, 889	AEGIDIINAE	246	<i>Agabus</i>	149
<i>Adesmia</i>	401			<i>Agacephala</i>	260
				<i>Agaeocera</i>	284

- AGAEOCERINA 47, 284
 AGAEOCERINI 284
 AGALLISSINI 72, 466
Agallissus 466
Agaocephala 260
 AGAOCEPHALIDAE 260
 AGAOCEPHALINI 43, 260
 AGAPANTHAIRES 487
Agapanthia 487
 AGAPANTHIINI 75, 487
 AGAPANTHINAE 487
 AGAPYTHIDAE 59, 362
 AGAPYTHINAE 362
Agapytho 362
 AGARICOPHILES 373
 AGARICOPHILINAE 373
Agaricophilus 373
 AGATHIDIIDAE 168
 AGATHIDIINI 29, 168, 169, 883
Agathidium 168
Agelaea 141
 AGELAEINA 141
Agelasa 528
 AGELASINI 528
Agelastica 528
 AGELASTICINI 528
 AGELASTICITES 528
 AGENNOPSIDES 489
Agenopsis 489
Agetocera 529
 AGETOCERIDAE 529
 AGETOCÉRITES 529
 AGLENI 446
 AGLENINAE 69, 446
Aglenus 446
Aglycyderes 8, 551
 AGLYCYDERIDAE 551
 AGLYCERINI 8, 81, 551
 AGLYMBINI 150
Aglymbus 150
 AGNATHIDES 445
 AGNATHINAE 69, 445
 AGNATHINI 445
Agnathus 445
 AGNESIOTIDINI 81, 551
Agnesiotis 551
Agnia 496
 AGNITAE 496
Agonica 139
 AGONICINA 25, 139
 AGONICINI 139
 AGONIDAE 141, 879
 AGONODERI 131
Agonoderus 131
Agonus 141, 889
 AGONUMIDAE 141, 887
Agonus 141
Agra 133
 AGRAEFORMES 224
Agraeus 308
 AGRAPHI 604
 AGRAPHINI 89, 604
Agraphus 604
 AGRIDAEC 133
 AGRILIDAE 287
 AGRILINA 47, 287
 AGRILINAE 47, 287
 AGRILINI 47, 287
Agrilus 287
 AGRINA 24, 133
Agriotes 8, 316
 AGRIONINA 52, 316
 AGRIONINI 8, 52, 316
 AGRIONITES 316
Agrodes 224, 892
 AGRODINI 224, 225, 876, 888
Agronoma 2, 17, 145
 AGRONOMAEIDAE 145
 AGRYPNIDES 307
 AGRYPNINAE 2, 17, 51, 307, 852,
 853, 872
 AGRYPNINI 51, 307, 853
Agrypnus 307, 853
AGYRTES 166, 167
 AGYRTES 166
 AGYRTIDAE 29, 166, 167
 AGYRTINAE 29, 166
Agrytodes 8, 167
 AGYRTODINI 8, 29, 167
 AKALYPTOISCHIIDAE 62, 383
Akalyptoischion 383
Akatastopsis 192
 AKATASTOPSISINI 33, 192
 AKIDINI 65, 402
Akis 402
Alaephus 412
 ALAINI 309
 ALAITES 309
Alampes 308
 ALAMPINA 308
 ALANIZINI 72, 466
Alanizus 466
 ALAUINAE 309
Alaus 309, 852
 ALCEIDINI 611
Alceis 611
ALCIDES 627
 ALCIDIDES 627
 ALCIDINAE 627
Alcidodes 627
 ALCIDODINAE 627
Alegoria 426
 ALÉGORIIDES 426
 ALEGORINA 426
Aleochara 192
 ALEOCHARIDAE 192
 ALEOCHARINA 33, 192
 ALEOCHARINAE 33, 192, 213
 ALEOCHARINI 33, 192
Alesia 377
 ALESIARES 377
 ALESIINA 377
 ALESIINI 377
Alexia 370
 ALEXIADAE 370
 ALEXIIDAE 60, 370
Alfieriella 361
 ALFIERIELLINEAE 361
 ALLANDRINI 548
Allandrus 548
 ALLAPODERINA 82, 557
Allapoderus 557
Allara 250
 ALLARINI 250
Allecula 426
 ALLECULIDAE 427
 ALLECULINA 67, 426, 427
 ALLECULINAE 67, 426, 876
 ALLECULINI 67, 426
 ALLÉCULITES 426
 ALLEUSCELINA 554
Alleuscelus 554
Allidiostoma 246
 ALLIDIOSTOMATINAE 41, 246
 ALLIDIOSTOMIDAE 246
 ALLOCORYNINA 82, 552
 ALLOCORYNINAE 552
Allocorynus 552
 ALLOMORPHINI 88, 596
Allomorphus 596
Allopoda 450
 ALLOPODINI 70, 450
Allopogonia 299
 ALLOPOGONIINA 49, 299
 ALLOPOGONINI 299
 ALLOSCELIDES 245
Alloscelus 245
 ALLOTOPINAE 234
Allotopus 234
 ALLOTRIINI 315
 ALLOTRIITES 315
Allotrius 315
 ALLOXYCORYNINI 81, 552
Alloxyccorynus 552
 ALNIPHAGINI 634
Alniphagus 634
 ALOCORHINI 610
Alocorhinus 610
 ALOPHINI 89, 604
Alophus 604
 ALOSIMATES 439
 ALOSIMINA 439
Alosimus 439
 ALPHITOBIINI 66, 413
Alphitobius 413, 893
 ALPHITOPHAGIDA 428, 429
Alphitophagus 428

- ALTHANINI 161
Althanus 161
Altica 522, 889
ALTICINI 79, 522
Altonomus 606
ALURNINI 78, 510
ALURNITES 510
Alurnus 510
Alvarenganiella 340
ALVARENGANIELLINAE 56, 340
ALVARENGIINI 42, 256
Alvarengius 256
ALYCULINI 53, 322
Alyculus 322
ALZADAESTHETINI 37, 216
Alzadaesthetus 216
AMALACTIDAE 622
AMALACTINAE 623
AMALACTINI 91, 622, 623
Amalactus 622
AMALINA 591
AMALTHOCINAE 352
AMALTHOCINI 58, 352
Amalothicus 352
Amalus 591
Amara 2, 17, 145
AMARIDAE 145
AMARINA 1, 17, 25, 145
AMAROIDEN 145
AMAROTYPINI 8, 21, 107
Amarotypus 8, 107
AMARYGMIIDAE 413
AMARYGMINI 66, 413
Amarygnus 413
AMAURONIOIDES 351
AMAURONININI 351
AMAUPININI 31, 179
Amaurops 179
AMAUROPSINI 179
Ambates 586
AMBATIDES 586
AMBATINAE 586
AMBATINI 87, 586
AMBICOCERINA 31, 179
Ambicocerus 179
AMBLYCERINA 77, 506, 870, 881
AMBLYCERINAE 506
AMBLYCERINI 77, 506, 881
Amblycerus 506
Amblycheila 103
AMBLYCHEILINI 20, 103
Amblychila 103
AMBLYCHILINAE 103
AMBLYOPININA 38, 222
AMBLYOPININAE 222
Amblyopinus 222
Amblysterna 277
AMBLYSTERNINI 277
AMBLYSTOMINAE 129
- Amblystomus* 129
Amblyteles 117
AMBLYTELIDES 117
AMBLYTELINAE 117, 879
AMBLYTELUS 22, 117, 879
Amblytelus 117
AMBOROTUBINI 367
Amborotubus 367
AMERININAE 623
Ameris 623
Ametalla 506
AMETALLINAE 506
AMETALLINI 505, 506
AMÉTALLITES 506
Ametrocephala 480
AMETROCEPHALINI 480, 870
AMETROCEPHALITAE 480
AMILLARINEN 488
Amillarus 488
AMINYOPINI 91, 623
Aminyops 623
Amischa 194
AMISCHINA 194
Amitrus 611
AMMOBIINI 420
Ammobius 420
AMMOECIATES 239
Ammoecius 239
AMOMPHI 616
Amomphus 616
Amorphocephala 563
AMORPHOCEPHALIDES 563
Amorphocephalus 563
AMORPHOCERINI 91, 623
Amorphocerus 623
AMORPHOMERINI 23, 122
Amorphomerus 122
Amorphosoma 288
AMORPHOSOMATINA 48, 288
AMORPHOSOMINA 288
AMORPHOSTERNAE 287
AMORPHOSTERNINA 47, 287
Amorphosternus 287
AMPEDIDAE 317
AMPEDINI 52, 317, 854
Ampedus 317
AMPHICINI 373
Amphicoma 238
AMPHICOMINAE 40, 238
AMPHICOMITAE 238
AMPHICOMITES 238
AMPHICRANIDAE 632
Amphicranus 632
AMPHICROSSINAE 60, 366
AMPHICROSSINI 366
Amphicrossus 366
Amphicyrtta 292
AMPHICYRTINAE 48, 292
AMPHICYRTINI 292
- Amphidora* 414
AMPHIDORAE 414
AMPHIDORINI 66, 413
AMPHILABRIDAE 317
Amphilabris 317
Amphimela 523
AMPHIMÉLITES 523
Amphionycha 494
AMPHIONYCHITAE 494
AMPHIOPITAE 155
Amphiops 155
AMPHISCOLYTINI 93, 631
Amphiscolytus 631
AMPHISTERNINI 374
Amphisternus 374
Amphix 373
Amphiza 148
AMPHIZOIDAE 26, 148
AMPHOCINAE 75, 488
Amphoeucus 488
Amplipalpa 517
AMPLIPALPINI 517, 871
AMYCTERIDAE 600
AMYCTERINI 89, 600
Amycterus 600, 601
Amydetes 326, 327
AMYDETINAE 54, 326
AMYDETINI 54, 326, 327
Amyia 287
AMYIINA 47, 287
Amymoma 492
AMYMONIDES 492
AMYMONINI 492
Anacaena 155
ANACAENINI 27, 155
ANACANTHITAE 456
Anacanthus 456
ANACOLINI 71, 454
ANACOLITAE 454
ANACOLITES 454
Anacolus 454
ANAEINI 398
Anaedus 398
Anaesthetis 491
ANAESTHÉTITES 491
Anaglyptes 280, 466
ANAGLYPTI 466
ANAGLYPTIDAE 466
ANAGLYPTIDES 466
ANAGLYPTINA 280, 869, 878, 879
ANAGLYPTINI 72, 280, 466, 878,
879
ANAGLYPTISIDAE 280
Anaglyptus 280, 466
ANAIDES 8, 237
ANAIIDAE 8, 40, 237
ANAIIDINI 237
ANAISSINI 51, 308
Anaissus 308

- ANAMORPHINAE 61, 372
 ANAMORPHINI 372
Anamorphus 372
 ANAPLEINI 28, 160
Anapleus 160
 ANAPLOPINAE 444
Anaplopus 444
 ANASPIDINAE 8, 70, 450, 451
 ANASPIDINI 70, 450
 ANASPIENS 450
Anaspimorda 451
 ANASPIMORDINI 70, 451
 ANASPINA 451
Anaspis 8, 450, 892
Anatista 256
 ANATISTIDAE 257
 ANATISTIDES 256
 ANATISTINI 42, 256
 ANAULACINI 126
Anaulacus 126
Anauxesis 487
 ANAUXESITAE 487
 ANCHISTENINI 566
Archisteus 566
 ANCHOMENII 140
 ANCHOMENINA 140
Anchomenus 140
Anchomma 402
 ANCHOMMINI 402
 ANCHONIDAE 623
 ANCHONINI 91, 623, 845
 ANCHONODÉRIDES 132
 ANCHONODERINAE 132
Anchoroderus 132
Anchorus 623
 ANCHOPHTHALMOID 424
Anthophthalmus 424
 ANCHYTARSINAЕ 49, 296, 297, 874
 ANCHYTARSINI 297
Anchytaurus 297
Ancistria 363
 ANCISTRINIAE 363
 ANCISTROTIDES 457
 ANCISTROTIINI 457
Ancistrotus 457
Ancita 488
 ANCITINI 75, 488
Ancylocera 483
 ANCYLOCERINA 75, 483
 ANCYLOCERITAE 483
Ancylochira 284
 ANCYLOCIRINA 284
 ANCYLOCNEMIDINI 86, 578
 ANCYLOCNEMINI 578
Ancylocnemis 578
 ANCYLONOTIDES 488
 ANCYLONOTINAE 488
 ANCYLONOTINI 75, 488
Ancylonotus 488
Ancyrona 343
 ANCYRONINI 57, 343
 ANCYRONYCHINI 48, 293
Ancyronyx 293
 ANDOTYPINI 27, 157
Andotypus 157
 ANDROLYPERINI 530
Androlyperus 530
Androzelma 109
 ANDROZELMINA 21, 109
Anelastes 300
 ANELASTIDINI 50, 305
Anelastidius 305
 ANELASTINI 50, 300
 ANEMADINA 30, 170
 ANEMADINAE 170
 ANEMADINI 30, 170
Anemadus 170
 ANEPIINI 31, 177
Anepius 177
 ANEPISSI 65, 402
Anepsius 402
 ANGIANIDES 630
Angianus 630
Anilara 285
 ANILARINA 47, 285
 ANILARINI 285
 ANILLINA 22, 113
 ANILLINI 113
Anillus 113
Anisarthria 165
 ANISARTHRIINI 72, 464
 ANISARTHrites 464
Anisarthron 464
 ANISARTHRONINI 464
Anischia 301
 ANISCHINAE 50, 301
 ANISCHINAE 301
 ANISOCERINI 75, 403, 488
 ANISOCERITAE 488
Anisocerus 403, 488
 ANISOCHELIDAE 250
 ANISODACTYLIDAE 128
 ANISODACTYLIDES 128
 ANISODACTYLINA 2, 17, 24, 128,
 837, 838, 839, 869
 ANISODACTYLINI 128
Anisodactylus 128
Anisodera 510
 ANISODERINI 78, 510
 ANISODÉRITES 510
Anisolemmia 377
 ANISOLEMMIINA 377
 ANISOLININA 38, 222
Anisolinus 222
Anisomeria 149
 ANISOMERIINI 26, 149
 ANISOMERININA 83, 560
Anisomerinus 560
 ANISONYCHIDAE 250, 556, 878, 884
 ANISONYCHINA 556, 878
 ANISONYCHINI 250, 884
Anisonychus 250, 556
Anisonyx 250, 556
Anisoplia 257
 ANISOPLIADAЕ 257
 ANISOPLIINA 42, 257
Anisophaera 215
 ANISOSPHAERIDAЕ 215
Anisosticta 377
 ANISOSTICTINA 377
 ANISOTarsi 128
Anisotarsus 128
Anisotoma 168, 169
 ANISOTOMIDAE 168, 169, 883
Anisoxiella 388
 ANISOXIELLINI 63, 388
Anitamaria 361
 ANOBIINAЕ 56, 339
Anobium 339, 892
 ANOBIUMEDAE 339
Anochilia 268
 ANOCHILIENS 268
 ANOCHILIINA 44, 268
Anomala 257, 892
 ANOMALIDAЕ 257
 ANOMALINA 42, 257
 ANOMALINI 42, 257, 875
Anomalipes 424
 ANOMALIPINA 424
Anomalipus 423, 424
 ANOMMATINAE 60, 369
 ANOMMATINI 369
Anommatus 369
 ANOMOPHTHALMINA 604
 ANOMOPHTHALMINI 89, 604
Anomophthalmus 604
 ANOMOTARINA 134
Anomotarus 134
 ANOPIDIINA 68, 430
 ANOPIDIINI 430
Anopidium 430
 ANOPLINI 91, 622
Anoploderma 452
 ANOPLODERMATINAE 71, 451, 452
 ANOPLODERMATINI 71, 452
 ANOPLODERMIENS 452
 ANOPLODERMITAE 452
 ANOPLOGENII 131
Anoplogenius 131
 ANOPLOGNATHIDAE 258
 ANOPLOGNATHINA 43, 258
 ANOPLOGNATHINAE 255
 ANOPLOGNATHINI 42, 258
Anoplognathus 258
Anoplus 622
 ANOPSILINI 87, 586
Anopsilus 586

- Antarctia* 142
ANTARCTIIDES 142
ANTARCTINAE 142
ANTARCTITAE 142
ANTENNOLYCINI 53, 322
Antennolyicus 322
Anthaxia 283, 889
ANTHAXIDAE 283
ANTHAXIINI 47, 283
ANTHAXOMORPHINA 48, 288
Anthaxomorphus 288
ANTHEROPHAGI 360
Antherophagus 360
Anthia 7, 122
ANTHICIDAE 70, 347, 399, 446,
 640, 878
ANTHICINAE 70, 448
ANTHICINI 70, 448
ANTHICITES 446, 448
ANTHICOCLERINAE 348
Anthicoclerus 348
ANTHICOXENINA 69, 438
Anthicoxenus 438
Anthicus 446, 448
ANTHIES 122
ANTHIINI 7, 23, 122
ANTHOBIATES 176
ANTHOBIINI 176, 875
Anthobium 176
ANTHOCOMATES 352
Anthocomus 352
Anthomanes 445
ANTHOMANISIDAE 445
ANTHONOMINA 578
ANTHONOMINI 86, 578
Anthonomus 578, 579
ANTHOPHAGIDES 175
ANTHOPHAGINI 30, 175, 177
Anthophagus 175, 892
ANTHOTRIBIDAE 547
Anthotribus 547
Anthracalaus 310
Anthracias 426
ANTHRACIINI 426
ANTHRACINI 131
Anthracus 131
ANTHRENIDAE 335
ANTHRENINI 55, 335
Anthrenus 335, 891
ANTHRIBIDAE 80, 240, 343, 544,
 547, 549, 550, 844, 869, 878,
 885, 887, 889
ANTHRIBIDES 544
ANTHRIBINAE 80, 544, 547
ANTHRIBINI 80, 544, 547
Anthribus 544, 547, 889
Anthroherpon 171
ANTHROHERPONINA 30, 171
Anticheira 259
- Antichira* 259
ANTICHIRIDES 259
ANTICHIRINA 259
Antipha 528
ANTIPHITES 528
ANTLIARHINIDES 569
ANTLIARHINAE 567
ANTLIARHINITAE 85, 569
Antliarhinus 569
Antliarhis 569
Antroherpon 171
ANTROHERPONA 171
ANTROHERPONINA 171
ANYPOTACTINA 604
ANYPOTACTINI 89, 604
Anypotactus 604
AONYCHINI 85, 575, 878
Aonychus 575
AONYCHUSINI 575
Aonyx 575
APALES 442
APALIDES 442
APALOCHRAIRES 352
APALOCHRINI 352
Apalochrus 352, 353
Apalus 442
Apate 336
APATÈLATES 397
Apate 397
APATELINAES 397
APATELINI 397
Apatalus 397
Apatico 209
APATETICAE 209
APATETICINAE 36, 209
APATIDES 336
APATIDES 336
APATIDINI 336
APATINI 55, 336
APATOPHYSEINAE 72, 465
APATOPHYSIDES 465
APATOPHYSINI 465
Apato 465
Apeistus 394
Apenes 133
APENINA 24, 133
APHAENOCEPHALIDAE 371
Aphaenops 115
APHAENOPSES 115
APHAENOSTEMMINI 30, 175
Aphaenostemmus 175
APHANASIIDES 466
APHANASIINI 72, 466
Aphanasiun 466
APANISTICII 288
APANISTICINA 48, 288
APANISTICINI 48, 288
APANISTICITES 288
Apghanisticus 288
- APHAENOCEPHALIDAE* 371
APHAENOCEPHALINAE 61, 371
Aphanocephalus 371
APHAOBIINA 172
Aphaobius 172
Aphela 603
APHELI 603
Aphneope 466
APHNÉOPIDES 466
APHNEOPINI 72, 466
APHODIDA 239
APHODIINA 40, 239
APHODIINAE 40, 239
APHODIINI 40, 239
Aphodius 239
Aphoenops 115
APHRASTI 614
Aprrastus 614
APHRICI 318
Aphricus 318
Aphthona 523
APHTHONAE 523
APHTHONINI 523
APHTHONITES 523
Aphyllura 596
APHYLLURINA 596
APHYLLURINI 88, 596
APHYTOPI 204
APHYTOPODINA 35, 204
Aphytopus 204
Apion 567
APIONIDES 567
APIONINA 84, 567
APIONINAE 84, 567
APIONINI 84, 567
APIONITAE 84, 567
APISTINI 394
Apistus 394
APLASTINAE 307
Aplastus 307
APLEMONINA 84, 567
APLEMONINI 567
Aplemonus 567
APLOCNEMINI 350
Aplocnemus 350
APLODERINI 213
Aploderus 213
Aploglossa 297
APLOGLOSSINAE 49, 297
Aplonycha 250
APLOTHORACINA 106
Aplothorax 106, 325
APOCELLARIA 213
Apocellus 213
Apocrypha 414
APOCRYPHIDES 414
APOCRYPHINAE 414
APOCRYPHINI 66, 414
APODASINAE 492

- Apodasya* 345, 492, 894
APODASYIDES 492
APODASYINI 492
APODERIDAE 556
Apoderiger 8, 180
APODERIGERINA 8, 31, 180
APODERIGERINI 180
APODERINAE 82, 556
APODERINI 82, 556
Apoderus 556
Apogonia 249
APOGONITAE 249
Apolecta 549
APOLECTIDAE 549, 878
APOLECTIDES 549
APOLECTINAE 549
APOLECTINI 81, 549, 878
Apolectus 549
Apoleon 335
APOLEONINAE 335
Apolites 403
APOLITINA 403
APOMECEINTAE 489
Apomecyna 489
APOMECEYNINI 75, 489
APOMECEYNITAE 489
APOPHYDIINI 527
Apophylia 527
APOPHYLITES 527
APOSTASIMERIDES 587
APOSTASIMERINA 87, 587
APOSTASIMERINI 87, 587
Apostasimerus 587
APOTOMI 112
APOTOMINAE 21, 112
Apotomus 112
APRIODINI 510
Aproida 510
APROIDINI 78, 510
APROSOPITAE 488
Prospopus 488
Apis 610
APTEMIDAE 121
Apteroaulus 461
Apteroessa 103
APTEROESSINA 20, 103
Apterospasta 438
APTEROSPASTIDES 438
APTEROSPASTINI 438, 874
Apila 418
APTILINA 67, 418
APTNIDAE 121
APTININA 23, 121
Aptinus 121
APTOPINA 319
Aptopus 319
Aquilex 107
AQUILICINA 21, 107
Arachnobas 592
- ARACHNOPIDES* 592
ARACHNOPINI 592
ARACHNOPODINI 88, 592
Arachnopus 592
ARAECERINI 81, 550
Araecerus 550
AREOCÉRIDES 550
ARAEOCERINI 550
Araeocerus 550
ARAEOCNEMES 225
Araeocnemis 225
Araeocnemus 225
ARAEOPIDIINAE 49, 297
Araeopidius 297
ARAEOSCHIZINI 411
Araeoschizus 411
Aralius 552
ARAPTIIDAE 632
ARAPTINA 632
Arapthus 632
Aratea 532
ARATEINI 532
ARAUCARIINI 88, 596
Araucarius 596
Archaeoglenes 400
ARCHAEOGLENINI 64, 400
ARCHEOCRYPTICIDAE 62, 385
ARCHEOCRYPTICINI 385
Archocrypticus 385
ARCHESCARABAENAE 38, 226
Archescarabaeus 226
ARCHETYPI 457
ARCHETYPINA 71, 457
Archetypus 457
Archeuops 555
ARCHEUOPSINA 555
ARCHOLABINAE 582
Archolabus 582
Arctobyrrhus 291
ARDISTOMIDES 108
ARDISTOMINA 21, 108
Ardistomis 108
Areoda 258
AREODIDAE 258
AREODINA 43, 258
ARESCINI 78, 511
ARESCITES 511
Arescus 511
Argentipilosa 374
ARGENTIPILOSINI 61, 374
ARHINA 367
ARHININI 60, 367
ARHIPINI 301
Arhipis 301
Arhopalus 464
Arhytodes 188
ARHYTODINI 33, 188
Aristochrodes 144
ARISTOCHROODINI 144
- Aristopus* 122
ARNEIDAE 317
Arneus 317
ARNYLLIINI 32, 185
Arnyllum 185
Aromia 467
ARPEDIOMIMI 177
Arpediomimus 177
ARPEDIOPSINI 177
Arpediopsis 177
Arpidiphorus 355
Arrhenodes 562
ARRHENODINI 562
Arrhenodes 562
ARRHÉNODIDES 562
ARRHENODINA 83, 562
ARRHENODINI 562
Arrhipis 301
Arrowinini 38, 221
Arrowinus 221
Arrox 230
Arsipoda 523
ARSIPODES 523
ARSIPODINI 523
ARSIPODITES 523
Arssyia 503
ARSYIIIDAE 503
ARSYIIDES 503
ARSYINI 503
ARTAXIDAE 443
Artaxus 443
ARTEMATOPIDAE 274
ARTÉMATOPIDES 298, 299
ARTEMATOPINAE 299
ARTEMATOPODIDAE 49, 274, 298, 299
ARTEMATOPODINAE 49, 299
ARTEMATOPODINI 50, 299
ARTEMATOPOIDEA 274
Artematopus 298, 299
Arthrobatis 119
ARTHROBRACHINI 57, 350
Arthrobrachus 350
ARTHRODEIDEN 407
Arthrodeis 407
ARTHROLIPINAE 383
Arthrolips 383
ARTHROPTERIDAE 119, 879
ARTHROPTERINEN 119
ARTHROPTERINI 119, 879
Arthropiterites 119
ARTHROPTERITINA 23, 119
Arthropiterus 119
ARTHROSTENINAE 85, 575
Arthrostenus 575
ARTICERIDES 181
ARTICERINI 902
Articerus 181
ARTIPI 611

<i>Artipus</i>	611	<i>Astraeus</i>	277, 889	ATOPIDAE	275
<i>Asaphes</i>	312, 313	<i>ASTRAEUSINI</i>	277	ATOPIDINI	273
ASAPHIDAE	312	<i>ASTROTI</i>	402	ATOPINI	275
ASAPHINAE	313	<i>Astrotus</i>	402	ATOPITES	275
ASAPHINI	312	<i>ASTYLINI</i>	57, 350	ATOPOBRENTINA	84, 563
ASAPHITES	312	<i>Astylos</i>	350	ATOPOBRENTINI	563
<i>Asaphus</i>	312	<i>ASTYNOMAIRES</i>	486	<i>Atopobrentus</i>	563
<i>Asclera</i>	435	<i>ASTYNOMINI</i>	486	ATOPOIDEA	274, 872
ASCLERAEIDAE	435	<i>Astynomus</i>	486	<i>Atossa</i>	501
ASCLERINI	68, 435	ATAENIDAE	240	ATOSSIDES	501
ASCYDMINI	215	<i>Ataenius</i>	240, 892	ATOSSINI	501
<i>Ascydinus</i>	215	ATANYGNATHINI	224	ATRACTOCERIDAE	342
ASEMINI	72, 464, 465	<i>Atanygnathus</i>	224	ATRACTOCERINAE	56, 342
ASEMITAE	464	<i>Ataxia</i>	500	ATRACTOCÉRITES	342
<i>Asemum</i>	464	ATAXIIDES	500	<i>Atractocerus</i>	342
<i>Asida</i>	402	ATAXIINI	500	ATRANI	122
ASIDADAЕ	402	ATELIINAE	53, 322	ATRANINI	23, 122
ASIDINI	65, 402	ATELIINI	53, 322	ATRANOPSISNA	25, 144
ASIOCOLEIDAE	19, 97	ATELINAЕ	322	<i>Atranopsis</i>	144
ASIOCOLEOIDEA	19, 97	<i>Atelius</i>	322	<i>Atranus</i>	122
<i>Asiocoileus</i>	97	ATERPIDES	601	ATRECINI	222
ASPHALINA	66, 416	ATERPINA	2, 17, 89, 601, 844	<i>Atrecus</i>	222
<i>Asphalus</i>	416	APTERINAE	601, 845	ATTAGENI	335
<i>Aspicela</i>	523	APTERINI	89, 601, 845, 846, 871	ATTAGENINAE	55, 334, 335
ASPICELAE	523	<i>Aterpus</i>	601	ATTAGENINI	55, 335
ASPICÉLITES	523	ATEUCHIDAE	242	ATTAGÉNITES	334, 335
ASPIDAPIINA	8, 84, 567	ATEUCHINA	40, 242	<i>Attagenus</i>	334, 335
ASPIDAPIINI	567	ATEUCHINI	40, 242, 243	ATTALAIRES	353
<i>Aspidapion</i>	8, 567	<i>Ateuchus</i>	242	ATTALINA	353
ASPIDIMÉRAIRES	374	<i>Atheropterus</i>	179	ATTALINI	353
ASPIDIMERINA	375	ATHERTONINI	354	ATTALOMIMIDAE	352
ASPIDIMERINI	61, 374, 375	<i>Athertonium</i>	354	ATTALOMIMINI	58, 352
<i>Aspidimerus</i>	374	<i>Atheta</i>	193, 194, 892	<i>Attalomimus</i>	352
<i>Aspidimorpha</i>	511	ATHETAЕ	193	<i>Attalus</i>	353
ASPIDIMORPHINI	78, 511	ATHETINA	33, 193, 895	ATTAPSENIINI	33, 188
ASPIDIMORPHITES	511	ATHETINI	33, 193, 875, 895	<i>Attapsenius</i>	188
<i>Aspidiotes</i>	616	<i>Athexenia</i>	207	ATTELABIDAE	82, 250, 553, 561,
ASPIDIPHORIDAE	355, 875, 888	ATHEXENINA	35, 207	844, 878, 884, 889	
<i>Aspidiphorus</i>	355, 892	ATHEXENINA	207	ATTELABIDES	553, 554
ASPIDOMORPHINI	511	ATHOI	313	ATTELABINA	82, 554
<i>Aspidophorus</i>	355	ATHOINAE	313	ATTELABINAE	82, 554
ASPIDORMOPHITAE	511	ATHOITES	313	ATTELABINI	82, 554
<i>Aspidytes</i>	8, 149	ATHOOMORPHINAE	311	<i>Attelabus</i>	553, 554, 889
ASPIDYTIDAE	8, 26, 149	<i>Athoomorphus</i>	311	<i>Atysa</i>	527
<i>Aspilina</i>	43, 264	<i>Athous</i>	313	ATYSINI	527
<i>Aspilus</i>	264	ATHYRÉIDES	226	ATYSITES	527
ASPROPARTHENIS	620	ATHYREINI	38, 226	AUBEHYDRINAE	150
<i>Astaena</i>	254	ATHYREITAE	226	AUBEHYDRINI	26, 150
ASTAENIDAE	254	ATHYRÉITES	226	<i>Aubehydrys</i>	150
<i>Astathes</i>	489	<i>Athyreus</i>	226, 891	<i>Auchmeresthes</i>	615
ASTATHINI	75, 489	<i>Atimia</i>	465	AUCHMERESTHINAE	615
ASTATHITAE	489	ATIMIINI	72, 465	AUCHMOBII	406
ASTENINA	37, 218, 875	<i>Atomaria</i>	361	<i>Auchmobius</i>	406
<i>Astenus</i>	218	ATOMARIINAE	59, 361	<i>Augyles</i>	295
<i>Asteriza</i>	516	ATOMARIINI	59, 361	AUGYLINI	295
ASTERIZINI	516	ATOMAROIDES	361	AULACOCERITAE	461
ASTERIZITAE	516	ATOMAROIDINI	361	<i>Aulacocerus</i>	461
Asthateiniae	489	<i>Atopa</i>	275	AULACOCYCLINAE	39, 228
<i>Astraeini</i>	46, 277	<i>Atopida</i>	273		

- AULACOCYCLINI 39, 228
Aulacocylus 228
Aulacoderes 564
Aulacophora 528, 530
AULACOPHORINA 528
AULACOPHORITES 528
AULACOPIDES 458
AULACOPINAE 458
Aulacopus 458
AULACOSCELIDINAE 77, 504, 505, 888
AULACOSCELINAE 505
Aulacoscelis 504
AULACOSCELLÉTAE 504
AULACOTRACHELINAE 214
Aulacotrachelus 214
AULETANINI 560
Auletanus 560
Auletes 558
AULETINA 83, 558
AULETINI 83, 558
AULETINIDAE 558
AULETOBIINA 83, 558
Auletobius 558
AULETORHININI 83, 558
Auletorhinus 558
AULONOCNEMINAE 40, 241
Aulonocnemis 241
Aulonosoma 364
AURELIINAE 229
Aurelius 229
Australica 520
AUSTRALICITES 520
AUSTRALOBOLBINI 227
Australobolbus 227
AUSTROAESTHETINI 216
Astroaesthetus 216
AUSTROESTHETINI 37, 216
Astroesthetus 216
AUSTROPASSALINAE 229
Austropassalus 229
AUSTRORHYSINI 31, 177
Austrorhysus 177
Autalia 195
AUTALIIDAE 195
AUTALIINI 33, 195
Autocera 403
AUTOCÉRIDES 403
AUTOCERINI 403
AUTOMOLINI 41, 247
AUTOMOLINI 247
Automolius 247
Automolus 247
AUXENOCERINI 183
Auxenocerus 183
AUXÉSIDAE 467
AUXESINA 467
AUXESINI 72, 467
Auxesis 467
Avitortor 231
AVITORTORINAE 39, 231
AXEIRODIELLINI 566
AXELRODIELLINI 84, 566
Axelrodellus 566
AXINIDIINI 109
Axinidium 109
Axonya 111
AXONYINA 21, 111
Azya 375
Azyae 375
AZYAIRES 375
AZYINI 61, 375
Babia 532
BABIDEAE 532
BACANIINI 28, 160
Bacanius 160
Badister 137
Badistes 137
BADISTIDAE 137, 138
BADISTRITAE 137
Baeocera 209, 892
BAEOCERIDIITAE 209
Baeoceridium 209
BAEOCERITAE 209
BAGOINA 586
BAGOINAE 2, 17, 87, 586, 842, 843, 844, 849, 871
Bagoüs 586, 843, 844
BAISSORHYNCHINAE 82, 553
BAISSORHYNCHINI 553
Baissorhynchus 553
BALANINIDAE 580
Balaninus 580
BALGINAE 311
Balgus 311
Barada 185
BARADIINI 185
BARADINA 32, 185
BARAEINI 501
Baraeus 501
BARÉIDES 501
BARIDIDES 586, 588
BARIDINA 87, 588
BARIDINAE 87, 567, 586
BARIDINI 8, 87, 567, 588
Baridius 586, 588
BARIPODINA 8, 21, 111
Baripus 8, 111
Baris 8, 586, 588
BAROEIDES 501
Baroeus 501
BARROSELLINI 32, 185
Barrosellus 185
Barymela 521
BARYMELINI 521
BARYMÉRIDES 588
BARYMERINA 87, 588
BARYMERINI 588
BARYMERINORUM 588
Barymerus 588
BARYNOTI 609
BARYNOTIDES 609
BARYNOTINI 609
Barynotus 609
BARYODIRINA 30, 173
Baryodirus 173
BARYPITAE 111
Barypus 111
BARYSOMI 130
Barysomus 130
BASCANINI 23, 122
Bascanus 122
Basilepta 538
BASILEPTINI 538
Basiprionota 511
BASIPRIONOTINI 78, 511, 870
Basipta 512
BASIPTERA 467
BASIPTERINI 72, 467
BASIPTINI 512
BASIPTITES 512
BASITOXI 457
BASITOXINA 71, 457
Basitoxus 457
BASITROPIDES 544
BASITROPIDINI 545
BASITROPINI 80, 544, 545
Basitropis 544
BATHYRINI 607
Bathyris 607
Bathyscia 171, 172
BATHYSCIAE 171, 172
BATHYSCIINA 30, 171, 172
Bathysciotes 172
BATHYSCIOTINA 30, 172
BATOBINA 443
Batobius 443
Batocera 490
BATOCERINI 75, 490
BATOCERITAE 490
Batonota 513
BATONOTINI 514, 871
BATONOTITAE 513
BATONOTITES 513, 514
BATRISINA 31, 179
BATRISINI 31, 179
BATRISITAE 31, 179
Batrissus 179
BATULIINI 402
Batulius 402
Beccaria 374
BECCARIINI 374
Beccariola 374
BELIDAE 81, 551, 851
BELIDES 551
BELINA 81, 551
BELINAE 81, 551

- BELINI 81, 551
Belionota 283
 BELIONOTINA 283
 BELOPHORINA 314
Beliophorus 314
Belohina 228
 BELOHINIDAE 39, 228
 BELOHININAE 228
 BÉLOPHÉRIDES 562
 BELOPHERINA 562
 BELOPHERINAE 562
Beloperus 562
 BELOPINAE 397
 BELOPINI 64, 397
Belopus 397
 BÉLORHYNCHIDES 562
 BELORHYNCHINA 562
Belorhynchus 562
Belus 551
 BEMBIDIIDAE 113
 BEMBIDIINA 22, 113
 BEMBIDIINI 22, 113
Bembidion 113
Bembidium 113
 BERENDTIMIRIDAE 52, 321
Berendtimirus 321
 BERGINI 385
 BERGININAE 62, 385
Berginus 385
 BÉROSAIRES 155
 BEROSINA 155
 BEROSINI 27, 155
Berosus 155, 891
Betschia 433
Betschiini 433
 BIBLOPLECTINA 184
Bibloplectus 184
 BIBLOPORELLINA 183
Bibloporellus 183
 BIBLOPORINA 32, 183
 BIBLOPORINI 183
Bibloporus 183
 BIDESSINI 26, 151
Bidessus 151
Bimia 467
 BIMIIDES 467
 BIMIINI 72, 467
 BIOPHLOCES 363
Biophloeus 2, 18, 363, 839
 BIOPHYTINI 364
Biophytus 364
Bioplanes 422
 BIOPLANINA 422
 BIPHYLLIDAE 58, 356
Biphyllus 356
Bironium 209
Bitoma 394
 BIUINI 425
Bius 425
 BLACODAIRES 420
Blacodes 420
 BLACODINI 420
Blaesia 267
Blaesiae 267
Blaesina 44, 267
Blaps 414
 BLAPSIDA 414
 BLAPTIDAE 419
Blapstini 419
Blapstinites 419
Blapstinooides 419
Blapstinus 414
 BLAPTINA 66, 414
Blaptini 66, 414
Blastophila 630
 BLASTOPHILADAE 630
 BLEIDIINI 36, 211
Bledius 211
Blenosia 420
 BLEPHARHYMENI 204
 BLEPHARHYMENINA 35, 204
Blepharhymenus 204
Blepharida 523
 BLEPHARIDAE 523
Blepharidini 523
 BLÉPHARIDITES 523
 BLEPHARRHYMENI 204
Blepharrhymenus 204
Bleusea 130
 BLEUSEI 130
 BLOSYRIDAE 604
 BLOSYRIDES 604
Blosyrini 89, 604
Blosyrus 604
 BODONIDAE 218
 BOGANIIDAE 58, 354
 BOGANIIINAE 58, 354
Boganium 354
 BOLBELASMINI 38, 226
Bolbelasmus 226
 BOLBOCÉRAIRES 226
Bolboceras 226, 227, 891
 BOLBOCERATINA 38, 226
Bolboceratini 38, 226, 227
 BOLBOCERINAE 226
 BOLBOCHROMINI 38, 227
Bolbochromus 227
Boldoria 173
 BOLITOBII 191
Bolitobius 191
Bolitochara 199, 200, 892
 BOLITOCHARIDES 199
Bolitocharina 34, 199
Bolitocharini 199, 200, 888
 BOLITOPHAGIDAE 415
 BOLITOPHAGINI 2, 17, 66, 415, 863,
 864, 865, 876
Bolitophagus 415
 Bonesia 528
 BONESIITES 528
 BORBOROPHORINI 27, 157
Borborophorus 157
 BORÉAPHILAIRES 175
 BOREAPHILINA 31, 175
Boreophilus 175
 BORIDAE 69, 444
 BORINAE 69, 444
 BOROMORPHINI 65, 402
Boromorphus 402
Borus 440, 444
 BOSTRICHIDAE 55, 335, 889
 BOSTRICHINAE 55, 336
Bostrichini 55, 333, 335, 336
 BOSTRICHOIDEA 55, 333, 856, 867
Bostrichus 333, 335, 336, 889
 BOSTRYCHOPSINI 336
Bostrychopsis 336
Bothrideres 368, 369
 BOTHRIDERIDAE 60, 368
 BOTHRIDERINAE 60, 369
 BOTHRIDERINI 368, 369
 BOTHRIOPHORINI 294
Bothriophorus 294
Bothriospila 467
 BOTHRIOSPILINAE 467
Bothriospilini 72, 467
 BOTHRRHINA 266
 BOTHRRHINAE 266
Bothrosternini 93, 631
Bothrosternus 631
Bothryonopa 511
 BOTHYNIDAE 262
Bothynoderes 620
 BOTHYNODÉRIDES 620
Bothynus 262, 892
 BOTRIAPHORATES 294
 BOTRIOPHORATES 294
Botriophorus 294
Botryonopa 511
 BOTRYONOPINI 78, 511
 BOTRYONOPITES 511
 BRACHES 290
Brachiantha 375
 BRACHIACANTHADINI 375
 BRACHIACANTHINI 61, 375
 BRACHINA 48, 290
 BRACHINII 121
 BRACHININA 23, 121
 BRACHININAE 23, 121
 BRACHININI 23, 121
Brachinus 121
 BRACHONYCHINA 579
 BRACHONYDES 578
Brachonyx 578, 579
Brachyacantha 375
 BRACHYACANTHAIRE 375
 BRACHYCYERIDAE 85, 574, 878

- BRACHYCYERIDES 574
 BRACHYCYERINAE 85, 574
 BRACHYCYERINI 85, 574
 BRACHYCYEROPSEINAE 623
 BRACHYCYEROPSEINI 8, 91, 623
Brachyceropsis 8, 623
Brachycerus 574
Brachyderes 604, 890
 BRACHYDERIDES 604
 BRACHYDERINAE 604, 846
 BRACHYDERINI 89, 604
Brachylgluta 185
 BRACHYGLUTINA 32, 185
 BRACHYGLUTINI 32, 185
 BRACHYGNATHINA 25, 139
 BRACHYGNATHINI 139
Brachygynathus 139
Brachygynius 576
 BRACHYINI 290
 BRACHYLOBINI 124
Brachylobus 124
 BRACHYPI 576
Brachypnoea 539
Brachypsectra 299
 BRACHYPECTRIDAE 50, 274, 299
 BRACHYPECTRINI 299
 BRACHYPTERIDAE 365
 BRACHYPTERINAE 365, 887
Brachypteroidea 467
 BRACHYPTEROMATINI 72, 467
 BRACHYPTEROMINI 467
Brachypterus 365, 891
Brachypus 576
Brachyrhinus 613
 BRACHYRRHINIDAE 613
Brachyrrhinus 613
Brachys 290
 BRACHYSTERNIDAE 258
 BRACHYSTERNINA 43, 258
Brachysternus 258
 BRACHYTARSINA 544
 BRACHYTARSINI 544
Brachytarsus 544
Bradybaena 130
 BRADYBAENI 129
 BRADYBAENIDAE 130, 879
Bradybaenus 129
 BRADYBATINI 579
Bradybatus 579
 BRADYCELLI 131
 BRADYCELLINI 131
Bradycellus 131
 BRANCHINI 65, 403
Branchus 403
 BRARINA 80, 541
Brarus 541
 BRASILUCANINI 235
Basilucanus 235
 BRATHINIDAE 175
Brathinus 175
 BRENTHIDES 562, 563
 BRENTHORRHININAE 80, 542
 BRENTHORRHININI 80, 542
BRENTHORRHINOIDES 542
 BRENTHORRHINOIDINI 80, 542
Brenthorbinus 542
Brenthus 562, 563
 BRENTIDAЕ 83, 493, 562, 851, 869,
 887, 889
 BRENTINA 83, 563
 BRENTINAE 83, 562
 BRENTINI 83, 562
Brentus 562, 563
 BRISEINAE 416
Brises 416
Brittona 430
 BRITONINA 68, 430
 BROCHOCOLEIDAE 95
 BROCHOCOLEINAE 18, 95
Brochocoleus 95
 BROMIINAE 534
 BROMIINI 79, 534, 870
Bromius 534, 894
Brontes 362
 BRONTINAE 59, 362
 BRONTINI 59, 362
 BRONTITES 362
 BROSCHIDAE 111
Broschus 111
 BROSCINA 21, 111
 BROSCINAE 21, 111
 BROSCINI 21, 111
Broscus 111
Brotheas 574
 BROTHEINAE 574, 878
 BROTHEINI 574, 878
Brotheus 574
 BROTHEUSINI 574
Bruchela 551
 BRUCHELAE 506, 507
 BRUCHELIDAE 551
 BRUCHIDAE 505, 506, 507, 887
 BRUCHIDIINA 507
 BRUCHIDIINI 507
Bruchidius 507
 BRUCHINA 77, 507
 BRUCHINAE 77, 506, 881
 BRUCHINI 77, 507
Bruchus 506, 507, 508, 889
 BRYAXES 185
 BRYAXINA 186
Bryaxis 185, 186, 892
 BRYCHIINI 147
Brychius 147
Bubastes 283
 BUBASTINI 47, 283
 BUCOLITES 375
Bucolus 375
Bulaea 377
 BULAEINI 377
 BULINI 46, 278
Bulis 278
 BULISINA 278
Bumetopia 495
 BUMÉTOPIDES 495
 BUMETOPINI 495
 BUPRESTIDAE 45, 143, 276, 466,
 640, 869, 878, 879, 887, 889
 BUPRESTIDES 276, 283, 284
 BUPRESTINA 47, 284
 BUPRESTINAE 47, 283, 287
 BUPRESTINI 47, 284
Buprestis 276, 283, 284, 889
 BUPRESTOIDEA 4, 45, 276, 640, 859
 BYCTISCINA 83, 559
 BYCTISCINI 83, 558, 559
Byctiscus 558, 559
 BYRRHIDAE 48, 290, 427, 889
 BYRRHII 290, 291
 BYRRHINAE 48, 291
 BYRRHINI 48, 291
 BYRRHOIDEA 48, 273, 290, 859
Byrrhus 290, 291, 889
Byrsopages 618
 BYRSOPAGIDES 618
 BYRSOPAGINI 617, 618
 BYRSOPINI 85, 574
Byrops 574
 BYRSOPSIDES 574
 BYRSOPTIDES 574
 BYTHININA 32, 186
 BYTHININI 32, 185, 186
 BYTHINOPLECTINA 31, 182
 BYTHINOPLECTINI 31, 182
Bythinoplectus 182
Bythinus 186, 892
 BYTURIDAE 58, 354
 BYTURINAЕ 58, 354
Byturus 354
Cacoscelis 455, 525
 CACOSCELINI 71, 455, 525
Cacoscelis 525
 CACOSCELITAE 455
 CACTOPINAE 632
 CACTOPININI 93, 632
Cactopinus 632
 CAECOSSONINA 627
Caecossonus 627
 CAEDIARES 420
 CAEDIINI 420
Caedius 420
 CAELARTHINAE 478
Caelomarthon 478
 CAELORRHINA 266
 CAELOSTOMINA 126
Caelostomus 126
Caenocara 341

- CAENOCARINI 341
 CAENOCRYPTICINI 65, 403
Caenocrypticus 403
 CAENOSCELINI 59, 360
Caenoscelis 360
Calandra 572, 573
 CALANDRAEDES 573
 CALANDRINA 572, 573
CALASPIDEA 514
 CALASPIDEITAE 514
 CALATHIDAE 144
 CALATHINA 25, 144
 CALATHINI 144
Calathus 144
Calcar 397
 CALCARIENS 397
 CALCARINA 397
 CALCARINI 907
Caledonica 103
 CALEDONICINI 103
 CALICNÉMIENS 262
Calicnemis 262
 CALICNEMISII 262
 CALITYINI 57, 344
 CALITYNI 344
Calitys 344
Calleida 133
 CALLEIDINA 24, 133
 CALLEIDINAE 133
Callia 490
Callicera 193
 CALLICERINA 193, 885
 CALLICERINI 193, 875
Callicerus 193
Callichroma 467
 CALLICHROMATINI 72, 467
 CALLICHROMINAE 467
 CALLICNEMIAE 262
 CALLICNEMINI 262
Callida 133
Callidema 104
 CALLIDI 133, 468
 CALLIDIADAE 468
 CALLIDIIDES 133
 CALLIDIINI 72, 468
 CALLIDIOPINI 72, 468
Callidiopsis 468
 CALLIDIOPSIDES 468
 CALLIDIOPSINAЕ 468
Callidiopsis 468
Callidium 468
 CALLIINI 75, 490
 CALLIMERINI 57, 346
Callimerus 346
Callipogon 456
 CALLIPOGONINI 71, 456
 CALLIPOGONITAE 456
Calliprason 482
 CALLIPRASONINI 482
 CALLIRHIPIDAE 49, 274, 298, 869
 CALLIRHIPINI 298
Callirhipis 298
 CALLIRHOPALINI 617
Callirhopalus 617
CALLISINA 538
 CALLISINITAE 538
 CALLISINITES 538
Callispia 511
 CALLISPINI 78, 511, 512
 CALLISPITES 511
Callisthenes 106
 CALLISTHENIENS 106
 CALLISTHENISIDAE 106
 CALLISTIDAE 123
 CALLISTINA 23, 123
CALLISTOIDES 124
 CALLISTOIDINI 124
Callistus 123
 CALLITAE 490
Callohispa 512
 CALLOHISPINI 78, 512
 CALLOPISTINA 281
Callopistus 281
 CALOCERI 211
Calocerus 211
 CALOCHROMIDES 323
 CALOCHROMINAE 323
 CALOCHROMINI 53, 323
Calochromus 323
 CALOCOMINI 71, 456
Calocomus 456
Calodera 205
 CALODERAE 205
 CALODÉRATES 205
 CALODERINI 205
 CALODROMINEN 563
 CALODROMINI 563
Calodromus 563
 CALOGNATHIDAE 405
 CALOGNATHIDES 405
 CALOGNATHINA 65, 405
 CALOGNATHINAE 405
Calognathus 405
 CALONECRINAE 60, 365
Calonecrus 365
Calophaena 123
 CALOPHAENIDAE 123
 CALOPHAENINI 23, 123
 CALOPINI 435
 CALOPODIDAE 435
 CALOPODINAE 2, 17, 68, 435, 857,
 874
 CALOPTERINA 53, 323
 CALOPTERINI 53, 323
Calopteron 323
Calopus 435
Calosoma 105
 CALOSOMII 105
Calospasta 439
 CALOSPATIDES 907
 CALYDINA 440
Calydus 440
 CALYMMADERINI 341
Calymmaderus 341
 CALYPTILLI 609
 CALYPTILLINI 609
Calyptillus 609
 CALYPTOCEPHALINA 328
Calyptocephalus 328
 CALYPTOCERINI 50, 301
Calyptocerus 301
 CALYPTOMERIDAE 273
 CALYPTOMERINAE 45, 273
Calyptomerus 273
 CAMARAGNATHINI 108
Camaragnathus 108
Camaria 432, 433
 CAMARIDES 432
 CAMARIINAE 433
 CAMARIINEN 433
 CAMAROTIDES 579
 CAMAROTINA 86, 579
 CAMAROTINI 86, 579
Camarotus 579
Cambaia 480
 CAMBAIIINAE 480
Camelomorpha 447
 CAMELOMORPHINI 70, 447
Camenta 247
 CAMENTINI 247
 CAMIARINAE 29, 167
 CAMIARINI 29, 167
Camiarus 167
Campsiura 264
 CAMPSOSTERNINAE 313
Campsosternus 313
 CAMPTOCERIDAE 637
 CAMPTOCÉRIDES 637
Camptocerus 637
 CAMPTORHINIDES 599
 CAMPTORHININAE 599
 CAMPTORHININI 89, 599
Camptorhinus 599
 CAMPYLIDAE 313
 CAMPYLINA 314
 CAMPYLOSCELIDES 592, 593
 CAMPYLOSCELINA 88, 593
 CAMPYLOSCELINI 88, 592
Campyloscelus 592, 593
 CAMPYLOXENINAE 51, 312
Campyloxenus 312
Campylus 313
 CANEPHOROTOMINA 611
Canephorotomus 611
 CANONOPSINI 607
Canonopsis 607
 CANTHARIDAE 54, 329, 330, 352,

- 439, 869, 874, 878, 883
CANTHARIDIAE 439
CANTHARINAE 54, 330
CANTHARINI 54, 330, 439, 874
Cantharis 2, 17, 329, 330, 352, 439
CANTHAROCNEMINI 71, 456
Cantharocnemis 456
CANTHAROCNEMITAE 456
Canthon 243
CANTHONIDES 243
CANTHONINAE 243
CANTHONINI 243
Capnisa 411
CAPNISINI 411
CAPNODINA 281
Capnodis 281
CAPPADOCINI 547
Cappadox 547
Capula 528
CAPULINI 528
Car 553
Carabdytes 150
CARABDYTINI 26, 150
CARABHYDRINI 26, 151
Carabhydrus 151
CARABICI 102, 105
CARABIDAE 1, 2, 7, 15, 17, 20, 102,
 325, 382, 394, 424, 550, 836,
 837, 838, 839, 859, 869, 870,
 879, 887, 889, 894
CARABIDOMEMNINA 23, 119
CARABIDOMEMNINAE 119
CARABIDOMEMNNEN 119
Carabidomemnus 119
CARABINAE 20, 105
CARABINI 20, 105
Carabus 2, 7, 17, 102, 105, 145,
 889
Caratambyx 468
Carcilia 621
CARCILIINAE 621
CARCILINI 91, 621
CARDIOPHORI 318
CARDIOPHORINAE 52, 318, 319
CARDIOPHORITES 318
Cardiophorus 318, 319
CARDIORHINI 316
CARDIORHININA 52, 316
CARDIORHININI 316
CARDIORHINITES 316
Cardiorhinus 316
Cardiosis 412
CARDIOSITES 412
CARENIDES 108
CARENINI 21, 108
Carenum 108
Caria 377
CARIAIRES 377
CARIDAE 82, 553
Cariini 377
CARINAE 82, 553
Carinatodorcadion 493
Carinodula 375
CARINODULINI 61, 375
Carodes 553
CARODESINA 553
CARODINI 82, 553
CARPELIMINI 213
Carpelimus 212, 213
CARPHOBORINAE 636
Caphoborus 636
CARPHODICTICINI 93, 632
Caphodicticus 632
CARPHURINAE 352
Caphurini 58, 352
Caphurus 352
Carpophaga 505
CARPOPHAGINAE 505, 880
CARPOPHAGINI 77, 505, 880
CARPOPHAGITES 505
Carpophagus 505
CARPOPHILINAE 60, 366
Carpophilus 366
CARTALLITES 468
Cartallum 468
CARTEROPHONINI 130
Carterophonus 130
CARYEDINI 508
Caryedon 508
CARYEDONTINA 77, 508
Caryonoda 536
CARYONODINI 79, 536
CARYOPEMINA 77, 508
CARYOPEMINI 508
Caryopemon 508
Casigneta 235
CASIGNETINI 235
Casignetus 234, 235
Casnonia 138
Casnoniae 138
Casida 510, 512, 890
CASSIDEAE 510, 512
CASSIDINAE 78, 510, 512, 880,
 881, 884
CASSIDINI 78, 512
Catachirote 435
CATACHIROTIIDAE 435
CATADROMIDAE 143
CATADROMIENS 143
Catadromus 143
CATAPHRONETINI 431
Cataphronetis 431
CATAPISEINI 23, 123
CATAPISESINAE 123
Catapiesis 123
CATAPIESTIDES 432
CATAPIESTINA 432
Catapiestus 432
CATAPIINA 84, 568
Catapion 568
CATASCOPI 136
Catascopus 136
Cathartocryptus 356
Catheretes 365
CATHERETIDAE 365
CATHORMIOCERINI 617
Cathormiocerus 617
CATINIIDAE 19, 97
Catinius 97
CATOGENINI 363
Catogenus 363
CATOPIDAE 171
CATOPIDES 171
CATOPINA 30, 171
CATOPOCERINAE 29, 168, 873
CATOPOCERINI 29, 168
Catopocerus 168
CATOPOCROTIDAE 360
Catopochrotus 360
Catops 171
Catoxantha 281
CATOXANTHINA 281
Catynes 454
CATYPNIDES 454
CAULAUTAIRES 352
Caulautes 352
CAULOBINA 247
Caulobius 247
Cavicoxum 308
CAVICOXUMIDAE 308
Cavognatha 363
CAVOGNATHIDAE 59, 363, 840
CAVOGNATHINAE 363
CEBALLOSMELASINI 50, 301
Ceballosmelasis 301
Cebrio 307
CEBRIOGNATHINAE 307
Cebriognathus 307
CEBRIONATES 307
CEBRIONIDAE 306
CEBRIONINAE 51, 307
CEBRIONOIDEA 298, 872
CECHENOGENICI 106
Cechenus 106
Celaenephes 134
CELAENEPHINA 24, 134
Celetes 577
CELETINI 577, 578
Celeuthetes 604
CÉLEUTHÉTIDES 604
CELEUTHETINA 89, 604
CELEUTHETINAE 605
CELEUTHETINI 89, 604, 605
Celia 145
CELINA 152
CELININI 152
CELIOSCHESINI 122

- Celioschesis* 122
CENOCEPHALARIAE 639
CENOCEPHALINA 638
Cenocephalus 639
CENTORHYNCHIDAE 590, 591
Centorhynchus 590, 591
Centorus 397
CENTRINA 587
CENTRINIDES 587
CENTRININA 587, 871, 881
CENTRININAE 587, 881
Centrinus 587
CENTROPTERA 405
CENTROPTERAE 405
CENTROPTÉRIDES 405
CENTROPTERINI 405, 876
CENTROCORYNINA 556
Centrocorynus 556
CENTRONOPINI 66, 415
Centronopus 415
CENTROPHTHALMINA 33, 189
Centrophthalmus 189
CEOCEPHALIDES 565
CÉOCÉPHALIDES 565
CEOCEPHALINA 566, 869
Ceocephalus 565
CEOPHYLLINI 190
Ceophyllus 190
CEPHACERIA 406
Cephacerus 406
Cephalaon 434
CEPHALAONIDES 434
CEPHALOBYRRHINAE 49, 295
Cephalobyrhus 295
Cephalodonta 518
CEPHALODONTINAE 518
CEPHALODONTINI 871
CÉPHALODONTITES 518
CEPHALOIDAE 434
CEPHALOINAE 68, 434
Cephaloleia 513
CEPHALOLEIINI 78, 513
CÉPHALOLÉITES 513
Cephaloon 434
CEPHALOPHANINAE 61, 371
Cephalophanus 371
CEPHALOPLECTINAE 29, 166
Cephaloplectus 166
CEPHALOSCYMNINI 61, 375
Cephaloscymnus 375
Cephalotes 111
CEPHALOTIDA 111
Cephalotrichia 2, 18, 255, 860
CEPHALOTRICHIDIADAE 255
CEPHALOTYPHLINI 37, 217
Cephalotyphlus 217
CEPHENNIINI 37, 215
Cephennium 215
CÉPURIDES 619
CEPURINI 91, 619
Cepurus 619
CERACUPEDINI 39, 228
Ceracupes 228
CERACUPINI 228
CERALLINI 57, 350
Cerallus 350
CERAMBICINI 453, 465, 468
CERAMBYCIDAE 4, 15, 71, 118, 280,
 339, 345, 399, 403, 421, 434,
 437, 443, 453, 492, 494, 525,
 586, 608, 859, 870, 878, 879,
 880, 881, 883, 884, 885, 889
CERAMBYCINA 72, 468
CERAMBYCINAE 72, 465, 473, 880
CERAMBYCINI 72, 468
Cerambyciscapha 209
CERAMBYCISCAPHINI 209
CERAMBYCOIDEA 452
Cerambyx 453, 465, 468
CERAPTERIDES 119
CERAPTERINA 23, 119
Cerapterus 119
Cerasommatidia 372
CERASOMMATIDIIDAE 372
CERASPHORITAE 473
Cerasphorus 473
CERASPIDIDAE 251
Ceraspis 251
CERATAMBYCIDAЕ 468
Ceratambyx 468
CERATANISINI 65, 403
Ceratanisus 403
CERATAPIINA 84, 568
CERATAPIINI 568
Ceratapion 568
CERATOCANTHINAE 40, 237
CERATOCANTHINI 40, 237
Ceratocanthus 237
CERATODERINA 120
Ceratoderus 120
CERATOGNATHINI 39, 232
Ceratognathus 232
Ceratogonyx 306
CÉRATOPIDES 579
CERATOPINAE 579
CERATOPODINI 86, 579
Ceratopus 579
CERATORHINA 266
CERATORRHINA 266
CERATORRHINIDAE 266
Ceratotrupes 8, 227
CERATOTRUPINI 8, 38, 227
CERCIDAE 365
Cercus 365
Cercyon 158
CERCYONES 158
CERENOPI 415
CERENOPINI 66, 415
Cerenopus 415
Cerocoma 438, 891
CEROCOMATIDA 438
CEROCOMINI 69, 438
CEROCOSMINAE 339
Cerocosmus 339
CEROGLOSSINA 106
CEROGLOSSINI 20, 106
Ceroglossus 106
Cerophysa 530
CEROPHYSIDES 530
CEROPHYSITES 530
CEROPHYTIDAE 50, 299
CEROPHYTIDES 299
Cerophytum 299
CEROPLESINA 75, 490
CEROPLESINI 75, 490
Ceroplesis 490, 889
CEROPLESITAE 490
Cerotoma 529
CEROTOMINI 529
CEROTOMITES 529
CÉROTOMITES 529
CERTALLINI 72, 468, 469
Certallum 468
CERUCHINI 232
CERUCHITES 232
CERUCHITES 232
CERUCHITINAЕ 39, 232
Ceruchus 232
CERVIDAE 508
Cerylon 369, 370, 889
CERYLONIDAE 60, 369, 370, 393,
 887, 889
CERYLONIDES 369, 370
CERYLONINAE 60, 370
Cesauletes 559
Cesauletini 83, 559
Cetonia 263
CETONIDA 263
CETONIIA 43, 263
CETONIINAE 43, 262, 263
CETONII 43, 263
CEUTORHYNCHINAE 88, 590
CEUTORHYNCHINI 88, 591
Ceutorhynchus 590, 591, 890
Chaeridiona 518
Chaerodes 398
CHAERODINI 64, 398
Chaetarthria 155
CHAETARTHRIINI 27, 155
Chaetastus 639
CHAETOCANTHINAE 39, 236
CHAETOCANTHINI 39, 236
Chaetocanthus 236
Chaetocnema 525
CHAETOCNEMAE 525
Chaetodactyla 123
CHAETODACTYLINI 23, 123

- CHAETOGENYINA 123
 CHAETOGENYINI 8, 23, 123
Chaetogenys 8, 123
 CHAETOMALACHIINI 58, 350
Chaetomalachius 350
 CHAETOPHOLEIINI 635
Chaetophloeus 635
Chaetophora 291, 292
Chaetosoma 345, 492, 894
 CHAETOSOMATIDAE 57, 345, 492,
 880, 894
Chalcodes 234
 CHALCODINAE 234
Chalcidrya 396
 CHALCODYRIDAE 64, 396
 CHALCOLEPIDIIDES 309
 CHALCOLEPIDIINI 309
 CHALCOLEPIDINA 309
Chalcolepidius 309, 852
Chalcophana 536
 CHALCOPHANITAE 536
 CHALCOPHANITES 536
Chalcophora 280, 466
 CHALCOPHORAE 280
Chalcophorella 280
 CHALCOPHORELLINI 280
 CHALCOPHORIDES 280
 CHALCOPHORINA 46, 280, 869
 CHALCOPELECTINI 190
Chalcolectus 190
Chalcothea 270
 CHALCOTHEINA 44, 270
 CHALCOTHEINI 270
 CHALEPIDAE 260, 513, 880, 884
 CHALEPINI 78, 260, 513, 880, 884
Chalepus 260, 513
Chaltenia 116
 CHALTENINA 22, 116
Chapuisia 638
 CHAPUISIDES 910
 CHAPUISIDES 638
 CHARIDOTINI 512
Charidotis 512
 CHARIDOTITAE 512
Charonoscapha 147
 CHARONOSCAPHINAE 26, 147
Charopus 352
 CHASMATOPTERIDAE 248
 CHASMATOPTÉRIDES 248
 CHASMATOPTERINI 41, 248
Chasmopterus 248
Chasmodia 259
 CHASMODIIDAE 259
 CHAULIOGNATHINAE 54, 331
 CHAULIOGNATHINI 54, 331
Chauliognathus 331
Cheguevaria 329
 CHEGUEVARIINI 329
Cheilomenes 377
CHEIRIDEA 538
 CHEIRIDEITAE 538
 CHEIROPLATINA 43, 261
Cheiroplyats 261
 CHELODERIDOS 452
Cheloderus 452
 CHELONARIIDAE 49, 297
 CHELONARIITES 297
Chelonarium 297
Chelymorpha 516
 CHÉLYMORPHITES 516
 CHENNIIDES 188
Chennium 188
 CHERROCRIINA 452
Cherocrius 452
Chevrolatia 215
 CHEVROLATIINI 37, 215
 CHEVROLATINI 215
 CHIASOGNATHIDAE 233
Chiasognathus 233
 CHILAPIINI 84, 569
 CHILAPIITAE 569
Chilapion 569
Chilecar 553
 CHILECARINAE 82, 553
 CHILECARINI 82, 553
 CHILENIIDAE 336
Chilenius 336
 CHILOCORIENS 375
 CHILOCORINI 61, 375
Chilocorus 375
Chiloea 294
 CHILOEIDAE 294
Chirida 512
 CHIRIDITES 512
Chiron 238
 CHIRONIDAE 238
 CHIRONINAE 40, 238
 CHIRONITES 238
 CHIROSCELIDAE 399
Chiroscelis 399, 440
 CHIROSCELITES 399
 CHLAENIDES 123
 CHLAENIIINA 23, 123
 CHLAENIINI 23, 123
 CHLAENIOCENINI 124
Chlaeniocenus 124
 CHLAENIODINI 124
Chlaeniodus 124
 CHLAENIONINI 124
Chlaenionus 124
Chlaenius 123
 CHLAMISINA 534
Chlamisus 534
 CHLAMYDEAE 534
 CHLAMYDINAE 534
 CHLAMYDOPSINA 28, 162
 CHLAMYDOPSINI 162
Chlamydopsis 162
Chlamys 534
 CHLAMYTES 534
Chlidones 469
 CHLIDONINAE 469
 CHLIDONINI 73, 469
Chloemela 519
 CHLOËMELADAЕ 519
Chnoodes 375
 CHNOODIENS 375
 CHNOODINI 61, 375, 376
Chnootriba 378
 CHNOOTRIBAIRES 378
 CHOERIDIIDAE 242
Choeridiona 518
 CHOERIDIONINI 518
Choeridium 242
 CHOERORHINI 596
 CHOERORHININI 88, 596
Choerorhinus 596
Choleva 170, 171
 CHOLEVIDAE 170, 171
 CHOLEVINA 30, 171
 CHOLEVINAE 30, 170
 CHOLEVINI 30, 171
 CHOLIDES 623
 CHOLINA 91, 623
 CHOLINI 91, 623
 CHOLOMINA 91, 623
 CHOLOMINI 623
Cholomus 623
Cholus 623, 890
 CHONOSTROPHEINA 83, 559
Chonostropheus 559
 CHORAGIDAE 544, 549, 550, 869,
 887
 CHORAGINAE 81, 549
 CHORAGINI 81, 550
Choragus 549, 550, 889
Chorenta 456
 CHORINA 527
 CHORINI 527
Chrestomera 184
 CHRESTOMERINA 184
Chromogeotrupes 228
 CHROMOGEOTRUPINI 228
Chromoptilia 268
 CHROMOPTILIINA 44, 268
 CHRYSOBOTHRIDAE 284
 CHRYSOBOTHRINI 47, 284
Chrysobothris 284, 889
Chrysochroa 280
 CHRYSOCHROIDAE 280
 CHRYSOCHROINA 46, 280
 CHRYSOCHROINAE 46, 280
Chrysodema 280, 889
 CHRYSODEMIDAE 280

CHRYSODEMIDES	280	<i>Cladognathus</i>	233	CLEROIDEA	56, 342, 343, 547, 856, 867, 868
CHRYSODÉMIDES	280	CLADOPHORINAE	325	CLEROPESTINAЕ	348
CHRYSDINA	537	<i>Cladophorus</i>	325	<i>Cleropiestus</i>	348
CHRYSDINITAE	537	<i>Cladotoma</i>	297	<i>Clerus</i>	342, 346, 347, 890
CHYSOLINA	521, 890	CLADOTOMINAE	49, 297	CLIDICINI	36, 214
CHYSOLININA	521	CLADOTOMINI	297	<i>Clidicus</i>	214
<i>Chrysolopus</i>	601	<i>Cladoxena</i>	357	CLIDONOTIDAE	520
<i>Chrysomela</i>	2, 17, 388, 428, 451, 505, 519, 890	CLADOXENINAE	357	CLIDONOTITES	520
CHYSOMELIDAE	77, 110, 260, 265, 431, 469, 505, 536, 638, 640, 870, 871, 880, 881, 884, 885, 887, 889, 890, 894	CLAMBIDAЕ	45, 273	<i>Clidonotus</i>	520
CHYSOMELINAE	79, 451, 505, 519	CLAMBINAE	45, 273	<i>Clinia</i>	500
CHYSOMELINI	79, 519	CLAMBINI	273	CLINIDIINA	102
CHYSOMELOIDEA	15, 71, 451, 452	CLAMBOIDEA	272	CLINIDIINI	20, 102
<i>Chrysophora</i>	259	<i>Clambus</i>	273	<i>Clinidium</i>	102
CHYSOPHORIDAE	259	<i>Clamoris</i>	400	CLINIIDAE	500
CICERONINAE	231	CLANINI	381	CLINIIDES	500
<i>Ciceronius</i>	231	<i>Clanis</i>	381	CLINIINI	500
<i>Cicindela</i>	103	<i>Claviger</i>	179, 180	CLINOLABINA	554
CICINDELETAE	103	CLAVIGERIDAE	179, 180	<i>Clinolabus</i>	554
CICINDELIDAE	102	CLAVIGERINA	31, 180	CLINTERIIDAE	267
CICINDELINA	20, 103	CLAVIGERINI	31, 180	CLITOBIADES	420
CICINDELINAE	20, 103, 837, 838	CLAVIGERITAE	31, 179	CLITOBIIINI	420
CICINDELINI	20, 103, 836, 837	<i>Clavigerodes</i>	180	<i>Clitobius</i>	420
CICINDINAE	20, 103	CLAVIGERODINA	31, 180	CLITOSTYLINA	82, 557
CICINDINI	103	CLAVIGERODINI	180	CLITOSTYLINI	82, 557
<i>Cicindis</i>	103	CLAVIGEROPSINI	180	<i>Clitostylus</i>	557
CIIDAE	63, 386	<i>Clavigeropsis</i>	180	<i>Clivina</i>	108
CIINAE	63, 386	CLAVILISPININA	36, 211	CLIVINIDIA	108
CIINI	63, 386	<i>Clavilispinus</i>	211	CLIVININA	21, 108
CILLAEINAE	60, 367	CLAVIPALPIDAE	251	CLIVININI	21, 108
<i>Cillaeus</i>	367	CLAVIPALPES	251	CLONIOCÉRIDES	490
CIMBERIDAE	540	<i>Clavipalpus</i>	251	CLONIOCERINI	75, 490, 491
CIMBERIDIIDAE	540, 874, 887	<i>Cleidecosta</i>	308	<i>Cloniocerus</i>	490
CIMBERIDINAE	80, 540	CLEIDEDESTINI	308	CLOSTERI	459
CIMBERIDINI	80, 540	<i>Cleidostethus</i>	382	CLOSTÉRIDES	459
<i>Cimberis</i>	540, 891	<i>Clema</i>	289	CLOSTERINAE	459
CINNABARIINI	45, 275	CLEMATINA	48, 289	<i>Closterus</i>	459
<i>Cinnabarium</i>	275	<i>Clemina</i>	289	<i>Clystaeraea</i>	383
CINYRA	282	CLEOGONIDAE	624	<i>Clypeaster</i>	382, 383
CINYRINI	282	<i>Cleogonini</i>	91, 624	CLYPEASTERIDAE	383
CIONIDES	579	<i>Cleogonus</i>	624	CLYPEASTRES	382
CIONINI	86, 579	<i>Cleomenes</i>	469	CYTAIRES	469
<i>Cionus</i>	579	CLÉOMÉNIDES	469	<i>Clytbra</i>	532
CIRCAEIDAE	448	CLEOMENINAE	469	CLYTHRIDAE	532
<i>Circaeus</i>	448	CLEOMENINI	73, 469	CLYTIIDAE	469
CIS	386	CLEONIDAE	620	CLYTINI	73, 469
CISANTHRIBINI	81, 550	CLEONIDES	620	<i>Clytra</i>	532
<i>Cisantribus</i>	550	CLEONINI	2, 17, 91, 620, 848, 849, 850, 871	CLYTRINI	79, 532
CISIDAE	386	<i>Cleonis</i>	620	<i>Clytus</i>	469
CISSEINA	48, 289	<i>Cleonus</i>	620	CNEMACANTHIDAE	124
<i>Cisseis</i>	289	CLEOPTERIIDAE	166	CNÉMACANTHIDES	124
CISSITES	441	CLEOPTERIINAE	166, 874	<i>Cnemacanthus</i>	124
CISSITINI	441	<i>Cleopterium</i>	166	CNEMALOBINI	23, 124
CISTELA	427	CLERIDAE	57, 241, 346, 349, 640, 845, 878, 881, 890	<i>Cnemalobus</i>	124
CISTELENIAE	427	CLERII	342, 346, 347	<i>Cnemeplatiа</i>	403
CLADOGNATHIDAE	233	CLERINAE	57, 347, 349	CNEMEPLATIНА	65, 403
				CNEMEPLATIINI	65, 403
				CNÉMÉPLATIITES	403

- CNEMIDONTINI 622
Cnemidontus 622
 CNEMIDOPHORINI 622
Cnemidophorus 622
 CNEMODINI 404
 CNEMODININAЕ 404
 CNEMODININI 65, 404
Cnemodus 404
 CNEMOGONINI 88, 591
Cnemogonus 591
Cnemoplites 458
 CNÉMOPLIENS 458
 CNEMOPLITINAE 458
Cneoglossa 296
 CNEOGLOSSIDAE 49, 296
 CNEOGLOSSINI 296
 CNÉORHINIDES 605
 CNEORHININI 90, 605
Cneorhinus 605
 CNEORHYNCHIDES 620
Cnidia 114
 CNIDINA 22, 114
 CNIDINI 115
 CNODALIDAE 432
 CNODALIDEN 432
Cnadalon 432
 CNODALONINI 68, 432
 CNOPINA 70, 449
Cnopus 449
Coccidula 376
 COCCIDULAEIDAE 376
 COCCIDULIENS 376
 COCCIDULINI 61, 376
Coccinella 374, 376
 COCCINELLIDAE 61, 374, 376
 COCCINELLINAE 61, 374
 COCCINELLINI 61, 376
Coelaenomenodera 513
 COELAENOMENODERINI 78, 513
 COELARTHRIDAE 478
 COELARTHRIDES 478
Coelartron 478
 COELINI 404
COELIODES 591, 890
 COELIODES 527
Coelomera 527
 COELOMERINI 527
 COELOMERITES 527
 COELOMÉRITES 527
 COELOMETOPIDAE 432
 COELOMÉTOPIDES 432
Coelometopon 162
 COELOMETOPONINI 29, 162
Coelometopus 432
 COELONERTINA 87, 588
 COELONERTINI 588
Coelonertus 588
Coelophora 377
 COELOPHORAIRES 377
Coelophorina 377
 COELOPTERINI 381
Coelopterus 381
COELORRHINA 266
 COELORRHINAE 266
Coelostoma 157
 COELOSTOMATINI 28, 157, 873
 COELOSTOMITAE 157
Coelus 404
 COENECARINI 341
 COENOCHILIDAE 264
 COENOCHILINA 43, 264
Coenochilus 264
Coiffaitiola 173
 COIFFAITIOLINA 173
 COLASPIDAE 536
Colaspidema 520
 COLASPIDEMIDAE 520
 COLASPIDÉMITES 520
 COLASPIDINI 536
Colaspis 536
COLASPOIDES 537
 COLASPOIDINI 537
Colasposoma 537
 COLASPOSOMINI 537
Colecerus 607
 COLEOCERINI 607
Coleocerus 607
 COLEOMERINA 87, 588
 COLEOMERINI 588
Coleomerus 588
 COLEOPTERINI 381
Colilodian 181
 COLILODIONINI 31, 181
 COLLIURIDES 105
 COLLIURINI 138
Colliuris 105, 138
 COLLOPINA 353
Collops 353
 COLLYRIDAE 104
 COLLYRIDINA 20, 104
 COLLYRIDINI 20, 104
 COLLYRIENS 104
Collyris 104, 105
Colobodera 296
 COLOBODERIDES 296
 COLOBODERINAЕ 297, 874
Colobodes 626
 COLOBODINA 92, 626
 COLOBODINI 626
Colobotea 491
Colobothearia 491
 COLOBOTHEINI 75, 491
 COLOBOTHEITAE 491
Colon 170, 891
 COLONES 170
 COLONINAE 30, 170, 873
Colophon 235
 COLOPHONINI 235
Colotes 352
 COLOTINI 353
Colotis 353
Colpochila 250, 251
 COLPOCHILINI 251
Colpoda 141
 COLPODÉRIDES 455
 COLPODERINAE 455
Colpoderus 455
Colpodes 141
 COLPODIDAE 141, 879
 COLPODIDAS 141
 COLPOSTERNINI 339
Colposternus 339
Colpothis 351
 COLPOTHISIDAE 351
 COLYDIIDAE 392, 393, 402, 433,
 877
 COLYDIIDES 392, 393
 COLYDIINAE 64, 392
 COLYDIINI 64, 393
 COLYDIOPELTINI 57, 343
Colydiopeltis 343
Colydium 392, 393, 893
Colymbetes 149, 150
 COLYMBETINAE 26, 149
 COLYMBETINI 26, 149, 150
Colymbomorpha 248
 COLYMBOMORPHINI 41, 248
 COLYMBOMORPHITAE 248
 COLYMBOTETHIDAE 26, 147
Colymbotethis 147
Cometes 453
 COMÉTITES 453
 COMMATOCERINI 180
Commatorcerus 180
COMOPHORINA 248
 COMOPHORINI 248
 COMOPHORININI 41, 248
Compactopedia 192
 COMPACTOPEDIINA 33, 192
 COMPACTOPEDIINA 192
Compsa 474, 608
 COMPSI 608
Compsina 73, 474, 608, 879, 881
Compsini 474, 879, 881
 COMPSOCERINI 73, 469
 COMPSOCERITAE 469
Compsocerus 469
 COMPSOCNEMINA 50, 302
Compsocnemis 302
 COMPSOPLINTHINA 51, 308
 COMPSOPLINTHINI 308
Compsoplinthus 308
Compsosoma 491
 COMPSOSOMATINI 75, 491
 COMPSOSOMITAE 491

- COMPSOSOMITES 491
Compsus 474, 608
Conalia 390
CONALIINI 63, 390
CONDERINI 53, 323
Conderis 323
CONIATINA 619
Coniatus 619
CONIONTIDAE 404
CONIONTINI 65, 404
Coniontis 404
CONIPORINA 355
Coniporus 355
Conjunctia 102
CONJUNCTII 20, 102
CONJUNCTINI 102
Conoderes 310, 592, 593
CONODERIDES 592, 593
CONODERINAE 88, 309, 592, 593,
 881, 882
CONODERINI 88, 593, 854, 881,
 882
Conoderus 309, 593, 852
CONONOTINI 445
Cononotus 445
CONOPALPIENS 389
CONOPALPINA 389
CONOPALPINI 389
Conopalpus 389
CONOPHORIDES 593
Conophorus 593
CONORHYNCHIDES 620
CONORHYNCHINA 620
Conorhynchus 620
Conorynchus 620
Conosoma 191
CONOSOMINI 191
CONOTRACHELIDES 624
CONOTRACHELINI 91, 624
Conotrachelus 624
Comaniella 284
COOMANIELLI 47, 284
COPELATINA 26, 150
COPELATINI 150
Copelatus 150
COPOBAENINAE 70, 447
Copobaenus 447
COPRIDES 242
COPRINI 40, 242
Coprinispheara 272, 890
COPRINISPHAERIDAE 45, 272, 890
Copris 242, 892
COPROBIADAE 243
Coprobius 243
COPROPHILIDA 212
COPROPHILINA 211
COPROPHILINI 36, 211, 212
Coprophilus 211, 892
Coptocera 275
- Coptoclava* 147
COPTOCLAVIDAE 26, 147
COPTOCLAVINAE 26, 147
Coptoclaviska 147
COPTOCLAVISCINAE 26, 147
Coptocycla 512
COPTOCYCLITAE 512
Coptodactyla 242
COPTODACTYLINI 242
Coptodera 136
COPTODERINAE 136
Coptoderini 136
Coptomia 268
COPTOMIINA 44, 268
Coptomiini 268
Coptomma 470
COPTOMMATINI 73, 470
COPTOMMIDES 470
COPTONOTIDAE 632
COPTONOTINI 93, 632
Coptonotus 632
Coptorhynchus 605
COPTORRHYNCHINA 605
Coptotermoecia 194
COPTOTERMOECINA 33, 194
COPTOTOMINAE 26, 150
Coptotomini 150
Coptotomus 150
COPTURIDAE 594
Copturus 594
CORAEBINA 48, 289
CORAEBINI 48, 288, 289
Coraebus 288, 289
CORDOBANINI 34, 195
Cordobanus 195
Cordylospasta 439
CORDYLOPASTIDAE 439
Corigetini 606
Corigetus 606
Corimalia 571
CORIMALINI 85, 571
CORINTASCARINA 21, 110
CORINTASCARINI 110
Corintascaris 110
CORNEOLABIINI 30, 175
Corneolabium 175
Corotoca 195
COROTOCINA 34, 195
COROTOCINI 34, 195
CORRHÉCÉRIDES 545
CORRHÉCERINI 80, 545
Corrhicerus 545
Corsyra 126
CORSYRINI 126
CORTHYLI 632
CORTHYLINA 93, 632
CORTHYLINI 93, 632
Corthylus 632
Corticaria 384, 895
- CORTICARIIDAE* 384
CORTICARIIDAE 384, 873, 895
CORTICARIINAE 62, 384
CORTICEINI 431
Corticeus 430, 431
CORTICINI 394
Corticus 394
CORYLOPHI 382
CORYLOPHIDAE 62, 382
CORYLOPHINAE 62, 382
CORYLOPHINI 62, 382
Corylophodes 383
CORYLOPHODINI 383
Corylophus 382
Corymbites 315
CORYMBITINAE 315
CORYMBITINI 315
Coryna 440
CORYNEMERINA 88, 593
CORYNEMERINAE 593
Corynemerus 593
Corynetes 348
CORYNETIDAE 348
CORYNITES 440
Corynodes 536
CORYNODINA 536
Corynofrea 490
CORYNOFREINA 490
CORYNOMALIDAE 373
Corynomalus 373
CORYPHINA 31, 175, 176
CORYPHIINI 30, 175
Coryphium 175, 176, 892
Coryphocera 266
CORYPHOCERIDAE 266
CORYPHOCERINA 44, 266
CRYPTICIDI 233
Crypticus 233
Cryptius 233
CORYSSOMERINA 593
CORYSSOMERINI 88, 593
Coryssomerus 593
CORYSSOPIDES 593
CORYSSOPIN 593
CORYSSOPODINI 88, 593, 594
Coryssopus 593
CORYTHODERINA 239
CORYTHODERINI 40, 239
Corythoderus 239
Coscinia 112
COSCIINIDES 112
COSMOCEPINAE 339
COSMOCEOIDEOS 339
Cosmocerus 339
COSMOVALGINAE 272
Cosmovalgus 272
Cosmania 138
COSSINODÉRIDES 620
Cossinoderus 620

- COSSONIDES 595, 596
 COSSONINAE 88, 595, 843, 849
 COSSONINI 88, 596
Cossonus 595, 596
 COSSYPHINAE 397, 876
 COSSYPHINI 64, 397, 398
Cossyphodes 404
 COSSYPHODIDAE 404
 COSSYPHODINA 65, 404
 COSSYPHODINI 65, 404
Cossyphodites 404
 COSSYPHODITINA 65, 404
 COSSYPHODITINAE 404
 COSSYPHORES 398
Cossyphus 398
 COSTODÉRIDES 136
Cotaster 596
 COTASTERIDEN 596
 COTASTERINEN 596
 COTASTERINI 596
 COTASTEROMIMINA 92, 630
 COTASTEROMIMINI 630
Cotasteromimus 630
Cotasterosoma 598
 COTASTEROSOMINI 598
 COTASTRINI 596
Coxelini 394
Coxelus 394
 CRANIOTINI 402
Craniotus 402
 CRANOPHORAIRES 378
 CRANOPHORINI 61, 378
Cranophorus 378
 CRANOPOEINI 86, 579
Cranopoeus 579
 CRASPEDOMERI 223
Craspedomerus 223
 CRATACANTHI 130
Cratacanthus 130
Cratocara 131
 CRATOCARINI 131
 CRATOCERI 124
 CRATOCERIDAE 124
 CRATOCÉRIDES 124
 CRATOCERINI 23, 124
Cratocerus 124
Cratogaster 143
 CRATOGASTRI 143
 CRATOGNATHIDAE 129
Cratognathus 129
 CRATOMPHII 327
 CRATOMORPHINI 54, 327
Cratomorphus 327
 CRATONYCHIDAE 317
 CRATONYCHINI 318, 872
Cratonychus 317
 CRATOPARES 545
 CRATOPARINI 80, 545
Cratoparis 545
 CRATOPININI 605
 CRATOPODINI 90, 605
Cratopus 605
 CREMASTOCHEILINA 43, 264
 CREMASTOCHEILINI 43, 263, 875
Cremastocheilus 263, 264
 CREMASTOCHILIDAE 263, 264
 CREMATOXENINI 34, 197
Crematoxenus 197
 CREOBIINA 21, 112
 CREOBITAE 112
Creobius 112
 CREOPHILIDAE 223
Creophilus 223, 892
Crepidodera 523
 CREPIDODERAE 523
 CRÉPIDODÉRITES 523
Crepidogaster 121
 CREPIDOGASTRINI 23, 121
 CREPIDOGASTRITAE 121
 CREPIDOMENINAE 313
 CREPIDOMENINI 51, 313
 CRÉPIDOMÉNITES 313
Crepidomenus 313
 CRETANTHRIBINI 80, 545
Cretanthribus 545
 CRETOCHODAEINAE 39, 236
 CRETOCHODAEINI 236
Cretobodaeus 236
Cretocoma 225
 CRETOCOMINAE 38, 225
 CRETOCOMINI 225
Cretogeotrupes 228
 CRETODETRUPINI 38, 228
 CRETOGLAPHYRINAE 40, 238
 CRETOGLAPHYRINI 238
Cretoglyphyrus 238
Cretomelolontha 248
 CRETOMELOLONTHINI 41, 248
 CRETONEMONYCHINAE 80, 544
Cretonemonyx 544
Cretonodes 334
 CRETONODINI 55, 334
 CRETOSCARABAEINAE 41, 245
Cretoscarabaeus 245
 CRETULIINI 85, 575
Cretulio 575
 CRINOTARSIDES 492
 CRINOTARSINI 492
Crinotarsus 492
 CRIOCEPHALINAE 464
 CRIOCÉPHALITES 464
Criocephalus 464
 CRIOCERIDES 509
 CRIOCERINAE 78, 509
Criocerini 78, 509
Crioceris 509, 890
 CRIOMORPHATES 464
 CRIOMORPHINI 464
Criomorphus 464
 CROSSOTARSARIAE 638
Crossotarsus 638
 CROSSOTINA 75, 490
 CROSSOTTAE 490
Crossotus 490
Crownioniella 95
 CROWSONIELLIDAE 18, 95
Crymus 177
Cryphaeus 426, 865
 CRYPHALINI 93, 632
 CRYPHALOIDEAE 632
Cryphalus 632
Cryphiphorus 613
 CRYPTAFRICINI 59, 361
Cryptafucus 361
Cryptamorpha 362, 363
 CRYPTAMORPHINI 363
Cryptarcha 367
 CRYPTARCHINA 367
 CRYPTARCHINAE 60, 367
 CRYPTARCHINI 60, 367
 CRYPTICINA 428
 CRYPTICINI 68, 428, 864
 CRYPTICITES 428
Crypticus 428
Cryptobia 218
Cryptobia 218
 CRYPTOBINHA 37, 218
 CRYPTOBINAE 218
Cryptobium 218
 CRYPTOCARDINI 51, 308
Cryptocardius 308
 CRYPTOCEPHALINA 79, 533
 CRYPTOCEPHALINAE 79, 532
 CRYPTOCEPHALINI 79, 532
 CRYPTOCEPHALOIDEAE 532, 533
Cryptocephalus 532, 533, 890
Cryptochile 405
 CRYPTOCHILIDAE 405
Cryptochilina 65, 405
 CRYPTOCHILINI 65, 405
 CRYPTOCHILITES 405
Cryptodacne 358
 CRYPTODACNINI 358
Cryptoderma 8, 571
 CRYPTODERMATINAE 8, 85, 571
 CRYPTODERMINAE 571
 CRYPTODINA 43, 262
 CRYPTODINAE 262
 CRYPTODINI 262
Cryptodon 262, 270
Cryptodontes 262, 270
 CRYPTODONTIDAE 262, 270, 884
 CRYPTODONTIDES 270
 CRYPTODONTINA 44, 262, 270, 884
Cryptodus 262
 CRYPTOGENIINI 237
Cryptogenius 237

<i>Cryptoglossa</i> 406	CTENICERINAE 315	844, 845, 846, 847, 848, 849,
CRYPTOGLOSSINI 65, 405, 406, 876	CTENICERINI 315	850, 851, 852, 854, 855, 856,
<i>Cryptognatha</i> 378	<i>Ctenidia</i> 389	858, 864, 866, 867
CRYPTOGNATHAIRES 378	CTENIDIINAE 63, 389	CURCULIOPSIDAE 98
CRYPTOGNATHINI 61, 378	CTÉNIOPITES 427	<i>Curculiopsis</i> 98
CRYPTOHYPNI 314	CTENIOPODIDAE 427	CURIDINA 47, 284, 285
CRYPTOHYPNINA 314	CTENIOPODINAE 426, 876	CURIDINI 47, 284
CRYPTOHYPNINI 314, 872	CTENIOPODINI 2, 17, 67, 427, 428	CURI 470
CRYPTOHYPNITES 314	<i>Cteniopus</i> 427	CURIINI 73, 470
<i>Cryptohypnus</i> 314	<i>Ctenistes</i> 188	<i>Curis</i> 284, 285
CRYPTO LAEMAIRES 381	CTENISTINI 33, 188	<i>Curius</i> 470
<i>Cryptolaemus</i> 381	CTÉNISTITES 188	<i>Curtos</i> 329
CRYPTOLARYNGINA 85, 575	<i>Ctenodactyla</i> 125	CURTOSINI 54, 329
<i>Cryptolarynx</i> 575	CTENODACTYLIDAE 125	<i>Cussolenis</i> 311
<i>Cryptomera</i> 273	CTENODACTYLINI 23, 125	CUSSOLENTIAE 311
CRYPTOMERIDA 273	CTENOPHORIDAE 633	<i>Cyathiger</i> 186
<i>Cryptommata</i> 596	<i>Ctenophorus</i> 633	CYATHIGERINI 32, 186
CRYPTOMMATINI 88, 596	<i>Ctenoscelis</i> 456	CYATHOCERIDAE 10, 98
CRYPTONOTOPSEINI 34, 197	CTENOSCELITAE 456	CYATHOCEROIDEA 98, 873
<i>Cryptonotopsis</i> 197	<i>Ctenostoma</i> 105	<i>Cyathocerus</i> 98
CRYPTONOTOSPISINI 197	CTENOSTOMATINI 20, 105	ČYBÉBIDES 569
CRYPTONYCHINI 78, 513	CTENOSTOMIDAE 105	CYBEBINAE 569
CRYPTONYCHITES 513	<i>Ctesias</i> 335	CYBEBINI 569
<i>Cryptonychus</i> 513	CTESIBIINAE 299	CYBEBITAE 85, 569
CRYPTOPHAGIDAE 59, 359, 360,	CTESIBIINI 50, 299	<i>Cybebus</i> 569
871, 881, 882, 890	<i>Ctesibus</i> 299	<i>Cybister</i> 151
CRYPTOPHAGINA 59, 359, 881, 882	CTESIINI 335	ČYBISTERINI 26, 151
CRYPTOPHAGINI 59, 360, 881, 882	<i>Cubipa</i> 536	CYBISTRINI 151
<i>Cryptophagus</i> 359, 360, 890	CUBISPINI 79, 536	CYBOCEPHALIDAE 368
CRYPTOPHARYNGINA 575	CUCUJIDAE 2, 18, 59, 363, 429,	CYBOCEPHALINAE 60, 368
<i>Cryptopharynx</i> 575	839, 840, 841, 890	CYBOCEPHALITES 368
CRYPTOPHILINA 58, 357	CUCUJIPES 353, 363	<i>Cybocephalus</i> 368
CRYPTOPHILINI 58, 357	CUCUJOIDEA 4, 58, 353, 492, 839,	CYCHRAMIDIAE 366
<i>Cryptophilus</i> 357	840, 855, 856, 857, 867, 868	CYCHRAMINI 60, 366
CRYPTOPLI 579	<i>Cucujus</i> 353, 363, 890	<i>Cychromptodes</i> 366
CRYPTOPLIDES 579	CUNEIPECTINI 23, 125	CYCHRAMPTODINI 60, 366
CRYPTOPLINI 86, 250, 579	<i>Cuneipector</i> 125	<i>Cychromus</i> 366
<i>Cryptoplus</i> 579	<i>Cuneipectus</i> 125	CYCHRI 106
<i>Cryptops</i> 574	CUPEDIDAE 8, 18, 95	CYCHRINI 20, 106
CRYPTOPSIDES 574	CUPEDINAE 18, 95	<i>Cyhrus</i> 106
CRYPTORAMORPHINI 341	<i>Cupes</i> 9, 95	<i>Cyclaxyra</i> 365, 891
<i>Cryptoramorphus</i> 341	CUPESIDAE 95	CYCLAXYRIDAE 59, 365, 640, 891
CRYPTORHYNCHIDES 598, 599	<i>Curculio</i> 540, 577, 580, 844	CYCLAXYRINA 365
CRYPTORHYNCHIDIINI 599	CURCULIONIDAE 2, 15, 17, 86, 107,	<i>Cyclocephala</i> 260
<i>Cryptorhynchidius</i> 599	137, 160, 169, 176, 201, 246,	ČYCLOCEPHALIDAE 260
CRYPTORHYNCHINA 89, 599	250, 253, 281, 310, 360, 415,	ČYCLOCEPHALINI 43, 260
CRYPTORHYNCHINAE 89, 598, 599,	474, 494, 564, 567, 570, 572,	ČYCLOCEPHALITES 260
887	574, 577, 578, 603, 607, 608,	CYCLOMIDES 600, 602
CRYPTORHYNCHINI 89, 599	611, 616, 620, 621, 841, 842,	CYCLOMINAE 89, 580, 582, 586,
<i>Cryptorhynchus</i> 598, 599, 890	843, 844, 845, 846, 847, 848,	600, 603, 845
<i>Cryptosomatula</i> 361	849, 850, 851, 871, 879, 881,	CYCLOMINI 89, 602
CRYPTOSOMATULINI 361	882, 885, 887, 890, 891, 894	CYCLOMMATINI 235
CRYPTOSTOMA 306	CURCULIONINA 86, 580	<i>Cyclommatus</i> 235
CRYPTURGI 633	CURCULIONINAE 86, 576, 577, 578,	<i>Cyclomus</i> 600, 602
CRYPTURGINI 93, 633	841, 844	CYCLONOTAIRE 157
<i>Crypturgus</i> 633	CURCULIONINI 86, 580	CYCLONOTIDES 157
<i>Ctenicera</i> 315, 854	CURCULIONITES 540, 577, 580	CYCLONOTINI 157, 873
CTENICERINA 315	CURCULIONOIDEA 4, 15, 80, 98,	<i>Cyclonotum</i> 157
	540, 640, 840, 841, 842, 843,	CYCLOPTERIDAE 609

- CYCLOPTERINI 609
Cyclopterus 609
 CYCLOSOMIDAE 125
 CYCLOSOMINA 23, 125
 CYCLOSOMINI 23, 125
Cyclosomus 125
Cycloteres 624
 CYCLOTÉRIDES 624
 CYCLOTERINA 91, 624
 CYCLOTERINI 91, 624
Cyclotoma 373
 CYCLOTOMIDAE 373
 CYCLOXENINI 369
Cyclo xenus 369
 CYCNOTRACHELINA 556
Cyenorachelus 556
 CYDISTINAE 54, 331
Cydistus 331
Cydonia 377
 CYDONIARES 377
 CYDONIINA 377
 CYLADES 563
 CYLADINI 84, 563
Cylas 563
 CYLDRINA 346
Cylidrus 346
 CYLINDRINOTINA 67, 417
Cylindrinotus 417
 CYLINDROBROTINI 93, 633
Cylindrobrotus 633
 CYLINDROCOPTURINI 595
Cylindrocpturus 595
Cylindrocorynus 599
 CYLINDROCOSYNINAE 599
 CYLINDROMORPHINA 48, 288
 CYLINDROMORPHINI 288
CYLDROMORPHOIDES 288
 CYLINDROMORPHOIDINA 48, 288
 CYLINDROMORPHOIDINI 288
Cylindromorphus 288
Cylindromorphotinus 417
Cylindronotus 417
Cylindrornites 417
 CYLINDRORHINIDES 605
 CYLINDRORHININAE 605
Cylindrorhinus 605
 CYLINDROTHORIDES 427
Cylindrothorax 427
 CYLINDROXYSTINA 37, 219
 CYLINDROXYSTINI 219
Cylindroxystus 219
Cylleene 469
 CYLLENITAE 469
 CYLLIDIARIES 155
Cyllidium 155
Cyllodes 366
 CYLLODINI 60, 366
Cyllooma 157
 CYLLOMINA 157
Cyloma 157
- CYLYDRORHININI 90, 605
Cylhydrorhinus 605
 CYMATOPTERINI 150
Cymatopterus 150
 CYMBIONOTINI 113
Cymbionotum 112, 113
 CYMINDIDAE 134
 CYMINDIDINA 24, 134
Cymindis 134
 CYMOPHORINA 43, 264
Cymophorus 264
 CYNEGETIDES 378
 CYNEGETINI 61, 378
Cynegetis 378
Cyno 535
 CYNOINI 535
Cyparella 209
 CYPARELLINI 209
 CYPARIINI 36, 209
Cyparium 209
Cypha 201
 CYPHAGOGINA 84, 563
 CYPHAGOGINAE 563
 CYPHAGOGINI 84, 563
Cyphagogus 563
 CYPHALÉIDES 416
 CYPHALEINA 66, 416
 CYPHALEINAE 416
 CYPHALEINI 416
Cyphaleus 416
Cyhea 200
 CYPHEAE 200
 CYPHI 611
 CYPHICÉRIDES 605, 606
 CYPHICERINA 90, 606
 CYPHICERINAE 606
 CYPHICERINI 90, 605, 606
Cyphicerus 605, 606
 CYPHIDES 611
 CYPHINAE 201
Cyphini 201
Cypholoba 122
 CYPHOLOBINI 122
Cyphon 273
 CYPHONIDAE 273
 CYPHONOCERINAE 326
Cyphonocerus 326
Cyphosoma 143
 CYPHOSOMATINI 143
Cyphus 201, 611
 CYRIONICHINI 590
Cyrionychina 87, 590
Cyrionyx 590
 CYRTHOGNATHITAE 460
Cyrthognathus 460
 CYRTININI 75, 491
 CYRTINITAE 491
Cyrtinus 491
 CYRTODERINI 143
- Cyrtoderus* 143
 CYRTOGNATHITES 460
Cyrtognathus 460
 CYRTOLAINA 126
Cyrtolaus 126
Cyrtomon 611, 846
 CYRTONITES 520
 CYRTONOPINI 71, 453
Cyrtonops 453
Cyrtonus 520
Cyrtoscapria 451
 CYRTOSCRAPTIINI 451
 CYRTOSCYDMINI 10, 37, 215
Cyrtoscydmus 215
 CYROTTRIPACINA 358
Cyrottriplax 358
Cytusa 169
 CYRTUSINA 169
 CYSTEODEMIDES 439
Cysteodemus 439
Dacne 8, 357, 358
 DACNEIDAE 358
 DACNINI 8, 59, 357
 DACODERINAE 70, 446
 DACODERINI 446
Dacoderus 446
 DACTYLIPALPI 634
Dactylipalpus 634
Dactylocalcar 412
 DACTYLOCALCARINI 412
Dadobia 194
 DADOBIIINA 194
Dadophora 327
 DADOPHORINA 54, 327
 DADOPHORINI 327
Daemon 296
Daira 318
 DAIRAEIDAE 318
Dalmodes 187
 DALMODIINA 187
 DALMODIINI 187
Dalyat 109
 DALYATINAE 109
 DALYATINI 21, 109
Danacea 351
 DANACAEINA 351
 DANACAEOMIMINI 351
Danacaeomimus 351
DANACEA 351
 DANACEINI 58, 351
 DANACERINAE 435
 DANASCELINAE 61, 373
Danascelis 373
Danerces 435
Dapsa 373
 DAPSINI 373
 DAPTINI 129
Daptus 129
 DARAMINA 73, 472

- Daramus* 472
Darodilia 143
DARODILINI 143
Dascilidae 274
DASCILLIDAE 45, 274, 275, 872
DASCILLINAE 45, 274
DASCILLINI 45, 275
DASCILOIDEA 45, 274, 859, 872
Dascillus 274, 275
DASTARCINI 369
Dastarcus 369
DASYERINAE 31, 178
DASYERINI 178
Dasyerus 178
DASYDITES 350, 351
Dasytes 350, 351
DASYTETOIDAE 351
DASYTINAE 57, 350, 351
DASYTINI 58, 351
DASYVALGINAE 272
Dasyvalgus 272
Daveyia 189
DECAMERINAE 343
DECAMERINI 57, 343
Decamerus 343
DECARTHrina 8, 32, 186
Decarthrocera 526
DECARTHROcerina 526
DECARTHROcerini 79, 526
Decarthron 8, 186
DECARTHronini 186
Decataphanes 545
DÉCATAPHANIDES 545
DECATAPHANINI 81, 545
DECATOPHANINAE 545
Declinia 272
DECLINIIDAE 45, 272
Dectes 486
DECTITAE 486
Decusa 204
DECUSINI 204
DÉLATES 470
DEILINI 73, 470
Deilus 470
DEINOPSINI 34, 197
Deinopsis 197
Dejanira 470
DÉJANIRIDES 470
Dejanirinae 470
DEJANIRINI 73, 470
Deleaster 212
DELEASTERINI 212
Delevea 99
DELEVEINAE 19, 99
DELINIINI 143
Delinius 143
Delocheilus 455
DELOCHILI 455
DÉLOCHILIENS 455
Delochilus 455
Delocrania 513
DELOCRAANIINI 78, 513
DELOCRAANIITAE 513
Delphastus 378
DELPHINIDAE 216
DELTOCHILA 243
DELTOCHILIDAE 243
DELTOCHILIDES 243
DELTOCHILINI 41, 243
Deltochilum 243
Deltocnemis 169
DELTOMERIDAE 116
DELTOMERINA 22, 116
Deltomerodes 117
DELTOMERODINA 22, 117
Deltomerus 116
Demarziella 242
DEMARZIELLINI 242
DEMETRIADINA 24, 134
Demetrias 134
DEMETRIINAE 134
Demimaea 585
DEMIMAEINA 87, 585
DEMIMAEINI 585
Dendarina 67, 421
Dendarus 421, 422
Dendezia 234
DENDEZIINI 234
DENDROCHARINI 50, 303
Dendrocharis 303
DENDROCTONIDES 634
Dendroctonus 634, 890
DENDROMETRIDAE 313
DENDROMETRINA 51, 313
DENDROMETRINAE 51, 313, 854,
 855
DENDROMETRINI 51, 313
Dendrometrus 313
DENDROPHAGIDAE 362
Dendrophagus 362
DENDROPHILINAE 28, 159
DENDROPHILINI 28, 159, 160
Dendrophilus 159, 160
DENDROPLANETEIDAE 347
Dendroplanetes 347
DENDROSIINI 636
Dendrosinus 636
DENTICOLLINA 51, 313
DENTICOLLINAE 313, 854, 872
DENTICOLLINI 313, 314
Denticollis 313, 314
DEPASOPHILINA 83, 561
Depasophilus 561
DEPORAINA 83, 559
Deporaini 83, 559
Deporaus 559
DERALLINI 155
Derallus 155
DÉRANCISTRINES 462
DERANCISTRINI 462
Derancistrus 462
Derbyiella 599
DERBYELLINA 599
DERCETINA 528
DERCYLIDAE 126
DERCYLINI 23, 126
Dercylus 126
DERELOMIDAE 577
DÉRÉLOMIDES 577
DERELOMINA 86, 577
DERELOMINI 577
Dereolomus 577
Derema 203
DEREMINI 203
DERETAPHRINI 369
Deretaphrus 369
DERIDEA 437
DERIDEIDES 437
DERIDEINAE 437
DERIDEINI 68, 437
Dermatodes 605
DERMATODINI 605
DERMATOHOMOEINI 169
Dermatohomoeus 169
Dermestes 333
DERMESTIDAE 55, 333, 891
DERMESTINA 55, 333
DERMESTINI 55, 333
DERMESTOIDES 348
DERMESTOIDINI 348
Derobrachitae 461
Derobrachus 460, 461
DERODONTIDAE 55, 332
DERODONTINA 55, 332
DERODONTOIDEA 55, 332, 856,
 867, 872
Derodontus 332
DEROLATHRIINAE 333
Derolathrus 333
Deronectes 152
DERONECTINI 152
DEROPINI 33, 190
Derops 190
DEROPSINI 190
DESMATINI 52, 320
Desmatus 320
DESMIDOPHORINAE 576
DESMIDOPHORINI 86, 576
Desmidophorus 576
Desmiphora 491
DESMIPHORINI 75, 491
DESMIPHORITAE 491
DESMOCERINI 72, 462
DESMOCERITAE 462
DESMOCÉRITES 462
Desmocerus 462
DESMONYCHINA 43, 258

- DESMONYCHINAE 258
 DESMONYCINAE 258
Desmonyx 258
 DESMORHINES 584
Desmoris 584
Deuterocaulobius 247
 DEXORINAE 53, 325, 326
 DEXORINI 325
Dexoris 325, 326
Dhysores 101
 DHYSORINA 101
 DHYSORINI 20, 101
 DIABATHRARIIDAE 580
 DIABATHRARIINAE 580
 DIABATHRARIINI 86, 580
Diabathrarius 580
Diabrotica 529
 DIABROTICINA 529
 DIABROTICINI 529
 DIABROTICITES 529
 DIACANTHIDAE 315
Diacanthus 315
 DIAMERINAE 633
 DIAMERINI 93, 633
Diamerus 633
Diamphidia 523
 DIAMPHIDIIDAE 523
 DIAMPHIDIINI 523
 DIAMPHIDITES 523
 DIAPERIALE 428, 429
 DIAPERIDAE 397
 DIAPERINA 68, 429
 DIAPERINAE 68, 400, 415, 428, 865
 DIAPERINI 68, 428, 864
Diaperis 428, 429, 893
Diaphanops 505
 DIAPHANOPSIDINI 77, 505
Diaphonia 268
 DIAPHONIADAE 268
 DIAPODARIAE 638
 DIAPODINA 93, 638
 DIAPODINI 638
Diapus 638
 DIARTHRICERINI 180
Diarthricerus 180
 DIATELIITAE 209
Diatelium 209
Dibolia 523
 DIBOLIAE 523
 DIBOLIINI 523
 DIBOLITES 523
Dicaelina 24, 137
Dicaelus 137
Dicerca 281, 889
 DICERCAEIDAE 281
 DICERCINA 46, 281
 DICERCINI 46, 281
Dicheirotrichus 131
 DICHELIDAE 249
 DICHELIDEN 249
 DICHELONYCHIDAE 248
 DICHELONYCHINI 41, 248
Dichelonyx 248
Dichelus 249
 DICHILLINA 411
Dichillus 411
 DICHIROTRICHI 131
Dichirotrichus 131
Dichophyia 473
 DICHOPHYAEIDAE 473
 DICHTOMIINI 242
Dichotomius 242
 DICHTRACHELINI 89, 602
Dichotachelus 602
 DICOELIDAE 137
Dicoelus 137
Dicrania 251
 DICRANIADAE 251
Dicranocephalus 266
Dicranosterna 521
 DICRANOSTERNINI 521
 DICREPIDIINI 52, 317
 DICREPIDIITAE 317
Dicrepidius 317
Dicrochile 137
 DICROCHILINA 24, 137
 DICRODONTINA 25, 146
 DICRODONTINI 146
Dicrodontus 146
 DICRONOCEPHALINA 44, 266
Dicronocephalus 266
 DICRONYCHIDAE 319
Dicronychus 319
 DICTYOPTERA 321
 DICTYOPTERINAE 53, 321
 DICTYOPTERINI 53, 321
Didactylia 239
 DIDACTYLINA 40, 239
 DIDREPANEOPHORINA 43, 259
Didrepanephorus 259
 DIDREPANOPHORINA 259
Didrepanophorus 259
Didymonycha 488
 DIDYMONYCHINI 488
 DIEROPSINA 347
Dieropsis 347
Diestota 197
 DIESTOTATES 197
 DIESTOTINI 34, 197
Dietta 168
Diglossa 197
 DIGLOSSAIRES 197
 DIGLOSSINI 198
Diglotta 197, 198
 DIGLOTTINA 198
 DIGLOTTINI 34, 197, 198
 DIGNAMPTINI 433, 877
Dignamptus 433
 DIGRAMMINI 34, 198
Digrammus 198
 DIHAMMATINI 53, 323
Dihammatus 323
 DILAMITES 420
Dilamus 420
 DILOLYCINA 325
 DILOLYCINAE 325
Dilolycus 325
Dilophochila 257
 DILOPHOCILINA 257
Dilophotes 323
 DILOPHOTINAE 322, 323
 DILOPHOTINI 53, 323
Dima 314
 DIMERINI 32, 182
 DIMEROMETOPINI 180
Dimerometopus 180
Dimerus 182
Dimetrota 194
 DIMETROTAE 194
 DIMINAE 314, 853
 DIMINI 51, 314
 DIMITES 314
Dimonomera 203
 DIMONOMERINI 203
Dinapate 336
 DINAPATINAE 336
 DINAPATINI 55, 336
Dinarda 204
 DINARDAIRES 204
 DINARDINA 35, 204
 DINARDINI 204
 DINARDOPSES 200
 DINARDOPSIINA 34, 200
Dinardopsis 200
 DINARDOPSIS 200
Dineutes 100
 DINEUTIDES 100
 DINEUTINA 19, 100
Dinocorina 202
 DINOCORYNAE 202
 DINODERINA 337
 DINODERINAE 56, 337
Dinoderus 337
 DINOMORPHIDES 624
 DINOMORPHINAE 624
 DINOMORPHINI 92, 624
Dinomorphus 624
Dinorrhopala 583
 DINORHOPALINA 87, 583
Dinorrhopala 583
 DINORRHOPALINA 583
Diocalandra 572
 DIOCALANDRINI 85, 572
 DIOCHI 221
 DIOCHINAE 221
 DIOCHINI 38, 221
Diochus 221

- Dioctes* 129
Dioctini 129
Diodesma 395
Diodesmini 395
Diomini 61, 378
Diomus 378
Diorniae 470
Diornini 73, 470
Diorus 470
Dioryche 129
Diorychi 129
Diorymerides 588
Diorymerina 87, 588
Diorymerus 588
Dipelicina 43, 261
Dipelicus 261
Diphaulaca 526
Diphaulacini 526
Diphucephala 248
Diphucephalini 41, 248
Diphucéhalites 248
Diphucrania 289
Diphycerini 41, 249
Diphycerus 249
Diphycocephaloïdae 248
Diphyllidae 356
Diphylostoma 231
Diphylostomatidae 39, 231
Diphyllus 356
Diplocheila 137
Diplocyrtini 414
Diplocyrtus 414
Diplognatha 265
Diplognathidae 265
Diplognathini 44, 265
Diptotaxidae 249
Diptotaxini 41, 249
Diplotaxis 249
Dircea 388
Dircaeidae 388
Dircaeini 63, 388
Dirhagini 50, 301
Dirhagus 301, 865
Dirotognathini 618
Dirotognathus 618
Dirrhagini 301
Dirrhus 301
Disarthricerina 31, 180
Disarthricerus 180
Discheramocephalini 29, 165
Discheramocephalus 165
Discoloma 8, 370, 371
Discolomatidae 60, 370
Discolomatinae 8, 61, 371
Discolomidae 370, 371
Discoptera 126
Discopterini 126
Discotenes 546
DISCOTÉNIDES 546
DISCOTENINI 81, 546
Discotoma 377
DISCOTOMAIRES 377
DISCOTOMINI 377
Dismorpha 289
DISMORPHINA 48, 289
Disonycha 525
DISONYCHAE 525
DISONYCHINA 525
DISPHERICINI 140
Dispheericus 140
Dishericus 140
DISSONOMINI 66, 415, 416
DISSONOMITES 416
Dissonomus 415, 416
Distenia 453
DISTENIIDAE 71, 453
DISTENIINAE 451
DISTENIINI 71, 453
DISTENITAE 453
DISTENORRHININAE 80, 542
DISTENORRHININI 542
DISTENORRHINOÏDES 552
DISTENORRHINOIDINI 81, 552
Distenorhinus 542
Disterna 504
DISTERNINAE 504
Distichocera 470
DISTICHOCERINA 470
DISTICHOCERINI 73, 470
DISTICHOCÉRITES 470
Distipsidera 104
Distipsidera 104
DISTYPSIDERINI 104
Ditoma 394
DITOMICI 129, 394
DITOMIDA 394
DITOMINI 129
Ditomus 129, 394
Distropalia 200
DITROPALINI 200
DITYLATES 436
DITYLES 436
DITYLIDA 436
DITYLINI 68, 436
Ditylus 436
Docadocerus 484
DOCOHAMMIDI 496
Docohammus 496
DODECOSINI 73, 470
Dodecosis 470
DOLEROSOMINI 317
Dolerosomus 317
DOLICAINA 219
Dolicaon 219
DOLICAONES 219
DOLICAONINA 37, 219, 875
DOLICHIDAE 144
DOLICHIENS 144
DOLICHINA 25, 144
Dolichus 144
Doliema 429
DOLIEMINI 429
DOLOSIDAE 370
Dolosus 370
DOMINIBRENTINA 84, 564
DOMINIBRENTINI 564
Dominibrentus 564
Donacia 509
DONACIADAE 509
DONACIINAE 78, 509
DONACIINI 78, 509
Donacocia 509
DONACOCIADAE 509
DONDROPLANETEIDAE 347
DORCACÉRIDES 484
DORCACERINAE 484
Dorcacerus 484
Dorcadida 498
DORCADIDIIDAE 498
DORCADIDINI 498
Dorcadion 493
DORCADIONINAE 493
DORCADIONINI 76, 493
DORCADOCERINI 484
DORCADODIIDAE 493
Dorcadodium 493
Dorcaschema 493
DORCASCHEMATINI 76, 493
DORCASCHEMITAE 493
DORCASOMIDES 465
DORCASOMINA 72, 465
DORCASOMINI 465
Dorcasomus 465
Dorcatoma 340, 341, 892
DORCATOMINA 340
DORCATOMINAE 56, 340
DORCHASCHEMITAE 493
DORCIDAE 233
Dorcus 233
Dorkatoma 340
Dorylogaster 198
DORYLOGASTRINI 34, 198
DORYLOMIMINI 34, 198
Dorylomimus 198
Dorylophila 203
DORYLOPHILINA 35, 203
DORYLOPHILINI 203
Dorynota 513, 514
DORYNOTINI 78, 513, 514, 871
Doryphora 519, 521
DORYPHORAE 519
DORYPHORES 519, 521
DORYPHORINA 519
DORYPHORINI 521
DORYSCELIENS 269
DORYSCELINA 44, 269

- Doryscelis* 269
DORYSCITES 531
Doryscus 531
Dorysthenes 460
DORYTOMINA 86, 580
DORYTOMINI 580
Dorytomus 580
DOYDIRHYNCHINI 8, 80, 541
DOYDIRHYNCHOIDEA 541
Doydirhynchus 8, 541
DRACONEMATIDAE 345
Drapetes 311, 867
DRAPETINI 311
Drapetis 311
Drasteria 309
DRASTERINI 309, 882
Drasterius 309, 891
DRÈPANOCÉRIDES 244
DREPANOCERINA 41, 244, 875
DREPANOCERINI 244
Drepanocerus 244
DREPANOXENINI 34, 198
Drepanoxenus 198
Drilaster 332
DRILIDAE 52, 320
DRILINAE 52, 320
DRILITES 320
DRILONIINAE 54, 329
Drilonius 329
Drilus 320
Drimostoma 126
DRIMOSTOMATINI 23, 126
DRIMOSTOMIDAE 126
DRIMOSTOMIDAS 126
DROMAEOLINI 305
Dromaeolus 305
Dromica 103
DROMICINA 20, 103
DROMICITAE 103
DROMIEI 134
DROMIIDAE 134
Dromius 134, 889
DROMIUSIDAE 134, 887
DROMIUSINA 24, 134
DROMIUSINI 133
DROSOCHRINI 418
Drosochrus 418
Dryala 387
DRYALATES 387
Dryobia 339, 471
DRYOBIADE 339, 471
DRYOBIIINI 73, 339, 471, 879, 884
Dryobius 339, 471
Dryocoetes 633, 890
DRYOCOETINI 93, 633
DRYOCOETOIDEA 633
Dryoctenes 486
DRYOCtenini 486
DRYOCtenitae 486
DRYOPHILIDAE 338, 471
DRYOPHILINAE 56, 338
DRYOPHILINI 56, 338
Dryophilus 338, 339
DRYOPHTHORIDAE 85, 571, 891
DRYOPHTHORIDES 571
DRYOPHTHORINAE 85, 571
Dryophthora 571, 891
DRYOPIDAE 49, 294, 872
DRYOPIDES 294
Dryops 294
DRYOTRIBI 596
DRYOTRIBINI 88, 596
Dryotribus 596
Drypta 127
DRYPTINAE 122, 127
DRYPTINI 23, 127
Duliticola 322
DULITICOLINAE 322
DYNAMOPINAE 245, 246
DYNAMOPODINAE 41, 245
DYNAMOPODINI 41, 246
Dynamopus 245, 246
Dynamostes 453
DYNAMOSTIDES 453
DYNAMOSTINI 71, 453
Dynastes 260
DYNASTIDAE 260
DYNASTINAE 43, 260, 880, 884
DYNASTINI 43, 260
Dysantes 425
DYSANTINA 425
DYSANTINAE 425
DYSCHARACHTHINI 50, 303
Dyscharachthis 303
DYSCHERINA 21, 110
Dyscherus 110
DYSCHIRIINI 21, 109
Dyschirius 109
Dyscinetus 260
DYSIDES 335
DYSIDIIDAE 335
DYSIDIINAE 55, 335
DYSLOBINI 618
Dyslobus 618
DYSMORPHOCERINAE 54, 331
Dysmorphocerus 331
Dystaxia 276
DYSTAXIINI 45, 276
DYSTAXINI 276
Dystheamon 371
DYSTHEAMONINI 60, 371
DYTICIDES 149, 150, 151
DYTISCIDAE 4, 15, 26, 149, 150,
 151, 887, 891
DYTISCINAE 26, 150
DYTISCINI 26, 151
Dytiscus 149, 150, 151, 891
EAROPHILIDAE 363
Earophilus 363
EBAEINI 353
Ebaeus 352, 353
Eboo 535, 536
EBOOINA 536
Eburia 471
EBURIINI 73, 471
ÉBURIITES 471
EBURITAE 471
Eburniogaster 196
EBURNIOGASTRINA 34, 196
ECCOPTARTHINAE 80, 542
ECCOPTARTHINI 542
Eccoptarthrus 542
ECCOPTINAE 595
Eccoptogaster 636
ECCOPTOGASTERINAE 636
ECCOPTOGASTERINI 636
ECCOPTOGASTRIDAE 636
ECCOPTOMENINI 124
Eccoptomenus 124
ECCOPTOPTERINA 637
Eccoptopterus 637
ECCOPTOTHORACINA 543
ECCOPTOTHORACINI 543
Eccoptothorax 543
Eccoptus 595
ECÉLONÉRIDES 546
ECELONERINI 81, 546
Ecelonerus 546
Echiaster 219
ECHIASTERES 219
ECHIASTERINA 37, 219
ECHINASPINI 624
Echinaspis 624
Echoma 516
Echthrogaster 305
ECHTHROGASTERINI 50, 305
Eciotachara 198
ECITOCHARINI 34, 198
ECITOCLIMACINI 213
Ecioclimax 213
Ecitogaster 198
ECITOGASTRINI 34, 198
Ecitopora 202
ECITOPORAE 202
Ectatosia 489
ECTATOSIIDAE 489
ECTATOSINI 489
ECTEMNORHINAE 606
ECTEMNORHINIDES 606
ECTEMNORHININI 90, 606
Ectemnorhinus 606
Etenessa 471
ETENESSINI 73, 471
Ectrephe 338
ECTREPHIDAE 338
ECTROMOPSINI 417
Ectromopsis 417

- Ectyche* 430
ECTYCHINI 68, 430
Ecyroschema 490
ÉCYROSCHÉMIDES 490
ECYROSCHÉMINI 490
Edrotes 406
ÉDROTIDES 406
EDROTINI 65, 406
Edusa 536
Edusella 536, 537
EDUSELLINI 537
EDUSINI 920
EDUSITAE 536
EDUSITES 536
Ega 133
Egidyella 335
EGIDYELLINI 55, 335
EGINI 133
Egolia 344
EGOLIIDES 344
ÉGOLIIDES 344
EGOLINI 57, 344
EGRIINI 88, 591
Egrius 591
EICOLYCTINI 356
Eicolyctus 356
Eidophelus 633
EIDOPHERINAE 633
EIDOREINAE 372
Eidoreus 372
Ekkoptogaster 636
ELACATIDIAE 445, 884
ELACATINAE 445, 884
Elacatis 445
Elachistarthron 197
ELACHISTARTHRONINI 197
ELAPHIDIINI 73, 471
Elaphidion 471
ELAPHIDIONINI 471
ELAPHIDIONITAE 471
ELAPHINI 263
Elaphinis 263
Elaphocera 255
ELAPHOCERINI 255
ELAPHOCERITAE 255
ELAPHRIDAE 102
ELAPHRII 107
ELAPHRINAE 21, 107
Elaphrus 107
Elater 298, 306, 316, 317
ELATERIDAE 2, 11, 17, 51, 211, 304,
 306, 307, 319, 449, 593, 625,
 640, 852, 853, 854, 855, 872,
 881, 882, 884, 891
ELATERIDES 298, 306, 316, 317
ELATERINAE 52, 316, 852, 854
ELATERINI 52, 317
ELATEROIDEA 49, 298, 307, 855,
 856, 866, 867, 872, 883
Electrapate 276
ELECTRAPATIDIAE 276
Electrapatini 45, 276
ELECTRIBIIDIAE 298
ELECTRIBIINAE 49, 298
Electribius 298
Electropogon 298
ELECTROPOGONINI 298
Eledona 415
ELEDONAEDES 415
Eledone 415
ELEDONIDIAE 415
ELEDONINAE 415, 863
Eleia 519
ELEIAEIDAE 519
Elenophoridae 406
ELENOPHORINAE 65, 406
ELENOPHORITES 406
Elenophorus 406
Eleodes 414
ELEODIINI 414
ELEODOPSINA 414
Eleodopsis 414
Eletica 437
ELETICIDES 437
Eleticina 69, 437
ELETICINAE 68, 437
Eleticini 68, 437
ELEUSININAE 210
ELEUSININI 36, 210
Eleusis 210
Eligmoderma 471
ÉLIGMODERMIDES 471
ELIGMODERMINI 73, 471, 472
Elithia 523
ELITHIIDAE 524
ÉLITHIIDES 524
Elithites 524
ÉLITHITES 523
Elleschina 580, 581
Elleschus 580, 581
Ellescina 86, 581
Ellescini 86, 580
Ellescus 580, 581
ELMIDAE 48, 155, 292, 293, 883,
 887, 891
Elmina 49, 293
ELMINAE 48, 292
Elmini 48, 293
Elmis 292, 293, 891
Elodes 273
ELODIIDAE 273
ELODOPHTHALMIDIAE 45, 274
Elodophthalmus 274
ELOPHORIA 154
Elophorus 154
Elosoma 353
ELOSOMATIDIAE 353
Elpidides 271
Elpidus 271
ELYTHOMERINAE 49, 295
ELYTHOMERINI 295
Elythomerus 295
Elytracantha 493
ÉLYTRACANTHINA 493
ELYTRACANTHINAE 493
ELYTRACANTHININI 76, 493
Elytrogona 516
ELYTROGONITES 516
ELYTROSPHAERITES 520
Elytrophoera 520
ELYTROSPHOERITES 520
Elytroxys 610
ELYTROXYSI 610
ELYTRURINI 90, 607
Elytrurus 607
Embaphion 413
EMBAPHIONIDES 413
EMBAPHIONINI 413
Embrithes 607
EMBRITHINAE 90, 607
EMELININI 70, 449
Emelinus 449
Emma 275
EMMALLINA 420
Emmallus 420
Emmalus 420
EMMINAE 275
Emmita 275
EMMITINAE 275
EMMITINI 45, 275
EMPELIDAE 177
EMPELINAE 31, 177
Empelus 177
Emphiastes 624
EMPHIASTIDES 624
Emphyastes 624
EMPHYASTINA 624
EMPHYASTINI 92, 624
Emphytia 360
Emphytus 360
Emphytoecia 500
EMPHYTOECIIDES 500
EMPHYTOECINI 501
EMPOCRYPTINI 58, 357
Empocryptus 357
Enaria 251
ENARIINA 42, 251
ENARINA 251
Encaustes 358
ENCAUSTINI 59, 358, 873
ENCAUSTITES 358
ENCCELADINI 22, 112
Enceladus 112
ENCHAPTERA 475
ENCHAPTERITAE 475
ENCHOPTERA 475
Encrates 135

- ENCRATIDAE 135
 ENCYCLOPINI 72, 462
Encyclops 462
 ENDAEINI 585
Endaeus 585
 ENDECATOMIDAE 55, 335
 ENDECATOMINI 335
Endecatomus 335
 ENDOCEPHALITAE 537
 ENDOCÉPHALITES 536
Endocephalus 536
 ENDOGNATHINI 236
Endognathus 236
Endomia 448
 ENDOMIINI 70, 448
 ENDOMYCHIDAE 61, 371, 431
 ENDOMYCHIDES 371, 373
 ENDOMYCHINAE 61, 373
Endomychus 371, 373
 ENDOPHLOEINI 395
Endophloeus 395
 ENGIDAE 358
 ENGIDITES 357
Engis 357, 358
Enhydra 100
 ENHYDRINA 19, 100
Enhydrini 19, 100, 873, 883, 895
Enhydrus 100, 891, 895
 ENICOCERINA 29, 164
Enicocerus 164
Enicodes 493
 ENICODINI 76, 493
 ENICODITAE 493
Enicopus 351
 ENNEAPAUSSINI 120
Enneapausus 120
 ENNEARABDINI 243
Ennearabdus 243
Enochrus 155
 ENODOGNATHINI 39, 236
Enodognathus 236
 ENOICINI 24, 127
Enicus 127
 ENOPLIIDAE 348
Enoplium 348
 ENOPLOCERITAE 456
Enoplocerus 456
Enoploderes 463
 ENOPLODERINI 463
 ENOPLOPINI 417
 ENOPLOPITES 417
Enoplotopus 417
Enoplotrupes 228
 ENOPLOTRUPINI 38, 228
Enoptes 444
 ENOPTISIDAE 444
Enotes 494
 ÉNOTIDES 494
 ENTIINAЕ 625
 ENTIMIDES 603, 607
 ENTIMINAE 89, 603, 607, 608, 611,
 616, 847, 850
 ENTIMINI 90, 607
Entimus 603, 607
Entomoculia 217
 ENTOMOCULIINI 37, 217
 ENTOMOCULINI 217
 ENTOMOSATOPINI 50, 303
Entomasatopus 303
 ENTOMOSCELIDES 521
 ENTOMOSCELINA 521
Entomoscelis 521
 ENTOMOSÉLITES 521
Entypodera 399
 EOBELIDAE 542, 543
Eobelina 80, 543
 EOBELINAE 80, 542
Eobelini 80, 543
Eobelus 542, 543
 EOCATOPINA 30, 170
Eocatops 170
Eoclytra 532
 EOCLYTRINI 532
 EODROMEINAE 20, 101
Eodromeus 101
 EOHOMEPTERINEN 119
 EOHOMEPTERINI 119
Eohomopterus 119
 EOPAUSSINA 23, 120
 EOPAUSSINAE 120
Eopaussus 120
 EORHIPIDIINI 63, 391
Eorhipidius 391
 EOSALACINA 560
Eosalacus 560
Eospasta 437
 EOSPASTINA 69, 437
 EPACTIINI 107
Epactius 107
 EPHEBOCERINAE 566
 EPHISTEMINI 361
Ephistemus 361
 EPICAERI 609
Epicaerus 609
Epicasta 492
 ÉPICASTIDES 492
 EPICASTINI 492
Epicauta 438
 EPICAUTINI 69, 438, 874
Epiichthionius 600, 602
Epidyella 335
 EPIDYELLINI 335
Epilachna 378
 EPILACHNIENS 378
 EPILACHNINAE 378
 EPILACHNINI 61, 378
Epilacnini 922
 EPILICHADINAE 297
Epilichas 297
 EPILISSIDES 243
Epilissini 243
Epilissus 243
 ÉPIMETOPINA 154
 ÉPIMETOPINAE 27, 154
Epimetopus 154
 ÉPIPÉDIDES 629
 ÉPIPÉDIDES 629
 EPIPEDINAE 629
Epipedocera 483
 ÉPIPEDOCERINI 483
Epipedophyes 629
 EPIPEDOPHYNAE 629
Epipedus 629
 EPIPHANINI 50, 301, 302
Epiphanis 301, 302
 EPIPHLOEINAE 348
 EPIPHLOEINI 348
Epiphloeus 348
 ÉPIPHLÖINEN 348
Epiphysa 402
 ÉPIPHYSIDES 402
 EPIPHYSINAE 402
 ÉPIPHYSINI 402
 EPIPOCIDAE 373
 EPIPOCINAE 61, 373
Epipocus 373
 ÉPIRHYNCHINI 620
Epirhynchus 620
 ÉPIRINI 243
 EPIRINIDES 243
Epirinus 243
Epirrhynchus 620
 ÉPISIDES 570
 ÉPISINI 570
 EPISOMIDES 607
 EPISOMINI 90, 607
Episomus 607
 ÉPISTICTINA 511
 EPISTICTININI 511
 EPISTOMENTINI 47, 285
Epistomentis 285
 ÉPISTROPHINA 92, 625
Epistrophus 625
Epitus 570
 ÉPITRAGII 406
 ÉPITRAGINI 65, 406, 876
 ÉPITRAGITES 406
Epitragus 406
Epiverta 379
 EPIVERTINI 61, 379
Epuraea 366
 ÉPURAEINAE 60, 366
 ÉPURAEINI 60, 366
 EREMAZINA 239
 EREMAZINAE 40, 239
 EREMAZINI 239
Eremazus 239

- ÉREMNIDES 616
 EREMNINI 616
Eremnus 616
 EREMOCHILINI 61, 379
Eremochilus 379
Eremotes 598
 EREMOTINI 598
 EREMOXENIDAE 563
 EREMOXENINA 83, 563
Eremoxenus 563
Eretes 151
 ERETINI 26, 151
Ergates 456
 ERGATINI 71, 456
 ERGATITES 456
Erichsonia 454
 ERICHSONIINI 71, 454
 ERICHSONITAE 454
Erichsonius 223
 ERINEOPHILIDES 634
Erineophilus 634
 ERIOCNEMIAE 229
Eriocnemis 229
Erionispa 469
 ERIONISPIDAE 469
 ERIONISPITES 469
 ÉRIONISPITES 469
 ERIONOMINAE 231
Erionomus 231
 ERIOTOMI 130
Eriotomus 130
 EРИPHITAE 484
Eriphus 484
 ERIRHINIDES 575
 ERIRHININAE 85, 575, 844
 ERIRHININI 85, 575
Erirhinus 575
Erlandia 472
 ERLANDIINI 73, 472
 ERNOBIINAE 56, 339
Ernobius 339
 ERNOPORINAE 632
Ernoporus 632
 ERODIIDES 407
 ERODIINI 65, 406, 862, 876
 ERODISCIDE 581
 ERODISCINI 86, 581
Erodiscus 581
Erodius 406, 407
Eros 323
Eroschema 472
 ÉROSCHÉMIDES 472
 EROSCHEMINAE 472
 EROSCHEMINI 73, 472
 EROTES 323
 EROTILENAE 356, 357, 358
 EROTINI 53, 323
 EROTYLIDAE 58, 356, 385, 873, 891
 EROTYLINAE 58, 357
 EROTYLINI 59, 358
 EROTYLOIDEA 353
Erotylus 356, 357, 358
Ertlia 437
Ertliana 437
 ERTLIANINA 437
 ERTLIANINI 69, 437
 ERTLIINI 437
 ERYTHRAENINAE 455
Erythraenus 455
 ERYTHRINAE 480
Erythrus 480
 ESARCINAE 62, 385
 ESARCINI 385
Esarcus 385
 ESCALERINA 275
 ESCALERINI 275
 ESCALERININI 45, 275
 ESCHATOPORINI 398
Eschatoporis 398
Esemephe 404
 ESEMEPHINA 65, 404
 ESEMEPHINI 404
 ESSISINI 492
Esisus 492
Estadia 168
 ESTADIINI 30, 168
 ESTENOGENIANOS 407
Estenorhinus 562
 ESTHESOPINAE 319
Esthesopus 319
Estola 492
 ESTOLAE 492
 ESTOLIDES 492
 ESTOLINI 492
 ETHONIINA 48, 289
Ethonion 289
 EUAESTHETINA 216
 EUAESTHETINAE 37, 216
 EUAESTHETINI 37, 216
Euaesthetus 216
Euanoma 320
 EUANOMINI 52, 320
 EUBAPTINAE 508
 EUBAPTINI 77, 508
Eubaptus 508
 EUBOLBITINI 38, 227
Eubolbitus 227
 EUBRACHINI 535
Eubrachis 535
Eubria 296
 EUBRIADES 296
 EUBRIANACINAE 49, 296, 874
 EUBRIANACINI 296
Eubrianax 296
 EUBRIINAE 49, 296
 EUBRIINI 296
Eucaeri 132
Eucaerus 132
 EUCALATHI 144
Eucalathus 144
Eucallia 104
 EUCALLIINI 104
 EUCALLOPISTINA 46, 281
Eucallopistus 281
Eucalosphaera 368
 EUCALOSPHERINI 60, 368
 EUCANTHINI 38, 227
Eucanthus 227
 EUCATOPINI 30, 171
Eucatops 171
 EUCERATOCERINI 339
Euceratocerus 339
Euchaeeus 269
Euchela 136
 EUCHEILINAE 136
 EUCHEIRIDAE 249
Eucheirus 249
Eucheyla 136
 EUCHIRINI 41, 249
Euchirus 249
Euchlora 257
 EUCHLORIDAE 257
Euchroe 142
Euchroea 269
 EUCHROEENS 269
 EUCHROEIDAE 269, 884
 EUCHROEINA 44, 269, 884
Euchroeus 269
 EUCHROIDES 142
 EUCHROINA 25, 142
 EUCHROINI 142
Euchroma 282
 EUCHROMATINA 46, 282
 EUCIBDELINA 38, 222
 EUCIBDELINI 222
Eucibdelus 222
 EUCLINETIDAE 45, 273
 EUCINÉTIDES 273
 EUCINETINI 273
Eucinetus 273
 EUCNEMIDAE 50, 299, 449, 640,
 865, 866, 873, 895
 EUCNEMIDES 299, 303
 EUCNEMINAE 50, 303
 EUCNEMINI 50, 303
Eucnemis 299, 303
 EUCONNINI 215
Euconnus 215
Euconosoma 191
 EUCONOSOMINI 191
Eucrada 337
 EUCRADINAE 56, 337
 EUCRADINI 56, 337
 EUCRANIADAE 243
 EUCRANIINI 41, 243
Eucranium 243
 EUDACTYLINI 310

- EUDACTYLITES 310
Eudactylus 310
Euderes 625
Euderia 337
 EUDÉRIDES 625
 EUDERIINAE 56, 337
 EUDERIITAE 337
 EUDERINAE 625
 EUDERINI 92, 625, 881
Euderus 625
 EUDIAGOGINI 90, 607
Eudiagogus 607
 EUDICRONYCHINAE 52, 319
Eudicronychus 319
Eudsantes 425
 EUDYSANTINA 67, 425
Eugenysa 514
 EUGENYSINI 78, 514
Euglenes 449, 450, 889
 EUGLENESIDAE 448, 449, 450, 869,
 887
 EUGLENESINA 70, 450
 EUGLENESINI 70, 449
 EUGLENIDAE 450
 EUGLENINI 449, 450
 EUGLOCHIDA 394
 EUGLOCHIDAE 393
Euglochis 393
 EUGNAMPTINA 83, 560
Eugnamptus 560
 EUGNATHATES 176
Eugnathus 176
 EUGNOMI 581
 EUGNOMIDES 581
 EUGNOMINA 86, 581
 EUGNOMINI 86, 581
Eugnomus 581
 EUGONIDES 545
 EUGONINI 545
Eugonus 545
 EULABES 416
 EULABINI 66, 416
Eulabis 416
Eulampra 104
 EULICHADIDAE 49, 297, 298
Eulichas 297, 298
Eumelepta 530
 EUMELEPTITES 530
 EUMICHTHINI 73, 472
Eumichthys 472
 EUMICRINI 216
Eumicrus 216
 EUMOLPIDAE 534, 536
 EUMOLPINAE 79, 534, 536, 539
 EUMOLPINI 79, 536
Eumolpus 534, 536, 894
 EUMORPHIDAE 373
Eumorphus 373
Eunectes 151
 EUNECTINI 151
 EUNEMADINA 30, 170
Eunemadus 170
 EUOMIDAE 601
 EUOMIDES 601
 EUOMINI 601
Euomus 601
 EUOPINI 82, 555, 556
Euops 555
 EUOPSINI 555
Eupages 603
 EUPAGIDAE 603
 EUPAGIDES 603
 EUPAGINI 603
Eupales 539, 894
 EUPALINI 539, 894
Euparia 240, 545
 EUPARIINA 240, 878, 885
 EUPARINI 40, 240, 545, 875, 878,
 885
Euparius 240, 545
Euphalepus 185
 EUPHANIAE 212
Euphanias 212
 EUPHANIINI 36, 212
 EUPHOLINI 90, 608
Eupholus 608
Euphoria 263
 EUPHORIAE 263
 EUPHORIINI 43, 263
Euplectalecia 282
 EUPLECTAECIINA 46, 282
 EUPLECTIDAE 181, 182
 EUPLECTINI 32, 182
 EUPLECTITAE 31, 181
 EUPLECTROSCLES 525
Euplectroscelis 525
Euplectus 181, 182
 EULINTHINA 51, 308
 EULINTHINI 51, 308
Eulinthus 308
Eupoecila 268
 EPOECILIDAE 268
 EUPOGONII 492
Eupogonius 492
Eupompha 439
 EUPOMPHAE 439
 EUPOMPHINA 439
 EUPOMPHINI 69, 439
Eupromera 494
 EUPROMERINI 76, 494
 EUPROSOPINI 104
Euprosopus 104
 EUPSALINI 563
Eupsalis 563
 EUPSENIINA 32, 186
 EUPSENIINI 186
Eupsenius 186
 EUPSILOBIINAE 61, 372
 EUPSILOBINI 372
Eupsilobius 372
 EUPSOPHULITES 412
Eupsophulus 412
 EURHINIDES 588
 EURHININA 87, 567, 588
 EURHININAE 588
 EURHININI 567, 588
Eurbinus 567, 588, 890
 EURHYNCHIDAE 567
 EURHYNCHIDES 566, 567
 EURHYNCHINAE 84, 566, 567, 887
 EURHYNCHINI 84, 567
Eurhynchus 566, 567, 889
Eurispa 514
 EURISPINI 78, 514
 EURISPITES 514
 EUROPINI 59, 359
Europs 359
 EURRHACINA 324
 EURRHACINI 53, 324
Eurrhacus 324
Eurychora 401
 EURYCHORIDAE 401
 EURYCHORITES 401
 EURYDERI 130
Euryderus 130
 EURYGENII 446, 447
 EURYGENIINA 70, 446
 EURYGENIINI 70, 447
Eurygenius 446, 447
 EURYLOBI 610
Eurylobus 610
Eurymetopon 406
 EURYMETOPONINI 406
Eurymycter 8, 549
 EURYMYCTERINI 8, 549
 EURYNOTAIRES 422
 EURYNOTINA 67, 422
Eurynotus 422
Eryoda 104
 EURYODINI 104
Eryope 537
 EURYOPINI 79, 536, 537
 EURYOPITAE 537
 EURYOPITES 537
 EURYPALPINI 296
Eurypalpus 296
Erypedus 516
 EURYPINAE 69, 443, 457
 EURYPITAE 443
Eurypoda 443, 456, 457
 EURYPODINI 71, 443, 456, 457, 870
Eurypon 299
 EURYPOGONIDAE 299
 EURYPTYCHINI 50, 305
Euryptychus 305
Erypus 443
 EURYSPHINDINAE 355

- Euryphindus* 355
EURYSTERNINA 41, 244
EURYSTERNINI 244
Eurysternus 244
Eurystethes 446
EURYSTETHIDAE 446
EURYTRICHINI 128
Eurytrichus 128
Euryusa 199
EURYSIDES 199
EURYUSINI 199
EUSATTI 404
Eusattus 404
EUSCELINA 82, 554
EUSCELINI 554
EUSCELOPHILINA 82, 554
Euscelophilus 554
Euscelus 554
EUSPHALERINI 31, 176, 875
Eusphalerum 176
Eusteniamorpha 198
EUSTENIAMORPHINI 34, 198
EUSTILBINI 364
Eustilbus 364
Eustra 118
EUSTRINI 118
EUSTROPHIDAE 387
EUSTROPHINAE 63, 387
EUSTROPHINI 63, 387
Eustrophus 387
EUSTYLIDAE 608
EUSTYLINI 924
EUSTYLINORUM 608
Eustylus 608
Eusyneta 123
EUSYNETADAE 123
EUTÉLIDES 432
EUTELINAE 432
EUTELINI 432, 433
Eutelus 432
Eutheia 215
EUTHEIINI 37, 215
Euthiconus 215
EUTOMIDES 415
Eutomus 415
EUTOXIDES 589
EUTOXINA 87, 589
Eutoxus 589
EUTRACHELIDES 562
EUTRACHELÉIDES 562
EUTRACHELINA 562
EUTRACHELINAЕ 562
Eutrachelus 562
Euvira 206
EUVIRAE 206
EUXESTINAE 60, 369
Euxestus 369
Evaniocera 390
ÉVANIOCÉRIDES 390
EVANIOCERINI 391
ÉVANIOSOMIDES 407
EVANIOSOMINAE 407
EVANIOSOMINI 65, 407
Evaniosomus 407
EVASPIDOTIDAE 512
Evaspistes 512
EVIDES 282
EVIDINI 46, 282
EVOTINI 614
Evotus 614
EXAGISTINI 47, 285
Exagistus 285
EXAPIINA 84, 568
EXAPIINI 568
Exapion 568
Exechesops 549
EXOCENTRINAЕ 499
EXOCENTRITES 499
Exocentrus 499
EXOCHOMAIRES 375
Exochomus 375
Exomella 291
EXOMELLINI 48, 291
EXOPHTHALMINI 608
Exophtalmodes 608
EXOPHTHALMODINA 608
Exophtalmus 608
Exoplectra 376
EXOLECTRIDES 376
Exora 531
EXORINI 531
Exosoma 530
EXOSOMITES 530
EXOSTERNINI 28, 160
Exosternus 160
Exothispa 514
EXOTHISPINI 78, 514
Fabia 342
FABIINAE 342
Falagria 198
FALAGRIATES 198
FALAGRIINA 198
FALAGRIINI 34, 198
FALSAMBLESTHIINI 494
Falsamblesthis 494
FALSOCOSSYPHINI 66, 416
Falsocossyphus 416
FALSOMYCTERINAE 407
FALSOMYCTERINI 65, 407
Falsomycterus 407
FARONIDES 185
FARONITAE 32, 185
Faronus 185
Felda 199
FELDINA 199
FELDINI 34, 199
Fenderia 216
FENDERINI 37, 216
Feronia 143
FERONIAE 143
FERONIDAE 143
FÉRONIENS 143
Fidia 535, 536
FIGULIDAE 233
Figulus 233
FISOGNATITOS 217
Flagrax 324
FLAGRAXINA 324
FLAMININAE 231
Flaminius 231
Floricola 539
Foadia 382
FOADIINI 62, 382
Fontanai 272
Forcipator 108, 109
FORCIPATORINA 21, 108, 109
FORMICOMINI 70, 448
Formicomus 448
Fornax 305
FORNAXINI 305
Forsteria 494
FORSTERIINI 76, 494
Fruhstorferia 260
FRUHSTORFERIINA 260
FULCIDACINA 534
FULCIDACINI 79, 534
Fulcidax 534
Fustiger 180
FUSTIGERINI 180
Gahania 472
GAHANIINI 73, 472
Galba 303
Galbella 279
GALBELLINAE 46, 279
GALBITES 304
GALBITES 303, 304
GALBITINI 50, 303, 304
Galerita 127, 889
GALERITIDAE 127
GALERITINA 127
GALERITINA 24, 127
GALERITINI 24, 127
GALERITININI 127
Galeritula 127
GALERITULINI 127
Galeruca 522, 527, 890
GALERUCAE 522, 527
GALERUCIDAE 505
GALERUCINAE 79, 522
GALERUCINI 79, 527
Gallerucida 528
Gallerucidia 135
GALLERUCIDIAE 135
GALLERUCIDIINA 24, 135
GALLERUCIDINAE 528
Galloisia 625
GALLOSIINAE 625

- GALLOISIINI** 92, 625
Ganglbaueria 435
GANGLBAUERIIDAE 435
GASTEROCERCINI 89, 600
Gasterocerus 600
GASTRALLINI 339
Gastrallus 339
GASTRAULACI 303
Gastraulacus 303
Gastrophysa 522
GASTROPHYSINA 522
Gehringia 113
GEHRINGIINA 22, 113
GEHRINGIINAE 22, 113
GEHRINGIINI 22, 113
Gempylodes 393
GEMPYLODINI 64, 393
GENECERINI 45, 275
Genecerus 275
Geniates 258
GENIATIDAE 258
GENIATINI 43, 258
GENUCHINA 43, 264
Genuchus 264
GENYOCERINA 638
Genyocerus 638
GEOBAENIDES 127
Geobaenini 24, 127
Geobaenus 127
GEOMORIDES 620
Geomorus 620
GEONEMIDAE 608
GEONEMINI 90, 608
Geonemus 608, 890
GEOPAEDERIDAE 220
Geopaederus 220
GEOPINI 128
Geopinus 128
GEORISSIDA 154
GEORISSIDAE 154
GEORISSINAE 27, 154
GÉORISSETTES 154
Georissus 154, 891
Geostiba 194, 893
GEOSTIBAE 194
Geotrupes 226, 227, 228, 891
GEOTRUPIDAE 38, 226, 887, 891
GEOTRUPINAE 38, 227
GEOTRUPINI 38, 226, 227, 228
GEOTRUPOIDEA 225
GERALIINA 48, 289
Geralius 289
Gerania 496
GERANITAE 496
Germarica 288
GERMARICINA 48, 288
GERMARICINI 288
GHANIINI 381
Ghanius 381
Ghidinia 173
GHIDIINAE 173
Gibbiinae 338
Gibbiini 56, 338
Gibbiites 338
Gibbium 338
Gietella 351
GIETELINAE 351
Gietellini 58, 351
Gilletinini 38, 227
Gilletinus 227
Ginema 128
GINEMI 24, 128
Glaciacivicola 168
GLACICAVICOLINAE 168
GLACICAVICOLINI 29, 168
Glandularia 215
GLANDULARIIDAE 215
GLAPHYRIDAE 40, 238
GLAPHYRINAE 40, 238
GLAPHYROMETOPI 611
Glaphyrometopus 611
GLAPHYROPTERA 287
GLAPHYROPTERIDAE 287
Glaphyrus 238
GLARESIDAE 39, 231
Glaresini 231
Glaresis 231
Glauocytes 472
GLAUCYTIDAE 472
GLAUCYTINA 472
GLAUCYTINI 73, 472
Glenea 501
GLENEI 501
GLISCHROCHILINI 368
Glischrochilus 368
Globa 185
Globina 185
Globulina 156
GLOBALOSEINA 27, 156
Globulosis 156
Gloesoma 383
GLOEOSOMATINI 383
Glycyphana 263
GLYCYPHANAE 263
Glypholoma 174
GLYPHOLOMATINAE 30, 174
GLYPHOLOMINI 174
Glypti 128
GLYPTINI 24, 128
Glyptoma 211
GLYPTOMINA 36, 211
Glyptoscelimorpha 276
GLYPTOSCELIMORPHINI 276
Glyptus 128, 889
GNAPHALOCNEMINAE 229
Gnaphalocnemis 229
Gnaptor 414
GNAPTORINA 414
Gnaptorina 66, 414
GNAPTORININA 66, 414
GNATHAPHANI 128
Gnathaphanus 128
GNATHIDIINA 68, 430
GNATHIDIINAE 430
GNATHIDIINI 68, 430, 433, 864
Gnathidium 430
Gnathocera 266
GNATHOCERIDAE 266, 429
GNATHOCERINI 429
GNATHOCÉRITES 428
Gnathocerus 428, 429
Gnathosia 411
GNATHOSIIDES 411
Gnathosina 411
Gnathosiini 411
GNATHOTRICHINA 632
Gnathotrichus 632
GNATHYMEMINA 219, 875
GNATHYMEMINAE 219
Gnathymenus 219
GNATIMENITOS 219
Gnatocerus 428, 429, 893
Gnoma 494
GNOMINI 76, 494
GNOMITAE 494
GNOSTIDAE 338
Gnostus 338
Gobicar 570
GOBICARINI 570
GOES 496
GOES 496
GOLIATHIDES 265, 267
Goliathina 44, 267
Goliathini 44, 265
GOLIATHOPSIDINA 43, 264
Goliathopsis 264
Goliathus 265, 267
Gomelia 449
GOMPELIINA 2, 17, 70, 449
Gonatas 229
GONATINAE 229
GONIACERIDES 185, 187
GONIACERINI 32, 186
GONIACERITAE 32, 185, 875
Goniacerus 185, 187
Goniadera 398
GONIADÉRIDES 398
Goniaderina 398
GONIADERINAE 398
Goniaderini 64, 398
Goniastes 186
GONIASTINI 186, 187
GONIASTITAE 185, 875
Goniochenia 514
GONIOCHENIICI 514
GONIOCHENIINI 78, 514
GONIOCHENIITAE 514

- Gonioctena* 519, 521
GONIOCTENAE 519
GONIOCTÈNES 519
GONIOCTENINA 519
Goniopleura 535
GONIOPLEURIDAE 535
GONIOPLEURITES 535
GONIPTÉRIDES 581
GONIPTERINAE 581
GONIPTERINI 86, 581, 582
Gonipterus 581
GONOCÉPHALATES 420
GONOCEPHALIDAE 420
GONOCÉPHALITES 419
Gonocephalum 419, 420
Gonodera 427
GONODERINA 67, 427
Gonophora 514
GONOPHORINI 78, 514
GONOPHORITES 514
GONOPIDES 423
GONOPINI 423
Gonopus 423
Gracilia 472
GRACILLAIRES 472
GRACILIINAE 472
GRACILIINI 73, 472
Grammoechus 501
GRAMMOPTERA 462
GRAMMOPTÉRATES 462
Graniger 112, 130
GRANIGERI 130
GRANIGERINI 112, 130, 879
GRAPHIPTERIDES 128
GRAPHIPTERINAE 122, 128, 869
GRAPHIPTERINI 24, 128
Graphipterus 128
GRAPHISURINI 486
Graphisurus 486
GRAPHODERINI 150
Graphoderus 150, 891
Graptus 604
Gromphas 245
GROMPHINA 245
GRONOPINA 602
GRONOPINI 602
Gronops 602
Gryllica 490
GRYLICIDES 490
GRYLICINAE 490
GRYLICINI 490
Guineauletes 558
GUINEAULETINA 83, 558
GUIOPÉRIDES 625
GUIOPERINI 92, 625
Guiperus 625
Gurvanocoleus 167
GUVCANOCELEINA 167
Gyaritini 76, 494
Gyaritus 494
GYMNETIDAE 267
GYMNETINA 44, 267
GYMNETINI 44, 267
Gymnetis 267, 892
GYMNETRINA 582
GYMNETRINAE 582
Gymnetron 582
Gymnetrus 582
Gymnochila 344
GYMNOCHILIDES 344
GYMNOCHILINAE 344
GYMNOCHILINI 57, 344
GYMNOCHILITAE 344
GYMNOGNATHINI 81, 546
Gymnognathus 546
Gymnoloma 249
GYMNOLOMIDAE 249
GYMNOLEURI 244
GYMNOPLEURIDES 243
GYMNOPLEURINI 41, 243, 244
Gymnopleurus 243
Gymnusa 199
GYMNUSIDA 199
GYMNUSINI 34, 199
GYNACOMELODIDES 439
Gynaecomeloe 439
GYRINIDAE 19, 99, 873, 883, 891, 895
GYRININA 20, 100
GYRININAE 19, 100
GYRININI 20, 100
GYRINITES 99, 100
Gyrinus 99, 100, 891
GYROHYPNIDAE 224
GYROHYPNINI 224, 225, 876, 888
Gyrohypnus 224, 893
Gyrophaena 200
GYROPHENA 34, 200
GYROPHENINI 200
HABROCERI 192
HABROCÉRIENS 192
Habrocerinae 33, 192
Habrocerus 192
Habrophora 537
HABROPHORINI 79, 537
Hadesia 171
HADESIINI 171
HADROBREGMINI 339
Hadrobregmus 339
HADROGNATHINI 31, 176
Hadrognathus 176
HADROMERIDES 616
Hadromeropsis 616
Hadromerus 616
Haematodes 224
Haemonia 509
HAEMONIINI 78, 509
HAETERIINAE 28, 161
HAETERIINI 28, 161
Haeterius 161
HALIPLIDAE 26, 146
HALIPLIDES 146
HALIPLINI 146
Haliphus 146
HALLOMENIDAE 387
HALLOMENINAE 63, 387
Hallomenus 387
HALORABYXINA 185
Halorabyxis 185
Haltica 522
HALTICITES 522
Halyzia 377
HALYZIARES 377
HALYZINI 377
Hameedia 225
HAMEEDINI 225
HAMOTINI 190
Hamotus 190
Hapactorrhynchus 619
HAPALIPINI 58, 357
Hapalips 357
HAPLOCHELIDAE 98
Haplochelus 98
HAPLOCNÉMATES 350
HAPLOCNEMINAE 350
Haplocnemus 350
haploglossa 205
Haplonycha 250, 580
HAPLONYCHIDAE 250, 881, 885
HAPLONYCHINAE 580
HAPLONYCHINI 250, 580, 881, 885
HAPLONYCIDES 580
Haplonyx 250, 580
HAPLOPIDAE 619
HAPLOPIDES 619
HAPLOPINI 619
Haplopodus 619
Haplopus 619
HAPLOSTETHINI 46, 278
Haplostethus 278
HAPLOTHORACINAE 325
Haplothorax 325
HAPLOTRINCHINA 46, 281
Haplotrinchus 281
HAPSODRILINA 51, 310
Hapsodrilus 310
Hapsomela 214
HAPSOMELINAE 214
HAPSOMELITAE 36, 214
HARPAGLOSSINI 124
Harpaglossus 124
Harpalii 121, 128, 129
Harpalina 24, 112, 129, 838
HARPALINAE 23, 112, 121, 122, 128, 836, 838, 869, 879
HARPALINI 24, 112, 128, 129, 838,

- Harpalus* 121, 128, 129, 839
Haruspex 478
HARUSPICINA 74, 478
Harvengia 411
HARVENGINA 411
HEBESECINAE 491
Hebesecis 491
Hebestola 494
HEBESTOLITAE 494
Hecyra 490
Hecyrida 490
HÉCYRIDIDES 490
HECYRIDINAE 490
HECYRINI 490
Hedobia 338
HÉDOBIARES 338
HEDOBIINI 56, 338
Hedyphanes 417
HÉDYPHANES 417
HEDYPHANINA 417
Hegemonia 433
HEGEMONINI 433
Heilipinae 626
Heilipus 626
Helea 416
HELEADAЕ 416
Heleina 66, 416
Heleini 66, 416
Helenaea 113
HELENAEINA 22, 113
HELICTOPLEURIDES 244
HELICTOPLEURINA 41, 244
Helictopleurus 244
HELIGMINI 308
Heligmus 308
HELIOLINI 76, 494
Heliolus 494
Heliomene 601
HELIOMENEIDAЕ 601
HELIOMENEINI 601, 871
Helipates 422
HÉLIOPATHAIRES 422
Heliopathes 422
Helluo 132
Helluodes 140
HELLUODINI 140
Helluomorpha 132
HELLUOMORPHINA 132
HELLUONIDAE 132
HELLUONINA 24, 132
HELLUONINI 24, 132
Helobata 156
Helochara 156
HELOCHARAE 156
Helochares 156, 891
HELOCHARINI 156
HELOPELTINI 155
Helopeltis 155
HELOPHERIDA 154
HELOPHORINAE 27, 154
Helophorus 154, 891
HELOPII 417
HELOPINA 67, 417
HELOPINAE 413
HELOPINI 66, 417
HÉLOPINIDES 418
HELOPININA 67, 418
HELOPININAE 418
HELOPININI 67, 418
Helopinus 418
Helops 417, 893
Helota 354
Helotes 354
HELOTIDAE 58, 354, 883
HÉLOTIDES 354
HEMICONDERININA 53, 324
Hemiconderis 324
HEMICREPIDIINA 51, 314
HEMICREPIDIINI 314
Hemicrepidius 312, 314
HEMILOPHINI 76, 494, 870
HEMILOPHITAE 494
Hemilophus 494
HEMIOPINAE 52, 319
Hemlops 319
HEMIPEPLIDAE 444
HÉMIPEPLIDES 444
HEMIPEPLINAE 69, 444
Hemipeplus 444
HEMPHARIDAE 268
Hemipharis 268
HÉMIRHIPIDES 308, 309
HEMIRHIPIDIINAE 63, 391
HEMIRHIPIDIINI 391
Hemirhipidius 391
HEMIRHIPINI 51, 308, 309, 852
HEMIRHIPITAE 309
Hemirhipus 308
Hemisphaerota 515
HEMISPHAEROTINI 78, 515, 871
Hemydace 537
HEMYDACINI 79, 537
HENICOLABINA 82, 554
Henicolabus 554
HÉNICOPAIRES 351
HENICOPINI 351
Henicopus 351
HENOINI 438
Henous 438
HÉPHÉBOCÉRIDES 566
HEPHEBOCERINA 566
Hephēbocerus 566
HEPTAULACATES 239
Heptauleacus 239
Heptophylla 252
HEPTOPHYLLINA 42, 252
HEPTOPHYLLINI 252
Hermaeophaga 525, 526
HERMAEOPHAGINA 525, 526
Hesperiidae 522
HESPERIDAE 522
HESPÉROPHANAIRES 472, 473
Hesperophanes 472, 473
HESPEROPHANINA 73, 473
HESPEROPHANINAE 473
HESPEROPHANINI 73, 472, 473
HESTHESINAE 473
HESTHESINI 73, 473
Hesthesis 473
HETAERINI 161
Hetaerius 161
HETAIROTERMES 207
Heteracantha 130
HETERACANTHI 130
HETERASPINAE 534
Heteraspis 534, 535
HÉTÉRIENS 161
HETEROCERIDAE 49, 295
HETEROCERINAЕ 49, 295
HETEROCERINI 49, 295
Heterocerus 295
Heterocheira 419
HETEROCHEIRINA 67, 419
HETEROCHEIRINI 419
HETEROCHELIDAE 249
Heterochelus 249
HETEROGENIINA 43, 264
Heterogenius 264
HETEROGYRINA 20, 100
HETEROGYRINI 100
Heterogyrus 100
Heteromorpha 141
HETEROMORPHIDAE 141
HETERONYCHINI 41, 249
HÉTÉRONYCIDES 249
Heteronyx 249
HETEROPALPINI 71, 453
Heteropalpus 453
HETEROPAUSSINA 23, 120
HETEROPAUSSINES 120
Heteropaussus 120
Heterophana 269
HETEROPHANAE 269
HETEROPHANINA 44, 269
HÉTÉROPHILATES 415
Heterophylus 415
Heterops 473
HÉTÉROPSIDES 473
HETEROPSINAЕ 473
HETEROPSPINI 73, 473
HETERORHINA 266
HETERORRHINA 266
HETERORRHINIDAE 266
Heteroscapha 209
HETEROSCAPHINI 209
Heteroscelis 423

- HÉTÉROSCÉLITES 423
Heterosoma 269
 HETEROSOMATINA 44, 269
 HETEROSTERNINA 43, 259, 875
 HETEROSTERNINAE 259
Heterosternus 259
Heterota 199
 HETEROTAE 199
 HETEROTARSINA 67, 419
 HETEROTARSINI 419
 HÉTÉROTARSITES 419
Heterotarsus 419
 HETEROTAXINI 205
Heterotaxus 205
Heterothops 222
 HETEROTHOPSI 222
 HEXACOLIDI 633
 HEXACOLINI 93, 633
Hexacolus 633
Hexagonia 132
 HEXAGONIAE 132
 HEXAGONIINI 24, 132, 870
 HEXALATES 240
Hexalus 240
 HEXAPLATARTHrina 121
Hexaplatarthrus 121
 HEXARTHRICITAE 498
Hexathrica 498
 HEXATHRICITAE 498
Hexatricha 498
Hexodon 260
 HEXODONTIDAE 261
 HEXODONTIDES 260
 HEXODONTINI 43, 260, 261
 HEXOPLINI 73, 473
Hexoplion 473
 HEXOPLONINI 473
 HILETINAE 21, 108
Hiletini 108
Hileius 108
Himalusa 199
 HIMALUSINI 34, 199
 HIMASTHLOPHALLINI 85, 576
Himasthlophallus 576
 HIMATININI 598
Himatium 598
 HIMATISMINA 412
Himatismus 412
Himatium 598
 HIMATOLABINA 82, 554
Himatolabus 554
Hippodamia 376
 HIPPODAETINA 131
Hippolaetus 131
Hippoloetis 131
 HIPPOMELANINA 46, 281
Hippomelas 281
Hippopsicon 488
 HIPPOPSICONINI 488
Hippopsis 487
 HIPPOPSITAE 487
 HIPPORHINIDAE 602
 HIPPORHININAE 602
 HIPPORHININI 89, 602
Hipporhinus 602
Hispa 515
Hispanoclava 147
 HISPANOCLAVINAE 26, 147
Hispellinus 515
 HISPINAE 510
 HISPINI 78, 515
Hispodes 552
 HISPODINI 552
Hispodonta 512
 HISPODONTITES 512
 HISPOIDEAE 515
 HISPOLEPTINI 78, 515
 HISPOLEPTITES 515
Hispopleptis 515
Hispostoma 522
 HISPOSTOMINI 522
Hister 158, 160
 HISTERIDAE 28, 158
 HISTERINAE 28, 160
 HISTERINI 28, 160
 HISTEROIDES 158, 160
Hobartiidae 59, 359
Hobartii 359
Hobartius 359
 HODOXENINA 33, 193
Hodoxenus 193
 HOLCORHINIDAE 609
 HOLCORHININI 90, 609
Holcorhinus 609
 HOLCROBEINI 41, 247
Holcorobetus 247
Holisi 223
Holisina 223
Holitus 222, 223
Hololepta 161
 HOLOLEPTIDAE 161
 HOLOLEPTINI 28, 161
 HOLOPARAMECINI 371
Holoparamecus 371
Holopleura 473
 HOLOPLEURINI 73, 473
Holopsis 383
 HOLOPTERIDES 473
 HOLOPTERINI 73, 473
Holopterus 473
 HOLOSTROPHINI 63, 387
Holostrophus 387
 HOLOZODINI 188
Holozodus 188
 HOMALISES 320
 HOMALISIDAE 321
 HOMALISIDES 321
Homalisus 320, 321
 HOMALOCERINA 81, 551
Homalocerus 551
Homalodera 115
 HOMALODERINI 115
 HOMALOPLINA 254
Homalota 199, 200
 HOMALOTIDA 199, 200
 HOMALOTINA 34, 200
 HOMALOTINI 34, 199
Homalotrichus 212
 HOMALOTRIQUITOS 212
 HOMEIINA 65, 405
Homebius 405
 HOMÉUSATES 204
 HOMODERINI 235
Homoderus 235
Homoeodera 550
 HOMOEODERIDES 550
 HOMOEOPLASTIDAE 639
Homoeoplastus 639
Homoeusa 204
Homonaea 495
 HOMONAEITAE 495
Homoneea 495
 HOMONEINI 76, 495
 HOMOPTERINA 23, 120
 HOMOPTERINAE 120
Homopterus 120
Homorhythmus 613
 HOMORYTHMINI 613
Homorythmus 613
Hoplardria 200
 HOPLANDRIAE 200
 HOPLANDRIINA 34, 200
 HOPLANDRIINI 34, 200
 HOPLAPODERINA 83, 557
 HOPLAPODERINI 82, 557
Hoplapoderus 557
Hoplia 249
Hoplideres 457
 HOPLIDERINI 71, 457
 HOPLIDERITAE 457
 HOPLIDES 249
 HOPLIINA 41, 249
 HOPLIINI 41, 249
Hoplionota 516, 517
 HOPLIONOTINI 517
 HOPLIONOTITAE 517
 HOPLIONOTITES 516
 HOPLITOXENINA 31, 180
 HOPLITOXENINI 180
Hoplitoxenus 180
Hoplocephala 429
 HOPOCEPHALINI 429
 HOPLOPISTHI 564
 HOPLOPISTHIINA 84, 564
Hoplopisthius 564
 HOPLRHININI 578

- Hoplorrhinus* 577
HOPLORRHININA 577, 578
Hoplorrhinus 577
Hoplosia 487
HOPLOSIAE 487
Horatoma 405
HORATOMINA 65, 405
HORELOPHINAE 27, 154
HORELOPHOPSINAЕ 27, 154
Horelophopsis 154
Horelophus 154
Horia 441, 891
HORIALES 441
HORIIAE 436, 441, 874, 887
HORIIINAE 441, 874
Horiini 69, 441
HORMISCI 549
Hormiscus 549
HORMOPINI 629
Hormops 629
HORMORI 609
HORMORINI 90, 609
Hormorus 609
Hornia 441
HORNIBIINI 539
Hornibius 539
HORNII 441
Hornius 539
Horologi 114
Horologion 114
HOROLOGIONIDAЕ 114
HOROLOGIONINI 22, 114
HYBALIDAE 246
HYBALITES 246
Hybalus 246
HYBOCEPHALINI 33, 188
Hybocephalus 188
Hybodera 474
HYBODERINI 73, 474
Hybolabina 82, 554
Hybolabini 554, 555
Hybolabus 554
HYBOMORPHIDES 584
HYBOMORPHINA 584
Hybomorphus 584
HYBORHABDINAE 495
HYBORHABDINI 76, 495
Hyborhabdus 495
Hybos 512
Hybosipa 515
HYBOSISPINI 78, 515
HYBOSITES 512
HYBOSORIDAE 40, 236, 237
HYBOSORINAE 40, 237
Hybosorus 236, 237
Hycleus 440
HYDATICINI 26, 151
Hydaticus 151
HYDATOPHILIDAЕ 156
- HYDATOPHILIDAE** 156
Hydatophilus 156
Hyderodes 151
HYDERODINI 26, 151
HYDNOBINAE 169
Hydnobius 169
Hydnocera 346, 347
HYDNOCERIDAE 347
HYDNOCERINAE 57, 346, 347
HYDNOCERINI 57, 347
HYDNOcéroïdes 346, 347
Hydraena 162, 163
HYDRAENAEIDAE 163
HYDRAENAIRES 162, 163
Hydraenida 163
HYDRAENIDAE 28, 162, 891
HYDRAENIDINI 29, 163
HYDRAENINAE 29, 163
HYDRAENINI 29, 163
Hydrobia 156
HYDROBIA 156
HYDROBIAIRES 156
HYDROBIIDAE 156, 883
HYDROBIINA 156, 883
Hydrobius 156, 891
HYDROBIUSINA 27, 156, 883, 887
HYDROCANTHINI 148
Hydrocanthus 148
HYDROCHIDAE 154
HYDROCHINAE 27, 154
Hydrochus 154
HYDROCOPTINI 152
Hydrocoptus 152
Hydrodutes 151
HYDRODTINAE 26, 151
HYDRONEBRIINI 149
Hydronebrius 149
HYDRONOMI 586
HYDRONOMIDES 586
HYDRONOMINI 586
Hydromomus 586
HYDROPHILIDAE 27, 153, 873, 883, 887, 891
HYDROPHILII 153, 154, 155, 156
HYDROPHILINA 27, 156
HYDROPHILINAE 27, 154
HYDROPHILINI 27, 155
HYDROPHILOIDEA 27, 153
Hydrophilus 153, 154, 155, 156, 891
HYDROPORIDES 151
HYDROPORINAE 26, 151, 152
HYDROPORINI 27, 151, 152
Hydroporus 151, 152
Hydropsyche 99
HYDROSCAPHIDAE 19, 99
Hydrosmepta 194
HYDROSMECTINA 194
Hydrotrupes 149
- HYDROTRUPINAE** 149
HYDROVATINI 27, 152
Hydrovatus 152
Hygriobia 149
Hygrobia 149, 891
HYGROBIIDAE 26, 149, 873, 891
HYGROBINAE 149
Hygronoma 201
HYGRONOMIDES 201
HYGRONOMINA 34, 201
HYGRONOMINI 34, 201
HYGROTINI 27, 152
Hygrotus 152
Hylaspes 527
HYLASPINA 527
Hylaspinis 79, 527, 528
HYLASPITES 527
Hylastes 634
HYLASTES 634
HYLASTINI 93, 634
HYLECOETI 342
HYLECOETIDAE 342
HYLECOETINAE 56, 342
HYLECOETOIDEA 10, 342, 873
Hylecoetus 342
Hylepnigalio 2, 17, 388
HYLEPNIGALIONIDAE 388
Hylesinen 634
HYLESINIDAE 634
Hylesinus 634
HYLOBIADAЕ 625, 626
Hylobiina 92, 626
HYLOBIINI 92, 625
Hylobius 625, 626
Hylochar 302
Hylochares 302
HYLOCHARINI 50, 302
Hylocharis 302
HYLOCHARITES 302
HYLOCURIDAE 635
Hylocurus 635
HYLOPHILIDAE 449
Hylophilus 449
HYLOTORINI 120
Hylotorus 120
Hylotrupes 474
HYLOTRUPINI 73, 474
HYLURGIIDAE 634
HYLURGINI 93, 634, 882
HYLURGOPINA 634
Hylurgops 634
Hylurgus 634
Hymaea 362
HYMAEINAЕ 362
HYOCIINA 68, 430
HYOCIINI 68, 430
HYOCINI 430
Hyocis 430

- HYORRHYNCHINAE 635
 HYORRHYNCHINI 93, 635
Hyorrhynchus 635
Hypasclera 435
HYPASCLERINI 435
Hypera 619
Hyperacantha 530
HYPERACANTHITES 530
HYPERASPIDINI 61, 379
HYPÉRASPIENS 379
HYPERASPINI 379
Hyperaspis 379
HYPERIDAE 619
HYPÉRIDES 619
HYPERINAE 91, 619, 871
HYPERINI 91, 619
HYPÉROPIDES 411
Hyperops 411
HYPHALINAE 49, 294
Hyphalus 294
HYPHYDRIIDAE 152
HYPHYDRINI 27, 152
Hyphydrus 152
HYPNOIDINI 51, 314, 872
Hypnoidus 314
HYPNOMORPHINI 52, 320
Hypnomorphus 320
HYPOBORINAE 635
HYPOBORINI 93, 635
Hypoborus 635
HYPOCEPHALI 453
HYPOCEPHALIDAE 453
HYPOCÉPHALIENS 452
HYPOCEPHALINI 71, 452
Hypocephalus 452
HYPOCOPRINI 59, 361
Hypocoprus 361
HYPOCYPTIDAE 201
HYPOCYPTINI 35, 201
Hycophytus 201
Hypodacne 369
HYPODESINI 317
Hypodesis 317
HYPODÉSITES 317
HYPOHYPURINI 88, 591
Hypolypurus 591
Hypoliodes 169
HYPOLIODINA 169
HYPOLITHINAE 314
Hypolithus 314
HYPOMELINA 66, 409
Hypomelus 409
HYPOPHAGINA 362
Hypophagus 362
HYPOPHLAEIDES 430
HYPOPHLAEINI 68, 430
Hypophlaeus 430
HYPOPRASINA 46, 282
Hypoprasis 282
Hypselegenia 267
HYPSELOGENIAE 267
HYPSELOMINAE 497
Hypselomus 497
Hypsioma 497
HYPSIOMATINI 497
HYPSIOMITAE 497
HYPSONOTIDAE 610
Hypsonotus 610
Hyptioma 222
HYPTIOMAE 222
HYPTIOMINA 38, 222
HYPULIA 417
HYPULIDAE 388
HYPULINI 63, 388
Hypulus 388, 417
HYPURIDAE 591
HYPURINI 88, 591
Hypurus 591
HYSTÉRARTHRIDE 399
HYSTERARTHRI 399
Hysteralthron 399
Iapir 99
Ibidion 474
IBIDIONINA 73, 474
IBIDIONINI 73, 474
IBIDIONITAE 474
Ichnea 348
ICHNEINAE 348
ICHNEOIDAE 348
Ichnestoma 267
ICHNESTOMATINA 44, 267
ICHNOÏDES 348
Ichnostoma 267
ICHTHYOSOMITAE 503
Ichthyosomus 503
ICHTHYURINI 54, 331
Ichthyurus 331
Ictistygna 447
ICTISTYGNINAE 447
ICTISTYGNINI 70, 447
Idacantha 530
IDACANTHITES 530
Idastrandiella 403
IDERATINI 73, 474
Ideratus 474
IDIABIIDAE 364
Idiobius 364
IDIOMORPHINAE 132
IDIOMORPHINI 24, 132
Idiomorphus 132
Idiostoma 246
IDIOSTOMINAE 246
Idisia 407
IDISIINI 65, 407
ILLOPINA 353
Illops 353
ILYBII 149
Ilybius 149
IMATIDIIDAE 515
IMATIDIINI 78, 515
Imatidium 515
IMIRINI 32, 187
Imirus 187
Inca 270
INCADAE 270
INCINA 44, 270
INIOCYPHINA 32, 187
INIOCYPHINI 32, 187
Iniocyphus 187
Inna 136
INOPEPLINAE 70, 446
INOPEPLINI 446
Inopeplus 446
IPHIIDAE 611
Iphimeis 537
IPHIMEITAE 537
IPHIMEITES 537
IPHIMÉITES 537
Iphius 611
IPINI 93, 360, 635, 881, 882
Ips 360, 635
Ips 360
Ipsimus 187
Iresia 104
IRESIINA 20, 104, 870
IRESINA 104
Iridotaenia 280, 889
IRIDOTAENINI 280
Ischalia 451
ISCHALIINAE 71, 451
Ischioloncha 489
ISCHIOLONCHIDES 489
ISCHIOLONCHINI 489
ISCHIOPACHINA 532
ISCHIOPACHITAE 532
ISCHIOPACHITES 532
Ischiopachys 532
ISCHNOCERI 546
ISCHNOCÉRIDES 546
ISCHNOCERINI 81, 546
Ischnoceros 546
Ischnocerus 546
ISCHNOMERI 565
ISCHNOMERIDAE 564
Ischnomerides 564
Ischnomerus 564, 565
Ischnopoda 193, 893
ISCHNOPODINI 193
ISCHNOSCELI 266
ISCHNOSCELIS 266
ISCHNOSTOMIDAE 267
ISCHNOVALGINAE 272
Ischnovalgus 272
ISCHYOMIIDAE 444
Ischyomius 444
ISCHYRONYCITAE 516
ISCHYROSONYCHINI 78, 516

- ISCHYROSONYCHITES 516
Ischyrosonyx 516
 ISOcéRATES 421
Isocerus 421
 ISOCLERINA 346
 ISOCLERINI 57, 346
Isoclerus 346
 ISOLABINA 82, 554
Isolabus 554
 ISONYCHIDAE 251
Isonychus 251
 ISOPLEURIDAE 145
Isopleurus 145
Isoptia 257
 ISOPLIINA 42, 257
 ISOPLIINI 257
 ISOPTERINA 90, 605
Isopterus 605
 ISORHYNCHIDES 591
 ISORHYNCHINAE 591
 ISORHYNCHINI 591
Iorbynchus 591
Isothea 561
 ISOTHEINA 83, 561
 ISOTHEINAE 83, 561
 ISOTHEINI 83, 561
Itrisia 446
 ITRISIINI 446
Ita 494, 626
Italodytes 108
 ITALODYTINA 108
Ites 494
 ITESINI 494
Ithaura 627
 ITHAURINAE 627
 ITHYCERIDES 570
 ITHYCERINAE 85, 570
Ithycerus 570
 ITHYPORIDAE 626
 ITHYPORIDES 626
 ITHYPORINA 92, 626
 ITHYPORINI 92, 626
Ithyporus 626
 ITHYSTÉNIDES 565
 ITHYSTENINA 84, 565
 ITHYSTENINAE 565
 ITHYSTENINI 564, 565
Ithystenus 565
 ITINI 92, 494, 626
 IVIEOLINI 40, 237
Ivieolus 237
Ixalma 583
 IXALMINA 87, 583
 IXAPIINA 84, 568
 IXAPIINI 568
Ixapion 568
 JACOBSONIIDAE 55, 333
Jacobsonium 333
 JAMWONINAE 454
Jamwonus 454
 JANSSENINI 120
Janssenius 120
 JANUSCULINA 33, 189
Janusculus 189
Jauravia 381
Jenibuntor 305
Jenibuntorini 51, 305
 JORDANTHRIBINI 81, 546
Jordanthribus 546
 JUANORHININI 92, 626
Juanorhinus 626
 JUBINI 32, 182
Jubus 182
 JULODIDES 276
Julodimorpha 285
 JULODIMORPHINI 47, 285
 JULODIMORPHITES 285
 JULODINAE 45, 276, 277
 JULODINI 277
Julodis 276
Jurodes 96
 JURODIDAE 19, 96
 KALCAPIINA 84, 568
 KALCAPIINI 568
Kalcaption 568
 KALTANOCOLEIDAE 94
Kaltanocoleus 94
 KARARHYNCHIDAE 96
 KARARHYNCHINAE 19, 96
 KARARHYNCHINI 19, 96
Kararhynchus 96
Karataucar 543
 KARATAUCARINI 80, 543
Karumia 275
 KARUMIINAE 45, 274, 275
 KARUMIINI 45, 275
 KARUMINAE 275
Kateretes 365, 891
 KATERETIDAE 60, 365, 887, 891
Kenderlyka 97
 KENDERLYKAINI 19, 97
 KENDERLYKANINI 97
Kisanthobia 285
 KISANTHOBIINI 47, 285
Klewaria 407
 KLEWARIINAE 407
 KLEWARIINI 65, 407
Kolon 170
Korotyaevius 573
Korynetes 348, 890
 KORYNETINAE 57, 348
Kryptophagus 360
Kubitangia 407
 KUHITANGIINAE 407
 KUHITANGIINI 65, 407
 KUSCHELININI 142
Kuschelinus 142
Kuschelomacer 541
 KUSCHELOMACERINI 541
 KUSCHELOMACRINI 80, 541
 KYTORHININAE 508
 KYTORHININI 77, 508
Kytorhinus 508
 LABIDOPULLINA 35, 203
Labidopullus 203
Labienus 229
 LABRADOROCOLEIDAE 18, 94
Labradorocoleus 94
 LACCobiINI 27, 156
Laccobius 156
 LACCONECTINI 150
Lacconectus 150
 LACCONOTINI 443
Lacconotus 443
 LACCOPHILIDAE 153
 LACCOPHILINAE 27, 153
 LACCOPHILINI 27, 153
Laccophilus 153
 LACCORNINI 27, 152
Laccornis 152
Laches 229
 LACHINAE 229
Lachna 398
 LACHNAEDES 398
 LACHNIIDAE 398
 LACHNINA 399
 LACHNINAE 397, 399, 876
 LACHNINI 398, 886
 LACHNODACTYLINA 65, 407
Lachnodactylus 407
Lachnogya 407, 408
 LACHNOGYINA 65, 408
 LACHNOGYINI 65, 407, 408
 LACHNOPHORI 132
 LACHNOPHORINA 24, 132
 LACHNOPHORINI 24, 132
Lachnophorus 132
Lachnus 398
Lacon 307, 308, 852
 LACONINI 308
Lactica 524
 LACTICAE 524
 LACTICITES 524
 LAEMOPHLOEIDAE 59, 364, 840
 LAEMOPHLOEINI 364
Laemophloeus 364
 LAEMOSACCINAE 621
 LAEMOSACCINI 91, 621
Laemosacus 621
 LAEMOSTENINA 145
Laemostenus 145
 LAEMOTMETINI 364
Laemotmetus 364
Laena 398
Laenina 398
Laenini 64, 398
 LAGENODERINA 82, 555

LAGENODERINI 555	<i>Languria</i> 356, 357	LAWRENCEROSINI 60, 367
<i>Lagenoderus</i> 555	LANGURIINAE 58, 356	<i>Lawrencerosus</i> 367
LAGOCHEIRINAЕ 486	LANGURIINI 58, 357	<i>Lebia</i> 133, 135
<i>Lagocheirus</i> 486	LAPAROCÉRIDES 609, 610	<i>Lebidia</i> 135
<i>Lagria</i> 397, 398, 399	LAPAROCERINI 90, 609, 610	LEBIDIINA 135
LAGRIARIAE 397, 398, 399	<i>Laparocerus</i> 609, 610	LEBIINA 24, 135
LAGRIEN 398	LAPETHINAE 370	LEBIINAE 122
LAGRIINA 64, 398	<i>Lapethus</i> 370	LEBIINI 24, 133
LAGRIINAE 64, 397, 398, 399, 865, 876	<i>Lara</i> 292, 891	LEBIOTAE 133, 135
LAGRIINI 64, 398	LARAINAE 48, 292	LÉCHRIOPIDES 594
<i>Lagrioida</i> 451	LARAINI 48, 292, 883, 887	LECHRIOPINI 88, 594
LAGRIOIDINAE 70, 451	<i>Laria</i> 508	<i>Lechriops</i> 594
LAGRIODINI 451	LARICOBIENS 332	LEICHENAIRES 422
LAIINA 353	LARICOBIIDAE 332	LEICHENINA 67, 422
<i>Laius</i> 353	LARICOBINAE 55, 332	LEICHENINI 422
<i>Laricobius</i> 332	<i>Laricobius</i> 332	<i>Leichenum</i> 422
<i>Lamia</i> 486, 495	LARIDAE 292, 883	<i>Leiestes</i> 372
LAMIARIAE 486, 495	LARIIDAE 508	LEIESTINA 372
LAMINAE 75, 486, 494	LARINI 292, 883	LEIESTINAE 61, 372
LAMIINI 76, 493, 495	LARINIDAE 621	LEIOCHRININAE 431
LAMINGTONIIDAЕ 59, 363	LARINIDEN 620	LEIOCHRININI 68, 431
<i>Lamingtonium</i> 363	LARININI 621	<i>Leiochrinus</i> 431
LAMPRIADAЕ 135	LARINOTINAE 344, 868	<i>Leiodes</i> 167, 168, 169
<i>Lamprias</i> 135	LARINOTINI 57, 344	LEIODESIDAE 167, 168, 169
<i>Lamprigera</i> 328	<i>Larinotus</i> 344	LEIOLIDAE 29, 167, 174, 873, 883, 891
LAMPRIGERINA 54, 328	<i>Larinus</i> 620, 621, 850	LEIODINAE 29, 168, 169, 883
<i>Lamprima</i> 232, 233	LARIVERSIINA 414	LEIODINI 30, 169, 883
LAMPRIMIDIАЕ 232, 233	<i>Lariversius</i> 414	<i>Leiopleura</i> 290
LAMPRIMINAE 39, 232	<i>Larus</i> 292	LEIOPLEURINA 48, 290
LAMPRIMINI 39, 233	<i>Lasiocala</i> 259	<i>Leiopus</i> 486
<i>Lamprocera</i> 327	LASIOCALINA 43, 259	<i>Leiosoma</i> 628
LAMPROCERINI 54, 327	<i>Lasiocera</i> 138	LEIOSOMATINA 92, 628
<i>Lamprocheila</i> 284	LASIOCERINI 138	LELEUPAUSSINA 120
LAMPROCHEILINA 47, 284	<i>Lasiochila</i> 510	<i>Leleupaussus</i> 120
<i>Lamprobiza</i> 327	LASIOCHILINAE 510	<i>Leleupidia</i> 146
LAMPROHIZINI 54, 327	LASIOCHILINI 510	LELEUPIDINА 25, 146
LAMPROLABINA 82, 555	<i>Lasiochilus</i> 510	LELEUPIDIINI 146
<i>Lamprolabus</i> 555	<i>Lasioderma</i> 340	<i>Lema</i> 510, 890
LAMPROPEPLA 280	LASIODERMINI 56, 340	<i>Lemidia</i> 347
LAMPROPEPLINA 280	LASIOPODES 253	LEMIDIINI 57, 347
<i>Lamprosoma</i> 531	<i>Lasiopus</i> 253	LEMINI 78, 510
LAMPROSOMATINAЕ 79, 531	<i>Lasiorhynchites</i> 560	<i>Lemodes</i> 447
LAMPROSOMATINI 79, 531	LASIORHYNCHITINA 83, 560	LEMODINAE 70, 447
LAMPROSOMIDEAЕ 531	<i>Lasiostyne</i> 332	LEMOIDEAE 510
LAMPYRIA 326, 327	LASIOSYNIDAE 54, 332	LÉMOSACIDES 621
LAMPYRIDAE 53, 326, 329, 883, 891, 895	LATHRIDIEN 384	LEMPHINI 58, 352
LAMPYRINAЕ 54, 327	<i>Lathridius</i> 384	<i>Lemphus</i> 352
LAMPYRINI 54, 327	LATHROBIDAE 219	LENACINAE 359
<i>Lampyris</i> 326, 327, 891	LATHROBIINA 37, 219	LENACINI 59, 359
<i>Lancestes</i> 153	<i>Lathrobium</i> 219	<i>Lenax</i> 359
LANCETINAЕ 27, 153	LATICRANIINAE 495	LENDOMINI 167
LANCETINI 153	LATICRANIINI 76, 495	<i>Lendomus</i> 167
<i>Laneyriella</i> 172	<i>Laticranium</i> 495	<i>Leocaeta</i> 2, 18, 255, 860
LANEYRIELLINA 172	LATOMETINI 64, 395	LEOGLYMMIINA 101
<i>Langelandia</i> 394	<i>Latometus</i> 395	LEOGLYMMIINI 20, 101
LANGELANDIINA 394	LATRIDIIDAE 62, 178, 384, 873, 895	<i>Leoglymmius</i> 101
<i>Languiria</i> 356, 357	LATRIDIINAE 62, 384	LEPERINA 344
LANGUIRIDAE 356, 357	<i>Latridius</i> 384	LEPERINI 344

- LEPICERIDAE 10, 19, 98
 LEPICEROIDEA 19, 98, 873
Lepicerus 98
Lepisia 250
 LEPISIIDAE 250
 LEPITRICHIDAE 250
 LEPITRICHIDEN 250
Lepitrix 250
 LEPOTHOPLIINI 257
Leprotes 535
 LEPROTINI 536
 LEPROTITAE 535
 LEPROTITES 535
 LEPTANILLOPHILINA 35, 203
 LEPTANILLOPHILINI 203
Leptanillophilus 203
 LEPTAULACEAE 229
 LEPTAULACINI 39, 229
Leptaulax 229
 LEPTHISPINI 516
 LEPTIDEA 479
 LEPTIDEINA 479
 LEPTIDEINI 479
 LEPTIDÉITES 479
 LEPTINIDAE 174
 LEPTINOPTERINI 233
Leptinopterus 233
Leptinus 174
Leptisa 516
 LEPTISPINI 78, 516
 LEPTISPITES 516
 LEPTOBII 219
Leptobium 219
 LEPTOCHIRINA 210
 LEPTOCHIRINI 36, 210
Leptochirus 210
 LEPTODERIDAE 172
 LEPTODÉRIDES 171, 172
Leptoderis 406
Leptoderus 171, 172
Leptodes 408
 LEPTODIDAE 408
 LEPTODIDES 408
 LEPTODINAE 408
 LEPTODINI 66, 408
Leptodinodes 124
 LEPTODINODINI 124
 LEPTODIRINA 30, 172
 LEPTODIRINI 30, 171, 172, 873
Leptodirus 171, 172
Leptocephalus 257
 LEPTOHOPLIINA 42, 257
 LEPTOLYCINI 53, 324
Leptolyces 324
 LEPTOMASTACINI 37, 214
Leptomastax 214
Leptonota 493
 LEPTONOTINI 493
 LEPTONOTITAE 493
- LETOPALPINAE 442
Leptopalpus 442
 LEPTOPINAE 618, 843, 849
 LEPTOPINAE 617
Leptopus 617, 618
 LEPTOPODIDAE 255
 LEPTOPODOCOLEIDAE 101
Leptopodocoleus 101
Leptops 617
 LEPTOPSIDES 617, 618
 LEPTOPSINI 617
Leptopus 255
Leptorhynchus 565
 LEPTORRHYNCHIDAE 565
Leptorrhynchus 565
 LEPTOSCHOENORUM 589
 LEPTOSCHOÏNIDES 589
 LEPTOSCHOININA 87, 589
 LEPTOSCHOININI 588
Leptoschoinus 589
 LEPTOSCYDINI 37, 215
Leptoscydmus 215
 LEPTOSINAE 618
 LEPTOSONYCHINI 527
Leptosonyx 527
 LEPTOSTÉTHIDES 610
 LEPTOSTETHINI 90, 610
Leptostethus 610
Leptos 618
 LEPTOTRACHÉLIDES 125
Leptotrichelus 125
 LEPTOTYPHLI 217
 LEPTOTYPHLINAE 37, 217
 LEPTOTYPHLINI 37, 217
Leptotyphlus 217
Leptura 462
 LEPTURETAE 462
 LEPTURIDAE 453
 LEPTURINAЕ 72, 462, 473, 477, 880
 LEPTURINI 72, 462
LEPTUROIDES 314
 LEPTUROIDINI 314
Leptusa 199, 893
 LEPTUSAE 199
Leptynopterus 233
 LEPYRIDAE 626
 LEPYRINI 92, 626
Lepyrus 626
Lesteva 175, 893
 LESTÉVATES 175
 LESTEVINA 175
 LESTIGNATHINA 24, 137
Lestignathus 137
 LETHREN 228
 LETHRI 228
 LETHRINI 39, 228
Lethrus 228
 LEUCOCELIDAE 263
 LEUCOCELIDEN 263
- LEUCOCELINA 43, 263
Leucocelis 263
 LEUCOCRASPEDINI 35, 201
Leucocraspedum 201
Leucolaephus 409
 LEUCOLAEPHUSINI 409
 LEUCOPHOLIDAE 252
 LEUCOPHOLINA 42, 252
Leucopholis 252
 LEUCOTHYREIDAE 258
 LEUCOTHYREINI 258
Leucothyreus 258
Leupelia 179
 LEUPELIINA 31, 179
Lexiphanes 533
Liadutes 147
 LIADYTIDAE 26, 147
 LIADYTISCINAE 27, 153
Liadytiscus 153
Liaoximordella 389
 LIAOXIMORDELLIDAE 389
 LIBNETINAE 52, 321
 LIBNETININA 321
Libnetis 321
 LICHADIDAE 298
 LICHADIDEN 297
Lichas 297, 298
Lichenophanes 336
 LICHENOPHANINI 336
 LICHNASTENITAE 134
 LICHNASTHENITAE 134
Lichnasthenus 134
Lichnia 250
 LICHNIADAE 250
 LICHNIINI 42, 250
 LICINII 137
 LICININA 24, 137
 LICININAE 122
 LICININI 24, 137
Licinus 137
Ligniperda 336
 LIGNIPERDIDAE 336
Lignyodes 585
 LIGNYODINA 87, 585
 LIGNYODINI 585
 LIMNASTINI 114
Limnastis 114
 LIMNÉBIAIRES 163
 LIMNEBIIDAE 163
 LIMNEBIINAE 163
 LIMNEBIINI 29, 163
Limnebius 163
 LIMNICHIDAE 49, 294
 LIMNICHINAE 49, 294
 LIMNICHINI 49, 294
 LIMNICHOPHARINI 62, 379
Limnichopharus 379
Limnichus 294
 LIMNIIDAE 293

- Limnius* 293
LIMNOBARINI 587
Limnobaris 587
LIMONIINA 313
Limonioides 313
Limulodes 166
LIMULODINAE 166
LINA 519
LINAE 520
LINAEINES 519
LIOPENITAE 249
Liogenys 249
LIONYCHIDAE 134
Lionychus 134
Lioon 291
LIONONII 291
LIOPHLOEIDAE 614
Liophloeus 614
LIOPA 486
Liopus 486
Liosoma 628
LIOSOMINA 628
LIOXYONYCHINI 88, 591
Lioxonyx 591
LIOXYONYXINI 591
LIPARETRIDAE 250
LIPARETRINI 42, 250, 580
Liparetrus 250
LIPARIDES 628
LIPAROCEPHALI 201
LIPAROCEPHALINI 35, 201
Liparoccephalus 201
LIPAROCHRINAE 40, 237
Liparochrus 237
LIPARODERINI 448
Liparoderus 448
Liparus 622, 628
LISPINI 211
LISPININA 36, 211
Lispinus 211
LISPOTHERIINI 85, 569
Lispotherium 569
LISSAUCHENIIDA 123
Lissauchenius 123
Lissodema 446
LISSODEMINA 446
LISSOGENIINA 44, 264
Lissogenius 264
LISSOMIDAE 311
LISSOMINAE 51, 311
Lissonota 311
Lissonota 475
LISSONOTINAE 474
Lissonotini 73, 474, 475, 879
Lissonotus 474
LISSOPOGONINI 22, 116
Lissopogonus 116
LISSORHOPTRINAE 576
Lissorhoptrus 576
- Lissotess* 234
LISROTINI 234
LISTRINI 58, 351
LISTRIOPHORINI 187
Listriophorus 187
LISTROBYCTISCINA 83, 559
Listrobyctiscus 559
Listroderes 603, 845
LISTRODERINI 89, 603
Listrus 351
LITHINIDES 627
LITHININA 92, 627
LITHININAE 627
LITHININI 92, 627
Lithinus 627
LITHOCHARES 219, 220
LITHOCHARINA 37, 219, 220
Lithocharis 219, 220
LITHOCUPEDINI 18, 96
Lithocupes 96
LITHOPHILIDAE 381
LITHOPHILINAE 382
Lithophilus 381
LITHOSCARABAENAE 40, 238
Lithoscarabaeus 238
Lithostoma 345
LITHOSTOMATINI 57, 345
LITHOSTOMINI 345
LITOBRORINAE 423
Litoborus 423
LITOSOMIDES 572
LITOSOMINI 85, 572
LITOSOMINORUM 572
Litosomus 572
LIXIDES 619, 620
LIXINAE 91, 619, 620, 621, 848,
 849
LIXINI 91, 620, 621
Lixus 619, 620, 849, 850
LJUDMILININA 556
Ljudmilinius 556
LOBERINAE 58, 356
LOBERINI 356
Loberonotha 356
LOBERONOTHINI 356
Loberus 356
LOBODONTINI 136
Lobodontus 136
LOBONYCHINI 57, 349
Lobonyx 349
LOBORHYNCHIDES 612
LOBORHYNCHINAE 612
Loborhynchus 612, 894
LOBOTRACHÉLIDES 594
LOBOTRACHELINEAE 594
LOBOTRACHELINI 88, 594
Lobotrachelus 594
LOEBLIORYLININAE 369
- Loebliorylon* 369
LOEBLIORYLONINAE 60, 369
LOEBLIQUASIMUSINA 52, 316
LOEBLIQUASINA 316
Loebliquasis 316
LOENSINA 67, 422
LOENSINI 422
Loensus 422
Lomanoxia 240
LOMANOXIINI 240
LOMAPTERA 268
LOMAPTERIDAE 268
LOMAPTERINA 44, 268
LOMAPTERINI 267
Lomechusa 201, 202
LOMECHUSIDAE 201, 202
LOMECHUSINA 35, 202
LOMECHUSINAE 192
LOMECHUSINI 35, 201
LONGICOPHORINI 578
Loncophorus 578
LONGINA 458
LONGITARSES 522, 526
LONGITARSINI 526
Longitarsus 522, 526
LOPHIODERINI 215
Lophioderus 215
Lophocateres 343
LOPHOCATERINAE 343
LOPHOCATERINI 2, 17, 57, 343,
 867, 877
LOPHOTIDES 602
Lophotus 602
LORDOPIDES 610
LORDOPINAE 604
LORDOPINI 90, 610
Lordops 610
Loricera 107
LORICERIDES 107
LORICERINAE 21, 107
LOUBACANTINI 399
Loubacantus 399
LOXANDRINA 122
LOXANDRINI 122
Loxandrus 122
LOXOMERIFORMES 107
Loxonerus 107
Loxoncus 131
LUCANIDAE 39, 232, 891
LUCANIDES 232, 233
LUCANINAE 39, 233
LUCANINI 39, 233
Lucanus 232, 233
Lucidota 327, 328
LUCIDOTAE 328
LUCIDOTIDES 327, 328
LUCIDOTINA 54, 328
LUCIDOTINI 54, 327
Luciola 328, 329

- LUCIOLIDES 328, 329
 LUCIOLINAE 54, 328, 329
 LUCIOLINI 54, 329
Ludia 317
LUDII 317
LUDIIDES 317
LUDINI 317, 882
LUDIOCTENINA 309
Ludioctenus 309
Ludius 317
Lulua 460
LULUINA 460
Lunilla 181
LUNILLINA 31, 181
LUNILLINI 181
Luperaltica 525
LUPERALTICINI 525
Luperca 112
LUPERCINI 22, 112
LUPERIIDAE 528
LUPERINI 79, 528
Luperus 528, 890
LUPROPINII 64, 399
Luprops 399
LUPROPSINI 399
LUSCOSMODICINI 73, 475
Luscosmodicum 475
LUTROCHIDAE 49, 294
Lutrochus 294
Lycaria 521
LYCARITES 521
LYCIDAE 52, 320, 321
LYCINAE 53, 323
LYCINI 53, 321, 324
LYCOPERDINA 373
LYCOPERDINAE 373
LYCOPERDININAE 61, 373
Lycoprogenites 321
LYCOPROGENTHINI 53, 321
LYCOPTINI 2, 18, 343, 867, 877
Lycoptis 343
LYCTIDES 337
LYCTINAE 56, 337
LYCTINI 56, 337
Lyctus 337
Lycus 321, 323, 324
LYCUSIDAE 321, 323, 324
Lyda 440
LYDIDAE 440, 883
LYDINA 440, 883
LYDINI 440
Lydus 440
LYGISTOPTERI 323
Lygistorpterus 323
LYGOPHILIA 406
Lygophilus 406
LYGRINI 73, 475
Lygrus 475
Lymantes 627
LYMANTIDES 627
LYMANTINI 92, 627
LYMEXYLA 342
LYMEXYLIDAE 56, 342
LYMEXYLINA 56, 342
LYMEXYLOIDEA 10, 56, 342, 856,
 867, 873
Lymexylon 342
Lynnastis 114
Lymoxylon 342
LYMOXYLONIDAE 342
Lystesthes 536
LYPESTHINI 536
Lypnea 526
LYPNEINA 526
Lyponia 324
LYPONIINI 53, 324
LYPONIININA 324
LYPRIIDAE 586
LYPRINAE 2, 17, 586, 842, 871
Lyprus 586
LYROPAEINAE 53, 322
LYROPAEINI 53, 322
Lyropaeus 322
Lyrosoma 167
LYROSOMINI 167
Lystronichus 427
LYSTRONYCHI 427
LYSTRONYCHIDAE 427
Lystronychus 427
LYTÉRIIDES 589
LYTERIINI 589
Lyterius 589
Lytta 330, 439
LYTTADEAE 439
LYTTES 439
LYTTINA 439
LYTTINI 69, 439, 874
LYTTOIDES 439
MACHADOINI 32, 187
Machadous 187
Machaerites 186
MACHAERITINA 32, 186
Machla 402
MACHLIDES 402
MACHLINI 402
MACHOZETI 129, 130
Machozetus 129, 130
MACRASPIDIDAE 259
Macraspis 259
Macratria 447
MACRATRIINA 70, 447
MACRATRINI 70, 447
MACRAULACINAE 50, 305
MACRAULACINI 51, 305
Macraulacus 305
MACROBASEINI 438
MACROBASSES 438
Macrobasis 438
Macrocoma 535
MACRODACTYLIDAE 251
MACRODACTYLINI 42, 251, 861
Macroductylus 251
Macrodonitia 457
MACRODONTINI 71, 457
MACRODONTITAE 457
MACROLINEAE 229
MACROLININI 39, 229
Macrolinus 229
MACROLYCINAE 324
MACROLYCINI 53, 324
Macrolycus 324
Macroma 264
MACROMINA 44, 264
MACROMINAE 264
MACROMINI 263, 875
Macrones 475
MACRONIDES 475
MACRONINAE 475
MACRONINI 73, 475, 870
Macronota 268
MACRONOTIDAE 268
MACRONOTINA 268
MACRONOTINI 267
MACRONYCHIDAE 293
MACRONYCHINI 49, 293
Macronychus 293
Macrophylla 254
MACROPHYLLIDAE 254
MACROPHYLLINA 42, 254, 885
Macrophyllum 254
Macrolepta 509
MACROPNI 259
Macropnus 259
Macropoda 401
MACROPODIDAE 401, 862, 886
MACROPODITES 401
MACROPODOIDAE 401
Macropogon 299
MACROPOGONINI 50, 299
Macropus 401
Macrosiagon 392
MACROSIAGONINI 64, 391, 392,
 875, 884
MACROSTYLES 611
Macrostylus 611, 846
Macrotarribus 619
MACROTARRHUSINA 619
Macrotoma 457, 458
MACROTOMINA 71, 458
MACROTOMINI 71, 457, 458
MACROTOMITAE 457, 458
Mada 378
Madagaster 163
MADAGASTRINI 29, 163
Madahoplia 250
MADAHOPLIINI 250
MADAINI 378

MADARIDES	588, 589	MANTIDAE	212	MECISTOSTYLINI	599
MADARINA	87, 589	<i>Maoraxia</i>	285	<i>Mecistostylus</i>	599
MADARINI	87, 588	MAORAXINII	47, 285	MÉCOCÉRIDES	546
Madarus	588, 589	MAOROTHINI	38, 222	MECOCERINAE	546
<i>Madecassia</i>	280	<i>Maorothius</i>	222	MECOCERINI	81, 546
MADOPTERIDAE	587	<i>Marcapatia</i>	526	<i>Mecocerus</i>	546, 889
MADOPTÉRIDES	587	MARCAPATIINI	526	MECOLENINAE	569
MADOPTERINA	87, 587	<i>Mariouta</i>	333	MECOLENITAE	85, 569
MADOPTERINI	587	MARIOUTINI	55, 333	<i>Mecolenus</i>	569
<i>Madopterus</i>	587	<i>Marolia</i>	388	<i>Mecomacer</i>	541
MAECHIDIINA	251	MAROLIINI	388	MECOMACERINA	80, 541
MAECHIDIINI	42, 251	MASOREIDAE	126	MECOMACERINI	80, 541
<i>Maechidius</i>	251	MASOREINA	23, 125, 126	MECONEMINI	546
MAGDALIDINI	2, 17, 91, 621, 850, 871	<i>Masoreus</i>	126	<i>Meconemus</i>	546
MAGDALINAE	622, 851	MASTACHILINAE	229	MECOPELMINAE	638
MAGDALINIDAE	622	<i>Mastachilus</i>	229	MECOPELMINI	93, 638
<i>Magdalinus</i>	622	MASTACINA	23, 121	<i>Mecopelmus</i>	638
<i>Magdalalis</i>	621, 622, 851, 890	<i>Mastax</i>	121	MÉCOPIDES	594
MAGNOCOLEIDAE	19, 96	<i>Mastiger</i>	181	MECOPINI	88, 594
<i>Magnocoileus</i>	96	MASTIGERINA	31, 181	<i>Mecopus</i>	594
<i>Magnoculus</i>	327	MASTIGERINI	181	MÉCOSARTHINES	457
MALACHIINAE	1, 17, 58, 351, 352	MASTIGINI	37, 214	MECOSARTHRI	458
MALACHIINI	58, 352	MASTIGITAE	36, 214	<i>Mecosartron</i>	457, 458
<i>Malachius</i>	2, 17, 351, 352	MASTIGOIDAE	214	MECYCLOTHORACINI	8, 22, 117
MALACHIUSIDAE	351, 352	<i>Mastigus</i>	214	MECYCLOTHORACITAE	117
MALACOPTÉRIDES	477	MASTINOCERINAE	53, 326	<i>Mecyclothorax</i>	8, 117
<i>Malacopterus</i>	477	MASTINOCERINI	326	<i>Mecynodera</i>	506
MALCHININI	54, 331	<i>Mastinocerus</i>	326	MECYNODERINAE	506
<i>Malchinus</i>	331	MASTOGENINII	278	MECYNODERINI	505, 506
MALLASPINI	71, 459	<i>Mastogenius</i>	278	MÉCYNODÉRITES	506
<i>Mallaspis</i>	459	<i>Masuria</i>	202	<i>MECYNORHINA</i>	266
MALLASPITAE	459	MASURIINI	35, 202	<i>MECYNORRHINA</i>	266
<i>Mallodon</i>	459	MATHETEI	329	MECYNORRHININA	266
MALLDONINAE	71, 459	MATHETEINAE	54, 329	MECYSLOBINI	627
MALLDONITAE	459	<i>Matheteus</i>	329	<i>Mecyslobus</i>	627
<i>Mallodrya</i>	434	MATINAE	27, 153	<i>Mecysmoderes</i>	592
MALLDRYINI	434	MATINI	153	MECYSMODERINA	592
MALTHINEN	331	<i>Matus</i>	153	MECYSMODERINI	88, 592
MALTHINI	331	<i>Mauesia</i>	495	MECYSLOBINI	92, 627
MALTHINIDES	331	MAUESIINI	76, 495	<i>Mecyslobus</i>	627
MALTHININAE	54, 331	MAUESINAE	495	MEDINA	220
MALTHININI	54, 331	<i>Mauia</i>	546	<i>Medisores</i>	101
<i>Malthinus</i>	331, 352	MAUIINI	81, 546	MEDISORINA	101
<i>Malthodes</i>	331	MAURONISCIDAE	57, 349	MEDISORINI	20, 101
MALTHODINAE	331	<i>Mauroniscus</i>	349	<i>Medon</i>	220
MALTHODINI	54, 331	<i>Mayetia</i>	183	MEDONES	220
MALVAPIINA	84, 568	MAYETIINI	32, 183	MEDONINA	37, 220
MALVAPIINI	568	MAYNIPEPLINAE	60, 365	MEGABASINI	76, 495
<i>Malvapion</i>	568	<i>Mayniipeplus</i>	365	<i>Megabasis</i>	495
<i>Manda</i>	213	MAZORÉIDES	126	MEGABASITAE	495
MANDELSCHTAMIINA	83, 558	<i>Mazoreus</i>	126	<i>Megacantha</i>	413
<i>Mandelschtamius</i>	558	<i>Mechistocerus</i>	599	MEGACANTHIDAE	413
MANDINI	213	MECINIDAE	582	MÉGACANTHIDES	413
<i>Manobia</i>	526	MÉCININI	86, 582	MEGACANTHINA	413
MANOBIINI	526	<i>Mecinus</i>	582	<i>Megacephala</i>	105
<i>Manticora</i>	105	MECISTOCERINI	599	MEGACEPHALIDAE	105
MANTICORIDAE	105	<i>Mecistocerus</i>	599	MEGACEPHALINI	20, 105
MANTICORINI	20, 105	MÉCISTOSTYLIDES	599	<i>Megaceras</i>	8, 261
		MECISTOSTYLINA	89, 599	MEGACERIDAE	261

- MEGACERINA 77, 508
 MEGACERINI 508, 881
Megaceros 508
Megacerus 508
 MEGACOELINI 73, 475
Megacoelus 475
Megacyllene 469
 MEGADERITAE 484
Megaderus 484
 MEGADONTICI 106
Megadontus 106
 MEGAGENIANOS 401
 MEGAGENIIDAE 401
 MEGAGENIINI 401, 876
Megagenius 401
 MÉGAGNATHES 433
Megagnathus 433
Megalocaria 377
Megalodacne 358
 MEGLODACNINI 59, 358
Megalognatha 530
 MEGALOGNATHITES 530
 MEGALOPAUSSINAE 119
Megalopausus 119
 MEGALOPHTHALMINI 327
Megalophthalmus 327
 MEGALOPIDES 504
 MEGALOPINAE 214
 MEGALOPINI 213
 MEGALOPINAE 214
Megalopinus 213, 214
 MEGALOPIDIIDAE 77, 504, 891
 MEGALOPODINAE 77, 504
 MEGALOPODOIDEA 452
Megalops 213
Megalopsidia 214
 MEGALOPSIDIINAE 36, 213, 214
 MEGALOPSIDIINI 214
Megalopus 504
 MEGALOSTOMIDEA 532
Megalostomis 532
 MEGAMERINAE 505
 MEGAMERINI 77, 505
 MÉGAMÉRITES 505
Megamerus 505
 MEGAPALPINI 364
Megapalpus 364
Megapenthes 317
 MEGAPENTHINI 52, 317
 MEGARHININAE 631
Megarhinus 631
 MEGARTHIRINI 178
 MEGARTHROPSINI 33, 190
Megarthropsis 190
Megarthrus 178
 MEGASCELIDAE 538
 MÉGASCÉLIDES 537
 MEGASCELIDINI 79, 537, 538
Megascelis 537
- Megasoma* 260
 MEGASOMINAE 260
 MÉGASTERNAIRES 157
 MEGASTERNI 158
 MEGASTERNINI 28, 157, 158
Megasternum 157, 891
 MEGATAPHRINI 394
Megataphrus 394
Megatoma 335
 MEGATOMIDA 335
 MEGATOMINAE 55, 335
 MÉGATOMINI 55, 335
Megauchenia 367
Megetra 439
 MEGETRINA 439
Megistopalpus 364
Megodontus 106
 MEGOPIDES 454
Megopis 454
 MELAENINAE 22, 112
Melaenus 112
 MELAMBIATES 423
 MELAMBIINA 67, 423
 MELAMBIINA 423
Melambius 423
Melanactes 312
 MELANACTIDAE 312
 MÉLANACTIDES 312
 MELANACTINAE 312
Melanachiton 138
 MÉLANCHITONINI 25, 138
 MELANCHITONITAE 138
Melandrya 2, 17, 388
 MELANDRYIDAE 1, 2, 17, 63, 388,
 873
 MELANDRYINAE 63, 388
 MELANDRYINI 1, 17, 63, 388
Melanerous 324
 MELANEROTINI 53, 324
Melanimon 418
 MELANIMONINA 418
 MELANIMONINI 67, 418
 MELANOCRATOID 424
Melanocratus 424
Melanodes 138
 MELANODINI 138
Melanophila 285, 889
 MELANOPHILINI 47, 285
Melanophthalma 384
 MELANOPHTHALMIDAE 384
Melanoti 318
 MELANOTINI 52, 317, 318, 872
 MÉLANOTITES 318
Melanotus 317, 318
 MELASIDAE 299, 301, 302, 873, 895
Melasina 50, 302
 MELASINAE 50, 301
 MELASINI 50, 302
Melasis 301, 302
- Meleagros* 141
 MELEAGROSINI 141
 MELIBOEINA 48, 289
Meliboeus 289
Meligethes 366
Meligethiella 344
 MELIGETHIELLINAE 344
 MELIGETHINA 366
 MELIGETHINAE 60, 366
Melisodera 117
 MELISODERIDES 117
Melittomma 342
 MELITTOMMATINAE 56, 342
 MELITTOMMINAE 342
 MELOBASEINI 47, 285
 MELOBASINI 285
Melobasis 285
Meloe 436, 438, 440, 891
 MELOEYPHLINI 441
Meloetypalus 441
 MELOIDAE 68, 436, 440, 441, 482,
 640, 857, 874, 880, 883, 884,
 887, 891
 MELOINAE 69, 438
 MELOINI 69, 440
Melolontha 247, 251, 252, 532, 892
 MELOLONTHIDAE 247, 251, 252,
 263, 861
 MÉLOLONTHIDES 252
 MELOLONTINA 42, 252
 MELOLONTINAE 41, 247, 263,
 860, 861
 MELOLONTINI 42, 251, 532
 MELOOIDES 436, 438, 440
 MELYANDRIDA 388
 MELYRIA 350
 MELYRIDAE 1, 2, 17, 57, 349, 353
 MELYRIDES 349, 350
 MELYRINAE 57, 350
 MELYRINI 57, 350
Melyris 349, 350
Mendizabalia 286
 MENDIZABALINI 47, 286
 MÉNÉMACHIDES 594
 MENEMACHINI 88, 594
Menemachus 594
 MENEPHILINI 432
Menephilus 432
 MENOETIINI 609
Menoetius 609
 MENTOPHILINI 243
Mentophilus 243
 MENUTHIANASPIDINI 70, 451
Menuthianaspis 451
 MEONIDES 117
 MEONINI 22, 117
Meonis 117
Meotica 204
 MEOTICAE 204

- MEOTICINA 35, 204
Meracantha 413
 MÉRACANTHIDES 413
 MERACANTHINAE 7, 413
 MERACANTHINI 7, 413
 MERIPHINA 86, 581
 MERIPHINAE 581
Meriphus 581
 MERIZODINI 116
Merizodus 116
Meroda 538
 MERODINI 79, 538
 MERODITAE 538
 MERODITES 538
 MERODONTI 610
Merodontus 610
 MEROPATHINA 29, 164
Meropatus 164
Merophysia 371
 MEROPHYSINAE 61, 371
 MEROPHYSIINI 371
 MEROSCELISINI 71, 459
 MEROSCELISITAE 459
Meroscelis 459
Meru 148
 MERUIDAE 26, 148
 MERYCIDAE 396
Meryx 396
 MESARTHROPTERINA 119
Mesarthropterus 119
 MÉSECANINA 167
Mesecanus 167
 MESOCINETIDAE 45, 274
Mesocinetus 274
 MÉSOCOELOPAIRES 341
 MÉSOCOELOPINI 341
 MESOCOELOPODINAE 56, 341
 MÉSOCOELOPODINI 56, 341
Mesocoelopus 341
 MESOCUPEDINAE 18, 95
 MESOCUPEDINI 95
Mesocupes 95
 MÉSOGENINI 50, 304
Mesogenus 304
Mesomphalia 516
 MESOMPHALIDAE 516
 MESOMPHALINI 78, 516
 MESOPHYLETINAE 542
Mesophyletis 542
 MESOPORINAE 202
 MESOPORINI 35, 202
Mesopor 202
 MÉSOPTILIDES 621, 622
 MESOPTILINAE 91, 621, 850, 871
 MESOPTILINI 91, 622
 MESOPTILINAE 622
Mesoptilius 621, 622
Mesosa 496
 MESOSAEDIAE 496
 MÉSOSAIRES 496
 MESOSINI 76, 496
 MESOSTYLINI 90, 610
Mesostylus 610
Mesothes 341
 MÉSOTHINI 341
Mestogaster 189
 MESTOGASTRINA 189
 METACERYLINI 369
Metacerylon 369
Metachroma 538
 MÉTACHROMITAE 538
 METACHROMITES 538
 MÉTACHROMITES 538
 METACINOPINAE 614
Metacinops 614
Metacycla 531
 MÉTACYCLITES 531
 METADROMIINA 135
Metadromius 135
Metagnoma 501
 METAGNOMINI 501
Metallica 135
 METALLICINA 24, 135
 METALLICINI 135
Metanastes 262
 METANASTINA 262
 METAPIINA 84, 568
 MÉTAPIINI 568
Metapion 568
Metatyges 627, 628
 METATYGINAE 627, 628
 METATYGINI 92, 627
Metaxina 345
 MÉTAXINIDAE 57, 345
 METAXYMPHINA 135
Metaxymporus 135
 METAZUPIINA 25, 146
Metazuphium 146
Methia 475
 MÉTHINI 73, 475
 MÉTHIITAE 475
Methiooides 476
 MÉTHIOOIDINA 74, 476
Methles 152
 METHLIDAE 152
 MÉTHLINI 27, 152
 METHOLCINI 56, 340
Metholcus 340
Metialma 593
 METIALMINI 593
Metina 25, 142
 MÉTINI 142
Metius 142
 METOCALOLABINA 82, 555
Metocalolabus 555
Metoecus 392
Meton 491
 MÉTONIDES 491
 METONINI 491
Metopias 183, 893
 METOPIASINA 32, 183
 METOPIASINI 32, 183, 885, 888
 METOPIINI 183, 885
 METOPOCOÖLITAE 484
Metopocoilus 484
 METOPONCI 225
Metoponcus 225
Metopsia 178
 METOPSIINAE 178
 METRII 118
 METRIINI 23, 118
Metriorrhynchus 325
 METRIORRHYNCHINA 53, 324, 325
 METRIORRHYNCHINAE 324
 METRIORRHYNCHINI 53, 324
Metriorrhynchus 324
Metrioxena 552
 METRIOXENINA 82, 552
 METRIOXENINI 82, 552
METRIOXENOÏDES 544
 METRIOXENOIDINAE 80, 544
Metrius 118
 METROTYPHLINI 37, 218
Metrotyphlus 218
 MEZIINI 56, 338
Mezium 338
Miarides 582
 MIARINAE 582
 MIARINI 582
Miarus 582
 MICCOTROGIDAE 585
Miccotrogus 585
 MICHOLAEMINAE 391
Micholaemus 391
Michthysoma 465
Michthysoma 465
 MICHTHYSOMINI 465
 MICILINI 49, 295
Micilus 295
 MICRACIDES 635
 MICRACIDINI 93, 635
Micracis 635
 MICRAGONINI 317, 882
Micragyrtes 174, 175
 MICRAGYRTINI 174, 175
Micralymma 176
 MICRALYMMATES 176
 MICRALYMMINI 176
 MICRANTEREINA 67, 418
 MICRANTEREINI 418
Micrantereus 418
 MICRASPIAIRES 376
Micraspis 376, 377
 MICRATOPINI 114
Micratopus 114
 MICROCEPHALI 142

- MICROCEPHALIDES 142
 MICROCEPHALINA 25, 142
 MICROCEPHALINI 142
Microcephalus 142
 MICROCÉRIDES 570
 MICROCERINA 85, 570
 MICROCEROXENINA 33, 194
Microceroxenus 194
Microcerus 570
Microchaetes 291
 MICROCHAETINI 48, 291
Microcheila 138
 MICROCHEILINI 25, 138
Microchila 138
 MICROCHILITAE 138
Microcrania 251
 MICROCRANIADA 251
Microcymatura 496
 MICROCYMATURINI 76, 496
Microglotta 205
 MICROGLOTTAE 205
Microhoria 448
 MICROHORIINI 70, 448
 MICROHORINI 448
Microhyus 624
 MICROJULISTINI 350
Microjulustus 350
 MICROMALTHIDAE 18, 95
Micromalthus 95
 MICROPEPLIDA 178
 MICROPEPLINA 31, 178
Micropeplus 178
 MICROPAGIN 361
Microphagus 361
 MICROPSISALIDES 461
 MICROPSISALINI 461
Micropsalis 461
 MICRORHAGINAE 301
Microrhagus 301
Microscydmus 215
Microsilpha 174, 175
 MICROSILPHINAE 30, 174
 MICROSITATES 421
Micrositus 421
 MICROSPORIDAE 99, 888
Microsporus 99, 892
 MICROSTYLIADA 582
 MICROSTYLIDES 582
 MICROSTYLINA 582
Microstylus 582
 MICROTRACHELIZINA 84, 565
Microtrachelizus 565
 MICROTROCTEIDAE 386
 MICROVALGINA 45, 271
 MICROVALGINAE 271
Microvalgus 271
Microweisea 374
 MICROWEISEINA 61, 374
 MICROWEISEINI 61, 374
- MICROXYLOBIINI 88, 596
Microxylobius 596
 MICROZOINA 418
Microzoina 418, 877
Microzoum 418
 MICROZOMATES 418
 MIGADOPIDAE 107
 MIGADOPINA 21, 107
 MIGADOPINAE 21, 107
 MIGADOPINI 21, 107
Migadops 107
Mimanomma 202, 203
 MIMANOMMATINA 35, 203
 MIMANOMMATINAE 202, 203
 MIMANOMMATINI 35, 202
 MIMAPHODIINA 40, 237
Mimaphodius 237
Mimastra 529
 MIMASTRINA 530
 MIMASTRITES 529, 530
 MIMECITINA 35, 203
 MIMECITINI 35, 203
Mimeciton 203
 MIMECITONINI 203
Mimicoclytrina 279
 MIMICOCYTRININA 46, 279
Mimonilla 203
 MIMONILLAE 203
 MIMONILLINA 35, 203
Miniduliticola 322
 MINIDULITICOLINI 53, 322
 MINTHOPHILIDA 243
 MINTHOPHILIDES 243
Minthophilus 243
 MINULINI 637
Minulus 637
 MINURINI 83, 559
Minurus 559
 MINYOMERI 616
Minyomerus 616
 MINYOPIDAE 628
Minyops 628
 MIODITINI 392
 MIRIDAE 187
 MIRINI 187
Miris 187
Miroclaviger 181
 MIROCLAVIGERINA 31, 181
 MIROCLAVIGERINI 181
Mirus 187
 MISCELINI 136
Miscelus 136
 MISCHOCEPHALIINA 146
 MISCHOCEPHALINA 25, 146
Mischocephalus 146
 MISOLAMPIDES 432
 MISOLAMPIDIINI 432
Misolampidius 432
Misolampus 432
- Mitoplinthus* 628
 MITRACEPHALA 182
 MITRACEPHALINI 182
 MITRAELABRINI 70, 447
Mitraelabrus 447
 MITRAMETOPINA 182
Mitrametopus 182
 MITRORHINAE 230
Mitrorhinus 230
 MNEMACHINAE 594
Mniophila 524
 MNIOPHILAE 524
 MNIOPHILITES 524
 MOLOPIDES 143
 MOLOPINA 142
Molops 143
 MOLORCHIDAE 475
 MOLORCHINI 74, 475
Molorchus 475
 MOLURIDAE 409
 MOLURINA 66, 409
Moluris 409
 MOLURITES 409
Molytes 622, 628
 MOLYTIDES 622, 628
 MOLYTINA 92, 628
 MOLYTINAE 91, 622, 845
 MOLYTINI 92, 628
Mombasica 527
 MOMBASICITES 527
 MONACHI 533
 MONACHIDEN 533
 MONACHINAE 533
 MONACHINI 533
 MONACHITES 533
 MONACHULINA 79, 533
 MONACHULINI 533
Monachulus 533
Monachus 533
Monardita 521
 MONARDITINI 521
Moneilema 496
 MONEILEMINI 76, 496
 MONEILEMITAE 496
 MONOCHAMINI 76, 494, 496
Monochamus 496
 MONOCHIRINI 515
 MONOCHIRITES 515
Monochirius 515
Monocoryna 379
 MONOCORYNINI 62, 379
 MONOCREPIDI 309
 MONOCREPIDIINAE 309
 MONOCREPIDIITES 309
Monocrepidius 309
 MONODESMIDES 459
 MONODESMINAE 460
Monodesmus 459, 460
 MONOEDIDAE 393

- Monoedus* 393
MONOHAMMIDAE 496
Monohammus 496
Monolepta 530
MONOLEPTINAE 530
MONOLEPTITES 530
MONOLOBINAE 107
Monolobus 107
Monomacra 526
MONOMACRINA 526
Monomma 395
MONOMMATIDAE 395
MONOMMATINI 64, 395
MONOMMIDAE 395
MONOMMITES 395
MONONYCHI 592
MONONYCHINI 88, 592
Mononychus 592, 890
Monophylla 346
MONOPHYLLINI 346
MONOPLATI 524
MONOPLATINI 524, 525
MONOPLATITES 524
Monoplatus 524
Monotoma 2, 18, 358, 359, 855, 856
MONOTOMIDAE 2, 18, 59, 358, 359, 855, 856, 857, 891
MONOTOMINAE 59, 359, 856
MONOTOMINI 59, 359
MONOTOMITES 358, 359
MONOTOMOIDAE 359
Mordella 389, 390
MORDELLIDAE 63, 389
MORDELLINAE 63, 390
MORDELLINI 63, 390
Mordellistena 390
MORDELLISTENINI 63, 390
MORDELLOIDEA 384
MORDELLONAE 389, 390
Morimita 495
Morimonna 496
MORIMONELLINI 76, 496
Morimopsides 496
MORIMOPSINI 76, 496, 497
Morimopsis 496
Morimus 495
Morio 138
Moriomorpha 117
MORIOMORPHINI 22, 117
Morion 138
MORIONIDAE 138
Morioniens 138
MORIONINI 25, 138
Mormolyce 136
MORMOLYCIDAE 136
MORMOLYCITES 136
Morostoma 319
MOROSTOMATINAE 52, 319
MOROSTOMINAE 319
MORPHOZONITINA 437
MORPHOZONITINI 437
Morphozonitis 437
MORYCHINI 48, 291
Morychus 291
Muonaja 304
MUONAJINI 50, 304
MURMIDIIDAE 370
MURMIDIIDES 370
MURMIDIINAE 60, 370
Murmidius 370
MYADINA 143
Myas 143
Mycetaea 372
MYCETAEI 372, 431
MYCETAEINAE 61, 372
MYCETÉIDES 372
Mycetochara 427
Mycetochares 427
MYCETOCHARINA 67, 427
MYCETOCHARISIDAE 427
Mycetoma 387
MYCÉTOMIENS 387
MYCETOMINI 387
MYCETOPHAGIDA 385
MYCETOPHAGIDAE 62, 385
MYCETOPHAGINAE 62, 385
MYCETOPHAGINI 62, 385
Mycetophagus 385
MYCETOPORIDES 190
MYCETOPORINI 33, 190
Mycetoporus 190, 893
MYCHOCERINAE 370
Mychocerinus 370
Mychocerus 370
MYCHOTHENINAE 372
Mychothenus 372
MYCTEINI 81, 547
Mycteis 547
MYCTERIDAE 69, 443, 457, 858
MYCTERIDEN 443
MYCTERINAE 69, 443
Mycterus 443
MYLABRIA 440
MYLABRINI 69, 440
Mylabris 440, 891
MYLACINI 612
MYLACORRHINA 606
MYLACORRHININA 90, 606
MYLACORRHYNCHINA 606
Mylacus 612
Myllaena 203
MYLLAENINI 35, 203
MYLLOCERINA 90, 606
MYLLOCERINI 606
Myllocerus 606
MYLOECHINA 170
MYLOECHINAE 170, 873
Myloechus 170
MYOCHROINAE 535
Myochrous 535
MYODERMINI 271
Myodermum 271
Myodites 392
MYODITIDAE 390, 875
MYODITINAE 391
MYODITINI 390, 391, 392
MYORHINIDAE 610
MYORHININI 90, 610
Myorhinus 610
Myrabolia 363
MYRABOLIIDAE 59, 363
MYRABOLIINAE 363
MYRMACICELINAE 569, 570
MYRMACICELINI 85, 570
MYRMACICELITAE 85, 569
Myrmacikelus 569, 570
MYRMECHIXENINI 68, 431
MYRMÉCHIXÉNITES 431
Myrmecixenus 431
MYRMÉCIATES 202
Myrmedonia 202
MYRMEDONIIDES 202
MYRMEDONINA 35, 202
MYRMEKIXENI 431
Myrmetes 159
MYRMETINI 159
Myrmecia 202
MYRTONYMINA 577
MYRTONYMINI 86, 577
Myrtonymus 577
Mysia 376
MYSIATES 376
Mysteria 453
MYSTERIINI 71, 453
MYSTERINAE 453
MYSTROPIDAE 367
MYSTROPINI 60, 367
MYSTROPOMINI 23, 118
Mystropomus 118
Mystrops 367
Mythodes 476
MYTHODIDES 476
MYTHODINAE 476
MYTHODINI 74, 476
Myzia 376
NACERDATES 436
Nacerdes 436
NACERDIDI 436
NACERDINI 68, 436
Nanoglossa 199
NANOGLOSSAE 199
Nanophydes 543
NANOPHYDINAE 542, 543
NANOPHYDINI 80, 543
NANOPHYEIDAE 571
Nanophyes 571, 889

- NANOPHYINAE 85, 571
 NANOPHYINI 85, 571
Nanosella 165
 NANOSELLINAE 165
 NANOSELLINI 29, 165
Napochus 215
 NARTHECIINAE 364
Narthecius 364
Nascio 286, 889
 NASCIONINA 286
 NASCIONINI 47, 286
 NASTINI 90, 610
Nastus 610
 NASUTIPHILINA 33, 194
Nasutiphilus 194
Nasutitella 196
 NASUTITELLINA 34, 196
 NATHRIINI 480
Nathrius 479, 480
 NATYPLEURINA 32, 187
Natypleurus 187
 NAUPACTIDAE 611
 NAUPACTINI 2, 17, 90, 611, 846,
 847, 848, 871
Naupactus 611, 847
Navomorpha 470
 NAVOMORPHIDES 470
 NAVOMORPHINI 470
Neacratus 564
 NEBRENTHORRHININA 543
 NEBRENTHORRHININA 543
 NEBRENTHORRHININI 80, 543
Nebrenthorhinus 543
Nebria 102
 NEBRIIDAE 102
 NEBRIINAE 20, 102
 NEBRIINI 20, 102
Necrobia 348, 890
 NECROBIAEIDAE 348
Necrodes 174
 NECRODISIDAE 174
Necronectes 147
 NECRONECTINAE 26, 147
Necrophila 167
 NECROPHILIDAE 167
 NECROPHILINA 29, 167
 NECROPHILINI 167
Necrophilus 167
 NECROPHORIDAE 174
Necrophorus 174
 NECYDALIDES 465
 NECYDALINAE 72, 465
Necydalis 465
 NÉCYDALOPOSIDES 476
 NECYDALOPSINI 74, 476
Necydalopsis 476
Nedine 492
 NÉDINIDES 492
 NEDININI 492
 NEGASTRIINAE 52, 315, 853
 NEGASTRIINI 52, 315
Negastrius 315
 NELEIDES 230
 NELEINAE 230
Neleus 230
 NELIDINAE 230
 NEMADINA 30, 170
 NEMADINAE 170
Nemadus 170
Nemaschema 493
 NEMASCHEMATINI 493
 NEMASCHMITAE 493
 NEMATIDI 393
 NEMATIDIINI 64, 393
Nematidium 393
Nematodes 1, 306
 NEMATODINI 51, 306
 NEMATOPLI 434
 NEMATOPLINAE 68, 434
Nematoplus 434
 NEMATOSCELINI 201
Nematoscelis 201
 NEMOCEPHALI 565
 NÉMOCÉPHALIDES 564
Nemocephalus 564
Nemognatha 441, 891
 NEMOGNATHINA 69, 441
 NEMOGNATHINAE 69, 441, 874, 887
 NEMOGNATHINI 69, 441
 NEMOGNATHITES 441
Nemognathus 441
 NEMONYCHIDAE 80, 540, 851, 874,
 887, 891
 NEMONYCHINAE 80, 540
Nemonyx 540, 891
Nemorhinus 566
Nemosoma 345
 NEMOSOMIDA 345
 NEMOTARSINA 24, 135
 NEMOTARSINAE 135
Nemotarsus 135
 NEMOTRAGITAE 487
Nemotragus 487
Nemozoma 345
Neoamymoma 492
 NEOCERATOPSINI 180
Neoceratopsis 180
 NEOCERINA 31, 181
 NEOCERINI 181
Neocerus 181
 NEOCHARINI 50, 302
Neocharis 302
Neochlamys 531
 NEOCHLAMYSINI 79, 531
 NEOCHTHEBIINA 29, 164
 NEOCHTHEBINA 164
Neochthebius 164
 NEOCIMBERINI 540
Neocimberis 540
 NEOCLYTITAE 469
Neoclytus 469
 NEOCORINI 74, 476
Neocorus 476
 NEOCURIDINA 47, 285
 NEOCURIDINI 284
Neocuris 285
 NEOCYPHINI 611
Neocyphus 611
Neohebestola 494
 NEOHYDROCOPTINI 26, 148
Neohydrocoptus 148
Neoisocerus 421
Neomida 430
 NEOPACHYPTERINA 67, 420, 421
Neopachypterus 420, 421
 NEOPEDILINI 445
Neopedilus 445
 NEOPELATOPINI 29, 168
Neopelatops 168
 NEOPHONI 178
 NEOPHONINAE 31, 178
Neophonus 178
 NEOPSECTROPINAE 426
Neopsectropus 426
Neorthopleura 349
 NEORTHOBLEURINA 349
Neosharpia 589
 NEOSHARPIINI 87, 589
 NEOSHARPIINI 589
 NÉOSTÉNIDES 476
 NEOSTENINAE 476
 NEOSTENINI 74, 476
Neostenus 476
Neotropospeonella 172
 NEOTROPOSPEONELLINA 172
 NEOTYPHLINI 37, 218
Neotyphlus 218
Nephanes 166, 892
 NEPHANINI 166
Nephodes 417
 NÉPHODINI 417
Nephrites 391
 NÉPHRITINAE 391
 NÉRISSINI 535
Nerissus 535
 NERTHOPIDES 582
 NERTHOPINAE 582
 NERTHOPINI 86, 582
Nerthops 582
 NERTIDES 589, 590
 NERTINI 590
 NERTININA 590
 NERTININI 87, 589
Nertinus 589, 590
Nertus 589, 590
 NESIOBIINI 89, 597
Nesiobius 597

- Nesiotes* 597
NESIOTINAE 597
NESONEINI 31, 177
Nesoneus 177
NESOTRINCHINA 47, 283
Nesotrinchus 283
Nessiara 545
NESSIARINI 545
NETTARHINIDES 628
NETTARHININA 628
NETTARHININI 92, 628
Nettarhinus 628
Netuschilia 408
NETUSCHILIINA 65, 408
NETUSCHILINA 408
Neuglenes 165
NEUGLENINI 165, 166, 874
Neumatorina 597
NEUMATORINI 89, 597
Neuraphes 215
NEURAPHINI 215
Nevraphes 215
NICAGINI 39, 232
Nicagus 232
NICOBII 340
Nicobium 340
NICROPHORINAE 30, 174
Nicrophorus 174
NIGIDIINI 233
Nigidius 233
Nilio 400
Nilion 400
NILIONDAE 400
NILIONENIDAE 400
NILIONINAE 64, 400
Niphades 623
NIPHADINI 623
NIPHADONOTHINA 623
Niphadonothus 623
Niphona 500
NIPHONINAE 500
NIPONIIDAE 158
NIPONIINAE 28, 158
Niponius 158
Nipponocyphon 273
NIPPONOCYPHONINAE 45, 273
Nitidula 365, 366, 367
NITIDULARIAE 365, 366, 367
NITIDULIDAE 60, 365
NITIDULINAE 60, 366
NITIDULINI 60, 367
NITIDULOIDEA 353
Noda 539
NODINA 538
Nodini 539
NODININI 538
Nodostoma 538
NODOSTOMINI 538
NODOSTOMITAE 538
NODOSTOMITES 538
NODETELINI 433
Nodotelus 432, 433
Nomia 118
NOMIAIRES 379
NOMIIDAЕ 118, 879, 894
Nomius 118, 379
NOMIUSIDAЕ 118, 894
Nonarthra 524
NONARTHRIDAE 524
NONARTHrites 524
Nordenskiöeldia 217
NORDENSKIÖELDIINI 217
Nordenskioldia 217
NORDENSKIÖLDIINI 37, 217
NOSODENDRIDAE 55, 333
NOSODENDRINI 333
NOSODENDROIDEA 332, 872
Nosodendron 333
Nosoderma 396
NOSODERMINI 396
Notapion 570
NOTAPIONINI 85, 570
NOTARINI 576
Notaris 575, 576
Notaticus 150
NOTERAPIINI 84, 569
Noterapion 569
NOTERAPIONINI 569
NOTERIDAE 26, 148
NOTERIDES 148
NOTERINAE 26, 148
NOTERINI 26, 148
Noterus 148
NOTHIDAE 389
NOTHINAE 389, 873
NOTHOBROSCINA 21, 112
Nothobroscus 112
NOTHOGNATHIDES 612
NOTHOGNATHINI 90, 612
Nothognathus 612
Nothomorpha 277
NOTHOMORPHINA 46, 277
NOTHOMORPHINI 277
NOTOPHYSINI 455
Notophysis 455
NOTORHINA 465
NOTORHININI 465
NOTHOSACANTHINI 78, 516, 517,
 871
Notus 389
NOTOKASINI 20, 102
Notokasis 102
Notiomimetes 603
NOTIOMIMETIDES 603
NOTIOMIMETINI 89, 603
NOTIOPHILES 102
NOTIOPHILI 103
NOTIOPHILINI 20, 102
Notiophilus 102, 103
NOTIOPHYGIDAE 370, 371
NOTIOPHYGINAE 60, 370
NOTIOPHYGINI 61, 371
Notiophygus 370, 371
NOTIOXÉNIDES 550
NOTIOXENINI 550
Notioxenus 550
NOTOCUPEDINI 18, 96
Notocupes 96
NOTODERMINA 576
Notodermus 576
NOTOLOMINA 86, 578
Notolomus 578
NOTOMICRINAE 26, 148
NOTOMICRINI 148
Notomicrus 148
Notomorpha 277
NOTOMORPHINI 277
Notophysis 455
NOTOPHYSITES 455
Notosacantha 516, 517
NOTOSACANTHINA 517
NOTOSACANTHINI 517
NOTOTYLINAE 22, 118
NOTOTYLINI 118
Nototylus 118
NOTOXIDAE 448
NOTOXII 347, 448
NOTOXINAE 70, 347, 448, 878
Notoxus 347, 448, 890
NOVIAIRES 379
Noviini 62, 379
Novius 379
NUCLEOTOPINAE 162
NUCLEOTOPINI 29, 162
Nucleotops 162
Nucterocephalus 609
NYASSININA 44, 265
Nyassinus 265
Nyctelia 408
NYCTELIADAЕ 408
NYCTELIINI 66, 408
NYCTÉLITES 408
NYCTERINI 414
NYCTERINOIDES 413
Nycterinus 413, 414
NYCTÉROPIDES 425
NYCTEROPINA 67, 425
NYCTEROPINI 425
Nycteropus 425
Nyctimene 497
NYCTIMENINI 76, 497
NYCTIMENINI 497
NYCTIMENITAE 497
Nyctimenius 497
Nyctophysis 310
NYCTOPHYXINA 51, 310
NYCTOPORIDES 408

- NYCTOPORINI** 66, 408
Nyctoporis 408
Nyctor 319
NYCTORINI 319
NYCTOZOILIDES 416
NYCTOZOILIDES 416
NYCTOZOILINI 416
Nyctozoilus 416
Nymphister 161
NYMPHISTERINI 161
NYMPHISTRINI 28, 161
Oberea 497
OBEREINAE 497
OBEREINA 76, 497
OBEREITAE 497
OBOROCOLEIDAE 18, 94
Oborocoleus 94
OBRIAires 476
Obrienia 96, 97
OBRIENIIDAE 19, 96, 97
OBRIENIINAE 19, 97
OBRIIDAE 476
OBRIINI 74, 476
Obrium 476
Ocalea 205
OCALEIDES 205
Ocaleina 204
OCALEINI 203
OCHODAEIDAE 39, 235, 236
OCHODAEINAE 39, 236
OCHODAEINI 39, 236
Ochodaetus 235, 236
OCHODÉENS 235, 236
OCHROLITINI 364
Ochrolitus 364
OCHTEBIDI 164
Ochtebius 164
OCHTHEBII 29, 164
OCHTHEBIINAE 29, 164
OCHTHEBII 29, 164
Ochthebius 164, 891
OCHTHEOSINI 29, 164
Ochtheosus 164
OCHTHEPHILINI 115
Ochthephilum 218
Ochthephilus 115
Ochyra 476
OCHYRINAE 476
OCHYRINI 74, 476
Ochyromera 585
OCHYROMERINA 87, 585
OCHYROPINA 21, 110
OCHYROPINI 110
Ochyropus 110
OCLADIIDAE 576
OCLADIINAE 86, 576
OCLADIINI 86, 576, 577
Ocladius 576
OCNOSCELINA 526
Ocnoscelis 526
Octinodes 307
OCTOCRYPTINI 308
OCTOCRYPTITES 307
Octocryptus 307, 308
Octogonotes 525
OCTOGONOTINI 525
OCTOMICRINI 182
Octomicrus 182
OCTOTEMNI 386
Octotemnus 386
Octotoma 519
OCTOTOMIDAE 519
OCTOTOMITES 519
Ocularia 497
OCULARIINI 76, 497
Ocypetes 279
OCYPINA 224
Ocyprus 224
Ocyusa 205
OCYUSAE 205
OCYUSATES 205
OCYUSINA 205
Odacantha 138
ODACANTHIDAE 138
ODACANTHINI 25, 138
Odettea 277
ODETTEINA 277
ODOCHILINI 40, 240
Odochilus 240
ODONTALGINI 33, 189
Odontalgus 189
ODONTEINI 38, 227
Odonteus 227, 891
Odontionopa 535, 537
ODONTIONOPIN 535
ODONTIONOPITAE 537
ODONTIONOPITES 537
Odontocheila 104
Odontochila 104
Odontochilini 104
ODONTOLABIDAE 233
Odontolabis 233
ODONTOLOCHINI 40, 240
Odontolochus 240
ODONTONYCHINI 52, 318
Odontonychus 318
Odontopus 579
ODONTOSPINDINAE 58, 355
ODONTOSPINDINI 355
Odontosphindus 355
Oedemera 434, 435, 436
OEDEMERIDAE 2, 17, 68, 434, 857,
 858, 874, 892
OEDEMERINAE 68, 435
OEDEMERINI 68, 436
OEDEMERITES 434, 435, 436
Oedenocera 411
OEDENODERINI 74, 476
Oedenoderus 476
Oedesis 130
OEDIONYCHES 524
OEDIONYCHINI 524
Oedionychis 524
OEDIONYCHITES 524
Oediopalpa 517
OEDIOPALPINI 78, 517, 871
Oeme 476, 477
OEMIDES 476, 477
OEMINA 74, 477
OEMINAE 477
OEMINI 74, 476, 477
OENEINI 378
Oeneis 378
Oestodes 311
OESTODINI 311
Ogcosoma 418
Oides 531
OIDINI 79, 531, 871
OÏDITES 531
OILEINAE 230
Oileus 230
OISOCERINI 51, 306
Oisocerus 306
Olexandrella 471
OLEXANDRELLAEINI 471
OLIBRINI 364
Olibrus 364
Oligocara 426
OLIGOCAROIDES 426
OLIGOCYIDAE 614
Oligocys 614
OLIGORCHINI 496
Oligota 201
OLIGOTIDES 201
OLISTHAERINAE 33, 190
OLISTHAERINI 190
Olisthaerus 190
OLOTELINA 2, 17, 449
Olotelus 449
Omacantha 498
OMACANTHIDAE 498
OMACANTHIDES 498
OMACANTHINI 498
OMALIDAE 175, 176
OMALIINAE 30, 175, 177
OMALIINI 1, 17, 31, 176
OMALISIDAE 52, 320, 321, 892
Omalisus 320, 321, 892
Omalium 175, 176
Omalodera 115
Omalodes 161
OMALODINI 28, 161
Omaloplia 254
OMALOPLIAEIDAE 254
OMALOPLIITAE 254
OMALOPLITES 254
Omethes 329

- OMETHES 329
 OMETHIDAE 54, 329
 OMETHINAE 54, 329
Omia 612
 OMIADAЕ 612
Omias 612
 OMICRINI 28, 158
Omicrus 158
 OMIINI 90, 612, 882
 OMILEI 609
Omileus 609
 OMITES 103
Omma 8, 95, 96
 OMMADIDAE 95, 96
 OMMATIDAE 8, 18, 95
 OMMATINAE 18, 96
 OMMATINI 19, 96
Ommatolampes 573
 OMMATOLAMPIDES 573
 OMMATOLAMPINI 85, 573
 OMOCERINI 78, 517, 871
Omocerus 517
 OMOCRATATES 421
Omocrates 421
 OMOGLYMMIINA 102
 OMOGLYMMIINI 20, 102
Omoglymmius 102
 OMALABINA 82, 555
Omolabus 555
 OMOLEPTIDAE 161
 OMOPHLIENS 428
 OMOPHLINAE 428
 OMOPHLINI 428
Omophlus 2, 17, 428
 OMOPHORINAE 627
Omophorus 627, 628
Omophron 107
 OMOPHRONII 107
 OMOPHRONINAE 21, 107
Omoplata 516
 OMOPLATITES 516
 OMORGINAE 39, 231
 OMORGINI 231
Omorgus 231
Omosarotes 491
Omphra 132
 OMPHREINI 25, 138
Omphreus 138
 OMOPHRINA 24, 132
 OMOPHRINI 132
Omus 103
 ONCERINI 42, 253
Oncerus 253
Onchocephala 517
Oncideres 497
 ONCIDERINI 76, 497
 ONCIDERITAE 497
 ONCIDEROPSIDIINI 76, 497
Oncideropsis 497
- ONCOCEPHALINI 78, 517
 ONCOCÉPHALITES 517
Oncocephalus 517
Oncomera 436, 892
 ONCOMERADAЕ 436
ONCOMERINA 436
 ONCOMERININI 436
Oncosoma 418
 ONCOSOMINA 67, 418
 ONCOTINI 422
Oncotus 422
Oncyderes 497
 ONITICELLINA 41, 244
 ONITICELLINI 41, 244, 875
Oniticellus 244
 ONITIDAЕ 244
 ONITIDES 244
 ONITINI 41, 244
Onitis 244
Onocephala 498
 ONOCEPHALINI 76, 498
 ONOCEPHALITAE 498
 ONTHOPHAGIDAE 244
 ONTHOPHAGINI 41, 244
Onthophagus 244
 ONTHOPHILIDAЕ 160
 ONTHOPHILINAE 28, 160
Onthophilus 160
 ONYCHIIDAЕ 597
 ONYCHIINI 89, 597
Onychius 597
 ONYCHOCERITAE 488
Onychocerus 488
Onychoglenea 498
 ONYCHOLENEINI 76, 498
 ONYCHOLIPIDES 597
 ONYCHOLIPINI 89, 597
Onycholips 597
Onychosis 412
 ONYCHOSITES 412
 OOCROTINI 428
Oochrotus 428
 OOCYCLINI 156
Oocyclus 156
Oodes 138
 OODINI 25, 138, 139
 OODITES 138
Oophorus 309
 OOPHTERINI 116
Oopterus 116
 OOSOMIDES 612
 OOSOMINAE 612
 OOSOMINI 90, 612
Oosomus 612
 OPANASSENKOVIINA 556
Opanassenkovius 556
- OPATRIDAE 419
 OPATRINA 67, 419
 OPATRINI 67, 419, 420, 864
 OPATRITES 419
Opatrium 419
Ophioglossa 195
 OPHIOGLOSSAE 195
 OPHONIDAE 129
Oponus 129, 889
Ophryastes 612
 OPHRYASTIDES 612
 OPHRYASTINI 90, 612
 OPHTALMORRHYNCHINI 90, 612
Ophtalmorrhynchus 612
 OPHTALMORYNCHINI 612
Opilo 347
 OPILONIDAE 347
 OPISTHIINAE 103
 OPISTHIINI 20, 103
Opisthius 103
Oplocephala 430
Oplosia 487
 OPLOSTOMINA 44, 265
Oplostomus 265
 OPRESINI 215
Opresus 215
 OPSIMI 477
 OPSIMINI 74, 477
Opsimus 477
 OPTATIDES 590
 OPTATINI 87, 590
Optatus 590
Orchesia 388
 ORCHÉSIENS 388
 ORCHESINA 388
 ORCHESINI 63, 388
Orchestes 583
 ORCHESTIDES 583
Orchymontia 162
 ORCHYMONTIINAЕ 28, 162
 ORCHYMONTINAE 162
 ORECTOCHILINI 20, 100
Orectochilus 100
Oreina 521
 OREININI 521, 880
Oreinus 521
Oreodera 486
 OREODERINI 486
 OREODERITAE 486
Orfilaia 563
 ORIOTINI 171
Oriotus 171
 ORITOCATOPINI 30, 173
Oritocatops 173
Orniscus 549
 ORNITHOGNATHINAE 530
 ORNITHOGNATHITES 530
Ornithognathus 530
 OROBITIDINAE 92, 631

- OROBITINA 631
Orobittis 631
Orodotes 306
ORODOTINI 51, 306
OPHOHINA 386
OPHOHINI 63, 386
Orophius 386
Oropygia 179
OPROPYGINA 179
Orphanobrentus 565
ORPHILI 334
ORPHILINAE 55, 334
Orphilus 334
ORPHNIDAE 246
ORPHNINAE 41, 246
ORPHNINI 41, 246
Orphnus 246
Oropygia 179
ORSODACHNIDAE 504
Orsodacne 504, 892
ORSODACNIDAE 77, 504, 888, 892
ORSODACNINAE 77, 504
Ortalia 380
ORTALIAE 380
ORTALIENS 380
ORTALIINI 62, 380
ORTHOCÆTINA 585
ORTHOCEPINAE 393
ORTHOCERINI 64, 393, 888
ORTHOCÉRITES 393
Orthocerus 393, 440, 893
Orthochaetes 585
Orthochætini 585
ORTHOGNATHIDES 571
ORTHOGNATHINAE 85, 571
ORTHOGNATHININI 85, 571
Orthognathus 571
ORTHOGENIDEN 139
ORTHOGENIINAE 139
ORTHOGENIINI 25, 139
ORTHOGENINI 139
Orthogonius 139
Orthomegas 456
ORTHOMEGITAE 456
ORTHOPERIDAE 382
ORTHOPERINI 62, 382
ORTHOPOÉRITES 382
Orthoperus 382
Orthopleura 348
ORTHOPLERINAE 348
ORTHORHINIDES 630
ORTHORHININA 92, 630
Orthorhinus 630
Orthosoma 460
ORTHOSOMITAE 460
Orvoenia 367
ORVOENINI 367
Orychodes 562
ORYCHODI 562
- Oryctes* 261
ORYCTÉSAIRES 261
ORYCTESIA 261
ORYCTINI 43, 261
ORYCTODERINI 43, 261
Oryctoderus 261
ORYCTOMORPHIDAE 259
ORYCTOMORPHINA 43, 259
Oryctomorphus 259
Oryctos 171, 172
ORYSSOMINI 62, 380
Oryssomus 380
Osmaderma 271, 892
OSMODERMATINA 44, 271
OSMODERMINI 271
OSORIINA 36, 210
OSORIINAE 36, 210
OSORIINI 36, 210
OSORINI 210
Osarius 210
OSPHIES 389
Osphyra 389
OSPHYENS 389
OSPHYNAE 63, 389, 873
OSPHYINI 389
OSPHYOPLESINI 444
Osphyoplesius 444
Ostoma 344
OSTOMINI 344
OSTOMOPSINA 60, 370
OSTOMOPSINI 370
Ostomopsis 370
Othiidæ 222
Othiini 38, 222
Othippia 594
Othippiini 88, 594
Othius 222, 893
Othniidae 445
Othniinae 69, 445
Othnius 445
OTIDOCÉPHALIDES 582
OTIDOCEPHALINAE 582
OTIDOCEPHALINI 86, 582
Otidocéphalus 582
Otiorynchides 613
Otiorynchinae 613, 887
Otiorynchini 90, 570, 612
Otiorynchus 612, 613, 890, 894
Ototreta 332
OTOTRETADRILINAE 54, 332
Ototretadrilus 332
OTOTRETINAE 54, 332
Ottistira 613
Ottistirini 90, 613
Ottokelleria 256
Ovosoma 520
Ovosomae 520
Ovosomes 520
Oxacini 435
- Oxacis* 435
OXEOSTOMATIDAE 567
Oxeostomum 567
Oxura 410
OXURINA 66, 410
Oxycheila 105
OXYCHEILITES 105
OXYCHILINI 105
Oxychilus 105
OXYCOLEINI 74, 477
Oxycœleus 477
OXYCORYNIDES 551, 552, 553
OXYCORYNINA 82, 553
OXYCORYNINAE 81, 551
OXYCORYNINI 82, 552
OXYCORYNOIDES 543
OXYCORYNOIDINAE 542, 543
OXYCORYNOIDINI 80, 543
Oxycormus 551, 552, 553
OXYCRASPEDINA 82, 553
Oxycraspedus 553
Oxygona 524
OXYGONINAE 524
OXYGONITES 524
OXYLOBIDES 110
OXYLOBINA 21, 110
Oxylobus 110
OXYMIRINI 72, 463
Oxymirus 463
OXYOPTÉRIDES 312
OXYOPTERINAE 51, 312, 853
OXYOPTERINI 312
Oxynopterus 312
Oxyonyx 591
OXYONYXINA 591
OXYOPHTHALMINA 606
Oxyophthalmus 606
Oxyopisthen 573
OXYOPISTHINAE 573
OXYPELTIDAE 71, 452
OXYPELTIDES 452
OXYPELTINAE 451
OXYPELTINI 452
Oxypeltus 452
Oxypoda 203, 204, 893
OXYPODIDES 203, 204, 888
OXYPODINA 35, 204
OXYPODINI 35, 203
OXYPODININI 35, 205
Oxypodinus 205
OXYPORIDAE 213
OXYPORINAE 36, 213, 225
Oxyporus 213
OXYRHYNCHIDES 571
OXYRHYNCHINAE 571
Oxyrhynchus 571
Oxystoma 568
OXYSTOMATINA 84, 568
OXYSTOMATINI 568

- OXYSTOMIDES 108
 OXYSTOMINA 109
Oxystomus 108, 109
 OXYTELIDAE 211, 212
 OXYTELINAE 36, 211
 OXYTELINI 36, 192, 212
Oxytelus 211, 212
Ozaena 118
 OZAENIDAE 118
 OZAENINI 23, 118
Ozodecerus 565
 OZODOCERINI 565
Ozognathini 339
Ozognathus 339
 OZOTOMERINI 81, 547
Ozotomerus 547
 PACHNAEI 616
Pachnaeus 616
 PACHNEPHORINI 420
Pachnoda 263
 PACHNODII 263
 PACHOLÉNIDES 629
 PACHOLENINI 92, 629
Pacholenus 629
 PACHYBRACHI 533
 PACHYBRACHIDEN 533
Pachybrachina 79, 533
 PACHYBRACHINI 533
Pachybrachis 533
 PACHYBRACHITES 533
 PACHYCARINA 129
Pachycarus 129
Pachycera 411
 PACHYCERINA 411
Pachynema 8, 250
 PACHYCNEMIDAE 250
 PACHYCNÉMIDES 250
 PACHYCNEMINA 8, 41, 250
Pachydema 255
 PACHYDEMIDAE 255
 PACHYDEMINI 255
Pachyderes 310
 PACHYDERINAE 310
Pachydesus 115
 PACHYDRINI 152
Pachydrus 152
Pachygasterodes 189
 PACHYGASTRODINI 33, 189
Pachyglossa 205
 PACHYGLOSSINI 205
 PACHYLIDES 256
 PACHYLINAE 256
Pachylus 256
 PACHYMERINA 77, 508
 PACHYMERINAE 508
Pachymerus 508
Pachyocthes 369
 PACHYOCHTHESINAE 369
Pachypeza 488
 PACHYPÉZIDES 488
Pachyplacini 488
 PACHYPLACINI 61, 371
Pachyplacus 371
 PACHYLECTRINAЕ 40, 237
Pachylectrus 237
 PACHYPODA 253
 PACHYPODEN 253
 PACHYPODINI 42, 253
 PACHYPTÉRATES 420, 421
 PACHYPTERINI 420, 421
Pachypterus 420, 421
Pachypus 2, 18, 253, 858, 859, 860
 PACHYRHINADORETINA 42, 256
Pachyrhinadoretes 256
 PACHYRHINCHIDAE 570
Pachyrhinus 614
 PACHYRHYNCHIDES 613
 PACHYRHYNCHINI 90, 613, 887
Pachyrhynchus 570, 613, 890
 PACHYSCHELINA 48, 290
 PACHYSCHELINAE 290
Pachyschelus 290
Pachysoma 245
 PACHYSOMIDES 245
Pachystola 495
 PACHYSTOLAEIDAE 495
Pachytela 463
Pachyteles 119
 PACHYTELINI 119
 PACHYTES 463
 PACHYTINI 463
 PACHYTRACHELI 131
 PACHYTRACHELINI 131
Pachytrachelus 131
Pachytricha 253
 PACHYTRICHIADAЕ 253
 PACHYTRICHINI 42, 253
Pachyura 551
 PACHYURINI 81, 551
Pactola 581
 PACTOLINA 581
 PAEDERINA 37, 220
 PAEDERINAE 37, 218
 PAEDERINI 37, 218
Paederus 218, 220
 PAELOBIIDAE 149
Paelobius 149
Pagla 205
 PAGLINI 35, 205
Pagria 538
 PAGRIITAE 538
 PAGRITES 538
 PAGURODACTYLINAE 353
 PAGURODACTYLINI 58, 353
Pagurodactylus 353
Paipalesomini 92, 629
Paipalesomus 629
Palaechthus 603
 PALAECHTINI 603
Palaechtus 603
 PALAOAXINIDIINI 21, 109
 PALAOAXINIDINI 109
Palaeoxinidium 109
 PALAEOGYRINIDAE 153
 PALAEOGYRININAE 27, 153
Palaeogyrinus 153
 PALAEOXENINAE 50, 300
Palaeoxenus 300
Palaestra 442
 PALAESTRINA 442
 PALEOCARTINAE 80, 543
 PALEOCARTINI 80, 543, 544
Paleocartus 543, 544
 PALICHNIDAE 45, 272
Palichnus 272
 PALOPHAGINAE 77, 504
Palophagus 504
 PALORINAE 421
 PALORINI 67, 421
Palorus 421
 PAMBORIDAE 106
 PAMBORINI 21, 106
Pamborus 106
 PANAGAEIDES 139
 PANAGAEINA 25, 139
 PANAGAEINAE 122
 PANAGAEINI 25, 139
Panagaeus 139
 PANAPHANTINA 32, 183
Panaphantus 183
 PANDARIDAE 421
 PANDARITES 421
Pandarus 421
 PANDELETEINI 616
Pandeleteius 616
 PANELINI 243
Panelus 243
Pangaura 307
 PANGAURADAЕ 307
 PANGETEIDAE 145
Pangetes 145
 PANISCIDAE 271
Paniscus 2, 17, 271
Pantolia 269
 PANTOLIENS 269
 PANTOLIINA 44, 269
 PANTOMORINA 611
Pantomorus 611
 PANTOPÉIDES 618
 PANTOPEINARUM 618
 PANTOPEINI 617
Pantopeus 618
Pantoteles 590
 PANTOTÉLIDES 590
 PANTOTELINA 88, 590
 PANTOTELINAE 590

- PANTOTELINI 87, 590
Panus 622
 PARACATOPINA 30, 170
 PARACATOPINI 170
Paracatops 170
Parachilia 269
 PARACHILIINA 44, 269
 PARACUCUJINAE 58, 354
Paracucujus 354
Paradoxenus 205
 PARADOXENUSINI 35, 205
 PARAHELOPINAE 396
Parahelops 396
 PARAHOLOPTERINI 74, 477
Paraholopterus 477
Parahygrobia 147
 PARAHYGROBIIDAE 26, 147
 PARALEPTIDEA 480
Paraleptodema 282
 PARALEPTODEMINA 46, 282
 PARALEPTODEMINI 46, 282
 PARALISPINI 211
Paralispinus 211
 PARALUCANINAE 39, 235
Paralucanus 235
 PARALYCINAE 322
Paralycus 322
 PARAMECOLABINA 82, 555
Paramecolabus 555
Paramecosoma 360
 PARAMECOSOMINA 360
Paramellon 405
 PARAMELLONINA 65, 405
 PARAMELLONINAE 405
Parandra 454
 PARANDRAE 454
 PARANDRAEIDAE 454
 PARANDREXIDA 58, 353
Parandrexis 353
 PARANDRIDES 454
 PARANDRINA 71, 454
 PARANDRINI 71, 454
 PARAPTOCHI 613
Paraptochus 613
Parastasia 259
 PARASTASIIDAE 259
 PARASTASIINA 43, 259
 PARASTHETOPINA 162
 PARASTHETOPINI 29, 162
Parasthetops 162
Parasynaptopsis 556
 PARASYNAPTOPSISINA 556
Paratassa 282
 PARATASSINI 46, 282
Parathyrea 290
 PARATHYREINA 48, 290
 PARATINI 353
 PARATININI 353
Paratinus 353
 PARATOMAPODERINA 83, 557
Paratomapoderus 557
 PARATRACHEINI 46, 278
Paratrachys 278
 PARATRACHYSAE 278
 PARAULETANINA 560
Parauletanus 560
 PARECATINI 402
Parecatus 402
Parhydraena 163
 PARHYDRAENINI 29, 163
Paristemia 484
 PARISTÉMIDES 484
 PARISTEMIINI 484
Parmena 498
 PARMÉNAIRAE 498
 PARMENINI 76, 498
 PARMENITAE 498
 PARMULINI 62, 382, 383
Parmulus 383
 PARNIDAE 294, 872
 PARNIDEA 294
Parnus 294
 PAROMALINAE 159
 PAROMALINI 28, 160
Paromalus 160
 PAROPSINA 520
 PAROPSINAE 520
 PAROPSINES 520
Paropsis 520
 PAROSORII 210
Parosorius 210
 PASIMACHIDES 109
 PASIMACHINA 109
 PASIMACHINI 21, 109
Pasimachus 109
 PASSALIDA 228, 230
 PASSALIDAE 39, 228, 637
 PASSALIDIINA 111
Passalidius 111
 PASSALINAE 39, 228
 PASSALINI 39, 230
Passalus 228, 230
Passandra 363
Passandrella 364
 PASSANDRELLINI 364
 PASSANDRIDAE 59, 363, 840
 PASSANDRINI 363
 PASSANDRITES 363
Patrizia 146
 PATRIZIINA 25, 146
 PATRIZIINI 146
 PATROBIDAE 116, 117
 PATROBINA 22, 117
 PATROBINAЕ 22, 116
 PATROBINI 22, 116
Patrobus 116, 117
 PAUSSILI 118, 119, 120
 PAUSSINA 23, 120
 PAUSSINAE 22, 118, 837
 PAUSSINI 23, 119
 PAUSSOBRENTHINI 563
Paussobrenthus 563
Paussus 118, 119, 120
 PAXILLINAE 230
Paxillus 230
Pectocera 313
 PECTOCERINI 313
Pediacus 2, 18, 363, 839, 840, 841
Pediculota 206
 PEDICULOTINI 35, 206
 PEDILIDAE 445
 PÉDILIDES 445
 PEDILINAE 69, 445
 PEDILOPHORINI 48, 291
Pedilophorus 291
Pedilus 445
 PEDINIDAE 423
 PEDINIDEN 421, 423
 PEDININA 67, 423
 PEDININI 67, 421, 423, 864
Pedinus 421, 423
 PEGYLINA 42, 252
 PEGYLINI 252
Pegylis 252
 PÉLÉCIDES 139
 PELECINA 25, 139
 PELECINI 25, 139, 140
Pelecium 139
Pelecophora 350
 PELECOFORINI 350
Pelecopselaphus 282
Pelecotoma 391
 PELECOTOMINAE 63, 391
 PELECOTOMINI 391
 PELEROPINI 595
Pelidnota 259, 892
 PELIDNOTIDAE 259
Peliocypas 134
 PELIOCYPINI 134
 PELMATELLINA 24, 130
 PELMATELLINAE 130
Pelmatellus 130
 PELOBIINAE 149, 873
Pelobius 149
Peloni 349
 PELONINAE 349
Pelonium 349
 PELONOMINAE 294
Pelonomus 294
Pelophila 103
 PELOPHILINI 20, 103
 PELOPIDES 229
 PELOPINAE 229
 PELORHINIDAE 601
 PELORHIRHINI 601
 PELOROPODINI 88, 595

- Peloropus* 595
PÉLORORHINIDES 601
PELORORHININI 601
Pelororhinus 601
Peltastica 332
PELTASTICIDAE 332
PELTASTICINAE 55, 332
PELTIDES 343
PELTINAE 56, 343
PELTINI 57, 343
PELTININI 383
Peltinodes 383
PELTINODINI 62, 383
PELTINODITAE 383
Peltinus 383
Peltis 343, 893
Peltodytes 146
PELTODYTINAE 146
PELTONOTINI 260
Peltonotus 260
Peneta 400
PÉNÉTIDES 400
NETINA 400
NETININI 64, 400
Penia 314
PENICHROLUCANINAE 233
Penichrolucanus 233
PENICILLOPHORINAE 53, 326
PENICILLOPHORINI 326
Penicilliphorus 326
PENIINI 314
Pentagonica 140
PENTAGONICINAE 140
PENTAGONICINI 25, 140
PENTAPHYLLAIRES 429
PENTAPHYLLI 429
PENTAPHYLLINAE 429, 886
PENTAPHYLLINI 429, 886
Pentaphyllum 429
Pentaphyllus 429
PENTAPLATARTHINA 23, 120
PENTAPLATARTHINEN 120
PENTAPLATARTHININI 121
Pentaplatarthrus 120, 121
Pentaria 451
PENTARIINI 70, 451
PENTARTHRIDES 597
PENTARTHIRINI 89, 597
Pentarhrum 597
Penthe 387
PENTHICAIRES 420
PENTHICINI 420
Penthicus 420
PENTHIDES 387
PENTHINAE 63, 387
PENTHINI 387
Pentilia 378
PENTILIAIRES 378
PENTILIINI 378
Pentodon 8, 261, 892
PENTODONAIRES 261
PENTODONTINA 43, 261
PENTODONTINAE 261
PENTODONTINI 8, 43, 261
Peralampes 308
Peribleptus 629
PERICALINA 24, 135
PERICALLIDIAE 135
Pericalus 135
PÉRIDINÉTIDES 590
PERIDINETINA 590
PERIDINETINI 88, 590
Peridinetus 590
Perieges 575
PERIEGINI 575
PERIGLOSSINAE 136
Periglossum 136
Perigona 140, 837
PERIGONAE 140
PERIGONINI 2, 17, 25, 140, 836,
 837, 870
PERILEPTI 115
PERILEPTIDES 115
PERILEPTINA 22, 115
Perileptus 115
PERIMYLOPIDAE 396
Perimylops 396
Perinthi 208
PERINTHINA 36, 208
Perinthus 208
PERIOMATINI 639
Periomatus 639
Periommatus 639
PERIPTYCTINAE 62, 382
Periptyctus 382
PERITELI 613
PÉRITÉLIDES 613
Peritelini 90, 613
Peritelus 613
PERMOCUPEDIDAE 18, 94
PERMOCUPODEA 18, 94
Permocupes 94
PERMOCUPIDAE 94
Permosyne 94, 95
PERMSYNIDAE 18, 94, 95
Permosynoidea 18, 94
PEROCHNORISTHINAE 132
Perochnoristhus 132
PÉROTHOPIDES 300
Perothopinae 50, 300
Perothopini 300
Perothops 300
Perperus 618
Perrhynchites 560
PERRHYNCHITINA 83, 560
PERROTINI 50, 304
PERROTINI 304
Perrotius 304
PERTINACEAE 230
Pertinax 230
Perucola 278
PERUCOLINI 46, 278
PERYPHIDAE 114
Peryphus 114
Petalia 341
PETALIINI 341
Petalium 341
PÉTALOCHILIDES 629
PETALOCHILINAE 629
PETALOCHILINI 92, 629
Petalochilus 629
PETANOPINI 189
Petanops 189
PETREJINAE 230
Petrejus 230
Petria 428
PETRIIDAE 428
Petrognatha 498
PETROGNATHINAE 498
PETROGNATHINI 76, 498
PÉTROGNATHITES 498
PHACELLIDES 498
PHACELLINAE 498
PHACELLINI 76, 498
Phacellus 498
Phaedimi 267
PHAEDIMINI 44, 267
Phaedimus 267
Phaedon 521
PHAEDONINI 521
Phaenithon 545
PHAENITHONINI 545
PHAENOCEPHALIDAE 364, 371
PHAENOCEPHALINAE 59, 364
Phaenocephalus 364
PHAENOCERINI 50, 304, 305
Phaenocerus 304, 305
Phaenognatha 247
PHAENOGNATHINI 41, 247
Phaenomer 246, 593
PHAENOMERIDIDAE 246, 882
PHAENOMERIDINAE 41, 246
PHAENOMERINA 88, 593, 882, 885,
 887
Phaenomerini 246, 882, 885
Phaenomeris 246, 593, 892
Phaenomerus 593, 890
PHALACRIDAE 59, 364, 371
PHALACRINAE 59, 364
PHALACRURIDA 364
Phalacrus 364
Phalangogonia 258
PHALANGOGONINA 43, 258
PHALEPSINI 33, 189
Phalepsus 189
Phaleria 431, 893
PHALERIADAE 431

- PHALÉRIIDES 431
 PHALERIINI 68, 431, 864
Phalidura 601
Phalota 477
 PHALOTIDES 477
 PHALOTINI 74, 477
 PHANAEIDAE 245
 PHANAEINI 41, 245
Phanaeus 245
Phanerotoma 410
Phanerotomea 410
 PHANEROTOMEINA 66, 410
 PHANEROTOMINA 410
 PHANEROTOMINI 410
 PHANEROTOMOIDE 410
 PHANTASIDES 499
 PHANTASINAE 499
 PHANTASINI 76, 499
Phantasis 499
Pharangispa 513
 PHARANGISPINI 513
Pharaxonatha 356
 PHARAXONOTHINAE 58, 356
 PHARINAE 381
 PHARINI 381
 PHAROCHLINAE 229
Pharocilus 229
Pharoscymnus 381
Pharus 381
 PHELLOPSINI 64, 395
Phellopsis 395
Phengodes 326
 PHENGODIDAE 53, 326
 PHENGODINAE 53, 326
 PHENGODINI 326
 PHEROPSOPHINA 23, 121
 PHEROPSOPHINI 121
Pheropsophus 121
Phialodes 555
Phialodina 82, 555
 PHIBALIDAE 428
Phibalus 2, 17, 428
 PHILACAMATINI 197
Philacamatus 197
Philanthaxia 286
 PHILANTHAXIINA 47, 286
 PHILEURIDAE 262
 PHILEURINA 43, 262
 PHILEURINI 43, 262
Phileurus 262
 PHILHYDRATES 155
 PHILHYDRIDA 155
Philhydrus 155
 PHILINAE 71, 451, 452
 PHILITAE 452
Philochlaenia 251
 PHILOCHLÉNIDES 251
Philochloenia 251
 PHILONTHIDAE 223
 PHILONTHINA 38, 223
 PHILONTHINI 222
Philonthus 223
 PHILOPEDINI 605
Philopedon 605
PHILOTERMES 8, 206
 PHILOTERMITINI 8, 35, 206
Philus 452
Philydrus 155
Phlegon 301
 PHLEGONINAE 50, 301
 PHLÉOBIENS 177
 PHLOEOBINAЕ 178
Phloeobium 177, 178
 PHLOEOBORI 634
Phloeoborus 634
 PHLOEOCHARINA 190
 PHLOEOCHARINAE 33, 190
 PHLOEOCHARINI 190
Phloeocharis 190
 PHLOEONOMINI 1, 17, 177
Phloeonomus 177
 PHLOEOPHAGINA 89, 598
Phloeophagus 598
 PHLOEOPHILIDES 546, 547
 PHLOEOPHILINI 343, 547
Phloeophilus 343, 546, 547
Phloeopora 205
 PHLOEOPORIDES 205
 PHLOEOPORINA 204
 PHLOEOPORINI 203, 205
 PHLOEOSINIDES 635
 PHLOEOSININI 93, 635
Phloeosinus 635, 890
 PHLOESTICHIDAE 59, 362, 840
 PHLOESTICHINI 362
Phloeostichus 362
 PHLOEOTRAGIDES 548
 PHLOEOTRAGINAE 548
Phloeotragus 548
 PHLOEOTRIBIDAE 636
 PHLOEOTRIBINI 93, 636
Phloeotribus 636, 890
Phloeotrupes 634
 PHLOEOTRUPIDAE 634
 PHLOEOTRUPIDES 634
 PHLOIOPHILIDAE 56, 343
Phloiophilus 343
Phlyctaenodes 477
Phlyctaenodini 74, 477
 PHLYCTÉNODIDES 477
 PHOBÉLIIDES 398
Phobelina 398
Phobelini 398
Phobelius 398
 PHOBERIDAE 231
Phoberus 231
Phodaga 439
 PHODAGAE 439
 PHODAGINI 439
Phoenicobates 629
 PHENICOBATINA 629
 PHENICOBATINI 92, 629
 PHOLEUINA 30, 172
Pholeuon 172
 PHOLEUONES 172
 PHOLIDIENS 212
 PHOLIDINI 212
 PHOLIDOCHLAMYDINAE 564
 PHOLIDOCHLAMYDINI 84, 564
Pholidochlamys 564
 PHOLIDOCHLOMYDINAE 564
 PHOLIDOTINI 234, 235
Pholidotus 234
Pholidus 212
Phoracantha 477
 PHORACANTHIDAE 477
 PHORACANTHINI 74, 477
 PHORONEAE 230
Phoroneus 230
 PHOSPHAENAIRES 328
 PHOSPHAENIDES 328
 PHOSPHAENINI 328
Phosphaenus 328
Photina 328
Photini 328
Photinina 54, 328
 PHOTININAE 328, 883, 895
Photinus 328
 PHOTRIDES 329
 PHOTURINAE 54, 329
 PHOTURINI 329
Photuris 329
 PHRATHORINES 520
Phratora 520, 521
 PHRATORINA 520
 PHRATORINAE 520
Phreatodytes 148
 PHREATODYTIDAE 148
 PHREATODYTTINAE 26, 148
Phrenapates 400
 PHRENAPATINAЕ 64, 400
 PHRENAPATINI 65, 400, 864
 PHRENAPATOIDAE 400
Phrepates 400
 PHRÉPATIDES 400
PhriSSoma 495
 PHRISSOMITAE 495
Phrixia 286
 PHRIXIINI 47, 286
Phrixosoma 636
 PHRIXOSMATINI 93, 636
 PHRIXOSOMINI 636
 PHRYDIUCHINA 591
Phrydiuchus 591
 PHRYGANOPHILES 388
Phryganophilus 388
Phryneta 499

- PHRYNETINI 76, 499
 PHRYNETITAE 499
 PHRYNIXINAE 629
 PHRYNIXINI 92, 629
Phryníxus 629
 PHRYNOCARENINAE 408
 PHRYNOCARENINI 66, 408
Phryncarenum 408
 PHRYNOCOLOIDIEN 410
Phryncolus 410
 PHRYSSOMITAE 495
 PHTEGNOMINA 32, 184
 PHTEGNOMINI 184
Phtegnous 184
Phtora 400
 PHTHORINI 400
 PHTHOROPHLOEIDES 636
Phthorophleus 636
Phtora 400, 431
 PHYCOCHI 240
 PHYCOCHINI 240
Phycochus 240
 PHYCOCINA 40, 240
Phycocoetes 625
 PHYCOCOETES 625
 PHYCOCOETINI 625
Phycocus 240
 PHYCOSECIDAE 57, 349, 839
Phycosecis 349, 839
Phygasia 526
 PHYGASINI 526
 PHYLACIDES 422
 PHYLACINA 422
Phylan 421
Phylax 422
 PHYLLARTHRIINI 74, 478
Phyllarthrus 478
 PHYLLASTOLIDAE 617
Phyllastlus 617
Phyllecthris 530
 PHYLLECTHRITES 530
 PHYLLOBAENIDES 348
Phyllobaenus 346, 347
 PHYLLOBENIDES 347
 PHYLLOBÉNIDES 347
 PHYLLOBIDES 614
 PHYLLOBIINI 90, 614, 887
Phyllobius 614, 890
Phyllobrotica 529
 PHYLLOBRODICINI 529
 PHYLLOBRODICITES 529
 PHYLLOCERIDAE 300
 PHYLLOCERINAE 50, 300
 PHYLLOCERINI 50, 300
Phyllocerus 300
 PHYLLOCHARINI 521
Phyllocharis 521
 PHYLLOCHARITES 521
Phyllolecta 521
 PHYLLODECTAE 521
Phylloidinarda 206
 PHYLLODINARDINI 35, 206
Phyllomanes 614
 PHYLLOMANISIDAE 614
 PHYLLONOMEIDAE 621
Phyllonomeus 621
 PHYLLOPHORIDAE 311
Phyllophorus 311
 PHYLLOPLATYPODINI 597
Phylloplatypus 597
 PHYLLOTOCIDAE 253
 PHYLLOTOCIDIINI 42, 253
Phyllotocidium 253
 PHYLLOTOCINA 42, 253
Phyllotocus 253
 PHYLLOTROGINA 86, 578
Phyllotrox 578
Phyllurga 257
 PHYLLURGAEIDAE 257
Phymaphora 372
 PHYMAPHORINA 372
Phymasterna 499
 PHYMASTERNINI 76, 499
 PHYMATODEATES 468
Phymatodes 468, 889
 PHYMATOLABINA 82, 555
Phymatolabus 555
 PHYMATOPSININA 82, 555
Phymatopsisnus 555
Physea 119
 PHYSEITAE 119
 PHYSOCROTAPHIDES 140
 PHYSOCROTAPHINAE 140
 PHYSOCROTAPHINI 25, 140
Physocrotaphus 140
 PHYSODACTYLIDES 319
 PHYSODACTYLINA 52, 319
 PHYSODACTYLINI 319
Physodactylus 319
Physodera 135
 PHYSODÉRIDES 135
 PHYSODERINA 135
 PHYSODERINAE 135
Physogaster 408
 PHYSOGASTERIDAE 408
 PHYSOGASTÉRIDES 408
 PHYSOGASTERINI 66, 408
 PHYSOGNATHINAE 217
 PHYSOGNATHITES 217
Physognathus 217
Physonota 516
 PHYSONOTITAE 516
Physoplectus 185
 PHYSORHINI 318
 PHYSORHININAE 318, 852
 PHYSORHININI 52, 318
 PHYSORHINITES 318
Physorhinus 318
 PHYTOBAENINI 70, 450
Phytobaenus 450
 PHYTOBIIDAE 592
 PHYTOBINAE 590
 PHYTOBIIINI 88, 592
Phytobius 592, 890
Phytodecta 521
 PHYTODECTINI 521
Phytoecia 499
 PHYTOECIAIRES 499
 PHYTOECINAE 499
 PHYTOECIINI 76, 499
 PHYTONOMIDAE 619
 PHYTONOMINAE 619, 871
 PHYTONOMINI 619
Phytonomus 619
 PHYTOSCAPHI 606
 PHYTOSCAPHIDES 606
 PHYTOSCAPHINA 90, 606
 PHYTOSCAPHINI 605
Phytoscaphus 606
 PHYTOSIDES 206
 PHYTOSINI 35, 206
Phytosus 206
Phytotera 290
 PHYTOTERADAE 290
 PHYXELES 618
Phyxelis 618
Piazomias 616
 PIAZOMIINA 91, 616
 PIAZOMIINI 616
 PIAZORHINIDAE 583
 PIAZORHINIDES 583
 PIAZORHININI 86, 583
Piazorhinus 583
 PIAZURIDES 595
 PIAZURINI 88, 595
 PIAZURINORUM 595
Piazurus 595
 PICROTINI 59, 360
Picrotus 360
 PIESARTHINI 478
 PIESARTHRIINI 74, 478
 PIESARTHRIINI 478
Piesarthrius 478
Piesarthrius 478
 PIESOCORYNNI 81, 547
Piesocorynus 547
 PIESTINAE 36, 210
 PIESTINI 210
Piestus 210
Piezocera 478
 PIÉZOCÉRIDES 478
 PIEZOCERINA 74, 478
 PIEZOCERINI 74, 478
 PIEZOPHYLLINI 311
Piezophyllus 311
 PIEZOTRACHELINA 84, 568
 PIEZOTRACHELINI 568
Piezotrichelus 568

- PILINURGINA 44, 265
Pilinurgus 265
 PILIPALPINAE 69, 445
 PILIPALPINI 445
Pilipalpus 445
 PILOLABINI 82, 556
Pilolabus 556
Pimelerodius 581
Pimelia 400, 409
 PIMELIARIAE 400, 409
 PIMELIIDAE 397
 PIMELIINAE 65, 400, 404, 865
 PIMELINI 66, 409
 PIMELOPODEA 262
Pimelopus 262
Pimidia 409
 PIMIDINIA 409
Pinodytes 168
 PINODYTINA 168, 873
 PINODYTINI 168
 PINOPHILINA 37, 221
 PINOPHILINI 37, 221
 PINOPHILINIFORMES 221
Pinophilus 221
 PINOTINAE 242
Pinotus 242
Piochardia 192
 PIOCHARDIAE 192
 PISENINAE 63, 387
 PISENINI 387
Pisenus 387
Pissodes 629, 630
 PISSODINA 92, 630
 PISSODINI 92, 629
 PISSODISIDAE 629, 630
Pithocles 460
 PITHOCLITAE 460
Pityobiinae 51, 312
Pityobini 312
Pityobius 312
Pityogenes 635
 PITYOGENINA 635
 PITYOPHAGINI 367
Pityophagus 367
 PITYOPHTHORIDAE 632
 PITYOPHTHORINA 93, 632
Pityophthora 632
Placonycha 296
 PLACONYCHINAE 296, 874
 PLACONYCHINI 296
Placusa 206
 PLACUSAE 206
 PLACUSATES 206
 PLACUSINI 35, 206
 PLAGIARTHrina 193
 PLAGIARTHrINI 193
 PLAGIOGONATES 239
Plagiogonus 239
Plagiophorus 186
Planetes 127
 PLANETINA 24, 127
 PLANETINI 127
 PLANEUSTOMINI 36, 213
 PLANEUSTOMITES 213
Planeustomus 213
 PLASTOCERI 320
 PLASTOCERIDAe 52, 307, 320, 884
 PLASTOCERINI 307, 884
Plastocerus 307, 320
Platambus 149
Platamodes 411
 PLATAMODINA 411
Platandria 200
 PLATANDRIINA 34, 200
 PLATERODINAE 325
 PLATERODINI 53, 325
 PLATERODRILINI 53, 322
Platerodrilus 322
Plateros 325
 PLATEUMARINI 78, 509
Plateumaris 509
 PLATIDIOLINA 22, 117
 PLATIDIOLINI 117
Platidiolus 117
Platya 368
 PLATYARCHINI 60, 368
 PLATYARTHrinae 479
 PLATYARTHrINI 74, 478
Platyarthron 478, 479
Platyauchenia 510
 PLATYAUCHENIITAe 510
Platycephala 552
 PLATYCEPHALIDAe 552
 PLATYCEPHALITAe 552
Platycerbalus 552
 PLATYCÉRAIRES 235
 PLATYCYERIDAe 235
 PLATYCYERINI 39, 235
PLATYcerides 235
 PLATYCYEROIDINI 39, 235
Platycerus 235, 891
Platychile 105
 PLATYCHILIDAe 105
PLATYcholei 173
 PLATYCHOLEINA 30, 173
Platycholeus 173
 PLATYCNEmidIFORMES 224
 PLATYCNEmini 223, 224, 888
Platycnemis 224, 893
Platycelia 258
 PLATYCOELIIDAe 258
PLATYCOELiNA 43, 258
Platycorynus 536
 PLATYCREPIDIINI 51, 310
Platycrepidius 310
 PLATYDASCILLIDAe 354
 PLATYDASCILLINAe 58, 354
Platydascillus 354
Platydema 429
 PLATYDEMINAE 429
Platyderes 144
 PLATYDERINA 144
Platygenia 271
 PLATYGENINA 44, 271
 PLATYGENININI 271
 PLATYGNATHINA 71, 458
 PLATYGNATHINI 458
Platygna 458
 PLATYNASPIAIRES 380
 PLATYNASPINI 62, 380
Platynaspis 380
 PLATYNII 140
 PLATYNINA 140
 PLATYNINAE 122
 PLATYNINI 25, 140
PLATynoptera 348
 PLATynopteridae 348
 PLATynoptéroïDES 348
 PLATYNOTAIREs 423, 424
 PLATYNOTINA 67, 423
 PLATYNOTINI 423, 424
Platynotus 423, 424
Platynus 140
 PLATYOMINA 611
Platymomus 611
Platypo 409
PLATyopes 409
 PLATyOPES 409
 PLATyOPidae 409
Platyops 409
 PLATyPICERINAe 639
Platypicerus 639
 PLATyPODIDAe 637, 638, 843, 844,
 848, 850, 851
 PLATyPODINAe 93, 637, 638, 841,
 850
 PLATyPODINI 93, 638
 PLATyPROSOPARIA 222
 PLATyPROSOPINAe 222
 PLATyPROSOPINI 38, 222
*Platyprosopu*s 222
 PLATyPSYLlidae 173
 PLATyPSYLlinae 30, 173
Platypyllus 173
Platypus 637, 638
 PLATyRHININI 8, 81, 547
*Platyrhinu*s 8, 547
 PLATyRHOPALINI 120
Platyrhopalus 120
 PLATyRRHINIDAe 547
 PLATySCELIDAe 424
 PLATySCÉLIDES 424
 PLATySCELIDINI 67, 424
 PLATySCELINA 424
Platyscelis 424, 893
Platysma 143
 PLATySMATINI 143

- Platysoma* 8, 161
PLATYSOMATINI 8, 28, 161
PLATYSOMIDAE 161
PLATYSOMINI 161
Platysomus 161
PLATYSTERNIDAE 489, 879
PLATYSTERNIDES 488
PLATYSTERNINI 489, 879
Platysternon 489
Platysternus 488
PLATYSTOMINI 81, 547
PLATYSTOMOIDEA 547
Platystomos 547
PLATYTARINI 133
PLATYTARSILIDAE 639
Platytaurus 639
Platytaurus 133
Platyxantha 529
PLATYXANTHINAE 529
PLATYXANTHITES 529
Plaumanniola 216
PLAUMANNIOLINAE 216
PLAUMANNIOLINI 37, 216
Plectogaster 479
PLECTOGASTERINI 74, 479
PLECTOGASTRINI 479
PLECTRIDA 251
Plectris 251
PLECTROMERINI 74, 479
Plectromerus 479
PLECTROPHORINA 611
PLECTROPHOROIDES 611
Plectrophorus 611
PLECTROSCELIDES 522
Plectroscelis 522
PLEGADERINI 28, 159
Plegaderus 159
PLEGANOPHORIDAE 372
PLÉGANOPHORIDES 371
PLEGANOPHORINAE 61, 371, 372
Pleganophorus 371
PLEIARTHROCERINAE 479
PLEIARTHROCERINI 74, 479
Pleiarthrocerus 479
Pleocoma 225
PLEOCOMIDAE 38, 225
PLEOCOMINAE 38, 225
PLEOCOMINI 225
PLEONOMINI 51, 314
Pleonomus 314
PLEOSOMIDES 370
Pleotomi 328
PLEOTOMINI 54, 328
Pleotomus 328
PLEROTICINCI 124
Pleroticus 124
PLEURARIINAE 229
Pleurarius 229
PLEUROLABINA 82, 555
Pleurolabus 555
PLEUROPHORATES 241
PLEUROPHORINI 241
Pleurophorus 241
PLEUROPTERINI 120
Pleuropterus 120
PLINTHIDES 628
PLINTHINA 92, 628
Plinthus 628, 894
PLOCAMOTRECHINA 22, 115
Plocamotrechus 115
PLOCASTEIDAE 639
Plocastes 639
PLOCHIONIDAE 134
Plochionocerus 224, 225
Plochionius 134
Ploeosoma 370
PLOTINA 380
PLOTININI 62, 380
PLUSIOTINA 260
Plusiotis 260
POCADIINI 367
Pocadius 367
PODABRI 330
PODABRIDAE 330
Podabri 330
Podagrica 526
Podagricini 526
PODALGIDI 262
Podalgus 262, 892
PODAPIINI 84, 569
PODAPIITAE 569
Podapion 569
Podolasia 253
PODOLASIINI 42, 253
Podonta 428
PODONTINI 428
PODUROIDEA 208
Poduroides 208
POECILII 142
POECILINA 142
Poecilonota 282, 283, 889
POECILONOTINA 46, 282, 283
POECILONOTINI 46, 282
POECILOPÉPLIDES 484
POECILOPEPLINI 484
Poecilopeplus 484
Poecilosoma 454, 455
Poecilosomi 455
POECILOSOMIDES 454
Poecilus 142, 143
POEDERIDAE 218, 220
Poederus 220
Poekilosoma 454, 455
Pogonidae 114
POGONINI 22, 114
POGONOCHÉRAIRES 499
POGONOCHERINI 76, 499
Pogonocherus 499
POGONOPSINI 114
Pogonopsis 114
Pogonus 114
POLIODONTIDOS 220
Polistichus 146
Polpochila 131
POLPOCHILINAE 131
Polyarthra 461
POLYARTHRIDAE 461, 880
POLYARTHRIDES 461
POLYARTHRINI 461, 880
Polyarthron 461
Polybothris 281
POLYBOTHRISIDAE 281
POLYBOTHRISINI 281
Polycaon 336
POLYCAONINAE 55, 336
POLYCATINI 90, 614
Polycatius 614
Polycesta 277, 278
POLYCESTIDES 277, 278
Polycestina 46, 278
POLYCESTINAE 45, 277
POLYCESTINI 46, 278
POLYCTESINI 46, 278
Polyctesis 278
POLYCYSTOPHORIDAE 1, 17, 352
Polycystophorus 2, 17, 352
POLYDROSIDES 614
POLYDROSINI 614
Polydrosus 614
POLYDRUSINAE 604
POLYDRUSINI 90, 614
Polydrusus 614, 890
POLYGRAPHIDAE 636
POLYGRAPHINI 93, 636
Polygraphus 636
Polyhirma 122
POLYHIRMI 122
Polyodon 220
POLYODONTIDAE 220
Polyodontus 220
Polyopsia 502
POLYOPSIADES 502
Polyphylla 252
POLYPHYLLIDAE 252
POLYPLEURI 432
Polypleurus 432
Polyptria 435, 858
POLYPRIIDAE 435
POLYPRIINAE 68, 435
POLYRHAPHIDINI 76, 500
Polyrhaphis 500
POLYRHAPHITAE 500
POLYSTICHIDES 146
POLYSTICHINAE 146

- Polystichus* 146
POLYTINI 85, 573
Polytus 573
POMACHILIINAE 318
POMACHILIINI 52, 318
POMACHILIITES 318
Pomachilius 318
PONDONATINAE 61, 371
Pondonatus 371
POOPHAGIDAE 591
Poophagus 591
POPILLINAE 230
Popilius 230
Popillia 257
POPILLIINA 42, 257
Poria 380
PORIENS 380
PORIIDES 380
PORINI 62, 380
Porocleonus 620
Poropleura 534
PORPHYRASPIDINI 515, 871
Porphyraspis 515
PORPHYRASPITAE 515
Porphyronota 265
PORPHYRONOTII 265
Potamophilaires 292
Potamophiles 292
POTAMOPHILINI 48, 292
Potamophilus 292
POTEMNEMINI 495
Potemnemus 495
POTERGINI 306
Potergus 306
PRAELATERIIDAE 51, 306
Praelaterium 306
Praemordella 389
PRAEMORDELLINAE 389
Praeugena 424
PRAEUGENINA 424
Praeugenini 67, 424
PRAOCIDAE 409
PRAOCIINI 66, 409
Praocis 409
Praogena 424
PRAOGENINI 424
Prasocuris 519
PRASOCURISIDAE 519
PRASOIDEA 537
PRASOIDEINI 537
Premnobius 636
Premnotrypes 615
PREMNOTRYPINI 90, 615
Prepusa 104
PREPUSINI 104
Pretilia 500
PRETILIINI 76, 500
Priacma 95
PRIACMINAE 18, 95
PRIACMINI 95
Priasilpha 362
PRIASILPHIDAE 59, 362
Priasilphinae 362
PRIOBINI 458
Prinobius 458
Priocera 347
Prioceras 460
Prioceria 460
PRIOCERIDAE 347
Priocerites 349
Priocérètes 349
Priolomini 395
Priolomus 395
PRIONIDAE 453
Prionii 454, 460
PRIONINAE 71, 454
Prionini 71, 460
PRIONOBRACHINA 583
Priónobrachiini 86, 583
Prionobrachium 583
Prionocera 349
PRIONOCERIDAE 57, 349, 884
Priónocérides 349
Priónocerini 57, 349, 884
Priónocerites 349
Priónocérètes 349
Prionocerus 349
Priónomérides 579
Priónomerina 86, 579
PRIONOMERINAE 579
Prionomerus 579
Prionomma 460
PRIONOMMITAE 460
Prionus 454, 460, 889
PRIOPTERA 511
Priopterini 511, 870
Priopteritae 511
Prioptérètes 511
Prioscélina 400
Prioscélis 400
Prisahypini 314
Prisahypnus 314
Pristiptera 282
Pristipterina 46, 282
Pristolyctini 328
Pristolyctus 328
PRISTONYCHIDAE 145
Pristonychus 145
Pristorhynchiden 615
Pristorhynchini 90, 615
Pristorhynchus 615
Pristosia 144
Pristosiae 144
Pristosiina 25, 144
PROBELINI 80, 543
Probelus 543
PROBLECHILIDAE 634
PROBLECHILINI 633
Problechilus 634
PROCALIDAE 525
PROCALITES 524
Procalus 524
Procas 576
PROKERIDAE 106
Procerus 106
PROCIRRI 221
PROCIRRINA 37, 221
Procirrus 221
PROCLETINI 124
Propletus 124
Procrustes 106
PROCRUSTOGENICI 106
Protocera 500
PROCTOCERINI 76, 500
Proctophanes 239
PROCTOPHANINA 40, 239
PROCTOPHANINI 239
PROCULEJINAE 231
Proculejus 231
PROCULINAE 230
PROCULINI 39, 230
Proculus 230
Procurculio 543
PROCURCULIONINA 80, 543
PROCURCULIONINI 543
Prodoretina 42, 256
Prodoretus 256
Proeces 597
Proecina 597
Proecini 89, 597
Prognata 210
Prognathitae 210
Prognathites 210
Prognathus 210
Prolyta 440
PROLYTTINI 440
PROMECHEILIDAE 64, 396
PROMECHEILINAE 396
Promechelus 396
PROMÉCHILIDES 396
Promechilus 396
PROMECOGNATHI 109
PROMECOGNATHINI 21, 109
Promecognathus 109
PROMÉCOPIDES 607
PROMECOPINAE 607
Promecops 607
Promecotheca 518
PROMECOTHECINI 78, 518
PROMECOTHÉCITES 518
Prometopia 367
PROMETOPIINAE 367
Pronomaea 206
PRONOMAEINI 35, 206
PRONOMÉATES 206

- PRONOTERINI 26, 148
Pronoterus 148
 PROPALTICIDAE 59, 364
Propalticus 364
 PROSCARABAEIDAE 440
Proscarabaeus 440
 PROSCOPORHINIDES 547
 PROSCOPORHININI 81, 547
Proscoporhinus 547
Prosicoderus 581
Prosodes 415
 PROSODINA 66, 415
Prosopocera 500
 PROSOPOCERINI 76, 500
 PROSOPOCERITAE 500
 PROSOPOCOILINI 234
Prosopocoilus 233, 234
Prosopodonta 518
 PROSOPODONTINI 79, 518
 PROSOPORHINIDAE 547
Prospères 278
 PROSPHERESINI 278
 PROSPHERINI 46, 278
 PROSPHODRINI 141
Prospheiros 141
 PROSTERNIDAE 315
 PROSTERNINI 2, 17, 52, 315, 853,
 854, 855, 872
Prosternon 315
 PROSTHETOPINAE 28, 162, 163
 PROSTHETOPINI 29, 163
Prosthetops 162, 163
 PROSTOMIDIAE 68, 433, 434
Prostominia 445
 PROSTOMINIINA 69, 445
 PROSTOMININI 445
Prostomis 434
 PROTACTIDIAE 225
 PROTACTIDEN 225
 PROTACTINAE 38, 225
Protactus 225
 PROTAGRYPNINAE 52, 319
 PROTAGRYPNINI 52, 319, 320
Protagrypnus 319, 320
 PROTAXINI 74, 479
Protaxis 479
 PROTEININA 177
 PROTEININAE 31, 177
 PROTEININI 31, 177
Proteinus 177, 178, 893
Protelater 311
 PROTELATERIDAE 311
 PROTERHINIDAE 552
 PROTERHINIDES 552
Proterhinus 552
 PROTERINI 32, 188
Proterus 188
 PROTEUGNAMPTINI 559
 PROTEUGNAMPTINI 559, 560
Proteugnampus 559, 560
Protheca 341
 PROTHECINI 341
Prothema 479
 PROTHÉMIDES 479
 PROTHEMINAE 479
 PROTHEMINI 74, 479
Prothyma 104
 PROTHYMINI 104
 PROTOCHTHEBIINA 29, 164
Protochthebius 164
 PROTOCUCUJIDAE 58, 354
Protocucujus 354
 PROTOLUCANINAE 39, 232
Protolucanus 232
 PROTOMANTIINAE 574
Protomantis 574
Protomeloe 438
 PROTOMELOINA 69, 438
 PROTOMELOINAI 438
Protonarthron 493
 PROTONARTHROTRONITAE 493
 PROTOPAUSSINI 23, 121
Protopaussus 121
 PROTOPELTINI 344
Protopeltis 344
 PROTOPSELAPHINAE 31, 178
Protoselaphus 178
 PROTORABINAE 20, 102
Protorabus 102
Protorhopala 500
 PROTORHOPALITAE 500
 PROTOSCELIDINAE 80, 539
 PROTOSCELINAE 539
Protoscelis 539
 PROTOSPHINDINAE 58, 355
Protosphindus 355
 PROTOSTERNINI 28, 158
Protosternum 158
 PROTOSTHETOPINAE 162
 PROTOSTHETOPINI 29, 163
Protosthetops 163
 PROTOTRICHAPIINA 84, 568
 PROTOTRICHAPIHINI 568
Prototrichapion 568
 PROTOTROGINAE 41, 245
Prototrox 245
 PROUTIANINI 50, 305
Proutianus 305
 PRYPNIDES 615
Prypnus 90, 615
 PSALIDIIDAE 615
 PSALIDIINI 615
Psalidium 615
 PSALIDOCOPTIDES 461
Psalidocoptus 461
 PSALIDOGNATHITAE 460
 PSALIDOGNATHITES 460
Psalidognathus 460
Psalidura 601
 PSALIDURIDAE 601
 PSALLIDIINI 91, 615
Psallidium 615
 PSAMMOBIINA 241
Psammobius 241
Psammodes 409
 PSAMMODIAIRES 240, 241
 PSAMMODIADAE 241, 409
 PSAMMODIINA 40, 241
 PSAMMODIINI 40, 240, 241
Psammodius 240, 241, 409
 PSAMMODOIDEN 409
 PSAMMOECINI 362
Psammoecus 362
Psathyriini 467
Psathyrus 467
 PSÉBIIDES 479
 PSEBIINAE 479
 PSEBIINI 74, 479
Psebium 479
 PSECTROPINII 422
Psectropus 422
 PSELAPHIDAE 174
Pselaphii 179, 188, 189
 PSELAPHINAE 31, 179, 185
Pselaphini 33, 189
 PSELAPHITAE 32, 188
 PSELAPHOIDEA 162
Pselaphus 179, 188, 189
 PSELAPTINA 186
Pselaptus 186
 PSENOCERINI 492
Psenocerus 492
 PSEPHENIDAE 49, 295, 296, 874
 PSÉPHÉNIDES 295, 296
 PSEPHENINAE 49, 296
Psephenoides 296
 PSEPHENOIDINAE 49, 296
 PSEPHENOIDINI 296
Psephenus 295, 296
 PSÉPHOLACIDES 600
Psepholacina 600
 PSEPHOLACINI 89, 600
Psepholax 600
 PSEUDACANTHEAE 230
Pseudacanthus 230
Pseudacherusia 279
Pseudacherusina 46, 279
 PSEUDADORETINA 256
Pseudadoretus 256
Pseudamauronia 351
 PSEUDAPOTREPIDES 597
 PSEUDAPOTREPINI 89, 597
Pseudapotrepus 597
Pseudauleutes 558
Pseudauletina 83, 558
Pseudolenis 169

- Pseudeucinetus* 295
PSEUDOACHERUSINI 279
PSEUDOBAGOINI 586
Pseudobagous 586
PSEUDOBALANININA 86, 580
Pseudobalaninus 580
PSEUDOCEOCEPHALIDAE 566
PSEUDOCEOCEPHALINA 84, 565, 566, 869
Pseudoceocephalus 565, 566
PSEUDOCEPHALINI 74, 480, 870
Pseudocephalus 480
PSEUDOCHEDAEINAE 236
PSEUDOCHEDAEINI 39, 236
Pseudochadaeus 236
Pseudocistema 427
PSEUDOCISTELINI 427
Pseudocneorhinus 617
PSEUDOCNEORRHININI 617
Pseudocneorrhinus 617
Pseudocolaspis 535
PSEUDOCOLASPITAE 535
PSEUDOCOLASPITES 535
PSEUDOCRIOCERINI 78, 510
Pseudocrioceris 510
PSEUDOCYNOTRACHELINA 557
Pseudocynotrichelus 557
PSEUDOCYPHI 611
Pseudocyphus 611
PSEUDODORCINI 234
Pseudodorus 234
PSEUDOLAMPSES 525
Pseudolampsis 525
Pseudoleptura 480
PSEUDOLEPTURINI 74, 480
PSEUDOLEPTURITAE 480
Pseudoliodes 169
PSEUDOLIODINI 30, 169
PSEUDOLETELINA 70, 450
Pseudolotelus 450
Pseudomachla 402
PSEUDOMASOREINI 134
Pseudomasoreus 134
Pseudomelanactes 310
PSEUDOMELANACTINI 51, 310
Pseudomenes 300
PSEUDOMENINAE 50, 300
PSEUDOMENINI 50, 300
Pseudomesauletes 558
PSEUDOMESAULETINA 83, 558
PSEUDOMIMINA 89, 598
PSEUDOMIMINI 598
Pseudominus 598
Pseudomorpha 141
PSEUDOMORPHIDAE 141
PSEUDOMORPHINI 25, 141, 836
PSEUDOPERINTHINAE 206
PSEUDOPERINTHINI 35, 206
Pseudoperinthus 206
PSEUDOPEROTINA 46, 282
Pseudoperotis 282
PSEUDOPHANINI 362
Pseudophanus 362
Pseudophengodes 326
PSEUDOPHENGODIDAE 326
PSEUDOPHYRSINA 82, 557
Pseudophrysus 557
Pseudoplania 201
PSEUDOPLANDRIINA 34, 201
PSEUDOPSINA 37, 218
PSEUDOPSINI 218
Pseudopsis 218
Pseudoryctes 262
PSEUDORYCTINA 43, 262
PSEUDOTRECHINA 24, 136
PSEUDOTRECHINI 136
Pseudotrechus 136
Pseudozaena 118
PSEUDOZAENINI 118
Psilapha 526
PSILAPHINA 526
PSILOCADINA 326
PSILOCADINAE 54, 326
Psilocladus 326
Psilomorpha 480
PSILOMORPHIDAE 480
PSILOMORPHINI 74, 480
PSILONYCHIDES 252
Psilonychus 252
PSILOPTERA 281
PSILOPTERIDES 281
PSILOPTERINI 281
PSILOPTERITAE 281
Psoa 336
PSOINAE 55, 336, 337
Psoini 337
Psoitas 336
PSYDRI 117, 118
PSYDRINAE 22, 117
PSYDRINI 22, 118
Pydrus 117, 118
Pylliodes 525
PSYLLIODES 525
PSYLLIODITES 525
Pyllobora 377
PSYLLOBORINI 377
PTENIDIINI 29, 165
Ptenidium 165, 892
Pteracantha 484, 586
PTERACANTHIDES 586
PTERACANTHINA 586
PTERACANTHITAE 484
Pteracanthus 586
Pteracmes 184
PTERACMINI 184
Pteroplus 500
PTÉRICOPTIDES 489
PTERICOPTINI 489
Ptericophtus 489
PTEROBOTHRINI 47, 286
Pterobothris 286
PTÉROCOLIDES 561
PTEROCOLINAE 83, 561
Pterocolus 561
PTEROGENIIDAE 63, 385
Pterogenius 385
Pteroloma 167
PTEROLOMATINAE 29, 167
PTEROLOMINA 167
PTERONIINAE 178
PTERONINI 178
Pteronius 178
PTEROPLATINI 74, 480
PTEROPLATITAE 480
Pteroplatus 480
Pteroplia 500
PTEROPLIINI 76, 500
PTEROPLIITAE 500
Pteroplius 500
Ptérosténides 482
PTEROSTENINAE 482
Pterostenus 482
PTEROSTHETOPINAE 162
PTEROSTHETOPINI 29, 163
Pterosthetops 163
PTEROSTICHII 141, 142
PTEROSTICHINA 25, 142
PTEROSTICHINAE 122
PTEROSTICHINI 25, 141
Pterostichus 141, 142
PTEROTARSINAE 311, 872
PTEROTARSINI 303, 304, 311
Pterotarsus 303, 311
PTEROTINAE 54, 332
PTEROTINI 332
Pterotus 332
PTERYCINE 166
PTERYCINI 166
Pteryx 166
PTICHOPINAE 230
Ptichopus 230
Ptilien 165
PTILIIDAE 29, 165, 874, 892
PTILIINAE 29, 165
PTILIINI 29, 165
Ptilina 165
PTILINEURINI 56, 339
Ptilineurus 339
PTILINIDAE 340
PTILININAE 1, 17, 56, 340
Ptilinus 2, 17, 340, 892
Ptilium 165, 892
Ptilodactyla 296, 297
PTILODACTYLIDAE 49, 296, 297, 874
PTILODACTYLINAE 49, 297
Ptiophores 390
Ptiophorinae 63, 390

PtiLOPHORINI	390	PyROPHORINA	51, 310	REMPHANIDES	461
<i>Ptilophorus</i>	390	PyROPHORINI	51, 310, 852	REMPHANINAE	461
PTILOPTERIDAE	165	PyROPHORITES	310	REMPHANINI	72, 461
<i>Ptilopterium</i>	165	<i>Pyrophorus</i>	310	<i>Remus</i>	223
<i>Ptinella</i>	165, 166, 892	PyROPIDES	583	<i>Renania</i>	358
PTINELLINI	29, 165, 166, 874	PyROPINAE	583	RENANIINAE	358
PTINIDAE	1, 2, 17, 56, 216, 337, 338, 342, 640, 879, 884, 888, 892	PyROPINI	86, 583	RENTONIINAE	344
PTININAE	56, 338	<i>Pyropus</i>	583	<i>Rentonium</i>	344
PTININI	56, 338	<i>Pyrota</i>	440	<i>Resites</i>	605
PTINIORES	337, 338	PyROTINI	69, 440	<i>Reynoldsiella</i>	390
PTINOIDEA	333	PYTHEITAE	469	REYNOLDSIELLINI	63, 390
<i>Ptinus</i>	337, 338, 892	<i>Pytheus</i>	469	RHADALINAE	57, 350
PTOCHINI	606	PYTHIDAE	69, 444, 858	RHADALINI	350
<i>Ptochus</i>	606, 890	PYTHIOPINA	67, 424	<i>Rhadalus</i>	350
PTOMAPHAGINA	30, 173	PYTHIOPINAE	424	<i>Rhadinocyba</i>	570
PTOMAPHAGINI	30, 173	<i>Pythiopus</i>	424	RHADINOCYBINI	85, 570
PTOMAPHAGININA	30, 173	PYTHITES	444	RHADINOCYBITAE	85, 570
PTOMAPHAGININI	173	<i>Pytho</i>	444	RHADINOSOMIDES	602
<i>Ptomaphaginus</i>	173	PYTHONIDAE	444	RHADINOSOMINA	89, 602
<i>Ptomaphagus</i>	173	PYXIDICERINA	32, 182	RHADINOSOMINAE	602
<i>Ptosima</i>	279	PyXIDICERINI	182	RHADINOSOMINI	601, 602
PTOSIMINI	46, 279	<i>Pyxidicerus</i>	182	<i>Rhadinosomus</i>	602
PTOSIMITES	279	<i>Pyxis</i>	521	RHAEBINI	77, 508, 509
<i>Ptychoderes</i>	548	PYXITES	521	RHAEBITES	508
PTYCHODERIDAE	548	<i>Quasimus</i>	316	RHAEBOSCELIDI	288
PTYCHODERINI	81, 548	QUASIMUSINA	52, 316	RHAEBOSCELIDINA	47, 287
PTYCHODES	496	QUASIMUSINI	52, 316	RHAEBOSCELINI	287
PTYCHODES	496	QUEDIIFORMES	223	<i>Rhaeboscelis</i>	287, 288
PTYOPTERINAE	99	QUEDIINA	38, 223	<i>Rhaebus</i>	508
<i>Ptyopteryx</i>	99	QUEDIINI	223, 888	RHAETULINAE	233
<i>Pulicomorpha</i>	197	Quedius	223, 893	<i>Rhaetulus</i>	233
PULICOMORPHINI	197	Radama	181	RHAGIADAe	463
PURPURICENITAE	483	RADAMINA	31, 181	RHAGIINI	72, 463, 477
<i>Purpuricenus</i>	483	RADAMINI	181	<i>Rhagiomorpha</i>	480
PYCNOCERIDAE	399	<i>Raffrayia</i>	184	RHAGIOMORPHIDAE	480
PYCNOCÉRIDES	399	RAFFRAYIINI	184	RHAGIOMORPHINI	74, 480
PYCNOCEPINI	64, 399, 877	RAFFRAYINA	184	<i>Rhagium</i>	463
<i>Pycnocerus</i>	399	RAMPHORIA	583	RHAGOCREPIDAE	125
PYCNOMERINI	64, 395	<i>Ramphorus</i>	583	RHAGOCREPIDES	125
<i>Pycnomerus</i>	395	Ranavala	184	<i>Rhagocrepis</i>	125
PYGOMOLPINI	79, 538	RANALAVINI	184	<i>Rhagodera</i>	394
<i>Pygomolpus</i>	538	Raphidopalpa	530	RHAGODERINI	64, 394
PYGOSTENINI	35, 206	Rathymus	143	RHAGOPHTHALMIDAE	53, 326
<i>Pygostenus</i>	206	RAYMONDIONYMINAE	86, 577, 843, 849, 851	<i>Rhagophthalmus</i>	326
PYGOXYINI	32, 188	RAYMONDIONYMINI	86, 577	RHAMNUSIINI	72, 463
<i>Pygoxyon</i>	188	<i>Raymondionymus</i>	577	<i>Rhamnusium</i>	463
Pyrestes	480	Reicheia	108	RHAMPHIDES	583
Pyresthes	480	REICHEINA	108	RHAMPHINA	87, 576, 583
PYRESTHIDES	480	REICHEINA	108	RHAMPHINI	87, 576, 583
Pyrestini	74, 480	Reichenbachia	185, 843	<i>Rhamphus</i>	583
<i>Pyrochroa</i>	444, 445, 892	REICHENBACHIIINA	185	RHANES	372
PYROCHROIDAE	69, 444, 858, 892	RÉMATES	223	RHANIDEA	372
PYROCHROIDES	444, 445	REMBIDAE	137	Rhanis	372
PYROCHROINAE	69, 445	Rembus	137	<i>Rhaphidopalpa</i>	530
<i>Pyrodes</i>	459	Remipedella	415	RHAPHIDOPALPINI	530
PYRODIDES	459	REMIPEDELLINA	66, 415	RHAPHIPODI	461
Pyrodini	459	REMIPEDELLINI	415	<i>Rhaphipodus</i>	461
		Remphan	461	RHATHYMINAE	143
				Rhathymus	143

- RHEXIINA 32, 184
 RHEXINI 184
Rhexius 184
 RHIGOPSINI 618
Rhigopsis 618
RHINA 572, 622
Rhinaria 602
 RHINARIDES 602
Rhinastina 91, 623
Rhinastini 623
Rhinastus 623
 RHINIDAE 572
 RHININAE 622
Rhinocartini 83, 559
Rhinocartitae 559, 560
Rhinocartus 559
Rhinocyllides 621
Rhinocyllinae 621
Rhinocyllini 91, 621
Rhinocyllus 621
Rhinomacer 443, 540
 RHINOMACERIDAE 443
 RHINOMACERIDES 540
 RHINONCIDES 592
Rhinoncus 592, 890
 RHINOPHTHALMITAE 485
Rhinophthalmus 485
 RHINORHIPIDAE 49, 298
Rhinorhipus 298
 RHINORHYNCHIDIINAE 569
 RHINORHYNCHIDIINI 84, 569
Rhinorhynchidius 569
 RHINORHYNCHINAE 80, 541
 RHINORHYNCHINI 80, 541
Rhinorhynchus 541
 RHINOSCEPSII 183
 RHINOSCEPSINA 32, 183
Rhinosepsis 183
 RHINOSIMIDAE 446
 RHINOSIMITES 446
Rhinosimus 446
 RHINOSTOMINI 85, 572
Rhinostomus 572, 891
Rhinotia 551
 RHINOTRAGINI 74, 481
 RHINOTRAGITAE 481
Rhinotragus 481
Rhipicera 275
 RHIPICERIDAE 45, 274, 275, 872
 RHIPICERIDES 275
 RHIPICÉRITES 276
 RHIPICEROIDEA 274, 872
 RHIPIDANDRI 415
Rhipidandrus 415, 864
 RHIPIDIINI 391
Rhipidius 391
 RHIPIDOPHORIDAE 390, 391, 392
Rhipidophorus 390, 391, 392
 RHIPIPHORINI 392
 RHIPIPHORITES 391
Rhipiphorus 391
 RHIZOBIALES 376
Rhizobia 376
Rhizobiinae 376
Rhizobius 376
 RHIZOPHAGI 358
Rhizophaginae 59, 358
Rhizophagus 358, 891
Rhizophoma 359
Rhizophominae 359
 RHIZOPHTOMINI 59, 359
 RHIZOTROGIDAE 252
Rhizotroga 42, 252
Rhizotrogus 252
 RHODACANTHOPINAE 230
Rhodocanthopus 230
 RHODOPIDAE 501
Rhodopina 501
 RHODOPINI 501
 RHODOPININI 76, 501
Rhodopis 501
 RHOEBITES 509
 RHOMBOCOLEIDAE 19, 97
Rhombocoleus 97
Rhomborhina 266
Rhomborrhina 266
 RHOMBORRHINAE 266
 RHOPALOCERINI 64, 394, 888
Rhopalocerus 394, 893
Rhopalodon 386
 RHOPALODONTIDAE 386
 RHOPALODONTINI 386
Rhopalodontus 386
 RHOPALOGASTRA 195
Rhopalogastrum 195
 RHOPALOMELINI 123
Rhopalomelus 123
Rhopalophora 481
 RHOPALOPHORINI 74, 481
 RHOPALOPHORITAE 481
 RHOPALOPHORITES 481
Rhopalosilpha 333
 RHOPALOSILPHINAE 333
Rhopalotria 552
 RHYNCAHENIDAE 576
 RHYNCHAENIDES 575, 584
Rhynchaenus 575, 584
 RHYNCHALIDAE 598
 RHYNCHENIDAE 584
 RHYNCHITALLINA 83, 560
 RHYNCHITALLINI 559
Rhynchitallus 559, 560
Rhynchites 557, 560, 561
 RHYNCHITINA 83, 561
 RHYNCHITINAE 83, 557
 RHYNCHITINI 83, 560, 561
 RHYNCHITISIDAE 557, 560, 561
 RHYNCHITITAE 559
Rhynchitomacer 8, 541
 RHYNCHITOMACERINI 541
 RHYNCHITOPLESIINI 541
Rhynchitoplesius 541
Rhyncholus 598
 RHYNCHOPHORIDES 572, 573
 RHYNCHOPHORINAE 85, 572
 RHYNCHOPHORINI 85, 573
Rhynchophorus 572, 573
 RHYNCOGONIDES 615
 RHYNCOGONINI 91, 615
Rhyncogonus 615
Rhyncolina 89, 598
Rhyncolini 89, 598
Rhyncolus 598, 890
Rhyparina 241
Rhyparini 40, 241
 RHYPAROSOMIDES 603
 RHYPAROSOMINI 603
Rhyparosomus 603
Rhyparus 241
 RHYPOBIINI 383
Rhypobius 383
Rhysodes 101
 RHYSODIDAE 20, 101, 836, 837
 RHYSODINI 20, 101
 RHYSODITES 101
 RHYSOPAUSSIDAE 425
 RHYSOPAUSSINI 67, 425
Rhysopausus 425
 RHYSSEMINA 40, 241
Rhyssemus 241
 RHYSSODEOIDAE 101
 RHYSSONOTINI 234
Rhyssonotus 234
 RHYTHIRRININI 89, 603
Rhythirinus 603
 RHYTICEPHALINA 84, 566
 RHYTICEPHALINI 566
Rhyticephalus 566
 RHYTIDOPHLOEINA 92, 627
 RHYTIDOPHLOEINI 627
Rhytidophloeus 627
 RHYTIDORHINIDES 603
Rhytidorhinus 603
 RHYTIRHINIDES 603
 RHYTIRHININI 603
Rhytirhinus 603
Rhytus 188
Rhyzobius 376
 RIEDELININA 556
Riedelinus 556
 RIPIDIINAE 63, 391
 RIPIDIINI 63, 391
Ripidius 391
 RIPIPHORIDAE 63, 390, 392, 875,
 884
 RIPIPHORINAE 64, 391, 884

RIPIPHORINI	64, 392, 875, 884	Sanyrevilleus	560	640, 840, 841, 843, 850, 854,
RIPIPHORITES	392	Saperda	501, 889	855, 858, 859, 860, 861, 864,
<i>Ripiphorus</i>	390, 391, 392	SAPERDAE	501	866, 867
<i>Rodolia</i>	380	SAPERDINI	77, 501	<i>Scarabaeus</i> 2, 17, 225, 238, 242,
<i>RODOLAIRES</i>	380	SAPERDITAE	501	245, 271
<i>Rondoniella</i>	404	SAPHANIDAE	465	<i>SCARABATERMES</i> 237
<i>RONDONIELLINA</i>	65, 404	SAPHANINI	72, 465	<i>SCARABATERMITINI</i> 40, 237
<i>Ropalodontus</i>	386	Saphanus	465	<i>Scardamycetes</i> 621
<i>Rosalia</i>	481	Saphoglossa	201	<i>SCARDAMYCTINI</i> 2, 17, 621, 850,
<i>ROSALIINI</i>	74, 481	SAPHOGLOSSAE	201	871
<i>ROSALIITES</i>	481	SAPRINI	238	<i>SCARDAMYCTISIDAE</i> 621
<i>Rosiroia</i>	538	Sapriniana	238	<i>Scarites</i> 108, 110, 111
<i>ROSIROINI</i>	79, 538	SAPRINII	159	<i>SCARITIDES</i> 108, 110, 111
<i>Rosocoleus</i>	98	SAPRINAE	28, 159	<i>SCARITINA</i> 21, 111
<i>ROSTRICEPHALINAE</i>	312	SAPRINITES	159	<i>SCARITINAE</i> 21, 108
<i>Rostricephalus</i>	312	Saprinus	159	<i>SCARITINI</i> 21, 110
<i>RUGILINA</i>	221	Saprus	238	<i>SCATIMINA</i> 40, 242
<i>Rugilus</i>	220, 221	Sarothrias	333	<i>Scatimus</i> 242
<i>Rupilia</i>	527	SAROTHRIIDAE	333	<i>SCATONOMI</i> 243
<i>RUPILIITES</i>	527	SAROTHROCREPIDAE	125	<i>SCATONOMIDES</i> 243
<i>RUPILINAE</i>	527	SAROTHROCRÉPIDES	125	<i>Scatonomini</i> 243
<i>Rutela</i>	255, 258, 259	Sarothrocrepis	125	<i>Scatonomus</i> 243
<i>RUTELIDAE</i>	255, 258, 259	SAROTRIIDI	393	<i>SCAURIDES</i> 425
<i>RUTELINA</i>	43, 259	SAROTRIIDES	393	<i>SCAURINI</i> 67, 425
<i>RUTELINAE</i>	42, 255, 860	Sarrotrium	393, 440	<i>Scaurus</i> 425
<i>RUTELINI</i>	43, 258	Sawaduaeops	556	<i>Scelocantha</i> 456
<i>Rybachis</i>	185	SAWADAEUOPSISA	556	<i>SCÉLÉOCANTHIDES</i> 456
<i>RYGMODINI</i>	28, 158	Scalidia	364	<i>SCÉLEOCANTHINI</i> 456
<i>Rygnodus</i>	158	SCALIDIINI	364	<i>Scelida</i> 529
<i>Ryparus</i>	241	Scaphicoma	210	<i>SCELIDINAE</i> 529
<i>RYPOMIINI</i>	62, 383	SCAPHICOMITAE	210	<i>SCELIDITES</i> 529
<i>Rypobius</i>	383	Scaphidema	431	<i>Scelodonta</i> 534, 535
<i>Ryssonotus</i>	234	SCAPHIDEMINI	68, 431	<i>SCELODONTITAE</i> 535
<i>Ryzophagus</i>	358	SCAPHIDI	36, 209	<i>Sceloenopla</i> 518
<i>Sachalinobia</i>	464	SCAPHIDIINAE	36, 209	<i>SCLEOENOPLINI</i> 79, 518, 871
<i>SACHALINOBINI</i>	72, 464	SCAPHIDIINI	36, 209	<i>Scelophysa</i> 250
<i>SACIINA</i>	383	SCAPHIDIILIA	209	<i>SCLEOPHYSIDES</i> 250
<i>Sacium</i>	383	Scaphidium	209	<i>SCEPTOBIINI</i> 35, 207
<i>Sagra</i>	505, 506	SCAPHI	36, 209	<i>Sceptobius</i> 207
<i>SAGRIDA</i>	505, 506	SCAPHIITAE	209	<i>SCHEDAROSINI</i> 429
<i>SAGRINA</i>	77, 505	Scaphisoma	209	<i>Schedarosus</i> 429
<i>SAGRINI</i>	77, 506	SCAPHISOMATINI	36, 209	<i>SCHEDLARIINI</i> 93, 638
<i>SAHLBERGIINI</i>	35, 207	SCAPHISOMINI	209	<i>SCHEDLARINI</i> 638
<i>Sahlbergius</i>	207	Scaphium	209	<i>Schedlarius</i> 638
<i>Salax</i>	412	SCAPHORHINADORETINA	256	<i>Schematiza</i> 527
<i>SALAXINI</i>	412	Scaphorhinadoretus	256	<i>SCHEMATIZITES</i> 527
<i>Salcedia</i>	109, 110	SCAPTÉRIDES	110	<i>SCHISTODACTYLINI</i> 33, 189
<i>SALCEDIINA</i>	21, 109, 110	SCAPTERINA	21, 110, 111	<i>Schistodactylus</i> 189
<i>SALCEDIINI</i>	21, 109, 110, 870	Scapterus	110	<i>Schistogenia</i> 194
<i>SALLTIINI</i>	361	SCARABAEIDAE	2, 17, 18, 40, 182,	<i>SCHISTOGENIAE</i> 194
<i>Saltilius</i>	361		238, 262, 409, 421, 429, 513,	<i>SCHISTOGENIINA</i> 33, 194
<i>SALPINGIDAE</i>	69, 353, 445, 884		518, 532, 545, 556, 580, 593,	<i>SCHISTOMERINI</i> 27, 152
<i>Salpingides</i>	445, 446		640, 858, 859, 860, 861, 875,	<i>Schistomerus</i> 152
<i>SALPINGINAE</i>	70, 446		878, 880, 881, 882, 884, 885,	<i>SCHIZELYTHRINA</i> 208
<i>Salpingus</i>	445, 446		888, 892	<i>Schizelytron</i> 208
<i>SANDALIDAE</i>	274, 276	SCARABAÉIDES	225, 238, 242, 245	<i>SCHIZOCOLEIDAE</i> 19, 98
<i>Sandalus</i>	276	SCARABAENAE	40, 242	<i>Schizocoleus</i> 98
<i>SANYREVILLEINA</i>	560	SCARABAENI	41, 245	<i>SCHIZOGNATHINA</i> 43, 258
<i>SANYREVILLEINI</i>	560	SCARABAEOIDEA	4, 15, 38, 225,	

- Schizognathus* 258
Schizonycha 252
 SCHIZONYCHIDAE 252
Schizonychina 42, 252
 SCHIZOPHILINAE 300
 SCHIZOPHILINI 50, 300
Schizophilus 300
 SCHIZOPHORIDAE 19, 97
 SCHIZOPHOROIDEA 19, 97, 875
Schizophorus 97
 SCHIZOPODIDAE 45, 276, 892
 SCHIZOPODINAE 45, 276
 SCHIZOPODINI 45, 276
Schizopus 276, 892
 SCHIZORHINA 267, 268
 SCHIZORHININA 44, 268
 SCHIZORHININI 44, 267
 SCHIZORRHINA 268
 SCHIZORRHINIDAE 267, 268
 SCHIZORRHININI 267
Schoenherriella 629
 SCHOENHERRIELLINAE 629
Schyzochelus 422
 SCHYZOSCHELINA 422
Schyzoschelus 422
 SCIACHARINI 215
Sciacharis 215
 SCIAPHILINA 615
 SCIAPHILINI 91, 615
Sciaphilus 615
Sciaphyes 173
 SCIAPHYNI 30, 173
Sciatropes 209
 SCIATROPHITAE 209
Scirtes 272, 273
 SCIRTESIDAE 272, 273
 SCIRTIDA 45, 273
 SCIRTIINA 45, 273
 SCIRTOIDEA 45, 272, 274, 859
Scitala 253
 SCITALINI 42, 253
 SCLERASTEIDAE 340
Sclerastes 2, 17, 340
 SCLÉRIDES 419
 SCLERINA 419
 SCLÉROCARDIIDES 626
 SCLEROCARDINA 92, 626
 SCLEROCARDINI 626
 SCLEROCARDINI 626
Sclerocardius 626
Seleron 419
 SCLEROPTERIDAE 592
 SCLÉROPTERIDES 592
 SCLEROPTERINI 88, 592
 SCLEROPTEROIDAE 592
Scleropterus 592
 SCLEROSTOMINI 234
Sclerostomus 234
Sclerum 419
 SCOLITARI 631, 636
 SCOLOPTERIDAE 581
 SCOLOPTÉRIDES 581
 SCOLOPTERINA 581
 SCOLOPTERINAE 581
Scolopterus 581
 SCOLYTI 107
 SCOLYTIDAE 631, 636, 843, 844,
 848, 850, 851
 SCOLYTINA 93, 107, 360, 415, 631,
 841, 850, 881, 882
 SCOLYTINI 93, 160, 636
Scolytodes 633
 SCOLYTOPLATYPINII 637
 SCOLYTOPLATYPODINI 93, 637
Scolytoplatypus 637
Scolytus 107, 160, 631, 636, 890
 SCOPADINI 491
Scopadus 491
 SCOPAEINA 37, 220
Scopaeus 220
 SCOPÉATES 220
Scopodes 140
 SCOPODINAE 140
 SCORTIZINI 234
Scortizus 234
 SCOTOBII 67, 425
 SCOTOBIOIDAE 425
 SCOTOBITES 425
Scotobius 425
 SCOTOCRYPTINI 30, 169
Scotocryptus 169
 SCOTODIPINNA 113
Scotodipnus 113
Scotodytes 190
 SCOTODYTIDAE 190
 SCOTOSCYMNINAE 374
Scotsygnus 374
Scaptia 450
 SCRAPTIAEIDAE 450
 SCRAPTIIDAE 70, 450, 858, 892
 SCRAPTIINAE 70, 450
 SCRAPTIINI 70, 450
 SCYDMAENIDES 214, 216
 SCYDMAENINAE 36, 214
 SCYDMAENINI 10, 37, 216
 SCYDMAENITAE 37, 214
Scydmaenus 214, 216
 SCYMNIARES 380
 SCYMNILLINI 62, 380
Scymnillus 380
 SCYMNINI 62, 380, 381
Scymnomorphus 374
Scymnus 380
 SCYTHROPIDES 614
 SCYTHROPINI 614
Scythropus 614
Scytomaria 361
 SCYTOMARIINI 361
 SCYTROPIDAE 614
Selagis 284, 285
Selatosomus 315, 855
 SELENGARHYNCHINAE 80, 544
Selengarhynchus 544
 SELENOPHORINI 129
Selenophorus 129
SELINA 133, 424
 SELININA 24, 133
 SELININI 133, 424
 SELINOID 424
Selinus 133, 424
 SELVADIINI 62, 381
Selvadius 381
 SEMICYCLINAE 231
Semicyclylus 231
 SEMIOTINA 312
 SEMIOTINAE 51, 312
Semiotus 312
Senodonia 315
 SENODONIINAE 315
 SENODONIINI 52, 315
Sepedonastes 431
 SEPEDONASTIDAE 431
 SEPEDOPHILINI 1, 17, 191
Sepedophilus 191
 SEPIDIAE 409, 410
 SEPIDIINA 66, 410
 SEPIDIINI 66, 409
Sepidium 409, 410
 SERANGIINI 61, 374
Serangium 374
Serica 253
 SERICIDAE 253, 254
 SERICINA 42, 253
 SERICINI 42, 253, 858, 860
Sericoda 140
 SERICODERINA 383
 SERICODERINI 62, 383
Sericoderus 383
 SERICODIADA 140
 SERICOIDEAE 254
Sericoides 254
 SERICOIDINI 42, 254
 SERICOSOMINA 317
Sericosomus 317
Sericus 317
Sermyla 528
Sermylassa 528
 SERMYLASSINI 528
 SERMYLINEAE 528
 SERMYLITES 528
 SERRATICOLLINI 525
Serraticollis 525
 SERRATOPALPIDAE 639
Serratopalpus 639
 SERROPALPIDES 388
 SERROPALPINI 63, 388
Serropalpus 388

- SERTORINAE 230
Sertorius 230
Sestya 481
 SESTRYRIDES 481
 SESTRYRINAE 481
 SESTRYRINI 74, 481
Setaria 356
 SETARIINI 356
Setariola 356
 SETARIOLINAE 356
Shirozarella 381
 SHIROZUELLINI 62, 381
Siagona 112
 SIAGONES 112
 SIAGONIINI 210
 SIAGONINAE 21, 112
 SIAGONINI 22, 112
Siagonium 210
Siamites 215
 SIAMITINI 215
Sibinia 585
Sibylla 467
 SIBYLLINI 467
Sibynes 585
 SIBYNIDAE 585
Sicoderus 581
 SIDERODACTYLIDES 616
Siderodactylus 616
Siettitia 152
 SIETTITHINI 152
Sikhotealinia 96
 SIKHOTEALINIIIDAE 96
 SILIAIRES 330
 SILINAE 54, 330
 SILINI 54, 330
Silis 330
Silluvia 238
 SILLUVIINAE 238
Silpha 174
 SILPHALES 174
 SILPHIDAE 30, 167, 174, 175, 333
 SILPHINAE 30, 174
 SILPHOTELINI 31, 178
Silphotelus 178
Silusa 200
 SILUSAE 200
 SILUSINA 34, 200
 SILVANIDAE 59, 362, 840
 SILVANINAE 59, 363
Silvanus 362, 363
 SIMINI 187
Simo 139, 613
 SIMOINI 139, 613
Simous 139
Simplocaria 291, 889
 SIMPLOCARIATES 291
 SIMPLOCARIINI 48, 291
Simus 187
Singhikalia 377
Singhikaliini 377
 SINGILINI 135
 SINGILOMIMINA 135
Singilomimus 135
Singilis 135
Sinisilvana 353
 SINISILVANIDAE 58, 353
 SINODENDRIENS 232
 SINODENDRINI 232
Sinodendron 232
Sinodryopites 273
 SINODRYOPITIDAE 273
 SINOXYLIDAE 336
 SINOXYLINI 55, 336
Sinoxylon 336
 SINOZOLINA 22, 116
 SINOZOLINI 116
Sinozolus 116
Sintor 548
 SINTORIDES 548
 SINTORINI 81, 548
Siola 376
 SIOLAires 376
Sipalia 199
 SIPALAE 199
 SIPALIDES 572
 SIPALINAe 572
 SIPALINI 572
 SIPALININAE 572
Sipalinus 572
Sipalus 572
 SISYPHAIRIES 245
Sisyphe 245
 SISYPHINAE 245
 SISYPHINI 41, 245
Sisyphus 245
 SITARATES 442
 SITARINA 69, 442
 SITARINI 442
Sitaris 442
Sitona 615
Sitones 615
 SITONINI 91, 615
 SITONISIDAE 615
 SITOPHAGIENS 428
Sitophagus 428
 SITOPHILI 573
Sitophilus 572, 573, 891
 SKATITOXENINI 35, 207
Skatitoxenus 207
Slipinskia 325
 SLIPINSKIINI 53, 325
 SLIPINSKININA 325
 SLOANOGLYMMIINA 102
 SLOANOGLYMMIINI 20, 102
Sloanoglymmius 102
Slonik 542
 SLONIKINAE 80, 542
 SLONIKINI 80, 542
 SMICRIPIDAE 60, 368
 SMICRIPINI 368
Smicrips 368
 SMICRONYCHINI 2, 17, 87, 584,
 841, 842, 871
 SMICRONYCINA 584
Smicronyx 584, 841, 842
 SMODICI 481
 SMODICIDES 481
 SMODICINI 74, 481
Smodicum 481
 SOBARI 455
 SOBARINES 455
Sobarus 455
Sogda 169
 SOGDIIDAE 169
 SOGDINI 30, 169
 SOLENISCINAE 311
Soleniscus 311
 SOLENOCYCLEAE 231
 SOLENOCYCLINI 39, 231
Solenocyclus 231
 SOLENOGENYINA 21, 110
Solenogenys 110
 SOLENOPTERA 461
 SOLÉNOPTÉRIDES 461
 SOLENOPTERINI 72, 461, 462
 SOLIERIINAE 37, 217
Solierius 217
Somatipion 189
 SOMATIPIONINA 33, 189
 SOMATIPIONINI 189
Somatodes 602, 613, 890
 SOMATODIDES 602, 613
 SOMATODINAE 602, 887
 SOMATODINI 602, 613
 SOMOPLATIDIe 125
 SOMOPLATIDES 125, 126
 SOMOPLATINI 125, 126
Somoplatus 125
 SOMOTRICHINI 136
Somotrichus 136
 SONNETIINI 589
Sonnetius 589
 SOPHORORHINAE 600
 SOPHORORHININI 600
 SOPHRORHINIDES 600
 SOPHRORHININI 89, 600
Sophrorhinus 600
Sosteamorphus 294
 SOSYLOPSINI 60, 368
Sosylopsis 368
 SPALACOPSIDES 488
 SPALACOPSINAe 488
 SPALACOPSINI 488
Spalacopsis 488
 SPANGLEROGRYRINAE 19, 99
Spanelerogyrus 99
 SPANIOPHAENI 360

<i>Spaniophphaenus</i>	360	<i>Sphaerodini</i>	139	<i>Spirophoritae</i>	518
<i>SPAREDRIIDAE</i>	435	<i>Sphaeronia</i>	219	<i>Spirophorites</i>	518
<i>Sparedrus</i>	435, 857	<i>Sphaeronium</i>	219	<i>Spilophorus</i>	265, 518
<i>Sparmannia</i>	255	<i>Sphaeronum</i>	219	<i>Spilopyra</i>	539
<i>Sparrmannia</i>	2, 18, 255, 860, 861	<i>SPHAERONYCHINI</i>	524, 525	<i>Spiopyrinae</i>	79, 539
<i>SPARMANNINI</i>	255	<i>Sphaeronychus</i>	524, 525	<i>Spiopyritae</i>	539
<i>Spastica</i>	437, 438	<i>Sphaeropalpites</i>	510	<i>Spiopyrites</i>	539
<i>SPASTICINA</i>	69, 437, 438	<i>Sphaeropalpus</i>	510	<i>SPINGNOTHITAE</i>	503
<i>SPASTICINI</i>	69, 437	<i>Sphaerosoma</i>	370	<i>Springnothus</i>	503
<i>Spavius</i>	360	<i>SPHAEROSOMINAE</i>	370	<i>Spintheria</i>	481
<i>Spelaeobates</i>	173	<i>Sphaerotrypes</i>	633	<i>SPINTHÉRIIDES</i>	481
<i>SPELAEOBATINA</i>	30, 173	<i>SPHAEROTRYPINI</i>	633	<i>SPINTHERIINI</i>	74, 481
<i>Speleobama</i>	188	<i>SPHALLOTRICHINA</i>	72, 468	<i>SPINTHEROPHYTA</i>	537
<i>SPLEOBAVINI</i>	32, 188	<i>Sphallotrichus</i>	468	<i>SPODOCHLAMYDINI</i>	8, 257
<i>SPERCHEINAE</i>	27, 154	<i>Sphenocorynes</i>	573	<i>Spodochlamys</i>	8, 257
<i>SPERCHEINI</i>	154	<i>SPHENOCORYNIDI</i>	573	<i>SPONDYLIDINAE</i>	72, 464
<i>Spercheus</i>	154	<i>SPHENOCORYNIDAE</i>	573	<i>SPONDYLIDINI</i>	72, 465
<i>SPERCHOPSINI</i>	27, 157	<i>SPHENOCORYNINI</i>	573	<i>SPONDYLII</i>	464, 465
<i>Sperchopsis</i>	157	<i>SPHENOPHORIDES</i>	573	<i>Spondylis</i>	464, 465
<i>SPERMOPHAGIDAE</i>	506, 507	<i>SPHENOPHORINI</i>	85, 572, 573	<i>SPONGOCERINAE</i>	637
<i>SPERMOPHAGINA</i>	77, 506, 870, 881	<i>Sphenophorus</i>	573, 891	<i>Spongocerus</i>	637
<i>SPERMOPHAGINI</i>	506	<i>SPHENOPTERA</i>	283	<i>SPURIINAE</i>	231
<i>Spermophagus</i>	506, 507	<i>SPHÉNOPTÉRIDES</i>	283	<i>Spurius</i>	231
<i>SPHADASIMIDES</i>	595	<i>SPHENOPTERINI</i>	47, 283	<i>STAGOBIINA</i>	172
<i>SPHADASMINI</i>	88, 595	<i>SPHÉRIDIO</i>	158	<i>STAGOBIINAE</i>	172
<i>SPHADASMINORUM</i>	595	<i>SPHÉRIONIDES</i>	471	<i>STAGOBIINI</i>	171, 873
<i>Sphadasmis</i>	595	<i>SPHINCTOVALGINAE</i>	272	<i>Stagobius</i>	172
<i>Sphaenelater</i>	312	<i>Spinctovalgus</i>	272	<i>STAMINODEINA</i>	86, 578
<i>Sphaenelaterina</i>	312	<i>SPHINDIDAE</i>	58, 354, 355, 875, 888, 892	<i>Staminodeus</i>	578
<i>Sphaenothecitae</i>	484	<i>SPHINDIDES</i>	354, 355	<i>STAMNODERES</i>	221
<i>Sphaenothecus</i>	484	<i>SPHINDINAE</i>	58, 355	<i>Stamnoderus</i>	221
<i>Sphaeratrix</i>	522	<i>SPHINDINI</i>	355	<i>STAPHYLINIAE</i>	162, 174, 221, 222, 223
<i>SPHAERATRIXINI</i>	522	<i>SPHINDIPHORINAE</i>	58, 355	<i>STAPHYLINIDAE</i>	1, 2, 15, 17, 30, 115, 142, 174, 177, 185, 211, 222, 223, 225, 229, 640, 875, 876, 885, 886, 888, 892, 893, 895
<i>Sphaericus</i>	338	<i>SPHINDIPHORINI</i>	355	<i>STAPHYLINII</i>	174, 223
<i>SPHAERIDIIDAE</i>	153	<i>Sphindiphorus</i>	355	<i>STAPHYLININA</i>	38, 223
<i>SPHAERIDIINAE</i>	27, 157	<i>SPHINDOCINAE</i>	63, 386	<i>STAPHYLININAE</i>	38, 221
<i>SPHAERIDIINI</i>	28, 158	<i>Sphindocis</i>	386	<i>STAPHYLININI</i>	38, 222, 640
<i>SPHAERIDIOTA</i>	157, 158	<i>Sphindus</i>	354, 355, 892	<i>STAPHYLINOIDEA</i>	7, 15, 28, 162, 225, 371
<i>Sphaeridium</i>	157, 158	<i>Sphingnotus</i>	503	<i>Staphylinus</i>	162, 174, 221, 222, 223, 893
<i>SPHAERIDOIDEA</i>	961	<i>SPHODRIDAE</i>	144	<i>Statira</i>	399
<i>SPHAERIDAE</i>	471, 880, 885	<i>SPHODRINA</i>	25, 144	<i>STATIRINA</i>	64, 399
<i>SPHAERINA</i>	98, 99, 471	<i>SPHODRINI</i>	25, 144	<i>Statyra</i>	399
<i>Sphaerion</i>	471	<i>SPHODROSOMINA</i>	141	<i>STATYRINA</i>	399
<i>SPHAERIONINI</i>	471	<i>SPHODROSOMINI</i>	142	<i>STATYRINI</i>	399
<i>SPHAERIOPOEINI</i>	87, 584	<i>Sphodrosomus</i>	142	<i>STATYRITES</i>	399
<i>Sphaeriopoeus</i>	584	<i>Sphodrus</i>	144	<i>STEATODERIDAE</i>	317
<i>Sphaerites</i>	158	<i>SPHOEROCHARIDES</i>	532	<i>Steatoderus</i>	317
<i>SPHAERITIDAE</i>	28, 158	<i>Sphoerocharis</i>	532	<i>STEGOBIINI</i>	340
<i>Sphaerium</i>	471	<i>Sphoerodes</i>	139	<i>Stegobium</i>	340
<i>Sphaerius</i>	98, 99, 471, 892	<i>Sphraeronychus</i>	525	<i>Stellognatha</i>	501
<i>SPHAERIUSIDAE</i>	19, 98, 99, 238, 880, 885, 888, 892	<i>Sphuridaethes</i>	196	<i>STENAESTHETINI</i>	37, 217
<i>SPHAERIUSOIDEA</i>	19, 98	<i>SPHURIDAETHINA</i>	34, 196		
<i>SPHAEROCHARINI</i>	79, 532	<i>Spilophora</i>	265, 518		
<i>Sphaerocharis</i>	532	<i>SPILOPHORINA</i>	44, 265, 518, 881, 885		
<i>Sphaeroderma</i>	526	<i>SPILOPHORINI</i>	79, 265, 518, 881, 885		
<i>SPHAERODERMINI</i>	526				
<i>Sphaerodes</i>	139				

- Stenaesthetus* 217
Stenalia 390
STENALINI 63, 390
STÉNASPIDES 484
STENASPIDIINI 38, 227
STENASPIDIINAE 484
Stenaspis 227
STENASPINI 484
Stenaspis 484
STENELMINA 49, 293
STENELMINI 293
Stenelmis 293
STENELMISATES 293
STENHOMALINI 74, 481
Stenomalus 481
STENICHNINI 215
Stenichnus 215
STENIDAE 216
STENINAE 37, 216
Steno 216
Stenobia 501
STENOBIINI 77, 501
STENOCERINAE 548
STENOCERINARUM 548
STENOCERINI 81, 548
Stenocerus 548
Stenochia 431, 433
STENOCHIADAE 431, 433
STENOCHINAE 68, 431
STENOCHINI 68, 433
STENOCORIDAE 463, 477
STENOCORITAE 463, 477
Stenocorus 463, 477, 889
STENOCORYNNINI 618
Stenocorynus 618
Stenocyphon 274
STENOCYPHONINAE 45, 274
Stenodera 443, 482
STENODERINAE 482
STENODERINI 69, 74, 443, 481, 482, 870, 880, 883
STÉNODÉRITES 481
Stenoderus 443, 481, 482
Stenodontes 459
STENODONTINA 459, 880
STÉNODONTINES 459
STENODONTINI 459, 880
Stenodontus 459
Stenogenius 407
STENOLAMINA 420
Stenolamus 420
STENOLOPHIDAE 131
STENOLOPHINA 24, 131
Stenolophus 131
Stenomela 539
STENOMELINAE 539
STENOMELINI 539
STENOMÈLITES 539
STENOMORPHIDAE 129
Stenomorphus 129
STENOPELMI 576
STENOPELMINI 85, 576
Stenopelmus 576
Stenophanes 432
STENOPHANINI 432
STENOPTERIDAE 482
STENOPTERINI 75, 482
Stenopterus 482
Stenoria 442
STENORIIDES 442
STENOSCELIDES 597
Stenoscelis 597
STENOSIDAE 411
STÉNOSIDES 411
STENOSINI 66, 411, 877
Stenosis 411
STENOSPHENINI 471
Stenosphenus 471
Stenostoma 8, 436
STÉNOSTOMATES 436
STENOSTOMATIDAE 436
STENOSTOMATINI 8, 68, 436
STENOSTOMINI 436
Stenotarsia 268, 269
STENOTARSIDIEN 268, 269
STENOTARSIINA 44, 269
STENOTARSIINI 44, 268, 270
STENOTARSINA 270
STENOTARSINA 61, 373
STENOTARSINI 373
STÉNOTARSITES 373
Stenotarsus 373
STENOTRACHELIDAE 68, 434
STENOTRACHELINE 68, 434
Stenotrachelus 434
STENOTRICHINI 417
Stenotrichus 417
Stenus 216
STEPHANOCEPHALEAE 231
STEPHANOCEPHALINI 231
Stephanocephalus 231
STEPHANORHYNCHINA 581
Stephanorhynchus 581
STEPHANORRHINA 266
STEPHANORRHININA 266
Stereina 169
Stereocories 597
STEREOCORYNINA 597
STEREOCORYNINI 597
STEREODERMINA 84, 564
Stereodermus 564
STEREOLIA 306
Stereolus 306
Stereomera 241
STEREOMERINI 40, 241
Stereus 169
STERNACANTHITAE 484
Sternacanthus 484
STERNÉCHIDES 630
STERNECHINA 630
STERNECHINI 92, 630
STERNECHOSOMINI 628
Sternechosomus 628
Sternechus 630
Sternocera 277
STERNOCERINI 277
Sternodea 360
STERNODEINI 360
Sternodonta 502
STERNOPRISCINI 152
Sternopriscus 152
STERNOTOMINI 77, 501
Sternotomis 502
STERNOTOMITAE 502
Sternuchopsis 627
Steropes 447
STEROPINA 447
STEROPINAE 70, 447, 878
STÉROPITES 447
STETHASPIDIDAE 248
STETHASPINI 248
STETHASPINI 248
Stethaspis 248, 892
Stethodesma 267
STETHODESMAE 267
STETHORINI 62, 381
Stethorus 381
STICHLOTIDINI 62, 381
STICHLOTINI 381
Sticholotis 381
Stictocema 531
STICTOCEMITES 531
STIGMATRACHELINI 605
Stigmatrachelus 605
Stigmadera 286
STIGMODERIDAE 286
STIGMODÉRIDES 286
STIGMODERINI 47, 286
STILBINI 364
Stilbus 364
STILICI 220
STILICINA 37, 220
STILICOPS 221
STILICOPSINA 37, 221
Stilicopsis 221
Stilicus 220
STILIPALPINA 31, 179
Stilipalpus 179
STILPNONOTINAE 443
Stilpnonotus 443
STIZOPIDES 419
STIZOPINI 419
Stizopus 419
STOLAINI 516
Stolas 516
STOLIINAE 68, 434
Stolius 434

- STOMIDAE 143
Stomis 143
 STOREIDAE 584
 STORÉIDES 584
 STOREINI 87, 584
Storeus 584
 STORTHODONTINA 21, 111
 STORTHODONTINI 111
Storthodontus 111
Strangalia 462
 STRANGALINI 462
Strangaliodes 618
 STRANGALIODES 618
 STRANGALIODIDES 618
 STRANGALIODINI 617, 618
 STRATEGIDAE 261
Strategus 261
 STREPTOCERINI 39, 233
Streptocerus 233
Striatoquasimus 316
 STRIATOQUASIMUSINA 52, 316
 STRIATOQUASINA 316
Strigota 193
 STRIGOTAE 193
 STROMBOCERINAE 574
 STROMBOPHORINI 633
Strombophorus 633
 STROMBOSCRÉIDES 574
 STROMBOSCRÉRINAE 85, 574
Stromboscerus 574
 STRONGYLIIDAE 366
 STRONGYLIIDES 433
 STRONGYLIINI 433
 STRONGYLINAE 366
Strongylium 433
 STRONGYLOPTÉRIDES 600
 STRONGYLOPTERIDINA 600
 STRONGYLOPTERINI 600
Strongylopterus 600
 STRONGYLURIDES 482
 STRONGYLURINAE 482
 STRONGYLURINI 75, 482
Strongylurus 482
Strongylus 366
Strophosoma 604
 STROPHOSOMIDAE 604
Strophosomum 604
 STYANACINAE 630
 STYANACINI 92, 630
Styanax 630
 STYLOPODINAE 214
Stylopodus 214
 STYLOSOMINA 79, 533
 STYLOSOMINI 534
 STYLOSOMITES 533, 534
Stylosomus 533
 STYPHLIDAE 585
 STYPHLINI 87, 585
 STYPHLOMERINI 121
Styphlomerus 121
Styphlus 585
Subcoccinella 378
 SUBCOCCINELLINI 378
Submera 137
 SUBMERINI 137
Subprotelater 319
 SUBPROTELATERINAE 52, 319
Sueinae 635
Sueus 635
Sugimotoa 137
 SUGIMOTOINA 24, 137
Sukunahikona 374
 SUKUNAHIKONINI 61, 374
 SUMNIINI 376
Sumnius 376
Suniina 218, 875
Suniops 556
 SUNIOPSINA 556
Sunius 218
Suphis 148
 SUPHISINI 148
 SVETLANAEBYCTISCINA 83, 559
Svetlanaebyctiscus 559
 SYBARIDES 440
Sybaris 440
Sybilla 467
 SYDACINI 474
Sydag 474
 SYLLITAE 482
Syllitus 482
 SYLVANIDAE 362, 363
 SYMMATHETES 611
 SYMMATHETES 611
 SYMMERARIAE 638
Symmerus 638
 SYMMIXINI 191
Symmixus 191
 SYMPIÉZOIDES 594
 SYMPIEZOPINORUM 594
Sympiezopus 594
 SYMPIEZOSCELIDES 600
 SYMPIEZOSCELINI 600
Sympiezoscelus 600
Sympolemon 206
 SYMPOLEMONINI 206
 SYNAPIINA 84, 568
Synapion 568
 SYNAPTIIDAE 318
 SYNAPTINI 52, 318
 SYNAPTONYCHIDES 618
 SYNAPTONYCHINI 617
 SYNAPTONYCIDES 618
Synaptonyx 618
Synaptops 556
 SYNAPTOPSINA 556
Synaptus 318
Syncalypta 291, 292
 SYNCALYPTAIRES 291, 292
 SYNCALYPTINAE 48, 291, 292
 SYNCALYPTINI 48, 292
Synchita 394
 SYNCHITAE 394
 SYNCHITINI 64, 394
Synchroa 434
 SYNCHROAE 434
 SYNCHROIDAE 68, 434
 SYNCHROÏDES 434
 SYNCOSMETINA 63, 386
Syncosmetus 386
 SYNDESIDAE 232
 SYNDESINAE 39, 232
Syndesus 232
 SYNDICINI 215
Syndicus 215
Synechocera 289
 SYNECHOCERINA 48, 289
 SYNERCTICINAE 69, 444
Synercticus 444
Syneta 539
 SYNETAE 539
 SYNETIDAE 539
 SYNETINAE 79, 539
 SYNIRMINI 618
Synirmus 618
 SYNOCHODAEINAE 236
 SYNOCHODAEINI 40, 236
Synochodaeus 236
 SYNODITULINI 28, 162
Synoditulus 162
Synonycha 377
 SYNONYCHINI 377
 SYNOPHTHALMIDES 593
 SYNOPHTHALMINI 593
Synophtalmus 593
Syntelia 158
 SYNTELIIDAE 28, 158
 SYNTOMINAE 212
 SYNTOMINI 135
Syntonium 212
Syntomus 135
 SYNUCHI 145
 SYNUCHINA 25, 145
Synuchus 145
 SYPHORBINA 626
Syphorbus 626
 SYSOLINI 60, 368
Sysolus 368
 SYSTELLOPIDES 254
 SYSTELLOPINI 42, 254
Systellopus 254
Systema 525, 526
 SYSTEMAE 525, 526
 SYSTEMINI 526
 SYSTEMOCERINI 235
Systemocerus 235
Systolosoma 101

- SYSTOLOSOVINI 101
 SYZETONININA 70, 449
 SYZETONININI 449
Syzetoninus 449
 TACHINARIAE 191
 TACHINIDAE 191, 886
Tachinus 191, 892
 TACHINUSIDAE 191, 886, 888
 TACHYAIRES 114
 TACHYGONIDES 584
 TACHYGONINA 87, 584
 TACHYGONINAE 584
Tachygonus 584
 TACHYINA 22, 114
 TACHYINI 114
 TACHYORYCTIDIINI 369
Tachyoryctidium 369
 TACHYPORIDAE 190, 191, 888
 TACHYPORINAE 33, 190
 TACHYPORINI 2, 17, 33, 191
Tachyporus 142, 190, 191, 893
 TACHYPTERELLINA 579
Tachypterellus 579
Tachys 114, 889
Tachysa 205, 893
 TACHYUSIDES 205
 TACHYUSINA 35, 205
 TACHYUSINI 203
 TADINI 85, 576
Tadius 576
 TAENIOCERINI 637
Taeniocerus 637
Taeniodera 270
 TAENIODERINA 44, 270
 TAENIODERINI 44, 270
 TAENIONCINI 60, 366
Taenioncus 366
Taeniotes 496
 TAENIOTITAE 496
Tagenia 411
 TAGENIDAE 411
 TAGENIIDAE 411
 TAGENINI 411, 877
 TAGÉNITES 411
 TAINOPHTHALMIDA 616
 TAINOPHTHALMINA 91, 616
Tainophthalmus 616
 TALANIDES 433
 TALANINI 68, 433, 877
Talanus 433
 TALDYCUPEDIDAE 18, 94
Taldycupes 94
 TALDYCUPIDAE 94
 TAMOTINI 216
Tamotus 216
 TAMULIDAE 352
Tamulus 352
 TANAITAE 85, 570
 TANAONIDES 570
Tanaos 570
 TANYGNATHINI 224
 TANYGNATHININA 38, 224
 TANYGNATHININI 224
Tanygnathinus 224
Tanygnathus 224
 TANYMÉCIDES 616
 TANYMECINA 91, 616
 TANYMECINI 91, 616
Tanymecus 616
 TANYPLEURINI 187
Tanypleurus 187
 TANYPROCTINA 42, 254
 TANYPROCTINI 42, 254
Tanyproctus 254
 TANYRHYNCHIDES 616
 TANYRHYNCHINI 91, 616
Tanyrhynchus 616
 TANYSPHYRIDAE 576
 TANYSPHYRINI 85, 576
Tanysphyrus 576
 TAPEINA 502
 TAPEININI 77, 502
 TAPEINITAE 502
 TAPEINITES 502
Taphes 321
 TAPHINI 53, 321
 TAPHININA 321
Taphroderes 564
 TAPHRODÉRIDES 564
 TAPHRODERINA 564
 TAPHRODERINI 84, 564
Taphropiestes 363
 TAPHRORYCHINI 633
Taphrorychus 633
 TAPIROMIMINI 89, 598
Tapiromimus 598
 TARIDAE 134
 TARPHIINAE 394
Tarphius 394
 TARQUININAE 229
Tarquinius 229
 TARSOSTENINAE 348
 TARSOSTÉNITES 348
 TARSOSTENNINAE 348
Tarsostenus 348
Tarus 134
 TASMSALPINGIDAE 59, 365
 TASMSALPINGINAE 365
Tasmosalpingus 365
Taurocerastes 226
 TAUROCERASTIDAE 226
 TAUROCERASTINAE 38, 226
Tauroma 517
 TAUROMINI 517, 871
 TAUROMITAE 517
 TAUROMITES 517
Taxicera 195
 TAXICERINA 33, 195
Techmessa 445
 TECHMESSINAE 445
 TEFFLINA 25, 139
 TEFFLINI 139
Tefflus 139
Tegrodera 439
 TEGRODERINI 439
 TELEDAPINAE 463
 TELEDAPINI 72, 463
Teledapus 463
 TELEGEUSIDAE 53, 326
Telegeusis 326
 TELEPHANIDAE 362
 TELEPHANINI 59, 362
Telephanus 362
 TELEPHORIDAE 330, 869
 TELEPHORIDES 330
 TELEPHORINAE 330
 TELEPHORINI 330
Telephorus 330
 TELMATOPHILIDES 360
 TELMATOPHILINI 360
Telmatophilus 360
 TEOCHILINA 44, 265
Telochilus 265
Telsimia 381
 TELSIMIINI 62, 381
 TEMNOCERINA 83, 561
Temnocerus 561
Temnochila 345
 TEMNOCHILINI 345
Temnoscheila 345
Temnostega 114
 TEMNOSTEGINI 114
Tenebrio 384, 397, 413, 425
TENEBRIOIDES 345
 TENEBRIOIDINI 345
 TENEBRIONIDAE 2, 4, 15, 17, 64,
 133, 397, 400, 404, 415, 433,
 640, 862, 863, 864, 865, 876,
 877, 886, 893
 TENEBRIONINAE 66, 413, 864
 TENEBRIONINI 67, 425
 TENEBRIONITES 384, 397, 413, 425
 TENEBRIONOIDEA 15, 62, 384, 640,
 855, 857, 858, 864
Tenebrooides 343, 344, 345
Tentyria 411, 893
 TENTYRIDAE 411
 TENTYRIINI 66, 411, 862
Tephraea 263
 TEPHRAEIDES 263
 TEPLININI 62, 383
Teplinus 383
 TERAMBIDAE 467
Terambus 467
 TEREDINAE 60, 368
 TEREDINI 60, 368, 369
Teredus 368, 369

- TERETICI 462
 TÉRÉTIENS 462
 TERETICINI 72, 462
Tereticus 462
 TERETRIINAE 159
 TERETRIINI 28, 159
Teretrius 159
Termitella 196
 TERMITELLICIA 196
Termitochara 196
 TERMITOCHARINA 34, 196
 TERMITOCUPIDINA 34, 196
Termitocupidus 196
 TERMITODERINI 40, 241
Termitoderus 241
 TERMITODISCINA 35, 207
 TERMITODISCINI 35, 207
Termitodiscus 207
Termitogaster 196
 TERMITOGASTRI 196
 TERMITOGASTRICIA 196
 TERMITOGASTRINA 34, 196
Termitohospes 8, 207
 TERMITOHOUSPINI 207
 TERMITOHOSPITINA 36, 207
 TERMITOHOSPITINI 8, 36, 207
 TERMITOICEINA 34, 196
Termitoiceus 196
 TERMITOMIMINI 195
Termitomimus 195
 TERMITONANNINA 36, 208
 TERMITONANNINI 36, 207, 208
Termitonannus 207, 208
Termitonda 208
 TERMITONDINA 208
Termitopaedia 208
 TERMITOPAEDIINI 36, 208
 TERMITOPITHINA 34, 196
Termitopithus 196
 TERMITOPSENINI 208
Termitopsenus 208
 TERMITOPOTOCHINA 34, 196, 197
 TERMITOPTOCHINI 196, 197
Termitoptochus 196, 197
 TERMITSPECTRINA 36, 208
Termitospectrum 208
 TERMITOTELINA 33, 195
Termitotelus 195
 TERMITOTROGINAE 40, 242
 TERMITOTROGINI 242
Termitotrox 242
Termitozyras 202
 TERMITOZYRINA 35, 202
Termitusa 208
 TERMITSUAE 208
 TERMITUSINA 36, 208
 TERMITUSINI 36, 208
Tessaromma 482
 TESSAROMMATINI 75, 482
 TESSAROMMIDES 482
 TESSEROERINA 93, 638
 TESSEROERINAE 638
 TESSEROERINI 93, 638
Tesserocerus 638
 TESSÉROMMIDES 482
 TETRABRACHINAE 382
 TETRABRACHINI 62, 381
Tetrabrachys 382
Tetracha 105
 TETRACHAE 105
 TETRADELI 176
Tetradelus 176
Tetradonia 202
 TETRADONIAE 202
 TETRAGONODERIDAE 125
 TÉTRAGONODÉRIDES 125
Tetragonoderus 125
 TETRALOBINAE 311
 TETRALOBINI 51, 310
 TETRALOBITAE 311
 TETRALOBITES 310
Tetralobus 310, 311
 TETRAMEROPSEINAE 62, 384
 TETRAMEROPSINA 384
Tetrameropsis 384
 TETRAONYCIDAE 441
 TETRAONYCINA 69, 441
Tetraonyx 441
Tetraopes 502
 TETRAOPESITAE 502
 TETRAOPHTHALMINI 489
 TÉTRAOPHTHALMITES 489
Tetraophthalmus 489
 TETRAOPINI 77, 502
 TETRAPHALERINA 18, 95
 TETRAPHALERINI 95
Tetraphalerus 95
Tetratoma 387
 TETRATOMAEDES 387
 TETRATOMIDAE 63, 387
 TETRATOMINAE 63, 387
Tetraulax 502
 TETRAULAXINI 77, 502
 TÉTROPIDES 502
 TETROPIINA 464
 TETROPINI 77, 502
Tetropium 464, 465, 889
Tetrops 502
Thalassa 379
 THALASSAIRES 379
 THALASSELEPHANTINI 625
Thalasselephas 625
 THALASSOPHILI 116
Thalassophilus 116
Thalia 143
 THALIABARIDINA 87, 587
 THALIABARINI 587
Thaliabaris 587
 THALIADAE 143
Thallisella 357
 THALLISELLINI 58, 357
Thalycra 367
 THALYCRINA 367
Thamiaraea 195
 THAMIARAEINA 33, 195
 THAMIARAEINI 195
 THAMNOPHILIDES 621
Thamnophilus 621
 THAMNURGINAE 633
Thamnurgus 633
 THANASIMIDIAE 347
Thanasimus 347
 THANEROCLERIDAE 57, 346
 THANEROCLERINA 57, 346
 THANEROCLERINI 57, 346
Thaneroclerus 346
 THAUMAPHRASTINA 334
 THAUMAPHRASTINI 55, 334
Thaumaphrastus 334
 THAUMASIDAE 483
 THAUMASTOCEPHALINI 31, 179
Thaumastocephalus 179
 THAUMASTODINA 49, 295
Thaumastodus 295
Thaumas 483
 THÉCESTERNIDES 617
 THECESTERNINA 617
 THECESTERNINI 91, 617
Thecesternus 617
Thecturota 200
 THECTUROTAE 200
Thelydrias 334
 THELYDRIINI 334
 THEOCERINA 181
 THEOCERINI 181
Theocerus 181
 THÉOCRIDES 502
 THEOCRIDINI 502
 THEOCRINAE 502
 THEOCRINI 77, 502
Theocris 502
Theone 527
 THEONINA 527
Theope 529
Theopea 529
 THEOPEIDAE 529
 THEOPEINA 529
 THÉOPÉITES 529
Therates 104
 THERATIDAE 104
 THERATINA 20, 104
 THERMONECTINI 150
Thermonectus 150
Thesilea 433
 THESILEINI 433
 THILMANINAE 52, 320
 THILMANINI 52, 320

<i>Thilmanus</i>	320	<i>Thymalus</i>	344	<i>TOMORHINI</i>	610
THINOBATIDES	412	THYREOPTERIDAE	136	<i>Tomorhinus</i>	610
THINOBATINI	66, 412	THYRÉOPTÉRIDES	136	<i>Tomyris</i>	535
<i>Thinobatis</i>	412	THYREOPTERINI	136	<i>TOMYRITAE</i>	535
THINOBIIDAE	212	<i>Thyreopterus</i>	136	<i>TOMYRITES</i>	535, 536
<i>Thinobius</i>	212, 213	<i>Thyroderus</i>	370	TONERINI	26, 148
THINODROMINI	213	<i>Thysria</i>	483	<i>Tonerus</i>	148
<i>Thinodromus</i>	213	THYRSIINI	75, 483	<i>Tonesia</i>	589
THINOPININAE	224	THYSANOTINI	136	TONESIINA	87, 589, 871
<i>Thinopinus</i>	224	<i>Thysanotus</i>	136	<i>Tophoderes</i>	548
<i>Thinorycter</i>	246	THYSDARINA	31, 181	TOPHODÉRIDES	548
THINORYCTERINA	246	THYSDARINI	181	TOPHODERINAE	548
THINORYCTERINI	41, 246	<i>Thysdarius</i>	181	TOPHODERINI	81, 548
<i>Thione</i>	359	<i>Tichonia</i>	142	TORAMINAE	357
THIONINAE	359, 856	TICHONIINI	142	TORAMINI	58, 357
THIONINI	59, 359	<i>Tichonilla</i>	142	<i>Toramus</i>	357
<i>Thisias</i>	443	TICHONILLINA	142	TORCINA	87, 587
THISIINA	443	TILLII	346	TORCOCINA	587
<i>Thomassetia</i>	286	TILLINAE	57, 346	<i>Torus</i>	587
THOMASSETIINA	47, 286	TILLOMORPHIDA	483	TORMISSINI	28, 158
THOMASSETIINI	47, 286	TILLOMORPHIDAE	483	<i>Tormissus</i>	158
THONALMINI	53, 325	TILLOMORPHINAE	483	<i>Torneuma</i>	600
<i>Thonalmus</i>	325	TILLOMORPHINI	75, 483	TORNEUMATINI	89, 600
THORACOPHORINA	36, 211	<i>Tillus</i>	346	<i>Torneutes</i>	483
THORACOPHORINAE	210, 211	<i>Timarcha</i>	522	TORNEUTINI	75, 483
THORACOPHORINI	36, 210	TIMARCHAE	522	TORNEUTITAE	483
<i>Thoracophorus</i>	210, 211	TIMARCHAEINES	522	TORRENTOMI	213
<i>Thoraxophorus</i>	210, 211	TIMARCHININI	79, 522	<i>Torrentomus</i>	213
THORICTIDAE	334	<i>Timarchopsis</i>	147	<i>Torrhidincola</i>	98
THORICTINAE	55, 334	TIMEPARTHENINA	34, 197	TORRIDINCOLIDAE	19, 98
THORICTINI	55, 334	TIMEPARTHENINI	197	TORRIDINCOLINAE	19, 98
<i>Thorictodes</i>	334	<i>Timeparthenus</i>	197	<i>TOSTEGOPTERA</i>	252
<i>Thorictosoma</i>	404	<i>Timola</i>	580	TOSTEGOPTERAE	252
THORICTOSOMATINA	65, 404	TIMOLINA	86, 580	<i>Tournotaris</i>	576
<i>Thorictus</i>	334	<i>Tiphysa</i>	379	<i>Toxeutes</i>	581
THRANIINI	75, 483	TIPHYSAIRES	379	TOXICIDAE	426
<i>Thranius</i>	483	TIRACERINI	31, 181	TOXICIDEN	425, 426
<i>Thrinopyge</i>	279	<i>Tiracerus</i>	181	TOXICINA	67, 426
THRINOPYGINI	46, 279	<i>Tisiphone</i>	368	TOXICINI	67, 425
THROMBOSTERNINA	91, 624	TISPHONINAE	368	<i>Toxicum</i>	425, 426, 440
<i>Thrombosternus</i>	624	<i>Titaena</i>	425	TOXIDIINI	210
THROSCIDAE	2, 17, 51, 306, 865, 866, 867, 877	TITAENINI	67, 425	<i>Toxidium</i>	210
THROSCITES	306	TITANITAE	461	<i>Toxoderi</i>	212
THROSCOGENIINAE	306	<i>Titanus</i>	461	TOXODERINI	212, 886
THROSCOGENIINI	51, 306	TMESIPHORINI	33, 189	<i>Toxoderus</i>	212
<i>Throscogenius</i>	306	<i>Tmesiphorus</i>	189	TOXOGNATHINAE	319
THROSCOIDAE	306	TMESISTERNINI	77, 503	<i>Toxognathus</i>	319
<i>Throsrus</i>	306, 865, 866	TMESISTERNITAE	503	<i>Toxorhinus</i>	572
THRYPTOCERINI	139	<i>Tmesisternus</i>	503	TOXORHYNCHINAE	561
<i>Thryptocerus</i>	139	TMESORRHINA	266	TOXORHYNCHINI	83, 561
<i>Thylacites</i>	604	TOLYPHINI	364	<i>Toxorhynchus</i>	561
THYLACITIDAE	604	<i>Tolyphus</i>	364	TOXOSCELINA	48, 289
THYLACOSTERNINA	51, 311, 872	TOMICIDAE	634, 635	<i>Toxoscelus</i>	289
<i>Thylacosternus</i>	311	TOMICINI	634, 635, 882	TOXOTAIRE	463
<i>Thylodrias</i>	334	<i>Tomicus</i>	634, 635, 890	<i>Toxotes</i>	463
THYLODRIINI	55, 334	TOMODERINAE	70, 448	TOXOTI	463
THYMALINI	57, 344	TOMODERINI	448	TOXOTIDAE	463, 880
THYMALITES	344	<i>Tomoderus</i>	448	<i>Toxotus</i>	463

- TRABISINA 179
Trabisus 179
 TRACHEIDAE 289, 290, 887
 TRACHEINA 48, 290
 TRACHEINAE 287
 TRACHEINI 48, 289
Trachelismus 557
 TRACHÉLIZIDES 564, 566
 TRACHELIZINA 84, 566
 TRACHELIZINAE 566
 TRACHELIZINI 84, 564, 566
Trachelizus 564, 566
Trachelonina 105
 TRACHELONIADAe 105
 TRACHELOPHORINI 83, 557
Trachelophorus 557
 TRACHELOSTENIDAE 64, 396
 TRACHELOSTÉNIDES 396
 TRACHELOSTENINI 396
Trachelostenus 396
 TRACHINOTINAE 410
Trachinotus 410
 TRACHISIDAe 289, 290
Trachodes 630
 TRACHODINI 92, 630
 TRACHODISIDAe 630
 TRACHYCIDIPIDAE 94
Trachyderes 483
 TRACHYDÉRIDES 483
 TRACHYDERINA 75, 483
 TRACHYDERINI 75, 483
 TRACHYDERITAE 483
Trachykely 284
 TRACHYKELINA 47, 284
 TRACHYNOTIDAe 410
 TRACHYNOTIDES 410
 TRACHYNOTINA 66, 410
 TRACHYNOTINAe 410
 TRACHYNOTOIDAE 410
Trachynotus 410
 TRACHYPACHIDAe 20, 100, 836, 837
 TRACHYPACHINAe 20, 101
 TRACHYPACHINI 100, 101
Trachypachus 100, 101
 TRACHYPHILINA 91, 617
Trachyphilus 617
 TRACHYPHLOEIDAe 617
 TRACHYPHLOEINA 91, 617
 TRACHYPHLOEINI 91, 617
Trachyphloeus 617
 TRACHYPHOLINI 395
Trachypholis 8, 395
Trachys 278, 289, 290, 889
Trachyscelida 431, 530
 TRACHYSCELIDAe 431
 TRACHYSCÉLIDES 431
 TRACHYSCELIDITES 530
 TRACHYSCELINI 68, 431
Trachyscelis 431
- TRACHYSIDES 290
Tragocephala 503
 TRAGOCEPHALINI 77, 503
 TRAGOCEPHALAE 503
 TRAGOCEPHALITES 503
 TRAGOCERINAE 484
 TRAGOCERINI 75, 484
Tragocerus 484
Tragosoma 459
 TRAGOSOMITAE 459
 TRAGOSOMITES 459
 TRECHICHINAE 140
Trechichus 140
Trechicus 140
 TRECHII 113, 114, 115
 TRECHINA 22, 115
 TRECHINAE 22, 113, 879
 TRECHINI 22, 114
Trechodes 7, 115
 TRECHODINA 7, 22, 115
 TRECHODINI 115
Trechus 113, 114, 115
 TRETOTHORACIDAe 446
Tretothorax 446
 TRIACRI 224
Triacrus 224
 TRIADOCUPEDIDAE 19, 96
 TRIADOCUPEDINAE 96
Triadocutes 96
 TRIAPLIDAE 26, 147
Triaplus 147
 TRIARTHRIDAE 169, 883
 TRIARTHRIINI 169, 883
Triarthron 169
Triarthrus 169
 TRIBACOGENICI 106
 TRIBALINAe 28, 160
 TRIBALINI 160
Tribalus 160
Tribax 106
 TRIBOLIIDAE 426
 TRIBOLIINI 67, 426
Tribolium 426, 893
Tribolocara 412
 TRIBOLOCARIDES 412
Tribolocarini 412
 TRICALINA 53, 325
 TRICALINAE 325
Trichalus 325
 TRICHAPINA 84, 569
Trichapion 569
Trichelodes 334
 TRICHELODINI 334
Trichia 270
 TRICHIADAe 270, 271
 TRICHIDES 271
 TRICHIINA 44, 271
 TRICHIINAE 270, 885
 TRICHIINI 44, 262, 270, 885
- TRICHINA 24, 137
 TRICHINI 137
 TRICHINORHIPIDINA 47, 287
Trichinorhipis 287
Trichis 137
Trichipa 515
 TRICHISPITES 515
Trichius 2, 17, 270, 271, 892
Trichochrysea 536
 TRICOCHRYSEINI 536
Trichoda 347
Trichodes 347, 890
 TRICHODINA 347, 881
 TRICHODINI 347, 881
 TRICHODITES 347
 TRICHODOCERIDES 595
 TRICHODOCERINI 88, 595
Trichodocerus 595
Trichomesia 485
 TRICHOMESINI 75, 485
Trichomicro 194
 TRICHOMICRINA 194
 TRICHONYCHINA 32, 184
 TRICHONYCHINI 8, 32, 183
 TRICHONYIDES 183, 184
Trichonyx 8, 183, 184
Trichophya 191
 TRICHOPHYINAE 33, 191
 TRICHOPHYINI 191
 TRICHOPLINA 44, 265
Trichoplus 265
 TRICHOSELAPHINI 129
Trichopselaphus 129
 TRICHOPSENII 208
 TRICHOPSENIINI 36, 208
Trichopsenius 208
 TRICHOPTERYGIA 166
Trichopteryx 8, 165, 166
 TRICHOTICHNINI 130
Trichotichnus 130
 TRICOLEIDAE 19, 97
Tricoleus 97
Tricondyla 105
 TRICONDYLINA 20, 105
 TRICORYNINAE 341
 TRICORYNINI 56, 341
Tricorynus 341
Tricrania 442
 TRICRANIIDAE 442
Trictenotoma 444
 TRICTENOTOMIDAe 69, 444
 TRICTÉNOTOMIDES 444
Trientoma 406
 TRIENTOMINI 406
Trigonobregma 213
 TRIGONOBREGMINI 213
 TRIGONOCOLIDES 630
 TRIGONOCOLINAE 630
 TRIGONOCOLINI 92, 630

- Trigonocolus* 630, 631
Trigonodactyla 132
TRIGONODACTYLIDAE 132
TRIGONODACTYLIENS 132
TRIGONODACTYLINI 132, 870
TRIGONOGENIINI 47, 286
Trigonogenium 286
Trigonognatha 143
TRIGONOGNATHIDES 143
TRIGONOPAIRES 423
TRIGONOPINA 423
TRIGONOPODINA 423
TRIGONOPTERA 503
TRIGONOPTERINI 503
Trigonopus 423
TRIGONORHININI 81, 548
Trigonorhinus 548
Trigonoscuta 609
TRIGONOSCUTAE 609
TRIGONOSCUTINI 609
TRIGONOSTOMIDAE 256, 885
TRIGONOSTOMINA 256, 885
Trigonostomum 256
Trigonostomus 256, 892
TRIGONOSTOMUSINA 42, 256, 885, 888
Trigonotom 143
Trigonotoma 143
TRIGONOTOMITES 143
TRIGONURIDES 209
TRIGONURINAE 36, 209
Trigonurus 209
TRILOBITIDEAE 208
TRILOBITIDEINI 36, 208
Trilobitideus 208
Trilobocana 412
TRILOBOCARINI 66, 412
TRIMERINAE 122
Trimerus 122
TRIMII 184
TRIMIINA 32, 184
Trimiodytes 184
TRIMIODYTINA 184
Trinium 184
TRIMYTINI 406
Trimytis 406
Trinodes 334
TRINODINAE 55, 334
TRINODINI 55, 334
TRINOPARVINI 55, 334
Trinoparvus 334
TRIOROPHI 406
Triorophus 406
TRIPHILLINI 385
Triphyllus 385
TRIPLACINAE 358
Triplax 358
TRISIGNINA 183
Trisignis 183
Tristaria 337
TRISTRARINI 337
TRITARSIDAE 19, 99
Tritarsus 99
TRITARSUSIDIAE 99
Tritoma 358, 385, 891
TRITOMIDAE 358, 385
TRITOMINI 59, 358
TRIXAGIDAE 306
Trixagus 306, 865, 866
TROCHALINA 42, 254
TROCHALINAE 254
Trochalus 254
TROCHOÏDEIDAE 372
TROCHOÏDEINAE 372
TROCHOIDÉITES 372
Trochoides 372
Trogaster 184
TROGASTRINA 32, 184
TROGASTRINI 32, 184
TROGIDAE 8, 39, 231
TROGINAE 39, 231
TROGLODERINA 414
Trogloderus 414
TROGLOPATES 352
Troglops 352
TROGOCRYPTINAE 446
Trogocryptus 446
Troderma 335
TROGODERMATES 335
Troges 265
TROGODINA 44, 265
TROGONOTOMIDAE 143
TROGOPHLÉAIRES 212
TROGOPHLOEINA 212, 213
Trogophloeus 212
Trogossita 343, 344, 345
TROGOSSITARI 343, 344, 345
TROGOSSITIDAE 2, 18, 56, 343, 383, 867, 868, 877, 893
TROGOSSITINAE 57, 344
TROGOSSITINI 57, 345
TROGOSSITOIDEA 343
TROGOXYLINI 56, 337
Trogoxylon 337
TROPICINI 49, 295
Tropicus 295
Tropideres 548
TROPIDÉRIDES 548
TROPIDERINI 81, 548
Tropidia 474
TROPIDIINI 474
TROPIDINA 73, 474
Tropidion 474
Tropidosoma 484
TROPIDOSOMITAE 484
TROPIPHORIDAE 617
TROPIPHORINI 91, 617
Tropiphorus 617, 618, 890
Tropocalymma 485
TROPOCALYMMATINI 75, 485
TROPOCALYMMIDES 485
Tropopsis 118
TROPOPSITOS 118
TROPOPTERIDES 118
TROPOTERINI 22, 118
Tropopterus 118
Trox 8, 231
TRYMОСТЕРНИ 133
Trymosternus 133
TRYPANAEINA 159
TRYPANAEINAE 28, 159
Trypanaeus 159
TRYPАНÉENS 159
TRYPANIDITAE 486
Trypanidius 486
Trypetia 631
Trypetes 631, 890
Trypetes 631
TRYPETIDAE 631, 882
TRYPÉTIDES 631
TRYPETIDINAE 631, 882
TRYPETIDINI 92, 631
TRYPETINAE 631
TRYPODENDRINA 637
TRYPODENDRINAE 637
Trypodendron 637
TRYPOPHLOEINAE 632
Trypophloeus 632
TSHEKARDOCOLEIDAE 18, 94
TSHEKARDOCOLEOIDEA 18, 94
Tshekardocoileus 94
TYCHAEIDAE 566
TYCHAEINA 84, 566
Tychaeus 566
TYCHIIDAE 585
TYCHIINA 87, 585
TYCHIINI 87, 585
TYCHINI 32, 188
Tychius 585
Tychus 188
Tydes 444
TYDESSINAE 69, 444
TYDESSINI 444
TYLACHENIAE 279
Tylauchenia 279
TYLAUCHENIINA 46, 279
TYLICINI 291
Tylicus 291
Tyloides 599
TYLODIDES 599
TYLODINA 89, 599, 600
TYLODINAE 600
TYLONOTINI 118
Tylonotus 118

- Tylotis* 483
Tylositae 483
TYNDARIDINA 46, 279
TYNDARIDINI 46, 279
TYNDARINI 279
Tyndaris 279
Typhaea 385
TYPHAEINA 385
TYPHAEINI 62, 385
TYPHLOCHARINA 113
Typhlocharis 113
TYPHLORHININI 91, 619
Typhlorhinus 619
TYPHLUSECHINI 411
Typhlusechus 411
TYPHOcéSIDES 485
TYPHOCESINI 75, 485
Typhocesis 485
TYPODERINA 92, 628
Typoderus 628
TYPOPHORINA 538
TYPOPHORINI 79, 538
Typhophorus 538
TYRIDES 189, 190
Tyrina 33, 190
Tyrini 33, 189
Tyrus 189, 190
TYTHASPIDES 377
Tythaspis 377
TYTHONYINI 330
Tythonyx 330
TYTHONYXINI 54, 330
Uleiota 362
ULEIOTAEIDAE 362
ULOCERIDES 566
ULOCERINI 84, 566
Ulocerus 566
Ulodes 396
ULODIDAE 64, 396
ULODINAE 396
Uloma 426, 893
ULOMASCIDES 585
ULOMASCINAE 585
ULOMASCINI 87, 585
Ulamascus 585
ULOMINI 67, 426
ULOMITAE 426
ULOMITES 426
Ulyana 551
ULYANIDAE 81, 551
Ulyanica 542
ULYANISCINI 80, 542
Undulifer 8, 230
UNDULIFERINAE 8, 230
Unxia 485
UNXIINI 75, 485
UPIDAE 432
Upinella 427
UPINELLA 427
- Upis* 432
Uptona 430
UPTONINA 68, 430
Uracantha 485
URACANTHINI 75, 485
URACANTHITAE 485
Uracanthus 485
URACANTITAS 485
URALOCOLEIDAE 94
Uralocoelus 94
Urodon 551
URODONTIDES 551
URODONTINA 81, 551
Uroplata 519, 890
UROPLATINI 79, 519
UROPTERA 565
UROPTERINA 566, 869
UROPTERINI 565
USECHINI 64, 395
Usechus 395
VACRONINAE 412
VACRONINI 66, 412
Vacronus 412
Vadonaxia 283
VADONAXINI 47, 283
Valda 188
VALDIINI 188
VALDINI 32, 188
Valenfriesia 550
VALENFRIESINI 81, 550
VALGIDAE 272
VALGINA 45, 271
VALGINI 44, 271, 272
VALGUAIRES 271
Valgus 271
Vanapa 630
VANSONIINA 65, 405
VANSONINI 405
Vansonum 405
VATELLINI 27, 153
Vatellus 153, 891
VATESINI 33, 191
Vatesus 191
VATINIINAE 230
Vatinius 230
VELLEJINAE 229
Vellejus 229
Velora 492
VELORINI 492
Verodes 396
VESPÉRAIRES 452
Vesperella 485
VESPERELLINI 75, 485
VESPERIDAE 71, 451, 452
VESPERINAE 71, 451, 452
VESPERINI 452
VESPEROCTENINI 72, 462
Vesperoctenus 462
Vesperus 452
- Vesta* 327
VESTINA 327
VESTINI 54, 327
VETURINAE 230
Veturius 230
Vindex 231
VINDICINAE 231
VITICIINAE 586
VITICIINI 87, 586
Viticis 586
VITICLERINI 57, 346
Viticlerus 346
VOSSICARTINI 560
Vossicartus 560
VRILETTINI 340
Vrilletta 340
WALLACEA 514
WALLACEIAD[A]E 514
WALLACÉITES 514
Wasmannotherium 191
Webbia 637
WEBBINAE 637
Wittmeraltica 526
WITTMERALTICINA 526
Wittmeroquasimus 316
WITTMEROQUASIMUSINA 52, 316
WITTMEROQUASINA 316
WOOLDRIDGEINI 49, 294
Wooldridgeus 294
XANTHOLININI 38, 224, 225, 876,
 888
Xantholinus 225, 893
XANTHOMINI 417
Xanthomus 417
XANTHOPYGINA 38, 224, 876
Xanthopygus 224
XENAROSWELLANINI 145
Xenaroswellian 145
Xenaroswelliana 145
XENAROSWELLIANINI 25, 145
Xenaster 221
XENASTERES 221
Xenicotela 503
XENICOTELINI 77, 503
XENOBYTHINA 32, 186
Xenobythus 186
XENOCEPHALINI 191
Xenocephalus 191
XÉNOCERIDES 549
XENOCERINI 81, 549
Xenocerus 549
Xenoda 531
XENODITES 531
Xenodusa 202
XENODUSAE 202
Xenofrea 503
XENOFREINI 77, 503
Xenolea 503
XÉNOLÉIDES 503

- XENOLEINI 77, 503
Xenomyctetes 373
 XENOMYCETINAE 61, 373
 XENOPSEINA 46, 278
 XENOPSINA 278
Xenopsis 278
Xenorchestes 550
 XÉNORCHESTIDES 550
 XENORCHESTINI 81, 550
 XENORHIPIDINA 47, 287
 XENORHIPIDINI 8, 47, 287
 XENORHIPINAE 287
Xenorhipis 8, 287
 XENOSCELINAE 58, 356
 XENOSCELINI 356
 XENOSCELININI 356
Xenoscelinus 356
Xenoscelis 356
Xenospasta 438
 XENOSPASTINA 69, 438
Xenota 193
 XENOTAE 193
Xerobia 620
 XEROBIADAE 620
 XESTOBINI 339
Xestobium 339
 XIPHASPIDINAE 92, 631
Xiphaspis 631
 XIPHOSELIDAE 272
 XIPHOSCELIDINI 8, 45, 272
Xiphoscelis 8, 272
 XIROSCELINI 279
Xiroscelis 279
 XIXUTHRI 459
 XIXUTHRINA 71, 459
Xixuthrus 459
 XYLARIOPHILINAE 60, 369
Xylariophilus 369
 XYLEBORI 637
 XYLEBORINI 93, 637
 XYLEBORIPINA 632
Xyleborus 637, 890
 XYLECHINIDES 634
Xylechinus 634
 XYLETINIDAE 340
 XYLETININAE 56, 340
 XYLETININI 56, 340
Xyletinus 340, 892
Xylinada 549
Xylinades 549
Xylinadiides 549
Xylinadinae 549
Xylinadini 81, 549
Xylita 389
Xylitina 389
Xylitini 63, 389
Xylobiini 50, 302
Xylobius 302
- XYLOBORIPINA 632
 XYLOCTONIDAE 637
 XYLOCTONINI 93, 637
Xyloctonus 637
Xylographella 386, 387
 XYLOGRAPHELLINA 63, 387
 XYLOGRAPHELLINI 63, 386, 387
 XYLONICHINI 248
Xylonichus 248
 XYLONYCHINI 248
Xylonychus 248
Xylopertha 336
 XYLOPERTHINI 55, 336
 XYLOPHILIDAE 449
Xylophilus 302, 449
Xylorhiza 504
 XYLORHIZIDES 504
Xylorrhizina 77, 504
 XYLORHIZINAE 504
 XYLOSTEINA 464
 XYLOSTEINI 72, 464
Xylosteus 464
 XYLOTERI 637
 XYLOTERINI 93, 637
Xyloterus 637
Xylotrupes 260
 XYLOTRIDAE 260
 XYROSCELIDINI 46, 279
Xyroscelis 279
 XYSTOSOMINA 22, 114
Xystosomus 114
Xystrocera 485
 XYSTROCERINI 75, 485, 486
 XYSTROCERITAE 486
 XYSTROCÉRITES 485
 XYSTROPIDES 427
 XYSTROPODIDAE 427
 XYSTROPODINA 67, 427
 XYSTROPODINAE 426, 876
 XYSTROPODINI 426
Xystropus 427
Yanga 304
 YANGINI 304
 ZABRIDES 145
 ZABRINA 25, 145
 ZABRINAЕ 122
 ZABRINI 25, 145
 Zabrus 145
 ZACOTINI 111
Zacotus 111
 ZADENINA 423
Zadenos 423
 ZAPLOI 499
Zaplous 499
 ZARACIDES 456
 ZARACINAE 457
 ZARACINI 457, 870
Zarax 456
Zarudniola 275
- ZARUDNIOLIDAE 275
Zavaljus 356
Zebra 467
Zelliboria 478
 ZELLIBORINAE 478
Zelma 109
 ZELMIDES 109
 ZELMINA 110
 ZELMINI 110, 870
Zenoa 298
 ZENODOSINAE 57, 346
 ZENODOSINI 346
Zenodosus 346
 ZENOIDAE 298, 869
 ZENOINI 298
Zeteotomus 225
 ZETHINI 182
 ZETHOPSINA 182
Zethopus 182
Zethus 182
Zeugophora 504, 891
 ZEUGOPHORINAE 77, 504
Zherichinixena 552
 ZHERICHINIXENINA 82, 552
 ZILINI 380
Zilora 389
 ZILORIINI 389
 ZILORINI 63, 389
Zilus 380
 ZOLINA 22, 116
 ZOLINI 22, 116
 ZOLINOPATROBINA 116
Zolinopatrobus 116
 ZOLODININAE 64, 397
Zolodinus 397
Zolus 116
 ZONABRINI 440
Zonabris 440
 ZONITAIRE 442
ZONITES 442
ZONITES 442
 ZONITIDAE 442, 884
 ZONITIDINA 69, 442
 ZONITIDINAE 442, 884, 887
Zonitis 442, 857, 891
 ZOPHERIDAE 64, 392, 393, 395,
 396, 877, 888, 893
 ZOPHERINAE 64, 395, 396
Zopherini 64, 395, 396
 ZOPHÉRITES 392, 395
 ZOPHEROIDAE 395
 ZOPHEROSINI 396
Zopherosis 396
Zopherus 392, 395
 ZOPHOSINI 66, 412
Zophosis 412
 ZOPHOSITES 412
 ZUPHIETAЕ 145, 146
 ZUPHIINA 25, 146

- ZUPHIINAE 122
ZUPHIINI 25, 145
Zuphium 145, 146
Zygaenodes 549
ZYGAENODINAE 549
ZYGAENODINI 81, 549
ZYGÉNODIDES 549
Zygia 350
ZYGIIDAE 350
- ZYGOBARI 587
ZYGOBARIDINA 87, 587, 871, 881
Zygodaris 587
Zygocera 504
ZYGOCERINI 77, 504
ZYGOCERITAE 504
Zygogramma 521
ZYGOGRAMMINI 521
ZYGOPIDES 595
- ZYGOPINAE 595
ZYGOPINI 88, 595
Zygops 595, 891
Zyras 202, 893
ZYRINI 202