

DATASHEET

FUJITSU LIFEBOOK P770 NOTEBOOK

THE SLIM COMPANION TO GO

LIFEBOOK P770

Small, lightweight and nevertheless high performance? The answer to those requirements is the LIFEBOOK P770. With one of the smallest footprints in the 12-inch market and weighing only 1.4 kg, it offers the user quite a range of goodies: all standard interfaces including HDMI, 3G/UMTS, WLAN and Bluetooth, an integrated webcam and long battery runtime. As data security is immensely important for mobile users, the LIFEBOOK P770 meets such requirements thanks to its fingerprint sensor and optional TPM.



Ultimate mobility for maximum comfort while on the move.

■ 1.4kg notebook, one of the smallest footprints, robust light-weight magnesium lid

UNLIMITED CONNECTIVITY

Wireless connectivity anytime and anywhere, even if there is no hot spot nearby.

■ Fast connection with integrated 3G/UMTS, WLAN and Bluetooth

HIGHEST SECURITY

Protect your data and information from unauthorized access.

Benefit from our end-to-end anti-theft concept and system and user protection, such as Advanced Theft Protection, Computrace® enabled BIOS, fingerprint sensor, TPM Module and SmartCase Logon+

BEST ENERGY EFFICIENCY

This system is designed from scratch to save energy, from processor up to special features.

Intel® Core™ i7-620UM processor with vPro™ technology, optional Solid State Disk (SSD), LED display, EcoButton and Power Management system

HIGHEST CONFIGURATION FLEXIBILITY

Different people have different requirements.

■ Different design options (matt/glossy) and palm rest, 3G/UMTS, SSD drive, port replicator

























COMPONENTS

OPERATING SYSTEM			
	ed Microsoft® Windows® 7 Professional 64-bit		
Operating system compatible	Microsoft® Windows® XP Professional		
Operating system notes	Driver support for Microsoft® Windows® XP Professional		
	<u> </u>		
MEMORY MODULES	2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM		
	4 GB (2 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM		
Supported capacity RAM (max.)	4 GB		
Memory slots total	2		
Memory slot type	DIMM		
HARD DISK DRIVES (INTERNAL)	SSD SATA, 128 GB, 2.5-inch		
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.		
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	ShockSensor for HDD shock protection		
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.		
	Accessible capacity may vary, also depending on used software		
WLAN (OPTIONAL)	Atheros Minicard b/g/n		
	Intel® Centrino® 6200 802.11 a/b/g/n		
WIRELESS TECHNOLOGIES			
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas		
WLAN notes	Import and usage according to country-specific regulations.		
3G/UMTS (OPTIONAL)	Sierra Wireless Gobi 2000 (downlink 7.2 Mbit/s, uplink 5.76 Mbit/s)		
BLUETOOTH (OPTIONAL)	Bluetooth 2.1		
DRIVES	DVD Super Multi		
Base unit	LIFEBOOK P770		
GENERAL SYSTEM INFORMATION			
Processor	Intel® Core™ i7 processor i7-620UM (1.06 GHz), 4 MB, 800 MHz		
Chipset	Intel® QS57		
Chipset notes	supports iAMT 6.0#vPro requires Core i5-5xx/i7 processor, Intel W-LAN & TPM module		
BIOS features	BIOS Flash EPROM BIOS based on Phoenix TrustedCore Notebook		
Product design			
DISPLAY			
Display	30.7 cm (12.1-inch), TFT, (WXGA), LED anti-glare display, 1280 x 800 pixel		
GRAPHICS			
GRAPHICS TFT resolution (HDMI)	up to 1920 x 1080		
	up to 1920 x 1080 up to 1920 x 1200		
TFT resolution (HDMI)	up to 1920 x 1200		
TFT resolution (HDMI) TFT resolution (VGA)	up to 1920 x 1200		
TFT resolution (HDMI) TFT resolution (VGA) TFT resolution (DVI on Port Replicato	up to 1920 x 1200		
TFT resolution (HDMI) TFT resolution (VGA) TFT resolution (DVI on Port Replicato Max. resolution external display	up to 1920 x 1200 or) 1920 x 1200 / true color / 60 Hz		
TFT resolution (HDMI) TFT resolution (VGA) TFT resolution (DVI on Port Replicato Max. resolution external display Graphics brand name	up to 1920 x 1200 1920 x 1200 / true color / 60 Hz Intel® HD Graphics		
TFT resolution (HDMI) TFT resolution (VGA) TFT resolution (DVI on Port Replicato Max. resolution external display Graphics brand name Graphics features	up to 1920 x 1200 1920 x 1200 / true color / 60 Hz Intel® HD Graphics		

Page 2 / 6 http://ts.fujitsu.com/mobile

INTERFACES		
SIM card slot	1	
USB 2.0 total	3	
VGA	1	
HDMI	1	
Ethernet (RJ-45)	1	
DC-in	1	
Audio: line-in / microphone	1	
Audio: line-out / headphone	1	
Internal microphones	2	
Docking connector for Port Replicator	1	
Kensington Lock support	1	
WIRED COMMUNICATION		
LAN	Built-in 10/100/1000 MBit/s Intel® 82577 LM	
KEYBOARD AND POINTING DEVICES		
	Spill-resistant keyboard	
	Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm	
	Touchpad with two mouse buttons and scroll via fingerprint sensor	
	Application buttons	
	LaunchCenter button	
	Fingerprint sensor scroll	
MULTIMEDIA		
Audio type	On board	
Audio codec	Realtek ALC269	
Audio features	Internal microphone	
Camera	Built-in webcam, 2.0 megapixel	
POWER SUPPLY		
AC adapter	19 V / 60 W (3.16 A)	
Rated voltage range	100 - 240 V (AC Input)	
Rated frequency range	50 - 60 Hz	
1st battery	Li-lon battery 6-cell, 5200 mAh, 56 Wh	
	Li-lon battery 6-cell, 5800 mAh, 63 Wh	
Battery features	Rapid charge with 5200 mAh batteries	
Runtime 1st battery	8 h	
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	
Related Processors for power consumption		
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=f6c5b917-ea55-407c-aa01-4e305635ec8d	
DIMENSIONS / WEIGHT / ENVIRONMENT	ral ()	
Dimensions (W x D x H)	282 x 215 x 29.9	
Weight	1.4 kg	
Weight notes	Actual weight may vary depending on configuration	
Operating ambient temperature	5 - 35°C	
Operating relative humidity	20 - 85 % (running)	
· •		

Page 3 / 6 http://ts.fujitsu.com/mobile

Ethernet (RJ-45)

eSATA

1

ADDITIONAL SOFTWARE				
Additional software (preinstalled)	Adobe Acrobat Reader			
Auditional Software (premstalled)	Adobe Acrobat Reader Application Panel			
	Display Manager			
	ShockSensor Utility			
	Power Saving Utility			
	Wireless Selector Utility			
	EasyGuide online user documentation			
	Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers	8. Utilities DVD for Microsoft Windows YP		
Additional software (optional)	Recovery DVD (Windows® 7)	& Clinics DVD for Wilcosoft Windows Ai		
raanona comano (opacha)	Drivers & Utilities DVD (DUDVD)			
	UMTS connection manager (optional with UMTS)			
	DVD playback software			
MANAGEABILITY				
Manageability features	DeskUpdate Driver management			
	iAMT 6.0			
Managashility type	Intel® vPro™ technology			
Manageability type DeskView features	DeskView 10.x client management including:			
Deskview leatures	On/Offline remote client management Detailed system inventory management and reports			
	BIOS Management			
	Remote power management			
	System notifications			
	Security Remote Control			
	DeskView Helpdesk Integration			
0	WoL (Wake on LAN)			
Supported standards	WMI PXE			
	BootP (made4you)			
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html			
SECURITY				
Physical security	Kensington Lock support			
System security	Optional: Trusted platform module (TPM 1.2)			
	Symantec Norton Internet Security (90 day test version)			
User security	Integrated Fingerprint Sensor			
	Hard disk password			
	SystemLock BIOS SmartCard security			
	User and supervisor BIOS password			
Product	٥٢			
Europe	CE CE!			
Global	RoHS (Restriction of hazardous substances)			
GIODAI	WEEE (Waste electrical and electronical equipme	nt)		
	Microsoft Operating Systems (HCT / HCL entry / \			
	WiFi certified	··· ··- /		
	ENERGY STAR® 5.0			
	EPEAT® Gold			
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.	aspx		
PORTREPLICATOR INTERFACES (OPTI	ONAL)			
	Portreplicator\AC Adapter\EU-Cable Kit	Portreplicator\AC Adapter\GB-Cable Kit		
DC-in	1	1		
Power on switch	1	1		
USB 2.0 total	4	4		
VGA	1	1		
DVI	1	1		

Page 4 / 6 http://ts.fujitsu.com/mobile

1

1

RECOMMENDED ACCESSORIES			
AC Adapter	S26391-F794-L500		
1st battery	S26391-F795-L300		
Memory (2GB)	S26391-F641-L100		
1st hard disk drive	S26391-F792-L800		
Port replicator / AC adapter / cable kit	S26391-F794-L100 (EU cable) S26391-F794-L200 (UK cable)		
Recommended cases	S26391-F119-L151 (Prestige case mini)		
Accessories included	Exclusive pouch Cleaning cloth		
WARRANTY			
Standard Warranty	2 years		
Service level	Collect & Return Service / Bring-in Service (depending on country)		
MAINTENANCE AND SUPPORT SERVICES - THE PERFECT EXTENSION			
Recommended Service	3 years, Collect and Return Service, where available: On-site Service		
Spare Parts availability	5 years		
Service Weblink	htttp://ts.fujitsu.com/Supportservice		

Page 5 / 6 http://ts.fujitsu.com/mobile

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu LIFEBOOK P770, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu LIFEBOOK P770, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. http://ts.fujitsu.com/mobile

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html

Copyright © Fujitsu Technology Solutions

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2010-05-04 CE-EN

Page 6 / 6 http://ts.fujitsu.com/mobile