

Fujitsu recommends Windows® 7.

Data Sheet

Fujitsu LIFEBOOK E752

Notebook

Your Professional Desktop Replacement

If you need a reliable and energy-efficient notebook for daily business use, select the Fujitsu LIFEBOOK E752. The 39.6 cm (15.6-inch) display and useful interfaces offer you enhanced convenience. The modular bay lets you add extra memory or a second battery to increase your flexibility. Moreover, advanced security features protect your valuable company data.

More than enough performance

Maximum productivity even for the most demanding of applications thanks to state-of-the-art technology.

- Up to 3rd generation Intel® Core™ i7 processor, Intel® integrated graphics
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Performance of a desktop in a notebook

Effective working even for the most demanding of users in all situations.

- 39.6 cm (15.6-inch) HD or HD+ display, modular bay, optional second hard disk drive
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Maximum connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

- Integrated DisplayPort, eSATA, serial port, optional USB 3.0, optional embedded 3G/UMTS or 4G/LTE, WLAN and Bluetooth®

Maximum security

Protect your company data against unauthorized third-party access.

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), integrated SmartCard slot, optional fingerprint sensor, TPM module and SMARTACCESS

Great flexibility

The family concept offers same design and accessory components for LIFEBOOK E752 and E782 as well as for LIFEBOOK S752 and S782.

- Same industrial design, bit image, BIOS and accessories such as port replicator, power supply unit, keyboard and modular bay for optical drive, second battery and second hard disk drive



Components

Processor	Intel® Core™ i5-3210M processor (2.5 GHz, up to 3.1 GHz, 3 MB) *
	Intel® Core™ i5-2450M processor (2.5 GHz, 3 MB) *
	Intel® Core™ i3-2370M processor (2.4 GHz, 3 MB) *
	Intel® Core™ i3-2328M processor (2.2 GHz, 3 MB) *
	Intel® Core™ i7-3612QM processor (2.1 GHz, up to 3.1 GHz, 6 MB) *
	Intel® Core™ i7-3520M processor (2.9 GHz, up to 3.6 GHz, 4 MB)
	Intel® Core™ i5-3360M processor (2.80 GHz, up to 3.5 GHz, 3 MB)
	Intel® Core™ i5-3320M processor (2.6 GHz, up to 3.3 GHz, 3 MB)
	*Processor only for retail, SMB, education and government
Operating systems	
Operating system	Windows® 7 Professional 64-bit Windows® 7 Home Premium 64-bit Windows® 7 Home Basic (EM) 64-bit
Operating system compatible	Windows® XP 32-bit
Operating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via http://support.ts.fujitsu.com
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM 4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM 8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
Base unit memory	LIFEBOOK E752 15.6-inch LIFEBOOK E752 15.6-inch LIFEBOOK E752 15.6-inch LIFEBOOK E752 15.6-inch 10-key vPro vPro 10-key
Supported capacity RAM (max.)	16 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Memory notes	DDR3 - 1600 MHz
Hard disk drives (internal)	SSD SATA III FDE, 128 GB, 2.5-inch SSD SATA III, 256 GB, 2.5-inch SSD SATA III, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. mSATA, 32 GB, SSD cache for IRST & Express Cache FDE, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
WLAN (optional)	Intel® Centrino® 6205 802.11 a/b/g/n Intel® Centrino® Wireless-N2200 b/g/n
Wireless technologies	
Antennas	2 dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional
WLAN notes	Import and usage according to country-specific regulations.
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s) LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
Bluetooth (optional)	Bluetooth 4.0

Display	39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, compound, 1600 x 900 pixel, 300:1, 220 cd/m			
	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m			
Modular bay options	2nd battery			
	2nd hard disk drive (S-ATA II)			
	Blu-ray Disc™ Triple Writer			
	DVD Super Multi			
	Weight saver			
Base unit	LIFEBOOK E752 15.6-inch	LIFEBOOK E752 15.6-inch 10-key	LIFEBOOK E752 15.6-inch vPro	LIFEBOOK E752 15.6-inch vPro 10-key
General system information				
Chipset	Intel® HM76		Intel® QM77	
Chipset notes	supports iAMT 8.0, Intel® vPro™ requires Core i5-33xx / i7-35xx processor, Intel W-LAN 6205 & TPM module			
BIOS features	BIOS based on Phoenix SecureCore			
Graphics				
TFT resolution (DisplayPort)	up to 2560 x 1600			
TFT resolution (VGA)	up to 1920 x 1200			
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200			
TFT resolution (DisplayPort on Port Replicator)	up to 2560 x 1600			
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors			
Graphics features	3 Display Support			
Graphics notes	Shared memory depending on main memory size and operating system			
Interfaces				
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB, MS Pro, MS Pro Duo)			
ExpressCard slots	1 (34 / 54 mm supported)			
SmartCard slot	1			
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)			
Modem (RJ-11)	1 (optional)			
eSATA & USB combo	1			
USB 3.0 total	2			
USB 2.0 total	2 (1x with Anytime USB Charge functionality)			
Serial (RS-232)	1			
VGA	1			
DisplayPort	1 (V1.1a)			
Ethernet (RJ-45)	1			
DC-in	1			
Audio: line-in / microphone	1			
Audio: line-out / headphone	1			
Internal microphones	2x digital (array) microphones as option			
Docking connector for Port Replicator	1			
Kensington Lock support	1			
Wired communication				
Modem type	Optional: 56 K V.92 modem			
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 V		Built-in 10/100/1000 MBit/s Intel® 82579 LM	

Keyboard and pointing devices

Spill-resistant keyboard (new layout)	Spill-resistant keyboard	Spill-resistant keyboard (new layout)	Spill-resistant keyboard
Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 104, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 104, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
Multi gesture touchpad with two mouse buttons Optional: Fingerprint sensor Optional: TouchStick Application buttons			

Multimedia

Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers
Camera	Optional: Built-in HD webcam or Full HD webcam (Microsoft® Lync™) (depending on configuration)

Power supply

AC Adapter	19 V / 65 W (3.42 A) slim and light, 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Slim and light AC-Adapter 19 V / 65 W (3.42 A) standard type, 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter 19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter 19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology
Notes	65W AC Adapter for usage with system with i3/i5 processors/ 80W AC Adapter for usage with Port Replicator or for systems with i7 processor
1st battery options	Li-Ion battery 6-cell, 6700 mAh, 72 Wh Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 3.800 mAh, 41 Wh
Runtime 1st battery	up to 12 h
Runtime 1st + 2nd battery	up to 18 h
Battery charging time	~120 min (63Wh) ~ 190 min (72Wh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.

Power consumption

Power consumption note	See white paper Energy Consumption
-------------------------------	------------------------------------

Dimensions / Weight / Environmental

Dimensions (W x D x H)	372 x 245 x 35 mm
Weight	2.5 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 %

Additional Software

Additional software (preinstalled)	Adobe® Reader® Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) 60 days version Fujitsu Recovery (Hard Disk Based Recovery) Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® Standard Manageability WoL (Wake on LAN)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 8.0 (depending on CPU)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html	

Security

System protection	Kensington Lock support
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 60 days version
Access protection	Hard disk password Integrated SmartCard slot User and supervisor BIOS password Optional: Integrated fingerprint sensor including OmniPass software

Compliance

Germany	GS (planned)
Europe	CE CB Nordic Swan in progress
USA/Canada	FCC (depending on configuration)
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® Gold (dedicated regions) (planned)
China	CCC (depending on configuration)

Compliance

Compliance notes	Above mentioned compliances are planned but not available at preliminary stage.
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Port Replicator interfaces (optional)

DC-in	1 (19V)
Power on switch	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher priority.
VGA	1
DVI	1 (up to 1920 x 1200)
Serial (RS-232)	1
Ethernet (RJ-45)	1 (10/100/1000)
Parallel	1
Kensington Lock support	1
eSATA	1
Notes	Port replicator does support 0-Watts functionality. DisplayPort is shared with DVI exclusive usage.

Warranty

Standard Warranty	1 year
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)

Maintenance and Support Services - the perfect extension

Recommended Service	5x9, response time: next business day, on-site-Service
Spare Parts availability	5 years
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Port Replicator

Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu docking options. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse, for example. Your workplace is simple and tidy while you are ready to work with your notebook.

Order Code:
S26391-F1147-L100

2nd battery

With a second battery you can maximize the working time of your notebook and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working – free from the power socket!

Order Code:
S26391-F777-L200

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK E752, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK E752, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions
Website: www.fujitsu.com/fts
2012-07-02 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions