

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem ail	UP
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Inkjet Printer				
Commercial name *	HP Officejet Pro 251dw Printer				
Model number *	CV136A				
Issue date *	October 2013				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	CV136A		
Issue date *	October 2013	Logo	

Product	duct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-				
	im.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			Ш	
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	П		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ħ	Ħ	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\overline{X}			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	CV136A		
Issue date *	October 2013	Logo	

Product	environmental attributes - Market requirements - Environmental conscious design Rec	quire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X		
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\square}$	$\overline{\sqcap}$	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes
P7.8*	Upgrading can be done using commonly available tools	$\overline{\Box}$	$\overline{\Box}$	
P7.9.	Spare parts are available after end of production for: 3 years			
P7.10	Service is available after end of production for: 1 year (See section P14)			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.			
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		$\overline{\sqcap}$	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is %.		_	
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	
P8	Batteries and max. Theretary content per lamp.			
P8.1*	Battery chemical composition: LiMnO2			
P8 2	Batteries meet the requirements of the following voluntary program/s:			一一

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	CV136A		
Issue date *	October 2013	Logo	

Product 6	environmental att	ributes - Market re	quirements (con	tinued)	Requirement met	
Item				-	Yes No n.a.	
P9	Energy consumpti					
9.1 For the product the following power levels or energy consumptions are reported:						
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at Reference / Standard for energy modes and test method *	
		W	W	W		
ENERGY S Mode	STAR [®] Ready	3.93 W	4.057 W	4.158 W	ENERGY STAR® Imaging Equipment Test Method (Ver. 1.2)	
ENERGY	STAR [®] Sleep Mode	1.3 W	1.309 W	1.391 W	ENERGY STAR® Imaging Equipment Test Method (Ver. 1.2)	
ENERGY S	STAR® Off Mode	0.092 W	0.101 W	0.119 W	ENERGY STAR® Imaging Equipment Test Method (Ver. 1.2)	
ENERGY S Mode	STAR® Auto-Off	<i>NA</i> W	NA W	NA W	ENERGY STAR® Imaging Equipment Test Method (Ver. 1.2)	
		W	W	W		
charger plu	power supply / ugged in the wall disconnected from	W	W	W	ENERGY STAR® Program for External Power Supplies (Ver. 2.0)	
PTEC * Typical En	ergy Consumption	W	W	W		
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	kWh/wee	k 🖂	
ETEC * Annual End	ergy Consumption	kWh/year	kWh/year	kWh/yea		
Display res	solution* : Me	gapixels	<u> </u>	L		
Print Spee	d * : <i>up to 17/</i>	13 Images per minute	(ISO speed)			
Default tim	e to enter energy sav	ve mode: minute	es			
P9.2*	Information about th	ne energy save functio	n is provided with th	e product.		
P9.3*	The product meets ENERGY STAR® v Others specify:	the energy requirement version: 1.2 Tier:	nts of the following v Product category:			
P10	Emissions					
		Declared according to	ISO 9296			
P10.1	Mode N	lode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p{\sf Am}}$ (dB)	
				level $L_{W extsf{Ad}}$ (B)	Operator position Bystander positions	
					or Desk side (only if product is not operator attended)	
		Ready	*	6.6 Bels (A)	16 (dBA)	
	-	Printing Mono	*	6.6 Bels (A)	53 (dBA)	
		Printing Color	=======================================	6.3 Bels (A)	53 (dBA)	
	Measured accordin	g to: ISO7779 Other		by ECMA-74 with	n L _{pAm} measurement distance m)	
P10.2						

Model number *	CV136A		
Issue date *	October 2013	Logo	

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:	\square		
P10.4	Typical emission rate (print phase) is (mg/h):			Ħ
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			
	Dust Ozone Styrene Benzene TVOC		ш	ш
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			
D44	program/s:			
P11	Consumable materials for printing products			_
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	<u> </u>	Щ.	Ц.
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements EN12281.	of 🔀		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\overline{\boxtimes}$
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Paper/Corrugated carton weight (kg): 1.21			
	Product packaging material type(s): PLASTIC/ Expanded Polystyrene weight (kg): 0.26			
	Product packaging material type(s): PLASTIC/Polyethylene weight (kg): 0.05			
P13.2*	Product plastic packaging is free from PVC.			
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%	l		
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
All	Product environmental information contained in this declaration is valid as of the date the declaration is public			
	external standards referenced in the IT Eco-Declaration may invalidate some information contained in this d			
P7.10	1. Customer has option to buy extended warranty care pack for up to 4 years. Specific warranty and supp	ort options	may v	ary
P9	dependent upon product, country and country-specific legislation 2. Many printers are offered in multiple configurations within the model family. Energy efficiency data lists	dia thia d	aalarat	ion io
F9	for an ENERGY STAR® qualified configuration if offered within the model family. HP printers marked v			
	STAR® Logo qualify for the U.S. Environmental Protection Agency (EPA) ENERGY STAR® award for			
	For more information about HP's ENERGY STAR® qualified products, go to hp.com: http://www.hp.cor			
	applicable market segments and product categories to find printers or scanners that meet the ENERGY	′ STAR®		
	specifications.			
	3. If a model family does not offer ENERGY STAR® qualified configurations, then energy efficiency data	isted is for	a typic	ally
	configured model. 4. Energy Efficiency information published on the ECMA 370 The Eco Declaration represents a typically of	onfigured	nroduo	+
	base that qualifies for ENERGY STAR® if offered within the model family. If optional components or me			
	these can change the energy efficiency data listed above.	adioo dio	aaaca	,
P10.1	1. Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically con	figured pro	duct b	ase
	model only. If optional items with moving parts are added, these can change acoustic noise values for			
	responsibility.			
P10.3	1. Chemical emissions tests are performed on a representative product base model only. Officejet Pro 80	00		
P11.3	Manual duplexing enabled via printer software			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19